NOTICE OF INTENT TO ADOPT A MITIGATED NEGATIVE DECLARATION

NOTICE IS HEREBY GIVEN that the Jurupa Community Services District (hereinafter "the District") has completed an Initial Study for the Recycled Water Service Expansion (District Project No. C133656) (hereinafter "the Project"), located in the cities of Eastvale, Jurupa Valley, Chino, and Ontario, in Riverside and San Bernardino Counties. The District has prepared an Initial Study to determine the level of environmental review necessary for adoption of the proposed Project. The Initial Study has been prepared in accordance with the California Environmental Quality Act (CEQA) to assess the potential for any significant environmental effects associated with implementation of the proposed Project. Based on the analysis in the Initial Study, it has been determined that all Project-related environmental impacts could be reduced to a level that is less than significant with the incorporation of mitigation measures. Accordingly, a Mitigated Negative Declaration will meet the requirements of CEQA.

The Project proposes the construction and operation of recycled water distribution and storage facilities. The potential sources of recycled water for this system will come from the Western Riverside County Regional Wastewater Authority (WRCRWA) Treatment Plant in the City of Eastvale and/or the Inland Empire Utilities Agency's (IEUA) recycled water system in San Bernardino County.

Facilities to be evaluated in the Initial Study include recycled water pipelines, recycled water reservoirs and pump station, and a clear well. Pipelines will be primarily located within existing rights-of-way in the cities of Eastvale and Jurupa Valley, and in the cities of Chino and Ontario to connect to the existing recycled water system owned and operated by IEUA. The proposed recycled water reservoirs and pump station will be located in the City of Ontario at one of two locations. The first location is east of Carpenter Avenue generally between Schaefer Avenue to the north and Edison Avenue to the south, and the second location is northwest of the intersection of Schaefer Avenue and Vineyard Avenue. The proposed recycled water reservoirs will be capable of storing a total of five million gallons of recycled water within two 2.5-million-gallon tanks. The clear well will be located at the WRCRWA Treatment Plant.

Copies of the Initial Study and the proposed Mitigated Negative Declaration are available for public review at the District's office located at 11201 Harrel Street, Jurupa Valley, CA 91752, at the Eastvale Library located at 7447 Scholar Way, Eastvale, CA 92880, and at the Glen Avon Library located at 9244 Galena Street, Jurupa Valley, CA 92509. All documents referenced in the Initial Study are available for public review at those locations identified in the Initial Study.

In accordance with Section 15072(a) of the State CEQA Guidelines, this Public Notice is to officially notify the general public, public agencies, and landowners that a 30-day public review period will begin on July 29, 2015. Any comments on the proposed Initial Study and Mitigated Negative Declaration or requests for information should be sent to:

F I L E D / P O S T E D
County of Riverside
Peter Aldana
Assessor-County Clerk-Recorder
E-201500681
07/29/2015 03:51 PM Fee: $ 0.00
Page 1 of 2
Removed: By: Deputy

upa Community Services District
Attn: Michele Lauffer
enior Administrative Assistant

11201 Harrel Street
Jurupa Valley, CA 91752
mlauffer@jcsd.us

Written comments must be received at the above address **by August 27, 2015.** Any written comments received will be forwarded to the District's Board of Directors and will be considered before the Mitigated Negative Declaration is approved for adoption. A public hearing of the District's Board of Directors to take action on the Initial Study and Mitigated Negative Declaration will be held at 7:00 p.m. on September 28, 2015, at the District's Boardroom located at 11201 Harrel Street, Jurupa Valley, CA 91752.

Questions or request for electronic copies of the Initial Study and Mitigated Negative Declaration should be directed to Ms. Lauffer at the address provided above, by phone at (951) 685-7434 ext. 145, or by e-mail at mlauffer@jcsd.us.