

**Notice of Determination**

E202110000303

**To:**  
Office of Planning and Research  
U.S. Mail: Street Address:  
P.O. Box 3044 1400 Tenth St., Rm 113  
Sacramento, CA 95812-3044 Sacramento, CA 95814  
  
County Clerk  
County of: Fresno  
Address: 2220 Tulare Street, Fresno CA 93721

**From:**  
Public Agency: Del Rey Community Services District  
Address: 10649 Morro Avenue, Del Rey, CA 93616  
  
Contact: Carlos Arias  
Phone: 559-888-2272  
  
Lead Agency (if different from above):  
Address: \_\_\_\_\_  
  
Contact: \_\_\_\_\_  
Phone: \_\_\_\_\_

**FILED**  
NOV 30 2021  
TIME 10:49am  
FRESNO COUNTY CLERK  
DEPUTY

**SUBJECT: Filing of Notice of Determination in compliance with Section 21108 or 21152 of the Public Resources Code.**

State Clearinghouse Number (if submitted to State Clearinghouse): 2019120518

Project Title: TCP Wellhead Treatment for Wells 4, 5, 6 and 7

Project Applicant: Del Rey Community Services District

Project Location (include county): Del Rey, Fresno County

**Project Description:**

The Del Rey Community Services District (District) proposes to install wellhead treatment systems at three of the District's existing water well sites in Del Rey in order to reduce concentrations of the synthetic organic compound 1,2,3-Trichloropropane (TCP) in the District's drinking water supply to below the California State Water Resources Control Board's adopted maximum contaminate level (MCL) for TCP. The project would include installation of granular activated carbon (GAC) treatment systems at well sites 4, 6, and 7 as well as a buried pipeline connecting the existing well at well site 5 to the proposed treatment system at well site 6. No project activities are proposed at the District's well site 3.

This is to advise that the Del Rey Community Services District (Lead Agency) has approved the above described project on 11/18/2021 and has made the following determinations regarding the above described project.

- 1. The project **will not** have a significant effect on the environment.
- 2. A **Negative Declaration** was prepared for this project pursuant to the provisions of CEQA.
- 3. Mitigation measures **were** made a condition of the approval of the project.
- 4. A mitigation reporting or monitoring plan **was** adopted for this project.
- 5. A Statement of Overriding Considerations **was not** adopted for this project.
- 6. Findings **were not** made pursuant to the provisions of CEQA.

This is to certify that the final EIR with comments and responses and record of project approval, or the negative Declaration, is available to the General Public at:

Del Rey Community Services District office, 10649 Morro Avenue, Del Rey, CA 93616

Signature (Public Agency): \_\_\_\_\_ Title: District Manager

Date: 11/30/2021 Date Received for filing at OPR: \_\_\_\_\_