Appendix 5A, Section D
Modeling Technical Appendix
Attachment 2 – HEC-5Q Model Results for No Project Alternative and Alternatives at 2040

Contents

5A-D. Appendix 5A, Section D Modeling Technical Appendix Attachment 2 – HEC-5Q Modeling Results for No Project Alternative D-1

D.1 American River Above Confluence D-2
D.2 American River Below Folsom Dam D-61
D.3 American River Below Nimbus (Hazel Avenue) D-120
D.4 American River at Watt Avenue D-179
D.5 American River at William Pond Park D-238
D.6 Clear Creek Above Sacramento D-297
D.7 Clear Creek at Clear Creek Tunnel D-356
D.8 Clear Creek at Igo D-415
D.9 Clear Creek at Spring Creek Tunnel D-474
D.10 Clear Creek at Whiskeytown D-533
D.11 Sacramento River at Balls Ferry D-592
D.12 Sacramento River at Bend Bridge D-651
D.13 Sacramento River Below Clear Creek D-710
D.14 Sacramento River Below Keswick D-769
D.15 Sacramento River Below Shasta D-828
D.16 Sacramento River at Butte City D-887
D.17 Sacramento River at Cottonwood Creek D-946
D.18 Sacramento River at Cow Creek D-1005
D.19 Sacramento River at Glenn-Colusa Irrigation District (GCID) D-1064
D.20 Sacramento River at Hamilton City D-1123
D.21 Sacramento River at Jellys Ferry D-1182
D.22 Sacramento River at Red Bluff Dam D-1241
D.23 Sacramento River at Red Bluff D-1300
D.24 Sacramento River at Stony Creek D-1359
D.25 Sacramento River at TCID D-1418
D.26 Sacramento River at Woodson Bridge D-1477
D.27 Stony Creek Above Sacramento D-1536
D.28 Stony Creek Below Black Butte D-1595
D.29 Trinity River Above Lewiston D-1654
D.30 Trinity River Below Lewiston D-1713
D.31 Trinity River Below Trinity Dam D-1772
D.32 Shasta Cold Water Pool Storage D-1831

Figures

Figure 5A-D2.1.1. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-18
Figure 5A-D2.1.2. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-18
Figure 5A-D2.1.3. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-19
Figure 5A-D2.1.4. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-19
Figure 5A-D2.1.5. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-20
Figure 5A-D2.1.6. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-20
Figure 5A-D2.1.7. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-21
Figure 5A-D2.1.8. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-21
Figure 5A-D2.1.9. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-22
Figure 5A-D2.1.10. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-22
Figure 5A-D2.1.11. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-23
Figure 5A-D2.1.12. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-23
Figure 5A-D2.1.13. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-24
Figure 5A-D2.1.14. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-24
Figure 5A-D2.1.15. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-25
Figure 5A-D2.1.16. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-25
Figure 5A-D2.1.17. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-26
Figure 5A-D2.1.18. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-26
Figure 5A-D2.1.19. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-27
Figure 5A-D2.1.20. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-28

Figure 5A-D2.1.21. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-29
Figure 5A-D2.1.22. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-30
Figure 5A-D2.1.23. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-31
Figure 5A-D2.1.24. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-32
Figure 5A-D2.1.25. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-33
Figure 5A-D2.1.26. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-34
Figure 5A-D2.1.27. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-35
Figure 5A-D2.1.28. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-36
Figure 5A-D2.1.29. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-37
Figure 5A-D2.1.30. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-38
Figure 5A-D2.1.31. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-39
Figure 5A-D2.1.32. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-40
Figure 5A-D2.1.33. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-41
Figure 5A-D2.1.34. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-42
Figure 5A-D2.1.35. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives..... D-43

Figure 5A-D2.1.36. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-44
Figure 5A-D2.1.37-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-45
Figure 5A-D2.1.37-B. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-46
Figure 5A-D2.1.37-C. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-47
Figure 5A-D2.1.37-D. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-48
Figure 5A-D2.1.38. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-49
Figure 5A-D2.1.39. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-50
Figure 5A-D2.1.40. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-51
Figure 5A-D2.1.41. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-52
Figure 5A-D2.1.42. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-53
Figure 5A-D2.1.43. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-54
Figure 5A-D2.1.44. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-55
Figure 5A-D2.1.45. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-56
Figure 5A-D2.1.46. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-57
Figure 5A-D2.1.47. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-58
Figure 5A-D2.1.48. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-59
Figure 5A-D2.1.49. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-60
Figure 5A-D2.2.1. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-77
Figure 5A-D2.2.2. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-77
Figure 5A-D2.2.3. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-78
Figure 5A-D2.2.4. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-78

Figure 5A-D2.2.5. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-79
Figure 5A-D2.2.6. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-79
Figure 5A-D2.2.7. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-80
Figure 5A-D2.2.8. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-80
Figure 5A-D2.2.9. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-81
Figure 5A-D2.2.10. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-81
Figure 5A-D2.2.11. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-82
Figure 5A-D2.2.12. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-82
Figure 5A-D2.2.13. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-83
Figure 5A-D2.2.14. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-83
Figure 5A-D2.2.15. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-84
Figure 5A-D2.2.16. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-84
Figure 5A-D2.2.17. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-85
Figure 5A-D2.2.18. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-85
Figure 5A-D2.2.19. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-86
Figure 5A-D2.2.20. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-87
Figure 5A-D2.2.21. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-88
Figure 5A-D2.2.22. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-89
Figure 5A-D2.2.23. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-90

Figure 5A-D2.2.24. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-91
Figure 5A-D2.2.25. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-92
Figure 5A-D2.2.26. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-93
Figure 5A-D2.2.27. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-94
Figure 5A-D2.2.28. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-95
Figure 5A-D2.2.29. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-96
Figure 5A-D2.2.30. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-97
Figure 5A-D2.2.31. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-98
Figure 5A-D2.2.32. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-99
Figure 5A-D2.2.33. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives ... D-100
Figure 5A-D2.2.34. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-101
Figure 5A-D2.2.35. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives..... D-102
Figure 5A-D2.2.36. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-103
Figure 5A-D2.2.37-A. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-104
Figure 5A-D2.2.37-B. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-105
Figure 5A-D2.2.37-C. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-106

Figure 5A-D2.2.37-D. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-107
Figure 5A-D2.2.38. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-108
Figure 5A-D2.2.39. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-109
Figure 5A-D2.2.40. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-110
Figure 5A-D2.2.41. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-111
Figure 5A-D2.2.42. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-112
Figure 5A-D2.2.43. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-113
Figure 5A-D2.2.44. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative..... D-114
Figure 5A-D2.2.45. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-115
Figure 5A-D2.2.46. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-116
Figure 5A-D2.2.47. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-117
Figure 5A-D2.2.48. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-118
Figure 5A-D2.2.49. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-119
Figure 5A-D2.3.1. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives..... D-136
Figure 5A-D2.3.2. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives..... D-136
Figure 5A-D2.3.3. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-137
Figure 5A-D2.3.4. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives..... D-137
Figure 5A-D2.3.5. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives..... D-138
Figure 5A-D2.3.6. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-138
Figure 5A-D2.3.7. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives..... D-139
Figure 5A-D2.3.8. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-139

Figure 5A-D2.3.9. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-140
Figure 5A-D2.3.10. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-140
Figure 5A-D2.3.11. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-141
Figure 5A-D2.3.12. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-141
Figure 5A-D2.3.13. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-142
Figure 5A-D2.3.14. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-142
Figure 5A-D2.3.15. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-143
Figure 5A-D2.3.16. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-143
Figure 5A-D2.3.17. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-144
Figure 5A-D2.3.18. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-144
Figure 5A-D2.3.19. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-145
Figure 5A-D2.3.20. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-146
Figure 5A-D2.3.21. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-147
Figure 5A-D2.3.22. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-148
Figure 5A-D2.3.23. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-149
Figure 5A-D2.3.24. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-150
Figure 5A-D2.3.25. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-151
Figure 5A-D2.3.26. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-152

Figure 5A-D2.3.27. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-153
Figure 5A-D2.3.28. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-154
Figure 5A-D2.3.29. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-155
Figure 5A-D2.3.30. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-156
Figure 5A-D2.3.31. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-157
Figure 5A-D2.3.32. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-158
Figure 5A-D2.3.33. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-159
Figure 5A-D2.3.34. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-160
Figure 5A-D2.3.35. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-161
Figure 5A-D2.3.36. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-162
Figure 5A-D2.3.37-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-163
Figure 5A-D2.3.37-B. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-164
Figure 5A-D2.3.37-C. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-165
Figure 5A-D2.3.37-D. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-166
Figure 5A-D2.3.38. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-167
Figure 5A-D2.3.39. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-168

Figure 5A-D2.3.40. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-169
Figure 5A-D2.3.41. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-170
Figure 5A-D2.3.42. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative ... D-171
Figure 5A-D2.3.43. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-172
Figure 5A-D2.3.44. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-173
Figure 5A-D2.3.45. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative..... D-174
Figure 5A-D2.3.46. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-175
Figure 5A-D2.3.47. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative..... D-176
Figure 5A-D2.3.48. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative..... D-177
Figure 5A-D2.3.49. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-178
Figure 5A-D2.4.1. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-195
Figure 5A-D2.4.2. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-195
Figure 5A-D2.4.3. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-196
Figure 5A-D2.4.4. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-196
Figure 5A-D2.4.5. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-197
Figure 5A-D2.4.6. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-197
Figure 5A-D2.4.7. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-198
Figure 5A-D2.4.8. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-198
Figure 5A-D2.4.9. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-199
Figure 5A-D2.4.10. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-199

Figure 5A-D2.4.11. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-200
Figure 5A-D2.4.12. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-200
Figure 5A-D2.4.13. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-201
Figure 5A-D2.4.14. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-201
Figure 5A-D2.4.15. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-202
Figure 5A-D2.4.16. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-202
Figure 5A-D2.4.17. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-203
Figure 5A-D2.4.18. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-203
Figure 5A-D2.4.19. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-204
Figure 5A-D2.4.20. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-205
Figure 5A-D2.4.21. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-206
Figure 5A-D2.4.22. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-207
Figure 5A-D2.4.23. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-208
Figure 5A-D2.4.24. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-209
Figure 5A-D2.4.25. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-210
Figure 5A-D2.4.26. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-211
Figure 5A-D2.4.27. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-212

Figure 5A-D2.4.28. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-213
Figure 5A-D2.4.29. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-214
Figure 5A-D2.4.30. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-215
Figure 5A-D2.4.31. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-216
Figure 5A-D2.4.32. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-217
Figure 5A-D2.4.33. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-218
Figure 5A-D2.4.34. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-219
Figure 5A-D2.4.35. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-220
Figure 5A-D2.4.36. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-221
Figure 5A-D2.4.37-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-222
Figure 5A-D2.4.37-B. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-223
Figure 5A-D2.4.37-C. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-224
Figure 5A-D2.4.37-D. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-225
Figure 5A-D2.4.38. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-226
Figure 5A-D2.4.39. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-227
Figure 5A-D2.4.40. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-228
Figure 5A-D2.4.41. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-229
Figure 5A-D2.4.42. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-230

Figure 5A-D2.4.43. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-231
Figure 5A-D2.4.44. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-232
Figure 5A-D2.4.45. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-233
Figure 5A-D2.4.46. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-234
Figure 5A-D2.4.47. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-235
Figure 5A-D2.4.48. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-236
Figure 5A-D2.4.49. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-237
Figure 5A-D2.5.1. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-254
Figure 5A-D2.5.2. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-254
Figure 5A-D2.5.3. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-255
Figure 5A-D2.5.4. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-255
Figure 5A-D2.5.5. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-256
Figure 5A-D2.5.6. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-256
Figure 5A-D2.5.7. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-257
Figure 5A-D2.5.8. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-257
Figure 5A-D2.5.9. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-258
Figure 5A-D2.5.10. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-258
Figure 5A-D2.5.11. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-259
Figure 5A-D2.5.12. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-259
Figure 5A-D2.5.13. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-260
Figure 5A-D2.5.14. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives..... D-260

Figure 5A-D2.5.15. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-261
Figure 5A-D2.5.16. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-261
Figure 5A-D2.5.17. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-262
Figure 5A-D2.5.18. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-262
Figure 5A-D2.5.19. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-263
Figure 5A-D2.5.20. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-264
Figure 5A-D2.5.21. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-265
Figure 5A-D2.5.22. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-266
Figure 5A-D2.5.23. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-267
Figure 5A-D2.5.24. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-268
Figure 5A-D2.5.25. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-269
Figure 5A-D2.5.26. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-270
Figure 5A-D2.5.27. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-271
Figure 5A-D2.5.28. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-272
Figure 5A-D2.5.29. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-273
Figure 5A-D2.5.30. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-274

Figure 5A-D2.5.31. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-275
Figure 5A-D2.5.32. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-276
Figure 5A-D2.5.33. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-277
Figure 5A-D2.5.34. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-278
Figure 5A-D2.5.35. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-279
Figure 5A-D2.5.36. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-280
Figure 5A-D2.5.37-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-281
Figure 5A-D2.5.37-B. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-282
Figure 5A-D2.5.37-C. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-283
Figure 5A-D2.5.37-D. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-284
Figure 5A-D2.5.38. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-285
Figure 5A-D2.5.39. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-286
Figure 5A-D2.5.40. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-287
Figure 5A-D2.5.41. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-288
Figure 5A-D2.5.42. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-289
Figure 5A-D2.5.43. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-290
Figure 5A-D2.5.44. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-291
Figure 5A-D2.5.45. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-292
Figure 5A-D2.5.46. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-293

Figure 5A-D2.5.47. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-294
Figure 5A-D2.5.48. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-295
Figure 5A-D2.5.49. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-296
Figure 5A-D2.6.1. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-313
Figure 5A-D2.6.2. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-313
Figure 5A-D2.6.3. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-314
Figure 5A-D2.6.4. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-314
Figure 5A-D2.6.5. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-315
Figure 5A-D2.6.6. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-315
Figure 5A-D2.6.7. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-316
Figure 5A-D2.6.8. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-316
Figure 5A-D2.6.9. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-317
Figure 5A-D2.6.10. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-317
Figure 5A-D2.6.11. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-318
Figure 5A-D2.6.12. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-318
Figure 5A-D2.6.13. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-319
Figure 5A-D2.6.14. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives..... D-319
Figure 5A-D2.6.15. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-320
Figure 5A-D2.6.16. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives..... D-320
Figure 5A-D2.6.17. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-321
Figure 5A-D2.6.18. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives..... D-321

Figure 5A-D2.6.19. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-322
Figure 5A-D2.6.20. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-323
Figure 5A-D2.6.21. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-324
Figure 5A-D2.6.22. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-325
Figure 5A-D2.6.23. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-326
Figure 5A-D2.6.24. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-327
Figure 5A-D2.6.25. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-328
Figure 5A-D2.6.26. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-329
Figure 5A-D2.6.27. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-330
Figure 5A-D2.6.28. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-331
Figure 5A-D2.6.29. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-332
Figure 5A-D2.6.30. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-333
Figure 5A-D2.6.31. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-334
Figure 5A-D2.6.32. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-335
Figure 5A-D2.6.33. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-336

Figure 5A-D2.6.34. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-337
Figure 5A-D2.6.35. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives..... D-338
Figure 5A-D2.6.36. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-339
Figure 5A-D2.6.37-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-340
Figure 5A-D2.6.37-B. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-341
Figure 5A-D2.6.37-C. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-342
Figure 5A-D2.6.37-D. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-343
Figure 5A-D2.6.38. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-344
Figure 5A-D2.6.39. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-345
Figure 5A-D2.6.40. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-346
Figure 5A-D2.6.41. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-347
Figure 5A-D2.6.42. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-348
Figure 5A-D2.6.43. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-349
Figure 5A-D2.6.44. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-350
Figure 5A-D2.6.45. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-351
Figure 5A-D2.6.46. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-352
Figure 5A-D2.6.47. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-353
Figure 5A-D2.6.48. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-354
Figure 5A-D2.6.49. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-355
Figure 5A-D2.7.1. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-372

Figure 5A-D2.7.2. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-372
Figure 5A-D2.7.3. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-373
Figure 5A-D2.7.4. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-373
Figure 5A-D2.7.5. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-374
Figure 5A-D2.7.6. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-374
Figure 5A-D2.7.7. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-375
Figure 5A-D2.7.8. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-375
Figure 5A-D2.7.9. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-376
Figure 5A-D2.7.10. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-376
Figure 5A-D2.7.11. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-377
Figure 5A-D2.7.12. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-377
Figure 5A-D2.7.13. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-378
Figure 5A-D2.7.14. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-378
Figure 5A-D2.7.15. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-379
Figure 5A-D2.7.16. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-379
Figure 5A-D2.7.17. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-380
Figure 5A-D2.7.18. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-380
Figure 5A-D2.7.19. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-381
Figure 5A-D2.7.20. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-382
Figure 5A-D2.7.21. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-383

Figure 5A-D2.7.22. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-384
Figure 5A-D2.7.23. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-385
Figure 5A-D2.7.24. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-386
Figure 5A-D2.7.25. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-387
Figure 5A-D2.7.26. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-388
Figure 5A-D2.7.27. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-389
Figure 5A-D2.7.28. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-390
Figure 5A-D2.7.29. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-391
Figure 5A-D2.7.30. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-392
Figure 5A-D2.7.31. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-393
Figure 5A-D2.7.32. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-394
Figure 5A-D2.7.33. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives ... D-395
Figure 5A-D2.7.34. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-396
Figure 5A-D2.7.35. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives..... D-397
Figure 5A-D2.7.36. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-398

Figure 5A-D2.7.37-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-399
Figure 5A-D2.7.37-B. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-400
Figure 5A-D2.7.37-C. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-401
Figure 5A-D2.7.37-D. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-402
Figure 5A-D2.7.38. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-403
Figure 5A-D2.7.39. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-404
Figure 5A-D2.7.40. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-405
Figure 5A-D2.7.41. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-406
Figure 5A-D2.7.42. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-407
Figure 5A-D2.7.43. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-408
Figure 5A-D2.7.44. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-409
Figure 5A-D2.7.45. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-410
Figure 5A-D2.7.46. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-411
Figure 5A-D2.7.47. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-412
Figure 5A-D2.7.48. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-413
Figure 5A-D2.7.49. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-414
Figure 5A-D2.8.1. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-431
Figure 5A-D2.8.2. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-431
Figure 5A-D2.8.3. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-432
Figure 5A-D2.8.4. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-432
Figure 5A-D2.8.5. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-433

Figure 5A-D2.8.6. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-433
Figure 5A-D2.8.7. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-434
Figure 5A-D2.8.8. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-434
Figure 5A-D2.8.9. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-435
Figure 5A-D2.8.10. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-435
Figure 5A-D2.8.11. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-436
Figure 5A-D2.8.12. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-436
Figure 5A-D2.8.13. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-437
Figure 5A-D2.8.14. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-437
Figure 5A-D2.8.15. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-438
Figure 5A-D2.8.16. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-438
Figure 5A-D2.8.17. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-439
Figure 5A-D2.8.18. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-439
Figure 5A-D2.8.19. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-440
Figure 5A-D2.8.20. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-441
Figure 5A-D2.8.21. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-442
Figure 5A-D2.8.22. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-443
Figure 5A-D2.8.23. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-444
Figure 5A-D2.8.24. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-445

Figure 5A-D2.8.25. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-446
Figure 5A-D2.8.26. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-447
Figure 5A-D2.8.27. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-448
Figure 5A-D2.8.28. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-449
Figure 5A-D2.8.29. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-450
Figure 5A-D2.8.30. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-451
Figure 5A-D2.8.31. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-452
Figure 5A-D2.8.32. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-453
Figure 5A-D2.8.33. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-454
Figure 5A-D2.8.34. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-455
Figure 5A-D2.8.35. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-456
Figure 5A-D2.8.36. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-457
Figure 5A-D2.8.37-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-458
Figure 5A-D2.8.37-B. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-459
Figure 5A-D2.8.37-C. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-460
Figure 5A-D2.8.37-D. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-461
Figure 5A-D2.8.38. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-462

Figure 5A-D2.8.39. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-463
Figure 5A-D2.8.40. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-464
Figure 5A-D2.8.41. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-465
Figure 5A-D2.8.42. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-466
Figure 5A-D2.8.43. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-467
Figure 5A-D2.8.44. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-468
Figure 5A-D2.8.45. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-469
Figure 5A-D2.8.46. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-470
Figure 5A-D2.8.47. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative..... D-471
Figure 5A-D2.8.48. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-472
Figure 5A-D2.8.49. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-473
Figure 5A-D2.9.1. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-490
Figure 5A-D2.9.2. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-490
Figure 5A-D2.9.3. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-491
Figure 5A-D2.9.4. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-491
Figure 5A-D2.9.5. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-492
Figure 5A-D2.9.6. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-492
Figure 5A-D2.9.7. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-493
Figure 5A-D2.9.8. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-493
Figure 5A-D2.9.9. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-494
Figure 5A-D2.9.10. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-494

Figure 5A-D2.9.11. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-495
Figure 5A-D2.9.12. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-495
Figure 5A-D2.9.13. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-496
Figure 5A-D2.9.14. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-496
Figure 5A-D2.9.15. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-497
Figure 5A-D2.9.16. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-497
Figure 5A-D2.9.17. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-498
Figure 5A-D2.9.18. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-498
Figure 5A-D2.9.19. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-499
Figure 5A-D2.9.20. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-500
Figure 5A-D2.9.21. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-501
Figure 5A-D2.9.22. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-502
Figure 5A-D2.9.23. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-503
Figure 5A-D2.9.24. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-504
Figure 5A-D2.9.25. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-505
Figure 5A-D2.9.26. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-506
Figure 5A-D2.9.27. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-507

Figure 5A-D2.9.28. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-508
Figure 5A-D2.9.29. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-509
Figure 5A-D2.9.30. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-510
Figure 5A-D2.9.31. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-511
Figure 5A-D2.9.32. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-512
Figure 5A-D2.9.33. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-513
Figure 5A-D2.9.34. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-514
Figure 5A-D2.9.35. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-515
Figure 5A-D2.9.36. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-516
Figure 5A-D2.9.37-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-517
Figure 5A-D2.9.37-B. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-518
Figure 5A-D2.9.37-C. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-519
Figure 5A-D2.9.37-D. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-520
Figure 5A-D2.9.38. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-521
Figure 5A-D2.9.39. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-522
Figure 5A-D2.9.40. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-523
Figure 5A-D2.9.41. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-524

Figure 5A-D2.9.42. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-525
Figure 5A-D2.9.43. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-526
Figure 5A-D2.9.44. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-527
Figure 5A-D2.9.45. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-528
Figure 5A-D2.9.46. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-529
Figure 5A-D2.9.47. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-530
Figure 5A-D2.9.48. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-531
Figure 5A-D2.9.49. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-532
Figure 5A-D2.10.1. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-549
Figure 5A-D2.10.2. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-549
Figure 5A-D2.10.3. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-550
Figure 5A-D2.10.4. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-550
Figure 5A-D2.10.5. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-551
Figure 5A-D2.10.6. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-551
Figure 5A-D2.10.7. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-552
Figure 5A-D2.10.8. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-552
Figure 5A-D2.10.9. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-553
Figure 5A-D2.10.10. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-553
Figure 5A-D2.10.11. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-554
Figure 5A-D2.10.12. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-554
Figure 5A-D2.10.13. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-555

Figure 5A-D2.10.14. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-555
Figure 5A-D2.10.15. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-556
Figure 5A-D2.10.16. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-556
Figure 5A-D2.10.17. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-557
Figure 5A-D2.10.18. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-557
Figure 5A-D2.10.19. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-558
Figure 5A-D2.10.20. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-559
Figure 5A-D2.10.21. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-560
Figure 5A-D2.10.22. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-561
Figure 5A-D2.10.23. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-562
Figure 5A-D2.10.24. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-563
Figure 5A-D2.10.25. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-564
Figure 5A-D2.10.26. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-565
Figure 5A-D2.10.27. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-566
Figure 5A-D2.10.28. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-567
Figure 5A-D2.10.29. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-568

Figure 5A-D2.10.30. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-569
Figure 5A-D2.10.31. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-570
Figure 5A-D2.10.32. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-571
Figure 5A-D2.10.33. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-572
Figure 5A-D2.10.34. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-573
Figure 5A-D2.10.35. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-574
Figure 5A-D2.10.36. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-575
Figure 5A-D2.10.37-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-576
Figure 5A-D2.10.37-B. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-577
Figure 5A-D2.10.37-C. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-578
Figure 5A-D2.10.37-D. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-579
Figure 5A-D2.10.38. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-580
Figure 5A-D2.10.39. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-581
Figure 5A-D2.10.40. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-582
Figure 5A-D2.10.41. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-583
Figure 5A-D2.10.42. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-584
Figure 5A-D2.10.43. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-585
Figure 5A-D2.10.44. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-586
Figure 5A-D2.10.45. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-587

Figure 5A-D2.10.46. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-588
Figure 5A-D2.10.47. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative..... D-589
Figure 5A-D2.10.48. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-590
Figure 5A-D2.10.49. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-591
Figure 5A-D2.11.1. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-608
Figure 5A-D2.11.2. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-608
Figure 5A-D2.11.3. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-609
Figure 5A-D2.11.4. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-609
Figure 5A-D2.11.5. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-610
Figure 5A-D2.11.6. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-610
Figure 5A-D2.11.7. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-611
Figure 5A-D2.11.8. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-611
Figure 5A-D2.11.9. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-612
Figure 5A-D2.11.10. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-612
Figure 5A-D2.11.11. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-613
Figure 5A-D2.11.12. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-613
Figure 5A-D2.11.13. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-614
Figure 5A-D2.11.14. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives..... D-614
Figure 5A-D2.11.15. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-615
Figure 5A-D2.11.16. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives..... D-615
Figure 5A-D2.11.17. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-616

Figure 5A-D2.11.18. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-616
Figure 5A-D2.11.19. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-617
Figure 5A-D2.11.20. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-618
Figure 5A-D2.11.21. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-619
Figure 5A-D2.11.22. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-620
Figure 5A-D2.11.23. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-621
Figure 5A-D2.11.24. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-622
Figure 5A-D2.11.25. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-623
Figure 5A-D2.11.26. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-624
Figure 5A-D2.11.27. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-625
Figure 5A-D2.11.28. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-626
Figure 5A-D2.11.29. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-627
Figure 5A-D2.11.30. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-628
Figure 5A-D2.11.31. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-629
Figure 5A-D2.11.32. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-630

Figure 5A-D2.11.33. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-631
Figure 5A-D2.11.34. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-632
Figure 5A-D2.11.35. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-633
Figure 5A-D2.11.36. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-634
Figure 5A-D2.11.37-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-635
Figure 5A-D2.11.37-B. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-636
Figure 5A-D2.11.37-C. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-637
Figure 5A-D2.11.37-D. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-638
Figure 5A-D2.11.38. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-639
Figure 5A-D2.11.39. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-640
Figure 5A-D2.11.40. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-641
Figure 5A-D2.11.41. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-642
Figure 5A-D2.11.42. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-643
Figure 5A-D2.11.43. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-644
Figure 5A-D2.11.44. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-645
Figure 5A-D2.11.45. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-646
Figure 5A-D2.11.46. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-647
Figure 5A-D2.11.47. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-648
Figure 5A-D2.11.48. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-649
Figure 5A-D2.11.49. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-650

Figure 5A-D2.12.1. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-667
Figure 5A-D2.12.2. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-667
Figure 5A-D2.12.3. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-668
Figure 5A-D2.12.4. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-668
Figure 5A-D2.12.5. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-669
Figure 5A-D2.12.6. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-669
Figure 5A-D2.12.7. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-670
Figure 5A-D2.12.8. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-670
Figure 5A-D2.12.9. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-671
Figure 5A-D2.12.10. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-671
Figure 5A-D2.12.11. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-672
Figure 5A-D2.12.12. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-672
Figure 5A-D2.12.13. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-673
Figure 5A-D2.12.14. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-673
Figure 5A-D2.12.15. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-674
Figure 5A-D2.12.16. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-674
Figure 5A-D2.12.17. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-675
Figure 5A-D2.12.18. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-675
Figure 5A-D2.12.19. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-676
Figure 5A-D2.12.20. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-677

Figure 5A-D2.12.21. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-678
Figure 5A-D2.12.22. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-679
Figure 5A-D2.12.23. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-680
Figure 5A-D2.12.24. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-681
Figure 5A-D2.12.25. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-682
Figure 5A-D2.12.26. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-683
Figure 5A-D2.12.27. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-684
Figure 5A-D2.12.28. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-685
Figure 5A-D2.12.29. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-686
Figure 5A-D2.12.30. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-687
Figure 5A-D2.12.31. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-688
Figure 5A-D2.12.32. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-689
Figure 5A-D2.12.33. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-690
Figure 5A-D2.12.34. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-691
Figure 5A-D2.12.35. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-692

Figure 5A-D2.12.36. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-693
Figure 5A-D2.12.37-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-694
Figure 5A-D2.12.37-B. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-695
Figure 5A-D2.12.37-C. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-696
Figure 5A-D2.12.37-D. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-697
Figure 5A-D2.12.38. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-698
Figure 5A-D2.12.39. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-699
Figure 5A-D2.12.40. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-700
Figure 5A-D2.12.41. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-701
Figure 5A-D2.12.42. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-702
Figure 5A-D2.12.43. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-703
Figure 5A-D2.12.44. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-704
Figure 5A-D2.12.45. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-705
Figure 5A-D2.12.46. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-706
Figure 5A-D2.12.47. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-707
Figure 5A-D2.12.48. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-708
Figure 5A-D2.12.49. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-709
Figure 5A-D2.13.1. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-726
Figure 5A-D2.13.2. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-726
Figure 5A-D2.13.3. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-727
Figure 5A-D2.13.4. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-727

Figure 5A-D2.13.5. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-728
Figure 5A-D2.13.6. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-728
Figure 5A-D2.13.7. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-729
Figure 5A-D2.13.8. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-729
Figure 5A-D2.13.9. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-730
Figure 5A-D2.13.10. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-730
Figure 5A-D2.13.11. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-731
Figure 5A-D2.13.12. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-731
Figure 5A-D2.13.13. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-732
Figure 5A-D2.13.14. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-732
Figure 5A-D2.13.15. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-733
Figure 5A-D2.13.16. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-733
Figure 5A-D2.13.17. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-734
Figure 5A-D2.13.18. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-734
Figure 5A-D2.13.19. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-735
Figure 5A-D2.13.20. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-736
Figure 5A-D2.13.21. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-737
Figure 5A-D2.13.22. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-738
Figure 5A-D2.13.23. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-739

Figure 5A-D2.13.24. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-740
Figure 5A-D2.13.25. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-741
Figure 5A-D2.13.26. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-742
Figure 5A-D2.13.27. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-743
Figure 5A-D2.13.28. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-744
Figure 5A-D2.13.29. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-745
Figure 5A-D2.13.30. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-746
Figure 5A-D2.13.31. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-747
Figure 5A-D2.13.32. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-748
Figure 5A-D2.13.33. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives ... D-749
Figure 5A-D2.13.34. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-750
Figure 5A-D2.13.35. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives..... D-751
Figure 5A-D2.13.36. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-752
Figure 5A-D2.13.37-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-753
Figure 5A-D2.13.37-B. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-754
Figure 5A-D2.13.37-C. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-755

Figure 5A-D2.13.37-D. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-756
Figure 5A-D2.13.38. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-757
Figure 5A-D2.13.39. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-758
Figure 5A-D2.13.40. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-759
Figure 5A-D2.13.41. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-760
Figure 5A-D2.13.42. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-761
Figure 5A-D2.13.43. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-762
Figure 5A-D2.13.44. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative..... D-763
Figure 5A-D2.13.45. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-764
Figure 5A-D2.13.46. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-765
Figure 5A-D2.13.47. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-766
Figure 5A-D2.13.48. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-767
Figure 5A-D2.13.49. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-768
Figure 5A-D2.14.1. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-785
Figure 5A-D2.14.2. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-785
Figure 5A-D2.14.3. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-786
Figure 5A-D2.14.4. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-786
Figure 5A-D2.14.5. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-787
Figure 5A-D2.14.6. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-787
Figure 5A-D2.14.7. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-788
Figure 5A-D2.14.8. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-788

Figure 5A-D2.14.9. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-789
Figure 5A-D2.14.10. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-789
Figure 5A-D2.14.11. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-790
Figure 5A-D2.14.12. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-790
Figure 5A-D2.14.13. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-791
Figure 5A-D2.14.14. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-791
Figure 5A-D2.14.15. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-792
Figure 5A-D2.14.16. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-792
Figure 5A-D2.14.17. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-793
Figure 5A-D2.14.18. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-793
Figure 5A-D2.14.19. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-794
Figure 5A-D2.14.20. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-795
Figure 5A-D2.14.21. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-796
Figure 5A-D2.14.22. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-797
Figure 5A-D2.14.23. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-798
Figure 5A-D2.14.24. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-799
Figure 5A-D2.14.25. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-800
Figure 5A-D2.14.26. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-801

Figure 5A-D2.14.27. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-802
Figure 5A-D2.14.28. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-803
Figure 5A-D2.14.29. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-804
Figure 5A-D2.14.30. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-805
Figure 5A-D2.14.31. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-806
Figure 5A-D2.14.32. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-807
Figure 5A-D2.14.33. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-808
Figure 5A-D2.14.34. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-809
Figure 5A-D2.14.35. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-810
Figure 5A-D2.14.36. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-811
Figure 5A-D2.14.37-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-812
Figure 5A-D2.14.37-B. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-813
Figure 5A-D2.14.37-C. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-814
Figure 5A-D2.14.37-D. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-815
Figure 5A-D2.14.38. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-816
Figure 5A-D2.14.39. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-817
Figure 5A-D2.14.40. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-818

Figure 5A-D2.14.41. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-819
Figure 5A-D2.14.42. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-820
Figure 5A-D2.14.43. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-821
Figure 5A-D2.14.44. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-822
Figure 5A-D2.14.45. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-823
Figure 5A-D2.14.46. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-824
Figure 5A-D2.14.47. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-825
Figure 5A-D2.14.48. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-826
Figure 5A-D2.14.49. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-827
Figure 5A-D2.15.1. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-844
Figure 5A-D2.15.2. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-844
Figure 5A-D2.15.3. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-845
Figure 5A-D2.15.4. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-845
Figure 5A-D2.15.5. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-846
Figure 5A-D2.15.6. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-846
Figure 5A-D2.15.7. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-847
Figure 5A-D2.15.8. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-847
Figure 5A-D2.15.9. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-848
Figure 5A-D2.15.10. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-848
Figure 5A-D2.15.11. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-849
Figure 5A-D2.15.12. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-849

Figure 5A-D2.15.13. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-850
Figure 5A-D2.15.14. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-850
Figure 5A-D2.15.15. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-851
Figure 5A-D2.15.16. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-851
Figure 5A-D2.15.17. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-852
Figure 5A-D2.15.18. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-852
Figure 5A-D2.15.19. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-853
Figure 5A-D2.15.20. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-854
Figure 5A-D2.15.21. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-855
Figure 5A-D2.15.22. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-856
Figure 5A-D2.15.23. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-857
Figure 5A-D2.15.24. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-858
Figure 5A-D2.15.25. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-859
Figure 5A-D2.15.26. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-860
Figure 5A-D2.15.27. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-861
Figure 5A-D2.15.28. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-862
Figure 5A-D2.15.29. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-863

Figure 5A-D2.15.30. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-864
Figure 5A-D2.15.31. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-865
Figure 5A-D2.15.32. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-866
Figure 5A-D2.15.33. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-867
Figure 5A-D2.15.34. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-868
Figure 5A-D2.15.35. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-869
Figure 5A-D2.15.36. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-870
Figure 5A-D2.15.37-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-871
Figure 5A-D2.15.37-B. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-872
Figure 5A-D2.15.37-C. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-873
Figure 5A-D2.15.37-D. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-874
Figure 5A-D2.15.38. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-875
Figure 5A-D2.15.39. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-876
Figure 5A-D2.15.40. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-877
Figure 5A-D2.15.41. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-878
Figure 5A-D2.15.42. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-879
Figure 5A-D2.15.43. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-880
Figure 5A-D2.15.44. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-881
Figure 5A-D2.15.45. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-882

Figure 5A-D2.15.46. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-883
Figure 5A-D2.15.47. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-884
Figure 5A-D2.15.48. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-885
Figure 5A-D2.15.49. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-886
Figure 5A-D2.16.1. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-903
Figure 5A-D2.16.2. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-903
Figure 5A-D2.16.3. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-904
Figure 5A-D2.16.4. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-904
Figure 5A-D2.16.5. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-905
Figure 5A-D2.16.6. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-905
Figure 5A-D2.16.7. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-906
Figure 5A-D2.16.8. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-906
Figure 5A-D2.16.9. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-907
Figure 5A-D2.16.10. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-907
Figure 5A-D2.16.11. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-908
Figure 5A-D2.16.12. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-908
Figure 5A-D2.16.13. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-909
Figure 5A-D2.16.14. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives..... D-909
Figure 5A-D2.16.15. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-910
Figure 5A-D2.16.16. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives..... D-910
Figure 5A-D2.16.17. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-911

Figure 5A-D2.16.18. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-911
Figure 5A-D2.16.19. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-912
Figure 5A-D2.16.20. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-913
Figure 5A-D2.16.21. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-914
Figure 5A-D2.16.22. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-915
Figure 5A-D2.16.23. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-916
Figure 5A-D2.16.24. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-917
Figure 5A-D2.16.25. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-918
Figure 5A-D2.16.26. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-919
Figure 5A-D2.16.27. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-920
Figure 5A-D2.16.28. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-921
Figure 5A-D2.16.29. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-922
Figure 5A-D2.16.30. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-923
Figure 5A-D2.16.31. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-924
Figure 5A-D2.16.32. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-925

Figure 5A-D2.16.33. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-926
Figure 5A-D2.16.34. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-927
Figure 5A-D2.16.35. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-928
Figure 5A-D2.16.36. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-929
Figure 5A-D2.16.37-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-930
Figure 5A-D2.16.37-B. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-931
Figure 5A-D2.16.37-C. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-932
Figure 5A-D2.16.37-D. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-933
Figure 5A-D2.16.38. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-934
Figure 5A-D2.16.39. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-935
Figure 5A-D2.16.40. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-936
Figure 5A-D2.16.41. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-937
Figure 5A-D2.16.42. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-938
Figure 5A-D2.16.43. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-939
Figure 5A-D2.16.44. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-940
Figure 5A-D2.16.45. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-941
Figure 5A-D2.16.46. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-942
Figure 5A-D2.16.47. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-943
Figure 5A-D2.16.48. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-944
Figure 5A-D2.16.49. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-945

Figure 5A-D2.17.1. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-962
Figure 5A-D2.17.2. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-962
Figure 5A-D2.17.3. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-963
Figure 5A-D2.17.4. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-963
Figure 5A-D2.17.5. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-964
Figure 5A-D2.17.6. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-964
Figure 5A-D2.17.7. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-965
Figure 5A-D2.17.8. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-965
Figure 5A-D2.17.9. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-966
Figure 5A-D2.17.10. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-966
Figure 5A-D2.17.11. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-967
Figure 5A-D2.17.12. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-967
Figure 5A-D2.17.13. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-968
Figure 5A-D2.17.14. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-968
Figure 5A-D2.17.15. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-969
Figure 5A-D2.17.16. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-969
Figure 5A-D2.17.17. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-970
Figure 5A-D2.17.18. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-970
Figure 5A-D2.17.19. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-971
Figure 5A-D2.17.20. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-972

Figure 5A-D2.17.21. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-973
Figure 5A-D2.17.22. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-974
Figure 5A-D2.17.23. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-975
Figure 5A-D2.17.24. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-976
Figure 5A-D2.17.25. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-977
Figure 5A-D2.17.26. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-978
Figure 5A-D2.17.27. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-979
Figure 5A-D2.17.28. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-980
Figure 5A-D2.17.29. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-981
Figure 5A-D2.17.30. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-982
Figure 5A-D2.17.31. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-983
Figure 5A-D2.17.32. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-984
Figure 5A-D2.17.33. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-985
Figure 5A-D2.17.34. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-986
Figure 5A-D2.17.35. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-987

Figure 5A-D2.17.36. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-988
Figure 5A-D2.17.37-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-989
Figure 5A-D2.17.37-B. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-990
Figure 5A-D2.17.37-C. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-991
Figure 5A-D2.17.37-D. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-992
Figure 5A-D2.17.38. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative..... D-993
Figure 5A-D2.17.39. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-994
Figure 5A-D2.17.40. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-995
Figure 5A-D2.17.41. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-996
Figure 5A-D2.17.42. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative ... D-997
Figure 5A-D2.17.43. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-998
Figure 5A-D2.17.44. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-999
Figure 5A-D2.17.45. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative..... D-1000
Figure 5A-D2.17.46. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1001
Figure 5A-D2.17.47. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative..... D-1002
Figure 5A-D2.17.48. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative..... D-1003
Figure 5A-D2.17.49. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-1004
Figure 5A-D2.18.1. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1021
Figure 5A-D2.18.2. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1021

Figure 5A-D2.18.3. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-1022
Figure 5A-D2.18.4. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1022
Figure 5A-D2.18.5. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1023
Figure 5A-D2.18.6. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-1023
Figure 5A-D2.18.7. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1024
Figure 5A-D2.18.8. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-1024
Figure 5A-D2.18.9. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1025
Figure 5A-D2.18.10. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1025
Figure 5A-D2.18.11. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1026
Figure 5A-D2.18.12. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1026
Figure 5A-D2.18.13. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1027
Figure 5A-D2.18.14. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1027
Figure 5A-D2.18.15. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1028
Figure 5A-D2.18.16. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1028
Figure 5A-D2.18.17. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1029
Figure 5A-D2.18.18. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1029
Figure 5A-D2.18.19. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1030
Figure 5A-D2.18.20. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1031
Figure 5A-D2.18.21. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1032
Figure 5A-D2.18.22. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1033

Figure 5A-D2.18.23. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1034
Figure 5A-D2.18.24. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1035
Figure 5A-D2.18.25. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1036
Figure 5A-D2.18.26. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1037
Figure 5A-D2.18.27. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1038
Figure 5A-D2.18.28. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1039
Figure 5A-D2.18.29. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1040
Figure 5A-D2.18.30. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1041
Figure 5A-D2.18.31. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1042
Figure 5A-D2.18.32. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1043
Figure 5A-D2.18.33. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1044
Figure 5A-D2.18.34. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1045
Figure 5A-D2.18.35. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1046
Figure 5A-D2.18.36. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1047
Figure 5A-D2.18.37-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1048
Figure 5A-D2.18.37-B. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1049

Figure 5A-D2.18.37-C. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1050
Figure 5A-D2.18.37-D. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1051
Figure 5A-D2.18.38. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1052
Figure 5A-D2.18.39. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1053
Figure 5A-D2.18.40. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-1054
Figure 5A-D2.18.41. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1055
Figure 5A-D2.18.42. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1056
Figure 5A-D2.18.43. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1057
Figure 5A-D2.18.44. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative..... D-1058
Figure 5A-D2.18.45. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1059
Figure 5A-D2.18.46. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1060
Figure 5A-D2.18.47. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1061
Figure 5A-D2.18.48. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1062
Figure 5A-D2.18.49. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1063
Figure 5A-D2.19.1. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives..... D-1080
Figure 5A-D2.19.2. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1080
Figure 5A-D2.19.3. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-1081
Figure 5A-D2.19.4. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives..... D-1081
Figure 5A-D2.19.5. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives..... D-1082
Figure 5A-D2.19.6. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-1082

Figure 5A-D2.19.7. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1083
Figure 5A-D2.19.8. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-1083
Figure 5A-D2.19.9. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1084
Figure 5A-D2.19.10. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1084
Figure 5A-D2.19.11. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1085
Figure 5A-D2.19.12. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1085
Figure 5A-D2.19.13. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1086
Figure 5A-D2.19.14. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1086
Figure 5A-D2.19.15. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1087
Figure 5A-D2.19.16. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1087
Figure 5A-D2.19.17. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1088
Figure 5A-D2.19.18. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1088
Figure 5A-D2.19.19. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1089
Figure 5A-D2.19.20. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1090
Figure 5A-D2.19.21. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1091
Figure 5A-D2.19.22. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1092
Figure 5A-D2.19.23. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1093
Figure 5A-D2.19.24. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1094

Figure 5A-D2.19.25. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1095
Figure 5A-D2.19.26. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1096
Figure 5A-D2.19.27. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1097
Figure 5A-D2.19.28. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1098
Figure 5A-D2.19.29. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1099
Figure 5A-D2.19.30. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1100
Figure 5A-D2.19.31. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1101
Figure 5A-D2.19.32. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1102
Figure 5A-D2.19.33. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1103
Figure 5A-D2.19.34. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1104
Figure 5A-D2.19.35. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1105
Figure 5A-D2.19.36. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1106
Figure 5A-D2.19.37-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1107
Figure 5A-D2.19.37-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1108

Figure 5A-D2.19.37-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1109
Figure 5A-D2.19.37-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1110
Figure 5A-D2.19.38. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1111
Figure 5A-D2.19.39. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1112
Figure 5A-D2.19.40. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1113
Figure 5A-D2.19.41. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1114
Figure 5A-D2.19.42. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1115
Figure 5A-D2.19.43. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1116
Figure 5A-D2.19.44. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1117
Figure 5A-D2.19.45. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1118
Figure 5A-D2.19.46. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1119
Figure 5A-D2.19.47. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1120
Figure 5A-D2.19.48. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1121
Figure 5A-D2.19.49. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-1122

Figure 5A-D2.20.1. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1139
Figure 5A-D2.20.2. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1139
Figure 5A-D2.20.3. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-1140
Figure 5A-D2.20.4. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1140
Figure 5A-D2.20.5. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1141
Figure 5A-D2.20.6. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-1141
Figure 5A-D2.20.7. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1142
Figure 5A-D2.20.8. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-1142
Figure 5A-D2.20.9. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1143
Figure 5A-D2.20.10. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1143
Figure 5A-D2.20.11. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1144
Figure 5A-D2.20.12. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1144
Figure 5A-D2.20.13. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1145
Figure 5A-D2.20.14. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1145
Figure 5A-D2.20.15. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1146
Figure 5A-D2.20.16. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1146
Figure 5A-D2.20.17. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1147
Figure 5A-D2.20.18. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1147
Figure 5A-D2.20.19. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1148
Figure 5A-D2.20.20. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1149

Figure 5A-D2.20.21. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1150
Figure 5A-D2.20.22. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1151
Figure 5A-D2.20.23. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1152
Figure 5A-D2.20.24. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1153
Figure 5A-D2.20.25. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-1154
Figure 5A-D2.20.26. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1155
Figure 5A-D2.20.27. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-1156
Figure 5A-D2.20.28. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-1157
Figure 5A-D2.20.29. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1158
Figure 5A-D2.20.30. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-1159
Figure 5A-D2.20.31. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1160
Figure 5A-D2.20.32. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1161
Figure 5A-D2.20.33. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives . D-1162
Figure 5A-D2.20.34. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1163
Figure 5A-D2.20.35. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives..... D-1164

Figure 5A-D2.20.36. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1165
Figure 5A-D2.20.37-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1166
Figure 5A-D2.20.37-B. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1167
Figure 5A-D2.20.37-C. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1168
Figure 5A-D2.20.37-D. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1169
Figure 5A-D2.20.38. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1170
Figure 5A-D2.20.39. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1171
Figure 5A-D2.20.40. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1172
Figure 5A-D2.20.41. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1173
Figure 5A-D2.20.42. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1174
Figure 5A-D2.20.43. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1175
Figure 5A-D2.20.44. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1176
Figure 5A-D2.20.45. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1177
Figure 5A-D2.20.46. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1178
Figure 5A-D2.20.47. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1179
Figure 5A-D2.20.48. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1180
Figure 5A-D2.20.49. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-1181
Figure 5A-D2.21.1. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1198
Figure 5A-D2.21.2. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1198
Figure 5A-D2.21.3. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-1199
Figure 5A-D2.21.4. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1199

Figure 5A-D2.21.5. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1200
Figure 5A-D2.21.6. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-1200
Figure 5A-D2.21.7. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1201
Figure 5A-D2.21.8. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-1201
Figure 5A-D2.21.9. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1202
Figure 5A-D2.21.10. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1202
Figure 5A-D2.21.11. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1203
Figure 5A-D2.21.12. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1203
Figure 5A-D2.21.13. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1204
Figure 5A-D2.21.14. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1204
Figure 5A-D2.21.15. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1205
Figure 5A-D2.21.16. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1205
Figure 5A-D2.21.17. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1206
Figure 5A-D2.21.18. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1206
Figure 5A-D2.21.19. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1207
Figure 5A-D2.21.20. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1208
Figure 5A-D2.21.21. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1209
Figure 5A-D2.21.22. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1210
Figure 5A-D2.21.23. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1211

Figure 5A-D2.21.24. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1212
Figure 5A-D2.21.25. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1213
Figure 5A-D2.21.26. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1214
Figure 5A-D2.21.27. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1215
Figure 5A-D2.21.28. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1216
Figure 5A-D2.21.29. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1217
Figure 5A-D2.21.30. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1218
Figure 5A-D2.21.31. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1219
Figure 5A-D2.21.32. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1220
Figure 5A-D2.21.33. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1221
Figure 5A-D2.21.34. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1222
Figure 5A-D2.21.35. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1223
Figure 5A-D2.21.36. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1224
Figure 5A-D2.21.37-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1225
Figure 5A-D2.21.37-B. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1226
Figure 5A-D2.21.37-C. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1227

Figure 5A-D2.21.37-D. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1228
Figure 5A-D2.21.38. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1229
Figure 5A-D2.21.39. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1230
Figure 5A-D2.21.40. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-1231
Figure 5A-D2.21.41. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1232
Figure 5A-D2.21.42. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1233
Figure 5A-D2.21.43. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1234
Figure 5A-D2.21.44. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative..... D-1235
Figure 5A-D2.21.45. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1236
Figure 5A-D2.21.46. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative..... D-1237
Figure 5A-D2.21.47. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1238
Figure 5A-D2.21.48. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1239
Figure 5A-D2.21.49. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1240
Figure 5A-D2.22.1. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1257
Figure 5A-D2.22.2. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives..... D-1257
Figure 5A-D2.22.3. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-1258
Figure 5A-D2.22.4. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives..... D-1258
Figure 5A-D2.22.5. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1259
Figure 5A-D2.22.6. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-1259
Figure 5A-D2.22.7. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1260
Figure 5A-D2.22.8. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-1260

Figure 5A-D2.22.9. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1261
Figure 5A-D2.22.10. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1261
Figure 5A-D2.22.11. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1262
Figure 5A-D2.22.12. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1262
Figure 5A-D2.22.13. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1263
Figure 5A-D2.22.14. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1263
Figure 5A-D2.22.15. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1264
Figure 5A-D2.22.16. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1264
Figure 5A-D2.22.17. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1265
Figure 5A-D2.22.18. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1265
Figure 5A-D2.22.19. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1266
Figure 5A-D2.22.20. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1267
Figure 5A-D2.22.21. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1268
Figure 5A-D2.22.22. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1269
Figure 5A-D2.22.23. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1270
Figure 5A-D2.22.24. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1271
Figure 5A-D2.22.25. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1272
Figure 5A-D2.22.26. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1273

Figure 5A-D2.22.27. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1274
Figure 5A-D2.22.28. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1275
Figure 5A-D2.22.29. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1276
Figure 5A-D2.22.30. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1277
Figure 5A-D2.22.31. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1278
Figure 5A-D2.22.32. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1279
Figure 5A-D2.22.33. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1280
Figure 5A-D2.22.34. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1281
Figure 5A-D2.22.35. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1282
Figure 5A-D2.22.36. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1283
Figure 5A-D2.22.37-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1284
Figure 5A-D2.22.37-B. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1285
Figure 5A-D2.22.37-C. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1286
Figure 5A-D2.22.37-D. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1287
Figure 5A-D2.22.38. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1288
Figure 5A-D2.22.39. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1289
Figure 5A-D2.22.40. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1290

Figure 5A-D2.22.41. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1291
Figure 5A-D2.22.42. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1292
Figure 5A-D2.22.43. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1293
Figure 5A-D2.22.44. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1294
Figure 5A-D2.22.45. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1295
Figure 5A-D2.22.46. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1296
Figure 5A-D2.22.47. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1297
Figure 5A-D2.22.48. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1298
Figure 5A-D2.22.49. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1299
Figure 5A-D2.23.1. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1316
Figure 5A-D2.23.2. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1316
Figure 5A-D2.23.3. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-1317
Figure 5A-D2.23.4. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1317
Figure 5A-D2.23.5. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1318
Figure 5A-D2.23.6. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-1318
Figure 5A-D2.23.7. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1319
Figure 5A-D2.23.8. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-1319
Figure 5A-D2.23.9. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1320
Figure 5A-D2.23.10. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1320
Figure 5A-D2.23.11. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1321
Figure 5A-D2.23.12. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1321

Figure 5A-D2.23.13. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1322
Figure 5A-D2.23.14. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1322
Figure 5A-D2.23.15. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1323
Figure 5A-D2.23.16. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1323
Figure 5A-D2.23.17. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1324
Figure 5A-D2.23.18. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1324
Figure 5A-D2.23.19. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1325
Figure 5A-D2.23.20. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1326
Figure 5A-D2.23.21. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1327
Figure 5A-D2.23.22. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1328
Figure 5A-D2.23.23. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1329
Figure 5A-D2.23.24. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1330
Figure 5A-D2.23.25. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1331
Figure 5A-D2.23.26. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1332
Figure 5A-D2.23.27. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1333
Figure 5A-D2.23.28. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1334
Figure 5A-D2.23.29. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1335

Figure 5A-D2.23.30. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1336
Figure 5A-D2.23.31. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1337
Figure 5A-D2.23.32. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1338
Figure 5A-D2.23.33. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1339
Figure 5A-D2.23.34. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1340
Figure 5A-D2.23.35. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1341
Figure 5A-D2.23.36. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1342
Figure 5A-D2.23.37-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1343
Figure 5A-D2.23.37-B. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1344
Figure 5A-D2.23.37-C. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1345
Figure 5A-D2.23.37-D. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1346
Figure 5A-D2.23.38. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1347
Figure 5A-D2.23.39. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1348
Figure 5A-D2.23.40. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1349
Figure 5A-D2.23.41. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1350
Figure 5A-D2.23.42. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1351
Figure 5A-D2.23.43. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1352
Figure 5A-D2.23.44. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1353
Figure 5A-D2.23.45. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1354

Figure 5A-D2.23.46. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1355
Figure 5A-D2.23.47. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1356
Figure 5A-D2.23.48. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1357
Figure 5A-D2.23.49. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1358
Figure 5A-D2.24.1. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1375
Figure 5A-D2.24.2. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1375
Figure 5A-D2.24.3. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-1376
Figure 5A-D2.24.4. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1376
Figure 5A-D2.24.5. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1377
Figure 5A-D2.24.6. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-1377
Figure 5A-D2.24.7. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1378
Figure 5A-D2.24.8. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-1378
Figure 5A-D2.24.9. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1379
Figure 5A-D2.24.10. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1379
Figure 5A-D2.24.11. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1380
Figure 5A-D2.24.12. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1380
Figure 5A-D2.24.13. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1381
Figure 5A-D2.24.14. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives..... D-1381
Figure 5A-D2.24.15. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1382
Figure 5A-D2.24.16. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives..... D-1382
Figure 5A-D2.24.17. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1383

Figure 5A-D2.24.18. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1383
Figure 5A-D2.24.19. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1384
Figure 5A-D2.24.20. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1385
Figure 5A-D2.24.21. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1386
Figure 5A-D2.24.22. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1387
Figure 5A-D2.24.23. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1388
Figure 5A-D2.24.24. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1389
Figure 5A-D2.24.25. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1390
Figure 5A-D2.24.26. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1391
Figure 5A-D2.24.27. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1392
Figure 5A-D2.24.28. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1393
Figure 5A-D2.24.29. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1394
Figure 5A-D2.24.30. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1395
Figure 5A-D2.24.31. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1396
Figure 5A-D2.24.32. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1397

Figure 5A-D2.24.33. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives . D-1398
Figure 5A-D2.24.34. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1399
Figure 5A-D2.24.35. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1400
Figure 5A-D2.24.36. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1401
Figure 5A-D2.24.37-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1402
Figure 5A-D2.24.37-B. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1403
Figure 5A-D2.24.37-C. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1404
Figure 5A-D2.24.37-D. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1405
Figure 5A-D2.24.38. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1406
Figure 5A-D2.24.39. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1407
Figure 5A-D2.24.40. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-1408
Figure 5A-D2.24.41. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1409
Figure 5A-D2.24.42. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1410
Figure 5A-D2.24.43. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1411
Figure 5A-D2.24.44. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative..... D-1412
Figure 5A-D2.24.45. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1413
Figure 5A-D2.24.46. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1414
Figure 5A-D2.24.47. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1415
Figure 5A-D2.24.48. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1416
Figure 5A-D2.24.49. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1417

Figure 5A-D2.25.1. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1434
Figure 5A-D2.25.2. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1434
Figure 5A-D2.25.3. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-1435
Figure 5A-D2.25.4. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1435
Figure 5A-D2.25.5. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1436
Figure 5A-D2.25.6. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-1436
Figure 5A-D2.25.7. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1437
Figure 5A-D2.25.8. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-1437
Figure 5A-D2.25.9. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1438
Figure 5A-D2.25.10. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1438
Figure 5A-D2.25.11. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1439
Figure 5A-D2.25.12. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1439
Figure 5A-D2.25.13. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1440
Figure 5A-D2.25.14. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1440
Figure 5A-D2.25.15. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1441
Figure 5A-D2.25.16. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1441
Figure 5A-D2.25.17. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1442
Figure 5A-D2.25.18. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1442
Figure 5A-D2.25.19. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1443
Figure 5A-D2.25.20. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1444

Figure 5A-D2.25.21. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1445
Figure 5A-D2.25.22. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1446
Figure 5A-D2.25.23. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1447
Figure 5A-D2.25.24. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1448
Figure 5A-D2.25.25. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1449
Figure 5A-D2.25.26. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1450
Figure 5A-D2.25.27. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1451
Figure 5A-D2.25.28. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1452
Figure 5A-D2.25.29. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1453
Figure 5A-D2.25.30. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1454
Figure 5A-D2.25.31. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1455
Figure 5A-D2.25.32. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1456
Figure 5A-D2.25.33. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1457
Figure 5A-D2.25.34. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1458
Figure 5A-D2.25.35. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1459

Figure 5A-D2.25.36. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1460
Figure 5A-D2.25.37-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1461
Figure 5A-D2.25.37-B. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1462
Figure 5A-D2.25.37-C. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1463
Figure 5A-D2.25.37-D. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1464
Figure 5A-D2.25.38. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1465
Figure 5A-D2.25.39. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1466
Figure 5A-D2.25.40. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1467
Figure 5A-D2.25.41. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1468
Figure 5A-D2.25.42. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1469
Figure 5A-D2.25.43. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1470
Figure 5A-D2.25.44. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1471
Figure 5A-D2.25.45. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1472
Figure 5A-D2.25.46. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1473
Figure 5A-D2.25.47. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative..... D-1474
Figure 5A-D2.25.48. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1475
Figure 5A-D2.25.49. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1476
Figure 5A-D2.26.1. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives..... D-1493
Figure 5A-D2.26.2. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives..... D-1493
Figure 5A-D2.26.3. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives D-1494
Figure 5A-D2.26.4. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives..... D-1494

Figure 5A-D2.26.5. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1495
Figure 5A-D2.26.6. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-1495
Figure 5A-D2.26.7. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1496
Figure 5A-D2.26.8. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-1496
Figure 5A-D2.26.9. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1497
Figure 5A-D2.26.10. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1497
Figure 5A-D2.26.11. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1498
Figure 5A-D2.26.12. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1498
Figure 5A-D2.26.13. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1499
Figure 5A-D2.26.14. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1499
Figure 5A-D2.26.15. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1500
Figure 5A-D2.26.16. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1500
Figure 5A-D2.26.17. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1501
Figure 5A-D2.26.18. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1501
Figure 5A-D2.26.19. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1502
Figure 5A-D2.26.20. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1503
Figure 5A-D2.26.21. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1504
Figure 5A-D2.26.22. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1505
Figure 5A-D2.26.23. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1506

Figure 5A-D2.26.24. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1507
Figure 5A-D2.26.25. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-1508
Figure 5A-D2.26.26. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1509
Figure 5A-D2.26.27. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-1510
Figure 5A-D2.26.28. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives..... D-1511
Figure 5A-D2.26.29. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1512
Figure 5A-D2.26.30. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-1513
Figure 5A-D2.26.31. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1514
Figure 5A-D2.26.32. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1515
Figure 5A-D2.26.33. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives . D-1516
Figure 5A-D2.26.34. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1517
Figure 5A-D2.26.35. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives..... D-1518
Figure 5A-D2.26.36. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives..... D-1519
Figure 5A-D2.26.37-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1520
Figure 5A-D2.26.37-B. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1521
Figure 5A-D2.26.37-C. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1522

Figure 5A-D2.26.37-D. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1523
Figure 5A-D2.26.38. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1524
Figure 5A-D2.26.39. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1525
Figure 5A-D2.26.40. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-1526
Figure 5A-D2.26.41. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1527
Figure 5A-D2.26.42. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1528
Figure 5A-D2.26.43. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1529
Figure 5A-D2.26.44. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1530
Figure 5A-D2.26.45. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1531
Figure 5A-D2.26.46. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1532
Figure 5A-D2.26.47. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1533
Figure 5A-D2.26.48. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1534
Figure 5A-D2.26.49. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1535
Figure 5A-D2.27.1. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1552
Figure 5A-D2.27.2. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1552
Figure 5A-D2.27.3. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-1553
Figure 5A-D2.27.4. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1553
Figure 5A-D2.27.5. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1554
Figure 5A-D2.27.6. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-1554
Figure 5A-D2.27.7. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1555
Figure 5A-D2.27.8. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-1555

Figure 5A-D2.27.9. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1556
Figure 5A-D2.27.10. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1556
Figure 5A-D2.27.11. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1557
Figure 5A-D2.27.12. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1557
Figure 5A-D2.27.13. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1558
Figure 5A-D2.27.14. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1558
Figure 5A-D2.27.15. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1559
Figure 5A-D2.27.16. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1559
Figure 5A-D2.27.17. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1560
Figure 5A-D2.27.18. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1560
Figure 5A-D2.27.19. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1561
Figure 5A-D2.27.20. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1562
Figure 5A-D2.27.21. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1563
Figure 5A-D2.27.22. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1564
Figure 5A-D2.27.23. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1565
Figure 5A-D2.27.24. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1566
Figure 5A-D2.27.25. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1567
Figure 5A-D2.27.26. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1568

Figure 5A-D2.27.27. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1569
Figure 5A-D2.27.28. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1570
Figure 5A-D2.27.29. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1571
Figure 5A-D2.27.30. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1572
Figure 5A-D2.27.31. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1573
Figure 5A-D2.27.32. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1574
Figure 5A-D2.27.33. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1575
Figure 5A-D2.27.34. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1576
Figure 5A-D2.27.35. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1577
Figure 5A-D2.27.36. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1578
Figure 5A-D2.27.37-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1579
Figure 5A-D2.27.37-B. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1580
Figure 5A-D2.27.37-C. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1581
Figure 5A-D2.27.37-D. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1582
Figure 5A-D2.27.38. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1583
Figure 5A-D2.27.39. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1584
Figure 5A-D2.27.40. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1585

Figure 5A-D2.27.41. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1586
Figure 5A-D2.27.42. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1587
Figure 5A-D2.27.43. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1588
Figure 5A-D2.27.44. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1589
Figure 5A-D2.27.45. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1590
Figure 5A-D2.27.46. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1591
Figure 5A-D2.27.47. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1592
Figure 5A-D2.27.48. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1593
Figure 5A-D2.27.49. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1594
Figure 5A-D2.28.1. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1611
Figure 5A-D2.28.2. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1611
Figure 5A-D2.28.3. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-1612
Figure 5A-D2.28.4. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1612
Figure 5A-D2.28.5. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1613
Figure 5A-D2.28.6. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-1613
Figure 5A-D2.28.7. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1614
Figure 5A-D2.28.8. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-1614
Figure 5A-D2.28.9. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1615
Figure 5A-D2.28.10. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1615
Figure 5A-D2.28.11. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1616
Figure 5A-D2.28.12. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1616

Figure 5A-D2.28.13. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1617
Figure 5A-D2.28.14. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1617
Figure 5A-D2.28.15. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1618
Figure 5A-D2.28.16. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1618
Figure 5A-D2.28.17. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1619
Figure 5A-D2.28.18. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1619
Figure 5A-D2.28.19. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1620
Figure 5A-D2.28.20. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1621
Figure 5A-D2.28.21. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1622
Figure 5A-D2.28.22. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1623
Figure 5A-D2.28.23. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1624
Figure 5A-D2.28.24. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1625
Figure 5A-D2.28.25. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1626
Figure 5A-D2.28.26. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1627
Figure 5A-D2.28.27. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1628
Figure 5A-D2.28.28. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1629
Figure 5A-D2.28.29. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1630

Figure 5A-D2.28.30. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1631
Figure 5A-D2.28.31. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1632
Figure 5A-D2.28.32. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1633
Figure 5A-D2.28.33. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1634
Figure 5A-D2.28.34. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1635
Figure 5A-D2.28.35. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1636
Figure 5A-D2.28.36. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1637
Figure 5A-D2.28.37-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1638
Figure 5A-D2.28.37-B. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1639
Figure 5A-D2.28.37-C. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1640
Figure 5A-D2.28.37-D. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1641
Figure 5A-D2.28.38. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1642
Figure 5A-D2.28.39. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1643
Figure 5A-D2.28.40. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1644
Figure 5A-D2.28.41. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1645
Figure 5A-D2.28.42. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1646
Figure 5A-D2.28.43. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1647
Figure 5A-D2.28.44. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1648
Figure 5A-D2.28.45. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1649

Figure 5A-D2.28.46. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1650
Figure 5A-D2.28.47. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1651
Figure 5A-D2.28.48. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1652
Figure 5A-D2.28.49. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1653
Figure 5A-D2.29.1. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1670
Figure 5A-D2.29.2. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1670
Figure 5A-D2.29.3. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives..... D-1671
Figure 5A-D2.29.4. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1671
Figure 5A-D2.29.5. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1672
Figure 5A-D2.29.6. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives..... D-1672
Figure 5A-D2.29.7. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1673
Figure 5A-D2.29.8. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives..... D-1673
Figure 5A-D2.29.9. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1674
Figure 5A-D2.29.10. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1674
Figure 5A-D2.29.11. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1675
Figure 5A-D2.29.12. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1675
Figure 5A-D2.29.13. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1676
Figure 5A-D2.29.14. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives..... D-1676
Figure 5A-D2.29.15. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1677
Figure 5A-D2.29.16. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives..... D-1677
Figure 5A-D2.29.17. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1678

Figure 5A-D2.29.18. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1678
Figure 5A-D2.29.19. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1679
Figure 5A-D2.29.20. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1680
Figure 5A-D2.29.21. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1681
Figure 5A-D2.29.22. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1682
Figure 5A-D2.29.23. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1683
Figure 5A-D2.29.24. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1684
Figure 5A-D2.29.25. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1685
Figure 5A-D2.29.26. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1686
Figure 5A-D2.29.27. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1687
Figure 5A-D2.29.28. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1688
Figure 5A-D2.29.29. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1689
Figure 5A-D2.29.30. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1690
Figure 5A-D2.29.31. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1691
Figure 5A-D2.29.32. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1692

Figure 5A-D2.29.33. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1693
Figure 5A-D2.29.34. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1694
Figure 5A-D2.29.35. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1695
Figure 5A-D2.29.36. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1696
Figure 5A-D2.29.37-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1697
Figure 5A-D2.29.37-B. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1698
Figure 5A-D2.29.37-C. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1699
Figure 5A-D2.29.37-D. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1700
Figure 5A-D2.29.38. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1701
Figure 5A-D2.29.39. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1702
Figure 5A-D2.29.40. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1703
Figure 5A-D2.29.41. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1704
Figure 5A-D2.29.42. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1705
Figure 5A-D2.29.43. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1706
Figure 5A-D2.29.44. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1707
Figure 5A-D2.29.45. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1708
Figure 5A-D2.29.46. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1709
Figure 5A-D2.29.47. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1710
Figure 5A-D2.29.48. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1711
Figure 5A-D2.29.49. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative D-1712

Figure 5A-D2.30.1. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1729
Figure 5A-D2.30.2. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1729
Figure 5A-D2.30.3. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1730
Figure 5A-D2.30.4. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1730
Figure 5A-D2.30.5. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1731
Figure 5A-D2.30.6. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-1731
Figure 5A-D2.30.7. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1732
Figure 5A-D2.30.8. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-1732
Figure 5A-D2.30.9. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1733
Figure 5A-D2.30.10. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1733
Figure 5A-D2.30.11. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1734
Figure 5A-D2.30.12. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1734
Figure 5A-D2.30.13. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1735
Figure 5A-D2.30.14. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1735
Figure 5A-D2.30.15. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1736
Figure 5A-D2.30.16. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1736
Figure 5A-D2.30.17. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1737
Figure 5A-D2.30.18. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1737
Figure 5A-D2.30.19. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1738
Figure 5A-D2.30.20. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1739

Figure 5A-D2.30.21. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1740
Figure 5A-D2.30.22. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1741
Figure 5A-D2.30.23. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1742
Figure 5A-D2.30.24. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1743
Figure 5A-D2.30.25. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1744
Figure 5A-D2.30.26. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1745
Figure 5A-D2.30.27. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1746
Figure 5A-D2.30.28. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1747
Figure 5A-D2.30.29. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1748
Figure 5A-D2.30.30. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1749
Figure 5A-D2.30.31. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1750
Figure 5A-D2.30.32. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1751
Figure 5A-D2.30.33. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1752
Figure 5A-D2.30.34. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1753
Figure 5A-D2.30.35. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1754

Figure 5A-D2.30.36. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1755
Figure 5A-D2.30.37-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1756
Figure 5A-D2.30.37-B. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1757
Figure 5A-D2.30.37-C. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1758
Figure 5A-D2.30.37-D. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1759
Figure 5A-D2.30.38. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1760
Figure 5A-D2.30.39. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1761
Figure 5A-D2.30.40. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative D-1762
Figure 5A-D2.30.41. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1763
Figure 5A-D2.30.42. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1764
Figure 5A-D2.30.43. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1765
Figure 5A-D2.30.44. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative D-1766
Figure 5A-D2.30.45. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1767
Figure 5A-D2.30.46. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1768
Figure 5A-D2.30.47. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative..... D-1769
Figure 5A-D2.30.48. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1770
Figure 5A-D2.30.49. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1771
Figure 5A-D2.31.1. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives D-1788
Figure 5A-D2.31.2. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives D-1788
Figure 5A-D2.31.3. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1789
Figure 5A-D2.31.4. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives D-1789

Figure 5A-D2.31.5. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives D-1790
Figure 5A-D2.31.6. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives D-1790
Figure 5A-D2.31.7. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives D-1791
Figure 5A-D2.31.8. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives D-1791
Figure 5A-D2.31.9. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives D-1792
Figure 5A-D2.31.10. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives D-1792
Figure 5A-D2.31.11. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives D-1793
Figure 5A-D2.31.12. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives D-1793
Figure 5A-D2.31.13. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives D-1794
Figure 5A-D2.31.14. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives D-1794
Figure 5A-D2.31.15. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives D-1795
Figure 5A-D2.31.16. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives D-1795
Figure 5A-D2.31.17. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives D-1796
Figure 5A-D2.31.18. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives D-1796
Figure 5A-D2.31.19. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives D-1797
Figure 5A-D2.31.20. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives D-1798
Figure 5A-D2.31.21. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives D-1799
Figure 5A-D2.31.22. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1800
Figure 5A-D2.31.23. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1801

Figure 5A-D2.31.24. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives D-1802
Figure 5A-D2.31.25. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1803
Figure 5A-D2.31.26. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1804
Figure 5A-D2.31.27. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1805
Figure 5A-D2.31.28. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1806
Figure 5A-D2.31.29. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1807
Figure 5A-D2.31.30. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives D-1808
Figure 5A-D2.31.31. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1809
Figure 5A-D2.31.32. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1810
Figure 5A-D2.31.33. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives D-1811
Figure 5A-D2.31.34. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives D-1812
Figure 5A-D2.31.35. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives D-1813
Figure 5A-D2.31.36. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives D-1814
Figure 5A-D2.31.37-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1815
Figure 5A-D2.31.37-B. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1816
Figure 5A-D2.31.37-C. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1817

Figure 5A-D2.31.37-D. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1818
Figure 5A-D2.31.38. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative D-1819
Figure 5A-D2.31.39. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative D-1820
Figure 5A-D2.31.40. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative..... D-1821
Figure 5A-D2.31.41. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative D-1822
Figure 5A-D2.31.42. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative D-1823
Figure 5A-D2.31.43. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative D-1824
Figure 5A-D2.31.44. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative..... D-1825
Figure 5A-D2.31.45. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative D-1826
Figure 5A-D2.31.46. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative D-1827
Figure 5A-D2.31.47. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative D-1828
Figure 5A-D2.31.48. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative D-1829
Figure 5A-D2.31.49. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative..... D-1830
Figure 5A-D2.32.1-A. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for April, No Project Alternatives D-1864
Figure 5A-D2.32.1-B. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for May, No Project Alternatives D-1865
Figure 5A-D2.32.1-C. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for June, No Project Alternatives..... D-1866
Figure 5A-D2.32.1-D. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for July, No Project Alternatives D-1867
Figure 5A-D2.32.1-E. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for August, No Project Alternatives..... D-1868
Figure 5A-D2.32.1-F. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for September, No Project Alternatives D-1869
Figure 5A-D2.32.1-G. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for October, No Project Alternatives..... D-1870

Tables

Table 5A-D2.1.1-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-3
Table 5A-D2.1.1-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-3
Table 5A-D2.1.1-C. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-3
Table 5A-D2.1.1-D. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-4
Table 5A-D2.1.1-E. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-4
Table 5A-D2.1.1-F. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-4
Table 5A-D2.1.1-G. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-5
Table 5A-D2.1.1-H. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-5
Table 5A-D2.1.2-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-6
Table 5A-D2.1.2-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-6
Table 5A-D2.1.2-C. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-6
Table 5A-D2.1.2-D. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-7
Table 5A-D2.1.2-E. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-8
Table 5A-D2.1.2-F. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-8
Table 5A-D2.1.3-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-9
Table 5A-D2.1.3-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-9

Table 5A-D2.1.3-C. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-9
Table 5A-D2.1.3-D. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-10
Table 5A-D2.1.3-E. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-11
Table 5A-D2.1.3-F. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-11
Table 5A-D2.1.4-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-12
Table 5A-D2.1.4-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-12
Table 5A-D2.1.4-C. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-12
Table 5A-D2.1.4-D. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-13
Table 5A-D2.1.4-E. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-14
Table 5A-D2.1.4-F. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-14
Table 5A-D2.1.5-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-15
Table 5A-D2.1.5-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-15
Table 5A-D2.1.5-C. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-15
Table 5A-D2.1.5-D. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-16
Table 5A-D2.1.5-E. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-17
Table 5A-D2.1.5-F. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-17
Table 5A-D2.2.1-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-62

Table 5A-D2.2.1-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-62
Table 5A-D2.2.1-C. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-62
Table 5A-D2.2.1-D. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-63
Table 5A-D2.2.1-E. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-63
Table 5A-D2.2.1-F. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-63
Table 5A-D2.2.1-G. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-64
Table 5A-D2.2.1-H. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-64
Table 5A-D2.2.2-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-65
Table 5A-D2.2.2-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-65
Table 5A-D2.2.2-C. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-65
Table 5A-D2.2.2-D. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-66
Table 5A-D2.2.2-E. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-67
Table 5A-D2.2.2-F. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-67
Table 5A-D2.2.3-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-68
Table 5A-D2.2.3-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-68
Table 5A-D2.2.3-C. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-68
Table 5A-D2.2.3-D. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-69

Table 5A-D2.2.3-E. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-70
Table 5A-D2.2.3-F. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-70
Table 5A-D2.2.4-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-71
Table 5A-D2.2.4-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-71
Table 5A-D2.2.4-C. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-71
Table 5A-D2.2.4-D. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-72
Table 5A-D2.2.4-E. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-73
Table 5A-D2.2.4-F. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-73
Table 5A-D2.2.5-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-74
Table 5A-D2.2.5-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-74
Table 5A-D2.2.5-C. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-74
Table 5A-D2.2.5-D. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-75
Table 5A-D2.2.5-E. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-76
Table 5A-D2.2.5-F. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-76
Table 5A-D2.3.1-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-121
Table 5A-D2.3.1-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-121
Table 5A-D2.3.1-C. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-121
Table 5A-D2.3.1-D. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-122

Table 5A-D2.3.1-E. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-122
Table 5A-D2.3.1-F. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-122
Table 5A-D2.3.1-G. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-123
Table 5A-D2.3.1-H. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-123
Table 5A-D2.3.2-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-124
Table 5A-D2.3.2-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-124
Table 5A-D2.3.2-C. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-124
Table 5A-D2.3.2-D. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-125
Table 5A-D2.3.2-E. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-126
Table 5A-D2.3.2-F. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-126
Table 5A-D2.3.3-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-127
Table 5A-D2.3.3-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-127
Table 5A-D2.3.3-C. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-127
Table 5A-D2.3.3-D. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-128
Table 5A-D2.3.3-E. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-129

Table 5A-D2.3.3-F. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-129
Table 5A-D2.3.4-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-130
Table 5A-D2.3.4-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-130
Table 5A-D2.3.4-C. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-130
Table 5A-D2.3.4-D. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-131
Table 5A-D2.3.4-E. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-132
Table 5A-D2.3.4-F. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-132
Table 5A-D2.3.5-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-133
Table 5A-D2.3.5-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-133
Table 5A-D2.3.5-C. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-133
Table 5A-D2.3.5-D. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-134
Table 5A-D2.3.5-E. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-135
Table 5A-D2.3.5-F. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-135
Table 5A-D2.4.1-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-180
Table 5A-D2.4.1-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-180
Table 5A-D2.4.1-C. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-180
Table 5A-D2.4.1-D. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-181

Table 5A-D2.4.1-E. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-181
Table 5A-D2.4.1-F. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-181
Table 5A-D2.4.1-G. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-182
Table 5A-D2.4.1-H. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-182
Table 5A-D2.4.2-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-183
Table 5A-D2.4.2-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-183
Table 5A-D2.4.2-C. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-183
Table 5A-D2.4.2-D. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-184
Table 5A-D2.4.2-E. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-185
Table 5A-D2.4.2-F. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-185
Table 5A-D2.4.3-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-186
Table 5A-D2.4.3-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-186
Table 5A-D2.4.3-C. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-186
Table 5A-D2.4.3-D. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-187
Table 5A-D2.4.3-E. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-188
Table 5A-D2.4.3-F. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-188
Table 5A-D2.4.4-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-189

Table 5A-D2.4.4-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-189
Table 5A-D2.4.4-C. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-189
Table 5A-D2.4.4-D. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-190
Table 5A-D2.4.4-E. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-191
Table 5A-D2.4.4-F. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-191
Table 5A-D2.4.5-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-192
Table 5A-D2.4.5-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-192
Table 5A-D2.4.5-C. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-192
Table 5A-D2.4.5-D. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-193
Table 5A-D2.4.5-E. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-194
Table 5A-D2.4.5-F. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-194
Table 5A-D2.5.1-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-239
Table 5A-D2.5.1-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-239
Table 5A-D2.5.1-C. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-239
Table 5A-D2.5.1-D. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-240
Table 5A-D2.5.1-E. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-240
Table 5A-D2.5.1-F. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-240

Table 5A-D2.5.1-G. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-241
Table 5A-D2.5.1-H. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-241
Table 5A-D2.5.2-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-242
Table 5A-D2.5.2-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-242
Table 5A-D2.5.2-C. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-242
Table 5A-D2.5.2-D. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-243
Table 5A-D2.5.2-E. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-244
Table 5A-D2.5.2-F. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-244
Table 5A-D2.5.3-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-245
Table 5A-D2.5.3-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-245
Table 5A-D2.5.3-C. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-245
Table 5A-D2.5.3-D. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-246
Table 5A-D2.5.3-E. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-247
Table 5A-D2.5.3-F. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-247
Table 5A-D2.5.4-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-248
Table 5A-D2.5.4-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-248
Table 5A-D2.5.4-C. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-248

Table 5A-D2.5.4-D. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-249
Table 5A-D2.5.4-E. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-250
Table 5A-D2.5.4-F. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-250
Table 5A-D2.5.5-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-251
Table 5A-D2.5.5-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-251
Table 5A-D2.5.5-C. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-251
Table 5A-D2.5.5-D. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-252
Table 5A-D2.5.5-E. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-253
Table 5A-D2.5.5-F. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-253
Table 5A-D2.6.1-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-298
Table 5A-D2.6.1-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-298
Table 5A-D2.6.1-C. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-298
Table 5A-D2.6.1-D. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-299
Table 5A-D2.6.1-E. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-299
Table 5A-D2.6.1-F. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-299
Table 5A-D2.6.1-G. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-300
Table 5A-D2.6.1-H. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-300

Table 5A-D2.6.2-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-301
Table 5A-D2.6.2-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-301
Table 5A-D2.6.2-C. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-301
Table 5A-D2.6.2-D. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-302
Table 5A-D2.6.2-E. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-303
Table 5A-D2.6.2-F. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-303
Table 5A-D2.6.3-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-304
Table 5A-D2.6.3-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-304
Table 5A-D2.6.3-C. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-304
Table 5A-D2.6.3-D. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-305
Table 5A-D2.6.3-E. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-306
Table 5A-D2.6.3-F. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-306
Table 5A-D2.6.4-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-307
Table 5A-D2.6.4-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-307
Table 5A-D2.6.4-C. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-307
Table 5A-D2.6.4-D. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-308
Table 5A-D2.6.4-E. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-309

Table 5A-D2.6.4-F. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-309
Table 5A-D2.6.5-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-310
Table 5A-D2.6.5-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-310
Table 5A-D2.6.5-C. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-310
Table 5A-D2.6.5-D. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-311
Table 5A-D2.6.5-E. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-312
Table 5A-D2.6.5-F. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-312
Table 5A-D2.7.1-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-357
Table 5A-D2.7.1-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-357
Table 5A-D2.7.1-C. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-357
Table 5A-D2.7.1-D. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-358
Table 5A-D2.7.1-E. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-358
Table 5A-D2.7.1-F. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-358
Table 5A-D2.7.1-G. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-359
Table 5A-D2.7.1-H. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-359
Table 5A-D2.7.2-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-360
Table 5A-D2.7.2-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-360

Table 5A-D2.7.2-C. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-360
Table 5A-D2.7.2-D. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-361
Table 5A-D2.7.2-E. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-362
Table 5A-D2.7.2-F. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-362
Table 5A-D2.7.3-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-363
Table 5A-D2.7.3-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-363
Table 5A-D2.7.3-C. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-363
Table 5A-D2.7.3-D. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-364
Table 5A-D2.7.3-E. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-365
Table 5A-D2.7.3-F. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-365
Table 5A-D2.7.4-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-366
Table 5A-D2.7.4-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-366
Table 5A-D2.7.4-C. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-366
Table 5A-D2.7.4-D. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-367
Table 5A-D2.7.4-E. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-368
Table 5A-D2.7.4-F. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-368

Table 5A-D2.7.5-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-369
Table 5A-D2.7.5-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-369
Table 5A-D2.7.5-C. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-369
Table 5A-D2.7.5-D. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-370
Table 5A-D2.7.5-E. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-371
Table 5A-D2.7.5-F. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-371
Table 5A-D2.8.1-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-416
Table 5A-D2.8.1-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-416
Table 5A-D2.8.1-C. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-416
Table 5A-D2.8.1-D. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-417
Table 5A-D2.8.1-E. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-417
Table 5A-D2.8.1-F. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-417
Table 5A-D2.8.1-G. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-418
Table 5A-D2.8.1-H. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-418
Table 5A-D2.8.2-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-419
Table 5A-D2.8.2-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-419
Table 5A-D2.8.2-C. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-419
Table 5A-D2.8.2-D. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-420

Table 5A-D2.8.2-E. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-421
Table 5A-D2.8.2-F. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-421
Table 5A-D2.8.3-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-422
Table 5A-D2.8.3-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-422
Table 5A-D2.8.3-C. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-422
Table 5A-D2.8.3-D. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-423
Table 5A-D2.8.3-E. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-424
Table 5A-D2.8.3-F. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-424
Table 5A-D2.8.4-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-425
Table 5A-D2.8.4-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-425
Table 5A-D2.8.4-C. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-425
Table 5A-D2.8.4-D. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-426
Table 5A-D2.8.4-E. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-427
Table 5A-D2.8.4-F. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-427
Table 5A-D2.8.5-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-428
Table 5A-D2.8.5-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-428
Table 5A-D2.8.5-C. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-428
Table 5A-D2.8.5-D. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-429

Table 5A-D2.8.5-E. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-430
Table 5A-D2.8.5-F. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-430
Table 5A-D2.9.1-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-475
Table 5A-D2.9.1-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-475
Table 5A-D2.9.1-C. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-475
Table 5A-D2.9.1-D. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-476
Table 5A-D2.9.1-E. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-476
Table 5A-D2.9.1-F. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-476
Table 5A-D2.9.1-G. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-477
Table 5A-D2.9.1-H. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-477
Table 5A-D2.9.2-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-478
Table 5A-D2.9.2-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-478
Table 5A-D2.9.2-C. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-478
Table 5A-D2.9.2-D. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-479
Table 5A-D2.9.2-E. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-480
Table 5A-D2.9.2-F. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-480
Table 5A-D2.9.3-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-481

Table 5A-D2.9.3-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-481
Table 5A-D2.9.3-C. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-481
Table 5A-D2.9.3-D. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-482
Table 5A-D2.9.3-E. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-483
Table 5A-D2.9.3-F. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-483
Table 5A-D2.9.4-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-484
Table 5A-D2.9.4-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-484
Table 5A-D2.9.4-C. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-484
Table 5A-D2.9.4-D. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-485
Table 5A-D2.9.4-E. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-486
Table 5A-D2.9.4-F. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-486
Table 5A-D2.9.5-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-487
Table 5A-D2.9.5-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-487
Table 5A-D2.9.5-C. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-487
Table 5A-D2.9.5-D. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-488
Table 5A-D2.9.5-E. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-489
Table 5A-D2.9.5-F. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-489

Table 5A-D2.10.1-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-534
Table 5A-D2.10.1-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-534
Table 5A-D2.10.1-C. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-534
Table 5A-D2.10.1-D. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-535
Table 5A-D2.10.1-E. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-535
Table 5A-D2.10.1-F. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-535
Table 5A-D2.10.1-G. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-536
Table 5A-D2.10.1-H. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-536
Table 5A-D2.10.2-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-537
Table 5A-D2.10.2-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-537
Table 5A-D2.10.2-C. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-537
Table 5A-D2.10.2-D. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-538
Table 5A-D2.10.2-E. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-539
Table 5A-D2.10.2-F. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-539
Table 5A-D2.10.3-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-540
Table 5A-D2.10.3-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-540
Table 5A-D2.10.3-C. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-540
Table 5A-D2.10.3-D. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-541

Table 5A-D2.10.3-E. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-542
Table 5A-D2.10.3-F. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-542
Table 5A-D2.10.4-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-543
Table 5A-D2.10.4-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-543
Table 5A-D2.10.4-C. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-543
Table 5A-D2.10.4-D. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-544
Table 5A-D2.10.4-E. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-545
Table 5A-D2.10.4-F. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-545
Table 5A-D2.10.5-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-546
Table 5A-D2.10.5-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-546
Table 5A-D2.10.5-C. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-546
Table 5A-D2.10.5-D. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-547
Table 5A-D2.10.5-E. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-548
Table 5A-D2.10.5-F. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-548
Table 5A-D2.11.1-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-593
Table 5A-D2.11.1-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-593
Table 5A-D2.11.1-C. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-593
Table 5A-D2.11.1-D. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-594

Table 5A-D2.11.1-E. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-594
Table 5A-D2.11.1-F. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-594
Table 5A-D2.11.1-G. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-595
Table 5A-D2.11.1-H. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-595
Table 5A-D2.11.2-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-596
Table 5A-D2.11.2-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-596
Table 5A-D2.11.2-C. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-596
Table 5A-D2.11.2-D. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-597
Table 5A-D2.11.2-E. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-598
Table 5A-D2.11.2-F. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-598
Table 5A-D2.11.3-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-599
Table 5A-D2.11.3-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-599
Table 5A-D2.11.3-C. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-599
Table 5A-D2.11.3-D. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-600
Table 5A-D2.11.3-E. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-601
Table 5A-D2.11.3-F. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-601

Table 5A-D2.11.4-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-602
Table 5A-D2.11.4-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-602
Table 5A-D2.11.4-C. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-602
Table 5A-D2.11.4-D. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-603
Table 5A-D2.11.4-E. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-604
Table 5A-D2.11.4-F. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-604
Table 5A-D2.11.5-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-605
Table 5A-D2.11.5-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-605
Table 5A-D2.11.5-C. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-605
Table 5A-D2.11.5-D. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-606
Table 5A-D2.11.5-E. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-607
Table 5A-D2.11.5-F. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-607
Table 5A-D2.12.1-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-652
Table 5A-D2.12.1-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-652
Table 5A-D2.12.1-C. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-652
Table 5A-D2.12.1-D. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-653
Table 5A-D2.12.1-E. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-653

Table 5A-D2.12.1-F. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-653
Table 5A-D2.12.1-G. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-654
Table 5A-D2.12.1-H. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-654
Table 5A-D2.12.2-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-655
Table 5A-D2.12.2-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-655
Table 5A-D2.12.2-C. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-655
Table 5A-D2.12.2-D. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-656
Table 5A-D2.12.2-E. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-657
Table 5A-D2.12.2-F. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-657
Table 5A-D2.12.3-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-658
Table 5A-D2.12.3-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-658
Table 5A-D2.12.3-C. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-658
Table 5A-D2.12.3-D. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-659
Table 5A-D2.12.3-E. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-660
Table 5A-D2.12.3-F. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-660
Table 5A-D2.12.4-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-661
Table 5A-D2.12.4-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-661

Table 5A-D2.12.4-C. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-661
Table 5A-D2.12.4-D. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-662
Table 5A-D2.12.4-E. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-663
Table 5A-D2.12.4-F. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-663
Table 5A-D2.12.5-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-664
Table 5A-D2.12.5-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-664
Table 5A-D2.12.5-C. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-664
Table 5A-D2.12.5-D. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-665
Table 5A-D2.12.5-E. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-666
Table 5A-D2.12.5-F. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-666
Table 5A-D2.13.1-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-711
Table 5A-D2.13.1-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-711
Table 5A-D2.13.1-C. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-711
Table 5A-D2.13.1-D. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-712
Table 5A-D2.13.1-E. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-712
Table 5A-D2.13.1-F. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-712
Table 5A-D2.13.1-G. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-713

Table 5A-D2.13.1-H. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-713
Table 5A-D2.13.2-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-714
Table 5A-D2.13.2-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-714
Table 5A-D2.13.2-C. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-714
Table 5A-D2.13.2-D. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-715
Table 5A-D2.13.2-E. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-716
Table 5A-D2.13.2-F. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-716
Table 5A-D2.13.3-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-717
Table 5A-D2.13.3-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-717
Table 5A-D2.13.3-C. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-717
Table 5A-D2.13.3-D. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-718
Table 5A-D2.13.3-E. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-719
Table 5A-D2.13.3-F. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-719
Table 5A-D2.13.4-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-720
Table 5A-D2.13.4-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-720
Table 5A-D2.13.4-C. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-720

Table 5A-D2.13.4-D. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-721
Table 5A-D2.13.4-E. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-722
Table 5A-D2.13.4-F. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-722
Table 5A-D2.13.5-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-723
Table 5A-D2.13.5-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-723
Table 5A-D2.13.5-C. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-723
Table 5A-D2.13.5-D. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-724
Table 5A-D2.13.5-E. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-725
Table 5A-D2.13.5-F. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-725
Table 5A-D2.14.1-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-770
Table 5A-D2.14.1-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-770
Table 5A-D2.14.1-C. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-770
Table 5A-D2.14.1-D. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-771
Table 5A-D2.14.1-E. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-771
Table 5A-D2.14.1-F. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-771
Table 5A-D2.14.1-G. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-772

Table 5A-D2.14.1-H. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-772
Table 5A-D2.14.2-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-773
Table 5A-D2.14.2-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-773
Table 5A-D2.14.2-C. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-773
Table 5A-D2.14.2-D. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-774
Table 5A-D2.14.2-E. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-775
Table 5A-D2.14.2-F. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-775
Table 5A-D2.14.3-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-776
Table 5A-D2.14.3-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-776
Table 5A-D2.14.3-C. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-776
Table 5A-D2.14.3-D. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-777
Table 5A-D2.14.3-E. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-778
Table 5A-D2.14.3-F. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-778
Table 5A-D2.14.4-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-779
Table 5A-D2.14.4-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-779
Table 5A-D2.14.4-C. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-779
Table 5A-D2.14.4-D. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-780

Table 5A-D2.14.4-E. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-781
Table 5A-D2.14.4-F. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-781
Table 5A-D2.14.5-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-782
Table 5A-D2.14.5-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-782
Table 5A-D2.14.5-C. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-782
Table 5A-D2.14.5-D. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-783
Table 5A-D2.14.5-E. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-784
Table 5A-D2.14.5-F. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-784
Table 5A-D2.15.1-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-829
Table 5A-D2.15.1-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-829
Table 5A-D2.15.1-C. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-829
Table 5A-D2.15.1-D. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-830
Table 5A-D2.15.1-E. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-830
Table 5A-D2.15.1-F. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-830
Table 5A-D2.15.1-G. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-831
Table 5A-D2.15.1-H. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-831
Table 5A-D2.15.2-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-832

Table 5A-D2.15.2-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-832
Table 5A-D2.15.2-C. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-832
Table 5A-D2.15.2-D. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-833
Table 5A-D2.15.2-E. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-834
Table 5A-D2.15.2-F. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-834
Table 5A-D2.15.3-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-835
Table 5A-D2.15.3-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-835
Table 5A-D2.15.3-C. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-835
Table 5A-D2.15.3-D. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-836
Table 5A-D2.15.3-E. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-837
Table 5A-D2.15.3-F. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-837
Table 5A-D2.15.4-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-838
Table 5A-D2.15.4-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-838
Table 5A-D2.15.4-C. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-838
Table 5A-D2.15.4-D. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-839
Table 5A-D2.15.4-E. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-840

Table 5A-D2.15.4-F. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-840
Table 5A-D2.15.5-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-841
Table 5A-D2.15.5-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-841
Table 5A-D2.15.5-C. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-841
Table 5A-D2.15.5-D. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-842
Table 5A-D2.15.5-E. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-843
Table 5A-D2.15.5-F. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-843
Table 5A-D2.16.1-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-888
Table 5A-D2.16.1-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-888
Table 5A-D2.16.1-C. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-888
Table 5A-D2.16.1-D. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-889
Table 5A-D2.16.1-E. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-889
Table 5A-D2.16.1-F. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-889
Table 5A-D2.16.1-G. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-890
Table 5A-D2.16.1-H. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-890
Table 5A-D2.16.2-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-891
Table 5A-D2.16.2-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-891
Table 5A-D2.16.2-C. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-891

Table 5A-D2.16.2-D. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-892
Table 5A-D2.16.2-E. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-893
Table 5A-D2.16.2-F. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-893
Table 5A-D2.16.3-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-894
Table 5A-D2.16.3-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-894
Table 5A-D2.16.3-C. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-894
Table 5A-D2.16.3-D. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-895
Table 5A-D2.16.3-E. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-896
Table 5A-D2.16.3-F. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-896
Table 5A-D2.16.4-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-897
Table 5A-D2.16.4-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-897
Table 5A-D2.16.4-C. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-897
Table 5A-D2.16.4-D. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-898
Table 5A-D2.16.4-E. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-899
Table 5A-D2.16.4-F. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-899
Table 5A-D2.16.5-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-900
Table 5A-D2.16.5-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-900

Table 5A-D2.16.5-C. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-900
Table 5A-D2.16.5-D. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives..... D-901
Table 5A-D2.16.5-E. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-902
Table 5A-D2.16.5-F. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives..... D-902
Table 5A-D2.17.1-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-947
Table 5A-D2.17.1-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-947
Table 5A-D2.17.1-C. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-947
Table 5A-D2.17.1-D. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-948
Table 5A-D2.17.1-E. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-948
Table 5A-D2.17.1-F. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-948
Table 5A-D2.17.1-G. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-949
Table 5A-D2.17.1-H. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-949
Table 5A-D2.17.2-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-950
Table 5A-D2.17.2-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-950
Table 5A-D2.17.2-C. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-950
Table 5A-D2.17.2-D. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-951
Table 5A-D2.17.2-E. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-952

Table 5A-D2.17.2-F. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-952
Table 5A-D2.17.3-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-953
Table 5A-D2.17.3-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-953
Table 5A-D2.17.3-C. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-953
Table 5A-D2.17.3-D. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-954
Table 5A-D2.17.3-E. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-955
Table 5A-D2.17.3-F. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-955
Table 5A-D2.17.4-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-956
Table 5A-D2.17.4-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-956
Table 5A-D2.17.4-C. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-956
Table 5A-D2.17.4-D. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-957
Table 5A-D2.17.4-E. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-958
Table 5A-D2.17.4-F. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-958
Table 5A-D2.17.5-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-959
Table 5A-D2.17.5-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-959
Table 5A-D2.17.5-C. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-959
Table 5A-D2.17.5-D. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-960

Table 5A-D2.17.5-E. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-961
Table 5A-D2.17.5-F. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-961
Table 5A-D2.18.1-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1006
Table 5A-D2.18.1-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1006
Table 5A-D2.18.1-C. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1006
Table 5A-D2.18.1-D. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1007
Table 5A-D2.18.1-E. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1007
Table 5A-D2.18.1-F. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1007
Table 5A-D2.18.1-G. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1008
Table 5A-D2.18.1-H. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1008
Table 5A-D2.18.2-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1009
Table 5A-D2.18.2-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1009
Table 5A-D2.18.2-C. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1009
Table 5A-D2.18.2-D. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1010
Table 5A-D2.18.2-E. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1011
Table 5A-D2.18.2-F. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1011

Table 5A-D2.18.3-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1012
Table 5A-D2.18.3-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1012
Table 5A-D2.18.3-C. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1012
Table 5A-D2.18.3-D. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1013
Table 5A-D2.18.3-E. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1014
Table 5A-D2.18.3-F. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1014
Table 5A-D2.18.4-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1015
Table 5A-D2.18.4-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1015
Table 5A-D2.18.4-C. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1015
Table 5A-D2.18.4-D. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1016
Table 5A-D2.18.4-E. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1017
Table 5A-D2.18.4-F. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1017
Table 5A-D2.18.5-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1018
Table 5A-D2.18.5-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1018
Table 5A-D2.18.5-C. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1018
Table 5A-D2.18.5-D. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1019
Table 5A-D2.18.5-E. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1020

Table 5A-D2.18.5-F. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives..... D-1020
Table 5A-D2.19.1-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1065
Table 5A-D2.19.1-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1065
Table 5A-D2.19.1-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)..... D-1065
Table 5A-D2.19.1-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)..... D-1066
Table 5A-D2.19.1-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1066
Table 5A-D2.19.1-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1066
Table 5A-D2.19.1-G. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1067
Table 5A-D2.19.1-H. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives..... D-1067
Table 5A-D2.19.2-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)..... D-1068
Table 5A-D2.19.2-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)..... D-1068
Table 5A-D2.19.2-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives..... D-1068
Table 5A-D2.19.2-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1069
Table 5A-D2.19.2-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1070
Table 5A-D2.19.2-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives..... D-1070

Table 5A-D2.19.3-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1071
Table 5A-D2.19.3-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1071
Table 5A-D2.19.3-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1071
Table 5A-D2.19.3-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1072
Table 5A-D2.19.3-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1073
Table 5A-D2.19.3-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1073
Table 5A-D2.19.4-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1074
Table 5A-D2.19.4-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1074
Table 5A-D2.19.4-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1074
Table 5A-D2.19.4-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1075
Table 5A-D2.19.4-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1076
Table 5A-D2.19.4-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1076
Table 5A-D2.19.5-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1077
Table 5A-D2.19.5-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1077
Table 5A-D2.19.5-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1077

Table 5A-D2.19.5-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1078
Table 5A-D2.19.5-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1079
Table 5A-D2.19.5-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1079
Table 5A-D2.20.1-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1124
Table 5A-D2.20.1-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1124
Table 5A-D2.20.1-C. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1124
Table 5A-D2.20.1-D. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1125
Table 5A-D2.20.1-E. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1125
Table 5A-D2.20.1-F. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1125
Table 5A-D2.20.1-G. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1126
Table 5A-D2.20.1-H. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1126
Table 5A-D2.20.2-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1127
Table 5A-D2.20.2-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1127
Table 5A-D2.20.2-C. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1127
Table 5A-D2.20.2-D. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1128
Table 5A-D2.20.2-E. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1129

Table 5A-D2.20.2-F. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1129
Table 5A-D2.20.3-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1130
Table 5A-D2.20.3-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1130
Table 5A-D2.20.3-C. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1130
Table 5A-D2.20.3-D. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1131
Table 5A-D2.20.3-E. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1132
Table 5A-D2.20.3-F. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1132
Table 5A-D2.20.4-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1133
Table 5A-D2.20.4-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1133
Table 5A-D2.20.4-C. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1133
Table 5A-D2.20.4-D. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1134
Table 5A-D2.20.4-E. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1135
Table 5A-D2.20.4-F. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1135
Table 5A-D2.20.5-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1136
Table 5A-D2.20.5-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1136
Table 5A-D2.20.5-C. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1136
Table 5A-D2.20.5-D. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1137

Table 5A-D2.20.5-E. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1138
Table 5A-D2.20.5-F. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1138
Table 5A-D2.21.1-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1183
Table 5A-D2.21.1-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1183
Table 5A-D2.21.1-C. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1183
Table 5A-D2.21.1-D. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1184
Table 5A-D2.21.1-E. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1184
Table 5A-D2.21.1-F. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1184
Table 5A-D2.21.1-G. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1185
Table 5A-D2.21.1-H. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1185
Table 5A-D2.21.2-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1186
Table 5A-D2.21.2-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1186
Table 5A-D2.21.2-C. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1186
Table 5A-D2.21.2-D. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1187
Table 5A-D2.21.2-E. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1188
Table 5A-D2.21.2-F. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1188
Table 5A-D2.21.3-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1189

Table 5A-D2.21.3-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1189
Table 5A-D2.21.3-C. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1189
Table 5A-D2.21.3-D. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1190
Table 5A-D2.21.3-E. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1191
Table 5A-D2.21.3-F. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1191
Table 5A-D2.21.4-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1192
Table 5A-D2.21.4-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1192
Table 5A-D2.21.4-C. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1192
Table 5A-D2.21.4-D. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1193
Table 5A-D2.21.4-E. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1194
Table 5A-D2.21.4-F. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1194
Table 5A-D2.21.5-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1195
Table 5A-D2.21.5-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1195
Table 5A-D2.21.5-C. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1195
Table 5A-D2.21.5-D. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1196
Table 5A-D2.21.5-E. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1197
Table 5A-D2.21.5-F. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1197

Table 5A-D2.22.1-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1242
Table 5A-D2.22.1-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1242
Table 5A-D2.22.1-C. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1242
Table 5A-D2.22.1-D. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1243
Table 5A-D2.22.1-E. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1243
Table 5A-D2.22.1-F. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1243
Table 5A-D2.22.1-G. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1244
Table 5A-D2.22.1-H. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1244
Table 5A-D2.22.2-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1245
Table 5A-D2.22.2-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1245
Table 5A-D2.22.2-C. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1245
Table 5A-D2.22.2-D. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1246
Table 5A-D2.22.2-E. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1247
Table 5A-D2.22.2-F. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1247
Table 5A-D2.22.3-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1248
Table 5A-D2.22.3-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1248
Table 5A-D2.22.3-C. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1248

Table 5A-D2.22.3-D. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1249
Table 5A-D2.22.3-E. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1250
Table 5A-D2.22.3-F. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1250
Table 5A-D2.22.4-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1251
Table 5A-D2.22.4-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1251
Table 5A-D2.22.4-C. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1251
Table 5A-D2.22.4-D. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1252
Table 5A-D2.22.4-E. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1253
Table 5A-D2.22.4-F. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1253
Table 5A-D2.22.5-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1254
Table 5A-D2.22.5-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1254
Table 5A-D2.22.5-C. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1254
Table 5A-D2.22.5-D. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1255
Table 5A-D2.22.5-E. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1256
Table 5A-D2.22.5-F. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1256
Table 5A-D2.23.1-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1301
Table 5A-D2.23.1-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1301
Table 5A-D2.23.1-C. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1301

Table 5A-D2.23.1-D. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1302
Table 5A-D2.23.1-E. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1302
Table 5A-D2.23.1-F. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1302
Table 5A-D2.23.1-G. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1303
Table 5A-D2.23.1-H. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1303
Table 5A-D2.23.2-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1304
Table 5A-D2.23.2-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1304
Table 5A-D2.23.2-C. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1304
Table 5A-D2.23.2-D. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1305
Table 5A-D2.23.2-E. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1306
Table 5A-D2.23.2-F. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1306
Table 5A-D2.23.3-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1307
Table 5A-D2.23.3-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1307
Table 5A-D2.23.3-C. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1307
Table 5A-D2.23.3-D. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1308
Table 5A-D2.23.3-E. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1309
Table 5A-D2.23.3-F. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1309

Table 5A-D2.23.4-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1310
Table 5A-D2.23.4-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1310
Table 5A-D2.23.4-C. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1310
Table 5A-D2.23.4-D. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1311
Table 5A-D2.23.4-E. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1312
Table 5A-D2.23.4-F. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1312
Table 5A-D2.23.5-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1313
Table 5A-D2.23.5-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1313
Table 5A-D2.23.5-C. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1313
Table 5A-D2.23.5-D. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1314
Table 5A-D2.23.5-E. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1315
Table 5A-D2.23.5-F. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1315
Table 5A-D2.24.1-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1360
Table 5A-D2.24.1-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1360
Table 5A-D2.24.1-C. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1360
Table 5A-D2.24.1-D. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1361
Table 5A-D2.24.1-E. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1361
Table 5A-D2.24.1-F. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1361

Table 5A-D2.24.1-G. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1362
Table 5A-D2.24.1-H. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1362
Table 5A-D2.24.2-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1363
Table 5A-D2.24.2-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1363
Table 5A-D2.24.2-C. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1363
Table 5A-D2.24.2-D. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1364
Table 5A-D2.24.2-E. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1365
Table 5A-D2.24.2-F. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1365
Table 5A-D2.24.3-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1366
Table 5A-D2.24.3-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1366
Table 5A-D2.24.3-C. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1366
Table 5A-D2.24.3-D. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1367
Table 5A-D2.24.3-E. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1368
Table 5A-D2.24.3-F. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1368
Table 5A-D2.24.4-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1369
Table 5A-D2.24.4-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1369
Table 5A-D2.24.4-C. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1369

Table 5A-D2.24.4-D. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1370
Table 5A-D2.24.4-E. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1371
Table 5A-D2.24.4-F. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1371
Table 5A-D2.24.5-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1372
Table 5A-D2.24.5-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1372
Table 5A-D2.24.5-C. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1372
Table 5A-D2.24.5-D. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1373
Table 5A-D2.24.5-E. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1374
Table 5A-D2.24.5-F. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1374
Table 5A-D2.25.1-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1419
Table 5A-D2.25.1-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1419
Table 5A-D2.25.1-C. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1419
Table 5A-D2.25.1-D. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1420
Table 5A-D2.25.1-E. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1420
Table 5A-D2.25.1-F. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1420
Table 5A-D2.25.1-G. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1421
Table 5A-D2.25.1-H. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1421

Table 5A-D2.25.2-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1422
Table 5A-D2.25.2-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1422
Table 5A-D2.25.2-C. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1422
Table 5A-D2.25.2-D. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1423
Table 5A-D2.25.2-E. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1424
Table 5A-D2.25.2-F. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1424
Table 5A-D2.25.3-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1425
Table 5A-D2.25.3-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1425
Table 5A-D2.25.3-C. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1425
Table 5A-D2.25.3-D. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1426
Table 5A-D2.25.3-E. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1427
Table 5A-D2.25.3-F. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1427
Table 5A-D2.25.4-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1428
Table 5A-D2.25.4-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1428
Table 5A-D2.25.4-C. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1428
Table 5A-D2.25.4-D. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1429
Table 5A-D2.25.4-E. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1430

Table 5A-D2.25.4-F. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1430
Table 5A-D2.25.5-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1431
Table 5A-D2.25.5-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1431
Table 5A-D2.25.5-C. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1431
Table 5A-D2.25.5-D. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1432
Table 5A-D2.25.5-E. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1433
Table 5A-D2.25.5-F. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1433
Table 5A-D2.26.1-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1478
Table 5A-D2.26.1-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1478
Table 5A-D2.26.1-C. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1478
Table 5A-D2.26.1-D. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1479
Table 5A-D2.26.1-E. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1479
Table 5A-D2.26.1-F. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1479
Table 5A-D2.26.1-G. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1480
Table 5A-D2.26.1-H. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1480
Table 5A-D2.26.2-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1481
Table 5A-D2.26.2-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1481

Table 5A-D2.26.2-C. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1481
Table 5A-D2.26.2-D. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1482
Table 5A-D2.26.2-E. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1483
Table 5A-D2.26.2-F. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1483
Table 5A-D2.26.3-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1484
Table 5A-D2.26.3-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1484
Table 5A-D2.26.3-C. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1484
Table 5A-D2.26.3-D. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1485
Table 5A-D2.26.3-E. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1486
Table 5A-D2.26.3-F. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1486
Table 5A-D2.26.4-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1487
Table 5A-D2.26.4-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1487
Table 5A-D2.26.4-C. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1487
Table 5A-D2.26.4-D. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1488
Table 5A-D2.26.4-E. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1489
Table 5A-D2.26.4-F. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1489

Table 5A-D2.26.5-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1490
Table 5A-D2.26.5-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1490
Table 5A-D2.26.5-C. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1490
Table 5A-D2.26.5-D. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1491
Table 5A-D2.26.5-E. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1492
Table 5A-D2.26.5-F. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1492
Table 5A-D2.27.1-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1537
Table 5A-D2.27.1-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1537
Table 5A-D2.27.1-C. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1537
Table 5A-D2.27.1-D. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1538
Table 5A-D2.27.1-E. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1538
Table 5A-D2.27.1-F. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1538
Table 5A-D2.27.1-G. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1539
Table 5A-D2.27.1-H. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1539
Table 5A-D2.27.2-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1540
Table 5A-D2.27.2-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1540
Table 5A-D2.27.2-C. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1540

Table 5A-D2.27.2-D. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1541
Table 5A-D2.27.2-E. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1542
Table 5A-D2.27.2-F. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1542
Table 5A-D2.27.3-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1543
Table 5A-D2.27.3-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1543
Table 5A-D2.27.3-C. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1543
Table 5A-D2.27.3-D. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1544
Table 5A-D2.27.3-E. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1545
Table 5A-D2.27.3-F. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1545
Table 5A-D2.27.4-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1546
Table 5A-D2.27.4-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1546
Table 5A-D2.27.4-C. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1546
Table 5A-D2.27.4-D. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1547
Table 5A-D2.27.4-E. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1548
Table 5A-D2.27.4-F. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1548
Table 5A-D2.27.5-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1549
Table 5A-D2.27.5-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1549

Table 5A-D2.27.5-C. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1549
Table 5A-D2.27.5-D. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives..... D-1550
Table 5A-D2.27.5-E. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives..... D-1551
Table 5A-D2.27.5-F. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives..... D-1551
Table 5A-D2.28.1-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1596
Table 5A-D2.28.1-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), No Project Alternative..... D-1596
Table 5A-D2.28.1-C. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)..... D-1596
Table 5A-D2.28.1-D. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)..... D-1597
Table 5A-D2.28.1-E. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1597
Table 5A-D2.28.1-F. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1597
Table 5A-D2.28.1-G. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives..... D-1598
Table 5A-D2.28.1-H. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives..... D-1598
Table 5A-D2.28.2-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)..... D-1599
Table 5A-D2.28.2-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1599
Table 5A-D2.28.2-C. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1599
Table 5A-D2.28.2-D. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives..... D-1600
Table 5A-D2.28.2-E. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives..... D-1601

Table 5A-D2.28.2-F. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1601
Table 5A-D2.28.3-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1602
Table 5A-D2.28.3-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1602
Table 5A-D2.28.3-C. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1602
Table 5A-D2.28.3-D. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1603
Table 5A-D2.28.3-E. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1604
Table 5A-D2.28.3-F. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1604
Table 5A-D2.28.4-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1605
Table 5A-D2.28.4-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1605
Table 5A-D2.28.4-C. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1605
Table 5A-D2.28.4-D. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1606
Table 5A-D2.28.4-E. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1607
Table 5A-D2.28.4-F. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1607
Table 5A-D2.28.5-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1608
Table 5A-D2.28.5-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1608
Table 5A-D2.28.5-C. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1608
Table 5A-D2.28.5-D. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1609

Table 5A-D2.28.5-E. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1610
Table 5A-D2.28.5-F. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1610
Table 5A-D2.29.1-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1655
Table 5A-D2.29.1-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1655
Table 5A-D2.29.1-C. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1655
Table 5A-D2.29.1-D. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1656
Table 5A-D2.29.1-E. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1656
Table 5A-D2.29.1-F. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1656
Table 5A-D2.29.1-G. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1657
Table 5A-D2.29.1-H. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1657
Table 5A-D2.29.2-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1658
Table 5A-D2.29.2-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1658
Table 5A-D2.29.2-C. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1658
Table 5A-D2.29.2-D. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1659
Table 5A-D2.29.2-E. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1660
Table 5A-D2.29.2-F. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1660
Table 5A-D2.29.3-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1661
Table 5A-D2.29.3-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1661

Table 5A-D2.29.3-C. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1661
Table 5A-D2.29.3-D. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1662
Table 5A-D2.29.3-E. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1663
Table 5A-D2.29.3-F. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1663
Table 5A-D2.29.4-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1664
Table 5A-D2.29.4-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1664
Table 5A-D2.29.4-C. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1664
Table 5A-D2.29.4-D. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1665
Table 5A-D2.29.4-E. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1666
Table 5A-D2.29.4-F. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1666
Table 5A-D2.29.5-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1667
Table 5A-D2.29.5-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1667
Table 5A-D2.29.5-C. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1667
Table 5A-D2.29.5-D. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1668
Table 5A-D2.29.5-E. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1669
Table 5A-D2.29.5-F. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1669
Table 5A-D2.30.1-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1714
Table 5A-D2.30.1-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1714

Table 5A-D2.30.1-C. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1714
Table 5A-D2.30.1-D. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1715
Table 5A-D2.30.1-E. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1715
Table 5A-D2.30.1-F. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1715
Table 5A-D2.30.1-G. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1716
Table 5A-D2.30.1-H. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1716
Table 5A-D2.30.2-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1717
Table 5A-D2.30.2-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1717
Table 5A-D2.30.2-C. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1717
Table 5A-D2.30.2-D. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1718
Table 5A-D2.30.2-E. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1719
Table 5A-D2.30.2-F. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1719
Table 5A-D2.30.3-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1720
Table 5A-D2.30.3-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1720
Table 5A-D2.30.3-C. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1720
Table 5A-D2.30.3-D. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1721
Table 5A-D2.30.3-E. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1722

Table 5A-D2.30.3-F. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1722
Table 5A-D2.30.4-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1723
Table 5A-D2.30.4-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1723
Table 5A-D2.30.4-C. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1723
Table 5A-D2.30.4-D. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1724
Table 5A-D2.30.4-E. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1725
Table 5A-D2.30.4-F. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1725
Table 5A-D2.30.5-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1726
Table 5A-D2.30.5-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1726
Table 5A-D2.30.5-C. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1726
Table 5A-D2.30.5-D. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1727
Table 5A-D2.30.5-E. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1728
Table 5A-D2.30.5-F. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1728
Table 5A-D2.31.1-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1773
Table 5A-D2.31.1-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), No Project Alternative D-1773
Table 5A-D2.31.1-C. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1773
Table 5A-D2.31.1-D. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) D-1774
Table 5A-D2.31.1-E. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1774

Table 5A-D2.31.1-F. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1774
Table 5A-D2.31.1-G. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1775
Table 5A-D2.31.1-H. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives D-1775
Table 5A-D2.31.2-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1776
Table 5A-D2.31.2-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) D-1776
Table 5A-D2.31.2-C. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1776
Table 5A-D2.31.2-D. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1777
Table 5A-D2.31.2-E. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1778
Table 5A-D2.31.2-F. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives D-1778
Table 5A-D2.31.3-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1779
Table 5A-D2.31.3-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) D-1779
Table 5A-D2.31.3-C. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1779
Table 5A-D2.31.3-D. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1780
Table 5A-D2.31.3-E. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives D-1781
Table 5A-D2.31.3-F. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives .. D-1781
Table 5A-D2.31.4-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1782
Table 5A-D2.31.4-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) D-1782

Table 5A-D2.31.4-C. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1782
Table 5A-D2.31.4-D. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1783
Table 5A-D2.31.4-E. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1784
Table 5A-D2.31.4-F. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives D-1784
Table 5A-D2.31.5-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1785
Table 5A-D2.31.5-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) D-1785
Table 5A-D2.31.5-C. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1785
Table 5A-D2.31.5-D. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1786
Table 5A-D2.31.5-E. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1787
Table 5A-D2.31.5-F. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives D-1787

This page intentionally left blank

5A-D.

Appendix 5A, Section D Modeling Technical Appendix Attachment 2 – HEC-5Q Modeling Results for No Project Alternative

This attachment summarizes the HEC-5Q modeling results for No Project Alternative conducted for the Delta Conveyance Project Final Environmental Impact Report (EIR).

D.1 American River Above Confluence

Table 5A-D2.1.1-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	70.5	61.3	56.9	52.9	54.6	59.9	67.9	73.6	78.0	77.1	74.7	73.3
20%	67.7	59.6	55.8	51.9	52.8	58.9	66.6	72.1	74.9	75.2	73.4	71.7
30%	67.1	59.2	55.0	51.3	52.1	57.5	64.3	71.4	73.2	73.9	72.3	71.0
40%	66.4	58.8	54.8	50.4	51.2	56.4	62.9	69.8	71.2	73.4	71.9	70.0
50%	65.9	58.6	54.1	48.8	50.1	54.8	61.4	67.4	70.7	72.8	71.3	69.6
60%	65.3	58.3	53.2	48.5	49.2	53.8	59.1	65.0	69.8	72.1	71.0	69.0
70%	65.0	58.2	52.4	47.9	48.6	52.9	58.1	63.2	68.7	71.8	70.4	68.5
80%	64.4	57.7	51.5	47.1	48.1	51.8	56.6	61.6	67.8	71.3	69.9	68.1
90%	62.6	57.4	50.7	46.3	47.8	50.9	54.7	59.9	66.0	70.3	69.0	67.6

Table 5A-D2.1.1-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	66.2	58.9	53.7	49.5	50.7	55.3	61.3	67.2	71.3	73.3	71.8	70.0
Wet Water Years	64.3	58.2	54.3	47.7	48.5	52.6	57.4	62.8	68.6	71.7	69.9	68.2
Above Normal Water Years	64.8	57.9	52.9	49.2	49.5	53.5	60.3	66.7	69.8	71.8	70.6	68.5
Below Normal Water Years	66.2	58.8	53.1	50.2	50.9	55.6	61.9	67.5	71.3	72.8	71.7	70.1
Dry Water Years	67.9	59.7	54.1	50.8	52.7	57.9	65.7	72.0	73.9	74.8	73.2	71.9
Critical Water Years	70.4	60.6	53.7	51.7	55.0	60.3	66.6	73.4	77.0	78.0	76.2	74.0

Table 5A-D2.1.1-C. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	70.4	61.2	56.9	52.9	55.3	59.9	67.9	73.6	78.0	77.1	74.7	73.2
20%	67.8	59.7	55.8	51.9	52.8	58.9	66.4	72.1	74.9	75.1	73.4	71.6
30%	67.1	59.2	55.1	51.3	52.1	57.5	64.6	71.2	73.5	73.9	72.3	71.0
40%	66.3	58.8	54.8	50.4	51.2	56.4	62.8	69.5	71.1	73.4	72.0	70.1
50%	65.9	58.6	54.1	48.9	50.1	55.0	61.5	67.4	70.5	72.7	71.6	69.4
60%	65.2	58.4	53.3	48.5	49.2	54.0	59.1	64.6	70.0	72.1	71.2	69.0
70%	65.0	58.1	52.4	47.9	48.6	52.9	58.1	63.2	68.8	71.7	70.6	68.5
80%	64.4	57.7	51.5	47.1	48.1	51.8	56.6	61.6	67.8	71.2	69.9	68.1
90%	62.6	57.4	50.7	46.3	47.8	50.8	54.7	59.9	66.0	70.2	69.4	67.6

Table 5A-D2.1.1-D. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	66.1	58.8	53.7	49.5	50.7	55.3	61.3	67.1	71.3	73.2	71.8	70.0
Wet Water Years	64.3	58.2	54.3	47.7	48.5	52.6	57.4	62.8	68.6	71.6	70.0	68.2
Above Normal Water Years	64.8	57.9	52.9	49.3	49.5	53.5	60.3	66.6	69.8	71.7	70.6	68.5
Below Normal Water Years	66.2	58.8	53.2	50.2	50.9	55.6	61.9	67.5	71.3	72.8	71.8	70.1
Dry Water Years	67.8	59.7	54.1	50.8	52.8	58.0	65.6	71.5	73.8	74.7	73.2	71.8
Critical Water Years	70.4	60.6	53.7	51.7	54.9	60.3	66.7	73.5	77.1	78.0	76.2	74.1

Table 5A-D2.1.1-E. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	-0.1	0.6	0.0	0.0	0.0	0.1	0.0	0.0	-0.2
20%	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	-0.1	0.0	-0.1
30%	-0.1	0.0	0.1	0.0	0.0	0.0	0.3	-0.2	0.3	0.0	0.0	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.1	-0.1	-0.3	-0.1	0.0	0.1	0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.2	0.0	0.3	-0.1
60%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	-0.4	0.1	0.0	0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.2	0.0
80%	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	-0.1	0.4	0.0

Table 5A-D2.1.1-F. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.1	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Dry Water Years	-0.2	0.0	0.0	0.1	0.1	0.2	-0.1	-0.4	0.0	-0.1	0.0	-0.2
Critical Water Years	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0

Table 5A-D2.1.1-G. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	-0.2%	1.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%
20%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.3%	0.0%	0.0%	-0.1%	0.0%	-0.2%
30%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.5%	-0.3%	0.4%	0.0%	0.0%	0.0%
40%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%	-0.4%	-0.1%	0.0%	0.1%	0.2%
50%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%	0.0%	-0.3%	0.0%	0.4%	-0.2%
60%	-0.1%	0.0%	0.2%	0.0%	0.0%	0.2%	0.0%	-0.5%	0.2%	0.0%	0.3%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.3%	0.1%
80%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.1%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	-0.1%	0.5%	0.0%

Table 5A-D2.1.1-H. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.2%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
Dry Water Years	-0.3%	0.0%	0.1%	0.1%	0.2%	0.3%	-0.1%	-0.6%	-0.1%	-0.1%	0.0%	-0.2%
Critical Water Years	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%

Table 5A-D2.1.2-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	70.4	61.2	56.9	52.9	55.3	59.9	67.9	73.6	78.0	77.1	74.7	73.2
20%	67.8	59.7	55.8	51.9	52.8	58.9	66.4	72.1	74.9	75.1	73.4	71.6
30%	67.1	59.2	55.1	51.3	52.1	57.5	64.6	71.2	73.5	73.9	72.3	71.0
40%	66.3	58.8	54.8	50.4	51.2	56.4	62.9	69.6	71.1	73.4	72.0	70.1
50%	65.9	58.6	54.1	48.9	50.1	55.0	61.5	67.4	70.5	72.7	71.6	69.4
60%	65.2	58.4	53.3	48.5	49.2	54.0	59.1	64.6	69.9	72.1	71.2	69.0
70%	65.0	58.2	52.4	47.9	48.6	52.9	58.1	63.2	68.8	71.6	70.2	68.5
80%	64.4	57.7	51.5	47.1	48.1	51.8	56.6	61.6	67.8	71.2	69.9	68.1
90%	62.6	57.4	50.7	46.3	47.8	50.8	54.7	59.9	66.0	70.2	69.4	67.6

Table 5A-D2.1.2-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	66.1	58.9	53.7	49.5	50.7	55.3	61.3	67.1	71.3	73.2	71.8	70.0
Wet Water Years	64.3	58.2	54.3	47.7	48.5	52.6	57.4	62.8	68.6	71.6	70.0	68.2
Above Normal Water Years	64.8	57.9	52.9	49.3	49.5	53.5	60.3	66.6	69.8	71.7	70.6	68.5
Below Normal Water Years	66.2	58.8	53.2	50.2	50.9	55.6	61.9	67.5	71.3	72.8	71.7	70.1
Dry Water Years	67.8	59.7	54.2	50.8	52.8	58.0	65.7	71.5	73.8	74.8	73.2	71.7
Critical Water Years	70.3	60.6	53.7	51.8	54.9	60.2	66.6	73.5	77.1	78.0	76.2	74.1

Table 5A-D2.1.2-C. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	-0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	-0.2
20%	0.1	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	-0.1
30%	-0.1	0.0	0.1	0.0	0.0	0.0	0.3	-0.2	0.3	0.0	0.0	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	-0.2	-0.1	0.0	0.1	0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.2	0.0	0.3	-0.1
60%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	-0.3	0.0	-0.1	0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	-0.1	0.1
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	-0.1	0.4	0.0

Table 5A-D2.1.2-D. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.1	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	0.0	0.1	0.1	0.1	0.2	0.0	-0.5	0.0	0.0	0.0	-0.2
Critical Water Years	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.1.2-E. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	-0.1%	1.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%
20%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	0.0%	-0.2%
30%	-0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.5%	-0.3%	0.4%	0.0%	0.0%	0.0%
40%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	-0.3%	-0.1%	0.0%	0.1%	0.2%
50%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%	0.0%	-0.3%	0.0%	0.4%	-0.2%
60%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%	0.0%	-0.5%	0.0%	-0.1%	0.2%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.2%	0.1%
80%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	-0.1%	0.5%	0.0%

Table 5A-D2.1.2-F. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.3%	0.0%	0.2%	0.1%	0.2%	0.3%	-0.1%	-0.6%	-0.1%	0.0%	0.1%	-0.2%
Critical Water Years	0.0%	0.0%	0.0%	0.2%	-0.2%	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%

Table 5A-D2.1.3-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	70.4	61.2	56.9	52.9	55.3	59.9	67.9	73.6	78.0	77.1	74.7	73.0
20%	67.9	59.7	55.9	52.0	52.8	58.9	66.4	72.1	74.9	75.1	73.4	71.6
30%	67.1	59.2	55.2	51.3	52.1	57.5	64.8	71.2	73.4	73.9	72.2	71.0
40%	66.4	58.9	54.8	50.4	51.2	56.4	63.3	69.2	71.3	73.4	71.9	70.1
50%	65.9	58.7	54.1	48.9	50.1	55.0	61.7	67.4	70.4	72.6	71.4	69.4
60%	65.2	58.4	53.3	48.5	49.2	54.0	59.1	64.6	69.8	72.1	71.1	68.9
70%	65.0	58.1	52.4	47.9	48.6	52.9	58.1	63.2	68.8	71.6	70.3	68.5
80%	64.3	57.7	51.7	47.1	48.1	51.8	56.6	61.6	67.8	71.2	69.9	68.1
90%	62.6	57.4	50.7	46.3	47.8	50.8	54.7	59.9	66.0	70.2	69.3	67.6

Table 5A-D2.1.3-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	66.1	58.9	53.8	49.5	50.7	55.3	61.4	67.2	71.3	73.2	71.8	70.0
Wet Water Years	64.3	58.2	54.3	47.7	48.5	52.6	57.4	62.8	68.6	71.6	70.0	68.2
Above Normal Water Years	64.8	57.9	52.9	49.3	49.5	53.5	60.3	66.6	69.8	71.7	70.6	68.5
Below Normal Water Years	66.2	58.8	53.2	50.2	50.9	55.6	62.0	67.5	71.3	72.8	71.7	70.0
Dry Water Years	67.8	59.7	54.2	50.8	52.8	58.1	65.9	71.5	73.8	74.8	73.2	71.7
Critical Water Years	70.3	60.6	53.7	51.8	55.0	60.2	67.1	73.6	77.0	77.8	76.1	74.0

Table 5A-D2.1.3-C. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	-0.1	0.7	0.0	0.0	0.0	0.0	0.1	0.0	-0.4
20%	0.1	0.0	0.1	0.1	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	-0.1
30%	0.0	0.0	0.1	0.0	0.0	0.0	0.5	-0.2	0.2	-0.1	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.4	-0.6	0.1	0.0	0.0	0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	-0.2	-0.2	0.1	-0.1
60%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	-0.3	0.0	0.0	0.2	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0
80%	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	-0.1	0.3	0.0

Table 5A-D2.1.3-D. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Dry Water Years	-0.2	0.0	0.1	0.1	0.1	0.2	0.2	-0.5	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.1	0.0	0.0	0.1	-0.1	-0.1	0.4	0.2	0.0	-0.2	-0.1	-0.1

Table 5A-D2.1.3-E. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	-0.1%	1.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.5%
20%	0.2%	0.0%	0.2%	0.3%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	0.0%	-0.2%
30%	-0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.8%	-0.2%	0.2%	-0.1%	-0.1%	0.0%
40%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.7%	-0.8%	0.1%	0.0%	0.0%	0.1%
50%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%	0.3%	0.1%	-0.4%	-0.2%	0.1%	-0.2%
60%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%	0.0%	-0.5%	0.0%	-0.1%	0.2%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.1%	0.1%
80%	0.0%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.1%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	-0.1%	0.4%	0.0%

Table 5A-D2.1.3-F. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.2%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.2%	0.2%	0.2%	0.4%	0.3%	-0.7%	-0.1%	-0.1%	0.0%	-0.3%
Critical Water Years	-0.2%	-0.1%	0.1%	0.3%	-0.1%	-0.1%	0.7%	0.2%	0.0%	-0.3%	-0.1%	-0.1%

Table 5A-D2.1.4-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	70.4	61.2	56.9	52.8	55.3	59.9	67.9	73.6	78.0	77.1	74.8	73.0
20%	67.8	59.7	55.9	52.0	52.8	58.9	66.4	72.0	75.1	75.2	73.4	71.6
30%	67.1	59.2	55.2	51.3	52.2	57.5	64.6	71.2	73.4	73.9	72.2	71.0
40%	66.4	58.9	54.8	50.4	51.2	56.4	63.3	69.3	71.3	73.4	71.9	70.2
50%	65.9	58.7	54.1	48.9	50.1	55.0	61.7	67.4	70.4	72.7	71.4	69.5
60%	65.2	58.4	53.3	48.5	49.2	54.0	59.1	64.7	69.8	72.0	71.1	68.9
70%	65.0	58.2	52.5	47.9	48.6	52.9	58.1	63.2	68.8	71.6	70.5	68.5
80%	64.3	57.8	51.7	47.1	48.1	51.8	56.6	61.6	67.8	71.2	69.9	68.1
90%	62.6	57.4	50.6	46.3	47.8	50.8	54.7	59.9	66.0	70.2	69.2	67.6

Table 5A-D2.1.4-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	66.1	58.8	53.7	49.5	50.7	55.3	61.4	67.1	71.4	73.2	71.8	70.0
Wet Water Years	64.3	58.2	54.3	47.7	48.5	52.6	57.4	62.8	68.6	71.6	70.0	68.2
Above Normal Water Years	64.8	57.9	52.8	49.3	49.5	53.5	60.3	66.6	69.8	71.7	70.6	68.5
Below Normal Water Years	66.2	58.8	53.2	50.2	50.9	55.6	62.0	67.5	71.4	72.8	71.7	70.1
Dry Water Years	67.7	59.7	54.2	50.9	52.8	58.0	65.9	71.3	73.9	74.8	73.3	71.7
Critical Water Years	70.3	60.6	53.7	51.8	55.0	60.2	67.1	73.6	77.0	77.9	76.1	73.9

Table 5A-D2.1.4-C. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	-0.1	0.7	0.0	0.0	0.0	0.1	0.1	0.1	-0.4
20%	0.0	0.0	0.1	0.1	0.0	0.0	-0.2	-0.1	0.2	0.0	0.0	-0.1
30%	0.0	0.0	0.1	0.0	0.1	0.0	0.3	-0.2	0.2	-0.1	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.5	-0.4	0.1	0.0	0.1	0.2
50%	0.0	0.0	0.1	0.0	0.0	0.1	0.3	0.1	-0.2	-0.1	0.1	-0.1
60%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	-0.3	0.0	-0.1	0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.2	0.1
80%	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	-0.1	0.2	0.0

Table 5A-D2.1.4-D. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0
Dry Water Years	-0.2	0.0	0.1	0.1	0.1	0.2	0.1	-0.6	0.0	0.0	0.1	-0.2
Critical Water Years	-0.1	-0.1	0.0	0.1	-0.1	-0.1	0.5	0.2	0.0	-0.2	-0.1	-0.1

Table 5A-D2.1.4-E. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.2%	0.0%	-0.2%	1.2%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.5%
20%	0.0%	0.0%	0.2%	0.3%	0.0%	0.0%	-0.3%	-0.1%	0.3%	0.0%	0.0%	-0.2%
30%	-0.1%	0.0%	0.3%	0.0%	0.1%	0.0%	0.5%	-0.3%	0.3%	-0.1%	-0.1%	0.0%
40%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.7%	-0.6%	0.1%	0.0%	0.1%	0.3%
50%	0.0%	0.0%	0.1%	0.1%	0.1%	0.2%	0.5%	0.1%	-0.3%	-0.1%	0.1%	-0.1%
60%	-0.1%	0.0%	0.2%	0.1%	0.0%	0.2%	0.0%	-0.5%	0.0%	-0.2%	0.2%	-0.1%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.2%	0.1%
80%	0.0%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%
90%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	-0.1%	0.3%	0.0%

Table 5A-D2.1.4-F. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	-0.1%	0.1%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.2%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.3%	0.0%	0.2%	0.2%	0.2%	0.3%	0.2%	-0.9%	0.0%	0.0%	0.1%	-0.3%
Critical Water Years	-0.1%	-0.1%	0.1%	0.3%	-0.1%	-0.1%	0.7%	0.3%	0.0%	-0.2%	-0.2%	-0.1%

Table 5A-D2.1.5-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	70.4	61.3	56.9	52.9	55.3	59.9	67.9	73.6	78.0	77.1	74.7	73.0
20%	67.8	59.7	55.9	52.0	52.8	58.9	66.4	72.0	74.9	75.1	73.4	71.6
30%	67.1	59.2	55.2	51.3	52.1	57.5	64.8	71.2	73.4	73.9	72.2	71.0
40%	66.4	58.9	54.8	50.4	51.2	56.4	63.3	69.2	71.3	73.4	71.9	70.1
50%	65.9	58.6	54.1	48.9	50.1	55.0	61.7	67.4	70.4	72.6	71.4	69.4
60%	65.2	58.4	53.3	48.5	49.2	54.0	59.1	64.6	69.8	72.1	71.1	68.9
70%	65.0	58.2	52.4	47.9	48.6	52.9	58.1	63.2	68.8	71.6	70.2	68.6
80%	64.3	57.8	51.7	47.1	48.1	51.8	56.6	61.6	67.8	71.2	69.9	68.1
90%	62.6	57.4	50.7	46.3	47.8	50.8	54.7	59.9	66.0	70.2	69.3	67.6

Table 5A-D2.1.5-B. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	66.1	58.9	53.7	49.5	50.7	55.3	61.4	67.1	71.3	73.2	71.8	70.0
Wet Water Years	64.3	58.2	54.3	47.7	48.5	52.6	57.4	62.8	68.6	71.6	70.0	68.2
Above Normal Water Years	64.8	57.9	52.9	49.3	49.5	53.5	60.3	66.6	69.8	71.7	70.6	68.5
Below Normal Water Years	66.2	58.8	53.2	50.2	50.9	55.6	62.0	67.5	71.3	72.8	71.7	70.0
Dry Water Years	67.8	59.7	54.2	50.8	52.8	58.1	65.9	71.5	73.8	74.8	73.2	71.7
Critical Water Years	70.3	60.6	53.7	51.8	55.0	60.2	67.1	73.6	77.0	77.8	76.1	74.0

Table 5A-D2.1.5-C. American River Above Confluence, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	-0.1	0.7	0.0	0.0	0.0	0.0	0.1	0.0	-0.4
20%	0.1	0.0	0.1	0.1	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	-0.1
30%	0.0	0.0	0.1	0.0	0.0	0.0	0.5	-0.2	0.2	-0.1	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.4	-0.6	0.1	0.0	0.0	0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	-0.2	-0.2	0.1	-0.1
60%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	-0.3	0.0	0.0	0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.1
80%	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.1
90%	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	-0.1	0.3	0.0

Table 5A-D2.1.5-D. American River Above Confluence, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Dry Water Years	-0.2	0.0	0.1	0.1	0.1	0.2	0.2	-0.5	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.1	0.0	0.0	0.1	-0.1	-0.1	0.4	0.2	0.0	-0.2	-0.1	-0.1

Table 5A-D2.1.5-E. American River Above Confluence, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	-0.1%	1.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.5%
20%	0.2%	0.0%	0.2%	0.3%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	0.0%	-0.2%
30%	-0.1%	0.0%	0.3%	0.0%	0.1%	0.0%	0.8%	-0.2%	0.2%	-0.1%	-0.1%	0.0%
40%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.7%	-0.8%	0.1%	0.0%	0.0%	0.1%
50%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%	0.4%	0.1%	-0.3%	-0.2%	0.1%	-0.2%
60%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%	0.0%	-0.5%	0.0%	-0.1%	0.1%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.2%	0.1%
80%	0.0%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.1%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	-0.1%	0.4%	0.0%

Table 5A-D2.1.5-F. American River Above Confluence, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%	0.1%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.2%	0.2%	0.2%	0.4%	0.3%	-0.7%	-0.1%	-0.1%	0.0%	-0.3%
Critical Water Years	-0.2%	-0.1%	0.1%	0.2%	-0.2%	-0.1%	0.7%	0.2%	0.0%	-0.3%	-0.1%	-0.1%

Figure 5A-D2.1.1. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.1.2. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.1.3. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.1.4. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.1.5. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.1.6. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.1.7. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.1.8. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.1.9. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.1.10. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.1.11. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.1.12. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.1.13. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.1.14. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.1.15. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.1.16. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.1.17. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.1.18. American River Above Confluence, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.1.19. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.1.20. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.1.21. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.1.22. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.1.23. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.1.24. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.1.25. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.1.26. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.1.27. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.1.28. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.1.29. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.1.30. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.1.31. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.1.32. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.1.33. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.1.34. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.1.35. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.1.36. American River Above Confluence, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.1.37-A. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.1.37-B. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.1.37-C. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.1.37-D. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.1.38. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.1.39. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.1.40. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.1.41. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.1.42. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.1.43. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.1.44. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.1.45. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.1.46. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.1.47. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.1.48. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.1.49. American River Above Confluence, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.2 American River Below Folsom Dam

Table 5A-D2.2.1-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.2	59.7	59.0	52.6	51.7	53.2	58.9	65.0	65.5	66.4	63.8	67.1
20%	66.0	58.3	58.1	51.6	49.9	52.5	57.3	62.9	64.5	64.9	63.0	66.1
30%	63.9	58.2	56.8	50.5	49.4	51.8	56.3	60.9	63.7	64.2	62.7	65.2
40%	63.3	58.1	56.1	49.4	48.9	51.3	55.1	58.9	63.2	63.6	62.3	64.5
50%	63.3	58.1	54.9	48.6	48.0	50.9	54.3	57.5	62.4	63.2	61.8	63.7
60%	63.2	57.9	52.9	48.1	47.4	50.4	53.6	57.0	60.9	63.0	61.7	63.5
70%	63.1	57.7	52.3	47.1	47.0	49.9	53.2	56.6	59.6	62.6	61.0	63.3
80%	62.8	57.2	51.4	46.4	46.7	49.4	52.4	56.0	59.0	62.0	60.8	62.6
90%	58.5	57.1	50.0	45.7	46.3	48.8	51.6	55.6	58.5	61.2	60.2	61.7

Table 5A-D2.2.1-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.3	58.1	54.5	48.9	48.5	51.1	54.8	59.1	62.0	63.4	61.8	64.2
Wet Water Years	60.9	57.7	55.1	47.0	47.0	49.6	52.8	56.5	59.7	62.0	60.5	62.4
Above Normal Water Years	62.5	57.5	53.1	48.7	47.8	50.3	54.2	57.9	62.0	62.9	61.6	63.6
Below Normal Water Years	63.9	58.0	53.8	49.6	48.6	51.1	55.1	59.4	62.3	63.7	62.1	64.3
Dry Water Years	65.5	58.2	55.4	50.6	49.9	52.4	56.9	62.0	63.6	64.7	62.9	65.9
Critical Water Years	67.1	59.8	54.5	51.1	51.2	54.1	57.9	63.4	65.4	66.0	63.8	67.5

Table 5A-D2.2.1-C. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.2	59.6	59.0	52.6	51.4	53.2	58.7	64.7	65.4	66.1	63.6	67.1
20%	66.2	58.3	58.1	51.6	49.9	52.3	57.3	62.8	64.7	64.8	63.1	66.0
30%	63.7	58.2	56.8	50.5	49.4	51.9	56.3	60.8	63.7	64.2	62.7	65.2
40%	63.4	58.1	56.2	49.4	48.9	51.4	55.2	58.8	62.9	63.7	62.3	64.5
50%	63.3	58.1	54.9	48.6	48.0	50.9	54.4	57.3	62.4	63.2	62.0	63.6
60%	63.2	57.9	52.9	48.1	47.4	50.4	53.6	57.0	60.8	63.0	61.7	63.5
70%	63.1	57.8	52.3	47.1	47.0	49.9	53.1	56.6	59.7	62.6	61.0	63.1
80%	62.7	57.2	51.4	46.4	46.7	49.5	52.4	56.1	59.0	62.0	60.8	62.6
90%	58.5	57.1	50.2	45.7	46.3	48.8	51.6	55.6	58.5	61.2	60.2	61.7

Table 5A-D2.2.1-D. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.3	58.1	54.5	49.0	48.5	51.0	54.8	59.0	62.0	63.4	61.8	64.2
Wet Water Years	60.9	57.7	55.1	47.0	47.0	49.6	52.8	56.5	59.8	62.0	60.5	62.4
Above Normal Water Years	62.5	57.5	53.1	48.7	47.8	50.3	54.2	57.8	62.0	62.8	61.6	63.6
Below Normal Water Years	63.9	57.9	53.9	49.6	48.6	51.1	55.1	59.4	62.2	63.6	62.1	64.3
Dry Water Years	65.5	58.2	55.4	50.6	49.8	52.2	56.7	61.5	63.6	64.6	62.8	65.7
Critical Water Years	67.1	59.8	54.6	51.1	51.2	54.0	57.9	63.4	65.4	65.9	63.8	67.5

Table 5A-D2.2.1-E. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	-0.3	0.0	-0.2	-0.3	-0.2	-0.3	-0.2	0.0
20%	0.2	0.0	0.0	0.0	0.0	-0.2	0.0	-0.1	0.2	-0.1	0.1	0.0
30%	-0.2	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	-0.1
40%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.2	0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0	0.1	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	-0.2
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.2.1-F. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0
Dry Water Years	0.0	0.0	0.1	0.1	0.0	-0.2	-0.2	-0.5	0.0	-0.1	-0.1	-0.2
Critical Water Years	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.2.1-G. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.2%	0.0%	0.0%	-0.5%	0.1%	-0.3%	-0.4%	-0.2%	-0.5%	-0.3%	0.0%
20%	0.4%	0.0%	0.0%	-0.1%	0.0%	-0.3%	-0.1%	-0.2%	0.3%	-0.1%	0.1%	-0.1%
30%	-0.3%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	-0.2%	-0.1%	0.0%	0.0%	-0.1%
40%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.3%	-0.4%	0.1%	0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%	-0.4%	0.0%	0.0%	0.2%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	0.0%	0.0%
70%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.2%	0.0%	0.0%	-0.3%
80%	-0.2%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
90%	0.0%	0.0%	0.4%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.2.1-H. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.1%	0.1%	0.1%	0.2%	0.0%	-0.3%	-0.3%	-0.8%	0.0%	-0.1%	-0.1%	-0.3%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%

Table 5A-D2.2.2-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.2	59.6	59.0	52.6	51.5	53.2	58.7	64.7	65.4	66.1	63.6	67.0
20%	66.0	58.3	58.3	51.6	49.9	52.5	57.3	62.8	64.7	64.9	63.0	66.0
30%	63.6	58.2	56.9	50.5	49.4	51.9	56.3	60.7	63.7	64.2	62.7	65.2
40%	63.4	58.1	56.1	49.3	48.9	51.3	55.2	58.8	62.9	63.6	62.3	64.5
50%	63.2	58.1	54.9	48.6	48.0	50.9	54.4	57.3	62.4	63.2	61.9	63.7
60%	63.2	57.9	52.9	48.1	47.4	50.4	53.6	56.9	60.8	63.0	61.7	63.5
70%	63.1	57.8	52.3	47.1	47.0	49.9	53.1	56.6	59.7	62.6	61.0	63.1
80%	62.7	57.2	51.4	46.4	46.7	49.4	52.4	56.0	59.0	62.0	60.8	62.6
90%	58.5	57.1	50.2	45.7	46.3	48.8	51.6	55.6	58.4	61.2	60.2	61.7

Table 5A-D2.2.2-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.3	58.1	54.5	49.0	48.5	51.0	54.8	59.0	61.9	63.4	61.8	64.2
Wet Water Years	60.9	57.7	55.1	47.0	47.0	49.6	52.8	56.5	59.8	62.0	60.5	62.4
Above Normal Water Years	62.5	57.5	53.1	48.7	47.8	50.3	54.2	57.8	62.0	62.8	61.6	63.6
Below Normal Water Years	63.9	57.9	53.8	49.6	48.6	51.1	55.1	59.4	62.2	63.6	62.1	64.3
Dry Water Years	65.5	58.3	55.5	50.7	49.8	52.2	56.7	61.5	63.5	64.6	62.8	65.7
Critical Water Years	67.0	59.7	54.6	51.2	51.3	54.0	57.9	63.4	65.4	65.9	63.7	67.5

Table 5A-D2.2.2-C. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	-0.2	0.0	-0.2	-0.3	-0.1	-0.3	-0.2	0.0
20%	0.0	0.1	0.2	0.0	0.0	0.0	0.0	-0.1	0.2	0.1	0.0	-0.1
30%	-0.2	0.0	0.0	0.0	0.0	0.1	0.0	-0.2	0.0	0.0	0.0	-0.1
40%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.2	-0.2	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0	0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	-0.3
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.2.2-D. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0
Dry Water Years	-0.1	0.1	0.1	0.1	0.0	-0.1	-0.2	-0.5	-0.1	0.0	-0.1	-0.2
Critical Water Years	-0.1	-0.1	0.1	0.1	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0	0.1

Table 5A-D2.2.2-E. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	0.0%	0.0%	-0.3%	0.1%	-0.3%	-0.4%	-0.2%	-0.5%	-0.3%	0.0%
20%	0.1%	0.1%	0.3%	-0.1%	0.0%	0.0%	0.0%	-0.2%	0.3%	0.1%	0.0%	-0.1%
30%	-0.3%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	-0.3%	-0.1%	0.0%	0.0%	-0.1%
40%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.1%	-0.3%	-0.3%	-0.1%	0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.4%	0.0%	0.0%	0.2%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%	-0.1%	0.0%	0.0%
70%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.2%	-0.1%	0.0%	-0.4%
80%	-0.2%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.4%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%

Table 5A-D2.2.2-F. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%	0.0%	0.0%
Dry Water Years	-0.1%	0.2%	0.1%	0.2%	0.0%	-0.2%	-0.3%	-0.8%	-0.1%	-0.1%	-0.1%	-0.3%
Critical Water Years	-0.1%	-0.1%	0.1%	0.2%	0.1%	-0.2%	-0.1%	0.1%	0.0%	-0.2%	-0.1%	0.1%

Table 5A-D2.2.3-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.2	59.6	59.2	52.6	51.8	53.2	58.6	64.7	65.9	66.2	63.7	66.9
20%	66.0	58.3	58.2	51.6	49.9	52.5	57.3	62.8	65.0	64.9	63.1	66.0
30%	63.6	58.2	56.9	50.5	49.4	51.9	56.3	60.9	63.7	64.0	62.6	65.1
40%	63.3	58.1	56.2	49.3	48.9	51.4	55.3	58.7	63.0	63.6	62.3	64.5
50%	63.2	58.1	54.9	48.6	48.0	50.9	54.6	57.5	62.4	63.2	61.8	63.6
60%	63.2	57.9	52.9	48.1	47.4	50.4	53.7	57.0	60.9	62.9	61.6	63.5
70%	63.1	57.8	52.3	47.1	47.0	49.9	53.1	56.6	59.7	62.6	61.0	63.1
80%	62.7	57.2	51.4	46.5	46.7	49.5	52.4	56.0	59.0	62.0	60.8	62.6
90%	58.4	57.1	50.1	45.7	46.3	48.7	51.6	55.6	58.4	61.2	60.2	61.7

Table 5A-D2.2.3-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.3	58.1	54.6	49.0	48.5	51.0	54.8	59.0	62.0	63.4	61.8	64.2
Wet Water Years	60.9	57.7	55.1	47.0	47.0	49.6	52.8	56.5	59.8	62.0	60.5	62.4
Above Normal Water Years	62.5	57.5	53.1	48.7	47.8	50.3	54.2	57.8	62.0	62.8	61.6	63.6
Below Normal Water Years	64.0	57.9	53.9	49.6	48.6	51.1	55.1	59.3	62.3	63.7	62.0	64.3
Dry Water Years	65.4	58.3	55.5	50.7	49.9	52.3	56.6	61.3	63.6	64.6	62.7	65.7
Critical Water Years	66.8	59.7	54.7	51.2	51.3	54.0	57.9	63.8	65.4	65.8	63.7	67.4

Table 5A-D2.2.3-C. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.2	0.0	0.1	0.0	-0.3	-0.3	0.3	-0.3	-0.1	-0.2
20%	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.5	0.0	0.0	-0.1
30%	-0.2	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	-0.2	-0.1	-0.1
40%	0.0	0.0	0.1	0.0	0.0	0.0	0.2	-0.3	-0.1	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1	0.0	0.0	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.2	0.0	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	-0.2
80%	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.2.3-D. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1
Dry Water Years	-0.1	0.1	0.1	0.1	0.0	-0.1	-0.2	-0.7	0.0	-0.1	-0.2	-0.3
Critical Water Years	-0.3	0.0	0.2	0.2	0.1	-0.1	-0.1	0.4	0.0	-0.2	-0.1	-0.1

Table 5A-D2.2.3-E. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	0.3%	0.1%	0.2%	0.1%	-0.4%	-0.4%	0.5%	-0.4%	-0.2%	-0.3%
20%	0.0%	0.1%	0.3%	-0.1%	0.0%	0.0%	-0.1%	-0.2%	0.8%	0.0%	0.0%	-0.2%
30%	-0.3%	0.0%	0.0%	0.1%	0.1%	0.2%	0.0%	0.1%	-0.1%	-0.3%	-0.1%	-0.2%
40%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.4%	-0.5%	-0.2%	-0.1%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.4%	-0.1%	0.0%	0.0%	0.0%	-0.2%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.2%	-0.1%	-0.1%
70%	0.0%	0.1%	0.0%	0.1%	0.0%	-0.1%	-0.2%	0.0%	0.2%	-0.1%	0.0%	-0.3%
80%	-0.2%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%

Table 5A-D2.2.3-F. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.1%	0.2%	0.2%	0.2%	0.0%	-0.1%	-0.4%	-1.1%	0.0%	-0.1%	-0.3%	-0.4%
Critical Water Years	-0.5%	-0.1%	0.3%	0.3%	0.1%	-0.2%	-0.1%	0.7%	0.0%	-0.3%	-0.2%	-0.2%

Table 5A-D2.2.4-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.2	59.6	59.4	52.8	51.7	53.2	58.6	64.5	65.6	66.0	63.6	67.1
20%	66.0	58.3	58.3	51.6	50.0	52.5	57.3	62.8	65.0	64.8	63.1	65.8
30%	63.6	58.2	56.9	50.5	49.4	51.7	56.3	60.7	63.7	64.0	62.7	65.1
40%	63.3	58.1	56.2	49.4	48.9	51.4	55.3	58.7	63.1	63.6	62.2	64.5
50%	63.3	58.0	54.9	48.6	48.0	50.9	54.6	57.4	62.5	63.2	61.8	63.7
60%	63.2	58.0	52.9	48.1	47.4	50.4	53.7	56.9	60.8	62.9	61.6	63.5
70%	63.1	57.7	52.3	47.1	47.0	49.9	53.1	56.6	59.6	62.6	61.0	63.1
80%	62.7	57.3	51.4	46.5	46.7	49.5	52.4	56.1	59.0	62.0	60.8	62.5
90%	58.4	57.1	50.2	45.7	46.3	48.8	51.6	55.6	58.4	61.2	60.2	61.7

Table 5A-D2.2.4-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.3	58.1	54.6	49.0	48.5	51.0	54.8	59.0	62.0	63.4	61.7	64.2
Wet Water Years	60.9	57.7	55.1	47.0	47.0	49.6	52.8	56.5	59.8	62.0	60.5	62.4
Above Normal Water Years	62.5	57.5	53.0	48.7	47.8	50.3	54.2	57.8	62.0	62.8	61.6	63.6
Below Normal Water Years	63.9	57.9	53.9	49.6	48.6	51.1	55.1	59.3	62.3	63.6	62.0	64.3
Dry Water Years	65.4	58.3	55.5	50.7	49.9	52.2	56.6	61.1	63.5	64.7	62.7	65.6
Critical Water Years	66.8	59.7	54.7	51.3	51.3	54.0	57.9	63.9	65.5	65.7	63.6	67.5

Table 5A-D2.2.4-C. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.4	0.2	0.1	0.0	-0.3	-0.5	0.0	-0.4	-0.2	0.0
20%	0.0	0.0	0.2	0.0	0.1	0.0	-0.1	-0.2	0.5	-0.1	0.0	-0.2
30%	-0.2	0.0	0.0	0.0	0.0	-0.1	0.0	-0.2	0.0	-0.2	-0.1	-0.1
40%	0.0	0.0	0.1	0.0	0.0	0.0	0.2	-0.3	0.0	-0.1	-0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1	0.1	0.0	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1	-0.1	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	-0.2
80%	-0.1	0.0	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.2.4-D. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.1	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	0.2	0.2	0.1	0.0	-0.1	-0.2	-0.9	-0.1	0.0	-0.2	-0.3
Critical Water Years	-0.3	-0.1	0.1	0.2	0.1	-0.1	0.0	0.5	0.1	-0.3	-0.2	0.0

Table 5A-D2.2.4-E. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	0.7%	0.3%	0.1%	0.1%	-0.4%	-0.8%	0.0%	-0.6%	-0.3%	0.0%
20%	-0.1%	0.0%	0.3%	-0.1%	0.1%	0.0%	-0.1%	-0.3%	0.8%	-0.2%	0.1%	-0.4%
30%	-0.3%	0.0%	0.0%	0.1%	0.1%	-0.2%	0.0%	-0.3%	-0.1%	-0.3%	-0.1%	-0.2%
40%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.4%	-0.4%	-0.1%	-0.1%	-0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.4%	-0.1%	0.1%	0.1%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	-0.2%	-0.1%	-0.1%	0.0%
70%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.1%	0.0%	0.0%	-0.3%
80%	-0.2%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%

Table 5A-D2.2.4-F. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.3%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.2%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.1%	0.3%	0.3%	0.3%	0.0%	-0.2%	-0.4%	-1.4%	-0.2%	0.0%	-0.3%	-0.5%
Critical Water Years	-0.5%	-0.1%	0.3%	0.3%	0.1%	-0.2%	-0.1%	0.8%	0.2%	-0.4%	-0.2%	-0.1%

Table 5A-D2.2.5-A. American River Below Folsom, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.2	59.6	59.2	52.6	51.7	53.2	58.6	64.8	65.9	66.2	63.7	66.9
20%	66.0	58.3	58.3	51.6	49.9	52.5	57.3	62.8	65.0	64.9	63.1	66.0
30%	63.6	58.2	56.9	50.6	49.4	51.9	56.3	60.9	63.7	64.0	62.6	65.1
40%	63.3	58.1	56.2	49.3	48.9	51.3	55.3	58.7	63.0	63.6	62.3	64.5
50%	63.2	58.1	54.9	48.6	48.0	50.9	54.6	57.5	62.4	63.2	61.8	63.6
60%	63.2	57.9	52.9	48.1	47.4	50.4	53.7	57.0	60.9	62.9	61.7	63.5
70%	63.1	57.8	52.3	47.1	47.0	49.9	53.1	56.6	59.7	62.6	61.0	63.1
80%	62.7	57.2	51.4	46.5	46.7	49.5	52.4	56.1	59.0	62.0	60.8	62.6
90%	58.4	57.1	50.1	45.7	46.3	48.7	51.6	55.6	58.4	61.2	60.2	61.7

Table 5A-D2.2.5-B. American River Below Folsom, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.3	58.1	54.6	49.0	48.5	51.0	54.8	59.0	62.0	63.4	61.8	64.2
Wet Water Years	60.9	57.7	55.1	47.0	47.0	49.6	52.8	56.5	59.8	62.0	60.5	62.4
Above Normal Water Years	62.5	57.5	53.1	48.7	47.8	50.3	54.2	57.8	62.0	62.8	61.6	63.6
Below Normal Water Years	64.0	57.9	53.9	49.6	48.6	51.1	55.1	59.3	62.3	63.7	62.1	64.3
Dry Water Years	65.4	58.3	55.5	50.7	49.9	52.3	56.6	61.2	63.6	64.6	62.7	65.7
Critical Water Years	66.8	59.7	54.7	51.2	51.3	54.0	57.9	63.8	65.4	65.8	63.7	67.4

Table 5A-D2.2.5-C. American River Below Folsom, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.2	0.0	0.1	0.0	-0.3	-0.3	0.4	-0.3	-0.1	-0.2
20%	0.0	0.1	0.2	0.0	0.0	0.0	0.0	-0.1	0.5	0.0	0.0	-0.1
30%	-0.2	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	-0.2	-0.1	-0.1
40%	0.0	0.0	0.1	0.0	0.0	0.0	0.2	-0.3	-0.1	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1	0.0	0.0	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	-0.2
80%	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.2.5-D. American River Below Folsom, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1
Dry Water Years	-0.1	0.1	0.1	0.1	0.0	-0.1	-0.2	-0.7	0.0	-0.1	-0.2	-0.3
Critical Water Years	-0.3	0.0	0.2	0.2	0.1	-0.1	-0.1	0.4	0.0	-0.2	-0.1	-0.1

Table 5A-D2.2.5-E. American River Below Folsom, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	0.3%	0.0%	0.1%	0.0%	-0.4%	-0.4%	0.5%	-0.4%	-0.2%	-0.3%
20%	0.0%	0.1%	0.3%	-0.1%	0.0%	0.0%	-0.1%	-0.2%	0.8%	0.0%	0.0%	-0.2%
30%	-0.3%	0.0%	0.0%	0.2%	0.0%	0.2%	0.0%	0.1%	-0.1%	-0.3%	-0.1%	-0.1%
40%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.4%	-0.5%	-0.2%	-0.1%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.4%	-0.1%	0.0%	0.0%	0.0%	-0.2%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.2%	0.0%	-0.1%
70%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.2%	-0.1%	0.0%	-0.3%
80%	-0.2%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%

Table 5A-D2.2.5-F. American River Below Folsom, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.1%	0.2%	0.2%	0.2%	0.0%	-0.1%	-0.4%	-1.2%	0.0%	-0.1%	-0.3%	-0.4%
Critical Water Years	-0.5%	-0.1%	0.3%	0.3%	0.1%	-0.3%	-0.1%	0.7%	0.0%	-0.3%	-0.1%	-0.1%

Figure 5A-D2.2.1. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.2.2. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.2.3. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.2.4. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.2.5. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.2.6. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.2.7. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.2.8. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.2.9. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.2.10. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.2.11. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.2.12. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.2.13. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.2.14. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.2.15. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.2.16. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.2.17. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.2.18. American River Below Folsom Dam, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.2.19. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.2.20. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.2.21. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.2.22. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.2.23. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.2.24. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.2.25. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.2.26. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.2.27. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.2.28. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.2.29. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.2.30. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.2.31. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.2.32. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.2.33. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.2.34. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.2.35. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.2.36. American River Below Folsom Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.2.37-A. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.2.37-B. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.2.37-C. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.2.37-D. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.2.38. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.2.39. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.2.40. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.2.41. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.2.42. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.2.43. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.2.44. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.2.45. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.2.46. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.2.47. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.2.48. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.2.49. American River Below Folsom Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.3 American River Below Nimbus (Hazel Avenue)

Table 5A-D2.3.1-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	66.8	59.5	57.6	52.3	51.9	54.7	60.8	66.3	69.1	69.0	66.8	68.2
20%	65.7	58.7	57.0	51.3	50.3	53.6	59.3	65.2	67.0	67.2	65.8	67.1
30%	64.2	58.2	56.0	50.4	49.7	53.0	58.1	63.2	65.5	66.3	65.1	66.0
40%	63.7	58.1	55.6	49.3	49.2	52.0	57.1	61.8	64.9	65.6	64.4	65.7
50%	63.4	58.0	53.8	48.3	48.2	51.5	56.0	59.9	64.1	65.3	64.1	64.9
60%	63.2	57.9	52.9	48.0	47.6	50.9	54.7	58.6	63.0	65.0	63.7	64.5
70%	63.0	57.7	52.3	46.9	47.1	50.3	54.0	58.0	62.1	64.6	63.4	64.0
80%	62.9	57.3	51.5	46.5	46.9	49.8	53.2	57.3	61.1	64.2	63.0	63.5
90%	59.2	56.9	50.2	45.5	46.4	49.1	52.0	56.2	60.3	63.6	62.3	62.9

Table 5A-D2.3.1-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.5	58.1	54.0	48.8	48.7	51.7	56.2	60.8	64.2	65.8	64.3	65.3
Wet Water Years	61.4	57.6	54.6	47.1	47.2	50.0	53.6	57.7	61.7	64.2	62.7	63.5
Above Normal Water Years	62.6	57.4	52.9	48.7	48.0	50.8	55.4	59.8	63.6	64.9	63.7	64.5
Below Normal Water Years	64.0	58.0	53.4	49.3	48.9	51.8	56.5	61.1	64.4	65.8	64.5	65.4
Dry Water Years	65.5	58.6	54.5	50.2	50.1	53.4	58.8	64.2	66.3	67.1	65.6	67.0
Critical Water Years	67.1	59.6	53.9	50.6	51.6	55.1	59.9	65.6	68.5	69.2	67.4	68.6

Table 5A-D2.3.1-C. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	66.8	59.4	57.7	52.2	51.7	54.2	60.7	66.3	69.0	69.1	66.7	68.1
20%	65.8	58.7	57.1	51.4	50.3	53.6	59.0	64.9	67.2	67.2	65.9	67.2
30%	64.3	58.2	56.0	50.4	49.8	52.9	57.8	62.7	65.5	66.3	65.0	66.1
40%	63.7	58.1	55.7	49.3	49.2	52.1	57.0	61.9	64.8	65.6	64.5	65.6
50%	63.4	58.0	53.8	48.4	48.2	51.5	56.1	59.9	64.1	65.3	64.2	64.9
60%	63.2	57.9	52.8	48.0	47.6	50.9	54.7	58.6	62.9	65.0	63.9	64.5
70%	63.1	57.7	52.3	47.1	47.1	50.3	54.0	58.0	62.1	64.6	63.5	64.0
80%	62.8	57.3	51.5	46.5	46.9	49.8	53.2	57.3	61.1	64.2	63.0	63.5
90%	59.2	56.9	50.3	45.5	46.4	49.1	52.0	56.2	60.3	63.6	62.3	62.9

Table 5A-D2.3.1-D. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.5	58.1	54.0	48.8	48.7	51.7	56.1	60.8	64.2	65.7	64.4	65.3
Wet Water Years	61.4	57.6	54.6	47.1	47.2	50.0	53.6	57.7	61.8	64.2	62.8	63.5
Above Normal Water Years	62.6	57.4	52.9	48.7	48.0	50.8	55.4	59.8	63.6	64.8	63.7	64.5
Below Normal Water Years	64.0	58.0	53.5	49.4	48.9	51.8	56.4	61.1	64.3	65.7	64.5	65.4
Dry Water Years	65.4	58.5	54.6	50.3	50.2	53.3	58.7	63.8	66.2	67.0	65.5	66.8
Critical Water Years	67.2	59.6	53.9	50.7	51.6	55.1	59.9	65.7	68.5	69.2	67.4	68.6

Table 5A-D2.3.1-E. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.1	-0.1	-0.2	-0.4	-0.1	0.0	-0.1	0.1	-0.1	-0.2
20%	0.0	0.0	0.1	0.0	0.0	0.0	-0.2	-0.3	0.3	0.0	0.0	0.0
30%	0.1	0.0	0.0	0.0	0.1	-0.1	-0.3	-0.5	0.0	0.1	-0.1	0.0
40%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.2	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.3.1-F. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.1	0.0	-0.1	-0.1	-0.5	0.0	-0.1	0.0	-0.2
Critical Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.3.1-G. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	0.2%	-0.1%	-0.4%	-0.8%	-0.2%	0.0%	-0.1%	0.1%	-0.2%	-0.3%
20%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.4%	-0.5%	0.4%	0.1%	0.0%	0.0%
30%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.6%	-0.7%	0.0%	0.1%	-0.1%	0.0%
40%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%
50%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.3%	-0.1%	-0.1%	0.0%	0.1%	0.0%
60%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	0.0%
70%	0.1%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%
80%	-0.1%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.2%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%

Table 5A-D2.3.1-H. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%	0.0%
Dry Water Years	-0.1%	0.0%	0.2%	0.2%	0.0%	-0.2%	-0.2%	-0.7%	-0.1%	-0.1%	-0.1%	-0.3%
Critical Water Years	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%

Table 5A-D2.3.2-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	66.8	59.4	57.7	52.2	51.9	54.4	60.7	66.2	69.0	69.1	66.8	68.1
20%	65.8	58.6	57.2	51.4	50.3	53.6	59.2	64.9	67.2	67.2	65.7	67.2
30%	64.3	58.2	56.0	50.5	49.7	52.9	57.8	62.9	65.5	66.3	65.1	66.0
40%	63.7	58.1	55.6	49.3	49.3	52.2	57.2	61.9	64.8	65.6	64.5	65.6
50%	63.4	58.0	53.8	48.4	48.2	51.5	56.1	59.9	64.1	65.3	64.1	64.9
60%	63.2	57.9	52.9	48.0	47.6	50.9	54.7	58.6	62.9	65.0	63.9	64.5
70%	63.1	57.8	52.3	47.1	47.1	50.3	54.0	58.0	62.1	64.6	63.5	64.0
80%	62.7	57.3	51.5	46.5	46.9	49.8	53.2	57.3	61.1	64.1	63.0	63.5
90%	59.2	56.9	50.3	45.5	46.4	49.1	52.0	56.2	60.3	63.6	62.3	63.0

Table 5A-D2.3.2-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.5	58.1	54.1	48.8	48.7	51.7	56.1	60.8	64.2	65.7	64.3	65.3
Wet Water Years	61.4	57.6	54.6	47.1	47.2	50.0	53.6	57.7	61.8	64.2	62.8	63.5
Above Normal Water Years	62.6	57.4	52.9	48.7	48.0	50.8	55.4	59.8	63.6	64.9	63.7	64.5
Below Normal Water Years	64.0	58.0	53.4	49.4	48.9	51.8	56.4	61.1	64.3	65.7	64.5	65.4
Dry Water Years	65.4	58.6	54.6	50.3	50.2	53.3	58.7	63.8	66.2	67.0	65.5	66.8
Critical Water Years	67.1	59.6	53.9	50.8	51.6	55.1	59.9	65.7	68.5	69.2	67.3	68.7

Table 5A-D2.3.2-C. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.1	-0.1	0.0	-0.2	-0.1	0.0	-0.1	0.1	-0.1	-0.2
20%	0.1	-0.1	0.2	0.1	0.0	0.0	-0.1	-0.3	0.3	0.1	-0.2	0.0
30%	0.1	0.0	0.0	0.1	0.0	-0.1	-0.3	-0.3	0.0	0.1	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	-0.1	0.0	0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.2	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.3.2-D. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.1	0.0	-0.1	-0.1	-0.5	-0.1	0.0	0.0	-0.2
Critical Water Years	0.0	-0.1	0.0	0.1	0.0	0.0	-0.1	0.1	0.0	-0.1	0.0	0.0

Table 5A-D2.3.2-E. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	0.2%	-0.2%	0.1%	-0.4%	-0.2%	0.0%	-0.2%	0.1%	-0.1%	-0.2%
20%	0.1%	-0.2%	0.3%	0.1%	0.0%	0.0%	-0.2%	-0.5%	0.4%	0.1%	-0.2%	0.0%
30%	0.1%	0.0%	0.0%	0.1%	0.0%	-0.2%	-0.6%	-0.5%	0.0%	0.1%	0.0%	-0.1%
40%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.2%	0.1%	-0.1%	-0.1%	0.1%	-0.1%
50%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%	-0.1%	-0.1%	0.0%	0.1%	0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	0.0%
70%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.0%
80%	-0.2%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.3%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%

Table 5A-D2.3.2-F. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	0.0%	0.2%	0.2%	0.0%	-0.1%	-0.2%	-0.7%	-0.1%	-0.1%	0.0%	-0.3%
Critical Water Years	-0.1%	-0.1%	0.0%	0.2%	0.0%	-0.1%	-0.1%	0.1%	0.0%	-0.1%	-0.1%	0.1%

Table 5A-D2.3.3-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	66.7	59.4	57.7	52.2	51.9	54.4	60.7	66.2	69.1	69.1	66.7	68.0
20%	65.8	58.6	57.2	51.4	50.3	53.6	59.2	64.9	67.3	67.2	65.6	67.0
30%	64.4	58.2	56.0	50.5	49.7	52.9	57.9	62.9	65.5	66.3	65.0	66.0
40%	63.6	58.1	55.6	49.3	49.3	52.2	57.3	61.8	64.7	65.6	64.4	65.6
50%	63.4	58.0	53.8	48.4	48.2	51.5	56.3	59.9	64.1	65.3	64.1	64.8
60%	63.2	57.9	52.8	48.0	47.6	50.9	54.7	58.6	62.9	65.0	63.9	64.5
70%	63.0	57.8	52.3	47.0	47.1	50.3	54.0	58.0	62.1	64.6	63.5	64.0
80%	62.7	57.3	51.6	46.5	46.9	49.8	53.2	57.3	61.1	64.2	63.0	63.5
90%	59.2	56.9	50.2	45.5	46.4	49.1	52.0	56.2	60.3	63.6	62.3	63.0

Table 5A-D2.3.3-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.5	58.1	54.1	48.8	48.7	51.7	56.1	60.8	64.2	65.7	64.3	65.2
Wet Water Years	61.4	57.6	54.6	47.1	47.2	50.0	53.6	57.7	61.8	64.2	62.8	63.5
Above Normal Water Years	62.6	57.4	52.9	48.7	48.0	50.8	55.4	59.8	63.6	64.9	63.7	64.5
Below Normal Water Years	64.0	58.0	53.5	49.4	48.9	51.8	56.5	61.1	64.4	65.8	64.5	65.3
Dry Water Years	65.4	58.6	54.7	50.4	50.2	53.3	58.8	63.6	66.2	67.0	65.5	66.7
Critical Water Years	66.9	59.6	54.0	50.8	51.6	55.0	59.9	65.9	68.6	69.0	67.3	68.5

Table 5A-D2.3.3-C. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	-0.1	0.1	0.0	0.0	-0.2	-0.1	0.0	0.0	0.1	-0.1	-0.3
20%	0.0	-0.1	0.2	0.1	0.0	0.0	-0.1	-0.3	0.3	0.0	-0.2	-0.2
30%	0.2	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.3	0.0	0.1	-0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.0	-0.1	0.0	-0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
80%	-0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.3.3-D. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.1	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1
Dry Water Years	-0.1	0.0	0.2	0.1	0.0	0.0	-0.1	-0.6	-0.1	-0.1	-0.1	-0.3
Critical Water Years	-0.2	-0.1	0.1	0.2	0.0	-0.1	0.0	0.3	0.1	-0.2	-0.1	-0.1

Table 5A-D2.3.3-E. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.2%	0.2%	-0.1%	0.1%	-0.4%	-0.2%	-0.1%	0.0%	0.1%	-0.2%	-0.4%
20%	0.0%	-0.2%	0.3%	0.2%	0.0%	0.0%	-0.2%	-0.5%	0.4%	0.0%	-0.3%	-0.2%
30%	0.2%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.4%	-0.5%	0.0%	0.1%	-0.2%	-0.1%
40%	-0.1%	0.0%	-0.1%	0.1%	0.0%	0.2%	0.4%	0.0%	-0.2%	0.0%	-0.1%	-0.2%
50%	0.1%	0.0%	0.1%	0.1%	0.0%	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	-0.1%
60%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.2%	0.0%
70%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.0%
80%	-0.2%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%

Table 5A-D2.3.3-F. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.3%	0.2%	0.0%	0.0%	-0.1%	-1.0%	-0.1%	-0.1%	-0.1%	-0.4%
Critical Water Years	-0.3%	-0.1%	0.2%	0.4%	0.0%	-0.2%	0.0%	0.4%	0.1%	-0.3%	-0.2%	-0.1%

Table 5A-D2.3.4-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	66.7	59.4	57.7	52.4	52.0	54.4	60.7	66.1	69.1	69.0	66.7	68.1
20%	65.7	58.6	57.2	51.5	50.3	53.6	59.2	65.2	67.5	67.2	65.6	66.8
30%	64.3	58.2	56.0	50.4	49.7	52.9	57.9	62.8	65.6	66.3	64.9	66.0
40%	63.7	58.1	55.6	49.3	49.2	52.2	57.3	61.8	64.8	65.5	64.3	65.6
50%	63.4	58.0	53.8	48.4	48.2	51.5	56.3	59.9	64.1	65.3	64.1	64.9
60%	63.2	57.9	52.8	48.0	47.6	50.9	54.7	58.6	62.9	65.0	63.9	64.5
70%	63.1	57.8	52.3	47.1	47.1	50.3	54.0	58.0	62.0	64.6	63.5	64.0
80%	62.7	57.3	51.5	46.5	46.9	49.8	53.2	57.3	61.1	64.2	63.0	63.5
90%	59.2	56.9	50.3	45.6	46.4	49.1	52.0	56.2	60.3	63.6	62.3	63.0

Table 5A-D2.3.4-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.5	58.1	54.1	48.8	48.7	51.7	56.2	60.8	64.2	65.7	64.3	65.2
Wet Water Years	61.4	57.6	54.6	47.1	47.2	50.0	53.6	57.7	61.8	64.2	62.8	63.5
Above Normal Water Years	62.6	57.4	52.8	48.7	48.0	50.8	55.4	59.8	63.7	64.8	63.7	64.5
Below Normal Water Years	64.0	58.0	53.5	49.4	48.9	51.8	56.5	61.1	64.4	65.7	64.5	65.4
Dry Water Years	65.4	58.6	54.7	50.4	50.2	53.3	58.7	63.5	66.1	67.1	65.5	66.7
Critical Water Years	67.0	59.5	54.0	50.9	51.6	55.0	60.0	66.0	68.6	69.0	67.2	68.5

Table 5A-D2.3.4-C. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.1	0.1	0.1	-0.2	-0.1	-0.2	0.0	0.0	-0.1	-0.1
20%	0.0	-0.1	0.2	0.1	0.0	0.0	-0.1	-0.1	0.5	0.0	-0.2	-0.3
30%	0.1	0.0	0.0	0.0	0.0	-0.1	-0.2	-0.4	0.1	0.0	-0.2	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	-0.1	-0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.2	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.3.4-D. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Above Normal Water Years	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.2	0.1	0.0	-0.1	-0.1	-0.7	-0.1	0.0	-0.1	-0.3
Critical Water Years	-0.2	-0.1	0.1	0.2	0.0	-0.1	0.1	0.4	0.1	-0.2	-0.1	-0.1

Table 5A-D2.3.4-E. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.2%	0.2%	0.2%	0.1%	-0.4%	-0.2%	-0.3%	0.0%	0.0%	-0.2%	-0.1%
20%	0.0%	-0.2%	0.3%	0.2%	0.0%	0.0%	-0.2%	-0.1%	0.8%	0.0%	-0.3%	-0.5%
30%	0.2%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.4%	-0.7%	0.1%	0.1%	-0.3%	0.0%
40%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.3%	0.4%	0.1%	0.0%	-0.1%	-0.1%	-0.1%
50%	0.1%	0.0%	0.1%	0.1%	0.0%	0.1%	0.5%	0.0%	0.0%	-0.1%	0.0%	0.0%
60%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	0.0%
70%	0.0%	0.1%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.2%	0.0%
80%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.3%	0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%

Table 5A-D2.3.4-F. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	0.1%	0.4%	0.3%	0.1%	-0.1%	-0.1%	-1.1%	-0.2%	0.1%	-0.1%	-0.5%
Critical Water Years	-0.3%	-0.1%	0.2%	0.4%	0.0%	-0.2%	0.1%	0.5%	0.2%	-0.4%	-0.2%	-0.1%

Table 5A-D2.3.5-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	66.7	59.4	57.7	52.2	51.9	54.4	60.7	66.2	69.1	69.1	66.7	68.0
20%	65.8	58.6	57.2	51.4	50.3	53.6	59.2	64.9	67.3	67.2	65.6	67.0
30%	64.4	58.2	56.0	50.5	49.7	52.9	57.9	62.8	65.5	66.3	65.0	66.0
40%	63.6	58.1	55.6	49.3	49.3	52.1	57.3	61.8	64.7	65.6	64.3	65.5
50%	63.4	58.0	53.8	48.4	48.2	51.5	56.3	59.9	64.2	65.3	64.1	64.8
60%	63.2	57.9	52.8	48.0	47.6	50.9	54.7	58.6	62.9	65.0	63.8	64.4
70%	63.0	57.8	52.3	47.0	47.1	50.3	54.0	58.0	62.1	64.6	63.5	64.0
80%	62.7	57.3	51.6	46.5	46.9	49.8	53.2	57.3	61.1	64.2	63.0	63.5
90%	59.2	56.9	50.2	45.5	46.4	49.1	52.0	56.2	60.3	63.6	62.3	63.0

Table 5A-D2.3.5-B. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	63.5	58.1	54.1	48.8	48.7	51.7	56.1	60.8	64.2	65.7	64.3	65.2
Wet Water Years	61.4	57.6	54.6	47.1	47.2	50.0	53.6	57.7	61.8	64.2	62.8	63.5
Above Normal Water Years	62.6	57.4	52.9	48.7	48.0	50.8	55.4	59.8	63.6	64.9	63.7	64.5
Below Normal Water Years	64.0	58.0	53.5	49.4	48.9	51.8	56.5	61.1	64.4	65.8	64.5	65.3
Dry Water Years	65.4	58.6	54.7	50.4	50.2	53.3	58.8	63.6	66.2	67.0	65.5	66.7
Critical Water Years	66.9	59.6	54.0	50.8	51.6	55.0	59.9	65.9	68.6	69.0	67.3	68.5

Table 5A-D2.3.5-C. American River Below Nimbus (Hazel Avenue), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	-0.1	0.1	0.0	0.0	-0.2	-0.1	-0.1	0.0	0.1	-0.1	-0.3
20%	0.0	-0.1	0.2	0.1	0.0	0.0	-0.1	-0.3	0.3	0.0	-0.2	-0.2
30%	0.2	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.4	0.0	0.1	-0.2	-0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	-0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
80%	-0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.3.5-D. American River Below Nimbus (Hazel Avenue), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1
Dry Water Years	-0.1	0.0	0.2	0.1	0.0	0.0	-0.1	-0.6	-0.1	-0.1	-0.1	-0.3
Critical Water Years	-0.2	-0.1	0.1	0.2	0.0	-0.1	0.0	0.3	0.1	-0.2	-0.1	-0.1

Table 5A-D2.3.5-E. American River Below Nimbus (Hazel Avenue), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.2%	0.2%	-0.1%	0.1%	-0.4%	-0.2%	-0.1%	0.0%	0.1%	-0.2%	-0.4%
20%	0.1%	-0.2%	0.3%	0.2%	0.0%	0.0%	-0.2%	-0.5%	0.5%	0.0%	-0.3%	-0.2%
30%	0.2%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.4%	-0.6%	0.0%	0.1%	-0.2%	-0.1%
40%	-0.1%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.4%	0.0%	-0.2%	0.0%	-0.1%	-0.2%
50%	0.1%	0.0%	0.1%	0.1%	0.0%	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	-0.1%
60%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.2%	-0.1%
70%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.0%
80%	-0.2%	0.0%	0.1%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%

Table 5A-D2.3.5-F. American River Below Nimbus (Hazel Avenue), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.3%	0.2%	0.0%	0.0%	-0.1%	-1.0%	-0.1%	-0.1%	-0.1%	-0.4%
Critical Water Years	-0.3%	-0.1%	0.2%	0.4%	0.0%	-0.2%	0.0%	0.4%	0.1%	-0.3%	-0.1%	-0.1%

Figure 5A-D2.3.1. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.3.2. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.3.3. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.3.4. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.3.5. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.3.6. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.3.7. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.3.8. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.3.9. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.3.10. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.3.11. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.3.12. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.3.13. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.3.14. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.3.15. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.3.16. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.3.17. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.3.18. American River Below Nimbus (Hazel Avenue), Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.3.19. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.3.20. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.3.21. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.3.22. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.3.23. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.3.24. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.3.25. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.3.26. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.3.27. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.3.28. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.3.29. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.3.30. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.3.31. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.3.32. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.3.33. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.3.34. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives






Figure 5A-D2.3.35. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives




Figure 5A-D2.3.36. American River Below Nimbus (Hazel Avenue), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.3.37-A. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.3.37-B. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.3.37-C. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.3.37-D. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.3.38. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.3.39. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.3.40. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.3.41. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.3.42. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.3.43. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.3.44. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.3.45. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.3.46. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.3.47. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.3.48. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.3.49. American River Below Nimbus (Hazel Avenue), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.4 American River at Watt Avenue

Table 5A-D2.4.1-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.9	60.5	57.1	52.6	53.4	57.9	65.1	70.6	74.5	73.7	71.3	71.0
20%	66.9	59.1	56.2	51.7	51.7	56.7	63.7	69.2	71.6	71.8	70.3	69.8
30%	65.9	58.7	55.5	50.9	51.2	55.7	61.6	67.8	70.0	70.8	69.3	68.8
40%	65.2	58.5	55.1	49.9	50.5	54.6	60.5	66.4	68.6	69.9	68.6	68.0
50%	64.8	58.3	54.4	48.6	49.3	53.5	59.3	64.3	68.0	69.5	68.3	67.5
60%	64.4	58.1	53.1	48.3	48.6	52.6	57.3	62.4	67.2	69.1	67.8	66.9
70%	64.1	57.9	52.4	47.5	48.1	51.8	56.5	61.2	66.3	68.8	67.2	66.5
80%	63.6	57.5	51.4	46.8	47.6	51.0	55.3	59.9	65.1	68.3	66.8	66.0
90%	61.1	57.2	50.6	46.1	47.3	50.3	53.6	58.5	63.8	67.5	66.3	65.6

Table 5A-D2.4.1-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	65.0	58.5	53.8	49.2	49.9	53.8	59.2	64.6	68.4	70.1	68.6	68.0
Wet Water Years	63.0	58.0	54.4	47.5	48.0	51.6	55.9	60.8	65.8	68.5	66.8	66.1
Above Normal Water Years	63.8	57.7	52.9	49.0	48.9	52.4	58.3	63.9	67.3	68.8	67.6	66.7
Below Normal Water Years	65.2	58.4	53.2	49.8	50.1	54.0	59.7	64.9	68.5	69.8	68.6	68.1
Dry Water Years	66.8	59.2	54.2	50.6	51.6	56.0	62.9	68.8	70.8	71.5	70.0	69.8
Critical Water Years	68.9	60.1	53.8	51.3	53.6	58.1	63.9	70.2	73.6	74.3	72.5	71.7

Table 5A-D2.4.1-C. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.9	60.4	57.1	52.5	53.8	57.6	64.9	70.5	74.5	73.7	71.3	70.8
20%	66.8	59.1	56.3	51.8	51.7	56.7	63.6	69.2	71.6	71.7	70.3	69.6
30%	65.9	58.7	55.4	50.9	51.2	55.7	61.5	67.6	70.1	70.6	69.2	68.7
40%	65.1	58.5	55.1	49.9	50.6	54.6	60.5	66.4	68.6	69.9	68.7	67.9
50%	64.8	58.3	54.5	48.6	49.4	53.6	59.4	64.3	67.8	69.5	68.5	67.5
60%	64.3	58.2	53.1	48.4	48.6	52.6	57.3	62.0	67.1	69.1	67.9	67.0
70%	64.1	57.9	52.4	47.5	48.1	51.8	56.5	61.2	66.3	68.8	67.4	66.7
80%	63.5	57.5	51.4	46.8	47.6	51.0	55.3	59.9	65.1	68.1	66.8	66.0
90%	61.1	57.1	50.6	46.1	47.3	50.2	53.6	58.5	63.8	67.4	66.3	65.5

Table 5A-D2.4.1-D. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	65.0	58.5	53.9	49.2	49.9	53.8	59.2	64.6	68.4	70.0	68.6	67.9
Wet Water Years	63.0	57.9	54.4	47.5	48.0	51.6	55.9	60.8	65.8	68.4	66.9	66.1
Above Normal Water Years	63.8	57.7	52.9	49.0	48.9	52.4	58.3	63.9	67.3	68.8	67.6	66.7
Below Normal Water Years	65.2	58.4	53.3	49.9	50.1	54.0	59.7	64.8	68.4	69.8	68.7	68.0
Dry Water Years	66.7	59.1	54.3	50.6	51.7	56.0	62.8	68.4	70.7	71.5	70.0	69.6
Critical Water Years	68.9	60.1	53.8	51.3	53.5	58.1	63.9	70.3	73.6	74.3	72.5	71.7

Table 5A-D2.4.1-E. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	0.4	-0.2	-0.2	0.0	0.0	0.0	0.0	-0.2
20%	-0.1	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0	-0.1
30%	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	-0.2	0.1	-0.1	-0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1
50%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	-0.2	0.0	0.2	0.0
60%	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.3	0.0	0.0	0.1	0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.1
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0
90%	-0.1	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	0.1	-0.1

Table 5A-D2.4.1-F. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.1	0.1	0.0	-0.1	-0.4	0.0	-0.1	0.0	-0.2
Critical Water Years	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.4.1-G. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	-0.1%	0.8%	-0.4%	-0.3%	0.0%	0.1%	0.0%	0.0%	-0.3%
20%	-0.2%	0.0%	0.1%	0.2%	0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	-0.2%
30%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.3%	0.1%	-0.2%	-0.1%	0.0%
40%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%
50%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.2%	0.0%	0.3%	0.1%
60%	-0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.5%	-0.1%	0.0%	0.1%	0.1%
70%	-0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.2%
80%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.3%	0.1%	0.0%
90%	-0.1%	-0.1%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.2%	0.1%	-0.1%

Table 5A-D2.4.1-H. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.2%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%
Dry Water Years	-0.2%	0.0%	0.1%	0.1%	0.1%	0.1%	-0.2%	-0.6%	-0.1%	-0.1%	0.0%	-0.2%
Critical Water Years	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.4.2-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.9	60.4	57.2	52.5	54.0	57.6	64.9	70.5	74.5	73.8	71.3	70.8
20%	66.9	59.1	56.3	51.8	51.7	56.7	63.5	69.2	71.6	71.9	70.2	69.6
30%	65.9	58.7	55.4	50.9	51.2	55.7	61.5	67.6	70.1	70.6	69.3	68.8
40%	65.1	58.5	55.1	49.9	50.6	54.6	60.5	66.4	68.6	69.9	68.8	67.9
50%	64.8	58.3	54.5	48.6	49.4	53.6	59.4	64.4	67.9	69.5	68.4	67.5
60%	64.3	58.2	53.1	48.4	48.6	52.6	57.3	62.1	67.1	69.1	67.8	67.0
70%	64.1	58.0	52.4	47.5	48.1	51.8	56.5	61.2	66.3	68.7	67.2	66.7
80%	63.5	57.6	51.4	46.8	47.7	51.0	55.3	59.8	65.1	68.1	66.8	66.0
90%	61.1	57.1	50.6	46.1	47.3	50.2	53.6	58.5	63.8	67.4	66.3	65.6

Table 5A-D2.4.2-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	65.0	58.5	53.9	49.2	49.9	53.8	59.2	64.6	68.4	70.0	68.6	67.9
Wet Water Years	63.0	58.0	54.4	47.5	48.0	51.6	55.9	60.8	65.8	68.4	66.9	66.1
Above Normal Water Years	63.8	57.7	52.9	49.0	48.9	52.4	58.3	63.9	67.3	68.8	67.6	66.7
Below Normal Water Years	65.2	58.4	53.3	49.9	50.1	54.0	59.7	64.9	68.4	69.8	68.7	68.0
Dry Water Years	66.7	59.2	54.3	50.6	51.7	56.1	62.8	68.4	70.7	71.5	70.0	69.6
Critical Water Years	68.8	60.0	53.8	51.4	53.5	58.1	63.8	70.3	73.6	74.3	72.4	71.7

Table 5A-D2.4.2-C. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	0.6	-0.2	-0.2	-0.1	0.0	0.1	0.0	-0.2
20%	-0.1	0.0	0.0	0.1	0.0	0.0	-0.2	0.0	0.0	0.1	0.0	-0.1
30%	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	-0.2	0.1	-0.2	-0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1
50%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0
60%	0.0	0.1	0.0	0.1	0.0	0.0	0.0	-0.3	-0.1	0.0	0.0	0.0
70%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1
80%	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.2	0.0	0.0
90%	-0.1	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	0.1	-0.1

Table 5A-D2.4.2-D. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
Dry Water Years	-0.2	0.0	0.1	0.1	0.1	0.1	-0.1	-0.4	-0.1	0.0	0.0	-0.2
Critical Water Years	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.4.2-E. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	-0.1%	1.1%	-0.4%	-0.3%	-0.1%	0.0%	0.1%	0.0%	-0.3%
20%	-0.1%	0.0%	0.1%	0.2%	0.1%	0.0%	-0.2%	0.0%	0.0%	0.1%	0.0%	-0.2%
30%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.3%	0.1%	-0.2%	-0.1%	0.0%
40%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%
50%	0.0%	0.0%	0.3%	0.0%	0.1%	0.2%	0.0%	0.0%	-0.1%	-0.1%	0.2%	0.1%
60%	-0.1%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.5%	-0.1%	-0.1%	0.0%	0.1%
70%	-0.1%	0.1%	0.1%	0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.2%
80%	-0.2%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.3%	0.1%	0.0%
90%	-0.1%	-0.1%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.2%	0.1%	-0.1%

Table 5A-D2.4.2-F. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.2%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	0.0%	0.2%	0.1%	0.1%	0.1%	-0.1%	-0.6%	-0.1%	0.0%	0.0%	-0.3%
Critical Water Years	0.0%	-0.1%	0.0%	0.2%	-0.1%	-0.1%	-0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.4.3-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.7	60.4	57.2	52.6	53.9	57.6	64.9	70.5	74.5	73.8	71.3	70.8
20%	66.9	59.1	56.3	51.8	51.7	56.7	63.5	69.3	71.6	71.8	70.2	69.6
30%	65.9	58.7	55.4	50.9	51.2	55.7	61.9	67.8	70.1	70.5	69.2	68.8
40%	65.1	58.5	55.1	49.9	50.5	54.6	60.6	66.3	68.7	69.9	68.7	67.9
50%	64.8	58.3	54.5	48.6	49.4	53.6	59.5	64.3	67.8	69.4	68.3	67.5
60%	64.3	58.2	53.1	48.3	48.6	52.6	57.3	62.0	67.2	69.1	67.9	66.9
70%	64.1	58.0	52.4	47.5	48.1	51.8	56.5	61.2	66.3	68.7	67.2	66.6
80%	63.5	57.6	51.5	46.9	47.7	51.0	55.3	59.8	65.1	68.0	66.8	66.0
90%	61.1	57.1	50.6	46.1	47.3	50.2	53.6	58.5	63.8	67.3	66.3	65.6

Table 5A-D2.4.3-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.9	58.5	53.9	49.3	49.9	53.8	59.3	64.6	68.4	70.0	68.6	67.9
Wet Water Years	63.0	58.0	54.4	47.5	48.0	51.6	55.9	60.8	65.8	68.4	66.9	66.1
Above Normal Water Years	63.8	57.7	52.9	49.0	48.9	52.4	58.3	63.9	67.3	68.8	67.6	66.7
Below Normal Water Years	65.2	58.4	53.3	49.8	50.1	54.0	59.7	64.8	68.5	69.8	68.6	68.0
Dry Water Years	66.7	59.2	54.4	50.7	51.7	56.1	62.9	68.3	70.7	71.5	69.9	69.6
Critical Water Years	68.7	60.0	53.8	51.4	53.6	58.1	64.1	70.5	73.6	74.1	72.4	71.6

Table 5A-D2.4.3-C. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	0.5	-0.2	-0.2	-0.1	0.0	0.1	0.0	-0.2
20%	0.0	-0.1	0.0	0.1	0.0	0.0	-0.2	0.1	0.0	0.0	0.0	-0.1
30%	0.0	0.0	-0.1	0.0	0.0	0.0	0.3	-0.1	0.1	-0.2	-0.2	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	0.1	-0.1
50%	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	-0.2	-0.1	0.1	0.0
60%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.1	0.0
70%	-0.1	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1
80%	-0.1	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.2	0.0	0.0
90%	-0.1	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2	0.1	-0.1

Table 5A-D2.4.3-D. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Dry Water Years	-0.1	0.0	0.1	0.1	0.1	0.1	0.1	-0.6	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.1	-0.1	0.1	0.2	0.0	-0.1	0.3	0.2	0.0	-0.2	-0.1	-0.1

Table 5A-D2.4.3-E. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.1%	0.0%	0.0%	0.9%	-0.4%	-0.3%	-0.1%	0.0%	0.1%	0.0%	-0.3%
20%	0.0%	-0.1%	0.1%	0.2%	0.0%	0.0%	-0.2%	0.2%	-0.1%	0.0%	0.0%	-0.2%
30%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.4%	-0.1%	0.2%	-0.3%	-0.2%	0.0%
40%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	-0.2%	0.1%	0.0%	0.1%	-0.1%
50%	0.0%	0.0%	0.3%	0.0%	0.1%	0.2%	0.2%	0.0%	-0.3%	-0.2%	0.1%	0.0%
60%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.1%	0.0%
70%	-0.1%	0.1%	0.1%	0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%
80%	-0.1%	0.2%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.3%	0.0%	0.0%
90%	-0.1%	-0.1%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.2%	0.1%	-0.1%

Table 5A-D2.4.3-F. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.2%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.2%	0.2%	0.1%	0.2%	0.1%	-0.8%	-0.1%	-0.1%	0.0%	-0.3%
Critical Water Years	-0.2%	-0.1%	0.1%	0.3%	-0.1%	-0.1%	0.4%	0.3%	0.0%	-0.3%	-0.1%	-0.1%

Table 5A-D2.4.4-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.7	60.4	57.1	52.5	53.9	57.6	64.9	70.5	74.5	73.8	71.3	70.8
20%	66.8	59.1	56.3	51.8	51.7	56.7	63.6	69.4	71.8	71.8	70.2	69.6
30%	65.9	58.7	55.4	50.9	51.2	55.7	61.8	67.9	70.1	70.5	69.1	68.7
40%	65.1	58.5	55.1	49.9	50.6	54.6	60.6	66.3	68.7	69.9	68.7	68.1
50%	64.8	58.2	54.5	48.6	49.4	53.6	59.5	64.3	67.9	69.4	68.3	67.5
60%	64.3	58.2	53.1	48.3	48.6	52.6	57.3	62.1	67.1	69.0	67.9	66.9
70%	64.1	58.0	52.4	47.5	48.1	51.8	56.5	61.2	66.3	68.8	67.2	66.6
80%	63.5	57.6	51.5	46.9	47.7	51.0	55.3	59.8	65.1	68.0	66.8	66.0
90%	61.1	57.1	50.6	46.1	47.3	50.2	53.6	58.5	63.8	67.3	66.3	65.5

Table 5A-D2.4.4-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.9	58.5	53.9	49.3	49.9	53.8	59.3	64.6	68.4	70.0	68.6	67.9
Wet Water Years	63.0	58.0	54.4	47.5	48.0	51.6	55.9	60.8	65.8	68.4	66.8	66.1
Above Normal Water Years	63.8	57.6	52.8	49.0	48.9	52.4	58.3	63.9	67.3	68.7	67.6	66.7
Below Normal Water Years	65.2	58.4	53.3	49.9	50.1	54.0	59.7	64.9	68.5	69.8	68.6	68.0
Dry Water Years	66.6	59.2	54.4	50.7	51.7	56.1	62.9	68.1	70.7	71.6	70.0	69.5
Critical Water Years	68.7	60.0	53.8	51.4	53.6	58.1	64.2	70.5	73.6	74.1	72.3	71.6

Table 5A-D2.4.4-C. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	0.6	-0.2	-0.2	-0.1	0.0	0.1	0.0	-0.2
20%	-0.1	0.0	0.1	0.1	0.0	0.0	-0.1	0.2	0.2	0.0	-0.1	-0.2
30%	0.0	0.0	-0.1	0.0	0.1	0.0	0.2	0.0	0.0	-0.3	-0.2	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.2	0.1	0.0	0.0	0.0
50%	0.0	-0.1	0.1	0.0	0.0	0.1	0.1	0.0	-0.2	-0.1	0.1	0.0
60%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	-0.1	0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1
80%	-0.1	0.1	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.2	0.0	0.0
90%	-0.1	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2	0.0	-0.1

Table 5A-D2.4.4-D. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.1	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	0.0	0.2	0.1	0.1	0.1	0.0	-0.7	-0.1	0.0	0.0	-0.3
Critical Water Years	-0.1	-0.1	0.1	0.2	0.0	-0.1	0.3	0.3	0.0	-0.2	-0.1	-0.1

Table 5A-D2.4.4-E. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.2%	0.0%	0.0%	1.0%	-0.4%	-0.3%	-0.1%	0.1%	0.1%	0.0%	-0.4%
20%	-0.2%	-0.1%	0.2%	0.3%	0.0%	0.0%	-0.1%	0.2%	0.3%	0.0%	-0.1%	-0.3%
30%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.4%	0.1%	0.1%	-0.4%	-0.3%	0.0%
40%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	-0.2%	0.1%	0.0%	0.1%	0.1%
50%	0.0%	-0.1%	0.3%	0.0%	0.1%	0.2%	0.2%	0.0%	-0.2%	-0.1%	0.1%	0.0%
60%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.5%	0.0%	-0.1%	0.1%	0.0%
70%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.1%
80%	-0.2%	0.2%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.3%	0.0%	0.0%
90%	-0.1%	-0.2%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.3%	0.0%	-0.2%

Table 5A-D2.4.4-F. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.2%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.3%	0.0%	0.3%	0.2%	0.1%	0.1%	0.1%	-1.0%	-0.1%	0.0%	0.0%	-0.4%
Critical Water Years	-0.2%	-0.1%	0.1%	0.3%	-0.1%	-0.1%	0.5%	0.4%	0.1%	-0.3%	-0.2%	-0.1%

Table 5A-D2.4.5-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.7	60.4	57.2	52.6	53.9	57.6	64.9	70.5	74.5	73.8	71.3	70.8
20%	66.9	59.1	56.3	51.8	51.7	56.7	63.5	69.3	71.6	71.8	70.2	69.6
30%	65.9	58.7	55.4	50.9	51.2	55.7	61.9	67.8	70.1	70.6	69.2	68.8
40%	65.1	58.5	55.1	49.9	50.5	54.6	60.6	66.3	68.7	69.9	68.7	67.9
50%	64.8	58.3	54.5	48.6	49.4	53.6	59.5	64.3	67.8	69.4	68.3	67.5
60%	64.3	58.2	53.1	48.3	48.6	52.6	57.3	62.1	67.2	69.1	67.9	66.9
70%	64.1	58.0	52.4	47.5	48.1	51.8	56.5	61.2	66.3	68.7	67.2	66.6
80%	63.5	57.6	51.5	46.9	47.7	51.0	55.3	59.8	65.1	68.0	66.8	66.1
90%	61.1	57.1	50.6	46.1	47.3	50.2	53.6	58.5	63.8	67.3	66.3	65.6

Table 5A-D2.4.5-B. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.9	58.5	53.9	49.3	49.9	53.8	59.3	64.6	68.4	70.0	68.6	67.9
Wet Water Years	63.0	58.0	54.4	47.5	48.0	51.6	55.9	60.8	65.8	68.4	66.8	66.1
Above Normal Water Years	63.8	57.7	52.9	49.0	48.9	52.4	58.3	63.9	67.3	68.8	67.6	66.7
Below Normal Water Years	65.2	58.4	53.3	49.8	50.1	54.0	59.7	64.8	68.5	69.8	68.6	68.0
Dry Water Years	66.7	59.2	54.4	50.7	51.7	56.1	62.9	68.2	70.7	71.5	69.9	69.6
Critical Water Years	68.7	60.0	53.8	51.4	53.6	58.1	64.1	70.5	73.6	74.1	72.4	71.6

Table 5A-D2.4.5-C. American River at Watt Avenue, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	0.5	-0.2	-0.2	-0.1	0.0	0.1	0.0	-0.2
20%	0.0	-0.1	0.0	0.1	0.0	0.0	-0.2	0.1	0.0	0.0	0.0	-0.1
30%	0.0	0.0	0.0	0.0	0.1	0.0	0.3	-0.1	0.1	-0.2	-0.2	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	0.1	-0.1
50%	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	-0.2	-0.1	0.1	0.0
60%	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.1	0.0
70%	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1
80%	-0.1	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.2	0.0	0.0
90%	-0.1	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2	0.1	0.0

Table 5A-D2.4.5-D. American River at Watt Avenue, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Dry Water Years	-0.2	0.0	0.1	0.1	0.1	0.1	0.1	-0.6	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.1	-0.1	0.1	0.2	0.0	-0.1	0.3	0.2	0.0	-0.2	-0.1	-0.1

Table 5A-D2.4.5-E. American River at Watt Avenue, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.1%	0.1%	0.0%	0.9%	-0.4%	-0.3%	-0.1%	0.0%	0.1%	0.0%	-0.3%
20%	0.0%	-0.1%	0.1%	0.2%	0.1%	0.0%	-0.2%	0.2%	0.0%	0.0%	0.0%	-0.2%
30%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.4%	-0.1%	0.2%	-0.3%	-0.2%	0.0%
40%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.1%	0.0%	0.1%	-0.1%
50%	0.0%	0.0%	0.3%	0.0%	0.1%	0.2%	0.2%	0.0%	-0.3%	-0.2%	0.1%	0.0%
60%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.1%	-0.1%
70%	-0.1%	0.1%	0.1%	0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%
80%	-0.2%	0.2%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.3%	0.0%	0.0%
90%	-0.1%	-0.1%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.2%	0.1%	0.0%

Table 5A-D2.4.5-F. American River at Watt Avenue, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.2%	0.2%	0.1%	0.2%	0.1%	-0.8%	-0.1%	-0.1%	0.0%	-0.3%
Critical Water Years	-0.2%	-0.1%	0.1%	0.3%	-0.1%	-0.1%	0.4%	0.3%	0.0%	-0.3%	-0.1%	-0.1%

Figure 5A-D2.4.1. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.4.2. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.4.3. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.4.4. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.4.5. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.4.6. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.4.7. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.4.8. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.4.9. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.4.10. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.4.11. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.4.12. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.4.13. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.4.14. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.4.15. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.4.16. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.4.17. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.4.18. American River at Watt Avenue, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.4.19. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.4.20. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.4.21. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.4.22. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.4.23. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.4.24. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.4.25. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.4.26. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.4.27. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.4.28. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.4.29. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.4.30. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.4.31. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.4.32. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.4.33. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.4.34. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.4.35. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.4.36. American River at Watt Avenue, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.4.37-A. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.4.37-B. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.4.37-C. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.4.37-D. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.4.38. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.4.39. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.4.40. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.4.41. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.4.42. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.4.43. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.4.44. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.4.45. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.4.46. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.4.47. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.4.48. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.4.49. American River at Watt Avenue, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.5 American River at William Pond Park

Table 5A-D2.5.1-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.1	60.1	57.3	52.5	52.8	56.7	63.5	68.7	72.7	72.0	69.6	69.9
20%	66.5	58.9	56.5	51.6	51.1	55.5	62.1	67.9	69.8	70.1	68.6	68.7
30%	65.2	58.6	55.6	50.7	50.5	54.6	60.2	66.4	68.2	69.1	67.7	67.7
40%	64.6	58.3	55.3	49.5	50.1	53.6	59.2	64.8	67.1	68.2	67.0	67.1
50%	64.3	58.1	54.0	48.5	48.8	52.8	58.0	62.6	66.6	67.7	66.6	66.4
60%	63.9	58.0	53.2	48.2	48.2	51.9	56.2	60.9	65.4	67.5	66.3	66.1
70%	63.7	57.8	52.3	47.3	47.6	51.2	55.5	60.0	64.7	67.2	65.8	65.6
80%	63.3	57.4	51.5	46.7	47.3	50.5	54.5	58.8	63.5	66.8	65.3	65.0
90%	60.4	57.0	50.5	46.0	46.9	49.8	53.0	57.6	62.4	66.0	64.6	64.7

Table 5A-D2.5.1-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.4	58.3	53.9	49.0	49.5	53.0	58.1	63.2	66.8	68.4	66.9	66.9
Wet Water Years	62.4	57.8	54.5	47.3	47.7	51.0	55.0	59.6	64.2	66.9	65.2	65.1
Above Normal Water Years	63.4	57.6	52.9	48.9	48.5	51.7	57.1	62.3	65.9	67.3	66.1	65.8
Below Normal Water Years	64.8	58.3	53.3	49.6	49.6	53.2	58.5	63.4	66.9	68.3	67.1	67.0
Dry Water Years	66.3	58.9	54.3	50.4	51.1	55.0	61.4	67.1	69.1	69.9	68.3	68.7
Critical Water Years	68.2	59.9	53.8	51.0	52.9	57.0	62.4	68.5	71.7	72.5	70.6	70.5

Table 5A-D2.5.1-C. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.2	59.9	57.3	52.5	53.0	56.4	63.1	68.7	72.6	72.0	69.5	69.7
20%	66.4	58.9	56.5	51.7	51.2	55.5	62.0	67.8	69.8	70.1	68.6	68.6
30%	65.3	58.6	55.6	50.7	50.6	54.5	60.2	65.7	68.6	69.0	67.7	67.7
40%	64.5	58.3	55.3	49.7	50.1	53.6	59.2	64.8	67.1	68.1	67.1	66.9
50%	64.2	58.1	54.0	48.6	48.8	52.9	58.0	62.6	66.5	67.8	66.8	66.4
60%	63.9	58.0	53.2	48.1	48.2	51.9	56.2	60.6	65.4	67.5	66.4	66.1
70%	63.7	57.8	52.4	47.4	47.6	51.2	55.5	60.0	64.8	67.2	65.8	65.7
80%	63.2	57.4	51.5	46.7	47.4	50.5	54.5	58.8	63.5	66.7	65.3	65.0
90%	60.4	57.0	50.5	46.0	46.9	49.8	53.0	57.6	62.4	66.0	64.8	64.6

Table 5A-D2.5.1-D. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.4	58.3	53.9	49.1	49.5	53.0	58.0	63.1	66.8	68.4	67.0	66.9
Wet Water Years	62.4	57.8	54.5	47.3	47.7	51.0	55.0	59.6	64.2	66.8	65.3	65.1
Above Normal Water Years	63.3	57.6	52.9	48.9	48.5	51.7	57.2	62.3	65.9	67.2	66.1	65.8
Below Normal Water Years	64.7	58.2	53.4	49.7	49.6	53.2	58.4	63.4	66.9	68.2	67.1	67.0
Dry Water Years	66.2	58.9	54.4	50.5	51.1	55.0	61.2	66.7	69.1	69.8	68.3	68.6
Critical Water Years	68.2	59.9	53.8	51.1	52.8	57.0	62.4	68.6	71.8	72.4	70.6	70.6

Table 5A-D2.5.1-E. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.2	0.0	0.0	0.2	-0.2	-0.4	0.0	-0.1	0.0	0.0	-0.2
20%	-0.1	0.0	0.0	0.1	0.1	0.0	-0.1	-0.2	0.0	0.1	0.0	0.0
30%	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.7	0.4	0.0	0.0	0.0
40%	-0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.2	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.1	0.0
70%	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1

Table 5A-D2.5.1-F. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.1	0.1	0.0	-0.1	-0.5	0.0	-0.1	0.0	-0.2
Critical Water Years	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.5.1-G. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.3%	0.0%	0.0%	0.4%	-0.4%	-0.6%	-0.1%	-0.1%	0.0%	0.0%	-0.3%
20%	-0.2%	0.0%	0.0%	0.2%	0.2%	0.0%	-0.2%	-0.3%	0.0%	0.1%	0.0%	-0.1%
30%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	-1.0%	0.6%	0.0%	0.0%	0.0%
40%	-0.1%	0.0%	0.1%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%
50%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.2%	0.0%
60%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.1%	0.1%
70%	-0.1%	0.0%	0.2%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
80%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%
90%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	-0.1%

Table 5A-D2.5.1-H. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%
Dry Water Years	-0.2%	0.0%	0.1%	0.1%	0.1%	0.0%	-0.2%	-0.7%	-0.1%	-0.1%	0.0%	-0.3%
Critical Water Years	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%

Table 5A-D2.5.2-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	68.2	59.9	57.3	52.5	53.2	56.5	63.1	68.7	72.6	72.0	69.6	69.7
20%	66.5	58.9	56.6	51.8	51.1	55.5	62.0	67.8	69.8	70.2	68.5	68.6
30%	65.3	58.6	55.6	50.7	50.6	54.5	60.2	65.7	68.3	69.0	67.7	67.7
40%	64.5	58.3	55.3	49.7	50.1	53.7	59.2	64.8	67.1	68.1	67.1	66.9
50%	64.2	58.2	54.0	48.5	48.8	52.9	58.0	62.6	66.5	67.7	66.7	66.4
60%	63.9	58.1	53.2	48.2	48.2	51.9	56.2	60.6	65.4	67.5	66.3	66.1
70%	63.7	57.8	52.4	47.4	47.6	51.2	55.5	60.0	64.8	67.2	65.8	65.7
80%	63.2	57.4	51.5	46.7	47.4	50.5	54.5	58.8	63.5	66.7	65.3	65.0
90%	60.4	57.0	50.5	46.0	46.9	49.8	53.0	57.6	62.4	66.0	64.8	64.6

Table 5A-D2.5.2-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.4	58.3	53.9	49.1	49.5	53.0	58.0	63.1	66.8	68.4	67.0	66.9
Wet Water Years	62.4	57.8	54.5	47.3	47.7	51.0	55.0	59.6	64.2	66.8	65.3	65.1
Above Normal Water Years	63.3	57.6	52.9	48.9	48.5	51.7	57.2	62.3	65.8	67.3	66.1	65.8
Below Normal Water Years	64.7	58.2	53.3	49.7	49.6	53.2	58.4	63.4	66.9	68.2	67.1	67.0
Dry Water Years	66.2	58.9	54.5	50.5	51.1	55.0	61.3	66.7	69.0	69.8	68.3	68.5
Critical Water Years	68.2	59.9	53.8	51.1	52.8	57.0	62.4	68.6	71.8	72.4	70.5	70.6

Table 5A-D2.5.2-C. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.2	0.0	0.0	0.4	-0.2	-0.4	0.0	-0.1	0.1	0.0	-0.2
20%	-0.1	0.0	0.1	0.2	0.0	0.0	-0.1	-0.2	0.0	0.1	0.0	0.0
30%	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.7	0.1	0.0	0.0	0.1
40%	-0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	-0.1	0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0
70%	-0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1

Table 5A-D2.5.2-D. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.1	0.1	0.0	-0.1	-0.5	-0.1	0.0	0.0	-0.2
Critical Water Years	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.5.2-E. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.3%	0.0%	0.0%	0.8%	-0.3%	-0.6%	0.0%	-0.1%	0.1%	0.0%	-0.3%
20%	-0.1%	0.0%	0.2%	0.4%	0.1%	0.0%	-0.2%	-0.3%	0.0%	0.2%	0.0%	-0.1%
30%	0.1%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	-1.0%	0.2%	0.0%	0.0%	0.1%
40%	-0.1%	0.0%	0.1%	0.3%	0.0%	0.2%	0.1%	0.0%	0.0%	-0.1%	0.1%	-0.2%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.2%	0.0%
60%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.5%	0.0%	-0.1%	0.0%	0.1%
70%	-0.1%	0.0%	0.2%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
80%	-0.2%	0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%
90%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.3%	-0.1%

Table 5A-D2.5.2-F. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	0.0%	0.2%	0.2%	0.1%	0.0%	-0.1%	-0.7%	-0.1%	0.0%	0.0%	-0.3%
Critical Water Years	0.0%	-0.1%	0.0%	0.2%	-0.1%	-0.1%	-0.1%	0.1%	0.0%	-0.1%	-0.1%	0.1%

Table 5A-D2.5.3-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.9	59.9	57.3	52.5	53.2	56.5	63.1	68.7	72.6	72.0	69.6	69.7
20%	66.6	58.8	56.7	51.8	51.1	55.5	61.9	67.8	69.8	70.1	68.5	68.6
30%	65.5	58.6	55.6	50.7	50.6	54.5	60.4	65.9	68.3	69.0	67.6	67.7
40%	64.5	58.3	55.3	49.6	50.1	53.7	59.3	64.8	67.1	68.2	67.0	66.9
50%	64.2	58.2	54.1	48.5	48.8	52.9	58.1	62.7	66.5	67.7	66.7	66.3
60%	63.9	58.1	53.2	48.2	48.2	51.9	56.2	60.6	65.4	67.5	66.3	66.0
70%	63.7	57.9	52.4	47.4	47.6	51.2	55.5	60.0	64.8	67.2	65.8	65.7
80%	63.2	57.4	51.6	46.7	47.4	50.5	54.5	58.8	63.5	66.7	65.3	65.0
90%	60.4	57.0	50.5	46.0	46.9	49.7	53.0	57.6	62.4	66.0	64.8	64.6

Table 5A-D2.5.3-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.4	58.3	54.0	49.1	49.5	53.0	58.1	63.1	66.8	68.4	67.0	66.9
Wet Water Years	62.4	57.8	54.5	47.3	47.7	51.0	55.0	59.6	64.2	66.8	65.3	65.1
Above Normal Water Years	63.3	57.6	52.9	48.9	48.5	51.7	57.2	62.3	65.8	67.3	66.1	65.8
Below Normal Water Years	64.8	58.2	53.4	49.7	49.6	53.2	58.5	63.4	66.9	68.3	67.0	67.0
Dry Water Years	66.2	58.9	54.5	50.5	51.1	55.0	61.4	66.5	69.0	69.8	68.3	68.5
Critical Water Years	68.1	59.8	53.9	51.2	52.8	56.9	62.6	68.8	71.8	72.2	70.5	70.5

Table 5A-D2.5.3-C. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	-0.2	0.0	0.0	0.3	-0.2	-0.4	0.0	-0.1	0.0	0.0	-0.2
20%	0.0	-0.1	0.2	0.2	0.0	0.0	-0.2	-0.2	0.0	0.0	-0.1	-0.1
30%	0.3	0.0	0.0	0.0	0.0	-0.1	0.2	-0.5	0.1	0.0	-0.2	0.0
40%	-0.1	0.0	0.0	0.1	0.0	0.1	0.2	-0.1	0.0	0.0	0.0	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	-0.1	-0.1	0.1	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0
70%	-0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
80%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1

Table 5A-D2.5.3-D. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Dry Water Years	-0.1	0.0	0.1	0.1	0.0	0.1	0.0	-0.6	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.2	-0.1	0.1	0.2	0.0	-0.1	0.2	0.2	0.0	-0.2	-0.1	-0.1

Table 5A-D2.5.3-E. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	-0.3%	0.1%	0.0%	0.6%	-0.4%	-0.6%	0.0%	-0.1%	0.1%	0.0%	-0.3%
20%	0.0%	-0.1%	0.3%	0.5%	0.1%	0.0%	-0.3%	-0.2%	0.0%	0.0%	-0.1%	-0.1%
30%	0.4%	0.0%	0.0%	0.1%	0.0%	-0.3%	0.4%	-0.7%	0.2%	-0.1%	-0.2%	0.0%
40%	-0.1%	0.0%	0.0%	0.2%	0.0%	0.2%	0.3%	-0.1%	0.0%	0.0%	0.0%	-0.2%
50%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%	0.2%	0.1%	-0.2%	-0.1%	0.1%	-0.2%
60%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.0%	-0.1%
70%	-0.1%	0.1%	0.2%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
80%	-0.2%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
90%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	-0.1%

Table 5A-D2.5.3-F. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.3%	0.2%	0.1%	0.1%	0.0%	-0.9%	-0.1%	-0.1%	-0.1%	-0.4%
Critical Water Years	-0.2%	-0.1%	0.1%	0.3%	0.0%	-0.1%	0.3%	0.4%	0.0%	-0.3%	-0.1%	-0.1%

Table 5A-D2.5.4-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.9	59.9	57.4	52.5	53.3	56.4	63.1	68.5	72.6	72.0	69.5	69.8
20%	66.4	58.8	56.8	51.8	51.1	55.5	62.0	67.7	70.1	70.1	68.5	68.6
30%	65.5	58.6	55.6	50.7	50.6	54.5	60.4	66.3	68.5	68.9	67.5	67.7
40%	64.5	58.3	55.3	49.7	50.1	53.8	59.3	64.8	67.1	68.2	67.0	67.1
50%	64.2	58.1	54.1	48.5	48.8	52.9	58.1	62.7	66.5	67.7	66.7	66.3
60%	63.9	58.1	53.2	48.1	48.2	51.9	56.2	60.6	65.4	67.5	66.3	66.0
70%	63.7	57.9	52.4	47.4	47.6	51.2	55.5	60.0	64.8	67.2	65.8	65.7
80%	63.2	57.4	51.6	46.7	47.4	50.5	54.5	58.8	63.5	66.7	65.3	65.0
90%	60.4	57.0	50.5	46.0	46.9	49.7	53.0	57.6	62.4	66.0	64.8	64.5

Table 5A-D2.5.4-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.4	58.3	54.0	49.1	49.5	53.0	58.1	63.1	66.8	68.4	66.9	66.9
Wet Water Years	62.4	57.8	54.5	47.3	47.7	51.0	55.0	59.6	64.2	66.8	65.3	65.1
Above Normal Water Years	63.4	57.5	52.8	48.9	48.5	51.8	57.2	62.3	65.9	67.2	66.1	65.8
Below Normal Water Years	64.7	58.2	53.4	49.7	49.6	53.2	58.5	63.4	67.0	68.2	67.0	67.0
Dry Water Years	66.2	58.9	54.5	50.6	51.1	55.0	61.4	66.4	69.0	69.9	68.3	68.5
Critical Water Years	68.1	59.8	53.9	51.2	52.8	56.9	62.6	68.8	71.8	72.2	70.5	70.4

Table 5A-D2.5.4-C. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	-0.2	0.1	0.0	0.5	-0.2	-0.4	-0.2	0.0	0.0	0.0	-0.2
20%	-0.1	-0.1	0.3	0.3	0.0	0.0	-0.1	-0.2	0.4	0.1	-0.1	-0.1
30%	0.2	0.0	0.0	0.0	0.0	-0.1	0.2	-0.1	0.3	-0.1	-0.2	0.0
40%	-0.1	0.0	0.0	0.1	0.0	0.2	0.2	-0.1	0.0	0.0	0.0	0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.1	0.0	0.1	-0.1
60%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	-0.1	0.0	0.0
70%	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
80%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1

Table 5A-D2.5.4-D. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	0.0	0.2	0.1	0.1	0.0	0.0	-0.7	-0.1	0.0	0.0	-0.3
Critical Water Years	-0.1	-0.1	0.1	0.2	0.0	-0.1	0.2	0.3	0.1	-0.2	-0.1	-0.1

Table 5A-D2.5.4-E. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	-0.4%	0.2%	0.0%	0.9%	-0.4%	-0.6%	-0.3%	-0.1%	0.1%	0.0%	-0.2%
20%	-0.1%	-0.1%	0.5%	0.5%	0.1%	0.0%	-0.2%	-0.3%	0.5%	0.1%	-0.1%	-0.1%
30%	0.4%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.4%	-0.2%	0.4%	-0.2%	-0.3%	0.0%
40%	-0.1%	0.0%	0.0%	0.3%	0.0%	0.3%	0.3%	-0.1%	0.0%	0.0%	0.0%	0.1%
50%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%	0.2%	0.1%	-0.2%	-0.1%	0.1%	-0.2%
60%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.5%	0.0%	-0.1%	0.1%	-0.1%
70%	0.0%	0.1%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
80%	-0.2%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.3%	-0.2%

Table 5A-D2.5.4-F. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.3%	0.2%	0.1%	0.1%	0.0%	-0.9%	-0.1%	-0.1%	-0.1%	-0.4%
Critical Water Years	-0.2%	-0.1%	0.1%	0.3%	0.0%	-0.1%	0.3%	0.4%	0.0%	-0.3%	-0.1%	-0.1%

Table 5A-D2.5.5-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	67.9	59.9	57.3	52.5	53.1	56.5	63.1	68.7	72.6	72.0	69.5	69.7
20%	66.6	58.8	56.7	51.8	51.1	55.5	61.9	67.8	69.8	70.1	68.5	68.6
30%	65.5	58.6	55.6	50.7	50.6	54.5	60.4	65.9	68.3	69.0	67.6	67.7
40%	64.5	58.3	55.3	49.5	50.1	53.6	59.3	64.8	67.1	68.2	67.0	66.9
50%	64.2	58.2	54.1	48.5	48.8	52.9	58.1	62.7	66.5	67.7	66.7	66.3
60%	63.9	58.1	53.2	48.2	48.2	51.9	56.2	60.6	65.4	67.5	66.3	66.0
70%	63.7	57.9	52.4	47.4	47.6	51.2	55.5	60.0	64.8	67.2	65.8	65.7
80%	63.2	57.4	51.6	46.7	47.4	50.5	54.5	58.8	63.5	66.7	65.3	65.0
90%	60.4	57.0	50.5	46.0	46.9	49.7	53.0	57.6	62.4	66.0	64.6	64.6

Table 5A-D2.5.5-B. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	64.4	58.3	54.0	49.1	49.5	53.0	58.1	63.1	66.8	68.4	66.9	66.9
Wet Water Years	62.4	57.8	54.5	47.3	47.7	51.0	55.0	59.6	64.2	66.8	65.3	65.1
Above Normal Water Years	63.3	57.6	52.9	48.9	48.5	51.7	57.2	62.3	65.9	67.3	66.1	65.8
Below Normal Water Years	64.8	58.2	53.4	49.7	49.6	53.2	58.5	63.4	66.9	68.3	67.0	67.0
Dry Water Years	66.2	58.9	54.5	50.5	51.1	55.0	61.4	66.5	69.0	69.8	68.3	68.5
Critical Water Years	68.1	59.8	53.9	51.2	52.8	56.9	62.6	68.8	71.8	72.2	70.5	70.5

Table 5A-D2.5.5-C. American River at William Pond Park, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	-0.2	0.0	0.0	0.3	-0.2	-0.4	0.0	-0.1	0.0	0.0	-0.2
20%	0.0	-0.1	0.2	0.2	0.0	0.0	-0.2	-0.2	0.0	0.0	-0.1	0.0
30%	0.3	0.0	0.0	0.1	0.0	-0.1	0.2	-0.5	0.1	0.0	-0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.2	-0.1	0.0	0.0	0.0	-0.2
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	-0.1	-0.1	0.1	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
80%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.5.5-D. American River at William Pond Park, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Dry Water Years	-0.1	0.0	0.1	0.1	0.0	0.1	0.0	-0.6	-0.1	0.0	0.0	-0.3
Critical Water Years	-0.2	-0.1	0.1	0.2	0.0	-0.1	0.2	0.2	0.0	-0.2	-0.1	-0.1

Table 5A-D2.5.5-E. American River at William Pond Park, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	-0.3%	0.1%	0.0%	0.6%	-0.4%	-0.6%	0.0%	-0.1%	0.1%	0.0%	-0.3%
20%	0.0%	-0.1%	0.3%	0.5%	0.1%	0.0%	-0.3%	-0.2%	0.0%	0.0%	-0.1%	-0.1%
30%	0.4%	0.0%	0.0%	0.2%	0.0%	-0.2%	0.4%	-0.7%	0.2%	-0.1%	-0.2%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%	-0.1%	0.0%	0.0%	0.0%	-0.3%
50%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%	0.2%	0.1%	-0.1%	-0.1%	0.1%	-0.2%
60%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.0%	-0.1%
70%	-0.1%	0.1%	0.2%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
80%	-0.2%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%
90%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%

Table 5A-D2.5.5-F. American River at William Pond Park, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.2%	0.0%	0.3%	0.2%	0.1%	0.1%	0.0%	-0.9%	-0.1%	-0.1%	-0.1%	-0.4%
Critical Water Years	-0.2%	-0.1%	0.1%	0.3%	0.0%	-0.1%	0.3%	0.3%	0.0%	-0.3%	-0.1%	-0.1%

Figure 5A-D2.5.1. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.5.2. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.5.3. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.5.4. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.5.5. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.5.6. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.5.7. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.5.8. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.5.9. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.5.10. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.5.11. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.5.12. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.5.13. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.5.14. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.5.15. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.5.16. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.5.17. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.5.18. American River at William Pond Park, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.5.19. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.5.20. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.5.21. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.5.22. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.5.23. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.5.24. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.5.25. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.5.26. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.5.27. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.5.28. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.5.29. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.5.30. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.5.31. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.5.32. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.5.33. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.5.34. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.5.35. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.5.36. American River at William Pond Park, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.5.37-A. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.5.37-B. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.5.37-C. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.5.37-D. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.5.38. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.5.39. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.5.40. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.5.41. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.5.42. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.5.43. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.5.44. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.5.45. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.5.46. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.5.47. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.5.48. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.5.49. American River at William Pond Park, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.6 Clear Creek Above Sacramento

Table 5A-D2.6.1-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	52.6	49.3	47.4	48.1	49.8	52.4	54.8	54.3	58.2	57.3	56.3
20%	53.8	52.0	48.5	46.9	47.1	49.5	51.7	53.9	53.8	57.3	56.7	55.4
30%	52.9	51.5	48.2	46.5	46.8	49.3	51.4	53.5	53.2	56.9	56.3	54.8
40%	52.4	51.1	48.1	46.2	46.5	49.0	51.1	53.2	52.8	56.8	55.9	54.6
50%	52.0	50.7	47.8	46.0	46.3	48.6	50.8	52.8	52.6	56.5	55.5	54.3
60%	51.7	50.3	47.6	45.8	46.0	48.4	50.5	52.6	52.3	56.0	55.2	53.8
70%	51.4	50.0	47.3	45.7	45.6	48.2	50.2	52.4	51.9	55.7	55.0	53.6
80%	51.0	49.6	46.8	45.5	45.3	47.8	50.0	52.0	51.7	55.4	54.6	53.4
90%	50.7	49.0	46.5	44.8	45.0	47.3	49.3	51.6	51.1	54.9	54.4	52.9

Table 5A-D2.6.1-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	50.8	47.9	46.1	46.4	48.7	50.9	53.0	52.7	56.5	55.8	54.5
Wet Water Years	51.2	49.7	47.3	46.0	45.8	48.1	50.0	52.7	52.4	56.2	55.2	53.7
Above Normal Water Years	51.4	50.1	47.3	45.7	45.7	48.3	50.6	52.7	52.2	56.0	55.0	53.5
Below Normal Water Years	52.5	51.1	48.2	45.8	46.3	48.7	50.9	52.6	52.6	56.5	55.6	54.3
Dry Water Years	53.1	51.4	48.1	46.3	46.7	49.1	51.3	53.2	52.6	56.5	56.0	55.0
Critical Water Years	55.8	53.2	49.2	47.4	48.4	50.3	52.9	54.9	54.6	57.8	57.9	57.1

Table 5A-D2.6.1-C. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	52.5	49.3	47.4	48.1	49.8	52.4	54.9	54.4	58.2	57.3	56.3
20%	53.7	51.9	48.5	46.9	47.1	49.5	51.7	53.9	53.9	57.4	56.8	55.5
30%	52.9	51.5	48.2	46.5	46.8	49.3	51.4	53.5	53.4	57.0	56.3	54.8
40%	52.4	51.1	48.1	46.2	46.5	49.0	51.1	53.2	52.9	56.7	55.9	54.6
50%	52.0	50.7	47.9	46.0	46.3	48.6	50.8	52.8	52.7	56.5	55.5	54.2
60%	51.7	50.3	47.6	45.8	46.0	48.4	50.5	52.6	52.3	56.0	55.3	53.9
70%	51.4	50.0	47.3	45.7	45.6	48.2	50.2	52.4	52.0	55.8	55.0	53.6
80%	51.1	49.6	46.8	45.5	45.3	47.8	50.0	52.0	51.6	55.4	54.6	53.4
90%	50.7	49.0	46.5	44.8	45.0	47.3	49.3	51.6	51.1	54.9	54.3	52.9

Table 5A-D2.6.1-D. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	50.8	47.9	46.1	46.4	48.7	50.9	53.1	52.8	56.5	55.8	54.5
Wet Water Years	51.2	49.8	47.3	46.0	45.8	48.1	50.0	52.7	52.5	56.2	55.2	53.7
Above Normal Water Years	51.4	50.1	47.3	45.7	45.8	48.3	50.6	52.7	52.2	56.0	55.0	53.5
Below Normal Water Years	52.5	51.1	48.2	45.8	46.3	48.7	50.9	52.7	52.7	56.6	55.6	54.3
Dry Water Years	53.1	51.4	48.1	46.3	46.7	49.1	51.3	53.2	52.6	56.5	55.9	55.0
Critical Water Years	55.8	53.0	49.0	47.4	48.4	50.3	52.9	54.9	54.5	57.7	57.9	57.0

Table 5A-D2.6.1-E. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.6.1-F. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
Critical Water Years	0.0	-0.1	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0

Table 5A-D2.6.1-G. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%	0.1%	0.0%	0.0%
20%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%
30%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.4%	0.1%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%
90%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.6.1-H. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%	0.2%	0.0%	0.0%
Dry Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.2%	-0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%

Table 5A-D2.6.2-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	52.6	49.4	47.4	48.1	49.8	52.4	54.7	54.3	58.2	57.3	56.3
20%	53.7	51.9	48.5	46.9	47.1	49.5	51.7	53.9	53.8	57.4	56.8	55.4
30%	52.9	51.3	48.2	46.5	46.8	49.3	51.4	53.5	53.2	57.0	56.3	54.8
40%	52.4	51.1	48.1	46.2	46.5	49.0	51.1	53.2	52.8	56.8	55.8	54.6
50%	52.0	50.7	47.8	46.0	46.3	48.6	50.8	52.9	52.6	56.5	55.5	54.2
60%	51.7	50.3	47.6	45.8	46.0	48.3	50.5	52.6	52.3	56.0	55.3	53.8
70%	51.4	50.0	47.3	45.7	45.6	48.2	50.2	52.4	52.0	55.8	55.0	53.6
80%	51.1	49.7	46.8	45.5	45.3	47.8	50.0	52.0	51.7	55.4	54.6	53.4
90%	50.7	49.1	46.5	44.8	45.0	47.3	49.3	51.6	51.1	54.9	54.3	52.9

Table 5A-D2.6.2-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	50.8	47.9	46.1	46.4	48.7	50.9	53.0	52.7	56.5	55.8	54.5
Wet Water Years	51.2	49.8	47.3	46.0	45.8	48.1	50.0	52.7	52.4	56.2	55.2	53.7
Above Normal Water Years	51.4	50.1	47.3	45.7	45.7	48.3	50.6	52.7	52.2	56.0	55.0	53.5
Below Normal Water Years	52.5	51.1	48.2	45.8	46.3	48.7	50.9	52.6	52.6	56.5	55.6	54.3
Dry Water Years	53.1	51.3	48.1	46.3	46.7	49.1	51.3	53.1	52.6	56.5	55.9	54.9
Critical Water Years	55.8	53.0	49.1	47.4	48.4	50.3	52.9	54.9	54.6	57.8	57.9	57.0

Table 5A-D2.6.2-C. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0
20%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
90%	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.6.2-D. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.6.2-E. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.1%	0.0%
20%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.1%	0.1%
30%	0.0%	-0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
50%	-0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%
80%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%
90%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.6.2-F. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%
Dry Water Years	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.3%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%

Table 5A-D2.6.3-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	52.5	49.3	47.4	48.1	49.8	52.4	54.7	54.4	58.2	57.1	56.3
20%	53.7	51.9	48.5	46.9	47.1	49.5	51.7	54.0	53.8	57.4	56.8	55.4
30%	52.9	51.3	48.2	46.5	46.8	49.3	51.4	53.6	53.2	56.9	56.3	54.8
40%	52.4	51.1	48.1	46.2	46.5	49.0	51.1	53.2	52.8	56.7	55.8	54.6
50%	52.0	50.7	47.8	46.0	46.3	48.6	50.8	52.8	52.7	56.5	55.5	54.1
60%	51.7	50.3	47.6	45.8	46.0	48.3	50.5	52.6	52.3	56.0	55.3	53.8
70%	51.4	50.0	47.3	45.7	45.6	48.2	50.2	52.4	52.0	55.7	55.0	53.6
80%	51.1	49.7	46.8	45.5	45.3	47.8	50.0	52.0	51.6	55.4	54.6	53.4
90%	50.6	49.1	46.5	44.8	45.0	47.3	49.3	51.6	51.1	54.9	54.3	52.9

Table 5A-D2.6.3-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	50.8	47.9	46.1	46.4	48.7	50.9	53.0	52.7	56.5	55.7	54.4
Wet Water Years	51.2	49.8	47.3	46.0	45.8	48.1	50.0	52.7	52.4	56.2	55.2	53.7
Above Normal Water Years	51.4	50.1	47.3	45.7	45.7	48.3	50.6	52.7	52.2	56.0	55.0	53.5
Below Normal Water Years	52.5	51.1	48.2	45.8	46.3	48.7	50.9	52.7	52.6	56.5	55.6	54.3
Dry Water Years	53.0	51.4	48.1	46.2	46.7	49.1	51.3	53.1	52.6	56.5	55.9	54.9
Critical Water Years	55.8	53.0	49.1	47.4	48.4	50.3	52.9	55.0	54.6	57.7	57.8	56.9

Table 5A-D2.6.3-C. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.2	0.0
20%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0
30%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
90%	-0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.6.3-D. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.2

Table 5A-D2.6.3-E. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.2%	0.1%	0.0%	-0.4%	-0.1%
20%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%
30%	0.0%	-0.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.3%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%
80%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.1%
90%	-0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.6.3-F. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
Dry Water Years	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.2%	0.0%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.4%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.2%	-0.3%	-0.4%

Table 5A-D2.6.4-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	52.5	49.4	47.4	48.1	49.8	52.4	54.8	54.5	58.2	57.1	56.3
20%	53.7	52.0	48.5	46.9	47.1	49.5	51.7	53.9	53.9	57.4	56.8	55.4
30%	52.8	51.4	48.2	46.5	46.8	49.3	51.4	53.5	53.4	57.0	56.3	54.8
40%	52.4	51.0	48.0	46.2	46.5	49.0	51.1	53.2	52.9	56.7	55.8	54.6
50%	52.0	50.6	47.8	46.0	46.3	48.6	50.8	52.8	52.7	56.5	55.5	54.1
60%	51.7	50.3	47.6	45.8	45.9	48.4	50.5	52.6	52.3	56.0	55.3	53.8
70%	51.3	50.0	47.3	45.7	45.6	48.2	50.2	52.4	52.0	55.7	55.0	53.6
80%	51.1	49.6	46.8	45.5	45.3	47.8	50.0	52.0	51.6	55.4	54.6	53.3
90%	50.6	49.0	46.6	44.8	45.0	47.3	49.4	51.5	51.1	54.9	54.3	52.9

Table 5A-D2.6.4-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	50.8	47.9	46.1	46.4	48.7	50.9	53.1	52.8	56.5	55.7	54.4
Wet Water Years	51.2	49.8	47.3	46.0	45.8	48.1	50.0	52.7	52.5	56.2	55.2	53.7
Above Normal Water Years	51.4	50.1	47.3	45.7	45.8	48.3	50.6	52.7	52.2	56.0	55.0	53.5
Below Normal Water Years	52.5	51.1	48.2	45.8	46.3	48.7	50.9	52.7	52.8	56.5	55.6	54.3
Dry Water Years	53.0	51.3	48.0	46.2	46.6	49.1	51.3	53.1	52.6	56.5	55.9	54.9
Critical Water Years	55.8	53.0	49.0	47.3	48.4	50.3	52.9	55.0	54.6	57.7	57.7	56.9

Table 5A-D2.6.4-C. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.2	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
30%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0
40%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2
60%	0.0	-0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
90%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.6.4-D. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.2	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.2

Table 5A-D2.6.4-E. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.1%	-0.4%	0.0%
20%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%	0.0%
30%	-0.1%	-0.3%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%	0.0%	0.0%
40%	-0.1%	-0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.1%	0.0%
50%	0.0%	-0.1%	-0.1%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.3%
60%	0.0%	-0.1%	0.0%	0.0%	-0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
70%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.2%
90%	-0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.6.4-F. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%	0.1%	0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%	-0.3%	0.0%	-0.1%	-0.2%	-0.2%
Critical Water Years	0.0%	-0.4%	-0.5%	-0.2%	-0.1%	0.0%	0.0%	0.2%	0.0%	-0.2%	-0.3%	-0.4%

Table 5A-D2.6.5-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	52.5	49.4	47.4	48.1	49.8	52.4	54.8	54.5	58.2	57.0	56.3
20%	53.7	51.9	48.5	46.9	47.1	49.5	51.7	54.0	53.9	57.4	56.8	55.5
30%	52.9	51.4	48.2	46.5	46.8	49.3	51.4	53.5	53.2	57.0	56.3	54.8
40%	52.4	51.1	48.1	46.2	46.5	49.0	51.1	53.2	52.9	56.7	55.9	54.6
50%	52.0	50.7	47.8	46.0	46.3	48.6	50.8	52.8	52.7	56.5	55.5	54.1
60%	51.7	50.3	47.6	45.8	46.0	48.3	50.5	52.6	52.3	56.0	55.3	53.8
70%	51.4	50.0	47.3	45.7	45.6	48.2	50.2	52.4	52.0	55.7	55.0	53.6
80%	51.1	49.7	46.8	45.5	45.3	47.8	50.0	52.0	51.6	55.4	54.6	53.4
90%	50.6	49.1	46.6	44.8	45.0	47.3	49.3	51.6	51.1	54.9	54.3	52.9

Table 5A-D2.6.5-B. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	50.8	47.9	46.1	46.4	48.7	50.9	53.1	52.8	56.5	55.7	54.4
Wet Water Years	51.2	49.8	47.3	46.0	45.8	48.1	50.0	52.7	52.5	56.2	55.2	53.7
Above Normal Water Years	51.4	50.1	47.3	45.7	45.8	48.3	50.6	52.7	52.2	56.1	55.0	53.5
Below Normal Water Years	52.5	51.1	48.2	45.8	46.3	48.7	50.9	52.7	52.7	56.5	55.6	54.3
Dry Water Years	53.0	51.4	48.1	46.2	46.7	49.1	51.3	53.1	52.6	56.5	55.9	54.9
Critical Water Years	55.8	53.0	49.1	47.4	48.4	50.3	52.9	55.0	54.6	57.7	57.8	56.9

Table 5A-D2.6.5-C. Clear Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.2	0.0
20%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0
30%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	-0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.6.5-D. Clear Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.2

Table 5A-D2.6.5-E. Clear Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	-0.4%	-0.1%
20%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%	0.1%
30%	0.0%	-0.4%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.1%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.3%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%
80%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.1%
90%	-0.1%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.6.5-F. Clear Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%
Wet Water Years	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%	0.1%	0.0%	0.0%
Dry Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.4%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.2%	-0.3%	-0.4%

Figure 5A-D2.6.1. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.6.2. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.6.3. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.6.4. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.6.5. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.6.6. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.6.7. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.6.8. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.6.9. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.6.10. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.6.11. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.6.12. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.6.13. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.6.14. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.6.15. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.6.16. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.6.17. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.6.18. Clear Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.6.19. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.6.20. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.6.21. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.6.22. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.6.23. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.6.24. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.6.25. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.6.26. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.6.27. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.6.28. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.6.29. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.6.30. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.6.31. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.6.32. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.6.33. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.6.34. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.6.35. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.6.36. Clear Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.6.37-A. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.6.37-B. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.6.37-C. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.6.37-D. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.6.38. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.6.39. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.6.40. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.6.41. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.6.42. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.6.43. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.6.44. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.6.45. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.6.46. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.6.47. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.6.48. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.6.49. Clear Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.7 Clear Creek at Clear Creek Tunnel

Table 5A-D2.7.1-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.9	51.2	50.5	50.4	50.2	51.2	51.3	50.6	52.2	52.9	52.8	53.0
20%	52.1	50.6	49.5	48.7	49.2	50.5	50.9	50.3	51.7	51.7	51.1	51.9
30%	51.6	49.9	48.6	48.0	48.6	50.0	50.8	49.9	50.7	51.2	50.7	50.8
40%	50.6	49.5	48.1	47.4	48.2	49.8	50.3	49.3	50.2	50.7	50.1	50.4
50%	50.0	49.1	47.8	47.1	47.8	49.3	50.1	49.0	49.8	50.3	49.8	50.0
60%	49.6	48.8	47.5	46.8	47.4	48.8	49.8	48.8	49.3	49.8	49.5	49.3
70%	49.4	48.2	47.2	46.6	47.1	48.1	49.5	48.5	48.9	49.4	49.2	49.0
80%	48.8	47.8	47.0	46.2	46.6	47.6	48.7	48.1	48.5	49.2	48.9	48.8
90%	47.9	47.2	46.3	45.8	46.0	46.8	47.9	47.5	48.0	48.7	48.4	48.3

Table 5A-D2.7.1-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.3	49.3	48.2	47.6	48.0	49.1	49.8	49.1	49.9	50.6	50.3	50.3
Wet Water Years	48.8	48.1	47.3	47.6	47.6	48.0	48.9	48.8	48.8	49.8	49.2	49.2
Above Normal Water Years	49.5	48.4	47.4	47.7	48.2	49.1	49.8	49.5	49.3	49.9	49.2	49.0
Below Normal Water Years	50.6	49.5	48.4	46.9	47.6	49.1	50.4	49.1	50.4	50.4	50.0	50.1
Dry Water Years	51.7	50.0	48.3	47.1	48.1	50.2	50.6	49.1	50.9	50.8	50.7	51.2
Critical Water Years	53.1	51.9	50.7	49.3	49.6	50.6	50.4	49.9	51.5	53.1	54.0	53.7

Table 5A-D2.7.1-C. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.7	51.3	50.1	50.1	50.2	51.0	51.4	50.7	52.2	52.6	52.7	53.0
20%	52.1	50.4	49.3	48.5	49.3	50.5	51.1	50.3	51.7	51.8	51.1	51.8
30%	51.3	49.9	48.6	48.0	48.6	50.0	50.8	49.7	50.7	51.2	50.5	50.8
40%	50.6	49.4	48.0	47.4	48.2	49.8	50.5	49.3	50.2	50.7	50.1	50.4
50%	50.0	49.1	47.8	47.2	47.8	49.3	50.0	49.0	49.8	50.2	49.8	50.0
60%	49.6	48.8	47.5	46.9	47.4	48.8	49.7	48.8	49.2	49.7	49.5	49.3
70%	49.4	48.2	47.3	46.6	47.1	48.1	49.4	48.5	48.8	49.4	49.2	49.0
80%	48.8	47.8	47.0	46.2	46.7	47.6	48.7	48.1	48.5	49.2	48.9	48.8
90%	48.1	47.2	46.3	45.8	46.0	46.8	47.9	47.5	48.0	48.7	48.4	48.3

Table 5A-D2.7.1-D. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.3	49.2	48.1	47.5	48.0	49.0	49.9	49.1	50.0	50.5	50.2	50.3
Wet Water Years	48.8	48.1	47.3	47.6	47.6	48.0	48.9	48.8	48.8	49.8	49.2	49.2
Above Normal Water Years	49.5	48.4	47.4	47.5	47.9	48.9	49.7	49.5	49.3	49.9	49.2	49.0
Below Normal Water Years	50.6	49.4	48.3	46.9	47.6	49.0	50.5	49.2	50.4	50.4	50.0	50.1
Dry Water Years	51.7	50.0	48.3	47.2	48.3	50.2	50.6	49.0	51.0	50.8	50.6	51.1
Critical Water Years	52.9	51.6	50.5	49.0	49.6	50.5	50.4	49.9	51.5	53.0	53.9	53.7

Table 5A-D2.7.1-E. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	-0.4	-0.3	-0.1	-0.2	0.1	0.1	0.0	-0.3	-0.1	0.0
20%	0.0	-0.2	-0.3	-0.1	0.1	0.0	0.2	0.0	0.0	0.0	0.0	-0.1
30%	-0.2	0.0	-0.1	0.1	0.0	0.0	0.0	-0.2	0.0	0.0	-0.3	0.0
40%	0.0	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.7.1-F. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	-0.3	-0.3	-0.2	-0.1	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	-0.3	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1

Table 5A-D2.7.1-G. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	0.2%	-0.8%	-0.6%	-0.1%	-0.4%	0.2%	0.2%	0.0%	-0.5%	-0.2%	0.0%
20%	-0.1%	-0.3%	-0.5%	-0.3%	0.2%	-0.1%	0.3%	0.0%	0.0%	0.1%	0.0%	-0.2%
30%	-0.5%	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.1%	-0.3%	0.1%	0.0%	-0.5%	0.0%
40%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%	0.0%	-0.2%	0.0%	0.0%
60%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	0.0%	0.0%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%	0.0%
80%	0.0%	0.0%	0.1%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
90%	0.3%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.7.1-H. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%
Wet Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	-0.6%	-0.7%	-0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	-0.1%	-0.4%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.1%	0.0%	-0.1%	0.2%	0.4%	0.1%	0.0%	-0.1%	0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	-0.2%	-0.5%	-0.5%	-0.4%	0.0%	-0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	-0.1%

Table 5A-D2.7.2-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.7	51.3	50.2	50.2	50.2	50.9	51.5	50.7	52.2	52.7	52.7	53.0
20%	52.2	50.4	49.4	48.6	49.2	50.4	51.1	50.3	51.7	51.7	51.2	51.8
30%	51.2	49.9	48.6	48.0	48.7	50.0	50.8	49.8	50.7	51.2	50.5	50.8
40%	50.5	49.4	48.1	47.4	48.2	49.8	50.4	49.3	50.2	50.7	50.1	50.3
50%	50.0	49.1	47.8	47.2	47.8	49.4	50.0	49.1	49.8	50.2	49.7	50.0
60%	49.6	48.8	47.5	46.9	47.4	48.8	49.7	48.8	49.3	49.7	49.5	49.3
70%	49.4	48.2	47.3	46.6	47.1	47.9	49.4	48.5	48.8	49.4	49.2	49.0
80%	48.8	47.8	47.0	46.2	46.7	47.6	48.7	48.2	48.5	49.2	48.9	48.8
90%	48.1	47.2	46.2	45.7	46.0	46.8	47.9	47.5	48.0	48.7	48.4	48.3

Table 5A-D2.7.2-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.3	49.2	48.1	47.5	48.0	49.0	49.9	49.2	50.0	50.5	50.2	50.3
Wet Water Years	48.8	48.1	47.3	47.6	47.6	48.0	48.9	48.8	48.8	49.8	49.2	49.2
Above Normal Water Years	49.5	48.4	47.4	47.5	47.9	48.9	49.7	49.5	49.3	49.9	49.2	49.0
Below Normal Water Years	50.6	49.4	48.3	46.9	47.6	49.0	50.5	49.2	50.4	50.4	50.0	50.1
Dry Water Years	51.6	50.0	48.3	47.2	48.2	50.2	50.7	49.0	50.9	50.8	50.6	51.1
Critical Water Years	52.9	51.6	50.6	49.1	49.6	50.4	50.4	49.9	51.5	53.0	53.9	53.7

Table 5A-D2.7.2-C. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	-0.3	-0.2	-0.1	-0.3	0.2	0.1	0.0	-0.2	-0.1	0.0
20%	0.0	-0.1	-0.1	-0.1	0.0	-0.1	0.2	0.0	0.0	0.0	0.0	-0.1
30%	-0.4	-0.1	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.2	0.0
40%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	-0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	-0.2	-0.1	0.0	-0.1	-0.1	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
90%	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.7.2-D. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	-0.3	-0.3	-0.2	-0.1	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	-0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Critical Water Years	-0.1	-0.3	-0.2	-0.2	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.7.2-E. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	0.1%	-0.6%	-0.4%	-0.1%	-0.5%	0.3%	0.2%	0.0%	-0.3%	-0.2%	0.0%
20%	0.1%	-0.3%	-0.2%	-0.1%	0.0%	-0.2%	0.3%	0.0%	0.0%	0.0%	0.1%	-0.2%
30%	-0.8%	-0.1%	-0.1%	0.1%	0.1%	0.0%	0.1%	-0.2%	0.1%	0.0%	-0.5%	0.0%
40%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.2%	0.1%	0.1%	-0.2%	-0.1%	0.0%
60%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.4%	-0.2%	0.1%	-0.1%	-0.1%	-0.1%	0.1%
80%	0.0%	0.0%	0.1%	0.0%	0.3%	0.0%	-0.1%	0.2%	0.0%	0.0%	-0.1%	0.0%
90%	0.2%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%

Table 5A-D2.7.2-F. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	-0.2%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	-0.6%	-0.7%	-0.4%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.3%	-0.2%	-0.1%	0.0%	-0.1%	0.1%	0.3%	0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.3%	0.0%	-0.1%	0.2%	0.3%	0.1%	0.2%	-0.1%	0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	-0.3%	-0.6%	-0.3%	-0.3%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%

Table 5A-D2.7.3-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.7	51.3	50.1	50.2	50.3	51.2	51.4	50.6	52.2	52.5	52.6	53.0
20%	52.2	50.4	49.3	48.5	49.2	50.5	51.1	50.3	51.7	51.7	51.1	51.7
30%	51.3	49.9	48.5	48.0	48.6	50.0	50.8	49.8	50.7	51.3	50.5	50.8
40%	50.5	49.5	48.1	47.4	48.2	49.8	50.5	49.4	50.2	50.7	50.1	50.3
50%	50.0	49.1	47.8	47.2	47.8	49.4	50.1	49.1	49.8	50.2	49.7	50.0
60%	49.6	48.8	47.5	46.8	47.4	48.8	49.8	48.8	49.2	49.7	49.5	49.3
70%	49.3	48.2	47.2	46.6	47.1	48.0	49.4	48.6	48.9	49.4	49.2	49.0
80%	48.7	47.8	47.0	46.2	46.7	47.6	48.8	48.3	48.5	49.2	48.9	48.8
90%	47.9	47.2	46.2	45.7	46.0	46.9	48.1	47.5	48.0	48.7	48.4	48.3

Table 5A-D2.7.3-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.2	49.2	48.1	47.5	48.0	49.1	49.9	49.2	50.0	50.5	50.2	50.2
Wet Water Years	48.7	48.1	47.2	47.6	47.6	48.0	48.9	48.8	48.8	49.8	49.2	49.1
Above Normal Water Years	49.6	48.4	47.4	47.8	48.1	49.0	49.7	49.5	49.3	49.9	49.2	49.0
Below Normal Water Years	50.6	49.5	48.4	46.8	47.6	49.1	50.5	49.2	50.4	50.4	50.0	50.1
Dry Water Years	51.6	50.0	48.2	47.2	48.2	50.2	50.7	49.0	51.0	50.8	50.6	51.1
Critical Water Years	52.7	51.2	50.1	48.6	49.4	50.7	50.7	49.9	51.6	52.9	53.5	53.4

Table 5A-D2.7.3-C. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	-0.4	-0.3	0.0	0.0	0.1	0.1	0.0	-0.4	-0.2	0.0
20%	0.0	-0.1	-0.2	-0.1	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	-0.2
30%	-0.3	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	-0.3	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	-0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.1	-0.1	0.0
80%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	-0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.7.3-D. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	-0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	-0.1	-0.1
Critical Water Years	-0.4	-0.7	-0.6	-0.7	-0.1	0.1	0.3	0.0	0.0	-0.2	-0.5	-0.3

Table 5A-D2.7.3-E. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	0.2%	-0.8%	-0.5%	0.1%	-0.1%	0.2%	0.2%	0.0%	-0.7%	-0.4%	-0.1%
20%	0.0%	-0.3%	-0.4%	-0.3%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	-0.3%
30%	-0.6%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%	0.3%	-0.5%	0.0%
40%	-0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.1%	0.0%	-0.2%	-0.1%	0.0%
60%	0.0%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%
70%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.2%	0.0%	-0.1%	-0.1%	0.0%
80%	-0.1%	0.0%	0.1%	0.0%	0.2%	0.1%	0.1%	0.3%	0.0%	-0.1%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	-0.2%	-0.1%	0.3%	0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.7.3-F. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.2%	-0.2%	-0.2%	-0.2%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.1%	-0.2%	-0.2%
Wet Water Years	-0.2%	-0.1%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.2%	0.3%	0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	-0.2%	0.1%	0.3%	0.1%	0.2%	-0.1%	0.1%	-0.1%	-0.2%	-0.2%
Critical Water Years	-0.8%	-1.3%	-1.2%	-1.4%	-0.2%	0.3%	0.7%	0.0%	0.1%	-0.4%	-0.8%	-0.5%

Table 5A-D2.7.4-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.7	51.3	50.1	50.1	50.2	51.1	51.4	50.7	52.2	52.6	52.6	53.0
20%	52.0	50.4	49.2	48.5	49.2	50.5	51.1	50.3	51.7	51.7	51.2	51.8
30%	51.2	49.9	48.6	47.9	48.6	50.2	50.8	49.7	50.9	51.2	50.5	50.8
40%	50.6	49.5	48.1	47.4	48.2	49.8	50.5	49.3	50.3	50.7	50.1	50.3
50%	50.0	49.1	47.8	47.2	47.8	49.4	50.0	49.0	49.8	50.2	49.7	50.0
60%	49.6	48.9	47.5	46.8	47.4	48.8	49.7	48.8	49.3	49.8	49.5	49.2
70%	49.4	48.3	47.3	46.6	47.1	48.0	49.4	48.5	48.9	49.5	49.2	49.0
80%	48.7	47.8	47.0	46.2	46.6	47.6	48.8	48.0	48.5	49.2	48.9	48.7
90%	47.9	47.2	46.3	45.8	46.0	46.9	47.9	47.5	48.0	48.7	48.4	48.3

Table 5A-D2.7.4-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.2	49.2	48.1	47.5	48.0	49.1	49.9	49.1	50.0	50.5	50.2	50.2
Wet Water Years	48.7	48.1	47.3	47.6	47.6	48.0	48.9	48.8	48.8	49.8	49.2	49.1
Above Normal Water Years	49.5	48.4	47.4	47.8	48.1	49.0	49.8	49.5	49.3	49.9	49.2	49.0
Below Normal Water Years	50.6	49.6	48.4	46.9	47.6	49.0	50.5	49.2	50.4	50.4	50.0	50.1
Dry Water Years	51.6	49.9	48.2	47.1	48.2	50.2	50.7	49.0	51.0	50.7	50.6	51.0
Critical Water Years	52.7	51.2	50.0	48.5	49.5	50.6	50.5	49.9	51.5	52.9	53.5	53.4

Table 5A-D2.7.4-C. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	-0.4	-0.3	0.0	-0.1	0.1	0.1	0.0	-0.3	-0.2	0.0
20%	-0.2	-0.2	-0.3	-0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	-0.1
30%	-0.3	0.0	0.0	0.0	0.0	0.2	0.1	-0.2	0.2	0.0	-0.3	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	-0.1	0.0	0.0
60%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	-0.1	0.0
80%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
90%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.7.4-D. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1
Wet Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	-0.1	0.1	0.1	0.1	0.1	0.0	0.1	-0.1	-0.1	-0.2
Critical Water Years	-0.4	-0.6	-0.7	-0.7	-0.1	0.0	0.1	0.0	0.0	-0.2	-0.5	-0.3

Table 5A-D2.7.4-E. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	0.1%	-0.8%	-0.6%	0.0%	-0.1%	0.2%	0.2%	0.0%	-0.6%	-0.4%	-0.1%
20%	-0.3%	-0.4%	-0.6%	-0.3%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.1%	-0.2%
30%	-0.6%	0.0%	-0.1%	-0.1%	0.0%	0.3%	0.1%	-0.3%	0.4%	0.0%	-0.5%	0.1%
40%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	-0.1%	0.3%	0.0%	0.0%	-0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	-0.1%	0.0%	0.0%	-0.2%	0.0%	-0.1%
60%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%	0.1%	0.0%	0.0%	0.0%
70%	0.0%	0.3%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%
80%	-0.1%	0.0%	0.1%	0.0%	0.2%	0.1%	0.0%	-0.2%	0.0%	-0.1%	-0.1%	-0.2%
90%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.2%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.0%

Table 5A-D2.7.4-F. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.2%	-0.1%	-0.2%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	-0.2%	-0.2%
Wet Water Years	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.1%	0.2%	0.2%	0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.3%	-0.1%	-0.2%	0.1%	0.3%	0.1%	0.2%	-0.1%	0.2%	-0.3%	-0.2%	-0.4%
Critical Water Years	-0.7%	-1.2%	-1.4%	-1.5%	-0.2%	0.1%	0.2%	-0.1%	0.0%	-0.4%	-0.9%	-0.5%

Table 5A-D2.7.5-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.7	51.3	50.1	50.2	50.3	51.1	51.4	50.6	52.3	52.6	52.6	53.0
20%	52.2	50.4	49.3	48.5	49.2	50.5	51.1	50.3	51.7	51.7	51.1	51.7
30%	51.3	49.9	48.5	48.0	48.6	50.0	50.8	49.8	50.7	51.3	50.5	50.8
40%	50.5	49.5	48.1	47.4	48.2	49.8	50.5	49.3	50.2	50.7	50.1	50.3
50%	50.0	49.1	47.8	47.2	47.8	49.4	50.1	49.1	49.8	50.2	49.7	50.0
60%	49.6	48.9	47.5	46.8	47.4	48.8	49.8	48.8	49.2	49.7	49.5	49.3
70%	49.3	48.2	47.2	46.6	47.1	48.0	49.4	48.6	48.9	49.4	49.2	49.0
80%	48.7	47.8	47.0	46.2	46.7	47.6	48.8	48.3	48.5	49.2	48.9	48.8
90%	47.9	47.2	46.2	45.7	46.0	46.9	48.1	47.5	48.0	48.7	48.4	48.3

Table 5A-D2.7.5-B. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.2	49.2	48.1	47.5	48.0	49.1	49.9	49.2	50.0	50.5	50.2	50.2
Wet Water Years	48.7	48.1	47.2	47.6	47.6	48.0	48.9	48.8	48.8	49.8	49.2	49.1
Above Normal Water Years	49.6	48.4	47.4	47.8	48.1	49.0	49.7	49.5	49.3	49.9	49.2	49.0
Below Normal Water Years	50.6	49.5	48.4	46.8	47.6	49.1	50.5	49.3	50.4	50.4	50.0	50.1
Dry Water Years	51.6	50.0	48.2	47.2	48.2	50.2	50.7	49.0	51.0	50.8	50.6	51.1
Critical Water Years	52.7	51.2	50.1	48.6	49.4	50.7	50.7	49.9	51.6	52.9	53.5	53.4

Table 5A-D2.7.5-C. Clear Creek at Clear Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	-0.4	-0.3	0.0	-0.1	0.1	0.1	0.0	-0.3	-0.2	0.0
20%	0.0	-0.1	-0.2	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.2
30%	-0.3	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	-0.3	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	-0.1	0.0	0.0
60%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.1	-0.1	0.0
80%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	-0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.7.5-D. Clear Creek at Clear Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	-0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	-0.1	-0.1
Critical Water Years	-0.4	-0.7	-0.6	-0.7	-0.1	0.1	0.3	0.0	0.0	-0.2	-0.5	-0.3

Table 5A-D2.7.5-E. Clear Creek at Clear Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	0.2%	-0.8%	-0.5%	0.1%	-0.1%	0.2%	0.2%	0.1%	-0.6%	-0.4%	-0.1%
20%	0.0%	-0.3%	-0.4%	-0.3%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	-0.3%
30%	-0.6%	0.0%	-0.2%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%	0.3%	-0.5%	0.0%
40%	-0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.1%	0.0%	-0.2%	0.0%	0.0%
60%	0.0%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%
70%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.2%	0.0%	-0.1%	-0.1%	0.0%
80%	-0.1%	0.0%	0.1%	0.0%	0.2%	0.1%	0.1%	0.3%	0.0%	-0.1%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	-0.2%	-0.1%	0.3%	0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.7.5-F. Clear Creek at Clear Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.2%	-0.2%	-0.2%	-0.2%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.1%	-0.2%	-0.2%
Wet Water Years	-0.2%	-0.1%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.2%	0.3%	0.1%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	-0.2%	0.1%	0.3%	0.1%	0.2%	-0.1%	0.1%	-0.1%	-0.2%	-0.2%
Critical Water Years	-0.8%	-1.3%	-1.2%	-1.4%	-0.3%	0.2%	0.7%	0.0%	0.1%	-0.4%	-0.8%	-0.5%

Figure 5A-D2.7.1. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.7.2. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.7.3. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.7.4. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.7.5. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.7.6. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.7.7. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.7.8. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.7.9. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.7.10. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.7.11. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.7.12. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.7.13. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.7.14. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.7.15. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.7.16. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.7.17. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.7.18. Clear Creek at Clear Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.7.19. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.7.20. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.7.21. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.7.22. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.7.23. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.7.24. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.7.25. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.7.26. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.7.27. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.7.28. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.7.29. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.7.30. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.7.31. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.7.32. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.7.33. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.7.34. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.7.35. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.7.36. Clear Creek at Clear Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.7.37-A. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.7.37-B. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.7.37-C. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.7.37-D. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.7.38. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.7.39. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.7.40. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.7.41. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.7.42. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.7.43. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.7.44. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.7.45. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.7.46. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.7.47. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.7.48. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.7.49. Clear Creek at Clear Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.8 Clear Creek at Igo

Table 5A-D2.8.1-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	53.4	52.0	48.9	46.9	47.3	48.5	50.2	51.7	52.0	54.2	54.5	54.4
20%	52.5	51.5	48.2	46.3	46.5	48.1	49.7	51.2	51.5	53.8	53.6	53.1
30%	51.7	51.0	47.8	46.1	46.1	47.8	49.4	50.9	51.2	53.3	53.0	52.5
40%	51.3	50.5	47.6	45.8	46.0	47.6	49.2	50.5	50.8	53.1	52.7	52.1
50%	50.7	50.1	47.5	45.5	45.7	47.3	48.9	50.3	50.5	53.0	52.4	51.8
60%	50.3	49.7	47.2	45.3	45.4	47.0	48.6	50.1	50.3	52.5	52.2	51.3
70%	50.2	49.5	46.9	45.2	45.1	46.9	48.4	49.9	50.0	52.2	51.9	51.2
80%	49.8	49.1	46.5	45.0	44.8	46.5	48.0	49.6	49.7	51.9	51.6	51.0
90%	49.4	48.3	46.1	44.3	44.4	46.0	47.8	49.1	49.2	51.4	51.2	50.6

Table 5A-D2.8.1-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	51.2	50.2	47.5	45.6	45.8	47.3	48.9	50.4	50.6	52.9	52.7	52.1
Wet Water Years	49.9	49.1	46.9	45.5	45.2	46.7	48.2	50.0	50.3	52.5	52.0	51.2
Above Normal Water Years	50.2	49.6	46.9	45.2	45.2	47.0	48.6	50.1	50.2	52.4	52.0	51.1
Below Normal Water Years	51.3	50.5	47.8	45.3	45.7	47.3	48.9	50.2	50.5	52.9	52.5	51.9
Dry Water Years	52.0	50.8	47.8	45.8	46.0	47.7	49.3	50.7	50.6	53.0	52.9	52.6
Critical Water Years	54.4	52.6	48.9	46.9	47.5	48.8	50.6	51.8	52.1	54.3	55.0	54.9

Table 5A-D2.8.1-C. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	53.4	51.9	49.1	46.9	47.3	48.5	50.2	51.8	52.1	54.3	54.3	54.4
20%	52.4	51.3	48.2	46.3	46.5	48.1	49.7	51.2	51.6	53.8	53.6	53.0
30%	51.7	50.9	47.8	46.1	46.1	47.8	49.4	50.9	51.2	53.3	53.1	52.6
40%	51.3	50.5	47.6	45.8	46.0	47.6	49.2	50.6	50.8	53.1	52.7	52.1
50%	50.7	50.1	47.5	45.5	45.7	47.3	48.9	50.3	50.5	52.9	52.4	51.8
60%	50.4	49.7	47.2	45.3	45.4	47.0	48.6	50.1	50.3	52.5	52.2	51.3
70%	50.2	49.5	46.9	45.2	45.1	46.9	48.4	49.9	50.0	52.2	51.9	51.3
80%	49.8	49.1	46.5	45.0	44.8	46.5	48.0	49.6	49.7	51.9	51.6	50.9
90%	49.4	48.4	46.1	44.3	44.4	46.0	47.8	49.1	49.2	51.4	51.2	50.6

Table 5A-D2.8.1-D. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	51.2	50.2	47.5	45.6	45.8	47.3	48.9	50.4	50.7	52.9	52.7	52.1
Wet Water Years	49.9	49.2	46.9	45.5	45.2	46.7	48.2	50.0	50.4	52.5	52.0	51.2
Above Normal Water Years	50.2	49.6	46.9	45.2	45.2	47.0	48.6	50.1	50.2	52.5	52.0	51.1
Below Normal Water Years	51.3	50.5	47.8	45.3	45.7	47.4	48.9	50.3	50.6	53.0	52.5	52.0
Dry Water Years	51.9	50.8	47.8	45.8	46.0	47.7	49.3	50.6	50.6	52.9	52.9	52.6
Critical Water Years	54.4	52.5	48.6	46.9	47.5	48.8	50.5	51.9	52.0	54.2	55.0	54.9

Table 5A-D2.8.1-E. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.2	0.0
20%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.1
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.8.1-F. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1
Critical Water Years	0.0	-0.1	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0

Table 5A-D2.8.1-G. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	0.1%	-0.3%	0.0%
20%	-0.1%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	0.0%	-0.1%
30%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
90%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.8.1-H. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%	0.2%	0.0%	0.0%
Dry Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.3%	-0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	0.0%

Table 5A-D2.8.2-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	53.4	51.9	48.9	46.9	47.3	48.5	50.2	51.6	52.0	54.3	54.5	54.4
20%	52.5	51.3	48.2	46.3	46.5	48.1	49.7	51.2	51.6	53.8	53.6	53.0
30%	51.6	50.8	47.8	46.1	46.1	47.8	49.4	50.9	51.2	53.3	53.0	52.5
40%	51.2	50.5	47.6	45.8	46.0	47.6	49.2	50.6	50.8	53.1	52.7	52.1
50%	50.7	50.1	47.5	45.5	45.7	47.3	48.9	50.3	50.5	52.9	52.4	51.7
60%	50.4	49.7	47.2	45.3	45.4	47.0	48.7	50.1	50.3	52.5	52.2	51.4
70%	50.2	49.4	46.9	45.2	45.1	46.9	48.3	49.9	50.0	52.2	51.9	51.3
80%	49.8	49.2	46.5	45.0	44.8	46.5	48.0	49.6	49.7	51.9	51.6	50.9
90%	49.4	48.6	46.1	44.3	44.4	46.0	47.8	49.1	49.2	51.4	51.1	50.6

Table 5A-D2.8.2-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	51.2	50.2	47.5	45.6	45.7	47.3	48.9	50.4	50.6	52.9	52.7	52.1
Wet Water Years	50.0	49.2	46.9	45.5	45.2	46.7	48.2	50.1	50.3	52.5	52.0	51.2
Above Normal Water Years	50.2	49.6	46.9	45.2	45.2	47.0	48.6	50.1	50.2	52.4	52.0	51.1
Below Normal Water Years	51.3	50.5	47.8	45.3	45.7	47.3	48.9	50.2	50.5	52.9	52.5	51.9
Dry Water Years	51.9	50.8	47.8	45.8	46.0	47.7	49.3	50.6	50.6	52.9	52.9	52.6
Critical Water Years	54.4	52.4	48.8	46.9	47.5	48.8	50.5	51.9	52.1	54.3	55.0	54.9

Table 5A-D2.8.2-C. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
20%	-0.1	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1
30%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
90%	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.8.2-D. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.8.2-E. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%
20%	-0.1%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%
30%	0.0%	-0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	-0.1%
60%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
90%	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.8.2-F. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%
Dry Water Years	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.3%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%

Table 5A-D2.8.3-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	53.4	51.9	48.9	46.8	47.3	48.5	50.2	51.6	52.0	54.3	54.1	54.3
20%	52.4	51.3	48.2	46.3	46.5	48.1	49.7	51.2	51.6	53.8	53.6	53.0
30%	51.6	50.8	47.8	46.1	46.1	47.8	49.4	50.9	51.2	53.3	53.0	52.5
40%	51.2	50.5	47.6	45.8	46.0	47.6	49.2	50.6	50.8	53.1	52.7	52.1
50%	50.7	50.1	47.5	45.5	45.7	47.3	48.9	50.3	50.5	52.9	52.4	51.7
60%	50.3	49.7	47.2	45.3	45.4	47.0	48.6	50.1	50.3	52.5	52.2	51.3
70%	50.1	49.4	46.9	45.2	45.1	46.9	48.3	49.9	50.0	52.2	51.9	51.3
80%	49.8	49.2	46.5	45.0	44.8	46.5	48.0	49.6	49.6	51.9	51.6	50.9
90%	49.4	48.6	46.1	44.4	44.4	46.0	47.8	49.1	49.2	51.4	51.2	50.6

Table 5A-D2.8.3-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	51.1	50.2	47.5	45.6	45.7	47.3	48.9	50.4	50.6	52.9	52.6	52.0
Wet Water Years	49.9	49.2	46.9	45.5	45.2	46.7	48.2	50.1	50.3	52.5	52.0	51.2
Above Normal Water Years	50.2	49.6	46.9	45.2	45.2	46.9	48.6	50.1	50.2	52.4	52.0	51.1
Below Normal Water Years	51.3	50.5	47.8	45.3	45.7	47.3	48.9	50.2	50.5	52.9	52.5	51.9
Dry Water Years	51.9	50.8	47.8	45.8	46.0	47.7	49.3	50.6	50.6	53.0	52.9	52.6
Critical Water Years	54.4	52.4	48.8	46.9	47.5	48.8	50.5	51.9	52.1	54.2	54.8	54.7

Table 5A-D2.8.3-C. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	-0.4	-0.1
20%	-0.1	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1
30%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1
90%	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.8.3-D. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.2

Table 5A-D2.8.3-E. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.7%	-0.1%
20%	-0.2%	-0.4%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.2%	0.0%	0.0%	-0.1%
30%	0.0%	-0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	-0.1%	-0.1%	0.0%
50%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%
70%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	-0.1%
90%	0.0%	0.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.8.3-F. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%
Dry Water Years	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.2%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	-0.1%	-0.4%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.2%	0.0%	-0.3%	-0.4%	-0.4%

Table 5A-D2.8.4-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	53.4	52.0	49.0	46.8	47.3	48.5	50.2	51.7	52.1	54.3	54.0	54.3
20%	52.4	51.3	48.2	46.3	46.5	48.1	49.7	51.2	51.6	53.9	53.6	53.0
30%	51.6	50.9	47.8	46.1	46.1	47.8	49.4	50.9	51.2	53.3	53.1	52.5
40%	51.2	50.4	47.6	45.8	46.0	47.6	49.2	50.6	50.8	53.0	52.7	52.0
50%	50.7	50.0	47.4	45.5	45.7	47.3	48.9	50.4	50.6	52.9	52.4	51.8
60%	50.3	49.6	47.2	45.3	45.4	47.0	48.6	50.1	50.3	52.5	52.2	51.3
70%	50.1	49.4	47.0	45.2	45.1	46.9	48.3	49.9	50.0	52.2	51.9	51.2
80%	49.8	49.1	46.5	44.9	44.7	46.5	48.0	49.6	49.6	51.9	51.5	50.9
90%	49.4	48.4	46.1	44.3	44.4	46.0	47.8	49.1	49.2	51.4	51.1	50.6

Table 5A-D2.8.4-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	51.1	50.2	47.5	45.6	45.7	47.3	48.9	50.4	50.7	52.9	52.6	52.0
Wet Water Years	49.9	49.2	46.9	45.5	45.2	46.7	48.2	50.1	50.4	52.5	52.0	51.2
Above Normal Water Years	50.2	49.6	46.9	45.2	45.2	47.0	48.6	50.1	50.2	52.5	52.0	51.1
Below Normal Water Years	51.3	50.5	47.8	45.3	45.7	47.4	49.0	50.3	50.7	52.9	52.5	51.9
Dry Water Years	51.8	50.8	47.7	45.8	46.0	47.7	49.3	50.5	50.6	52.9	52.8	52.5
Critical Water Years	54.4	52.4	48.6	46.8	47.5	48.8	50.6	51.9	52.1	54.2	54.8	54.7

Table 5A-D2.8.4-C. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.4	0.0
20%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.1
30%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	-0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
60%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
70%	-0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
90%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.8.4-D. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.2	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.2

Table 5A-D2.8.4-E. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.2%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.1%	-0.8%	-0.1%
20%	-0.3%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.3%	0.2%	0.1%	-0.1%
30%	0.0%	-0.2%	-0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%
40%	-0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%
50%	-0.1%	-0.1%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	-0.1%	0.0%	0.0%
60%	0.0%	-0.2%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%
70%	-0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%
90%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.8.4-F. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.4%	0.1%	0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%	-0.3%	0.0%	-0.1%	-0.2%	-0.2%
Critical Water Years	0.0%	-0.4%	-0.5%	-0.2%	-0.1%	0.0%	0.0%	0.2%	0.0%	-0.3%	-0.4%	-0.4%

Table 5A-D2.8.5-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	53.4	52.0	49.1	46.8	47.3	48.5	50.2	51.7	52.1	54.3	54.0	54.3
20%	52.4	51.3	48.2	46.3	46.5	48.1	49.7	51.2	51.6	53.8	53.6	53.0
30%	51.6	50.9	47.8	46.1	46.1	47.8	49.4	50.9	51.2	53.3	53.1	52.6
40%	51.2	50.5	47.6	45.8	46.0	47.6	49.2	50.6	50.8	53.1	52.7	52.1
50%	50.7	50.1	47.5	45.5	45.7	47.3	48.9	50.3	50.6	52.9	52.4	51.8
60%	50.3	49.7	47.2	45.3	45.4	47.0	48.6	50.1	50.3	52.5	52.2	51.3
70%	50.1	49.4	46.9	45.2	45.1	46.9	48.3	49.9	50.0	52.2	51.9	51.3
80%	49.8	49.2	46.5	45.0	44.8	46.5	48.0	49.6	49.6	51.9	51.6	50.9
90%	49.4	48.6	46.1	44.4	44.4	46.0	47.8	49.1	49.2	51.4	51.2	50.6

Table 5A-D2.8.5-B. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	51.1	50.2	47.5	45.6	45.8	47.3	48.9	50.4	50.7	52.9	52.6	52.0
Wet Water Years	49.9	49.2	46.9	45.5	45.2	46.7	48.2	50.1	50.4	52.5	52.0	51.2
Above Normal Water Years	50.2	49.6	46.9	45.2	45.2	47.0	48.6	50.1	50.2	52.5	52.0	51.1
Below Normal Water Years	51.3	50.5	47.9	45.3	45.7	47.3	48.9	50.3	50.6	53.0	52.5	51.9
Dry Water Years	51.9	50.8	47.8	45.8	46.0	47.7	49.3	50.6	50.6	53.0	52.9	52.6
Critical Water Years	54.4	52.4	48.8	46.9	47.5	48.8	50.5	51.9	52.1	54.2	54.8	54.7

Table 5A-D2.8.5-C. Clear Creek at Igo, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.5	-0.1
20%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1
30%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
90%	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.8.5-D. Clear Creek at Igo, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.2

Table 5A-D2.8.5-E. Clear Creek at Igo, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.3%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.1%	-0.9%	-0.1%
20%	-0.2%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.1%
30%	0.0%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%
40%	-0.1%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%
50%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	-0.1%	0.0%	0.0%
60%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%
70%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	-0.1%
90%	0.0%	0.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.8.5-F. Clear Creek at Igo, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%	0.2%	0.0%	0.0%
Dry Water Years	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	-0.1%	-0.1%
Critical Water Years	-0.1%	-0.4%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.3%	-0.4%	-0.4%

Figure 5A-D2.8.1. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.8.2. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.8.3. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.8.4. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.8.5. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.8.6. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.8.7. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.8.8. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.8.9. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.8.10. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.8.11. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.8.12. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.8.13. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.8.14. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.8.15. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.8.16. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.8.17. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.8.18. Clear Creek at Igo, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.8.19. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.8.20. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.8.21. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.8.22. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.8.23. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.8.24. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.8.25. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.8.26. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.8.27. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.8.28. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.8.29. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.8.30. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.8.31. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.8.32. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.8.33. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.8.34. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.8.35. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.8.36. Clear Creek at Igo, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.8.37-A. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.8.37-B. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.8.37-C. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.8.37-D. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.8.38. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.8.39. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.8.40. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.8.41. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.8.42. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.8.43. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.8.44. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.8.45. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.8.46. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.8.47. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.8.48. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.8.49. Clear Creek at Igo, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.9 Clear Creek at Spring Creek Tunnel

Table 5A-D2.9.1-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	55.7	52.8	50.5	49.2	49.5	50.1	51.2	52.0	53.2	54.2	54.1
20%	53.3	53.9	51.8	49.5	48.5	48.9	49.7	50.7	51.2	52.4	52.6	52.7
30%	53.0	53.4	51.4	48.9	47.9	48.5	49.4	50.4	50.7	51.9	52.1	52.2
40%	52.4	53.1	50.6	48.3	47.4	48.2	49.1	50.0	50.1	51.5	51.8	51.7
50%	52.1	52.5	50.2	47.6	47.0	47.9	48.8	49.7	32.9	51.2	51.5	51.5
60%	51.5	52.0	49.7	47.1	46.7	47.6	48.6	49.4	32.9	50.9	51.3	51.1
70%	51.1	51.6	49.3	46.7	46.6	47.4	48.2	49.1	32.9	50.6	51.0	50.8
80%	50.9	51.2	49.0	46.3	46.1	47.1	47.9	45.2	32.9	49.6	50.6	50.4
90%	50.5	50.8	48.7	45.9	45.7	46.7	43.1	32.9	32.9	32.9	50.1	49.6

Table 5A-D2.9.1-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.3	52.8	50.5	48.0	47.4	48.0	48.0	47.1	41.8	48.5	51.5	50.6
Wet Water Years	51.3	51.8	49.8	46.7	46.3	47.3	47.2	46.0	35.8	46.4	50.6	48.7
Above Normal Water Years	51.3	52.0	49.7	47.1	46.5	47.6	47.1	42.8	34.8	51.2	51.1	50.8
Below Normal Water Years	52.3	52.9	50.5	48.2	47.5	47.9	47.5	46.2	43.1	47.1	51.0	50.2
Dry Water Years	52.9	53.5	51.3	48.8	48.0	48.3	49.3	50.7	49.2	50.4	52.0	52.3
Critical Water Years	55.4	55.6	52.4	51.1	50.1	50.3	50.7	51.0	51.8	53.4	54.5	54.9

Table 5A-D2.9.1-C. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	55.6	52.9	50.4	49.3	49.5	50.2	51.2	52.0	53.5	54.1	54.0
20%	53.4	53.9	51.8	49.8	48.5	48.9	49.7	50.7	51.2	52.4	52.8	52.7
30%	53.0	53.4	51.3	48.9	47.9	48.7	49.4	50.5	50.7	51.9	52.2	52.2
40%	52.5	53.1	50.6	48.3	47.4	48.2	49.1	50.1	50.0	51.5	51.7	51.7
50%	52.2	52.5	50.2	47.6	47.0	48.0	49.0	49.8	32.9	51.2	51.5	51.5
60%	51.6	52.0	49.7	47.1	46.7	47.6	48.6	49.4	32.9	50.9	51.3	51.2
70%	51.1	51.6	49.3	46.7	46.6	47.4	48.2	49.1	32.9	50.6	51.1	50.8
80%	50.9	51.2	49.1	46.2	46.1	47.1	47.6	44.2	32.9	49.6	50.5	50.5
90%	50.7	50.9	48.7	45.9	45.7	46.7	43.2	32.9	32.9	32.9	50.0	49.7

Table 5A-D2.9.1-D. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.3	52.9	50.5	48.0	47.4	48.0	48.0	47.1	41.7	48.6	51.5	50.8
Wet Water Years	51.3	51.8	49.8	46.7	46.3	47.3	47.2	46.0	35.8	46.6	50.6	49.3
Above Normal Water Years	51.3	52.1	49.7	47.2	46.5	47.6	47.2	42.9	34.8	51.2	51.1	50.8
Below Normal Water Years	52.4	53.0	50.6	48.2	47.5	47.9	47.4	46.3	43.6	47.2	51.0	50.2
Dry Water Years	52.8	53.5	51.3	48.8	48.0	48.4	49.3	50.7	47.8	50.3	51.9	52.2
Critical Water Years	55.3	55.5	52.4	51.0	50.0	50.2	50.6	51.0	51.8	53.4	54.4	54.9

Table 5A-D2.9.1-E. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0
20%	0.1	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0
30%	0.0	0.0	-0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.1	0.0
40%	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	-0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.0	0.0	-0.2	-1.1	0.0	0.0	-0.1	0.1
90%	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.9.1-F. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	0.2
Wet Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.5
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.1	0.1	0.1	0.0	0.0	-0.1	0.1	0.5	0.1	0.1	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-1.4	-0.1	-0.1	-0.1
Critical Water Years	0.0	0.0	-0.1	-0.1	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0	0.0

Table 5A-D2.9.1-G. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.1%	0.2%	0.0%	0.1%	0.0%	0.1%	0.1%	0.0%	0.6%	0.0%	-0.1%
20%	0.1%	0.0%	0.1%	0.6%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.4%	-0.1%
30%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.3%	0.0%	0.3%	0.0%	0.1%	0.2%	0.0%
40%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.2%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.5%	-2.3%	0.0%	0.0%	-0.1%	0.2%
90%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%

Table 5A-D2.9.1-H. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.2%	0.0%	0.4%
Wet Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%	0.1%	1.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.1%	0.1%	0.2%	0.1%	0.0%	0.0%	-0.2%	0.3%	1.1%	0.2%	0.1%	0.1%
Dry Water Years	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-2.9%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.1%	-0.1%	-0.3%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%

Table 5A-D2.9.2-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.6	55.6	52.7	50.4	49.2	49.4	50.1	51.2	52.0	53.2	54.2	54.0
20%	53.3	53.8	51.8	49.7	48.5	48.9	49.7	50.7	51.2	52.3	52.6	52.7
30%	53.0	53.4	51.3	48.8	47.9	48.5	49.4	50.5	50.8	51.9	52.1	52.2
40%	52.4	53.1	50.6	48.3	47.4	48.2	49.1	50.0	50.1	51.5	51.7	51.7
50%	52.1	52.5	50.2	47.6	47.0	48.0	48.9	49.8	32.9	51.2	51.5	51.4
60%	51.6	52.1	49.7	47.1	46.7	47.6	48.6	49.4	32.9	50.9	51.3	51.1
70%	51.1	51.6	49.3	46.7	46.5	47.4	48.2	49.1	32.9	50.6	51.0	50.8
80%	50.9	51.2	49.1	46.2	46.1	47.1	47.9	45.1	32.9	49.6	50.5	50.5
90%	50.6	50.9	48.7	45.9	45.7	46.7	43.2	32.9	32.9	32.9	50.0	49.7

Table 5A-D2.9.2-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.3	52.8	50.5	48.0	47.4	48.0	48.1	47.1	41.7	48.5	51.4	50.8
Wet Water Years	51.3	51.9	49.8	46.7	46.3	47.3	47.2	46.0	35.8	46.4	50.6	49.2
Above Normal Water Years	51.3	52.1	49.7	47.1	46.5	47.6	47.1	42.8	34.8	51.2	51.1	50.8
Below Normal Water Years	52.3	52.9	50.5	48.2	47.5	47.9	47.5	46.2	43.1	47.1	51.0	50.2
Dry Water Years	52.8	53.4	51.3	48.8	48.0	48.4	49.5	50.6	49.2	50.4	51.9	52.2
Critical Water Years	55.3	55.5	52.3	51.0	50.0	50.2	50.7	51.1	51.8	53.4	54.4	54.8

Table 5A-D2.9.2-C. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	-0.2	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1
20%	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30%	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	-0.1
60%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1
90%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.9.2-D. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
Wet Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.2	0.0	0.0	0.0	0.0	0.2	-0.2	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.1	-0.1	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.9.2-E. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.2%	-0.3%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
20%	0.0%	-0.1%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.1%
30%	-0.1%	0.0%	-0.3%	-0.2%	0.0%	0.0%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%	-0.1%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	-0.1%	0.2%
90%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	-0.1%	0.1%

Table 5A-D2.9.2-F. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%
Wet Water Years	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	1.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.1%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.5%	-0.3%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	-0.1%	-0.1%	-0.2%	-0.2%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%

Table 5A-D2.9.3-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.5	55.4	52.8	50.5	49.2	49.4	50.1	51.2	52.0	53.2	54.0	53.9
20%	53.3	53.8	51.8	49.5	48.4	48.8	49.7	50.7	51.2	52.3	52.6	52.6
30%	52.9	53.4	51.3	48.8	47.9	48.5	49.5	50.5	50.8	51.7	52.1	52.2
40%	52.4	53.1	50.6	48.2	47.4	48.2	49.1	50.1	50.1	51.5	51.7	51.7
50%	52.1	52.5	50.2	47.6	47.0	48.0	48.9	49.8	32.9	51.2	51.5	51.4
60%	51.5	52.1	49.7	47.1	46.7	47.6	48.6	49.4	32.9	50.9	51.3	51.1
70%	51.1	51.6	49.3	46.7	46.5	47.4	48.2	49.0	32.9	50.5	51.0	50.8
80%	50.9	51.2	49.1	46.2	46.1	47.1	47.9	45.2	32.9	49.6	50.6	50.5
90%	50.6	50.9	48.7	45.9	45.7	46.7	43.2	32.9	32.9	32.9	50.0	49.6

Table 5A-D2.9.3-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.3	52.8	50.5	48.0	47.4	48.0	48.1	47.1	41.7	48.5	51.4	50.6
Wet Water Years	51.3	51.8	49.8	46.7	46.3	47.3	47.2	46.0	35.8	46.4	50.6	48.7
Above Normal Water Years	51.3	52.1	49.7	47.1	46.5	47.6	47.1	42.8	34.8	51.2	51.1	50.8
Below Normal Water Years	52.3	52.8	50.4	48.2	47.5	47.9	47.7	46.4	43.1	47.1	50.9	50.2
Dry Water Years	52.8	53.3	51.3	48.8	47.9	48.4	49.5	50.6	48.6	50.4	51.9	52.2
Critical Water Years	55.1	55.5	52.4	50.8	50.0	50.3	50.7	51.1	51.9	53.2	54.2	54.6

Table 5A-D2.9.3-C. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.3	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	-0.2	-0.2
20%	0.0	0.0	0.0	-0.1	0.0	-0.1	0.1	0.0	0.0	-0.1	0.1	-0.1
30%	-0.1	0.0	-0.1	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1	0.0
40%	0.0	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
60%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1
90%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.9.3-D. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	-0.1	-0.1
Wet Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	-0.1	-0.1	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.2	0.0	0.0	0.0	0.0	0.2	-0.2	-0.7	0.0	-0.1	-0.1
Critical Water Years	-0.2	-0.1	0.0	-0.3	0.0	0.0	0.0	0.1	0.0	-0.2	-0.2	-0.3

Table 5A-D2.9.3-E. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.5%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	0.0%	-0.1%	-0.3%	-0.3%
20%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	-0.2%	0.1%	0.1%	0.0%	-0.2%	0.1%	-0.2%
30%	-0.1%	0.0%	-0.2%	-0.2%	-0.1%	0.0%	0.0%	0.3%	0.0%	-0.3%	-0.1%	0.0%
40%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	-0.1%	-0.1%	0.0%
50%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%
60%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%
80%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%
90%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.9.3-F. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.0%	-0.2%	-0.1%	-0.1%	-0.1%
Wet Water Years	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	-0.1%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	0.5%	0.3%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.3%	0.0%	-0.1%	0.0%	0.0%	0.4%	-0.4%	-1.4%	-0.1%	-0.1%	-0.2%
Critical Water Years	-0.4%	-0.1%	0.0%	-0.6%	-0.1%	0.0%	0.1%	0.1%	0.1%	-0.4%	-0.4%	-0.5%

Table 5A-D2.9.4-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.5	55.5	52.9	50.4	49.2	49.4	50.1	51.2	52.0	53.4	53.9	53.9
20%	53.2	53.8	51.8	49.6	48.4	48.8	49.7	50.7	51.2	52.5	52.8	52.6
30%	53.0	53.4	51.2	48.8	47.9	48.7	49.5	50.5	50.7	51.9	52.1	52.1
40%	52.4	53.0	50.6	48.3	47.4	48.2	49.1	50.1	50.1	51.6	51.7	51.7
50%	52.0	52.3	50.2	47.6	46.9	47.9	48.9	49.8	32.9	51.2	51.5	51.4
60%	51.5	52.1	49.5	47.1	46.7	47.6	48.6	49.4	32.9	50.9	51.3	51.1
70%	51.1	51.6	49.3	46.7	46.6	47.4	48.3	49.0	32.9	50.5	51.0	50.8
80%	50.9	51.2	49.1	46.2	46.1	47.1	47.9	45.2	32.9	49.6	50.5	50.2
90%	50.6	50.9	48.7	45.9	45.7	46.7	43.3	32.9	32.9	32.9	50.0	49.5

Table 5A-D2.9.4-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.2	52.8	50.5	48.0	47.4	48.0	48.1	47.1	41.8	48.6	51.4	50.4
Wet Water Years	51.3	51.8	49.8	46.7	46.3	47.3	47.2	46.0	35.8	46.1	50.6	48.1
Above Normal Water Years	51.2	52.0	49.7	47.2	46.5	47.6	47.2	42.9	34.8	51.2	51.1	50.8
Below Normal Water Years	52.4	52.9	50.5	48.2	47.5	47.9	47.8	46.5	43.5	47.2	51.0	50.2
Dry Water Years	52.7	53.2	51.2	48.7	47.9	48.3	49.2	50.1	48.4	51.7	51.9	52.1
Critical Water Years	55.1	55.5	52.4	50.8	50.0	50.3	50.7	51.1	51.8	53.2	54.2	54.6

Table 5A-D2.9.4-C. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.2	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	-0.3	-0.1
20%	-0.1	-0.1	0.0	0.1	0.0	-0.1	0.1	0.0	0.0	0.1	0.3	-0.2
30%	0.0	0.0	-0.2	-0.1	0.0	0.2	0.0	0.1	0.0	0.1	0.0	-0.1
40%	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.1
50%	-0.2	-0.1	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
60%	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2
90%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.9.4-D. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	-0.3
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	-0.6
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	0.1	0.0	0.0
Dry Water Years	-0.2	-0.3	-0.1	-0.1	0.0	0.0	0.0	-0.7	-0.8	1.3	-0.1	-0.1
Critical Water Years	-0.2	-0.1	0.0	-0.3	0.0	0.0	0.0	0.1	0.0	-0.2	-0.3	-0.3

Table 5A-D2.9.4-E. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.3%	0.2%	0.0%	0.0%	-0.2%	0.0%	0.0%	-0.1%	0.3%	-0.5%	-0.2%
20%	-0.2%	-0.1%	0.0%	0.2%	-0.1%	-0.2%	0.1%	0.0%	0.0%	0.2%	0.5%	-0.3%
30%	-0.1%	-0.1%	-0.4%	-0.3%	0.0%	0.3%	0.0%	0.3%	0.0%	0.1%	-0.1%	-0.2%
40%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%	0.1%	-0.1%	-0.1%
50%	-0.4%	-0.3%	0.0%	0.0%	-0.3%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	-0.3%
60%	0.0%	0.1%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
80%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.4%
90%	0.3%	0.1%	0.1%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	-0.1%	-0.2%

Table 5A-D2.9.4-F. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%	-0.1%	-0.5%
Wet Water Years	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.7%	0.1%	-1.2%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.7%	0.7%	1.0%	0.2%	0.0%	0.0%
Dry Water Years	-0.4%	-0.6%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	-1.3%	-1.7%	2.6%	-0.2%	-0.3%
Critical Water Years	-0.4%	-0.1%	0.0%	-0.6%	-0.1%	0.0%	0.1%	0.1%	0.0%	-0.5%	-0.5%	-0.6%

Table 5A-D2.9.5-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	54.5	55.6	52.9	50.5	49.2	49.4	50.3	51.2	52.1	53.5	54.0	53.9
20%	53.4	53.9	51.8	49.6	48.4	48.8	49.8	50.7	51.2	52.4	52.8	52.7
30%	53.0	53.4	51.3	48.8	47.9	48.5	49.4	50.5	50.8	51.9	52.2	52.2
40%	52.4	53.1	50.6	48.2	47.4	48.2	49.1	50.1	50.1	51.5	51.7	51.7
50%	52.1	52.5	50.2	47.6	47.0	48.0	48.9	49.8	32.9	51.2	51.5	51.4
60%	51.5	52.1	49.7	47.1	46.7	47.6	48.6	49.4	32.9	50.9	51.3	51.1
70%	51.1	51.6	49.3	46.7	46.5	47.4	48.2	49.0	32.9	50.6	51.0	50.8
80%	50.9	51.2	49.1	46.2	46.1	47.1	47.9	45.2	32.9	49.6	50.6	50.5
90%	50.6	50.9	48.7	45.9	45.7	46.7	43.3	32.9	32.9	32.9	50.0	49.6

Table 5A-D2.9.5-B. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.3	52.8	50.5	48.0	47.4	48.0	48.2	47.2	41.8	48.6	51.4	50.6
Wet Water Years	51.3	51.8	49.8	46.7	46.3	47.3	47.2	46.0	35.8	46.6	50.6	48.7
Above Normal Water Years	51.3	52.1	49.7	47.2	46.5	47.6	47.2	42.9	34.8	51.2	51.1	50.8
Below Normal Water Years	52.4	53.0	50.5	48.2	47.5	47.9	47.8	46.5	43.6	47.2	51.0	50.2
Dry Water Years	52.8	53.4	51.3	48.8	48.0	48.4	49.5	50.6	48.6	50.4	51.9	52.2
Critical Water Years	55.1	55.5	52.4	50.8	50.0	50.3	50.7	51.1	51.9	53.2	54.2	54.6

Table 5A-D2.9.5-C. Clear Creek at Spring Creek Tunnel, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.1	0.0	0.0	-0.1	0.1	0.0	0.1	0.3	-0.2	-0.2
20%	0.1	0.0	0.0	0.1	0.0	-0.1	0.1	0.0	0.0	0.0	0.2	0.0
30%	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0
40%	0.0	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
60%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
90%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.9.5-D. Clear Creek at Spring Creek Tunnel, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0
Wet Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.3	0.5	0.1	0.0	0.0
Dry Water Years	-0.1	-0.2	0.0	0.0	0.0	0.0	0.2	-0.2	-0.7	0.0	-0.1	-0.1
Critical Water Years	-0.2	-0.1	0.0	-0.3	0.0	0.0	0.0	0.1	0.0	-0.2	-0.2	-0.3

Table 5A-D2.9.5-E. Clear Creek at Spring Creek Tunnel, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.2%	0.2%	0.0%	0.0%	-0.2%	0.3%	0.1%	0.2%	0.5%	-0.3%	-0.3%
20%	0.1%	0.0%	0.0%	0.2%	-0.1%	-0.2%	0.1%	0.0%	0.0%	0.0%	0.4%	-0.1%
30%	-0.1%	0.0%	-0.2%	-0.3%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.2%	0.1%
40%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
50%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%
60%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%
80%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%
90%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.9.5-F. Clear Creek at Spring Creek Tunnel, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.3%	0.2%	0.1%	0.2%	0.0%	-0.1%
Wet Water Years	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%	0.1%	0.0%
Above Normal Water Years	0.1%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.7%	0.7%	1.1%	0.2%	0.1%	0.0%
Dry Water Years	-0.2%	-0.3%	0.0%	-0.1%	0.0%	0.0%	0.5%	-0.3%	-1.4%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.4%	-0.1%	0.0%	-0.6%	-0.1%	0.0%	0.1%	0.1%	0.1%	-0.4%	-0.4%	-0.5%

Figure 5A-D2.9.1. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.9.2. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.9.3. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.9.4. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.9.5. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.9.6. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.9.7. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.9.8. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.9.9. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.9.10. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.9.11. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.9.12. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.9.13. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.9.14. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.9.15. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.9.16. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.9.17. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.9.18. Clear Creek at Spring Creek Tunnel, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.9.19. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.9.20. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.9.21. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.9.22. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.9.23. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.9.24. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.9.25. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.9.26. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.9.27. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.9.28. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.9.29. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.9.30. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.9.31. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.9.32. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.9.33. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.9.34. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.9.35. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.9.36. Clear Creek at Spring Creek Tunnel, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.9.37-A. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.9.37-B. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.9.37-C. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.9.37-D. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.9.38. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.9.39. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.9.40. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.9.41. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.9.42. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.9.43. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.9.44. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.9.45. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.9.46. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.9.47. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.9.48. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.9.49. Clear Creek at Spring Creek Tunnel, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.10 Clear Creek at Whiskeytown

Table 5A-D2.10.1-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.8	51.7	48.6	46.5	46.8	47.7	48.7	49.8	50.7	51.9	52.6	53.1
20%	51.8	51.1	47.9	46.1	46.1	47.2	48.5	49.5	50.3	51.5	51.7	51.7
30%	50.9	50.6	47.5	45.8	45.8	47.0	48.2	49.2	49.8	51.1	51.1	51.0
40%	50.5	50.1	47.4	45.5	45.5	46.7	47.9	49.0	49.5	50.8	50.7	50.6
50%	50.0	49.7	47.2	45.2	45.4	46.4	47.7	48.8	49.3	50.6	50.6	50.2
60%	49.6	49.4	47.0	45.0	45.1	46.2	47.5	48.5	49.1	50.3	50.3	49.9
70%	49.4	49.1	46.6	44.9	44.7	46.0	47.2	48.4	48.8	50.0	50.0	49.7
80%	49.1	48.7	46.3	44.6	44.4	45.6	46.9	48.1	48.5	49.7	49.7	49.5
90%	48.7	47.9	45.8	44.0	44.1	45.2	46.6	47.7	48.1	49.3	49.2	49.1

Table 5A-D2.10.1-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.4	49.9	47.3	45.3	45.4	46.5	47.7	48.8	49.4	50.7	50.8	50.6
Wet Water Years	49.2	48.8	46.7	45.2	44.9	45.9	47.1	48.5	49.2	50.2	50.1	49.7
Above Normal Water Years	49.5	49.2	46.6	44.9	44.9	46.1	47.4	48.6	49.1	50.2	50.1	49.6
Below Normal Water Years	50.5	50.2	47.6	45.0	45.3	46.5	47.7	48.7	49.2	50.7	50.6	50.5
Dry Water Years	51.3	50.5	47.6	45.5	45.7	46.8	48.1	49.1	49.4	50.8	51.1	51.2
Critical Water Years	53.6	52.2	48.6	46.6	46.9	47.9	49.1	49.9	50.6	52.1	53.2	53.6

Table 5A-D2.10.1-C. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.8	51.6	48.8	46.5	46.7	47.7	48.7	49.9	50.8	52.2	52.5	53.0
20%	51.7	51.0	48.0	46.1	46.1	47.2	48.5	49.5	50.4	51.5	51.7	51.4
30%	50.9	50.6	47.6	45.8	45.8	47.0	48.2	49.3	49.8	51.1	51.2	51.0
40%	50.6	50.1	47.4	45.5	45.5	46.7	48.0	49.0	49.5	50.8	50.7	50.6
50%	50.0	49.7	47.2	45.2	45.3	46.4	47.8	48.8	49.3	50.6	50.6	50.3
60%	49.6	49.4	47.1	45.0	45.1	46.2	47.5	48.5	49.1	50.3	50.3	49.9
70%	49.4	49.1	46.6	44.9	44.7	46.0	47.2	48.4	48.8	50.0	50.0	49.7
80%	49.1	48.8	46.3	44.6	44.4	45.6	46.9	48.1	48.5	49.7	49.7	49.5
90%	48.7	48.1	45.8	44.0	44.1	45.2	46.6	47.7	48.1	49.3	49.2	49.1

Table 5A-D2.10.1-D. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.4	49.9	47.3	45.3	45.4	46.5	47.7	48.8	49.5	50.7	50.8	50.6
Wet Water Years	49.2	48.8	46.7	45.2	44.9	45.9	47.1	48.5	49.3	50.2	50.1	49.6
Above Normal Water Years	49.5	49.2	46.7	45.0	44.9	46.1	47.4	48.6	49.1	50.3	50.1	49.6
Below Normal Water Years	50.5	50.2	47.6	45.0	45.3	46.5	47.8	48.8	49.4	50.8	50.6	50.5
Dry Water Years	51.3	50.5	47.6	45.5	45.6	46.8	48.1	49.1	49.4	50.7	51.0	51.2
Critical Water Years	53.6	52.1	48.4	46.6	46.9	47.9	49.1	49.9	50.5	52.1	53.2	53.6

Table 5A-D2.10.1-E. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.2	0.1	-0.1	0.0	0.0	0.0	0.1	0.3	-0.2	-0.1
20%	-0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.3
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
90%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.10.1-F. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1
Critical Water Years	0.0	-0.1	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0

Table 5A-D2.10.1-G. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.4%	0.1%	-0.2%	0.0%	0.0%	0.1%	0.1%	0.6%	-0.3%	-0.1%
20%	-0.3%	-0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.5%
30%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%
40%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%	0.0%
50%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%
90%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.10.1-H. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%	0.3%	0.0%	0.0%
Dry Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.3%	-0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	0.0%

Table 5A-D2.10.2-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.8	51.6	48.6	46.5	46.7	47.7	48.8	49.8	50.7	52.1	52.6	53.0
20%	51.7	51.0	47.9	46.1	46.1	47.2	48.5	49.5	50.4	51.5	51.7	51.5
30%	50.9	50.4	47.5	45.8	45.8	47.0	48.2	49.2	49.8	51.1	51.1	50.9
40%	50.5	50.1	47.4	45.4	45.5	46.7	48.0	49.0	49.5	50.8	50.7	50.6
50%	50.0	49.7	47.2	45.2	45.3	46.4	47.8	48.8	49.3	50.6	50.6	50.2
60%	49.6	49.4	47.0	45.0	45.0	46.2	47.5	48.5	49.1	50.3	50.3	49.9
70%	49.4	49.1	46.7	44.9	44.7	46.0	47.1	48.4	48.8	50.0	50.0	49.7
80%	49.1	48.8	46.3	44.6	44.4	45.6	46.9	48.1	48.5	49.7	49.6	49.5
90%	48.7	48.2	45.8	44.0	44.1	45.2	46.6	47.7	48.1	49.3	49.2	49.1

Table 5A-D2.10.2-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.4	49.9	47.3	45.3	45.4	46.5	47.7	48.8	49.4	50.7	50.8	50.6
Wet Water Years	49.2	48.9	46.7	45.2	44.9	45.9	47.1	48.5	49.2	50.2	50.1	49.6
Above Normal Water Years	49.5	49.3	46.6	44.9	44.9	46.1	47.4	48.6	49.1	50.2	50.1	49.6
Below Normal Water Years	50.5	50.2	47.6	45.0	45.3	46.5	47.7	48.7	49.3	50.7	50.6	50.5
Dry Water Years	51.2	50.4	47.6	45.5	45.6	46.8	48.1	49.0	49.4	50.8	51.0	51.2
Critical Water Years	53.5	52.1	48.6	46.6	46.9	47.9	49.1	49.9	50.6	52.1	53.2	53.6

Table 5A-D2.10.2-C. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.2	0.0	-0.1
20%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2
30%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
90%	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.10.2-D. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.10.2-E. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	-0.1%
20%	-0.1%	-0.3%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.4%
30%	0.0%	-0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
40%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%	-0.1%
50%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%
60%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.3%	0.0%	0.0%	-0.1%	0.0%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%
90%	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%

Table 5A-D2.10.2-F. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%
Dry Water Years	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.3%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%

Table 5A-D2.10.3-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.8	51.6	48.6	46.4	46.7	47.7	48.7	49.9	50.7	52.1	52.4	52.9
20%	51.7	50.9	47.9	46.1	46.1	47.2	48.5	49.5	50.4	51.5	51.7	51.5
30%	50.9	50.5	47.5	45.8	45.8	47.0	48.2	49.3	49.8	51.1	51.1	51.0
40%	50.5	50.1	47.4	45.5	45.5	46.7	48.0	49.0	49.5	50.8	50.8	50.6
50%	50.0	49.7	47.2	45.2	45.4	46.4	47.8	48.8	49.3	50.6	50.5	50.2
60%	49.6	49.4	47.0	45.0	45.0	46.2	47.5	48.6	49.1	50.4	50.3	49.9
70%	49.4	49.1	46.6	44.9	44.7	46.0	47.1	48.4	48.8	50.0	50.0	49.7
80%	49.1	48.8	46.3	44.6	44.4	45.6	46.9	48.1	48.4	49.7	49.7	49.5
90%	48.7	48.2	45.8	44.1	44.1	45.2	46.6	47.7	48.1	49.3	49.2	49.1

Table 5A-D2.10.3-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.4	49.9	47.3	45.3	45.4	46.5	47.7	48.8	49.4	50.6	50.7	50.6
Wet Water Years	49.2	48.8	46.7	45.2	44.9	45.9	47.1	48.5	49.2	50.2	50.1	49.6
Above Normal Water Years	49.5	49.3	46.7	44.9	44.9	46.1	47.4	48.6	49.1	50.2	50.1	49.6
Below Normal Water Years	50.5	50.2	47.6	45.0	45.3	46.5	47.7	48.7	49.3	50.7	50.6	50.5
Dry Water Years	51.2	50.5	47.6	45.5	45.6	46.8	48.1	49.0	49.4	50.8	51.0	51.2
Critical Water Years	53.5	52.0	48.5	46.6	46.9	47.9	49.1	50.0	50.6	52.0	53.0	53.4

Table 5A-D2.10.3-C. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.2	-0.3	-0.2
20%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2
30%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
90%	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.10.3-D. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.2

Table 5A-D2.10.3-E. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.4%	-0.5%	-0.4%
20%	-0.2%	-0.3%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.4%
30%	0.0%	-0.3%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.1%	-0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%
60%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.0%	0.1%	-0.1%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%
90%	0.1%	0.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%

Table 5A-D2.10.3-F. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%
Dry Water Years	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.2%	-0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	-0.4%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.2%	0.0%	-0.3%	-0.4%	-0.5%

Table 5A-D2.10.4-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.8	51.6	48.8	46.4	46.7	47.7	48.7	49.8	50.8	52.1	52.4	53.0
20%	51.5	51.0	48.0	46.1	46.1	47.2	48.5	49.5	50.4	51.5	51.7	51.5
30%	50.9	50.5	47.5	45.8	45.8	47.0	48.2	49.3	49.8	51.1	51.1	51.0
40%	50.5	50.1	47.3	45.5	45.5	46.7	48.0	49.1	49.5	50.7	50.7	50.6
50%	50.0	49.7	47.2	45.2	45.4	46.4	47.7	48.8	49.4	50.6	50.5	50.2
60%	49.6	49.3	47.0	45.0	45.0	46.2	47.5	48.6	49.1	50.4	50.3	49.9
70%	49.4	49.0	46.7	44.8	44.7	46.0	47.2	48.4	48.8	50.0	50.0	49.7
80%	49.1	48.8	46.3	44.6	44.4	45.6	46.9	48.1	48.4	49.7	49.6	49.5
90%	48.7	48.0	45.8	44.0	44.1	45.2	46.6	47.7	48.1	49.3	49.2	49.0

Table 5A-D2.10.4-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.4	49.8	47.3	45.3	45.4	46.5	47.7	48.8	49.5	50.7	50.7	50.6
Wet Water Years	49.2	48.8	46.7	45.2	44.9	45.9	47.1	48.5	49.3	50.2	50.1	49.6
Above Normal Water Years	49.5	49.2	46.6	44.9	44.9	46.1	47.4	48.6	49.1	50.2	50.1	49.6
Below Normal Water Years	50.5	50.1	47.6	45.0	45.3	46.5	47.8	48.8	49.4	50.7	50.6	50.5
Dry Water Years	51.2	50.4	47.5	45.5	45.6	46.8	48.1	48.9	49.4	50.7	51.0	51.1
Critical Water Years	53.5	52.0	48.4	46.5	46.9	47.9	49.1	50.0	50.6	52.0	53.0	53.4

Table 5A-D2.10.4-C. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.2	0.0	-0.1	0.0	0.0	0.0	0.1	0.3	-0.3	-0.2
20%	-0.3	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2
30%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0
50%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0
70%	0.0	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0
90%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.10.4-D. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0
Dry Water Years	-0.2	0.0	-0.1	0.0	-0.1	0.0	0.0	-0.2	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.3	-0.1	0.0	0.0	0.0	0.1	0.0	-0.2	-0.2	-0.2

Table 5A-D2.10.4-E. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.4%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.3%	0.5%	-0.5%	-0.3%
20%	-0.6%	-0.2%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.5%
30%	0.0%	-0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%
40%	-0.1%	-0.2%	-0.1%	0.0%	-0.1%	0.0%	0.1%	0.1%	0.1%	-0.1%	0.0%	-0.1%
50%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.1%	-0.1%	-0.1%	0.0%
60%	0.0%	-0.2%	-0.1%	0.0%	-0.1%	0.1%	0.0%	0.2%	0.1%	0.1%	-0.1%	0.0%
70%	-0.1%	-0.1%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
80%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%	-0.1%	0.0%
90%	0.1%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%

Table 5A-D2.10.4-F. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.4%	0.1%	0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%	-0.3%	0.0%	-0.1%	-0.2%	-0.3%
Critical Water Years	0.0%	-0.4%	-0.5%	-0.2%	-0.1%	0.0%	0.0%	0.2%	0.0%	-0.3%	-0.4%	-0.5%

Table 5A-D2.10.5-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.8	51.6	48.8	46.4	46.7	47.7	48.7	49.9	50.8	52.1	52.3	52.9
20%	51.7	51.0	48.0	46.1	46.1	47.2	48.5	49.5	50.4	51.5	51.7	51.5
30%	50.9	50.5	47.5	45.8	45.8	47.0	48.2	49.3	49.8	51.1	51.2	51.0
40%	50.6	50.1	47.4	45.5	45.5	46.7	48.0	49.0	49.5	50.8	50.7	50.6
50%	50.0	49.7	47.2	45.2	45.4	46.4	47.8	48.8	49.4	50.6	50.6	50.2
60%	49.6	49.4	47.0	45.0	45.0	46.2	47.5	48.6	49.1	50.3	50.3	49.9
70%	49.4	49.1	46.6	44.9	44.7	46.0	47.1	48.4	48.8	50.0	50.0	49.7
80%	49.1	48.8	46.3	44.6	44.4	45.6	46.9	48.1	48.4	49.7	49.7	49.5
90%	48.7	48.2	45.8	44.1	44.1	45.2	46.6	47.7	48.1	49.3	49.2	49.1

Table 5A-D2.10.5-B. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.4	49.9	47.3	45.3	45.4	46.5	47.7	48.8	49.5	50.7	50.7	50.6
Wet Water Years	49.2	48.8	46.7	45.2	44.9	45.9	47.1	48.5	49.3	50.2	50.1	49.6
Above Normal Water Years	49.5	49.3	46.7	45.0	44.9	46.1	47.4	48.6	49.1	50.3	50.1	49.6
Below Normal Water Years	50.5	50.2	47.6	45.0	45.3	46.5	47.7	48.8	49.4	50.8	50.6	50.5
Dry Water Years	51.2	50.5	47.6	45.5	45.6	46.8	48.1	49.0	49.4	50.8	51.0	51.2
Critical Water Years	53.5	52.0	48.5	46.6	46.9	47.9	49.1	50.0	50.6	52.0	53.0	53.4

Table 5A-D2.10.5-C. Clear Creek at Whiskeytown, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.2	0.0	-0.1	0.0	0.0	0.1	0.1	0.2	-0.4	-0.2
20%	-0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2
30%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
90%	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0

Table 5A-D2.10.5-D. Clear Creek at Whiskeytown, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	-0.2	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	-0.2	-0.2

Table 5A-D2.10.5-E. Clear Creek at Whiskeytown, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.5%	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.3%	0.5%	-0.7%	-0.4%
20%	-0.2%	-0.2%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.4%
30%	0.0%	-0.3%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%
40%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.1%	0.0%	0.0%
50%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%
60%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.1%	0.1%	-0.1%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.3%	0.0%	0.0%	-0.1%	0.0%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%
90%	0.1%	0.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%

Table 5A-D2.10.5-F. Clear Creek at Whiskeytown, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%	-0.1%	-0.1%
Wet Water Years	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.3%	0.2%	0.0%	0.0%
Dry Water Years	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.2%	0.0%	-0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	-0.4%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.2%	0.0%	-0.3%	-0.4%	-0.5%

Figure 5A-D2.10.1. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.10.2. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.10.3. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.10.4. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.10.5. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.10.6. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.10.7. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.10.8. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.10.9. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.10.10. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.10.11. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.10.12. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.10.13. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.10.14. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.10.15. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.10.16. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.10.17. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.10.18. Clear Creek at Whiskeytown, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.10.19. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.10.20. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.10.21. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.10.22. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.10.23. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.10.24. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.10.25. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.10.26. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.10.27. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.10.28. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.10.29. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.10.30. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.10.31. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.10.32. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.10.33. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.10.34. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.10.35. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.10.36. Clear Creek at Whiskeytown, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.10.37-A. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.10.37-B. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.10.37-C. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.10.37-D. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.10.38. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.10.39. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.10.40. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.10.41. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.10.42. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.10.43. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.10.44. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.10.45. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.10.46. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.10.47. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.10.48. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.10.49. Clear Creek at Whiskeytown, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.11 Sacramento River at Balls Ferry

Table 5A-D2.11.1-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.4	56.1	53.8	50.9	50.8	54.1	58.2	58.3	56.4	55.1	55.5	58.4
20%	56.0	55.2	53.1	50.3	50.3	53.4	57.5	57.5	55.9	54.6	55.0	57.2
30%	55.6	55.0	52.7	49.8	49.6	52.7	57.2	57.0	55.2	54.2	54.6	56.3
40%	54.9	54.7	52.4	49.2	49.4	52.4	56.6	56.6	54.8	54.0	54.3	55.2
50%	54.5	54.6	52.1	48.9	49.1	51.9	56.1	56.4	54.4	53.8	54.0	54.7
60%	53.9	54.5	51.8	48.4	48.6	51.5	55.7	56.0	54.0	53.5	53.8	54.2
70%	53.6	54.3	51.5	48.1	48.0	50.5	55.3	55.6	53.6	53.3	53.6	53.4
80%	53.3	54.1	51.2	47.8	47.4	49.6	54.3	55.0	53.4	52.9	53.3	52.9
90%	52.8	53.8	50.3	46.9	46.8	48.6	53.3	54.8	52.8	52.6	52.9	52.6

Table 5A-D2.11.1-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.1	54.8	52.1	48.9	48.9	51.5	55.9	56.5	54.5	53.8	54.4	55.5
Wet Water Years	53.8	54.5	52.3	48.0	47.7	49.8	54.9	57.0	54.8	53.6	53.4	53.2
Above Normal Water Years	54.4	54.3	51.7	48.8	48.2	51.4	56.5	55.9	53.3	53.3	53.6	53.7
Below Normal Water Years	54.6	54.6	52.2	49.2	49.4	52.2	56.5	55.9	54.1	53.6	54.1	55.5
Dry Water Years	55.4	54.8	52.3	49.7	49.7	52.8	56.8	56.1	54.2	54.2	54.7	56.4
Critical Water Years	60.8	56.8	51.4	50.2	51.0	53.4	56.0	57.3	56.1	55.0	57.7	62.0

Table 5A-D2.11.1-C. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.3	56.0	53.8	50.9	51.0	54.1	58.3	58.3	56.4	55.1	55.4	58.3
20%	56.0	55.2	53.1	50.3	50.4	53.4	57.6	57.4	55.8	54.6	55.0	57.1
30%	55.4	55.0	52.7	49.8	49.8	52.8	57.2	57.0	55.2	54.2	54.6	56.0
40%	54.8	54.7	52.4	49.2	49.4	52.5	56.6	56.6	54.9	53.9	54.2	55.2
50%	54.4	54.6	52.1	48.9	49.1	51.9	56.1	56.4	54.4	53.8	54.0	54.7
60%	53.9	54.5	51.8	48.4	48.6	51.5	55.8	56.0	54.0	53.5	53.8	54.2
70%	53.6	54.3	51.5	48.1	48.0	50.4	55.3	55.6	53.6	53.4	53.6	53.4
80%	53.3	54.1	51.2	47.8	47.4	49.6	54.3	55.1	53.3	52.9	53.2	52.9
90%	52.8	53.8	50.3	46.9	46.8	48.6	53.4	54.8	52.8	52.6	52.9	52.6

Table 5A-D2.11.1-D. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.1	54.8	52.1	48.9	49.0	51.6	56.0	56.5	54.5	53.8	54.3	55.4
Wet Water Years	53.8	54.5	52.3	48.0	47.7	49.8	54.9	57.0	54.8	53.6	53.4	53.2
Above Normal Water Years	54.4	54.4	51.7	48.8	48.2	51.4	56.5	55.9	53.3	53.3	53.5	53.8
Below Normal Water Years	54.6	54.6	52.2	49.2	49.4	52.2	56.5	55.9	54.1	53.6	54.1	55.4
Dry Water Years	55.2	54.7	52.3	49.6	49.9	53.0	57.1	56.2	54.1	54.2	54.6	56.3
Critical Water Years	60.7	56.8	51.4	50.2	51.1	53.5	56.0	57.3	56.0	55.0	57.5	61.9

Table 5A-D2.11.1-E. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	-0.1	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.1	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
70%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.11.1-F. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.1	0.2	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2

Table 5A-D2.11.1-G. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.2%	0.0%	0.0%	0.4%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.1%
20%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%	-0.1%	-0.2%	0.0%	0.1%	-0.2%
30%	-0.2%	0.1%	0.1%	0.1%	0.5%	0.2%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.4%
40%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.0%
80%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.1%	0.0%	-0.2%	0.0%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%	0.0%	0.0%	0.1%

Table 5A-D2.11.1-H. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.3%	-0.2%	0.1%	0.0%	0.3%	0.3%	0.4%	0.1%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.2%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.2%	-0.3%

Table 5A-D2.11.2-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.4	56.0	53.8	50.9	51.0	54.1	58.3	58.3	56.4	55.1	55.4	58.2
20%	55.9	55.3	53.1	50.3	50.4	53.4	57.6	57.4	55.8	54.6	55.0	57.1
30%	55.5	55.0	52.7	49.8	49.8	52.8	57.2	57.0	55.2	54.2	54.6	56.1
40%	54.8	54.7	52.4	49.2	49.4	52.5	56.7	56.6	54.9	54.0	54.2	55.2
50%	54.4	54.6	52.1	48.9	49.1	51.9	56.2	56.3	54.4	53.7	54.0	54.7
60%	53.9	54.5	51.8	48.4	48.6	51.5	55.8	55.9	54.0	53.5	53.8	54.2
70%	53.6	54.3	51.5	48.1	48.0	50.4	55.4	55.6	53.6	53.4	53.5	53.4
80%	53.3	54.1	51.2	47.8	47.4	49.6	54.3	55.1	53.3	52.9	53.2	52.9
90%	52.8	53.8	50.4	46.9	46.8	48.6	53.4	54.8	52.8	52.6	52.9	52.6

Table 5A-D2.11.2-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.1	54.8	52.1	48.9	49.0	51.6	56.0	56.5	54.5	53.8	54.3	55.5
Wet Water Years	53.8	54.5	52.3	48.0	47.7	49.8	54.8	57.0	54.8	53.6	53.4	53.2
Above Normal Water Years	54.4	54.4	51.7	48.8	48.2	51.3	56.5	55.9	53.3	53.2	53.5	53.8
Below Normal Water Years	54.6	54.6	52.2	49.2	49.4	52.2	56.5	55.9	54.1	53.6	54.1	55.5
Dry Water Years	55.2	54.7	52.3	49.7	49.9	53.0	57.2	56.2	54.1	54.2	54.6	56.3
Critical Water Years	60.7	56.8	51.4	50.2	51.0	53.5	56.0	57.3	56.0	55.0	57.6	61.9

Table 5A-D2.11.2-C. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	-0.1	-0.1	-0.2
20%	-0.2	0.0	0.0	0.0	0.1	0.1	0.1	-0.1	-0.1	0.0	0.0	-0.1
30%	-0.1	0.1	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	0.0
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.11.2-D. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.2	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.11.2-E. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	0.0%	0.0%	0.4%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	-0.3%
20%	-0.3%	0.1%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.2%	-0.2%	0.0%	0.0%	-0.2%
30%	-0.2%	0.1%	0.0%	0.2%	0.5%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%
40%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.2%	0.2%	0.0%	0.0%	-0.1%	-0.1%	0.1%
50%	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.2%	0.0%	-0.1%	-0.1%	0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.1%	-0.1%	0.1%	-0.2%	0.0%
80%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.2%	-0.1%	0.0%	-0.2%	0.0%
90%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.2%	0.1%	0.1%	0.0%	0.0%	0.0%

Table 5A-D2.11.2-F. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.3%	0.3%	0.6%	0.1%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.2%

Table 5A-D2.11.3-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.3	56.0	53.7	50.9	51.0	54.1	58.2	58.3	56.3	55.1	55.4	58.2
20%	55.9	55.2	53.1	50.3	50.4	53.4	57.6	57.5	55.8	54.6	55.0	57.1
30%	55.5	55.0	52.7	49.8	49.8	52.9	57.2	57.0	55.2	54.2	54.6	56.1
40%	54.8	54.7	52.5	49.3	49.4	52.5	56.6	56.6	54.9	53.9	54.2	55.2
50%	54.4	54.6	52.2	48.9	49.1	51.9	56.2	56.3	54.4	53.8	54.0	54.7
60%	53.8	54.5	51.8	48.4	48.6	51.5	55.7	55.9	54.0	53.5	53.9	54.1
70%	53.6	54.2	51.5	48.2	48.0	50.6	55.2	55.6	53.6	53.4	53.5	53.5
80%	53.3	54.1	51.2	47.8	47.4	49.6	54.4	55.1	53.3	52.9	53.2	52.9
90%	52.8	53.8	50.4	47.0	46.8	48.6	53.4	54.8	52.8	52.6	52.9	52.7

Table 5A-D2.11.3-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.1	54.8	52.1	48.9	49.0	51.6	56.0	56.5	54.5	53.8	54.3	55.3
Wet Water Years	53.8	54.5	52.3	48.0	47.7	49.8	54.9	57.0	54.8	53.6	53.4	53.2
Above Normal Water Years	54.4	54.4	51.7	48.8	48.2	51.4	56.5	55.9	53.3	53.2	53.5	53.8
Below Normal Water Years	54.5	54.6	52.2	49.2	49.4	52.2	56.6	55.9	54.1	53.6	54.1	55.4
Dry Water Years	55.1	54.7	52.3	49.7	49.9	53.0	57.2	56.1	54.1	54.2	54.6	56.2
Critical Water Years	60.5	56.8	51.5	50.3	51.2	53.5	55.8	57.2	56.1	55.0	57.1	61.1

Table 5A-D2.11.3-C. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.2
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	-0.1	0.0	0.0	-0.2
30%	-0.1	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.11.3-D. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.1	0.1	-0.2	-0.1	0.0	0.0	-0.5	-0.9

Table 5A-D2.11.3-E. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.2%	-0.1%	0.0%	0.4%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%	-0.3%
20%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	-0.2%	0.0%	0.0%	-0.3%
30%	-0.2%	0.1%	0.0%	0.2%	0.4%	0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.3%
40%	0.0%	-0.1%	0.1%	0.1%	0.0%	0.2%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%
50%	-0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	0.0%	-0.1%	0.0%
60%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	-0.1%	0.0%	-0.1%
70%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.1%	0.0%	0.1%	-0.2%	0.1%
80%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%	-0.1%	0.1%	-0.2%	0.0%
90%	0.0%	0.0%	0.3%	0.1%	0.0%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.11.3-F. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.2%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%
Dry Water Years	-0.4%	-0.2%	0.1%	0.1%	0.3%	0.3%	0.7%	0.0%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.4%	0.1%	0.1%	0.2%	0.3%	0.1%	-0.3%	-0.2%	0.0%	0.0%	-0.9%	-1.5%

Table 5A-D2.11.4-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.3	56.1	53.8	50.9	51.0	54.2	58.2	58.3	56.3	55.1	55.4	58.1
20%	55.9	55.2	53.1	50.3	50.4	53.5	57.6	57.5	55.8	54.6	55.0	57.0
30%	55.4	55.0	52.7	49.8	50.0	52.9	57.3	57.0	55.2	54.2	54.5	56.0
40%	54.8	54.7	52.5	49.3	49.4	52.4	56.6	56.6	54.9	53.9	54.2	55.2
50%	54.4	54.6	52.2	48.9	49.1	51.9	56.2	56.2	54.4	53.8	54.0	54.7
60%	54.0	54.5	51.8	48.4	48.6	51.5	55.7	55.9	54.0	53.5	53.9	54.1
70%	53.7	54.3	51.5	48.1	48.0	50.5	55.3	55.7	53.6	53.3	53.6	53.4
80%	53.3	54.1	51.2	47.8	47.4	49.5	54.4	55.1	53.2	52.9	53.2	52.9
90%	52.8	53.8	50.4	46.9	46.8	48.6	53.4	54.8	52.8	52.6	52.9	52.6

Table 5A-D2.11.4-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.0	54.8	52.1	48.9	49.0	51.6	56.0	56.5	54.5	53.8	54.3	55.3
Wet Water Years	53.8	54.5	52.3	48.0	47.7	49.8	54.8	57.0	54.8	53.6	53.4	53.2
Above Normal Water Years	54.5	54.4	51.8	48.9	48.2	51.4	56.6	55.9	53.3	53.3	53.5	53.8
Below Normal Water Years	54.6	54.6	52.2	49.2	49.4	52.2	56.6	55.9	54.1	53.6	54.1	55.4
Dry Water Years	55.1	54.7	52.3	49.7	49.9	53.1	57.2	56.1	54.1	54.2	54.7	56.2
Critical Water Years	60.4	56.8	51.5	50.3	51.3	53.5	55.8	57.2	56.1	55.0	57.1	61.0

Table 5A-D2.11.4-C. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	0.2	0.1	0.0	0.0	-0.1	0.0	-0.1	-0.3
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.2	-0.1	-0.1	0.0	0.0	-0.2
30%	-0.2	0.0	0.0	0.1	0.3	0.2	0.0	0.0	0.0	0.0	-0.1	-0.2
40%	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
50%	-0.1	0.0	0.0	0.0	-0.1	0.0	0.1	-0.2	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1
70%	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	-0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.11.4-D. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.2	0.3	0.4	0.0	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.4	0.0	0.1	0.2	0.2	0.1	-0.2	-0.1	0.0	0.0	-0.6	-1.1

Table 5A-D2.11.4-E. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.1%	-0.1%	0.1%	0.4%	0.2%	-0.1%	-0.1%	-0.2%	0.0%	-0.2%	-0.5%
20%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.2%	0.3%	-0.1%	-0.2%	0.0%	0.0%	-0.4%
30%	-0.3%	0.0%	0.1%	0.2%	0.7%	0.4%	0.1%	0.0%	0.1%	0.0%	-0.1%	-0.4%
40%	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	-0.2%	0.0%
50%	-0.2%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.1%	-0.3%	0.1%	0.0%	-0.1%	0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.1%
70%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%
80%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.3%	0.3%	-0.3%	0.0%	-0.2%	0.0%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.11.4-F. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.5%	-0.2%	0.0%	0.1%	0.3%	0.6%	0.7%	0.1%	-0.1%	0.0%	0.0%	-0.3%
Critical Water Years	-0.6%	0.0%	0.1%	0.3%	0.5%	0.1%	-0.4%	-0.2%	0.0%	0.0%	-1.0%	-1.7%

Table 5A-D2.11.5-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.4	56.0	53.7	50.9	51.0	54.1	58.2	58.3	56.3	55.1	55.4	58.2
20%	55.9	55.2	53.1	50.3	50.4	53.4	57.6	57.5	55.8	54.6	55.0	57.1
30%	55.5	55.0	52.8	49.8	49.9	52.9	57.2	57.0	55.2	54.2	54.6	56.1
40%	54.8	54.7	52.5	49.3	49.4	52.5	56.6	56.6	54.9	53.9	54.2	55.2
50%	54.4	54.6	52.1	48.9	49.1	51.9	56.2	56.3	54.4	53.8	54.0	54.7
60%	53.9	54.5	51.8	48.4	48.6	51.5	55.7	55.9	54.0	53.5	53.9	54.1
70%	53.6	54.3	51.5	48.2	48.0	50.6	55.2	55.6	53.6	53.4	53.5	53.4
80%	53.3	54.1	51.2	47.8	47.4	49.6	54.4	55.1	53.3	52.9	53.2	53.0
90%	52.8	53.8	50.4	47.0	46.8	48.6	53.4	54.8	52.8	52.6	52.9	52.7

Table 5A-D2.11.5-B. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.1	54.8	52.1	48.9	49.0	51.6	56.0	56.5	54.5	53.8	54.3	55.4
Wet Water Years	53.8	54.5	52.3	48.0	47.7	49.8	54.9	57.0	54.8	53.6	53.4	53.2
Above Normal Water Years	54.4	54.4	51.7	48.8	48.2	51.4	56.5	55.9	53.3	53.2	53.6	53.8
Below Normal Water Years	54.6	54.6	52.2	49.2	49.4	52.2	56.6	55.9	54.1	53.6	54.1	55.4
Dry Water Years	55.1	54.7	52.3	49.7	49.9	53.0	57.2	56.1	54.1	54.2	54.6	56.2
Critical Water Years	60.5	56.8	51.5	50.3	51.2	53.5	55.8	57.2	56.1	55.0	57.1	61.1

Table 5A-D2.11.5-C. Sacramento River at Balls Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	-0.1	0.0	0.0	-0.2
30%	-0.1	0.0	0.1	0.1	0.2	0.2	0.0	0.0	0.1	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.11.5-D. Sacramento River at Balls Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.1	0.0	-0.2	-0.1	0.0	0.0	-0.5	-0.9

Table 5A-D2.11.5-E. Sacramento River at Balls Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	-0.1%	0.0%	0.4%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%	-0.3%
20%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	-0.2%	0.0%	0.1%	-0.3%
30%	-0.2%	0.1%	0.1%	0.2%	0.5%	0.3%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.3%
40%	0.0%	-0.1%	0.1%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.2%	0.0%	0.1%	-0.1%	0.1%
60%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	-0.1%	0.0%	-0.1%
70%	0.1%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.2%	0.1%	0.0%	0.1%	-0.2%	0.0%
80%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.2%	-0.1%	0.1%	-0.2%	0.0%
90%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.11.5-F. Sacramento River at Balls Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.2%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.1%	0.0%	-0.1%	0.0%
Dry Water Years	-0.4%	-0.2%	0.1%	0.0%	0.3%	0.3%	0.7%	0.0%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.4%	0.1%	0.1%	0.2%	0.3%	0.1%	-0.3%	-0.2%	0.0%	0.0%	-0.9%	-1.5%

Figure 5A-D2.11.1. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.11.2. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.11.3. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.11.4. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.11.5. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.11.6. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.11.7. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.11.8. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.11.9. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.11.10. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.11.11. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.11.12. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.11.13. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.11.14. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.11.15. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.11.16. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.11.17. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.11.18. Sacramento River at Balls Ferry, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.11.19. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.11.20. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.11.21. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.11.22. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.11.23. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.11.24. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.11.25. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.11.26. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.11.27. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.11.28. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.11.29. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.11.30. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.11.31. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.11.32. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.11.33. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.11.34. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.11.35. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.11.36. Sacramento River at Balls Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.11.37-A. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.11.37-B. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.11.37-C. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.11.37-D. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.11.38. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.11.39. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.11.40. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.11.41. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.11.42. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.11.43. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.11.44. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.11.45. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.11.46. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.11.47. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.11.48. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.11.49. Sacramento River at Balls Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.12 Sacramento River at Bend Bridge

Table 5A-D2.12.1-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.3	55.5	52.5	50.1	50.8	54.9	59.5	60.8	59.3	58.2	58.2	61.3
20%	57.5	55.1	51.9	49.5	50.3	54.0	58.9	60.1	58.6	57.3	57.6	59.9
30%	56.7	54.7	51.5	49.1	49.8	53.7	58.5	59.4	58.2	56.8	57.3	59.0
40%	56.3	54.4	51.2	48.7	49.6	53.2	57.9	59.1	57.9	56.6	56.9	57.9
50%	55.9	54.2	50.9	48.4	49.1	52.6	57.4	58.7	57.3	56.3	56.6	57.0
60%	55.2	54.0	50.6	48.0	48.8	52.0	57.1	58.3	56.9	55.9	56.4	56.5
70%	55.0	53.6	50.3	47.6	48.3	51.3	56.6	57.7	56.5	55.6	56.1	55.7
80%	54.7	53.3	49.6	47.2	47.6	50.2	55.4	57.2	55.8	55.1	55.7	55.1
90%	54.1	52.6	48.9	46.8	47.0	49.1	54.4	56.9	55.1	54.7	55.2	54.6

Table 5A-D2.12.1-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	56.3	54.2	50.9	48.4	49.1	52.3	57.2	58.8	57.3	56.3	56.9	57.8
Wet Water Years	55.0	53.9	51.1	47.6	47.9	50.5	56.0	59.4	58.0	56.0	55.8	55.4
Above Normal Water Years	55.5	53.7	50.3	48.3	48.4	52.0	57.9	58.3	56.1	55.7	56.0	55.8
Below Normal Water Years	56.1	54.1	51.1	48.4	49.5	53.0	57.8	58.1	56.8	56.0	56.7	58.3
Dry Water Years	56.6	54.0	50.9	48.9	49.7	53.6	58.2	58.4	56.7	56.8	57.4	59.0
Critical Water Years	61.2	56.1	50.1	49.8	51.1	54.4	57.8	59.5	58.2	57.6	60.0	63.6

Table 5A-D2.12.1-C. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.3	55.5	52.8	50.1	51.1	54.9	59.6	60.8	59.3	58.1	58.2	61.2
20%	57.4	55.0	51.9	49.5	50.4	54.2	59.1	59.9	58.6	57.3	57.5	59.9
30%	56.6	54.7	51.5	49.1	49.9	53.8	58.5	59.4	58.3	56.8	57.4	59.1
40%	56.2	54.4	51.2	48.7	49.6	53.2	58.0	59.1	57.9	56.6	57.0	57.9
50%	55.9	54.2	50.9	48.4	49.1	52.5	57.4	58.7	57.3	56.2	56.6	57.1
60%	55.3	54.0	50.6	48.0	48.8	52.0	57.1	58.4	56.8	56.0	56.3	56.4
70%	54.9	53.7	50.3	47.6	48.3	51.3	56.7	57.7	56.5	55.6	56.1	55.8
80%	54.7	53.3	49.6	47.2	47.6	50.2	55.5	57.2	55.8	55.1	55.7	55.2
90%	54.1	52.5	48.9	46.8	47.0	49.1	54.4	56.9	55.2	54.7	55.2	54.6

Table 5A-D2.12.1-D. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	56.3	54.2	50.9	48.4	49.1	52.3	57.3	58.8	57.3	56.3	56.8	57.8
Wet Water Years	55.0	54.0	51.1	47.6	47.9	50.5	56.0	59.4	58.0	56.0	55.8	55.4
Above Normal Water Years	55.5	53.8	50.3	48.3	48.4	52.0	57.9	58.3	56.1	55.6	55.9	55.8
Below Normal Water Years	56.1	54.1	51.1	48.4	49.5	52.9	57.8	58.1	56.8	56.0	56.7	58.2
Dry Water Years	56.4	54.0	51.0	48.9	49.9	53.7	58.4	58.4	56.7	56.8	57.3	59.0
Critical Water Years	61.1	56.1	50.1	49.8	51.2	54.4	57.7	59.5	58.1	57.6	59.9	63.4

Table 5A-D2.12.1-E. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.3	0.0	0.4	0.1	0.1	0.0	0.0	-0.1	0.0	-0.1
20%	0.0	-0.1	0.0	0.0	0.1	0.1	0.1	-0.2	0.0	0.0	-0.1	-0.1
30%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1
70%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.1
90%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1

Table 5A-D2.12.1-F. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.2	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.12.1-G. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.5%	0.1%	0.7%	0.1%	0.2%	0.0%	0.0%	-0.1%	0.0%	-0.1%
20%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.2%	0.2%	-0.3%	0.0%	0.0%	-0.1%	-0.1%
30%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.2%	0.1%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.1%	-0.1%	-0.1%
70%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%	0.1%
80%	0.2%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%
90%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%

Table 5A-D2.12.1-H. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.4%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.2%	-0.2%

Table 5A-D2.12.2-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.3	55.5	52.8	50.1	51.1	54.9	59.7	60.8	59.3	58.0	58.3	61.2
20%	57.5	55.0	51.9	49.5	50.4	54.2	59.1	59.9	58.6	57.3	57.5	59.9
30%	56.7	54.7	51.5	49.1	49.8	53.8	58.5	59.4	58.2	56.8	57.3	59.1
40%	56.2	54.4	51.2	48.7	49.6	53.2	58.0	59.1	57.9	56.6	56.9	57.9
50%	55.9	54.2	50.9	48.4	49.1	52.5	57.5	58.7	57.3	56.2	56.6	57.1
60%	55.3	54.0	50.6	48.0	48.8	52.0	57.1	58.3	56.8	55.9	56.3	56.5
70%	55.0	53.6	50.3	47.6	48.3	51.3	56.7	57.7	56.5	55.6	56.0	55.8
80%	54.7	53.3	49.6	47.2	47.6	50.2	55.5	57.2	55.7	55.1	55.6	55.2
90%	54.1	52.5	48.9	46.7	47.0	49.1	54.4	56.9	55.2	54.7	55.2	54.6

Table 5A-D2.12.2-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	56.3	54.2	50.9	48.4	49.1	52.3	57.3	58.8	57.3	56.3	56.8	57.8
Wet Water Years	55.0	54.0	51.1	47.6	47.9	50.5	56.0	59.4	58.0	56.0	55.8	55.4
Above Normal Water Years	55.5	53.8	50.3	48.3	48.4	51.9	57.9	58.3	56.1	55.6	55.9	55.8
Below Normal Water Years	56.1	54.1	51.1	48.4	49.5	53.0	57.8	58.1	56.8	55.9	56.7	58.3
Dry Water Years	56.4	54.0	51.0	48.9	49.9	53.7	58.5	58.4	56.7	56.8	57.3	59.0
Critical Water Years	61.1	56.1	50.1	49.8	51.2	54.4	57.8	59.5	58.2	57.6	59.9	63.5

Table 5A-D2.12.2-C. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.2	0.0	0.4	0.0	0.2	0.0	0.0	-0.1	0.0	-0.1
20%	0.0	-0.1	0.0	0.0	0.1	0.2	0.1	-0.2	0.0	0.0	-0.1	0.0
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	-0.1	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1
70%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	-0.1	0.1
90%	0.0	-0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1

Table 5A-D2.12.2-D. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.3	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.12.2-E. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.5%	0.1%	0.7%	0.0%	0.3%	0.0%	0.0%	-0.2%	0.1%	-0.1%
20%	0.0%	-0.1%	0.0%	0.0%	0.2%	0.3%	0.2%	-0.3%	0.0%	0.0%	-0.1%	0.0%
30%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.2%
40%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.1%	0.0%	-0.2%	-0.1%	0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.2%	0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%	0.1%
80%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.2%	0.2%
90%	0.0%	-0.2%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%

Table 5A-D2.12.2-F. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.5%	0.0%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%

Table 5A-D2.12.3-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.3	55.4	52.8	50.2	51.1	54.9	59.6	60.8	59.3	58.2	58.2	61.2
20%	57.4	55.0	51.9	49.5	50.4	54.2	59.1	59.9	58.5	57.3	57.6	59.9
30%	56.6	54.7	51.5	49.1	49.8	53.7	58.5	59.4	58.3	56.8	57.3	59.1
40%	56.2	54.4	51.2	48.7	49.6	53.2	58.0	59.0	57.9	56.6	57.0	58.0
50%	55.9	54.2	50.9	48.4	49.1	52.5	57.5	58.7	57.3	56.2	56.6	57.0
60%	55.3	54.0	50.6	48.0	48.8	52.0	57.1	58.3	56.9	55.9	56.3	56.5
70%	54.9	53.7	50.3	47.6	48.3	51.3	56.6	57.7	56.4	55.6	56.0	55.8
80%	54.7	53.3	49.6	47.2	47.6	50.2	55.6	57.2	55.7	55.1	55.6	55.2
90%	54.2	52.5	49.0	46.8	47.0	49.1	54.4	56.9	55.2	54.7	55.2	54.7

Table 5A-D2.12.3-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	56.3	54.2	50.9	48.4	49.1	52.3	57.3	58.8	57.3	56.3	56.8	57.7
Wet Water Years	55.0	53.9	51.1	47.6	47.9	50.5	56.0	59.4	58.0	56.0	55.8	55.4
Above Normal Water Years	55.5	53.8	50.3	48.3	48.4	52.0	57.9	58.3	56.1	55.6	55.9	55.8
Below Normal Water Years	56.1	54.1	51.1	48.4	49.5	53.0	57.9	58.0	56.8	55.9	56.7	58.2
Dry Water Years	56.4	54.0	51.0	48.9	49.9	53.7	58.6	58.4	56.7	56.8	57.3	58.9
Critical Water Years	61.0	56.1	50.2	49.9	51.2	54.4	57.6	59.4	58.2	57.6	59.6	62.8

Table 5A-D2.12.3-C. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.2	0.1	0.4	0.0	0.1	0.0	0.0	0.0	0.0	0.0
20%	-0.1	-0.1	0.0	0.0	0.1	0.1	0.1	-0.2	-0.1	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1	0.0
60%	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	-0.1	0.0	-0.1	0.1
90%	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1

Table 5A-D2.12.3-D. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.0	0.0	-0.4	-0.8

Table 5A-D2.12.3-E. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.5%	0.2%	0.7%	0.1%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%
20%	-0.2%	-0.1%	0.0%	0.0%	0.2%	0.3%	0.2%	-0.3%	-0.2%	0.0%	0.0%	-0.1%
30%	-0.2%	0.0%	0.1%	0.1%	0.1%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.1%	0.2%
40%	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.0%	0.0%	0.1%	0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.2%	0.0%
70%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.1%
80%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.5%	0.0%	-0.1%	0.0%	-0.2%	0.2%
90%	0.2%	-0.2%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.12.3-F. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.2%	0.0%	0.3%	0.2%	0.6%	0.0%	-0.1%	0.0%	0.0%	-0.2%
Critical Water Years	-0.3%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.3%	-0.2%	0.1%	0.0%	-0.7%	-1.2%

Table 5A-D2.12.4-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.3	55.5	52.8	50.2	51.1	55.0	59.6	60.8	59.3	58.2	58.2	61.2
20%	57.3	55.0	51.9	49.5	50.4	54.2	59.1	59.9	58.5	57.3	57.7	59.7
30%	56.7	54.7	51.5	49.1	49.8	53.8	58.6	59.4	58.3	56.8	57.3	58.7
40%	56.2	54.4	51.3	48.7	49.6	53.2	58.0	59.0	57.9	56.6	56.9	58.0
50%	55.9	54.2	50.9	48.4	49.1	52.5	57.5	58.6	57.3	56.2	56.5	57.1
60%	55.3	54.0	50.6	48.0	48.8	52.1	57.1	58.2	56.9	55.9	56.3	56.5
70%	55.0	53.6	50.1	47.6	48.3	51.3	56.6	57.7	56.4	55.6	56.1	55.7
80%	54.7	53.3	49.6	47.2	47.6	50.1	55.6	57.2	55.7	55.1	55.7	55.1
90%	54.2	52.5	48.8	46.7	47.0	49.1	54.4	56.9	55.2	54.7	55.2	54.7

Table 5A-D2.12.4-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	56.3	54.2	50.9	48.4	49.1	52.3	57.3	58.8	57.3	56.3	56.8	57.7
Wet Water Years	55.0	54.0	51.1	47.6	48.0	50.5	56.0	59.4	58.0	56.0	55.8	55.4
Above Normal Water Years	55.6	53.8	50.3	48.3	48.4	52.0	57.9	58.3	56.1	55.6	55.9	55.8
Below Normal Water Years	56.1	54.0	51.1	48.4	49.5	53.0	57.9	58.1	56.8	56.0	56.6	58.2
Dry Water Years	56.4	54.0	50.9	48.9	49.9	53.9	58.6	58.4	56.7	56.8	57.4	58.9
Critical Water Years	60.9	56.1	50.2	49.9	51.3	54.4	57.6	59.3	58.2	57.6	59.6	62.7

Table 5A-D2.12.4-C. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.2	0.1	0.4	0.1	0.1	0.0	0.0	0.1	0.0	-0.1
20%	-0.2	-0.1	0.0	0.0	0.1	0.2	0.1	-0.2	0.0	0.0	0.1	-0.3
30%	0.0	0.0	0.0	0.1	0.0	0.1	0.2	0.0	0.0	0.0	0.0	-0.3
40%	-0.1	0.0	0.1	0.0	0.0	-0.1	0.1	-0.1	0.0	0.0	0.0	0.1
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	-0.1	-0.1	0.0
60%	0.1	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0
70%	0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	-0.1	0.0	-0.1	0.1
90%	0.1	-0.2	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.12.4-D. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.3	0.4	0.0	-0.1	0.0	0.1	-0.2
Critical Water Years	-0.3	0.0	0.0	0.1	0.2	0.0	-0.2	-0.1	0.0	0.1	-0.4	-0.9

Table 5A-D2.12.4-E. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.1%	0.5%	0.3%	0.7%	0.1%	0.2%	-0.1%	0.0%	0.1%	-0.1%	-0.1%
20%	-0.3%	-0.1%	0.0%	0.0%	0.2%	0.3%	0.2%	-0.3%	-0.1%	0.0%	0.1%	-0.4%
30%	-0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	0.3%	0.0%	0.1%	-0.1%	0.0%	-0.5%
40%	-0.1%	-0.1%	0.1%	0.0%	0.0%	-0.1%	0.1%	-0.2%	-0.1%	0.0%	-0.1%	0.2%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.3%	0.0%	-0.1%	-0.2%	0.0%
60%	0.1%	0.0%	-0.1%	0.0%	0.1%	0.1%	0.0%	-0.2%	0.0%	0.0%	-0.1%	0.0%
70%	0.2%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.1%	0.0%	0.0%
80%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.5%	0.1%	-0.2%	0.0%	-0.1%	0.1%
90%	0.2%	-0.3%	-0.2%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.12.4-F. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	0.0%	0.0%	0.0%	-0.1%	-0.2%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.4%	-0.1%	0.0%	0.0%	0.3%	0.5%	0.7%	0.0%	-0.1%	0.0%	0.1%	-0.3%
Critical Water Years	-0.5%	0.0%	0.1%	0.2%	0.3%	0.1%	-0.3%	-0.2%	0.0%	0.1%	-0.7%	-1.4%

Table 5A-D2.12.5-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.3	55.4	52.8	50.2	51.1	54.9	59.6	60.8	59.3	58.2	58.2	61.2
20%	57.4	55.0	51.9	49.5	50.4	54.2	59.1	59.9	58.5	57.3	57.6	59.9
30%	56.6	54.7	51.5	49.1	49.8	53.7	58.5	59.4	58.3	56.8	57.4	59.1
40%	56.2	54.4	51.2	48.7	49.6	53.2	58.0	59.0	57.9	56.6	57.0	58.0
50%	55.9	54.2	50.9	48.4	49.1	52.5	57.5	58.7	57.3	56.2	56.6	57.0
60%	55.3	54.0	50.6	48.0	48.8	52.0	57.1	58.2	56.9	55.9	56.3	56.5
70%	54.9	53.7	50.3	47.6	48.3	51.3	56.6	57.7	56.4	55.6	56.1	55.7
80%	54.7	53.3	49.6	47.2	47.6	50.2	55.6	57.2	55.7	55.1	55.7	55.2
90%	54.2	52.5	49.0	46.8	47.0	49.1	54.4	56.9	55.2	54.8	55.2	54.7

Table 5A-D2.12.5-B. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	56.3	54.2	50.9	48.4	49.1	52.3	57.3	58.8	57.3	56.3	56.8	57.7
Wet Water Years	55.0	54.0	51.1	47.6	47.9	50.5	56.0	59.4	58.0	56.0	55.8	55.4
Above Normal Water Years	55.6	53.8	50.3	48.3	48.4	52.0	57.9	58.3	56.1	55.6	56.0	55.8
Below Normal Water Years	56.1	54.1	51.1	48.4	49.5	53.0	57.9	58.0	56.8	56.0	56.7	58.2
Dry Water Years	56.4	54.0	51.0	48.9	49.9	53.7	58.6	58.4	56.7	56.8	57.3	58.9
Critical Water Years	61.0	56.1	50.2	49.9	51.2	54.4	57.6	59.4	58.2	57.6	59.6	62.8

Table 5A-D2.12.5-C. Sacramento River at Bend Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.2	0.1	0.4	0.0	0.1	0.0	0.0	0.1	0.0	0.0
20%	-0.1	-0.1	0.0	0.0	0.1	0.1	0.1	-0.2	0.0	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1	0.0	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	-0.1	0.0	-0.1	0.1
90%	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1

Table 5A-D2.12.5-D. Sacramento River at Bend Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.0	0.0	-0.4	-0.8

Table 5A-D2.12.5-E. Sacramento River at Bend Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	-0.1%	0.5%	0.3%	0.7%	0.1%	0.2%	-0.1%	0.0%	0.1%	0.0%	0.0%
20%	-0.2%	-0.1%	0.0%	0.0%	0.2%	0.3%	0.2%	-0.3%	-0.1%	0.0%	0.0%	-0.1%
30%	-0.2%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.2%	0.2%
40%	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.0%	0.0%	0.0%	0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.2%	0.0%	0.0%	-0.2%	0.0%
70%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%
80%	0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.5%	0.0%	-0.1%	0.0%	-0.1%	0.2%
90%	0.2%	-0.2%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.12.5-F. Sacramento River at Bend Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.2%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.2%	0.0%	0.3%	0.2%	0.6%	0.0%	0.0%	0.0%	0.0%	-0.2%
Critical Water Years	-0.3%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.3%	-0.2%	0.1%	0.0%	-0.7%	-1.2%

Figure 5A-D2.12.1. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.12.2. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.12.3. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.12.4. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.12.5. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.12.6. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.12.7. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.12.8. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.12.9. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.12.10. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.12.11. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.12.12. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.12.13. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.12.14. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.12.15. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.12.16. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.12.17. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.12.18. Sacramento River at Bend Bridge, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.12.19. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.12.20. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.12.21. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.12.22. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.12.23. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.12.24. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.12.25. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.12.26. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.12.27. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.12.28. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.12.29. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.12.30. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.12.31. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.12.32. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.12.33. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.12.34. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.12.35. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.12.36. Sacramento River at Bend Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.12.37-A. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.12.37-B. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.12.37-C. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.12.37-D. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.12.38. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.12.39. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.12.40. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.12.41. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.12.42. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.12.43. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.12.44. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.12.45. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.12.46. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.12.47. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.12.48. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.12.49. Sacramento River at Bend Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.13 Sacramento River Below Clear Creek

Table 5A-D2.13.1-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.9	56.3	54.5	51.8	51.1	53.7	57.1	56.6	54.9	53.6	54.3	56.6
20%	55.3	55.3	54.0	51.2	50.5	52.8	56.3	56.0	53.9	53.2	53.6	55.8
30%	54.8	55.1	53.7	50.4	50.1	52.2	56.1	55.4	53.2	53.0	53.3	54.9
40%	54.2	54.9	53.5	49.8	49.3	51.8	55.7	55.0	52.9	52.7	53.0	54.0
50%	53.6	54.8	53.2	49.4	49.0	51.4	55.0	54.8	52.7	52.5	52.8	53.4
60%	53.1	54.7	52.9	49.0	48.5	50.9	54.7	54.5	52.4	52.4	52.6	52.9
70%	52.8	54.6	52.6	48.7	47.8	49.9	54.3	54.1	52.2	52.2	52.4	52.4
80%	52.6	54.3	52.3	48.1	47.2	49.1	53.3	53.7	51.8	51.9	52.1	51.9
90%	52.2	54.2	51.7	47.1	46.6	48.3	52.4	53.4	51.4	51.6	51.8	51.6

Table 5A-D2.13.1-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.4	55.0	53.1	49.5	48.9	51.1	54.9	54.9	52.9	52.6	53.2	54.3
Wet Water Years	53.1	54.7	53.2	48.4	47.5	49.3	54.0	55.1	52.8	52.3	52.2	52.1
Above Normal Water Years	53.7	54.5	52.9	49.4	48.1	51.0	55.4	54.3	51.8	52.2	52.4	52.7
Below Normal Water Years	53.7	54.8	53.1	49.9	49.4	51.8	55.5	54.4	52.5	52.4	52.9	54.1
Dry Water Years	54.6	55.1	53.4	50.4	49.9	52.3	55.8	54.7	52.8	53.0	53.4	55.1
Critical Water Years	60.3	56.9	52.9	50.4	50.8	52.8	54.8	56.0	54.9	53.8	56.6	61.1

Table 5A-D2.13.1-C. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.6	56.3	54.5	51.7	51.1	53.7	57.1	56.6	54.9	53.6	54.3	56.7
20%	55.1	55.3	54.1	51.2	50.5	52.8	56.5	55.8	53.9	53.2	53.7	55.7
30%	54.7	55.0	53.7	50.4	50.1	52.3	56.1	55.4	53.3	53.0	53.4	54.7
40%	54.2	55.0	53.5	49.8	49.3	51.9	55.7	55.1	52.9	52.7	52.9	54.0
50%	53.6	54.8	53.2	49.4	49.0	51.5	55.1	54.8	52.7	52.5	52.8	53.3
60%	53.2	54.6	53.0	49.0	48.5	50.9	54.8	54.4	52.4	52.3	52.5	53.0
70%	52.8	54.6	52.6	48.7	47.8	50.0	54.3	54.1	52.1	52.2	52.4	52.4
80%	52.5	54.4	52.3	48.2	47.2	49.1	53.5	53.7	51.8	51.9	52.0	51.9
90%	52.2	54.2	51.7	47.0	46.6	48.3	52.5	53.5	51.4	51.6	51.8	51.6

Table 5A-D2.13.1-D. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.4	55.0	53.2	49.5	48.9	51.1	55.0	54.9	52.9	52.6	53.1	54.3
Wet Water Years	53.1	54.7	53.2	48.4	47.5	49.3	54.0	55.1	52.8	52.3	52.2	52.2
Above Normal Water Years	53.7	54.6	52.9	49.4	48.1	50.9	55.4	54.3	51.8	52.1	52.4	52.7
Below Normal Water Years	53.7	54.8	53.1	49.9	49.4	51.8	55.6	54.4	52.6	52.5	52.9	54.1
Dry Water Years	54.5	55.0	53.4	50.4	50.0	52.5	56.1	54.8	52.7	53.0	53.4	54.9
Critical Water Years	60.3	56.9	52.9	50.5	50.9	52.8	54.8	56.0	54.9	53.8	56.4	61.0

Table 5A-D2.13.1-E. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1
20%	-0.2	0.0	0.0	0.0	0.1	0.0	0.2	-0.1	0.0	0.0	0.1	-0.2
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.13.1-F. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.1	0.2	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2

Table 5A-D2.13.1-G. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.5%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.2%
20%	-0.3%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.4%	-0.2%	-0.1%	0.1%	0.2%	-0.3%
30%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.2%	0.0%	0.1%	-0.4%
40%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%
80%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.13.1-H. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.3%	-0.2%	0.0%	0.0%	0.2%	0.3%	0.5%	0.2%	-0.2%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.2%	-0.3%

Table 5A-D2.13.2-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.7	56.3	54.5	51.8	51.1	53.7	57.2	56.6	54.9	53.6	54.3	56.6
20%	55.1	55.3	54.1	51.2	50.5	52.8	56.5	55.8	53.8	53.2	53.6	55.7
30%	54.7	55.0	53.7	50.4	50.1	52.3	56.1	55.4	53.2	53.0	53.3	54.7
40%	54.2	54.9	53.5	49.8	49.3	51.9	55.8	55.0	52.9	52.7	52.9	54.0
50%	53.6	54.8	53.2	49.4	49.0	51.5	55.1	54.7	52.7	52.5	52.8	53.5
60%	53.1	54.6	52.9	49.0	48.5	50.9	54.8	54.4	52.4	52.3	52.5	53.0
70%	52.8	54.6	52.6	48.7	47.8	50.0	54.3	54.1	52.1	52.2	52.3	52.4
80%	52.5	54.4	52.2	48.1	47.2	49.1	53.5	53.7	51.8	51.9	52.0	51.9
90%	52.1	54.2	51.7	47.0	46.6	48.3	52.5	53.5	51.4	51.6	51.8	51.6

Table 5A-D2.13.2-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.4	55.0	53.1	49.5	48.9	51.1	55.0	54.9	52.9	52.6	53.1	54.3
Wet Water Years	53.1	54.7	53.2	48.4	47.5	49.3	54.0	55.1	52.8	52.3	52.2	52.2
Above Normal Water Years	53.8	54.6	52.9	49.4	48.1	50.9	55.4	54.3	51.8	52.1	52.4	52.8
Below Normal Water Years	53.7	54.8	53.1	49.9	49.4	51.8	55.5	54.4	52.5	52.4	52.9	54.1
Dry Water Years	54.5	55.0	53.4	50.4	50.1	52.5	56.2	54.7	52.7	53.0	53.4	54.9
Critical Water Years	60.2	56.9	52.9	50.5	50.9	52.8	54.8	56.0	54.9	53.8	56.5	61.0

Table 5A-D2.13.2-C. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
20%	-0.2	0.0	0.0	0.0	0.1	0.0	0.2	-0.1	-0.1	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
80%	-0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.13.2-D. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.1	0.2	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.13.2-E. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.1%	0.0%
20%	-0.4%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%	-0.3%	-0.2%	0.0%	0.0%	-0.3%
30%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.4%
40%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
50%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%	-0.1%	0.0%	-0.1%	0.1%	0.2%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	-0.1%	-0.1%
80%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.13.2-F. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.2%	0.0%	0.0%	0.3%	0.3%	0.6%	0.1%	-0.2%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.2%

Table 5A-D2.13.3-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.7	56.3	54.5	51.8	51.2	53.7	57.1	56.6	54.9	53.6	54.3	56.7
20%	55.1	55.3	54.0	51.2	50.5	52.8	56.4	55.7	53.8	53.2	53.6	55.6
30%	54.7	55.0	53.7	50.4	50.1	52.3	56.1	55.4	53.2	53.0	53.3	54.7
40%	54.1	54.9	53.5	49.8	49.4	52.0	55.7	55.0	52.9	52.7	52.9	53.9
50%	53.6	54.8	53.3	49.4	49.0	51.5	55.2	54.7	52.7	52.5	52.8	53.4
60%	53.1	54.6	52.9	49.0	48.5	50.9	54.7	54.4	52.4	52.3	52.6	52.9
70%	52.8	54.5	52.6	48.7	47.8	50.0	54.3	54.2	52.1	52.2	52.3	52.4
80%	52.6	54.4	52.2	48.2	47.3	49.1	53.5	53.7	51.8	51.9	52.0	51.8
90%	52.2	54.2	51.7	47.2	46.6	48.3	52.5	53.5	51.4	51.6	51.8	51.6

Table 5A-D2.13.3-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.4	55.0	53.2	49.5	48.9	51.1	55.0	54.9	52.9	52.6	53.1	54.2
Wet Water Years	53.1	54.7	53.2	48.4	47.5	49.4	54.0	55.1	52.8	52.3	52.2	52.2
Above Normal Water Years	53.8	54.6	52.9	49.4	48.2	50.9	55.4	54.3	51.8	52.1	52.4	52.8
Below Normal Water Years	53.7	54.8	53.1	49.9	49.4	51.8	55.6	54.4	52.6	52.4	52.9	54.0
Dry Water Years	54.4	54.9	53.4	50.4	50.1	52.5	56.2	54.7	52.8	53.0	53.4	54.9
Critical Water Years	60.1	57.0	53.0	50.6	51.0	52.8	54.6	55.9	54.9	53.8	56.0	60.1

Table 5A-D2.13.3-C. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20%	-0.2	0.0	0.0	0.0	0.1	0.0	0.0	-0.3	-0.1	0.0	0.0	-0.2
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2
40%	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.1
50%	0.0	0.0	0.1	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	0.1
60%	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.13.3-D. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.2	0.2	0.4	0.0	-0.1	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.2	0.1	-0.2	-0.1	0.0	0.0	-0.6	-1.0

Table 5A-D2.13.3-E. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%
20%	-0.4%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.4%	-0.2%	0.0%	0.0%	-0.3%
30%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.4%
40%	-0.1%	0.0%	0.1%	0.1%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%
50%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	0.2%	-0.1%	0.0%	-0.1%	0.1%	0.1%
60%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	0.1%	-0.1%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	-0.1%	0.1%	0.4%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.13.3-F. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.5%	-0.2%	0.0%	0.0%	0.3%	0.3%	0.7%	0.0%	-0.1%	0.0%	-0.1%	-0.3%
Critical Water Years	-0.4%	0.1%	0.2%	0.3%	0.3%	0.1%	-0.4%	-0.2%	0.0%	0.0%	-1.0%	-1.6%

Table 5A-D2.13.4-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.6	56.3	54.5	51.8	51.2	53.7	57.1	56.6	54.9	53.6	54.3	56.7
20%	55.2	55.3	54.1	51.2	50.5	52.8	56.5	55.7	53.9	53.2	53.8	55.6
30%	54.6	55.0	53.7	50.4	50.2	52.5	56.1	55.4	53.3	53.0	53.3	54.7
40%	54.1	54.9	53.5	49.9	49.4	51.9	55.7	55.0	52.9	52.7	52.9	54.0
50%	53.7	54.8	53.2	49.4	48.9	51.5	55.2	54.8	52.7	52.5	52.7	53.4
60%	53.1	54.7	52.9	49.0	48.5	50.9	54.6	54.5	52.4	52.3	52.6	52.9
70%	52.8	54.6	52.6	48.7	47.8	50.0	54.3	54.2	52.1	52.2	52.4	52.4
80%	52.6	54.4	52.3	48.2	47.2	49.1	53.6	53.8	51.8	51.9	52.0	51.9
90%	52.2	54.2	51.7	47.2	46.6	48.3	52.5	53.5	51.4	51.6	51.8	51.6

Table 5A-D2.13.4-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.3	55.0	53.2	49.5	48.9	51.1	55.0	54.9	52.9	52.6	53.1	54.1
Wet Water Years	53.1	54.7	53.2	48.4	47.5	49.4	54.0	55.1	52.8	52.3	52.2	52.2
Above Normal Water Years	53.8	54.6	52.9	49.4	48.2	50.9	55.4	54.3	51.8	52.1	52.4	52.8
Below Normal Water Years	53.7	54.8	53.1	49.9	49.4	51.8	55.6	54.4	52.6	52.4	52.9	54.0
Dry Water Years	54.3	54.9	53.4	50.4	50.1	52.6	56.2	54.8	52.7	53.0	53.5	54.9
Critical Water Years	59.9	56.9	53.0	50.6	51.1	52.9	54.5	55.8	54.9	53.8	55.9	60.0

Table 5A-D2.13.4-C. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	-0.1	0.1
20%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0	0.2	-0.2
30%	-0.2	0.0	0.0	-0.1	0.1	0.2	0.0	0.0	0.1	0.0	-0.1	-0.2
40%	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	-0.1	0.0	0.0	0.0
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.13.4-D. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.3	-0.1	-0.1	0.0	0.1	0.3	0.4	0.1	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.4	0.0	0.1	0.2	0.3	0.1	-0.3	-0.1	0.0	0.0	-0.6	-1.2

Table 5A-D2.13.4-E. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.5%	0.0%	0.1%	-0.1%	0.1%	0.1%	-0.1%	0.0%	0.0%	0.1%	-0.1%	0.1%
20%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%	-0.4%	-0.1%	0.0%	0.3%	-0.3%
30%	-0.3%	-0.1%	-0.1%	-0.2%	0.2%	0.4%	0.0%	0.0%	0.2%	0.0%	-0.1%	-0.4%
40%	-0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
50%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%
60%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	-0.1%	0.0%	-0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%	-0.1%	0.1%	0.0%	0.0%
80%	0.0%	0.2%	0.0%	0.0%	0.1%	0.0%	0.6%	0.2%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	-0.1%	0.0%	0.2%	0.0%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.13.4-F. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.2%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.5%	-0.2%	-0.1%	0.0%	0.3%	0.6%	0.7%	0.1%	-0.2%	0.0%	0.0%	-0.3%
Critical Water Years	-0.7%	0.0%	0.2%	0.3%	0.6%	0.2%	-0.5%	-0.3%	0.0%	0.0%	-1.1%	-1.9%

Table 5A-D2.13.5-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.7	56.3	54.5	51.8	51.2	53.7	57.1	56.6	54.9	53.6	54.3	56.7
20%	55.1	55.3	54.0	51.2	50.5	52.8	56.4	55.7	53.9	53.2	53.6	55.6
30%	54.7	55.0	53.7	50.4	50.1	52.3	56.1	55.4	53.3	53.0	53.3	54.7
40%	54.1	54.9	53.6	49.8	49.4	51.9	55.7	55.0	52.9	52.7	52.9	53.9
50%	53.6	54.8	53.3	49.4	49.0	51.5	55.2	54.7	52.7	52.5	52.8	53.4
60%	53.1	54.6	52.9	49.0	48.5	50.9	54.7	54.4	52.4	52.3	52.6	52.9
70%	52.8	54.5	52.6	48.7	47.8	50.0	54.3	54.2	52.1	52.2	52.4	52.4
80%	52.6	54.4	52.3	48.2	47.3	49.1	53.5	53.7	51.8	51.9	52.0	51.9
90%	52.2	54.2	51.7	47.2	46.6	48.3	52.5	53.5	51.4	51.6	51.8	51.6

Table 5A-D2.13.5-B. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.4	55.0	53.2	49.5	48.9	51.1	55.0	54.9	52.9	52.6	53.1	54.2
Wet Water Years	53.1	54.7	53.2	48.4	47.5	49.4	54.0	55.1	52.8	52.3	52.2	52.2
Above Normal Water Years	53.8	54.6	52.9	49.4	48.2	50.9	55.4	54.3	51.8	52.1	52.4	52.8
Below Normal Water Years	53.7	54.8	53.1	49.9	49.4	51.8	55.6	54.4	52.6	52.4	52.9	54.0
Dry Water Years	54.4	54.9	53.4	50.4	50.1	52.5	56.2	54.7	52.8	53.0	53.4	54.9
Critical Water Years	60.1	57.0	53.0	50.6	51.0	52.8	54.6	55.9	54.9	53.8	56.0	60.1

Table 5A-D2.13.5-C. Sacramento River Below Clear Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20%	-0.2	0.0	0.0	0.0	0.1	0.0	0.0	-0.2	0.0	0.0	0.0	-0.2
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2
40%	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1
50%	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
60%	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.13.5-D. Sacramento River Below Clear Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.2	0.2	0.4	0.0	-0.1	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.2	0.1	-0.2	-0.1	0.0	0.0	-0.6	-1.0

Table 5A-D2.13.5-E. Sacramento River Below Clear Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	0.0%	0.1%	0.0%	0.2%	0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%
20%	-0.4%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.4%	-0.1%	0.0%	0.0%	-0.3%
30%	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	0.0%	-0.1%	-0.4%
40%	-0.1%	0.0%	0.1%	0.0%	0.1%	0.2%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
50%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	0.2%	-0.1%	0.0%	0.0%	0.1%	0.1%
60%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.1%	0.1%	-0.1%	-0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	-0.1%	0.1%	0.4%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.13.5-F. Sacramento River Below Clear Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.5%	-0.2%	0.0%	0.0%	0.3%	0.3%	0.7%	0.1%	-0.1%	0.0%	-0.1%	-0.3%
Critical Water Years	-0.4%	0.1%	0.2%	0.3%	0.3%	0.1%	-0.4%	-0.2%	0.0%	0.0%	-1.0%	-1.6%

Figure 5A-D2.13.1. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.13.2. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.13.3. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.13.4. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.13.5. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.13.6. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.13.7. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.13.8. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.13.9. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.13.10. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.13.11. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.13.12. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.13.13. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.13.14. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.13.15. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.13.16. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.13.17. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.13.18. Sacramento River Below Clear Creek, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.13.19. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.13.20. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.13.21. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.13.22. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.13.23. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.13.24. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.13.25. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.13.26. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.13.27. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.13.28. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.13.29. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.13.30. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.13.31. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.13.32. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.13.33. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.13.34. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.13.35. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.13.36. Sacramento River Below Clear Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.13.37-A. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.13.37-B. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.13.37-C. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.13.37-D. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.13.38. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.13.39. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.13.40. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.13.41. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.13.42. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.13.43. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.13.44. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.13.45. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.13.46. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.13.47. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.13.48. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.13.49. Sacramento River Below Clear Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.14 Sacramento River Below Keswick

Table 5A-D2.14.1-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.2	56.3	54.8	51.7	50.4	52.2	55.6	54.8	53.7	51.9	52.8	55.0
20%	54.6	55.2	54.5	51.2	50.0	51.4	55.0	54.2	51.8	51.7	52.1	54.0
30%	53.8	54.9	54.1	50.4	49.5	51.1	54.6	53.7	51.3	51.4	51.8	53.1
40%	53.2	54.8	54.0	49.7	48.9	50.8	54.4	53.4	51.0	51.2	51.4	52.4
50%	52.6	54.7	53.4	49.4	48.5	50.6	53.8	53.1	50.8	51.1	51.2	51.8
60%	52.2	54.6	53.2	48.9	48.1	50.0	53.4	52.9	50.7	50.9	51.0	51.4
70%	51.9	54.6	52.8	48.6	47.5	49.1	52.9	52.6	50.5	50.8	50.8	51.0
80%	51.7	54.4	52.3	48.0	46.8	48.6	52.3	52.4	50.2	50.6	50.7	50.6
90%	51.4	54.2	51.7	47.0	46.0	47.9	51.6	52.1	49.9	50.5	50.5	50.2

Table 5A-D2.14.1-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	53.6	55.0	53.4	49.4	48.4	50.1	53.7	53.3	51.2	51.2	51.7	52.8
Wet Water Years	52.4	54.7	53.5	48.3	47.1	48.7	52.9	53.3	50.8	50.9	50.8	50.8
Above Normal Water Years	52.9	54.5	53.2	49.4	47.8	50.1	54.0	52.8	50.2	50.8	51.0	51.5
Below Normal Water Years	52.7	54.7	53.4	49.9	48.9	50.8	54.2	53.0	50.8	51.0	51.4	52.3
Dry Water Years	53.7	55.0	53.9	50.5	49.4	51.2	54.6	53.1	51.3	51.5	51.9	53.3
Critical Water Years	59.8	56.9	53.1	50.3	50.0	51.4	53.3	54.4	53.6	52.2	55.1	60.0

Table 5A-D2.14.1-C. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.0	56.3	54.8	51.7	50.4	52.2	55.7	54.8	53.7	51.9	52.8	55.2
20%	54.3	55.1	54.4	51.2	50.1	51.4	55.0	54.2	51.8	51.6	52.2	53.7
30%	53.7	54.9	54.1	50.4	49.5	51.1	54.7	53.7	51.4	51.4	51.7	53.1
40%	53.1	54.9	53.9	49.6	48.9	50.9	54.2	53.5	50.9	51.2	51.4	52.4
50%	52.7	54.7	53.4	49.4	48.6	50.6	53.8	53.1	50.8	51.1	51.2	51.8
60%	52.2	54.7	53.2	49.0	48.1	50.1	53.5	52.9	50.7	50.9	50.9	51.4
70%	51.9	54.6	52.8	48.6	47.5	49.1	53.0	52.7	50.5	50.8	50.9	51.0
80%	51.6	54.4	52.3	48.0	46.8	48.6	52.2	52.4	50.2	50.6	50.7	50.6
90%	51.4	54.3	51.7	47.0	46.0	47.9	51.7	52.1	49.9	50.5	50.5	50.2

Table 5A-D2.14.1-D. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	53.6	55.0	53.4	49.4	48.4	50.2	53.7	53.3	51.2	51.2	51.7	52.8
Wet Water Years	52.4	54.7	53.5	48.3	47.1	48.7	52.9	53.3	50.8	50.9	50.8	50.9
Above Normal Water Years	53.0	54.6	53.2	49.4	47.8	50.1	54.0	52.8	50.2	50.8	51.0	51.5
Below Normal Water Years	52.7	54.7	53.4	49.9	48.9	50.8	54.2	53.0	50.8	51.0	51.4	52.3
Dry Water Years	53.5	54.9	53.9	50.5	49.5	51.4	54.9	53.2	51.2	51.4	51.8	53.1
Critical Water Years	59.8	56.9	53.1	50.3	50.1	51.4	53.2	54.4	53.6	52.3	55.0	59.8

Table 5A-D2.14.1-E. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
20%	-0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	-0.3
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
70%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
80%	-0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.14.1-F. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.1	0.2	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.2	-0.2

Table 5A-D2.14.1-G. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.2%
20%	-0.5%	0.0%	-0.1%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.5%
30%	-0.1%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%	-0.1%	0.2%	0.0%	-0.1%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.1%	0.0%	0.0%	-0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.1%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	0.1%
80%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.1%	0.0%	-0.1%	0.1%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.14.1-H. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.3%	-0.2%	0.0%	0.0%	0.2%	0.4%	0.5%	0.2%	-0.2%	0.0%	-0.1%	-0.3%
Critical Water Years	-0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.1%	0.0%	-0.1%	0.1%	-0.3%	-0.3%

Table 5A-D2.14.2-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.1	56.3	54.8	51.7	50.5	52.2	55.7	54.8	53.7	51.9	52.8	55.1
20%	54.2	55.1	54.5	51.2	50.1	51.4	55.0	54.2	51.8	51.6	52.1	53.7
30%	53.7	54.9	54.1	50.5	49.5	51.1	54.7	53.7	51.3	51.4	51.7	53.1
40%	53.2	54.8	53.9	49.6	48.9	50.9	54.3	53.4	51.0	51.2	51.4	52.4
50%	52.6	54.7	53.4	49.4	48.6	50.6	53.8	53.1	50.8	51.0	51.2	51.8
60%	52.2	54.7	53.2	49.0	48.1	50.1	53.5	52.9	50.7	50.9	50.9	51.4
70%	52.0	54.6	52.8	48.6	47.5	49.1	52.9	52.8	50.5	50.8	50.8	51.0
80%	51.6	54.4	52.3	48.0	46.9	48.6	52.2	52.5	50.2	50.6	50.7	50.6
90%	51.4	54.2	51.7	46.9	46.0	47.9	51.7	52.2	49.9	50.5	50.5	50.2

Table 5A-D2.14.2-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	53.6	55.0	53.4	49.4	48.4	50.2	53.7	53.3	51.2	51.2	51.6	52.8
Wet Water Years	52.4	54.7	53.5	48.3	47.1	48.7	52.8	53.3	50.8	50.9	50.8	50.9
Above Normal Water Years	53.0	54.6	53.2	49.3	47.8	50.1	54.0	52.8	50.2	50.8	51.0	51.5
Below Normal Water Years	52.6	54.7	53.4	49.9	48.9	50.8	54.2	53.0	50.8	51.0	51.3	52.3
Dry Water Years	53.5	54.9	53.9	50.5	49.5	51.4	54.9	53.2	51.2	51.5	51.8	53.1
Critical Water Years	59.7	56.9	53.1	50.4	50.1	51.4	53.2	54.4	53.6	52.2	55.0	59.8

Table 5A-D2.14.2-C. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20%	-0.4	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.3
30%	-0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
60%	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
70%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
80%	-0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1

Table 5A-D2.14.2-D. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.1	0.2	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2

Table 5A-D2.14.2-E. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%
20%	-0.6%	0.0%	-0.1%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.5%
30%	-0.2%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%	-0.1%	-0.1%	0.0%	-0.2%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%
50%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
60%	0.1%	0.0%	0.1%	0.1%	0.0%	0.2%	0.2%	0.0%	0.0%	0.0%	-0.1%	0.1%
70%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%	0.0%	0.0%	0.1%
80%	-0.1%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
90%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.2%	0.2%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.14.2-F. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.2%	0.0%	0.0%	0.3%	0.4%	0.6%	0.2%	-0.2%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.3%

Table 5A-D2.14.3-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.0	56.3	54.8	51.7	50.5	52.2	55.7	54.7	53.7	51.9	52.9	55.1
20%	54.2	55.1	54.4	51.2	50.1	51.4	55.0	54.1	51.8	51.6	52.2	53.7
30%	53.7	54.9	54.1	50.5	49.5	51.1	54.7	53.7	51.3	51.4	51.7	53.1
40%	53.1	54.8	53.9	49.7	48.9	50.8	54.2	53.4	51.0	51.2	51.4	52.4
50%	52.6	54.7	53.5	49.4	48.6	50.6	53.8	53.1	50.8	51.1	51.2	51.8
60%	52.1	54.7	53.2	49.0	48.1	50.1	53.4	52.9	50.7	50.9	50.9	51.4
70%	51.9	54.5	52.8	48.6	47.5	49.1	52.9	52.8	50.5	50.8	50.8	51.0
80%	51.6	54.4	52.3	48.0	46.9	48.6	52.2	52.4	50.2	50.6	50.7	50.6
90%	51.4	54.2	51.8	47.0	46.2	47.9	51.6	52.2	49.9	50.5	50.5	50.2

Table 5A-D2.14.3-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	53.5	55.0	53.4	49.4	48.4	50.2	53.7	53.3	51.2	51.2	51.6	52.7
Wet Water Years	52.4	54.7	53.5	48.3	47.1	48.7	52.9	53.3	50.8	50.9	50.8	50.9
Above Normal Water Years	53.0	54.6	53.2	49.4	47.8	50.1	54.0	52.8	50.2	50.8	51.0	51.5
Below Normal Water Years	52.6	54.7	53.4	49.9	48.9	50.8	54.3	52.9	50.8	51.0	51.3	52.2
Dry Water Years	53.4	54.8	53.9	50.5	49.5	51.4	54.9	53.2	51.2	51.5	51.8	53.1
Critical Water Years	59.5	56.9	53.2	50.5	50.2	51.5	53.0	54.3	53.6	52.2	54.5	58.8

Table 5A-D2.14.3-C. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	0.0	0.1
20%	-0.4	0.0	0.0	0.0	0.2	0.0	0.0	-0.1	0.0	0.0	0.0	-0.3
30%	-0.1	0.0	0.0	0.1	0.0	0.0	0.1	-0.1	0.0	0.0	-0.1	0.0
40%	0.0	-0.1	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
80%	0.0	0.0	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.1

Table 5A-D2.14.3-D. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.1	0.2	0.3	0.0	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.3	0.1	0.1	0.2	0.1	0.1	-0.3	-0.1	0.0	0.0	-0.7	-1.1

Table 5A-D2.14.3-E. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.1%	0.1%	0.1%	0.1%
20%	-0.7%	0.0%	-0.1%	0.0%	0.4%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.5%
30%	-0.2%	-0.1%	0.0%	0.1%	0.1%	0.1%	0.2%	-0.1%	-0.1%	0.0%	-0.2%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%
50%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	-0.1%	0.0%	0.0%	0.2%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%	0.1%
80%	0.0%	0.1%	-0.2%	0.2%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.1%	0.1%	0.4%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.14.3-F. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.5%	-0.3%	0.0%	0.0%	0.3%	0.4%	0.6%	0.1%	-0.1%	0.0%	-0.1%	-0.3%
Critical Water Years	-0.4%	0.1%	0.2%	0.3%	0.3%	0.2%	-0.5%	-0.2%	0.0%	-0.1%	-1.2%	-1.8%

Table 5A-D2.14.4-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.0	56.3	54.8	51.7	50.6	52.3	55.7	54.6	53.7	51.9	52.8	55.1
20%	54.3	55.2	54.4	51.2	50.1	51.7	55.0	54.2	51.8	51.7	52.2	53.7
30%	53.6	54.9	54.1	50.4	49.5	51.2	54.7	53.7	51.4	51.4	51.7	53.1
40%	53.2	54.8	53.9	49.7	48.9	50.8	54.2	53.4	51.0	51.2	51.3	52.5
50%	52.6	54.7	53.5	49.4	48.6	50.6	53.8	53.2	50.8	51.1	51.2	51.8
60%	52.2	54.7	53.2	49.1	48.1	50.1	53.3	52.9	50.7	50.9	50.9	51.4
70%	51.9	54.6	52.8	48.6	47.5	49.1	52.9	52.8	50.4	50.8	50.9	51.0
80%	51.6	54.4	52.3	48.0	46.9	48.6	52.2	52.5	50.2	50.6	50.7	50.6
90%	51.4	54.2	51.7	47.0	46.2	47.9	51.7	52.2	49.9	50.5	50.4	50.1

Table 5A-D2.14.4-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	53.5	55.0	53.4	49.4	48.5	50.2	53.7	53.3	51.2	51.2	51.6	52.6
Wet Water Years	52.4	54.7	53.5	48.3	47.2	48.7	52.9	53.3	50.8	50.9	50.8	50.9
Above Normal Water Years	53.0	54.6	53.3	49.4	47.8	50.1	54.0	52.8	50.2	50.8	51.0	51.5
Below Normal Water Years	52.6	54.7	53.4	49.9	48.9	50.8	54.3	53.0	50.8	51.0	51.3	52.2
Dry Water Years	53.4	54.8	53.8	50.5	49.5	51.5	54.9	53.3	51.2	51.5	51.8	53.1
Critical Water Years	59.4	56.9	53.2	50.5	50.3	51.5	52.9	54.2	53.6	52.2	54.4	58.7

Table 5A-D2.14.4-C. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0	0.0
20%	-0.3	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.1	-0.3
30%	-0.2	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.1	0.0	-0.1	0.0
40%	0.0	0.0	-0.1	0.1	0.0	0.0	-0.2	0.0	0.0	0.0	-0.1	0.0
50%	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1
60%	0.0	0.0	0.0	0.2	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0
80%	0.0	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.0	0.0	0.0

Table 5A-D2.14.4-D. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.3	-0.1	-0.1	0.0	0.1	0.3	0.3	0.1	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.4	0.0	0.1	0.2	0.3	0.1	-0.3	-0.2	0.0	0.0	-0.7	-1.3

Table 5A-D2.14.4-E. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.5%	0.1%	0.0%	0.0%	0.2%	0.0%	0.1%	-0.2%	0.0%	0.1%	0.0%	0.1%
20%	-0.5%	0.0%	-0.1%	0.0%	0.3%	0.6%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.5%
30%	-0.4%	-0.1%	-0.1%	0.1%	0.1%	0.3%	0.2%	-0.1%	0.2%	0.0%	-0.2%	0.0%
40%	0.0%	-0.1%	-0.1%	0.1%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	-0.2%	0.1%
50%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
60%	0.0%	0.0%	0.0%	0.3%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%	0.0%	0.1%	0.1%
80%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.4%	-0.1%	0.2%	0.3%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.14.4-F. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.2%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.4%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.2%	0.2%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.6%	-0.3%	-0.1%	0.0%	0.3%	0.5%	0.6%	0.3%	-0.2%	0.0%	-0.1%	-0.4%
Critical Water Years	-0.7%	0.0%	0.2%	0.4%	0.5%	0.2%	-0.6%	-0.3%	0.0%	-0.1%	-1.3%	-2.1%

Table 5A-D2.14.5-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.0	56.3	54.8	51.7	50.5	52.2	55.6	54.7	53.7	51.9	52.9	55.1
20%	54.2	55.1	54.4	51.2	50.1	51.4	55.0	54.1	51.8	51.6	52.1	53.7
30%	53.7	54.9	54.1	50.5	49.5	51.1	54.7	53.7	51.4	51.4	51.7	53.1
40%	53.1	54.8	53.9	49.7	48.9	50.8	54.2	53.4	51.0	51.2	51.4	52.4
50%	52.6	54.7	53.5	49.4	48.6	50.6	53.8	53.1	50.8	51.1	51.2	51.8
60%	52.1	54.7	53.2	49.0	48.1	50.1	53.4	52.9	50.7	50.9	51.0	51.4
70%	51.9	54.5	52.8	48.6	47.5	49.1	52.9	52.8	50.5	50.8	50.9	51.0
80%	51.6	54.4	52.3	48.0	46.9	48.6	52.2	52.4	50.2	50.6	50.7	50.6
90%	51.4	54.2	51.8	47.1	46.2	47.9	51.7	52.2	49.9	50.5	50.5	50.2

Table 5A-D2.14.5-B. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	53.5	55.0	53.4	49.4	48.4	50.2	53.7	53.3	51.2	51.2	51.6	52.7
Wet Water Years	52.4	54.7	53.5	48.3	47.1	48.7	52.9	53.3	50.8	50.9	50.8	50.9
Above Normal Water Years	53.0	54.6	53.2	49.4	47.8	50.1	54.0	52.8	50.2	50.8	51.1	51.5
Below Normal Water Years	52.6	54.7	53.4	49.9	48.9	50.8	54.3	52.9	50.8	51.0	51.3	52.2
Dry Water Years	53.4	54.8	53.9	50.5	49.5	51.4	54.9	53.2	51.2	51.5	51.8	53.1
Critical Water Years	59.5	56.9	53.2	50.5	50.2	51.5	53.0	54.3	53.6	52.2	54.5	58.8

Table 5A-D2.14.5-C. Sacramento River Below Keswick, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0	0.1
20%	-0.4	0.0	0.0	0.0	0.2	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2
30%	-0.1	0.0	0.0	0.1	0.0	0.0	0.1	-0.1	0.1	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
80%	0.0	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.1	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.1

Table 5A-D2.14.5-D. Sacramento River Below Keswick, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.1	0.2	0.3	0.0	-0.1	0.0	-0.1	-0.2
Critical Water Years	-0.3	0.1	0.1	0.2	0.1	0.1	-0.3	-0.1	0.0	0.0	-0.7	-1.1

Table 5A-D2.14.5-E. Sacramento River Below Keswick, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.1%	0.1%	0.1%
20%	-0.7%	0.0%	-0.1%	0.0%	0.3%	0.1%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.5%
30%	-0.2%	-0.1%	0.0%	0.1%	0.1%	0.1%	0.2%	-0.1%	0.1%	0.0%	-0.1%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%
50%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	-0.1%	0.0%	0.0%	0.2%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.0%	0.1%	0.1%
80%	0.0%	0.1%	-0.1%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.1%	0.1%	0.4%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.14.5-F. Sacramento River Below Keswick, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.5%	-0.3%	0.0%	0.0%	0.3%	0.4%	0.6%	0.1%	-0.1%	0.0%	-0.1%	-0.3%
Critical Water Years	-0.4%	0.1%	0.2%	0.3%	0.3%	0.2%	-0.5%	-0.2%	0.0%	-0.1%	-1.2%	-1.8%

Figure 5A-D2.14.1. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.14.2. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.14.3. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.14.4. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.14.5. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.14.6. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.14.7. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.14.8. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.14.9. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.14.10. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.14.11. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.14.12. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.14.13. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.14.14. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.14.15. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.14.16. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.14.17. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.14.18. Sacramento River Below Keswick, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.14.19. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.14.20. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.14.21. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.14.22. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.14.23. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.14.24. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.14.25. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.14.26. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.14.27. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.14.28. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.14.29. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.14.30. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.14.31. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.14.32. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.14.33. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.14.34. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.14.35. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.14.36. Sacramento River Below Keswick, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.14.37-A. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.14.37-B. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.14.37-C. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.14.37-D. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.14.38. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.14.39. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.14.40. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.14.41. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.14.42. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.14.43. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.14.44. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.14.45. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.14.46. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.14.47. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.14.48. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.14.49. Sacramento River Below Keswick, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.15 Sacramento River Below Shasta

Table 5A-D2.15.1-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	56.1	56.2	55.7	51.6	49.8	51.3	53.7	51.7	52.0	49.4	50.8	53.2
20%	53.8	55.1	54.8	51.0	49.2	50.5	53.4	51.3	49.0	49.2	50.2	51.5
30%	52.4	54.9	54.6	50.5	48.6	50.0	52.9	51.2	48.6	49.2	49.4	50.7
40%	51.9	54.9	54.4	50.0	48.2	49.7	52.6	50.9	48.6	49.1	48.9	50.2
50%	51.3	54.9	54.1	49.5	48.0	49.3	52.3	50.7	48.5	49.1	48.7	49.8
60%	50.7	54.8	53.4	48.8	47.4	48.8	51.9	50.5	48.1	49.1	48.7	49.1
70%	50.5	54.8	53.0	48.4	46.9	48.3	51.7	50.3	48.1	49.1	48.6	48.6
80%	50.5	54.8	52.2	47.8	46.4	48.0	51.1	50.1	48.1	49.0	48.6	48.2
90%	50.4	54.7	51.7	46.4	45.4	47.3	50.3	49.9	48.1	49.0	48.5	48.0

Table 5A-D2.15.1-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.5	55.1	53.7	49.3	47.7	49.2	52.2	50.8	48.9	49.2	49.5	50.7
Wet Water Years	51.6	55.0	54.0	48.1	46.7	48.1	51.7	50.5	48.3	49.1	48.7	49.0
Above Normal Water Years	52.0	54.8	53.7	49.3	47.3	49.5	52.5	50.4	48.2	49.1	49.0	49.8
Below Normal Water Years	51.2	54.8	53.6	49.9	48.2	49.8	52.6	50.6	48.5	49.1	49.0	49.6
Dry Water Years	52.4	55.0	54.2	50.4	48.5	50.0	52.9	50.8	49.1	49.2	49.5	50.6
Critical Water Years	59.0	56.5	52.8	50.2	48.8	49.7	51.4	52.2	51.9	49.7	53.3	58.5

Table 5A-D2.15.1-C. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	55.9	56.1	55.6	51.6	49.8	51.3	53.8	51.6	52.0	49.4	50.8	53.2
20%	53.1	55.1	54.8	51.0	49.2	50.8	53.5	51.3	49.0	49.2	50.1	51.4
30%	52.4	54.9	54.6	50.5	48.7	50.0	53.0	51.2	48.6	49.2	49.1	50.7
40%	52.0	54.9	54.4	50.0	48.2	49.7	52.7	50.9	48.6	49.1	48.9	50.2
50%	51.4	54.9	54.2	49.4	47.9	49.4	52.2	50.7	48.5	49.1	48.7	49.8
60%	50.8	54.8	53.4	48.8	47.4	48.8	51.9	50.6	48.1	49.1	48.7	49.2
70%	50.6	54.8	53.0	48.4	46.9	48.4	51.7	50.3	48.1	49.1	48.6	48.5
80%	50.5	54.8	52.3	47.8	46.4	48.0	51.2	50.1	48.1	49.0	48.6	48.2
90%	50.4	54.7	51.7	46.4	45.4	47.2	50.4	49.9	48.1	49.0	48.5	48.0

Table 5A-D2.15.1-D. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.5	55.1	53.7	49.3	47.7	49.3	52.2	50.8	48.9	49.2	49.5	50.6
Wet Water Years	51.6	55.0	54.0	48.1	46.7	48.1	51.7	50.5	48.3	49.1	48.7	49.0
Above Normal Water Years	52.1	54.8	53.7	49.3	47.3	49.5	52.5	50.4	48.2	49.1	49.0	49.8
Below Normal Water Years	51.2	54.8	53.6	49.8	48.2	49.8	52.6	50.6	48.5	49.1	49.0	49.6
Dry Water Years	52.2	54.9	54.2	50.3	48.6	50.3	53.2	50.9	49.0	49.2	49.5	50.5
Critical Water Years	59.0	56.5	52.8	50.2	48.9	49.8	51.3	52.2	51.9	49.7	53.1	58.3

Table 5A-D2.15.1-E. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
20%	-0.7	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	-0.1
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.3	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1
50%	0.1	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.15.1-F. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	-0.3	-0.1	0.0	0.0	0.1	0.3	0.3	0.1	-0.1	0.0	-0.2	-0.3

Table 5A-D2.15.1-G. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.2%	-0.1%	0.0%	0.0%	0.1%	-0.1%
20%	-1.4%	0.0%	0.0%	0.0%	0.1%	0.5%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.3%
30%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.6%	0.0%
40%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%
50%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.15.1-H. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.4%	-0.2%	0.0%	0.0%	0.2%	0.5%	0.5%	0.2%	-0.2%	0.0%	-0.1%	-0.3%
Critical Water Years	-0.1%	0.0%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.3%	-0.4%

Table 5A-D2.15.2-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	55.8	56.1	55.7	51.6	49.8	51.3	53.8	51.6	52.0	49.4	50.8	53.1
20%	53.1	55.1	54.8	51.0	49.3	50.8	53.5	51.3	49.0	49.2	50.2	51.4
30%	52.3	54.9	54.6	50.5	48.7	50.0	53.0	51.2	48.6	49.2	49.1	50.7
40%	52.0	54.9	54.4	50.0	48.3	49.7	52.7	50.9	48.6	49.1	48.9	50.2
50%	51.3	54.9	54.2	49.4	47.9	49.4	52.3	50.7	48.5	49.1	48.7	49.7
60%	50.8	54.8	53.4	48.9	47.4	48.8	51.9	50.6	48.1	49.1	48.7	49.2
70%	50.5	54.8	53.0	48.4	46.9	48.4	51.7	50.3	48.1	49.1	48.6	48.5
80%	50.5	54.8	52.3	47.8	46.4	48.0	51.2	50.1	48.1	49.0	48.6	48.2
90%	50.4	54.7	51.7	46.4	45.4	47.2	50.4	49.9	48.1	49.0	48.5	48.0

Table 5A-D2.15.2-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.5	55.1	53.7	49.3	47.7	49.3	52.2	50.8	48.9	49.2	49.5	50.6
Wet Water Years	51.6	55.0	54.0	48.1	46.7	48.1	51.7	50.5	48.3	49.1	48.7	49.0
Above Normal Water Years	52.1	54.8	53.7	49.3	47.3	49.5	52.5	50.4	48.2	49.1	49.0	49.8
Below Normal Water Years	51.2	54.8	53.6	49.8	48.2	49.8	52.6	50.6	48.5	49.1	49.0	49.6
Dry Water Years	52.2	54.9	54.1	50.4	48.6	50.3	53.2	50.9	49.0	49.2	49.5	50.5
Critical Water Years	59.0	56.5	52.8	50.2	48.8	49.7	51.3	52.2	51.9	49.7	53.1	58.3

Table 5A-D2.15.2-C. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0
20%	-0.7	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	-0.1
30%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.3	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.15.2-D. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.1	0.3	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2

Table 5A-D2.15.2-E. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.1%	0.0%	0.1%	-0.1%
20%	-1.4%	0.0%	0.0%	-0.1%	0.1%	0.5%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.2%
30%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.5%	0.0%
40%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%
60%	0.2%	0.0%	0.0%	0.1%	0.0%	0.2%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.15.2-F. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Below Normal Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.4%	-0.2%	0.0%	0.0%	0.2%	0.6%	0.5%	0.2%	-0.2%	0.0%	-0.1%	-0.3%
Critical Water Years	-0.1%	0.1%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.3%	-0.3%

Table 5A-D2.15.3-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	55.8	56.1	55.7	51.6	49.8	51.2	53.8	51.6	51.9	49.4	50.8	53.2
20%	53.1	55.1	54.8	51.0	49.3	50.8	53.5	51.3	49.0	49.2	50.2	51.4
30%	52.3	54.9	54.6	50.5	48.6	50.0	53.0	51.2	48.6	49.2	49.1	50.7
40%	51.9	54.9	54.4	50.0	48.2	49.7	52.7	50.9	48.6	49.1	48.9	50.1
50%	51.3	54.9	54.1	49.4	48.0	49.4	52.1	50.7	48.5	49.1	48.7	49.6
60%	50.7	54.8	53.6	49.0	47.5	48.9	51.9	50.5	48.1	49.1	48.7	49.1
70%	50.5	54.8	53.0	48.5	47.0	48.3	51.5	50.3	48.1	49.1	48.6	48.5
80%	50.5	54.8	52.3	47.8	46.5	48.0	51.1	50.1	48.1	49.0	48.6	48.2
90%	50.4	54.7	51.7	46.5	45.4	47.3	50.2	49.9	48.1	49.0	48.5	48.0

Table 5A-D2.15.3-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	55.1	53.8	49.4	47.8	49.3	52.2	50.8	48.9	49.2	49.4	50.5
Wet Water Years	51.6	55.0	54.0	48.2	46.7	48.2	51.7	50.5	48.3	49.1	48.7	49.0
Above Normal Water Years	52.1	54.8	53.7	49.3	47.4	49.5	52.5	50.4	48.2	49.1	49.0	49.8
Below Normal Water Years	51.1	54.8	53.6	49.9	48.3	49.8	52.6	50.6	48.5	49.1	49.0	49.5
Dry Water Years	52.1	54.9	54.1	50.4	48.6	50.3	53.1	50.8	49.0	49.2	49.5	50.4
Critical Water Years	58.7	56.6	53.0	50.4	48.9	49.8	50.9	52.1	51.8	49.6	52.4	57.2

Table 5A-D2.15.3-C. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0
20%	-0.7	0.0	0.0	0.0	0.1	0.2	0.0	-0.1	0.0	0.0	0.0	-0.1
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	0.0
40%	-0.1	0.0	-0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0	0.0	0.0	-0.2
60%	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.1	0.1	0.0	-0.2	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.15.3-D. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.1	0.3	0.2	0.1	-0.1	0.0	-0.1	-0.2
Critical Water Years	-0.3	0.1	0.2	0.2	0.1	0.1	-0.4	-0.1	0.0	-0.1	-0.9	-1.2

Table 5A-D2.15.3-E. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.5%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.1%	-0.1%
20%	-1.4%	0.0%	0.0%	0.0%	0.1%	0.5%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.3%
30%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.6%	-0.1%
40%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.2%	0.2%	0.0%	0.0%	-0.1%	-0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.4%	0.0%	0.0%	0.0%	0.0%	-0.3%
60%	0.0%	0.0%	0.3%	0.2%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.2%	0.2%	0.0%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	-0.1%	0.2%	0.0%	0.2%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.2%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.15.3-F. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.2%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.3%	-0.4%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Below Normal Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.6%	-0.2%	-0.1%	0.1%	0.2%	0.5%	0.5%	0.1%	-0.2%	0.0%	-0.1%	-0.4%
Critical Water Years	-0.6%	0.2%	0.5%	0.4%	0.2%	0.1%	-0.8%	-0.2%	-0.1%	-0.1%	-1.6%	-2.1%

Table 5A-D2.15.4-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	55.7	56.0	55.7	51.6	49.9	51.2	53.8	51.7	52.0	49.4	50.7	53.0
20%	53.2	55.1	54.8	51.0	49.3	50.8	53.5	51.3	49.0	49.2	50.1	51.3
30%	52.4	54.9	54.6	50.6	48.7	50.0	53.1	51.2	48.6	49.2	49.1	50.7
40%	51.9	54.9	54.3	49.9	48.2	49.7	52.7	51.0	48.5	49.1	48.9	50.2
50%	51.4	54.9	54.1	49.5	47.9	49.5	52.1	50.7	48.5	49.1	48.7	49.6
60%	50.7	54.8	53.6	49.1	47.5	48.9	51.8	50.6	48.1	49.1	48.7	49.0
70%	50.5	54.8	52.9	48.4	47.0	48.3	51.5	50.4	48.1	49.1	48.6	48.6
80%	50.5	54.8	52.3	47.8	46.5	48.0	51.0	50.2	48.1	49.0	48.6	48.2
90%	50.4	54.7	51.7	46.5	45.4	47.2	50.2	49.9	48.1	49.0	48.5	48.0

Table 5A-D2.15.4-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	55.1	53.7	49.4	47.8	49.3	52.1	50.8	48.9	49.2	49.4	50.5
Wet Water Years	51.6	55.0	54.0	48.2	46.7	48.2	51.7	50.5	48.3	49.1	48.7	49.0
Above Normal Water Years	52.2	54.8	53.7	49.3	47.4	49.5	52.5	50.5	48.2	49.1	49.0	49.9
Below Normal Water Years	51.1	54.8	53.6	49.8	48.2	49.8	52.6	50.6	48.5	49.1	49.0	49.5
Dry Water Years	52.1	54.9	54.1	50.4	48.6	50.3	53.1	51.0	49.0	49.2	49.4	50.4
Critical Water Years	58.5	56.6	53.0	50.4	49.2	49.7	50.9	52.0	51.8	49.6	52.3	57.0

Table 5A-D2.15.4-C. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4	-0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	-0.1	-0.2
20%	-0.6	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	-0.1	-0.2
30%	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	-0.3	-0.1
40%	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	-0.1
50%	0.1	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0	0.0	0.0	-0.2
60%	0.0	0.0	0.2	0.3	0.1	0.1	-0.1	0.1	0.0	0.0	0.0	-0.1
70%	0.0	0.0	0.0	0.1	0.1	0.0	-0.2	0.1	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.1	0.0	-0.1	0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.15.4-D. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
Dry Water Years	-0.3	-0.1	-0.1	0.0	0.1	0.3	0.2	0.2	-0.1	0.0	-0.1	-0.2
Critical Water Years	-0.5	0.1	0.3	0.2	0.3	0.0	-0.5	-0.1	0.0	-0.1	-0.9	-1.4

Table 5A-D2.15.4-E. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.7%	-0.3%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%	-0.1%	0.0%	-0.2%	-0.3%
20%	-1.1%	0.0%	0.0%	-0.1%	0.2%	0.5%	0.0%	-0.1%	0.0%	0.0%	-0.1%	-0.4%
30%	0.0%	0.0%	0.0%	0.2%	0.2%	0.0%	0.2%	0.0%	0.0%	0.0%	-0.6%	-0.1%
40%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.2%	0.2%	0.0%	0.0%	-0.1%	-0.1%
50%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.2%	-0.4%	0.1%	0.0%	0.0%	0.0%	-0.4%
60%	0.0%	0.0%	0.3%	0.5%	0.2%	0.2%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%
70%	0.0%	0.0%	-0.1%	0.2%	0.2%	0.1%	-0.3%	0.2%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	-0.1%	0.1%	0.0%	0.2%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.2%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.15.4-F. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.2%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.3%	-0.4%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.3%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
Below Normal Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.7%	-0.2%	-0.2%	0.1%	0.2%	0.6%	0.4%	0.5%	-0.2%	0.0%	-0.2%	-0.5%
Critical Water Years	-0.9%	0.1%	0.5%	0.5%	0.7%	0.1%	-1.0%	-0.3%	-0.1%	-0.2%	-1.8%	-2.5%

Table 5A-D2.15.5-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	55.8	56.1	55.7	51.6	49.8	51.2	53.8	51.6	51.9	49.4	50.8	53.2
20%	53.1	55.1	54.8	51.0	49.3	50.8	53.5	51.3	49.0	49.2	50.2	51.4
30%	52.3	54.9	54.6	50.5	48.7	50.0	53.0	51.2	48.6	49.2	49.1	50.7
40%	51.9	54.9	54.4	50.0	48.2	49.7	52.7	51.0	48.6	49.1	48.9	50.2
50%	51.3	54.9	54.1	49.4	47.9	49.4	52.1	50.7	48.5	49.1	48.7	49.6
60%	50.7	54.8	53.6	49.0	47.4	48.8	51.9	50.5	48.1	49.1	48.7	49.1
70%	50.5	54.8	53.0	48.5	47.0	48.3	51.5	50.3	48.1	49.1	48.6	48.5
80%	50.5	54.8	52.3	47.8	46.4	48.0	51.1	50.2	48.1	49.0	48.6	48.2
90%	50.4	54.7	51.7	46.5	45.4	47.3	50.2	49.9	48.1	49.0	48.5	48.0

Table 5A-D2.15.5-B. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	52.4	55.1	53.8	49.4	47.8	49.3	52.2	50.8	48.9	49.2	49.4	50.5
Wet Water Years	51.6	55.0	54.0	48.2	46.7	48.2	51.7	50.5	48.3	49.1	48.7	49.0
Above Normal Water Years	52.1	54.8	53.7	49.3	47.4	49.5	52.5	50.4	48.2	49.1	49.0	49.8
Below Normal Water Years	51.1	54.8	53.6	49.9	48.3	49.8	52.6	50.6	48.5	49.1	49.0	49.5
Dry Water Years	52.1	54.9	54.1	50.4	48.6	50.3	53.1	50.8	49.0	49.2	49.5	50.4
Critical Water Years	58.7	56.6	53.0	50.4	48.9	49.8	50.9	52.1	51.8	49.6	52.4	57.2

Table 5A-D2.15.5-C. Sacramento River Below Shasta, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.1	0.0
20%	-0.7	0.0	0.0	0.0	0.1	0.3	0.0	-0.1	0.0	0.0	0.0	-0.1
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.3	0.0
40%	-0.1	0.0	-0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0	0.0	0.0	-0.1
60%	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.1	0.1	0.0	-0.2	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.15.5-D. Sacramento River Below Shasta, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.1	0.3	0.2	0.1	-0.1	0.0	-0.1	-0.2
Critical Water Years	-0.3	0.1	0.2	0.2	0.1	0.0	-0.4	-0.1	0.0	-0.1	-0.9	-1.2

Table 5A-D2.15.5-E. Sacramento River Below Shasta, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.6%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.1%	-0.1%
20%	-1.4%	0.0%	0.0%	0.0%	0.1%	0.5%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.2%
30%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.6%	0.0%
40%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.2%	0.2%	0.0%	0.0%	-0.1%	-0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.4%	0.0%	0.0%	0.0%	0.0%	-0.3%
60%	0.0%	0.0%	0.3%	0.2%	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
70%	0.0%	0.0%	0.0%	0.3%	0.2%	0.0%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	-0.1%	0.2%	0.0%	0.2%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.15.5-F. Sacramento River Below Shasta, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.2%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.3%	-0.4%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%
Below Normal Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.6%	-0.2%	-0.1%	0.1%	0.2%	0.5%	0.5%	0.1%	-0.2%	0.0%	-0.1%	-0.4%
Critical Water Years	-0.6%	0.2%	0.5%	0.4%	0.2%	0.1%	-0.8%	-0.2%	-0.1%	-0.1%	-1.6%	-2.1%

Figure 5A-D2.15.1. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.15.2. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.15.3. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.15.4. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.15.5. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.15.6. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.15.7. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.15.8. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.15.9. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.15.10. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.15.11. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.15.12. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.15.13. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.15.14. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.15.15. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.15.16. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.15.17. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.15.18. Sacramento River Below Shasta, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.15.19. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.15.20. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.15.21. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.15.22. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.15.23. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.15.24. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.15.25. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.15.26. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.15.27. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.15.28. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.15.29. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.15.30. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.15.31. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.15.32. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.15.33. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.15.34. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.15.35. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.15.36. Sacramento River Below Shasta, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.15.37-A. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.15.37-B. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.15.37-C. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.15.37-D. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.15.38. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.15.39. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.15.40. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.15.41. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.15.42. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.15.43. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.15.44. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.15.45. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.15.46. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.15.47. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.15.48. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.15.49. Sacramento River Below Shasta, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.16 Sacramento River at Butte City

Table 5A-D2.16.1-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	63.3	57.0	52.3	50.5	52.5	58.2	64.1	68.6	69.9	68.0	68.0	68.8
20%	62.0	56.5	51.3	49.7	51.8	57.2	63.6	67.3	68.7	67.1	67.0	68.0
30%	61.4	56.1	50.9	49.5	51.3	56.6	63.2	66.8	68.2	66.3	66.4	67.0
40%	60.9	55.6	50.6	49.0	50.9	55.7	62.3	66.4	67.1	65.6	66.1	65.9
50%	60.4	55.2	50.4	48.4	50.5	54.8	61.6	65.9	66.4	64.9	65.6	65.0
60%	59.9	54.9	50.0	48.0	49.9	54.1	60.9	65.6	65.5	64.5	65.3	64.2
70%	59.5	54.7	49.8	47.8	49.1	53.1	59.9	64.5	64.9	64.1	64.7	62.8
80%	59.1	54.4	49.3	47.3	48.5	51.9	58.9	63.8	64.1	63.0	64.3	62.4
90%	58.3	54.1	48.7	46.7	47.8	50.9	56.7	62.9	63.4	62.2	63.2	61.3

Table 5A-D2.16.1-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.7	55.4	50.4	48.6	50.4	54.7	61.1	65.8	66.5	65.1	65.6	65.2
Wet Water Years	59.3	55.0	50.6	47.7	49.0	52.5	58.9	66.0	67.9	64.9	64.7	62.5
Above Normal Water Years	59.7	54.7	50.0	48.1	49.3	54.0	61.8	65.5	65.0	64.1	64.6	62.8
Below Normal Water Years	61.0	55.3	50.5	48.6	50.9	55.4	61.7	65.1	66.1	64.7	65.7	66.3
Dry Water Years	61.2	55.6	50.5	49.2	51.1	56.3	62.7	65.7	65.3	65.7	66.2	67.3
Critical Water Years	64.5	56.9	50.1	50.4	53.1	57.8	63.2	66.9	65.8	66.4	67.8	69.5

Table 5A-D2.16.1-C. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	63.3	57.1	52.3	50.4	53.4	58.2	64.2	68.4	69.7	68.0	67.9	68.8
20%	62.0	56.5	51.3	49.7	51.8	57.1	63.7	67.3	68.7	66.8	67.0	68.0
30%	61.4	56.1	50.9	49.5	51.3	56.6	63.1	66.8	68.2	66.2	66.4	67.1
40%	61.0	55.6	50.6	48.9	50.9	55.7	62.3	66.5	67.1	65.6	66.1	65.9
50%	60.5	55.2	50.3	48.4	50.4	54.8	61.7	66.0	66.3	64.9	65.6	65.0
60%	60.0	54.9	50.0	48.0	49.9	54.1	60.9	65.5	65.5	64.5	65.2	64.1
70%	59.5	54.7	49.8	47.8	49.1	53.0	59.9	64.5	64.9	64.1	64.7	63.1
80%	59.1	54.4	49.3	47.3	48.4	51.8	58.8	63.8	64.1	63.0	64.3	62.4
90%	58.3	54.1	48.7	46.7	47.8	50.9	56.7	62.9	63.3	62.3	63.1	61.3

Table 5A-D2.16.1-D. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.7	55.4	50.4	48.6	50.4	54.7	61.1	65.8	66.5	65.0	65.5	65.2
Wet Water Years	59.3	55.0	50.6	47.7	49.0	52.5	58.9	66.0	67.9	64.9	64.7	62.6
Above Normal Water Years	59.7	54.8	50.0	48.1	49.3	54.0	61.8	65.5	65.0	64.0	64.5	62.8
Below Normal Water Years	61.0	55.3	50.4	48.6	50.9	55.4	61.8	65.1	66.1	64.6	65.7	66.3
Dry Water Years	61.1	55.6	50.6	49.2	51.3	56.4	62.8	65.7	65.2	65.7	66.1	67.2
Critical Water Years	64.5	56.9	50.1	50.4	53.2	57.8	63.1	66.8	65.8	66.4	67.8	69.4

Table 5A-D2.16.1-E. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.1	0.0	0.0	0.9	0.0	0.1	-0.2	-0.1	0.0	-0.1	0.0
20%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.3	0.1	0.0
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
40%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0

Table 5A-D2.16.1-F. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.2	0.0	-0.1	0.0	-0.1	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	-0.1	0.0	0.0	-0.1

Table 5A-D2.16.1-G. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	0.0%	-0.1%	1.7%	0.0%	0.1%	-0.3%	-0.2%	0.0%	-0.1%	0.0%
20%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.2%	-0.1%	0.0%	-0.5%	0.1%	0.0%
30%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
40%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.1%	0.0%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
90%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.0%

Table 5A-D2.16.1-H. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.1%	0.0%	0.1%	0.0%	0.4%	0.1%	0.3%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%

Table 5A-D2.16.2-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	63.3	57.1	52.3	50.4	53.4	58.2	64.2	68.4	69.7	68.0	68.0	68.8
20%	62.0	56.5	51.3	49.7	51.8	57.2	63.7	67.3	68.7	67.0	67.0	68.0
30%	61.4	56.1	50.9	49.5	51.3	56.6	63.2	66.8	68.2	66.2	66.4	67.2
40%	60.9	55.6	50.6	49.0	50.9	55.7	62.4	66.4	67.0	65.6	66.1	65.9
50%	60.5	55.2	50.4	48.4	50.4	54.8	61.8	66.0	66.4	64.9	65.5	65.0
60%	60.0	54.9	50.0	48.0	49.9	54.1	60.9	65.5	65.5	64.4	65.1	64.2
70%	59.6	54.7	49.8	47.8	49.1	53.0	59.9	64.5	64.9	64.0	64.6	63.1
80%	59.1	54.4	49.3	47.3	48.4	51.8	58.8	63.8	64.1	63.0	64.3	62.4
90%	58.3	54.1	48.8	46.7	47.8	50.9	56.7	62.9	63.3	62.3	63.1	61.3

Table 5A-D2.16.2-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.7	55.4	50.4	48.6	50.4	54.7	61.1	65.8	66.5	65.0	65.5	65.2
Wet Water Years	59.3	55.0	50.6	47.7	49.0	52.5	58.9	66.0	67.9	64.9	64.7	62.6
Above Normal Water Years	59.7	54.8	50.0	48.1	49.3	54.0	61.8	65.5	65.0	64.0	64.5	62.8
Below Normal Water Years	61.0	55.3	50.4	48.6	50.9	55.4	61.8	65.1	66.1	64.6	65.6	66.4
Dry Water Years	61.1	55.5	50.6	49.2	51.3	56.4	63.0	65.7	65.2	65.7	66.1	67.2
Critical Water Years	64.5	56.9	50.1	50.4	53.2	57.8	63.2	66.8	65.8	66.4	67.8	69.5

Table 5A-D2.16.2-C. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.0	0.0	0.9	0.0	0.1	-0.2	-0.2	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.1	0.0
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	0.0
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0

Table 5A-D2.16.2-D. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.3	0.0	-0.1	0.1	-0.1	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.16.2-E. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	0.0%	-0.1%	1.7%	0.0%	0.1%	-0.3%	-0.2%	0.0%	0.0%	0.0%
20%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.2%	0.1%	0.0%
30%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.2%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	0.1%	0.0%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.2%	-0.3%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.5%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%

Table 5A-D2.16.2-F. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Dry Water Years	-0.1%	0.0%	0.1%	0.0%	0.4%	0.1%	0.5%	-0.1%	-0.1%	0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%

Table 5A-D2.16.3-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	63.3	57.1	52.3	50.4	53.4	58.2	64.2	68.4	69.9	68.0	67.9	68.7
20%	62.1	56.5	51.3	49.7	51.8	57.1	63.7	67.2	68.8	67.0	67.0	67.9
30%	61.3	56.1	50.9	49.5	51.3	56.6	63.1	66.8	68.2	66.2	66.4	67.1
40%	60.9	55.6	50.6	49.0	51.0	55.7	62.4	66.3	67.0	65.6	66.2	65.8
50%	60.4	55.2	50.4	48.4	50.5	54.8	61.8	66.0	66.3	64.9	65.5	65.0
60%	60.0	54.9	50.0	48.0	49.9	54.1	60.9	65.5	65.6	64.4	65.2	64.2
70%	59.6	54.7	49.8	47.8	49.1	53.0	60.0	64.5	64.9	64.1	64.6	63.1
80%	59.1	54.4	49.3	47.3	48.4	51.8	59.0	63.8	64.1	63.0	64.4	62.4
90%	58.3	54.1	48.8	46.7	47.8	50.9	56.7	62.9	63.4	62.3	63.1	61.4

Table 5A-D2.16.3-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.7	55.4	50.4	48.6	50.4	54.7	61.2	65.8	66.5	65.0	65.5	65.2
Wet Water Years	59.3	55.0	50.6	47.7	49.0	52.5	58.9	66.0	67.9	64.9	64.7	62.6
Above Normal Water Years	59.7	54.8	50.0	48.1	49.3	54.0	61.8	65.6	65.0	64.0	64.5	62.8
Below Normal Water Years	61.0	55.3	50.4	48.6	50.9	55.4	61.8	65.1	66.1	64.6	65.6	66.3
Dry Water Years	61.1	55.5	50.6	49.2	51.3	56.4	63.0	65.6	65.3	65.7	66.2	67.2
Critical Water Years	64.4	56.9	50.1	50.4	53.3	57.8	63.1	66.8	65.9	66.5	67.8	69.1

Table 5A-D2.16.3-C. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.1	0.0	0.0	0.9	0.0	0.1	-0.3	0.1	0.0	-0.1	-0.1
20%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.2	0.1	-0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	-0.1
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1

Table 5A-D2.16.3-D. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.4	-0.1	0.0	0.0	0.0	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.1	-0.4

Table 5A-D2.16.3-E. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	0.0%	-0.1%	1.7%	0.0%	0.1%	-0.4%	0.1%	0.0%	-0.1%	-0.1%
20%	0.0%	-0.1%	0.1%	0.0%	0.1%	-0.1%	0.2%	-0.1%	0.0%	-0.2%	0.1%	-0.1%
30%	-0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.2%	-0.1%	-0.1%	0.1%	-0.1%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.3%	0.0%	-0.1%	0.1%	-0.1%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.1%	-0.2%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.2%	0.0%	0.0%	0.0%	-0.1%	0.5%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%

Table 5A-D2.16.3-F. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.1%	-0.1%	0.1%	0.0%	0.4%	0.1%	0.6%	-0.1%	0.0%	0.1%	0.1%	-0.1%
Critical Water Years	-0.2%	0.0%	0.1%	0.1%	0.3%	0.0%	-0.1%	-0.1%	0.1%	0.1%	-0.1%	-0.6%

Table 5A-D2.16.4-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	63.2	57.1	52.3	50.4	53.4	58.3	64.3	68.4	69.9	68.1	68.0	68.7
20%	62.1	56.5	51.3	49.8	51.8	57.2	63.7	67.2	68.8	67.0	67.0	67.9
30%	61.3	56.0	50.9	49.5	51.3	56.8	63.2	66.8	68.2	66.2	66.4	67.0
40%	60.9	55.6	50.6	49.0	51.0	55.7	62.5	66.3	67.2	65.6	66.1	66.0
50%	60.4	55.3	50.3	48.4	50.4	54.7	61.8	65.9	66.3	64.9	65.5	65.0
60%	60.0	54.9	50.0	48.0	49.9	54.1	60.9	65.5	65.6	64.5	65.3	64.1
70%	59.5	54.7	49.8	47.8	49.1	53.0	59.9	64.6	64.9	64.0	64.7	63.1
80%	59.1	54.4	49.3	47.3	48.4	51.8	59.0	63.8	63.9	63.0	64.4	62.3
90%	58.3	54.1	48.7	46.7	47.8	50.9	56.7	63.0	63.3	62.3	63.1	61.3

Table 5A-D2.16.4-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.7	55.4	50.4	48.6	50.4	54.7	61.2	65.7	66.5	65.1	65.6	65.1
Wet Water Years	59.3	55.1	50.6	47.7	49.0	52.5	58.9	66.0	67.9	64.9	64.7	62.6
Above Normal Water Years	59.7	54.8	50.0	48.1	49.4	54.0	61.9	65.6	65.0	64.0	64.4	62.8
Below Normal Water Years	61.0	55.3	50.4	48.6	50.9	55.4	61.9	65.1	66.1	64.6	65.6	66.3
Dry Water Years	61.1	55.5	50.5	49.2	51.3	56.5	63.1	65.6	65.3	65.7	66.4	67.2
Critical Water Years	64.3	56.9	50.1	50.4	53.3	57.8	63.1	66.8	65.9	66.6	67.8	69.1

Table 5A-D2.16.4-C. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.0	0.0	0.9	0.1	0.2	-0.2	0.1	0.1	0.0	-0.1
20%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.1	-0.1	0.0	-0.1
30%	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1	0.1	0.0	0.0	0.2
50%	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.1	0.1	0.3
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0

Table 5A-D2.16.4-D. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.2	0.0
Below Normal Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.2	0.2	0.4	-0.1	0.0	0.0	0.2	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.2	0.0	-0.1	-0.1	0.1	0.2	0.0	-0.5

Table 5A-D2.16.4-E. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	0.2%	0.0%	-0.1%	1.7%	0.2%	0.3%	-0.3%	0.1%	0.1%	0.0%	-0.2%
20%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.1%	-0.2%	0.1%	-0.1%
30%	-0.1%	-0.1%	0.0%	0.1%	-0.1%	0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.3%	-0.2%	0.2%	-0.1%	0.0%	0.3%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.3%	0.0%	-0.1%	0.1%	0.0%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	-0.1%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.1%	0.0%	-0.2%	0.1%	0.4%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.2%	0.1%	0.1%	0.0%
90%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.2%	0.1%

Table 5A-D2.16.4-F. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.3%	0.0%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	-0.1%	-0.2%	0.0%
Dry Water Years	-0.2%	-0.1%	0.0%	0.0%	0.4%	0.4%	0.7%	-0.2%	0.0%	0.0%	0.3%	-0.1%
Critical Water Years	-0.3%	0.0%	0.1%	0.1%	0.3%	0.0%	-0.2%	-0.1%	0.1%	0.3%	0.0%	-0.7%

Table 5A-D2.16.5-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	63.3	57.1	52.3	50.4	53.4	58.2	64.2	68.4	69.9	68.0	67.9	68.7
20%	62.1	56.5	51.3	49.7	51.8	57.1	63.7	67.2	68.8	67.0	67.0	67.9
30%	61.3	56.1	50.9	49.5	51.3	56.6	63.1	66.8	68.2	66.2	66.4	67.1
40%	60.9	55.6	50.6	49.0	51.0	55.7	62.4	66.3	67.0	65.6	66.2	65.8
50%	60.4	55.2	50.4	48.4	50.5	54.8	61.8	65.9	66.4	64.9	65.5	65.0
60%	60.0	54.9	50.0	48.0	49.9	54.1	60.9	65.5	65.6	64.5	65.2	64.2
70%	59.6	54.7	49.8	47.8	49.1	53.0	60.0	64.5	64.9	64.1	64.6	63.1
80%	59.1	54.4	49.3	47.3	48.4	51.8	59.0	63.8	64.1	63.0	64.4	62.4
90%	58.3	54.1	48.8	46.7	47.8	50.9	56.7	62.9	63.4	62.3	63.1	61.4

Table 5A-D2.16.5-B. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.7	55.4	50.4	48.6	50.4	54.7	61.2	65.8	66.5	65.0	65.5	65.2
Wet Water Years	59.3	55.0	50.6	47.7	49.0	52.5	58.9	66.0	67.9	64.9	64.7	62.6
Above Normal Water Years	59.7	54.8	50.0	48.1	49.3	54.0	61.8	65.5	65.0	64.0	64.5	62.8
Below Normal Water Years	61.0	55.3	50.4	48.6	50.9	55.4	61.8	65.1	66.1	64.6	65.6	66.3
Dry Water Years	61.1	55.5	50.6	49.2	51.3	56.4	63.0	65.6	65.3	65.7	66.2	67.2
Critical Water Years	64.4	56.9	50.1	50.4	53.3	57.8	63.1	66.8	65.9	66.5	67.8	69.1

Table 5A-D2.16.5-C. Sacramento River at Butte City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.1	0.0	0.0	0.9	0.0	0.1	-0.2	0.1	0.0	-0.1	-0.1
20%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	-0.1	0.1	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	-0.1
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1

Table 5A-D2.16.5-D. Sacramento River at Butte City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.4	-0.1	0.0	0.0	0.0	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.1	-0.4

Table 5A-D2.16.5-E. Sacramento River at Butte City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	0.0%	-0.1%	1.7%	0.0%	0.1%	-0.4%	0.1%	0.0%	-0.1%	-0.1%
20%	0.0%	-0.1%	0.1%	0.0%	0.1%	-0.1%	0.2%	-0.1%	0.2%	-0.2%	0.1%	-0.1%
30%	-0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.2%	-0.1%	-0.1%	0.1%	-0.1%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.3%	0.0%	0.0%	0.1%	-0.1%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	-0.2%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.2%	0.0%	0.0%	0.0%	-0.1%	0.5%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%

Table 5A-D2.16.5-F. Sacramento River at Butte City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.1%	-0.1%	0.1%	0.0%	0.4%	0.1%	0.6%	-0.1%	0.0%	0.1%	0.1%	-0.1%
Critical Water Years	-0.2%	0.0%	0.1%	0.1%	0.3%	0.0%	-0.1%	-0.1%	0.1%	0.1%	-0.1%	-0.6%

Figure 5A-D2.16.1. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.16.2. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.16.3. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.16.4. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.16.5. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.16.6. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.16.7. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.16.8. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.16.9. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.16.10. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.16.11. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.16.12. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.16.13. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.16.14. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.16.15. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.16.16. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.16.17. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.16.18. Sacramento River at Butte City, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.16.19. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.16.20. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.16.21. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.16.22. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.16.23. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.16.24. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.16.25. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.16.26. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.16.27. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.16.28. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.16.29. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.16.30. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.16.31. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.16.32. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.16.33. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.16.34. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.16.35. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.16.36. Sacramento River at Butte City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.16.37-A. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.16.37-B. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.16.37-C. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.16.37-D. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.16.38. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.16.39. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.16.40. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.16.41. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.16.42. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.16.43. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.16.44. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.16.45. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.16.46. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.16.47. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.16.48. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.16.49. Sacramento River at Butte City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.17 Sacramento River at Cottonwood Creek

Table 5A-D2.17.1-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.8	56.0	53.6	50.3	50.7	54.0	58.6	59.3	57.1	55.9	56.0	59.2
20%	56.5	55.3	52.7	49.8	50.1	53.4	58.0	58.5	56.6	55.2	55.5	57.8
30%	55.9	54.9	52.2	49.3	49.5	53.0	57.6	57.8	56.1	54.8	55.1	56.7
40%	55.2	54.7	51.8	48.7	49.2	52.6	57.0	57.4	55.6	54.6	54.8	55.7
50%	54.9	54.5	51.4	48.4	48.9	51.9	56.4	57.1	55.2	54.3	54.6	55.2
60%	54.3	54.2	51.1	48.0	48.4	51.4	56.2	56.7	54.9	54.1	54.4	54.8
70%	53.9	54.0	50.7	47.6	48.1	50.7	55.7	56.4	54.4	53.8	54.1	53.9
80%	53.6	53.8	50.1	47.4	47.4	49.7	54.6	55.7	53.9	53.3	53.8	53.4
90%	53.2	53.3	49.4	46.7	46.8	48.8	53.8	55.4	53.3	53.0	53.3	53.0

Table 5A-D2.17.1-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.4	54.6	51.4	48.5	48.8	51.7	56.3	57.2	55.3	54.4	54.9	56.0
Wet Water Years	54.1	54.2	51.6	47.6	47.7	50.0	55.2	57.9	55.8	54.2	53.9	53.6
Above Normal Water Years	54.7	54.1	50.9	48.4	48.2	51.3	56.9	56.7	54.1	53.8	54.0	54.1
Below Normal Water Years	55.0	54.4	51.6	48.6	49.2	52.3	56.9	56.5	54.8	54.1	54.7	56.2
Dry Water Years	55.7	54.6	51.7	49.2	49.5	52.9	57.3	56.7	54.8	54.7	55.2	56.9
Critical Water Years	60.9	56.6	50.6	50.0	50.9	53.6	56.5	57.9	56.5	55.5	58.1	62.5

Table 5A-D2.17.1-C. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.8	55.9	53.6	50.3	50.9	54.2	58.7	59.3	57.1	55.8	55.9	59.0
20%	56.4	55.3	52.7	49.8	50.2	53.4	58.0	58.2	56.5	55.2	55.6	57.8
30%	55.8	55.0	52.3	49.2	49.6	53.0	57.6	57.7	56.1	54.7	55.1	56.6
40%	55.2	54.7	51.8	48.8	49.2	52.6	57.1	57.4	55.6	54.5	54.8	55.8
50%	54.8	54.5	51.4	48.4	48.9	51.9	56.4	57.1	55.2	54.3	54.5	55.2
60%	54.3	54.2	51.1	48.0	48.4	51.4	56.2	56.7	54.8	54.1	54.4	54.7
70%	54.0	54.0	50.7	47.6	48.1	50.7	55.7	56.4	54.4	53.9	54.1	53.9
80%	53.6	53.8	50.0	47.4	47.4	49.7	54.7	55.7	53.8	53.3	53.7	53.4
90%	53.2	53.3	49.4	46.7	46.8	48.8	53.8	55.4	53.3	53.0	53.3	53.1

Table 5A-D2.17.1-D. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.4	54.6	51.4	48.5	48.9	51.7	56.4	57.2	55.3	54.4	54.8	56.0
Wet Water Years	54.1	54.3	51.7	47.6	47.7	50.0	55.2	57.9	55.8	54.2	53.9	53.7
Above Normal Water Years	54.7	54.2	50.9	48.3	48.2	51.3	56.9	56.7	54.0	53.8	54.0	54.2
Below Normal Water Years	55.0	54.4	51.5	48.6	49.3	52.3	56.9	56.6	54.8	54.1	54.7	56.1
Dry Water Years	55.5	54.5	51.7	49.2	49.6	53.1	57.5	56.8	54.7	54.7	55.1	56.8
Critical Water Years	60.9	56.6	50.6	50.0	51.0	53.6	56.5	57.9	56.5	55.6	58.0	62.3

Table 5A-D2.17.1-E. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	0.2	0.1	0.1	0.0	-0.1	-0.1	-0.1	-0.2
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	-0.2	-0.1	0.0	0.0	0.0
30%	-0.1	0.1	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	-0.1
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1
70%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0
80%	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.17.1-F. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	0.1	0.0	0.2	0.1	0.2	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2

Table 5A-D2.17.1-G. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.2%	0.0%	-0.1%	0.3%	0.3%	0.1%	0.0%	-0.1%	-0.2%	-0.2%	-0.3%
20%	-0.1%	0.0%	0.0%	0.0%	0.3%	0.1%	0.1%	-0.4%	-0.1%	0.0%	0.0%	-0.1%
30%	-0.2%	0.1%	0.0%	-0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.2%
40%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.2%	0.0%	0.1%
50%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.1%	-0.1%	0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	0.0%	-0.1%
70%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%
80%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.2%	0.1%
90%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.17.1-H. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.3%	0.3%	0.4%	0.1%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.2%	-0.2%

Table 5A-D2.17.2-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.7	55.9	53.6	50.3	50.9	54.1	58.7	59.3	57.1	55.8	55.9	59.0
20%	56.3	55.3	52.7	49.8	50.2	53.4	58.1	58.2	56.5	55.2	55.6	57.8
30%	55.8	55.0	52.2	49.2	49.5	53.0	57.6	57.7	56.1	54.8	55.1	56.7
40%	55.2	54.6	51.8	48.8	49.2	52.6	57.1	57.4	55.6	54.5	54.7	55.8
50%	54.8	54.5	51.4	48.4	48.9	51.9	56.5	57.1	55.2	54.2	54.5	55.2
60%	54.3	54.2	51.1	48.0	48.4	51.4	56.3	56.6	54.8	54.1	54.4	54.8
70%	54.0	54.0	50.7	47.7	48.1	50.6	55.7	56.4	54.4	53.8	54.1	53.9
80%	53.6	53.8	50.0	47.4	47.4	49.7	54.7	55.7	53.8	53.4	53.6	53.4
90%	53.2	53.3	49.4	46.7	46.8	48.8	53.8	55.4	53.3	53.0	53.3	53.1

Table 5A-D2.17.2-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.4	54.6	51.4	48.5	48.9	51.7	56.4	57.2	55.3	54.4	54.8	56.0
Wet Water Years	54.1	54.3	51.7	47.6	47.7	50.0	55.2	57.9	55.8	54.2	53.9	53.7
Above Normal Water Years	54.7	54.2	50.9	48.3	48.2	51.3	56.9	56.7	54.0	53.7	54.0	54.2
Below Normal Water Years	55.0	54.4	51.5	48.6	49.3	52.3	56.9	56.5	54.8	54.1	54.6	56.2
Dry Water Years	55.5	54.5	51.7	49.2	49.6	53.1	57.6	56.8	54.7	54.7	55.1	56.8
Critical Water Years	60.9	56.6	50.6	50.0	50.9	53.6	56.5	57.8	56.5	55.6	58.0	62.3

Table 5A-D2.17.2-C. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0	-0.1	-0.1	-0.2
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.2	-0.2	-0.1	0.0	0.0	0.0
30%	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.0	0.0
70%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0
80%	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.17.2-D. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.2	0.1	0.3	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.17.2-E. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.1%	0.0%	-0.1%	0.3%	0.2%	0.1%	0.0%	0.0%	-0.2%	-0.2%	-0.3%
20%	-0.2%	0.0%	0.0%	0.1%	0.3%	0.1%	0.3%	-0.4%	-0.1%	0.0%	0.0%	-0.1%
30%	-0.2%	0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.2%	-0.1%	0.1%
50%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.1%	0.0%	-0.1%	0.1%
60%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.1%	-0.2%	0.0%	0.0%	0.1%
70%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%
80%	-0.1%	0.1%	-0.1%	0.0%	-0.1%	-0.1%	0.1%	0.1%	-0.1%	0.1%	-0.2%	0.1%
90%	0.0%	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.17.2-F. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.3%	0.3%	0.6%	0.1%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.2%

Table 5A-D2.17.3-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.7	55.9	53.6	50.3	50.9	54.2	58.6	59.3	57.1	55.8	55.9	59.2
20%	56.4	55.3	52.7	49.8	50.2	53.4	58.0	58.2	56.5	55.2	55.6	57.6
30%	55.7	55.0	52.3	49.3	49.6	53.0	57.5	57.7	56.1	54.8	55.1	56.7
40%	55.2	54.7	51.8	48.8	49.2	52.6	57.1	57.3	55.7	54.5	54.7	55.7
50%	54.7	54.5	51.4	48.4	48.9	51.9	56.5	57.0	55.2	54.3	54.5	55.2
60%	54.3	54.2	51.1	48.0	48.4	51.4	56.2	56.6	54.9	54.1	54.4	54.6
70%	53.9	54.0	50.7	47.7	48.1	50.7	55.6	56.4	54.4	53.8	54.1	53.9
80%	53.6	53.8	50.0	47.4	47.4	49.7	54.7	55.7	53.8	53.4	53.7	53.4
90%	53.2	53.3	49.4	46.7	46.8	48.8	53.8	55.4	53.3	53.0	53.3	53.1

Table 5A-D2.17.3-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.4	54.6	51.4	48.5	48.9	51.7	56.4	57.2	55.3	54.4	54.8	55.9
Wet Water Years	54.1	54.3	51.7	47.6	47.7	50.0	55.2	57.9	55.8	54.2	53.9	53.7
Above Normal Water Years	54.7	54.2	50.9	48.4	48.2	51.3	56.9	56.7	54.1	53.7	54.0	54.2
Below Normal Water Years	55.0	54.4	51.5	48.6	49.3	52.3	57.0	56.5	54.8	54.1	54.6	56.1
Dry Water Years	55.4	54.5	51.7	49.3	49.6	53.1	57.6	56.8	54.7	54.7	55.2	56.8
Critical Water Years	60.7	56.6	50.7	50.1	51.0	53.6	56.4	57.8	56.6	55.5	57.6	61.6

Table 5A-D2.17.3-C. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	0.2	0.1	0.0	0.0	-0.1	-0.1	-0.1	0.0
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	-0.2	-0.1	0.0	0.0	-0.2
30%	-0.2	0.0	0.1	0.1	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	-0.1	0.0
80%	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.1
90%	0.0	-0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.17.3-D. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.1	0.0	-0.2	-0.1	0.0	0.0	-0.5	-0.9

Table 5A-D2.17.3-E. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.1%	0.0%	-0.1%	0.3%	0.2%	0.0%	-0.1%	-0.1%	-0.2%	-0.2%	0.0%
20%	-0.1%	0.0%	0.0%	0.1%	0.3%	0.1%	0.1%	-0.4%	-0.1%	0.0%	0.0%	-0.3%
30%	-0.3%	0.1%	0.2%	0.2%	0.1%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	-0.2%	0.0%	-0.2%	-0.1%	0.0%
50%	-0.2%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%	0.0%	-0.1%	0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.3%
70%	0.0%	-0.1%	0.1%	0.1%	0.1%	0.1%	-0.1%	0.0%	0.1%	0.1%	-0.1%	0.0%
80%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	0.2%	0.1%	-0.1%	0.1%	-0.2%	0.1%
90%	0.0%	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.17.3-F. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.2%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%
Dry Water Years	-0.4%	-0.2%	0.1%	0.1%	0.3%	0.3%	0.7%	0.0%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.4%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.3%	-0.2%	0.0%	0.0%	-0.9%	-1.4%

Table 5A-D2.17.4-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.6	55.9	53.6	50.3	50.9	54.3	58.6	59.1	57.1	55.8	56.0	59.1
20%	56.4	55.3	52.7	49.8	50.2	53.5	58.1	58.2	56.5	55.2	55.6	57.5
30%	55.7	54.9	52.3	49.3	49.5	53.0	57.6	57.7	56.1	54.8	55.1	56.6
40%	55.1	54.7	51.8	48.8	49.2	52.6	57.1	57.3	55.7	54.5	54.7	55.8
50%	54.7	54.5	51.4	48.4	48.9	51.9	56.5	57.0	55.3	54.3	54.5	55.3
60%	54.4	54.2	51.1	48.0	48.4	51.5	56.2	56.6	54.9	54.1	54.4	54.6
70%	54.0	54.0	50.6	47.7	48.1	50.7	55.7	56.4	54.4	53.8	54.1	53.9
80%	53.6	53.8	50.0	47.4	47.4	49.7	54.7	55.7	53.7	53.3	53.7	53.4
90%	53.2	53.3	49.3	46.7	46.8	48.8	53.8	55.4	53.3	53.0	53.3	53.0

Table 5A-D2.17.4-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.4	54.6	51.4	48.5	48.9	51.7	56.4	57.2	55.3	54.4	54.8	55.9
Wet Water Years	54.1	54.3	51.7	47.6	47.7	50.0	55.2	57.9	55.8	54.2	53.9	53.7
Above Normal Water Years	54.8	54.2	50.9	48.4	48.2	51.3	57.0	56.7	54.1	53.8	54.0	54.2
Below Normal Water Years	55.0	54.4	51.5	48.6	49.3	52.3	57.0	56.5	54.8	54.1	54.6	56.1
Dry Water Years	55.4	54.5	51.7	49.3	49.6	53.2	57.6	56.8	54.7	54.7	55.2	56.8
Critical Water Years	60.6	56.6	50.7	50.1	51.1	53.7	56.3	57.7	56.5	55.6	57.6	61.4

Table 5A-D2.17.4-C. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	-0.1	0.0	-0.1	0.1	0.2	0.0	-0.2	-0.1	-0.1	-0.1	-0.1
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.2	-0.2	-0.1	0.0	0.0	-0.3
30%	-0.2	0.0	0.1	0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	-0.1	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	0.0	0.0
60%	0.1	0.1	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	0.0	0.0	-0.2
70%	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0
80%	0.0	0.0	-0.1	0.0	0.0	-0.1	0.1	0.1	-0.1	0.0	-0.1	0.0
90%	0.0	-0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.17.4-D. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.2	0.3	0.4	0.0	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.4	0.0	0.1	0.1	0.2	0.0	-0.2	-0.1	0.0	0.0	-0.5	-1.0

Table 5A-D2.17.4-E. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	-0.1%	0.0%	-0.2%	0.3%	0.4%	-0.1%	-0.4%	-0.1%	-0.1%	-0.1%	-0.2%
20%	-0.2%	0.0%	0.0%	0.1%	0.3%	0.2%	0.3%	-0.4%	-0.2%	0.0%	0.1%	-0.5%
30%	-0.3%	0.0%	0.1%	0.2%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	-0.3%
40%	-0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.1%	0.1%	-0.2%	-0.2%	0.0%
50%	-0.2%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.2%	0.0%	-0.1%	0.1%
60%	0.2%	0.1%	0.0%	0.0%	0.0%	0.3%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.3%
70%	0.2%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%
80%	0.0%	0.1%	-0.1%	0.0%	-0.1%	-0.1%	0.2%	0.1%	-0.2%	0.0%	-0.2%	0.0%
90%	0.0%	-0.1%	-0.2%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.17.4-F. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.5%	-0.2%	0.0%	0.1%	0.3%	0.5%	0.7%	0.0%	-0.1%	0.0%	0.1%	-0.3%
Critical Water Years	-0.6%	0.0%	0.1%	0.3%	0.4%	0.1%	-0.4%	-0.2%	0.0%	0.0%	-0.9%	-1.7%

Table 5A-D2.17.5-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.7	55.9	53.6	50.3	50.9	54.2	58.6	59.3	57.1	55.8	55.9	59.2
20%	56.4	55.3	52.7	49.8	50.2	53.4	58.0	58.2	56.5	55.2	55.6	57.7
30%	55.7	55.0	52.3	49.3	49.6	53.0	57.6	57.7	56.1	54.8	55.1	56.8
40%	55.2	54.7	51.8	48.8	49.2	52.6	57.1	57.3	55.7	54.5	54.7	55.7
50%	54.7	54.5	51.4	48.4	48.9	51.9	56.5	57.0	55.2	54.3	54.5	55.2
60%	54.3	54.2	51.1	48.0	48.4	51.4	56.2	56.6	54.9	54.1	54.4	54.6
70%	54.0	54.0	50.7	47.7	48.1	50.7	55.6	56.4	54.4	53.9	54.1	53.9
80%	53.6	53.8	50.0	47.4	47.4	49.7	54.7	55.7	53.8	53.4	53.7	53.4
90%	53.2	53.3	49.4	46.7	46.8	48.8	53.8	55.4	53.3	53.0	53.3	53.1

Table 5A-D2.17.5-B. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.4	54.6	51.4	48.5	48.9	51.7	56.4	57.2	55.3	54.4	54.8	55.9
Wet Water Years	54.1	54.3	51.7	47.6	47.7	50.0	55.2	57.9	55.8	54.2	53.9	53.7
Above Normal Water Years	54.7	54.2	50.9	48.4	48.2	51.3	56.9	56.7	54.1	53.7	54.0	54.2
Below Normal Water Years	55.0	54.4	51.5	48.6	49.3	52.3	57.0	56.5	54.8	54.1	54.6	56.2
Dry Water Years	55.4	54.5	51.7	49.2	49.6	53.1	57.6	56.8	54.7	54.7	55.2	56.8
Critical Water Years	60.7	56.6	50.7	50.1	51.0	53.6	56.4	57.8	56.6	55.5	57.6	61.6

Table 5A-D2.17.5-C. Sacramento River at Cottonwood Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	-0.1	-0.1	0.0
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	-0.2	-0.1	0.0	0.0	-0.1
30%	-0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	-0.1	0.0
80%	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.1
90%	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.17.5-D. Sacramento River at Cottonwood Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.1	0.0	-0.2	-0.1	0.0	0.0	-0.5	-0.9

Table 5A-D2.17.5-E. Sacramento River at Cottonwood Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.1%	0.0%	0.0%	0.3%	0.2%	0.0%	-0.1%	-0.1%	-0.1%	-0.2%	0.0%
20%	-0.1%	0.0%	0.0%	0.1%	0.3%	0.1%	0.1%	-0.4%	-0.1%	0.0%	0.0%	-0.2%
30%	-0.3%	0.1%	0.2%	0.2%	0.1%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.0%	-0.1%	-0.1%	0.0%
50%	-0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.1%	-0.1%	0.0%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.3%
70%	0.1%	-0.1%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.1%	0.2%	-0.1%	0.0%
80%	0.0%	0.1%	-0.1%	0.0%	-0.1%	-0.1%	0.2%	0.1%	-0.1%	0.1%	-0.2%	0.1%
90%	0.0%	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.17.5-F. Sacramento River at Cottonwood Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.4%	-0.2%	0.1%	0.1%	0.3%	0.3%	0.7%	0.0%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.4%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.3%	-0.2%	0.0%	0.0%	-0.9%	-1.4%

Figure 5A-D2.17.1. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.17.2. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.17.3. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.17.4. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.17.5. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.17.6. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.17.7. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.17.8. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.17.9. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.17.10. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.17.11. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.17.12. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.17.13. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.17.14. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.17.15. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.17.16. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.17.17. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.17.18. Sacramento River at Cottonwood Creek, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.17.19. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.17.20. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.17.21. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.17.22. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.17.23. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.17.24. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.17.25. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.17.26. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.17.27. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.17.28. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.17.29. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.17.30. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.17.31. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.17.32. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.17.33. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.17.34. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.17.35. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.17.36. Sacramento River at Cottonwood Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.17.37-A. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.17.37-B. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.17.37-C. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.17.37-D. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.17.38. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.17.39. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.17.40. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.17.41. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.17.42. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.17.43. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.17.44. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.17.45. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.17.46. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.17.47. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.17.48. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.17.49. Sacramento River at Cottonwood Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.18 Sacramento River at Cow Creek

Table 5A-D2.18.1-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.2	56.1	53.8	50.8	50.7	53.8	57.9	57.9	56.0	54.7	55.2	58.0
20%	55.8	55.2	53.2	50.2	50.2	53.1	57.2	57.2	55.4	54.2	54.6	56.8
30%	55.4	54.9	52.7	49.7	49.4	52.5	56.9	56.6	54.7	53.9	54.2	55.9
40%	54.7	54.7	52.5	49.2	49.2	52.2	56.3	56.3	54.4	53.7	53.9	54.8
50%	54.3	54.6	52.1	48.8	49.0	51.7	55.8	56.0	53.9	53.4	53.7	54.3
60%	53.7	54.4	51.8	48.4	48.5	51.3	55.4	55.7	53.6	53.2	53.5	53.8
70%	53.4	54.3	51.5	48.1	47.9	50.2	55.0	55.3	53.3	53.0	53.3	53.1
80%	53.1	54.1	51.2	47.8	47.3	49.4	54.0	54.7	53.0	52.6	52.9	52.6
90%	52.7	53.8	50.3	46.9	46.7	48.5	53.0	54.5	52.5	52.3	52.6	52.3

Table 5A-D2.18.1-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.9	54.8	52.1	48.9	48.8	51.4	55.6	56.1	54.1	53.5	54.0	55.2
Wet Water Years	53.6	54.4	52.3	47.9	47.6	49.7	54.6	56.6	54.3	53.3	53.1	52.9
Above Normal Water Years	54.2	54.3	51.7	48.8	48.1	51.2	56.2	55.5	53.0	53.0	53.2	53.4
Below Normal Water Years	54.3	54.5	52.2	49.1	49.3	52.0	56.2	55.6	53.7	53.3	53.8	55.1
Dry Water Years	55.1	54.8	52.3	49.6	49.6	52.6	56.5	55.8	53.8	53.8	54.3	56.0
Critical Water Years	60.6	56.7	51.4	50.1	50.9	53.2	55.7	56.9	55.7	54.7	57.3	61.8

Table 5A-D2.18.1-C. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.1	56.0	53.8	50.8	50.8	53.9	57.9	57.9	56.0	54.7	55.1	57.8
20%	55.7	55.2	53.2	50.2	50.2	53.2	57.2	57.1	55.3	54.2	54.6	56.7
30%	55.3	55.0	52.8	49.7	49.7	52.6	56.9	56.6	54.8	53.9	54.2	55.6
40%	54.6	54.7	52.5	49.2	49.2	52.3	56.3	56.3	54.4	53.6	53.8	54.9
50%	54.1	54.6	52.1	48.8	49.0	51.7	55.8	56.0	54.0	53.4	53.7	54.3
60%	53.7	54.5	51.9	48.4	48.5	51.3	55.5	55.7	53.6	53.2	53.5	53.9
70%	53.4	54.2	51.5	48.1	47.9	50.2	55.0	55.3	53.3	53.0	53.2	53.1
80%	53.1	54.0	51.2	47.8	47.3	49.4	54.1	54.8	53.0	52.6	52.9	52.6
90%	52.7	53.8	50.4	46.9	46.7	48.5	53.2	54.5	52.5	52.3	52.6	52.3

Table 5A-D2.18.1-D. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.9	54.8	52.1	48.9	48.9	51.4	55.7	56.1	54.1	53.5	54.0	55.1
Wet Water Years	53.6	54.4	52.3	47.9	47.6	49.7	54.6	56.6	54.3	53.3	53.1	52.9
Above Normal Water Years	54.2	54.3	51.7	48.8	48.1	51.2	56.2	55.5	53.0	52.9	53.2	53.5
Below Normal Water Years	54.4	54.5	52.2	49.1	49.3	52.0	56.3	55.6	53.7	53.3	53.8	55.1
Dry Water Years	55.0	54.7	52.4	49.6	49.7	52.7	56.8	55.8	53.7	53.8	54.2	55.9
Critical Water Years	60.6	56.8	51.4	50.2	50.9	53.2	55.7	56.9	55.7	54.7	57.2	61.6

Table 5A-D2.18.1-E. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	-0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	-0.1	-0.2
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.1	-0.1
30%	-0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.1	0.0	0.0	-0.3
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	-0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.18.1-F. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.1	0.2	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2

Table 5A-D2.18.1-G. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.3%	-0.2%	0.0%	0.0%	0.3%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.3%
20%	-0.1%	0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.2%	-0.2%	0.0%	0.1%	-0.2%
30%	-0.1%	0.1%	0.1%	0.0%	0.6%	0.1%	0.0%	0.0%	0.2%	-0.1%	0.1%	-0.5%
40%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%
50%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%	-0.1%	0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%
80%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.2%	0.1%	-0.1%	0.0%	-0.2%	0.0%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.4%	0.1%	0.1%	0.0%	0.0%	0.1%

Table 5A-D2.18.1-H. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.3%	-0.2%	0.1%	0.0%	0.3%	0.3%	0.4%	0.1%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.1%	0.0%	-0.1%	0.0%	-0.2%	-0.3%

Table 5A-D2.18.2-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.2	56.0	53.8	50.8	50.8	53.8	57.9	57.9	56.0	54.7	55.1	57.7
20%	55.7	55.2	53.2	50.2	50.2	53.1	57.2	57.1	55.3	54.2	54.6	56.7
30%	55.3	55.0	52.8	49.7	49.7	52.6	56.9	56.6	54.8	53.9	54.2	55.7
40%	54.7	54.7	52.5	49.2	49.2	52.3	56.4	56.3	54.4	53.6	53.9	54.9
50%	54.1	54.5	52.1	48.8	49.0	51.7	55.9	55.9	54.0	53.4	53.7	54.4
60%	53.7	54.4	51.8	48.4	48.5	51.3	55.5	55.6	53.6	53.2	53.5	53.8
70%	53.4	54.2	51.4	48.1	47.9	50.3	55.0	55.3	53.3	53.0	53.2	53.1
80%	53.1	54.1	51.1	47.7	47.3	49.4	54.1	54.8	53.0	52.6	52.8	52.6
90%	52.7	53.7	50.4	46.9	46.7	48.5	53.2	54.5	52.5	52.3	52.6	52.3

Table 5A-D2.18.2-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.9	54.8	52.1	48.9	48.8	51.4	55.7	56.1	54.1	53.5	54.0	55.1
Wet Water Years	53.6	54.4	52.3	47.9	47.6	49.7	54.6	56.6	54.3	53.2	53.1	52.9
Above Normal Water Years	54.2	54.3	51.7	48.8	48.1	51.2	56.2	55.5	53.0	52.9	53.2	53.5
Below Normal Water Years	54.3	54.5	52.2	49.1	49.3	52.0	56.3	55.6	53.7	53.2	53.8	55.1
Dry Water Years	55.0	54.7	52.4	49.6	49.7	52.7	56.9	55.8	53.7	53.8	54.2	55.9
Critical Water Years	60.6	56.7	51.4	50.2	50.9	53.2	55.7	56.9	55.7	54.7	57.2	61.6

Table 5A-D2.18.2-C. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	-0.1	-0.3
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.0	-0.1
30%	-0.1	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	0.0	0.1
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	-0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.18.2-D. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.1	0.2	0.3	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.18.2-E. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.2%	0.0%	0.0%	0.3%	0.0%	0.1%	-0.1%	0.0%	-0.1%	-0.2%	-0.4%
20%	-0.2%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.2%	-0.2%	0.0%	0.0%	-0.2%
30%	-0.1%	0.1%	0.0%	0.0%	0.6%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.4%
40%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	0.1%	-0.1%	0.1%	-0.2%	0.0%	0.1%
50%	-0.2%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.2%	0.0%	-0.1%	0.0%	0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	-0.1%	0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.2%	0.0%
80%	-0.1%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.2%	-0.1%	0.1%	-0.2%	0.0%
90%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.4%	0.1%	0.1%	0.0%	0.0%	0.0%

Table 5A-D2.18.2-F. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.2%	0.1%	0.0%	0.3%	0.3%	0.6%	0.1%	-0.2%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.2%

Table 5A-D2.18.3-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.2	56.0	53.8	50.8	50.8	53.7	57.9	57.9	56.0	54.7	55.1	57.8
20%	55.7	55.2	53.2	50.2	50.2	53.2	57.2	57.1	55.3	54.2	54.6	56.7
30%	55.3	54.9	52.8	49.7	49.7	52.6	56.9	56.6	54.8	53.9	54.2	55.7
40%	54.6	54.7	52.5	49.2	49.3	52.3	56.4	56.2	54.4	53.6	53.9	54.8
50%	54.1	54.6	52.1	48.8	49.0	51.7	55.9	55.9	53.9	53.4	53.7	54.3
60%	53.6	54.4	51.8	48.4	48.5	51.3	55.4	55.6	53.6	53.2	53.5	53.7
70%	53.4	54.2	51.4	48.1	47.9	50.3	55.0	55.3	53.3	53.1	53.2	53.1
80%	53.1	54.0	51.2	47.8	47.3	49.4	54.2	54.8	53.0	52.6	52.9	52.6
90%	52.7	53.7	50.5	46.9	46.7	48.5	53.2	54.5	52.5	52.3	52.6	52.4

Table 5A-D2.18.3-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.9	54.8	52.1	48.9	48.9	51.4	55.7	56.1	54.1	53.5	53.9	55.0
Wet Water Years	53.6	54.4	52.3	48.0	47.6	49.7	54.6	56.6	54.3	53.2	53.1	52.9
Above Normal Water Years	54.2	54.3	51.7	48.8	48.1	51.2	56.2	55.5	53.0	52.9	53.2	53.5
Below Normal Water Years	54.3	54.5	52.2	49.1	49.3	52.0	56.3	55.5	53.7	53.2	53.7	55.0
Dry Water Years	54.9	54.7	52.4	49.6	49.7	52.7	56.9	55.8	53.8	53.8	54.3	55.9
Critical Water Years	60.4	56.8	51.5	50.3	51.0	53.2	55.5	56.8	55.7	54.6	56.8	60.8

Table 5A-D2.18.3-C. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	0.2	-0.1	0.0	0.0	0.0	0.0	0.0	-0.2
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.0	-0.1
30%	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.1	0.0	0.1	0.1	-0.1	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
60%	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.18.3-D. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.2	0.4	0.0	-0.1	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.1	0.1	-0.2	-0.1	0.0	0.0	-0.5	-0.9

Table 5A-D2.18.3-E. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.2%	-0.1%	0.0%	0.3%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.4%
20%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.2%	-0.2%	0.0%	0.0%	-0.2%
30%	-0.1%	0.1%	0.1%	0.1%	0.6%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.4%
40%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.2%	0.1%	-0.1%	0.0%	-0.2%	0.0%	-0.1%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.2%	0.0%	0.0%	0.0%	0.0%
60%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.2%	0.0%	0.0%	0.0%	-0.1%
70%	0.1%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.1%	0.1%	0.0%	0.1%	-0.2%	0.0%
80%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.5%	0.2%	-0.1%	0.1%	-0.2%	0.0%
90%	0.0%	-0.1%	0.3%	0.0%	0.0%	0.0%	0.4%	0.1%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.18.3-F. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.2%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.4%	-0.2%	0.1%	0.1%	0.3%	0.3%	0.7%	0.0%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.4%	0.1%	0.1%	0.2%	0.3%	0.1%	-0.4%	-0.2%	0.0%	0.0%	-0.9%	-1.5%

Table 5A-D2.18.4-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.1	56.1	53.8	50.9	50.8	53.9	57.9	57.9	55.9	54.7	55.0	57.7
20%	55.7	55.2	53.2	50.2	50.2	53.2	57.3	57.1	55.3	54.2	54.6	56.7
30%	55.2	54.9	52.8	49.8	49.8	52.7	57.0	56.6	54.8	53.9	54.2	55.6
40%	54.6	54.7	52.5	49.2	49.2	52.2	56.4	56.2	54.4	53.6	53.8	54.8
50%	54.2	54.5	52.1	48.8	49.0	51.7	55.9	55.9	54.0	53.4	53.6	54.3
60%	53.7	54.5	51.8	48.4	48.5	51.3	55.4	55.6	53.6	53.2	53.5	53.7
70%	53.5	54.3	51.4	48.1	47.9	50.3	55.0	55.4	53.3	53.0	53.2	53.1
80%	53.1	54.1	51.2	47.8	47.3	49.4	54.2	54.8	52.9	52.6	52.9	52.6
90%	52.7	53.7	50.4	46.9	46.7	48.5	53.3	54.5	52.5	52.3	52.6	52.3

Table 5A-D2.18.4-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.9	54.8	52.1	48.9	48.9	51.4	55.7	56.1	54.1	53.5	53.9	55.0
Wet Water Years	53.6	54.4	52.3	48.0	47.6	49.7	54.6	56.6	54.3	53.2	53.1	52.9
Above Normal Water Years	54.3	54.4	51.8	48.8	48.1	51.2	56.3	55.5	53.0	52.9	53.2	53.5
Below Normal Water Years	54.3	54.5	52.2	49.1	49.3	52.0	56.4	55.5	53.7	53.3	53.7	55.0
Dry Water Years	54.9	54.7	52.3	49.6	49.7	52.9	56.9	55.8	53.7	53.8	54.3	55.8
Critical Water Years	60.2	56.8	51.5	50.3	51.1	53.2	55.5	56.8	55.7	54.7	56.8	60.7

Table 5A-D2.18.4-C. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.1	0.1	0.1	0.0	-0.1	-0.1	0.0	-0.1	-0.3
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	-0.1	0.0	0.0	-0.2
30%	-0.1	0.0	0.0	0.1	0.3	0.2	0.0	0.0	0.1	0.0	0.0	-0.3
40%	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0	0.0	0.0
60%	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1
70%	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	-0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.18.4-D. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	-0.1	-0.2
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.3	-0.1	0.0	0.0	0.2	0.3	0.4	0.1	-0.1	0.0	0.0	-0.2
Critical Water Years	-0.4	0.0	0.1	0.2	0.2	0.1	-0.2	-0.1	0.0	0.0	-0.6	-1.1

Table 5A-D2.18.4-E. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	-0.1%	-0.1%	0.2%	0.3%	0.3%	0.0%	-0.1%	-0.1%	0.1%	-0.2%	-0.6%
20%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%	-0.2%	-0.2%	0.0%	0.1%	-0.3%
30%	-0.2%	0.0%	0.1%	0.2%	0.7%	0.3%	0.1%	0.0%	0.2%	0.0%	-0.1%	-0.5%
40%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.2%	-0.1%	-0.1%
50%	-0.2%	-0.1%	0.0%	0.0%	-0.1%	0.1%	0.1%	-0.3%	0.1%	0.0%	-0.1%	0.0%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	0.0%	-0.1%
70%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%	-0.1%	-0.1%
80%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.5%	0.3%	-0.2%	0.0%	-0.2%	0.0%
90%	0.0%	-0.1%	0.1%	-0.1%	0.0%	0.0%	0.4%	0.1%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.18.4-F. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.2%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Dry Water Years	-0.5%	-0.2%	0.0%	0.1%	0.3%	0.5%	0.7%	0.1%	-0.1%	0.0%	0.0%	-0.3%
Critical Water Years	-0.6%	0.0%	0.1%	0.3%	0.5%	0.1%	-0.4%	-0.2%	0.0%	0.0%	-1.0%	-1.8%

Table 5A-D2.18.5-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.2	56.0	53.8	50.8	50.8	53.7	57.9	57.9	56.0	54.7	55.1	57.7
20%	55.7	55.2	53.2	50.2	50.2	53.2	57.2	57.1	55.3	54.2	54.6	56.7
30%	55.3	54.9	52.8	49.7	49.7	52.6	56.9	56.6	54.8	53.9	54.2	55.7
40%	54.6	54.7	52.5	49.2	49.2	52.3	56.4	56.2	54.4	53.6	53.9	54.8
50%	54.2	54.6	52.1	48.8	49.0	51.7	55.9	55.9	54.0	53.4	53.7	54.3
60%	53.6	54.5	51.8	48.4	48.5	51.3	55.4	55.6	53.6	53.2	53.5	53.8
70%	53.4	54.2	51.4	48.1	47.9	50.3	55.0	55.3	53.3	53.1	53.2	53.1
80%	53.1	54.0	51.2	47.7	47.3	49.4	54.2	54.8	53.0	52.6	52.9	52.6
90%	52.7	53.7	50.4	46.9	46.7	48.5	53.2	54.5	52.5	52.3	52.6	52.3

Table 5A-D2.18.5-B. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	54.9	54.8	52.1	48.9	48.9	51.4	55.7	56.1	54.1	53.5	53.9	55.0
Wet Water Years	53.6	54.4	52.3	48.0	47.6	49.7	54.6	56.6	54.4	53.3	53.1	52.9
Above Normal Water Years	54.3	54.3	51.7	48.8	48.1	51.2	56.2	55.5	53.0	52.9	53.2	53.5
Below Normal Water Years	54.3	54.5	52.2	49.1	49.3	52.0	56.3	55.5	53.7	53.3	53.8	55.1
Dry Water Years	54.9	54.7	52.4	49.6	49.7	52.7	56.9	55.8	53.8	53.8	54.3	55.9
Critical Water Years	60.4	56.8	51.5	50.3	51.0	53.2	55.5	56.8	55.7	54.7	56.8	60.8

Table 5A-D2.18.5-C. Sacramento River at Cow Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	-0.1	0.0	0.0	0.2	-0.1	0.0	0.0	0.0	0.0	-0.1	-0.2
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	-0.1	0.0	0.0	-0.1
30%	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.1	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.1	0.0	0.1	0.1	-0.1	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
60%	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.18.5-D. Sacramento River at Cow Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.2	0.4	0.0	-0.1	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.1	0.1	-0.2	-0.1	0.0	0.0	-0.5	-0.9

Table 5A-D2.18.5-E. Sacramento River at Cow Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	-0.2%	-0.1%	0.0%	0.3%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.4%
20%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	-0.2%	-0.2%	0.0%	0.0%	-0.2%
30%	-0.1%	0.1%	0.1%	0.1%	0.6%	0.1%	0.0%	-0.1%	0.1%	-0.1%	0.0%	-0.4%
40%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	0.1%	-0.1%	0.0%	-0.1%	0.0%	0.0%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.2%	0.0%	0.0%	0.0%	0.0%
60%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.2%	0.0%	-0.1%	0.0%	-0.1%
70%	0.1%	0.0%	-0.1%	0.1%	0.0%	0.2%	-0.1%	0.1%	0.0%	0.1%	-0.2%	0.0%
80%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.5%	0.2%	-0.1%	0.1%	-0.2%	0.0%
90%	0.0%	-0.1%	0.2%	0.0%	0.0%	0.0%	0.4%	0.1%	0.1%	0.0%	0.0%	0.1%

Table 5A-D2.18.5-F. Sacramento River at Cow Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.2%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.1%	0.0%	-0.1%	0.0%
Dry Water Years	-0.4%	-0.2%	0.1%	0.1%	0.3%	0.3%	0.7%	0.0%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.4%	0.1%	0.1%	0.2%	0.3%	0.1%	-0.4%	-0.2%	0.0%	0.0%	-0.9%	-1.5%

Figure 5A-D2.18.1. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.18.2. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.18.3. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.18.4. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.18.5. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.18.6. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.18.7. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.18.8. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.18.9. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.18.10. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.18.11. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.18.12. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.18.13. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.18.14. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.18.15. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.18.16. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.18.17. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.18.18. Sacramento River at Cow Creek, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.18.19. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.18.20. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.18.21. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.18.22. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.18.23. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.18.24. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.18.25. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.18.26. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.18.27. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.18.28. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.18.29. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.18.30. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.18.31. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.18.32. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.18.33. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.18.34. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.18.35. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.18.36. Sacramento River at Cow Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.18.37-A. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.18.37-B. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.18.37-C. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.18.37-D. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.18.38. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.18.39. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.18.40. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.18.41. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.18.42. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.18.43. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.18.44. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.18.45. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.18.46. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.18.47. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.18.48. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.18.49. Sacramento River at Cow Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.19 Sacramento River at Glenn-Colusa Irrigation District (GCID)

Table 5A-D2.19.1-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.4	56.3	52.2	50.2	51.9	56.9	62.4	65.8	66.4	64.7	64.8	66.2
20%	60.4	55.8	51.2	49.4	51.0	55.9	61.9	64.7	65.4	63.9	63.8	65.5
30%	59.9	55.5	50.9	49.2	50.7	55.6	61.4	64.2	65.0	63.3	63.5	64.6
40%	59.4	55.0	50.5	48.7	50.3	54.7	60.8	63.8	64.0	62.7	63.1	63.3
50%	58.8	54.7	50.3	48.3	49.8	53.9	60.1	63.5	63.4	61.9	62.7	62.5
60%	58.3	54.4	50.1	48.0	49.5	53.4	59.5	63.1	62.8	61.7	62.4	61.7
70%	58.0	54.1	49.8	47.6	48.9	52.5	58.6	62.2	62.3	61.4	61.9	60.7
80%	57.6	53.9	49.3	47.2	48.3	51.3	57.7	61.4	61.4	60.4	61.5	60.1
90%	56.9	53.5	48.5	46.7	47.7	50.3	55.9	60.9	60.7	59.7	60.7	59.3

Table 5A-D2.19.1-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.2	54.8	50.3	48.4	49.9	53.8	59.7	63.4	63.5	62.2	62.7	62.9
Wet Water Years	57.8	54.5	50.5	47.6	48.6	51.8	57.8	63.8	64.8	62.0	61.8	60.3
Above Normal Water Years	58.3	54.3	49.8	48.1	49.0	53.3	60.4	63.1	62.2	61.3	61.8	60.6
Below Normal Water Years	59.4	54.8	50.4	48.4	50.3	54.5	60.3	62.7	63.1	61.8	62.7	63.8
Dry Water Years	59.6	54.9	50.4	48.9	50.5	55.3	61.1	63.2	62.5	62.7	63.3	64.6
Critical Water Years	63.3	56.5	49.8	50.0	52.3	56.5	61.4	64.2	63.3	63.5	65.2	67.6

Table 5A-D2.19.1-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.4	56.4	52.2	50.2	52.6	57.0	62.5	65.7	66.3	64.6	64.8	66.3
20%	60.3	55.8	51.2	49.4	51.0	56.0	62.1	64.7	65.4	63.9	63.9	65.4
30%	59.8	55.5	50.9	49.2	50.7	55.6	61.4	64.3	65.0	63.1	63.4	64.6
40%	59.4	55.0	50.5	48.7	50.3	54.7	60.8	63.9	64.0	62.6	63.2	63.3
50%	58.8	54.8	50.3	48.3	49.8	53.9	60.1	63.5	63.3	62.0	62.7	62.4
60%	58.3	54.4	50.1	48.0	49.5	53.4	59.5	63.1	62.7	61.8	62.3	61.6
70%	58.0	54.1	49.8	47.6	48.9	52.5	58.6	62.2	62.1	61.3	61.8	60.8
80%	57.7	53.9	49.3	47.2	48.3	51.2	57.6	61.4	61.3	60.4	61.6	60.2
90%	56.9	53.5	48.5	46.7	47.6	50.3	55.9	60.9	60.7	59.8	60.5	59.3

Table 5A-D2.19.1-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.2	54.9	50.3	48.4	49.9	53.8	59.7	63.4	63.5	62.2	62.7	62.9
Wet Water Years	57.8	54.5	50.6	47.6	48.6	51.8	57.8	63.7	64.8	62.0	61.8	60.3
Above Normal Water Years	58.3	54.3	49.8	48.1	49.0	53.2	60.4	63.1	62.1	61.2	61.7	60.6
Below Normal Water Years	59.4	54.8	50.4	48.4	50.3	54.5	60.4	62.7	63.1	61.8	62.7	63.8
Dry Water Years	59.5	54.9	50.4	48.9	50.6	55.3	61.3	63.2	62.4	62.7	63.2	64.6
Critical Water Years	63.3	56.5	49.8	50.0	52.4	56.5	61.4	64.2	63.3	63.4	65.2	67.5

Table 5A-D2.19.1-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.7	0.1	0.1	-0.1	-0.1	-0.1	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.1	-0.1	-0.1
70%	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2	0.0	-0.1	0.1
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
90%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.19.1-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.2	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1

Table 5A-D2.19.1-G. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	-0.1%	1.3%	0.1%	0.1%	-0.2%	-0.1%	-0.1%	0.0%	0.1%
20%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	-0.1%	0.0%	0.0%	0.0%	-0.1%
30%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.3%	-0.1%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%
50%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.2%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.2%	-0.2%
70%	0.1%	0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.3%	-0.1%	-0.1%	0.1%
80%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	0.1%	-0.2%	0.0%

Table 5A-D2.19.1-H. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.1%	0.0%	0.1%	0.0%	0.3%	0.1%	0.3%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%	-0.1%

Table 5A-D2.19.2-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.3	56.3	52.2	50.2	52.6	57.0	62.5	65.7	66.3	64.6	64.8	66.3
20%	60.3	55.8	51.2	49.4	51.0	56.0	62.1	64.7	65.4	63.8	63.9	65.6
30%	59.8	55.4	50.9	49.2	50.7	55.6	61.5	64.3	65.0	63.1	63.4	64.6
40%	59.4	55.0	50.5	48.7	50.3	54.7	60.9	63.8	64.0	62.6	63.2	63.3
50%	58.8	54.8	50.3	48.3	49.8	53.9	60.2	63.4	63.3	62.0	62.6	62.4
60%	58.3	54.4	50.1	48.0	49.5	53.4	59.5	63.1	62.7	61.6	62.2	61.7
70%	58.0	54.1	49.8	47.6	48.9	52.5	58.6	62.2	62.1	61.3	61.8	60.8
80%	57.6	53.9	49.3	47.2	48.2	51.2	57.6	61.4	61.3	60.4	61.5	60.2
90%	56.9	53.5	48.6	46.6	47.7	50.3	55.9	60.9	60.7	59.8	60.5	59.3

Table 5A-D2.19.2-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.2	54.9	50.3	48.4	49.9	53.8	59.8	63.3	63.5	62.1	62.7	62.9
Wet Water Years	57.8	54.5	50.6	47.6	48.6	51.8	57.8	63.7	64.8	62.0	61.8	60.3
Above Normal Water Years	58.3	54.3	49.8	48.1	49.0	53.2	60.4	63.1	62.1	61.2	61.7	60.6
Below Normal Water Years	59.4	54.8	50.4	48.4	50.3	54.5	60.4	62.7	63.1	61.7	62.7	63.8
Dry Water Years	59.5	54.9	50.4	48.9	50.6	55.3	61.4	63.1	62.4	62.7	63.2	64.6
Critical Water Years	63.3	56.5	49.8	50.0	52.3	56.5	61.4	64.2	63.3	63.5	65.2	67.5

Table 5A-D2.19.2-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.0	0.0	0.0	0.7	0.1	0.1	-0.1	-0.1	-0.1	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.1
30%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	-0.2	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2	0.0	-0.1	0.1
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1
90%	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.19.2-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.1	0.3	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.19.2-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.0%	0.0%	-0.1%	1.3%	0.2%	0.1%	-0.1%	-0.1%	-0.1%	0.0%	0.1%
20%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	0.1%	0.1%
30%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	-0.3%	-0.1%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
50%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.1%	-0.2%	0.1%	-0.1%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	-0.2%	0.0%
70%	0.1%	0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.3%	0.0%	-0.1%	0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.2%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	-0.2%	0.0%

Table 5A-D2.19.2-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Dry Water Years	-0.1%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.5%	0.0%	-0.1%	0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%

Table 5A-D2.19.3-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.3	56.4	52.2	50.2	52.6	57.0	62.5	65.6	66.4	64.7	64.7	66.2
20%	60.4	55.8	51.2	49.5	51.0	56.0	62.0	64.7	65.4	63.9	63.8	65.4
30%	59.7	55.4	50.9	49.2	50.7	55.6	61.4	64.3	65.1	63.1	63.4	64.6
40%	59.4	55.0	50.5	48.7	50.3	54.7	60.8	63.8	64.0	62.6	63.2	63.2
50%	58.8	54.8	50.3	48.3	49.8	53.9	60.2	63.4	63.3	62.0	62.7	62.4
60%	58.3	54.4	50.1	48.0	49.5	53.4	59.5	63.1	62.8	61.6	62.2	61.7
70%	58.0	54.1	49.8	47.6	48.9	52.5	58.7	62.2	62.1	61.3	61.8	60.8
80%	57.6	53.9	49.3	47.2	48.2	51.2	57.9	61.4	61.3	60.4	61.5	60.3
90%	56.9	53.5	48.6	46.7	47.7	50.3	55.9	60.9	60.7	59.8	60.5	59.3

Table 5A-D2.19.3-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.2	54.8	50.4	48.4	49.9	53.8	59.8	63.3	63.5	62.2	62.7	62.8
Wet Water Years	57.8	54.5	50.6	47.7	48.6	51.8	57.8	63.7	64.8	62.0	61.8	60.4
Above Normal Water Years	58.3	54.3	49.8	48.1	49.0	53.3	60.4	63.1	62.2	61.2	61.7	60.6
Below Normal Water Years	59.4	54.8	50.4	48.4	50.3	54.5	60.4	62.6	63.1	61.7	62.7	63.8
Dry Water Years	59.5	54.9	50.4	48.9	50.6	55.3	61.5	63.1	62.5	62.7	63.3	64.6
Critical Water Years	63.2	56.5	49.9	50.1	52.4	56.5	61.3	64.1	63.4	63.5	65.1	67.1

Table 5A-D2.19.3-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.0	0.0	0.0	0.7	0.1	0.1	-0.1	0.0	0.0	-0.1	0.0
20%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	0.0
30%	-0.2	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.2	-0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	-0.1	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2	0.0	-0.1	0.1
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	0.0	0.2
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.19.3-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.2	-0.5

Table 5A-D2.19.3-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.0%	0.0%	-0.1%	1.3%	0.2%	0.1%	-0.2%	0.0%	0.0%	-0.1%	0.0%
20%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%
30%	-0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.3%	-0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.2%	-0.1%
50%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	-0.1%	0.1%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	-0.1%	-0.3%	0.0%
70%	0.1%	0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.3%	-0.1%	-0.2%	0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	-0.1%	0.0%	0.0%	0.3%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	0.1%	-0.2%	0.0%

Table 5A-D2.19.3-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.6%	-0.1%	0.0%	0.1%	0.0%	-0.1%
Critical Water Years	-0.2%	0.0%	0.1%	0.1%	0.2%	0.0%	-0.2%	-0.1%	0.1%	0.1%	-0.3%	-0.7%

Table 5A-D2.19.4-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.3	56.4	52.2	50.2	52.6	57.1	62.6	65.6	66.4	64.8	64.8	66.0
20%	60.4	55.8	51.1	49.5	51.0	56.1	62.0	64.7	65.4	63.9	63.8	65.3
30%	59.8	55.3	50.9	49.2	50.7	55.7	61.6	64.3	65.1	63.1	63.4	64.5
40%	59.4	55.0	50.6	48.7	50.3	54.7	60.8	63.8	64.0	62.6	63.1	63.4
50%	58.9	54.7	50.2	48.3	49.8	53.9	60.3	63.3	63.3	62.0	62.6	62.5
60%	58.3	54.4	50.0	48.0	49.5	53.4	59.5	62.9	62.8	61.7	62.3	61.7
70%	58.0	54.1	49.8	47.6	48.9	52.5	58.7	62.2	62.1	61.2	62.0	60.7
80%	57.6	53.9	49.3	47.2	48.3	51.2	57.9	61.4	61.3	60.4	61.6	60.2
90%	56.9	53.5	48.5	46.7	47.7	50.3	55.9	61.0	60.7	59.8	60.5	59.3

Table 5A-D2.19.4-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.2	54.9	50.3	48.4	49.9	53.8	59.8	63.3	63.5	62.2	62.7	62.8
Wet Water Years	57.8	54.5	50.6	47.6	48.6	51.8	57.8	63.7	64.8	62.0	61.8	60.3
Above Normal Water Years	58.3	54.3	49.8	48.1	49.0	53.2	60.4	63.1	62.2	61.2	61.6	60.6
Below Normal Water Years	59.4	54.8	50.4	48.4	50.3	54.5	60.5	62.7	63.1	61.8	62.6	63.8
Dry Water Years	59.5	54.9	50.4	48.9	50.6	55.5	61.5	63.1	62.5	62.7	63.4	64.5
Critical Water Years	63.1	56.5	49.9	50.1	52.5	56.5	61.3	64.1	63.4	63.6	65.1	67.0

Table 5A-D2.19.4-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.0	0.0	0.0	0.7	0.1	0.1	-0.1	0.0	0.1	0.0	-0.2
20%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	-0.2
30%	-0.1	-0.2	0.0	0.0	0.0	0.1	0.2	0.0	0.1	-0.2	-0.1	-0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1
50%	0.1	0.0	-0.1	0.0	0.0	0.0	0.1	-0.2	-0.1	0.1	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	-0.1	0.0
70%	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	-0.2	-0.1	0.0	0.1
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	0.1	0.1
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0

Table 5A-D2.19.4-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.2	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.2	0.2	0.4	-0.1	0.0	0.0	0.2	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.2	0.0	-0.1	-0.1	0.1	0.1	-0.1	-0.6

Table 5A-D2.19.4-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	0.0%	0.0%	-0.1%	1.3%	0.2%	0.2%	-0.2%	0.0%	0.2%	0.0%	-0.3%
20%	-0.1%	0.0%	0.0%	0.1%	0.1%	0.2%	0.1%	-0.1%	0.1%	0.0%	0.0%	-0.2%
30%	-0.1%	-0.3%	0.0%	0.0%	0.1%	0.2%	0.4%	0.0%	0.2%	-0.2%	-0.1%	-0.1%
40%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.2%
50%	0.2%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.2%	-0.3%	-0.2%	0.1%	-0.1%	0.0%
60%	0.1%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.3%	0.0%	-0.1%	-0.1%	-0.1%
70%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.3%	-0.2%	0.1%	0.1%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	-0.2%	0.0%	0.1%	0.2%
90%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.2%	0.0%

Table 5A-D2.19.4-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.3%	0.0%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	-0.1%	-0.2%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.4%	0.7%	-0.2%	0.0%	0.0%	0.3%	-0.2%
Critical Water Years	-0.4%	0.0%	0.1%	0.1%	0.3%	0.0%	-0.2%	-0.2%	0.1%	0.2%	-0.2%	-0.9%

Table 5A-D2.19.5-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.3	56.4	52.2	50.2	52.6	57.0	62.5	65.6	66.4	64.7	64.7	66.2
20%	60.3	55.8	51.2	49.5	51.0	56.0	62.0	64.7	65.5	63.9	63.8	65.4
30%	59.7	55.4	50.9	49.2	50.7	55.6	61.4	64.3	65.1	63.1	63.4	64.6
40%	59.4	55.0	50.5	48.7	50.3	54.7	60.8	63.8	64.0	62.6	63.2	63.2
50%	58.8	54.8	50.3	48.3	49.8	53.9	60.2	63.4	63.3	62.0	62.7	62.4
60%	58.3	54.4	50.1	48.0	49.5	53.4	59.5	63.1	62.8	61.7	62.2	61.7
70%	58.0	54.1	49.8	47.6	48.9	52.5	58.7	62.1	62.1	61.3	61.8	60.8
80%	57.6	53.9	49.3	47.2	48.2	51.2	57.9	61.4	61.3	60.4	61.6	60.3
90%	56.9	53.5	48.6	46.7	47.7	50.3	55.9	60.9	60.7	59.8	60.5	59.3

Table 5A-D2.19.5-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.2	54.9	50.4	48.4	49.9	53.8	59.8	63.3	63.6	62.2	62.7	62.8
Wet Water Years	57.8	54.5	50.6	47.7	48.6	51.8	57.8	63.7	64.8	62.0	61.8	60.4
Above Normal Water Years	58.3	54.3	49.8	48.1	49.0	53.3	60.4	63.1	62.2	61.2	61.7	60.6
Below Normal Water Years	59.4	54.8	50.4	48.4	50.3	54.5	60.4	62.6	63.1	61.7	62.7	63.8
Dry Water Years	59.5	54.9	50.4	48.9	50.6	55.3	61.5	63.1	62.5	62.7	63.3	64.6
Critical Water Years	63.2	56.5	49.9	50.1	52.4	56.5	61.3	64.1	63.4	63.5	65.1	67.1

Table 5A-D2.19.5-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.0	0.0	0.0	0.7	0.1	0.1	-0.1	0.0	0.0	-0.1	0.0
20%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.1	0.0	0.0	0.0
30%	-0.2	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.2	-0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.2	0.0
70%	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2	-0.1	-0.1	0.1
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	0.1	0.2
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.19.5-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.2	-0.5

Table 5A-D2.19.5-E. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.0%	0.0%	-0.1%	1.3%	0.1%	0.1%	-0.2%	0.0%	0.0%	-0.1%	0.0%
20%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.1%	0.0%	0.0%	-0.1%
30%	-0.3%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.3%	-0.1%	0.0%
40%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.2%	-0.1%
50%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	-0.2%	0.1%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	-0.3%	0.0%
70%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.3%	-0.1%	-0.2%	0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	-0.1%	0.0%	0.1%	0.3%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	0.1%	-0.2%	-0.1%

Table 5A-D2.19.5-F. Sacramento River at Glenn-Colusa Irrigation District (GCID), Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.6%	-0.1%	0.0%	0.1%	0.0%	-0.1%
Critical Water Years	-0.2%	0.0%	0.1%	0.1%	0.2%	0.0%	-0.2%	-0.1%	0.1%	0.1%	-0.3%	-0.7%

Figure 5A-D2.19.1. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.19.2. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.19.3. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.19.4. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.19.5. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.19.6. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.19.7. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.19.8. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.19.9. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.19.10. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.19.11. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.19.12. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.19.13. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.19.14. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.19.15. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.19.16. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.19.17. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.19.18. Sacramento River at Glenn-Colusa Irrigation District (GCID), Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.19.19. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.19.20. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.19.21. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.19.22. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.19.23. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.19.24. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.19.25. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.19.26. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.19.27. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.19.28. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.19.29. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.19.30. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.19.31. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.19.32. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.19.33. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.19.34. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.19.35. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.19.36. Sacramento River at Glenn-Colusa Irrigation District (GCID), Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.19.37-A. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.19.37-B. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.19.37-C. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.19.37-D. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.19.38. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.19.39. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.19.40. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.19.41. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.19.42. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.19.43. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.19.44. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.19.45. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.19.46. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.19.47. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.19.48. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.19.49. Sacramento River at Glenn-Colusa Irrigation District (GCID), Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.20 Sacramento River at Hamilton City

Table 5A-D2.20.1-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	62.0	56.5	52.3	50.3	52.2	57.4	63.0	66.6	67.4	65.7	65.8	67.1
20%	60.8	56.0	51.2	49.6	51.2	56.3	62.5	65.5	66.4	64.8	64.8	66.2
30%	60.4	55.6	50.9	49.4	50.9	55.9	61.9	65.0	66.0	64.2	64.3	65.3
40%	59.9	55.2	50.6	48.8	50.5	55.0	61.2	64.7	64.9	63.5	64.0	64.1
50%	59.3	54.9	50.3	48.4	50.0	54.2	60.6	64.3	64.3	62.8	63.6	63.2
60%	58.8	54.5	50.1	48.1	49.6	53.6	59.9	63.9	63.5	62.6	63.2	62.5
70%	58.4	54.3	49.9	47.7	49.0	52.7	59.0	62.8	63.0	62.2	62.7	61.2
80%	58.0	54.1	49.4	47.3	48.4	51.4	58.0	62.1	62.2	61.2	62.3	60.8
90%	57.3	53.7	48.6	46.7	47.7	50.5	56.2	61.5	61.5	60.5	61.4	59.9

Table 5A-D2.20.1-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.6	55.0	50.4	48.5	50.0	54.1	60.1	64.1	64.4	63.0	63.6	63.5
Wet Water Years	58.2	54.6	50.6	47.7	48.7	52.0	58.2	64.5	65.7	62.8	62.7	60.9
Above Normal Water Years	58.7	54.4	49.9	48.2	49.1	53.5	60.8	63.8	63.0	62.1	62.6	61.2
Below Normal Water Years	59.8	55.0	50.5	48.5	50.5	54.8	60.7	63.4	64.0	62.6	63.6	64.6
Dry Water Years	60.1	55.1	50.4	49.0	50.7	55.6	61.6	63.9	63.3	63.6	64.1	65.4
Critical Water Years	63.7	56.6	49.9	50.1	52.6	56.9	62.0	65.0	64.1	64.3	66.0	68.1

Table 5A-D2.20.1-C. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	62.0	56.6	52.3	50.3	52.9	57.4	63.0	66.6	67.3	65.6	65.7	67.1
20%	60.8	56.0	51.2	49.6	51.3	56.4	62.6	65.4	66.4	64.8	64.8	66.1
30%	60.3	55.6	50.9	49.4	50.9	55.9	61.9	65.0	66.1	64.0	64.3	65.3
40%	59.9	55.2	50.6	48.8	50.5	55.0	61.3	64.8	64.9	63.5	64.0	64.1
50%	59.3	54.9	50.3	48.3	50.0	54.1	60.6	64.3	64.2	62.8	63.5	63.2
60%	58.8	54.6	50.1	48.1	49.6	53.6	59.9	63.9	63.5	62.6	63.1	62.2
70%	58.4	54.3	49.9	47.7	49.0	52.7	59.0	62.9	63.0	62.1	62.7	61.4
80%	58.1	54.1	49.4	47.3	48.4	51.4	58.0	62.1	62.1	61.1	62.4	60.8
90%	57.3	53.7	48.6	46.7	47.7	50.5	56.2	61.5	61.5	60.5	61.3	59.9

Table 5A-D2.20.1-D. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.6	55.0	50.4	48.5	50.1	54.1	60.2	64.1	64.4	63.0	63.5	63.5
Wet Water Years	58.2	54.7	50.6	47.7	48.7	52.0	58.2	64.5	65.7	62.8	62.6	61.0
Above Normal Water Years	58.7	54.4	49.9	48.2	49.1	53.5	60.8	63.8	63.0	62.0	62.5	61.2
Below Normal Water Years	59.9	55.0	50.5	48.5	50.5	54.8	60.8	63.4	64.0	62.6	63.6	64.5
Dry Water Years	60.0	55.1	50.5	49.0	50.8	55.7	61.8	64.0	63.3	63.6	64.0	65.4
Critical Water Years	63.7	56.6	49.9	50.1	52.7	56.9	61.9	65.0	64.0	64.3	66.0	68.0

Table 5A-D2.20.1-E. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.0	0.0	0.7	0.0	0.1	0.0	-0.1	-0.1	-0.1	0.0
20%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.2
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1

Table 5A-D2.20.1-F. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.2	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1

Table 5A-D2.20.1-G. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.1%	-0.1%	-0.1%	1.3%	0.0%	0.1%	-0.1%	-0.2%	-0.1%	-0.1%	0.0%
20%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.0%	-0.1%	0.0%	-0.1%
30%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	0.0%
50%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.4%
70%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.3%
80%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.1%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%

Table 5A-D2.20.1-H. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.1%	0.0%	0.1%	0.0%	0.3%	0.1%	0.3%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%	-0.1%

Table 5A-D2.20.2-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.9	56.6	52.3	50.3	52.9	57.4	63.0	66.5	67.3	65.6	65.8	67.1
20%	60.9	56.0	51.2	49.6	51.3	56.4	62.6	65.4	66.4	64.8	64.8	66.2
30%	60.3	55.6	50.9	49.4	50.9	55.9	62.1	65.0	66.0	64.0	64.3	65.3
40%	59.9	55.2	50.6	48.8	50.5	55.0	61.3	64.6	64.9	63.5	64.0	64.1
50%	59.3	54.9	50.3	48.4	50.0	54.2	60.7	64.2	64.2	62.8	63.5	63.2
60%	58.8	54.6	50.1	48.1	49.6	53.6	59.9	63.8	63.5	62.5	63.1	62.5
70%	58.4	54.3	49.9	47.7	49.0	52.7	59.0	62.9	63.0	62.1	62.6	61.5
80%	58.1	54.1	49.4	47.3	48.4	51.4	58.0	62.1	62.1	61.1	62.3	60.9
90%	57.3	53.7	48.6	46.7	47.8	50.5	56.2	61.5	61.5	60.5	61.3	59.9

Table 5A-D2.20.2-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.6	55.0	50.4	48.5	50.1	54.1	60.2	64.1	64.4	63.0	63.5	63.6
Wet Water Years	58.2	54.7	50.6	47.7	48.7	52.0	58.2	64.5	65.7	62.8	62.7	61.0
Above Normal Water Years	58.7	54.4	49.9	48.2	49.1	53.5	60.8	63.8	63.0	62.0	62.5	61.2
Below Normal Water Years	59.9	55.0	50.5	48.5	50.5	54.8	60.8	63.4	64.0	62.6	63.5	64.6
Dry Water Years	60.0	55.1	50.5	49.0	50.8	55.7	61.9	63.9	63.3	63.6	64.0	65.4
Critical Water Years	63.6	56.6	49.9	50.1	52.6	56.9	61.9	65.0	64.0	64.3	66.0	68.1

Table 5A-D2.20.2-C. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.0	0.0	0.7	0.0	0.1	-0.1	-0.1	-0.1	0.0	0.0
20%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.2	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.1	-0.1	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1

Table 5A-D2.20.2-D. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.3	0.0	-0.1	0.0	-0.1	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.20.2-E. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.1%	-0.1%	-0.1%	1.3%	0.0%	0.1%	-0.1%	-0.2%	-0.1%	0.0%	0.0%
20%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.0%	-0.1%	0.1%	0.0%
30%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.3%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.0%
50%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.1%	-0.1%	0.0%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	-0.3%	0.0%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.5%
80%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	-0.2%	0.1%

Table 5A-D2.20.2-F. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Dry Water Years	-0.1%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.5%	0.0%	-0.1%	0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%

Table 5A-D2.20.3-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.9	56.6	52.2	50.3	52.9	57.4	63.0	66.5	67.4	65.7	65.6	67.0
20%	60.9	56.0	51.2	49.6	51.3	56.4	62.5	65.4	66.4	64.8	64.8	66.2
30%	60.2	55.6	50.9	49.4	50.9	55.9	61.9	65.0	66.1	64.0	64.3	65.3
40%	59.8	55.2	50.6	48.8	50.5	55.0	61.3	64.6	64.9	63.5	64.1	64.0
50%	59.3	54.9	50.3	48.4	50.1	54.2	60.7	64.2	64.3	62.8	63.5	63.1
60%	58.8	54.5	50.1	48.1	49.6	53.6	59.9	63.8	63.6	62.5	63.1	62.5
70%	58.5	54.3	49.9	47.7	49.0	52.7	59.1	62.9	63.0	62.1	62.6	61.5
80%	58.1	54.1	49.4	47.3	48.4	51.4	58.2	62.1	62.1	61.1	62.3	60.9
90%	57.3	53.7	48.6	46.7	47.8	50.5	56.1	61.5	61.5	60.5	61.3	59.9

Table 5A-D2.20.3-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.6	55.0	50.4	48.5	50.1	54.1	60.2	64.1	64.4	63.0	63.5	63.5
Wet Water Years	58.2	54.6	50.6	47.7	48.7	52.0	58.2	64.5	65.7	62.8	62.7	61.0
Above Normal Water Years	58.7	54.4	49.9	48.2	49.1	53.5	60.8	63.8	63.0	62.0	62.5	61.2
Below Normal Water Years	59.9	55.0	50.5	48.5	50.5	54.8	60.9	63.4	64.0	62.6	63.5	64.5
Dry Water Years	60.0	55.1	50.5	49.0	50.8	55.7	62.0	63.9	63.3	63.6	64.1	65.3
Critical Water Years	63.5	56.7	50.0	50.2	52.7	56.9	61.9	64.9	64.1	64.4	65.9	67.7

Table 5A-D2.20.3-C. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	-0.1	0.0	0.7	0.0	0.1	-0.1	0.0	0.0	-0.1	0.0
20%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.1
30%	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.1	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	0.0	0.2
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1

Table 5A-D2.20.3-D. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.0	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.1	-0.5

Table 5A-D2.20.3-E. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	0.1%	-0.1%	-0.1%	1.3%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.2%	0.0%
20%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%
30%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.3%	0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.2%	-0.2%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.2%	0.0%	0.1%	-0.1%	-0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	-0.1%	-0.3%	0.0%
70%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.5%
80%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	-0.1%	0.0%	0.1%	0.3%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%

Table 5A-D2.20.3-F. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.6%	-0.1%	0.0%	0.1%	0.0%	-0.1%
Critical Water Years	-0.2%	0.0%	0.1%	0.1%	0.2%	0.0%	-0.1%	-0.1%	0.1%	0.1%	-0.2%	-0.7%

Table 5A-D2.20.4-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.8	56.6	52.3	50.3	52.9	57.4	63.1	66.6	67.4	65.8	65.8	66.8
20%	60.9	56.0	51.2	49.6	51.3	56.5	62.5	65.4	66.5	64.8	64.8	66.1
30%	60.3	55.5	50.9	49.4	50.9	56.1	62.1	65.0	66.1	64.0	64.3	65.2
40%	59.8	55.2	50.6	48.8	50.5	55.1	61.3	64.6	65.0	63.5	64.0	64.2
50%	59.3	54.9	50.3	48.4	50.1	54.2	60.7	64.0	64.2	62.8	63.5	63.2
60%	58.8	54.6	50.1	48.1	49.6	53.6	59.9	63.7	63.6	62.5	63.2	62.4
70%	58.4	54.3	49.9	47.7	49.0	52.7	59.0	62.9	63.0	62.0	62.8	61.4
80%	58.1	54.1	49.4	47.3	48.4	51.4	58.2	62.1	62.1	61.1	62.4	60.8
90%	57.3	53.7	48.6	46.7	47.8	50.5	56.2	61.6	61.5	60.5	61.3	59.9

Table 5A-D2.20.4-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.6	55.0	50.4	48.5	50.1	54.1	60.2	64.1	64.4	63.0	63.5	63.5
Wet Water Years	58.2	54.7	50.6	47.7	48.7	52.0	58.2	64.5	65.7	62.8	62.7	61.0
Above Normal Water Years	58.7	54.4	49.9	48.2	49.1	53.5	60.9	63.8	63.0	62.0	62.4	61.2
Below Normal Water Years	59.9	55.0	50.5	48.5	50.5	54.8	61.0	63.4	64.0	62.6	63.5	64.6
Dry Water Years	59.9	55.1	50.5	49.0	50.8	55.8	62.0	63.8	63.3	63.6	64.3	65.3
Critical Water Years	63.5	56.6	50.0	50.2	52.7	56.9	61.8	64.9	64.1	64.5	65.9	67.6

Table 5A-D2.20.4-C. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2	0.1	0.0	0.0	0.7	0.1	0.1	-0.1	0.0	0.1	0.0	-0.3
20%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	-0.1
30%	-0.1	-0.1	0.0	0.0	0.0	0.1	0.2	0.0	0.1	-0.1	0.0	-0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	0.0	0.1
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	-0.2	0.0	0.0	-0.1	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.2
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	0.1	0.1
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1

Table 5A-D2.20.4-D. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.2	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.2	0.2	0.4	-0.1	0.0	0.0	0.2	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.2	0.0	-0.1	-0.1	0.1	0.1	-0.1	-0.5

Table 5A-D2.20.4-E. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.4%	0.1%	-0.1%	-0.1%	1.3%	0.1%	0.2%	-0.1%	0.0%	0.1%	0.0%	-0.4%
20%	0.1%	0.0%	0.1%	0.1%	0.1%	0.2%	0.1%	-0.1%	0.1%	0.0%	0.0%	-0.1%
30%	-0.2%	-0.2%	0.0%	0.0%	0.0%	0.2%	0.3%	0.0%	0.1%	-0.2%	-0.1%	-0.1%
40%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	-0.1%	0.0%	0.2%
50%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.3%	-0.4%	0.0%	0.1%	-0.1%	0.0%
60%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%	0.0%	-0.1%	-0.1%
70%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.1%	0.3%
80%	0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.3%	0.0%	-0.2%	0.0%	0.1%	0.1%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	0.1%

Table 5A-D2.20.4-F. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.3%	0.0%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	-0.1%	-0.2%	0.0%
Dry Water Years	-0.2%	-0.1%	0.0%	0.0%	0.3%	0.4%	0.7%	-0.2%	0.0%	0.0%	0.3%	-0.2%
Critical Water Years	-0.3%	0.0%	0.1%	0.1%	0.3%	0.0%	-0.2%	-0.2%	0.1%	0.2%	-0.2%	-0.8%

Table 5A-D2.20.5-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	61.9	56.6	52.3	50.3	52.9	57.4	63.0	66.6	67.4	65.7	65.6	67.0
20%	60.9	56.0	51.2	49.6	51.3	56.4	62.5	65.4	66.5	64.8	64.8	66.2
30%	60.2	55.6	50.9	49.4	50.9	55.9	61.9	65.0	66.1	64.0	64.3	65.3
40%	59.8	55.2	50.6	48.8	50.5	55.0	61.3	64.6	64.9	63.5	64.1	64.0
50%	59.2	54.9	50.3	48.4	50.1	54.2	60.7	64.1	64.3	62.8	63.5	63.1
60%	58.8	54.5	50.1	48.1	49.6	53.6	59.9	63.8	63.6	62.6	63.1	62.5
70%	58.5	54.3	49.9	47.7	49.0	52.7	59.1	62.9	63.0	62.1	62.6	61.5
80%	58.0	54.1	49.4	47.3	48.4	51.4	58.2	62.1	62.1	61.1	62.4	60.9
90%	57.3	53.7	48.6	46.7	47.8	50.5	56.1	61.5	61.4	60.5	61.3	59.9

Table 5A-D2.20.5-B. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	59.6	55.0	50.4	48.5	50.1	54.1	60.2	64.1	64.4	63.0	63.5	63.5
Wet Water Years	58.2	54.6	50.6	47.7	48.7	52.0	58.2	64.5	65.7	62.8	62.7	61.0
Above Normal Water Years	58.7	54.4	49.9	48.2	49.1	53.5	60.8	63.8	63.0	62.0	62.5	61.2
Below Normal Water Years	59.9	55.0	50.5	48.5	50.5	54.8	60.9	63.4	64.0	62.6	63.6	64.5
Dry Water Years	60.0	55.1	50.5	49.0	50.8	55.7	62.0	63.9	63.3	63.6	64.1	65.3
Critical Water Years	63.5	56.7	50.0	50.2	52.7	56.9	61.9	64.9	64.1	64.4	65.9	67.7

Table 5A-D2.20.5-C. Sacramento River at Hamilton City, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	-0.1	0.0	0.7	0.0	0.1	-0.1	0.0	0.0	-0.1	0.0
20%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.1	0.0	0.0	0.1
30%	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.1	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.1	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	0.1	0.1
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.20.5-D. Sacramento River at Hamilton City, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.0	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.1	-0.5

Table 5A-D2.20.5-E. Sacramento River at Hamilton City, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	0.1%	-0.1%	-0.1%	1.3%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.2%	0.0%
20%	0.1%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.1%
30%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.3%	0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.2%	-0.2%
50%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%	-0.2%	0.0%	0.1%	-0.1%	-0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	-0.3%	0.0%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.5%
80%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	-0.1%	0.0%	0.2%	0.2%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%

Table 5A-D2.20.5-F. Sacramento River at Hamilton City, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.6%	-0.1%	0.0%	0.1%	0.0%	-0.1%
Critical Water Years	-0.2%	0.0%	0.1%	0.1%	0.2%	0.0%	-0.1%	-0.1%	0.1%	0.1%	-0.2%	-0.7%

Figure 5A-D2.20.1. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.20.2. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.20.3. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.20.4. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.20.5. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.20.6. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.20.7. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.20.8. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.20.9. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.20.10. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.20.11. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.20.12. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.20.13. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.20.14. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.20.15. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.20.16. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.20.17. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.20.18. Sacramento River at Hamilton City, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.20.19. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.20.20. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.20.21. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.20.22. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.20.23. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.20.24. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.20.25. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.20.26. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.20.27. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.20.28. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.20.29. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.20.30. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.20.31. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.20.32. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.20.33. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.20.34. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.20.35. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.20.36. Sacramento River at Hamilton City, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.20.37-A. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.20.37-B. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.20.37-C. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.20.37-D. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.20.38. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.20.39. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.20.40. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.20.41. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.20.42. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.20.43. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.20.44. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.20.45. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.20.46. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.20.47. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.20.48. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.20.49. Sacramento River at Hamilton City, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.21 Sacramento River at Jellys Ferry

Table 5A-D2.21.1-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.0	55.6	53.1	50.1	50.6	54.4	59.0	60.0	58.1	56.8	56.9	60.1
20%	56.9	55.2	52.2	49.5	50.1	53.6	58.4	59.2	57.5	56.0	56.4	58.7
30%	56.2	54.8	51.7	49.1	49.6	53.3	58.0	58.5	57.0	55.6	56.1	57.6
40%	55.7	54.5	51.5	48.6	49.3	52.8	57.4	58.1	56.7	55.4	55.6	56.7
50%	55.4	54.3	51.1	48.3	48.9	52.2	56.9	57.9	56.1	55.0	55.4	56.1
60%	54.7	54.0	50.8	47.8	48.5	51.7	56.6	57.5	55.7	54.8	55.2	55.5
70%	54.4	53.8	50.5	47.5	48.2	51.0	56.2	56.9	55.2	54.5	55.1	54.8
80%	54.1	53.6	49.8	47.3	47.5	50.0	55.0	56.4	54.6	54.0	54.5	54.2
90%	53.7	53.2	49.1	46.7	46.9	49.0	54.2	56.0	54.1	53.7	54.1	53.8

Table 5A-D2.21.1-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.8	54.4	51.1	48.4	48.9	52.0	56.7	58.0	56.2	55.1	55.7	56.8
Wet Water Years	54.5	54.1	51.3	47.6	47.8	50.3	55.6	58.7	56.8	54.9	54.7	54.5
Above Normal Water Years	55.1	53.9	50.6	48.3	48.3	51.6	57.4	57.4	54.9	54.5	54.9	54.9
Below Normal Water Years	55.5	54.2	51.3	48.5	49.3	52.6	57.3	57.3	55.6	54.8	55.6	57.1
Dry Water Years	56.1	54.4	51.3	49.0	49.5	53.2	57.7	57.5	55.6	55.5	56.1	57.9
Critical Water Years	61.1	56.3	50.3	49.8	50.9	53.9	57.1	58.6	57.2	56.3	58.9	63.0

Table 5A-D2.21.1-C. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.0	55.6	53.0	50.1	50.8	54.5	59.1	60.0	58.2	56.6	56.8	60.0
20%	56.9	55.2	52.2	49.5	50.1	53.7	58.6	59.0	57.5	56.1	56.4	58.7
30%	56.1	54.8	51.8	49.1	49.6	53.3	58.0	58.5	57.0	55.6	56.1	57.6
40%	55.7	54.5	51.5	48.6	49.3	52.8	57.5	58.1	56.7	55.3	55.7	56.7
50%	55.2	54.3	51.1	48.3	48.9	52.2	56.9	57.9	56.1	55.0	55.4	56.1
60%	54.7	54.0	50.8	47.9	48.5	51.7	56.6	57.5	55.6	54.8	55.2	55.5
70%	54.4	53.8	50.5	47.5	48.2	51.0	56.2	56.9	55.2	54.6	55.0	54.8
80%	54.1	53.6	49.8	47.3	47.5	50.0	55.1	56.4	54.6	54.0	54.4	54.2
90%	53.7	53.2	49.1	46.7	46.9	49.0	54.2	56.1	54.1	53.7	54.1	53.9

Table 5A-D2.21.1-D. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.8	54.4	51.1	48.4	49.0	52.0	56.8	58.0	56.1	55.1	55.7	56.8
Wet Water Years	54.5	54.1	51.3	47.6	47.8	50.3	55.6	58.6	56.8	54.9	54.7	54.5
Above Normal Water Years	55.1	54.0	50.6	48.2	48.3	51.6	57.4	57.4	54.9	54.4	54.8	54.9
Below Normal Water Years	55.5	54.2	51.2	48.4	49.3	52.6	57.3	57.3	55.6	54.8	55.6	57.1
Dry Water Years	55.9	54.3	51.3	49.0	49.7	53.3	57.9	57.5	55.5	55.5	56.0	57.8
Critical Water Years	61.0	56.3	50.3	49.8	51.0	53.9	57.1	58.5	57.2	56.3	58.8	62.8

Table 5A-D2.21.1-E. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	-0.1	0.0	0.3	0.1	0.1	0.0	0.0	-0.2	-0.1	-0.1
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	-0.2	0.0	0.0	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1

Table 5A-D2.21.1-F. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	0.1	0.0	0.2	0.1	0.2	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.21.1-G. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.0%	-0.2%	0.0%	0.6%	0.2%	0.2%	0.0%	0.0%	-0.3%	-0.1%	-0.2%
20%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%	-0.3%	0.0%	0.1%	0.0%	0.0%
30%	-0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%
40%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.3%	-0.1%	0.0%	-0.2%	0.1%	0.0%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
60%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%	-0.1%	-0.1%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.1%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.1%

Table 5A-D2.21.1-H. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.4%	0.1%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.2%	-0.2%

Table 5A-D2.21.2-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.0	55.6	53.0	50.0	50.8	54.4	59.1	60.0	58.1	56.7	56.8	60.0
20%	56.8	55.2	52.2	49.5	50.1	53.7	58.6	59.0	57.5	56.1	56.4	58.7
30%	56.1	54.8	51.8	49.1	49.6	53.3	58.0	58.5	57.0	55.6	56.1	57.6
40%	55.7	54.5	51.5	48.6	49.3	52.9	57.5	58.1	56.6	55.3	55.7	56.8
50%	55.2	54.3	51.1	48.3	49.0	52.2	57.0	57.8	56.1	55.0	55.4	56.1
60%	54.7	54.0	50.8	47.9	48.5	51.7	56.6	57.4	55.6	54.8	55.2	55.5
70%	54.4	53.8	50.5	47.5	48.2	51.0	56.2	56.9	55.2	54.5	55.0	54.8
80%	54.1	53.6	49.8	47.3	47.5	50.0	55.1	56.4	54.6	54.1	54.4	54.2
90%	53.7	53.1	49.1	46.7	46.9	49.0	54.1	56.1	54.1	53.7	54.1	53.8

Table 5A-D2.21.2-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.8	54.4	51.1	48.4	48.9	52.0	56.8	58.0	56.1	55.1	55.7	56.8
Wet Water Years	54.5	54.1	51.3	47.6	47.8	50.3	55.6	58.6	56.8	54.9	54.7	54.5
Above Normal Water Years	55.1	54.0	50.6	48.2	48.2	51.6	57.4	57.4	54.9	54.4	54.8	54.9
Below Normal Water Years	55.5	54.2	51.2	48.4	49.3	52.6	57.3	57.3	55.6	54.8	55.5	57.1
Dry Water Years	55.9	54.3	51.3	49.0	49.7	53.3	58.0	57.5	55.5	55.5	56.0	57.8
Critical Water Years	61.0	56.3	50.3	49.8	50.9	54.0	57.1	58.5	57.2	56.3	58.8	62.8

Table 5A-D2.21.2-C. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	-0.1	0.0	0.3	0.1	0.1	0.0	0.0	-0.2	-0.1	-0.1
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	-0.2	0.0	0.0	-0.1	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1

Table 5A-D2.21.2-D. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.1	0.1	0.3	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.21.2-E. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	-0.2%	-0.1%	0.6%	0.2%	0.2%	0.0%	0.0%	-0.3%	-0.1%	-0.2%
20%	-0.2%	0.0%	0.0%	0.0%	0.2%	0.2%	0.2%	-0.3%	0.0%	0.0%	-0.1%	0.0%
30%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
40%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.2%	-0.1%	-0.1%	-0.2%	0.1%	0.0%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	-0.1%	0.0%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%
80%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%	0.0%	-0.1%	0.1%	-0.1%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.1%

Table 5A-D2.21.2-F. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.6%	0.1%	-0.1%	0.0%	-0.1%	-0.2%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%

Table 5A-D2.21.3-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.0	55.6	53.0	50.1	50.8	54.5	59.1	60.0	58.1	56.7	56.8	60.1
20%	56.8	55.2	52.3	49.5	50.1	53.8	58.5	59.0	57.5	56.0	56.4	58.7
30%	56.1	54.8	51.8	49.1	49.6	53.3	58.0	58.5	57.0	55.6	56.0	57.6
40%	55.6	54.5	51.5	48.6	49.3	52.9	57.5	58.0	56.6	55.3	55.6	56.6
50%	55.2	54.3	51.1	48.3	48.9	52.2	56.9	57.8	56.2	55.0	55.4	56.0
60%	54.8	54.0	50.8	47.9	48.6	51.7	56.6	57.4	55.7	54.8	55.2	55.4
70%	54.4	53.8	50.5	47.5	48.2	51.1	56.1	56.9	55.2	54.5	55.0	54.8
80%	54.1	53.6	49.8	47.3	47.5	50.0	55.2	56.4	54.6	54.1	54.4	54.2
90%	53.7	53.2	49.1	46.8	46.9	49.0	54.2	56.1	54.1	53.7	54.1	53.9

Table 5A-D2.21.3-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.8	54.4	51.1	48.4	49.0	52.0	56.8	57.9	56.2	55.1	55.6	56.7
Wet Water Years	54.5	54.1	51.3	47.6	47.8	50.3	55.6	58.6	56.8	54.9	54.7	54.5
Above Normal Water Years	55.1	54.0	50.6	48.3	48.3	51.6	57.4	57.4	54.9	54.4	54.8	55.0
Below Normal Water Years	55.5	54.2	51.2	48.4	49.3	52.6	57.4	57.2	55.6	54.8	55.5	57.1
Dry Water Years	55.9	54.3	51.3	49.0	49.7	53.3	58.1	57.5	55.5	55.5	56.0	57.7
Critical Water Years	60.9	56.4	50.4	49.9	51.0	54.0	56.9	58.5	57.2	56.3	58.4	62.1

Table 5A-D2.21.3-C. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	-0.1	0.1	0.3	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	-0.2	0.0	0.0	0.0	-0.1
30%	-0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	-0.1	0.0	-0.2
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
90%	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1

Table 5A-D2.21.3-D. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.1	0.0	-0.2	-0.1	0.0	0.0	-0.5	-0.8

Table 5A-D2.21.3-E. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	-0.2%	0.1%	0.6%	0.2%	0.2%	0.0%	0.0%	-0.2%	-0.1%	0.0%
20%	-0.3%	0.0%	0.1%	0.0%	0.2%	0.3%	0.2%	-0.3%	0.0%	0.0%	0.0%	-0.1%
30%	-0.1%	0.0%	0.2%	0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%
40%	-0.1%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	-0.1%	-0.2%	0.0%	-0.3%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.2%	0.1%	0.0%	-0.1%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	-0.1%	0.0%	-0.3%
70%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	0.0%	-0.1%	0.1%	-0.1%	0.0%
90%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.2%

Table 5A-D2.21.3-F. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.4%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.6%	0.0%	-0.1%	0.0%	0.0%	-0.2%
Critical Water Years	-0.3%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.3%	-0.2%	0.0%	0.0%	-0.8%	-1.3%

Table 5A-D2.21.4-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	57.9	55.6	53.0	50.1	50.8	54.5	59.0	59.9	58.2	56.7	57.0	60.0
20%	56.8	55.2	52.3	49.5	50.1	53.8	58.6	59.0	57.4	56.0	56.5	58.4
30%	56.1	54.8	51.8	49.1	49.6	53.3	58.0	58.5	57.0	55.6	56.0	57.5
40%	55.6	54.5	51.5	48.6	49.3	52.8	57.5	58.0	56.7	55.3	55.6	56.8
50%	55.2	54.3	51.1	48.3	48.9	52.2	56.9	57.7	56.1	55.0	55.4	56.1
60%	54.8	54.1	50.8	47.9	48.6	51.8	56.6	57.4	55.7	54.9	55.2	55.4
70%	54.4	53.8	50.5	47.5	48.2	51.1	56.1	56.9	55.2	54.5	55.0	54.8
80%	54.1	53.6	49.8	47.3	47.5	49.9	55.2	56.5	54.5	54.0	54.4	54.2
90%	53.7	53.1	49.1	46.8	46.9	49.0	54.2	56.1	54.1	53.7	54.1	53.9

Table 5A-D2.21.4-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.8	54.4	51.1	48.4	49.0	52.0	56.8	57.9	56.2	55.1	55.6	56.7
Wet Water Years	54.5	54.1	51.3	47.6	47.8	50.3	55.6	58.6	56.8	54.9	54.7	54.5
Above Normal Water Years	55.1	54.0	50.6	48.3	48.3	51.6	57.4	57.4	54.9	54.5	54.8	54.9
Below Normal Water Years	55.5	54.2	51.2	48.4	49.3	52.6	57.4	57.2	55.6	54.8	55.5	57.1
Dry Water Years	55.8	54.3	51.3	49.0	49.7	53.5	58.1	57.5	55.5	55.5	56.1	57.7
Critical Water Years	60.7	56.3	50.4	49.9	51.1	54.0	56.9	58.4	57.2	56.4	58.4	62.0

Table 5A-D2.21.4-C. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.0	-0.1	0.0	0.3	0.2	0.0	-0.1	0.0	-0.1	0.1	-0.1
20%	-0.1	0.0	0.0	0.0	0.1	0.2	0.1	-0.2	0.0	0.0	0.0	-0.3
30%	-0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0
60%	0.1	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.1	0.0	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
80%	-0.1	0.0	0.0	0.0	0.0	-0.1	0.2	0.0	-0.1	0.0	-0.1	0.0
90%	0.1	-0.1	-0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1

Table 5A-D2.21.4-D. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.3	0.4	0.0	-0.1	0.0	0.1	-0.2
Critical Water Years	-0.3	0.0	0.1	0.1	0.2	0.0	-0.2	-0.1	0.0	0.0	-0.5	-1.0

Table 5A-D2.21.4-E. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.0%	-0.2%	0.1%	0.6%	0.4%	0.1%	-0.2%	0.0%	-0.2%	0.2%	-0.2%
20%	-0.2%	0.0%	0.1%	0.0%	0.2%	0.3%	0.2%	-0.3%	0.0%	0.0%	0.1%	-0.5%
30%	-0.1%	0.0%	0.1%	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	-0.3%
40%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.0%	-0.2%	0.0%	0.0%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.2%	0.0%	0.0%	-0.1%	0.0%
60%	0.2%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	-0.1%	0.1%	0.0%	-0.2%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.1%	0.0%	-0.1%	0.0%
80%	-0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.3%	0.1%	-0.2%	0.0%	-0.1%	0.0%
90%	0.1%	-0.2%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.1%

Table 5A-D2.21.4-F. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	0.0%	0.0%	0.0%	-0.1%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.4%	-0.1%	0.0%	0.1%	0.3%	0.5%	0.7%	0.0%	-0.1%	0.0%	0.1%	-0.3%
Critical Water Years	-0.6%	0.0%	0.1%	0.3%	0.4%	0.1%	-0.4%	-0.2%	0.0%	0.1%	-0.8%	-1.5%

Table 5A-D2.21.5-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.0	55.6	53.0	50.2	50.8	54.5	59.1	60.0	58.2	56.7	56.8	60.1
20%	56.8	55.2	52.3	49.5	50.1	53.8	58.5	59.0	57.5	56.0	56.5	58.7
30%	56.1	54.8	51.8	49.1	49.6	53.3	58.0	58.5	57.0	55.6	56.0	57.6
40%	55.7	54.5	51.5	48.6	49.3	52.9	57.5	58.0	56.7	55.3	55.7	56.6
50%	55.2	54.3	51.1	48.3	48.9	52.2	56.9	57.8	56.2	55.0	55.4	56.1
60%	54.8	54.0	50.8	47.9	48.6	51.7	56.6	57.4	55.7	54.8	55.2	55.4
70%	54.4	53.8	50.5	47.5	48.2	51.1	56.1	56.9	55.2	54.5	55.0	54.8
80%	54.1	53.6	49.8	47.3	47.5	50.0	55.2	56.4	54.6	54.1	54.4	54.3
90%	53.7	53.2	49.1	46.8	46.9	49.0	54.2	56.1	54.1	53.7	54.1	53.9

Table 5A-D2.21.5-B. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	55.8	54.4	51.1	48.4	49.0	52.0	56.8	57.9	56.2	55.1	55.6	56.7
Wet Water Years	54.5	54.1	51.3	47.6	47.8	50.3	55.6	58.6	56.8	54.9	54.7	54.5
Above Normal Water Years	55.1	54.0	50.6	48.3	48.3	51.6	57.4	57.4	54.9	54.4	54.9	55.0
Below Normal Water Years	55.5	54.2	51.2	48.4	49.3	52.6	57.4	57.2	55.6	54.8	55.5	57.1
Dry Water Years	55.9	54.3	51.3	49.0	49.7	53.3	58.1	57.5	55.5	55.5	56.0	57.7
Critical Water Years	60.9	56.4	50.4	49.9	51.0	54.0	56.9	58.5	57.2	56.3	58.4	62.1

Table 5A-D2.21.5-C. Sacramento River at Jellys Ferry, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	-0.1	0.1	0.3	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0
20%	-0.1	0.0	0.0	0.0	0.1	0.1	0.1	-0.2	0.0	0.0	0.0	0.0
30%	-0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	-0.2
50%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	-0.2
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	-0.1	0.0
90%	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1

Table 5A-D2.21.5-D. Sacramento River at Jellys Ferry, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.1	0.1	0.1	0.0	-0.2	-0.1	0.0	0.0	-0.5	-0.8

Table 5A-D2.21.5-E. Sacramento River at Jellys Ferry, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	-0.2%	0.2%	0.6%	0.2%	0.2%	0.0%	0.0%	-0.2%	-0.1%	0.0%
20%	-0.2%	0.0%	0.1%	0.0%	0.2%	0.3%	0.2%	-0.3%	0.0%	0.0%	0.1%	-0.1%
30%	-0.1%	0.0%	0.2%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%
40%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.0%	-0.2%	0.0%	-0.3%
50%	-0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.1%	0.1%	0.0%	-0.1%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.3%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%
80%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.3%	0.0%	-0.1%	0.1%	-0.1%	0.1%
90%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.2%

Table 5A-D2.21.5-F. Sacramento River at Jellys Ferry, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.4%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.7%	0.0%	-0.1%	0.0%	0.0%	-0.2%
Critical Water Years	-0.3%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.3%	-0.2%	0.0%	0.0%	-0.8%	-1.3%

Figure 5A-D2.21.1. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.21.2. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.21.3. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.21.4. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.21.5. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.21.6. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.21.7. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.21.8. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.21.9. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.21.10. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.21.11. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.21.12. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.21.13. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.21.14. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.21.15. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.21.16. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.21.17. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.21.18. Sacramento River at Jellys Ferry, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.21.19. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.21.20. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.21.21. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.21.22. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.21.23. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.21.24. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.21.25. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives






Figure 5A-D2.21.26. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives




Figure 5A-D2.21.27. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.21.28. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.21.29. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.21.30. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.21.31. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.21.32. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.21.33. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.21.34. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.21.35. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.21.36. Sacramento River at Jellys Ferry, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.21.37-A. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.21.37-B. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.21.37-C. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.21.37-D. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.21.38. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.21.39. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.21.40. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.21.41. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.21.42. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.21.43. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.21.44. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.21.45. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.21.46. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.21.47. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.21.48. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.21.49. Sacramento River at Jellys Ferry, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.22 Sacramento River at Red Bluff Dam

Table 5A-D2.22.1-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	59.0	55.7	52.5	50.3	51.4	55.8	60.6	62.3	61.7	60.2	60.3	63.1
20%	58.4	55.3	51.7	49.6	50.7	54.9	60.0	61.4	60.7	59.5	59.6	61.8
30%	57.6	54.9	51.4	49.3	50.2	54.6	59.5	60.9	60.4	58.9	59.2	60.8
40%	57.1	54.6	51.2	48.8	50.0	53.9	58.9	60.4	59.9	58.6	59.0	59.7
50%	56.7	54.3	50.9	48.5	49.5	53.1	58.4	60.1	59.3	58.1	58.6	58.8
60%	56.1	54.1	50.6	48.1	49.2	52.7	58.1	59.8	58.8	57.8	58.3	58.1
70%	55.8	53.8	50.3	47.7	48.6	51.9	57.4	59.0	58.3	57.5	57.9	57.3
80%	55.5	53.5	49.8	47.4	47.9	50.6	56.3	58.3	57.6	56.7	57.5	56.7
90%	54.9	52.9	49.0	46.7	47.2	49.3	54.9	58.1	56.9	56.3	56.9	56.1

Table 5A-D2.22.1-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.5	52.9	58.1	60.2	59.3	58.2	58.7	59.5
Wet Water Years	55.7	54.1	51.1	47.8	48.2	51.0	56.7	60.8	60.2	57.9	57.7	57.0
Above Normal Water Years	56.3	53.9	50.3	48.4	48.7	52.5	58.8	59.7	58.0	57.4	57.8	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.7	59.4	58.9	57.8	58.7	60.1
Dry Water Years	57.4	54.3	50.9	49.0	50.1	54.3	59.2	59.8	58.6	58.7	59.3	60.9
Critical Water Years	61.8	56.2	50.2	50.0	51.7	55.3	58.9	60.9	59.9	59.5	61.7	64.9

Table 5A-D2.22.1-C. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.9	55.7	52.6	50.3	51.7	55.7	60.7	62.3	61.7	60.0	60.2	62.9
20%	58.4	55.3	51.7	49.6	50.8	55.0	60.1	61.3	60.7	59.4	59.5	61.8
30%	57.5	55.0	51.4	49.3	50.2	54.5	59.5	60.9	60.4	58.8	59.3	60.8
40%	57.1	54.6	51.2	48.8	49.9	53.9	59.1	60.4	59.9	58.5	59.1	59.7
50%	56.7	54.4	50.9	48.5	49.4	53.1	58.4	60.1	59.2	58.1	58.6	58.9
60%	56.1	54.2	50.6	48.1	49.2	52.7	58.1	59.8	58.8	57.8	58.2	58.0
70%	55.8	53.8	50.3	47.7	48.6	51.9	57.5	59.1	58.3	57.4	57.9	57.3
80%	55.6	53.6	49.8	47.4	47.9	50.5	56.3	58.4	57.6	56.7	57.5	56.7
90%	54.9	52.8	49.0	46.7	47.2	49.3	54.9	58.1	56.9	56.3	56.9	56.2

Table 5A-D2.22.1-D. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.5	52.9	58.2	60.2	59.3	58.1	58.7	59.4
Wet Water Years	55.7	54.1	51.1	47.8	48.2	51.0	56.7	60.8	60.2	57.9	57.7	57.0
Above Normal Water Years	56.3	53.9	50.4	48.4	48.7	52.5	58.9	59.7	58.0	57.4	57.8	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.8	59.4	58.9	57.8	58.7	60.1
Dry Water Years	57.3	54.3	50.9	49.0	50.3	54.4	59.4	59.9	58.5	58.7	59.2	60.9
Critical Water Years	61.8	56.2	50.2	50.0	51.7	55.3	58.9	60.9	59.8	59.5	61.6	64.8

Table 5A-D2.22.1-E. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.0	0.0	-0.2	-0.1	-0.2
20%	0.0	-0.1	0.0	0.0	0.1	0.1	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.1	0.0	-0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	-0.1	0.1	0.0
50%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1

Table 5A-D2.22.1-F. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.2	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.22.1-G. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.3%	0.0%	0.6%	0.0%	0.2%	0.0%	0.0%	-0.3%	-0.1%	-0.4%
20%	0.0%	-0.1%	-0.1%	0.0%	0.2%	0.2%	0.1%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
30%	-0.1%	0.1%	0.0%	-0.1%	0.1%	-0.1%	0.1%	-0.1%	0.0%	0.0%	0.1%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	0.0%	0.0%	-0.1%	0.2%	0.0%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.3%	0.0%	-0.1%	0.1%
60%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	-0.1%	-0.1%	0.1%
80%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
90%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.22.1-H. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.4%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%	-0.2%

Table 5A-D2.22.2-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	59.0	55.8	52.6	50.3	51.7	55.7	60.8	62.2	61.7	60.1	60.3	62.9
20%	58.4	55.3	51.7	49.6	50.8	55.1	60.1	61.3	60.7	59.4	59.6	61.8
30%	57.6	55.0	51.4	49.3	50.2	54.6	59.5	60.9	60.4	58.8	59.3	61.1
40%	57.1	54.6	51.2	48.8	49.9	53.9	59.1	60.4	60.0	58.5	59.1	59.7
50%	56.7	54.4	50.9	48.5	49.4	53.1	58.5	60.0	59.2	58.0	58.5	58.9
60%	56.1	54.1	50.6	48.1	49.2	52.7	58.1	59.7	58.8	57.8	58.1	58.0
70%	55.8	53.8	50.3	47.7	48.6	51.9	57.5	59.1	58.3	57.4	57.9	57.3
80%	55.5	53.6	49.8	47.4	47.9	50.5	56.3	58.4	57.5	56.7	57.5	56.7
90%	54.9	52.8	49.1	46.7	47.2	49.3	54.9	58.1	56.9	56.3	56.9	56.2

Table 5A-D2.22.2-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.5	52.9	58.2	60.2	59.3	58.1	58.7	59.5
Wet Water Years	55.7	54.1	51.1	47.8	48.2	51.0	56.7	60.8	60.2	57.9	57.7	57.0
Above Normal Water Years	56.3	53.9	50.4	48.3	48.7	52.5	58.9	59.7	58.0	57.4	57.8	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.7	59.4	58.9	57.8	58.6	60.1
Dry Water Years	57.3	54.3	50.9	49.0	50.3	54.4	59.5	59.8	58.5	58.7	59.2	60.9
Critical Water Years	61.7	56.2	50.2	50.0	51.7	55.3	58.9	60.8	59.8	59.5	61.6	64.8

Table 5A-D2.22.2-C. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.0	0.0	-0.1	-0.1	-0.2
20%	0.0	-0.1	0.0	0.0	0.1	0.2	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	-0.1	0.1	0.0
50%	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.1
90%	0.0	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.22.2-D. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.1	0.3	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.22.2-E. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.0%	0.2%	0.0%	0.6%	0.0%	0.2%	-0.1%	0.0%	-0.2%	-0.1%	-0.4%
20%	0.0%	-0.1%	-0.1%	0.0%	0.2%	0.3%	0.1%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%
30%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.5%
40%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	0.0%	0.0%	-0.2%	0.1%	0.0%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	-0.2%	0.0%	-0.2%	0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.2%	-0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	-0.1%	-0.1%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	-0.1%	0.1%
90%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.22.2-F. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.5%	0.0%	-0.1%	0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%

Table 5A-D2.22.3-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	59.0	55.8	52.6	50.3	51.7	55.8	60.8	62.2	61.7	60.1	60.1	62.8
20%	58.4	55.3	51.7	49.6	50.8	55.1	60.1	61.3	60.7	59.4	59.5	61.8
30%	57.5	55.0	51.5	49.3	50.2	54.5	59.5	60.9	60.4	58.8	59.3	61.1
40%	57.0	54.6	51.2	48.8	50.0	53.9	59.1	60.4	60.0	58.4	59.1	59.7
50%	56.7	54.4	50.9	48.5	49.5	53.1	58.4	60.0	59.2	58.0	58.6	58.8
60%	56.2	54.1	50.6	48.1	49.2	52.7	58.0	59.7	58.8	57.8	58.1	58.0
70%	55.8	53.8	50.3	47.7	48.6	51.9	57.5	59.1	58.3	57.4	57.9	57.3
80%	55.5	53.6	49.8	47.4	47.9	50.5	56.5	58.4	57.5	56.7	57.5	56.7
90%	54.9	52.8	49.1	46.7	47.2	49.4	54.9	58.0	56.9	56.3	56.9	56.2

Table 5A-D2.22.3-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.5	52.9	58.2	60.1	59.3	58.1	58.7	59.4
Wet Water Years	55.7	54.1	51.1	47.8	48.2	51.0	56.7	60.8	60.2	57.9	57.7	57.0
Above Normal Water Years	56.3	53.9	50.4	48.4	48.7	52.5	58.9	59.7	58.0	57.4	57.8	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.8	59.4	58.9	57.8	58.6	60.1
Dry Water Years	57.3	54.3	50.9	49.1	50.3	54.4	59.6	59.8	58.6	58.7	59.3	60.8
Critical Water Years	61.6	56.2	50.2	50.0	51.8	55.3	58.8	60.8	59.9	59.5	61.4	64.2

Table 5A-D2.22.3-C. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	-0.1	0.0	-0.1	-0.2	-0.3
20%	0.0	-0.1	0.0	0.0	0.1	0.2	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.3
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.1	0.0
50%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	-0.1	-0.1
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.1
90%	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1

Table 5A-D2.22.3-D. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.0	0.0	-0.3	-0.7

Table 5A-D2.22.3-E. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.1%	0.2%	0.0%	0.6%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.3%	-0.4%
20%	-0.1%	-0.1%	-0.1%	0.0%	0.2%	0.3%	0.1%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
30%	-0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	-0.1%	0.0%	0.0%	0.1%	0.5%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	-0.1%	0.0%	-0.2%	0.1%	0.0%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%
60%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	-0.2%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.1%	-0.1%	-0.1%	-0.1%	0.1%
90%	0.1%	-0.1%	0.2%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.22.3-F. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.4%	0.2%	0.6%	0.0%	0.0%	0.0%	0.0%	-0.2%
Critical Water Years	-0.3%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.2%	-0.2%	0.1%	0.1%	-0.5%	-1.0%

Table 5A-D2.22.4-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	59.0	55.8	52.6	50.3	51.7	55.8	60.8	62.2	61.7	60.3	60.3	62.9
20%	58.3	55.2	51.7	49.6	50.7	55.1	60.1	61.3	60.7	59.5	59.6	61.7
30%	57.6	54.9	51.4	49.3	50.2	54.6	59.7	60.9	60.4	58.8	59.3	60.6
40%	57.1	54.6	51.2	48.8	49.9	53.9	59.0	60.3	59.9	58.4	58.9	60.0
50%	56.7	54.4	50.9	48.5	49.5	53.1	58.4	60.0	59.2	58.0	58.5	58.8
60%	56.2	54.2	50.6	48.1	49.2	52.6	58.1	59.6	58.8	57.8	58.2	57.9
70%	55.8	53.8	50.3	47.7	48.6	51.9	57.5	59.1	58.3	57.4	57.9	57.3
80%	55.5	53.6	49.8	47.4	47.9	50.5	56.5	58.5	57.4	56.7	57.5	56.7
90%	54.9	52.8	49.1	46.7	47.2	49.5	54.9	58.1	56.9	56.3	56.9	56.2

Table 5A-D2.22.4-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.5	53.0	58.2	60.1	59.3	58.1	58.7	59.4
Wet Water Years	55.7	54.1	51.1	47.8	48.2	51.0	56.7	60.8	60.2	57.9	57.7	57.0
Above Normal Water Years	56.3	54.0	50.4	48.4	48.7	52.5	58.9	59.7	58.0	57.4	57.7	57.3
Below Normal Water Years	57.1	54.3	51.0	48.5	49.9	53.6	58.9	59.4	58.9	57.8	58.6	60.1
Dry Water Years	57.2	54.3	50.9	49.1	50.3	54.6	59.6	59.8	58.6	58.7	59.4	60.8
Critical Water Years	61.5	56.2	50.2	50.1	51.8	55.3	58.8	60.8	59.9	59.6	61.4	64.1

Table 5A-D2.22.4-C. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	-0.1	0.0	0.0	0.0	-0.2
20%	-0.1	-0.1	0.0	0.0	0.1	0.2	0.1	-0.1	0.0	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.2
50%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	-0.1	0.0
60%	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	-0.1	-0.1
70%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	-0.2	0.0	0.0	0.1
90%	0.0	-0.1	0.1	0.0	0.0	0.1	0.0	-0.1	0.1	0.0	0.0	0.1

Table 5A-D2.22.4-D. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.3	0.4	0.0	0.0	0.0	0.1	-0.1
Critical Water Years	-0.3	0.0	0.0	0.1	0.2	0.0	-0.2	-0.1	0.0	0.1	-0.3	-0.8

Table 5A-D2.22.4-E. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.1%	0.2%	0.0%	0.6%	0.0%	0.2%	-0.1%	0.0%	0.1%	0.0%	-0.4%
20%	-0.2%	-0.2%	0.0%	0.0%	0.2%	0.4%	0.2%	-0.2%	0.0%	0.0%	0.0%	-0.1%
30%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.5%	-0.1%	0.0%	0.0%	0.0%	-0.3%
40%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.1%	0.0%	-0.2%	-0.1%	0.3%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.1%	0.0%	-0.2%	0.0%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	-0.1%	-0.2%
70%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.1%	0.0%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.4%	0.3%	-0.3%	-0.1%	0.0%	0.1%
90%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.3%	0.0%	-0.1%	0.2%	0.0%	0.0%	0.3%

Table 5A-D2.22.4-F. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.0%	0.0%	-0.1%	-0.2%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.0%	0.0%	0.3%	0.5%	0.7%	-0.1%	-0.1%	0.0%	0.2%	-0.2%
Critical Water Years	-0.5%	0.0%	0.1%	0.2%	0.3%	0.1%	-0.3%	-0.2%	0.1%	0.1%	-0.5%	-1.2%

Table 5A-D2.22.5-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	59.0	55.8	52.6	50.3	51.7	55.8	60.8	62.3	61.7	60.2	60.1	62.8
20%	58.4	55.3	51.7	49.6	50.7	55.1	60.1	61.3	60.8	59.4	59.6	61.8
30%	57.6	55.0	51.5	49.3	50.2	54.5	59.5	60.9	60.4	58.8	59.3	61.1
40%	57.1	54.6	51.2	48.8	49.9	53.9	59.1	60.4	59.9	58.4	59.1	59.7
50%	56.7	54.4	50.9	48.5	49.4	53.1	58.4	60.0	59.2	58.0	58.6	58.8
60%	56.2	54.2	50.6	48.1	49.2	52.7	58.0	59.7	58.8	57.8	58.1	58.0
70%	55.8	53.8	50.3	47.7	48.6	51.9	57.5	59.1	58.3	57.5	57.9	57.3
80%	55.5	53.6	49.8	47.4	47.9	50.5	56.5	58.4	57.5	56.7	57.5	56.7
90%	54.9	52.8	49.1	46.7	47.2	49.4	54.9	58.0	56.9	56.3	56.9	56.2

Table 5A-D2.22.5-B. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.5	52.9	58.2	60.1	59.3	58.1	58.7	59.4
Wet Water Years	55.7	54.1	51.1	47.8	48.2	51.0	56.7	60.8	60.2	57.9	57.7	57.0
Above Normal Water Years	56.3	53.9	50.4	48.4	48.7	52.5	58.9	59.7	58.0	57.4	57.8	57.4
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.8	59.4	58.9	57.8	58.6	60.1
Dry Water Years	57.3	54.3	51.0	49.1	50.3	54.4	59.6	59.8	58.6	58.7	59.3	60.8
Critical Water Years	61.6	56.2	50.2	50.0	51.8	55.3	58.8	60.8	59.9	59.5	61.4	64.2

Table 5A-D2.22.5-C. Sacramento River at Red Bluff Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.0	0.0	0.0	-0.2	-0.3
20%	0.0	-0.1	0.0	0.0	0.1	0.2	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.3
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.1	0.0
50%	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.0
90%	0.0	-0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1

Table 5A-D2.22.5-D. Sacramento River at Red Bluff Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.0	0.0	-0.3	-0.7

Table 5A-D2.22.5-E. Sacramento River at Red Bluff Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.1%	0.2%	0.0%	0.6%	0.0%	0.2%	0.0%	0.0%	0.1%	-0.3%	-0.4%
20%	-0.1%	-0.1%	-0.1%	0.0%	0.2%	0.3%	0.1%	-0.1%	0.1%	-0.1%	-0.1%	0.0%
30%	-0.1%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.1%	-0.1%	0.0%	0.0%	0.1%	0.5%
40%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.2%	-0.1%	0.0%	-0.2%	0.1%	-0.1%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.1%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.2%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.1%	-0.1%	-0.1%	0.0%	0.1%
90%	0.1%	-0.1%	0.2%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.22.5-F. Sacramento River at Red Bluff Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.7%	0.0%	0.0%	0.0%	0.0%	-0.2%
Critical Water Years	-0.3%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.2%	-0.2%	0.1%	0.1%	-0.5%	-1.0%

Figure 5A-D2.22.1. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.22.2. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.22.3. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.22.4. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.22.5. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.22.6. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.22.7. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.22.8. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.22.9. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.22.10. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.22.11. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.22.12. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.22.13. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.22.14. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.22.15. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.22.16. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.22.17. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.22.18. Sacramento River at Red Bluff Dam, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.22.19. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.22.20. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.22.21. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.22.22. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.22.23. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.22.24. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.22.25. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.22.26. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.22.27. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.22.28. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.22.29. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.22.30. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.22.31. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.22.32. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.22.33. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.22.34. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.22.35. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.22.36. Sacramento River at Red Bluff Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.22.37-A. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.22.37-B. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.22.37-C. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.22.37-D. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.22.38. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.22.39. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.22.40. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.22.41. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.22.42. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.22.43. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.22.44. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.22.45. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.22.46. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.22.47. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.22.48. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.22.49. Sacramento River at Red Bluff Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.23 Sacramento River at Red Bluff

Table 5A-D2.23.1-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.9	55.7	52.5	50.3	51.3	55.7	60.6	62.2	61.6	60.1	60.2	63.0
20%	58.3	55.3	51.7	49.6	50.6	54.8	59.9	61.3	60.6	59.4	59.5	61.7
30%	57.6	54.9	51.4	49.3	50.2	54.5	59.4	60.8	60.3	58.8	59.2	60.7
40%	57.1	54.6	51.2	48.8	50.0	53.8	58.9	60.3	59.8	58.5	58.9	59.7
50%	56.6	54.3	50.9	48.5	49.4	53.1	58.3	60.0	59.2	58.0	58.5	58.8
60%	56.0	54.1	50.6	48.1	49.2	52.6	58.0	59.7	58.7	57.7	58.2	58.0
70%	55.7	53.8	50.3	47.7	48.5	51.9	57.4	58.9	58.2	57.4	57.9	57.2
80%	55.4	53.5	49.8	47.3	47.9	50.5	56.2	58.3	57.5	56.7	57.5	56.6
90%	54.8	52.9	49.0	46.7	47.2	49.3	54.9	58.1	56.8	56.2	56.8	56.0

Table 5A-D2.23.1-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.4	52.9	58.1	60.1	59.2	58.1	58.6	59.4
Wet Water Years	55.7	54.1	51.1	47.7	48.2	51.0	56.7	60.7	60.1	57.8	57.6	56.9
Above Normal Water Years	56.2	53.9	50.3	48.3	48.7	52.5	58.8	59.6	58.0	57.3	57.7	57.2
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.6	59.3	58.8	57.7	58.6	60.0
Dry Water Years	57.4	54.3	50.9	49.0	50.1	54.3	59.1	59.7	58.5	58.6	59.2	60.9
Critical Water Years	61.7	56.2	50.2	49.9	51.6	55.2	58.9	60.8	59.8	59.4	61.6	64.8

Table 5A-D2.23.1-C. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.9	55.7	52.6	50.3	51.7	55.7	60.7	62.2	61.6	59.9	60.2	62.8
20%	58.4	55.3	51.7	49.6	50.7	55.0	60.0	61.2	60.6	59.3	59.5	61.7
30%	57.5	55.0	51.4	49.3	50.2	54.5	59.4	60.8	60.3	58.7	59.2	60.7
40%	57.0	54.6	51.2	48.8	49.9	53.8	59.0	60.3	59.9	58.4	59.0	59.7
50%	56.6	54.4	50.9	48.5	49.4	53.1	58.3	60.0	59.1	58.0	58.5	58.8
60%	56.1	54.1	50.6	48.1	49.2	52.6	58.0	59.7	58.7	57.7	58.1	57.9
70%	55.7	53.8	50.3	47.7	48.5	51.9	57.4	59.1	58.2	57.4	57.8	57.3
80%	55.5	53.6	49.8	47.3	47.9	50.5	56.2	58.3	57.5	56.6	57.4	56.7
90%	54.8	52.8	49.0	46.7	47.2	49.3	54.9	58.1	56.8	56.2	56.8	56.1

Table 5A-D2.23.1-D. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.5	52.9	58.1	60.1	59.2	58.1	58.6	59.4
Wet Water Years	55.7	54.1	51.1	47.7	48.2	51.0	56.7	60.7	60.1	57.8	57.6	56.9
Above Normal Water Years	56.3	53.9	50.3	48.3	48.7	52.5	58.8	59.6	58.0	57.3	57.7	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.7	59.3	58.8	57.7	58.6	60.0
Dry Water Years	57.3	54.3	50.9	49.0	50.3	54.4	59.4	59.8	58.4	58.6	59.1	60.8
Critical Water Years	61.7	56.2	50.2	49.9	51.7	55.2	58.8	60.8	59.7	59.4	61.5	64.7

Table 5A-D2.23.1-E. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.0	0.0	-0.2	-0.1	-0.2
20%	0.0	-0.1	0.0	0.0	0.1	0.1	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	-0.1	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1

Table 5A-D2.23.1-F. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.2	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.23.1-G. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.3%	0.0%	0.6%	0.0%	0.2%	0.0%	0.0%	-0.3%	-0.1%	-0.4%
20%	0.0%	-0.1%	-0.1%	0.0%	0.2%	0.2%	0.1%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%
30%	-0.1%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	0.0%	0.0%	-0.1%	0.2%	0.0%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.3%	0.0%	-0.1%	0.1%
60%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	-0.1%	-0.1%	0.1%
80%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%
90%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.23.1-H. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.4%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%	-0.2%

Table 5A-D2.23.2-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.9	55.7	52.6	50.3	51.6	55.7	60.7	62.2	61.6	60.0	60.2	62.8
20%	58.4	55.3	51.7	49.6	50.7	55.0	60.0	61.3	60.6	59.3	59.5	61.7
30%	57.5	55.0	51.4	49.3	50.2	54.5	59.4	60.8	60.3	58.7	59.2	61.0
40%	57.0	54.6	51.2	48.8	49.9	53.8	59.0	60.3	59.9	58.4	59.0	59.7
50%	56.6	54.4	50.9	48.5	49.4	53.1	58.4	59.9	59.1	57.9	58.4	58.8
60%	56.1	54.1	50.6	48.1	49.2	52.6	58.0	59.7	58.7	57.7	58.1	57.9
70%	55.7	53.8	50.3	47.7	48.5	51.9	57.4	59.1	58.2	57.3	57.8	57.2
80%	55.4	53.6	49.8	47.3	47.8	50.5	56.2	58.3	57.5	56.6	57.4	56.7
90%	54.9	52.8	49.1	46.7	47.2	49.3	54.9	58.1	56.8	56.2	56.8	56.1

Table 5A-D2.23.2-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.1	54.4	50.9	48.5	49.5	52.9	58.1	60.1	59.2	58.0	58.6	59.4
Wet Water Years	55.7	54.1	51.1	47.7	48.2	51.0	56.7	60.7	60.1	57.8	57.6	56.9
Above Normal Water Years	56.3	53.9	50.3	48.3	48.7	52.5	58.8	59.6	58.0	57.3	57.7	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.7	59.3	58.8	57.7	58.5	60.1
Dry Water Years	57.3	54.3	50.9	49.0	50.3	54.4	59.5	59.7	58.4	58.6	59.1	60.8
Critical Water Years	61.7	56.2	50.2	50.0	51.7	55.2	58.9	60.8	59.8	59.4	61.5	64.7

Table 5A-D2.23.2-C. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.0	0.0	-0.1	0.0	-0.2
20%	0.0	-0.1	0.0	0.0	0.1	0.2	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	-0.1	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.1
90%	0.0	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.23.2-D. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.1	0.3	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.23.2-E. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.0%	0.3%	0.0%	0.6%	0.0%	0.2%	-0.1%	0.0%	-0.2%	-0.1%	-0.4%
20%	0.0%	-0.1%	-0.1%	0.0%	0.2%	0.3%	0.1%	-0.1%	-0.1%	-0.1%	-0.1%	-0.1%
30%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.5%
40%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	0.0%	0.0%	-0.2%	0.2%	0.0%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.2%	0.0%	-0.2%	0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.2%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	-0.1%	-0.1%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	-0.1%	0.1%
90%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.23.2-F. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.5%	0.0%	-0.1%	0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%

Table 5A-D2.23.3-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.9	55.7	52.6	50.3	51.6	55.7	60.7	62.1	61.6	60.0	60.0	62.8
20%	58.3	55.2	51.7	49.6	50.7	55.0	60.0	61.2	60.6	59.3	59.5	61.7
30%	57.5	54.9	51.4	49.3	50.2	54.5	59.5	60.8	60.3	58.7	59.2	61.0
40%	57.0	54.6	51.2	48.8	49.9	53.9	59.0	60.3	59.8	58.4	59.0	59.6
50%	56.6	54.4	50.9	48.5	49.4	53.1	58.4	59.9	59.1	57.9	58.5	58.7
60%	56.1	54.1	50.6	48.1	49.2	52.6	58.0	59.7	58.7	57.7	58.0	57.9
70%	55.7	53.8	50.3	47.7	48.5	51.9	57.4	59.1	58.2	57.4	57.8	57.2
80%	55.5	53.6	49.8	47.3	47.9	50.5	56.4	58.3	57.5	56.6	57.4	56.7
90%	54.9	52.8	49.1	46.7	47.2	49.3	54.9	58.0	56.8	56.2	56.8	56.1

Table 5A-D2.23.3-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.0	54.4	50.9	48.5	49.5	52.9	58.1	60.1	59.2	58.0	58.6	59.3
Wet Water Years	55.7	54.1	51.1	47.7	48.2	51.0	56.7	60.7	60.1	57.8	57.6	56.9
Above Normal Water Years	56.3	53.9	50.3	48.3	48.7	52.5	58.8	59.6	58.0	57.3	57.7	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.7	59.3	58.8	57.7	58.5	60.0
Dry Water Years	57.2	54.2	50.9	49.0	50.3	54.4	59.5	59.7	58.5	58.6	59.2	60.8
Critical Water Years	61.6	56.2	50.2	50.0	51.7	55.2	58.8	60.7	59.8	59.4	61.3	64.2

Table 5A-D2.23.3-C. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.2	-0.1	0.0	-0.1	-0.2	-0.3
20%	0.0	-0.1	0.0	0.0	0.1	0.2	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.3
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1
60%	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	-0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.0
90%	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1

Table 5A-D2.23.3-D. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.0	0.0	-0.3	-0.7

Table 5A-D2.23.3-E. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.1%	0.3%	0.0%	0.6%	0.0%	0.3%	-0.1%	0.0%	-0.1%	-0.3%	-0.4%
20%	-0.1%	-0.1%	-0.1%	0.0%	0.2%	0.3%	0.1%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%
30%	-0.1%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.5%
40%	-0.1%	0.0%	0.1%	0.0%	-0.1%	0.1%	0.2%	-0.1%	0.0%	-0.2%	0.1%	0.0%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	-0.1%
60%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	-0.2%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.1%	-0.1%	-0.1%	-0.1%	0.1%
90%	0.1%	-0.1%	0.2%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.23.3-F. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.6%	0.0%	0.0%	0.0%	0.0%	-0.2%
Critical Water Years	-0.3%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.2%	-0.2%	0.1%	0.1%	-0.5%	-1.0%

Table 5A-D2.23.4-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	58.9	55.7	52.6	50.3	51.7	55.7	60.7	62.1	61.6	60.1	60.2	62.8
20%	58.2	55.2	51.7	49.6	50.7	55.1	60.0	61.2	60.6	59.4	59.5	61.6
30%	57.5	54.9	51.4	49.3	50.2	54.5	59.7	60.8	60.3	58.7	59.2	60.5
40%	57.0	54.6	51.2	48.8	49.9	53.8	58.9	60.3	59.8	58.4	58.8	59.9
50%	56.6	54.4	50.9	48.5	49.4	53.1	58.4	59.9	59.2	57.9	58.4	58.8
60%	56.1	54.2	50.6	48.1	49.2	52.6	58.0	59.5	58.7	57.7	58.1	57.9
70%	55.8	53.8	50.2	47.7	48.5	51.9	57.4	59.0	58.2	57.3	57.9	57.2
80%	55.5	53.6	49.8	47.3	47.9	50.5	56.4	58.4	57.4	56.6	57.4	56.7
90%	54.8	52.8	49.1	46.7	47.2	49.4	54.9	58.0	56.9	56.2	56.8	56.1

Table 5A-D2.23.4-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.0	54.4	50.9	48.5	49.5	52.9	58.2	60.1	59.2	58.1	58.6	59.3
Wet Water Years	55.7	54.1	51.1	47.7	48.2	51.0	56.7	60.7	60.1	57.8	57.6	56.9
Above Normal Water Years	56.3	54.0	50.4	48.4	48.7	52.5	58.8	59.6	58.0	57.3	57.6	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.8	59.3	58.8	57.7	58.5	60.0
Dry Water Years	57.2	54.2	50.9	49.0	50.3	54.5	59.6	59.7	58.5	58.6	59.3	60.7
Critical Water Years	61.5	56.2	50.2	50.0	51.8	55.2	58.7	60.7	59.8	59.5	61.3	64.1

Table 5A-D2.23.4-C. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	-0.1	0.0	0.0	0.0	-0.2
20%	-0.1	-0.1	0.0	0.0	0.1	0.2	0.1	-0.1	0.0	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	-0.2
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.2
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	-0.1	0.0
60%	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	-0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	-0.2	0.0	0.0	0.0
90%	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.1	0.0	0.0	0.1

Table 5A-D2.23.4-D. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.3	0.4	0.0	0.0	0.0	0.1	-0.1
Critical Water Years	-0.3	0.0	0.0	0.1	0.2	0.0	-0.2	-0.1	0.0	0.1	-0.3	-0.8

Table 5A-D2.23.4-E. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.1%	0.3%	0.0%	0.6%	0.0%	0.2%	-0.1%	0.0%	0.1%	0.0%	-0.3%
20%	-0.2%	-0.2%	0.0%	0.0%	0.2%	0.4%	0.2%	-0.2%	0.0%	0.0%	0.0%	-0.2%
30%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.5%	0.0%	0.0%	0.0%	0.0%	-0.3%
40%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.1%	0.0%	-0.2%	-0.1%	0.3%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%	-0.1%	-0.2%	0.0%
60%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	-0.1%	-0.2%
70%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.1%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.4%	0.3%	-0.3%	-0.1%	0.0%	0.1%
90%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.2%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.3%

Table 5A-D2.23.4-F. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.0%	0.0%	-0.1%	-0.2%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.0%	0.0%	0.3%	0.5%	0.7%	-0.1%	-0.1%	0.0%	0.2%	-0.2%
Critical Water Years	-0.5%	0.0%	0.1%	0.2%	0.3%	0.1%	-0.3%	-0.2%	0.1%	0.1%	-0.5%	-1.2%

Table 5A-D2.23.5-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	59.0	55.7	52.6	50.3	51.6	55.7	60.7	62.2	61.6	60.1	60.0	62.8
20%	58.3	55.3	51.7	49.6	50.7	55.0	60.0	61.2	60.6	59.3	59.5	61.7
30%	57.5	54.9	51.4	49.3	50.2	54.5	59.5	60.8	60.3	58.7	59.2	61.0
40%	57.0	54.6	51.2	48.8	49.9	53.9	59.0	60.3	59.8	58.4	59.0	59.6
50%	56.6	54.4	50.9	48.5	49.4	53.1	58.4	59.9	59.1	58.0	58.5	58.7
60%	56.1	54.1	50.6	48.1	49.2	52.6	58.0	59.7	58.7	57.7	58.0	57.9
70%	55.7	53.8	50.3	47.7	48.5	51.9	57.4	59.1	58.2	57.4	57.8	57.3
80%	55.5	53.6	49.8	47.3	47.9	50.5	56.4	58.3	57.5	56.6	57.4	56.6
90%	54.9	52.8	49.1	46.7	47.2	49.3	54.9	58.0	56.8	56.2	56.8	56.1

Table 5A-D2.23.5-B. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	57.0	54.4	50.9	48.5	49.5	52.9	58.1	60.1	59.2	58.1	58.6	59.3
Wet Water Years	55.7	54.1	51.1	47.7	48.2	51.0	56.7	60.7	60.1	57.8	57.6	56.9
Above Normal Water Years	56.3	53.9	50.3	48.3	48.7	52.5	58.8	59.6	58.0	57.3	57.7	57.3
Below Normal Water Years	57.0	54.3	51.0	48.5	49.9	53.6	58.7	59.3	58.8	57.7	58.5	60.0
Dry Water Years	57.2	54.2	50.9	49.0	50.3	54.4	59.5	59.7	58.5	58.6	59.2	60.8
Critical Water Years	61.6	56.2	50.2	50.0	51.7	55.2	58.8	60.7	59.8	59.4	61.3	64.2

Table 5A-D2.23.5-C. Sacramento River at Red Bluff, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.0	0.0	0.0	-0.2	-0.3
20%	-0.1	-0.1	0.0	0.0	0.1	0.2	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.3
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	-0.1	-0.1
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.0
90%	0.0	-0.1	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.1

Table 5A-D2.23.5-D. Sacramento River at Red Bluff, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.2	-0.1	0.1	0.0	0.2	0.1	0.4	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.0	0.0	-0.3	-0.7

Table 5A-D2.23.5-E. Sacramento River at Red Bluff, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.1%	0.3%	0.0%	0.6%	0.0%	0.2%	0.0%	0.0%	0.0%	-0.3%	-0.4%
20%	-0.1%	-0.1%	-0.1%	0.0%	0.2%	0.3%	0.1%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
30%	-0.1%	0.1%	0.1%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.5%
40%	-0.1%	0.0%	0.1%	0.0%	-0.1%	0.1%	0.2%	-0.1%	0.0%	-0.2%	0.1%	-0.1%
50%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.1%
60%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	-0.2%	-0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	0.0%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.1%	-0.1%	-0.1%	0.0%	0.0%
90%	0.1%	-0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.1%	0.0%	0.0%	0.2%

Table 5A-D2.23.5-F. Sacramento River at Red Bluff, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.3%	0.2%	0.6%	0.0%	0.0%	0.0%	0.0%	-0.2%
Critical Water Years	-0.3%	0.1%	0.1%	0.2%	0.2%	0.1%	-0.2%	-0.2%	0.1%	0.1%	-0.5%	-1.0%

Figure 5A-D2.23.1. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.23.2. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.23.3. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.23.4. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.23.5. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.23.6. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.23.7. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.23.8. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.23.9. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.23.10. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.23.11. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.23.12. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.23.13. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.23.14. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.23.15. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.23.16. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.23.17. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.23.18. Sacramento River at Red Bluff, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.23.19. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.23.20. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.23.21. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.23.22. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.23.23. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.23.24. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.23.25. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.23.26. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.23.27. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.23.28. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.23.29. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.23.30. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.23.31. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.23.32. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.23.33. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.23.34. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.23.35. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.23.36. Sacramento River at Red Bluff, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.23.37-A. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.23.37-B. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.23.37-C. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.23.37-D. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.23.38. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.23.39. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.23.40. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.23.41. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.23.42. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.23.43. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.23.44. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.23.45. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.23.46. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.23.47. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.23.48. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.23.49. Sacramento River at Red Bluff, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.24 Sacramento River at Stony Creek

Table 5A-D2.24.1-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	62.8	56.8	52.3	50.4	52.3	57.9	63.7	68.0	69.2	67.4	67.4	68.4
20%	61.7	56.4	51.2	49.7	51.6	56.9	63.2	66.8	68.1	66.5	66.4	67.4
30%	61.1	55.9	50.8	49.4	51.2	56.4	62.7	66.3	67.6	65.7	65.8	66.5
40%	60.6	55.4	50.6	48.9	50.8	55.4	62.0	65.9	66.4	65.0	65.5	65.4
50%	60.1	55.1	50.3	48.4	50.3	54.6	61.3	65.4	65.8	64.3	65.0	64.5
60%	59.6	54.8	50.0	48.0	49.8	53.9	60.6	65.1	64.9	64.0	64.8	63.7
70%	59.2	54.5	49.7	47.7	49.0	53.0	59.5	64.0	64.3	63.6	64.1	62.3
80%	58.8	54.4	49.2	47.3	48.4	51.7	58.6	63.3	63.5	62.5	63.7	61.9
90%	58.0	53.9	48.7	46.7	47.8	50.8	56.5	62.5	62.9	61.7	62.7	60.8

Table 5A-D2.24.1-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.4	55.3	50.4	48.5	50.3	54.5	60.7	65.3	65.9	64.5	65.0	64.7
Wet Water Years	59.0	54.9	50.6	47.7	48.9	52.3	58.7	65.5	67.3	64.3	64.1	62.1
Above Normal Water Years	59.4	54.6	49.9	48.1	49.3	53.8	61.5	65.0	64.4	63.5	64.0	62.3
Below Normal Water Years	60.6	55.2	50.4	48.6	50.7	55.2	61.4	64.6	65.5	64.1	65.1	65.8
Dry Water Years	60.8	55.4	50.5	49.1	50.9	56.1	62.3	65.2	64.7	65.1	65.6	66.7
Critical Water Years	64.2	56.8	50.0	50.3	53.0	57.5	62.8	66.3	65.3	65.8	67.3	69.1

Table 5A-D2.24.1-C. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	62.7	56.9	52.2	50.4	53.2	57.9	63.8	67.9	69.0	67.4	67.2	68.4
20%	61.7	56.4	51.3	49.7	51.6	56.9	63.3	66.7	68.1	66.2	66.4	67.4
30%	61.1	55.9	50.8	49.4	51.2	56.4	62.7	66.3	67.6	65.6	65.8	66.5
40%	60.6	55.4	50.6	48.9	50.8	55.4	62.0	66.0	66.5	65.0	65.6	65.4
50%	60.1	55.1	50.3	48.4	50.3	54.6	61.3	65.4	65.7	64.3	65.0	64.5
60%	59.6	54.8	50.0	48.0	49.8	53.9	60.6	65.1	64.9	64.0	64.6	63.5
70%	59.3	54.6	49.7	47.7	49.0	52.9	59.6	64.0	64.3	63.5	64.1	62.6
80%	58.9	54.3	49.2	47.3	48.4	51.7	58.5	63.3	63.5	62.4	63.8	61.9
90%	58.0	53.9	48.6	46.6	47.8	50.8	56.5	62.5	62.8	61.8	62.5	60.9

Table 5A-D2.24.1-D. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.4	55.3	50.4	48.5	50.3	54.5	60.8	65.3	65.9	64.5	65.0	64.7
Wet Water Years	59.0	54.9	50.6	47.7	48.9	52.3	58.7	65.5	67.3	64.3	64.1	62.1
Above Normal Water Years	59.4	54.7	49.9	48.1	49.3	53.8	61.5	65.0	64.4	63.4	63.9	62.3
Below Normal Water Years	60.7	55.2	50.4	48.6	50.8	55.2	61.5	64.6	65.5	64.1	65.1	65.8
Dry Water Years	60.7	55.4	50.5	49.1	51.1	56.1	62.5	65.2	64.7	65.1	65.5	66.7
Critical Water Years	64.2	56.8	50.0	50.3	53.0	57.5	62.7	66.3	65.3	65.8	67.3	69.0

Table 5A-D2.24.1-E. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.0	0.0	0.9	0.0	0.1	-0.2	-0.1	0.0	-0.1	0.0
20%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	-0.1	-0.2	0.0	0.0
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
40%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	-0.2
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0

Table 5A-D2.24.1-F. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.2	0.0	-0.1	0.0	-0.1	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	-0.1	0.0	0.0	-0.1

Table 5A-D2.24.1-G. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	-0.1%	-0.1%	1.7%	0.0%	0.1%	-0.2%	-0.2%	0.0%	-0.2%	0.0%
20%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.1%	-0.1%	-0.3%	0.1%	0.0%
30%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
40%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	0.1%	0.0%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.1%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.3%	-0.3%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.4%
80%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%
90%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%

Table 5A-D2.24.1-H. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%
Dry Water Years	-0.1%	0.0%	0.1%	0.0%	0.4%	0.1%	0.3%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	-0.1%	-0.1%

Table 5A-D2.24.2-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	62.7	56.9	52.2	50.4	53.2	58.0	63.8	67.8	69.0	67.4	67.3	68.4
20%	61.7	56.4	51.3	49.7	51.6	56.9	63.3	66.7	68.0	66.4	66.4	67.4
30%	61.1	55.9	50.8	49.4	51.2	56.4	62.8	66.3	67.6	65.5	65.8	66.6
40%	60.6	55.4	50.6	48.9	50.8	55.4	62.0	65.9	66.4	65.0	65.6	65.4
50%	60.2	55.1	50.3	48.4	50.3	54.6	61.5	65.4	65.8	64.3	65.0	64.5
60%	59.7	54.8	50.0	48.0	49.8	53.9	60.6	65.0	64.9	63.9	64.5	63.7
70%	59.3	54.5	49.7	47.7	49.0	52.9	59.6	64.0	64.3	63.5	64.0	62.7
80%	58.8	54.3	49.2	47.2	48.4	51.7	58.5	63.3	63.5	62.4	63.7	61.9
90%	58.0	53.9	48.7	46.6	47.8	50.8	56.5	62.5	62.8	61.8	62.5	60.9

Table 5A-D2.24.2-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.4	55.3	50.4	48.5	50.3	54.5	60.8	65.2	65.9	64.5	65.0	64.7
Wet Water Years	59.0	54.9	50.6	47.7	48.9	52.3	58.7	65.5	67.3	64.3	64.1	62.1
Above Normal Water Years	59.4	54.7	49.9	48.1	49.3	53.8	61.5	65.0	64.4	63.4	63.9	62.3
Below Normal Water Years	60.7	55.2	50.4	48.6	50.8	55.2	61.4	64.6	65.5	64.0	65.0	65.9
Dry Water Years	60.7	55.4	50.5	49.1	51.1	56.1	62.6	65.1	64.7	65.1	65.5	66.7
Critical Water Years	64.2	56.8	50.0	50.3	53.0	57.5	62.8	66.3	65.3	65.8	67.3	69.0

Table 5A-D2.24.2-C. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.0	0.0	0.9	0.0	0.1	-0.2	-0.2	0.0	0.0	0.0
20%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	-0.1	-0.1	0.1	0.0
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.1

Table 5A-D2.24.2-D. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.3	0.0	-0.1	0.1	-0.1	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.24.2-E. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	-0.1%	-0.1%	1.7%	0.0%	0.1%	-0.3%	-0.2%	0.0%	0.0%	0.0%
20%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	-0.1%	-0.1%	-0.1%	0.1%	0.0%
30%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	0.0%	0.1%
40%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%	0.1%	0.0%
50%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	-0.2%	-0.4%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.5%
80%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%

Table 5A-D2.24.2-F. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Dry Water Years	-0.1%	0.0%	0.1%	0.0%	0.4%	0.1%	0.5%	-0.1%	-0.1%	0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%

Table 5A-D2.24.3-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	62.7	56.9	52.3	50.4	53.2	58.0	63.8	67.8	69.3	67.4	67.3	68.2
20%	61.7	56.4	51.3	49.7	51.6	56.9	63.3	66.7	68.1	66.4	66.4	67.5
30%	61.0	55.9	50.8	49.4	51.2	56.4	62.7	66.3	67.6	65.6	65.9	66.5
40%	60.5	55.4	50.6	48.9	50.8	55.4	62.0	65.8	66.4	65.0	65.6	65.3
50%	60.1	55.1	50.3	48.4	50.3	54.6	61.5	65.4	65.8	64.3	65.0	64.4
60%	59.7	54.8	50.0	48.0	49.8	53.9	60.6	65.0	65.0	63.9	64.6	63.7
70%	59.3	54.5	49.7	47.7	49.0	52.9	59.6	64.0	64.3	63.5	64.0	62.7
80%	58.9	54.3	49.2	47.3	48.4	51.7	58.7	63.3	63.5	62.4	63.8	61.9
90%	58.0	53.9	48.8	46.6	47.8	50.8	56.5	62.5	62.8	61.8	62.5	60.9

Table 5A-D2.24.3-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.4	55.3	50.4	48.5	50.3	54.5	60.8	65.2	65.9	64.5	65.0	64.7
Wet Water Years	59.0	54.9	50.6	47.7	48.9	52.3	58.7	65.5	67.3	64.3	64.1	62.1
Above Normal Water Years	59.4	54.7	49.9	48.1	49.3	53.8	61.5	65.0	64.4	63.4	63.9	62.4
Below Normal Water Years	60.6	55.2	50.4	48.6	50.8	55.2	61.5	64.6	65.5	64.0	65.0	65.8
Dry Water Years	60.7	55.4	50.5	49.1	51.1	56.1	62.7	65.1	64.7	65.1	65.6	66.7
Critical Water Years	64.1	56.8	50.0	50.3	53.1	57.5	62.7	66.2	65.4	65.9	67.2	68.7

Table 5A-D2.24.3-C. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.1	0.0	0.0	0.9	0.0	0.1	-0.2	0.1	0.0	-0.1	-0.2
20%	0.0	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	0.0	0.0	0.1	-0.1
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	-0.1	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1

Table 5A-D2.24.3-D. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.0	0.4	-0.1	0.0	0.0	0.0	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.1	-0.4

Table 5A-D2.24.3-E. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	0.0%	-0.1%	1.7%	0.0%	0.1%	-0.3%	0.1%	0.0%	-0.1%	-0.3%
20%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%	-0.1%	0.0%	-0.1%	0.1%	0.0%
30%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.2%	0.0%	-0.1%	0.1%	-0.2%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.1%	0.0%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.1%	-0.2%	-0.3%	0.0%
70%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.5%
80%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.1%	0.0%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%

Table 5A-D2.24.3-F. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.1%	-0.1%	0.1%	0.0%	0.4%	0.1%	0.6%	-0.1%	0.0%	0.1%	0.1%	-0.1%
Critical Water Years	-0.2%	0.0%	0.1%	0.1%	0.3%	0.0%	-0.1%	-0.1%	0.1%	0.1%	-0.1%	-0.6%

Table 5A-D2.24.4-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	62.7	56.9	52.3	50.4	53.2	58.0	63.9	67.8	69.3	67.4	67.4	68.2
20%	61.7	56.4	51.3	49.7	51.6	57.0	63.3	66.7	68.1	66.4	66.4	67.4
30%	61.0	55.8	50.9	49.4	51.2	56.5	62.8	66.3	67.6	65.6	65.8	66.5
40%	60.6	55.4	50.6	48.9	50.8	55.4	62.1	65.8	66.6	65.0	65.5	65.5
50%	60.1	55.1	50.3	48.4	50.3	54.6	61.5	65.4	65.7	64.3	65.0	64.5
60%	59.7	54.8	50.0	48.0	49.8	53.9	60.6	65.0	65.0	64.0	64.7	63.7
70%	59.3	54.6	49.7	47.7	49.0	52.9	59.6	64.1	64.3	63.4	64.2	62.6
80%	58.9	54.3	49.2	47.3	48.4	51.7	58.7	63.3	63.4	62.4	63.8	61.9
90%	58.0	53.9	48.7	46.6	47.8	50.8	56.5	62.6	62.8	61.7	62.6	60.9

Table 5A-D2.24.4-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.4	55.3	50.4	48.5	50.3	54.5	60.9	65.2	65.9	64.5	65.0	64.7
Wet Water Years	59.0	54.9	50.6	47.7	48.9	52.3	58.7	65.5	67.3	64.3	64.1	62.1
Above Normal Water Years	59.4	54.7	50.0	48.1	49.3	53.8	61.5	65.0	64.4	63.5	63.9	62.3
Below Normal Water Years	60.7	55.2	50.4	48.6	50.8	55.2	61.6	64.6	65.5	64.1	65.0	65.8
Dry Water Years	60.7	55.4	50.5	49.1	51.1	56.3	62.7	65.0	64.7	65.1	65.8	66.6
Critical Water Years	64.0	56.8	50.0	50.3	53.1	57.5	62.7	66.2	65.4	66.0	67.3	68.6

Table 5A-D2.24.4-C. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.0	0.0	0.9	0.1	0.2	-0.2	0.1	0.0	0.0	-0.2
20%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	-0.1	0.0	-0.1
30%	0.0	-0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	0.2	0.0	0.0	0.1
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	-0.1	0.0	0.1	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.2	0.1	0.2
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.1

Table 5A-D2.24.4-D. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.2	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.2	0.2	0.4	-0.1	0.0	0.0	0.2	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.2	0.0	-0.1	-0.1	0.1	0.2	0.0	-0.5

Table 5A-D2.24.4-E. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	0.0%	-0.1%	1.7%	0.1%	0.3%	-0.3%	0.1%	0.1%	0.0%	-0.3%
20%	0.1%	0.0%	0.1%	0.0%	0.1%	0.2%	0.2%	-0.1%	0.1%	-0.1%	0.0%	-0.1%
30%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.2%	0.0%	0.0%	-0.1%	-0.1%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.2%	-0.2%	0.3%	-0.1%	0.0%	0.2%
50%	0.1%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.3%	-0.1%	0.0%	0.1%	0.0%	0.0%
60%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.2%	0.0%	-0.2%	-0.1%
70%	0.0%	0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.2%	0.0%	-0.3%	0.2%	0.3%
80%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	-0.2%	0.0%	0.2%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.2%	0.1%

Table 5A-D2.24.4-F. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.3%	0.0%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	-0.1%	-0.2%	0.0%
Dry Water Years	-0.2%	-0.1%	0.0%	0.0%	0.4%	0.4%	0.7%	-0.2%	0.0%	0.0%	0.3%	-0.1%
Critical Water Years	-0.3%	0.0%	0.1%	0.1%	0.3%	0.0%	-0.2%	-0.1%	0.1%	0.2%	-0.1%	-0.7%

Table 5A-D2.24.5-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	62.7	56.9	52.3	50.4	53.2	58.0	63.8	67.8	69.3	67.4	67.3	68.2
20%	61.8	56.4	51.3	49.7	51.6	56.9	63.3	66.7	68.2	66.4	66.4	67.5
30%	61.0	55.9	50.8	49.4	51.2	56.4	62.7	66.3	67.6	65.6	65.8	66.5
40%	60.5	55.4	50.6	48.9	50.8	55.4	62.0	65.8	66.4	65.0	65.6	65.3
50%	60.1	55.1	50.3	48.4	50.3	54.6	61.5	65.4	65.8	64.3	65.0	64.4
60%	59.7	54.8	50.0	48.0	49.8	53.9	60.6	65.0	65.0	64.0	64.6	63.8
70%	59.3	54.5	49.7	47.7	49.0	52.9	59.6	64.0	64.3	63.5	64.0	62.7
80%	58.9	54.3	49.2	47.3	48.4	51.7	58.7	63.3	63.5	62.4	63.8	61.9
90%	58.0	53.9	48.8	46.6	47.8	50.8	56.5	62.5	62.8	61.8	62.6	60.9

Table 5A-D2.24.5-B. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	60.4	55.3	50.4	48.5	50.3	54.5	60.8	65.2	65.9	64.5	65.0	64.7
Wet Water Years	59.0	54.9	50.6	47.7	48.9	52.3	58.7	65.5	67.3	64.3	64.1	62.1
Above Normal Water Years	59.4	54.7	49.9	48.1	49.3	53.8	61.5	65.0	64.4	63.4	63.9	62.4
Below Normal Water Years	60.6	55.2	50.4	48.6	50.8	55.2	61.5	64.6	65.5	64.1	65.0	65.8
Dry Water Years	60.7	55.4	50.5	49.1	51.1	56.1	62.7	65.1	64.7	65.1	65.6	66.7
Critical Water Years	64.1	56.8	50.0	50.3	53.1	57.5	62.7	66.2	65.4	65.9	67.2	68.7

Table 5A-D2.24.5-C. Sacramento River at Stony Creek, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.1	0.0	0.0	0.9	0.0	0.1	-0.2	0.1	0.0	-0.1	-0.2
20%	0.1	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.1	-0.1	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	0.0	-0.1	0.1	-0.1
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.2	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.3
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
90%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.24.5-D. Sacramento River at Stony Creek, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.0	0.4	-0.1	0.0	0.0	0.0	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.1	-0.4

Table 5A-D2.24.5-E. Sacramento River at Stony Creek, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.2%	0.0%	-0.1%	1.7%	0.0%	0.1%	-0.3%	0.1%	0.0%	-0.1%	-0.3%
20%	0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%	-0.2%	0.1%	-0.1%	0.1%	0.1%
30%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.2%	0.0%	-0.1%	0.1%	-0.2%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.1%	0.0%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.1%	0.0%	-0.3%	0.0%
70%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.5%
80%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.2%	0.0%
90%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.1%

Table 5A-D2.24.5-F. Sacramento River at Stony Creek, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.1%	-0.1%	0.1%	0.0%	0.4%	0.1%	0.6%	-0.1%	0.0%	0.1%	0.1%	-0.1%
Critical Water Years	-0.2%	0.0%	0.1%	0.1%	0.3%	0.0%	-0.1%	-0.1%	0.1%	0.1%	-0.1%	-0.6%

Figure 5A-D2.24.1. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.24.2. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.24.3. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.24.4. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.24.5. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.24.6. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.24.7. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.24.8. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.24.9. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.24.10. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.24.11. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.24.12. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.24.13. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.24.14. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.24.15. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.24.16. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.24.17. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.24.18. Sacramento River at Stony Creek, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.24.19. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.24.20. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.24.21. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.24.22. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.24.23. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.24.24. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.24.25. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.24.26. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.24.27. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.24.28. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.24.29. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.24.30. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.24.31. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.24.32. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.24.33. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.24.34. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.24.35. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.24.36. Sacramento River at Stony Creek, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.24.37-A. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.24.37-B. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.24.37-C. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.24.37-D. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.24.38. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.24.39. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.24.40. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.24.41. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.24.42. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.24.43. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.24.44. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.24.45. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.24.46. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.24.47. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.24.48. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.24.49. Sacramento River at Stony Creek, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.25 Sacramento River at TCID

Table 5A-D2.25.1-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.7	56.1	52.1	50.0	51.5	56.3	61.7	64.8	65.2	63.6	63.7	65.3
20%	59.9	55.6	51.2	49.2	50.7	55.4	61.2	63.9	64.3	62.8	62.7	64.6
30%	59.3	55.3	50.8	49.0	50.4	55.1	60.8	63.4	63.9	62.2	62.5	63.8
40%	58.9	54.8	50.5	48.5	50.0	54.3	60.1	62.9	63.0	61.7	62.1	62.4
50%	58.2	54.5	50.2	48.2	49.6	53.4	59.5	62.6	62.4	61.0	61.7	61.7
60%	57.8	54.3	50.0	47.8	49.3	53.0	58.9	62.2	61.8	60.8	61.4	60.8
70%	57.4	53.9	49.6	47.4	48.7	52.1	58.0	61.3	61.4	60.5	61.0	59.9
80%	57.1	53.7	49.1	47.1	48.1	51.0	57.2	60.6	60.4	59.5	60.6	59.3
90%	56.4	53.2	48.4	46.6	47.5	50.1	55.6	60.2	59.8	58.9	59.8	58.6

Table 5A-D2.25.1-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.7	54.6	50.2	48.2	49.6	53.4	59.1	62.5	62.5	61.2	61.8	62.0
Wet Water Years	57.3	54.3	50.5	47.5	48.4	51.5	57.4	62.9	63.7	61.1	60.9	59.5
Above Normal Water Years	57.8	54.1	49.7	48.0	48.8	52.9	59.7	62.2	61.2	60.4	60.9	59.8
Below Normal Water Years	58.8	54.5	50.4	48.2	50.0	54.1	59.7	61.8	62.0	60.8	61.7	62.9
Dry Water Years	59.0	54.7	50.3	48.7	50.1	54.8	60.5	62.3	61.5	61.7	62.3	63.7
Critical Water Years	62.9	56.3	49.7	49.8	51.9	55.9	60.7	63.3	62.5	62.5	64.3	66.9

Table 5A-D2.25.1-C. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.7	56.1	52.1	50.0	52.2	56.5	61.8	64.8	65.1	63.5	63.7	65.3
20%	59.9	55.6	51.2	49.2	50.7	55.4	61.3	63.8	64.3	62.8	62.8	64.5
30%	59.3	55.3	50.8	49.0	50.4	55.1	60.8	63.4	64.0	62.1	62.5	63.8
40%	58.9	54.8	50.5	48.5	50.0	54.3	60.2	62.9	62.9	61.6	62.2	62.4
50%	58.3	54.5	50.2	48.2	49.6	53.5	59.5	62.6	62.3	61.1	61.7	61.6
60%	57.8	54.3	50.0	47.8	49.3	53.0	59.0	62.2	61.8	60.8	61.3	60.8
70%	57.4	53.9	49.7	47.4	48.7	52.2	58.0	61.3	61.2	60.4	61.0	59.9
80%	57.2	53.7	49.1	47.1	48.1	51.0	57.2	60.6	60.4	59.5	60.6	59.4
90%	56.4	53.2	48.4	46.6	47.5	50.0	55.6	60.1	59.7	58.9	59.6	58.6

Table 5A-D2.25.1-D. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.7	54.6	50.3	48.2	49.6	53.4	59.2	62.5	62.5	61.2	61.7	62.0
Wet Water Years	57.3	54.3	50.5	47.5	48.4	51.5	57.4	62.9	63.7	61.0	60.9	59.6
Above Normal Water Years	57.8	54.1	49.7	48.0	48.8	52.9	59.8	62.2	61.2	60.3	60.8	59.8
Below Normal Water Years	58.8	54.5	50.4	48.2	50.0	54.0	59.8	61.8	62.1	60.8	61.7	62.9
Dry Water Years	58.9	54.6	50.3	48.7	50.3	54.8	60.7	62.3	61.5	61.7	62.2	63.6
Critical Water Years	62.9	56.3	49.7	49.8	52.0	55.9	60.6	63.3	62.4	62.5	64.3	66.8

Table 5A-D2.25.1-E. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.7	0.1	0.1	-0.1	-0.1	-0.1	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.1	-0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.1
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.1	0.0
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	-0.1	0.0
70%	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	-0.2	-0.1	-0.1	0.0
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
90%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.25.1-F. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.2	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1

Table 5A-D2.25.1-G. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.1%	0.0%	1.4%	0.2%	0.2%	-0.1%	-0.2%	-0.2%	0.0%	0.0%
20%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	-0.2%	0.0%	0.0%	0.1%	-0.1%
30%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.0%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.2%	0.0%
50%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.1%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.1%	-0.2%	0.0%
70%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%	0.0%	0.0%	-0.3%	-0.2%	-0.1%	0.1%
80%	0.2%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%
90%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	-0.1%	-0.1%	0.1%	-0.3%	-0.1%

Table 5A-D2.25.1-H. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.1%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.3%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%	-0.1%

Table 5A-D2.25.2-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.6	56.1	52.1	50.0	52.2	56.4	61.8	64.8	65.1	63.6	63.7	65.3
20%	59.8	55.6	51.1	49.2	50.7	55.4	61.3	63.8	64.3	62.8	62.8	64.7
30%	59.3	55.3	50.8	49.0	50.4	55.1	60.8	63.4	64.0	62.1	62.4	63.8
40%	58.9	54.8	50.5	48.5	50.0	54.3	60.2	62.9	62.9	61.7	62.2	62.4
50%	58.3	54.6	50.2	48.2	49.5	53.5	59.5	62.6	62.3	61.1	61.7	61.6
60%	57.8	54.3	50.0	47.8	49.3	53.0	58.9	62.1	61.8	60.7	61.3	60.8
70%	57.4	53.9	49.7	47.4	48.7	52.2	58.0	61.3	61.2	60.4	60.9	59.9
80%	57.1	53.7	49.1	47.1	48.1	51.0	57.2	60.7	60.3	59.5	60.6	59.4
90%	56.5	53.2	48.5	46.6	47.5	50.0	55.6	60.2	59.7	58.9	59.6	58.6

Table 5A-D2.25.2-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.7	54.6	50.3	48.2	49.6	53.4	59.2	62.5	62.5	61.2	61.7	62.0
Wet Water Years	57.3	54.3	50.5	47.5	48.4	51.5	57.4	62.9	63.7	61.0	60.9	59.6
Above Normal Water Years	57.8	54.1	49.7	48.0	48.8	52.9	59.8	62.2	61.2	60.3	60.8	59.8
Below Normal Water Years	58.8	54.5	50.4	48.2	50.0	54.0	59.8	61.8	62.0	60.8	61.7	62.9
Dry Water Years	58.9	54.6	50.3	48.7	50.3	54.8	60.8	62.3	61.5	61.8	62.2	63.6
Critical Water Years	62.8	56.3	49.7	49.8	51.9	56.0	60.7	63.3	62.4	62.5	64.3	66.8

Table 5A-D2.25.2-C. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.0	0.1	0.0	0.7	0.1	0.1	-0.1	-0.1	0.0	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.1	0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1	0.0
70%	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	-0.2	-0.1	-0.1	0.1
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.2
90%	0.1	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	-0.2	-0.1

Table 5A-D2.25.2-D. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.2	0.1	0.3	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.25.2-E. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.0%	0.1%	0.0%	1.4%	0.2%	0.2%	-0.1%	-0.2%	-0.1%	0.0%	0.0%
20%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.2%	-0.1%	0.0%	0.1%	0.1%
30%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	-0.2%	-0.1%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%
50%	0.2%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.1%	-0.2%	0.1%	0.0%	-0.1%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	-0.1%	-0.2%	0.0%
70%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.3%	-0.1%	-0.1%	0.1%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%	-0.2%	0.0%	0.0%	0.3%
90%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	-0.3%	-0.1%

Table 5A-D2.25.2-F. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.5%	0.0%	-0.1%	0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%

Table 5A-D2.25.3-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.6	56.2	52.1	50.0	52.2	56.4	61.8	64.8	65.3	63.6	63.7	65.3
20%	59.8	55.6	51.1	49.2	50.7	55.5	61.3	63.8	64.3	62.8	62.7	64.5
30%	59.2	55.3	50.8	49.0	50.4	55.1	60.8	63.4	64.0	62.1	62.4	63.8
40%	58.8	54.8	50.5	48.5	50.0	54.3	60.2	62.9	62.9	61.6	62.2	62.4
50%	58.2	54.5	50.2	48.2	49.5	53.4	59.6	62.5	62.3	61.1	61.7	61.6
60%	57.8	54.2	50.0	47.9	49.3	53.0	58.9	62.1	61.9	60.7	61.3	60.8
70%	57.4	53.9	49.7	47.4	48.7	52.2	58.1	61.3	61.2	60.4	60.9	59.9
80%	57.1	53.7	49.1	47.1	48.1	51.0	57.4	60.7	60.3	59.5	60.6	59.5
90%	56.5	53.2	48.5	46.6	47.6	50.1	55.6	60.1	59.7	58.9	59.7	58.6

Table 5A-D2.25.3-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.6	54.6	50.3	48.2	49.6	53.4	59.2	62.5	62.5	61.2	61.7	62.0
Wet Water Years	57.3	54.3	50.5	47.5	48.4	51.5	57.4	62.9	63.7	61.0	60.9	59.6
Above Normal Water Years	57.8	54.1	49.7	48.0	48.8	52.9	59.8	62.2	61.2	60.3	60.8	59.8
Below Normal Water Years	58.8	54.5	50.4	48.2	50.0	54.0	59.8	61.8	62.0	60.8	61.7	62.9
Dry Water Years	58.9	54.6	50.4	48.7	50.3	54.8	60.8	62.2	61.5	61.7	62.3	63.6
Critical Water Years	62.7	56.4	49.7	49.9	52.0	56.0	60.6	63.2	62.5	62.5	64.1	66.3

Table 5A-D2.25.3-C. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.1	0.0	0.7	0.1	0.1	-0.1	0.1	0.0	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	-0.1
30%	-0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	-0.1	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.2	-0.1	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.2
90%	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.25.3-D. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.3	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.2	-0.5

Table 5A-D2.25.3-E. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.1%	0.1%	0.0%	1.4%	0.2%	0.2%	-0.1%	0.1%	0.1%	0.0%	0.0%
20%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.2%	0.0%	0.0%	0.0%	-0.1%
30%	-0.3%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%	-0.2%	-0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%
50%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.1%	-0.2%	0.1%	0.0%	-0.2%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	-0.1%	-0.2%	0.0%
70%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%	0.2%	0.0%	-0.3%	-0.2%	-0.2%	0.1%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	-0.1%	0.0%	0.0%	0.4%
90%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%

Table 5A-D2.25.3-F. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.6%	0.0%	0.0%	0.1%	0.0%	-0.1%
Critical Water Years	-0.3%	0.0%	0.1%	0.1%	0.2%	0.0%	-0.2%	-0.1%	0.1%	0.1%	-0.3%	-0.8%

Table 5A-D2.25.4-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.6	56.2	52.1	50.0	52.2	56.5	61.9	64.8	65.3	63.8	63.7	65.2
20%	59.8	55.6	51.2	49.3	50.7	55.5	61.3	63.8	64.4	62.8	62.8	64.5
30%	59.2	55.2	50.8	49.0	50.4	55.1	61.0	63.4	64.0	62.1	62.5	63.7
40%	58.9	54.8	50.5	48.5	50.0	54.3	60.2	62.8	62.9	61.6	62.1	62.5
50%	58.3	54.5	50.1	48.2	49.5	53.4	59.6	62.5	62.3	61.1	61.7	61.6
60%	57.8	54.3	50.0	47.8	49.3	53.0	58.9	62.0	61.8	60.7	61.3	60.8
70%	57.4	53.9	49.7	47.4	48.7	52.2	58.1	61.4	61.2	60.4	61.0	59.9
80%	57.1	53.7	49.1	47.1	48.1	51.0	57.4	60.7	60.3	59.5	60.6	59.4
90%	56.4	53.2	48.5	46.6	47.6	50.1	55.6	60.3	59.8	58.9	59.6	58.6

Table 5A-D2.25.4-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.6	54.6	50.3	48.2	49.6	53.4	59.2	62.5	62.5	61.2	61.7	62.0
Wet Water Years	57.3	54.3	50.5	47.5	48.4	51.5	57.3	62.9	63.7	61.0	60.9	59.6
Above Normal Water Years	57.8	54.1	49.7	48.0	48.8	52.9	59.8	62.2	61.2	60.3	60.7	59.8
Below Normal Water Years	58.8	54.5	50.4	48.2	50.0	54.1	59.9	61.8	62.0	60.8	61.6	62.9
Dry Water Years	58.9	54.6	50.3	48.7	50.3	55.0	60.9	62.2	61.5	61.7	62.4	63.6
Critical Water Years	62.7	56.3	49.7	49.9	52.1	56.0	60.5	63.2	62.5	62.6	64.2	66.2

Table 5A-D2.25.4-C. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.1	0.0	0.7	0.2	0.2	-0.1	0.1	0.2	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	-0.1
30%	-0.1	-0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.2	-0.1	0.0	-0.1
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.2
50%	0.1	0.0	-0.1	0.0	0.0	0.0	0.1	-0.1	-0.1	0.1	0.0	-0.1
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	-0.1	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.2	-0.1	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	0.0	0.0	0.1
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.1	0.0

Table 5A-D2.25.4-D. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.2	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.2	0.4	-0.1	0.0	0.0	0.2	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.2	-0.6

Table 5A-D2.25.4-E. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	0.1%	0.1%	0.0%	1.4%	0.3%	0.3%	-0.1%	0.1%	0.3%	0.1%	-0.1%
20%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.2%	0.2%	-0.2%	0.1%	0.0%	0.1%	-0.2%
30%	-0.1%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%	0.2%	-0.2%	0.0%	-0.1%
40%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	-0.1%	0.0%	0.3%
50%	0.2%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.2%	-0.2%	-0.2%	0.1%	-0.1%	-0.1%
60%	0.1%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.4%	0.0%	-0.1%	-0.1%	0.0%
70%	0.0%	0.1%	0.1%	0.0%	0.0%	0.3%	0.0%	0.2%	-0.3%	-0.2%	-0.1%	0.0%
80%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.4%	0.1%	-0.2%	0.0%	0.1%	0.2%
90%	0.0%	0.0%	0.1%	0.0%	0.1%	0.1%	0.0%	0.2%	0.1%	0.0%	-0.2%	-0.1%

Table 5A-D2.25.4-F. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.3%	0.1%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.2%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.3%	0.4%	0.6%	-0.1%	-0.1%	0.0%	0.3%	-0.2%
Critical Water Years	-0.4%	0.0%	0.1%	0.2%	0.3%	0.0%	-0.2%	-0.2%	0.1%	0.2%	-0.3%	-0.9%

Table 5A-D2.25.5-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.6	56.2	52.1	50.0	52.2	56.4	61.8	64.8	65.3	63.6	63.7	65.3
20%	59.8	55.6	51.1	49.2	50.7	55.5	61.3	63.8	64.4	62.8	62.8	64.5
30%	59.2	55.2	50.8	49.0	50.4	55.1	60.8	63.4	64.0	62.1	62.4	63.8
40%	58.9	54.8	50.5	48.5	50.0	54.3	60.2	62.9	62.9	61.6	62.2	62.4
50%	58.2	54.5	50.2	48.2	49.5	53.4	59.6	62.5	62.3	61.1	61.7	61.6
60%	57.8	54.3	50.0	47.8	49.3	53.0	58.9	62.1	61.9	60.7	61.3	60.8
70%	57.4	53.9	49.7	47.4	48.7	52.2	58.1	61.3	61.2	60.4	60.9	59.9
80%	57.1	53.7	49.1	47.1	48.1	51.0	57.4	60.7	60.3	59.5	60.6	59.5
90%	56.5	53.2	48.5	46.6	47.6	50.1	55.6	60.1	59.7	58.9	59.7	58.6

Table 5A-D2.25.5-B. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.6	54.6	50.3	48.2	49.6	53.4	59.2	62.5	62.5	61.2	61.7	62.0
Wet Water Years	57.3	54.3	50.5	47.5	48.4	51.5	57.4	62.9	63.7	61.0	60.9	59.6
Above Normal Water Years	57.8	54.1	49.7	48.0	48.8	52.9	59.8	62.2	61.2	60.3	60.8	59.8
Below Normal Water Years	58.8	54.5	50.4	48.2	50.0	54.0	59.8	61.8	62.1	60.8	61.7	62.9
Dry Water Years	58.9	54.6	50.4	48.7	50.3	54.8	60.8	62.3	61.5	61.7	62.3	63.6
Critical Water Years	62.7	56.3	49.7	49.9	52.0	56.0	60.6	63.2	62.5	62.5	64.1	66.3

Table 5A-D2.25.5-C. Sacramento River at TCID, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.1	0.0	0.7	0.1	0.1	-0.1	0.1	0.0	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.1	0.0	0.1	-0.1
30%	-0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	-0.2	-0.1	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.2
90%	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.25.5-D. Sacramento River at TCID, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.3	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.2	-0.5

Table 5A-D2.25.5-E. Sacramento River at TCID, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.1%	0.1%	0.0%	1.4%	0.2%	0.2%	-0.1%	0.1%	0.1%	0.0%	0.0%
20%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.2%	0.1%	0.0%	0.1%	-0.1%
30%	-0.3%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%	-0.2%	-0.1%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%
50%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.1%	-0.2%	0.1%	0.0%	-0.2%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	-0.1%	-0.2%	0.0%
70%	0.1%	0.0%	0.1%	0.0%	0.0%	0.2%	0.2%	0.0%	-0.3%	-0.1%	-0.2%	0.1%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	-0.1%	0.0%	0.1%	0.3%
90%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.1%

Table 5A-D2.25.5-F. Sacramento River at TCID, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.6%	0.0%	0.0%	0.1%	0.0%	-0.1%
Critical Water Years	-0.3%	0.0%	0.1%	0.1%	0.2%	0.0%	-0.2%	-0.1%	0.1%	0.1%	-0.3%	-0.8%

Figure 5A-D2.25.1. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.25.2. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.25.3. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.25.4. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.25.5. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.25.6. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.25.7. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.25.8. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.25.9. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.25.10. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.25.11. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.25.12. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.25.13. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.25.14. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.25.15. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.25.16. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.25.17. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.25.18. Sacramento River at TCID, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.25.19. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.25.20. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.25.21. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.25.22. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.25.23. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.25.24. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.25.25. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.25.26. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.25.27. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.25.28. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.25.29. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.25.30. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.25.31. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.25.32. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.25.33. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.25.34. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.25.35. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.25.36. Sacramento River at TCID, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.25.37-A. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.25.37-B. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.25.37-C. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.25.37-D. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.25.38. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.25.39. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.25.40. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.25.41. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.25.42. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.25.43. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.25.44. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.25.45. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.25.46. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.25.47. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.25.48. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.25.49. Sacramento River at TCID, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.26 Sacramento River at Woodson Bridge

Table 5A-D2.26.1-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.2	56.0	52.0	49.9	51.3	56.0	61.3	64.3	64.5	62.9	62.9	64.8
20%	59.6	55.5	51.2	49.1	50.5	55.1	60.8	63.3	63.6	62.2	62.0	64.0
30%	58.9	55.1	50.8	48.9	50.2	54.8	60.4	62.8	63.1	61.5	61.8	63.2
40%	58.5	54.7	50.5	48.5	49.8	54.0	59.7	62.4	62.3	61.0	61.4	61.8
50%	57.8	54.4	50.1	48.2	49.4	53.2	59.1	62.1	61.8	60.4	61.1	61.0
60%	57.4	54.2	50.0	47.8	49.2	52.8	58.6	61.7	61.3	60.2	60.7	60.2
70%	57.0	53.8	49.7	47.4	48.6	51.9	57.7	60.8	60.7	59.8	60.4	59.4
80%	56.7	53.6	49.1	47.1	48.0	50.9	56.9	60.1	59.8	58.9	60.0	58.7
90%	56.1	53.1	48.4	46.6	47.5	50.0	55.4	59.7	59.2	58.4	59.2	58.2

Table 5A-D2.26.1-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.3	54.5	50.2	48.2	49.5	53.2	58.8	62.0	61.9	60.6	61.1	61.5
Wet Water Years	56.9	54.2	50.5	47.5	48.3	51.4	57.1	62.5	63.1	60.4	60.2	59.0
Above Normal Water Years	57.4	54.0	49.7	47.9	48.7	52.7	59.4	61.7	60.6	59.8	60.2	59.3
Below Normal Water Years	58.4	54.4	50.4	48.1	49.9	53.8	59.3	61.3	61.4	60.2	61.1	62.3
Dry Water Years	58.6	54.5	50.3	48.7	50.0	54.5	60.1	61.7	60.9	61.1	61.6	63.1
Critical Water Years	62.6	56.2	49.7	49.7	51.7	55.6	60.2	62.7	61.9	61.8	63.8	66.4

Table 5A-D2.26.1-C. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.2	56.0	52.1	49.9	51.9	56.1	61.4	64.2	64.4	62.8	62.9	64.7
20%	59.6	55.5	51.2	49.1	50.5	55.2	60.9	63.2	63.6	62.2	62.1	63.9
30%	58.9	55.1	50.8	48.9	50.3	54.8	60.4	62.9	63.3	61.4	61.9	63.2
40%	58.5	54.7	50.5	48.5	49.8	54.0	59.8	62.4	62.3	61.0	61.6	61.8
50%	57.8	54.4	50.2	48.1	49.4	53.2	59.2	62.1	61.7	60.5	61.1	61.0
60%	57.5	54.2	50.0	47.8	49.2	52.8	58.6	61.6	61.3	60.2	60.6	60.2
70%	57.1	53.8	49.7	47.4	48.6	52.0	57.7	60.8	60.7	59.7	60.3	59.4
80%	56.8	53.6	49.1	47.1	48.0	50.9	56.9	60.1	59.8	58.9	60.0	58.9
90%	56.1	53.0	48.4	46.6	47.5	49.9	55.4	59.6	59.1	58.4	59.1	58.1

Table 5A-D2.26.1-D. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.3	54.5	50.2	48.2	49.5	53.2	58.8	62.0	61.9	60.6	61.1	61.5
Wet Water Years	56.9	54.2	50.5	47.5	48.3	51.3	57.1	62.4	63.0	60.4	60.2	59.0
Above Normal Water Years	57.5	54.0	49.7	47.9	48.7	52.7	59.4	61.7	60.5	59.7	60.2	59.3
Below Normal Water Years	58.4	54.4	50.4	48.1	49.9	53.8	59.4	61.3	61.4	60.2	61.1	62.3
Dry Water Years	58.6	54.5	50.3	48.7	50.1	54.6	60.3	61.8	60.8	61.1	61.6	63.0
Critical Water Years	62.6	56.2	49.7	49.7	51.8	55.6	60.2	62.7	61.8	61.8	63.7	66.3

Table 5A-D2.26.1-E. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.1	0.0	0.7	0.1	0.1	0.0	-0.1	-0.1	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.1	-0.1
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	0.0	0.1
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.1	0.0	-0.1
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1	0.0
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
90%	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.26.1-F. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.2	0.1	-0.1	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0	-0.1	-0.1

Table 5A-D2.26.1-G. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.2%	0.0%	1.3%	0.2%	0.2%	-0.1%	-0.1%	-0.2%	0.0%	-0.1%
20%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	-0.2%	0.0%	0.0%	0.1%	-0.1%
30%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.2%	-0.2%	0.1%	0.1%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	-0.1%	0.0%	0.2%	-0.1%
50%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.1%	0.0%	-0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	-0.2%	0.0%
70%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	-0.1%	0.0%
80%	0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%
90%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%

Table 5A-D2.26.1-H. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.3%	0.1%	-0.1%	0.0%	-0.1%	-0.1%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%	-0.1%

Table 5A-D2.26.2-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.1	56.0	52.1	49.9	51.9	56.1	61.4	64.2	64.4	62.9	62.9	64.7
20%	59.5	55.5	51.2	49.1	50.5	55.2	60.8	63.2	63.6	62.2	62.1	64.0
30%	58.9	55.1	50.8	48.9	50.3	54.8	60.4	62.9	63.2	61.4	61.8	63.2
40%	58.4	54.7	50.5	48.4	49.8	54.0	59.9	62.3	62.3	61.0	61.5	61.8
50%	57.8	54.4	50.2	48.1	49.4	53.2	59.2	62.0	61.7	60.5	61.0	61.0
60%	57.5	54.2	50.0	47.8	49.2	52.8	58.6	61.5	61.3	60.1	60.6	60.3
70%	57.1	53.8	49.7	47.4	48.6	52.0	57.7	60.8	60.7	59.8	60.3	59.5
80%	56.7	53.6	49.1	47.1	48.0	50.9	56.9	60.2	59.7	58.9	59.9	58.9
90%	56.1	53.0	48.4	46.6	47.5	49.9	55.4	59.7	59.1	58.4	59.1	58.1

Table 5A-D2.26.2-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.3	54.5	50.3	48.2	49.5	53.2	58.8	62.0	61.9	60.6	61.1	61.5
Wet Water Years	57.0	54.2	50.5	47.5	48.3	51.3	57.1	62.4	63.0	60.4	60.2	59.0
Above Normal Water Years	57.5	54.0	49.7	47.9	48.7	52.7	59.4	61.7	60.6	59.7	60.2	59.3
Below Normal Water Years	58.4	54.4	50.4	48.1	49.9	53.8	59.4	61.3	61.4	60.2	61.0	62.3
Dry Water Years	58.6	54.5	50.3	48.7	50.1	54.6	60.4	61.7	60.8	61.1	61.5	63.0
Critical Water Years	62.6	56.2	49.7	49.7	51.7	55.6	60.2	62.7	61.9	61.8	63.7	66.3

Table 5A-D2.26.2-C. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.0	0.1	0.0	0.7	0.1	0.1	-0.1	-0.1	0.0	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	0.0	0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.1	-0.1	-0.1
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	-0.1	0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1	0.1
80%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	-0.1	0.0	0.0	0.2
90%	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.26.2-D. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.1	0.1	0.3	0.0	-0.1	0.0	-0.1	-0.1
Critical Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1

Table 5A-D2.26.2-E. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.1%	0.2%	0.0%	1.3%	0.2%	0.2%	-0.1%	-0.1%	0.0%	0.0%	-0.1%
20%	-0.2%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	-0.2%	-0.1%	-0.1%	0.1%	0.0%
30%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	-0.2%	0.0%	0.1%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	-0.1%	0.0%	0.2%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	-0.1%	-0.2%	0.1%	-0.1%	-0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	-0.2%	-0.2%	0.1%
70%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	-0.2%	0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.2%	-0.2%	0.0%	-0.1%	0.3%
90%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	-0.2%	-0.1%

Table 5A-D2.26.2-F. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.5%	0.0%	-0.1%	0.1%	-0.1%	-0.1%
Critical Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%

Table 5A-D2.26.3-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.2	56.0	52.1	49.9	51.9	56.1	61.4	64.2	64.5	63.0	62.9	64.7
20%	59.5	55.5	51.2	49.1	50.6	55.2	60.8	63.2	63.6	62.2	62.1	64.0
30%	58.8	55.1	50.8	48.9	50.3	54.8	60.4	62.9	63.2	61.4	61.8	63.1
40%	58.4	54.7	50.5	48.4	49.8	54.0	59.8	62.3	62.3	61.0	61.5	61.8
50%	57.8	54.4	50.1	48.2	49.4	53.2	59.2	62.0	61.7	60.4	61.1	61.0
60%	57.5	54.2	50.0	47.8	49.2	52.8	58.6	61.5	61.3	60.1	60.6	60.3
70%	57.1	53.8	49.7	47.4	48.6	52.0	57.8	60.8	60.7	59.7	60.3	59.5
80%	56.7	53.6	49.1	47.1	48.0	50.9	57.1	60.2	59.7	58.9	60.0	58.9
90%	56.2	53.0	48.5	46.6	47.5	50.0	55.4	59.7	59.1	58.4	59.1	58.1

Table 5A-D2.26.3-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.3	54.5	50.3	48.2	49.5	53.2	58.9	62.0	61.9	60.6	61.1	61.4
Wet Water Years	56.9	54.2	50.5	47.5	48.3	51.4	57.1	62.4	63.0	60.4	60.2	59.0
Above Normal Water Years	57.5	54.0	49.7	47.9	48.7	52.7	59.4	61.7	60.6	59.7	60.2	59.3
Below Normal Water Years	58.4	54.4	50.4	48.1	49.9	53.8	59.5	61.3	61.4	60.2	61.0	62.3
Dry Water Years	58.5	54.5	50.3	48.7	50.1	54.6	60.4	61.7	60.9	61.1	61.6	63.0
Critical Water Years	62.4	56.3	49.7	49.8	51.8	55.6	60.1	62.7	62.0	61.9	63.5	65.8

Table 5A-D2.26.3-C. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.1	0.0	0.7	0.1	0.1	-0.1	0.1	0.1	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	0.0	-0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.0	-0.1
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	-0.1	-0.1	0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	-0.1	0.1
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.2
90%	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.26.3-D. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.3	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.2	-0.6

Table 5A-D2.26.3-E. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.1%	0.2%	0.0%	1.3%	0.2%	0.2%	-0.1%	0.1%	0.1%	0.0%	0.0%
20%	-0.2%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%	-0.2%	0.0%	0.0%	0.0%	0.0%
30%	-0.2%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%	0.1%	0.2%	-0.2%	0.0%	-0.1%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.2%	0.1%	0.0%	-0.2%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	-0.1%	-0.2%	0.1%
70%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.1%	-0.2%	-0.2%	0.1%
80%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.3%	0.2%	-0.2%	0.0%	0.0%	0.3%
90%	0.2%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%

Table 5A-D2.26.3-F. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.6%	0.0%	0.0%	0.1%	0.0%	-0.1%
Critical Water Years	-0.3%	0.0%	0.1%	0.1%	0.2%	0.0%	-0.2%	-0.1%	0.1%	0.1%	-0.4%	-0.8%

Table 5A-D2.26.4-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.1	56.0	52.1	49.9	51.9	56.2	61.4	64.2	64.5	63.0	63.0	64.7
20%	59.5	55.5	51.2	49.2	50.5	55.2	60.9	63.2	63.6	62.2	62.1	63.9
30%	58.9	55.1	50.8	48.9	50.3	54.9	60.5	62.9	63.3	61.4	61.8	63.1
40%	58.4	54.7	50.5	48.4	49.8	54.0	59.8	62.3	62.3	61.0	61.4	62.0
50%	57.9	54.4	50.1	48.2	49.4	53.2	59.2	62.0	61.7	60.4	61.0	61.0
60%	57.5	54.2	50.0	47.8	49.2	52.8	58.6	61.5	61.3	60.1	60.7	60.2
70%	57.0	53.8	49.7	47.4	48.6	52.0	57.7	60.9	60.7	59.7	60.3	59.4
80%	56.8	53.6	49.1	47.1	48.0	50.9	57.1	60.2	59.7	58.9	60.0	58.9
90%	56.1	53.0	48.4	46.6	47.5	50.0	55.4	59.8	59.2	58.4	59.1	58.1

Table 5A-D2.26.4-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.3	54.5	50.2	48.2	49.5	53.2	58.9	62.0	61.9	60.6	61.1	61.4
Wet Water Years	56.9	54.2	50.5	47.5	48.3	51.4	57.1	62.4	63.0	60.4	60.2	59.0
Above Normal Water Years	57.5	54.0	49.7	47.9	48.7	52.7	59.5	61.7	60.6	59.7	60.1	59.3
Below Normal Water Years	58.4	54.4	50.4	48.1	49.9	53.8	59.5	61.3	61.4	60.2	61.0	62.3
Dry Water Years	58.5	54.5	50.3	48.7	50.1	54.7	60.5	61.7	60.9	61.1	61.8	63.0
Critical Water Years	62.4	56.2	49.7	49.8	51.8	55.6	60.1	62.6	61.9	61.9	63.6	65.7

Table 5A-D2.26.4-C. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.1	0.0	0.7	0.2	0.2	-0.1	0.1	0.2	0.1	0.0
20%	-0.1	0.0	0.0	0.1	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	-0.1
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.2	-0.1	0.0	-0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.0	0.1
50%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	-0.1	-0.1
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	-0.1	-0.1	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	-0.1	-0.1	0.0
80%	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.1
90%	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	-0.1	0.0

Table 5A-D2.26.4-D. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	-0.1	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	-0.1	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.2	0.4	-0.1	0.0	0.0	0.1	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.0	0.1	-0.2	-0.7

Table 5A-D2.26.4-E. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.2%	0.1%	0.2%	0.0%	1.3%	0.3%	0.3%	-0.1%	0.1%	0.2%	0.1%	-0.1%
20%	-0.2%	0.0%	0.1%	0.1%	0.0%	0.2%	0.1%	-0.2%	0.0%	0.0%	0.0%	-0.2%
30%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.3%	0.1%	0.3%	-0.2%	0.0%	-0.1%
40%	-0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.2%	-0.1%	0.0%	0.0%	0.2%
50%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.2%	-0.2%	0.1%	-0.1%	-0.1%
60%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.3%	0.0%	-0.1%	-0.1%	0.0%
70%	0.0%	0.1%	0.0%	0.0%	0.0%	0.2%	0.0%	0.1%	-0.1%	-0.1%	-0.1%	0.0%
80%	0.1%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.3%	0.2%	-0.2%	-0.1%	0.0%	0.2%
90%	0.1%	-0.2%	0.0%	0.0%	0.1%	0.1%	0.0%	0.2%	0.1%	0.0%	-0.2%	0.0%

Table 5A-D2.26.4-F. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.2%	-0.1%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.1%
Below Normal Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.2%	0.0%
Dry Water Years	-0.3%	-0.1%	0.1%	0.0%	0.3%	0.4%	0.6%	-0.1%	-0.1%	0.0%	0.2%	-0.2%
Critical Water Years	-0.4%	0.0%	0.1%	0.2%	0.3%	0.0%	-0.2%	-0.2%	0.1%	0.2%	-0.3%	-1.0%

Table 5A-D2.26.5-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	60.2	56.0	52.1	49.9	51.9	56.1	61.4	64.2	64.5	63.0	62.9	64.7
20%	59.5	55.5	51.2	49.1	50.6	55.2	60.8	63.2	63.7	62.2	62.1	64.0
30%	58.8	55.1	50.8	48.9	50.3	54.8	60.4	62.9	63.3	61.4	61.8	63.1
40%	58.4	54.7	50.5	48.4	49.8	54.0	59.8	62.3	62.3	61.0	61.5	61.8
50%	57.8	54.4	50.1	48.2	49.4	53.2	59.2	62.0	61.7	60.4	61.1	61.0
60%	57.5	54.2	50.0	47.8	49.2	52.8	58.6	61.5	61.3	60.1	60.6	60.3
70%	57.1	53.8	49.7	47.4	48.6	52.0	57.8	60.8	60.7	59.8	60.3	59.4
80%	56.8	53.6	49.1	47.1	48.0	50.9	57.1	60.2	59.7	58.9	60.0	58.9
90%	56.2	53.0	48.5	46.6	47.5	50.0	55.4	59.7	59.1	58.4	59.1	58.1

Table 5A-D2.26.5-B. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	58.3	54.5	50.3	48.2	49.5	53.2	58.9	62.0	61.9	60.6	61.1	61.4
Wet Water Years	56.9	54.2	50.5	47.5	48.3	51.4	57.1	62.4	63.1	60.4	60.2	59.0
Above Normal Water Years	57.5	54.0	49.7	47.9	48.7	52.7	59.4	61.7	60.6	59.7	60.2	59.3
Below Normal Water Years	58.4	54.4	50.4	48.1	49.9	53.8	59.5	61.3	61.4	60.2	61.0	62.3
Dry Water Years	58.5	54.5	50.3	48.7	50.1	54.6	60.4	61.7	60.9	61.1	61.6	63.0
Critical Water Years	62.4	56.3	49.7	49.8	51.8	55.6	60.1	62.7	62.0	61.9	63.5	65.8

Table 5A-D2.26.5-C. Sacramento River at Woodson Bridge, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1	0.1	0.1	0.0	0.7	0.1	0.1	-0.1	0.1	0.1	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.1	0.0	0.0	0.0
30%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	-0.1	0.0	-0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.1	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.0	-0.1
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	-0.1	0.1
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	-0.1	0.0	0.0	0.2
90%	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.26.5-D. Sacramento River at Woodson Bridge, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.1
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.1	0.0	0.2	0.1	0.3	0.0	0.0	0.0	0.0	-0.1
Critical Water Years	-0.2	0.0	0.0	0.1	0.1	0.0	-0.1	-0.1	0.1	0.1	-0.2	-0.6

Table 5A-D2.26.5-E. Sacramento River at Woodson Bridge, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	-0.1%	0.1%	0.2%	0.0%	1.3%	0.2%	0.2%	-0.1%	0.1%	0.1%	0.0%	0.0%
20%	-0.2%	0.0%	0.1%	0.0%	0.1%	0.1%	0.1%	-0.2%	0.1%	0.0%	0.0%	0.0%
30%	-0.2%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%	0.1%	0.2%	-0.2%	0.0%	-0.1%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.2%	0.1%	0.0%	-0.1%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	-0.1%	-0.2%	0.1%
70%	0.1%	0.1%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	-0.1%	-0.1%	-0.2%	0.1%
80%	0.1%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.3%	0.2%	-0.2%	0.0%	0.0%	0.3%
90%	0.2%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%

Table 5A-D2.26.5-F. Sacramento River at Woodson Bridge, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
Above Normal Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.1%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	-0.1%	-0.1%	0.0%
Dry Water Years	-0.2%	-0.1%	0.1%	0.0%	0.3%	0.1%	0.6%	0.0%	0.0%	0.1%	0.0%	-0.1%
Critical Water Years	-0.3%	0.0%	0.1%	0.1%	0.2%	0.0%	-0.2%	-0.1%	0.1%	0.1%	-0.4%	-0.9%

Figure 5A-D2.26.1. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.26.2. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.26.3. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.26.4. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.26.5. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.26.6. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.26.7. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.26.8. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.26.9. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.26.10. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.26.11. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.26.12. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.26.13. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.26.14. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.26.15. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.26.16. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.26.17. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.26.18. Sacramento River at Woodson Bridge, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.26.19. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.26.20. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.26.21. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.26.22. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.26.23. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.26.24. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.26.25. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.26.26. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.26.27. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.26.28. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.26.29. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.26.30. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.26.31. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.26.32. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.26.33. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.26.34. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.26.35. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.26.36. Sacramento River at Woodson Bridge, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.26.37-A. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.26.37-B. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.26.37-C. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.26.37-D. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.26.38. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.26.39. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.26.40. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.26.41. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.26.42. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.26.43. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.26.44. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.26.45. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.26.46. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.26.47. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.26.48. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.26.49. Sacramento River at Woodson Bridge, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.27 Stony Creek Above Sacramento

Table 5A-D2.27.1-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	62.7	54.3	52.7	59.4	66.7	70.2	75.9	79.2	82.5	82.3	78.3
20%	71.1	61.6	53.4	51.8	56.9	65.8	69.1	74.4	78.7	81.6	81.8	77.6
30%	70.5	60.9	52.5	50.1	55.6	64.4	68.2	73.8	78.3	80.9	80.9	77.2
40%	69.8	60.3	51.5	48.6	53.9	63.5	67.8	73.5	77.6	80.5	80.8	77.0
50%	69.1	59.8	50.3	47.6	50.8	62.3	67.3	73.1	77.3	80.2	80.3	76.5
60%	68.7	59.4	49.8	46.9	49.9	60.7	66.8	72.5	76.9	79.7	80.1	76.2
70%	67.9	58.9	49.3	46.5	49.0	56.7	66.0	71.9	76.4	79.3	79.9	75.8
80%	67.3	58.5	48.3	45.8	48.4	54.3	65.2	70.8	75.7	78.9	79.2	75.3
90%	66.2	57.6	47.5	45.3	47.3	52.4	60.6	66.6	74.9	78.4	78.6	74.9

Table 5A-D2.27.1-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	69.2	60.0	50.9	48.6	52.6	60.6	66.5	72.3	77.1	80.3	80.4	76.5
Wet Water Years	69.4	59.5	50.4	46.2	49.7	56.9	63.9	70.2	76.3	79.8	79.8	76.2
Above Normal Water Years	68.1	58.8	50.6	46.9	49.5	57.9	67.3	72.2	76.6	79.8	79.9	75.8
Below Normal Water Years	69.1	59.9	50.0	49.1	53.0	62.8	66.8	72.5	77.5	80.4	80.7	76.6
Dry Water Years	68.7	60.8	52.3	50.4	54.7	63.4	68.6	73.9	77.3	80.5	80.7	76.6
Critical Water Years	70.7	61.6	53.0	53.2	59.2	65.2	69.9	75.4	79.0	81.7	81.7	77.2

Table 5A-D2.27.1-C. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	62.7	54.3	52.7	59.2	66.8	70.2	75.9	79.3	82.6	82.2	78.3
20%	71.1	61.6	53.4	51.8	56.6	65.8	69.1	74.5	78.7	81.6	81.8	77.6
30%	70.5	60.9	52.5	50.1	55.7	64.4	68.2	73.8	78.3	81.0	80.9	77.2
40%	69.8	60.3	51.5	48.6	53.9	63.4	67.9	73.5	77.6	80.5	80.8	77.0
50%	69.1	59.9	50.3	47.6	51.0	62.4	67.4	73.1	77.3	80.2	80.3	76.5
60%	68.7	59.4	49.8	46.9	49.9	60.7	66.8	72.5	76.8	79.7	80.1	76.2
70%	67.9	58.9	49.3	46.5	48.9	56.7	66.2	71.9	76.4	79.3	79.9	75.8
80%	67.3	58.5	48.3	45.8	48.4	54.2	65.2	70.8	75.7	78.9	79.2	75.3
90%	66.2	57.4	47.5	45.3	47.3	52.4	60.6	66.6	74.9	78.4	78.6	74.9

Table 5A-D2.27.1-D. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	69.2	60.0	50.9	48.6	52.5	60.7	66.5	72.3	77.1	80.3	80.4	76.5
Wet Water Years	69.4	59.5	50.4	46.2	49.7	56.9	64.0	70.2	76.3	79.8	79.7	76.2
Above Normal Water Years	68.1	58.8	50.6	46.9	49.5	58.0	67.3	72.2	76.6	79.8	79.9	75.8
Below Normal Water Years	69.1	59.9	50.0	49.1	53.0	62.8	66.8	72.5	77.5	80.4	80.7	76.6
Dry Water Years	68.7	60.8	52.3	50.4	54.4	63.4	68.6	73.9	77.3	80.5	80.7	76.6
Critical Water Years	70.7	61.6	53.0	53.2	59.2	65.2	69.9	75.4	79.0	81.7	81.7	77.2

Table 5A-D2.27.1-E. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	-0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.1-F. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.1-G. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	-0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
20%	0.0%	0.0%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
30%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.4%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	-0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.1-H. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	0.0%	0.0%	0.0%	-0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.2-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	62.7	54.3	52.7	59.2	66.8	70.2	75.9	79.2	82.6	82.3	78.3
20%	71.1	61.6	53.4	51.8	56.6	65.8	69.1	74.4	78.7	81.6	81.8	77.6
30%	70.5	60.8	52.5	50.1	55.6	64.4	68.2	73.8	78.3	80.9	80.9	77.2
40%	69.8	60.2	51.5	48.6	53.9	63.4	67.9	73.5	77.6	80.5	80.8	77.0
50%	69.1	59.8	50.3	47.6	51.0	62.3	67.3	73.1	77.3	80.2	80.3	76.5
60%	68.7	59.4	49.8	46.9	49.9	60.7	66.8	72.5	76.9	79.7	80.1	76.2
70%	67.9	58.9	49.2	46.6	48.9	56.8	66.0	71.9	76.4	79.3	79.9	75.8
80%	67.3	58.5	48.3	45.8	48.3	54.1	65.2	70.8	75.7	78.9	79.2	75.3
90%	66.2	57.4	47.5	45.3	47.3	52.4	60.5	66.6	74.8	78.4	78.6	74.9

Table 5A-D2.27.2-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	69.2	60.0	50.9	48.6	52.5	60.6	66.5	72.2	77.1	80.3	80.4	76.5
Wet Water Years	69.4	59.5	50.4	46.2	49.7	56.9	63.9	70.2	76.3	79.8	79.7	76.2
Above Normal Water Years	68.1	58.8	50.6	46.9	49.5	58.0	67.3	72.2	76.5	79.8	79.9	75.8
Below Normal Water Years	69.1	59.9	50.0	49.1	53.0	62.8	66.8	72.5	77.5	80.4	80.7	76.6
Dry Water Years	68.7	60.8	52.3	50.4	54.3	63.4	68.7	73.9	77.3	80.5	80.7	76.6
Critical Water Years	70.7	61.3	53.0	53.2	59.2	65.2	69.9	75.4	79.0	81.7	81.7	77.2

Table 5A-D2.27.2-C. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	-0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	-0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	-0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	-0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.2-D. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	-0.3	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.2-E. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	-0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
20%	0.0%	-0.1%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
30%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	-0.1%	0.1%	-0.2%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	-0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.2-F. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	0.0%	0.0%	0.0%	-0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	-0.4%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.3-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	62.7	54.3	52.7	59.2	66.8	70.2	75.9	79.2	82.5	82.3	78.3
20%	71.1	61.6	53.4	51.8	56.6	65.8	69.2	74.5	78.7	81.6	81.8	77.6
30%	70.5	60.8	52.5	50.1	55.7	64.4	68.2	73.8	78.3	80.9	80.9	77.1
40%	69.8	60.2	51.5	48.6	54.0	63.4	67.8	73.5	77.5	80.6	80.8	77.0
50%	69.1	59.8	50.3	47.6	51.0	62.3	67.3	73.1	77.3	80.2	80.3	76.5
60%	68.7	59.4	49.8	46.9	49.9	60.7	66.8	72.5	76.8	79.7	80.0	76.2
70%	67.9	58.9	49.2	46.5	48.9	56.8	66.1	71.9	76.4	79.3	79.9	75.8
80%	67.3	58.5	48.3	45.8	48.4	54.2	65.0	70.7	75.7	79.0	79.2	75.3
90%	66.2	57.3	47.6	45.3	47.3	52.4	60.5	66.6	74.9	78.4	78.6	74.9

Table 5A-D2.27.3-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	69.2	59.9	50.9	48.6	52.5	60.7	66.5	72.3	77.1	80.3	80.4	76.5
Wet Water Years	69.4	59.5	50.4	46.2	49.7	56.9	64.0	70.2	76.3	79.8	79.7	76.2
Above Normal Water Years	68.1	58.8	50.6	46.9	49.5	58.0	67.3	72.2	76.5	79.8	79.9	75.8
Below Normal Water Years	69.1	59.9	50.0	49.1	53.1	62.8	66.9	72.5	77.5	80.4	80.7	76.6
Dry Water Years	68.7	60.5	52.3	50.4	54.3	63.4	68.7	73.9	77.3	80.5	80.7	76.6
Critical Water Years	70.7	61.3	53.0	53.2	59.2	65.2	69.9	75.4	79.0	81.8	81.7	77.2

Table 5A-D2.27.3-C. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	-0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30%	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	-0.1	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	-0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
90%	0.0	-0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.3-D. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	-0.3	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	-0.3	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.3-E. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	-0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
20%	0.0%	-0.1%	0.0%	0.0%	-0.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
30%	0.0%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.1%	0.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	-0.1%	-0.1%	0.0%	-0.2%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	-0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.3-F. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	-0.4%	0.0%	0.0%	-0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	-0.4%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.4-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	62.7	54.3	52.8	59.2	66.8	70.2	75.9	79.2	82.5	82.2	78.3
20%	71.1	61.6	53.4	51.8	56.6	65.8	69.1	74.5	78.7	81.7	81.8	77.6
30%	70.5	60.8	52.5	50.1	55.7	64.4	68.2	73.8	78.4	80.9	80.9	77.1
40%	69.8	60.2	51.5	48.6	54.0	63.4	67.9	73.5	77.5	80.6	80.8	77.0
50%	69.1	59.8	50.3	47.5	50.9	62.3	67.3	73.1	77.3	80.2	80.3	76.5
60%	68.7	59.4	49.9	46.9	49.9	60.4	66.8	72.5	76.9	79.7	80.0	76.2
70%	67.9	58.9	49.2	46.5	48.9	56.4	66.1	71.9	76.4	79.3	79.9	75.8
80%	67.3	58.5	48.4	45.8	48.4	54.3	65.1	70.8	75.7	78.9	79.2	75.3
90%	66.2	57.3	47.6	45.3	47.3	52.5	60.3	66.7	74.9	78.3	78.6	74.9

Table 5A-D2.27.4-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	69.2	59.9	50.9	48.6	52.5	60.6	66.5	72.3	77.1	80.3	80.4	76.5
Wet Water Years	69.4	59.5	50.4	46.2	49.7	56.9	64.0	70.3	76.3	79.8	79.7	76.2
Above Normal Water Years	68.1	58.8	50.6	46.9	49.5	57.8	67.2	72.2	76.5	79.8	79.9	75.8
Below Normal Water Years	69.1	60.0	50.0	49.1	53.1	62.7	66.8	72.5	77.5	80.4	80.7	76.6
Dry Water Years	68.7	60.5	52.3	50.4	54.4	63.4	68.6	73.9	77.3	80.5	80.7	76.6
Critical Water Years	70.7	61.3	53.0	53.2	59.2	65.2	69.9	75.4	79.0	81.8	81.7	77.2

Table 5A-D2.27.4-C. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	-0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30%	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	-0.1	0.0	0.0	0.1	-0.1	0.1	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	-0.1	-0.3	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	-0.3	0.1	0.0	0.0	0.0	-0.3	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.27.4-D. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	-0.3	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	-0.3	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.4-E. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.1%	-0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
20%	0.0%	-0.1%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
30%	0.0%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	-0.1%	0.1%	0.0%	0.3%	-0.2%	0.2%	0.0%	0.0%	0.1%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	-0.1%	0.0%	0.1%	0.0%	-0.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	-0.1%	-0.1%	0.0%	-0.1%	-0.5%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	-0.5%	0.1%	0.0%	0.0%	0.1%	-0.4%	0.2%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.4-F. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	-0.4%	0.0%	0.0%	-0.5%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	-0.4%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.5-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	62.7	54.3	52.7	59.2	66.8	70.2	75.9	79.2	82.5	82.3	78.3
20%	71.1	61.6	53.4	51.8	56.6	65.8	69.2	74.4	78.7	81.6	81.8	77.6
30%	70.5	60.8	52.5	50.1	55.7	64.4	68.2	73.8	78.3	80.9	80.9	77.1
40%	69.8	60.2	51.5	48.6	54.0	63.4	67.8	73.5	77.5	80.6	80.8	77.0
50%	69.1	59.8	50.3	47.6	50.9	62.3	67.3	73.1	77.3	80.2	80.3	76.5
60%	68.7	59.4	49.8	46.9	49.9	60.7	66.8	72.5	76.8	79.7	80.0	76.2
70%	67.9	58.9	49.2	46.5	49.0	56.7	66.0	71.9	76.4	79.3	79.9	75.8
80%	67.3	58.5	48.3	45.8	48.4	54.2	65.0	70.7	75.7	78.9	79.2	75.3
90%	66.2	57.3	47.5	45.3	47.3	52.4	60.5	66.6	74.9	78.4	78.6	74.9

Table 5A-D2.27.5-B. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	69.2	59.9	50.9	48.6	52.5	60.7	66.5	72.3	77.1	80.3	80.4	76.5
Wet Water Years	69.4	59.5	50.4	46.2	49.7	56.9	63.9	70.2	76.3	79.8	79.7	76.2
Above Normal Water Years	68.1	58.8	50.6	46.9	49.5	58.0	67.3	72.2	76.5	79.8	79.9	75.8
Below Normal Water Years	69.1	59.9	50.0	49.1	53.0	62.8	66.8	72.5	77.5	80.4	80.7	76.6
Dry Water Years	68.7	60.5	52.3	50.4	54.3	63.4	68.6	73.9	77.3	80.5	80.7	76.6
Critical Water Years	70.7	61.3	53.0	53.2	59.2	65.2	69.9	75.4	79.0	81.8	81.7	77.2

Table 5A-D2.27.5-C. Stony Creek Above Sacramento, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	-0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	-0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30%	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	-0.1	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
90%	0.0	-0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.5-D. Stony Creek Above Sacramento, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	-0.3	0.0	0.0	-0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	-0.3	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.27.5-E. Stony Creek Above Sacramento, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	-0.4%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
20%	0.0%	-0.1%	0.0%	0.0%	-0.5%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
30%	0.0%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	-0.6%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.27.5-F. Stony Creek Above Sacramento, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	-0.4%	0.0%	0.0%	-0.6%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	-0.4%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Figure 5A-D2.27.1. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.27.2. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.27.3. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.27.4. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.27.5. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.27.6. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.27.7. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.27.8. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.27.9. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.27.10. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.27.11. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.27.12. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.27.13. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.27.14. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.27.15. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.27.16. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.27.17. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.27.18. Stony Creek Above Sacramento, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.27.19. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.27.20. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.27.21. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.27.22. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.27.23. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.27.24. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.27.25. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.27.26. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.27.27. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.27.28. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.27.29. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives







Figure 5A-D2.27.30. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives



Figure 5A-D2.27.31. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.27.32. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.27.33. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.27.34. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.27.35. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.27.36. Stony Creek Above Sacramento, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.27.37-A. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.27.37-B. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.27.37-C. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.27.37-D. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.27.38. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.27.39. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.27.40. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.27.41. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.27.42. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.27.43. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.27.44. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.27.45. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.27.46. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.27.47. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.27.48. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.27.49. Stony Creek Above Sacramento, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.28 Stony Creek Below Black Butte

Table 5A-D2.28.1-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	61.1	51.4	47.7	49.4	54.5	58.3	64.4	67.3	72.4	78.8	75.6
20%	70.7	60.2	50.7	46.9	48.9	53.3	56.7	61.8	65.8	71.4	77.2	75.1
30%	70.0	59.3	49.5	46.4	48.5	52.8	55.9	60.7	65.4	70.5	76.0	74.8
40%	68.8	58.7	48.7	46.0	48.2	52.6	55.1	59.3	64.7	69.9	75.3	74.4
50%	68.0	58.3	48.3	45.8	48.0	51.9	54.8	58.8	63.9	69.4	74.9	74.0
60%	66.5	57.6	47.9	45.6	47.6	51.7	54.2	58.3	63.2	69.1	74.7	73.7
70%	66.1	56.4	47.5	45.2	47.3	51.3	54.0	57.8	62.4	67.7	74.2	73.4
80%	65.5	55.9	46.9	44.9	46.7	50.8	53.6	57.2	61.3	65.6	73.1	73.0
90%	64.7	55.2	46.4	44.4	46.3	50.2	53.2	56.2	60.7	64.4	68.5	72.8

Table 5A-D2.28.1-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	68.2	58.1	48.6	45.9	48.0	52.4	55.4	59.6	64.1	69.0	74.6	74.1
Wet Water Years	69.5	58.7	48.6	45.1	47.1	52.0	53.9	57.4	62.0	66.6	72.1	74.0
Above Normal Water Years	67.9	58.0	48.5	46.2	47.3	51.4	54.6	58.3	62.7	68.0	73.9	73.9
Below Normal Water Years	66.7	57.6	48.6	45.9	48.2	52.4	55.2	59.9	64.8	70.6	76.4	73.9
Dry Water Years	66.8	57.7	49.3	46.4	48.0	52.5	56.4	61.1	65.6	70.5	76.2	74.0
Critical Water Years	69.6	58.3	47.9	47.4	50.6	54.3	59.5	64.3	67.7	71.4	76.1	75.4

Table 5A-D2.28.1-C. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	61.1	51.3	47.6	49.4	54.5	58.3	64.4	67.3	72.4	78.8	75.6
20%	70.7	60.1	50.7	46.9	49.0	53.3	56.7	61.8	65.8	71.4	77.2	75.1
30%	70.0	59.3	49.6	46.4	48.4	52.8	56.0	60.7	65.4	70.5	76.0	74.8
40%	68.8	58.8	48.7	46.0	48.3	52.6	55.1	59.4	64.7	69.9	75.3	74.4
50%	68.0	58.3	48.3	45.8	48.0	52.0	54.8	58.8	63.9	69.4	74.9	74.0
60%	66.5	57.6	47.9	45.6	47.6	51.7	54.2	58.3	63.2	69.0	74.7	73.7
70%	66.1	56.4	47.5	45.2	47.3	51.3	54.0	57.8	62.4	67.7	74.2	73.4
80%	65.5	55.9	46.9	44.8	46.7	50.8	53.8	57.1	61.3	65.6	73.1	73.0
90%	64.7	55.2	46.3	44.5	46.3	50.2	53.2	56.2	60.7	64.4	68.5	72.7

Table 5A-D2.28.1-D. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	68.2	58.1	48.6	45.9	48.0	52.5	55.4	59.6	64.1	69.0	74.6	74.1
Wet Water Years	69.5	58.7	48.6	45.1	47.1	52.1	54.0	57.4	62.0	66.6	72.0	74.0
Above Normal Water Years	67.9	58.0	48.5	46.3	47.4	51.5	54.5	58.3	62.7	68.0	73.9	73.9
Below Normal Water Years	66.7	57.6	48.6	45.9	48.2	52.4	55.3	59.9	64.8	70.5	76.4	73.8
Dry Water Years	66.8	57.7	49.3	46.4	48.1	52.5	56.4	61.1	65.6	70.5	76.2	74.0
Critical Water Years	69.6	58.4	48.0	47.3	50.6	54.2	59.5	64.3	67.6	71.4	76.1	75.4

Table 5A-D2.28.1-E. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.2	-0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.28.1-F. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.28.1-G. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
20%	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
30%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	0.2%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.3%	-0.2%	-0.1%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.28.1-H. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	0.0%	0.0%	-0.1%	0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.28.2-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	61.1	51.4	47.6	49.4	54.5	58.3	64.4	67.3	72.4	78.8	75.6
20%	70.7	60.1	50.7	46.9	49.0	53.3	56.6	61.7	65.8	71.4	77.2	75.1
30%	70.0	59.3	49.6	46.4	48.5	52.8	55.9	60.7	65.4	70.5	76.0	74.8
40%	68.8	58.7	48.7	46.0	48.3	52.6	55.1	59.3	64.7	69.9	75.3	74.4
50%	68.0	58.3	48.3	45.8	48.0	51.9	54.5	58.7	63.9	69.4	74.9	74.0
60%	66.5	57.6	47.9	45.5	47.7	51.7	54.2	58.3	63.2	69.0	74.7	73.7
70%	66.1	56.4	47.5	45.2	47.3	51.3	53.9	57.7	62.4	67.7	74.2	73.4
80%	65.5	55.9	46.9	44.9	46.7	50.7	53.6	57.1	61.3	65.6	73.1	73.0
90%	64.7	55.2	46.3	44.4	46.3	50.2	53.2	56.2	60.7	64.4	68.5	72.7

Table 5A-D2.28.2-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	68.2	58.1	48.6	45.9	48.0	52.4	55.3	59.6	64.1	69.0	74.6	74.1
Wet Water Years	69.5	58.7	48.6	45.1	47.1	52.0	53.8	57.4	62.0	66.6	72.1	74.0
Above Normal Water Years	67.9	58.0	48.5	46.2	47.4	51.5	54.4	58.3	62.7	68.0	73.9	73.9
Below Normal Water Years	66.7	57.6	48.6	45.9	48.2	52.3	55.1	59.8	64.8	70.6	76.4	73.8
Dry Water Years	66.8	57.7	49.3	46.4	48.1	52.6	56.4	61.1	65.6	70.5	76.2	74.0
Critical Water Years	69.6	58.3	48.0	47.3	50.7	54.2	59.5	64.3	67.6	71.4	76.1	75.4

Table 5A-D2.28.2-C. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.2	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	-0.1	0.0	0.0	0.1	-0.2	-0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.1	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
90%	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.28.2-D. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.1	-0.2	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.28.2-E. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
20%	0.0%	0.0%	0.0%	0.0%	0.3%	0.1%	-0.3%	-0.2%	0.0%	0.0%	0.0%	0.0%
30%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%	-0.4%	-0.2%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.3%	-0.2%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	-0.2%	-0.1%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.28.2-F. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.4%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.28.3-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	61.1	51.4	47.6	49.4	54.6	58.3	64.4	67.4	72.4	78.8	75.6
20%	70.7	60.2	50.7	46.9	49.0	53.3	56.7	61.7	65.8	71.4	77.1	75.1
30%	70.0	59.3	49.6	46.4	48.6	52.8	56.0	60.7	65.4	70.5	75.9	74.8
40%	68.8	58.7	48.7	46.0	48.3	52.6	55.1	59.4	64.7	69.9	75.3	74.4
50%	68.0	58.3	48.3	45.8	47.9	52.0	54.8	58.8	63.9	69.4	74.9	74.0
60%	66.5	57.6	48.0	45.5	47.6	51.7	54.3	58.3	63.2	69.1	74.7	73.7
70%	66.1	56.5	47.5	45.2	47.3	51.3	54.0	57.8	62.4	67.7	74.2	73.4
80%	65.5	55.9	46.9	44.9	46.7	50.7	53.6	57.2	61.3	65.6	73.1	73.0
90%	64.7	55.2	46.3	44.4	46.3	50.2	53.3	56.3	60.7	64.4	68.4	72.7

Table 5A-D2.28.3-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	68.2	58.1	48.6	45.9	48.0	52.4	55.4	59.6	64.1	69.0	74.6	74.1
Wet Water Years	69.5	58.7	48.6	45.1	47.1	52.1	53.9	57.4	62.0	66.6	72.1	74.0
Above Normal Water Years	67.9	58.0	48.5	46.2	47.3	51.5	54.5	58.3	62.7	68.0	73.9	73.9
Below Normal Water Years	66.8	57.6	48.7	45.9	48.2	52.4	55.3	59.9	64.8	70.6	76.4	73.8
Dry Water Years	66.7	57.7	49.3	46.4	48.0	52.5	56.4	61.1	65.6	70.5	76.2	74.0
Critical Water Years	69.6	58.3	48.0	47.4	50.6	54.2	59.4	64.3	67.7	71.4	76.1	75.4

Table 5A-D2.28.3-C. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0
30%	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	0.0

Table 5A-D2.28.3-D. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.28.3-E. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
20%	0.0%	0.0%	0.0%	0.0%	0.3%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%
30%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.2%	0.1%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.28.3-F. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.28.4-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	61.1	51.3	47.6	49.4	54.4	58.3	64.4	67.3	72.4	78.8	75.6
20%	70.7	60.2	50.7	46.9	49.1	53.1	56.4	61.6	65.8	71.4	77.1	75.1
30%	70.0	59.3	49.6	46.4	48.7	52.7	55.8	60.6	65.4	70.5	75.9	74.7
40%	68.8	58.7	48.7	46.1	48.3	52.5	55.1	59.4	64.7	69.9	75.3	74.4
50%	68.0	58.3	48.3	45.8	48.0	52.0	54.6	58.8	63.9	69.4	74.9	74.0
60%	66.5	57.6	47.9	45.5	47.6	51.7	54.2	58.3	63.2	69.0	74.7	73.7
70%	66.1	56.5	47.5	45.3	47.3	51.3	54.0	57.8	62.4	67.7	74.2	73.4
80%	65.5	55.9	46.9	44.9	46.7	50.7	53.7	57.2	61.3	65.6	73.0	73.0
90%	64.7	55.2	46.3	44.5	46.3	50.2	53.3	56.4	60.7	64.4	68.5	72.7

Table 5A-D2.28.4-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	68.2	58.1	48.6	45.9	48.1	52.4	55.4	59.6	64.0	69.0	74.6	74.1
Wet Water Years	69.5	58.7	48.6	45.1	47.1	52.1	53.9	57.4	62.0	66.6	72.0	74.0
Above Normal Water Years	67.9	58.0	48.5	46.2	47.4	51.2	54.4	58.3	62.7	68.0	73.9	73.9
Below Normal Water Years	66.8	57.6	48.6	45.9	48.3	52.3	55.2	59.8	64.8	70.6	76.4	73.9
Dry Water Years	66.7	57.7	49.3	46.4	48.1	52.5	56.4	61.1	65.6	70.5	76.2	74.0
Critical Water Years	69.6	58.3	48.0	47.4	50.6	54.2	59.4	64.3	67.4	71.5	76.1	75.4

Table 5A-D2.28.4-C. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.2	-0.2	-0.3	-0.1	0.0	0.0	-0.1	0.0
30%	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0
60%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0

Table 5A-D2.28.4-D. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	-0.2	-0.2	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.3	0.2	0.0	0.0

Table 5A-D2.28.4-E. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
20%	0.0%	0.0%	0.0%	0.0%	0.3%	-0.4%	-0.5%	-0.2%	0.0%	0.0%	-0.1%	0.0%
30%	0.0%	0.0%	0.0%	0.0%	0.4%	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.2%	-0.3%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%
70%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	0.1%	-0.1%	0.0%	-0.1%	0.0%
90%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%	0.0%	-0.1%	0.0%

Table 5A-D2.28.4-F. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	-0.3%	-0.3%	-0.1%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.5%	0.2%	0.0%	0.0%

Table 5A-D2.28.5-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	72.1	61.1	51.4	47.6	49.4	54.3	58.3	64.4	67.4	72.4	78.8	75.6
20%	70.7	60.2	50.7	46.9	48.9	53.3	56.6	61.7	65.8	71.4	77.1	75.1
30%	70.0	59.3	49.6	46.4	48.6	52.8	55.8	60.7	65.4	70.5	75.9	74.8
40%	68.8	58.7	48.7	46.0	48.3	52.6	55.1	59.3	64.7	69.9	75.3	74.4
50%	68.0	58.3	48.3	45.8	47.9	52.0	54.7	58.8	63.9	69.4	74.9	74.0
60%	66.5	57.6	48.0	45.5	47.6	51.7	54.2	58.3	63.2	69.1	74.7	73.7
70%	66.1	56.5	47.5	45.2	47.3	51.4	54.0	57.6	62.4	67.7	74.2	73.4
80%	65.5	55.9	46.9	44.9	46.7	50.8	53.6	57.2	61.3	65.6	73.1	73.0
90%	64.7	55.2	46.3	44.4	46.3	50.2	53.3	56.3	60.7	64.4	68.4	72.7

Table 5A-D2.28.5-B. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	68.2	58.1	48.6	45.9	48.0	52.4	55.4	59.6	64.1	69.0	74.6	74.1
Wet Water Years	69.5	58.7	48.6	45.1	47.1	52.1	53.8	57.4	62.0	66.6	72.1	74.0
Above Normal Water Years	67.9	58.0	48.5	46.2	47.3	51.5	54.5	58.3	62.7	68.0	73.9	73.9
Below Normal Water Years	66.8	57.6	48.6	45.9	48.2	52.4	55.2	59.9	64.8	70.6	76.4	73.8
Dry Water Years	66.7	57.7	49.3	46.4	48.0	52.5	56.4	61.1	65.6	70.5	76.2	74.0
Critical Water Years	69.6	58.3	48.0	47.3	50.6	54.3	59.4	64.3	67.7	71.4	76.1	75.4

Table 5A-D2.28.5-C. Stony Creek Below Black Butte, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	0.0	0.0	0.0	-0.2	0.0	0.0	0.1	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0	0.0	0.0	0.0
30%	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.1	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0

Table 5A-D2.28.5-D. Stony Creek Below Black Butte, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.28.5-E. Stony Creek Below Black Butte, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.3%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%
20%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.1%	0.0%	0.0%	-0.1%	0.0%
30%	0.0%	0.0%	0.1%	0.0%	0.2%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
40%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	-0.1%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.1%	0.0%	0.0%	0.3%	-0.1%	-0.2%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.28.5-F. Stony Creek Below Black Butte, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Critical Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Figure 5A-D2.28.1. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.28.2. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.28.3. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.28.4. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.28.5. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.28.6. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.28.7. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.28.8. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.28.9. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.28.10. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.28.11. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.28.12. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.28.13. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.28.14. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.28.15. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.28.16. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.28.17. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.28.18. Stony Creek Below Black Butte, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.28.19. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.28.20. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.28.21. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.28.22. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.28.23. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.28.24. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.28.25. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.28.26. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.28.27. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.28.28. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.28.29. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.28.30. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.28.31. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.28.32. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.28.33. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.28.34. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.28.35. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.28.36. Stony Creek Below Black Butte, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.28.37-A. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.28.37-B. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.28.37-C. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.28.37-D. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.28.38. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.28.39. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.28.40. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.28.41. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.28.42. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.28.43. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.28.44. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.28.45. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.28.46. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.28.47. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.28.48. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.28.49. Stony Creek Below Black Butte, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.29 Trinity River Above Lewiston

Table 5A-D2.29.1-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.0	50.7	49.4	47.9	48.9	50.8	49.6	48.4	50.2	51.2	51.5	51.6
20%	51.0	50.1	48.5	47.2	48.2	50.2	49.2	47.7	49.7	50.0	49.6	50.5
30%	50.5	49.7	47.9	46.8	47.6	49.8	48.9	47.0	48.9	49.4	49.0	49.5
40%	49.6	49.2	47.5	46.3	47.1	49.1	48.6	46.7	48.4	48.9	48.6	49.0
50%	49.2	48.7	47.1	46.0	46.8	47.9	48.3	46.4	48.0	48.6	48.2	48.6
60%	48.7	47.9	46.8	45.6	46.0	47.1	48.0	46.1	47.8	48.2	48.0	48.0
70%	48.2	47.6	46.4	45.4	45.5	46.1	47.6	45.9	47.4	47.9	47.7	47.8
80%	47.8	47.1	46.1	45.1	45.0	45.5	47.1	45.5	46.8	47.6	47.4	47.5
90%	47.3	46.7	45.3	44.6	44.4	44.9	46.2	45.2	46.2	47.2	46.9	46.9

Table 5A-D2.29.1-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	49.5	48.7	47.3	46.2	46.7	47.9	48.2	46.6	48.2	48.9	48.7	49.0
Wet Water Years	47.8	47.4	46.2	45.7	45.8	46.4	47.1	45.7	46.8	48.2	47.7	47.9
Above Normal Water Years	48.7	47.7	46.7	45.7	45.4	46.9	48.4	46.1	47.7	48.1	47.7	47.7
Below Normal Water Years	49.8	49.1	47.5	46.1	47.0	48.3	48.8	46.6	48.7	48.8	48.5	48.8
Dry Water Years	50.4	49.6	47.8	46.4	47.5	49.9	48.6	47.3	49.1	49.0	49.2	49.7
Critical Water Years	53.0	51.1	49.6	47.8	48.7	49.9	49.1	48.8	49.9	51.4	52.4	52.3

Table 5A-D2.29.1-C. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.0	50.6	49.3	47.9	49.4	50.8	49.6	48.4	50.2	50.9	51.5	51.6
20%	50.9	50.1	48.5	47.2	48.3	50.2	49.2	47.7	49.7	50.0	49.5	50.3
30%	50.3	49.6	47.9	46.7	47.6	49.8	49.0	47.0	48.9	49.4	49.0	49.5
40%	49.7	49.2	47.5	46.3	47.1	49.1	48.6	46.7	48.4	48.9	48.6	48.9
50%	49.2	48.7	47.1	46.0	46.7	47.9	48.3	46.4	48.0	48.6	48.2	48.6
60%	48.7	48.0	46.7	45.6	46.1	47.0	48.0	46.1	47.8	48.2	48.0	48.0
70%	48.2	47.8	46.4	45.4	45.5	46.1	47.6	45.9	47.3	47.9	47.7	47.8
80%	47.9	47.0	46.1	45.1	45.0	45.4	47.1	45.5	46.8	47.6	47.4	47.5
90%	47.2	46.7	45.3	44.6	44.4	44.9	46.2	45.2	46.2	47.2	46.9	46.9

Table 5A-D2.29.1-D. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	49.5	48.7	47.3	46.2	46.8	47.9	48.1	46.6	48.2	48.8	48.7	49.0
Wet Water Years	47.8	47.4	46.2	45.7	45.8	46.4	47.1	45.7	46.8	48.2	47.7	47.9
Above Normal Water Years	48.7	47.8	46.7	45.7	45.5	46.9	48.4	46.1	47.7	48.1	47.7	47.7
Below Normal Water Years	49.7	49.1	47.5	46.1	47.0	48.3	48.7	46.6	48.7	48.7	48.5	48.8
Dry Water Years	50.4	49.6	47.8	46.4	47.7	49.9	48.6	47.3	49.2	49.0	49.1	49.7
Critical Water Years	53.1	51.0	49.7	47.7	48.7	49.9	49.1	48.8	49.9	51.4	52.3	52.2

Table 5A-D2.29.1-E. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	-0.1	0.0	0.4	0.0	0.0	0.0	0.0	-0.2	0.0	0.0
20%	-0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.2
30%	-0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0
90%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.29.1-F. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1
Critical Water Years	0.1	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.29.1-G. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	-0.3%	-0.2%	0.0%	0.9%	0.0%	0.0%	0.0%	0.0%	-0.5%	-0.1%	0.0%
20%	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.4%
30%	-0.3%	0.0%	0.1%	-0.2%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	-0.2%	0.0%
40%	0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	-0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%
60%	0.0%	0.2%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
70%	0.0%	0.3%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	-0.1%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
90%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.29.1-H. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.1%	-0.1%	0.0%	0.0%	0.4%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.2%	-0.2%	0.0%	-0.1%	0.1%	0.1%	0.0%	0.1%	0.0%	-0.1%	-0.1%	-0.1%

Table 5A-D2.29.2-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.0	50.6	49.3	47.9	49.0	50.8	49.6	48.4	50.2	51.1	51.5	51.6
20%	50.9	50.1	48.5	47.2	48.3	50.2	49.2	47.7	49.7	50.0	49.6	50.3
30%	50.5	49.6	47.9	46.7	47.7	49.6	49.0	47.0	48.9	49.4	49.0	49.5
40%	49.6	49.2	47.5	46.3	47.1	49.1	48.6	46.7	48.4	48.8	48.6	49.0
50%	49.1	48.7	47.1	46.0	46.7	47.8	48.3	46.4	48.1	48.6	48.1	48.6
60%	48.7	48.0	46.7	45.6	46.1	47.0	48.0	46.1	47.8	48.2	48.0	48.0
70%	48.2	47.8	46.4	45.4	45.5	46.1	47.5	45.9	47.3	47.9	47.7	47.8
80%	47.9	47.1	46.1	45.1	45.0	45.5	47.1	45.5	46.8	47.6	47.4	47.5
90%	47.3	46.7	45.3	44.6	44.4	44.9	46.2	45.2	46.2	47.2	46.9	46.9

Table 5A-D2.29.2-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	49.5	48.7	47.3	46.2	46.8	47.9	48.2	46.6	48.2	48.9	48.7	49.0
Wet Water Years	47.9	47.4	46.2	45.7	45.8	46.4	47.1	45.7	46.8	48.2	47.7	47.9
Above Normal Water Years	48.7	47.8	46.7	45.7	45.5	46.9	48.4	46.1	47.7	48.1	47.7	47.7
Below Normal Water Years	49.7	49.1	47.5	46.1	47.0	48.3	48.7	46.6	48.7	48.7	48.5	48.8
Dry Water Years	50.3	49.6	47.8	46.4	47.6	49.9	48.6	47.3	49.1	49.0	49.1	49.7
Critical Water Years	53.1	51.0	49.6	47.8	48.7	49.8	49.2	48.8	49.9	51.4	52.3	52.2

Table 5A-D2.29.2-C. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	-0.1	-0.1	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
20%	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.2
30%	0.0	0.0	0.1	-0.1	0.1	-0.2	0.1	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.0
60%	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.29.2-D. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Critical Water Years	0.1	-0.1	0.0	0.0	0.0	-0.1	0.1	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.29.2-E. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0%	-0.3%	-0.1%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%
20%	-0.1%	-0.1%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.4%
30%	0.0%	0.0%	0.1%	-0.2%	0.2%	-0.4%	0.2%	0.0%	0.0%	0.0%	-0.2%	0.0%
40%	0.0%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.2%	0.0%	0.1%
50%	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%
60%	0.0%	0.2%	-0.1%	0.1%	0.1%	0.0%	-0.1%	0.0%	0.0%	-0.1%	0.0%	0.1%
70%	0.0%	0.3%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	-0.1%	0.0%	0.0%	0.0%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%
90%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.29.2-F. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.3%	-0.1%	0.0%	0.0%	0.3%	0.0%	0.2%	0.0%	0.0%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.1%	-0.2%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%

Table 5A-D2.29.3-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.2	50.6	49.1	47.9	49.1	50.8	49.6	48.4	50.1	50.7	51.5	51.6
20%	50.9	50.1	48.5	47.1	48.3	50.2	49.2	47.7	49.7	50.0	49.5	50.2
30%	50.5	49.6	47.9	46.6	47.7	49.9	49.0	47.0	48.8	49.4	49.0	49.5
40%	49.7	49.2	47.4	46.3	47.1	49.1	48.6	46.7	48.4	48.8	48.6	49.0
50%	49.1	48.7	47.1	46.0	46.7	47.9	48.3	46.4	48.1	48.6	48.1	48.7
60%	48.7	48.0	46.8	45.6	46.1	47.1	48.0	46.1	47.8	48.2	48.0	48.0
70%	48.2	47.6	46.4	45.4	45.5	46.1	47.6	45.9	47.4	47.9	47.6	47.8
80%	47.9	47.1	46.1	45.1	45.0	45.5	47.2	45.5	46.8	47.5	47.4	47.5
90%	47.3	46.7	45.4	44.6	44.4	44.9	46.2	45.1	46.2	47.2	46.9	47.0

Table 5A-D2.29.3-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	49.5	48.7	47.3	46.2	46.7	47.9	48.2	46.6	48.2	48.8	48.7	48.9
Wet Water Years	47.9	47.4	46.2	45.7	45.8	46.4	47.1	45.7	46.8	48.2	47.7	48.0
Above Normal Water Years	48.7	47.8	46.7	45.6	45.5	46.9	48.4	46.1	47.7	48.2	47.7	47.7
Below Normal Water Years	49.7	49.1	47.5	46.1	47.0	48.3	48.8	46.6	48.7	48.7	48.4	48.8
Dry Water Years	50.4	49.6	47.8	46.4	47.6	49.9	48.6	47.3	49.1	49.0	49.1	49.6
Critical Water Years	53.1	50.9	49.5	47.7	48.6	49.9	49.1	48.8	49.9	51.2	52.0	52.0

Table 5A-D2.29.3-C. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.2	-0.1	-0.2	0.0	0.1	0.0	0.0	0.0	-0.1	-0.4	0.0	0.0
20%	-0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.3
30%	0.0	0.0	0.0	-0.2	0.1	0.1	0.1	0.0	0.0	0.0	-0.1	0.0
40%	0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.1
60%	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.1	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.29.3-D. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
Wet Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	-0.1	-0.1	0.0	0.1	0.0	0.1	0.0	0.0	-0.1	-0.1	-0.1
Critical Water Years	0.1	-0.2	-0.1	-0.1	0.0	0.1	0.0	0.0	0.0	-0.2	-0.5	-0.3

Table 5A-D2.29.3-E. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.5%	-0.3%	-0.4%	0.0%	0.3%	0.0%	-0.1%	0.0%	-0.2%	-0.8%	-0.1%	-0.1%
20%	-0.1%	-0.1%	0.0%	-0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.6%
30%	0.1%	-0.1%	0.0%	-0.3%	0.2%	0.1%	0.2%	0.0%	0.0%	0.0%	-0.2%	0.0%
40%	0.1%	-0.2%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	0.1%
50%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%
60%	0.0%	0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.0%
90%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%

Table 5A-D2.29.3-F. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	-0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	-0.2%	-0.1%	0.0%	0.3%	0.0%	0.2%	0.0%	0.1%	-0.1%	-0.2%	-0.2%
Critical Water Years	0.1%	-0.4%	-0.2%	-0.1%	-0.1%	0.1%	0.0%	0.1%	0.0%	-0.4%	-0.9%	-0.6%

Table 5A-D2.29.4-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.2	50.6	49.2	47.9	49.1	50.8	49.6	48.4	50.1	50.7	51.5	51.6
20%	50.9	50.0	48.5	47.1	48.3	50.3	49.2	47.7	49.7	50.0	49.6	50.4
30%	50.3	49.6	47.9	46.6	47.7	49.9	49.0	47.0	48.9	49.5	49.0	49.4
40%	49.5	49.2	47.4	46.3	47.1	49.1	48.6	46.7	48.5	48.8	48.6	49.0
50%	49.1	48.7	47.1	46.0	46.7	47.9	48.3	46.4	48.1	48.6	48.1	48.7
60%	48.7	47.9	46.7	45.7	46.0	47.1	48.0	46.1	47.8	48.1	48.0	48.0
70%	48.2	47.7	46.4	45.4	45.5	46.2	47.6	45.9	47.4	47.9	47.6	47.8
80%	47.9	47.1	46.1	45.2	45.0	45.5	47.2	45.5	46.8	47.6	47.4	47.5
90%	47.2	46.7	45.4	44.6	44.4	44.9	46.2	45.1	46.2	47.2	46.9	46.9

Table 5A-D2.29.4-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	49.4	48.7	47.3	46.2	46.7	48.0	48.2	46.6	48.2	48.8	48.6	48.9
Wet Water Years	47.8	47.5	46.2	45.7	45.8	46.4	47.1	45.7	46.8	48.2	47.7	47.9
Above Normal Water Years	48.7	47.7	46.7	45.7	45.5	46.9	48.4	46.1	47.7	48.1	47.7	47.7
Below Normal Water Years	49.7	49.0	47.5	46.2	47.0	48.4	48.8	46.6	48.7	48.7	48.4	48.8
Dry Water Years	50.3	49.6	47.8	46.4	47.6	49.9	48.6	47.3	49.2	48.9	49.1	49.6
Critical Water Years	53.1	50.9	49.5	47.7	48.6	49.9	49.1	48.8	49.9	51.2	51.9	52.0

Table 5A-D2.29.4-C. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.2	-0.1	-0.2	0.0	0.2	0.0	0.0	0.0	-0.1	-0.5	0.0	0.0
20%	-0.1	-0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.1
30%	-0.2	0.0	0.0	-0.1	0.1	0.1	0.1	0.0	0.0	0.0	-0.1	-0.1
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	0.0	0.0
50%	0.0	0.0	-0.1	0.0	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.1
60%	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.1	0.1	-0.1	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
90%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.29.4-D. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	-0.1	0.0	0.1	0.0	0.1	0.0	0.1	-0.1	-0.1	-0.2
Critical Water Years	0.1	-0.2	-0.2	-0.1	0.0	0.1	0.0	0.0	0.0	-0.2	-0.5	-0.3

Table 5A-D2.29.4-E. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.5%	-0.3%	-0.4%	0.0%	0.3%	0.0%	0.0%	0.0%	-0.3%	-1.0%	-0.1%	-0.1%
20%	-0.1%	-0.4%	0.0%	-0.1%	0.1%	0.1%	0.1%	0.1%	0.0%	0.1%	0.0%	-0.2%
30%	-0.4%	-0.1%	0.0%	-0.3%	0.3%	0.1%	0.2%	0.0%	0.1%	0.1%	-0.2%	-0.1%
40%	-0.2%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	-0.2%	0.0%	0.0%
50%	-0.1%	-0.1%	-0.1%	0.0%	-0.1%	-0.2%	0.0%	0.0%	0.2%	-0.1%	-0.1%	0.2%
60%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%	-0.2%	0.0%	0.0%
70%	-0.1%	0.0%	0.0%	-0.1%	0.1%	0.3%	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%
80%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.1%	0.0%	0.0%
90%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%

Table 5A-D2.29.4-F. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	-0.1%	-0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	-0.2%	0.0%	0.2%	0.0%	0.1%	0.0%	0.2%	-0.3%	-0.2%	-0.3%
Critical Water Years	0.1%	-0.4%	-0.4%	-0.2%	-0.1%	0.2%	0.1%	0.1%	0.0%	-0.4%	-0.9%	-0.6%

Table 5A-D2.29.5-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.2	50.6	49.1	47.9	49.1	50.8	49.6	48.4	50.1	50.7	51.5	51.6
20%	51.0	50.1	48.5	47.1	48.3	50.2	49.2	47.7	49.7	50.0	49.5	50.2
30%	50.5	49.6	47.9	46.6	47.7	49.8	49.0	47.0	48.8	49.4	49.0	49.5
40%	49.7	49.2	47.4	46.3	47.1	49.1	48.6	46.7	48.4	48.8	48.6	49.0
50%	49.1	48.7	47.1	46.0	46.7	47.9	48.3	46.4	48.1	48.6	48.1	48.7
60%	48.7	47.9	46.8	45.6	46.1	47.1	48.0	46.1	47.8	48.2	48.0	48.0
70%	48.2	47.6	46.4	45.4	45.5	46.1	47.6	45.9	47.4	47.9	47.6	47.8
80%	47.9	47.1	46.1	45.1	45.0	45.5	47.2	45.5	46.8	47.6	47.4	47.5
90%	47.3	46.7	45.4	44.6	44.4	44.9	46.2	45.2	46.2	47.2	46.9	47.0

Table 5A-D2.29.5-B. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	49.5	48.7	47.3	46.2	46.7	47.9	48.2	46.6	48.2	48.8	48.7	48.9
Wet Water Years	47.9	47.4	46.2	45.7	45.8	46.4	47.1	45.7	46.8	48.2	47.7	48.0
Above Normal Water Years	48.7	47.8	46.7	45.6	45.5	46.9	48.4	46.1	47.7	48.2	47.7	47.7
Below Normal Water Years	49.7	49.1	47.5	46.1	47.0	48.3	48.8	46.6	48.7	48.7	48.4	48.8
Dry Water Years	50.4	49.6	47.8	46.4	47.6	49.9	48.6	47.3	49.1	49.0	49.1	49.6
Critical Water Years	53.1	50.9	49.5	47.7	48.6	49.9	49.1	48.8	49.9	51.2	52.0	52.0

Table 5A-D2.29.5-C. Trinity River Above Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.2	-0.1	-0.2	0.0	0.1	0.0	0.0	0.0	-0.1	-0.4	0.0	0.0
20%	-0.1	-0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.3
30%	0.0	0.0	0.0	-0.2	0.1	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
40%	0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	-0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.1	0.0	0.0	0.1
60%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	-0.1	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.29.5-D. Trinity River Above Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
Wet Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	-0.1	0.0	0.1	0.0	0.1	0.0	0.0	-0.1	-0.1	-0.1
Critical Water Years	0.1	-0.2	-0.1	-0.1	0.0	0.1	0.0	0.0	0.0	-0.2	-0.5	-0.3

Table 5A-D2.29.5-E. Trinity River Above Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.5%	-0.3%	-0.4%	0.0%	0.3%	0.0%	-0.1%	0.0%	-0.2%	-0.8%	-0.1%	-0.1%
20%	-0.1%	-0.1%	0.0%	-0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.6%
30%	0.1%	-0.1%	0.0%	-0.3%	0.2%	0.1%	0.2%	0.0%	0.0%	0.0%	-0.2%	0.0%
40%	0.1%	-0.2%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	0.1%
50%	-0.1%	0.0%	0.0%	0.0%	-0.1%	-0.2%	0.0%	0.0%	0.2%	0.0%	0.0%	0.2%
60%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.1%
70%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.2%	0.0%	0.0%	0.0%	-0.1%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.1%	0.0%
90%	0.0%	-0.1%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.2%

Table 5A-D2.29.5-F. Trinity River Above Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	-0.1%	-0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	-0.2%	-0.1%	0.0%	0.3%	0.0%	0.2%	0.0%	0.1%	-0.1%	-0.2%	-0.2%
Critical Water Years	0.1%	-0.4%	-0.2%	-0.1%	-0.1%	0.1%	0.0%	0.1%	0.0%	-0.4%	-0.9%	-0.6%

Figure 5A-D2.29.1. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.29.2. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.29.3. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Above Normal Water Years, No Project Alternatives




Figure 5A-D2.29.4. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.29.5. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.29.6. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.29.7. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.29.8. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.29.9. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.29.10. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.29.11. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.29.12. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.29.13. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.29.14. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.29.15. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.29.16. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.29.17. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.29.18. Trinity River Above Lewiston, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.29.19. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.29.20. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.29.21. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.29.22. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.29.23. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.29.24. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.29.25. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.29.26. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.29.27. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.29.28. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.29.29. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.29.30. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.29.31. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.29.32. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.29.33. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.29.34. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.29.35. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.29.36. Trinity River Above Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.29.37-A. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.29.37-B. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.29.37-C. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.29.37-D. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.29.38. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.29.39. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.29.40. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.29.41. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.29.42. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.29.43. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.29.44. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.29.45. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.29.46. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.29.47. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.29.48. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.29.49. Trinity River Above Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.30 Trinity River Below Lewiston

Table 5A-D2.30.1-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.7	51.0	49.1	47.9	49.4	52.0	51.2	49.2	51.3	52.2	52.5	52.8
20%	51.8	50.5	48.6	47.3	48.7	51.1	50.6	48.3	50.6	51.5	50.5	51.1
30%	51.2	50.0	47.9	46.7	47.8	50.6	50.2	47.5	49.6	50.6	50.0	50.4
40%	50.5	49.7	47.6	46.2	47.3	49.9	50.0	47.2	49.3	50.1	49.3	49.8
50%	49.8	49.1	47.1	46.0	46.8	48.6	49.6	46.9	48.9	49.5	49.0	49.3
60%	49.1	48.4	46.7	45.6	46.4	47.6	49.3	46.6	48.5	49.0	48.7	48.7
70%	48.7	47.9	46.5	45.4	45.6	46.5	48.9	46.3	48.1	48.7	48.4	48.2
80%	48.5	47.3	46.1	45.1	45.1	45.8	47.9	45.9	47.6	48.4	48.1	48.0
90%	47.6	46.9	45.4	44.6	44.5	45.2	47.0	45.6	46.7	48.0	47.6	47.5

Table 5A-D2.30.1-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.1	49.0	47.3	46.2	47.0	48.6	49.3	47.1	49.0	49.8	49.5	49.7
Wet Water Years	48.4	47.8	46.3	45.7	46.1	46.9	48.0	46.1	47.5	49.3	48.6	48.7
Above Normal Water Years	49.3	48.0	46.7	45.7	45.6	47.4	49.7	46.6	48.6	49.1	48.4	48.1
Below Normal Water Years	50.5	49.5	47.6	46.1	47.2	49.1	50.1	47.2	49.7	49.8	49.2	49.4
Dry Water Years	51.1	49.9	47.9	46.4	47.7	50.7	49.9	47.9	50.1	49.9	49.8	50.4
Critical Water Years	53.9	51.5	49.5	47.7	49.0	50.9	50.3	49.5	50.7	52.1	53.2	53.1

Table 5A-D2.30.1-C. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.8	51.0	49.1	47.9	49.5	52.0	51.2	49.2	51.3	52.1	52.5	52.8
20%	51.6	50.5	48.5	47.3	48.8	51.1	50.6	48.3	50.7	51.4	50.5	51.0
30%	51.2	49.9	47.9	46.6	47.8	50.6	50.2	47.5	49.7	50.6	49.7	50.4
40%	50.5	49.7	47.6	46.2	47.4	49.9	50.0	47.2	49.3	50.1	49.3	49.8
50%	49.8	49.1	47.1	46.0	46.9	48.6	49.6	46.9	48.9	49.4	49.0	49.3
60%	49.1	48.4	46.7	45.6	46.4	47.7	49.2	46.6	48.5	49.0	48.7	48.7
70%	48.7	47.9	46.5	45.4	45.6	46.5	48.8	46.3	48.1	48.7	48.4	48.2
80%	48.5	47.3	46.1	45.1	45.1	45.8	47.9	45.9	47.6	48.4	48.0	48.0
90%	47.6	46.9	45.4	44.6	44.5	45.2	47.0	45.6	46.7	48.0	47.5	47.5

Table 5A-D2.30.1-D. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.1	49.0	47.3	46.2	47.0	48.6	49.3	47.1	49.0	49.8	49.5	49.6
Wet Water Years	48.5	47.8	46.3	45.7	46.0	46.9	48.0	46.1	47.5	49.3	48.6	48.7
Above Normal Water Years	49.3	48.0	46.7	45.7	45.7	47.4	49.7	46.6	48.6	49.1	48.4	48.1
Below Normal Water Years	50.4	49.5	47.6	46.1	47.3	49.1	50.1	47.2	49.7	49.7	49.2	49.4
Dry Water Years	51.0	49.9	47.9	46.4	47.9	50.8	49.9	47.9	50.2	49.9	49.8	50.3
Critical Water Years	54.0	51.4	49.5	47.7	49.0	50.9	50.2	49.6	50.7	52.1	53.1	53.0

Table 5A-D2.30.1-E. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	-0.1	0.0	0.0
20%	-0.2	0.0	-0.1	0.0	0.1	0.0	0.1	0.0	0.0	-0.1	0.0	-0.1
30%	0.0	-0.1	0.0	-0.1	0.1	0.0	0.0	0.0	0.0	0.0	-0.3	0.0
40%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.30.1-F. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	-0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	-0.1	-0.1
Critical Water Years	0.1	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1	-0.1

Table 5A-D2.30.1-G. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.0%	0.1%	0.0%	0.2%	0.0%	-0.1%	0.0%	0.1%	-0.3%	-0.1%	0.0%
20%	-0.3%	0.0%	-0.2%	0.0%	0.1%	0.0%	0.1%	0.0%	0.1%	-0.3%	0.0%	-0.2%
30%	0.0%	-0.2%	-0.1%	-0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.5%	0.0%
40%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.0%	0.2%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%

Table 5A-D2.30.1-H. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%
Wet Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.1%	-0.1%	0.0%	0.0%	0.4%	0.1%	0.0%	0.0%	0.2%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.2%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	-0.1%	-0.1%	-0.1%

Table 5A-D2.30.2-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.8	51.0	49.0	47.9	49.4	52.0	51.2	49.2	51.3	52.2	52.5	52.8
20%	51.7	50.6	48.5	47.3	48.8	51.1	50.7	48.3	50.7	51.4	50.5	51.0
30%	51.2	49.9	48.0	46.7	47.8	50.5	50.2	47.5	49.7	50.6	49.7	50.4
40%	50.4	49.7	47.6	46.2	47.4	49.9	50.0	47.2	49.3	50.1	49.2	49.9
50%	49.8	49.1	47.1	46.0	46.9	48.6	49.6	46.9	48.9	49.5	48.9	49.3
60%	49.1	48.4	46.7	45.6	46.4	47.6	49.3	46.6	48.5	49.0	48.7	48.7
70%	48.8	47.9	46.5	45.4	45.6	46.5	48.8	46.3	48.1	48.7	48.4	48.2
80%	48.5	47.3	46.1	45.1	45.1	45.8	47.9	45.9	47.6	48.4	48.0	48.0
90%	47.8	46.9	45.4	44.5	44.5	45.2	47.0	45.6	46.7	48.0	47.6	47.5

Table 5A-D2.30.2-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.1	49.0	47.3	46.2	47.0	48.6	49.3	47.1	49.0	49.8	49.5	49.6
Wet Water Years	48.5	47.8	46.3	45.7	46.0	46.9	48.0	46.1	47.5	49.3	48.6	48.7
Above Normal Water Years	49.3	48.0	46.7	45.7	45.7	47.4	49.7	46.6	48.6	49.1	48.4	48.1
Below Normal Water Years	50.4	49.5	47.6	46.1	47.2	49.1	50.1	47.2	49.7	49.7	49.2	49.5
Dry Water Years	50.9	49.9	47.9	46.4	47.8	50.7	50.0	47.9	50.1	49.9	49.8	50.3
Critical Water Years	53.9	51.4	49.5	47.7	49.0	50.8	50.3	49.6	50.7	52.1	53.1	53.0

Table 5A-D2.30.2-C. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20%	-0.1	0.1	-0.1	0.0	0.1	0.0	0.1	0.0	0.0	-0.1	0.0	-0.1
30%	0.0	-0.1	0.1	-0.1	0.1	-0.1	0.1	0.0	0.0	0.0	-0.3	0.0
40%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.30.2-D. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.2	-0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	-0.1	-0.1
Critical Water Years	0.1	-0.1	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.30.2-E. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%
20%	-0.2%	0.2%	-0.1%	0.0%	0.1%	0.0%	0.2%	0.0%	0.1%	-0.2%	0.1%	-0.2%
30%	0.0%	-0.2%	0.1%	-0.2%	0.1%	-0.2%	0.1%	0.0%	0.1%	0.0%	-0.5%	0.0%
40%	-0.2%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.1%	-0.1%	-0.2%	0.0%
60%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	-0.1%	0.0%	0.0%	0.0%
80%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
90%	0.3%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.30.2-F. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%
Wet Water Years	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%
Dry Water Years	-0.3%	-0.1%	0.0%	0.0%	0.3%	0.0%	0.2%	0.0%	0.1%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.2%	-0.2%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	-0.1%	-0.1%

Table 5A-D2.30.3-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.9	51.1	49.0	48.0	49.5	52.0	51.2	49.2	51.4	52.1	52.2	52.8
20%	51.7	50.5	48.6	47.2	48.8	51.1	50.6	48.3	50.7	51.1	50.5	51.0
30%	51.3	49.9	47.9	46.5	47.8	50.6	50.2	47.6	49.6	50.6	49.7	50.4
40%	50.5	49.7	47.5	46.2	47.4	49.9	50.0	47.2	49.3	50.1	49.3	49.9
50%	49.7	49.1	47.1	46.0	46.9	48.6	49.6	46.9	48.9	49.4	48.9	49.3
60%	49.1	48.3	46.7	45.6	46.4	47.6	49.3	46.6	48.5	49.0	48.7	48.7
70%	48.8	47.9	46.5	45.4	45.6	46.5	48.8	46.3	48.1	48.7	48.4	48.2
80%	48.5	47.3	46.1	45.1	45.1	45.8	48.2	45.9	47.6	48.4	48.1	48.0
90%	47.8	46.9	45.4	44.5	44.5	45.2	46.9	45.6	46.7	48.0	47.5	47.6

Table 5A-D2.30.3-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.2	49.0	47.3	46.2	47.0	48.6	49.3	47.1	49.0	49.8	49.4	49.6
Wet Water Years	48.5	47.8	46.3	45.7	46.1	46.9	48.0	46.1	47.5	49.3	48.6	48.8
Above Normal Water Years	49.4	48.0	46.7	45.6	45.7	47.4	49.7	46.6	48.6	49.1	48.4	48.2
Below Normal Water Years	50.4	49.5	47.6	46.1	47.3	49.1	50.1	47.2	49.7	49.7	49.2	49.4
Dry Water Years	51.0	49.9	47.9	46.4	47.8	50.7	50.0	47.9	50.2	49.9	49.7	50.3
Critical Water Years	54.0	51.3	49.4	47.7	49.0	50.9	50.3	49.6	50.7	51.9	52.7	52.8

Table 5A-D2.30.3-C. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.3	0.0
20%	-0.1	0.0	-0.1	-0.1	0.1	0.0	0.1	0.0	0.0	-0.4	0.0	-0.1
30%	0.1	-0.1	0.0	-0.2	0.1	0.0	0.0	0.1	-0.1	0.0	-0.3	0.0
40%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
90%	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.30.3-D. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
Wet Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	-0.1	-0.1	0.0	0.2	0.0	0.1	0.0	0.1	0.0	-0.1	-0.1
Critical Water Years	0.1	-0.2	-0.1	-0.1	0.0	0.0	0.0	0.1	0.0	-0.2	-0.5	-0.3

Table 5A-D2.30.3-E. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.4%	0.2%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%	-0.3%	-0.5%	0.0%
20%	-0.2%	0.0%	-0.1%	-0.2%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.8%	0.0%	-0.3%
30%	0.2%	-0.2%	-0.1%	-0.4%	0.1%	0.0%	0.1%	0.1%	-0.2%	0.0%	-0.5%	0.0%
40%	0.0%	0.0%	-0.1%	0.0%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
50%	-0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.1%	-0.2%	-0.2%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.6%	0.0%	-0.1%	0.0%	0.0%	0.0%
90%	0.3%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.1%

Table 5A-D2.30.3-F. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	-0.1%	0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	0.0%
Dry Water Years	-0.2%	-0.2%	-0.1%	0.0%	0.3%	0.0%	0.2%	0.0%	0.1%	-0.1%	-0.2%	-0.2%
Critical Water Years	0.2%	-0.4%	-0.2%	-0.1%	-0.1%	0.1%	0.0%	0.1%	0.1%	-0.4%	-0.9%	-0.5%

Table 5A-D2.30.4-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.9	51.0	49.0	48.0	49.5	52.0	51.3	49.2	51.3	52.1	52.1	52.8
20%	51.9	50.5	48.6	47.2	48.8	51.2	50.6	48.3	50.5	51.1	50.5	51.0
30%	51.2	49.9	48.0	46.6	47.9	50.6	50.2	47.5	49.7	50.6	49.7	50.4
40%	50.5	49.7	47.6	46.3	47.4	50.0	50.0	47.2	49.3	50.1	49.2	49.8
50%	49.8	49.0	47.1	46.0	46.9	48.6	49.6	46.9	48.9	49.4	48.9	49.3
60%	49.1	48.3	46.8	45.6	46.4	47.8	49.3	46.6	48.5	48.9	48.7	48.7
70%	48.7	47.9	46.5	45.3	45.6	46.6	48.8	46.3	48.1	48.7	48.4	48.2
80%	48.4	47.4	46.1	45.1	45.1	45.8	48.2	45.9	47.5	48.4	48.0	48.0
90%	47.6	46.9	45.4	44.6	44.5	45.2	47.0	45.6	46.7	47.9	47.5	47.5

Table 5A-D2.30.4-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.1	49.0	47.3	46.2	47.0	48.7	49.4	47.1	49.0	49.8	49.4	49.6
Wet Water Years	48.4	47.8	46.3	45.7	46.1	46.9	48.0	46.1	47.5	49.3	48.6	48.8
Above Normal Water Years	49.3	48.0	46.7	45.7	45.7	47.4	49.7	46.6	48.6	49.0	48.4	48.1
Below Normal Water Years	50.4	49.4	47.6	46.1	47.2	49.1	50.2	47.2	49.7	49.7	49.2	49.4
Dry Water Years	51.0	49.9	47.9	46.4	47.8	50.7	50.0	47.9	50.2	49.7	49.7	50.2
Critical Water Years	54.0	51.3	49.3	47.6	48.9	51.0	50.3	49.6	50.7	51.9	52.7	52.8

Table 5A-D2.30.4-C. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	-0.1	-0.4	0.0
20%	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	-0.1	-0.4	0.1	-0.1
30%	0.0	0.0	0.1	-0.2	0.1	0.0	0.0	0.0	0.0	0.0	-0.3	0.0
40%	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0
50%	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	-0.1	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.2	-0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.0	-0.1	0.0	-0.1	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.30.4-D. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	0.0	-0.1	0.0	0.2	0.0	0.1	0.0	0.1	-0.2	-0.1	-0.2
Critical Water Years	0.1	-0.2	-0.2	-0.1	0.0	0.1	0.1	0.0	0.0	-0.2	-0.5	-0.3

Table 5A-D2.30.4-E. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.4%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.3%	-0.7%	0.0%
20%	0.1%	-0.1%	-0.1%	-0.1%	0.2%	0.2%	0.1%	0.0%	-0.2%	-0.7%	0.1%	-0.2%
30%	0.0%	0.0%	0.1%	-0.4%	0.1%	0.0%	0.1%	0.1%	0.1%	0.0%	-0.6%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.2%	0.2%	0.1%	0.0%	0.1%	0.0%	-0.1%	0.0%
50%	0.0%	-0.2%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.0%	-0.2%	-0.1%	0.0%
60%	0.0%	0.0%	0.1%	0.0%	0.0%	0.4%	0.0%	0.0%	0.1%	-0.1%	-0.1%	0.0%
70%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.3%	-0.1%	0.0%	0.0%	-0.1%	-0.1%	0.0%
80%	0.0%	0.2%	0.0%	0.1%	0.0%	0.0%	0.6%	0.0%	-0.1%	0.0%	-0.1%	-0.1%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%

Table 5A-D2.30.4-F. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	-0.1%	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%	0.1%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	-0.1%	-0.2%	0.0%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	0.0%	-0.1%	0.0%	0.3%	0.0%	0.2%	0.0%	0.2%	-0.3%	-0.2%	-0.4%
Critical Water Years	0.2%	-0.4%	-0.3%	-0.2%	-0.1%	0.1%	0.1%	0.1%	0.1%	-0.4%	-0.9%	-0.6%

Table 5A-D2.30.5-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	52.9	51.1	49.0	48.0	49.5	52.0	51.2	49.2	51.4	52.1	52.2	52.8
20%	51.7	50.5	48.6	47.2	48.8	51.1	50.6	48.3	50.7	51.2	50.5	51.0
30%	51.3	49.9	47.9	46.5	47.8	50.6	50.2	47.6	49.6	50.6	49.7	50.4
40%	50.5	49.7	47.5	46.2	47.4	49.9	50.0	47.2	49.3	50.1	49.3	49.9
50%	49.7	49.1	47.1	46.0	46.9	48.6	49.6	46.9	48.9	49.4	48.9	49.3
60%	49.1	48.3	46.8	45.6	46.4	47.6	49.3	46.6	48.5	49.0	48.7	48.7
70%	48.8	47.9	46.5	45.4	45.6	46.5	48.8	46.3	48.1	48.7	48.4	48.2
80%	48.5	47.3	46.1	45.1	45.1	45.8	48.2	45.9	47.6	48.4	48.1	48.0
90%	47.8	46.9	45.4	44.5	44.5	45.2	47.0	45.6	46.7	48.0	47.6	47.6

Table 5A-D2.30.5-B. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	50.2	49.0	47.3	46.2	47.0	48.6	49.3	47.1	49.0	49.8	49.4	49.6
Wet Water Years	48.5	47.8	46.3	45.7	46.1	46.9	48.0	46.1	47.5	49.3	48.6	48.8
Above Normal Water Years	49.4	48.0	46.7	45.6	45.7	47.4	49.7	46.6	48.6	49.1	48.4	48.1
Below Normal Water Years	50.4	49.5	47.6	46.1	47.3	49.1	50.1	47.2	49.7	49.7	49.2	49.4
Dry Water Years	51.0	49.9	47.9	46.4	47.8	50.7	50.0	47.9	50.2	49.9	49.7	50.3
Critical Water Years	54.0	51.3	49.4	47.7	49.0	50.9	50.3	49.6	50.7	51.9	52.7	52.8

Table 5A-D2.30.5-C. Trinity River Below Lewiston, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	-0.1	-0.3	0.0
20%	-0.1	0.0	-0.1	-0.1	0.1	0.0	0.1	0.0	0.0	-0.4	0.0	-0.1
30%	0.1	-0.1	0.0	-0.2	0.1	0.0	0.0	0.0	-0.1	0.0	-0.3	0.0
40%	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0
90%	0.1	0.0	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1

Table 5A-D2.30.5-D. Trinity River Below Lewiston, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
Wet Water Years	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
Dry Water Years	-0.1	-0.1	-0.1	0.0	0.2	0.0	0.1	0.0	0.1	0.0	-0.1	-0.1
Critical Water Years	0.1	-0.2	-0.1	-0.1	0.0	0.0	0.0	0.1	0.0	-0.2	-0.5	-0.3

Table 5A-D2.30.5-E. Trinity River Below Lewiston, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.4%	0.2%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.3%	-0.3%	-0.5%	0.0%
20%	-0.2%	0.0%	-0.1%	-0.2%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.7%	0.0%	-0.3%
30%	0.2%	-0.2%	-0.1%	-0.4%	0.1%	0.0%	0.0%	0.1%	-0.2%	0.0%	-0.5%	0.1%
40%	0.0%	0.0%	-0.1%	0.0%	0.2%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%	0.1%	0.0%	0.1%	-0.2%	-0.2%	0.0%
60%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%
70%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%	0.0%	-0.1%	0.0%	0.0%	0.0%
90%	0.3%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%

Table 5A-D2.30.5-F. Trinity River Below Lewiston, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.3%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	-0.1%	0.1%
Above Normal Water Years	0.0%	0.0%	0.0%	-0.1%	0.2%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%
Dry Water Years	-0.2%	-0.2%	-0.1%	0.0%	0.3%	0.0%	0.2%	0.0%	0.1%	-0.1%	-0.2%	-0.2%
Critical Water Years	0.2%	-0.4%	-0.2%	-0.1%	-0.1%	0.1%	0.0%	0.1%	0.1%	-0.4%	-0.9%	-0.5%

Figure 5A-D2.30.1. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.30.2. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.30.3. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.30.4. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.30.5. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.30.6. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.30.7. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.30.8. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.30.9. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.30.10. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.30.11. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.30.12. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.30.13. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.30.14. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.30.15. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.30.16. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.30.17. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.30.18. Trinity River Below Lewiston, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.30.19. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.30.20. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.30.21. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.30.22. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.30.23. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.30.24. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.30.25. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.30.26. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.30.27. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.30.28. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.30.29. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.30.30. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.30.31. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.30.32. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.30.33. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.30.34. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.30.35. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.30.36. Trinity River Below Lewiston, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.30.37-A. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.30.37-B. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.30.37-C. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.30.37-D. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.30.38. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.30.39. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.30.40. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.30.41. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.30.42. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.30.43. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.30.44. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.30.45. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.30.46. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.30.47. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.30.48. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.30.49. Trinity River Below Lewiston, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.31 Trinity River Below Trinity Dam

Table 5A-D2.31.1-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	49.4	49.2	48.7	46.5	45.9	45.8	45.7	46.0	46.5	47.6	48.9	49.4
20%	48.5	48.6	47.6	46.1	45.6	45.5	45.4	45.5	46.2	46.7	47.2	48.1
30%	47.8	47.9	47.1	45.7	45.0	45.1	45.2	45.2	45.8	46.0	46.7	47.3
40%	47.4	47.6	46.7	45.3	44.8	45.0	44.9	45.0	45.4	45.8	46.2	46.8
50%	46.8	46.9	46.4	45.1	44.6	44.7	44.7	44.7	45.2	45.5	45.9	46.3
60%	46.5	46.7	46.1	45.0	44.4	44.4	44.4	44.6	45.0	45.3	45.5	46.1
70%	46.1	46.3	45.8	44.7	44.1	44.1	44.1	44.2	44.7	45.0	45.3	45.8
80%	45.6	45.7	45.6	44.5	43.8	43.8	44.0	43.9	44.3	44.6	45.0	45.5
90%	45.2	45.2	45.0	44.0	43.4	43.4	43.7	43.6	43.9	44.3	44.6	44.9

Table 5A-D2.31.1-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), No Project Alternative

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	47.1	47.2	46.7	45.4	44.7	44.7	44.7	44.8	45.3	45.8	46.3	46.7
Wet Water Years	45.7	45.9	45.7	44.8	44.1	44.0	44.1	44.1	44.5	44.8	45.0	45.4
Above Normal Water Years	46.4	46.6	46.1	44.9	44.2	44.4	44.6	44.5	44.9	45.2	45.5	46.0
Below Normal Water Years	47.2	47.4	46.6	45.3	44.7	44.8	44.9	44.9	45.3	45.7	46.1	46.7
Dry Water Years	48.1	48.2	47.3	45.7	45.2	45.3	45.1	45.3	45.8	46.3	47.0	47.7
Critical Water Years	50.0	49.6	49.5	47.0	46.1	45.9	45.9	46.3	47.3	48.7	49.9	49.9

Table 5A-D2.31.1-C. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	49.4	49.2	48.6	46.5	45.9	45.8	45.7	46.0	46.5	47.6	48.8	49.4
20%	48.4	48.6	47.5	46.1	45.6	45.5	45.4	45.5	46.2	46.6	47.1	47.8
30%	47.8	47.9	47.1	45.7	45.0	45.1	45.2	45.2	45.8	46.0	46.7	47.3
40%	47.3	47.5	46.7	45.3	44.8	45.0	45.0	45.0	45.4	45.8	46.2	46.8
50%	46.7	46.9	46.4	45.1	44.6	44.7	44.7	44.7	45.2	45.5	45.9	46.3
60%	46.5	46.7	46.1	45.0	44.4	44.4	44.4	44.6	45.0	45.3	45.5	46.0
70%	46.1	46.3	45.8	44.7	44.1	44.1	44.1	44.2	44.7	45.1	45.3	45.8
80%	45.6	45.8	45.6	44.4	43.8	43.8	44.0	44.0	44.3	44.6	45.0	45.5
90%	45.2	45.2	45.0	44.0	43.4	43.4	43.7	43.6	43.9	44.3	44.6	44.9

Table 5A-D2.31.1-D. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	47.1	47.2	46.7	45.4	44.7	44.7	44.7	44.8	45.3	45.8	46.3	46.7
Wet Water Years	45.7	45.9	45.7	44.8	44.1	44.0	44.1	44.1	44.5	44.8	45.0	45.4
Above Normal Water Years	46.4	46.6	46.2	44.9	44.2	44.4	44.6	44.5	44.9	45.2	45.5	46.0
Below Normal Water Years	47.2	47.4	46.6	45.3	44.7	44.8	44.8	44.9	45.3	45.7	46.1	46.7
Dry Water Years	48.1	48.1	47.3	45.7	45.3	45.3	45.1	45.3	45.8	46.2	46.9	47.6
Critical Water Years	50.0	49.6	49.5	47.0	46.1	45.9	45.9	46.4	47.3	48.7	49.9	49.8

Table 5A-D2.31.1-E. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.0	0.0	-0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
20%	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.3
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.31.1-F. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.31.1-G. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	-0.1%	-0.1%	-0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.1%	0.0%
20%	-0.2%	-0.1%	-0.2%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.2%	-0.6%
30%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%
40%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	-0.1%
50%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%

Table 5A-D2.31.1-H. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2b/4b (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.0%	-0.1%	-0.1%	-0.1%

Table 5A-D2.31.2-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	49.4	49.2	48.6	46.5	45.9	45.8	45.8	46.0	46.5	47.6	48.8	49.4
20%	48.4	48.6	47.6	46.1	45.6	45.5	45.4	45.5	46.2	46.6	47.1	47.8
30%	47.8	47.9	47.1	45.7	45.0	45.1	45.2	45.2	45.8	46.0	46.7	47.3
40%	47.3	47.5	46.7	45.3	44.8	45.0	45.0	45.0	45.4	45.7	46.2	46.8
50%	46.7	46.9	46.4	45.1	44.6	44.7	44.8	44.7	45.2	45.5	45.9	46.3
60%	46.5	46.7	46.1	45.0	44.4	44.4	44.4	44.6	45.0	45.3	45.5	46.0
70%	46.1	46.3	45.8	44.7	44.1	44.1	44.1	44.2	44.7	45.1	45.3	45.8
80%	45.6	45.7	45.6	44.4	43.8	43.8	44.0	43.9	44.3	44.6	45.0	45.5
90%	45.2	45.2	45.0	44.0	43.4	43.5	43.7	43.6	44.0	44.3	44.6	44.9

Table 5A-D2.31.2-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	47.1	47.2	46.7	45.4	44.7	44.7	44.7	44.8	45.3	45.8	46.3	46.7
Wet Water Years	45.8	45.9	45.7	44.8	44.1	44.0	44.1	44.1	44.5	44.8	45.0	45.4
Above Normal Water Years	46.4	46.6	46.2	44.9	44.2	44.4	44.6	44.5	44.9	45.2	45.5	46.0
Below Normal Water Years	47.2	47.4	46.7	45.3	44.7	44.8	44.8	44.9	45.3	45.7	46.1	46.7
Dry Water Years	48.0	48.1	47.3	45.7	45.3	45.3	45.1	45.3	45.8	46.2	46.9	47.6
Critical Water Years	50.0	49.6	49.5	47.0	46.1	45.9	45.9	46.4	47.3	48.7	49.9	49.8

Table 5A-D2.31.2-C. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
20%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.3
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Table 5A-D2.31.2-D. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
Critical Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1

Table 5A-D2.31.2-E. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.2%	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.1%	0.0%	0.0%	0.1%	-0.1%	0.0%
20%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.2%	-0.6%
30%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	0.0%
40%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%	-0.1%
50%	0.0%	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%
80%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%

Table 5A-D2.31.2-F. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2c/4c (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.1%
Critical Water Years	0.0%	-0.1%	0.0%	0.0%	0.1%	0.1%	0.1%	0.1%	0.0%	-0.1%	-0.2%	-0.1%

Table 5A-D2.31.3-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	49.4	49.2	48.6	46.5	45.9	45.8	45.8	46.0	46.5	47.5	48.7	49.3
20%	48.4	48.6	47.5	46.1	45.6	45.5	45.4	45.5	46.1	46.6	47.1	47.9
30%	47.8	47.9	47.1	45.7	45.0	45.1	45.2	45.2	45.8	46.0	46.6	47.3
40%	47.3	47.6	46.7	45.3	44.8	45.0	45.0	45.0	45.4	45.7	46.2	46.8
50%	46.7	46.9	46.4	45.1	44.6	44.7	44.8	44.8	45.2	45.5	45.9	46.3
60%	46.5	46.7	46.1	45.0	44.4	44.4	44.4	44.6	45.0	45.3	45.5	46.0
70%	46.1	46.3	45.8	44.7	44.1	44.1	44.1	44.2	44.7	45.0	45.3	45.8
80%	45.6	45.7	45.6	44.5	43.8	43.8	44.0	43.9	44.3	44.6	45.0	45.4
90%	45.2	45.2	45.0	44.0	43.4	43.5	43.7	43.7	44.0	44.3	44.6	44.9

Table 5A-D2.31.3-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	47.1	47.1	46.7	45.4	44.7	44.7	44.7	44.8	45.3	45.8	46.2	46.7
Wet Water Years	45.8	45.9	45.7	44.8	44.1	44.0	44.1	44.1	44.5	44.8	45.0	45.4
Above Normal Water Years	46.5	46.6	46.2	44.9	44.2	44.4	44.6	44.5	44.9	45.2	45.5	46.0
Below Normal Water Years	47.2	47.3	46.6	45.3	44.7	44.8	44.9	44.9	45.3	45.7	46.1	46.7
Dry Water Years	48.0	48.1	47.2	45.7	45.3	45.3	45.1	45.3	45.8	46.2	46.9	47.6
Critical Water Years	49.8	49.5	49.4	47.0	46.1	45.9	45.9	46.3	47.2	48.5	49.5	49.6

Table 5A-D2.31.3-C. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1	-0.1	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.1	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.3
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0

Table 5A-D2.31.3-D. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1
Critical Water Years	-0.2	-0.1	-0.1	0.0	0.0	0.1	0.0	0.0	-0.1	-0.2	-0.4	-0.3

Table 5A-D2.31.3-E. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	-0.2%	-0.2%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.3%	-0.1%
20%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	-0.2%	-0.6%
30%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%
40%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	0.0%	-0.1%
50%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%

Table 5A-D2.31.3-F. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 1/3 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.2%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.2%	-0.2%
Critical Water Years	-0.3%	-0.3%	-0.3%	0.0%	0.1%	0.1%	0.1%	0.0%	-0.1%	-0.5%	-0.9%	-0.6%

Table 5A-D2.31.4-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	49.4	49.2	48.6	46.5	45.9	45.8	45.7	46.0	46.5	47.6	48.6	49.4
20%	48.4	48.6	47.5	46.1	45.6	45.5	45.4	45.5	46.2	46.6	47.1	47.8
30%	47.8	47.9	47.1	45.7	45.0	45.1	45.2	45.2	45.8	46.0	46.6	47.3
40%	47.2	47.5	46.7	45.3	44.8	45.0	45.0	45.0	45.4	45.7	46.1	46.7
50%	46.7	46.9	46.4	45.1	44.6	44.7	44.8	44.8	45.2	45.5	45.9	46.3
60%	46.5	46.7	46.1	45.0	44.4	44.4	44.4	44.6	45.0	45.3	45.6	46.1
70%	46.1	46.3	45.8	44.7	44.1	44.1	44.1	44.2	44.7	45.0	45.3	45.8
80%	45.6	45.7	45.6	44.5	43.8	43.8	44.0	43.9	44.3	44.6	45.0	45.5
90%	45.2	45.2	45.0	44.0	43.4	43.5	43.7	43.6	44.0	44.3	44.6	44.9

Table 5A-D2.31.4-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	47.0	47.1	46.7	45.4	44.7	44.7	44.7	44.8	45.3	45.8	46.2	46.7
Wet Water Years	45.8	45.9	45.7	44.8	44.1	44.0	44.1	44.1	44.5	44.8	45.0	45.4
Above Normal Water Years	46.4	46.6	46.2	44.9	44.2	44.4	44.6	44.5	44.9	45.2	45.5	46.0
Below Normal Water Years	47.2	47.3	46.7	45.3	44.7	44.8	44.9	44.9	45.3	45.7	46.1	46.7
Dry Water Years	48.0	48.1	47.2	45.7	45.2	45.3	45.1	45.3	45.8	46.2	46.9	47.6
Critical Water Years	49.8	49.5	49.3	46.9	46.1	45.9	45.9	46.3	47.2	48.4	49.5	49.6

Table 5A-D2.31.4-C. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.2	0.0
20%	-0.1	0.0	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.3
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	-0.2	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	-0.1
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0

Table 5A-D2.31.4-D. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1
Critical Water Years	-0.2	-0.1	-0.2	-0.1	0.0	0.0	0.0	0.0	-0.1	-0.3	-0.5	-0.3

Table 5A-D2.31.4-E. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.2%	-0.1%	-0.1%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.5%	0.0%
20%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	-0.2%	-0.2%	-0.6%
30%	0.0%	-0.1%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%
40%	-0.4%	-0.1%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	-0.1%	-0.2%
50%	0.0%	0.1%	-0.1%	0.0%	0.1%	0.1%	0.1%	0.1%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
70%	-0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%

Table 5A-D2.31.4-F. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 2a/4a (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.2%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.3%	-0.2%
Critical Water Years	-0.3%	-0.3%	-0.5%	-0.1%	0.0%	0.1%	0.1%	0.0%	-0.2%	-0.6%	-1.0%	-0.7%

Table 5A-D2.31.5-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	49.4	49.2	48.6	46.5	45.9	45.8	45.8	46.0	46.5	47.5	48.7	49.3
20%	48.4	48.6	47.6	46.1	45.6	45.5	45.4	45.5	46.1	46.6	47.1	47.9
30%	47.8	47.9	47.1	45.7	45.0	45.1	45.2	45.2	45.8	46.0	46.6	47.3
40%	47.3	47.6	46.7	45.3	44.8	45.0	45.0	45.0	45.4	45.7	46.2	46.8
50%	46.7	46.9	46.4	45.1	44.6	44.7	44.8	44.8	45.2	45.5	45.9	46.3
60%	46.5	46.7	46.1	45.0	44.4	44.4	44.4	44.6	45.0	45.3	45.5	46.0
70%	46.1	46.3	45.8	44.7	44.1	44.1	44.1	44.2	44.7	45.0	45.3	45.8
80%	45.6	45.7	45.6	44.5	43.8	43.8	44.0	43.9	44.3	44.6	45.0	45.4
90%	45.2	45.2	45.0	44.0	43.4	43.5	43.7	43.7	44.0	44.3	44.6	44.9

Table 5A-D2.31.5-B. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040)

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	47.1	47.1	46.7	45.4	44.7	44.7	44.7	44.8	45.3	45.8	46.2	46.7
Wet Water Years	45.8	45.9	45.7	44.8	44.1	44.0	44.1	44.1	44.5	44.8	45.0	45.4
Above Normal Water Years	46.5	46.6	46.2	44.9	44.2	44.4	44.6	44.5	44.9	45.2	45.5	46.0
Below Normal Water Years	47.2	47.3	46.6	45.3	44.7	44.8	44.9	44.9	45.3	45.7	46.1	46.7
Dry Water Years	48.0	48.1	47.2	45.7	45.3	45.3	45.1	45.3	45.8	46.2	46.9	47.6
Critical Water Years	49.8	49.5	49.4	47.0	46.1	45.9	45.9	46.3	47.2	48.5	49.5	49.6

Table 5A-D2.31.5-C. Trinity River Below Trinity Dam, Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1	-0.1	-0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	-0.2	0.0
20%	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.3
30%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0
40%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	0.0	0.0
50%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
60%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
70%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
80%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1
90%	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0

Table 5A-D2.31.5-D. Trinity River Below Trinity Dam, Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1
Wet Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Above Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Below Normal Water Years	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Dry Water Years	-0.1	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	0.0	-0.1	-0.1	-0.1
Critical Water Years	-0.2	-0.1	-0.1	0.0	0.0	0.0	0.0	0.0	-0.1	-0.2	-0.4	-0.3

Table 5A-D2.31.5-E. Trinity River Below Trinity Dam, Percent Difference in Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Probability of Exceedance	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
10%	0.1%	-0.2%	-0.2%	0.0%	0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.3%	-0.1%
20%	-0.1%	-0.1%	-0.1%	-0.1%	0.0%	0.1%	0.0%	0.0%	-0.1%	-0.2%	-0.2%	-0.5%
30%	0.0%	0.0%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	0.0%
40%	-0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	-0.2%	0.0%	-0.1%
50%	0.0%	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%
60%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
70%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
80%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%
90%	0.0%	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.1%	0.2%	0.0%	0.0%	0.0%

Table 5A-D2.31.5-F. Trinity River Below Trinity Dam, Percent Difference in Monthly Average Temperature (degree Fahrenheit), Alternative 5 (2040) minus No Project Alternatives

Average	Oct	Nov	Dec	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep
Full Simulation Period	-0.1%	-0.1%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.2%	-0.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Above Normal Water Years	0.0%	0.0%	0.0%	0.0%	0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Below Normal Water Years	0.0%	-0.1%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Dry Water Years	-0.2%	-0.2%	-0.2%	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.1%	-0.2%	-0.2%
Critical Water Years	-0.3%	-0.3%	-0.2%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%	-0.5%	-0.9%	-0.6%

Figure 5A-D2.31.1. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Full Simulation Period, No Project Alternatives




Figure 5A-D2.31.2. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Wet Water Years, No Project Alternatives




Figure 5A-D2.31.3. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.31.4. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Below Normal Water Years, No Project Alternatives




Figure 5A-D2.31.5. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Dry Water Years, No Project Alternatives




Figure 5A-D2.31.6. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for Critical Water Years, No Project Alternatives




Figure 5A-D2.31.7. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternatives




Figure 5A-D2.31.8. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternatives




Figure 5A-D2.31.9. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternatives




Figure 5A-D2.31.10. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternatives




Figure 5A-D2.31.11. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternatives




Figure 5A-D2.31.12. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternatives




Figure 5A-D2.31.13. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.31.14. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.31.15. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.31.16. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.31.17. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.31.18. Trinity River Below Trinity Dam, Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternatives





Figure 5A-D2.31.19. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) versus No Project Alternatives







Figure 5A-D2.31.20. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 1/3 (2040) and Alternative 2a/4a (2040) versus No Project Alternatives






Figure 5A-D2.31.21. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Full Simulation Period, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.31.22. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.31.23. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.31.24. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Wet Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.31.25. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.31.26. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.31.27. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Above Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.31.28. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.31.29. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.31.30. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Below Normal Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.31.31. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.31.32. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.31.33. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Dry Water Years, Alternative 5 (2040) vs No Project Alternatives





Figure 5A-D2.31.34. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 2b/4b (2040) and Alternative 2c/4c (2040) vs No Project Alternatives







Figure 5A-D2.31.35. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 1/3 (2040) and Alternative 2a/4a (2040) vs No Project Alternatives






Figure 5A-D2.31.36. Trinity River Below Trinity Dam, Temperature Box and Whisker Plot (degree Fahrenheit) for Critical Water Years, Alternative 5 (2040) vs No Project Alternatives






Figure 5A-D2.31.37-A. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.31.37-B. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.31.37-C. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative










Figure 5A-D2.31.37-D. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit), No Project Alternative








Figure 5A-D2.31.38. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for October, No Project Alternative




Figure 5A-D2.31.39. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for November, No Project Alternative




Figure 5A-D2.31.40. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for December, No Project Alternative




Figure 5A-D2.31.41. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for January, No Project Alternative




Figure 5A-D2.31.42. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for February, No Project Alternative




Figure 5A-D2.31.43. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for March, No Project Alternative




Figure 5A-D2.31.44. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for April, No Project Alternative




Figure 5A-D2.31.45. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for May, No Project Alternative




Figure 5A-D2.31.46. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for June, No Project Alternative




Figure 5A-D2.31.47. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for July, No Project Alternative




Figure 5A-D2.31.48. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for August, No Project Alternative





Figure 5A-D2.31.49. Trinity River Below Trinity Dam, Exceedance Probabilities for Monthly Average Temperature (degree Fahrenheit) for September, No Project Alternative



D.32 Shasta Cold Water Pool Storage

Table 5A-D2.32.1-A. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	1,796.3	1,494.4	1,064.2	648.1	335.6	152.7	74.7
Wet Water Years	2,242.8	1,926.8	1,459.2	952.5	528.9	242.6	114.1
Above Normal Water Years	2,222.6	1,861.3	1,280.3	778.1	422.4	205.0	108.4
Below Normal Water Years	1,852.9	1,524.4	1,038.9	602.2	297.6	138.0	70.6
Dry Water Years	1,367.6	1,050.7	687.2	366.0	159.8	59.5	23.7
Critical Water Years	626.2	482.4	310.1	142.4	26.8	7.1	3.6

Table 5A-D2.32.1-B. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2b/4b (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	1,803.0	1,501.1	1,070.0	652.0	337.4	152.9	74.9
Wet Water Years	2,242.3	1,926.8	1,458.5	951.6	527.6	242.3	114.6
Above Normal Water Years	2,217.5	1,856.0	1,278.7	776.7	420.2	203.4	108.2
Below Normal Water Years	1,856.2	1,528.7	1,045.3	606.0	298.9	137.4	70.0
Dry Water Years	1,409.0	1,089.2	715.7	386.1	173.0	63.8	25.2
Critical Water Years	628.8	484.9	312.0	144.2	27.7	7.0	3.5

Table 5A-D2.32.1-C. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-6.7	-6.8	-5.9	-3.8	-1.8	-0.2	-0.2
Wet Water Years	0.5	0.0	0.7	0.9	1.3	0.3	-0.5
Above Normal Water Years	5.1	5.3	1.6	1.4	2.2	1.6	0.1
Below Normal Water Years	-3.3	-4.3	-6.4	-3.8	-1.3	0.6	0.6
Dry Water Years	-41.4	-38.5	-28.5	-20.1	-13.2	-4.4	-1.5
Critical Water Years	-2.6	-2.5	-1.9	-1.9	-0.9	0.1	0.0

Table 5A-D2.32.1-D. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.4%	-0.5%	-0.6%	-0.6%	-0.5%	-0.1%	-0.3%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.2%	0.1%	-0.4%
Above Normal Water Years	0.2%	0.3%	0.1%	0.2%	0.5%	0.8%	0.1%
Below Normal Water Years	-0.2%	-0.3%	-0.6%	-0.6%	-0.4%	0.4%	0.8%
Dry Water Years	-3.0%	-3.7%	-4.1%	-5.5%	-8.3%	-7.4%	-6.4%
Critical Water Years	-0.4%	-0.5%	-0.6%	-1.3%	-3.4%	1.4%	1.3%

Table 5A-D2.32.1-E. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,582.3	2,277.6	1,765.5	1,169.0	643.8	324.0	158.7
Wet Water Years	2,782.8	2,506.1	2,038.7	1,449.4	868.9	439.6	199.5
Above Normal Water Years	2,906.5	2,600.4	1,983.6	1,297.7	720.5	372.5	190.6
Below Normal Water Years	2,765.9	2,446.9	1,869.3	1,223.8	671.2	350.8	184.4
Dry Water Years	2,456.8	2,090.1	1,539.7	942.2	454.2	206.2	98.7
Critical Water Years	1,536.7	1,259.1	889.4	447.3	129.1	49.2	25.4

Table 5A-D2.32.1-F. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2b/4b (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,589.2	2,284.9	1,771.2	1,173.8	647.4	325.7	159.9
Wet Water Years	2,783.1	2,506.3	2,037.7	1,448.7	867.9	439.7	200.6
Above Normal Water Years	2,907.8	2,599.1	1,984.0	1,294.3	714.2	366.9	188.8
Below Normal Water Years	2,768.3	2,450.5	1,873.1	1,226.7	673.5	350.8	185.0
Dry Water Years	2,486.6	2,124.4	1,566.5	968.7	478.2	220.5	104.1
Critical Water Years	1,548.2	1,268.9	897.1	451.9	131.7	49.6	25.6

Table 5A-D2.32.1-G. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-6.8	-7.3	-5.7	-4.8	-3.6	-1.7	-1.2
Wet Water Years	-0.3	-0.2	1.0	0.7	1.0	-0.1	-1.2
Above Normal Water Years	-1.3	1.2	-0.3	3.4	6.3	5.6	1.8
Below Normal Water Years	-2.5	-3.6	-3.8	-2.9	-2.4	0.0	-0.6
Dry Water Years	-29.8	-34.3	-26.8	-26.5	-23.9	-14.4	-5.4
Critical Water Years	-11.5	-9.8	-7.7	-4.7	-2.7	-0.4	-0.2

Table 5A-D2.32.1-H. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.3%	-0.3%	-0.3%	-0.4%	-0.6%	-0.5%	-0.8%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.6%
Above Normal Water Years	0.0%	0.0%	0.0%	0.3%	0.9%	1.5%	0.9%
Below Normal Water Years	-0.1%	-0.1%	-0.2%	-0.2%	-0.4%	0.0%	-0.3%
Dry Water Years	-1.2%	-1.6%	-1.7%	-2.8%	-5.3%	-7.0%	-5.5%
Critical Water Years	-0.7%	-0.8%	-0.9%	-1.0%	-2.1%	-0.9%	-0.9%

Table 5A-D2.32.1-I. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,913.0	2,605.5	2,090.9	1,475.3	913.6	538.3	291.4
Wet Water Years	3,137.3	2,841.2	2,363.3	1,744.6	1,130.8	659.3	326.5
Above Normal Water Years	3,191.1	2,893.5	2,294.2	1,603.8	992.0	565.6	299.8
Below Normal Water Years	3,085.2	2,785.7	2,223.2	1,575.9	999.6	630.7	370.2
Dry Water Years	2,780.9	2,419.1	1,870.3	1,280.8	763.6	428.3	227.1
Critical Water Years	1,868.3	1,568.2	1,160.1	647.4	246.1	113.2	74.6

Table 5A-D2.32.1-J. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2b/4b (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,920.0	2,613.2	2,097.1	1,480.5	917.6	540.7	293.4
Wet Water Years	3,137.6	2,841.2	2,362.0	1,743.8	1,130.2	659.3	327.8
Above Normal Water Years	3,192.6	2,892.7	2,295.9	1,601.6	984.4	556.1	294.4
Below Normal Water Years	3,088.3	2,790.2	2,227.6	1,579.2	1,001.7	630.5	370.5
Dry Water Years	2,808.5	2,453.7	1,897.8	1,307.5	789.6	450.3	240.0
Critical Water Years	1,882.5	1,579.4	1,169.3	653.8	250.0	113.8	74.7

Table 5A-D2.32.1-K. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-7.0	-7.8	-6.2	-5.2	-4.0	-2.4	-2.0
Wet Water Years	-0.3	0.0	1.3	0.7	0.6	0.0	-1.3
Above Normal Water Years	-1.5	0.8	-1.7	2.2	7.6	9.4	5.5
Below Normal Water Years	-3.1	-4.5	-4.4	-3.3	-2.1	0.2	-0.4
Dry Water Years	-27.6	-34.5	-27.5	-26.8	-26.0	-22.0	-13.0
Critical Water Years	-14.2	-11.3	-9.2	-6.4	-3.9	-0.6	-0.2

Table 5A-D2.32.1-L. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.2%	-0.3%	-0.3%	-0.4%	-0.4%	-0.4%	-0.7%
Wet Water Years	0.0%	0.0%	0.1%	0.0%	0.1%	0.0%	-0.4%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.8%	1.7%	1.8%
Below Normal Water Years	-0.1%	-0.2%	-0.2%	-0.2%	-0.2%	0.0%	-0.1%
Dry Water Years	-1.0%	-1.4%	-1.5%	-2.1%	-3.4%	-5.1%	-5.7%
Critical Water Years	-0.8%	-0.7%	-0.8%	-1.0%	-1.6%	-0.6%	-0.2%

Table 5A-D2.32.1-M. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,141.4	2,808.5	2,296.9	1,674.6	1,103.7	722.4	448.6
Wet Water Years	3,388.6	3,076.9	2,601.1	1,966.9	1,336.9	858.5	490.2
Above Normal Water Years	3,458.3	3,087.3	2,496.3	1,799.8	1,184.9	752.0	438.4
Below Normal Water Years	3,315.0	2,985.6	2,430.7	1,784.0	1,209.9	847.7	575.5
Dry Water Years	2,963.6	2,600.2	2,056.6	1,474.0	963.7	626.7	387.6
Critical Water Years	2,055.1	1,720.9	1,301.4	773.4	334.6	166.3	109.9

Table 5A-D2.32.1-N. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2b/4b (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,148.4	2,816.1	2,303.1	1,679.9	1,108.0	725.3	451.5
Wet Water Years	3,388.5	3,076.7	2,599.6	1,965.9	1,336.0	858.6	491.5
Above Normal Water Years	3,460.3	3,086.8	2,498.7	1,798.2	1,177.9	742.1	430.9
Below Normal Water Years	3,319.0	2,990.5	2,435.4	1,787.5	1,212.5	848.1	576.7
Dry Water Years	2,989.6	2,632.5	2,083.4	1,500.1	989.5	650.2	406.4
Critical Water Years	2,070.1	1,732.9	1,310.7	780.8	340.2	167.3	109.9

Table 5A-D2.32.1-O. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-7.1	-7.6	-6.2	-5.3	-4.3	-2.8	-2.9
Wet Water Years	0.1	0.2	1.5	1.0	0.8	-0.1	-1.2
Above Normal Water Years	-1.9	0.4	-2.4	1.6	7.0	9.9	7.5
Below Normal Water Years	-4.1	-4.8	-4.7	-3.6	-2.6	-0.5	-1.2
Dry Water Years	-26.0	-32.2	-26.8	-26.1	-25.8	-23.5	-18.9
Critical Water Years	-15.1	-12.0	-9.3	-7.3	-5.6	-1.0	0.0

Table 5A-D2.32.1-P. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.2%	-0.3%	-0.3%	-0.3%	-0.4%	-0.4%	-0.6%
Wet Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	-0.2%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	0.6%	1.3%	1.7%
Below Normal Water Years	-0.1%	-0.2%	-0.2%	-0.2%	-0.2%	-0.1%	-0.2%
Dry Water Years	-0.9%	-1.2%	-1.3%	-1.8%	-2.7%	-3.7%	-4.9%
Critical Water Years	-0.7%	-0.7%	-0.7%	-0.9%	-1.7%	-0.6%	0.0%

Table 5A-D2.32.1-Q. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,345.3	2,969.7	2,461.6	1,837.2	1,260.1	876.7	598.5
Wet Water Years	3,618.9	3,268.2	2,796.5	2,157.0	1,515.8	1,035.9	658.1
Above Normal Water Years	3,679.0	3,247.5	2,661.8	1,962.4	1,344.6	913.4	589.6
Below Normal Water Years	3,536.0	3,140.5	2,591.7	1,946.4	1,373.4	1,016.0	749.0
Dry Water Years	3,107.4	2,739.4	2,202.4	1,623.6	1,117.7	783.6	540.0
Critical Water Years	2,207.4	1,838.9	1,410.8	876.6	414.3	218.2	145.5

Table 5A-D2.32.1-R. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2b/4b (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,352.5	2,976.9	2,467.6	1,842.4	1,264.4	879.6	601.8
Wet Water Years	3,618.6	3,267.8	2,794.7	2,155.7	1,514.6	1,035.9	659.3
Above Normal Water Years	3,684.5	3,247.2	2,664.6	1,961.2	1,338.0	903.8	581.9
Below Normal Water Years	3,539.6	3,145.7	2,596.7	1,950.1	1,376.2	1,016.7	750.7
Dry Water Years	3,132.2	2,768.4	2,227.6	1,648.5	1,142.5	806.5	561.4
Critical Water Years	2,223.0	1,851.3	1,420.0	884.4	421.4	219.7	145.4

Table 5A-D2.32.1-S. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-7.1	-7.2	-6.0	-5.2	-4.4	-2.9	-3.4
Wet Water Years	0.2	0.4	1.7	1.3	1.1	0.0	-1.2
Above Normal Water Years	-5.5	0.3	-2.9	1.2	6.5	9.6	7.8
Below Normal Water Years	-3.6	-5.2	-5.0	-3.7	-2.8	-0.7	-1.7
Dry Water Years	-24.8	-29.1	-25.2	-24.9	-24.8	-22.9	-21.5
Critical Water Years	-15.6	-12.5	-9.2	-7.8	-7.1	-1.6	0.1

Table 5A-D2.32.1-T. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.2%	-0.2%	-0.2%	-0.3%	-0.3%	-0.3%	-0.6%
Wet Water Years	0.0%	0.0%	0.1%	0.1%	0.1%	0.0%	-0.2%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	0.5%	1.1%	1.3%
Below Normal Water Years	-0.1%	-0.2%	-0.2%	-0.2%	-0.2%	-0.1%	-0.2%
Dry Water Years	-0.8%	-1.1%	-1.1%	-1.5%	-2.2%	-2.9%	-4.0%
Critical Water Years	-0.7%	-0.7%	-0.7%	-0.9%	-1.7%	-0.7%	0.1%

Table 5A-D2.32.1-U. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,533.4	3,112.7	2,609.3	1,984.4	1,402.4	1,016.4	767.8
Wet Water Years	3,817.8	3,438.3	2,972.6	2,330.9	1,681.8	1,200.9	850.7
Above Normal Water Years	3,850.2	3,393.1	2,812.7	2,114.3	1,492.6	1,062.9	771.1
Below Normal Water Years	3,725.5	3,279.3	2,733.2	2,089.6	1,516.4	1,162.5	940.8
Dry Water Years	3,308.4	2,859.0	2,334.3	1,756.7	1,253.0	920.8	702.5
Critical Water Years	2,360.1	1,941.6	1,510.2	971.7	493.4	269.4	191.0

Table 5A-D2.32.1-V. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2b/4b (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,539.8	3,119.7	2,615.1	1,989.4	1,406.7	1,019.3	771.3
Wet Water Years	3,815.2	3,437.9	2,970.7	2,329.5	1,680.4	1,200.7	851.8
Above Normal Water Years	3,853.4	3,393.0	2,815.8	2,113.2	1,486.4	1,053.4	763.1
Below Normal Water Years	3,729.0	3,284.8	2,738.5	2,093.5	1,519.5	1,163.3	942.7
Dry Water Years	3,334.7	2,886.0	2,357.9	1,780.2	1,276.4	942.7	724.8
Critical Water Years	2,376.5	1,954.5	1,519.4	979.9	501.9	271.8	190.6

Table 5A-D2.32.1-W. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-6.4	-7.0	-5.8	-5.0	-4.3	-2.8	-3.4
Wet Water Years	2.6	0.5	1.8	1.4	1.4	0.2	-1.1
Above Normal Water Years	-3.2	0.2	-3.1	1.1	6.2	9.4	8.0
Below Normal Water Years	-3.5	-5.5	-5.2	-3.9	-3.0	-0.8	-1.8
Dry Water Years	-26.3	-27.0	-23.6	-23.5	-23.5	-21.9	-22.3
Critical Water Years	-16.5	-12.8	-9.2	-8.1	-8.5	-2.4	0.4

Table 5A-D2.32.1-X. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2b/4b (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.2%	-0.2%	-0.2%	-0.3%	-0.3%	-0.3%	-0.4%
Wet Water Years	0.1%	0.0%	0.1%	0.1%	0.1%	0.0%	-0.1%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.0%	0.4%	0.9%	1.0%
Below Normal Water Years	-0.1%	-0.2%	-0.2%	-0.2%	-0.2%	-0.1%	-0.2%
Dry Water Years	-0.8%	-0.9%	-1.0%	-1.3%	-1.9%	-2.4%	-3.2%
Critical Water Years	-0.7%	-0.7%	-0.6%	-0.8%	-1.7%	-0.9%	0.2%

Table 5A-D2.32.2-A. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2c/4c (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	1,801.7	1,500.0	1,069.3	651.7	337.5	153.5	75.6
Wet Water Years	2,241.3	1,926.2	1,458.4	951.7	529.2	244.0	116.1
Above Normal Water Years	2,218.0	1,858.2	1,281.2	779.4	422.1	205.3	109.2
Below Normal Water Years	1,857.6	1,529.7	1,046.0	605.7	297.4	136.8	70.5
Dry Water Years	1,405.0	1,083.6	711.1	384.0	171.8	63.3	25.1
Critical Water Years	622.6	480.6	309.1	142.7	27.3	7.0	3.5

Table 5A-D2.32.2-B. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-5.4	-5.6	-5.2	-3.6	-1.9	-0.8	-0.9
Wet Water Years	1.4	0.6	0.8	0.8	-0.3	-1.4	-1.9
Above Normal Water Years	4.6	3.1	-0.9	-1.4	0.3	-0.3	-0.8
Below Normal Water Years	-4.7	-5.3	-7.1	-3.5	0.2	1.2	0.1
Dry Water Years	-37.4	-32.9	-23.9	-18.0	-12.0	-3.8	-1.4
Critical Water Years	3.7	1.8	1.1	-0.3	-0.5	0.1	0.0

Table 5A-D2.32.2-C. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.3%	-0.4%	-0.5%	-0.5%	-0.6%	-0.5%	-1.2%
Wet Water Years	0.1%	0.0%	0.1%	0.1%	-0.1%	-0.6%	-1.7%
Above Normal Water Years	0.2%	0.2%	-0.1%	-0.2%	0.1%	-0.2%	-0.7%
Below Normal Water Years	-0.3%	-0.3%	-0.7%	-0.6%	0.1%	0.9%	0.2%
Dry Water Years	-2.7%	-3.1%	-3.5%	-4.9%	-7.5%	-6.4%	-5.8%
Critical Water Years	0.6%	0.4%	0.3%	-0.2%	-1.9%	1.1%	1.3%

Table 5A-D2.32.2-D. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2c/4c (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,589.5	2,285.6	1,771.7	1,173.9	647.2	326.0	160.4
Wet Water Years	2,782.3	2,505.9	2,037.7	1,448.4	868.8	441.2	202.0
Above Normal Water Years	2,906.2	2,598.4	1,983.5	1,294.6	714.4	368.5	190.3
Below Normal Water Years	2,769.9	2,451.6	1,874.4	1,227.0	671.6	349.1	184.1
Dry Water Years	2,489.2	2,128.7	1,567.9	969.5	478.5	221.0	104.7
Critical Water Years	1,547.7	1,268.6	896.2	452.0	131.7	49.8	25.7

Table 5A-D2.32.2-E. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-7.1	-8.0	-6.1	-4.9	-3.5	-2.0	-1.7
Wet Water Years	0.5	0.2	1.0	1.0	0.1	-1.6	-2.5
Above Normal Water Years	0.3	1.9	0.2	3.1	6.0	4.0	0.3
Below Normal Water Years	-4.0	-4.7	-5.1	-3.3	-0.4	1.7	0.3
Dry Water Years	-32.4	-38.6	-28.2	-27.3	-24.3	-14.8	-6.0
Critical Water Years	-11.0	-9.6	-6.9	-4.8	-2.6	-0.6	-0.3

Table 5A-D2.32.2-F. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.3%	-0.4%	-0.3%	-0.4%	-0.5%	-0.6%	-1.1%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	-0.4%	-1.3%
Above Normal Water Years	0.0%	0.1%	0.0%	0.2%	0.8%	1.1%	0.2%
Below Normal Water Years	-0.1%	-0.2%	-0.3%	-0.3%	-0.1%	0.5%	0.2%
Dry Water Years	-1.3%	-1.8%	-1.8%	-2.9%	-5.4%	-7.2%	-6.1%
Critical Water Years	-0.7%	-0.8%	-0.8%	-1.1%	-2.0%	-1.3%	-1.1%

Table 5A-D2.32.2-G. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2c/4c (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,920.3	2,614.1	2,097.6	1,480.8	917.5	541.1	294.2
Wet Water Years	3,137.4	2,841.0	2,362.3	1,743.7	1,131.0	660.5	329.1
Above Normal Water Years	3,191.3	2,892.2	2,295.1	1,601.4	983.9	556.7	295.9
Below Normal Water Years	3,089.5	2,791.1	2,228.8	1,579.5	999.7	629.1	370.2
Dry Water Years	2,810.4	2,458.2	1,899.7	1,309.2	790.9	451.6	242.1
Critical Water Years	1,881.5	1,579.5	1,168.5	654.0	250.7	114.5	74.9

Table 5A-D2.32.2-H. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-7.3	-8.6	-6.7	-5.5	-3.9	-2.8	-2.8
Wet Water Years	0.0	0.1	1.0	0.9	-0.2	-1.3	-2.6
Above Normal Water Years	-0.2	1.3	-0.9	2.4	8.1	8.9	3.9
Below Normal Water Years	-4.3	-5.4	-5.6	-3.6	0.0	1.6	0.0
Dry Water Years	-29.5	-39.1	-29.4	-28.4	-27.3	-23.3	-15.0
Critical Water Years	-13.2	-11.3	-8.4	-6.6	-4.6	-1.3	-0.3

Table 5A-D2.32.2-I. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.3%	-0.3%	-0.3%	-0.4%	-0.4%	-0.5%	-1.0%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.8%
Above Normal Water Years	0.0%	0.0%	0.0%	0.1%	0.8%	1.6%	1.3%
Below Normal Water Years	-0.1%	-0.2%	-0.3%	-0.2%	0.0%	0.3%	0.0%
Dry Water Years	-1.1%	-1.6%	-1.6%	-2.2%	-3.6%	-5.4%	-6.6%
Critical Water Years	-0.7%	-0.7%	-0.7%	-1.0%	-1.9%	-1.1%	-0.4%

Table 5A-D2.32.2-J. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2c/4c (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,148.6	2,817.0	2,303.8	1,680.2	1,107.9	725.7	452.5
Wet Water Years	3,387.9	3,076.7	2,600.1	1,965.9	1,336.9	859.9	492.9
Above Normal Water Years	3,459.0	3,086.3	2,497.8	1,798.0	1,177.1	741.9	431.9
Below Normal Water Years	3,320.3	2,991.3	2,436.6	1,787.7	1,210.2	846.6	576.5
Dry Water Years	2,991.5	2,637.3	2,085.7	1,501.8	990.8	651.7	409.1
Critical Water Years	2,069.2	1,733.2	1,310.1	780.9	341.1	168.6	110.3

Table 5A-D2.32.2-K. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-7.2	-8.5	-6.8	-5.6	-4.2	-3.2	-3.9
Wet Water Years	0.7	0.2	1.1	1.0	-0.1	-1.3	-2.6
Above Normal Water Years	-0.6	1.0	-1.6	1.8	7.8	10.1	6.5
Below Normal Water Years	-5.3	-5.7	-5.8	-3.7	-0.4	1.0	-1.0
Dry Water Years	-27.9	-37.1	-29.1	-27.8	-27.1	-25.0	-21.5
Critical Water Years	-14.2	-12.3	-8.8	-7.4	-6.4	-2.3	-0.4

Table 5A-D2.32.2-L. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.2%	-0.3%	-0.3%	-0.3%	-0.4%	-0.4%	-0.9%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	-0.2%	-0.5%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.7%	1.3%	1.5%
Below Normal Water Years	-0.2%	-0.2%	-0.2%	-0.2%	0.0%	0.1%	-0.2%
Dry Water Years	-0.9%	-1.4%	-1.4%	-1.9%	-2.8%	-4.0%	-5.6%
Critical Water Years	-0.7%	-0.7%	-0.7%	-1.0%	-1.9%	-1.4%	-0.4%

Table 5A-D2.32.2-M. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2c/4c (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,352.7	2,977.8	2,468.3	1,842.7	1,264.3	880.0	602.9
Wet Water Years	3,617.4	3,267.9	2,795.3	2,155.8	1,515.6	1,037.2	660.8
Above Normal Water Years	3,681.6	3,246.8	2,663.8	1,961.0	1,337.1	903.2	582.1
Below Normal Water Years	3,542.8	3,146.3	2,597.8	1,950.2	1,373.8	1,015.1	750.4
Dry Water Years	3,133.2	2,773.5	2,230.1	1,650.3	1,143.8	808.1	564.2
Critical Water Years	2,221.7	1,851.8	1,419.8	884.4	422.3	221.5	146.5

Table 5A-D2.32.2-N. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-7.3	-8.2	-6.7	-5.5	-4.2	-3.3	-4.4
Wet Water Years	1.4	0.2	1.1	1.2	0.1	-1.2	-2.7
Above Normal Water Years	-2.6	0.8	-2.0	1.5	7.5	10.2	7.5
Below Normal Water Years	-6.8	-5.9	-6.0	-3.8	-0.4	1.0	-1.5
Dry Water Years	-25.9	-34.1	-27.7	-26.8	-26.0	-24.5	-24.2
Critical Water Years	-14.3	-12.9	-9.0	-7.8	-8.0	-3.3	-1.0

Table 5A-D2.32.2-O. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.2%	-0.3%	-0.3%	-0.3%	-0.3%	-0.4%	-0.7%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.4%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	0.6%	1.1%	1.3%
Below Normal Water Years	-0.2%	-0.2%	-0.2%	-0.2%	0.0%	0.1%	-0.2%
Dry Water Years	-0.8%	-1.2%	-1.3%	-1.6%	-2.3%	-3.1%	-4.5%
Critical Water Years	-0.6%	-0.7%	-0.6%	-0.9%	-1.9%	-1.5%	-0.7%

Table 5A-D2.32.2-P. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2c/4c (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,540.5	3,120.7	2,615.9	1,989.7	1,406.5	1,019.7	772.4
Wet Water Years	3,815.8	3,438.1	2,971.3	2,329.6	1,681.5	1,202.0	853.3
Above Normal Water Years	3,852.2	3,392.5	2,814.9	2,113.1	1,485.3	1,052.8	763.0
Below Normal Water Years	3,730.3	3,285.4	2,739.5	2,093.5	1,516.8	1,161.5	942.3
Dry Water Years	3,336.7	2,891.3	2,360.5	1,782.2	1,277.7	944.3	727.6
Critical Water Years	2,376.1	1,954.9	1,519.4	979.8	502.6	273.8	192.7

Table 5A-D2.32.2-Q. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-7.1	-8.0	-6.6	-5.3	-4.2	-3.2	-4.5
Wet Water Years	1.9	0.2	1.2	1.3	0.3	-1.1	-2.6
Above Normal Water Years	-2.0	0.6	-2.2	1.2	7.3	10.1	8.1
Below Normal Water Years	-4.9	-6.1	-6.2	-3.9	-0.4	1.0	-1.5
Dry Water Years	-28.2	-32.3	-26.2	-25.5	-24.7	-23.5	-25.1
Critical Water Years	-16.1	-13.3	-9.2	-8.1	-9.2	-4.4	-1.7

Table 5A-D2.32.2-R. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2c/4c (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.2%	-0.3%	-0.3%	-0.3%	-0.3%	-0.3%	-0.6%
Wet Water Years	0.1%	0.0%	0.0%	0.1%	0.0%	-0.1%	-0.3%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	0.5%	1.0%	1.1%
Below Normal Water Years	-0.1%	-0.2%	-0.2%	-0.2%	0.0%	0.1%	-0.2%
Dry Water Years	-0.9%	-1.1%	-1.1%	-1.5%	-2.0%	-2.6%	-3.6%
Critical Water Years	-0.7%	-0.7%	-0.6%	-0.8%	-1.9%	-1.6%	-0.9%

Table 5A-D2.32.3-A. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 1/3 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	1,804.3	1,501.8	1,071.4	653.2	338.4	153.2	74.5
Wet Water Years	2,243.4	1,927.3	1,458.9	950.9	527.4	242.2	113.8
Above Normal Water Years	2,213.8	1,853.9	1,278.4	777.7	420.7	204.2	108.3
Below Normal Water Years	1,859.5	1,532.4	1,048.0	607.7	298.9	136.4	68.9
Dry Water Years	1,403.4	1,082.8	714.3	387.8	177.2	67.3	26.7
Critical Water Years	637.9	490.4	317.7	148.9	30.1	6.9	3.4

Table 5A-D2.32.3-B. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-8.0	-7.5	-7.2	-5.0	-2.7	-0.5	0.2
Wet Water Years	-0.7	-0.5	0.3	1.5	1.5	0.4	0.4
Above Normal Water Years	8.8	7.4	1.8	0.3	1.6	0.9	0.0
Below Normal Water Years	-6.6	-8.0	-9.1	-5.5	-1.3	1.6	1.7
Dry Water Years	-35.8	-32.1	-27.1	-21.8	-17.4	-7.8	-3.0
Critical Water Years	-11.7	-8.0	-7.6	-6.5	-3.3	0.2	0.2

Table 5A-D2.32.3-C. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.4%	-0.5%	-0.7%	-0.8%	-0.8%	-0.3%	0.2%
Wet Water Years	0.0%	0.0%	0.0%	0.2%	0.3%	0.2%	0.3%
Above Normal Water Years	0.4%	0.4%	0.1%	0.0%	0.4%	0.4%	0.0%
Below Normal Water Years	-0.4%	-0.5%	-0.9%	-0.9%	-0.5%	1.2%	2.4%
Dry Water Years	-2.6%	-3.1%	-3.9%	-6.0%	-10.9%	-13.1%	-12.7%
Critical Water Years	-1.9%	-1.7%	-2.4%	-4.6%	-12.3%	2.2%	5.9%

Table 5A-D2.32.3-D. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 1/3 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,595.1	2,291.2	1,777.8	1,178.9	650.8	328.2	160.7
Wet Water Years	2,784.0	2,507.0	2,038.9	1,448.8	868.5	440.6	200.7
Above Normal Water Years	2,906.3	2,598.0	1,982.9	1,294.0	714.0	368.0	189.9
Below Normal Water Years	2,773.6	2,457.3	1,880.0	1,232.0	675.7	351.2	183.1
Dry Water Years	2,492.1	2,132.1	1,572.8	975.2	486.9	232.1	111.2
Critical Water Years	1,575.9	1,293.6	924.1	473.1	142.2	51.6	26.7

Table 5A-D2.32.3-E. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-12.8	-13.6	-12.3	-9.9	-7.1	-4.2	-2.0
Wet Water Years	-1.2	-0.8	-0.2	0.6	0.4	-1.0	-1.2
Above Normal Water Years	0.2	2.4	0.8	3.7	6.5	4.6	0.7
Below Normal Water Years	-7.8	-10.4	-10.7	-8.3	-4.6	-0.4	1.3
Dry Water Years	-35.3	-42.0	-33.1	-32.9	-32.7	-25.9	-12.5
Critical Water Years	-39.2	-34.5	-34.7	-25.9	-13.1	-2.4	-1.3

Table 5A-D2.32.3-F. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.8%	-1.1%	-1.3%	-1.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.6%
Above Normal Water Years	0.0%	0.1%	0.0%	0.3%	0.9%	1.2%	0.4%
Below Normal Water Years	-0.3%	-0.4%	-0.6%	-0.7%	-0.7%	-0.1%	0.7%
Dry Water Years	-1.4%	-2.0%	-2.1%	-3.5%	-7.2%	-12.6%	-12.6%
Critical Water Years	-2.5%	-2.7%	-3.9%	-5.8%	-10.2%	-4.9%	-5.1%

Table 5A-D2.32.3-G. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 1/3 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,927.8	2,621.6	2,105.9	1,488.2	923.1	544.6	296.0
Wet Water Years	3,137.9	2,841.5	2,363.3	1,744.2	1,130.9	660.5	328.3
Above Normal Water Years	3,191.4	2,891.9	2,294.9	1,601.2	983.9	556.6	296.0
Below Normal Water Years	3,094.7	2,799.2	2,236.7	1,586.5	1,005.6	633.7	371.1
Dry Water Years	2,816.8	2,465.0	1,907.7	1,317.6	800.7	464.1	253.2
Critical Water Years	1,920.6	1,612.1	1,204.1	685.8	269.9	118.2	76.4

Table 5A-D2.32.3-H. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-14.9	-16.1	-15.0	-12.9	-9.5	-6.4	-4.7
Wet Water Years	-0.5	-0.3	-0.1	0.4	-0.1	-1.2	-1.8
Above Normal Water Years	-0.4	1.6	-0.7	2.6	8.1	9.0	3.8
Below Normal Water Years	-9.5	-13.5	-13.5	-10.6	-6.0	-3.0	-1.0
Dry Water Years	-35.9	-45.9	-37.4	-36.9	-37.1	-35.8	-26.2
Critical Water Years	-52.3	-43.9	-44.1	-38.4	-23.8	-5.0	-1.8

Table 5A-D2.32.3-I. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.9%	-1.0%	-1.2%	-1.6%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.5%
Above Normal Water Years	0.0%	0.1%	0.0%	0.2%	0.8%	1.6%	1.3%
Below Normal Water Years	-0.3%	-0.5%	-0.6%	-0.7%	-0.6%	-0.5%	-0.3%
Dry Water Years	-1.3%	-1.9%	-2.0%	-2.9%	-4.9%	-8.4%	-11.5%
Critical Water Years	-2.8%	-2.8%	-3.8%	-5.9%	-9.7%	-4.4%	-2.4%

Table 5A-D2.32.3-J. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 1/3 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,157.2	2,825.7	2,312.9	1,688.8	1,115.1	730.3	455.2
Wet Water Years	3,388.4	3,076.9	2,600.9	1,966.4	1,337.0	860.1	492.3
Above Normal Water Years	3,459.5	3,086.1	2,497.7	1,797.9	1,177.3	742.1	432.3
Below Normal Water Years	3,326.1	3,000.9	2,446.0	1,796.0	1,217.4	852.7	579.1
Dry Water Years	2,999.1	2,645.6	2,095.1	1,511.4	1,001.8	665.4	422.0
Critical Water Years	2,113.0	1,769.8	1,348.4	818.4	368.9	175.2	112.3

Table 5A-D2.32.3-K. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-15.8	-17.1	-16.0	-14.2	-11.4	-7.9	-6.6
Wet Water Years	0.2	0.0	0.2	0.6	-0.1	-1.5	-2.0
Above Normal Water Years	-1.2	1.2	-1.4	1.9	7.6	9.9	6.1
Below Normal Water Years	-11.2	-15.3	-15.2	-12.0	-7.5	-5.1	-3.6
Dry Water Years	-35.5	-45.4	-38.5	-37.4	-38.1	-38.7	-34.4
Critical Water Years	-57.9	-48.9	-47.0	-44.9	-34.3	-9.0	-2.4

Table 5A-D2.32.3-L. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.9%	-1.0%	-1.1%	-1.5%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.4%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.6%	1.3%	1.4%
Below Normal Water Years	-0.3%	-0.5%	-0.6%	-0.7%	-0.6%	-0.6%	-0.6%
Dry Water Years	-1.2%	-1.7%	-1.9%	-2.5%	-4.0%	-6.2%	-8.9%
Critical Water Years	-2.8%	-2.8%	-3.6%	-5.8%	-10.2%	-5.4%	-2.2%

Table 5A-D2.32.3-M. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 1/3 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,362.2	2,987.4	2,478.1	1,852.2	1,273.0	885.7	606.2
Wet Water Years	3,619.6	3,268.1	2,796.1	2,156.2	1,515.8	1,037.6	660.4
Above Normal Water Years	3,681.4	3,246.6	2,663.7	1,961.0	1,337.4	903.6	582.8
Below Normal Water Years	3,548.5	3,157.0	2,608.3	1,959.5	1,381.8	1,022.2	753.9
Dry Water Years	3,141.6	2,783.1	2,240.6	1,660.7	1,155.7	822.6	578.6
Critical Water Years	2,268.4	1,891.9	1,459.7	925.4	457.7	232.6	149.2

Table 5A-D2.32.3-N. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-16.8	-17.7	-16.6	-15.0	-12.9	-9.0	-7.8
Wet Water Years	-0.7	0.1	0.3	0.8	0.0	-1.6	-2.3
Above Normal Water Years	-2.4	0.9	-1.9	1.5	7.2	9.8	6.9
Below Normal Water Years	-12.5	-16.5	-16.5	-13.1	-8.5	-6.2	-5.0
Dry Water Years	-34.3	-43.7	-38.2	-37.1	-38.0	-39.0	-38.6
Critical Water Years	-61.0	-53.0	-48.9	-48.8	-43.5	-14.4	-3.6

Table 5A-D2.32.3-O. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.8%	-1.0%	-1.0%	-1.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.4%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	0.5%	1.1%	1.2%
Below Normal Water Years	-0.4%	-0.5%	-0.6%	-0.7%	-0.6%	-0.6%	-0.7%
Dry Water Years	-1.1%	-1.6%	-1.7%	-2.3%	-3.4%	-5.0%	-7.1%
Critical Water Years	-2.8%	-2.9%	-3.5%	-5.6%	-10.5%	-6.6%	-2.5%

Table 5A-D2.32.3-P. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 1/3 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,551.3	3,130.9	2,626.3	1,999.8	1,416.4	1,026.6	776.3
Wet Water Years	3,818.4	3,438.2	2,972.1	2,330.0	1,681.8	1,202.6	853.1
Above Normal Water Years	3,852.3	3,392.4	2,814.9	2,113.1	1,485.7	1,053.3	763.8
Below Normal Water Years	3,738.0	3,297.0	2,750.6	2,103.5	1,525.6	1,169.6	946.4
Dry Water Years	3,345.8	2,901.6	2,371.9	1,793.2	1,290.4	959.5	743.3
Critical Water Years	2,426.2	1,997.7	1,560.9	1,023.2	544.6	291.2	196.2

Table 5A-D2.32.3-Q. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-17.9	-18.2	-16.9	-15.4	-14.0	-10.2	-8.5
Wet Water Years	-0.7	0.2	0.4	0.9	0.0	-1.7	-2.4
Above Normal Water Years	-2.1	0.8	-2.2	1.2	6.8	9.6	7.3
Below Normal Water Years	-12.6	-17.7	-17.4	-13.9	-9.2	-7.1	-5.6
Dry Water Years	-37.4	-42.6	-37.5	-36.5	-37.4	-38.7	-40.9
Critical Water Years	-66.2	-56.0	-50.7	-51.5	-51.3	-21.8	-5.1

Table 5A-D2.32.3-R. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 1/3 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.6%	-0.8%	-1.0%	-1.0%	-1.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.3%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	0.5%	0.9%	1.0%
Below Normal Water Years	-0.3%	-0.5%	-0.6%	-0.7%	-0.6%	-0.6%	-0.6%
Dry Water Years	-1.1%	-1.5%	-1.6%	-2.1%	-3.0%	-4.2%	-5.8%
Critical Water Years	-2.8%	-2.9%	-3.4%	-5.3%	-10.4%	-8.1%	-2.7%

Table 5A-D2.32.4-A. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2a/4a (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	1,804.4	1,503.1	1,071.6	653.5	338.5	153.3	74.8
Wet Water Years	2,242.6	1,926.3	1,457.5	949.5	526.2	241.5	113.7
Above Normal Water Years	2,213.6	1,851.9	1,274.9	774.1	416.2	200.6	107.4
Below Normal Water Years	1,855.9	1,532.9	1,047.9	608.6	299.7	136.9	69.1
Dry Water Years	1,406.9	1,089.0	717.9	392.3	181.8	70.4	29.0
Critical Water Years	645.1	496.1	321.7	151.4	31.2	7.1	3.3

Table 5A-D2.32.4-B. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-8.2	-8.7	-7.4	-5.4	-2.9	-0.5	-0.1
Wet Water Years	0.2	0.5	1.7	3.0	2.7	1.1	0.4
Above Normal Water Years	9.0	9.4	5.4	4.0	6.1	4.4	0.9
Below Normal Water Years	-3.0	-8.5	-9.0	-6.4	-2.1	1.0	1.5
Dry Water Years	-39.2	-38.3	-30.7	-26.3	-22.0	-11.0	-5.3
Critical Water Years	-18.9	-13.7	-11.6	-9.0	-4.5	0.0	0.2

Table 5A-D2.32.4-C. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.8%	-0.9%	-0.4%	-0.2%
Wet Water Years	0.0%	0.0%	0.1%	0.3%	0.5%	0.5%	0.3%
Above Normal Water Years	0.4%	0.5%	0.4%	0.5%	1.5%	2.2%	0.8%
Below Normal Water Years	-0.2%	-0.6%	-0.9%	-1.1%	-0.7%	0.7%	2.1%
Dry Water Years	-2.9%	-3.6%	-4.5%	-7.2%	-13.7%	-18.4%	-22.5%
Critical Water Years	-3.0%	-2.8%	-3.7%	-6.3%	-16.6%	-0.6%	6.0%

Table 5A-D2.32.4-D. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2a/4a (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,598.0	2,295.0	1,780.3	1,181.1	652.5	329.3	162.2
Wet Water Years	2,784.3	2,507.3	2,038.7	1,448.0	867.2	439.2	199.8
Above Normal Water Years	2,907.2	2,597.9	1,982.5	1,293.2	710.0	361.7	186.9
Below Normal Water Years	2,771.2	2,459.2	1,880.3	1,232.4	676.0	352.6	185.0
Dry Water Years	2,506.0	2,146.9	1,580.8	982.9	497.8	243.6	121.4
Critical Water Years	1,586.0	1,301.3	933.8	483.0	148.5	52.5	26.8

Table 5A-D2.32.4-E. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-15.7	-17.4	-14.7	-12.1	-8.7	-5.3	-3.5
Wet Water Years	-1.5	-1.2	0.0	1.4	1.6	0.4	-0.4
Above Normal Water Years	-0.6	2.5	1.1	4.5	10.5	10.9	3.7
Below Normal Water Years	-5.3	-12.3	-11.0	-8.6	-4.8	-1.8	-0.6
Dry Water Years	-49.2	-56.8	-41.1	-40.6	-43.5	-37.4	-22.6
Critical Water Years	-49.3	-42.2	-44.4	-35.8	-19.4	-3.3	-1.4

Table 5A-D2.32.4-F. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.6%	-0.8%	-0.8%	-1.0%	-1.4%	-1.6%	-2.2%
Wet Water Years	-0.1%	0.0%	0.0%	0.1%	0.2%	0.1%	-0.2%
Above Normal Water Years	0.0%	0.1%	0.1%	0.3%	1.5%	2.9%	2.0%
Below Normal Water Years	-0.2%	-0.5%	-0.6%	-0.7%	-0.7%	-0.5%	-0.3%
Dry Water Years	-2.0%	-2.7%	-2.7%	-4.3%	-9.6%	-18.1%	-22.9%
Critical Water Years	-3.2%	-3.4%	-5.0%	-8.0%	-15.0%	-6.7%	-5.5%

Table 5A-D2.32.4-G. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2a/4a (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,931.3	2,626.1	2,108.8	1,491.0	925.8	546.9	298.8
Wet Water Years	3,137.8	2,841.5	2,363.0	1,743.5	1,129.8	659.1	327.1
Above Normal Water Years	3,193.3	2,892.8	2,295.6	1,601.8	980.9	549.8	290.5
Below Normal Water Years	3,092.8	2,801.9	2,237.5	1,587.1	1,005.1	633.9	374.5
Dry Water Years	2,833.1	2,482.3	1,917.7	1,326.1	814.7	483.2	271.0
Critical Water Years	1,931.6	1,620.3	1,213.6	697.2	281.5	122.0	77.0

Table 5A-D2.32.4-H. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-18.3	-20.6	-17.9	-15.7	-12.2	-8.6	-7.4
Wet Water Years	-0.4	-0.3	0.3	1.0	1.0	0.1	-0.6
Above Normal Water Years	-2.2	0.7	-1.5	2.0	11.1	15.7	9.3
Below Normal Water Years	-7.6	-16.2	-14.2	-11.2	-5.5	-3.2	-4.3
Dry Water Years	-52.2	-63.2	-47.4	-45.4	-51.1	-54.9	-44.0
Critical Water Years	-63.3	-52.2	-53.5	-49.7	-35.4	-8.8	-2.5

Table 5A-D2.32.4-I. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.6%	-0.8%	-0.9%	-1.1%	-1.3%	-1.6%	-2.5%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.2%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	1.1%	2.8%	3.1%
Below Normal Water Years	-0.2%	-0.6%	-0.6%	-0.7%	-0.5%	-0.5%	-1.2%
Dry Water Years	-1.9%	-2.6%	-2.5%	-3.5%	-6.7%	-12.8%	-19.4%
Critical Water Years	-3.4%	-3.3%	-4.6%	-7.7%	-14.4%	-7.8%	-3.3%

Table 5A-D2.32.4-J. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2a/4a (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,160.5	2,830.4	2,316.0	1,691.7	1,118.3	733.3	458.2
Wet Water Years	3,387.6	3,076.8	2,600.5	1,965.7	1,336.0	858.8	491.1
Above Normal Water Years	3,461.2	3,087.4	2,499.0	1,799.1	1,175.2	735.6	425.2
Below Normal Water Years	3,323.7	3,004.0	2,447.0	1,796.9	1,216.9	852.8	581.6
Dry Water Years	3,016.7	2,663.9	2,106.0	1,520.5	1,016.2	686.1	442.6
Critical Water Years	2,124.4	1,778.1	1,357.5	829.8	382.4	182.9	114.4

Table 5A-D2.32.4-K. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-19.1	-21.9	-19.0	-17.2	-14.6	-10.9	-9.5
Wet Water Years	1.0	0.1	0.7	1.3	0.9	-0.2	-0.8
Above Normal Water Years	-2.8	-0.1	-2.8	0.7	9.7	16.4	13.2
Below Normal Water Years	-8.7	-18.4	-16.3	-12.9	-7.0	-5.1	-6.2
Dry Water Years	-53.1	-63.7	-49.3	-46.5	-52.5	-59.4	-55.0
Critical Water Years	-69.4	-57.2	-56.1	-56.3	-47.8	-16.7	-4.5

Table 5A-D2.32.4-L. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.6%	-0.8%	-0.8%	-1.0%	-1.3%	-1.5%	-2.1%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.2%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.0%	0.8%	2.2%	3.0%
Below Normal Water Years	-0.3%	-0.6%	-0.7%	-0.7%	-0.6%	-0.6%	-1.1%
Dry Water Years	-1.8%	-2.5%	-2.4%	-3.2%	-5.4%	-9.5%	-14.2%
Critical Water Years	-3.4%	-3.3%	-4.3%	-7.3%	-14.3%	-10.0%	-4.1%

Table 5A-D2.32.4-M. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2a/4a (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,365.8	2,992.2	2,481.2	1,855.2	1,276.3	889.2	609.5
Wet Water Years	3,619.2	3,268.0	2,795.6	2,155.5	1,514.8	1,036.3	659.2
Above Normal Water Years	3,684.1	3,248.1	2,665.4	1,962.7	1,336.0	897.7	575.1
Below Normal Water Years	3,545.8	3,160.2	2,609.4	1,960.4	1,381.3	1,022.2	756.4
Dry Water Years	3,159.8	2,801.7	2,251.8	1,670.1	1,170.2	843.9	599.9
Critical Water Years	2,280.7	1,900.4	1,468.6	936.8	472.0	243.4	153.8

Table 5A-D2.32.4-N. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-20.5	-22.6	-19.7	-18.0	-16.2	-12.5	-11.1
Wet Water Years	-0.3	0.2	0.9	1.5	1.0	-0.3	-1.1
Above Normal Water Years	-5.1	-0.5	-3.6	-0.2	8.6	15.7	14.5
Below Normal Water Years	-9.8	-19.7	-17.6	-14.0	-7.9	-6.1	-7.4
Dry Water Years	-52.5	-62.4	-49.4	-46.5	-52.5	-60.3	-59.9
Critical Water Years	-73.3	-61.5	-57.8	-60.2	-57.7	-25.2	-8.2

Table 5A-D2.32.4-O. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.6%	-0.8%	-0.8%	-1.0%	-1.3%	-1.4%	-1.8%
Wet Water Years	0.0%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.2%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.0%	0.6%	1.7%	2.5%
Below Normal Water Years	-0.3%	-0.6%	-0.7%	-0.7%	-0.6%	-0.6%	-1.0%
Dry Water Years	-1.7%	-2.3%	-2.2%	-2.9%	-4.7%	-7.7%	-11.1%
Critical Water Years	-3.3%	-3.3%	-4.1%	-6.9%	-13.9%	-11.6%	-5.7%

Table 5A-D2.32.4-P. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2a/4a (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,554.3	3,135.8	2,629.4	2,002.9	1,419.7	1,030.4	779.9
Wet Water Years	3,815.5	3,438.1	2,971.6	2,329.2	1,680.7	1,201.2	851.8
Above Normal Water Years	3,854.8	3,393.9	2,816.8	2,115.1	1,484.8	1,047.8	756.1
Below Normal Water Years	3,735.5	3,300.2	2,751.8	2,104.5	1,525.0	1,169.5	948.7
Dry Water Years	3,364.9	2,920.4	2,382.9	1,802.8	1,305.0	981.1	765.1
Critical Water Years	2,438.8	2,006.4	1,570.0	1,034.6	559.1	304.2	203.6

Table 5A-D2.32.4-Q. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-20.9	-23.2	-20.0	-18.5	-17.4	-14.0	-12.1
Wet Water Years	2.3	0.2	1.0	1.7	1.1	-0.3	-1.1
Above Normal Water Years	-4.6	-0.7	-4.1	-0.8	7.8	15.1	15.0
Below Normal Water Years	-10.1	-20.9	-18.6	-14.8	-8.6	-7.0	-7.9
Dry Water Years	-56.5	-61.4	-48.6	-46.1	-52.1	-60.2	-62.6
Critical Water Years	-78.8	-64.8	-59.8	-62.8	-65.7	-34.8	-12.6

Table 5A-D2.32.4-R. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 2a/4a (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.6%	-0.7%	-0.8%	-0.9%	-1.2%	-1.4%	-1.6%
Wet Water Years	0.1%	0.0%	0.0%	0.1%	0.1%	0.0%	-0.1%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.0%	0.5%	1.4%	1.9%
Below Normal Water Years	-0.3%	-0.6%	-0.7%	-0.7%	-0.6%	-0.6%	-0.8%
Dry Water Years	-1.7%	-2.1%	-2.1%	-2.6%	-4.2%	-6.5%	-8.9%
Critical Water Years	-3.3%	-3.3%	-4.0%	-6.5%	-13.3%	-12.9%	-6.6%

Table 5A-D2.32.5-A. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 5 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	1,803.2	1,500.7	1,070.6	652.9	338.2	153.0	74.5
Wet Water Years	2,244.5	1,928.4	1,459.9	951.9	528.1	242.6	114.2
Above Normal Water Years	2,210.8	1,849.0	1,273.2	773.4	418.5	203.9	108.3
Below Normal Water Years	1,860.8	1,533.0	1,048.3	607.9	298.5	135.8	68.4
Dry Water Years	1,396.7	1,077.6	711.4	386.8	176.7	66.6	26.4
Critical Water Years	633.7	487.2	315.4	147.8	30.0	6.9	3.4

Table 5A-D2.32.5-B. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-6.9	-6.4	-6.4	-4.7	-2.5	-0.3	0.2
Wet Water Years	-1.7	-1.5	-0.6	0.6	0.8	0.0	0.0
Above Normal Water Years	11.8	12.3	7.1	4.6	3.9	1.1	0.0
Below Normal Water Years	-7.9	-8.6	-9.4	-5.7	-1.0	2.1	2.2
Dry Water Years	-29.1	-26.9	-24.2	-20.8	-16.9	-7.1	-2.7
Critical Water Years	-7.5	-4.9	-5.2	-5.4	-3.2	0.1	0.2

Table 5A-D2.32.5-C. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 48-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.4%	-0.4%	-0.6%	-0.7%	-0.8%	-0.2%	0.3%
Wet Water Years	-0.1%	-0.1%	0.0%	0.1%	0.1%	0.0%	0.0%
Above Normal Water Years	0.5%	0.7%	0.6%	0.6%	0.9%	0.5%	0.0%
Below Normal Water Years	-0.4%	-0.6%	-0.9%	-1.0%	-0.3%	1.5%	3.1%
Dry Water Years	-2.1%	-2.6%	-3.5%	-5.7%	-10.6%	-12.0%	-11.2%
Critical Water Years	-1.2%	-1.0%	-1.7%	-3.8%	-11.8%	2.1%	5.6%

Table 5A-D2.32.5-D. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 5 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,595.4	2,291.3	1,777.8	1,179.0	651.0	328.3	160.7
Wet Water Years	2,784.2	2,507.3	2,039.2	1,449.4	869.3	441.2	201.0
Above Normal Water Years	2,905.7	2,597.0	1,981.6	1,292.0	712.0	367.2	189.9
Below Normal Water Years	2,773.8	2,456.9	1,879.6	1,232.3	676.2	351.3	182.9
Dry Water Years	2,492.6	2,132.6	1,572.8	974.8	486.6	231.7	110.9
Critical Water Years	1,577.0	1,294.4	924.7	473.4	142.3	51.6	26.7

Table 5A-D2.32.5-E. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-13.1	-13.7	-12.3	-10.0	-7.2	-4.3	-2.0
Wet Water Years	-1.4	-1.2	-0.5	0.0	-0.4	-1.6	-1.5
Above Normal Water Years	0.8	3.4	2.0	5.7	8.5	5.4	0.7
Below Normal Water Years	-7.9	-10.1	-10.3	-8.5	-5.1	-0.5	1.5
Dry Water Years	-35.8	-42.5	-33.1	-32.6	-32.4	-25.6	-12.1
Critical Water Years	-40.3	-35.4	-35.3	-26.2	-13.2	-2.4	-1.3

Table 5A-D2.32.5-F. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 50-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.9%	-1.1%	-1.3%	-1.3%
Wet Water Years	-0.1%	0.0%	0.0%	0.0%	0.0%	-0.4%	-0.7%
Above Normal Water Years	0.0%	0.1%	0.1%	0.4%	1.2%	1.4%	0.4%
Below Normal Water Years	-0.3%	-0.4%	-0.6%	-0.7%	-0.8%	-0.1%	0.8%
Dry Water Years	-1.5%	-2.0%	-2.2%	-3.5%	-7.1%	-12.4%	-12.3%
Critical Water Years	-2.6%	-2.8%	-4.0%	-5.9%	-10.2%	-4.9%	-5.0%

Table 5A-D2.32.5-G. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 5 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	2,927.9	2,621.6	2,105.8	1,488.3	923.2	544.8	296.2
Wet Water Years	3,137.9	2,841.7	2,363.4	1,744.5	1,131.5	661.0	328.6
Above Normal Water Years	3,191.1	2,891.6	2,294.5	1,600.1	982.7	555.7	295.9
Below Normal Water Years	3,094.5	2,798.5	2,236.1	1,586.4	1,005.7	634.2	371.5
Dry Water Years	2,817.3	2,465.6	1,908.0	1,317.6	800.7	463.8	253.1
Critical Water Years	1,920.9	1,612.5	1,204.6	686.3	270.2	118.3	76.4

Table 5A-D2.32.5-H. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-14.9	-16.1	-14.9	-13.0	-9.6	-6.6	-4.9
Wet Water Years	-0.6	-0.5	-0.2	0.1	-0.7	-1.8	-2.1
Above Normal Water Years	0.0	1.9	-0.3	3.7	9.3	9.9	4.0
Below Normal Water Years	-9.3	-12.8	-12.9	-10.5	-6.1	-3.5	-1.3
Dry Water Years	-36.3	-46.4	-37.7	-36.8	-37.1	-35.5	-26.0
Critical Water Years	-52.6	-44.3	-44.5	-38.9	-24.1	-5.1	-1.8

Table 5A-D2.32.5-I. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 52-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.9%	-1.1%	-1.2%	-1.7%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	-0.1%	-0.3%	-0.7%
Above Normal Water Years	0.0%	0.1%	0.0%	0.2%	0.9%	1.7%	1.3%
Below Normal Water Years	-0.3%	-0.5%	-0.6%	-0.7%	-0.6%	-0.6%	-0.4%
Dry Water Years	-1.3%	-1.9%	-2.0%	-2.9%	-4.9%	-8.3%	-11.5%
Critical Water Years	-2.8%	-2.8%	-3.8%	-6.0%	-9.8%	-4.5%	-2.4%

Table 5A-D2.32.5-J. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 5 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,157.0	2,825.6	2,312.8	1,688.8	1,115.2	730.5	455.4
Wet Water Years	3,388.4	3,077.0	2,601.0	1,966.6	1,337.4	860.4	492.7
Above Normal Water Years	3,459.1	3,086.0	2,497.7	1,797.3	1,176.8	741.5	432.0
Below Normal Water Years	3,325.2	3,000.0	2,445.2	1,795.8	1,217.2	853.0	579.4
Dry Water Years	2,999.6	2,646.2	2,095.3	1,511.4	1,001.9	665.2	421.9
Critical Water Years	2,113.2	1,770.1	1,348.7	818.8	369.2	175.4	112.3

Table 5A-D2.32.5-K. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-15.6	-17.0	-15.9	-14.3	-11.5	-8.0	-6.8
Wet Water Years	0.2	-0.1	0.1	0.4	-0.5	-1.9	-2.5
Above Normal Water Years	-0.8	1.2	-1.4	2.5	8.1	10.5	6.4
Below Normal Water Years	-10.3	-14.4	-14.5	-11.8	-7.3	-5.3	-3.9
Dry Water Years	-35.9	-46.0	-38.7	-37.4	-38.2	-38.5	-34.3
Critical Water Years	-58.2	-49.2	-47.4	-45.4	-34.6	-9.1	-2.4

Table 5A-D2.32.5-L. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 54-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.9%	-1.0%	-1.1%	-1.5%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.5%
Above Normal Water Years	0.0%	0.0%	-0.1%	0.1%	0.7%	1.4%	1.5%
Below Normal Water Years	-0.3%	-0.5%	-0.6%	-0.7%	-0.6%	-0.6%	-0.7%
Dry Water Years	-1.2%	-1.8%	-1.9%	-2.5%	-4.0%	-6.1%	-8.9%
Critical Water Years	-2.8%	-2.9%	-3.6%	-5.9%	-10.3%	-5.5%	-2.2%

Table 5A-D2.32.5-M. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 5 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,362.7	2,987.3	2,478.0	1,852.2	1,273.0	885.8	606.4
Wet Water Years	3,620.3	3,268.2	2,796.2	2,156.4	1,516.1	1,037.8	660.7
Above Normal Water Years	3,683.1	3,246.6	2,663.9	1,960.7	1,337.3	903.3	582.5
Below Normal Water Years	3,548.2	3,156.0	2,607.4	1,959.2	1,381.5	1,022.4	754.1
Dry Water Years	3,142.7	2,783.6	2,240.8	1,660.6	1,155.8	822.4	578.5
Critical Water Years	2,269.0	1,892.1	1,460.0	925.8	458.1	232.8	149.2

Table 5A-D2.32.5-N. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-17.4	-17.6	-16.4	-15.0	-12.9	-9.1	-7.9
Wet Water Years	-1.4	0.0	0.3	0.6	-0.4	-1.9	-2.6
Above Normal Water Years	-4.1	0.9	-2.1	1.8	7.3	10.1	7.2
Below Normal Water Years	-12.2	-15.6	-15.7	-12.8	-8.1	-6.4	-5.2
Dry Water Years	-35.4	-44.2	-38.4	-37.1	-38.1	-38.9	-38.5
Critical Water Years	-61.6	-53.3	-49.2	-49.2	-43.8	-14.6	-3.7

Table 5A-D2.32.5-O. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 56-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.7%	-0.8%	-1.0%	-1.0%	-1.3%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.4%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	0.5%	1.1%	1.2%
Below Normal Water Years	-0.3%	-0.5%	-0.6%	-0.7%	-0.6%	-0.6%	-0.7%
Dry Water Years	-1.1%	-1.6%	-1.7%	-2.3%	-3.4%	-5.0%	-7.1%
Critical Water Years	-2.8%	-2.9%	-3.5%	-5.6%	-10.6%	-6.7%	-2.5%

Table 5A-D2.32.5-P. Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 5 (2040)

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	3,550.9	3,130.6	2,626.1	1,999.8	1,416.4	1,026.7	776.4
Wet Water Years	3,816.9	3,437.8	2,972.2	2,330.1	1,682.0	1,202.8	853.3
Above Normal Water Years	3,852.4	3,392.4	2,815.2	2,113.0	1,485.9	1,053.2	763.6
Below Normal Water Years	3,738.1	3,295.9	2,749.8	2,103.2	1,525.2	1,169.7	946.6
Dry Water Years	3,346.2	2,902.1	2,372.0	1,793.1	1,290.6	959.4	743.2
Critical Water Years	2,426.2	1,997.9	1,561.2	1,023.6	544.9	291.4	196.2

Table 5A-D2.32.5-Q. Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-17.5	-17.9	-16.8	-15.4	-14.0	-10.3	-8.6
Wet Water Years	0.8	0.5	0.4	0.7	-0.2	-1.9	-2.7
Above Normal Water Years	-2.2	0.7	-2.5	1.3	6.7	9.7	7.5
Below Normal Water Years	-12.7	-16.7	-16.6	-13.6	-8.8	-7.2	-5.7
Dry Water Years	-37.7	-43.1	-37.7	-36.4	-37.6	-38.6	-40.8
Critical Water Years	-66.1	-56.3	-51.0	-51.8	-51.5	-21.9	-5.2

Table 5A-D2.32.5-R. Percent Difference in Shasta Average Cold Water Pool Volume (thousand acre-feet) for 58-degree Fahrenheit, Alternative 5 (2040) versus No Project Alternative

Average	Apr	May	Jun	Jul	Aug	Sep	Oct
Full Simulation Period	-0.5%	-0.6%	-0.6%	-0.8%	-1.0%	-1.0%	-1.1%
Wet Water Years	0.0%	0.0%	0.0%	0.0%	0.0%	-0.2%	-0.3%
Above Normal Water Years	-0.1%	0.0%	-0.1%	0.1%	0.4%	0.9%	1.0%
Below Normal Water Years	-0.3%	-0.5%	-0.6%	-0.6%	-0.6%	-0.6%	-0.6%
Dry Water Years	-1.1%	-1.5%	-1.6%	-2.1%	-3.0%	-4.2%	-5.8%
Critical Water Years	-2.8%	-2.9%	-3.4%	-5.3%	-10.4%	-8.1%	-2.7%

Figure 5A-D2.32.1-A. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for April, No Project Alternatives




Figure 5A-D2.32.1-B. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for May, No Project Alternatives




Figure 5A-D2.32.1-C. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for June, No Project Alternatives




Figure 5A-D2.32.1-D. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for July, No Project Alternatives




Figure 5A-D2.32.1-E. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for August, No Project Alternatives




Figure 5A-D2.32.1-F. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for September, No Project Alternatives




Figure 5A-D2.32.1-G. Shasta Average Cold Water Pool Volume (thousand acre-feet) by Temperature (degree Fahrenheit) for October, No Project Alternatives

