Appendix B2

Air Quality and Greenhouse Gas Emissions Modeling

Air Quality Appendix
AQ-7 Health Risk Analysis
A Unmitigated
1 Assumptions & Emissions

One San Pedro Specific Plan

New Onsite - Harbor - Unmitigated Construction Health Risk - Assumptions

Date: 8/5/2022

	3rd	0-2	2-16	>16	Units	
DBR	361	1090	631	261	L/kg	
A	1				no units	
EF	0.95890411				years	
Constant 1	0.000001				no units	
CPF	1.1				mg/kg-day-1	
ASF	10	10	3	1	no units	
H- Site Prep	**0.00**	0.00	0.00	0.00	years	
H- Grading	**0.00**	0.00	0.00	0.00	years	
H-Utilities Trenching	**0.00**	0.00	0.00	0.00	years	
H-Building Construction	**0.00**	**0.00**	0.00	0.00	years	
H- Paving	**0.00**	0.00	0.00	0.00	years	
H - Architectural Coating	0.00	**0.00**	0.00	0.00	years	
PA1 - Demolition	0.00	**0.00**	0.00	0.00	years	
PA1 - Site Prep	0.00	**0.00**	0.00	0.00	years	
PA1 - Grading	0.00	**0.00**	0.00	0.00	years	
PA1 - Utilities Trenching	0.18	**0.15**	**0.00**	0.00	years	
PA1 - Building Construction	0.00	1.42	**2.40**	0.00	years	
PA1 - Paving	0.00	0.05	**0.00**	0.00	years	
PA1 - Architectural Coating	0.00	0.00	**1.91**	0.00	years	
PA2 - Demolition	0.00	0.00	**0.21**	0.00	years	
PA2 - Site Prep	0.00	0.00	**0.10**	0.00	years	
PA2 - Grading	0.00	0.00	**0.21**	0.00	years	
PA2 - Utilities Trenching	0.00	0.00	**0.21**	0.00	years	
PA2 - Building Construction	0.00	0.00	**2.41**	0.00	years	
PA2 - Paving	0.00	0.00	**0.05**	0.00	years	
PA2 - Architectural Coating	0.00	0.00	**1.20**	0.00	years	
PA3 - Demolition	0.00	0.00	**0.16**	0.00	years	
PA3 - Site Prep	0.00	0.00	**0.08**	0.00	years	
PA3 - Grading	0.00	0.00	**0.16**	0.00	years	
PA3 - Utilities Trenching	0.00	0.00	**0.16**	0.00	years	
PA3 - Building Construction	0.00	0.00	**1.84**	0.00	years	
PA3 - Paving	0.00	0.00	**0.05**	0.00	years	
PA3 - Architectural Coating	0.00	0.00	**0.92**	0.00	years	
AT	70				years	
FAH	1	1	1	0.73	day	
Constant 2	1,000,000				no units	
Dose Constant	3.46E-04	1.05E-03	6.05E-04	2.50E-04		= DBR * A * EF * Constant1
Risk Constant	1.57E-01	1.57E-01	4.71E-02	1.15E-02		= CPF * ASF * (1/AT) * FHA

Source: OEHHA 2015

FAH

If school is within the 1 per million cancer bracket:		If school is not within the 1 per milliion cancer bracket:	
3rd to 2 years	1	3rd to 2 years	0.85
2 to 16	1	2 to 16	0.72
16-30	0.73	16-30	0.73

Source: OEHHA 2015

Dose =	(Cair X DBR X A X EF X Constant 1)	
	Cair =	concentration in air ($\mu g/m^3$)
	DBR =	daily breathing rate normalized to body weight (l/kg bod weight -day)
	A =	Inhalation adsorption factor (unitless)
	EF =	Exposure frequency (unitless), days/365 days
	Constant 1 =	micrograms to milligrams conversion, liters to cubic meters conversion
Cancer Risk =	Dose X CPF x ASF x (ED/AT) X FAH	
	Dose =	Daily inhalation dose (mg/kg-day)
	CPF =	Inhalation cancer potency factor ($mg/kg\text{-}day^{-1}$)
	ASF =	Age sensitivity factor for a specified age group (unitless)
	ED =	Exposure duration (in years) for a specified age group
	AT =	Averaging time for lifetime cancer risk (years)
	FAH =	Fraction of time spent at home (unitless)
Risk per Million =	Cancer Risk X Constant 2	

Onsite Concentrations

	Source ID	PM10 (lbs/day)	PM10 (gr/day)	PM10 (gr/sec)
H- Site Prep	HarCon	0.22	101.74	0.002826
H- Grading	HarCon	1.35	610.90	0.016969
H-Utilities Trenching	HarCon	1.08	491.01	0.013639
H-Building Construction	HarCon	0.20	92.12	0.002559
H- Paving	HarCon	0.82	372.04	0.010334
H - Architectural Coating	HarCon	0.10	46.27	0.001285
PA1 - Demolition	P1Con	2.48	1,123.64	0.031212
PA1 - Site Prep	P1Con	0.87	396.58	0.011016
PA1 - Grading	P1Con	4.30	1,952.44	0.054235
PA1 - Utilities Trenching	P1Con	3.30	1,497.44	0.041596
PA1 - Building Construction	P1Con	1.11	504.62	0.014017
PA1 - Paving	P1Con	0.00	1.95	5.41E-05
PA1 - Architectural Coating	P1Con	0.37	167.60	0.004656
PA2 - Demolition	P2Con	0.81	366.14	0.010171
PA2 - Site Prep	P2Con	0.36	164.74	0.004576
PA2 - Grading	P2Con	1.51	684.52	0.019014
PA2 - Utilities Trenching	P2Con	1.37	619.38	0.017205
PA2 - Building Construction	P2Con	0.40	180.89	0.005025
PA2 - Paving	P2Con	0.93	421.48	0.011708
PA2 - Architectural Coating	P2Con	0.27	121.79	0.003383
PA3 - Demolition	P3Con	0.78	355.30	0.009869
PA3 - Site Prep	P3Con	0.36	164.74	0.004576
PA3 - Grading	P3Con	1.49	673.68	0.018713
PA3 - Utilities Trenching	P3Con	1.45	655.53	0.018209
PA3 - Building Construction	P3Con	0.38	174.45	0.004846
PA3 - Paving	P3Con	0.93	421.48	0.011708
PA3 - Architectural Coating	P3Con	0.27	121.79	0.003383

Offsite Concentrations

	Source ID	PM10 (lbs/mile)	Miles	PM10 (lbs/day)	PM10 (gr/day)	PM10 (gr/sec)
H - Grading	HarH1	0.00128	0.30	0.00	0.17	4.835E-06
H - Building Const	HarH1	0.0001406	0.30	0.00	0.02	5.31E-07
PA1 - Demo	P1H1	0.0002445	0.33	0.00	0.04	1.024E-06
PA1 - Grading	P1H1	0.00462	0.33	0.00	0.70	1.934E-05
PA1 - Building Const	P1H1	0.0026957	0.33	0.00	0.41	1.129E-05
PA1 - Demo	P1H2	0.0002445	0.45	0.00	0.05	1.387E-06
PA1 - Grading	P1H2	0.00462	0.45	0.00	0.94	2.621E-05
PA1 - Building Const	P1H2	0.0026957	0.45	0.00	0.55	1.529E-05
PA2 - Demo	P2H1	0.000355	0.21	0.00	0.03	9.48E-07
PA2 - Grading	P2H1	0.00356	0.21	0.00	0.34	9.507E-06
PA2 - Building Const	P2H1	0.0025507	0.21	0.00	0.25	6.812E-06
PA2 - Demo	P2H2	0.000355	0.58	0.00	0.09	2.6E-06
PA2 - Grading	P2H2	0.00356	0.58	0.00	0.94	2.607E-05
PA2 - Building Const	P2H2	0.0025507	0.58	0.00	0.67	1.868E-05
PA3 - Demo	P3H1	0.000454	0.05	0.00	0.01	3.014E-07
PA3 - Grading	P3H1	0.008685	0.05	0.00	0.21	5.766E-06
PA3 - Building Const	P3H1	0.0036812	0.05	0.00	0.09	2.444E-06
PA3 - Demo	P3H2	0.000454	0.45	0.00	0.09	2.568E-06
PA3 - Grading	P3H2	0.008685	0.45	0.00	1.77	4.913E-05
PA3 - Building Const	P3H2	0.0036812	0.45	0.00	0.75	2.082E-05

One San Pedro Specific Plan

New Onsite - Harbor - Unmitigated Construction Health Risk - Assumptions

Sources	Description	Meters	Miles
P1Con	Phase 1 Construction Activities		
P2Con	Phase 2 Construction Activities		
P3Con	Phase 3 Construction Activities		
HarCon	Harbor Site Construction Activities		
P1H1	P1 - Haul Route 1st street Site to Harbor Boulevard	534.8	0.33
P1H2	P1 - Haul Route Harbor Blvd to SR-47	724.7	0.45
P2H1	P2 - Haul Route 3st street Site to Harbor Boulevard	341.1	0.21
P2H2	P2 - Haul Route Harbor Blvd to SR-47	935.4	0.58
P3H1	P3 - Haul Route 1st street Site to Harbor Boulevard	84.8	0.05
P3H2	P3 - Haul Route Harbor Blvd to SR-47	722.5	0.45
HarH1	Harbor Site - Haul Route Harbor Blvd to SR-47	482.5	0.30

Receptors

1-337 - 484	Offsite Residential
485 - 520	New Onsite - Harbor
521 - 891	New Onsite - Planning Area 1
892 - 1213	New Onsite - Planning Area 2
1213 - 1595	New Onsite - Planning Area 3

Assumptions and Constants:

365	days per year construction
453.59237	conversion from lbs to grams
10	hours per day construction
60	minutes per hour
60	seconds per minute
0.000621371	conversion of meters to miles.

Age Bins

				3rd	0-2	2-16
			Start	2/27/2025	5/31/2025	6/1/2025
			End	5/30/2025	5/30/2027	12/31/2037
			Days	66	520	3284
	Start	End	Days			
			Harbor Site			
Site Prep	3/1/2023	3/13/23	0	0	0	0
Grading	3/14/2023	3/24/23	0	0	0	0
Utilities Trenching	3/25/2023	4/6/23	0	0	0	0
Building Construction	4/6/2023	12/26/24	0	0	0	0
Paving	4/6/2023	4/12/23	0	0	0	0
Architectural Coating	4/18/2024	2/27/2025	0	0	0	0
			Planning Area 1			
Demolition	1/1/2024	6/17/24	0	0	0	0
Site Prep	6/18/2024	9/10/24	0	0	0	0
Grading	9/10/2024	2/26/25	0	0	0	0
Utilities Trenching	2/27/2025	8/14/25	121	66	55	0
Building Construction	8/15/2025	15/2030	1395	0	520	875
Paving	8/15/2025	9/11/25	20	0	20	
Architectural Coating	4/19/2028	12/20/2030	698	0	0	698
			Planning Area 2			
Demolition	1/1/2031	4/16/31	76	0	0	76
Site Prep	4/17/2031	6/9/31	38	0	0	38
Grading	6/10/2031	9/23/31	76	0	0	76
Utilities Trenching	9/24/2031	1/7/32	76	0	0	76
Building Construction	1/8/2032	5/21/35	878	0	0	878
Paving	1/8/2032	2/4/32	20	0	0	20
Architectural Coating	4/18/2034	12/21/2035	439	0	0	439
			Planning Area 3			
Demolition	3/1/2034	5/19/34	58	0	0	58
Site Prep	5/20/2034	6/26/34	29	0	0	29
Grading	6/30/2034	9/19/34	58	0	0	58
Utilities Trenching	9/19/2034	12/7/34	58	0	0	58
Building Construction	12/8/2034	7/6/37	672	0	0	672
Paving	12/8/2034	1/4/35	20	0	0	20
Architectural Coating	9/5/2036	12/21/2037	336	0	0	336

	Harbor	PA1	PA2	PA3
2023	SP, G, U, P, BC			
2024	BC, AC	D, SP, G		
2025	AC	G, U, BC, P		
2026		BC		
2027		BC		
2028		BC, AC		
2029		BC, AC		
2030		BC, AC		
2031			D, SP, G, U	
2032			U, BC, P	
2033			BC	
2034			BC, AC	D, SP, G, U, BC, P
2035			BC, AC	BC, P,
2036				BC, AC
2037				BC, AC

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Emissions

Onsite Emissions

	Unmitigated	Days
H- Site Prep	0.2243	9
H- Grading	1.3468	9
H-Utilities Trenching	1.0825	9
H-Building Construction	0.2031	451
H- Paving	0.8202	5
H - Architectural Coating	0.102	225
PA1 - Demolition	2.4772	121
PA1 - Site Prep	0.8743	61
PA1 - Grading	4.3044	121
PA1 - Utilities Trenching	3.3013	121
PA1 - Building Construction	1.1125	1395
PA1 - Paving	0.00429	20
PA1 - Architectural Coating	0.3695	698
PA2 - Demolition	0.8072	76
PA2 - Site Prep	0.3632	38
PA2 - Grading	1.5091	76
PA2 - Utilities Trenching	1.3655	76
PA2 - Building Construction	0.3988	878
PA2 - Paving	0.9292	20
PA2 - Architectural Coating	0.2685	439
PA3 - Demolition	0.7833	58
PA3 - Site Prep	0.3632	29
PA3 - Grading	1.4852	58
PA3 - Utilities Trenching	1.4452	58
PA3 - Building Construction	0.3846	672
PA3 - Paving	0.9292	20
PA3 - Architectural Coating	0.2685	336

Offsite Emissions

	lbs/day	days	lbs/phase	Miles	lbs/mile
H - Grading	0.0257	9	0.2317431	20	0.0115872
H - Building Const	0.00098	451	0.4418448	6.9	0.0640355
PA1 - Demo	0.00489	121	0.59332	20	0.029666
PA1 - Grading	0.0924	121	11.2112	20	0.56056
PA1 - Building Const	0.0186	1395	25.9532	6.9	3.7613333
PA2 - Demo	0.0071	76	0.5421059	20	0.0271053
PA2 - Grading	0.0712	76	5.4363294	20	0.2718165
PA2 - Building Const	0.0176	878	15.453835	6.9	2.2396863
PA3 - Demo	0.00908	58	0.5309129	20	0.0265456
PA3 - Grading	0.1098	58	6.4200706	20	0.3210035
PA3 - Building Const	0.0254	672	17.079259	6.9	2.4752549

Air Quality Appendix
AQ-7 Health Risk Analysis
A Unmitigated
2 Offsite Residential

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk				
Receptor #	**Total Per/Million**	**Harbor**	**PA1**	**PA2**	**PA3**	
145	**115.6**	**7.22**	**110.44**	**6.90**	**9.28**	**Residential**
		233	**145**	**108**	**146**	**Receptor**
394	**36.1**	**23.2**	**27.3**	**9.9**	**8.2**	**Worker**
		471	**393**	**397**	**463**	**Receptor**
1	2.360E+00	0.07	2.00	0.19	0.10	
2	2.485E+00	0.07	2.11	0.20	0.11	
3	2.616E+00	0.07	2.22	0.22	0.11	
4	2.760E+00	0.07	2.34	0.23	0.12	
5	2.923E+00	0.07	2.49	0.25	0.12	
6	3.132E+00	0.07	2.67	0.26	0.13	
7	3.394E+00	0.07	2.90	0.28	0.13	
8	3.679E+00	0.08	3.16	0.31	0.14	
9	4.011E+00	0.08	3.45	0.33	0.15	
10	4.377E+00	0.09	3.77	0.36	0.16	
11	4.802E+00	0.09	4.13	0.40	0.18	
12	5.220E+00	0.10	4.47	0.46	0.19	
13	5.546E+00	0.10	4.70	0.53	0.21	
14	5.715E+00	0.15	4.55	0.74	0.28	
15	2.666E+00	0.07	2.28	0.20	0.11	
16	2.830E+00	0.08	2.42	0.22	0.12	
17	3.021E+00	0.08	2.58	0.24	0.12	
18	3.212E+00	0.08	2.75	0.26	0.13	
19	3.412E+00	0.08	2.92	0.28	0.14	
20	3.659E+00	0.08	3.13	0.30	0.14	
21	3.937E+00	0.08	3.38	0.33	0.15	
22	4.283E+00	0.08	3.68	0.36	0.16	
23	4.749E+00	0.09	4.10	0.40	0.17	
24	5.182E+00	0.09	4.48	0.43	0.18	
25	5.774E+00	0.10	4.98	0.49	0.20	
26	6.349E+00	0.11	5.45	0.57	0.22	

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
27	6.755E+00	0.11	5.74	0.66	0.24
28	7.027E+00	0.16	5.54	0.98	0.34
29	2.973E+00	0.08	2.56	0.21	0.12
30	3.211E+00	0.08	2.76	0.23	0.13
31	3.483E+00	0.09	3.00	0.26	0.14
32	3.778E+00	0.09	3.26	0.28	0.15
33	4.033E+00	0.09	3.48	0.31	0.15
34	4.357E+00	0.09	3.76	0.34	0.16
35	4.707E+00	0.09	4.06	0.38	0.17
36	5.143E+00	0.09	4.45	0.42	0.18
37	5.691E+00	0.10	4.93	0.47	0.19
38	6.368E+00	0.10	5.52	0.53	0.21
39	7.109E+00	0.11	6.16	0.61	0.23
40	7.815E+00	0.12	6.74	0.71	0.26
41	8.441E+00	0.12	7.21	0.83	0.28
42	8.853E+00	0.19	6.88	1.37	0.42
43	3.233E+00	0.09	2.79	0.22	0.13
44	3.534E+00	0.09	3.06	0.24	0.14
45	3.918E+00	0.10	3.40	0.27	0.15
46	4.348E+00	0.10	3.79	0.30	0.16
47	4.773E+00	0.10	4.16	0.34	0.17
48	5.225E+00	0.10	4.56	0.38	0.19
49	5.706E+00	0.10	4.98	0.43	0.20
50	6.236E+00	0.10	5.44	0.49	0.21
51	7.094E+00	0.11	6.19	0.57	0.23
52	7.969E+00	0.11	6.95	0.66	0.25
53	9.067E+00	0.12	7.90	0.77	0.27
54	1.012E+01	0.13	8.76	0.93	0.31
55	1.107E+01	0.14	9.46	1.14	0.34
56	1.145E+01	0.21	8.66	2.04	0.53
57	3.413E+00	0.10	2.96	0.22	0.14

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
58	3.833E+00	0.10	3.34	0.24	0.15
59	4.355E+00	0.11	3.81	0.27	0.17
60	4.944E+00	0.11	4.35	0.31	0.18
61	5.610E+00	0.11	4.95	0.35	0.20
62	6.343E+00	0.11	5.61	0.41	0.21
63	7.206E+00	0.12	6.39	0.48	0.23
64	7.896E+00	0.12	6.99	0.55	0.24
65	9.091E+00	0.12	8.05	0.66	0.27
66	1.052E+01	0.12	9.30	0.80	0.29
67	1.199E+01	0.13	10.55	0.98	0.33
68	1.378E+01	0.14	12.00	1.26	0.37
69	1.546E+01	0.16	13.19	1.68	0.43
70	3.619E+00	0.11	3.15	0.21	0.15
71	4.116E+00	0.11	3.61	0.24	0.16
72	4.771E+00	0.12	4.21	0.27	0.18
73	5.522E+00	0.12	4.90	0.31	0.19
74	6.472E+00	0.12	5.78	0.36	0.21
75	7.592E+00	0.13	6.81	0.42	0.24
76	9.024E+00	0.13	8.13	0.50	0.26
77	1.049E+01	0.13	9.47	0.60	0.29
78	1.253E+01	0.14	11.33	0.74	0.32
79	1.561E+01	0.15	14.13	0.96	0.37
80	1.783E+01	0.15	16.01	1.26	0.41
81	2.102E+01	0.17	18.54	1.82	0.48
82	2.338E+01	0.18	19.87	2.78	0.55
83	3.803E+00	0.11	3.33	0.21	0.15
84	4.452E+00	0.12	3.93	0.23	0.17
85	5.240E+00	0.13	4.67	0.26	0.19
86	6.029E+00	0.13	5.39	0.30	0.21
87	7.199E+00	0.14	6.48	0.35	0.23
88	8.779E+00	0.15	7.96	0.41	0.26

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
89	1.098E+01	0.15	10.04	0.50	0.29
90	1.408E+01	0.16	12.98	0.62	0.33
91	1.832E+01	0.17	16.99	0.78	0.38
92	2.349E+01	0.18	21.84	1.04	0.44
93	2.882E+01	0.19	26.64	1.48	0.52
94	3.352E+01	0.20	30.31	2.41	0.61
95	3.854E+01	0.21	32.50	5.11	0.72
96	3.970E+00	0.12	3.50	0.20	0.16
97	4.643E+00	0.13	4.13	0.21	0.17
98	5.456E+00	0.13	4.89	0.24	0.19
99	6.514E+00	0.14	5.87	0.28	0.22
100	7.877E+00	0.15	7.14	0.33	0.24
101	9.928E+00	0.16	9.09	0.40	0.28
102	1.315E+01	0.17	12.18	0.48	0.32
103	1.839E+01	0.18	17.24	0.60	0.37
104	2.739E+01	0.19	26.00	0.77	0.43
105	4.121E+01	0.20	39.45	1.04	0.52
106	5.424E+01	0.21	51.88	1.53	0.62
107	6.285E+01	0.23	59.22	2.64	0.76
108	7.102E+01	0.25	62.93	6.90	0.94
109	3.938E+00	0.13	3.47	0.18	0.16
110	4.600E+00	0.14	4.09	0.20	0.17
111	5.446E+00	0.15	4.87	0.23	0.20
112	6.595E+00	0.16	5.95	0.27	0.22
113	8.254E+00	0.17	7.52	0.31	0.25
114	1.074E+01	0.18	9.89	0.37	0.29
115	1.493E+01	0.19	13.95	0.45	0.34
116	2.324E+01	0.21	22.08	0.55	0.40
117	4.522E+01	0.22	43.80	0.71	0.49
118	5.368E+01	0.23	51.89	0.98	0.58
119	8.479E+01	0.24	82.39	1.43	0.73

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
120	9.558E+01	0.26	92.00	2.39	0.93
121	9.775E+01	0.28	90.67	5.62	1.18
122	3.748E+00	0.13	3.30	0.17	0.15
123	4.409E+00	0.14	3.91	0.19	0.17
124	5.285E+00	0.15	4.72	0.22	0.19
125	6.469E+00	0.17	5.83	0.25	0.22
126	8.131E+00	0.18	7.40	0.29	0.25
127	1.070E+01	0.20	9.87	0.34	0.30
128	1.459E+01	0.21	13.66	0.38	0.34
129	2.340E+01	0.22	22.30	0.46	0.42
130	5.583E+01	0.25	54.46	0.60	0.52
131	3.188E+01	0.75	17.84	5.71	7.59
132	2.345E+01	0.78	12.58	4.57	5.52
133	3.472E+00	0.13	3.04	0.16	0.14
134	4.145E+00	0.15	3.66	0.18	0.16
135	4.995E+00	0.16	4.44	0.21	0.19
136	6.095E+00	0.18	5.47	0.23	0.21
137	7.648E+00	0.19	6.94	0.27	0.25
138	9.889E+00	0.21	9.08	0.31	0.29
139	1.330E+01	0.23	12.39	0.35	0.34
140	2.016E+01	0.25	19.07	0.42	0.42
141	3.862E+01	0.28	37.30	0.51	0.53
142	5.409E+01	0.31	52.46	0.63	0.69
143	8.527E+01	0.34	83.13	0.82	0.98
144	1.125E+02	0.38	109.38	1.17	1.56
145	1.156E+02	0.42	110.44	1.70	3.06
146	3.138E+01	1.01	17.56	3.53	9.28
147	3.200E+00	0.13	2.80	0.14	0.13
148	3.794E+00	0.14	3.34	0.16	0.15
149	4.572E+00	0.16	4.05	0.19	0.17
150	5.559E+00	0.18	4.97	0.22	0.20

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
151	6.962E+00	0.20	6.28	0.25	0.23
152	8.800E+00	0.22	8.03	0.28	0.27
153	1.154E+01	0.24	10.65	0.32	0.32
154	1.644E+01	0.27	15.40	0.38	0.40
155	2.648E+01	0.30	25.22	0.46	0.51
156	4.457E+01	0.34	43.01	0.55	0.68
157	5.854E+01	0.38	56.52	0.68	0.96
158	6.233E+01	0.43	59.50	0.85	1.55
159	7.038E+01	0.50	64.79	1.23	3.86
160	3.006E+00	0.13	2.62	0.14	0.12
161	3.477E+00	0.14	3.05	0.15	0.14
162	4.020E+00	0.15	3.54	0.17	0.15
163	4.927E+00	0.17	4.38	0.19	0.18
164	6.205E+00	0.20	5.56	0.23	0.22
165	7.697E+00	0.22	6.96	0.26	0.25
166	9.887E+00	0.25	9.04	0.30	0.30
167	1.321E+01	0.28	12.21	0.35	0.37
168	1.868E+01	0.32	17.49	0.40	0.47
169	2.672E+01	0.37	25.25	0.48	0.62
170	3.400E+01	0.43	32.14	0.57	0.87
171	3.793E+01	0.50	35.38	0.70	1.36
172	4.157E+01	0.59	37.18	0.91	2.89
173	4.395E+01	0.71	38.09	1.20	3.94
174	4.639E+01	0.88	37.90	1.56	6.04
175	4.343E+01	1.11	33.98	1.82	6.53
176	3.790E+01	1.47	26.90	1.91	7.62
177	2.896E+01	1.92	18.83	1.88	6.34
178	2.198E+01	2.41	12.58	1.74	5.23
179	2.728E+00	0.12	2.37	0.13	0.11
180	3.098E+00	0.13	2.71	0.14	0.13
181	3.484E+00	0.14	3.06	0.15	0.14

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
182	4.320E+00	0.16	3.82	0.17	0.17
183	5.536E+00	0.19	4.93	0.21	0.20
184	6.756E+00	0.22	6.06	0.24	0.24
185	8.485E+00	0.25	7.68	0.27	0.29
186	1.083E+01	0.28	9.88	0.31	0.35
187	1.416E+01	0.33	13.04	0.36	0.43
188	1.859E+01	0.38	17.23	0.42	0.56
189	2.277E+01	0.45	21.08	0.49	0.75
190	2.573E+01	0.54	23.53	0.58	1.07
191	2.746E+01	0.66	24.37	0.70	1.73
192	2.924E+01	0.83	24.55	0.87	2.99
193	2.975E+01	1.06	23.74	1.05	3.90
194	2.951E+01	1.43	22.48	1.24	4.35
195	2.754E+01	2.08	19.31	1.41	4.75
196	2.375E+01	3.15	14.70	1.41	4.48
197	2.011E+01	4.62	10.69	1.33	3.47
198	2.533E+00	0.11	2.20	0.12	0.11
199	2.870E+00	0.12	2.50	0.13	0.12
200	3.269E+00	0.13	2.86	0.14	0.13
201	3.844E+00	0.15	3.38	0.16	0.15
202	4.845E+00	0.18	4.29	0.19	0.19
203	5.883E+00	0.21	5.23	0.22	0.22
204	7.255E+00	0.24	6.50	0.25	0.27
205	8.972E+00	0.28	8.09	0.28	0.32
206	1.123E+01	0.32	10.19	0.32	0.40
207	1.394E+01	0.38	12.70	0.37	0.50
208	1.666E+01	0.45	15.15	0.42	0.63
209	1.878E+01	0.55	16.89	0.49	0.84
210	2.016E+01	0.69	17.70	0.58	1.19
211	2.089E+01	0.89	17.62	0.69	1.69
212	2.092E+01	1.19	16.84	0.79	2.10

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
213	2.000E+01	1.66	15.21	0.87	2.26
214	1.852E+01	2.44	12.93	0.91	2.24
215	2.063E+01	5.07	11.87	1.08	2.61
216	2.397E+00	0.10	2.08	0.11	0.10
217	2.673E+00	0.11	2.32	0.12	0.11
218	3.025E+00	0.13	2.64	0.14	0.13
219	3.483E+00	0.14	3.04	0.15	0.15
220	4.246E+00	0.17	3.73	0.17	0.18
221	5.025E+00	0.19	4.43	0.20	0.21
222	6.122E+00	0.22	5.43	0.22	0.25
223	7.399E+00	0.26	6.59	0.25	0.29
224	8.997E+00	0.30	8.06	0.28	0.35
225	1.078E+01	0.36	9.67	0.32	0.43
226	1.268E+01	0.43	11.36	0.36	0.53
227	1.422E+01	0.53	12.61	0.42	0.66
228	1.533E+01	0.66	13.32	0.48	0.87
229	1.595E+01	0.86	13.39	0.56	1.13
230	1.602E+01	1.18	12.84	0.63	1.37
231	1.583E+01	1.74	11.88	0.70	1.51
232	1.565E+01	2.88	10.47	0.74	1.56
233	1.945E+01	7.22	9.67	0.84	1.71
234	2.269E+00	0.10	1.96	0.11	0.10
235	2.490E+00	0.11	2.15	0.12	0.11
236	2.789E+00	0.12	2.42	0.13	0.12
237	3.192E+00	0.14	2.78	0.14	0.14
238	3.741E+00	0.16	3.26	0.16	0.16
239	4.354E+00	0.18	3.81	0.18	0.19
240	5.156E+00	0.21	4.53	0.20	0.22
241	6.137E+00	0.24	5.41	0.22	0.26
242	7.301E+00	0.28	6.46	0.25	0.31
243	8.610E+00	0.33	7.64	0.28	0.36

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
244	1.001E+01	0.40	8.86	0.32	0.44
245	1.125E+01	0.49	9.86	0.36	0.54
246	1.219E+01	0.62	10.48	0.42	0.67
247	1.275E+01	0.80	10.64	0.47	0.84
248	1.300E+01	1.09	10.38	0.53	1.00
249	1.296E+01	1.58	9.70	0.58	1.11
250	1.319E+01	2.61	8.80	0.62	1.16
251	1.650E+01	6.41	8.14	0.70	1.25
252	2.118E+00	0.10	1.82	0.10	0.10
253	2.290E+00	0.10	1.97	0.11	0.11
254	2.515E+00	0.11	2.17	0.12	0.12
255	2.802E+00	0.13	2.42	0.13	0.13
256	3.323E+00	0.15	2.88	0.14	0.15
257	3.680E+00	0.16	3.19	0.15	0.17
258	4.209E+00	0.19	3.66	0.17	0.19
259	4.862E+00	0.21	4.25	0.18	0.22
260	5.792E+00	0.25	5.08	0.21	0.25
261	6.924E+00	0.30	6.08	0.24	0.30
262	8.062E+00	0.37	7.05	0.28	0.36
263	9.010E+00	0.45	7.81	0.31	0.44
264	9.832E+00	0.56	8.38	0.36	0.53
265	1.032E+01	0.72	8.56	0.40	0.64
266	1.060E+01	0.95	8.45	0.45	0.75
267	1.065E+01	1.33	7.99	0.49	0.84
268	1.078E+01	2.02	7.37	0.52	0.88
269	1.251E+01	4.10	6.89	0.58	0.94
270	1.968E+00	0.09	1.68	0.10	0.09
271	2.123E+00	0.10	1.82	0.10	0.10
272	2.314E+00	0.11	1.98	0.11	0.11
273	2.540E+00	0.12	2.18	0.12	0.12
274	3.025E+00	0.14	2.60	0.13	0.14

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
275	3.459E+00	0.16	2.98	0.15	0.16
276	3.648E+00	0.18	3.15	0.15	0.17
277	4.139E+00	0.20	3.59	0.16	0.19
278	4.784E+00	0.23	4.16	0.18	0.21
279	5.569E+00	0.27	4.84	0.20	0.25
280	6.525E+00	0.33	5.66	0.24	0.30
281	7.407E+00	0.41	6.36	0.27	0.36
282	8.106E+00	0.51	6.85	0.31	0.44
283	8.584E+00	0.64	7.08	0.35	0.52
284	8.842E+00	0.83	7.03	0.38	0.60
285	8.913E+00	1.10	6.74	0.42	0.66
286	8.977E+00	1.54	6.30	0.44	0.70
287	9.918E+00	2.75	5.93	0.49	0.75
288	1.842E+00	0.09	1.57	0.09	0.09
289	1.961E+00	0.10	1.67	0.10	0.10
290	2.180E+00	0.11	1.86	0.11	0.11
291	2.409E+00	0.12	2.06	0.11	0.12
292	2.990E+00	0.15	2.56	0.14	0.14
293	3.211E+00	0.16	2.75	0.14	0.15
294	3.234E+00	0.17	2.78	0.14	0.15
295	3.661E+00	0.19	3.15	0.15	0.17
296	4.185E+00	0.22	3.61	0.17	0.19
297	4.720E+00	0.25	4.07	0.18	0.21
298	5.391E+00	0.30	4.64	0.21	0.25
299	6.152E+00	0.37	5.24	0.24	0.30
300	6.716E+00	0.45	5.64	0.27	0.36
301	7.199E+00	0.56	5.91	0.30	0.42
302	7.495E+00	0.71	5.96	0.34	0.49
303	7.625E+00	0.91	5.81	0.36	0.54
304	7.683E+00	1.23	5.50	0.39	0.57
305	8.196E+00	1.98	5.18	0.43	0.61

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
306	1.839E+00	0.09	1.56	0.09	0.09
307	1.895E+00	0.10	1.61	0.09	0.10
308	2.040E+00	0.11	1.73	0.10	0.10
309	2.402E+00	0.13	2.04	0.11	0.12
310	2.773E+00	0.15	2.36	0.13	0.14
311	2.942E+00	0.16	2.51	0.13	0.14
312	2.899E+00	0.16	2.48	0.13	0.14
313	3.252E+00	0.18	2.78	0.14	0.15
314	3.679E+00	0.20	3.15	0.15	0.17
315	4.262E+00	0.24	3.65	0.17	0.20
316	4.669E+00	0.28	3.98	0.19	0.22
317	5.143E+00	0.32	4.35	0.21	0.25
318	5.629E+00	0.39	4.71	0.24	0.30
319	6.101E+00	0.48	5.00	0.27	0.35
320	6.474E+00	0.62	5.15	0.30	0.41
321	6.592E+00	0.77	5.05	0.32	0.45
322	6.634E+00	0.99	4.82	0.34	0.48
323	6.905E+00	1.48	4.54	0.38	0.51
324	1.733E+00	0.09	1.46	0.09	0.09
325	1.915E+00	0.10	1.62	0.10	0.10
326	2.034E+00	0.11	1.72	0.10	0.10
327	2.128E+00	0.12	1.80	0.10	0.11
328	2.610E+00	0.14	2.21	0.12	0.13
329	2.707E+00	0.15	2.30	0.12	0.13
330	2.681E+00	0.15	2.28	0.12	0.13
331	2.989E+00	0.17	2.54	0.13	0.14
332	3.359E+00	0.20	2.86	0.14	0.16
333	3.850E+00	0.23	3.27	0.16	0.18
334	4.258E+00	0.27	3.60	0.18	0.21
335	4.666E+00	0.31	3.92	0.20	0.24
336	2.948E+01	0.91	16.17	4.06	8.35

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
337	2.049E+01	0.95	10.99	3.16	5.38
338	5.486E+00	0.11	4.63	0.54	0.21
339	5.651E+00	0.11	4.71	0.60	0.23
340	5.747E+00	0.13	4.72	0.65	0.25
341	5.748E+00	0.14	4.66	0.69	0.26
342	5.672E+00	0.14	4.55	0.71	0.27
343	5.325E+00	0.15	4.20	0.71	0.27
344	5.096E+00	0.15	3.99	0.68	0.27
345	4.824E+00	0.15	3.76	0.65	0.27
346	4.506E+00	0.15	3.49	0.60	0.26
347	6.703E+00	0.11	5.67	0.67	0.24
348	6.985E+00	0.13	5.81	0.77	0.27
349	7.100E+00	0.15	5.80	0.86	0.30
350	7.066E+00	0.15	5.69	0.91	0.31
351	6.982E+00	0.16	5.56	0.94	0.32
352	6.415E+00	0.17	4.99	0.92	0.33
353	6.056E+00	0.17	4.68	0.88	0.33
354	5.583E+00	0.17	4.29	0.81	0.32
355	5.162E+00	0.17	3.95	0.74	0.31
356	8.411E+00	0.12	7.14	0.86	0.29
357	8.855E+00	0.13	7.40	1.01	0.31
358	9.041E+00	0.15	7.38	1.16	0.35
359	9.026E+00	0.17	7.23	1.25	0.38
360	8.811E+00	0.18	6.93	1.31	0.40
361	7.843E+00	0.19	5.99	1.25	0.41
362	7.279E+00	0.19	5.51	1.17	0.40
363	6.558E+00	0.19	4.94	1.04	0.39
364	1.098E+01	0.14	9.31	1.18	0.35
365	1.149E+01	0.15	9.57	1.39	0.38
366	1.195E+01	0.16	9.68	1.68	0.43
367	1.188E+01	0.19	9.36	1.86	0.48

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
368	1.148E+01	0.20	8.84	1.94	0.50
369	9.828E+00	0.22	7.29	1.80	0.52
370	7.900E+00	0.22	5.79	1.39	0.49
371	6.902E+00	0.22	5.06	1.16	0.46
372	1.526E+01	0.16	12.90	1.77	0.43
373	1.601E+01	0.17	13.16	2.20	0.48
374	1.668E+01	0.19	13.20	2.75	0.55
375	1.646E+01	0.22	12.57	3.06	0.62
376	1.562E+01	0.23	11.54	3.18	0.67
377	1.430E+01	0.25	10.27	3.09	0.70
378	1.278E+01	0.25	8.99	2.83	0.70
379	9.457E+00	0.26	6.64	1.91	0.64
380	7.996E+00	0.26	5.67	1.47	0.59
381	6.737E+00	0.26	4.83	1.12	0.53
382	2.299E+01	0.18	19.20	3.04	0.56
383	2.481E+01	0.20	19.53	4.43	0.65
384	2.543E+01	0.22	19.02	5.45	0.74
385	2.474E+01	0.26	17.64	6.01	0.84
386	2.300E+01	0.27	15.67	6.13	0.93
387	2.046E+01	0.29	13.30	5.88	0.99
388	1.765E+01	0.30	11.11	5.24	1.01
389	1.133E+01	0.31	7.46	2.68	0.87
390	8.993E+00	0.31	6.14	1.79	0.76
391	7.306E+00	0.30	5.11	1.25	0.65
392	5.900E+00	0.29	4.18	0.89	0.53
393	3.506E+01	0.22	27.31	6.74	0.79
394	3.614E+01	0.26	27.05	7.87	0.97
395	3.312E+01	0.29	23.80	7.95	1.09
396	3.085E+01	0.31	20.88	8.39	1.27
397	2.833E+01	0.33	16.70	9.86	1.44
398	2.131E+01	0.35	13.08	6.45	1.44

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
399	1.725E+01	0.35	10.43	5.14	1.32
400	1.339E+01	0.37	8.16	3.62	1.23
401	9.846E+00	0.37	6.49	2.00	0.98
402	6.055E+00	0.35	4.22	0.88	0.60
403	1.508E+01	0.45	8.70	4.13	1.80
404	6.343E+00	0.43	4.34	0.88	0.69
405	5.093E+00	0.40	3.53	0.64	0.52
406	1.510E+01	0.57	8.66	3.37	2.49
407	5.027E+00	0.48	3.42	0.60	0.53
408	1.412E+01	0.75	8.22	2.53	2.62
409	4.953E+00	0.59	3.29	0.55	0.51
410	1.287E+01	1.03	7.57	1.92	2.35
411	5.979E+00	0.84	3.82	0.66	0.66
412	4.985E+00	0.74	3.22	0.52	0.50
413	1.190E+01	1.50	6.89	1.50	2.00
414	7.212E+00	1.25	4.35	0.79	0.83
415	5.891E+00	1.07	3.61	0.60	0.61
416	4.914E+00	0.90	3.07	0.48	0.47
417	1.152E+01	2.40	6.28	1.21	1.64
418	5.854E+00	1.35	3.40	0.55	0.55
419	4.847E+00	1.07	2.91	0.44	0.43
420	4.064E+00	0.84	2.51	0.36	0.35
421	1.236E+01	4.31	5.72	0.99	1.34
422	4.744E+00	1.19	2.75	0.40	0.40
423	3.959E+00	0.90	2.40	0.34	0.33
424	1.585E+01	8.67	5.24	0.83	1.12
425	3.795E+00	0.90	2.28	0.31	0.30
426	3.222E+00	0.68	2.01	0.27	0.26
427	2.169E+01	15.27	4.79	0.71	0.93
428	3.588E+00	0.86	2.16	0.29	0.28
429	3.064E+00	0.65	1.92	0.25	0.24

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
430	1.993E+01	14.16	4.39	0.60	0.79
431	2.896E+00	0.61	1.83	0.24	0.22
432	2.513E+00	0.48	1.63	0.21	0.19
433	1.399E+01	8.80	4.00	0.52	0.66
434	2.731E+00	0.56	1.74	0.22	0.21
435	2.399E+00	0.45	1.57	0.20	0.18
436	1.013E+01	5.43	3.67	0.46	0.57
437	2.958E+00	0.65	1.84	0.24	0.23
438	2.577E+00	0.52	1.65	0.21	0.20
439	2.277E+00	0.42	1.50	0.19	0.17
440	7.782E+00	3.50	3.38	0.40	0.49
441	3.862E+00	1.06	2.22	0.29	0.29
442	3.224E+00	0.77	1.95	0.25	0.25
443	2.774E+00	0.59	1.75	0.22	0.21
444	2.429E+00	0.47	1.57	0.20	0.18
445	6.272E+00	2.39	3.10	0.36	0.43
446	4.273E+00	1.31	2.35	0.30	0.31
447	3.539E+00	0.93	2.07	0.26	0.27
448	3.003E+00	0.69	1.85	0.23	0.23
449	5.246E+00	1.71	2.85	0.32	0.37
450	4.554E+00	1.43	2.50	0.29	0.33
451	3.857E+00	1.10	2.21	0.27	0.28
452	4.507E+00	1.28	2.62	0.28	0.32
453	4.013E+00	1.13	2.33	0.27	0.29
454	1.829E+00	0.31	1.24	0.15	0.14
455	1.674E+00	0.26	1.15	0.14	0.12
456	3.945E+00	0.99	2.42	0.25	0.29
457	3.573E+00	0.90	2.17	0.24	0.26
458	3.164E+00	0.77	1.94	0.22	0.23
459	2.161E+00	0.41	1.42	0.17	0.16
460	1.938E+00	0.34	1.30	0.16	0.14

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
461	1.751E+00	0.29	1.19	0.14	0.13
462	1.594E+00	0.25	1.10	0.13	0.12
463	2.762E+01	1.05	15.06	3.32	8.18
464	1.882E+01	1.13	10.40	2.63	4.66
465	2.283E+01	1.60	13.10	2.24	5.90
466	1.600E+01	1.95	8.96	1.74	3.34
467	1.752E+01	2.71	9.60	1.58	3.64
468	1.781E+01	5.61	8.47	1.23	2.51
469	2.913E+01	18.88	7.46	0.99	1.80
470	2.442E+01	13.66	8.27	0.86	1.63
471	3.271E+01	23.18	7.06	0.90	1.57
472	2.775E+01	18.72	7.11	0.71	1.21
473	2.748E+01	19.92	5.84	0.68	1.05
474	1.642E+01	8.75	6.14	0.60	0.93
475	2.143E+01	14.82	5.19	0.58	0.84
476	1.131E+01	4.70	5.36	0.51	0.74
477	1.237E+01	6.55	4.64	0.50	0.69
478	8.642E+00	2.88	4.72	0.44	0.61
479	8.787E+00	3.66	4.13	0.43	0.57
480	8.145E+00	3.63	3.60	0.41	0.52
481	7.012E+00	1.94	4.18	0.38	0.51
482	6.469E+00	2.38	3.28	0.37	0.44
483	5.720E+00	1.62	3.36	0.33	0.41
484	5.377E+00	1.67	3.00	0.32	0.38

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk												
Receptor #	**Receptor #**	**Max Chronic**		**2023**	**2024**	**2025**	**2026**	**2027**	**2028**	**2029**	**2030**	**2031**	**2032**	**2033**
145	**145**	**0.410**	**Res**	**0.083**	**0.262**	**0.410**	**0.038**	**0.038**	**0.050**	**0.050**	**0.050**	**0.091**	**0.061**	**0.009**
			Rec	**233**	**145**	**145**	**145**	**145**	**145**	**145**	**145**	**108**	**108**	**108**
394	**471**	**0.266**	**Wk**	**0.266**	**0.065**	**0.101**	**0.009**	**0.009**	**0.012**	**0.012**	**0.012**	**0.130**	**0.087**	**0.013**
			Rec	**471**	**393**	**393**	**393**	**393**	**393**	**393**	**393**	**397**	**397**	**397**
1	**1**	7.46E-03		7.71E-04	4.86E-03	7.46E-03	6.87E-04	6.87E-04	9.16E-04	9.16E-04	9.16E-04	2.47E-03	1.64E-03	2.43E-04
2	**2**	7.85E-03		7.80E-04	5.11E-03	7.85E-03	7.24E-04	7.24E-04	9.64E-04	9.64E-04	9.64E-04	2.65E-03	1.77E-03	2.61E-04
3	**3**	8.26E-03		7.88E-04	5.38E-03	8.26E-03	7.62E-04	7.62E-04	1.02E-03	1.02E-03	1.02E-03	2.84E-03	1.89E-03	2.80E-04
4	**4**	8.72E-03		7.98E-04	5.67E-03	8.72E-03	8.04E-04	8.04E-04	1.07E-03	1.07E-03	1.07E-03	3.05E-03	2.03E-03	3.01E-04
5	**5**	9.24E-03		8.09E-04	6.00E-03	9.24E-03	8.53E-04	8.53E-04	1.14E-03	1.14E-03	1.14E-03	3.26E-03	2.17E-03	3.21E-04
6	**6**	9.92E-03		8.30E-04	6.44E-03	9.92E-03	9.16E-04	9.16E-04	1.22E-03	1.22E-03	1.22E-03	3.50E-03	2.33E-03	3.45E-04
7	**7**	1.08E-02		8.57E-04	7.00E-03	1.08E-02	9.96E-04	9.96E-04	1.33E-03	1.33E-03	1.33E-03	3.76E-03	2.50E-03	3.71E-04
8	**8**	1.17E-02		8.90E-04	7.60E-03	1.17E-02	1.08E-03	1.08E-03	1.44E-03	1.44E-03	1.44E-03	4.04E-03	2.69E-03	3.99E-04
9	**9**	1.28E-02		9.30E-04	8.30E-03	1.28E-02	1.18E-03	1.18E-03	1.58E-03	1.58E-03	1.58E-03	4.37E-03	2.91E-03	4.30E-04
10	**10**	1.40E-02		9.83E-04	9.06E-03	1.40E-02	1.29E-03	1.29E-03	1.72E-03	1.72E-03	1.72E-03	4.77E-03	3.18E-03	4.70E-04
11	**11**	1.54E-02		1.05E-03	9.93E-03	1.54E-02	1.42E-03	1.42E-03	1.89E-03	1.89E-03	1.89E-03	5.32E-03	3.54E-03	5.25E-04
12	**12**	1.66E-02		1.12E-03	1.07E-02	1.66E-02	1.53E-03	1.53E-03	2.04E-03	2.04E-03	2.04E-03	6.10E-03	4.06E-03	6.01E-04
13	**13**	1.75E-02		1.20E-03	1.13E-02	1.75E-02	1.61E-03	1.61E-03	2.15E-03	2.15E-03	2.15E-03	7.03E-03	4.68E-03	6.93E-04
14	**14**	1.69E-02		1.68E-03	1.10E-02	1.69E-02	1.56E-03	1.56E-03	2.08E-03	2.08E-03	2.08E-03	9.77E-03	6.51E-03	9.63E-04
15	**15**	8.47E-03		8.57E-04	5.52E-03	8.47E-03	7.81E-04	7.81E-04	1.04E-03	1.04E-03	1.04E-03	2.65E-03	1.77E-03	2.62E-04
16	**16**	9.00E-03		8.66E-04	5.85E-03	9.00E-03	8.30E-04	8.30E-04	1.11E-03	1.11E-03	1.11E-03	2.88E-03	1.92E-03	2.84E-04
17	**17**	9.61E-03		8.80E-04	6.25E-03	9.61E-03	8.86E-04	8.86E-04	1.18E-03	1.18E-03	1.18E-03	3.13E-03	2.09E-03	3.09E-04
18	**18**	1.02E-02		8.88E-04	6.63E-03	1.02E-02	9.43E-04	9.43E-04	1.26E-03	1.26E-03	1.26E-03	3.40E-03	2.26E-03	3.35E-04
19	**19**	1.09E-02		8.96E-04	7.04E-03	1.09E-02	1.00E-03	1.00E-03	1.33E-03	1.33E-03	1.33E-03	3.69E-03	2.46E-03	3.64E-04
20	**20**	1.17E-02		9.12E-04	7.55E-03	1.17E-02	1.08E-03	1.08E-03	1.43E-03	1.43E-03	1.43E-03	4.01E-03	2.67E-03	3.95E-04
21	**21**	1.26E-02		9.33E-04	8.13E-03	1.26E-02	1.16E-03	1.16E-03	1.54E-03	1.54E-03	1.54E-03	4.36E-03	2.90E-03	4.30E-04
22	**22**	1.37E-02		9.60E-04	8.86E-03	1.37E-02	1.26E-03	1.26E-03	1.68E-03	1.68E-03	1.68E-03	4.74E-03	3.16E-03	4.67E-04
23	**23**	1.52E-02		1.01E-03	9.84E-03	1.52E-02	1.41E-03	1.41E-03	1.87E-03	1.87E-03	1.87E-03	5.22E-03	3.48E-03	5.15E-04
24	**24**	1.66E-02		1.06E-03	1.07E-02	1.66E-02	1.54E-03	1.54E-03	2.05E-03	2.05E-03	2.05E-03	5.73E-03	3.82E-03	5.65E-04
25	**25**	1.85E-02		1.14E-03	1.20E-02	1.85E-02	1.71E-03	1.71E-03	2.28E-03	2.28E-03	2.28E-03	6.49E-03	4.32E-03	6.39E-04
26	**26**	2.03E-02		1.23E-03	1.31E-02	2.03E-02	1.87E-03	1.87E-03	2.49E-03	2.49E-03	2.49E-03	7.51E-03	5.00E-03	7.40E-04

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
27	**27**	2.13E-02	1.30E-03	1.38E-02	2.13E-02	1.97E-03	1.97E-03	2.62E-03	2.62E-03	2.62E-03	8.71E-03	5.80E-03	8.59E-04
28	**28**	2.06E-02	1.88E-03	1.34E-02	2.06E-02	1.90E-03	1.90E-03	2.53E-03	2.53E-03	2.53E-03	1.30E-02	8.66E-03	1.28E-03
29	**29**	9.51E-03	9.50E-04	6.19E-03	9.51E-03	8.77E-04	8.77E-04	1.17E-03	1.17E-03	1.17E-03	2.79E-03	1.86E-03	2.75E-04
30	**30**	1.03E-02	9.69E-04	6.69E-03	1.03E-02	9.48E-04	9.48E-04	1.26E-03	1.26E-03	1.26E-03	3.06E-03	2.04E-03	3.02E-04
31	**31**	1.12E-02	9.90E-04	7.25E-03	1.12E-02	1.03E-03	1.03E-03	1.37E-03	1.37E-03	1.37E-03	3.38E-03	2.25E-03	3.33E-04
32	**32**	1.21E-02	1.00E-03	7.87E-03	1.21E-02	1.12E-03	1.12E-03	1.49E-03	1.49E-03	1.49E-03	3.73E-03	2.49E-03	3.68E-04
33	**33**	1.29E-02	1.00E-03	8.39E-03	1.29E-02	1.19E-03	1.19E-03	1.59E-03	1.59E-03	1.59E-03	4.11E-03	2.74E-03	4.05E-04
34	**34**	1.40E-02	1.02E-03	9.05E-03	1.40E-02	1.29E-03	1.29E-03	1.72E-03	1.72E-03	1.72E-03	4.55E-03	3.03E-03	4.49E-04
35	**35**	1.51E-02	1.03E-03	9.77E-03	1.51E-02	1.39E-03	1.39E-03	1.86E-03	1.86E-03	1.86E-03	5.04E-03	3.35E-03	4.97E-04
36	**36**	1.65E-02	1.06E-03	1.07E-02	1.65E-02	1.53E-03	1.53E-03	2.03E-03	2.03E-03	2.03E-03	5.60E-03	3.73E-03	5.52E-04
37	**37**	1.83E-02	1.10E-03	1.18E-02	1.83E-02	1.69E-03	1.69E-03	2.25E-03	2.25E-03	2.25E-03	6.26E-03	4.17E-03	6.17E-04
38	**38**	2.05E-02	1.16E-03	1.32E-02	2.05E-02	1.89E-03	1.89E-03	2.52E-03	2.52E-03	2.52E-03	7.06E-03	4.70E-03	6.96E-04
39	**39**	2.29E-02	1.24E-03	1.47E-02	2.29E-02	2.11E-03	2.11E-03	2.81E-03	2.81E-03	2.81E-03	8.07E-03	5.37E-03	7.95E-04
40	**40**	2.50E-02	1.32E-03	1.61E-02	2.50E-02	2.31E-03	2.31E-03	3.08E-03	3.08E-03	3.08E-03	9.34E-03	6.22E-03	9.21E-04
41	**41**	2.68E-02	1.41E-03	1.72E-02	2.68E-02	2.47E-03	2.47E-03	3.29E-03	3.29E-03	3.29E-03	1.10E-02	7.31E-03	1.08E-03
42	**42**	2.56E-02	2.13E-03	1.66E-02	2.56E-02	2.36E-03	2.36E-03	3.14E-03	3.14E-03	3.14E-03	1.81E-02	1.21E-02	1.79E-03
43	**43**	1.04E-02	1.04E-03	6.77E-03	1.04E-02	9.59E-04	9.59E-04	1.28E-03	1.28E-03	1.28E-03	2.85E-03	1.90E-03	2.81E-04
44	**44**	1.14E-02	1.07E-03	7.40E-03	1.14E-02	1.05E-03	1.05E-03	1.40E-03	1.40E-03	1.40E-03	3.15E-03	2.10E-03	3.11E-04
45	**45**	1.27E-02	1.10E-03	8.22E-03	1.27E-02	1.17E-03	1.17E-03	1.56E-03	1.56E-03	1.56E-03	3.52E-03	2.34E-03	3.47E-04
46	**46**	1.41E-02	1.12E-03	9.13E-03	1.41E-02	1.30E-03	1.30E-03	1.73E-03	1.73E-03	1.73E-03	3.96E-03	2.64E-03	3.91E-04
47	**47**	1.55E-02	1.13E-03	1.00E-02	1.55E-02	1.43E-03	1.43E-03	1.90E-03	1.90E-03	1.90E-03	4.46E-03	2.97E-03	4.39E-04
48	**48**	1.69E-02	1.15E-03	1.10E-02	1.69E-02	1.56E-03	1.56E-03	2.08E-03	2.08E-03	2.08E-03	5.03E-03	3.35E-03	4.96E-04
49	**49**	1.85E-02	1.16E-03	1.19E-02	1.85E-02	1.71E-03	1.71E-03	2.28E-03	2.28E-03	2.28E-03	5.69E-03	3.79E-03	5.61E-04
50	**50**	2.02E-02	1.17E-03	1.30E-02	2.02E-02	1.87E-03	1.87E-03	2.49E-03	2.49E-03	2.49E-03	6.45E-03	4.29E-03	6.36E-04
51	**51**	2.30E-02	1.22E-03	1.48E-02	2.30E-02	2.13E-03	2.13E-03	2.83E-03	2.83E-03	2.83E-03	7.48E-03	4.98E-03	7.38E-04
52	**52**	2.58E-02	1.28E-03	1.66E-02	2.58E-02	2.39E-03	2.39E-03	3.18E-03	3.18E-03	3.18E-03	8.67E-03	5.78E-03	8.55E-04
53	**53**	2.93E-02	1.36E-03	1.89E-02	2.93E-02	2.71E-03	2.71E-03	3.61E-03	3.61E-03	3.61E-03	1.02E-02	6.81E-03	1.01E-03
54	**54**	3.25E-02	1.46E-03	2.09E-02	3.25E-02	3.01E-03	3.01E-03	4.01E-03	4.01E-03	4.01E-03	1.23E-02	8.17E-03	1.21E-03
55	**55**	3.51E-02	1.57E-03	2.26E-02	3.51E-02	3.25E-03	3.25E-03	4.32E-03	4.32E-03	4.32E-03	1.50E-02	9.99E-03	1.48E-03
56	**56**	3.22E-02	2.44E-03	2.08E-02	3.22E-02	2.97E-03	2.97E-03	3.96E-03	3.96E-03	3.96E-03	2.70E-02	1.80E-02	2.66E-03
57	**57**	1.10E-02	1.13E-03	7.18E-03	1.10E-02	1.02E-03	1.02E-03	1.35E-03	1.35E-03	1.35E-03	2.84E-03	1.89E-03	2.80E-04

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
58	**58**	1.24E-02	1.18E-03	8.08E-03	1.24E-02	1.15E-03	1.15E-03	1.53E-03	1.53E-03	1.53E-03	3.18E-03	2.12E-03	3.13E-04
59	**59**	1.42E-02	1.21E-03	9.20E-03	1.42E-02	1.31E-03	1.31E-03	1.74E-03	1.74E-03	1.74E-03	3.59E-03	2.39E-03	3.54E-04
60	**60**	1.62E-02	1.25E-03	1.05E-02	1.62E-02	1.49E-03	1.49E-03	1.99E-03	1.99E-03	1.99E-03	4.08E-03	2.72E-03	4.02E-04
61	**61**	1.84E-02	1.28E-03	1.19E-02	1.84E-02	1.70E-03	1.70E-03	2.26E-03	2.26E-03	2.26E-03	4.67E-03	3.11E-03	4.60E-04
62	**62**	2.09E-02	1.30E-03	1.35E-02	2.09E-02	1.93E-03	1.93E-03	2.57E-03	2.57E-03	2.57E-03	5.38E-03	3.58E-03	5.30E-04
63	**63**	2.37E-02	1.33E-03	1.53E-02	2.37E-02	2.19E-03	2.19E-03	2.92E-03	2.92E-03	2.92E-03	6.28E-03	4.18E-03	6.19E-04
64	**64**	2.60E-02	1.33E-03	1.67E-02	2.60E-02	2.40E-03	2.40E-03	3.19E-03	3.19E-03	3.19E-03	7.26E-03	4.84E-03	7.16E-04
65	**65**	2.99E-02	1.37E-03	1.92E-02	2.99E-02	2.76E-03	2.76E-03	3.68E-03	3.68E-03	3.68E-03	8.70E-03	5.79E-03	8.58E-04
66	**66**	3.45E-02	1.43E-03	2.22E-02	3.45E-02	3.19E-03	3.19E-03	4.25E-03	4.25E-03	4.25E-03	1.06E-02	7.05E-03	1.04E-03
67	**67**	3.92E-02	1.50E-03	2.52E-02	3.92E-02	3.62E-03	3.62E-03	4.82E-03	4.82E-03	4.82E-03	1.30E-02	8.65E-03	1.28E-03
68	**68**	4.46E-02	1.63E-03	2.86E-02	4.46E-02	4.12E-03	4.12E-03	5.49E-03	5.49E-03	5.49E-03	1.67E-02	1.11E-02	1.64E-03
69	**69**	4.90E-02	1.78E-03	3.15E-02	4.90E-02	4.53E-03	4.53E-03	6.03E-03	6.03E-03	6.03E-03	2.22E-02	1.48E-02	2.19E-03
70	**70**	1.17E-02	1.23E-03	7.65E-03	1.17E-02	1.08E-03	1.08E-03	1.44E-03	1.44E-03	1.44E-03	2.81E-03	1.87E-03	2.77E-04
71	**71**	1.34E-02	1.28E-03	8.73E-03	1.34E-02	1.24E-03	1.24E-03	1.65E-03	1.65E-03	1.65E-03	3.15E-03	2.10E-03	3.11E-04
72	**72**	1.56E-02	1.33E-03	1.02E-02	1.56E-02	1.44E-03	1.44E-03	1.92E-03	1.92E-03	1.92E-03	3.57E-03	2.38E-03	3.52E-04
73	**73**	1.82E-02	1.39E-03	1.18E-02	1.82E-02	1.68E-03	1.68E-03	2.24E-03	2.24E-03	2.24E-03	4.08E-03	2.72E-03	4.02E-04
74	**74**	2.15E-02	1.43E-03	1.39E-02	2.15E-02	1.98E-03	1.98E-03	2.64E-03	2.64E-03	2.64E-03	4.70E-03	3.13E-03	4.64E-04
75	**75**	2.53E-02	1.49E-03	1.63E-02	2.53E-02	2.34E-03	2.34E-03	3.11E-03	3.11E-03	3.11E-03	5.52E-03	3.68E-03	5.45E-04
76	**76**	3.02E-02	1.53E-03	1.95E-02	3.02E-02	2.79E-03	2.79E-03	3.72E-03	3.72E-03	3.72E-03	6.57E-03	4.37E-03	6.48E-04
77	**77**	3.52E-02	1.55E-03	2.26E-02	3.52E-02	3.25E-03	3.25E-03	4.33E-03	4.33E-03	4.33E-03	7.87E-03	5.24E-03	7.76E-04
78	**78**	4.21E-02	1.60E-03	2.70E-02	4.21E-02	3.89E-03	3.89E-03	5.18E-03	5.18E-03	5.18E-03	9.76E-03	6.50E-03	9.62E-04
79	**79**	5.25E-02	1.71E-03	3.37E-02	5.25E-02	4.85E-03	4.85E-03	6.46E-03	6.46E-03	6.46E-03	1.27E-02	8.44E-03	1.25E-03
80	**80**	5.94E-02	1.76E-03	3.81E-02	5.94E-02	5.49E-03	5.49E-03	7.32E-03	7.32E-03	7.32E-03	1.66E-02	1.11E-02	1.64E-03
81	**81**	6.88E-02	1.94E-03	4.41E-02	6.88E-02	6.36E-03	6.36E-03	8.48E-03	8.48E-03	8.48E-03	2.41E-02	1.60E-02	2.37E-03
82	**82**	7.38E-02	2.07E-03	4.73E-02	7.38E-02	6.82E-03	6.82E-03	9.08E-03	9.08E-03	9.08E-03	3.67E-02	2.44E-02	3.62E-03
83	**83**	1.24E-02	1.32E-03	8.08E-03	1.24E-02	1.14E-03	1.14E-03	1.52E-03	1.52E-03	1.52E-03	2.73E-03	1.82E-03	2.69E-04
84	**84**	1.46E-02	1.39E-03	9.51E-03	1.46E-02	1.35E-03	1.35E-03	1.80E-03	1.80E-03	1.80E-03	3.04E-03	2.03E-03	3.00E-04
85	**85**	1.74E-02	1.45E-03	1.13E-02	1.74E-02	1.60E-03	1.60E-03	2.13E-03	2.13E-03	2.13E-03	3.41E-03	2.27E-03	3.36E-04
86	**86**	2.00E-02	1.53E-03	1.30E-02	2.00E-02	1.85E-03	1.85E-03	2.46E-03	2.46E-03	2.46E-03	3.98E-03	2.65E-03	3.92E-04
87	**87**	2.41E-02	1.60E-03	1.56E-02	2.41E-02	2.22E-03	2.22E-03	2.96E-03	2.96E-03	2.96E-03	4.63E-03	3.08E-03	4.56E-04
88	**88**	2.96E-02	1.68E-03	1.91E-02	2.96E-02	2.73E-03	2.73E-03	3.64E-03	3.64E-03	3.64E-03	5.47E-03	3.65E-03	5.40E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
89	**89**	3.73E-02	1.75E-03	2.40E-02	3.73E-02	3.45E-03	3.45E-03	4.59E-03	4.59E-03	4.59E-03	6.59E-03	4.39E-03	6.50E-04
90	**90**	4.82E-02	1.83E-03	3.09E-02	4.82E-02	4.45E-03	4.45E-03	5.93E-03	5.93E-03	5.93E-03	8.13E-03	5.41E-03	8.02E-04
91	**91**	6.31E-02	1.91E-03	4.04E-02	6.31E-02	5.83E-03	5.83E-03	7.76E-03	7.76E-03	7.76E-03	1.04E-02	6.90E-03	1.02E-03
92	**92**	8.11E-02	2.01E-03	5.19E-02	8.11E-02	7.49E-03	7.49E-03	9.98E-03	9.98E-03	9.98E-03	1.37E-02	9.15E-03	1.36E-03
93	**93**	9.89E-02	2.13E-03	6.33E-02	9.89E-02	9.14E-03	9.14E-03	1.22E-02	1.22E-02	1.22E-02	1.96E-02	1.30E-02	1.93E-03
94	**94**	1.13E-01	2.28E-03	7.20E-02	1.13E-01	1.04E-02	1.04E-02	1.39E-02	1.39E-02	1.39E-02	3.18E-02	2.12E-02	3.14E-03
95	**95**	1.21E-01	2.47E-03	7.72E-02	1.21E-01	1.12E-02	1.12E-02	1.49E-02	1.49E-02	1.49E-02	6.76E-02	4.50E-02	6.66E-03
96	**96**	1.30E-02	1.41E-03	8.49E-03	1.30E-02	1.20E-03	1.20E-03	1.60E-03	1.60E-03	1.60E-03	2.58E-03	1.72E-03	2.54E-04
97	**97**	1.54E-02	1.47E-03	9.99E-03	1.54E-02	1.42E-03	1.42E-03	1.89E-03	1.89E-03	1.89E-03	2.82E-03	1.88E-03	2.78E-04
98	**98**	1.82E-02	1.55E-03	1.18E-02	1.82E-02	1.68E-03	1.68E-03	2.23E-03	2.23E-03	2.23E-03	3.16E-03	2.10E-03	3.11E-04
99	**99**	2.18E-02	1.65E-03	1.41E-02	2.18E-02	2.02E-03	2.02E-03	2.68E-03	2.68E-03	2.68E-03	3.69E-03	2.45E-03	3.63E-04
100	**100**	2.66E-02	1.77E-03	1.72E-02	2.66E-02	2.45E-03	2.45E-03	3.27E-03	3.27E-03	3.27E-03	4.42E-03	2.94E-03	4.36E-04
101	**101**	3.38E-02	1.87E-03	2.18E-02	3.38E-02	3.12E-03	3.12E-03	4.16E-03	4.16E-03	4.16E-03	5.25E-03	3.50E-03	5.18E-04
102	**102**	4.52E-02	1.98E-03	2.91E-02	4.52E-02	4.18E-03	4.18E-03	5.57E-03	5.57E-03	5.57E-03	6.36E-03	4.23E-03	6.27E-04
103	**103**	6.40E-02	2.08E-03	4.11E-02	6.40E-02	5.92E-03	5.92E-03	7.88E-03	7.88E-03	7.88E-03	7.92E-03	5.27E-03	7.80E-04
104	**104**	9.65E-02	2.20E-03	6.18E-02	9.65E-02	8.92E-03	8.92E-03	1.19E-02	1.19E-02	1.19E-02	1.02E-02	6.78E-03	1.00E-03
105	**105**	1.46E-01	2.32E-03	9.36E-02	1.46E-01	1.35E-02	1.35E-02	1.80E-02	1.80E-02	1.80E-02	1.37E-02	9.15E-03	1.35E-03
106	**106**	1.92E-01	2.46E-03	1.23E-01	1.92E-01	1.78E-02	1.78E-02	2.37E-02	2.37E-02	2.37E-02	2.02E-02	1.35E-02	1.99E-03
107	**107**	2.20E-01	2.64E-03	1.40E-01	2.20E-01	2.03E-02	2.03E-02	2.71E-02	2.71E-02	2.71E-02	3.49E-02	2.32E-02	3.44E-03
108	**108**	2.34E-01	2.85E-03	1.49E-01	2.34E-01	2.16E-02	2.16E-02	2.88E-02	2.88E-02	2.88E-02	9.13E-02	6.08E-02	9.00E-03
109	**109**	1.29E-02	1.47E-03	8.45E-03	1.29E-02	1.19E-03	1.19E-03	1.59E-03	1.59E-03	1.59E-03	2.38E-03	1.58E-03	2.35E-04
110	**110**	1.52E-02	1.57E-03	9.91E-03	1.52E-02	1.40E-03	1.40E-03	1.87E-03	1.87E-03	1.87E-03	2.69E-03	1.79E-03	2.65E-04
111	**111**	1.81E-02	1.68E-03	1.18E-02	1.81E-02	1.67E-03	1.67E-03	2.23E-03	2.23E-03	2.23E-03	3.07E-03	2.04E-03	3.03E-04
112	**112**	2.21E-02	1.81E-03	1.43E-02	2.21E-02	2.04E-03	2.04E-03	2.72E-03	2.72E-03	2.72E-03	3.54E-03	2.36E-03	3.49E-04
113	**113**	2.79E-02	1.94E-03	1.81E-02	2.79E-02	2.58E-03	2.58E-03	3.44E-03	3.44E-03	3.44E-03	4.14E-03	2.76E-03	4.08E-04
114	**114**	3.68E-02	2.07E-03	2.37E-02	3.68E-02	3.39E-03	3.39E-03	4.52E-03	4.52E-03	4.52E-03	4.90E-03	3.26E-03	4.83E-04
115	**115**	5.18E-02	2.21E-03	3.33E-02	5.18E-02	4.79E-03	4.79E-03	6.38E-03	6.38E-03	6.38E-03	5.89E-03	3.92E-03	5.81E-04
116	**116**	8.20E-02	2.36E-03	5.25E-02	8.20E-02	7.58E-03	7.58E-03	1.01E-02	1.01E-02	1.01E-02	7.29E-03	4.86E-03	7.19E-04
117	**117**	1.63E-01	2.52E-03	1.04E-01	1.63E-01	1.50E-02	1.50E-02	2.00E-02	2.00E-02	2.00E-02	9.40E-03	6.26E-03	9.27E-04
118	**118**	1.93E-01	2.61E-03	1.23E-01	1.93E-01	1.78E-02	1.78E-02	2.37E-02	2.37E-02	2.37E-02	1.30E-02	8.66E-03	1.28E-03
119	**119**	3.06E-01	2.80E-03	1.95E-01	3.06E-01	2.83E-02	2.83E-02	3.77E-02	3.77E-02	3.77E-02	1.89E-02	1.26E-02	1.86E-03

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
120	**120**	3.41E-01	3.00E-03	2.18E-01	3.41E-01	3.16E-02	3.16E-02	4.21E-02	4.21E-02	4.21E-02	3.16E-02	2.11E-02	3.12E-03
121	**121**	3.36E-01	3.22E-03	2.15E-01	3.36E-01	3.11E-02	3.11E-02	4.14E-02	4.14E-02	4.14E-02	7.44E-02	4.96E-02	7.34E-03
122	**122**	1.23E-02	1.51E-03	8.04E-03	1.23E-02	1.13E-03	1.13E-03	1.51E-03	1.51E-03	1.51E-03	2.21E-03	1.47E-03	2.18E-04
123	**123**	1.45E-02	1.63E-03	9.50E-03	1.45E-02	1.34E-03	1.34E-03	1.79E-03	1.79E-03	1.79E-03	2.51E-03	1.67E-03	2.47E-04
124	**124**	1.76E-02	1.78E-03	1.14E-02	1.76E-02	1.62E-03	1.62E-03	2.16E-03	2.16E-03	2.16E-03	2.90E-03	1.93E-03	2.85E-04
125	**125**	2.17E-02	1.93E-03	1.41E-02	2.17E-02	2.00E-03	2.00E-03	2.66E-03	2.66E-03	2.66E-03	3.33E-03	2.22E-03	3.28E-04
126	**126**	2.75E-02	2.08E-03	1.78E-02	2.75E-02	2.54E-03	2.54E-03	3.38E-03	3.38E-03	3.38E-03	3.85E-03	2.56E-03	3.79E-04
127	**127**	3.67E-02	2.25E-03	2.37E-02	3.67E-02	3.39E-03	3.39E-03	4.51E-03	4.51E-03	4.51E-03	4.47E-03	2.98E-03	4.40E-04
128	**128**	5.07E-02	2.37E-03	3.26E-02	5.07E-02	4.69E-03	4.69E-03	6.24E-03	6.24E-03	6.24E-03	4.99E-03	3.32E-03	4.92E-04
129	**129**	8.28E-02	2.56E-03	5.31E-02	8.28E-02	7.65E-03	7.65E-03	1.02E-02	1.02E-02	1.02E-02	6.06E-03	4.04E-03	5.97E-04
130	**130**	2.02E-01	2.83E-03	1.29E-01	2.02E-01	1.87E-02	1.87E-02	2.49E-02	2.49E-02	2.49E-02	7.93E-03	5.28E-03	7.82E-04
131	**131**	1.88E-01	8.61E-03	4.35E-02	6.63E-02	6.11E-03	6.11E-03	8.14E-03	8.14E-03	8.14E-03	7.55E-02	5.02E-02	7.44E-03
132	**132**	1.38E-01	8.93E-03	3.11E-02	4.68E-02	4.31E-03	4.31E-03	5.74E-03	5.74E-03	5.74E-03	6.04E-02	4.02E-02	5.95E-03
133	**133**	1.13E-02	1.52E-03	7.44E-03	1.13E-02	1.04E-03	1.04E-03	1.39E-03	1.39E-03	1.39E-03	2.05E-03	1.37E-03	2.02E-04
134	**134**	1.36E-02	1.67E-03	8.92E-03	1.36E-02	1.26E-03	1.26E-03	1.67E-03	1.67E-03	1.67E-03	2.36E-03	1.57E-03	2.32E-04
135	**135**	1.65E-02	1.84E-03	1.08E-02	1.65E-02	1.52E-03	1.52E-03	2.03E-03	2.03E-03	2.03E-03	2.71E-03	1.80E-03	2.67E-04
136	**136**	2.04E-02	2.01E-03	1.33E-02	2.04E-02	1.88E-03	1.88E-03	2.50E-03	2.50E-03	2.50E-03	3.10E-03	2.06E-03	3.06E-04
137	**137**	2.58E-02	2.20E-03	1.67E-02	2.58E-02	2.38E-03	2.38E-03	3.17E-03	3.17E-03	3.17E-03	3.57E-03	2.38E-03	3.52E-04
138	**138**	3.38E-02	2.40E-03	2.18E-02	3.38E-02	3.12E-03	3.12E-03	4.15E-03	4.15E-03	4.15E-03	4.09E-03	2.72E-03	4.03E-04
139	**139**	4.60E-02	2.59E-03	2.97E-02	4.60E-02	4.25E-03	4.25E-03	5.66E-03	5.66E-03	5.66E-03	4.63E-03	3.09E-03	4.57E-04
140	**140**	7.08E-02	2.90E-03	4.55E-02	7.08E-02	6.54E-03	6.54E-03	8.72E-03	8.72E-03	8.72E-03	5.49E-03	3.66E-03	5.42E-04
141	**141**	1.38E-01	3.20E-03	8.86E-02	1.38E-01	1.28E-02	1.28E-02	1.71E-02	1.71E-02	1.71E-02	6.73E-03	4.48E-03	6.64E-04
142	**142**	1.95E-01	3.53E-03	1.24E-01	1.95E-01	1.80E-02	1.80E-02	2.40E-02	2.40E-02	2.40E-02	8.34E-03	5.56E-03	8.23E-04
143	**143**	3.08E-01	3.90E-03	1.97E-01	3.08E-01	2.85E-02	2.85E-02	3.80E-02	3.80E-02	3.80E-02	1.09E-02	7.26E-03	1.07E-03
144	**144**	4.06E-01	4.36E-03	2.59E-01	4.06E-01	3.75E-02	3.75E-02	5.00E-02	5.00E-02	5.00E-02	1.54E-02	1.03E-02	1.52E-03
145	**145**	4.10E-01	4.82E-03	2.62E-01	4.10E-01	3.79E-02	3.79E-02	5.05E-02	5.05E-02	5.05E-02	2.24E-02	1.49E-02	2.21E-03
146	**146**	2.23E-01	1.16E-02	4.33E-02	6.54E-02	6.01E-03	6.01E-03	8.01E-03	8.01E-03	8.01E-03	4.66E-02	3.11E-02	4.60E-03
147	**147**	1.04E-02	1.49E-03	6.85E-03	1.04E-02	9.59E-04	9.59E-04	1.28E-03	1.28E-03	1.28E-03	1.91E-03	1.27E-03	1.88E-04
148	**148**	1.24E-02	1.65E-03	8.15E-03	1.24E-02	1.14E-03	1.14E-03	1.52E-03	1.52E-03	1.52E-03	2.17E-03	1.45E-03	2.14E-04
149	**149**	1.51E-02	1.84E-03	9.87E-03	1.51E-02	1.39E-03	1.39E-03	1.85E-03	1.85E-03	1.85E-03	2.49E-03	1.66E-03	2.46E-04
150	**150**	1.85E-02	2.04E-03	1.21E-02	1.85E-02	1.70E-03	1.70E-03	2.27E-03	2.27E-03	2.27E-03	2.85E-03	1.90E-03	2.81E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
151	**151**	2.34E-02	2.27E-03	1.52E-02	2.34E-02	2.16E-03	2.16E-03	2.87E-03	2.87E-03	2.87E-03	3.29E-03	2.19E-03	3.25E-04
152	**152**	2.98E-02	2.50E-03	1.94E-02	2.98E-02	2.75E-03	2.75E-03	3.67E-03	3.67E-03	3.67E-03	3.74E-03	2.49E-03	3.69E-04
153	**153**	3.96E-02	2.76E-03	2.56E-02	3.96E-02	3.66E-03	3.66E-03	4.87E-03	4.87E-03	4.87E-03	4.28E-03	2.85E-03	4.22E-04
154	**154**	5.72E-02	3.08E-03	3.69E-02	5.72E-02	5.28E-03	5.28E-03	7.04E-03	7.04E-03	7.04E-03	5.03E-03	3.35E-03	4.96E-04
155	**155**	9.36E-02	3.47E-03	6.01E-02	9.36E-02	8.65E-03	8.65E-03	1.15E-02	1.15E-02	1.15E-02	6.03E-03	4.02E-03	5.95E-04
156	**156**	1.60E-01	3.90E-03	1.02E-01	1.60E-01	1.48E-02	1.48E-02	1.97E-02	1.97E-02	1.97E-02	7.31E-03	4.86E-03	7.20E-04
157	**157**	2.10E-01	4.38E-03	1.34E-01	2.10E-01	1.94E-02	1.94E-02	2.58E-02	2.58E-02	2.58E-02	8.95E-03	5.96E-03	8.82E-04
158	**158**	2.21E-01	4.91E-03	1.41E-01	2.21E-01	2.04E-02	2.04E-02	2.72E-02	2.72E-02	2.72E-02	1.13E-02	7.51E-03	1.11E-03
159	**159**	2.40E-01	5.74E-03	1.54E-01	2.40E-01	2.22E-02	2.22E-02	2.96E-02	2.96E-02	2.96E-02	1.63E-02	1.08E-02	1.60E-03
160	**160**	9.76E-03	1.45E-03	6.42E-03	9.76E-03	8.99E-04	8.99E-04	1.20E-03	1.20E-03	1.20E-03	1.81E-03	1.21E-03	1.79E-04
161	**161**	1.14E-02	1.59E-03	7.46E-03	1.14E-02	1.05E-03	1.05E-03	1.39E-03	1.39E-03	1.39E-03	2.01E-03	1.34E-03	1.98E-04
162	**162**	1.32E-02	1.75E-03	8.66E-03	1.32E-02	1.22E-03	1.22E-03	1.62E-03	1.62E-03	1.62E-03	2.21E-03	1.47E-03	2.18E-04
163	**163**	1.63E-02	1.98E-03	1.07E-02	1.63E-02	1.50E-03	1.50E-03	2.00E-03	2.00E-03	2.00E-03	2.56E-03	1.71E-03	2.53E-04
164	**164**	2.07E-02	2.26E-03	1.35E-02	2.07E-02	1.91E-03	1.91E-03	2.54E-03	2.54E-03	2.54E-03	3.02E-03	2.01E-03	2.97E-04
165	**165**	2.59E-02	2.52E-03	1.69E-02	2.59E-02	2.39E-03	2.39E-03	3.18E-03	3.18E-03	3.18E-03	3.43E-03	2.28E-03	3.38E-04
166	**166**	3.36E-02	2.85E-03	2.18E-02	3.36E-02	3.10E-03	3.10E-03	4.13E-03	4.13E-03	4.13E-03	3.94E-03	2.63E-03	3.89E-04
167	**167**	4.54E-02	3.23E-03	2.94E-02	4.54E-02	4.19E-03	4.19E-03	5.58E-03	5.58E-03	5.58E-03	4.56E-03	3.04E-03	4.50E-04
168	**168**	6.50E-02	3.69E-03	4.19E-02	6.50E-02	6.00E-03	6.00E-03	7.99E-03	7.99E-03	7.99E-03	5.33E-03	3.55E-03	5.26E-04
169	**169**	9.38E-02	4.25E-03	6.03E-02	9.38E-02	8.66E-03	8.66E-03	1.15E-02	1.15E-02	1.15E-02	6.29E-03	4.19E-03	6.21E-04
170	**170**	1.19E-01	4.91E-03	7.67E-02	1.19E-01	1.10E-02	1.10E-02	1.47E-02	1.47E-02	1.47E-02	7.52E-03	5.01E-03	7.42E-04
171	**171**	1.31E-01	5.70E-03	8.45E-02	1.31E-01	1.21E-02	1.21E-02	1.62E-02	1.62E-02	1.62E-02	9.22E-03	6.14E-03	9.09E-04
172	**172**	1.38E-01	6.78E-03	8.89E-02	1.38E-01	1.28E-02	1.28E-02	1.70E-02	1.70E-02	1.70E-02	1.20E-02	8.00E-03	1.18E-03
173	**173**	1.42E-01	8.21E-03	9.13E-02	1.42E-01	1.31E-02	1.31E-02	1.74E-02	1.74E-02	1.74E-02	1.59E-02	1.06E-02	1.57E-03
174	**174**	1.43E-01	1.01E-02	9.12E-02	1.41E-01	1.30E-02	1.30E-02	1.73E-02	1.73E-02	1.73E-02	2.07E-02	1.38E-02	2.04E-03
175	**175**	1.55E-01	1.27E-02	8.23E-02	1.26E-01	1.17E-02	1.17E-02	1.55E-02	1.55E-02	1.55E-02	2.41E-02	1.60E-02	2.37E-03
176	**176**	1.81E-01	1.69E-02	6.63E-02	1.00E-01	9.23E-03	9.23E-03	1.23E-02	1.23E-02	1.23E-02	2.52E-02	1.68E-02	2.49E-03
177	**177**	1.51E-01	2.20E-02	4.81E-02	7.05E-02	6.45E-03	6.45E-03	8.60E-03	8.60E-03	8.60E-03	2.48E-02	1.65E-02	2.44E-03
178	**178**	1.25E-01	2.77E-02	3.43E-02	4.75E-02	4.31E-03	4.31E-03	5.74E-03	5.74E-03	5.74E-03	2.30E-02	1.53E-02	2.27E-03
179	**179**	8.84E-03	1.34E-03	5.82E-03	8.84E-03	8.14E-04	8.14E-04	1.08E-03	1.08E-03	1.08E-03	1.66E-03	1.11E-03	1.64E-04
180	**180**	1.01E-02	1.47E-03	6.63E-03	1.01E-02	9.28E-04	9.28E-04	1.24E-03	1.24E-03	1.24E-03	1.82E-03	1.21E-03	1.79E-04
181	**181**	1.14E-02	1.60E-03	7.48E-03	1.14E-02	1.05E-03	1.05E-03	1.40E-03	1.40E-03	1.40E-03	1.96E-03	1.31E-03	1.93E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
182	**182**	1.42E-02	1.86E-03	9.32E-03	1.42E-02	1.31E-03	1.31E-03	1.74E-03	1.74E-03	1.74E-03	2.31E-03	1.54E-03	2.27E-04
183	**183**	1.84E-02	2.19E-03	1.20E-02	1.84E-02	1.69E-03	1.69E-03	2.25E-03	2.25E-03	2.25E-03	2.78E-03	1.85E-03	2.74E-04
184	**184**	2.26E-02	2.48E-03	1.47E-02	2.26E-02	2.08E-03	2.08E-03	2.77E-03	2.77E-03	2.77E-03	3.16E-03	2.11E-03	3.12E-04
185	**185**	2.86E-02	2.84E-03	1.86E-02	2.86E-02	2.63E-03	2.63E-03	3.51E-03	3.51E-03	3.51E-03	3.63E-03	2.42E-03	3.58E-04
186	**186**	3.67E-02	3.26E-03	2.39E-02	3.67E-02	3.39E-03	3.39E-03	4.51E-03	4.51E-03	4.51E-03	4.15E-03	2.76E-03	4.09E-04
187	**187**	4.85E-02	3.77E-03	3.14E-02	4.85E-02	4.47E-03	4.47E-03	5.96E-03	5.96E-03	5.96E-03	4.74E-03	3.16E-03	4.67E-04
188	**188**	6.41E-02	4.41E-03	4.14E-02	6.41E-02	5.91E-03	5.91E-03	7.88E-03	7.88E-03	7.88E-03	5.49E-03	3.66E-03	5.41E-04
189	**189**	7.84E-02	5.21E-03	5.06E-02	7.84E-02	7.23E-03	7.23E-03	9.64E-03	9.64E-03	9.64E-03	6.41E-03	4.27E-03	6.32E-04
190	**190**	8.75E-02	6.24E-03	5.66E-02	8.75E-02	8.07E-03	8.07E-03	1.08E-02	1.08E-02	1.08E-02	7.67E-03	5.10E-03	7.56E-04
191	**191**	9.06E-02	7.58E-03	5.88E-02	9.06E-02	8.36E-03	8.36E-03	1.11E-02	1.11E-02	1.11E-02	9.30E-03	6.20E-03	9.17E-04
192	**192**	9.14E-02	9.51E-03	5.96E-02	9.14E-02	8.42E-03	8.42E-03	1.12E-02	1.12E-02	1.12E-02	1.15E-02	7.68E-03	1.14E-03
193	**193**	9.27E-02	1.22E-02	5.81E-02	8.84E-02	8.14E-03	8.14E-03	1.08E-02	1.08E-02	1.08E-02	1.39E-02	9.25E-03	1.37E-03
194	**194**	1.04E-01	1.65E-02	5.58E-02	8.39E-02	7.71E-03	7.71E-03	1.03E-02	1.03E-02	1.03E-02	1.64E-02	1.09E-02	1.62E-03
195	**195**	1.13E-01	2.39E-02	4.95E-02	7.24E-02	6.62E-03	6.62E-03	8.82E-03	8.82E-03	8.82E-03	1.87E-02	1.24E-02	1.84E-03
196	**196**	1.07E-01	3.62E-02	4.07E-02	5.57E-02	5.04E-03	5.04E-03	6.72E-03	6.72E-03	6.72E-03	1.87E-02	1.24E-02	1.84E-03
197	**197**	8.31E-02	5.31E-02	3.40E-02	4.13E-02	3.66E-03	3.66E-03	4.88E-03	4.88E-03	4.88E-03	1.76E-02	1.17E-02	1.73E-03
198	**198**	8.19E-03	1.26E-03	5.40E-03	8.19E-03	7.54E-04	7.54E-04	1.00E-03	1.00E-03	1.00E-03	1.56E-03	1.04E-03	1.54E-04
199	**199**	9.31E-03	1.38E-03	6.13E-03	9.31E-03	8.58E-04	8.58E-04	1.14E-03	1.14E-03	1.14E-03	1.71E-03	1.14E-03	1.69E-04
200	**200**	1.07E-02	1.53E-03	7.00E-03	1.07E-02	9.81E-04	9.81E-04	1.31E-03	1.31E-03	1.31E-03	1.88E-03	1.25E-03	1.85E-04
201	**201**	1.26E-02	1.73E-03	8.26E-03	1.26E-02	1.16E-03	1.16E-03	1.54E-03	1.54E-03	1.54E-03	2.12E-03	1.41E-03	2.09E-04
202	**202**	1.60E-02	2.06E-03	1.05E-02	1.60E-02	1.47E-03	1.47E-03	1.96E-03	1.96E-03	1.96E-03	2.53E-03	1.68E-03	2.49E-04
203	**203**	1.95E-02	2.37E-03	1.28E-02	1.95E-02	1.80E-03	1.80E-03	2.39E-03	2.39E-03	2.39E-03	2.89E-03	1.92E-03	2.85E-04
204	**204**	2.42E-02	2.74E-03	1.58E-02	2.42E-02	2.23E-03	2.23E-03	2.97E-03	2.97E-03	2.97E-03	3.31E-03	2.20E-03	3.26E-04
205	**205**	3.01E-02	3.18E-03	1.96E-02	3.01E-02	2.77E-03	2.77E-03	3.70E-03	3.70E-03	3.70E-03	3.74E-03	2.49E-03	3.69E-04
206	**206**	3.79E-02	3.70E-03	2.47E-02	3.79E-02	3.50E-03	3.50E-03	4.66E-03	4.66E-03	4.66E-03	4.24E-03	2.82E-03	4.18E-04
207	**207**	4.72E-02	4.37E-03	3.07E-02	4.72E-02	4.36E-03	4.36E-03	5.81E-03	5.81E-03	5.81E-03	4.84E-03	3.22E-03	4.77E-04
208	**208**	5.64E-02	5.22E-03	3.66E-02	5.64E-02	5.20E-03	5.20E-03	6.92E-03	6.92E-03	6.92E-03	5.56E-03	3.70E-03	5.48E-04
209	**209**	6.28E-02	6.37E-03	4.09E-02	6.28E-02	5.80E-03	5.80E-03	7.72E-03	7.72E-03	7.72E-03	6.50E-03	4.33E-03	6.40E-04
210	**210**	6.59E-02	7.94E-03	4.31E-02	6.59E-02	6.07E-03	6.07E-03	8.09E-03	8.09E-03	8.09E-03	7.67E-03	5.11E-03	7.56E-04
211	**211**	6.57E-02	1.02E-02	4.33E-02	6.57E-02	6.05E-03	6.05E-03	8.05E-03	8.05E-03	8.05E-03	9.06E-03	6.04E-03	8.94E-04
212	**212**	6.29E-02	1.36E-02	4.20E-02	6.29E-02	5.78E-03	5.78E-03	7.69E-03	7.69E-03	7.69E-03	1.04E-02	6.96E-03	1.03E-03

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
213	**213**	5.70E-02	1.90E-02	3.91E-02	5.70E-02	5.22E-03	5.22E-03	6.95E-03	6.95E-03	6.95E-03	1.15E-02	7.68E-03	1.14E-03
214	**214**	5.38E-02	2.80E-02	3.52E-02	4.89E-02	4.43E-03	4.43E-03	5.91E-03	5.91E-03	5.91E-03	1.21E-02	8.04E-03	1.19E-03
215	**215**	6.28E-02	5.83E-02	3.77E-02	4.59E-02	4.07E-03	4.07E-03	5.42E-03	5.42E-03	5.42E-03	1.43E-02	9.50E-03	1.41E-03
216	**216**	7.73E-03	1.19E-03	5.10E-03	7.73E-03	7.12E-04	7.12E-04	9.48E-04	9.48E-04	9.48E-04	1.50E-03	1.00E-03	1.48E-04
217	**217**	8.65E-03	1.30E-03	5.70E-03	8.65E-03	7.96E-04	7.96E-04	1.06E-03	1.06E-03	1.06E-03	1.63E-03	1.08E-03	1.61E-04
218	**218**	9.82E-03	1.44E-03	6.46E-03	9.82E-03	9.04E-04	9.04E-04	1.20E-03	1.20E-03	1.20E-03	1.78E-03	1.19E-03	1.76E-04
219	**219**	1.13E-02	1.63E-03	7.46E-03	1.13E-02	1.04E-03	1.04E-03	1.39E-03	1.39E-03	1.39E-03	1.98E-03	1.32E-03	1.95E-04
220	**220**	1.39E-02	1.91E-03	9.12E-03	1.39E-02	1.28E-03	1.28E-03	1.70E-03	1.70E-03	1.70E-03	2.30E-03	1.53E-03	2.27E-04
221	**221**	1.65E-02	2.20E-03	1.08E-02	1.65E-02	1.52E-03	1.52E-03	2.03E-03	2.03E-03	2.03E-03	2.58E-03	1.72E-03	2.54E-04
222	**222**	2.02E-02	2.57E-03	1.32E-02	2.02E-02	1.86E-03	1.86E-03	2.48E-03	2.48E-03	2.48E-03	2.94E-03	1.96E-03	2.90E-04
223	**223**	2.45E-02	2.99E-03	1.61E-02	2.45E-02	2.26E-03	2.26E-03	3.01E-03	3.01E-03	3.01E-03	3.31E-03	2.21E-03	3.27E-04
224	**224**	3.00E-02	3.50E-03	1.96E-02	3.00E-02	2.76E-03	2.76E-03	3.68E-03	3.68E-03	3.68E-03	3.73E-03	2.48E-03	3.68E-04
225	**225**	3.60E-02	4.12E-03	2.35E-02	3.60E-02	3.32E-03	3.32E-03	4.42E-03	4.42E-03	4.42E-03	4.19E-03	2.79E-03	4.13E-04
226	**226**	4.23E-02	4.96E-03	2.76E-02	4.23E-02	3.90E-03	3.90E-03	5.19E-03	5.19E-03	5.19E-03	4.80E-03	3.20E-03	4.73E-04
227	**227**	4.70E-02	6.07E-03	3.08E-02	4.70E-02	4.33E-03	4.33E-03	5.76E-03	5.76E-03	5.76E-03	5.52E-03	3.67E-03	5.44E-04
228	**228**	4.96E-02	7.62E-03	3.27E-02	4.96E-02	4.57E-03	4.57E-03	6.09E-03	6.09E-03	6.09E-03	6.39E-03	4.25E-03	6.30E-04
229	**229**	5.00E-02	9.93E-03	3.33E-02	5.00E-02	4.59E-03	4.59E-03	6.12E-03	6.12E-03	6.12E-03	7.39E-03	4.92E-03	7.29E-04
230	**230**	4.81E-02	1.35E-02	3.26E-02	4.81E-02	4.40E-03	4.40E-03	5.87E-03	5.87E-03	5.87E-03	8.37E-03	5.57E-03	8.25E-04
231	**231**	4.47E-02	1.99E-02	3.14E-02	4.47E-02	4.07E-03	4.07E-03	5.43E-03	5.43E-03	5.43E-03	9.22E-03	6.14E-03	9.09E-04
232	**232**	3.99E-02	3.31E-02	3.02E-02	3.99E-02	3.59E-03	3.59E-03	4.78E-03	4.78E-03	4.78E-03	9.77E-03	6.50E-03	9.63E-04
233	**233**	8.30E-02	8.30E-02	3.66E-02	3.86E-02	3.32E-03	3.32E-03	4.42E-03	4.42E-03	4.42E-03	1.11E-02	7.39E-03	1.09E-03
234	**234**	7.30E-03	1.14E-03	4.81E-03	7.30E-03	6.72E-04	6.72E-04	8.95E-04	8.95E-04	8.95E-04	1.45E-03	9.64E-04	1.43E-04
235	**235**	8.03E-03	1.24E-03	5.29E-03	8.03E-03	7.39E-04	7.39E-04	9.85E-04	9.85E-04	9.85E-04	1.55E-03	1.03E-03	1.53E-04
236	**236**	9.01E-03	1.37E-03	5.94E-03	9.01E-03	8.29E-04	8.29E-04	1.10E-03	1.10E-03	1.10E-03	1.69E-03	1.12E-03	1.66E-04
237	**237**	1.03E-02	1.55E-03	6.81E-03	1.03E-02	9.52E-04	9.52E-04	1.27E-03	1.27E-03	1.27E-03	1.86E-03	1.24E-03	1.84E-04
238	**238**	1.22E-02	1.79E-03	8.00E-03	1.22E-02	1.12E-03	1.12E-03	1.49E-03	1.49E-03	1.49E-03	2.09E-03	1.39E-03	2.06E-04
239	**239**	1.42E-02	2.05E-03	9.34E-03	1.42E-02	1.31E-03	1.31E-03	1.74E-03	1.74E-03	1.74E-03	2.32E-03	1.54E-03	2.29E-04
240	**240**	1.69E-02	2.38E-03	1.11E-02	1.69E-02	1.55E-03	1.55E-03	2.07E-03	2.07E-03	2.07E-03	2.60E-03	1.73E-03	2.56E-04
241	**241**	2.02E-02	2.77E-03	1.32E-02	2.02E-02	1.86E-03	1.86E-03	2.47E-03	2.47E-03	2.47E-03	2.91E-03	1.94E-03	2.87E-04
242	**242**	2.41E-02	3.24E-03	1.58E-02	2.41E-02	2.22E-03	2.22E-03	2.95E-03	2.95E-03	2.95E-03	3.26E-03	2.17E-03	3.22E-04
243	**243**	2.84E-02	3.83E-03	1.87E-02	2.84E-02	2.62E-03	2.62E-03	3.49E-03	3.49E-03	3.49E-03	3.67E-03	2.44E-03	3.61E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
244	**244**	3.30E-02	4.61E-03	2.17E-02	3.30E-02	3.04E-03	3.04E-03	4.05E-03	4.05E-03	4.05E-03	4.18E-03	2.78E-03	4.12E-04
245	**245**	3.67E-02	5.65E-03	2.42E-02	3.67E-02	3.38E-03	3.38E-03	4.51E-03	4.51E-03	4.51E-03	4.79E-03	3.19E-03	4.72E-04
246	**246**	3.91E-02	7.10E-03	2.59E-02	3.91E-02	3.60E-03	3.60E-03	4.79E-03	4.79E-03	4.79E-03	5.48E-03	3.65E-03	5.41E-04
247	**247**	3.98E-02	9.19E-03	2.67E-02	3.98E-02	3.65E-03	3.65E-03	4.86E-03	4.86E-03	4.86E-03	6.25E-03	4.16E-03	6.16E-04
248	**248**	3.89E-02	1.25E-02	2.66E-02	3.89E-02	3.56E-03	3.56E-03	4.74E-03	4.74E-03	4.74E-03	7.01E-03	4.67E-03	6.91E-04
249	**249**	3.65E-02	1.82E-02	2.59E-02	3.65E-02	3.33E-03	3.33E-03	4.43E-03	4.43E-03	4.43E-03	7.65E-03	5.10E-03	7.55E-04
250	**250**	3.36E-02	2.99E-02	2.57E-02	3.36E-02	3.02E-03	3.02E-03	4.02E-03	4.02E-03	4.02E-03	8.16E-03	5.43E-03	8.04E-04
251	**251**	7.36E-02	7.36E-02	3.14E-02	3.26E-02	2.79E-03	2.79E-03	3.72E-03	3.72E-03	3.72E-03	9.17E-03	6.10E-03	9.04E-04
252	**252**	6.79E-03	1.10E-03	4.48E-03	6.79E-03	6.25E-04	6.25E-04	8.32E-04	8.32E-04	8.32E-04	1.37E-03	9.15E-04	1.36E-04
253	**253**	7.35E-03	1.19E-03	4.85E-03	7.35E-03	6.76E-04	6.76E-04	9.01E-04	9.01E-04	9.01E-04	1.45E-03	9.68E-04	1.43E-04
254	**254**	8.08E-03	1.30E-03	5.33E-03	8.08E-03	7.44E-04	7.44E-04	9.91E-04	9.91E-04	9.91E-04	1.56E-03	1.04E-03	1.53E-04
255	**255**	9.02E-03	1.45E-03	5.95E-03	9.02E-03	8.30E-04	8.30E-04	1.11E-03	1.11E-03	1.11E-03	1.68E-03	1.12E-03	1.65E-04
256	**256**	1.07E-02	1.70E-03	7.08E-03	1.07E-02	9.87E-04	9.87E-04	1.32E-03	1.32E-03	1.32E-03	1.91E-03	1.27E-03	1.88E-04
257	**257**	1.19E-02	1.88E-03	7.85E-03	1.19E-02	1.10E-03	1.10E-03	1.46E-03	1.46E-03	1.46E-03	2.02E-03	1.35E-03	2.00E-04
258	**258**	1.37E-02	2.14E-03	9.01E-03	1.37E-02	1.26E-03	1.26E-03	1.67E-03	1.67E-03	1.67E-03	2.20E-03	1.47E-03	2.17E-04
259	**259**	1.58E-02	2.45E-03	1.04E-02	1.58E-02	1.46E-03	1.46E-03	1.94E-03	1.94E-03	1.94E-03	2.42E-03	1.61E-03	2.38E-04
260	**260**	1.89E-02	2.89E-03	1.25E-02	1.89E-02	1.74E-03	1.74E-03	2.32E-03	2.32E-03	2.32E-03	2.75E-03	1.83E-03	2.71E-04
261	**261**	2.26E-02	3.49E-03	1.49E-02	2.26E-02	2.08E-03	2.08E-03	2.78E-03	2.78E-03	2.78E-03	3.17E-03	2.11E-03	3.13E-04
262	**262**	2.63E-02	4.24E-03	1.74E-02	2.63E-02	2.42E-03	2.42E-03	3.22E-03	3.22E-03	3.22E-03	3.64E-03	2.43E-03	3.59E-04
263	**263**	2.91E-02	5.16E-03	1.93E-02	2.91E-02	2.68E-03	2.68E-03	3.57E-03	3.57E-03	3.57E-03	4.13E-03	2.75E-03	4.07E-04
264	**264**	3.13E-02	6.46E-03	2.09E-02	3.13E-02	2.87E-03	2.87E-03	3.83E-03	3.83E-03	3.83E-03	4.71E-03	3.14E-03	4.64E-04
265	**265**	3.20E-02	8.24E-03	2.16E-02	3.20E-02	2.94E-03	2.94E-03	3.91E-03	3.91E-03	3.91E-03	5.30E-03	3.53E-03	5.22E-04
266	**266**	3.17E-02	1.10E-02	2.18E-02	3.17E-02	2.90E-03	2.90E-03	3.86E-03	3.86E-03	3.86E-03	5.90E-03	3.93E-03	5.81E-04
267	**267**	3.01E-02	1.53E-02	2.14E-02	3.01E-02	2.74E-03	2.74E-03	3.65E-03	3.65E-03	3.65E-03	6.41E-03	4.27E-03	6.32E-04
268	**268**	2.81E-02	2.32E-02	2.12E-02	2.81E-02	2.53E-03	2.53E-03	3.36E-03	3.36E-03	3.36E-03	6.80E-03	4.53E-03	6.71E-04
269	**269**	4.71E-02	4.71E-02	2.41E-02	2.71E-02	2.36E-03	2.36E-03	3.15E-03	3.15E-03	3.15E-03	7.57E-03	5.04E-03	7.46E-04
270	**270**	6.28E-03	1.07E-03	4.15E-03	6.28E-03	5.78E-04	5.78E-04	7.70E-04	7.70E-04	7.70E-04	1.30E-03	8.64E-04	1.28E-04
271	**271**	6.78E-03	1.16E-03	4.48E-03	6.78E-03	6.23E-04	6.23E-04	8.30E-04	8.30E-04	8.30E-04	1.37E-03	9.12E-04	1.35E-04
272	**272**	7.39E-03	1.27E-03	4.89E-03	7.39E-03	6.80E-04	6.80E-04	9.06E-04	9.06E-04	9.06E-04	1.46E-03	9.70E-04	1.44E-04
273	**273**	8.12E-03	1.40E-03	5.38E-03	8.12E-03	7.47E-04	7.47E-04	9.96E-04	9.96E-04	9.96E-04	1.55E-03	1.03E-03	1.53E-04
274	**274**	9.70E-03	1.65E-03	6.42E-03	9.70E-03	8.93E-04	8.93E-04	1.19E-03	1.19E-03	1.19E-03	1.77E-03	1.18E-03	1.75E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
275	**275**	1.11E-02	1.89E-03	7.36E-03	1.11E-02	1.02E-03	1.02E-03	1.36E-03	1.36E-03	1.36E-03	1.95E-03	1.30E-03	1.92E-04
276	**276**	1.18E-02	2.01E-03	7.78E-03	1.18E-02	1.08E-03	1.08E-03	1.44E-03	1.44E-03	1.44E-03	1.97E-03	1.31E-03	1.95E-04
277	**277**	1.34E-02	2.28E-03	8.85E-03	1.34E-02	1.23E-03	1.23E-03	1.64E-03	1.64E-03	1.64E-03	2.15E-03	1.43E-03	2.12E-04
278	**278**	1.55E-02	2.64E-03	1.03E-02	1.55E-02	1.43E-03	1.43E-03	1.90E-03	1.90E-03	1.90E-03	2.39E-03	1.59E-03	2.35E-04
279	**279**	1.81E-02	3.12E-03	1.20E-02	1.81E-02	1.66E-03	1.66E-03	2.21E-03	2.21E-03	2.21E-03	2.70E-03	1.80E-03	2.66E-04
280	**280**	2.11E-02	3.82E-03	1.40E-02	2.11E-02	1.94E-03	1.94E-03	2.58E-03	2.58E-03	2.58E-03	3.14E-03	2.09E-03	3.09E-04
281	**281**	2.37E-02	4.71E-03	1.58E-02	2.37E-02	2.18E-03	2.18E-03	2.91E-03	2.91E-03	2.91E-03	3.61E-03	2.40E-03	3.55E-04
282	**282**	2.56E-02	5.86E-03	1.71E-02	2.56E-02	2.35E-03	2.35E-03	3.13E-03	3.13E-03	3.13E-03	4.10E-03	2.73E-03	4.04E-04
283	**283**	2.65E-02	7.40E-03	1.79E-02	2.65E-02	2.43E-03	2.43E-03	3.23E-03	3.23E-03	3.23E-03	4.59E-03	3.06E-03	4.53E-04
284	**284**	2.64E-02	9.55E-03	1.82E-02	2.64E-02	2.41E-03	2.41E-03	3.21E-03	3.21E-03	3.21E-03	5.07E-03	3.38E-03	5.00E-04
285	**285**	2.54E-02	1.26E-02	1.80E-02	2.54E-02	2.31E-03	2.31E-03	3.08E-03	3.08E-03	3.08E-03	5.47E-03	3.64E-03	5.40E-04
286	**286**	2.39E-02	1.77E-02	1.78E-02	2.39E-02	2.16E-03	2.16E-03	2.88E-03	2.88E-03	2.88E-03	5.81E-03	3.87E-03	5.73E-04
287	**287**	3.16E-02	3.16E-02	1.92E-02	2.30E-02	2.03E-03	2.03E-03	2.71E-03	2.71E-03	2.71E-03	6.43E-03	4.28E-03	6.34E-04
288	**288**	5.85E-03	1.05E-03	3.87E-03	5.85E-03	5.38E-04	5.38E-04	7.16E-04	7.16E-04	7.16E-04	1.23E-03	8.19E-04	1.21E-04
289	**289**	6.22E-03	1.13E-03	4.13E-03	6.22E-03	5.72E-04	5.72E-04	7.62E-04	7.62E-04	7.62E-04	1.28E-03	8.55E-04	1.27E-04
290	**290**	6.93E-03	1.26E-03	4.60E-03	6.93E-03	6.37E-04	6.37E-04	8.49E-04	8.49E-04	8.49E-04	1.39E-03	9.25E-04	1.37E-04
291	**291**	7.67E-03	1.40E-03	5.09E-03	7.67E-03	7.05E-04	7.05E-04	9.39E-04	9.39E-04	9.39E-04	1.49E-03	9.92E-04	1.47E-04
292	**292**	9.55E-03	1.71E-03	6.33E-03	9.55E-03	8.79E-04	8.79E-04	1.17E-03	1.17E-03	1.17E-03	1.79E-03	1.19E-03	1.76E-04
293	**293**	1.03E-02	1.86E-03	6.81E-03	1.03E-02	9.45E-04	9.45E-04	1.26E-03	1.26E-03	1.26E-03	1.86E-03	1.24E-03	1.83E-04
294	**294**	1.04E-02	1.91E-03	6.88E-03	1.04E-02	9.53E-04	9.53E-04	1.27E-03	1.27E-03	1.27E-03	1.80E-03	1.20E-03	1.78E-04
295	**295**	1.18E-02	2.17E-03	7.80E-03	1.18E-02	1.08E-03	1.08E-03	1.44E-03	1.44E-03	1.44E-03	1.97E-03	1.31E-03	1.95E-04
296	**296**	1.35E-02	2.50E-03	8.94E-03	1.35E-02	1.24E-03	1.24E-03	1.65E-03	1.65E-03	1.65E-03	2.19E-03	1.46E-03	2.16E-04
297	**297**	1.52E-02	2.88E-03	1.01E-02	1.52E-02	1.40E-03	1.40E-03	1.86E-03	1.86E-03	1.86E-03	2.41E-03	1.61E-03	2.38E-04
298	**298**	1.73E-02	3.42E-03	1.15E-02	1.73E-02	1.59E-03	1.59E-03	2.12E-03	2.12E-03	2.12E-03	2.73E-03	1.82E-03	2.69E-04
299	**299**	1.96E-02	4.24E-03	1.31E-02	1.96E-02	1.80E-03	1.80E-03	2.39E-03	2.39E-03	2.39E-03	3.16E-03	2.10E-03	3.11E-04
300	**300**	2.11E-02	5.17E-03	1.42E-02	2.11E-02	1.93E-03	1.93E-03	2.58E-03	2.58E-03	2.58E-03	3.55E-03	2.36E-03	3.50E-04
301	**301**	2.21E-02	6.47E-03	1.50E-02	2.21E-02	2.03E-03	2.03E-03	2.70E-03	2.70E-03	2.70E-03	4.00E-03	2.66E-03	3.94E-04
302	**302**	2.24E-02	8.15E-03	1.54E-02	2.24E-02	2.05E-03	2.05E-03	2.72E-03	2.72E-03	2.72E-03	4.42E-03	2.94E-03	4.36E-04
303	**303**	2.19E-02	1.05E-02	1.55E-02	2.19E-02	1.99E-03	1.99E-03	2.65E-03	2.65E-03	2.65E-03	4.79E-03	3.19E-03	4.72E-04
304	**304**	2.08E-02	1.41E-02	1.53E-02	2.08E-02	1.88E-03	1.88E-03	2.51E-03	2.51E-03	2.51E-03	5.08E-03	3.38E-03	5.01E-04
305	**305**	2.27E-02	2.27E-02	1.60E-02	1.99E-02	1.77E-03	1.77E-03	2.36E-03	2.36E-03	2.36E-03	5.59E-03	3.73E-03	5.52E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
306	**306**	5.82E-03	1.09E-03	3.86E-03	5.82E-03	5.35E-04	5.35E-04	7.12E-04	7.12E-04	7.12E-04	1.24E-03	8.25E-04	1.22E-04
307	**307**	5.99E-03	1.14E-03	3.98E-03	5.99E-03	5.51E-04	5.51E-04	7.34E-04	7.34E-04	7.34E-04	1.25E-03	8.34E-04	1.23E-04
308	**308**	6.45E-03	1.24E-03	4.29E-03	6.45E-03	5.93E-04	5.93E-04	7.90E-04	7.90E-04	7.90E-04	1.32E-03	8.76E-04	1.30E-04
309	**309**	7.62E-03	1.45E-03	5.06E-03	7.62E-03	7.01E-04	7.01E-04	9.33E-04	9.33E-04	9.33E-04	1.51E-03	1.00E-03	1.48E-04
310	**310**	8.82E-03	1.67E-03	5.86E-03	8.82E-03	8.11E-04	8.11E-04	1.08E-03	1.08E-03	1.08E-03	1.69E-03	1.13E-03	1.67E-04
311	**311**	9.36E-03	1.80E-03	6.22E-03	9.36E-03	8.61E-04	8.61E-04	1.15E-03	1.15E-03	1.15E-03	1.75E-03	1.16E-03	1.72E-04
312	**312**	9.24E-03	1.82E-03	6.15E-03	9.24E-03	8.50E-04	8.50E-04	1.13E-03	1.13E-03	1.13E-03	1.66E-03	1.11E-03	1.64E-04
313	**313**	1.04E-02	2.05E-03	6.91E-03	1.04E-02	9.55E-04	9.55E-04	1.27E-03	1.27E-03	1.27E-03	1.82E-03	1.21E-03	1.79E-04
314	**314**	1.18E-02	2.35E-03	7.83E-03	1.18E-02	1.08E-03	1.08E-03	1.44E-03	1.44E-03	1.44E-03	2.01E-03	1.34E-03	1.98E-04
315	**315**	1.36E-02	2.79E-03	9.07E-03	1.36E-02	1.25E-03	1.25E-03	1.67E-03	1.67E-03	1.67E-03	2.29E-03	1.52E-03	2.26E-04
316	**316**	1.49E-02	3.17E-03	9.93E-03	1.49E-02	1.37E-03	1.37E-03	1.82E-03	1.82E-03	1.82E-03	2.49E-03	1.66E-03	2.45E-04
317	**317**	1.63E-02	3.73E-03	1.09E-02	1.63E-02	1.49E-03	1.49E-03	1.99E-03	1.99E-03	1.99E-03	2.76E-03	1.84E-03	2.73E-04
318	**318**	1.76E-02	4.47E-03	1.18E-02	1.76E-02	1.61E-03	1.61E-03	2.15E-03	2.15E-03	2.15E-03	3.10E-03	2.06E-03	3.06E-04
319	**319**	1.87E-02	5.54E-03	1.27E-02	1.87E-02	1.71E-03	1.71E-03	2.28E-03	2.28E-03	2.28E-03	3.50E-03	2.33E-03	3.45E-04
320	**320**	1.93E-02	7.07E-03	1.33E-02	1.93E-02	1.77E-03	1.77E-03	2.35E-03	2.35E-03	2.35E-03	3.94E-03	2.63E-03	3.89E-04
321	**321**	1.90E-02	8.82E-03	1.34E-02	1.90E-02	1.73E-03	1.73E-03	2.31E-03	2.31E-03	2.31E-03	4.24E-03	2.83E-03	4.18E-04
322	**322**	1.82E-02	1.14E-02	1.33E-02	1.82E-02	1.65E-03	1.65E-03	2.20E-03	2.20E-03	2.20E-03	4.49E-03	2.99E-03	4.43E-04
323	**323**	1.74E-02	1.70E-02	1.35E-02	1.74E-02	1.55E-03	1.55E-03	2.07E-03	2.07E-03	2.07E-03	4.91E-03	3.27E-03	4.84E-04
324	**324**	5.46E-03	1.07E-03	3.63E-03	5.46E-03	5.02E-04	5.02E-04	6.69E-04	6.69E-04	6.69E-04	1.18E-03	7.85E-04	1.16E-04
325	**325**	6.04E-03	1.18E-03	4.02E-03	6.04E-03	5.55E-04	5.55E-04	7.40E-04	7.40E-04	7.40E-04	1.28E-03	8.49E-04	1.26E-04
326	**326**	6.42E-03	1.27E-03	4.27E-03	6.42E-03	5.90E-04	5.90E-04	7.86E-04	7.86E-04	7.86E-04	1.32E-03	8.82E-04	1.31E-04
327	**327**	6.72E-03	1.36E-03	4.47E-03	6.72E-03	6.18E-04	6.18E-04	8.23E-04	8.23E-04	8.23E-04	1.35E-03	9.01E-04	1.33E-04
328	**328**	8.26E-03	1.64E-03	5.50E-03	8.26E-03	7.60E-04	7.60E-04	1.01E-03	1.01E-03	1.01E-03	1.63E-03	1.09E-03	1.61E-04
329	**329**	8.58E-03	1.74E-03	5.71E-03	8.58E-03	7.88E-04	7.88E-04	1.05E-03	1.05E-03	1.05E-03	1.64E-03	1.09E-03	1.62E-04
330	**330**	8.51E-03	1.77E-03	5.67E-03	8.51E-03	7.82E-04	7.82E-04	1.04E-03	1.04E-03	1.04E-03	1.58E-03	1.05E-03	1.56E-04
331	**331**	9.50E-03	1.99E-03	6.33E-03	9.50E-03	8.72E-04	8.72E-04	1.16E-03	1.16E-03	1.16E-03	1.73E-03	1.15E-03	1.70E-04
332	**332**	1.07E-02	2.27E-03	7.13E-03	1.07E-02	9.81E-04	9.81E-04	1.31E-03	1.31E-03	1.31E-03	1.91E-03	1.27E-03	1.88E-04
333	**333**	1.22E-02	2.68E-03	8.16E-03	1.22E-02	1.12E-03	1.12E-03	1.49E-03	1.49E-03	1.49E-03	2.16E-03	1.44E-03	2.13E-04
334	**334**	1.35E-02	3.08E-03	9.01E-03	1.35E-02	1.24E-03	1.24E-03	1.65E-03	1.65E-03	1.65E-03	2.37E-03	1.58E-03	2.34E-04
335	**335**	1.47E-02	3.57E-03	9.85E-03	1.47E-02	1.34E-03	1.34E-03	1.79E-03	1.79E-03	1.79E-03	2.62E-03	1.74E-03	2.58E-04
336	**336**	2.02E-01	1.04E-02	3.98E-02	6.02E-02	5.54E-03	5.54E-03	7.37E-03	7.37E-03	7.37E-03	5.36E-02	3.57E-02	5.28E-03

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
337	**337**	1.31E-01	1.10E-02	2.77E-02	4.10E-02	3.76E-03	3.76E-03	5.01E-03	5.01E-03	5.01E-03	4.18E-02	2.78E-02	4.12E-03
338	**338**	1.72E-02	1.21E-03	1.11E-02	1.72E-02	1.59E-03	1.59E-03	2.12E-03	2.12E-03	2.12E-03	7.12E-03	4.74E-03	7.02E-04
339	**339**	1.75E-02	1.30E-03	1.13E-02	1.75E-02	1.61E-03	1.61E-03	2.15E-03	2.15E-03	2.15E-03	7.91E-03	5.27E-03	7.80E-04
340	**340**	1.75E-02	1.48E-03	1.14E-02	1.75E-02	1.62E-03	1.62E-03	2.16E-03	2.16E-03	2.16E-03	8.62E-03	5.74E-03	8.49E-04
341	**341**	1.73E-02	1.57E-03	1.13E-02	1.73E-02	1.60E-03	1.60E-03	2.13E-03	2.13E-03	2.13E-03	9.11E-03	6.06E-03	8.98E-04
342	**342**	1.69E-02	1.63E-03	1.10E-02	1.69E-02	1.56E-03	1.56E-03	2.08E-03	2.08E-03	2.08E-03	9.39E-03	6.25E-03	9.26E-04
343	**343**	1.56E-02	1.70E-03	1.02E-02	1.56E-02	1.44E-03	1.44E-03	1.92E-03	1.92E-03	1.92E-03	9.33E-03	6.21E-03	9.20E-04
344	**344**	1.49E-02	1.73E-03	9.71E-03	1.49E-02	1.37E-03	1.37E-03	1.82E-03	1.82E-03	1.82E-03	9.03E-03	6.01E-03	8.90E-04
345	**345**	1.40E-02	1.74E-03	9.16E-03	1.40E-02	1.29E-03	1.29E-03	1.72E-03	1.72E-03	1.72E-03	8.56E-03	5.70E-03	8.44E-04
346	**346**	1.30E-02	1.74E-03	8.54E-03	1.30E-02	1.20E-03	1.20E-03	1.60E-03	1.60E-03	1.60E-03	7.95E-03	5.29E-03	7.84E-04
347	**347**	2.11E-02	1.31E-03	1.36E-02	2.11E-02	1.95E-03	1.95E-03	2.59E-03	2.59E-03	2.59E-03	8.86E-03	5.90E-03	8.73E-04
348	**348**	2.16E-02	1.44E-03	1.40E-02	2.16E-02	1.99E-03	1.99E-03	2.66E-03	2.66E-03	2.66E-03	1.02E-02	6.81E-03	1.01E-03
349	**349**	2.16E-02	1.69E-03	1.40E-02	2.16E-02	1.99E-03	1.99E-03	2.65E-03	2.65E-03	2.65E-03	1.13E-02	7.53E-03	1.11E-03
350	**350**	2.12E-02	1.76E-03	1.37E-02	2.12E-02	1.95E-03	1.95E-03	2.60E-03	2.60E-03	2.60E-03	1.20E-02	7.99E-03	1.18E-03
351	**351**	2.07E-02	1.82E-03	1.34E-02	2.07E-02	1.91E-03	1.91E-03	2.54E-03	2.54E-03	2.54E-03	1.24E-02	8.28E-03	1.23E-03
352	**352**	1.86E-02	1.92E-03	1.21E-02	1.86E-02	1.71E-03	1.71E-03	2.28E-03	2.28E-03	2.28E-03	1.22E-02	8.12E-03	1.20E-03
353	**353**	1.74E-02	1.95E-03	1.14E-02	1.74E-02	1.61E-03	1.61E-03	2.14E-03	2.14E-03	2.14E-03	1.16E-02	7.74E-03	1.15E-03
354	**354**	1.60E-02	1.96E-03	1.04E-02	1.60E-02	1.47E-03	1.47E-03	1.96E-03	1.96E-03	1.96E-03	1.07E-02	7.10E-03	1.05E-03
355	**355**	1.47E-02	1.96E-03	9.65E-03	1.47E-02	1.35E-03	1.35E-03	1.80E-03	1.80E-03	1.80E-03	9.72E-03	6.47E-03	9.58E-04
356	**356**	2.65E-02	1.43E-03	1.71E-02	2.65E-02	2.45E-03	2.45E-03	3.26E-03	3.26E-03	3.26E-03	1.14E-02	7.58E-03	1.12E-03
357	**357**	2.75E-02	1.55E-03	1.77E-02	2.75E-02	2.54E-03	2.54E-03	3.38E-03	3.38E-03	3.38E-03	1.33E-02	8.89E-03	1.32E-03
358	**358**	2.74E-02	1.69E-03	1.77E-02	2.74E-02	2.53E-03	2.53E-03	3.37E-03	3.37E-03	3.37E-03	1.53E-02	1.02E-02	1.51E-03
359	**359**	2.69E-02	1.92E-03	1.74E-02	2.69E-02	2.48E-03	2.48E-03	3.30E-03	3.30E-03	3.30E-03	1.66E-02	1.10E-02	1.63E-03
360	**360**	2.58E-02	2.05E-03	1.67E-02	2.58E-02	2.38E-03	2.38E-03	3.17E-03	3.17E-03	3.17E-03	1.73E-02	1.15E-02	1.70E-03
361	**361**	2.23E-02	2.18E-03	1.45E-02	2.23E-02	2.06E-03	2.06E-03	2.74E-03	2.74E-03	2.74E-03	1.65E-02	1.10E-02	1.63E-03
362	**362**	2.05E-02	2.22E-03	1.34E-02	2.05E-02	1.89E-03	1.89E-03	2.52E-03	2.52E-03	2.52E-03	1.54E-02	1.03E-02	1.52E-03
363	**363**	1.84E-02	2.22E-03	1.20E-02	1.84E-02	1.69E-03	1.69E-03	2.26E-03	2.26E-03	2.26E-03	1.37E-02	9.11E-03	1.35E-03
364	**364**	3.46E-02	1.59E-03	2.22E-02	3.46E-02	3.19E-03	3.19E-03	4.26E-03	4.26E-03	4.26E-03	1.56E-02	1.04E-02	1.54E-03
365	**365**	3.56E-02	1.69E-03	2.29E-02	3.56E-02	3.28E-03	3.28E-03	4.38E-03	4.38E-03	4.38E-03	1.84E-02	1.23E-02	1.81E-03
366	**366**	3.60E-02	1.86E-03	2.32E-02	3.60E-02	3.32E-03	3.32E-03	4.42E-03	4.42E-03	4.42E-03	2.22E-02	1.48E-02	2.19E-03
367	**367**	3.48E-02	2.18E-03	2.25E-02	3.48E-02	3.21E-03	3.21E-03	4.28E-03	4.28E-03	4.28E-03	2.45E-02	1.63E-02	2.42E-03

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
368	**368**	3.28E-02	2.34E-03	2.13E-02	3.28E-02	3.03E-03	3.03E-03	4.04E-03	4.04E-03	4.04E-03	2.56E-02	1.71E-02	2.53E-03
369	**369**	2.71E-02	2.50E-03	1.76E-02	2.71E-02	2.50E-03	2.50E-03	3.33E-03	3.33E-03	3.33E-03	2.38E-02	1.58E-02	2.34E-03
370	**370**	2.15E-02	2.57E-03	1.41E-02	2.15E-02	1.99E-03	1.99E-03	2.64E-03	2.64E-03	2.64E-03	1.84E-02	1.23E-02	1.82E-03
371	**371**	1.88E-02	2.57E-03	1.24E-02	1.88E-02	1.74E-03	1.74E-03	2.31E-03	2.31E-03	2.31E-03	1.53E-02	1.02E-02	1.51E-03
372	**372**	4.79E-02	1.81E-03	3.08E-02	4.79E-02	4.43E-03	4.43E-03	5.90E-03	5.90E-03	5.90E-03	2.34E-02	1.56E-02	2.31E-03
373	**373**	4.89E-02	1.91E-03	3.14E-02	4.89E-02	4.52E-03	4.52E-03	6.02E-03	6.02E-03	6.02E-03	2.91E-02	1.94E-02	2.87E-03
374	**374**	4.90E-02	2.13E-03	3.15E-02	4.90E-02	4.53E-03	4.53E-03	6.03E-03	6.03E-03	6.03E-03	3.63E-02	2.42E-02	3.58E-03
375	**375**	4.67E-02	2.49E-03	3.01E-02	4.67E-02	4.31E-03	4.31E-03	5.74E-03	5.74E-03	5.74E-03	4.04E-02	2.69E-02	3.98E-03
376	**376**	4.29E-02	2.69E-03	2.77E-02	4.29E-02	3.96E-03	3.96E-03	5.28E-03	5.28E-03	5.28E-03	4.19E-02	2.79E-02	4.14E-03
377	**377**	4.08E-02	2.82E-03	2.47E-02	3.82E-02	3.52E-03	3.52E-03	4.69E-03	4.69E-03	4.69E-03	4.08E-02	2.72E-02	4.02E-03
378	**378**	3.73E-02	2.91E-03	2.17E-02	3.34E-02	3.09E-03	3.09E-03	4.11E-03	4.11E-03	4.11E-03	3.73E-02	2.48E-02	3.68E-03
379	**379**	2.52E-02	3.00E-03	1.62E-02	2.47E-02	2.28E-03	2.28E-03	3.03E-03	3.03E-03	3.03E-03	2.52E-02	1.68E-02	2.49E-03
380	**380**	2.11E-02	3.00E-03	1.39E-02	2.11E-02	1.95E-03	1.95E-03	2.59E-03	2.59E-03	2.59E-03	1.94E-02	1.29E-02	1.91E-03
381	**381**	1.80E-02	2.97E-03	1.19E-02	1.80E-02	1.66E-03	1.66E-03	2.21E-03	2.21E-03	2.21E-03	1.48E-02	9.85E-03	1.46E-03
382	**382**	7.13E-02	2.11E-03	4.57E-02	7.13E-02	6.59E-03	6.59E-03	8.78E-03	8.78E-03	8.78E-03	4.02E-02	2.68E-02	3.96E-03
383	**383**	7.25E-02	2.29E-03	4.65E-02	7.25E-02	6.70E-03	6.70E-03	8.93E-03	8.93E-03	8.93E-03	5.85E-02	3.90E-02	5.77E-03
384	**384**	7.20E-02	2.48E-03	4.53E-02	7.06E-02	6.53E-03	6.53E-03	8.69E-03	8.69E-03	8.69E-03	7.20E-02	4.79E-02	7.10E-03
385	**385**	7.93E-02	2.97E-03	4.21E-02	6.55E-02	6.05E-03	6.05E-03	8.06E-03	8.06E-03	8.06E-03	7.93E-02	5.28E-02	7.82E-03
386	**386**	8.10E-02	3.15E-03	3.75E-02	5.82E-02	5.38E-03	5.38E-03	7.16E-03	7.16E-03	7.16E-03	8.10E-02	5.39E-02	7.98E-03
387	**387**	7.76E-02	3.32E-03	3.19E-02	4.94E-02	4.56E-03	4.56E-03	6.08E-03	6.08E-03	6.08E-03	7.76E-02	5.17E-02	7.65E-03
388	**388**	6.91E-02	3.44E-03	2.68E-02	4.13E-02	3.81E-03	3.81E-03	5.08E-03	5.08E-03	5.08E-03	6.91E-02	4.60E-02	6.81E-03
389	**389**	3.54E-02	3.55E-03	1.82E-02	2.78E-02	2.56E-03	2.56E-03	3.41E-03	3.41E-03	3.41E-03	3.54E-02	2.36E-02	3.49E-03
390	**390**	2.36E-02	3.54E-03	1.51E-02	2.29E-02	2.11E-03	2.11E-03	2.81E-03	2.81E-03	2.81E-03	2.36E-02	1.57E-02	2.32E-03
391	**391**	1.90E-02	3.50E-03	1.26E-02	1.90E-02	1.75E-03	1.75E-03	2.33E-03	2.33E-03	2.33E-03	1.65E-02	1.10E-02	1.63E-03
392	**392**	1.56E-02	3.38E-03	1.04E-02	1.56E-02	1.44E-03	1.44E-03	1.91E-03	1.91E-03	1.91E-03	1.17E-02	7.82E-03	1.16E-03
393	**393**	1.01E-01	2.51E-03	6.49E-02	1.01E-01	9.37E-03	9.37E-03	1.25E-02	1.25E-02	1.25E-02	8.90E-02	5.92E-02	8.77E-03
394	**394**	1.04E-01	3.00E-03	6.44E-02	1.00E-01	9.28E-03	9.28E-03	1.24E-02	1.24E-02	1.24E-02	1.04E-01	6.92E-02	1.02E-02
395	**395**	1.05E-01	3.34E-03	5.68E-02	8.84E-02	8.17E-03	8.17E-03	1.09E-02	1.09E-02	1.09E-02	1.05E-01	6.99E-02	1.03E-02
396	**396**	1.11E-01	3.59E-03	4.99E-02	7.76E-02	7.16E-03	7.16E-03	9.54E-03	9.54E-03	9.54E-03	1.11E-01	7.37E-02	1.09E-02
397	**397**	1.30E-01	3.84E-03	4.01E-02	6.21E-02	5.73E-03	5.73E-03	7.63E-03	7.63E-03	7.63E-03	1.30E-01	8.67E-02	1.28E-02
398	**398**	8.51E-02	3.97E-03	3.15E-02	4.86E-02	4.49E-03	4.49E-03	5.98E-03	5.98E-03	5.98E-03	8.51E-02	5.67E-02	8.39E-03

One San Pedro Specific Plan

Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
399	**399**	6.79E-02	4.01E-03	2.53E-02	3.88E-02	3.58E-03	3.58E-03	4.77E-03	4.77E-03	4.77E-03	6.79E-02	4.52E-02	6.70E-03
400	**400**	4.78E-02	4.28E-03	2.00E-02	3.04E-02	2.80E-03	2.80E-03	3.73E-03	3.73E-03	3.73E-03	4.78E-02	3.18E-02	4.71E-03
401	**401**	2.71E-02	4.26E-03	1.60E-02	2.42E-02	2.23E-03	2.23E-03	2.96E-03	2.96E-03	2.96E-03	2.64E-02	1.76E-02	2.61E-03
402	**402**	1.59E-02	4.01E-03	1.06E-02	1.58E-02	1.45E-03	1.45E-03	1.93E-03	1.93E-03	1.93E-03	1.16E-02	7.76E-03	1.15E-03
403	**403**	5.45E-02	5.21E-03	2.14E-02	3.24E-02	2.98E-03	2.98E-03	3.97E-03	3.97E-03	3.97E-03	5.45E-02	3.63E-02	5.37E-03
404	**404**	1.78E-02	4.90E-03	1.11E-02	1.63E-02	1.49E-03	1.49E-03	1.98E-03	1.98E-03	1.98E-03	1.17E-02	7.76E-03	1.15E-03
405	**405**	1.35E-02	4.60E-03	9.09E-03	1.32E-02	1.21E-03	1.21E-03	1.61E-03	1.61E-03	1.61E-03	8.49E-03	5.66E-03	8.37E-04
406	**406**	6.51E-02	6.59E-03	2.15E-02	3.23E-02	2.97E-03	2.97E-03	3.95E-03	3.95E-03	3.95E-03	4.44E-02	2.96E-02	4.38E-03
407	**407**	1.35E-02	5.56E-03	8.99E-03	1.28E-02	1.17E-03	1.17E-03	1.56E-03	1.56E-03	1.56E-03	7.89E-03	5.26E-03	7.78E-04
408	**408**	6.60E-02	8.63E-03	2.08E-02	3.07E-02	2.82E-03	2.82E-03	3.75E-03	3.75E-03	3.75E-03	3.33E-02	2.22E-02	3.28E-03
409	**409**	1.31E-02	6.81E-03	8.90E-03	1.24E-02	1.13E-03	1.13E-03	1.50E-03	1.50E-03	1.50E-03	7.30E-03	4.86E-03	7.20E-04
410	**410**	5.84E-02	1.18E-02	1.98E-02	2.84E-02	2.59E-03	2.59E-03	3.45E-03	3.45E-03	3.45E-03	2.53E-02	1.68E-02	2.49E-03
411	**411**	1.66E-02	9.62E-03	1.06E-02	1.45E-02	1.31E-03	1.31E-03	1.75E-03	1.75E-03	1.75E-03	8.72E-03	5.81E-03	8.60E-04
412	**412**	1.27E-02	8.54E-03	9.01E-03	1.22E-02	1.10E-03	1.10E-03	1.47E-03	1.47E-03	1.47E-03	6.86E-03	4.57E-03	6.76E-04
413	**413**	4.93E-02	1.73E-02	1.91E-02	2.60E-02	2.35E-03	2.35E-03	3.14E-03	3.14E-03	3.14E-03	1.98E-02	1.32E-02	1.95E-03
414	**414**	2.08E-02	1.43E-02	1.26E-02	1.66E-02	1.49E-03	1.49E-03	1.98E-03	1.98E-03	1.98E-03	1.03E-02	6.89E-03	1.02E-03
415	**415**	1.53E-02	1.23E-02	1.06E-02	1.38E-02	1.24E-03	1.24E-03	1.65E-03	1.65E-03	1.65E-03	7.90E-03	5.26E-03	7.79E-04
416	**416**	1.18E-02	1.04E-02	8.95E-03	1.17E-02	1.05E-03	1.05E-03	1.40E-03	1.40E-03	1.40E-03	6.30E-03	4.19E-03	6.21E-04
417	**417**	4.03E-02	2.75E-02	1.93E-02	2.41E-02	2.14E-03	2.14E-03	2.85E-03	2.85E-03	2.85E-03	1.58E-02	1.05E-02	1.56E-03
418	**418**	1.56E-02	1.56E-02	1.06E-02	1.31E-02	1.16E-03	1.16E-03	1.55E-03	1.55E-03	1.55E-03	7.17E-03	4.78E-03	7.07E-04
419	**419**	1.23E-02	1.23E-02	8.89E-03	1.12E-02	9.96E-04	9.96E-04	1.33E-03	1.33E-03	1.33E-03	5.79E-03	3.85E-03	5.71E-04
420	**420**	9.65E-03	9.65E-03	7.52E-03	9.62E-03	8.60E-04	8.60E-04	1.15E-03	1.15E-03	1.15E-03	4.79E-03	3.19E-03	4.72E-04
421	**421**	4.95E-02	4.95E-02	2.17E-02	2.28E-02	1.95E-03	1.95E-03	2.60E-03	2.60E-03	2.60E-03	1.30E-02	8.65E-03	1.28E-03
422	**422**	1.37E-02	1.37E-02	8.75E-03	1.06E-02	9.41E-04	9.41E-04	1.25E-03	1.25E-03	1.25E-03	5.33E-03	3.55E-03	5.25E-04
423	**423**	1.03E-02	1.03E-02	7.36E-03	9.22E-03	8.21E-04	8.21E-04	1.09E-03	1.09E-03	1.09E-03	4.46E-03	2.97E-03	4.39E-04
424	**424**	9.96E-02	9.96E-02	2.88E-02	2.26E-02	1.78E-03	1.78E-03	2.38E-03	2.38E-03	2.38E-03	1.08E-02	7.21E-03	1.07E-03
425	**425**	1.03E-02	1.03E-02	7.08E-03	8.77E-03	7.80E-04	7.80E-04	1.04E-03	1.04E-03	1.04E-03	4.14E-03	2.76E-03	4.08E-04
426	**426**	7.84E-03	7.84E-03	6.05E-03	7.72E-03	6.90E-04	6.90E-04	9.19E-04	9.19E-04	9.19E-04	3.56E-03	2.37E-03	3.50E-04
427	**427**	1.75E-01	1.75E-01	4.04E-02	2.35E-02	1.63E-03	1.63E-03	2.17E-03	2.17E-03	2.17E-03	9.17E-03	6.10E-03	9.04E-04
428	**428**	9.85E-03	9.85E-03	6.72E-03	8.31E-03	7.38E-04	7.38E-04	9.83E-04	9.83E-04	9.83E-04	3.85E-03	2.57E-03	3.80E-04
429	**429**	7.47E-03	7.47E-03	5.77E-03	7.36E-03	6.58E-04	6.58E-04	8.76E-04	8.76E-04	8.76E-04	3.33E-03	2.22E-03	3.28E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
430	**430**	1.63E-01	1.63E-01	3.73E-02	2.16E-02	1.49E-03	1.49E-03	1.99E-03	1.99E-03	1.99E-03	7.85E-03	5.23E-03	7.74E-04
431	**431**	7.00E-03	6.97E-03	5.47E-03	7.00E-03	6.26E-04	6.26E-04	8.34E-04	8.34E-04	8.34E-04	3.12E-03	2.08E-03	3.08E-04
432	**432**	6.23E-03	5.49E-03	4.76E-03	6.23E-03	5.60E-04	5.60E-04	7.46E-04	7.46E-04	7.46E-04	2.73E-03	1.82E-03	2.70E-04
433	**433**	1.01E-01	1.01E-01	2.62E-02	1.81E-02	1.37E-03	1.37E-03	1.82E-03	1.82E-03	1.82E-03	6.79E-03	4.52E-03	6.69E-04
434	**434**	6.65E-03	6.44E-03	5.16E-03	6.65E-03	5.95E-04	5.95E-04	7.93E-04	7.93E-04	7.93E-04	2.93E-03	1.95E-03	2.89E-04
435	**435**	5.99E-03	5.17E-03	4.56E-03	5.99E-03	5.38E-04	5.38E-04	7.16E-04	7.16E-04	7.16E-04	2.59E-03	1.72E-03	2.55E-04
436	**436**	6.24E-02	6.24E-02	1.90E-02	1.56E-02	1.25E-03	1.25E-03	1.67E-03	1.67E-03	1.67E-03	5.92E-03	3.94E-03	5.84E-04
437	**437**	7.52E-03	7.52E-03	5.58E-03	7.05E-03	6.29E-04	6.29E-04	8.38E-04	8.38E-04	8.38E-04	3.13E-03	2.08E-03	3.08E-04
438	**438**	6.32E-03	5.93E-03	4.88E-03	6.32E-03	5.67E-04	5.67E-04	7.55E-04	7.55E-04	7.55E-04	2.75E-03	1.83E-03	2.71E-04
439	**439**	5.72E-03	4.81E-03	4.34E-03	5.72E-03	5.14E-04	5.14E-04	6.85E-04	6.85E-04	6.85E-04	2.44E-03	1.63E-03	2.41E-04
440	**440**	4.02E-02	4.02E-02	1.46E-02	1.37E-02	1.15E-03	1.15E-03	1.53E-03	1.53E-03	1.53E-03	5.21E-03	3.47E-03	5.13E-04
441	**441**	1.21E-02	1.21E-02	7.25E-03	8.62E-03	7.60E-04	7.60E-04	1.01E-03	1.01E-03	1.01E-03	3.78E-03	2.52E-03	3.73E-04
442	**442**	8.86E-03	8.86E-03	6.07E-03	7.51E-03	6.68E-04	6.68E-04	8.90E-04	8.90E-04	8.90E-04	3.32E-03	2.21E-03	3.28E-04
443	**443**	6.82E-03	6.82E-03	5.24E-03	6.69E-03	5.98E-04	5.98E-04	7.96E-04	7.96E-04	7.96E-04	2.93E-03	1.95E-03	2.88E-04
444	**444**	6.01E-03	5.44E-03	4.61E-03	6.01E-03	5.39E-04	5.39E-04	7.18E-04	7.18E-04	7.18E-04	2.59E-03	1.72E-03	2.55E-04
445	**445**	2.74E-02	2.74E-02	1.18E-02	1.23E-02	1.05E-03	1.05E-03	1.40E-03	1.40E-03	1.40E-03	4.61E-03	3.07E-03	4.54E-04
446	**446**	1.50E-02	1.50E-02	8.03E-03	9.19E-03	8.04E-04	8.04E-04	1.07E-03	1.07E-03	1.07E-03	3.87E-03	2.57E-03	3.81E-04
447	**447**	1.07E-02	1.07E-02	6.66E-03	8.03E-03	7.10E-04	7.10E-04	9.45E-04	9.45E-04	9.45E-04	3.46E-03	2.31E-03	3.42E-04
448	**448**	7.96E-03	7.96E-03	5.67E-03	7.09E-03	6.32E-04	6.32E-04	8.42E-04	8.42E-04	8.42E-04	3.08E-03	2.05E-03	3.04E-04
449	**449**	1.96E-02	1.96E-02	9.93E-03	1.11E-02	9.70E-04	9.70E-04	1.29E-03	1.29E-03	1.29E-03	4.11E-03	2.73E-03	4.05E-04
450	**450**	1.64E-02	1.64E-02	8.61E-03	9.78E-03	8.54E-04	8.54E-04	1.14E-03	1.14E-03	1.14E-03	3.83E-03	2.55E-03	3.78E-04
451	**451**	1.26E-02	1.26E-02	7.28E-03	8.57E-03	7.54E-04	7.54E-04	1.00E-03	1.00E-03	1.00E-03	3.52E-03	2.34E-03	3.47E-04
452	**452**	1.47E-02	1.47E-02	8.59E-03	1.01E-02	8.94E-04	8.94E-04	1.19E-03	1.19E-03	1.19E-03	3.68E-03	2.45E-03	3.63E-04
453	**453**	1.30E-02	1.30E-02	7.63E-03	9.03E-03	7.95E-04	7.95E-04	1.06E-03	1.06E-03	1.06E-03	3.46E-03	2.31E-03	3.42E-04
454	**454**	4.71E-03	3.52E-03	3.51E-03	4.71E-03	4.25E-04	4.25E-04	5.66E-04	5.66E-04	5.66E-04	1.95E-03	1.30E-03	1.92E-04
455	**455**	4.37E-03	3.03E-03	3.22E-03	4.37E-03	3.95E-04	3.95E-04	5.26E-04	5.26E-04	5.26E-04	1.78E-03	1.19E-03	1.76E-04
456	**456**	1.13E-02	1.13E-02	7.56E-03	9.30E-03	8.26E-04	8.26E-04	1.10E-03	1.10E-03	1.10E-03	3.31E-03	2.21E-03	3.27E-04
457	**457**	1.04E-02	1.04E-02	6.83E-03	8.35E-03	7.41E-04	7.41E-04	9.87E-04	9.87E-04	9.87E-04	3.14E-03	2.09E-03	3.10E-04
458	**458**	8.86E-03	8.86E-03	6.03E-03	7.45E-03	6.62E-04	6.62E-04	8.82E-04	8.82E-04	8.82E-04	2.93E-03	1.95E-03	2.89E-04
459	**459**	5.41E-03	4.70E-03	4.12E-03	5.41E-03	4.86E-04	4.86E-04	6.47E-04	6.47E-04	6.47E-04	2.25E-03	1.50E-03	2.22E-04
460	**460**	4.94E-03	3.90E-03	3.71E-03	4.94E-03	4.45E-04	4.45E-04	5.93E-04	5.93E-04	5.93E-04	2.05E-03	1.36E-03	2.02E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033
461	**461**	4.53E-03	3.29E-03	3.36E-03	4.53E-03	4.09E-04	4.09E-04	5.45E-04	5.45E-04	5.45E-04	1.86E-03	1.24E-03	1.83E-04
462	**462**	4.18E-03	2.83E-03	3.07E-03	4.18E-03	3.78E-04	3.78E-04	5.03E-04	5.03E-04	5.03E-04	1.70E-03	1.13E-03	1.67E-04
463	**463**	1.96E-01	1.21E-02	3.75E-02	5.61E-02	5.16E-03	5.16E-03	6.87E-03	6.87E-03	6.87E-03	4.38E-02	2.92E-02	4.32E-03
464	**464**	1.13E-01	1.29E-02	2.66E-02	3.89E-02	3.56E-03	3.56E-03	4.74E-03	4.74E-03	4.74E-03	3.46E-02	2.31E-02	3.41E-03
465	**465**	1.41E-01	1.83E-02	3.39E-02	4.91E-02	4.48E-03	4.48E-03	5.97E-03	5.97E-03	5.97E-03	2.95E-02	1.96E-02	2.91E-03
466	**466**	8.11E-02	2.24E-02	2.48E-02	3.39E-02	3.07E-03	3.07E-03	4.08E-03	4.08E-03	4.08E-03	2.30E-02	1.53E-02	2.26E-03
467	**467**	8.73E-02	3.11E-02	2.77E-02	3.65E-02	3.28E-03	3.28E-03	4.37E-03	4.37E-03	4.37E-03	2.08E-02	1.38E-02	2.05E-03
468	**468**	6.44E-02	6.44E-02	3.06E-02	3.34E-02	2.90E-03	2.90E-03	3.86E-03	3.86E-03	3.86E-03	1.62E-02	1.08E-02	1.59E-03
469	**469**	2.17E-01	2.17E-01	5.36E-02	3.48E-02	2.55E-03	2.55E-03	3.40E-03	3.40E-03	3.40E-03	1.30E-02	8.63E-03	1.28E-03
470	**470**	1.57E-01	1.57E-01	4.56E-02	3.59E-02	2.83E-03	2.83E-03	3.77E-03	3.77E-03	3.77E-03	1.14E-02	7.57E-03	1.12E-03
471	**471**	2.66E-01	2.66E-01	6.08E-02	3.49E-02	2.41E-03	2.41E-03	3.21E-03	3.21E-03	3.21E-03	1.18E-02	7.84E-03	1.16E-03
472	**472**	2.15E-01	2.15E-01	5.25E-02	3.35E-02	2.43E-03	2.43E-03	3.24E-03	3.24E-03	3.24E-03	9.36E-03	6.23E-03	9.23E-04
473	**473**	2.29E-01	2.29E-01	5.17E-02	2.92E-02	1.99E-03	1.99E-03	2.65E-03	2.65E-03	2.65E-03	8.87E-03	5.91E-03	8.75E-04
474	**474**	1.01E-01	1.01E-01	3.12E-02	2.61E-02	2.10E-03	2.10E-03	2.80E-03	2.80E-03	2.80E-03	7.84E-03	5.22E-03	7.73E-04
475	**475**	1.70E-01	1.70E-01	4.05E-02	2.48E-02	1.77E-03	1.77E-03	2.36E-03	2.36E-03	2.36E-03	7.51E-03	5.00E-03	7.41E-04
476	**476**	5.40E-02	5.40E-02	2.16E-02	2.16E-02	1.83E-03	1.83E-03	2.44E-03	2.44E-03	2.44E-03	6.66E-03	4.43E-03	6.56E-04
477	**477**	7.53E-02	7.53E-02	2.34E-02	1.96E-02	1.58E-03	1.58E-03	2.10E-03	2.10E-03	2.10E-03	6.44E-03	4.29E-03	6.35E-04
478	**478**	3.31E-02	3.31E-02	1.66E-02	1.85E-02	1.61E-03	1.61E-03	2.15E-03	2.15E-03	2.15E-03	5.72E-03	3.81E-03	5.64E-04
479	**479**	4.20E-02	4.20E-02	1.67E-02	1.66E-02	1.41E-03	1.41E-03	1.88E-03	1.88E-03	1.88E-03	5.57E-03	3.71E-03	5.49E-04
480	**480**	4.16E-02	4.16E-02	1.53E-02	1.46E-02	1.22E-03	1.22E-03	1.63E-03	1.63E-03	1.63E-03	5.28E-03	3.52E-03	5.21E-04
481	**481**	2.23E-02	2.23E-02	1.35E-02	1.62E-02	1.43E-03	1.43E-03	1.90E-03	1.90E-03	1.90E-03	4.96E-03	3.30E-03	4.89E-04
482	**482**	2.74E-02	2.74E-02	1.22E-02	1.29E-02	1.11E-03	1.11E-03	1.48E-03	1.48E-03	1.48E-03	4.66E-03	3.10E-03	4.59E-04
483	**483**	1.86E-02	1.86E-02	1.10E-02	1.30E-02	1.14E-03	1.14E-03	1.52E-03	1.52E-03	1.52E-03	4.28E-03	2.85E-03	4.22E-04
484	**484**	1.92E-02	1.92E-02	1.02E-02	1.16E-02	1.02E-03	1.02E-03	1.36E-03	1.36E-03	1.36E-03	4.13E-03	2.75E-03	4.07E-04

One San Pedro Specific Plan
Unmitigated - Offsite Residential - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	Receptor #	Max Chronic	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033

Receptor #	Receptor #	2034	2035	2036	2037
145	Residential	0.223	0.060	0.026	0.026
	Recepor	146	146	146	146
394	Worker	0.196	0.053	0.023	0.023
	Receptor #	463	463	463	463
1	**1**	2.78E-03	9.86E-04	2.88E-04	2.88E-04
2	**2**	2.91E-03	1.04E-03	3.00E-04	3.00E-04
3	**3**	3.04E-03	1.10E-03	3.11E-04	3.11E-04
4	**4**	3.18E-03	1.15E-03	3.24E-04	3.24E-04
5	**5**	3.31E-03	1.21E-03	3.36E-04	3.36E-04
6	**6**	3.48E-03	1.29E-03	3.52E-04	3.52E-04
7	**7**	3.67E-03	1.36E-03	3.70E-04	3.70E-04
8	**8**	3.90E-03	1.45E-03	3.92E-04	3.92E-04
9	**9**	4.16E-03	1.56E-03	4.16E-04	4.16E-04
10	**10**	4.51E-03	1.69E-03	4.51E-04	4.51E-04
11	**11**	4.94E-03	1.87E-03	4.92E-04	4.92E-04
12	**12**	5.46E-03	2.09E-03	5.39E-04	5.39E-04
13	**13**	6.01E-03	2.34E-03	5.88E-04	5.88E-04
14	**14**	8.01E-03	3.17E-03	7.76E-04	7.76E-04
15	**15**	3.06E-03	1.08E-03	3.18E-04	3.18E-04
16	**16**	3.22E-03	1.14E-03	3.33E-04	3.33E-04
17	**17**	3.40E-03	1.22E-03	3.49E-04	3.49E-04
18	**18**	3.57E-03	1.30E-03	3.65E-04	3.65E-04
19	**19**	3.75E-03	1.37E-03	3.81E-04	3.81E-04
20	**20**	3.95E-03	1.46E-03	3.99E-04	3.99E-04
21	**21**	4.18E-03	1.56E-03	4.19E-04	4.19E-04
22	**22**	4.43E-03	1.67E-03	4.42E-04	4.42E-04
23	**23**	4.78E-03	1.82E-03	4.75E-04	4.75E-04
24	**24**	5.15E-03	1.97E-03	5.09E-04	5.09E-04
25	**25**	5.71E-03	2.20E-03	5.62E-04	5.62E-04
26	**26**	6.38E-03	2.49E-03	6.23E-04	6.23E-04

Receptor #	Receptor #	2034	2035	2036	2037
27	**27**	7.02E-03	2.80E-03	6.77E-04	6.77E-04
28	**28**	9.91E-03	4.04E-03	9.41E-04	9.41E-04
29	**29**	3.33E-03	1.16E-03	3.47E-04	3.47E-04
30	**30**	3.54E-03	1.24E-03	3.68E-04	3.68E-04
31	**31**	3.77E-03	1.34E-03	3.89E-04	3.89E-04
32	**32**	4.02E-03	1.45E-03	4.12E-04	4.12E-04
33	**33**	4.25E-03	1.55E-03	4.32E-04	4.32E-04
34	**34**	4.52E-03	1.67E-03	4.56E-04	4.56E-04
35	**35**	4.80E-03	1.80E-03	4.81E-04	4.81E-04
36	**36**	5.13E-03	1.95E-03	5.10E-04	5.10E-04
37	**37**	5.53E-03	2.13E-03	5.45E-04	5.45E-04
38	**38**	6.05E-03	2.36E-03	5.92E-04	5.92E-04
39	**39**	6.74E-03	2.65E-03	6.55E-04	6.55E-04
40	**40**	7.46E-03	2.98E-03	7.18E-04	7.18E-04
41	**41**	8.33E-03	3.40E-03	7.90E-04	7.90E-04
42	**42**	1.26E-02	5.34E-03	1.17E-03	1.17E-03
43	**43**	3.55E-03	1.22E-03	3.73E-04	3.73E-04
44	**44**	3.80E-03	1.32E-03	3.97E-04	3.97E-04
45	**45**	4.10E-03	1.44E-03	4.27E-04	4.27E-04
46	**46**	4.44E-03	1.58E-03	4.59E-04	4.59E-04
47	**47**	4.77E-03	1.72E-03	4.89E-04	4.89E-04
48	**48**	5.13E-03	1.88E-03	5.20E-04	5.20E-04
49	**49**	5.49E-03	2.05E-03	5.52E-04	5.52E-04
50	**50**	5.89E-03	2.24E-03	5.85E-04	5.85E-04
51	**51**	6.49E-03	2.51E-03	6.36E-04	6.36E-04
52	**52**	7.14E-03	2.82E-03	6.92E-04	6.92E-04
53	**53**	8.05E-03	3.24E-03	7.71E-04	7.71E-04
54	**54**	9.09E-03	3.75E-03	8.57E-04	8.57E-04
55	**55**	1.04E-02	4.41E-03	9.59E-04	9.59E-04
56	**56**	1.68E-02	7.47E-03	1.50E-03	1.50E-03
57	**57**	3.70E-03	1.26E-03	3.91E-04	3.91E-04

Receptor #	Receptor #	2034	2035	2036	2037
58	**58**	4.02E-03	1.38E-03	4.24E-04	4.24E-04
59	**59**	4.41E-03	1.52E-03	4.63E-04	4.63E-04
60	**60**	4.83E-03	1.69E-03	5.04E-04	5.04E-04
61	**61**	5.29E-03	1.87E-03	5.47E-04	5.47E-04
62	**62**	5.78E-03	2.08E-03	5.92E-04	5.92E-04
63	**63**	6.34E-03	2.33E-03	6.43E-04	6.43E-04
64	**64**	6.84E-03	2.57E-03	6.84E-04	6.84E-04
65	**65**	7.60E-03	2.94E-03	7.47E-04	7.47E-04
66	**66**	8.56E-03	3.41E-03	8.25E-04	8.25E-04
67	**67**	9.68E-03	3.98E-03	9.13E-04	9.13E-04
68	**68**	1.14E-02	4.86E-03	1.05E-03	1.05E-03
69	**69**	1.36E-02	6.08E-03	1.20E-03	1.20E-03
70	**70**	3.85E-03	1.29E-03	4.11E-04	4.11E-04
71	**71**	4.22E-03	1.42E-03	4.48E-04	4.48E-04
72	**72**	4.69E-03	1.59E-03	4.96E-04	4.96E-04
73	**73**	5.18E-03	1.77E-03	5.46E-04	5.46E-04
74	**74**	5.75E-03	1.99E-03	6.03E-04	6.03E-04
75	**75**	6.39E-03	2.25E-03	6.64E-04	6.64E-04
76	**76**	7.15E-03	2.56E-03	7.35E-04	7.35E-04
77	**77**	7.95E-03	2.92E-03	8.06E-04	8.06E-04
78	**78**	9.01E-03	3.41E-03	8.96E-04	8.96E-04
79	**79**	1.06E-02	4.17E-03	1.03E-03	1.03E-03
80	**80**	1.23E-02	5.06E-03	1.15E-03	1.15E-03
81	**81**	1.52E-02	6.70E-03	1.35E-03	1.35E-03
82	**82**	1.88E-02	9.17E-03	1.55E-03	1.55E-03
83	**83**	3.97E-03	1.31E-03	4.27E-04	4.27E-04
84	**84**	4.43E-03	1.46E-03	4.76E-04	4.76E-04
85	**85**	4.93E-03	1.63E-03	5.29E-04	5.29E-04
86	**86**	5.45E-03	1.82E-03	5.80E-04	5.80E-04
87	**87**	6.10E-03	2.06E-03	6.46E-04	6.46E-04
88	**88**	6.86E-03	2.36E-03	7.22E-04	7.22E-04

Receptor #	Receptor #	2034	2035	2036	2037
89	**89**	7.82E-03	2.73E-03	8.15E-04	8.15E-04
90	**90**	9.01E-03	3.21E-03	9.29E-04	9.29E-04
91	**91**	1.05E-02	3.86E-03	1.07E-03	1.07E-03
92	**92**	1.25E-02	4.76E-03	1.24E-03	1.24E-03
93	**93**	1.52E-02	6.14E-03	1.45E-03	1.45E-03
94	**94**	1.93E-02	8.68E-03	1.71E-03	1.71E-03
95	**95**	2.78E-02	1.52E-02	2.02E-03	2.02E-03
96	**96**	4.06E-03	1.31E-03	4.40E-04	4.40E-04
97	**97**	4.50E-03	1.45E-03	4.88E-04	4.88E-04
98	**98**	5.01E-03	1.61E-03	5.44E-04	5.44E-04
99	**99**	5.66E-03	1.84E-03	6.12E-04	6.12E-04
100	**100**	6.39E-03	2.11E-03	6.86E-04	6.86E-04
101	**101**	7.28E-03	2.43E-03	7.77E-04	7.77E-04
102	**102**	8.39E-03	2.84E-03	8.89E-04	8.89E-04
103	**103**	9.84E-03	3.38E-03	1.03E-03	1.03E-03
104	**104**	1.17E-02	4.12E-03	1.22E-03	1.22E-03
105	**105**	1.42E-02	5.18E-03	1.45E-03	1.45E-03
106	**106**	1.78E-02	6.86E-03	1.75E-03	1.75E-03
107	**107**	2.35E-02	1.01E-02	2.15E-03	2.15E-03
108	**108**	3.69E-02	2.04E-02	2.65E-03	2.65E-03
109	**109**	4.00E-03	1.27E-03	4.37E-04	4.37E-04
110	**110**	4.47E-03	1.43E-03	4.88E-04	4.88E-04
111	**111**	5.04E-03	1.61E-03	5.50E-04	5.50E-04
112	**112**	5.73E-03	1.84E-03	6.23E-04	6.23E-04
113	**113**	6.56E-03	2.11E-03	7.11E-04	7.11E-04
114	**114**	7.57E-03	2.46E-03	8.20E-04	8.20E-04
115	**115**	8.85E-03	2.89E-03	9.55E-04	9.55E-04
116	**116**	1.05E-02	3.47E-03	1.13E-03	1.13E-03
117	**117**	1.28E-02	4.29E-03	1.36E-03	1.36E-03
118	**118**	1.56E-02	5.42E-03	1.63E-03	1.63E-03
119	**119**	2.00E-02	7.23E-03	2.05E-03	2.05E-03

Receptor #	Receptor #	2034	2035	2036	2037
120	**120**	2.67E-02	1.04E-02	2.60E-03	2.60E-03
121	**121**	3.95E-02	1.89E-02	3.30E-03	3.30E-03
122	**122**	3.83E-03	1.21E-03	4.20E-04	4.20E-04
123	**123**	4.33E-03	1.37E-03	4.74E-04	4.74E-04
124	**124**	4.94E-03	1.57E-03	5.41E-04	5.41E-04
125	**125**	5.65E-03	1.79E-03	6.18E-04	6.18E-04
126	**126**	6.52E-03	2.07E-03	7.13E-04	7.13E-04
127	**127**	7.60E-03	2.41E-03	8.32E-04	8.32E-04
128	**128**	8.80E-03	2.77E-03	9.67E-04	9.67E-04
129	**129**	1.06E-02	3.35E-03	1.17E-03	1.17E-03
130	**130**	1.34E-02	4.26E-03	1.47E-03	1.47E-03
131	**131**	1.88E-01	5.52E-02	2.13E-02	2.13E-02
132	**132**	1.38E-01	4.11E-02	1.55E-02	1.55E-02
133	**133**	3.59E-03	1.13E-03	3.94E-04	3.94E-04
134	**134**	4.12E-03	1.30E-03	4.52E-04	4.52E-04
135	**135**	4.73E-03	1.49E-03	5.19E-04	5.19E-04
136	**136**	5.44E-03	1.71E-03	5.97E-04	5.97E-04
137	**137**	6.31E-03	1.98E-03	6.93E-04	6.93E-04
138	**138**	7.36E-03	2.30E-03	8.09E-04	8.09E-04
139	**139**	8.62E-03	2.68E-03	9.51E-04	9.51E-04
140	**140**	1.05E-02	3.26E-03	1.17E-03	1.17E-03
141	**141**	1.33E-02	4.09E-03	1.48E-03	1.48E-03
142	**142**	1.74E-02	5.29E-03	1.94E-03	1.94E-03
143	**143**	2.45E-02	7.34E-03	2.75E-03	2.75E-03
144	**144**	3.87E-02	1.13E-02	4.38E-03	4.38E-03
145	**145**	7.47E-02	2.10E-02	8.60E-03	8.60E-03
146	**146**	2.23E-01	6.01E-02	2.60E-02	2.60E-02
147	**147**	3.33E-03	1.05E-03	3.65E-04	3.65E-04
148	**148**	3.81E-03	1.20E-03	4.18E-04	4.18E-04
149	**149**	4.40E-03	1.38E-03	4.84E-04	4.84E-04
150	**150**	5.08E-03	1.59E-03	5.59E-04	5.59E-04

Receptor #	Receptor #	2034	2035	2036	2037
151	**151**	5.95E-03	1.86E-03	6.55E-04	6.55E-04
152	**152**	6.93E-03	2.16E-03	7.65E-04	7.65E-04
153	**153**	8.20E-03	2.53E-03	9.08E-04	9.08E-04
154	**154**	1.00E-02	3.07E-03	1.11E-03	1.11E-03
155	**155**	1.27E-02	3.86E-03	1.42E-03	1.42E-03
156	**156**	1.68E-02	5.02E-03	1.90E-03	1.90E-03
157	**157**	2.37E-02	6.90E-03	2.70E-03	2.70E-03
158	**158**	3.77E-02	1.06E-02	4.35E-03	4.35E-03
159	**159**	9.22E-02	2.45E-02	1.08E-02	1.08E-02
160	**160**	3.14E-03	9.92E-04	3.45E-04	3.45E-04
161	**161**	3.53E-03	1.11E-03	3.88E-04	3.88E-04
162	**162**	3.95E-03	1.24E-03	4.34E-04	4.34E-04
163	**163**	4.64E-03	1.45E-03	5.10E-04	5.10E-04
164	**164**	5.53E-03	1.72E-03	6.09E-04	6.09E-04
165	**165**	6.46E-03	2.00E-03	7.14E-04	7.14E-04
166	**166**	7.70E-03	2.37E-03	8.54E-04	8.54E-04
167	**167**	9.39E-03	2.86E-03	1.05E-03	1.05E-03
168	**168**	1.18E-02	3.54E-03	1.32E-03	1.32E-03
169	**169**	1.54E-02	4.54E-03	1.74E-03	1.74E-03
170	**170**	2.14E-02	6.15E-03	2.44E-03	2.44E-03
171	**171**	3.29E-02	9.17E-03	3.80E-03	3.80E-03
172	**172**	6.90E-02	1.83E-02	8.12E-03	8.12E-03
173	**173**	9.39E-02	2.49E-02	1.11E-02	1.11E-02
174	**174**	1.43E-01	3.75E-02	1.70E-02	1.70E-02
175	**175**	1.55E-01	4.08E-02	1.83E-02	1.83E-02
176	**176**	1.81E-01	4.72E-02	2.14E-02	2.14E-02
177	**177**	1.51E-01	3.99E-02	1.78E-02	1.78E-02
178	**178**	1.25E-01	3.33E-02	1.47E-02	1.47E-02
179	**179**	2.90E-03	9.13E-04	3.18E-04	3.18E-04
180	**180**	3.21E-03	1.01E-03	3.53E-04	3.53E-04
181	**181**	3.53E-03	1.11E-03	3.89E-04	3.89E-04

Receptor #	Receptor #	2034	2035	2036	2037
182	**182**	4.22E-03	1.32E-03	4.65E-04	4.65E-04
183	**183**	5.17E-03	1.61E-03	5.70E-04	5.70E-04
184	**184**	6.06E-03	1.87E-03	6.70E-04	6.70E-04
185	**185**	7.24E-03	2.22E-03	8.05E-04	8.05E-04
186	**186**	8.77E-03	2.65E-03	9.79E-04	9.79E-04
187	**187**	1.08E-02	3.23E-03	1.22E-03	1.22E-03
188	**188**	1.38E-02	4.06E-03	1.57E-03	1.57E-03
189	**189**	1.84E-02	5.27E-03	2.10E-03	2.10E-03
190	**190**	2.61E-02	7.31E-03	3.00E-03	3.00E-03
191	**191**	4.16E-02	1.13E-02	4.85E-03	4.85E-03
192	**192**	7.12E-02	1.88E-02	8.39E-03	8.39E-03
193	**193**	9.27E-02	2.43E-02	1.10E-02	1.10E-02
194	**194**	1.04E-01	2.73E-02	1.22E-02	1.22E-02
195	**195**	1.13E-01	2.99E-02	1.33E-02	1.33E-02
196	**196**	1.07E-01	2.84E-02	1.26E-02	1.26E-02
197	**197**	8.31E-02	2.25E-02	9.72E-03	9.72E-03
198	**198**	2.75E-03	8.65E-04	3.02E-04	3.02E-04
199	**199**	3.06E-03	9.58E-04	3.36E-04	3.36E-04
200	**200**	3.41E-03	1.07E-03	3.76E-04	3.76E-04
201	**201**	3.93E-03	1.22E-03	4.33E-04	4.33E-04
202	**202**	4.79E-03	1.48E-03	5.30E-04	5.30E-04
203	**203**	5.66E-03	1.74E-03	6.28E-04	6.28E-04
204	**204**	6.77E-03	2.06E-03	7.54E-04	7.54E-04
205	**205**	8.12E-03	2.45E-03	9.09E-04	9.09E-04
206	**206**	9.88E-03	2.94E-03	1.11E-03	1.11E-03
207	**207**	1.23E-02	3.59E-03	1.39E-03	1.39E-03
208	**208**	1.56E-02	4.49E-03	1.78E-03	1.78E-03
209	**209**	2.06E-02	5.83E-03	2.37E-03	2.37E-03
210	**210**	2.88E-02	7.97E-03	3.34E-03	3.34E-03
211	**211**	4.07E-02	1.11E-02	4.75E-03	4.75E-03
212	**212**	5.04E-02	1.36E-02	5.90E-03	5.90E-03

Receptor #	Receptor #	2034	2035	2036	2037
213	**213**	5.41E-02	1.46E-02	6.33E-03	6.33E-03
214	**214**	5.38E-02	1.46E-02	6.28E-03	6.28E-03
215	**215**	6.28E-02	1.71E-02	7.32E-03	7.32E-03
216	**216**	2.66E-03	8.35E-04	2.92E-04	2.92E-04
217	**217**	2.93E-03	9.17E-04	3.22E-04	3.22E-04
218	**218**	3.27E-03	1.02E-03	3.61E-04	3.61E-04
219	**219**	3.72E-03	1.15E-03	4.12E-04	4.12E-04
220	**220**	4.45E-03	1.37E-03	4.93E-04	4.93E-04
221	**221**	5.19E-03	1.59E-03	5.77E-04	5.77E-04
222	**222**	6.19E-03	1.87E-03	6.91E-04	6.91E-04
223	**223**	7.35E-03	2.21E-03	8.25E-04	8.25E-04
224	**224**	8.79E-03	2.61E-03	9.90E-04	9.90E-04
225	**225**	1.05E-02	3.09E-03	1.19E-03	1.19E-03
226	**226**	1.30E-02	3.76E-03	1.48E-03	1.48E-03
227	**227**	1.63E-02	4.66E-03	1.86E-03	1.86E-03
228	**228**	2.11E-02	5.94E-03	2.43E-03	2.43E-03
229	**229**	2.75E-02	7.61E-03	3.18E-03	3.18E-03
230	**230**	3.31E-02	9.11E-03	3.84E-03	3.84E-03
231	**231**	3.66E-02	1.01E-02	4.25E-03	4.25E-03
232	**232**	3.78E-02	1.04E-02	4.38E-03	4.38E-03
233	**233**	4.13E-02	1.15E-02	4.79E-03	4.79E-03
234	**234**	2.57E-03	8.08E-04	2.83E-04	2.83E-04
235	**235**	2.81E-03	8.78E-04	3.10E-04	3.10E-04
236	**236**	3.13E-03	9.74E-04	3.46E-04	3.46E-04
237	**237**	3.56E-03	1.10E-03	3.95E-04	3.95E-04
238	**238**	4.14E-03	1.27E-03	4.60E-04	4.60E-04
239	**239**	4.78E-03	1.45E-03	5.32E-04	5.32E-04
240	**240**	5.58E-03	1.68E-03	6.24E-04	6.24E-04
241	**241**	6.53E-03	1.95E-03	7.33E-04	7.33E-04
242	**242**	7.66E-03	2.27E-03	8.63E-04	8.63E-04
243	**243**	9.01E-03	2.65E-03	1.02E-03	1.02E-03

Receptor #	Receptor #	2034	2035	2036	2037
244	**244**	1.08E-02	3.16E-03	1.23E-03	1.23E-03
245	**245**	1.32E-02	3.82E-03	1.51E-03	1.51E-03
246	**246**	1.65E-02	4.70E-03	1.89E-03	1.89E-03
247	**247**	2.04E-02	5.75E-03	2.35E-03	2.35E-03
248	**248**	2.42E-02	6.77E-03	2.79E-03	2.79E-03
249	**249**	2.69E-02	7.51E-03	3.11E-03	3.11E-03
250	**250**	2.83E-02	7.91E-03	3.26E-03	3.26E-03
251	**251**	3.04E-02	8.56E-03	3.50E-03	3.50E-03
252	**252**	2.47E-03	7.73E-04	2.71E-04	2.71E-04
253	**253**	2.67E-03	8.33E-04	2.95E-04	2.95E-04
254	**254**	2.94E-03	9.11E-04	3.25E-04	3.25E-04
255	**255**	3.28E-03	1.01E-03	3.64E-04	3.64E-04
256	**256**	3.85E-03	1.18E-03	4.28E-04	4.28E-04
257	**257**	4.24E-03	1.29E-03	4.74E-04	4.74E-04
258	**258**	4.79E-03	1.44E-03	5.36E-04	5.36E-04
259	**259**	5.42E-03	1.62E-03	6.08E-04	6.08E-04
260	**260**	6.33E-03	1.89E-03	7.12E-04	7.12E-04
261	**261**	7.55E-03	2.23E-03	8.51E-04	8.51E-04
262	**262**	9.03E-03	2.65E-03	1.02E-03	1.02E-03
263	**263**	1.08E-02	3.14E-03	1.22E-03	1.22E-03
264	**264**	1.31E-02	3.78E-03	1.49E-03	1.49E-03
265	**265**	1.57E-02	4.50E-03	1.80E-03	1.80E-03
266	**266**	1.84E-02	5.22E-03	2.11E-03	2.11E-03
267	**267**	2.04E-02	5.78E-03	2.35E-03	2.35E-03
268	**268**	2.15E-02	6.10E-03	2.47E-03	2.47E-03
269	**269**	2.30E-02	6.56E-03	2.64E-03	2.64E-03
270	**270**	2.36E-03	7.38E-04	2.60E-04	2.60E-04
271	**271**	2.56E-03	7.95E-04	2.83E-04	2.83E-04
272	**272**	2.80E-03	8.65E-04	3.10E-04	3.10E-04
273	**273**	3.08E-03	9.44E-04	3.42E-04	3.42E-04
274	**274**	3.62E-03	1.10E-03	4.03E-04	4.03E-04

Receptor #	Receptor #	2034	2035	2036	2037
275	**275**	4.09E-03	1.24E-03	4.57E-04	4.57E-04
276	**276**	4.26E-03	1.28E-03	4.77E-04	4.77E-04
277	**277**	4.72E-03	1.42E-03	5.29E-04	5.29E-04
278	**278**	5.34E-03	1.60E-03	6.00E-04	6.00E-04
279	**279**	6.19E-03	1.84E-03	6.95E-04	6.95E-04
280	**280**	7.44E-03	2.20E-03	8.39E-04	8.39E-04
281	**281**	8.96E-03	2.63E-03	1.01E-03	1.01E-03
282	**282**	1.07E-02	3.13E-03	1.22E-03	1.22E-03
283	**283**	1.27E-02	3.67E-03	1.45E-03	1.45E-03
284	**284**	1.46E-02	4.20E-03	1.67E-03	1.67E-03
285	**285**	1.61E-02	4.61E-03	1.84E-03	1.84E-03
286	**286**	1.71E-02	4.88E-03	1.95E-03	1.95E-03
287	**287**	1.83E-02	5.25E-03	2.08E-03	2.08E-03
288	**288**	2.28E-03	7.08E-04	2.51E-04	2.51E-04
289	**289**	2.44E-03	7.55E-04	2.70E-04	2.70E-04
290	**290**	2.71E-03	8.34E-04	3.01E-04	3.01E-04
291	**291**	2.98E-03	9.13E-04	3.32E-04	3.32E-04
292	**292**	3.63E-03	1.11E-03	4.04E-04	4.04E-04
293	**293**	3.87E-03	1.17E-03	4.31E-04	4.31E-04
294	**294**	3.84E-03	1.16E-03	4.29E-04	4.29E-04
295	**295**	4.24E-03	1.28E-03	4.75E-04	4.75E-04
296	**296**	4.77E-03	1.44E-03	5.34E-04	5.34E-04
297	**297**	5.34E-03	1.60E-03	5.99E-04	5.99E-04
298	**298**	6.22E-03	1.86E-03	6.99E-04	6.99E-04
299	**299**	7.51E-03	2.22E-03	8.47E-04	8.47E-04
300	**300**	8.84E-03	2.60E-03	1.00E-03	1.00E-03
301	**301**	1.04E-02	3.04E-03	1.19E-03	1.19E-03
302	**302**	1.20E-02	3.47E-03	1.36E-03	1.36E-03
303	**303**	1.32E-02	3.81E-03	1.50E-03	1.50E-03
304	**304**	1.40E-02	4.06E-03	1.60E-03	1.60E-03
305	**305**	1.50E-02	4.35E-03	1.70E-03	1.70E-03

Receptor #	Receptor #	2034	2035	2036	2037
306	**306**	2.31E-03	7.18E-04	2.56E-04	2.56E-04
307	**307**	2.40E-03	7.42E-04	2.66E-04	2.66E-04
308	**308**	2.59E-03	7.94E-04	2.87E-04	2.87E-04
309	**309**	3.00E-03	9.19E-04	3.33E-04	3.33E-04
310	**310**	3.42E-03	1.04E-03	3.80E-04	3.80E-04
311	**311**	3.60E-03	1.09E-03	4.01E-04	4.01E-04
312	**312**	3.47E-03	1.05E-03	3.87E-04	3.87E-04
313	**313**	3.81E-03	1.16E-03	4.25E-04	4.25E-04
314	**314**	4.26E-03	1.29E-03	4.76E-04	4.76E-04
315	**315**	4.96E-03	1.49E-03	5.55E-04	5.55E-04
316	**316**	5.51E-03	1.65E-03	6.18E-04	6.18E-04
317	**317**	6.34E-03	1.89E-03	7.13E-04	7.13E-04
318	**318**	7.42E-03	2.19E-03	8.37E-04	8.37E-04
319	**319**	8.73E-03	2.57E-03	9.88E-04	9.88E-04
320	**320**	1.01E-02	2.96E-03	1.15E-03	1.15E-03
321	**321**	1.11E-02	3.23E-03	1.26E-03	1.26E-03
322	**322**	1.17E-02	3.42E-03	1.33E-03	1.33E-03
323	**323**	1.25E-02	3.66E-03	1.42E-03	1.42E-03
324	**324**	2.22E-03	6.89E-04	2.46E-04	2.46E-04
325	**325**	2.45E-03	7.55E-04	2.71E-04	2.71E-04
326	**326**	2.59E-03	7.97E-04	2.87E-04	2.87E-04
327	**327**	2.70E-03	8.26E-04	3.00E-04	3.00E-04
328	**328**	3.25E-03	9.96E-04	3.61E-04	3.61E-04
329	**329**	3.33E-03	1.02E-03	3.71E-04	3.71E-04
330	**330**	3.23E-03	9.85E-04	3.60E-04	3.60E-04
331	**331**	3.55E-03	1.08E-03	3.96E-04	3.96E-04
332	**332**	3.96E-03	1.20E-03	4.42E-04	4.42E-04
333	**333**	4.59E-03	1.39E-03	5.12E-04	5.12E-04
334	**334**	5.18E-03	1.56E-03	5.80E-04	5.80E-04
335	**335**	5.89E-03	1.76E-03	6.61E-04	6.61E-04
336	**336**	2.02E-01	5.59E-02	2.34E-02	2.34E-02

Receptor #	Receptor #	2034	2035	2036	2037
337	**337**	1.31E-01	3.72E-02	1.51E-02	1.51E-02
338	**338**	6.06E-03	2.37E-03	5.92E-04	5.92E-04
339	**339**	6.69E-03	2.62E-03	6.52E-04	6.52E-04
340	**340**	7.16E-03	2.82E-03	6.95E-04	6.95E-04
341	**341**	7.49E-03	2.96E-03	7.26E-04	7.26E-04
342	**342**	7.73E-03	3.06E-03	7.49E-04	7.49E-04
343	**343**	7.86E-03	3.08E-03	7.66E-04	7.66E-04
344	**344**	7.78E-03	3.02E-03	7.62E-04	7.62E-04
345	**345**	7.60E-03	2.92E-03	7.49E-04	7.49E-04
346	**346**	7.31E-03	2.77E-03	7.26E-04	7.26E-04
347	**347**	7.10E-03	2.84E-03	6.83E-04	6.83E-04
348	**348**	8.05E-03	3.24E-03	7.71E-04	7.71E-04
349	**349**	8.70E-03	3.53E-03	8.28E-04	8.28E-04
350	**350**	9.16E-03	3.73E-03	8.70E-04	8.70E-04
351	**351**	9.50E-03	3.87E-03	9.03E-04	9.03E-04
352	**352**	9.66E-03	3.88E-03	9.27E-04	9.27E-04
353	**353**	9.51E-03	3.77E-03	9.20E-04	9.20E-04
354	**354**	9.11E-03	3.55E-03	8.91E-04	8.91E-04
355	**355**	8.72E-03	3.34E-03	8.62E-04	8.62E-04
356	**356**	8.52E-03	3.50E-03	8.04E-04	8.04E-04
357	**357**	9.49E-03	3.98E-03	8.83E-04	8.83E-04
358	**358**	1.07E-02	4.52E-03	9.93E-04	9.93E-04
359	**359**	1.15E-02	4.87E-03	1.06E-03	1.06E-03
360	**360**	1.20E-02	5.09E-03	1.11E-03	1.11E-03
361	**361**	1.22E-02	5.04E-03	1.15E-03	1.15E-03
362	**362**	1.19E-02	4.83E-03	1.14E-03	1.14E-03
363	**363**	1.12E-02	4.45E-03	1.09E-03	1.09E-03
364	**364**	1.06E-02	4.53E-03	9.72E-04	9.72E-04
365	**365**	1.18E-02	5.17E-03	1.06E-03	1.06E-03
366	**366**	1.36E-02	6.09E-03	1.21E-03	1.21E-03
367	**367**	1.51E-02	6.73E-03	1.34E-03	1.34E-03

Receptor #	Receptor #	2034	2035	2036	2037
368	**368**	1.59E-02	7.07E-03	1.41E-03	1.41E-03
369	**369**	1.61E-02	6.88E-03	1.47E-03	1.47E-03
370	**370**	1.45E-02	5.83E-03	1.39E-03	1.39E-03
371	**371**	1.32E-02	5.13E-03	1.30E-03	1.30E-03
372	**372**	1.39E-02	6.31E-03	1.22E-03	1.22E-03
373	**373**	1.59E-02	7.50E-03	1.34E-03	1.34E-03
374	**374**	1.88E-02	9.10E-03	1.55E-03	1.55E-03
375	**375**	2.10E-02	1.01E-02	1.73E-03	1.73E-03
376	**376**	2.23E-02	1.07E-02	1.87E-03	1.87E-03
377	**377**	2.29E-02	1.07E-02	1.96E-03	1.96E-03
378	**378**	2.25E-02	1.01E-02	1.98E-03	1.98E-03
379	**379**	1.91E-02	7.80E-03	1.81E-03	1.81E-03
380	**380**	1.69E-02	6.54E-03	1.66E-03	1.66E-03
381	**381**	1.47E-02	5.42E-03	1.48E-03	1.48E-03
382	**382**	1.97E-02	9.82E-03	1.58E-03	1.58E-03
383	**383**	2.47E-02	1.33E-02	1.82E-03	1.82E-03
384	**384**	2.90E-02	1.61E-02	2.08E-03	2.08E-03
385	**385**	3.25E-02	1.78E-02	2.36E-03	2.36E-03
386	**386**	3.49E-02	1.86E-02	2.61E-03	2.61E-03
387	**387**	3.58E-02	1.84E-02	2.78E-03	2.78E-03
388	**388**	3.47E-02	1.71E-02	2.83E-03	2.83E-03
389	**389**	2.60E-02	1.08E-02	2.44E-03	2.44E-03
390	**390**	2.14E-02	8.17E-03	2.13E-03	2.13E-03
391	**391**	1.77E-02	6.37E-03	1.82E-03	1.82E-03
392	**392**	1.43E-02	4.94E-03	1.49E-03	1.49E-03
393	**393**	3.30E-02	1.91E-02	2.22E-03	2.22E-03
394	**394**	3.95E-02	2.26E-02	2.71E-03	2.71E-03
395	**395**	4.25E-02	2.35E-02	3.05E-03	3.05E-03
396	**396**	4.77E-02	2.54E-02	3.56E-03	3.56E-03
397	**397**	5.48E-02	2.96E-02	4.03E-03	4.03E-03
398	**398**	4.74E-02	2.22E-02	4.04E-03	4.04E-03

Receptor #	Receptor #	2034	2035	2036	2037
399	**399**	4.17E-02	1.86E-02	3.70E-03	3.70E-03
400	**400**	3.64E-02	1.48E-02	3.45E-03	3.45E-03
401	**401**	2.71E-02	9.91E-03	2.76E-03	2.76E-03
402	**402**	1.59E-02	5.32E-03	1.69E-03	1.69E-03
403	**403**	5.07E-02	1.92E-02	5.06E-03	5.06E-03
404	**404**	1.78E-02	5.80E-03	1.93E-03	1.93E-03
405	**405**	1.35E-02	4.34E-03	1.46E-03	1.46E-03
406	**406**	6.51E-02	2.14E-02	7.00E-03	7.00E-03
407	**407**	1.35E-02	4.27E-03	1.48E-03	1.48E-03
408	**408**	6.60E-02	2.02E-02	7.33E-03	7.33E-03
409	**409**	1.31E-02	4.10E-03	1.44E-03	1.44E-03
410	**410**	5.84E-02	1.74E-02	6.58E-03	6.58E-03
411	**411**	1.66E-02	5.13E-03	1.84E-03	1.84E-03
412	**412**	1.27E-02	3.95E-03	1.40E-03	1.40E-03
413	**413**	4.93E-02	1.45E-02	5.58E-03	5.58E-03
414	**414**	2.08E-02	6.36E-03	2.31E-03	2.31E-03
415	**415**	1.53E-02	4.71E-03	1.69E-03	1.69E-03
416	**416**	1.18E-02	3.67E-03	1.31E-03	1.31E-03
417	**417**	4.03E-02	1.18E-02	4.56E-03	4.56E-03
418	**418**	1.40E-02	4.30E-03	1.55E-03	1.55E-03
419	**419**	1.09E-02	3.39E-03	1.21E-03	1.21E-03
420	**420**	8.83E-03	2.75E-03	9.75E-04	9.75E-04
421	**421**	3.30E-02	9.66E-03	3.74E-03	3.74E-03
422	**422**	1.01E-02	3.12E-03	1.12E-03	1.12E-03
423	**423**	8.26E-03	2.57E-03	9.12E-04	9.12E-04
424	**424**	2.73E-02	8.01E-03	3.09E-03	3.09E-03
425	**425**	7.69E-03	2.39E-03	8.49E-04	8.49E-04
426	**426**	6.48E-03	2.02E-03	7.14E-04	7.14E-04
427	**427**	2.28E-02	6.70E-03	2.58E-03	2.58E-03
428	**428**	7.14E-03	2.22E-03	7.88E-04	7.88E-04
429	**429**	6.07E-03	1.90E-03	6.69E-04	6.69E-04

Receptor #	Receptor #	2034	2035	2036	2037
430	**430**	1.92E-02	5.65E-03	2.17E-03	2.17E-03
431	**431**	5.68E-03	1.77E-03	6.26E-04	6.26E-04
432	**432**	4.90E-03	1.54E-03	5.39E-04	5.39E-04
433	**433**	1.62E-02	4.80E-03	1.83E-03	1.83E-03
434	**434**	5.32E-03	1.66E-03	5.86E-04	5.86E-04
435	**435**	4.64E-03	1.45E-03	5.10E-04	5.10E-04
436	**436**	1.39E-02	4.12E-03	1.56E-03	1.56E-03
437	**437**	5.76E-03	1.79E-03	6.36E-04	6.36E-04
438	**438**	4.99E-03	1.56E-03	5.49E-04	5.49E-04
439	**439**	4.37E-03	1.37E-03	4.81E-04	4.81E-04
440	**440**	1.19E-02	3.56E-03	1.34E-03	1.34E-03
441	**441**	7.39E-03	2.27E-03	8.20E-04	8.20E-04
442	**442**	6.26E-03	1.94E-03	6.92E-04	6.92E-04
443	**443**	5.38E-03	1.68E-03	5.93E-04	5.93E-04
444	**444**	4.68E-03	1.46E-03	5.15E-04	5.15E-04
445	**445**	1.03E-02	3.10E-03	1.16E-03	1.16E-03
446	**446**	7.83E-03	2.39E-03	8.72E-04	8.72E-04
447	**447**	6.73E-03	2.07E-03	7.46E-04	7.46E-04
448	**448**	5.79E-03	1.80E-03	6.40E-04	6.40E-04
449	**449**	9.04E-03	2.72E-03	1.01E-03	1.01E-03
450	**450**	8.07E-03	2.44E-03	9.01E-04	9.01E-04
451	**451**	7.09E-03	2.17E-03	7.88E-04	7.88E-04
452	**452**	7.95E-03	2.40E-03	8.90E-04	8.90E-04
453	**453**	7.21E-03	2.19E-03	8.04E-04	8.04E-04
454	**454**	3.45E-03	1.08E-03	3.79E-04	3.79E-04
455	**455**	3.12E-03	9.84E-04	3.43E-04	3.43E-04
456	**456**	7.04E-03	2.13E-03	7.87E-04	7.87E-04
457	**457**	6.46E-03	1.97E-03	7.20E-04	7.20E-04
458	**458**	5.82E-03	1.79E-03	6.47E-04	6.47E-04
459	**459**	4.10E-03	1.28E-03	4.52E-04	4.52E-04
460	**460**	3.66E-03	1.15E-03	4.03E-04	4.03E-04

Receptor #	Receptor #	2034	2035	2036	2037
461	**461**	3.29E-03	1.03E-03	3.61E-04	3.61E-04
462	**462**	2.96E-03	9.34E-04	3.25E-04	3.25E-04
463	**463**	1.96E-01	5.33E-02	2.29E-02	2.29E-02
464	**464**	1.13E-01	3.20E-02	1.31E-02	1.31E-02
465	**465**	1.41E-01	3.81E-02	1.65E-02	1.65E-02
466	**466**	8.11E-02	2.26E-02	9.36E-03	9.36E-03
467	**467**	8.73E-02	2.39E-02	1.02E-02	1.02E-02
468	**468**	6.04E-02	1.67E-02	7.00E-03	7.00E-03
469	**469**	4.35E-02	1.22E-02	5.01E-03	5.01E-03
470	**470**	3.95E-02	1.10E-02	4.56E-03	4.56E-03
471	**471**	3.79E-02	1.07E-02	4.36E-03	4.36E-03
472	**472**	2.94E-02	8.33E-03	3.37E-03	3.37E-03
473	**473**	2.55E-02	7.31E-03	2.91E-03	2.91E-03
474	**474**	2.28E-02	6.52E-03	2.60E-03	2.60E-03
475	**475**	2.04E-02	5.90E-03	2.32E-03	2.32E-03
476	**476**	1.82E-02	5.26E-03	2.07E-03	2.07E-03
477	**477**	1.67E-02	4.86E-03	1.89E-03	1.89E-03
478	**478**	1.48E-02	4.32E-03	1.68E-03	1.68E-03
479	**479**	1.38E-02	4.07E-03	1.56E-03	1.56E-03
480	**480**	1.24E-02	3.69E-03	1.40E-03	1.40E-03
481	**481**	1.23E-02	3.62E-03	1.39E-03	1.39E-03
482	**482**	1.07E-02	3.19E-03	1.20E-03	1.20E-03
483	**483**	9.96E-03	2.96E-03	1.12E-03	1.12E-03
484	**484**	9.26E-03	2.77E-03	1.04E-03	1.04E-03

Receptor #	Receptor #	2034	2035	2036	2037

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

					Cancer Risk from 3rd Trimester						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
1	0.09997	2.83E-03	2.8E-04	3.46E-04	9.78E-08	2.47E-02	1.57E-01	3.79E-10	1.0E+06	3.8E-04	
2	0.10116	2.83E-03	2.9E-04	3.46E-04	9.90E-08	2.47E-02	1.57E-01	3.83E-10	1.0E+06	3.8E-04	
3	0.10225	2.83E-03	2.9E-04	3.46E-04	1.00E-07	2.47E-02	1.57E-01	3.88E-10	1.0E+06	3.9E-04	
4	0.10353	2.83E-03	2.9E-04	3.46E-04	1.01E-07	2.47E-02	1.57E-01	3.92E-10	1.0E+06	3.9E-04	
5	0.1049	2.83E-03	3.0E-04	3.46E-04	1.03E-07	2.47E-02	1.57E-01	3.98E-10	1.0E+06	4.0E-04	
6	0.10762	2.83E-03	3.0E-04	3.46E-04	1.05E-07	2.47E-02	1.57E-01	4.08E-10	1.0E+06	4.1E-04	
7	0.11114	2.83E-03	3.1E-04	3.46E-04	1.09E-07	2.47E-02	1.57E-01	4.21E-10	1.0E+06	4.2E-04	
8	0.11544	2.83E-03	3.3E-04	3.46E-04	1.13E-07	2.47E-02	1.57E-01	4.38E-10	1.0E+06	4.4E-04	
9	0.12067	2.83E-03	3.4E-04	3.46E-04	1.18E-07	2.47E-02	1.57E-01	4.57E-10	1.0E+06	4.6E-04	
10	0.12749	2.83E-03	3.6E-04	3.46E-04	1.25E-07	2.47E-02	1.57E-01	4.83E-10	1.0E+06	4.8E-04	
11	0.13627	2.83E-03	3.9E-04	3.46E-04	1.33E-07	2.47E-02	1.57E-01	5.17E-10	1.0E+06	5.2E-04	
12	0.1456	2.83E-03	4.1E-04	3.46E-04	1.42E-07	2.47E-02	1.57E-01	5.52E-10	1.0E+06	5.5E-04	
13	0.15591	2.83E-03	4.4E-04	3.46E-04	1.53E-07	2.47E-02	1.57E-01	5.91E-10	1.0E+06	5.9E-04	
14	0.21775	2.83E-03	6.2E-04	3.46E-04	2.13E-07	2.47E-02	1.57E-01	8.25E-10	1.0E+06	8.3E-04	
15	0.11116	2.83E-03	3.1E-04	3.46E-04	1.09E-07	2.47E-02	1.57E-01	4.21E-10	1.0E+06	4.2E-04	
16	0.11231	2.83E-03	3.2E-04	3.46E-04	1.10E-07	2.47E-02	1.57E-01	4.26E-10	1.0E+06	4.3E-04	
17	0.11409	2.83E-03	3.2E-04	3.46E-04	1.12E-07	2.47E-02	1.57E-01	4.32E-10	1.0E+06	4.3E-04	
18	0.1152	2.83E-03	3.3E-04	3.46E-04	1.13E-07	2.47E-02	1.57E-01	4.37E-10	1.0E+06	4.4E-04	
19	0.11623	2.83E-03	3.3E-04	3.46E-04	1.14E-07	2.47E-02	1.57E-01	4.41E-10	1.0E+06	4.4E-04	
20	0.11825	2.83E-03	3.3E-04	3.46E-04	1.16E-07	2.47E-02	1.57E-01	4.48E-10	1.0E+06	4.5E-04	
21	0.12106	2.83E-03	3.4E-04	3.46E-04	1.18E-07	2.47E-02	1.57E-01	4.59E-10	1.0E+06	4.6E-04	
22	0.12456	2.83E-03	3.5E-04	3.46E-04	1.22E-07	2.47E-02	1.57E-01	4.72E-10	1.0E+06	4.7E-04	
23	0.13094	2.83E-03	3.7E-04	3.46E-04	1.28E-07	2.47E-02	1.57E-01	4.96E-10	1.0E+06	5.0E-04	
24	0.13716	2.83E-03	3.9E-04	3.46E-04	1.34E-07	2.47E-02	1.57E-01	5.20E-10	1.0E+06	5.2E-04	
25	0.14759	2.83E-03	4.2E-04	3.46E-04	1.44E-07	2.47E-02	1.57E-01	5.59E-10	1.0E+06	5.6E-04	
26	0.15892	2.83E-03	4.5E-04	3.46E-04	1.55E-07	2.47E-02	1.57E-01	6.02E-10	1.0E+06	6.0E-04	
27	0.16875	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.40E-10	1.0E+06	6.4E-04	
28	0.24418	2.83E-03	6.9E-04	3.46E-04	2.39E-07	2.47E-02	1.57E-01	9.26E-10	1.0E+06	9.3E-04	
29	0.12315	2.83E-03	3.5E-04	3.46E-04	1.20E-07	2.47E-02	1.57E-01	4.67E-10	1.0E+06	4.7E-04	
30	0.12567	2.83E-03	3.6E-04	3.46E-04	1.23E-07	2.47E-02	1.57E-01	4.76E-10	1.0E+06	4.8E-04	
31	0.12837	2.83E-03	3.6E-04	3.46E-04	1.26E-07	2.47E-02	1.57E-01	4.87E-10	1.0E+06	4.9E-04	

	Max	Receptor #
Res	0.131	471

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	2.83E-03	3.7E-04	3.46E-04	1.27E-07	2.47E-02	1.57E-01	4.94E-10	1.0E+06	4.9E-04
33	0.13031	2.83E-03	3.7E-04	3.46E-04	1.27E-07	2.47E-02	1.57E-01	4.94E-10	1.0E+06	4.9E-04
34	0.13211	2.83E-03	3.7E-04	3.46E-04	1.29E-07	2.47E-02	1.57E-01	5.01E-10	1.0E+06	5.0E-04
35	0.13406	2.83E-03	3.8E-04	3.46E-04	1.31E-07	2.47E-02	1.57E-01	5.08E-10	1.0E+06	5.1E-04
36	0.13747	2.83E-03	3.9E-04	3.46E-04	1.34E-07	2.47E-02	1.57E-01	5.21E-10	1.0E+06	5.2E-04
37	0.14288	2.83E-03	4.0E-04	3.46E-04	1.40E-07	2.47E-02	1.57E-01	5.42E-10	1.0E+06	5.4E-04
38	0.15048	2.83E-03	4.3E-04	3.46E-04	1.47E-07	2.47E-02	1.57E-01	5.70E-10	1.0E+06	5.7E-04
39	0.16057	2.83E-03	4.5E-04	3.46E-04	1.57E-07	2.47E-02	1.57E-01	6.09E-10	1.0E+06	6.1E-04
40	0.17181	2.83E-03	4.9E-04	3.46E-04	1.68E-07	2.47E-02	1.57E-01	6.51E-10	1.0E+06	6.5E-04
41	0.18337	2.83E-03	5.2E-04	3.46E-04	1.79E-07	2.47E-02	1.57E-01	6.95E-10	1.0E+06	7.0E-04
42	0.27606	2.83E-03	7.8E-04	3.46E-04	2.70E-07	2.47E-02	1.57E-01	1.05E-09	1.0E+06	1.0E-03
43	0.13523	2.83E-03	3.8E-04	3.46E-04	1.32E-07	2.47E-02	1.57E-01	5.13E-10	1.0E+06	5.1E-04
44	0.13913	2.83E-03	3.9E-04	3.46E-04	1.36E-07	2.47E-02	1.57E-01	5.27E-10	1.0E+06	5.3E-04
45	0.14273	2.83E-03	4.0E-04	3.46E-04	1.40E-07	2.47E-02	1.57E-01	5.41E-10	1.0E+06	5.4E-04
46	0.14534	2.83E-03	4.1E-04	3.46E-04	1.42E-07	2.47E-02	1.57E-01	5.51E-10	1.0E+06	5.5E-04
47	0.14689	2.83E-03	4.2E-04	3.46E-04	1.44E-07	2.47E-02	1.57E-01	5.57E-10	1.0E+06	5.6E-04
48	0.14854	2.83E-03	4.2E-04	3.46E-04	1.45E-07	2.47E-02	1.57E-01	5.63E-10	1.0E+06	5.6E-04
49	0.14984	2.83E-03	4.2E-04	3.46E-04	1.47E-07	2.47E-02	1.57E-01	5.68E-10	1.0E+06	5.7E-04
50	0.15161	2.83E-03	4.3E-04	3.46E-04	1.48E-07	2.47E-02	1.57E-01	5.75E-10	1.0E+06	5.7E-04
51	0.15836	2.83E-03	4.5E-04	3.46E-04	1.55E-07	2.47E-02	1.57E-01	6.00E-10	1.0E+06	6.0E-04
52	0.16548	2.83E-03	4.7E-04	3.46E-04	1.62E-07	2.47E-02	1.57E-01	6.27E-10	1.0E+06	6.3E-04
53	0.17641	2.83E-03	5.0E-04	3.46E-04	1.73E-07	2.47E-02	1.57E-01	6.69E-10	1.0E+06	6.7E-04
54	0.18951	2.83E-03	5.4E-04	3.46E-04	1.85E-07	2.47E-02	1.57E-01	7.18E-10	1.0E+06	7.2E-04
55	0.20421	2.83E-03	5.8E-04	3.46E-04	2.00E-07	2.47E-02	1.57E-01	7.74E-10	1.0E+06	7.7E-04
56	0.31605	2.83E-03	8.9E-04	3.46E-04	3.09E-07	2.47E-02	1.57E-01	1.20E-09	1.0E+06	1.2E-03
57	0.14708	2.83E-03	4.2E-04	3.46E-04	1.44E-07	2.47E-02	1.57E-01	5.58E-10	1.0E+06	5.6E-04
58	0.15242	2.83E-03	4.3E-04	3.46E-04	1.49E-07	2.47E-02	1.57E-01	5.78E-10	1.0E+06	5.8E-04
59	0.15749	2.83E-03	4.5E-04	3.46E-04	1.54E-07	2.47E-02	1.57E-01	5.97E-10	1.0E+06	6.0E-04
60	0.16209	2.83E-03	4.6E-04	3.46E-04	1.59E-07	2.47E-02	1.57E-01	6.14E-10	1.0E+06	6.1E-04
61	0.16587	2.83E-03	4.7E-04	3.46E-04	1.62E-07	2.47E-02	1.57E-01	6.29E-10	1.0E+06	6.3E-04
62	0.1689	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.40E-10	1.0E+06	6.4E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	2.83E-03	4.9E-04	3.46E-04	1.69E-07	2.47E-02	1.57E-01	6.56E-10	1.0E+06	6.6E-04
64	0.17221	2.83E-03	4.9E-04	3.46E-04	1.68E-07	2.47E-02	1.57E-01	6.53E-10	1.0E+06	6.5E-04
65	0.17802	2.83E-03	5.0E-04	3.46E-04	1.74E-07	2.47E-02	1.57E-01	6.75E-10	1.0E+06	6.7E-04
66	0.18602	2.83E-03	5.3E-04	3.46E-04	1.82E-07	2.47E-02	1.57E-01	7.05E-10	1.0E+06	7.1E-04
67	0.19503	2.83E-03	5.5E-04	3.46E-04	1.91E-07	2.47E-02	1.57E-01	7.39E-10	1.0E+06	7.4E-04
68	0.21198	2.83E-03	6.0E-04	3.46E-04	2.07E-07	2.47E-02	1.57E-01	8.04E-10	1.0E+06	8.0E-04
69	0.23133	2.83E-03	6.5E-04	3.46E-04	2.26E-07	2.47E-02	1.57E-01	8.77E-10	1.0E+06	8.8E-04
70	0.15915	2.83E-03	4.5E-04	3.46E-04	1.56E-07	2.47E-02	1.57E-01	6.03E-10	1.0E+06	6.0E-04
71	0.16615	2.83E-03	4.7E-04	3.46E-04	1.63E-07	2.47E-02	1.57E-01	6.30E-10	1.0E+06	6.3E-04
72	0.17306	2.83E-03	4.9E-04	3.46E-04	1.69E-07	2.47E-02	1.57E-01	6.56E-10	1.0E+06	6.6E-04
73	0.17979	2.83E-03	5.1E-04	3.46E-04	1.76E-07	2.47E-02	1.57E-01	6.82E-10	1.0E+06	6.8E-04
74	0.1856	2.83E-03	5.2E-04	3.46E-04	1.82E-07	2.47E-02	1.57E-01	7.04E-10	1.0E+06	7.0E-04
75	0.19262	2.83E-03	5.4E-04	3.46E-04	1.88E-07	2.47E-02	1.57E-01	7.30E-10	1.0E+06	7.3E-04
76	0.19839	2.83E-03	5.6E-04	3.46E-04	1.94E-07	2.47E-02	1.57E-01	7.52E-10	1.0E+06	7.5E-04
77	0.20099	2.83E-03	5.7E-04	3.46E-04	1.97E-07	2.47E-02	1.57E-01	7.62E-10	1.0E+06	7.6E-04
78	0.20736	2.83E-03	5.9E-04	3.46E-04	2.03E-07	2.47E-02	1.57E-01	7.86E-10	1.0E+06	7.9E-04
79	0.22199	2.83E-03	6.3E-04	3.46E-04	2.17E-07	2.47E-02	1.57E-01	8.41E-10	1.0E+06	8.4E-04
80	0.22851	2.83E-03	6.5E-04	3.46E-04	2.24E-07	2.47E-02	1.57E-01	8.66E-10	1.0E+06	8.7E-04
81	0.25141	2.83E-03	7.1E-04	3.46E-04	2.46E-07	2.47E-02	1.57E-01	9.53E-10	1.0E+06	9.5E-04
82	0.26864	2.83E-03	7.6E-04	3.46E-04	2.63E-07	2.47E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
83	0.17123	2.83E-03	4.8E-04	3.46E-04	1.68E-07	2.47E-02	1.57E-01	6.49E-10	1.0E+06	6.5E-04
84	0.17986	2.83E-03	5.1E-04	3.46E-04	1.76E-07	2.47E-02	1.57E-01	6.82E-10	1.0E+06	6.8E-04
85	0.18766	2.83E-03	5.3E-04	3.46E-04	1.84E-07	2.47E-02	1.57E-01	7.11E-10	1.0E+06	7.1E-04
86	0.19836	2.83E-03	5.6E-04	3.46E-04	1.94E-07	2.47E-02	1.57E-01	7.52E-10	1.0E+06	7.5E-04
87	0.20777	2.83E-03	5.9E-04	3.46E-04	2.03E-07	2.47E-02	1.57E-01	7.88E-10	1.0E+06	7.9E-04
88	0.21743	2.83E-03	6.1E-04	3.46E-04	2.13E-07	2.47E-02	1.57E-01	8.24E-10	1.0E+06	8.2E-04
89	0.22714	2.83E-03	6.4E-04	3.46E-04	2.22E-07	2.47E-02	1.57E-01	8.61E-10	1.0E+06	8.6E-04
90	0.23725	2.83E-03	6.7E-04	3.46E-04	2.32E-07	2.47E-02	1.57E-01	8.99E-10	1.0E+06	9.0E-04
91	0.24821	2.83E-03	7.0E-04	3.46E-04	2.43E-07	2.47E-02	1.57E-01	9.41E-10	1.0E+06	9.4E-04
92	0.26127	2.83E-03	7.4E-04	3.46E-04	2.56E-07	2.47E-02	1.57E-01	9.90E-10	1.0E+06	9.9E-04
93	0.27635	2.83E-03	7.8E-04	3.46E-04	2.70E-07	2.47E-02	1.57E-01	1.05E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	2.83E-03	8.4E-04	3.46E-04	2.89E-07	2.47E-02	1.57E-01	1.12E-09	1.0E+06	1.1E-03
95	0.31999	2.83E-03	9.0E-04	3.46E-04	3.13E-07	2.47E-02	1.57E-01	1.21E-09	1.0E+06	1.2E-03
96	0.18233	2.83E-03	5.2E-04	3.46E-04	1.78E-07	2.47E-02	1.57E-01	6.91E-10	1.0E+06	6.9E-04
97	0.19094	2.83E-03	5.4E-04	3.46E-04	1.87E-07	2.47E-02	1.57E-01	7.24E-10	1.0E+06	7.2E-04
98	0.20103	2.83E-03	5.7E-04	3.46E-04	1.97E-07	2.47E-02	1.57E-01	7.62E-10	1.0E+06	7.6E-04
99	0.21464	2.83E-03	6.1E-04	3.46E-04	2.10E-07	2.47E-02	1.57E-01	8.14E-10	1.0E+06	8.1E-04
100	0.22959	2.83E-03	6.5E-04	3.46E-04	2.25E-07	2.47E-02	1.57E-01	8.70E-10	1.0E+06	8.7E-04
101	0.24284	2.83E-03	6.9E-04	3.46E-04	2.38E-07	2.47E-02	1.57E-01	9.21E-10	1.0E+06	9.2E-04
102	0.25629	2.83E-03	7.2E-04	3.46E-04	2.51E-07	2.47E-02	1.57E-01	9.72E-10	1.0E+06	9.7E-04
103	0.27027	2.83E-03	7.6E-04	3.46E-04	2.64E-07	2.47E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
104	0.28488	2.83E-03	8.1E-04	3.46E-04	2.79E-07	2.47E-02	1.57E-01	1.08E-09	1.0E+06	1.1E-03
105	0.3003	2.83E-03	8.5E-04	3.46E-04	2.94E-07	2.47E-02	1.57E-01	1.14E-09	1.0E+06	1.1E-03
106	0.3189	2.83E-03	9.0E-04	3.46E-04	3.12E-07	2.47E-02	1.57E-01	1.21E-09	1.0E+06	1.2E-03
107	0.34186	2.83E-03	9.7E-04	3.46E-04	3.34E-07	2.47E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03
108	0.37026	2.83E-03	1.0E-03	3.46E-04	3.62E-07	2.47E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
109	0.19023	2.83E-03	5.4E-04	3.46E-04	1.86E-07	2.47E-02	1.57E-01	7.21E-10	1.0E+06	7.2E-04
110	0.20375	2.83E-03	5.8E-04	3.46E-04	1.99E-07	2.47E-02	1.57E-01	7.72E-10	1.0E+06	7.7E-04
111	0.21846	2.83E-03	6.2E-04	3.46E-04	2.14E-07	2.47E-02	1.57E-01	8.28E-10	1.0E+06	8.3E-04
112	0.23423	2.83E-03	6.6E-04	3.46E-04	2.29E-07	2.47E-02	1.57E-01	8.88E-10	1.0E+06	8.9E-04
113	0.25102	2.83E-03	7.1E-04	3.46E-04	2.46E-07	2.47E-02	1.57E-01	9.52E-10	1.0E+06	9.5E-04
114	0.2686	2.83E-03	7.6E-04	3.46E-04	2.63E-07	2.47E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
115	0.28686	2.83E-03	8.1E-04	3.46E-04	2.81E-07	2.47E-02	1.57E-01	1.09E-09	1.0E+06	1.1E-03
116	0.30627	2.83E-03	8.7E-04	3.46E-04	3.00E-07	2.47E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
117	0.32686	2.83E-03	9.2E-04	3.46E-04	3.20E-07	2.47E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
118	0.33858	2.83E-03	9.6E-04	3.46E-04	3.31E-07	2.47E-02	1.57E-01	1.28E-09	1.0E+06	1.3E-03
119	0.36311	2.83E-03	1.0E-03	3.46E-04	3.55E-07	2.47E-02	1.57E-01	1.38E-09	1.0E+06	1.4E-03
120	0.38851	2.83E-03	1.1E-03	3.46E-04	3.80E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
121	0.4178	2.83E-03	1.2E-03	3.46E-04	4.09E-07	2.47E-02	1.57E-01	1.58E-09	1.0E+06	1.6E-03
122	0.19578	2.83E-03	5.5E-04	3.46E-04	1.92E-07	2.47E-02	1.57E-01	7.42E-10	1.0E+06	7.4E-04
123	0.21204	2.83E-03	6.0E-04	3.46E-04	2.07E-07	2.47E-02	1.57E-01	8.04E-10	1.0E+06	8.0E-04
124	0.23086	2.83E-03	6.5E-04	3.46E-04	2.26E-07	2.47E-02	1.57E-01	8.75E-10	1.0E+06	8.8E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	2.83E-03	7.1E-04	3.46E-04	2.45E-07	2.47E-02	1.57E-01	9.48E-10	1.0E+06	9.5E-04
126	0.27035	2.83E-03	7.6E-04	3.46E-04	2.64E-07	2.47E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
127	0.29177	2.83E-03	8.2E-04	3.46E-04	2.85E-07	2.47E-02	1.57E-01	1.11E-09	1.0E+06	1.1E-03
128	0.30724	2.83E-03	8.7E-04	3.46E-04	3.01E-07	2.47E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
129	0.33259	2.83E-03	9.4E-04	3.46E-04	3.25E-07	2.47E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
130	0.36682	2.83E-03	1.0E-03	3.46E-04	3.59E-07	2.47E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
131	1.11688	2.83E-03	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
132	1.15875	2.83E-03	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.39E-09	1.0E+06	4.4E-03
133	0.19656	2.83E-03	5.6E-04	3.46E-04	1.92E-07	2.47E-02	1.57E-01	7.45E-10	1.0E+06	7.5E-04
134	0.21704	2.83E-03	6.1E-04	3.46E-04	2.12E-07	2.47E-02	1.57E-01	8.23E-10	1.0E+06	8.2E-04
135	0.23863	2.83E-03	6.7E-04	3.46E-04	2.33E-07	2.47E-02	1.57E-01	9.05E-10	1.0E+06	9.0E-04
136	0.26108	2.83E-03	7.4E-04	3.46E-04	2.55E-07	2.47E-02	1.57E-01	9.90E-10	1.0E+06	9.9E-04
137	0.28567	2.83E-03	8.1E-04	3.46E-04	2.79E-07	2.47E-02	1.57E-01	1.08E-09	1.0E+06	1.1E-03
138	0.31112	2.83E-03	8.8E-04	3.46E-04	3.04E-07	2.47E-02	1.57E-01	1.18E-09	1.0E+06	1.2E-03
139	0.33575	2.83E-03	9.5E-04	3.46E-04	3.28E-07	2.47E-02	1.57E-01	1.27E-09	1.0E+06	1.3E-03
140	0.37628	2.83E-03	1.1E-03	3.46E-04	3.68E-07	2.47E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
141	0.41535	2.83E-03	1.2E-03	3.46E-04	4.06E-07	2.47E-02	1.57E-01	1.57E-09	1.0E+06	1.6E-03
142	0.45747	2.83E-03	1.3E-03	3.46E-04	4.48E-07	2.47E-02	1.57E-01	1.73E-09	1.0E+06	1.7E-03
143	0.5063	2.83E-03	1.4E-03	3.46E-04	4.95E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
144	0.56507	2.83E-03	1.6E-03	3.46E-04	5.53E-07	2.47E-02	1.57E-01	2.14E-09	1.0E+06	2.1E-03
145	0.62491	2.83E-03	1.8E-03	3.46E-04	6.11E-07	2.47E-02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
146	1.50759	2.83E-03	4.3E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.71E-09	1.0E+06	5.7E-03
147	0.1931	2.83E-03	5.5E-04	3.46E-04	1.89E-07	2.47E-02	1.57E-01	7.32E-10	1.0E+06	7.3E-04
148	0.21437	2.83E-03	6.1E-04	3.46E-04	2.10E-07	2.47E-02	1.57E-01	8.13E-10	1.0E+06	8.1E-04
149	0.23858	2.83E-03	6.7E-04	3.46E-04	2.33E-07	2.47E-02	1.57E-01	9.04E-10	1.0E+06	9.0E-04
150	0.26418	2.83E-03	7.5E-04	3.46E-04	2.58E-07	2.47E-02	1.57E-01	1.00E-09	1.0E+06	1.0E-03
151	0.29392	2.83E-03	8.3E-04	3.46E-04	2.88E-07	2.47E-02	1.57E-01	1.11E-09	1.0E+06	1.1E-03
152	0.32394	2.83E-03	9.2E-04	3.46E-04	3.17E-07	2.47E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
153	0.3577	2.83E-03	1.0E-03	3.46E-04	3.50E-07	2.47E-02	1.57E-01	1.36E-09	1.0E+06	1.4E-03
154	0.39941	2.83E-03	1.1E-03	3.46E-04	3.91E-07	2.47E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
155	0.44952	2.83E-03	1.3E-03	3.46E-04	4.40E-07	2.47E-02	1.57E-01	1.70E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	2.83E-03	1.4E-03	3.46E-04	4.95E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
157	0.56864	2.83E-03	1.6E-03	3.46E-04	5.56E-07	2.47E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
158	0.63716	2.83E-03	1.8E-03	3.46E-04	6.23E-07	2.47E-02	1.57E-01	2.42E-09	1.0E+06	2.4E-03
159	0.74488	2.83E-03	2.1E-03	3.46E-04	7.29E-07	2.47E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
160	0.18782	2.83E-03	5.3E-04	3.46E-04	1.84E-07	2.47E-02	1.57E-01	7.12E-10	1.0E+06	7.1E-04
161	0.20685	2.83E-03	5.8E-04	3.46E-04	2.02E-07	2.47E-02	1.57E-01	7.84E-10	1.0E+06	7.8E-04
162	0.22653	2.83E-03	6.4E-04	3.46E-04	2.22E-07	2.47E-02	1.57E-01	8.59E-10	1.0E+06	8.6E-04
163	0.25651	2.83E-03	7.2E-04	3.46E-04	2.51E-07	2.47E-02	1.57E-01	9.72E-10	1.0E+06	9.7E-04
164	0.29246	2.83E-03	8.3E-04	3.46E-04	2.86E-07	2.47E-02	1.57E-01	1.11E-09	1.0E+06	1.1E-03
165	0.32725	2.83E-03	9.2E-04	3.46E-04	3.20E-07	2.47E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
166	0.36919	2.83E-03	1.0E-03	3.46E-04	3.61E-07	2.47E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
167	0.41887	2.83E-03	1.2E-03	3.46E-04	4.10E-07	2.47E-02	1.57E-01	1.59E-09	1.0E+06	1.6E-03
168	0.47877	2.83E-03	1.4E-03	3.46E-04	4.68E-07	2.47E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
169	0.55074	2.83E-03	1.6E-03	3.46E-04	5.39E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03
170	0.63634	2.83E-03	1.8E-03	3.46E-04	6.23E-07	2.47E-02	1.57E-01	2.41E-09	1.0E+06	2.4E-03
171	0.73945	2.83E-03	2.1E-03	3.46E-04	7.23E-07	2.47E-02	1.57E-01	2.80E-09	1.0E+06	2.8E-03
172	0.87948	2.83E-03	2.5E-03	3.46E-04	8.60E-07	2.47E-02	1.57E-01	3.33E-09	1.0E+06	3.3E-03
173	1.06486	2.83E-03	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.04E-09	1.0E+06	4.0E-03
174	1.31351	2.83E-03	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
175	1.6474	2.83E-03	4.7E-03	3.46E-04	1.61E-06	2.47E-02	1.57E-01	6.24E-09	1.0E+06	6.2E-03
176	2.19565	2.83E-03	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.32E-09	1.0E+06	8.3E-03
177	2.85894	2.83E-03	8.1E-03	3.46E-04	2.80E-06	2.47E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
178	3.59716	2.83E-03	1.0E-02	3.46E-04	3.52E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
179	0.17443	2.83E-03	4.9E-04	3.46E-04	1.71E-07	2.47E-02	1.57E-01	6.61E-10	1.0E+06	6.6E-04
180	0.19117	2.83E-03	5.4E-04	3.46E-04	1.87E-07	2.47E-02	1.57E-01	7.25E-10	1.0E+06	7.2E-04
181	0.20765	2.83E-03	5.9E-04	3.46E-04	2.03E-07	2.47E-02	1.57E-01	7.87E-10	1.0E+06	7.9E-04
182	0.24097	2.83E-03	6.8E-04	3.46E-04	2.36E-07	2.47E-02	1.57E-01	9.13E-10	1.0E+06	9.1E-04
183	0.28383	2.83E-03	8.0E-04	3.46E-04	2.78E-07	2.47E-02	1.57E-01	1.08E-09	1.0E+06	1.1E-03
184	0.32178	2.83E-03	9.1E-04	3.46E-04	3.15E-07	2.47E-02	1.57E-01	1.22E-09	1.0E+06	1.2E-03
185	0.36853	2.83E-03	1.0E-03	3.46E-04	3.61E-07	2.47E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
186	0.42331	2.83E-03	1.2E-03	3.46E-04	4.14E-07	2.47E-02	1.57E-01	1.60E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	2.83E-03	1.4E-03	3.46E-04	4.79E-07	2.47E-02	1.57E-01	1.85E-09	1.0E+06	1.9E-03
188	0.57244	2.83E-03	1.6E-03	3.46E-04	5.60E-07	2.47E-02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
189	0.67537	2.83E-03	1.9E-03	3.46E-04	6.61E-07	2.47E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03
190	0.80933	2.83E-03	2.3E-03	3.46E-04	7.92E-07	2.47E-02	1.57E-01	3.07E-09	1.0E+06	3.1E-03
191	0.98328	2.83E-03	2.8E-03	3.46E-04	9.62E-07	2.47E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
192	1.23304	2.83E-03	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.67E-09	1.0E+06	4.7E-03
193	1.58271	2.83E-03	4.5E-03	3.46E-04	1.55E-06	2.47E-02	1.57E-01	6.00E-09	1.0E+06	6.0E-03
194	2.13464	2.83E-03	6.0E-03	3.46E-04	2.09E-06	2.47E-02	1.57E-01	8.09E-09	1.0E+06	8.1E-03
195	3.0975	2.83E-03	8.8E-03	3.46E-04	3.03E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
196	4.69284	2.83E-03	1.3E-02	3.46E-04	4.59E-06	2.47E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
197	6.88357	2.83E-03	1.9E-02	3.46E-04	6.73E-06	2.47E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
198	0.16286	2.83E-03	4.6E-04	3.46E-04	1.59E-07	2.47E-02	1.57E-01	6.17E-10	1.0E+06	6.2E-04
199	0.1793	2.83E-03	5.1E-04	3.46E-04	1.75E-07	2.47E-02	1.57E-01	6.80E-10	1.0E+06	6.8E-04
200	0.19824	2.83E-03	5.6E-04	3.46E-04	1.94E-07	2.47E-02	1.57E-01	7.51E-10	1.0E+06	7.5E-04
201	0.22447	2.83E-03	6.3E-04	3.46E-04	2.20E-07	2.47E-02	1.57E-01	8.51E-10	1.0E+06	8.5E-04
202	0.26663	2.83E-03	7.5E-04	3.46E-04	2.61E-07	2.47E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03
203	0.30715	2.83E-03	8.7E-04	3.46E-04	3.00E-07	2.47E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
204	0.35579	2.83E-03	1.0E-03	3.46E-04	3.48E-07	2.47E-02	1.57E-01	1.35E-09	1.0E+06	1.3E-03
205	0.41191	2.83E-03	1.2E-03	3.46E-04	4.03E-07	2.47E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
206	0.48026	2.83E-03	1.4E-03	3.46E-04	4.70E-07	2.47E-02	1.57E-01	1.82E-09	1.0E+06	1.8E-03
207	0.56684	2.83E-03	1.6E-03	3.46E-04	5.55E-07	2.47E-02	1.57E-01	2.15E-09	1.0E+06	2.1E-03
208	0.67745	2.83E-03	1.9E-03	3.46E-04	6.63E-07	2.47E-02	1.57E-01	2.57E-09	1.0E+06	2.6E-03
209	0.82589	2.83E-03	2.3E-03	3.46E-04	8.08E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
210	1.02976	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
211	1.32605	2.83E-03	3.7E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.03E-09	1.0E+06	5.0E-03
212	1.76927	2.83E-03	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.71E-09	1.0E+06	6.7E-03
213	2.46994	2.83E-03	7.0E-03	3.46E-04	2.42E-06	2.47E-02	1.57E-01	9.36E-09	1.0E+06	9.4E-03
214	3.63615	2.83E-03	1.0E-02	3.46E-04	3.56E-06	2.47E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
215	7.55748	2.83E-03	2.1E-02	3.46E-04	7.39E-06	2.47E-02	1.57E-01	2.86E-08	1.0E+06	2.9E-02
216	0.15431	2.83E-03	4.4E-04	3.46E-04	1.51E-07	2.47E-02	1.57E-01	5.85E-10	1.0E+06	5.8E-04
217	0.16879	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.40E-10	1.0E+06	6.4E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	2.83E-03	5.3E-04	3.46E-04	1.83E-07	2.47E-02	1.57E-01	7.10E-10	1.0E+06	7.1E-04
219	0.21079	2.83E-03	6.0E-04	3.46E-04	2.06E-07	2.47E-02	1.57E-01	7.99E-10	1.0E+06	8.0E-04
220	0.24803	2.83E-03	7.0E-04	3.46E-04	2.43E-07	2.47E-02	1.57E-01	9.40E-10	1.0E+06	9.4E-04
221	0.28481	2.83E-03	8.0E-04	3.46E-04	2.79E-07	2.47E-02	1.57E-01	1.08E-09	1.0E+06	1.1E-03
222	0.33289	2.83E-03	9.4E-04	3.46E-04	3.26E-07	2.47E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
223	0.3875	2.83E-03	1.1E-03	3.46E-04	3.79E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
224	0.45352	2.83E-03	1.3E-03	3.46E-04	4.44E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
225	0.53452	2.83E-03	1.5E-03	3.46E-04	5.23E-07	2.47E-02	1.57E-01	2.03E-09	1.0E+06	2.0E-03
226	0.64348	2.83E-03	1.8E-03	3.46E-04	6.30E-07	2.47E-02	1.57E-01	2.44E-09	1.0E+06	2.4E-03
227	0.7871	2.83E-03	2.2E-03	3.46E-04	7.70E-07	2.47E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
228	0.98789	2.83E-03	2.8E-03	3.46E-04	9.66E-07	2.47E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
229	1.28832	2.83E-03	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
230	1.75514	2.83E-03	5.0E-03	3.46E-04	1.72E-06	2.47E-02	1.57E-01	6.65E-09	1.0E+06	6.7E-03
231	2.58583	2.83E-03	7.3E-03	3.46E-04	2.53E-06	2.47E-02	1.57E-01	9.80E-09	1.0E+06	9.8E-03
232	4.28751	2.83E-03	1.2E-02	3.46E-04	4.19E-06	2.47E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
233	10.76445	2.83E-03	3.0E-02	3.46E-04	1.05E-05	2.47E-02	1.57E-01	4.08E-08	1.0E+06	4.1E-02
234	0.14796	2.83E-03	4.2E-04	3.46E-04	1.45E-07	2.47E-02	1.57E-01	5.61E-10	1.0E+06	5.6E-04
235	0.16076	2.83E-03	4.5E-04	3.46E-04	1.57E-07	2.47E-02	1.57E-01	6.09E-10	1.0E+06	6.1E-04
236	0.17816	2.83E-03	5.0E-04	3.46E-04	1.74E-07	2.47E-02	1.57E-01	6.75E-10	1.0E+06	6.8E-04
237	0.20142	2.83E-03	5.7E-04	3.46E-04	1.97E-07	2.47E-02	1.57E-01	7.64E-10	1.0E+06	7.6E-04
238	0.2321	2.83E-03	6.6E-04	3.46E-04	2.27E-07	2.47E-02	1.57E-01	8.80E-10	1.0E+06	8.8E-04
239	0.26575	2.83E-03	7.5E-04	3.46E-04	2.60E-07	2.47E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03
240	0.30828	2.83E-03	8.7E-04	3.46E-04	3.02E-07	2.47E-02	1.57E-01	1.17E-09	1.0E+06	1.2E-03
241	0.35891	2.83E-03	1.0E-03	3.46E-04	3.51E-07	2.47E-02	1.57E-01	1.36E-09	1.0E+06	1.4E-03
242	0.4204	2.83E-03	1.2E-03	3.46E-04	4.11E-07	2.47E-02	1.57E-01	1.59E-09	1.0E+06	1.6E-03
243	0.49614	2.83E-03	1.4E-03	3.46E-04	4.85E-07	2.47E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03
244	0.59817	2.83E-03	1.7E-03	3.46E-04	5.85E-07	2.47E-02	1.57E-01	2.27E-09	1.0E+06	2.3E-03
245	0.7334	2.83E-03	2.1E-03	3.46E-04	7.17E-07	2.47E-02	1.57E-01	2.78E-09	1.0E+06	2.8E-03
246	0.92041	2.83E-03	2.6E-03	3.46E-04	9.00E-07	2.47E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
247	1.19215	2.83E-03	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.52E-09	1.0E+06	4.5E-03
248	1.61854	2.83E-03	4.6E-03	3.46E-04	1.58E-06	2.47E-02	1.57E-01	6.14E-09	1.0E+06	6.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	2.83E-03	6.7E-03	3.46E-04	2.30E-06	2.47E-02	1.57E-01	8.92E-09	1.0E+06	8.9E-03
250	3.88245	2.83E-03	1.1E-02	3.46E-04	3.80E-06	2.47E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
251	9.548	2.83E-03	2.7E-02	3.46E-04	9.34E-06	2.47E-02	1.57E-01	3.62E-08	1.0E+06	3.6E-02
252	0.14244	2.83E-03	4.0E-04	3.46E-04	1.39E-07	2.47E-02	1.57E-01	5.40E-10	1.0E+06	5.4E-04
253	0.15391	2.83E-03	4.3E-04	3.46E-04	1.51E-07	2.47E-02	1.57E-01	5.83E-10	1.0E+06	5.8E-04
254	0.16905	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.41E-10	1.0E+06	6.4E-04
255	0.1882	2.83E-03	5.3E-04	3.46E-04	1.84E-07	2.47E-02	1.57E-01	7.13E-10	1.0E+06	7.1E-04
256	0.22038	2.83E-03	6.2E-04	3.46E-04	2.16E-07	2.47E-02	1.57E-01	8.35E-10	1.0E+06	8.4E-04
257	0.24395	2.83E-03	6.9E-04	3.46E-04	2.39E-07	2.47E-02	1.57E-01	9.25E-10	1.0E+06	9.2E-04
258	0.27703	2.83E-03	7.8E-04	3.46E-04	2.71E-07	2.47E-02	1.57E-01	1.05E-09	1.0E+06	1.1E-03
259	0.31726	2.83E-03	9.0E-04	3.46E-04	3.10E-07	2.47E-02	1.57E-01	1.20E-09	1.0E+06	1.2E-03
260	0.37532	2.83E-03	1.1E-03	3.46E-04	3.67E-07	2.47E-02	1.57E-01	1.42E-09	1.0E+06	1.4E-03
261	0.45282	2.83E-03	1.3E-03	3.46E-04	4.43E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
262	0.54991	2.83E-03	1.6E-03	3.46E-04	5.38E-07	2.47E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
263	0.6689	2.83E-03	1.9E-03	3.46E-04	6.54E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
264	0.83769	2.83E-03	2.4E-03	3.46E-04	8.20E-07	2.47E-02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
265	1.069	2.83E-03	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.05E-09	1.0E+06	4.1E-03
266	1.42172	2.83E-03	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.39E-09	1.0E+06	5.4E-03
267	1.98481	2.83E-03	5.6E-03	3.46E-04	1.94E-06	2.47E-02	1.57E-01	7.52E-09	1.0E+06	7.5E-03
268	3.00508	2.83E-03	8.5E-03	3.46E-04	2.94E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
269	6.11415	2.83E-03	1.7E-02	3.46E-04	5.98E-06	2.47E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
270	0.13852	2.83E-03	3.9E-04	3.46E-04	1.36E-07	2.47E-02	1.57E-01	5.25E-10	1.0E+06	5.3E-04
271	0.15026	2.83E-03	4.2E-04	3.46E-04	1.47E-07	2.47E-02	1.57E-01	5.70E-10	1.0E+06	5.7E-04
272	0.16484	2.83E-03	4.7E-04	3.46E-04	1.61E-07	2.47E-02	1.57E-01	6.25E-10	1.0E+06	6.2E-04
273	0.18199	2.83E-03	5.1E-04	3.46E-04	1.78E-07	2.47E-02	1.57E-01	6.90E-10	1.0E+06	6.9E-04
274	0.21436	2.83E-03	6.1E-04	3.46E-04	2.10E-07	2.47E-02	1.57E-01	8.13E-10	1.0E+06	8.1E-04
275	0.24454	2.83E-03	6.9E-04	3.46E-04	2.39E-07	2.47E-02	1.57E-01	9.27E-10	1.0E+06	9.3E-04
276	0.26087	2.83E-03	7.4E-04	3.46E-04	2.55E-07	2.47E-02	1.57E-01	9.89E-10	1.0E+06	9.9E-04
277	0.29564	2.83E-03	8.4E-04	3.46E-04	2.89E-07	2.47E-02	1.57E-01	1.12E-09	1.0E+06	1.1E-03
278	0.34216	2.83E-03	9.7E-04	3.46E-04	3.35E-07	2.47E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03
279	0.40447	2.83E-03	1.1E-03	3.46E-04	3.96E-07	2.47E-02	1.57E-01	1.53E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	2.83E-03	1.4E-03	3.46E-04	4.85E-07	2.47E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03
281	0.61075	2.83E-03	1.7E-03	3.46E-04	5.98E-07	2.47E-02	1.57E-01	2.32E-09	1.0E+06	2.3E-03
282	0.76016	2.83E-03	2.1E-03	3.46E-04	7.44E-07	2.47E-02	1.57E-01	2.88E-09	1.0E+06	2.9E-03
283	0.9592	2.83E-03	2.7E-03	3.46E-04	9.38E-07	2.47E-02	1.57E-01	3.64E-09	1.0E+06	3.6E-03
284	1.23907	2.83E-03	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.70E-09	1.0E+06	4.7E-03
285	1.6354	2.83E-03	4.6E-03	3.46E-04	1.60E-06	2.47E-02	1.57E-01	6.20E-09	1.0E+06	6.2E-03
286	2.29875	2.83E-03	6.5E-03	3.46E-04	2.25E-06	2.47E-02	1.57E-01	8.71E-09	1.0E+06	8.7E-03
287	4.0984	2.83E-03	1.2E-02	3.46E-04	4.01E-06	2.47E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
288	0.13632	2.83E-03	3.9E-04	3.46E-04	1.33E-07	2.47E-02	1.57E-01	5.17E-10	1.0E+06	5.2E-04
289	0.14679	2.83E-03	4.1E-04	3.46E-04	1.44E-07	2.47E-02	1.57E-01	5.56E-10	1.0E+06	5.6E-04
290	0.16392	2.83E-03	4.6E-04	3.46E-04	1.60E-07	2.47E-02	1.57E-01	6.21E-10	1.0E+06	6.2E-04
291	0.1821	2.83E-03	5.1E-04	3.46E-04	1.78E-07	2.47E-02	1.57E-01	6.90E-10	1.0E+06	6.9E-04
292	0.22152	2.83E-03	6.3E-04	3.46E-04	2.17E-07	2.47E-02	1.57E-01	8.40E-10	1.0E+06	8.4E-04
293	0.241	2.83E-03	6.8E-04	3.46E-04	2.36E-07	2.47E-02	1.57E-01	9.14E-10	1.0E+06	9.1E-04
294	0.24821	2.83E-03	7.0E-04	3.46E-04	2.43E-07	2.47E-02	1.57E-01	9.41E-10	1.0E+06	9.4E-04
295	0.28165	2.83E-03	8.0E-04	3.46E-04	2.76E-07	2.47E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
296	0.32446	2.83E-03	9.2E-04	3.46E-04	3.17E-07	2.47E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
297	0.37299	2.83E-03	1.1E-03	3.46E-04	3.65E-07	2.47E-02	1.57E-01	1.41E-09	1.0E+06	1.4E-03
298	0.44378	2.83E-03	1.3E-03	3.46E-04	4.34E-07	2.47E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03
299	0.54938	2.83E-03	1.6E-03	3.46E-04	5.37E-07	2.47E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
300	0.67014	2.83E-03	1.9E-03	3.46E-04	6.56E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
301	0.83889	2.83E-03	2.4E-03	3.46E-04	8.21E-07	2.47E-02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
302	1.05754	2.83E-03	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
303	1.36095	2.83E-03	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
304	1.82968	2.83E-03	5.2E-03	3.46E-04	1.79E-06	2.47E-02	1.57E-01	6.94E-09	1.0E+06	6.9E-03
305	2.94941	2.83E-03	8.3E-03	3.46E-04	2.89E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
306	0.14102	2.83E-03	4.0E-04	3.46E-04	1.38E-07	2.47E-02	1.57E-01	5.35E-10	1.0E+06	5.3E-04
307	0.14805	2.83E-03	4.2E-04	3.46E-04	1.45E-07	2.47E-02	1.57E-01	5.61E-10	1.0E+06	5.6E-04
308	0.16104	2.83E-03	4.6E-04	3.46E-04	1.58E-07	2.47E-02	1.57E-01	6.10E-10	1.0E+06	6.1E-04
309	0.1881	2.83E-03	5.3E-04	3.46E-04	1.84E-07	2.47E-02	1.57E-01	7.13E-10	1.0E+06	7.1E-04
310	0.21623	2.83E-03	6.1E-04	3.46E-04	2.12E-07	2.47E-02	1.57E-01	8.20E-10	1.0E+06	8.2E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	2.83E-03	6.6E-04	3.46E-04	2.29E-07	2.47E-02	1.57E-01	8.87E-10	1.0E+06	8.9E-04
312	0.23582	2.83E-03	6.7E-04	3.46E-04	2.31E-07	2.47E-02	1.57E-01	8.94E-10	1.0E+06	8.9E-04
313	0.2662	2.83E-03	7.5E-04	3.46E-04	2.60E-07	2.47E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03
314	0.30482	2.83E-03	8.6E-04	3.46E-04	2.98E-07	2.47E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
315	0.36238	2.83E-03	1.0E-03	3.46E-04	3.55E-07	2.47E-02	1.57E-01	1.37E-09	1.0E+06	1.4E-03
316	0.41173	2.83E-03	1.2E-03	3.46E-04	4.03E-07	2.47E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
317	0.48329	2.83E-03	1.4E-03	3.46E-04	4.73E-07	2.47E-02	1.57E-01	1.83E-09	1.0E+06	1.8E-03
318	0.58024	2.83E-03	1.6E-03	3.46E-04	5.68E-07	2.47E-02	1.57E-01	2.20E-09	1.0E+06	2.2E-03
319	0.71842	2.83E-03	2.0E-03	3.46E-04	7.03E-07	2.47E-02	1.57E-01	2.72E-09	1.0E+06	2.7E-03
320	0.91725	2.83E-03	2.6E-03	3.46E-04	8.97E-07	2.47E-02	1.57E-01	3.48E-09	1.0E+06	3.5E-03
321	1.14351	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
322	1.47884	2.83E-03	4.2E-03	3.46E-04	1.45E-06	2.47E-02	1.57E-01	5.61E-09	1.0E+06	5.6E-03
323	2.2049	2.83E-03	6.2E-03	3.46E-04	2.16E-06	2.47E-02	1.57E-01	8.36E-09	1.0E+06	8.4E-03
324	0.13829	2.83E-03	3.9E-04	3.46E-04	1.35E-07	2.47E-02	1.57E-01	5.24E-10	1.0E+06	5.2E-04
325	0.15341	2.83E-03	4.3E-04	3.46E-04	1.50E-07	2.47E-02	1.57E-01	5.82E-10	1.0E+06	5.8E-04
326	0.16525	2.83E-03	4.7E-04	3.46E-04	1.62E-07	2.47E-02	1.57E-01	6.26E-10	1.0E+06	6.3E-04
327	0.17597	2.83E-03	5.0E-04	3.46E-04	1.72E-07	2.47E-02	1.57E-01	6.67E-10	1.0E+06	6.7E-04
328	0.21285	2.83E-03	6.0E-04	3.46E-04	2.08E-07	2.47E-02	1.57E-01	8.07E-10	1.0E+06	8.1E-04
329	0.22617	2.83E-03	6.4E-04	3.46E-04	2.21E-07	2.47E-02	1.57E-01	8.57E-10	1.0E+06	8.6E-04
330	0.229	2.83E-03	6.5E-04	3.46E-04	2.24E-07	2.47E-02	1.57E-01	8.68E-10	1.0E+06	8.7E-04
331	0.25812	2.83E-03	7.3E-04	3.46E-04	2.53E-07	2.47E-02	1.57E-01	9.78E-10	1.0E+06	9.8E-04
332	0.29444	2.83E-03	8.3E-04	3.46E-04	2.88E-07	2.47E-02	1.57E-01	1.12E-09	1.0E+06	1.1E-03
333	0.34735	2.83E-03	9.8E-04	3.46E-04	3.40E-07	2.47E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
334	0.39929	2.83E-03	1.1E-03	3.46E-04	3.91E-07	2.47E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
335	0.46251	2.83E-03	1.3E-03	3.46E-04	4.52E-07	2.47E-02	1.57E-01	1.75E-09	1.0E+06	1.8E-03
336	1.34926	2.83E-03	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
337	1.42098	2.83E-03	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.39E-09	1.0E+06	5.4E-03
338	0.15741	2.83E-03	4.4E-04	3.46E-04	1.54E-07	2.47E-02	1.57E-01	5.97E-10	1.0E+06	6.0E-04
339	0.16826	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.38E-10	1.0E+06	6.4E-04
340	0.19168	2.83E-03	5.4E-04	3.46E-04	1.88E-07	2.47E-02	1.57E-01	7.27E-10	1.0E+06	7.3E-04
341	0.20395	2.83E-03	5.8E-04	3.46E-04	2.00E-07	2.47E-02	1.57E-01	7.73E-10	1.0E+06	7.7E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	2.83E-03	6.0E-04	3.46E-04	2.06E-07	2.47E-02	1.57E-01	7.99E-10	1.0E+06	8.0E-04
343	0.22111	2.83E-03	6.2E-04	3.46E-04	2.16E-07	2.47E-02	1.57E-01	8.38E-10	1.0E+06	8.4E-04
344	0.22429	2.83E-03	6.3E-04	3.46E-04	2.19E-07	2.47E-02	1.57E-01	8.50E-10	1.0E+06	8.5E-04
345	0.22606	2.83E-03	6.4E-04	3.46E-04	2.21E-07	2.47E-02	1.57E-01	8.57E-10	1.0E+06	8.6E-04
346	0.22606	2.83E-03	6.4E-04	3.46E-04	2.21E-07	2.47E-02	1.57E-01	8.57E-10	1.0E+06	8.6E-04
347	0.17036	2.83E-03	4.8E-04	3.46E-04	1.67E-07	2.47E-02	1.57E-01	6.46E-10	1.0E+06	6.5E-04
348	0.18661	2.83E-03	5.3E-04	3.46E-04	1.83E-07	2.47E-02	1.57E-01	7.07E-10	1.0E+06	7.1E-04
349	0.21873	2.83E-03	6.2E-04	3.46E-04	2.14E-07	2.47E-02	1.57E-01	8.29E-10	1.0E+06	8.3E-04
350	0.22806	2.83E-03	6.4E-04	3.46E-04	2.23E-07	2.47E-02	1.57E-01	8.65E-10	1.0E+06	8.6E-04
351	0.23577	2.83E-03	6.7E-04	3.46E-04	2.31E-07	2.47E-02	1.57E-01	8.94E-10	1.0E+06	8.9E-04
352	0.24893	2.83E-03	7.0E-04	3.46E-04	2.44E-07	2.47E-02	1.57E-01	9.44E-10	1.0E+06	9.4E-04
353	0.25277	2.83E-03	7.1E-04	3.46E-04	2.47E-07	2.47E-02	1.57E-01	9.58E-10	1.0E+06	9.6E-04
354	0.25385	2.83E-03	7.2E-04	3.46E-04	2.48E-07	2.47E-02	1.57E-01	9.62E-10	1.0E+06	9.6E-04
355	0.25415	2.83E-03	7.2E-04	3.46E-04	2.49E-07	2.47E-02	1.57E-01	9.63E-10	1.0E+06	9.6E-04
356	0.18604	2.83E-03	5.3E-04	3.46E-04	1.82E-07	2.47E-02	1.57E-01	7.05E-10	1.0E+06	7.1E-04
357	0.20039	2.83E-03	5.7E-04	3.46E-04	1.96E-07	2.47E-02	1.57E-01	7.60E-10	1.0E+06	7.6E-04
358	0.21891	2.83E-03	6.2E-04	3.46E-04	2.14E-07	2.47E-02	1.57E-01	8.30E-10	1.0E+06	8.3E-04
359	0.24942	2.83E-03	7.0E-04	3.46E-04	2.44E-07	2.47E-02	1.57E-01	9.45E-10	1.0E+06	9.5E-04
360	0.26595	2.83E-03	7.5E-04	3.46E-04	2.60E-07	2.47E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03
361	0.28268	2.83E-03	8.0E-04	3.46E-04	2.77E-07	2.47E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
362	0.28748	2.83E-03	8.1E-04	3.46E-04	2.81E-07	2.47E-02	1.57E-01	1.09E-09	1.0E+06	1.1E-03
363	0.28847	2.83E-03	8.2E-04	3.46E-04	2.82E-07	2.47E-02	1.57E-01	1.09E-09	1.0E+06	1.1E-03
364	0.20678	2.83E-03	5.8E-04	3.46E-04	2.02E-07	2.47E-02	1.57E-01	7.84E-10	1.0E+06	7.8E-04
365	0.21895	2.83E-03	6.2E-04	3.46E-04	2.14E-07	2.47E-02	1.57E-01	8.30E-10	1.0E+06	8.3E-04
366	0.24185	2.83E-03	6.8E-04	3.46E-04	2.37E-07	2.47E-02	1.57E-01	9.17E-10	1.0E+06	9.2E-04
367	0.28223	2.83E-03	8.0E-04	3.46E-04	2.76E-07	2.47E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
368	0.30287	2.83E-03	8.6E-04	3.46E-04	2.96E-07	2.47E-02	1.57E-01	1.15E-09	1.0E+06	1.1E-03
369	0.32466	2.83E-03	9.2E-04	3.46E-04	3.18E-07	2.47E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
370	0.33362	2.83E-03	9.4E-04	3.46E-04	3.26E-07	2.47E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
371	0.33293	2.83E-03	9.4E-04	3.46E-04	3.26E-07	2.47E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
372	0.23425	2.83E-03	6.6E-04	3.46E-04	2.29E-07	2.47E-02	1.57E-01	8.88E-10	1.0E+06	8.9E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	2.83E-03	7.0E-04	3.46E-04	2.43E-07	2.47E-02	1.57E-01	9.40E-10	1.0E+06	9.4E-04
374	0.2758	2.83E-03	7.8E-04	3.46E-04	2.70E-07	2.47E-02	1.57E-01	1.05E-09	1.0E+06	1.0E-03
375	0.3231	2.83E-03	9.1E-04	3.46E-04	3.16E-07	2.47E-02	1.57E-01	1.22E-09	1.0E+06	1.2E-03
376	0.34946	2.83E-03	9.9E-04	3.46E-04	3.42E-07	2.47E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
377	0.36592	2.83E-03	1.0E-03	3.46E-04	3.58E-07	2.47E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
378	0.37782	2.83E-03	1.1E-03	3.46E-04	3.70E-07	2.47E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
379	0.38907	2.83E-03	1.1E-03	3.46E-04	3.81E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
380	0.389	2.83E-03	1.1E-03	3.46E-04	3.81E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
381	0.38496	2.83E-03	1.1E-03	3.46E-04	3.77E-07	2.47E-02	1.57E-01	1.46E-09	1.0E+06	1.5E-03
382	0.27352	2.83E-03	7.7E-04	3.46E-04	2.68E-07	2.47E-02	1.57E-01	1.04E-09	1.0E+06	1.0E-03
383	0.29685	2.83E-03	8.4E-04	3.46E-04	2.90E-07	2.47E-02	1.57E-01	1.13E-09	1.0E+06	1.1E-03
384	0.32129	2.83E-03	9.1E-04	3.46E-04	3.14E-07	2.47E-02	1.57E-01	1.22E-09	1.0E+06	1.2E-03
385	0.3848	2.83E-03	1.1E-03	3.46E-04	3.76E-07	2.47E-02	1.57E-01	1.46E-09	1.0E+06	1.5E-03
386	0.40823	2.83E-03	1.2E-03	3.46E-04	3.99E-07	2.47E-02	1.57E-01	1.55E-09	1.0E+06	1.5E-03
387	0.43009	2.83E-03	1.2E-03	3.46E-04	4.21E-07	2.47E-02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
388	0.44587	2.83E-03	1.3E-03	3.46E-04	4.36E-07	2.47E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
389	0.46018	2.83E-03	1.3E-03	3.46E-04	4.50E-07	2.47E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
390	0.45888	2.83E-03	1.3E-03	3.46E-04	4.49E-07	2.47E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
391	0.45337	2.83E-03	1.3E-03	3.46E-04	4.44E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
392	0.43787	2.83E-03	1.2E-03	3.46E-04	4.28E-07	2.47E-02	1.57E-01	1.66E-09	1.0E+06	1.7E-03
393	0.32603	2.83E-03	9.2E-04	3.46E-04	3.19E-07	2.47E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
394	0.38853	2.83E-03	1.1E-03	3.46E-04	3.80E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
395	0.43296	2.83E-03	1.2E-03	3.46E-04	4.24E-07	2.47E-02	1.57E-01	1.64E-09	1.0E+06	1.6E-03
396	0.4654	2.83E-03	1.3E-03	3.46E-04	4.55E-07	2.47E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
397	0.4979	2.83E-03	1.4E-03	3.46E-04	4.87E-07	2.47E-02	1.57E-01	1.89E-09	1.0E+06	1.9E-03
398	0.51462	2.83E-03	1.5E-03	3.46E-04	5.03E-07	2.47E-02	1.57E-01	1.95E-09	1.0E+06	2.0E-03
399	0.52048	2.83E-03	1.5E-03	3.46E-04	5.09E-07	2.47E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03
400	0.55457	2.83E-03	1.6E-03	3.46E-04	5.43E-07	2.47E-02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
401	0.55208	2.83E-03	1.6E-03	3.46E-04	5.40E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03
402	0.51974	2.83E-03	1.5E-03	3.46E-04	5.08E-07	2.47E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03
403	0.67545	2.83E-03	1.9E-03	3.46E-04	6.61E-07	2.47E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	2.83E-03	1.8E-03	3.46E-04	6.22E-07	2.47E-02	1.57E-01	2.41E-09	1.0E+06	2.4E-03
405	0.59648	2.83E-03	1.7E-03	3.46E-04	5.84E-07	2.47E-02	1.57E-01	2.26E-09	1.0E+06	2.3E-03
406	0.8541	2.83E-03	2.4E-03	3.46E-04	8.36E-07	2.47E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
407	0.72119	2.83E-03	2.0E-03	3.46E-04	7.06E-07	2.47E-02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
408	1.11899	2.83E-03	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.24E-09	1.0E+06	4.2E-03
409	0.88286	2.83E-03	2.5E-03	3.46E-04	8.64E-07	2.47E-02	1.57E-01	3.35E-09	1.0E+06	3.3E-03
410	1.53458	2.83E-03	4.3E-03	3.46E-04	1.50E-06	2.47E-02	1.57E-01	5.82E-09	1.0E+06	5.8E-03
411	1.24788	2.83E-03	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
412	1.10769	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.20E-09	1.0E+06	4.2E-03
413	2.24007	2.83E-03	6.3E-03	3.46E-04	2.19E-06	2.47E-02	1.57E-01	8.49E-09	1.0E+06	8.5E-03
414	1.85905	2.83E-03	5.3E-03	3.46E-04	1.82E-06	2.47E-02	1.57E-01	7.05E-09	1.0E+06	7.0E-03
415	1.59815	2.83E-03	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.06E-09	1.0E+06	6.1E-03
416	1.34652	2.83E-03	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.10E-09	1.0E+06	5.1E-03
417	3.57218	2.83E-03	1.0E-02	3.46E-04	3.49E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
418	2.01893	2.83E-03	5.7E-03	3.46E-04	1.98E-06	2.47E-02	1.57E-01	7.65E-09	1.0E+06	7.7E-03
419	1.58987	2.83E-03	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.03E-09	1.0E+06	6.0E-03
420	1.2521	2.83E-03	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.75E-09	1.0E+06	4.7E-03
421	6.42312	2.83E-03	1.8E-02	3.46E-04	6.28E-06	2.47E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
422	1.77737	2.83E-03	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.74E-09	1.0E+06	6.7E-03
423	1.33662	2.83E-03	3.8E-03	3.46E-04	1.31E-06	2.47E-02	1.57E-01	5.07E-09	1.0E+06	5.1E-03
424	12.91388	2.83E-03	3.6E-02	3.46E-04	1.26E-05	2.47E-02	1.57E-01	4.90E-08	1.0E+06	4.9E-02
425	1.34203	2.83E-03	3.8E-03	3.46E-04	1.31E-06	2.47E-02	1.57E-01	5.09E-09	1.0E+06	5.1E-03
426	1.01676	2.83E-03	2.9E-03	3.46E-04	9.95E-07	2.47E-02	1.57E-01	3.85E-09	1.0E+06	3.9E-03
427	22.75271	2.83E-03	6.4E-02	3.46E-04	2.23E-05	2.47E-02	1.57E-01	8.62E-08	1.0E+06	8.6E-02
428	1.27773	2.83E-03	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.84E-09	1.0E+06	4.8E-03
429	0.96908	2.83E-03	2.7E-03	3.46E-04	9.48E-07	2.47E-02	1.57E-01	3.67E-09	1.0E+06	3.7E-03
430	21.09262	2.83E-03	6.0E-02	3.46E-04	2.06E-05	2.47E-02	1.57E-01	8.00E-08	1.0E+06	8.0E-02
431	0.90443	2.83E-03	2.6E-03	3.46E-04	8.85E-07	2.47E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
432	0.71229	2.83E-03	2.0E-03	3.46E-04	6.97E-07	2.47E-02	1.57E-01	2.70E-09	1.0E+06	2.7E-03
433	13.11622	2.83E-03	3.7E-02	3.46E-04	1.28E-05	2.47E-02	1.57E-01	4.97E-08	1.0E+06	5.0E-02
434	0.83575	2.83E-03	2.4E-03	3.46E-04	8.18E-07	2.47E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	2.83E-03	1.9E-03	3.46E-04	6.56E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
436	8.0879	2.83E-03	2.3E-02	3.46E-04	7.91E-06	2.47E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
437	0.97518	2.83E-03	2.8E-03	3.46E-04	9.54E-07	2.47E-02	1.57E-01	3.70E-09	1.0E+06	3.7E-03
438	0.76912	2.83E-03	2.2E-03	3.46E-04	7.52E-07	2.47E-02	1.57E-01	2.92E-09	1.0E+06	2.9E-03
439	0.6239	2.83E-03	1.8E-03	3.46E-04	6.10E-07	2.47E-02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
440	5.21196	2.83E-03	1.5E-02	3.46E-04	5.10E-06	2.47E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
441	1.57338	2.83E-03	4.4E-03	3.46E-04	1.54E-06	2.47E-02	1.57E-01	5.96E-09	1.0E+06	6.0E-03
442	1.14958	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.36E-09	1.0E+06	4.4E-03
443	0.88407	2.83E-03	2.5E-03	3.46E-04	8.65E-07	2.47E-02	1.57E-01	3.35E-09	1.0E+06	3.4E-03
444	0.70507	2.83E-03	2.0E-03	3.46E-04	6.90E-07	2.47E-02	1.57E-01	2.67E-09	1.0E+06	2.7E-03
445	3.55393	2.83E-03	1.0E-02	3.46E-04	3.48E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
446	1.95063	2.83E-03	5.5E-03	3.46E-04	1.91E-06	2.47E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
447	1.38871	2.83E-03	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
448	1.03194	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
449	2.54704	2.83E-03	7.2E-03	3.46E-04	2.49E-06	2.47E-02	1.57E-01	9.66E-09	1.0E+06	9.7E-03
450	2.13244	2.83E-03	6.0E-03	3.46E-04	2.09E-06	2.47E-02	1.57E-01	8.08E-09	1.0E+06	8.1E-03
451	1.63606	2.83E-03	4.6E-03	3.46E-04	1.60E-06	2.47E-02	1.57E-01	6.20E-09	1.0E+06	6.2E-03
452	1.90224	2.83E-03	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.21E-09	1.0E+06	7.2E-03
453	1.68146	2.83E-03	4.8E-03	3.46E-04	1.64E-06	2.47E-02	1.57E-01	6.37E-09	1.0E+06	6.4E-03
454	0.45602	2.83E-03	1.3E-03	3.46E-04	4.46E-07	2.47E-02	1.57E-01	1.73E-09	1.0E+06	1.7E-03
455	0.39292	2.83E-03	1.1E-03	3.46E-04	3.84E-07	2.47E-02	1.57E-01	1.49E-09	1.0E+06	1.5E-03
456	1.46911	2.83E-03	4.2E-03	3.46E-04	1.44E-06	2.47E-02	1.57E-01	5.57E-09	1.0E+06	5.6E-03
457	1.34798	2.83E-03	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
458	1.14854	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.35E-09	1.0E+06	4.4E-03
459	0.60959	2.83E-03	1.7E-03	3.46E-04	5.96E-07	2.47E-02	1.57E-01	2.31E-09	1.0E+06	2.3E-03
460	0.50521	2.83E-03	1.4E-03	3.46E-04	4.94E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
461	0.42667	2.83E-03	1.2E-03	3.46E-04	4.17E-07	2.47E-02	1.57E-01	1.62E-09	1.0E+06	1.6E-03
462	0.36664	2.83E-03	1.0E-03	3.46E-04	3.59E-07	2.47E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
463	1.56366	2.83E-03	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.93E-09	1.0E+06	5.9E-03
464	1.67908	2.83E-03	4.7E-03	3.46E-04	1.64E-06	2.47E-02	1.57E-01	6.36E-09	1.0E+06	6.4E-03
465	2.37925	2.83E-03	6.7E-03	3.46E-04	2.33E-06	2.47E-02	1.57E-01	9.02E-09	1.0E+06	9.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	2.83E-03	8.2E-03	3.46E-04	2.84E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
467	4.03499	2.83E-03	1.1E-02	3.46E-04	3.95E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
468	8.35246	2.83E-03	2.4E-02	3.46E-04	8.17E-06	2.47E-02	1.57E-01	3.17E-08	1.0E+06	3.2E-02
469	28.13292	2.83E-03	8.0E-02	3.46E-04	2.75E-05	2.47E-02	1.57E-01	1.07E-07	1.0E+06	1.1E-01
470	20.35286	2.83E-03	5.8E-02	3.46E-04	1.99E-05	2.47E-02	1.57E-01	7.72E-08	1.0E+06	7.7E-02
471	34.54288	2.83E-03	9.8E-02	3.46E-04	3.38E-05	2.47E-02	1.57E-01	1.31E-07	1.0E+06	1.3E-01
472	27.90221	2.83E-03	7.9E-02	3.46E-04	2.73E-05	2.47E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
473	29.67594	2.83E-03	8.4E-02	3.46E-04	2.90E-05	2.47E-02	1.57E-01	1.12E-07	1.0E+06	1.1E-01
474	13.04296	2.83E-03	3.7E-02	3.46E-04	1.28E-05	2.47E-02	1.57E-01	4.94E-08	1.0E+06	4.9E-02
475	22.08892	2.83E-03	6.2E-02	3.46E-04	2.16E-05	2.47E-02	1.57E-01	8.37E-08	1.0E+06	8.4E-02
476	6.99817	2.83E-03	2.0E-02	3.46E-04	6.85E-06	2.47E-02	1.57E-01	2.65E-08	1.0E+06	2.7E-02
477	9.76012	2.83E-03	2.8E-02	3.46E-04	9.55E-06	2.47E-02	1.57E-01	3.70E-08	1.0E+06	3.7E-02
478	4.29281	2.83E-03	1.2E-02	3.46E-04	4.20E-06	2.47E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
479	5.44714	2.83E-03	1.5E-02	3.46E-04	5.33E-06	2.47E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
480	5.4004	2.83E-03	1.5E-02	3.46E-04	5.28E-06	2.47E-02	1.57E-01	2.05E-08	1.0E+06	2.0E-02
481	2.88653	2.83E-03	8.2E-03	3.46E-04	2.82E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
482	3.54717	2.83E-03	1.0E-02	3.46E-04	3.47E-06	2.47E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
483	2.40679	2.83E-03	6.8E-03	3.46E-04	2.35E-06	2.47E-02	1.57E-01	9.12E-09	1.0E+06	9.1E-03
484	2.49271	2.83E-03	7.0E-03	3.46E-04	2.44E-06	2.47E-02	1.57E-01	9.45E-09	1.0E+06	9.4E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	5.65E-05
2	5	5.72E-05
3	5	5.78E-05
4	5	5.85E-05
5	5	5.93E-05
6	5	6.08E-05
7	5	6.28E-05
8	5	6.52E-05
9	5	6.82E-05
10	5	7.21E-05
11	5	7.70E-05
12	5	8.23E-05
13	5	8.81E-05
14	5	1.23E-04
15	5	6.28E-05
16	5	6.35E-05
17	5	6.45E-05
18	5	6.51E-05
19	5	6.57E-05
20	5	6.68E-05
21	5	6.84E-05
22	5	7.04E-05
23	5	7.40E-05
24	5	7.75E-05
25	5	8.34E-05
26	5	8.98E-05
27	5	9.54E-05
28	5	1.38E-04
29	5	6.96E-05
30	5	7.10E-05
31	5	7.26E-05

Max	Receptor #	
0.020	471	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	7.37E-05
33	5	7.37E-05
34	5	7.47E-05
35	5	7.58E-05
36	5	7.77E-05
37	5	8.08E-05
38	5	8.51E-05
39	5	9.08E-05
40	5	9.71E-05
41	5	1.04E-04
42	5	1.56E-04
43	5	7.64E-05
44	5	7.86E-05
45	5	8.07E-05
46	5	8.22E-05
47	5	8.30E-05
48	5	8.40E-05
49	5	8.47E-05
50	5	8.57E-05
51	5	8.95E-05
52	5	9.35E-05
53	5	9.97E-05
54	5	1.07E-04
55	5	1.15E-04
56	5	1.79E-04
57	5	8.31E-05
58	5	8.62E-05
59	5	8.90E-05
60	5	9.16E-05
61	5	9.38E-05
62	5	9.55E-05

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	9.78E-05
64	5	9.73E-05
65	5	1.01E-04
66	5	1.05E-04
67	5	1.10E-04
68	5	1.20E-04
69	5	1.31E-04
70	5	9.00E-05
71	5	9.39E-05
72	5	9.78E-05
73	5	1.02E-04
74	5	1.05E-04
75	5	1.09E-04
76	5	1.12E-04
77	5	1.14E-04
78	5	1.17E-04
79	5	1.25E-04
80	5	1.29E-04
81	5	1.42E-04
82	5	1.52E-04
83	5	9.68E-05
84	5	1.02E-04
85	5	1.06E-04
86	5	1.12E-04
87	5	1.17E-04
88	5	1.23E-04
89	5	1.28E-04
90	5	1.34E-04
91	5	1.40E-04
92	5	1.48E-04
93	5	1.56E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	1.67E-04
95	5	1.81E-04
96	5	1.03E-04
97	5	1.08E-04
98	5	1.14E-04
99	5	1.21E-04
100	5	1.30E-04
101	5	1.37E-04
102	5	1.45E-04
103	5	1.53E-04
104	5	1.61E-04
105	5	1.70E-04
106	5	1.80E-04
107	5	1.93E-04
108	5	2.09E-04
109	5	1.08E-04
110	5	1.15E-04
111	5	1.23E-04
112	5	1.32E-04
113	5	1.42E-04
114	5	1.52E-04
115	5	1.62E-04
116	5	1.73E-04
117	5	1.85E-04
118	5	1.91E-04
119	5	2.05E-04
120	5	2.20E-04
121	5	2.36E-04
122	5	1.11E-04
123	5	1.20E-04
124	5	1.30E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	1.41E-04
126	5	1.53E-04
127	5	1.65E-04
128	5	1.74E-04
129	5	1.88E-04
130	5	2.07E-04
131	5	6.31E-04
132	5	6.55E-04
133	5	1.11E-04
134	5	1.23E-04
135	5	1.35E-04
136	5	1.48E-04
137	5	1.61E-04
138	5	1.76E-04
139	5	1.90E-04
140	5	2.13E-04
141	5	2.35E-04
142	5	2.59E-04
143	5	2.86E-04
144	5	3.19E-04
145	5	3.53E-04
146	5	8.52E-04
147	5	1.09E-04
148	5	1.21E-04
149	5	1.35E-04
150	5	1.49E-04
151	5	1.66E-04
152	5	1.83E-04
153	5	2.02E-04
154	5	2.26E-04
155	5	2.54E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	2.86E-04
157	5	3.21E-04
158	5	3.60E-04
159	5	4.21E-04
160	5	1.06E-04
161	5	1.17E-04
162	5	1.28E-04
163	5	1.45E-04
164	5	1.65E-04
165	5	1.85E-04
166	5	2.09E-04
167	5	2.37E-04
168	5	2.71E-04
169	5	3.11E-04
170	5	3.60E-04
171	5	4.18E-04
172	5	4.97E-04
173	5	6.02E-04
174	5	7.42E-04
175	5	9.31E-04
176	5	1.24E-03
177	5	1.62E-03
178	5	2.03E-03
179	5	9.86E-05
180	5	1.08E-04
181	5	1.17E-04
182	5	1.36E-04
183	5	1.60E-04
184	5	1.82E-04
185	5	2.08E-04
186	5	2.39E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	2.76E-04
188	5	3.24E-04
189	5	3.82E-04
190	5	4.57E-04
191	5	5.56E-04
192	5	6.97E-04
193	5	8.95E-04
194	5	1.21E-03
195	5	1.75E-03
196	5	2.65E-03
197	5	3.89E-03
198	5	9.21E-05
199	5	1.01E-04
200	5	1.12E-04
201	5	1.27E-04
202	5	1.51E-04
203	5	1.74E-04
204	5	2.01E-04
205	5	2.33E-04
206	5	2.71E-04
207	5	3.20E-04
208	5	3.83E-04
209	5	4.67E-04
210	5	5.82E-04
211	5	7.50E-04
212	5	1.00E-03
213	5	1.40E-03
214	5	2.06E-03
215	5	4.27E-03
216	5	8.72E-05
217	5	9.54E-05

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	1.06E-04
219	5	1.19E-04
220	5	1.40E-04
221	5	1.61E-04
222	5	1.88E-04
223	5	2.19E-04
224	5	2.56E-04
225	5	3.02E-04
226	5	3.64E-04
227	5	4.45E-04
228	5	5.58E-04
229	5	7.28E-04
230	5	9.92E-04
231	5	1.46E-03
232	5	2.42E-03
233	5	6.08E-03
234	5	8.36E-05
235	5	9.09E-05
236	5	1.01E-04
237	5	1.14E-04
238	5	1.31E-04
239	5	1.50E-04
240	5	1.74E-04
241	5	2.03E-04
242	5	2.38E-04
243	5	2.80E-04
244	5	3.38E-04
245	5	4.15E-04
246	5	5.20E-04
247	5	6.74E-04
248	5	9.15E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	1.33E-03
250	5	2.19E-03
251	5	5.40E-03
252	5	8.05E-05
253	5	8.70E-05
254	5	9.56E-05
255	5	1.06E-04
256	5	1.25E-04
257	5	1.38E-04
258	5	1.57E-04
259	5	1.79E-04
260	5	2.12E-04
261	5	2.56E-04
262	5	3.11E-04
263	5	3.78E-04
264	5	4.73E-04
265	5	6.04E-04
266	5	8.04E-04
267	5	1.12E-03
268	5	1.70E-03
269	5	3.46E-03
270	5	7.83E-05
271	5	8.49E-05
272	5	9.32E-05
273	5	1.03E-04
274	5	1.21E-04
275	5	1.38E-04
276	5	1.47E-04
277	5	1.67E-04
278	5	1.93E-04
279	5	2.29E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	2.80E-04
281	5	3.45E-04
282	5	4.30E-04
283	5	5.42E-04
284	5	7.00E-04
285	5	9.24E-04
286	5	1.30E-03
287	5	2.32E-03
288	5	7.71E-05
289	5	8.30E-05
290	5	9.27E-05
291	5	1.03E-04
292	5	1.25E-04
293	5	1.36E-04
294	5	1.40E-04
295	5	1.59E-04
296	5	1.83E-04
297	5	2.11E-04
298	5	2.51E-04
299	5	3.11E-04
300	5	3.79E-04
301	5	4.74E-04
302	5	5.98E-04
303	5	7.69E-04
304	5	1.03E-03
305	5	1.67E-03
306	5	7.97E-05
307	5	8.37E-05
308	5	9.10E-05
309	5	1.06E-04
310	5	1.22E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	1.32E-04
312	5	1.33E-04
313	5	1.50E-04
314	5	1.72E-04
315	5	2.05E-04
316	5	2.33E-04
317	5	2.73E-04
318	5	3.28E-04
319	5	4.06E-04
320	5	5.18E-04
321	5	6.46E-04
322	5	8.36E-04
323	5	1.25E-03
324	5	7.82E-05
325	5	8.67E-05
326	5	9.34E-05
327	5	9.95E-05
328	5	1.20E-04
329	5	1.28E-04
330	5	1.29E-04
331	5	1.46E-04
332	5	1.66E-04
333	5	1.96E-04
334	5	2.26E-04
335	5	2.61E-04
336	5	7.63E-04
337	5	8.03E-04
338	5	8.90E-05
339	5	9.51E-05
340	5	1.08E-04
341	5	1.15E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	1.19E-04
343	5	1.25E-04
344	5	1.27E-04
345	5	1.28E-04
346	5	1.28E-04
347	5	9.63E-05
348	5	1.05E-04
349	5	1.24E-04
350	5	1.29E-04
351	5	1.33E-04
352	5	1.41E-04
353	5	1.43E-04
354	5	1.43E-04
355	5	1.44E-04
356	5	1.05E-04
357	5	1.13E-04
358	5	1.24E-04
359	5	1.41E-04
360	5	1.50E-04
361	5	1.60E-04
362	5	1.62E-04
363	5	1.63E-04
364	5	1.17E-04
365	5	1.24E-04
366	5	1.37E-04
367	5	1.60E-04
368	5	1.71E-04
369	5	1.84E-04
370	5	1.89E-04
371	5	1.88E-04
372	5	1.32E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	1.40E-04
374	5	1.56E-04
375	5	1.83E-04
376	5	1.98E-04
377	5	2.07E-04
378	5	2.14E-04
379	5	2.20E-04
380	5	2.20E-04
381	5	2.18E-04
382	5	1.55E-04
383	5	1.68E-04
384	5	1.82E-04
385	5	2.17E-04
386	5	2.31E-04
387	5	2.43E-04
388	5	2.52E-04
389	5	2.60E-04
390	5	2.59E-04
391	5	2.56E-04
392	5	2.47E-04
393	5	1.84E-04
394	5	2.20E-04
395	5	2.45E-04
396	5	2.63E-04
397	5	2.81E-04
398	5	2.91E-04
399	5	2.94E-04
400	5	3.13E-04
401	5	3.12E-04
402	5	2.94E-04
403	5	3.82E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	3.59E-04
405	5	3.37E-04
406	5	4.83E-04
407	5	4.08E-04
408	5	6.32E-04
409	5	4.99E-04
410	5	8.67E-04
411	5	7.05E-04
412	5	6.26E-04
413	5	1.27E-03
414	5	1.05E-03
415	5	9.03E-04
416	5	7.61E-04
417	5	2.02E-03
418	5	1.14E-03
419	5	8.99E-04
420	5	7.08E-04
421	5	3.63E-03
422	5	1.00E-03
423	5	7.55E-04
424	5	7.30E-03
425	5	7.59E-04
426	5	5.75E-04
427	5	1.29E-02
428	5	7.22E-04
429	5	5.48E-04
430	5	1.19E-02
431	5	5.11E-04
432	5	4.03E-04
433	5	7.41E-03
434	5	4.72E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	3.79E-04
436	5	4.57E-03
437	5	5.51E-04
438	5	4.35E-04
439	5	3.53E-04
440	5	2.95E-03
441	5	8.89E-04
442	5	6.50E-04
443	5	5.00E-04
444	5	3.99E-04
445	5	2.01E-03
446	5	1.10E-03
447	5	7.85E-04
448	5	5.83E-04
449	5	1.44E-03
450	5	1.21E-03
451	5	9.25E-04
452	5	1.08E-03
453	5	9.50E-04
454	5	2.58E-04
455	5	2.22E-04
456	5	8.30E-04
457	5	7.62E-04
458	5	6.49E-04
459	5	3.45E-04
460	5	2.86E-04
461	5	2.41E-04
462	5	2.07E-04
463	5	8.84E-04
464	5	9.49E-04
465	5	1.34E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	1.64E-03
467	5	2.28E-03
468	5	4.72E-03
469	5	1.59E-02
470	5	1.15E-02
471	5	1.95E-02
472	5	1.58E-02
473	5	1.68E-02
474	5	7.37E-03
475	5	1.25E-02
476	5	3.96E-03
477	5	5.52E-03
478	5	2.43E-03
479	5	3.08E-03
480	5	3.05E-03
481	5	1.63E-03
482	5	2.00E-03
483	5	1.36E-03
484	5	1.41E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.09997	1.70E-02	1.7E-03	3.46E-04	5.87E-07	2.47E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03
2	0.10116	1.70E-02	1.7E-03	3.46E-04	5.94E-07	2.47E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
3	0.10225	1.70E-02	1.7E-03	3.46E-04	6.01E-07	2.47E-02	1.57E-01	2.33E-09	1.0E+06	2.3E-03
4	0.10353	1.70E-02	1.8E-03	3.46E-04	6.08E-07	2.47E-02	1.57E-01	2.36E-09	1.0E+06	2.4E-03
5	0.1049	1.70E-02	1.8E-03	3.46E-04	6.16E-07	2.47E-02	1.57E-01	2.39E-09	1.0E+06	2.4E-03
6	0.10762	1.70E-02	1.8E-03	3.46E-04	6.32E-07	2.47E-02	1.57E-01	2.45E-09	1.0E+06	2.4E-03
7	0.11114	1.70E-02	1.9E-03	3.46E-04	6.53E-07	2.47E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
8	0.11544	1.70E-02	2.0E-03	3.46E-04	6.78E-07	2.47E-02	1.57E-01	2.63E-09	1.0E+06	2.6E-03
9	0.12067	1.70E-02	2.0E-03	3.46E-04	7.09E-07	2.47E-02	1.57E-01	2.75E-09	1.0E+06	2.7E-03
10	0.12749	1.70E-02	2.2E-03	3.46E-04	7.49E-07	2.47E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
11	0.13627	1.70E-02	2.3E-03	3.46E-04	8.00E-07	2.47E-02	1.57E-01	3.10E-09	1.0E+06	3.1E-03
12	0.1456	1.70E-02	2.5E-03	3.46E-04	8.55E-07	2.47E-02	1.57E-01	3.31E-09	1.0E+06	3.3E-03
13	0.15591	1.70E-02	2.6E-03	3.46E-04	9.16E-07	2.47E-02	1.57E-01	3.55E-09	1.0E+06	3.5E-03
14	0.21775	1.70E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.96E-09	1.0E+06	5.0E-03
15	0.11116	1.70E-02	1.9E-03	3.46E-04	6.53E-07	2.47E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
16	0.11231	1.70E-02	1.9E-03	3.46E-04	6.60E-07	2.47E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03
17	0.11409	1.70E-02	1.9E-03	3.46E-04	6.70E-07	2.47E-02	1.57E-01	2.60E-09	1.0E+06	2.6E-03
18	0.1152	1.70E-02	2.0E-03	3.46E-04	6.77E-07	2.47E-02	1.57E-01	2.62E-09	1.0E+06	2.6E-03
19	0.11623	1.70E-02	2.0E-03	3.46E-04	6.83E-07	2.47E-02	1.57E-01	2.65E-09	1.0E+06	2.6E-03
20	0.11825	1.70E-02	2.0E-03	3.46E-04	6.95E-07	2.47E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
21	0.12106	1.70E-02	2.1E-03	3.46E-04	7.11E-07	2.47E-02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
22	0.12456	1.70E-02	2.1E-03	3.46E-04	7.32E-07	2.47E-02	1.57E-01	2.84E-09	1.0E+06	2.8E-03
23	0.13094	1.70E-02	2.2E-03	3.46E-04	7.69E-07	2.47E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
24	0.13716	1.70E-02	2.3E-03	3.46E-04	8.06E-07	2.47E-02	1.57E-01	3.12E-09	1.0E+06	3.1E-03
25	0.14759	1.70E-02	2.5E-03	3.46E-04	8.67E-07	2.47E-02	1.57E-01	3.36E-09	1.0E+06	3.4E-03
26	0.15892	1.70E-02	2.7E-03	3.46E-04	9.34E-07	2.47E-02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
27	0.16875	1.70E-02	2.9E-03	3.46E-04	9.91E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03
28	0.24418	1.70E-02	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.56E-09	1.0E+06	5.6E-03
29	0.12315	1.70E-02	2.1E-03	3.46E-04	7.23E-07	2.47E-02	1.57E-01	2.80E-09	1.0E+06	2.8E-03
30	0.12567	1.70E-02	2.1E-03	3.46E-04	7.38E-07	2.47E-02	1.57E-01	2.86E-09	1.0E+06	2.9E-03
31	0.12837	1.70E-02	2.2E-03	3.46E-04	7.54E-07	2.47E-02	1.57E-01	2.92E-09	1.0E+06	2.9E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	1.70E-02	2.2E-03	3.46E-04	7.65E-07	2.47E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
33	0.13031	1.70E-02	2.2E-03	3.46E-04	7.65E-07	2.47E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
34	0.13211	1.70E-02	2.2E-03	3.46E-04	7.76E-07	2.47E-02	1.57E-01	3.01E-09	1.0E+06	3.0E-03
35	0.13406	1.70E-02	2.3E-03	3.46E-04	7.87E-07	2.47E-02	1.57E-01	3.05E-09	1.0E+06	3.1E-03
36	0.13747	1.70E-02	2.3E-03	3.46E-04	8.08E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
37	0.14288	1.70E-02	2.4E-03	3.46E-04	8.39E-07	2.47E-02	1.57E-01	3.25E-09	1.0E+06	3.3E-03
38	0.15048	1.70E-02	2.6E-03	3.46E-04	8.84E-07	2.47E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
39	0.16057	1.70E-02	2.7E-03	3.46E-04	9.43E-07	2.47E-02	1.57E-01	3.65E-09	1.0E+06	3.7E-03
40	0.17181	1.70E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
41	0.18337	1.70E-02	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.17E-09	1.0E+06	4.2E-03
42	0.27606	1.70E-02	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
43	0.13523	1.70E-02	2.3E-03	3.46E-04	7.94E-07	2.47E-02	1.57E-01	3.08E-09	1.0E+06	3.1E-03
44	0.13913	1.70E-02	2.4E-03	3.46E-04	8.17E-07	2.47E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03
45	0.14273	1.70E-02	2.4E-03	3.46E-04	8.38E-07	2.47E-02	1.57E-01	3.25E-09	1.0E+06	3.2E-03
46	0.14534	1.70E-02	2.5E-03	3.46E-04	8.54E-07	2.47E-02	1.57E-01	3.31E-09	1.0E+06	3.3E-03
47	0.14689	1.70E-02	2.5E-03	3.46E-04	8.63E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
48	0.14854	1.70E-02	2.5E-03	3.46E-04	8.73E-07	2.47E-02	1.57E-01	3.38E-09	1.0E+06	3.4E-03
49	0.14984	1.70E-02	2.5E-03	3.46E-04	8.80E-07	2.47E-02	1.57E-01	3.41E-09	1.0E+06	3.4E-03
50	0.15161	1.70E-02	2.6E-03	3.46E-04	8.91E-07	2.47E-02	1.57E-01	3.45E-09	1.0E+06	3.5E-03
51	0.15836	1.70E-02	2.7E-03	3.46E-04	9.30E-07	2.47E-02	1.57E-01	3.60E-09	1.0E+06	3.6E-03
52	0.16548	1.70E-02	2.8E-03	3.46E-04	9.72E-07	2.47E-02	1.57E-01	3.77E-09	1.0E+06	3.8E-03
53	0.17641	1.70E-02	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.02E-09	1.0E+06	4.0E-03
54	0.18951	1.70E-02	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.31E-09	1.0E+06	4.3E-03
55	0.20421	1.70E-02	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.65E-09	1.0E+06	4.6E-03
56	0.31605	1.70E-02	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.19E-09	1.0E+06	7.2E-03
57	0.14708	1.70E-02	2.5E-03	3.46E-04	8.64E-07	2.47E-02	1.57E-01	3.35E-09	1.0E+06	3.3E-03
58	0.15242	1.70E-02	2.6E-03	3.46E-04	8.95E-07	2.47E-02	1.57E-01	3.47E-09	1.0E+06	3.5E-03
59	0.15749	1.70E-02	2.7E-03	3.46E-04	9.25E-07	2.47E-02	1.57E-01	3.58E-09	1.0E+06	3.6E-03
60	0.16209	1.70E-02	2.8E-03	3.46E-04	9.52E-07	2.47E-02	1.57E-01	3.69E-09	1.0E+06	3.7E-03
61	0.16587	1.70E-02	2.8E-03	3.46E-04	9.74E-07	2.47E-02	1.57E-01	3.78E-09	1.0E+06	3.8E-03
62	0.1689	1.70E-02	2.9E-03	3.46E-04	9.92E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	1.70E-02	2.9E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.94E-09	1.0E+06	3.9E-03
64	0.17221	1.70E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03
65	0.17802	1.70E-02	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.05E-09	1.0E+06	4.1E-03
66	0.18602	1.70E-02	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
67	0.19503	1.70E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.44E-09	1.0E+06	4.4E-03
68	0.21198	1.70E-02	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.82E-09	1.0E+06	4.8E-03
69	0.23133	1.70E-02	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.27E-09	1.0E+06	5.3E-03
70	0.15915	1.70E-02	2.7E-03	3.46E-04	9.35E-07	2.47E-02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
71	0.16615	1.70E-02	2.8E-03	3.46E-04	9.76E-07	2.47E-02	1.57E-01	3.78E-09	1.0E+06	3.8E-03
72	0.17306	1.70E-02	2.9E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.94E-09	1.0E+06	3.9E-03
73	0.17979	1.70E-02	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.09E-09	1.0E+06	4.1E-03
74	0.1856	1.70E-02	3.1E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.22E-09	1.0E+06	4.2E-03
75	0.19262	1.70E-02	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.38E-09	1.0E+06	4.4E-03
76	0.19839	1.70E-02	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.52E-09	1.0E+06	4.5E-03
77	0.20099	1.70E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.57E-09	1.0E+06	4.6E-03
78	0.20736	1.70E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.72E-09	1.0E+06	4.7E-03
79	0.22199	1.70E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.05E-09	1.0E+06	5.1E-03
80	0.22851	1.70E-02	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.20E-09	1.0E+06	5.2E-03
81	0.25141	1.70E-02	4.3E-03	3.46E-04	1.48E-06	2.47E-02	1.57E-01	5.72E-09	1.0E+06	5.7E-03
82	0.26864	1.70E-02	4.6E-03	3.46E-04	1.58E-06	2.47E-02	1.57E-01	6.11E-09	1.0E+06	6.1E-03
83	0.17123	1.70E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
84	0.17986	1.70E-02	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.09E-09	1.0E+06	4.1E-03
85	0.18766	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.27E-09	1.0E+06	4.3E-03
86	0.19836	1.70E-02	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.51E-09	1.0E+06	4.5E-03
87	0.20777	1.70E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
88	0.21743	1.70E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.95E-09	1.0E+06	4.9E-03
89	0.22714	1.70E-02	3.9E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.17E-09	1.0E+06	5.2E-03
90	0.23725	1.70E-02	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.40E-09	1.0E+06	5.4E-03
91	0.24821	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.65E-09	1.0E+06	5.6E-03
92	0.26127	1.70E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.95E-09	1.0E+06	5.9E-03
93	0.27635	1.70E-02	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.29E-09	1.0E+06	6.3E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	1.70E-02	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.73E-09	1.0E+06	6.7E-03
95	0.31999	1.70E-02	5.4E-03	3.46E-04	1.88E-06	2.47E-02	1.57E-01	7.28E-09	1.0E+06	7.3E-03
96	0.18233	1.70E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.15E-09	1.0E+06	4.2E-03
97	0.19094	1.70E-02	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.35E-09	1.0E+06	4.3E-03
98	0.20103	1.70E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.58E-09	1.0E+06	4.6E-03
99	0.21464	1.70E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.89E-09	1.0E+06	4.9E-03
100	0.22959	1.70E-02	3.9E-03	3.46E-04	1.35E-06	2.47E-02	1.57E-01	5.23E-09	1.0E+06	5.2E-03
101	0.24284	1.70E-02	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.53E-09	1.0E+06	5.5E-03
102	0.25629	1.70E-02	4.3E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.83E-09	1.0E+06	5.8E-03
103	0.27027	1.70E-02	4.6E-03	3.46E-04	1.59E-06	2.47E-02	1.57E-01	6.15E-09	1.0E+06	6.2E-03
104	0.28488	1.70E-02	4.8E-03	3.46E-04	1.67E-06	2.47E-02	1.57E-01	6.48E-09	1.0E+06	6.5E-03
105	0.3003	1.70E-02	5.1E-03	3.46E-04	1.76E-06	2.47E-02	1.57E-01	6.84E-09	1.0E+06	6.8E-03
106	0.3189	1.70E-02	5.4E-03	3.46E-04	1.87E-06	2.47E-02	1.57E-01	7.26E-09	1.0E+06	7.3E-03
107	0.34186	1.70E-02	5.8E-03	3.46E-04	2.01E-06	2.47E-02	1.57E-01	7.78E-09	1.0E+06	7.8E-03
108	0.37026	1.70E-02	6.3E-03	3.46E-04	2.17E-06	2.47E-02	1.57E-01	8.43E-09	1.0E+06	8.4E-03
109	0.19023	1.70E-02	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
110	0.20375	1.70E-02	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.64E-09	1.0E+06	4.6E-03
111	0.21846	1.70E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.97E-09	1.0E+06	5.0E-03
112	0.23423	1.70E-02	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.33E-09	1.0E+06	5.3E-03
113	0.25102	1.70E-02	4.3E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.71E-09	1.0E+06	5.7E-03
114	0.2686	1.70E-02	4.6E-03	3.46E-04	1.58E-06	2.47E-02	1.57E-01	6.11E-09	1.0E+06	6.1E-03
115	0.28686	1.70E-02	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.53E-09	1.0E+06	6.5E-03
116	0.30627	1.70E-02	5.2E-03	3.46E-04	1.80E-06	2.47E-02	1.57E-01	6.97E-09	1.0E+06	7.0E-03
117	0.32686	1.70E-02	5.5E-03	3.46E-04	1.92E-06	2.47E-02	1.57E-01	7.44E-09	1.0E+06	7.4E-03
118	0.33858	1.70E-02	5.7E-03	3.46E-04	1.99E-06	2.47E-02	1.57E-01	7.71E-09	1.0E+06	7.7E-03
119	0.36311	1.70E-02	6.2E-03	3.46E-04	2.13E-06	2.47E-02	1.57E-01	8.26E-09	1.0E+06	8.3E-03
120	0.38851	1.70E-02	6.6E-03	3.46E-04	2.28E-06	2.47E-02	1.57E-01	8.84E-09	1.0E+06	8.8E-03
121	0.4178	1.70E-02	7.1E-03	3.46E-04	2.45E-06	2.47E-02	1.57E-01	9.51E-09	1.0E+06	9.5E-03
122	0.19578	1.70E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.46E-09	1.0E+06	4.5E-03
123	0.21204	1.70E-02	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
124	0.23086	1.70E-02	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.25E-09	1.0E+06	5.3E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	1.70E-02	4.2E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.69E-09	1.0E+06	5.7E-03
126	0.27035	1.70E-02	4.6E-03	3.46E-04	1.59E-06	2.47E-02	1.57E-01	6.15E-09	1.0E+06	6.2E-03
127	0.29177	1.70E-02	5.0E-03	3.46E-04	1.71E-06	2.47E-02	1.57E-01	6.64E-09	1.0E+06	6.6E-03
128	0.30724	1.70E-02	5.2E-03	3.46E-04	1.80E-06	2.47E-02	1.57E-01	6.99E-09	1.0E+06	7.0E-03
129	0.33259	1.70E-02	5.6E-03	3.46E-04	1.95E-06	2.47E-02	1.57E-01	7.57E-09	1.0E+06	7.6E-03
130	0.36682	1.70E-02	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.35E-09	1.0E+06	8.3E-03
131	1.11688	1.70E-02	1.9E-02	3.46E-04	6.56E-06	2.47E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
132	1.15875	1.70E-02	2.0E-02	3.46E-04	6.81E-06	2.47E-02	1.57E-01	2.64E-08	1.0E+06	2.6E-02
133	0.19656	1.70E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
134	0.21704	1.70E-02	3.7E-03	3.46E-04	1.27E-06	2.47E-02	1.57E-01	4.94E-09	1.0E+06	4.9E-03
135	0.23863	1.70E-02	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
136	0.26108	1.70E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
137	0.28567	1.70E-02	4.8E-03	3.46E-04	1.68E-06	2.47E-02	1.57E-01	6.50E-09	1.0E+06	6.5E-03
138	0.31112	1.70E-02	5.3E-03	3.46E-04	1.83E-06	2.47E-02	1.57E-01	7.08E-09	1.0E+06	7.1E-03
139	0.33575	1.70E-02	5.7E-03	3.46E-04	1.97E-06	2.47E-02	1.57E-01	7.64E-09	1.0E+06	7.6E-03
140	0.37628	1.70E-02	6.4E-03	3.46E-04	2.21E-06	2.47E-02	1.57E-01	8.56E-09	1.0E+06	8.6E-03
141	0.41535	1.70E-02	7.0E-03	3.46E-04	2.44E-06	2.47E-02	1.57E-01	9.45E-09	1.0E+06	9.5E-03
142	0.45747	1.70E-02	7.8E-03	3.46E-04	2.69E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
143	0.5063	1.70E-02	8.6E-03	3.46E-04	2.97E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
144	0.56507	1.70E-02	9.6E-03	3.46E-04	3.32E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
145	0.62491	1.70E-02	1.1E-02	3.46E-04	3.67E-06	2.47E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
146	1.50759	1.70E-02	2.6E-02	3.46E-04	8.86E-06	2.47E-02	1.57E-01	3.43E-08	1.0E+06	3.4E-02
147	0.1931	1.70E-02	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.40E-09	1.0E+06	4.4E-03
148	0.21437	1.70E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
149	0.23858	1.70E-02	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
150	0.26418	1.70E-02	4.5E-03	3.46E-04	1.55E-06	2.47E-02	1.57E-01	6.01E-09	1.0E+06	6.0E-03
151	0.29392	1.70E-02	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.69E-09	1.0E+06	6.7E-03
152	0.32394	1.70E-02	5.5E-03	3.46E-04	1.90E-06	2.47E-02	1.57E-01	7.37E-09	1.0E+06	7.4E-03
153	0.3577	1.70E-02	6.1E-03	3.46E-04	2.10E-06	2.47E-02	1.57E-01	8.14E-09	1.0E+06	8.1E-03
154	0.39941	1.70E-02	6.8E-03	3.46E-04	2.35E-06	2.47E-02	1.57E-01	9.09E-09	1.0E+06	9.1E-03
155	0.44952	1.70E-02	7.6E-03	3.46E-04	2.64E-06	2.47E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	1.70E-02	8.6E-03	3.46E-04	2.97E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
157	0.56864	1.70E-02	9.6E-03	3.46E-04	3.34E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
158	0.63716	1.70E-02	1.1E-02	3.46E-04	3.74E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
159	0.74488	1.70E-02	1.3E-02	3.46E-04	4.38E-06	2.47E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
160	0.18782	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.27E-09	1.0E+06	4.3E-03
161	0.20685	1.70E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
162	0.22653	1.70E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
163	0.25651	1.70E-02	4.4E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.84E-09	1.0E+06	5.8E-03
164	0.29246	1.70E-02	5.0E-03	3.46E-04	1.72E-06	2.47E-02	1.57E-01	6.66E-09	1.0E+06	6.7E-03
165	0.32725	1.70E-02	5.6E-03	3.46E-04	1.92E-06	2.47E-02	1.57E-01	7.45E-09	1.0E+06	7.4E-03
166	0.36919	1.70E-02	6.3E-03	3.46E-04	2.17E-06	2.47E-02	1.57E-01	8.40E-09	1.0E+06	8.4E-03
167	0.41887	1.70E-02	7.1E-03	3.46E-04	2.46E-06	2.47E-02	1.57E-01	9.53E-09	1.0E+06	9.5E-03
168	0.47877	1.70E-02	8.1E-03	3.46E-04	2.81E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
169	0.55074	1.70E-02	9.3E-03	3.46E-04	3.24E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
170	0.63634	1.70E-02	1.1E-02	3.46E-04	3.74E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
171	0.73945	1.70E-02	1.3E-02	3.46E-04	4.34E-06	2.47E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
172	0.87948	1.70E-02	1.5E-02	3.46E-04	5.17E-06	2.47E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
173	1.06486	1.70E-02	1.8E-02	3.46E-04	6.26E-06	2.47E-02	1.57E-01	2.42E-08	1.0E+06	2.4E-02
174	1.31351	1.70E-02	2.2E-02	3.46E-04	7.72E-06	2.47E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
175	1.6474	1.70E-02	2.8E-02	3.46E-04	9.68E-06	2.47E-02	1.57E-01	3.75E-08	1.0E+06	3.7E-02
176	2.19565	1.70E-02	3.7E-02	3.46E-04	1.29E-05	2.47E-02	1.57E-01	5.00E-08	1.0E+06	5.0E-02
177	2.85894	1.70E-02	4.9E-02	3.46E-04	1.68E-05	2.47E-02	1.57E-01	6.51E-08	1.0E+06	6.5E-02
178	3.59716	1.70E-02	6.1E-02	3.46E-04	2.11E-05	2.47E-02	1.57E-01	8.19E-08	1.0E+06	8.2E-02
179	0.17443	1.70E-02	3.0E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.97E-09	1.0E+06	4.0E-03
180	0.19117	1.70E-02	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.35E-09	1.0E+06	4.4E-03
181	0.20765	1.70E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
182	0.24097	1.70E-02	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.48E-09	1.0E+06	5.5E-03
183	0.28383	1.70E-02	4.8E-03	3.46E-04	1.67E-06	2.47E-02	1.57E-01	6.46E-09	1.0E+06	6.5E-03
184	0.32178	1.70E-02	5.5E-03	3.46E-04	1.89E-06	2.47E-02	1.57E-01	7.32E-09	1.0E+06	7.3E-03
185	0.36853	1.70E-02	6.3E-03	3.46E-04	2.16E-06	2.47E-02	1.57E-01	8.39E-09	1.0E+06	8.4E-03
186	0.42331	1.70E-02	7.2E-03	3.46E-04	2.49E-06	2.47E-02	1.57E-01	9.63E-09	1.0E+06	9.6E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	1.70E-02	8.3E-03	3.46E-04	2.87E-06	2.47E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
188	0.57244	1.70E-02	9.7E-03	3.46E-04	3.36E-06	2.47E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
189	0.67537	1.70E-02	1.1E-02	3.46E-04	3.97E-06	2.47E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
190	0.80933	1.70E-02	1.4E-02	3.46E-04	4.75E-06	2.47E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
191	0.98328	1.70E-02	1.7E-02	3.46E-04	5.78E-06	2.47E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
192	1.23304	1.70E-02	2.1E-02	3.46E-04	7.24E-06	2.47E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
193	1.58271	1.70E-02	2.7E-02	3.46E-04	9.30E-06	2.47E-02	1.57E-01	3.60E-08	1.0E+06	3.6E-02
194	2.13464	1.70E-02	3.6E-02	3.46E-04	1.25E-05	2.47E-02	1.57E-01	4.86E-08	1.0E+06	4.9E-02
195	3.0975	1.70E-02	5.3E-02	3.46E-04	1.82E-05	2.47E-02	1.57E-01	7.05E-08	1.0E+06	7.1E-02
196	4.69284	1.70E-02	8.0E-02	3.46E-04	2.76E-05	2.47E-02	1.57E-01	1.07E-07	1.0E+06	1.1E-01
197	6.88357	1.70E-02	1.2E-01	3.46E-04	4.04E-05	2.47E-02	1.57E-01	1.57E-07	1.0E+06	1.6E-01
198	0.16286	1.70E-02	2.8E-03	3.46E-04	9.57E-07	2.47E-02	1.57E-01	3.71E-09	1.0E+06	3.7E-03
199	0.1793	1.70E-02	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.08E-09	1.0E+06	4.1E-03
200	0.19824	1.70E-02	3.4E-03	3.46E-04	1.16E-06	2.47E-02	1.57E-01	4.51E-09	1.0E+06	4.5E-03
201	0.22447	1.70E-02	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
202	0.26663	1.70E-02	4.5E-03	3.46E-04	1.57E-06	2.47E-02	1.57E-01	6.07E-09	1.0E+06	6.1E-03
203	0.30715	1.70E-02	5.2E-03	3.46E-04	1.80E-06	2.47E-02	1.57E-01	6.99E-09	1.0E+06	7.0E-03
204	0.35579	1.70E-02	6.0E-03	3.46E-04	2.09E-06	2.47E-02	1.57E-01	8.10E-09	1.0E+06	8.1E-03
205	0.41191	1.70E-02	7.0E-03	3.46E-04	2.42E-06	2.47E-02	1.57E-01	9.38E-09	1.0E+06	9.4E-03
206	0.48026	1.70E-02	8.1E-03	3.46E-04	2.82E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
207	0.56684	1.70E-02	9.6E-03	3.46E-04	3.33E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
208	0.67745	1.70E-02	1.1E-02	3.46E-04	3.98E-06	2.47E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
209	0.82589	1.70E-02	1.4E-02	3.46E-04	4.85E-06	2.47E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
210	1.02976	1.70E-02	1.7E-02	3.46E-04	6.05E-06	2.47E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
211	1.32605	1.70E-02	2.3E-02	3.46E-04	7.79E-06	2.47E-02	1.57E-01	3.02E-08	1.0E+06	3.0E-02
212	1.76927	1.70E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.03E-08	1.0E+06	4.0E-02
213	2.46994	1.70E-02	4.2E-02	3.46E-04	1.45E-05	2.47E-02	1.57E-01	5.62E-08	1.0E+06	5.6E-02
214	3.63615	1.70E-02	6.2E-02	3.46E-04	2.14E-05	2.47E-02	1.57E-01	8.28E-08	1.0E+06	8.3E-02
215	7.55748	1.70E-02	1.3E-01	3.46E-04	4.44E-05	2.47E-02	1.57E-01	1.72E-07	1.0E+06	1.7E-01
216	0.15431	1.70E-02	2.6E-03	3.46E-04	9.06E-07	2.47E-02	1.57E-01	3.51E-09	1.0E+06	3.5E-03
217	0.16879	1.70E-02	2.9E-03	3.46E-04	9.92E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.26E-09	1.0E+06	4.3E-03
219	0.21079	1.70E-02	3.6E-03	3.46E-04	1.24E-06	2.47E-02	1.57E-01	4.80E-09	1.0E+06	4.8E-03
220	0.24803	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.65E-09	1.0E+06	5.6E-03
221	0.28481	1.70E-02	4.8E-03	3.46E-04	1.67E-06	2.47E-02	1.57E-01	6.48E-09	1.0E+06	6.5E-03
222	0.33289	1.70E-02	5.6E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.58E-09	1.0E+06	7.6E-03
223	0.3875	1.70E-02	6.6E-03	3.46E-04	2.28E-06	2.47E-02	1.57E-01	8.82E-09	1.0E+06	8.8E-03
224	0.45352	1.70E-02	7.7E-03	3.46E-04	2.66E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
225	0.53452	1.70E-02	9.1E-03	3.46E-04	3.14E-06	2.47E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
226	0.64348	1.70E-02	1.1E-02	3.46E-04	3.78E-06	2.47E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
227	0.7871	1.70E-02	1.3E-02	3.46E-04	4.62E-06	2.47E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
228	0.98789	1.70E-02	1.7E-02	3.46E-04	5.80E-06	2.47E-02	1.57E-01	2.25E-08	1.0E+06	2.2E-02
229	1.28832	1.70E-02	2.2E-02	3.46E-04	7.57E-06	2.47E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
230	1.75514	1.70E-02	3.0E-02	3.46E-04	1.03E-05	2.47E-02	1.57E-01	3.99E-08	1.0E+06	4.0E-02
231	2.58583	1.70E-02	4.4E-02	3.46E-04	1.52E-05	2.47E-02	1.57E-01	5.89E-08	1.0E+06	5.9E-02
232	4.28751	1.70E-02	7.3E-02	3.46E-04	2.52E-05	2.47E-02	1.57E-01	9.76E-08	1.0E+06	9.8E-02
233	10.76445	1.70E-02	1.8E-01	3.46E-04	6.32E-05	2.47E-02	1.57E-01	2.45E-07	1.0E+06	2.5E-01
234	0.14796	1.70E-02	2.5E-03	3.46E-04	8.69E-07	2.47E-02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
235	0.16076	1.70E-02	2.7E-03	3.46E-04	9.44E-07	2.47E-02	1.57E-01	3.66E-09	1.0E+06	3.7E-03
236	0.17816	1.70E-02	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
237	0.20142	1.70E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.58E-09	1.0E+06	4.6E-03
238	0.2321	1.70E-02	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.28E-09	1.0E+06	5.3E-03
239	0.26575	1.70E-02	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.05E-09	1.0E+06	6.0E-03
240	0.30828	1.70E-02	5.2E-03	3.46E-04	1.81E-06	2.47E-02	1.57E-01	7.02E-09	1.0E+06	7.0E-03
241	0.35891	1.70E-02	6.1E-03	3.46E-04	2.11E-06	2.47E-02	1.57E-01	8.17E-09	1.0E+06	8.2E-03
242	0.4204	1.70E-02	7.1E-03	3.46E-04	2.47E-06	2.47E-02	1.57E-01	9.57E-09	1.0E+06	9.6E-03
243	0.49614	1.70E-02	8.4E-03	3.46E-04	2.91E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
244	0.59817	1.70E-02	1.0E-02	3.46E-04	3.51E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
245	0.7334	1.70E-02	1.2E-02	3.46E-04	4.31E-06	2.47E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
246	0.92041	1.70E-02	1.6E-02	3.46E-04	5.41E-06	2.47E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
247	1.19215	1.70E-02	2.0E-02	3.46E-04	7.00E-06	2.47E-02	1.57E-01	2.71E-08	1.0E+06	2.7E-02
248	1.61854	1.70E-02	2.7E-02	3.46E-04	9.51E-06	2.47E-02	1.57E-01	3.68E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	1.70E-02	4.0E-02	3.46E-04	1.38E-05	2.47E-02	1.57E-01	5.36E-08	1.0E+06	5.4E-02
250	3.88245	1.70E-02	6.6E-02	3.46E-04	2.28E-05	2.47E-02	1.57E-01	8.84E-08	1.0E+06	8.8E-02
251	9.548	1.70E-02	1.6E-01	3.46E-04	5.61E-05	2.47E-02	1.57E-01	2.17E-07	1.0E+06	2.2E-01
252	0.14244	1.70E-02	2.4E-03	3.46E-04	8.37E-07	2.47E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
253	0.15391	1.70E-02	2.6E-03	3.46E-04	9.04E-07	2.47E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03
254	0.16905	1.70E-02	2.9E-03	3.46E-04	9.93E-07	2.47E-02	1.57E-01	3.85E-09	1.0E+06	3.8E-03
255	0.1882	1.70E-02	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.28E-09	1.0E+06	4.3E-03
256	0.22038	1.70E-02	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	5.02E-09	1.0E+06	5.0E-03
257	0.24395	1.70E-02	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.55E-09	1.0E+06	5.6E-03
258	0.27703	1.70E-02	4.7E-03	3.46E-04	1.63E-06	2.47E-02	1.57E-01	6.31E-09	1.0E+06	6.3E-03
259	0.31726	1.70E-02	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.22E-09	1.0E+06	7.2E-03
260	0.37532	1.70E-02	6.4E-03	3.46E-04	2.20E-06	2.47E-02	1.57E-01	8.54E-09	1.0E+06	8.5E-03
261	0.45282	1.70E-02	7.7E-03	3.46E-04	2.66E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
262	0.54991	1.70E-02	9.3E-03	3.46E-04	3.23E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
263	0.6689	1.70E-02	1.1E-02	3.46E-04	3.93E-06	2.47E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
264	0.83769	1.70E-02	1.4E-02	3.46E-04	4.92E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
265	1.069	1.70E-02	1.8E-02	3.46E-04	6.28E-06	2.47E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
266	1.42172	1.70E-02	2.4E-02	3.46E-04	8.35E-06	2.47E-02	1.57E-01	3.24E-08	1.0E+06	3.2E-02
267	1.98481	1.70E-02	3.4E-02	3.46E-04	1.17E-05	2.47E-02	1.57E-01	4.52E-08	1.0E+06	4.5E-02
268	3.00508	1.70E-02	5.1E-02	3.46E-04	1.77E-05	2.47E-02	1.57E-01	6.84E-08	1.0E+06	6.8E-02
269	6.11415	1.70E-02	1.0E-01	3.46E-04	3.59E-05	2.47E-02	1.57E-01	1.39E-07	1.0E+06	1.4E-01
270	0.13852	1.70E-02	2.4E-03	3.46E-04	8.14E-07	2.47E-02	1.57E-01	3.15E-09	1.0E+06	3.2E-03
271	0.15026	1.70E-02	2.5E-03	3.46E-04	8.83E-07	2.47E-02	1.57E-01	3.42E-09	1.0E+06	3.4E-03
272	0.16484	1.70E-02	2.8E-03	3.46E-04	9.68E-07	2.47E-02	1.57E-01	3.75E-09	1.0E+06	3.8E-03
273	0.18199	1.70E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
274	0.21436	1.70E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
275	0.24454	1.70E-02	4.1E-03	3.46E-04	1.44E-06	2.47E-02	1.57E-01	5.57E-09	1.0E+06	5.6E-03
276	0.26087	1.70E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
277	0.29564	1.70E-02	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.73E-09	1.0E+06	6.7E-03
278	0.34216	1.70E-02	5.8E-03	3.46E-04	2.01E-06	2.47E-02	1.57E-01	7.79E-09	1.0E+06	7.8E-03
279	0.40447	1.70E-02	6.9E-03	3.46E-04	2.38E-06	2.47E-02	1.57E-01	9.21E-09	1.0E+06	9.2E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	1.70E-02	8.4E-03	3.46E-04	2.91E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
281	0.61075	1.70E-02	1.0E-02	3.46E-04	3.59E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
282	0.76016	1.70E-02	1.3E-02	3.46E-04	4.47E-06	2.47E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
283	0.9592	1.70E-02	1.6E-02	3.46E-04	5.63E-06	2.47E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
284	1.23907	1.70E-02	2.1E-02	3.46E-04	7.28E-06	2.47E-02	1.57E-01	2.82E-08	1.0E+06	2.8E-02
285	1.6354	1.70E-02	2.8E-02	3.46E-04	9.61E-06	2.47E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
286	2.29875	1.70E-02	3.9E-02	3.46E-04	1.35E-05	2.47E-02	1.57E-01	5.23E-08	1.0E+06	5.2E-02
287	4.0984	1.70E-02	7.0E-02	3.46E-04	2.41E-05	2.47E-02	1.57E-01	9.33E-08	1.0E+06	9.3E-02
288	0.13632	1.70E-02	2.3E-03	3.46E-04	8.01E-07	2.47E-02	1.57E-01	3.10E-09	1.0E+06	3.1E-03
289	0.14679	1.70E-02	2.5E-03	3.46E-04	8.62E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
290	0.16392	1.70E-02	2.8E-03	3.46E-04	9.63E-07	2.47E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
291	0.1821	1.70E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
292	0.22152	1.70E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.04E-09	1.0E+06	5.0E-03
293	0.241	1.70E-02	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.49E-09	1.0E+06	5.5E-03
294	0.24821	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.65E-09	1.0E+06	5.6E-03
295	0.28165	1.70E-02	4.8E-03	3.46E-04	1.65E-06	2.47E-02	1.57E-01	6.41E-09	1.0E+06	6.4E-03
296	0.32446	1.70E-02	5.5E-03	3.46E-04	1.91E-06	2.47E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
297	0.37299	1.70E-02	6.3E-03	3.46E-04	2.19E-06	2.47E-02	1.57E-01	8.49E-09	1.0E+06	8.5E-03
298	0.44378	1.70E-02	7.5E-03	3.46E-04	2.61E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
299	0.54938	1.70E-02	9.3E-03	3.46E-04	3.23E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
300	0.67014	1.70E-02	1.1E-02	3.46E-04	3.94E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
301	0.83889	1.70E-02	1.4E-02	3.46E-04	4.93E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
302	1.05754	1.70E-02	1.8E-02	3.46E-04	6.21E-06	2.47E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
303	1.36095	1.70E-02	2.3E-02	3.46E-04	7.99E-06	2.47E-02	1.57E-01	3.10E-08	1.0E+06	3.1E-02
304	1.82968	1.70E-02	3.1E-02	3.46E-04	1.07E-05	2.47E-02	1.57E-01	4.16E-08	1.0E+06	4.2E-02
305	2.94941	1.70E-02	5.0E-02	3.46E-04	1.73E-05	2.47E-02	1.57E-01	6.71E-08	1.0E+06	6.7E-02
306	0.14102	1.70E-02	2.4E-03	3.46E-04	8.28E-07	2.47E-02	1.57E-01	3.21E-09	1.0E+06	3.2E-03
307	0.14805	1.70E-02	2.5E-03	3.46E-04	8.70E-07	2.47E-02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
308	0.16104	1.70E-02	2.7E-03	3.46E-04	9.46E-07	2.47E-02	1.57E-01	3.67E-09	1.0E+06	3.7E-03
309	0.1881	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.28E-09	1.0E+06	4.3E-03
310	0.21623	1.70E-02	3.7E-03	3.46E-04	1.27E-06	2.47E-02	1.57E-01	4.92E-09	1.0E+06	4.9E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	1.70E-02	4.0E-03	3.46E-04	1.37E-06	2.47E-02	1.57E-01	5.32E-09	1.0E+06	5.3E-03
312	0.23582	1.70E-02	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.37E-09	1.0E+06	5.4E-03
313	0.2662	1.70E-02	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.06E-09	1.0E+06	6.1E-03
314	0.30482	1.70E-02	5.2E-03	3.46E-04	1.79E-06	2.47E-02	1.57E-01	6.94E-09	1.0E+06	6.9E-03
315	0.36238	1.70E-02	6.1E-03	3.46E-04	2.13E-06	2.47E-02	1.57E-01	8.25E-09	1.0E+06	8.2E-03
316	0.41173	1.70E-02	7.0E-03	3.46E-04	2.42E-06	2.47E-02	1.57E-01	9.37E-09	1.0E+06	9.4E-03
317	0.48329	1.70E-02	8.2E-03	3.46E-04	2.84E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
318	0.58024	1.70E-02	9.8E-03	3.46E-04	3.41E-06	2.47E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
319	0.71842	1.70E-02	1.2E-02	3.46E-04	4.22E-06	2.47E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
320	0.91725	1.70E-02	1.6E-02	3.46E-04	5.39E-06	2.47E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
321	1.14351	1.70E-02	1.9E-02	3.46E-04	6.72E-06	2.47E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
322	1.47884	1.70E-02	2.5E-02	3.46E-04	8.69E-06	2.47E-02	1.57E-01	3.37E-08	1.0E+06	3.4E-02
323	2.2049	1.70E-02	3.7E-02	3.46E-04	1.30E-05	2.47E-02	1.57E-01	5.02E-08	1.0E+06	5.0E-02
324	0.13829	1.70E-02	2.3E-03	3.46E-04	8.12E-07	2.47E-02	1.57E-01	3.15E-09	1.0E+06	3.1E-03
325	0.15341	1.70E-02	2.6E-03	3.46E-04	9.01E-07	2.47E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
326	0.16525	1.70E-02	2.8E-03	3.46E-04	9.71E-07	2.47E-02	1.57E-01	3.76E-09	1.0E+06	3.8E-03
327	0.17597	1.70E-02	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
328	0.21285	1.70E-02	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.84E-09	1.0E+06	4.8E-03
329	0.22617	1.70E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.15E-09	1.0E+06	5.1E-03
330	0.229	1.70E-02	3.9E-03	3.46E-04	1.35E-06	2.47E-02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
331	0.25812	1.70E-02	4.4E-03	3.46E-04	1.52E-06	2.47E-02	1.57E-01	5.88E-09	1.0E+06	5.9E-03
332	0.29444	1.70E-02	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.70E-09	1.0E+06	6.7E-03
333	0.34735	1.70E-02	5.9E-03	3.46E-04	2.04E-06	2.47E-02	1.57E-01	7.91E-09	1.0E+06	7.9E-03
334	0.39929	1.70E-02	6.8E-03	3.46E-04	2.35E-06	2.47E-02	1.57E-01	9.09E-09	1.0E+06	9.1E-03
335	0.46251	1.70E-02	7.8E-03	3.46E-04	2.72E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
336	1.34926	1.70E-02	2.3E-02	3.46E-04	7.93E-06	2.47E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
337	1.42098	1.70E-02	2.4E-02	3.46E-04	8.35E-06	2.47E-02	1.57E-01	3.23E-08	1.0E+06	3.2E-02
338	0.15741	1.70E-02	2.7E-03	3.46E-04	9.25E-07	2.47E-02	1.57E-01	3.58E-09	1.0E+06	3.6E-03
339	0.16826	1.70E-02	2.9E-03	3.46E-04	9.88E-07	2.47E-02	1.57E-01	3.83E-09	1.0E+06	3.8E-03
340	0.19168	1.70E-02	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.36E-09	1.0E+06	4.4E-03
341	0.20395	1.70E-02	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.64E-09	1.0E+06	4.6E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	1.70E-02	3.6E-03	3.46E-04	1.24E-06	2.47E-02	1.57E-01	4.80E-09	1.0E+06	4.8E-03
343	0.22111	1.70E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.03E-09	1.0E+06	5.0E-03
344	0.22429	1.70E-02	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
345	0.22606	1.70E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.15E-09	1.0E+06	5.1E-03
346	0.22606	1.70E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.15E-09	1.0E+06	5.1E-03
347	0.17036	1.70E-02	2.9E-03	3.46E-04	1.00E-06	2.47E-02	1.57E-01	3.88E-09	1.0E+06	3.9E-03
348	0.18661	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.25E-09	1.0E+06	4.2E-03
349	0.21873	1.70E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
350	0.22806	1.70E-02	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.19E-09	1.0E+06	5.2E-03
351	0.23577	1.70E-02	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.37E-09	1.0E+06	5.4E-03
352	0.24893	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.67E-09	1.0E+06	5.7E-03
353	0.25277	1.70E-02	4.3E-03	3.46E-04	1.48E-06	2.47E-02	1.57E-01	5.75E-09	1.0E+06	5.8E-03
354	0.25385	1.70E-02	4.3E-03	3.46E-04	1.49E-06	2.47E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
355	0.25415	1.70E-02	4.3E-03	3.46E-04	1.49E-06	2.47E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
356	0.18604	1.70E-02	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
357	0.20039	1.70E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.56E-09	1.0E+06	4.6E-03
358	0.21891	1.70E-02	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
359	0.24942	1.70E-02	4.2E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.68E-09	1.0E+06	5.7E-03
360	0.26595	1.70E-02	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.05E-09	1.0E+06	6.1E-03
361	0.28268	1.70E-02	4.8E-03	3.46E-04	1.66E-06	2.47E-02	1.57E-01	6.43E-09	1.0E+06	6.4E-03
362	0.28748	1.70E-02	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.54E-09	1.0E+06	6.5E-03
363	0.28847	1.70E-02	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.57E-09	1.0E+06	6.6E-03
364	0.20678	1.70E-02	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
365	0.21895	1.70E-02	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
366	0.24185	1.70E-02	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.50E-09	1.0E+06	5.5E-03
367	0.28223	1.70E-02	4.8E-03	3.46E-04	1.66E-06	2.47E-02	1.57E-01	6.42E-09	1.0E+06	6.4E-03
368	0.30287	1.70E-02	5.1E-03	3.46E-04	1.78E-06	2.47E-02	1.57E-01	6.89E-09	1.0E+06	6.9E-03
369	0.32466	1.70E-02	5.5E-03	3.46E-04	1.91E-06	2.47E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
370	0.33362	1.70E-02	5.7E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.59E-09	1.0E+06	7.6E-03
371	0.33293	1.70E-02	5.6E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.58E-09	1.0E+06	7.6E-03
372	0.23425	1.70E-02	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.33E-09	1.0E+06	5.3E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.64E-09	1.0E+06	5.6E-03
374	0.2758	1.70E-02	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
375	0.3231	1.70E-02	5.5E-03	3.46E-04	1.90E-06	2.47E-02	1.57E-01	7.35E-09	1.0E+06	7.4E-03
376	0.34946	1.70E-02	5.9E-03	3.46E-04	2.05E-06	2.47E-02	1.57E-01	7.95E-09	1.0E+06	8.0E-03
377	0.36592	1.70E-02	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.33E-09	1.0E+06	8.3E-03
378	0.37782	1.70E-02	6.4E-03	3.46E-04	2.22E-06	2.47E-02	1.57E-01	8.60E-09	1.0E+06	8.6E-03
379	0.38907	1.70E-02	6.6E-03	3.46E-04	2.29E-06	2.47E-02	1.57E-01	8.86E-09	1.0E+06	8.9E-03
380	0.389	1.70E-02	6.6E-03	3.46E-04	2.29E-06	2.47E-02	1.57E-01	8.85E-09	1.0E+06	8.9E-03
381	0.38496	1.70E-02	6.5E-03	3.46E-04	2.26E-06	2.47E-02	1.57E-01	8.76E-09	1.0E+06	8.8E-03
382	0.27352	1.70E-02	4.6E-03	3.46E-04	1.61E-06	2.47E-02	1.57E-01	6.23E-09	1.0E+06	6.2E-03
383	0.29685	1.70E-02	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.76E-09	1.0E+06	6.8E-03
384	0.32129	1.70E-02	5.5E-03	3.46E-04	1.89E-06	2.47E-02	1.57E-01	7.31E-09	1.0E+06	7.3E-03
385	0.3848	1.70E-02	6.5E-03	3.46E-04	2.26E-06	2.47E-02	1.57E-01	8.76E-09	1.0E+06	8.8E-03
386	0.40823	1.70E-02	6.9E-03	3.46E-04	2.40E-06	2.47E-02	1.57E-01	9.29E-09	1.0E+06	9.3E-03
387	0.43009	1.70E-02	7.3E-03	3.46E-04	2.53E-06	2.47E-02	1.57E-01	9.79E-09	1.0E+06	9.8E-03
388	0.44587	1.70E-02	7.6E-03	3.46E-04	2.62E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
389	0.46018	1.70E-02	7.8E-03	3.46E-04	2.70E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
390	0.45888	1.70E-02	7.8E-03	3.46E-04	2.70E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
391	0.45337	1.70E-02	7.7E-03	3.46E-04	2.66E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
392	0.43787	1.70E-02	7.4E-03	3.46E-04	2.57E-06	2.47E-02	1.57E-01	9.97E-09	1.0E+06	1.0E-02
393	0.32603	1.70E-02	5.5E-03	3.46E-04	1.92E-06	2.47E-02	1.57E-01	7.42E-09	1.0E+06	7.4E-03
394	0.38853	1.70E-02	6.6E-03	3.46E-04	2.28E-06	2.47E-02	1.57E-01	8.84E-09	1.0E+06	8.8E-03
395	0.43296	1.70E-02	7.3E-03	3.46E-04	2.54E-06	2.47E-02	1.57E-01	9.85E-09	1.0E+06	9.9E-03
396	0.4654	1.70E-02	7.9E-03	3.46E-04	2.73E-06	2.47E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
397	0.4979	1.70E-02	8.4E-03	3.46E-04	2.92E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
398	0.51462	1.70E-02	8.7E-03	3.46E-04	3.02E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
399	0.52048	1.70E-02	8.8E-03	3.46E-04	3.06E-06	2.47E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
400	0.55457	1.70E-02	9.4E-03	3.46E-04	3.26E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
401	0.55208	1.70E-02	9.4E-03	3.46E-04	3.24E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
402	0.51974	1.70E-02	8.8E-03	3.46E-04	3.05E-06	2.47E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
403	0.67545	1.70E-02	1.1E-02	3.46E-04	3.97E-06	2.47E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	1.70E-02	1.1E-02	3.46E-04	3.73E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
405	0.59648	1.70E-02	1.0E-02	3.46E-04	3.50E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
406	0.8541	1.70E-02	1.4E-02	3.46E-04	5.02E-06	2.47E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
407	0.72119	1.70E-02	1.2E-02	3.46E-04	4.24E-06	2.47E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
408	1.11899	1.70E-02	1.9E-02	3.46E-04	6.57E-06	2.47E-02	1.57E-01	2.55E-08	1.0E+06	2.5E-02
409	0.88286	1.70E-02	1.5E-02	3.46E-04	5.19E-06	2.47E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
410	1.53458	1.70E-02	2.6E-02	3.46E-04	9.01E-06	2.47E-02	1.57E-01	3.49E-08	1.0E+06	3.5E-02
411	1.24788	1.70E-02	2.1E-02	3.46E-04	7.33E-06	2.47E-02	1.57E-01	2.84E-08	1.0E+06	2.8E-02
412	1.10769	1.70E-02	1.9E-02	3.46E-04	6.51E-06	2.47E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
413	2.24007	1.70E-02	3.8E-02	3.46E-04	1.32E-05	2.47E-02	1.57E-01	5.10E-08	1.0E+06	5.1E-02
414	1.85905	1.70E-02	3.2E-02	3.46E-04	1.09E-05	2.47E-02	1.57E-01	4.23E-08	1.0E+06	4.2E-02
415	1.59815	1.70E-02	2.7E-02	3.46E-04	9.39E-06	2.47E-02	1.57E-01	3.64E-08	1.0E+06	3.6E-02
416	1.34652	1.70E-02	2.3E-02	3.46E-04	7.91E-06	2.47E-02	1.57E-01	3.06E-08	1.0E+06	3.1E-02
417	3.57218	1.70E-02	6.1E-02	3.46E-04	2.10E-05	2.47E-02	1.57E-01	8.13E-08	1.0E+06	8.1E-02
418	2.01893	1.70E-02	3.4E-02	3.46E-04	1.19E-05	2.47E-02	1.57E-01	4.60E-08	1.0E+06	4.6E-02
419	1.58987	1.70E-02	2.7E-02	3.46E-04	9.34E-06	2.47E-02	1.57E-01	3.62E-08	1.0E+06	3.6E-02
420	1.2521	1.70E-02	2.1E-02	3.46E-04	7.36E-06	2.47E-02	1.57E-01	2.85E-08	1.0E+06	2.8E-02
421	6.42312	1.70E-02	1.1E-01	3.46E-04	3.77E-05	2.47E-02	1.57E-01	1.46E-07	1.0E+06	1.5E-01
422	1.77737	1.70E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.05E-08	1.0E+06	4.0E-02
423	1.33662	1.70E-02	2.3E-02	3.46E-04	7.85E-06	2.47E-02	1.57E-01	3.04E-08	1.0E+06	3.0E-02
424	12.91388	1.70E-02	2.2E-01	3.46E-04	7.59E-05	2.47E-02	1.57E-01	2.94E-07	1.0E+06	2.9E-01
425	1.34203	1.70E-02	2.3E-02	3.46E-04	7.88E-06	2.47E-02	1.57E-01	3.05E-08	1.0E+06	3.1E-02
426	1.01676	1.70E-02	1.7E-02	3.46E-04	5.97E-06	2.47E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
427	22.75271	1.70E-02	3.9E-01	3.46E-04	1.34E-04	2.47E-02	1.57E-01	5.18E-07	1.0E+06	5.2E-01
428	1.27773	1.70E-02	2.2E-02	3.46E-04	7.51E-06	2.47E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
429	0.96908	1.70E-02	1.6E-02	3.46E-04	5.69E-06	2.47E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
430	21.09262	1.70E-02	3.6E-01	3.46E-04	1.24E-04	2.47E-02	1.57E-01	4.80E-07	1.0E+06	4.8E-01
431	0.90443	1.70E-02	1.5E-02	3.46E-04	5.31E-06	2.47E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
432	0.71229	1.70E-02	1.2E-02	3.46E-04	4.18E-06	2.47E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
433	13.11622	1.70E-02	2.2E-01	3.46E-04	7.70E-05	2.47E-02	1.57E-01	2.99E-07	1.0E+06	3.0E-01
434	0.83575	1.70E-02	1.4E-02	3.46E-04	4.91E-06	2.47E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	1.70E-02	1.1E-02	3.46E-04	3.94E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
436	8.0879	1.70E-02	1.4E-01	3.46E-04	4.75E-05	2.47E-02	1.57E-01	1.84E-07	1.0E+06	1.8E-01
437	0.97518	1.70E-02	1.7E-02	3.46E-04	5.73E-06	2.47E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
438	0.76912	1.70E-02	1.3E-02	3.46E-04	4.52E-06	2.47E-02	1.57E-01	1.75E-08	1.0E+06	1.8E-02
439	0.6239	1.70E-02	1.1E-02	3.46E-04	3.66E-06	2.47E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
440	5.21196	1.70E-02	8.8E-02	3.46E-04	3.06E-05	2.47E-02	1.57E-01	1.19E-07	1.0E+06	1.2E-01
441	1.57338	1.70E-02	2.7E-02	3.46E-04	9.24E-06	2.47E-02	1.57E-01	3.58E-08	1.0E+06	3.6E-02
442	1.14958	1.70E-02	2.0E-02	3.46E-04	6.75E-06	2.47E-02	1.57E-01	2.62E-08	1.0E+06	2.6E-02
443	0.88407	1.70E-02	1.5E-02	3.46E-04	5.19E-06	2.47E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
444	0.70507	1.70E-02	1.2E-02	3.46E-04	4.14E-06	2.47E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
445	3.55393	1.70E-02	6.0E-02	3.46E-04	2.09E-05	2.47E-02	1.57E-01	8.09E-08	1.0E+06	8.1E-02
446	1.95063	1.70E-02	3.3E-02	3.46E-04	1.15E-05	2.47E-02	1.57E-01	4.44E-08	1.0E+06	4.4E-02
447	1.38871	1.70E-02	2.4E-02	3.46E-04	8.16E-06	2.47E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
448	1.03194	1.70E-02	1.8E-02	3.46E-04	6.06E-06	2.47E-02	1.57E-01	2.35E-08	1.0E+06	2.3E-02
449	2.54704	1.70E-02	4.3E-02	3.46E-04	1.50E-05	2.47E-02	1.57E-01	5.80E-08	1.0E+06	5.8E-02
450	2.13244	1.70E-02	3.6E-02	3.46E-04	1.25E-05	2.47E-02	1.57E-01	4.85E-08	1.0E+06	4.9E-02
451	1.63606	1.70E-02	2.8E-02	3.46E-04	9.61E-06	2.47E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
452	1.90224	1.70E-02	3.2E-02	3.46E-04	1.12E-05	2.47E-02	1.57E-01	4.33E-08	1.0E+06	4.3E-02
453	1.68146	1.70E-02	2.9E-02	3.46E-04	9.88E-06	2.47E-02	1.57E-01	3.83E-08	1.0E+06	3.8E-02
454	0.45602	1.70E-02	7.7E-03	3.46E-04	2.68E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
455	0.39292	1.70E-02	6.7E-03	3.46E-04	2.31E-06	2.47E-02	1.57E-01	8.94E-09	1.0E+06	8.9E-03
456	1.46911	1.70E-02	2.5E-02	3.46E-04	8.63E-06	2.47E-02	1.57E-01	3.34E-08	1.0E+06	3.3E-02
457	1.34798	1.70E-02	2.3E-02	3.46E-04	7.92E-06	2.47E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
458	1.14854	1.70E-02	1.9E-02	3.46E-04	6.75E-06	2.47E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
459	0.60959	1.70E-02	1.0E-02	3.46E-04	3.58E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
460	0.50521	1.70E-02	8.6E-03	3.46E-04	2.97E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.1E-02
461	0.42667	1.70E-02	7.2E-03	3.46E-04	2.51E-06	2.47E-02	1.57E-01	9.71E-09	1.0E+06	9.7E-03
462	0.36664	1.70E-02	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.35E-09	1.0E+06	8.3E-03
463	1.56366	1.70E-02	2.7E-02	3.46E-04	9.19E-06	2.47E-02	1.57E-01	3.56E-08	1.0E+06	3.6E-02
464	1.67908	1.70E-02	2.8E-02	3.46E-04	9.86E-06	2.47E-02	1.57E-01	3.82E-08	1.0E+06	3.8E-02
465	2.37925	1.70E-02	4.0E-02	3.46E-04	1.40E-05	2.47E-02	1.57E-01	5.42E-08	1.0E+06	5.4E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	1.70E-02	4.9E-02	3.46E-04	1.71E-05	2.47E-02	1.57E-01	6.61E-08	1.0E+06	6.6E-02
467	4.03499	1.70E-02	6.8E-02	3.46E-04	2.37E-05	2.47E-02	1.57E-01	9.18E-08	1.0E+06	9.2E-02
468	8.35246	1.70E-02	1.4E-01	3.46E-04	4.91E-05	2.47E-02	1.57E-01	1.90E-07	1.0E+06	1.9E-01
469	28.13292	1.70E-02	4.8E-01	3.46E-04	1.65E-04	2.47E-02	1.57E-01	6.40E-07	1.0E+06	6.4E-01
470	20.35286	1.70E-02	3.5E-01	3.46E-04	1.20E-04	2.47E-02	1.57E-01	4.63E-07	1.0E+06	4.6E-01
471	34.54288	1.70E-02	5.9E-01	3.46E-04	2.03E-04	2.47E-02	1.57E-01	7.86E-07	1.0E+06	7.9E-01
472	27.90221	1.70E-02	4.7E-01	3.46E-04	1.64E-04	2.47E-02	1.57E-01	6.35E-07	1.0E+06	6.4E-01
473	29.67594	1.70E-02	5.0E-01	3.46E-04	1.74E-04	2.47E-02	1.57E-01	6.75E-07	1.0E+06	6.8E-01
474	13.04296	1.70E-02	2.2E-01	3.46E-04	7.66E-05	2.47E-02	1.57E-01	2.97E-07	1.0E+06	3.0E-01
475	22.08892	1.70E-02	3.7E-01	3.46E-04	1.30E-04	2.47E-02	1.57E-01	5.03E-07	1.0E+06	5.0E-01
476	6.99817	1.70E-02	1.2E-01	3.46E-04	4.11E-05	2.47E-02	1.57E-01	1.59E-07	1.0E+06	1.6E-01
477	9.76012	1.70E-02	1.7E-01	3.46E-04	5.73E-05	2.47E-02	1.57E-01	2.22E-07	1.0E+06	2.2E-01
478	4.29281	1.70E-02	7.3E-02	3.46E-04	2.52E-05	2.47E-02	1.57E-01	9.77E-08	1.0E+06	9.8E-02
479	5.44714	1.70E-02	9.2E-02	3.46E-04	3.20E-05	2.47E-02	1.57E-01	1.24E-07	1.0E+06	1.2E-01
480	5.4004	1.70E-02	9.2E-02	3.46E-04	3.17E-05	2.47E-02	1.57E-01	1.23E-07	1.0E+06	1.2E-01
481	2.88653	1.70E-02	4.9E-02	3.46E-04	1.70E-05	2.47E-02	1.57E-01	6.57E-08	1.0E+06	6.6E-02
482	3.54717	1.70E-02	6.0E-02	3.46E-04	2.08E-05	2.47E-02	1.57E-01	8.07E-08	1.0E+06	8.1E-02
483	2.40679	1.70E-02	4.1E-02	3.46E-04	1.41E-05	2.47E-02	1.57E-01	5.48E-08	1.0E+06	5.5E-02
484	2.49271	1.70E-02	4.2E-02	3.46E-04	1.46E-05	2.47E-02	1.57E-01	5.67E-08	1.0E+06	5.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.07258	4.83528E-06	3.5E-07	3.46E-04	1.21E-10	2.47E-02	1.57E-01	4.71E-13	1.0E+06	4.7E-07
2	2	0.07361	4.83528E-06	3.6E-07	3.46E-04	1.23E-10	2.47E-02	1.57E-01	4.77E-13	1.0E+06	4.8E-07
3	3	0.07465	4.83528E-06	3.6E-07	3.46E-04	1.25E-10	2.47E-02	1.57E-01	4.84E-13	1.0E+06	4.8E-07
4	4	0.07594	4.83528E-06	3.7E-07	3.46E-04	1.27E-10	2.47E-02	1.57E-01	4.93E-13	1.0E+06	4.9E-07
5	5	0.07736	4.83528E-06	3.7E-07	3.46E-04	1.29E-10	2.47E-02	1.57E-01	5.02E-13	1.0E+06	5.0E-07
6	6	0.07976	4.83528E-06	3.9E-07	3.46E-04	1.34E-10	2.47E-02	1.57E-01	5.17E-13	1.0E+06	5.2E-07
7	7	0.08261	4.83528E-06	4.0E-07	3.46E-04	1.38E-10	2.47E-02	1.57E-01	5.36E-13	1.0E+06	5.4E-07
8	8	0.08576	4.83528E-06	4.1E-07	3.46E-04	1.44E-10	2.47E-02	1.57E-01	5.56E-13	1.0E+06	5.6E-07
9	9	0.08923	4.83528E-06	4.3E-07	3.46E-04	1.49E-10	2.47E-02	1.57E-01	5.79E-13	1.0E+06	5.8E-07
10	10	0.09348	4.83528E-06	4.5E-07	3.46E-04	1.56E-10	2.47E-02	1.57E-01	6.06E-13	1.0E+06	6.1E-07
11	11	0.09887	4.83528E-06	4.8E-07	3.46E-04	1.65E-10	2.47E-02	1.57E-01	6.41E-13	1.0E+06	6.4E-07
12	12	0.1046	4.83528E-06	5.1E-07	3.46E-04	1.75E-10	2.47E-02	1.57E-01	6.78E-13	1.0E+06	6.8E-07
13	13	0.11086	4.83528E-06	5.4E-07	3.46E-04	1.86E-10	2.47E-02	1.57E-01	7.19E-13	1.0E+06	7.2E-07
14	14	0.15272	4.83528E-06	7.4E-07	3.46E-04	2.56E-10	2.47E-02	1.57E-01	9.90E-13	1.0E+06	9.9E-07
15	15	0.07987	4.83528E-06	3.9E-07	3.46E-04	1.34E-10	2.47E-02	1.57E-01	5.18E-13	1.0E+06	5.2E-07
16	16	0.08047	4.83528E-06	3.9E-07	3.46E-04	1.35E-10	2.47E-02	1.57E-01	5.22E-13	1.0E+06	5.2E-07
17	17	0.08186	4.83528E-06	4.0E-07	3.46E-04	1.37E-10	2.47E-02	1.57E-01	5.31E-13	1.0E+06	5.3E-07
18	18	0.08282	4.83528E-06	4.0E-07	3.46E-04	1.39E-10	2.47E-02	1.57E-01	5.37E-13	1.0E+06	5.4E-07
19	19	0.08387	4.83528E-06	4.1E-07	3.46E-04	1.40E-10	2.47E-02	1.57E-01	5.44E-13	1.0E+06	5.4E-07
20	20	0.08576	4.83528E-06	4.1E-07	3.46E-04	1.44E-10	2.47E-02	1.57E-01	5.56E-13	1.0E+06	5.6E-07
21	21	0.0882	4.83528E-06	4.3E-07	3.46E-04	1.48E-10	2.47E-02	1.57E-01	5.72E-13	1.0E+06	5.7E-07
22	22	0.09097	4.83528E-06	4.4E-07	3.46E-04	1.52E-10	2.47E-02	1.57E-01	5.90E-13	1.0E+06	5.9E-07
23	23	0.09536	4.83528E-06	4.6E-07	3.46E-04	1.60E-10	2.47E-02	1.57E-01	6.18E-13	1.0E+06	6.2E-07
24	24	0.09927	4.83528E-06	4.8E-07	3.46E-04	1.66E-10	2.47E-02	1.57E-01	6.44E-13	1.0E+06	6.4E-07
25	25	0.10562	4.83528E-06	5.1E-07	3.46E-04	1.77E-10	2.47E-02	1.57E-01	6.85E-13	1.0E+06	6.9E-07
26	26	0.11246	4.83528E-06	5.4E-07	3.46E-04	1.88E-10	2.47E-02	1.57E-01	7.29E-13	1.0E+06	7.3E-07
27	27	0.11826	4.83528E-06	5.7E-07	3.46E-04	1.98E-10	2.47E-02	1.57E-01	7.67E-13	1.0E+06	7.7E-07
28	28	0.16766	4.83528E-06	8.1E-07	3.46E-04	2.81E-10	2.47E-02	1.57E-01	1.09E-12	1.0E+06	1.1E-06
29	29	0.08809	4.83528E-06	4.3E-07	3.46E-04	1.47E-10	2.47E-02	1.57E-01	5.71E-13	1.0E+06	5.7E-07
30	30	0.08938	4.83528E-06	4.3E-07	3.46E-04	1.50E-10	2.47E-02	1.57E-01	5.80E-13	1.0E+06	5.8E-07
31	31	0.09119	4.83528E-06	4.4E-07	3.46E-04	1.53E-10	2.47E-02	1.57E-01	5.91E-13	1.0E+06	5.9E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.09231	4.83528E-06	4.5E-07	3.46E-04	1.55E-10	2.47E-02	1.57E-01	5.99E-13	1.0E+06	6.0E-07
33	33	0.092	4.83528E-06	4.4E-07	3.46E-04	1.54E-10	2.47E-02	1.57E-01	5.97E-13	1.0E+06	6.0E-07
34	34	0.09359	4.83528E-06	4.5E-07	3.46E-04	1.57E-10	2.47E-02	1.57E-01	6.07E-13	1.0E+06	6.1E-07
35	35	0.0954	4.83528E-06	4.6E-07	3.46E-04	1.60E-10	2.47E-02	1.57E-01	6.19E-13	1.0E+06	6.2E-07
36	36	0.09822	4.83528E-06	4.7E-07	3.46E-04	1.64E-10	2.47E-02	1.57E-01	6.37E-13	1.0E+06	6.4E-07
37	37	0.10214	4.83528E-06	4.9E-07	3.46E-04	1.71E-10	2.47E-02	1.57E-01	6.62E-13	1.0E+06	6.6E-07
38	38	0.10706	4.83528E-06	5.2E-07	3.46E-04	1.79E-10	2.47E-02	1.57E-01	6.94E-13	1.0E+06	6.9E-07
39	39	0.11315	4.83528E-06	5.5E-07	3.46E-04	1.89E-10	2.47E-02	1.57E-01	7.34E-13	1.0E+06	7.3E-07
40	40	0.11972	4.83528E-06	5.8E-07	3.46E-04	2.00E-10	2.47E-02	1.57E-01	7.76E-13	1.0E+06	7.8E-07
41	41	0.12639	4.83528E-06	6.1E-07	3.46E-04	2.12E-10	2.47E-02	1.57E-01	8.20E-13	1.0E+06	8.2E-07
42	42	0.18137	4.83528E-06	8.8E-07	3.46E-04	3.04E-10	2.47E-02	1.57E-01	1.18E-12	1.0E+06	1.2E-06
43	43	0.09692	4.83528E-06	4.7E-07	3.46E-04	1.62E-10	2.47E-02	1.57E-01	6.29E-13	1.0E+06	6.3E-07
44	44	0.0991	4.83528E-06	4.8E-07	3.46E-04	1.66E-10	2.47E-02	1.57E-01	6.43E-13	1.0E+06	6.4E-07
45	45	0.10072	4.83528E-06	4.9E-07	3.46E-04	1.69E-10	2.47E-02	1.57E-01	6.53E-13	1.0E+06	6.5E-07
46	46	0.10136	4.83528E-06	4.9E-07	3.46E-04	1.70E-10	2.47E-02	1.57E-01	6.57E-13	1.0E+06	6.6E-07
47	47	0.10168	4.83528E-06	4.9E-07	3.46E-04	1.70E-10	2.47E-02	1.57E-01	6.59E-13	1.0E+06	6.6E-07
48	48	0.10272	4.83528E-06	5.0E-07	3.46E-04	1.72E-10	2.47E-02	1.57E-01	6.66E-13	1.0E+06	6.7E-07
49	49	0.10387	4.83528E-06	5.0E-07	3.46E-04	1.74E-10	2.47E-02	1.57E-01	6.74E-13	1.0E+06	6.7E-07
50	50	0.10559	4.83528E-06	5.1E-07	3.46E-04	1.77E-10	2.47E-02	1.57E-01	6.85E-13	1.0E+06	6.8E-07
51	51	0.11059	4.83528E-06	5.3E-07	3.46E-04	1.85E-10	2.47E-02	1.57E-01	7.17E-13	1.0E+06	7.2E-07
52	52	0.11541	4.83528E-06	5.6E-07	3.46E-04	1.93E-10	2.47E-02	1.57E-01	7.48E-13	1.0E+06	7.5E-07
53	53	0.12207	4.83528E-06	5.9E-07	3.46E-04	2.04E-10	2.47E-02	1.57E-01	7.92E-13	1.0E+06	7.9E-07
54	54	0.12964	4.83528E-06	6.3E-07	3.46E-04	2.17E-10	2.47E-02	1.57E-01	8.41E-13	1.0E+06	8.4E-07
55	55	0.13798	4.83528E-06	6.7E-07	3.46E-04	2.31E-10	2.47E-02	1.57E-01	8.95E-13	1.0E+06	8.9E-07
56	56	0.20336	4.83528E-06	9.8E-07	3.46E-04	3.40E-10	2.47E-02	1.57E-01	1.32E-12	1.0E+06	1.3E-06
57	57	0.10602	4.83528E-06	5.1E-07	3.46E-04	1.77E-10	2.47E-02	1.57E-01	6.88E-13	1.0E+06	6.9E-07
58	58	0.10826	4.83528E-06	5.2E-07	3.46E-04	1.81E-10	2.47E-02	1.57E-01	7.02E-13	1.0E+06	7.0E-07
59	59	0.11015	4.83528E-06	5.3E-07	3.46E-04	1.84E-10	2.47E-02	1.57E-01	7.14E-13	1.0E+06	7.1E-07
60	60	0.11187	4.83528E-06	5.4E-07	3.46E-04	1.87E-10	2.47E-02	1.57E-01	7.26E-13	1.0E+06	7.3E-07
61	61	0.11317	4.83528E-06	5.5E-07	3.46E-04	1.89E-10	2.47E-02	1.57E-01	7.34E-13	1.0E+06	7.3E-07
62	62	0.11442	4.83528E-06	5.5E-07	3.46E-04	1.92E-10	2.47E-02	1.57E-01	7.42E-13	1.0E+06	7.4E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.11714	4.83528E-06	5.7E-07	3.46E-04	1.96E-10	2.47E-02	1.57E-01	7.60E-13	1.0E+06	7.6E-07
64	64	0.11648	4.83528E-06	5.6E-07	3.46E-04	1.95E-10	2.47E-02	1.57E-01	7.55E-13	1.0E+06	7.6E-07
65	65	0.12089	4.83528E-06	5.8E-07	3.46E-04	2.02E-10	2.47E-02	1.57E-01	7.84E-13	1.0E+06	7.8E-07
66	66	0.12645	4.83528E-06	6.1E-07	3.46E-04	2.12E-10	2.47E-02	1.57E-01	8.20E-13	1.0E+06	8.2E-07
67	67	0.13207	4.83528E-06	6.4E-07	3.46E-04	2.21E-10	2.47E-02	1.57E-01	8.57E-13	1.0E+06	8.6E-07
68	68	0.14191	4.83528E-06	6.9E-07	3.46E-04	2.38E-10	2.47E-02	1.57E-01	9.20E-13	1.0E+06	9.2E-07
69	69	0.15278	4.83528E-06	7.4E-07	3.46E-04	2.56E-10	2.47E-02	1.57E-01	9.91E-13	1.0E+06	9.9E-07
70	70	0.11505	4.83528E-06	5.6E-07	3.46E-04	1.93E-10	2.47E-02	1.57E-01	7.46E-13	1.0E+06	7.5E-07
71	71	0.11795	4.83528E-06	5.7E-07	3.46E-04	1.97E-10	2.47E-02	1.57E-01	7.65E-13	1.0E+06	7.6E-07
72	72	0.12035	4.83528E-06	5.8E-07	3.46E-04	2.01E-10	2.47E-02	1.57E-01	7.81E-13	1.0E+06	7.8E-07
73	73	0.12307	4.83528E-06	6.0E-07	3.46E-04	2.06E-10	2.47E-02	1.57E-01	7.98E-13	1.0E+06	8.0E-07
74	74	0.12482	4.83528E-06	6.0E-07	3.46E-04	2.09E-10	2.47E-02	1.57E-01	8.10E-13	1.0E+06	8.1E-07
75	75	0.12893	4.83528E-06	6.2E-07	3.46E-04	2.16E-10	2.47E-02	1.57E-01	8.36E-13	1.0E+06	8.4E-07
76	76	0.1318	4.83528E-06	6.4E-07	3.46E-04	2.21E-10	2.47E-02	1.57E-01	8.55E-13	1.0E+06	8.5E-07
77	77	0.13237	4.83528E-06	6.4E-07	3.46E-04	2.22E-10	2.47E-02	1.57E-01	8.58E-13	1.0E+06	8.6E-07
78	78	0.13671	4.83528E-06	6.6E-07	3.46E-04	2.29E-10	2.47E-02	1.57E-01	8.87E-13	1.0E+06	8.9E-07
79	79	0.14673	4.83528E-06	7.1E-07	3.46E-04	2.46E-10	2.47E-02	1.57E-01	9.52E-13	1.0E+06	9.5E-07
80	80	0.15027	4.83528E-06	7.3E-07	3.46E-04	2.52E-10	2.47E-02	1.57E-01	9.75E-13	1.0E+06	9.7E-07
81	81	0.16391	4.83528E-06	7.9E-07	3.46E-04	2.74E-10	2.47E-02	1.57E-01	1.06E-12	1.0E+06	1.1E-06
82	82	0.17293	4.83528E-06	8.4E-07	3.46E-04	2.89E-10	2.47E-02	1.57E-01	1.12E-12	1.0E+06	1.1E-06
83	83	0.12453	4.83528E-06	6.0E-07	3.46E-04	2.08E-10	2.47E-02	1.57E-01	8.08E-13	1.0E+06	8.1E-07
84	84	0.1273	4.83528E-06	6.2E-07	3.46E-04	2.13E-10	2.47E-02	1.57E-01	8.26E-13	1.0E+06	8.3E-07
85	85	0.12929	4.83528E-06	6.3E-07	3.46E-04	2.16E-10	2.47E-02	1.57E-01	8.39E-13	1.0E+06	8.4E-07
86	86	0.13537	4.83528E-06	6.5E-07	3.46E-04	2.27E-10	2.47E-02	1.57E-01	8.78E-13	1.0E+06	8.8E-07
87	87	0.13951	4.83528E-06	6.7E-07	3.46E-04	2.34E-10	2.47E-02	1.57E-01	9.05E-13	1.0E+06	9.0E-07
88	88	0.14441	4.83528E-06	7.0E-07	3.46E-04	2.42E-10	2.47E-02	1.57E-01	9.37E-13	1.0E+06	9.4E-07
89	89	0.14954	4.83528E-06	7.2E-07	3.46E-04	2.50E-10	2.47E-02	1.57E-01	9.70E-13	1.0E+06	9.7E-07
90	90	0.1551	4.83528E-06	7.5E-07	3.46E-04	2.60E-10	2.47E-02	1.57E-01	1.01E-12	1.0E+06	1.0E-06
91	91	0.1614	4.83528E-06	7.8E-07	3.46E-04	2.70E-10	2.47E-02	1.57E-01	1.05E-12	1.0E+06	1.0E-06
92	92	0.16922	4.83528E-06	8.2E-07	3.46E-04	2.83E-10	2.47E-02	1.57E-01	1.10E-12	1.0E+06	1.1E-06
93	93	0.17767	4.83528E-06	8.6E-07	3.46E-04	2.97E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.2E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.1881	4.83528E-06	9.1E-07	3.46E-04	3.15E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
95	95	0.2005	4.83528E-06	9.7E-07	3.46E-04	3.36E-10	2.47E-02	1.57E-01	1.30E-12	1.0E+06	1.3E-06
96	96	0.13351	4.83528E-06	6.5E-07	3.46E-04	2.23E-10	2.47E-02	1.57E-01	8.66E-13	1.0E+06	8.7E-07
97	97	0.13568	4.83528E-06	6.6E-07	3.46E-04	2.27E-10	2.47E-02	1.57E-01	8.80E-13	1.0E+06	8.8E-07
98	98	0.13911	4.83528E-06	6.7E-07	3.46E-04	2.33E-10	2.47E-02	1.57E-01	9.02E-13	1.0E+06	9.0E-07
99	99	0.14529	4.83528E-06	7.0E-07	3.46E-04	2.43E-10	2.47E-02	1.57E-01	9.42E-13	1.0E+06	9.4E-07
100	100	0.15343	4.83528E-06	7.4E-07	3.46E-04	2.57E-10	2.47E-02	1.57E-01	9.95E-13	1.0E+06	1.0E-06
101	101	0.15942	4.83528E-06	7.7E-07	3.46E-04	2.67E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
102	102	0.16573	4.83528E-06	8.0E-07	3.46E-04	2.77E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
103	103	0.17311	4.83528E-06	8.4E-07	3.46E-04	2.90E-10	2.47E-02	1.57E-01	1.12E-12	1.0E+06	1.1E-06
104	104	0.18054	4.83528E-06	8.7E-07	3.46E-04	3.02E-10	2.47E-02	1.57E-01	1.17E-12	1.0E+06	1.2E-06
105	105	0.18829	4.83528E-06	9.1E-07	3.46E-04	3.15E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
106	106	0.19854	4.83528E-06	9.6E-07	3.46E-04	3.32E-10	2.47E-02	1.57E-01	1.29E-12	1.0E+06	1.3E-06
107	107	0.21075	4.83528E-06	1.0E-06	3.46E-04	3.53E-10	2.47E-02	1.57E-01	1.37E-12	1.0E+06	1.4E-06
108	108	0.22488	4.83528E-06	1.1E-06	3.46E-04	3.76E-10	2.47E-02	1.57E-01	1.46E-12	1.0E+06	1.5E-06
109	109	0.14127	4.83528E-06	6.8E-07	3.46E-04	2.36E-10	2.47E-02	1.57E-01	9.16E-13	1.0E+06	9.2E-07
110	110	0.14754	4.83528E-06	7.1E-07	3.46E-04	2.47E-10	2.47E-02	1.57E-01	9.57E-13	1.0E+06	9.6E-07
111	111	0.15415	4.83528E-06	7.5E-07	3.46E-04	2.58E-10	2.47E-02	1.57E-01	1.00E-12	1.0E+06	1.0E-06
112	112	0.16102	4.83528E-06	7.8E-07	3.46E-04	2.70E-10	2.47E-02	1.57E-01	1.04E-12	1.0E+06	1.0E-06
113	113	0.16815	4.83528E-06	8.1E-07	3.46E-04	2.81E-10	2.47E-02	1.57E-01	1.09E-12	1.0E+06	1.1E-06
114	114	0.17546	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
115	115	0.18278	4.83528E-06	8.8E-07	3.46E-04	3.06E-10	2.47E-02	1.57E-01	1.19E-12	1.0E+06	1.2E-06
116	116	0.19116	4.83528E-06	9.2E-07	3.46E-04	3.20E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
117	117	0.20122	4.83528E-06	9.7E-07	3.46E-04	3.37E-10	2.47E-02	1.57E-01	1.31E-12	1.0E+06	1.3E-06
118	118	0.20761	4.83528E-06	1.0E-06	3.46E-04	3.47E-10	2.47E-02	1.57E-01	1.35E-12	1.0E+06	1.3E-06
119	119	0.22024	4.83528E-06	1.1E-06	3.46E-04	3.69E-10	2.47E-02	1.57E-01	1.43E-12	1.0E+06	1.4E-06
120	120	0.23312	4.83528E-06	1.1E-06	3.46E-04	3.90E-10	2.47E-02	1.57E-01	1.51E-12	1.0E+06	1.5E-06
121	121	0.24724	4.83528E-06	1.2E-06	3.46E-04	4.14E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
122	122	0.14912	4.83528E-06	7.2E-07	3.46E-04	2.50E-10	2.47E-02	1.57E-01	9.67E-13	1.0E+06	9.7E-07
123	123	0.15721	4.83528E-06	7.6E-07	3.46E-04	2.63E-10	2.47E-02	1.57E-01	1.02E-12	1.0E+06	1.0E-06
124	124	0.16662	4.83528E-06	8.1E-07	3.46E-04	2.79E-10	2.47E-02	1.57E-01	1.08E-12	1.0E+06	1.1E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.17521	4.83528E-06	8.5E-07	3.46E-04	2.93E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
126	126	0.1835	4.83528E-06	8.9E-07	3.46E-04	3.07E-10	2.47E-02	1.57E-01	1.19E-12	1.0E+06	1.2E-06
127	127	0.19137	4.83528E-06	9.3E-07	3.46E-04	3.20E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
128	128	0.19335	4.83528E-06	9.3E-07	3.46E-04	3.24E-10	2.47E-02	1.57E-01	1.25E-12	1.0E+06	1.3E-06
129	129	0.20267	4.83528E-06	9.8E-07	3.46E-04	3.39E-10	2.47E-02	1.57E-01	1.31E-12	1.0E+06	1.3E-06
130	130	0.21849	4.83528E-06	1.1E-06	3.46E-04	3.66E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
131	131	0.54025	4.83528E-06	2.6E-06	3.46E-04	9.04E-10	2.47E-02	1.57E-01	3.50E-12	1.0E+06	3.5E-06
132	132	0.56203	4.83528E-06	2.7E-06	3.46E-04	9.41E-10	2.47E-02	1.57E-01	3.65E-12	1.0E+06	3.6E-06
133	133	0.15509	4.83528E-06	7.5E-07	3.46E-04	2.60E-10	2.47E-02	1.57E-01	1.01E-12	1.0E+06	1.0E-06
134	134	0.16662	4.83528E-06	8.1E-07	3.46E-04	2.79E-10	2.47E-02	1.57E-01	1.08E-12	1.0E+06	1.1E-06
135	135	0.17787	4.83528E-06	8.6E-07	3.46E-04	2.98E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.2E-06
136	136	0.1884	4.83528E-06	9.1E-07	3.46E-04	3.15E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
137	137	0.19902	4.83528E-06	9.6E-07	3.46E-04	3.33E-10	2.47E-02	1.57E-01	1.29E-12	1.0E+06	1.3E-06
138	138	0.20832	4.83528E-06	1.0E-06	3.46E-04	3.49E-10	2.47E-02	1.57E-01	1.35E-12	1.0E+06	1.4E-06
139	139	0.21529	4.83528E-06	1.0E-06	3.46E-04	3.60E-10	2.47E-02	1.57E-01	1.40E-12	1.0E+06	1.4E-06
140	140	0.23239	4.83528E-06	1.1E-06	3.46E-04	3.89E-10	2.47E-02	1.57E-01	1.51E-12	1.0E+06	1.5E-06
141	141	0.24657	4.83528E-06	1.2E-06	3.46E-04	4.13E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
142	142	0.26114	4.83528E-06	1.3E-06	3.46E-04	4.37E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
143	143	0.27932	4.83528E-06	1.4E-06	3.46E-04	4.68E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
144	144	0.30388	4.83528E-06	1.5E-06	3.46E-04	5.09E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
145	145	0.32771	4.83528E-06	1.6E-06	3.46E-04	5.49E-10	2.47E-02	1.57E-01	2.13E-12	1.0E+06	2.1E-06
146	146	0.66658	4.83528E-06	3.2E-06	3.46E-04	1.12E-09	2.47E-02	1.57E-01	4.32E-12	1.0E+06	4.3E-06
147	147	0.15987	4.83528E-06	7.7E-07	3.46E-04	2.68E-10	2.47E-02	1.57E-01	1.04E-12	1.0E+06	1.0E-06
148	148	0.17249	4.83528E-06	8.3E-07	3.46E-04	2.89E-10	2.47E-02	1.57E-01	1.12E-12	1.0E+06	1.1E-06
149	149	0.18609	4.83528E-06	9.0E-07	3.46E-04	3.11E-10	2.47E-02	1.57E-01	1.21E-12	1.0E+06	1.2E-06
150	150	0.19907	4.83528E-06	9.6E-07	3.46E-04	3.33E-10	2.47E-02	1.57E-01	1.29E-12	1.0E+06	1.3E-06
151	151	0.21346	4.83528E-06	1.0E-06	3.46E-04	3.57E-10	2.47E-02	1.57E-01	1.38E-12	1.0E+06	1.4E-06
152	152	0.22549	4.83528E-06	1.1E-06	3.46E-04	3.77E-10	2.47E-02	1.57E-01	1.46E-12	1.0E+06	1.5E-06
153	153	0.23783	4.83528E-06	1.1E-06	3.46E-04	3.98E-10	2.47E-02	1.57E-01	1.54E-12	1.0E+06	1.5E-06
154	154	0.25329	4.83528E-06	1.2E-06	3.46E-04	4.24E-10	2.47E-02	1.57E-01	1.64E-12	1.0E+06	1.6E-06
155	155	0.27164	4.83528E-06	1.3E-06	3.46E-04	4.55E-10	2.47E-02	1.57E-01	1.76E-12	1.0E+06	1.8E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.29103	4.83528E-06	1.4E-06	3.46E-04	4.87E-10	2.47E-02	1.57E-01	1.89E-12	1.0E+06	1.9E-06
157	157	0.31108	4.83528E-06	1.5E-06	3.46E-04	5.21E-10	2.47E-02	1.57E-01	2.02E-12	1.0E+06	2.0E-06
158	158	0.33231	4.83528E-06	1.6E-06	3.46E-04	5.56E-10	2.47E-02	1.57E-01	2.16E-12	1.0E+06	2.2E-06
159	159	0.3745	4.83528E-06	1.8E-06	3.46E-04	6.27E-10	2.47E-02	1.57E-01	2.43E-12	1.0E+06	2.4E-06
160	160	0.1652	4.83528E-06	8.0E-07	3.46E-04	2.77E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
161	161	0.17702	4.83528E-06	8.6E-07	3.46E-04	2.96E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.1E-06
162	162	0.18798	4.83528E-06	9.1E-07	3.46E-04	3.15E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
163	163	0.20556	4.83528E-06	9.9E-07	3.46E-04	3.44E-10	2.47E-02	1.57E-01	1.33E-12	1.0E+06	1.3E-06
164	164	0.2256	4.83528E-06	1.1E-06	3.46E-04	3.78E-10	2.47E-02	1.57E-01	1.46E-12	1.0E+06	1.5E-06
165	165	0.24183	4.83528E-06	1.2E-06	3.46E-04	4.05E-10	2.47E-02	1.57E-01	1.57E-12	1.0E+06	1.6E-06
166	166	0.26025	4.83528E-06	1.3E-06	3.46E-04	4.36E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
167	167	0.28039	4.83528E-06	1.4E-06	3.46E-04	4.69E-10	2.47E-02	1.57E-01	1.82E-12	1.0E+06	1.8E-06
168	168	0.30308	4.83528E-06	1.5E-06	3.46E-04	5.07E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
169	169	0.32837	4.83528E-06	1.6E-06	3.46E-04	5.50E-10	2.47E-02	1.57E-01	2.13E-12	1.0E+06	2.1E-06
170	170	0.35596	4.83528E-06	1.7E-06	3.46E-04	5.96E-10	2.47E-02	1.57E-01	2.31E-12	1.0E+06	2.3E-06
171	171	0.38722	4.83528E-06	1.9E-06	3.46E-04	6.48E-10	2.47E-02	1.57E-01	2.51E-12	1.0E+06	2.5E-06
172	172	0.43207	4.83528E-06	2.1E-06	3.46E-04	7.23E-10	2.47E-02	1.57E-01	2.80E-12	1.0E+06	2.8E-06
173	173	0.49265	4.83528E-06	2.4E-06	3.46E-04	8.25E-10	2.47E-02	1.57E-01	3.20E-12	1.0E+06	3.2E-06
174	174	0.57625	4.83528E-06	2.8E-06	3.46E-04	9.65E-10	2.47E-02	1.57E-01	3.74E-12	1.0E+06	3.7E-06
175	175	0.67856	4.83528E-06	3.3E-06	3.46E-04	1.14E-09	2.47E-02	1.57E-01	4.40E-12	1.0E+06	4.4E-06
176	176	0.79898	4.83528E-06	3.9E-06	3.46E-04	1.34E-09	2.47E-02	1.57E-01	5.18E-12	1.0E+06	5.2E-06
177	177	1.01134	4.83528E-06	4.9E-06	3.46E-04	1.69E-09	2.47E-02	1.57E-01	6.56E-12	1.0E+06	6.6E-06
178	178	1.19863	4.83528E-06	5.8E-06	3.46E-04	2.01E-09	2.47E-02	1.57E-01	7.77E-12	1.0E+06	7.8E-06
179	179	0.16466	4.83528E-06	8.0E-07	3.46E-04	2.76E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
180	180	0.17624	4.83528E-06	8.5E-07	3.46E-04	2.95E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
181	181	0.18643	4.83528E-06	9.0E-07	3.46E-04	3.12E-10	2.47E-02	1.57E-01	1.21E-12	1.0E+06	1.2E-06
182	182	0.20908	4.83528E-06	1.0E-06	3.46E-04	3.50E-10	2.47E-02	1.57E-01	1.36E-12	1.0E+06	1.4E-06
183	183	0.23689	4.83528E-06	1.1E-06	3.46E-04	3.97E-10	2.47E-02	1.57E-01	1.54E-12	1.0E+06	1.5E-06
184	184	0.25771	4.83528E-06	1.2E-06	3.46E-04	4.31E-10	2.47E-02	1.57E-01	1.67E-12	1.0E+06	1.7E-06
185	185	0.28174	4.83528E-06	1.4E-06	3.46E-04	4.72E-10	2.47E-02	1.57E-01	1.83E-12	1.0E+06	1.8E-06
186	186	0.30715	4.83528E-06	1.5E-06	3.46E-04	5.14E-10	2.47E-02	1.57E-01	1.99E-12	1.0E+06	2.0E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.33461	4.83528E-06	1.6E-06	3.46E-04	5.60E-10	2.47E-02	1.57E-01	2.17E-12	1.0E+06	2.2E-06
188	188	0.36672	4.83528E-06	1.8E-06	3.46E-04	6.14E-10	2.47E-02	1.57E-01	2.38E-12	1.0E+06	2.4E-06
189	189	0.40207	4.83528E-06	1.9E-06	3.46E-04	6.73E-10	2.47E-02	1.57E-01	2.61E-12	1.0E+06	2.6E-06
190	190	0.44452	4.83528E-06	2.1E-06	3.46E-04	7.44E-10	2.47E-02	1.57E-01	2.88E-12	1.0E+06	2.9E-06
191	191	0.49448	4.83528E-06	2.4E-06	3.46E-04	8.28E-10	2.47E-02	1.57E-01	3.21E-12	1.0E+06	3.2E-06
192	192	0.56449	4.83528E-06	2.7E-06	3.46E-04	9.45E-10	2.47E-02	1.57E-01	3.66E-12	1.0E+06	3.7E-06
193	193	0.65574	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.25E-12	1.0E+06	4.3E-06
194	194	0.79818	4.83528E-06	3.9E-06	3.46E-04	1.34E-09	2.47E-02	1.57E-01	5.18E-12	1.0E+06	5.2E-06
195	195	1.02294	4.83528E-06	4.9E-06	3.46E-04	1.71E-09	2.47E-02	1.57E-01	6.63E-12	1.0E+06	6.6E-06
196	196	1.36656	4.83528E-06	6.6E-06	3.46E-04	2.29E-09	2.47E-02	1.57E-01	8.86E-12	1.0E+06	8.9E-06
197	197	1.78741	4.83528E-06	8.6E-06	3.46E-04	2.99E-09	2.47E-02	1.57E-01	1.16E-11	1.0E+06	1.2E-05
198	198	0.16538	4.83528E-06	8.0E-07	3.46E-04	2.77E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
199	199	0.17864	4.83528E-06	8.6E-07	3.46E-04	2.99E-10	2.47E-02	1.57E-01	1.16E-12	1.0E+06	1.2E-06
200	200	0.19319	4.83528E-06	9.3E-07	3.46E-04	3.23E-10	2.47E-02	1.57E-01	1.25E-12	1.0E+06	1.3E-06
201	201	0.21276	4.83528E-06	1.0E-06	3.46E-04	3.56E-10	2.47E-02	1.57E-01	1.38E-12	1.0E+06	1.4E-06
202	202	0.2435	4.83528E-06	1.2E-06	3.46E-04	4.08E-10	2.47E-02	1.57E-01	1.58E-12	1.0E+06	1.6E-06
203	203	0.27002	4.83528E-06	1.3E-06	3.46E-04	4.52E-10	2.47E-02	1.57E-01	1.75E-12	1.0E+06	1.8E-06
204	204	0.29949	4.83528E-06	1.4E-06	3.46E-04	5.01E-10	2.47E-02	1.57E-01	1.94E-12	1.0E+06	1.9E-06
205	205	0.33029	4.83528E-06	1.6E-06	3.46E-04	5.53E-10	2.47E-02	1.57E-01	2.14E-12	1.0E+06	2.1E-06
206	206	0.36426	4.83528E-06	1.8E-06	3.46E-04	6.10E-10	2.47E-02	1.57E-01	2.36E-12	1.0E+06	2.4E-06
207	207	0.40322	4.83528E-06	1.9E-06	3.46E-04	6.75E-10	2.47E-02	1.57E-01	2.62E-12	1.0E+06	2.6E-06
208	208	0.44759	4.83528E-06	2.2E-06	3.46E-04	7.49E-10	2.47E-02	1.57E-01	2.90E-12	1.0E+06	2.9E-06
209	209	0.50106	4.83528E-06	2.4E-06	3.46E-04	8.39E-10	2.47E-02	1.57E-01	3.25E-12	1.0E+06	3.2E-06
210	210	0.56599	4.83528E-06	2.7E-06	3.46E-04	9.47E-10	2.47E-02	1.57E-01	3.67E-12	1.0E+06	3.7E-06
211	211	0.64944	4.83528E-06	3.1E-06	3.46E-04	1.09E-09	2.47E-02	1.57E-01	4.21E-12	1.0E+06	4.2E-06
212	212	0.75631	4.83528E-06	3.7E-06	3.46E-04	1.27E-09	2.47E-02	1.57E-01	4.91E-12	1.0E+06	4.9E-06
213	213	0.89878	4.83528E-06	4.3E-06	3.46E-04	1.50E-09	2.47E-02	1.57E-01	5.83E-12	1.0E+06	5.8E-06
214	214	1.09629	4.83528E-06	5.3E-06	3.46E-04	1.83E-09	2.47E-02	1.57E-01	7.11E-12	1.0E+06	7.1E-06
215	215	1.73736	4.83528E-06	8.4E-06	3.46E-04	2.91E-09	2.47E-02	1.57E-01	1.13E-11	1.0E+06	1.1E-05
216	216	0.16693	4.83528E-06	8.1E-07	3.46E-04	2.79E-10	2.47E-02	1.57E-01	1.08E-12	1.0E+06	1.1E-06
217	217	0.18028	4.83528E-06	8.7E-07	3.46E-04	3.02E-10	2.47E-02	1.57E-01	1.17E-12	1.0E+06	1.2E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1967	4.83528E-06	9.5E-07	3.46E-04	3.29E-10	2.47E-02	1.57E-01	1.28E-12	1.0E+06	1.3E-06
219	219	0.21689	4.83528E-06	1.0E-06	3.46E-04	3.63E-10	2.47E-02	1.57E-01	1.41E-12	1.0E+06	1.4E-06
220	220	0.24745	4.83528E-06	1.2E-06	3.46E-04	4.14E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
221	221	0.27558	4.83528E-06	1.3E-06	3.46E-04	4.61E-10	2.47E-02	1.57E-01	1.79E-12	1.0E+06	1.8E-06
222	222	0.31005	4.83528E-06	1.5E-06	3.46E-04	5.19E-10	2.47E-02	1.57E-01	2.01E-12	1.0E+06	2.0E-06
223	223	0.34616	4.83528E-06	1.7E-06	3.46E-04	5.79E-10	2.47E-02	1.57E-01	2.25E-12	1.0E+06	2.2E-06
224	224	0.3862	4.83528E-06	1.9E-06	3.46E-04	6.46E-10	2.47E-02	1.57E-01	2.50E-12	1.0E+06	2.5E-06
225	225	0.43074	4.83528E-06	2.1E-06	3.46E-04	7.21E-10	2.47E-02	1.57E-01	2.79E-12	1.0E+06	2.8E-06
226	226	0.48528	4.83528E-06	2.3E-06	3.46E-04	8.12E-10	2.47E-02	1.57E-01	3.15E-12	1.0E+06	3.1E-06
227	227	0.54921	4.83528E-06	2.7E-06	3.46E-04	9.19E-10	2.47E-02	1.57E-01	3.56E-12	1.0E+06	3.6E-06
228	228	0.62818	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.07E-12	1.0E+06	4.1E-06
229	229	0.73144	4.83528E-06	3.5E-06	3.46E-04	1.22E-09	2.47E-02	1.57E-01	4.74E-12	1.0E+06	4.7E-06
230	230	0.86555	4.83528E-06	4.2E-06	3.46E-04	1.45E-09	2.47E-02	1.57E-01	5.61E-12	1.0E+06	5.6E-06
231	231	1.06106	4.83528E-06	5.1E-06	3.46E-04	1.78E-09	2.47E-02	1.57E-01	6.88E-12	1.0E+06	6.9E-06
232	232	1.36584	4.83528E-06	6.6E-06	3.46E-04	2.29E-09	2.47E-02	1.57E-01	8.86E-12	1.0E+06	8.9E-06
233	233	2.21729	4.83528E-06	1.1E-05	3.46E-04	3.71E-09	2.47E-02	1.57E-01	1.44E-11	1.0E+06	1.4E-05
234	234	0.16735	4.83528E-06	8.1E-07	3.46E-04	2.80E-10	2.47E-02	1.57E-01	1.09E-12	1.0E+06	1.1E-06
235	235	0.18065	4.83528E-06	8.7E-07	3.46E-04	3.02E-10	2.47E-02	1.57E-01	1.17E-12	1.0E+06	1.2E-06
236	236	0.19807	4.83528E-06	9.6E-07	3.46E-04	3.32E-10	2.47E-02	1.57E-01	1.28E-12	1.0E+06	1.3E-06
237	237	0.22052	4.83528E-06	1.1E-06	3.46E-04	3.69E-10	2.47E-02	1.57E-01	1.43E-12	1.0E+06	1.4E-06
238	238	0.24892	4.83528E-06	1.2E-06	3.46E-04	4.17E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
239	239	0.27883	4.83528E-06	1.3E-06	3.46E-04	4.67E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
240	240	0.31465	4.83528E-06	1.5E-06	3.46E-04	5.27E-10	2.47E-02	1.57E-01	2.04E-12	1.0E+06	2.0E-06
241	241	0.35485	4.83528E-06	1.7E-06	3.46E-04	5.94E-10	2.47E-02	1.57E-01	2.30E-12	1.0E+06	2.3E-06
242	242	0.40054	4.83528E-06	1.9E-06	3.46E-04	6.70E-10	2.47E-02	1.57E-01	2.60E-12	1.0E+06	2.6E-06
243	243	0.45265	4.83528E-06	2.2E-06	3.46E-04	7.58E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06
244	244	0.51721	4.83528E-06	2.5E-06	3.46E-04	8.66E-10	2.47E-02	1.57E-01	3.35E-12	1.0E+06	3.4E-06
245	245	0.59496	4.83528E-06	2.9E-06	3.46E-04	9.96E-10	2.47E-02	1.57E-01	3.86E-12	1.0E+06	3.9E-06
246	246	0.69163	4.83528E-06	3.3E-06	3.46E-04	1.16E-09	2.47E-02	1.57E-01	4.49E-12	1.0E+06	4.5E-06
247	247	0.81591	4.83528E-06	3.9E-06	3.46E-04	1.37E-09	2.47E-02	1.57E-01	5.29E-12	1.0E+06	5.3E-06
248	248	0.98489	4.83528E-06	4.8E-06	3.46E-04	1.65E-09	2.47E-02	1.57E-01	6.39E-12	1.0E+06	6.4E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.22885	4.83528E-06	5.9E-06	3.46E-04	2.06E-09	2.47E-02	1.57E-01	7.97E-12	1.0E+06	8.0E-06
250	250	1.63505	4.83528E-06	7.9E-06	3.46E-04	2.74E-09	2.47E-02	1.57E-01	1.06E-11	1.0E+06	1.1E-05
251	251	2.71786	4.83528E-06	1.3E-05	3.46E-04	4.55E-09	2.47E-02	1.57E-01	1.76E-11	1.0E+06	1.8E-05
252	252	0.16495	4.83528E-06	8.0E-07	3.46E-04	2.76E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
253	253	0.17799	4.83528E-06	8.6E-07	3.46E-04	2.98E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.2E-06
254	254	0.19466	4.83528E-06	9.4E-07	3.46E-04	3.26E-10	2.47E-02	1.57E-01	1.26E-12	1.0E+06	1.3E-06
255	255	0.21521	4.83528E-06	1.0E-06	3.46E-04	3.60E-10	2.47E-02	1.57E-01	1.40E-12	1.0E+06	1.4E-06
256	256	0.2481	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
257	257	0.2724	4.83528E-06	1.3E-06	3.46E-04	4.56E-10	2.47E-02	1.57E-01	1.77E-12	1.0E+06	1.8E-06
258	258	0.30508	4.83528E-06	1.5E-06	3.46E-04	5.11E-10	2.47E-02	1.57E-01	1.98E-12	1.0E+06	2.0E-06
259	259	0.34335	4.83528E-06	1.7E-06	3.46E-04	5.75E-10	2.47E-02	1.57E-01	2.23E-12	1.0E+06	2.2E-06
260	260	0.39576	4.83528E-06	1.9E-06	3.46E-04	6.62E-10	2.47E-02	1.57E-01	2.57E-12	1.0E+06	2.6E-06
261	261	0.46173	4.83528E-06	2.2E-06	3.46E-04	7.73E-10	2.47E-02	1.57E-01	2.99E-12	1.0E+06	3.0E-06
262	262	0.53894	4.83528E-06	2.6E-06	3.46E-04	9.02E-10	2.47E-02	1.57E-01	3.50E-12	1.0E+06	3.5E-06
263	263	0.62661	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.06E-12	1.0E+06	4.1E-06
264	264	0.74151	4.83528E-06	3.6E-06	3.46E-04	1.24E-09	2.47E-02	1.57E-01	4.81E-12	1.0E+06	4.8E-06
265	265	0.88511	4.83528E-06	4.3E-06	3.46E-04	1.48E-09	2.47E-02	1.57E-01	5.74E-12	1.0E+06	5.7E-06
266	266	1.0844	4.83528E-06	5.2E-06	3.46E-04	1.82E-09	2.47E-02	1.57E-01	7.03E-12	1.0E+06	7.0E-06
267	267	1.37129	4.83528E-06	6.6E-06	3.46E-04	2.30E-09	2.47E-02	1.57E-01	8.89E-12	1.0E+06	8.9E-06
268	268	1.83918	4.83528E-06	8.9E-06	3.46E-04	3.08E-09	2.47E-02	1.57E-01	1.19E-11	1.0E+06	1.2E-05
269	269	3.05125	4.83528E-06	1.5E-05	3.46E-04	5.11E-09	2.47E-02	1.57E-01	1.98E-11	1.0E+06	2.0E-05
270	270	0.16103	4.83528E-06	7.8E-07	3.46E-04	2.70E-10	2.47E-02	1.57E-01	1.04E-12	1.0E+06	1.0E-06
271	271	0.17495	4.83528E-06	8.5E-07	3.46E-04	2.93E-10	2.47E-02	1.57E-01	1.13E-12	1.0E+06	1.1E-06
272	272	0.192	4.83528E-06	9.3E-07	3.46E-04	3.21E-10	2.47E-02	1.57E-01	1.25E-12	1.0E+06	1.2E-06
273	273	0.21189	4.83528E-06	1.0E-06	3.46E-04	3.55E-10	2.47E-02	1.57E-01	1.37E-12	1.0E+06	1.4E-06
274	274	0.24767	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
275	275	0.2812	4.83528E-06	1.4E-06	3.46E-04	4.71E-10	2.47E-02	1.57E-01	1.82E-12	1.0E+06	1.8E-06
276	276	0.30081	4.83528E-06	1.5E-06	3.46E-04	5.03E-10	2.47E-02	1.57E-01	1.95E-12	1.0E+06	2.0E-06
277	277	0.33911	4.83528E-06	1.6E-06	3.46E-04	5.68E-10	2.47E-02	1.57E-01	2.20E-12	1.0E+06	2.2E-06
278	278	0.38885	4.83528E-06	1.9E-06	3.46E-04	6.51E-10	2.47E-02	1.57E-01	2.52E-12	1.0E+06	2.5E-06
279	279	0.45312	4.83528E-06	2.2E-06	3.46E-04	7.58E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.54249	4.83528E-06	2.6E-06	3.46E-04	9.08E-10	2.47E-02	1.57E-01	3.52E-12	1.0E+06	3.5E-06
281	281	0.65054	4.83528E-06	3.1E-06	3.46E-04	1.09E-09	2.47E-02	1.57E-01	4.22E-12	1.0E+06	4.2E-06
282	282	0.78392	4.83528E-06	3.8E-06	3.46E-04	1.31E-09	2.47E-02	1.57E-01	5.08E-12	1.0E+06	5.1E-06
283	283	0.95468	4.83528E-06	4.6E-06	3.46E-04	1.60E-09	2.47E-02	1.57E-01	6.19E-12	1.0E+06	6.2E-06
284	284	1.18854	4.83528E-06	5.7E-06	3.46E-04	1.99E-09	2.47E-02	1.57E-01	7.71E-12	1.0E+06	7.7E-06
285	285	1.51941	4.83528E-06	7.3E-06	3.46E-04	2.54E-09	2.47E-02	1.57E-01	9.85E-12	1.0E+06	9.9E-06
286	286	2.06851	4.83528E-06	1.0E-05	3.46E-04	3.46E-09	2.47E-02	1.57E-01	1.34E-11	1.0E+06	1.3E-05
287	287	3.4619	4.83528E-06	1.7E-05	3.46E-04	5.79E-09	2.47E-02	1.57E-01	2.25E-11	1.0E+06	2.2E-05
288	288	0.1571	4.83528E-06	7.6E-07	3.46E-04	2.63E-10	2.47E-02	1.57E-01	1.02E-12	1.0E+06	1.0E-06
289	289	0.17007	4.83528E-06	8.2E-07	3.46E-04	2.85E-10	2.47E-02	1.57E-01	1.10E-12	1.0E+06	1.1E-06
290	290	0.19064	4.83528E-06	9.2E-07	3.46E-04	3.19E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
291	291	0.21276	4.83528E-06	1.0E-06	3.46E-04	3.56E-10	2.47E-02	1.57E-01	1.38E-12	1.0E+06	1.4E-06
292	292	0.2583	4.83528E-06	1.2E-06	3.46E-04	4.32E-10	2.47E-02	1.57E-01	1.68E-12	1.0E+06	1.7E-06
293	293	0.28294	4.83528E-06	1.4E-06	3.46E-04	4.74E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
294	294	0.29501	4.83528E-06	1.4E-06	3.46E-04	4.94E-10	2.47E-02	1.57E-01	1.91E-12	1.0E+06	1.9E-06
295	295	0.33636	4.83528E-06	1.6E-06	3.46E-04	5.63E-10	2.47E-02	1.57E-01	2.18E-12	1.0E+06	2.2E-06
296	296	0.38881	4.83528E-06	1.9E-06	3.46E-04	6.51E-10	2.47E-02	1.57E-01	2.52E-12	1.0E+06	2.5E-06
297	297	0.44873	4.83528E-06	2.2E-06	3.46E-04	7.51E-10	2.47E-02	1.57E-01	2.91E-12	1.0E+06	2.9E-06
298	298	0.53391	4.83528E-06	2.6E-06	3.46E-04	8.94E-10	2.47E-02	1.57E-01	3.46E-12	1.0E+06	3.5E-06
299	299	0.6575	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.26E-12	1.0E+06	4.3E-06
300	300	0.80178	4.83528E-06	3.9E-06	3.46E-04	1.34E-09	2.47E-02	1.57E-01	5.20E-12	1.0E+06	5.2E-06
301	301	1.00633	4.83528E-06	4.9E-06	3.46E-04	1.68E-09	2.47E-02	1.57E-01	6.53E-12	1.0E+06	6.5E-06
302	302	1.28625	4.83528E-06	6.2E-06	3.46E-04	2.15E-09	2.47E-02	1.57E-01	8.34E-12	1.0E+06	8.3E-06
303	303	1.70188	4.83528E-06	8.2E-06	3.46E-04	2.85E-09	2.47E-02	1.57E-01	1.10E-11	1.0E+06	1.1E-05
304	304	2.37779	4.83528E-06	1.1E-05	3.46E-04	3.98E-09	2.47E-02	1.57E-01	1.54E-11	1.0E+06	1.5E-05
305	305	4.11223	4.83528E-06	2.0E-05	3.46E-04	6.88E-09	2.47E-02	1.57E-01	2.67E-11	1.0E+06	2.7E-05
306	306	0.1608	4.83528E-06	7.8E-07	3.46E-04	2.69E-10	2.47E-02	1.57E-01	1.04E-12	1.0E+06	1.0E-06
307	307	0.17008	4.83528E-06	8.2E-07	3.46E-04	2.85E-10	2.47E-02	1.57E-01	1.10E-12	1.0E+06	1.1E-06
308	308	0.1866	4.83528E-06	9.0E-07	3.46E-04	3.12E-10	2.47E-02	1.57E-01	1.21E-12	1.0E+06	1.2E-06
309	309	0.21966	4.83528E-06	1.1E-06	3.46E-04	3.68E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
310	310	0.25427	4.83528E-06	1.2E-06	3.46E-04	4.26E-10	2.47E-02	1.57E-01	1.65E-12	1.0E+06	1.6E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.27818	4.83528E-06	1.3E-06	3.46E-04	4.66E-10	2.47E-02	1.57E-01	1.80E-12	1.0E+06	1.8E-06
312	312	0.28562	4.83528E-06	1.4E-06	3.46E-04	4.78E-10	2.47E-02	1.57E-01	1.85E-12	1.0E+06	1.9E-06
313	313	0.32671	4.83528E-06	1.6E-06	3.46E-04	5.47E-10	2.47E-02	1.57E-01	2.12E-12	1.0E+06	2.1E-06
314	314	0.37946	4.83528E-06	1.8E-06	3.46E-04	6.35E-10	2.47E-02	1.57E-01	2.46E-12	1.0E+06	2.5E-06
315	315	0.45718	4.83528E-06	2.2E-06	3.46E-04	7.65E-10	2.47E-02	1.57E-01	2.97E-12	1.0E+06	3.0E-06
316	316	0.53191	4.83528E-06	2.6E-06	3.46E-04	8.90E-10	2.47E-02	1.57E-01	3.45E-12	1.0E+06	3.4E-06
317	317	0.64187	4.83528E-06	3.1E-06	3.46E-04	1.07E-09	2.47E-02	1.57E-01	4.16E-12	1.0E+06	4.2E-06
318	318	0.79835	4.83528E-06	3.9E-06	3.46E-04	1.34E-09	2.47E-02	1.57E-01	5.18E-12	1.0E+06	5.2E-06
319	319	1.03385	4.83528E-06	5.0E-06	3.46E-04	1.73E-09	2.47E-02	1.57E-01	6.71E-12	1.0E+06	6.7E-06
320	320	1.39716	4.83528E-06	6.8E-06	3.46E-04	2.34E-09	2.47E-02	1.57E-01	9.06E-12	1.0E+06	9.1E-06
321	321	1.89262	4.83528E-06	9.2E-06	3.46E-04	3.17E-09	2.47E-02	1.57E-01	1.23E-11	1.0E+06	1.2E-05
322	322	2.72766	4.83528E-06	1.3E-05	3.46E-04	4.57E-09	2.47E-02	1.57E-01	1.77E-11	1.0E+06	1.8E-05
323	323	5.06474	4.83528E-06	2.4E-05	3.46E-04	8.48E-09	2.47E-02	1.57E-01	3.28E-11	1.0E+06	3.3E-05
324	324	0.15673	4.83528E-06	7.6E-07	3.46E-04	2.62E-10	2.47E-02	1.57E-01	1.02E-12	1.0E+06	1.0E-06
325	325	0.17554	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
326	326	0.19085	4.83528E-06	9.2E-07	3.46E-04	3.19E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
327	327	0.20541	4.83528E-06	9.9E-07	3.46E-04	3.44E-10	2.47E-02	1.57E-01	1.33E-12	1.0E+06	1.3E-06
328	328	0.25052	4.83528E-06	1.2E-06	3.46E-04	4.19E-10	2.47E-02	1.57E-01	1.62E-12	1.0E+06	1.6E-06
329	329	0.2702	4.83528E-06	1.3E-06	3.46E-04	4.52E-10	2.47E-02	1.57E-01	1.75E-12	1.0E+06	1.8E-06
330	330	0.27908	4.83528E-06	1.3E-06	3.46E-04	4.67E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
331	331	0.3205	4.83528E-06	1.5E-06	3.46E-04	5.36E-10	2.47E-02	1.57E-01	2.08E-12	1.0E+06	2.1E-06
332	332	0.37406	4.83528E-06	1.8E-06	3.46E-04	6.26E-10	2.47E-02	1.57E-01	2.43E-12	1.0E+06	2.4E-06
333	333	0.45331	4.83528E-06	2.2E-06	3.46E-04	7.59E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06
334	334	0.54185	4.83528E-06	2.6E-06	3.46E-04	9.07E-10	2.47E-02	1.57E-01	3.51E-12	1.0E+06	3.5E-06
335	335	0.66128	4.83528E-06	3.2E-06	3.46E-04	1.11E-09	2.47E-02	1.57E-01	4.29E-12	1.0E+06	4.3E-06
336	336	0.6189	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.01E-12	1.0E+06	4.0E-06
337	337	0.65562	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.25E-12	1.0E+06	4.3E-06
338	338	0.11176	4.83528E-06	5.4E-07	3.46E-04	1.87E-10	2.47E-02	1.57E-01	7.25E-13	1.0E+06	7.2E-07
339	339	0.11819	4.83528E-06	5.7E-07	3.46E-04	1.98E-10	2.47E-02	1.57E-01	7.67E-13	1.0E+06	7.7E-07
340	340	0.12484	4.83528E-06	6.0E-07	3.46E-04	2.09E-10	2.47E-02	1.57E-01	8.10E-13	1.0E+06	8.1E-07
341	341	0.14128	4.83528E-06	6.8E-07	3.46E-04	2.36E-10	2.47E-02	1.57E-01	9.16E-13	1.0E+06	9.2E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.14866	4.83528E-06	7.2E-07	3.46E-04	2.49E-10	2.47E-02	1.57E-01	9.64E-13	1.0E+06	9.6E-07
343	343	0.15525	4.83528E-06	7.5E-07	3.46E-04	2.60E-10	2.47E-02	1.57E-01	1.01E-12	1.0E+06	1.0E-06
344	344	0.15747	4.83528E-06	7.6E-07	3.46E-04	2.64E-10	2.47E-02	1.57E-01	1.02E-12	1.0E+06	1.0E-06
345	345	0.15896	4.83528E-06	7.7E-07	3.46E-04	2.66E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
346	346	0.15957	4.83528E-06	7.7E-07	3.46E-04	2.67E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
347	347	0.11921	4.83528E-06	5.8E-07	3.46E-04	2.00E-10	2.47E-02	1.57E-01	7.73E-13	1.0E+06	7.7E-07
348	348	0.12876	4.83528E-06	6.2E-07	3.46E-04	2.16E-10	2.47E-02	1.57E-01	8.35E-13	1.0E+06	8.4E-07
349	349	0.13956	4.83528E-06	6.7E-07	3.46E-04	2.34E-10	2.47E-02	1.57E-01	9.05E-13	1.0E+06	9.1E-07
350	350	0.15863	4.83528E-06	7.7E-07	3.46E-04	2.66E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
351	351	0.16216	4.83528E-06	7.8E-07	3.46E-04	2.71E-10	2.47E-02	1.57E-01	1.05E-12	1.0E+06	1.1E-06
352	352	0.17101	4.83528E-06	8.3E-07	3.46E-04	2.86E-10	2.47E-02	1.57E-01	1.11E-12	1.0E+06	1.1E-06
353	353	0.17367	4.83528E-06	8.4E-07	3.46E-04	2.91E-10	2.47E-02	1.57E-01	1.13E-12	1.0E+06	1.1E-06
354	354	0.17503	4.83528E-06	8.5E-07	3.46E-04	2.93E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
355	355	0.17587	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
356	356	0.12802	4.83528E-06	6.2E-07	3.46E-04	2.14E-10	2.47E-02	1.57E-01	8.30E-13	1.0E+06	8.3E-07
357	357	0.13627	4.83528E-06	6.6E-07	3.46E-04	2.28E-10	2.47E-02	1.57E-01	8.84E-13	1.0E+06	8.8E-07
358	358	0.14674	4.83528E-06	7.1E-07	3.46E-04	2.46E-10	2.47E-02	1.57E-01	9.52E-13	1.0E+06	9.5E-07
359	359	0.15544	4.83528E-06	7.5E-07	3.46E-04	2.60E-10	2.47E-02	1.57E-01	1.01E-12	1.0E+06	1.0E-06
360	360	0.17573	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
361	361	0.18967	4.83528E-06	9.2E-07	3.46E-04	3.17E-10	2.47E-02	1.57E-01	1.23E-12	1.0E+06	1.2E-06
362	362	0.19284	4.83528E-06	9.3E-07	3.46E-04	3.23E-10	2.47E-02	1.57E-01	1.25E-12	1.0E+06	1.3E-06
363	363	0.19434	4.83528E-06	9.4E-07	3.46E-04	3.25E-10	2.47E-02	1.57E-01	1.26E-12	1.0E+06	1.3E-06
364	364	0.13949	4.83528E-06	6.7E-07	3.46E-04	2.33E-10	2.47E-02	1.57E-01	9.05E-13	1.0E+06	9.0E-07
365	365	0.14615	4.83528E-06	7.1E-07	3.46E-04	2.45E-10	2.47E-02	1.57E-01	9.48E-13	1.0E+06	9.5E-07
366	366	0.15889	4.83528E-06	7.7E-07	3.46E-04	2.66E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
367	367	0.17084	4.83528E-06	8.3E-07	3.46E-04	2.86E-10	2.47E-02	1.57E-01	1.11E-12	1.0E+06	1.1E-06
368	368	0.19065	4.83528E-06	9.2E-07	3.46E-04	3.19E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
369	369	0.21192	4.83528E-06	1.0E-06	3.46E-04	3.55E-10	2.47E-02	1.57E-01	1.37E-12	1.0E+06	1.4E-06
370	370	0.21837	4.83528E-06	1.1E-06	3.46E-04	3.66E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
371	371	0.21926	4.83528E-06	1.1E-06	3.46E-04	3.67E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
372	372	0.15445	4.83528E-06	7.5E-07	3.46E-04	2.59E-10	2.47E-02	1.57E-01	1.00E-12	1.0E+06	1.0E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.16153	4.83528E-06	7.8E-07	3.46E-04	2.70E-10	2.47E-02	1.57E-01	1.05E-12	1.0E+06	1.0E-06
374	374	0.17658	4.83528E-06	8.5E-07	3.46E-04	2.96E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.1E-06
375	375	0.19007	4.83528E-06	9.2E-07	3.46E-04	3.18E-10	2.47E-02	1.57E-01	1.23E-12	1.0E+06	1.2E-06
376	376	0.21875	4.83528E-06	1.1E-06	3.46E-04	3.66E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
377	377	0.23178	4.83528E-06	1.1E-06	3.46E-04	3.88E-10	2.47E-02	1.57E-01	1.50E-12	1.0E+06	1.5E-06
378	378	0.23861	4.83528E-06	1.2E-06	3.46E-04	3.99E-10	2.47E-02	1.57E-01	1.55E-12	1.0E+06	1.5E-06
379	379	0.24698	4.83528E-06	1.2E-06	3.46E-04	4.13E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
380	380	0.24845	4.83528E-06	1.2E-06	3.46E-04	4.16E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
381	381	0.24807	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
382	382	0.17571	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
383	383	0.18762	4.83528E-06	9.1E-07	3.46E-04	3.14E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
384	384	0.19954	4.83528E-06	9.6E-07	3.46E-04	3.34E-10	2.47E-02	1.57E-01	1.29E-12	1.0E+06	1.3E-06
385	385	0.22033	4.83528E-06	1.1E-06	3.46E-04	3.69E-10	2.47E-02	1.57E-01	1.43E-12	1.0E+06	1.4E-06
386	386	0.25125	4.83528E-06	1.2E-06	3.46E-04	4.21E-10	2.47E-02	1.57E-01	1.63E-12	1.0E+06	1.6E-06
387	387	0.26303	4.83528E-06	1.3E-06	3.46E-04	4.40E-10	2.47E-02	1.57E-01	1.71E-12	1.0E+06	1.7E-06
388	388	0.27155	4.83528E-06	1.3E-06	3.46E-04	4.55E-10	2.47E-02	1.57E-01	1.76E-12	1.0E+06	1.8E-06
389	389	0.28226	4.83528E-06	1.4E-06	3.46E-04	4.72E-10	2.47E-02	1.57E-01	1.83E-12	1.0E+06	1.8E-06
390	390	0.28378	4.83528E-06	1.4E-06	3.46E-04	4.75E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
391	391	0.28322	4.83528E-06	1.4E-06	3.46E-04	4.74E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
392	392	0.27819	4.83528E-06	1.3E-06	3.46E-04	4.66E-10	2.47E-02	1.57E-01	1.80E-12	1.0E+06	1.8E-06
393	393	0.20198	4.83528E-06	9.8E-07	3.46E-04	3.38E-10	2.47E-02	1.57E-01	1.31E-12	1.0E+06	1.3E-06
394	394	0.2242	4.83528E-06	1.1E-06	3.46E-04	3.75E-10	2.47E-02	1.57E-01	1.45E-12	1.0E+06	1.5E-06
395	395	0.2503	4.83528E-06	1.2E-06	3.46E-04	4.19E-10	2.47E-02	1.57E-01	1.62E-12	1.0E+06	1.6E-06
396	396	0.27819	4.83528E-06	1.3E-06	3.46E-04	4.66E-10	2.47E-02	1.57E-01	1.80E-12	1.0E+06	1.8E-06
397	397	0.29449	4.83528E-06	1.4E-06	3.46E-04	4.93E-10	2.47E-02	1.57E-01	1.91E-12	1.0E+06	1.9E-06
398	398	0.30344	4.83528E-06	1.5E-06	3.46E-04	5.08E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
399	399	0.30844	4.83528E-06	1.5E-06	3.46E-04	5.16E-10	2.47E-02	1.57E-01	2.00E-12	1.0E+06	2.0E-06
400	400	0.32686	4.83528E-06	1.6E-06	3.46E-04	5.47E-10	2.47E-02	1.57E-01	2.12E-12	1.0E+06	2.1E-06
401	401	0.3287	4.83528E-06	1.6E-06	3.46E-04	5.50E-10	2.47E-02	1.57E-01	2.13E-12	1.0E+06	2.1E-06
402	402	0.32017	4.83528E-06	1.5E-06	3.46E-04	5.36E-10	2.47E-02	1.57E-01	2.08E-12	1.0E+06	2.1E-06
403	403	0.38088	4.83528E-06	1.8E-06	3.46E-04	6.38E-10	2.47E-02	1.57E-01	2.47E-12	1.0E+06	2.5E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.37568	4.83528E-06	1.8E-06	3.46E-04	6.29E-10	2.47E-02	1.57E-01	2.44E-12	1.0E+06	2.4E-06
405	405	0.36293	4.83528E-06	1.8E-06	3.46E-04	6.07E-10	2.47E-02	1.57E-01	2.35E-12	1.0E+06	2.4E-06
406	406	0.45644	4.83528E-06	2.2E-06	3.46E-04	7.64E-10	2.47E-02	1.57E-01	2.96E-12	1.0E+06	3.0E-06
407	407	0.42693	4.83528E-06	2.1E-06	3.46E-04	7.15E-10	2.47E-02	1.57E-01	2.77E-12	1.0E+06	2.8E-06
408	408	0.56093	4.83528E-06	2.7E-06	3.46E-04	9.39E-10	2.47E-02	1.57E-01	3.64E-12	1.0E+06	3.6E-06
409	409	0.51063	4.83528E-06	2.5E-06	3.46E-04	8.55E-10	2.47E-02	1.57E-01	3.31E-12	1.0E+06	3.3E-06
410	410	0.71333	4.83528E-06	3.4E-06	3.46E-04	1.19E-09	2.47E-02	1.57E-01	4.63E-12	1.0E+06	4.6E-06
411	411	0.66599	4.83528E-06	3.2E-06	3.46E-04	1.11E-09	2.47E-02	1.57E-01	4.32E-12	1.0E+06	4.3E-06
412	412	0.6284	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.08E-12	1.0E+06	4.1E-06
413	413	0.95291	4.83528E-06	4.6E-06	3.46E-04	1.59E-09	2.47E-02	1.57E-01	6.18E-12	1.0E+06	6.2E-06
414	414	0.90293	4.83528E-06	4.4E-06	3.46E-04	1.51E-09	2.47E-02	1.57E-01	5.86E-12	1.0E+06	5.9E-06
415	415	0.84163	4.83528E-06	4.1E-06	3.46E-04	1.41E-09	2.47E-02	1.57E-01	5.46E-12	1.0E+06	5.5E-06
416	416	0.77138	4.83528E-06	3.7E-06	3.46E-04	1.29E-09	2.47E-02	1.57E-01	5.00E-12	1.0E+06	5.0E-06
417	417	1.3753	4.83528E-06	6.6E-06	3.46E-04	2.30E-09	2.47E-02	1.57E-01	8.92E-12	1.0E+06	8.9E-06
418	418	1.08271	4.83528E-06	5.2E-06	3.46E-04	1.81E-09	2.47E-02	1.57E-01	7.02E-12	1.0E+06	7.0E-06
419	419	0.94962	4.83528E-06	4.6E-06	3.46E-04	1.59E-09	2.47E-02	1.57E-01	6.16E-12	1.0E+06	6.2E-06
420	420	0.82685	4.83528E-06	4.0E-06	3.46E-04	1.38E-09	2.47E-02	1.57E-01	5.36E-12	1.0E+06	5.4E-06
421	421	2.28247	4.83528E-06	1.1E-05	3.46E-04	3.82E-09	2.47E-02	1.57E-01	1.48E-11	1.0E+06	1.5E-05
422	422	1.15445	4.83528E-06	5.6E-06	3.46E-04	1.93E-09	2.47E-02	1.57E-01	7.49E-12	1.0E+06	7.5E-06
423	423	0.96506	4.83528E-06	4.7E-06	3.46E-04	1.62E-09	2.47E-02	1.57E-01	6.26E-12	1.0E+06	6.3E-06
424	424	5.04745	4.83528E-06	2.4E-05	3.46E-04	8.45E-09	2.47E-02	1.57E-01	3.27E-11	1.0E+06	3.3E-05
425	425	1.09324	4.83528E-06	5.3E-06	3.46E-04	1.83E-09	2.47E-02	1.57E-01	7.09E-12	1.0E+06	7.1E-06
426	426	0.89433	4.83528E-06	4.3E-06	3.46E-04	1.50E-09	2.47E-02	1.57E-01	5.80E-12	1.0E+06	5.8E-06
427	427	6.20101	4.83528E-06	3.0E-05	3.46E-04	1.04E-08	2.47E-02	1.57E-01	4.02E-11	1.0E+06	4.0E-05
428	428	1.1954	4.83528E-06	5.8E-06	3.46E-04	2.00E-09	2.47E-02	1.57E-01	7.75E-12	1.0E+06	7.8E-06
429	429	0.95535	4.83528E-06	4.6E-06	3.46E-04	1.60E-09	2.47E-02	1.57E-01	6.20E-12	1.0E+06	6.2E-06
430	430	11.54302	4.83528E-06	5.6E-05	3.46E-04	1.93E-08	2.47E-02	1.57E-01	7.49E-11	1.0E+06	7.5E-05
431	431	0.99064	4.83528E-06	4.8E-06	3.46E-04	1.66E-09	2.47E-02	1.57E-01	6.42E-12	1.0E+06	6.4E-06
432	432	0.79362	4.83528E-06	3.8E-06	3.46E-04	1.33E-09	2.47E-02	1.57E-01	5.15E-12	1.0E+06	5.1E-06
433	433	8.5274	4.83528E-06	4.1E-05	3.46E-04	1.43E-08	2.47E-02	1.57E-01	5.53E-11	1.0E+06	5.5E-05
434	434	0.99888	4.83528E-06	4.8E-06	3.46E-04	1.67E-09	2.47E-02	1.57E-01	6.48E-12	1.0E+06	6.5E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.79674	4.83528E-06	3.9E-06	3.46E-04	1.33E-09	2.47E-02	1.57E-01	5.17E-12	1.0E+06	5.2E-06
436	436	15.01618	4.83528E-06	7.3E-05	3.46E-04	2.51E-08	2.47E-02	1.57E-01	9.74E-11	1.0E+06	9.7E-05
437	437	1.27715	4.83528E-06	6.2E-06	3.46E-04	2.14E-09	2.47E-02	1.57E-01	8.28E-12	1.0E+06	8.3E-06
438	438	0.98302	4.83528E-06	4.8E-06	3.46E-04	1.65E-09	2.47E-02	1.57E-01	6.38E-12	1.0E+06	6.4E-06
439	439	0.78064	4.83528E-06	3.8E-06	3.46E-04	1.31E-09	2.47E-02	1.57E-01	5.06E-12	1.0E+06	5.1E-06
440	440	18.45016	4.83528E-06	8.9E-05	3.46E-04	3.09E-08	2.47E-02	1.57E-01	1.20E-10	1.0E+06	1.2E-04
441	441	2.39204	4.83528E-06	1.2E-05	3.46E-04	4.00E-09	2.47E-02	1.57E-01	1.55E-11	1.0E+06	1.6E-05
442	442	1.67555	4.83528E-06	8.1E-06	3.46E-04	2.80E-09	2.47E-02	1.57E-01	1.09E-11	1.0E+06	1.1E-05
443	443	1.23172	4.83528E-06	6.0E-06	3.46E-04	2.06E-09	2.47E-02	1.57E-01	7.99E-12	1.0E+06	8.0E-06
444	444	0.94597	4.83528E-06	4.6E-06	3.46E-04	1.58E-09	2.47E-02	1.57E-01	6.14E-12	1.0E+06	6.1E-06
445	445	13.30967	4.83528E-06	6.4E-05	3.46E-04	2.23E-08	2.47E-02	1.57E-01	8.63E-11	1.0E+06	8.6E-05
446	446	3.54629	4.83528E-06	1.7E-05	3.46E-04	5.94E-09	2.47E-02	1.57E-01	2.30E-11	1.0E+06	2.3E-05
447	447	2.26566	4.83528E-06	1.1E-05	3.46E-04	3.79E-09	2.47E-02	1.57E-01	1.47E-11	1.0E+06	1.5E-05
448	448	1.57428	4.83528E-06	7.6E-06	3.46E-04	2.64E-09	2.47E-02	1.57E-01	1.02E-11	1.0E+06	1.0E-05
449	449	9.76539	4.83528E-06	4.7E-05	3.46E-04	1.63E-08	2.47E-02	1.57E-01	6.33E-11	1.0E+06	6.3E-05
450	450	5.20744	4.83528E-06	2.5E-05	3.46E-04	8.72E-09	2.47E-02	1.57E-01	3.38E-11	1.0E+06	3.4E-05
451	451	3.13404	4.83528E-06	1.5E-05	3.46E-04	5.25E-09	2.47E-02	1.57E-01	2.03E-11	1.0E+06	2.0E-05
452	452	7.24942	4.83528E-06	3.5E-05	3.46E-04	1.21E-08	2.47E-02	1.57E-01	4.70E-11	1.0E+06	4.7E-05
453	453	4.22012	4.83528E-06	2.0E-05	3.46E-04	7.06E-09	2.47E-02	1.57E-01	2.74E-11	1.0E+06	2.7E-05
454	454	0.62227	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.04E-12	1.0E+06	4.0E-06
455	455	0.51862	4.83528E-06	2.5E-06	3.46E-04	8.68E-10	2.47E-02	1.57E-01	3.36E-12	1.0E+06	3.4E-06
456	456	5.32173	4.83528E-06	2.6E-05	3.46E-04	8.91E-09	2.47E-02	1.57E-01	3.45E-11	1.0E+06	3.5E-05
457	457	3.35476	4.83528E-06	1.6E-05	3.46E-04	5.62E-09	2.47E-02	1.57E-01	2.18E-11	1.0E+06	2.2E-05
458	458	2.25817	4.83528E-06	1.1E-05	3.46E-04	3.78E-09	2.47E-02	1.57E-01	1.46E-11	1.0E+06	1.5E-05
459	459	0.89995	4.83528E-06	4.4E-06	3.46E-04	1.51E-09	2.47E-02	1.57E-01	5.84E-12	1.0E+06	5.8E-06
460	460	0.71561	4.83528E-06	3.5E-06	3.46E-04	1.20E-09	2.47E-02	1.57E-01	4.64E-12	1.0E+06	4.6E-06
461	461	0.58362	4.83528E-06	2.8E-06	3.46E-04	9.77E-10	2.47E-02	1.57E-01	3.79E-12	1.0E+06	3.8E-06
462	462	0.4864	4.83528E-06	2.4E-06	3.46E-04	8.14E-10	2.47E-02	1.57E-01	3.15E-12	1.0E+06	3.2E-06
463	463	0.68728	4.83528E-06	3.3E-06	3.46E-04	1.15E-09	2.47E-02	1.57E-01	4.46E-12	1.0E+06	4.5E-06
464	464	0.74037	4.83528E-06	3.6E-06	3.46E-04	1.24E-09	2.47E-02	1.57E-01	4.80E-12	1.0E+06	4.8E-06
465	465	0.91889	4.83528E-06	4.4E-06	3.46E-04	1.54E-09	2.47E-02	1.57E-01	5.96E-12	1.0E+06	6.0E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	1.09813	4.83528E-06	5.3E-06	3.46E-04	1.84E-09	2.47E-02	1.57E-01	7.12E-12	1.0E+06	7.1E-06
467	467	1.34535	4.83528E-06	6.5E-06	3.46E-04	2.25E-09	2.47E-02	1.57E-01	8.73E-12	1.0E+06	8.7E-06
468	468	2.1815	4.83528E-06	1.1E-05	3.46E-04	3.65E-09	2.47E-02	1.57E-01	1.41E-11	1.0E+06	1.4E-05
469	469	4.48594	4.83528E-06	2.2E-05	3.46E-04	7.51E-09	2.47E-02	1.57E-01	2.91E-11	1.0E+06	2.9E-05
470	470	3.76196	4.83528E-06	1.8E-05	3.46E-04	6.30E-09	2.47E-02	1.57E-01	2.44E-11	1.0E+06	2.4E-05
471	471	6.62671	4.83528E-06	3.2E-05	3.46E-04	1.11E-08	2.47E-02	1.57E-01	4.30E-11	1.0E+06	4.3E-05
472	472	4.69648	4.83528E-06	2.3E-05	3.46E-04	7.86E-09	2.47E-02	1.57E-01	3.05E-11	1.0E+06	3.0E-05
473	473	12.12882	4.83528E-06	5.9E-05	3.46E-04	2.03E-08	2.47E-02	1.57E-01	7.87E-11	1.0E+06	7.9E-05
474	474	5.50006	4.83528E-06	2.7E-05	3.46E-04	9.21E-09	2.47E-02	1.57E-01	3.57E-11	1.0E+06	3.6E-05
475	475	13.32507	4.83528E-06	6.4E-05	3.46E-04	2.23E-08	2.47E-02	1.57E-01	8.64E-11	1.0E+06	8.6E-05
476	476	6.35566	4.83528E-06	3.1E-05	3.46E-04	1.06E-08	2.47E-02	1.57E-01	4.12E-11	1.0E+06	4.1E-05
477	477	14.88752	4.83528E-06	7.2E-05	3.46E-04	2.49E-08	2.47E-02	1.57E-01	9.66E-11	1.0E+06	9.7E-05
478	478	7.83866	4.83528E-06	3.8E-05	3.46E-04	1.31E-08	2.47E-02	1.57E-01	5.08E-11	1.0E+06	5.1E-05
479	479	8.84278	4.83528E-06	4.3E-05	3.46E-04	1.48E-08	2.47E-02	1.57E-01	5.74E-11	1.0E+06	5.7E-05
480	480	17.46115	4.83528E-06	8.4E-05	3.46E-04	2.92E-08	2.47E-02	1.57E-01	1.13E-10	1.0E+06	1.1E-04
481	481	10.57872	4.83528E-06	5.1E-05	3.46E-04	1.77E-08	2.47E-02	1.57E-01	6.86E-11	1.0E+06	6.9E-05
482	482	14.19131	4.83528E-06	6.9E-05	3.46E-04	2.38E-08	2.47E-02	1.57E-01	9.20E-11	1.0E+06	9.2E-05
483	483	10.87525	4.83528E-06	5.3E-05	3.46E-04	1.82E-08	2.47E-02	1.57E-01	7.05E-11	1.0E+06	7.1E-05
484	484	13.85496	4.83528E-06	6.7E-05	3.46E-04	2.32E-08	2.47E-02	1.57E-01	8.99E-11	1.0E+06	9.0E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Receptor #	Max Cancer Risk Cancer Risk: Receptor #	Max Cancer Risk Cancer Risk: Total Risk/ Million	Chronic Non Cancer Risk: REL	Chronic Non Cancer Risk: HI
1	1	2.3E-03	5	3.39E-04
2	2	2.3E-03	5	3.43E-04
3	3	2.3E-03	5	3.47E-04
4	4	2.4E-03	5	3.51E-04
5	5	2.4E-03	5	3.56E-04
6	6	2.5E-03	5	3.65E-04
7	7	2.5E-03	5	3.77E-04
8	8	2.6E-03	5	3.92E-04
9	9	2.7E-03	5	4.10E-04
10	10	2.9E-03	5	4.33E-04
11	11	3.1E-03	5	4.62E-04
12	12	3.3E-03	5	4.94E-04
13	13	3.5E-03	5	5.29E-04
14	14	5.0E-03	5	7.39E-04
15	15	2.5E-03	5	3.77E-04
16	16	2.6E-03	5	3.81E-04
17	17	2.6E-03	5	3.87E-04
18	18	2.6E-03	5	3.91E-04
19	19	2.6E-03	5	3.94E-04
20	20	2.7E-03	5	4.01E-04
21	21	2.8E-03	5	4.11E-04
22	22	2.8E-03	5	4.23E-04
23	23	3.0E-03	5	4.44E-04
24	24	3.1E-03	5	4.66E-04
25	25	3.4E-03	5	5.01E-04
26	26	3.6E-03	5	5.39E-04
27	27	3.8E-03	5	5.73E-04
28	28	5.6E-03	5	8.29E-04
29	29	2.8E-03	5	4.18E-04
30	30	2.9E-03	5	4.27E-04
31	31	2.9E-03	5	4.36E-04

Max Cancer Risk Cancer Risk: Max	Max Cancer Risk Cancer Risk: Receptor #
0.786	471

Chronic Non Cancer Risk: Max	Chronic Non Cancer Risk: Receptor #	
0.117	471	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	3.0E-03	5	4.42E-04
33	33	3.0E-03	5	4.42E-04
34	34	3.0E-03	5	4.48E-04
35	35	3.1E-03	5	4.55E-04
36	36	3.1E-03	5	4.67E-04
37	37	3.3E-03	5	4.85E-04
38	38	3.4E-03	5	5.11E-04
39	39	3.7E-03	5	5.45E-04
40	40	3.9E-03	5	5.83E-04
41	41	4.2E-03	5	6.22E-04
42	42	6.3E-03	5	9.37E-04
43	43	3.1E-03	5	4.59E-04
44	44	3.2E-03	5	4.72E-04
45	45	3.2E-03	5	4.84E-04
46	46	3.3E-03	5	4.93E-04
47	47	3.3E-03	5	4.99E-04
48	48	3.4E-03	5	5.04E-04
49	49	3.4E-03	5	5.09E-04
50	50	3.5E-03	5	5.15E-04
51	51	3.6E-03	5	5.37E-04
52	52	3.8E-03	5	5.62E-04
53	53	4.0E-03	5	5.99E-04
54	54	4.3E-03	5	6.43E-04
55	55	4.6E-03	5	6.93E-04
56	56	7.2E-03	5	1.07E-03
57	57	3.3E-03	5	4.99E-04
58	58	3.5E-03	5	5.17E-04
59	59	3.6E-03	5	5.35E-04
60	60	3.7E-03	5	5.50E-04
61	61	3.8E-03	5	5.63E-04
62	62	3.8E-03	5	5.73E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	3.9E-03	5	5.87E-04
64	64	3.9E-03	5	5.84E-04
65	65	4.1E-03	5	6.04E-04
66	66	4.2E-03	5	6.31E-04
67	67	4.4E-03	5	6.62E-04
68	68	4.8E-03	5	7.19E-04
69	69	5.3E-03	5	7.85E-04
70	70	3.6E-03	5	5.40E-04
71	71	3.8E-03	5	5.64E-04
72	72	3.9E-03	5	5.87E-04
73	73	4.1E-03	5	6.10E-04
74	74	4.2E-03	5	6.30E-04
75	75	4.4E-03	5	6.54E-04
76	76	4.5E-03	5	6.73E-04
77	77	4.6E-03	5	6.82E-04
78	78	4.7E-03	5	7.04E-04
79	79	5.1E-03	5	7.53E-04
80	80	5.2E-03	5	7.76E-04
81	81	5.7E-03	5	8.53E-04
82	82	6.1E-03	5	9.12E-04
83	83	3.9E-03	5	5.81E-04
84	84	4.1E-03	5	6.10E-04
85	85	4.3E-03	5	6.37E-04
86	86	4.5E-03	5	6.73E-04
87	87	4.7E-03	5	7.05E-04
88	88	4.9E-03	5	7.38E-04
89	89	5.2E-03	5	7.71E-04
90	90	5.4E-03	5	8.05E-04
91	91	5.7E-03	5	8.42E-04
92	92	5.9E-03	5	8.87E-04
93	93	6.3E-03	5	9.38E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	6.7E-03	5	1.00E-03
95	95	7.3E-03	5	1.09E-03
96	96	4.2E-03	5	6.19E-04
97	97	4.3E-03	5	6.48E-04
98	98	4.6E-03	5	6.82E-04
99	99	4.9E-03	5	7.28E-04
100	100	5.2E-03	5	7.79E-04
101	101	5.5E-03	5	8.24E-04
102	102	5.8E-03	5	8.70E-04
103	103	6.2E-03	5	9.17E-04
104	104	6.5E-03	5	9.67E-04
105	105	6.8E-03	5	1.02E-03
106	106	7.3E-03	5	1.08E-03
107	107	7.8E-03	5	1.16E-03
108	108	8.4E-03	5	1.26E-03
109	109	4.3E-03	5	6.46E-04
110	110	4.6E-03	5	6.92E-04
111	111	5.0E-03	5	7.41E-04
112	112	5.3E-03	5	7.95E-04
113	113	5.7E-03	5	8.52E-04
114	114	6.1E-03	5	9.12E-04
115	115	6.5E-03	5	9.74E-04
116	116	7.0E-03	5	1.04E-03
117	117	7.4E-03	5	1.11E-03
118	118	7.7E-03	5	1.15E-03
119	119	8.3E-03	5	1.23E-03
120	120	8.8E-03	5	1.32E-03
121	121	9.5E-03	5	1.42E-03
122	122	4.5E-03	5	6.64E-04
123	123	4.8E-03	5	7.20E-04
124	124	5.3E-03	5	7.84E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	5.7E-03	5	8.49E-04
126	126	6.2E-03	5	9.18E-04
127	127	6.6E-03	5	9.90E-04
128	128	7.0E-03	5	1.04E-03
129	129	7.6E-03	5	1.13E-03
130	130	8.4E-03	5	1.24E-03
131	131	2.5E-02	5	3.79E-03
132	132	2.6E-02	5	3.93E-03
133	133	4.5E-03	5	6.67E-04
134	134	4.9E-03	5	7.37E-04
135	135	5.4E-03	5	8.10E-04
136	136	5.9E-03	5	8.86E-04
137	137	6.5E-03	5	9.70E-04
138	138	7.1E-03	5	1.06E-03
139	139	7.6E-03	5	1.14E-03
140	140	8.6E-03	5	1.28E-03
141	141	9.5E-03	5	1.41E-03
142	142	1.0E-02	5	1.55E-03
143	143	1.2E-02	5	1.72E-03
144	144	1.3E-02	5	1.92E-03
145	145	1.4E-02	5	2.12E-03
146	146	3.4E-02	5	5.12E-03
147	147	4.4E-03	5	6.55E-04
148	148	4.9E-03	5	7.28E-04
149	149	5.4E-03	5	8.10E-04
150	150	6.0E-03	5	8.97E-04
151	151	6.7E-03	5	9.98E-04
152	152	7.4E-03	5	1.10E-03
153	153	8.1E-03	5	1.21E-03
154	154	9.1E-03	5	1.36E-03
155	155	1.0E-02	5	1.53E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	1.2E-02	5	1.72E-03
157	157	1.3E-02	5	1.93E-03
158	158	1.5E-02	5	2.16E-03
159	159	1.7E-02	5	2.53E-03
160	160	4.3E-03	5	6.37E-04
161	161	4.7E-03	5	7.02E-04
162	162	5.2E-03	5	7.69E-04
163	163	5.8E-03	5	8.71E-04
164	164	6.7E-03	5	9.93E-04
165	165	7.5E-03	5	1.11E-03
166	166	8.4E-03	5	1.25E-03
167	167	9.5E-03	5	1.42E-03
168	168	1.1E-02	5	1.62E-03
169	169	1.3E-02	5	1.87E-03
170	170	1.4E-02	5	2.16E-03
171	171	1.7E-02	5	2.51E-03
172	172	2.0E-02	5	2.98E-03
173	173	2.4E-02	5	3.61E-03
174	174	3.0E-02	5	4.46E-03
175	175	3.8E-02	5	5.59E-03
176	176	5.0E-02	5	7.45E-03
177	177	6.5E-02	5	9.70E-03
178	178	8.2E-02	5	1.22E-02
179	179	4.0E-03	5	5.92E-04
180	180	4.4E-03	5	6.49E-04
181	181	4.7E-03	5	7.05E-04
182	182	5.5E-03	5	8.18E-04
183	183	6.5E-03	5	9.63E-04
184	184	7.3E-03	5	1.09E-03
185	185	8.4E-03	5	1.25E-03
186	186	9.6E-03	5	1.44E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	1.1E-02	5	1.66E-03
188	188	1.3E-02	5	1.94E-03
189	189	1.5E-02	5	2.29E-03
190	190	1.8E-02	5	2.75E-03
191	191	2.2E-02	5	3.34E-03
192	192	2.8E-02	5	4.18E-03
193	193	3.6E-02	5	5.37E-03
194	194	4.9E-02	5	7.24E-03
195	195	7.1E-02	5	1.05E-02
196	196	1.1E-01	5	1.59E-02
197	197	1.6E-01	5	2.34E-02
198	198	3.7E-03	5	5.53E-04
199	199	4.1E-03	5	6.09E-04
200	200	4.5E-03	5	6.73E-04
201	201	5.1E-03	5	7.62E-04
202	202	6.1E-03	5	9.05E-04
203	203	7.0E-03	5	1.04E-03
204	204	8.1E-03	5	1.21E-03
205	205	9.4E-03	5	1.40E-03
206	206	1.1E-02	5	1.63E-03
207	207	1.3E-02	5	1.92E-03
208	208	1.5E-02	5	2.30E-03
209	209	1.9E-02	5	2.80E-03
210	210	2.3E-02	5	3.49E-03
211	211	3.0E-02	5	4.50E-03
212	212	4.0E-02	5	6.00E-03
213	213	5.6E-02	5	8.38E-03
214	214	8.3E-02	5	1.23E-02
215	215	1.7E-01	5	2.56E-02
216	216	3.5E-03	5	5.24E-04
217	217	3.8E-03	5	5.73E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	4.3E-03	5	6.35E-04
219	219	4.8E-03	5	7.15E-04
220	220	5.6E-03	5	8.42E-04
221	221	6.5E-03	5	9.67E-04
222	222	7.6E-03	5	1.13E-03
223	223	8.8E-03	5	1.32E-03
224	224	1.0E-02	5	1.54E-03
225	225	1.2E-02	5	1.81E-03
226	226	1.5E-02	5	2.18E-03
227	227	1.8E-02	5	2.67E-03
228	228	2.2E-02	5	3.35E-03
229	229	2.9E-02	5	4.37E-03
230	230	4.0E-02	5	5.96E-03
231	231	5.9E-02	5	8.78E-03
232	232	9.8E-02	5	1.46E-02
233	233	2.5E-01	5	3.65E-02
234	234	3.4E-03	5	5.02E-04
235	235	3.7E-03	5	5.46E-04
236	236	4.1E-03	5	6.05E-04
237	237	4.6E-03	5	6.84E-04
238	238	5.3E-03	5	7.88E-04
239	239	6.1E-03	5	9.02E-04
240	240	7.0E-03	5	1.05E-03
241	241	8.2E-03	5	1.22E-03
242	242	9.6E-03	5	1.43E-03
243	243	1.1E-02	5	1.68E-03
244	244	1.4E-02	5	2.03E-03
245	245	1.7E-02	5	2.49E-03
246	246	2.1E-02	5	3.12E-03
247	247	2.7E-02	5	4.05E-03
248	248	3.7E-02	5	5.49E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	5.4E-02	5	7.99E-03
250	250	8.8E-02	5	1.32E-02
251	251	2.2E-01	5	3.24E-02
252	252	3.2E-03	5	4.83E-04
253	253	3.5E-03	5	5.22E-04
254	254	3.8E-03	5	5.74E-04
255	255	4.3E-03	5	6.39E-04
256	256	5.0E-03	5	7.48E-04
257	257	5.6E-03	5	8.28E-04
258	258	6.3E-03	5	9.40E-04
259	259	7.2E-03	5	1.08E-03
260	260	8.5E-03	5	1.27E-03
261	261	1.0E-02	5	1.54E-03
262	262	1.3E-02	5	1.87E-03
263	263	1.5E-02	5	2.27E-03
264	264	1.9E-02	5	2.84E-03
265	265	2.4E-02	5	3.63E-03
266	266	3.2E-02	5	4.83E-03
267	267	4.5E-02	5	6.74E-03
268	268	6.8E-02	5	1.02E-02
269	269	1.4E-01	5	2.08E-02
270	270	3.2E-03	5	4.70E-04
271	271	3.4E-03	5	5.10E-04
272	272	3.8E-03	5	5.59E-04
273	273	4.1E-03	5	6.18E-04
274	274	4.9E-03	5	7.28E-04
275	275	5.6E-03	5	8.30E-04
276	276	5.9E-03	5	8.85E-04
277	277	6.7E-03	5	1.00E-03
278	278	7.8E-03	5	1.16E-03
279	279	9.2E-03	5	1.37E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	1.1E-02	5	1.68E-03
281	281	1.4E-02	5	2.07E-03
282	282	1.7E-02	5	2.58E-03
283	283	2.2E-02	5	3.26E-03
284	284	2.8E-02	5	4.21E-03
285	285	3.7E-02	5	5.55E-03
286	286	5.2E-02	5	7.80E-03
287	287	9.3E-02	5	1.39E-02
288	288	3.1E-03	5	4.63E-04
289	289	3.3E-03	5	4.98E-04
290	290	3.7E-03	5	5.56E-04
291	291	4.1E-03	5	6.18E-04
292	292	5.0E-03	5	7.52E-04
293	293	5.5E-03	5	8.18E-04
294	294	5.7E-03	5	8.42E-04
295	295	6.4E-03	5	9.56E-04
296	296	7.4E-03	5	1.10E-03
297	297	8.5E-03	5	1.27E-03
298	298	1.0E-02	5	1.51E-03
299	299	1.3E-02	5	1.86E-03
300	300	1.5E-02	5	2.27E-03
301	301	1.9E-02	5	2.85E-03
302	302	2.4E-02	5	3.59E-03
303	303	3.1E-02	5	4.62E-03
304	304	4.2E-02	5	6.21E-03
305	305	6.7E-02	5	1.00E-02
306	306	3.2E-03	5	4.79E-04
307	307	3.4E-03	5	5.02E-04
308	308	3.7E-03	5	5.47E-04
309	309	4.3E-03	5	6.38E-04
310	310	4.9E-03	5	7.34E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	5.3E-03	5	7.94E-04
312	312	5.4E-03	5	8.00E-04
313	313	6.1E-03	5	9.03E-04
314	314	6.9E-03	5	1.03E-03
315	315	8.3E-03	5	1.23E-03
316	316	9.4E-03	5	1.40E-03
317	317	1.1E-02	5	1.64E-03
318	318	1.3E-02	5	1.97E-03
319	319	1.6E-02	5	2.44E-03
320	320	2.1E-02	5	3.11E-03
321	321	2.6E-02	5	3.88E-03
322	322	3.4E-02	5	5.02E-03
323	323	5.0E-02	5	7.48E-03
324	324	3.1E-03	5	4.69E-04
325	325	3.5E-03	5	5.21E-04
326	326	3.8E-03	5	5.61E-04
327	327	4.0E-03	5	5.97E-04
328	328	4.8E-03	5	7.22E-04
329	329	5.1E-03	5	7.68E-04
330	330	5.2E-03	5	7.77E-04
331	331	5.9E-03	5	8.76E-04
332	332	6.7E-03	5	9.99E-04
333	333	7.9E-03	5	1.18E-03
334	334	9.1E-03	5	1.36E-03
335	335	1.1E-02	5	1.57E-03
336	336	3.1E-02	5	4.58E-03
337	337	3.2E-02	5	4.82E-03
338	338	3.6E-03	5	5.34E-04
339	339	3.8E-03	5	5.71E-04
340	340	4.4E-03	5	6.51E-04
341	341	4.6E-03	5	6.92E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	4.8E-03	5	7.15E-04
343	343	5.0E-03	5	7.50E-04
344	344	5.1E-03	5	7.61E-04
345	345	5.1E-03	5	7.67E-04
346	346	5.1E-03	5	7.67E-04
347	347	3.9E-03	5	5.78E-04
348	348	4.2E-03	5	6.33E-04
349	349	5.0E-03	5	7.42E-04
350	350	5.2E-03	5	7.74E-04
351	351	5.4E-03	5	8.00E-04
352	352	5.7E-03	5	8.45E-04
353	353	5.8E-03	5	8.58E-04
354	354	5.8E-03	5	8.62E-04
355	355	5.8E-03	5	8.63E-04
356	356	4.2E-03	5	6.31E-04
357	357	4.6E-03	5	6.80E-04
358	358	5.0E-03	5	7.43E-04
359	359	5.7E-03	5	8.47E-04
360	360	6.1E-03	5	9.03E-04
361	361	6.4E-03	5	9.59E-04
362	362	6.5E-03	5	9.76E-04
363	363	6.6E-03	5	9.79E-04
364	364	4.7E-03	5	7.02E-04
365	365	5.0E-03	5	7.43E-04
366	366	5.5E-03	5	8.21E-04
367	367	6.4E-03	5	9.58E-04
368	368	6.9E-03	5	1.03E-03
369	369	7.4E-03	5	1.10E-03
370	370	7.6E-03	5	1.13E-03
371	371	7.6E-03	5	1.13E-03
372	372	5.3E-03	5	7.95E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	5.6E-03	5	8.41E-04
374	374	6.3E-03	5	9.36E-04
375	375	7.4E-03	5	1.10E-03
376	376	8.0E-03	5	1.19E-03
377	377	8.3E-03	5	1.24E-03
378	378	8.6E-03	5	1.28E-03
379	379	8.9E-03	5	1.32E-03
380	380	8.9E-03	5	1.32E-03
381	381	8.8E-03	5	1.31E-03
382	382	6.2E-03	5	9.28E-04
383	383	6.8E-03	5	1.01E-03
384	384	7.3E-03	5	1.09E-03
385	385	8.8E-03	5	1.31E-03
386	386	9.3E-03	5	1.39E-03
387	387	9.8E-03	5	1.46E-03
388	388	1.0E-02	5	1.51E-03
389	389	1.0E-02	5	1.56E-03
390	390	1.0E-02	5	1.56E-03
391	391	1.0E-02	5	1.54E-03
392	392	1.0E-02	5	1.49E-03
393	393	7.4E-03	5	1.11E-03
394	394	8.8E-03	5	1.32E-03
395	395	9.9E-03	5	1.47E-03
396	396	1.1E-02	5	1.58E-03
397	397	1.1E-02	5	1.69E-03
398	398	1.2E-02	5	1.75E-03
399	399	1.2E-02	5	1.77E-03
400	400	1.3E-02	5	1.88E-03
401	401	1.3E-02	5	1.87E-03
402	402	1.2E-02	5	1.76E-03
403	403	1.5E-02	5	2.29E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	1.4E-02	5	2.16E-03
405	405	1.4E-02	5	2.02E-03
406	406	1.9E-02	5	2.90E-03
407	407	1.6E-02	5	2.45E-03
408	408	2.5E-02	5	3.80E-03
409	409	2.0E-02	5	3.00E-03
410	410	3.5E-02	5	5.21E-03
411	411	2.8E-02	5	4.24E-03
412	412	2.5E-02	5	3.76E-03
413	413	5.1E-02	5	7.60E-03
414	414	4.2E-02	5	6.31E-03
415	415	3.6E-02	5	5.42E-03
416	416	3.1E-02	5	4.57E-03
417	417	8.1E-02	5	1.21E-02
418	418	4.6E-02	5	6.85E-03
419	419	3.6E-02	5	5.40E-03
420	420	2.9E-02	5	4.25E-03
421	421	1.5E-01	5	2.18E-02
422	422	4.0E-02	5	6.03E-03
423	423	3.0E-02	5	4.54E-03
424	424	2.9E-01	5	4.38E-02
425	425	3.1E-02	5	4.55E-03
426	426	2.3E-02	5	3.45E-03
427	427	5.2E-01	5	7.72E-02
428	428	2.9E-02	5	4.34E-03
429	429	2.2E-02	5	3.29E-03
430	430	4.8E-01	5	7.16E-02
431	431	2.1E-02	5	3.07E-03
432	432	1.6E-02	5	2.42E-03
433	433	3.0E-01	5	4.45E-02
434	434	1.9E-02	5	2.84E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	1.5E-02	5	2.27E-03
436	436	1.8E-01	5	2.74E-02
437	437	2.2E-02	5	3.31E-03
438	438	1.8E-02	5	2.61E-03
439	439	1.4E-02	5	2.12E-03
440	440	1.2E-01	5	1.77E-02
441	441	3.6E-02	5	5.34E-03
442	442	2.6E-02	5	3.90E-03
443	443	2.0E-02	5	3.00E-03
444	444	1.6E-02	5	2.39E-03
445	445	8.1E-02	5	1.21E-02
446	446	4.4E-02	5	6.62E-03
447	447	3.2E-02	5	4.71E-03
448	448	2.3E-02	5	3.50E-03
449	449	5.8E-02	5	8.64E-03
450	450	4.9E-02	5	7.24E-03
451	451	3.7E-02	5	5.55E-03
452	452	4.3E-02	5	6.46E-03
453	453	3.8E-02	5	5.71E-03
454	454	1.0E-02	5	1.55E-03
455	455	8.9E-03	5	1.33E-03
456	456	3.3E-02	5	4.99E-03
457	457	3.1E-02	5	4.57E-03
458	458	2.6E-02	5	3.90E-03
459	459	1.4E-02	5	2.07E-03
460	460	1.2E-02	5	1.71E-03
461	461	9.7E-03	5	1.45E-03
462	462	8.3E-03	5	1.24E-03
463	463	3.6E-02	5	5.31E-03
464	464	3.8E-02	5	5.70E-03
465	465	5.4E-02	5	8.07E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
466	466	6.6E-02	5	9.85E-03
467	467	9.2E-02	5	1.37E-02
468	468	1.9E-01	5	2.83E-02
469	469	6.4E-01	5	9.55E-02
470	470	4.6E-01	5	6.91E-02
471	471	7.9E-01	5	1.17E-01
472	472	6.4E-01	5	9.47E-02
473	473	6.8E-01	5	1.01E-01
474	474	3.0E-01	5	4.43E-02
475	475	5.0E-01	5	7.50E-02
476	476	1.6E-01	5	2.38E-02
477	477	2.2E-01	5	3.31E-02
478	478	9.8E-02	5	1.46E-02
479	479	1.2E-01	5	1.85E-02
480	480	1.2E-01	5	1.83E-02
481	481	6.6E-02	5	9.80E-03
482	482	8.1E-02	5	1.20E-02
483	483	5.5E-02	5	8.17E-03
484	484	5.7E-02	5	8.46E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

					Cancer Risk from 3rd Trimester						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
1	0.09997	1.36E-02	1.4E-03	3.46E-04	4.72E-07	2.47E-02	1.57E-01	1.83E-09	1.0E+06	1.8E-03	
2	0.10116	1.36E-02	1.4E-03	3.46E-04	4.78E-07	2.47E-02	1.57E-01	1.85E-09	1.0E+06	1.9E-03	
3	0.10225	1.36E-02	1.4E-03	3.46E-04	4.83E-07	2.47E-02	1.57E-01	1.87E-09	1.0E+06	1.9E-03	
4	0.10353	1.36E-02	1.4E-03	3.46E-04	4.89E-07	2.47E-02	1.57E-01	1.89E-09	1.0E+06	1.9E-03	
5	0.1049	1.36E-02	1.4E-03	3.46E-04	4.95E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03	
6	0.10762	1.36E-02	1.5E-03	3.46E-04	5.08E-07	2.47E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03	
7	0.11114	1.36E-02	1.5E-03	3.46E-04	5.25E-07	2.47E-02	1.57E-01	2.03E-09	1.0E+06	2.0E-03	
8	0.11544	1.36E-02	1.6E-03	3.46E-04	5.45E-07	2.47E-02	1.57E-01	2.11E-09	1.0E+06	2.1E-03	
9	0.12067	1.36E-02	1.6E-03	3.46E-04	5.70E-07	2.47E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03	
10	0.12749	1.36E-02	1.7E-03	3.46E-04	6.02E-07	2.47E-02	1.57E-01	2.33E-09	1.0E+06	2.3E-03	
11	0.13627	1.36E-02	1.9E-03	3.46E-04	6.43E-07	2.47E-02	1.57E-01	2.49E-09	1.0E+06	2.5E-03	
12	0.1456	1.36E-02	2.0E-03	3.46E-04	6.87E-07	2.47E-02	1.57E-01	2.66E-09	1.0E+06	2.7E-03	
13	0.15591	1.36E-02	2.1E-03	3.46E-04	7.36E-07	2.47E-02	1.57E-01	2.85E-09	1.0E+06	2.9E-03	
14	0.21775	1.36E-02	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03	
15	0.11116	1.36E-02	1.5E-03	3.46E-04	5.25E-07	2.47E-02	1.57E-01	2.03E-09	1.0E+06	2.0E-03	
16	0.11231	1.36E-02	1.5E-03	3.46E-04	5.30E-07	2.47E-02	1.57E-01	2.05E-09	1.0E+06	2.1E-03	
17	0.11409	1.36E-02	1.6E-03	3.46E-04	5.39E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03	
18	0.1152	1.36E-02	1.6E-03	3.46E-04	5.44E-07	2.47E-02	1.57E-01	2.11E-09	1.0E+06	2.1E-03	
19	0.11623	1.36E-02	1.6E-03	3.46E-04	5.49E-07	2.47E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03	
20	0.11825	1.36E-02	1.6E-03	3.46E-04	5.58E-07	2.47E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03	
21	0.12106	1.36E-02	1.7E-03	3.46E-04	5.72E-07	2.47E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03	
22	0.12456	1.36E-02	1.7E-03	3.46E-04	5.88E-07	2.47E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03	
23	0.13094	1.36E-02	1.8E-03	3.46E-04	6.18E-07	2.47E-02	1.57E-01	2.40E-09	1.0E+06	2.4E-03	
24	0.13716	1.36E-02	1.9E-03	3.46E-04	6.48E-07	2.47E-02	1.57E-01	2.51E-09	1.0E+06	2.5E-03	
25	0.14759	1.36E-02	2.0E-03	3.46E-04	6.97E-07	2.47E-02	1.57E-01	2.70E-09	1.0E+06	2.7E-03	
26	0.15892	1.36E-02	2.2E-03	3.46E-04	7.50E-07	2.47E-02	1.57E-01	2.91E-09	1.0E+06	2.9E-03	
27	0.16875	1.36E-02	2.3E-03	3.46E-04	7.97E-07	2.47E-02	1.57E-01	3.09E-09	1.0E+06	3.1E-03	
28	0.24418	1.36E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03	
29	0.12315	1.36E-02	1.7E-03	3.46E-04	5.81E-07	2.47E-02	1.57E-01	2.25E-09	1.0E+06	2.3E-03	
30	0.12567	1.36E-02	1.7E-03	3.46E-04	5.93E-07	2.47E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03	
31	0.12837	1.36E-02	1.8E-03	3.46E-04	6.06E-07	2.47E-02	1.57E-01	2.35E-09	1.0E+06	2.3E-03	

	Max	Receptor #
Res	0.632	471

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	1.36E-02	1.8E-03	3.46E-04	6.15E-07	2.47E-02	1.57E-01	2.38E-09	1.0E+06	2.4E-03
33	0.13031	1.36E-02	1.8E-03	3.46E-04	6.15E-07	2.47E-02	1.57E-01	2.38E-09	1.0E+06	2.4E-03
34	0.13211	1.36E-02	1.8E-03	3.46E-04	6.24E-07	2.47E-02	1.57E-01	2.42E-09	1.0E+06	2.4E-03
35	0.13406	1.36E-02	1.8E-03	3.46E-04	6.33E-07	2.47E-02	1.57E-01	2.45E-09	1.0E+06	2.5E-03
36	0.13747	1.36E-02	1.9E-03	3.46E-04	6.49E-07	2.47E-02	1.57E-01	2.51E-09	1.0E+06	2.5E-03
37	0.14288	1.36E-02	1.9E-03	3.46E-04	6.75E-07	2.47E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
38	0.15048	1.36E-02	2.1E-03	3.46E-04	7.10E-07	2.47E-02	1.57E-01	2.75E-09	1.0E+06	2.8E-03
39	0.16057	1.36E-02	2.2E-03	3.46E-04	7.58E-07	2.47E-02	1.57E-01	2.94E-09	1.0E+06	2.9E-03
40	0.17181	1.36E-02	2.3E-03	3.46E-04	8.11E-07	2.47E-02	1.57E-01	3.14E-09	1.0E+06	3.1E-03
41	0.18337	1.36E-02	2.5E-03	3.46E-04	8.66E-07	2.47E-02	1.57E-01	3.35E-09	1.0E+06	3.4E-03
42	0.27606	1.36E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.05E-09	1.0E+06	5.1E-03
43	0.13523	1.36E-02	1.8E-03	3.46E-04	6.38E-07	2.47E-02	1.57E-01	2.47E-09	1.0E+06	2.5E-03
44	0.13913	1.36E-02	1.9E-03	3.46E-04	6.57E-07	2.47E-02	1.57E-01	2.55E-09	1.0E+06	2.5E-03
45	0.14273	1.36E-02	1.9E-03	3.46E-04	6.74E-07	2.47E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
46	0.14534	1.36E-02	2.0E-03	3.46E-04	6.86E-07	2.47E-02	1.57E-01	2.66E-09	1.0E+06	2.7E-03
47	0.14689	1.36E-02	2.0E-03	3.46E-04	6.94E-07	2.47E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
48	0.14854	1.36E-02	2.0E-03	3.46E-04	7.01E-07	2.47E-02	1.57E-01	2.72E-09	1.0E+06	2.7E-03
49	0.14984	1.36E-02	2.0E-03	3.46E-04	7.07E-07	2.47E-02	1.57E-01	2.74E-09	1.0E+06	2.7E-03
50	0.15161	1.36E-02	2.1E-03	3.46E-04	7.16E-07	2.47E-02	1.57E-01	2.77E-09	1.0E+06	2.8E-03
51	0.15836	1.36E-02	2.2E-03	3.46E-04	7.48E-07	2.47E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
52	0.16548	1.36E-02	2.3E-03	3.46E-04	7.81E-07	2.47E-02	1.57E-01	3.03E-09	1.0E+06	3.0E-03
53	0.17641	1.36E-02	2.4E-03	3.46E-04	8.33E-07	2.47E-02	1.57E-01	3.23E-09	1.0E+06	3.2E-03
54	0.18951	1.36E-02	2.6E-03	3.46E-04	8.95E-07	2.47E-02	1.57E-01	3.47E-09	1.0E+06	3.5E-03
55	0.20421	1.36E-02	2.8E-03	3.46E-04	9.64E-07	2.47E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
56	0.31605	1.36E-02	4.3E-03	3.46E-04	1.49E-06	2.47E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
57	0.14708	1.36E-02	2.0E-03	3.46E-04	6.94E-07	2.47E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
58	0.15242	1.36E-02	2.1E-03	3.46E-04	7.20E-07	2.47E-02	1.57E-01	2.79E-09	1.0E+06	2.8E-03
59	0.15749	1.36E-02	2.1E-03	3.46E-04	7.44E-07	2.47E-02	1.57E-01	2.88E-09	1.0E+06	2.9E-03
60	0.16209	1.36E-02	2.2E-03	3.46E-04	7.65E-07	2.47E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
61	0.16587	1.36E-02	2.3E-03	3.46E-04	7.83E-07	2.47E-02	1.57E-01	3.03E-09	1.0E+06	3.0E-03
62	0.1689	1.36E-02	2.3E-03	3.46E-04	7.97E-07	2.47E-02	1.57E-01	3.09E-09	1.0E+06	3.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	1.36E-02	2.4E-03	3.46E-04	8.17E-07	2.47E-02	1.57E-01	3.16E-09	1.0E+06	3.2E-03
64	0.17221	1.36E-02	2.3E-03	3.46E-04	8.13E-07	2.47E-02	1.57E-01	3.15E-09	1.0E+06	3.2E-03
65	0.17802	1.36E-02	2.4E-03	3.46E-04	8.41E-07	2.47E-02	1.57E-01	3.26E-09	1.0E+06	3.3E-03
66	0.18602	1.36E-02	2.5E-03	3.46E-04	8.78E-07	2.47E-02	1.57E-01	3.40E-09	1.0E+06	3.4E-03
67	0.19503	1.36E-02	2.7E-03	3.46E-04	9.21E-07	2.47E-02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
68	0.21198	1.36E-02	2.9E-03	3.46E-04	1.00E-06	2.47E-02	1.57E-01	3.88E-09	1.0E+06	3.9E-03
69	0.23133	1.36E-02	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
70	0.15915	1.36E-02	2.2E-03	3.46E-04	7.51E-07	2.47E-02	1.57E-01	2.91E-09	1.0E+06	2.9E-03
71	0.16615	1.36E-02	2.3E-03	3.46E-04	7.84E-07	2.47E-02	1.57E-01	3.04E-09	1.0E+06	3.0E-03
72	0.17306	1.36E-02	2.4E-03	3.46E-04	8.17E-07	2.47E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03
73	0.17979	1.36E-02	2.5E-03	3.46E-04	8.49E-07	2.47E-02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
74	0.1856	1.36E-02	2.5E-03	3.46E-04	8.76E-07	2.47E-02	1.57E-01	3.40E-09	1.0E+06	3.4E-03
75	0.19262	1.36E-02	2.6E-03	3.46E-04	9.09E-07	2.47E-02	1.57E-01	3.52E-09	1.0E+06	3.5E-03
76	0.19839	1.36E-02	2.7E-03	3.46E-04	9.37E-07	2.47E-02	1.57E-01	3.63E-09	1.0E+06	3.6E-03
77	0.20099	1.36E-02	2.7E-03	3.46E-04	9.49E-07	2.47E-02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
78	0.20736	1.36E-02	2.8E-03	3.46E-04	9.79E-07	2.47E-02	1.57E-01	3.79E-09	1.0E+06	3.8E-03
79	0.22199	1.36E-02	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
80	0.22851	1.36E-02	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.18E-09	1.0E+06	4.2E-03
81	0.25141	1.36E-02	3.4E-03	3.46E-04	1.19E-06	2.47E-02	1.57E-01	4.60E-09	1.0E+06	4.6E-03
82	0.26864	1.36E-02	3.7E-03	3.46E-04	1.27E-06	2.47E-02	1.57E-01	4.91E-09	1.0E+06	4.9E-03
83	0.17123	1.36E-02	2.3E-03	3.46E-04	8.08E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
84	0.17986	1.36E-02	2.5E-03	3.46E-04	8.49E-07	2.47E-02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
85	0.18766	1.36E-02	2.6E-03	3.46E-04	8.86E-07	2.47E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
86	0.19836	1.36E-02	2.7E-03	3.46E-04	9.37E-07	2.47E-02	1.57E-01	3.63E-09	1.0E+06	3.6E-03
87	0.20777	1.36E-02	2.8E-03	3.46E-04	9.81E-07	2.47E-02	1.57E-01	3.80E-09	1.0E+06	3.8E-03
88	0.21743	1.36E-02	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03
89	0.22714	1.36E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.16E-09	1.0E+06	4.2E-03
90	0.23725	1.36E-02	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.34E-09	1.0E+06	4.3E-03
91	0.24821	1.36E-02	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.54E-09	1.0E+06	4.5E-03
92	0.26127	1.36E-02	3.6E-03	3.46E-04	1.23E-06	2.47E-02	1.57E-01	4.78E-09	1.0E+06	4.8E-03
93	0.27635	1.36E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.06E-09	1.0E+06	5.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	1.36E-02	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.41E-09	1.0E+06	5.4E-03
95	0.31999	1.36E-02	4.4E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.85E-09	1.0E+06	5.9E-03
96	0.18233	1.36E-02	2.5E-03	3.46E-04	8.61E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
97	0.19094	1.36E-02	2.6E-03	3.46E-04	9.02E-07	2.47E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
98	0.20103	1.36E-02	2.7E-03	3.46E-04	9.49E-07	2.47E-02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
99	0.21464	1.36E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.93E-09	1.0E+06	3.9E-03
100	0.22959	1.36E-02	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.20E-09	1.0E+06	4.2E-03
101	0.24284	1.36E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.44E-09	1.0E+06	4.4E-03
102	0.25629	1.36E-02	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.69E-09	1.0E+06	4.7E-03
103	0.27027	1.36E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.94E-09	1.0E+06	4.9E-03
104	0.28488	1.36E-02	3.9E-03	3.46E-04	1.35E-06	2.47E-02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
105	0.3003	1.36E-02	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.49E-09	1.0E+06	5.5E-03
106	0.3189	1.36E-02	4.3E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.83E-09	1.0E+06	5.8E-03
107	0.34186	1.36E-02	4.7E-03	3.46E-04	1.61E-06	2.47E-02	1.57E-01	6.25E-09	1.0E+06	6.3E-03
108	0.37026	1.36E-02	5.1E-03	3.46E-04	1.75E-06	2.47E-02	1.57E-01	6.77E-09	1.0E+06	6.8E-03
109	0.19023	1.36E-02	2.6E-03	3.46E-04	8.98E-07	2.47E-02	1.57E-01	3.48E-09	1.0E+06	3.5E-03
110	0.20375	1.36E-02	2.8E-03	3.46E-04	9.62E-07	2.47E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
111	0.21846	1.36E-02	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	4.00E-09	1.0E+06	4.0E-03
112	0.23423	1.36E-02	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.29E-09	1.0E+06	4.3E-03
113	0.25102	1.36E-02	3.4E-03	3.46E-04	1.19E-06	2.47E-02	1.57E-01	4.59E-09	1.0E+06	4.6E-03
114	0.2686	1.36E-02	3.7E-03	3.46E-04	1.27E-06	2.47E-02	1.57E-01	4.91E-09	1.0E+06	4.9E-03
115	0.28686	1.36E-02	3.9E-03	3.46E-04	1.35E-06	2.47E-02	1.57E-01	5.25E-09	1.0E+06	5.2E-03
116	0.30627	1.36E-02	4.2E-03	3.46E-04	1.45E-06	2.47E-02	1.57E-01	5.60E-09	1.0E+06	5.6E-03
117	0.32686	1.36E-02	4.5E-03	3.46E-04	1.54E-06	2.47E-02	1.57E-01	5.98E-09	1.0E+06	6.0E-03
118	0.33858	1.36E-02	4.6E-03	3.46E-04	1.60E-06	2.47E-02	1.57E-01	6.19E-09	1.0E+06	6.2E-03
119	0.36311	1.36E-02	5.0E-03	3.46E-04	1.71E-06	2.47E-02	1.57E-01	6.64E-09	1.0E+06	6.6E-03
120	0.38851	1.36E-02	5.3E-03	3.46E-04	1.83E-06	2.47E-02	1.57E-01	7.11E-09	1.0E+06	7.1E-03
121	0.4178	1.36E-02	5.7E-03	3.46E-04	1.97E-06	2.47E-02	1.57E-01	7.64E-09	1.0E+06	7.6E-03
122	0.19578	1.36E-02	2.7E-03	3.46E-04	9.24E-07	2.47E-02	1.57E-01	3.58E-09	1.0E+06	3.6E-03
123	0.21204	1.36E-02	2.9E-03	3.46E-04	1.00E-06	2.47E-02	1.57E-01	3.88E-09	1.0E+06	3.9E-03
124	0.23086	1.36E-02	3.1E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.22E-09	1.0E+06	4.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	1.36E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.57E-09	1.0E+06	4.6E-03
126	0.27035	1.36E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.95E-09	1.0E+06	4.9E-03
127	0.29177	1.36E-02	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.34E-09	1.0E+06	5.3E-03
128	0.30724	1.36E-02	4.2E-03	3.46E-04	1.45E-06	2.47E-02	1.57E-01	5.62E-09	1.0E+06	5.6E-03
129	0.33259	1.36E-02	4.5E-03	3.46E-04	1.57E-06	2.47E-02	1.57E-01	6.08E-09	1.0E+06	6.1E-03
130	0.36682	1.36E-02	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.71E-09	1.0E+06	6.7E-03
131	1.11688	1.36E-02	1.5E-02	3.46E-04	5.27E-06	2.47E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
132	1.15875	1.36E-02	1.6E-02	3.46E-04	5.47E-06	2.47E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
133	0.19656	1.36E-02	2.7E-03	3.46E-04	9.28E-07	2.47E-02	1.57E-01	3.60E-09	1.0E+06	3.6E-03
134	0.21704	1.36E-02	3.0E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.97E-09	1.0E+06	4.0E-03
135	0.23863	1.36E-02	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
136	0.26108	1.36E-02	3.6E-03	3.46E-04	1.23E-06	2.47E-02	1.57E-01	4.78E-09	1.0E+06	4.8E-03
137	0.28567	1.36E-02	3.9E-03	3.46E-04	1.35E-06	2.47E-02	1.57E-01	5.23E-09	1.0E+06	5.2E-03
138	0.31112	1.36E-02	4.2E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.69E-09	1.0E+06	5.7E-03
139	0.33575	1.36E-02	4.6E-03	3.46E-04	1.59E-06	2.47E-02	1.57E-01	6.14E-09	1.0E+06	6.1E-03
140	0.37628	1.36E-02	5.1E-03	3.46E-04	1.78E-06	2.47E-02	1.57E-01	6.88E-09	1.0E+06	6.9E-03
141	0.41535	1.36E-02	5.7E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.60E-09	1.0E+06	7.6E-03
142	0.45747	1.36E-02	6.2E-03	3.46E-04	2.16E-06	2.47E-02	1.57E-01	8.37E-09	1.0E+06	8.4E-03
143	0.5063	1.36E-02	6.9E-03	3.46E-04	2.39E-06	2.47E-02	1.57E-01	9.26E-09	1.0E+06	9.3E-03
144	0.56507	1.36E-02	7.7E-03	3.46E-04	2.67E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
145	0.62491	1.36E-02	8.5E-03	3.46E-04	2.95E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
146	1.50759	1.36E-02	2.1E-02	3.46E-04	7.12E-06	2.47E-02	1.57E-01	2.76E-08	1.0E+06	2.8E-02
147	0.1931	1.36E-02	2.6E-03	3.46E-04	9.12E-07	2.47E-02	1.57E-01	3.53E-09	1.0E+06	3.5E-03
148	0.21437	1.36E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03
149	0.23858	1.36E-02	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.36E-09	1.0E+06	4.4E-03
150	0.26418	1.36E-02	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
151	0.29392	1.36E-02	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.38E-09	1.0E+06	5.4E-03
152	0.32394	1.36E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.93E-09	1.0E+06	5.9E-03
153	0.3577	1.36E-02	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.54E-09	1.0E+06	6.5E-03
154	0.39941	1.36E-02	5.4E-03	3.46E-04	1.89E-06	2.47E-02	1.57E-01	7.31E-09	1.0E+06	7.3E-03
155	0.44952	1.36E-02	6.1E-03	3.46E-04	2.12E-06	2.47E-02	1.57E-01	8.22E-09	1.0E+06	8.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	1.36E-02	6.9E-03	3.46E-04	2.39E-06	2.47E-02	1.57E-01	9.26E-09	1.0E+06	9.3E-03
157	0.56864	1.36E-02	7.8E-03	3.46E-04	2.68E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
158	0.63716	1.36E-02	8.7E-03	3.46E-04	3.01E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
159	0.74488	1.36E-02	1.0E-02	3.46E-04	3.52E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
160	0.18782	1.36E-02	2.6E-03	3.46E-04	8.87E-07	2.47E-02	1.57E-01	3.44E-09	1.0E+06	3.4E-03
161	0.20685	1.36E-02	2.8E-03	3.46E-04	9.77E-07	2.47E-02	1.57E-01	3.78E-09	1.0E+06	3.8E-03
162	0.22653	1.36E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
163	0.25651	1.36E-02	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.69E-09	1.0E+06	4.7E-03
164	0.29246	1.36E-02	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.35E-09	1.0E+06	5.4E-03
165	0.32725	1.36E-02	4.5E-03	3.46E-04	1.55E-06	2.47E-02	1.57E-01	5.99E-09	1.0E+06	6.0E-03
166	0.36919	1.36E-02	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.75E-09	1.0E+06	6.8E-03
167	0.41887	1.36E-02	5.7E-03	3.46E-04	1.98E-06	2.47E-02	1.57E-01	7.66E-09	1.0E+06	7.7E-03
168	0.47877	1.36E-02	6.5E-03	3.46E-04	2.26E-06	2.47E-02	1.57E-01	8.76E-09	1.0E+06	8.8E-03
169	0.55074	1.36E-02	7.5E-03	3.46E-04	2.60E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
170	0.63634	1.36E-02	8.7E-03	3.46E-04	3.00E-06	2.47E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
171	0.73945	1.36E-02	1.0E-02	3.46E-04	3.49E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
172	0.87948	1.36E-02	1.2E-02	3.46E-04	4.15E-06	2.47E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
173	1.06486	1.36E-02	1.5E-02	3.46E-04	5.03E-06	2.47E-02	1.57E-01	1.95E-08	1.0E+06	1.9E-02
174	1.31351	1.36E-02	1.8E-02	3.46E-04	6.20E-06	2.47E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
175	1.6474	1.36E-02	2.2E-02	3.46E-04	7.78E-06	2.47E-02	1.57E-01	3.01E-08	1.0E+06	3.0E-02
176	2.19565	1.36E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.02E-08	1.0E+06	4.0E-02
177	2.85894	1.36E-02	3.9E-02	3.46E-04	1.35E-05	2.47E-02	1.57E-01	5.23E-08	1.0E+06	5.2E-02
178	3.59716	1.36E-02	4.9E-02	3.46E-04	1.70E-05	2.47E-02	1.57E-01	6.58E-08	1.0E+06	6.6E-02
179	0.17443	1.36E-02	2.4E-03	3.46E-04	8.24E-07	2.47E-02	1.57E-01	3.19E-09	1.0E+06	3.2E-03
180	0.19117	1.36E-02	2.6E-03	3.46E-04	9.03E-07	2.47E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03
181	0.20765	1.36E-02	2.8E-03	3.46E-04	9.80E-07	2.47E-02	1.57E-01	3.80E-09	1.0E+06	3.8E-03
182	0.24097	1.36E-02	3.3E-03	3.46E-04	1.14E-06	2.47E-02	1.57E-01	4.41E-09	1.0E+06	4.4E-03
183	0.28383	1.36E-02	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.19E-09	1.0E+06	5.2E-03
184	0.32178	1.36E-02	4.4E-03	3.46E-04	1.52E-06	2.47E-02	1.57E-01	5.89E-09	1.0E+06	5.9E-03
185	0.36853	1.36E-02	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.74E-09	1.0E+06	6.7E-03
186	0.42331	1.36E-02	5.8E-03	3.46E-04	2.00E-06	2.47E-02	1.57E-01	7.74E-09	1.0E+06	7.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	1.36E-02	6.7E-03	3.46E-04	2.31E-06	2.47E-02	1.57E-01	8.95E-09	1.0E+06	8.9E-03
188	0.57244	1.36E-02	7.8E-03	3.46E-04	2.70E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
189	0.67537	1.36E-02	9.2E-03	3.46E-04	3.19E-06	2.47E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
190	0.80933	1.36E-02	1.1E-02	3.46E-04	3.82E-06	2.47E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
191	0.98328	1.36E-02	1.3E-02	3.46E-04	4.64E-06	2.47E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
192	1.23304	1.36E-02	1.7E-02	3.46E-04	5.82E-06	2.47E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
193	1.58271	1.36E-02	2.2E-02	3.46E-04	7.47E-06	2.47E-02	1.57E-01	2.90E-08	1.0E+06	2.9E-02
194	2.13464	1.36E-02	2.9E-02	3.46E-04	1.01E-05	2.47E-02	1.57E-01	3.91E-08	1.0E+06	3.9E-02
195	3.0975	1.36E-02	4.2E-02	3.46E-04	1.46E-05	2.47E-02	1.57E-01	5.67E-08	1.0E+06	5.7E-02
196	4.69284	1.36E-02	6.4E-02	3.46E-04	2.22E-05	2.47E-02	1.57E-01	8.59E-08	1.0E+06	8.6E-02
197	6.88357	1.36E-02	9.4E-02	3.46E-04	3.25E-05	2.47E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
198	0.16286	1.36E-02	2.2E-03	3.46E-04	7.69E-07	2.47E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
199	0.1793	1.36E-02	2.4E-03	3.46E-04	8.47E-07	2.47E-02	1.57E-01	3.28E-09	1.0E+06	3.3E-03
200	0.19824	1.36E-02	2.7E-03	3.46E-04	9.36E-07	2.47E-02	1.57E-01	3.63E-09	1.0E+06	3.6E-03
201	0.22447	1.36E-02	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.11E-09	1.0E+06	4.1E-03
202	0.26663	1.36E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
203	0.30715	1.36E-02	4.2E-03	3.46E-04	1.45E-06	2.47E-02	1.57E-01	5.62E-09	1.0E+06	5.6E-03
204	0.35579	1.36E-02	4.9E-03	3.46E-04	1.68E-06	2.47E-02	1.57E-01	6.51E-09	1.0E+06	6.5E-03
205	0.41191	1.36E-02	5.6E-03	3.46E-04	1.94E-06	2.47E-02	1.57E-01	7.54E-09	1.0E+06	7.5E-03
206	0.48026	1.36E-02	6.6E-03	3.46E-04	2.27E-06	2.47E-02	1.57E-01	8.79E-09	1.0E+06	8.8E-03
207	0.56684	1.36E-02	7.7E-03	3.46E-04	2.68E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
208	0.67745	1.36E-02	9.2E-03	3.46E-04	3.20E-06	2.47E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
209	0.82589	1.36E-02	1.1E-02	3.46E-04	3.90E-06	2.47E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
210	1.02976	1.36E-02	1.4E-02	3.46E-04	4.86E-06	2.47E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
211	1.32605	1.36E-02	1.8E-02	3.46E-04	6.26E-06	2.47E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
212	1.76927	1.36E-02	2.4E-02	3.46E-04	8.35E-06	2.47E-02	1.57E-01	3.24E-08	1.0E+06	3.2E-02
213	2.46994	1.36E-02	3.4E-02	3.46E-04	1.17E-05	2.47E-02	1.57E-01	4.52E-08	1.0E+06	4.5E-02
214	3.63615	1.36E-02	5.0E-02	3.46E-04	1.72E-05	2.47E-02	1.57E-01	6.65E-08	1.0E+06	6.7E-02
215	7.55748	1.36E-02	1.0E-01	3.46E-04	3.57E-05	2.47E-02	1.57E-01	1.38E-07	1.0E+06	1.4E-01
216	0.15431	1.36E-02	2.1E-03	3.46E-04	7.29E-07	2.47E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
217	0.16879	1.36E-02	2.3E-03	3.46E-04	7.97E-07	2.47E-02	1.57E-01	3.09E-09	1.0E+06	3.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	1.36E-02	2.6E-03	3.46E-04	8.84E-07	2.47E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
219	0.21079	1.36E-02	2.9E-03	3.46E-04	9.95E-07	2.47E-02	1.57E-01	3.86E-09	1.0E+06	3.9E-03
220	0.24803	1.36E-02	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.54E-09	1.0E+06	4.5E-03
221	0.28481	1.36E-02	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
222	0.33289	1.36E-02	4.5E-03	3.46E-04	1.57E-06	2.47E-02	1.57E-01	6.09E-09	1.0E+06	6.1E-03
223	0.3875	1.36E-02	5.3E-03	3.46E-04	1.83E-06	2.47E-02	1.57E-01	7.09E-09	1.0E+06	7.1E-03
224	0.45352	1.36E-02	6.2E-03	3.46E-04	2.14E-06	2.47E-02	1.57E-01	8.30E-09	1.0E+06	8.3E-03
225	0.53452	1.36E-02	7.3E-03	3.46E-04	2.52E-06	2.47E-02	1.57E-01	9.78E-09	1.0E+06	9.8E-03
226	0.64348	1.36E-02	8.8E-03	3.46E-04	3.04E-06	2.47E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
227	0.7871	1.36E-02	1.1E-02	3.46E-04	3.72E-06	2.47E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
228	0.98789	1.36E-02	1.3E-02	3.46E-04	4.66E-06	2.47E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
229	1.28832	1.36E-02	1.8E-02	3.46E-04	6.08E-06	2.47E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
230	1.75514	1.36E-02	2.4E-02	3.46E-04	8.29E-06	2.47E-02	1.57E-01	3.21E-08	1.0E+06	3.2E-02
231	2.58583	1.36E-02	3.5E-02	3.46E-04	1.22E-05	2.47E-02	1.57E-01	4.73E-08	1.0E+06	4.7E-02
232	4.28751	1.36E-02	5.8E-02	3.46E-04	2.02E-05	2.47E-02	1.57E-01	7.84E-08	1.0E+06	7.8E-02
233	10.76445	1.36E-02	1.5E-01	3.46E-04	5.08E-05	2.47E-02	1.57E-01	1.97E-07	1.0E+06	2.0E-01
234	0.14796	1.36E-02	2.0E-03	3.46E-04	6.99E-07	2.47E-02	1.57E-01	2.71E-09	1.0E+06	2.7E-03
235	0.16076	1.36E-02	2.2E-03	3.46E-04	7.59E-07	2.47E-02	1.57E-01	2.94E-09	1.0E+06	2.9E-03
236	0.17816	1.36E-02	2.4E-03	3.46E-04	8.41E-07	2.47E-02	1.57E-01	3.26E-09	1.0E+06	3.3E-03
237	0.20142	1.36E-02	2.7E-03	3.46E-04	9.51E-07	2.47E-02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
238	0.2321	1.36E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.25E-09	1.0E+06	4.2E-03
239	0.26575	1.36E-02	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.86E-09	1.0E+06	4.9E-03
240	0.30828	1.36E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.64E-09	1.0E+06	5.6E-03
241	0.35891	1.36E-02	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.57E-09	1.0E+06	6.6E-03
242	0.4204	1.36E-02	5.7E-03	3.46E-04	1.98E-06	2.47E-02	1.57E-01	7.69E-09	1.0E+06	7.7E-03
243	0.49614	1.36E-02	6.8E-03	3.46E-04	2.34E-06	2.47E-02	1.57E-01	9.08E-09	1.0E+06	9.1E-03
244	0.59817	1.36E-02	8.2E-03	3.46E-04	2.82E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
245	0.7334	1.36E-02	1.0E-02	3.46E-04	3.46E-06	2.47E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
246	0.92041	1.36E-02	1.3E-02	3.46E-04	4.35E-06	2.47E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
247	1.19215	1.36E-02	1.6E-02	3.46E-04	5.63E-06	2.47E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
248	1.61854	1.36E-02	2.2E-02	3.46E-04	7.64E-06	2.47E-02	1.57E-01	2.96E-08	1.0E+06	3.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	1.36E-02	3.2E-02	3.46E-04	1.11E-05	2.47E-02	1.57E-01	4.31E-08	1.0E+06	4.3E-02
250	3.88245	1.36E-02	5.3E-02	3.46E-04	1.83E-05	2.47E-02	1.57E-01	7.10E-08	1.0E+06	7.1E-02
251	9.548	1.36E-02	1.3E-01	3.46E-04	4.51E-05	2.47E-02	1.57E-01	1.75E-07	1.0E+06	1.7E-01
252	0.14244	1.36E-02	1.9E-03	3.46E-04	6.73E-07	2.47E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
253	0.15391	1.36E-02	2.1E-03	3.46E-04	7.27E-07	2.47E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
254	0.16905	1.36E-02	2.3E-03	3.46E-04	7.98E-07	2.47E-02	1.57E-01	3.09E-09	1.0E+06	3.1E-03
255	0.1882	1.36E-02	2.6E-03	3.46E-04	8.89E-07	2.47E-02	1.57E-01	3.44E-09	1.0E+06	3.4E-03
256	0.22038	1.36E-02	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.03E-09	1.0E+06	4.0E-03
257	0.24395	1.36E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.46E-09	1.0E+06	4.5E-03
258	0.27703	1.36E-02	3.8E-03	3.46E-04	1.31E-06	2.47E-02	1.57E-01	5.07E-09	1.0E+06	5.1E-03
259	0.31726	1.36E-02	4.3E-03	3.46E-04	1.50E-06	2.47E-02	1.57E-01	5.80E-09	1.0E+06	5.8E-03
260	0.37532	1.36E-02	5.1E-03	3.46E-04	1.77E-06	2.47E-02	1.57E-01	6.87E-09	1.0E+06	6.9E-03
261	0.45282	1.36E-02	6.2E-03	3.46E-04	2.14E-06	2.47E-02	1.57E-01	8.28E-09	1.0E+06	8.3E-03
262	0.54991	1.36E-02	7.5E-03	3.46E-04	2.60E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
263	0.6689	1.36E-02	9.1E-03	3.46E-04	3.16E-06	2.47E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
264	0.83769	1.36E-02	1.1E-02	3.46E-04	3.96E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
265	1.069	1.36E-02	1.5E-02	3.46E-04	5.05E-06	2.47E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02
266	1.42172	1.36E-02	1.9E-02	3.46E-04	6.71E-06	2.47E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
267	1.98481	1.36E-02	2.7E-02	3.46E-04	9.37E-06	2.47E-02	1.57E-01	3.63E-08	1.0E+06	3.6E-02
268	3.00508	1.36E-02	4.1E-02	3.46E-04	1.42E-05	2.47E-02	1.57E-01	5.50E-08	1.0E+06	5.5E-02
269	6.11415	1.36E-02	8.3E-02	3.46E-04	2.89E-05	2.47E-02	1.57E-01	1.12E-07	1.0E+06	1.1E-01
270	0.13852	1.36E-02	1.9E-03	3.46E-04	6.54E-07	2.47E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
271	0.15026	1.36E-02	2.0E-03	3.46E-04	7.09E-07	2.47E-02	1.57E-01	2.75E-09	1.0E+06	2.7E-03
272	0.16484	1.36E-02	2.2E-03	3.46E-04	7.78E-07	2.47E-02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
273	0.18199	1.36E-02	2.5E-03	3.46E-04	8.59E-07	2.47E-02	1.57E-01	3.33E-09	1.0E+06	3.3E-03
274	0.21436	1.36E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03
275	0.24454	1.36E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
276	0.26087	1.36E-02	3.6E-03	3.46E-04	1.23E-06	2.47E-02	1.57E-01	4.77E-09	1.0E+06	4.8E-03
277	0.29564	1.36E-02	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.41E-09	1.0E+06	5.4E-03
278	0.34216	1.36E-02	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.26E-09	1.0E+06	6.3E-03
279	0.40447	1.36E-02	5.5E-03	3.46E-04	1.91E-06	2.47E-02	1.57E-01	7.40E-09	1.0E+06	7.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	1.36E-02	6.8E-03	3.46E-04	2.34E-06	2.47E-02	1.57E-01	9.06E-09	1.0E+06	9.1E-03
281	0.61075	1.36E-02	8.3E-03	3.46E-04	2.88E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
282	0.76016	1.36E-02	1.0E-02	3.46E-04	3.59E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
283	0.9592	1.36E-02	1.3E-02	3.46E-04	4.53E-06	2.47E-02	1.57E-01	1.75E-08	1.0E+06	1.8E-02
284	1.23907	1.36E-02	1.7E-02	3.46E-04	5.85E-06	2.47E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
285	1.6354	1.36E-02	2.2E-02	3.46E-04	7.72E-06	2.47E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
286	2.29875	1.36E-02	3.1E-02	3.46E-04	1.09E-05	2.47E-02	1.57E-01	4.21E-08	1.0E+06	4.2E-02
287	4.0984	1.36E-02	5.6E-02	3.46E-04	1.94E-05	2.47E-02	1.57E-01	7.50E-08	1.0E+06	7.5E-02
288	0.13632	1.36E-02	1.9E-03	3.46E-04	6.44E-07	2.47E-02	1.57E-01	2.49E-09	1.0E+06	2.5E-03
289	0.14679	1.36E-02	2.0E-03	3.46E-04	6.93E-07	2.47E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
290	0.16392	1.36E-02	2.2E-03	3.46E-04	7.74E-07	2.47E-02	1.57E-01	3.00E-09	1.0E+06	3.0E-03
291	0.1821	1.36E-02	2.5E-03	3.46E-04	8.60E-07	2.47E-02	1.57E-01	3.33E-09	1.0E+06	3.3E-03
292	0.22152	1.36E-02	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.05E-09	1.0E+06	4.1E-03
293	0.241	1.36E-02	3.3E-03	3.46E-04	1.14E-06	2.47E-02	1.57E-01	4.41E-09	1.0E+06	4.4E-03
294	0.24821	1.36E-02	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.54E-09	1.0E+06	4.5E-03
295	0.28165	1.36E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.15E-09	1.0E+06	5.2E-03
296	0.32446	1.36E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
297	0.37299	1.36E-02	5.1E-03	3.46E-04	1.76E-06	2.47E-02	1.57E-01	6.82E-09	1.0E+06	6.8E-03
298	0.44378	1.36E-02	6.1E-03	3.46E-04	2.10E-06	2.47E-02	1.57E-01	8.12E-09	1.0E+06	8.1E-03
299	0.54938	1.36E-02	7.5E-03	3.46E-04	2.59E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
300	0.67014	1.36E-02	9.1E-03	3.46E-04	3.16E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
301	0.83889	1.36E-02	1.1E-02	3.46E-04	3.96E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
302	1.05754	1.36E-02	1.4E-02	3.46E-04	4.99E-06	2.47E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
303	1.36095	1.36E-02	1.9E-02	3.46E-04	6.43E-06	2.47E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
304	1.82968	1.36E-02	2.5E-02	3.46E-04	8.64E-06	2.47E-02	1.57E-01	3.35E-08	1.0E+06	3.3E-02
305	2.94941	1.36E-02	4.0E-02	3.46E-04	1.39E-05	2.47E-02	1.57E-01	5.40E-08	1.0E+06	5.4E-02
306	0.14102	1.36E-02	1.9E-03	3.46E-04	6.66E-07	2.47E-02	1.57E-01	2.58E-09	1.0E+06	2.6E-03
307	0.14805	1.36E-02	2.0E-03	3.46E-04	6.99E-07	2.47E-02	1.57E-01	2.71E-09	1.0E+06	2.7E-03
308	0.16104	1.36E-02	2.2E-03	3.46E-04	7.60E-07	2.47E-02	1.57E-01	2.95E-09	1.0E+06	2.9E-03
309	0.1881	1.36E-02	2.6E-03	3.46E-04	8.88E-07	2.47E-02	1.57E-01	3.44E-09	1.0E+06	3.4E-03
310	0.21623	1.36E-02	2.9E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.96E-09	1.0E+06	4.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	1.36E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.28E-09	1.0E+06	4.3E-03
312	0.23582	1.36E-02	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.31E-09	1.0E+06	4.3E-03
313	0.2662	1.36E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
314	0.30482	1.36E-02	4.2E-03	3.46E-04	1.44E-06	2.47E-02	1.57E-01	5.58E-09	1.0E+06	5.6E-03
315	0.36238	1.36E-02	4.9E-03	3.46E-04	1.71E-06	2.47E-02	1.57E-01	6.63E-09	1.0E+06	6.6E-03
316	0.41173	1.36E-02	5.6E-03	3.46E-04	1.94E-06	2.47E-02	1.57E-01	7.53E-09	1.0E+06	7.5E-03
317	0.48329	1.36E-02	6.6E-03	3.46E-04	2.28E-06	2.47E-02	1.57E-01	8.84E-09	1.0E+06	8.8E-03
318	0.58024	1.36E-02	7.9E-03	3.46E-04	2.74E-06	2.47E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
319	0.71842	1.36E-02	9.8E-03	3.46E-04	3.39E-06	2.47E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
320	0.91725	1.36E-02	1.3E-02	3.46E-04	4.33E-06	2.47E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
321	1.14351	1.36E-02	1.6E-02	3.46E-04	5.40E-06	2.47E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
322	1.47884	1.36E-02	2.0E-02	3.46E-04	6.98E-06	2.47E-02	1.57E-01	2.71E-08	1.0E+06	2.7E-02
323	2.2049	1.36E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.03E-08	1.0E+06	4.0E-02
324	0.13829	1.36E-02	1.9E-03	3.46E-04	6.53E-07	2.47E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
325	0.15341	1.36E-02	2.1E-03	3.46E-04	7.24E-07	2.47E-02	1.57E-01	2.81E-09	1.0E+06	2.8E-03
326	0.16525	1.36E-02	2.3E-03	3.46E-04	7.80E-07	2.47E-02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
327	0.17597	1.36E-02	2.4E-03	3.46E-04	8.31E-07	2.47E-02	1.57E-01	3.22E-09	1.0E+06	3.2E-03
328	0.21285	1.36E-02	2.9E-03	3.46E-04	1.00E-06	2.47E-02	1.57E-01	3.89E-09	1.0E+06	3.9E-03
329	0.22617	1.36E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
330	0.229	1.36E-02	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.19E-09	1.0E+06	4.2E-03
331	0.25812	1.36E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.72E-09	1.0E+06	4.7E-03
332	0.29444	1.36E-02	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.39E-09	1.0E+06	5.4E-03
333	0.34735	1.36E-02	4.7E-03	3.46E-04	1.64E-06	2.47E-02	1.57E-01	6.35E-09	1.0E+06	6.4E-03
334	0.39929	1.36E-02	5.4E-03	3.46E-04	1.89E-06	2.47E-02	1.57E-01	7.30E-09	1.0E+06	7.3E-03
335	0.46251	1.36E-02	6.3E-03	3.46E-04	2.18E-06	2.47E-02	1.57E-01	8.46E-09	1.0E+06	8.5E-03
336	1.34926	1.36E-02	1.8E-02	3.46E-04	6.37E-06	2.47E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
337	1.42098	1.36E-02	1.9E-02	3.46E-04	6.71E-06	2.47E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
338	0.15741	1.36E-02	2.1E-03	3.46E-04	7.43E-07	2.47E-02	1.57E-01	2.88E-09	1.0E+06	2.9E-03
339	0.16826	1.36E-02	2.3E-03	3.46E-04	7.94E-07	2.47E-02	1.57E-01	3.08E-09	1.0E+06	3.1E-03
340	0.19168	1.36E-02	2.6E-03	3.46E-04	9.05E-07	2.47E-02	1.57E-01	3.51E-09	1.0E+06	3.5E-03
341	0.20395	1.36E-02	2.8E-03	3.46E-04	9.63E-07	2.47E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	1.36E-02	2.9E-03	3.46E-04	9.95E-07	2.47E-02	1.57E-01	3.86E-09	1.0E+06	3.9E-03
343	0.22111	1.36E-02	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.05E-09	1.0E+06	4.0E-03
344	0.22429	1.36E-02	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.10E-09	1.0E+06	4.1E-03
345	0.22606	1.36E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
346	0.22606	1.36E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
347	0.17036	1.36E-02	2.3E-03	3.46E-04	8.04E-07	2.47E-02	1.57E-01	3.12E-09	1.0E+06	3.1E-03
348	0.18661	1.36E-02	2.5E-03	3.46E-04	8.81E-07	2.47E-02	1.57E-01	3.41E-09	1.0E+06	3.4E-03
349	0.21873	1.36E-02	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	4.00E-09	1.0E+06	4.0E-03
350	0.22806	1.36E-02	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.17E-09	1.0E+06	4.2E-03
351	0.23577	1.36E-02	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.31E-09	1.0E+06	4.3E-03
352	0.24893	1.36E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.55E-09	1.0E+06	4.6E-03
353	0.25277	1.36E-02	3.4E-03	3.46E-04	1.19E-06	2.47E-02	1.57E-01	4.62E-09	1.0E+06	4.6E-03
354	0.25385	1.36E-02	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.64E-09	1.0E+06	4.6E-03
355	0.25415	1.36E-02	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.65E-09	1.0E+06	4.6E-03
356	0.18604	1.36E-02	2.5E-03	3.46E-04	8.78E-07	2.47E-02	1.57E-01	3.40E-09	1.0E+06	3.4E-03
357	0.20039	1.36E-02	2.7E-03	3.46E-04	9.46E-07	2.47E-02	1.57E-01	3.67E-09	1.0E+06	3.7E-03
358	0.21891	1.36E-02	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	4.00E-09	1.0E+06	4.0E-03
359	0.24942	1.36E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.56E-09	1.0E+06	4.6E-03
360	0.26595	1.36E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
361	0.28268	1.36E-02	3.9E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.17E-09	1.0E+06	5.2E-03
362	0.28748	1.36E-02	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
363	0.28847	1.36E-02	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.28E-09	1.0E+06	5.3E-03
364	0.20678	1.36E-02	2.8E-03	3.46E-04	9.76E-07	2.47E-02	1.57E-01	3.78E-09	1.0E+06	3.8E-03
365	0.21895	1.36E-02	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
366	0.24185	1.36E-02	3.3E-03	3.46E-04	1.14E-06	2.47E-02	1.57E-01	4.42E-09	1.0E+06	4.4E-03
367	0.28223	1.36E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
368	0.30287	1.36E-02	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.54E-09	1.0E+06	5.5E-03
369	0.32466	1.36E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
370	0.33362	1.36E-02	4.6E-03	3.46E-04	1.58E-06	2.47E-02	1.57E-01	6.10E-09	1.0E+06	6.1E-03
371	0.33293	1.36E-02	4.5E-03	3.46E-04	1.57E-06	2.47E-02	1.57E-01	6.09E-09	1.0E+06	6.1E-03
372	0.23425	1.36E-02	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.29E-09	1.0E+06	4.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	1.36E-02	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.54E-09	1.0E+06	4.5E-03
374	0.2758	1.36E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.05E-09	1.0E+06	5.0E-03
375	0.3231	1.36E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.91E-09	1.0E+06	5.9E-03
376	0.34946	1.36E-02	4.8E-03	3.46E-04	1.65E-06	2.47E-02	1.57E-01	6.39E-09	1.0E+06	6.4E-03
377	0.36592	1.36E-02	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.69E-09	1.0E+06	6.7E-03
378	0.37782	1.36E-02	5.2E-03	3.46E-04	1.78E-06	2.47E-02	1.57E-01	6.91E-09	1.0E+06	6.9E-03
379	0.38907	1.36E-02	5.3E-03	3.46E-04	1.84E-06	2.47E-02	1.57E-01	7.12E-09	1.0E+06	7.1E-03
380	0.389	1.36E-02	5.3E-03	3.46E-04	1.84E-06	2.47E-02	1.57E-01	7.12E-09	1.0E+06	7.1E-03
381	0.38496	1.36E-02	5.3E-03	3.46E-04	1.82E-06	2.47E-02	1.57E-01	7.04E-09	1.0E+06	7.0E-03
382	0.27352	1.36E-02	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	5.00E-09	1.0E+06	5.0E-03
383	0.29685	1.36E-02	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
384	0.32129	1.36E-02	4.4E-03	3.46E-04	1.52E-06	2.47E-02	1.57E-01	5.88E-09	1.0E+06	5.9E-03
385	0.3848	1.36E-02	5.2E-03	3.46E-04	1.82E-06	2.47E-02	1.57E-01	7.04E-09	1.0E+06	7.0E-03
386	0.40823	1.36E-02	5.6E-03	3.46E-04	1.93E-06	2.47E-02	1.57E-01	7.47E-09	1.0E+06	7.5E-03
387	0.43009	1.36E-02	5.9E-03	3.46E-04	2.03E-06	2.47E-02	1.57E-01	7.87E-09	1.0E+06	7.9E-03
388	0.44587	1.36E-02	6.1E-03	3.46E-04	2.11E-06	2.47E-02	1.57E-01	8.16E-09	1.0E+06	8.2E-03
389	0.46018	1.36E-02	6.3E-03	3.46E-04	2.17E-06	2.47E-02	1.57E-01	8.42E-09	1.0E+06	8.4E-03
390	0.45888	1.36E-02	6.3E-03	3.46E-04	2.17E-06	2.47E-02	1.57E-01	8.39E-09	1.0E+06	8.4E-03
391	0.45337	1.36E-02	6.2E-03	3.46E-04	2.14E-06	2.47E-02	1.57E-01	8.29E-09	1.0E+06	8.3E-03
392	0.43787	1.36E-02	6.0E-03	3.46E-04	2.07E-06	2.47E-02	1.57E-01	8.01E-09	1.0E+06	8.0E-03
393	0.32603	1.36E-02	4.4E-03	3.46E-04	1.54E-06	2.47E-02	1.57E-01	5.96E-09	1.0E+06	6.0E-03
394	0.38853	1.36E-02	5.3E-03	3.46E-04	1.83E-06	2.47E-02	1.57E-01	7.11E-09	1.0E+06	7.1E-03
395	0.43296	1.36E-02	5.9E-03	3.46E-04	2.04E-06	2.47E-02	1.57E-01	7.92E-09	1.0E+06	7.9E-03
396	0.4654	1.36E-02	6.3E-03	3.46E-04	2.20E-06	2.47E-02	1.57E-01	8.51E-09	1.0E+06	8.5E-03
397	0.4979	1.36E-02	6.8E-03	3.46E-04	2.35E-06	2.47E-02	1.57E-01	9.11E-09	1.0E+06	9.1E-03
398	0.51462	1.36E-02	7.0E-03	3.46E-04	2.43E-06	2.47E-02	1.57E-01	9.41E-09	1.0E+06	9.4E-03
399	0.52048	1.36E-02	7.1E-03	3.46E-04	2.46E-06	2.47E-02	1.57E-01	9.52E-09	1.0E+06	9.5E-03
400	0.55457	1.36E-02	7.6E-03	3.46E-04	2.62E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
401	0.55208	1.36E-02	7.5E-03	3.46E-04	2.61E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
402	0.51974	1.36E-02	7.1E-03	3.46E-04	2.45E-06	2.47E-02	1.57E-01	9.51E-09	1.0E+06	9.5E-03
403	0.67545	1.36E-02	9.2E-03	3.46E-04	3.19E-06	2.47E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	1.36E-02	8.7E-03	3.46E-04	3.00E-06	2.47E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
405	0.59648	1.36E-02	8.1E-03	3.46E-04	2.82E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
406	0.8541	1.36E-02	1.2E-02	3.46E-04	4.03E-06	2.47E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
407	0.72119	1.36E-02	9.8E-03	3.46E-04	3.41E-06	2.47E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
408	1.11899	1.36E-02	1.5E-02	3.46E-04	5.28E-06	2.47E-02	1.57E-01	2.05E-08	1.0E+06	2.0E-02
409	0.88286	1.36E-02	1.2E-02	3.46E-04	4.17E-06	2.47E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
410	1.53458	1.36E-02	2.1E-02	3.46E-04	7.25E-06	2.47E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
411	1.24788	1.36E-02	1.7E-02	3.46E-04	5.89E-06	2.47E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
412	1.10769	1.36E-02	1.5E-02	3.46E-04	5.23E-06	2.47E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
413	2.24007	1.36E-02	3.1E-02	3.46E-04	1.06E-05	2.47E-02	1.57E-01	4.10E-08	1.0E+06	4.1E-02
414	1.85905	1.36E-02	2.5E-02	3.46E-04	8.78E-06	2.47E-02	1.57E-01	3.40E-08	1.0E+06	3.4E-02
415	1.59815	1.36E-02	2.2E-02	3.46E-04	7.55E-06	2.47E-02	1.57E-01	2.92E-08	1.0E+06	2.9E-02
416	1.34652	1.36E-02	1.8E-02	3.46E-04	6.36E-06	2.47E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02
417	3.57218	1.36E-02	4.9E-02	3.46E-04	1.69E-05	2.47E-02	1.57E-01	6.54E-08	1.0E+06	6.5E-02
418	2.01893	1.36E-02	2.8E-02	3.46E-04	9.53E-06	2.47E-02	1.57E-01	3.69E-08	1.0E+06	3.7E-02
419	1.58987	1.36E-02	2.2E-02	3.46E-04	7.51E-06	2.47E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
420	1.2521	1.36E-02	1.7E-02	3.46E-04	5.91E-06	2.47E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
421	6.42312	1.36E-02	8.8E-02	3.46E-04	3.03E-05	2.47E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
422	1.77737	1.36E-02	2.4E-02	3.46E-04	8.39E-06	2.47E-02	1.57E-01	3.25E-08	1.0E+06	3.3E-02
423	1.33662	1.36E-02	1.8E-02	3.46E-04	6.31E-06	2.47E-02	1.57E-01	2.45E-08	1.0E+06	2.4E-02
424	12.91388	1.36E-02	1.8E-01	3.46E-04	6.10E-05	2.47E-02	1.57E-01	2.36E-07	1.0E+06	2.4E-01
425	1.34203	1.36E-02	1.8E-02	3.46E-04	6.34E-06	2.47E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02
426	1.01676	1.36E-02	1.4E-02	3.46E-04	4.80E-06	2.47E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
427	22.75271	1.36E-02	3.1E-01	3.46E-04	1.07E-04	2.47E-02	1.57E-01	4.16E-07	1.0E+06	4.2E-01
428	1.27773	1.36E-02	1.7E-02	3.46E-04	6.03E-06	2.47E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
429	0.96908	1.36E-02	1.3E-02	3.46E-04	4.58E-06	2.47E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
430	21.09262	1.36E-02	2.9E-01	3.46E-04	9.96E-05	2.47E-02	1.57E-01	3.86E-07	1.0E+06	3.9E-01
431	0.90443	1.36E-02	1.2E-02	3.46E-04	4.27E-06	2.47E-02	1.57E-01	1.65E-08	1.0E+06	1.7E-02
432	0.71229	1.36E-02	9.7E-03	3.46E-04	3.36E-06	2.47E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
433	13.11622	1.36E-02	1.8E-01	3.46E-04	6.19E-05	2.47E-02	1.57E-01	2.40E-07	1.0E+06	2.4E-01
434	0.83575	1.36E-02	1.1E-02	3.46E-04	3.95E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	1.36E-02	9.1E-03	3.46E-04	3.16E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
436	8.0879	1.36E-02	1.1E-01	3.46E-04	3.82E-05	2.47E-02	1.57E-01	1.48E-07	1.0E+06	1.5E-01
437	0.97518	1.36E-02	1.3E-02	3.46E-04	4.60E-06	2.47E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
438	0.76912	1.36E-02	1.0E-02	3.46E-04	3.63E-06	2.47E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
439	0.6239	1.36E-02	8.5E-03	3.46E-04	2.95E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
440	5.21196	1.36E-02	7.1E-02	3.46E-04	2.46E-05	2.47E-02	1.57E-01	9.53E-08	1.0E+06	9.5E-02
441	1.57338	1.36E-02	2.1E-02	3.46E-04	7.43E-06	2.47E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02
442	1.14958	1.36E-02	1.6E-02	3.46E-04	5.43E-06	2.47E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
443	0.88407	1.36E-02	1.2E-02	3.46E-04	4.17E-06	2.47E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
444	0.70507	1.36E-02	9.6E-03	3.46E-04	3.33E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
445	3.55393	1.36E-02	4.8E-02	3.46E-04	1.68E-05	2.47E-02	1.57E-01	6.50E-08	1.0E+06	6.5E-02
446	1.95063	1.36E-02	2.7E-02	3.46E-04	9.21E-06	2.47E-02	1.57E-01	3.57E-08	1.0E+06	3.6E-02
447	1.38871	1.36E-02	1.9E-02	3.46E-04	6.56E-06	2.47E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
448	1.03194	1.36E-02	1.4E-02	3.46E-04	4.87E-06	2.47E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
449	2.54704	1.36E-02	3.5E-02	3.46E-04	1.20E-05	2.47E-02	1.57E-01	4.66E-08	1.0E+06	4.7E-02
450	2.13244	1.36E-02	2.9E-02	3.46E-04	1.01E-05	2.47E-02	1.57E-01	3.90E-08	1.0E+06	3.9E-02
451	1.63606	1.36E-02	2.2E-02	3.46E-04	7.72E-06	2.47E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
452	1.90224	1.36E-02	2.6E-02	3.46E-04	8.98E-06	2.47E-02	1.57E-01	3.48E-08	1.0E+06	3.5E-02
453	1.68146	1.36E-02	2.3E-02	3.46E-04	7.94E-06	2.47E-02	1.57E-01	3.08E-08	1.0E+06	3.1E-02
454	0.45602	1.36E-02	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.34E-09	1.0E+06	8.3E-03
455	0.39292	1.36E-02	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.19E-09	1.0E+06	7.2E-03
456	1.46911	1.36E-02	2.0E-02	3.46E-04	6.94E-06	2.47E-02	1.57E-01	2.69E-08	1.0E+06	2.7E-02
457	1.34798	1.36E-02	1.8E-02	3.46E-04	6.36E-06	2.47E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
458	1.14854	1.36E-02	1.6E-02	3.46E-04	5.42E-06	2.47E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
459	0.60959	1.36E-02	8.3E-03	3.46E-04	2.88E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
460	0.50521	1.36E-02	6.9E-03	3.46E-04	2.39E-06	2.47E-02	1.57E-01	9.24E-09	1.0E+06	9.2E-03
461	0.42667	1.36E-02	5.8E-03	3.46E-04	2.01E-06	2.47E-02	1.57E-01	7.81E-09	1.0E+06	7.8E-03
462	0.36664	1.36E-02	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.71E-09	1.0E+06	6.7E-03
463	1.56366	1.36E-02	2.1E-02	3.46E-04	7.38E-06	2.47E-02	1.57E-01	2.86E-08	1.0E+06	2.9E-02
464	1.67908	1.36E-02	2.3E-02	3.46E-04	7.93E-06	2.47E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
465	2.37925	1.36E-02	3.2E-02	3.46E-04	1.12E-05	2.47E-02	1.57E-01	4.35E-08	1.0E+06	4.4E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	1.36E-02	4.0E-02	3.46E-04	1.37E-05	2.47E-02	1.57E-01	5.31E-08	1.0E+06	5.3E-02
467	4.03499	1.36E-02	5.5E-02	3.46E-04	1.91E-05	2.47E-02	1.57E-01	7.38E-08	1.0E+06	7.4E-02
468	8.35246	1.36E-02	1.1E-01	3.46E-04	3.94E-05	2.47E-02	1.57E-01	1.53E-07	1.0E+06	1.5E-01
469	28.13292	1.36E-02	3.8E-01	3.46E-04	1.33E-04	2.47E-02	1.57E-01	5.15E-07	1.0E+06	5.1E-01
470	20.35286	1.36E-02	2.8E-01	3.46E-04	9.61E-05	2.47E-02	1.57E-01	3.72E-07	1.0E+06	3.7E-01
471	34.54288	1.36E-02	4.7E-01	3.46E-04	1.63E-04	2.47E-02	1.57E-01	6.32E-07	1.0E+06	6.3E-01
472	27.90221	1.36E-02	3.8E-01	3.46E-04	1.32E-04	2.47E-02	1.57E-01	5.10E-07	1.0E+06	5.1E-01
473	29.67594	1.36E-02	4.0E-01	3.46E-04	1.40E-04	2.47E-02	1.57E-01	5.43E-07	1.0E+06	5.4E-01
474	13.04296	1.36E-02	1.8E-01	3.46E-04	6.16E-05	2.47E-02	1.57E-01	2.39E-07	1.0E+06	2.4E-01
475	22.08892	1.36E-02	3.0E-01	3.46E-04	1.04E-04	2.47E-02	1.57E-01	4.04E-07	1.0E+06	4.0E-01
476	6.99817	1.36E-02	9.5E-02	3.46E-04	3.30E-05	2.47E-02	1.57E-01	1.28E-07	1.0E+06	1.3E-01
477	9.76012	1.36E-02	1.3E-01	3.46E-04	4.61E-05	2.47E-02	1.57E-01	1.79E-07	1.0E+06	1.8E-01
478	4.29281	1.36E-02	5.9E-02	3.46E-04	2.03E-05	2.47E-02	1.57E-01	7.85E-08	1.0E+06	7.9E-02
479	5.44714	1.36E-02	7.4E-02	3.46E-04	2.57E-05	2.47E-02	1.57E-01	9.97E-08	1.0E+06	1.0E-01
480	5.4004	1.36E-02	7.4E-02	3.46E-04	2.55E-05	2.47E-02	1.57E-01	9.88E-08	1.0E+06	9.9E-02
481	2.88653	1.36E-02	3.9E-02	3.46E-04	1.36E-05	2.47E-02	1.57E-01	5.28E-08	1.0E+06	5.3E-02
482	3.54717	1.36E-02	4.8E-02	3.46E-04	1.67E-05	2.47E-02	1.57E-01	6.49E-08	1.0E+06	6.5E-02
483	2.40679	1.36E-02	3.3E-02	3.46E-04	1.14E-05	2.47E-02	1.57E-01	4.40E-08	1.0E+06	4.4E-02
484	2.49271	1.36E-02	3.4E-02	3.46E-04	1.18E-05	2.47E-02	1.57E-01	4.56E-08	1.0E+06	4.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	2.73E-04
2	5	2.76E-04
3	5	2.79E-04
4	5	2.82E-04
5	5	2.86E-04
6	5	2.94E-04
7	5	3.03E-04
8	5	3.15E-04
9	5	3.29E-04
10	5	3.48E-04
11	5	3.72E-04
12	5	3.97E-04
13	5	4.25E-04
14	5	5.94E-04
15	5	3.03E-04
16	5	3.06E-04
17	5	3.11E-04
18	5	3.14E-04
19	5	3.17E-04
20	5	3.23E-04
21	5	3.30E-04
22	5	3.40E-04
23	5	3.57E-04
24	5	3.74E-04
25	5	4.03E-04
26	5	4.34E-04
27	5	4.60E-04
28	5	6.66E-04
29	5	3.36E-04
30	5	3.43E-04
31	5	3.50E-04

Max	Receptor #	
0.094	471	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	3.55E-04
33	5	3.55E-04
34	5	3.60E-04
35	5	3.66E-04
36	5	3.75E-04
37	5	3.90E-04
38	5	4.10E-04
39	5	4.38E-04
40	5	4.69E-04
41	5	5.00E-04
42	5	7.53E-04
43	5	3.69E-04
44	5	3.80E-04
45	5	3.89E-04
46	5	3.96E-04
47	5	4.01E-04
48	5	4.05E-04
49	5	4.09E-04
50	5	4.14E-04
51	5	4.32E-04
52	5	4.51E-04
53	5	4.81E-04
54	5	5.17E-04
55	5	5.57E-04
56	5	8.62E-04
57	5	4.01E-04
58	5	4.16E-04
59	5	4.30E-04
60	5	4.42E-04
61	5	4.52E-04
62	5	4.61E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	4.72E-04
64	5	4.70E-04
65	5	4.86E-04
66	5	5.07E-04
67	5	5.32E-04
68	5	5.78E-04
69	5	6.31E-04
70	5	4.34E-04
71	5	4.53E-04
72	5	4.72E-04
73	5	4.90E-04
74	5	5.06E-04
75	5	5.25E-04
76	5	5.41E-04
77	5	5.48E-04
78	5	5.66E-04
79	5	6.06E-04
80	5	6.23E-04
81	5	6.86E-04
82	5	7.33E-04
83	5	4.67E-04
84	5	4.91E-04
85	5	5.12E-04
86	5	5.41E-04
87	5	5.67E-04
88	5	5.93E-04
89	5	6.20E-04
90	5	6.47E-04
91	5	6.77E-04
92	5	7.13E-04
93	5	7.54E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	8.07E-04
95	5	8.73E-04
96	5	4.97E-04
97	5	5.21E-04
98	5	5.48E-04
99	5	5.86E-04
100	5	6.26E-04
101	5	6.62E-04
102	5	6.99E-04
103	5	7.37E-04
104	5	7.77E-04
105	5	8.19E-04
106	5	8.70E-04
107	5	9.33E-04
108	5	1.01E-03
109	5	5.19E-04
110	5	5.56E-04
111	5	5.96E-04
112	5	6.39E-04
113	5	6.85E-04
114	5	7.33E-04
115	5	7.83E-04
116	5	8.35E-04
117	5	8.92E-04
118	5	9.24E-04
119	5	9.91E-04
120	5	1.06E-03
121	5	1.14E-03
122	5	5.34E-04
123	5	5.78E-04
124	5	6.30E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	6.82E-04
126	5	7.37E-04
127	5	7.96E-04
128	5	8.38E-04
129	5	9.07E-04
130	5	1.00E-03
131	5	3.05E-03
132	5	3.16E-03
133	5	5.36E-04
134	5	5.92E-04
135	5	6.51E-04
136	5	7.12E-04
137	5	7.79E-04
138	5	8.49E-04
139	5	9.16E-04
140	5	1.03E-03
141	5	1.13E-03
142	5	1.25E-03
143	5	1.38E-03
144	5	1.54E-03
145	5	1.70E-03
146	5	4.11E-03
147	5	5.27E-04
148	5	5.85E-04
149	5	6.51E-04
150	5	7.21E-04
151	5	8.02E-04
152	5	8.84E-04
153	5	9.76E-04
154	5	1.09E-03
155	5	1.23E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.38E-03
157	5	1.55E-03
158	5	1.74E-03
159	5	2.03E-03
160	5	5.12E-04
161	5	5.64E-04
162	5	6.18E-04
163	5	7.00E-04
164	5	7.98E-04
165	5	8.93E-04
166	5	1.01E-03
167	5	1.14E-03
168	5	1.31E-03
169	5	1.50E-03
170	5	1.74E-03
171	5	2.02E-03
172	5	2.40E-03
173	5	2.90E-03
174	5	3.58E-03
175	5	4.49E-03
176	5	5.99E-03
177	5	7.80E-03
178	5	9.81E-03
179	5	4.76E-04
180	5	5.21E-04
181	5	5.66E-04
182	5	6.57E-04
183	5	7.74E-04
184	5	8.78E-04
185	5	1.01E-03
186	5	1.15E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.33E-03
188	5	1.56E-03
189	5	1.84E-03
190	5	2.21E-03
191	5	2.68E-03
192	5	3.36E-03
193	5	4.32E-03
194	5	5.82E-03
195	5	8.45E-03
196	5	1.28E-02
197	5	1.88E-02
198	5	4.44E-04
199	5	4.89E-04
200	5	5.41E-04
201	5	6.12E-04
202	5	7.27E-04
203	5	8.38E-04
204	5	9.71E-04
205	5	1.12E-03
206	5	1.31E-03
207	5	1.55E-03
208	5	1.85E-03
209	5	2.25E-03
210	5	2.81E-03
211	5	3.62E-03
212	5	4.83E-03
213	5	6.74E-03
214	5	9.92E-03
215	5	2.06E-02
216	5	4.21E-04
217	5	4.60E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	5.11E-04
219	5	5.75E-04
220	5	6.77E-04
221	5	7.77E-04
222	5	9.08E-04
223	5	1.06E-03
224	5	1.24E-03
225	5	1.46E-03
226	5	1.76E-03
227	5	2.15E-03
228	5	2.69E-03
229	5	3.51E-03
230	5	4.79E-03
231	5	7.05E-03
232	5	1.17E-02
233	5	2.94E-02
234	5	4.04E-04
235	5	4.39E-04
236	5	4.86E-04
237	5	5.49E-04
238	5	6.33E-04
239	5	7.25E-04
240	5	8.41E-04
241	5	9.79E-04
242	5	1.15E-03
243	5	1.35E-03
244	5	1.63E-03
245	5	2.00E-03
246	5	2.51E-03
247	5	3.25E-03
248	5	4.42E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	6.42E-03
250	5	1.06E-02
251	5	2.60E-02
252	5	3.89E-04
253	5	4.20E-04
254	5	4.61E-04
255	5	5.13E-04
256	5	6.01E-04
257	5	6.65E-04
258	5	7.56E-04
259	5	8.65E-04
260	5	1.02E-03
261	5	1.24E-03
262	5	1.50E-03
263	5	1.82E-03
264	5	2.29E-03
265	5	2.92E-03
266	5	3.88E-03
267	5	5.41E-03
268	5	8.20E-03
269	5	1.67E-02
270	5	3.78E-04
271	5	4.10E-04
272	5	4.50E-04
273	5	4.96E-04
274	5	5.85E-04
275	5	6.67E-04
276	5	7.12E-04
277	5	8.06E-04
278	5	9.33E-04
279	5	1.10E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.35E-03
281	5	1.67E-03
282	5	2.07E-03
283	5	2.62E-03
284	5	3.38E-03
285	5	4.46E-03
286	5	6.27E-03
287	5	1.12E-02
288	5	3.72E-04
289	5	4.00E-04
290	5	4.47E-04
291	5	4.97E-04
292	5	6.04E-04
293	5	6.57E-04
294	5	6.77E-04
295	5	7.68E-04
296	5	8.85E-04
297	5	1.02E-03
298	5	1.21E-03
299	5	1.50E-03
300	5	1.83E-03
301	5	2.29E-03
302	5	2.88E-03
303	5	3.71E-03
304	5	4.99E-03
305	5	8.05E-03
306	5	3.85E-04
307	5	4.04E-04
308	5	4.39E-04
309	5	5.13E-04
310	5	5.90E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	6.38E-04
312	5	6.43E-04
313	5	7.26E-04
314	5	8.32E-04
315	5	9.89E-04
316	5	1.12E-03
317	5	1.32E-03
318	5	1.58E-03
319	5	1.96E-03
320	5	2.50E-03
321	5	3.12E-03
322	5	4.03E-03
323	5	6.01E-03
324	5	3.77E-04
325	5	4.18E-04
326	5	4.51E-04
327	5	4.80E-04
328	5	5.81E-04
329	5	6.17E-04
330	5	6.25E-04
331	5	7.04E-04
332	5	8.03E-04
333	5	9.48E-04
334	5	1.09E-03
335	5	1.26E-03
336	5	3.68E-03
337	5	3.88E-03
338	5	4.29E-04
339	5	4.59E-04
340	5	5.23E-04
341	5	5.56E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	5.75E-04
343	5	6.03E-04
344	5	6.12E-04
345	5	6.17E-04
346	5	6.17E-04
347	5	4.65E-04
348	5	5.09E-04
349	5	5.97E-04
350	5	6.22E-04
351	5	6.43E-04
352	5	6.79E-04
353	5	6.90E-04
354	5	6.92E-04
355	5	6.93E-04
356	5	5.07E-04
357	5	5.47E-04
358	5	5.97E-04
359	5	6.80E-04
360	5	7.25E-04
361	5	7.71E-04
362	5	7.84E-04
363	5	7.87E-04
364	5	5.64E-04
365	5	5.97E-04
366	5	6.60E-04
367	5	7.70E-04
368	5	8.26E-04
369	5	8.86E-04
370	5	9.10E-04
371	5	9.08E-04
372	5	6.39E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	6.76E-04
374	5	7.52E-04
375	5	8.81E-04
376	5	9.53E-04
377	5	9.98E-04
378	5	1.03E-03
379	5	1.06E-03
380	5	1.06E-03
381	5	1.05E-03
382	5	7.46E-04
383	5	8.10E-04
384	5	8.76E-04
385	5	1.05E-03
386	5	1.11E-03
387	5	1.17E-03
388	5	1.22E-03
389	5	1.26E-03
390	5	1.25E-03
391	5	1.24E-03
392	5	1.19E-03
393	5	8.89E-04
394	5	1.06E-03
395	5	1.18E-03
396	5	1.27E-03
397	5	1.36E-03
398	5	1.40E-03
399	5	1.42E-03
400	5	1.51E-03
401	5	1.51E-03
402	5	1.42E-03
403	5	1.84E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.73E-03
405	5	1.63E-03
406	5	2.33E-03
407	5	1.97E-03
408	5	3.05E-03
409	5	2.41E-03
410	5	4.19E-03
411	5	3.40E-03
412	5	3.02E-03
413	5	6.11E-03
414	5	5.07E-03
415	5	4.36E-03
416	5	3.67E-03
417	5	9.74E-03
418	5	5.51E-03
419	5	4.34E-03
420	5	3.42E-03
421	5	1.75E-02
422	5	4.85E-03
423	5	3.65E-03
424	5	3.52E-02
425	5	3.66E-03
426	5	2.77E-03
427	5	6.21E-02
428	5	3.49E-03
429	5	2.64E-03
430	5	5.75E-02
431	5	2.47E-03
432	5	1.94E-03
433	5	3.58E-02
434	5	2.28E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.83E-03
436	5	2.21E-02
437	5	2.66E-03
438	5	2.10E-03
439	5	1.70E-03
440	5	1.42E-02
441	5	4.29E-03
442	5	3.14E-03
443	5	2.41E-03
444	5	1.92E-03
445	5	9.69E-03
446	5	5.32E-03
447	5	3.79E-03
448	5	2.81E-03
449	5	6.95E-03
450	5	5.82E-03
451	5	4.46E-03
452	5	5.19E-03
453	5	4.59E-03
454	5	1.24E-03
455	5	1.07E-03
456	5	4.01E-03
457	5	3.68E-03
458	5	3.13E-03
459	5	1.66E-03
460	5	1.38E-03
461	5	1.16E-03
462	5	1.00E-03
463	5	4.27E-03
464	5	4.58E-03
465	5	6.49E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	7.92E-03
467	5	1.10E-02
468	5	2.28E-02
469	5	7.67E-02
470	5	5.55E-02
471	5	9.42E-02
472	5	7.61E-02
473	5	8.10E-02
474	5	3.56E-02
475	5	6.03E-02
476	5	1.91E-02
477	5	2.66E-02
478	5	1.17E-02
479	5	1.49E-02
480	5	1.47E-02
481	5	7.87E-03
482	5	9.68E-03
483	5	6.57E-03
484	5	6.80E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.09997	2.56E-03	2.6E-04	3.46E-04	8.86E-08	1.10E-01	1.57E-01	1.53E-09	1.0E+06	1.5E-03
2	0.10116	2.56E-03	2.6E-04	3.46E-04	8.96E-08	1.10E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
3	0.10225	2.56E-03	2.6E-04	3.46E-04	9.06E-08	1.10E-01	1.57E-01	1.56E-09	1.0E+06	1.6E-03
4	0.10353	2.56E-03	2.6E-04	3.46E-04	9.17E-08	1.10E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
5	0.1049	2.56E-03	2.7E-04	3.46E-04	9.29E-08	1.10E-01	1.57E-01	1.60E-09	1.0E+06	1.6E-03
6	0.10762	2.56E-03	2.8E-04	3.46E-04	9.53E-08	1.10E-01	1.57E-01	1.64E-09	1.0E+06	1.6E-03
7	0.11114	2.56E-03	2.8E-04	3.46E-04	9.85E-08	1.10E-01	1.57E-01	1.70E-09	1.0E+06	1.7E-03
8	0.11544	2.56E-03	3.0E-04	3.46E-04	1.02E-07	1.10E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
9	0.12067	2.56E-03	3.1E-04	3.46E-04	1.07E-07	1.10E-01	1.57E-01	1.84E-09	1.0E+06	1.8E-03
10	0.12749	2.56E-03	3.3E-04	3.46E-04	1.13E-07	1.10E-01	1.57E-01	1.94E-09	1.0E+06	1.9E-03
11	0.13627	2.56E-03	3.5E-04	3.46E-04	1.21E-07	1.10E-01	1.57E-01	2.08E-09	1.0E+06	2.1E-03
12	0.1456	2.56E-03	3.7E-04	3.46E-04	1.29E-07	1.10E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
13	0.15591	2.56E-03	4.0E-04	3.46E-04	1.38E-07	1.10E-01	1.57E-01	2.38E-09	1.0E+06	2.4E-03
14	0.21775	2.56E-03	5.6E-04	3.46E-04	1.93E-07	1.10E-01	1.57E-01	3.32E-09	1.0E+06	3.3E-03
15	0.11116	2.56E-03	2.8E-04	3.46E-04	9.85E-08	1.10E-01	1.57E-01	1.70E-09	1.0E+06	1.7E-03
16	0.11231	2.56E-03	2.9E-04	3.46E-04	9.95E-08	1.10E-01	1.57E-01	1.71E-09	1.0E+06	1.7E-03
17	0.11409	2.56E-03	2.9E-04	3.46E-04	1.01E-07	1.10E-01	1.57E-01	1.74E-09	1.0E+06	1.7E-03
18	0.1152	2.56E-03	2.9E-04	3.46E-04	1.02E-07	1.10E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
19	0.11623	2.56E-03	3.0E-04	3.46E-04	1.03E-07	1.10E-01	1.57E-01	1.77E-09	1.0E+06	1.8E-03
20	0.11825	2.56E-03	3.0E-04	3.46E-04	1.05E-07	1.10E-01	1.57E-01	1.80E-09	1.0E+06	1.8E-03
21	0.12106	2.56E-03	3.1E-04	3.46E-04	1.07E-07	1.10E-01	1.57E-01	1.85E-09	1.0E+06	1.8E-03
22	0.12456	2.56E-03	3.2E-04	3.46E-04	1.10E-07	1.10E-01	1.57E-01	1.90E-09	1.0E+06	1.9E-03
23	0.13094	2.56E-03	3.4E-04	3.46E-04	1.16E-07	1.10E-01	1.57E-01	2.00E-09	1.0E+06	2.0E-03
24	0.13716	2.56E-03	3.5E-04	3.46E-04	1.22E-07	1.10E-01	1.57E-01	2.09E-09	1.0E+06	2.1E-03
25	0.14759	2.56E-03	3.8E-04	3.46E-04	1.31E-07	1.10E-01	1.57E-01	2.25E-09	1.0E+06	2.3E-03
26	0.15892	2.56E-03	4.1E-04	3.46E-04	1.41E-07	1.10E-01	1.57E-01	2.42E-09	1.0E+06	2.4E-03
27	0.16875	2.56E-03	4.3E-04	3.46E-04	1.49E-07	1.10E-01	1.57E-01	2.57E-09	1.0E+06	2.6E-03
28	0.24418	2.56E-03	6.2E-04	3.46E-04	2.16E-07	1.10E-01	1.57E-01	3.73E-09	1.0E+06	3.7E-03
29	0.12315	2.56E-03	3.2E-04	3.46E-04	1.09E-07	1.10E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
30	0.12567	2.56E-03	3.2E-04	3.46E-04	1.11E-07	1.10E-01	1.57E-01	1.92E-09	1.0E+06	1.9E-03
31	0.12837	2.56E-03	3.3E-04	3.46E-04	1.14E-07	1.10E-01	1.57E-01	1.96E-09	1.0E+06	2.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	2.56E-03	3.3E-04	3.46E-04	1.15E-07	1.10E-01	1.57E-01	1.99E-09	1.0E+06	2.0E-03
33	0.13031	2.56E-03	3.3E-04	3.46E-04	1.15E-07	1.10E-01	1.57E-01	1.99E-09	1.0E+06	2.0E-03
34	0.13211	2.56E-03	3.4E-04	3.46E-04	1.17E-07	1.10E-01	1.57E-01	2.02E-09	1.0E+06	2.0E-03
35	0.13406	2.56E-03	3.4E-04	3.46E-04	1.19E-07	1.10E-01	1.57E-01	2.05E-09	1.0E+06	2.0E-03
36	0.13747	2.56E-03	3.5E-04	3.46E-04	1.22E-07	1.10E-01	1.57E-01	2.10E-09	1.0E+06	2.1E-03
37	0.14288	2.56E-03	3.7E-04	3.46E-04	1.27E-07	1.10E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
38	0.15048	2.56E-03	3.9E-04	3.46E-04	1.33E-07	1.10E-01	1.57E-01	2.30E-09	1.0E+06	2.3E-03
39	0.16057	2.56E-03	4.1E-04	3.46E-04	1.42E-07	1.10E-01	1.57E-01	2.45E-09	1.0E+06	2.4E-03
40	0.17181	2.56E-03	4.4E-04	3.46E-04	1.52E-07	1.10E-01	1.57E-01	2.62E-09	1.0E+06	2.6E-03
41	0.18337	2.56E-03	4.7E-04	3.46E-04	1.62E-07	1.10E-01	1.57E-01	2.80E-09	1.0E+06	2.8E-03
42	0.27606	2.56E-03	7.1E-04	3.46E-04	2.45E-07	1.10E-01	1.57E-01	4.21E-09	1.0E+06	4.2E-03
43	0.13523	2.56E-03	3.5E-04	3.46E-04	1.20E-07	1.10E-01	1.57E-01	2.06E-09	1.0E+06	2.1E-03
44	0.13913	2.56E-03	3.6E-04	3.46E-04	1.23E-07	1.10E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
45	0.14273	2.56E-03	3.7E-04	3.46E-04	1.26E-07	1.10E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
46	0.14534	2.56E-03	3.7E-04	3.46E-04	1.29E-07	1.10E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
47	0.14689	2.56E-03	3.8E-04	3.46E-04	1.30E-07	1.10E-01	1.57E-01	2.24E-09	1.0E+06	2.2E-03
48	0.14854	2.56E-03	3.8E-04	3.46E-04	1.32E-07	1.10E-01	1.57E-01	2.27E-09	1.0E+06	2.3E-03
49	0.14984	2.56E-03	3.8E-04	3.46E-04	1.33E-07	1.10E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
50	0.15161	2.56E-03	3.9E-04	3.46E-04	1.34E-07	1.10E-01	1.57E-01	2.31E-09	1.0E+06	2.3E-03
51	0.15836	2.56E-03	4.1E-04	3.46E-04	1.40E-07	1.10E-01	1.57E-01	2.42E-09	1.0E+06	2.4E-03
52	0.16548	2.56E-03	4.2E-04	3.46E-04	1.47E-07	1.10E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
53	0.17641	2.56E-03	4.5E-04	3.46E-04	1.56E-07	1.10E-01	1.57E-01	2.69E-09	1.0E+06	2.7E-03
54	0.18951	2.56E-03	4.8E-04	3.46E-04	1.68E-07	1.10E-01	1.57E-01	2.89E-09	1.0E+06	2.9E-03
55	0.20421	2.56E-03	5.2E-04	3.46E-04	1.81E-07	1.10E-01	1.57E-01	3.12E-09	1.0E+06	3.1E-03
56	0.31605	2.56E-03	8.1E-04	3.46E-04	2.80E-07	1.10E-01	1.57E-01	4.82E-09	1.0E+06	4.8E-03
57	0.14708	2.56E-03	3.8E-04	3.46E-04	1.30E-07	1.10E-01	1.57E-01	2.24E-09	1.0E+06	2.2E-03
58	0.15242	2.56E-03	3.9E-04	3.46E-04	1.35E-07	1.10E-01	1.57E-01	2.33E-09	1.0E+06	2.3E-03
59	0.15749	2.56E-03	4.0E-04	3.46E-04	1.40E-07	1.10E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
60	0.16209	2.56E-03	4.1E-04	3.46E-04	1.44E-07	1.10E-01	1.57E-01	2.47E-09	1.0E+06	2.5E-03
61	0.16587	2.56E-03	4.2E-04	3.46E-04	1.47E-07	1.10E-01	1.57E-01	2.53E-09	1.0E+06	2.5E-03
62	0.1689	2.56E-03	4.3E-04	3.46E-04	1.50E-07	1.10E-01	1.57E-01	2.58E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	2.56E-03	4.4E-04	3.46E-04	1.53E-07	1.10E-01	1.57E-01	2.64E-09	1.0E+06	2.6E-03
64	0.17221	2.56E-03	4.4E-04	3.46E-04	1.53E-07	1.10E-01	1.57E-01	2.63E-09	1.0E+06	2.6E-03
65	0.17802	2.56E-03	4.6E-04	3.46E-04	1.58E-07	1.10E-01	1.57E-01	2.72E-09	1.0E+06	2.7E-03
66	0.18602	2.56E-03	4.8E-04	3.46E-04	1.65E-07	1.10E-01	1.57E-01	2.84E-09	1.0E+06	2.8E-03
67	0.19503	2.56E-03	5.0E-04	3.46E-04	1.73E-07	1.10E-01	1.57E-01	2.98E-09	1.0E+06	3.0E-03
68	0.21198	2.56E-03	5.4E-04	3.46E-04	1.88E-07	1.10E-01	1.57E-01	3.23E-09	1.0E+06	3.2E-03
69	0.23133	2.56E-03	5.9E-04	3.46E-04	2.05E-07	1.10E-01	1.57E-01	3.53E-09	1.0E+06	3.5E-03
70	0.15915	2.56E-03	4.1E-04	3.46E-04	1.41E-07	1.10E-01	1.57E-01	2.43E-09	1.0E+06	2.4E-03
71	0.16615	2.56E-03	4.3E-04	3.46E-04	1.47E-07	1.10E-01	1.57E-01	2.53E-09	1.0E+06	2.5E-03
72	0.17306	2.56E-03	4.4E-04	3.46E-04	1.53E-07	1.10E-01	1.57E-01	2.64E-09	1.0E+06	2.6E-03
73	0.17979	2.56E-03	4.6E-04	3.46E-04	1.59E-07	1.10E-01	1.57E-01	2.74E-09	1.0E+06	2.7E-03
74	0.1856	2.56E-03	4.7E-04	3.46E-04	1.64E-07	1.10E-01	1.57E-01	2.83E-09	1.0E+06	2.8E-03
75	0.19262	2.56E-03	4.9E-04	3.46E-04	1.71E-07	1.10E-01	1.57E-01	2.94E-09	1.0E+06	2.9E-03
76	0.19839	2.56E-03	5.1E-04	3.46E-04	1.76E-07	1.10E-01	1.57E-01	3.03E-09	1.0E+06	3.0E-03
77	0.20099	2.56E-03	5.1E-04	3.46E-04	1.78E-07	1.10E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
78	0.20736	2.56E-03	5.3E-04	3.46E-04	1.84E-07	1.10E-01	1.57E-01	3.16E-09	1.0E+06	3.2E-03
79	0.22199	2.56E-03	5.7E-04	3.46E-04	1.97E-07	1.10E-01	1.57E-01	3.39E-09	1.0E+06	3.4E-03
80	0.22851	2.56E-03	5.8E-04	3.46E-04	2.02E-07	1.10E-01	1.57E-01	3.49E-09	1.0E+06	3.5E-03
81	0.25141	2.56E-03	6.4E-04	3.46E-04	2.23E-07	1.10E-01	1.57E-01	3.84E-09	1.0E+06	3.8E-03
82	0.26864	2.56E-03	6.9E-04	3.46E-04	2.38E-07	1.10E-01	1.57E-01	4.10E-09	1.0E+06	4.1E-03
83	0.17123	2.56E-03	4.4E-04	3.46E-04	1.52E-07	1.10E-01	1.57E-01	2.61E-09	1.0E+06	2.6E-03
84	0.17986	2.56E-03	4.6E-04	3.46E-04	1.59E-07	1.10E-01	1.57E-01	2.74E-09	1.0E+06	2.7E-03
85	0.18766	2.56E-03	4.8E-04	3.46E-04	1.66E-07	1.10E-01	1.57E-01	2.86E-09	1.0E+06	2.9E-03
86	0.19836	2.56E-03	5.1E-04	3.46E-04	1.76E-07	1.10E-01	1.57E-01	3.03E-09	1.0E+06	3.0E-03
87	0.20777	2.56E-03	5.3E-04	3.46E-04	1.84E-07	1.10E-01	1.57E-01	3.17E-09	1.0E+06	3.2E-03
88	0.21743	2.56E-03	5.6E-04	3.46E-04	1.93E-07	1.10E-01	1.57E-01	3.32E-09	1.0E+06	3.3E-03
89	0.22714	2.56E-03	5.8E-04	3.46E-04	2.01E-07	1.10E-01	1.57E-01	3.47E-09	1.0E+06	3.5E-03
90	0.23725	2.56E-03	6.1E-04	3.46E-04	2.10E-07	1.10E-01	1.57E-01	3.62E-09	1.0E+06	3.6E-03
91	0.24821	2.56E-03	6.4E-04	3.46E-04	2.20E-07	1.10E-01	1.57E-01	3.79E-09	1.0E+06	3.8E-03
92	0.26127	2.56E-03	6.7E-04	3.46E-04	2.31E-07	1.10E-01	1.57E-01	3.99E-09	1.0E+06	4.0E-03
93	0.27635	2.56E-03	7.1E-04	3.46E-04	2.45E-07	1.10E-01	1.57E-01	4.22E-09	1.0E+06	4.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	2.56E-03	7.6E-04	3.46E-04	2.62E-07	1.10E-01	1.57E-01	4.51E-09	1.0E+06	4.5E-03
95	0.31999	2.56E-03	8.2E-04	3.46E-04	2.83E-07	1.10E-01	1.57E-01	4.88E-09	1.0E+06	4.9E-03
96	0.18233	2.56E-03	4.7E-04	3.46E-04	1.62E-07	1.10E-01	1.57E-01	2.78E-09	1.0E+06	2.8E-03
97	0.19094	2.56E-03	4.9E-04	3.46E-04	1.69E-07	1.10E-01	1.57E-01	2.91E-09	1.0E+06	2.9E-03
98	0.20103	2.56E-03	5.1E-04	3.46E-04	1.78E-07	1.10E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
99	0.21464	2.56E-03	5.5E-04	3.46E-04	1.90E-07	1.10E-01	1.57E-01	3.27E-09	1.0E+06	3.3E-03
100	0.22959	2.56E-03	5.9E-04	3.46E-04	2.03E-07	1.10E-01	1.57E-01	3.50E-09	1.0E+06	3.5E-03
101	0.24284	2.56E-03	6.2E-04	3.46E-04	2.15E-07	1.10E-01	1.57E-01	3.70E-09	1.0E+06	3.7E-03
102	0.25629	2.56E-03	6.6E-04	3.46E-04	2.27E-07	1.10E-01	1.57E-01	3.91E-09	1.0E+06	3.9E-03
103	0.27027	2.56E-03	6.9E-04	3.46E-04	2.39E-07	1.10E-01	1.57E-01	4.12E-09	1.0E+06	4.1E-03
104	0.28488	2.56E-03	7.3E-04	3.46E-04	2.52E-07	1.10E-01	1.57E-01	4.35E-09	1.0E+06	4.3E-03
105	0.3003	2.56E-03	7.7E-04	3.46E-04	2.66E-07	1.10E-01	1.57E-01	4.58E-09	1.0E+06	4.6E-03
106	0.3189	2.56E-03	8.2E-04	3.46E-04	2.82E-07	1.10E-01	1.57E-01	4.86E-09	1.0E+06	4.9E-03
107	0.34186	2.56E-03	8.7E-04	3.46E-04	3.03E-07	1.10E-01	1.57E-01	5.22E-09	1.0E+06	5.2E-03
108	0.37026	2.56E-03	9.5E-04	3.46E-04	3.28E-07	1.10E-01	1.57E-01	5.65E-09	1.0E+06	5.6E-03
109	0.19023	2.56E-03	4.9E-04	3.46E-04	1.69E-07	1.10E-01	1.57E-01	2.90E-09	1.0E+06	2.9E-03
110	0.20375	2.56E-03	5.2E-04	3.46E-04	1.80E-07	1.10E-01	1.57E-01	3.11E-09	1.0E+06	3.1E-03
111	0.21846	2.56E-03	5.6E-04	3.46E-04	1.94E-07	1.10E-01	1.57E-01	3.33E-09	1.0E+06	3.3E-03
112	0.23423	2.56E-03	6.0E-04	3.46E-04	2.07E-07	1.10E-01	1.57E-01	3.57E-09	1.0E+06	3.6E-03
113	0.25102	2.56E-03	6.4E-04	3.46E-04	2.22E-07	1.10E-01	1.57E-01	3.83E-09	1.0E+06	3.8E-03
114	0.2686	2.56E-03	6.9E-04	3.46E-04	2.38E-07	1.10E-01	1.57E-01	4.10E-09	1.0E+06	4.1E-03
115	0.28686	2.56E-03	7.3E-04	3.46E-04	2.54E-07	1.10E-01	1.57E-01	4.38E-09	1.0E+06	4.4E-03
116	0.30627	2.56E-03	7.8E-04	3.46E-04	2.71E-07	1.10E-01	1.57E-01	4.67E-09	1.0E+06	4.7E-03
117	0.32686	2.56E-03	8.4E-04	3.46E-04	2.90E-07	1.10E-01	1.57E-01	4.99E-09	1.0E+06	5.0E-03
118	0.33858	2.56E-03	8.7E-04	3.46E-04	3.00E-07	1.10E-01	1.57E-01	5.17E-09	1.0E+06	5.2E-03
119	0.36311	2.56E-03	9.3E-04	3.46E-04	3.22E-07	1.10E-01	1.57E-01	5.54E-09	1.0E+06	5.5E-03
120	0.38851	2.56E-03	9.9E-04	3.46E-04	3.44E-07	1.10E-01	1.57E-01	5.93E-09	1.0E+06	5.9E-03
121	0.4178	2.56E-03	1.1E-03	3.46E-04	3.70E-07	1.10E-01	1.57E-01	6.37E-09	1.0E+06	6.4E-03
122	0.19578	2.56E-03	5.0E-04	3.46E-04	1.73E-07	1.10E-01	1.57E-01	2.99E-09	1.0E+06	3.0E-03
123	0.21204	2.56E-03	5.4E-04	3.46E-04	1.88E-07	1.10E-01	1.57E-01	3.23E-09	1.0E+06	3.2E-03
124	0.23086	2.56E-03	5.9E-04	3.46E-04	2.05E-07	1.10E-01	1.57E-01	3.52E-09	1.0E+06	3.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	2.56E-03	6.4E-04	3.46E-04	2.21E-07	1.10E-01	1.57E-01	3.81E-09	1.0E+06	3.8E-03
126	0.27035	2.56E-03	6.9E-04	3.46E-04	2.39E-07	1.10E-01	1.57E-01	4.12E-09	1.0E+06	4.1E-03
127	0.29177	2.56E-03	7.5E-04	3.46E-04	2.58E-07	1.10E-01	1.57E-01	4.45E-09	1.0E+06	4.5E-03
128	0.30724	2.56E-03	7.9E-04	3.46E-04	2.72E-07	1.10E-01	1.57E-01	4.69E-09	1.0E+06	4.7E-03
129	0.33259	2.56E-03	8.5E-04	3.46E-04	2.95E-07	1.10E-01	1.57E-01	5.07E-09	1.0E+06	5.1E-03
130	0.36682	2.56E-03	9.4E-04	3.46E-04	3.25E-07	1.10E-01	1.57E-01	5.60E-09	1.0E+06	5.6E-03
131	1.11688	2.56E-03	2.9E-03	3.46E-04	9.89E-07	1.10E-01	1.57E-01	1.70E-08	1.0E+06	1.7E-02
132	1.15875	2.56E-03	3.0E-03	3.46E-04	1.03E-06	1.10E-01	1.57E-01	1.77E-08	1.0E+06	1.8E-02
133	0.19656	2.56E-03	5.0E-04	3.46E-04	1.74E-07	1.10E-01	1.57E-01	3.00E-09	1.0E+06	3.0E-03
134	0.21704	2.56E-03	5.6E-04	3.46E-04	1.92E-07	1.10E-01	1.57E-01	3.31E-09	1.0E+06	3.3E-03
135	0.23863	2.56E-03	6.1E-04	3.46E-04	2.11E-07	1.10E-01	1.57E-01	3.64E-09	1.0E+06	3.6E-03
136	0.26108	2.56E-03	6.7E-04	3.46E-04	2.31E-07	1.10E-01	1.57E-01	3.98E-09	1.0E+06	4.0E-03
137	0.28567	2.56E-03	7.3E-04	3.46E-04	2.53E-07	1.10E-01	1.57E-01	4.36E-09	1.0E+06	4.4E-03
138	0.31112	2.56E-03	8.0E-04	3.46E-04	2.76E-07	1.10E-01	1.57E-01	4.75E-09	1.0E+06	4.7E-03
139	0.33575	2.56E-03	8.6E-04	3.46E-04	2.97E-07	1.10E-01	1.57E-01	5.12E-09	1.0E+06	5.1E-03
140	0.37628	2.56E-03	9.6E-04	3.46E-04	3.33E-07	1.10E-01	1.57E-01	5.74E-09	1.0E+06	5.7E-03
141	0.41535	2.56E-03	1.1E-03	3.46E-04	3.68E-07	1.10E-01	1.57E-01	6.34E-09	1.0E+06	6.3E-03
142	0.45747	2.56E-03	1.2E-03	3.46E-04	4.05E-07	1.10E-01	1.57E-01	6.98E-09	1.0E+06	7.0E-03
143	0.5063	2.56E-03	1.3E-03	3.46E-04	4.49E-07	1.10E-01	1.57E-01	7.72E-09	1.0E+06	7.7E-03
144	0.56507	2.56E-03	1.4E-03	3.46E-04	5.01E-07	1.10E-01	1.57E-01	8.62E-09	1.0E+06	8.6E-03
145	0.62491	2.56E-03	1.6E-03	3.46E-04	5.54E-07	1.10E-01	1.57E-01	9.53E-09	1.0E+06	9.5E-03
146	1.50759	2.56E-03	3.9E-03	3.46E-04	1.34E-06	1.10E-01	1.57E-01	2.30E-08	1.0E+06	2.3E-02
147	0.1931	2.56E-03	4.9E-04	3.46E-04	1.71E-07	1.10E-01	1.57E-01	2.95E-09	1.0E+06	2.9E-03
148	0.21437	2.56E-03	5.5E-04	3.46E-04	1.90E-07	1.10E-01	1.57E-01	3.27E-09	1.0E+06	3.3E-03
149	0.23858	2.56E-03	6.1E-04	3.46E-04	2.11E-07	1.10E-01	1.57E-01	3.64E-09	1.0E+06	3.6E-03
150	0.26418	2.56E-03	6.8E-04	3.46E-04	2.34E-07	1.10E-01	1.57E-01	4.03E-09	1.0E+06	4.0E-03
151	0.29392	2.56E-03	7.5E-04	3.46E-04	2.60E-07	1.10E-01	1.57E-01	4.48E-09	1.0E+06	4.5E-03
152	0.32394	2.56E-03	8.3E-04	3.46E-04	2.87E-07	1.10E-01	1.57E-01	4.94E-09	1.0E+06	4.9E-03
153	0.3577	2.56E-03	9.2E-04	3.46E-04	3.17E-07	1.10E-01	1.57E-01	5.46E-09	1.0E+06	5.5E-03
154	0.39941	2.56E-03	1.0E-03	3.46E-04	3.54E-07	1.10E-01	1.57E-01	6.09E-09	1.0E+06	6.1E-03
155	0.44952	2.56E-03	1.2E-03	3.46E-04	3.98E-07	1.10E-01	1.57E-01	6.86E-09	1.0E+06	6.9E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	2.56E-03	1.3E-03	3.46E-04	4.48E-07	1.10E-01	1.57E-01	7.72E-09	1.0E+06	7.7E-03
157	0.56864	2.56E-03	1.5E-03	3.46E-04	5.04E-07	1.10E-01	1.57E-01	8.67E-09	1.0E+06	8.7E-03
158	0.63716	2.56E-03	1.6E-03	3.46E-04	5.64E-07	1.10E-01	1.57E-01	9.72E-09	1.0E+06	9.7E-03
159	0.74488	2.56E-03	1.9E-03	3.46E-04	6.60E-07	1.10E-01	1.57E-01	1.14E-08	1.0E+06	1.1E-02
160	0.18782	2.56E-03	4.8E-04	3.46E-04	1.66E-07	1.10E-01	1.57E-01	2.87E-09	1.0E+06	2.9E-03
161	0.20685	2.56E-03	5.3E-04	3.46E-04	1.83E-07	1.10E-01	1.57E-01	3.16E-09	1.0E+06	3.2E-03
162	0.22653	2.56E-03	5.8E-04	3.46E-04	2.01E-07	1.10E-01	1.57E-01	3.46E-09	1.0E+06	3.5E-03
163	0.25651	2.56E-03	6.6E-04	3.46E-04	2.27E-07	1.10E-01	1.57E-01	3.91E-09	1.0E+06	3.9E-03
164	0.29246	2.56E-03	7.5E-04	3.46E-04	2.59E-07	1.10E-01	1.57E-01	4.46E-09	1.0E+06	4.5E-03
165	0.32725	2.56E-03	8.4E-04	3.46E-04	2.90E-07	1.10E-01	1.57E-01	4.99E-09	1.0E+06	5.0E-03
166	0.36919	2.56E-03	9.4E-04	3.46E-04	3.27E-07	1.10E-01	1.57E-01	5.63E-09	1.0E+06	5.6E-03
167	0.41887	2.56E-03	1.1E-03	3.46E-04	3.71E-07	1.10E-01	1.57E-01	6.39E-09	1.0E+06	6.4E-03
168	0.47877	2.56E-03	1.2E-03	3.46E-04	4.24E-07	1.10E-01	1.57E-01	7.30E-09	1.0E+06	7.3E-03
169	0.55074	2.56E-03	1.4E-03	3.46E-04	4.88E-07	1.10E-01	1.57E-01	8.40E-09	1.0E+06	8.4E-03
170	0.63634	2.56E-03	1.6E-03	3.46E-04	5.64E-07	1.10E-01	1.57E-01	9.71E-09	1.0E+06	9.7E-03
171	0.73945	2.56E-03	1.9E-03	3.46E-04	6.55E-07	1.10E-01	1.57E-01	1.13E-08	1.0E+06	1.1E-02
172	0.87948	2.56E-03	2.3E-03	3.46E-04	7.79E-07	1.10E-01	1.57E-01	1.34E-08	1.0E+06	1.3E-02
173	1.06486	2.56E-03	2.7E-03	3.46E-04	9.43E-07	1.10E-01	1.57E-01	1.62E-08	1.0E+06	1.6E-02
174	1.31351	2.56E-03	3.4E-03	3.46E-04	1.16E-06	1.10E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02
175	1.6474	2.56E-03	4.2E-03	3.46E-04	1.46E-06	1.10E-01	1.57E-01	2.51E-08	1.0E+06	2.5E-02
176	2.19565	2.56E-03	5.6E-03	3.46E-04	1.94E-06	1.10E-01	1.57E-01	3.35E-08	1.0E+06	3.3E-02
177	2.85894	2.56E-03	7.3E-03	3.46E-04	2.53E-06	1.10E-01	1.57E-01	4.36E-08	1.0E+06	4.4E-02
178	3.59716	2.56E-03	9.2E-03	3.46E-04	3.19E-06	1.10E-01	1.57E-01	5.49E-08	1.0E+06	5.5E-02
179	0.17443	2.56E-03	4.5E-04	3.46E-04	1.55E-07	1.10E-01	1.57E-01	2.66E-09	1.0E+06	2.7E-03
180	0.19117	2.56E-03	4.9E-04	3.46E-04	1.69E-07	1.10E-01	1.57E-01	2.92E-09	1.0E+06	2.9E-03
181	0.20765	2.56E-03	5.3E-04	3.46E-04	1.84E-07	1.10E-01	1.57E-01	3.17E-09	1.0E+06	3.2E-03
182	0.24097	2.56E-03	6.2E-04	3.46E-04	2.13E-07	1.10E-01	1.57E-01	3.68E-09	1.0E+06	3.7E-03
183	0.28383	2.56E-03	7.3E-04	3.46E-04	2.51E-07	1.10E-01	1.57E-01	4.33E-09	1.0E+06	4.3E-03
184	0.32178	2.56E-03	8.2E-04	3.46E-04	2.85E-07	1.10E-01	1.57E-01	4.91E-09	1.0E+06	4.9E-03
185	0.36853	2.56E-03	9.4E-04	3.46E-04	3.26E-07	1.10E-01	1.57E-01	5.62E-09	1.0E+06	5.6E-03
186	0.42331	2.56E-03	1.1E-03	3.46E-04	3.75E-07	1.10E-01	1.57E-01	6.46E-09	1.0E+06	6.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	2.56E-03	1.3E-03	3.46E-04	4.33E-07	1.10E-01	1.57E-01	7.46E-09	1.0E+06	7.5E-03
188	0.57244	2.56E-03	1.5E-03	3.46E-04	5.07E-07	1.10E-01	1.57E-01	8.73E-09	1.0E+06	8.7E-03
189	0.67537	2.56E-03	1.7E-03	3.46E-04	5.98E-07	1.10E-01	1.57E-01	1.03E-08	1.0E+06	1.0E-02
190	0.80933	2.56E-03	2.1E-03	3.46E-04	7.17E-07	1.10E-01	1.57E-01	1.23E-08	1.0E+06	1.2E-02
191	0.98328	2.56E-03	2.5E-03	3.46E-04	8.71E-07	1.10E-01	1.57E-01	1.50E-08	1.0E+06	1.5E-02
192	1.23304	2.56E-03	3.2E-03	3.46E-04	1.09E-06	1.10E-01	1.57E-01	1.88E-08	1.0E+06	1.9E-02
193	1.58271	2.56E-03	4.1E-03	3.46E-04	1.40E-06	1.10E-01	1.57E-01	2.41E-08	1.0E+06	2.4E-02
194	2.13464	2.56E-03	5.5E-03	3.46E-04	1.89E-06	1.10E-01	1.57E-01	3.26E-08	1.0E+06	3.3E-02
195	3.0975	2.56E-03	7.9E-03	3.46E-04	2.74E-06	1.10E-01	1.57E-01	4.73E-08	1.0E+06	4.7E-02
196	4.69284	2.56E-03	1.2E-02	3.46E-04	4.16E-06	1.10E-01	1.57E-01	7.16E-08	1.0E+06	7.2E-02
197	6.88357	2.56E-03	1.8E-02	3.46E-04	6.10E-06	1.10E-01	1.57E-01	1.05E-07	1.0E+06	1.1E-01
198	0.16286	2.56E-03	4.2E-04	3.46E-04	1.44E-07	1.10E-01	1.57E-01	2.48E-09	1.0E+06	2.5E-03
199	0.1793	2.56E-03	4.6E-04	3.46E-04	1.59E-07	1.10E-01	1.57E-01	2.74E-09	1.0E+06	2.7E-03
200	0.19824	2.56E-03	5.1E-04	3.46E-04	1.76E-07	1.10E-01	1.57E-01	3.02E-09	1.0E+06	3.0E-03
201	0.22447	2.56E-03	5.7E-04	3.46E-04	1.99E-07	1.10E-01	1.57E-01	3.42E-09	1.0E+06	3.4E-03
202	0.26663	2.56E-03	6.8E-04	3.46E-04	2.36E-07	1.10E-01	1.57E-01	4.07E-09	1.0E+06	4.1E-03
203	0.30715	2.56E-03	7.9E-04	3.46E-04	2.72E-07	1.10E-01	1.57E-01	4.69E-09	1.0E+06	4.7E-03
204	0.35579	2.56E-03	9.1E-04	3.46E-04	3.15E-07	1.10E-01	1.57E-01	5.43E-09	1.0E+06	5.4E-03
205	0.41191	2.56E-03	1.1E-03	3.46E-04	3.65E-07	1.10E-01	1.57E-01	6.28E-09	1.0E+06	6.3E-03
206	0.48026	2.56E-03	1.2E-03	3.46E-04	4.25E-07	1.10E-01	1.57E-01	7.33E-09	1.0E+06	7.3E-03
207	0.56684	2.56E-03	1.5E-03	3.46E-04	5.02E-07	1.10E-01	1.57E-01	8.65E-09	1.0E+06	8.6E-03
208	0.67745	2.56E-03	1.7E-03	3.46E-04	6.00E-07	1.10E-01	1.57E-01	1.03E-08	1.0E+06	1.0E-02
209	0.82589	2.56E-03	2.1E-03	3.46E-04	7.32E-07	1.10E-01	1.57E-01	1.26E-08	1.0E+06	1.3E-02
210	1.02976	2.56E-03	2.6E-03	3.46E-04	9.12E-07	1.10E-01	1.57E-01	1.57E-08	1.0E+06	1.6E-02
211	1.32605	2.56E-03	3.4E-03	3.46E-04	1.17E-06	1.10E-01	1.57E-01	2.02E-08	1.0E+06	2.0E-02
212	1.76927	2.56E-03	4.5E-03	3.46E-04	1.57E-06	1.10E-01	1.57E-01	2.70E-08	1.0E+06	2.7E-02
213	2.46994	2.56E-03	6.3E-03	3.46E-04	2.19E-06	1.10E-01	1.57E-01	3.77E-08	1.0E+06	3.8E-02
214	3.63615	2.56E-03	9.3E-03	3.46E-04	3.22E-06	1.10E-01	1.57E-01	5.55E-08	1.0E+06	5.5E-02
215	7.55748	2.56E-03	1.9E-02	3.46E-04	6.69E-06	1.10E-01	1.57E-01	1.15E-07	1.0E+06	1.2E-01
216	0.15431	2.56E-03	3.9E-04	3.46E-04	1.37E-07	1.10E-01	1.57E-01	2.35E-09	1.0E+06	2.4E-03
217	0.16879	2.56E-03	4.3E-04	3.46E-04	1.50E-07	1.10E-01	1.57E-01	2.57E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	2.56E-03	4.8E-04	3.46E-04	1.66E-07	1.10E-01	1.57E-01	2.86E-09	1.0E+06	2.9E-03
219	0.21079	2.56E-03	5.4E-04	3.46E-04	1.87E-07	1.10E-01	1.57E-01	3.22E-09	1.0E+06	3.2E-03
220	0.24803	2.56E-03	6.3E-04	3.46E-04	2.20E-07	1.10E-01	1.57E-01	3.78E-09	1.0E+06	3.8E-03
221	0.28481	2.56E-03	7.3E-04	3.46E-04	2.52E-07	1.10E-01	1.57E-01	4.34E-09	1.0E+06	4.3E-03
222	0.33289	2.56E-03	8.5E-04	3.46E-04	2.95E-07	1.10E-01	1.57E-01	5.08E-09	1.0E+06	5.1E-03
223	0.3875	2.56E-03	9.9E-04	3.46E-04	3.43E-07	1.10E-01	1.57E-01	5.91E-09	1.0E+06	5.9E-03
224	0.45352	2.56E-03	1.2E-03	3.46E-04	4.02E-07	1.10E-01	1.57E-01	6.92E-09	1.0E+06	6.9E-03
225	0.53452	2.56E-03	1.4E-03	3.46E-04	4.73E-07	1.10E-01	1.57E-01	8.15E-09	1.0E+06	8.2E-03
226	0.64348	2.56E-03	1.6E-03	3.46E-04	5.70E-07	1.10E-01	1.57E-01	9.82E-09	1.0E+06	9.8E-03
227	0.7871	2.56E-03	2.0E-03	3.46E-04	6.97E-07	1.10E-01	1.57E-01	1.20E-08	1.0E+06	1.2E-02
228	0.98789	2.56E-03	2.5E-03	3.46E-04	8.75E-07	1.10E-01	1.57E-01	1.51E-08	1.0E+06	1.5E-02
229	1.28832	2.56E-03	3.3E-03	3.46E-04	1.14E-06	1.10E-01	1.57E-01	1.97E-08	1.0E+06	2.0E-02
230	1.75514	2.56E-03	4.5E-03	3.46E-04	1.55E-06	1.10E-01	1.57E-01	2.68E-08	1.0E+06	2.7E-02
231	2.58583	2.56E-03	6.6E-03	3.46E-04	2.29E-06	1.10E-01	1.57E-01	3.94E-08	1.0E+06	3.9E-02
232	4.28751	2.56E-03	1.1E-02	3.46E-04	3.80E-06	1.10E-01	1.57E-01	6.54E-08	1.0E+06	6.5E-02
233	10.76445	2.56E-03	2.8E-02	3.46E-04	9.54E-06	1.10E-01	1.57E-01	1.64E-07	1.0E+06	1.6E-01
234	0.14796	2.56E-03	3.8E-04	3.46E-04	1.31E-07	1.10E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
235	0.16076	2.56E-03	4.1E-04	3.46E-04	1.42E-07	1.10E-01	1.57E-01	2.45E-09	1.0E+06	2.5E-03
236	0.17816	2.56E-03	4.6E-04	3.46E-04	1.58E-07	1.10E-01	1.57E-01	2.72E-09	1.0E+06	2.7E-03
237	0.20142	2.56E-03	5.2E-04	3.46E-04	1.78E-07	1.10E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
238	0.2321	2.56E-03	5.9E-04	3.46E-04	2.06E-07	1.10E-01	1.57E-01	3.54E-09	1.0E+06	3.5E-03
239	0.26575	2.56E-03	6.8E-04	3.46E-04	2.35E-07	1.10E-01	1.57E-01	4.05E-09	1.0E+06	4.1E-03
240	0.30828	2.56E-03	7.9E-04	3.46E-04	2.73E-07	1.10E-01	1.57E-01	4.70E-09	1.0E+06	4.7E-03
241	0.35891	2.56E-03	9.2E-04	3.46E-04	3.18E-07	1.10E-01	1.57E-01	5.48E-09	1.0E+06	5.5E-03
242	0.4204	2.56E-03	1.1E-03	3.46E-04	3.72E-07	1.10E-01	1.57E-01	6.41E-09	1.0E+06	6.4E-03
243	0.49614	2.56E-03	1.3E-03	3.46E-04	4.40E-07	1.10E-01	1.57E-01	7.57E-09	1.0E+06	7.6E-03
244	0.59817	2.56E-03	1.5E-03	3.46E-04	5.30E-07	1.10E-01	1.57E-01	9.13E-09	1.0E+06	9.1E-03
245	0.7334	2.56E-03	1.9E-03	3.46E-04	6.50E-07	1.10E-01	1.57E-01	1.12E-08	1.0E+06	1.1E-02
246	0.92041	2.56E-03	2.4E-03	3.46E-04	8.15E-07	1.10E-01	1.57E-01	1.40E-08	1.0E+06	1.4E-02
247	1.19215	2.56E-03	3.1E-03	3.46E-04	1.06E-06	1.10E-01	1.57E-01	1.82E-08	1.0E+06	1.8E-02
248	1.61854	2.56E-03	4.1E-03	3.46E-04	1.43E-06	1.10E-01	1.57E-01	2.47E-08	1.0E+06	2.5E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	2.56E-03	6.0E-03	3.46E-04	2.09E-06	1.10E-01	1.57E-01	3.59E-08	1.0E+06	3.6E-02
250	3.88245	2.56E-03	9.9E-03	3.46E-04	3.44E-06	1.10E-01	1.57E-01	5.92E-08	1.0E+06	5.9E-02
251	9.548	2.56E-03	2.4E-02	3.46E-04	8.46E-06	1.10E-01	1.57E-01	1.46E-07	1.0E+06	1.5E-01
252	0.14244	2.56E-03	3.6E-04	3.46E-04	1.26E-07	1.10E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
253	0.15391	2.56E-03	3.9E-04	3.46E-04	1.36E-07	1.10E-01	1.57E-01	2.35E-09	1.0E+06	2.3E-03
254	0.16905	2.56E-03	4.3E-04	3.46E-04	1.50E-07	1.10E-01	1.57E-01	2.58E-09	1.0E+06	2.6E-03
255	0.1882	2.56E-03	4.8E-04	3.46E-04	1.67E-07	1.10E-01	1.57E-01	2.87E-09	1.0E+06	2.9E-03
256	0.22038	2.56E-03	5.6E-04	3.46E-04	1.95E-07	1.10E-01	1.57E-01	3.36E-09	1.0E+06	3.4E-03
257	0.24395	2.56E-03	6.2E-04	3.46E-04	2.16E-07	1.10E-01	1.57E-01	3.72E-09	1.0E+06	3.7E-03
258	0.27703	2.56E-03	7.1E-04	3.46E-04	2.45E-07	1.10E-01	1.57E-01	4.23E-09	1.0E+06	4.2E-03
259	0.31726	2.56E-03	8.1E-04	3.46E-04	2.81E-07	1.10E-01	1.57E-01	4.84E-09	1.0E+06	4.8E-03
260	0.37532	2.56E-03	9.6E-04	3.46E-04	3.32E-07	1.10E-01	1.57E-01	5.73E-09	1.0E+06	5.7E-03
261	0.45282	2.56E-03	1.2E-03	3.46E-04	4.01E-07	1.10E-01	1.57E-01	6.91E-09	1.0E+06	6.9E-03
262	0.54991	2.56E-03	1.4E-03	3.46E-04	4.87E-07	1.10E-01	1.57E-01	8.39E-09	1.0E+06	8.4E-03
263	0.6689	2.56E-03	1.7E-03	3.46E-04	5.93E-07	1.10E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
264	0.83769	2.56E-03	2.1E-03	3.46E-04	7.42E-07	1.10E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
265	1.069	2.56E-03	2.7E-03	3.46E-04	9.47E-07	1.10E-01	1.57E-01	1.63E-08	1.0E+06	1.6E-02
266	1.42172	2.56E-03	3.6E-03	3.46E-04	1.26E-06	1.10E-01	1.57E-01	2.17E-08	1.0E+06	2.2E-02
267	1.98481	2.56E-03	5.1E-03	3.46E-04	1.76E-06	1.10E-01	1.57E-01	3.03E-08	1.0E+06	3.0E-02
268	3.00508	2.56E-03	7.7E-03	3.46E-04	2.66E-06	1.10E-01	1.57E-01	4.58E-08	1.0E+06	4.6E-02
269	6.11415	2.56E-03	1.6E-02	3.46E-04	5.42E-06	1.10E-01	1.57E-01	9.33E-08	1.0E+06	9.3E-02
270	0.13852	2.56E-03	3.5E-04	3.46E-04	1.23E-07	1.10E-01	1.57E-01	2.11E-09	1.0E+06	2.1E-03
271	0.15026	2.56E-03	3.8E-04	3.46E-04	1.33E-07	1.10E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
272	0.16484	2.56E-03	4.2E-04	3.46E-04	1.46E-07	1.10E-01	1.57E-01	2.51E-09	1.0E+06	2.5E-03
273	0.18199	2.56E-03	4.7E-04	3.46E-04	1.61E-07	1.10E-01	1.57E-01	2.78E-09	1.0E+06	2.8E-03
274	0.21436	2.56E-03	5.5E-04	3.46E-04	1.90E-07	1.10E-01	1.57E-01	3.27E-09	1.0E+06	3.3E-03
275	0.24454	2.56E-03	6.3E-04	3.46E-04	2.17E-07	1.10E-01	1.57E-01	3.73E-09	1.0E+06	3.7E-03
276	0.26087	2.56E-03	6.7E-04	3.46E-04	2.31E-07	1.10E-01	1.57E-01	3.98E-09	1.0E+06	4.0E-03
277	0.29564	2.56E-03	7.6E-04	3.46E-04	2.62E-07	1.10E-01	1.57E-01	4.51E-09	1.0E+06	4.5E-03
278	0.34216	2.56E-03	8.8E-04	3.46E-04	3.03E-07	1.10E-01	1.57E-01	5.22E-09	1.0E+06	5.2E-03
279	0.40447	2.56E-03	1.0E-03	3.46E-04	3.58E-07	1.10E-01	1.57E-01	6.17E-09	1.0E+06	6.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	2.56E-03	1.3E-03	3.46E-04	4.39E-07	1.10E-01	1.57E-01	7.56E-09	1.0E+06	7.6E-03
281	0.61075	2.56E-03	1.6E-03	3.46E-04	5.41E-07	1.10E-01	1.57E-01	9.32E-09	1.0E+06	9.3E-03
282	0.76016	2.56E-03	1.9E-03	3.46E-04	6.73E-07	1.10E-01	1.57E-01	1.16E-08	1.0E+06	1.2E-02
283	0.9592	2.56E-03	2.5E-03	3.46E-04	8.50E-07	1.10E-01	1.57E-01	1.46E-08	1.0E+06	1.5E-02
284	1.23907	2.56E-03	3.2E-03	3.46E-04	1.10E-06	1.10E-01	1.57E-01	1.89E-08	1.0E+06	1.9E-02
285	1.6354	2.56E-03	4.2E-03	3.46E-04	1.45E-06	1.10E-01	1.57E-01	2.49E-08	1.0E+06	2.5E-02
286	2.29875	2.56E-03	5.9E-03	3.46E-04	2.04E-06	1.10E-01	1.57E-01	3.51E-08	1.0E+06	3.5E-02
287	4.0984	2.56E-03	1.0E-02	3.46E-04	3.63E-06	1.10E-01	1.57E-01	6.25E-08	1.0E+06	6.3E-02
288	0.13632	2.56E-03	3.5E-04	3.46E-04	1.21E-07	1.10E-01	1.57E-01	2.08E-09	1.0E+06	2.1E-03
289	0.14679	2.56E-03	3.8E-04	3.46E-04	1.30E-07	1.10E-01	1.57E-01	2.24E-09	1.0E+06	2.2E-03
290	0.16392	2.56E-03	4.2E-04	3.46E-04	1.45E-07	1.10E-01	1.57E-01	2.50E-09	1.0E+06	2.5E-03
291	0.1821	2.56E-03	4.7E-04	3.46E-04	1.61E-07	1.10E-01	1.57E-01	2.78E-09	1.0E+06	2.8E-03
292	0.22152	2.56E-03	5.7E-04	3.46E-04	1.96E-07	1.10E-01	1.57E-01	3.38E-09	1.0E+06	3.4E-03
293	0.241	2.56E-03	6.2E-04	3.46E-04	2.13E-07	1.10E-01	1.57E-01	3.68E-09	1.0E+06	3.7E-03
294	0.24821	2.56E-03	6.4E-04	3.46E-04	2.20E-07	1.10E-01	1.57E-01	3.79E-09	1.0E+06	3.8E-03
295	0.28165	2.56E-03	7.2E-04	3.46E-04	2.49E-07	1.10E-01	1.57E-01	4.30E-09	1.0E+06	4.3E-03
296	0.32446	2.56E-03	8.3E-04	3.46E-04	2.87E-07	1.10E-01	1.57E-01	4.95E-09	1.0E+06	4.9E-03
297	0.37299	2.56E-03	9.5E-04	3.46E-04	3.30E-07	1.10E-01	1.57E-01	5.69E-09	1.0E+06	5.7E-03
298	0.44378	2.56E-03	1.1E-03	3.46E-04	3.93E-07	1.10E-01	1.57E-01	6.77E-09	1.0E+06	6.8E-03
299	0.54938	2.56E-03	1.4E-03	3.46E-04	4.87E-07	1.10E-01	1.57E-01	8.38E-09	1.0E+06	8.4E-03
300	0.67014	2.56E-03	1.7E-03	3.46E-04	5.94E-07	1.10E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
301	0.83889	2.56E-03	2.1E-03	3.46E-04	7.43E-07	1.10E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
302	1.05754	2.56E-03	2.7E-03	3.46E-04	9.37E-07	1.10E-01	1.57E-01	1.61E-08	1.0E+06	1.6E-02
303	1.36095	2.56E-03	3.5E-03	3.46E-04	1.21E-06	1.10E-01	1.57E-01	2.08E-08	1.0E+06	2.1E-02
304	1.82968	2.56E-03	4.7E-03	3.46E-04	1.62E-06	1.10E-01	1.57E-01	2.79E-08	1.0E+06	2.8E-02
305	2.94941	2.56E-03	7.5E-03	3.46E-04	2.61E-06	1.10E-01	1.57E-01	4.50E-08	1.0E+06	4.5E-02
306	0.14102	2.56E-03	3.6E-04	3.46E-04	1.25E-07	1.10E-01	1.57E-01	2.15E-09	1.0E+06	2.2E-03
307	0.14805	2.56E-03	3.8E-04	3.46E-04	1.31E-07	1.10E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
308	0.16104	2.56E-03	4.1E-04	3.46E-04	1.43E-07	1.10E-01	1.57E-01	2.46E-09	1.0E+06	2.5E-03
309	0.1881	2.56E-03	4.8E-04	3.46E-04	1.67E-07	1.10E-01	1.57E-01	2.87E-09	1.0E+06	2.9E-03
310	0.21623	2.56E-03	5.5E-04	3.46E-04	1.92E-07	1.10E-01	1.57E-01	3.30E-09	1.0E+06	3.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	2.56E-03	6.0E-04	3.46E-04	2.07E-07	1.10E-01	1.57E-01	3.57E-09	1.0E+06	3.6E-03
312	0.23582	2.56E-03	6.0E-04	3.46E-04	2.09E-07	1.10E-01	1.57E-01	3.60E-09	1.0E+06	3.6E-03
313	0.2662	2.56E-03	6.8E-04	3.46E-04	2.36E-07	1.10E-01	1.57E-01	4.06E-09	1.0E+06	4.1E-03
314	0.30482	2.56E-03	7.8E-04	3.46E-04	2.70E-07	1.10E-01	1.57E-01	4.65E-09	1.0E+06	4.7E-03
315	0.36238	2.56E-03	9.3E-04	3.46E-04	3.21E-07	1.10E-01	1.57E-01	5.53E-09	1.0E+06	5.5E-03
316	0.41173	2.56E-03	1.1E-03	3.46E-04	3.65E-07	1.10E-01	1.57E-01	6.28E-09	1.0E+06	6.3E-03
317	0.48329	2.56E-03	1.2E-03	3.46E-04	4.28E-07	1.10E-01	1.57E-01	7.37E-09	1.0E+06	7.4E-03
318	0.58024	2.56E-03	1.5E-03	3.46E-04	5.14E-07	1.10E-01	1.57E-01	8.85E-09	1.0E+06	8.9E-03
319	0.71842	2.56E-03	1.8E-03	3.46E-04	6.36E-07	1.10E-01	1.57E-01	1.10E-08	1.0E+06	1.1E-02
320	0.91725	2.56E-03	2.3E-03	3.46E-04	8.13E-07	1.10E-01	1.57E-01	1.40E-08	1.0E+06	1.4E-02
321	1.14351	2.56E-03	2.9E-03	3.46E-04	1.01E-06	1.10E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
322	1.47884	2.56E-03	3.8E-03	3.46E-04	1.31E-06	1.10E-01	1.57E-01	2.26E-08	1.0E+06	2.3E-02
323	2.2049	2.56E-03	5.6E-03	3.46E-04	1.95E-06	1.10E-01	1.57E-01	3.36E-08	1.0E+06	3.4E-02
324	0.13829	2.56E-03	3.5E-04	3.46E-04	1.23E-07	1.10E-01	1.57E-01	2.11E-09	1.0E+06	2.1E-03
325	0.15341	2.56E-03	3.9E-04	3.46E-04	1.36E-07	1.10E-01	1.57E-01	2.34E-09	1.0E+06	2.3E-03
326	0.16525	2.56E-03	4.2E-04	3.46E-04	1.46E-07	1.10E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
327	0.17597	2.56E-03	4.5E-04	3.46E-04	1.56E-07	1.10E-01	1.57E-01	2.68E-09	1.0E+06	2.7E-03
328	0.21285	2.56E-03	5.4E-04	3.46E-04	1.89E-07	1.10E-01	1.57E-01	3.25E-09	1.0E+06	3.2E-03
329	0.22617	2.56E-03	5.8E-04	3.46E-04	2.00E-07	1.10E-01	1.57E-01	3.45E-09	1.0E+06	3.5E-03
330	0.229	2.56E-03	5.9E-04	3.46E-04	2.03E-07	1.10E-01	1.57E-01	3.49E-09	1.0E+06	3.5E-03
331	0.25812	2.56E-03	6.6E-04	3.46E-04	2.29E-07	1.10E-01	1.57E-01	3.94E-09	1.0E+06	3.9E-03
332	0.29444	2.56E-03	7.5E-04	3.46E-04	2.61E-07	1.10E-01	1.57E-01	4.49E-09	1.0E+06	4.5E-03
333	0.34735	2.56E-03	8.9E-04	3.46E-04	3.08E-07	1.10E-01	1.57E-01	5.30E-09	1.0E+06	5.3E-03
334	0.39929	2.56E-03	1.0E-03	3.46E-04	3.54E-07	1.10E-01	1.57E-01	6.09E-09	1.0E+06	6.1E-03
335	0.46251	2.56E-03	1.2E-03	3.46E-04	4.10E-07	1.10E-01	1.57E-01	7.06E-09	1.0E+06	7.1E-03
336	1.34926	2.56E-03	3.5E-03	3.46E-04	1.20E-06	1.10E-01	1.57E-01	2.06E-08	1.0E+06	2.1E-02
337	1.42098	2.56E-03	3.6E-03	3.46E-04	1.26E-06	1.10E-01	1.57E-01	2.17E-08	1.0E+06	2.2E-02
338	0.15741	2.56E-03	4.0E-04	3.46E-04	1.39E-07	1.10E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
339	0.16826	2.56E-03	4.3E-04	3.46E-04	1.49E-07	1.10E-01	1.57E-01	2.57E-09	1.0E+06	2.6E-03
340	0.19168	2.56E-03	4.9E-04	3.46E-04	1.70E-07	1.10E-01	1.57E-01	2.92E-09	1.0E+06	2.9E-03
341	0.20395	2.56E-03	5.2E-04	3.46E-04	1.81E-07	1.10E-01	1.57E-01	3.11E-09	1.0E+06	3.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	2.56E-03	5.4E-04	3.46E-04	1.87E-07	1.10E-01	1.57E-01	3.22E-09	1.0E+06	3.2E-03
343	0.22111	2.56E-03	5.7E-04	3.46E-04	1.96E-07	1.10E-01	1.57E-01	3.37E-09	1.0E+06	3.4E-03
344	0.22429	2.56E-03	5.7E-04	3.46E-04	1.99E-07	1.10E-01	1.57E-01	3.42E-09	1.0E+06	3.4E-03
345	0.22606	2.56E-03	5.8E-04	3.46E-04	2.00E-07	1.10E-01	1.57E-01	3.45E-09	1.0E+06	3.4E-03
346	0.22606	2.56E-03	5.8E-04	3.46E-04	2.00E-07	1.10E-01	1.57E-01	3.45E-09	1.0E+06	3.4E-03
347	0.17036	2.56E-03	4.4E-04	3.46E-04	1.51E-07	1.10E-01	1.57E-01	2.60E-09	1.0E+06	2.6E-03
348	0.18661	2.56E-03	4.8E-04	3.46E-04	1.65E-07	1.10E-01	1.57E-01	2.85E-09	1.0E+06	2.8E-03
349	0.21873	2.56E-03	5.6E-04	3.46E-04	1.94E-07	1.10E-01	1.57E-01	3.34E-09	1.0E+06	3.3E-03
350	0.22806	2.56E-03	5.8E-04	3.46E-04	2.02E-07	1.10E-01	1.57E-01	3.48E-09	1.0E+06	3.5E-03
351	0.23577	2.56E-03	6.0E-04	3.46E-04	2.09E-07	1.10E-01	1.57E-01	3.60E-09	1.0E+06	3.6E-03
352	0.24893	2.56E-03	6.4E-04	3.46E-04	2.21E-07	1.10E-01	1.57E-01	3.80E-09	1.0E+06	3.8E-03
353	0.25277	2.56E-03	6.5E-04	3.46E-04	2.24E-07	1.10E-01	1.57E-01	3.86E-09	1.0E+06	3.9E-03
354	0.25385	2.56E-03	6.5E-04	3.46E-04	2.25E-07	1.10E-01	1.57E-01	3.87E-09	1.0E+06	3.9E-03
355	0.25415	2.56E-03	6.5E-04	3.46E-04	2.25E-07	1.10E-01	1.57E-01	3.88E-09	1.0E+06	3.9E-03
356	0.18604	2.56E-03	4.8E-04	3.46E-04	1.65E-07	1.10E-01	1.57E-01	2.84E-09	1.0E+06	2.8E-03
357	0.20039	2.56E-03	5.1E-04	3.46E-04	1.78E-07	1.10E-01	1.57E-01	3.06E-09	1.0E+06	3.1E-03
358	0.21891	2.56E-03	5.6E-04	3.46E-04	1.94E-07	1.10E-01	1.57E-01	3.34E-09	1.0E+06	3.3E-03
359	0.24942	2.56E-03	6.4E-04	3.46E-04	2.21E-07	1.10E-01	1.57E-01	3.80E-09	1.0E+06	3.8E-03
360	0.26595	2.56E-03	6.8E-04	3.46E-04	2.36E-07	1.10E-01	1.57E-01	4.06E-09	1.0E+06	4.1E-03
361	0.28268	2.56E-03	7.2E-04	3.46E-04	2.50E-07	1.10E-01	1.57E-01	4.31E-09	1.0E+06	4.3E-03
362	0.28748	2.56E-03	7.4E-04	3.46E-04	2.55E-07	1.10E-01	1.57E-01	4.39E-09	1.0E+06	4.4E-03
363	0.28847	2.56E-03	7.4E-04	3.46E-04	2.56E-07	1.10E-01	1.57E-01	4.40E-09	1.0E+06	4.4E-03
364	0.20678	2.56E-03	5.3E-04	3.46E-04	1.83E-07	1.10E-01	1.57E-01	3.15E-09	1.0E+06	3.2E-03
365	0.21895	2.56E-03	5.6E-04	3.46E-04	1.94E-07	1.10E-01	1.57E-01	3.34E-09	1.0E+06	3.3E-03
366	0.24185	2.56E-03	6.2E-04	3.46E-04	2.14E-07	1.10E-01	1.57E-01	3.69E-09	1.0E+06	3.7E-03
367	0.28223	2.56E-03	7.2E-04	3.46E-04	2.50E-07	1.10E-01	1.57E-01	4.31E-09	1.0E+06	4.3E-03
368	0.30287	2.56E-03	7.8E-04	3.46E-04	2.68E-07	1.10E-01	1.57E-01	4.62E-09	1.0E+06	4.6E-03
369	0.32466	2.56E-03	8.3E-04	3.46E-04	2.88E-07	1.10E-01	1.57E-01	4.95E-09	1.0E+06	5.0E-03
370	0.33362	2.56E-03	8.5E-04	3.46E-04	2.96E-07	1.10E-01	1.57E-01	5.09E-09	1.0E+06	5.1E-03
371	0.33293	2.56E-03	8.5E-04	3.46E-04	2.95E-07	1.10E-01	1.57E-01	5.08E-09	1.0E+06	5.1E-03
372	0.23425	2.56E-03	6.0E-04	3.46E-04	2.08E-07	1.10E-01	1.57E-01	3.57E-09	1.0E+06	3.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	2.56E-03	6.3E-04	3.46E-04	2.20E-07	1.10E-01	1.57E-01	3.78E-09	1.0E+06	3.8E-03
374	0.2758	2.56E-03	7.1E-04	3.46E-04	2.44E-07	1.10E-01	1.57E-01	4.21E-09	1.0E+06	4.2E-03
375	0.3231	2.56E-03	8.3E-04	3.46E-04	2.86E-07	1.10E-01	1.57E-01	4.93E-09	1.0E+06	4.9E-03
376	0.34946	2.56E-03	8.9E-04	3.46E-04	3.10E-07	1.10E-01	1.57E-01	5.33E-09	1.0E+06	5.3E-03
377	0.36592	2.56E-03	9.4E-04	3.46E-04	3.24E-07	1.10E-01	1.57E-01	5.58E-09	1.0E+06	5.6E-03
378	0.37782	2.56E-03	9.7E-04	3.46E-04	3.35E-07	1.10E-01	1.57E-01	5.76E-09	1.0E+06	5.8E-03
379	0.38907	2.56E-03	1.0E-03	3.46E-04	3.45E-07	1.10E-01	1.57E-01	5.94E-09	1.0E+06	5.9E-03
380	0.389	2.56E-03	1.0E-03	3.46E-04	3.45E-07	1.10E-01	1.57E-01	5.93E-09	1.0E+06	5.9E-03
381	0.38496	2.56E-03	9.9E-04	3.46E-04	3.41E-07	1.10E-01	1.57E-01	5.87E-09	1.0E+06	5.9E-03
382	0.27352	2.56E-03	7.0E-04	3.46E-04	2.42E-07	1.10E-01	1.57E-01	4.17E-09	1.0E+06	4.2E-03
383	0.29685	2.56E-03	7.6E-04	3.46E-04	2.63E-07	1.10E-01	1.57E-01	4.53E-09	1.0E+06	4.5E-03
384	0.32129	2.56E-03	8.2E-04	3.46E-04	2.85E-07	1.10E-01	1.57E-01	4.90E-09	1.0E+06	4.9E-03
385	0.3848	2.56E-03	9.8E-04	3.46E-04	3.41E-07	1.10E-01	1.57E-01	5.87E-09	1.0E+06	5.9E-03
386	0.40823	2.56E-03	1.0E-03	3.46E-04	3.62E-07	1.10E-01	1.57E-01	6.23E-09	1.0E+06	6.2E-03
387	0.43009	2.56E-03	1.1E-03	3.46E-04	3.81E-07	1.10E-01	1.57E-01	6.56E-09	1.0E+06	6.6E-03
388	0.44587	2.56E-03	1.1E-03	3.46E-04	3.95E-07	1.10E-01	1.57E-01	6.80E-09	1.0E+06	6.8E-03
389	0.46018	2.56E-03	1.2E-03	3.46E-04	4.08E-07	1.10E-01	1.57E-01	7.02E-09	1.0E+06	7.0E-03
390	0.45888	2.56E-03	1.2E-03	3.46E-04	4.06E-07	1.10E-01	1.57E-01	7.00E-09	1.0E+06	7.0E-03
391	0.45337	2.56E-03	1.2E-03	3.46E-04	4.02E-07	1.10E-01	1.57E-01	6.92E-09	1.0E+06	6.9E-03
392	0.43787	2.56E-03	1.1E-03	3.46E-04	3.88E-07	1.10E-01	1.57E-01	6.68E-09	1.0E+06	6.7E-03
393	0.32603	2.56E-03	8.3E-04	3.46E-04	2.89E-07	1.10E-01	1.57E-01	4.97E-09	1.0E+06	5.0E-03
394	0.38853	2.56E-03	9.9E-04	3.46E-04	3.44E-07	1.10E-01	1.57E-01	5.93E-09	1.0E+06	5.9E-03
395	0.43296	2.56E-03	1.1E-03	3.46E-04	3.84E-07	1.10E-01	1.57E-01	6.60E-09	1.0E+06	6.6E-03
396	0.4654	2.56E-03	1.2E-03	3.46E-04	4.12E-07	1.10E-01	1.57E-01	7.10E-09	1.0E+06	7.1E-03
397	0.4979	2.56E-03	1.3E-03	3.46E-04	4.41E-07	1.10E-01	1.57E-01	7.60E-09	1.0E+06	7.6E-03
398	0.51462	2.56E-03	1.3E-03	3.46E-04	4.56E-07	1.10E-01	1.57E-01	7.85E-09	1.0E+06	7.9E-03
399	0.52048	2.56E-03	1.3E-03	3.46E-04	4.61E-07	1.10E-01	1.57E-01	7.94E-09	1.0E+06	7.9E-03
400	0.55457	2.56E-03	1.4E-03	3.46E-04	4.91E-07	1.10E-01	1.57E-01	8.46E-09	1.0E+06	8.5E-03
401	0.55208	2.56E-03	1.4E-03	3.46E-04	4.89E-07	1.10E-01	1.57E-01	8.42E-09	1.0E+06	8.4E-03
402	0.51974	2.56E-03	1.3E-03	3.46E-04	4.60E-07	1.10E-01	1.57E-01	7.93E-09	1.0E+06	7.9E-03
403	0.67545	2.56E-03	1.7E-03	3.46E-04	5.98E-07	1.10E-01	1.57E-01	1.03E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	2.56E-03	1.6E-03	3.46E-04	5.63E-07	1.10E-01	1.57E-01	9.69E-09	1.0E+06	9.7E-03
405	0.59648	2.56E-03	1.5E-03	3.46E-04	5.28E-07	1.10E-01	1.57E-01	9.10E-09	1.0E+06	9.1E-03
406	0.8541	2.56E-03	2.2E-03	3.46E-04	7.57E-07	1.10E-01	1.57E-01	1.30E-08	1.0E+06	1.3E-02
407	0.72119	2.56E-03	1.8E-03	3.46E-04	6.39E-07	1.10E-01	1.57E-01	1.10E-08	1.0E+06	1.1E-02
408	1.11899	2.56E-03	2.9E-03	3.46E-04	9.91E-07	1.10E-01	1.57E-01	1.71E-08	1.0E+06	1.7E-02
409	0.88286	2.56E-03	2.3E-03	3.46E-04	7.82E-07	1.10E-01	1.57E-01	1.35E-08	1.0E+06	1.3E-02
410	1.53458	2.56E-03	3.9E-03	3.46E-04	1.36E-06	1.10E-01	1.57E-01	2.34E-08	1.0E+06	2.3E-02
411	1.24788	2.56E-03	3.2E-03	3.46E-04	1.11E-06	1.10E-01	1.57E-01	1.90E-08	1.0E+06	1.9E-02
412	1.10769	2.56E-03	2.8E-03	3.46E-04	9.81E-07	1.10E-01	1.57E-01	1.69E-08	1.0E+06	1.7E-02
413	2.24007	2.56E-03	5.7E-03	3.46E-04	1.98E-06	1.10E-01	1.57E-01	3.42E-08	1.0E+06	3.4E-02
414	1.85905	2.56E-03	4.8E-03	3.46E-04	1.65E-06	1.10E-01	1.57E-01	2.84E-08	1.0E+06	2.8E-02
415	1.59815	2.56E-03	4.1E-03	3.46E-04	1.42E-06	1.10E-01	1.57E-01	2.44E-08	1.0E+06	2.4E-02
416	1.34652	2.56E-03	3.4E-03	3.46E-04	1.19E-06	1.10E-01	1.57E-01	2.05E-08	1.0E+06	2.1E-02
417	3.57218	2.56E-03	9.1E-03	3.46E-04	3.16E-06	1.10E-01	1.57E-01	5.45E-08	1.0E+06	5.4E-02
418	2.01893	2.56E-03	5.2E-03	3.46E-04	1.79E-06	1.10E-01	1.57E-01	3.08E-08	1.0E+06	3.1E-02
419	1.58987	2.56E-03	4.1E-03	3.46E-04	1.41E-06	1.10E-01	1.57E-01	2.43E-08	1.0E+06	2.4E-02
420	1.2521	2.56E-03	3.2E-03	3.46E-04	1.11E-06	1.10E-01	1.57E-01	1.91E-08	1.0E+06	1.9E-02
421	6.42312	2.56E-03	1.6E-02	3.46E-04	5.69E-06	1.10E-01	1.57E-01	9.80E-08	1.0E+06	9.8E-02
422	1.77737	2.56E-03	4.5E-03	3.46E-04	1.57E-06	1.10E-01	1.57E-01	2.71E-08	1.0E+06	2.7E-02
423	1.33662	2.56E-03	3.4E-03	3.46E-04	1.18E-06	1.10E-01	1.57E-01	2.04E-08	1.0E+06	2.0E-02
424	12.91388	2.56E-03	3.3E-02	3.46E-04	1.14E-05	1.10E-01	1.57E-01	1.97E-07	1.0E+06	2.0E-01
425	1.34203	2.56E-03	3.4E-03	3.46E-04	1.19E-06	1.10E-01	1.57E-01	2.05E-08	1.0E+06	2.0E-02
426	1.01676	2.56E-03	2.6E-03	3.46E-04	9.01E-07	1.10E-01	1.57E-01	1.55E-08	1.0E+06	1.6E-02
427	22.75271	2.56E-03	5.8E-02	3.46E-04	2.02E-05	1.10E-01	1.57E-01	3.47E-07	1.0E+06	3.5E-01
428	1.27773	2.56E-03	3.3E-03	3.46E-04	1.13E-06	1.10E-01	1.57E-01	1.95E-08	1.0E+06	1.9E-02
429	0.96908	2.56E-03	2.5E-03	3.46E-04	8.58E-07	1.10E-01	1.57E-01	1.48E-08	1.0E+06	1.5E-02
430	21.09262	2.56E-03	5.4E-02	3.46E-04	1.87E-05	1.10E-01	1.57E-01	3.22E-07	1.0E+06	3.2E-01
431	0.90443	2.56E-03	2.3E-03	3.46E-04	8.01E-07	1.10E-01	1.57E-01	1.38E-08	1.0E+06	1.4E-02
432	0.71229	2.56E-03	1.8E-03	3.46E-04	6.31E-07	1.10E-01	1.57E-01	1.09E-08	1.0E+06	1.1E-02
433	13.11622	2.56E-03	3.4E-02	3.46E-04	1.16E-05	1.10E-01	1.57E-01	2.00E-07	1.0E+06	2.0E-01
434	0.83575	2.56E-03	2.1E-03	3.46E-04	7.40E-07	1.10E-01	1.57E-01	1.27E-08	1.0E+06	1.3E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	2.56E-03	1.7E-03	3.46E-04	5.94E-07	1.10E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
436	8.0879	2.56E-03	2.1E-02	3.46E-04	7.16E-06	1.10E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
437	0.97518	2.56E-03	2.5E-03	3.46E-04	8.64E-07	1.10E-01	1.57E-01	1.49E-08	1.0E+06	1.5E-02
438	0.76912	2.56E-03	2.0E-03	3.46E-04	6.81E-07	1.10E-01	1.57E-01	1.17E-08	1.0E+06	1.2E-02
439	0.6239	2.56E-03	1.6E-03	3.46E-04	5.53E-07	1.10E-01	1.57E-01	9.52E-09	1.0E+06	9.5E-03
440	5.21196	2.56E-03	1.3E-02	3.46E-04	4.62E-06	1.10E-01	1.57E-01	7.95E-08	1.0E+06	8.0E-02
441	1.57338	2.56E-03	4.0E-03	3.46E-04	1.39E-06	1.10E-01	1.57E-01	2.40E-08	1.0E+06	2.4E-02
442	1.14958	2.56E-03	2.9E-03	3.46E-04	1.02E-06	1.10E-01	1.57E-01	1.75E-08	1.0E+06	1.8E-02
443	0.88407	2.56E-03	2.3E-03	3.46E-04	7.83E-07	1.10E-01	1.57E-01	1.35E-08	1.0E+06	1.3E-02
444	0.70507	2.56E-03	1.8E-03	3.46E-04	6.25E-07	1.10E-01	1.57E-01	1.08E-08	1.0E+06	1.1E-02
445	3.55393	2.56E-03	9.1E-03	3.46E-04	3.15E-06	1.10E-01	1.57E-01	5.42E-08	1.0E+06	5.4E-02
446	1.95063	2.56E-03	5.0E-03	3.46E-04	1.73E-06	1.10E-01	1.57E-01	2.98E-08	1.0E+06	3.0E-02
447	1.38871	2.56E-03	3.6E-03	3.46E-04	1.23E-06	1.10E-01	1.57E-01	2.12E-08	1.0E+06	2.1E-02
448	1.03194	2.56E-03	2.6E-03	3.46E-04	9.14E-07	1.10E-01	1.57E-01	1.57E-08	1.0E+06	1.6E-02
449	2.54704	2.56E-03	6.5E-03	3.46E-04	2.26E-06	1.10E-01	1.57E-01	3.89E-08	1.0E+06	3.9E-02
450	2.13244	2.56E-03	5.5E-03	3.46E-04	1.89E-06	1.10E-01	1.57E-01	3.25E-08	1.0E+06	3.3E-02
451	1.63606	2.56E-03	4.2E-03	3.46E-04	1.45E-06	1.10E-01	1.57E-01	2.50E-08	1.0E+06	2.5E-02
452	1.90224	2.56E-03	4.9E-03	3.46E-04	1.69E-06	1.10E-01	1.57E-01	2.90E-08	1.0E+06	2.9E-02
453	1.68146	2.56E-03	4.3E-03	3.46E-04	1.49E-06	1.10E-01	1.57E-01	2.57E-08	1.0E+06	2.6E-02
454	0.45602	2.56E-03	1.2E-03	3.46E-04	4.04E-07	1.10E-01	1.57E-01	6.96E-09	1.0E+06	7.0E-03
455	0.39292	2.56E-03	1.0E-03	3.46E-04	3.48E-07	1.10E-01	1.57E-01	5.99E-09	1.0E+06	6.0E-03
456	1.46911	2.56E-03	3.8E-03	3.46E-04	1.30E-06	1.10E-01	1.57E-01	2.24E-08	1.0E+06	2.2E-02
457	1.34798	2.56E-03	3.4E-03	3.46E-04	1.19E-06	1.10E-01	1.57E-01	2.06E-08	1.0E+06	2.1E-02
458	1.14854	2.56E-03	2.9E-03	3.46E-04	1.02E-06	1.10E-01	1.57E-01	1.75E-08	1.0E+06	1.8E-02
459	0.60959	2.56E-03	1.6E-03	3.46E-04	5.40E-07	1.10E-01	1.57E-01	9.30E-09	1.0E+06	9.3E-03
460	0.50521	2.56E-03	1.3E-03	3.46E-04	4.48E-07	1.10E-01	1.57E-01	7.71E-09	1.0E+06	7.7E-03
461	0.42667	2.56E-03	1.1E-03	3.46E-04	3.78E-07	1.10E-01	1.57E-01	6.51E-09	1.0E+06	6.5E-03
462	0.36664	2.56E-03	9.4E-04	3.46E-04	3.25E-07	1.10E-01	1.57E-01	5.59E-09	1.0E+06	5.6E-03
463	1.56366	2.56E-03	4.0E-03	3.46E-04	1.39E-06	1.10E-01	1.57E-01	2.39E-08	1.0E+06	2.4E-02
464	1.67908	2.56E-03	4.3E-03	3.46E-04	1.49E-06	1.10E-01	1.57E-01	2.56E-08	1.0E+06	2.6E-02
465	2.37925	2.56E-03	6.1E-03	3.46E-04	2.11E-06	1.10E-01	1.57E-01	3.63E-08	1.0E+06	3.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	2.56E-03	7.4E-03	3.46E-04	2.57E-06	1.10E-01	1.57E-01	4.43E-08	1.0E+06	4.4E-02
467	4.03499	2.56E-03	1.0E-02	3.46E-04	3.57E-06	1.10E-01	1.57E-01	6.16E-08	1.0E+06	6.2E-02
468	8.35246	2.56E-03	2.1E-02	3.46E-04	7.40E-06	1.10E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
469	28.13292	2.56E-03	7.2E-02	3.46E-04	2.49E-05	1.10E-01	1.57E-01	4.29E-07	1.0E+06	4.3E-01
470	20.35286	2.56E-03	5.2E-02	3.46E-04	1.80E-05	1.10E-01	1.57E-01	3.10E-07	1.0E+06	3.1E-01
471	34.54288	2.56E-03	8.8E-02	3.46E-04	3.06E-05	1.10E-01	1.57E-01	5.27E-07	1.0E+06	5.3E-01
472	27.90221	2.56E-03	7.1E-02	3.46E-04	2.47E-05	1.10E-01	1.57E-01	4.26E-07	1.0E+06	4.3E-01
473	29.67594	2.56E-03	7.6E-02	3.46E-04	2.63E-05	1.10E-01	1.57E-01	4.53E-07	1.0E+06	4.5E-01
474	13.04296	2.56E-03	3.3E-02	3.46E-04	1.16E-05	1.10E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
475	22.08892	2.56E-03	5.7E-02	3.46E-04	1.96E-05	1.10E-01	1.57E-01	3.37E-07	1.0E+06	3.4E-01
476	6.99817	2.56E-03	1.8E-02	3.46E-04	6.20E-06	1.10E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
477	9.76012	2.56E-03	2.5E-02	3.46E-04	8.65E-06	1.10E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
478	4.29281	2.56E-03	1.1E-02	3.46E-04	3.80E-06	1.10E-01	1.57E-01	6.55E-08	1.0E+06	6.5E-02
479	5.44714	2.56E-03	1.4E-02	3.46E-04	4.83E-06	1.10E-01	1.57E-01	8.31E-08	1.0E+06	8.3E-02
480	5.4004	2.56E-03	1.4E-02	3.46E-04	4.78E-06	1.10E-01	1.57E-01	8.24E-08	1.0E+06	8.2E-02
481	2.88653	2.56E-03	7.4E-03	3.46E-04	2.56E-06	1.10E-01	1.57E-01	4.40E-08	1.0E+06	4.4E-02
482	3.54717	2.56E-03	9.1E-03	3.46E-04	3.14E-06	1.10E-01	1.57E-01	5.41E-08	1.0E+06	5.4E-02
483	2.40679	2.56E-03	6.2E-03	3.46E-04	2.13E-06	1.10E-01	1.57E-01	3.67E-08	1.0E+06	3.7E-02
484	2.49271	2.56E-03	6.4E-03	3.46E-04	2.21E-06	1.10E-01	1.57E-01	3.80E-08	1.0E+06	3.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.07258	5.31049E-07	3.9E-08	3.46E-04	1.33E-11	1.10E-01	1.57E-01	2.30E-13	1.0E+06	2.3E-07
2	2	0.07361	5.31049E-07	3.9E-08	3.46E-04	1.35E-11	1.10E-01	1.57E-01	2.33E-13	1.0E+06	2.3E-07
3	3	0.07465	5.31049E-07	4.0E-08	3.46E-04	1.37E-11	1.10E-01	1.57E-01	2.36E-13	1.0E+06	2.4E-07
4	4	0.07594	5.31049E-07	4.0E-08	3.46E-04	1.40E-11	1.10E-01	1.57E-01	2.40E-13	1.0E+06	2.4E-07
5	5	0.07736	5.31049E-07	4.1E-08	3.46E-04	1.42E-11	1.10E-01	1.57E-01	2.45E-13	1.0E+06	2.4E-07
6	6	0.07976	5.31049E-07	4.2E-08	3.46E-04	1.47E-11	1.10E-01	1.57E-01	2.53E-13	1.0E+06	2.5E-07
7	7	0.08261	5.31049E-07	4.4E-08	3.46E-04	1.52E-11	1.10E-01	1.57E-01	2.62E-13	1.0E+06	2.6E-07
8	8	0.08576	5.31049E-07	4.6E-08	3.46E-04	1.58E-11	1.10E-01	1.57E-01	2.71E-13	1.0E+06	2.7E-07
9	9	0.08923	5.31049E-07	4.7E-08	3.46E-04	1.64E-11	1.10E-01	1.57E-01	2.82E-13	1.0E+06	2.8E-07
10	10	0.09348	5.31049E-07	5.0E-08	3.46E-04	1.72E-11	1.10E-01	1.57E-01	2.96E-13	1.0E+06	3.0E-07
11	11	0.09887	5.31049E-07	5.3E-08	3.46E-04	1.82E-11	1.10E-01	1.57E-01	3.13E-13	1.0E+06	3.1E-07
12	12	0.1046	5.31049E-07	5.6E-08	3.46E-04	1.92E-11	1.10E-01	1.57E-01	3.31E-13	1.0E+06	3.3E-07
13	13	0.11086	5.31049E-07	5.9E-08	3.46E-04	2.04E-11	1.10E-01	1.57E-01	3.51E-13	1.0E+06	3.5E-07
14	14	0.15272	5.31049E-07	8.1E-08	3.46E-04	2.81E-11	1.10E-01	1.57E-01	4.83E-13	1.0E+06	4.8E-07
15	15	0.07987	5.31049E-07	4.2E-08	3.46E-04	1.47E-11	1.10E-01	1.57E-01	2.53E-13	1.0E+06	2.5E-07
16	16	0.08047	5.31049E-07	4.3E-08	3.46E-04	1.48E-11	1.10E-01	1.57E-01	2.55E-13	1.0E+06	2.5E-07
17	17	0.08186	5.31049E-07	4.3E-08	3.46E-04	1.50E-11	1.10E-01	1.57E-01	2.59E-13	1.0E+06	2.6E-07
18	18	0.08282	5.31049E-07	4.4E-08	3.46E-04	1.52E-11	1.10E-01	1.57E-01	2.62E-13	1.0E+06	2.6E-07
19	19	0.08387	5.31049E-07	4.5E-08	3.46E-04	1.54E-11	1.10E-01	1.57E-01	2.66E-13	1.0E+06	2.7E-07
20	20	0.08576	5.31049E-07	4.6E-08	3.46E-04	1.58E-11	1.10E-01	1.57E-01	2.71E-13	1.0E+06	2.7E-07
21	21	0.0882	5.31049E-07	4.7E-08	3.46E-04	1.62E-11	1.10E-01	1.57E-01	2.79E-13	1.0E+06	2.8E-07
22	22	0.09097	5.31049E-07	4.8E-08	3.46E-04	1.67E-11	1.10E-01	1.57E-01	2.88E-13	1.0E+06	2.9E-07
23	23	0.09536	5.31049E-07	5.1E-08	3.46E-04	1.75E-11	1.10E-01	1.57E-01	3.02E-13	1.0E+06	3.0E-07
24	24	0.09927	5.31049E-07	5.3E-08	3.46E-04	1.82E-11	1.10E-01	1.57E-01	3.14E-13	1.0E+06	3.1E-07
25	25	0.10562	5.31049E-07	5.6E-08	3.46E-04	1.94E-11	1.10E-01	1.57E-01	3.34E-13	1.0E+06	3.3E-07
26	26	0.11246	5.31049E-07	6.0E-08	3.46E-04	2.07E-11	1.10E-01	1.57E-01	3.56E-13	1.0E+06	3.6E-07
27	27	0.11826	5.31049E-07	6.3E-08	3.46E-04	2.17E-11	1.10E-01	1.57E-01	3.74E-13	1.0E+06	3.7E-07
28	28	0.16766	5.31049E-07	8.9E-08	3.46E-04	3.08E-11	1.10E-01	1.57E-01	5.31E-13	1.0E+06	5.3E-07
29	29	0.08809	5.31049E-07	4.7E-08	3.46E-04	1.62E-11	1.10E-01	1.57E-01	2.79E-13	1.0E+06	2.8E-07
30	30	0.08938	5.31049E-07	4.7E-08	3.46E-04	1.64E-11	1.10E-01	1.57E-01	2.83E-13	1.0E+06	2.8E-07
31	31	0.09119	5.31049E-07	4.8E-08	3.46E-04	1.68E-11	1.10E-01	1.57E-01	2.89E-13	1.0E+06	2.9E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.09231	5.31049E-07	4.9E-08	3.46E-04	1.70E-11	1.10E-01	1.57E-01	2.92E-13	1.0E+06	2.9E-07
33	33	0.092	5.31049E-07	4.9E-08	3.46E-04	1.69E-11	1.10E-01	1.57E-01	2.91E-13	1.0E+06	2.9E-07
34	34	0.09359	5.31049E-07	5.0E-08	3.46E-04	1.72E-11	1.10E-01	1.57E-01	2.96E-13	1.0E+06	3.0E-07
35	35	0.0954	5.31049E-07	5.1E-08	3.46E-04	1.75E-11	1.10E-01	1.57E-01	3.02E-13	1.0E+06	3.0E-07
36	36	0.09822	5.31049E-07	5.2E-08	3.46E-04	1.81E-11	1.10E-01	1.57E-01	3.11E-13	1.0E+06	3.1E-07
37	37	0.10214	5.31049E-07	5.4E-08	3.46E-04	1.88E-11	1.10E-01	1.57E-01	3.23E-13	1.0E+06	3.2E-07
38	38	0.10706	5.31049E-07	5.7E-08	3.46E-04	1.97E-11	1.10E-01	1.57E-01	3.39E-13	1.0E+06	3.4E-07
39	39	0.11315	5.31049E-07	6.0E-08	3.46E-04	2.08E-11	1.10E-01	1.57E-01	3.58E-13	1.0E+06	3.6E-07
40	40	0.11972	5.31049E-07	6.4E-08	3.46E-04	2.20E-11	1.10E-01	1.57E-01	3.79E-13	1.0E+06	3.8E-07
41	41	0.12639	5.31049E-07	6.7E-08	3.46E-04	2.32E-11	1.10E-01	1.57E-01	4.00E-13	1.0E+06	4.0E-07
42	42	0.18137	5.31049E-07	9.6E-08	3.46E-04	3.33E-11	1.10E-01	1.57E-01	5.74E-13	1.0E+06	5.7E-07
43	43	0.09692	5.31049E-07	5.1E-08	3.46E-04	1.78E-11	1.10E-01	1.57E-01	3.07E-13	1.0E+06	3.1E-07
44	44	0.0991	5.31049E-07	5.3E-08	3.46E-04	1.82E-11	1.10E-01	1.57E-01	3.14E-13	1.0E+06	3.1E-07
45	45	0.10072	5.31049E-07	5.3E-08	3.46E-04	1.85E-11	1.10E-01	1.57E-01	3.19E-13	1.0E+06	3.2E-07
46	46	0.10136	5.31049E-07	5.4E-08	3.46E-04	1.86E-11	1.10E-01	1.57E-01	3.21E-13	1.0E+06	3.2E-07
47	47	0.10168	5.31049E-07	5.4E-08	3.46E-04	1.87E-11	1.10E-01	1.57E-01	3.22E-13	1.0E+06	3.2E-07
48	48	0.10272	5.31049E-07	5.5E-08	3.46E-04	1.89E-11	1.10E-01	1.57E-01	3.25E-13	1.0E+06	3.3E-07
49	49	0.10387	5.31049E-07	5.5E-08	3.46E-04	1.91E-11	1.10E-01	1.57E-01	3.29E-13	1.0E+06	3.3E-07
50	50	0.10559	5.31049E-07	5.6E-08	3.46E-04	1.94E-11	1.10E-01	1.57E-01	3.34E-13	1.0E+06	3.3E-07
51	51	0.11059	5.31049E-07	5.9E-08	3.46E-04	2.03E-11	1.10E-01	1.57E-01	3.50E-13	1.0E+06	3.5E-07
52	52	0.11541	5.31049E-07	6.1E-08	3.46E-04	2.12E-11	1.10E-01	1.57E-01	3.65E-13	1.0E+06	3.7E-07
53	53	0.12207	5.31049E-07	6.5E-08	3.46E-04	2.24E-11	1.10E-01	1.57E-01	3.86E-13	1.0E+06	3.9E-07
54	54	0.12964	5.31049E-07	6.9E-08	3.46E-04	2.38E-11	1.10E-01	1.57E-01	4.10E-13	1.0E+06	4.1E-07
55	55	0.13798	5.31049E-07	7.3E-08	3.46E-04	2.54E-11	1.10E-01	1.57E-01	4.37E-13	1.0E+06	4.4E-07
56	56	0.20336	5.31049E-07	1.1E-07	3.46E-04	3.74E-11	1.10E-01	1.57E-01	6.44E-13	1.0E+06	6.4E-07
57	57	0.10602	5.31049E-07	5.6E-08	3.46E-04	1.95E-11	1.10E-01	1.57E-01	3.36E-13	1.0E+06	3.4E-07
58	58	0.10826	5.31049E-07	5.7E-08	3.46E-04	1.99E-11	1.10E-01	1.57E-01	3.43E-13	1.0E+06	3.4E-07
59	59	0.11015	5.31049E-07	5.8E-08	3.46E-04	2.02E-11	1.10E-01	1.57E-01	3.49E-13	1.0E+06	3.5E-07
60	60	0.11187	5.31049E-07	5.9E-08	3.46E-04	2.06E-11	1.10E-01	1.57E-01	3.54E-13	1.0E+06	3.5E-07
61	61	0.11317	5.31049E-07	6.0E-08	3.46E-04	2.08E-11	1.10E-01	1.57E-01	3.58E-13	1.0E+06	3.6E-07
62	62	0.11442	5.31049E-07	6.1E-08	3.46E-04	2.10E-11	1.10E-01	1.57E-01	3.62E-13	1.0E+06	3.6E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.11714	5.31049E-07	6.2E-08	3.46E-04	2.15E-11	1.10E-01	1.57E-01	3.71E-13	1.0E+06	3.7E-07
64	64	0.11648	5.31049E-07	6.2E-08	3.46E-04	2.14E-11	1.10E-01	1.57E-01	3.69E-13	1.0E+06	3.7E-07
65	65	0.12089	5.31049E-07	6.4E-08	3.46E-04	2.22E-11	1.10E-01	1.57E-01	3.83E-13	1.0E+06	3.8E-07
66	66	0.12645	5.31049E-07	6.7E-08	3.46E-04	2.32E-11	1.10E-01	1.57E-01	4.00E-13	1.0E+06	4.0E-07
67	67	0.13207	5.31049E-07	7.0E-08	3.46E-04	2.43E-11	1.10E-01	1.57E-01	4.18E-13	1.0E+06	4.2E-07
68	68	0.14191	5.31049E-07	7.5E-08	3.46E-04	2.61E-11	1.10E-01	1.57E-01	4.49E-13	1.0E+06	4.5E-07
69	69	0.15278	5.31049E-07	8.1E-08	3.46E-04	2.81E-11	1.10E-01	1.57E-01	4.84E-13	1.0E+06	4.8E-07
70	70	0.11505	5.31049E-07	6.1E-08	3.46E-04	2.11E-11	1.10E-01	1.57E-01	3.64E-13	1.0E+06	3.6E-07
71	71	0.11795	5.31049E-07	6.3E-08	3.46E-04	2.17E-11	1.10E-01	1.57E-01	3.73E-13	1.0E+06	3.7E-07
72	72	0.12035	5.31049E-07	6.4E-08	3.46E-04	2.21E-11	1.10E-01	1.57E-01	3.81E-13	1.0E+06	3.8E-07
73	73	0.12307	5.31049E-07	6.5E-08	3.46E-04	2.26E-11	1.10E-01	1.57E-01	3.90E-13	1.0E+06	3.9E-07
74	74	0.12482	5.31049E-07	6.6E-08	3.46E-04	2.29E-11	1.10E-01	1.57E-01	3.95E-13	1.0E+06	4.0E-07
75	75	0.12893	5.31049E-07	6.8E-08	3.46E-04	2.37E-11	1.10E-01	1.57E-01	4.08E-13	1.0E+06	4.1E-07
76	76	0.1318	5.31049E-07	7.0E-08	3.46E-04	2.42E-11	1.10E-01	1.57E-01	4.17E-13	1.0E+06	4.2E-07
77	77	0.13237	5.31049E-07	7.0E-08	3.46E-04	2.43E-11	1.10E-01	1.57E-01	4.19E-13	1.0E+06	4.2E-07
78	78	0.13671	5.31049E-07	7.3E-08	3.46E-04	2.51E-11	1.10E-01	1.57E-01	4.33E-13	1.0E+06	4.3E-07
79	79	0.14673	5.31049E-07	7.8E-08	3.46E-04	2.70E-11	1.10E-01	1.57E-01	4.65E-13	1.0E+06	4.6E-07
80	80	0.15027	5.31049E-07	8.0E-08	3.46E-04	2.76E-11	1.10E-01	1.57E-01	4.76E-13	1.0E+06	4.8E-07
81	81	0.16391	5.31049E-07	8.7E-08	3.46E-04	3.01E-11	1.10E-01	1.57E-01	5.19E-13	1.0E+06	5.2E-07
82	82	0.17293	5.31049E-07	9.2E-08	3.46E-04	3.18E-11	1.10E-01	1.57E-01	5.47E-13	1.0E+06	5.5E-07
83	83	0.12453	5.31049E-07	6.6E-08	3.46E-04	2.29E-11	1.10E-01	1.57E-01	3.94E-13	1.0E+06	3.9E-07
84	84	0.1273	5.31049E-07	6.8E-08	3.46E-04	2.34E-11	1.10E-01	1.57E-01	4.03E-13	1.0E+06	4.0E-07
85	85	0.12929	5.31049E-07	6.9E-08	3.46E-04	2.38E-11	1.10E-01	1.57E-01	4.09E-13	1.0E+06	4.1E-07
86	86	0.13537	5.31049E-07	7.2E-08	3.46E-04	2.49E-11	1.10E-01	1.57E-01	4.29E-13	1.0E+06	4.3E-07
87	87	0.13951	5.31049E-07	7.4E-08	3.46E-04	2.56E-11	1.10E-01	1.57E-01	4.42E-13	1.0E+06	4.4E-07
88	88	0.14441	5.31049E-07	7.7E-08	3.46E-04	2.65E-11	1.10E-01	1.57E-01	4.57E-13	1.0E+06	4.6E-07
89	89	0.14954	5.31049E-07	7.9E-08	3.46E-04	2.75E-11	1.10E-01	1.57E-01	4.73E-13	1.0E+06	4.7E-07
90	90	0.1551	5.31049E-07	8.2E-08	3.46E-04	2.85E-11	1.10E-01	1.57E-01	4.91E-13	1.0E+06	4.9E-07
91	91	0.1614	5.31049E-07	8.6E-08	3.46E-04	2.97E-11	1.10E-01	1.57E-01	5.11E-13	1.0E+06	5.1E-07
92	92	0.16922	5.31049E-07	9.0E-08	3.46E-04	3.11E-11	1.10E-01	1.57E-01	5.36E-13	1.0E+06	5.4E-07
93	93	0.17767	5.31049E-07	9.4E-08	3.46E-04	3.27E-11	1.10E-01	1.57E-01	5.62E-13	1.0E+06	5.6E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer risk from 3rd Trimester - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.1881	5.31049E-07	1.0E-07	3.46E-04	3.46E-11	1.10E-01	1.57E-01	5.95E-13	1.0E+06	6.0E-07
95	95	0.2005	5.31049E-07	1.1E-07	3.46E-04	3.69E-11	1.10E-01	1.57E-01	6.35E-13	1.0E+06	6.3E-07
96	96	0.13351	5.31049E-07	7.1E-08	3.46E-04	2.45E-11	1.10E-01	1.57E-01	4.23E-13	1.0E+06	4.2E-07
97	97	0.13568	5.31049E-07	7.2E-08	3.46E-04	2.49E-11	1.10E-01	1.57E-01	4.30E-13	1.0E+06	4.3E-07
98	98	0.13911	5.31049E-07	7.4E-08	3.46E-04	2.56E-11	1.10E-01	1.57E-01	4.40E-13	1.0E+06	4.4E-07
99	99	0.14529	5.31049E-07	7.7E-08	3.46E-04	2.67E-11	1.10E-01	1.57E-01	4.60E-13	1.0E+06	4.6E-07
100	100	0.15343	5.31049E-07	8.1E-08	3.46E-04	2.82E-11	1.10E-01	1.57E-01	4.86E-13	1.0E+06	4.9E-07
101	101	0.15942	5.31049E-07	8.5E-08	3.46E-04	2.93E-11	1.10E-01	1.57E-01	5.05E-13	1.0E+06	5.0E-07
102	102	0.16573	5.31049E-07	8.8E-08	3.46E-04	3.05E-11	1.10E-01	1.57E-01	5.25E-13	1.0E+06	5.2E-07
103	103	0.17311	5.31049E-07	9.2E-08	3.46E-04	3.18E-11	1.10E-01	1.57E-01	5.48E-13	1.0E+06	5.5E-07
104	104	0.18054	5.31049E-07	9.6E-08	3.46E-04	3.32E-11	1.10E-01	1.57E-01	5.72E-13	1.0E+06	5.7E-07
105	105	0.18829	5.31049E-07	1.0E-07	3.46E-04	3.46E-11	1.10E-01	1.57E-01	5.96E-13	1.0E+06	6.0E-07
106	106	0.19854	5.31049E-07	1.1E-07	3.46E-04	3.65E-11	1.10E-01	1.57E-01	6.29E-13	1.0E+06	6.3E-07
107	107	0.21075	5.31049E-07	1.1E-07	3.46E-04	3.87E-11	1.10E-01	1.57E-01	6.67E-13	1.0E+06	6.7E-07
108	108	0.22488	5.31049E-07	1.2E-07	3.46E-04	4.13E-11	1.10E-01	1.57E-01	7.12E-13	1.0E+06	7.1E-07
109	109	0.14127	5.31049E-07	7.5E-08	3.46E-04	2.60E-11	1.10E-01	1.57E-01	4.47E-13	1.0E+06	4.5E-07
110	110	0.14754	5.31049E-07	7.8E-08	3.46E-04	2.71E-11	1.10E-01	1.57E-01	4.67E-13	1.0E+06	4.7E-07
111	111	0.15415	5.31049E-07	8.2E-08	3.46E-04	2.83E-11	1.10E-01	1.57E-01	4.88E-13	1.0E+06	4.9E-07
112	112	0.16102	5.31049E-07	8.6E-08	3.46E-04	2.96E-11	1.10E-01	1.57E-01	5.10E-13	1.0E+06	5.1E-07
113	113	0.16815	5.31049E-07	8.9E-08	3.46E-04	3.09E-11	1.10E-01	1.57E-01	5.32E-13	1.0E+06	5.3E-07
114	114	0.17546	5.31049E-07	9.3E-08	3.46E-04	3.23E-11	1.10E-01	1.57E-01	5.55E-13	1.0E+06	5.6E-07
115	115	0.18278	5.31049E-07	9.7E-08	3.46E-04	3.36E-11	1.10E-01	1.57E-01	5.79E-13	1.0E+06	5.8E-07
116	116	0.19116	5.31049E-07	1.0E-07	3.46E-04	3.51E-11	1.10E-01	1.57E-01	6.05E-13	1.0E+06	6.1E-07
117	117	0.20122	5.31049E-07	1.1E-07	3.46E-04	3.70E-11	1.10E-01	1.57E-01	6.37E-13	1.0E+06	6.4E-07
118	118	0.20761	5.31049E-07	1.1E-07	3.46E-04	3.82E-11	1.10E-01	1.57E-01	6.57E-13	1.0E+06	6.6E-07
119	119	0.22024	5.31049E-07	1.2E-07	3.46E-04	4.05E-11	1.10E-01	1.57E-01	6.97E-13	1.0E+06	7.0E-07
120	120	0.23312	5.31049E-07	1.2E-07	3.46E-04	4.29E-11	1.10E-01	1.57E-01	7.38E-13	1.0E+06	7.4E-07
121	121	0.24724	5.31049E-07	1.3E-07	3.46E-04	4.55E-11	1.10E-01	1.57E-01	7.83E-13	1.0E+06	7.8E-07
122	122	0.14912	5.31049E-07	7.9E-08	3.46E-04	2.74E-11	1.10E-01	1.57E-01	4.72E-13	1.0E+06	4.7E-07
123	123	0.15721	5.31049E-07	8.3E-08	3.46E-04	2.89E-11	1.10E-01	1.57E-01	4.98E-13	1.0E+06	5.0E-07
124	124	0.16662	5.31049E-07	8.8E-08	3.46E-04	3.06E-11	1.10E-01	1.57E-01	5.27E-13	1.0E+06	5.3E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.17521	5.31049E-07	9.3E-08	3.46E-04	3.22E-11	1.10E-01	1.57E-01	5.55E-13	1.0E+06	5.5E-07
126	126	0.1835	5.31049E-07	9.7E-08	3.46E-04	3.37E-11	1.10E-01	1.57E-01	5.81E-13	1.0E+06	5.8E-07
127	127	0.19137	5.31049E-07	1.0E-07	3.46E-04	3.52E-11	1.10E-01	1.57E-01	6.06E-13	1.0E+06	6.1E-07
128	128	0.19335	5.31049E-07	1.0E-07	3.46E-04	3.55E-11	1.10E-01	1.57E-01	6.12E-13	1.0E+06	6.1E-07
129	129	0.20267	5.31049E-07	1.1E-07	3.46E-04	3.73E-11	1.10E-01	1.57E-01	6.42E-13	1.0E+06	6.4E-07
130	130	0.21849	5.31049E-07	1.2E-07	3.46E-04	4.02E-11	1.10E-01	1.57E-01	6.92E-13	1.0E+06	6.9E-07
131	131	0.54025	5.31049E-07	2.9E-07	3.46E-04	9.93E-11	1.10E-01	1.57E-01	1.71E-12	1.0E+06	1.7E-06
132	132	0.56203	5.31049E-07	3.0E-07	3.46E-04	1.03E-10	1.10E-01	1.57E-01	1.78E-12	1.0E+06	1.8E-06
133	133	0.15509	5.31049E-07	8.2E-08	3.46E-04	2.85E-11	1.10E-01	1.57E-01	4.91E-13	1.0E+06	4.9E-07
134	134	0.16662	5.31049E-07	8.8E-08	3.46E-04	3.06E-11	1.10E-01	1.57E-01	5.27E-13	1.0E+06	5.3E-07
135	135	0.17787	5.31049E-07	9.4E-08	3.46E-04	3.27E-11	1.10E-01	1.57E-01	5.63E-13	1.0E+06	5.6E-07
136	136	0.1884	5.31049E-07	1.0E-07	3.46E-04	3.46E-11	1.10E-01	1.57E-01	5.96E-13	1.0E+06	6.0E-07
137	137	0.19902	5.31049E-07	1.1E-07	3.46E-04	3.66E-11	1.10E-01	1.57E-01	6.30E-13	1.0E+06	6.3E-07
138	138	0.20832	5.31049E-07	1.1E-07	3.46E-04	3.83E-11	1.10E-01	1.57E-01	6.59E-13	1.0E+06	6.6E-07
139	139	0.21529	5.31049E-07	1.1E-07	3.46E-04	3.96E-11	1.10E-01	1.57E-01	6.82E-13	1.0E+06	6.8E-07
140	140	0.23239	5.31049E-07	1.2E-07	3.46E-04	4.27E-11	1.10E-01	1.57E-01	7.36E-13	1.0E+06	7.4E-07
141	141	0.24657	5.31049E-07	1.3E-07	3.46E-04	4.53E-11	1.10E-01	1.57E-01	7.81E-13	1.0E+06	7.8E-07
142	142	0.26114	5.31049E-07	1.4E-07	3.46E-04	4.80E-11	1.10E-01	1.57E-01	8.27E-13	1.0E+06	8.3E-07
143	143	0.27932	5.31049E-07	1.5E-07	3.46E-04	5.13E-11	1.10E-01	1.57E-01	8.84E-13	1.0E+06	8.8E-07
144	144	0.30388	5.31049E-07	1.6E-07	3.46E-04	5.59E-11	1.10E-01	1.57E-01	9.62E-13	1.0E+06	9.6E-07
145	145	0.32771	5.31049E-07	1.7E-07	3.46E-04	6.02E-11	1.10E-01	1.57E-01	1.04E-12	1.0E+06	1.0E-06
146	146	0.66658	5.31049E-07	3.5E-07	3.46E-04	1.23E-10	1.10E-01	1.57E-01	2.11E-12	1.0E+06	2.1E-06
147	147	0.15987	5.31049E-07	8.5E-08	3.46E-04	2.94E-11	1.10E-01	1.57E-01	5.06E-13	1.0E+06	5.1E-07
148	148	0.17249	5.31049E-07	9.2E-08	3.46E-04	3.17E-11	1.10E-01	1.57E-01	5.46E-13	1.0E+06	5.5E-07
149	149	0.18609	5.31049E-07	9.9E-08	3.46E-04	3.42E-11	1.10E-01	1.57E-01	5.89E-13	1.0E+06	5.9E-07
150	150	0.19907	5.31049E-07	1.1E-07	3.46E-04	3.66E-11	1.10E-01	1.57E-01	6.30E-13	1.0E+06	6.3E-07
151	151	0.21346	5.31049E-07	1.1E-07	3.46E-04	3.92E-11	1.10E-01	1.57E-01	6.76E-13	1.0E+06	6.8E-07
152	152	0.22549	5.31049E-07	1.2E-07	3.46E-04	4.15E-11	1.10E-01	1.57E-01	7.14E-13	1.0E+06	7.1E-07
153	153	0.23783	5.31049E-07	1.3E-07	3.46E-04	4.37E-11	1.10E-01	1.57E-01	7.53E-13	1.0E+06	7.5E-07
154	154	0.25329	5.31049E-07	1.3E-07	3.46E-04	4.66E-11	1.10E-01	1.57E-01	8.02E-13	1.0E+06	8.0E-07
155	155	0.27164	5.31049E-07	1.4E-07	3.46E-04	4.99E-11	1.10E-01	1.57E-01	8.60E-13	1.0E+06	8.6E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.29103	5.31049E-07	1.5E-07	3.46E-04	5.35E-11	1.10E-01	1.57E-01	9.21E-13	1.0E+06	9.2E-07
157	157	0.31108	5.31049E-07	1.7E-07	3.46E-04	5.72E-11	1.10E-01	1.57E-01	9.85E-13	1.0E+06	9.8E-07
158	158	0.33231	5.31049E-07	1.8E-07	3.46E-04	6.11E-11	1.10E-01	1.57E-01	1.05E-12	1.0E+06	1.1E-06
159	159	0.3745	5.31049E-07	2.0E-07	3.46E-04	6.88E-11	1.10E-01	1.57E-01	1.19E-12	1.0E+06	1.2E-06
160	160	0.1652	5.31049E-07	8.8E-08	3.46E-04	3.04E-11	1.10E-01	1.57E-01	5.23E-13	1.0E+06	5.2E-07
161	161	0.17702	5.31049E-07	9.4E-08	3.46E-04	3.25E-11	1.10E-01	1.57E-01	5.60E-13	1.0E+06	5.6E-07
162	162	0.18798	5.31049E-07	1.0E-07	3.46E-04	3.46E-11	1.10E-01	1.57E-01	5.95E-13	1.0E+06	6.0E-07
163	163	0.20556	5.31049E-07	1.1E-07	3.46E-04	3.78E-11	1.10E-01	1.57E-01	6.51E-13	1.0E+06	6.5E-07
164	164	0.2256	5.31049E-07	1.2E-07	3.46E-04	4.15E-11	1.10E-01	1.57E-01	7.14E-13	1.0E+06	7.1E-07
165	165	0.24183	5.31049E-07	1.3E-07	3.46E-04	4.45E-11	1.10E-01	1.57E-01	7.66E-13	1.0E+06	7.7E-07
166	166	0.26025	5.31049E-07	1.4E-07	3.46E-04	4.78E-11	1.10E-01	1.57E-01	8.24E-13	1.0E+06	8.2E-07
167	167	0.28039	5.31049E-07	1.5E-07	3.46E-04	5.15E-11	1.10E-01	1.57E-01	8.88E-13	1.0E+06	8.9E-07
168	168	0.30308	5.31049E-07	1.6E-07	3.46E-04	5.57E-11	1.10E-01	1.57E-01	9.59E-13	1.0E+06	9.6E-07
169	169	0.32837	5.31049E-07	1.7E-07	3.46E-04	6.04E-11	1.10E-01	1.57E-01	1.04E-12	1.0E+06	1.0E-06
170	170	0.35596	5.31049E-07	1.9E-07	3.46E-04	6.54E-11	1.10E-01	1.57E-01	1.13E-12	1.0E+06	1.1E-06
171	171	0.38722	5.31049E-07	2.1E-07	3.46E-04	7.12E-11	1.10E-01	1.57E-01	1.23E-12	1.0E+06	1.2E-06
172	172	0.43207	5.31049E-07	2.3E-07	3.46E-04	7.94E-11	1.10E-01	1.57E-01	1.37E-12	1.0E+06	1.4E-06
173	173	0.49265	5.31049E-07	2.6E-07	3.46E-04	9.06E-11	1.10E-01	1.57E-01	1.56E-12	1.0E+06	1.6E-06
174	174	0.57625	5.31049E-07	3.1E-07	3.46E-04	1.06E-10	1.10E-01	1.57E-01	1.82E-12	1.0E+06	1.8E-06
175	175	0.67856	5.31049E-07	3.6E-07	3.46E-04	1.25E-10	1.10E-01	1.57E-01	2.15E-12	1.0E+06	2.1E-06
176	176	0.79898	5.31049E-07	4.2E-07	3.46E-04	1.47E-10	1.10E-01	1.57E-01	2.53E-12	1.0E+06	2.5E-06
177	177	1.01134	5.31049E-07	5.4E-07	3.46E-04	1.86E-10	1.10E-01	1.57E-01	3.20E-12	1.0E+06	3.2E-06
178	178	1.19863	5.31049E-07	6.4E-07	3.46E-04	2.20E-10	1.10E-01	1.57E-01	3.79E-12	1.0E+06	3.8E-06
179	179	0.16466	5.31049E-07	8.7E-08	3.46E-04	3.03E-11	1.10E-01	1.57E-01	5.21E-13	1.0E+06	5.2E-07
180	180	0.17624	5.31049E-07	9.4E-08	3.46E-04	3.24E-11	1.10E-01	1.57E-01	5.58E-13	1.0E+06	5.6E-07
181	181	0.18643	5.31049E-07	9.9E-08	3.46E-04	3.43E-11	1.10E-01	1.57E-01	5.90E-13	1.0E+06	5.9E-07
182	182	0.20908	5.31049E-07	1.1E-07	3.46E-04	3.84E-11	1.10E-01	1.57E-01	6.62E-13	1.0E+06	6.6E-07
183	183	0.23689	5.31049E-07	1.3E-07	3.46E-04	4.35E-11	1.10E-01	1.57E-01	7.50E-13	1.0E+06	7.5E-07
184	184	0.25771	5.31049E-07	1.4E-07	3.46E-04	4.74E-11	1.10E-01	1.57E-01	8.16E-13	1.0E+06	8.2E-07
185	185	0.28174	5.31049E-07	1.5E-07	3.46E-04	5.18E-11	1.10E-01	1.57E-01	8.92E-13	1.0E+06	8.9E-07
186	186	0.30715	5.31049E-07	1.6E-07	3.46E-04	5.65E-11	1.10E-01	1.57E-01	9.72E-13	1.0E+06	9.7E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.33461	5.31049E-07	1.8E-07	3.46E-04	6.15E-11	1.10E-01	1.57E-01	1.06E-12	1.0E+06	1.1E-06
188	188	0.36672	5.31049E-07	1.9E-07	3.46E-04	6.74E-11	1.10E-01	1.57E-01	1.16E-12	1.0E+06	1.2E-06
189	189	0.40207	5.31049E-07	2.1E-07	3.46E-04	7.39E-11	1.10E-01	1.57E-01	1.27E-12	1.0E+06	1.3E-06
190	190	0.44452	5.31049E-07	2.4E-07	3.46E-04	8.17E-11	1.10E-01	1.57E-01	1.41E-12	1.0E+06	1.4E-06
191	191	0.49448	5.31049E-07	2.6E-07	3.46E-04	9.09E-11	1.10E-01	1.57E-01	1.57E-12	1.0E+06	1.6E-06
192	192	0.56449	5.31049E-07	3.0E-07	3.46E-04	1.04E-10	1.10E-01	1.57E-01	1.79E-12	1.0E+06	1.8E-06
193	193	0.65574	5.31049E-07	3.5E-07	3.46E-04	1.21E-10	1.10E-01	1.57E-01	2.08E-12	1.0E+06	2.1E-06
194	194	0.79818	5.31049E-07	4.2E-07	3.46E-04	1.47E-10	1.10E-01	1.57E-01	2.53E-12	1.0E+06	2.5E-06
195	195	1.02294	5.31049E-07	5.4E-07	3.46E-04	1.88E-10	1.10E-01	1.57E-01	3.24E-12	1.0E+06	3.2E-06
196	196	1.36656	5.31049E-07	7.3E-07	3.46E-04	2.51E-10	1.10E-01	1.57E-01	4.33E-12	1.0E+06	4.3E-06
197	197	1.78741	5.31049E-07	9.5E-07	3.46E-04	3.29E-10	1.10E-01	1.57E-01	5.66E-12	1.0E+06	5.7E-06
198	198	0.16538	5.31049E-07	8.8E-08	3.46E-04	3.04E-11	1.10E-01	1.57E-01	5.24E-13	1.0E+06	5.2E-07
199	199	0.17864	5.31049E-07	9.5E-08	3.46E-04	3.28E-11	1.10E-01	1.57E-01	5.66E-13	1.0E+06	5.7E-07
200	200	0.19319	5.31049E-07	1.0E-07	3.46E-04	3.55E-11	1.10E-01	1.57E-01	6.12E-13	1.0E+06	6.1E-07
201	201	0.21276	5.31049E-07	1.1E-07	3.46E-04	3.91E-11	1.10E-01	1.57E-01	6.74E-13	1.0E+06	6.7E-07
202	202	0.2435	5.31049E-07	1.3E-07	3.46E-04	4.48E-11	1.10E-01	1.57E-01	7.71E-13	1.0E+06	7.7E-07
203	203	0.27002	5.31049E-07	1.4E-07	3.46E-04	4.96E-11	1.10E-01	1.57E-01	8.55E-13	1.0E+06	8.5E-07
204	204	0.29949	5.31049E-07	1.6E-07	3.46E-04	5.51E-11	1.10E-01	1.57E-01	9.48E-13	1.0E+06	9.5E-07
205	205	0.33029	5.31049E-07	1.8E-07	3.46E-04	6.07E-11	1.10E-01	1.57E-01	1.05E-12	1.0E+06	1.0E-06
206	206	0.36426	5.31049E-07	1.9E-07	3.46E-04	6.70E-11	1.10E-01	1.57E-01	1.15E-12	1.0E+06	1.2E-06
207	207	0.40322	5.31049E-07	2.1E-07	3.46E-04	7.41E-11	1.10E-01	1.57E-01	1.28E-12	1.0E+06	1.3E-06
208	208	0.44759	5.31049E-07	2.4E-07	3.46E-04	8.23E-11	1.10E-01	1.57E-01	1.42E-12	1.0E+06	1.4E-06
209	209	0.50106	5.31049E-07	2.7E-07	3.46E-04	9.21E-11	1.10E-01	1.57E-01	1.59E-12	1.0E+06	1.6E-06
210	210	0.56599	5.31049E-07	3.0E-07	3.46E-04	1.04E-10	1.10E-01	1.57E-01	1.79E-12	1.0E+06	1.8E-06
211	211	0.64944	5.31049E-07	3.4E-07	3.46E-04	1.19E-10	1.10E-01	1.57E-01	2.06E-12	1.0E+06	2.1E-06
212	212	0.75631	5.31049E-07	4.0E-07	3.46E-04	1.39E-10	1.10E-01	1.57E-01	2.39E-12	1.0E+06	2.4E-06
213	213	0.89878	5.31049E-07	4.8E-07	3.46E-04	1.65E-10	1.10E-01	1.57E-01	2.85E-12	1.0E+06	2.8E-06
214	214	1.09629	5.31049E-07	5.8E-07	3.46E-04	2.02E-10	1.10E-01	1.57E-01	3.47E-12	1.0E+06	3.5E-06
215	215	1.73736	5.31049E-07	9.2E-07	3.46E-04	3.19E-10	1.10E-01	1.57E-01	5.50E-12	1.0E+06	5.5E-06
216	216	0.16693	5.31049E-07	8.9E-08	3.46E-04	3.07E-11	1.10E-01	1.57E-01	5.28E-13	1.0E+06	5.3E-07
217	217	0.18028	5.31049E-07	9.6E-08	3.46E-04	3.31E-11	1.10E-01	1.57E-01	5.71E-13	1.0E+06	5.7E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1967	5.31049E-07	1.0E-07	3.46E-04	3.62E-11	1.10E-01	1.57E-01	6.23E-13	1.0E+06	6.2E-07
219	219	0.21689	5.31049E-07	1.2E-07	3.46E-04	3.99E-11	1.10E-01	1.57E-01	6.87E-13	1.0E+06	6.9E-07
220	220	0.24745	5.31049E-07	1.3E-07	3.46E-04	4.55E-11	1.10E-01	1.57E-01	7.83E-13	1.0E+06	7.8E-07
221	221	0.27558	5.31049E-07	1.5E-07	3.46E-04	5.07E-11	1.10E-01	1.57E-01	8.72E-13	1.0E+06	8.7E-07
222	222	0.31005	5.31049E-07	1.6E-07	3.46E-04	5.70E-11	1.10E-01	1.57E-01	9.82E-13	1.0E+06	9.8E-07
223	223	0.34616	5.31049E-07	1.8E-07	3.46E-04	6.36E-11	1.10E-01	1.57E-01	1.10E-12	1.0E+06	1.1E-06
224	224	0.3862	5.31049E-07	2.1E-07	3.46E-04	7.10E-11	1.10E-01	1.57E-01	1.22E-12	1.0E+06	1.2E-06
225	225	0.43074	5.31049E-07	2.3E-07	3.46E-04	7.92E-11	1.10E-01	1.57E-01	1.36E-12	1.0E+06	1.4E-06
226	226	0.48528	5.31049E-07	2.6E-07	3.46E-04	8.92E-11	1.10E-01	1.57E-01	1.54E-12	1.0E+06	1.5E-06
227	227	0.54921	5.31049E-07	2.9E-07	3.46E-04	1.01E-10	1.10E-01	1.57E-01	1.74E-12	1.0E+06	1.7E-06
228	228	0.62818	5.31049E-07	3.3E-07	3.46E-04	1.15E-10	1.10E-01	1.57E-01	1.99E-12	1.0E+06	2.0E-06
229	229	0.73144	5.31049E-07	3.9E-07	3.46E-04	1.34E-10	1.10E-01	1.57E-01	2.32E-12	1.0E+06	2.3E-06
230	230	0.86555	5.31049E-07	4.6E-07	3.46E-04	1.59E-10	1.10E-01	1.57E-01	2.74E-12	1.0E+06	2.7E-06
231	231	1.06106	5.31049E-07	5.6E-07	3.46E-04	1.95E-10	1.10E-01	1.57E-01	3.36E-12	1.0E+06	3.4E-06
232	232	1.36584	5.31049E-07	7.3E-07	3.46E-04	2.51E-10	1.10E-01	1.57E-01	4.32E-12	1.0E+06	4.3E-06
233	233	2.21729	5.31049E-07	1.2E-06	3.46E-04	4.08E-10	1.10E-01	1.57E-01	7.02E-12	1.0E+06	7.0E-06
234	234	0.16735	5.31049E-07	8.9E-08	3.46E-04	3.08E-11	1.10E-01	1.57E-01	5.30E-13	1.0E+06	5.3E-07
235	235	0.18065	5.31049E-07	9.6E-08	3.46E-04	3.32E-11	1.10E-01	1.57E-01	5.72E-13	1.0E+06	5.7E-07
236	236	0.19807	5.31049E-07	1.1E-07	3.46E-04	3.64E-11	1.10E-01	1.57E-01	6.27E-13	1.0E+06	6.3E-07
237	237	0.22052	5.31049E-07	1.2E-07	3.46E-04	4.05E-11	1.10E-01	1.57E-01	6.98E-13	1.0E+06	7.0E-07
238	238	0.24892	5.31049E-07	1.3E-07	3.46E-04	4.58E-11	1.10E-01	1.57E-01	7.88E-13	1.0E+06	7.9E-07
239	239	0.27883	5.31049E-07	1.5E-07	3.46E-04	5.13E-11	1.10E-01	1.57E-01	8.83E-13	1.0E+06	8.8E-07
240	240	0.31465	5.31049E-07	1.7E-07	3.46E-04	5.78E-11	1.10E-01	1.57E-01	9.96E-13	1.0E+06	1.0E-06
241	241	0.35485	5.31049E-07	1.9E-07	3.46E-04	6.52E-11	1.10E-01	1.57E-01	1.12E-12	1.0E+06	1.1E-06
242	242	0.40054	5.31049E-07	2.1E-07	3.46E-04	7.36E-11	1.10E-01	1.57E-01	1.27E-12	1.0E+06	1.3E-06
243	243	0.45265	5.31049E-07	2.4E-07	3.46E-04	8.32E-11	1.10E-01	1.57E-01	1.43E-12	1.0E+06	1.4E-06
244	244	0.51721	5.31049E-07	2.7E-07	3.46E-04	9.51E-11	1.10E-01	1.57E-01	1.64E-12	1.0E+06	1.6E-06
245	245	0.59496	5.31049E-07	3.2E-07	3.46E-04	1.09E-10	1.10E-01	1.57E-01	1.88E-12	1.0E+06	1.9E-06
246	246	0.69163	5.31049E-07	3.7E-07	3.46E-04	1.27E-10	1.10E-01	1.57E-01	2.19E-12	1.0E+06	2.2E-06
247	247	0.81591	5.31049E-07	4.3E-07	3.46E-04	1.50E-10	1.10E-01	1.57E-01	2.58E-12	1.0E+06	2.6E-06
248	248	0.98489	5.31049E-07	5.2E-07	3.46E-04	1.81E-10	1.10E-01	1.57E-01	3.12E-12	1.0E+06	3.1E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.22885	5.31049E-07	6.5E-07	3.46E-04	2.26E-10	1.10E-01	1.57E-01	3.89E-12	1.0E+06	3.9E-06
250	250	1.63505	5.31049E-07	8.7E-07	3.46E-04	3.01E-10	1.10E-01	1.57E-01	5.18E-12	1.0E+06	5.2E-06
251	251	2.71786	5.31049E-07	1.4E-06	3.46E-04	5.00E-10	1.10E-01	1.57E-01	8.60E-12	1.0E+06	8.6E-06
252	252	0.16495	5.31049E-07	8.8E-08	3.46E-04	3.03E-11	1.10E-01	1.57E-01	5.22E-13	1.0E+06	5.2E-07
253	253	0.17799	5.31049E-07	9.5E-08	3.46E-04	3.27E-11	1.10E-01	1.57E-01	5.63E-13	1.0E+06	5.6E-07
254	254	0.19466	5.31049E-07	1.0E-07	3.46E-04	3.58E-11	1.10E-01	1.57E-01	6.16E-13	1.0E+06	6.2E-07
255	255	0.21521	5.31049E-07	1.1E-07	3.46E-04	3.96E-11	1.10E-01	1.57E-01	6.81E-13	1.0E+06	6.8E-07
256	256	0.2481	5.31049E-07	1.3E-07	3.46E-04	4.56E-11	1.10E-01	1.57E-01	7.85E-13	1.0E+06	7.9E-07
257	257	0.2724	5.31049E-07	1.4E-07	3.46E-04	5.01E-11	1.10E-01	1.57E-01	8.62E-13	1.0E+06	8.6E-07
258	258	0.30508	5.31049E-07	1.6E-07	3.46E-04	5.61E-11	1.10E-01	1.57E-01	9.66E-13	1.0E+06	9.7E-07
259	259	0.34335	5.31049E-07	1.8E-07	3.46E-04	6.31E-11	1.10E-01	1.57E-01	1.09E-12	1.0E+06	1.1E-06
260	260	0.39576	5.31049E-07	2.1E-07	3.46E-04	7.28E-11	1.10E-01	1.57E-01	1.25E-12	1.0E+06	1.3E-06
261	261	0.46173	5.31049E-07	2.5E-07	3.46E-04	8.49E-11	1.10E-01	1.57E-01	1.46E-12	1.0E+06	1.5E-06
262	262	0.53894	5.31049E-07	2.9E-07	3.46E-04	9.91E-11	1.10E-01	1.57E-01	1.71E-12	1.0E+06	1.7E-06
263	263	0.62661	5.31049E-07	3.3E-07	3.46E-04	1.15E-10	1.10E-01	1.57E-01	1.98E-12	1.0E+06	2.0E-06
264	264	0.74151	5.31049E-07	3.9E-07	3.46E-04	1.36E-10	1.10E-01	1.57E-01	2.35E-12	1.0E+06	2.3E-06
265	265	0.88511	5.31049E-07	4.7E-07	3.46E-04	1.63E-10	1.10E-01	1.57E-01	2.80E-12	1.0E+06	2.8E-06
266	266	1.0844	5.31049E-07	5.8E-07	3.46E-04	1.99E-10	1.10E-01	1.57E-01	3.43E-12	1.0E+06	3.4E-06
267	267	1.37129	5.31049E-07	7.3E-07	3.46E-04	2.52E-10	1.10E-01	1.57E-01	4.34E-12	1.0E+06	4.3E-06
268	268	1.83918	5.31049E-07	9.8E-07	3.46E-04	3.38E-10	1.10E-01	1.57E-01	5.82E-12	1.0E+06	5.8E-06
269	269	3.05125	5.31049E-07	1.6E-06	3.46E-04	5.61E-10	1.10E-01	1.57E-01	9.66E-12	1.0E+06	9.7E-06
270	270	0.16103	5.31049E-07	8.6E-08	3.46E-04	2.96E-11	1.10E-01	1.57E-01	5.10E-13	1.0E+06	5.1E-07
271	271	0.17495	5.31049E-07	9.3E-08	3.46E-04	3.22E-11	1.10E-01	1.57E-01	5.54E-13	1.0E+06	5.5E-07
272	272	0.192	5.31049E-07	1.0E-07	3.46E-04	3.53E-11	1.10E-01	1.57E-01	6.08E-13	1.0E+06	6.1E-07
273	273	0.21189	5.31049E-07	1.1E-07	3.46E-04	3.90E-11	1.10E-01	1.57E-01	6.71E-13	1.0E+06	6.7E-07
274	274	0.24767	5.31049E-07	1.3E-07	3.46E-04	4.55E-11	1.10E-01	1.57E-01	7.84E-13	1.0E+06	7.8E-07
275	275	0.2812	5.31049E-07	1.5E-07	3.46E-04	5.17E-11	1.10E-01	1.57E-01	8.90E-13	1.0E+06	8.9E-07
276	276	0.30081	5.31049E-07	1.6E-07	3.46E-04	5.53E-11	1.10E-01	1.57E-01	9.52E-13	1.0E+06	9.5E-07
277	277	0.33911	5.31049E-07	1.8E-07	3.46E-04	6.23E-11	1.10E-01	1.57E-01	1.07E-12	1.0E+06	1.1E-06
278	278	0.38885	5.31049E-07	2.1E-07	3.46E-04	7.15E-11	1.10E-01	1.57E-01	1.23E-12	1.0E+06	1.2E-06
279	279	0.45312	5.31049E-07	2.4E-07	3.46E-04	8.33E-11	1.10E-01	1.57E-01	1.43E-12	1.0E+06	1.4E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.54249	5.31049E-07	2.9E-07	3.46E-04	9.97E-11	1.10E-01	1.57E-01	1.72E-12	1.0E+06	1.7E-06
281	281	0.65054	5.31049E-07	3.5E-07	3.46E-04	1.20E-10	1.10E-01	1.57E-01	2.06E-12	1.0E+06	2.1E-06
282	282	0.78392	5.31049E-07	4.2E-07	3.46E-04	1.44E-10	1.10E-01	1.57E-01	2.48E-12	1.0E+06	2.5E-06
283	283	0.95468	5.31049E-07	5.1E-07	3.46E-04	1.75E-10	1.10E-01	1.57E-01	3.02E-12	1.0E+06	3.0E-06
284	284	1.18854	5.31049E-07	6.3E-07	3.46E-04	2.18E-10	1.10E-01	1.57E-01	3.76E-12	1.0E+06	3.8E-06
285	285	1.51941	5.31049E-07	8.1E-07	3.46E-04	2.79E-10	1.10E-01	1.57E-01	4.81E-12	1.0E+06	4.8E-06
286	286	2.06851	5.31049E-07	1.1E-06	3.46E-04	3.80E-10	1.10E-01	1.57E-01	6.55E-12	1.0E+06	6.5E-06
287	287	3.4619	5.31049E-07	1.8E-06	3.46E-04	6.36E-10	1.10E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
288	288	0.1571	5.31049E-07	8.3E-08	3.46E-04	2.89E-11	1.10E-01	1.57E-01	4.97E-13	1.0E+06	5.0E-07
289	289	0.17007	5.31049E-07	9.0E-08	3.46E-04	3.13E-11	1.10E-01	1.57E-01	5.38E-13	1.0E+06	5.4E-07
290	290	0.19064	5.31049E-07	1.0E-07	3.46E-04	3.50E-11	1.10E-01	1.57E-01	6.04E-13	1.0E+06	6.0E-07
291	291	0.21276	5.31049E-07	1.1E-07	3.46E-04	3.91E-11	1.10E-01	1.57E-01	6.74E-13	1.0E+06	6.7E-07
292	292	0.2583	5.31049E-07	1.4E-07	3.46E-04	4.75E-11	1.10E-01	1.57E-01	8.18E-13	1.0E+06	8.2E-07
293	293	0.28294	5.31049E-07	1.5E-07	3.46E-04	5.20E-11	1.10E-01	1.57E-01	8.96E-13	1.0E+06	9.0E-07
294	294	0.29501	5.31049E-07	1.6E-07	3.46E-04	5.42E-11	1.10E-01	1.57E-01	9.34E-13	1.0E+06	9.3E-07
295	295	0.33636	5.31049E-07	1.8E-07	3.46E-04	6.18E-11	1.10E-01	1.57E-01	1.06E-12	1.0E+06	1.1E-06
296	296	0.38881	5.31049E-07	2.1E-07	3.46E-04	7.15E-11	1.10E-01	1.57E-01	1.23E-12	1.0E+06	1.2E-06
297	297	0.44873	5.31049E-07	2.4E-07	3.46E-04	8.25E-11	1.10E-01	1.57E-01	1.42E-12	1.0E+06	1.4E-06
298	298	0.53391	5.31049E-07	2.8E-07	3.46E-04	9.81E-11	1.10E-01	1.57E-01	1.69E-12	1.0E+06	1.7E-06
299	299	0.6575	5.31049E-07	3.5E-07	3.46E-04	1.21E-10	1.10E-01	1.57E-01	2.08E-12	1.0E+06	2.1E-06
300	300	0.80178	5.31049E-07	4.3E-07	3.46E-04	1.47E-10	1.10E-01	1.57E-01	2.54E-12	1.0E+06	2.5E-06
301	301	1.00633	5.31049E-07	5.3E-07	3.46E-04	1.85E-10	1.10E-01	1.57E-01	3.19E-12	1.0E+06	3.2E-06
302	302	1.28625	5.31049E-07	6.8E-07	3.46E-04	2.36E-10	1.10E-01	1.57E-01	4.07E-12	1.0E+06	4.1E-06
303	303	1.70188	5.31049E-07	9.0E-07	3.46E-04	3.13E-10	1.10E-01	1.57E-01	5.39E-12	1.0E+06	5.4E-06
304	304	2.37779	5.31049E-07	1.3E-06	3.46E-04	4.37E-10	1.10E-01	1.57E-01	7.53E-12	1.0E+06	7.5E-06
305	305	4.11223	5.31049E-07	2.2E-06	3.46E-04	7.56E-10	1.10E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
306	306	0.1608	5.31049E-07	8.5E-08	3.46E-04	2.96E-11	1.10E-01	1.57E-01	5.09E-13	1.0E+06	5.1E-07
307	307	0.17008	5.31049E-07	9.0E-08	3.46E-04	3.13E-11	1.10E-01	1.57E-01	5.38E-13	1.0E+06	5.4E-07
308	308	0.1866	5.31049E-07	9.9E-08	3.46E-04	3.43E-11	1.10E-01	1.57E-01	5.91E-13	1.0E+06	5.9E-07
309	309	0.21966	5.31049E-07	1.2E-07	3.46E-04	4.04E-11	1.10E-01	1.57E-01	6.95E-13	1.0E+06	7.0E-07
310	310	0.25427	5.31049E-07	1.4E-07	3.46E-04	4.67E-11	1.10E-01	1.57E-01	8.05E-13	1.0E+06	8.0E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.27818	5.31049E-07	1.5E-07	3.46E-04	5.11E-11	1.10E-01	1.57E-01	8.81E-13	1.0E+06	8.8E-07
312	312	0.28562	5.31049E-07	1.5E-07	3.46E-04	5.25E-11	1.10E-01	1.57E-01	9.04E-13	1.0E+06	9.0E-07
313	313	0.32671	5.31049E-07	1.7E-07	3.46E-04	6.01E-11	1.10E-01	1.57E-01	1.03E-12	1.0E+06	1.0E-06
314	314	0.37946	5.31049E-07	2.0E-07	3.46E-04	6.98E-11	1.10E-01	1.57E-01	1.20E-12	1.0E+06	1.2E-06
315	315	0.45718	5.31049E-07	2.4E-07	3.46E-04	8.40E-11	1.10E-01	1.57E-01	1.45E-12	1.0E+06	1.4E-06
316	316	0.53191	5.31049E-07	2.8E-07	3.46E-04	9.78E-11	1.10E-01	1.57E-01	1.68E-12	1.0E+06	1.7E-06
317	317	0.64187	5.31049E-07	3.4E-07	3.46E-04	1.18E-10	1.10E-01	1.57E-01	2.03E-12	1.0E+06	2.0E-06
318	318	0.79835	5.31049E-07	4.2E-07	3.46E-04	1.47E-10	1.10E-01	1.57E-01	2.53E-12	1.0E+06	2.5E-06
319	319	1.03385	5.31049E-07	5.5E-07	3.46E-04	1.90E-10	1.10E-01	1.57E-01	3.27E-12	1.0E+06	3.3E-06
320	320	1.39716	5.31049E-07	7.4E-07	3.46E-04	2.57E-10	1.10E-01	1.57E-01	4.42E-12	1.0E+06	4.4E-06
321	321	1.89262	5.31049E-07	1.0E-06	3.46E-04	3.48E-10	1.10E-01	1.57E-01	5.99E-12	1.0E+06	6.0E-06
322	322	2.72766	5.31049E-07	1.4E-06	3.46E-04	5.01E-10	1.10E-01	1.57E-01	8.64E-12	1.0E+06	8.6E-06
323	323	5.06474	5.31049E-07	2.7E-06	3.46E-04	9.31E-10	1.10E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05
324	324	0.15673	5.31049E-07	8.3E-08	3.46E-04	2.88E-11	1.10E-01	1.57E-01	4.96E-13	1.0E+06	5.0E-07
325	325	0.17554	5.31049E-07	9.3E-08	3.46E-04	3.23E-11	1.10E-01	1.57E-01	5.56E-13	1.0E+06	5.6E-07
326	326	0.19085	5.31049E-07	1.0E-07	3.46E-04	3.51E-11	1.10E-01	1.57E-01	6.04E-13	1.0E+06	6.0E-07
327	327	0.20541	5.31049E-07	1.1E-07	3.46E-04	3.78E-11	1.10E-01	1.57E-01	6.50E-13	1.0E+06	6.5E-07
328	328	0.25052	5.31049E-07	1.3E-07	3.46E-04	4.61E-11	1.10E-01	1.57E-01	7.93E-13	1.0E+06	7.9E-07
329	329	0.2702	5.31049E-07	1.4E-07	3.46E-04	4.97E-11	1.10E-01	1.57E-01	8.55E-13	1.0E+06	8.6E-07
330	330	0.27908	5.31049E-07	1.5E-07	3.46E-04	5.13E-11	1.10E-01	1.57E-01	8.84E-13	1.0E+06	8.8E-07
331	331	0.3205	5.31049E-07	1.7E-07	3.46E-04	5.89E-11	1.10E-01	1.57E-01	1.01E-12	1.0E+06	1.0E-06
332	332	0.37406	5.31049E-07	2.0E-07	3.46E-04	6.88E-11	1.10E-01	1.57E-01	1.18E-12	1.0E+06	1.2E-06
333	333	0.45331	5.31049E-07	2.4E-07	3.46E-04	8.33E-11	1.10E-01	1.57E-01	1.44E-12	1.0E+06	1.4E-06
334	334	0.54185	5.31049E-07	2.9E-07	3.46E-04	9.96E-11	1.10E-01	1.57E-01	1.72E-12	1.0E+06	1.7E-06
335	335	0.66128	5.31049E-07	3.5E-07	3.46E-04	1.22E-10	1.10E-01	1.57E-01	2.09E-12	1.0E+06	2.1E-06
336	336	0.6189	5.31049E-07	3.3E-07	3.46E-04	1.14E-10	1.10E-01	1.57E-01	1.96E-12	1.0E+06	2.0E-06
337	337	0.65562	5.31049E-07	3.5E-07	3.46E-04	1.21E-10	1.10E-01	1.57E-01	2.08E-12	1.0E+06	2.1E-06
338	338	0.11176	5.31049E-07	5.9E-08	3.46E-04	2.05E-11	1.10E-01	1.57E-01	3.54E-13	1.0E+06	3.5E-07
339	339	0.11819	5.31049E-07	6.3E-08	3.46E-04	2.17E-11	1.10E-01	1.57E-01	3.74E-13	1.0E+06	3.7E-07
340	340	0.12484	5.31049E-07	6.6E-08	3.46E-04	2.29E-11	1.10E-01	1.57E-01	3.95E-13	1.0E+06	4.0E-07
341	341	0.14128	5.31049E-07	7.5E-08	3.46E-04	2.60E-11	1.10E-01	1.57E-01	4.47E-13	1.0E+06	4.5E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.14866	5.31049E-07	7.9E-08	3.46E-04	2.73E-11	1.10E-01	1.57E-01	4.71E-13	1.0E+06	4.7E-07
343	343	0.15525	5.31049E-07	8.2E-08	3.46E-04	2.85E-11	1.10E-01	1.57E-01	4.91E-13	1.0E+06	4.9E-07
344	344	0.15747	5.31049E-07	8.4E-08	3.46E-04	2.89E-11	1.10E-01	1.57E-01	4.99E-13	1.0E+06	5.0E-07
345	345	0.15896	5.31049E-07	8.4E-08	3.46E-04	2.92E-11	1.10E-01	1.57E-01	5.03E-13	1.0E+06	5.0E-07
346	346	0.15957	5.31049E-07	8.5E-08	3.46E-04	2.93E-11	1.10E-01	1.57E-01	5.05E-13	1.0E+06	5.1E-07
347	347	0.11921	5.31049E-07	6.3E-08	3.46E-04	2.19E-11	1.10E-01	1.57E-01	3.77E-13	1.0E+06	3.8E-07
348	348	0.12876	5.31049E-07	6.8E-08	3.46E-04	2.37E-11	1.10E-01	1.57E-01	4.08E-13	1.0E+06	4.1E-07
349	349	0.13956	5.31049E-07	7.4E-08	3.46E-04	2.57E-11	1.10E-01	1.57E-01	4.42E-13	1.0E+06	4.4E-07
350	350	0.15863	5.31049E-07	8.4E-08	3.46E-04	2.92E-11	1.10E-01	1.57E-01	5.02E-13	1.0E+06	5.0E-07
351	351	0.16216	5.31049E-07	8.6E-08	3.46E-04	2.98E-11	1.10E-01	1.57E-01	5.13E-13	1.0E+06	5.1E-07
352	352	0.17101	5.31049E-07	9.1E-08	3.46E-04	3.14E-11	1.10E-01	1.57E-01	5.41E-13	1.0E+06	5.4E-07
353	353	0.17367	5.31049E-07	9.2E-08	3.46E-04	3.19E-11	1.10E-01	1.57E-01	5.50E-13	1.0E+06	5.5E-07
354	354	0.17503	5.31049E-07	9.3E-08	3.46E-04	3.22E-11	1.10E-01	1.57E-01	5.54E-13	1.0E+06	5.5E-07
355	355	0.17587	5.31049E-07	9.3E-08	3.46E-04	3.23E-11	1.10E-01	1.57E-01	5.57E-13	1.0E+06	5.6E-07
356	356	0.12802	5.31049E-07	6.8E-08	3.46E-04	2.35E-11	1.10E-01	1.57E-01	4.05E-13	1.0E+06	4.1E-07
357	357	0.13627	5.31049E-07	7.2E-08	3.46E-04	2.51E-11	1.10E-01	1.57E-01	4.31E-13	1.0E+06	4.3E-07
358	358	0.14674	5.31049E-07	7.8E-08	3.46E-04	2.70E-11	1.10E-01	1.57E-01	4.65E-13	1.0E+06	4.6E-07
359	359	0.15544	5.31049E-07	8.3E-08	3.46E-04	2.86E-11	1.10E-01	1.57E-01	4.92E-13	1.0E+06	4.9E-07
360	360	0.17573	5.31049E-07	9.3E-08	3.46E-04	3.23E-11	1.10E-01	1.57E-01	5.56E-13	1.0E+06	5.6E-07
361	361	0.18967	5.31049E-07	1.0E-07	3.46E-04	3.49E-11	1.10E-01	1.57E-01	6.00E-13	1.0E+06	6.0E-07
362	362	0.19284	5.31049E-07	1.0E-07	3.46E-04	3.54E-11	1.10E-01	1.57E-01	6.10E-13	1.0E+06	6.1E-07
363	363	0.19434	5.31049E-07	1.0E-07	3.46E-04	3.57E-11	1.10E-01	1.57E-01	6.15E-13	1.0E+06	6.2E-07
364	364	0.13949	5.31049E-07	7.4E-08	3.46E-04	2.56E-11	1.10E-01	1.57E-01	4.42E-13	1.0E+06	4.4E-07
365	365	0.14615	5.31049E-07	7.8E-08	3.46E-04	2.69E-11	1.10E-01	1.57E-01	4.63E-13	1.0E+06	4.6E-07
366	366	0.15889	5.31049E-07	8.4E-08	3.46E-04	2.92E-11	1.10E-01	1.57E-01	5.03E-13	1.0E+06	5.0E-07
367	367	0.17084	5.31049E-07	9.1E-08	3.46E-04	3.14E-11	1.10E-01	1.57E-01	5.41E-13	1.0E+06	5.4E-07
368	368	0.19065	5.31049E-07	1.0E-07	3.46E-04	3.50E-11	1.10E-01	1.57E-01	6.04E-13	1.0E+06	6.0E-07
369	369	0.21192	5.31049E-07	1.1E-07	3.46E-04	3.90E-11	1.10E-01	1.57E-01	6.71E-13	1.0E+06	6.7E-07
370	370	0.21837	5.31049E-07	1.2E-07	3.46E-04	4.01E-11	1.10E-01	1.57E-01	6.91E-13	1.0E+06	6.9E-07
371	371	0.21926	5.31049E-07	1.2E-07	3.46E-04	4.03E-11	1.10E-01	1.57E-01	6.94E-13	1.0E+06	6.9E-07
372	372	0.15445	5.31049E-07	8.2E-08	3.46E-04	2.84E-11	1.10E-01	1.57E-01	4.89E-13	1.0E+06	4.9E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.16153	5.31049E-07	8.6E-08	3.46E-04	2.97E-11	1.10E-01	1.57E-01	5.11E-13	1.0E+06	5.1E-07
374	374	0.17658	5.31049E-07	9.4E-08	3.46E-04	3.25E-11	1.10E-01	1.57E-01	5.59E-13	1.0E+06	5.6E-07
375	375	0.19007	5.31049E-07	1.0E-07	3.46E-04	3.49E-11	1.10E-01	1.57E-01	6.02E-13	1.0E+06	6.0E-07
376	376	0.21875	5.31049E-07	1.2E-07	3.46E-04	4.02E-11	1.10E-01	1.57E-01	6.93E-13	1.0E+06	6.9E-07
377	377	0.23178	5.31049E-07	1.2E-07	3.46E-04	4.26E-11	1.10E-01	1.57E-01	7.34E-13	1.0E+06	7.3E-07
378	378	0.23861	5.31049E-07	1.3E-07	3.46E-04	4.39E-11	1.10E-01	1.57E-01	7.55E-13	1.0E+06	7.6E-07
379	379	0.24698	5.31049E-07	1.3E-07	3.46E-04	4.54E-11	1.10E-01	1.57E-01	7.82E-13	1.0E+06	7.8E-07
380	380	0.24845	5.31049E-07	1.3E-07	3.46E-04	4.57E-11	1.10E-01	1.57E-01	7.87E-13	1.0E+06	7.9E-07
381	381	0.24807	5.31049E-07	1.3E-07	3.46E-04	4.56E-11	1.10E-01	1.57E-01	7.85E-13	1.0E+06	7.9E-07
382	382	0.17571	5.31049E-07	9.3E-08	3.46E-04	3.23E-11	1.10E-01	1.57E-01	5.56E-13	1.0E+06	5.6E-07
383	383	0.18762	5.31049E-07	1.0E-07	3.46E-04	3.45E-11	1.10E-01	1.57E-01	5.94E-13	1.0E+06	5.9E-07
384	384	0.19954	5.31049E-07	1.1E-07	3.46E-04	3.67E-11	1.10E-01	1.57E-01	6.32E-13	1.0E+06	6.3E-07
385	385	0.22033	5.31049E-07	1.2E-07	3.46E-04	4.05E-11	1.10E-01	1.57E-01	6.98E-13	1.0E+06	7.0E-07
386	386	0.25125	5.31049E-07	1.3E-07	3.46E-04	4.62E-11	1.10E-01	1.57E-01	7.95E-13	1.0E+06	8.0E-07
387	387	0.26303	5.31049E-07	1.4E-07	3.46E-04	4.84E-11	1.10E-01	1.57E-01	8.33E-13	1.0E+06	8.3E-07
388	388	0.27155	5.31049E-07	1.4E-07	3.46E-04	4.99E-11	1.10E-01	1.57E-01	8.60E-13	1.0E+06	8.6E-07
389	389	0.28226	5.31049E-07	1.5E-07	3.46E-04	5.19E-11	1.10E-01	1.57E-01	8.94E-13	1.0E+06	8.9E-07
390	390	0.28378	5.31049E-07	1.5E-07	3.46E-04	5.22E-11	1.10E-01	1.57E-01	8.98E-13	1.0E+06	9.0E-07
391	391	0.28322	5.31049E-07	1.5E-07	3.46E-04	5.21E-11	1.10E-01	1.57E-01	8.97E-13	1.0E+06	9.0E-07
392	392	0.27819	5.31049E-07	1.5E-07	3.46E-04	5.11E-11	1.10E-01	1.57E-01	8.81E-13	1.0E+06	8.8E-07
393	393	0.20198	5.31049E-07	1.1E-07	3.46E-04	3.71E-11	1.10E-01	1.57E-01	6.39E-13	1.0E+06	6.4E-07
394	394	0.2242	5.31049E-07	1.2E-07	3.46E-04	4.12E-11	1.10E-01	1.57E-01	7.10E-13	1.0E+06	7.1E-07
395	395	0.2503	5.31049E-07	1.3E-07	3.46E-04	4.60E-11	1.10E-01	1.57E-01	7.92E-13	1.0E+06	7.9E-07
396	396	0.27819	5.31049E-07	1.5E-07	3.46E-04	5.11E-11	1.10E-01	1.57E-01	8.81E-13	1.0E+06	8.8E-07
397	397	0.29449	5.31049E-07	1.6E-07	3.46E-04	5.41E-11	1.10E-01	1.57E-01	9.32E-13	1.0E+06	9.3E-07
398	398	0.30344	5.31049E-07	1.6E-07	3.46E-04	5.58E-11	1.10E-01	1.57E-01	9.61E-13	1.0E+06	9.6E-07
399	399	0.30844	5.31049E-07	1.6E-07	3.46E-04	5.67E-11	1.10E-01	1.57E-01	9.76E-13	1.0E+06	9.8E-07
400	400	0.32686	5.31049E-07	1.7E-07	3.46E-04	6.01E-11	1.10E-01	1.57E-01	1.03E-12	1.0E+06	1.0E-06
401	401	0.3287	5.31049E-07	1.7E-07	3.46E-04	6.04E-11	1.10E-01	1.57E-01	1.04E-12	1.0E+06	1.0E-06
402	402	0.32017	5.31049E-07	1.7E-07	3.46E-04	5.89E-11	1.10E-01	1.57E-01	1.01E-12	1.0E+06	1.0E-06
403	403	0.38088	5.31049E-07	2.0E-07	3.46E-04	7.00E-11	1.10E-01	1.57E-01	1.21E-12	1.0E+06	1.2E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.37568	5.31049E-07	2.0E-07	3.46E-04	6.91E-11	1.10E-01	1.57E-01	1.19E-12	1.0E+06	1.2E-06
405	405	0.36293	5.31049E-07	1.9E-07	3.46E-04	6.67E-11	1.10E-01	1.57E-01	1.15E-12	1.0E+06	1.1E-06
406	406	0.45644	5.31049E-07	2.4E-07	3.46E-04	8.39E-11	1.10E-01	1.57E-01	1.44E-12	1.0E+06	1.4E-06
407	407	0.42693	5.31049E-07	2.3E-07	3.46E-04	7.85E-11	1.10E-01	1.57E-01	1.35E-12	1.0E+06	1.4E-06
408	408	0.56093	5.31049E-07	3.0E-07	3.46E-04	1.03E-10	1.10E-01	1.57E-01	1.78E-12	1.0E+06	1.8E-06
409	409	0.51063	5.31049E-07	2.7E-07	3.46E-04	9.39E-11	1.10E-01	1.57E-01	1.62E-12	1.0E+06	1.6E-06
410	410	0.71333	5.31049E-07	3.8E-07	3.46E-04	1.31E-10	1.10E-01	1.57E-01	2.26E-12	1.0E+06	2.3E-06
411	411	0.66599	5.31049E-07	3.5E-07	3.46E-04	1.22E-10	1.10E-01	1.57E-01	2.11E-12	1.0E+06	2.1E-06
412	412	0.6284	5.31049E-07	3.3E-07	3.46E-04	1.16E-10	1.10E-01	1.57E-01	1.99E-12	1.0E+06	2.0E-06
413	413	0.95291	5.31049E-07	5.1E-07	3.46E-04	1.75E-10	1.10E-01	1.57E-01	3.02E-12	1.0E+06	3.0E-06
414	414	0.90293	5.31049E-07	4.8E-07	3.46E-04	1.66E-10	1.10E-01	1.57E-01	2.86E-12	1.0E+06	2.9E-06
415	415	0.84163	5.31049E-07	4.5E-07	3.46E-04	1.55E-10	1.10E-01	1.57E-01	2.66E-12	1.0E+06	2.7E-06
416	416	0.77138	5.31049E-07	4.1E-07	3.46E-04	1.42E-10	1.10E-01	1.57E-01	2.44E-12	1.0E+06	2.4E-06
417	417	1.3753	5.31049E-07	7.3E-07	3.46E-04	2.53E-10	1.10E-01	1.57E-01	4.35E-12	1.0E+06	4.4E-06
418	418	1.08271	5.31049E-07	5.7E-07	3.46E-04	1.99E-10	1.10E-01	1.57E-01	3.43E-12	1.0E+06	3.4E-06
419	419	0.94962	5.31049E-07	5.0E-07	3.46E-04	1.75E-10	1.10E-01	1.57E-01	3.01E-12	1.0E+06	3.0E-06
420	420	0.82685	5.31049E-07	4.4E-07	3.46E-04	1.52E-10	1.10E-01	1.57E-01	2.62E-12	1.0E+06	2.6E-06
421	421	2.28247	5.31049E-07	1.2E-06	3.46E-04	4.20E-10	1.10E-01	1.57E-01	7.23E-12	1.0E+06	7.2E-06
422	422	1.15445	5.31049E-07	6.1E-07	3.46E-04	2.12E-10	1.10E-01	1.57E-01	3.65E-12	1.0E+06	3.7E-06
423	423	0.96506	5.31049E-07	5.1E-07	3.46E-04	1.77E-10	1.10E-01	1.57E-01	3.06E-12	1.0E+06	3.1E-06
424	424	5.04745	5.31049E-07	2.7E-06	3.46E-04	9.28E-10	1.10E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05
425	425	1.09324	5.31049E-07	5.8E-07	3.46E-04	2.01E-10	1.10E-01	1.57E-01	3.46E-12	1.0E+06	3.5E-06
426	426	0.89433	5.31049E-07	4.7E-07	3.46E-04	1.64E-10	1.10E-01	1.57E-01	2.83E-12	1.0E+06	2.8E-06
427	427	6.20101	5.31049E-07	3.3E-06	3.46E-04	1.14E-09	1.10E-01	1.57E-01	1.96E-11	1.0E+06	2.0E-05
428	428	1.1954	5.31049E-07	6.3E-07	3.46E-04	2.20E-10	1.10E-01	1.57E-01	3.78E-12	1.0E+06	3.8E-06
429	429	0.95535	5.31049E-07	5.1E-07	3.46E-04	1.76E-10	1.10E-01	1.57E-01	3.02E-12	1.0E+06	3.0E-06
430	430	11.54302	5.31049E-07	6.1E-06	3.46E-04	2.12E-09	1.10E-01	1.57E-01	3.65E-11	1.0E+06	3.7E-05
431	431	0.99064	5.31049E-07	5.3E-07	3.46E-04	1.82E-10	1.10E-01	1.57E-01	3.14E-12	1.0E+06	3.1E-06
432	432	0.79362	5.31049E-07	4.2E-07	3.46E-04	1.46E-10	1.10E-01	1.57E-01	2.51E-12	1.0E+06	2.5E-06
433	433	8.5274	5.31049E-07	4.5E-06	3.46E-04	1.57E-09	1.10E-01	1.57E-01	2.70E-11	1.0E+06	2.7E-05
434	434	0.99888	5.31049E-07	5.3E-07	3.46E-04	1.84E-10	1.10E-01	1.57E-01	3.16E-12	1.0E+06	3.2E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.79674	5.31049E-07	4.2E-07	3.46E-04	1.46E-10	1.10E-01	1.57E-01	2.52E-12	1.0E+06	2.5E-06
436	436	15.01618	5.31049E-07	8.0E-06	3.46E-04	2.76E-09	1.10E-01	1.57E-01	4.75E-11	1.0E+06	4.8E-05
437	437	1.27715	5.31049E-07	6.8E-07	3.46E-04	2.35E-10	1.10E-01	1.57E-01	4.04E-12	1.0E+06	4.0E-06
438	438	0.98302	5.31049E-07	5.2E-07	3.46E-04	1.81E-10	1.10E-01	1.57E-01	3.11E-12	1.0E+06	3.1E-06
439	439	0.78064	5.31049E-07	4.1E-07	3.46E-04	1.44E-10	1.10E-01	1.57E-01	2.47E-12	1.0E+06	2.5E-06
440	440	18.45016	5.31049E-07	9.8E-06	3.46E-04	3.39E-09	1.10E-01	1.57E-01	5.84E-11	1.0E+06	5.8E-05
441	441	2.39204	5.31049E-07	1.3E-06	3.46E-04	4.40E-10	1.10E-01	1.57E-01	7.57E-12	1.0E+06	7.6E-06
442	442	1.67555	5.31049E-07	8.9E-07	3.46E-04	3.08E-10	1.10E-01	1.57E-01	5.30E-12	1.0E+06	5.3E-06
443	443	1.23172	5.31049E-07	6.5E-07	3.46E-04	2.26E-10	1.10E-01	1.57E-01	3.90E-12	1.0E+06	3.9E-06
444	444	0.94597	5.31049E-07	5.0E-07	3.46E-04	1.74E-10	1.10E-01	1.57E-01	2.99E-12	1.0E+06	3.0E-06
445	445	13.30967	5.31049E-07	7.1E-06	3.46E-04	2.45E-09	1.10E-01	1.57E-01	4.21E-11	1.0E+06	4.2E-05
446	446	3.54629	5.31049E-07	1.9E-06	3.46E-04	6.52E-10	1.10E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
447	447	2.26566	5.31049E-07	1.2E-06	3.46E-04	4.16E-10	1.10E-01	1.57E-01	7.17E-12	1.0E+06	7.2E-06
448	448	1.57428	5.31049E-07	8.4E-07	3.46E-04	2.89E-10	1.10E-01	1.57E-01	4.98E-12	1.0E+06	5.0E-06
449	449	9.76539	5.31049E-07	5.2E-06	3.46E-04	1.80E-09	1.10E-01	1.57E-01	3.09E-11	1.0E+06	3.1E-05
450	450	5.20744	5.31049E-07	2.8E-06	3.46E-04	9.57E-10	1.10E-01	1.57E-01	1.65E-11	1.0E+06	1.6E-05
451	451	3.13404	5.31049E-07	1.7E-06	3.46E-04	5.76E-10	1.10E-01	1.57E-01	9.92E-12	1.0E+06	9.9E-06
452	452	7.24942	5.31049E-07	3.8E-06	3.46E-04	1.33E-09	1.10E-01	1.57E-01	2.29E-11	1.0E+06	2.3E-05
453	453	4.22012	5.31049E-07	2.2E-06	3.46E-04	7.76E-10	1.10E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
454	454	0.62227	5.31049E-07	3.3E-07	3.46E-04	1.14E-10	1.10E-01	1.57E-01	1.97E-12	1.0E+06	2.0E-06
455	455	0.51862	5.31049E-07	2.8E-07	3.46E-04	9.53E-11	1.10E-01	1.57E-01	1.64E-12	1.0E+06	1.6E-06
456	456	5.32173	5.31049E-07	2.8E-06	3.46E-04	9.78E-10	1.10E-01	1.57E-01	1.68E-11	1.0E+06	1.7E-05
457	457	3.35476	5.31049E-07	1.8E-06	3.46E-04	6.17E-10	1.10E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
458	458	2.25817	5.31049E-07	1.2E-06	3.46E-04	4.15E-10	1.10E-01	1.57E-01	7.15E-12	1.0E+06	7.1E-06
459	459	0.89995	5.31049E-07	4.8E-07	3.46E-04	1.65E-10	1.10E-01	1.57E-01	2.85E-12	1.0E+06	2.8E-06
460	460	0.71561	5.31049E-07	3.8E-07	3.46E-04	1.32E-10	1.10E-01	1.57E-01	2.27E-12	1.0E+06	2.3E-06
461	461	0.58362	5.31049E-07	3.1E-07	3.46E-04	1.07E-10	1.10E-01	1.57E-01	1.85E-12	1.0E+06	1.8E-06
462	462	0.4864	5.31049E-07	2.6E-07	3.46E-04	8.94E-11	1.10E-01	1.57E-01	1.54E-12	1.0E+06	1.5E-06
463	463	0.68728	5.31049E-07	3.6E-07	3.46E-04	1.26E-10	1.10E-01	1.57E-01	2.18E-12	1.0E+06	2.2E-06
464	464	0.74037	5.31049E-07	3.9E-07	3.46E-04	1.36E-10	1.10E-01	1.57E-01	2.34E-12	1.0E+06	2.3E-06
465	465	0.91889	5.31049E-07	4.9E-07	3.46E-04	1.69E-10	1.10E-01	1.57E-01	2.91E-12	1.0E+06	2.9E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	1.09813	5.31049E-07	5.8E-07	3.46E-04	2.02E-10	1.10E-01	1.57E-01	3.48E-12	1.0E+06	3.5E-06
467	467	1.34535	5.31049E-07	7.1E-07	3.46E-04	2.47E-10	1.10E-01	1.57E-01	4.26E-12	1.0E+06	4.3E-06
468	468	2.1815	5.31049E-07	1.2E-06	3.46E-04	4.01E-10	1.10E-01	1.57E-01	6.91E-12	1.0E+06	6.9E-06
469	469	4.48594	5.31049E-07	2.4E-06	3.46E-04	8.25E-10	1.10E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
470	470	3.76196	5.31049E-07	2.0E-06	3.46E-04	6.92E-10	1.10E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
471	471	6.62671	5.31049E-07	3.5E-06	3.46E-04	1.22E-09	1.10E-01	1.57E-01	2.10E-11	1.0E+06	2.1E-05
472	472	4.69648	5.31049E-07	2.5E-06	3.46E-04	8.63E-10	1.10E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
473	473	12.12882	5.31049E-07	6.4E-06	3.46E-04	2.23E-09	1.10E-01	1.57E-01	3.84E-11	1.0E+06	3.8E-05
474	474	5.50006	5.31049E-07	2.9E-06	3.46E-04	1.01E-09	1.10E-01	1.57E-01	1.74E-11	1.0E+06	1.7E-05
475	475	13.32507	5.31049E-07	7.1E-06	3.46E-04	2.45E-09	1.10E-01	1.57E-01	4.22E-11	1.0E+06	4.2E-05
476	476	6.35566	5.31049E-07	3.4E-06	3.46E-04	1.17E-09	1.10E-01	1.57E-01	2.01E-11	1.0E+06	2.0E-05
477	477	14.88752	5.31049E-07	7.9E-06	3.46E-04	2.74E-09	1.10E-01	1.57E-01	4.71E-11	1.0E+06	4.7E-05
478	478	7.83866	5.31049E-07	4.2E-06	3.46E-04	1.44E-09	1.10E-01	1.57E-01	2.48E-11	1.0E+06	2.5E-05
479	479	8.84278	5.31049E-07	4.7E-06	3.46E-04	1.63E-09	1.10E-01	1.57E-01	2.80E-11	1.0E+06	2.8E-05
480	480	17.46115	5.31049E-07	9.3E-06	3.46E-04	3.21E-09	1.10E-01	1.57E-01	5.53E-11	1.0E+06	5.5E-05
481	481	10.57872	5.31049E-07	5.6E-06	3.46E-04	1.94E-09	1.10E-01	1.57E-01	3.35E-11	1.0E+06	3.3E-05
482	482	14.19131	5.31049E-07	7.5E-06	3.46E-04	2.61E-09	1.10E-01	1.57E-01	4.49E-11	1.0E+06	4.5E-05
483	483	10.87525	5.31049E-07	5.8E-06	3.46E-04	2.00E-09	1.10E-01	1.57E-01	3.44E-11	1.0E+06	3.4E-05
484	484	13.85496	5.31049E-07	7.4E-06	3.46E-04	2.55E-09	1.10E-01	1.57E-01	4.39E-11	1.0E+06	4.4E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1			0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
2	2		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
3	3		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
4	4		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
5	5		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
6	6		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
7	7		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
8	8		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
9	9		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
10	10		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
11	11		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
12	12		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
13	13		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
14	14		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
15	15		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
16	16		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
17	17		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
18	18		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
19	19		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
20	20		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
21	21		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
22	22		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
23	23		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
24	24		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
25	25		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
26	26		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
27	27		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
28	28		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
29	29		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
30	30		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
31	31		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

				Cancer risk from 3rd Trimester - Haul 2							
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
33	33		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
34	34		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
35	35		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
36	36		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
37	37		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
38	38		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
39	39		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
40	40		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
41	41		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
42	42		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
43	43		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
44	44		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
45	45		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
46	46		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
47	47		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
48	48		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
49	49		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
50	50		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
51	51		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
52	52		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
53	53		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
54	54		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
55	55		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
56	56		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
57	57		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
58	58		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
59	59		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
60	60		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
61	61		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
62	62		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
64	64		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
65	65		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
66	66		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
67	67		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
68	68		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
69	69		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
70	70		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
71	71		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
72	72		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
73	73		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
74	74		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
75	75		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
76	76		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
77	77		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
78	78		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
79	79		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
80	80		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
81	81		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
82	82		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
83	83		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
84	84		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
85	85		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
86	86		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
87	87		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
88	88		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
89	89		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
90	90		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
91	91		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
92	92		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
93	93		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
95	95		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
96	96		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
97	97		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
98	98		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
99	99		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
100	100		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
101	101		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
102	102		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
103	103		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
104	104		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
105	105		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
106	106		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
107	107		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
108	108		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
109	109		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
110	110		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
111	111		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
112	112		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
113	113		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
114	114		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
115	115		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
116	116		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
117	117		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
118	118		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
119	119		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
120	120		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
121	121		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
122	122		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
123	123		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
124	124		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

				Cancer risk from 3rd Trimester - Haul 2							
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
126	126		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
127	127		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
128	128		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
129	129		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
130	130		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
131	131		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
132	132		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
133	133		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
134	134		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
135	135		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
136	136		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
137	137		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
138	138		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
139	139		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
140	140		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
141	141		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
142	142		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
143	143		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
144	144		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
145	145		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
146	146		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
147	147		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
148	148		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
149	149		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
150	150		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
151	151		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
152	152		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
153	153		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
154	154		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
155	155		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

				Cancer risk from 3rd Trimester - Haul 2							
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
157	157		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
158	158		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
159	159		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
160	160		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
161	161		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
162	162		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
163	163		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
164	164		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
165	165		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
166	166		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
167	167		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
168	168		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
169	169		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
170	170		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
171	171		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
172	172		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
173	173		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
174	174		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
175	175		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
176	176		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
177	177		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
178	178		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
179	179		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
180	180		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
181	181		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
182	182		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
183	183		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
184	184		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
185	185		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
186	186		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
188	188		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
189	189		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
190	190		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
191	191		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
192	192		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
193	193		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
194	194		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
195	195		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
196	196		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
197	197		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
198	198		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
199	199		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
200	200		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
201	201		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
202	202		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
203	203		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
204	204		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
205	205		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
206	206		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
207	207		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
208	208		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
209	209		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
210	210		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
211	211		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
212	212		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
213	213		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
214	214		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
215	215		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
216	216		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
217	217		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
219	219		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
220	220		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
221	221		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
222	222		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
223	223		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
224	224		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
225	225		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
226	226		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
227	227		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
228	228		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
229	229		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
230	230		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
231	231		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
232	232		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
233	233		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
234	234		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
235	235		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
236	236		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
237	237		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
238	238		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
239	239		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
240	240		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
241	241		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
242	242		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
243	243		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
244	244		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
245	245		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
246	246		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
247	247		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
248	248		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
250	250		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
251	251		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
252	252		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
253	253		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
254	254		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
255	255		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
256	256		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
257	257		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
258	258		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
259	259		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
260	260		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
261	261		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
262	262		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
263	263		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
264	264		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
265	265		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
266	266		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
267	267		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
268	268		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
269	269		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
270	270		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
271	271		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
272	272		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
273	273		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
274	274		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
275	275		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
276	276		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
277	277		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
278	278		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
279	279		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
281	281		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
282	282		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
283	283		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
284	284		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
285	285		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
286	286		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
287	287		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
288	288		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
289	289		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
290	290		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
291	291		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
292	292		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
293	293		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
294	294		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
295	295		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
296	296		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
297	297		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
298	298		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
299	299		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
300	300		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
301	301		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
302	302		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
303	303		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
304	304		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
305	305		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
306	306		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
307	307		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
308	308		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
309	309		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
310	310		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
312	312		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
313	313		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
314	314		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
315	315		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
316	316		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
317	317		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
318	318		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
319	319		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
320	320		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
321	321		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
322	322		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
323	323		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
324	324		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
325	325		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
326	326		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
327	327		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
328	328		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
329	329		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
330	330		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
331	331		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
332	332		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
333	333		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
334	334		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
335	335		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
336	336		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
337	337		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
338	338		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
339	339		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
340	340		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
341	341		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
343	343		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
344	344		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
345	345		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
346	346		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
347	347		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
348	348		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
349	349		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
350	350		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
351	351		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
352	352		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
353	353		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
354	354		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
355	355		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
356	356		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
357	357		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
358	358		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
359	359		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
360	360		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
361	361		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
362	362		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
363	363		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
364	364		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
365	365		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
366	366		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
367	367		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
368	368		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
369	369		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
370	370		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
371	371		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
372	372		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
374	374		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
375	375		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
376	376		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
377	377		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
378	378		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
379	379		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
380	380		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
381	381		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
382	382		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
383	383		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
384	384		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
385	385		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
386	386		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
387	387		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
388	388		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
389	389		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
390	390		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
391	391		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
392	392		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
393	393		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
394	394		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
395	395		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
396	396		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
397	397		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
398	398		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
399	399		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
400	400		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
401	401		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
402	402		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
403	403		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
405	405		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
406	406		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
407	407		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
408	408		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
409	409		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
410	410		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
411	411		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
412	412		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
413	413		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
414	414		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
415	415		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
416	416		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
417	417		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
418	418		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
419	419		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
420	420		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
421	421		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
422	422		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
423	423		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
424	424		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
425	425		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
426	426		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
427	427		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
428	428		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
429	429		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
430	430		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
431	431		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
432	432		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
433	433		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
434	434		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
436	436		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
437	437		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
438	438		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
439	439		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
440	440		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
441	441		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
442	442		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
443	443		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
444	444		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
445	445		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
446	446		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
447	447		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
448	448		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
449	449		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
450	450		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
451	451		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
452	452		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
453	453		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
454	454		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
455	455		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
456	456		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
457	457		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
458	458		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
459	459		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
460	460		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
461	461		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
462	462		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
463	463		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
464	464		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
465	465		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

				Cancer risk from 3rd Trimester - Haul 2							
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
467	467		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
468	468		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
469	469		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
470	470		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
471	471		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
472	472		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
473	473		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
474	474		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
475	475		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
476	476		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
477	477		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
478	478		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
479	479		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
480	480		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
481	481		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
482	482		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
483	483		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00
484	484		0	0.0E+00	3.46E-04	0.00E+00	1.10E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk				*Chronic Non Cancer Risk*				
Receptor #	**Receptor #**	**Total Risk/ Million**	**Max**	**Receptor #**	**REL**	**HI**	**Max**	**Receptor #**	
1	1	1.5E-03	0.527	471	5	5.12E-05	0.018	471	Res
2	2	1.5E-03			5	5.18E-05			
3	3	1.6E-03			5	5.23E-05			
4	4	1.6E-03			5	5.30E-05			
5	5	1.6E-03			5	5.37E-05			
6	6	1.6E-03			5	5.51E-05			
7	7	1.7E-03			5	5.69E-05			
8	8	1.8E-03			5	5.91E-05			
9	9	1.8E-03			5	6.18E-05			
10	10	1.9E-03			5	6.52E-05			
11	11	2.1E-03			5	6.97E-05			
12	12	2.2E-03			5	7.45E-05			
13	13	2.4E-03			5	7.98E-05			
14	14	3.3E-03			5	1.11E-04			
15	15	1.7E-03			5	5.69E-05			
16	16	1.7E-03			5	5.75E-05			
17	17	1.7E-03			5	5.84E-05			
18	18	1.8E-03			5	5.90E-05			
19	19	1.8E-03			5	5.95E-05			
20	20	1.8E-03			5	6.05E-05			
21	21	1.8E-03			5	6.20E-05			
22	22	1.9E-03			5	6.38E-05			
23	23	2.0E-03			5	6.70E-05			
24	24	2.1E-03			5	7.02E-05			
25	25	2.3E-03			5	7.55E-05			
26	26	2.4E-03			5	8.13E-05			
27	27	2.6E-03			5	8.64E-05			
28	28	3.7E-03			5	1.25E-04			
29	29	1.9E-03			5	6.30E-05			
30	30	1.9E-03			5	6.43E-05			
31	31	2.0E-03			5	6.57E-05			

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	2.0E-03	5	6.67E-05
33	33	2.0E-03	5	6.67E-05
34	34	2.0E-03	5	6.76E-05
35	35	2.0E-03	5	6.86E-05
36	36	2.1E-03	5	7.04E-05
37	37	2.2E-03	5	7.31E-05
38	38	2.3E-03	5	7.70E-05
39	39	2.4E-03	5	8.22E-05
40	40	2.6E-03	5	8.79E-05
41	41	2.8E-03	5	9.38E-05
42	42	4.2E-03	5	1.41E-04
43	43	2.1E-03	5	6.92E-05
44	44	2.1E-03	5	7.12E-05
45	45	2.2E-03	5	7.30E-05
46	46	2.2E-03	5	7.44E-05
47	47	2.2E-03	5	7.52E-05
48	48	2.3E-03	5	7.60E-05
49	49	2.3E-03	5	7.67E-05
50	50	2.3E-03	5	7.76E-05
51	51	2.4E-03	5	8.10E-05
52	52	2.5E-03	5	8.47E-05
53	53	2.7E-03	5	9.03E-05
54	54	2.9E-03	5	9.70E-05
55	55	3.1E-03	5	1.05E-04
56	56	4.8E-03	5	1.62E-04
57	57	2.2E-03	5	7.53E-05
58	58	2.3E-03	5	7.80E-05
59	59	2.4E-03	5	8.06E-05
60	60	2.5E-03	5	8.30E-05
61	61	2.5E-03	5	8.49E-05
62	62	2.6E-03	5	8.64E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	2.6E-03	5	8.85E-05
64	64	2.6E-03	5	8.81E-05
65	65	2.7E-03	5	9.11E-05
66	66	2.8E-03	5	9.52E-05
67	67	3.0E-03	5	9.98E-05
68	68	3.2E-03	5	1.08E-04
69	69	3.5E-03	5	1.18E-04
70	70	2.4E-03	5	8.15E-05
71	71	2.5E-03	5	8.50E-05
72	72	2.6E-03	5	8.86E-05
73	73	2.7E-03	5	9.20E-05
74	74	2.8E-03	5	9.50E-05
75	75	2.9E-03	5	9.86E-05
76	76	3.0E-03	5	1.02E-04
77	77	3.1E-03	5	1.03E-04
78	78	3.2E-03	5	1.06E-04
79	79	3.4E-03	5	1.14E-04
80	80	3.5E-03	5	1.17E-04
81	81	3.8E-03	5	1.29E-04
82	82	4.1E-03	5	1.37E-04
83	83	2.6E-03	5	8.76E-05
84	84	2.7E-03	5	9.21E-05
85	85	2.9E-03	5	9.60E-05
86	86	3.0E-03	5	1.02E-04
87	87	3.2E-03	5	1.06E-04
88	88	3.3E-03	5	1.11E-04
89	89	3.5E-03	5	1.16E-04
90	90	3.6E-03	5	1.21E-04
91	91	3.8E-03	5	1.27E-04
92	92	4.0E-03	5	1.34E-04
93	93	4.2E-03	5	1.41E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	4.5E-03	5	1.51E-04
95	95	4.9E-03	5	1.64E-04
96	96	2.8E-03	5	9.33E-05
97	97	2.9E-03	5	9.77E-05
98	98	3.1E-03	5	1.03E-04
99	99	3.3E-03	5	1.10E-04
100	100	3.5E-03	5	1.18E-04
101	101	3.7E-03	5	1.24E-04
102	102	3.9E-03	5	1.31E-04
103	103	4.1E-03	5	1.38E-04
104	104	4.3E-03	5	1.46E-04
105	105	4.6E-03	5	1.54E-04
106	106	4.9E-03	5	1.63E-04
107	107	5.2E-03	5	1.75E-04
108	108	5.6E-03	5	1.90E-04
109	109	2.9E-03	5	9.74E-05
110	110	3.1E-03	5	1.04E-04
111	111	3.3E-03	5	1.12E-04
112	112	3.6E-03	5	1.20E-04
113	113	3.8E-03	5	1.28E-04
114	114	4.1E-03	5	1.37E-04
115	115	4.4E-03	5	1.47E-04
116	116	4.7E-03	5	1.57E-04
117	117	5.0E-03	5	1.67E-04
118	118	5.2E-03	5	1.73E-04
119	119	5.5E-03	5	1.86E-04
120	120	5.9E-03	5	1.99E-04
121	121	6.4E-03	5	2.14E-04
122	122	3.0E-03	5	1.00E-04
123	123	3.2E-03	5	1.09E-04
124	124	3.5E-03	5	1.18E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	3.8E-03	5	1.28E-04
126	126	4.1E-03	5	1.38E-04
127	127	4.5E-03	5	1.49E-04
128	128	4.7E-03	5	1.57E-04
129	129	5.1E-03	5	1.70E-04
130	130	5.6E-03	5	1.88E-04
131	131	1.7E-02	5	5.72E-04
132	132	1.8E-02	5	5.93E-04
133	133	3.0E-03	5	1.01E-04
134	134	3.3E-03	5	1.11E-04
135	135	3.6E-03	5	1.22E-04
136	136	4.0E-03	5	1.34E-04
137	137	4.4E-03	5	1.46E-04
138	138	4.7E-03	5	1.59E-04
139	139	5.1E-03	5	1.72E-04
140	140	5.7E-03	5	1.93E-04
141	141	6.3E-03	5	2.13E-04
142	142	7.0E-03	5	2.34E-04
143	143	7.7E-03	5	2.59E-04
144	144	8.6E-03	5	2.89E-04
145	145	9.5E-03	5	3.20E-04
146	146	2.3E-02	5	7.72E-04
147	147	2.9E-03	5	9.88E-05
148	148	3.3E-03	5	1.10E-04
149	149	3.6E-03	5	1.22E-04
150	150	4.0E-03	5	1.35E-04
151	151	4.5E-03	5	1.50E-04
152	152	4.9E-03	5	1.66E-04
153	153	5.5E-03	5	1.83E-04
154	154	6.1E-03	5	2.04E-04
155	155	6.9E-03	5	2.30E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	7.7E-03	5	2.59E-04
157	157	8.7E-03	5	2.91E-04
158	158	9.7E-03	5	3.26E-04
159	159	1.1E-02	5	3.81E-04
160	160	2.9E-03	5	9.61E-05
161	161	3.2E-03	5	1.06E-04
162	162	3.5E-03	5	1.16E-04
163	163	3.9E-03	5	1.31E-04
164	164	4.5E-03	5	1.50E-04
165	165	5.0E-03	5	1.67E-04
166	166	5.6E-03	5	1.89E-04
167	167	6.4E-03	5	2.14E-04
168	168	7.3E-03	5	2.45E-04
169	169	8.4E-03	5	2.82E-04
170	170	9.7E-03	5	3.26E-04
171	171	1.1E-02	5	3.78E-04
172	172	1.3E-02	5	4.50E-04
173	173	1.6E-02	5	5.45E-04
174	174	2.0E-02	5	6.72E-04
175	175	2.5E-02	5	8.43E-04
176	176	3.3E-02	5	1.12E-03
177	177	4.4E-02	5	1.46E-03
178	178	5.5E-02	5	1.84E-03
179	179	2.7E-03	5	8.93E-05
180	180	2.9E-03	5	9.78E-05
181	181	3.2E-03	5	1.06E-04
182	182	3.7E-03	5	1.23E-04
183	183	4.3E-03	5	1.45E-04
184	184	4.9E-03	5	1.65E-04
185	185	5.6E-03	5	1.89E-04
186	186	6.5E-03	5	2.17E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	7.5E-03	5	2.50E-04
188	188	8.7E-03	5	2.93E-04
189	189	1.0E-02	5	3.46E-04
190	190	1.2E-02	5	4.14E-04
191	191	1.5E-02	5	5.03E-04
192	192	1.9E-02	5	6.31E-04
193	193	2.4E-02	5	8.10E-04
194	194	3.3E-02	5	1.09E-03
195	195	4.7E-02	5	1.59E-03
196	196	7.2E-02	5	2.40E-03
197	197	1.1E-01	5	3.52E-03
198	198	2.5E-03	5	8.34E-05
199	199	2.7E-03	5	9.18E-05
200	200	3.0E-03	5	1.01E-04
201	201	3.4E-03	5	1.15E-04
202	202	4.1E-03	5	1.36E-04
203	203	4.7E-03	5	1.57E-04
204	204	5.4E-03	5	1.82E-04
205	205	6.3E-03	5	2.11E-04
206	206	7.3E-03	5	2.46E-04
207	207	8.6E-03	5	2.90E-04
208	208	1.0E-02	5	3.47E-04
209	209	1.3E-02	5	4.23E-04
210	210	1.6E-02	5	5.27E-04
211	211	2.0E-02	5	6.79E-04
212	212	2.7E-02	5	9.06E-04
213	213	3.8E-02	5	1.26E-03
214	214	5.5E-02	5	1.86E-03
215	215	1.2E-01	5	3.87E-03
216	216	2.4E-03	5	7.90E-05
217	217	2.6E-03	5	8.64E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	2.9E-03	5	9.58E-05
219	219	3.2E-03	5	1.08E-04
220	220	3.8E-03	5	1.27E-04
221	221	4.3E-03	5	1.46E-04
222	222	5.1E-03	5	1.70E-04
223	223	5.9E-03	5	1.98E-04
224	224	6.9E-03	5	2.32E-04
225	225	8.2E-03	5	2.74E-04
226	226	9.8E-03	5	3.29E-04
227	227	1.2E-02	5	4.03E-04
228	228	1.5E-02	5	5.06E-04
229	229	2.0E-02	5	6.59E-04
230	230	2.7E-02	5	8.98E-04
231	231	3.9E-02	5	1.32E-03
232	232	6.5E-02	5	2.19E-03
233	233	1.6E-01	5	5.51E-03
234	234	2.3E-03	5	7.57E-05
235	235	2.5E-03	5	8.23E-05
236	236	2.7E-03	5	9.12E-05
237	237	3.1E-03	5	1.03E-04
238	238	3.5E-03	5	1.19E-04
239	239	4.1E-03	5	1.36E-04
240	240	4.7E-03	5	1.58E-04
241	241	5.5E-03	5	1.84E-04
242	242	6.4E-03	5	2.15E-04
243	243	7.6E-03	5	2.54E-04
244	244	9.1E-03	5	3.06E-04
245	245	1.1E-02	5	3.75E-04
246	246	1.4E-02	5	4.71E-04
247	247	1.8E-02	5	6.10E-04
248	248	2.5E-02	5	8.28E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	3.6E-02	5	1.20E-03
250	250	5.9E-02	5	1.99E-03
251	251	1.5E-01	5	4.89E-03
252	252	2.2E-03	5	7.29E-05
253	253	2.3E-03	5	7.88E-05
254	254	2.6E-03	5	8.65E-05
255	255	2.9E-03	5	9.63E-05
256	256	3.4E-03	5	1.13E-04
257	257	3.7E-03	5	1.25E-04
258	258	4.2E-03	5	1.42E-04
259	259	4.8E-03	5	1.62E-04
260	260	5.7E-03	5	1.92E-04
261	261	6.9E-03	5	2.32E-04
262	262	8.4E-03	5	2.81E-04
263	263	1.0E-02	5	3.42E-04
264	264	1.3E-02	5	4.29E-04
265	265	1.6E-02	5	5.47E-04
266	266	2.2E-02	5	7.28E-04
267	267	3.0E-02	5	1.02E-03
268	268	4.6E-02	5	1.54E-03
269	269	9.3E-02	5	3.13E-03
270	270	2.1E-03	5	7.09E-05
271	271	2.3E-03	5	7.69E-05
272	272	2.5E-03	5	8.44E-05
273	273	2.8E-03	5	9.31E-05
274	274	3.3E-03	5	1.10E-04
275	275	3.7E-03	5	1.25E-04
276	276	4.0E-03	5	1.34E-04
277	277	4.5E-03	5	1.51E-04
278	278	5.2E-03	5	1.75E-04
279	279	6.2E-03	5	2.07E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	7.6E-03	5	2.54E-04
281	281	9.3E-03	5	3.13E-04
282	282	1.2E-02	5	3.89E-04
283	283	1.5E-02	5	4.91E-04
284	284	1.9E-02	5	6.34E-04
285	285	2.5E-02	5	8.37E-04
286	286	3.5E-02	5	1.18E-03
287	287	6.3E-02	5	2.10E-03
288	288	2.1E-03	5	6.98E-05
289	289	2.2E-03	5	7.51E-05
290	290	2.5E-03	5	8.39E-05
291	291	2.8E-03	5	9.32E-05
292	292	3.4E-03	5	1.13E-04
293	293	3.7E-03	5	1.23E-04
294	294	3.8E-03	5	1.27E-04
295	295	4.3E-03	5	1.44E-04
296	296	5.0E-03	5	1.66E-04
297	297	5.7E-03	5	1.91E-04
298	298	6.8E-03	5	2.27E-04
299	299	8.4E-03	5	2.81E-04
300	300	1.0E-02	5	3.43E-04
301	301	1.3E-02	5	4.29E-04
302	302	1.6E-02	5	5.41E-04
303	303	2.1E-02	5	6.97E-04
304	304	2.8E-02	5	9.36E-04
305	305	4.5E-02	5	1.51E-03
306	306	2.2E-03	5	7.22E-05
307	307	2.3E-03	5	7.58E-05
308	308	2.5E-03	5	8.24E-05
309	309	2.9E-03	5	9.63E-05
310	310	3.3E-03	5	1.11E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	3.6E-03	5	1.20E-04
312	312	3.6E-03	5	1.21E-04
313	313	4.1E-03	5	1.36E-04
314	314	4.7E-03	5	1.56E-04
315	315	5.5E-03	5	1.85E-04
316	316	6.3E-03	5	2.11E-04
317	317	7.4E-03	5	2.47E-04
318	318	8.9E-03	5	2.97E-04
319	319	1.1E-02	5	3.68E-04
320	320	1.4E-02	5	4.69E-04
321	321	1.7E-02	5	5.85E-04
322	322	2.3E-02	5	7.57E-04
323	323	3.4E-02	5	1.13E-03
324	324	2.1E-03	5	7.08E-05
325	325	2.3E-03	5	7.85E-05
326	326	2.5E-03	5	8.46E-05
327	327	2.7E-03	5	9.01E-05
328	328	3.2E-03	5	1.09E-04
329	329	3.5E-03	5	1.16E-04
330	330	3.5E-03	5	1.17E-04
331	331	3.9E-03	5	1.32E-04
332	332	4.5E-03	5	1.51E-04
333	333	5.3E-03	5	1.78E-04
334	334	6.1E-03	5	2.04E-04
335	335	7.1E-03	5	2.37E-04
336	336	2.1E-02	5	6.91E-04
337	337	2.2E-02	5	7.27E-04
338	338	2.4E-03	5	8.06E-05
339	339	2.6E-03	5	8.61E-05
340	340	2.9E-03	5	9.81E-05
341	341	3.1E-03	5	1.04E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	3.2E-03	5	1.08E-04
343	343	3.4E-03	5	1.13E-04
344	344	3.4E-03	5	1.15E-04
345	345	3.4E-03	5	1.16E-04
346	346	3.4E-03	5	1.16E-04
347	347	2.6E-03	5	8.72E-05
348	348	2.8E-03	5	9.55E-05
349	349	3.3E-03	5	1.12E-04
350	350	3.5E-03	5	1.17E-04
351	351	3.6E-03	5	1.21E-04
352	352	3.8E-03	5	1.27E-04
353	353	3.9E-03	5	1.29E-04
354	354	3.9E-03	5	1.30E-04
355	355	3.9E-03	5	1.30E-04
356	356	2.8E-03	5	9.52E-05
357	357	3.1E-03	5	1.03E-04
358	358	3.3E-03	5	1.12E-04
359	359	3.8E-03	5	1.28E-04
360	360	4.1E-03	5	1.36E-04
361	361	4.3E-03	5	1.45E-04
362	362	4.4E-03	5	1.47E-04
363	363	4.4E-03	5	1.48E-04
364	364	3.2E-03	5	1.06E-04
365	365	3.3E-03	5	1.12E-04
366	366	3.7E-03	5	1.24E-04
367	367	4.3E-03	5	1.44E-04
368	368	4.6E-03	5	1.55E-04
369	369	5.0E-03	5	1.66E-04
370	370	5.1E-03	5	1.71E-04
371	371	5.1E-03	5	1.70E-04
372	372	3.6E-03	5	1.20E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	3.8E-03	5	1.27E-04
374	374	4.2E-03	5	1.41E-04
375	375	4.9E-03	5	1.65E-04
376	376	5.3E-03	5	1.79E-04
377	377	5.6E-03	5	1.87E-04
378	378	5.8E-03	5	1.93E-04
379	379	5.9E-03	5	1.99E-04
380	380	5.9E-03	5	1.99E-04
381	381	5.9E-03	5	1.97E-04
382	382	4.2E-03	5	1.40E-04
383	383	4.5E-03	5	1.52E-04
384	384	4.9E-03	5	1.64E-04
385	385	5.9E-03	5	1.97E-04
386	386	6.2E-03	5	2.09E-04
387	387	6.6E-03	5	2.20E-04
388	388	6.8E-03	5	2.28E-04
389	389	7.0E-03	5	2.36E-04
390	390	7.0E-03	5	2.35E-04
391	391	6.9E-03	5	2.32E-04
392	392	6.7E-03	5	2.24E-04
393	393	5.0E-03	5	1.67E-04
394	394	5.9E-03	5	1.99E-04
395	395	6.6E-03	5	2.22E-04
396	396	7.1E-03	5	2.38E-04
397	397	7.6E-03	5	2.55E-04
398	398	7.9E-03	5	2.63E-04
399	399	7.9E-03	5	2.66E-04
400	400	8.5E-03	5	2.84E-04
401	401	8.4E-03	5	2.83E-04
402	402	7.9E-03	5	2.66E-04
403	403	1.0E-02	5	3.46E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	9.7E-03	5	3.25E-04
405	405	9.1E-03	5	3.05E-04
406	406	1.3E-02	5	4.37E-04
407	407	1.1E-02	5	3.69E-04
408	408	1.7E-02	5	5.73E-04
409	409	1.3E-02	5	4.52E-04
410	410	2.3E-02	5	7.85E-04
411	411	1.9E-02	5	6.39E-04
412	412	1.7E-02	5	5.67E-04
413	413	3.4E-02	5	1.15E-03
414	414	2.8E-02	5	9.51E-04
415	415	2.4E-02	5	8.18E-04
416	416	2.1E-02	5	6.89E-04
417	417	5.4E-02	5	1.83E-03
418	418	3.1E-02	5	1.03E-03
419	419	2.4E-02	5	8.14E-04
420	420	1.9E-02	5	6.41E-04
421	421	9.8E-02	5	3.29E-03
422	422	2.7E-02	5	9.10E-04
423	423	2.0E-02	5	6.84E-04
424	424	2.0E-01	5	6.61E-03
425	425	2.0E-02	5	6.87E-04
426	426	1.6E-02	5	5.20E-04
427	427	3.5E-01	5	1.16E-02
428	428	1.9E-02	5	6.54E-04
429	429	1.5E-02	5	4.96E-04
430	430	3.2E-01	5	1.08E-02
431	431	1.4E-02	5	4.63E-04
432	432	1.1E-02	5	3.65E-04
433	433	2.0E-01	5	6.71E-03
434	434	1.3E-02	5	4.28E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	1.0E-02	5	3.43E-04
436	436	1.2E-01	5	4.14E-03
437	437	1.5E-02	5	4.99E-04
438	438	1.2E-02	5	3.94E-04
439	439	9.5E-03	5	3.19E-04
440	440	8.0E-02	5	2.67E-03
441	441	2.4E-02	5	8.05E-04
442	442	1.8E-02	5	5.88E-04
443	443	1.3E-02	5	4.52E-04
444	444	1.1E-02	5	3.61E-04
445	445	5.4E-02	5	1.82E-03
446	446	3.0E-02	5	9.98E-04
447	447	2.1E-02	5	7.11E-04
448	448	1.6E-02	5	5.28E-04
449	449	3.9E-02	5	1.30E-03
450	450	3.3E-02	5	1.09E-03
451	451	2.5E-02	5	8.37E-04
452	452	2.9E-02	5	9.74E-04
453	453	2.6E-02	5	8.61E-04
454	454	7.0E-03	5	2.33E-04
455	455	6.0E-03	5	2.01E-04
456	456	2.2E-02	5	7.52E-04
457	457	2.1E-02	5	6.90E-04
458	458	1.8E-02	5	5.88E-04
459	459	9.3E-03	5	3.12E-04
460	460	7.7E-03	5	2.59E-04
461	461	6.5E-03	5	2.18E-04
462	462	5.6E-03	5	1.88E-04
463	463	2.4E-02	5	8.00E-04
464	464	2.6E-02	5	8.59E-04
465	465	3.6E-02	5	1.22E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
466	466	4.4E-02	5	1.49E-03
467	467	6.2E-02	5	2.07E-03
468	468	1.3E-01	5	4.27E-03
469	469	4.3E-01	5	1.44E-02
470	470	3.1E-01	5	1.04E-02
471	471	5.3E-01	5	1.77E-02
472	472	4.3E-01	5	1.43E-02
473	473	4.5E-01	5	1.52E-02
474	474	2.0E-01	5	6.68E-03
475	475	3.4E-01	5	1.13E-02
476	476	1.1E-01	5	3.58E-03
477	477	1.5E-01	5	5.00E-03
478	478	6.6E-02	5	2.20E-03
479	479	8.3E-02	5	2.79E-03
480	480	8.2E-02	5	2.76E-03
481	481	4.4E-02	5	1.48E-03
482	482	5.4E-02	5	1.82E-03
483	483	3.7E-02	5	1.23E-03
484	484	3.8E-02	5	1.28E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.09997	2.56E-03	2.6E-04	1.05E-03	2.67E-07	1.13E+00	1.57E-01	4.73E-08	1.0E+06	4.7E-02
2	0.10116	2.56E-03	2.6E-04	1.05E-03	2.71E-07	1.13E+00	1.57E-01	4.79E-08	1.0E+06	4.8E-02
3	0.10225	2.56E-03	2.6E-04	1.05E-03	2.73E-07	1.13E+00	1.57E-01	4.84E-08	1.0E+06	4.8E-02
4	0.10353	2.56E-03	2.6E-04	1.05E-03	2.77E-07	1.13E+00	1.57E-01	4.90E-08	1.0E+06	4.9E-02
5	0.1049	2.56E-03	2.7E-04	1.05E-03	2.81E-07	1.13E+00	1.57E-01	4.96E-08	1.0E+06	5.0E-02
6	0.10762	2.56E-03	2.8E-04	1.05E-03	2.88E-07	1.13E+00	1.57E-01	5.09E-08	1.0E+06	5.1E-02
7	0.11114	2.56E-03	2.8E-04	1.05E-03	2.97E-07	1.13E+00	1.57E-01	5.26E-08	1.0E+06	5.3E-02
8	0.11544	2.56E-03	3.0E-04	1.05E-03	3.09E-07	1.13E+00	1.57E-01	5.46E-08	1.0E+06	5.5E-02
9	0.12067	2.56E-03	3.1E-04	1.05E-03	3.23E-07	1.13E+00	1.57E-01	5.71E-08	1.0E+06	5.7E-02
10	0.12749	2.56E-03	3.3E-04	1.05E-03	3.41E-07	1.13E+00	1.57E-01	6.03E-08	1.0E+06	6.0E-02
11	0.13627	2.56E-03	3.5E-04	1.05E-03	3.64E-07	1.13E+00	1.57E-01	6.45E-08	1.0E+06	6.4E-02
12	0.1456	2.56E-03	3.7E-04	1.05E-03	3.89E-07	1.13E+00	1.57E-01	6.89E-08	1.0E+06	6.9E-02
13	0.15591	2.56E-03	4.0E-04	1.05E-03	4.17E-07	1.13E+00	1.57E-01	7.38E-08	1.0E+06	7.4E-02
14	0.21775	2.56E-03	5.6E-04	1.05E-03	5.82E-07	1.13E+00	1.57E-01	1.03E-07	1.0E+06	1.0E-01
15	0.11116	2.56E-03	2.8E-04	1.05E-03	2.97E-07	1.13E+00	1.57E-01	5.26E-08	1.0E+06	5.3E-02
16	0.11231	2.56E-03	2.9E-04	1.05E-03	3.00E-07	1.13E+00	1.57E-01	5.31E-08	1.0E+06	5.3E-02
17	0.11409	2.56E-03	2.9E-04	1.05E-03	3.05E-07	1.13E+00	1.57E-01	5.40E-08	1.0E+06	5.4E-02
18	0.1152	2.56E-03	2.9E-04	1.05E-03	3.08E-07	1.13E+00	1.57E-01	5.45E-08	1.0E+06	5.5E-02
19	0.11623	2.56E-03	3.0E-04	1.05E-03	3.11E-07	1.13E+00	1.57E-01	5.50E-08	1.0E+06	5.5E-02
20	0.11825	2.56E-03	3.0E-04	1.05E-03	3.16E-07	1.13E+00	1.57E-01	5.59E-08	1.0E+06	5.6E-02
21	0.12106	2.56E-03	3.1E-04	1.05E-03	3.24E-07	1.13E+00	1.57E-01	5.73E-08	1.0E+06	5.7E-02
22	0.12456	2.56E-03	3.2E-04	1.05E-03	3.33E-07	1.13E+00	1.57E-01	5.89E-08	1.0E+06	5.9E-02
23	0.13094	2.56E-03	3.4E-04	1.05E-03	3.50E-07	1.13E+00	1.57E-01	6.20E-08	1.0E+06	6.2E-02
24	0.13716	2.56E-03	3.5E-04	1.05E-03	3.67E-07	1.13E+00	1.57E-01	6.49E-08	1.0E+06	6.5E-02
25	0.14759	2.56E-03	3.8E-04	1.05E-03	3.95E-07	1.13E+00	1.57E-01	6.98E-08	1.0E+06	7.0E-02
26	0.15892	2.56E-03	4.1E-04	1.05E-03	4.25E-07	1.13E+00	1.57E-01	7.52E-08	1.0E+06	7.5E-02
27	0.16875	2.56E-03	4.3E-04	1.05E-03	4.51E-07	1.13E+00	1.57E-01	7.98E-08	1.0E+06	8.0E-02
28	0.24418	2.56E-03	6.2E-04	1.05E-03	6.53E-07	1.13E+00	1.57E-01	1.16E-07	1.0E+06	1.2E-01
29	0.12315	2.56E-03	3.2E-04	1.05E-03	3.29E-07	1.13E+00	1.57E-01	5.83E-08	1.0E+06	5.8E-02
30	0.12567	2.56E-03	3.2E-04	1.05E-03	3.36E-07	1.13E+00	1.57E-01	5.95E-08	1.0E+06	5.9E-02
31	0.12837	2.56E-03	3.3E-04	1.05E-03	3.43E-07	1.13E+00	1.57E-01	6.07E-08	1.0E+06	6.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	2.56E-03	3.3E-04	1.05E-03	3.49E-07	1.13E+00	1.57E-01	6.17E-08	1.0E+06	6.2E-02
33	0.13031	2.56E-03	3.3E-04	1.05E-03	3.49E-07	1.13E+00	1.57E-01	6.17E-08	1.0E+06	6.2E-02
34	0.13211	2.56E-03	3.4E-04	1.05E-03	3.53E-07	1.13E+00	1.57E-01	6.25E-08	1.0E+06	6.3E-02
35	0.13406	2.56E-03	3.4E-04	1.05E-03	3.59E-07	1.13E+00	1.57E-01	6.34E-08	1.0E+06	6.3E-02
36	0.13747	2.56E-03	3.5E-04	1.05E-03	3.68E-07	1.13E+00	1.57E-01	6.50E-08	1.0E+06	6.5E-02
37	0.14288	2.56E-03	3.7E-04	1.05E-03	3.82E-07	1.13E+00	1.57E-01	6.76E-08	1.0E+06	6.8E-02
38	0.15048	2.56E-03	3.9E-04	1.05E-03	4.02E-07	1.13E+00	1.57E-01	7.12E-08	1.0E+06	7.1E-02
39	0.16057	2.56E-03	4.1E-04	1.05E-03	4.29E-07	1.13E+00	1.57E-01	7.60E-08	1.0E+06	7.6E-02
40	0.17181	2.56E-03	4.4E-04	1.05E-03	4.60E-07	1.13E+00	1.57E-01	8.13E-08	1.0E+06	8.1E-02
41	0.18337	2.56E-03	4.7E-04	1.05E-03	4.90E-07	1.13E+00	1.57E-01	8.68E-08	1.0E+06	8.7E-02
42	0.27606	2.56E-03	7.1E-04	1.05E-03	7.38E-07	1.13E+00	1.57E-01	1.31E-07	1.0E+06	1.3E-01
43	0.13523	2.56E-03	3.5E-04	1.05E-03	3.62E-07	1.13E+00	1.57E-01	6.40E-08	1.0E+06	6.4E-02
44	0.13913	2.56E-03	3.6E-04	1.05E-03	3.72E-07	1.13E+00	1.57E-01	6.58E-08	1.0E+06	6.6E-02
45	0.14273	2.56E-03	3.7E-04	1.05E-03	3.82E-07	1.13E+00	1.57E-01	6.75E-08	1.0E+06	6.8E-02
46	0.14534	2.56E-03	3.7E-04	1.05E-03	3.89E-07	1.13E+00	1.57E-01	6.88E-08	1.0E+06	6.9E-02
47	0.14689	2.56E-03	3.8E-04	1.05E-03	3.93E-07	1.13E+00	1.57E-01	6.95E-08	1.0E+06	6.9E-02
48	0.14854	2.56E-03	3.8E-04	1.05E-03	3.97E-07	1.13E+00	1.57E-01	7.03E-08	1.0E+06	7.0E-02
49	0.14984	2.56E-03	3.8E-04	1.05E-03	4.01E-07	1.13E+00	1.57E-01	7.09E-08	1.0E+06	7.1E-02
50	0.15161	2.56E-03	3.9E-04	1.05E-03	4.06E-07	1.13E+00	1.57E-01	7.17E-08	1.0E+06	7.2E-02
51	0.15836	2.56E-03	4.1E-04	1.05E-03	4.24E-07	1.13E+00	1.57E-01	7.49E-08	1.0E+06	7.5E-02
52	0.16548	2.56E-03	4.2E-04	1.05E-03	4.43E-07	1.13E+00	1.57E-01	7.83E-08	1.0E+06	7.8E-02
53	0.17641	2.56E-03	4.5E-04	1.05E-03	4.72E-07	1.13E+00	1.57E-01	8.35E-08	1.0E+06	8.3E-02
54	0.18951	2.56E-03	4.8E-04	1.05E-03	5.07E-07	1.13E+00	1.57E-01	8.97E-08	1.0E+06	9.0E-02
55	0.20421	2.56E-03	5.2E-04	1.05E-03	5.46E-07	1.13E+00	1.57E-01	9.66E-08	1.0E+06	9.7E-02
56	0.31605	2.56E-03	8.1E-04	1.05E-03	8.45E-07	1.13E+00	1.57E-01	1.50E-07	1.0E+06	1.5E-01
57	0.14708	2.56E-03	3.8E-04	1.05E-03	3.93E-07	1.13E+00	1.57E-01	6.96E-08	1.0E+06	7.0E-02
58	0.15242	2.56E-03	3.9E-04	1.05E-03	4.08E-07	1.13E+00	1.57E-01	7.21E-08	1.0E+06	7.2E-02
59	0.15749	2.56E-03	4.0E-04	1.05E-03	4.21E-07	1.13E+00	1.57E-01	7.45E-08	1.0E+06	7.5E-02
60	0.16209	2.56E-03	4.1E-04	1.05E-03	4.34E-07	1.13E+00	1.57E-01	7.67E-08	1.0E+06	7.7E-02
61	0.16587	2.56E-03	4.2E-04	1.05E-03	4.44E-07	1.13E+00	1.57E-01	7.85E-08	1.0E+06	7.8E-02
62	0.1689	2.56E-03	4.3E-04	1.05E-03	4.52E-07	1.13E+00	1.57E-01	7.99E-08	1.0E+06	8.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	2.56E-03	4.4E-04	1.05E-03	4.63E-07	1.13E+00	1.57E-01	8.18E-08	1.0E+06	8.2E-02
64	0.17221	2.56E-03	4.4E-04	1.05E-03	4.61E-07	1.13E+00	1.57E-01	8.15E-08	1.0E+06	8.1E-02
65	0.17802	2.56E-03	4.6E-04	1.05E-03	4.76E-07	1.13E+00	1.57E-01	8.42E-08	1.0E+06	8.4E-02
66	0.18602	2.56E-03	4.8E-04	1.05E-03	4.98E-07	1.13E+00	1.57E-01	8.80E-08	1.0E+06	8.8E-02
67	0.19503	2.56E-03	5.0E-04	1.05E-03	5.22E-07	1.13E+00	1.57E-01	9.23E-08	1.0E+06	9.2E-02
68	0.21198	2.56E-03	5.4E-04	1.05E-03	5.67E-07	1.13E+00	1.57E-01	1.00E-07	1.0E+06	1.0E-01
69	0.23133	2.56E-03	5.9E-04	1.05E-03	6.19E-07	1.13E+00	1.57E-01	1.09E-07	1.0E+06	1.1E-01
70	0.15915	2.56E-03	4.1E-04	1.05E-03	4.26E-07	1.13E+00	1.57E-01	7.53E-08	1.0E+06	7.5E-02
71	0.16615	2.56E-03	4.3E-04	1.05E-03	4.44E-07	1.13E+00	1.57E-01	7.86E-08	1.0E+06	7.9E-02
72	0.17306	2.56E-03	4.4E-04	1.05E-03	4.63E-07	1.13E+00	1.57E-01	8.19E-08	1.0E+06	8.2E-02
73	0.17979	2.56E-03	4.6E-04	1.05E-03	4.81E-07	1.13E+00	1.57E-01	8.51E-08	1.0E+06	8.5E-02
74	0.1856	2.56E-03	4.7E-04	1.05E-03	4.96E-07	1.13E+00	1.57E-01	8.78E-08	1.0E+06	8.8E-02
75	0.19262	2.56E-03	4.9E-04	1.05E-03	5.15E-07	1.13E+00	1.57E-01	9.11E-08	1.0E+06	9.1E-02
76	0.19839	2.56E-03	5.1E-04	1.05E-03	5.31E-07	1.13E+00	1.57E-01	9.39E-08	1.0E+06	9.4E-02
77	0.20099	2.56E-03	5.1E-04	1.05E-03	5.38E-07	1.13E+00	1.57E-01	9.51E-08	1.0E+06	9.5E-02
78	0.20736	2.56E-03	5.3E-04	1.05E-03	5.55E-07	1.13E+00	1.57E-01	9.81E-08	1.0E+06	9.8E-02
79	0.22199	2.56E-03	5.7E-04	1.05E-03	5.94E-07	1.13E+00	1.57E-01	1.05E-07	1.0E+06	1.1E-01
80	0.22851	2.56E-03	5.8E-04	1.05E-03	6.11E-07	1.13E+00	1.57E-01	1.08E-07	1.0E+06	1.1E-01
81	0.25141	2.56E-03	6.4E-04	1.05E-03	6.72E-07	1.13E+00	1.57E-01	1.19E-07	1.0E+06	1.2E-01
82	0.26864	2.56E-03	6.9E-04	1.05E-03	7.19E-07	1.13E+00	1.57E-01	1.27E-07	1.0E+06	1.3E-01
83	0.17123	2.56E-03	4.4E-04	1.05E-03	4.58E-07	1.13E+00	1.57E-01	8.10E-08	1.0E+06	8.1E-02
84	0.17986	2.56E-03	4.6E-04	1.05E-03	4.81E-07	1.13E+00	1.57E-01	8.51E-08	1.0E+06	8.5E-02
85	0.18766	2.56E-03	4.8E-04	1.05E-03	5.02E-07	1.13E+00	1.57E-01	8.88E-08	1.0E+06	8.9E-02
86	0.19836	2.56E-03	5.1E-04	1.05E-03	5.31E-07	1.13E+00	1.57E-01	9.38E-08	1.0E+06	9.4E-02
87	0.20777	2.56E-03	5.3E-04	1.05E-03	5.56E-07	1.13E+00	1.57E-01	9.83E-08	1.0E+06	9.8E-02
88	0.21743	2.56E-03	5.6E-04	1.05E-03	5.82E-07	1.13E+00	1.57E-01	1.03E-07	1.0E+06	1.0E-01
89	0.22714	2.56E-03	5.8E-04	1.05E-03	6.08E-07	1.13E+00	1.57E-01	1.07E-07	1.0E+06	1.1E-01
90	0.23725	2.56E-03	6.1E-04	1.05E-03	6.35E-07	1.13E+00	1.57E-01	1.12E-07	1.0E+06	1.1E-01
91	0.24821	2.56E-03	6.4E-04	1.05E-03	6.64E-07	1.13E+00	1.57E-01	1.17E-07	1.0E+06	1.2E-01
92	0.26127	2.56E-03	6.7E-04	1.05E-03	6.99E-07	1.13E+00	1.57E-01	1.24E-07	1.0E+06	1.2E-01
93	0.27635	2.56E-03	7.1E-04	1.05E-03	7.39E-07	1.13E+00	1.57E-01	1.31E-07	1.0E+06	1.3E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	2.56E-03	7.6E-04	1.05E-03	7.91E-07	1.13E+00	1.57E-01	1.40E-07	1.0E+06	1.4E-01
95	0.31999	2.56E-03	8.2E-04	1.05E-03	8.56E-07	1.13E+00	1.57E-01	1.51E-07	1.0E+06	1.5E-01
96	0.18233	2.56E-03	4.7E-04	1.05E-03	4.88E-07	1.13E+00	1.57E-01	8.63E-08	1.0E+06	8.6E-02
97	0.19094	2.56E-03	4.9E-04	1.05E-03	5.11E-07	1.13E+00	1.57E-01	9.03E-08	1.0E+06	9.0E-02
98	0.20103	2.56E-03	5.1E-04	1.05E-03	5.38E-07	1.13E+00	1.57E-01	9.51E-08	1.0E+06	9.5E-02
99	0.21464	2.56E-03	5.5E-04	1.05E-03	5.74E-07	1.13E+00	1.57E-01	1.02E-07	1.0E+06	1.0E-01
100	0.22959	2.56E-03	5.9E-04	1.05E-03	6.14E-07	1.13E+00	1.57E-01	1.09E-07	1.0E+06	1.1E-01
101	0.24284	2.56E-03	6.2E-04	1.05E-03	6.50E-07	1.13E+00	1.57E-01	1.15E-07	1.0E+06	1.1E-01
102	0.25629	2.56E-03	6.6E-04	1.05E-03	6.85E-07	1.13E+00	1.57E-01	1.21E-07	1.0E+06	1.2E-01
103	0.27027	2.56E-03	6.9E-04	1.05E-03	7.23E-07	1.13E+00	1.57E-01	1.28E-07	1.0E+06	1.3E-01
104	0.28488	2.56E-03	7.3E-04	1.05E-03	7.62E-07	1.13E+00	1.57E-01	1.35E-07	1.0E+06	1.3E-01
105	0.3003	2.56E-03	7.7E-04	1.05E-03	8.03E-07	1.13E+00	1.57E-01	1.42E-07	1.0E+06	1.4E-01
106	0.3189	2.56E-03	8.2E-04	1.05E-03	8.53E-07	1.13E+00	1.57E-01	1.51E-07	1.0E+06	1.5E-01
107	0.34186	2.56E-03	8.7E-04	1.05E-03	9.14E-07	1.13E+00	1.57E-01	1.62E-07	1.0E+06	1.6E-01
108	0.37026	2.56E-03	9.5E-04	1.05E-03	9.90E-07	1.13E+00	1.57E-01	1.75E-07	1.0E+06	1.8E-01
109	0.19023	2.56E-03	4.9E-04	1.05E-03	5.09E-07	1.13E+00	1.57E-01	9.00E-08	1.0E+06	9.0E-02
110	0.20375	2.56E-03	5.2E-04	1.05E-03	5.45E-07	1.13E+00	1.57E-01	9.64E-08	1.0E+06	9.6E-02
111	0.21846	2.56E-03	5.6E-04	1.05E-03	5.84E-07	1.13E+00	1.57E-01	1.03E-07	1.0E+06	1.0E-01
112	0.23423	2.56E-03	6.0E-04	1.05E-03	6.26E-07	1.13E+00	1.57E-01	1.11E-07	1.0E+06	1.1E-01
113	0.25102	2.56E-03	6.4E-04	1.05E-03	6.71E-07	1.13E+00	1.57E-01	1.19E-07	1.0E+06	1.2E-01
114	0.2686	2.56E-03	6.9E-04	1.05E-03	7.18E-07	1.13E+00	1.57E-01	1.27E-07	1.0E+06	1.3E-01
115	0.28686	2.56E-03	7.3E-04	1.05E-03	7.67E-07	1.13E+00	1.57E-01	1.36E-07	1.0E+06	1.4E-01
116	0.30627	2.56E-03	7.8E-04	1.05E-03	8.19E-07	1.13E+00	1.57E-01	1.45E-07	1.0E+06	1.4E-01
117	0.32686	2.56E-03	8.4E-04	1.05E-03	8.74E-07	1.13E+00	1.57E-01	1.55E-07	1.0E+06	1.5E-01
118	0.33858	2.56E-03	8.7E-04	1.05E-03	9.06E-07	1.13E+00	1.57E-01	1.60E-07	1.0E+06	1.6E-01
119	0.36311	2.56E-03	9.3E-04	1.05E-03	9.71E-07	1.13E+00	1.57E-01	1.72E-07	1.0E+06	1.7E-01
120	0.38851	2.56E-03	9.9E-04	1.05E-03	1.04E-06	1.13E+00	1.57E-01	1.84E-07	1.0E+06	1.8E-01
121	0.4178	2.56E-03	1.1E-03	1.05E-03	1.12E-06	1.13E+00	1.57E-01	1.98E-07	1.0E+06	2.0E-01
122	0.19578	2.56E-03	5.0E-04	1.05E-03	5.24E-07	1.13E+00	1.57E-01	9.26E-08	1.0E+06	9.3E-02
123	0.21204	2.56E-03	5.4E-04	1.05E-03	5.67E-07	1.13E+00	1.57E-01	1.00E-07	1.0E+06	1.0E-01
124	0.23086	2.56E-03	5.9E-04	1.05E-03	6.17E-07	1.13E+00	1.57E-01	1.09E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	2.56E-03	6.4E-04	1.05E-03	6.69E-07	1.13E+00	1.57E-01	1.18E-07	1.0E+06	1.2E-01
126	0.27035	2.56E-03	6.9E-04	1.05E-03	7.23E-07	1.13E+00	1.57E-01	1.28E-07	1.0E+06	1.3E-01
127	0.29177	2.56E-03	7.5E-04	1.05E-03	7.80E-07	1.13E+00	1.57E-01	1.38E-07	1.0E+06	1.4E-01
128	0.30724	2.56E-03	7.9E-04	1.05E-03	8.22E-07	1.13E+00	1.57E-01	1.45E-07	1.0E+06	1.5E-01
129	0.33259	2.56E-03	8.5E-04	1.05E-03	8.90E-07	1.13E+00	1.57E-01	1.57E-07	1.0E+06	1.6E-01
130	0.36682	2.56E-03	9.4E-04	1.05E-03	9.81E-07	1.13E+00	1.57E-01	1.74E-07	1.0E+06	1.7E-01
131	1.11688	2.56E-03	2.9E-03	1.05E-03	2.99E-06	1.13E+00	1.57E-01	5.28E-07	1.0E+06	5.3E-01
132	1.15875	2.56E-03	3.0E-03	1.05E-03	3.10E-06	1.13E+00	1.57E-01	5.48E-07	1.0E+06	5.5E-01
133	0.19656	2.56E-03	5.0E-04	1.05E-03	5.26E-07	1.13E+00	1.57E-01	9.30E-08	1.0E+06	9.3E-02
134	0.21704	2.56E-03	5.6E-04	1.05E-03	5.81E-07	1.13E+00	1.57E-01	1.03E-07	1.0E+06	1.0E-01
135	0.23863	2.56E-03	6.1E-04	1.05E-03	6.38E-07	1.13E+00	1.57E-01	1.13E-07	1.0E+06	1.1E-01
136	0.26108	2.56E-03	6.7E-04	1.05E-03	6.98E-07	1.13E+00	1.57E-01	1.24E-07	1.0E+06	1.2E-01
137	0.28567	2.56E-03	7.3E-04	1.05E-03	7.64E-07	1.13E+00	1.57E-01	1.35E-07	1.0E+06	1.4E-01
138	0.31112	2.56E-03	8.0E-04	1.05E-03	8.32E-07	1.13E+00	1.57E-01	1.47E-07	1.0E+06	1.5E-01
139	0.33575	2.56E-03	8.6E-04	1.05E-03	8.98E-07	1.13E+00	1.57E-01	1.59E-07	1.0E+06	1.6E-01
140	0.37628	2.56E-03	9.6E-04	1.05E-03	1.01E-06	1.13E+00	1.57E-01	1.78E-07	1.0E+06	1.8E-01
141	0.41535	2.56E-03	1.1E-03	1.05E-03	1.11E-06	1.13E+00	1.57E-01	1.97E-07	1.0E+06	2.0E-01
142	0.45747	2.56E-03	1.2E-03	1.05E-03	1.22E-06	1.13E+00	1.57E-01	2.16E-07	1.0E+06	2.2E-01
143	0.5063	2.56E-03	1.3E-03	1.05E-03	1.35E-06	1.13E+00	1.57E-01	2.40E-07	1.0E+06	2.4E-01
144	0.56507	2.56E-03	1.4E-03	1.05E-03	1.51E-06	1.13E+00	1.57E-01	2.67E-07	1.0E+06	2.7E-01
145	0.62491	2.56E-03	1.6E-03	1.05E-03	1.67E-06	1.13E+00	1.57E-01	2.96E-07	1.0E+06	3.0E-01
146	1.50759	2.56E-03	3.9E-03	1.05E-03	4.03E-06	1.13E+00	1.57E-01	7.13E-07	1.0E+06	7.1E-01
147	0.1931	2.56E-03	4.9E-04	1.05E-03	5.16E-07	1.13E+00	1.57E-01	9.14E-08	1.0E+06	9.1E-02
148	0.21437	2.56E-03	5.5E-04	1.05E-03	5.73E-07	1.13E+00	1.57E-01	1.01E-07	1.0E+06	1.0E-01
149	0.23858	2.56E-03	6.1E-04	1.05E-03	6.38E-07	1.13E+00	1.57E-01	1.13E-07	1.0E+06	1.1E-01
150	0.26418	2.56E-03	6.8E-04	1.05E-03	7.07E-07	1.13E+00	1.57E-01	1.25E-07	1.0E+06	1.2E-01
151	0.29392	2.56E-03	7.5E-04	1.05E-03	7.86E-07	1.13E+00	1.57E-01	1.39E-07	1.0E+06	1.4E-01
152	0.32394	2.56E-03	8.3E-04	1.05E-03	8.66E-07	1.13E+00	1.57E-01	1.53E-07	1.0E+06	1.5E-01
153	0.3577	2.56E-03	9.2E-04	1.05E-03	9.57E-07	1.13E+00	1.57E-01	1.69E-07	1.0E+06	1.7E-01
154	0.39941	2.56E-03	1.0E-03	1.05E-03	1.07E-06	1.13E+00	1.57E-01	1.89E-07	1.0E+06	1.9E-01
155	0.44952	2.56E-03	1.2E-03	1.05E-03	1.20E-06	1.13E+00	1.57E-01	2.13E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	2.56E-03	1.3E-03	1.05E-03	1.35E-06	1.13E+00	1.57E-01	2.39E-07	1.0E+06	2.4E-01
157	0.56864	2.56E-03	1.5E-03	1.05E-03	1.52E-06	1.13E+00	1.57E-01	2.69E-07	1.0E+06	2.7E-01
158	0.63716	2.56E-03	1.6E-03	1.05E-03	1.70E-06	1.13E+00	1.57E-01	3.01E-07	1.0E+06	3.0E-01
159	0.74488	2.56E-03	1.9E-03	1.05E-03	1.99E-06	1.13E+00	1.57E-01	3.52E-07	1.0E+06	3.5E-01
160	0.18782	2.56E-03	4.8E-04	1.05E-03	5.02E-07	1.13E+00	1.57E-01	8.89E-08	1.0E+06	8.9E-02
161	0.20685	2.56E-03	5.3E-04	1.05E-03	5.53E-07	1.13E+00	1.57E-01	9.79E-08	1.0E+06	9.8E-02
162	0.22653	2.56E-03	5.8E-04	1.05E-03	6.06E-07	1.13E+00	1.57E-01	1.07E-07	1.0E+06	1.1E-01
163	0.25651	2.56E-03	6.6E-04	1.05E-03	6.86E-07	1.13E+00	1.57E-01	1.21E-07	1.0E+06	1.2E-01
164	0.29246	2.56E-03	7.5E-04	1.05E-03	7.82E-07	1.13E+00	1.57E-01	1.38E-07	1.0E+06	1.4E-01
165	0.32725	2.56E-03	8.4E-04	1.05E-03	8.75E-07	1.13E+00	1.57E-01	1.55E-07	1.0E+06	1.5E-01
166	0.36919	2.56E-03	9.4E-04	1.05E-03	9.87E-07	1.13E+00	1.57E-01	1.75E-07	1.0E+06	1.7E-01
167	0.41887	2.56E-03	1.1E-03	1.05E-03	1.12E-06	1.13E+00	1.57E-01	1.98E-07	1.0E+06	2.0E-01
168	0.47877	2.56E-03	1.2E-03	1.05E-03	1.28E-06	1.13E+00	1.57E-01	2.27E-07	1.0E+06	2.3E-01
169	0.55074	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.13E+00	1.57E-01	2.61E-07	1.0E+06	2.6E-01
170	0.63634	2.56E-03	1.6E-03	1.05E-03	1.70E-06	1.13E+00	1.57E-01	3.01E-07	1.0E+06	3.0E-01
171	0.73945	2.56E-03	1.9E-03	1.05E-03	1.98E-06	1.13E+00	1.57E-01	3.50E-07	1.0E+06	3.5E-01
172	0.87948	2.56E-03	2.3E-03	1.05E-03	2.35E-06	1.13E+00	1.57E-01	4.16E-07	1.0E+06	4.2E-01
173	1.06486	2.56E-03	2.7E-03	1.05E-03	2.85E-06	1.13E+00	1.57E-01	5.04E-07	1.0E+06	5.0E-01
174	1.31351	2.56E-03	3.4E-03	1.05E-03	3.51E-06	1.13E+00	1.57E-01	6.21E-07	1.0E+06	6.2E-01
175	1.6474	2.56E-03	4.2E-03	1.05E-03	4.41E-06	1.13E+00	1.57E-01	7.79E-07	1.0E+06	7.8E-01
176	2.19565	2.56E-03	5.6E-03	1.05E-03	5.87E-06	1.13E+00	1.57E-01	1.04E-06	1.0E+06	1.0E+00
177	2.85894	2.56E-03	7.3E-03	1.05E-03	7.65E-06	1.13E+00	1.57E-01	1.35E-06	1.0E+06	1.4E+00
178	3.59716	2.56E-03	9.2E-03	1.05E-03	9.62E-06	1.13E+00	1.57E-01	1.70E-06	1.0E+06	1.7E+00
179	0.17443	2.56E-03	4.5E-04	1.05E-03	4.67E-07	1.13E+00	1.57E-01	8.25E-08	1.0E+06	8.3E-02
180	0.19117	2.56E-03	4.9E-04	1.05E-03	5.11E-07	1.13E+00	1.57E-01	9.04E-08	1.0E+06	9.0E-02
181	0.20765	2.56E-03	5.3E-04	1.05E-03	5.55E-07	1.13E+00	1.57E-01	9.82E-08	1.0E+06	9.8E-02
182	0.24097	2.56E-03	6.2E-04	1.05E-03	6.45E-07	1.13E+00	1.57E-01	1.14E-07	1.0E+06	1.1E-01
183	0.28383	2.56E-03	7.3E-04	1.05E-03	7.59E-07	1.13E+00	1.57E-01	1.34E-07	1.0E+06	1.3E-01
184	0.32178	2.56E-03	8.2E-04	1.05E-03	8.61E-07	1.13E+00	1.57E-01	1.52E-07	1.0E+06	1.5E-01
185	0.36853	2.56E-03	9.4E-04	1.05E-03	9.86E-07	1.13E+00	1.57E-01	1.74E-07	1.0E+06	1.7E-01
186	0.42331	2.56E-03	1.1E-03	1.05E-03	1.13E-06	1.13E+00	1.57E-01	2.00E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	2.56E-03	1.3E-03	1.05E-03	1.31E-06	1.13E+00	1.57E-01	2.31E-07	1.0E+06	2.3E-01
188	0.57244	2.56E-03	1.5E-03	1.05E-03	1.53E-06	1.13E+00	1.57E-01	2.71E-07	1.0E+06	2.7E-01
189	0.67537	2.56E-03	1.7E-03	1.05E-03	1.81E-06	1.13E+00	1.57E-01	3.20E-07	1.0E+06	3.2E-01
190	0.80933	2.56E-03	2.1E-03	1.05E-03	2.16E-06	1.13E+00	1.57E-01	3.83E-07	1.0E+06	3.8E-01
191	0.98328	2.56E-03	2.5E-03	1.05E-03	2.63E-06	1.13E+00	1.57E-01	4.65E-07	1.0E+06	4.7E-01
192	1.23304	2.56E-03	3.2E-03	1.05E-03	3.30E-06	1.13E+00	1.57E-01	5.83E-07	1.0E+06	5.8E-01
193	1.58271	2.56E-03	4.1E-03	1.05E-03	4.23E-06	1.13E+00	1.57E-01	7.49E-07	1.0E+06	7.5E-01
194	2.13464	2.56E-03	5.5E-03	1.05E-03	5.71E-06	1.13E+00	1.57E-01	1.01E-06	1.0E+06	1.0E+00
195	3.0975	2.56E-03	7.9E-03	1.05E-03	8.28E-06	1.13E+00	1.57E-01	1.47E-06	1.0E+06	1.5E+00
196	4.69284	2.56E-03	1.2E-02	1.05E-03	1.26E-05	1.13E+00	1.57E-01	2.22E-06	1.0E+06	2.2E+00
197	6.88357	2.56E-03	1.8E-02	1.05E-03	1.84E-05	1.13E+00	1.57E-01	3.26E-06	1.0E+06	3.3E+00
198	0.16286	2.56E-03	4.2E-04	1.05E-03	4.36E-07	1.13E+00	1.57E-01	7.71E-08	1.0E+06	7.7E-02
199	0.1793	2.56E-03	4.6E-04	1.05E-03	4.80E-07	1.13E+00	1.57E-01	8.48E-08	1.0E+06	8.5E-02
200	0.19824	2.56E-03	5.1E-04	1.05E-03	5.30E-07	1.13E+00	1.57E-01	9.38E-08	1.0E+06	9.4E-02
201	0.22447	2.56E-03	5.7E-04	1.05E-03	6.00E-07	1.13E+00	1.57E-01	1.06E-07	1.0E+06	1.1E-01
202	0.26663	2.56E-03	6.8E-04	1.05E-03	7.13E-07	1.13E+00	1.57E-01	1.26E-07	1.0E+06	1.3E-01
203	0.30715	2.56E-03	7.9E-04	1.05E-03	8.22E-07	1.13E+00	1.57E-01	1.45E-07	1.0E+06	1.5E-01
204	0.35579	2.56E-03	9.1E-04	1.05E-03	9.52E-07	1.13E+00	1.57E-01	1.68E-07	1.0E+06	1.7E-01
205	0.41191	2.56E-03	1.1E-03	1.05E-03	1.10E-06	1.13E+00	1.57E-01	1.95E-07	1.0E+06	1.9E-01
206	0.48026	2.56E-03	1.2E-03	1.05E-03	1.28E-06	1.13E+00	1.57E-01	2.27E-07	1.0E+06	2.3E-01
207	0.56684	2.56E-03	1.5E-03	1.05E-03	1.52E-06	1.13E+00	1.57E-01	2.68E-07	1.0E+06	2.7E-01
208	0.67745	2.56E-03	1.7E-03	1.05E-03	1.81E-06	1.13E+00	1.57E-01	3.21E-07	1.0E+06	3.2E-01
209	0.82589	2.56E-03	2.1E-03	1.05E-03	2.21E-06	1.13E+00	1.57E-01	3.91E-07	1.0E+06	3.9E-01
210	1.02976	2.56E-03	2.6E-03	1.05E-03	2.75E-06	1.13E+00	1.57E-01	4.87E-07	1.0E+06	4.9E-01
211	1.32605	2.56E-03	3.4E-03	1.05E-03	3.55E-06	1.13E+00	1.57E-01	6.27E-07	1.0E+06	6.3E-01
212	1.76927	2.56E-03	4.5E-03	1.05E-03	4.73E-06	1.13E+00	1.57E-01	8.37E-07	1.0E+06	8.4E-01
213	2.46994	2.56E-03	6.3E-03	1.05E-03	6.61E-06	1.13E+00	1.57E-01	1.17E-06	1.0E+06	1.2E+00
214	3.63615	2.56E-03	9.3E-03	1.05E-03	9.73E-06	1.13E+00	1.57E-01	1.72E-06	1.0E+06	1.7E+00
215	7.55748	2.56E-03	1.9E-02	1.05E-03	2.02E-05	1.13E+00	1.57E-01	3.58E-06	1.0E+06	3.6E+00
216	0.15431	2.56E-03	3.9E-04	1.05E-03	4.13E-07	1.13E+00	1.57E-01	7.30E-08	1.0E+06	7.3E-02
217	0.16879	2.56E-03	4.3E-04	1.05E-03	4.51E-07	1.13E+00	1.57E-01	7.99E-08	1.0E+06	8.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	2.56E-03	4.8E-04	1.05E-03	5.01E-07	1.13E+00	1.57E-01	8.86E-08	1.0E+06	8.9E-02
219	0.21079	2.56E-03	5.4E-04	1.05E-03	5.64E-07	1.13E+00	1.57E-01	9.97E-08	1.0E+06	1.0E-01
220	0.24803	2.56E-03	6.3E-04	1.05E-03	6.63E-07	1.13E+00	1.57E-01	1.17E-07	1.0E+06	1.2E-01
221	0.28481	2.56E-03	7.3E-04	1.05E-03	7.62E-07	1.13E+00	1.57E-01	1.35E-07	1.0E+06	1.3E-01
222	0.33289	2.56E-03	8.5E-04	1.05E-03	8.90E-07	1.13E+00	1.57E-01	1.57E-07	1.0E+06	1.6E-01
223	0.3875	2.56E-03	9.9E-04	1.05E-03	1.04E-06	1.13E+00	1.57E-01	1.83E-07	1.0E+06	1.8E-01
224	0.45352	2.56E-03	1.2E-03	1.05E-03	1.21E-06	1.13E+00	1.57E-01	2.15E-07	1.0E+06	2.1E-01
225	0.53452	2.56E-03	1.4E-03	1.05E-03	1.43E-06	1.13E+00	1.57E-01	2.53E-07	1.0E+06	2.5E-01
226	0.64348	2.56E-03	1.6E-03	1.05E-03	1.72E-06	1.13E+00	1.57E-01	3.04E-07	1.0E+06	3.0E-01
227	0.7871	2.56E-03	2.0E-03	1.05E-03	2.11E-06	1.13E+00	1.57E-01	3.72E-07	1.0E+06	3.7E-01
228	0.98789	2.56E-03	2.5E-03	1.05E-03	2.64E-06	1.13E+00	1.57E-01	4.67E-07	1.0E+06	4.7E-01
229	1.28832	2.56E-03	3.3E-03	1.05E-03	3.45E-06	1.13E+00	1.57E-01	6.10E-07	1.0E+06	6.1E-01
230	1.75514	2.56E-03	4.5E-03	1.05E-03	4.69E-06	1.13E+00	1.57E-01	8.30E-07	1.0E+06	8.3E-01
231	2.58583	2.56E-03	6.6E-03	1.05E-03	6.92E-06	1.13E+00	1.57E-01	1.22E-06	1.0E+06	1.2E+00
232	4.28751	2.56E-03	1.1E-02	1.05E-03	1.15E-05	1.13E+00	1.57E-01	2.03E-06	1.0E+06	2.0E+00
233	10.76445	2.56E-03	2.8E-02	1.05E-03	2.88E-05	1.13E+00	1.57E-01	5.09E-06	1.0E+06	5.1E+00
234	0.14796	2.56E-03	3.8E-04	1.05E-03	3.96E-07	1.13E+00	1.57E-01	7.00E-08	1.0E+06	7.0E-02
235	0.16076	2.56E-03	4.1E-04	1.05E-03	4.30E-07	1.13E+00	1.57E-01	7.61E-08	1.0E+06	7.6E-02
236	0.17816	2.56E-03	4.6E-04	1.05E-03	4.77E-07	1.13E+00	1.57E-01	8.43E-08	1.0E+06	8.4E-02
237	0.20142	2.56E-03	5.2E-04	1.05E-03	5.39E-07	1.13E+00	1.57E-01	9.53E-08	1.0E+06	9.5E-02
238	0.2321	2.56E-03	5.9E-04	1.05E-03	6.21E-07	1.13E+00	1.57E-01	1.10E-07	1.0E+06	1.1E-01
239	0.26575	2.56E-03	6.8E-04	1.05E-03	7.11E-07	1.13E+00	1.57E-01	1.26E-07	1.0E+06	1.3E-01
240	0.30828	2.56E-03	7.9E-04	1.05E-03	8.25E-07	1.13E+00	1.57E-01	1.46E-07	1.0E+06	1.5E-01
241	0.35891	2.56E-03	9.2E-04	1.05E-03	9.60E-07	1.13E+00	1.57E-01	1.70E-07	1.0E+06	1.7E-01
242	0.4204	2.56E-03	1.1E-03	1.05E-03	1.12E-06	1.13E+00	1.57E-01	1.99E-07	1.0E+06	2.0E-01
243	0.49614	2.56E-03	1.3E-03	1.05E-03	1.33E-06	1.13E+00	1.57E-01	2.35E-07	1.0E+06	2.3E-01
244	0.59817	2.56E-03	1.5E-03	1.05E-03	1.60E-06	1.13E+00	1.57E-01	2.83E-07	1.0E+06	2.8E-01
245	0.7334	2.56E-03	1.9E-03	1.05E-03	1.96E-06	1.13E+00	1.57E-01	3.47E-07	1.0E+06	3.5E-01
246	0.92041	2.56E-03	2.4E-03	1.05E-03	2.46E-06	1.13E+00	1.57E-01	4.35E-07	1.0E+06	4.4E-01
247	1.19215	2.56E-03	3.1E-03	1.05E-03	3.19E-06	1.13E+00	1.57E-01	5.64E-07	1.0E+06	5.6E-01
248	1.61854	2.56E-03	4.1E-03	1.05E-03	4.33E-06	1.13E+00	1.57E-01	7.66E-07	1.0E+06	7.7E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	2.56E-03	6.0E-03	1.05E-03	6.30E-06	1.13E+00	1.57E-01	1.11E-06	1.0E+06	1.1E+00
250	3.88245	2.56E-03	9.9E-03	1.05E-03	1.04E-05	1.13E+00	1.57E-01	1.84E-06	1.0E+06	1.8E+00
251	9.548	2.56E-03	2.4E-02	1.05E-03	2.55E-05	1.13E+00	1.57E-01	4.52E-06	1.0E+06	4.5E+00
252	0.14244	2.56E-03	3.6E-04	1.05E-03	3.81E-07	1.13E+00	1.57E-01	6.74E-08	1.0E+06	6.7E-02
253	0.15391	2.56E-03	3.9E-04	1.05E-03	4.12E-07	1.13E+00	1.57E-01	7.28E-08	1.0E+06	7.3E-02
254	0.16905	2.56E-03	4.3E-04	1.05E-03	4.52E-07	1.13E+00	1.57E-01	8.00E-08	1.0E+06	8.0E-02
255	0.1882	2.56E-03	4.8E-04	1.05E-03	5.03E-07	1.13E+00	1.57E-01	8.90E-08	1.0E+06	8.9E-02
256	0.22038	2.56E-03	5.6E-04	1.05E-03	5.89E-07	1.13E+00	1.57E-01	1.04E-07	1.0E+06	1.0E-01
257	0.24395	2.56E-03	6.2E-04	1.05E-03	6.52E-07	1.13E+00	1.57E-01	1.15E-07	1.0E+06	1.2E-01
258	0.27703	2.56E-03	7.1E-04	1.05E-03	7.41E-07	1.13E+00	1.57E-01	1.31E-07	1.0E+06	1.3E-01
259	0.31726	2.56E-03	8.1E-04	1.05E-03	8.49E-07	1.13E+00	1.57E-01	1.50E-07	1.0E+06	1.5E-01
260	0.37532	2.56E-03	9.6E-04	1.05E-03	1.00E-06	1.13E+00	1.57E-01	1.78E-07	1.0E+06	1.8E-01
261	0.45282	2.56E-03	1.2E-03	1.05E-03	1.21E-06	1.13E+00	1.57E-01	2.14E-07	1.0E+06	2.1E-01
262	0.54991	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.13E+00	1.57E-01	2.60E-07	1.0E+06	2.6E-01
263	0.6689	2.56E-03	1.7E-03	1.05E-03	1.79E-06	1.13E+00	1.57E-01	3.16E-07	1.0E+06	3.2E-01
264	0.83769	2.56E-03	2.1E-03	1.05E-03	2.24E-06	1.13E+00	1.57E-01	3.96E-07	1.0E+06	4.0E-01
265	1.069	2.56E-03	2.7E-03	1.05E-03	2.86E-06	1.13E+00	1.57E-01	5.06E-07	1.0E+06	5.1E-01
266	1.42172	2.56E-03	3.6E-03	1.05E-03	3.80E-06	1.13E+00	1.57E-01	6.73E-07	1.0E+06	6.7E-01
267	1.98481	2.56E-03	5.1E-03	1.05E-03	5.31E-06	1.13E+00	1.57E-01	9.39E-07	1.0E+06	9.4E-01
268	3.00508	2.56E-03	7.7E-03	1.05E-03	8.04E-06	1.13E+00	1.57E-01	1.42E-06	1.0E+06	1.4E+00
269	6.11415	2.56E-03	1.6E-02	1.05E-03	1.64E-05	1.13E+00	1.57E-01	2.89E-06	1.0E+06	2.9E+00
270	0.13852	2.56E-03	3.5E-04	1.05E-03	3.70E-07	1.13E+00	1.57E-01	6.55E-08	1.0E+06	6.6E-02
271	0.15026	2.56E-03	3.8E-04	1.05E-03	4.02E-07	1.13E+00	1.57E-01	7.11E-08	1.0E+06	7.1E-02
272	0.16484	2.56E-03	4.2E-04	1.05E-03	4.41E-07	1.13E+00	1.57E-01	7.80E-08	1.0E+06	7.8E-02
273	0.18199	2.56E-03	4.7E-04	1.05E-03	4.87E-07	1.13E+00	1.57E-01	8.61E-08	1.0E+06	8.6E-02
274	0.21436	2.56E-03	5.5E-04	1.05E-03	5.73E-07	1.13E+00	1.57E-01	1.01E-07	1.0E+06	1.0E-01
275	0.24454	2.56E-03	6.3E-04	1.05E-03	6.54E-07	1.13E+00	1.57E-01	1.16E-07	1.0E+06	1.2E-01
276	0.26087	2.56E-03	6.7E-04	1.05E-03	6.98E-07	1.13E+00	1.57E-01	1.23E-07	1.0E+06	1.2E-01
277	0.29564	2.56E-03	7.6E-04	1.05E-03	7.91E-07	1.13E+00	1.57E-01	1.40E-07	1.0E+06	1.4E-01
278	0.34216	2.56E-03	8.8E-04	1.05E-03	9.15E-07	1.13E+00	1.57E-01	1.62E-07	1.0E+06	1.6E-01
279	0.40447	2.56E-03	1.0E-03	1.05E-03	1.08E-06	1.13E+00	1.57E-01	1.91E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	2.56E-03	1.3E-03	1.05E-03	1.32E-06	1.13E+00	1.57E-01	2.34E-07	1.0E+06	2.3E-01
281	0.61075	2.56E-03	1.6E-03	1.05E-03	1.63E-06	1.13E+00	1.57E-01	2.89E-07	1.0E+06	2.9E-01
282	0.76016	2.56E-03	1.9E-03	1.05E-03	2.03E-06	1.13E+00	1.57E-01	3.60E-07	1.0E+06	3.6E-01
283	0.9592	2.56E-03	2.5E-03	1.05E-03	2.57E-06	1.13E+00	1.57E-01	4.54E-07	1.0E+06	4.5E-01
284	1.23907	2.56E-03	3.2E-03	1.05E-03	3.31E-06	1.13E+00	1.57E-01	5.86E-07	1.0E+06	5.9E-01
285	1.6354	2.56E-03	4.2E-03	1.05E-03	4.37E-06	1.13E+00	1.57E-01	7.74E-07	1.0E+06	7.7E-01
286	2.29875	2.56E-03	5.9E-03	1.05E-03	6.15E-06	1.13E+00	1.57E-01	1.09E-06	1.0E+06	1.1E+00
287	4.0984	2.56E-03	1.0E-02	1.05E-03	1.10E-05	1.13E+00	1.57E-01	1.94E-06	1.0E+06	1.9E+00
288	0.13632	2.56E-03	3.5E-04	1.05E-03	3.65E-07	1.13E+00	1.57E-01	6.45E-08	1.0E+06	6.4E-02
289	0.14679	2.56E-03	3.8E-04	1.05E-03	3.93E-07	1.13E+00	1.57E-01	6.94E-08	1.0E+06	6.9E-02
290	0.16392	2.56E-03	4.2E-04	1.05E-03	4.38E-07	1.13E+00	1.57E-01	7.76E-08	1.0E+06	7.8E-02
291	0.1821	2.56E-03	4.7E-04	1.05E-03	4.87E-07	1.13E+00	1.57E-01	8.62E-08	1.0E+06	8.6E-02
292	0.22152	2.56E-03	5.7E-04	1.05E-03	5.92E-07	1.13E+00	1.57E-01	1.05E-07	1.0E+06	1.0E-01
293	0.241	2.56E-03	6.2E-04	1.05E-03	6.45E-07	1.13E+00	1.57E-01	1.14E-07	1.0E+06	1.1E-01
294	0.24821	2.56E-03	6.4E-04	1.05E-03	6.64E-07	1.13E+00	1.57E-01	1.17E-07	1.0E+06	1.2E-01
295	0.28165	2.56E-03	7.2E-04	1.05E-03	7.53E-07	1.13E+00	1.57E-01	1.33E-07	1.0E+06	1.3E-01
296	0.32446	2.56E-03	8.3E-04	1.05E-03	8.68E-07	1.13E+00	1.57E-01	1.54E-07	1.0E+06	1.5E-01
297	0.37299	2.56E-03	9.5E-04	1.05E-03	9.98E-07	1.13E+00	1.57E-01	1.76E-07	1.0E+06	1.8E-01
298	0.44378	2.56E-03	1.1E-03	1.05E-03	1.19E-06	1.13E+00	1.57E-01	2.10E-07	1.0E+06	2.1E-01
299	0.54938	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.13E+00	1.57E-01	2.60E-07	1.0E+06	2.6E-01
300	0.67014	2.56E-03	1.7E-03	1.05E-03	1.79E-06	1.13E+00	1.57E-01	3.17E-07	1.0E+06	3.2E-01
301	0.83889	2.56E-03	2.1E-03	1.05E-03	2.24E-06	1.13E+00	1.57E-01	3.97E-07	1.0E+06	4.0E-01
302	1.05754	2.56E-03	2.7E-03	1.05E-03	2.83E-06	1.13E+00	1.57E-01	5.00E-07	1.0E+06	5.0E-01
303	1.36095	2.56E-03	3.5E-03	1.05E-03	3.64E-06	1.13E+00	1.57E-01	6.44E-07	1.0E+06	6.4E-01
304	1.82968	2.56E-03	4.7E-03	1.05E-03	4.89E-06	1.13E+00	1.57E-01	8.66E-07	1.0E+06	8.7E-01
305	2.94941	2.56E-03	7.5E-03	1.05E-03	7.89E-06	1.13E+00	1.57E-01	1.40E-06	1.0E+06	1.4E+00
306	0.14102	2.56E-03	3.6E-04	1.05E-03	3.77E-07	1.13E+00	1.57E-01	6.67E-08	1.0E+06	6.7E-02
307	0.14805	2.56E-03	3.8E-04	1.05E-03	3.96E-07	1.13E+00	1.57E-01	7.00E-08	1.0E+06	7.0E-02
308	0.16104	2.56E-03	4.1E-04	1.05E-03	4.31E-07	1.13E+00	1.57E-01	7.62E-08	1.0E+06	7.6E-02
309	0.1881	2.56E-03	4.8E-04	1.05E-03	5.03E-07	1.13E+00	1.57E-01	8.90E-08	1.0E+06	8.9E-02
310	0.21623	2.56E-03	5.5E-04	1.05E-03	5.78E-07	1.13E+00	1.57E-01	1.02E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	2.56E-03	6.0E-04	1.05E-03	6.26E-07	1.13E+00	1.57E-01	1.11E-07	1.0E+06	1.1E-01
312	0.23582	2.56E-03	6.0E-04	1.05E-03	6.31E-07	1.13E+00	1.57E-01	1.12E-07	1.0E+06	1.1E-01
313	0.2662	2.56E-03	6.8E-04	1.05E-03	7.12E-07	1.13E+00	1.57E-01	1.26E-07	1.0E+06	1.3E-01
314	0.30482	2.56E-03	7.8E-04	1.05E-03	8.15E-07	1.13E+00	1.57E-01	1.44E-07	1.0E+06	1.4E-01
315	0.36238	2.56E-03	9.3E-04	1.05E-03	9.69E-07	1.13E+00	1.57E-01	1.71E-07	1.0E+06	1.7E-01
316	0.41173	2.56E-03	1.1E-03	1.05E-03	1.10E-06	1.13E+00	1.57E-01	1.95E-07	1.0E+06	1.9E-01
317	0.48329	2.56E-03	1.2E-03	1.05E-03	1.29E-06	1.13E+00	1.57E-01	2.29E-07	1.0E+06	2.3E-01
318	0.58024	2.56E-03	1.5E-03	1.05E-03	1.55E-06	1.13E+00	1.57E-01	2.75E-07	1.0E+06	2.7E-01
319	0.71842	2.56E-03	1.8E-03	1.05E-03	1.92E-06	1.13E+00	1.57E-01	3.40E-07	1.0E+06	3.4E-01
320	0.91725	2.56E-03	2.3E-03	1.05E-03	2.45E-06	1.13E+00	1.57E-01	4.34E-07	1.0E+06	4.3E-01
321	1.14351	2.56E-03	2.9E-03	1.05E-03	3.06E-06	1.13E+00	1.57E-01	5.41E-07	1.0E+06	5.4E-01
322	1.47884	2.56E-03	3.8E-03	1.05E-03	3.96E-06	1.13E+00	1.57E-01	7.00E-07	1.0E+06	7.0E-01
323	2.2049	2.56E-03	5.6E-03	1.05E-03	5.90E-06	1.13E+00	1.57E-01	1.04E-06	1.0E+06	1.0E+00
324	0.13829	2.56E-03	3.5E-04	1.05E-03	3.70E-07	1.13E+00	1.57E-01	6.54E-08	1.0E+06	6.5E-02
325	0.15341	2.56E-03	3.9E-04	1.05E-03	4.10E-07	1.13E+00	1.57E-01	7.26E-08	1.0E+06	7.3E-02
326	0.16525	2.56E-03	4.2E-04	1.05E-03	4.42E-07	1.13E+00	1.57E-01	7.82E-08	1.0E+06	7.8E-02
327	0.17597	2.56E-03	4.5E-04	1.05E-03	4.71E-07	1.13E+00	1.57E-01	8.33E-08	1.0E+06	8.3E-02
328	0.21285	2.56E-03	5.4E-04	1.05E-03	5.69E-07	1.13E+00	1.57E-01	1.01E-07	1.0E+06	1.0E-01
329	0.22617	2.56E-03	5.8E-04	1.05E-03	6.05E-07	1.13E+00	1.57E-01	1.07E-07	1.0E+06	1.1E-01
330	0.229	2.56E-03	5.9E-04	1.05E-03	6.13E-07	1.13E+00	1.57E-01	1.08E-07	1.0E+06	1.1E-01
331	0.25812	2.56E-03	6.6E-04	1.05E-03	6.90E-07	1.13E+00	1.57E-01	1.22E-07	1.0E+06	1.2E-01
332	0.29444	2.56E-03	7.5E-04	1.05E-03	7.88E-07	1.13E+00	1.57E-01	1.39E-07	1.0E+06	1.4E-01
333	0.34735	2.56E-03	8.9E-04	1.05E-03	9.29E-07	1.13E+00	1.57E-01	1.64E-07	1.0E+06	1.6E-01
334	0.39929	2.56E-03	1.0E-03	1.05E-03	1.07E-06	1.13E+00	1.57E-01	1.89E-07	1.0E+06	1.9E-01
335	0.46251	2.56E-03	1.2E-03	1.05E-03	1.24E-06	1.13E+00	1.57E-01	2.19E-07	1.0E+06	2.2E-01
336	1.34926	2.56E-03	3.5E-03	1.05E-03	3.61E-06	1.13E+00	1.57E-01	6.38E-07	1.0E+06	6.4E-01
337	1.42098	2.56E-03	3.6E-03	1.05E-03	3.80E-06	1.13E+00	1.57E-01	6.72E-07	1.0E+06	6.7E-01
338	0.15741	2.56E-03	4.0E-04	1.05E-03	4.21E-07	1.13E+00	1.57E-01	7.45E-08	1.0E+06	7.4E-02
339	0.16826	2.56E-03	4.3E-04	1.05E-03	4.50E-07	1.13E+00	1.57E-01	7.96E-08	1.0E+06	8.0E-02
340	0.19168	2.56E-03	4.9E-04	1.05E-03	5.13E-07	1.13E+00	1.57E-01	9.07E-08	1.0E+06	9.1E-02
341	0.20395	2.56E-03	5.2E-04	1.05E-03	5.46E-07	1.13E+00	1.57E-01	9.65E-08	1.0E+06	9.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	2.56E-03	5.4E-04	1.05E-03	5.64E-07	1.13E+00	1.57E-01	9.97E-08	1.0E+06	1.0E-01
343	0.22111	2.56E-03	5.7E-04	1.05E-03	5.91E-07	1.13E+00	1.57E-01	1.05E-07	1.0E+06	1.0E-01
344	0.22429	2.56E-03	5.7E-04	1.05E-03	6.00E-07	1.13E+00	1.57E-01	1.06E-07	1.0E+06	1.1E-01
345	0.22606	2.56E-03	5.8E-04	1.05E-03	6.05E-07	1.13E+00	1.57E-01	1.07E-07	1.0E+06	1.1E-01
346	0.22606	2.56E-03	5.8E-04	1.05E-03	6.05E-07	1.13E+00	1.57E-01	1.07E-07	1.0E+06	1.1E-01
347	0.17036	2.56E-03	4.4E-04	1.05E-03	4.56E-07	1.13E+00	1.57E-01	8.06E-08	1.0E+06	8.1E-02
348	0.18661	2.56E-03	4.8E-04	1.05E-03	4.99E-07	1.13E+00	1.57E-01	8.83E-08	1.0E+06	8.8E-02
349	0.21873	2.56E-03	5.6E-04	1.05E-03	5.85E-07	1.13E+00	1.57E-01	1.03E-07	1.0E+06	1.0E-01
350	0.22806	2.56E-03	5.8E-04	1.05E-03	6.10E-07	1.13E+00	1.57E-01	1.08E-07	1.0E+06	1.1E-01
351	0.23577	2.56E-03	6.0E-04	1.05E-03	6.31E-07	1.13E+00	1.57E-01	1.12E-07	1.0E+06	1.1E-01
352	0.24893	2.56E-03	6.4E-04	1.05E-03	6.66E-07	1.13E+00	1.57E-01	1.18E-07	1.0E+06	1.2E-01
353	0.25277	2.56E-03	6.5E-04	1.05E-03	6.76E-07	1.13E+00	1.57E-01	1.20E-07	1.0E+06	1.2E-01
354	0.25385	2.56E-03	6.5E-04	1.05E-03	6.79E-07	1.13E+00	1.57E-01	1.20E-07	1.0E+06	1.2E-01
355	0.25415	2.56E-03	6.5E-04	1.05E-03	6.80E-07	1.13E+00	1.57E-01	1.20E-07	1.0E+06	1.2E-01
356	0.18604	2.56E-03	4.8E-04	1.05E-03	4.98E-07	1.13E+00	1.57E-01	8.80E-08	1.0E+06	8.8E-02
357	0.20039	2.56E-03	5.1E-04	1.05E-03	5.36E-07	1.13E+00	1.57E-01	9.48E-08	1.0E+06	9.5E-02
358	0.21891	2.56E-03	5.6E-04	1.05E-03	5.86E-07	1.13E+00	1.57E-01	1.04E-07	1.0E+06	1.0E-01
359	0.24942	2.56E-03	6.4E-04	1.05E-03	6.67E-07	1.13E+00	1.57E-01	1.18E-07	1.0E+06	1.2E-01
360	0.26595	2.56E-03	6.8E-04	1.05E-03	7.11E-07	1.13E+00	1.57E-01	1.26E-07	1.0E+06	1.3E-01
361	0.28268	2.56E-03	7.2E-04	1.05E-03	7.56E-07	1.13E+00	1.57E-01	1.34E-07	1.0E+06	1.3E-01
362	0.28748	2.56E-03	7.4E-04	1.05E-03	7.69E-07	1.13E+00	1.57E-01	1.36E-07	1.0E+06	1.4E-01
363	0.28847	2.56E-03	7.4E-04	1.05E-03	7.72E-07	1.13E+00	1.57E-01	1.36E-07	1.0E+06	1.4E-01
364	0.20678	2.56E-03	5.3E-04	1.05E-03	5.53E-07	1.13E+00	1.57E-01	9.78E-08	1.0E+06	9.8E-02
365	0.21895	2.56E-03	5.6E-04	1.05E-03	5.86E-07	1.13E+00	1.57E-01	1.04E-07	1.0E+06	1.0E-01
366	0.24185	2.56E-03	6.2E-04	1.05E-03	6.47E-07	1.13E+00	1.57E-01	1.14E-07	1.0E+06	1.1E-01
367	0.28223	2.56E-03	7.2E-04	1.05E-03	7.55E-07	1.13E+00	1.57E-01	1.34E-07	1.0E+06	1.3E-01
368	0.30287	2.56E-03	7.8E-04	1.05E-03	8.10E-07	1.13E+00	1.57E-01	1.43E-07	1.0E+06	1.4E-01
369	0.32466	2.56E-03	8.3E-04	1.05E-03	8.68E-07	1.13E+00	1.57E-01	1.54E-07	1.0E+06	1.5E-01
370	0.33362	2.56E-03	8.5E-04	1.05E-03	8.92E-07	1.13E+00	1.57E-01	1.58E-07	1.0E+06	1.6E-01
371	0.33293	2.56E-03	8.5E-04	1.05E-03	8.90E-07	1.13E+00	1.57E-01	1.58E-07	1.0E+06	1.6E-01
372	0.23425	2.56E-03	6.0E-04	1.05E-03	6.27E-07	1.13E+00	1.57E-01	1.11E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	2.56E-03	6.3E-04	1.05E-03	6.63E-07	1.13E+00	1.57E-01	1.17E-07	1.0E+06	1.2E-01
374	0.2758	2.56E-03	7.1E-04	1.05E-03	7.38E-07	1.13E+00	1.57E-01	1.30E-07	1.0E+06	1.3E-01
375	0.3231	2.56E-03	8.3E-04	1.05E-03	8.64E-07	1.13E+00	1.57E-01	1.53E-07	1.0E+06	1.5E-01
376	0.34946	2.56E-03	8.9E-04	1.05E-03	9.35E-07	1.13E+00	1.57E-01	1.65E-07	1.0E+06	1.7E-01
377	0.36592	2.56E-03	9.4E-04	1.05E-03	9.79E-07	1.13E+00	1.57E-01	1.73E-07	1.0E+06	1.7E-01
378	0.37782	2.56E-03	9.7E-04	1.05E-03	1.01E-06	1.13E+00	1.57E-01	1.79E-07	1.0E+06	1.8E-01
379	0.38907	2.56E-03	1.0E-03	1.05E-03	1.04E-06	1.13E+00	1.57E-01	1.84E-07	1.0E+06	1.8E-01
380	0.389	2.56E-03	1.0E-03	1.05E-03	1.04E-06	1.13E+00	1.57E-01	1.84E-07	1.0E+06	1.8E-01
381	0.38496	2.56E-03	9.9E-04	1.05E-03	1.03E-06	1.13E+00	1.57E-01	1.82E-07	1.0E+06	1.8E-01
382	0.27352	2.56E-03	7.0E-04	1.05E-03	7.32E-07	1.13E+00	1.57E-01	1.29E-07	1.0E+06	1.3E-01
383	0.29685	2.56E-03	7.6E-04	1.05E-03	7.94E-07	1.13E+00	1.57E-01	1.40E-07	1.0E+06	1.4E-01
384	0.32129	2.56E-03	8.2E-04	1.05E-03	8.59E-07	1.13E+00	1.57E-01	1.52E-07	1.0E+06	1.5E-01
385	0.3848	2.56E-03	9.8E-04	1.05E-03	1.03E-06	1.13E+00	1.57E-01	1.82E-07	1.0E+06	1.8E-01
386	0.40823	2.56E-03	1.0E-03	1.05E-03	1.09E-06	1.13E+00	1.57E-01	1.93E-07	1.0E+06	1.9E-01
387	0.43009	2.56E-03	1.1E-03	1.05E-03	1.15E-06	1.13E+00	1.57E-01	2.03E-07	1.0E+06	2.0E-01
388	0.44587	2.56E-03	1.1E-03	1.05E-03	1.19E-06	1.13E+00	1.57E-01	2.11E-07	1.0E+06	2.1E-01
389	0.46018	2.56E-03	1.2E-03	1.05E-03	1.23E-06	1.13E+00	1.57E-01	2.18E-07	1.0E+06	2.2E-01
390	0.45888	2.56E-03	1.2E-03	1.05E-03	1.23E-06	1.13E+00	1.57E-01	2.17E-07	1.0E+06	2.2E-01
391	0.45337	2.56E-03	1.2E-03	1.05E-03	1.21E-06	1.13E+00	1.57E-01	2.14E-07	1.0E+06	2.1E-01
392	0.43787	2.56E-03	1.1E-03	1.05E-03	1.17E-06	1.13E+00	1.57E-01	2.07E-07	1.0E+06	2.1E-01
393	0.32603	2.56E-03	8.3E-04	1.05E-03	8.72E-07	1.13E+00	1.57E-01	1.54E-07	1.0E+06	1.5E-01
394	0.38853	2.56E-03	9.9E-04	1.05E-03	1.04E-06	1.13E+00	1.57E-01	1.84E-07	1.0E+06	1.8E-01
395	0.43296	2.56E-03	1.1E-03	1.05E-03	1.16E-06	1.13E+00	1.57E-01	2.05E-07	1.0E+06	2.0E-01
396	0.4654	2.56E-03	1.2E-03	1.05E-03	1.24E-06	1.13E+00	1.57E-01	2.20E-07	1.0E+06	2.2E-01
397	0.4979	2.56E-03	1.3E-03	1.05E-03	1.33E-06	1.13E+00	1.57E-01	2.36E-07	1.0E+06	2.4E-01
398	0.51462	2.56E-03	1.3E-03	1.05E-03	1.38E-06	1.13E+00	1.57E-01	2.43E-07	1.0E+06	2.4E-01
399	0.52048	2.56E-03	1.3E-03	1.05E-03	1.39E-06	1.13E+00	1.57E-01	2.46E-07	1.0E+06	2.5E-01
400	0.55457	2.56E-03	1.4E-03	1.05E-03	1.48E-06	1.13E+00	1.57E-01	2.62E-07	1.0E+06	2.6E-01
401	0.55208	2.56E-03	1.4E-03	1.05E-03	1.48E-06	1.13E+00	1.57E-01	2.61E-07	1.0E+06	2.6E-01
402	0.51974	2.56E-03	1.3E-03	1.05E-03	1.39E-06	1.13E+00	1.57E-01	2.46E-07	1.0E+06	2.5E-01
403	0.67545	2.56E-03	1.7E-03	1.05E-03	1.81E-06	1.13E+00	1.57E-01	3.20E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	2.56E-03	1.6E-03	1.05E-03	1.70E-06	1.13E+00	1.57E-01	3.01E-07	1.0E+06	3.0E-01
405	0.59648	2.56E-03	1.5E-03	1.05E-03	1.60E-06	1.13E+00	1.57E-01	2.82E-07	1.0E+06	2.8E-01
406	0.8541	2.56E-03	2.2E-03	1.05E-03	2.28E-06	1.13E+00	1.57E-01	4.04E-07	1.0E+06	4.0E-01
407	0.72119	2.56E-03	1.8E-03	1.05E-03	1.93E-06	1.13E+00	1.57E-01	3.41E-07	1.0E+06	3.4E-01
408	1.11899	2.56E-03	2.9E-03	1.05E-03	2.99E-06	1.13E+00	1.57E-01	5.29E-07	1.0E+06	5.3E-01
409	0.88286	2.56E-03	2.3E-03	1.05E-03	2.36E-06	1.13E+00	1.57E-01	4.18E-07	1.0E+06	4.2E-01
410	1.53458	2.56E-03	3.9E-03	1.05E-03	4.10E-06	1.13E+00	1.57E-01	7.26E-07	1.0E+06	7.3E-01
411	1.24788	2.56E-03	3.2E-03	1.05E-03	3.34E-06	1.13E+00	1.57E-01	5.90E-07	1.0E+06	5.9E-01
412	1.10769	2.56E-03	2.8E-03	1.05E-03	2.96E-06	1.13E+00	1.57E-01	5.24E-07	1.0E+06	5.2E-01
413	2.24007	2.56E-03	5.7E-03	1.05E-03	5.99E-06	1.13E+00	1.57E-01	1.06E-06	1.0E+06	1.1E+00
414	1.85905	2.56E-03	4.8E-03	1.05E-03	4.97E-06	1.13E+00	1.57E-01	8.80E-07	1.0E+06	8.8E-01
415	1.59815	2.56E-03	4.1E-03	1.05E-03	4.27E-06	1.13E+00	1.57E-01	7.56E-07	1.0E+06	7.6E-01
416	1.34652	2.56E-03	3.4E-03	1.05E-03	3.60E-06	1.13E+00	1.57E-01	6.37E-07	1.0E+06	6.4E-01
417	3.57218	2.56E-03	9.1E-03	1.05E-03	9.55E-06	1.13E+00	1.57E-01	1.69E-06	1.0E+06	1.7E+00
418	2.01893	2.56E-03	5.2E-03	1.05E-03	5.40E-06	1.13E+00	1.57E-01	9.55E-07	1.0E+06	9.6E-01
419	1.58987	2.56E-03	4.1E-03	1.05E-03	4.25E-06	1.13E+00	1.57E-01	7.52E-07	1.0E+06	7.5E-01
420	1.2521	2.56E-03	3.2E-03	1.05E-03	3.35E-06	1.13E+00	1.57E-01	5.92E-07	1.0E+06	5.9E-01
421	6.42312	2.56E-03	1.6E-02	1.05E-03	1.72E-05	1.13E+00	1.57E-01	3.04E-06	1.0E+06	3.0E+00
422	1.77737	2.56E-03	4.5E-03	1.05E-03	4.75E-06	1.13E+00	1.57E-01	8.41E-07	1.0E+06	8.4E-01
423	1.33662	2.56E-03	3.4E-03	1.05E-03	3.58E-06	1.13E+00	1.57E-01	6.32E-07	1.0E+06	6.3E-01
424	12.91388	2.56E-03	3.3E-02	1.05E-03	3.45E-05	1.13E+00	1.57E-01	6.11E-06	1.0E+06	6.1E+00
425	1.34203	2.56E-03	3.4E-03	1.05E-03	3.59E-06	1.13E+00	1.57E-01	6.35E-07	1.0E+06	6.3E-01
426	1.01676	2.56E-03	2.6E-03	1.05E-03	2.72E-06	1.13E+00	1.57E-01	4.81E-07	1.0E+06	4.8E-01
427	22.75271	2.56E-03	5.8E-02	1.05E-03	6.09E-05	1.13E+00	1.57E-01	1.08E-05	1.0E+06	1.1E+01
428	1.27773	2.56E-03	3.3E-03	1.05E-03	3.42E-06	1.13E+00	1.57E-01	6.05E-07	1.0E+06	6.0E-01
429	0.96908	2.56E-03	2.5E-03	1.05E-03	2.59E-06	1.13E+00	1.57E-01	4.58E-07	1.0E+06	4.6E-01
430	21.09262	2.56E-03	5.4E-02	1.05E-03	5.64E-05	1.13E+00	1.57E-01	9.98E-06	1.0E+06	1.0E+01
431	0.90443	2.56E-03	2.3E-03	1.05E-03	2.42E-06	1.13E+00	1.57E-01	4.28E-07	1.0E+06	4.3E-01
432	0.71229	2.56E-03	1.8E-03	1.05E-03	1.91E-06	1.13E+00	1.57E-01	3.37E-07	1.0E+06	3.4E-01
433	13.11622	2.56E-03	3.4E-02	1.05E-03	3.51E-05	1.13E+00	1.57E-01	6.21E-06	1.0E+06	6.2E+00
434	0.83575	2.56E-03	2.1E-03	1.05E-03	2.24E-06	1.13E+00	1.57E-01	3.95E-07	1.0E+06	4.0E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	2.56E-03	1.7E-03	1.05E-03	1.79E-06	1.13E+00	1.57E-01	3.17E-07	1.0E+06	3.2E-01
436	8.0879	2.56E-03	2.1E-02	1.05E-03	2.16E-05	1.13E+00	1.57E-01	3.83E-06	1.0E+06	3.8E+00
437	0.97518	2.56E-03	2.5E-03	1.05E-03	2.61E-06	1.13E+00	1.57E-01	4.61E-07	1.0E+06	4.6E-01
438	0.76912	2.56E-03	2.0E-03	1.05E-03	2.06E-06	1.13E+00	1.57E-01	3.64E-07	1.0E+06	3.6E-01
439	0.6239	2.56E-03	1.6E-03	1.05E-03	1.67E-06	1.13E+00	1.57E-01	2.95E-07	1.0E+06	3.0E-01
440	5.21196	2.56E-03	1.3E-02	1.05E-03	1.39E-05	1.13E+00	1.57E-01	2.47E-06	1.0E+06	2.5E+00
441	1.57338	2.56E-03	4.0E-03	1.05E-03	4.21E-06	1.13E+00	1.57E-01	7.44E-07	1.0E+06	7.4E-01
442	1.14958	2.56E-03	2.9E-03	1.05E-03	3.07E-06	1.13E+00	1.57E-01	5.44E-07	1.0E+06	5.4E-01
443	0.88407	2.56E-03	2.3E-03	1.05E-03	2.36E-06	1.13E+00	1.57E-01	4.18E-07	1.0E+06	4.2E-01
444	0.70507	2.56E-03	1.8E-03	1.05E-03	1.89E-06	1.13E+00	1.57E-01	3.34E-07	1.0E+06	3.3E-01
445	3.55393	2.56E-03	9.1E-03	1.05E-03	9.51E-06	1.13E+00	1.57E-01	1.68E-06	1.0E+06	1.7E+00
446	1.95063	2.56E-03	5.0E-03	1.05E-03	5.22E-06	1.13E+00	1.57E-01	9.23E-07	1.0E+06	9.2E-01
447	1.38871	2.56E-03	3.6E-03	1.05E-03	3.71E-06	1.13E+00	1.57E-01	6.57E-07	1.0E+06	6.6E-01
448	1.03194	2.56E-03	2.6E-03	1.05E-03	2.76E-06	1.13E+00	1.57E-01	4.88E-07	1.0E+06	4.9E-01
449	2.54704	2.56E-03	6.5E-03	1.05E-03	6.81E-06	1.13E+00	1.57E-01	1.21E-06	1.0E+06	1.2E+00
450	2.13244	2.56E-03	5.5E-03	1.05E-03	5.70E-06	1.13E+00	1.57E-01	1.01E-06	1.0E+06	1.0E+00
451	1.63606	2.56E-03	4.2E-03	1.05E-03	4.38E-06	1.13E+00	1.57E-01	7.74E-07	1.0E+06	7.7E-01
452	1.90224	2.56E-03	4.9E-03	1.05E-03	5.09E-06	1.13E+00	1.57E-01	9.00E-07	1.0E+06	9.0E-01
453	1.68146	2.56E-03	4.3E-03	1.05E-03	4.50E-06	1.13E+00	1.57E-01	7.96E-07	1.0E+06	8.0E-01
454	0.45602	2.56E-03	1.2E-03	1.05E-03	1.22E-06	1.13E+00	1.57E-01	2.16E-07	1.0E+06	2.2E-01
455	0.39292	2.56E-03	1.0E-03	1.05E-03	1.05E-06	1.13E+00	1.57E-01	1.86E-07	1.0E+06	1.9E-01
456	1.46911	2.56E-03	3.8E-03	1.05E-03	3.93E-06	1.13E+00	1.57E-01	6.95E-07	1.0E+06	7.0E-01
457	1.34798	2.56E-03	3.4E-03	1.05E-03	3.61E-06	1.13E+00	1.57E-01	6.38E-07	1.0E+06	6.4E-01
458	1.14854	2.56E-03	2.9E-03	1.05E-03	3.07E-06	1.13E+00	1.57E-01	5.43E-07	1.0E+06	5.4E-01
459	0.60959	2.56E-03	1.6E-03	1.05E-03	1.63E-06	1.13E+00	1.57E-01	2.88E-07	1.0E+06	2.9E-01
460	0.50521	2.56E-03	1.3E-03	1.05E-03	1.35E-06	1.13E+00	1.57E-01	2.39E-07	1.0E+06	2.4E-01
461	0.42667	2.56E-03	1.1E-03	1.05E-03	1.14E-06	1.13E+00	1.57E-01	2.02E-07	1.0E+06	2.0E-01
462	0.36664	2.56E-03	9.4E-04	1.05E-03	9.81E-07	1.13E+00	1.57E-01	1.73E-07	1.0E+06	1.7E-01
463	1.56366	2.56E-03	4.0E-03	1.05E-03	4.18E-06	1.13E+00	1.57E-01	7.40E-07	1.0E+06	7.4E-01
464	1.67908	2.56E-03	4.3E-03	1.05E-03	4.49E-06	1.13E+00	1.57E-01	7.94E-07	1.0E+06	7.9E-01
465	2.37925	2.56E-03	6.1E-03	1.05E-03	6.36E-06	1.13E+00	1.57E-01	1.13E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	2.56E-03	7.4E-03	1.05E-03	7.76E-06	1.13E+00	1.57E-01	1.37E-06	1.0E+06	1.4E+00
467	4.03499	2.56E-03	1.0E-02	1.05E-03	1.08E-05	1.13E+00	1.57E-01	1.91E-06	1.0E+06	1.9E+00
468	8.35246	2.56E-03	2.1E-02	1.05E-03	2.23E-05	1.13E+00	1.57E-01	3.95E-06	1.0E+06	4.0E+00
469	28.13292	2.56E-03	7.2E-02	1.05E-03	7.52E-05	1.13E+00	1.57E-01	1.33E-05	1.0E+06	1.3E+01
470	20.35286	2.56E-03	5.2E-02	1.05E-03	5.44E-05	1.13E+00	1.57E-01	9.63E-06	1.0E+06	9.6E+00
471	34.54288	2.56E-03	8.8E-02	1.05E-03	9.24E-05	1.13E+00	1.57E-01	1.63E-05	1.0E+06	1.6E+01
472	27.90221	2.56E-03	7.1E-02	1.05E-03	7.46E-05	1.13E+00	1.57E-01	1.32E-05	1.0E+06	1.3E+01
473	29.67594	2.56E-03	7.6E-02	1.05E-03	7.94E-05	1.13E+00	1.57E-01	1.40E-05	1.0E+06	1.4E+01
474	13.04296	2.56E-03	3.3E-02	1.05E-03	3.49E-05	1.13E+00	1.57E-01	6.17E-06	1.0E+06	6.2E+00
475	22.08892	2.56E-03	5.7E-02	1.05E-03	5.91E-05	1.13E+00	1.57E-01	1.05E-05	1.0E+06	1.0E+01
476	6.99817	2.56E-03	1.8E-02	1.05E-03	1.87E-05	1.13E+00	1.57E-01	3.31E-06	1.0E+06	3.3E+00
477	9.76012	2.56E-03	2.5E-02	1.05E-03	2.61E-05	1.13E+00	1.57E-01	4.62E-06	1.0E+06	4.6E+00
478	4.29281	2.56E-03	1.1E-02	1.05E-03	1.15E-05	1.13E+00	1.57E-01	2.03E-06	1.0E+06	2.0E+00
479	5.44714	2.56E-03	1.4E-02	1.05E-03	1.46E-05	1.13E+00	1.57E-01	2.58E-06	1.0E+06	2.6E+00
480	5.4004	2.56E-03	1.4E-02	1.05E-03	1.44E-05	1.13E+00	1.57E-01	2.56E-06	1.0E+06	2.6E+00
481	2.88653	2.56E-03	7.4E-03	1.05E-03	7.72E-06	1.13E+00	1.57E-01	1.37E-06	1.0E+06	1.4E+00
482	3.54717	2.56E-03	9.1E-03	1.05E-03	9.49E-06	1.13E+00	1.57E-01	1.68E-06	1.0E+06	1.7E+00
483	2.40679	2.56E-03	6.2E-03	1.05E-03	6.44E-06	1.13E+00	1.57E-01	1.14E-06	1.0E+06	1.1E+00
484	2.49271	2.56E-03	6.4E-03	1.05E-03	6.67E-06	1.13E+00	1.57E-01	1.18E-06	1.0E+06	1.2E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.07258	5.31049E-07	3.9E-08	1.05E-03	4.03E-11	1.13E+00	1.57E-01	7.13E-12	1.0E+06	7.1E-06
2	2	0.07361	5.31049E-07	3.9E-08	1.05E-03	4.09E-11	1.13E+00	1.57E-01	7.23E-12	1.0E+06	7.2E-06
3	3	0.07465	5.31049E-07	4.0E-08	1.05E-03	4.14E-11	1.13E+00	1.57E-01	7.33E-12	1.0E+06	7.3E-06
4	4	0.07594	5.31049E-07	4.0E-08	1.05E-03	4.22E-11	1.13E+00	1.57E-01	7.46E-12	1.0E+06	7.5E-06
5	5	0.07736	5.31049E-07	4.1E-08	1.05E-03	4.29E-11	1.13E+00	1.57E-01	7.60E-12	1.0E+06	7.6E-06
6	6	0.07976	5.31049E-07	4.2E-08	1.05E-03	4.43E-11	1.13E+00	1.57E-01	7.83E-12	1.0E+06	7.8E-06
7	7	0.08261	5.31049E-07	4.4E-08	1.05E-03	4.59E-11	1.13E+00	1.57E-01	8.11E-12	1.0E+06	8.1E-06
8	8	0.08576	5.31049E-07	4.6E-08	1.05E-03	4.76E-11	1.13E+00	1.57E-01	8.42E-12	1.0E+06	8.4E-06
9	9	0.08923	5.31049E-07	4.7E-08	1.05E-03	4.95E-11	1.13E+00	1.57E-01	8.76E-12	1.0E+06	8.8E-06
10	10	0.09348	5.31049E-07	5.0E-08	1.05E-03	5.19E-11	1.13E+00	1.57E-01	9.18E-12	1.0E+06	9.2E-06
11	11	0.09887	5.31049E-07	5.3E-08	1.05E-03	5.49E-11	1.13E+00	1.57E-01	9.71E-12	1.0E+06	9.7E-06
12	12	0.1046	5.31049E-07	5.6E-08	1.05E-03	5.81E-11	1.13E+00	1.57E-01	1.03E-11	1.0E+06	1.0E-05
13	13	0.11086	5.31049E-07	5.9E-08	1.05E-03	6.15E-11	1.13E+00	1.57E-01	1.09E-11	1.0E+06	1.1E-05
14	14	0.15272	5.31049E-07	8.1E-08	1.05E-03	8.48E-11	1.13E+00	1.57E-01	1.50E-11	1.0E+06	1.5E-05
15	15	0.07987	5.31049E-07	4.2E-08	1.05E-03	4.43E-11	1.13E+00	1.57E-01	7.84E-12	1.0E+06	7.8E-06
16	16	0.08047	5.31049E-07	4.3E-08	1.05E-03	4.47E-11	1.13E+00	1.57E-01	7.90E-12	1.0E+06	7.9E-06
17	17	0.08186	5.31049E-07	4.3E-08	1.05E-03	4.54E-11	1.13E+00	1.57E-01	8.04E-12	1.0E+06	8.0E-06
18	18	0.08282	5.31049E-07	4.4E-08	1.05E-03	4.60E-11	1.13E+00	1.57E-01	8.13E-12	1.0E+06	8.1E-06
19	19	0.08387	5.31049E-07	4.5E-08	1.05E-03	4.66E-11	1.13E+00	1.57E-01	8.23E-12	1.0E+06	8.2E-06
20	20	0.08576	5.31049E-07	4.6E-08	1.05E-03	4.76E-11	1.13E+00	1.57E-01	8.42E-12	1.0E+06	8.4E-06
21	21	0.0882	5.31049E-07	4.7E-08	1.05E-03	4.90E-11	1.13E+00	1.57E-01	8.66E-12	1.0E+06	8.7E-06
22	22	0.09097	5.31049E-07	4.8E-08	1.05E-03	5.05E-11	1.13E+00	1.57E-01	8.93E-12	1.0E+06	8.9E-06
23	23	0.09536	5.31049E-07	5.1E-08	1.05E-03	5.29E-11	1.13E+00	1.57E-01	9.36E-12	1.0E+06	9.4E-06
24	24	0.09927	5.31049E-07	5.3E-08	1.05E-03	5.51E-11	1.13E+00	1.57E-01	9.75E-12	1.0E+06	9.7E-06
25	25	0.10562	5.31049E-07	5.6E-08	1.05E-03	5.86E-11	1.13E+00	1.57E-01	1.04E-11	1.0E+06	1.0E-05
26	26	0.11246	5.31049E-07	6.0E-08	1.05E-03	6.24E-11	1.13E+00	1.57E-01	1.10E-11	1.0E+06	1.1E-05
27	27	0.11826	5.31049E-07	6.3E-08	1.05E-03	6.56E-11	1.13E+00	1.57E-01	1.16E-11	1.0E+06	1.2E-05
28	28	0.16766	5.31049E-07	8.9E-08	1.05E-03	9.31E-11	1.13E+00	1.57E-01	1.65E-11	1.0E+06	1.6E-05
29	29	0.08809	5.31049E-07	4.7E-08	1.05E-03	4.89E-11	1.13E+00	1.57E-01	8.65E-12	1.0E+06	8.6E-06
30	30	0.08938	5.31049E-07	4.7E-08	1.05E-03	4.96E-11	1.13E+00	1.57E-01	8.78E-12	1.0E+06	8.8E-06
31	31	0.09119	5.31049E-07	4.8E-08	1.05E-03	5.06E-11	1.13E+00	1.57E-01	8.95E-12	1.0E+06	9.0E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.09231	5.31049E-07	4.9E-08	1.05E-03	5.12E-11	1.13E+00	1.57E-01	9.06E-12	1.0E+06	9.1E-06
33	33	0.092	5.31049E-07	4.9E-08	1.05E-03	5.11E-11	1.13E+00	1.57E-01	9.03E-12	1.0E+06	9.0E-06
34	34	0.09359	5.31049E-07	5.0E-08	1.05E-03	5.19E-11	1.13E+00	1.57E-01	9.19E-12	1.0E+06	9.2E-06
35	35	0.0954	5.31049E-07	5.1E-08	1.05E-03	5.30E-11	1.13E+00	1.57E-01	9.37E-12	1.0E+06	9.4E-06
36	36	0.09822	5.31049E-07	5.2E-08	1.05E-03	5.45E-11	1.13E+00	1.57E-01	9.64E-12	1.0E+06	9.6E-06
37	37	0.10214	5.31049E-07	5.4E-08	1.05E-03	5.67E-11	1.13E+00	1.57E-01	1.00E-11	1.0E+06	1.0E-05
38	38	0.10706	5.31049E-07	5.7E-08	1.05E-03	5.94E-11	1.13E+00	1.57E-01	1.05E-11	1.0E+06	1.1E-05
39	39	0.11315	5.31049E-07	6.0E-08	1.05E-03	6.28E-11	1.13E+00	1.57E-01	1.11E-11	1.0E+06	1.1E-05
40	40	0.11972	5.31049E-07	6.4E-08	1.05E-03	6.65E-11	1.13E+00	1.57E-01	1.18E-11	1.0E+06	1.2E-05
41	41	0.12639	5.31049E-07	6.7E-08	1.05E-03	7.02E-11	1.13E+00	1.57E-01	1.24E-11	1.0E+06	1.2E-05
42	42	0.18137	5.31049E-07	9.6E-08	1.05E-03	1.01E-10	1.13E+00	1.57E-01	1.78E-11	1.0E+06	1.8E-05
43	43	0.09692	5.31049E-07	5.1E-08	1.05E-03	5.38E-11	1.13E+00	1.57E-01	9.52E-12	1.0E+06	9.5E-06
44	44	0.0991	5.31049E-07	5.3E-08	1.05E-03	5.50E-11	1.13E+00	1.57E-01	9.73E-12	1.0E+06	9.7E-06
45	45	0.10072	5.31049E-07	5.3E-08	1.05E-03	5.59E-11	1.13E+00	1.57E-01	9.89E-12	1.0E+06	9.9E-06
46	46	0.10136	5.31049E-07	5.4E-08	1.05E-03	5.63E-11	1.13E+00	1.57E-01	9.95E-12	1.0E+06	1.0E-05
47	47	0.10168	5.31049E-07	5.4E-08	1.05E-03	5.64E-11	1.13E+00	1.57E-01	9.98E-12	1.0E+06	1.0E-05
48	48	0.10272	5.31049E-07	5.5E-08	1.05E-03	5.70E-11	1.13E+00	1.57E-01	1.01E-11	1.0E+06	1.0E-05
49	49	0.10387	5.31049E-07	5.5E-08	1.05E-03	5.77E-11	1.13E+00	1.57E-01	1.02E-11	1.0E+06	1.0E-05
50	50	0.10559	5.31049E-07	5.6E-08	1.05E-03	5.86E-11	1.13E+00	1.57E-01	1.04E-11	1.0E+06	1.0E-05
51	51	0.11059	5.31049E-07	5.9E-08	1.05E-03	6.14E-11	1.13E+00	1.57E-01	1.09E-11	1.0E+06	1.1E-05
52	52	0.11541	5.31049E-07	6.1E-08	1.05E-03	6.41E-11	1.13E+00	1.57E-01	1.13E-11	1.0E+06	1.1E-05
53	53	0.12207	5.31049E-07	6.5E-08	1.05E-03	6.78E-11	1.13E+00	1.57E-01	1.20E-11	1.0E+06	1.2E-05
54	54	0.12964	5.31049E-07	6.9E-08	1.05E-03	7.20E-11	1.13E+00	1.57E-01	1.27E-11	1.0E+06	1.3E-05
55	55	0.13798	5.31049E-07	7.3E-08	1.05E-03	7.66E-11	1.13E+00	1.57E-01	1.35E-11	1.0E+06	1.4E-05
56	56	0.20336	5.31049E-07	1.1E-07	1.05E-03	1.13E-10	1.13E+00	1.57E-01	2.00E-11	1.0E+06	2.0E-05
57	57	0.10602	5.31049E-07	5.6E-08	1.05E-03	5.88E-11	1.13E+00	1.57E-01	1.04E-11	1.0E+06	1.0E-05
58	58	0.10826	5.31049E-07	5.7E-08	1.05E-03	6.01E-11	1.13E+00	1.57E-01	1.06E-11	1.0E+06	1.1E-05
59	59	0.11015	5.31049E-07	5.8E-08	1.05E-03	6.11E-11	1.13E+00	1.57E-01	1.08E-11	1.0E+06	1.1E-05
60	60	0.11187	5.31049E-07	5.9E-08	1.05E-03	6.21E-11	1.13E+00	1.57E-01	1.10E-11	1.0E+06	1.1E-05
61	61	0.11317	5.31049E-07	6.0E-08	1.05E-03	6.28E-11	1.13E+00	1.57E-01	1.11E-11	1.0E+06	1.1E-05
62	62	0.11442	5.31049E-07	6.1E-08	1.05E-03	6.35E-11	1.13E+00	1.57E-01	1.12E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.11714	5.31049E-07	6.2E-08	1.05E-03	6.50E-11	1.13E+00	1.57E-01	1.15E-11	1.0E+06	1.2E-05
64	64	0.11648	5.31049E-07	6.2E-08	1.05E-03	6.47E-11	1.13E+00	1.57E-01	1.14E-11	1.0E+06	1.1E-05
65	65	0.12089	5.31049E-07	6.4E-08	1.05E-03	6.71E-11	1.13E+00	1.57E-01	1.19E-11	1.0E+06	1.2E-05
66	66	0.12645	5.31049E-07	6.7E-08	1.05E-03	7.02E-11	1.13E+00	1.57E-01	1.24E-11	1.0E+06	1.2E-05
67	67	0.13207	5.31049E-07	7.0E-08	1.05E-03	7.33E-11	1.13E+00	1.57E-01	1.30E-11	1.0E+06	1.3E-05
68	68	0.14191	5.31049E-07	7.5E-08	1.05E-03	7.88E-11	1.13E+00	1.57E-01	1.39E-11	1.0E+06	1.4E-05
69	69	0.15278	5.31049E-07	8.1E-08	1.05E-03	8.48E-11	1.13E+00	1.57E-01	1.50E-11	1.0E+06	1.5E-05
70	70	0.11505	5.31049E-07	6.1E-08	1.05E-03	6.39E-11	1.13E+00	1.57E-01	1.13E-11	1.0E+06	1.1E-05
71	71	0.11795	5.31049E-07	6.3E-08	1.05E-03	6.55E-11	1.13E+00	1.57E-01	1.16E-11	1.0E+06	1.2E-05
72	72	0.12035	5.31049E-07	6.4E-08	1.05E-03	6.68E-11	1.13E+00	1.57E-01	1.18E-11	1.0E+06	1.2E-05
73	73	0.12307	5.31049E-07	6.5E-08	1.05E-03	6.83E-11	1.13E+00	1.57E-01	1.21E-11	1.0E+06	1.2E-05
74	74	0.12482	5.31049E-07	6.6E-08	1.05E-03	6.93E-11	1.13E+00	1.57E-01	1.23E-11	1.0E+06	1.2E-05
75	75	0.12893	5.31049E-07	6.8E-08	1.05E-03	7.16E-11	1.13E+00	1.57E-01	1.27E-11	1.0E+06	1.3E-05
76	76	0.1318	5.31049E-07	7.0E-08	1.05E-03	7.32E-11	1.13E+00	1.57E-01	1.29E-11	1.0E+06	1.3E-05
77	77	0.13237	5.31049E-07	7.0E-08	1.05E-03	7.35E-11	1.13E+00	1.57E-01	1.30E-11	1.0E+06	1.3E-05
78	78	0.13671	5.31049E-07	7.3E-08	1.05E-03	7.59E-11	1.13E+00	1.57E-01	1.34E-11	1.0E+06	1.3E-05
79	79	0.14673	5.31049E-07	7.8E-08	1.05E-03	8.14E-11	1.13E+00	1.57E-01	1.44E-11	1.0E+06	1.4E-05
80	80	0.15027	5.31049E-07	8.0E-08	1.05E-03	8.34E-11	1.13E+00	1.57E-01	1.48E-11	1.0E+06	1.5E-05
81	81	0.16391	5.31049E-07	8.7E-08	1.05E-03	9.10E-11	1.13E+00	1.57E-01	1.61E-11	1.0E+06	1.6E-05
82	82	0.17293	5.31049E-07	9.2E-08	1.05E-03	9.60E-11	1.13E+00	1.57E-01	1.70E-11	1.0E+06	1.7E-05
83	83	0.12453	5.31049E-07	6.6E-08	1.05E-03	6.91E-11	1.13E+00	1.57E-01	1.22E-11	1.0E+06	1.2E-05
84	84	0.1273	5.31049E-07	6.8E-08	1.05E-03	7.07E-11	1.13E+00	1.57E-01	1.25E-11	1.0E+06	1.2E-05
85	85	0.12929	5.31049E-07	6.9E-08	1.05E-03	7.18E-11	1.13E+00	1.57E-01	1.27E-11	1.0E+06	1.3E-05
86	86	0.13537	5.31049E-07	7.2E-08	1.05E-03	7.51E-11	1.13E+00	1.57E-01	1.33E-11	1.0E+06	1.3E-05
87	87	0.13951	5.31049E-07	7.4E-08	1.05E-03	7.74E-11	1.13E+00	1.57E-01	1.37E-11	1.0E+06	1.4E-05
88	88	0.14441	5.31049E-07	7.7E-08	1.05E-03	8.02E-11	1.13E+00	1.57E-01	1.42E-11	1.0E+06	1.4E-05
89	89	0.14954	5.31049E-07	7.9E-08	1.05E-03	8.30E-11	1.13E+00	1.57E-01	1.47E-11	1.0E+06	1.5E-05
90	90	0.1551	5.31049E-07	8.2E-08	1.05E-03	8.61E-11	1.13E+00	1.57E-01	1.52E-11	1.0E+06	1.5E-05
91	91	0.1614	5.31049E-07	8.6E-08	1.05E-03	8.96E-11	1.13E+00	1.57E-01	1.58E-11	1.0E+06	1.6E-05
92	92	0.16922	5.31049E-07	9.0E-08	1.05E-03	9.39E-11	1.13E+00	1.57E-01	1.66E-11	1.0E+06	1.7E-05
93	93	0.17767	5.31049E-07	9.4E-08	1.05E-03	9.86E-11	1.13E+00	1.57E-01	1.74E-11	1.0E+06	1.7E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.1881	5.31049E-07	1.0E-07	1.05E-03	1.04E-10	1.13E+00	1.57E-01	1.85E-11	1.0E+06	1.8E-05
95	95	0.2005	5.31049E-07	1.1E-07	1.05E-03	1.11E-10	1.13E+00	1.57E-01	1.97E-11	1.0E+06	2.0E-05
96	96	0.13351	5.31049E-07	7.1E-08	1.05E-03	7.41E-11	1.13E+00	1.57E-01	1.31E-11	1.0E+06	1.3E-05
97	97	0.13568	5.31049E-07	7.2E-08	1.05E-03	7.53E-11	1.13E+00	1.57E-01	1.33E-11	1.0E+06	1.3E-05
98	98	0.13911	5.31049E-07	7.4E-08	1.05E-03	7.72E-11	1.13E+00	1.57E-01	1.37E-11	1.0E+06	1.4E-05
99	99	0.14529	5.31049E-07	7.7E-08	1.05E-03	8.06E-11	1.13E+00	1.57E-01	1.43E-11	1.0E+06	1.4E-05
100	100	0.15343	5.31049E-07	8.1E-08	1.05E-03	8.52E-11	1.13E+00	1.57E-01	1.51E-11	1.0E+06	1.5E-05
101	101	0.15942	5.31049E-07	8.5E-08	1.05E-03	8.85E-11	1.13E+00	1.57E-01	1.57E-11	1.0E+06	1.6E-05
102	102	0.16573	5.31049E-07	8.8E-08	1.05E-03	9.20E-11	1.13E+00	1.57E-01	1.63E-11	1.0E+06	1.6E-05
103	103	0.17311	5.31049E-07	9.2E-08	1.05E-03	9.61E-11	1.13E+00	1.57E-01	1.70E-11	1.0E+06	1.7E-05
104	104	0.18054	5.31049E-07	9.6E-08	1.05E-03	1.00E-10	1.13E+00	1.57E-01	1.77E-11	1.0E+06	1.8E-05
105	105	0.18829	5.31049E-07	1.0E-07	1.05E-03	1.05E-10	1.13E+00	1.57E-01	1.85E-11	1.0E+06	1.8E-05
106	106	0.19854	5.31049E-07	1.1E-07	1.05E-03	1.10E-10	1.13E+00	1.57E-01	1.95E-11	1.0E+06	1.9E-05
107	107	0.21075	5.31049E-07	1.1E-07	1.05E-03	1.17E-10	1.13E+00	1.57E-01	2.07E-11	1.0E+06	2.1E-05
108	108	0.22488	5.31049E-07	1.2E-07	1.05E-03	1.25E-10	1.13E+00	1.57E-01	2.21E-11	1.0E+06	2.2E-05
109	109	0.14127	5.31049E-07	7.5E-08	1.05E-03	7.84E-11	1.13E+00	1.57E-01	1.39E-11	1.0E+06	1.4E-05
110	110	0.14754	5.31049E-07	7.8E-08	1.05E-03	8.19E-11	1.13E+00	1.57E-01	1.45E-11	1.0E+06	1.4E-05
111	111	0.15415	5.31049E-07	8.2E-08	1.05E-03	8.56E-11	1.13E+00	1.57E-01	1.51E-11	1.0E+06	1.5E-05
112	112	0.16102	5.31049E-07	8.6E-08	1.05E-03	8.94E-11	1.13E+00	1.57E-01	1.58E-11	1.0E+06	1.6E-05
113	113	0.16815	5.31049E-07	8.9E-08	1.05E-03	9.33E-11	1.13E+00	1.57E-01	1.65E-11	1.0E+06	1.7E-05
114	114	0.17546	5.31049E-07	9.3E-08	1.05E-03	9.74E-11	1.13E+00	1.57E-01	1.72E-11	1.0E+06	1.7E-05
115	115	0.18278	5.31049E-07	9.7E-08	1.05E-03	1.01E-10	1.13E+00	1.57E-01	1.79E-11	1.0E+06	1.8E-05
116	116	0.19116	5.31049E-07	1.0E-07	1.05E-03	1.06E-10	1.13E+00	1.57E-01	1.88E-11	1.0E+06	1.9E-05
117	117	0.20122	5.31049E-07	1.1E-07	1.05E-03	1.12E-10	1.13E+00	1.57E-01	1.98E-11	1.0E+06	2.0E-05
118	118	0.20761	5.31049E-07	1.1E-07	1.05E-03	1.15E-10	1.13E+00	1.57E-01	2.04E-11	1.0E+06	2.0E-05
119	119	0.22024	5.31049E-07	1.2E-07	1.05E-03	1.22E-10	1.13E+00	1.57E-01	2.16E-11	1.0E+06	2.2E-05
120	120	0.23312	5.31049E-07	1.2E-07	1.05E-03	1.29E-10	1.13E+00	1.57E-01	2.29E-11	1.0E+06	2.3E-05
121	121	0.24724	5.31049E-07	1.3E-07	1.05E-03	1.37E-10	1.13E+00	1.57E-01	2.43E-11	1.0E+06	2.4E-05
122	122	0.14912	5.31049E-07	7.9E-08	1.05E-03	8.28E-11	1.13E+00	1.57E-01	1.46E-11	1.0E+06	1.5E-05
123	123	0.15721	5.31049E-07	8.3E-08	1.05E-03	8.73E-11	1.13E+00	1.57E-01	1.54E-11	1.0E+06	1.5E-05
124	124	0.16662	5.31049E-07	8.8E-08	1.05E-03	9.25E-11	1.13E+00	1.57E-01	1.64E-11	1.0E+06	1.6E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.17521	5.31049E-07	9.3E-08	1.05E-03	9.73E-11	1.13E+00	1.57E-01	1.72E-11	1.0E+06	1.7E-05
126	126	0.1835	5.31049E-07	9.7E-08	1.05E-03	1.02E-10	1.13E+00	1.57E-01	1.80E-11	1.0E+06	1.8E-05
127	127	0.19137	5.31049E-07	1.0E-07	1.05E-03	1.06E-10	1.13E+00	1.57E-01	1.88E-11	1.0E+06	1.9E-05
128	128	0.19335	5.31049E-07	1.0E-07	1.05E-03	1.07E-10	1.13E+00	1.57E-01	1.90E-11	1.0E+06	1.9E-05
129	129	0.20267	5.31049E-07	1.1E-07	1.05E-03	1.12E-10	1.13E+00	1.57E-01	1.99E-11	1.0E+06	2.0E-05
130	130	0.21849	5.31049E-07	1.2E-07	1.05E-03	1.21E-10	1.13E+00	1.57E-01	2.15E-11	1.0E+06	2.1E-05
131	131	0.54025	5.31049E-07	2.9E-07	1.05E-03	3.00E-10	1.13E+00	1.57E-01	5.30E-11	1.0E+06	5.3E-05
132	132	0.56203	5.31049E-07	3.0E-07	1.05E-03	3.12E-10	1.13E+00	1.57E-01	5.52E-11	1.0E+06	5.5E-05
133	133	0.15509	5.31049E-07	8.2E-08	1.05E-03	8.61E-11	1.13E+00	1.57E-01	1.52E-11	1.0E+06	1.5E-05
134	134	0.16662	5.31049E-07	8.8E-08	1.05E-03	9.25E-11	1.13E+00	1.57E-01	1.64E-11	1.0E+06	1.6E-05
135	135	0.17787	5.31049E-07	9.4E-08	1.05E-03	9.87E-11	1.13E+00	1.57E-01	1.75E-11	1.0E+06	1.7E-05
136	136	0.1884	5.31049E-07	1.0E-07	1.05E-03	1.05E-10	1.13E+00	1.57E-01	1.85E-11	1.0E+06	1.8E-05
137	137	0.19902	5.31049E-07	1.1E-07	1.05E-03	1.10E-10	1.13E+00	1.57E-01	1.95E-11	1.0E+06	2.0E-05
138	138	0.20832	5.31049E-07	1.1E-07	1.05E-03	1.16E-10	1.13E+00	1.57E-01	2.05E-11	1.0E+06	2.0E-05
139	139	0.21529	5.31049E-07	1.1E-07	1.05E-03	1.19E-10	1.13E+00	1.57E-01	2.11E-11	1.0E+06	2.1E-05
140	140	0.23239	5.31049E-07	1.2E-07	1.05E-03	1.29E-10	1.13E+00	1.57E-01	2.28E-11	1.0E+06	2.3E-05
141	141	0.24657	5.31049E-07	1.3E-07	1.05E-03	1.37E-10	1.13E+00	1.57E-01	2.42E-11	1.0E+06	2.4E-05
142	142	0.26114	5.31049E-07	1.4E-07	1.05E-03	1.45E-10	1.13E+00	1.57E-01	2.56E-11	1.0E+06	2.6E-05
143	143	0.27932	5.31049E-07	1.5E-07	1.05E-03	1.55E-10	1.13E+00	1.57E-01	2.74E-11	1.0E+06	2.7E-05
144	144	0.30388	5.31049E-07	1.6E-07	1.05E-03	1.69E-10	1.13E+00	1.57E-01	2.98E-11	1.0E+06	3.0E-05
145	145	0.32771	5.31049E-07	1.7E-07	1.05E-03	1.82E-10	1.13E+00	1.57E-01	3.22E-11	1.0E+06	3.2E-05
146	146	0.66658	5.31049E-07	3.5E-07	1.05E-03	3.70E-10	1.13E+00	1.57E-01	6.54E-11	1.0E+06	6.5E-05
147	147	0.15987	5.31049E-07	8.5E-08	1.05E-03	8.87E-11	1.13E+00	1.57E-01	1.57E-11	1.0E+06	1.6E-05
148	148	0.17249	5.31049E-07	9.2E-08	1.05E-03	9.57E-11	1.13E+00	1.57E-01	1.69E-11	1.0E+06	1.7E-05
149	149	0.18609	5.31049E-07	9.9E-08	1.05E-03	1.03E-10	1.13E+00	1.57E-01	1.83E-11	1.0E+06	1.8E-05
150	150	0.19907	5.31049E-07	1.1E-07	1.05E-03	1.10E-10	1.13E+00	1.57E-01	1.95E-11	1.0E+06	2.0E-05
151	151	0.21346	5.31049E-07	1.1E-07	1.05E-03	1.18E-10	1.13E+00	1.57E-01	2.10E-11	1.0E+06	2.1E-05
152	152	0.22549	5.31049E-07	1.2E-07	1.05E-03	1.25E-10	1.13E+00	1.57E-01	2.21E-11	1.0E+06	2.2E-05
153	153	0.23783	5.31049E-07	1.3E-07	1.05E-03	1.32E-10	1.13E+00	1.57E-01	2.34E-11	1.0E+06	2.3E-05
154	154	0.25329	5.31049E-07	1.3E-07	1.05E-03	1.41E-10	1.13E+00	1.57E-01	2.49E-11	1.0E+06	2.5E-05
155	155	0.27164	5.31049E-07	1.4E-07	1.05E-03	1.51E-10	1.13E+00	1.57E-01	2.67E-11	1.0E+06	2.7E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.29103	5.31049E-07	1.5E-07	1.05E-03	1.62E-10	1.13E+00	1.57E-01	2.86E-11	1.0E+06	2.9E-05
157	157	0.31108	5.31049E-07	1.7E-07	1.05E-03	1.73E-10	1.13E+00	1.57E-01	3.05E-11	1.0E+06	3.1E-05
158	158	0.33231	5.31049E-07	1.8E-07	1.05E-03	1.84E-10	1.13E+00	1.57E-01	3.26E-11	1.0E+06	3.3E-05
159	159	0.3745	5.31049E-07	2.0E-07	1.05E-03	2.08E-10	1.13E+00	1.57E-01	3.68E-11	1.0E+06	3.7E-05
160	160	0.1652	5.31049E-07	8.8E-08	1.05E-03	9.17E-11	1.13E+00	1.57E-01	1.62E-11	1.0E+06	1.6E-05
161	161	0.17702	5.31049E-07	9.4E-08	1.05E-03	9.83E-11	1.13E+00	1.57E-01	1.74E-11	1.0E+06	1.7E-05
162	162	0.18798	5.31049E-07	1.0E-07	1.05E-03	1.04E-10	1.13E+00	1.57E-01	1.85E-11	1.0E+06	1.8E-05
163	163	0.20556	5.31049E-07	1.1E-07	1.05E-03	1.14E-10	1.13E+00	1.57E-01	2.02E-11	1.0E+06	2.0E-05
164	164	0.2256	5.31049E-07	1.2E-07	1.05E-03	1.25E-10	1.13E+00	1.57E-01	2.21E-11	1.0E+06	2.2E-05
165	165	0.24183	5.31049E-07	1.3E-07	1.05E-03	1.34E-10	1.13E+00	1.57E-01	2.37E-11	1.0E+06	2.4E-05
166	166	0.26025	5.31049E-07	1.4E-07	1.05E-03	1.44E-10	1.13E+00	1.57E-01	2.56E-11	1.0E+06	2.6E-05
167	167	0.28039	5.31049E-07	1.5E-07	1.05E-03	1.56E-10	1.13E+00	1.57E-01	2.75E-11	1.0E+06	2.8E-05
168	168	0.30308	5.31049E-07	1.6E-07	1.05E-03	1.68E-10	1.13E+00	1.57E-01	2.98E-11	1.0E+06	3.0E-05
169	169	0.32837	5.31049E-07	1.7E-07	1.05E-03	1.82E-10	1.13E+00	1.57E-01	3.22E-11	1.0E+06	3.2E-05
170	170	0.35596	5.31049E-07	1.9E-07	1.05E-03	1.98E-10	1.13E+00	1.57E-01	3.49E-11	1.0E+06	3.5E-05
171	171	0.38722	5.31049E-07	2.1E-07	1.05E-03	2.15E-10	1.13E+00	1.57E-01	3.80E-11	1.0E+06	3.8E-05
172	172	0.43207	5.31049E-07	2.3E-07	1.05E-03	2.40E-10	1.13E+00	1.57E-01	4.24E-11	1.0E+06	4.2E-05
173	173	0.49265	5.31049E-07	2.6E-07	1.05E-03	2.73E-10	1.13E+00	1.57E-01	4.84E-11	1.0E+06	4.8E-05
174	174	0.57625	5.31049E-07	3.1E-07	1.05E-03	3.20E-10	1.13E+00	1.57E-01	5.66E-11	1.0E+06	5.7E-05
175	175	0.67856	5.31049E-07	3.6E-07	1.05E-03	3.77E-10	1.13E+00	1.57E-01	6.66E-11	1.0E+06	6.7E-05
176	176	0.79898	5.31049E-07	4.2E-07	1.05E-03	4.43E-10	1.13E+00	1.57E-01	7.84E-11	1.0E+06	7.8E-05
177	177	1.01134	5.31049E-07	5.4E-07	1.05E-03	5.61E-10	1.13E+00	1.57E-01	9.93E-11	1.0E+06	9.9E-05
178	178	1.19863	5.31049E-07	6.4E-07	1.05E-03	6.65E-10	1.13E+00	1.57E-01	1.18E-10	1.0E+06	1.2E-04
179	179	0.16466	5.31049E-07	8.7E-08	1.05E-03	9.14E-11	1.13E+00	1.57E-01	1.62E-11	1.0E+06	1.6E-05
180	180	0.17624	5.31049E-07	9.4E-08	1.05E-03	9.78E-11	1.13E+00	1.57E-01	1.73E-11	1.0E+06	1.7E-05
181	181	0.18643	5.31049E-07	9.9E-08	1.05E-03	1.03E-10	1.13E+00	1.57E-01	1.83E-11	1.0E+06	1.8E-05
182	182	0.20908	5.31049E-07	1.1E-07	1.05E-03	1.16E-10	1.13E+00	1.57E-01	2.05E-11	1.0E+06	2.1E-05
183	183	0.23689	5.31049E-07	1.3E-07	1.05E-03	1.31E-10	1.13E+00	1.57E-01	2.33E-11	1.0E+06	2.3E-05
184	184	0.25771	5.31049E-07	1.4E-07	1.05E-03	1.43E-10	1.13E+00	1.57E-01	2.53E-11	1.0E+06	2.5E-05
185	185	0.28174	5.31049E-07	1.5E-07	1.05E-03	1.56E-10	1.13E+00	1.57E-01	2.77E-11	1.0E+06	2.8E-05
186	186	0.30715	5.31049E-07	1.6E-07	1.05E-03	1.70E-10	1.13E+00	1.57E-01	3.02E-11	1.0E+06	3.0E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.33461	5.31049E-07	1.8E-07	1.05E-03	1.86E-10	1.13E+00	1.57E-01	3.29E-11	1.0E+06	3.3E-05
188	188	0.36672	5.31049E-07	1.9E-07	1.05E-03	2.04E-10	1.13E+00	1.57E-01	3.60E-11	1.0E+06	3.6E-05
189	189	0.40207	5.31049E-07	2.1E-07	1.05E-03	2.23E-10	1.13E+00	1.57E-01	3.95E-11	1.0E+06	3.9E-05
190	190	0.44452	5.31049E-07	2.4E-07	1.05E-03	2.47E-10	1.13E+00	1.57E-01	4.36E-11	1.0E+06	4.4E-05
191	191	0.49448	5.31049E-07	2.6E-07	1.05E-03	2.74E-10	1.13E+00	1.57E-01	4.85E-11	1.0E+06	4.9E-05
192	192	0.56449	5.31049E-07	3.0E-07	1.05E-03	3.13E-10	1.13E+00	1.57E-01	5.54E-11	1.0E+06	5.5E-05
193	193	0.65574	5.31049E-07	3.5E-07	1.05E-03	3.64E-10	1.13E+00	1.57E-01	6.44E-11	1.0E+06	6.4E-05
194	194	0.79818	5.31049E-07	4.2E-07	1.05E-03	4.43E-10	1.13E+00	1.57E-01	7.84E-11	1.0E+06	7.8E-05
195	195	1.02294	5.31049E-07	5.4E-07	1.05E-03	5.68E-10	1.13E+00	1.57E-01	1.00E-10	1.0E+06	1.0E-04
196	196	1.36656	5.31049E-07	7.3E-07	1.05E-03	7.59E-10	1.13E+00	1.57E-01	1.34E-10	1.0E+06	1.3E-04
197	197	1.78741	5.31049E-07	9.5E-07	1.05E-03	9.92E-10	1.13E+00	1.57E-01	1.75E-10	1.0E+06	1.8E-04
198	198	0.16538	5.31049E-07	8.8E-08	1.05E-03	9.18E-11	1.13E+00	1.57E-01	1.62E-11	1.0E+06	1.6E-05
199	199	0.17864	5.31049E-07	9.5E-08	1.05E-03	9.92E-11	1.13E+00	1.57E-01	1.75E-11	1.0E+06	1.8E-05
200	200	0.19319	5.31049E-07	1.0E-07	1.05E-03	1.07E-10	1.13E+00	1.57E-01	1.90E-11	1.0E+06	1.9E-05
201	201	0.21276	5.31049E-07	1.1E-07	1.05E-03	1.18E-10	1.13E+00	1.57E-01	2.09E-11	1.0E+06	2.1E-05
202	202	0.2435	5.31049E-07	1.3E-07	1.05E-03	1.35E-10	1.13E+00	1.57E-01	2.39E-11	1.0E+06	2.4E-05
203	203	0.27002	5.31049E-07	1.4E-07	1.05E-03	1.50E-10	1.13E+00	1.57E-01	2.65E-11	1.0E+06	2.7E-05
204	204	0.29949	5.31049E-07	1.6E-07	1.05E-03	1.66E-10	1.13E+00	1.57E-01	2.94E-11	1.0E+06	2.9E-05
205	205	0.33029	5.31049E-07	1.8E-07	1.05E-03	1.83E-10	1.13E+00	1.57E-01	3.24E-11	1.0E+06	3.2E-05
206	206	0.36426	5.31049E-07	1.9E-07	1.05E-03	2.02E-10	1.13E+00	1.57E-01	3.58E-11	1.0E+06	3.6E-05
207	207	0.40322	5.31049E-07	2.1E-07	1.05E-03	2.24E-10	1.13E+00	1.57E-01	3.96E-11	1.0E+06	4.0E-05
208	208	0.44759	5.31049E-07	2.4E-07	1.05E-03	2.48E-10	1.13E+00	1.57E-01	4.39E-11	1.0E+06	4.4E-05
209	209	0.50106	5.31049E-07	2.7E-07	1.05E-03	2.78E-10	1.13E+00	1.57E-01	4.92E-11	1.0E+06	4.9E-05
210	210	0.56599	5.31049E-07	3.0E-07	1.05E-03	3.14E-10	1.13E+00	1.57E-01	5.56E-11	1.0E+06	5.6E-05
211	211	0.64944	5.31049E-07	3.4E-07	1.05E-03	3.60E-10	1.13E+00	1.57E-01	6.38E-11	1.0E+06	6.4E-05
212	212	0.75631	5.31049E-07	4.0E-07	1.05E-03	4.20E-10	1.13E+00	1.57E-01	7.43E-11	1.0E+06	7.4E-05
213	213	0.89878	5.31049E-07	4.8E-07	1.05E-03	4.99E-10	1.13E+00	1.57E-01	8.82E-11	1.0E+06	8.8E-05
214	214	1.09629	5.31049E-07	5.8E-07	1.05E-03	6.09E-10	1.13E+00	1.57E-01	1.08E-10	1.0E+06	1.1E-04
215	215	1.73736	5.31049E-07	9.2E-07	1.05E-03	9.64E-10	1.13E+00	1.57E-01	1.71E-10	1.0E+06	1.7E-04
216	216	0.16693	5.31049E-07	8.9E-08	1.05E-03	9.27E-11	1.13E+00	1.57E-01	1.64E-11	1.0E+06	1.6E-05
217	217	0.18028	5.31049E-07	9.6E-08	1.05E-03	1.00E-10	1.13E+00	1.57E-01	1.77E-11	1.0E+06	1.8E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1967	5.31049E-07	1.0E-07	1.05E-03	1.09E-10	1.13E+00	1.57E-01	1.93E-11	1.0E+06	1.9E-05
219	219	0.21689	5.31049E-07	1.2E-07	1.05E-03	1.20E-10	1.13E+00	1.57E-01	2.13E-11	1.0E+06	2.1E-05
220	220	0.24745	5.31049E-07	1.3E-07	1.05E-03	1.37E-10	1.13E+00	1.57E-01	2.43E-11	1.0E+06	2.4E-05
221	221	0.27558	5.31049E-07	1.5E-07	1.05E-03	1.53E-10	1.13E+00	1.57E-01	2.71E-11	1.0E+06	2.7E-05
222	222	0.31005	5.31049E-07	1.6E-07	1.05E-03	1.72E-10	1.13E+00	1.57E-01	3.04E-11	1.0E+06	3.0E-05
223	223	0.34616	5.31049E-07	1.8E-07	1.05E-03	1.92E-10	1.13E+00	1.57E-01	3.40E-11	1.0E+06	3.4E-05
224	224	0.3862	5.31049E-07	2.1E-07	1.05E-03	2.14E-10	1.13E+00	1.57E-01	3.79E-11	1.0E+06	3.8E-05
225	225	0.43074	5.31049E-07	2.3E-07	1.05E-03	2.39E-10	1.13E+00	1.57E-01	4.23E-11	1.0E+06	4.2E-05
226	226	0.48528	5.31049E-07	2.6E-07	1.05E-03	2.69E-10	1.13E+00	1.57E-01	4.76E-11	1.0E+06	4.8E-05
227	227	0.54921	5.31049E-07	2.9E-07	1.05E-03	3.05E-10	1.13E+00	1.57E-01	5.39E-11	1.0E+06	5.4E-05
228	228	0.62818	5.31049E-07	3.3E-07	1.05E-03	3.49E-10	1.13E+00	1.57E-01	6.17E-11	1.0E+06	6.2E-05
229	229	0.73144	5.31049E-07	3.9E-07	1.05E-03	4.06E-10	1.13E+00	1.57E-01	7.18E-11	1.0E+06	7.2E-05
230	230	0.86555	5.31049E-07	4.6E-07	1.05E-03	4.80E-10	1.13E+00	1.57E-01	8.50E-11	1.0E+06	8.5E-05
231	231	1.06106	5.31049E-07	5.6E-07	1.05E-03	5.89E-10	1.13E+00	1.57E-01	1.04E-10	1.0E+06	1.0E-04
232	232	1.36584	5.31049E-07	7.3E-07	1.05E-03	7.58E-10	1.13E+00	1.57E-01	1.34E-10	1.0E+06	1.3E-04
233	233	2.21729	5.31049E-07	1.2E-06	1.05E-03	1.23E-09	1.13E+00	1.57E-01	2.18E-10	1.0E+06	2.2E-04
234	234	0.16735	5.31049E-07	8.9E-08	1.05E-03	9.29E-11	1.13E+00	1.57E-01	1.64E-11	1.0E+06	1.6E-05
235	235	0.18065	5.31049E-07	9.6E-08	1.05E-03	1.00E-10	1.13E+00	1.57E-01	1.77E-11	1.0E+06	1.8E-05
236	236	0.19807	5.31049E-07	1.1E-07	1.05E-03	1.10E-10	1.13E+00	1.57E-01	1.94E-11	1.0E+06	1.9E-05
237	237	0.22052	5.31049E-07	1.2E-07	1.05E-03	1.22E-10	1.13E+00	1.57E-01	2.17E-11	1.0E+06	2.2E-05
238	238	0.24892	5.31049E-07	1.3E-07	1.05E-03	1.38E-10	1.13E+00	1.57E-01	2.44E-11	1.0E+06	2.4E-05
239	239	0.27883	5.31049E-07	1.5E-07	1.05E-03	1.55E-10	1.13E+00	1.57E-01	2.74E-11	1.0E+06	2.7E-05
240	240	0.31465	5.31049E-07	1.7E-07	1.05E-03	1.75E-10	1.13E+00	1.57E-01	3.09E-11	1.0E+06	3.1E-05
241	241	0.35485	5.31049E-07	1.9E-07	1.05E-03	1.97E-10	1.13E+00	1.57E-01	3.48E-11	1.0E+06	3.5E-05
242	242	0.40054	5.31049E-07	2.1E-07	1.05E-03	2.22E-10	1.13E+00	1.57E-01	3.93E-11	1.0E+06	3.9E-05
243	243	0.45265	5.31049E-07	2.4E-07	1.05E-03	2.51E-10	1.13E+00	1.57E-01	4.44E-11	1.0E+06	4.4E-05
244	244	0.51721	5.31049E-07	2.7E-07	1.05E-03	2.87E-10	1.13E+00	1.57E-01	5.08E-11	1.0E+06	5.1E-05
245	245	0.59496	5.31049E-07	3.2E-07	1.05E-03	3.30E-10	1.13E+00	1.57E-01	5.84E-11	1.0E+06	5.8E-05
246	246	0.69163	5.31049E-07	3.7E-07	1.05E-03	3.84E-10	1.13E+00	1.57E-01	6.79E-11	1.0E+06	6.8E-05
247	247	0.81591	5.31049E-07	4.3E-07	1.05E-03	4.53E-10	1.13E+00	1.57E-01	8.01E-11	1.0E+06	8.0E-05
248	248	0.98489	5.31049E-07	5.2E-07	1.05E-03	5.47E-10	1.13E+00	1.57E-01	9.67E-11	1.0E+06	9.7E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.22885	5.31049E-07	6.5E-07	1.05E-03	6.82E-10	1.13E+00	1.57E-01	1.21E-10	1.0E+06	1.2E-04
250	250	1.63505	5.31049E-07	8.7E-07	1.05E-03	9.08E-10	1.13E+00	1.57E-01	1.61E-10	1.0E+06	1.6E-04
251	251	2.71786	5.31049E-07	1.4E-06	1.05E-03	1.51E-09	1.13E+00	1.57E-01	2.67E-10	1.0E+06	2.7E-04
252	252	0.16495	5.31049E-07	8.8E-08	1.05E-03	9.16E-11	1.13E+00	1.57E-01	1.62E-11	1.0E+06	1.6E-05
253	253	0.17799	5.31049E-07	9.5E-08	1.05E-03	9.88E-11	1.13E+00	1.57E-01	1.75E-11	1.0E+06	1.7E-05
254	254	0.19466	5.31049E-07	1.0E-07	1.05E-03	1.08E-10	1.13E+00	1.57E-01	1.91E-11	1.0E+06	1.9E-05
255	255	0.21521	5.31049E-07	1.1E-07	1.05E-03	1.19E-10	1.13E+00	1.57E-01	2.11E-11	1.0E+06	2.1E-05
256	256	0.2481	5.31049E-07	1.3E-07	1.05E-03	1.38E-10	1.13E+00	1.57E-01	2.44E-11	1.0E+06	2.4E-05
257	257	0.2724	5.31049E-07	1.4E-07	1.05E-03	1.51E-10	1.13E+00	1.57E-01	2.67E-11	1.0E+06	2.7E-05
258	258	0.30508	5.31049E-07	1.6E-07	1.05E-03	1.69E-10	1.13E+00	1.57E-01	3.00E-11	1.0E+06	3.0E-05
259	259	0.34335	5.31049E-07	1.8E-07	1.05E-03	1.91E-10	1.13E+00	1.57E-01	3.37E-11	1.0E+06	3.4E-05
260	260	0.39576	5.31049E-07	2.1E-07	1.05E-03	2.20E-10	1.13E+00	1.57E-01	3.89E-11	1.0E+06	3.9E-05
261	261	0.46173	5.31049E-07	2.5E-07	1.05E-03	2.56E-10	1.13E+00	1.57E-01	4.53E-11	1.0E+06	4.5E-05
262	262	0.53894	5.31049E-07	2.9E-07	1.05E-03	2.99E-10	1.13E+00	1.57E-01	5.29E-11	1.0E+06	5.3E-05
263	263	0.62661	5.31049E-07	3.3E-07	1.05E-03	3.48E-10	1.13E+00	1.57E-01	6.15E-11	1.0E+06	6.2E-05
264	264	0.74151	5.31049E-07	3.9E-07	1.05E-03	4.12E-10	1.13E+00	1.57E-01	7.28E-11	1.0E+06	7.3E-05
265	265	0.88511	5.31049E-07	4.7E-07	1.05E-03	4.91E-10	1.13E+00	1.57E-01	8.69E-11	1.0E+06	8.7E-05
266	266	1.0844	5.31049E-07	5.8E-07	1.05E-03	6.02E-10	1.13E+00	1.57E-01	1.06E-10	1.0E+06	1.1E-04
267	267	1.37129	5.31049E-07	7.3E-07	1.05E-03	7.61E-10	1.13E+00	1.57E-01	1.35E-10	1.0E+06	1.3E-04
268	268	1.83918	5.31049E-07	9.8E-07	1.05E-03	1.02E-09	1.13E+00	1.57E-01	1.81E-10	1.0E+06	1.8E-04
269	269	3.05125	5.31049E-07	1.6E-06	1.05E-03	1.69E-09	1.13E+00	1.57E-01	3.00E-10	1.0E+06	3.0E-04
270	270	0.16103	5.31049E-07	8.6E-08	1.05E-03	8.94E-11	1.13E+00	1.57E-01	1.58E-11	1.0E+06	1.6E-05
271	271	0.17495	5.31049E-07	9.3E-08	1.05E-03	9.71E-11	1.13E+00	1.57E-01	1.72E-11	1.0E+06	1.7E-05
272	272	0.192	5.31049E-07	1.0E-07	1.05E-03	1.07E-10	1.13E+00	1.57E-01	1.89E-11	1.0E+06	1.9E-05
273	273	0.21189	5.31049E-07	1.1E-07	1.05E-03	1.18E-10	1.13E+00	1.57E-01	2.08E-11	1.0E+06	2.1E-05
274	274	0.24767	5.31049E-07	1.3E-07	1.05E-03	1.37E-10	1.13E+00	1.57E-01	2.43E-11	1.0E+06	2.4E-05
275	275	0.2812	5.31049E-07	1.5E-07	1.05E-03	1.56E-10	1.13E+00	1.57E-01	2.76E-11	1.0E+06	2.8E-05
276	276	0.30081	5.31049E-07	1.6E-07	1.05E-03	1.67E-10	1.13E+00	1.57E-01	2.95E-11	1.0E+06	3.0E-05
277	277	0.33911	5.31049E-07	1.8E-07	1.05E-03	1.88E-10	1.13E+00	1.57E-01	3.33E-11	1.0E+06	3.3E-05
278	278	0.38885	5.31049E-07	2.1E-07	1.05E-03	2.16E-10	1.13E+00	1.57E-01	3.82E-11	1.0E+06	3.8E-05
279	279	0.45312	5.31049E-07	2.4E-07	1.05E-03	2.52E-10	1.13E+00	1.57E-01	4.45E-11	1.0E+06	4.4E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.54249	5.31049E-07	2.9E-07	1.05E-03	3.01E-10	1.13E+00	1.57E-01	5.33E-11	1.0E+06	5.3E-05
281	281	0.65054	5.31049E-07	3.5E-07	1.05E-03	3.61E-10	1.13E+00	1.57E-01	6.39E-11	1.0E+06	6.4E-05
282	282	0.78392	5.31049E-07	4.2E-07	1.05E-03	4.35E-10	1.13E+00	1.57E-01	7.70E-11	1.0E+06	7.7E-05
283	283	0.95468	5.31049E-07	5.1E-07	1.05E-03	5.30E-10	1.13E+00	1.57E-01	9.37E-11	1.0E+06	9.4E-05
284	284	1.18854	5.31049E-07	6.3E-07	1.05E-03	6.60E-10	1.13E+00	1.57E-01	1.17E-10	1.0E+06	1.2E-04
285	285	1.51941	5.31049E-07	8.1E-07	1.05E-03	8.43E-10	1.13E+00	1.57E-01	1.49E-10	1.0E+06	1.5E-04
286	286	2.06851	5.31049E-07	1.1E-06	1.05E-03	1.15E-09	1.13E+00	1.57E-01	2.03E-10	1.0E+06	2.0E-04
287	287	3.4619	5.31049E-07	1.8E-06	1.05E-03	1.92E-09	1.13E+00	1.57E-01	3.40E-10	1.0E+06	3.4E-04
288	288	0.1571	5.31049E-07	8.3E-08	1.05E-03	8.72E-11	1.13E+00	1.57E-01	1.54E-11	1.0E+06	1.5E-05
289	289	0.17007	5.31049E-07	9.0E-08	1.05E-03	9.44E-11	1.13E+00	1.57E-01	1.67E-11	1.0E+06	1.7E-05
290	290	0.19064	5.31049E-07	1.0E-07	1.05E-03	1.06E-10	1.13E+00	1.57E-01	1.87E-11	1.0E+06	1.9E-05
291	291	0.21276	5.31049E-07	1.1E-07	1.05E-03	1.18E-10	1.13E+00	1.57E-01	2.09E-11	1.0E+06	2.1E-05
292	292	0.2583	5.31049E-07	1.4E-07	1.05E-03	1.43E-10	1.13E+00	1.57E-01	2.54E-11	1.0E+06	2.5E-05
293	293	0.28294	5.31049E-07	1.5E-07	1.05E-03	1.57E-10	1.13E+00	1.57E-01	2.78E-11	1.0E+06	2.8E-05
294	294	0.29501	5.31049E-07	1.6E-07	1.05E-03	1.64E-10	1.13E+00	1.57E-01	2.90E-11	1.0E+06	2.9E-05
295	295	0.33636	5.31049E-07	1.8E-07	1.05E-03	1.87E-10	1.13E+00	1.57E-01	3.30E-11	1.0E+06	3.3E-05
296	296	0.38881	5.31049E-07	2.1E-07	1.05E-03	2.16E-10	1.13E+00	1.57E-01	3.82E-11	1.0E+06	3.8E-05
297	297	0.44873	5.31049E-07	2.4E-07	1.05E-03	2.49E-10	1.13E+00	1.57E-01	4.41E-11	1.0E+06	4.4E-05
298	298	0.53391	5.31049E-07	2.8E-07	1.05E-03	2.96E-10	1.13E+00	1.57E-01	5.24E-11	1.0E+06	5.2E-05
299	299	0.6575	5.31049E-07	3.5E-07	1.05E-03	3.65E-10	1.13E+00	1.57E-01	6.46E-11	1.0E+06	6.5E-05
300	300	0.80178	5.31049E-07	4.3E-07	1.05E-03	4.45E-10	1.13E+00	1.57E-01	7.87E-11	1.0E+06	7.9E-05
301	301	1.00633	5.31049E-07	5.3E-07	1.05E-03	5.59E-10	1.13E+00	1.57E-01	9.88E-11	1.0E+06	9.9E-05
302	302	1.28625	5.31049E-07	6.8E-07	1.05E-03	7.14E-10	1.13E+00	1.57E-01	1.26E-10	1.0E+06	1.3E-04
303	303	1.70188	5.31049E-07	9.0E-07	1.05E-03	9.45E-10	1.13E+00	1.57E-01	1.67E-10	1.0E+06	1.7E-04
304	304	2.37779	5.31049E-07	1.3E-06	1.05E-03	1.32E-09	1.13E+00	1.57E-01	2.33E-10	1.0E+06	2.3E-04
305	305	4.11223	5.31049E-07	2.2E-06	1.05E-03	2.28E-09	1.13E+00	1.57E-01	4.04E-10	1.0E+06	4.0E-04
306	306	0.1608	5.31049E-07	8.5E-08	1.05E-03	8.93E-11	1.13E+00	1.57E-01	1.58E-11	1.0E+06	1.6E-05
307	307	0.17008	5.31049E-07	9.0E-08	1.05E-03	9.44E-11	1.13E+00	1.57E-01	1.67E-11	1.0E+06	1.7E-05
308	308	0.1866	5.31049E-07	9.9E-08	1.05E-03	1.04E-10	1.13E+00	1.57E-01	1.83E-11	1.0E+06	1.8E-05
309	309	0.21966	5.31049E-07	1.2E-07	1.05E-03	1.22E-10	1.13E+00	1.57E-01	2.16E-11	1.0E+06	2.2E-05
310	310	0.25427	5.31049E-07	1.4E-07	1.05E-03	1.41E-10	1.13E+00	1.57E-01	2.50E-11	1.0E+06	2.5E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.27818	5.31049E-07	1.5E-07	1.05E-03	1.54E-10	1.13E+00	1.57E-01	2.73E-11	1.0E+06	2.7E-05
312	312	0.28562	5.31049E-07	1.5E-07	1.05E-03	1.59E-10	1.13E+00	1.57E-01	2.80E-11	1.0E+06	2.8E-05
313	313	0.32671	5.31049E-07	1.7E-07	1.05E-03	1.81E-10	1.13E+00	1.57E-01	3.21E-11	1.0E+06	3.2E-05
314	314	0.37946	5.31049E-07	2.0E-07	1.05E-03	2.11E-10	1.13E+00	1.57E-01	3.73E-11	1.0E+06	3.7E-05
315	315	0.45718	5.31049E-07	2.4E-07	1.05E-03	2.54E-10	1.13E+00	1.57E-01	4.49E-11	1.0E+06	4.5E-05
316	316	0.53191	5.31049E-07	2.8E-07	1.05E-03	2.95E-10	1.13E+00	1.57E-01	5.22E-11	1.0E+06	5.2E-05
317	317	0.64187	5.31049E-07	3.4E-07	1.05E-03	3.56E-10	1.13E+00	1.57E-01	6.30E-11	1.0E+06	6.3E-05
318	318	0.79835	5.31049E-07	4.2E-07	1.05E-03	4.43E-10	1.13E+00	1.57E-01	7.84E-11	1.0E+06	7.8E-05
319	319	1.03385	5.31049E-07	5.5E-07	1.05E-03	5.74E-10	1.13E+00	1.57E-01	1.02E-10	1.0E+06	1.0E-04
320	320	1.39716	5.31049E-07	7.4E-07	1.05E-03	7.76E-10	1.13E+00	1.57E-01	1.37E-10	1.0E+06	1.4E-04
321	321	1.89262	5.31049E-07	1.0E-06	1.05E-03	1.05E-09	1.13E+00	1.57E-01	1.86E-10	1.0E+06	1.9E-04
322	322	2.72766	5.31049E-07	1.4E-06	1.05E-03	1.51E-09	1.13E+00	1.57E-01	2.68E-10	1.0E+06	2.7E-04
323	323	5.06474	5.31049E-07	2.7E-06	1.05E-03	2.81E-09	1.13E+00	1.57E-01	4.97E-10	1.0E+06	5.0E-04
324	324	0.15673	5.31049E-07	8.3E-08	1.05E-03	8.70E-11	1.13E+00	1.57E-01	1.54E-11	1.0E+06	1.5E-05
325	325	0.17554	5.31049E-07	9.3E-08	1.05E-03	9.74E-11	1.13E+00	1.57E-01	1.72E-11	1.0E+06	1.7E-05
326	326	0.19085	5.31049E-07	1.0E-07	1.05E-03	1.06E-10	1.13E+00	1.57E-01	1.87E-11	1.0E+06	1.9E-05
327	327	0.20541	5.31049E-07	1.1E-07	1.05E-03	1.14E-10	1.13E+00	1.57E-01	2.02E-11	1.0E+06	2.0E-05
328	328	0.25052	5.31049E-07	1.3E-07	1.05E-03	1.39E-10	1.13E+00	1.57E-01	2.46E-11	1.0E+06	2.5E-05
329	329	0.2702	5.31049E-07	1.4E-07	1.05E-03	1.50E-10	1.13E+00	1.57E-01	2.65E-11	1.0E+06	2.7E-05
330	330	0.27908	5.31049E-07	1.5E-07	1.05E-03	1.55E-10	1.13E+00	1.57E-01	2.74E-11	1.0E+06	2.7E-05
331	331	0.3205	5.31049E-07	1.7E-07	1.05E-03	1.78E-10	1.13E+00	1.57E-01	3.15E-11	1.0E+06	3.1E-05
332	332	0.37406	5.31049E-07	2.0E-07	1.05E-03	2.08E-10	1.13E+00	1.57E-01	3.67E-11	1.0E+06	3.7E-05
333	333	0.45331	5.31049E-07	2.4E-07	1.05E-03	2.52E-10	1.13E+00	1.57E-01	4.45E-11	1.0E+06	4.5E-05
334	334	0.54185	5.31049E-07	2.9E-07	1.05E-03	3.01E-10	1.13E+00	1.57E-01	5.32E-11	1.0E+06	5.3E-05
335	335	0.66128	5.31049E-07	3.5E-07	1.05E-03	3.67E-10	1.13E+00	1.57E-01	6.49E-11	1.0E+06	6.5E-05
336	336	0.6189	5.31049E-07	3.3E-07	1.05E-03	3.44E-10	1.13E+00	1.57E-01	6.08E-11	1.0E+06	6.1E-05
337	337	0.65562	5.31049E-07	3.5E-07	1.05E-03	3.64E-10	1.13E+00	1.57E-01	6.44E-11	1.0E+06	6.4E-05
338	338	0.11176	5.31049E-07	5.9E-08	1.05E-03	6.20E-11	1.13E+00	1.57E-01	1.10E-11	1.0E+06	1.1E-05
339	339	0.11819	5.31049E-07	6.3E-08	1.05E-03	6.56E-11	1.13E+00	1.57E-01	1.16E-11	1.0E+06	1.2E-05
340	340	0.12484	5.31049E-07	6.6E-08	1.05E-03	6.93E-11	1.13E+00	1.57E-01	1.23E-11	1.0E+06	1.2E-05
341	341	0.14128	5.31049E-07	7.5E-08	1.05E-03	7.84E-11	1.13E+00	1.57E-01	1.39E-11	1.0E+06	1.4E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.14866	5.31049E-07	7.9E-08	1.05E-03	8.25E-11	1.13E+00	1.57E-01	1.46E-11	1.0E+06	1.5E-05
343	343	0.15525	5.31049E-07	8.2E-08	1.05E-03	8.62E-11	1.13E+00	1.57E-01	1.52E-11	1.0E+06	1.5E-05
344	344	0.15747	5.31049E-07	8.4E-08	1.05E-03	8.74E-11	1.13E+00	1.57E-01	1.55E-11	1.0E+06	1.5E-05
345	345	0.15896	5.31049E-07	8.4E-08	1.05E-03	8.82E-11	1.13E+00	1.57E-01	1.56E-11	1.0E+06	1.6E-05
346	346	0.15957	5.31049E-07	8.5E-08	1.05E-03	8.86E-11	1.13E+00	1.57E-01	1.57E-11	1.0E+06	1.6E-05
347	347	0.11921	5.31049E-07	6.3E-08	1.05E-03	6.62E-11	1.13E+00	1.57E-01	1.17E-11	1.0E+06	1.2E-05
348	348	0.12876	5.31049E-07	6.8E-08	1.05E-03	7.15E-11	1.13E+00	1.57E-01	1.26E-11	1.0E+06	1.3E-05
349	349	0.13956	5.31049E-07	7.4E-08	1.05E-03	7.75E-11	1.13E+00	1.57E-01	1.37E-11	1.0E+06	1.4E-05
350	350	0.15863	5.31049E-07	8.4E-08	1.05E-03	8.80E-11	1.13E+00	1.57E-01	1.56E-11	1.0E+06	1.6E-05
351	351	0.16216	5.31049E-07	8.6E-08	1.05E-03	9.00E-11	1.13E+00	1.57E-01	1.59E-11	1.0E+06	1.6E-05
352	352	0.17101	5.31049E-07	9.1E-08	1.05E-03	9.49E-11	1.13E+00	1.57E-01	1.68E-11	1.0E+06	1.7E-05
353	353	0.17367	5.31049E-07	9.2E-08	1.05E-03	9.64E-11	1.13E+00	1.57E-01	1.71E-11	1.0E+06	1.7E-05
354	354	0.17503	5.31049E-07	9.3E-08	1.05E-03	9.72E-11	1.13E+00	1.57E-01	1.72E-11	1.0E+06	1.7E-05
355	355	0.17587	5.31049E-07	9.3E-08	1.05E-03	9.76E-11	1.13E+00	1.57E-01	1.73E-11	1.0E+06	1.7E-05
356	356	0.12802	5.31049E-07	6.8E-08	1.05E-03	7.11E-11	1.13E+00	1.57E-01	1.26E-11	1.0E+06	1.3E-05
357	357	0.13627	5.31049E-07	7.2E-08	1.05E-03	7.56E-11	1.13E+00	1.57E-01	1.34E-11	1.0E+06	1.3E-05
358	358	0.14674	5.31049E-07	7.8E-08	1.05E-03	8.14E-11	1.13E+00	1.57E-01	1.44E-11	1.0E+06	1.4E-05
359	359	0.15544	5.31049E-07	8.3E-08	1.05E-03	8.63E-11	1.13E+00	1.57E-01	1.53E-11	1.0E+06	1.5E-05
360	360	0.17573	5.31049E-07	9.3E-08	1.05E-03	9.75E-11	1.13E+00	1.57E-01	1.73E-11	1.0E+06	1.7E-05
361	361	0.18967	5.31049E-07	1.0E-07	1.05E-03	1.05E-10	1.13E+00	1.57E-01	1.86E-11	1.0E+06	1.9E-05
362	362	0.19284	5.31049E-07	1.0E-07	1.05E-03	1.07E-10	1.13E+00	1.57E-01	1.89E-11	1.0E+06	1.9E-05
363	363	0.19434	5.31049E-07	1.0E-07	1.05E-03	1.08E-10	1.13E+00	1.57E-01	1.91E-11	1.0E+06	1.9E-05
364	364	0.13949	5.31049E-07	7.4E-08	1.05E-03	7.74E-11	1.13E+00	1.57E-01	1.37E-11	1.0E+06	1.4E-05
365	365	0.14615	5.31049E-07	7.8E-08	1.05E-03	8.11E-11	1.13E+00	1.57E-01	1.43E-11	1.0E+06	1.4E-05
366	366	0.15889	5.31049E-07	8.4E-08	1.05E-03	8.82E-11	1.13E+00	1.57E-01	1.56E-11	1.0E+06	1.6E-05
367	367	0.17084	5.31049E-07	9.1E-08	1.05E-03	9.48E-11	1.13E+00	1.57E-01	1.68E-11	1.0E+06	1.7E-05
368	368	0.19065	5.31049E-07	1.0E-07	1.05E-03	1.06E-10	1.13E+00	1.57E-01	1.87E-11	1.0E+06	1.9E-05
369	369	0.21192	5.31049E-07	1.1E-07	1.05E-03	1.18E-10	1.13E+00	1.57E-01	2.08E-11	1.0E+06	2.1E-05
370	370	0.21837	5.31049E-07	1.2E-07	1.05E-03	1.21E-10	1.13E+00	1.57E-01	2.14E-11	1.0E+06	2.1E-05
371	371	0.21926	5.31049E-07	1.2E-07	1.05E-03	1.22E-10	1.13E+00	1.57E-01	2.15E-11	1.0E+06	2.2E-05
372	372	0.15445	5.31049E-07	8.2E-08	1.05E-03	8.57E-11	1.13E+00	1.57E-01	1.52E-11	1.0E+06	1.5E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.16153	5.31049E-07	8.6E-08	1.05E-03	8.97E-11	1.13E+00	1.57E-01	1.59E-11	1.0E+06	1.6E-05
374	374	0.17658	5.31049E-07	9.4E-08	1.05E-03	9.80E-11	1.13E+00	1.57E-01	1.73E-11	1.0E+06	1.7E-05
375	375	0.19007	5.31049E-07	1.0E-07	1.05E-03	1.05E-10	1.13E+00	1.57E-01	1.87E-11	1.0E+06	1.9E-05
376	376	0.21875	5.31049E-07	1.2E-07	1.05E-03	1.21E-10	1.13E+00	1.57E-01	2.15E-11	1.0E+06	2.1E-05
377	377	0.23178	5.31049E-07	1.2E-07	1.05E-03	1.29E-10	1.13E+00	1.57E-01	2.28E-11	1.0E+06	2.3E-05
378	378	0.23861	5.31049E-07	1.3E-07	1.05E-03	1.32E-10	1.13E+00	1.57E-01	2.34E-11	1.0E+06	2.3E-05
379	379	0.24698	5.31049E-07	1.3E-07	1.05E-03	1.37E-10	1.13E+00	1.57E-01	2.42E-11	1.0E+06	2.4E-05
380	380	0.24845	5.31049E-07	1.3E-07	1.05E-03	1.38E-10	1.13E+00	1.57E-01	2.44E-11	1.0E+06	2.4E-05
381	381	0.24807	5.31049E-07	1.3E-07	1.05E-03	1.38E-10	1.13E+00	1.57E-01	2.44E-11	1.0E+06	2.4E-05
382	382	0.17571	5.31049E-07	9.3E-08	1.05E-03	9.75E-11	1.13E+00	1.57E-01	1.73E-11	1.0E+06	1.7E-05
383	383	0.18762	5.31049E-07	1.0E-07	1.05E-03	1.04E-10	1.13E+00	1.57E-01	1.84E-11	1.0E+06	1.8E-05
384	384	0.19954	5.31049E-07	1.1E-07	1.05E-03	1.11E-10	1.13E+00	1.57E-01	1.96E-11	1.0E+06	2.0E-05
385	385	0.22033	5.31049E-07	1.2E-07	1.05E-03	1.22E-10	1.13E+00	1.57E-01	2.16E-11	1.0E+06	2.2E-05
386	386	0.25125	5.31049E-07	1.3E-07	1.05E-03	1.39E-10	1.13E+00	1.57E-01	2.47E-11	1.0E+06	2.5E-05
387	387	0.26303	5.31049E-07	1.4E-07	1.05E-03	1.46E-10	1.13E+00	1.57E-01	2.58E-11	1.0E+06	2.6E-05
388	388	0.27155	5.31049E-07	1.4E-07	1.05E-03	1.51E-10	1.13E+00	1.57E-01	2.67E-11	1.0E+06	2.7E-05
389	389	0.28226	5.31049E-07	1.5E-07	1.05E-03	1.57E-10	1.13E+00	1.57E-01	2.77E-11	1.0E+06	2.8E-05
390	390	0.28378	5.31049E-07	1.5E-07	1.05E-03	1.58E-10	1.13E+00	1.57E-01	2.79E-11	1.0E+06	2.8E-05
391	391	0.28322	5.31049E-07	1.5E-07	1.05E-03	1.57E-10	1.13E+00	1.57E-01	2.78E-11	1.0E+06	2.8E-05
392	392	0.27819	5.31049E-07	1.5E-07	1.05E-03	1.54E-10	1.13E+00	1.57E-01	2.73E-11	1.0E+06	2.7E-05
393	393	0.20198	5.31049E-07	1.1E-07	1.05E-03	1.12E-10	1.13E+00	1.57E-01	1.98E-11	1.0E+06	2.0E-05
394	394	0.2242	5.31049E-07	1.2E-07	1.05E-03	1.24E-10	1.13E+00	1.57E-01	2.20E-11	1.0E+06	2.2E-05
395	395	0.2503	5.31049E-07	1.3E-07	1.05E-03	1.39E-10	1.13E+00	1.57E-01	2.46E-11	1.0E+06	2.5E-05
396	396	0.27819	5.31049E-07	1.5E-07	1.05E-03	1.54E-10	1.13E+00	1.57E-01	2.73E-11	1.0E+06	2.7E-05
397	397	0.29449	5.31049E-07	1.6E-07	1.05E-03	1.63E-10	1.13E+00	1.57E-01	2.89E-11	1.0E+06	2.9E-05
398	398	0.30344	5.31049E-07	1.6E-07	1.05E-03	1.68E-10	1.13E+00	1.57E-01	2.98E-11	1.0E+06	3.0E-05
399	399	0.30844	5.31049E-07	1.6E-07	1.05E-03	1.71E-10	1.13E+00	1.57E-01	3.03E-11	1.0E+06	3.0E-05
400	400	0.32686	5.31049E-07	1.7E-07	1.05E-03	1.81E-10	1.13E+00	1.57E-01	3.21E-11	1.0E+06	3.2E-05
401	401	0.3287	5.31049E-07	1.7E-07	1.05E-03	1.82E-10	1.13E+00	1.57E-01	3.23E-11	1.0E+06	3.2E-05
402	402	0.32017	5.31049E-07	1.7E-07	1.05E-03	1.78E-10	1.13E+00	1.57E-01	3.14E-11	1.0E+06	3.1E-05
403	403	0.38088	5.31049E-07	2.0E-07	1.05E-03	2.11E-10	1.13E+00	1.57E-01	3.74E-11	1.0E+06	3.7E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.37568	5.31049E-07	2.0E-07	1.05E-03	2.09E-10	1.13E+00	1.57E-01	3.69E-11	1.0E+06	3.7E-05
405	405	0.36293	5.31049E-07	1.9E-07	1.05E-03	2.01E-10	1.13E+00	1.57E-01	3.56E-11	1.0E+06	3.6E-05
406	406	0.45644	5.31049E-07	2.4E-07	1.05E-03	2.53E-10	1.13E+00	1.57E-01	4.48E-11	1.0E+06	4.5E-05
407	407	0.42693	5.31049E-07	2.3E-07	1.05E-03	2.37E-10	1.13E+00	1.57E-01	4.19E-11	1.0E+06	4.2E-05
408	408	0.56093	5.31049E-07	3.0E-07	1.05E-03	3.11E-10	1.13E+00	1.57E-01	5.51E-11	1.0E+06	5.5E-05
409	409	0.51063	5.31049E-07	2.7E-07	1.05E-03	2.83E-10	1.13E+00	1.57E-01	5.01E-11	1.0E+06	5.0E-05
410	410	0.71333	5.31049E-07	3.8E-07	1.05E-03	3.96E-10	1.13E+00	1.57E-01	7.00E-11	1.0E+06	7.0E-05
411	411	0.66599	5.31049E-07	3.5E-07	1.05E-03	3.70E-10	1.13E+00	1.57E-01	6.54E-11	1.0E+06	6.5E-05
412	412	0.6284	5.31049E-07	3.3E-07	1.05E-03	3.49E-10	1.13E+00	1.57E-01	6.17E-11	1.0E+06	6.2E-05
413	413	0.95291	5.31049E-07	5.1E-07	1.05E-03	5.29E-10	1.13E+00	1.57E-01	9.36E-11	1.0E+06	9.4E-05
414	414	0.90293	5.31049E-07	4.8E-07	1.05E-03	5.01E-10	1.13E+00	1.57E-01	8.87E-11	1.0E+06	8.9E-05
415	415	0.84163	5.31049E-07	4.5E-07	1.05E-03	4.67E-10	1.13E+00	1.57E-01	8.26E-11	1.0E+06	8.3E-05
416	416	0.77138	5.31049E-07	4.1E-07	1.05E-03	4.28E-10	1.13E+00	1.57E-01	7.57E-11	1.0E+06	7.6E-05
417	417	1.3753	5.31049E-07	7.3E-07	1.05E-03	7.63E-10	1.13E+00	1.57E-01	1.35E-10	1.0E+06	1.4E-04
418	418	1.08271	5.31049E-07	5.7E-07	1.05E-03	6.01E-10	1.13E+00	1.57E-01	1.06E-10	1.0E+06	1.1E-04
419	419	0.94962	5.31049E-07	5.0E-07	1.05E-03	5.27E-10	1.13E+00	1.57E-01	9.32E-11	1.0E+06	9.3E-05
420	420	0.82685	5.31049E-07	4.4E-07	1.05E-03	4.59E-10	1.13E+00	1.57E-01	8.12E-11	1.0E+06	8.1E-05
421	421	2.28247	5.31049E-07	1.2E-06	1.05E-03	1.27E-09	1.13E+00	1.57E-01	2.24E-10	1.0E+06	2.2E-04
422	422	1.15445	5.31049E-07	6.1E-07	1.05E-03	6.41E-10	1.13E+00	1.57E-01	1.13E-10	1.0E+06	1.1E-04
423	423	0.96506	5.31049E-07	5.1E-07	1.05E-03	5.36E-10	1.13E+00	1.57E-01	9.48E-11	1.0E+06	9.5E-05
424	424	5.04745	5.31049E-07	2.7E-06	1.05E-03	2.80E-09	1.13E+00	1.57E-01	4.96E-10	1.0E+06	5.0E-04
425	425	1.09324	5.31049E-07	5.8E-07	1.05E-03	6.07E-10	1.13E+00	1.57E-01	1.07E-10	1.0E+06	1.1E-04
426	426	0.89433	5.31049E-07	4.7E-07	1.05E-03	4.96E-10	1.13E+00	1.57E-01	8.78E-11	1.0E+06	8.8E-05
427	427	6.20101	5.31049E-07	3.3E-06	1.05E-03	3.44E-09	1.13E+00	1.57E-01	6.09E-10	1.0E+06	6.1E-04
428	428	1.1954	5.31049E-07	6.3E-07	1.05E-03	6.64E-10	1.13E+00	1.57E-01	1.17E-10	1.0E+06	1.2E-04
429	429	0.95535	5.31049E-07	5.1E-07	1.05E-03	5.30E-10	1.13E+00	1.57E-01	9.38E-11	1.0E+06	9.4E-05
430	430	11.54302	5.31049E-07	6.1E-06	1.05E-03	6.41E-09	1.13E+00	1.57E-01	1.13E-09	1.0E+06	1.1E-03
431	431	0.99064	5.31049E-07	5.3E-07	1.05E-03	5.50E-10	1.13E+00	1.57E-01	9.73E-11	1.0E+06	9.7E-05
432	432	0.79362	5.31049E-07	4.2E-07	1.05E-03	4.41E-10	1.13E+00	1.57E-01	7.79E-11	1.0E+06	7.8E-05
433	433	8.5274	5.31049E-07	4.5E-06	1.05E-03	4.73E-09	1.13E+00	1.57E-01	8.37E-10	1.0E+06	8.4E-04
434	434	0.99888	5.31049E-07	5.3E-07	1.05E-03	5.54E-10	1.13E+00	1.57E-01	9.81E-11	1.0E+06	9.8E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.79674	5.31049E-07	4.2E-07	1.05E-03	4.42E-10	1.13E+00	1.57E-01	7.82E-11	1.0E+06	7.8E-05
436	436	15.01618	5.31049E-07	8.0E-06	1.05E-03	8.33E-09	1.13E+00	1.57E-01	1.47E-09	1.0E+06	1.5E-03
437	437	1.27715	5.31049E-07	6.8E-07	1.05E-03	7.09E-10	1.13E+00	1.57E-01	1.25E-10	1.0E+06	1.3E-04
438	438	0.98302	5.31049E-07	5.2E-07	1.05E-03	5.46E-10	1.13E+00	1.57E-01	9.65E-11	1.0E+06	9.7E-05
439	439	0.78064	5.31049E-07	4.1E-07	1.05E-03	4.33E-10	1.13E+00	1.57E-01	7.66E-11	1.0E+06	7.7E-05
440	440	18.45016	5.31049E-07	9.8E-06	1.05E-03	1.02E-08	1.13E+00	1.57E-01	1.81E-09	1.0E+06	1.8E-03
441	441	2.39204	5.31049E-07	1.3E-06	1.05E-03	1.33E-09	1.13E+00	1.57E-01	2.35E-10	1.0E+06	2.3E-04
442	442	1.67555	5.31049E-07	8.9E-07	1.05E-03	9.30E-10	1.13E+00	1.57E-01	1.65E-10	1.0E+06	1.6E-04
443	443	1.23172	5.31049E-07	6.5E-07	1.05E-03	6.84E-10	1.13E+00	1.57E-01	1.21E-10	1.0E+06	1.2E-04
444	444	0.94597	5.31049E-07	5.0E-07	1.05E-03	5.25E-10	1.13E+00	1.57E-01	9.29E-11	1.0E+06	9.3E-05
445	445	13.30967	5.31049E-07	7.1E-06	1.05E-03	7.39E-09	1.13E+00	1.57E-01	1.31E-09	1.0E+06	1.3E-03
446	446	3.54629	5.31049E-07	1.9E-06	1.05E-03	1.97E-09	1.13E+00	1.57E-01	3.48E-10	1.0E+06	3.5E-04
447	447	2.26566	5.31049E-07	1.2E-06	1.05E-03	1.26E-09	1.13E+00	1.57E-01	2.22E-10	1.0E+06	2.2E-04
448	448	1.57428	5.31049E-07	8.4E-07	1.05E-03	8.74E-10	1.13E+00	1.57E-01	1.55E-10	1.0E+06	1.5E-04
449	449	9.76539	5.31049E-07	5.2E-06	1.05E-03	5.42E-09	1.13E+00	1.57E-01	9.59E-10	1.0E+06	9.6E-04
450	450	5.20744	5.31049E-07	2.8E-06	1.05E-03	2.89E-09	1.13E+00	1.57E-01	5.11E-10	1.0E+06	5.1E-04
451	451	3.13404	5.31049E-07	1.7E-06	1.05E-03	1.74E-09	1.13E+00	1.57E-01	3.08E-10	1.0E+06	3.1E-04
452	452	7.24942	5.31049E-07	3.8E-06	1.05E-03	4.02E-09	1.13E+00	1.57E-01	7.12E-10	1.0E+06	7.1E-04
453	453	4.22012	5.31049E-07	2.2E-06	1.05E-03	2.34E-09	1.13E+00	1.57E-01	4.14E-10	1.0E+06	4.1E-04
454	454	0.62227	5.31049E-07	3.3E-07	1.05E-03	3.45E-10	1.13E+00	1.57E-01	6.11E-11	1.0E+06	6.1E-05
455	455	0.51862	5.31049E-07	2.8E-07	1.05E-03	2.88E-10	1.13E+00	1.57E-01	5.09E-11	1.0E+06	5.1E-05
456	456	5.32173	5.31049E-07	2.8E-06	1.05E-03	2.95E-09	1.13E+00	1.57E-01	5.23E-10	1.0E+06	5.2E-04
457	457	3.35476	5.31049E-07	1.8E-06	1.05E-03	1.86E-09	1.13E+00	1.57E-01	3.29E-10	1.0E+06	3.3E-04
458	458	2.25817	5.31049E-07	1.2E-06	1.05E-03	1.25E-09	1.13E+00	1.57E-01	2.22E-10	1.0E+06	2.2E-04
459	459	0.89995	5.31049E-07	4.8E-07	1.05E-03	5.00E-10	1.13E+00	1.57E-01	8.84E-11	1.0E+06	8.8E-05
460	460	0.71561	5.31049E-07	3.8E-07	1.05E-03	3.97E-10	1.13E+00	1.57E-01	7.03E-11	1.0E+06	7.0E-05
461	461	0.58362	5.31049E-07	3.1E-07	1.05E-03	3.24E-10	1.13E+00	1.57E-01	5.73E-11	1.0E+06	5.7E-05
462	462	0.4864	5.31049E-07	2.6E-07	1.05E-03	2.70E-10	1.13E+00	1.57E-01	4.78E-11	1.0E+06	4.8E-05
463	463	0.68728	5.31049E-07	3.6E-07	1.05E-03	3.81E-10	1.13E+00	1.57E-01	6.75E-11	1.0E+06	6.7E-05
464	464	0.74037	5.31049E-07	3.9E-07	1.05E-03	4.11E-10	1.13E+00	1.57E-01	7.27E-11	1.0E+06	7.3E-05
465	465	0.91889	5.31049E-07	4.9E-07	1.05E-03	5.10E-10	1.13E+00	1.57E-01	9.02E-11	1.0E+06	9.0E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	1.09813	5.31049E-07	5.8E-07	1.05E-03	6.10E-10	1.13E+00	1.57E-01	1.08E-10	1.0E+06	1.1E-04
467	467	1.34535	5.31049E-07	7.1E-07	1.05E-03	7.47E-10	1.13E+00	1.57E-01	1.32E-10	1.0E+06	1.3E-04
468	468	2.1815	5.31049E-07	1.2E-06	1.05E-03	1.21E-09	1.13E+00	1.57E-01	2.14E-10	1.0E+06	2.1E-04
469	469	4.48594	5.31049E-07	2.4E-06	1.05E-03	2.49E-09	1.13E+00	1.57E-01	4.40E-10	1.0E+06	4.4E-04
470	470	3.76196	5.31049E-07	2.0E-06	1.05E-03	2.09E-09	1.13E+00	1.57E-01	3.69E-10	1.0E+06	3.7E-04
471	471	6.62671	5.31049E-07	3.5E-06	1.05E-03	3.68E-09	1.13E+00	1.57E-01	6.51E-10	1.0E+06	6.5E-04
472	472	4.69648	5.31049E-07	2.5E-06	1.05E-03	2.61E-09	1.13E+00	1.57E-01	4.61E-10	1.0E+06	4.6E-04
473	473	12.12882	5.31049E-07	6.4E-06	1.05E-03	6.73E-09	1.13E+00	1.57E-01	1.19E-09	1.0E+06	1.2E-03
474	474	5.50006	5.31049E-07	2.9E-06	1.05E-03	3.05E-09	1.13E+00	1.57E-01	5.40E-10	1.0E+06	5.4E-04
475	475	13.32507	5.31049E-07	7.1E-06	1.05E-03	7.40E-09	1.13E+00	1.57E-01	1.31E-09	1.0E+06	1.3E-03
476	476	6.35566	5.31049E-07	3.4E-06	1.05E-03	3.53E-09	1.13E+00	1.57E-01	6.24E-10	1.0E+06	6.2E-04
477	477	14.88752	5.31049E-07	7.9E-06	1.05E-03	8.26E-09	1.13E+00	1.57E-01	1.46E-09	1.0E+06	1.5E-03
478	478	7.83866	5.31049E-07	4.2E-06	1.05E-03	4.35E-09	1.13E+00	1.57E-01	7.70E-10	1.0E+06	7.7E-04
479	479	8.84278	5.31049E-07	4.7E-06	1.05E-03	4.91E-09	1.13E+00	1.57E-01	8.68E-10	1.0E+06	8.7E-04
480	480	17.46115	5.31049E-07	9.3E-06	1.05E-03	9.69E-09	1.13E+00	1.57E-01	1.71E-09	1.0E+06	1.7E-03
481	481	10.57872	5.31049E-07	5.6E-06	1.05E-03	5.87E-09	1.13E+00	1.57E-01	1.04E-09	1.0E+06	1.0E-03
482	482	14.19131	5.31049E-07	7.5E-06	1.05E-03	7.88E-09	1.13E+00	1.57E-01	1.39E-09	1.0E+06	1.4E-03
483	483	10.87525	5.31049E-07	5.8E-06	1.05E-03	6.04E-09	1.13E+00	1.57E-01	1.07E-09	1.0E+06	1.1E-03
484	484	13.85496	5.31049E-07	7.4E-06	1.05E-03	7.69E-09	1.13E+00	1.57E-01	1.36E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk				*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1	1	4.7E-02	Max	Receptor #	5	5.12E-05	Max	Receptor #	
2	2	4.8E-02	16.344	471	5	5.18E-05	0.018	471	Res
3	3	4.8E-02			5	5.23E-05			
4	4	4.9E-02			5	5.30E-05			
5	5	5.0E-02			5	5.37E-05			
6	6	5.1E-02			5	5.51E-05			
7	7	5.3E-02			5	5.69E-05			
8	8	5.5E-02			5	5.91E-05			
9	9	5.7E-02			5	6.18E-05			
10	10	6.0E-02			5	6.52E-05			
11	11	6.4E-02			5	6.97E-05			
12	12	6.9E-02			5	7.45E-05			
13	13	7.4E-02			5	7.98E-05			
14	14	1.0E-01			5	1.11E-04			
15	15	5.3E-02			5	5.69E-05			
16	16	5.3E-02			5	5.75E-05			
17	17	5.4E-02			5	5.84E-05			
18	18	5.5E-02			5	5.90E-05			
19	19	5.5E-02			5	5.95E-05			
20	20	5.6E-02			5	6.05E-05			
21	21	5.7E-02			5	6.20E-05			
22	22	5.9E-02			5	6.38E-05			
23	23	6.2E-02			5	6.70E-05			
24	24	6.5E-02			5	7.02E-05			
25	25	7.0E-02			5	7.55E-05			
26	26	7.5E-02			5	8.13E-05			
27	27	8.0E-02			5	8.64E-05			
28	28	1.2E-01			5	1.25E-04			
29	29	5.8E-02			5	6.30E-05			
30	30	5.9E-02			5	6.43E-05			
31	31	6.1E-02			5	6.57E-05			

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	6.2E-02	5	6.67E-05
33	33	6.2E-02	5	6.67E-05
34	34	6.3E-02	5	6.76E-05
35	35	6.3E-02	5	6.86E-05
36	36	6.5E-02	5	7.04E-05
37	37	6.8E-02	5	7.31E-05
38	38	7.1E-02	5	7.70E-05
39	39	7.6E-02	5	8.22E-05
40	40	8.1E-02	5	8.79E-05
41	41	8.7E-02	5	9.38E-05
42	42	1.3E-01	5	1.41E-04
43	43	6.4E-02	5	6.92E-05
44	44	6.6E-02	5	7.12E-05
45	45	6.8E-02	5	7.30E-05
46	46	6.9E-02	5	7.44E-05
47	47	7.0E-02	5	7.52E-05
48	48	7.0E-02	5	7.60E-05
49	49	7.1E-02	5	7.67E-05
50	50	7.2E-02	5	7.76E-05
51	51	7.5E-02	5	8.10E-05
52	52	7.8E-02	5	8.47E-05
53	53	8.3E-02	5	9.03E-05
54	54	9.0E-02	5	9.70E-05
55	55	9.7E-02	5	1.05E-04
56	56	1.5E-01	5	1.62E-04
57	57	7.0E-02	5	7.53E-05
58	58	7.2E-02	5	7.80E-05
59	59	7.5E-02	5	8.06E-05
60	60	7.7E-02	5	8.30E-05
61	61	7.8E-02	5	8.49E-05
62	62	8.0E-02	5	8.64E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	8.2E-02	5	8.85E-05
64	64	8.1E-02	5	8.81E-05
65	65	8.4E-02	5	9.11E-05
66	66	8.8E-02	5	9.52E-05
67	67	9.2E-02	5	9.98E-05
68	68	1.0E-01	5	1.08E-04
69	69	1.1E-01	5	1.18E-04
70	70	7.5E-02	5	8.15E-05
71	71	7.9E-02	5	8.50E-05
72	72	8.2E-02	5	8.86E-05
73	73	8.5E-02	5	9.20E-05
74	74	8.8E-02	5	9.50E-05
75	75	9.1E-02	5	9.86E-05
76	76	9.4E-02	5	1.02E-04
77	77	9.5E-02	5	1.03E-04
78	78	9.8E-02	5	1.06E-04
79	79	1.1E-01	5	1.14E-04
80	80	1.1E-01	5	1.17E-04
81	81	1.2E-01	5	1.29E-04
82	82	1.3E-01	5	1.37E-04
83	83	8.1E-02	5	8.76E-05
84	84	8.5E-02	5	9.21E-05
85	85	8.9E-02	5	9.60E-05
86	86	9.4E-02	5	1.02E-04
87	87	9.8E-02	5	1.06E-04
88	88	1.0E-01	5	1.11E-04
89	89	1.1E-01	5	1.16E-04
90	90	1.1E-01	5	1.21E-04
91	91	1.2E-01	5	1.27E-04
92	92	1.2E-01	5	1.34E-04
93	93	1.3E-01	5	1.41E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	1.4E-01	5	1.51E-04
95	95	1.5E-01	5	1.64E-04
96	96	8.6E-02	5	9.33E-05
97	97	9.0E-02	5	9.77E-05
98	98	9.5E-02	5	1.03E-04
99	99	1.0E-01	5	1.10E-04
100	100	1.1E-01	5	1.18E-04
101	101	1.1E-01	5	1.24E-04
102	102	1.2E-01	5	1.31E-04
103	103	1.3E-01	5	1.38E-04
104	104	1.3E-01	5	1.46E-04
105	105	1.4E-01	5	1.54E-04
106	106	1.5E-01	5	1.63E-04
107	107	1.6E-01	5	1.75E-04
108	108	1.8E-01	5	1.90E-04
109	109	9.0E-02	5	9.74E-05
110	110	9.6E-02	5	1.04E-04
111	111	1.0E-01	5	1.12E-04
112	112	1.1E-01	5	1.20E-04
113	113	1.2E-01	5	1.28E-04
114	114	1.3E-01	5	1.37E-04
115	115	1.4E-01	5	1.47E-04
116	116	1.4E-01	5	1.57E-04
117	117	1.5E-01	5	1.67E-04
118	118	1.6E-01	5	1.73E-04
119	119	1.7E-01	5	1.86E-04
120	120	1.8E-01	5	1.99E-04
121	121	2.0E-01	5	2.14E-04
122	122	9.3E-02	5	1.00E-04
123	123	1.0E-01	5	1.09E-04
124	124	1.1E-01	5	1.18E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	1.2E-01	5	1.28E-04
126	126	1.3E-01	5	1.38E-04
127	127	1.4E-01	5	1.49E-04
128	128	1.5E-01	5	1.57E-04
129	129	1.6E-01	5	1.70E-04
130	130	1.7E-01	5	1.88E-04
131	131	5.3E-01	5	5.72E-04
132	132	5.5E-01	5	5.93E-04
133	133	9.3E-02	5	1.01E-04
134	134	1.0E-01	5	1.11E-04
135	135	1.1E-01	5	1.22E-04
136	136	1.2E-01	5	1.34E-04
137	137	1.4E-01	5	1.46E-04
138	138	1.5E-01	5	1.59E-04
139	139	1.6E-01	5	1.72E-04
140	140	1.8E-01	5	1.93E-04
141	141	2.0E-01	5	2.13E-04
142	142	2.2E-01	5	2.34E-04
143	143	2.4E-01	5	2.59E-04
144	144	2.7E-01	5	2.89E-04
145	145	3.0E-01	5	3.20E-04
146	146	7.1E-01	5	7.72E-04
147	147	9.1E-02	5	9.88E-05
148	148	1.0E-01	5	1.10E-04
149	149	1.1E-01	5	1.22E-04
150	150	1.3E-01	5	1.35E-04
151	151	1.4E-01	5	1.50E-04
152	152	1.5E-01	5	1.66E-04
153	153	1.7E-01	5	1.83E-04
154	154	1.9E-01	5	2.04E-04
155	155	2.1E-01	5	2.30E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	2.4E-01	5	2.59E-04
157	157	2.7E-01	5	2.91E-04
158	158	3.0E-01	5	3.26E-04
159	159	3.5E-01	5	3.81E-04
160	160	8.9E-02	5	9.61E-05
161	161	9.8E-02	5	1.06E-04
162	162	1.1E-01	5	1.16E-04
163	163	1.2E-01	5	1.31E-04
164	164	1.4E-01	5	1.50E-04
165	165	1.5E-01	5	1.67E-04
166	166	1.7E-01	5	1.89E-04
167	167	2.0E-01	5	2.14E-04
168	168	2.3E-01	5	2.45E-04
169	169	2.6E-01	5	2.82E-04
170	170	3.0E-01	5	3.26E-04
171	171	3.5E-01	5	3.78E-04
172	172	4.2E-01	5	4.50E-04
173	173	5.0E-01	5	5.45E-04
174	174	6.2E-01	5	6.72E-04
175	175	7.8E-01	5	8.43E-04
176	176	1.0E+00	5	1.12E-03
177	177	1.4E+00	5	1.46E-03
178	178	1.7E+00	5	1.84E-03
179	179	8.3E-02	5	8.93E-05
180	180	9.0E-02	5	9.78E-05
181	181	9.8E-02	5	1.06E-04
182	182	1.1E-01	5	1.23E-04
183	183	1.3E-01	5	1.45E-04
184	184	1.5E-01	5	1.65E-04
185	185	1.7E-01	5	1.89E-04
186	186	2.0E-01	5	2.17E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	2.3E-01	5	2.50E-04
188	188	2.7E-01	5	2.93E-04
189	189	3.2E-01	5	3.46E-04
190	190	3.8E-01	5	4.14E-04
191	191	4.7E-01	5	5.03E-04
192	192	5.8E-01	5	6.31E-04
193	193	7.5E-01	5	8.10E-04
194	194	1.0E+00	5	1.09E-03
195	195	1.5E+00	5	1.59E-03
196	196	2.2E+00	5	2.40E-03
197	197	3.3E+00	5	3.52E-03
198	198	7.7E-02	5	8.34E-05
199	199	8.5E-02	5	9.18E-05
200	200	9.4E-02	5	1.01E-04
201	201	1.1E-01	5	1.15E-04
202	202	1.3E-01	5	1.36E-04
203	203	1.5E-01	5	1.57E-04
204	204	1.7E-01	5	1.82E-04
205	205	1.9E-01	5	2.11E-04
206	206	2.3E-01	5	2.46E-04
207	207	2.7E-01	5	2.90E-04
208	208	3.2E-01	5	3.47E-04
209	209	3.9E-01	5	4.23E-04
210	210	4.9E-01	5	5.27E-04
211	211	6.3E-01	5	6.79E-04
212	212	8.4E-01	5	9.06E-04
213	213	1.2E+00	5	1.26E-03
214	214	1.7E+00	5	1.86E-03
215	215	3.6E+00	5	3.87E-03
216	216	7.3E-02	5	7.90E-05
217	217	8.0E-02	5	8.64E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	8.9E-02	5	9.58E-05
219	219	1.0E-01	5	1.08E-04
220	220	1.2E-01	5	1.27E-04
221	221	1.3E-01	5	1.46E-04
222	222	1.6E-01	5	1.70E-04
223	223	1.8E-01	5	1.98E-04
224	224	2.1E-01	5	2.32E-04
225	225	2.5E-01	5	2.74E-04
226	226	3.0E-01	5	3.29E-04
227	227	3.7E-01	5	4.03E-04
228	228	4.7E-01	5	5.06E-04
229	229	6.1E-01	5	6.59E-04
230	230	8.3E-01	5	8.98E-04
231	231	1.2E+00	5	1.32E-03
232	232	2.0E+00	5	2.19E-03
233	233	5.1E+00	5	5.51E-03
234	234	7.0E-02	5	7.57E-05
235	235	7.6E-02	5	8.23E-05
236	236	8.4E-02	5	9.12E-05
237	237	9.5E-02	5	1.03E-04
238	238	1.1E-01	5	1.19E-04
239	239	1.3E-01	5	1.36E-04
240	240	1.5E-01	5	1.58E-04
241	241	1.7E-01	5	1.84E-04
242	242	2.0E-01	5	2.15E-04
243	243	2.3E-01	5	2.54E-04
244	244	2.8E-01	5	3.06E-04
245	245	3.5E-01	5	3.75E-04
246	246	4.4E-01	5	4.71E-04
247	247	5.6E-01	5	6.10E-04
248	248	7.7E-01	5	8.28E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	1.1E+00	5	1.20E-03
250	250	1.8E+00	5	1.99E-03
251	251	4.5E+00	5	4.89E-03
252	252	6.7E-02	5	7.29E-05
253	253	7.3E-02	5	7.88E-05
254	254	8.0E-02	5	8.65E-05
255	255	8.9E-02	5	9.63E-05
256	256	1.0E-01	5	1.13E-04
257	257	1.2E-01	5	1.25E-04
258	258	1.3E-01	5	1.42E-04
259	259	1.5E-01	5	1.62E-04
260	260	1.8E-01	5	1.92E-04
261	261	2.1E-01	5	2.32E-04
262	262	2.6E-01	5	2.81E-04
263	263	3.2E-01	5	3.42E-04
264	264	4.0E-01	5	4.29E-04
265	265	5.1E-01	5	5.47E-04
266	266	6.7E-01	5	7.28E-04
267	267	9.4E-01	5	1.02E-03
268	268	1.4E+00	5	1.54E-03
269	269	2.9E+00	5	3.13E-03
270	270	6.6E-02	5	7.09E-05
271	271	7.1E-02	5	7.69E-05
272	272	7.8E-02	5	8.44E-05
273	273	8.6E-02	5	9.31E-05
274	274	1.0E-01	5	1.10E-04
275	275	1.2E-01	5	1.25E-04
276	276	1.2E-01	5	1.34E-04
277	277	1.4E-01	5	1.51E-04
278	278	1.6E-01	5	1.75E-04
279	279	1.9E-01	5	2.07E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	2.3E-01	5	2.54E-04
281	281	2.9E-01	5	3.13E-04
282	282	3.6E-01	5	3.89E-04
283	283	4.5E-01	5	4.91E-04
284	284	5.9E-01	5	6.34E-04
285	285	7.7E-01	5	8.37E-04
286	286	1.1E+00	5	1.18E-03
287	287	1.9E+00	5	2.10E-03
288	288	6.5E-02	5	6.98E-05
289	289	6.9E-02	5	7.51E-05
290	290	7.8E-02	5	8.39E-05
291	291	8.6E-02	5	9.32E-05
292	292	1.0E-01	5	1.13E-04
293	293	1.1E-01	5	1.23E-04
294	294	1.2E-01	5	1.27E-04
295	295	1.3E-01	5	1.44E-04
296	296	1.5E-01	5	1.66E-04
297	297	1.8E-01	5	1.91E-04
298	298	2.1E-01	5	2.27E-04
299	299	2.6E-01	5	2.81E-04
300	300	3.2E-01	5	3.43E-04
301	301	4.0E-01	5	4.29E-04
302	302	5.0E-01	5	5.41E-04
303	303	6.4E-01	5	6.97E-04
304	304	8.7E-01	5	9.36E-04
305	305	1.4E+00	5	1.51E-03
306	306	6.7E-02	5	7.22E-05
307	307	7.0E-02	5	7.58E-05
308	308	7.6E-02	5	8.24E-05
309	309	8.9E-02	5	9.63E-05
310	310	1.0E-01	5	1.11E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	1.1E-01	5	1.20E-04
312	312	1.1E-01	5	1.21E-04
313	313	1.3E-01	5	1.36E-04
314	314	1.4E-01	5	1.56E-04
315	315	1.7E-01	5	1.85E-04
316	316	1.9E-01	5	2.11E-04
317	317	2.3E-01	5	2.47E-04
318	318	2.7E-01	5	2.97E-04
319	319	3.4E-01	5	3.68E-04
320	320	4.3E-01	5	4.69E-04
321	321	5.4E-01	5	5.85E-04
322	322	7.0E-01	5	7.57E-04
323	323	1.0E+00	5	1.13E-03
324	324	6.5E-02	5	7.08E-05
325	325	7.3E-02	5	7.85E-05
326	326	7.8E-02	5	8.46E-05
327	327	8.3E-02	5	9.01E-05
328	328	1.0E-01	5	1.09E-04
329	329	1.1E-01	5	1.16E-04
330	330	1.1E-01	5	1.17E-04
331	331	1.2E-01	5	1.32E-04
332	332	1.4E-01	5	1.51E-04
333	333	1.6E-01	5	1.78E-04
334	334	1.9E-01	5	2.04E-04
335	335	2.2E-01	5	2.37E-04
336	336	6.4E-01	5	6.91E-04
337	337	6.7E-01	5	7.27E-04
338	338	7.4E-02	5	8.06E-05
339	339	8.0E-02	5	8.61E-05
340	340	9.1E-02	5	9.81E-05
341	341	9.7E-02	5	1.04E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	1.0E-01	5	1.08E-04
343	343	1.0E-01	5	1.13E-04
344	344	1.1E-01	5	1.15E-04
345	345	1.1E-01	5	1.16E-04
346	346	1.1E-01	5	1.16E-04
347	347	8.1E-02	5	8.72E-05
348	348	8.8E-02	5	9.55E-05
349	349	1.0E-01	5	1.12E-04
350	350	1.1E-01	5	1.17E-04
351	351	1.1E-01	5	1.21E-04
352	352	1.2E-01	5	1.27E-04
353	353	1.2E-01	5	1.29E-04
354	354	1.2E-01	5	1.30E-04
355	355	1.2E-01	5	1.30E-04
356	356	8.8E-02	5	9.52E-05
357	357	9.5E-02	5	1.03E-04
358	358	1.0E-01	5	1.12E-04
359	359	1.2E-01	5	1.28E-04
360	360	1.3E-01	5	1.36E-04
361	361	1.3E-01	5	1.45E-04
362	362	1.4E-01	5	1.47E-04
363	363	1.4E-01	5	1.48E-04
364	364	9.8E-02	5	1.06E-04
365	365	1.0E-01	5	1.12E-04
366	366	1.1E-01	5	1.24E-04
367	367	1.3E-01	5	1.44E-04
368	368	1.4E-01	5	1.55E-04
369	369	1.5E-01	5	1.66E-04
370	370	1.6E-01	5	1.71E-04
371	371	1.6E-01	5	1.70E-04
372	372	1.1E-01	5	1.20E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	1.2E-01	5	1.27E-04
374	374	1.3E-01	5	1.41E-04
375	375	1.5E-01	5	1.65E-04
376	376	1.7E-01	5	1.79E-04
377	377	1.7E-01	5	1.87E-04
378	378	1.8E-01	5	1.93E-04
379	379	1.8E-01	5	1.99E-04
380	380	1.8E-01	5	1.99E-04
381	381	1.8E-01	5	1.97E-04
382	382	1.3E-01	5	1.40E-04
383	383	1.4E-01	5	1.52E-04
384	384	1.5E-01	5	1.64E-04
385	385	1.8E-01	5	1.97E-04
386	386	1.9E-01	5	2.09E-04
387	387	2.0E-01	5	2.20E-04
388	388	2.1E-01	5	2.28E-04
389	389	2.2E-01	5	2.36E-04
390	390	2.2E-01	5	2.35E-04
391	391	2.1E-01	5	2.32E-04
392	392	2.1E-01	5	2.24E-04
393	393	1.5E-01	5	1.67E-04
394	394	1.8E-01	5	1.99E-04
395	395	2.0E-01	5	2.22E-04
396	396	2.2E-01	5	2.38E-04
397	397	2.4E-01	5	2.55E-04
398	398	2.4E-01	5	2.63E-04
399	399	2.5E-01	5	2.66E-04
400	400	2.6E-01	5	2.84E-04
401	401	2.6E-01	5	2.83E-04
402	402	2.5E-01	5	2.66E-04
403	403	3.2E-01	5	3.46E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	3.0E-01	5	3.25E-04
405	405	2.8E-01	5	3.05E-04
406	406	4.0E-01	5	4.37E-04
407	407	3.4E-01	5	3.69E-04
408	408	5.3E-01	5	5.73E-04
409	409	4.2E-01	5	4.52E-04
410	410	7.3E-01	5	7.85E-04
411	411	5.9E-01	5	6.39E-04
412	412	5.2E-01	5	5.67E-04
413	413	1.1E+00	5	1.15E-03
414	414	8.8E-01	5	9.51E-04
415	415	7.6E-01	5	8.18E-04
416	416	6.4E-01	5	6.89E-04
417	417	1.7E+00	5	1.83E-03
418	418	9.6E-01	5	1.03E-03
419	419	7.5E-01	5	8.14E-04
420	420	5.9E-01	5	6.41E-04
421	421	3.0E+00	5	3.29E-03
422	422	8.4E-01	5	9.10E-04
423	423	6.3E-01	5	6.84E-04
424	424	6.1E+00	5	6.61E-03
425	425	6.4E-01	5	6.87E-04
426	426	4.8E-01	5	5.20E-04
427	427	1.1E+01	5	1.16E-02
428	428	6.0E-01	5	6.54E-04
429	429	4.6E-01	5	4.96E-04
430	430	1.0E+01	5	1.08E-02
431	431	4.3E-01	5	4.63E-04
432	432	3.4E-01	5	3.65E-04
433	433	6.2E+00	5	6.71E-03
434	434	4.0E-01	5	4.28E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	3.2E-01	5	3.43E-04
436	436	3.8E+00	5	4.14E-03
437	437	4.6E-01	5	4.99E-04
438	438	3.6E-01	5	3.94E-04
439	439	3.0E-01	5	3.19E-04
440	440	2.5E+00	5	2.67E-03
441	441	7.4E-01	5	8.05E-04
442	442	5.4E-01	5	5.88E-04
443	443	4.2E-01	5	4.52E-04
444	444	3.3E-01	5	3.61E-04
445	445	1.7E+00	5	1.82E-03
446	446	9.2E-01	5	9.98E-04
447	447	6.6E-01	5	7.11E-04
448	448	4.9E-01	5	5.28E-04
449	449	1.2E+00	5	1.30E-03
450	450	1.0E+00	5	1.09E-03
451	451	7.7E-01	5	8.37E-04
452	452	9.0E-01	5	9.74E-04
453	453	8.0E-01	5	8.61E-04
454	454	2.2E-01	5	2.33E-04
455	455	1.9E-01	5	2.01E-04
456	456	7.0E-01	5	7.52E-04
457	457	6.4E-01	5	6.90E-04
458	458	5.4E-01	5	5.88E-04
459	459	2.9E-01	5	3.12E-04
460	460	2.4E-01	5	2.59E-04
461	461	2.0E-01	5	2.18E-04
462	462	1.7E-01	5	1.88E-04
463	463	7.4E-01	5	8.00E-04
464	464	7.9E-01	5	8.59E-04
465	465	1.1E+00	5	1.22E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
466	466	1.4E+00	5	1.49E-03
467	467	1.9E+00	5	2.07E-03
468	468	4.0E+00	5	4.27E-03
469	469	1.3E+01	5	1.44E-02
470	470	9.6E+00	5	1.04E-02
471	471	1.6E+01	5	1.77E-02
472	472	1.3E+01	5	1.43E-02
473	473	1.4E+01	5	1.52E-02
474	474	6.2E+00	5	6.68E-03
475	475	1.0E+01	5	1.13E-02
476	476	3.3E+00	5	3.58E-03
477	477	4.6E+00	5	5.00E-03
478	478	2.0E+00	5	2.20E-03
479	479	2.6E+00	5	2.79E-03
480	480	2.6E+00	5	2.76E-03
481	481	1.4E+00	5	1.48E-03
482	482	1.7E+00	5	1.82E-03
483	483	1.1E+00	5	1.23E-03
484	484	1.2E+00	5	1.28E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

					Cancer Risk from 3rd Trimester						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
1	0.09997	1.03E-02	1.0E-03	3.46E-04	3.58E-07	1.37E-02	1.57E-01	7.70E-10	1.0E+06	7.7E-04	
2	0.10116	1.03E-02	1.0E-03	3.46E-04	3.62E-07	1.37E-02	1.57E-01	7.79E-10	1.0E+06	7.8E-04	
3	0.10225	1.03E-02	1.1E-03	3.46E-04	3.66E-07	1.37E-02	1.57E-01	7.87E-10	1.0E+06	7.9E-04	
4	0.10353	1.03E-02	1.1E-03	3.46E-04	3.70E-07	1.37E-02	1.57E-01	7.97E-10	1.0E+06	8.0E-04	
5	0.1049	1.03E-02	1.1E-03	3.46E-04	3.75E-07	1.37E-02	1.57E-01	8.08E-10	1.0E+06	8.1E-04	
6	0.10762	1.03E-02	1.1E-03	3.46E-04	3.85E-07	1.37E-02	1.57E-01	8.29E-10	1.0E+06	8.3E-04	
7	0.11114	1.03E-02	1.1E-03	3.46E-04	3.98E-07	1.37E-02	1.57E-01	8.56E-10	1.0E+06	8.6E-04	
8	0.11544	1.03E-02	1.2E-03	3.46E-04	4.13E-07	1.37E-02	1.57E-01	8.89E-10	1.0E+06	8.9E-04	
9	0.12067	1.03E-02	1.2E-03	3.46E-04	4.32E-07	1.37E-02	1.57E-01	9.29E-10	1.0E+06	9.3E-04	
10	0.12749	1.03E-02	1.3E-03	3.46E-04	4.56E-07	1.37E-02	1.57E-01	9.82E-10	1.0E+06	9.8E-04	
11	0.13627	1.03E-02	1.4E-03	3.46E-04	4.87E-07	1.37E-02	1.57E-01	1.05E-09	1.0E+06	1.0E-03	
12	0.1456	1.03E-02	1.5E-03	3.46E-04	5.21E-07	1.37E-02	1.57E-01	1.12E-09	1.0E+06	1.1E-03	
13	0.15591	1.03E-02	1.6E-03	3.46E-04	5.58E-07	1.37E-02	1.57E-01	1.20E-09	1.0E+06	1.2E-03	
14	0.21775	1.03E-02	2.3E-03	3.46E-04	7.79E-07	1.37E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03	
15	0.11116	1.03E-02	1.1E-03	3.46E-04	3.98E-07	1.37E-02	1.57E-01	8.56E-10	1.0E+06	8.6E-04	
16	0.11231	1.03E-02	1.2E-03	3.46E-04	4.02E-07	1.37E-02	1.57E-01	8.65E-10	1.0E+06	8.6E-04	
17	0.11409	1.03E-02	1.2E-03	3.46E-04	4.08E-07	1.37E-02	1.57E-01	8.79E-10	1.0E+06	8.8E-04	
18	0.1152	1.03E-02	1.2E-03	3.46E-04	4.12E-07	1.37E-02	1.57E-01	8.87E-10	1.0E+06	8.9E-04	
19	0.11623	1.03E-02	1.2E-03	3.46E-04	4.16E-07	1.37E-02	1.57E-01	8.95E-10	1.0E+06	9.0E-04	
20	0.11825	1.03E-02	1.2E-03	3.46E-04	4.23E-07	1.37E-02	1.57E-01	9.11E-10	1.0E+06	9.1E-04	
21	0.12106	1.03E-02	1.3E-03	3.46E-04	4.33E-07	1.37E-02	1.57E-01	9.32E-10	1.0E+06	9.3E-04	
22	0.12456	1.03E-02	1.3E-03	3.46E-04	4.46E-07	1.37E-02	1.57E-01	9.59E-10	1.0E+06	9.6E-04	
23	0.13094	1.03E-02	1.4E-03	3.46E-04	4.68E-07	1.37E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03	
24	0.13716	1.03E-02	1.4E-03	3.46E-04	4.91E-07	1.37E-02	1.57E-01	1.06E-09	1.0E+06	1.1E-03	
25	0.14759	1.03E-02	1.5E-03	3.46E-04	5.28E-07	1.37E-02	1.57E-01	1.14E-09	1.0E+06	1.1E-03	
26	0.15892	1.03E-02	1.6E-03	3.46E-04	5.69E-07	1.37E-02	1.57E-01	1.22E-09	1.0E+06	1.2E-03	
27	0.16875	1.03E-02	1.7E-03	3.46E-04	6.04E-07	1.37E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03	
28	0.24418	1.03E-02	2.5E-03	3.46E-04	8.74E-07	1.37E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03	
29	0.12315	1.03E-02	1.3E-03	3.46E-04	4.41E-07	1.37E-02	1.57E-01	9.48E-10	1.0E+06	9.5E-04	
30	0.12567	1.03E-02	1.3E-03	3.46E-04	4.50E-07	1.37E-02	1.57E-01	9.68E-10	1.0E+06	9.7E-04	
31	0.12837	1.03E-02	1.3E-03	3.46E-04	4.59E-07	1.37E-02	1.57E-01	9.89E-10	1.0E+06	9.9E-04	

	Max	Receptor #
Res	0.266	471

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	1.03E-02	1.3E-03	3.46E-04	4.66E-07	1.37E-02	1.57E-01	1.00E-09	1.0E+06	1.0E-03
33	0.13031	1.03E-02	1.3E-03	3.46E-04	4.66E-07	1.37E-02	1.57E-01	1.00E-09	1.0E+06	1.0E-03
34	0.13211	1.03E-02	1.4E-03	3.46E-04	4.73E-07	1.37E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
35	0.13406	1.03E-02	1.4E-03	3.46E-04	4.80E-07	1.37E-02	1.57E-01	1.03E-09	1.0E+06	1.0E-03
36	0.13747	1.03E-02	1.4E-03	3.46E-04	4.92E-07	1.37E-02	1.57E-01	1.06E-09	1.0E+06	1.1E-03
37	0.14288	1.03E-02	1.5E-03	3.46E-04	5.11E-07	1.37E-02	1.57E-01	1.10E-09	1.0E+06	1.1E-03
38	0.15048	1.03E-02	1.6E-03	3.46E-04	5.38E-07	1.37E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
39	0.16057	1.03E-02	1.7E-03	3.46E-04	5.74E-07	1.37E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
40	0.17181	1.03E-02	1.8E-03	3.46E-04	6.15E-07	1.37E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
41	0.18337	1.03E-02	1.9E-03	3.46E-04	6.56E-07	1.37E-02	1.57E-01	1.41E-09	1.0E+06	1.4E-03
42	0.27606	1.03E-02	2.9E-03	3.46E-04	9.88E-07	1.37E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03
43	0.13523	1.03E-02	1.4E-03	3.46E-04	4.84E-07	1.37E-02	1.57E-01	1.04E-09	1.0E+06	1.0E-03
44	0.13913	1.03E-02	1.4E-03	3.46E-04	4.98E-07	1.37E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
45	0.14273	1.03E-02	1.5E-03	3.46E-04	5.11E-07	1.37E-02	1.57E-01	1.10E-09	1.0E+06	1.1E-03
46	0.14534	1.03E-02	1.5E-03	3.46E-04	5.20E-07	1.37E-02	1.57E-01	1.12E-09	1.0E+06	1.1E-03
47	0.14689	1.03E-02	1.5E-03	3.46E-04	5.25E-07	1.37E-02	1.57E-01	1.13E-09	1.0E+06	1.1E-03
48	0.14854	1.03E-02	1.5E-03	3.46E-04	5.31E-07	1.37E-02	1.57E-01	1.14E-09	1.0E+06	1.1E-03
49	0.14984	1.03E-02	1.5E-03	3.46E-04	5.36E-07	1.37E-02	1.57E-01	1.15E-09	1.0E+06	1.2E-03
50	0.15161	1.03E-02	1.6E-03	3.46E-04	5.42E-07	1.37E-02	1.57E-01	1.17E-09	1.0E+06	1.2E-03
51	0.15836	1.03E-02	1.6E-03	3.46E-04	5.67E-07	1.37E-02	1.57E-01	1.22E-09	1.0E+06	1.2E-03
52	0.16548	1.03E-02	1.7E-03	3.46E-04	5.92E-07	1.37E-02	1.57E-01	1.27E-09	1.0E+06	1.3E-03
53	0.17641	1.03E-02	1.8E-03	3.46E-04	6.31E-07	1.37E-02	1.57E-01	1.36E-09	1.0E+06	1.4E-03
54	0.18951	1.03E-02	2.0E-03	3.46E-04	6.78E-07	1.37E-02	1.57E-01	1.46E-09	1.0E+06	1.5E-03
55	0.20421	1.03E-02	2.1E-03	3.46E-04	7.31E-07	1.37E-02	1.57E-01	1.57E-09	1.0E+06	1.6E-03
56	0.31605	1.03E-02	3.3E-03	3.46E-04	1.13E-06	1.37E-02	1.57E-01	2.43E-09	1.0E+06	2.4E-03
57	0.14708	1.03E-02	1.5E-03	3.46E-04	5.26E-07	1.37E-02	1.57E-01	1.13E-09	1.0E+06	1.1E-03
58	0.15242	1.03E-02	1.6E-03	3.46E-04	5.45E-07	1.37E-02	1.57E-01	1.17E-09	1.0E+06	1.2E-03
59	0.15749	1.03E-02	1.6E-03	3.46E-04	5.63E-07	1.37E-02	1.57E-01	1.21E-09	1.0E+06	1.2E-03
60	0.16209	1.03E-02	1.7E-03	3.46E-04	5.80E-07	1.37E-02	1.57E-01	1.25E-09	1.0E+06	1.2E-03
61	0.16587	1.03E-02	1.7E-03	3.46E-04	5.93E-07	1.37E-02	1.57E-01	1.28E-09	1.0E+06	1.3E-03
62	0.1689	1.03E-02	1.7E-03	3.46E-04	6.04E-07	1.37E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	1.03E-02	1.8E-03	3.46E-04	6.19E-07	1.37E-02	1.57E-01	1.33E-09	1.0E+06	1.3E-03
64	0.17221	1.03E-02	1.8E-03	3.46E-04	6.16E-07	1.37E-02	1.57E-01	1.33E-09	1.0E+06	1.3E-03
65	0.17802	1.03E-02	1.8E-03	3.46E-04	6.37E-07	1.37E-02	1.57E-01	1.37E-09	1.0E+06	1.4E-03
66	0.18602	1.03E-02	1.9E-03	3.46E-04	6.65E-07	1.37E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
67	0.19503	1.03E-02	2.0E-03	3.46E-04	6.98E-07	1.37E-02	1.57E-01	1.50E-09	1.0E+06	1.5E-03
68	0.21198	1.03E-02	2.2E-03	3.46E-04	7.58E-07	1.37E-02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
69	0.23133	1.03E-02	2.4E-03	3.46E-04	8.28E-07	1.37E-02	1.57E-01	1.78E-09	1.0E+06	1.8E-03
70	0.15915	1.03E-02	1.6E-03	3.46E-04	5.69E-07	1.37E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
71	0.16615	1.03E-02	1.7E-03	3.46E-04	5.94E-07	1.37E-02	1.57E-01	1.28E-09	1.0E+06	1.3E-03
72	0.17306	1.03E-02	1.8E-03	3.46E-04	6.19E-07	1.37E-02	1.57E-01	1.33E-09	1.0E+06	1.3E-03
73	0.17979	1.03E-02	1.9E-03	3.46E-04	6.43E-07	1.37E-02	1.57E-01	1.38E-09	1.0E+06	1.4E-03
74	0.1856	1.03E-02	1.9E-03	3.46E-04	6.64E-07	1.37E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
75	0.19262	1.03E-02	2.0E-03	3.46E-04	6.89E-07	1.37E-02	1.57E-01	1.48E-09	1.0E+06	1.5E-03
76	0.19839	1.03E-02	2.1E-03	3.46E-04	7.10E-07	1.37E-02	1.57E-01	1.53E-09	1.0E+06	1.5E-03
77	0.20099	1.03E-02	2.1E-03	3.46E-04	7.19E-07	1.37E-02	1.57E-01	1.55E-09	1.0E+06	1.5E-03
78	0.20736	1.03E-02	2.1E-03	3.46E-04	7.42E-07	1.37E-02	1.57E-01	1.60E-09	1.0E+06	1.6E-03
79	0.22199	1.03E-02	2.3E-03	3.46E-04	7.94E-07	1.37E-02	1.57E-01	1.71E-09	1.0E+06	1.7E-03
80	0.22851	1.03E-02	2.4E-03	3.46E-04	8.17E-07	1.37E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
81	0.25141	1.03E-02	2.6E-03	3.46E-04	8.99E-07	1.37E-02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
82	0.26864	1.03E-02	2.8E-03	3.46E-04	9.61E-07	1.37E-02	1.57E-01	2.07E-09	1.0E+06	2.1E-03
83	0.17123	1.03E-02	1.8E-03	3.46E-04	6.13E-07	1.37E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
84	0.17986	1.03E-02	1.9E-03	3.46E-04	6.43E-07	1.37E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
85	0.18766	1.03E-02	1.9E-03	3.46E-04	6.71E-07	1.37E-02	1.57E-01	1.45E-09	1.0E+06	1.4E-03
86	0.19836	1.03E-02	2.0E-03	3.46E-04	7.10E-07	1.37E-02	1.57E-01	1.53E-09	1.0E+06	1.5E-03
87	0.20777	1.03E-02	2.1E-03	3.46E-04	7.43E-07	1.37E-02	1.57E-01	1.60E-09	1.0E+06	1.6E-03
88	0.21743	1.03E-02	2.2E-03	3.46E-04	7.78E-07	1.37E-02	1.57E-01	1.67E-09	1.0E+06	1.7E-03
89	0.22714	1.03E-02	2.3E-03	3.46E-04	8.13E-07	1.37E-02	1.57E-01	1.75E-09	1.0E+06	1.7E-03
90	0.23725	1.03E-02	2.5E-03	3.46E-04	8.49E-07	1.37E-02	1.57E-01	1.83E-09	1.0E+06	1.8E-03
91	0.24821	1.03E-02	2.6E-03	3.46E-04	8.88E-07	1.37E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
92	0.26127	1.03E-02	2.7E-03	3.46E-04	9.35E-07	1.37E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
93	0.27635	1.03E-02	2.9E-03	3.46E-04	9.89E-07	1.37E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	1.03E-02	3.1E-03	3.46E-04	1.06E-06	1.37E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03
95	0.31999	1.03E-02	3.3E-03	3.46E-04	1.14E-06	1.37E-02	1.57E-01	2.46E-09	1.0E+06	2.5E-03
96	0.18233	1.03E-02	1.9E-03	3.46E-04	6.52E-07	1.37E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
97	0.19094	1.03E-02	2.0E-03	3.46E-04	6.83E-07	1.37E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
98	0.20103	1.03E-02	2.1E-03	3.46E-04	7.19E-07	1.37E-02	1.57E-01	1.55E-09	1.0E+06	1.5E-03
99	0.21464	1.03E-02	2.2E-03	3.46E-04	7.68E-07	1.37E-02	1.57E-01	1.65E-09	1.0E+06	1.7E-03
100	0.22959	1.03E-02	2.4E-03	3.46E-04	8.21E-07	1.37E-02	1.57E-01	1.77E-09	1.0E+06	1.8E-03
101	0.24284	1.03E-02	2.5E-03	3.46E-04	8.69E-07	1.37E-02	1.57E-01	1.87E-09	1.0E+06	1.9E-03
102	0.25629	1.03E-02	2.6E-03	3.46E-04	9.17E-07	1.37E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03
103	0.27027	1.03E-02	2.8E-03	3.46E-04	9.67E-07	1.37E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
104	0.28488	1.03E-02	2.9E-03	3.46E-04	1.02E-06	1.37E-02	1.57E-01	2.19E-09	1.0E+06	2.2E-03
105	0.3003	1.03E-02	3.1E-03	3.46E-04	1.07E-06	1.37E-02	1.57E-01	2.31E-09	1.0E+06	2.3E-03
106	0.3189	1.03E-02	3.3E-03	3.46E-04	1.14E-06	1.37E-02	1.57E-01	2.46E-09	1.0E+06	2.5E-03
107	0.34186	1.03E-02	3.5E-03	3.46E-04	1.22E-06	1.37E-02	1.57E-01	2.63E-09	1.0E+06	2.6E-03
108	0.37026	1.03E-02	3.8E-03	3.46E-04	1.32E-06	1.37E-02	1.57E-01	2.85E-09	1.0E+06	2.9E-03
109	0.19023	1.03E-02	2.0E-03	3.46E-04	6.81E-07	1.37E-02	1.57E-01	1.46E-09	1.0E+06	1.5E-03
110	0.20375	1.03E-02	2.1E-03	3.46E-04	7.29E-07	1.37E-02	1.57E-01	1.57E-09	1.0E+06	1.6E-03
111	0.21846	1.03E-02	2.3E-03	3.46E-04	7.82E-07	1.37E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03
112	0.23423	1.03E-02	2.4E-03	3.46E-04	8.38E-07	1.37E-02	1.57E-01	1.80E-09	1.0E+06	1.8E-03
113	0.25102	1.03E-02	2.6E-03	3.46E-04	8.98E-07	1.37E-02	1.57E-01	1.93E-09	1.0E+06	1.9E-03
114	0.2686	1.03E-02	2.8E-03	3.46E-04	9.61E-07	1.37E-02	1.57E-01	2.07E-09	1.0E+06	2.1E-03
115	0.28686	1.03E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
116	0.30627	1.03E-02	3.2E-03	3.46E-04	1.10E-06	1.37E-02	1.57E-01	2.36E-09	1.0E+06	2.4E-03
117	0.32686	1.03E-02	3.4E-03	3.46E-04	1.17E-06	1.37E-02	1.57E-01	2.52E-09	1.0E+06	2.5E-03
118	0.33858	1.03E-02	3.5E-03	3.46E-04	1.21E-06	1.37E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
119	0.36311	1.03E-02	3.8E-03	3.46E-04	1.30E-06	1.37E-02	1.57E-01	2.80E-09	1.0E+06	2.8E-03
120	0.38851	1.03E-02	4.0E-03	3.46E-04	1.39E-06	1.37E-02	1.57E-01	2.99E-09	1.0E+06	3.0E-03
121	0.4178	1.03E-02	4.3E-03	3.46E-04	1.49E-06	1.37E-02	1.57E-01	3.22E-09	1.0E+06	3.2E-03
122	0.19578	1.03E-02	2.0E-03	3.46E-04	7.00E-07	1.37E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
123	0.21204	1.03E-02	2.2E-03	3.46E-04	7.59E-07	1.37E-02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
124	0.23086	1.03E-02	2.4E-03	3.46E-04	8.26E-07	1.37E-02	1.57E-01	1.78E-09	1.0E+06	1.8E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	1.03E-02	2.6E-03	3.46E-04	8.94E-07	1.37E-02	1.57E-01	1.93E-09	1.0E+06	1.9E-03
126	0.27035	1.03E-02	2.8E-03	3.46E-04	9.67E-07	1.37E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
127	0.29177	1.03E-02	3.0E-03	3.46E-04	1.04E-06	1.37E-02	1.57E-01	2.25E-09	1.0E+06	2.2E-03
128	0.30724	1.03E-02	3.2E-03	3.46E-04	1.10E-06	1.37E-02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
129	0.33259	1.03E-02	3.4E-03	3.46E-04	1.19E-06	1.37E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03
130	0.36682	1.03E-02	3.8E-03	3.46E-04	1.31E-06	1.37E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
131	1.11688	1.03E-02	1.2E-02	3.46E-04	4.00E-06	1.37E-02	1.57E-01	8.60E-09	1.0E+06	8.6E-03
132	1.15875	1.03E-02	1.2E-02	3.46E-04	4.15E-06	1.37E-02	1.57E-01	8.92E-09	1.0E+06	8.9E-03
133	0.19656	1.03E-02	2.0E-03	3.46E-04	7.03E-07	1.37E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
134	0.21704	1.03E-02	2.2E-03	3.46E-04	7.76E-07	1.37E-02	1.57E-01	1.67E-09	1.0E+06	1.7E-03
135	0.23863	1.03E-02	2.5E-03	3.46E-04	8.54E-07	1.37E-02	1.57E-01	1.84E-09	1.0E+06	1.8E-03
136	0.26108	1.03E-02	2.7E-03	3.46E-04	9.34E-07	1.37E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
137	0.28567	1.03E-02	3.0E-03	3.46E-04	1.02E-06	1.37E-02	1.57E-01	2.20E-09	1.0E+06	2.2E-03
138	0.31112	1.03E-02	3.2E-03	3.46E-04	1.11E-06	1.37E-02	1.57E-01	2.40E-09	1.0E+06	2.4E-03
139	0.33575	1.03E-02	3.5E-03	3.46E-04	1.20E-06	1.37E-02	1.57E-01	2.59E-09	1.0E+06	2.6E-03
140	0.37628	1.03E-02	3.9E-03	3.46E-04	1.35E-06	1.37E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
141	0.41535	1.03E-02	4.3E-03	3.46E-04	1.49E-06	1.37E-02	1.57E-01	3.20E-09	1.0E+06	3.2E-03
142	0.45747	1.03E-02	4.7E-03	3.46E-04	1.64E-06	1.37E-02	1.57E-01	3.52E-09	1.0E+06	3.5E-03
143	0.5063	1.03E-02	5.2E-03	3.46E-04	1.81E-06	1.37E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
144	0.56507	1.03E-02	5.8E-03	3.46E-04	2.02E-06	1.37E-02	1.57E-01	4.35E-09	1.0E+06	4.4E-03
145	0.62491	1.03E-02	6.5E-03	3.46E-04	2.24E-06	1.37E-02	1.57E-01	4.81E-09	1.0E+06	4.8E-03
146	1.50759	1.03E-02	1.6E-02	3.46E-04	5.39E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
147	0.1931	1.03E-02	2.0E-03	3.46E-04	6.91E-07	1.37E-02	1.57E-01	1.49E-09	1.0E+06	1.5E-03
148	0.21437	1.03E-02	2.2E-03	3.46E-04	7.67E-07	1.37E-02	1.57E-01	1.65E-09	1.0E+06	1.7E-03
149	0.23858	1.03E-02	2.5E-03	3.46E-04	8.53E-07	1.37E-02	1.57E-01	1.84E-09	1.0E+06	1.8E-03
150	0.26418	1.03E-02	2.7E-03	3.46E-04	9.45E-07	1.37E-02	1.57E-01	2.03E-09	1.0E+06	2.0E-03
151	0.29392	1.03E-02	3.0E-03	3.46E-04	1.05E-06	1.37E-02	1.57E-01	2.26E-09	1.0E+06	2.3E-03
152	0.32394	1.03E-02	3.3E-03	3.46E-04	1.16E-06	1.37E-02	1.57E-01	2.49E-09	1.0E+06	2.5E-03
153	0.3577	1.03E-02	3.7E-03	3.46E-04	1.28E-06	1.37E-02	1.57E-01	2.75E-09	1.0E+06	2.8E-03
154	0.39941	1.03E-02	4.1E-03	3.46E-04	1.43E-06	1.37E-02	1.57E-01	3.08E-09	1.0E+06	3.1E-03
155	0.44952	1.03E-02	4.6E-03	3.46E-04	1.61E-06	1.37E-02	1.57E-01	3.46E-09	1.0E+06	3.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	1.03E-02	5.2E-03	3.46E-04	1.81E-06	1.37E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
157	0.56864	1.03E-02	5.9E-03	3.46E-04	2.03E-06	1.37E-02	1.57E-01	4.38E-09	1.0E+06	4.4E-03
158	0.63716	1.03E-02	6.6E-03	3.46E-04	2.28E-06	1.37E-02	1.57E-01	4.91E-09	1.0E+06	4.9E-03
159	0.74488	1.03E-02	7.7E-03	3.46E-04	2.66E-06	1.37E-02	1.57E-01	5.74E-09	1.0E+06	5.7E-03
160	0.18782	1.03E-02	1.9E-03	3.46E-04	6.72E-07	1.37E-02	1.57E-01	1.45E-09	1.0E+06	1.4E-03
161	0.20685	1.03E-02	2.1E-03	3.46E-04	7.40E-07	1.37E-02	1.57E-01	1.59E-09	1.0E+06	1.6E-03
162	0.22653	1.03E-02	2.3E-03	3.46E-04	8.10E-07	1.37E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
163	0.25651	1.03E-02	2.7E-03	3.46E-04	9.18E-07	1.37E-02	1.57E-01	1.98E-09	1.0E+06	2.0E-03
164	0.29246	1.03E-02	3.0E-03	3.46E-04	1.05E-06	1.37E-02	1.57E-01	2.25E-09	1.0E+06	2.3E-03
165	0.32725	1.03E-02	3.4E-03	3.46E-04	1.17E-06	1.37E-02	1.57E-01	2.52E-09	1.0E+06	2.5E-03
166	0.36919	1.03E-02	3.8E-03	3.46E-04	1.32E-06	1.37E-02	1.57E-01	2.84E-09	1.0E+06	2.8E-03
167	0.41887	1.03E-02	4.3E-03	3.46E-04	1.50E-06	1.37E-02	1.57E-01	3.23E-09	1.0E+06	3.2E-03
168	0.47877	1.03E-02	4.9E-03	3.46E-04	1.71E-06	1.37E-02	1.57E-01	3.69E-09	1.0E+06	3.7E-03
169	0.55074	1.03E-02	5.7E-03	3.46E-04	1.97E-06	1.37E-02	1.57E-01	4.24E-09	1.0E+06	4.2E-03
170	0.63634	1.03E-02	6.6E-03	3.46E-04	2.28E-06	1.37E-02	1.57E-01	4.90E-09	1.0E+06	4.9E-03
171	0.73945	1.03E-02	7.6E-03	3.46E-04	2.65E-06	1.37E-02	1.57E-01	5.69E-09	1.0E+06	5.7E-03
172	0.87948	1.03E-02	9.1E-03	3.46E-04	3.15E-06	1.37E-02	1.57E-01	6.77E-09	1.0E+06	6.8E-03
173	1.06486	1.03E-02	1.1E-02	3.46E-04	3.81E-06	1.37E-02	1.57E-01	8.20E-09	1.0E+06	8.2E-03
174	1.31351	1.03E-02	1.4E-02	3.46E-04	4.70E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
175	1.6474	1.03E-02	1.7E-02	3.46E-04	5.89E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
176	2.19565	1.03E-02	2.3E-02	3.46E-04	7.85E-06	1.37E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
177	2.85894	1.03E-02	3.0E-02	3.46E-04	1.02E-05	1.37E-02	1.57E-01	2.20E-08	1.0E+06	2.2E-02
178	3.59716	1.03E-02	3.7E-02	3.46E-04	1.29E-05	1.37E-02	1.57E-01	2.77E-08	1.0E+06	2.8E-02
179	0.17443	1.03E-02	1.8E-03	3.46E-04	6.24E-07	1.37E-02	1.57E-01	1.34E-09	1.0E+06	1.3E-03
180	0.19117	1.03E-02	2.0E-03	3.46E-04	6.84E-07	1.37E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
181	0.20765	1.03E-02	2.1E-03	3.46E-04	7.43E-07	1.37E-02	1.57E-01	1.60E-09	1.0E+06	1.6E-03
182	0.24097	1.03E-02	2.5E-03	3.46E-04	8.62E-07	1.37E-02	1.57E-01	1.86E-09	1.0E+06	1.9E-03
183	0.28383	1.03E-02	2.9E-03	3.46E-04	1.02E-06	1.37E-02	1.57E-01	2.19E-09	1.0E+06	2.2E-03
184	0.32178	1.03E-02	3.3E-03	3.46E-04	1.15E-06	1.37E-02	1.57E-01	2.48E-09	1.0E+06	2.5E-03
185	0.36853	1.03E-02	3.8E-03	3.46E-04	1.32E-06	1.37E-02	1.57E-01	2.84E-09	1.0E+06	2.8E-03
186	0.42331	1.03E-02	4.4E-03	3.46E-04	1.51E-06	1.37E-02	1.57E-01	3.26E-09	1.0E+06	3.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	1.03E-02	5.1E-03	3.46E-04	1.75E-06	1.37E-02	1.57E-01	3.77E-09	1.0E+06	3.8E-03
188	0.57244	1.03E-02	5.9E-03	3.46E-04	2.05E-06	1.37E-02	1.57E-01	4.41E-09	1.0E+06	4.4E-03
189	0.67537	1.03E-02	7.0E-03	3.46E-04	2.42E-06	1.37E-02	1.57E-01	5.20E-09	1.0E+06	5.2E-03
190	0.80933	1.03E-02	8.4E-03	3.46E-04	2.90E-06	1.37E-02	1.57E-01	6.23E-09	1.0E+06	6.2E-03
191	0.98328	1.03E-02	1.0E-02	3.46E-04	3.52E-06	1.37E-02	1.57E-01	7.57E-09	1.0E+06	7.6E-03
192	1.23304	1.03E-02	1.3E-02	3.46E-04	4.41E-06	1.37E-02	1.57E-01	9.50E-09	1.0E+06	9.5E-03
193	1.58271	1.03E-02	1.6E-02	3.46E-04	5.66E-06	1.37E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
194	2.13464	1.03E-02	2.2E-02	3.46E-04	7.64E-06	1.37E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
195	3.0975	1.03E-02	3.2E-02	3.46E-04	1.11E-05	1.37E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
196	4.69284	1.03E-02	4.8E-02	3.46E-04	1.68E-05	1.37E-02	1.57E-01	3.61E-08	1.0E+06	3.6E-02
197	6.88357	1.03E-02	7.1E-02	3.46E-04	2.46E-05	1.37E-02	1.57E-01	5.30E-08	1.0E+06	5.3E-02
198	0.16286	1.03E-02	1.7E-03	3.46E-04	5.83E-07	1.37E-02	1.57E-01	1.25E-09	1.0E+06	1.3E-03
199	0.1793	1.03E-02	1.9E-03	3.46E-04	6.41E-07	1.37E-02	1.57E-01	1.38E-09	1.0E+06	1.4E-03
200	0.19824	1.03E-02	2.0E-03	3.46E-04	7.09E-07	1.37E-02	1.57E-01	1.53E-09	1.0E+06	1.5E-03
201	0.22447	1.03E-02	2.3E-03	3.46E-04	8.03E-07	1.37E-02	1.57E-01	1.73E-09	1.0E+06	1.7E-03
202	0.26663	1.03E-02	2.8E-03	3.46E-04	9.54E-07	1.37E-02	1.57E-01	2.05E-09	1.0E+06	2.1E-03
203	0.30715	1.03E-02	3.2E-03	3.46E-04	1.10E-06	1.37E-02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
204	0.35579	1.03E-02	3.7E-03	3.46E-04	1.27E-06	1.37E-02	1.57E-01	2.74E-09	1.0E+06	2.7E-03
205	0.41191	1.03E-02	4.3E-03	3.46E-04	1.47E-06	1.37E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03
206	0.48026	1.03E-02	5.0E-03	3.46E-04	1.72E-06	1.37E-02	1.57E-01	3.70E-09	1.0E+06	3.7E-03
207	0.56684	1.03E-02	5.9E-03	3.46E-04	2.03E-06	1.37E-02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
208	0.67745	1.03E-02	7.0E-03	3.46E-04	2.42E-06	1.37E-02	1.57E-01	5.22E-09	1.0E+06	5.2E-03
209	0.82589	1.03E-02	8.5E-03	3.46E-04	2.95E-06	1.37E-02	1.57E-01	6.36E-09	1.0E+06	6.4E-03
210	1.02976	1.03E-02	1.1E-02	3.46E-04	3.68E-06	1.37E-02	1.57E-01	7.93E-09	1.0E+06	7.9E-03
211	1.32605	1.03E-02	1.4E-02	3.46E-04	4.74E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
212	1.76927	1.03E-02	1.8E-02	3.46E-04	6.33E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
213	2.46994	1.03E-02	2.6E-02	3.46E-04	8.84E-06	1.37E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02
214	3.63615	1.03E-02	3.8E-02	3.46E-04	1.30E-05	1.37E-02	1.57E-01	2.80E-08	1.0E+06	2.8E-02
215	7.55748	1.03E-02	7.8E-02	3.46E-04	2.70E-05	1.37E-02	1.57E-01	5.82E-08	1.0E+06	5.8E-02
216	0.15431	1.03E-02	1.6E-03	3.46E-04	5.52E-07	1.37E-02	1.57E-01	1.19E-09	1.0E+06	1.2E-03
217	0.16879	1.03E-02	1.7E-03	3.46E-04	6.04E-07	1.37E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	1.03E-02	1.9E-03	3.46E-04	6.70E-07	1.37E-02	1.57E-01	1.44E-09	1.0E+06	1.4E-03
219	0.21079	1.03E-02	2.2E-03	3.46E-04	7.54E-07	1.37E-02	1.57E-01	1.62E-09	1.0E+06	1.6E-03
220	0.24803	1.03E-02	2.6E-03	3.46E-04	8.87E-07	1.37E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
221	0.28481	1.03E-02	2.9E-03	3.46E-04	1.02E-06	1.37E-02	1.57E-01	2.19E-09	1.0E+06	2.2E-03
222	0.33289	1.03E-02	3.4E-03	3.46E-04	1.19E-06	1.37E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03
223	0.3875	1.03E-02	4.0E-03	3.46E-04	1.39E-06	1.37E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
224	0.45352	1.03E-02	4.7E-03	3.46E-04	1.62E-06	1.37E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
225	0.53452	1.03E-02	5.5E-03	3.46E-04	1.91E-06	1.37E-02	1.57E-01	4.12E-09	1.0E+06	4.1E-03
226	0.64348	1.03E-02	6.6E-03	3.46E-04	2.30E-06	1.37E-02	1.57E-01	4.96E-09	1.0E+06	5.0E-03
227	0.7871	1.03E-02	8.1E-03	3.46E-04	2.82E-06	1.37E-02	1.57E-01	6.06E-09	1.0E+06	6.1E-03
228	0.98789	1.03E-02	1.0E-02	3.46E-04	3.53E-06	1.37E-02	1.57E-01	7.61E-09	1.0E+06	7.6E-03
229	1.28832	1.03E-02	1.3E-02	3.46E-04	4.61E-06	1.37E-02	1.57E-01	9.92E-09	1.0E+06	9.9E-03
230	1.75514	1.03E-02	1.8E-02	3.46E-04	6.28E-06	1.37E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
231	2.58583	1.03E-02	2.7E-02	3.46E-04	9.25E-06	1.37E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02
232	4.28751	1.03E-02	4.4E-02	3.46E-04	1.53E-05	1.37E-02	1.57E-01	3.30E-08	1.0E+06	3.3E-02
233	10.76445	1.03E-02	1.1E-01	3.46E-04	3.85E-05	1.37E-02	1.57E-01	8.29E-08	1.0E+06	8.3E-02
234	0.14796	1.03E-02	1.5E-03	3.46E-04	5.29E-07	1.37E-02	1.57E-01	1.14E-09	1.0E+06	1.1E-03
235	0.16076	1.03E-02	1.7E-03	3.46E-04	5.75E-07	1.37E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
236	0.17816	1.03E-02	1.8E-03	3.46E-04	6.37E-07	1.37E-02	1.57E-01	1.37E-09	1.0E+06	1.4E-03
237	0.20142	1.03E-02	2.1E-03	3.46E-04	7.21E-07	1.37E-02	1.57E-01	1.55E-09	1.0E+06	1.6E-03
238	0.2321	1.03E-02	2.4E-03	3.46E-04	8.30E-07	1.37E-02	1.57E-01	1.79E-09	1.0E+06	1.8E-03
239	0.26575	1.03E-02	2.7E-03	3.46E-04	9.51E-07	1.37E-02	1.57E-01	2.05E-09	1.0E+06	2.0E-03
240	0.30828	1.03E-02	3.2E-03	3.46E-04	1.10E-06	1.37E-02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
241	0.35891	1.03E-02	3.7E-03	3.46E-04	1.28E-06	1.37E-02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
242	0.4204	1.03E-02	4.3E-03	3.46E-04	1.50E-06	1.37E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
243	0.49614	1.03E-02	5.1E-03	3.46E-04	1.77E-06	1.37E-02	1.57E-01	3.82E-09	1.0E+06	3.8E-03
244	0.59817	1.03E-02	6.2E-03	3.46E-04	2.14E-06	1.37E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
245	0.7334	1.03E-02	7.6E-03	3.46E-04	2.62E-06	1.37E-02	1.57E-01	5.65E-09	1.0E+06	5.6E-03
246	0.92041	1.03E-02	9.5E-03	3.46E-04	3.29E-06	1.37E-02	1.57E-01	7.09E-09	1.0E+06	7.1E-03
247	1.19215	1.03E-02	1.2E-02	3.46E-04	4.26E-06	1.37E-02	1.57E-01	9.18E-09	1.0E+06	9.2E-03
248	1.61854	1.03E-02	1.7E-02	3.46E-04	5.79E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	1.03E-02	2.4E-02	3.46E-04	8.42E-06	1.37E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
250	3.88245	1.03E-02	4.0E-02	3.46E-04	1.39E-05	1.37E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
251	9.548	1.03E-02	9.9E-02	3.46E-04	3.42E-05	1.37E-02	1.57E-01	7.35E-08	1.0E+06	7.4E-02
252	0.14244	1.03E-02	1.5E-03	3.46E-04	5.10E-07	1.37E-02	1.57E-01	1.10E-09	1.0E+06	1.1E-03
253	0.15391	1.03E-02	1.6E-03	3.46E-04	5.51E-07	1.37E-02	1.57E-01	1.19E-09	1.0E+06	1.2E-03
254	0.16905	1.03E-02	1.7E-03	3.46E-04	6.05E-07	1.37E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03
255	0.1882	1.03E-02	1.9E-03	3.46E-04	6.73E-07	1.37E-02	1.57E-01	1.45E-09	1.0E+06	1.4E-03
256	0.22038	1.03E-02	2.3E-03	3.46E-04	7.88E-07	1.37E-02	1.57E-01	1.70E-09	1.0E+06	1.7E-03
257	0.24395	1.03E-02	2.5E-03	3.46E-04	8.73E-07	1.37E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03
258	0.27703	1.03E-02	2.9E-03	3.46E-04	9.91E-07	1.37E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03
259	0.31726	1.03E-02	3.3E-03	3.46E-04	1.13E-06	1.37E-02	1.57E-01	2.44E-09	1.0E+06	2.4E-03
260	0.37532	1.03E-02	3.9E-03	3.46E-04	1.34E-06	1.37E-02	1.57E-01	2.89E-09	1.0E+06	2.9E-03
261	0.45282	1.03E-02	4.7E-03	3.46E-04	1.62E-06	1.37E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
262	0.54991	1.03E-02	5.7E-03	3.46E-04	1.97E-06	1.37E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
263	0.6689	1.03E-02	6.9E-03	3.46E-04	2.39E-06	1.37E-02	1.57E-01	5.15E-09	1.0E+06	5.2E-03
264	0.83769	1.03E-02	8.7E-03	3.46E-04	3.00E-06	1.37E-02	1.57E-01	6.45E-09	1.0E+06	6.5E-03
265	1.069	1.03E-02	1.1E-02	3.46E-04	3.82E-06	1.37E-02	1.57E-01	8.23E-09	1.0E+06	8.2E-03
266	1.42172	1.03E-02	1.5E-02	3.46E-04	5.09E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
267	1.98481	1.03E-02	2.1E-02	3.46E-04	7.10E-06	1.37E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
268	3.00508	1.03E-02	3.1E-02	3.46E-04	1.08E-05	1.37E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
269	6.11415	1.03E-02	6.3E-02	3.46E-04	2.19E-05	1.37E-02	1.57E-01	4.71E-08	1.0E+06	4.7E-02
270	0.13852	1.03E-02	1.4E-03	3.46E-04	4.96E-07	1.37E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
271	0.15026	1.03E-02	1.6E-03	3.46E-04	5.38E-07	1.37E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
272	0.16484	1.03E-02	1.7E-03	3.46E-04	5.90E-07	1.37E-02	1.57E-01	1.27E-09	1.0E+06	1.3E-03
273	0.18199	1.03E-02	1.9E-03	3.46E-04	6.51E-07	1.37E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
274	0.21436	1.03E-02	2.2E-03	3.46E-04	7.67E-07	1.37E-02	1.57E-01	1.65E-09	1.0E+06	1.7E-03
275	0.24454	1.03E-02	2.5E-03	3.46E-04	8.75E-07	1.37E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03
276	0.26087	1.03E-02	2.7E-03	3.46E-04	9.33E-07	1.37E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
277	0.29564	1.03E-02	3.1E-03	3.46E-04	1.06E-06	1.37E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03
278	0.34216	1.03E-02	3.5E-03	3.46E-04	1.22E-06	1.37E-02	1.57E-01	2.63E-09	1.0E+06	2.6E-03
279	0.40447	1.03E-02	4.2E-03	3.46E-04	1.45E-06	1.37E-02	1.57E-01	3.11E-09	1.0E+06	3.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	1.03E-02	5.1E-03	3.46E-04	1.77E-06	1.37E-02	1.57E-01	3.81E-09	1.0E+06	3.8E-03
281	0.61075	1.03E-02	6.3E-03	3.46E-04	2.18E-06	1.37E-02	1.57E-01	4.70E-09	1.0E+06	4.7E-03
282	0.76016	1.03E-02	7.9E-03	3.46E-04	2.72E-06	1.37E-02	1.57E-01	5.85E-09	1.0E+06	5.9E-03
283	0.9592	1.03E-02	9.9E-03	3.46E-04	3.43E-06	1.37E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
284	1.23907	1.03E-02	1.3E-02	3.46E-04	4.43E-06	1.37E-02	1.57E-01	9.54E-09	1.0E+06	9.5E-03
285	1.6354	1.03E-02	1.7E-02	3.46E-04	5.85E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
286	2.29875	1.03E-02	2.4E-02	3.46E-04	8.22E-06	1.37E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
287	4.0984	1.03E-02	4.2E-02	3.46E-04	1.47E-05	1.37E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
288	0.13632	1.03E-02	1.4E-03	3.46E-04	4.88E-07	1.37E-02	1.57E-01	1.05E-09	1.0E+06	1.0E-03
289	0.14679	1.03E-02	1.5E-03	3.46E-04	5.25E-07	1.37E-02	1.57E-01	1.13E-09	1.0E+06	1.1E-03
290	0.16392	1.03E-02	1.7E-03	3.46E-04	5.86E-07	1.37E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
291	0.1821	1.03E-02	1.9E-03	3.46E-04	6.51E-07	1.37E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
292	0.22152	1.03E-02	2.3E-03	3.46E-04	7.92E-07	1.37E-02	1.57E-01	1.71E-09	1.0E+06	1.7E-03
293	0.241	1.03E-02	2.5E-03	3.46E-04	8.62E-07	1.37E-02	1.57E-01	1.86E-09	1.0E+06	1.9E-03
294	0.24821	1.03E-02	2.6E-03	3.46E-04	8.88E-07	1.37E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
295	0.28165	1.03E-02	2.9E-03	3.46E-04	1.01E-06	1.37E-02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
296	0.32446	1.03E-02	3.4E-03	3.46E-04	1.16E-06	1.37E-02	1.57E-01	2.50E-09	1.0E+06	2.5E-03
297	0.37299	1.03E-02	3.9E-03	3.46E-04	1.33E-06	1.37E-02	1.57E-01	2.87E-09	1.0E+06	2.9E-03
298	0.44378	1.03E-02	4.6E-03	3.46E-04	1.59E-06	1.37E-02	1.57E-01	3.42E-09	1.0E+06	3.4E-03
299	0.54938	1.03E-02	5.7E-03	3.46E-04	1.97E-06	1.37E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
300	0.67014	1.03E-02	6.9E-03	3.46E-04	2.40E-06	1.37E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
301	0.83889	1.03E-02	8.7E-03	3.46E-04	3.00E-06	1.37E-02	1.57E-01	6.46E-09	1.0E+06	6.5E-03
302	1.05754	1.03E-02	1.1E-02	3.46E-04	3.78E-06	1.37E-02	1.57E-01	8.14E-09	1.0E+06	8.1E-03
303	1.36095	1.03E-02	1.4E-02	3.46E-04	4.87E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
304	1.82968	1.03E-02	1.9E-02	3.46E-04	6.55E-06	1.37E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
305	2.94941	1.03E-02	3.0E-02	3.46E-04	1.06E-05	1.37E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
306	0.14102	1.03E-02	1.5E-03	3.46E-04	5.04E-07	1.37E-02	1.57E-01	1.09E-09	1.0E+06	1.1E-03
307	0.14805	1.03E-02	1.5E-03	3.46E-04	5.30E-07	1.37E-02	1.57E-01	1.14E-09	1.0E+06	1.1E-03
308	0.16104	1.03E-02	1.7E-03	3.46E-04	5.76E-07	1.37E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
309	0.1881	1.03E-02	1.9E-03	3.46E-04	6.73E-07	1.37E-02	1.57E-01	1.45E-09	1.0E+06	1.4E-03
310	0.21623	1.03E-02	2.2E-03	3.46E-04	7.74E-07	1.37E-02	1.57E-01	1.67E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	1.03E-02	2.4E-03	3.46E-04	8.37E-07	1.37E-02	1.57E-01	1.80E-09	1.0E+06	1.8E-03
312	0.23582	1.03E-02	2.4E-03	3.46E-04	8.44E-07	1.37E-02	1.57E-01	1.82E-09	1.0E+06	1.8E-03
313	0.2662	1.03E-02	2.8E-03	3.46E-04	9.52E-07	1.37E-02	1.57E-01	2.05E-09	1.0E+06	2.0E-03
314	0.30482	1.03E-02	3.2E-03	3.46E-04	1.09E-06	1.37E-02	1.57E-01	2.35E-09	1.0E+06	2.3E-03
315	0.36238	1.03E-02	3.7E-03	3.46E-04	1.30E-06	1.37E-02	1.57E-01	2.79E-09	1.0E+06	2.8E-03
316	0.41173	1.03E-02	4.3E-03	3.46E-04	1.47E-06	1.37E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03
317	0.48329	1.03E-02	5.0E-03	3.46E-04	1.73E-06	1.37E-02	1.57E-01	3.72E-09	1.0E+06	3.7E-03
318	0.58024	1.03E-02	6.0E-03	3.46E-04	2.08E-06	1.37E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
319	0.71842	1.03E-02	7.4E-03	3.46E-04	2.57E-06	1.37E-02	1.57E-01	5.53E-09	1.0E+06	5.5E-03
320	0.91725	1.03E-02	9.5E-03	3.46E-04	3.28E-06	1.37E-02	1.57E-01	7.06E-09	1.0E+06	7.1E-03
321	1.14351	1.03E-02	1.2E-02	3.46E-04	4.09E-06	1.37E-02	1.57E-01	8.81E-09	1.0E+06	8.8E-03
322	1.47884	1.03E-02	1.5E-02	3.46E-04	5.29E-06	1.37E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
323	2.2049	1.03E-02	2.3E-02	3.46E-04	7.89E-06	1.37E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
324	0.13829	1.03E-02	1.4E-03	3.46E-04	4.95E-07	1.37E-02	1.57E-01	1.06E-09	1.0E+06	1.1E-03
325	0.15341	1.03E-02	1.6E-03	3.46E-04	5.49E-07	1.37E-02	1.57E-01	1.18E-09	1.0E+06	1.2E-03
326	0.16525	1.03E-02	1.7E-03	3.46E-04	5.91E-07	1.37E-02	1.57E-01	1.27E-09	1.0E+06	1.3E-03
327	0.17597	1.03E-02	1.8E-03	3.46E-04	6.30E-07	1.37E-02	1.57E-01	1.36E-09	1.0E+06	1.4E-03
328	0.21285	1.03E-02	2.2E-03	3.46E-04	7.61E-07	1.37E-02	1.57E-01	1.64E-09	1.0E+06	1.6E-03
329	0.22617	1.03E-02	2.3E-03	3.46E-04	8.09E-07	1.37E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
330	0.229	1.03E-02	2.4E-03	3.46E-04	8.19E-07	1.37E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
331	0.25812	1.03E-02	2.7E-03	3.46E-04	9.23E-07	1.37E-02	1.57E-01	1.99E-09	1.0E+06	2.0E-03
332	0.29444	1.03E-02	3.0E-03	3.46E-04	1.05E-06	1.37E-02	1.57E-01	2.27E-09	1.0E+06	2.3E-03
333	0.34735	1.03E-02	3.6E-03	3.46E-04	1.24E-06	1.37E-02	1.57E-01	2.67E-09	1.0E+06	2.7E-03
334	0.39929	1.03E-02	4.1E-03	3.46E-04	1.43E-06	1.37E-02	1.57E-01	3.07E-09	1.0E+06	3.1E-03
335	0.46251	1.03E-02	4.8E-03	3.46E-04	1.65E-06	1.37E-02	1.57E-01	3.56E-09	1.0E+06	3.6E-03
336	1.34926	1.03E-02	1.4E-02	3.46E-04	4.83E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
337	1.42098	1.03E-02	1.5E-02	3.46E-04	5.08E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
338	0.15741	1.03E-02	1.6E-03	3.46E-04	5.63E-07	1.37E-02	1.57E-01	1.21E-09	1.0E+06	1.2E-03
339	0.16826	1.03E-02	1.7E-03	3.46E-04	6.02E-07	1.37E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03
340	0.19168	1.03E-02	2.0E-03	3.46E-04	6.86E-07	1.37E-02	1.57E-01	1.48E-09	1.0E+06	1.5E-03
341	0.20395	1.03E-02	2.1E-03	3.46E-04	7.30E-07	1.37E-02	1.57E-01	1.57E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	1.03E-02	2.2E-03	3.46E-04	7.54E-07	1.37E-02	1.57E-01	1.62E-09	1.0E+06	1.6E-03
343	0.22111	1.03E-02	2.3E-03	3.46E-04	7.91E-07	1.37E-02	1.57E-01	1.70E-09	1.0E+06	1.7E-03
344	0.22429	1.03E-02	2.3E-03	3.46E-04	8.02E-07	1.37E-02	1.57E-01	1.73E-09	1.0E+06	1.7E-03
345	0.22606	1.03E-02	2.3E-03	3.46E-04	8.09E-07	1.37E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
346	0.22606	1.03E-02	2.3E-03	3.46E-04	8.09E-07	1.37E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
347	0.17036	1.03E-02	1.8E-03	3.46E-04	6.09E-07	1.37E-02	1.57E-01	1.31E-09	1.0E+06	1.3E-03
348	0.18661	1.03E-02	1.9E-03	3.46E-04	6.68E-07	1.37E-02	1.57E-01	1.44E-09	1.0E+06	1.4E-03
349	0.21873	1.03E-02	2.3E-03	3.46E-04	7.82E-07	1.37E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03
350	0.22806	1.03E-02	2.4E-03	3.46E-04	8.16E-07	1.37E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
351	0.23577	1.03E-02	2.4E-03	3.46E-04	8.43E-07	1.37E-02	1.57E-01	1.82E-09	1.0E+06	1.8E-03
352	0.24893	1.03E-02	2.6E-03	3.46E-04	8.91E-07	1.37E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
353	0.25277	1.03E-02	2.6E-03	3.46E-04	9.04E-07	1.37E-02	1.57E-01	1.95E-09	1.0E+06	1.9E-03
354	0.25385	1.03E-02	2.6E-03	3.46E-04	9.08E-07	1.37E-02	1.57E-01	1.95E-09	1.0E+06	2.0E-03
355	0.25415	1.03E-02	2.6E-03	3.46E-04	9.09E-07	1.37E-02	1.57E-01	1.96E-09	1.0E+06	2.0E-03
356	0.18604	1.03E-02	1.9E-03	3.46E-04	6.66E-07	1.37E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
357	0.20039	1.03E-02	2.1E-03	3.46E-04	7.17E-07	1.37E-02	1.57E-01	1.54E-09	1.0E+06	1.5E-03
358	0.21891	1.03E-02	2.3E-03	3.46E-04	7.83E-07	1.37E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
359	0.24942	1.03E-02	2.6E-03	3.46E-04	8.92E-07	1.37E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
360	0.26595	1.03E-02	2.7E-03	3.46E-04	9.51E-07	1.37E-02	1.57E-01	2.05E-09	1.0E+06	2.0E-03
361	0.28268	1.03E-02	2.9E-03	3.46E-04	1.01E-06	1.37E-02	1.57E-01	2.18E-09	1.0E+06	2.2E-03
362	0.28748	1.03E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
363	0.28847	1.03E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.22E-09	1.0E+06	2.2E-03
364	0.20678	1.03E-02	2.1E-03	3.46E-04	7.40E-07	1.37E-02	1.57E-01	1.59E-09	1.0E+06	1.6E-03
365	0.21895	1.03E-02	2.3E-03	3.46E-04	7.83E-07	1.37E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
366	0.24185	1.03E-02	2.5E-03	3.46E-04	8.65E-07	1.37E-02	1.57E-01	1.86E-09	1.0E+06	1.9E-03
367	0.28223	1.03E-02	2.9E-03	3.46E-04	1.01E-06	1.37E-02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
368	0.30287	1.03E-02	3.1E-03	3.46E-04	1.08E-06	1.37E-02	1.57E-01	2.33E-09	1.0E+06	2.3E-03
369	0.32466	1.03E-02	3.4E-03	3.46E-04	1.16E-06	1.37E-02	1.57E-01	2.50E-09	1.0E+06	2.5E-03
370	0.33362	1.03E-02	3.4E-03	3.46E-04	1.19E-06	1.37E-02	1.57E-01	2.57E-09	1.0E+06	2.6E-03
371	0.33293	1.03E-02	3.4E-03	3.46E-04	1.19E-06	1.37E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03
372	0.23425	1.03E-02	2.4E-03	3.46E-04	8.38E-07	1.37E-02	1.57E-01	1.80E-09	1.0E+06	1.8E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	1.03E-02	2.6E-03	3.46E-04	8.87E-07	1.37E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
374	0.2758	1.03E-02	2.9E-03	3.46E-04	9.87E-07	1.37E-02	1.57E-01	2.12E-09	1.0E+06	2.1E-03
375	0.3231	1.03E-02	3.3E-03	3.46E-04	1.16E-06	1.37E-02	1.57E-01	2.49E-09	1.0E+06	2.5E-03
376	0.34946	1.03E-02	3.6E-03	3.46E-04	1.25E-06	1.37E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
377	0.36592	1.03E-02	3.8E-03	3.46E-04	1.31E-06	1.37E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
378	0.37782	1.03E-02	3.9E-03	3.46E-04	1.35E-06	1.37E-02	1.57E-01	2.91E-09	1.0E+06	2.9E-03
379	0.38907	1.03E-02	4.0E-03	3.46E-04	1.39E-06	1.37E-02	1.57E-01	3.00E-09	1.0E+06	3.0E-03
380	0.389	1.03E-02	4.0E-03	3.46E-04	1.39E-06	1.37E-02	1.57E-01	3.00E-09	1.0E+06	3.0E-03
381	0.38496	1.03E-02	4.0E-03	3.46E-04	1.38E-06	1.37E-02	1.57E-01	2.96E-09	1.0E+06	3.0E-03
382	0.27352	1.03E-02	2.8E-03	3.46E-04	9.78E-07	1.37E-02	1.57E-01	2.11E-09	1.0E+06	2.1E-03
383	0.29685	1.03E-02	3.1E-03	3.46E-04	1.06E-06	1.37E-02	1.57E-01	2.29E-09	1.0E+06	2.3E-03
384	0.32129	1.03E-02	3.3E-03	3.46E-04	1.15E-06	1.37E-02	1.57E-01	2.47E-09	1.0E+06	2.5E-03
385	0.3848	1.03E-02	4.0E-03	3.46E-04	1.38E-06	1.37E-02	1.57E-01	2.96E-09	1.0E+06	3.0E-03
386	0.40823	1.03E-02	4.2E-03	3.46E-04	1.46E-06	1.37E-02	1.57E-01	3.14E-09	1.0E+06	3.1E-03
387	0.43009	1.03E-02	4.4E-03	3.46E-04	1.54E-06	1.37E-02	1.57E-01	3.31E-09	1.0E+06	3.3E-03
388	0.44587	1.03E-02	4.6E-03	3.46E-04	1.60E-06	1.37E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
389	0.46018	1.03E-02	4.8E-03	3.46E-04	1.65E-06	1.37E-02	1.57E-01	3.54E-09	1.0E+06	3.5E-03
390	0.45888	1.03E-02	4.7E-03	3.46E-04	1.64E-06	1.37E-02	1.57E-01	3.53E-09	1.0E+06	3.5E-03
391	0.45337	1.03E-02	4.7E-03	3.46E-04	1.62E-06	1.37E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
392	0.43787	1.03E-02	4.5E-03	3.46E-04	1.57E-06	1.37E-02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
393	0.32603	1.03E-02	3.4E-03	3.46E-04	1.17E-06	1.37E-02	1.57E-01	2.51E-09	1.0E+06	2.5E-03
394	0.38853	1.03E-02	4.0E-03	3.46E-04	1.39E-06	1.37E-02	1.57E-01	2.99E-09	1.0E+06	3.0E-03
395	0.43296	1.03E-02	4.5E-03	3.46E-04	1.55E-06	1.37E-02	1.57E-01	3.33E-09	1.0E+06	3.3E-03
396	0.4654	1.03E-02	4.8E-03	3.46E-04	1.66E-06	1.37E-02	1.57E-01	3.58E-09	1.0E+06	3.6E-03
397	0.4979	1.03E-02	5.1E-03	3.46E-04	1.78E-06	1.37E-02	1.57E-01	3.83E-09	1.0E+06	3.8E-03
398	0.51462	1.03E-02	5.3E-03	3.46E-04	1.84E-06	1.37E-02	1.57E-01	3.96E-09	1.0E+06	4.0E-03
399	0.52048	1.03E-02	5.4E-03	3.46E-04	1.86E-06	1.37E-02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
400	0.55457	1.03E-02	5.7E-03	3.46E-04	1.98E-06	1.37E-02	1.57E-01	4.27E-09	1.0E+06	4.3E-03
401	0.55208	1.03E-02	5.7E-03	3.46E-04	1.98E-06	1.37E-02	1.57E-01	4.25E-09	1.0E+06	4.3E-03
402	0.51974	1.03E-02	5.4E-03	3.46E-04	1.86E-06	1.37E-02	1.57E-01	4.00E-09	1.0E+06	4.0E-03
403	0.67545	1.03E-02	7.0E-03	3.46E-04	2.42E-06	1.37E-02	1.57E-01	5.20E-09	1.0E+06	5.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	1.03E-02	6.6E-03	3.46E-04	2.27E-06	1.37E-02	1.57E-01	4.89E-09	1.0E+06	4.9E-03
405	0.59648	1.03E-02	6.2E-03	3.46E-04	2.13E-06	1.37E-02	1.57E-01	4.59E-09	1.0E+06	4.6E-03
406	0.8541	1.03E-02	8.8E-03	3.46E-04	3.06E-06	1.37E-02	1.57E-01	6.58E-09	1.0E+06	6.6E-03
407	0.72119	1.03E-02	7.5E-03	3.46E-04	2.58E-06	1.37E-02	1.57E-01	5.55E-09	1.0E+06	5.6E-03
408	1.11899	1.03E-02	1.2E-02	3.46E-04	4.00E-06	1.37E-02	1.57E-01	8.62E-09	1.0E+06	8.6E-03
409	0.88286	1.03E-02	9.1E-03	3.46E-04	3.16E-06	1.37E-02	1.57E-01	6.80E-09	1.0E+06	6.8E-03
410	1.53458	1.03E-02	1.6E-02	3.46E-04	5.49E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
411	1.24788	1.03E-02	1.3E-02	3.46E-04	4.46E-06	1.37E-02	1.57E-01	9.61E-09	1.0E+06	9.6E-03
412	1.10769	1.03E-02	1.1E-02	3.46E-04	3.96E-06	1.37E-02	1.57E-01	8.53E-09	1.0E+06	8.5E-03
413	2.24007	1.03E-02	2.3E-02	3.46E-04	8.01E-06	1.37E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
414	1.85905	1.03E-02	1.9E-02	3.46E-04	6.65E-06	1.37E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
415	1.59815	1.03E-02	1.7E-02	3.46E-04	5.72E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
416	1.34652	1.03E-02	1.4E-02	3.46E-04	4.82E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
417	3.57218	1.03E-02	3.7E-02	3.46E-04	1.28E-05	1.37E-02	1.57E-01	2.75E-08	1.0E+06	2.8E-02
418	2.01893	1.03E-02	2.1E-02	3.46E-04	7.22E-06	1.37E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
419	1.58987	1.03E-02	1.6E-02	3.46E-04	5.69E-06	1.37E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
420	1.2521	1.03E-02	1.3E-02	3.46E-04	4.48E-06	1.37E-02	1.57E-01	9.64E-09	1.0E+06	9.6E-03
421	6.42312	1.03E-02	6.6E-02	3.46E-04	2.30E-05	1.37E-02	1.57E-01	4.95E-08	1.0E+06	4.9E-02
422	1.77737	1.03E-02	1.8E-02	3.46E-04	6.36E-06	1.37E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
423	1.33662	1.03E-02	1.4E-02	3.46E-04	4.78E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
424	12.91388	1.03E-02	1.3E-01	3.46E-04	4.62E-05	1.37E-02	1.57E-01	9.94E-08	1.0E+06	9.9E-02
425	1.34203	1.03E-02	1.4E-02	3.46E-04	4.80E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
426	1.01676	1.03E-02	1.1E-02	3.46E-04	3.64E-06	1.37E-02	1.57E-01	7.83E-09	1.0E+06	7.8E-03
427	22.75271	1.03E-02	2.4E-01	3.46E-04	8.14E-05	1.37E-02	1.57E-01	1.75E-07	1.0E+06	1.8E-01
428	1.27773	1.03E-02	1.3E-02	3.46E-04	4.57E-06	1.37E-02	1.57E-01	9.84E-09	1.0E+06	9.8E-03
429	0.96908	1.03E-02	1.0E-02	3.46E-04	3.47E-06	1.37E-02	1.57E-01	7.46E-09	1.0E+06	7.5E-03
430	21.09262	1.03E-02	2.2E-01	3.46E-04	7.55E-05	1.37E-02	1.57E-01	1.62E-07	1.0E+06	1.6E-01
431	0.90443	1.03E-02	9.3E-03	3.46E-04	3.24E-06	1.37E-02	1.57E-01	6.96E-09	1.0E+06	7.0E-03
432	0.71229	1.03E-02	7.4E-03	3.46E-04	2.55E-06	1.37E-02	1.57E-01	5.49E-09	1.0E+06	5.5E-03
433	13.11622	1.03E-02	1.4E-01	3.46E-04	4.69E-05	1.37E-02	1.57E-01	1.01E-07	1.0E+06	1.0E-01
434	0.83575	1.03E-02	8.6E-03	3.46E-04	2.99E-06	1.37E-02	1.57E-01	6.44E-09	1.0E+06	6.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	1.03E-02	6.9E-03	3.46E-04	2.40E-06	1.37E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
436	8.0879	1.03E-02	8.4E-02	3.46E-04	2.89E-05	1.37E-02	1.57E-01	6.23E-08	1.0E+06	6.2E-02
437	0.97518	1.03E-02	1.0E-02	3.46E-04	3.49E-06	1.37E-02	1.57E-01	7.51E-09	1.0E+06	7.5E-03
438	0.76912	1.03E-02	7.9E-03	3.46E-04	2.75E-06	1.37E-02	1.57E-01	5.92E-09	1.0E+06	5.9E-03
439	0.6239	1.03E-02	6.4E-03	3.46E-04	2.23E-06	1.37E-02	1.57E-01	4.80E-09	1.0E+06	4.8E-03
440	5.21196	1.03E-02	5.4E-02	3.46E-04	1.86E-05	1.37E-02	1.57E-01	4.01E-08	1.0E+06	4.0E-02
441	1.57338	1.03E-02	1.6E-02	3.46E-04	5.63E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
442	1.14958	1.03E-02	1.2E-02	3.46E-04	4.11E-06	1.37E-02	1.57E-01	8.85E-09	1.0E+06	8.9E-03
443	0.88407	1.03E-02	9.1E-03	3.46E-04	3.16E-06	1.37E-02	1.57E-01	6.81E-09	1.0E+06	6.8E-03
444	0.70507	1.03E-02	7.3E-03	3.46E-04	2.52E-06	1.37E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
445	3.55393	1.03E-02	3.7E-02	3.46E-04	1.27E-05	1.37E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
446	1.95063	1.03E-02	2.0E-02	3.46E-04	6.98E-06	1.37E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
447	1.38871	1.03E-02	1.4E-02	3.46E-04	4.97E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
448	1.03194	1.03E-02	1.1E-02	3.46E-04	3.69E-06	1.37E-02	1.57E-01	7.95E-09	1.0E+06	7.9E-03
449	2.54704	1.03E-02	2.6E-02	3.46E-04	9.11E-06	1.37E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02
450	2.13244	1.03E-02	2.2E-02	3.46E-04	7.63E-06	1.37E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
451	1.63606	1.03E-02	1.7E-02	3.46E-04	5.85E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
452	1.90224	1.03E-02	2.0E-02	3.46E-04	6.81E-06	1.37E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
453	1.68146	1.03E-02	1.7E-02	3.46E-04	6.02E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
454	0.45602	1.03E-02	4.7E-03	3.46E-04	1.63E-06	1.37E-02	1.57E-01	3.51E-09	1.0E+06	3.5E-03
455	0.39292	1.03E-02	4.1E-03	3.46E-04	1.41E-06	1.37E-02	1.57E-01	3.03E-09	1.0E+06	3.0E-03
456	1.46911	1.03E-02	1.5E-02	3.46E-04	5.26E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
457	1.34798	1.03E-02	1.4E-02	3.46E-04	4.82E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
458	1.14854	1.03E-02	1.2E-02	3.46E-04	4.11E-06	1.37E-02	1.57E-01	8.84E-09	1.0E+06	8.8E-03
459	0.60959	1.03E-02	6.3E-03	3.46E-04	2.18E-06	1.37E-02	1.57E-01	4.69E-09	1.0E+06	4.7E-03
460	0.50521	1.03E-02	5.2E-03	3.46E-04	1.81E-06	1.37E-02	1.57E-01	3.89E-09	1.0E+06	3.9E-03
461	0.42667	1.03E-02	4.4E-03	3.46E-04	1.53E-06	1.37E-02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
462	0.36664	1.03E-02	3.8E-03	3.46E-04	1.31E-06	1.37E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
463	1.56366	1.03E-02	1.6E-02	3.46E-04	5.59E-06	1.37E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
464	1.67908	1.03E-02	1.7E-02	3.46E-04	6.01E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
465	2.37925	1.03E-02	2.5E-02	3.46E-04	8.51E-06	1.37E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	1.03E-02	3.0E-02	3.46E-04	1.04E-05	1.37E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
467	4.03499	1.03E-02	4.2E-02	3.46E-04	1.44E-05	1.37E-02	1.57E-01	3.11E-08	1.0E+06	3.1E-02
468	8.35246	1.03E-02	8.6E-02	3.46E-04	2.99E-05	1.37E-02	1.57E-01	6.43E-08	1.0E+06	6.4E-02
469	28.13292	1.03E-02	2.9E-01	3.46E-04	1.01E-04	1.37E-02	1.57E-01	2.17E-07	1.0E+06	2.2E-01
470	20.35286	1.03E-02	2.1E-01	3.46E-04	7.28E-05	1.37E-02	1.57E-01	1.57E-07	1.0E+06	1.6E-01
471	34.54288	1.03E-02	3.6E-01	3.46E-04	1.24E-04	1.37E-02	1.57E-01	2.66E-07	1.0E+06	2.7E-01
472	27.90221	1.03E-02	2.9E-01	3.46E-04	9.98E-05	1.37E-02	1.57E-01	2.15E-07	1.0E+06	2.1E-01
473	29.67594	1.03E-02	3.1E-01	3.46E-04	1.06E-04	1.37E-02	1.57E-01	2.29E-07	1.0E+06	2.3E-01
474	13.04296	1.03E-02	1.3E-01	3.46E-04	4.67E-05	1.37E-02	1.57E-01	1.00E-07	1.0E+06	1.0E-01
475	22.08892	1.03E-02	2.3E-01	3.46E-04	7.90E-05	1.37E-02	1.57E-01	1.70E-07	1.0E+06	1.7E-01
476	6.99817	1.03E-02	7.2E-02	3.46E-04	2.50E-05	1.37E-02	1.57E-01	5.39E-08	1.0E+06	5.4E-02
477	9.76012	1.03E-02	1.0E-01	3.46E-04	3.49E-05	1.37E-02	1.57E-01	7.52E-08	1.0E+06	7.5E-02
478	4.29281	1.03E-02	4.4E-02	3.46E-04	1.54E-05	1.37E-02	1.57E-01	3.31E-08	1.0E+06	3.3E-02
479	5.44714	1.03E-02	5.6E-02	3.46E-04	1.95E-05	1.37E-02	1.57E-01	4.19E-08	1.0E+06	4.2E-02
480	5.4004	1.03E-02	5.6E-02	3.46E-04	1.93E-05	1.37E-02	1.57E-01	4.16E-08	1.0E+06	4.2E-02
481	2.88653	1.03E-02	3.0E-02	3.46E-04	1.03E-05	1.37E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
482	3.54717	1.03E-02	3.7E-02	3.46E-04	1.27E-05	1.37E-02	1.57E-01	2.73E-08	1.0E+06	2.7E-02
483	2.40679	1.03E-02	2.5E-02	3.46E-04	8.61E-06	1.37E-02	1.57E-01	1.85E-08	1.0E+06	1.9E-02
484	2.49271	1.03E-02	2.6E-02	3.46E-04	8.92E-06	1.37E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	2.07E-04
2	5	2.09E-04
3	5	2.11E-04
4	5	2.14E-04
5	5	2.17E-04
6	5	2.22E-04
7	5	2.30E-04
8	5	2.39E-04
9	5	2.49E-04
10	5	2.64E-04
11	5	2.82E-04
12	5	3.01E-04
13	5	3.22E-04
14	5	4.50E-04
15	5	2.30E-04
16	5	2.32E-04
17	5	2.36E-04
18	5	2.38E-04
19	5	2.40E-04
20	5	2.44E-04
21	5	2.50E-04
22	5	2.57E-04
23	5	2.71E-04
24	5	2.83E-04
25	5	3.05E-04
26	5	3.28E-04
27	5	3.49E-04
28	5	5.05E-04
29	5	2.55E-04
30	5	2.60E-04
31	5	2.65E-04

Max	Receptor #	
0.071	471	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	2.69E-04
33	5	2.69E-04
34	5	2.73E-04
35	5	2.77E-04
36	5	2.84E-04
37	5	2.95E-04
38	5	3.11E-04
39	5	3.32E-04
40	5	3.55E-04
41	5	3.79E-04
42	5	5.71E-04
43	5	2.80E-04
44	5	2.88E-04
45	5	2.95E-04
46	5	3.00E-04
47	5	3.04E-04
48	5	3.07E-04
49	5	3.10E-04
50	5	3.13E-04
51	5	3.27E-04
52	5	3.42E-04
53	5	3.65E-04
54	5	3.92E-04
55	5	4.22E-04
56	5	6.53E-04
57	5	3.04E-04
58	5	3.15E-04
59	5	3.26E-04
60	5	3.35E-04
61	5	3.43E-04
62	5	3.49E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	3.57E-04
64	5	3.56E-04
65	5	3.68E-04
66	5	3.84E-04
67	5	4.03E-04
68	5	4.38E-04
69	5	4.78E-04
70	5	3.29E-04
71	5	3.43E-04
72	5	3.58E-04
73	5	3.72E-04
74	5	3.84E-04
75	5	3.98E-04
76	5	4.10E-04
77	5	4.15E-04
78	5	4.29E-04
79	5	4.59E-04
80	5	4.72E-04
81	5	5.20E-04
82	5	5.55E-04
83	5	3.54E-04
84	5	3.72E-04
85	5	3.88E-04
86	5	4.10E-04
87	5	4.29E-04
88	5	4.49E-04
89	5	4.69E-04
90	5	4.90E-04
91	5	5.13E-04
92	5	5.40E-04
93	5	5.71E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	6.11E-04
95	5	6.61E-04
96	5	3.77E-04
97	5	3.95E-04
98	5	4.16E-04
99	5	4.44E-04
100	5	4.75E-04
101	5	5.02E-04
102	5	5.30E-04
103	5	5.59E-04
104	5	5.89E-04
105	5	6.21E-04
106	5	6.59E-04
107	5	7.07E-04
108	5	7.65E-04
109	5	3.93E-04
110	5	4.21E-04
111	5	4.52E-04
112	5	4.84E-04
113	5	5.19E-04
114	5	5.55E-04
115	5	5.93E-04
116	5	6.33E-04
117	5	6.76E-04
118	5	7.00E-04
119	5	7.51E-04
120	5	8.03E-04
121	5	8.64E-04
122	5	4.05E-04
123	5	4.38E-04
124	5	4.77E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	5.17E-04
126	5	5.59E-04
127	5	6.03E-04
128	5	6.35E-04
129	5	6.87E-04
130	5	7.58E-04
131	5	2.31E-03
132	5	2.39E-03
133	5	4.06E-04
134	5	4.49E-04
135	5	4.93E-04
136	5	5.40E-04
137	5	5.90E-04
138	5	6.43E-04
139	5	6.94E-04
140	5	7.78E-04
141	5	8.58E-04
142	5	9.46E-04
143	5	1.05E-03
144	5	1.17E-03
145	5	1.29E-03
146	5	3.12E-03
147	5	3.99E-04
148	5	4.43E-04
149	5	4.93E-04
150	5	5.46E-04
151	5	6.07E-04
152	5	6.70E-04
153	5	7.39E-04
154	5	8.26E-04
155	5	9.29E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.05E-03
157	5	1.18E-03
158	5	1.32E-03
159	5	1.54E-03
160	5	3.88E-04
161	5	4.28E-04
162	5	4.68E-04
163	5	5.30E-04
164	5	6.04E-04
165	5	6.76E-04
166	5	7.63E-04
167	5	8.66E-04
168	5	9.90E-04
169	5	1.14E-03
170	5	1.32E-03
171	5	1.53E-03
172	5	1.82E-03
173	5	2.20E-03
174	5	2.71E-03
175	5	3.40E-03
176	5	4.54E-03
177	5	5.91E-03
178	5	7.43E-03
179	5	3.61E-04
180	5	3.95E-04
181	5	4.29E-04
182	5	4.98E-04
183	5	5.87E-04
184	5	6.65E-04
185	5	7.62E-04
186	5	8.75E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.01E-03
188	5	1.18E-03
189	5	1.40E-03
190	5	1.67E-03
191	5	2.03E-03
192	5	2.55E-03
193	5	3.27E-03
194	5	4.41E-03
195	5	6.40E-03
196	5	9.70E-03
197	5	1.42E-02
198	5	3.37E-04
199	5	3.71E-04
200	5	4.10E-04
201	5	4.64E-04
202	5	5.51E-04
203	5	6.35E-04
204	5	7.35E-04
205	5	8.51E-04
206	5	9.93E-04
207	5	1.17E-03
208	5	1.40E-03
209	5	1.71E-03
210	5	2.13E-03
211	5	2.74E-03
212	5	3.66E-03
213	5	5.11E-03
214	5	7.52E-03
215	5	1.56E-02
216	5	3.19E-04
217	5	3.49E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	3.87E-04
219	5	4.36E-04
220	5	5.13E-04
221	5	5.89E-04
222	5	6.88E-04
223	5	8.01E-04
224	5	9.37E-04
225	5	1.10E-03
226	5	1.33E-03
227	5	1.63E-03
228	5	2.04E-03
229	5	2.66E-03
230	5	3.63E-03
231	5	5.34E-03
232	5	8.86E-03
233	5	2.22E-02
234	5	3.06E-04
235	5	3.32E-04
236	5	3.68E-04
237	5	4.16E-04
238	5	4.80E-04
239	5	5.49E-04
240	5	6.37E-04
241	5	7.42E-04
242	5	8.69E-04
243	5	1.03E-03
244	5	1.24E-03
245	5	1.52E-03
246	5	1.90E-03
247	5	2.46E-03
248	5	3.35E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	4.87E-03
250	5	8.02E-03
251	5	1.97E-02
252	5	2.94E-04
253	5	3.18E-04
254	5	3.49E-04
255	5	3.89E-04
256	5	4.55E-04
257	5	5.04E-04
258	5	5.73E-04
259	5	6.56E-04
260	5	7.76E-04
261	5	9.36E-04
262	5	1.14E-03
263	5	1.38E-03
264	5	1.73E-03
265	5	2.21E-03
266	5	2.94E-03
267	5	4.10E-03
268	5	6.21E-03
269	5	1.26E-02
270	5	2.86E-04
271	5	3.11E-04
272	5	3.41E-04
273	5	3.76E-04
274	5	4.43E-04
275	5	5.05E-04
276	5	5.39E-04
277	5	6.11E-04
278	5	7.07E-04
279	5	8.36E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.02E-03
281	5	1.26E-03
282	5	1.57E-03
283	5	1.98E-03
284	5	2.56E-03
285	5	3.38E-03
286	5	4.75E-03
287	5	8.47E-03
288	5	2.82E-04
289	5	3.03E-04
290	5	3.39E-04
291	5	3.76E-04
292	5	4.58E-04
293	5	4.98E-04
294	5	5.13E-04
295	5	5.82E-04
296	5	6.71E-04
297	5	7.71E-04
298	5	9.17E-04
299	5	1.14E-03
300	5	1.39E-03
301	5	1.73E-03
302	5	2.19E-03
303	5	2.81E-03
304	5	3.78E-03
305	5	6.10E-03
306	5	2.91E-04
307	5	3.06E-04
308	5	3.33E-04
309	5	3.89E-04
310	5	4.47E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	4.83E-04
312	5	4.87E-04
313	5	5.50E-04
314	5	6.30E-04
315	5	7.49E-04
316	5	8.51E-04
317	5	9.99E-04
318	5	1.20E-03
319	5	1.48E-03
320	5	1.90E-03
321	5	2.36E-03
322	5	3.06E-03
323	5	4.56E-03
324	5	2.86E-04
325	5	3.17E-04
326	5	3.42E-04
327	5	3.64E-04
328	5	4.40E-04
329	5	4.67E-04
330	5	4.73E-04
331	5	5.34E-04
332	5	6.09E-04
333	5	7.18E-04
334	5	8.25E-04
335	5	9.56E-04
336	5	2.79E-03
337	5	2.94E-03
338	5	3.25E-04
339	5	3.48E-04
340	5	3.96E-04
341	5	4.22E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	4.36E-04
343	5	4.57E-04
344	5	4.64E-04
345	5	4.67E-04
346	5	4.67E-04
347	5	3.52E-04
348	5	3.86E-04
349	5	4.52E-04
350	5	4.71E-04
351	5	4.87E-04
352	5	5.15E-04
353	5	5.22E-04
354	5	5.25E-04
355	5	5.25E-04
356	5	3.85E-04
357	5	4.14E-04
358	5	4.52E-04
359	5	5.16E-04
360	5	5.50E-04
361	5	5.84E-04
362	5	5.94E-04
363	5	5.96E-04
364	5	4.27E-04
365	5	4.53E-04
366	5	5.00E-04
367	5	5.83E-04
368	5	6.26E-04
369	5	6.71E-04
370	5	6.90E-04
371	5	6.88E-04
372	5	4.84E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	5.12E-04
374	5	5.70E-04
375	5	6.68E-04
376	5	7.22E-04
377	5	7.56E-04
378	5	7.81E-04
379	5	8.04E-04
380	5	8.04E-04
381	5	7.96E-04
382	5	5.65E-04
383	5	6.14E-04
384	5	6.64E-04
385	5	7.95E-04
386	5	8.44E-04
387	5	8.89E-04
388	5	9.22E-04
389	5	9.51E-04
390	5	9.48E-04
391	5	9.37E-04
392	5	9.05E-04
393	5	6.74E-04
394	5	8.03E-04
395	5	8.95E-04
396	5	9.62E-04
397	5	1.03E-03
398	5	1.06E-03
399	5	1.08E-03
400	5	1.15E-03
401	5	1.14E-03
402	5	1.07E-03
403	5	1.40E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.31E-03
405	5	1.23E-03
406	5	1.77E-03
407	5	1.49E-03
408	5	2.31E-03
409	5	1.82E-03
410	5	3.17E-03
411	5	2.58E-03
412	5	2.29E-03
413	5	4.63E-03
414	5	3.84E-03
415	5	3.30E-03
416	5	2.78E-03
417	5	7.38E-03
418	5	4.17E-03
419	5	3.29E-03
420	5	2.59E-03
421	5	1.33E-02
422	5	3.67E-03
423	5	2.76E-03
424	5	2.67E-02
425	5	2.77E-03
426	5	2.10E-03
427	5	4.70E-02
428	5	2.64E-03
429	5	2.00E-03
430	5	4.36E-02
431	5	1.87E-03
432	5	1.47E-03
433	5	2.71E-02
434	5	1.73E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.38E-03
436	5	1.67E-02
437	5	2.02E-03
438	5	1.59E-03
439	5	1.29E-03
440	5	1.08E-02
441	5	3.25E-03
442	5	2.38E-03
443	5	1.83E-03
444	5	1.46E-03
445	5	7.35E-03
446	5	4.03E-03
447	5	2.87E-03
448	5	2.13E-03
449	5	5.26E-03
450	5	4.41E-03
451	5	3.38E-03
452	5	3.93E-03
453	5	3.48E-03
454	5	9.43E-04
455	5	8.12E-04
456	5	3.04E-03
457	5	2.79E-03
458	5	2.37E-03
459	5	1.26E-03
460	5	1.04E-03
461	5	8.82E-04
462	5	7.58E-04
463	5	3.23E-03
464	5	3.47E-03
465	5	4.92E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	6.00E-03
467	5	8.34E-03
468	5	1.73E-02
469	5	5.81E-02
470	5	4.21E-02
471	5	7.14E-02
472	5	5.77E-02
473	5	6.13E-02
474	5	2.70E-02
475	5	4.57E-02
476	5	1.45E-02
477	5	2.02E-02
478	5	8.87E-03
479	5	1.13E-02
480	5	1.12E-02
481	5	5.97E-03
482	5	7.33E-03
483	5	4.97E-03
484	5	5.15E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.09997	1.29E-03	1.3E-04	1.05E-03	1.34E-07	6.16E-01	1.57E-01	1.30E-08	1.0E+06	1.3E-02
2	0.10116	1.29E-03	1.3E-04	1.05E-03	1.36E-07	6.16E-01	1.57E-01	1.32E-08	1.0E+06	1.3E-02
3	0.10225	1.29E-03	1.3E-04	1.05E-03	1.37E-07	6.16E-01	1.57E-01	1.33E-08	1.0E+06	1.3E-02
4	0.10353	1.29E-03	1.3E-04	1.05E-03	1.39E-07	6.16E-01	1.57E-01	1.35E-08	1.0E+06	1.3E-02
5	0.1049	1.29E-03	1.3E-04	1.05E-03	1.41E-07	6.16E-01	1.57E-01	1.36E-08	1.0E+06	1.4E-02
6	0.10762	1.29E-03	1.4E-04	1.05E-03	1.45E-07	6.16E-01	1.57E-01	1.40E-08	1.0E+06	1.4E-02
7	0.11114	1.29E-03	1.4E-04	1.05E-03	1.49E-07	6.16E-01	1.57E-01	1.45E-08	1.0E+06	1.4E-02
8	0.11544	1.29E-03	1.5E-04	1.05E-03	1.55E-07	6.16E-01	1.57E-01	1.50E-08	1.0E+06	1.5E-02
9	0.12067	1.29E-03	1.6E-04	1.05E-03	1.62E-07	6.16E-01	1.57E-01	1.57E-08	1.0E+06	1.6E-02
10	0.12749	1.29E-03	1.6E-04	1.05E-03	1.71E-07	6.16E-01	1.57E-01	1.66E-08	1.0E+06	1.7E-02
11	0.13627	1.29E-03	1.8E-04	1.05E-03	1.83E-07	6.16E-01	1.57E-01	1.77E-08	1.0E+06	1.8E-02
12	0.1456	1.29E-03	1.9E-04	1.05E-03	1.96E-07	6.16E-01	1.57E-01	1.89E-08	1.0E+06	1.9E-02
13	0.15591	1.29E-03	2.0E-04	1.05E-03	2.09E-07	6.16E-01	1.57E-01	2.03E-08	1.0E+06	2.0E-02
14	0.21775	1.29E-03	2.8E-04	1.05E-03	2.92E-07	6.16E-01	1.57E-01	2.83E-08	1.0E+06	2.8E-02
15	0.11116	1.29E-03	1.4E-04	1.05E-03	1.49E-07	6.16E-01	1.57E-01	1.45E-08	1.0E+06	1.4E-02
16	0.11231	1.29E-03	1.4E-04	1.05E-03	1.51E-07	6.16E-01	1.57E-01	1.46E-08	1.0E+06	1.5E-02
17	0.11409	1.29E-03	1.5E-04	1.05E-03	1.53E-07	6.16E-01	1.57E-01	1.48E-08	1.0E+06	1.5E-02
18	0.1152	1.29E-03	1.5E-04	1.05E-03	1.55E-07	6.16E-01	1.57E-01	1.50E-08	1.0E+06	1.5E-02
19	0.11623	1.29E-03	1.5E-04	1.05E-03	1.56E-07	6.16E-01	1.57E-01	1.51E-08	1.0E+06	1.5E-02
20	0.11825	1.29E-03	1.5E-04	1.05E-03	1.59E-07	6.16E-01	1.57E-01	1.54E-08	1.0E+06	1.5E-02
21	0.12106	1.29E-03	1.6E-04	1.05E-03	1.63E-07	6.16E-01	1.57E-01	1.58E-08	1.0E+06	1.6E-02
22	0.12456	1.29E-03	1.6E-04	1.05E-03	1.67E-07	6.16E-01	1.57E-01	1.62E-08	1.0E+06	1.6E-02
23	0.13094	1.29E-03	1.7E-04	1.05E-03	1.76E-07	6.16E-01	1.57E-01	1.70E-08	1.0E+06	1.7E-02
24	0.13716	1.29E-03	1.8E-04	1.05E-03	1.84E-07	6.16E-01	1.57E-01	1.78E-08	1.0E+06	1.8E-02
25	0.14759	1.29E-03	1.9E-04	1.05E-03	1.98E-07	6.16E-01	1.57E-01	1.92E-08	1.0E+06	1.9E-02
26	0.15892	1.29E-03	2.0E-04	1.05E-03	2.13E-07	6.16E-01	1.57E-01	2.07E-08	1.0E+06	2.1E-02
27	0.16875	1.29E-03	2.2E-04	1.05E-03	2.27E-07	6.16E-01	1.57E-01	2.20E-08	1.0E+06	2.2E-02
28	0.24418	1.29E-03	3.1E-04	1.05E-03	3.28E-07	6.16E-01	1.57E-01	3.18E-08	1.0E+06	3.2E-02
29	0.12315	1.29E-03	1.6E-04	1.05E-03	1.65E-07	6.16E-01	1.57E-01	1.60E-08	1.0E+06	1.6E-02
30	0.12567	1.29E-03	1.6E-04	1.05E-03	1.69E-07	6.16E-01	1.57E-01	1.64E-08	1.0E+06	1.6E-02
31	0.12837	1.29E-03	1.6E-04	1.05E-03	1.72E-07	6.16E-01	1.57E-01	1.67E-08	1.0E+06	1.7E-02

	Max	Receptor #
Res	4.495	471

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	1.29E-03	1.7E-04	1.05E-03	1.75E-07	6.16E-01	1.57E-01	1.70E-08	1.0E+06	1.7E-02
33	0.13031	1.29E-03	1.7E-04	1.05E-03	1.75E-07	6.16E-01	1.57E-01	1.70E-08	1.0E+06	1.7E-02
34	0.13211	1.29E-03	1.7E-04	1.05E-03	1.77E-07	6.16E-01	1.57E-01	1.72E-08	1.0E+06	1.7E-02
35	0.13406	1.29E-03	1.7E-04	1.05E-03	1.80E-07	6.16E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
36	0.13747	1.29E-03	1.8E-04	1.05E-03	1.85E-07	6.16E-01	1.57E-01	1.79E-08	1.0E+06	1.8E-02
37	0.14288	1.29E-03	1.8E-04	1.05E-03	1.92E-07	6.16E-01	1.57E-01	1.86E-08	1.0E+06	1.9E-02
38	0.15048	1.29E-03	1.9E-04	1.05E-03	2.02E-07	6.16E-01	1.57E-01	1.96E-08	1.0E+06	2.0E-02
39	0.16057	1.29E-03	2.1E-04	1.05E-03	2.16E-07	6.16E-01	1.57E-01	2.09E-08	1.0E+06	2.1E-02
40	0.17181	1.29E-03	2.2E-04	1.05E-03	2.31E-07	6.16E-01	1.57E-01	2.24E-08	1.0E+06	2.2E-02
41	0.18337	1.29E-03	2.4E-04	1.05E-03	2.46E-07	6.16E-01	1.57E-01	2.39E-08	1.0E+06	2.4E-02
42	0.27606	1.29E-03	3.5E-04	1.05E-03	3.71E-07	6.16E-01	1.57E-01	3.59E-08	1.0E+06	3.6E-02
43	0.13523	1.29E-03	1.7E-04	1.05E-03	1.82E-07	6.16E-01	1.57E-01	1.76E-08	1.0E+06	1.8E-02
44	0.13913	1.29E-03	1.8E-04	1.05E-03	1.87E-07	6.16E-01	1.57E-01	1.81E-08	1.0E+06	1.8E-02
45	0.14273	1.29E-03	1.8E-04	1.05E-03	1.92E-07	6.16E-01	1.57E-01	1.86E-08	1.0E+06	1.9E-02
46	0.14534	1.29E-03	1.9E-04	1.05E-03	1.95E-07	6.16E-01	1.57E-01	1.89E-08	1.0E+06	1.9E-02
47	0.14689	1.29E-03	1.9E-04	1.05E-03	1.97E-07	6.16E-01	1.57E-01	1.91E-08	1.0E+06	1.9E-02
48	0.14854	1.29E-03	1.9E-04	1.05E-03	2.00E-07	6.16E-01	1.57E-01	1.93E-08	1.0E+06	1.9E-02
49	0.14984	1.29E-03	1.9E-04	1.05E-03	2.01E-07	6.16E-01	1.57E-01	1.95E-08	1.0E+06	1.9E-02
50	0.15161	1.29E-03	1.9E-04	1.05E-03	2.04E-07	6.16E-01	1.57E-01	1.97E-08	1.0E+06	2.0E-02
51	0.15836	1.29E-03	2.0E-04	1.05E-03	2.13E-07	6.16E-01	1.57E-01	2.06E-08	1.0E+06	2.1E-02
52	0.16548	1.29E-03	2.1E-04	1.05E-03	2.22E-07	6.16E-01	1.57E-01	2.15E-08	1.0E+06	2.2E-02
53	0.17641	1.29E-03	2.3E-04	1.05E-03	2.37E-07	6.16E-01	1.57E-01	2.30E-08	1.0E+06	2.3E-02
54	0.18951	1.29E-03	2.4E-04	1.05E-03	2.55E-07	6.16E-01	1.57E-01	2.47E-08	1.0E+06	2.5E-02
55	0.20421	1.29E-03	2.6E-04	1.05E-03	2.74E-07	6.16E-01	1.57E-01	2.66E-08	1.0E+06	2.7E-02
56	0.31605	1.29E-03	4.1E-04	1.05E-03	4.25E-07	6.16E-01	1.57E-01	4.11E-08	1.0E+06	4.1E-02
57	0.14708	1.29E-03	1.9E-04	1.05E-03	1.98E-07	6.16E-01	1.57E-01	1.91E-08	1.0E+06	1.9E-02
58	0.15242	1.29E-03	2.0E-04	1.05E-03	2.05E-07	6.16E-01	1.57E-01	1.98E-08	1.0E+06	2.0E-02
59	0.15749	1.29E-03	2.0E-04	1.05E-03	2.12E-07	6.16E-01	1.57E-01	2.05E-08	1.0E+06	2.0E-02
60	0.16209	1.29E-03	2.1E-04	1.05E-03	2.18E-07	6.16E-01	1.57E-01	2.11E-08	1.0E+06	2.1E-02
61	0.16587	1.29E-03	2.1E-04	1.05E-03	2.23E-07	6.16E-01	1.57E-01	2.16E-08	1.0E+06	2.2E-02
62	0.1689	1.29E-03	2.2E-04	1.05E-03	2.27E-07	6.16E-01	1.57E-01	2.20E-08	1.0E+06	2.2E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	1.29E-03	2.2E-04	1.05E-03	2.32E-07	6.16E-01	1.57E-01	2.25E-08	1.0E+06	2.3E-02
64	0.17221	1.29E-03	2.2E-04	1.05E-03	2.31E-07	6.16E-01	1.57E-01	2.24E-08	1.0E+06	2.2E-02
65	0.17802	1.29E-03	2.3E-04	1.05E-03	2.39E-07	6.16E-01	1.57E-01	2.32E-08	1.0E+06	2.3E-02
66	0.18602	1.29E-03	2.4E-04	1.05E-03	2.50E-07	6.16E-01	1.57E-01	2.42E-08	1.0E+06	2.4E-02
67	0.19503	1.29E-03	2.5E-04	1.05E-03	2.62E-07	6.16E-01	1.57E-01	2.54E-08	1.0E+06	2.5E-02
68	0.21198	1.29E-03	2.7E-04	1.05E-03	2.85E-07	6.16E-01	1.57E-01	2.76E-08	1.0E+06	2.8E-02
69	0.23133	1.29E-03	3.0E-04	1.05E-03	3.11E-07	6.16E-01	1.57E-01	3.01E-08	1.0E+06	3.0E-02
70	0.15915	1.29E-03	2.0E-04	1.05E-03	2.14E-07	6.16E-01	1.57E-01	2.07E-08	1.0E+06	2.1E-02
71	0.16615	1.29E-03	2.1E-04	1.05E-03	2.23E-07	6.16E-01	1.57E-01	2.16E-08	1.0E+06	2.2E-02
72	0.17306	1.29E-03	2.2E-04	1.05E-03	2.32E-07	6.16E-01	1.57E-01	2.25E-08	1.0E+06	2.3E-02
73	0.17979	1.29E-03	2.3E-04	1.05E-03	2.42E-07	6.16E-01	1.57E-01	2.34E-08	1.0E+06	2.3E-02
74	0.1856	1.29E-03	2.4E-04	1.05E-03	2.49E-07	6.16E-01	1.57E-01	2.42E-08	1.0E+06	2.4E-02
75	0.19262	1.29E-03	2.5E-04	1.05E-03	2.59E-07	6.16E-01	1.57E-01	2.51E-08	1.0E+06	2.5E-02
76	0.19839	1.29E-03	2.5E-04	1.05E-03	2.66E-07	6.16E-01	1.57E-01	2.58E-08	1.0E+06	2.6E-02
77	0.20099	1.29E-03	2.6E-04	1.05E-03	2.70E-07	6.16E-01	1.57E-01	2.62E-08	1.0E+06	2.6E-02
78	0.20736	1.29E-03	2.7E-04	1.05E-03	2.79E-07	6.16E-01	1.57E-01	2.70E-08	1.0E+06	2.7E-02
79	0.22199	1.29E-03	2.9E-04	1.05E-03	2.98E-07	6.16E-01	1.57E-01	2.89E-08	1.0E+06	2.9E-02
80	0.22851	1.29E-03	2.9E-04	1.05E-03	3.07E-07	6.16E-01	1.57E-01	2.97E-08	1.0E+06	3.0E-02
81	0.25141	1.29E-03	3.2E-04	1.05E-03	3.38E-07	6.16E-01	1.57E-01	3.27E-08	1.0E+06	3.3E-02
82	0.26864	1.29E-03	3.5E-04	1.05E-03	3.61E-07	6.16E-01	1.57E-01	3.50E-08	1.0E+06	3.5E-02
83	0.17123	1.29E-03	2.2E-04	1.05E-03	2.30E-07	6.16E-01	1.57E-01	2.23E-08	1.0E+06	2.2E-02
84	0.17986	1.29E-03	2.3E-04	1.05E-03	2.42E-07	6.16E-01	1.57E-01	2.34E-08	1.0E+06	2.3E-02
85	0.18766	1.29E-03	2.4E-04	1.05E-03	2.52E-07	6.16E-01	1.57E-01	2.44E-08	1.0E+06	2.4E-02
86	0.19836	1.29E-03	2.5E-04	1.05E-03	2.66E-07	6.16E-01	1.57E-01	2.58E-08	1.0E+06	2.6E-02
87	0.20777	1.29E-03	2.7E-04	1.05E-03	2.79E-07	6.16E-01	1.57E-01	2.70E-08	1.0E+06	2.7E-02
88	0.21743	1.29E-03	2.8E-04	1.05E-03	2.92E-07	6.16E-01	1.57E-01	2.83E-08	1.0E+06	2.8E-02
89	0.22714	1.29E-03	2.9E-04	1.05E-03	3.05E-07	6.16E-01	1.57E-01	2.96E-08	1.0E+06	3.0E-02
90	0.23725	1.29E-03	3.0E-04	1.05E-03	3.19E-07	6.16E-01	1.57E-01	3.09E-08	1.0E+06	3.1E-02
91	0.24821	1.29E-03	3.2E-04	1.05E-03	3.33E-07	6.16E-01	1.57E-01	3.23E-08	1.0E+06	3.2E-02
92	0.26127	1.29E-03	3.4E-04	1.05E-03	3.51E-07	6.16E-01	1.57E-01	3.40E-08	1.0E+06	3.4E-02
93	0.27635	1.29E-03	3.6E-04	1.05E-03	3.71E-07	6.16E-01	1.57E-01	3.60E-08	1.0E+06	3.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	1.29E-03	3.8E-04	1.05E-03	3.97E-07	6.16E-01	1.57E-01	3.85E-08	1.0E+06	3.8E-02
95	0.31999	1.29E-03	4.1E-04	1.05E-03	4.30E-07	6.16E-01	1.57E-01	4.16E-08	1.0E+06	4.2E-02
96	0.18233	1.29E-03	2.3E-04	1.05E-03	2.45E-07	6.16E-01	1.57E-01	2.37E-08	1.0E+06	2.4E-02
97	0.19094	1.29E-03	2.5E-04	1.05E-03	2.56E-07	6.16E-01	1.57E-01	2.48E-08	1.0E+06	2.5E-02
98	0.20103	1.29E-03	2.6E-04	1.05E-03	2.70E-07	6.16E-01	1.57E-01	2.62E-08	1.0E+06	2.6E-02
99	0.21464	1.29E-03	2.8E-04	1.05E-03	2.88E-07	6.16E-01	1.57E-01	2.79E-08	1.0E+06	2.8E-02
100	0.22959	1.29E-03	3.0E-04	1.05E-03	3.08E-07	6.16E-01	1.57E-01	2.99E-08	1.0E+06	3.0E-02
101	0.24284	1.29E-03	3.1E-04	1.05E-03	3.26E-07	6.16E-01	1.57E-01	3.16E-08	1.0E+06	3.2E-02
102	0.25629	1.29E-03	3.3E-04	1.05E-03	3.44E-07	6.16E-01	1.57E-01	3.33E-08	1.0E+06	3.3E-02
103	0.27027	1.29E-03	3.5E-04	1.05E-03	3.63E-07	6.16E-01	1.57E-01	3.52E-08	1.0E+06	3.5E-02
104	0.28488	1.29E-03	3.7E-04	1.05E-03	3.83E-07	6.16E-01	1.57E-01	3.71E-08	1.0E+06	3.7E-02
105	0.3003	1.29E-03	3.9E-04	1.05E-03	4.03E-07	6.16E-01	1.57E-01	3.91E-08	1.0E+06	3.9E-02
106	0.3189	1.29E-03	4.1E-04	1.05E-03	4.28E-07	6.16E-01	1.57E-01	4.15E-08	1.0E+06	4.1E-02
107	0.34186	1.29E-03	4.4E-04	1.05E-03	4.59E-07	6.16E-01	1.57E-01	4.45E-08	1.0E+06	4.4E-02
108	0.37026	1.29E-03	4.8E-04	1.05E-03	4.97E-07	6.16E-01	1.57E-01	4.82E-08	1.0E+06	4.8E-02
109	0.19023	1.29E-03	2.4E-04	1.05E-03	2.56E-07	6.16E-01	1.57E-01	2.48E-08	1.0E+06	2.5E-02
110	0.20375	1.29E-03	2.6E-04	1.05E-03	2.74E-07	6.16E-01	1.57E-01	2.65E-08	1.0E+06	2.7E-02
111	0.21846	1.29E-03	2.8E-04	1.05E-03	2.93E-07	6.16E-01	1.57E-01	2.84E-08	1.0E+06	2.8E-02
112	0.23423	1.29E-03	3.0E-04	1.05E-03	3.15E-07	6.16E-01	1.57E-01	3.05E-08	1.0E+06	3.0E-02
113	0.25102	1.29E-03	3.2E-04	1.05E-03	3.37E-07	6.16E-01	1.57E-01	3.27E-08	1.0E+06	3.3E-02
114	0.2686	1.29E-03	3.5E-04	1.05E-03	3.61E-07	6.16E-01	1.57E-01	3.50E-08	1.0E+06	3.5E-02
115	0.28686	1.29E-03	3.7E-04	1.05E-03	3.85E-07	6.16E-01	1.57E-01	3.73E-08	1.0E+06	3.7E-02
116	0.30627	1.29E-03	3.9E-04	1.05E-03	4.11E-07	6.16E-01	1.57E-01	3.99E-08	1.0E+06	4.0E-02
117	0.32686	1.29E-03	4.2E-04	1.05E-03	4.39E-07	6.16E-01	1.57E-01	4.25E-08	1.0E+06	4.3E-02
118	0.33858	1.29E-03	4.4E-04	1.05E-03	4.55E-07	6.16E-01	1.57E-01	4.41E-08	1.0E+06	4.4E-02
119	0.36311	1.29E-03	4.7E-04	1.05E-03	4.88E-07	6.16E-01	1.57E-01	4.72E-08	1.0E+06	4.7E-02
120	0.38851	1.29E-03	5.0E-04	1.05E-03	5.22E-07	6.16E-01	1.57E-01	5.06E-08	1.0E+06	5.1E-02
121	0.4178	1.29E-03	5.4E-04	1.05E-03	5.61E-07	6.16E-01	1.57E-01	5.44E-08	1.0E+06	5.4E-02
122	0.19578	1.29E-03	2.5E-04	1.05E-03	2.63E-07	6.16E-01	1.57E-01	2.55E-08	1.0E+06	2.5E-02
123	0.21204	1.29E-03	2.7E-04	1.05E-03	2.85E-07	6.16E-01	1.57E-01	2.76E-08	1.0E+06	2.8E-02
124	0.23086	1.29E-03	3.0E-04	1.05E-03	3.10E-07	6.16E-01	1.57E-01	3.00E-08	1.0E+06	3.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	1.29E-03	3.2E-04	1.05E-03	3.36E-07	6.16E-01	1.57E-01	3.25E-08	1.0E+06	3.3E-02
126	0.27035	1.29E-03	3.5E-04	1.05E-03	3.63E-07	6.16E-01	1.57E-01	3.52E-08	1.0E+06	3.5E-02
127	0.29177	1.29E-03	3.7E-04	1.05E-03	3.92E-07	6.16E-01	1.57E-01	3.80E-08	1.0E+06	3.8E-02
128	0.30724	1.29E-03	3.9E-04	1.05E-03	4.13E-07	6.16E-01	1.57E-01	4.00E-08	1.0E+06	4.0E-02
129	0.33259	1.29E-03	4.3E-04	1.05E-03	4.47E-07	6.16E-01	1.57E-01	4.33E-08	1.0E+06	4.3E-02
130	0.36682	1.29E-03	4.7E-04	1.05E-03	4.93E-07	6.16E-01	1.57E-01	4.77E-08	1.0E+06	4.8E-02
131	1.11688	1.29E-03	1.4E-03	1.05E-03	1.50E-06	6.16E-01	1.57E-01	1.45E-07	1.0E+06	1.5E-01
132	1.15875	1.29E-03	1.5E-03	1.05E-03	1.56E-06	6.16E-01	1.57E-01	1.51E-07	1.0E+06	1.5E-01
133	0.19656	1.29E-03	2.5E-04	1.05E-03	2.64E-07	6.16E-01	1.57E-01	2.56E-08	1.0E+06	2.6E-02
134	0.21704	1.29E-03	2.8E-04	1.05E-03	2.92E-07	6.16E-01	1.57E-01	2.82E-08	1.0E+06	2.8E-02
135	0.23863	1.29E-03	3.1E-04	1.05E-03	3.21E-07	6.16E-01	1.57E-01	3.11E-08	1.0E+06	3.1E-02
136	0.26108	1.29E-03	3.4E-04	1.05E-03	3.51E-07	6.16E-01	1.57E-01	3.40E-08	1.0E+06	3.4E-02
137	0.28567	1.29E-03	3.7E-04	1.05E-03	3.84E-07	6.16E-01	1.57E-01	3.72E-08	1.0E+06	3.7E-02
138	0.31112	1.29E-03	4.0E-04	1.05E-03	4.18E-07	6.16E-01	1.57E-01	4.05E-08	1.0E+06	4.0E-02
139	0.33575	1.29E-03	4.3E-04	1.05E-03	4.51E-07	6.16E-01	1.57E-01	4.37E-08	1.0E+06	4.4E-02
140	0.37628	1.29E-03	4.8E-04	1.05E-03	5.05E-07	6.16E-01	1.57E-01	4.90E-08	1.0E+06	4.9E-02
141	0.41535	1.29E-03	5.3E-04	1.05E-03	5.58E-07	6.16E-01	1.57E-01	5.40E-08	1.0E+06	5.4E-02
142	0.45747	1.29E-03	5.9E-04	1.05E-03	6.15E-07	6.16E-01	1.57E-01	5.95E-08	1.0E+06	6.0E-02
143	0.5063	1.29E-03	6.5E-04	1.05E-03	6.80E-07	6.16E-01	1.57E-01	6.59E-08	1.0E+06	6.6E-02
144	0.56507	1.29E-03	7.3E-04	1.05E-03	7.59E-07	6.16E-01	1.57E-01	7.35E-08	1.0E+06	7.4E-02
145	0.62491	1.29E-03	8.0E-04	1.05E-03	8.39E-07	6.16E-01	1.57E-01	8.13E-08	1.0E+06	8.1E-02
146	1.50759	1.29E-03	1.9E-03	1.05E-03	2.03E-06	6.16E-01	1.57E-01	1.96E-07	1.0E+06	2.0E-01
147	0.1931	1.29E-03	2.5E-04	1.05E-03	2.59E-07	6.16E-01	1.57E-01	2.51E-08	1.0E+06	2.5E-02
148	0.21437	1.29E-03	2.8E-04	1.05E-03	2.88E-07	6.16E-01	1.57E-01	2.79E-08	1.0E+06	2.8E-02
149	0.23858	1.29E-03	3.1E-04	1.05E-03	3.20E-07	6.16E-01	1.57E-01	3.10E-08	1.0E+06	3.1E-02
150	0.26418	1.29E-03	3.4E-04	1.05E-03	3.55E-07	6.16E-01	1.57E-01	3.44E-08	1.0E+06	3.4E-02
151	0.29392	1.29E-03	3.8E-04	1.05E-03	3.95E-07	6.16E-01	1.57E-01	3.82E-08	1.0E+06	3.8E-02
152	0.32394	1.29E-03	4.2E-04	1.05E-03	4.35E-07	6.16E-01	1.57E-01	4.22E-08	1.0E+06	4.2E-02
153	0.3577	1.29E-03	4.6E-04	1.05E-03	4.80E-07	6.16E-01	1.57E-01	4.65E-08	1.0E+06	4.7E-02
154	0.39941	1.29E-03	5.1E-04	1.05E-03	5.37E-07	6.16E-01	1.57E-01	5.20E-08	1.0E+06	5.2E-02
155	0.44952	1.29E-03	5.8E-04	1.05E-03	6.04E-07	6.16E-01	1.57E-01	5.85E-08	1.0E+06	5.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	1.29E-03	6.5E-04	1.05E-03	6.80E-07	6.16E-01	1.57E-01	6.59E-08	1.0E+06	6.6E-02
157	0.56864	1.29E-03	7.3E-04	1.05E-03	7.64E-07	6.16E-01	1.57E-01	7.40E-08	1.0E+06	7.4E-02
158	0.63716	1.29E-03	8.2E-04	1.05E-03	8.56E-07	6.16E-01	1.57E-01	8.29E-08	1.0E+06	8.3E-02
159	0.74488	1.29E-03	9.6E-04	1.05E-03	1.00E-06	6.16E-01	1.57E-01	9.69E-08	1.0E+06	9.7E-02
160	0.18782	1.29E-03	2.4E-04	1.05E-03	2.52E-07	6.16E-01	1.57E-01	2.44E-08	1.0E+06	2.4E-02
161	0.20685	1.29E-03	2.7E-04	1.05E-03	2.78E-07	6.16E-01	1.57E-01	2.69E-08	1.0E+06	2.7E-02
162	0.22653	1.29E-03	2.9E-04	1.05E-03	3.04E-07	6.16E-01	1.57E-01	2.95E-08	1.0E+06	2.9E-02
163	0.25651	1.29E-03	3.3E-04	1.05E-03	3.45E-07	6.16E-01	1.57E-01	3.34E-08	1.0E+06	3.3E-02
164	0.29246	1.29E-03	3.8E-04	1.05E-03	3.93E-07	6.16E-01	1.57E-01	3.81E-08	1.0E+06	3.8E-02
165	0.32725	1.29E-03	4.2E-04	1.05E-03	4.40E-07	6.16E-01	1.57E-01	4.26E-08	1.0E+06	4.3E-02
166	0.36919	1.29E-03	4.7E-04	1.05E-03	4.96E-07	6.16E-01	1.57E-01	4.80E-08	1.0E+06	4.8E-02
167	0.41887	1.29E-03	5.4E-04	1.05E-03	5.63E-07	6.16E-01	1.57E-01	5.45E-08	1.0E+06	5.5E-02
168	0.47877	1.29E-03	6.2E-04	1.05E-03	6.43E-07	6.16E-01	1.57E-01	6.23E-08	1.0E+06	6.2E-02
169	0.55074	1.29E-03	7.1E-04	1.05E-03	7.40E-07	6.16E-01	1.57E-01	7.17E-08	1.0E+06	7.2E-02
170	0.63634	1.29E-03	8.2E-04	1.05E-03	8.55E-07	6.16E-01	1.57E-01	8.28E-08	1.0E+06	8.3E-02
171	0.73945	1.29E-03	9.5E-04	1.05E-03	9.93E-07	6.16E-01	1.57E-01	9.62E-08	1.0E+06	9.6E-02
172	0.87948	1.29E-03	1.1E-03	1.05E-03	1.18E-06	6.16E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
173	1.06486	1.29E-03	1.4E-03	1.05E-03	1.43E-06	6.16E-01	1.57E-01	1.39E-07	1.0E+06	1.4E-01
174	1.31351	1.29E-03	1.7E-03	1.05E-03	1.76E-06	6.16E-01	1.57E-01	1.71E-07	1.0E+06	1.7E-01
175	1.6474	1.29E-03	2.1E-03	1.05E-03	2.21E-06	6.16E-01	1.57E-01	2.14E-07	1.0E+06	2.1E-01
176	2.19565	1.29E-03	2.8E-03	1.05E-03	2.95E-06	6.16E-01	1.57E-01	2.86E-07	1.0E+06	2.9E-01
177	2.85894	1.29E-03	3.7E-03	1.05E-03	3.84E-06	6.16E-01	1.57E-01	3.72E-07	1.0E+06	3.7E-01
178	3.59716	1.29E-03	4.6E-03	1.05E-03	4.83E-06	6.16E-01	1.57E-01	4.68E-07	1.0E+06	4.7E-01
179	0.17443	1.29E-03	2.2E-04	1.05E-03	2.34E-07	6.16E-01	1.57E-01	2.27E-08	1.0E+06	2.3E-02
180	0.19117	1.29E-03	2.5E-04	1.05E-03	2.57E-07	6.16E-01	1.57E-01	2.49E-08	1.0E+06	2.5E-02
181	0.20765	1.29E-03	2.7E-04	1.05E-03	2.79E-07	6.16E-01	1.57E-01	2.70E-08	1.0E+06	2.7E-02
182	0.24097	1.29E-03	3.1E-04	1.05E-03	3.24E-07	6.16E-01	1.57E-01	3.14E-08	1.0E+06	3.1E-02
183	0.28383	1.29E-03	3.6E-04	1.05E-03	3.81E-07	6.16E-01	1.57E-01	3.69E-08	1.0E+06	3.7E-02
184	0.32178	1.29E-03	4.1E-04	1.05E-03	4.32E-07	6.16E-01	1.57E-01	4.19E-08	1.0E+06	4.2E-02
185	0.36853	1.29E-03	4.7E-04	1.05E-03	4.95E-07	6.16E-01	1.57E-01	4.80E-08	1.0E+06	4.8E-02
186	0.42331	1.29E-03	5.4E-04	1.05E-03	5.69E-07	6.16E-01	1.57E-01	5.51E-08	1.0E+06	5.5E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	1.29E-03	6.3E-04	1.05E-03	6.57E-07	6.16E-01	1.57E-01	6.36E-08	1.0E+06	6.4E-02
188	0.57244	1.29E-03	7.4E-04	1.05E-03	7.69E-07	6.16E-01	1.57E-01	7.45E-08	1.0E+06	7.4E-02
189	0.67537	1.29E-03	8.7E-04	1.05E-03	9.07E-07	6.16E-01	1.57E-01	8.79E-08	1.0E+06	8.8E-02
190	0.80933	1.29E-03	1.0E-03	1.05E-03	1.09E-06	6.16E-01	1.57E-01	1.05E-07	1.0E+06	1.1E-01
191	0.98328	1.29E-03	1.3E-03	1.05E-03	1.32E-06	6.16E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
192	1.23304	1.29E-03	1.6E-03	1.05E-03	1.66E-06	6.16E-01	1.57E-01	1.60E-07	1.0E+06	1.6E-01
193	1.58271	1.29E-03	2.0E-03	1.05E-03	2.13E-06	6.16E-01	1.57E-01	2.06E-07	1.0E+06	2.1E-01
194	2.13464	1.29E-03	2.7E-03	1.05E-03	2.87E-06	6.16E-01	1.57E-01	2.78E-07	1.0E+06	2.8E-01
195	3.0975	1.29E-03	4.0E-03	1.05E-03	4.16E-06	6.16E-01	1.57E-01	4.03E-07	1.0E+06	4.0E-01
196	4.69284	1.29E-03	6.0E-03	1.05E-03	6.30E-06	6.16E-01	1.57E-01	6.11E-07	1.0E+06	6.1E-01
197	6.88357	1.29E-03	8.8E-03	1.05E-03	9.25E-06	6.16E-01	1.57E-01	8.96E-07	1.0E+06	9.0E-01
198	0.16286	1.29E-03	2.1E-04	1.05E-03	2.19E-07	6.16E-01	1.57E-01	2.12E-08	1.0E+06	2.1E-02
199	0.1793	1.29E-03	2.3E-04	1.05E-03	2.41E-07	6.16E-01	1.57E-01	2.33E-08	1.0E+06	2.3E-02
200	0.19824	1.29E-03	2.5E-04	1.05E-03	2.66E-07	6.16E-01	1.57E-01	2.58E-08	1.0E+06	2.6E-02
201	0.22447	1.29E-03	2.9E-04	1.05E-03	3.02E-07	6.16E-01	1.57E-01	2.92E-08	1.0E+06	2.9E-02
202	0.26663	1.29E-03	3.4E-04	1.05E-03	3.58E-07	6.16E-01	1.57E-01	3.47E-08	1.0E+06	3.5E-02
203	0.30715	1.29E-03	3.9E-04	1.05E-03	4.13E-07	6.16E-01	1.57E-01	4.00E-08	1.0E+06	4.0E-02
204	0.35579	1.29E-03	4.6E-04	1.05E-03	4.78E-07	6.16E-01	1.57E-01	4.63E-08	1.0E+06	4.6E-02
205	0.41191	1.29E-03	5.3E-04	1.05E-03	5.53E-07	6.16E-01	1.57E-01	5.36E-08	1.0E+06	5.4E-02
206	0.48026	1.29E-03	6.2E-04	1.05E-03	6.45E-07	6.16E-01	1.57E-01	6.25E-08	1.0E+06	6.2E-02
207	0.56684	1.29E-03	7.3E-04	1.05E-03	7.61E-07	6.16E-01	1.57E-01	7.38E-08	1.0E+06	7.4E-02
208	0.67745	1.29E-03	8.7E-04	1.05E-03	9.10E-07	6.16E-01	1.57E-01	8.82E-08	1.0E+06	8.8E-02
209	0.82589	1.29E-03	1.1E-03	1.05E-03	1.11E-06	6.16E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
210	1.02976	1.29E-03	1.3E-03	1.05E-03	1.38E-06	6.16E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
211	1.32605	1.29E-03	1.7E-03	1.05E-03	1.78E-06	6.16E-01	1.57E-01	1.73E-07	1.0E+06	1.7E-01
212	1.76927	1.29E-03	2.3E-03	1.05E-03	2.38E-06	6.16E-01	1.57E-01	2.30E-07	1.0E+06	2.3E-01
213	2.46994	1.29E-03	3.2E-03	1.05E-03	3.32E-06	6.16E-01	1.57E-01	3.21E-07	1.0E+06	3.2E-01
214	3.63615	1.29E-03	4.7E-03	1.05E-03	4.88E-06	6.16E-01	1.57E-01	4.73E-07	1.0E+06	4.7E-01
215	7.55748	1.29E-03	9.7E-03	1.05E-03	1.02E-05	6.16E-01	1.57E-01	9.83E-07	1.0E+06	9.8E-01
216	0.15431	1.29E-03	2.0E-04	1.05E-03	2.07E-07	6.16E-01	1.57E-01	2.01E-08	1.0E+06	2.0E-02
217	0.16879	1.29E-03	2.2E-04	1.05E-03	2.27E-07	6.16E-01	1.57E-01	2.20E-08	1.0E+06	2.2E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	1.29E-03	2.4E-04	1.05E-03	2.51E-07	6.16E-01	1.57E-01	2.44E-08	1.0E+06	2.4E-02
219	0.21079	1.29E-03	2.7E-04	1.05E-03	2.83E-07	6.16E-01	1.57E-01	2.74E-08	1.0E+06	2.7E-02
220	0.24803	1.29E-03	3.2E-04	1.05E-03	3.33E-07	6.16E-01	1.57E-01	3.23E-08	1.0E+06	3.2E-02
221	0.28481	1.29E-03	3.7E-04	1.05E-03	3.83E-07	6.16E-01	1.57E-01	3.71E-08	1.0E+06	3.7E-02
222	0.33289	1.29E-03	4.3E-04	1.05E-03	4.47E-07	6.16E-01	1.57E-01	4.33E-08	1.0E+06	4.3E-02
223	0.3875	1.29E-03	5.0E-04	1.05E-03	5.21E-07	6.16E-01	1.57E-01	5.04E-08	1.0E+06	5.0E-02
224	0.45352	1.29E-03	5.8E-04	1.05E-03	6.09E-07	6.16E-01	1.57E-01	5.90E-08	1.0E+06	5.9E-02
225	0.53452	1.29E-03	6.9E-04	1.05E-03	7.18E-07	6.16E-01	1.57E-01	6.96E-08	1.0E+06	7.0E-02
226	0.64348	1.29E-03	8.3E-04	1.05E-03	8.64E-07	6.16E-01	1.57E-01	8.37E-08	1.0E+06	8.4E-02
227	0.7871	1.29E-03	1.0E-03	1.05E-03	1.06E-06	6.16E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
228	0.98789	1.29E-03	1.3E-03	1.05E-03	1.33E-06	6.16E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
229	1.28832	1.29E-03	1.7E-03	1.05E-03	1.73E-06	6.16E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
230	1.75514	1.29E-03	2.3E-03	1.05E-03	2.36E-06	6.16E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
231	2.58583	1.29E-03	3.3E-03	1.05E-03	3.47E-06	6.16E-01	1.57E-01	3.36E-07	1.0E+06	3.4E-01
232	4.28751	1.29E-03	5.5E-03	1.05E-03	5.76E-06	6.16E-01	1.57E-01	5.58E-07	1.0E+06	5.6E-01
233	10.76445	1.29E-03	1.4E-02	1.05E-03	1.45E-05	6.16E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
234	0.14796	1.29E-03	1.9E-04	1.05E-03	1.99E-07	6.16E-01	1.57E-01	1.93E-08	1.0E+06	1.9E-02
235	0.16076	1.29E-03	2.1E-04	1.05E-03	2.16E-07	6.16E-01	1.57E-01	2.09E-08	1.0E+06	2.1E-02
236	0.17816	1.29E-03	2.3E-04	1.05E-03	2.39E-07	6.16E-01	1.57E-01	2.32E-08	1.0E+06	2.3E-02
237	0.20142	1.29E-03	2.6E-04	1.05E-03	2.71E-07	6.16E-01	1.57E-01	2.62E-08	1.0E+06	2.6E-02
238	0.2321	1.29E-03	3.0E-04	1.05E-03	3.12E-07	6.16E-01	1.57E-01	3.02E-08	1.0E+06	3.0E-02
239	0.26575	1.29E-03	3.4E-04	1.05E-03	3.57E-07	6.16E-01	1.57E-01	3.46E-08	1.0E+06	3.5E-02
240	0.30828	1.29E-03	4.0E-04	1.05E-03	4.14E-07	6.16E-01	1.57E-01	4.01E-08	1.0E+06	4.0E-02
241	0.35891	1.29E-03	4.6E-04	1.05E-03	4.82E-07	6.16E-01	1.57E-01	4.67E-08	1.0E+06	4.7E-02
242	0.4204	1.29E-03	5.4E-04	1.05E-03	5.65E-07	6.16E-01	1.57E-01	5.47E-08	1.0E+06	5.5E-02
243	0.49614	1.29E-03	6.4E-04	1.05E-03	6.66E-07	6.16E-01	1.57E-01	6.46E-08	1.0E+06	6.5E-02
244	0.59817	1.29E-03	7.7E-04	1.05E-03	8.04E-07	6.16E-01	1.57E-01	7.78E-08	1.0E+06	7.8E-02
245	0.7334	1.29E-03	9.4E-04	1.05E-03	9.85E-07	6.16E-01	1.57E-01	9.54E-08	1.0E+06	9.5E-02
246	0.92041	1.29E-03	1.2E-03	1.05E-03	1.24E-06	6.16E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
247	1.19215	1.29E-03	1.5E-03	1.05E-03	1.60E-06	6.16E-01	1.57E-01	1.55E-07	1.0E+06	1.6E-01
248	1.61854	1.29E-03	2.1E-03	1.05E-03	2.17E-06	6.16E-01	1.57E-01	2.11E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	1.29E-03	3.0E-03	1.05E-03	3.16E-06	6.16E-01	1.57E-01	3.06E-07	1.0E+06	3.1E-01
250	3.88245	1.29E-03	5.0E-03	1.05E-03	5.22E-06	6.16E-01	1.57E-01	5.05E-07	1.0E+06	5.1E-01
251	9.548	1.29E-03	1.2E-02	1.05E-03	1.28E-05	6.16E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
252	0.14244	1.29E-03	1.8E-04	1.05E-03	1.91E-07	6.16E-01	1.57E-01	1.85E-08	1.0E+06	1.9E-02
253	0.15391	1.29E-03	2.0E-04	1.05E-03	2.07E-07	6.16E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02
254	0.16905	1.29E-03	2.2E-04	1.05E-03	2.27E-07	6.16E-01	1.57E-01	2.20E-08	1.0E+06	2.2E-02
255	0.1882	1.29E-03	2.4E-04	1.05E-03	2.53E-07	6.16E-01	1.57E-01	2.45E-08	1.0E+06	2.4E-02
256	0.22038	1.29E-03	2.8E-04	1.05E-03	2.96E-07	6.16E-01	1.57E-01	2.87E-08	1.0E+06	2.9E-02
257	0.24395	1.29E-03	3.1E-04	1.05E-03	3.28E-07	6.16E-01	1.57E-01	3.17E-08	1.0E+06	3.2E-02
258	0.27703	1.29E-03	3.6E-04	1.05E-03	3.72E-07	6.16E-01	1.57E-01	3.60E-08	1.0E+06	3.6E-02
259	0.31726	1.29E-03	4.1E-04	1.05E-03	4.26E-07	6.16E-01	1.57E-01	4.13E-08	1.0E+06	4.1E-02
260	0.37532	1.29E-03	4.8E-04	1.05E-03	5.04E-07	6.16E-01	1.57E-01	4.88E-08	1.0E+06	4.9E-02
261	0.45282	1.29E-03	5.8E-04	1.05E-03	6.08E-07	6.16E-01	1.57E-01	5.89E-08	1.0E+06	5.9E-02
262	0.54991	1.29E-03	7.1E-04	1.05E-03	7.39E-07	6.16E-01	1.57E-01	7.16E-08	1.0E+06	7.2E-02
263	0.6689	1.29E-03	8.6E-04	1.05E-03	8.99E-07	6.16E-01	1.57E-01	8.70E-08	1.0E+06	8.7E-02
264	0.83769	1.29E-03	1.1E-03	1.05E-03	1.13E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
265	1.069	1.29E-03	1.4E-03	1.05E-03	1.44E-06	6.16E-01	1.57E-01	1.39E-07	1.0E+06	1.4E-01
266	1.42172	1.29E-03	1.8E-03	1.05E-03	1.91E-06	6.16E-01	1.57E-01	1.85E-07	1.0E+06	1.8E-01
267	1.98481	1.29E-03	2.6E-03	1.05E-03	2.67E-06	6.16E-01	1.57E-01	2.58E-07	1.0E+06	2.6E-01
268	3.00508	1.29E-03	3.9E-03	1.05E-03	4.04E-06	6.16E-01	1.57E-01	3.91E-07	1.0E+06	3.9E-01
269	6.11415	1.29E-03	7.9E-03	1.05E-03	8.21E-06	6.16E-01	1.57E-01	7.96E-07	1.0E+06	8.0E-01
270	0.13852	1.29E-03	1.8E-04	1.05E-03	1.86E-07	6.16E-01	1.57E-01	1.80E-08	1.0E+06	1.8E-02
271	0.15026	1.29E-03	1.9E-04	1.05E-03	2.02E-07	6.16E-01	1.57E-01	1.96E-08	1.0E+06	2.0E-02
272	0.16484	1.29E-03	2.1E-04	1.05E-03	2.21E-07	6.16E-01	1.57E-01	2.14E-08	1.0E+06	2.1E-02
273	0.18199	1.29E-03	2.3E-04	1.05E-03	2.44E-07	6.16E-01	1.57E-01	2.37E-08	1.0E+06	2.4E-02
274	0.21436	1.29E-03	2.8E-04	1.05E-03	2.88E-07	6.16E-01	1.57E-01	2.79E-08	1.0E+06	2.8E-02
275	0.24454	1.29E-03	3.1E-04	1.05E-03	3.28E-07	6.16E-01	1.57E-01	3.18E-08	1.0E+06	3.2E-02
276	0.26087	1.29E-03	3.4E-04	1.05E-03	3.50E-07	6.16E-01	1.57E-01	3.39E-08	1.0E+06	3.4E-02
277	0.29564	1.29E-03	3.8E-04	1.05E-03	3.97E-07	6.16E-01	1.57E-01	3.85E-08	1.0E+06	3.8E-02
278	0.34216	1.29E-03	4.4E-04	1.05E-03	4.60E-07	6.16E-01	1.57E-01	4.45E-08	1.0E+06	4.5E-02
279	0.40447	1.29E-03	5.2E-04	1.05E-03	5.43E-07	6.16E-01	1.57E-01	5.26E-08	1.0E+06	5.3E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	1.29E-03	6.4E-04	1.05E-03	6.65E-07	6.16E-01	1.57E-01	6.45E-08	1.0E+06	6.4E-02
281	0.61075	1.29E-03	7.8E-04	1.05E-03	8.20E-07	6.16E-01	1.57E-01	7.95E-08	1.0E+06	7.9E-02
282	0.76016	1.29E-03	9.8E-04	1.05E-03	1.02E-06	6.16E-01	1.57E-01	9.89E-08	1.0E+06	9.9E-02
283	0.9592	1.29E-03	1.2E-03	1.05E-03	1.29E-06	6.16E-01	1.57E-01	1.25E-07	1.0E+06	1.2E-01
284	1.23907	1.29E-03	1.6E-03	1.05E-03	1.66E-06	6.16E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
285	1.6354	1.29E-03	2.1E-03	1.05E-03	2.20E-06	6.16E-01	1.57E-01	2.13E-07	1.0E+06	2.1E-01
286	2.29875	1.29E-03	3.0E-03	1.05E-03	3.09E-06	6.16E-01	1.57E-01	2.99E-07	1.0E+06	3.0E-01
287	4.0984	1.29E-03	5.3E-03	1.05E-03	5.51E-06	6.16E-01	1.57E-01	5.33E-07	1.0E+06	5.3E-01
288	0.13632	1.29E-03	1.8E-04	1.05E-03	1.83E-07	6.16E-01	1.57E-01	1.77E-08	1.0E+06	1.8E-02
289	0.14679	1.29E-03	1.9E-04	1.05E-03	1.97E-07	6.16E-01	1.57E-01	1.91E-08	1.0E+06	1.9E-02
290	0.16392	1.29E-03	2.1E-04	1.05E-03	2.20E-07	6.16E-01	1.57E-01	2.13E-08	1.0E+06	2.1E-02
291	0.1821	1.29E-03	2.3E-04	1.05E-03	2.45E-07	6.16E-01	1.57E-01	2.37E-08	1.0E+06	2.4E-02
292	0.22152	1.29E-03	2.8E-04	1.05E-03	2.98E-07	6.16E-01	1.57E-01	2.88E-08	1.0E+06	2.9E-02
293	0.241	1.29E-03	3.1E-04	1.05E-03	3.24E-07	6.16E-01	1.57E-01	3.14E-08	1.0E+06	3.1E-02
294	0.24821	1.29E-03	3.2E-04	1.05E-03	3.33E-07	6.16E-01	1.57E-01	3.23E-08	1.0E+06	3.2E-02
295	0.28165	1.29E-03	3.6E-04	1.05E-03	3.78E-07	6.16E-01	1.57E-01	3.66E-08	1.0E+06	3.7E-02
296	0.32446	1.29E-03	4.2E-04	1.05E-03	4.36E-07	6.16E-01	1.57E-01	4.22E-08	1.0E+06	4.2E-02
297	0.37299	1.29E-03	4.8E-04	1.05E-03	5.01E-07	6.16E-01	1.57E-01	4.85E-08	1.0E+06	4.9E-02
298	0.44378	1.29E-03	5.7E-04	1.05E-03	5.96E-07	6.16E-01	1.57E-01	5.77E-08	1.0E+06	5.8E-02
299	0.54938	1.29E-03	7.1E-04	1.05E-03	7.38E-07	6.16E-01	1.57E-01	7.15E-08	1.0E+06	7.1E-02
300	0.67014	1.29E-03	8.6E-04	1.05E-03	9.00E-07	6.16E-01	1.57E-01	8.72E-08	1.0E+06	8.7E-02
301	0.83889	1.29E-03	1.1E-03	1.05E-03	1.13E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
302	1.05754	1.29E-03	1.4E-03	1.05E-03	1.42E-06	6.16E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
303	1.36095	1.29E-03	1.7E-03	1.05E-03	1.83E-06	6.16E-01	1.57E-01	1.77E-07	1.0E+06	1.8E-01
304	1.82968	1.29E-03	2.4E-03	1.05E-03	2.46E-06	6.16E-01	1.57E-01	2.38E-07	1.0E+06	2.4E-01
305	2.94941	1.29E-03	3.8E-03	1.05E-03	3.96E-06	6.16E-01	1.57E-01	3.84E-07	1.0E+06	3.8E-01
306	0.14102	1.29E-03	1.8E-04	1.05E-03	1.89E-07	6.16E-01	1.57E-01	1.83E-08	1.0E+06	1.8E-02
307	0.14805	1.29E-03	1.9E-04	1.05E-03	1.99E-07	6.16E-01	1.57E-01	1.93E-08	1.0E+06	1.9E-02
308	0.16104	1.29E-03	2.1E-04	1.05E-03	2.16E-07	6.16E-01	1.57E-01	2.10E-08	1.0E+06	2.1E-02
309	0.1881	1.29E-03	2.4E-04	1.05E-03	2.53E-07	6.16E-01	1.57E-01	2.45E-08	1.0E+06	2.4E-02
310	0.21623	1.29E-03	2.8E-04	1.05E-03	2.90E-07	6.16E-01	1.57E-01	2.81E-08	1.0E+06	2.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	1.29E-03	3.0E-04	1.05E-03	3.14E-07	6.16E-01	1.57E-01	3.04E-08	1.0E+06	3.0E-02
312	0.23582	1.29E-03	3.0E-04	1.05E-03	3.17E-07	6.16E-01	1.57E-01	3.07E-08	1.0E+06	3.1E-02
313	0.2662	1.29E-03	3.4E-04	1.05E-03	3.58E-07	6.16E-01	1.57E-01	3.46E-08	1.0E+06	3.5E-02
314	0.30482	1.29E-03	3.9E-04	1.05E-03	4.09E-07	6.16E-01	1.57E-01	3.97E-08	1.0E+06	4.0E-02
315	0.36238	1.29E-03	4.7E-04	1.05E-03	4.87E-07	6.16E-01	1.57E-01	4.72E-08	1.0E+06	4.7E-02
316	0.41173	1.29E-03	5.3E-04	1.05E-03	5.53E-07	6.16E-01	1.57E-01	5.36E-08	1.0E+06	5.4E-02
317	0.48329	1.29E-03	6.2E-04	1.05E-03	6.49E-07	6.16E-01	1.57E-01	6.29E-08	1.0E+06	6.3E-02
318	0.58024	1.29E-03	7.5E-04	1.05E-03	7.79E-07	6.16E-01	1.57E-01	7.55E-08	1.0E+06	7.6E-02
319	0.71842	1.29E-03	9.2E-04	1.05E-03	9.65E-07	6.16E-01	1.57E-01	9.35E-08	1.0E+06	9.3E-02
320	0.91725	1.29E-03	1.2E-03	1.05E-03	1.23E-06	6.16E-01	1.57E-01	1.19E-07	1.0E+06	1.2E-01
321	1.14351	1.29E-03	1.5E-03	1.05E-03	1.54E-06	6.16E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
322	1.47884	1.29E-03	1.9E-03	1.05E-03	1.99E-06	6.16E-01	1.57E-01	1.92E-07	1.0E+06	1.9E-01
323	2.2049	1.29E-03	2.8E-03	1.05E-03	2.96E-06	6.16E-01	1.57E-01	2.87E-07	1.0E+06	2.9E-01
324	0.13829	1.29E-03	1.8E-04	1.05E-03	1.86E-07	6.16E-01	1.57E-01	1.80E-08	1.0E+06	1.8E-02
325	0.15341	1.29E-03	2.0E-04	1.05E-03	2.06E-07	6.16E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02
326	0.16525	1.29E-03	2.1E-04	1.05E-03	2.22E-07	6.16E-01	1.57E-01	2.15E-08	1.0E+06	2.2E-02
327	0.17597	1.29E-03	2.3E-04	1.05E-03	2.36E-07	6.16E-01	1.57E-01	2.29E-08	1.0E+06	2.3E-02
328	0.21285	1.29E-03	2.7E-04	1.05E-03	2.86E-07	6.16E-01	1.57E-01	2.77E-08	1.0E+06	2.8E-02
329	0.22617	1.29E-03	2.9E-04	1.05E-03	3.04E-07	6.16E-01	1.57E-01	2.94E-08	1.0E+06	2.9E-02
330	0.229	1.29E-03	2.9E-04	1.05E-03	3.08E-07	6.16E-01	1.57E-01	2.98E-08	1.0E+06	3.0E-02
331	0.25812	1.29E-03	3.3E-04	1.05E-03	3.47E-07	6.16E-01	1.57E-01	3.36E-08	1.0E+06	3.4E-02
332	0.29444	1.29E-03	3.8E-04	1.05E-03	3.96E-07	6.16E-01	1.57E-01	3.83E-08	1.0E+06	3.8E-02
333	0.34735	1.29E-03	4.5E-04	1.05E-03	4.67E-07	6.16E-01	1.57E-01	4.52E-08	1.0E+06	4.5E-02
334	0.39929	1.29E-03	5.1E-04	1.05E-03	5.36E-07	6.16E-01	1.57E-01	5.20E-08	1.0E+06	5.2E-02
335	0.46251	1.29E-03	5.9E-04	1.05E-03	6.21E-07	6.16E-01	1.57E-01	6.02E-08	1.0E+06	6.0E-02
336	1.34926	1.29E-03	1.7E-03	1.05E-03	1.81E-06	6.16E-01	1.57E-01	1.76E-07	1.0E+06	1.8E-01
337	1.42098	1.29E-03	1.8E-03	1.05E-03	1.91E-06	6.16E-01	1.57E-01	1.85E-07	1.0E+06	1.8E-01
338	0.15741	1.29E-03	2.0E-04	1.05E-03	2.11E-07	6.16E-01	1.57E-01	2.05E-08	1.0E+06	2.0E-02
339	0.16826	1.29E-03	2.2E-04	1.05E-03	2.26E-07	6.16E-01	1.57E-01	2.19E-08	1.0E+06	2.2E-02
340	0.19168	1.29E-03	2.5E-04	1.05E-03	2.57E-07	6.16E-01	1.57E-01	2.49E-08	1.0E+06	2.5E-02
341	0.20395	1.29E-03	2.6E-04	1.05E-03	2.74E-07	6.16E-01	1.57E-01	2.65E-08	1.0E+06	2.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	1.29E-03	2.7E-04	1.05E-03	2.83E-07	6.16E-01	1.57E-01	2.74E-08	1.0E+06	2.7E-02
343	0.22111	1.29E-03	2.8E-04	1.05E-03	2.97E-07	6.16E-01	1.57E-01	2.88E-08	1.0E+06	2.9E-02
344	0.22429	1.29E-03	2.9E-04	1.05E-03	3.01E-07	6.16E-01	1.57E-01	2.92E-08	1.0E+06	2.9E-02
345	0.22606	1.29E-03	2.9E-04	1.05E-03	3.04E-07	6.16E-01	1.57E-01	2.94E-08	1.0E+06	2.9E-02
346	0.22606	1.29E-03	2.9E-04	1.05E-03	3.04E-07	6.16E-01	1.57E-01	2.94E-08	1.0E+06	2.9E-02
347	0.17036	1.29E-03	2.2E-04	1.05E-03	2.29E-07	6.16E-01	1.57E-01	2.22E-08	1.0E+06	2.2E-02
348	0.18661	1.29E-03	2.4E-04	1.05E-03	2.51E-07	6.16E-01	1.57E-01	2.43E-08	1.0E+06	2.4E-02
349	0.21873	1.29E-03	2.8E-04	1.05E-03	2.94E-07	6.16E-01	1.57E-01	2.85E-08	1.0E+06	2.8E-02
350	0.22806	1.29E-03	2.9E-04	1.05E-03	3.06E-07	6.16E-01	1.57E-01	2.97E-08	1.0E+06	3.0E-02
351	0.23577	1.29E-03	3.0E-04	1.05E-03	3.17E-07	6.16E-01	1.57E-01	3.07E-08	1.0E+06	3.1E-02
352	0.24893	1.29E-03	3.2E-04	1.05E-03	3.34E-07	6.16E-01	1.57E-01	3.24E-08	1.0E+06	3.2E-02
353	0.25277	1.29E-03	3.2E-04	1.05E-03	3.40E-07	6.16E-01	1.57E-01	3.29E-08	1.0E+06	3.3E-02
354	0.25385	1.29E-03	3.3E-04	1.05E-03	3.41E-07	6.16E-01	1.57E-01	3.30E-08	1.0E+06	3.3E-02
355	0.25415	1.29E-03	3.3E-04	1.05E-03	3.41E-07	6.16E-01	1.57E-01	3.31E-08	1.0E+06	3.3E-02
356	0.18604	1.29E-03	2.4E-04	1.05E-03	2.50E-07	6.16E-01	1.57E-01	2.42E-08	1.0E+06	2.4E-02
357	0.20039	1.29E-03	2.6E-04	1.05E-03	2.69E-07	6.16E-01	1.57E-01	2.61E-08	1.0E+06	2.6E-02
358	0.21891	1.29E-03	2.8E-04	1.05E-03	2.94E-07	6.16E-01	1.57E-01	2.85E-08	1.0E+06	2.8E-02
359	0.24942	1.29E-03	3.2E-04	1.05E-03	3.35E-07	6.16E-01	1.57E-01	3.25E-08	1.0E+06	3.2E-02
360	0.26595	1.29E-03	3.4E-04	1.05E-03	3.57E-07	6.16E-01	1.57E-01	3.46E-08	1.0E+06	3.5E-02
361	0.28268	1.29E-03	3.6E-04	1.05E-03	3.80E-07	6.16E-01	1.57E-01	3.68E-08	1.0E+06	3.7E-02
362	0.28748	1.29E-03	3.7E-04	1.05E-03	3.86E-07	6.16E-01	1.57E-01	3.74E-08	1.0E+06	3.7E-02
363	0.28847	1.29E-03	3.7E-04	1.05E-03	3.87E-07	6.16E-01	1.57E-01	3.75E-08	1.0E+06	3.8E-02
364	0.20678	1.29E-03	2.7E-04	1.05E-03	2.78E-07	6.16E-01	1.57E-01	2.69E-08	1.0E+06	2.7E-02
365	0.21895	1.29E-03	2.8E-04	1.05E-03	2.94E-07	6.16E-01	1.57E-01	2.85E-08	1.0E+06	2.8E-02
366	0.24185	1.29E-03	3.1E-04	1.05E-03	3.25E-07	6.16E-01	1.57E-01	3.15E-08	1.0E+06	3.1E-02
367	0.28223	1.29E-03	3.6E-04	1.05E-03	3.79E-07	6.16E-01	1.57E-01	3.67E-08	1.0E+06	3.7E-02
368	0.30287	1.29E-03	3.9E-04	1.05E-03	4.07E-07	6.16E-01	1.57E-01	3.94E-08	1.0E+06	3.9E-02
369	0.32466	1.29E-03	4.2E-04	1.05E-03	4.36E-07	6.16E-01	1.57E-01	4.22E-08	1.0E+06	4.2E-02
370	0.33362	1.29E-03	4.3E-04	1.05E-03	4.48E-07	6.16E-01	1.57E-01	4.34E-08	1.0E+06	4.3E-02
371	0.33293	1.29E-03	4.3E-04	1.05E-03	4.47E-07	6.16E-01	1.57E-01	4.33E-08	1.0E+06	4.3E-02
372	0.23425	1.29E-03	3.0E-04	1.05E-03	3.15E-07	6.16E-01	1.57E-01	3.05E-08	1.0E+06	3.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	1.29E-03	3.2E-04	1.05E-03	3.33E-07	6.16E-01	1.57E-01	3.23E-08	1.0E+06	3.2E-02
374	0.2758	1.29E-03	3.5E-04	1.05E-03	3.70E-07	6.16E-01	1.57E-01	3.59E-08	1.0E+06	3.6E-02
375	0.3231	1.29E-03	4.2E-04	1.05E-03	4.34E-07	6.16E-01	1.57E-01	4.20E-08	1.0E+06	4.2E-02
376	0.34946	1.29E-03	4.5E-04	1.05E-03	4.69E-07	6.16E-01	1.57E-01	4.55E-08	1.0E+06	4.5E-02
377	0.36592	1.29E-03	4.7E-04	1.05E-03	4.92E-07	6.16E-01	1.57E-01	4.76E-08	1.0E+06	4.8E-02
378	0.37782	1.29E-03	4.9E-04	1.05E-03	5.08E-07	6.16E-01	1.57E-01	4.92E-08	1.0E+06	4.9E-02
379	0.38907	1.29E-03	5.0E-04	1.05E-03	5.23E-07	6.16E-01	1.57E-01	5.06E-08	1.0E+06	5.1E-02
380	0.389	1.29E-03	5.0E-04	1.05E-03	5.23E-07	6.16E-01	1.57E-01	5.06E-08	1.0E+06	5.1E-02
381	0.38496	1.29E-03	4.9E-04	1.05E-03	5.17E-07	6.16E-01	1.57E-01	5.01E-08	1.0E+06	5.0E-02
382	0.27352	1.29E-03	3.5E-04	1.05E-03	3.67E-07	6.16E-01	1.57E-01	3.56E-08	1.0E+06	3.6E-02
383	0.29685	1.29E-03	3.8E-04	1.05E-03	3.99E-07	6.16E-01	1.57E-01	3.86E-08	1.0E+06	3.9E-02
384	0.32129	1.29E-03	4.1E-04	1.05E-03	4.32E-07	6.16E-01	1.57E-01	4.18E-08	1.0E+06	4.2E-02
385	0.3848	1.29E-03	4.9E-04	1.05E-03	5.17E-07	6.16E-01	1.57E-01	5.01E-08	1.0E+06	5.0E-02
386	0.40823	1.29E-03	5.2E-04	1.05E-03	5.48E-07	6.16E-01	1.57E-01	5.31E-08	1.0E+06	5.3E-02
387	0.43009	1.29E-03	5.5E-04	1.05E-03	5.78E-07	6.16E-01	1.57E-01	5.60E-08	1.0E+06	5.6E-02
388	0.44587	1.29E-03	5.7E-04	1.05E-03	5.99E-07	6.16E-01	1.57E-01	5.80E-08	1.0E+06	5.8E-02
389	0.46018	1.29E-03	5.9E-04	1.05E-03	6.18E-07	6.16E-01	1.57E-01	5.99E-08	1.0E+06	6.0E-02
390	0.45888	1.29E-03	5.9E-04	1.05E-03	6.16E-07	6.16E-01	1.57E-01	5.97E-08	1.0E+06	6.0E-02
391	0.45337	1.29E-03	5.8E-04	1.05E-03	6.09E-07	6.16E-01	1.57E-01	5.90E-08	1.0E+06	5.9E-02
392	0.43787	1.29E-03	5.6E-04	1.05E-03	5.88E-07	6.16E-01	1.57E-01	5.70E-08	1.0E+06	5.7E-02
393	0.32603	1.29E-03	4.2E-04	1.05E-03	4.38E-07	6.16E-01	1.57E-01	4.24E-08	1.0E+06	4.2E-02
394	0.38853	1.29E-03	5.0E-04	1.05E-03	5.22E-07	6.16E-01	1.57E-01	5.06E-08	1.0E+06	5.1E-02
395	0.43296	1.29E-03	5.6E-04	1.05E-03	5.82E-07	6.16E-01	1.57E-01	5.63E-08	1.0E+06	5.6E-02
396	0.4654	1.29E-03	6.0E-04	1.05E-03	6.25E-07	6.16E-01	1.57E-01	6.06E-08	1.0E+06	6.1E-02
397	0.4979	1.29E-03	6.4E-04	1.05E-03	6.69E-07	6.16E-01	1.57E-01	6.48E-08	1.0E+06	6.5E-02
398	0.51462	1.29E-03	6.6E-04	1.05E-03	6.91E-07	6.16E-01	1.57E-01	6.70E-08	1.0E+06	6.7E-02
399	0.52048	1.29E-03	6.7E-04	1.05E-03	6.99E-07	6.16E-01	1.57E-01	6.77E-08	1.0E+06	6.8E-02
400	0.55457	1.29E-03	7.1E-04	1.05E-03	7.45E-07	6.16E-01	1.57E-01	7.22E-08	1.0E+06	7.2E-02
401	0.55208	1.29E-03	7.1E-04	1.05E-03	7.42E-07	6.16E-01	1.57E-01	7.18E-08	1.0E+06	7.2E-02
402	0.51974	1.29E-03	6.7E-04	1.05E-03	6.98E-07	6.16E-01	1.57E-01	6.76E-08	1.0E+06	6.8E-02
403	0.67545	1.29E-03	8.7E-04	1.05E-03	9.07E-07	6.16E-01	1.57E-01	8.79E-08	1.0E+06	8.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	1.29E-03	8.2E-04	1.05E-03	8.53E-07	6.16E-01	1.57E-01	8.27E-08	1.0E+06	8.3E-02
405	0.59648	1.29E-03	7.7E-04	1.05E-03	8.01E-07	6.16E-01	1.57E-01	7.76E-08	1.0E+06	7.8E-02
406	0.8541	1.29E-03	1.1E-03	1.05E-03	1.15E-06	6.16E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01
407	0.72119	1.29E-03	9.3E-04	1.05E-03	9.69E-07	6.16E-01	1.57E-01	9.38E-08	1.0E+06	9.4E-02
408	1.11899	1.29E-03	1.4E-03	1.05E-03	1.50E-06	6.16E-01	1.57E-01	1.46E-07	1.0E+06	1.5E-01
409	0.88286	1.29E-03	1.1E-03	1.05E-03	1.19E-06	6.16E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
410	1.53458	1.29E-03	2.0E-03	1.05E-03	2.06E-06	6.16E-01	1.57E-01	2.00E-07	1.0E+06	2.0E-01
411	1.24788	1.29E-03	1.6E-03	1.05E-03	1.68E-06	6.16E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
412	1.10769	1.29E-03	1.4E-03	1.05E-03	1.49E-06	6.16E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
413	2.24007	1.29E-03	2.9E-03	1.05E-03	3.01E-06	6.16E-01	1.57E-01	2.91E-07	1.0E+06	2.9E-01
414	1.85905	1.29E-03	2.4E-03	1.05E-03	2.50E-06	6.16E-01	1.57E-01	2.42E-07	1.0E+06	2.4E-01
415	1.59815	1.29E-03	2.1E-03	1.05E-03	2.15E-06	6.16E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01
416	1.34652	1.29E-03	1.7E-03	1.05E-03	1.81E-06	6.16E-01	1.57E-01	1.75E-07	1.0E+06	1.8E-01
417	3.57218	1.29E-03	4.6E-03	1.05E-03	4.80E-06	6.16E-01	1.57E-01	4.65E-07	1.0E+06	4.6E-01
418	2.01893	1.29E-03	2.6E-03	1.05E-03	2.71E-06	6.16E-01	1.57E-01	2.63E-07	1.0E+06	2.6E-01
419	1.58987	1.29E-03	2.0E-03	1.05E-03	2.14E-06	6.16E-01	1.57E-01	2.07E-07	1.0E+06	2.1E-01
420	1.2521	1.29E-03	1.6E-03	1.05E-03	1.68E-06	6.16E-01	1.57E-01	1.63E-07	1.0E+06	1.6E-01
421	6.42312	1.29E-03	8.3E-03	1.05E-03	8.63E-06	6.16E-01	1.57E-01	8.36E-07	1.0E+06	8.4E-01
422	1.77737	1.29E-03	2.3E-03	1.05E-03	2.39E-06	6.16E-01	1.57E-01	2.31E-07	1.0E+06	2.3E-01
423	1.33662	1.29E-03	1.7E-03	1.05E-03	1.80E-06	6.16E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
424	12.91388	1.29E-03	1.7E-02	1.05E-03	1.73E-05	6.16E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
425	1.34203	1.29E-03	1.7E-03	1.05E-03	1.80E-06	6.16E-01	1.57E-01	1.75E-07	1.0E+06	1.7E-01
426	1.01676	1.29E-03	1.3E-03	1.05E-03	1.37E-06	6.16E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
427	22.75271	1.29E-03	2.9E-02	1.05E-03	3.06E-05	6.16E-01	1.57E-01	2.96E-06	1.0E+06	3.0E+00
428	1.27773	1.29E-03	1.6E-03	1.05E-03	1.72E-06	6.16E-01	1.57E-01	1.66E-07	1.0E+06	1.7E-01
429	0.96908	1.29E-03	1.2E-03	1.05E-03	1.30E-06	6.16E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
430	21.09262	1.29E-03	2.7E-02	1.05E-03	2.83E-05	6.16E-01	1.57E-01	2.74E-06	1.0E+06	2.7E+00
431	0.90443	1.29E-03	1.2E-03	1.05E-03	1.21E-06	6.16E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
432	0.71229	1.29E-03	9.2E-04	1.05E-03	9.57E-07	6.16E-01	1.57E-01	9.27E-08	1.0E+06	9.3E-02
433	13.11622	1.29E-03	1.7E-02	1.05E-03	1.76E-05	6.16E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00
434	0.83575	1.29E-03	1.1E-03	1.05E-03	1.12E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	1.29E-03	8.6E-04	1.05E-03	9.00E-07	6.16E-01	1.57E-01	8.72E-08	1.0E+06	8.7E-02
436	8.0879	1.29E-03	1.0E-02	1.05E-03	1.09E-05	6.16E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
437	0.97518	1.29E-03	1.3E-03	1.05E-03	1.31E-06	6.16E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
438	0.76912	1.29E-03	9.9E-04	1.05E-03	1.03E-06	6.16E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
439	0.6239	1.29E-03	8.0E-04	1.05E-03	8.38E-07	6.16E-01	1.57E-01	8.12E-08	1.0E+06	8.1E-02
440	5.21196	1.29E-03	6.7E-03	1.05E-03	7.00E-06	6.16E-01	1.57E-01	6.78E-07	1.0E+06	6.8E-01
441	1.57338	1.29E-03	2.0E-03	1.05E-03	2.11E-06	6.16E-01	1.57E-01	2.05E-07	1.0E+06	2.0E-01
442	1.14958	1.29E-03	1.5E-03	1.05E-03	1.54E-06	6.16E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
443	0.88407	1.29E-03	1.1E-03	1.05E-03	1.19E-06	6.16E-01	1.57E-01	1.15E-07	1.0E+06	1.2E-01
444	0.70507	1.29E-03	9.1E-04	1.05E-03	9.47E-07	6.16E-01	1.57E-01	9.17E-08	1.0E+06	9.2E-02
445	3.55393	1.29E-03	4.6E-03	1.05E-03	4.77E-06	6.16E-01	1.57E-01	4.62E-07	1.0E+06	4.6E-01
446	1.95063	1.29E-03	2.5E-03	1.05E-03	2.62E-06	6.16E-01	1.57E-01	2.54E-07	1.0E+06	2.5E-01
447	1.38871	1.29E-03	1.8E-03	1.05E-03	1.87E-06	6.16E-01	1.57E-01	1.81E-07	1.0E+06	1.8E-01
448	1.03194	1.29E-03	1.3E-03	1.05E-03	1.39E-06	6.16E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
449	2.54704	1.29E-03	3.3E-03	1.05E-03	3.42E-06	6.16E-01	1.57E-01	3.31E-07	1.0E+06	3.3E-01
450	2.13244	1.29E-03	2.7E-03	1.05E-03	2.86E-06	6.16E-01	1.57E-01	2.77E-07	1.0E+06	2.8E-01
451	1.63606	1.29E-03	2.1E-03	1.05E-03	2.20E-06	6.16E-01	1.57E-01	2.13E-07	1.0E+06	2.1E-01
452	1.90224	1.29E-03	2.4E-03	1.05E-03	2.56E-06	6.16E-01	1.57E-01	2.48E-07	1.0E+06	2.5E-01
453	1.68146	1.29E-03	2.2E-03	1.05E-03	2.26E-06	6.16E-01	1.57E-01	2.19E-07	1.0E+06	2.2E-01
454	0.45602	1.29E-03	5.9E-04	1.05E-03	6.13E-07	6.16E-01	1.57E-01	5.93E-08	1.0E+06	5.9E-02
455	0.39292	1.29E-03	5.0E-04	1.05E-03	5.28E-07	6.16E-01	1.57E-01	5.11E-08	1.0E+06	5.1E-02
456	1.46911	1.29E-03	1.9E-03	1.05E-03	1.97E-06	6.16E-01	1.57E-01	1.91E-07	1.0E+06	1.9E-01
457	1.34798	1.29E-03	1.7E-03	1.05E-03	1.81E-06	6.16E-01	1.57E-01	1.75E-07	1.0E+06	1.8E-01
458	1.14854	1.29E-03	1.5E-03	1.05E-03	1.54E-06	6.16E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
459	0.60959	1.29E-03	7.8E-04	1.05E-03	8.19E-07	6.16E-01	1.57E-01	7.93E-08	1.0E+06	7.9E-02
460	0.50521	1.29E-03	6.5E-04	1.05E-03	6.79E-07	6.16E-01	1.57E-01	6.57E-08	1.0E+06	6.6E-02
461	0.42667	1.29E-03	5.5E-04	1.05E-03	5.73E-07	6.16E-01	1.57E-01	5.55E-08	1.0E+06	5.6E-02
462	0.36664	1.29E-03	4.7E-04	1.05E-03	4.92E-07	6.16E-01	1.57E-01	4.77E-08	1.0E+06	4.8E-02
463	1.56366	1.29E-03	2.0E-03	1.05E-03	2.10E-06	6.16E-01	1.57E-01	2.03E-07	1.0E+06	2.0E-01
464	1.67908	1.29E-03	2.2E-03	1.05E-03	2.26E-06	6.16E-01	1.57E-01	2.18E-07	1.0E+06	2.2E-01
465	2.37925	1.29E-03	3.1E-03	1.05E-03	3.20E-06	6.16E-01	1.57E-01	3.10E-07	1.0E+06	3.1E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	1.29E-03	3.7E-03	1.05E-03	3.90E-06	6.16E-01	1.57E-01	3.78E-07	1.0E+06	3.8E-01
467	4.03499	1.29E-03	5.2E-03	1.05E-03	5.42E-06	6.16E-01	1.57E-01	5.25E-07	1.0E+06	5.3E-01
468	8.35246	1.29E-03	1.1E-02	1.05E-03	1.12E-05	6.16E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
469	28.13292	1.29E-03	3.6E-02	1.05E-03	3.78E-05	6.16E-01	1.57E-01	3.66E-06	1.0E+06	3.7E+00
470	20.35286	1.29E-03	2.6E-02	1.05E-03	2.73E-05	6.16E-01	1.57E-01	2.65E-06	1.0E+06	2.6E+00
471	34.54288	1.29E-03	4.4E-02	1.05E-03	4.64E-05	6.16E-01	1.57E-01	4.49E-06	1.0E+06	4.5E+00
472	27.90221	1.29E-03	3.6E-02	1.05E-03	3.75E-05	6.16E-01	1.57E-01	3.63E-06	1.0E+06	3.6E+00
473	29.67594	1.29E-03	3.8E-02	1.05E-03	3.99E-05	6.16E-01	1.57E-01	3.86E-06	1.0E+06	3.9E+00
474	13.04296	1.29E-03	1.7E-02	1.05E-03	1.75E-05	6.16E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
475	22.08892	1.29E-03	2.8E-02	1.05E-03	2.97E-05	6.16E-01	1.57E-01	2.87E-06	1.0E+06	2.9E+00
476	6.99817	1.29E-03	9.0E-03	1.05E-03	9.40E-06	6.16E-01	1.57E-01	9.11E-07	1.0E+06	9.1E-01
477	9.76012	1.29E-03	1.3E-02	1.05E-03	1.31E-05	6.16E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
478	4.29281	1.29E-03	5.5E-03	1.05E-03	5.77E-06	6.16E-01	1.57E-01	5.59E-07	1.0E+06	5.6E-01
479	5.44714	1.29E-03	7.0E-03	1.05E-03	7.32E-06	6.16E-01	1.57E-01	7.09E-07	1.0E+06	7.1E-01
480	5.4004	1.29E-03	6.9E-03	1.05E-03	7.25E-06	6.16E-01	1.57E-01	7.03E-07	1.0E+06	7.0E-01
481	2.88653	1.29E-03	3.7E-03	1.05E-03	3.88E-06	6.16E-01	1.57E-01	3.76E-07	1.0E+06	3.8E-01
482	3.54717	1.29E-03	4.6E-03	1.05E-03	4.76E-06	6.16E-01	1.57E-01	4.62E-07	1.0E+06	4.6E-01
483	2.40679	1.29E-03	3.1E-03	1.05E-03	3.23E-06	6.16E-01	1.57E-01	3.13E-07	1.0E+06	3.1E-01
484	2.49271	1.29E-03	3.2E-03	1.05E-03	3.35E-06	6.16E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	2.57E-05
2	5	2.60E-05
3	5	2.63E-05
4	5	2.66E-05
5	5	2.70E-05
6	5	2.77E-05
7	5	2.86E-05
8	5	2.97E-05
9	5	3.10E-05
10	5	3.28E-05
11	5	3.50E-05
12	5	3.74E-05
13	5	4.01E-05
14	5	5.60E-05
15	5	2.86E-05
16	5	2.89E-05
17	5	2.93E-05
18	5	2.96E-05
19	5	2.99E-05
20	5	3.04E-05
21	5	3.11E-05
22	5	3.20E-05
23	5	3.37E-05
24	5	3.53E-05
25	5	3.79E-05
26	5	4.08E-05
27	5	4.34E-05
28	5	6.28E-05
29	5	3.17E-05
30	5	3.23E-05
31	5	3.30E-05

Max	Receptor #	
0.009	471	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	3.35E-05
33	5	3.35E-05
34	5	3.40E-05
35	5	3.45E-05
36	5	3.53E-05
37	5	3.67E-05
38	5	3.87E-05
39	5	4.13E-05
40	5	4.42E-05
41	5	4.71E-05
42	5	7.10E-05
43	5	3.48E-05
44	5	3.58E-05
45	5	3.67E-05
46	5	3.74E-05
47	5	3.78E-05
48	5	3.82E-05
49	5	3.85E-05
50	5	3.90E-05
51	5	4.07E-05
52	5	4.25E-05
53	5	4.53E-05
54	5	4.87E-05
55	5	5.25E-05
56	5	8.12E-05
57	5	3.78E-05
58	5	3.92E-05
59	5	4.05E-05
60	5	4.17E-05
61	5	4.26E-05
62	5	4.34E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	4.45E-05
64	5	4.43E-05
65	5	4.58E-05
66	5	4.78E-05
67	5	5.01E-05
68	5	5.45E-05
69	5	5.95E-05
70	5	4.09E-05
71	5	4.27E-05
72	5	4.45E-05
73	5	4.62E-05
74	5	4.77E-05
75	5	4.95E-05
76	5	5.10E-05
77	5	5.17E-05
78	5	5.33E-05
79	5	5.71E-05
80	5	5.87E-05
81	5	6.46E-05
82	5	6.91E-05
83	5	4.40E-05
84	5	4.62E-05
85	5	4.82E-05
86	5	5.10E-05
87	5	5.34E-05
88	5	5.59E-05
89	5	5.84E-05
90	5	6.10E-05
91	5	6.38E-05
92	5	6.72E-05
93	5	7.10E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	7.60E-05
95	5	8.22E-05
96	5	4.69E-05
97	5	4.91E-05
98	5	5.17E-05
99	5	5.52E-05
100	5	5.90E-05
101	5	6.24E-05
102	5	6.59E-05
103	5	6.95E-05
104	5	7.32E-05
105	5	7.72E-05
106	5	8.20E-05
107	5	8.79E-05
108	5	9.52E-05
109	5	4.89E-05
110	5	5.24E-05
111	5	5.62E-05
112	5	6.02E-05
113	5	6.45E-05
114	5	6.90E-05
115	5	7.37E-05
116	5	7.87E-05
117	5	8.40E-05
118	5	8.70E-05
119	5	9.33E-05
120	5	9.99E-05
121	5	1.07E-04
122	5	5.03E-05
123	5	5.45E-05
124	5	5.93E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	6.43E-05
126	5	6.95E-05
127	5	7.50E-05
128	5	7.90E-05
129	5	8.55E-05
130	5	9.43E-05
131	5	2.87E-04
132	5	2.98E-04
133	5	5.05E-05
134	5	5.58E-05
135	5	6.13E-05
136	5	6.71E-05
137	5	7.34E-05
138	5	8.00E-05
139	5	8.63E-05
140	5	9.67E-05
141	5	1.07E-04
142	5	1.18E-04
143	5	1.30E-04
144	5	1.45E-04
145	5	1.61E-04
146	5	3.88E-04
147	5	4.96E-05
148	5	5.51E-05
149	5	6.13E-05
150	5	6.79E-05
151	5	7.55E-05
152	5	8.33E-05
153	5	9.19E-05
154	5	1.03E-04
155	5	1.16E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.30E-04
157	5	1.46E-04
158	5	1.64E-04
159	5	1.91E-04
160	5	4.83E-05
161	5	5.32E-05
162	5	5.82E-05
163	5	6.59E-05
164	5	7.52E-05
165	5	8.41E-05
166	5	9.49E-05
167	5	1.08E-04
168	5	1.23E-04
169	5	1.42E-04
170	5	1.64E-04
171	5	1.90E-04
172	5	2.26E-04
173	5	2.74E-04
174	5	3.38E-04
175	5	4.23E-04
176	5	5.64E-04
177	5	7.35E-04
178	5	9.25E-04
179	5	4.48E-05
180	5	4.91E-05
181	5	5.34E-05
182	5	6.19E-05
183	5	7.30E-05
184	5	8.27E-05
185	5	9.47E-05
186	5	1.09E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.26E-04
188	5	1.47E-04
189	5	1.74E-04
190	5	2.08E-04
191	5	2.53E-04
192	5	3.17E-04
193	5	4.07E-04
194	5	5.49E-04
195	5	7.96E-04
196	5	1.21E-03
197	5	1.77E-03
198	5	4.19E-05
199	5	4.61E-05
200	5	5.10E-05
201	5	5.77E-05
202	5	6.85E-05
203	5	7.89E-05
204	5	9.15E-05
205	5	1.06E-04
206	5	1.23E-04
207	5	1.46E-04
208	5	1.74E-04
209	5	2.12E-04
210	5	2.65E-04
211	5	3.41E-04
212	5	4.55E-04
213	5	6.35E-04
214	5	9.35E-04
215	5	1.94E-03
216	5	3.97E-05
217	5	4.34E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	4.81E-05
219	5	5.42E-05
220	5	6.38E-05
221	5	7.32E-05
222	5	8.56E-05
223	5	9.96E-05
224	5	1.17E-04
225	5	1.37E-04
226	5	1.65E-04
227	5	2.02E-04
228	5	2.54E-04
229	5	3.31E-04
230	5	4.51E-04
231	5	6.65E-04
232	5	1.10E-03
233	5	2.77E-03
234	5	3.80E-05
235	5	4.13E-05
236	5	4.58E-05
237	5	5.18E-05
238	5	5.97E-05
239	5	6.83E-05
240	5	7.92E-05
241	5	9.23E-05
242	5	1.08E-04
243	5	1.28E-04
244	5	1.54E-04
245	5	1.89E-04
246	5	2.37E-04
247	5	3.06E-04
248	5	4.16E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	6.05E-04
250	5	9.98E-04
251	5	2.45E-03
252	5	3.66E-05
253	5	3.96E-05
254	5	4.35E-05
255	5	4.84E-05
256	5	5.66E-05
257	5	6.27E-05
258	5	7.12E-05
259	5	8.15E-05
260	5	9.65E-05
261	5	1.16E-04
262	5	1.41E-04
263	5	1.72E-04
264	5	2.15E-04
265	5	2.75E-04
266	5	3.65E-04
267	5	5.10E-04
268	5	7.72E-04
269	5	1.57E-03
270	5	3.56E-05
271	5	3.86E-05
272	5	4.24E-05
273	5	4.68E-05
274	5	5.51E-05
275	5	6.29E-05
276	5	6.71E-05
277	5	7.60E-05
278	5	8.79E-05
279	5	1.04E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.27E-04
281	5	1.57E-04
282	5	1.95E-04
283	5	2.47E-04
284	5	3.18E-04
285	5	4.20E-04
286	5	5.91E-04
287	5	1.05E-03
288	5	3.50E-05
289	5	3.77E-05
290	5	4.21E-05
291	5	4.68E-05
292	5	5.69E-05
293	5	6.19E-05
294	5	6.38E-05
295	5	7.24E-05
296	5	8.34E-05
297	5	9.59E-05
298	5	1.14E-04
299	5	1.41E-04
300	5	1.72E-04
301	5	2.16E-04
302	5	2.72E-04
303	5	3.50E-04
304	5	4.70E-04
305	5	7.58E-04
306	5	3.62E-05
307	5	3.81E-05
308	5	4.14E-05
309	5	4.83E-05
310	5	5.56E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	6.01E-05
312	5	6.06E-05
313	5	6.84E-05
314	5	7.83E-05
315	5	9.31E-05
316	5	1.06E-04
317	5	1.24E-04
318	5	1.49E-04
319	5	1.85E-04
320	5	2.36E-04
321	5	2.94E-04
322	5	3.80E-04
323	5	5.67E-04
324	5	3.55E-05
325	5	3.94E-05
326	5	4.25E-05
327	5	4.52E-05
328	5	5.47E-05
329	5	5.81E-05
330	5	5.89E-05
331	5	6.63E-05
332	5	7.57E-05
333	5	8.93E-05
334	5	1.03E-04
335	5	1.19E-04
336	5	3.47E-04
337	5	3.65E-04
338	5	4.05E-05
339	5	4.32E-05
340	5	4.93E-05
341	5	5.24E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	5.42E-05
343	5	5.68E-05
344	5	5.77E-05
345	5	5.81E-05
346	5	5.81E-05
347	5	4.38E-05
348	5	4.80E-05
349	5	5.62E-05
350	5	5.86E-05
351	5	6.06E-05
352	5	6.40E-05
353	5	6.50E-05
354	5	6.52E-05
355	5	6.53E-05
356	5	4.78E-05
357	5	5.15E-05
358	5	5.63E-05
359	5	6.41E-05
360	5	6.84E-05
361	5	7.27E-05
362	5	7.39E-05
363	5	7.41E-05
364	5	5.31E-05
365	5	5.63E-05
366	5	6.22E-05
367	5	7.25E-05
368	5	7.78E-05
369	5	8.34E-05
370	5	8.58E-05
371	5	8.56E-05
372	5	6.02E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	6.37E-05
374	5	7.09E-05
375	5	8.30E-05
376	5	8.98E-05
377	5	9.41E-05
378	5	9.71E-05
379	5	1.00E-04
380	5	1.00E-04
381	5	9.89E-05
382	5	7.03E-05
383	5	7.63E-05
384	5	8.26E-05
385	5	9.89E-05
386	5	1.05E-04
387	5	1.11E-04
388	5	1.15E-04
389	5	1.18E-04
390	5	1.18E-04
391	5	1.17E-04
392	5	1.13E-04
393	5	8.38E-05
394	5	9.99E-05
395	5	1.11E-04
396	5	1.20E-04
397	5	1.28E-04
398	5	1.32E-04
399	5	1.34E-04
400	5	1.43E-04
401	5	1.42E-04
402	5	1.34E-04
403	5	1.74E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.63E-04
405	5	1.53E-04
406	5	2.20E-04
407	5	1.85E-04
408	5	2.88E-04
409	5	2.27E-04
410	5	3.94E-04
411	5	3.21E-04
412	5	2.85E-04
413	5	5.76E-04
414	5	4.78E-04
415	5	4.11E-04
416	5	3.46E-04
417	5	9.18E-04
418	5	5.19E-04
419	5	4.09E-04
420	5	3.22E-04
421	5	1.65E-03
422	5	4.57E-04
423	5	3.44E-04
424	5	3.32E-03
425	5	3.45E-04
426	5	2.61E-04
427	5	5.85E-03
428	5	3.28E-04
429	5	2.49E-04
430	5	5.42E-03
431	5	2.32E-04
432	5	1.83E-04
433	5	3.37E-03
434	5	2.15E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.72E-04
436	5	2.08E-03
437	5	2.51E-04
438	5	1.98E-04
439	5	1.60E-04
440	5	1.34E-03
441	5	4.04E-04
442	5	2.95E-04
443	5	2.27E-04
444	5	1.81E-04
445	5	9.13E-04
446	5	5.01E-04
447	5	3.57E-04
448	5	2.65E-04
449	5	6.55E-04
450	5	5.48E-04
451	5	4.21E-04
452	5	4.89E-04
453	5	4.32E-04
454	5	1.17E-04
455	5	1.01E-04
456	5	3.78E-04
457	5	3.46E-04
458	5	2.95E-04
459	5	1.57E-04
460	5	1.30E-04
461	5	1.10E-04
462	5	9.42E-05
463	5	4.02E-04
464	5	4.32E-04
465	5	6.12E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	7.46E-04
467	5	1.04E-03
468	5	2.15E-03
469	5	7.23E-03
470	5	5.23E-03
471	5	8.88E-03
472	5	7.17E-03
473	5	7.63E-03
474	5	3.35E-03
475	5	5.68E-03
476	5	1.80E-03
477	5	2.51E-03
478	5	1.10E-03
479	5	1.40E-03
480	5	1.39E-03
481	5	7.42E-04
482	5	9.12E-04
483	5	6.19E-04
484	5	6.41E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24522	3.12E-02	7.7E-03	1.05E-03	8.00E-06	3.32E-01	1.57E-01	4.17E-07	1.0E+06	4.2E-01
2	0.25812	3.12E-02	8.1E-03	1.05E-03	8.42E-06	3.32E-01	1.57E-01	4.39E-07	1.0E+06	4.4E-01
3	0.27182	3.12E-02	8.5E-03	1.05E-03	8.87E-06	3.32E-01	1.57E-01	4.62E-07	1.0E+06	4.6E-01
4	0.28694	3.12E-02	9.0E-03	1.05E-03	9.36E-06	3.32E-01	1.57E-01	4.88E-07	1.0E+06	4.9E-01
5	0.30421	3.12E-02	9.5E-03	1.05E-03	9.92E-06	3.32E-01	1.57E-01	5.17E-07	1.0E+06	5.2E-01
6	0.32665	3.12E-02	1.0E-02	1.05E-03	1.07E-05	3.32E-01	1.57E-01	5.55E-07	1.0E+06	5.6E-01
7	0.35525	3.12E-02	1.1E-02	1.05E-03	1.16E-05	3.32E-01	1.57E-01	6.04E-07	1.0E+06	6.0E-01
8	0.38621	3.12E-02	1.2E-02	1.05E-03	1.26E-05	3.32E-01	1.57E-01	6.56E-07	1.0E+06	6.6E-01
9	0.42233	3.12E-02	1.3E-02	1.05E-03	1.38E-05	3.32E-01	1.57E-01	7.18E-07	1.0E+06	7.2E-01
10	0.46134	3.12E-02	1.4E-02	1.05E-03	1.51E-05	3.32E-01	1.57E-01	7.84E-07	1.0E+06	7.8E-01
11	0.50584	3.12E-02	1.6E-02	1.05E-03	1.65E-05	3.32E-01	1.57E-01	8.60E-07	1.0E+06	8.6E-01
12	0.54691	3.12E-02	1.7E-02	1.05E-03	1.78E-05	3.32E-01	1.57E-01	9.29E-07	1.0E+06	9.3E-01
13	0.5752	3.12E-02	1.8E-02	1.05E-03	1.88E-05	3.32E-01	1.57E-01	9.78E-07	1.0E+06	9.8E-01
14	0.55713	3.12E-02	1.7E-02	1.05E-03	1.82E-05	3.32E-01	1.57E-01	9.47E-07	1.0E+06	9.5E-01
15	0.27871	3.12E-02	8.7E-03	1.05E-03	9.09E-06	3.32E-01	1.57E-01	4.74E-07	1.0E+06	4.7E-01
16	0.29601	3.12E-02	9.2E-03	1.05E-03	9.66E-06	3.32E-01	1.57E-01	5.03E-07	1.0E+06	5.0E-01
17	0.31614	3.12E-02	9.9E-03	1.05E-03	1.03E-05	3.32E-01	1.57E-01	5.37E-07	1.0E+06	5.4E-01
18	0.33621	3.12E-02	1.0E-02	1.05E-03	1.10E-05	3.32E-01	1.57E-01	5.71E-07	1.0E+06	5.7E-01
19	0.35725	3.12E-02	1.1E-02	1.05E-03	1.17E-05	3.32E-01	1.57E-01	6.07E-07	1.0E+06	6.1E-01
20	0.38354	3.12E-02	1.2E-02	1.05E-03	1.25E-05	3.32E-01	1.57E-01	6.52E-07	1.0E+06	6.5E-01
21	0.41325	3.12E-02	1.3E-02	1.05E-03	1.35E-05	3.32E-01	1.57E-01	7.02E-07	1.0E+06	7.0E-01
22	0.45075	3.12E-02	1.4E-02	1.05E-03	1.47E-05	3.32E-01	1.57E-01	7.66E-07	1.0E+06	7.7E-01
23	0.50138	3.12E-02	1.6E-02	1.05E-03	1.64E-05	3.32E-01	1.57E-01	8.52E-07	1.0E+06	8.5E-01
24	0.54771	3.12E-02	1.7E-02	1.05E-03	1.79E-05	3.32E-01	1.57E-01	9.31E-07	1.0E+06	9.3E-01
25	0.60994	3.12E-02	1.9E-02	1.05E-03	1.99E-05	3.32E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
26	0.66721	3.12E-02	2.1E-02	1.05E-03	2.18E-05	3.32E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
27	0.70269	3.12E-02	2.2E-02	1.05E-03	2.29E-05	3.32E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
28	0.67847	3.12E-02	2.1E-02	1.05E-03	2.21E-05	3.32E-01	1.57E-01	1.15E-06	1.0E+06	1.2E+00
29	0.31274	3.12E-02	9.8E-03	1.05E-03	1.02E-05	3.32E-01	1.57E-01	5.31E-07	1.0E+06	5.3E-01
30	0.33825	3.12E-02	1.1E-02	1.05E-03	1.10E-05	3.32E-01	1.57E-01	5.75E-07	1.0E+06	5.7E-01
31	0.3674	3.12E-02	1.1E-02	1.05E-03	1.20E-05	3.32E-01	1.57E-01	6.24E-07	1.0E+06	6.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.39913	3.12E-02	1.2E-02	1.05E-03	1.30E-05	3.32E-01	1.57E-01	6.78E-07	1.0E+06	6.8E-01
33	0.42599	3.12E-02	1.3E-02	1.05E-03	1.39E-05	3.32E-01	1.57E-01	7.24E-07	1.0E+06	7.2E-01
34	0.46028	3.12E-02	1.4E-02	1.05E-03	1.50E-05	3.32E-01	1.57E-01	7.82E-07	1.0E+06	7.8E-01
35	0.49742	3.12E-02	1.6E-02	1.05E-03	1.62E-05	3.32E-01	1.57E-01	8.45E-07	1.0E+06	8.5E-01
36	0.5441	3.12E-02	1.7E-02	1.05E-03	1.78E-05	3.32E-01	1.57E-01	9.25E-07	1.0E+06	9.2E-01
37	0.60298	3.12E-02	1.9E-02	1.05E-03	1.97E-05	3.32E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
38	0.67584	3.12E-02	2.1E-02	1.05E-03	2.20E-05	3.32E-01	1.57E-01	1.15E-06	1.0E+06	1.1E+00
39	0.75362	3.12E-02	2.4E-02	1.05E-03	2.46E-05	3.32E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
40	0.82458	3.12E-02	2.6E-02	1.05E-03	2.69E-05	3.32E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
41	0.88192	3.12E-02	2.8E-02	1.05E-03	2.88E-05	3.32E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
42	0.84179	3.12E-02	2.6E-02	1.05E-03	2.75E-05	3.32E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
43	0.3419	3.12E-02	1.1E-02	1.05E-03	1.12E-05	3.32E-01	1.57E-01	5.81E-07	1.0E+06	5.8E-01
44	0.37456	3.12E-02	1.2E-02	1.05E-03	1.22E-05	3.32E-01	1.57E-01	6.37E-07	1.0E+06	6.4E-01
45	0.41658	3.12E-02	1.3E-02	1.05E-03	1.36E-05	3.32E-01	1.57E-01	7.08E-07	1.0E+06	7.1E-01
46	0.46349	3.12E-02	1.4E-02	1.05E-03	1.51E-05	3.32E-01	1.57E-01	7.88E-07	1.0E+06	7.9E-01
47	0.50951	3.12E-02	1.6E-02	1.05E-03	1.66E-05	3.32E-01	1.57E-01	8.66E-07	1.0E+06	8.7E-01
48	0.55797	3.12E-02	1.7E-02	1.05E-03	1.82E-05	3.32E-01	1.57E-01	9.48E-07	1.0E+06	9.5E-01
49	0.60926	3.12E-02	1.9E-02	1.05E-03	1.99E-05	3.32E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
50	0.66552	3.12E-02	2.1E-02	1.05E-03	2.17E-05	3.32E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
51	0.75822	3.12E-02	2.4E-02	1.05E-03	2.47E-05	3.32E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
52	0.85126	3.12E-02	2.7E-02	1.05E-03	2.78E-05	3.32E-01	1.57E-01	1.45E-06	1.0E+06	1.4E+00
53	0.96684	3.12E-02	3.0E-02	1.05E-03	3.15E-05	3.32E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
54	1.07266	3.12E-02	3.3E-02	1.05E-03	3.50E-05	3.32E-01	1.57E-01	1.82E-06	1.0E+06	1.8E+00
55	1.15752	3.12E-02	3.6E-02	1.05E-03	3.78E-05	3.32E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
56	1.05945	3.12E-02	3.3E-02	1.05E-03	3.46E-05	3.32E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
57	0.36224	3.12E-02	1.1E-02	1.05E-03	1.18E-05	3.32E-01	1.57E-01	6.16E-07	1.0E+06	6.2E-01
58	0.4086	3.12E-02	1.3E-02	1.05E-03	1.33E-05	3.32E-01	1.57E-01	6.94E-07	1.0E+06	6.9E-01
59	0.46663	3.12E-02	1.5E-02	1.05E-03	1.52E-05	3.32E-01	1.57E-01	7.93E-07	1.0E+06	7.9E-01
60	0.53196	3.12E-02	1.7E-02	1.05E-03	1.74E-05	3.32E-01	1.57E-01	9.04E-07	1.0E+06	9.0E-01
61	0.6059	3.12E-02	1.9E-02	1.05E-03	1.98E-05	3.32E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
62	0.68687	3.12E-02	2.1E-02	1.05E-03	2.24E-05	3.32E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.7816	3.12E-02	2.4E-02	1.05E-03	2.55E-05	3.32E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
64	0.85518	3.12E-02	2.7E-02	1.05E-03	2.79E-05	3.32E-01	1.57E-01	1.45E-06	1.0E+06	1.5E+00
65	0.98486	3.12E-02	3.1E-02	1.05E-03	3.21E-05	3.32E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
66	1.13862	3.12E-02	3.6E-02	1.05E-03	3.71E-05	3.32E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
67	1.29122	3.12E-02	4.0E-02	1.05E-03	4.21E-05	3.32E-01	1.57E-01	2.19E-06	1.0E+06	2.2E+00
68	1.46923	3.12E-02	4.6E-02	1.05E-03	4.79E-05	3.32E-01	1.57E-01	2.50E-06	1.0E+06	2.5E+00
69	1.61487	3.12E-02	5.0E-02	1.05E-03	5.27E-05	3.32E-01	1.57E-01	2.74E-06	1.0E+06	2.7E+00
70	0.38587	3.12E-02	1.2E-02	1.05E-03	1.26E-05	3.32E-01	1.57E-01	6.56E-07	1.0E+06	6.6E-01
71	0.44138	3.12E-02	1.4E-02	1.05E-03	1.44E-05	3.32E-01	1.57E-01	7.50E-07	1.0E+06	7.5E-01
72	0.51499	3.12E-02	1.6E-02	1.05E-03	1.68E-05	3.32E-01	1.57E-01	8.75E-07	1.0E+06	8.8E-01
73	0.59943	3.12E-02	1.9E-02	1.05E-03	1.96E-05	3.32E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
74	0.70697	3.12E-02	2.2E-02	1.05E-03	2.31E-05	3.32E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
75	0.83321	3.12E-02	2.6E-02	1.05E-03	2.72E-05	3.32E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
76	0.99536	3.12E-02	3.1E-02	1.05E-03	3.25E-05	3.32E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
77	1.15904	3.12E-02	3.6E-02	1.05E-03	3.78E-05	3.32E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
78	1.38678	3.12E-02	4.3E-02	1.05E-03	4.52E-05	3.32E-01	1.57E-01	2.36E-06	1.0E+06	2.4E+00
79	1.72999	3.12E-02	5.4E-02	1.05E-03	5.64E-05	3.32E-01	1.57E-01	2.94E-06	1.0E+06	2.9E+00
80	1.95913	3.12E-02	6.1E-02	1.05E-03	6.39E-05	3.32E-01	1.57E-01	3.33E-06	1.0E+06	3.3E+00
81	2.26974	3.12E-02	7.1E-02	1.05E-03	7.40E-05	3.32E-01	1.57E-01	3.86E-06	1.0E+06	3.9E+00
82	2.4321	3.12E-02	7.6E-02	1.05E-03	7.93E-05	3.32E-01	1.57E-01	4.13E-06	1.0E+06	4.1E+00
83	0.40751	3.12E-02	1.3E-02	1.05E-03	1.33E-05	3.32E-01	1.57E-01	6.93E-07	1.0E+06	6.9E-01
84	0.48107	3.12E-02	1.5E-02	1.05E-03	1.57E-05	3.32E-01	1.57E-01	8.18E-07	1.0E+06	8.2E-01
85	0.57125	3.12E-02	1.8E-02	1.05E-03	1.86E-05	3.32E-01	1.57E-01	9.71E-07	1.0E+06	9.7E-01
86	0.65944	3.12E-02	2.1E-02	1.05E-03	2.15E-05	3.32E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
87	0.793	3.12E-02	2.5E-02	1.05E-03	2.59E-05	3.32E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
88	0.9744	3.12E-02	3.0E-02	1.05E-03	3.18E-05	3.32E-01	1.57E-01	1.66E-06	1.0E+06	1.7E+00
89	1.22894	3.12E-02	3.8E-02	1.05E-03	4.01E-05	3.32E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
90	1.58842	3.12E-02	5.0E-02	1.05E-03	5.18E-05	3.32E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
91	2.07909	3.12E-02	6.5E-02	1.05E-03	6.78E-05	3.32E-01	1.57E-01	3.53E-06	1.0E+06	3.5E+00
92	2.673	3.12E-02	8.3E-02	1.05E-03	8.72E-05	3.32E-01	1.57E-01	4.54E-06	1.0E+06	4.5E+00
93	3.26073	3.12E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.54E-06	1.0E+06	5.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.7105	3.12E-02	1.2E-01	1.05E-03	1.21E-04	3.32E-01	1.57E-01	6.31E-06	1.0E+06	6.3E+00
95	3.97772	3.12E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.76E-06	1.0E+06	6.8E+00
96	0.42783	3.12E-02	1.3E-02	1.05E-03	1.40E-05	3.32E-01	1.57E-01	7.27E-07	1.0E+06	7.3E-01
97	0.50509	3.12E-02	1.6E-02	1.05E-03	1.65E-05	3.32E-01	1.57E-01	8.58E-07	1.0E+06	8.6E-01
98	0.59829	3.12E-02	1.9E-02	1.05E-03	1.95E-05	3.32E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
99	0.71884	3.12E-02	2.2E-02	1.05E-03	2.35E-05	3.32E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
100	0.87437	3.12E-02	2.7E-02	1.05E-03	2.85E-05	3.32E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
101	1.11264	3.12E-02	3.5E-02	1.05E-03	3.63E-05	3.32E-01	1.57E-01	1.89E-06	1.0E+06	1.9E+00
102	1.49032	3.12E-02	4.7E-02	1.05E-03	4.86E-05	3.32E-01	1.57E-01	2.53E-06	1.0E+06	2.5E+00
103	2.11062	3.12E-02	6.6E-02	1.05E-03	6.89E-05	3.32E-01	1.57E-01	3.59E-06	1.0E+06	3.6E+00
104	3.18262	3.12E-02	9.9E-02	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.41E-06	1.0E+06	5.4E+00
105	4.82918	3.12E-02	1.5E-01	1.05E-03	1.58E-04	3.32E-01	1.57E-01	8.21E-06	1.0E+06	8.2E+00
106	6.35044	3.12E-02	2.0E-01	1.05E-03	2.07E-04	3.32E-01	1.57E-01	1.08E-05	1.0E+06	1.1E+01
107	7.24945	3.12E-02	2.3E-01	1.05E-03	2.36E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
108	7.70358	3.12E-02	2.4E-01	1.05E-03	2.51E-04	3.32E-01	1.57E-01	1.31E-05	1.0E+06	1.3E+01
109	0.42527	3.12E-02	1.3E-02	1.05E-03	1.39E-05	3.32E-01	1.57E-01	7.23E-07	1.0E+06	7.2E-01
110	0.50003	3.12E-02	1.6E-02	1.05E-03	1.63E-05	3.32E-01	1.57E-01	8.50E-07	1.0E+06	8.5E-01
111	0.59613	3.12E-02	1.9E-02	1.05E-03	1.94E-05	3.32E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
112	0.72796	3.12E-02	2.3E-02	1.05E-03	2.37E-05	3.32E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
113	0.92025	3.12E-02	2.9E-02	1.05E-03	3.00E-05	3.32E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
114	1.21078	3.12E-02	3.8E-02	1.05E-03	3.95E-05	3.32E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
115	1.70768	3.12E-02	5.3E-02	1.05E-03	5.57E-05	3.32E-01	1.57E-01	2.90E-06	1.0E+06	2.9E+00
116	2.70228	3.12E-02	8.4E-02	1.05E-03	8.82E-05	3.32E-01	1.57E-01	4.59E-06	1.0E+06	4.6E+00
117	5.36175	3.12E-02	1.7E-01	1.05E-03	1.75E-04	3.32E-01	1.57E-01	9.11E-06	1.0E+06	9.1E+00
118	6.35201	3.12E-02	2.0E-01	1.05E-03	2.07E-04	3.32E-01	1.57E-01	1.08E-05	1.0E+06	1.1E+01
119	10.08642	3.12E-02	3.1E-01	1.05E-03	3.29E-04	3.32E-01	1.57E-01	1.71E-05	1.0E+06	1.7E+01
120	11.26207	3.12E-02	3.5E-01	1.05E-03	3.67E-04	3.32E-01	1.57E-01	1.91E-05	1.0E+06	1.9E+01
121	11.09892	3.12E-02	3.5E-01	1.05E-03	3.62E-04	3.32E-01	1.57E-01	1.89E-05	1.0E+06	1.9E+01
122	0.40376	3.12E-02	1.3E-02	1.05E-03	1.32E-05	3.32E-01	1.57E-01	6.86E-07	1.0E+06	6.9E-01
123	0.47827	3.12E-02	1.5E-02	1.05E-03	1.56E-05	3.32E-01	1.57E-01	8.13E-07	1.0E+06	8.1E-01
124	0.57738	3.12E-02	1.8E-02	1.05E-03	1.88E-05	3.32E-01	1.57E-01	9.81E-07	1.0E+06	9.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.71334	3.12E-02	2.2E-02	1.05E-03	2.33E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
126	0.90625	3.12E-02	2.8E-02	1.05E-03	2.96E-05	3.32E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
127	1.20749	3.12E-02	3.8E-02	1.05E-03	3.94E-05	3.32E-01	1.57E-01	2.05E-06	1.0E+06	2.1E+00
128	1.67153	3.12E-02	5.2E-02	1.05E-03	5.45E-05	3.32E-01	1.57E-01	2.84E-06	1.0E+06	2.8E+00
129	2.7297	3.12E-02	8.5E-02	1.05E-03	8.91E-05	3.32E-01	1.57E-01	4.64E-06	1.0E+06	4.6E+00
130	6.66669	3.12E-02	2.1E-01	1.05E-03	2.17E-04	3.32E-01	1.57E-01	1.13E-05	1.0E+06	1.1E+01
131	2.17942	3.12E-02	6.8E-02	1.05E-03	7.11E-05	3.32E-01	1.57E-01	3.70E-06	1.0E+06	3.7E+00
132	1.5364	3.12E-02	4.8E-02	1.05E-03	5.01E-05	3.32E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
133	0.37253	3.12E-02	1.2E-02	1.05E-03	1.22E-05	3.32E-01	1.57E-01	6.33E-07	1.0E+06	6.3E-01
134	0.44783	3.12E-02	1.4E-02	1.05E-03	1.46E-05	3.32E-01	1.57E-01	7.61E-07	1.0E+06	7.6E-01
135	0.54393	3.12E-02	1.7E-02	1.05E-03	1.77E-05	3.32E-01	1.57E-01	9.24E-07	1.0E+06	9.2E-01
136	0.66975	3.12E-02	2.1E-02	1.05E-03	2.18E-05	3.32E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
137	0.8492	3.12E-02	2.7E-02	1.05E-03	2.77E-05	3.32E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
138	1.11161	3.12E-02	3.5E-02	1.05E-03	3.63E-05	3.32E-01	1.57E-01	1.89E-06	1.0E+06	1.9E+00
139	1.51637	3.12E-02	4.7E-02	1.05E-03	4.95E-05	3.32E-01	1.57E-01	2.58E-06	1.0E+06	2.6E+00
140	2.33444	3.12E-02	7.3E-02	1.05E-03	7.62E-05	3.32E-01	1.57E-01	3.97E-06	1.0E+06	4.0E+00
141	4.56552	3.12E-02	1.4E-01	1.05E-03	1.49E-04	3.32E-01	1.57E-01	7.76E-06	1.0E+06	7.8E+00
142	6.41914	3.12E-02	2.0E-01	1.05E-03	2.09E-04	3.32E-01	1.57E-01	1.09E-05	1.0E+06	1.1E+01
143	10.17338	3.12E-02	3.2E-01	1.05E-03	3.32E-04	3.32E-01	1.57E-01	1.73E-05	1.0E+06	1.7E+01
144	13.38661	3.12E-02	4.2E-01	1.05E-03	4.37E-04	3.32E-01	1.57E-01	2.28E-05	1.0E+06	2.3E+01
145	13.51679	3.12E-02	4.2E-01	1.05E-03	4.41E-04	3.32E-01	1.57E-01	2.30E-05	1.0E+06	2.3E+01
146	2.14495	3.12E-02	6.7E-02	1.05E-03	7.00E-05	3.32E-01	1.57E-01	3.65E-06	1.0E+06	3.6E+00
147	0.34214	3.12E-02	1.1E-02	1.05E-03	1.12E-05	3.32E-01	1.57E-01	5.81E-07	1.0E+06	5.8E-01
148	0.40831	3.12E-02	1.3E-02	1.05E-03	1.33E-05	3.32E-01	1.57E-01	6.94E-07	1.0E+06	6.9E-01
149	0.49577	3.12E-02	1.5E-02	1.05E-03	1.62E-05	3.32E-01	1.57E-01	8.43E-07	1.0E+06	8.4E-01
150	0.60785	3.12E-02	1.9E-02	1.05E-03	1.98E-05	3.32E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
151	0.7688	3.12E-02	2.4E-02	1.05E-03	2.51E-05	3.32E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
152	0.9823	3.12E-02	3.1E-02	1.05E-03	3.20E-05	3.32E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
153	1.30396	3.12E-02	4.1E-02	1.05E-03	4.25E-05	3.32E-01	1.57E-01	2.22E-06	1.0E+06	2.2E+00
154	1.88437	3.12E-02	5.9E-02	1.05E-03	6.15E-05	3.32E-01	1.57E-01	3.20E-06	1.0E+06	3.2E+00
155	3.08613	3.12E-02	9.6E-02	1.05E-03	1.01E-04	3.32E-01	1.57E-01	5.24E-06	1.0E+06	5.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	5.26306	3.12E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.94E-06	1.0E+06	8.9E+00
157	6.91686	3.12E-02	2.2E-01	1.05E-03	2.26E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
158	7.28102	3.12E-02	2.3E-01	1.05E-03	2.38E-04	3.32E-01	1.57E-01	1.24E-05	1.0E+06	1.2E+01
159	7.92875	3.12E-02	2.5E-01	1.05E-03	2.59E-04	3.32E-01	1.57E-01	1.35E-05	1.0E+06	1.3E+01
160	0.32054	3.12E-02	1.0E-02	1.05E-03	1.05E-05	3.32E-01	1.57E-01	5.45E-07	1.0E+06	5.4E-01
161	0.37294	3.12E-02	1.2E-02	1.05E-03	1.22E-05	3.32E-01	1.57E-01	6.34E-07	1.0E+06	6.3E-01
162	0.43383	3.12E-02	1.4E-02	1.05E-03	1.42E-05	3.32E-01	1.57E-01	7.37E-07	1.0E+06	7.4E-01
163	0.53585	3.12E-02	1.7E-02	1.05E-03	1.75E-05	3.32E-01	1.57E-01	9.11E-07	1.0E+06	9.1E-01
164	0.68088	3.12E-02	2.1E-02	1.05E-03	2.22E-05	3.32E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
165	0.85225	3.12E-02	2.7E-02	1.05E-03	2.78E-05	3.32E-01	1.57E-01	1.45E-06	1.0E+06	1.4E+00
166	1.10586	3.12E-02	3.5E-02	1.05E-03	3.61E-05	3.32E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
167	1.49488	3.12E-02	4.7E-02	1.05E-03	4.88E-05	3.32E-01	1.57E-01	2.54E-06	1.0E+06	2.5E+00
168	2.14007	3.12E-02	6.7E-02	1.05E-03	6.98E-05	3.32E-01	1.57E-01	3.64E-06	1.0E+06	3.6E+00
169	3.09049	3.12E-02	9.6E-02	1.05E-03	1.01E-04	3.32E-01	1.57E-01	5.25E-06	1.0E+06	5.3E+00
170	3.93283	3.12E-02	1.2E-01	1.05E-03	1.28E-04	3.32E-01	1.57E-01	6.68E-06	1.0E+06	6.7E+00
171	4.33042	3.12E-02	1.4E-01	1.05E-03	1.41E-04	3.32E-01	1.57E-01	7.36E-06	1.0E+06	7.4E+00
172	4.55053	3.12E-02	1.4E-01	1.05E-03	1.48E-04	3.32E-01	1.57E-01	7.73E-06	1.0E+06	7.7E+00
173	4.6617	3.12E-02	1.5E-01	1.05E-03	1.52E-04	3.32E-01	1.57E-01	7.92E-06	1.0E+06	7.9E+00
174	4.63839	3.12E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.88E-06	1.0E+06	7.9E+00
175	4.15775	3.12E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.07E-06	1.0E+06	7.1E+00
176	3.29074	3.12E-02	1.0E-01	1.05E-03	1.07E-04	3.32E-01	1.57E-01	5.59E-06	1.0E+06	5.6E+00
177	2.30244	3.12E-02	7.2E-02	1.05E-03	7.51E-05	3.32E-01	1.57E-01	3.91E-06	1.0E+06	3.9E+00
178	1.53757	3.12E-02	4.8E-02	1.05E-03	5.02E-05	3.32E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
179	0.29019	3.12E-02	9.1E-03	1.05E-03	9.47E-06	3.32E-01	1.57E-01	4.93E-07	1.0E+06	4.9E-01
180	0.33117	3.12E-02	1.0E-02	1.05E-03	1.08E-05	3.32E-01	1.57E-01	5.63E-07	1.0E+06	5.6E-01
181	0.37418	3.12E-02	1.2E-02	1.05E-03	1.22E-05	3.32E-01	1.57E-01	6.36E-07	1.0E+06	6.4E-01
182	0.46724	3.12E-02	1.5E-02	1.05E-03	1.52E-05	3.32E-01	1.57E-01	7.94E-07	1.0E+06	7.9E-01
183	0.60354	3.12E-02	1.9E-02	1.05E-03	1.97E-05	3.32E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
184	0.74184	3.12E-02	2.3E-02	1.05E-03	2.42E-05	3.32E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
185	0.93939	3.12E-02	2.9E-02	1.05E-03	3.06E-05	3.32E-01	1.57E-01	1.60E-06	1.0E+06	1.6E+00
186	1.20886	3.12E-02	3.8E-02	1.05E-03	3.94E-05	3.32E-01	1.57E-01	2.05E-06	1.0E+06	2.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	1.59534	3.12E-02	5.0E-02	1.05E-03	5.20E-05	3.32E-01	1.57E-01	2.71E-06	1.0E+06	2.7E+00
188	2.10918	3.12E-02	6.6E-02	1.05E-03	6.88E-05	3.32E-01	1.57E-01	3.58E-06	1.0E+06	3.6E+00
189	2.58029	3.12E-02	8.1E-02	1.05E-03	8.42E-05	3.32E-01	1.57E-01	4.39E-06	1.0E+06	4.4E+00
190	2.87995	3.12E-02	9.0E-02	1.05E-03	9.40E-05	3.32E-01	1.57E-01	4.89E-06	1.0E+06	4.9E+00
191	2.98254	3.12E-02	9.3E-02	1.05E-03	9.73E-05	3.32E-01	1.57E-01	5.07E-06	1.0E+06	5.1E+00
192	3.0049	3.12E-02	9.4E-02	1.05E-03	9.80E-05	3.32E-01	1.57E-01	5.11E-06	1.0E+06	5.1E+00
193	2.90512	3.12E-02	9.1E-02	1.05E-03	9.48E-05	3.32E-01	1.57E-01	4.94E-06	1.0E+06	4.9E+00
194	2.75066	3.12E-02	8.6E-02	1.05E-03	8.97E-05	3.32E-01	1.57E-01	4.67E-06	1.0E+06	4.7E+00
195	2.36182	3.12E-02	7.4E-02	1.05E-03	7.71E-05	3.32E-01	1.57E-01	4.01E-06	1.0E+06	4.0E+00
196	1.79817	3.12E-02	5.6E-02	1.05E-03	5.87E-05	3.32E-01	1.57E-01	3.06E-06	1.0E+06	3.1E+00
197	1.30564	3.12E-02	4.1E-02	1.05E-03	4.26E-05	3.32E-01	1.57E-01	2.22E-06	1.0E+06	2.2E+00
198	0.26895	3.12E-02	8.4E-03	1.05E-03	8.77E-06	3.32E-01	1.57E-01	4.57E-07	1.0E+06	4.6E-01
199	0.30588	3.12E-02	9.5E-03	1.05E-03	9.98E-06	3.32E-01	1.57E-01	5.20E-07	1.0E+06	5.2E-01
200	0.34989	3.12E-02	1.1E-02	1.05E-03	1.14E-05	3.32E-01	1.57E-01	5.95E-07	1.0E+06	5.9E-01
201	0.41345	3.12E-02	1.3E-02	1.05E-03	1.35E-05	3.32E-01	1.57E-01	7.03E-07	1.0E+06	7.0E-01
202	0.5245	3.12E-02	1.6E-02	1.05E-03	1.71E-05	3.32E-01	1.57E-01	8.91E-07	1.0E+06	8.9E-01
203	0.64051	3.12E-02	2.0E-02	1.05E-03	2.09E-05	3.32E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
204	0.79507	3.12E-02	2.5E-02	1.05E-03	2.59E-05	3.32E-01	1.57E-01	1.35E-06	1.0E+06	1.4E+00
205	0.98978	3.12E-02	3.1E-02	1.05E-03	3.23E-05	3.32E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
206	1.24675	3.12E-02	3.9E-02	1.05E-03	4.07E-05	3.32E-01	1.57E-01	2.12E-06	1.0E+06	2.1E+00
207	1.55455	3.12E-02	4.9E-02	1.05E-03	5.07E-05	3.32E-01	1.57E-01	2.64E-06	1.0E+06	2.6E+00
208	1.85416	3.12E-02	5.8E-02	1.05E-03	6.05E-05	3.32E-01	1.57E-01	3.15E-06	1.0E+06	3.2E+00
209	2.06719	3.12E-02	6.5E-02	1.05E-03	6.74E-05	3.32E-01	1.57E-01	3.51E-06	1.0E+06	3.5E+00
210	2.16636	3.12E-02	6.8E-02	1.05E-03	7.07E-05	3.32E-01	1.57E-01	3.68E-06	1.0E+06	3.7E+00
211	2.15679	3.12E-02	6.7E-02	1.05E-03	7.04E-05	3.32E-01	1.57E-01	3.67E-06	1.0E+06	3.7E+00
212	2.06018	3.12E-02	6.4E-02	1.05E-03	6.72E-05	3.32E-01	1.57E-01	3.50E-06	1.0E+06	3.5E+00
213	1.86154	3.12E-02	5.8E-02	1.05E-03	6.07E-05	3.32E-01	1.57E-01	3.16E-06	1.0E+06	3.2E+00
214	1.58195	3.12E-02	4.9E-02	1.05E-03	5.16E-05	3.32E-01	1.57E-01	2.69E-06	1.0E+06	2.7E+00
215	1.4515	3.12E-02	4.5E-02	1.05E-03	4.74E-05	3.32E-01	1.57E-01	2.47E-06	1.0E+06	2.5E+00
216	0.25394	3.12E-02	7.9E-03	1.05E-03	8.28E-06	3.32E-01	1.57E-01	4.32E-07	1.0E+06	4.3E-01
217	0.28402	3.12E-02	8.9E-03	1.05E-03	9.27E-06	3.32E-01	1.57E-01	4.83E-07	1.0E+06	4.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.32252	3.12E-02	1.0E-02	1.05E-03	1.05E-05	3.32E-01	1.57E-01	5.48E-07	1.0E+06	5.5E-01
219	0.37256	3.12E-02	1.2E-02	1.05E-03	1.22E-05	3.32E-01	1.57E-01	6.33E-07	1.0E+06	6.3E-01
220	0.45636	3.12E-02	1.4E-02	1.05E-03	1.49E-05	3.32E-01	1.57E-01	7.76E-07	1.0E+06	7.8E-01
221	0.54246	3.12E-02	1.7E-02	1.05E-03	1.77E-05	3.32E-01	1.57E-01	9.22E-07	1.0E+06	9.2E-01
222	0.66438	3.12E-02	2.1E-02	1.05E-03	2.17E-05	3.32E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
223	0.80689	3.12E-02	2.5E-02	1.05E-03	2.63E-05	3.32E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
224	0.98601	3.12E-02	3.1E-02	1.05E-03	3.22E-05	3.32E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
225	1.18396	3.12E-02	3.7E-02	1.05E-03	3.86E-05	3.32E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
226	1.39003	3.12E-02	4.3E-02	1.05E-03	4.53E-05	3.32E-01	1.57E-01	2.36E-06	1.0E+06	2.4E+00
227	1.54365	3.12E-02	4.8E-02	1.05E-03	5.04E-05	3.32E-01	1.57E-01	2.62E-06	1.0E+06	2.6E+00
228	1.62944	3.12E-02	5.1E-02	1.05E-03	5.32E-05	3.32E-01	1.57E-01	2.77E-06	1.0E+06	2.8E+00
229	1.63849	3.12E-02	5.1E-02	1.05E-03	5.35E-05	3.32E-01	1.57E-01	2.78E-06	1.0E+06	2.8E+00
230	1.57097	3.12E-02	4.9E-02	1.05E-03	5.13E-05	3.32E-01	1.57E-01	2.67E-06	1.0E+06	2.7E+00
231	1.45346	3.12E-02	4.5E-02	1.05E-03	4.74E-05	3.32E-01	1.57E-01	2.47E-06	1.0E+06	2.5E+00
232	1.28041	3.12E-02	4.0E-02	1.05E-03	4.18E-05	3.32E-01	1.57E-01	2.18E-06	1.0E+06	2.2E+00
233	1.18274	3.12E-02	3.7E-02	1.05E-03	3.86E-05	3.32E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
234	0.23974	3.12E-02	7.5E-03	1.05E-03	7.82E-06	3.32E-01	1.57E-01	4.07E-07	1.0E+06	4.1E-01
235	0.26365	3.12E-02	8.2E-03	1.05E-03	8.60E-06	3.32E-01	1.57E-01	4.48E-07	1.0E+06	4.5E-01
236	0.29587	3.12E-02	9.2E-03	1.05E-03	9.65E-06	3.32E-01	1.57E-01	5.03E-07	1.0E+06	5.0E-01
237	0.33958	3.12E-02	1.1E-02	1.05E-03	1.11E-05	3.32E-01	1.57E-01	5.77E-07	1.0E+06	5.8E-01
238	0.39927	3.12E-02	1.2E-02	1.05E-03	1.30E-05	3.32E-01	1.57E-01	6.79E-07	1.0E+06	6.8E-01
239	0.46628	3.12E-02	1.5E-02	1.05E-03	1.52E-05	3.32E-01	1.57E-01	7.92E-07	1.0E+06	7.9E-01
240	0.55425	3.12E-02	1.7E-02	1.05E-03	1.81E-05	3.32E-01	1.57E-01	9.42E-07	1.0E+06	9.4E-01
241	0.66256	3.12E-02	2.1E-02	1.05E-03	2.16E-05	3.32E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
242	0.79101	3.12E-02	2.5E-02	1.05E-03	2.58E-05	3.32E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
243	0.93444	3.12E-02	2.9E-02	1.05E-03	3.05E-05	3.32E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
244	1.08389	3.12E-02	3.4E-02	1.05E-03	3.54E-05	3.32E-01	1.57E-01	1.84E-06	1.0E+06	1.8E+00
245	1.2064	3.12E-02	3.8E-02	1.05E-03	3.94E-05	3.32E-01	1.57E-01	2.05E-06	1.0E+06	2.1E+00
246	1.28269	3.12E-02	4.0E-02	1.05E-03	4.18E-05	3.32E-01	1.57E-01	2.18E-06	1.0E+06	2.2E+00
247	1.30234	3.12E-02	4.1E-02	1.05E-03	4.25E-05	3.32E-01	1.57E-01	2.21E-06	1.0E+06	2.2E+00
248	1.2704	3.12E-02	4.0E-02	1.05E-03	4.14E-05	3.32E-01	1.57E-01	2.16E-06	1.0E+06	2.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.18628	3.12E-02	3.7E-02	1.05E-03	3.87E-05	3.32E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
250	1.0767	3.12E-02	3.4E-02	1.05E-03	3.51E-05	3.32E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
251	0.99552	3.12E-02	3.1E-02	1.05E-03	3.25E-05	3.32E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
252	0.22288	3.12E-02	7.0E-03	1.05E-03	7.27E-06	3.32E-01	1.57E-01	3.79E-07	1.0E+06	3.8E-01
253	0.24125	3.12E-02	7.5E-03	1.05E-03	7.87E-06	3.32E-01	1.57E-01	4.10E-07	1.0E+06	4.1E-01
254	0.26526	3.12E-02	8.3E-03	1.05E-03	8.65E-06	3.32E-01	1.57E-01	4.51E-07	1.0E+06	4.5E-01
255	0.29598	3.12E-02	9.2E-03	1.05E-03	9.66E-06	3.32E-01	1.57E-01	5.03E-07	1.0E+06	5.0E-01
256	0.35215	3.12E-02	1.1E-02	1.05E-03	1.15E-05	3.32E-01	1.57E-01	5.98E-07	1.0E+06	6.0E-01
257	0.39078	3.12E-02	1.2E-02	1.05E-03	1.27E-05	3.32E-01	1.57E-01	6.64E-07	1.0E+06	6.6E-01
258	0.44847	3.12E-02	1.4E-02	1.05E-03	1.46E-05	3.32E-01	1.57E-01	7.62E-07	1.0E+06	7.6E-01
259	0.51996	3.12E-02	1.6E-02	1.05E-03	1.70E-05	3.32E-01	1.57E-01	8.84E-07	1.0E+06	8.8E-01
260	0.62139	3.12E-02	1.9E-02	1.05E-03	2.03E-05	3.32E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
261	0.74353	3.12E-02	2.3E-02	1.05E-03	2.43E-05	3.32E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
262	0.86299	3.12E-02	2.7E-02	1.05E-03	2.82E-05	3.32E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
263	0.95593	3.12E-02	3.0E-02	1.05E-03	3.12E-05	3.32E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
264	1.0253	3.12E-02	3.2E-02	1.05E-03	3.34E-05	3.32E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
265	1.0477	3.12E-02	3.3E-02	1.05E-03	3.42E-05	3.32E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
266	1.03328	3.12E-02	3.2E-02	1.05E-03	3.37E-05	3.32E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
267	0.97802	3.12E-02	3.1E-02	1.05E-03	3.19E-05	3.32E-01	1.57E-01	1.66E-06	1.0E+06	1.7E+00
268	0.90078	3.12E-02	2.8E-02	1.05E-03	2.94E-05	3.32E-01	1.57E-01	1.53E-06	1.0E+06	1.5E+00
269	0.8422	3.12E-02	2.6E-02	1.05E-03	2.75E-05	3.32E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
270	0.20609	3.12E-02	6.4E-03	1.05E-03	6.72E-06	3.32E-01	1.57E-01	3.50E-07	1.0E+06	3.5E-01
271	0.22236	3.12E-02	6.9E-03	1.05E-03	7.25E-06	3.32E-01	1.57E-01	3.78E-07	1.0E+06	3.8E-01
272	0.2426	3.12E-02	7.6E-03	1.05E-03	7.91E-06	3.32E-01	1.57E-01	4.12E-07	1.0E+06	4.1E-01
273	0.26659	3.12E-02	8.3E-03	1.05E-03	8.70E-06	3.32E-01	1.57E-01	4.53E-07	1.0E+06	4.5E-01
274	0.31843	3.12E-02	9.9E-03	1.05E-03	1.04E-05	3.32E-01	1.57E-01	5.41E-07	1.0E+06	5.4E-01
275	0.36509	3.12E-02	1.1E-02	1.05E-03	1.19E-05	3.32E-01	1.57E-01	6.20E-07	1.0E+06	6.2E-01
276	0.38581	3.12E-02	1.2E-02	1.05E-03	1.26E-05	3.32E-01	1.57E-01	6.56E-07	1.0E+06	6.6E-01
277	0.43917	3.12E-02	1.4E-02	1.05E-03	1.43E-05	3.32E-01	1.57E-01	7.46E-07	1.0E+06	7.5E-01
278	0.50889	3.12E-02	1.6E-02	1.05E-03	1.66E-05	3.32E-01	1.57E-01	8.65E-07	1.0E+06	8.6E-01
279	0.5928	3.12E-02	1.9E-02	1.05E-03	1.93E-05	3.32E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.69196	3.12E-02	2.2E-02	1.05E-03	2.26E-05	3.32E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
281	0.77845	3.12E-02	2.4E-02	1.05E-03	2.54E-05	3.32E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
282	0.83812	3.12E-02	2.6E-02	1.05E-03	2.73E-05	3.32E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
283	0.86573	3.12E-02	2.7E-02	1.05E-03	2.82E-05	3.32E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
284	0.85995	3.12E-02	2.7E-02	1.05E-03	2.81E-05	3.32E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
285	0.82472	3.12E-02	2.6E-02	1.05E-03	2.69E-05	3.32E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
286	0.76997	3.12E-02	2.4E-02	1.05E-03	2.51E-05	3.32E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
287	0.7249	3.12E-02	2.3E-02	1.05E-03	2.36E-05	3.32E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
288	0.19179	3.12E-02	6.0E-03	1.05E-03	6.26E-06	3.32E-01	1.57E-01	3.26E-07	1.0E+06	3.3E-01
289	0.20415	3.12E-02	6.4E-03	1.05E-03	6.66E-06	3.32E-01	1.57E-01	3.47E-07	1.0E+06	3.5E-01
290	0.22731	3.12E-02	7.1E-03	1.05E-03	7.42E-06	3.32E-01	1.57E-01	3.86E-07	1.0E+06	3.9E-01
291	0.25153	3.12E-02	7.9E-03	1.05E-03	8.21E-06	3.32E-01	1.57E-01	4.27E-07	1.0E+06	4.3E-01
292	0.31346	3.12E-02	9.8E-03	1.05E-03	1.02E-05	3.32E-01	1.57E-01	5.33E-07	1.0E+06	5.3E-01
293	0.33705	3.12E-02	1.1E-02	1.05E-03	1.10E-05	3.32E-01	1.57E-01	5.73E-07	1.0E+06	5.7E-01
294	0.3399	3.12E-02	1.1E-02	1.05E-03	1.11E-05	3.32E-01	1.57E-01	5.78E-07	1.0E+06	5.8E-01
295	0.38573	3.12E-02	1.2E-02	1.05E-03	1.26E-05	3.32E-01	1.57E-01	6.56E-07	1.0E+06	6.6E-01
296	0.44174	3.12E-02	1.4E-02	1.05E-03	1.44E-05	3.32E-01	1.57E-01	7.51E-07	1.0E+06	7.5E-01
297	0.4983	3.12E-02	1.6E-02	1.05E-03	1.63E-05	3.32E-01	1.57E-01	8.47E-07	1.0E+06	8.5E-01
298	0.56731	3.12E-02	1.8E-02	1.05E-03	1.85E-05	3.32E-01	1.57E-01	9.64E-07	1.0E+06	9.6E-01
299	0.64127	3.12E-02	2.0E-02	1.05E-03	2.09E-05	3.32E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
300	0.69	3.12E-02	2.2E-02	1.05E-03	2.25E-05	3.32E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
301	0.72301	3.12E-02	2.3E-02	1.05E-03	2.36E-05	3.32E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
302	0.7295	3.12E-02	2.3E-02	1.05E-03	2.38E-05	3.32E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
303	0.7107	3.12E-02	2.2E-02	1.05E-03	2.32E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
304	0.67196	3.12E-02	2.1E-02	1.05E-03	2.19E-05	3.32E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
305	0.63256	3.12E-02	2.0E-02	1.05E-03	2.06E-05	3.32E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
306	0.19076	3.12E-02	6.0E-03	1.05E-03	6.22E-06	3.32E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01
307	0.1965	3.12E-02	6.1E-03	1.05E-03	6.41E-06	3.32E-01	1.57E-01	3.34E-07	1.0E+06	3.3E-01
308	0.21163	3.12E-02	6.6E-03	1.05E-03	6.90E-06	3.32E-01	1.57E-01	3.60E-07	1.0E+06	3.6E-01
309	0.24993	3.12E-02	7.8E-03	1.05E-03	8.15E-06	3.32E-01	1.57E-01	4.25E-07	1.0E+06	4.2E-01
310	0.2892	3.12E-02	9.0E-03	1.05E-03	9.43E-06	3.32E-01	1.57E-01	4.91E-07	1.0E+06	4.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.30706	3.12E-02	9.6E-03	1.05E-03	1.00E-05	3.32E-01	1.57E-01	5.22E-07	1.0E+06	5.2E-01
312	0.30302	3.12E-02	9.5E-03	1.05E-03	9.89E-06	3.32E-01	1.57E-01	5.15E-07	1.0E+06	5.1E-01
313	0.34058	3.12E-02	1.1E-02	1.05E-03	1.11E-05	3.32E-01	1.57E-01	5.79E-07	1.0E+06	5.8E-01
314	0.38571	3.12E-02	1.2E-02	1.05E-03	1.26E-05	3.32E-01	1.57E-01	6.56E-07	1.0E+06	6.6E-01
315	0.44619	3.12E-02	1.4E-02	1.05E-03	1.46E-05	3.32E-01	1.57E-01	7.58E-07	1.0E+06	7.6E-01
316	0.48737	3.12E-02	1.5E-02	1.05E-03	1.59E-05	3.32E-01	1.57E-01	8.28E-07	1.0E+06	8.3E-01
317	0.53274	3.12E-02	1.7E-02	1.05E-03	1.74E-05	3.32E-01	1.57E-01	9.05E-07	1.0E+06	9.1E-01
318	0.57567	3.12E-02	1.8E-02	1.05E-03	1.88E-05	3.32E-01	1.57E-01	9.78E-07	1.0E+06	9.8E-01
319	0.61162	3.12E-02	1.9E-02	1.05E-03	2.00E-05	3.32E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
320	0.62978	3.12E-02	2.0E-02	1.05E-03	2.05E-05	3.32E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
321	0.61772	3.12E-02	1.9E-02	1.05E-03	2.02E-05	3.32E-01	1.57E-01	1.05E-06	1.0E+06	1.0E+00
322	0.58947	3.12E-02	1.8E-02	1.05E-03	1.92E-05	3.32E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
323	0.55418	3.12E-02	1.7E-02	1.05E-03	1.81E-05	3.32E-01	1.57E-01	9.42E-07	1.0E+06	9.4E-01
324	0.17901	3.12E-02	5.6E-03	1.05E-03	5.84E-06	3.32E-01	1.57E-01	3.04E-07	1.0E+06	3.0E-01
325	0.19809	3.12E-02	6.2E-03	1.05E-03	6.46E-06	3.32E-01	1.57E-01	3.37E-07	1.0E+06	3.4E-01
326	0.21043	3.12E-02	6.6E-03	1.05E-03	6.86E-06	3.32E-01	1.57E-01	3.58E-07	1.0E+06	3.6E-01
327	0.22027	3.12E-02	6.9E-03	1.05E-03	7.19E-06	3.32E-01	1.57E-01	3.74E-07	1.0E+06	3.7E-01
328	0.27094	3.12E-02	8.5E-03	1.05E-03	8.84E-06	3.32E-01	1.57E-01	4.60E-07	1.0E+06	4.6E-01
329	0.28116	3.12E-02	8.8E-03	1.05E-03	9.17E-06	3.32E-01	1.57E-01	4.78E-07	1.0E+06	4.8E-01
330	0.27877	3.12E-02	8.7E-03	1.05E-03	9.09E-06	3.32E-01	1.57E-01	4.74E-07	1.0E+06	4.7E-01
331	0.31121	3.12E-02	9.7E-03	1.05E-03	1.02E-05	3.32E-01	1.57E-01	5.29E-07	1.0E+06	5.3E-01
332	0.34977	3.12E-02	1.1E-02	1.05E-03	1.14E-05	3.32E-01	1.57E-01	5.94E-07	1.0E+06	5.9E-01
333	0.40012	3.12E-02	1.2E-02	1.05E-03	1.31E-05	3.32E-01	1.57E-01	6.80E-07	1.0E+06	6.8E-01
334	0.44075	3.12E-02	1.4E-02	1.05E-03	1.44E-05	3.32E-01	1.57E-01	7.49E-07	1.0E+06	7.5E-01
335	0.47966	3.12E-02	1.5E-02	1.05E-03	1.56E-05	3.32E-01	1.57E-01	8.15E-07	1.0E+06	8.2E-01
336	1.97471	3.12E-02	6.2E-02	1.05E-03	6.44E-05	3.32E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
337	1.3422	3.12E-02	4.2E-02	1.05E-03	4.38E-05	3.32E-01	1.57E-01	2.28E-06	1.0E+06	2.3E+00
338	0.56668	3.12E-02	1.8E-02	1.05E-03	1.85E-05	3.32E-01	1.57E-01	9.63E-07	1.0E+06	9.6E-01
339	0.57604	3.12E-02	1.8E-02	1.05E-03	1.88E-05	3.32E-01	1.57E-01	9.79E-07	1.0E+06	9.8E-01
340	0.5775	3.12E-02	1.8E-02	1.05E-03	1.88E-05	3.32E-01	1.57E-01	9.81E-07	1.0E+06	9.8E-01
341	0.57069	3.12E-02	1.8E-02	1.05E-03	1.86E-05	3.32E-01	1.57E-01	9.70E-07	1.0E+06	9.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.55721	3.12E-02	1.7E-02	1.05E-03	1.82E-05	3.32E-01	1.57E-01	9.47E-07	1.0E+06	9.5E-01
343	0.51363	3.12E-02	1.6E-02	1.05E-03	1.68E-05	3.32E-01	1.57E-01	8.73E-07	1.0E+06	8.7E-01
344	0.48828	3.12E-02	1.5E-02	1.05E-03	1.59E-05	3.32E-01	1.57E-01	8.30E-07	1.0E+06	8.3E-01
345	0.45971	3.12E-02	1.4E-02	1.05E-03	1.50E-05	3.32E-01	1.57E-01	7.81E-07	1.0E+06	7.8E-01
346	0.42748	3.12E-02	1.3E-02	1.05E-03	1.39E-05	3.32E-01	1.57E-01	7.26E-07	1.0E+06	7.3E-01
347	0.69458	3.12E-02	2.2E-02	1.05E-03	2.27E-05	3.32E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
348	0.71117	3.12E-02	2.2E-02	1.05E-03	2.32E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
349	0.71014	3.12E-02	2.2E-02	1.05E-03	2.32E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
350	0.69693	3.12E-02	2.2E-02	1.05E-03	2.27E-05	3.32E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
351	0.68051	3.12E-02	2.1E-02	1.05E-03	2.22E-05	3.32E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
352	0.61121	3.12E-02	1.9E-02	1.05E-03	1.99E-05	3.32E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
353	0.57261	3.12E-02	1.8E-02	1.05E-03	1.87E-05	3.32E-01	1.57E-01	9.73E-07	1.0E+06	9.7E-01
354	0.52467	3.12E-02	1.6E-02	1.05E-03	1.71E-05	3.32E-01	1.57E-01	8.92E-07	1.0E+06	8.9E-01
355	0.48312	3.12E-02	1.5E-02	1.05E-03	1.58E-05	3.32E-01	1.57E-01	8.21E-07	1.0E+06	8.2E-01
356	0.87356	3.12E-02	2.7E-02	1.05E-03	2.85E-05	3.32E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
357	0.90521	3.12E-02	2.8E-02	1.05E-03	2.95E-05	3.32E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
358	0.90366	3.12E-02	2.8E-02	1.05E-03	2.95E-05	3.32E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
359	0.88428	3.12E-02	2.8E-02	1.05E-03	2.88E-05	3.32E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
360	0.84786	3.12E-02	2.6E-02	1.05E-03	2.77E-05	3.32E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
361	0.73319	3.12E-02	2.3E-02	1.05E-03	2.39E-05	3.32E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
362	0.67477	3.12E-02	2.1E-02	1.05E-03	2.20E-05	3.32E-01	1.57E-01	1.15E-06	1.0E+06	1.1E+00
363	0.6046	3.12E-02	1.9E-02	1.05E-03	1.97E-05	3.32E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
364	1.13942	3.12E-02	3.6E-02	1.05E-03	3.72E-05	3.32E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
365	1.17169	3.12E-02	3.7E-02	1.05E-03	3.82E-05	3.32E-01	1.57E-01	1.99E-06	1.0E+06	2.0E+00
366	1.1846	3.12E-02	3.7E-02	1.05E-03	3.86E-05	3.32E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
367	1.14583	3.12E-02	3.6E-02	1.05E-03	3.74E-05	3.32E-01	1.57E-01	1.95E-06	1.0E+06	1.9E+00
368	1.08139	3.12E-02	3.4E-02	1.05E-03	3.53E-05	3.32E-01	1.57E-01	1.84E-06	1.0E+06	1.8E+00
369	0.89181	3.12E-02	2.8E-02	1.05E-03	2.91E-05	3.32E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
370	0.70809	3.12E-02	2.2E-02	1.05E-03	2.31E-05	3.32E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
371	0.61897	3.12E-02	1.9E-02	1.05E-03	2.02E-05	3.32E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
372	1.57861	3.12E-02	4.9E-02	1.05E-03	5.15E-05	3.32E-01	1.57E-01	2.68E-06	1.0E+06	2.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	1.61119	3.12E-02	5.0E-02	1.05E-03	5.26E-05	3.32E-01	1.57E-01	2.74E-06	1.0E+06	2.7E+00
374	1.61527	3.12E-02	5.0E-02	1.05E-03	5.27E-05	3.32E-01	1.57E-01	2.75E-06	1.0E+06	2.7E+00
375	1.53816	3.12E-02	4.8E-02	1.05E-03	5.02E-05	3.32E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
376	1.41279	3.12E-02	4.4E-02	1.05E-03	4.61E-05	3.32E-01	1.57E-01	2.40E-06	1.0E+06	2.4E+00
377	1.25649	3.12E-02	3.9E-02	1.05E-03	4.10E-05	3.32E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
378	1.10053	3.12E-02	3.4E-02	1.05E-03	3.59E-05	3.32E-01	1.57E-01	1.87E-06	1.0E+06	1.9E+00
379	0.81264	3.12E-02	2.5E-02	1.05E-03	2.65E-05	3.32E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
380	0.69418	3.12E-02	2.2E-02	1.05E-03	2.26E-05	3.32E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
381	0.59082	3.12E-02	1.8E-02	1.05E-03	1.93E-05	3.32E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
382	2.3504	3.12E-02	7.3E-02	1.05E-03	7.67E-05	3.32E-01	1.57E-01	3.99E-06	1.0E+06	4.0E+00
383	2.39027	3.12E-02	7.5E-02	1.05E-03	7.80E-05	3.32E-01	1.57E-01	4.06E-06	1.0E+06	4.1E+00
384	2.32804	3.12E-02	7.3E-02	1.05E-03	7.59E-05	3.32E-01	1.57E-01	3.96E-06	1.0E+06	4.0E+00
385	2.15915	3.12E-02	6.7E-02	1.05E-03	7.04E-05	3.32E-01	1.57E-01	3.67E-06	1.0E+06	3.7E+00
386	1.91749	3.12E-02	6.0E-02	1.05E-03	6.26E-05	3.32E-01	1.57E-01	3.26E-06	1.0E+06	3.3E+00
387	1.62751	3.12E-02	5.1E-02	1.05E-03	5.31E-05	3.32E-01	1.57E-01	2.77E-06	1.0E+06	2.8E+00
388	1.3592	3.12E-02	4.2E-02	1.05E-03	4.43E-05	3.32E-01	1.57E-01	2.31E-06	1.0E+06	2.3E+00
389	0.91334	3.12E-02	2.9E-02	1.05E-03	2.98E-05	3.32E-01	1.57E-01	1.55E-06	1.0E+06	1.6E+00
390	0.75131	3.12E-02	2.3E-02	1.05E-03	2.45E-05	3.32E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
391	0.62456	3.12E-02	1.9E-02	1.05E-03	2.04E-05	3.32E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
392	0.51197	3.12E-02	1.6E-02	1.05E-03	1.67E-05	3.32E-01	1.57E-01	8.70E-07	1.0E+06	8.7E-01
393	3.34299	3.12E-02	1.0E-01	1.05E-03	1.09E-04	3.32E-01	1.57E-01	5.68E-06	1.0E+06	5.7E+00
394	3.3105	3.12E-02	1.0E-01	1.05E-03	1.08E-04	3.32E-01	1.57E-01	5.63E-06	1.0E+06	5.6E+00
395	2.91282	3.12E-02	9.1E-02	1.05E-03	9.50E-05	3.32E-01	1.57E-01	4.95E-06	1.0E+06	5.0E+00
396	2.55551	3.12E-02	8.0E-02	1.05E-03	8.34E-05	3.32E-01	1.57E-01	4.34E-06	1.0E+06	4.3E+00
397	2.04418	3.12E-02	6.4E-02	1.05E-03	6.67E-05	3.32E-01	1.57E-01	3.47E-06	1.0E+06	3.5E+00
398	1.60012	3.12E-02	5.0E-02	1.05E-03	5.22E-05	3.32E-01	1.57E-01	2.72E-06	1.0E+06	2.7E+00
399	1.27678	3.12E-02	4.0E-02	1.05E-03	4.17E-05	3.32E-01	1.57E-01	2.17E-06	1.0E+06	2.2E+00
400	0.99864	3.12E-02	3.1E-02	1.05E-03	3.26E-05	3.32E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
401	0.7939	3.12E-02	2.5E-02	1.05E-03	2.59E-05	3.32E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
402	0.51625	3.12E-02	1.6E-02	1.05E-03	1.68E-05	3.32E-01	1.57E-01	8.77E-07	1.0E+06	8.8E-01
403	1.06396	3.12E-02	3.3E-02	1.05E-03	3.47E-05	3.32E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.53137	3.12E-02	1.7E-02	1.05E-03	1.73E-05	3.32E-01	1.57E-01	9.03E-07	1.0E+06	9.0E-01
405	0.43135	3.12E-02	1.3E-02	1.05E-03	1.41E-05	3.32E-01	1.57E-01	7.33E-07	1.0E+06	7.3E-01
406	1.05891	3.12E-02	3.3E-02	1.05E-03	3.45E-05	3.32E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
407	0.41789	3.12E-02	1.3E-02	1.05E-03	1.36E-05	3.32E-01	1.57E-01	7.10E-07	1.0E+06	7.1E-01
408	1.00415	3.12E-02	3.1E-02	1.05E-03	3.28E-05	3.32E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00
409	0.40251	3.12E-02	1.3E-02	1.05E-03	1.31E-05	3.32E-01	1.57E-01	6.84E-07	1.0E+06	6.8E-01
410	0.92328	3.12E-02	2.9E-02	1.05E-03	3.01E-05	3.32E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
411	0.46728	3.12E-02	1.5E-02	1.05E-03	1.52E-05	3.32E-01	1.57E-01	7.94E-07	1.0E+06	7.9E-01
412	0.39358	3.12E-02	1.2E-02	1.05E-03	1.28E-05	3.32E-01	1.57E-01	6.69E-07	1.0E+06	6.7E-01
413	0.83985	3.12E-02	2.6E-02	1.05E-03	2.74E-05	3.32E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
414	0.53129	3.12E-02	1.7E-02	1.05E-03	1.73E-05	3.32E-01	1.57E-01	9.03E-07	1.0E+06	9.0E-01
415	0.44137	3.12E-02	1.4E-02	1.05E-03	1.44E-05	3.32E-01	1.57E-01	7.50E-07	1.0E+06	7.5E-01
416	0.3746	3.12E-02	1.2E-02	1.05E-03	1.22E-05	3.32E-01	1.57E-01	6.37E-07	1.0E+06	6.4E-01
417	0.764	3.12E-02	2.4E-02	1.05E-03	2.49E-05	3.32E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
418	0.41536	3.12E-02	1.3E-02	1.05E-03	1.36E-05	3.32E-01	1.57E-01	7.06E-07	1.0E+06	7.1E-01
419	0.35519	3.12E-02	1.1E-02	1.05E-03	1.16E-05	3.32E-01	1.57E-01	6.04E-07	1.0E+06	6.0E-01
420	0.30691	3.12E-02	9.6E-03	1.05E-03	1.00E-05	3.32E-01	1.57E-01	5.22E-07	1.0E+06	5.2E-01
421	0.69682	3.12E-02	2.2E-02	1.05E-03	2.27E-05	3.32E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
422	0.33554	3.12E-02	1.0E-02	1.05E-03	1.09E-05	3.32E-01	1.57E-01	5.70E-07	1.0E+06	5.7E-01
423	0.29285	3.12E-02	9.1E-03	1.05E-03	9.55E-06	3.32E-01	1.57E-01	4.98E-07	1.0E+06	5.0E-01
424	0.63653	3.12E-02	2.0E-02	1.05E-03	2.08E-05	3.32E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
425	0.27805	3.12E-02	8.7E-03	1.05E-03	9.07E-06	3.32E-01	1.57E-01	4.73E-07	1.0E+06	4.7E-01
426	0.2461	3.12E-02	7.7E-03	1.05E-03	8.03E-06	3.32E-01	1.57E-01	4.18E-07	1.0E+06	4.2E-01
427	0.58149	3.12E-02	1.8E-02	1.05E-03	1.90E-05	3.32E-01	1.57E-01	9.88E-07	1.0E+06	9.9E-01
428	0.26331	3.12E-02	8.2E-03	1.05E-03	8.59E-06	3.32E-01	1.57E-01	4.47E-07	1.0E+06	4.5E-01
429	0.23466	3.12E-02	7.3E-03	1.05E-03	7.66E-06	3.32E-01	1.57E-01	3.99E-07	1.0E+06	4.0E-01
430	0.53238	3.12E-02	1.7E-02	1.05E-03	1.74E-05	3.32E-01	1.57E-01	9.05E-07	1.0E+06	9.0E-01
431	0.22324	3.12E-02	7.0E-03	1.05E-03	7.28E-06	3.32E-01	1.57E-01	3.79E-07	1.0E+06	3.8E-01
432	0.19965	3.12E-02	6.2E-03	1.05E-03	6.51E-06	3.32E-01	1.57E-01	3.39E-07	1.0E+06	3.4E-01
433	0.48697	3.12E-02	1.5E-02	1.05E-03	1.59E-05	3.32E-01	1.57E-01	8.28E-07	1.0E+06	8.3E-01
434	0.21223	3.12E-02	6.6E-03	1.05E-03	6.92E-06	3.32E-01	1.57E-01	3.61E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.19185	3.12E-02	6.0E-03	1.05E-03	6.26E-06	3.32E-01	1.57E-01	3.26E-07	1.0E+06	3.3E-01
436	0.44624	3.12E-02	1.4E-02	1.05E-03	1.46E-05	3.32E-01	1.57E-01	7.58E-07	1.0E+06	7.6E-01
437	0.22439	3.12E-02	7.0E-03	1.05E-03	7.32E-06	3.32E-01	1.57E-01	3.81E-07	1.0E+06	3.8E-01
438	0.20209	3.12E-02	6.3E-03	1.05E-03	6.59E-06	3.32E-01	1.57E-01	3.43E-07	1.0E+06	3.4E-01
439	0.18334	3.12E-02	5.7E-03	1.05E-03	5.98E-06	3.32E-01	1.57E-01	3.12E-07	1.0E+06	3.1E-01
440	0.40907	3.12E-02	1.3E-02	1.05E-03	1.33E-05	3.32E-01	1.57E-01	6.95E-07	1.0E+06	7.0E-01
441	0.27118	3.12E-02	8.5E-03	1.05E-03	8.85E-06	3.32E-01	1.57E-01	4.61E-07	1.0E+06	4.6E-01
442	0.23821	3.12E-02	7.4E-03	1.05E-03	7.77E-06	3.32E-01	1.57E-01	4.05E-07	1.0E+06	4.0E-01
443	0.21314	3.12E-02	6.7E-03	1.05E-03	6.95E-06	3.32E-01	1.57E-01	3.62E-07	1.0E+06	3.6E-01
444	0.19231	3.12E-02	6.0E-03	1.05E-03	6.27E-06	3.32E-01	1.57E-01	3.27E-07	1.0E+06	3.3E-01
445	0.37579	3.12E-02	1.2E-02	1.05E-03	1.23E-05	3.32E-01	1.57E-01	6.39E-07	1.0E+06	6.4E-01
446	0.28688	3.12E-02	9.0E-03	1.05E-03	9.36E-06	3.32E-01	1.57E-01	4.88E-07	1.0E+06	4.9E-01
447	0.25315	3.12E-02	7.9E-03	1.05E-03	8.26E-06	3.32E-01	1.57E-01	4.30E-07	1.0E+06	4.3E-01
448	0.22535	3.12E-02	7.0E-03	1.05E-03	7.35E-06	3.32E-01	1.57E-01	3.83E-07	1.0E+06	3.8E-01
449	0.34584	3.12E-02	1.1E-02	1.05E-03	1.13E-05	3.32E-01	1.57E-01	5.88E-07	1.0E+06	5.9E-01
450	0.30476	3.12E-02	9.5E-03	1.05E-03	9.94E-06	3.32E-01	1.57E-01	5.18E-07	1.0E+06	5.2E-01
451	0.26899	3.12E-02	8.4E-03	1.05E-03	8.78E-06	3.32E-01	1.57E-01	4.57E-07	1.0E+06	4.6E-01
452	0.31885	3.12E-02	1.0E-02	1.05E-03	1.04E-05	3.32E-01	1.57E-01	5.42E-07	1.0E+06	5.4E-01
453	0.28372	3.12E-02	8.9E-03	1.05E-03	9.26E-06	3.32E-01	1.57E-01	4.82E-07	1.0E+06	4.8E-01
454	0.15144	3.12E-02	4.7E-03	1.05E-03	4.94E-06	3.32E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01
455	0.14078	3.12E-02	4.4E-03	1.05E-03	4.59E-06	3.32E-01	1.57E-01	2.39E-07	1.0E+06	2.4E-01
456	0.29447	3.12E-02	9.2E-03	1.05E-03	9.61E-06	3.32E-01	1.57E-01	5.00E-07	1.0E+06	5.0E-01
457	0.26431	3.12E-02	8.2E-03	1.05E-03	8.62E-06	3.32E-01	1.57E-01	4.49E-07	1.0E+06	4.5E-01
458	0.23625	3.12E-02	7.4E-03	1.05E-03	7.71E-06	3.32E-01	1.57E-01	4.01E-07	1.0E+06	4.0E-01
459	0.1733	3.12E-02	5.4E-03	1.05E-03	5.65E-06	3.32E-01	1.57E-01	2.95E-07	1.0E+06	2.9E-01
460	0.15877	3.12E-02	5.0E-03	1.05E-03	5.18E-06	3.32E-01	1.57E-01	2.70E-07	1.0E+06	2.7E-01
461	0.14598	3.12E-02	4.6E-03	1.05E-03	4.76E-06	3.32E-01	1.57E-01	2.48E-07	1.0E+06	2.5E-01
462	0.1348	3.12E-02	4.2E-03	1.05E-03	4.40E-06	3.32E-01	1.57E-01	2.29E-07	1.0E+06	2.3E-01
463	1.839	3.12E-02	5.7E-02	1.05E-03	6.00E-05	3.32E-01	1.57E-01	3.13E-06	1.0E+06	3.1E+00
464	1.26957	3.12E-02	4.0E-02	1.05E-03	4.14E-05	3.32E-01	1.57E-01	2.16E-06	1.0E+06	2.2E+00
465	1.59928	3.12E-02	5.0E-02	1.05E-03	5.22E-05	3.32E-01	1.57E-01	2.72E-06	1.0E+06	2.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	1.09342	3.12E-02	3.4E-02	1.05E-03	3.57E-05	3.32E-01	1.57E-01	1.86E-06	1.0E+06	1.9E+00
467	1.16993	3.12E-02	3.7E-02	1.05E-03	3.82E-05	3.32E-01	1.57E-01	1.99E-06	1.0E+06	2.0E+00
468	1.0327	3.12E-02	3.2E-02	1.05E-03	3.37E-05	3.32E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
469	0.90979	3.12E-02	2.8E-02	1.05E-03	2.97E-05	3.32E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
470	1.01077	3.12E-02	3.2E-02	1.05E-03	3.30E-05	3.32E-01	1.57E-01	1.72E-06	1.0E+06	1.7E+00
471	0.8602	3.12E-02	2.7E-02	1.05E-03	2.81E-05	3.32E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
472	0.86823	3.12E-02	2.7E-02	1.05E-03	2.83E-05	3.32E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
473	0.71059	3.12E-02	2.2E-02	1.05E-03	2.32E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
474	0.74975	3.12E-02	2.3E-02	1.05E-03	2.45E-05	3.32E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
475	0.63154	3.12E-02	2.0E-02	1.05E-03	2.06E-05	3.32E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
476	0.65398	3.12E-02	2.0E-02	1.05E-03	2.13E-05	3.32E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
477	0.56323	3.12E-02	1.8E-02	1.05E-03	1.84E-05	3.32E-01	1.57E-01	9.57E-07	1.0E+06	9.6E-01
478	0.57492	3.12E-02	1.8E-02	1.05E-03	1.88E-05	3.32E-01	1.57E-01	9.77E-07	1.0E+06	9.8E-01
479	0.50322	3.12E-02	1.6E-02	1.05E-03	1.64E-05	3.32E-01	1.57E-01	8.55E-07	1.0E+06	8.6E-01
480	0.43536	3.12E-02	1.4E-02	1.05E-03	1.42E-05	3.32E-01	1.57E-01	7.40E-07	1.0E+06	7.4E-01
481	0.50912	3.12E-02	1.6E-02	1.05E-03	1.66E-05	3.32E-01	1.57E-01	8.65E-07	1.0E+06	8.7E-01
482	0.39729	3.12E-02	1.2E-02	1.05E-03	1.30E-05	3.32E-01	1.57E-01	6.75E-07	1.0E+06	6.8E-01
483	0.40834	3.12E-02	1.3E-02	1.05E-03	1.33E-05	3.32E-01	1.57E-01	6.94E-07	1.0E+06	6.9E-01
484	0.36317	3.12E-02	1.1E-02	1.05E-03	1.18E-05	3.32E-01	1.57E-01	6.17E-07	1.0E+06	6.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.20003	1.02373E-06	2.0E-07	1.05E-03	2.14E-10	3.32E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
2	2	0.21048	1.02373E-06	2.2E-07	1.05E-03	2.25E-10	3.32E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
3	3	0.22157	1.02373E-06	2.3E-07	1.05E-03	2.37E-10	3.32E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05
4	4	0.23364	1.02373E-06	2.4E-07	1.05E-03	2.50E-10	3.32E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
5	5	0.24542	1.02373E-06	2.5E-07	1.05E-03	2.63E-10	3.32E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
6	6	0.26211	1.02373E-06	2.7E-07	1.05E-03	2.80E-10	3.32E-01	1.57E-01	1.46E-11	1.0E+06	1.5E-05
7	7	0.2796	1.02373E-06	2.9E-07	1.05E-03	2.99E-10	3.32E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
8	8	0.29959	1.02373E-06	3.1E-07	1.05E-03	3.21E-10	3.32E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
9	9	0.31965	1.02373E-06	3.3E-07	1.05E-03	3.42E-10	3.32E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
10	10	0.34185	1.02373E-06	3.5E-07	1.05E-03	3.66E-10	3.32E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
11	11	0.36846	1.02373E-06	3.8E-07	1.05E-03	3.94E-10	3.32E-01	1.57E-01	2.05E-11	1.0E+06	2.1E-05
12	12	0.39225	1.02373E-06	4.0E-07	1.05E-03	4.20E-10	3.32E-01	1.57E-01	2.19E-11	1.0E+06	2.2E-05
13	13	0.41513	1.02373E-06	4.2E-07	1.05E-03	4.44E-10	3.32E-01	1.57E-01	2.31E-11	1.0E+06	2.3E-05
14	14	0.46493	1.02373E-06	4.8E-07	1.05E-03	4.97E-10	3.32E-01	1.57E-01	2.59E-11	1.0E+06	2.6E-05
15	15	0.22471	1.02373E-06	2.3E-07	1.05E-03	2.40E-10	3.32E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05
16	16	0.23739	1.02373E-06	2.4E-07	1.05E-03	2.54E-10	3.32E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05
17	17	0.2523	1.02373E-06	2.6E-07	1.05E-03	2.70E-10	3.32E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
18	18	0.26765	1.02373E-06	2.7E-07	1.05E-03	2.86E-10	3.32E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
19	19	0.28279	1.02373E-06	2.9E-07	1.05E-03	3.03E-10	3.32E-01	1.57E-01	1.58E-11	1.0E+06	1.6E-05
20	20	0.30008	1.02373E-06	3.1E-07	1.05E-03	3.21E-10	3.32E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
21	21	0.32065	1.02373E-06	3.3E-07	1.05E-03	3.43E-10	3.32E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
22	22	0.34283	1.02373E-06	3.5E-07	1.05E-03	3.67E-10	3.32E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
23	23	0.37162	1.02373E-06	3.8E-07	1.05E-03	3.98E-10	3.32E-01	1.57E-01	2.07E-11	1.0E+06	2.1E-05
24	24	0.39765	1.02373E-06	4.1E-07	1.05E-03	4.25E-10	3.32E-01	1.57E-01	2.22E-11	1.0E+06	2.2E-05
25	25	0.43268	1.02373E-06	4.4E-07	1.05E-03	4.63E-10	3.32E-01	1.57E-01	2.41E-11	1.0E+06	2.4E-05
26	26	0.46555	1.02373E-06	4.8E-07	1.05E-03	4.98E-10	3.32E-01	1.57E-01	2.60E-11	1.0E+06	2.6E-05
27	27	0.49037	1.02373E-06	5.0E-07	1.05E-03	5.25E-10	3.32E-01	1.57E-01	2.73E-11	1.0E+06	2.7E-05
28	28	0.55834	1.02373E-06	5.7E-07	1.05E-03	5.97E-10	3.32E-01	1.57E-01	3.11E-11	1.0E+06	3.1E-05
29	29	0.24881	1.02373E-06	2.5E-07	1.05E-03	2.66E-10	3.32E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
30	30	0.26699	1.02373E-06	2.7E-07	1.05E-03	2.86E-10	3.32E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
31	31	0.28715	1.02373E-06	2.9E-07	1.05E-03	3.07E-10	3.32E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.30866	1.02373E-06	3.2E-07	1.05E-03	3.30E-10	3.32E-01	1.57E-01	1.72E-11	1.0E+06	1.7E-05
33	33	0.3271	1.02373E-06	3.3E-07	1.05E-03	3.50E-10	3.32E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
34	34	0.35121	1.02373E-06	3.6E-07	1.05E-03	3.76E-10	3.32E-01	1.57E-01	1.96E-11	1.0E+06	2.0E-05
35	35	0.37543	1.02373E-06	3.8E-07	1.05E-03	4.02E-10	3.32E-01	1.57E-01	2.09E-11	1.0E+06	2.1E-05
36	36	0.403	1.02373E-06	4.1E-07	1.05E-03	4.31E-10	3.32E-01	1.57E-01	2.25E-11	1.0E+06	2.2E-05
37	37	0.43822	1.02373E-06	4.5E-07	1.05E-03	4.69E-10	3.32E-01	1.57E-01	2.44E-11	1.0E+06	2.4E-05
38	38	0.47665	1.02373E-06	4.9E-07	1.05E-03	5.10E-10	3.32E-01	1.57E-01	2.66E-11	1.0E+06	2.7E-05
39	39	0.5176	1.02373E-06	5.3E-07	1.05E-03	5.54E-10	3.32E-01	1.57E-01	2.89E-11	1.0E+06	2.9E-05
40	40	0.55684	1.02373E-06	5.7E-07	1.05E-03	5.96E-10	3.32E-01	1.57E-01	3.10E-11	1.0E+06	3.1E-05
41	41	0.59224	1.02373E-06	6.1E-07	1.05E-03	6.34E-10	3.32E-01	1.57E-01	3.30E-11	1.0E+06	3.3E-05
42	42	0.683	1.02373E-06	7.0E-07	1.05E-03	7.31E-10	3.32E-01	1.57E-01	3.81E-11	1.0E+06	3.8E-05
43	43	0.27009	1.02373E-06	2.8E-07	1.05E-03	2.89E-10	3.32E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
44	44	0.29306	1.02373E-06	3.0E-07	1.05E-03	3.14E-10	3.32E-01	1.57E-01	1.63E-11	1.0E+06	1.6E-05
45	45	0.32036	1.02373E-06	3.3E-07	1.05E-03	3.43E-10	3.32E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
46	46	0.35055	1.02373E-06	3.6E-07	1.05E-03	3.75E-10	3.32E-01	1.57E-01	1.95E-11	1.0E+06	2.0E-05
47	47	0.38002	1.02373E-06	3.9E-07	1.05E-03	4.07E-10	3.32E-01	1.57E-01	2.12E-11	1.0E+06	2.1E-05
48	48	0.41164	1.02373E-06	4.2E-07	1.05E-03	4.40E-10	3.32E-01	1.57E-01	2.29E-11	1.0E+06	2.3E-05
49	49	0.44248	1.02373E-06	4.5E-07	1.05E-03	4.73E-10	3.32E-01	1.57E-01	2.47E-11	1.0E+06	2.5E-05
50	50	0.47634	1.02373E-06	4.9E-07	1.05E-03	5.10E-10	3.32E-01	1.57E-01	2.66E-11	1.0E+06	2.7E-05
51	51	0.52777	1.02373E-06	5.4E-07	1.05E-03	5.65E-10	3.32E-01	1.57E-01	2.94E-11	1.0E+06	2.9E-05
52	52	0.5787	1.02373E-06	5.9E-07	1.05E-03	6.19E-10	3.32E-01	1.57E-01	3.23E-11	1.0E+06	3.2E-05
53	53	0.63202	1.02373E-06	6.5E-07	1.05E-03	6.76E-10	3.32E-01	1.57E-01	3.52E-11	1.0E+06	3.5E-05
54	54	0.68865	1.02373E-06	7.0E-07	1.05E-03	7.37E-10	3.32E-01	1.57E-01	3.84E-11	1.0E+06	3.8E-05
55	55	0.73787	1.02373E-06	7.6E-07	1.05E-03	7.90E-10	3.32E-01	1.57E-01	4.11E-11	1.0E+06	4.1E-05
56	56	0.85184	1.02373E-06	8.7E-07	1.05E-03	9.11E-10	3.32E-01	1.57E-01	4.75E-11	1.0E+06	4.7E-05
57	57	0.288	1.02373E-06	2.9E-07	1.05E-03	3.08E-10	3.32E-01	1.57E-01	1.61E-11	1.0E+06	1.6E-05
58	58	0.31844	1.02373E-06	3.3E-07	1.05E-03	3.41E-10	3.32E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
59	59	0.35465	1.02373E-06	3.6E-07	1.05E-03	3.79E-10	3.32E-01	1.57E-01	1.98E-11	1.0E+06	2.0E-05
60	60	0.39468	1.02373E-06	4.0E-07	1.05E-03	4.22E-10	3.32E-01	1.57E-01	2.20E-11	1.0E+06	2.2E-05
61	61	0.43924	1.02373E-06	4.5E-07	1.05E-03	4.70E-10	3.32E-01	1.57E-01	2.45E-11	1.0E+06	2.4E-05
62	62	0.48662	1.02373E-06	5.0E-07	1.05E-03	5.21E-10	3.32E-01	1.57E-01	2.71E-11	1.0E+06	2.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.54159	1.02373E-06	5.5E-07	1.05E-03	5.80E-10	3.32E-01	1.57E-01	3.02E-11	1.0E+06	3.0E-05
64	64	0.5853	1.02373E-06	6.0E-07	1.05E-03	6.26E-10	3.32E-01	1.57E-01	3.26E-11	1.0E+06	3.3E-05
65	65	0.65231	1.02373E-06	6.7E-07	1.05E-03	6.98E-10	3.32E-01	1.57E-01	3.64E-11	1.0E+06	3.6E-05
66	66	0.72833	1.02373E-06	7.5E-07	1.05E-03	7.79E-10	3.32E-01	1.57E-01	4.06E-11	1.0E+06	4.1E-05
67	67	0.79913	1.02373E-06	8.2E-07	1.05E-03	8.55E-10	3.32E-01	1.57E-01	4.45E-11	1.0E+06	4.5E-05
68	68	0.88145	1.02373E-06	9.0E-07	1.05E-03	9.43E-10	3.32E-01	1.57E-01	4.91E-11	1.0E+06	4.9E-05
69	69	0.95901	1.02373E-06	9.8E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.35E-11	1.0E+06	5.3E-05
70	70	0.30686	1.02373E-06	3.1E-07	1.05E-03	3.28E-10	3.32E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
71	71	0.3434	1.02373E-06	3.5E-07	1.05E-03	3.67E-10	3.32E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
72	72	0.38894	1.02373E-06	4.0E-07	1.05E-03	4.16E-10	3.32E-01	1.57E-01	2.17E-11	1.0E+06	2.2E-05
73	73	0.43996	1.02373E-06	4.5E-07	1.05E-03	4.71E-10	3.32E-01	1.57E-01	2.45E-11	1.0E+06	2.5E-05
74	74	0.50122	1.02373E-06	5.1E-07	1.05E-03	5.36E-10	3.32E-01	1.57E-01	2.79E-11	1.0E+06	2.8E-05
75	75	0.57007	1.02373E-06	5.8E-07	1.05E-03	6.10E-10	3.32E-01	1.57E-01	3.18E-11	1.0E+06	3.2E-05
76	76	0.65265	1.02373E-06	6.7E-07	1.05E-03	6.98E-10	3.32E-01	1.57E-01	3.64E-11	1.0E+06	3.6E-05
77	77	0.73973	1.02373E-06	7.6E-07	1.05E-03	7.92E-10	3.32E-01	1.57E-01	4.12E-11	1.0E+06	4.1E-05
78	78	0.84415	1.02373E-06	8.6E-07	1.05E-03	9.03E-10	3.32E-01	1.57E-01	4.71E-11	1.0E+06	4.7E-05
79	79	0.97232	1.02373E-06	1.0E-06	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.42E-11	1.0E+06	5.4E-05
80	80	1.08089	1.02373E-06	1.1E-06	1.05E-03	1.16E-09	3.32E-01	1.57E-01	6.02E-11	1.0E+06	6.0E-05
81	81	1.20475	1.02373E-06	1.2E-06	1.05E-03	1.29E-09	3.32E-01	1.57E-01	6.72E-11	1.0E+06	6.7E-05
82	82	1.29954	1.02373E-06	1.3E-06	1.05E-03	1.39E-09	3.32E-01	1.57E-01	7.24E-11	1.0E+06	7.2E-05
83	83	0.32423	1.02373E-06	3.3E-07	1.05E-03	3.47E-10	3.32E-01	1.57E-01	1.81E-11	1.0E+06	1.8E-05
84	84	0.37156	1.02373E-06	3.8E-07	1.05E-03	3.98E-10	3.32E-01	1.57E-01	2.07E-11	1.0E+06	2.1E-05
85	85	0.42797	1.02373E-06	4.4E-07	1.05E-03	4.58E-10	3.32E-01	1.57E-01	2.39E-11	1.0E+06	2.4E-05
86	86	0.48343	1.02373E-06	4.9E-07	1.05E-03	5.17E-10	3.32E-01	1.57E-01	2.69E-11	1.0E+06	2.7E-05
87	87	0.56028	1.02373E-06	5.7E-07	1.05E-03	6.00E-10	3.32E-01	1.57E-01	3.12E-11	1.0E+06	3.1E-05
88	88	0.65505	1.02373E-06	6.7E-07	1.05E-03	7.01E-10	3.32E-01	1.57E-01	3.65E-11	1.0E+06	3.7E-05
89	89	0.77416	1.02373E-06	7.9E-07	1.05E-03	8.28E-10	3.32E-01	1.57E-01	4.32E-11	1.0E+06	4.3E-05
90	90	0.92147	1.02373E-06	9.4E-07	1.05E-03	9.86E-10	3.32E-01	1.57E-01	5.14E-11	1.0E+06	5.1E-05
91	91	1.09788	1.02373E-06	1.1E-06	1.05E-03	1.17E-09	3.32E-01	1.57E-01	6.12E-11	1.0E+06	6.1E-05
92	92	1.29396	1.02373E-06	1.3E-06	1.05E-03	1.38E-09	3.32E-01	1.57E-01	7.21E-11	1.0E+06	7.2E-05
93	93	1.49734	1.02373E-06	1.5E-06	1.05E-03	1.60E-09	3.32E-01	1.57E-01	8.35E-11	1.0E+06	8.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	1.68288	1.02373E-06	1.7E-06	1.05E-03	1.80E-09	3.32E-01	1.57E-01	9.38E-11	1.0E+06	9.4E-05
95	95	1.83845	1.02373E-06	1.9E-06	1.05E-03	1.97E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
96	96	0.34053	1.02373E-06	3.5E-07	1.05E-03	3.64E-10	3.32E-01	1.57E-01	1.90E-11	1.0E+06	1.9E-05
97	97	0.39564	1.02373E-06	4.1E-07	1.05E-03	4.23E-10	3.32E-01	1.57E-01	2.21E-11	1.0E+06	2.2E-05
98	98	0.45707	1.02373E-06	4.7E-07	1.05E-03	4.89E-10	3.32E-01	1.57E-01	2.55E-11	1.0E+06	2.5E-05
99	99	0.52984	1.02373E-06	5.4E-07	1.05E-03	5.67E-10	3.32E-01	1.57E-01	2.95E-11	1.0E+06	3.0E-05
100	100	0.62102	1.02373E-06	6.4E-07	1.05E-03	6.64E-10	3.32E-01	1.57E-01	3.46E-11	1.0E+06	3.5E-05
101	101	0.74954	1.02373E-06	7.7E-07	1.05E-03	8.02E-10	3.32E-01	1.57E-01	4.18E-11	1.0E+06	4.2E-05
102	102	0.9207	1.02373E-06	9.4E-07	1.05E-03	9.85E-10	3.32E-01	1.57E-01	5.13E-11	1.0E+06	5.1E-05
103	103	1.15133	1.02373E-06	1.2E-06	1.05E-03	1.23E-09	3.32E-01	1.57E-01	6.42E-11	1.0E+06	6.4E-05
104	104	1.45685	1.02373E-06	1.5E-06	1.05E-03	1.56E-09	3.32E-01	1.57E-01	8.12E-11	1.0E+06	8.1E-05
105	105	1.83231	1.02373E-06	1.9E-06	1.05E-03	1.96E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
106	106	2.21146	1.02373E-06	2.3E-06	1.05E-03	2.37E-09	3.32E-01	1.57E-01	1.23E-10	1.0E+06	1.2E-04
107	107	2.54401	1.02373E-06	2.6E-06	1.05E-03	2.72E-09	3.32E-01	1.57E-01	1.42E-10	1.0E+06	1.4E-04
108	108	2.80332	1.02373E-06	2.9E-06	1.05E-03	3.00E-09	3.32E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
109	109	0.34956	1.02373E-06	3.6E-07	1.05E-03	3.74E-10	3.32E-01	1.57E-01	1.95E-11	1.0E+06	1.9E-05
110	110	0.39954	1.02373E-06	4.1E-07	1.05E-03	4.28E-10	3.32E-01	1.57E-01	2.23E-11	1.0E+06	2.2E-05
111	111	0.46555	1.02373E-06	4.8E-07	1.05E-03	4.98E-10	3.32E-01	1.57E-01	2.60E-11	1.0E+06	2.6E-05
112	112	0.55076	1.02373E-06	5.6E-07	1.05E-03	5.89E-10	3.32E-01	1.57E-01	3.07E-11	1.0E+06	3.1E-05
113	113	0.66926	1.02373E-06	6.9E-07	1.05E-03	7.16E-10	3.32E-01	1.57E-01	3.73E-11	1.0E+06	3.7E-05
114	114	0.83687	1.02373E-06	8.6E-07	1.05E-03	8.95E-10	3.32E-01	1.57E-01	4.66E-11	1.0E+06	4.7E-05
115	115	1.08518	1.02373E-06	1.1E-06	1.05E-03	1.16E-09	3.32E-01	1.57E-01	6.05E-11	1.0E+06	6.0E-05
116	116	1.46913	1.02373E-06	1.5E-06	1.05E-03	1.57E-09	3.32E-01	1.57E-01	8.19E-11	1.0E+06	8.2E-05
117	117	2.06017	1.02373E-06	2.1E-06	1.05E-03	2.20E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.1E-04
118	118	2.58852	1.02373E-06	2.6E-06	1.05E-03	2.77E-09	3.32E-01	1.57E-01	1.44E-10	1.0E+06	1.4E-04
119	119	3.34958	1.02373E-06	3.4E-06	1.05E-03	3.58E-09	3.32E-01	1.57E-01	1.87E-10	1.0E+06	1.9E-04
120	120	3.86121	1.02373E-06	4.0E-06	1.05E-03	4.13E-09	3.32E-01	1.57E-01	2.15E-10	1.0E+06	2.2E-04
121	121	4.12512	1.02373E-06	4.2E-06	1.05E-03	4.41E-09	3.32E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
122	122	0.34293	1.02373E-06	3.5E-07	1.05E-03	3.67E-10	3.32E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
123	123	0.39692	1.02373E-06	4.1E-07	1.05E-03	4.25E-10	3.32E-01	1.57E-01	2.21E-11	1.0E+06	2.2E-05
124	124	0.46516	1.02373E-06	4.8E-07	1.05E-03	4.98E-10	3.32E-01	1.57E-01	2.59E-11	1.0E+06	2.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.55977	1.02373E-06	5.7E-07	1.05E-03	5.99E-10	3.32E-01	1.57E-01	3.12E-11	1.0E+06	3.1E-05
126	126	0.69198	1.02373E-06	7.1E-07	1.05E-03	7.40E-10	3.32E-01	1.57E-01	3.86E-11	1.0E+06	3.9E-05
127	127	0.89036	1.02373E-06	9.1E-07	1.05E-03	9.53E-10	3.32E-01	1.57E-01	4.96E-11	1.0E+06	5.0E-05
128	128	1.19972	1.02373E-06	1.2E-06	1.05E-03	1.28E-09	3.32E-01	1.57E-01	6.69E-11	1.0E+06	6.7E-05
129	129	1.78635	1.02373E-06	1.8E-06	1.05E-03	1.91E-09	3.32E-01	1.57E-01	9.96E-11	1.0E+06	1.0E-04
130	130	3.19875	1.02373E-06	3.3E-06	1.05E-03	3.42E-09	3.32E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
131	131	11.50442	1.02373E-06	1.2E-05	1.05E-03	1.23E-08	3.32E-01	1.57E-01	6.41E-10	1.0E+06	6.4E-04
132	132	10.08771	1.02373E-06	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.62E-10	1.0E+06	5.6E-04
133	133	0.32342	1.02373E-06	3.3E-07	1.05E-03	3.46E-10	3.32E-01	1.57E-01	1.80E-11	1.0E+06	1.8E-05
134	134	0.3817	1.02373E-06	3.9E-07	1.05E-03	4.08E-10	3.32E-01	1.57E-01	2.13E-11	1.0E+06	2.1E-05
135	135	0.45276	1.02373E-06	4.6E-07	1.05E-03	4.84E-10	3.32E-01	1.57E-01	2.52E-11	1.0E+06	2.5E-05
136	136	0.54697	1.02373E-06	5.6E-07	1.05E-03	5.85E-10	3.32E-01	1.57E-01	3.05E-11	1.0E+06	3.0E-05
137	137	0.68186	1.02373E-06	7.0E-07	1.05E-03	7.30E-10	3.32E-01	1.57E-01	3.80E-11	1.0E+06	3.8E-05
138	138	0.88467	1.02373E-06	9.1E-07	1.05E-03	9.47E-10	3.32E-01	1.57E-01	4.93E-11	1.0E+06	4.9E-05
139	139	1.21331	1.02373E-06	1.2E-06	1.05E-03	1.30E-09	3.32E-01	1.57E-01	6.76E-11	1.0E+06	6.8E-05
140	140	1.92465	1.02373E-06	2.0E-06	1.05E-03	2.06E-09	3.32E-01	1.57E-01	1.07E-10	1.0E+06	1.1E-04
141	141	4.09389	1.02373E-06	4.2E-06	1.05E-03	4.38E-09	3.32E-01	1.57E-01	2.28E-10	1.0E+06	2.3E-04
142	142	9.87173	1.02373E-06	1.0E-05	1.05E-03	1.06E-08	3.32E-01	1.57E-01	5.50E-10	1.0E+06	5.5E-04
143	143	12.01227	1.02373E-06	1.2E-05	1.05E-03	1.29E-08	3.32E-01	1.57E-01	6.70E-10	1.0E+06	6.7E-04
144	144	14.46782	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.06E-10	1.0E+06	8.1E-04
145	145	13.83902	1.02373E-06	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.71E-10	1.0E+06	7.7E-04
146	146	13.45848	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.50E-10	1.0E+06	7.5E-04
147	147	0.29996	1.02373E-06	3.1E-07	1.05E-03	3.21E-10	3.32E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
148	148	0.35407	1.02373E-06	3.6E-07	1.05E-03	3.79E-10	3.32E-01	1.57E-01	1.97E-11	1.0E+06	2.0E-05
149	149	0.42452	1.02373E-06	4.3E-07	1.05E-03	4.54E-10	3.32E-01	1.57E-01	2.37E-11	1.0E+06	2.4E-05
150	150	0.51465	1.02373E-06	5.3E-07	1.05E-03	5.51E-10	3.32E-01	1.57E-01	2.87E-11	1.0E+06	2.9E-05
151	151	0.64337	1.02373E-06	6.6E-07	1.05E-03	6.88E-10	3.32E-01	1.57E-01	3.59E-11	1.0E+06	3.6E-05
152	152	0.82511	1.02373E-06	8.4E-07	1.05E-03	8.83E-10	3.32E-01	1.57E-01	4.60E-11	1.0E+06	4.6E-05
153	153	1.11931	1.02373E-06	1.1E-06	1.05E-03	1.20E-09	3.32E-01	1.57E-01	6.24E-11	1.0E+06	6.2E-05
154	154	1.68943	1.02373E-06	1.7E-06	1.05E-03	1.81E-09	3.32E-01	1.57E-01	9.42E-11	1.0E+06	9.4E-05
155	155	3.06058	1.02373E-06	3.1E-06	1.05E-03	3.27E-09	3.32E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	7.05041	1.02373E-06	7.2E-06	1.05E-03	7.54E-09	3.32E-01	1.57E-01	3.93E-10	1.0E+06	3.9E-04
157	157	10.30091	1.02373E-06	1.1E-05	1.05E-03	1.10E-08	3.32E-01	1.57E-01	5.74E-10	1.0E+06	5.7E-04
158	158	10.70348	1.02373E-06	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	5.97E-10	1.0E+06	6.0E-04
159	159	11.46132	1.02373E-06	1.2E-05	1.05E-03	1.23E-08	3.32E-01	1.57E-01	6.39E-10	1.0E+06	6.4E-04
160	160	0.2825	1.02373E-06	2.9E-07	1.05E-03	3.02E-10	3.32E-01	1.57E-01	1.57E-11	1.0E+06	1.6E-05
161	161	0.32708	1.02373E-06	3.3E-07	1.05E-03	3.50E-10	3.32E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
162	162	0.37981	1.02373E-06	3.9E-07	1.05E-03	4.06E-10	3.32E-01	1.57E-01	2.12E-11	1.0E+06	2.1E-05
163	163	0.46578	1.02373E-06	4.8E-07	1.05E-03	4.98E-10	3.32E-01	1.57E-01	2.60E-11	1.0E+06	2.6E-05
164	164	0.58832	1.02373E-06	6.0E-07	1.05E-03	6.30E-10	3.32E-01	1.57E-01	3.28E-11	1.0E+06	3.3E-05
165	165	0.74465	1.02373E-06	7.6E-07	1.05E-03	7.97E-10	3.32E-01	1.57E-01	4.15E-11	1.0E+06	4.2E-05
166	166	0.98674	1.02373E-06	1.0E-06	1.05E-03	1.06E-09	3.32E-01	1.57E-01	5.50E-11	1.0E+06	5.5E-05
167	167	1.38413	1.02373E-06	1.4E-06	1.05E-03	1.48E-09	3.32E-01	1.57E-01	7.72E-11	1.0E+06	7.7E-05
168	168	2.11724	1.02373E-06	2.2E-06	1.05E-03	2.27E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
169	169	3.45214	1.02373E-06	3.5E-06	1.05E-03	3.69E-09	3.32E-01	1.57E-01	1.92E-10	1.0E+06	1.9E-04
170	170	4.7498	1.02373E-06	4.9E-06	1.05E-03	5.08E-09	3.32E-01	1.57E-01	2.65E-10	1.0E+06	2.6E-04
171	171	5.32989	1.02373E-06	5.5E-06	1.05E-03	5.70E-09	3.32E-01	1.57E-01	2.97E-10	1.0E+06	3.0E-04
172	172	5.59331	1.02373E-06	5.7E-06	1.05E-03	5.98E-09	3.32E-01	1.57E-01	3.12E-10	1.0E+06	3.1E-04
173	173	5.77214	1.02373E-06	5.9E-06	1.05E-03	6.18E-09	3.32E-01	1.57E-01	3.22E-10	1.0E+06	3.2E-04
174	174	5.98976	1.02373E-06	6.1E-06	1.05E-03	6.41E-09	3.32E-01	1.57E-01	3.34E-10	1.0E+06	3.3E-04
175	175	6.0359	1.02373E-06	6.2E-06	1.05E-03	6.46E-09	3.32E-01	1.57E-01	3.36E-10	1.0E+06	3.4E-04
176	176	5.91978	1.02373E-06	6.1E-06	1.05E-03	6.33E-09	3.32E-01	1.57E-01	3.30E-10	1.0E+06	3.3E-04
177	177	5.6789	1.02373E-06	5.8E-06	1.05E-03	6.08E-09	3.32E-01	1.57E-01	3.17E-10	1.0E+06	3.2E-04
178	178	5.23752	1.02373E-06	5.4E-06	1.05E-03	5.60E-09	3.32E-01	1.57E-01	2.92E-10	1.0E+06	2.9E-04
179	179	0.25936	1.02373E-06	2.7E-07	1.05E-03	2.78E-10	3.32E-01	1.57E-01	1.45E-11	1.0E+06	1.4E-05
180	180	0.29585	1.02373E-06	3.0E-07	1.05E-03	3.17E-10	3.32E-01	1.57E-01	1.65E-11	1.0E+06	1.6E-05
181	181	0.33571	1.02373E-06	3.4E-07	1.05E-03	3.59E-10	3.32E-01	1.57E-01	1.87E-11	1.0E+06	1.9E-05
182	182	0.41745	1.02373E-06	4.3E-07	1.05E-03	4.47E-10	3.32E-01	1.57E-01	2.33E-11	1.0E+06	2.3E-05
183	183	0.5359	1.02373E-06	5.5E-07	1.05E-03	5.73E-10	3.32E-01	1.57E-01	2.99E-11	1.0E+06	3.0E-05
184	184	0.66809	1.02373E-06	6.8E-07	1.05E-03	7.15E-10	3.32E-01	1.57E-01	3.72E-11	1.0E+06	3.7E-05
185	185	0.85897	1.02373E-06	8.8E-07	1.05E-03	9.19E-10	3.32E-01	1.57E-01	4.79E-11	1.0E+06	4.8E-05
186	186	1.13465	1.02373E-06	1.2E-06	1.05E-03	1.21E-09	3.32E-01	1.57E-01	6.32E-11	1.0E+06	6.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	1.55887	1.02373E-06	1.6E-06	1.05E-03	1.67E-09	3.32E-01	1.57E-01	8.69E-11	1.0E+06	8.7E-05
188	188	2.19082	1.02373E-06	2.2E-06	1.05E-03	2.34E-09	3.32E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
189	189	2.83274	1.02373E-06	2.9E-06	1.05E-03	3.03E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
190	190	3.24012	1.02373E-06	3.3E-06	1.05E-03	3.47E-09	3.32E-01	1.57E-01	1.81E-10	1.0E+06	1.8E-04
191	191	3.40203	1.02373E-06	3.5E-06	1.05E-03	3.64E-09	3.32E-01	1.57E-01	1.90E-10	1.0E+06	1.9E-04
192	192	3.47427	1.02373E-06	3.6E-06	1.05E-03	3.72E-09	3.32E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
193	193	3.49986	1.02373E-06	3.6E-06	1.05E-03	3.74E-09	3.32E-01	1.57E-01	1.95E-10	1.0E+06	2.0E-04
194	194	3.58873	1.02373E-06	3.7E-06	1.05E-03	3.84E-09	3.32E-01	1.57E-01	2.00E-10	1.0E+06	2.0E-04
195	195	3.70115	1.02373E-06	3.8E-06	1.05E-03	3.96E-09	3.32E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
196	196	3.54852	1.02373E-06	3.6E-06	1.05E-03	3.80E-09	3.32E-01	1.57E-01	1.98E-10	1.0E+06	2.0E-04
197	197	3.2637	1.02373E-06	3.3E-06	1.05E-03	3.49E-09	3.32E-01	1.57E-01	1.82E-10	1.0E+06	1.8E-04
198	198	0.2436	1.02373E-06	2.5E-07	1.05E-03	2.61E-10	3.32E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
199	199	0.27744	1.02373E-06	2.8E-07	1.05E-03	2.97E-10	3.32E-01	1.57E-01	1.55E-11	1.0E+06	1.5E-05
200	200	0.31885	1.02373E-06	3.3E-07	1.05E-03	3.41E-10	3.32E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
201	201	0.37874	1.02373E-06	3.9E-07	1.05E-03	4.05E-10	3.32E-01	1.57E-01	2.11E-11	1.0E+06	2.1E-05
202	202	0.47958	1.02373E-06	4.9E-07	1.05E-03	5.13E-10	3.32E-01	1.57E-01	2.67E-11	1.0E+06	2.7E-05
203	203	0.59201	1.02373E-06	6.1E-07	1.05E-03	6.33E-10	3.32E-01	1.57E-01	3.30E-11	1.0E+06	3.3E-05
204	204	0.74054	1.02373E-06	7.6E-07	1.05E-03	7.92E-10	3.32E-01	1.57E-01	4.13E-11	1.0E+06	4.1E-05
205	205	0.93608	1.02373E-06	9.6E-07	1.05E-03	1.00E-09	3.32E-01	1.57E-01	5.22E-11	1.0E+06	5.2E-05
206	206	1.20839	1.02373E-06	1.2E-06	1.05E-03	1.29E-09	3.32E-01	1.57E-01	6.74E-11	1.0E+06	6.7E-05
207	207	1.56541	1.02373E-06	1.6E-06	1.05E-03	1.67E-09	3.32E-01	1.57E-01	8.73E-11	1.0E+06	8.7E-05
208	208	1.93327	1.02373E-06	2.0E-06	1.05E-03	2.07E-09	3.32E-01	1.57E-01	1.08E-10	1.0E+06	1.1E-04
209	209	2.20856	1.02373E-06	2.3E-06	1.05E-03	2.36E-09	3.32E-01	1.57E-01	1.23E-10	1.0E+06	1.2E-04
210	210	2.35198	1.02373E-06	2.4E-06	1.05E-03	2.52E-09	3.32E-01	1.57E-01	1.31E-10	1.0E+06	1.3E-04
211	211	2.39624	1.02373E-06	2.5E-06	1.05E-03	2.56E-09	3.32E-01	1.57E-01	1.34E-10	1.0E+06	1.3E-04
212	212	2.37383	1.02373E-06	2.4E-06	1.05E-03	2.54E-09	3.32E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
213	213	2.29697	1.02373E-06	2.4E-06	1.05E-03	2.46E-09	3.32E-01	1.57E-01	1.28E-10	1.0E+06	1.3E-04
214	214	2.18233	1.02373E-06	2.2E-06	1.05E-03	2.34E-09	3.32E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
215	215	2.42675	1.02373E-06	2.5E-06	1.05E-03	2.60E-09	3.32E-01	1.57E-01	1.35E-10	1.0E+06	1.4E-04
216	216	0.23253	1.02373E-06	2.4E-07	1.05E-03	2.49E-10	3.32E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
217	217	0.26137	1.02373E-06	2.7E-07	1.05E-03	2.80E-10	3.32E-01	1.57E-01	1.46E-11	1.0E+06	1.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.2988	1.02373E-06	3.1E-07	1.05E-03	3.20E-10	3.32E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
219	219	0.34791	1.02373E-06	3.6E-07	1.05E-03	3.72E-10	3.32E-01	1.57E-01	1.94E-11	1.0E+06	1.9E-05
220	220	0.42701	1.02373E-06	4.4E-07	1.05E-03	4.57E-10	3.32E-01	1.57E-01	2.38E-11	1.0E+06	2.4E-05
221	221	0.51265	1.02373E-06	5.2E-07	1.05E-03	5.49E-10	3.32E-01	1.57E-01	2.86E-11	1.0E+06	2.9E-05
222	222	0.6305	1.02373E-06	6.5E-07	1.05E-03	6.75E-10	3.32E-01	1.57E-01	3.51E-11	1.0E+06	3.5E-05
223	223	0.7728	1.02373E-06	7.9E-07	1.05E-03	8.27E-10	3.32E-01	1.57E-01	4.31E-11	1.0E+06	4.3E-05
224	224	0.95637	1.02373E-06	9.8E-07	1.05E-03	1.02E-09	3.32E-01	1.57E-01	5.33E-11	1.0E+06	5.3E-05
225	225	1.17688	1.02373E-06	1.2E-06	1.05E-03	1.26E-09	3.32E-01	1.57E-01	6.56E-11	1.0E+06	6.6E-05
226	226	1.41255	1.02373E-06	1.4E-06	1.05E-03	1.51E-09	3.32E-01	1.57E-01	7.87E-11	1.0E+06	7.9E-05
227	227	1.60131	1.02373E-06	1.6E-06	1.05E-03	1.71E-09	3.32E-01	1.57E-01	8.93E-11	1.0E+06	8.9E-05
228	228	1.71851	1.02373E-06	1.8E-06	1.05E-03	1.84E-09	3.32E-01	1.57E-01	9.58E-11	1.0E+06	9.6E-05
229	229	1.77015	1.02373E-06	1.8E-06	1.05E-03	1.89E-09	3.32E-01	1.57E-01	9.87E-11	1.0E+06	9.9E-05
230	230	1.76285	1.02373E-06	1.8E-06	1.05E-03	1.89E-09	3.32E-01	1.57E-01	9.83E-11	1.0E+06	9.8E-05
231	231	1.73164	1.02373E-06	1.8E-06	1.05E-03	1.85E-09	3.32E-01	1.57E-01	9.65E-11	1.0E+06	9.7E-05
232	232	1.67538	1.02373E-06	1.7E-06	1.05E-03	1.79E-09	3.32E-01	1.57E-01	9.34E-11	1.0E+06	9.3E-05
233	233	1.76949	1.02373E-06	1.8E-06	1.05E-03	1.89E-09	3.32E-01	1.57E-01	9.86E-11	1.0E+06	9.9E-05
234	234	0.22196	1.02373E-06	2.3E-07	1.05E-03	2.37E-10	3.32E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05
235	235	0.24608	1.02373E-06	2.5E-07	1.05E-03	2.63E-10	3.32E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
236	236	0.27843	1.02373E-06	2.9E-07	1.05E-03	2.98E-10	3.32E-01	1.57E-01	1.55E-11	1.0E+06	1.6E-05
237	237	0.3218	1.02373E-06	3.3E-07	1.05E-03	3.44E-10	3.32E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
238	238	0.38003	1.02373E-06	3.9E-07	1.05E-03	4.07E-10	3.32E-01	1.57E-01	2.12E-11	1.0E+06	2.1E-05
239	239	0.44611	1.02373E-06	4.6E-07	1.05E-03	4.77E-10	3.32E-01	1.57E-01	2.49E-11	1.0E+06	2.5E-05
240	240	0.53474	1.02373E-06	5.5E-07	1.05E-03	5.72E-10	3.32E-01	1.57E-01	2.98E-11	1.0E+06	3.0E-05
241	241	0.63997	1.02373E-06	6.6E-07	1.05E-03	6.85E-10	3.32E-01	1.57E-01	3.57E-11	1.0E+06	3.6E-05
242	242	0.76975	1.02373E-06	7.9E-07	1.05E-03	8.24E-10	3.32E-01	1.57E-01	4.29E-11	1.0E+06	4.3E-05
243	243	0.92051	1.02373E-06	9.4E-07	1.05E-03	9.85E-10	3.32E-01	1.57E-01	5.13E-11	1.0E+06	5.1E-05
244	244	1.0844	1.02373E-06	1.1E-06	1.05E-03	1.16E-09	3.32E-01	1.57E-01	6.04E-11	1.0E+06	6.0E-05
245	245	1.22413	1.02373E-06	1.3E-06	1.05E-03	1.31E-09	3.32E-01	1.57E-01	6.82E-11	1.0E+06	6.8E-05
246	246	1.32483	1.02373E-06	1.4E-06	1.05E-03	1.42E-09	3.32E-01	1.57E-01	7.38E-11	1.0E+06	7.4E-05
247	247	1.37701	1.02373E-06	1.4E-06	1.05E-03	1.47E-09	3.32E-01	1.57E-01	7.68E-11	1.0E+06	7.7E-05
248	248	1.39037	1.02373E-06	1.4E-06	1.05E-03	1.49E-09	3.32E-01	1.57E-01	7.75E-11	1.0E+06	7.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.37371	1.02373E-06	1.4E-06	1.05E-03	1.47E-09	3.32E-01	1.57E-01	7.66E-11	1.0E+06	7.7E-05
250	250	1.35085	1.02373E-06	1.4E-06	1.05E-03	1.45E-09	3.32E-01	1.57E-01	7.53E-11	1.0E+06	7.5E-05
251	251	1.39327	1.02373E-06	1.4E-06	1.05E-03	1.49E-09	3.32E-01	1.57E-01	7.77E-11	1.0E+06	7.8E-05
252	252	0.20914	1.02373E-06	2.1E-07	1.05E-03	2.24E-10	3.32E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
253	253	0.22866	1.02373E-06	2.3E-07	1.05E-03	2.45E-10	3.32E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
254	254	0.25374	1.02373E-06	2.6E-07	1.05E-03	2.72E-10	3.32E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
255	255	0.28521	1.02373E-06	2.9E-07	1.05E-03	3.05E-10	3.32E-01	1.57E-01	1.59E-11	1.0E+06	1.6E-05
256	256	0.33939	1.02373E-06	3.5E-07	1.05E-03	3.63E-10	3.32E-01	1.57E-01	1.89E-11	1.0E+06	1.9E-05
257	257	0.37861	1.02373E-06	3.9E-07	1.05E-03	4.05E-10	3.32E-01	1.57E-01	2.11E-11	1.0E+06	2.1E-05
258	258	0.43511	1.02373E-06	4.5E-07	1.05E-03	4.66E-10	3.32E-01	1.57E-01	2.43E-11	1.0E+06	2.4E-05
259	259	0.50511	1.02373E-06	5.2E-07	1.05E-03	5.40E-10	3.32E-01	1.57E-01	2.82E-11	1.0E+06	2.8E-05
260	260	0.60739	1.02373E-06	6.2E-07	1.05E-03	6.50E-10	3.32E-01	1.57E-01	3.39E-11	1.0E+06	3.4E-05
261	261	0.73138	1.02373E-06	7.5E-07	1.05E-03	7.83E-10	3.32E-01	1.57E-01	4.08E-11	1.0E+06	4.1E-05
262	262	0.85592	1.02373E-06	8.8E-07	1.05E-03	9.16E-10	3.32E-01	1.57E-01	4.77E-11	1.0E+06	4.8E-05
263	263	0.96008	1.02373E-06	9.8E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.35E-11	1.0E+06	5.4E-05
264	264	1.0449	1.02373E-06	1.1E-06	1.05E-03	1.12E-09	3.32E-01	1.57E-01	5.82E-11	1.0E+06	5.8E-05
265	265	1.09283	1.02373E-06	1.1E-06	1.05E-03	1.17E-09	3.32E-01	1.57E-01	6.09E-11	1.0E+06	6.1E-05
266	266	1.11376	1.02373E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.21E-11	1.0E+06	6.2E-05
267	267	1.11127	1.02373E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.19E-11	1.0E+06	6.2E-05
268	268	1.09302	1.02373E-06	1.1E-06	1.05E-03	1.17E-09	3.32E-01	1.57E-01	6.09E-11	1.0E+06	6.1E-05
269	269	1.1159	1.02373E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.22E-11	1.0E+06	6.2E-05
270	270	0.19616	1.02373E-06	2.0E-07	1.05E-03	2.10E-10	3.32E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
271	271	0.21365	1.02373E-06	2.2E-07	1.05E-03	2.29E-10	3.32E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
272	272	0.23492	1.02373E-06	2.4E-07	1.05E-03	2.51E-10	3.32E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
273	273	0.25955	1.02373E-06	2.7E-07	1.05E-03	2.78E-10	3.32E-01	1.57E-01	1.45E-11	1.0E+06	1.4E-05
274	274	0.30914	1.02373E-06	3.2E-07	1.05E-03	3.31E-10	3.32E-01	1.57E-01	1.72E-11	1.0E+06	1.7E-05
275	275	0.35498	1.02373E-06	3.6E-07	1.05E-03	3.80E-10	3.32E-01	1.57E-01	1.98E-11	1.0E+06	2.0E-05
276	276	0.37535	1.02373E-06	3.8E-07	1.05E-03	4.02E-10	3.32E-01	1.57E-01	2.09E-11	1.0E+06	2.1E-05
277	277	0.42662	1.02373E-06	4.4E-07	1.05E-03	4.56E-10	3.32E-01	1.57E-01	2.38E-11	1.0E+06	2.4E-05
278	278	0.49448	1.02373E-06	5.1E-07	1.05E-03	5.29E-10	3.32E-01	1.57E-01	2.76E-11	1.0E+06	2.8E-05
279	279	0.58021	1.02373E-06	5.9E-07	1.05E-03	6.21E-10	3.32E-01	1.57E-01	3.23E-11	1.0E+06	3.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.68271	1.02373E-06	7.0E-07	1.05E-03	7.31E-10	3.32E-01	1.57E-01	3.81E-11	1.0E+06	3.8E-05
281	281	0.77524	1.02373E-06	7.9E-07	1.05E-03	8.30E-10	3.32E-01	1.57E-01	4.32E-11	1.0E+06	4.3E-05
282	282	0.84642	1.02373E-06	8.7E-07	1.05E-03	9.06E-10	3.32E-01	1.57E-01	4.72E-11	1.0E+06	4.7E-05
283	283	0.89261	1.02373E-06	9.1E-07	1.05E-03	9.55E-10	3.32E-01	1.57E-01	4.98E-11	1.0E+06	5.0E-05
284	284	0.91793	1.02373E-06	9.4E-07	1.05E-03	9.82E-10	3.32E-01	1.57E-01	5.12E-11	1.0E+06	5.1E-05
285	285	0.92033	1.02373E-06	9.4E-07	1.05E-03	9.85E-10	3.32E-01	1.57E-01	5.13E-11	1.0E+06	5.1E-05
286	286	0.91035	1.02373E-06	9.3E-07	1.05E-03	9.74E-10	3.32E-01	1.57E-01	5.07E-11	1.0E+06	5.1E-05
287	287	0.92443	1.02373E-06	9.5E-07	1.05E-03	9.89E-10	3.32E-01	1.57E-01	5.15E-11	1.0E+06	5.2E-05
288	288	0.18492	1.02373E-06	1.9E-07	1.05E-03	1.98E-10	3.32E-01	1.57E-01	1.03E-11	1.0E+06	1.0E-05
289	289	0.19856	1.02373E-06	2.0E-07	1.05E-03	2.12E-10	3.32E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
290	290	0.22176	1.02373E-06	2.3E-07	1.05E-03	2.37E-10	3.32E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05
291	291	0.24585	1.02373E-06	2.5E-07	1.05E-03	2.63E-10	3.32E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
292	292	0.30361	1.02373E-06	3.1E-07	1.05E-03	3.25E-10	3.32E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
293	293	0.3279	1.02373E-06	3.4E-07	1.05E-03	3.51E-10	3.32E-01	1.57E-01	1.83E-11	1.0E+06	1.8E-05
294	294	0.33061	1.02373E-06	3.4E-07	1.05E-03	3.54E-10	3.32E-01	1.57E-01	1.84E-11	1.0E+06	1.8E-05
295	295	0.37401	1.02373E-06	3.8E-07	1.05E-03	4.00E-10	3.32E-01	1.57E-01	2.08E-11	1.0E+06	2.1E-05
296	296	0.4288	1.02373E-06	4.4E-07	1.05E-03	4.59E-10	3.32E-01	1.57E-01	2.39E-11	1.0E+06	2.4E-05
297	297	0.48458	1.02373E-06	5.0E-07	1.05E-03	5.19E-10	3.32E-01	1.57E-01	2.70E-11	1.0E+06	2.7E-05
298	298	0.55645	1.02373E-06	5.7E-07	1.05E-03	5.95E-10	3.32E-01	1.57E-01	3.10E-11	1.0E+06	3.1E-05
299	299	0.63599	1.02373E-06	6.5E-07	1.05E-03	6.81E-10	3.32E-01	1.57E-01	3.55E-11	1.0E+06	3.5E-05
300	300	0.69318	1.02373E-06	7.1E-07	1.05E-03	7.42E-10	3.32E-01	1.57E-01	3.86E-11	1.0E+06	3.9E-05
301	301	0.74039	1.02373E-06	7.6E-07	1.05E-03	7.92E-10	3.32E-01	1.57E-01	4.13E-11	1.0E+06	4.1E-05
302	302	0.76943	1.02373E-06	7.9E-07	1.05E-03	8.23E-10	3.32E-01	1.57E-01	4.29E-11	1.0E+06	4.3E-05
303	303	0.78019	1.02373E-06	8.0E-07	1.05E-03	8.35E-10	3.32E-01	1.57E-01	4.35E-11	1.0E+06	4.3E-05
304	304	0.77551	1.02373E-06	7.9E-07	1.05E-03	8.30E-10	3.32E-01	1.57E-01	4.32E-11	1.0E+06	4.3E-05
305	305	0.78385	1.02373E-06	8.0E-07	1.05E-03	8.39E-10	3.32E-01	1.57E-01	4.37E-11	1.0E+06	4.4E-05
306	306	0.18465	1.02373E-06	1.9E-07	1.05E-03	1.98E-10	3.32E-01	1.57E-01	1.03E-11	1.0E+06	1.0E-05
307	307	0.1921	1.02373E-06	2.0E-07	1.05E-03	2.06E-10	3.32E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
308	308	0.20756	1.02373E-06	2.1E-07	1.05E-03	2.22E-10	3.32E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
309	309	0.24417	1.02373E-06	2.5E-07	1.05E-03	2.61E-10	3.32E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
310	310	0.27972	1.02373E-06	2.9E-07	1.05E-03	2.99E-10	3.32E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.29859	1.02373E-06	3.1E-07	1.05E-03	3.19E-10	3.32E-01	1.57E-01	1.66E-11	1.0E+06	1.7E-05
312	312	0.29416	1.02373E-06	3.0E-07	1.05E-03	3.15E-10	3.32E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
313	313	0.32939	1.02373E-06	3.4E-07	1.05E-03	3.52E-10	3.32E-01	1.57E-01	1.84E-11	1.0E+06	1.8E-05
314	314	0.37331	1.02373E-06	3.8E-07	1.05E-03	3.99E-10	3.32E-01	1.57E-01	2.08E-11	1.0E+06	2.1E-05
315	315	0.43333	1.02373E-06	4.4E-07	1.05E-03	4.64E-10	3.32E-01	1.57E-01	2.42E-11	1.0E+06	2.4E-05
316	316	0.47641	1.02373E-06	4.9E-07	1.05E-03	5.10E-10	3.32E-01	1.57E-01	2.66E-11	1.0E+06	2.7E-05
317	317	0.52716	1.02373E-06	5.4E-07	1.05E-03	5.64E-10	3.32E-01	1.57E-01	2.94E-11	1.0E+06	2.9E-05
318	318	0.5783	1.02373E-06	5.9E-07	1.05E-03	6.19E-10	3.32E-01	1.57E-01	3.22E-11	1.0E+06	3.2E-05
319	319	0.6231	1.02373E-06	6.4E-07	1.05E-03	6.67E-10	3.32E-01	1.57E-01	3.47E-11	1.0E+06	3.5E-05
320	320	0.65924	1.02373E-06	6.7E-07	1.05E-03	7.05E-10	3.32E-01	1.57E-01	3.67E-11	1.0E+06	3.7E-05
321	321	0.66958	1.02373E-06	6.9E-07	1.05E-03	7.16E-10	3.32E-01	1.57E-01	3.73E-11	1.0E+06	3.7E-05
322	322	0.66774	1.02373E-06	6.8E-07	1.05E-03	7.14E-10	3.32E-01	1.57E-01	3.72E-11	1.0E+06	3.7E-05
323	323	0.67332	1.02373E-06	6.9E-07	1.05E-03	7.20E-10	3.32E-01	1.57E-01	3.75E-11	1.0E+06	3.8E-05
324	324	0.17462	1.02373E-06	1.8E-07	1.05E-03	1.87E-10	3.32E-01	1.57E-01	9.73E-12	1.0E+06	9.7E-06
325	325	0.19353	1.02373E-06	2.0E-07	1.05E-03	2.07E-10	3.32E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
326	326	0.20635	1.02373E-06	2.1E-07	1.05E-03	2.21E-10	3.32E-01	1.57E-01	1.15E-11	1.0E+06	1.2E-05
327	327	0.21584	1.02373E-06	2.2E-07	1.05E-03	2.31E-10	3.32E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
328	328	0.25981	1.02373E-06	2.7E-07	1.05E-03	2.78E-10	3.32E-01	1.57E-01	1.45E-11	1.0E+06	1.4E-05
329	329	0.27221	1.02373E-06	2.8E-07	1.05E-03	2.91E-10	3.32E-01	1.57E-01	1.52E-11	1.0E+06	1.5E-05
330	330	0.27002	1.02373E-06	2.8E-07	1.05E-03	2.89E-10	3.32E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
331	331	0.30097	1.02373E-06	3.1E-07	1.05E-03	3.22E-10	3.32E-01	1.57E-01	1.68E-11	1.0E+06	1.7E-05
332	332	0.33838	1.02373E-06	3.5E-07	1.05E-03	3.62E-10	3.32E-01	1.57E-01	1.89E-11	1.0E+06	1.9E-05
333	333	0.38739	1.02373E-06	4.0E-07	1.05E-03	4.15E-10	3.32E-01	1.57E-01	2.16E-11	1.0E+06	2.2E-05
334	334	0.42964	1.02373E-06	4.4E-07	1.05E-03	4.60E-10	3.32E-01	1.57E-01	2.39E-11	1.0E+06	2.4E-05
335	335	0.47139	1.02373E-06	4.8E-07	1.05E-03	5.04E-10	3.32E-01	1.57E-01	2.63E-11	1.0E+06	2.6E-05
336	336	13.55258	1.02373E-06	1.4E-05	1.05E-03	1.45E-08	3.32E-01	1.57E-01	7.55E-10	1.0E+06	7.6E-04
337	337	8.99202	1.02373E-06	9.2E-06	1.05E-03	9.62E-09	3.32E-01	1.57E-01	5.01E-10	1.0E+06	5.0E-04
338	338	0.41364	1.02373E-06	4.2E-07	1.05E-03	4.43E-10	3.32E-01	1.57E-01	2.31E-11	1.0E+06	2.3E-05
339	339	0.4316	1.02373E-06	4.4E-07	1.05E-03	4.62E-10	3.32E-01	1.57E-01	2.41E-11	1.0E+06	2.4E-05
340	340	0.44575	1.02373E-06	4.6E-07	1.05E-03	4.77E-10	3.32E-01	1.57E-01	2.48E-11	1.0E+06	2.5E-05
341	341	0.45432	1.02373E-06	4.7E-07	1.05E-03	4.86E-10	3.32E-01	1.57E-01	2.53E-11	1.0E+06	2.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.45645	1.02373E-06	4.7E-07	1.05E-03	4.88E-10	3.32E-01	1.57E-01	2.54E-11	1.0E+06	2.5E-05
343	343	0.44747	1.02373E-06	4.6E-07	1.05E-03	4.79E-10	3.32E-01	1.57E-01	2.49E-11	1.0E+06	2.5E-05
344	344	0.4383	1.02373E-06	4.5E-07	1.05E-03	4.69E-10	3.32E-01	1.57E-01	2.44E-11	1.0E+06	2.4E-05
345	345	0.42519	1.02373E-06	4.4E-07	1.05E-03	4.55E-10	3.32E-01	1.57E-01	2.37E-11	1.0E+06	2.4E-05
346	346	0.4075	1.02373E-06	4.2E-07	1.05E-03	4.36E-10	3.32E-01	1.57E-01	2.27E-11	1.0E+06	2.3E-05
347	347	0.48825	1.02373E-06	5.0E-07	1.05E-03	5.22E-10	3.32E-01	1.57E-01	2.72E-11	1.0E+06	2.7E-05
348	348	0.51708	1.02373E-06	5.3E-07	1.05E-03	5.53E-10	3.32E-01	1.57E-01	2.88E-11	1.0E+06	2.9E-05
349	349	0.53545	1.02373E-06	5.5E-07	1.05E-03	5.73E-10	3.32E-01	1.57E-01	2.98E-11	1.0E+06	3.0E-05
350	350	0.54262	1.02373E-06	5.6E-07	1.05E-03	5.81E-10	3.32E-01	1.57E-01	3.02E-11	1.0E+06	3.0E-05
351	351	0.54713	1.02373E-06	5.6E-07	1.05E-03	5.85E-10	3.32E-01	1.57E-01	3.05E-11	1.0E+06	3.0E-05
352	352	0.53213	1.02373E-06	5.4E-07	1.05E-03	5.69E-10	3.32E-01	1.57E-01	2.97E-11	1.0E+06	3.0E-05
353	353	0.51803	1.02373E-06	5.3E-07	1.05E-03	5.54E-10	3.32E-01	1.57E-01	2.89E-11	1.0E+06	2.9E-05
354	354	0.49397	1.02373E-06	5.1E-07	1.05E-03	5.29E-10	3.32E-01	1.57E-01	2.75E-11	1.0E+06	2.8E-05
355	355	0.47169	1.02373E-06	4.8E-07	1.05E-03	5.05E-10	3.32E-01	1.57E-01	2.63E-11	1.0E+06	2.6E-05
356	356	0.58987	1.02373E-06	6.0E-07	1.05E-03	6.31E-10	3.32E-01	1.57E-01	3.29E-11	1.0E+06	3.3E-05
357	357	0.61907	1.02373E-06	6.3E-07	1.05E-03	6.62E-10	3.32E-01	1.57E-01	3.45E-11	1.0E+06	3.5E-05
358	358	0.64786	1.02373E-06	6.6E-07	1.05E-03	6.93E-10	3.32E-01	1.57E-01	3.61E-11	1.0E+06	3.6E-05
359	359	0.66393	1.02373E-06	6.8E-07	1.05E-03	7.10E-10	3.32E-01	1.57E-01	3.70E-11	1.0E+06	3.7E-05
360	360	0.66801	1.02373E-06	6.8E-07	1.05E-03	7.15E-10	3.32E-01	1.57E-01	3.72E-11	1.0E+06	3.7E-05
361	361	0.64174	1.02373E-06	6.6E-07	1.05E-03	6.87E-10	3.32E-01	1.57E-01	3.58E-11	1.0E+06	3.6E-05
362	362	0.62055	1.02373E-06	6.4E-07	1.05E-03	6.64E-10	3.32E-01	1.57E-01	3.46E-11	1.0E+06	3.5E-05
363	363	0.58481	1.02373E-06	6.0E-07	1.05E-03	6.26E-10	3.32E-01	1.57E-01	3.26E-11	1.0E+06	3.3E-05
364	364	0.73276	1.02373E-06	7.5E-07	1.05E-03	7.84E-10	3.32E-01	1.57E-01	4.08E-11	1.0E+06	4.1E-05
365	365	0.76482	1.02373E-06	7.8E-07	1.05E-03	8.18E-10	3.32E-01	1.57E-01	4.26E-11	1.0E+06	4.3E-05
366	366	0.80544	1.02373E-06	8.2E-07	1.05E-03	8.62E-10	3.32E-01	1.57E-01	4.49E-11	1.0E+06	4.5E-05
367	367	0.82831	1.02373E-06	8.5E-07	1.05E-03	8.86E-10	3.32E-01	1.57E-01	4.62E-11	1.0E+06	4.6E-05
368	368	0.83395	1.02373E-06	8.5E-07	1.05E-03	8.92E-10	3.32E-01	1.57E-01	4.65E-11	1.0E+06	4.6E-05
369	369	0.79104	1.02373E-06	8.1E-07	1.05E-03	8.46E-10	3.32E-01	1.57E-01	4.41E-11	1.0E+06	4.4E-05
370	370	0.71346	1.02373E-06	7.3E-07	1.05E-03	7.63E-10	3.32E-01	1.57E-01	3.98E-11	1.0E+06	4.0E-05
371	371	0.66056	1.02373E-06	6.8E-07	1.05E-03	7.07E-10	3.32E-01	1.57E-01	3.68E-11	1.0E+06	3.7E-05
372	372	0.94594	1.02373E-06	9.7E-07	1.05E-03	1.01E-09	3.32E-01	1.57E-01	5.27E-11	1.0E+06	5.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.98834	1.02373E-06	1.0E-06	1.05E-03	1.06E-09	3.32E-01	1.57E-01	5.51E-11	1.0E+06	5.5E-05
374	374	1.03971	1.02373E-06	1.1E-06	1.05E-03	1.11E-09	3.32E-01	1.57E-01	5.80E-11	1.0E+06	5.8E-05
375	375	1.06633	1.02373E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.94E-11	1.0E+06	5.9E-05
376	376	1.06802	1.02373E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.95E-11	1.0E+06	6.0E-05
377	377	1.04325	1.02373E-06	1.1E-06	1.05E-03	1.12E-09	3.32E-01	1.57E-01	5.82E-11	1.0E+06	5.8E-05
378	378	1.00245	1.02373E-06	1.0E-06	1.05E-03	1.07E-09	3.32E-01	1.57E-01	5.59E-11	1.0E+06	5.6E-05
379	379	0.87598	1.02373E-06	9.0E-07	1.05E-03	9.37E-10	3.32E-01	1.57E-01	4.88E-11	1.0E+06	4.9E-05
380	380	0.80116	1.02373E-06	8.2E-07	1.05E-03	8.57E-10	3.32E-01	1.57E-01	4.47E-11	1.0E+06	4.5E-05
381	381	0.72094	1.02373E-06	7.4E-07	1.05E-03	7.71E-10	3.32E-01	1.57E-01	4.02E-11	1.0E+06	4.0E-05
382	382	1.27958	1.02373E-06	1.3E-06	1.05E-03	1.37E-09	3.32E-01	1.57E-01	7.13E-11	1.0E+06	7.1E-05
383	383	1.35111	1.02373E-06	1.4E-06	1.05E-03	1.45E-09	3.32E-01	1.57E-01	7.53E-11	1.0E+06	7.5E-05
384	384	1.39785	1.02373E-06	1.4E-06	1.05E-03	1.50E-09	3.32E-01	1.57E-01	7.79E-11	1.0E+06	7.8E-05
385	385	1.42586	1.02373E-06	1.5E-06	1.05E-03	1.53E-09	3.32E-01	1.57E-01	7.95E-11	1.0E+06	7.9E-05
386	386	1.41645	1.02373E-06	1.5E-06	1.05E-03	1.52E-09	3.32E-01	1.57E-01	7.90E-11	1.0E+06	7.9E-05
387	387	1.37252	1.02373E-06	1.4E-06	1.05E-03	1.47E-09	3.32E-01	1.57E-01	7.65E-11	1.0E+06	7.7E-05
388	388	1.30582	1.02373E-06	1.3E-06	1.05E-03	1.40E-09	3.32E-01	1.57E-01	7.28E-11	1.0E+06	7.3E-05
389	389	1.09487	1.02373E-06	1.1E-06	1.05E-03	1.17E-09	3.32E-01	1.57E-01	6.10E-11	1.0E+06	6.1E-05
390	390	0.97257	1.02373E-06	1.0E-06	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.42E-11	1.0E+06	5.4E-05
391	391	0.85286	1.02373E-06	8.7E-07	1.05E-03	9.13E-10	3.32E-01	1.57E-01	4.75E-11	1.0E+06	4.8E-05
392	392	0.72063	1.02373E-06	7.4E-07	1.05E-03	7.71E-10	3.32E-01	1.57E-01	4.02E-11	1.0E+06	4.0E-05
393	393	1.72857	1.02373E-06	1.8E-06	1.05E-03	1.85E-09	3.32E-01	1.57E-01	9.64E-11	1.0E+06	9.6E-05
394	394	1.83967	1.02373E-06	1.9E-06	1.05E-03	1.97E-09	3.32E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
395	395	1.81469	1.02373E-06	1.9E-06	1.05E-03	1.94E-09	3.32E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
396	396	1.83053	1.02373E-06	1.9E-06	1.05E-03	1.96E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
397	397	1.78195	1.02373E-06	1.8E-06	1.05E-03	1.91E-09	3.32E-01	1.57E-01	9.93E-11	1.0E+06	9.9E-05
398	398	1.65737	1.02373E-06	1.7E-06	1.05E-03	1.77E-09	3.32E-01	1.57E-01	9.24E-11	1.0E+06	9.2E-05
399	399	1.50226	1.02373E-06	1.5E-06	1.05E-03	1.61E-09	3.32E-01	1.57E-01	8.37E-11	1.0E+06	8.4E-05
400	400	1.41071	1.02373E-06	1.4E-06	1.05E-03	1.51E-09	3.32E-01	1.57E-01	7.86E-11	1.0E+06	7.9E-05
401	401	1.20655	1.02373E-06	1.2E-06	1.05E-03	1.29E-09	3.32E-01	1.57E-01	6.73E-11	1.0E+06	6.7E-05
402	402	0.81598	1.02373E-06	8.4E-07	1.05E-03	8.73E-10	3.32E-01	1.57E-01	4.55E-11	1.0E+06	4.5E-05
403	403	1.89074	1.02373E-06	1.9E-06	1.05E-03	2.02E-09	3.32E-01	1.57E-01	1.05E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.94707	1.02373E-06	9.7E-07	1.05E-03	1.01E-09	3.32E-01	1.57E-01	5.28E-11	1.0E+06	5.3E-05
405	405	0.73263	1.02373E-06	7.5E-07	1.05E-03	7.84E-10	3.32E-01	1.57E-01	4.08E-11	1.0E+06	4.1E-05
406	406	2.72449	1.02373E-06	2.8E-06	1.05E-03	2.92E-09	3.32E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
407	407	0.75322	1.02373E-06	7.7E-07	1.05E-03	8.06E-10	3.32E-01	1.57E-01	4.20E-11	1.0E+06	4.2E-05
408	408	4.37031	1.02373E-06	4.5E-06	1.05E-03	4.68E-09	3.32E-01	1.57E-01	2.44E-10	1.0E+06	2.4E-04
409	409	0.74242	1.02373E-06	7.6E-07	1.05E-03	7.94E-10	3.32E-01	1.57E-01	4.14E-11	1.0E+06	4.1E-05
410	410	5.89066	1.02373E-06	6.0E-06	1.05E-03	6.30E-09	3.32E-01	1.57E-01	3.28E-10	1.0E+06	3.3E-04
411	411	0.96301	1.02373E-06	9.9E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.37E-11	1.0E+06	5.4E-05
412	412	0.72082	1.02373E-06	7.4E-07	1.05E-03	7.71E-10	3.32E-01	1.57E-01	4.02E-11	1.0E+06	4.0E-05
413	413	4.15242	1.02373E-06	4.3E-06	1.05E-03	4.44E-09	3.32E-01	1.57E-01	2.31E-10	1.0E+06	2.3E-04
414	414	1.2307	1.02373E-06	1.3E-06	1.05E-03	1.32E-09	3.32E-01	1.57E-01	6.86E-11	1.0E+06	6.9E-05
415	415	0.87609	1.02373E-06	9.0E-07	1.05E-03	9.37E-10	3.32E-01	1.57E-01	4.88E-11	1.0E+06	4.9E-05
416	416	0.66877	1.02373E-06	6.8E-07	1.05E-03	7.16E-10	3.32E-01	1.57E-01	3.73E-11	1.0E+06	3.7E-05
417	417	2.82592	1.02373E-06	2.9E-06	1.05E-03	3.02E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
418	418	0.79163	1.02373E-06	8.1E-07	1.05E-03	8.47E-10	3.32E-01	1.57E-01	4.41E-11	1.0E+06	4.4E-05
419	419	0.61638	1.02373E-06	6.3E-07	1.05E-03	6.60E-10	3.32E-01	1.57E-01	3.44E-11	1.0E+06	3.4E-05
420	420	0.49673	1.02373E-06	5.1E-07	1.05E-03	5.32E-10	3.32E-01	1.57E-01	2.77E-11	1.0E+06	2.8E-05
421	421	2.04611	1.02373E-06	2.1E-06	1.05E-03	2.19E-09	3.32E-01	1.57E-01	1.14E-10	1.0E+06	1.1E-04
422	422	0.56643	1.02373E-06	5.8E-07	1.05E-03	6.06E-10	3.32E-01	1.57E-01	3.16E-11	1.0E+06	3.2E-05
423	423	0.46407	1.02373E-06	4.8E-07	1.05E-03	4.97E-10	3.32E-01	1.57E-01	2.59E-11	1.0E+06	2.6E-05
424	424	1.56649	1.02373E-06	1.6E-06	1.05E-03	1.68E-09	3.32E-01	1.57E-01	8.73E-11	1.0E+06	8.7E-05
425	425	0.43176	1.02373E-06	4.4E-07	1.05E-03	4.62E-10	3.32E-01	1.57E-01	2.41E-11	1.0E+06	2.4E-05
426	426	0.3652	1.02373E-06	3.7E-07	1.05E-03	3.91E-10	3.32E-01	1.57E-01	2.04E-11	1.0E+06	2.0E-05
427	427	1.24762	1.02373E-06	1.3E-06	1.05E-03	1.33E-09	3.32E-01	1.57E-01	6.95E-11	1.0E+06	7.0E-05
428	428	0.40134	1.02373E-06	4.1E-07	1.05E-03	4.29E-10	3.32E-01	1.57E-01	2.24E-11	1.0E+06	2.2E-05
429	429	0.34276	1.02373E-06	3.5E-07	1.05E-03	3.67E-10	3.32E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
430	430	1.0239	1.02373E-06	1.0E-06	1.05E-03	1.10E-09	3.32E-01	1.57E-01	5.71E-11	1.0E+06	5.7E-05
431	431	0.32135	1.02373E-06	3.3E-07	1.05E-03	3.44E-10	3.32E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
432	432	0.27846	1.02373E-06	2.9E-07	1.05E-03	2.98E-10	3.32E-01	1.57E-01	1.55E-11	1.0E+06	1.6E-05
433	433	0.85795	1.02373E-06	8.8E-07	1.05E-03	9.18E-10	3.32E-01	1.57E-01	4.78E-11	1.0E+06	4.8E-05
434	434	0.30144	1.02373E-06	3.1E-07	1.05E-03	3.23E-10	3.32E-01	1.57E-01	1.68E-11	1.0E+06	1.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.2643	1.02373E-06	2.7E-07	1.05E-03	2.83E-10	3.32E-01	1.57E-01	1.47E-11	1.0E+06	1.5E-05
436	436	0.73157	1.02373E-06	7.5E-07	1.05E-03	7.83E-10	3.32E-01	1.57E-01	4.08E-11	1.0E+06	4.1E-05
437	437	0.32605	1.02373E-06	3.3E-07	1.05E-03	3.49E-10	3.32E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
438	438	0.28347	1.02373E-06	2.9E-07	1.05E-03	3.03E-10	3.32E-01	1.57E-01	1.58E-11	1.0E+06	1.6E-05
439	439	0.24978	1.02373E-06	2.6E-07	1.05E-03	2.67E-10	3.32E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
440	440	0.63195	1.02373E-06	6.5E-07	1.05E-03	6.76E-10	3.32E-01	1.57E-01	3.52E-11	1.0E+06	3.5E-05
441	441	0.41411	1.02373E-06	4.2E-07	1.05E-03	4.43E-10	3.32E-01	1.57E-01	2.31E-11	1.0E+06	2.3E-05
442	442	0.35317	1.02373E-06	3.6E-07	1.05E-03	3.78E-10	3.32E-01	1.57E-01	1.97E-11	1.0E+06	2.0E-05
443	443	0.30514	1.02373E-06	3.1E-07	1.05E-03	3.27E-10	3.32E-01	1.57E-01	1.70E-11	1.0E+06	1.7E-05
444	444	0.26663	1.02373E-06	2.7E-07	1.05E-03	2.85E-10	3.32E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
445	445	0.55224	1.02373E-06	5.7E-07	1.05E-03	5.91E-10	3.32E-01	1.57E-01	3.08E-11	1.0E+06	3.1E-05
446	446	0.43322	1.02373E-06	4.4E-07	1.05E-03	4.64E-10	3.32E-01	1.57E-01	2.41E-11	1.0E+06	2.4E-05
447	447	0.377	1.02373E-06	3.9E-07	1.05E-03	4.03E-10	3.32E-01	1.57E-01	2.10E-11	1.0E+06	2.1E-05
448	448	0.32738	1.02373E-06	3.4E-07	1.05E-03	3.50E-10	3.32E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
449	449	0.48715	1.02373E-06	5.0E-07	1.05E-03	5.21E-10	3.32E-01	1.57E-01	2.72E-11	1.0E+06	2.7E-05
450	450	0.44047	1.02373E-06	4.5E-07	1.05E-03	4.71E-10	3.32E-01	1.57E-01	2.46E-11	1.0E+06	2.5E-05
451	451	0.39229	1.02373E-06	4.0E-07	1.05E-03	4.20E-10	3.32E-01	1.57E-01	2.19E-11	1.0E+06	2.2E-05
452	452	0.43319	1.02373E-06	4.4E-07	1.05E-03	4.64E-10	3.32E-01	1.57E-01	2.41E-11	1.0E+06	2.4E-05
453	453	0.3958	1.02373E-06	4.1E-07	1.05E-03	4.24E-10	3.32E-01	1.57E-01	2.21E-11	1.0E+06	2.2E-05
454	454	0.19899	1.02373E-06	2.0E-07	1.05E-03	2.13E-10	3.32E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
455	455	0.18119	1.02373E-06	1.9E-07	1.05E-03	1.94E-10	3.32E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
456	456	0.38783	1.02373E-06	4.0E-07	1.05E-03	4.15E-10	3.32E-01	1.57E-01	2.16E-11	1.0E+06	2.2E-05
457	457	0.35747	1.02373E-06	3.7E-07	1.05E-03	3.82E-10	3.32E-01	1.57E-01	1.99E-11	1.0E+06	2.0E-05
458	458	0.32462	1.02373E-06	3.3E-07	1.05E-03	3.47E-10	3.32E-01	1.57E-01	1.81E-11	1.0E+06	1.8E-05
459	459	0.2342	1.02373E-06	2.4E-07	1.05E-03	2.51E-10	3.32E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
460	460	0.21065	1.02373E-06	2.2E-07	1.05E-03	2.25E-10	3.32E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
461	461	0.19001	1.02373E-06	1.9E-07	1.05E-03	2.03E-10	3.32E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
462	462	0.17231	1.02373E-06	1.8E-07	1.05E-03	1.84E-10	3.32E-01	1.57E-01	9.60E-12	1.0E+06	9.6E-06
463	463	13.65727	1.02373E-06	1.4E-05	1.05E-03	1.46E-08	3.32E-01	1.57E-01	7.61E-10	1.0E+06	7.6E-04
464	464	8.4501	1.02373E-06	8.7E-06	1.05E-03	9.04E-09	3.32E-01	1.57E-01	4.71E-10	1.0E+06	4.7E-04
465	465	9.42636	1.02373E-06	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.25E-10	1.0E+06	5.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	6.1695	1.02373E-06	6.3E-06	1.05E-03	6.60E-09	3.32E-01	1.57E-01	3.44E-10	1.0E+06	3.4E-04
467	467	4.62459	1.02373E-06	4.7E-06	1.05E-03	4.95E-09	3.32E-01	1.57E-01	2.58E-10	1.0E+06	2.6E-04
468	468	2.91656	1.02373E-06	3.0E-06	1.05E-03	3.12E-09	3.32E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
469	469	2.06456	1.02373E-06	2.1E-06	1.05E-03	2.21E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.2E-04
470	470	1.73964	1.02373E-06	1.8E-06	1.05E-03	1.86E-09	3.32E-01	1.57E-01	9.70E-11	1.0E+06	9.7E-05
471	471	1.80023	1.02373E-06	1.8E-06	1.05E-03	1.93E-09	3.32E-01	1.57E-01	1.00E-10	1.0E+06	1.0E-04
472	472	1.36133	1.02373E-06	1.4E-06	1.05E-03	1.46E-09	3.32E-01	1.57E-01	7.59E-11	1.0E+06	7.6E-05
473	473	1.23707	1.02373E-06	1.3E-06	1.05E-03	1.32E-09	3.32E-01	1.57E-01	6.90E-11	1.0E+06	6.9E-05
474	474	1.09844	1.02373E-06	1.1E-06	1.05E-03	1.18E-09	3.32E-01	1.57E-01	6.12E-11	1.0E+06	6.1E-05
475	475	1.00949	1.02373E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.63E-11	1.0E+06	5.6E-05
476	476	0.90773	1.02373E-06	9.3E-07	1.05E-03	9.71E-10	3.32E-01	1.57E-01	5.06E-11	1.0E+06	5.1E-05
477	477	0.84234	1.02373E-06	8.6E-07	1.05E-03	9.01E-10	3.32E-01	1.57E-01	4.70E-11	1.0E+06	4.7E-05
478	478	0.76413	1.02373E-06	7.8E-07	1.05E-03	8.18E-10	3.32E-01	1.57E-01	4.26E-11	1.0E+06	4.3E-05
479	479	0.71404	1.02373E-06	7.3E-07	1.05E-03	7.64E-10	3.32E-01	1.57E-01	3.98E-11	1.0E+06	4.0E-05
480	480	0.65203	1.02373E-06	6.7E-07	1.05E-03	6.98E-10	3.32E-01	1.57E-01	3.63E-11	1.0E+06	3.6E-05
481	481	0.65313	1.02373E-06	6.7E-07	1.05E-03	6.99E-10	3.32E-01	1.57E-01	3.64E-11	1.0E+06	3.6E-05
482	482	0.56714	1.02373E-06	5.8E-07	1.05E-03	6.07E-10	3.32E-01	1.57E-01	3.16E-11	1.0E+06	3.2E-05
483	483	0.53522	1.02373E-06	5.5E-07	1.05E-03	5.73E-10	3.32E-01	1.57E-01	2.98E-11	1.0E+06	3.0E-05
484	484	0.49805	1.02373E-06	5.1E-07	1.05E-03	5.33E-10	3.32E-01	1.57E-01	2.78E-11	1.0E+06	2.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.09216	1.38724E-06	1.3E-07	1.05E-03	1.34E-10	3.32E-01	1.57E-01	6.96E-12	1.0E+06	7.0E-06
2	2	0.09432	1.38724E-06	1.3E-07	1.05E-03	1.37E-10	3.32E-01	1.57E-01	7.12E-12	1.0E+06	7.1E-06
3	3	0.09633	1.38724E-06	1.3E-07	1.05E-03	1.40E-10	3.32E-01	1.57E-01	7.28E-12	1.0E+06	7.3E-06
4	4	0.09844	1.38724E-06	1.4E-07	1.05E-03	1.43E-10	3.32E-01	1.57E-01	7.44E-12	1.0E+06	7.4E-06
5	5	0.10048	1.38724E-06	1.4E-07	1.05E-03	1.46E-10	3.32E-01	1.57E-01	7.59E-12	1.0E+06	7.6E-06
6	6	0.10345	1.38724E-06	1.4E-07	1.05E-03	1.50E-10	3.32E-01	1.57E-01	7.81E-12	1.0E+06	7.8E-06
7	7	0.1068	1.38724E-06	1.5E-07	1.05E-03	1.55E-10	3.32E-01	1.57E-01	8.07E-12	1.0E+06	8.1E-06
8	8	0.11047	1.38724E-06	1.5E-07	1.05E-03	1.60E-10	3.32E-01	1.57E-01	8.34E-12	1.0E+06	8.3E-06
9	9	0.11461	1.38724E-06	1.6E-07	1.05E-03	1.66E-10	3.32E-01	1.57E-01	8.66E-12	1.0E+06	8.7E-06
10	10	0.11999	1.38724E-06	1.7E-07	1.05E-03	1.74E-10	3.32E-01	1.57E-01	9.06E-12	1.0E+06	9.1E-06
11	11	0.12729	1.38724E-06	1.8E-07	1.05E-03	1.85E-10	3.32E-01	1.57E-01	9.61E-12	1.0E+06	9.6E-06
12	12	0.13543	1.38724E-06	1.9E-07	1.05E-03	1.96E-10	3.32E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
13	13	0.14458	1.38724E-06	2.0E-07	1.05E-03	2.10E-10	3.32E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
14	14	0.20999	1.38724E-06	2.9E-07	1.05E-03	3.04E-10	3.32E-01	1.57E-01	1.59E-11	1.0E+06	1.6E-05
15	15	0.10096	1.38724E-06	1.4E-07	1.05E-03	1.46E-10	3.32E-01	1.57E-01	7.63E-12	1.0E+06	7.6E-06
16	16	0.10308	1.38724E-06	1.4E-07	1.05E-03	1.49E-10	3.32E-01	1.57E-01	7.79E-12	1.0E+06	7.8E-06
17	17	0.10597	1.38724E-06	1.5E-07	1.05E-03	1.54E-10	3.32E-01	1.57E-01	8.00E-12	1.0E+06	8.0E-06
18	18	0.10826	1.38724E-06	1.5E-07	1.05E-03	1.57E-10	3.32E-01	1.57E-01	8.18E-12	1.0E+06	8.2E-06
19	19	0.11046	1.38724E-06	1.5E-07	1.05E-03	1.60E-10	3.32E-01	1.57E-01	8.34E-12	1.0E+06	8.3E-06
20	20	0.11335	1.38724E-06	1.6E-07	1.05E-03	1.64E-10	3.32E-01	1.57E-01	8.56E-12	1.0E+06	8.6E-06
21	21	0.11665	1.38724E-06	1.6E-07	1.05E-03	1.69E-10	3.32E-01	1.57E-01	8.81E-12	1.0E+06	8.8E-06
22	22	0.12015	1.38724E-06	1.7E-07	1.05E-03	1.74E-10	3.32E-01	1.57E-01	9.08E-12	1.0E+06	9.1E-06
23	23	0.12552	1.38724E-06	1.7E-07	1.05E-03	1.82E-10	3.32E-01	1.57E-01	9.48E-12	1.0E+06	9.5E-06
24	24	0.13047	1.38724E-06	1.8E-07	1.05E-03	1.89E-10	3.32E-01	1.57E-01	9.85E-12	1.0E+06	9.9E-06
25	25	0.13892	1.38724E-06	1.9E-07	1.05E-03	2.01E-10	3.32E-01	1.57E-01	1.05E-11	1.0E+06	1.0E-05
26	26	0.14856	1.38724E-06	2.1E-07	1.05E-03	2.15E-10	3.32E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
27	27	0.15739	1.38724E-06	2.2E-07	1.05E-03	2.28E-10	3.32E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
28	28	0.2371	1.38724E-06	3.3E-07	1.05E-03	3.44E-10	3.32E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
29	29	0.11037	1.38724E-06	1.5E-07	1.05E-03	1.60E-10	3.32E-01	1.57E-01	8.34E-12	1.0E+06	8.3E-06
30	30	0.11364	1.38724E-06	1.6E-07	1.05E-03	1.65E-10	3.32E-01	1.57E-01	8.58E-12	1.0E+06	8.6E-06
31	31	0.1174	1.38724E-06	1.6E-07	1.05E-03	1.70E-10	3.32E-01	1.57E-01	8.87E-12	1.0E+06	8.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.12053	1.38724E-06	1.7E-07	1.05E-03	1.75E-10	3.32E-01	1.57E-01	9.10E-12	1.0E+06	9.1E-06
33	33	0.12212	1.38724E-06	1.7E-07	1.05E-03	1.77E-10	3.32E-01	1.57E-01	9.22E-12	1.0E+06	9.2E-06
34	34	0.12541	1.38724E-06	1.7E-07	1.05E-03	1.82E-10	3.32E-01	1.57E-01	9.47E-12	1.0E+06	9.5E-06
35	35	0.12869	1.38724E-06	1.8E-07	1.05E-03	1.87E-10	3.32E-01	1.57E-01	9.72E-12	1.0E+06	9.7E-06
36	36	0.13286	1.38724E-06	1.8E-07	1.05E-03	1.93E-10	3.32E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
37	37	0.13814	1.38724E-06	1.9E-07	1.05E-03	2.00E-10	3.32E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
38	38	0.14461	1.38724E-06	2.0E-07	1.05E-03	2.10E-10	3.32E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
39	39	0.15282	1.38724E-06	2.1E-07	1.05E-03	2.22E-10	3.32E-01	1.57E-01	1.15E-11	1.0E+06	1.2E-05
40	40	0.1622	1.38724E-06	2.3E-07	1.05E-03	2.35E-10	3.32E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
41	41	0.17241	1.38724E-06	2.4E-07	1.05E-03	2.50E-10	3.32E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
42	42	0.26807	1.38724E-06	3.7E-07	1.05E-03	3.89E-10	3.32E-01	1.57E-01	2.02E-11	1.0E+06	2.0E-05
43	43	0.11985	1.38724E-06	1.7E-07	1.05E-03	1.74E-10	3.32E-01	1.57E-01	9.05E-12	1.0E+06	9.1E-06
44	44	0.12432	1.38724E-06	1.7E-07	1.05E-03	1.80E-10	3.32E-01	1.57E-01	9.39E-12	1.0E+06	9.4E-06
45	45	0.12854	1.38724E-06	1.8E-07	1.05E-03	1.86E-10	3.32E-01	1.57E-01	9.71E-12	1.0E+06	9.7E-06
46	46	0.13203	1.38724E-06	1.8E-07	1.05E-03	1.91E-10	3.32E-01	1.57E-01	9.97E-12	1.0E+06	1.0E-05
47	47	0.13511	1.38724E-06	1.9E-07	1.05E-03	1.96E-10	3.32E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
48	48	0.13875	1.38724E-06	1.9E-07	1.05E-03	2.01E-10	3.32E-01	1.57E-01	1.05E-11	1.0E+06	1.0E-05
49	49	0.14226	1.38724E-06	2.0E-07	1.05E-03	2.06E-10	3.32E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
50	50	0.1461	1.38724E-06	2.0E-07	1.05E-03	2.12E-10	3.32E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
51	51	0.15356	1.38724E-06	2.1E-07	1.05E-03	2.23E-10	3.32E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
52	52	0.16063	1.38724E-06	2.2E-07	1.05E-03	2.33E-10	3.32E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
53	53	0.17003	1.38724E-06	2.4E-07	1.05E-03	2.47E-10	3.32E-01	1.57E-01	1.28E-11	1.0E+06	1.3E-05
54	54	0.18104	1.38724E-06	2.5E-07	1.05E-03	2.62E-10	3.32E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
55	55	0.19382	1.38724E-06	2.7E-07	1.05E-03	2.81E-10	3.32E-01	1.57E-01	1.46E-11	1.0E+06	1.5E-05
56	56	0.312	1.38724E-06	4.3E-07	1.05E-03	4.52E-10	3.32E-01	1.57E-01	2.36E-11	1.0E+06	2.4E-05
57	57	0.12894	1.38724E-06	1.8E-07	1.05E-03	1.87E-10	3.32E-01	1.57E-01	9.74E-12	1.0E+06	9.7E-06
58	58	0.13406	1.38724E-06	1.9E-07	1.05E-03	1.94E-10	3.32E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
59	59	0.1392	1.38724E-06	1.9E-07	1.05E-03	2.02E-10	3.32E-01	1.57E-01	1.05E-11	1.0E+06	1.1E-05
60	60	0.14439	1.38724E-06	2.0E-07	1.05E-03	2.09E-10	3.32E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
61	61	0.14936	1.38724E-06	2.1E-07	1.05E-03	2.17E-10	3.32E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
62	62	0.15433	1.38724E-06	2.1E-07	1.05E-03	2.24E-10	3.32E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.16081	1.38724E-06	2.2E-07	1.05E-03	2.33E-10	3.32E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
64	64	0.16344	1.38724E-06	2.3E-07	1.05E-03	2.37E-10	3.32E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
65	65	0.1716	1.38724E-06	2.4E-07	1.05E-03	2.49E-10	3.32E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
66	66	0.18095	1.38724E-06	2.5E-07	1.05E-03	2.62E-10	3.32E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
67	67	0.19028	1.38724E-06	2.6E-07	1.05E-03	2.76E-10	3.32E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
68	68	0.20512	1.38724E-06	2.8E-07	1.05E-03	2.97E-10	3.32E-01	1.57E-01	1.55E-11	1.0E+06	1.5E-05
69	69	0.22197	1.38724E-06	3.1E-07	1.05E-03	3.22E-10	3.32E-01	1.57E-01	1.68E-11	1.0E+06	1.7E-05
70	70	0.13753	1.38724E-06	1.9E-07	1.05E-03	1.99E-10	3.32E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
71	71	0.14367	1.38724E-06	2.0E-07	1.05E-03	2.08E-10	3.32E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
72	72	0.14988	1.38724E-06	2.1E-07	1.05E-03	2.17E-10	3.32E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
73	73	0.15664	1.38724E-06	2.2E-07	1.05E-03	2.27E-10	3.32E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
74	74	0.16296	1.38724E-06	2.3E-07	1.05E-03	2.36E-10	3.32E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
75	75	0.17173	1.38724E-06	2.4E-07	1.05E-03	2.49E-10	3.32E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
76	76	0.17981	1.38724E-06	2.5E-07	1.05E-03	2.61E-10	3.32E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
77	77	0.18581	1.38724E-06	2.6E-07	1.05E-03	2.69E-10	3.32E-01	1.57E-01	1.40E-11	1.0E+06	1.4E-05
78	78	0.19581	1.38724E-06	2.7E-07	1.05E-03	2.84E-10	3.32E-01	1.57E-01	1.48E-11	1.0E+06	1.5E-05
79	79	0.21188	1.38724E-06	2.9E-07	1.05E-03	3.07E-10	3.32E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05
80	80	0.22169	1.38724E-06	3.1E-07	1.05E-03	3.21E-10	3.32E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
81	81	0.24223	1.38724E-06	3.4E-07	1.05E-03	3.51E-10	3.32E-01	1.57E-01	1.83E-11	1.0E+06	1.8E-05
82	82	0.25941	1.38724E-06	3.6E-07	1.05E-03	3.76E-10	3.32E-01	1.57E-01	1.96E-11	1.0E+06	2.0E-05
83	83	0.14576	1.38724E-06	2.0E-07	1.05E-03	2.11E-10	3.32E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
84	84	0.15224	1.38724E-06	2.1E-07	1.05E-03	2.21E-10	3.32E-01	1.57E-01	1.15E-11	1.0E+06	1.1E-05
85	85	0.15832	1.38724E-06	2.2E-07	1.05E-03	2.30E-10	3.32E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
86	86	0.16879	1.38724E-06	2.3E-07	1.05E-03	2.45E-10	3.32E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
87	87	0.17803	1.38724E-06	2.5E-07	1.05E-03	2.58E-10	3.32E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
88	88	0.18849	1.38724E-06	2.6E-07	1.05E-03	2.73E-10	3.32E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
89	89	0.19984	1.38724E-06	2.8E-07	1.05E-03	2.90E-10	3.32E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
90	90	0.21232	1.38724E-06	2.9E-07	1.05E-03	3.08E-10	3.32E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05
91	91	0.22629	1.38724E-06	3.1E-07	1.05E-03	3.28E-10	3.32E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
92	92	0.24224	1.38724E-06	3.4E-07	1.05E-03	3.51E-10	3.32E-01	1.57E-01	1.83E-11	1.0E+06	1.8E-05
93	93	0.26012	1.38724E-06	3.6E-07	1.05E-03	3.77E-10	3.32E-01	1.57E-01	1.96E-11	1.0E+06	2.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.28097	1.38724E-06	3.9E-07	1.05E-03	4.07E-10	3.32E-01	1.57E-01	2.12E-11	1.0E+06	2.1E-05
95	95	0.30584	1.38724E-06	4.2E-07	1.05E-03	4.43E-10	3.32E-01	1.57E-01	2.31E-11	1.0E+06	2.3E-05
96	96	0.1525	1.38724E-06	2.1E-07	1.05E-03	2.21E-10	3.32E-01	1.57E-01	1.15E-11	1.0E+06	1.2E-05
97	97	0.15819	1.38724E-06	2.2E-07	1.05E-03	2.29E-10	3.32E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
98	98	0.16574	1.38724E-06	2.3E-07	1.05E-03	2.40E-10	3.32E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05
99	99	0.17705	1.38724E-06	2.5E-07	1.05E-03	2.57E-10	3.32E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
100	100	0.19094	1.38724E-06	2.6E-07	1.05E-03	2.77E-10	3.32E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
101	101	0.20346	1.38724E-06	2.8E-07	1.05E-03	2.95E-10	3.32E-01	1.57E-01	1.54E-11	1.0E+06	1.5E-05
102	102	0.21727	1.38724E-06	3.0E-07	1.05E-03	3.15E-10	3.32E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
103	103	0.23295	1.38724E-06	3.2E-07	1.05E-03	3.38E-10	3.32E-01	1.57E-01	1.76E-11	1.0E+06	1.8E-05
104	104	0.25029	1.38724E-06	3.5E-07	1.05E-03	3.63E-10	3.32E-01	1.57E-01	1.89E-11	1.0E+06	1.9E-05
105	105	0.26983	1.38724E-06	3.7E-07	1.05E-03	3.91E-10	3.32E-01	1.57E-01	2.04E-11	1.0E+06	2.0E-05
106	106	0.29296	1.38724E-06	4.1E-07	1.05E-03	4.25E-10	3.32E-01	1.57E-01	2.21E-11	1.0E+06	2.2E-05
107	107	0.32006	1.38724E-06	4.4E-07	1.05E-03	4.64E-10	3.32E-01	1.57E-01	2.42E-11	1.0E+06	2.4E-05
108	108	0.35239	1.38724E-06	4.9E-07	1.05E-03	5.11E-10	3.32E-01	1.57E-01	2.66E-11	1.0E+06	2.7E-05
109	109	0.15646	1.38724E-06	2.2E-07	1.05E-03	2.27E-10	3.32E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
110	110	0.16633	1.38724E-06	2.3E-07	1.05E-03	2.41E-10	3.32E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
111	111	0.17726	1.38724E-06	2.5E-07	1.05E-03	2.57E-10	3.32E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
112	112	0.18924	1.38724E-06	2.6E-07	1.05E-03	2.74E-10	3.32E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
113	113	0.20242	1.38724E-06	2.8E-07	1.05E-03	2.93E-10	3.32E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
114	114	0.21692	1.38724E-06	3.0E-07	1.05E-03	3.15E-10	3.32E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
115	115	0.23281	1.38724E-06	3.2E-07	1.05E-03	3.38E-10	3.32E-01	1.57E-01	1.76E-11	1.0E+06	1.8E-05
116	116	0.25137	1.38724E-06	3.5E-07	1.05E-03	3.64E-10	3.32E-01	1.57E-01	1.90E-11	1.0E+06	1.9E-05
117	117	0.27328	1.38724E-06	3.8E-07	1.05E-03	3.96E-10	3.32E-01	1.57E-01	2.06E-11	1.0E+06	2.1E-05
118	118	0.29284	1.38724E-06	4.1E-07	1.05E-03	4.25E-10	3.32E-01	1.57E-01	2.21E-11	1.0E+06	2.2E-05
119	119	0.32152	1.38724E-06	4.5E-07	1.05E-03	4.66E-10	3.32E-01	1.57E-01	2.43E-11	1.0E+06	2.4E-05
120	120	0.35343	1.38724E-06	4.9E-07	1.05E-03	5.12E-10	3.32E-01	1.57E-01	2.67E-11	1.0E+06	2.7E-05
121	121	0.39023	1.38724E-06	5.4E-07	1.05E-03	5.66E-10	3.32E-01	1.57E-01	2.95E-11	1.0E+06	2.9E-05
122	122	0.1594	1.38724E-06	2.2E-07	1.05E-03	2.31E-10	3.32E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
123	123	0.17081	1.38724E-06	2.4E-07	1.05E-03	2.48E-10	3.32E-01	1.57E-01	1.29E-11	1.0E+06	1.3E-05
124	124	0.1844	1.38724E-06	2.6E-07	1.05E-03	2.67E-10	3.32E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19791	1.38724E-06	2.7E-07	1.05E-03	2.87E-10	3.32E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
126	126	0.21207	1.38724E-06	2.9E-07	1.05E-03	3.07E-10	3.32E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05
127	127	0.22702	1.38724E-06	3.1E-07	1.05E-03	3.29E-10	3.32E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
128	128	0.23651	1.38724E-06	3.3E-07	1.05E-03	3.43E-10	3.32E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
129	129	0.25652	1.38724E-06	3.6E-07	1.05E-03	3.72E-10	3.32E-01	1.57E-01	1.94E-11	1.0E+06	1.9E-05
130	130	0.28681	1.38724E-06	4.0E-07	1.05E-03	4.16E-10	3.32E-01	1.57E-01	2.17E-11	1.0E+06	2.2E-05
131	131	2.1026	1.38724E-06	2.9E-06	1.05E-03	3.05E-09	3.32E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
132	132	3.06035	1.38724E-06	4.2E-06	1.05E-03	4.44E-09	3.32E-01	1.57E-01	2.31E-10	1.0E+06	2.3E-04
133	133	0.15976	1.38724E-06	2.2E-07	1.05E-03	2.32E-10	3.32E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
134	134	0.17419	1.38724E-06	2.4E-07	1.05E-03	2.53E-10	3.32E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05
135	135	0.18902	1.38724E-06	2.6E-07	1.05E-03	2.74E-10	3.32E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
136	136	0.20383	1.38724E-06	2.8E-07	1.05E-03	2.96E-10	3.32E-01	1.57E-01	1.54E-11	1.0E+06	1.5E-05
137	137	0.21975	1.38724E-06	3.0E-07	1.05E-03	3.19E-10	3.32E-01	1.57E-01	1.66E-11	1.0E+06	1.7E-05
138	138	0.2353	1.38724E-06	3.3E-07	1.05E-03	3.41E-10	3.32E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
139	139	0.24956	1.38724E-06	3.5E-07	1.05E-03	3.62E-10	3.32E-01	1.57E-01	1.89E-11	1.0E+06	1.9E-05
140	140	0.27529	1.38724E-06	3.8E-07	1.05E-03	3.99E-10	3.32E-01	1.57E-01	2.08E-11	1.0E+06	2.1E-05
141	141	0.30274	1.38724E-06	4.2E-07	1.05E-03	4.39E-10	3.32E-01	1.57E-01	2.29E-11	1.0E+06	2.3E-05
142	142	0.33396	1.38724E-06	4.6E-07	1.05E-03	4.84E-10	3.32E-01	1.57E-01	2.52E-11	1.0E+06	2.5E-05
143	143	0.37519	1.38724E-06	5.2E-07	1.05E-03	5.44E-10	3.32E-01	1.57E-01	2.83E-11	1.0E+06	2.8E-05
144	144	0.4316	1.38724E-06	6.0E-07	1.05E-03	6.26E-10	3.32E-01	1.57E-01	3.26E-11	1.0E+06	3.3E-05
145	145	0.49688	1.38724E-06	6.9E-07	1.05E-03	7.20E-10	3.32E-01	1.57E-01	3.75E-11	1.0E+06	3.8E-05
146	146	2.96442	1.38724E-06	4.1E-06	1.05E-03	4.30E-09	3.32E-01	1.57E-01	2.24E-10	1.0E+06	2.2E-04
147	147	0.159	1.38724E-06	2.2E-07	1.05E-03	2.31E-10	3.32E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
148	148	0.17357	1.38724E-06	2.4E-07	1.05E-03	2.52E-10	3.32E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
149	149	0.18984	1.38724E-06	2.6E-07	1.05E-03	2.75E-10	3.32E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
150	150	0.20615	1.38724E-06	2.9E-07	1.05E-03	2.99E-10	3.32E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
151	151	0.22496	1.38724E-06	3.1E-07	1.05E-03	3.26E-10	3.32E-01	1.57E-01	1.70E-11	1.0E+06	1.7E-05
152	152	0.24207	1.38724E-06	3.4E-07	1.05E-03	3.51E-10	3.32E-01	1.57E-01	1.83E-11	1.0E+06	1.8E-05
153	153	0.26089	1.38724E-06	3.6E-07	1.05E-03	3.78E-10	3.32E-01	1.57E-01	1.97E-11	1.0E+06	2.0E-05
154	154	0.28522	1.38724E-06	4.0E-07	1.05E-03	4.14E-10	3.32E-01	1.57E-01	2.15E-11	1.0E+06	2.2E-05
155	155	0.31549	1.38724E-06	4.4E-07	1.05E-03	4.57E-10	3.32E-01	1.57E-01	2.38E-11	1.0E+06	2.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.35039	1.38724E-06	4.9E-07	1.05E-03	5.08E-10	3.32E-01	1.57E-01	2.65E-11	1.0E+06	2.6E-05
157	157	0.39073	1.38724E-06	5.4E-07	1.05E-03	5.67E-10	3.32E-01	1.57E-01	2.95E-11	1.0E+06	3.0E-05
158	158	0.43909	1.38724E-06	6.1E-07	1.05E-03	6.37E-10	3.32E-01	1.57E-01	3.32E-11	1.0E+06	3.3E-05
159	159	0.52696	1.38724E-06	7.3E-07	1.05E-03	7.64E-10	3.32E-01	1.57E-01	3.98E-11	1.0E+06	4.0E-05
160	160	0.15954	1.38724E-06	2.2E-07	1.05E-03	2.31E-10	3.32E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
161	161	0.17229	1.38724E-06	2.4E-07	1.05E-03	2.50E-10	3.32E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
162	162	0.18448	1.38724E-06	2.6E-07	1.05E-03	2.67E-10	3.32E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
163	163	0.20428	1.38724E-06	2.8E-07	1.05E-03	2.96E-10	3.32E-01	1.57E-01	1.54E-11	1.0E+06	1.5E-05
164	164	0.22766	1.38724E-06	3.2E-07	1.05E-03	3.30E-10	3.32E-01	1.57E-01	1.72E-11	1.0E+06	1.7E-05
165	165	0.24766	1.38724E-06	3.4E-07	1.05E-03	3.59E-10	3.32E-01	1.57E-01	1.87E-11	1.0E+06	1.9E-05
166	166	0.27128	1.38724E-06	3.8E-07	1.05E-03	3.93E-10	3.32E-01	1.57E-01	2.05E-11	1.0E+06	2.0E-05
167	167	0.29839	1.38724E-06	4.1E-07	1.05E-03	4.33E-10	3.32E-01	1.57E-01	2.25E-11	1.0E+06	2.3E-05
168	168	0.33053	1.38724E-06	4.6E-07	1.05E-03	4.79E-10	3.32E-01	1.57E-01	2.50E-11	1.0E+06	2.5E-05
169	169	0.36857	1.38724E-06	5.1E-07	1.05E-03	5.34E-10	3.32E-01	1.57E-01	2.78E-11	1.0E+06	2.8E-05
170	170	0.41336	1.38724E-06	5.7E-07	1.05E-03	5.99E-10	3.32E-01	1.57E-01	3.12E-11	1.0E+06	3.1E-05
171	171	0.46852	1.38724E-06	6.5E-07	1.05E-03	6.79E-10	3.32E-01	1.57E-01	3.54E-11	1.0E+06	3.5E-05
172	172	0.55099	1.38724E-06	7.6E-07	1.05E-03	7.99E-10	3.32E-01	1.57E-01	4.16E-11	1.0E+06	4.2E-05
173	173	0.67168	1.38724E-06	9.3E-07	1.05E-03	9.74E-10	3.32E-01	1.57E-01	5.07E-11	1.0E+06	5.1E-05
174	174	0.85514	1.38724E-06	1.2E-06	1.05E-03	1.24E-09	3.32E-01	1.57E-01	6.46E-11	1.0E+06	6.5E-05
175	175	1.12024	1.38724E-06	1.6E-06	1.05E-03	1.62E-09	3.32E-01	1.57E-01	8.46E-11	1.0E+06	8.5E-05
176	176	1.52224	1.38724E-06	2.1E-06	1.05E-03	2.21E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.1E-04
177	177	2.35744	1.38724E-06	3.3E-06	1.05E-03	3.42E-09	3.32E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
178	178	4.31639	1.38724E-06	6.0E-06	1.05E-03	6.26E-09	3.32E-01	1.57E-01	3.26E-10	1.0E+06	3.3E-04
179	179	0.15515	1.38724E-06	2.2E-07	1.05E-03	2.25E-10	3.32E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
180	180	0.16683	1.38724E-06	2.3E-07	1.05E-03	2.42E-10	3.32E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
181	181	0.17732	1.38724E-06	2.5E-07	1.05E-03	2.57E-10	3.32E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
182	182	0.20086	1.38724E-06	2.8E-07	1.05E-03	2.91E-10	3.32E-01	1.57E-01	1.52E-11	1.0E+06	1.5E-05
183	183	0.23068	1.38724E-06	3.2E-07	1.05E-03	3.34E-10	3.32E-01	1.57E-01	1.74E-11	1.0E+06	1.7E-05
184	184	0.25381	1.38724E-06	3.5E-07	1.05E-03	3.68E-10	3.32E-01	1.57E-01	1.92E-11	1.0E+06	1.9E-05
185	185	0.28134	1.38724E-06	3.9E-07	1.05E-03	4.08E-10	3.32E-01	1.57E-01	2.13E-11	1.0E+06	2.1E-05
186	186	0.31149	1.38724E-06	4.3E-07	1.05E-03	4.52E-10	3.32E-01	1.57E-01	2.35E-11	1.0E+06	2.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.34538	1.38724E-06	4.8E-07	1.05E-03	5.01E-10	3.32E-01	1.57E-01	2.61E-11	1.0E+06	2.6E-05
188	188	0.38664	1.38724E-06	5.4E-07	1.05E-03	5.61E-10	3.32E-01	1.57E-01	2.92E-11	1.0E+06	2.9E-05
189	189	0.43447	1.38724E-06	6.0E-07	1.05E-03	6.30E-10	3.32E-01	1.57E-01	3.28E-11	1.0E+06	3.3E-05
190	190	0.49498	1.38724E-06	6.9E-07	1.05E-03	7.18E-10	3.32E-01	1.57E-01	3.74E-11	1.0E+06	3.7E-05
191	191	0.57119	1.38724E-06	7.9E-07	1.05E-03	8.28E-10	3.32E-01	1.57E-01	4.31E-11	1.0E+06	4.3E-05
192	192	0.68429	1.38724E-06	9.5E-07	1.05E-03	9.92E-10	3.32E-01	1.57E-01	5.17E-11	1.0E+06	5.2E-05
193	193	0.84638	1.38724E-06	1.2E-06	1.05E-03	1.23E-09	3.32E-01	1.57E-01	6.39E-11	1.0E+06	6.4E-05
194	194	1.12499	1.38724E-06	1.6E-06	1.05E-03	1.63E-09	3.32E-01	1.57E-01	8.50E-11	1.0E+06	8.5E-05
195	195	1.63303	1.38724E-06	2.3E-06	1.05E-03	2.37E-09	3.32E-01	1.57E-01	1.23E-10	1.0E+06	1.2E-04
196	196	2.52631	1.38724E-06	3.5E-06	1.05E-03	3.66E-09	3.32E-01	1.57E-01	1.91E-10	1.0E+06	1.9E-04
197	197	4.55458	1.38724E-06	6.3E-06	1.05E-03	6.60E-09	3.32E-01	1.57E-01	3.44E-10	1.0E+06	3.4E-04
198	198	0.15327	1.38724E-06	2.1E-07	1.05E-03	2.22E-10	3.32E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
199	199	0.16603	1.38724E-06	2.3E-07	1.05E-03	2.41E-10	3.32E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05
200	200	0.18018	1.38724E-06	2.5E-07	1.05E-03	2.61E-10	3.32E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
201	201	0.19948	1.38724E-06	2.8E-07	1.05E-03	2.89E-10	3.32E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
202	202	0.23047	1.38724E-06	3.2E-07	1.05E-03	3.34E-10	3.32E-01	1.57E-01	1.74E-11	1.0E+06	1.7E-05
203	203	0.25779	1.38724E-06	3.6E-07	1.05E-03	3.74E-10	3.32E-01	1.57E-01	1.95E-11	1.0E+06	1.9E-05
204	204	0.28883	1.38724E-06	4.0E-07	1.05E-03	4.19E-10	3.32E-01	1.57E-01	2.18E-11	1.0E+06	2.2E-05
205	205	0.32201	1.38724E-06	4.5E-07	1.05E-03	4.67E-10	3.32E-01	1.57E-01	2.43E-11	1.0E+06	2.4E-05
206	206	0.35949	1.38724E-06	5.0E-07	1.05E-03	5.21E-10	3.32E-01	1.57E-01	2.72E-11	1.0E+06	2.7E-05
207	207	0.40367	1.38724E-06	5.6E-07	1.05E-03	5.85E-10	3.32E-01	1.57E-01	3.05E-11	1.0E+06	3.0E-05
208	208	0.45551	1.38724E-06	6.3E-07	1.05E-03	6.60E-10	3.32E-01	1.57E-01	3.44E-11	1.0E+06	3.4E-05
209	209	0.52002	1.38724E-06	7.2E-07	1.05E-03	7.54E-10	3.32E-01	1.57E-01	3.93E-11	1.0E+06	3.9E-05
210	210	0.60121	1.38724E-06	8.3E-07	1.05E-03	8.72E-10	3.32E-01	1.57E-01	4.54E-11	1.0E+06	4.5E-05
211	211	0.70972	1.38724E-06	9.8E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.36E-11	1.0E+06	5.4E-05
212	212	0.8556	1.38724E-06	1.2E-06	1.05E-03	1.24E-09	3.32E-01	1.57E-01	6.46E-11	1.0E+06	6.5E-05
213	213	1.06184	1.38724E-06	1.5E-06	1.05E-03	1.54E-09	3.32E-01	1.57E-01	8.02E-11	1.0E+06	8.0E-05
214	214	1.37139	1.38724E-06	1.9E-06	1.05E-03	1.99E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
215	215	2.44577	1.38724E-06	3.4E-06	1.05E-03	3.55E-09	3.32E-01	1.57E-01	1.85E-10	1.0E+06	1.8E-04
216	216	0.15319	1.38724E-06	2.1E-07	1.05E-03	2.22E-10	3.32E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
217	217	0.16559	1.38724E-06	2.3E-07	1.05E-03	2.40E-10	3.32E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.18096	1.38724E-06	2.5E-07	1.05E-03	2.62E-10	3.32E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
219	219	0.20004	1.38724E-06	2.8E-07	1.05E-03	2.90E-10	3.32E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
220	220	0.2294	1.38724E-06	3.2E-07	1.05E-03	3.33E-10	3.32E-01	1.57E-01	1.73E-11	1.0E+06	1.7E-05
221	221	0.25665	1.38724E-06	3.6E-07	1.05E-03	3.72E-10	3.32E-01	1.57E-01	1.94E-11	1.0E+06	1.9E-05
222	222	0.29063	1.38724E-06	4.0E-07	1.05E-03	4.21E-10	3.32E-01	1.57E-01	2.20E-11	1.0E+06	2.2E-05
223	223	0.32669	1.38724E-06	4.5E-07	1.05E-03	4.74E-10	3.32E-01	1.57E-01	2.47E-11	1.0E+06	2.5E-05
224	224	0.36726	1.38724E-06	5.1E-07	1.05E-03	5.33E-10	3.32E-01	1.57E-01	2.77E-11	1.0E+06	2.8E-05
225	225	0.41303	1.38724E-06	5.7E-07	1.05E-03	5.99E-10	3.32E-01	1.57E-01	3.12E-11	1.0E+06	3.1E-05
226	226	0.4701	1.38724E-06	6.5E-07	1.05E-03	6.82E-10	3.32E-01	1.57E-01	3.55E-11	1.0E+06	3.6E-05
227	227	0.53799	1.38724E-06	7.5E-07	1.05E-03	7.80E-10	3.32E-01	1.57E-01	4.06E-11	1.0E+06	4.1E-05
228	228	0.62299	1.38724E-06	8.6E-07	1.05E-03	9.03E-10	3.32E-01	1.57E-01	4.71E-11	1.0E+06	4.7E-05
229	229	0.7354	1.38724E-06	1.0E-06	1.05E-03	1.07E-09	3.32E-01	1.57E-01	5.55E-11	1.0E+06	5.6E-05
230	230	0.88259	1.38724E-06	1.2E-06	1.05E-03	1.28E-09	3.32E-01	1.57E-01	6.67E-11	1.0E+06	6.7E-05
231	231	1.09864	1.38724E-06	1.5E-06	1.05E-03	1.59E-09	3.32E-01	1.57E-01	8.30E-11	1.0E+06	8.3E-05
232	232	1.43751	1.38724E-06	2.0E-06	1.05E-03	2.08E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
233	233	2.40441	1.38724E-06	3.3E-06	1.05E-03	3.49E-09	3.32E-01	1.57E-01	1.82E-10	1.0E+06	1.8E-04
234	234	0.1527	1.38724E-06	2.1E-07	1.05E-03	2.21E-10	3.32E-01	1.57E-01	1.15E-11	1.0E+06	1.2E-05
235	235	0.1647	1.38724E-06	2.3E-07	1.05E-03	2.39E-10	3.32E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05
236	236	0.18055	1.38724E-06	2.5E-07	1.05E-03	2.62E-10	3.32E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
237	237	0.20111	1.38724E-06	2.8E-07	1.05E-03	2.92E-10	3.32E-01	1.57E-01	1.52E-11	1.0E+06	1.5E-05
238	238	0.22732	1.38724E-06	3.2E-07	1.05E-03	3.30E-10	3.32E-01	1.57E-01	1.72E-11	1.0E+06	1.7E-05
239	239	0.255	1.38724E-06	3.5E-07	1.05E-03	3.70E-10	3.32E-01	1.57E-01	1.93E-11	1.0E+06	1.9E-05
240	240	0.28846	1.38724E-06	4.0E-07	1.05E-03	4.18E-10	3.32E-01	1.57E-01	2.18E-11	1.0E+06	2.2E-05
241	241	0.32627	1.38724E-06	4.5E-07	1.05E-03	4.73E-10	3.32E-01	1.57E-01	2.46E-11	1.0E+06	2.5E-05
242	242	0.36954	1.38724E-06	5.1E-07	1.05E-03	5.36E-10	3.32E-01	1.57E-01	2.79E-11	1.0E+06	2.8E-05
243	243	0.4192	1.38724E-06	5.8E-07	1.05E-03	6.08E-10	3.32E-01	1.57E-01	3.17E-11	1.0E+06	3.2E-05
244	244	0.48126	1.38724E-06	6.7E-07	1.05E-03	6.98E-10	3.32E-01	1.57E-01	3.64E-11	1.0E+06	3.6E-05
245	245	0.5562	1.38724E-06	7.7E-07	1.05E-03	8.06E-10	3.32E-01	1.57E-01	4.20E-11	1.0E+06	4.2E-05
246	246	0.64925	1.38724E-06	9.0E-07	1.05E-03	9.41E-10	3.32E-01	1.57E-01	4.90E-11	1.0E+06	4.9E-05
247	247	0.76811	1.38724E-06	1.1E-06	1.05E-03	1.11E-09	3.32E-01	1.57E-01	5.80E-11	1.0E+06	5.8E-05
248	248	0.928	1.38724E-06	1.3E-06	1.05E-03	1.35E-09	3.32E-01	1.57E-01	7.01E-11	1.0E+06	7.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.15538	1.38724E-06	1.6E-06	1.05E-03	1.68E-09	3.32E-01	1.57E-01	8.73E-11	1.0E+06	8.7E-05
250	250	1.52774	1.38724E-06	2.1E-06	1.05E-03	2.22E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.2E-04
251	251	2.5086	1.38724E-06	3.5E-06	1.05E-03	3.64E-09	3.32E-01	1.57E-01	1.89E-10	1.0E+06	1.9E-04
252	252	0.15001	1.38724E-06	2.1E-07	1.05E-03	2.18E-10	3.32E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
253	253	0.16148	1.38724E-06	2.2E-07	1.05E-03	2.34E-10	3.32E-01	1.57E-01	1.22E-11	1.0E+06	1.2E-05
254	254	0.17624	1.38724E-06	2.4E-07	1.05E-03	2.56E-10	3.32E-01	1.57E-01	1.33E-11	1.0E+06	1.3E-05
255	255	0.19449	1.38724E-06	2.7E-07	1.05E-03	2.82E-10	3.32E-01	1.57E-01	1.47E-11	1.0E+06	1.5E-05
256	256	0.22408	1.38724E-06	3.1E-07	1.05E-03	3.25E-10	3.32E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
257	257	0.24552	1.38724E-06	3.4E-07	1.05E-03	3.56E-10	3.32E-01	1.57E-01	1.85E-11	1.0E+06	1.9E-05
258	258	0.27459	1.38724E-06	3.8E-07	1.05E-03	3.98E-10	3.32E-01	1.57E-01	2.07E-11	1.0E+06	2.1E-05
259	259	0.30864	1.38724E-06	4.3E-07	1.05E-03	4.48E-10	3.32E-01	1.57E-01	2.33E-11	1.0E+06	2.3E-05
260	260	0.35569	1.38724E-06	4.9E-07	1.05E-03	5.16E-10	3.32E-01	1.57E-01	2.69E-11	1.0E+06	2.7E-05
261	261	0.41512	1.38724E-06	5.8E-07	1.05E-03	6.02E-10	3.32E-01	1.57E-01	3.14E-11	1.0E+06	3.1E-05
262	262	0.48454	1.38724E-06	6.7E-07	1.05E-03	7.03E-10	3.32E-01	1.57E-01	3.66E-11	1.0E+06	3.7E-05
263	263	0.5625	1.38724E-06	7.8E-07	1.05E-03	8.16E-10	3.32E-01	1.57E-01	4.25E-11	1.0E+06	4.2E-05
264	264	0.66401	1.38724E-06	9.2E-07	1.05E-03	9.63E-10	3.32E-01	1.57E-01	5.02E-11	1.0E+06	5.0E-05
265	265	0.78855	1.38724E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.96E-11	1.0E+06	6.0E-05
266	266	0.95858	1.38724E-06	1.3E-06	1.05E-03	1.39E-09	3.32E-01	1.57E-01	7.24E-11	1.0E+06	7.2E-05
267	267	1.1983	1.38724E-06	1.7E-06	1.05E-03	1.74E-09	3.32E-01	1.57E-01	9.05E-11	1.0E+06	9.1E-05
268	268	1.58144	1.38724E-06	2.2E-06	1.05E-03	2.29E-09	3.32E-01	1.57E-01	1.19E-10	1.0E+06	1.2E-04
269	269	2.55628	1.38724E-06	3.5E-06	1.05E-03	3.71E-09	3.32E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
270	270	0.14621	1.38724E-06	2.0E-07	1.05E-03	2.12E-10	3.32E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
271	271	0.1583	1.38724E-06	2.2E-07	1.05E-03	2.30E-10	3.32E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
272	272	0.17313	1.38724E-06	2.4E-07	1.05E-03	2.51E-10	3.32E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
273	273	0.19039	1.38724E-06	2.6E-07	1.05E-03	2.76E-10	3.32E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
274	274	0.22201	1.38724E-06	3.1E-07	1.05E-03	3.22E-10	3.32E-01	1.57E-01	1.68E-11	1.0E+06	1.7E-05
275	275	0.25128	1.38724E-06	3.5E-07	1.05E-03	3.64E-10	3.32E-01	1.57E-01	1.90E-11	1.0E+06	1.9E-05
276	276	0.26733	1.38724E-06	3.7E-07	1.05E-03	3.88E-10	3.32E-01	1.57E-01	2.02E-11	1.0E+06	2.0E-05
277	277	0.30004	1.38724E-06	4.2E-07	1.05E-03	4.35E-10	3.32E-01	1.57E-01	2.27E-11	1.0E+06	2.3E-05
278	278	0.34249	1.38724E-06	4.8E-07	1.05E-03	4.97E-10	3.32E-01	1.57E-01	2.59E-11	1.0E+06	2.6E-05
279	279	0.39721	1.38724E-06	5.5E-07	1.05E-03	5.76E-10	3.32E-01	1.57E-01	3.00E-11	1.0E+06	3.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.47332	1.38724E-06	6.6E-07	1.05E-03	6.86E-10	3.32E-01	1.57E-01	3.58E-11	1.0E+06	3.6E-05
281	281	0.56419	1.38724E-06	7.8E-07	1.05E-03	8.18E-10	3.32E-01	1.57E-01	4.26E-11	1.0E+06	4.3E-05
282	282	0.67443	1.38724E-06	9.4E-07	1.05E-03	9.78E-10	3.32E-01	1.57E-01	5.09E-11	1.0E+06	5.1E-05
283	283	0.81274	1.38724E-06	1.1E-06	1.05E-03	1.18E-09	3.32E-01	1.57E-01	6.14E-11	1.0E+06	6.1E-05
284	284	0.99874	1.38724E-06	1.4E-06	1.05E-03	1.45E-09	3.32E-01	1.57E-01	7.54E-11	1.0E+06	7.5E-05
285	285	1.25668	1.38724E-06	1.7E-06	1.05E-03	1.82E-09	3.32E-01	1.57E-01	9.49E-11	1.0E+06	9.5E-05
286	286	1.67882	1.38724E-06	2.3E-06	1.05E-03	2.43E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
287	287	2.73091	1.38724E-06	3.8E-06	1.05E-03	3.96E-09	3.32E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
288	288	0.14265	1.38724E-06	2.0E-07	1.05E-03	2.07E-10	3.32E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
289	289	0.15374	1.38724E-06	2.1E-07	1.05E-03	2.23E-10	3.32E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
290	290	0.17161	1.38724E-06	2.4E-07	1.05E-03	2.49E-10	3.32E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
291	291	0.19064	1.38724E-06	2.6E-07	1.05E-03	2.76E-10	3.32E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
292	292	0.23085	1.38724E-06	3.2E-07	1.05E-03	3.35E-10	3.32E-01	1.57E-01	1.74E-11	1.0E+06	1.7E-05
293	293	0.25131	1.38724E-06	3.5E-07	1.05E-03	3.64E-10	3.32E-01	1.57E-01	1.90E-11	1.0E+06	1.9E-05
294	294	0.25984	1.38724E-06	3.6E-07	1.05E-03	3.77E-10	3.32E-01	1.57E-01	1.96E-11	1.0E+06	2.0E-05
295	295	0.29421	1.38724E-06	4.1E-07	1.05E-03	4.27E-10	3.32E-01	1.57E-01	2.22E-11	1.0E+06	2.2E-05
296	296	0.33744	1.38724E-06	4.7E-07	1.05E-03	4.89E-10	3.32E-01	1.57E-01	2.55E-11	1.0E+06	2.5E-05
297	297	0.38583	1.38724E-06	5.4E-07	1.05E-03	5.59E-10	3.32E-01	1.57E-01	2.91E-11	1.0E+06	2.9E-05
298	298	0.45449	1.38724E-06	6.3E-07	1.05E-03	6.59E-10	3.32E-01	1.57E-01	3.43E-11	1.0E+06	3.4E-05
299	299	0.55386	1.38724E-06	7.7E-07	1.05E-03	8.03E-10	3.32E-01	1.57E-01	4.18E-11	1.0E+06	4.2E-05
300	300	0.66683	1.38724E-06	9.3E-07	1.05E-03	9.67E-10	3.32E-01	1.57E-01	5.04E-11	1.0E+06	5.0E-05
301	301	0.82545	1.38724E-06	1.1E-06	1.05E-03	1.20E-09	3.32E-01	1.57E-01	6.23E-11	1.0E+06	6.2E-05
302	302	1.03874	1.38724E-06	1.4E-06	1.05E-03	1.51E-09	3.32E-01	1.57E-01	7.85E-11	1.0E+06	7.8E-05
303	303	1.35075	1.38724E-06	1.9E-06	1.05E-03	1.96E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
304	304	1.8498	1.38724E-06	2.6E-06	1.05E-03	2.68E-09	3.32E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
305	305	3.10895	1.38724E-06	4.3E-06	1.05E-03	4.51E-09	3.32E-01	1.57E-01	2.35E-10	1.0E+06	2.3E-04
306	306	0.14622	1.38724E-06	2.0E-07	1.05E-03	2.12E-10	3.32E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
307	307	0.15391	1.38724E-06	2.1E-07	1.05E-03	2.23E-10	3.32E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
308	308	0.16799	1.38724E-06	2.3E-07	1.05E-03	2.44E-10	3.32E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
309	309	0.19684	1.38724E-06	2.7E-07	1.05E-03	2.85E-10	3.32E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
310	310	0.22674	1.38724E-06	3.1E-07	1.05E-03	3.29E-10	3.32E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.24612	1.38724E-06	3.4E-07	1.05E-03	3.57E-10	3.32E-01	1.57E-01	1.86E-11	1.0E+06	1.9E-05
312	312	0.25013	1.38724E-06	3.5E-07	1.05E-03	3.63E-10	3.32E-01	1.57E-01	1.89E-11	1.0E+06	1.9E-05
313	313	0.28342	1.38724E-06	3.9E-07	1.05E-03	4.11E-10	3.32E-01	1.57E-01	2.14E-11	1.0E+06	2.1E-05
314	314	0.32564	1.38724E-06	4.5E-07	1.05E-03	4.72E-10	3.32E-01	1.57E-01	2.46E-11	1.0E+06	2.5E-05
315	315	0.38776	1.38724E-06	5.4E-07	1.05E-03	5.62E-10	3.32E-01	1.57E-01	2.93E-11	1.0E+06	2.9E-05
316	316	0.44463	1.38724E-06	6.2E-07	1.05E-03	6.45E-10	3.32E-01	1.57E-01	3.36E-11	1.0E+06	3.4E-05
317	317	0.52836	1.38724E-06	7.3E-07	1.05E-03	7.66E-10	3.32E-01	1.57E-01	3.99E-11	1.0E+06	4.0E-05
318	318	0.64675	1.38724E-06	9.0E-07	1.05E-03	9.38E-10	3.32E-01	1.57E-01	4.89E-11	1.0E+06	4.9E-05
319	319	0.82406	1.38724E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.22E-11	1.0E+06	6.2E-05
320	320	1.09488	1.38724E-06	1.5E-06	1.05E-03	1.59E-09	3.32E-01	1.57E-01	8.27E-11	1.0E+06	8.3E-05
321	321	1.45509	1.38724E-06	2.0E-06	1.05E-03	2.11E-09	3.32E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
322	322	2.05339	1.38724E-06	2.8E-06	1.05E-03	2.98E-09	3.32E-01	1.57E-01	1.55E-10	1.0E+06	1.6E-04
323	323	3.71052	1.38724E-06	5.1E-06	1.05E-03	5.38E-09	3.32E-01	1.57E-01	2.80E-10	1.0E+06	2.8E-04
324	324	0.14277	1.38724E-06	2.0E-07	1.05E-03	2.07E-10	3.32E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
325	325	0.15916	1.38724E-06	2.2E-07	1.05E-03	2.31E-10	3.32E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
326	326	0.17209	1.38724E-06	2.4E-07	1.05E-03	2.50E-10	3.32E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
327	327	0.18403	1.38724E-06	2.6E-07	1.05E-03	2.67E-10	3.32E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
328	328	0.2233	1.38724E-06	3.1E-07	1.05E-03	3.24E-10	3.32E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
329	329	0.23851	1.38724E-06	3.3E-07	1.05E-03	3.46E-10	3.32E-01	1.57E-01	1.80E-11	1.0E+06	1.8E-05
330	330	0.24362	1.38724E-06	3.4E-07	1.05E-03	3.53E-10	3.32E-01	1.57E-01	1.84E-11	1.0E+06	1.8E-05
331	331	0.27658	1.38724E-06	3.8E-07	1.05E-03	4.01E-10	3.32E-01	1.57E-01	2.09E-11	1.0E+06	2.1E-05
332	332	0.31861	1.38724E-06	4.4E-07	1.05E-03	4.62E-10	3.32E-01	1.57E-01	2.41E-11	1.0E+06	2.4E-05
333	333	0.38066	1.38724E-06	5.3E-07	1.05E-03	5.52E-10	3.32E-01	1.57E-01	2.88E-11	1.0E+06	2.9E-05
334	334	0.44764	1.38724E-06	6.2E-07	1.05E-03	6.49E-10	3.32E-01	1.57E-01	3.38E-11	1.0E+06	3.4E-05
335	335	0.53678	1.38724E-06	7.4E-07	1.05E-03	7.78E-10	3.32E-01	1.57E-01	4.05E-11	1.0E+06	4.1E-05
336	336	3.04215	1.38724E-06	4.2E-06	1.05E-03	4.41E-09	3.32E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
337	337	2.72055	1.38724E-06	3.8E-06	1.05E-03	3.94E-09	3.32E-01	1.57E-01	2.05E-10	1.0E+06	2.1E-04
338	338	0.14587	1.38724E-06	2.0E-07	1.05E-03	2.12E-10	3.32E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
339	339	0.15578	1.38724E-06	2.2E-07	1.05E-03	2.26E-10	3.32E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
340	340	0.16656	1.38724E-06	2.3E-07	1.05E-03	2.42E-10	3.32E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
341	341	0.19173	1.38724E-06	2.7E-07	1.05E-03	2.78E-10	3.32E-01	1.57E-01	1.45E-11	1.0E+06	1.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.20206	1.38724E-06	2.8E-07	1.05E-03	2.93E-10	3.32E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
343	343	0.21573	1.38724E-06	3.0E-07	1.05E-03	3.13E-10	3.32E-01	1.57E-01	1.63E-11	1.0E+06	1.6E-05
344	344	0.22034	1.38724E-06	3.1E-07	1.05E-03	3.19E-10	3.32E-01	1.57E-01	1.66E-11	1.0E+06	1.7E-05
345	345	0.22329	1.38724E-06	3.1E-07	1.05E-03	3.24E-10	3.32E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
346	346	0.22417	1.38724E-06	3.1E-07	1.05E-03	3.25E-10	3.32E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
347	347	0.15873	1.38724E-06	2.2E-07	1.05E-03	2.30E-10	3.32E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
348	348	0.17314	1.38724E-06	2.4E-07	1.05E-03	2.51E-10	3.32E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
349	349	0.19776	1.38724E-06	2.7E-07	1.05E-03	2.87E-10	3.32E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
350	350	0.2178	1.38724E-06	3.0E-07	1.05E-03	3.16E-10	3.32E-01	1.57E-01	1.65E-11	1.0E+06	1.6E-05
351	351	0.22673	1.38724E-06	3.1E-07	1.05E-03	3.29E-10	3.32E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
352	352	0.24526	1.38724E-06	3.4E-07	1.05E-03	3.56E-10	3.32E-01	1.57E-01	1.85E-11	1.0E+06	1.9E-05
353	353	0.25118	1.38724E-06	3.5E-07	1.05E-03	3.64E-10	3.32E-01	1.57E-01	1.90E-11	1.0E+06	1.9E-05
354	354	0.25395	1.38724E-06	3.5E-07	1.05E-03	3.68E-10	3.32E-01	1.57E-01	1.92E-11	1.0E+06	1.9E-05
355	355	0.25528	1.38724E-06	3.5E-07	1.05E-03	3.70E-10	3.32E-01	1.57E-01	1.93E-11	1.0E+06	1.9E-05
356	356	0.17458	1.38724E-06	2.4E-07	1.05E-03	2.53E-10	3.32E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05
357	357	0.18779	1.38724E-06	2.6E-07	1.05E-03	2.72E-10	3.32E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
358	358	0.20503	1.38724E-06	2.8E-07	1.05E-03	2.97E-10	3.32E-01	1.57E-01	1.55E-11	1.0E+06	1.5E-05
359	359	0.22518	1.38724E-06	3.1E-07	1.05E-03	3.26E-10	3.32E-01	1.57E-01	1.70E-11	1.0E+06	1.7E-05
360	360	0.25562	1.38724E-06	3.5E-07	1.05E-03	3.71E-10	3.32E-01	1.57E-01	1.93E-11	1.0E+06	1.9E-05
361	361	0.2824	1.38724E-06	3.9E-07	1.05E-03	4.09E-10	3.32E-01	1.57E-01	2.13E-11	1.0E+06	2.1E-05
362	362	0.29022	1.38724E-06	4.0E-07	1.05E-03	4.21E-10	3.32E-01	1.57E-01	2.19E-11	1.0E+06	2.2E-05
363	363	0.29351	1.38724E-06	4.1E-07	1.05E-03	4.26E-10	3.32E-01	1.57E-01	2.22E-11	1.0E+06	2.2E-05
364	364	0.19574	1.38724E-06	2.7E-07	1.05E-03	2.84E-10	3.32E-01	1.57E-01	1.48E-11	1.0E+06	1.5E-05
365	365	0.20742	1.38724E-06	2.9E-07	1.05E-03	3.01E-10	3.32E-01	1.57E-01	1.57E-11	1.0E+06	1.6E-05
366	366	0.22868	1.38724E-06	3.2E-07	1.05E-03	3.32E-10	3.32E-01	1.57E-01	1.73E-11	1.0E+06	1.7E-05
367	367	0.25093	1.38724E-06	3.5E-07	1.05E-03	3.64E-10	3.32E-01	1.57E-01	1.90E-11	1.0E+06	1.9E-05
368	368	0.2912	1.38724E-06	4.0E-07	1.05E-03	4.22E-10	3.32E-01	1.57E-01	2.20E-11	1.0E+06	2.2E-05
369	369	0.33047	1.38724E-06	4.6E-07	1.05E-03	4.79E-10	3.32E-01	1.57E-01	2.50E-11	1.0E+06	2.5E-05
370	370	0.34752	1.38724E-06	4.8E-07	1.05E-03	5.04E-10	3.32E-01	1.57E-01	2.62E-11	1.0E+06	2.6E-05
371	371	0.34837	1.38724E-06	4.8E-07	1.05E-03	5.05E-10	3.32E-01	1.57E-01	2.63E-11	1.0E+06	2.6E-05
372	372	0.22406	1.38724E-06	3.1E-07	1.05E-03	3.25E-10	3.32E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.23752	1.38724E-06	3.3E-07	1.05E-03	3.44E-10	3.32E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
374	374	0.26345	1.38724E-06	3.7E-07	1.05E-03	3.82E-10	3.32E-01	1.57E-01	1.99E-11	1.0E+06	2.0E-05
375	375	0.29032	1.38724E-06	4.0E-07	1.05E-03	4.21E-10	3.32E-01	1.57E-01	2.19E-11	1.0E+06	2.2E-05
376	376	0.34537	1.38724E-06	4.8E-07	1.05E-03	5.01E-10	3.32E-01	1.57E-01	2.61E-11	1.0E+06	2.6E-05
377	377	0.37279	1.38724E-06	5.2E-07	1.05E-03	5.41E-10	3.32E-01	1.57E-01	2.82E-11	1.0E+06	2.8E-05
378	378	0.3946	1.38724E-06	5.5E-07	1.05E-03	5.72E-10	3.32E-01	1.57E-01	2.98E-11	1.0E+06	3.0E-05
379	379	0.41914	1.38724E-06	5.8E-07	1.05E-03	6.08E-10	3.32E-01	1.57E-01	3.17E-11	1.0E+06	3.2E-05
380	380	0.42084	1.38724E-06	5.8E-07	1.05E-03	6.10E-10	3.32E-01	1.57E-01	3.18E-11	1.0E+06	3.2E-05
381	381	0.41554	1.38724E-06	5.8E-07	1.05E-03	6.03E-10	3.32E-01	1.57E-01	3.14E-11	1.0E+06	3.1E-05
382	382	0.26298	1.38724E-06	3.6E-07	1.05E-03	3.81E-10	3.32E-01	1.57E-01	1.99E-11	1.0E+06	2.0E-05
383	383	0.28545	1.38724E-06	4.0E-07	1.05E-03	4.14E-10	3.32E-01	1.57E-01	2.16E-11	1.0E+06	2.2E-05
384	384	0.31053	1.38724E-06	4.3E-07	1.05E-03	4.50E-10	3.32E-01	1.57E-01	2.35E-11	1.0E+06	2.3E-05
385	385	0.36518	1.38724E-06	5.1E-07	1.05E-03	5.29E-10	3.32E-01	1.57E-01	2.76E-11	1.0E+06	2.8E-05
386	386	0.41329	1.38724E-06	5.7E-07	1.05E-03	5.99E-10	3.32E-01	1.57E-01	3.12E-11	1.0E+06	3.1E-05
387	387	0.45111	1.38724E-06	6.3E-07	1.05E-03	6.54E-10	3.32E-01	1.57E-01	3.41E-11	1.0E+06	3.4E-05
388	388	0.48385	1.38724E-06	6.7E-07	1.05E-03	7.02E-10	3.32E-01	1.57E-01	3.65E-11	1.0E+06	3.7E-05
389	389	0.52078	1.38724E-06	7.2E-07	1.05E-03	7.55E-10	3.32E-01	1.57E-01	3.93E-11	1.0E+06	3.9E-05
390	390	0.52062	1.38724E-06	7.2E-07	1.05E-03	7.55E-10	3.32E-01	1.57E-01	3.93E-11	1.0E+06	3.9E-05
391	391	0.51051	1.38724E-06	7.1E-07	1.05E-03	7.40E-10	3.32E-01	1.57E-01	3.86E-11	1.0E+06	3.9E-05
392	392	0.48435	1.38724E-06	6.7E-07	1.05E-03	7.02E-10	3.32E-01	1.57E-01	3.66E-11	1.0E+06	3.7E-05
393	393	0.31778	1.38724E-06	4.4E-07	1.05E-03	4.61E-10	3.32E-01	1.57E-01	2.40E-11	1.0E+06	2.4E-05
394	394	0.36232	1.38724E-06	5.0E-07	1.05E-03	5.25E-10	3.32E-01	1.57E-01	2.74E-11	1.0E+06	2.7E-05
395	395	0.42146	1.38724E-06	5.8E-07	1.05E-03	6.11E-10	3.32E-01	1.57E-01	3.18E-11	1.0E+06	3.2E-05
396	396	0.4801	1.38724E-06	6.7E-07	1.05E-03	6.96E-10	3.32E-01	1.57E-01	3.63E-11	1.0E+06	3.6E-05
397	397	0.54024	1.38724E-06	7.5E-07	1.05E-03	7.83E-10	3.32E-01	1.57E-01	4.08E-11	1.0E+06	4.1E-05
398	398	0.5835	1.38724E-06	8.1E-07	1.05E-03	8.46E-10	3.32E-01	1.57E-01	4.41E-11	1.0E+06	4.4E-05
399	399	0.60737	1.38724E-06	8.4E-07	1.05E-03	8.81E-10	3.32E-01	1.57E-01	4.59E-11	1.0E+06	4.6E-05
400	400	0.67671	1.38724E-06	9.4E-07	1.05E-03	9.81E-10	3.32E-01	1.57E-01	5.11E-11	1.0E+06	5.1E-05
401	401	0.6719	1.38724E-06	9.3E-07	1.05E-03	9.74E-10	3.32E-01	1.57E-01	5.08E-11	1.0E+06	5.1E-05
402	402	0.59802	1.38724E-06	8.3E-07	1.05E-03	8.67E-10	3.32E-01	1.57E-01	4.52E-11	1.0E+06	4.5E-05
403	403	0.92385	1.38724E-06	1.3E-06	1.05E-03	1.34E-09	3.32E-01	1.57E-01	6.98E-11	1.0E+06	7.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.768	1.38724E-06	1.1E-06	1.05E-03	1.11E-09	3.32E-01	1.57E-01	5.80E-11	1.0E+06	5.8E-05
405	405	0.67389	1.38724E-06	9.3E-07	1.05E-03	9.77E-10	3.32E-01	1.57E-01	5.09E-11	1.0E+06	5.1E-05
406	406	1.44334	1.38724E-06	2.0E-06	1.05E-03	2.09E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
407	407	0.81532	1.38724E-06	1.1E-06	1.05E-03	1.18E-09	3.32E-01	1.57E-01	6.16E-11	1.0E+06	6.2E-05
408	408	2.87208	1.38724E-06	4.0E-06	1.05E-03	4.16E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
409	409	0.97052	1.38724E-06	1.3E-06	1.05E-03	1.41E-09	3.32E-01	1.57E-01	7.33E-11	1.0E+06	7.3E-05
410	410	3.46466	1.38724E-06	4.8E-06	1.05E-03	5.02E-09	3.32E-01	1.57E-01	2.62E-10	1.0E+06	2.6E-04
411	411	1.47879	1.38724E-06	2.1E-06	1.05E-03	2.14E-09	3.32E-01	1.57E-01	1.12E-10	1.0E+06	1.1E-04
412	412	1.14591	1.38724E-06	1.6E-06	1.05E-03	1.66E-09	3.32E-01	1.57E-01	8.66E-11	1.0E+06	8.7E-05
413	413	7.15969	1.38724E-06	9.9E-06	1.05E-03	1.04E-08	3.32E-01	1.57E-01	5.41E-10	1.0E+06	5.4E-04
414	414	2.46032	1.38724E-06	3.4E-06	1.05E-03	3.57E-09	3.32E-01	1.57E-01	1.86E-10	1.0E+06	1.9E-04
415	415	1.69852	1.38724E-06	2.4E-06	1.05E-03	2.46E-09	3.32E-01	1.57E-01	1.28E-10	1.0E+06	1.3E-04
416	416	1.27981	1.38724E-06	1.8E-06	1.05E-03	1.86E-09	3.32E-01	1.57E-01	9.67E-11	1.0E+06	9.7E-05
417	417	8.91786	1.38724E-06	1.2E-05	1.05E-03	1.29E-08	3.32E-01	1.57E-01	6.74E-10	1.0E+06	6.7E-04
418	418	1.88239	1.38724E-06	2.6E-06	1.05E-03	2.73E-09	3.32E-01	1.57E-01	1.42E-10	1.0E+06	1.4E-04
419	419	1.39286	1.38724E-06	1.9E-06	1.05E-03	2.02E-09	3.32E-01	1.57E-01	1.05E-10	1.0E+06	1.1E-04
420	420	1.08392	1.38724E-06	1.5E-06	1.05E-03	1.57E-09	3.32E-01	1.57E-01	8.19E-11	1.0E+06	8.2E-05
421	421	6.36667	1.38724E-06	8.8E-06	1.05E-03	9.23E-09	3.32E-01	1.57E-01	4.81E-10	1.0E+06	4.8E-04
422	422	1.48397	1.38724E-06	2.1E-06	1.05E-03	2.15E-09	3.32E-01	1.57E-01	1.12E-10	1.0E+06	1.1E-04
423	423	1.14502	1.38724E-06	1.6E-06	1.05E-03	1.66E-09	3.32E-01	1.57E-01	8.65E-11	1.0E+06	8.6E-05
424	424	11.01121	1.38724E-06	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.32E-10	1.0E+06	8.3E-04
425	425	1.18737	1.38724E-06	1.6E-06	1.05E-03	1.72E-09	3.32E-01	1.57E-01	8.97E-11	1.0E+06	9.0E-05
426	426	0.93982	1.38724E-06	1.3E-06	1.05E-03	1.36E-09	3.32E-01	1.57E-01	7.10E-11	1.0E+06	7.1E-05
427	427	10.75236	1.38724E-06	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.12E-10	1.0E+06	8.1E-04
428	428	1.20985	1.38724E-06	1.7E-06	1.05E-03	1.75E-09	3.32E-01	1.57E-01	9.14E-11	1.0E+06	9.1E-05
429	429	0.95106	1.38724E-06	1.3E-06	1.05E-03	1.38E-09	3.32E-01	1.57E-01	7.18E-11	1.0E+06	7.2E-05
430	430	11.02507	1.38724E-06	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
431	431	0.946	1.38724E-06	1.3E-06	1.05E-03	1.37E-09	3.32E-01	1.57E-01	7.15E-11	1.0E+06	7.1E-05
432	432	0.75597	1.38724E-06	1.0E-06	1.05E-03	1.10E-09	3.32E-01	1.57E-01	5.71E-11	1.0E+06	5.7E-05
433	433	7.37901	1.38724E-06	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.57E-10	1.0E+06	5.6E-04
434	434	0.92512	1.38724E-06	1.3E-06	1.05E-03	1.34E-09	3.32E-01	1.57E-01	6.99E-11	1.0E+06	7.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.74044	1.38724E-06	1.0E-06	1.05E-03	1.07E-09	3.32E-01	1.57E-01	5.59E-11	1.0E+06	5.6E-05
436	436	7.10577	1.38724E-06	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.37E-10	1.0E+06	5.4E-04
437	437	1.14977	1.38724E-06	1.6E-06	1.05E-03	1.67E-09	3.32E-01	1.57E-01	8.68E-11	1.0E+06	8.7E-05
438	438	0.8912	1.38724E-06	1.2E-06	1.05E-03	1.29E-09	3.32E-01	1.57E-01	6.73E-11	1.0E+06	6.7E-05
439	439	0.71274	1.38724E-06	9.9E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.38E-11	1.0E+06	5.4E-05
440	440	13.02169	1.38724E-06	1.8E-05	1.05E-03	1.89E-08	3.32E-01	1.57E-01	9.84E-10	1.0E+06	9.8E-04
441	441	2.04143	1.38724E-06	2.8E-06	1.05E-03	2.96E-09	3.32E-01	1.57E-01	1.54E-10	1.0E+06	1.5E-04
442	442	1.46173	1.38724E-06	2.0E-06	1.05E-03	2.12E-09	3.32E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
443	443	1.08981	1.38724E-06	1.5E-06	1.05E-03	1.58E-09	3.32E-01	1.57E-01	8.23E-11	1.0E+06	8.2E-05
444	444	0.84571	1.38724E-06	1.2E-06	1.05E-03	1.23E-09	3.32E-01	1.57E-01	6.39E-11	1.0E+06	6.4E-05
445	445	9.30514	1.38724E-06	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.03E-10	1.0E+06	7.0E-04
446	446	2.82121	1.38724E-06	3.9E-06	1.05E-03	4.09E-09	3.32E-01	1.57E-01	2.13E-10	1.0E+06	2.1E-04
447	447	1.8889	1.38724E-06	2.6E-06	1.05E-03	2.74E-09	3.32E-01	1.57E-01	1.43E-10	1.0E+06	1.4E-04
448	448	1.35236	1.38724E-06	1.9E-06	1.05E-03	1.96E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
449	449	6.80571	1.38724E-06	9.4E-06	1.05E-03	9.87E-09	3.32E-01	1.57E-01	5.14E-10	1.0E+06	5.1E-04
450	450	3.85172	1.38724E-06	5.3E-06	1.05E-03	5.58E-09	3.32E-01	1.57E-01	2.91E-10	1.0E+06	2.9E-04
451	451	2.4557	1.38724E-06	3.4E-06	1.05E-03	3.56E-09	3.32E-01	1.57E-01	1.85E-10	1.0E+06	1.9E-04
452	452	5.08302	1.38724E-06	7.1E-06	1.05E-03	7.37E-09	3.32E-01	1.57E-01	3.84E-10	1.0E+06	3.8E-04
453	453	3.11618	1.38724E-06	4.3E-06	1.05E-03	4.52E-09	3.32E-01	1.57E-01	2.35E-10	1.0E+06	2.4E-04
454	454	0.55416	1.38724E-06	7.7E-07	1.05E-03	8.04E-10	3.32E-01	1.57E-01	4.19E-11	1.0E+06	4.2E-05
455	455	0.46577	1.38724E-06	6.5E-07	1.05E-03	6.75E-10	3.32E-01	1.57E-01	3.52E-11	1.0E+06	3.5E-05
456	456	3.77075	1.38724E-06	5.2E-06	1.05E-03	5.47E-09	3.32E-01	1.57E-01	2.85E-10	1.0E+06	2.8E-04
457	457	2.48664	1.38724E-06	3.4E-06	1.05E-03	3.61E-09	3.32E-01	1.57E-01	1.88E-10	1.0E+06	1.9E-04
458	458	1.7558	1.38724E-06	2.4E-06	1.05E-03	2.55E-09	3.32E-01	1.57E-01	1.33E-10	1.0E+06	1.3E-04
459	459	0.77734	1.38724E-06	1.1E-06	1.05E-03	1.13E-09	3.32E-01	1.57E-01	5.87E-11	1.0E+06	5.9E-05
460	460	0.62867	1.38724E-06	8.7E-07	1.05E-03	9.12E-10	3.32E-01	1.57E-01	4.75E-11	1.0E+06	4.7E-05
461	461	0.51885	1.38724E-06	7.2E-07	1.05E-03	7.52E-10	3.32E-01	1.57E-01	3.92E-11	1.0E+06	3.9E-05
462	462	0.43635	1.38724E-06	6.1E-07	1.05E-03	6.33E-10	3.32E-01	1.57E-01	3.30E-11	1.0E+06	3.3E-05
463	463	3.79928	1.38724E-06	5.3E-06	1.05E-03	5.51E-09	3.32E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
464	464	4.68174	1.38724E-06	6.5E-06	1.05E-03	6.79E-09	3.32E-01	1.57E-01	3.54E-10	1.0E+06	3.5E-04
465	465	4.81943	1.38724E-06	6.7E-06	1.05E-03	6.99E-09	3.32E-01	1.57E-01	3.64E-10	1.0E+06	3.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	4.90053	1.38724E-06	6.8E-06	1.05E-03	7.11E-09	3.32E-01	1.57E-01	3.70E-10	1.0E+06	3.7E-04
467	467	8.97847	1.38724E-06	1.2E-05	1.05E-03	1.30E-08	3.32E-01	1.57E-01	6.78E-10	1.0E+06	6.8E-04
468	468	9.0475	1.38724E-06	1.3E-05	1.05E-03	1.31E-08	3.32E-01	1.57E-01	6.83E-10	1.0E+06	6.8E-04
469	469	9.08523	1.38724E-06	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.86E-10	1.0E+06	6.9E-04
470	470	4.06714	1.38724E-06	5.6E-06	1.05E-03	5.90E-09	3.32E-01	1.57E-01	3.07E-10	1.0E+06	3.1E-04
471	471	8.95152	1.38724E-06	1.2E-05	1.05E-03	1.30E-08	3.32E-01	1.57E-01	6.76E-10	1.0E+06	6.8E-04
472	472	4.1525	1.38724E-06	5.8E-06	1.05E-03	6.02E-09	3.32E-01	1.57E-01	3.14E-10	1.0E+06	3.1E-04
473	473	9.21322	1.38724E-06	1.3E-05	1.05E-03	1.34E-08	3.32E-01	1.57E-01	6.96E-10	1.0E+06	7.0E-04
474	474	4.39124	1.38724E-06	6.1E-06	1.05E-03	6.37E-09	3.32E-01	1.57E-01	3.32E-10	1.0E+06	3.3E-04
475	475	9.44975	1.38724E-06	1.3E-05	1.05E-03	1.37E-08	3.32E-01	1.57E-01	7.14E-10	1.0E+06	7.1E-04
476	476	4.81147	1.38724E-06	6.7E-06	1.05E-03	6.98E-09	3.32E-01	1.57E-01	3.63E-10	1.0E+06	3.6E-04
477	477	10.62118	1.38724E-06	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.02E-10	1.0E+06	8.0E-04
478	478	5.73645	1.38724E-06	8.0E-06	1.05E-03	8.32E-09	3.32E-01	1.57E-01	4.33E-10	1.0E+06	4.3E-04
479	479	6.50829	1.38724E-06	9.0E-06	1.05E-03	9.44E-09	3.32E-01	1.57E-01	4.92E-10	1.0E+06	4.9E-04
480	480	12.15705	1.38724E-06	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.18E-10	1.0E+06	9.2E-04
481	481	7.5967	1.38724E-06	1.1E-05	1.05E-03	1.10E-08	3.32E-01	1.57E-01	5.74E-10	1.0E+06	5.7E-04
482	482	9.86843	1.38724E-06	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.45E-10	1.0E+06	7.5E-04
483	483	7.63748	1.38724E-06	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.77E-10	1.0E+06	5.8E-04
484	484	9.37473	1.38724E-06	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.08E-10	1.0E+06	7.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1	1	4.2E-01	Max	Receptor #	5	1.53E-03	Max	Receptor #	
2	2	4.4E-01	22.972	145	5	1.61E-03	0.084	145	Res
3	3	4.6E-01			5	1.70E-03			
4	4	4.9E-01			5	1.79E-03			
5	5	5.2E-01			5	1.90E-03			
6	6	5.6E-01			5	2.04E-03			
7	7	6.0E-01			5	2.22E-03			
8	8	6.6E-01			5	2.41E-03			
9	9	7.2E-01			5	2.64E-03			
10	10	7.8E-01			5	2.88E-03			
11	11	8.6E-01			5	3.16E-03			
12	12	9.3E-01			5	3.41E-03			
13	13	9.8E-01			5	3.59E-03			
14	14	9.5E-01			5	3.48E-03			
15	15	4.7E-01			5	1.74E-03			
16	16	5.0E-01			5	1.85E-03			
17	17	5.4E-01			5	1.97E-03			
18	18	5.7E-01			5	2.10E-03			
19	19	6.1E-01			5	2.23E-03			
20	20	6.5E-01			5	2.39E-03			
21	21	7.0E-01			5	2.58E-03			
22	22	7.7E-01			5	2.81E-03			
23	23	8.5E-01			5	3.13E-03			
24	24	9.3E-01			5	3.42E-03			
25	25	1.0E+00			5	3.81E-03			
26	26	1.1E+00			5	4.17E-03			
27	27	1.2E+00			5	4.39E-03			
28	28	1.2E+00			5	4.24E-03			
29	29	5.3E-01			5	1.95E-03			
30	30	5.7E-01			5	2.11E-03			
31	31	6.2E-01			5	2.29E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	6.8E-01	5	2.49E-03
33	33	7.2E-01	5	2.66E-03
34	34	7.8E-01	5	2.87E-03
35	35	8.5E-01	5	3.11E-03
36	36	9.2E-01	5	3.40E-03
37	37	1.0E+00	5	3.76E-03
38	38	1.1E+00	5	4.22E-03
39	39	1.3E+00	5	4.70E-03
40	40	1.4E+00	5	5.15E-03
41	41	1.5E+00	5	5.51E-03
42	42	1.4E+00	5	5.25E-03
43	43	5.8E-01	5	2.13E-03
44	44	6.4E-01	5	2.34E-03
45	45	7.1E-01	5	2.60E-03
46	46	7.9E-01	5	2.89E-03
47	47	8.7E-01	5	3.18E-03
48	48	9.5E-01	5	3.48E-03
49	49	1.0E+00	5	3.80E-03
50	50	1.1E+00	5	4.15E-03
51	51	1.3E+00	5	4.73E-03
52	52	1.4E+00	5	5.31E-03
53	53	1.6E+00	5	6.04E-03
54	54	1.8E+00	5	6.70E-03
55	55	2.0E+00	5	7.23E-03
56	56	1.8E+00	5	6.61E-03
57	57	6.2E-01	5	2.26E-03
58	58	6.9E-01	5	2.55E-03
59	59	7.9E-01	5	2.91E-03
60	60	9.0E-01	5	3.32E-03
61	61	1.0E+00	5	3.78E-03
62	62	1.2E+00	5	4.29E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	1.3E+00	5	4.88E-03
64	64	1.5E+00	5	5.34E-03
65	65	1.7E+00	5	6.15E-03
66	66	1.9E+00	5	7.11E-03
67	67	2.2E+00	5	8.06E-03
68	68	2.5E+00	5	9.17E-03
69	69	2.7E+00	5	1.01E-02
70	70	6.6E-01	5	2.41E-03
71	71	7.5E-01	5	2.76E-03
72	72	8.8E-01	5	3.21E-03
73	73	1.0E+00	5	3.74E-03
74	74	1.2E+00	5	4.41E-03
75	75	1.4E+00	5	5.20E-03
76	76	1.7E+00	5	6.21E-03
77	77	2.0E+00	5	7.24E-03
78	78	2.4E+00	5	8.66E-03
79	79	2.9E+00	5	1.08E-02
80	80	3.3E+00	5	1.22E-02
81	81	3.9E+00	5	1.42E-02
82	82	4.1E+00	5	1.52E-02
83	83	6.9E-01	5	2.54E-03
84	84	8.2E-01	5	3.00E-03
85	85	9.7E-01	5	3.57E-03
86	86	1.1E+00	5	4.12E-03
87	87	1.3E+00	5	4.95E-03
88	88	1.7E+00	5	6.08E-03
89	89	2.1E+00	5	7.67E-03
90	90	2.7E+00	5	9.92E-03
91	91	3.5E+00	5	1.30E-02
92	92	4.5E+00	5	1.67E-02
93	93	5.5E+00	5	2.04E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	6.3E+00	5	2.32E-02
95	95	6.8E+00	5	2.48E-02
96	96	7.3E-01	5	2.67E-03
97	97	8.6E-01	5	3.15E-03
98	98	1.0E+00	5	3.73E-03
99	99	1.2E+00	5	4.49E-03
100	100	1.5E+00	5	5.46E-03
101	101	1.9E+00	5	6.95E-03
102	102	2.5E+00	5	9.30E-03
103	103	3.6E+00	5	1.32E-02
104	104	5.4E+00	5	1.99E-02
105	105	8.2E+00	5	3.01E-02
106	106	1.1E+01	5	3.96E-02
107	107	1.2E+01	5	4.53E-02
108	108	1.3E+01	5	4.81E-02
109	109	7.2E-01	5	2.65E-03
110	110	8.5E-01	5	3.12E-03
111	111	1.0E+00	5	3.72E-03
112	112	1.2E+00	5	4.54E-03
113	113	1.6E+00	5	5.74E-03
114	114	2.1E+00	5	7.56E-03
115	115	2.9E+00	5	1.07E-02
116	116	4.6E+00	5	1.69E-02
117	117	9.1E+00	5	3.35E-02
118	118	1.1E+01	5	3.97E-02
119	119	1.7E+01	5	6.30E-02
120	120	1.9E+01	5	7.03E-02
121	121	1.9E+01	5	6.93E-02
122	122	6.9E-01	5	2.52E-03
123	123	8.1E-01	5	2.99E-03
124	124	9.8E-01	5	3.60E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	1.2E+00	5	4.45E-03
126	126	1.5E+00	5	5.66E-03
127	127	2.1E+00	5	7.54E-03
128	128	2.8E+00	5	1.04E-02
129	129	4.6E+00	5	1.70E-02
130	130	1.1E+01	5	4.16E-02
131	131	3.7E+00	5	1.36E-02
132	132	2.6E+00	5	9.59E-03
133	133	6.3E-01	5	2.33E-03
134	134	7.6E-01	5	2.80E-03
135	135	9.2E-01	5	3.40E-03
136	136	1.1E+00	5	4.18E-03
137	137	1.4E+00	5	5.30E-03
138	138	1.9E+00	5	6.94E-03
139	139	2.6E+00	5	9.47E-03
140	140	4.0E+00	5	1.46E-02
141	141	7.8E+00	5	2.85E-02
142	142	1.1E+01	5	4.01E-02
143	143	1.7E+01	5	6.35E-02
144	144	2.3E+01	5	8.36E-02
145	145	2.3E+01	5	8.44E-02
146	146	3.6E+00	5	1.34E-02
147	147	5.8E-01	5	2.14E-03
148	148	6.9E-01	5	2.55E-03
149	149	8.4E-01	5	3.09E-03
150	150	1.0E+00	5	3.79E-03
151	151	1.3E+00	5	4.80E-03
152	152	1.7E+00	5	6.13E-03
153	153	2.2E+00	5	8.14E-03
154	154	3.2E+00	5	1.18E-02
155	155	5.2E+00	5	1.93E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	8.9E+00	5	3.29E-02
157	157	1.2E+01	5	4.32E-02
158	158	1.2E+01	5	4.55E-02
159	159	1.3E+01	5	4.95E-02
160	160	5.4E-01	5	2.00E-03
161	161	6.3E-01	5	2.33E-03
162	162	7.4E-01	5	2.71E-03
163	163	9.1E-01	5	3.35E-03
164	164	1.2E+00	5	4.25E-03
165	165	1.4E+00	5	5.32E-03
166	166	1.9E+00	5	6.90E-03
167	167	2.5E+00	5	9.33E-03
168	168	3.6E+00	5	1.34E-02
169	169	5.3E+00	5	1.93E-02
170	170	6.7E+00	5	2.46E-02
171	171	7.4E+00	5	2.70E-02
172	172	7.7E+00	5	2.84E-02
173	173	7.9E+00	5	2.91E-02
174	174	7.9E+00	5	2.90E-02
175	175	7.1E+00	5	2.60E-02
176	176	5.6E+00	5	2.05E-02
177	177	3.9E+00	5	1.44E-02
178	178	2.6E+00	5	9.60E-03
179	179	4.9E-01	5	1.81E-03
180	180	5.6E-01	5	2.07E-03
181	181	6.4E-01	5	2.34E-03
182	182	7.9E-01	5	2.92E-03
183	183	1.0E+00	5	3.77E-03
184	184	1.3E+00	5	4.63E-03
185	185	1.6E+00	5	5.86E-03
186	186	2.1E+00	5	7.55E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	2.7E+00	5	9.96E-03
188	188	3.6E+00	5	1.32E-02
189	189	4.4E+00	5	1.61E-02
190	190	4.9E+00	5	1.80E-02
191	191	5.1E+00	5	1.86E-02
192	192	5.1E+00	5	1.88E-02
193	193	4.9E+00	5	1.81E-02
194	194	4.7E+00	5	1.72E-02
195	195	4.0E+00	5	1.47E-02
196	196	3.1E+00	5	1.12E-02
197	197	2.2E+00	5	8.15E-03
198	198	4.6E-01	5	1.68E-03
199	199	5.2E-01	5	1.91E-03
200	200	5.9E-01	5	2.18E-03
201	201	7.0E-01	5	2.58E-03
202	202	8.9E-01	5	3.27E-03
203	203	1.1E+00	5	4.00E-03
204	204	1.4E+00	5	4.96E-03
205	205	1.7E+00	5	6.18E-03
206	206	2.1E+00	5	7.78E-03
207	207	2.6E+00	5	9.70E-03
208	208	3.2E+00	5	1.16E-02
209	209	3.5E+00	5	1.29E-02
210	210	3.7E+00	5	1.35E-02
211	211	3.7E+00	5	1.35E-02
212	212	3.5E+00	5	1.29E-02
213	213	3.2E+00	5	1.16E-02
214	214	2.7E+00	5	9.88E-03
215	215	2.5E+00	5	9.06E-03
216	216	4.3E-01	5	1.59E-03
217	217	4.8E-01	5	1.77E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	5.5E-01	5	2.01E-03
219	219	6.3E-01	5	2.33E-03
220	220	7.8E-01	5	2.85E-03
221	221	9.2E-01	5	3.39E-03
222	222	1.1E+00	5	4.15E-03
223	223	1.4E+00	5	5.04E-03
224	224	1.7E+00	5	6.16E-03
225	225	2.0E+00	5	7.39E-03
226	226	2.4E+00	5	8.68E-03
227	227	2.6E+00	5	9.64E-03
228	228	2.8E+00	5	1.02E-02
229	229	2.8E+00	5	1.02E-02
230	230	2.7E+00	5	9.81E-03
231	231	2.5E+00	5	9.07E-03
232	232	2.2E+00	5	7.99E-03
233	233	2.0E+00	5	7.38E-03
234	234	4.1E-01	5	1.50E-03
235	235	4.5E-01	5	1.65E-03
236	236	5.0E-01	5	1.85E-03
237	237	5.8E-01	5	2.12E-03
238	238	6.8E-01	5	2.49E-03
239	239	7.9E-01	5	2.91E-03
240	240	9.4E-01	5	3.46E-03
241	241	1.1E+00	5	4.14E-03
242	242	1.3E+00	5	4.94E-03
243	243	1.6E+00	5	5.83E-03
244	244	1.8E+00	5	6.77E-03
245	245	2.1E+00	5	7.53E-03
246	246	2.2E+00	5	8.01E-03
247	247	2.2E+00	5	8.13E-03
248	248	2.2E+00	5	7.93E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	2.0E+00	5	7.41E-03
250	250	1.8E+00	5	6.72E-03
251	251	1.7E+00	5	6.21E-03
252	252	3.8E-01	5	1.39E-03
253	253	4.1E-01	5	1.51E-03
254	254	4.5E-01	5	1.66E-03
255	255	5.0E-01	5	1.85E-03
256	256	6.0E-01	5	2.20E-03
257	257	6.6E-01	5	2.44E-03
258	258	7.6E-01	5	2.80E-03
259	259	8.8E-01	5	3.25E-03
260	260	1.1E+00	5	3.88E-03
261	261	1.3E+00	5	4.64E-03
262	262	1.5E+00	5	5.39E-03
263	263	1.6E+00	5	5.97E-03
264	264	1.7E+00	5	6.40E-03
265	265	1.8E+00	5	6.54E-03
266	266	1.8E+00	5	6.45E-03
267	267	1.7E+00	5	6.11E-03
268	268	1.5E+00	5	5.62E-03
269	269	1.4E+00	5	5.26E-03
270	270	3.5E-01	5	1.29E-03
271	271	3.8E-01	5	1.39E-03
272	272	4.1E-01	5	1.51E-03
273	273	4.5E-01	5	1.66E-03
274	274	5.4E-01	5	1.99E-03
275	275	6.2E-01	5	2.28E-03
276	276	6.6E-01	5	2.41E-03
277	277	7.5E-01	5	2.74E-03
278	278	8.6E-01	5	3.18E-03
279	279	1.0E+00	5	3.70E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	1.2E+00	5	4.32E-03
281	281	1.3E+00	5	4.86E-03
282	282	1.4E+00	5	5.23E-03
283	283	1.5E+00	5	5.40E-03
284	284	1.5E+00	5	5.37E-03
285	285	1.4E+00	5	5.15E-03
286	286	1.3E+00	5	4.81E-03
287	287	1.2E+00	5	4.53E-03
288	288	3.3E-01	5	1.20E-03
289	289	3.5E-01	5	1.27E-03
290	290	3.9E-01	5	1.42E-03
291	291	4.3E-01	5	1.57E-03
292	292	5.3E-01	5	1.96E-03
293	293	5.7E-01	5	2.10E-03
294	294	5.8E-01	5	2.12E-03
295	295	6.6E-01	5	2.41E-03
296	296	7.5E-01	5	2.76E-03
297	297	8.5E-01	5	3.11E-03
298	298	9.6E-01	5	3.54E-03
299	299	1.1E+00	5	4.00E-03
300	300	1.2E+00	5	4.31E-03
301	301	1.2E+00	5	4.51E-03
302	302	1.2E+00	5	4.55E-03
303	303	1.2E+00	5	4.44E-03
304	304	1.1E+00	5	4.19E-03
305	305	1.1E+00	5	3.95E-03
306	306	3.2E-01	5	1.19E-03
307	307	3.3E-01	5	1.23E-03
308	308	3.6E-01	5	1.32E-03
309	309	4.2E-01	5	1.56E-03
310	310	4.9E-01	5	1.81E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	5.2E-01	5	1.92E-03
312	312	5.2E-01	5	1.89E-03
313	313	5.8E-01	5	2.13E-03
314	314	6.6E-01	5	2.41E-03
315	315	7.6E-01	5	2.79E-03
316	316	8.3E-01	5	3.04E-03
317	317	9.1E-01	5	3.33E-03
318	318	9.8E-01	5	3.59E-03
319	319	1.0E+00	5	3.82E-03
320	320	1.1E+00	5	3.93E-03
321	321	1.0E+00	5	3.86E-03
322	322	1.0E+00	5	3.68E-03
323	323	9.4E-01	5	3.46E-03
324	324	3.0E-01	5	1.12E-03
325	325	3.4E-01	5	1.24E-03
326	326	3.6E-01	5	1.31E-03
327	327	3.7E-01	5	1.38E-03
328	328	4.6E-01	5	1.69E-03
329	329	4.8E-01	5	1.76E-03
330	330	4.7E-01	5	1.74E-03
331	331	5.3E-01	5	1.94E-03
332	332	5.9E-01	5	2.18E-03
333	333	6.8E-01	5	2.50E-03
334	334	7.5E-01	5	2.75E-03
335	335	8.2E-01	5	2.99E-03
336	336	3.4E+00	5	1.23E-02
337	337	2.3E+00	5	8.38E-03
338	338	9.6E-01	5	3.54E-03
339	339	9.8E-01	5	3.60E-03
340	340	9.8E-01	5	3.61E-03
341	341	9.7E-01	5	3.56E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	9.5E-01	5	3.48E-03
343	343	8.7E-01	5	3.21E-03
344	344	8.3E-01	5	3.05E-03
345	345	7.8E-01	5	2.87E-03
346	346	7.3E-01	5	2.67E-03
347	347	1.2E+00	5	4.34E-03
348	348	1.2E+00	5	4.44E-03
349	349	1.2E+00	5	4.43E-03
350	350	1.2E+00	5	4.35E-03
351	351	1.2E+00	5	4.25E-03
352	352	1.0E+00	5	3.82E-03
353	353	9.7E-01	5	3.57E-03
354	354	8.9E-01	5	3.28E-03
355	355	8.2E-01	5	3.02E-03
356	356	1.5E+00	5	5.45E-03
357	357	1.5E+00	5	5.65E-03
358	358	1.5E+00	5	5.64E-03
359	359	1.5E+00	5	5.52E-03
360	360	1.4E+00	5	5.29E-03
361	361	1.2E+00	5	4.58E-03
362	362	1.1E+00	5	4.21E-03
363	363	1.0E+00	5	3.77E-03
364	364	1.9E+00	5	7.11E-03
365	365	2.0E+00	5	7.31E-03
366	366	2.0E+00	5	7.39E-03
367	367	1.9E+00	5	7.15E-03
368	368	1.8E+00	5	6.75E-03
369	369	1.5E+00	5	5.57E-03
370	370	1.2E+00	5	4.42E-03
371	371	1.1E+00	5	3.86E-03
372	372	2.7E+00	5	9.85E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	2.7E+00	5	1.01E-02
374	374	2.7E+00	5	1.01E-02
375	375	2.6E+00	5	9.60E-03
376	376	2.4E+00	5	8.82E-03
377	377	2.1E+00	5	7.84E-03
378	378	1.9E+00	5	6.87E-03
379	379	1.4E+00	5	5.07E-03
380	380	1.2E+00	5	4.33E-03
381	381	1.0E+00	5	3.69E-03
382	382	4.0E+00	5	1.47E-02
383	383	4.1E+00	5	1.49E-02
384	384	4.0E+00	5	1.45E-02
385	385	3.7E+00	5	1.35E-02
386	386	3.3E+00	5	1.20E-02
387	387	2.8E+00	5	1.02E-02
388	388	2.3E+00	5	8.48E-03
389	389	1.6E+00	5	5.70E-03
390	390	1.3E+00	5	4.69E-03
391	391	1.1E+00	5	3.90E-03
392	392	8.7E-01	5	3.20E-03
393	393	5.7E+00	5	2.09E-02
394	394	5.6E+00	5	2.07E-02
395	395	5.0E+00	5	1.82E-02
396	396	4.3E+00	5	1.60E-02
397	397	3.5E+00	5	1.28E-02
398	398	2.7E+00	5	9.99E-03
399	399	2.2E+00	5	7.97E-03
400	400	1.7E+00	5	6.23E-03
401	401	1.3E+00	5	4.96E-03
402	402	8.8E-01	5	3.22E-03
403	403	1.8E+00	5	6.64E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	9.0E-01	5	3.32E-03
405	405	7.3E-01	5	2.69E-03
406	406	1.8E+00	5	6.61E-03
407	407	7.1E-01	5	2.61E-03
408	408	1.7E+00	5	6.27E-03
409	409	6.8E-01	5	2.51E-03
410	410	1.6E+00	5	5.76E-03
411	411	7.9E-01	5	2.92E-03
412	412	6.7E-01	5	2.46E-03
413	413	1.4E+00	5	5.24E-03
414	414	9.0E-01	5	3.32E-03
415	415	7.5E-01	5	2.76E-03
416	416	6.4E-01	5	2.34E-03
417	417	1.3E+00	5	4.77E-03
418	418	7.1E-01	5	2.59E-03
419	419	6.0E-01	5	2.22E-03
420	420	5.2E-01	5	1.92E-03
421	421	1.2E+00	5	4.35E-03
422	422	5.7E-01	5	2.09E-03
423	423	5.0E-01	5	1.83E-03
424	424	1.1E+00	5	3.97E-03
425	425	4.7E-01	5	1.74E-03
426	426	4.2E-01	5	1.54E-03
427	427	9.9E-01	5	3.63E-03
428	428	4.5E-01	5	1.64E-03
429	429	4.0E-01	5	1.46E-03
430	430	9.1E-01	5	3.32E-03
431	431	3.8E-01	5	1.39E-03
432	432	3.4E-01	5	1.25E-03
433	433	8.3E-01	5	3.04E-03
434	434	3.6E-01	5	1.32E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	3.3E-01	5	1.20E-03
436	436	7.6E-01	5	2.79E-03
437	437	3.8E-01	5	1.40E-03
438	438	3.4E-01	5	1.26E-03
439	439	3.1E-01	5	1.14E-03
440	440	7.0E-01	5	2.55E-03
441	441	4.6E-01	5	1.69E-03
442	442	4.0E-01	5	1.49E-03
443	443	3.6E-01	5	1.33E-03
444	444	3.3E-01	5	1.20E-03
445	445	6.4E-01	5	2.35E-03
446	446	4.9E-01	5	1.79E-03
447	447	4.3E-01	5	1.58E-03
448	448	3.8E-01	5	1.41E-03
449	449	5.9E-01	5	2.16E-03
450	450	5.2E-01	5	1.90E-03
451	451	4.6E-01	5	1.68E-03
452	452	5.4E-01	5	1.99E-03
453	453	4.8E-01	5	1.77E-03
454	454	2.6E-01	5	9.45E-04
455	455	2.4E-01	5	8.79E-04
456	456	5.0E-01	5	1.84E-03
457	457	4.5E-01	5	1.65E-03
458	458	4.0E-01	5	1.47E-03
459	459	2.9E-01	5	1.08E-03
460	460	2.7E-01	5	9.91E-04
461	461	2.5E-01	5	9.11E-04
462	462	2.3E-01	5	8.41E-04
463	463	3.1E+00	5	1.15E-02
464	464	2.2E+00	5	7.93E-03
465	465	2.7E+00	5	9.98E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
466	466	1.9E+00	5	6.83E-03
467	467	2.0E+00	5	7.30E-03
468	468	1.8E+00	5	6.45E-03
469	469	1.5E+00	5	5.68E-03
470	470	1.7E+00	5	6.31E-03
471	471	1.5E+00	5	5.37E-03
472	472	1.5E+00	5	5.42E-03
473	473	1.2E+00	5	4.44E-03
474	474	1.3E+00	5	4.68E-03
475	475	1.1E+00	5	3.94E-03
476	476	1.1E+00	5	4.08E-03
477	477	9.6E-01	5	3.52E-03
478	478	9.8E-01	5	3.59E-03
479	479	8.6E-01	5	3.14E-03
480	480	7.4E-01	5	2.72E-03
481	481	8.7E-01	5	3.18E-03
482	482	6.8E-01	5	2.48E-03
483	483	6.9E-01	5	2.55E-03
484	484	6.2E-01	5	2.27E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24522	1.10E-02	2.7E-03	1.05E-03	2.82E-06	1.67E-01	1.57E-01	7.42E-08	1.0E+06	7.4E-02
2	0.25812	1.10E-02	2.8E-03	1.05E-03	2.97E-06	1.67E-01	1.57E-01	7.81E-08	1.0E+06	7.8E-02
3	0.27182	1.10E-02	3.0E-03	1.05E-03	3.13E-06	1.67E-01	1.57E-01	8.22E-08	1.0E+06	8.2E-02
4	0.28694	1.10E-02	3.2E-03	1.05E-03	3.30E-06	1.67E-01	1.57E-01	8.68E-08	1.0E+06	8.7E-02
5	0.30421	1.10E-02	3.4E-03	1.05E-03	3.50E-06	1.67E-01	1.57E-01	9.20E-08	1.0E+06	9.2E-02
6	0.32665	1.10E-02	3.6E-03	1.05E-03	3.76E-06	1.67E-01	1.57E-01	9.88E-08	1.0E+06	9.9E-02
7	0.35525	1.10E-02	3.9E-03	1.05E-03	4.09E-06	1.67E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
8	0.38621	1.10E-02	4.3E-03	1.05E-03	4.45E-06	1.67E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
9	0.42233	1.10E-02	4.7E-03	1.05E-03	4.86E-06	1.67E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
10	0.46134	1.10E-02	5.1E-03	1.05E-03	5.31E-06	1.67E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
11	0.50584	1.10E-02	5.6E-03	1.05E-03	5.82E-06	1.67E-01	1.57E-01	1.53E-07	1.0E+06	1.5E-01
12	0.54691	1.10E-02	6.0E-03	1.05E-03	6.30E-06	1.67E-01	1.57E-01	1.65E-07	1.0E+06	1.7E-01
13	0.5752	1.10E-02	6.3E-03	1.05E-03	6.62E-06	1.67E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
14	0.55713	1.10E-02	6.1E-03	1.05E-03	6.41E-06	1.67E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
15	0.27871	1.10E-02	3.1E-03	1.05E-03	3.21E-06	1.67E-01	1.57E-01	8.43E-08	1.0E+06	8.4E-02
16	0.29601	1.10E-02	3.3E-03	1.05E-03	3.41E-06	1.67E-01	1.57E-01	8.95E-08	1.0E+06	9.0E-02
17	0.31614	1.10E-02	3.5E-03	1.05E-03	3.64E-06	1.67E-01	1.57E-01	9.56E-08	1.0E+06	9.6E-02
18	0.33621	1.10E-02	3.7E-03	1.05E-03	3.87E-06	1.67E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
19	0.35725	1.10E-02	3.9E-03	1.05E-03	4.11E-06	1.67E-01	1.57E-01	1.08E-07	1.0E+06	1.1E-01
20	0.38354	1.10E-02	4.2E-03	1.05E-03	4.42E-06	1.67E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
21	0.41325	1.10E-02	4.6E-03	1.05E-03	4.76E-06	1.67E-01	1.57E-01	1.25E-07	1.0E+06	1.2E-01
22	0.45075	1.10E-02	5.0E-03	1.05E-03	5.19E-06	1.67E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
23	0.50138	1.10E-02	5.5E-03	1.05E-03	5.77E-06	1.67E-01	1.57E-01	1.52E-07	1.0E+06	1.5E-01
24	0.54771	1.10E-02	6.0E-03	1.05E-03	6.31E-06	1.67E-01	1.57E-01	1.66E-07	1.0E+06	1.7E-01
25	0.60994	1.10E-02	6.7E-03	1.05E-03	7.02E-06	1.67E-01	1.57E-01	1.84E-07	1.0E+06	1.8E-01
26	0.66721	1.10E-02	7.3E-03	1.05E-03	7.68E-06	1.67E-01	1.57E-01	2.02E-07	1.0E+06	2.0E-01
27	0.70269	1.10E-02	7.7E-03	1.05E-03	8.09E-06	1.67E-01	1.57E-01	2.12E-07	1.0E+06	2.1E-01
28	0.67847	1.10E-02	7.5E-03	1.05E-03	7.81E-06	1.67E-01	1.57E-01	2.05E-07	1.0E+06	2.1E-01
29	0.31274	1.10E-02	3.4E-03	1.05E-03	3.60E-06	1.67E-01	1.57E-01	9.46E-08	1.0E+06	9.5E-02
30	0.33825	1.10E-02	3.7E-03	1.05E-03	3.89E-06	1.67E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
31	0.3674	1.10E-02	4.0E-03	1.05E-03	4.23E-06	1.67E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01

	Max	Receptor #
Res	4.087	145

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.39913	1.10E-02	4.4E-03	1.05E-03	4.60E-06	1.67E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
33	0.42599	1.10E-02	4.7E-03	1.05E-03	4.90E-06	1.67E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
34	0.46028	1.10E-02	5.1E-03	1.05E-03	5.30E-06	1.67E-01	1.57E-01	1.39E-07	1.0E+06	1.4E-01
35	0.49742	1.10E-02	5.5E-03	1.05E-03	5.73E-06	1.67E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
36	0.5441	1.10E-02	6.0E-03	1.05E-03	6.26E-06	1.67E-01	1.57E-01	1.65E-07	1.0E+06	1.6E-01
37	0.60298	1.10E-02	6.6E-03	1.05E-03	6.94E-06	1.67E-01	1.57E-01	1.82E-07	1.0E+06	1.8E-01
38	0.67584	1.10E-02	7.4E-03	1.05E-03	7.78E-06	1.67E-01	1.57E-01	2.04E-07	1.0E+06	2.0E-01
39	0.75362	1.10E-02	8.3E-03	1.05E-03	8.68E-06	1.67E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
40	0.82458	1.10E-02	9.1E-03	1.05E-03	9.49E-06	1.67E-01	1.57E-01	2.49E-07	1.0E+06	2.5E-01
41	0.88192	1.10E-02	9.7E-03	1.05E-03	1.02E-05	1.67E-01	1.57E-01	2.67E-07	1.0E+06	2.7E-01
42	0.84179	1.10E-02	9.3E-03	1.05E-03	9.69E-06	1.67E-01	1.57E-01	2.55E-07	1.0E+06	2.5E-01
43	0.3419	1.10E-02	3.8E-03	1.05E-03	3.94E-06	1.67E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
44	0.37456	1.10E-02	4.1E-03	1.05E-03	4.31E-06	1.67E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
45	0.41658	1.10E-02	4.6E-03	1.05E-03	4.80E-06	1.67E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
46	0.46349	1.10E-02	5.1E-03	1.05E-03	5.34E-06	1.67E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
47	0.50951	1.10E-02	5.6E-03	1.05E-03	5.87E-06	1.67E-01	1.57E-01	1.54E-07	1.0E+06	1.5E-01
48	0.55797	1.10E-02	6.1E-03	1.05E-03	6.42E-06	1.67E-01	1.57E-01	1.69E-07	1.0E+06	1.7E-01
49	0.60926	1.10E-02	6.7E-03	1.05E-03	7.02E-06	1.67E-01	1.57E-01	1.84E-07	1.0E+06	1.8E-01
50	0.66552	1.10E-02	7.3E-03	1.05E-03	7.66E-06	1.67E-01	1.57E-01	2.01E-07	1.0E+06	2.0E-01
51	0.75822	1.10E-02	8.4E-03	1.05E-03	8.73E-06	1.67E-01	1.57E-01	2.29E-07	1.0E+06	2.3E-01
52	0.85126	1.10E-02	9.4E-03	1.05E-03	9.80E-06	1.67E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01
53	0.96684	1.10E-02	1.1E-02	1.05E-03	1.11E-05	1.67E-01	1.57E-01	2.92E-07	1.0E+06	2.9E-01
54	1.07266	1.10E-02	1.2E-02	1.05E-03	1.24E-05	1.67E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01
55	1.15752	1.10E-02	1.3E-02	1.05E-03	1.33E-05	1.67E-01	1.57E-01	3.50E-07	1.0E+06	3.5E-01
56	1.05945	1.10E-02	1.2E-02	1.05E-03	1.22E-05	1.67E-01	1.57E-01	3.20E-07	1.0E+06	3.2E-01
57	0.36224	1.10E-02	4.0E-03	1.05E-03	4.17E-06	1.67E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
58	0.4086	1.10E-02	4.5E-03	1.05E-03	4.70E-06	1.67E-01	1.57E-01	1.24E-07	1.0E+06	1.2E-01
59	0.46663	1.10E-02	5.1E-03	1.05E-03	5.37E-06	1.67E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
60	0.53196	1.10E-02	5.9E-03	1.05E-03	6.12E-06	1.67E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
61	0.6059	1.10E-02	6.7E-03	1.05E-03	6.98E-06	1.67E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
62	0.68687	1.10E-02	7.6E-03	1.05E-03	7.91E-06	1.67E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.7816	1.10E-02	8.6E-03	1.05E-03	9.00E-06	1.67E-01	1.57E-01	2.36E-07	1.0E+06	2.4E-01
64	0.85518	1.10E-02	9.4E-03	1.05E-03	9.85E-06	1.67E-01	1.57E-01	2.59E-07	1.0E+06	2.6E-01
65	0.98486	1.10E-02	1.1E-02	1.05E-03	1.13E-05	1.67E-01	1.57E-01	2.98E-07	1.0E+06	3.0E-01
66	1.13862	1.10E-02	1.3E-02	1.05E-03	1.31E-05	1.67E-01	1.57E-01	3.44E-07	1.0E+06	3.4E-01
67	1.29122	1.10E-02	1.4E-02	1.05E-03	1.49E-05	1.67E-01	1.57E-01	3.90E-07	1.0E+06	3.9E-01
68	1.46923	1.10E-02	1.6E-02	1.05E-03	1.69E-05	1.67E-01	1.57E-01	4.44E-07	1.0E+06	4.4E-01
69	1.61487	1.10E-02	1.8E-02	1.05E-03	1.86E-05	1.67E-01	1.57E-01	4.88E-07	1.0E+06	4.9E-01
70	0.38587	1.10E-02	4.3E-03	1.05E-03	4.44E-06	1.67E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
71	0.44138	1.10E-02	4.9E-03	1.05E-03	5.08E-06	1.67E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
72	0.51499	1.10E-02	5.7E-03	1.05E-03	5.93E-06	1.67E-01	1.57E-01	1.56E-07	1.0E+06	1.6E-01
73	0.59943	1.10E-02	6.6E-03	1.05E-03	6.90E-06	1.67E-01	1.57E-01	1.81E-07	1.0E+06	1.8E-01
74	0.70697	1.10E-02	7.8E-03	1.05E-03	8.14E-06	1.67E-01	1.57E-01	2.14E-07	1.0E+06	2.1E-01
75	0.83321	1.10E-02	9.2E-03	1.05E-03	9.59E-06	1.67E-01	1.57E-01	2.52E-07	1.0E+06	2.5E-01
76	0.99536	1.10E-02	1.1E-02	1.05E-03	1.15E-05	1.67E-01	1.57E-01	3.01E-07	1.0E+06	3.0E-01
77	1.15904	1.10E-02	1.3E-02	1.05E-03	1.33E-05	1.67E-01	1.57E-01	3.50E-07	1.0E+06	3.5E-01
78	1.38678	1.10E-02	1.5E-02	1.05E-03	1.60E-05	1.67E-01	1.57E-01	4.19E-07	1.0E+06	4.2E-01
79	1.72999	1.10E-02	1.9E-02	1.05E-03	1.99E-05	1.67E-01	1.57E-01	5.23E-07	1.0E+06	5.2E-01
80	1.95913	1.10E-02	2.2E-02	1.05E-03	2.26E-05	1.67E-01	1.57E-01	5.92E-07	1.0E+06	5.9E-01
81	2.26974	1.10E-02	2.5E-02	1.05E-03	2.61E-05	1.67E-01	1.57E-01	6.86E-07	1.0E+06	6.9E-01
82	2.4321	1.10E-02	2.7E-02	1.05E-03	2.80E-05	1.67E-01	1.57E-01	7.35E-07	1.0E+06	7.4E-01
83	0.40751	1.10E-02	4.5E-03	1.05E-03	4.69E-06	1.67E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
84	0.48107	1.10E-02	5.3E-03	1.05E-03	5.54E-06	1.67E-01	1.57E-01	1.45E-07	1.0E+06	1.5E-01
85	0.57125	1.10E-02	6.3E-03	1.05E-03	6.58E-06	1.67E-01	1.57E-01	1.73E-07	1.0E+06	1.7E-01
86	0.65944	1.10E-02	7.3E-03	1.05E-03	7.59E-06	1.67E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
87	0.793	1.10E-02	8.7E-03	1.05E-03	9.13E-06	1.67E-01	1.57E-01	2.40E-07	1.0E+06	2.4E-01
88	0.9744	1.10E-02	1.1E-02	1.05E-03	1.12E-05	1.67E-01	1.57E-01	2.95E-07	1.0E+06	2.9E-01
89	1.22894	1.10E-02	1.4E-02	1.05E-03	1.41E-05	1.67E-01	1.57E-01	3.72E-07	1.0E+06	3.7E-01
90	1.58842	1.10E-02	1.7E-02	1.05E-03	1.83E-05	1.67E-01	1.57E-01	4.80E-07	1.0E+06	4.8E-01
91	2.07909	1.10E-02	2.3E-02	1.05E-03	2.39E-05	1.67E-01	1.57E-01	6.29E-07	1.0E+06	6.3E-01
92	2.673	1.10E-02	2.9E-02	1.05E-03	3.08E-05	1.67E-01	1.57E-01	8.08E-07	1.0E+06	8.1E-01
93	3.26073	1.10E-02	3.6E-02	1.05E-03	3.75E-05	1.67E-01	1.57E-01	9.86E-07	1.0E+06	9.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.7105	1.10E-02	4.1E-02	1.05E-03	4.27E-05	1.67E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
95	3.97772	1.10E-02	4.4E-02	1.05E-03	4.58E-05	1.67E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
96	0.42783	1.10E-02	4.7E-03	1.05E-03	4.93E-06	1.67E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
97	0.50509	1.10E-02	5.6E-03	1.05E-03	5.82E-06	1.67E-01	1.57E-01	1.53E-07	1.0E+06	1.5E-01
98	0.59829	1.10E-02	6.6E-03	1.05E-03	6.89E-06	1.67E-01	1.57E-01	1.81E-07	1.0E+06	1.8E-01
99	0.71884	1.10E-02	7.9E-03	1.05E-03	8.28E-06	1.67E-01	1.57E-01	2.17E-07	1.0E+06	2.2E-01
100	0.87437	1.10E-02	9.6E-03	1.05E-03	1.01E-05	1.67E-01	1.57E-01	2.64E-07	1.0E+06	2.6E-01
101	1.11264	1.10E-02	1.2E-02	1.05E-03	1.28E-05	1.67E-01	1.57E-01	3.36E-07	1.0E+06	3.4E-01
102	1.49032	1.10E-02	1.6E-02	1.05E-03	1.72E-05	1.67E-01	1.57E-01	4.51E-07	1.0E+06	4.5E-01
103	2.11062	1.10E-02	2.3E-02	1.05E-03	2.43E-05	1.67E-01	1.57E-01	6.38E-07	1.0E+06	6.4E-01
104	3.18262	1.10E-02	3.5E-02	1.05E-03	3.66E-05	1.67E-01	1.57E-01	9.62E-07	1.0E+06	9.6E-01
105	4.82918	1.10E-02	5.3E-02	1.05E-03	5.56E-05	1.67E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
106	6.35044	1.10E-02	7.0E-02	1.05E-03	7.31E-05	1.67E-01	1.57E-01	1.92E-06	1.0E+06	1.9E+00
107	7.24945	1.10E-02	8.0E-02	1.05E-03	8.35E-05	1.67E-01	1.57E-01	2.19E-06	1.0E+06	2.2E+00
108	7.70358	1.10E-02	8.5E-02	1.05E-03	8.87E-05	1.67E-01	1.57E-01	2.33E-06	1.0E+06	2.3E+00
109	0.42527	1.10E-02	4.7E-03	1.05E-03	4.90E-06	1.67E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
110	0.50003	1.10E-02	5.5E-03	1.05E-03	5.76E-06	1.67E-01	1.57E-01	1.51E-07	1.0E+06	1.5E-01
111	0.59613	1.10E-02	6.6E-03	1.05E-03	6.86E-06	1.67E-01	1.57E-01	1.80E-07	1.0E+06	1.8E-01
112	0.72796	1.10E-02	8.0E-03	1.05E-03	8.38E-06	1.67E-01	1.57E-01	2.20E-07	1.0E+06	2.2E-01
113	0.92025	1.10E-02	1.0E-02	1.05E-03	1.06E-05	1.67E-01	1.57E-01	2.78E-07	1.0E+06	2.8E-01
114	1.21078	1.10E-02	1.3E-02	1.05E-03	1.39E-05	1.67E-01	1.57E-01	3.66E-07	1.0E+06	3.7E-01
115	1.70768	1.10E-02	1.9E-02	1.05E-03	1.97E-05	1.67E-01	1.57E-01	5.16E-07	1.0E+06	5.2E-01
116	2.70228	1.10E-02	3.0E-02	1.05E-03	3.11E-05	1.67E-01	1.57E-01	8.17E-07	1.0E+06	8.2E-01
117	5.36175	1.10E-02	5.9E-02	1.05E-03	6.17E-05	1.67E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
118	6.35201	1.10E-02	7.0E-02	1.05E-03	7.31E-05	1.67E-01	1.57E-01	1.92E-06	1.0E+06	1.9E+00
119	10.08642	1.10E-02	1.1E-01	1.05E-03	1.16E-04	1.67E-01	1.57E-01	3.05E-06	1.0E+06	3.0E+00
120	11.26207	1.10E-02	1.2E-01	1.05E-03	1.30E-04	1.67E-01	1.57E-01	3.41E-06	1.0E+06	3.4E+00
121	11.09892	1.10E-02	1.2E-01	1.05E-03	1.28E-04	1.67E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
122	0.40376	1.10E-02	4.4E-03	1.05E-03	4.65E-06	1.67E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
123	0.47827	1.10E-02	5.3E-03	1.05E-03	5.51E-06	1.67E-01	1.57E-01	1.45E-07	1.0E+06	1.4E-01
124	0.57738	1.10E-02	6.4E-03	1.05E-03	6.65E-06	1.67E-01	1.57E-01	1.75E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.71334	1.10E-02	7.9E-03	1.05E-03	8.21E-06	1.67E-01	1.57E-01	2.16E-07	1.0E+06	2.2E-01
126	0.90625	1.10E-02	1.0E-02	1.05E-03	1.04E-05	1.67E-01	1.57E-01	2.74E-07	1.0E+06	2.7E-01
127	1.20749	1.10E-02	1.3E-02	1.05E-03	1.39E-05	1.67E-01	1.57E-01	3.65E-07	1.0E+06	3.7E-01
128	1.67153	1.10E-02	1.8E-02	1.05E-03	1.92E-05	1.67E-01	1.57E-01	5.05E-07	1.0E+06	5.1E-01
129	2.7297	1.10E-02	3.0E-02	1.05E-03	3.14E-05	1.67E-01	1.57E-01	8.25E-07	1.0E+06	8.3E-01
130	6.66669	1.10E-02	7.3E-02	1.05E-03	7.68E-05	1.67E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
131	2.17942	1.10E-02	2.4E-02	1.05E-03	2.51E-05	1.67E-01	1.57E-01	6.59E-07	1.0E+06	6.6E-01
132	1.5364	1.10E-02	1.7E-02	1.05E-03	1.77E-05	1.67E-01	1.57E-01	4.65E-07	1.0E+06	4.6E-01
133	0.37253	1.10E-02	4.1E-03	1.05E-03	4.29E-06	1.67E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
134	0.44783	1.10E-02	4.9E-03	1.05E-03	5.16E-06	1.67E-01	1.57E-01	1.35E-07	1.0E+06	1.4E-01
135	0.54393	1.10E-02	6.0E-03	1.05E-03	6.26E-06	1.67E-01	1.57E-01	1.64E-07	1.0E+06	1.6E-01
136	0.66975	1.10E-02	7.4E-03	1.05E-03	7.71E-06	1.67E-01	1.57E-01	2.03E-07	1.0E+06	2.0E-01
137	0.8492	1.10E-02	9.4E-03	1.05E-03	9.78E-06	1.67E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01
138	1.11161	1.10E-02	1.2E-02	1.05E-03	1.28E-05	1.67E-01	1.57E-01	3.36E-07	1.0E+06	3.4E-01
139	1.51637	1.10E-02	1.7E-02	1.05E-03	1.75E-05	1.67E-01	1.57E-01	4.59E-07	1.0E+06	4.6E-01
140	2.33444	1.10E-02	2.6E-02	1.05E-03	2.69E-05	1.67E-01	1.57E-01	7.06E-07	1.0E+06	7.1E-01
141	4.56552	1.10E-02	5.0E-02	1.05E-03	5.26E-05	1.67E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
142	6.41914	1.10E-02	7.1E-02	1.05E-03	7.39E-05	1.67E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
143	10.17338	1.10E-02	1.1E-01	1.05E-03	1.17E-04	1.67E-01	1.57E-01	3.08E-06	1.0E+06	3.1E+00
144	13.38661	1.10E-02	1.5E-01	1.05E-03	1.54E-04	1.67E-01	1.57E-01	4.05E-06	1.0E+06	4.0E+00
145	13.51679	1.10E-02	1.5E-01	1.05E-03	1.56E-04	1.67E-01	1.57E-01	4.09E-06	1.0E+06	4.1E+00
146	2.14495	1.10E-02	2.4E-02	1.05E-03	2.47E-05	1.67E-01	1.57E-01	6.49E-07	1.0E+06	6.5E-01
147	0.34214	1.10E-02	3.8E-03	1.05E-03	3.94E-06	1.67E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
148	0.40831	1.10E-02	4.5E-03	1.05E-03	4.70E-06	1.67E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
149	0.49577	1.10E-02	5.5E-03	1.05E-03	5.71E-06	1.67E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
150	0.60785	1.10E-02	6.7E-03	1.05E-03	7.00E-06	1.67E-01	1.57E-01	1.84E-07	1.0E+06	1.8E-01
151	0.7688	1.10E-02	8.5E-03	1.05E-03	8.85E-06	1.67E-01	1.57E-01	2.32E-07	1.0E+06	2.3E-01
152	0.9823	1.10E-02	1.1E-02	1.05E-03	1.13E-05	1.67E-01	1.57E-01	2.97E-07	1.0E+06	3.0E-01
153	1.30396	1.10E-02	1.4E-02	1.05E-03	1.50E-05	1.67E-01	1.57E-01	3.94E-07	1.0E+06	3.9E-01
154	1.88437	1.10E-02	2.1E-02	1.05E-03	2.17E-05	1.67E-01	1.57E-01	5.70E-07	1.0E+06	5.7E-01
155	3.08613	1.10E-02	3.4E-02	1.05E-03	3.55E-05	1.67E-01	1.57E-01	9.33E-07	1.0E+06	9.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	5.26306	1.10E-02	5.8E-02	1.05E-03	6.06E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
157	6.91686	1.10E-02	7.6E-02	1.05E-03	7.96E-05	1.67E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
158	7.28102	1.10E-02	8.0E-02	1.05E-03	8.38E-05	1.67E-01	1.57E-01	2.20E-06	1.0E+06	2.2E+00
159	7.92875	1.10E-02	8.7E-02	1.05E-03	9.13E-05	1.67E-01	1.57E-01	2.40E-06	1.0E+06	2.4E+00
160	0.32054	1.10E-02	3.5E-03	1.05E-03	3.69E-06	1.67E-01	1.57E-01	9.69E-08	1.0E+06	9.7E-02
161	0.37294	1.10E-02	4.1E-03	1.05E-03	4.29E-06	1.67E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
162	0.43383	1.10E-02	4.8E-03	1.05E-03	5.00E-06	1.67E-01	1.57E-01	1.31E-07	1.0E+06	1.3E-01
163	0.53585	1.10E-02	5.9E-03	1.05E-03	6.17E-06	1.67E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
164	0.68088	1.10E-02	7.5E-03	1.05E-03	7.84E-06	1.67E-01	1.57E-01	2.06E-07	1.0E+06	2.1E-01
165	0.85225	1.10E-02	9.4E-03	1.05E-03	9.81E-06	1.67E-01	1.57E-01	2.58E-07	1.0E+06	2.6E-01
166	1.10586	1.10E-02	1.2E-02	1.05E-03	1.27E-05	1.67E-01	1.57E-01	3.34E-07	1.0E+06	3.3E-01
167	1.49488	1.10E-02	1.6E-02	1.05E-03	1.72E-05	1.67E-01	1.57E-01	4.52E-07	1.0E+06	4.5E-01
168	2.14007	1.10E-02	2.4E-02	1.05E-03	2.46E-05	1.67E-01	1.57E-01	6.47E-07	1.0E+06	6.5E-01
169	3.09049	1.10E-02	3.4E-02	1.05E-03	3.56E-05	1.67E-01	1.57E-01	9.35E-07	1.0E+06	9.3E-01
170	3.93283	1.10E-02	4.3E-02	1.05E-03	4.53E-05	1.67E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
171	4.33042	1.10E-02	4.8E-02	1.05E-03	4.99E-05	1.67E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
172	4.55053	1.10E-02	5.0E-02	1.05E-03	5.24E-05	1.67E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
173	4.6617	1.10E-02	5.1E-02	1.05E-03	5.37E-05	1.67E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
174	4.63839	1.10E-02	5.1E-02	1.05E-03	5.34E-05	1.67E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
175	4.15775	1.10E-02	4.6E-02	1.05E-03	4.79E-05	1.67E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
176	3.29074	1.10E-02	3.6E-02	1.05E-03	3.79E-05	1.67E-01	1.57E-01	9.95E-07	1.0E+06	1.0E+00
177	2.30244	1.10E-02	2.5E-02	1.05E-03	2.65E-05	1.67E-01	1.57E-01	6.96E-07	1.0E+06	7.0E-01
178	1.53757	1.10E-02	1.7E-02	1.05E-03	1.77E-05	1.67E-01	1.57E-01	4.65E-07	1.0E+06	4.6E-01
179	0.29019	1.10E-02	3.2E-03	1.05E-03	3.34E-06	1.67E-01	1.57E-01	8.77E-08	1.0E+06	8.8E-02
180	0.33117	1.10E-02	3.6E-03	1.05E-03	3.81E-06	1.67E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
181	0.37418	1.10E-02	4.1E-03	1.05E-03	4.31E-06	1.67E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
182	0.46724	1.10E-02	5.1E-03	1.05E-03	5.38E-06	1.67E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
183	0.60354	1.10E-02	6.6E-03	1.05E-03	6.95E-06	1.67E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
184	0.74184	1.10E-02	8.2E-03	1.05E-03	8.54E-06	1.67E-01	1.57E-01	2.24E-07	1.0E+06	2.2E-01
185	0.93939	1.10E-02	1.0E-02	1.05E-03	1.08E-05	1.67E-01	1.57E-01	2.84E-07	1.0E+06	2.8E-01
186	1.20886	1.10E-02	1.3E-02	1.05E-03	1.39E-05	1.67E-01	1.57E-01	3.66E-07	1.0E+06	3.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	1.59534	1.10E-02	1.8E-02	1.05E-03	1.84E-05	1.67E-01	1.57E-01	4.82E-07	1.0E+06	4.8E-01
188	2.10918	1.10E-02	2.3E-02	1.05E-03	2.43E-05	1.67E-01	1.57E-01	6.38E-07	1.0E+06	6.4E-01
189	2.58029	1.10E-02	2.8E-02	1.05E-03	2.97E-05	1.67E-01	1.57E-01	7.80E-07	1.0E+06	7.8E-01
190	2.87995	1.10E-02	3.2E-02	1.05E-03	3.32E-05	1.67E-01	1.57E-01	8.71E-07	1.0E+06	8.7E-01
191	2.98254	1.10E-02	3.3E-02	1.05E-03	3.43E-05	1.67E-01	1.57E-01	9.02E-07	1.0E+06	9.0E-01
192	3.0049	1.10E-02	3.3E-02	1.05E-03	3.46E-05	1.67E-01	1.57E-01	9.09E-07	1.0E+06	9.1E-01
193	2.90512	1.10E-02	3.2E-02	1.05E-03	3.34E-05	1.67E-01	1.57E-01	8.78E-07	1.0E+06	8.8E-01
194	2.75066	1.10E-02	3.0E-02	1.05E-03	3.17E-05	1.67E-01	1.57E-01	8.32E-07	1.0E+06	8.3E-01
195	2.36182	1.10E-02	2.6E-02	1.05E-03	2.72E-05	1.67E-01	1.57E-01	7.14E-07	1.0E+06	7.1E-01
196	1.79817	1.10E-02	2.0E-02	1.05E-03	2.07E-05	1.67E-01	1.57E-01	5.44E-07	1.0E+06	5.4E-01
197	1.30564	1.10E-02	1.4E-02	1.05E-03	1.50E-05	1.67E-01	1.57E-01	3.95E-07	1.0E+06	3.9E-01
198	0.26895	1.10E-02	3.0E-03	1.05E-03	3.10E-06	1.67E-01	1.57E-01	8.13E-08	1.0E+06	8.1E-02
199	0.30588	1.10E-02	3.4E-03	1.05E-03	3.52E-06	1.67E-01	1.57E-01	9.25E-08	1.0E+06	9.2E-02
200	0.34989	1.10E-02	3.9E-03	1.05E-03	4.03E-06	1.67E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
201	0.41345	1.10E-02	4.6E-03	1.05E-03	4.76E-06	1.67E-01	1.57E-01	1.25E-07	1.0E+06	1.3E-01
202	0.5245	1.10E-02	5.8E-03	1.05E-03	6.04E-06	1.67E-01	1.57E-01	1.59E-07	1.0E+06	1.6E-01
203	0.64051	1.10E-02	7.1E-03	1.05E-03	7.37E-06	1.67E-01	1.57E-01	1.94E-07	1.0E+06	1.9E-01
204	0.79507	1.10E-02	8.8E-03	1.05E-03	9.15E-06	1.67E-01	1.57E-01	2.40E-07	1.0E+06	2.4E-01
205	0.98978	1.10E-02	1.1E-02	1.05E-03	1.14E-05	1.67E-01	1.57E-01	2.99E-07	1.0E+06	3.0E-01
206	1.24675	1.10E-02	1.4E-02	1.05E-03	1.44E-05	1.67E-01	1.57E-01	3.77E-07	1.0E+06	3.8E-01
207	1.55455	1.10E-02	1.7E-02	1.05E-03	1.79E-05	1.67E-01	1.57E-01	4.70E-07	1.0E+06	4.7E-01
208	1.85416	1.10E-02	2.0E-02	1.05E-03	2.13E-05	1.67E-01	1.57E-01	5.61E-07	1.0E+06	5.6E-01
209	2.06719	1.10E-02	2.3E-02	1.05E-03	2.38E-05	1.67E-01	1.57E-01	6.25E-07	1.0E+06	6.3E-01
210	2.16636	1.10E-02	2.4E-02	1.05E-03	2.49E-05	1.67E-01	1.57E-01	6.55E-07	1.0E+06	6.6E-01
211	2.15679	1.10E-02	2.4E-02	1.05E-03	2.48E-05	1.67E-01	1.57E-01	6.52E-07	1.0E+06	6.5E-01
212	2.06018	1.10E-02	2.3E-02	1.05E-03	2.37E-05	1.67E-01	1.57E-01	6.23E-07	1.0E+06	6.2E-01
213	1.86154	1.10E-02	2.1E-02	1.05E-03	2.14E-05	1.67E-01	1.57E-01	5.63E-07	1.0E+06	5.6E-01
214	1.58195	1.10E-02	1.7E-02	1.05E-03	1.82E-05	1.67E-01	1.57E-01	4.78E-07	1.0E+06	4.8E-01
215	1.4515	1.10E-02	1.6E-02	1.05E-03	1.67E-05	1.67E-01	1.57E-01	4.39E-07	1.0E+06	4.4E-01
216	0.25394	1.10E-02	2.8E-03	1.05E-03	2.92E-06	1.67E-01	1.57E-01	7.68E-08	1.0E+06	7.7E-02
217	0.28402	1.10E-02	3.1E-03	1.05E-03	3.27E-06	1.67E-01	1.57E-01	8.59E-08	1.0E+06	8.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.32252	1.10E-02	3.6E-03	1.05E-03	3.71E-06	1.67E-01	1.57E-01	9.75E-08	1.0E+06	9.8E-02
219	0.37256	1.10E-02	4.1E-03	1.05E-03	4.29E-06	1.67E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
220	0.45636	1.10E-02	5.0E-03	1.05E-03	5.25E-06	1.67E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
221	0.54246	1.10E-02	6.0E-03	1.05E-03	6.25E-06	1.67E-01	1.57E-01	1.64E-07	1.0E+06	1.6E-01
222	0.66438	1.10E-02	7.3E-03	1.05E-03	7.65E-06	1.67E-01	1.57E-01	2.01E-07	1.0E+06	2.0E-01
223	0.80689	1.10E-02	8.9E-03	1.05E-03	9.29E-06	1.67E-01	1.57E-01	2.44E-07	1.0E+06	2.4E-01
224	0.98601	1.10E-02	1.1E-02	1.05E-03	1.14E-05	1.67E-01	1.57E-01	2.98E-07	1.0E+06	3.0E-01
225	1.18396	1.10E-02	1.3E-02	1.05E-03	1.36E-05	1.67E-01	1.57E-01	3.58E-07	1.0E+06	3.6E-01
226	1.39003	1.10E-02	1.5E-02	1.05E-03	1.60E-05	1.67E-01	1.57E-01	4.20E-07	1.0E+06	4.2E-01
227	1.54365	1.10E-02	1.7E-02	1.05E-03	1.78E-05	1.67E-01	1.57E-01	4.67E-07	1.0E+06	4.7E-01
228	1.62944	1.10E-02	1.8E-02	1.05E-03	1.88E-05	1.67E-01	1.57E-01	4.93E-07	1.0E+06	4.9E-01
229	1.63849	1.10E-02	1.8E-02	1.05E-03	1.89E-05	1.67E-01	1.57E-01	4.95E-07	1.0E+06	5.0E-01
230	1.57097	1.10E-02	1.7E-02	1.05E-03	1.81E-05	1.67E-01	1.57E-01	4.75E-07	1.0E+06	4.8E-01
231	1.45346	1.10E-02	1.6E-02	1.05E-03	1.67E-05	1.67E-01	1.57E-01	4.40E-07	1.0E+06	4.4E-01
232	1.28041	1.10E-02	1.4E-02	1.05E-03	1.47E-05	1.67E-01	1.57E-01	3.87E-07	1.0E+06	3.9E-01
233	1.18274	1.10E-02	1.3E-02	1.05E-03	1.36E-05	1.67E-01	1.57E-01	3.58E-07	1.0E+06	3.6E-01
234	0.23974	1.10E-02	2.6E-03	1.05E-03	2.76E-06	1.67E-01	1.57E-01	7.25E-08	1.0E+06	7.2E-02
235	0.26365	1.10E-02	2.9E-03	1.05E-03	3.04E-06	1.67E-01	1.57E-01	7.97E-08	1.0E+06	8.0E-02
236	0.29587	1.10E-02	3.3E-03	1.05E-03	3.41E-06	1.67E-01	1.57E-01	8.95E-08	1.0E+06	8.9E-02
237	0.33958	1.10E-02	3.7E-03	1.05E-03	3.91E-06	1.67E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
238	0.39927	1.10E-02	4.4E-03	1.05E-03	4.60E-06	1.67E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
239	0.46628	1.10E-02	5.1E-03	1.05E-03	5.37E-06	1.67E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
240	0.55425	1.10E-02	6.1E-03	1.05E-03	6.38E-06	1.67E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
241	0.66256	1.10E-02	7.3E-03	1.05E-03	7.63E-06	1.67E-01	1.57E-01	2.00E-07	1.0E+06	2.0E-01
242	0.79101	1.10E-02	8.7E-03	1.05E-03	9.11E-06	1.67E-01	1.57E-01	2.39E-07	1.0E+06	2.4E-01
243	0.93444	1.10E-02	1.0E-02	1.05E-03	1.08E-05	1.67E-01	1.57E-01	2.83E-07	1.0E+06	2.8E-01
244	1.08389	1.10E-02	1.2E-02	1.05E-03	1.25E-05	1.67E-01	1.57E-01	3.28E-07	1.0E+06	3.3E-01
245	1.2064	1.10E-02	1.3E-02	1.05E-03	1.39E-05	1.67E-01	1.57E-01	3.65E-07	1.0E+06	3.6E-01
246	1.28269	1.10E-02	1.4E-02	1.05E-03	1.48E-05	1.67E-01	1.57E-01	3.88E-07	1.0E+06	3.9E-01
247	1.30234	1.10E-02	1.4E-02	1.05E-03	1.50E-05	1.67E-01	1.57E-01	3.94E-07	1.0E+06	3.9E-01
248	1.2704	1.10E-02	1.4E-02	1.05E-03	1.46E-05	1.67E-01	1.57E-01	3.84E-07	1.0E+06	3.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.18628	1.10E-02	1.3E-02	1.05E-03	1.37E-05	1.67E-01	1.57E-01	3.59E-07	1.0E+06	3.6E-01
250	1.0767	1.10E-02	1.2E-02	1.05E-03	1.24E-05	1.67E-01	1.57E-01	3.26E-07	1.0E+06	3.3E-01
251	0.99552	1.10E-02	1.1E-02	1.05E-03	1.15E-05	1.67E-01	1.57E-01	3.01E-07	1.0E+06	3.0E-01
252	0.22288	1.10E-02	2.5E-03	1.05E-03	2.57E-06	1.67E-01	1.57E-01	6.74E-08	1.0E+06	6.7E-02
253	0.24125	1.10E-02	2.7E-03	1.05E-03	2.78E-06	1.67E-01	1.57E-01	7.29E-08	1.0E+06	7.3E-02
254	0.26526	1.10E-02	2.9E-03	1.05E-03	3.05E-06	1.67E-01	1.57E-01	8.02E-08	1.0E+06	8.0E-02
255	0.29598	1.10E-02	3.3E-03	1.05E-03	3.41E-06	1.67E-01	1.57E-01	8.95E-08	1.0E+06	8.9E-02
256	0.35215	1.10E-02	3.9E-03	1.05E-03	4.05E-06	1.67E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
257	0.39078	1.10E-02	4.3E-03	1.05E-03	4.50E-06	1.67E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
258	0.44847	1.10E-02	4.9E-03	1.05E-03	5.16E-06	1.67E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
259	0.51996	1.10E-02	5.7E-03	1.05E-03	5.99E-06	1.67E-01	1.57E-01	1.57E-07	1.0E+06	1.6E-01
260	0.62139	1.10E-02	6.8E-03	1.05E-03	7.15E-06	1.67E-01	1.57E-01	1.88E-07	1.0E+06	1.9E-01
261	0.74353	1.10E-02	8.2E-03	1.05E-03	8.56E-06	1.67E-01	1.57E-01	2.25E-07	1.0E+06	2.2E-01
262	0.86299	1.10E-02	9.5E-03	1.05E-03	9.94E-06	1.67E-01	1.57E-01	2.61E-07	1.0E+06	2.6E-01
263	0.95593	1.10E-02	1.1E-02	1.05E-03	1.10E-05	1.67E-01	1.57E-01	2.89E-07	1.0E+06	2.9E-01
264	1.0253	1.10E-02	1.1E-02	1.05E-03	1.18E-05	1.67E-01	1.57E-01	3.10E-07	1.0E+06	3.1E-01
265	1.0477	1.10E-02	1.2E-02	1.05E-03	1.21E-05	1.67E-01	1.57E-01	3.17E-07	1.0E+06	3.2E-01
266	1.03328	1.10E-02	1.1E-02	1.05E-03	1.19E-05	1.67E-01	1.57E-01	3.12E-07	1.0E+06	3.1E-01
267	0.97802	1.10E-02	1.1E-02	1.05E-03	1.13E-05	1.67E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01
268	0.90078	1.10E-02	9.9E-03	1.05E-03	1.04E-05	1.67E-01	1.57E-01	2.72E-07	1.0E+06	2.7E-01
269	0.8422	1.10E-02	9.3E-03	1.05E-03	9.70E-06	1.67E-01	1.57E-01	2.55E-07	1.0E+06	2.5E-01
270	0.20609	1.10E-02	2.3E-03	1.05E-03	2.37E-06	1.67E-01	1.57E-01	6.23E-08	1.0E+06	6.2E-02
271	0.22236	1.10E-02	2.4E-03	1.05E-03	2.56E-06	1.67E-01	1.57E-01	6.72E-08	1.0E+06	6.7E-02
272	0.2426	1.10E-02	2.7E-03	1.05E-03	2.79E-06	1.67E-01	1.57E-01	7.34E-08	1.0E+06	7.3E-02
273	0.26659	1.10E-02	2.9E-03	1.05E-03	3.07E-06	1.67E-01	1.57E-01	8.06E-08	1.0E+06	8.1E-02
274	0.31843	1.10E-02	3.5E-03	1.05E-03	3.67E-06	1.67E-01	1.57E-01	9.63E-08	1.0E+06	9.6E-02
275	0.36509	1.10E-02	4.0E-03	1.05E-03	4.20E-06	1.67E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
276	0.38581	1.10E-02	4.3E-03	1.05E-03	4.44E-06	1.67E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
277	0.43917	1.10E-02	4.8E-03	1.05E-03	5.06E-06	1.67E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
278	0.50889	1.10E-02	5.6E-03	1.05E-03	5.86E-06	1.67E-01	1.57E-01	1.54E-07	1.0E+06	1.5E-01
279	0.5928	1.10E-02	6.5E-03	1.05E-03	6.83E-06	1.67E-01	1.57E-01	1.79E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.69196	1.10E-02	7.6E-03	1.05E-03	7.97E-06	1.67E-01	1.57E-01	2.09E-07	1.0E+06	2.1E-01
281	0.77845	1.10E-02	8.6E-03	1.05E-03	8.96E-06	1.67E-01	1.57E-01	2.35E-07	1.0E+06	2.4E-01
282	0.83812	1.10E-02	9.2E-03	1.05E-03	9.65E-06	1.67E-01	1.57E-01	2.53E-07	1.0E+06	2.5E-01
283	0.86573	1.10E-02	9.5E-03	1.05E-03	9.97E-06	1.67E-01	1.57E-01	2.62E-07	1.0E+06	2.6E-01
284	0.85995	1.10E-02	9.5E-03	1.05E-03	9.90E-06	1.67E-01	1.57E-01	2.60E-07	1.0E+06	2.6E-01
285	0.82472	1.10E-02	9.1E-03	1.05E-03	9.50E-06	1.67E-01	1.57E-01	2.49E-07	1.0E+06	2.5E-01
286	0.76997	1.10E-02	8.5E-03	1.05E-03	8.87E-06	1.67E-01	1.57E-01	2.33E-07	1.0E+06	2.3E-01
287	0.7249	1.10E-02	8.0E-03	1.05E-03	8.35E-06	1.67E-01	1.57E-01	2.19E-07	1.0E+06	2.2E-01
288	0.19179	1.10E-02	2.1E-03	1.05E-03	2.21E-06	1.67E-01	1.57E-01	5.80E-08	1.0E+06	5.8E-02
289	0.20415	1.10E-02	2.2E-03	1.05E-03	2.35E-06	1.67E-01	1.57E-01	6.17E-08	1.0E+06	6.2E-02
290	0.22731	1.10E-02	2.5E-03	1.05E-03	2.62E-06	1.67E-01	1.57E-01	6.87E-08	1.0E+06	6.9E-02
291	0.25153	1.10E-02	2.8E-03	1.05E-03	2.90E-06	1.67E-01	1.57E-01	7.61E-08	1.0E+06	7.6E-02
292	0.31346	1.10E-02	3.5E-03	1.05E-03	3.61E-06	1.67E-01	1.57E-01	9.48E-08	1.0E+06	9.5E-02
293	0.33705	1.10E-02	3.7E-03	1.05E-03	3.88E-06	1.67E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
294	0.3399	1.10E-02	3.7E-03	1.05E-03	3.91E-06	1.67E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
295	0.38573	1.10E-02	4.2E-03	1.05E-03	4.44E-06	1.67E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
296	0.44174	1.10E-02	4.9E-03	1.05E-03	5.09E-06	1.67E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
297	0.4983	1.10E-02	5.5E-03	1.05E-03	5.74E-06	1.67E-01	1.57E-01	1.51E-07	1.0E+06	1.5E-01
298	0.56731	1.10E-02	6.2E-03	1.05E-03	6.53E-06	1.67E-01	1.57E-01	1.72E-07	1.0E+06	1.7E-01
299	0.64127	1.10E-02	7.1E-03	1.05E-03	7.38E-06	1.67E-01	1.57E-01	1.94E-07	1.0E+06	1.9E-01
300	0.69	1.10E-02	7.6E-03	1.05E-03	7.94E-06	1.67E-01	1.57E-01	2.09E-07	1.0E+06	2.1E-01
301	0.72301	1.10E-02	8.0E-03	1.05E-03	8.32E-06	1.67E-01	1.57E-01	2.19E-07	1.0E+06	2.2E-01
302	0.7295	1.10E-02	8.0E-03	1.05E-03	8.40E-06	1.67E-01	1.57E-01	2.21E-07	1.0E+06	2.2E-01
303	0.7107	1.10E-02	7.8E-03	1.05E-03	8.18E-06	1.67E-01	1.57E-01	2.15E-07	1.0E+06	2.1E-01
304	0.67196	1.10E-02	7.4E-03	1.05E-03	7.74E-06	1.67E-01	1.57E-01	2.03E-07	1.0E+06	2.0E-01
305	0.63256	1.10E-02	7.0E-03	1.05E-03	7.28E-06	1.67E-01	1.57E-01	1.91E-07	1.0E+06	1.9E-01
306	0.19076	1.10E-02	2.1E-03	1.05E-03	2.20E-06	1.67E-01	1.57E-01	5.77E-08	1.0E+06	5.8E-02
307	0.1965	1.10E-02	2.2E-03	1.05E-03	2.26E-06	1.67E-01	1.57E-01	5.94E-08	1.0E+06	5.9E-02
308	0.21163	1.10E-02	2.3E-03	1.05E-03	2.44E-06	1.67E-01	1.57E-01	6.40E-08	1.0E+06	6.4E-02
309	0.24993	1.10E-02	2.8E-03	1.05E-03	2.88E-06	1.67E-01	1.57E-01	7.56E-08	1.0E+06	7.6E-02
310	0.2892	1.10E-02	3.2E-03	1.05E-03	3.33E-06	1.67E-01	1.57E-01	8.74E-08	1.0E+06	8.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.30706	1.10E-02	3.4E-03	1.05E-03	3.54E-06	1.67E-01	1.57E-01	9.28E-08	1.0E+06	9.3E-02
312	0.30302	1.10E-02	3.3E-03	1.05E-03	3.49E-06	1.67E-01	1.57E-01	9.16E-08	1.0E+06	9.2E-02
313	0.34058	1.10E-02	3.8E-03	1.05E-03	3.92E-06	1.67E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
314	0.38571	1.10E-02	4.2E-03	1.05E-03	4.44E-06	1.67E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
315	0.44619	1.10E-02	4.9E-03	1.05E-03	5.14E-06	1.67E-01	1.57E-01	1.35E-07	1.0E+06	1.3E-01
316	0.48737	1.10E-02	5.4E-03	1.05E-03	5.61E-06	1.67E-01	1.57E-01	1.47E-07	1.0E+06	1.5E-01
317	0.53274	1.10E-02	5.9E-03	1.05E-03	6.13E-06	1.67E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
318	0.57567	1.10E-02	6.3E-03	1.05E-03	6.63E-06	1.67E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
319	0.61162	1.10E-02	6.7E-03	1.05E-03	7.04E-06	1.67E-01	1.57E-01	1.85E-07	1.0E+06	1.8E-01
320	0.62978	1.10E-02	6.9E-03	1.05E-03	7.25E-06	1.67E-01	1.57E-01	1.90E-07	1.0E+06	1.9E-01
321	0.61772	1.10E-02	6.8E-03	1.05E-03	7.11E-06	1.67E-01	1.57E-01	1.87E-07	1.0E+06	1.9E-01
322	0.58947	1.10E-02	6.5E-03	1.05E-03	6.79E-06	1.67E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
323	0.55418	1.10E-02	6.1E-03	1.05E-03	6.38E-06	1.67E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
324	0.17901	1.10E-02	2.0E-03	1.05E-03	2.06E-06	1.67E-01	1.57E-01	5.41E-08	1.0E+06	5.4E-02
325	0.19809	1.10E-02	2.2E-03	1.05E-03	2.28E-06	1.67E-01	1.57E-01	5.99E-08	1.0E+06	6.0E-02
326	0.21043	1.10E-02	2.3E-03	1.05E-03	2.42E-06	1.67E-01	1.57E-01	6.36E-08	1.0E+06	6.4E-02
327	0.22027	1.10E-02	2.4E-03	1.05E-03	2.54E-06	1.67E-01	1.57E-01	6.66E-08	1.0E+06	6.7E-02
328	0.27094	1.10E-02	3.0E-03	1.05E-03	3.12E-06	1.67E-01	1.57E-01	8.19E-08	1.0E+06	8.2E-02
329	0.28116	1.10E-02	3.1E-03	1.05E-03	3.24E-06	1.67E-01	1.57E-01	8.50E-08	1.0E+06	8.5E-02
330	0.27877	1.10E-02	3.1E-03	1.05E-03	3.21E-06	1.67E-01	1.57E-01	8.43E-08	1.0E+06	8.4E-02
331	0.31121	1.10E-02	3.4E-03	1.05E-03	3.58E-06	1.67E-01	1.57E-01	9.41E-08	1.0E+06	9.4E-02
332	0.34977	1.10E-02	3.9E-03	1.05E-03	4.03E-06	1.67E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
333	0.40012	1.10E-02	4.4E-03	1.05E-03	4.61E-06	1.67E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
334	0.44075	1.10E-02	4.9E-03	1.05E-03	5.07E-06	1.67E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
335	0.47966	1.10E-02	5.3E-03	1.05E-03	5.52E-06	1.67E-01	1.57E-01	1.45E-07	1.0E+06	1.5E-01
336	1.97471	1.10E-02	2.2E-02	1.05E-03	2.27E-05	1.67E-01	1.57E-01	5.97E-07	1.0E+06	6.0E-01
337	1.3422	1.10E-02	1.5E-02	1.05E-03	1.55E-05	1.67E-01	1.57E-01	4.06E-07	1.0E+06	4.1E-01
338	0.56668	1.10E-02	6.2E-03	1.05E-03	6.52E-06	1.67E-01	1.57E-01	1.71E-07	1.0E+06	1.7E-01
339	0.57604	1.10E-02	6.3E-03	1.05E-03	6.63E-06	1.67E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
340	0.5775	1.10E-02	6.4E-03	1.05E-03	6.65E-06	1.67E-01	1.57E-01	1.75E-07	1.0E+06	1.7E-01
341	0.57069	1.10E-02	6.3E-03	1.05E-03	6.57E-06	1.67E-01	1.57E-01	1.73E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.55721	1.10E-02	6.1E-03	1.05E-03	6.42E-06	1.67E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
343	0.51363	1.10E-02	5.7E-03	1.05E-03	5.91E-06	1.67E-01	1.57E-01	1.55E-07	1.0E+06	1.6E-01
344	0.48828	1.10E-02	5.4E-03	1.05E-03	5.62E-06	1.67E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
345	0.45971	1.10E-02	5.1E-03	1.05E-03	5.29E-06	1.67E-01	1.57E-01	1.39E-07	1.0E+06	1.4E-01
346	0.42748	1.10E-02	4.7E-03	1.05E-03	4.92E-06	1.67E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
347	0.69458	1.10E-02	7.7E-03	1.05E-03	8.00E-06	1.67E-01	1.57E-01	2.10E-07	1.0E+06	2.1E-01
348	0.71117	1.10E-02	7.8E-03	1.05E-03	8.19E-06	1.67E-01	1.57E-01	2.15E-07	1.0E+06	2.2E-01
349	0.71014	1.10E-02	7.8E-03	1.05E-03	8.18E-06	1.67E-01	1.57E-01	2.15E-07	1.0E+06	2.1E-01
350	0.69693	1.10E-02	7.7E-03	1.05E-03	8.02E-06	1.67E-01	1.57E-01	2.11E-07	1.0E+06	2.1E-01
351	0.68051	1.10E-02	7.5E-03	1.05E-03	7.84E-06	1.67E-01	1.57E-01	2.06E-07	1.0E+06	2.1E-01
352	0.61121	1.10E-02	6.7E-03	1.05E-03	7.04E-06	1.67E-01	1.57E-01	1.85E-07	1.0E+06	1.8E-01
353	0.57261	1.10E-02	6.3E-03	1.05E-03	6.59E-06	1.67E-01	1.57E-01	1.73E-07	1.0E+06	1.7E-01
354	0.52467	1.10E-02	5.8E-03	1.05E-03	6.04E-06	1.67E-01	1.57E-01	1.59E-07	1.0E+06	1.6E-01
355	0.48312	1.10E-02	5.3E-03	1.05E-03	5.56E-06	1.67E-01	1.57E-01	1.46E-07	1.0E+06	1.5E-01
356	0.87356	1.10E-02	9.6E-03	1.05E-03	1.01E-05	1.67E-01	1.57E-01	2.64E-07	1.0E+06	2.6E-01
357	0.90521	1.10E-02	1.0E-02	1.05E-03	1.04E-05	1.67E-01	1.57E-01	2.74E-07	1.0E+06	2.7E-01
358	0.90366	1.10E-02	1.0E-02	1.05E-03	1.04E-05	1.67E-01	1.57E-01	2.73E-07	1.0E+06	2.7E-01
359	0.88428	1.10E-02	9.7E-03	1.05E-03	1.02E-05	1.67E-01	1.57E-01	2.67E-07	1.0E+06	2.7E-01
360	0.84786	1.10E-02	9.3E-03	1.05E-03	9.76E-06	1.67E-01	1.57E-01	2.56E-07	1.0E+06	2.6E-01
361	0.73319	1.10E-02	8.1E-03	1.05E-03	8.44E-06	1.67E-01	1.57E-01	2.22E-07	1.0E+06	2.2E-01
362	0.67477	1.10E-02	7.4E-03	1.05E-03	7.77E-06	1.67E-01	1.57E-01	2.04E-07	1.0E+06	2.0E-01
363	0.6046	1.10E-02	6.7E-03	1.05E-03	6.96E-06	1.67E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
364	1.13942	1.10E-02	1.3E-02	1.05E-03	1.31E-05	1.67E-01	1.57E-01	3.45E-07	1.0E+06	3.4E-01
365	1.17169	1.10E-02	1.3E-02	1.05E-03	1.35E-05	1.67E-01	1.57E-01	3.54E-07	1.0E+06	3.5E-01
366	1.1846	1.10E-02	1.3E-02	1.05E-03	1.36E-05	1.67E-01	1.57E-01	3.58E-07	1.0E+06	3.6E-01
367	1.14583	1.10E-02	1.3E-02	1.05E-03	1.32E-05	1.67E-01	1.57E-01	3.46E-07	1.0E+06	3.5E-01
368	1.08139	1.10E-02	1.2E-02	1.05E-03	1.25E-05	1.67E-01	1.57E-01	3.27E-07	1.0E+06	3.3E-01
369	0.89181	1.10E-02	9.8E-03	1.05E-03	1.03E-05	1.67E-01	1.57E-01	2.70E-07	1.0E+06	2.7E-01
370	0.70809	1.10E-02	7.8E-03	1.05E-03	8.15E-06	1.67E-01	1.57E-01	2.14E-07	1.0E+06	2.1E-01
371	0.61897	1.10E-02	6.8E-03	1.05E-03	7.13E-06	1.67E-01	1.57E-01	1.87E-07	1.0E+06	1.9E-01
372	1.57861	1.10E-02	1.7E-02	1.05E-03	1.82E-05	1.67E-01	1.57E-01	4.77E-07	1.0E+06	4.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	1.61119	1.10E-02	1.8E-02	1.05E-03	1.86E-05	1.67E-01	1.57E-01	4.87E-07	1.0E+06	4.9E-01
374	1.61527	1.10E-02	1.8E-02	1.05E-03	1.86E-05	1.67E-01	1.57E-01	4.88E-07	1.0E+06	4.9E-01
375	1.53816	1.10E-02	1.7E-02	1.05E-03	1.77E-05	1.67E-01	1.57E-01	4.65E-07	1.0E+06	4.7E-01
376	1.41279	1.10E-02	1.6E-02	1.05E-03	1.63E-05	1.67E-01	1.57E-01	4.27E-07	1.0E+06	4.3E-01
377	1.25649	1.10E-02	1.4E-02	1.05E-03	1.45E-05	1.67E-01	1.57E-01	3.80E-07	1.0E+06	3.8E-01
378	1.10053	1.10E-02	1.2E-02	1.05E-03	1.27E-05	1.67E-01	1.57E-01	3.33E-07	1.0E+06	3.3E-01
379	0.81264	1.10E-02	9.0E-03	1.05E-03	9.36E-06	1.67E-01	1.57E-01	2.46E-07	1.0E+06	2.5E-01
380	0.69418	1.10E-02	7.6E-03	1.05E-03	7.99E-06	1.67E-01	1.57E-01	2.10E-07	1.0E+06	2.1E-01
381	0.59082	1.10E-02	6.5E-03	1.05E-03	6.80E-06	1.67E-01	1.57E-01	1.79E-07	1.0E+06	1.8E-01
382	2.3504	1.10E-02	2.6E-02	1.05E-03	2.71E-05	1.67E-01	1.57E-01	7.11E-07	1.0E+06	7.1E-01
383	2.39027	1.10E-02	2.6E-02	1.05E-03	2.75E-05	1.67E-01	1.57E-01	7.23E-07	1.0E+06	7.2E-01
384	2.32804	1.10E-02	2.6E-02	1.05E-03	2.68E-05	1.67E-01	1.57E-01	7.04E-07	1.0E+06	7.0E-01
385	2.15915	1.10E-02	2.4E-02	1.05E-03	2.49E-05	1.67E-01	1.57E-01	6.53E-07	1.0E+06	6.5E-01
386	1.91749	1.10E-02	2.1E-02	1.05E-03	2.21E-05	1.67E-01	1.57E-01	5.80E-07	1.0E+06	5.8E-01
387	1.62751	1.10E-02	1.8E-02	1.05E-03	1.87E-05	1.67E-01	1.57E-01	4.92E-07	1.0E+06	4.9E-01
388	1.3592	1.10E-02	1.5E-02	1.05E-03	1.56E-05	1.67E-01	1.57E-01	4.11E-07	1.0E+06	4.1E-01
389	0.91334	1.10E-02	1.0E-02	1.05E-03	1.05E-05	1.67E-01	1.57E-01	2.76E-07	1.0E+06	2.8E-01
390	0.75131	1.10E-02	8.3E-03	1.05E-03	8.65E-06	1.67E-01	1.57E-01	2.27E-07	1.0E+06	2.3E-01
391	0.62456	1.10E-02	6.9E-03	1.05E-03	7.19E-06	1.67E-01	1.57E-01	1.89E-07	1.0E+06	1.9E-01
392	0.51197	1.10E-02	5.6E-03	1.05E-03	5.89E-06	1.67E-01	1.57E-01	1.55E-07	1.0E+06	1.5E-01
393	3.34299	1.10E-02	3.7E-02	1.05E-03	3.85E-05	1.67E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
394	3.3105	1.10E-02	3.6E-02	1.05E-03	3.81E-05	1.67E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
395	2.91282	1.10E-02	3.2E-02	1.05E-03	3.35E-05	1.67E-01	1.57E-01	8.81E-07	1.0E+06	8.8E-01
396	2.55551	1.10E-02	2.8E-02	1.05E-03	2.94E-05	1.67E-01	1.57E-01	7.73E-07	1.0E+06	7.7E-01
397	2.04418	1.10E-02	2.3E-02	1.05E-03	2.35E-05	1.67E-01	1.57E-01	6.18E-07	1.0E+06	6.2E-01
398	1.60012	1.10E-02	1.8E-02	1.05E-03	1.84E-05	1.67E-01	1.57E-01	4.84E-07	1.0E+06	4.8E-01
399	1.27678	1.10E-02	1.4E-02	1.05E-03	1.47E-05	1.67E-01	1.57E-01	3.86E-07	1.0E+06	3.9E-01
400	0.99864	1.10E-02	1.1E-02	1.05E-03	1.15E-05	1.67E-01	1.57E-01	3.02E-07	1.0E+06	3.0E-01
401	0.7939	1.10E-02	8.7E-03	1.05E-03	9.14E-06	1.67E-01	1.57E-01	2.40E-07	1.0E+06	2.4E-01
402	0.51625	1.10E-02	5.7E-03	1.05E-03	5.94E-06	1.67E-01	1.57E-01	1.56E-07	1.0E+06	1.6E-01
403	1.06396	1.10E-02	1.2E-02	1.05E-03	1.23E-05	1.67E-01	1.57E-01	3.22E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.53137	1.10E-02	5.9E-03	1.05E-03	6.12E-06	1.67E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
405	0.43135	1.10E-02	4.8E-03	1.05E-03	4.97E-06	1.67E-01	1.57E-01	1.30E-07	1.0E+06	1.3E-01
406	1.05891	1.10E-02	1.2E-02	1.05E-03	1.22E-05	1.67E-01	1.57E-01	3.20E-07	1.0E+06	3.2E-01
407	0.41789	1.10E-02	4.6E-03	1.05E-03	4.81E-06	1.67E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
408	1.00415	1.10E-02	1.1E-02	1.05E-03	1.16E-05	1.67E-01	1.57E-01	3.04E-07	1.0E+06	3.0E-01
409	0.40251	1.10E-02	4.4E-03	1.05E-03	4.63E-06	1.67E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
410	0.92328	1.10E-02	1.0E-02	1.05E-03	1.06E-05	1.67E-01	1.57E-01	2.79E-07	1.0E+06	2.8E-01
411	0.46728	1.10E-02	5.1E-03	1.05E-03	5.38E-06	1.67E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
412	0.39358	1.10E-02	4.3E-03	1.05E-03	4.53E-06	1.67E-01	1.57E-01	1.19E-07	1.0E+06	1.2E-01
413	0.83985	1.10E-02	9.3E-03	1.05E-03	9.67E-06	1.67E-01	1.57E-01	2.54E-07	1.0E+06	2.5E-01
414	0.53129	1.10E-02	5.9E-03	1.05E-03	6.12E-06	1.67E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
415	0.44137	1.10E-02	4.9E-03	1.05E-03	5.08E-06	1.67E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
416	0.3746	1.10E-02	4.1E-03	1.05E-03	4.31E-06	1.67E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
417	0.764	1.10E-02	8.4E-03	1.05E-03	8.80E-06	1.67E-01	1.57E-01	2.31E-07	1.0E+06	2.3E-01
418	0.41536	1.10E-02	4.6E-03	1.05E-03	4.78E-06	1.67E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
419	0.35519	1.10E-02	3.9E-03	1.05E-03	4.09E-06	1.67E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
420	0.30691	1.10E-02	3.4E-03	1.05E-03	3.53E-06	1.67E-01	1.57E-01	9.28E-08	1.0E+06	9.3E-02
421	0.69682	1.10E-02	7.7E-03	1.05E-03	8.02E-06	1.67E-01	1.57E-01	2.11E-07	1.0E+06	2.1E-01
422	0.33554	1.10E-02	3.7E-03	1.05E-03	3.86E-06	1.67E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
423	0.29285	1.10E-02	3.2E-03	1.05E-03	3.37E-06	1.67E-01	1.57E-01	8.86E-08	1.0E+06	8.9E-02
424	0.63653	1.10E-02	7.0E-03	1.05E-03	7.33E-06	1.67E-01	1.57E-01	1.92E-07	1.0E+06	1.9E-01
425	0.27805	1.10E-02	3.1E-03	1.05E-03	3.20E-06	1.67E-01	1.57E-01	8.41E-08	1.0E+06	8.4E-02
426	0.2461	1.10E-02	2.7E-03	1.05E-03	2.83E-06	1.67E-01	1.57E-01	7.44E-08	1.0E+06	7.4E-02
427	0.58149	1.10E-02	6.4E-03	1.05E-03	6.70E-06	1.67E-01	1.57E-01	1.76E-07	1.0E+06	1.8E-01
428	0.26331	1.10E-02	2.9E-03	1.05E-03	3.03E-06	1.67E-01	1.57E-01	7.96E-08	1.0E+06	8.0E-02
429	0.23466	1.10E-02	2.6E-03	1.05E-03	2.70E-06	1.67E-01	1.57E-01	7.10E-08	1.0E+06	7.1E-02
430	0.53238	1.10E-02	5.9E-03	1.05E-03	6.13E-06	1.67E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
431	0.22324	1.10E-02	2.5E-03	1.05E-03	2.57E-06	1.67E-01	1.57E-01	6.75E-08	1.0E+06	6.8E-02
432	0.19965	1.10E-02	2.2E-03	1.05E-03	2.30E-06	1.67E-01	1.57E-01	6.04E-08	1.0E+06	6.0E-02
433	0.48697	1.10E-02	5.4E-03	1.05E-03	5.61E-06	1.67E-01	1.57E-01	1.47E-07	1.0E+06	1.5E-01
434	0.21223	1.10E-02	2.3E-03	1.05E-03	2.44E-06	1.67E-01	1.57E-01	6.42E-08	1.0E+06	6.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.19185	1.10E-02	2.1E-03	1.05E-03	2.21E-06	1.67E-01	1.57E-01	5.80E-08	1.0E+06	5.8E-02
436	0.44624	1.10E-02	4.9E-03	1.05E-03	5.14E-06	1.67E-01	1.57E-01	1.35E-07	1.0E+06	1.3E-01
437	0.22439	1.10E-02	2.5E-03	1.05E-03	2.58E-06	1.67E-01	1.57E-01	6.79E-08	1.0E+06	6.8E-02
438	0.20209	1.10E-02	2.2E-03	1.05E-03	2.33E-06	1.67E-01	1.57E-01	6.11E-08	1.0E+06	6.1E-02
439	0.18334	1.10E-02	2.0E-03	1.05E-03	2.11E-06	1.67E-01	1.57E-01	5.54E-08	1.0E+06	5.5E-02
440	0.40907	1.10E-02	4.5E-03	1.05E-03	4.71E-06	1.67E-01	1.57E-01	1.24E-07	1.0E+06	1.2E-01
441	0.27118	1.10E-02	3.0E-03	1.05E-03	3.12E-06	1.67E-01	1.57E-01	8.20E-08	1.0E+06	8.2E-02
442	0.23821	1.10E-02	2.6E-03	1.05E-03	2.74E-06	1.67E-01	1.57E-01	7.20E-08	1.0E+06	7.2E-02
443	0.21314	1.10E-02	2.3E-03	1.05E-03	2.45E-06	1.67E-01	1.57E-01	6.44E-08	1.0E+06	6.4E-02
444	0.19231	1.10E-02	2.1E-03	1.05E-03	2.21E-06	1.67E-01	1.57E-01	5.82E-08	1.0E+06	5.8E-02
445	0.37579	1.10E-02	4.1E-03	1.05E-03	4.33E-06	1.67E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
446	0.28688	1.10E-02	3.2E-03	1.05E-03	3.30E-06	1.67E-01	1.57E-01	8.67E-08	1.0E+06	8.7E-02
447	0.25315	1.10E-02	2.8E-03	1.05E-03	2.91E-06	1.67E-01	1.57E-01	7.65E-08	1.0E+06	7.7E-02
448	0.22535	1.10E-02	2.5E-03	1.05E-03	2.59E-06	1.67E-01	1.57E-01	6.81E-08	1.0E+06	6.8E-02
449	0.34584	1.10E-02	3.8E-03	1.05E-03	3.98E-06	1.67E-01	1.57E-01	1.05E-07	1.0E+06	1.0E-01
450	0.30476	1.10E-02	3.4E-03	1.05E-03	3.51E-06	1.67E-01	1.57E-01	9.22E-08	1.0E+06	9.2E-02
451	0.26899	1.10E-02	3.0E-03	1.05E-03	3.10E-06	1.67E-01	1.57E-01	8.13E-08	1.0E+06	8.1E-02
452	0.31885	1.10E-02	3.5E-03	1.05E-03	3.67E-06	1.67E-01	1.57E-01	9.64E-08	1.0E+06	9.6E-02
453	0.28372	1.10E-02	3.1E-03	1.05E-03	3.27E-06	1.67E-01	1.57E-01	8.58E-08	1.0E+06	8.6E-02
454	0.15144	1.10E-02	1.7E-03	1.05E-03	1.74E-06	1.67E-01	1.57E-01	4.58E-08	1.0E+06	4.6E-02
455	0.14078	1.10E-02	1.6E-03	1.05E-03	1.62E-06	1.67E-01	1.57E-01	4.26E-08	1.0E+06	4.3E-02
456	0.29447	1.10E-02	3.2E-03	1.05E-03	3.39E-06	1.67E-01	1.57E-01	8.90E-08	1.0E+06	8.9E-02
457	0.26431	1.10E-02	2.9E-03	1.05E-03	3.04E-06	1.67E-01	1.57E-01	7.99E-08	1.0E+06	8.0E-02
458	0.23625	1.10E-02	2.6E-03	1.05E-03	2.72E-06	1.67E-01	1.57E-01	7.14E-08	1.0E+06	7.1E-02
459	0.1733	1.10E-02	1.9E-03	1.05E-03	2.00E-06	1.67E-01	1.57E-01	5.24E-08	1.0E+06	5.2E-02
460	0.15877	1.10E-02	1.7E-03	1.05E-03	1.83E-06	1.67E-01	1.57E-01	4.80E-08	1.0E+06	4.8E-02
461	0.14598	1.10E-02	1.6E-03	1.05E-03	1.68E-06	1.67E-01	1.57E-01	4.41E-08	1.0E+06	4.4E-02
462	0.1348	1.10E-02	1.5E-03	1.05E-03	1.55E-06	1.67E-01	1.57E-01	4.08E-08	1.0E+06	4.1E-02
463	1.839	1.10E-02	2.0E-02	1.05E-03	2.12E-05	1.67E-01	1.57E-01	5.56E-07	1.0E+06	5.6E-01
464	1.26957	1.10E-02	1.4E-02	1.05E-03	1.46E-05	1.67E-01	1.57E-01	3.84E-07	1.0E+06	3.8E-01
465	1.59928	1.10E-02	1.8E-02	1.05E-03	1.84E-05	1.67E-01	1.57E-01	4.84E-07	1.0E+06	4.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	1.09342	1.10E-02	1.2E-02	1.05E-03	1.26E-05	1.67E-01	1.57E-01	3.31E-07	1.0E+06	3.3E-01
467	1.16993	1.10E-02	1.3E-02	1.05E-03	1.35E-05	1.67E-01	1.57E-01	3.54E-07	1.0E+06	3.5E-01
468	1.0327	1.10E-02	1.1E-02	1.05E-03	1.19E-05	1.67E-01	1.57E-01	3.12E-07	1.0E+06	3.1E-01
469	0.90979	1.10E-02	1.0E-02	1.05E-03	1.05E-05	1.67E-01	1.57E-01	2.75E-07	1.0E+06	2.8E-01
470	1.01077	1.10E-02	1.1E-02	1.05E-03	1.16E-05	1.67E-01	1.57E-01	3.06E-07	1.0E+06	3.1E-01
471	0.8602	1.10E-02	9.5E-03	1.05E-03	9.90E-06	1.67E-01	1.57E-01	2.60E-07	1.0E+06	2.6E-01
472	0.86823	1.10E-02	9.6E-03	1.05E-03	1.00E-05	1.67E-01	1.57E-01	2.63E-07	1.0E+06	2.6E-01
473	0.71059	1.10E-02	7.8E-03	1.05E-03	8.18E-06	1.67E-01	1.57E-01	2.15E-07	1.0E+06	2.1E-01
474	0.74975	1.10E-02	8.3E-03	1.05E-03	8.63E-06	1.67E-01	1.57E-01	2.27E-07	1.0E+06	2.3E-01
475	0.63154	1.10E-02	7.0E-03	1.05E-03	7.27E-06	1.67E-01	1.57E-01	1.91E-07	1.0E+06	1.9E-01
476	0.65398	1.10E-02	7.2E-03	1.05E-03	7.53E-06	1.67E-01	1.57E-01	1.98E-07	1.0E+06	2.0E-01
477	0.56323	1.10E-02	6.2E-03	1.05E-03	6.49E-06	1.67E-01	1.57E-01	1.70E-07	1.0E+06	1.7E-01
478	0.57492	1.10E-02	6.3E-03	1.05E-03	6.62E-06	1.67E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
479	0.50322	1.10E-02	5.5E-03	1.05E-03	5.79E-06	1.67E-01	1.57E-01	1.52E-07	1.0E+06	1.5E-01
480	0.43536	1.10E-02	4.8E-03	1.05E-03	5.01E-06	1.67E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
481	0.50912	1.10E-02	5.6E-03	1.05E-03	5.86E-06	1.67E-01	1.57E-01	1.54E-07	1.0E+06	1.5E-01
482	0.39729	1.10E-02	4.4E-03	1.05E-03	4.57E-06	1.67E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
483	0.40834	1.10E-02	4.5E-03	1.05E-03	4.70E-06	1.67E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
484	0.36317	1.10E-02	4.0E-03	1.05E-03	4.18E-06	1.67E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	5.40E-04
2	5	5.69E-04
3	5	5.99E-04
4	5	6.32E-04
5	5	6.70E-04
6	5	7.20E-04
7	5	7.83E-04
8	5	8.51E-04
9	5	9.30E-04
10	5	1.02E-03
11	5	1.11E-03
12	5	1.20E-03
13	5	1.27E-03
14	5	1.23E-03
15	5	6.14E-04
16	5	6.52E-04
17	5	6.97E-04
18	5	7.41E-04
19	5	7.87E-04
20	5	8.45E-04
21	5	9.10E-04
22	5	9.93E-04
23	5	1.10E-03
24	5	1.21E-03
25	5	1.34E-03
26	5	1.47E-03
27	5	1.55E-03
28	5	1.49E-03
29	5	6.89E-04
30	5	7.45E-04
31	5	8.09E-04

Max	Receptor #	
0.030	145	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	8.79E-04
33	5	9.39E-04
34	5	1.01E-03
35	5	1.10E-03
36	5	1.20E-03
37	5	1.33E-03
38	5	1.49E-03
39	5	1.66E-03
40	5	1.82E-03
41	5	1.94E-03
42	5	1.85E-03
43	5	7.53E-04
44	5	8.25E-04
45	5	9.18E-04
46	5	1.02E-03
47	5	1.12E-03
48	5	1.23E-03
49	5	1.34E-03
50	5	1.47E-03
51	5	1.67E-03
52	5	1.88E-03
53	5	2.13E-03
54	5	2.36E-03
55	5	2.55E-03
56	5	2.33E-03
57	5	7.98E-04
58	5	9.00E-04
59	5	1.03E-03
60	5	1.17E-03
61	5	1.33E-03
62	5	1.51E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	1.72E-03
64	5	1.88E-03
65	5	2.17E-03
66	5	2.51E-03
67	5	2.84E-03
68	5	3.24E-03
69	5	3.56E-03
70	5	8.50E-04
71	5	9.72E-04
72	5	1.13E-03
73	5	1.32E-03
74	5	1.56E-03
75	5	1.84E-03
76	5	2.19E-03
77	5	2.55E-03
78	5	3.06E-03
79	5	3.81E-03
80	5	4.32E-03
81	5	5.00E-03
82	5	5.36E-03
83	5	8.98E-04
84	5	1.06E-03
85	5	1.26E-03
86	5	1.45E-03
87	5	1.75E-03
88	5	2.15E-03
89	5	2.71E-03
90	5	3.50E-03
91	5	4.58E-03
92	5	5.89E-03
93	5	7.18E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	8.17E-03
95	5	8.76E-03
96	5	9.43E-04
97	5	1.11E-03
98	5	1.32E-03
99	5	1.58E-03
100	5	1.93E-03
101	5	2.45E-03
102	5	3.28E-03
103	5	4.65E-03
104	5	7.01E-03
105	5	1.06E-02
106	5	1.40E-02
107	5	1.60E-02
108	5	1.70E-02
109	5	9.37E-04
110	5	1.10E-03
111	5	1.31E-03
112	5	1.60E-03
113	5	2.03E-03
114	5	2.67E-03
115	5	3.76E-03
116	5	5.95E-03
117	5	1.18E-02
118	5	1.40E-02
119	5	2.22E-02
120	5	2.48E-02
121	5	2.45E-02
122	5	8.90E-04
123	5	1.05E-03
124	5	1.27E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	1.57E-03
126	5	2.00E-03
127	5	2.66E-03
128	5	3.68E-03
129	5	6.01E-03
130	5	1.47E-02
131	5	4.80E-03
132	5	3.38E-03
133	5	8.21E-04
134	5	9.87E-04
135	5	1.20E-03
136	5	1.48E-03
137	5	1.87E-03
138	5	2.45E-03
139	5	3.34E-03
140	5	5.14E-03
141	5	1.01E-02
142	5	1.41E-02
143	5	2.24E-02
144	5	2.95E-02
145	5	2.98E-02
146	5	4.73E-03
147	5	7.54E-04
148	5	9.00E-04
149	5	1.09E-03
150	5	1.34E-03
151	5	1.69E-03
152	5	2.16E-03
153	5	2.87E-03
154	5	4.15E-03
155	5	6.80E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.16E-02
157	5	1.52E-02
158	5	1.60E-02
159	5	1.75E-02
160	5	7.06E-04
161	5	8.22E-04
162	5	9.56E-04
163	5	1.18E-03
164	5	1.50E-03
165	5	1.88E-03
166	5	2.44E-03
167	5	3.29E-03
168	5	4.71E-03
169	5	6.81E-03
170	5	8.66E-03
171	5	9.54E-03
172	5	1.00E-02
173	5	1.03E-02
174	5	1.02E-02
175	5	9.16E-03
176	5	7.25E-03
177	5	5.07E-03
178	5	3.39E-03
179	5	6.39E-04
180	5	7.30E-04
181	5	8.24E-04
182	5	1.03E-03
183	5	1.33E-03
184	5	1.63E-03
185	5	2.07E-03
186	5	2.66E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	3.51E-03
188	5	4.65E-03
189	5	5.68E-03
190	5	6.35E-03
191	5	6.57E-03
192	5	6.62E-03
193	5	6.40E-03
194	5	6.06E-03
195	5	5.20E-03
196	5	3.96E-03
197	5	2.88E-03
198	5	5.93E-04
199	5	6.74E-04
200	5	7.71E-04
201	5	9.11E-04
202	5	1.16E-03
203	5	1.41E-03
204	5	1.75E-03
205	5	2.18E-03
206	5	2.75E-03
207	5	3.42E-03
208	5	4.09E-03
209	5	4.55E-03
210	5	4.77E-03
211	5	4.75E-03
212	5	4.54E-03
213	5	4.10E-03
214	5	3.49E-03
215	5	3.20E-03
216	5	5.59E-04
217	5	6.26E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	7.11E-04
219	5	8.21E-04
220	5	1.01E-03
221	5	1.20E-03
222	5	1.46E-03
223	5	1.78E-03
224	5	2.17E-03
225	5	2.61E-03
226	5	3.06E-03
227	5	3.40E-03
228	5	3.59E-03
229	5	3.61E-03
230	5	3.46E-03
231	5	3.20E-03
232	5	2.82E-03
233	5	2.61E-03
234	5	5.28E-04
235	5	5.81E-04
236	5	6.52E-04
237	5	7.48E-04
238	5	8.80E-04
239	5	1.03E-03
240	5	1.22E-03
241	5	1.46E-03
242	5	1.74E-03
243	5	2.06E-03
244	5	2.39E-03
245	5	2.66E-03
246	5	2.83E-03
247	5	2.87E-03
248	5	2.80E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	2.61E-03
250	5	2.37E-03
251	5	2.19E-03
252	5	4.91E-04
253	5	5.32E-04
254	5	5.84E-04
255	5	6.52E-04
256	5	7.76E-04
257	5	8.61E-04
258	5	9.88E-04
259	5	1.15E-03
260	5	1.37E-03
261	5	1.64E-03
262	5	1.90E-03
263	5	2.11E-03
264	5	2.26E-03
265	5	2.31E-03
266	5	2.28E-03
267	5	2.15E-03
268	5	1.98E-03
269	5	1.86E-03
270	5	4.54E-04
271	5	4.90E-04
272	5	5.34E-04
273	5	5.87E-04
274	5	7.02E-04
275	5	8.04E-04
276	5	8.50E-04
277	5	9.68E-04
278	5	1.12E-03
279	5	1.31E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.52E-03
281	5	1.72E-03
282	5	1.85E-03
283	5	1.91E-03
284	5	1.89E-03
285	5	1.82E-03
286	5	1.70E-03
287	5	1.60E-03
288	5	4.23E-04
289	5	4.50E-04
290	5	5.01E-04
291	5	5.54E-04
292	5	6.91E-04
293	5	7.43E-04
294	5	7.49E-04
295	5	8.50E-04
296	5	9.73E-04
297	5	1.10E-03
298	5	1.25E-03
299	5	1.41E-03
300	5	1.52E-03
301	5	1.59E-03
302	5	1.61E-03
303	5	1.57E-03
304	5	1.48E-03
305	5	1.39E-03
306	5	4.20E-04
307	5	4.33E-04
308	5	4.66E-04
309	5	5.51E-04
310	5	6.37E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	6.77E-04
312	5	6.68E-04
313	5	7.50E-04
314	5	8.50E-04
315	5	9.83E-04
316	5	1.07E-03
317	5	1.17E-03
318	5	1.27E-03
319	5	1.35E-03
320	5	1.39E-03
321	5	1.36E-03
322	5	1.30E-03
323	5	1.22E-03
324	5	3.94E-04
325	5	4.36E-04
326	5	4.64E-04
327	5	4.85E-04
328	5	5.97E-04
329	5	6.19E-04
330	5	6.14E-04
331	5	6.86E-04
332	5	7.71E-04
333	5	8.82E-04
334	5	9.71E-04
335	5	1.06E-03
336	5	4.35E-03
337	5	2.96E-03
338	5	1.25E-03
339	5	1.27E-03
340	5	1.27E-03
341	5	1.26E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	1.23E-03
343	5	1.13E-03
344	5	1.08E-03
345	5	1.01E-03
346	5	9.42E-04
347	5	1.53E-03
348	5	1.57E-03
349	5	1.56E-03
350	5	1.54E-03
351	5	1.50E-03
352	5	1.35E-03
353	5	1.26E-03
354	5	1.16E-03
355	5	1.06E-03
356	5	1.92E-03
357	5	1.99E-03
358	5	1.99E-03
359	5	1.95E-03
360	5	1.87E-03
361	5	1.62E-03
362	5	1.49E-03
363	5	1.33E-03
364	5	2.51E-03
365	5	2.58E-03
366	5	2.61E-03
367	5	2.52E-03
368	5	2.38E-03
369	5	1.96E-03
370	5	1.56E-03
371	5	1.36E-03
372	5	3.48E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	3.55E-03
374	5	3.56E-03
375	5	3.39E-03
376	5	3.11E-03
377	5	2.77E-03
378	5	2.42E-03
379	5	1.79E-03
380	5	1.53E-03
381	5	1.30E-03
382	5	5.18E-03
383	5	5.27E-03
384	5	5.13E-03
385	5	4.76E-03
386	5	4.22E-03
387	5	3.59E-03
388	5	2.99E-03
389	5	2.01E-03
390	5	1.66E-03
391	5	1.38E-03
392	5	1.13E-03
393	5	7.37E-03
394	5	7.29E-03
395	5	6.42E-03
396	5	5.63E-03
397	5	4.50E-03
398	5	3.53E-03
399	5	2.81E-03
400	5	2.20E-03
401	5	1.75E-03
402	5	1.14E-03
403	5	2.34E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.17E-03
405	5	9.50E-04
406	5	2.33E-03
407	5	9.21E-04
408	5	2.21E-03
409	5	8.87E-04
410	5	2.03E-03
411	5	1.03E-03
412	5	8.67E-04
413	5	1.85E-03
414	5	1.17E-03
415	5	9.72E-04
416	5	8.25E-04
417	5	1.68E-03
418	5	9.15E-04
419	5	7.83E-04
420	5	6.76E-04
421	5	1.54E-03
422	5	7.39E-04
423	5	6.45E-04
424	5	1.40E-03
425	5	6.13E-04
426	5	5.42E-04
427	5	1.28E-03
428	5	5.80E-04
429	5	5.17E-04
430	5	1.17E-03
431	5	4.92E-04
432	5	4.40E-04
433	5	1.07E-03
434	5	4.68E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	4.23E-04
436	5	9.83E-04
437	5	4.94E-04
438	5	4.45E-04
439	5	4.04E-04
440	5	9.01E-04
441	5	5.97E-04
442	5	5.25E-04
443	5	4.70E-04
444	5	4.24E-04
445	5	8.28E-04
446	5	6.32E-04
447	5	5.58E-04
448	5	4.96E-04
449	5	7.62E-04
450	5	6.71E-04
451	5	5.93E-04
452	5	7.02E-04
453	5	6.25E-04
454	5	3.34E-04
455	5	3.10E-04
456	5	6.49E-04
457	5	5.82E-04
458	5	5.21E-04
459	5	3.82E-04
460	5	3.50E-04
461	5	3.22E-04
462	5	2.97E-04
463	5	4.05E-03
464	5	2.80E-03
465	5	3.52E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	2.41E-03
467	5	2.58E-03
468	5	2.28E-03
469	5	2.00E-03
470	5	2.23E-03
471	5	1.90E-03
472	5	1.91E-03
473	5	1.57E-03
474	5	1.65E-03
475	5	1.39E-03
476	5	1.44E-03
477	5	1.24E-03
478	5	1.27E-03
479	5	1.11E-03
480	5	9.59E-04
481	5	1.12E-03
482	5	8.75E-04
483	5	9.00E-04
484	5	8.00E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24522	5.42E-02	1.3E-02	1.05E-03	1.39E-05	3.32E-01	1.57E-01	7.24E-07	1.0E+06	7.2E-01
2	0.25812	5.42E-02	1.4E-02	1.05E-03	1.46E-05	3.32E-01	1.57E-01	7.62E-07	1.0E+06	7.6E-01
3	0.27182	5.42E-02	1.5E-02	1.05E-03	1.54E-05	3.32E-01	1.57E-01	8.03E-07	1.0E+06	8.0E-01
4	0.28694	5.42E-02	1.6E-02	1.05E-03	1.63E-05	3.32E-01	1.57E-01	8.47E-07	1.0E+06	8.5E-01
5	0.30421	5.42E-02	1.6E-02	1.05E-03	1.72E-05	3.32E-01	1.57E-01	8.98E-07	1.0E+06	9.0E-01
6	0.32665	5.42E-02	1.8E-02	1.05E-03	1.85E-05	3.32E-01	1.57E-01	9.65E-07	1.0E+06	9.6E-01
7	0.35525	5.42E-02	1.9E-02	1.05E-03	2.01E-05	3.32E-01	1.57E-01	1.05E-06	1.0E+06	1.0E+00
8	0.38621	5.42E-02	2.1E-02	1.05E-03	2.19E-05	3.32E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
9	0.42233	5.42E-02	2.3E-02	1.05E-03	2.39E-05	3.32E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
10	0.46134	5.42E-02	2.5E-02	1.05E-03	2.62E-05	3.32E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
11	0.50584	5.42E-02	2.7E-02	1.05E-03	2.87E-05	3.32E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
12	0.54691	5.42E-02	3.0E-02	1.05E-03	3.10E-05	3.32E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
13	0.5752	5.42E-02	3.1E-02	1.05E-03	3.26E-05	3.32E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
14	0.55713	5.42E-02	3.0E-02	1.05E-03	3.16E-05	3.32E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
15	0.27871	5.42E-02	1.5E-02	1.05E-03	1.58E-05	3.32E-01	1.57E-01	8.23E-07	1.0E+06	8.2E-01
16	0.29601	5.42E-02	1.6E-02	1.05E-03	1.68E-05	3.32E-01	1.57E-01	8.74E-07	1.0E+06	8.7E-01
17	0.31614	5.42E-02	1.7E-02	1.05E-03	1.79E-05	3.32E-01	1.57E-01	9.34E-07	1.0E+06	9.3E-01
18	0.33621	5.42E-02	1.8E-02	1.05E-03	1.91E-05	3.32E-01	1.57E-01	9.93E-07	1.0E+06	9.9E-01
19	0.35725	5.42E-02	1.9E-02	1.05E-03	2.03E-05	3.32E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
20	0.38354	5.42E-02	2.1E-02	1.05E-03	2.17E-05	3.32E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
21	0.41325	5.42E-02	2.2E-02	1.05E-03	2.34E-05	3.32E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
22	0.45075	5.42E-02	2.4E-02	1.05E-03	2.56E-05	3.32E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
23	0.50138	5.42E-02	2.7E-02	1.05E-03	2.84E-05	3.32E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
24	0.54771	5.42E-02	3.0E-02	1.05E-03	3.10E-05	3.32E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
25	0.60994	5.42E-02	3.3E-02	1.05E-03	3.46E-05	3.32E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
26	0.66721	5.42E-02	3.6E-02	1.05E-03	3.78E-05	3.32E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
27	0.70269	5.42E-02	3.8E-02	1.05E-03	3.98E-05	3.32E-01	1.57E-01	2.08E-06	1.0E+06	2.1E+00
28	0.67847	5.42E-02	3.7E-02	1.05E-03	3.85E-05	3.32E-01	1.57E-01	2.00E-06	1.0E+06	2.0E+00
29	0.31274	5.42E-02	1.7E-02	1.05E-03	1.77E-05	3.32E-01	1.57E-01	9.24E-07	1.0E+06	9.2E-01
30	0.33825	5.42E-02	1.8E-02	1.05E-03	1.92E-05	3.32E-01	1.57E-01	9.99E-07	1.0E+06	1.0E+00
31	0.3674	5.42E-02	2.0E-02	1.05E-03	2.08E-05	3.32E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.39913	5.42E-02	2.2E-02	1.05E-03	2.26E-05	3.32E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
33	0.42599	5.42E-02	2.3E-02	1.05E-03	2.41E-05	3.32E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
34	0.46028	5.42E-02	2.5E-02	1.05E-03	2.61E-05	3.32E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
35	0.49742	5.42E-02	2.7E-02	1.05E-03	2.82E-05	3.32E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
36	0.5441	5.42E-02	3.0E-02	1.05E-03	3.08E-05	3.32E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
37	0.60298	5.42E-02	3.3E-02	1.05E-03	3.42E-05	3.32E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
38	0.67584	5.42E-02	3.7E-02	1.05E-03	3.83E-05	3.32E-01	1.57E-01	2.00E-06	1.0E+06	2.0E+00
39	0.75362	5.42E-02	4.1E-02	1.05E-03	4.27E-05	3.32E-01	1.57E-01	2.23E-06	1.0E+06	2.2E+00
40	0.82458	5.42E-02	4.5E-02	1.05E-03	4.67E-05	3.32E-01	1.57E-01	2.43E-06	1.0E+06	2.4E+00
41	0.88192	5.42E-02	4.8E-02	1.05E-03	5.00E-05	3.32E-01	1.57E-01	2.60E-06	1.0E+06	2.6E+00
42	0.84179	5.42E-02	4.6E-02	1.05E-03	4.77E-05	3.32E-01	1.57E-01	2.49E-06	1.0E+06	2.5E+00
43	0.3419	5.42E-02	1.9E-02	1.05E-03	1.94E-05	3.32E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
44	0.37456	5.42E-02	2.0E-02	1.05E-03	2.12E-05	3.32E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
45	0.41658	5.42E-02	2.3E-02	1.05E-03	2.36E-05	3.32E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
46	0.46349	5.42E-02	2.5E-02	1.05E-03	2.63E-05	3.32E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
47	0.50951	5.42E-02	2.8E-02	1.05E-03	2.89E-05	3.32E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
48	0.55797	5.42E-02	3.0E-02	1.05E-03	3.16E-05	3.32E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
49	0.60926	5.42E-02	3.3E-02	1.05E-03	3.45E-05	3.32E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
50	0.66552	5.42E-02	3.6E-02	1.05E-03	3.77E-05	3.32E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
51	0.75822	5.42E-02	4.1E-02	1.05E-03	4.30E-05	3.32E-01	1.57E-01	2.24E-06	1.0E+06	2.2E+00
52	0.85126	5.42E-02	4.6E-02	1.05E-03	4.83E-05	3.32E-01	1.57E-01	2.51E-06	1.0E+06	2.5E+00
53	0.96684	5.42E-02	5.2E-02	1.05E-03	5.48E-05	3.32E-01	1.57E-01	2.86E-06	1.0E+06	2.9E+00
54	1.07266	5.42E-02	5.8E-02	1.05E-03	6.08E-05	3.32E-01	1.57E-01	3.17E-06	1.0E+06	3.2E+00
55	1.15752	5.42E-02	6.3E-02	1.05E-03	6.56E-05	3.32E-01	1.57E-01	3.42E-06	1.0E+06	3.4E+00
56	1.05945	5.42E-02	5.7E-02	1.05E-03	6.01E-05	3.32E-01	1.57E-01	3.13E-06	1.0E+06	3.1E+00
57	0.36224	5.42E-02	2.0E-02	1.05E-03	2.05E-05	3.32E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
58	0.4086	5.42E-02	2.2E-02	1.05E-03	2.32E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
59	0.46663	5.42E-02	2.5E-02	1.05E-03	2.65E-05	3.32E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
60	0.53196	5.42E-02	2.9E-02	1.05E-03	3.02E-05	3.32E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
61	0.6059	5.42E-02	3.3E-02	1.05E-03	3.43E-05	3.32E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
62	0.68687	5.42E-02	3.7E-02	1.05E-03	3.89E-05	3.32E-01	1.57E-01	2.03E-06	1.0E+06	2.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.7816	5.42E-02	4.2E-02	1.05E-03	4.43E-05	3.32E-01	1.57E-01	2.31E-06	1.0E+06	2.3E+00
64	0.85518	5.42E-02	4.6E-02	1.05E-03	4.85E-05	3.32E-01	1.57E-01	2.53E-06	1.0E+06	2.5E+00
65	0.98486	5.42E-02	5.3E-02	1.05E-03	5.58E-05	3.32E-01	1.57E-01	2.91E-06	1.0E+06	2.9E+00
66	1.13862	5.42E-02	6.2E-02	1.05E-03	6.45E-05	3.32E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
67	1.29122	5.42E-02	7.0E-02	1.05E-03	7.32E-05	3.32E-01	1.57E-01	3.81E-06	1.0E+06	3.8E+00
68	1.46923	5.42E-02	8.0E-02	1.05E-03	8.33E-05	3.32E-01	1.57E-01	4.34E-06	1.0E+06	4.3E+00
69	1.61487	5.42E-02	8.8E-02	1.05E-03	9.15E-05	3.32E-01	1.57E-01	4.77E-06	1.0E+06	4.8E+00
70	0.38587	5.42E-02	2.1E-02	1.05E-03	2.19E-05	3.32E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
71	0.44138	5.42E-02	2.4E-02	1.05E-03	2.50E-05	3.32E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
72	0.51499	5.42E-02	2.8E-02	1.05E-03	2.92E-05	3.32E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
73	0.59943	5.42E-02	3.3E-02	1.05E-03	3.40E-05	3.32E-01	1.57E-01	1.77E-06	1.0E+06	1.8E+00
74	0.70697	5.42E-02	3.8E-02	1.05E-03	4.01E-05	3.32E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
75	0.83321	5.42E-02	4.5E-02	1.05E-03	4.72E-05	3.32E-01	1.57E-01	2.46E-06	1.0E+06	2.5E+00
76	0.99536	5.42E-02	5.4E-02	1.05E-03	5.64E-05	3.32E-01	1.57E-01	2.94E-06	1.0E+06	2.9E+00
77	1.15904	5.42E-02	6.3E-02	1.05E-03	6.57E-05	3.32E-01	1.57E-01	3.42E-06	1.0E+06	3.4E+00
78	1.38678	5.42E-02	7.5E-02	1.05E-03	7.86E-05	3.32E-01	1.57E-01	4.10E-06	1.0E+06	4.1E+00
79	1.72999	5.42E-02	9.4E-02	1.05E-03	9.81E-05	3.32E-01	1.57E-01	5.11E-06	1.0E+06	5.1E+00
80	1.95913	5.42E-02	1.1E-01	1.05E-03	1.11E-04	3.32E-01	1.57E-01	5.79E-06	1.0E+06	5.8E+00
81	2.26974	5.42E-02	1.2E-01	1.05E-03	1.29E-04	3.32E-01	1.57E-01	6.70E-06	1.0E+06	6.7E+00
82	2.4321	5.42E-02	1.3E-01	1.05E-03	1.38E-04	3.32E-01	1.57E-01	7.18E-06	1.0E+06	7.2E+00
83	0.40751	5.42E-02	2.2E-02	1.05E-03	2.31E-05	3.32E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
84	0.48107	5.42E-02	2.6E-02	1.05E-03	2.73E-05	3.32E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
85	0.57125	5.42E-02	3.1E-02	1.05E-03	3.24E-05	3.32E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
86	0.65944	5.42E-02	3.6E-02	1.05E-03	3.74E-05	3.32E-01	1.57E-01	1.95E-06	1.0E+06	1.9E+00
87	0.793	5.42E-02	4.3E-02	1.05E-03	4.50E-05	3.32E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
88	0.9744	5.42E-02	5.3E-02	1.05E-03	5.52E-05	3.32E-01	1.57E-01	2.88E-06	1.0E+06	2.9E+00
89	1.22894	5.42E-02	6.7E-02	1.05E-03	6.97E-05	3.32E-01	1.57E-01	3.63E-06	1.0E+06	3.6E+00
90	1.58842	5.42E-02	8.6E-02	1.05E-03	9.00E-05	3.32E-01	1.57E-01	4.69E-06	1.0E+06	4.7E+00
91	2.07909	5.42E-02	1.1E-01	1.05E-03	1.18E-04	3.32E-01	1.57E-01	6.14E-06	1.0E+06	6.1E+00
92	2.673	5.42E-02	1.4E-01	1.05E-03	1.52E-04	3.32E-01	1.57E-01	7.89E-06	1.0E+06	7.9E+00
93	3.26073	5.42E-02	1.8E-01	1.05E-03	1.85E-04	3.32E-01	1.57E-01	9.63E-06	1.0E+06	9.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.7105	5.42E-02	2.0E-01	1.05E-03	2.10E-04	3.32E-01	1.57E-01	1.10E-05	1.0E+06	1.1E+01
95	3.97772	5.42E-02	2.2E-01	1.05E-03	2.25E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
96	0.42783	5.42E-02	2.3E-02	1.05E-03	2.43E-05	3.32E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
97	0.50509	5.42E-02	2.7E-02	1.05E-03	2.86E-05	3.32E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
98	0.59829	5.42E-02	3.2E-02	1.05E-03	3.39E-05	3.32E-01	1.57E-01	1.77E-06	1.0E+06	1.8E+00
99	0.71884	5.42E-02	3.9E-02	1.05E-03	4.07E-05	3.32E-01	1.57E-01	2.12E-06	1.0E+06	2.1E+00
100	0.87437	5.42E-02	4.7E-02	1.05E-03	4.96E-05	3.32E-01	1.57E-01	2.58E-06	1.0E+06	2.6E+00
101	1.11264	5.42E-02	6.0E-02	1.05E-03	6.31E-05	3.32E-01	1.57E-01	3.29E-06	1.0E+06	3.3E+00
102	1.49032	5.42E-02	8.1E-02	1.05E-03	8.45E-05	3.32E-01	1.57E-01	4.40E-06	1.0E+06	4.4E+00
103	2.11062	5.42E-02	1.1E-01	1.05E-03	1.20E-04	3.32E-01	1.57E-01	6.23E-06	1.0E+06	6.2E+00
104	3.18262	5.42E-02	1.7E-01	1.05E-03	1.80E-04	3.32E-01	1.57E-01	9.40E-06	1.0E+06	9.4E+00
105	4.82918	5.42E-02	2.6E-01	1.05E-03	2.74E-04	3.32E-01	1.57E-01	1.43E-05	1.0E+06	1.4E+01
106	6.35044	5.42E-02	3.4E-01	1.05E-03	3.60E-04	3.32E-01	1.57E-01	1.88E-05	1.0E+06	1.9E+01
107	7.24945	5.42E-02	3.9E-01	1.05E-03	4.11E-04	3.32E-01	1.57E-01	2.14E-05	1.0E+06	2.1E+01
108	7.70358	5.42E-02	4.2E-01	1.05E-03	4.37E-04	3.32E-01	1.57E-01	2.27E-05	1.0E+06	2.3E+01
109	0.42527	5.42E-02	2.3E-02	1.05E-03	2.41E-05	3.32E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
110	0.50003	5.42E-02	2.7E-02	1.05E-03	2.83E-05	3.32E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
111	0.59613	5.42E-02	3.2E-02	1.05E-03	3.38E-05	3.32E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
112	0.72796	5.42E-02	3.9E-02	1.05E-03	4.13E-05	3.32E-01	1.57E-01	2.15E-06	1.0E+06	2.1E+00
113	0.92025	5.42E-02	5.0E-02	1.05E-03	5.22E-05	3.32E-01	1.57E-01	2.72E-06	1.0E+06	2.7E+00
114	1.21078	5.42E-02	6.6E-02	1.05E-03	6.86E-05	3.32E-01	1.57E-01	3.58E-06	1.0E+06	3.6E+00
115	1.70768	5.42E-02	9.3E-02	1.05E-03	9.68E-05	3.32E-01	1.57E-01	5.04E-06	1.0E+06	5.0E+00
116	2.70228	5.42E-02	1.5E-01	1.05E-03	1.53E-04	3.32E-01	1.57E-01	7.98E-06	1.0E+06	8.0E+00
117	5.36175	5.42E-02	2.9E-01	1.05E-03	3.04E-04	3.32E-01	1.57E-01	1.58E-05	1.0E+06	1.6E+01
118	6.35201	5.42E-02	3.4E-01	1.05E-03	3.60E-04	3.32E-01	1.57E-01	1.88E-05	1.0E+06	1.9E+01
119	10.08642	5.42E-02	5.5E-01	1.05E-03	5.72E-04	3.32E-01	1.57E-01	2.98E-05	1.0E+06	3.0E+01
120	11.26207	5.42E-02	6.1E-01	1.05E-03	6.38E-04	3.32E-01	1.57E-01	3.33E-05	1.0E+06	3.3E+01
121	11.09892	5.42E-02	6.0E-01	1.05E-03	6.29E-04	3.32E-01	1.57E-01	3.28E-05	1.0E+06	3.3E+01
122	0.40376	5.42E-02	2.2E-02	1.05E-03	2.29E-05	3.32E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
123	0.47827	5.42E-02	2.6E-02	1.05E-03	2.71E-05	3.32E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
124	0.57738	5.42E-02	3.1E-02	1.05E-03	3.27E-05	3.32E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.71334	5.42E-02	3.9E-02	1.05E-03	4.04E-05	3.32E-01	1.57E-01	2.11E-06	1.0E+06	2.1E+00
126	0.90625	5.42E-02	4.9E-02	1.05E-03	5.14E-05	3.32E-01	1.57E-01	2.68E-06	1.0E+06	2.7E+00
127	1.20749	5.42E-02	6.5E-02	1.05E-03	6.84E-05	3.32E-01	1.57E-01	3.57E-06	1.0E+06	3.6E+00
128	1.67153	5.42E-02	9.1E-02	1.05E-03	9.48E-05	3.32E-01	1.57E-01	4.94E-06	1.0E+06	4.9E+00
129	2.7297	5.42E-02	1.5E-01	1.05E-03	1.55E-04	3.32E-01	1.57E-01	8.06E-06	1.0E+06	8.1E+00
130	6.66669	5.42E-02	3.6E-01	1.05E-03	3.78E-04	3.32E-01	1.57E-01	1.97E-05	1.0E+06	2.0E+01
131	2.17942	5.42E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.44E-06	1.0E+06	6.4E+00
132	1.5364	5.42E-02	8.3E-02	1.05E-03	8.71E-05	3.32E-01	1.57E-01	4.54E-06	1.0E+06	4.5E+00
133	0.37253	5.42E-02	2.0E-02	1.05E-03	2.11E-05	3.32E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
134	0.44783	5.42E-02	2.4E-02	1.05E-03	2.54E-05	3.32E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
135	0.54393	5.42E-02	2.9E-02	1.05E-03	3.08E-05	3.32E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
136	0.66975	5.42E-02	3.6E-02	1.05E-03	3.80E-05	3.32E-01	1.57E-01	1.98E-06	1.0E+06	2.0E+00
137	0.8492	5.42E-02	4.6E-02	1.05E-03	4.81E-05	3.32E-01	1.57E-01	2.51E-06	1.0E+06	2.5E+00
138	1.11161	5.42E-02	6.0E-02	1.05E-03	6.30E-05	3.32E-01	1.57E-01	3.28E-06	1.0E+06	3.3E+00
139	1.51637	5.42E-02	8.2E-02	1.05E-03	8.60E-05	3.32E-01	1.57E-01	4.48E-06	1.0E+06	4.5E+00
140	2.33444	5.42E-02	1.3E-01	1.05E-03	1.32E-04	3.32E-01	1.57E-01	6.89E-06	1.0E+06	6.9E+00
141	4.56552	5.42E-02	2.5E-01	1.05E-03	2.59E-04	3.32E-01	1.57E-01	1.35E-05	1.0E+06	1.3E+01
142	6.41914	5.42E-02	3.5E-01	1.05E-03	3.64E-04	3.32E-01	1.57E-01	1.90E-05	1.0E+06	1.9E+01
143	10.17338	5.42E-02	5.5E-01	1.05E-03	5.77E-04	3.32E-01	1.57E-01	3.00E-05	1.0E+06	3.0E+01
144	13.38661	5.42E-02	7.3E-01	1.05E-03	7.59E-04	3.32E-01	1.57E-01	3.95E-05	1.0E+06	4.0E+01
145	13.51679	5.42E-02	7.3E-01	1.05E-03	7.66E-04	3.32E-01	1.57E-01	3.99E-05	1.0E+06	4.0E+01
146	2.14495	5.42E-02	1.2E-01	1.05E-03	1.22E-04	3.32E-01	1.57E-01	6.33E-06	1.0E+06	6.3E+00
147	0.34214	5.42E-02	1.9E-02	1.05E-03	1.94E-05	3.32E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
148	0.40831	5.42E-02	2.2E-02	1.05E-03	2.31E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
149	0.49577	5.42E-02	2.7E-02	1.05E-03	2.81E-05	3.32E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
150	0.60785	5.42E-02	3.3E-02	1.05E-03	3.45E-05	3.32E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
151	0.7688	5.42E-02	4.2E-02	1.05E-03	4.36E-05	3.32E-01	1.57E-01	2.27E-06	1.0E+06	2.3E+00
152	0.9823	5.42E-02	5.3E-02	1.05E-03	5.57E-05	3.32E-01	1.57E-01	2.90E-06	1.0E+06	2.9E+00
153	1.30396	5.42E-02	7.1E-02	1.05E-03	7.39E-05	3.32E-01	1.57E-01	3.85E-06	1.0E+06	3.9E+00
154	1.88437	5.42E-02	1.0E-01	1.05E-03	1.07E-04	3.32E-01	1.57E-01	5.56E-06	1.0E+06	5.6E+00
155	3.08613	5.42E-02	1.7E-01	1.05E-03	1.75E-04	3.32E-01	1.57E-01	9.11E-06	1.0E+06	9.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	5.26306	5.42E-02	2.9E-01	1.05E-03	2.98E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.6E+01
157	6.91686	5.42E-02	3.8E-01	1.05E-03	3.92E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01
158	7.28102	5.42E-02	3.9E-01	1.05E-03	4.13E-04	3.32E-01	1.57E-01	2.15E-05	1.0E+06	2.2E+01
159	7.92875	5.42E-02	4.3E-01	1.05E-03	4.49E-04	3.32E-01	1.57E-01	2.34E-05	1.0E+06	2.3E+01
160	0.32054	5.42E-02	1.7E-02	1.05E-03	1.82E-05	3.32E-01	1.57E-01	9.47E-07	1.0E+06	9.5E-01
161	0.37294	5.42E-02	2.0E-02	1.05E-03	2.11E-05	3.32E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
162	0.43383	5.42E-02	2.4E-02	1.05E-03	2.46E-05	3.32E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
163	0.53585	5.42E-02	2.9E-02	1.05E-03	3.04E-05	3.32E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
164	0.68088	5.42E-02	3.7E-02	1.05E-03	3.86E-05	3.32E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
165	0.85225	5.42E-02	4.6E-02	1.05E-03	4.83E-05	3.32E-01	1.57E-01	2.52E-06	1.0E+06	2.5E+00
166	1.10586	5.42E-02	6.0E-02	1.05E-03	6.27E-05	3.32E-01	1.57E-01	3.27E-06	1.0E+06	3.3E+00
167	1.49488	5.42E-02	8.1E-02	1.05E-03	8.47E-05	3.32E-01	1.57E-01	4.41E-06	1.0E+06	4.4E+00
168	2.14007	5.42E-02	1.2E-01	1.05E-03	1.21E-04	3.32E-01	1.57E-01	6.32E-06	1.0E+06	6.3E+00
169	3.09049	5.42E-02	1.7E-01	1.05E-03	1.75E-04	3.32E-01	1.57E-01	9.13E-06	1.0E+06	9.1E+00
170	3.93283	5.42E-02	2.1E-01	1.05E-03	2.23E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
171	4.33042	5.42E-02	2.3E-01	1.05E-03	2.45E-04	3.32E-01	1.57E-01	1.28E-05	1.0E+06	1.3E+01
172	4.55053	5.42E-02	2.5E-01	1.05E-03	2.58E-04	3.32E-01	1.57E-01	1.34E-05	1.0E+06	1.3E+01
173	4.6617	5.42E-02	2.5E-01	1.05E-03	2.64E-04	3.32E-01	1.57E-01	1.38E-05	1.0E+06	1.4E+01
174	4.63839	5.42E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
175	4.15775	5.42E-02	2.3E-01	1.05E-03	2.36E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
176	3.29074	5.42E-02	1.8E-01	1.05E-03	1.87E-04	3.32E-01	1.57E-01	9.72E-06	1.0E+06	9.7E+00
177	2.30244	5.42E-02	1.2E-01	1.05E-03	1.31E-04	3.32E-01	1.57E-01	6.80E-06	1.0E+06	6.8E+00
178	1.53757	5.42E-02	8.3E-02	1.05E-03	8.72E-05	3.32E-01	1.57E-01	4.54E-06	1.0E+06	4.5E+00
179	0.29019	5.42E-02	1.6E-02	1.05E-03	1.64E-05	3.32E-01	1.57E-01	8.57E-07	1.0E+06	8.6E-01
180	0.33117	5.42E-02	1.8E-02	1.05E-03	1.88E-05	3.32E-01	1.57E-01	9.78E-07	1.0E+06	9.8E-01
181	0.37418	5.42E-02	2.0E-02	1.05E-03	2.12E-05	3.32E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
182	0.46724	5.42E-02	2.5E-02	1.05E-03	2.65E-05	3.32E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
183	0.60354	5.42E-02	3.3E-02	1.05E-03	3.42E-05	3.32E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
184	0.74184	5.42E-02	4.0E-02	1.05E-03	4.21E-05	3.32E-01	1.57E-01	2.19E-06	1.0E+06	2.2E+00
185	0.93939	5.42E-02	5.1E-02	1.05E-03	5.33E-05	3.32E-01	1.57E-01	2.77E-06	1.0E+06	2.8E+00
186	1.20886	5.42E-02	6.6E-02	1.05E-03	6.85E-05	3.32E-01	1.57E-01	3.57E-06	1.0E+06	3.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	1.59534	5.42E-02	8.7E-02	1.05E-03	9.04E-05	3.32E-01	1.57E-01	4.71E-06	1.0E+06	4.7E+00
188	2.10918	5.42E-02	1.1E-01	1.05E-03	1.20E-04	3.32E-01	1.57E-01	6.23E-06	1.0E+06	6.2E+00
189	2.58029	5.42E-02	1.4E-01	1.05E-03	1.46E-04	3.32E-01	1.57E-01	7.62E-06	1.0E+06	7.6E+00
190	2.87995	5.42E-02	1.6E-01	1.05E-03	1.63E-04	3.32E-01	1.57E-01	8.50E-06	1.0E+06	8.5E+00
191	2.98254	5.42E-02	1.6E-01	1.05E-03	1.69E-04	3.32E-01	1.57E-01	8.81E-06	1.0E+06	8.8E+00
192	3.0049	5.42E-02	1.6E-01	1.05E-03	1.70E-04	3.32E-01	1.57E-01	8.87E-06	1.0E+06	8.9E+00
193	2.90512	5.42E-02	1.6E-01	1.05E-03	1.65E-04	3.32E-01	1.57E-01	8.58E-06	1.0E+06	8.6E+00
194	2.75066	5.42E-02	1.5E-01	1.05E-03	1.56E-04	3.32E-01	1.57E-01	8.12E-06	1.0E+06	8.1E+00
195	2.36182	5.42E-02	1.3E-01	1.05E-03	1.34E-04	3.32E-01	1.57E-01	6.97E-06	1.0E+06	7.0E+00
196	1.79817	5.42E-02	9.8E-02	1.05E-03	1.02E-04	3.32E-01	1.57E-01	5.31E-06	1.0E+06	5.3E+00
197	1.30564	5.42E-02	7.1E-02	1.05E-03	7.40E-05	3.32E-01	1.57E-01	3.86E-06	1.0E+06	3.9E+00
198	0.26895	5.42E-02	1.5E-02	1.05E-03	1.52E-05	3.32E-01	1.57E-01	7.94E-07	1.0E+06	7.9E-01
199	0.30588	5.42E-02	1.7E-02	1.05E-03	1.73E-05	3.32E-01	1.57E-01	9.03E-07	1.0E+06	9.0E-01
200	0.34989	5.42E-02	1.9E-02	1.05E-03	1.98E-05	3.32E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
201	0.41345	5.42E-02	2.2E-02	1.05E-03	2.34E-05	3.32E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
202	0.5245	5.42E-02	2.8E-02	1.05E-03	2.97E-05	3.32E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
203	0.64051	5.42E-02	3.5E-02	1.05E-03	3.63E-05	3.32E-01	1.57E-01	1.89E-06	1.0E+06	1.9E+00
204	0.79507	5.42E-02	4.3E-02	1.05E-03	4.51E-05	3.32E-01	1.57E-01	2.35E-06	1.0E+06	2.3E+00
205	0.98978	5.42E-02	5.4E-02	1.05E-03	5.61E-05	3.32E-01	1.57E-01	2.92E-06	1.0E+06	2.9E+00
206	1.24675	5.42E-02	6.8E-02	1.05E-03	7.07E-05	3.32E-01	1.57E-01	3.68E-06	1.0E+06	3.7E+00
207	1.55455	5.42E-02	8.4E-02	1.05E-03	8.81E-05	3.32E-01	1.57E-01	4.59E-06	1.0E+06	4.6E+00
208	1.85416	5.42E-02	1.0E-01	1.05E-03	1.05E-04	3.32E-01	1.57E-01	5.48E-06	1.0E+06	5.5E+00
209	2.06719	5.42E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.10E-06	1.0E+06	6.1E+00
210	2.16636	5.42E-02	1.2E-01	1.05E-03	1.23E-04	3.32E-01	1.57E-01	6.40E-06	1.0E+06	6.4E+00
211	2.15679	5.42E-02	1.2E-01	1.05E-03	1.22E-04	3.32E-01	1.57E-01	6.37E-06	1.0E+06	6.4E+00
212	2.06018	5.42E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.08E-06	1.0E+06	6.1E+00
213	1.86154	5.42E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.50E-06	1.0E+06	5.5E+00
214	1.58195	5.42E-02	8.6E-02	1.05E-03	8.97E-05	3.32E-01	1.57E-01	4.67E-06	1.0E+06	4.7E+00
215	1.4515	5.42E-02	7.9E-02	1.05E-03	8.23E-05	3.32E-01	1.57E-01	4.29E-06	1.0E+06	4.3E+00
216	0.25394	5.42E-02	1.4E-02	1.05E-03	1.44E-05	3.32E-01	1.57E-01	7.50E-07	1.0E+06	7.5E-01
217	0.28402	5.42E-02	1.5E-02	1.05E-03	1.61E-05	3.32E-01	1.57E-01	8.39E-07	1.0E+06	8.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.32252	5.42E-02	1.7E-02	1.05E-03	1.83E-05	3.32E-01	1.57E-01	9.52E-07	1.0E+06	9.5E-01
219	0.37256	5.42E-02	2.0E-02	1.05E-03	2.11E-05	3.32E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
220	0.45636	5.42E-02	2.5E-02	1.05E-03	2.59E-05	3.32E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
221	0.54246	5.42E-02	2.9E-02	1.05E-03	3.08E-05	3.32E-01	1.57E-01	1.60E-06	1.0E+06	1.6E+00
222	0.66438	5.42E-02	3.6E-02	1.05E-03	3.77E-05	3.32E-01	1.57E-01	1.96E-06	1.0E+06	2.0E+00
223	0.80689	5.42E-02	4.4E-02	1.05E-03	4.57E-05	3.32E-01	1.57E-01	2.38E-06	1.0E+06	2.4E+00
224	0.98601	5.42E-02	5.3E-02	1.05E-03	5.59E-05	3.32E-01	1.57E-01	2.91E-06	1.0E+06	2.9E+00
225	1.18396	5.42E-02	6.4E-02	1.05E-03	6.71E-05	3.32E-01	1.57E-01	3.50E-06	1.0E+06	3.5E+00
226	1.39003	5.42E-02	7.5E-02	1.05E-03	7.88E-05	3.32E-01	1.57E-01	4.10E-06	1.0E+06	4.1E+00
227	1.54365	5.42E-02	8.4E-02	1.05E-03	8.75E-05	3.32E-01	1.57E-01	4.56E-06	1.0E+06	4.6E+00
228	1.62944	5.42E-02	8.8E-02	1.05E-03	9.24E-05	3.32E-01	1.57E-01	4.81E-06	1.0E+06	4.8E+00
229	1.63849	5.42E-02	8.9E-02	1.05E-03	9.29E-05	3.32E-01	1.57E-01	4.84E-06	1.0E+06	4.8E+00
230	1.57097	5.42E-02	8.5E-02	1.05E-03	8.91E-05	3.32E-01	1.57E-01	4.64E-06	1.0E+06	4.6E+00
231	1.45346	5.42E-02	7.9E-02	1.05E-03	8.24E-05	3.32E-01	1.57E-01	4.29E-06	1.0E+06	4.3E+00
232	1.28041	5.42E-02	6.9E-02	1.05E-03	7.26E-05	3.32E-01	1.57E-01	3.78E-06	1.0E+06	3.8E+00
233	1.18274	5.42E-02	6.4E-02	1.05E-03	6.70E-05	3.32E-01	1.57E-01	3.49E-06	1.0E+06	3.5E+00
234	0.23974	5.42E-02	1.3E-02	1.05E-03	1.36E-05	3.32E-01	1.57E-01	7.08E-07	1.0E+06	7.1E-01
235	0.26365	5.42E-02	1.4E-02	1.05E-03	1.49E-05	3.32E-01	1.57E-01	7.79E-07	1.0E+06	7.8E-01
236	0.29587	5.42E-02	1.6E-02	1.05E-03	1.68E-05	3.32E-01	1.57E-01	8.74E-07	1.0E+06	8.7E-01
237	0.33958	5.42E-02	1.8E-02	1.05E-03	1.92E-05	3.32E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
238	0.39927	5.42E-02	2.2E-02	1.05E-03	2.26E-05	3.32E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
239	0.46628	5.42E-02	2.5E-02	1.05E-03	2.64E-05	3.32E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
240	0.55425	5.42E-02	3.0E-02	1.05E-03	3.14E-05	3.32E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
241	0.66256	5.42E-02	3.6E-02	1.05E-03	3.76E-05	3.32E-01	1.57E-01	1.96E-06	1.0E+06	2.0E+00
242	0.79101	5.42E-02	4.3E-02	1.05E-03	4.48E-05	3.32E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
243	0.93444	5.42E-02	5.1E-02	1.05E-03	5.30E-05	3.32E-01	1.57E-01	2.76E-06	1.0E+06	2.8E+00
244	1.08389	5.42E-02	5.9E-02	1.05E-03	6.14E-05	3.32E-01	1.57E-01	3.20E-06	1.0E+06	3.2E+00
245	1.2064	5.42E-02	6.5E-02	1.05E-03	6.84E-05	3.32E-01	1.57E-01	3.56E-06	1.0E+06	3.6E+00
246	1.28269	5.42E-02	7.0E-02	1.05E-03	7.27E-05	3.32E-01	1.57E-01	3.79E-06	1.0E+06	3.8E+00
247	1.30234	5.42E-02	7.1E-02	1.05E-03	7.38E-05	3.32E-01	1.57E-01	3.85E-06	1.0E+06	3.8E+00
248	1.2704	5.42E-02	6.9E-02	1.05E-03	7.20E-05	3.32E-01	1.57E-01	3.75E-06	1.0E+06	3.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.18628	5.42E-02	6.4E-02	1.05E-03	6.72E-05	3.32E-01	1.57E-01	3.50E-06	1.0E+06	3.5E+00
250	1.0767	5.42E-02	5.8E-02	1.05E-03	6.10E-05	3.32E-01	1.57E-01	3.18E-06	1.0E+06	3.2E+00
251	0.99552	5.42E-02	5.4E-02	1.05E-03	5.64E-05	3.32E-01	1.57E-01	2.94E-06	1.0E+06	2.9E+00
252	0.22288	5.42E-02	1.2E-02	1.05E-03	1.26E-05	3.32E-01	1.57E-01	6.58E-07	1.0E+06	6.6E-01
253	0.24125	5.42E-02	1.3E-02	1.05E-03	1.37E-05	3.32E-01	1.57E-01	7.12E-07	1.0E+06	7.1E-01
254	0.26526	5.42E-02	1.4E-02	1.05E-03	1.50E-05	3.32E-01	1.57E-01	7.83E-07	1.0E+06	7.8E-01
255	0.29598	5.42E-02	1.6E-02	1.05E-03	1.68E-05	3.32E-01	1.57E-01	8.74E-07	1.0E+06	8.7E-01
256	0.35215	5.42E-02	1.9E-02	1.05E-03	2.00E-05	3.32E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
257	0.39078	5.42E-02	2.1E-02	1.05E-03	2.22E-05	3.32E-01	1.57E-01	1.15E-06	1.0E+06	1.2E+00
258	0.44847	5.42E-02	2.4E-02	1.05E-03	2.54E-05	3.32E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
259	0.51996	5.42E-02	2.8E-02	1.05E-03	2.95E-05	3.32E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
260	0.62139	5.42E-02	3.4E-02	1.05E-03	3.52E-05	3.32E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
261	0.74353	5.42E-02	4.0E-02	1.05E-03	4.21E-05	3.32E-01	1.57E-01	2.20E-06	1.0E+06	2.2E+00
262	0.86299	5.42E-02	4.7E-02	1.05E-03	4.89E-05	3.32E-01	1.57E-01	2.55E-06	1.0E+06	2.5E+00
263	0.95593	5.42E-02	5.2E-02	1.05E-03	5.42E-05	3.32E-01	1.57E-01	2.82E-06	1.0E+06	2.8E+00
264	1.0253	5.42E-02	5.6E-02	1.05E-03	5.81E-05	3.32E-01	1.57E-01	3.03E-06	1.0E+06	3.0E+00
265	1.0477	5.42E-02	5.7E-02	1.05E-03	5.94E-05	3.32E-01	1.57E-01	3.09E-06	1.0E+06	3.1E+00
266	1.03328	5.42E-02	5.6E-02	1.05E-03	5.86E-05	3.32E-01	1.57E-01	3.05E-06	1.0E+06	3.1E+00
267	0.97802	5.42E-02	5.3E-02	1.05E-03	5.54E-05	3.32E-01	1.57E-01	2.89E-06	1.0E+06	2.9E+00
268	0.90078	5.42E-02	4.9E-02	1.05E-03	5.11E-05	3.32E-01	1.57E-01	2.66E-06	1.0E+06	2.7E+00
269	0.8422	5.42E-02	4.6E-02	1.05E-03	4.77E-05	3.32E-01	1.57E-01	2.49E-06	1.0E+06	2.5E+00
270	0.20609	5.42E-02	1.1E-02	1.05E-03	1.17E-05	3.32E-01	1.57E-01	6.09E-07	1.0E+06	6.1E-01
271	0.22236	5.42E-02	1.2E-02	1.05E-03	1.26E-05	3.32E-01	1.57E-01	6.57E-07	1.0E+06	6.6E-01
272	0.2426	5.42E-02	1.3E-02	1.05E-03	1.38E-05	3.32E-01	1.57E-01	7.16E-07	1.0E+06	7.2E-01
273	0.26659	5.42E-02	1.4E-02	1.05E-03	1.51E-05	3.32E-01	1.57E-01	7.87E-07	1.0E+06	7.9E-01
274	0.31843	5.42E-02	1.7E-02	1.05E-03	1.81E-05	3.32E-01	1.57E-01	9.40E-07	1.0E+06	9.4E-01
275	0.36509	5.42E-02	2.0E-02	1.05E-03	2.07E-05	3.32E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
276	0.38581	5.42E-02	2.1E-02	1.05E-03	2.19E-05	3.32E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
277	0.43917	5.42E-02	2.4E-02	1.05E-03	2.49E-05	3.32E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
278	0.50889	5.42E-02	2.8E-02	1.05E-03	2.88E-05	3.32E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
279	0.5928	5.42E-02	3.2E-02	1.05E-03	3.36E-05	3.32E-01	1.57E-01	1.75E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.69196	5.42E-02	3.8E-02	1.05E-03	3.92E-05	3.32E-01	1.57E-01	2.04E-06	1.0E+06	2.0E+00
281	0.77845	5.42E-02	4.2E-02	1.05E-03	4.41E-05	3.32E-01	1.57E-01	2.30E-06	1.0E+06	2.3E+00
282	0.83812	5.42E-02	4.5E-02	1.05E-03	4.75E-05	3.32E-01	1.57E-01	2.47E-06	1.0E+06	2.5E+00
283	0.86573	5.42E-02	4.7E-02	1.05E-03	4.91E-05	3.32E-01	1.57E-01	2.56E-06	1.0E+06	2.6E+00
284	0.85995	5.42E-02	4.7E-02	1.05E-03	4.87E-05	3.32E-01	1.57E-01	2.54E-06	1.0E+06	2.5E+00
285	0.82472	5.42E-02	4.5E-02	1.05E-03	4.68E-05	3.32E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
286	0.76997	5.42E-02	4.2E-02	1.05E-03	4.36E-05	3.32E-01	1.57E-01	2.27E-06	1.0E+06	2.3E+00
287	0.7249	5.42E-02	3.9E-02	1.05E-03	4.11E-05	3.32E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
288	0.19179	5.42E-02	1.0E-02	1.05E-03	1.09E-05	3.32E-01	1.57E-01	5.66E-07	1.0E+06	5.7E-01
289	0.20415	5.42E-02	1.1E-02	1.05E-03	1.16E-05	3.32E-01	1.57E-01	6.03E-07	1.0E+06	6.0E-01
290	0.22731	5.42E-02	1.2E-02	1.05E-03	1.29E-05	3.32E-01	1.57E-01	6.71E-07	1.0E+06	6.7E-01
291	0.25153	5.42E-02	1.4E-02	1.05E-03	1.43E-05	3.32E-01	1.57E-01	7.43E-07	1.0E+06	7.4E-01
292	0.31346	5.42E-02	1.7E-02	1.05E-03	1.78E-05	3.32E-01	1.57E-01	9.26E-07	1.0E+06	9.3E-01
293	0.33705	5.42E-02	1.8E-02	1.05E-03	1.91E-05	3.32E-01	1.57E-01	9.95E-07	1.0E+06	1.0E+00
294	0.3399	5.42E-02	1.8E-02	1.05E-03	1.93E-05	3.32E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
295	0.38573	5.42E-02	2.1E-02	1.05E-03	2.19E-05	3.32E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
296	0.44174	5.42E-02	2.4E-02	1.05E-03	2.50E-05	3.32E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
297	0.4983	5.42E-02	2.7E-02	1.05E-03	2.82E-05	3.32E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
298	0.56731	5.42E-02	3.1E-02	1.05E-03	3.22E-05	3.32E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
299	0.64127	5.42E-02	3.5E-02	1.05E-03	3.64E-05	3.32E-01	1.57E-01	1.89E-06	1.0E+06	1.9E+00
300	0.69	5.42E-02	3.7E-02	1.05E-03	3.91E-05	3.32E-01	1.57E-01	2.04E-06	1.0E+06	2.0E+00
301	0.72301	5.42E-02	3.9E-02	1.05E-03	4.10E-05	3.32E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
302	0.7295	5.42E-02	4.0E-02	1.05E-03	4.14E-05	3.32E-01	1.57E-01	2.15E-06	1.0E+06	2.2E+00
303	0.7107	5.42E-02	3.9E-02	1.05E-03	4.03E-05	3.32E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
304	0.67196	5.42E-02	3.6E-02	1.05E-03	3.81E-05	3.32E-01	1.57E-01	1.98E-06	1.0E+06	2.0E+00
305	0.63256	5.42E-02	3.4E-02	1.05E-03	3.59E-05	3.32E-01	1.57E-01	1.87E-06	1.0E+06	1.9E+00
306	0.19076	5.42E-02	1.0E-02	1.05E-03	1.08E-05	3.32E-01	1.57E-01	5.63E-07	1.0E+06	5.6E-01
307	0.1965	5.42E-02	1.1E-02	1.05E-03	1.11E-05	3.32E-01	1.57E-01	5.80E-07	1.0E+06	5.8E-01
308	0.21163	5.42E-02	1.1E-02	1.05E-03	1.20E-05	3.32E-01	1.57E-01	6.25E-07	1.0E+06	6.2E-01
309	0.24993	5.42E-02	1.4E-02	1.05E-03	1.42E-05	3.32E-01	1.57E-01	7.38E-07	1.0E+06	7.4E-01
310	0.2892	5.42E-02	1.6E-02	1.05E-03	1.64E-05	3.32E-01	1.57E-01	8.54E-07	1.0E+06	8.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.30706	5.42E-02	1.7E-02	1.05E-03	1.74E-05	3.32E-01	1.57E-01	9.07E-07	1.0E+06	9.1E-01
312	0.30302	5.42E-02	1.6E-02	1.05E-03	1.72E-05	3.32E-01	1.57E-01	8.95E-07	1.0E+06	8.9E-01
313	0.34058	5.42E-02	1.8E-02	1.05E-03	1.93E-05	3.32E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
314	0.38571	5.42E-02	2.1E-02	1.05E-03	2.19E-05	3.32E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
315	0.44619	5.42E-02	2.4E-02	1.05E-03	2.53E-05	3.32E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
316	0.48737	5.42E-02	2.6E-02	1.05E-03	2.76E-05	3.32E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
317	0.53274	5.42E-02	2.9E-02	1.05E-03	3.02E-05	3.32E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
318	0.57567	5.42E-02	3.1E-02	1.05E-03	3.26E-05	3.32E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
319	0.61162	5.42E-02	3.3E-02	1.05E-03	3.47E-05	3.32E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
320	0.62978	5.42E-02	3.4E-02	1.05E-03	3.57E-05	3.32E-01	1.57E-01	1.86E-06	1.0E+06	1.9E+00
321	0.61772	5.42E-02	3.4E-02	1.05E-03	3.50E-05	3.32E-01	1.57E-01	1.82E-06	1.0E+06	1.8E+00
322	0.58947	5.42E-02	3.2E-02	1.05E-03	3.34E-05	3.32E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
323	0.55418	5.42E-02	3.0E-02	1.05E-03	3.14E-05	3.32E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
324	0.17901	5.42E-02	9.7E-03	1.05E-03	1.01E-05	3.32E-01	1.57E-01	5.29E-07	1.0E+06	5.3E-01
325	0.19809	5.42E-02	1.1E-02	1.05E-03	1.12E-05	3.32E-01	1.57E-01	5.85E-07	1.0E+06	5.8E-01
326	0.21043	5.42E-02	1.1E-02	1.05E-03	1.19E-05	3.32E-01	1.57E-01	6.21E-07	1.0E+06	6.2E-01
327	0.22027	5.42E-02	1.2E-02	1.05E-03	1.25E-05	3.32E-01	1.57E-01	6.50E-07	1.0E+06	6.5E-01
328	0.27094	5.42E-02	1.5E-02	1.05E-03	1.54E-05	3.32E-01	1.57E-01	8.00E-07	1.0E+06	8.0E-01
329	0.28116	5.42E-02	1.5E-02	1.05E-03	1.59E-05	3.32E-01	1.57E-01	8.30E-07	1.0E+06	8.3E-01
330	0.27877	5.42E-02	1.5E-02	1.05E-03	1.58E-05	3.32E-01	1.57E-01	8.23E-07	1.0E+06	8.2E-01
331	0.31121	5.42E-02	1.7E-02	1.05E-03	1.76E-05	3.32E-01	1.57E-01	9.19E-07	1.0E+06	9.2E-01
332	0.34977	5.42E-02	1.9E-02	1.05E-03	1.98E-05	3.32E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
333	0.40012	5.42E-02	2.2E-02	1.05E-03	2.27E-05	3.32E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
334	0.44075	5.42E-02	2.4E-02	1.05E-03	2.50E-05	3.32E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
335	0.47966	5.42E-02	2.6E-02	1.05E-03	2.72E-05	3.32E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
336	1.97471	5.42E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.83E-06	1.0E+06	5.8E+00
337	1.3422	5.42E-02	7.3E-02	1.05E-03	7.61E-05	3.32E-01	1.57E-01	3.96E-06	1.0E+06	4.0E+00
338	0.56668	5.42E-02	3.1E-02	1.05E-03	3.21E-05	3.32E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
339	0.57604	5.42E-02	3.1E-02	1.05E-03	3.27E-05	3.32E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
340	0.5775	5.42E-02	3.1E-02	1.05E-03	3.27E-05	3.32E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00
341	0.57069	5.42E-02	3.1E-02	1.05E-03	3.24E-05	3.32E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.55721	5.42E-02	3.0E-02	1.05E-03	3.16E-05	3.32E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
343	0.51363	5.42E-02	2.8E-02	1.05E-03	2.91E-05	3.32E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
344	0.48828	5.42E-02	2.6E-02	1.05E-03	2.77E-05	3.32E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
345	0.45971	5.42E-02	2.5E-02	1.05E-03	2.61E-05	3.32E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
346	0.42748	5.42E-02	2.3E-02	1.05E-03	2.42E-05	3.32E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
347	0.69458	5.42E-02	3.8E-02	1.05E-03	3.94E-05	3.32E-01	1.57E-01	2.05E-06	1.0E+06	2.1E+00
348	0.71117	5.42E-02	3.9E-02	1.05E-03	4.03E-05	3.32E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
349	0.71014	5.42E-02	3.9E-02	1.05E-03	4.03E-05	3.32E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
350	0.69693	5.42E-02	3.8E-02	1.05E-03	3.95E-05	3.32E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
351	0.68051	5.42E-02	3.7E-02	1.05E-03	3.86E-05	3.32E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
352	0.61121	5.42E-02	3.3E-02	1.05E-03	3.46E-05	3.32E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
353	0.57261	5.42E-02	3.1E-02	1.05E-03	3.25E-05	3.32E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
354	0.52467	5.42E-02	2.8E-02	1.05E-03	2.97E-05	3.32E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
355	0.48312	5.42E-02	2.6E-02	1.05E-03	2.74E-05	3.32E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
356	0.87356	5.42E-02	4.7E-02	1.05E-03	4.95E-05	3.32E-01	1.57E-01	2.58E-06	1.0E+06	2.6E+00
357	0.90521	5.42E-02	4.9E-02	1.05E-03	5.13E-05	3.32E-01	1.57E-01	2.67E-06	1.0E+06	2.7E+00
358	0.90366	5.42E-02	4.9E-02	1.05E-03	5.12E-05	3.32E-01	1.57E-01	2.67E-06	1.0E+06	2.7E+00
359	0.88428	5.42E-02	4.8E-02	1.05E-03	5.01E-05	3.32E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
360	0.84786	5.42E-02	4.6E-02	1.05E-03	4.81E-05	3.32E-01	1.57E-01	2.50E-06	1.0E+06	2.5E+00
361	0.73319	5.42E-02	4.0E-02	1.05E-03	4.16E-05	3.32E-01	1.57E-01	2.17E-06	1.0E+06	2.2E+00
362	0.67477	5.42E-02	3.7E-02	1.05E-03	3.83E-05	3.32E-01	1.57E-01	1.99E-06	1.0E+06	2.0E+00
363	0.6046	5.42E-02	3.3E-02	1.05E-03	3.43E-05	3.32E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
364	1.13942	5.42E-02	6.2E-02	1.05E-03	6.46E-05	3.32E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
365	1.17169	5.42E-02	6.4E-02	1.05E-03	6.64E-05	3.32E-01	1.57E-01	3.46E-06	1.0E+06	3.5E+00
366	1.1846	5.42E-02	6.4E-02	1.05E-03	6.72E-05	3.32E-01	1.57E-01	3.50E-06	1.0E+06	3.5E+00
367	1.14583	5.42E-02	6.2E-02	1.05E-03	6.50E-05	3.32E-01	1.57E-01	3.38E-06	1.0E+06	3.4E+00
368	1.08139	5.42E-02	5.9E-02	1.05E-03	6.13E-05	3.32E-01	1.57E-01	3.19E-06	1.0E+06	3.2E+00
369	0.89181	5.42E-02	4.8E-02	1.05E-03	5.06E-05	3.32E-01	1.57E-01	2.63E-06	1.0E+06	2.6E+00
370	0.70809	5.42E-02	3.8E-02	1.05E-03	4.01E-05	3.32E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
371	0.61897	5.42E-02	3.4E-02	1.05E-03	3.51E-05	3.32E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
372	1.57861	5.42E-02	8.6E-02	1.05E-03	8.95E-05	3.32E-01	1.57E-01	4.66E-06	1.0E+06	4.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	1.61119	5.42E-02	8.7E-02	1.05E-03	9.13E-05	3.32E-01	1.57E-01	4.76E-06	1.0E+06	4.8E+00
374	1.61527	5.42E-02	8.8E-02	1.05E-03	9.16E-05	3.32E-01	1.57E-01	4.77E-06	1.0E+06	4.8E+00
375	1.53816	5.42E-02	8.3E-02	1.05E-03	8.72E-05	3.32E-01	1.57E-01	4.54E-06	1.0E+06	4.5E+00
376	1.41279	5.42E-02	7.7E-02	1.05E-03	8.01E-05	3.32E-01	1.57E-01	4.17E-06	1.0E+06	4.2E+00
377	1.25649	5.42E-02	6.8E-02	1.05E-03	7.12E-05	3.32E-01	1.57E-01	3.71E-06	1.0E+06	3.7E+00
378	1.10053	5.42E-02	6.0E-02	1.05E-03	6.24E-05	3.32E-01	1.57E-01	3.25E-06	1.0E+06	3.2E+00
379	0.81264	5.42E-02	4.4E-02	1.05E-03	4.61E-05	3.32E-01	1.57E-01	2.40E-06	1.0E+06	2.4E+00
380	0.69418	5.42E-02	3.8E-02	1.05E-03	3.94E-05	3.32E-01	1.57E-01	2.05E-06	1.0E+06	2.0E+00
381	0.59082	5.42E-02	3.2E-02	1.05E-03	3.35E-05	3.32E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
382	2.3504	5.42E-02	1.3E-01	1.05E-03	1.33E-04	3.32E-01	1.57E-01	6.94E-06	1.0E+06	6.9E+00
383	2.39027	5.42E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.06E-06	1.0E+06	7.1E+00
384	2.32804	5.42E-02	1.3E-01	1.05E-03	1.32E-04	3.32E-01	1.57E-01	6.87E-06	1.0E+06	6.9E+00
385	2.15915	5.42E-02	1.2E-01	1.05E-03	1.22E-04	3.32E-01	1.57E-01	6.38E-06	1.0E+06	6.4E+00
386	1.91749	5.42E-02	1.0E-01	1.05E-03	1.09E-04	3.32E-01	1.57E-01	5.66E-06	1.0E+06	5.7E+00
387	1.62751	5.42E-02	8.8E-02	1.05E-03	9.23E-05	3.32E-01	1.57E-01	4.81E-06	1.0E+06	4.8E+00
388	1.3592	5.42E-02	7.4E-02	1.05E-03	7.70E-05	3.32E-01	1.57E-01	4.01E-06	1.0E+06	4.0E+00
389	0.91334	5.42E-02	5.0E-02	1.05E-03	5.18E-05	3.32E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
390	0.75131	5.42E-02	4.1E-02	1.05E-03	4.26E-05	3.32E-01	1.57E-01	2.22E-06	1.0E+06	2.2E+00
391	0.62456	5.42E-02	3.4E-02	1.05E-03	3.54E-05	3.32E-01	1.57E-01	1.84E-06	1.0E+06	1.8E+00
392	0.51197	5.42E-02	2.8E-02	1.05E-03	2.90E-05	3.32E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
393	3.34299	5.42E-02	1.8E-01	1.05E-03	1.90E-04	3.32E-01	1.57E-01	9.87E-06	1.0E+06	9.9E+00
394	3.3105	5.42E-02	1.8E-01	1.05E-03	1.88E-04	3.32E-01	1.57E-01	9.78E-06	1.0E+06	9.8E+00
395	2.91282	5.42E-02	1.6E-01	1.05E-03	1.65E-04	3.32E-01	1.57E-01	8.60E-06	1.0E+06	8.6E+00
396	2.55551	5.42E-02	1.4E-01	1.05E-03	1.45E-04	3.32E-01	1.57E-01	7.55E-06	1.0E+06	7.5E+00
397	2.04418	5.42E-02	1.1E-01	1.05E-03	1.16E-04	3.32E-01	1.57E-01	6.04E-06	1.0E+06	6.0E+00
398	1.60012	5.42E-02	8.7E-02	1.05E-03	9.07E-05	3.32E-01	1.57E-01	4.73E-06	1.0E+06	4.7E+00
399	1.27678	5.42E-02	6.9E-02	1.05E-03	7.24E-05	3.32E-01	1.57E-01	3.77E-06	1.0E+06	3.8E+00
400	0.99864	5.42E-02	5.4E-02	1.05E-03	5.66E-05	3.32E-01	1.57E-01	2.95E-06	1.0E+06	2.9E+00
401	0.7939	5.42E-02	4.3E-02	1.05E-03	4.50E-05	3.32E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
402	0.51625	5.42E-02	2.8E-02	1.05E-03	2.93E-05	3.32E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
403	1.06396	5.42E-02	5.8E-02	1.05E-03	6.03E-05	3.32E-01	1.57E-01	3.14E-06	1.0E+06	3.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.53137	5.42E-02	2.9E-02	1.05E-03	3.01E-05	3.32E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
405	0.43135	5.42E-02	2.3E-02	1.05E-03	2.45E-05	3.32E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
406	1.05891	5.42E-02	5.7E-02	1.05E-03	6.00E-05	3.32E-01	1.57E-01	3.13E-06	1.0E+06	3.1E+00
407	0.41789	5.42E-02	2.3E-02	1.05E-03	2.37E-05	3.32E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
408	1.00415	5.42E-02	5.4E-02	1.05E-03	5.69E-05	3.32E-01	1.57E-01	2.97E-06	1.0E+06	3.0E+00
409	0.40251	5.42E-02	2.2E-02	1.05E-03	2.28E-05	3.32E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
410	0.92328	5.42E-02	5.0E-02	1.05E-03	5.23E-05	3.32E-01	1.57E-01	2.73E-06	1.0E+06	2.7E+00
411	0.46728	5.42E-02	2.5E-02	1.05E-03	2.65E-05	3.32E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
412	0.39358	5.42E-02	2.1E-02	1.05E-03	2.23E-05	3.32E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
413	0.83985	5.42E-02	4.6E-02	1.05E-03	4.76E-05	3.32E-01	1.57E-01	2.48E-06	1.0E+06	2.5E+00
414	0.53129	5.42E-02	2.9E-02	1.05E-03	3.01E-05	3.32E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
415	0.44137	5.42E-02	2.4E-02	1.05E-03	2.50E-05	3.32E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
416	0.3746	5.42E-02	2.0E-02	1.05E-03	2.12E-05	3.32E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
417	0.764	5.42E-02	4.1E-02	1.05E-03	4.33E-05	3.32E-01	1.57E-01	2.26E-06	1.0E+06	2.3E+00
418	0.41536	5.42E-02	2.3E-02	1.05E-03	2.35E-05	3.32E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
419	0.35519	5.42E-02	1.9E-02	1.05E-03	2.01E-05	3.32E-01	1.57E-01	1.05E-06	1.0E+06	1.0E+00
420	0.30691	5.42E-02	1.7E-02	1.05E-03	1.74E-05	3.32E-01	1.57E-01	9.06E-07	1.0E+06	9.1E-01
421	0.69682	5.42E-02	3.8E-02	1.05E-03	3.95E-05	3.32E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
422	0.33554	5.42E-02	1.8E-02	1.05E-03	1.90E-05	3.32E-01	1.57E-01	9.91E-07	1.0E+06	9.9E-01
423	0.29285	5.42E-02	1.6E-02	1.05E-03	1.66E-05	3.32E-01	1.57E-01	8.65E-07	1.0E+06	8.6E-01
424	0.63653	5.42E-02	3.5E-02	1.05E-03	3.61E-05	3.32E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
425	0.27805	5.42E-02	1.5E-02	1.05E-03	1.58E-05	3.32E-01	1.57E-01	8.21E-07	1.0E+06	8.2E-01
426	0.2461	5.42E-02	1.3E-02	1.05E-03	1.40E-05	3.32E-01	1.57E-01	7.27E-07	1.0E+06	7.3E-01
427	0.58149	5.42E-02	3.2E-02	1.05E-03	3.30E-05	3.32E-01	1.57E-01	1.72E-06	1.0E+06	1.7E+00
428	0.26331	5.42E-02	1.4E-02	1.05E-03	1.49E-05	3.32E-01	1.57E-01	7.78E-07	1.0E+06	7.8E-01
429	0.23466	5.42E-02	1.3E-02	1.05E-03	1.33E-05	3.32E-01	1.57E-01	6.93E-07	1.0E+06	6.9E-01
430	0.53238	5.42E-02	2.9E-02	1.05E-03	3.02E-05	3.32E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
431	0.22324	5.42E-02	1.2E-02	1.05E-03	1.27E-05	3.32E-01	1.57E-01	6.59E-07	1.0E+06	6.6E-01
432	0.19965	5.42E-02	1.1E-02	1.05E-03	1.13E-05	3.32E-01	1.57E-01	5.90E-07	1.0E+06	5.9E-01
433	0.48697	5.42E-02	2.6E-02	1.05E-03	2.76E-05	3.32E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
434	0.21223	5.42E-02	1.2E-02	1.05E-03	1.20E-05	3.32E-01	1.57E-01	6.27E-07	1.0E+06	6.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.19185	5.42E-02	1.0E-02	1.05E-03	1.09E-05	3.32E-01	1.57E-01	5.67E-07	1.0E+06	5.7E-01
436	0.44624	5.42E-02	2.4E-02	1.05E-03	2.53E-05	3.32E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
437	0.22439	5.42E-02	1.2E-02	1.05E-03	1.27E-05	3.32E-01	1.57E-01	6.63E-07	1.0E+06	6.6E-01
438	0.20209	5.42E-02	1.1E-02	1.05E-03	1.15E-05	3.32E-01	1.57E-01	5.97E-07	1.0E+06	6.0E-01
439	0.18334	5.42E-02	9.9E-03	1.05E-03	1.04E-05	3.32E-01	1.57E-01	5.41E-07	1.0E+06	5.4E-01
440	0.40907	5.42E-02	2.2E-02	1.05E-03	2.32E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
441	0.27118	5.42E-02	1.5E-02	1.05E-03	1.54E-05	3.32E-01	1.57E-01	8.01E-07	1.0E+06	8.0E-01
442	0.23821	5.42E-02	1.3E-02	1.05E-03	1.35E-05	3.32E-01	1.57E-01	7.03E-07	1.0E+06	7.0E-01
443	0.21314	5.42E-02	1.2E-02	1.05E-03	1.21E-05	3.32E-01	1.57E-01	6.29E-07	1.0E+06	6.3E-01
444	0.19231	5.42E-02	1.0E-02	1.05E-03	1.09E-05	3.32E-01	1.57E-01	5.68E-07	1.0E+06	5.7E-01
445	0.37579	5.42E-02	2.0E-02	1.05E-03	2.13E-05	3.32E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
446	0.28688	5.42E-02	1.6E-02	1.05E-03	1.63E-05	3.32E-01	1.57E-01	8.47E-07	1.0E+06	8.5E-01
447	0.25315	5.42E-02	1.4E-02	1.05E-03	1.44E-05	3.32E-01	1.57E-01	7.48E-07	1.0E+06	7.5E-01
448	0.22535	5.42E-02	1.2E-02	1.05E-03	1.28E-05	3.32E-01	1.57E-01	6.65E-07	1.0E+06	6.7E-01
449	0.34584	5.42E-02	1.9E-02	1.05E-03	1.96E-05	3.32E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
450	0.30476	5.42E-02	1.7E-02	1.05E-03	1.73E-05	3.32E-01	1.57E-01	9.00E-07	1.0E+06	9.0E-01
451	0.26899	5.42E-02	1.5E-02	1.05E-03	1.52E-05	3.32E-01	1.57E-01	7.94E-07	1.0E+06	7.9E-01
452	0.31885	5.42E-02	1.7E-02	1.05E-03	1.81E-05	3.32E-01	1.57E-01	9.42E-07	1.0E+06	9.4E-01
453	0.28372	5.42E-02	1.5E-02	1.05E-03	1.61E-05	3.32E-01	1.57E-01	8.38E-07	1.0E+06	8.4E-01
454	0.15144	5.42E-02	8.2E-03	1.05E-03	8.58E-06	3.32E-01	1.57E-01	4.47E-07	1.0E+06	4.5E-01
455	0.14078	5.42E-02	7.6E-03	1.05E-03	7.98E-06	3.32E-01	1.57E-01	4.16E-07	1.0E+06	4.2E-01
456	0.29447	5.42E-02	1.6E-02	1.05E-03	1.67E-05	3.32E-01	1.57E-01	8.70E-07	1.0E+06	8.7E-01
457	0.26431	5.42E-02	1.4E-02	1.05E-03	1.50E-05	3.32E-01	1.57E-01	7.81E-07	1.0E+06	7.8E-01
458	0.23625	5.42E-02	1.3E-02	1.05E-03	1.34E-05	3.32E-01	1.57E-01	6.98E-07	1.0E+06	7.0E-01
459	0.1733	5.42E-02	9.4E-03	1.05E-03	9.82E-06	3.32E-01	1.57E-01	5.12E-07	1.0E+06	5.1E-01
460	0.15877	5.42E-02	8.6E-03	1.05E-03	9.00E-06	3.32E-01	1.57E-01	4.69E-07	1.0E+06	4.7E-01
461	0.14598	5.42E-02	7.9E-03	1.05E-03	8.28E-06	3.32E-01	1.57E-01	4.31E-07	1.0E+06	4.3E-01
462	0.1348	5.42E-02	7.3E-03	1.05E-03	7.64E-06	3.32E-01	1.57E-01	3.98E-07	1.0E+06	4.0E-01
463	1.839	5.42E-02	1.0E-01	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.43E-06	1.0E+06	5.4E+00
464	1.26957	5.42E-02	6.9E-02	1.05E-03	7.20E-05	3.32E-01	1.57E-01	3.75E-06	1.0E+06	3.7E+00
465	1.59928	5.42E-02	8.7E-02	1.05E-03	9.07E-05	3.32E-01	1.57E-01	4.72E-06	1.0E+06	4.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	1.09342	5.42E-02	5.9E-02	1.05E-03	6.20E-05	3.32E-01	1.57E-01	3.23E-06	1.0E+06	3.2E+00
467	1.16993	5.42E-02	6.3E-02	1.05E-03	6.63E-05	3.32E-01	1.57E-01	3.45E-06	1.0E+06	3.5E+00
468	1.0327	5.42E-02	5.6E-02	1.05E-03	5.85E-05	3.32E-01	1.57E-01	3.05E-06	1.0E+06	3.0E+00
469	0.90979	5.42E-02	4.9E-02	1.05E-03	5.16E-05	3.32E-01	1.57E-01	2.69E-06	1.0E+06	2.7E+00
470	1.01077	5.42E-02	5.5E-02	1.05E-03	5.73E-05	3.32E-01	1.57E-01	2.98E-06	1.0E+06	3.0E+00
471	0.8602	5.42E-02	4.7E-02	1.05E-03	4.88E-05	3.32E-01	1.57E-01	2.54E-06	1.0E+06	2.5E+00
472	0.86823	5.42E-02	4.7E-02	1.05E-03	4.92E-05	3.32E-01	1.57E-01	2.56E-06	1.0E+06	2.6E+00
473	0.71059	5.42E-02	3.9E-02	1.05E-03	4.03E-05	3.32E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
474	0.74975	5.42E-02	4.1E-02	1.05E-03	4.25E-05	3.32E-01	1.57E-01	2.21E-06	1.0E+06	2.2E+00
475	0.63154	5.42E-02	3.4E-02	1.05E-03	3.58E-05	3.32E-01	1.57E-01	1.86E-06	1.0E+06	1.9E+00
476	0.65398	5.42E-02	3.5E-02	1.05E-03	3.71E-05	3.32E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
477	0.56323	5.42E-02	3.1E-02	1.05E-03	3.19E-05	3.32E-01	1.57E-01	1.66E-06	1.0E+06	1.7E+00
478	0.57492	5.42E-02	3.1E-02	1.05E-03	3.26E-05	3.32E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
479	0.50322	5.42E-02	2.7E-02	1.05E-03	2.85E-05	3.32E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
480	0.43536	5.42E-02	2.4E-02	1.05E-03	2.47E-05	3.32E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
481	0.50912	5.42E-02	2.8E-02	1.05E-03	2.89E-05	3.32E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
482	0.39729	5.42E-02	2.2E-02	1.05E-03	2.25E-05	3.32E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
483	0.40834	5.42E-02	2.2E-02	1.05E-03	2.31E-05	3.32E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
484	0.36317	5.42E-02	2.0E-02	1.05E-03	2.06E-05	3.32E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.20003	1.93441E-05	3.9E-06	1.05E-03	4.04E-09	3.32E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
2	2	0.21048	1.93441E-05	4.1E-06	1.05E-03	4.26E-09	3.32E-01	1.57E-01	2.22E-10	1.0E+06	2.2E-04
3	3	0.22157	1.93441E-05	4.3E-06	1.05E-03	4.48E-09	3.32E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
4	4	0.23364	1.93441E-05	4.5E-06	1.05E-03	4.72E-09	3.32E-01	1.57E-01	2.46E-10	1.0E+06	2.5E-04
5	5	0.24542	1.93441E-05	4.7E-06	1.05E-03	4.96E-09	3.32E-01	1.57E-01	2.58E-10	1.0E+06	2.6E-04
6	6	0.26211	1.93441E-05	5.1E-06	1.05E-03	5.30E-09	3.32E-01	1.57E-01	2.76E-10	1.0E+06	2.8E-04
7	7	0.2796	1.93441E-05	5.4E-06	1.05E-03	5.65E-09	3.32E-01	1.57E-01	2.94E-10	1.0E+06	2.9E-04
8	8	0.29959	1.93441E-05	5.8E-06	1.05E-03	6.06E-09	3.32E-01	1.57E-01	3.16E-10	1.0E+06	3.2E-04
9	9	0.31965	1.93441E-05	6.2E-06	1.05E-03	6.46E-09	3.32E-01	1.57E-01	3.37E-10	1.0E+06	3.4E-04
10	10	0.34185	1.93441E-05	6.6E-06	1.05E-03	6.91E-09	3.32E-01	1.57E-01	3.60E-10	1.0E+06	3.6E-04
11	11	0.36846	1.93441E-05	7.1E-06	1.05E-03	7.45E-09	3.32E-01	1.57E-01	3.88E-10	1.0E+06	3.9E-04
12	12	0.39225	1.93441E-05	7.6E-06	1.05E-03	7.93E-09	3.32E-01	1.57E-01	4.13E-10	1.0E+06	4.1E-04
13	13	0.41513	1.93441E-05	8.0E-06	1.05E-03	8.39E-09	3.32E-01	1.57E-01	4.37E-10	1.0E+06	4.4E-04
14	14	0.46493	1.93441E-05	9.0E-06	1.05E-03	9.40E-09	3.32E-01	1.57E-01	4.90E-10	1.0E+06	4.9E-04
15	15	0.22471	1.93441E-05	4.3E-06	1.05E-03	4.54E-09	3.32E-01	1.57E-01	2.37E-10	1.0E+06	2.4E-04
16	16	0.23739	1.93441E-05	4.6E-06	1.05E-03	4.80E-09	3.32E-01	1.57E-01	2.50E-10	1.0E+06	2.5E-04
17	17	0.2523	1.93441E-05	4.9E-06	1.05E-03	5.10E-09	3.32E-01	1.57E-01	2.66E-10	1.0E+06	2.7E-04
18	18	0.26765	1.93441E-05	5.2E-06	1.05E-03	5.41E-09	3.32E-01	1.57E-01	2.82E-10	1.0E+06	2.8E-04
19	19	0.28279	1.93441E-05	5.5E-06	1.05E-03	5.72E-09	3.32E-01	1.57E-01	2.98E-10	1.0E+06	3.0E-04
20	20	0.30008	1.93441E-05	5.8E-06	1.05E-03	6.07E-09	3.32E-01	1.57E-01	3.16E-10	1.0E+06	3.2E-04
21	21	0.32065	1.93441E-05	6.2E-06	1.05E-03	6.48E-09	3.32E-01	1.57E-01	3.38E-10	1.0E+06	3.4E-04
22	22	0.34283	1.93441E-05	6.6E-06	1.05E-03	6.93E-09	3.32E-01	1.57E-01	3.61E-10	1.0E+06	3.6E-04
23	23	0.37162	1.93441E-05	7.2E-06	1.05E-03	7.51E-09	3.32E-01	1.57E-01	3.91E-10	1.0E+06	3.9E-04
24	24	0.39765	1.93441E-05	7.7E-06	1.05E-03	8.04E-09	3.32E-01	1.57E-01	4.19E-10	1.0E+06	4.2E-04
25	25	0.43268	1.93441E-05	8.4E-06	1.05E-03	8.75E-09	3.32E-01	1.57E-01	4.56E-10	1.0E+06	4.6E-04
26	26	0.46555	1.93441E-05	9.0E-06	1.05E-03	9.41E-09	3.32E-01	1.57E-01	4.90E-10	1.0E+06	4.9E-04
27	27	0.49037	1.93441E-05	9.5E-06	1.05E-03	9.91E-09	3.32E-01	1.57E-01	5.16E-10	1.0E+06	5.2E-04
28	28	0.55834	1.93441E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.88E-10	1.0E+06	5.9E-04
29	29	0.24881	1.93441E-05	4.8E-06	1.05E-03	5.03E-09	3.32E-01	1.57E-01	2.62E-10	1.0E+06	2.6E-04
30	30	0.26699	1.93441E-05	5.2E-06	1.05E-03	5.40E-09	3.32E-01	1.57E-01	2.81E-10	1.0E+06	2.8E-04
31	31	0.28715	1.93441E-05	5.6E-06	1.05E-03	5.81E-09	3.32E-01	1.57E-01	3.02E-10	1.0E+06	3.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.30866	1.93441E-05	6.0E-06	1.05E-03	6.24E-09	3.32E-01	1.57E-01	3.25E-10	1.0E+06	3.3E-04
33	33	0.3271	1.93441E-05	6.3E-06	1.05E-03	6.61E-09	3.32E-01	1.57E-01	3.45E-10	1.0E+06	3.4E-04
34	34	0.35121	1.93441E-05	6.8E-06	1.05E-03	7.10E-09	3.32E-01	1.57E-01	3.70E-10	1.0E+06	3.7E-04
35	35	0.37543	1.93441E-05	7.3E-06	1.05E-03	7.59E-09	3.32E-01	1.57E-01	3.95E-10	1.0E+06	4.0E-04
36	36	0.403	1.93441E-05	7.8E-06	1.05E-03	8.15E-09	3.32E-01	1.57E-01	4.24E-10	1.0E+06	4.2E-04
37	37	0.43822	1.93441E-05	8.5E-06	1.05E-03	8.86E-09	3.32E-01	1.57E-01	4.62E-10	1.0E+06	4.6E-04
38	38	0.47665	1.93441E-05	9.2E-06	1.05E-03	9.64E-09	3.32E-01	1.57E-01	5.02E-10	1.0E+06	5.0E-04
39	39	0.5176	1.93441E-05	1.0E-05	1.05E-03	1.05E-08	3.32E-01	1.57E-01	5.45E-10	1.0E+06	5.5E-04
40	40	0.55684	1.93441E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.86E-10	1.0E+06	5.9E-04
41	41	0.59224	1.93441E-05	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
42	42	0.683	1.93441E-05	1.3E-05	1.05E-03	1.38E-08	3.32E-01	1.57E-01	7.19E-10	1.0E+06	7.2E-04
43	43	0.27009	1.93441E-05	5.2E-06	1.05E-03	5.46E-09	3.32E-01	1.57E-01	2.84E-10	1.0E+06	2.8E-04
44	44	0.29306	1.93441E-05	5.7E-06	1.05E-03	5.93E-09	3.32E-01	1.57E-01	3.09E-10	1.0E+06	3.1E-04
45	45	0.32036	1.93441E-05	6.2E-06	1.05E-03	6.48E-09	3.32E-01	1.57E-01	3.37E-10	1.0E+06	3.4E-04
46	46	0.35055	1.93441E-05	6.8E-06	1.05E-03	7.09E-09	3.32E-01	1.57E-01	3.69E-10	1.0E+06	3.7E-04
47	47	0.38002	1.93441E-05	7.4E-06	1.05E-03	7.68E-09	3.32E-01	1.57E-01	4.00E-10	1.0E+06	4.0E-04
48	48	0.41164	1.93441E-05	8.0E-06	1.05E-03	8.32E-09	3.32E-01	1.57E-01	4.34E-10	1.0E+06	4.3E-04
49	49	0.44248	1.93441E-05	8.6E-06	1.05E-03	8.95E-09	3.32E-01	1.57E-01	4.66E-10	1.0E+06	4.7E-04
50	50	0.47634	1.93441E-05	9.2E-06	1.05E-03	9.63E-09	3.32E-01	1.57E-01	5.02E-10	1.0E+06	5.0E-04
51	51	0.52777	1.93441E-05	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.56E-10	1.0E+06	5.6E-04
52	52	0.5787	1.93441E-05	1.1E-05	1.05E-03	1.17E-08	3.32E-01	1.57E-01	6.10E-10	1.0E+06	6.1E-04
53	53	0.63202	1.93441E-05	1.2E-05	1.05E-03	1.28E-08	3.32E-01	1.57E-01	6.66E-10	1.0E+06	6.7E-04
54	54	0.68865	1.93441E-05	1.3E-05	1.05E-03	1.39E-08	3.32E-01	1.57E-01	7.25E-10	1.0E+06	7.3E-04
55	55	0.73787	1.93441E-05	1.4E-05	1.05E-03	1.49E-08	3.32E-01	1.57E-01	7.77E-10	1.0E+06	7.8E-04
56	56	0.85184	1.93441E-05	1.6E-05	1.05E-03	1.72E-08	3.32E-01	1.57E-01	8.97E-10	1.0E+06	9.0E-04
57	57	0.288	1.93441E-05	5.6E-06	1.05E-03	5.82E-09	3.32E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
58	58	0.31844	1.93441E-05	6.2E-06	1.05E-03	6.44E-09	3.32E-01	1.57E-01	3.35E-10	1.0E+06	3.4E-04
59	59	0.35465	1.93441E-05	6.9E-06	1.05E-03	7.17E-09	3.32E-01	1.57E-01	3.74E-10	1.0E+06	3.7E-04
60	60	0.39468	1.93441E-05	7.6E-06	1.05E-03	7.98E-09	3.32E-01	1.57E-01	4.16E-10	1.0E+06	4.2E-04
61	61	0.43924	1.93441E-05	8.5E-06	1.05E-03	8.88E-09	3.32E-01	1.57E-01	4.63E-10	1.0E+06	4.6E-04
62	62	0.48662	1.93441E-05	9.4E-06	1.05E-03	9.84E-09	3.32E-01	1.57E-01	5.13E-10	1.0E+06	5.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.54159	1.93441E-05	1.0E-05	1.05E-03	1.10E-08	3.32E-01	1.57E-01	5.70E-10	1.0E+06	5.7E-04
64	64	0.5853	1.93441E-05	1.1E-05	1.05E-03	1.18E-08	3.32E-01	1.57E-01	6.16E-10	1.0E+06	6.2E-04
65	65	0.65231	1.93441E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.87E-10	1.0E+06	6.9E-04
66	66	0.72833	1.93441E-05	1.4E-05	1.05E-03	1.47E-08	3.32E-01	1.57E-01	7.67E-10	1.0E+06	7.7E-04
67	67	0.79913	1.93441E-05	1.5E-05	1.05E-03	1.62E-08	3.32E-01	1.57E-01	8.42E-10	1.0E+06	8.4E-04
68	68	0.88145	1.93441E-05	1.7E-05	1.05E-03	1.78E-08	3.32E-01	1.57E-01	9.28E-10	1.0E+06	9.3E-04
69	69	0.95901	1.93441E-05	1.9E-05	1.05E-03	1.94E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
70	70	0.30686	1.93441E-05	5.9E-06	1.05E-03	6.20E-09	3.32E-01	1.57E-01	3.23E-10	1.0E+06	3.2E-04
71	71	0.3434	1.93441E-05	6.6E-06	1.05E-03	6.94E-09	3.32E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
72	72	0.38894	1.93441E-05	7.5E-06	1.05E-03	7.86E-09	3.32E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
73	73	0.43996	1.93441E-05	8.5E-06	1.05E-03	8.90E-09	3.32E-01	1.57E-01	4.63E-10	1.0E+06	4.6E-04
74	74	0.50122	1.93441E-05	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.28E-10	1.0E+06	5.3E-04
75	75	0.57007	1.93441E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	6.00E-10	1.0E+06	6.0E-04
76	76	0.65265	1.93441E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.87E-10	1.0E+06	6.9E-04
77	77	0.73973	1.93441E-05	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.79E-10	1.0E+06	7.8E-04
78	78	0.84415	1.93441E-05	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.89E-10	1.0E+06	8.9E-04
79	79	0.97232	1.93441E-05	1.9E-05	1.05E-03	1.97E-08	3.32E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
80	80	1.08089	1.93441E-05	2.1E-05	1.05E-03	2.19E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
81	81	1.20475	1.93441E-05	2.3E-05	1.05E-03	2.44E-08	3.32E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
82	82	1.29954	1.93441E-05	2.5E-05	1.05E-03	2.63E-08	3.32E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03
83	83	0.32423	1.93441E-05	6.3E-06	1.05E-03	6.56E-09	3.32E-01	1.57E-01	3.41E-10	1.0E+06	3.4E-04
84	84	0.37156	1.93441E-05	7.2E-06	1.05E-03	7.51E-09	3.32E-01	1.57E-01	3.91E-10	1.0E+06	3.9E-04
85	85	0.42797	1.93441E-05	8.3E-06	1.05E-03	8.65E-09	3.32E-01	1.57E-01	4.51E-10	1.0E+06	4.5E-04
86	86	0.48343	1.93441E-05	9.4E-06	1.05E-03	9.77E-09	3.32E-01	1.57E-01	5.09E-10	1.0E+06	5.1E-04
87	87	0.56028	1.93441E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.90E-10	1.0E+06	5.9E-04
88	88	0.65505	1.93441E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.90E-10	1.0E+06	6.9E-04
89	89	0.77416	1.93441E-05	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.15E-10	1.0E+06	8.2E-04
90	90	0.92147	1.93441E-05	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.71E-10	1.0E+06	9.7E-04
91	91	1.09788	1.93441E-05	2.1E-05	1.05E-03	2.22E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
92	92	1.29396	1.93441E-05	2.5E-05	1.05E-03	2.62E-08	3.32E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
93	93	1.49734	1.93441E-05	2.9E-05	1.05E-03	3.03E-08	3.32E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	1.68288	1.93441E-05	3.3E-05	1.05E-03	3.40E-08	3.32E-01	1.57E-01	1.77E-09	1.0E+06	1.8E-03
95	95	1.83845	1.93441E-05	3.6E-05	1.05E-03	3.72E-08	3.32E-01	1.57E-01	1.94E-09	1.0E+06	1.9E-03
96	96	0.34053	1.93441E-05	6.6E-06	1.05E-03	6.89E-09	3.32E-01	1.57E-01	3.59E-10	1.0E+06	3.6E-04
97	97	0.39564	1.93441E-05	7.7E-06	1.05E-03	8.00E-09	3.32E-01	1.57E-01	4.17E-10	1.0E+06	4.2E-04
98	98	0.45707	1.93441E-05	8.8E-06	1.05E-03	9.24E-09	3.32E-01	1.57E-01	4.81E-10	1.0E+06	4.8E-04
99	99	0.52984	1.93441E-05	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.58E-10	1.0E+06	5.6E-04
100	100	0.62102	1.93441E-05	1.2E-05	1.05E-03	1.26E-08	3.32E-01	1.57E-01	6.54E-10	1.0E+06	6.5E-04
101	101	0.74954	1.93441E-05	1.4E-05	1.05E-03	1.52E-08	3.32E-01	1.57E-01	7.89E-10	1.0E+06	7.9E-04
102	102	0.9207	1.93441E-05	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.70E-10	1.0E+06	9.7E-04
103	103	1.15133	1.93441E-05	2.2E-05	1.05E-03	2.33E-08	3.32E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
104	104	1.45685	1.93441E-05	2.8E-05	1.05E-03	2.95E-08	3.32E-01	1.57E-01	1.53E-09	1.0E+06	1.5E-03
105	105	1.83231	1.93441E-05	3.5E-05	1.05E-03	3.70E-08	3.32E-01	1.57E-01	1.93E-09	1.0E+06	1.9E-03
106	106	2.21146	1.93441E-05	4.3E-05	1.05E-03	4.47E-08	3.32E-01	1.57E-01	2.33E-09	1.0E+06	2.3E-03
107	107	2.54401	1.93441E-05	4.9E-05	1.05E-03	5.14E-08	3.32E-01	1.57E-01	2.68E-09	1.0E+06	2.7E-03
108	108	2.80332	1.93441E-05	5.4E-05	1.05E-03	5.67E-08	3.32E-01	1.57E-01	2.95E-09	1.0E+06	3.0E-03
109	109	0.34956	1.93441E-05	6.8E-06	1.05E-03	7.07E-09	3.32E-01	1.57E-01	3.68E-10	1.0E+06	3.7E-04
110	110	0.39954	1.93441E-05	7.7E-06	1.05E-03	8.08E-09	3.32E-01	1.57E-01	4.21E-10	1.0E+06	4.2E-04
111	111	0.46555	1.93441E-05	9.0E-06	1.05E-03	9.41E-09	3.32E-01	1.57E-01	4.90E-10	1.0E+06	4.9E-04
112	112	0.55076	1.93441E-05	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.80E-10	1.0E+06	5.8E-04
113	113	0.66926	1.93441E-05	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.05E-10	1.0E+06	7.0E-04
114	114	0.83687	1.93441E-05	1.6E-05	1.05E-03	1.69E-08	3.32E-01	1.57E-01	8.81E-10	1.0E+06	8.8E-04
115	115	1.08518	1.93441E-05	2.1E-05	1.05E-03	2.19E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
116	116	1.46913	1.93441E-05	2.8E-05	1.05E-03	2.97E-08	3.32E-01	1.57E-01	1.55E-09	1.0E+06	1.5E-03
117	117	2.06017	1.93441E-05	4.0E-05	1.05E-03	4.17E-08	3.32E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
118	118	2.58852	1.93441E-05	5.0E-05	1.05E-03	5.23E-08	3.32E-01	1.57E-01	2.73E-09	1.0E+06	2.7E-03
119	119	3.34958	1.93441E-05	6.5E-05	1.05E-03	6.77E-08	3.32E-01	1.57E-01	3.53E-09	1.0E+06	3.5E-03
120	120	3.86121	1.93441E-05	7.5E-05	1.05E-03	7.81E-08	3.32E-01	1.57E-01	4.07E-09	1.0E+06	4.1E-03
121	121	4.12512	1.93441E-05	8.0E-05	1.05E-03	8.34E-08	3.32E-01	1.57E-01	4.34E-09	1.0E+06	4.3E-03
122	122	0.34293	1.93441E-05	6.6E-06	1.05E-03	6.93E-09	3.32E-01	1.57E-01	3.61E-10	1.0E+06	3.6E-04
123	123	0.39692	1.93441E-05	7.7E-06	1.05E-03	8.03E-09	3.32E-01	1.57E-01	4.18E-10	1.0E+06	4.2E-04
124	124	0.46516	1.93441E-05	9.0E-06	1.05E-03	9.40E-09	3.32E-01	1.57E-01	4.90E-10	1.0E+06	4.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.55977	1.93441E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.90E-10	1.0E+06	5.9E-04
126	126	0.69198	1.93441E-05	1.3E-05	1.05E-03	1.40E-08	3.32E-01	1.57E-01	7.29E-10	1.0E+06	7.3E-04
127	127	0.89036	1.93441E-05	1.7E-05	1.05E-03	1.80E-08	3.32E-01	1.57E-01	9.38E-10	1.0E+06	9.4E-04
128	128	1.19972	1.93441E-05	2.3E-05	1.05E-03	2.43E-08	3.32E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03
129	129	1.78635	1.93441E-05	3.5E-05	1.05E-03	3.61E-08	3.32E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
130	130	3.19875	1.93441E-05	6.2E-05	1.05E-03	6.47E-08	3.32E-01	1.57E-01	3.37E-09	1.0E+06	3.4E-03
131	131	11.50442	1.93441E-05	2.2E-04	1.05E-03	2.33E-07	3.32E-01	1.57E-01	1.21E-08	1.0E+06	1.2E-02
132	132	10.08771	1.93441E-05	2.0E-04	1.05E-03	2.04E-07	3.32E-01	1.57E-01	1.06E-08	1.0E+06	1.1E-02
133	133	0.32342	1.93441E-05	6.3E-06	1.05E-03	6.54E-09	3.32E-01	1.57E-01	3.41E-10	1.0E+06	3.4E-04
134	134	0.3817	1.93441E-05	7.4E-06	1.05E-03	7.72E-09	3.32E-01	1.57E-01	4.02E-10	1.0E+06	4.0E-04
135	135	0.45276	1.93441E-05	8.8E-06	1.05E-03	9.15E-09	3.32E-01	1.57E-01	4.77E-10	1.0E+06	4.8E-04
136	136	0.54697	1.93441E-05	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.76E-10	1.0E+06	5.8E-04
137	137	0.68186	1.93441E-05	1.3E-05	1.05E-03	1.38E-08	3.32E-01	1.57E-01	7.18E-10	1.0E+06	7.2E-04
138	138	0.88467	1.93441E-05	1.7E-05	1.05E-03	1.79E-08	3.32E-01	1.57E-01	9.32E-10	1.0E+06	9.3E-04
139	139	1.21331	1.93441E-05	2.3E-05	1.05E-03	2.45E-08	3.32E-01	1.57E-01	1.28E-09	1.0E+06	1.3E-03
140	140	1.92465	1.93441E-05	3.7E-05	1.05E-03	3.89E-08	3.32E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
141	141	4.09389	1.93441E-05	7.9E-05	1.05E-03	8.28E-08	3.32E-01	1.57E-01	4.31E-09	1.0E+06	4.3E-03
142	142	9.87173	1.93441E-05	1.9E-04	1.05E-03	2.00E-07	3.32E-01	1.57E-01	1.04E-08	1.0E+06	1.0E-02
143	143	12.01227	1.93441E-05	2.3E-04	1.05E-03	2.43E-07	3.32E-01	1.57E-01	1.27E-08	1.0E+06	1.3E-02
144	144	14.46782	1.93441E-05	2.8E-04	1.05E-03	2.93E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
145	145	13.83902	1.93441E-05	2.7E-04	1.05E-03	2.80E-07	3.32E-01	1.57E-01	1.46E-08	1.0E+06	1.5E-02
146	146	13.45848	1.93441E-05	2.6E-04	1.05E-03	2.72E-07	3.32E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02
147	147	0.29996	1.93441E-05	5.8E-06	1.05E-03	6.06E-09	3.32E-01	1.57E-01	3.16E-10	1.0E+06	3.2E-04
148	148	0.35407	1.93441E-05	6.8E-06	1.05E-03	7.16E-09	3.32E-01	1.57E-01	3.73E-10	1.0E+06	3.7E-04
149	149	0.42452	1.93441E-05	8.2E-06	1.05E-03	8.58E-09	3.32E-01	1.57E-01	4.47E-10	1.0E+06	4.5E-04
150	150	0.51465	1.93441E-05	1.0E-05	1.05E-03	1.04E-08	3.32E-01	1.57E-01	5.42E-10	1.0E+06	5.4E-04
151	151	0.64337	1.93441E-05	1.2E-05	1.05E-03	1.30E-08	3.32E-01	1.57E-01	6.78E-10	1.0E+06	6.8E-04
152	152	0.82511	1.93441E-05	1.6E-05	1.05E-03	1.67E-08	3.32E-01	1.57E-01	8.69E-10	1.0E+06	8.7E-04
153	153	1.11931	1.93441E-05	2.2E-05	1.05E-03	2.26E-08	3.32E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
154	154	1.68943	1.93441E-05	3.3E-05	1.05E-03	3.42E-08	3.32E-01	1.57E-01	1.78E-09	1.0E+06	1.8E-03
155	155	3.06058	1.93441E-05	5.9E-05	1.05E-03	6.19E-08	3.32E-01	1.57E-01	3.22E-09	1.0E+06	3.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	7.05041	1.93441E-05	1.4E-04	1.05E-03	1.43E-07	3.32E-01	1.57E-01	7.43E-09	1.0E+06	7.4E-03
157	157	10.30091	1.93441E-05	2.0E-04	1.05E-03	2.08E-07	3.32E-01	1.57E-01	1.08E-08	1.0E+06	1.1E-02
158	158	10.70348	1.93441E-05	2.1E-04	1.05E-03	2.16E-07	3.32E-01	1.57E-01	1.13E-08	1.0E+06	1.1E-02
159	159	11.46132	1.93441E-05	2.2E-04	1.05E-03	2.32E-07	3.32E-01	1.57E-01	1.21E-08	1.0E+06	1.2E-02
160	160	0.2825	1.93441E-05	5.5E-06	1.05E-03	5.71E-09	3.32E-01	1.57E-01	2.98E-10	1.0E+06	3.0E-04
161	161	0.32708	1.93441E-05	6.3E-06	1.05E-03	6.61E-09	3.32E-01	1.57E-01	3.45E-10	1.0E+06	3.4E-04
162	162	0.37981	1.93441E-05	7.3E-06	1.05E-03	7.68E-09	3.32E-01	1.57E-01	4.00E-10	1.0E+06	4.0E-04
163	163	0.46578	1.93441E-05	9.0E-06	1.05E-03	9.42E-09	3.32E-01	1.57E-01	4.91E-10	1.0E+06	4.9E-04
164	164	0.58832	1.93441E-05	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.20E-10	1.0E+06	6.2E-04
165	165	0.74465	1.93441E-05	1.4E-05	1.05E-03	1.51E-08	3.32E-01	1.57E-01	7.84E-10	1.0E+06	7.8E-04
166	166	0.98674	1.93441E-05	1.9E-05	1.05E-03	2.00E-08	3.32E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
167	167	1.38413	1.93441E-05	2.7E-05	1.05E-03	2.80E-08	3.32E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
168	168	2.11724	1.93441E-05	4.1E-05	1.05E-03	4.28E-08	3.32E-01	1.57E-01	2.23E-09	1.0E+06	2.2E-03
169	169	3.45214	1.93441E-05	6.7E-05	1.05E-03	6.98E-08	3.32E-01	1.57E-01	3.64E-09	1.0E+06	3.6E-03
170	170	4.7498	1.93441E-05	9.2E-05	1.05E-03	9.60E-08	3.32E-01	1.57E-01	5.00E-09	1.0E+06	5.0E-03
171	171	5.32989	1.93441E-05	1.0E-04	1.05E-03	1.08E-07	3.32E-01	1.57E-01	5.61E-09	1.0E+06	5.6E-03
172	172	5.59331	1.93441E-05	1.1E-04	1.05E-03	1.13E-07	3.32E-01	1.57E-01	5.89E-09	1.0E+06	5.9E-03
173	173	5.77214	1.93441E-05	1.1E-04	1.05E-03	1.17E-07	3.32E-01	1.57E-01	6.08E-09	1.0E+06	6.1E-03
174	174	5.98976	1.93441E-05	1.2E-04	1.05E-03	1.21E-07	3.32E-01	1.57E-01	6.31E-09	1.0E+06	6.3E-03
175	175	6.0359	1.93441E-05	1.2E-04	1.05E-03	1.22E-07	3.32E-01	1.57E-01	6.36E-09	1.0E+06	6.4E-03
176	176	5.91978	1.93441E-05	1.1E-04	1.05E-03	1.20E-07	3.32E-01	1.57E-01	6.24E-09	1.0E+06	6.2E-03
177	177	5.6789	1.93441E-05	1.1E-04	1.05E-03	1.15E-07	3.32E-01	1.57E-01	5.98E-09	1.0E+06	6.0E-03
178	178	5.23752	1.93441E-05	1.0E-04	1.05E-03	1.06E-07	3.32E-01	1.57E-01	5.52E-09	1.0E+06	5.5E-03
179	179	0.25936	1.93441E-05	5.0E-06	1.05E-03	5.24E-09	3.32E-01	1.57E-01	2.73E-10	1.0E+06	2.7E-04
180	180	0.29585	1.93441E-05	5.7E-06	1.05E-03	5.98E-09	3.32E-01	1.57E-01	3.12E-10	1.0E+06	3.1E-04
181	181	0.33571	1.93441E-05	6.5E-06	1.05E-03	6.79E-09	3.32E-01	1.57E-01	3.54E-10	1.0E+06	3.5E-04
182	182	0.41745	1.93441E-05	8.1E-06	1.05E-03	8.44E-09	3.32E-01	1.57E-01	4.40E-10	1.0E+06	4.4E-04
183	183	0.5359	1.93441E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.64E-10	1.0E+06	5.6E-04
184	184	0.66809	1.93441E-05	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.04E-10	1.0E+06	7.0E-04
185	185	0.85897	1.93441E-05	1.7E-05	1.05E-03	1.74E-08	3.32E-01	1.57E-01	9.05E-10	1.0E+06	9.0E-04
186	186	1.13465	1.93441E-05	2.2E-05	1.05E-03	2.29E-08	3.32E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	1.55887	1.93441E-05	3.0E-05	1.05E-03	3.15E-08	3.32E-01	1.57E-01	1.64E-09	1.0E+06	1.6E-03
188	188	2.19082	1.93441E-05	4.2E-05	1.05E-03	4.43E-08	3.32E-01	1.57E-01	2.31E-09	1.0E+06	2.3E-03
189	189	2.83274	1.93441E-05	5.5E-05	1.05E-03	5.73E-08	3.32E-01	1.57E-01	2.98E-09	1.0E+06	3.0E-03
190	190	3.24012	1.93441E-05	6.3E-05	1.05E-03	6.55E-08	3.32E-01	1.57E-01	3.41E-09	1.0E+06	3.4E-03
191	191	3.40203	1.93441E-05	6.6E-05	1.05E-03	6.88E-08	3.32E-01	1.57E-01	3.58E-09	1.0E+06	3.6E-03
192	192	3.47427	1.93441E-05	6.7E-05	1.05E-03	7.02E-08	3.32E-01	1.57E-01	3.66E-09	1.0E+06	3.7E-03
193	193	3.49986	1.93441E-05	6.8E-05	1.05E-03	7.08E-08	3.32E-01	1.57E-01	3.69E-09	1.0E+06	3.7E-03
194	194	3.58873	1.93441E-05	6.9E-05	1.05E-03	7.26E-08	3.32E-01	1.57E-01	3.78E-09	1.0E+06	3.8E-03
195	195	3.70115	1.93441E-05	7.2E-05	1.05E-03	7.48E-08	3.32E-01	1.57E-01	3.90E-09	1.0E+06	3.9E-03
196	196	3.54852	1.93441E-05	6.9E-05	1.05E-03	7.17E-08	3.32E-01	1.57E-01	3.74E-09	1.0E+06	3.7E-03
197	197	3.2637	1.93441E-05	6.3E-05	1.05E-03	6.60E-08	3.32E-01	1.57E-01	3.44E-09	1.0E+06	3.4E-03
198	198	0.2436	1.93441E-05	4.7E-06	1.05E-03	4.93E-09	3.32E-01	1.57E-01	2.57E-10	1.0E+06	2.6E-04
199	199	0.27744	1.93441E-05	5.4E-06	1.05E-03	5.61E-09	3.32E-01	1.57E-01	2.92E-10	1.0E+06	2.9E-04
200	200	0.31885	1.93441E-05	6.2E-06	1.05E-03	6.45E-09	3.32E-01	1.57E-01	3.36E-10	1.0E+06	3.4E-04
201	201	0.37874	1.93441E-05	7.3E-06	1.05E-03	7.66E-09	3.32E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
202	202	0.47958	1.93441E-05	9.3E-06	1.05E-03	9.70E-09	3.32E-01	1.57E-01	5.05E-10	1.0E+06	5.1E-04
203	203	0.59201	1.93441E-05	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
204	204	0.74054	1.93441E-05	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.80E-10	1.0E+06	7.8E-04
205	205	0.93608	1.93441E-05	1.8E-05	1.05E-03	1.89E-08	3.32E-01	1.57E-01	9.86E-10	1.0E+06	9.9E-04
206	206	1.20839	1.93441E-05	2.3E-05	1.05E-03	2.44E-08	3.32E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
207	207	1.56541	1.93441E-05	3.0E-05	1.05E-03	3.17E-08	3.32E-01	1.57E-01	1.65E-09	1.0E+06	1.6E-03
208	208	1.93327	1.93441E-05	3.7E-05	1.05E-03	3.91E-08	3.32E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
209	209	2.20856	1.93441E-05	4.3E-05	1.05E-03	4.47E-08	3.32E-01	1.57E-01	2.33E-09	1.0E+06	2.3E-03
210	210	2.35198	1.93441E-05	4.5E-05	1.05E-03	4.76E-08	3.32E-01	1.57E-01	2.48E-09	1.0E+06	2.5E-03
211	211	2.39624	1.93441E-05	4.6E-05	1.05E-03	4.84E-08	3.32E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
212	212	2.37383	1.93441E-05	4.6E-05	1.05E-03	4.80E-08	3.32E-01	1.57E-01	2.50E-09	1.0E+06	2.5E-03
213	213	2.29697	1.93441E-05	4.4E-05	1.05E-03	4.64E-08	3.32E-01	1.57E-01	2.42E-09	1.0E+06	2.4E-03
214	214	2.18233	1.93441E-05	4.2E-05	1.05E-03	4.41E-08	3.32E-01	1.57E-01	2.30E-09	1.0E+06	2.3E-03
215	215	2.42675	1.93441E-05	4.7E-05	1.05E-03	4.91E-08	3.32E-01	1.57E-01	2.56E-09	1.0E+06	2.6E-03
216	216	0.23253	1.93441E-05	4.5E-06	1.05E-03	4.70E-09	3.32E-01	1.57E-01	2.45E-10	1.0E+06	2.4E-04
217	217	0.26137	1.93441E-05	5.1E-06	1.05E-03	5.28E-09	3.32E-01	1.57E-01	2.75E-10	1.0E+06	2.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.2988	1.93441E-05	5.8E-06	1.05E-03	6.04E-09	3.32E-01	1.57E-01	3.15E-10	1.0E+06	3.1E-04
219	219	0.34791	1.93441E-05	6.7E-06	1.05E-03	7.03E-09	3.32E-01	1.57E-01	3.66E-10	1.0E+06	3.7E-04
220	220	0.42701	1.93441E-05	8.3E-06	1.05E-03	8.63E-09	3.32E-01	1.57E-01	4.50E-10	1.0E+06	4.5E-04
221	221	0.51265	1.93441E-05	9.9E-06	1.05E-03	1.04E-08	3.32E-01	1.57E-01	5.40E-10	1.0E+06	5.4E-04
222	222	0.6305	1.93441E-05	1.2E-05	1.05E-03	1.27E-08	3.32E-01	1.57E-01	6.64E-10	1.0E+06	6.6E-04
223	223	0.7728	1.93441E-05	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.14E-10	1.0E+06	8.1E-04
224	224	0.95637	1.93441E-05	1.9E-05	1.05E-03	1.93E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
225	225	1.17688	1.93441E-05	2.3E-05	1.05E-03	2.38E-08	3.32E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
226	226	1.41255	1.93441E-05	2.7E-05	1.05E-03	2.86E-08	3.32E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
227	227	1.60131	1.93441E-05	3.1E-05	1.05E-03	3.24E-08	3.32E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
228	228	1.71851	1.93441E-05	3.3E-05	1.05E-03	3.47E-08	3.32E-01	1.57E-01	1.81E-09	1.0E+06	1.8E-03
229	229	1.77015	1.93441E-05	3.4E-05	1.05E-03	3.58E-08	3.32E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
230	230	1.76285	1.93441E-05	3.4E-05	1.05E-03	3.56E-08	3.32E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
231	231	1.73164	1.93441E-05	3.3E-05	1.05E-03	3.50E-08	3.32E-01	1.57E-01	1.82E-09	1.0E+06	1.8E-03
232	232	1.67538	1.93441E-05	3.2E-05	1.05E-03	3.39E-08	3.32E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
233	233	1.76949	1.93441E-05	3.4E-05	1.05E-03	3.58E-08	3.32E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
234	234	0.22196	1.93441E-05	4.3E-06	1.05E-03	4.49E-09	3.32E-01	1.57E-01	2.34E-10	1.0E+06	2.3E-04
235	235	0.24608	1.93441E-05	4.8E-06	1.05E-03	4.98E-09	3.32E-01	1.57E-01	2.59E-10	1.0E+06	2.6E-04
236	236	0.27843	1.93441E-05	5.4E-06	1.05E-03	5.63E-09	3.32E-01	1.57E-01	2.93E-10	1.0E+06	2.9E-04
237	237	0.3218	1.93441E-05	6.2E-06	1.05E-03	6.51E-09	3.32E-01	1.57E-01	3.39E-10	1.0E+06	3.4E-04
238	238	0.38003	1.93441E-05	7.4E-06	1.05E-03	7.68E-09	3.32E-01	1.57E-01	4.00E-10	1.0E+06	4.0E-04
239	239	0.44611	1.93441E-05	8.6E-06	1.05E-03	9.02E-09	3.32E-01	1.57E-01	4.70E-10	1.0E+06	4.7E-04
240	240	0.53474	1.93441E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
241	241	0.63997	1.93441E-05	1.2E-05	1.05E-03	1.29E-08	3.32E-01	1.57E-01	6.74E-10	1.0E+06	6.7E-04
242	242	0.76975	1.93441E-05	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.11E-10	1.0E+06	8.1E-04
243	243	0.92051	1.93441E-05	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.70E-10	1.0E+06	9.7E-04
244	244	1.0844	1.93441E-05	2.1E-05	1.05E-03	2.19E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
245	245	1.22413	1.93441E-05	2.4E-05	1.05E-03	2.48E-08	3.32E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
246	246	1.32483	1.93441E-05	2.6E-05	1.05E-03	2.68E-08	3.32E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
247	247	1.37701	1.93441E-05	2.7E-05	1.05E-03	2.78E-08	3.32E-01	1.57E-01	1.45E-09	1.0E+06	1.5E-03
248	248	1.39037	1.93441E-05	2.7E-05	1.05E-03	2.81E-08	3.32E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.37371	1.93441E-05	2.7E-05	1.05E-03	2.78E-08	3.32E-01	1.57E-01	1.45E-09	1.0E+06	1.4E-03
250	250	1.35085	1.93441E-05	2.6E-05	1.05E-03	2.73E-08	3.32E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
251	251	1.39327	1.93441E-05	2.7E-05	1.05E-03	2.82E-08	3.32E-01	1.57E-01	1.47E-09	1.0E+06	1.5E-03
252	252	0.20914	1.93441E-05	4.0E-06	1.05E-03	4.23E-09	3.32E-01	1.57E-01	2.20E-10	1.0E+06	2.2E-04
253	253	0.22866	1.93441E-05	4.4E-06	1.05E-03	4.62E-09	3.32E-01	1.57E-01	2.41E-10	1.0E+06	2.4E-04
254	254	0.25374	1.93441E-05	4.9E-06	1.05E-03	5.13E-09	3.32E-01	1.57E-01	2.67E-10	1.0E+06	2.7E-04
255	255	0.28521	1.93441E-05	5.5E-06	1.05E-03	5.77E-09	3.32E-01	1.57E-01	3.00E-10	1.0E+06	3.0E-04
256	256	0.33939	1.93441E-05	6.6E-06	1.05E-03	6.86E-09	3.32E-01	1.57E-01	3.57E-10	1.0E+06	3.6E-04
257	257	0.37861	1.93441E-05	7.3E-06	1.05E-03	7.65E-09	3.32E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
258	258	0.43511	1.93441E-05	8.4E-06	1.05E-03	8.80E-09	3.32E-01	1.57E-01	4.58E-10	1.0E+06	4.6E-04
259	259	0.50511	1.93441E-05	9.8E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.32E-10	1.0E+06	5.3E-04
260	260	0.60739	1.93441E-05	1.2E-05	1.05E-03	1.23E-08	3.32E-01	1.57E-01	6.40E-10	1.0E+06	6.4E-04
261	261	0.73138	1.93441E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.70E-10	1.0E+06	7.7E-04
262	262	0.85592	1.93441E-05	1.7E-05	1.05E-03	1.73E-08	3.32E-01	1.57E-01	9.02E-10	1.0E+06	9.0E-04
263	263	0.96008	1.93441E-05	1.9E-05	1.05E-03	1.94E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
264	264	1.0449	1.93441E-05	2.0E-05	1.05E-03	2.11E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
265	265	1.09283	1.93441E-05	2.1E-05	1.05E-03	2.21E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
266	266	1.11376	1.93441E-05	2.2E-05	1.05E-03	2.25E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
267	267	1.11127	1.93441E-05	2.1E-05	1.05E-03	2.25E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
268	268	1.09302	1.93441E-05	2.1E-05	1.05E-03	2.21E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
269	269	1.1159	1.93441E-05	2.2E-05	1.05E-03	2.26E-08	3.32E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
270	270	0.19616	1.93441E-05	3.8E-06	1.05E-03	3.97E-09	3.32E-01	1.57E-01	2.07E-10	1.0E+06	2.1E-04
271	271	0.21365	1.93441E-05	4.1E-06	1.05E-03	4.32E-09	3.32E-01	1.57E-01	2.25E-10	1.0E+06	2.3E-04
272	272	0.23492	1.93441E-05	4.5E-06	1.05E-03	4.75E-09	3.32E-01	1.57E-01	2.47E-10	1.0E+06	2.5E-04
273	273	0.25955	1.93441E-05	5.0E-06	1.05E-03	5.25E-09	3.32E-01	1.57E-01	2.73E-10	1.0E+06	2.7E-04
274	274	0.30914	1.93441E-05	6.0E-06	1.05E-03	6.25E-09	3.32E-01	1.57E-01	3.26E-10	1.0E+06	3.3E-04
275	275	0.35498	1.93441E-05	6.9E-06	1.05E-03	7.18E-09	3.32E-01	1.57E-01	3.74E-10	1.0E+06	3.7E-04
276	276	0.37535	1.93441E-05	7.3E-06	1.05E-03	7.59E-09	3.32E-01	1.57E-01	3.95E-10	1.0E+06	4.0E-04
277	277	0.42662	1.93441E-05	8.3E-06	1.05E-03	8.63E-09	3.32E-01	1.57E-01	4.49E-10	1.0E+06	4.5E-04
278	278	0.49448	1.93441E-05	9.6E-06	1.05E-03	1.00E-08	3.32E-01	1.57E-01	5.21E-10	1.0E+06	5.2E-04
279	279	0.58021	1.93441E-05	1.1E-05	1.05E-03	1.17E-08	3.32E-01	1.57E-01	6.11E-10	1.0E+06	6.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.68271	1.93441E-05	1.3E-05	1.05E-03	1.38E-08	3.32E-01	1.57E-01	7.19E-10	1.0E+06	7.2E-04
281	281	0.77524	1.93441E-05	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.17E-10	1.0E+06	8.2E-04
282	282	0.84642	1.93441E-05	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.92E-10	1.0E+06	8.9E-04
283	283	0.89261	1.93441E-05	1.7E-05	1.05E-03	1.80E-08	3.32E-01	1.57E-01	9.40E-10	1.0E+06	9.4E-04
284	284	0.91793	1.93441E-05	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.67E-10	1.0E+06	9.7E-04
285	285	0.92033	1.93441E-05	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.69E-10	1.0E+06	9.7E-04
286	286	0.91035	1.93441E-05	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.59E-10	1.0E+06	9.6E-04
287	287	0.92443	1.93441E-05	1.8E-05	1.05E-03	1.87E-08	3.32E-01	1.57E-01	9.74E-10	1.0E+06	9.7E-04
288	288	0.18492	1.93441E-05	3.6E-06	1.05E-03	3.74E-09	3.32E-01	1.57E-01	1.95E-10	1.0E+06	1.9E-04
289	289	0.19856	1.93441E-05	3.8E-06	1.05E-03	4.01E-09	3.32E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
290	290	0.22176	1.93441E-05	4.3E-06	1.05E-03	4.48E-09	3.32E-01	1.57E-01	2.34E-10	1.0E+06	2.3E-04
291	291	0.24585	1.93441E-05	4.8E-06	1.05E-03	4.97E-09	3.32E-01	1.57E-01	2.59E-10	1.0E+06	2.6E-04
292	292	0.30361	1.93441E-05	5.9E-06	1.05E-03	6.14E-09	3.32E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
293	293	0.3279	1.93441E-05	6.3E-06	1.05E-03	6.63E-09	3.32E-01	1.57E-01	3.45E-10	1.0E+06	3.5E-04
294	294	0.33061	1.93441E-05	6.4E-06	1.05E-03	6.68E-09	3.32E-01	1.57E-01	3.48E-10	1.0E+06	3.5E-04
295	295	0.37401	1.93441E-05	7.2E-06	1.05E-03	7.56E-09	3.32E-01	1.57E-01	3.94E-10	1.0E+06	3.9E-04
296	296	0.4288	1.93441E-05	8.3E-06	1.05E-03	8.67E-09	3.32E-01	1.57E-01	4.52E-10	1.0E+06	4.5E-04
297	297	0.48458	1.93441E-05	9.4E-06	1.05E-03	9.80E-09	3.32E-01	1.57E-01	5.10E-10	1.0E+06	5.1E-04
298	298	0.55645	1.93441E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.86E-10	1.0E+06	5.9E-04
299	299	0.63599	1.93441E-05	1.2E-05	1.05E-03	1.29E-08	3.32E-01	1.57E-01	6.70E-10	1.0E+06	6.7E-04
300	300	0.69318	1.93441E-05	1.3E-05	1.05E-03	1.40E-08	3.32E-01	1.57E-01	7.30E-10	1.0E+06	7.3E-04
301	301	0.74039	1.93441E-05	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.80E-10	1.0E+06	7.8E-04
302	302	0.76943	1.93441E-05	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.10E-10	1.0E+06	8.1E-04
303	303	0.78019	1.93441E-05	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.22E-10	1.0E+06	8.2E-04
304	304	0.77551	1.93441E-05	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.17E-10	1.0E+06	8.2E-04
305	305	0.78385	1.93441E-05	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.26E-10	1.0E+06	8.3E-04
306	306	0.18465	1.93441E-05	3.6E-06	1.05E-03	3.73E-09	3.32E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
307	307	0.1921	1.93441E-05	3.7E-06	1.05E-03	3.88E-09	3.32E-01	1.57E-01	2.02E-10	1.0E+06	2.0E-04
308	308	0.20756	1.93441E-05	4.0E-06	1.05E-03	4.20E-09	3.32E-01	1.57E-01	2.19E-10	1.0E+06	2.2E-04
309	309	0.24417	1.93441E-05	4.7E-06	1.05E-03	4.94E-09	3.32E-01	1.57E-01	2.57E-10	1.0E+06	2.6E-04
310	310	0.27972	1.93441E-05	5.4E-06	1.05E-03	5.66E-09	3.32E-01	1.57E-01	2.95E-10	1.0E+06	2.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.29859	1.93441E-05	5.8E-06	1.05E-03	6.04E-09	3.32E-01	1.57E-01	3.14E-10	1.0E+06	3.1E-04
312	312	0.29416	1.93441E-05	5.7E-06	1.05E-03	5.95E-09	3.32E-01	1.57E-01	3.10E-10	1.0E+06	3.1E-04
313	313	0.32939	1.93441E-05	6.4E-06	1.05E-03	6.66E-09	3.32E-01	1.57E-01	3.47E-10	1.0E+06	3.5E-04
314	314	0.37331	1.93441E-05	7.2E-06	1.05E-03	7.55E-09	3.32E-01	1.57E-01	3.93E-10	1.0E+06	3.9E-04
315	315	0.43333	1.93441E-05	8.4E-06	1.05E-03	8.76E-09	3.32E-01	1.57E-01	4.56E-10	1.0E+06	4.6E-04
316	316	0.47641	1.93441E-05	9.2E-06	1.05E-03	9.63E-09	3.32E-01	1.57E-01	5.02E-10	1.0E+06	5.0E-04
317	317	0.52716	1.93441E-05	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.55E-10	1.0E+06	5.6E-04
318	318	0.5783	1.93441E-05	1.1E-05	1.05E-03	1.17E-08	3.32E-01	1.57E-01	6.09E-10	1.0E+06	6.1E-04
319	319	0.6231	1.93441E-05	1.2E-05	1.05E-03	1.26E-08	3.32E-01	1.57E-01	6.56E-10	1.0E+06	6.6E-04
320	320	0.65924	1.93441E-05	1.3E-05	1.05E-03	1.33E-08	3.32E-01	1.57E-01	6.94E-10	1.0E+06	6.9E-04
321	321	0.66958	1.93441E-05	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.05E-10	1.0E+06	7.1E-04
322	322	0.66774	1.93441E-05	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.03E-10	1.0E+06	7.0E-04
323	323	0.67332	1.93441E-05	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.09E-10	1.0E+06	7.1E-04
324	324	0.17462	1.93441E-05	3.4E-06	1.05E-03	3.53E-09	3.32E-01	1.57E-01	1.84E-10	1.0E+06	1.8E-04
325	325	0.19353	1.93441E-05	3.7E-06	1.05E-03	3.91E-09	3.32E-01	1.57E-01	2.04E-10	1.0E+06	2.0E-04
326	326	0.20635	1.93441E-05	4.0E-06	1.05E-03	4.17E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
327	327	0.21584	1.93441E-05	4.2E-06	1.05E-03	4.36E-09	3.32E-01	1.57E-01	2.27E-10	1.0E+06	2.3E-04
328	328	0.25981	1.93441E-05	5.0E-06	1.05E-03	5.25E-09	3.32E-01	1.57E-01	2.74E-10	1.0E+06	2.7E-04
329	329	0.27221	1.93441E-05	5.3E-06	1.05E-03	5.50E-09	3.32E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
330	330	0.27002	1.93441E-05	5.2E-06	1.05E-03	5.46E-09	3.32E-01	1.57E-01	2.84E-10	1.0E+06	2.8E-04
331	331	0.30097	1.93441E-05	5.8E-06	1.05E-03	6.09E-09	3.32E-01	1.57E-01	3.17E-10	1.0E+06	3.2E-04
332	332	0.33838	1.93441E-05	6.5E-06	1.05E-03	6.84E-09	3.32E-01	1.57E-01	3.56E-10	1.0E+06	3.6E-04
333	333	0.38739	1.93441E-05	7.5E-06	1.05E-03	7.83E-09	3.32E-01	1.57E-01	4.08E-10	1.0E+06	4.1E-04
334	334	0.42964	1.93441E-05	8.3E-06	1.05E-03	8.69E-09	3.32E-01	1.57E-01	4.53E-10	1.0E+06	4.5E-04
335	335	0.47139	1.93441E-05	9.1E-06	1.05E-03	9.53E-09	3.32E-01	1.57E-01	4.96E-10	1.0E+06	5.0E-04
336	336	13.55258	1.93441E-05	2.6E-04	1.05E-03	2.74E-07	3.32E-01	1.57E-01	1.43E-08	1.0E+06	1.4E-02
337	337	8.99202	1.93441E-05	1.7E-04	1.05E-03	1.82E-07	3.32E-01	1.57E-01	9.47E-09	1.0E+06	9.5E-03
338	338	0.41364	1.93441E-05	8.0E-06	1.05E-03	8.36E-09	3.32E-01	1.57E-01	4.36E-10	1.0E+06	4.4E-04
339	339	0.4316	1.93441E-05	8.3E-06	1.05E-03	8.73E-09	3.32E-01	1.57E-01	4.55E-10	1.0E+06	4.5E-04
340	340	0.44575	1.93441E-05	8.6E-06	1.05E-03	9.01E-09	3.32E-01	1.57E-01	4.69E-10	1.0E+06	4.7E-04
341	341	0.45432	1.93441E-05	8.8E-06	1.05E-03	9.19E-09	3.32E-01	1.57E-01	4.79E-10	1.0E+06	4.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.45645	1.93441E-05	8.8E-06	1.05E-03	9.23E-09	3.32E-01	1.57E-01	4.81E-10	1.0E+06	4.8E-04
343	343	0.44747	1.93441E-05	8.7E-06	1.05E-03	9.05E-09	3.32E-01	1.57E-01	4.71E-10	1.0E+06	4.7E-04
344	344	0.4383	1.93441E-05	8.5E-06	1.05E-03	8.86E-09	3.32E-01	1.57E-01	4.62E-10	1.0E+06	4.6E-04
345	345	0.42519	1.93441E-05	8.2E-06	1.05E-03	8.60E-09	3.32E-01	1.57E-01	4.48E-10	1.0E+06	4.5E-04
346	346	0.4075	1.93441E-05	7.9E-06	1.05E-03	8.24E-09	3.32E-01	1.57E-01	4.29E-10	1.0E+06	4.3E-04
347	347	0.48825	1.93441E-05	9.4E-06	1.05E-03	9.87E-09	3.32E-01	1.57E-01	5.14E-10	1.0E+06	5.1E-04
348	348	0.51708	1.93441E-05	1.0E-05	1.05E-03	1.05E-08	3.32E-01	1.57E-01	5.45E-10	1.0E+06	5.4E-04
349	349	0.53545	1.93441E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.64E-10	1.0E+06	5.6E-04
350	350	0.54262	1.93441E-05	1.0E-05	1.05E-03	1.10E-08	3.32E-01	1.57E-01	5.72E-10	1.0E+06	5.7E-04
351	351	0.54713	1.93441E-05	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.76E-10	1.0E+06	5.8E-04
352	352	0.53213	1.93441E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.60E-10	1.0E+06	5.6E-04
353	353	0.51803	1.93441E-05	1.0E-05	1.05E-03	1.05E-08	3.32E-01	1.57E-01	5.46E-10	1.0E+06	5.5E-04
354	354	0.49397	1.93441E-05	9.6E-06	1.05E-03	9.99E-09	3.32E-01	1.57E-01	5.20E-10	1.0E+06	5.2E-04
355	355	0.47169	1.93441E-05	9.1E-06	1.05E-03	9.54E-09	3.32E-01	1.57E-01	4.97E-10	1.0E+06	5.0E-04
356	356	0.58987	1.93441E-05	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.21E-10	1.0E+06	6.2E-04
357	357	0.61907	1.93441E-05	1.2E-05	1.05E-03	1.25E-08	3.32E-01	1.57E-01	6.52E-10	1.0E+06	6.5E-04
358	358	0.64786	1.93441E-05	1.3E-05	1.05E-03	1.31E-08	3.32E-01	1.57E-01	6.82E-10	1.0E+06	6.8E-04
359	359	0.66393	1.93441E-05	1.3E-05	1.05E-03	1.34E-08	3.32E-01	1.57E-01	6.99E-10	1.0E+06	7.0E-04
360	360	0.66801	1.93441E-05	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.04E-10	1.0E+06	7.0E-04
361	361	0.64174	1.93441E-05	1.2E-05	1.05E-03	1.30E-08	3.32E-01	1.57E-01	6.76E-10	1.0E+06	6.8E-04
362	362	0.62055	1.93441E-05	1.2E-05	1.05E-03	1.25E-08	3.32E-01	1.57E-01	6.54E-10	1.0E+06	6.5E-04
363	363	0.58481	1.93441E-05	1.1E-05	1.05E-03	1.18E-08	3.32E-01	1.57E-01	6.16E-10	1.0E+06	6.2E-04
364	364	0.73276	1.93441E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.72E-10	1.0E+06	7.7E-04
365	365	0.76482	1.93441E-05	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.06E-10	1.0E+06	8.1E-04
366	366	0.80544	1.93441E-05	1.6E-05	1.05E-03	1.63E-08	3.32E-01	1.57E-01	8.48E-10	1.0E+06	8.5E-04
367	367	0.82831	1.93441E-05	1.6E-05	1.05E-03	1.67E-08	3.32E-01	1.57E-01	8.72E-10	1.0E+06	8.7E-04
368	368	0.83395	1.93441E-05	1.6E-05	1.05E-03	1.69E-08	3.32E-01	1.57E-01	8.78E-10	1.0E+06	8.8E-04
369	369	0.79104	1.93441E-05	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
370	370	0.71346	1.93441E-05	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.51E-10	1.0E+06	7.5E-04
371	371	0.66056	1.93441E-05	1.3E-05	1.05E-03	1.34E-08	3.32E-01	1.57E-01	6.96E-10	1.0E+06	7.0E-04
372	372	0.94594	1.93441E-05	1.8E-05	1.05E-03	1.91E-08	3.32E-01	1.57E-01	9.96E-10	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.98834	1.93441E-05	1.9E-05	1.05E-03	2.00E-08	3.32E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
374	374	1.03971	1.93441E-05	2.0E-05	1.05E-03	2.10E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
375	375	1.06633	1.93441E-05	2.1E-05	1.05E-03	2.16E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
376	376	1.06802	1.93441E-05	2.1E-05	1.05E-03	2.16E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
377	377	1.04325	1.93441E-05	2.0E-05	1.05E-03	2.11E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
378	378	1.00245	1.93441E-05	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
379	379	0.87598	1.93441E-05	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.23E-10	1.0E+06	9.2E-04
380	380	0.80116	1.93441E-05	1.5E-05	1.05E-03	1.62E-08	3.32E-01	1.57E-01	8.44E-10	1.0E+06	8.4E-04
381	381	0.72094	1.93441E-05	1.4E-05	1.05E-03	1.46E-08	3.32E-01	1.57E-01	7.59E-10	1.0E+06	7.6E-04
382	382	1.27958	1.93441E-05	2.5E-05	1.05E-03	2.59E-08	3.32E-01	1.57E-01	1.35E-09	1.0E+06	1.3E-03
383	383	1.35111	1.93441E-05	2.6E-05	1.05E-03	2.73E-08	3.32E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
384	384	1.39785	1.93441E-05	2.7E-05	1.05E-03	2.83E-08	3.32E-01	1.57E-01	1.47E-09	1.0E+06	1.5E-03
385	385	1.42586	1.93441E-05	2.8E-05	1.05E-03	2.88E-08	3.32E-01	1.57E-01	1.50E-09	1.0E+06	1.5E-03
386	386	1.41645	1.93441E-05	2.7E-05	1.05E-03	2.86E-08	3.32E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
387	387	1.37252	1.93441E-05	2.7E-05	1.05E-03	2.78E-08	3.32E-01	1.57E-01	1.45E-09	1.0E+06	1.4E-03
388	388	1.30582	1.93441E-05	2.5E-05	1.05E-03	2.64E-08	3.32E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
389	389	1.09487	1.93441E-05	2.1E-05	1.05E-03	2.21E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
390	390	0.97257	1.93441E-05	1.9E-05	1.05E-03	1.97E-08	3.32E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
391	391	0.85286	1.93441E-05	1.6E-05	1.05E-03	1.72E-08	3.32E-01	1.57E-01	8.98E-10	1.0E+06	9.0E-04
392	392	0.72063	1.93441E-05	1.4E-05	1.05E-03	1.46E-08	3.32E-01	1.57E-01	7.59E-10	1.0E+06	7.6E-04
393	393	1.72857	1.93441E-05	3.3E-05	1.05E-03	3.49E-08	3.32E-01	1.57E-01	1.82E-09	1.0E+06	1.8E-03
394	394	1.83967	1.93441E-05	3.6E-05	1.05E-03	3.72E-08	3.32E-01	1.57E-01	1.94E-09	1.0E+06	1.9E-03
395	395	1.81469	1.93441E-05	3.5E-05	1.05E-03	3.67E-08	3.32E-01	1.57E-01	1.91E-09	1.0E+06	1.9E-03
396	396	1.83053	1.93441E-05	3.5E-05	1.05E-03	3.70E-08	3.32E-01	1.57E-01	1.93E-09	1.0E+06	1.9E-03
397	397	1.78195	1.93441E-05	3.4E-05	1.05E-03	3.60E-08	3.32E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
398	398	1.65737	1.93441E-05	3.2E-05	1.05E-03	3.35E-08	3.32E-01	1.57E-01	1.75E-09	1.0E+06	1.7E-03
399	399	1.50226	1.93441E-05	2.9E-05	1.05E-03	3.04E-08	3.32E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
400	400	1.41071	1.93441E-05	2.7E-05	1.05E-03	2.85E-08	3.32E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
401	401	1.20655	1.93441E-05	2.3E-05	1.05E-03	2.44E-08	3.32E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
402	402	0.81598	1.93441E-05	1.6E-05	1.05E-03	1.65E-08	3.32E-01	1.57E-01	8.59E-10	1.0E+06	8.6E-04
403	403	1.89074	1.93441E-05	3.7E-05	1.05E-03	3.82E-08	3.32E-01	1.57E-01	1.99E-09	1.0E+06	2.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.94707	1.93441E-05	1.8E-05	1.05E-03	1.91E-08	3.32E-01	1.57E-01	9.98E-10	1.0E+06	1.0E-03
405	405	0.73263	1.93441E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.72E-10	1.0E+06	7.7E-04
406	406	2.72449	1.93441E-05	5.3E-05	1.05E-03	5.51E-08	3.32E-01	1.57E-01	2.87E-09	1.0E+06	2.9E-03
407	407	0.75322	1.93441E-05	1.5E-05	1.05E-03	1.52E-08	3.32E-01	1.57E-01	7.93E-10	1.0E+06	7.9E-04
408	408	4.37031	1.93441E-05	8.5E-05	1.05E-03	8.84E-08	3.32E-01	1.57E-01	4.60E-09	1.0E+06	4.6E-03
409	409	0.74242	1.93441E-05	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.82E-10	1.0E+06	7.8E-04
410	410	5.89066	1.93441E-05	1.1E-04	1.05E-03	1.19E-07	3.32E-01	1.57E-01	6.20E-09	1.0E+06	6.2E-03
411	411	0.96301	1.93441E-05	1.9E-05	1.05E-03	1.95E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
412	412	0.72082	1.93441E-05	1.4E-05	1.05E-03	1.46E-08	3.32E-01	1.57E-01	7.59E-10	1.0E+06	7.6E-04
413	413	4.15242	1.93441E-05	8.0E-05	1.05E-03	8.40E-08	3.32E-01	1.57E-01	4.37E-09	1.0E+06	4.4E-03
414	414	1.2307	1.93441E-05	2.4E-05	1.05E-03	2.49E-08	3.32E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
415	415	0.87609	1.93441E-05	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.23E-10	1.0E+06	9.2E-04
416	416	0.66877	1.93441E-05	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.04E-10	1.0E+06	7.0E-04
417	417	2.82592	1.93441E-05	5.5E-05	1.05E-03	5.71E-08	3.32E-01	1.57E-01	2.98E-09	1.0E+06	3.0E-03
418	418	0.79163	1.93441E-05	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.34E-10	1.0E+06	8.3E-04
419	419	0.61638	1.93441E-05	1.2E-05	1.05E-03	1.25E-08	3.32E-01	1.57E-01	6.49E-10	1.0E+06	6.5E-04
420	420	0.49673	1.93441E-05	9.6E-06	1.05E-03	1.00E-08	3.32E-01	1.57E-01	5.23E-10	1.0E+06	5.2E-04
421	421	2.04611	1.93441E-05	4.0E-05	1.05E-03	4.14E-08	3.32E-01	1.57E-01	2.16E-09	1.0E+06	2.2E-03
422	422	0.56643	1.93441E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	5.97E-10	1.0E+06	6.0E-04
423	423	0.46407	1.93441E-05	9.0E-06	1.05E-03	9.38E-09	3.32E-01	1.57E-01	4.89E-10	1.0E+06	4.9E-04
424	424	1.56649	1.93441E-05	3.0E-05	1.05E-03	3.17E-08	3.32E-01	1.57E-01	1.65E-09	1.0E+06	1.6E-03
425	425	0.43176	1.93441E-05	8.4E-06	1.05E-03	8.73E-09	3.32E-01	1.57E-01	4.55E-10	1.0E+06	4.5E-04
426	426	0.3652	1.93441E-05	7.1E-06	1.05E-03	7.38E-09	3.32E-01	1.57E-01	3.85E-10	1.0E+06	3.8E-04
427	427	1.24762	1.93441E-05	2.4E-05	1.05E-03	2.52E-08	3.32E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
428	428	0.40134	1.93441E-05	7.8E-06	1.05E-03	8.11E-09	3.32E-01	1.57E-01	4.23E-10	1.0E+06	4.2E-04
429	429	0.34276	1.93441E-05	6.6E-06	1.05E-03	6.93E-09	3.32E-01	1.57E-01	3.61E-10	1.0E+06	3.6E-04
430	430	1.0239	1.93441E-05	2.0E-05	1.05E-03	2.07E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
431	431	0.32135	1.93441E-05	6.2E-06	1.05E-03	6.50E-09	3.32E-01	1.57E-01	3.38E-10	1.0E+06	3.4E-04
432	432	0.27846	1.93441E-05	5.4E-06	1.05E-03	5.63E-09	3.32E-01	1.57E-01	2.93E-10	1.0E+06	2.9E-04
433	433	0.85795	1.93441E-05	1.7E-05	1.05E-03	1.73E-08	3.32E-01	1.57E-01	9.04E-10	1.0E+06	9.0E-04
434	434	0.30144	1.93441E-05	5.8E-06	1.05E-03	6.09E-09	3.32E-01	1.57E-01	3.17E-10	1.0E+06	3.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.2643	1.93441E-05	5.1E-06	1.05E-03	5.34E-09	3.32E-01	1.57E-01	2.78E-10	1.0E+06	2.8E-04
436	436	0.73157	1.93441E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.71E-10	1.0E+06	7.7E-04
437	437	0.32605	1.93441E-05	6.3E-06	1.05E-03	6.59E-09	3.32E-01	1.57E-01	3.43E-10	1.0E+06	3.4E-04
438	438	0.28347	1.93441E-05	5.5E-06	1.05E-03	5.73E-09	3.32E-01	1.57E-01	2.99E-10	1.0E+06	3.0E-04
439	439	0.24978	1.93441E-05	4.8E-06	1.05E-03	5.05E-09	3.32E-01	1.57E-01	2.63E-10	1.0E+06	2.6E-04
440	440	0.63195	1.93441E-05	1.2E-05	1.05E-03	1.28E-08	3.32E-01	1.57E-01	6.66E-10	1.0E+06	6.7E-04
441	441	0.41411	1.93441E-05	8.0E-06	1.05E-03	8.37E-09	3.32E-01	1.57E-01	4.36E-10	1.0E+06	4.4E-04
442	442	0.35317	1.93441E-05	6.8E-06	1.05E-03	7.14E-09	3.32E-01	1.57E-01	3.72E-10	1.0E+06	3.7E-04
443	443	0.30514	1.93441E-05	5.9E-06	1.05E-03	6.17E-09	3.32E-01	1.57E-01	3.21E-10	1.0E+06	3.2E-04
444	444	0.26663	1.93441E-05	5.2E-06	1.05E-03	5.39E-09	3.32E-01	1.57E-01	2.81E-10	1.0E+06	2.8E-04
445	445	0.55224	1.93441E-05	1.1E-05	1.05E-03	1.12E-08	3.32E-01	1.57E-01	5.82E-10	1.0E+06	5.8E-04
446	446	0.43322	1.93441E-05	8.4E-06	1.05E-03	8.76E-09	3.32E-01	1.57E-01	4.56E-10	1.0E+06	4.6E-04
447	447	0.377	1.93441E-05	7.3E-06	1.05E-03	7.62E-09	3.32E-01	1.57E-01	3.97E-10	1.0E+06	4.0E-04
448	448	0.32738	1.93441E-05	6.3E-06	1.05E-03	6.62E-09	3.32E-01	1.57E-01	3.45E-10	1.0E+06	3.4E-04
449	449	0.48715	1.93441E-05	9.4E-06	1.05E-03	9.85E-09	3.32E-01	1.57E-01	5.13E-10	1.0E+06	5.1E-04
450	450	0.44047	1.93441E-05	8.5E-06	1.05E-03	8.91E-09	3.32E-01	1.57E-01	4.64E-10	1.0E+06	4.6E-04
451	451	0.39229	1.93441E-05	7.6E-06	1.05E-03	7.93E-09	3.32E-01	1.57E-01	4.13E-10	1.0E+06	4.1E-04
452	452	0.43319	1.93441E-05	8.4E-06	1.05E-03	8.76E-09	3.32E-01	1.57E-01	4.56E-10	1.0E+06	4.6E-04
453	453	0.3958	1.93441E-05	7.7E-06	1.05E-03	8.00E-09	3.32E-01	1.57E-01	4.17E-10	1.0E+06	4.2E-04
454	454	0.19899	1.93441E-05	3.8E-06	1.05E-03	4.02E-09	3.32E-01	1.57E-01	2.10E-10	1.0E+06	2.1E-04
455	455	0.18119	1.93441E-05	3.5E-06	1.05E-03	3.66E-09	3.32E-01	1.57E-01	1.91E-10	1.0E+06	1.9E-04
456	456	0.38783	1.93441E-05	7.5E-06	1.05E-03	7.84E-09	3.32E-01	1.57E-01	4.08E-10	1.0E+06	4.1E-04
457	457	0.35747	1.93441E-05	6.9E-06	1.05E-03	7.23E-09	3.32E-01	1.57E-01	3.77E-10	1.0E+06	3.8E-04
458	458	0.32462	1.93441E-05	6.3E-06	1.05E-03	6.56E-09	3.32E-01	1.57E-01	3.42E-10	1.0E+06	3.4E-04
459	459	0.2342	1.93441E-05	4.5E-06	1.05E-03	4.74E-09	3.32E-01	1.57E-01	2.47E-10	1.0E+06	2.5E-04
460	460	0.21065	1.93441E-05	4.1E-06	1.05E-03	4.26E-09	3.32E-01	1.57E-01	2.22E-10	1.0E+06	2.2E-04
461	461	0.19001	1.93441E-05	3.7E-06	1.05E-03	3.84E-09	3.32E-01	1.57E-01	2.00E-10	1.0E+06	2.0E-04
462	462	0.17231	1.93441E-05	3.3E-06	1.05E-03	3.48E-09	3.32E-01	1.57E-01	1.81E-10	1.0E+06	1.8E-04
463	463	13.65727	1.93441E-05	2.6E-04	1.05E-03	2.76E-07	3.32E-01	1.57E-01	1.44E-08	1.0E+06	1.4E-02
464	464	8.4501	1.93441E-05	1.6E-04	1.05E-03	1.71E-07	3.32E-01	1.57E-01	8.90E-09	1.0E+06	8.9E-03
465	465	9.42636	1.93441E-05	1.8E-04	1.05E-03	1.91E-07	3.32E-01	1.57E-01	9.93E-09	1.0E+06	9.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	6.1695	1.93441E-05	1.2E-04	1.05E-03	1.25E-07	3.32E-01	1.57E-01	6.50E-09	1.0E+06	6.5E-03
467	467	4.62459	1.93441E-05	8.9E-05	1.05E-03	9.35E-08	3.32E-01	1.57E-01	4.87E-09	1.0E+06	4.9E-03
468	468	2.91656	1.93441E-05	5.6E-05	1.05E-03	5.90E-08	3.32E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
469	469	2.06456	1.93441E-05	4.0E-05	1.05E-03	4.17E-08	3.32E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
470	470	1.73964	1.93441E-05	3.4E-05	1.05E-03	3.52E-08	3.32E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
471	471	1.80023	1.93441E-05	3.5E-05	1.05E-03	3.64E-08	3.32E-01	1.57E-01	1.90E-09	1.0E+06	1.9E-03
472	472	1.36133	1.93441E-05	2.6E-05	1.05E-03	2.75E-08	3.32E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
473	473	1.23707	1.93441E-05	2.4E-05	1.05E-03	2.50E-08	3.32E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
474	474	1.09844	1.93441E-05	2.1E-05	1.05E-03	2.22E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
475	475	1.00949	1.93441E-05	2.0E-05	1.05E-03	2.04E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
476	476	0.90773	1.93441E-05	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.56E-10	1.0E+06	9.6E-04
477	477	0.84234	1.93441E-05	1.6E-05	1.05E-03	1.70E-08	3.32E-01	1.57E-01	8.87E-10	1.0E+06	8.9E-04
478	478	0.76413	1.93441E-05	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.05E-10	1.0E+06	8.0E-04
479	479	0.71404	1.93441E-05	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.52E-10	1.0E+06	7.5E-04
480	480	0.65203	1.93441E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.87E-10	1.0E+06	6.9E-04
481	481	0.65313	1.93441E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.88E-10	1.0E+06	6.9E-04
482	482	0.56714	1.93441E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	5.97E-10	1.0E+06	6.0E-04
483	483	0.53522	1.93441E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.64E-10	1.0E+06	5.6E-04
484	484	0.49805	1.93441E-05	9.6E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.25E-10	1.0E+06	5.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.09216	2.62129E-05	2.4E-06	1.05E-03	2.52E-09	3.32E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
2	2	0.09432	2.62129E-05	2.5E-06	1.05E-03	2.58E-09	3.32E-01	1.57E-01	1.35E-10	1.0E+06	1.3E-04
3	3	0.09633	2.62129E-05	2.5E-06	1.05E-03	2.64E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
4	4	0.09844	2.62129E-05	2.6E-06	1.05E-03	2.70E-09	3.32E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
5	5	0.10048	2.62129E-05	2.6E-06	1.05E-03	2.75E-09	3.32E-01	1.57E-01	1.43E-10	1.0E+06	1.4E-04
6	6	0.10345	2.62129E-05	2.7E-06	1.05E-03	2.83E-09	3.32E-01	1.57E-01	1.48E-10	1.0E+06	1.5E-04
7	7	0.1068	2.62129E-05	2.8E-06	1.05E-03	2.93E-09	3.32E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
8	8	0.11047	2.62129E-05	2.9E-06	1.05E-03	3.03E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
9	9	0.11461	2.62129E-05	3.0E-06	1.05E-03	3.14E-09	3.32E-01	1.57E-01	1.64E-10	1.0E+06	1.6E-04
10	10	0.11999	2.62129E-05	3.1E-06	1.05E-03	3.29E-09	3.32E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
11	11	0.12729	2.62129E-05	3.3E-06	1.05E-03	3.49E-09	3.32E-01	1.57E-01	1.82E-10	1.0E+06	1.8E-04
12	12	0.13543	2.62129E-05	3.6E-06	1.05E-03	3.71E-09	3.32E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
13	13	0.14458	2.62129E-05	3.8E-06	1.05E-03	3.96E-09	3.32E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
14	14	0.20999	2.62129E-05	5.5E-06	1.05E-03	5.75E-09	3.32E-01	1.57E-01	3.00E-10	1.0E+06	3.0E-04
15	15	0.10096	2.62129E-05	2.6E-06	1.05E-03	2.77E-09	3.32E-01	1.57E-01	1.44E-10	1.0E+06	1.4E-04
16	16	0.10308	2.62129E-05	2.7E-06	1.05E-03	2.82E-09	3.32E-01	1.57E-01	1.47E-10	1.0E+06	1.5E-04
17	17	0.10597	2.62129E-05	2.8E-06	1.05E-03	2.90E-09	3.32E-01	1.57E-01	1.51E-10	1.0E+06	1.5E-04
18	18	0.10826	2.62129E-05	2.8E-06	1.05E-03	2.97E-09	3.32E-01	1.57E-01	1.55E-10	1.0E+06	1.5E-04
19	19	0.11046	2.62129E-05	2.9E-06	1.05E-03	3.03E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
20	20	0.11335	2.62129E-05	3.0E-06	1.05E-03	3.11E-09	3.32E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
21	21	0.11665	2.62129E-05	3.1E-06	1.05E-03	3.20E-09	3.32E-01	1.57E-01	1.66E-10	1.0E+06	1.7E-04
22	22	0.12015	2.62129E-05	3.1E-06	1.05E-03	3.29E-09	3.32E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
23	23	0.12552	2.62129E-05	3.3E-06	1.05E-03	3.44E-09	3.32E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04
24	24	0.13047	2.62129E-05	3.4E-06	1.05E-03	3.57E-09	3.32E-01	1.57E-01	1.86E-10	1.0E+06	1.9E-04
25	25	0.13892	2.62129E-05	3.6E-06	1.05E-03	3.81E-09	3.32E-01	1.57E-01	1.98E-10	1.0E+06	2.0E-04
26	26	0.14856	2.62129E-05	3.9E-06	1.05E-03	4.07E-09	3.32E-01	1.57E-01	2.12E-10	1.0E+06	2.1E-04
27	27	0.15739	2.62129E-05	4.1E-06	1.05E-03	4.31E-09	3.32E-01	1.57E-01	2.25E-10	1.0E+06	2.2E-04
28	28	0.2371	2.62129E-05	6.2E-06	1.05E-03	6.50E-09	3.32E-01	1.57E-01	3.38E-10	1.0E+06	3.4E-04
29	29	0.11037	2.62129E-05	2.9E-06	1.05E-03	3.02E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
30	30	0.11364	2.62129E-05	3.0E-06	1.05E-03	3.11E-09	3.32E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
31	31	0.1174	2.62129E-05	3.1E-06	1.05E-03	3.22E-09	3.32E-01	1.57E-01	1.68E-10	1.0E+06	1.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.12053	2.62129E-05	3.2E-06	1.05E-03	3.30E-09	3.32E-01	1.57E-01	1.72E-10	1.0E+06	1.7E-04
33	33	0.12212	2.62129E-05	3.2E-06	1.05E-03	3.35E-09	3.32E-01	1.57E-01	1.74E-10	1.0E+06	1.7E-04
34	34	0.12541	2.62129E-05	3.3E-06	1.05E-03	3.44E-09	3.32E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04
35	35	0.12869	2.62129E-05	3.4E-06	1.05E-03	3.53E-09	3.32E-01	1.57E-01	1.84E-10	1.0E+06	1.8E-04
36	36	0.13286	2.62129E-05	3.5E-06	1.05E-03	3.64E-09	3.32E-01	1.57E-01	1.90E-10	1.0E+06	1.9E-04
37	37	0.13814	2.62129E-05	3.6E-06	1.05E-03	3.78E-09	3.32E-01	1.57E-01	1.97E-10	1.0E+06	2.0E-04
38	38	0.14461	2.62129E-05	3.8E-06	1.05E-03	3.96E-09	3.32E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
39	39	0.15282	2.62129E-05	4.0E-06	1.05E-03	4.19E-09	3.32E-01	1.57E-01	2.18E-10	1.0E+06	2.2E-04
40	40	0.1622	2.62129E-05	4.3E-06	1.05E-03	4.44E-09	3.32E-01	1.57E-01	2.32E-10	1.0E+06	2.3E-04
41	41	0.17241	2.62129E-05	4.5E-06	1.05E-03	4.72E-09	3.32E-01	1.57E-01	2.46E-10	1.0E+06	2.5E-04
42	42	0.26807	2.62129E-05	7.0E-06	1.05E-03	7.34E-09	3.32E-01	1.57E-01	3.83E-10	1.0E+06	3.8E-04
43	43	0.11985	2.62129E-05	3.1E-06	1.05E-03	3.28E-09	3.32E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
44	44	0.12432	2.62129E-05	3.3E-06	1.05E-03	3.41E-09	3.32E-01	1.57E-01	1.77E-10	1.0E+06	1.8E-04
45	45	0.12854	2.62129E-05	3.4E-06	1.05E-03	3.52E-09	3.32E-01	1.57E-01	1.83E-10	1.0E+06	1.8E-04
46	46	0.13203	2.62129E-05	3.5E-06	1.05E-03	3.62E-09	3.32E-01	1.57E-01	1.88E-10	1.0E+06	1.9E-04
47	47	0.13511	2.62129E-05	3.5E-06	1.05E-03	3.70E-09	3.32E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
48	48	0.13875	2.62129E-05	3.6E-06	1.05E-03	3.80E-09	3.32E-01	1.57E-01	1.98E-10	1.0E+06	2.0E-04
49	49	0.14226	2.62129E-05	3.7E-06	1.05E-03	3.90E-09	3.32E-01	1.57E-01	2.03E-10	1.0E+06	2.0E-04
50	50	0.1461	2.62129E-05	3.8E-06	1.05E-03	4.00E-09	3.32E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
51	51	0.15356	2.62129E-05	4.0E-06	1.05E-03	4.21E-09	3.32E-01	1.57E-01	2.19E-10	1.0E+06	2.2E-04
52	52	0.16063	2.62129E-05	4.2E-06	1.05E-03	4.40E-09	3.32E-01	1.57E-01	2.29E-10	1.0E+06	2.3E-04
53	53	0.17003	2.62129E-05	4.5E-06	1.05E-03	4.66E-09	3.32E-01	1.57E-01	2.43E-10	1.0E+06	2.4E-04
54	54	0.18104	2.62129E-05	4.7E-06	1.05E-03	4.96E-09	3.32E-01	1.57E-01	2.58E-10	1.0E+06	2.6E-04
55	55	0.19382	2.62129E-05	5.1E-06	1.05E-03	5.31E-09	3.32E-01	1.57E-01	2.77E-10	1.0E+06	2.8E-04
56	56	0.312	2.62129E-05	8.2E-06	1.05E-03	8.55E-09	3.32E-01	1.57E-01	4.45E-10	1.0E+06	4.5E-04
57	57	0.12894	2.62129E-05	3.4E-06	1.05E-03	3.53E-09	3.32E-01	1.57E-01	1.84E-10	1.0E+06	1.8E-04
58	58	0.13406	2.62129E-05	3.5E-06	1.05E-03	3.67E-09	3.32E-01	1.57E-01	1.91E-10	1.0E+06	1.9E-04
59	59	0.1392	2.62129E-05	3.6E-06	1.05E-03	3.81E-09	3.32E-01	1.57E-01	1.99E-10	1.0E+06	2.0E-04
60	60	0.14439	2.62129E-05	3.8E-06	1.05E-03	3.96E-09	3.32E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
61	61	0.14936	2.62129E-05	3.9E-06	1.05E-03	4.09E-09	3.32E-01	1.57E-01	2.13E-10	1.0E+06	2.1E-04
62	62	0.15433	2.62129E-05	4.0E-06	1.05E-03	4.23E-09	3.32E-01	1.57E-01	2.20E-10	1.0E+06	2.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.16081	2.62129E-05	4.2E-06	1.05E-03	4.41E-09	3.32E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
64	64	0.16344	2.62129E-05	4.3E-06	1.05E-03	4.48E-09	3.32E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
65	65	0.1716	2.62129E-05	4.5E-06	1.05E-03	4.70E-09	3.32E-01	1.57E-01	2.45E-10	1.0E+06	2.4E-04
66	66	0.18095	2.62129E-05	4.7E-06	1.05E-03	4.96E-09	3.32E-01	1.57E-01	2.58E-10	1.0E+06	2.6E-04
67	67	0.19028	2.62129E-05	5.0E-06	1.05E-03	5.21E-09	3.32E-01	1.57E-01	2.72E-10	1.0E+06	2.7E-04
68	68	0.20512	2.62129E-05	5.4E-06	1.05E-03	5.62E-09	3.32E-01	1.57E-01	2.93E-10	1.0E+06	2.9E-04
69	69	0.22197	2.62129E-05	5.8E-06	1.05E-03	6.08E-09	3.32E-01	1.57E-01	3.17E-10	1.0E+06	3.2E-04
70	70	0.13753	2.62129E-05	3.6E-06	1.05E-03	3.77E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
71	71	0.14367	2.62129E-05	3.8E-06	1.05E-03	3.94E-09	3.32E-01	1.57E-01	2.05E-10	1.0E+06	2.1E-04
72	72	0.14988	2.62129E-05	3.9E-06	1.05E-03	4.11E-09	3.32E-01	1.57E-01	2.14E-10	1.0E+06	2.1E-04
73	73	0.15664	2.62129E-05	4.1E-06	1.05E-03	4.29E-09	3.32E-01	1.57E-01	2.24E-10	1.0E+06	2.2E-04
74	74	0.16296	2.62129E-05	4.3E-06	1.05E-03	4.46E-09	3.32E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
75	75	0.17173	2.62129E-05	4.5E-06	1.05E-03	4.71E-09	3.32E-01	1.57E-01	2.45E-10	1.0E+06	2.5E-04
76	76	0.17981	2.62129E-05	4.7E-06	1.05E-03	4.93E-09	3.32E-01	1.57E-01	2.57E-10	1.0E+06	2.6E-04
77	77	0.18581	2.62129E-05	4.9E-06	1.05E-03	5.09E-09	3.32E-01	1.57E-01	2.65E-10	1.0E+06	2.7E-04
78	78	0.19581	2.62129E-05	5.1E-06	1.05E-03	5.36E-09	3.32E-01	1.57E-01	2.79E-10	1.0E+06	2.8E-04
79	79	0.21188	2.62129E-05	5.6E-06	1.05E-03	5.81E-09	3.32E-01	1.57E-01	3.02E-10	1.0E+06	3.0E-04
80	80	0.22169	2.62129E-05	5.8E-06	1.05E-03	6.07E-09	3.32E-01	1.57E-01	3.16E-10	1.0E+06	3.2E-04
81	81	0.24223	2.62129E-05	6.3E-06	1.05E-03	6.64E-09	3.32E-01	1.57E-01	3.46E-10	1.0E+06	3.5E-04
82	82	0.25941	2.62129E-05	6.8E-06	1.05E-03	7.11E-09	3.32E-01	1.57E-01	3.70E-10	1.0E+06	3.7E-04
83	83	0.14576	2.62129E-05	3.8E-06	1.05E-03	3.99E-09	3.32E-01	1.57E-01	2.08E-10	1.0E+06	2.1E-04
84	84	0.15224	2.62129E-05	4.0E-06	1.05E-03	4.17E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
85	85	0.15832	2.62129E-05	4.2E-06	1.05E-03	4.34E-09	3.32E-01	1.57E-01	2.26E-10	1.0E+06	2.3E-04
86	86	0.16879	2.62129E-05	4.4E-06	1.05E-03	4.62E-09	3.32E-01	1.57E-01	2.41E-10	1.0E+06	2.4E-04
87	87	0.17803	2.62129E-05	4.7E-06	1.05E-03	4.88E-09	3.32E-01	1.57E-01	2.54E-10	1.0E+06	2.5E-04
88	88	0.18849	2.62129E-05	4.9E-06	1.05E-03	5.16E-09	3.32E-01	1.57E-01	2.69E-10	1.0E+06	2.7E-04
89	89	0.19984	2.62129E-05	5.2E-06	1.05E-03	5.48E-09	3.32E-01	1.57E-01	2.85E-10	1.0E+06	2.9E-04
90	90	0.21232	2.62129E-05	5.6E-06	1.05E-03	5.82E-09	3.32E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
91	91	0.22629	2.62129E-05	5.9E-06	1.05E-03	6.20E-09	3.32E-01	1.57E-01	3.23E-10	1.0E+06	3.2E-04
92	92	0.24224	2.62129E-05	6.3E-06	1.05E-03	6.64E-09	3.32E-01	1.57E-01	3.46E-10	1.0E+06	3.5E-04
93	93	0.26012	2.62129E-05	6.8E-06	1.05E-03	7.13E-09	3.32E-01	1.57E-01	3.71E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.28097	2.62129E-05	7.4E-06	1.05E-03	7.70E-09	3.32E-01	1.57E-01	4.01E-10	1.0E+06	4.0E-04
95	95	0.30584	2.62129E-05	8.0E-06	1.05E-03	8.38E-09	3.32E-01	1.57E-01	4.37E-10	1.0E+06	4.4E-04
96	96	0.1525	2.62129E-05	4.0E-06	1.05E-03	4.18E-09	3.32E-01	1.57E-01	2.18E-10	1.0E+06	2.2E-04
97	97	0.15819	2.62129E-05	4.1E-06	1.05E-03	4.33E-09	3.32E-01	1.57E-01	2.26E-10	1.0E+06	2.3E-04
98	98	0.16574	2.62129E-05	4.3E-06	1.05E-03	4.54E-09	3.32E-01	1.57E-01	2.37E-10	1.0E+06	2.4E-04
99	99	0.17705	2.62129E-05	4.6E-06	1.05E-03	4.85E-09	3.32E-01	1.57E-01	2.53E-10	1.0E+06	2.5E-04
100	100	0.19094	2.62129E-05	5.0E-06	1.05E-03	5.23E-09	3.32E-01	1.57E-01	2.73E-10	1.0E+06	2.7E-04
101	101	0.20346	2.62129E-05	5.3E-06	1.05E-03	5.57E-09	3.32E-01	1.57E-01	2.90E-10	1.0E+06	2.9E-04
102	102	0.21727	2.62129E-05	5.7E-06	1.05E-03	5.95E-09	3.32E-01	1.57E-01	3.10E-10	1.0E+06	3.1E-04
103	103	0.23295	2.62129E-05	6.1E-06	1.05E-03	6.38E-09	3.32E-01	1.57E-01	3.32E-10	1.0E+06	3.3E-04
104	104	0.25029	2.62129E-05	6.6E-06	1.05E-03	6.86E-09	3.32E-01	1.57E-01	3.57E-10	1.0E+06	3.6E-04
105	105	0.26983	2.62129E-05	7.1E-06	1.05E-03	7.39E-09	3.32E-01	1.57E-01	3.85E-10	1.0E+06	3.9E-04
106	106	0.29296	2.62129E-05	7.7E-06	1.05E-03	8.03E-09	3.32E-01	1.57E-01	4.18E-10	1.0E+06	4.2E-04
107	107	0.32006	2.62129E-05	8.4E-06	1.05E-03	8.77E-09	3.32E-01	1.57E-01	4.57E-10	1.0E+06	4.6E-04
108	108	0.35239	2.62129E-05	9.2E-06	1.05E-03	9.65E-09	3.32E-01	1.57E-01	5.03E-10	1.0E+06	5.0E-04
109	109	0.15646	2.62129E-05	4.1E-06	1.05E-03	4.29E-09	3.32E-01	1.57E-01	2.23E-10	1.0E+06	2.2E-04
110	110	0.16633	2.62129E-05	4.4E-06	1.05E-03	4.56E-09	3.32E-01	1.57E-01	2.37E-10	1.0E+06	2.4E-04
111	111	0.17726	2.62129E-05	4.6E-06	1.05E-03	4.86E-09	3.32E-01	1.57E-01	2.53E-10	1.0E+06	2.5E-04
112	112	0.18924	2.62129E-05	5.0E-06	1.05E-03	5.18E-09	3.32E-01	1.57E-01	2.70E-10	1.0E+06	2.7E-04
113	113	0.20242	2.62129E-05	5.3E-06	1.05E-03	5.55E-09	3.32E-01	1.57E-01	2.89E-10	1.0E+06	2.9E-04
114	114	0.21692	2.62129E-05	5.7E-06	1.05E-03	5.94E-09	3.32E-01	1.57E-01	3.10E-10	1.0E+06	3.1E-04
115	115	0.23281	2.62129E-05	6.1E-06	1.05E-03	6.38E-09	3.32E-01	1.57E-01	3.32E-10	1.0E+06	3.3E-04
116	116	0.25137	2.62129E-05	6.6E-06	1.05E-03	6.89E-09	3.32E-01	1.57E-01	3.59E-10	1.0E+06	3.6E-04
117	117	0.27328	2.62129E-05	7.2E-06	1.05E-03	7.49E-09	3.32E-01	1.57E-01	3.90E-10	1.0E+06	3.9E-04
118	118	0.29284	2.62129E-05	7.7E-06	1.05E-03	8.02E-09	3.32E-01	1.57E-01	4.18E-10	1.0E+06	4.2E-04
119	119	0.32152	2.62129E-05	8.4E-06	1.05E-03	8.81E-09	3.32E-01	1.57E-01	4.59E-10	1.0E+06	4.6E-04
120	120	0.35343	2.62129E-05	9.3E-06	1.05E-03	9.68E-09	3.32E-01	1.57E-01	5.04E-10	1.0E+06	5.0E-04
121	121	0.39023	2.62129E-05	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.57E-10	1.0E+06	5.6E-04
122	122	0.1594	2.62129E-05	4.2E-06	1.05E-03	4.37E-09	3.32E-01	1.57E-01	2.28E-10	1.0E+06	2.3E-04
123	123	0.17081	2.62129E-05	4.5E-06	1.05E-03	4.68E-09	3.32E-01	1.57E-01	2.44E-10	1.0E+06	2.4E-04
124	124	0.1844	2.62129E-05	4.8E-06	1.05E-03	5.05E-09	3.32E-01	1.57E-01	2.63E-10	1.0E+06	2.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19791	2.62129E-05	5.2E-06	1.05E-03	5.42E-09	3.32E-01	1.57E-01	2.82E-10	1.0E+06	2.8E-04
126	126	0.21207	2.62129E-05	5.6E-06	1.05E-03	5.81E-09	3.32E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
127	127	0.22702	2.62129E-05	6.0E-06	1.05E-03	6.22E-09	3.32E-01	1.57E-01	3.24E-10	1.0E+06	3.2E-04
128	128	0.23651	2.62129E-05	6.2E-06	1.05E-03	6.48E-09	3.32E-01	1.57E-01	3.38E-10	1.0E+06	3.4E-04
129	129	0.25652	2.62129E-05	6.7E-06	1.05E-03	7.03E-09	3.32E-01	1.57E-01	3.66E-10	1.0E+06	3.7E-04
130	130	0.28681	2.62129E-05	7.5E-06	1.05E-03	7.86E-09	3.32E-01	1.57E-01	4.09E-10	1.0E+06	4.1E-04
131	131	2.1026	2.62129E-05	5.5E-05	1.05E-03	5.76E-08	3.32E-01	1.57E-01	3.00E-09	1.0E+06	3.0E-03
132	132	3.06035	2.62129E-05	8.0E-05	1.05E-03	8.38E-08	3.32E-01	1.57E-01	4.37E-09	1.0E+06	4.4E-03
133	133	0.15976	2.62129E-05	4.2E-06	1.05E-03	4.38E-09	3.32E-01	1.57E-01	2.28E-10	1.0E+06	2.3E-04
134	134	0.17419	2.62129E-05	4.6E-06	1.05E-03	4.77E-09	3.32E-01	1.57E-01	2.49E-10	1.0E+06	2.5E-04
135	135	0.18902	2.62129E-05	5.0E-06	1.05E-03	5.18E-09	3.32E-01	1.57E-01	2.70E-10	1.0E+06	2.7E-04
136	136	0.20383	2.62129E-05	5.3E-06	1.05E-03	5.58E-09	3.32E-01	1.57E-01	2.91E-10	1.0E+06	2.9E-04
137	137	0.21975	2.62129E-05	5.8E-06	1.05E-03	6.02E-09	3.32E-01	1.57E-01	3.14E-10	1.0E+06	3.1E-04
138	138	0.2353	2.62129E-05	6.2E-06	1.05E-03	6.45E-09	3.32E-01	1.57E-01	3.36E-10	1.0E+06	3.4E-04
139	139	0.24956	2.62129E-05	6.5E-06	1.05E-03	6.84E-09	3.32E-01	1.57E-01	3.56E-10	1.0E+06	3.6E-04
140	140	0.27529	2.62129E-05	7.2E-06	1.05E-03	7.54E-09	3.32E-01	1.57E-01	3.93E-10	1.0E+06	3.9E-04
141	141	0.30274	2.62129E-05	7.9E-06	1.05E-03	8.29E-09	3.32E-01	1.57E-01	4.32E-10	1.0E+06	4.3E-04
142	142	0.33396	2.62129E-05	8.8E-06	1.05E-03	9.15E-09	3.32E-01	1.57E-01	4.77E-10	1.0E+06	4.8E-04
143	143	0.37519	2.62129E-05	9.8E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.35E-10	1.0E+06	5.4E-04
144	144	0.4316	2.62129E-05	1.1E-05	1.05E-03	1.18E-08	3.32E-01	1.57E-01	6.16E-10	1.0E+06	6.2E-04
145	145	0.49688	2.62129E-05	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.09E-10	1.0E+06	7.1E-04
146	146	2.96442	2.62129E-05	7.8E-05	1.05E-03	8.12E-08	3.32E-01	1.57E-01	4.23E-09	1.0E+06	4.2E-03
147	147	0.159	2.62129E-05	4.2E-06	1.05E-03	4.36E-09	3.32E-01	1.57E-01	2.27E-10	1.0E+06	2.3E-04
148	148	0.17357	2.62129E-05	4.5E-06	1.05E-03	4.76E-09	3.32E-01	1.57E-01	2.48E-10	1.0E+06	2.5E-04
149	149	0.18984	2.62129E-05	5.0E-06	1.05E-03	5.20E-09	3.32E-01	1.57E-01	2.71E-10	1.0E+06	2.7E-04
150	150	0.20615	2.62129E-05	5.4E-06	1.05E-03	5.65E-09	3.32E-01	1.57E-01	2.94E-10	1.0E+06	2.9E-04
151	151	0.22496	2.62129E-05	5.9E-06	1.05E-03	6.16E-09	3.32E-01	1.57E-01	3.21E-10	1.0E+06	3.2E-04
152	152	0.24207	2.62129E-05	6.3E-06	1.05E-03	6.63E-09	3.32E-01	1.57E-01	3.45E-10	1.0E+06	3.5E-04
153	153	0.26089	2.62129E-05	6.8E-06	1.05E-03	7.15E-09	3.32E-01	1.57E-01	3.72E-10	1.0E+06	3.7E-04
154	154	0.28522	2.62129E-05	7.5E-06	1.05E-03	7.81E-09	3.32E-01	1.57E-01	4.07E-10	1.0E+06	4.1E-04
155	155	0.31549	2.62129E-05	8.3E-06	1.05E-03	8.64E-09	3.32E-01	1.57E-01	4.50E-10	1.0E+06	4.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.35039	2.62129E-05	9.2E-06	1.05E-03	9.60E-09	3.32E-01	1.57E-01	5.00E-10	1.0E+06	5.0E-04
157	157	0.39073	2.62129E-05	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.58E-10	1.0E+06	5.6E-04
158	158	0.43909	2.62129E-05	1.2E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.27E-10	1.0E+06	6.3E-04
159	159	0.52696	2.62129E-05	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.52E-10	1.0E+06	7.5E-04
160	160	0.15954	2.62129E-05	4.2E-06	1.05E-03	4.37E-09	3.32E-01	1.57E-01	2.28E-10	1.0E+06	2.3E-04
161	161	0.17229	2.62129E-05	4.5E-06	1.05E-03	4.72E-09	3.32E-01	1.57E-01	2.46E-10	1.0E+06	2.5E-04
162	162	0.18448	2.62129E-05	4.8E-06	1.05E-03	5.05E-09	3.32E-01	1.57E-01	2.63E-10	1.0E+06	2.6E-04
163	163	0.20428	2.62129E-05	5.4E-06	1.05E-03	5.60E-09	3.32E-01	1.57E-01	2.92E-10	1.0E+06	2.9E-04
164	164	0.22766	2.62129E-05	6.0E-06	1.05E-03	6.24E-09	3.32E-01	1.57E-01	3.25E-10	1.0E+06	3.2E-04
165	165	0.24766	2.62129E-05	6.5E-06	1.05E-03	6.79E-09	3.32E-01	1.57E-01	3.53E-10	1.0E+06	3.5E-04
166	166	0.27128	2.62129E-05	7.1E-06	1.05E-03	7.43E-09	3.32E-01	1.57E-01	3.87E-10	1.0E+06	3.9E-04
167	167	0.29839	2.62129E-05	7.8E-06	1.05E-03	8.18E-09	3.32E-01	1.57E-01	4.26E-10	1.0E+06	4.3E-04
168	168	0.33053	2.62129E-05	8.7E-06	1.05E-03	9.06E-09	3.32E-01	1.57E-01	4.72E-10	1.0E+06	4.7E-04
169	169	0.36857	2.62129E-05	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.26E-10	1.0E+06	5.3E-04
170	170	0.41336	2.62129E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.90E-10	1.0E+06	5.9E-04
171	171	0.46852	2.62129E-05	1.2E-05	1.05E-03	1.28E-08	3.32E-01	1.57E-01	6.69E-10	1.0E+06	6.7E-04
172	172	0.55099	2.62129E-05	1.4E-05	1.05E-03	1.51E-08	3.32E-01	1.57E-01	7.86E-10	1.0E+06	7.9E-04
173	173	0.67168	2.62129E-05	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.59E-10	1.0E+06	9.6E-04
174	174	0.85514	2.62129E-05	2.2E-05	1.05E-03	2.34E-08	3.32E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
175	175	1.12024	2.62129E-05	2.9E-05	1.05E-03	3.07E-08	3.32E-01	1.57E-01	1.60E-09	1.0E+06	1.6E-03
176	176	1.52224	2.62129E-05	4.0E-05	1.05E-03	4.17E-08	3.32E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
177	177	2.35744	2.62129E-05	6.2E-05	1.05E-03	6.46E-08	3.32E-01	1.57E-01	3.36E-09	1.0E+06	3.4E-03
178	178	4.31639	2.62129E-05	1.1E-04	1.05E-03	1.18E-07	3.32E-01	1.57E-01	6.16E-09	1.0E+06	6.2E-03
179	179	0.15515	2.62129E-05	4.1E-06	1.05E-03	4.25E-09	3.32E-01	1.57E-01	2.21E-10	1.0E+06	2.2E-04
180	180	0.16683	2.62129E-05	4.4E-06	1.05E-03	4.57E-09	3.32E-01	1.57E-01	2.38E-10	1.0E+06	2.4E-04
181	181	0.17732	2.62129E-05	4.6E-06	1.05E-03	4.86E-09	3.32E-01	1.57E-01	2.53E-10	1.0E+06	2.5E-04
182	182	0.20086	2.62129E-05	5.3E-06	1.05E-03	5.50E-09	3.32E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
183	183	0.23068	2.62129E-05	6.0E-06	1.05E-03	6.32E-09	3.32E-01	1.57E-01	3.29E-10	1.0E+06	3.3E-04
184	184	0.25381	2.62129E-05	6.7E-06	1.05E-03	6.95E-09	3.32E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
185	185	0.28134	2.62129E-05	7.4E-06	1.05E-03	7.71E-09	3.32E-01	1.57E-01	4.02E-10	1.0E+06	4.0E-04
186	186	0.31149	2.62129E-05	8.2E-06	1.05E-03	8.53E-09	3.32E-01	1.57E-01	4.45E-10	1.0E+06	4.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.34538	2.62129E-05	9.1E-06	1.05E-03	9.46E-09	3.32E-01	1.57E-01	4.93E-10	1.0E+06	4.9E-04
188	188	0.38664	2.62129E-05	1.0E-05	1.05E-03	1.06E-08	3.32E-01	1.57E-01	5.52E-10	1.0E+06	5.5E-04
189	189	0.43447	2.62129E-05	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.20E-10	1.0E+06	6.2E-04
190	190	0.49498	2.62129E-05	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.06E-10	1.0E+06	7.1E-04
191	191	0.57119	2.62129E-05	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.15E-10	1.0E+06	8.2E-04
192	192	0.68429	2.62129E-05	1.8E-05	1.05E-03	1.87E-08	3.32E-01	1.57E-01	9.77E-10	1.0E+06	9.8E-04
193	193	0.84638	2.62129E-05	2.2E-05	1.05E-03	2.32E-08	3.32E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
194	194	1.12499	2.62129E-05	2.9E-05	1.05E-03	3.08E-08	3.32E-01	1.57E-01	1.61E-09	1.0E+06	1.6E-03
195	195	1.63303	2.62129E-05	4.3E-05	1.05E-03	4.47E-08	3.32E-01	1.57E-01	2.33E-09	1.0E+06	2.3E-03
196	196	2.52631	2.62129E-05	6.6E-05	1.05E-03	6.92E-08	3.32E-01	1.57E-01	3.61E-09	1.0E+06	3.6E-03
197	197	4.55458	2.62129E-05	1.2E-04	1.05E-03	1.25E-07	3.32E-01	1.57E-01	6.50E-09	1.0E+06	6.5E-03
198	198	0.15327	2.62129E-05	4.0E-06	1.05E-03	4.20E-09	3.32E-01	1.57E-01	2.19E-10	1.0E+06	2.2E-04
199	199	0.16603	2.62129E-05	4.4E-06	1.05E-03	4.55E-09	3.32E-01	1.57E-01	2.37E-10	1.0E+06	2.4E-04
200	200	0.18018	2.62129E-05	4.7E-06	1.05E-03	4.94E-09	3.32E-01	1.57E-01	2.57E-10	1.0E+06	2.6E-04
201	201	0.19948	2.62129E-05	5.2E-06	1.05E-03	5.47E-09	3.32E-01	1.57E-01	2.85E-10	1.0E+06	2.8E-04
202	202	0.23047	2.62129E-05	6.0E-06	1.05E-03	6.31E-09	3.32E-01	1.57E-01	3.29E-10	1.0E+06	3.3E-04
203	203	0.25779	2.62129E-05	6.8E-06	1.05E-03	7.06E-09	3.32E-01	1.57E-01	3.68E-10	1.0E+06	3.7E-04
204	204	0.28883	2.62129E-05	7.6E-06	1.05E-03	7.91E-09	3.32E-01	1.57E-01	4.12E-10	1.0E+06	4.1E-04
205	205	0.32201	2.62129E-05	8.4E-06	1.05E-03	8.82E-09	3.32E-01	1.57E-01	4.60E-10	1.0E+06	4.6E-04
206	206	0.35949	2.62129E-05	9.4E-06	1.05E-03	9.85E-09	3.32E-01	1.57E-01	5.13E-10	1.0E+06	5.1E-04
207	207	0.40367	2.62129E-05	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.76E-10	1.0E+06	5.8E-04
208	208	0.45551	2.62129E-05	1.2E-05	1.05E-03	1.25E-08	3.32E-01	1.57E-01	6.50E-10	1.0E+06	6.5E-04
209	209	0.52002	2.62129E-05	1.4E-05	1.05E-03	1.42E-08	3.32E-01	1.57E-01	7.42E-10	1.0E+06	7.4E-04
210	210	0.60121	2.62129E-05	1.6E-05	1.05E-03	1.65E-08	3.32E-01	1.57E-01	8.58E-10	1.0E+06	8.6E-04
211	211	0.70972	2.62129E-05	1.9E-05	1.05E-03	1.94E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
212	212	0.8556	2.62129E-05	2.2E-05	1.05E-03	2.34E-08	3.32E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
213	213	1.06184	2.62129E-05	2.8E-05	1.05E-03	2.91E-08	3.32E-01	1.57E-01	1.52E-09	1.0E+06	1.5E-03
214	214	1.37139	2.62129E-05	3.6E-05	1.05E-03	3.76E-08	3.32E-01	1.57E-01	1.96E-09	1.0E+06	2.0E-03
215	215	2.44577	2.62129E-05	6.4E-05	1.05E-03	6.70E-08	3.32E-01	1.57E-01	3.49E-09	1.0E+06	3.5E-03
216	216	0.15319	2.62129E-05	4.0E-06	1.05E-03	4.20E-09	3.32E-01	1.57E-01	2.19E-10	1.0E+06	2.2E-04
217	217	0.16559	2.62129E-05	4.3E-06	1.05E-03	4.54E-09	3.32E-01	1.57E-01	2.36E-10	1.0E+06	2.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.18096	2.62129E-05	4.7E-06	1.05E-03	4.96E-09	3.32E-01	1.57E-01	2.58E-10	1.0E+06	2.6E-04
219	219	0.20004	2.62129E-05	5.2E-06	1.05E-03	5.48E-09	3.32E-01	1.57E-01	2.86E-10	1.0E+06	2.9E-04
220	220	0.2294	2.62129E-05	6.0E-06	1.05E-03	6.29E-09	3.32E-01	1.57E-01	3.27E-10	1.0E+06	3.3E-04
221	221	0.25665	2.62129E-05	6.7E-06	1.05E-03	7.03E-09	3.32E-01	1.57E-01	3.66E-10	1.0E+06	3.7E-04
222	222	0.29063	2.62129E-05	7.6E-06	1.05E-03	7.96E-09	3.32E-01	1.57E-01	4.15E-10	1.0E+06	4.1E-04
223	223	0.32669	2.62129E-05	8.6E-06	1.05E-03	8.95E-09	3.32E-01	1.57E-01	4.66E-10	1.0E+06	4.7E-04
224	224	0.36726	2.62129E-05	9.6E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.24E-10	1.0E+06	5.2E-04
225	225	0.41303	2.62129E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.90E-10	1.0E+06	5.9E-04
226	226	0.4701	2.62129E-05	1.2E-05	1.05E-03	1.29E-08	3.32E-01	1.57E-01	6.71E-10	1.0E+06	6.7E-04
227	227	0.53799	2.62129E-05	1.4E-05	1.05E-03	1.47E-08	3.32E-01	1.57E-01	7.68E-10	1.0E+06	7.7E-04
228	228	0.62299	2.62129E-05	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.89E-10	1.0E+06	8.9E-04
229	229	0.7354	2.62129E-05	1.9E-05	1.05E-03	2.01E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
230	230	0.88259	2.62129E-05	2.3E-05	1.05E-03	2.42E-08	3.32E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03
231	231	1.09864	2.62129E-05	2.9E-05	1.05E-03	3.01E-08	3.32E-01	1.57E-01	1.57E-09	1.0E+06	1.6E-03
232	232	1.43751	2.62129E-05	3.8E-05	1.05E-03	3.94E-08	3.32E-01	1.57E-01	2.05E-09	1.0E+06	2.1E-03
233	233	2.40441	2.62129E-05	6.3E-05	1.05E-03	6.59E-08	3.32E-01	1.57E-01	3.43E-09	1.0E+06	3.4E-03
234	234	0.1527	2.62129E-05	4.0E-06	1.05E-03	4.18E-09	3.32E-01	1.57E-01	2.18E-10	1.0E+06	2.2E-04
235	235	0.1647	2.62129E-05	4.3E-06	1.05E-03	4.51E-09	3.32E-01	1.57E-01	2.35E-10	1.0E+06	2.4E-04
236	236	0.18055	2.62129E-05	4.7E-06	1.05E-03	4.95E-09	3.32E-01	1.57E-01	2.58E-10	1.0E+06	2.6E-04
237	237	0.20111	2.62129E-05	5.3E-06	1.05E-03	5.51E-09	3.32E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
238	238	0.22732	2.62129E-05	6.0E-06	1.05E-03	6.23E-09	3.32E-01	1.57E-01	3.24E-10	1.0E+06	3.2E-04
239	239	0.255	2.62129E-05	6.7E-06	1.05E-03	6.99E-09	3.32E-01	1.57E-01	3.64E-10	1.0E+06	3.6E-04
240	240	0.28846	2.62129E-05	7.6E-06	1.05E-03	7.90E-09	3.32E-01	1.57E-01	4.12E-10	1.0E+06	4.1E-04
241	241	0.32627	2.62129E-05	8.6E-06	1.05E-03	8.94E-09	3.32E-01	1.57E-01	4.66E-10	1.0E+06	4.7E-04
242	242	0.36954	2.62129E-05	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.27E-10	1.0E+06	5.3E-04
243	243	0.4192	2.62129E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	5.98E-10	1.0E+06	6.0E-04
244	244	0.48126	2.62129E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.87E-10	1.0E+06	6.9E-04
245	245	0.5562	2.62129E-05	1.5E-05	1.05E-03	1.52E-08	3.32E-01	1.57E-01	7.94E-10	1.0E+06	7.9E-04
246	246	0.64925	2.62129E-05	1.7E-05	1.05E-03	1.78E-08	3.32E-01	1.57E-01	9.27E-10	1.0E+06	9.3E-04
247	247	0.76811	2.62129E-05	2.0E-05	1.05E-03	2.10E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
248	248	0.928	2.62129E-05	2.4E-05	1.05E-03	2.54E-08	3.32E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.15538	2.62129E-05	3.0E-05	1.05E-03	3.17E-08	3.32E-01	1.57E-01	1.65E-09	1.0E+06	1.6E-03
250	250	1.52774	2.62129E-05	4.0E-05	1.05E-03	4.19E-08	3.32E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
251	251	2.5086	2.62129E-05	6.6E-05	1.05E-03	6.87E-08	3.32E-01	1.57E-01	3.58E-09	1.0E+06	3.6E-03
252	252	0.15001	2.62129E-05	3.9E-06	1.05E-03	4.11E-09	3.32E-01	1.57E-01	2.14E-10	1.0E+06	2.1E-04
253	253	0.16148	2.62129E-05	4.2E-06	1.05E-03	4.42E-09	3.32E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
254	254	0.17624	2.62129E-05	4.6E-06	1.05E-03	4.83E-09	3.32E-01	1.57E-01	2.52E-10	1.0E+06	2.5E-04
255	255	0.19449	2.62129E-05	5.1E-06	1.05E-03	5.33E-09	3.32E-01	1.57E-01	2.78E-10	1.0E+06	2.8E-04
256	256	0.22408	2.62129E-05	5.9E-06	1.05E-03	6.14E-09	3.32E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
257	257	0.24552	2.62129E-05	6.4E-06	1.05E-03	6.73E-09	3.32E-01	1.57E-01	3.50E-10	1.0E+06	3.5E-04
258	258	0.27459	2.62129E-05	7.2E-06	1.05E-03	7.52E-09	3.32E-01	1.57E-01	3.92E-10	1.0E+06	3.9E-04
259	259	0.30864	2.62129E-05	8.1E-06	1.05E-03	8.46E-09	3.32E-01	1.57E-01	4.41E-10	1.0E+06	4.4E-04
260	260	0.35569	2.62129E-05	9.3E-06	1.05E-03	9.75E-09	3.32E-01	1.57E-01	5.08E-10	1.0E+06	5.1E-04
261	261	0.41512	2.62129E-05	1.1E-05	1.05E-03	1.14E-08	3.32E-01	1.57E-01	5.92E-10	1.0E+06	5.9E-04
262	262	0.48454	2.62129E-05	1.3E-05	1.05E-03	1.33E-08	3.32E-01	1.57E-01	6.92E-10	1.0E+06	6.9E-04
263	263	0.5625	2.62129E-05	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.03E-10	1.0E+06	8.0E-04
264	264	0.66401	2.62129E-05	1.7E-05	1.05E-03	1.82E-08	3.32E-01	1.57E-01	9.48E-10	1.0E+06	9.5E-04
265	265	0.78855	2.62129E-05	2.1E-05	1.05E-03	2.16E-08	3.32E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
266	266	0.95858	2.62129E-05	2.5E-05	1.05E-03	2.63E-08	3.32E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03
267	267	1.1983	2.62129E-05	3.1E-05	1.05E-03	3.28E-08	3.32E-01	1.57E-01	1.71E-09	1.0E+06	1.7E-03
268	268	1.58144	2.62129E-05	4.1E-05	1.05E-03	4.33E-08	3.32E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
269	269	2.55628	2.62129E-05	6.7E-05	1.05E-03	7.00E-08	3.32E-01	1.57E-01	3.65E-09	1.0E+06	3.6E-03
270	270	0.14621	2.62129E-05	3.8E-06	1.05E-03	4.01E-09	3.32E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
271	271	0.1583	2.62129E-05	4.1E-06	1.05E-03	4.34E-09	3.32E-01	1.57E-01	2.26E-10	1.0E+06	2.3E-04
272	272	0.17313	2.62129E-05	4.5E-06	1.05E-03	4.74E-09	3.32E-01	1.57E-01	2.47E-10	1.0E+06	2.5E-04
273	273	0.19039	2.62129E-05	5.0E-06	1.05E-03	5.22E-09	3.32E-01	1.57E-01	2.72E-10	1.0E+06	2.7E-04
274	274	0.22201	2.62129E-05	5.8E-06	1.05E-03	6.08E-09	3.32E-01	1.57E-01	3.17E-10	1.0E+06	3.2E-04
275	275	0.25128	2.62129E-05	6.6E-06	1.05E-03	6.88E-09	3.32E-01	1.57E-01	3.59E-10	1.0E+06	3.6E-04
276	276	0.26733	2.62129E-05	7.0E-06	1.05E-03	7.32E-09	3.32E-01	1.57E-01	3.82E-10	1.0E+06	3.8E-04
277	277	0.30004	2.62129E-05	7.9E-06	1.05E-03	8.22E-09	3.32E-01	1.57E-01	4.28E-10	1.0E+06	4.3E-04
278	278	0.34249	2.62129E-05	9.0E-06	1.05E-03	9.38E-09	3.32E-01	1.57E-01	4.89E-10	1.0E+06	4.9E-04
279	279	0.39721	2.62129E-05	1.0E-05	1.05E-03	1.09E-08	3.32E-01	1.57E-01	5.67E-10	1.0E+06	5.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.47332	2.62129E-05	1.2E-05	1.05E-03	1.30E-08	3.32E-01	1.57E-01	6.76E-10	1.0E+06	6.8E-04
281	281	0.56419	2.62129E-05	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.05E-10	1.0E+06	8.1E-04
282	282	0.67443	2.62129E-05	1.8E-05	1.05E-03	1.85E-08	3.32E-01	1.57E-01	9.63E-10	1.0E+06	9.6E-04
283	283	0.81274	2.62129E-05	2.1E-05	1.05E-03	2.23E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
284	284	0.99874	2.62129E-05	2.6E-05	1.05E-03	2.74E-08	3.32E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
285	285	1.25668	2.62129E-05	3.3E-05	1.05E-03	3.44E-08	3.32E-01	1.57E-01	1.79E-09	1.0E+06	1.8E-03
286	286	1.67882	2.62129E-05	4.4E-05	1.05E-03	4.60E-08	3.32E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
287	287	2.73091	2.62129E-05	7.2E-05	1.05E-03	7.48E-08	3.32E-01	1.57E-01	3.90E-09	1.0E+06	3.9E-03
288	288	0.14265	2.62129E-05	3.7E-06	1.05E-03	3.91E-09	3.32E-01	1.57E-01	2.04E-10	1.0E+06	2.0E-04
289	289	0.15374	2.62129E-05	4.0E-06	1.05E-03	4.21E-09	3.32E-01	1.57E-01	2.19E-10	1.0E+06	2.2E-04
290	290	0.17161	2.62129E-05	4.5E-06	1.05E-03	4.70E-09	3.32E-01	1.57E-01	2.45E-10	1.0E+06	2.4E-04
291	291	0.19064	2.62129E-05	5.0E-06	1.05E-03	5.22E-09	3.32E-01	1.57E-01	2.72E-10	1.0E+06	2.7E-04
292	292	0.23085	2.62129E-05	6.1E-06	1.05E-03	6.32E-09	3.32E-01	1.57E-01	3.29E-10	1.0E+06	3.3E-04
293	293	0.25131	2.62129E-05	6.6E-06	1.05E-03	6.89E-09	3.32E-01	1.57E-01	3.59E-10	1.0E+06	3.6E-04
294	294	0.25984	2.62129E-05	6.8E-06	1.05E-03	7.12E-09	3.32E-01	1.57E-01	3.71E-10	1.0E+06	3.7E-04
295	295	0.29421	2.62129E-05	7.7E-06	1.05E-03	8.06E-09	3.32E-01	1.57E-01	4.20E-10	1.0E+06	4.2E-04
296	296	0.33744	2.62129E-05	8.8E-06	1.05E-03	9.25E-09	3.32E-01	1.57E-01	4.82E-10	1.0E+06	4.8E-04
297	297	0.38583	2.62129E-05	1.0E-05	1.05E-03	1.06E-08	3.32E-01	1.57E-01	5.51E-10	1.0E+06	5.5E-04
298	298	0.45449	2.62129E-05	1.2E-05	1.05E-03	1.25E-08	3.32E-01	1.57E-01	6.49E-10	1.0E+06	6.5E-04
299	299	0.55386	2.62129E-05	1.5E-05	1.05E-03	1.52E-08	3.32E-01	1.57E-01	7.91E-10	1.0E+06	7.9E-04
300	300	0.66683	2.62129E-05	1.7E-05	1.05E-03	1.83E-08	3.32E-01	1.57E-01	9.52E-10	1.0E+06	9.5E-04
301	301	0.82545	2.62129E-05	2.2E-05	1.05E-03	2.26E-08	3.32E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
302	302	1.03874	2.62129E-05	2.7E-05	1.05E-03	2.85E-08	3.32E-01	1.57E-01	1.48E-09	1.0E+06	1.5E-03
303	303	1.35075	2.62129E-05	3.5E-05	1.05E-03	3.70E-08	3.32E-01	1.57E-01	1.93E-09	1.0E+06	1.9E-03
304	304	1.8498	2.62129E-05	4.8E-05	1.05E-03	5.07E-08	3.32E-01	1.57E-01	2.64E-09	1.0E+06	2.6E-03
305	305	3.10895	2.62129E-05	8.1E-05	1.05E-03	8.52E-08	3.32E-01	1.57E-01	4.44E-09	1.0E+06	4.4E-03
306	306	0.14622	2.62129E-05	3.8E-06	1.05E-03	4.01E-09	3.32E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
307	307	0.15391	2.62129E-05	4.0E-06	1.05E-03	4.22E-09	3.32E-01	1.57E-01	2.20E-10	1.0E+06	2.2E-04
308	308	0.16799	2.62129E-05	4.4E-06	1.05E-03	4.60E-09	3.32E-01	1.57E-01	2.40E-10	1.0E+06	2.4E-04
309	309	0.19684	2.62129E-05	5.2E-06	1.05E-03	5.39E-09	3.32E-01	1.57E-01	2.81E-10	1.0E+06	2.8E-04
310	310	0.22674	2.62129E-05	5.9E-06	1.05E-03	6.21E-09	3.32E-01	1.57E-01	3.24E-10	1.0E+06	3.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.24612	2.62129E-05	6.5E-06	1.05E-03	6.74E-09	3.32E-01	1.57E-01	3.51E-10	1.0E+06	3.5E-04
312	312	0.25013	2.62129E-05	6.6E-06	1.05E-03	6.85E-09	3.32E-01	1.57E-01	3.57E-10	1.0E+06	3.6E-04
313	313	0.28342	2.62129E-05	7.4E-06	1.05E-03	7.77E-09	3.32E-01	1.57E-01	4.05E-10	1.0E+06	4.0E-04
314	314	0.32564	2.62129E-05	8.5E-06	1.05E-03	8.92E-09	3.32E-01	1.57E-01	4.65E-10	1.0E+06	4.6E-04
315	315	0.38776	2.62129E-05	1.0E-05	1.05E-03	1.06E-08	3.32E-01	1.57E-01	5.53E-10	1.0E+06	5.5E-04
316	316	0.44463	2.62129E-05	1.2E-05	1.05E-03	1.22E-08	3.32E-01	1.57E-01	6.35E-10	1.0E+06	6.3E-04
317	317	0.52836	2.62129E-05	1.4E-05	1.05E-03	1.45E-08	3.32E-01	1.57E-01	7.54E-10	1.0E+06	7.5E-04
318	318	0.64675	2.62129E-05	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.23E-10	1.0E+06	9.2E-04
319	319	0.82406	2.62129E-05	2.2E-05	1.05E-03	2.26E-08	3.32E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
320	320	1.09488	2.62129E-05	2.9E-05	1.05E-03	3.00E-08	3.32E-01	1.57E-01	1.56E-09	1.0E+06	1.6E-03
321	321	1.45509	2.62129E-05	3.8E-05	1.05E-03	3.99E-08	3.32E-01	1.57E-01	2.08E-09	1.0E+06	2.1E-03
322	322	2.05339	2.62129E-05	5.4E-05	1.05E-03	5.63E-08	3.32E-01	1.57E-01	2.93E-09	1.0E+06	2.9E-03
323	323	3.71052	2.62129E-05	9.7E-05	1.05E-03	1.02E-07	3.32E-01	1.57E-01	5.30E-09	1.0E+06	5.3E-03
324	324	0.14277	2.62129E-05	3.7E-06	1.05E-03	3.91E-09	3.32E-01	1.57E-01	2.04E-10	1.0E+06	2.0E-04
325	325	0.15916	2.62129E-05	4.2E-06	1.05E-03	4.36E-09	3.32E-01	1.57E-01	2.27E-10	1.0E+06	2.3E-04
326	326	0.17209	2.62129E-05	4.5E-06	1.05E-03	4.71E-09	3.32E-01	1.57E-01	2.46E-10	1.0E+06	2.5E-04
327	327	0.18403	2.62129E-05	4.8E-06	1.05E-03	5.04E-09	3.32E-01	1.57E-01	2.63E-10	1.0E+06	2.6E-04
328	328	0.2233	2.62129E-05	5.9E-06	1.05E-03	6.12E-09	3.32E-01	1.57E-01	3.19E-10	1.0E+06	3.2E-04
329	329	0.23851	2.62129E-05	6.3E-06	1.05E-03	6.53E-09	3.32E-01	1.57E-01	3.40E-10	1.0E+06	3.4E-04
330	330	0.24362	2.62129E-05	6.4E-06	1.05E-03	6.67E-09	3.32E-01	1.57E-01	3.48E-10	1.0E+06	3.5E-04
331	331	0.27658	2.62129E-05	7.2E-06	1.05E-03	7.58E-09	3.32E-01	1.57E-01	3.95E-10	1.0E+06	3.9E-04
332	332	0.31861	2.62129E-05	8.4E-06	1.05E-03	8.73E-09	3.32E-01	1.57E-01	4.55E-10	1.0E+06	4.5E-04
333	333	0.38066	2.62129E-05	1.0E-05	1.05E-03	1.04E-08	3.32E-01	1.57E-01	5.43E-10	1.0E+06	5.4E-04
334	334	0.44764	2.62129E-05	1.2E-05	1.05E-03	1.23E-08	3.32E-01	1.57E-01	6.39E-10	1.0E+06	6.4E-04
335	335	0.53678	2.62129E-05	1.4E-05	1.05E-03	1.47E-08	3.32E-01	1.57E-01	7.66E-10	1.0E+06	7.7E-04
336	336	3.04215	2.62129E-05	8.0E-05	1.05E-03	8.33E-08	3.32E-01	1.57E-01	4.34E-09	1.0E+06	4.3E-03
337	337	2.72055	2.62129E-05	7.1E-05	1.05E-03	7.45E-08	3.32E-01	1.57E-01	3.88E-09	1.0E+06	3.9E-03
338	338	0.14587	2.62129E-05	3.8E-06	1.05E-03	4.00E-09	3.32E-01	1.57E-01	2.08E-10	1.0E+06	2.1E-04
339	339	0.15578	2.62129E-05	4.1E-06	1.05E-03	4.27E-09	3.32E-01	1.57E-01	2.22E-10	1.0E+06	2.2E-04
340	340	0.16656	2.62129E-05	4.4E-06	1.05E-03	4.56E-09	3.32E-01	1.57E-01	2.38E-10	1.0E+06	2.4E-04
341	341	0.19173	2.62129E-05	5.0E-06	1.05E-03	5.25E-09	3.32E-01	1.57E-01	2.74E-10	1.0E+06	2.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.20206	2.62129E-05	5.3E-06	1.05E-03	5.54E-09	3.32E-01	1.57E-01	2.88E-10	1.0E+06	2.9E-04
343	343	0.21573	2.62129E-05	5.7E-06	1.05E-03	5.91E-09	3.32E-01	1.57E-01	3.08E-10	1.0E+06	3.1E-04
344	344	0.22034	2.62129E-05	5.8E-06	1.05E-03	6.04E-09	3.32E-01	1.57E-01	3.14E-10	1.0E+06	3.1E-04
345	345	0.22329	2.62129E-05	5.9E-06	1.05E-03	6.12E-09	3.32E-01	1.57E-01	3.19E-10	1.0E+06	3.2E-04
346	346	0.22417	2.62129E-05	5.9E-06	1.05E-03	6.14E-09	3.32E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
347	347	0.15873	2.62129E-05	4.2E-06	1.05E-03	4.35E-09	3.32E-01	1.57E-01	2.27E-10	1.0E+06	2.3E-04
348	348	0.17314	2.62129E-05	4.5E-06	1.05E-03	4.74E-09	3.32E-01	1.57E-01	2.47E-10	1.0E+06	2.5E-04
349	349	0.19776	2.62129E-05	5.2E-06	1.05E-03	5.42E-09	3.32E-01	1.57E-01	2.82E-10	1.0E+06	2.8E-04
350	350	0.2178	2.62129E-05	5.7E-06	1.05E-03	5.97E-09	3.32E-01	1.57E-01	3.11E-10	1.0E+06	3.1E-04
351	351	0.22673	2.62129E-05	5.9E-06	1.05E-03	6.21E-09	3.32E-01	1.57E-01	3.24E-10	1.0E+06	3.2E-04
352	352	0.24526	2.62129E-05	6.4E-06	1.05E-03	6.72E-09	3.32E-01	1.57E-01	3.50E-10	1.0E+06	3.5E-04
353	353	0.25118	2.62129E-05	6.6E-06	1.05E-03	6.88E-09	3.32E-01	1.57E-01	3.58E-10	1.0E+06	3.6E-04
354	354	0.25395	2.62129E-05	6.7E-06	1.05E-03	6.96E-09	3.32E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
355	355	0.25528	2.62129E-05	6.7E-06	1.05E-03	6.99E-09	3.32E-01	1.57E-01	3.64E-10	1.0E+06	3.6E-04
356	356	0.17458	2.62129E-05	4.6E-06	1.05E-03	4.78E-09	3.32E-01	1.57E-01	2.49E-10	1.0E+06	2.5E-04
357	357	0.18779	2.62129E-05	4.9E-06	1.05E-03	5.15E-09	3.32E-01	1.57E-01	2.68E-10	1.0E+06	2.7E-04
358	358	0.20503	2.62129E-05	5.4E-06	1.05E-03	5.62E-09	3.32E-01	1.57E-01	2.93E-10	1.0E+06	2.9E-04
359	359	0.22518	2.62129E-05	5.9E-06	1.05E-03	6.17E-09	3.32E-01	1.57E-01	3.21E-10	1.0E+06	3.2E-04
360	360	0.25562	2.62129E-05	6.7E-06	1.05E-03	7.00E-09	3.32E-01	1.57E-01	3.65E-10	1.0E+06	3.6E-04
361	361	0.2824	2.62129E-05	7.4E-06	1.05E-03	7.74E-09	3.32E-01	1.57E-01	4.03E-10	1.0E+06	4.0E-04
362	362	0.29022	2.62129E-05	7.6E-06	1.05E-03	7.95E-09	3.32E-01	1.57E-01	4.14E-10	1.0E+06	4.1E-04
363	363	0.29351	2.62129E-05	7.7E-06	1.05E-03	8.04E-09	3.32E-01	1.57E-01	4.19E-10	1.0E+06	4.2E-04
364	364	0.19574	2.62129E-05	5.1E-06	1.05E-03	5.36E-09	3.32E-01	1.57E-01	2.79E-10	1.0E+06	2.8E-04
365	365	0.20742	2.62129E-05	5.4E-06	1.05E-03	5.68E-09	3.32E-01	1.57E-01	2.96E-10	1.0E+06	3.0E-04
366	366	0.22868	2.62129E-05	6.0E-06	1.05E-03	6.27E-09	3.32E-01	1.57E-01	3.26E-10	1.0E+06	3.3E-04
367	367	0.25093	2.62129E-05	6.6E-06	1.05E-03	6.87E-09	3.32E-01	1.57E-01	3.58E-10	1.0E+06	3.6E-04
368	368	0.2912	2.62129E-05	7.6E-06	1.05E-03	7.98E-09	3.32E-01	1.57E-01	4.16E-10	1.0E+06	4.2E-04
369	369	0.33047	2.62129E-05	8.7E-06	1.05E-03	9.05E-09	3.32E-01	1.57E-01	4.72E-10	1.0E+06	4.7E-04
370	370	0.34752	2.62129E-05	9.1E-06	1.05E-03	9.52E-09	3.32E-01	1.57E-01	4.96E-10	1.0E+06	5.0E-04
371	371	0.34837	2.62129E-05	9.1E-06	1.05E-03	9.54E-09	3.32E-01	1.57E-01	4.97E-10	1.0E+06	5.0E-04
372	372	0.22406	2.62129E-05	5.9E-06	1.05E-03	6.14E-09	3.32E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.23752	2.62129E-05	6.2E-06	1.05E-03	6.51E-09	3.32E-01	1.57E-01	3.39E-10	1.0E+06	3.4E-04
374	374	0.26345	2.62129E-05	6.9E-06	1.05E-03	7.22E-09	3.32E-01	1.57E-01	3.76E-10	1.0E+06	3.8E-04
375	375	0.29032	2.62129E-05	7.6E-06	1.05E-03	7.95E-09	3.32E-01	1.57E-01	4.14E-10	1.0E+06	4.1E-04
376	376	0.34537	2.62129E-05	9.1E-06	1.05E-03	9.46E-09	3.32E-01	1.57E-01	4.93E-10	1.0E+06	4.9E-04
377	377	0.37279	2.62129E-05	9.8E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.32E-10	1.0E+06	5.3E-04
378	378	0.3946	2.62129E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
379	379	0.41914	2.62129E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	5.98E-10	1.0E+06	6.0E-04
380	380	0.42084	2.62129E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	6.01E-10	1.0E+06	6.0E-04
381	381	0.41554	2.62129E-05	1.1E-05	1.05E-03	1.14E-08	3.32E-01	1.57E-01	5.93E-10	1.0E+06	5.9E-04
382	382	0.26298	2.62129E-05	6.9E-06	1.05E-03	7.21E-09	3.32E-01	1.57E-01	3.75E-10	1.0E+06	3.8E-04
383	383	0.28545	2.62129E-05	7.5E-06	1.05E-03	7.82E-09	3.32E-01	1.57E-01	4.07E-10	1.0E+06	4.1E-04
384	384	0.31053	2.62129E-05	8.1E-06	1.05E-03	8.51E-09	3.32E-01	1.57E-01	4.43E-10	1.0E+06	4.4E-04
385	385	0.36518	2.62129E-05	9.6E-06	1.05E-03	1.00E-08	3.32E-01	1.57E-01	5.21E-10	1.0E+06	5.2E-04
386	386	0.41329	2.62129E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.90E-10	1.0E+06	5.9E-04
387	387	0.45111	2.62129E-05	1.2E-05	1.05E-03	1.24E-08	3.32E-01	1.57E-01	6.44E-10	1.0E+06	6.4E-04
388	388	0.48385	2.62129E-05	1.3E-05	1.05E-03	1.33E-08	3.32E-01	1.57E-01	6.91E-10	1.0E+06	6.9E-04
389	389	0.52078	2.62129E-05	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.43E-10	1.0E+06	7.4E-04
390	390	0.52062	2.62129E-05	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.43E-10	1.0E+06	7.4E-04
391	391	0.51051	2.62129E-05	1.3E-05	1.05E-03	1.40E-08	3.32E-01	1.57E-01	7.29E-10	1.0E+06	7.3E-04
392	392	0.48435	2.62129E-05	1.3E-05	1.05E-03	1.33E-08	3.32E-01	1.57E-01	6.91E-10	1.0E+06	6.9E-04
393	393	0.31778	2.62129E-05	8.3E-06	1.05E-03	8.71E-09	3.32E-01	1.57E-01	4.54E-10	1.0E+06	4.5E-04
394	394	0.36232	2.62129E-05	9.5E-06	1.05E-03	9.93E-09	3.32E-01	1.57E-01	5.17E-10	1.0E+06	5.2E-04
395	395	0.42146	2.62129E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	6.02E-10	1.0E+06	6.0E-04
396	396	0.4801	2.62129E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.85E-10	1.0E+06	6.9E-04
397	397	0.54024	2.62129E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.71E-10	1.0E+06	7.7E-04
398	398	0.5835	2.62129E-05	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
399	399	0.60737	2.62129E-05	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.67E-10	1.0E+06	8.7E-04
400	400	0.67671	2.62129E-05	1.8E-05	1.05E-03	1.85E-08	3.32E-01	1.57E-01	9.66E-10	1.0E+06	9.7E-04
401	401	0.6719	2.62129E-05	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.59E-10	1.0E+06	9.6E-04
402	402	0.59802	2.62129E-05	1.6E-05	1.05E-03	1.64E-08	3.32E-01	1.57E-01	8.54E-10	1.0E+06	8.5E-04
403	403	0.92385	2.62129E-05	2.4E-05	1.05E-03	2.53E-08	3.32E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.768	2.62129E-05	2.0E-05	1.05E-03	2.10E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
405	405	0.67389	2.62129E-05	1.8E-05	1.05E-03	1.85E-08	3.32E-01	1.57E-01	9.62E-10	1.0E+06	9.6E-04
406	406	1.44334	2.62129E-05	3.8E-05	1.05E-03	3.95E-08	3.32E-01	1.57E-01	2.06E-09	1.0E+06	2.1E-03
407	407	0.81532	2.62129E-05	2.1E-05	1.05E-03	2.23E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
408	408	2.87208	2.62129E-05	7.5E-05	1.05E-03	7.87E-08	3.32E-01	1.57E-01	4.10E-09	1.0E+06	4.1E-03
409	409	0.97052	2.62129E-05	2.5E-05	1.05E-03	2.66E-08	3.32E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
410	410	3.46466	2.62129E-05	9.1E-05	1.05E-03	9.49E-08	3.32E-01	1.57E-01	4.94E-09	1.0E+06	4.9E-03
411	411	1.47879	2.62129E-05	3.9E-05	1.05E-03	4.05E-08	3.32E-01	1.57E-01	2.11E-09	1.0E+06	2.1E-03
412	412	1.14591	2.62129E-05	3.0E-05	1.05E-03	3.14E-08	3.32E-01	1.57E-01	1.64E-09	1.0E+06	1.6E-03
413	413	7.15969	2.62129E-05	1.9E-04	1.05E-03	1.96E-07	3.32E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
414	414	2.46032	2.62129E-05	6.4E-05	1.05E-03	6.74E-08	3.32E-01	1.57E-01	3.51E-09	1.0E+06	3.5E-03
415	415	1.69852	2.62129E-05	4.5E-05	1.05E-03	4.65E-08	3.32E-01	1.57E-01	2.42E-09	1.0E+06	2.4E-03
416	416	1.27981	2.62129E-05	3.4E-05	1.05E-03	3.51E-08	3.32E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
417	417	8.91786	2.62129E-05	2.3E-04	1.05E-03	2.44E-07	3.32E-01	1.57E-01	1.27E-08	1.0E+06	1.3E-02
418	418	1.88239	2.62129E-05	4.9E-05	1.05E-03	5.16E-08	3.32E-01	1.57E-01	2.69E-09	1.0E+06	2.7E-03
419	419	1.39286	2.62129E-05	3.7E-05	1.05E-03	3.82E-08	3.32E-01	1.57E-01	1.99E-09	1.0E+06	2.0E-03
420	420	1.08392	2.62129E-05	2.8E-05	1.05E-03	2.97E-08	3.32E-01	1.57E-01	1.55E-09	1.0E+06	1.5E-03
421	421	6.36667	2.62129E-05	1.7E-04	1.05E-03	1.74E-07	3.32E-01	1.57E-01	9.09E-09	1.0E+06	9.1E-03
422	422	1.48397	2.62129E-05	3.9E-05	1.05E-03	4.07E-08	3.32E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
423	423	1.14502	2.62129E-05	3.0E-05	1.05E-03	3.14E-08	3.32E-01	1.57E-01	1.63E-09	1.0E+06	1.6E-03
424	424	11.01121	2.62129E-05	2.9E-04	1.05E-03	3.02E-07	3.32E-01	1.57E-01	1.57E-08	1.0E+06	1.6E-02
425	425	1.18737	2.62129E-05	3.1E-05	1.05E-03	3.25E-08	3.32E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
426	426	0.93982	2.62129E-05	2.5E-05	1.05E-03	2.57E-08	3.32E-01	1.57E-01	1.34E-09	1.0E+06	1.3E-03
427	427	10.75236	2.62129E-05	2.8E-04	1.05E-03	2.95E-07	3.32E-01	1.57E-01	1.53E-08	1.0E+06	1.5E-02
428	428	1.20985	2.62129E-05	3.2E-05	1.05E-03	3.31E-08	3.32E-01	1.57E-01	1.73E-09	1.0E+06	1.7E-03
429	429	0.95106	2.62129E-05	2.5E-05	1.05E-03	2.61E-08	3.32E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
430	430	11.02507	2.62129E-05	2.9E-04	1.05E-03	3.02E-07	3.32E-01	1.57E-01	1.57E-08	1.0E+06	1.6E-02
431	431	0.946	2.62129E-05	2.5E-05	1.05E-03	2.59E-08	3.32E-01	1.57E-01	1.35E-09	1.0E+06	1.4E-03
432	432	0.75597	2.62129E-05	2.0E-05	1.05E-03	2.07E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
433	433	7.37901	2.62129E-05	1.9E-04	1.05E-03	2.02E-07	3.32E-01	1.57E-01	1.05E-08	1.0E+06	1.1E-02
434	434	0.92512	2.62129E-05	2.4E-05	1.05E-03	2.53E-08	3.32E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.74044	2.62129E-05	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
436	436	7.10577	2.62129E-05	1.9E-04	1.05E-03	1.95E-07	3.32E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
437	437	1.14977	2.62129E-05	3.0E-05	1.05E-03	3.15E-08	3.32E-01	1.57E-01	1.64E-09	1.0E+06	1.6E-03
438	438	0.8912	2.62129E-05	2.3E-05	1.05E-03	2.44E-08	3.32E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
439	439	0.71274	2.62129E-05	1.9E-05	1.05E-03	1.95E-08	3.32E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
440	440	13.02169	2.62129E-05	3.4E-04	1.05E-03	3.57E-07	3.32E-01	1.57E-01	1.86E-08	1.0E+06	1.9E-02
441	441	2.04143	2.62129E-05	5.4E-05	1.05E-03	5.59E-08	3.32E-01	1.57E-01	2.91E-09	1.0E+06	2.9E-03
442	442	1.46173	2.62129E-05	3.8E-05	1.05E-03	4.00E-08	3.32E-01	1.57E-01	2.09E-09	1.0E+06	2.1E-03
443	443	1.08981	2.62129E-05	2.9E-05	1.05E-03	2.99E-08	3.32E-01	1.57E-01	1.56E-09	1.0E+06	1.6E-03
444	444	0.84571	2.62129E-05	2.2E-05	1.05E-03	2.32E-08	3.32E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
445	445	9.30514	2.62129E-05	2.4E-04	1.05E-03	2.55E-07	3.32E-01	1.57E-01	1.33E-08	1.0E+06	1.3E-02
446	446	2.82121	2.62129E-05	7.4E-05	1.05E-03	7.73E-08	3.32E-01	1.57E-01	4.03E-09	1.0E+06	4.0E-03
447	447	1.8889	2.62129E-05	5.0E-05	1.05E-03	5.18E-08	3.32E-01	1.57E-01	2.70E-09	1.0E+06	2.7E-03
448	448	1.35236	2.62129E-05	3.5E-05	1.05E-03	3.71E-08	3.32E-01	1.57E-01	1.93E-09	1.0E+06	1.9E-03
449	449	6.80571	2.62129E-05	1.8E-04	1.05E-03	1.86E-07	3.32E-01	1.57E-01	9.71E-09	1.0E+06	9.7E-03
450	450	3.85172	2.62129E-05	1.0E-04	1.05E-03	1.06E-07	3.32E-01	1.57E-01	5.50E-09	1.0E+06	5.5E-03
451	451	2.4557	2.62129E-05	6.4E-05	1.05E-03	6.73E-08	3.32E-01	1.57E-01	3.50E-09	1.0E+06	3.5E-03
452	452	5.08302	2.62129E-05	1.3E-04	1.05E-03	1.39E-07	3.32E-01	1.57E-01	7.25E-09	1.0E+06	7.3E-03
453	453	3.11618	2.62129E-05	8.2E-05	1.05E-03	8.54E-08	3.32E-01	1.57E-01	4.45E-09	1.0E+06	4.4E-03
454	454	0.55416	2.62129E-05	1.5E-05	1.05E-03	1.52E-08	3.32E-01	1.57E-01	7.91E-10	1.0E+06	7.9E-04
455	455	0.46577	2.62129E-05	1.2E-05	1.05E-03	1.28E-08	3.32E-01	1.57E-01	6.65E-10	1.0E+06	6.6E-04
456	456	3.77075	2.62129E-05	9.9E-05	1.05E-03	1.03E-07	3.32E-01	1.57E-01	5.38E-09	1.0E+06	5.4E-03
457	457	2.48664	2.62129E-05	6.5E-05	1.05E-03	6.81E-08	3.32E-01	1.57E-01	3.55E-09	1.0E+06	3.5E-03
458	458	1.7558	2.62129E-05	4.6E-05	1.05E-03	4.81E-08	3.32E-01	1.57E-01	2.51E-09	1.0E+06	2.5E-03
459	459	0.77734	2.62129E-05	2.0E-05	1.05E-03	2.13E-08	3.32E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
460	460	0.62867	2.62129E-05	1.6E-05	1.05E-03	1.72E-08	3.32E-01	1.57E-01	8.97E-10	1.0E+06	9.0E-04
461	461	0.51885	2.62129E-05	1.4E-05	1.05E-03	1.42E-08	3.32E-01	1.57E-01	7.41E-10	1.0E+06	7.4E-04
462	462	0.43635	2.62129E-05	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.23E-10	1.0E+06	6.2E-04
463	463	3.79928	2.62129E-05	1.0E-04	1.05E-03	1.04E-07	3.32E-01	1.57E-01	5.42E-09	1.0E+06	5.4E-03
464	464	4.68174	2.62129E-05	1.2E-04	1.05E-03	1.28E-07	3.32E-01	1.57E-01	6.68E-09	1.0E+06	6.7E-03
465	465	4.81943	2.62129E-05	1.3E-04	1.05E-03	1.32E-07	3.32E-01	1.57E-01	6.88E-09	1.0E+06	6.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	4.90053	2.62129E-05	1.3E-04	1.05E-03	1.34E-07	3.32E-01	1.57E-01	6.99E-09	1.0E+06	7.0E-03
467	467	8.97847	2.62129E-05	2.4E-04	1.05E-03	2.46E-07	3.32E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
468	468	9.0475	2.62129E-05	2.4E-04	1.05E-03	2.48E-07	3.32E-01	1.57E-01	1.29E-08	1.0E+06	1.3E-02
469	469	9.08523	2.62129E-05	2.4E-04	1.05E-03	2.49E-07	3.32E-01	1.57E-01	1.30E-08	1.0E+06	1.3E-02
470	470	4.06714	2.62129E-05	1.1E-04	1.05E-03	1.11E-07	3.32E-01	1.57E-01	5.80E-09	1.0E+06	5.8E-03
471	471	8.95152	2.62129E-05	2.3E-04	1.05E-03	2.45E-07	3.32E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
472	472	4.1525	2.62129E-05	1.1E-04	1.05E-03	1.14E-07	3.32E-01	1.57E-01	5.93E-09	1.0E+06	5.9E-03
473	473	9.21322	2.62129E-05	2.4E-04	1.05E-03	2.52E-07	3.32E-01	1.57E-01	1.31E-08	1.0E+06	1.3E-02
474	474	4.39124	2.62129E-05	1.2E-04	1.05E-03	1.20E-07	3.32E-01	1.57E-01	6.27E-09	1.0E+06	6.3E-03
475	475	9.44975	2.62129E-05	2.5E-04	1.05E-03	2.59E-07	3.32E-01	1.57E-01	1.35E-08	1.0E+06	1.3E-02
476	476	4.81147	2.62129E-05	1.3E-04	1.05E-03	1.32E-07	3.32E-01	1.57E-01	6.87E-09	1.0E+06	6.9E-03
477	477	10.62118	2.62129E-05	2.8E-04	1.05E-03	2.91E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
478	478	5.73645	2.62129E-05	1.5E-04	1.05E-03	1.57E-07	3.32E-01	1.57E-01	8.19E-09	1.0E+06	8.2E-03
479	479	6.50829	2.62129E-05	1.7E-04	1.05E-03	1.78E-07	3.32E-01	1.57E-01	9.29E-09	1.0E+06	9.3E-03
480	480	12.15705	2.62129E-05	3.2E-04	1.05E-03	3.33E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
481	481	7.5967	2.62129E-05	2.0E-04	1.05E-03	2.08E-07	3.32E-01	1.57E-01	1.08E-08	1.0E+06	1.1E-02
482	482	9.86843	2.62129E-05	2.6E-04	1.05E-03	2.70E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
483	483	7.63748	2.62129E-05	2.0E-04	1.05E-03	2.09E-07	3.32E-01	1.57E-01	1.09E-08	1.0E+06	1.1E-02
484	484	9.37473	2.62129E-05	2.5E-04	1.05E-03	2.57E-07	3.32E-01	1.57E-01	1.34E-08	1.0E+06	1.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk				*Chronic Non Cancer Risk*				
Receptor #	**Receptor #**	**Total Risk/ Million**			**REL**	**HI**			
1	1	7.2E-01	**Max**	**Receptor #**	5	2.66E-03	**Max**	**Receptor #**	
2	2	7.6E-01	39.930	145	5	2.80E-03	0.147	145	Res
3	3	8.0E-01			5	2.95E-03			
4	4	8.5E-01			5	3.11E-03			
5	5	9.0E-01			5	3.30E-03			
6	6	9.7E-01			5	3.54E-03			
7	7	1.0E+00			5	3.85E-03			
8	8	1.1E+00			5	4.19E-03			
9	9	1.2E+00			5	4.58E-03			
10	10	1.4E+00			5	5.00E-03			
11	11	1.5E+00			5	5.49E-03			
12	12	1.6E+00			5	5.93E-03			
13	13	1.7E+00			5	6.24E-03			
14	14	1.6E+00			5	6.04E-03			
15	15	8.2E-01			5	3.02E-03			
16	16	8.7E-01			5	3.21E-03			
17	17	9.3E-01			5	3.43E-03			
18	18	9.9E-01			5	3.65E-03			
19	19	1.1E+00			5	3.88E-03			
20	20	1.1E+00			5	4.16E-03			
21	21	1.2E+00			5	4.48E-03			
22	22	1.3E+00			5	4.89E-03			
23	23	1.5E+00			5	5.44E-03			
24	24	1.6E+00			5	5.94E-03			
25	25	1.8E+00			5	6.62E-03			
26	26	2.0E+00			5	7.24E-03			
27	27	2.1E+00			5	7.62E-03			
28	28	2.0E+00			5	7.36E-03			
29	29	9.2E-01			5	3.39E-03			
30	30	1.0E+00			5	3.67E-03			
31	31	1.1E+00			5	3.99E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	1.2E+00	5	4.33E-03
33	33	1.3E+00	5	4.62E-03
34	34	1.4E+00	5	4.99E-03
35	35	1.5E+00	5	5.40E-03
36	36	1.6E+00	5	5.90E-03
37	37	1.8E+00	5	6.54E-03
38	38	2.0E+00	5	7.33E-03
39	39	2.2E+00	5	8.17E-03
40	40	2.4E+00	5	8.94E-03
41	41	2.6E+00	5	9.57E-03
42	42	2.5E+00	5	9.13E-03
43	43	1.0E+00	5	3.71E-03
44	44	1.1E+00	5	4.06E-03
45	45	1.2E+00	5	4.52E-03
46	46	1.4E+00	5	5.03E-03
47	47	1.5E+00	5	5.53E-03
48	48	1.6E+00	5	6.05E-03
49	49	1.8E+00	5	6.61E-03
50	50	2.0E+00	5	7.22E-03
51	51	2.2E+00	5	8.22E-03
52	52	2.5E+00	5	9.23E-03
53	53	2.9E+00	5	1.05E-02
54	54	3.2E+00	5	1.16E-02
55	55	3.4E+00	5	1.26E-02
56	56	3.1E+00	5	1.15E-02
57	57	1.1E+00	5	3.93E-03
58	58	1.2E+00	5	4.43E-03
59	59	1.4E+00	5	5.06E-03
60	60	1.6E+00	5	5.77E-03
61	61	1.8E+00	5	6.57E-03
62	62	2.0E+00	5	7.45E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	2.3E+00	5	8.48E-03
64	64	2.5E+00	5	9.28E-03
65	65	2.9E+00	5	1.07E-02
66	66	3.4E+00	5	1.24E-02
67	67	3.8E+00	5	1.40E-02
68	68	4.3E+00	5	1.59E-02
69	69	4.8E+00	5	1.75E-02
70	70	1.1E+00	5	4.19E-03
71	71	1.3E+00	5	4.79E-03
72	72	1.5E+00	5	5.59E-03
73	73	1.8E+00	5	6.50E-03
74	74	2.1E+00	5	7.67E-03
75	75	2.5E+00	5	9.04E-03
76	76	2.9E+00	5	1.08E-02
77	77	3.4E+00	5	1.26E-02
78	78	4.1E+00	5	1.50E-02
79	79	5.1E+00	5	1.88E-02
80	80	5.8E+00	5	2.13E-02
81	81	6.7E+00	5	2.46E-02
82	82	7.2E+00	5	2.64E-02
83	83	1.2E+00	5	4.42E-03
84	84	1.4E+00	5	5.22E-03
85	85	1.7E+00	5	6.20E-03
86	86	1.9E+00	5	7.15E-03
87	87	2.3E+00	5	8.60E-03
88	88	2.9E+00	5	1.06E-02
89	89	3.6E+00	5	1.33E-02
90	90	4.7E+00	5	1.72E-02
91	91	6.1E+00	5	2.26E-02
92	92	7.9E+00	5	2.90E-02
93	93	9.6E+00	5	3.54E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	1.1E+01	5	4.02E-02
95	95	1.2E+01	5	4.31E-02
96	96	1.3E+00	5	4.64E-03
97	97	1.5E+00	5	5.48E-03
98	98	1.8E+00	5	6.49E-03
99	99	2.1E+00	5	7.80E-03
100	100	2.6E+00	5	9.48E-03
101	101	3.3E+00	5	1.21E-02
102	102	4.4E+00	5	1.62E-02
103	103	6.2E+00	5	2.29E-02
104	104	9.4E+00	5	3.45E-02
105	105	1.4E+01	5	5.24E-02
106	106	1.9E+01	5	6.89E-02
107	107	2.1E+01	5	7.86E-02
108	108	2.3E+01	5	8.36E-02
109	109	1.3E+00	5	4.61E-03
110	110	1.5E+00	5	5.42E-03
111	111	1.8E+00	5	6.47E-03
112	112	2.2E+00	5	7.90E-03
113	113	2.7E+00	5	9.98E-03
114	114	3.6E+00	5	1.31E-02
115	115	5.0E+00	5	1.85E-02
116	116	8.0E+00	5	2.93E-02
117	117	1.6E+01	5	5.82E-02
118	118	1.9E+01	5	6.89E-02
119	119	3.0E+01	5	1.09E-01
120	120	3.3E+01	5	1.22E-01
121	121	3.3E+01	5	1.20E-01
122	122	1.2E+00	5	4.38E-03
123	123	1.4E+00	5	5.19E-03
124	124	1.7E+00	5	6.26E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	2.1E+00	5	7.74E-03
126	126	2.7E+00	5	9.83E-03
127	127	3.6E+00	5	1.31E-02
128	128	4.9E+00	5	1.81E-02
129	129	8.1E+00	5	2.96E-02
130	130	2.0E+01	5	7.23E-02
131	131	6.5E+00	5	2.36E-02
132	132	4.6E+00	5	1.67E-02
133	133	1.1E+00	5	4.04E-03
134	134	1.3E+00	5	4.86E-03
135	135	1.6E+00	5	5.90E-03
136	136	2.0E+00	5	7.26E-03
137	137	2.5E+00	5	9.21E-03
138	138	3.3E+00	5	1.21E-02
139	139	4.5E+00	5	1.64E-02
140	140	6.9E+00	5	2.53E-02
141	141	1.3E+01	5	4.95E-02
142	142	1.9E+01	5	6.96E-02
143	143	3.0E+01	5	1.10E-01
144	144	4.0E+01	5	1.45E-01
145	145	4.0E+01	5	1.47E-01
146	146	6.4E+00	5	2.33E-02
147	147	1.0E+00	5	3.71E-03
148	148	1.2E+00	5	4.43E-03
149	149	1.5E+00	5	5.38E-03
150	150	1.8E+00	5	6.59E-03
151	151	2.3E+00	5	8.34E-03
152	152	2.9E+00	5	1.07E-02
153	153	3.9E+00	5	1.41E-02
154	154	5.6E+00	5	2.04E-02
155	155	9.1E+00	5	3.35E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	1.6E+01	5	5.71E-02
157	157	2.0E+01	5	7.50E-02
158	158	2.2E+01	5	7.90E-02
159	159	2.3E+01	5	8.60E-02
160	160	9.5E-01	5	3.48E-03
161	161	1.1E+00	5	4.05E-03
162	162	1.3E+00	5	4.71E-03
163	163	1.6E+00	5	5.81E-03
164	164	2.0E+00	5	7.39E-03
165	165	2.5E+00	5	9.24E-03
166	166	3.3E+00	5	1.20E-02
167	167	4.4E+00	5	1.62E-02
168	168	6.3E+00	5	2.32E-02
169	169	9.1E+00	5	3.35E-02
170	170	1.2E+01	5	4.27E-02
171	171	1.3E+01	5	4.70E-02
172	172	1.3E+01	5	4.94E-02
173	173	1.4E+01	5	5.06E-02
174	174	1.4E+01	5	5.03E-02
175	175	1.2E+01	5	4.51E-02
176	176	9.7E+00	5	3.57E-02
177	177	6.8E+00	5	2.50E-02
178	178	4.6E+00	5	1.67E-02
179	179	8.6E-01	5	3.15E-03
180	180	9.8E-01	5	3.59E-03
181	181	1.1E+00	5	4.06E-03
182	182	1.4E+00	5	5.07E-03
183	183	1.8E+00	5	6.55E-03
184	184	2.2E+00	5	8.05E-03
185	185	2.8E+00	5	1.02E-02
186	186	3.6E+00	5	1.31E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	4.7E+00	5	1.73E-02
188	188	6.2E+00	5	2.29E-02
189	189	7.6E+00	5	2.80E-02
190	190	8.5E+00	5	3.12E-02
191	191	8.8E+00	5	3.24E-02
192	192	8.9E+00	5	3.26E-02
193	193	8.6E+00	5	3.15E-02
194	194	8.1E+00	5	2.98E-02
195	195	7.0E+00	5	2.56E-02
196	196	5.3E+00	5	1.95E-02
197	197	3.9E+00	5	1.42E-02
198	198	7.9E-01	5	2.92E-03
199	199	9.0E-01	5	3.32E-03
200	200	1.0E+00	5	3.80E-03
201	201	1.2E+00	5	4.48E-03
202	202	1.5E+00	5	5.69E-03
203	203	1.9E+00	5	6.95E-03
204	204	2.3E+00	5	8.62E-03
205	205	2.9E+00	5	1.07E-02
206	206	3.7E+00	5	1.35E-02
207	207	4.6E+00	5	1.69E-02
208	208	5.5E+00	5	2.01E-02
209	209	6.1E+00	5	2.24E-02
210	210	6.4E+00	5	2.35E-02
211	211	6.4E+00	5	2.34E-02
212	212	6.1E+00	5	2.23E-02
213	213	5.5E+00	5	2.02E-02
214	214	4.7E+00	5	1.72E-02
215	215	4.3E+00	5	1.57E-02
216	216	7.5E-01	5	2.75E-03
217	217	8.4E-01	5	3.08E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	9.5E-01	5	3.50E-03
219	219	1.1E+00	5	4.04E-03
220	220	1.3E+00	5	4.95E-03
221	221	1.6E+00	5	5.88E-03
222	222	2.0E+00	5	7.21E-03
223	223	2.4E+00	5	8.75E-03
224	224	2.9E+00	5	1.07E-02
225	225	3.5E+00	5	1.28E-02
226	226	4.1E+00	5	1.51E-02
227	227	4.6E+00	5	1.67E-02
228	228	4.8E+00	5	1.77E-02
229	229	4.8E+00	5	1.78E-02
230	230	4.6E+00	5	1.70E-02
231	231	4.3E+00	5	1.58E-02
232	232	3.8E+00	5	1.39E-02
233	233	3.5E+00	5	1.28E-02
234	234	7.1E-01	5	2.60E-03
235	235	7.8E-01	5	2.86E-03
236	236	8.7E-01	5	3.21E-03
237	237	1.0E+00	5	3.68E-03
238	238	1.2E+00	5	4.33E-03
239	239	1.4E+00	5	5.06E-03
240	240	1.6E+00	5	6.01E-03
241	241	2.0E+00	5	7.19E-03
242	242	2.3E+00	5	8.58E-03
243	243	2.8E+00	5	1.01E-02
244	244	3.2E+00	5	1.18E-02
245	245	3.6E+00	5	1.31E-02
246	246	3.8E+00	5	1.39E-02
247	247	3.8E+00	5	1.41E-02
248	248	3.8E+00	5	1.38E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	3.5E+00	5	1.29E-02
250	250	3.2E+00	5	1.17E-02
251	251	2.9E+00	5	1.08E-02
252	252	6.6E-01	5	2.42E-03
253	253	7.1E-01	5	2.62E-03
254	254	7.8E-01	5	2.88E-03
255	255	8.7E-01	5	3.21E-03
256	256	1.0E+00	5	3.82E-03
257	257	1.2E+00	5	4.24E-03
258	258	1.3E+00	5	4.86E-03
259	259	1.5E+00	5	5.64E-03
260	260	1.8E+00	5	6.74E-03
261	261	2.2E+00	5	8.06E-03
262	262	2.6E+00	5	9.36E-03
263	263	2.8E+00	5	1.04E-02
264	264	3.0E+00	5	1.11E-02
265	265	3.1E+00	5	1.14E-02
266	266	3.1E+00	5	1.12E-02
267	267	2.9E+00	5	1.06E-02
268	268	2.7E+00	5	9.77E-03
269	269	2.5E+00	5	9.14E-03
270	270	6.1E-01	5	2.24E-03
271	271	6.6E-01	5	2.41E-03
272	272	7.2E-01	5	2.63E-03
273	273	7.9E-01	5	2.89E-03
274	274	9.4E-01	5	3.45E-03
275	275	1.1E+00	5	3.96E-03
276	276	1.1E+00	5	4.18E-03
277	277	1.3E+00	5	4.76E-03
278	278	1.5E+00	5	5.52E-03
279	279	1.8E+00	5	6.43E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	2.0E+00	5	7.51E-03
281	281	2.3E+00	5	8.44E-03
282	282	2.5E+00	5	9.09E-03
283	283	2.6E+00	5	9.39E-03
284	284	2.5E+00	5	9.33E-03
285	285	2.4E+00	5	8.95E-03
286	286	2.3E+00	5	8.35E-03
287	287	2.1E+00	5	7.86E-03
288	288	5.7E-01	5	2.08E-03
289	289	6.0E-01	5	2.21E-03
290	290	6.7E-01	5	2.47E-03
291	291	7.4E-01	5	2.73E-03
292	292	9.3E-01	5	3.40E-03
293	293	1.0E+00	5	3.66E-03
294	294	1.0E+00	5	3.69E-03
295	295	1.1E+00	5	4.18E-03
296	296	1.3E+00	5	4.79E-03
297	297	1.5E+00	5	5.41E-03
298	298	1.7E+00	5	6.15E-03
299	299	1.9E+00	5	6.96E-03
300	300	2.0E+00	5	7.48E-03
301	301	2.1E+00	5	7.84E-03
302	302	2.2E+00	5	7.91E-03
303	303	2.1E+00	5	7.71E-03
304	304	2.0E+00	5	7.29E-03
305	305	1.9E+00	5	6.86E-03
306	306	5.6E-01	5	2.07E-03
307	307	5.8E-01	5	2.13E-03
308	308	6.3E-01	5	2.30E-03
309	309	7.4E-01	5	2.71E-03
310	310	8.5E-01	5	3.14E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	9.1E-01	5	3.33E-03
312	312	9.0E-01	5	3.29E-03
313	313	1.0E+00	5	3.69E-03
314	314	1.1E+00	5	4.18E-03
315	315	1.3E+00	5	4.84E-03
316	316	1.4E+00	5	5.29E-03
317	317	1.6E+00	5	5.78E-03
318	318	1.7E+00	5	6.24E-03
319	319	1.8E+00	5	6.63E-03
320	320	1.9E+00	5	6.83E-03
321	321	1.8E+00	5	6.70E-03
322	322	1.7E+00	5	6.39E-03
323	323	1.6E+00	5	6.01E-03
324	324	5.3E-01	5	1.94E-03
325	325	5.9E-01	5	2.15E-03
326	326	6.2E-01	5	2.28E-03
327	327	6.5E-01	5	2.39E-03
328	328	8.0E-01	5	2.94E-03
329	329	8.3E-01	5	3.05E-03
330	330	8.2E-01	5	3.02E-03
331	331	9.2E-01	5	3.38E-03
332	332	1.0E+00	5	3.79E-03
333	333	1.2E+00	5	4.34E-03
334	334	1.3E+00	5	4.78E-03
335	335	1.4E+00	5	5.20E-03
336	336	5.8E+00	5	2.14E-02
337	337	4.0E+00	5	1.46E-02
338	338	1.7E+00	5	6.15E-03
339	339	1.7E+00	5	6.25E-03
340	340	1.7E+00	5	6.26E-03
341	341	1.7E+00	5	6.19E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	1.6E+00	5	6.04E-03
343	343	1.5E+00	5	5.57E-03
344	344	1.4E+00	5	5.30E-03
345	345	1.4E+00	5	4.99E-03
346	346	1.3E+00	5	4.64E-03
347	347	2.1E+00	5	7.53E-03
348	348	2.1E+00	5	7.71E-03
349	349	2.1E+00	5	7.70E-03
350	350	2.1E+00	5	7.56E-03
351	351	2.0E+00	5	7.38E-03
352	352	1.8E+00	5	6.63E-03
353	353	1.7E+00	5	6.21E-03
354	354	1.6E+00	5	5.69E-03
355	355	1.4E+00	5	5.24E-03
356	356	2.6E+00	5	9.48E-03
357	357	2.7E+00	5	9.82E-03
358	358	2.7E+00	5	9.80E-03
359	359	2.6E+00	5	9.59E-03
360	360	2.5E+00	5	9.20E-03
361	361	2.2E+00	5	7.95E-03
362	362	2.0E+00	5	7.32E-03
363	363	1.8E+00	5	6.56E-03
364	364	3.4E+00	5	1.24E-02
365	365	3.5E+00	5	1.27E-02
366	366	3.5E+00	5	1.28E-02
367	367	3.4E+00	5	1.24E-02
368	368	3.2E+00	5	1.17E-02
369	369	2.6E+00	5	9.67E-03
370	370	2.1E+00	5	7.68E-03
371	371	1.8E+00	5	6.71E-03
372	372	4.7E+00	5	1.71E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	4.8E+00	5	1.75E-02
374	374	4.8E+00	5	1.75E-02
375	375	4.5E+00	5	1.67E-02
376	376	4.2E+00	5	1.53E-02
377	377	3.7E+00	5	1.36E-02
378	378	3.3E+00	5	1.19E-02
379	379	2.4E+00	5	8.81E-03
380	380	2.1E+00	5	7.53E-03
381	381	1.7E+00	5	6.41E-03
382	382	6.9E+00	5	2.55E-02
383	383	7.1E+00	5	2.59E-02
384	384	6.9E+00	5	2.53E-02
385	385	6.4E+00	5	2.34E-02
386	386	5.7E+00	5	2.08E-02
387	387	4.8E+00	5	1.77E-02
388	388	4.0E+00	5	1.47E-02
389	389	2.7E+00	5	9.91E-03
390	390	2.2E+00	5	8.15E-03
391	391	1.8E+00	5	6.77E-03
392	392	1.5E+00	5	5.55E-03
393	393	9.9E+00	5	3.63E-02
394	394	9.8E+00	5	3.59E-02
395	395	8.6E+00	5	3.16E-02
396	396	7.5E+00	5	2.77E-02
397	397	6.0E+00	5	2.22E-02
398	398	4.7E+00	5	1.74E-02
399	399	3.8E+00	5	1.38E-02
400	400	3.0E+00	5	1.08E-02
401	401	2.3E+00	5	8.61E-03
402	402	1.5E+00	5	5.60E-03
403	403	3.1E+00	5	1.15E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	1.6E+00	5	5.76E-03
405	405	1.3E+00	5	4.68E-03
406	406	3.1E+00	5	1.15E-02
407	407	1.2E+00	5	4.53E-03
408	408	3.0E+00	5	1.09E-02
409	409	1.2E+00	5	4.37E-03
410	410	2.7E+00	5	1.00E-02
411	411	1.4E+00	5	5.07E-03
412	412	1.2E+00	5	4.27E-03
413	413	2.5E+00	5	9.11E-03
414	414	1.6E+00	5	5.76E-03
415	415	1.3E+00	5	4.79E-03
416	416	1.1E+00	5	4.06E-03
417	417	2.3E+00	5	8.29E-03
418	418	1.2E+00	5	4.51E-03
419	419	1.1E+00	5	3.85E-03
420	420	9.1E-01	5	3.33E-03
421	421	2.1E+00	5	7.56E-03
422	422	9.9E-01	5	3.64E-03
423	423	8.7E-01	5	3.18E-03
424	424	1.9E+00	5	6.90E-03
425	425	8.2E-01	5	3.02E-03
426	426	7.3E-01	5	2.67E-03
427	427	1.7E+00	5	6.31E-03
428	428	7.8E-01	5	2.86E-03
429	429	6.9E-01	5	2.55E-03
430	430	1.6E+00	5	5.77E-03
431	431	6.6E-01	5	2.42E-03
432	432	5.9E-01	5	2.17E-03
433	433	1.4E+00	5	5.28E-03
434	434	6.3E-01	5	2.30E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	5.7E-01	5	2.08E-03
436	436	1.3E+00	5	4.84E-03
437	437	6.6E-01	5	2.43E-03
438	438	6.0E-01	5	2.19E-03
439	439	5.4E-01	5	1.99E-03
440	440	1.2E+00	5	4.44E-03
441	441	8.0E-01	5	2.94E-03
442	442	7.1E-01	5	2.58E-03
443	443	6.3E-01	5	2.31E-03
444	444	5.7E-01	5	2.09E-03
445	445	1.1E+00	5	4.08E-03
446	446	8.5E-01	5	3.11E-03
447	447	7.5E-01	5	2.75E-03
448	448	6.7E-01	5	2.44E-03
449	449	1.0E+00	5	3.75E-03
450	450	9.1E-01	5	3.31E-03
451	451	8.0E-01	5	2.92E-03
452	452	9.5E-01	5	3.46E-03
453	453	8.4E-01	5	3.08E-03
454	454	4.5E-01	5	1.64E-03
455	455	4.2E-01	5	1.53E-03
456	456	8.8E-01	5	3.19E-03
457	457	7.8E-01	5	2.87E-03
458	458	7.0E-01	5	2.56E-03
459	459	5.1E-01	5	1.88E-03
460	460	4.7E-01	5	1.72E-03
461	461	4.3E-01	5	1.58E-03
462	462	4.0E-01	5	1.46E-03
463	463	5.5E+00	5	1.99E-02
464	464	3.8E+00	5	1.38E-02
465	465	4.7E+00	5	1.73E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Max Cancer Risk Cancer Risk		
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
466	466	3.2E+00	5	1.19E-02
467	467	3.5E+00	5	1.27E-02
468	468	3.1E+00	5	1.12E-02
469	469	2.7E+00	5	9.87E-03
470	470	3.0E+00	5	1.10E-02
471	471	2.6E+00	5	9.33E-03
472	472	2.6E+00	5	9.42E-03
473	473	2.1E+00	5	7.71E-03
474	474	2.2E+00	5	8.13E-03
475	475	1.9E+00	5	6.85E-03
476	476	1.9E+00	5	7.09E-03
477	477	1.7E+00	5	6.11E-03
478	478	1.7E+00	5	6.24E-03
479	479	1.5E+00	5	5.46E-03
480	480	1.3E+00	5	4.72E-03
481	481	1.5E+00	5	5.52E-03
482	482	1.2E+00	5	4.31E-03
483	483	1.2E+00	5	4.43E-03
484	484	1.1E+00	5	3.94E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24522	4.16E-02	1.0E-02	1.05E-03	1.07E-05	1.84E-01	1.57E-01	3.08E-07	1.0E+06	3.1E-01
2	0.25812	4.16E-02	1.1E-02	1.05E-03	1.12E-05	1.84E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01
3	0.27182	4.16E-02	1.1E-02	1.05E-03	1.18E-05	1.84E-01	1.57E-01	3.41E-07	1.0E+06	3.4E-01
4	0.28694	4.16E-02	1.2E-02	1.05E-03	1.25E-05	1.84E-01	1.57E-01	3.60E-07	1.0E+06	3.6E-01
5	0.30421	4.16E-02	1.3E-02	1.05E-03	1.32E-05	1.84E-01	1.57E-01	3.82E-07	1.0E+06	3.8E-01
6	0.32665	4.16E-02	1.4E-02	1.05E-03	1.42E-05	1.84E-01	1.57E-01	4.10E-07	1.0E+06	4.1E-01
7	0.35525	4.16E-02	1.5E-02	1.05E-03	1.54E-05	1.84E-01	1.57E-01	4.46E-07	1.0E+06	4.5E-01
8	0.38621	4.16E-02	1.6E-02	1.05E-03	1.68E-05	1.84E-01	1.57E-01	4.84E-07	1.0E+06	4.8E-01
9	0.42233	4.16E-02	1.8E-02	1.05E-03	1.84E-05	1.84E-01	1.57E-01	5.30E-07	1.0E+06	5.3E-01
10	0.46134	4.16E-02	1.9E-02	1.05E-03	2.01E-05	1.84E-01	1.57E-01	5.79E-07	1.0E+06	5.8E-01
11	0.50584	4.16E-02	2.1E-02	1.05E-03	2.20E-05	1.84E-01	1.57E-01	6.34E-07	1.0E+06	6.3E-01
12	0.54691	4.16E-02	2.3E-02	1.05E-03	2.38E-05	1.84E-01	1.57E-01	6.86E-07	1.0E+06	6.9E-01
13	0.5752	4.16E-02	2.4E-02	1.05E-03	2.50E-05	1.84E-01	1.57E-01	7.21E-07	1.0E+06	7.2E-01
14	0.55713	4.16E-02	2.3E-02	1.05E-03	2.42E-05	1.84E-01	1.57E-01	6.99E-07	1.0E+06	7.0E-01
15	0.27871	4.16E-02	1.2E-02	1.05E-03	1.21E-05	1.84E-01	1.57E-01	3.50E-07	1.0E+06	3.5E-01
16	0.29601	4.16E-02	1.2E-02	1.05E-03	1.29E-05	1.84E-01	1.57E-01	3.71E-07	1.0E+06	3.7E-01
17	0.31614	4.16E-02	1.3E-02	1.05E-03	1.37E-05	1.84E-01	1.57E-01	3.96E-07	1.0E+06	4.0E-01
18	0.33621	4.16E-02	1.4E-02	1.05E-03	1.46E-05	1.84E-01	1.57E-01	4.22E-07	1.0E+06	4.2E-01
19	0.35725	4.16E-02	1.5E-02	1.05E-03	1.55E-05	1.84E-01	1.57E-01	4.48E-07	1.0E+06	4.5E-01
20	0.38354	4.16E-02	1.6E-02	1.05E-03	1.67E-05	1.84E-01	1.57E-01	4.81E-07	1.0E+06	4.8E-01
21	0.41325	4.16E-02	1.7E-02	1.05E-03	1.80E-05	1.84E-01	1.57E-01	5.18E-07	1.0E+06	5.2E-01
22	0.45075	4.16E-02	1.9E-02	1.05E-03	1.96E-05	1.84E-01	1.57E-01	5.65E-07	1.0E+06	5.7E-01
23	0.50138	4.16E-02	2.1E-02	1.05E-03	2.18E-05	1.84E-01	1.57E-01	6.29E-07	1.0E+06	6.3E-01
24	0.54771	4.16E-02	2.3E-02	1.05E-03	2.38E-05	1.84E-01	1.57E-01	6.87E-07	1.0E+06	6.9E-01
25	0.60994	4.16E-02	2.5E-02	1.05E-03	2.65E-05	1.84E-01	1.57E-01	7.65E-07	1.0E+06	7.6E-01
26	0.66721	4.16E-02	2.8E-02	1.05E-03	2.90E-05	1.84E-01	1.57E-01	8.37E-07	1.0E+06	8.4E-01
27	0.70269	4.16E-02	2.9E-02	1.05E-03	3.06E-05	1.84E-01	1.57E-01	8.81E-07	1.0E+06	8.8E-01
28	0.67847	4.16E-02	2.8E-02	1.05E-03	2.95E-05	1.84E-01	1.57E-01	8.51E-07	1.0E+06	8.5E-01
29	0.31274	4.16E-02	1.3E-02	1.05E-03	1.36E-05	1.84E-01	1.57E-01	3.92E-07	1.0E+06	3.9E-01
30	0.33825	4.16E-02	1.4E-02	1.05E-03	1.47E-05	1.84E-01	1.57E-01	4.24E-07	1.0E+06	4.2E-01
31	0.3674	4.16E-02	1.5E-02	1.05E-03	1.60E-05	1.84E-01	1.57E-01	4.61E-07	1.0E+06	4.6E-01

	Max	Receptor #
Res	16.951	145

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.39913	4.16E-02	1.7E-02	1.05E-03	1.74E-05	1.84E-01	1.57E-01	5.01E-07	1.0E+06	5.0E-01
33	0.42599	4.16E-02	1.8E-02	1.05E-03	1.85E-05	1.84E-01	1.57E-01	5.34E-07	1.0E+06	5.3E-01
34	0.46028	4.16E-02	1.9E-02	1.05E-03	2.00E-05	1.84E-01	1.57E-01	5.77E-07	1.0E+06	5.8E-01
35	0.49742	4.16E-02	2.1E-02	1.05E-03	2.16E-05	1.84E-01	1.57E-01	6.24E-07	1.0E+06	6.2E-01
36	0.5441	4.16E-02	2.3E-02	1.05E-03	2.37E-05	1.84E-01	1.57E-01	6.82E-07	1.0E+06	6.8E-01
37	0.60298	4.16E-02	2.5E-02	1.05E-03	2.62E-05	1.84E-01	1.57E-01	7.56E-07	1.0E+06	7.6E-01
38	0.67584	4.16E-02	2.8E-02	1.05E-03	2.94E-05	1.84E-01	1.57E-01	8.48E-07	1.0E+06	8.5E-01
39	0.75362	4.16E-02	3.1E-02	1.05E-03	3.28E-05	1.84E-01	1.57E-01	9.45E-07	1.0E+06	9.5E-01
40	0.82458	4.16E-02	3.4E-02	1.05E-03	3.58E-05	1.84E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
41	0.88192	4.16E-02	3.7E-02	1.05E-03	3.83E-05	1.84E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
42	0.84179	4.16E-02	3.5E-02	1.05E-03	3.66E-05	1.84E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
43	0.3419	4.16E-02	1.4E-02	1.05E-03	1.49E-05	1.84E-01	1.57E-01	4.29E-07	1.0E+06	4.3E-01
44	0.37456	4.16E-02	1.6E-02	1.05E-03	1.63E-05	1.84E-01	1.57E-01	4.70E-07	1.0E+06	4.7E-01
45	0.41658	4.16E-02	1.7E-02	1.05E-03	1.81E-05	1.84E-01	1.57E-01	5.22E-07	1.0E+06	5.2E-01
46	0.46349	4.16E-02	1.9E-02	1.05E-03	2.02E-05	1.84E-01	1.57E-01	5.81E-07	1.0E+06	5.8E-01
47	0.50951	4.16E-02	2.1E-02	1.05E-03	2.22E-05	1.84E-01	1.57E-01	6.39E-07	1.0E+06	6.4E-01
48	0.55797	4.16E-02	2.3E-02	1.05E-03	2.43E-05	1.84E-01	1.57E-01	7.00E-07	1.0E+06	7.0E-01
49	0.60926	4.16E-02	2.5E-02	1.05E-03	2.65E-05	1.84E-01	1.57E-01	7.64E-07	1.0E+06	7.6E-01
50	0.66552	4.16E-02	2.8E-02	1.05E-03	2.89E-05	1.84E-01	1.57E-01	8.35E-07	1.0E+06	8.3E-01
51	0.75822	4.16E-02	3.2E-02	1.05E-03	3.30E-05	1.84E-01	1.57E-01	9.51E-07	1.0E+06	9.5E-01
52	0.85126	4.16E-02	3.5E-02	1.05E-03	3.70E-05	1.84E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
53	0.96684	4.16E-02	4.0E-02	1.05E-03	4.20E-05	1.84E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
54	1.07266	4.16E-02	4.5E-02	1.05E-03	4.66E-05	1.84E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
55	1.15752	4.16E-02	4.8E-02	1.05E-03	5.03E-05	1.84E-01	1.57E-01	1.45E-06	1.0E+06	1.5E+00
56	1.05945	4.16E-02	4.4E-02	1.05E-03	4.61E-05	1.84E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
57	0.36224	4.16E-02	1.5E-02	1.05E-03	1.57E-05	1.84E-01	1.57E-01	4.54E-07	1.0E+06	4.5E-01
58	0.4086	4.16E-02	1.7E-02	1.05E-03	1.78E-05	1.84E-01	1.57E-01	5.12E-07	1.0E+06	5.1E-01
59	0.46663	4.16E-02	1.9E-02	1.05E-03	2.03E-05	1.84E-01	1.57E-01	5.85E-07	1.0E+06	5.9E-01
60	0.53196	4.16E-02	2.2E-02	1.05E-03	2.31E-05	1.84E-01	1.57E-01	6.67E-07	1.0E+06	6.7E-01
61	0.6059	4.16E-02	2.5E-02	1.05E-03	2.63E-05	1.84E-01	1.57E-01	7.60E-07	1.0E+06	7.6E-01
62	0.68687	4.16E-02	2.9E-02	1.05E-03	2.99E-05	1.84E-01	1.57E-01	8.61E-07	1.0E+06	8.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.7816	4.16E-02	3.3E-02	1.05E-03	3.40E-05	1.84E-01	1.57E-01	9.80E-07	1.0E+06	9.8E-01
64	0.85518	4.16E-02	3.6E-02	1.05E-03	3.72E-05	1.84E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
65	0.98486	4.16E-02	4.1E-02	1.05E-03	4.28E-05	1.84E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
66	1.13862	4.16E-02	4.7E-02	1.05E-03	4.95E-05	1.84E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
67	1.29122	4.16E-02	5.4E-02	1.05E-03	5.61E-05	1.84E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
68	1.46923	4.16E-02	6.1E-02	1.05E-03	6.39E-05	1.84E-01	1.57E-01	1.84E-06	1.0E+06	1.8E+00
69	1.61487	4.16E-02	6.7E-02	1.05E-03	7.02E-05	1.84E-01	1.57E-01	2.03E-06	1.0E+06	2.0E+00
70	0.38587	4.16E-02	1.6E-02	1.05E-03	1.68E-05	1.84E-01	1.57E-01	4.84E-07	1.0E+06	4.8E-01
71	0.44138	4.16E-02	1.8E-02	1.05E-03	1.92E-05	1.84E-01	1.57E-01	5.54E-07	1.0E+06	5.5E-01
72	0.51499	4.16E-02	2.1E-02	1.05E-03	2.24E-05	1.84E-01	1.57E-01	6.46E-07	1.0E+06	6.5E-01
73	0.59943	4.16E-02	2.5E-02	1.05E-03	2.61E-05	1.84E-01	1.57E-01	7.52E-07	1.0E+06	7.5E-01
74	0.70697	4.16E-02	2.9E-02	1.05E-03	3.07E-05	1.84E-01	1.57E-01	8.87E-07	1.0E+06	8.9E-01
75	0.83321	4.16E-02	3.5E-02	1.05E-03	3.62E-05	1.84E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
76	0.99536	4.16E-02	4.1E-02	1.05E-03	4.33E-05	1.84E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
77	1.15904	4.16E-02	4.8E-02	1.05E-03	5.04E-05	1.84E-01	1.57E-01	1.45E-06	1.0E+06	1.5E+00
78	1.38678	4.16E-02	5.8E-02	1.05E-03	6.03E-05	1.84E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
79	1.72999	4.16E-02	7.2E-02	1.05E-03	7.52E-05	1.84E-01	1.57E-01	2.17E-06	1.0E+06	2.2E+00
80	1.95913	4.16E-02	8.1E-02	1.05E-03	8.52E-05	1.84E-01	1.57E-01	2.46E-06	1.0E+06	2.5E+00
81	2.26974	4.16E-02	9.4E-02	1.05E-03	9.87E-05	1.84E-01	1.57E-01	2.85E-06	1.0E+06	2.8E+00
82	2.4321	4.16E-02	1.0E-01	1.05E-03	1.06E-04	1.84E-01	1.57E-01	3.05E-06	1.0E+06	3.1E+00
83	0.40751	4.16E-02	1.7E-02	1.05E-03	1.77E-05	1.84E-01	1.57E-01	5.11E-07	1.0E+06	5.1E-01
84	0.48107	4.16E-02	2.0E-02	1.05E-03	2.09E-05	1.84E-01	1.57E-01	6.03E-07	1.0E+06	6.0E-01
85	0.57125	4.16E-02	2.4E-02	1.05E-03	2.48E-05	1.84E-01	1.57E-01	7.16E-07	1.0E+06	7.2E-01
86	0.65944	4.16E-02	2.7E-02	1.05E-03	2.87E-05	1.84E-01	1.57E-01	8.27E-07	1.0E+06	8.3E-01
87	0.793	4.16E-02	3.3E-02	1.05E-03	3.45E-05	1.84E-01	1.57E-01	9.94E-07	1.0E+06	9.9E-01
88	0.9744	4.16E-02	4.1E-02	1.05E-03	4.24E-05	1.84E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
89	1.22894	4.16E-02	5.1E-02	1.05E-03	5.34E-05	1.84E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
90	1.58842	4.16E-02	6.6E-02	1.05E-03	6.91E-05	1.84E-01	1.57E-01	1.99E-06	1.0E+06	2.0E+00
91	2.07909	4.16E-02	8.6E-02	1.05E-03	9.04E-05	1.84E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
92	2.673	4.16E-02	1.1E-01	1.05E-03	1.16E-04	1.84E-01	1.57E-01	3.35E-06	1.0E+06	3.4E+00
93	3.26073	4.16E-02	1.4E-01	1.05E-03	1.42E-04	1.84E-01	1.57E-01	4.09E-06	1.0E+06	4.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.7105	4.16E-02	1.5E-01	1.05E-03	1.61E-04	1.84E-01	1.57E-01	4.65E-06	1.0E+06	4.7E+00
95	3.97772	4.16E-02	1.7E-01	1.05E-03	1.73E-04	1.84E-01	1.57E-01	4.99E-06	1.0E+06	5.0E+00
96	0.42783	4.16E-02	1.8E-02	1.05E-03	1.86E-05	1.84E-01	1.57E-01	5.37E-07	1.0E+06	5.4E-01
97	0.50509	4.16E-02	2.1E-02	1.05E-03	2.20E-05	1.84E-01	1.57E-01	6.33E-07	1.0E+06	6.3E-01
98	0.59829	4.16E-02	2.5E-02	1.05E-03	2.60E-05	1.84E-01	1.57E-01	7.50E-07	1.0E+06	7.5E-01
99	0.71884	4.16E-02	3.0E-02	1.05E-03	3.13E-05	1.84E-01	1.57E-01	9.01E-07	1.0E+06	9.0E-01
100	0.87437	4.16E-02	3.6E-02	1.05E-03	3.80E-05	1.84E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
101	1.11264	4.16E-02	4.6E-02	1.05E-03	4.84E-05	1.84E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
102	1.49032	4.16E-02	6.2E-02	1.05E-03	6.48E-05	1.84E-01	1.57E-01	1.87E-06	1.0E+06	1.9E+00
103	2.11062	4.16E-02	8.8E-02	1.05E-03	9.18E-05	1.84E-01	1.57E-01	2.65E-06	1.0E+06	2.6E+00
104	3.18262	4.16E-02	1.3E-01	1.05E-03	1.38E-04	1.84E-01	1.57E-01	3.99E-06	1.0E+06	4.0E+00
105	4.82918	4.16E-02	2.0E-01	1.05E-03	2.10E-04	1.84E-01	1.57E-01	6.06E-06	1.0E+06	6.1E+00
106	6.35044	4.16E-02	2.6E-01	1.05E-03	2.76E-04	1.84E-01	1.57E-01	7.96E-06	1.0E+06	8.0E+00
107	7.24945	4.16E-02	3.0E-01	1.05E-03	3.15E-04	1.84E-01	1.57E-01	9.09E-06	1.0E+06	9.1E+00
108	7.70358	4.16E-02	3.2E-01	1.05E-03	3.35E-04	1.84E-01	1.57E-01	9.66E-06	1.0E+06	9.7E+00
109	0.42527	4.16E-02	1.8E-02	1.05E-03	1.85E-05	1.84E-01	1.57E-01	5.33E-07	1.0E+06	5.3E-01
110	0.50003	4.16E-02	2.1E-02	1.05E-03	2.17E-05	1.84E-01	1.57E-01	6.27E-07	1.0E+06	6.3E-01
111	0.59613	4.16E-02	2.5E-02	1.05E-03	2.59E-05	1.84E-01	1.57E-01	7.48E-07	1.0E+06	7.5E-01
112	0.72796	4.16E-02	3.0E-02	1.05E-03	3.16E-05	1.84E-01	1.57E-01	9.13E-07	1.0E+06	9.1E-01
113	0.92025	4.16E-02	3.8E-02	1.05E-03	4.00E-05	1.84E-01	1.57E-01	1.15E-06	1.0E+06	1.2E+00
114	1.21078	4.16E-02	5.0E-02	1.05E-03	5.26E-05	1.84E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
115	1.70768	4.16E-02	7.1E-02	1.05E-03	7.42E-05	1.84E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
116	2.70228	4.16E-02	1.1E-01	1.05E-03	1.17E-04	1.84E-01	1.57E-01	3.39E-06	1.0E+06	3.4E+00
117	5.36175	4.16E-02	2.2E-01	1.05E-03	2.33E-04	1.84E-01	1.57E-01	6.72E-06	1.0E+06	6.7E+00
118	6.35201	4.16E-02	2.6E-01	1.05E-03	2.76E-04	1.84E-01	1.57E-01	7.97E-06	1.0E+06	8.0E+00
119	10.08642	4.16E-02	4.2E-01	1.05E-03	4.39E-04	1.84E-01	1.57E-01	1.26E-05	1.0E+06	1.3E+01
120	11.26207	4.16E-02	4.7E-01	1.05E-03	4.90E-04	1.84E-01	1.57E-01	1.41E-05	1.0E+06	1.4E+01
121	11.09892	4.16E-02	4.6E-01	1.05E-03	4.83E-04	1.84E-01	1.57E-01	1.39E-05	1.0E+06	1.4E+01
122	0.40376	4.16E-02	1.7E-02	1.05E-03	1.76E-05	1.84E-01	1.57E-01	5.06E-07	1.0E+06	5.1E-01
123	0.47827	4.16E-02	2.0E-02	1.05E-03	2.08E-05	1.84E-01	1.57E-01	6.00E-07	1.0E+06	6.0E-01
124	0.57738	4.16E-02	2.4E-02	1.05E-03	2.51E-05	1.84E-01	1.57E-01	7.24E-07	1.0E+06	7.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.71334	4.16E-02	3.0E-02	1.05E-03	3.10E-05	1.84E-01	1.57E-01	8.95E-07	1.0E+06	8.9E-01
126	0.90625	4.16E-02	3.8E-02	1.05E-03	3.94E-05	1.84E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
127	1.20749	4.16E-02	5.0E-02	1.05E-03	5.25E-05	1.84E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
128	1.67153	4.16E-02	7.0E-02	1.05E-03	7.27E-05	1.84E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
129	2.7297	4.16E-02	1.1E-01	1.05E-03	1.19E-04	1.84E-01	1.57E-01	3.42E-06	1.0E+06	3.4E+00
130	6.66669	4.16E-02	2.8E-01	1.05E-03	2.90E-04	1.84E-01	1.57E-01	8.36E-06	1.0E+06	8.4E+00
131	2.17942	4.16E-02	9.1E-02	1.05E-03	9.48E-05	1.84E-01	1.57E-01	2.73E-06	1.0E+06	2.7E+00
132	1.5364	4.16E-02	6.4E-02	1.05E-03	6.68E-05	1.84E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
133	0.37253	4.16E-02	1.5E-02	1.05E-03	1.62E-05	1.84E-01	1.57E-01	4.67E-07	1.0E+06	4.7E-01
134	0.44783	4.16E-02	1.9E-02	1.05E-03	1.95E-05	1.84E-01	1.57E-01	5.62E-07	1.0E+06	5.6E-01
135	0.54393	4.16E-02	2.3E-02	1.05E-03	2.36E-05	1.84E-01	1.57E-01	6.82E-07	1.0E+06	6.8E-01
136	0.66975	4.16E-02	2.8E-02	1.05E-03	2.91E-05	1.84E-01	1.57E-01	8.40E-07	1.0E+06	8.4E-01
137	0.8492	4.16E-02	3.5E-02	1.05E-03	3.69E-05	1.84E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
138	1.11161	4.16E-02	4.6E-02	1.05E-03	4.83E-05	1.84E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
139	1.51637	4.16E-02	6.3E-02	1.05E-03	6.59E-05	1.84E-01	1.57E-01	1.90E-06	1.0E+06	1.9E+00
140	2.33444	4.16E-02	9.7E-02	1.05E-03	1.01E-04	1.84E-01	1.57E-01	2.93E-06	1.0E+06	2.9E+00
141	4.56552	4.16E-02	1.9E-01	1.05E-03	1.98E-04	1.84E-01	1.57E-01	5.73E-06	1.0E+06	5.7E+00
142	6.41914	4.16E-02	2.7E-01	1.05E-03	2.79E-04	1.84E-01	1.57E-01	8.05E-06	1.0E+06	8.1E+00
143	10.17338	4.16E-02	4.2E-01	1.05E-03	4.42E-04	1.84E-01	1.57E-01	1.28E-05	1.0E+06	1.3E+01
144	13.38661	4.16E-02	5.6E-01	1.05E-03	5.82E-04	1.84E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
145	13.51679	4.16E-02	5.6E-01	1.05E-03	5.88E-04	1.84E-01	1.57E-01	1.70E-05	1.0E+06	1.7E+01
146	2.14495	4.16E-02	8.9E-02	1.05E-03	9.33E-05	1.84E-01	1.57E-01	2.69E-06	1.0E+06	2.7E+00
147	0.34214	4.16E-02	1.4E-02	1.05E-03	1.49E-05	1.84E-01	1.57E-01	4.29E-07	1.0E+06	4.3E-01
148	0.40831	4.16E-02	1.7E-02	1.05E-03	1.78E-05	1.84E-01	1.57E-01	5.12E-07	1.0E+06	5.1E-01
149	0.49577	4.16E-02	2.1E-02	1.05E-03	2.16E-05	1.84E-01	1.57E-01	6.22E-07	1.0E+06	6.2E-01
150	0.60785	4.16E-02	2.5E-02	1.05E-03	2.64E-05	1.84E-01	1.57E-01	7.62E-07	1.0E+06	7.6E-01
151	0.7688	4.16E-02	3.2E-02	1.05E-03	3.34E-05	1.84E-01	1.57E-01	9.64E-07	1.0E+06	9.6E-01
152	0.9823	4.16E-02	4.1E-02	1.05E-03	4.27E-05	1.84E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
153	1.30396	4.16E-02	5.4E-02	1.05E-03	5.67E-05	1.84E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
154	1.88437	4.16E-02	7.8E-02	1.05E-03	8.19E-05	1.84E-01	1.57E-01	2.36E-06	1.0E+06	2.4E+00
155	3.08613	4.16E-02	1.3E-01	1.05E-03	1.34E-04	1.84E-01	1.57E-01	3.87E-06	1.0E+06	3.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	5.26306	4.16E-02	2.2E-01	1.05E-03	2.29E-04	1.84E-01	1.57E-01	6.60E-06	1.0E+06	6.6E+00
157	6.91686	4.16E-02	2.9E-01	1.05E-03	3.01E-04	1.84E-01	1.57E-01	8.67E-06	1.0E+06	8.7E+00
158	7.28102	4.16E-02	3.0E-01	1.05E-03	3.17E-04	1.84E-01	1.57E-01	9.13E-06	1.0E+06	9.1E+00
159	7.92875	4.16E-02	3.3E-01	1.05E-03	3.45E-04	1.84E-01	1.57E-01	9.94E-06	1.0E+06	9.9E+00
160	0.32054	4.16E-02	1.3E-02	1.05E-03	1.39E-05	1.84E-01	1.57E-01	4.02E-07	1.0E+06	4.0E-01
161	0.37294	4.16E-02	1.6E-02	1.05E-03	1.62E-05	1.84E-01	1.57E-01	4.68E-07	1.0E+06	4.7E-01
162	0.43383	4.16E-02	1.8E-02	1.05E-03	1.89E-05	1.84E-01	1.57E-01	5.44E-07	1.0E+06	5.4E-01
163	0.53585	4.16E-02	2.2E-02	1.05E-03	2.33E-05	1.84E-01	1.57E-01	6.72E-07	1.0E+06	6.7E-01
164	0.68088	4.16E-02	2.8E-02	1.05E-03	2.96E-05	1.84E-01	1.57E-01	8.54E-07	1.0E+06	8.5E-01
165	0.85225	4.16E-02	3.5E-02	1.05E-03	3.71E-05	1.84E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
166	1.10586	4.16E-02	4.6E-02	1.05E-03	4.81E-05	1.84E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
167	1.49488	4.16E-02	6.2E-02	1.05E-03	6.50E-05	1.84E-01	1.57E-01	1.87E-06	1.0E+06	1.9E+00
168	2.14007	4.16E-02	8.9E-02	1.05E-03	9.30E-05	1.84E-01	1.57E-01	2.68E-06	1.0E+06	2.7E+00
169	3.09049	4.16E-02	1.3E-01	1.05E-03	1.34E-04	1.84E-01	1.57E-01	3.88E-06	1.0E+06	3.9E+00
170	3.93283	4.16E-02	1.6E-01	1.05E-03	1.71E-04	1.84E-01	1.57E-01	4.93E-06	1.0E+06	4.9E+00
171	4.33042	4.16E-02	1.8E-01	1.05E-03	1.88E-04	1.84E-01	1.57E-01	5.43E-06	1.0E+06	5.4E+00
172	4.55053	4.16E-02	1.9E-01	1.05E-03	1.98E-04	1.84E-01	1.57E-01	5.71E-06	1.0E+06	5.7E+00
173	4.6617	4.16E-02	1.9E-01	1.05E-03	2.03E-04	1.84E-01	1.57E-01	5.85E-06	1.0E+06	5.8E+00
174	4.63839	4.16E-02	1.9E-01	1.05E-03	2.02E-04	1.84E-01	1.57E-01	5.82E-06	1.0E+06	5.8E+00
175	4.15775	4.16E-02	1.7E-01	1.05E-03	1.81E-04	1.84E-01	1.57E-01	5.21E-06	1.0E+06	5.2E+00
176	3.29074	4.16E-02	1.4E-01	1.05E-03	1.43E-04	1.84E-01	1.57E-01	4.13E-06	1.0E+06	4.1E+00
177	2.30244	4.16E-02	9.6E-02	1.05E-03	1.00E-04	1.84E-01	1.57E-01	2.89E-06	1.0E+06	2.9E+00
178	1.53757	4.16E-02	6.4E-02	1.05E-03	6.68E-05	1.84E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
179	0.29019	4.16E-02	1.2E-02	1.05E-03	1.26E-05	1.84E-01	1.57E-01	3.64E-07	1.0E+06	3.6E-01
180	0.33117	4.16E-02	1.4E-02	1.05E-03	1.44E-05	1.84E-01	1.57E-01	4.15E-07	1.0E+06	4.2E-01
181	0.37418	4.16E-02	1.6E-02	1.05E-03	1.63E-05	1.84E-01	1.57E-01	4.69E-07	1.0E+06	4.7E-01
182	0.46724	4.16E-02	1.9E-02	1.05E-03	2.03E-05	1.84E-01	1.57E-01	5.86E-07	1.0E+06	5.9E-01
183	0.60354	4.16E-02	2.5E-02	1.05E-03	2.62E-05	1.84E-01	1.57E-01	7.57E-07	1.0E+06	7.6E-01
184	0.74184	4.16E-02	3.1E-02	1.05E-03	3.23E-05	1.84E-01	1.57E-01	9.30E-07	1.0E+06	9.3E-01
185	0.93939	4.16E-02	3.9E-02	1.05E-03	4.08E-05	1.84E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
186	1.20886	4.16E-02	5.0E-02	1.05E-03	5.26E-05	1.84E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	1.59534	4.16E-02	6.6E-02	1.05E-03	6.94E-05	1.84E-01	1.57E-01	2.00E-06	1.0E+06	2.0E+00
188	2.10918	4.16E-02	8.8E-02	1.05E-03	9.17E-05	1.84E-01	1.57E-01	2.65E-06	1.0E+06	2.6E+00
189	2.58029	4.16E-02	1.1E-01	1.05E-03	1.12E-04	1.84E-01	1.57E-01	3.24E-06	1.0E+06	3.2E+00
190	2.87995	4.16E-02	1.2E-01	1.05E-03	1.25E-04	1.84E-01	1.57E-01	3.61E-06	1.0E+06	3.6E+00
191	2.98254	4.16E-02	1.2E-01	1.05E-03	1.30E-04	1.84E-01	1.57E-01	3.74E-06	1.0E+06	3.7E+00
192	3.0049	4.16E-02	1.2E-01	1.05E-03	1.31E-04	1.84E-01	1.57E-01	3.77E-06	1.0E+06	3.8E+00
193	2.90512	4.16E-02	1.2E-01	1.05E-03	1.26E-04	1.84E-01	1.57E-01	3.64E-06	1.0E+06	3.6E+00
194	2.75066	4.16E-02	1.1E-01	1.05E-03	1.20E-04	1.84E-01	1.57E-01	3.45E-06	1.0E+06	3.4E+00
195	2.36182	4.16E-02	9.8E-02	1.05E-03	1.03E-04	1.84E-01	1.57E-01	2.96E-06	1.0E+06	3.0E+00
196	1.79817	4.16E-02	7.5E-02	1.05E-03	7.82E-05	1.84E-01	1.57E-01	2.26E-06	1.0E+06	2.3E+00
197	1.30564	4.16E-02	5.4E-02	1.05E-03	5.68E-05	1.84E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
198	0.26895	4.16E-02	1.1E-02	1.05E-03	1.17E-05	1.84E-01	1.57E-01	3.37E-07	1.0E+06	3.4E-01
199	0.30588	4.16E-02	1.3E-02	1.05E-03	1.33E-05	1.84E-01	1.57E-01	3.84E-07	1.0E+06	3.8E-01
200	0.34989	4.16E-02	1.5E-02	1.05E-03	1.52E-05	1.84E-01	1.57E-01	4.39E-07	1.0E+06	4.4E-01
201	0.41345	4.16E-02	1.7E-02	1.05E-03	1.80E-05	1.84E-01	1.57E-01	5.19E-07	1.0E+06	5.2E-01
202	0.5245	4.16E-02	2.2E-02	1.05E-03	2.28E-05	1.84E-01	1.57E-01	6.58E-07	1.0E+06	6.6E-01
203	0.64051	4.16E-02	2.7E-02	1.05E-03	2.78E-05	1.84E-01	1.57E-01	8.03E-07	1.0E+06	8.0E-01
204	0.79507	4.16E-02	3.3E-02	1.05E-03	3.46E-05	1.84E-01	1.57E-01	9.97E-07	1.0E+06	1.0E+00
205	0.98978	4.16E-02	4.1E-02	1.05E-03	4.30E-05	1.84E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
206	1.24675	4.16E-02	5.2E-02	1.05E-03	5.42E-05	1.84E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
207	1.55455	4.16E-02	6.5E-02	1.05E-03	6.76E-05	1.84E-01	1.57E-01	1.95E-06	1.0E+06	1.9E+00
208	1.85416	4.16E-02	7.7E-02	1.05E-03	8.06E-05	1.84E-01	1.57E-01	2.33E-06	1.0E+06	2.3E+00
209	2.06719	4.16E-02	8.6E-02	1.05E-03	8.99E-05	1.84E-01	1.57E-01	2.59E-06	1.0E+06	2.6E+00
210	2.16636	4.16E-02	9.0E-02	1.05E-03	9.42E-05	1.84E-01	1.57E-01	2.72E-06	1.0E+06	2.7E+00
211	2.15679	4.16E-02	9.0E-02	1.05E-03	9.38E-05	1.84E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
212	2.06018	4.16E-02	8.6E-02	1.05E-03	8.96E-05	1.84E-01	1.57E-01	2.58E-06	1.0E+06	2.6E+00
213	1.86154	4.16E-02	7.7E-02	1.05E-03	8.09E-05	1.84E-01	1.57E-01	2.33E-06	1.0E+06	2.3E+00
214	1.58195	4.16E-02	6.6E-02	1.05E-03	6.88E-05	1.84E-01	1.57E-01	1.98E-06	1.0E+06	2.0E+00
215	1.4515	4.16E-02	6.0E-02	1.05E-03	6.31E-05	1.84E-01	1.57E-01	1.82E-06	1.0E+06	1.8E+00
216	0.25394	4.16E-02	1.1E-02	1.05E-03	1.10E-05	1.84E-01	1.57E-01	3.18E-07	1.0E+06	3.2E-01
217	0.28402	4.16E-02	1.2E-02	1.05E-03	1.23E-05	1.84E-01	1.57E-01	3.56E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.32252	4.16E-02	1.3E-02	1.05E-03	1.40E-05	1.84E-01	1.57E-01	4.04E-07	1.0E+06	4.0E-01
219	0.37256	4.16E-02	1.5E-02	1.05E-03	1.62E-05	1.84E-01	1.57E-01	4.67E-07	1.0E+06	4.7E-01
220	0.45636	4.16E-02	1.9E-02	1.05E-03	1.98E-05	1.84E-01	1.57E-01	5.72E-07	1.0E+06	5.7E-01
221	0.54246	4.16E-02	2.3E-02	1.05E-03	2.36E-05	1.84E-01	1.57E-01	6.80E-07	1.0E+06	6.8E-01
222	0.66438	4.16E-02	2.8E-02	1.05E-03	2.89E-05	1.84E-01	1.57E-01	8.33E-07	1.0E+06	8.3E-01
223	0.80689	4.16E-02	3.4E-02	1.05E-03	3.51E-05	1.84E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
224	0.98601	4.16E-02	4.1E-02	1.05E-03	4.29E-05	1.84E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
225	1.18396	4.16E-02	4.9E-02	1.05E-03	5.15E-05	1.84E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
226	1.39003	4.16E-02	5.8E-02	1.05E-03	6.04E-05	1.84E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
227	1.54365	4.16E-02	6.4E-02	1.05E-03	6.71E-05	1.84E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
228	1.62944	4.16E-02	6.8E-02	1.05E-03	7.08E-05	1.84E-01	1.57E-01	2.04E-06	1.0E+06	2.0E+00
229	1.63849	4.16E-02	6.8E-02	1.05E-03	7.12E-05	1.84E-01	1.57E-01	2.05E-06	1.0E+06	2.1E+00
230	1.57097	4.16E-02	6.5E-02	1.05E-03	6.83E-05	1.84E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
231	1.45346	4.16E-02	6.0E-02	1.05E-03	6.32E-05	1.84E-01	1.57E-01	1.82E-06	1.0E+06	1.8E+00
232	1.28041	4.16E-02	5.3E-02	1.05E-03	5.57E-05	1.84E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
233	1.18274	4.16E-02	4.9E-02	1.05E-03	5.14E-05	1.84E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
234	0.23974	4.16E-02	1.0E-02	1.05E-03	1.04E-05	1.84E-01	1.57E-01	3.01E-07	1.0E+06	3.0E-01
235	0.26365	4.16E-02	1.1E-02	1.05E-03	1.15E-05	1.84E-01	1.57E-01	3.31E-07	1.0E+06	3.3E-01
236	0.29587	4.16E-02	1.2E-02	1.05E-03	1.29E-05	1.84E-01	1.57E-01	3.71E-07	1.0E+06	3.7E-01
237	0.33958	4.16E-02	1.4E-02	1.05E-03	1.48E-05	1.84E-01	1.57E-01	4.26E-07	1.0E+06	4.3E-01
238	0.39927	4.16E-02	1.7E-02	1.05E-03	1.74E-05	1.84E-01	1.57E-01	5.01E-07	1.0E+06	5.0E-01
239	0.46628	4.16E-02	1.9E-02	1.05E-03	2.03E-05	1.84E-01	1.57E-01	5.85E-07	1.0E+06	5.8E-01
240	0.55425	4.16E-02	2.3E-02	1.05E-03	2.41E-05	1.84E-01	1.57E-01	6.95E-07	1.0E+06	7.0E-01
241	0.66256	4.16E-02	2.8E-02	1.05E-03	2.88E-05	1.84E-01	1.57E-01	8.31E-07	1.0E+06	8.3E-01
242	0.79101	4.16E-02	3.3E-02	1.05E-03	3.44E-05	1.84E-01	1.57E-01	9.92E-07	1.0E+06	9.9E-01
243	0.93444	4.16E-02	3.9E-02	1.05E-03	4.06E-05	1.84E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
244	1.08389	4.16E-02	4.5E-02	1.05E-03	4.71E-05	1.84E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
245	1.2064	4.16E-02	5.0E-02	1.05E-03	5.24E-05	1.84E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
246	1.28269	4.16E-02	5.3E-02	1.05E-03	5.58E-05	1.84E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
247	1.30234	4.16E-02	5.4E-02	1.05E-03	5.66E-05	1.84E-01	1.57E-01	1.63E-06	1.0E+06	1.6E+00
248	1.2704	4.16E-02	5.3E-02	1.05E-03	5.52E-05	1.84E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.18628	4.16E-02	4.9E-02	1.05E-03	5.16E-05	1.84E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
250	1.0767	4.16E-02	4.5E-02	1.05E-03	4.68E-05	1.84E-01	1.57E-01	1.35E-06	1.0E+06	1.4E+00
251	0.99552	4.16E-02	4.1E-02	1.05E-03	4.33E-05	1.84E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
252	0.22288	4.16E-02	9.3E-03	1.05E-03	9.69E-06	1.84E-01	1.57E-01	2.80E-07	1.0E+06	2.8E-01
253	0.24125	4.16E-02	1.0E-02	1.05E-03	1.05E-05	1.84E-01	1.57E-01	3.03E-07	1.0E+06	3.0E-01
254	0.26526	4.16E-02	1.1E-02	1.05E-03	1.15E-05	1.84E-01	1.57E-01	3.33E-07	1.0E+06	3.3E-01
255	0.29598	4.16E-02	1.2E-02	1.05E-03	1.29E-05	1.84E-01	1.57E-01	3.71E-07	1.0E+06	3.7E-01
256	0.35215	4.16E-02	1.5E-02	1.05E-03	1.53E-05	1.84E-01	1.57E-01	4.42E-07	1.0E+06	4.4E-01
257	0.39078	4.16E-02	1.6E-02	1.05E-03	1.70E-05	1.84E-01	1.57E-01	4.90E-07	1.0E+06	4.9E-01
258	0.44847	4.16E-02	1.9E-02	1.05E-03	1.95E-05	1.84E-01	1.57E-01	5.62E-07	1.0E+06	5.6E-01
259	0.51996	4.16E-02	2.2E-02	1.05E-03	2.26E-05	1.84E-01	1.57E-01	6.52E-07	1.0E+06	6.5E-01
260	0.62139	4.16E-02	2.6E-02	1.05E-03	2.70E-05	1.84E-01	1.57E-01	7.79E-07	1.0E+06	7.8E-01
261	0.74353	4.16E-02	3.1E-02	1.05E-03	3.23E-05	1.84E-01	1.57E-01	9.32E-07	1.0E+06	9.3E-01
262	0.86299	4.16E-02	3.6E-02	1.05E-03	3.75E-05	1.84E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
263	0.95593	4.16E-02	4.0E-02	1.05E-03	4.16E-05	1.84E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
264	1.0253	4.16E-02	4.3E-02	1.05E-03	4.46E-05	1.84E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
265	1.0477	4.16E-02	4.4E-02	1.05E-03	4.55E-05	1.84E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
266	1.03328	4.16E-02	4.3E-02	1.05E-03	4.49E-05	1.84E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
267	0.97802	4.16E-02	4.1E-02	1.05E-03	4.25E-05	1.84E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
268	0.90078	4.16E-02	3.7E-02	1.05E-03	3.92E-05	1.84E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
269	0.8422	4.16E-02	3.5E-02	1.05E-03	3.66E-05	1.84E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
270	0.20609	4.16E-02	8.6E-03	1.05E-03	8.96E-06	1.84E-01	1.57E-01	2.58E-07	1.0E+06	2.6E-01
271	0.22236	4.16E-02	9.2E-03	1.05E-03	9.67E-06	1.84E-01	1.57E-01	2.79E-07	1.0E+06	2.8E-01
272	0.2426	4.16E-02	1.0E-02	1.05E-03	1.05E-05	1.84E-01	1.57E-01	3.04E-07	1.0E+06	3.0E-01
273	0.26659	4.16E-02	1.1E-02	1.05E-03	1.16E-05	1.84E-01	1.57E-01	3.34E-07	1.0E+06	3.3E-01
274	0.31843	4.16E-02	1.3E-02	1.05E-03	1.38E-05	1.84E-01	1.57E-01	3.99E-07	1.0E+06	4.0E-01
275	0.36509	4.16E-02	1.5E-02	1.05E-03	1.59E-05	1.84E-01	1.57E-01	4.58E-07	1.0E+06	4.6E-01
276	0.38581	4.16E-02	1.6E-02	1.05E-03	1.68E-05	1.84E-01	1.57E-01	4.84E-07	1.0E+06	4.8E-01
277	0.43917	4.16E-02	1.8E-02	1.05E-03	1.91E-05	1.84E-01	1.57E-01	5.51E-07	1.0E+06	5.5E-01
278	0.50889	4.16E-02	2.1E-02	1.05E-03	2.21E-05	1.84E-01	1.57E-01	6.38E-07	1.0E+06	6.4E-01
279	0.5928	4.16E-02	2.5E-02	1.05E-03	2.58E-05	1.84E-01	1.57E-01	7.43E-07	1.0E+06	7.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.69196	4.16E-02	2.9E-02	1.05E-03	3.01E-05	1.84E-01	1.57E-01	8.68E-07	1.0E+06	8.7E-01
281	0.77845	4.16E-02	3.2E-02	1.05E-03	3.38E-05	1.84E-01	1.57E-01	9.76E-07	1.0E+06	9.8E-01
282	0.83812	4.16E-02	3.5E-02	1.05E-03	3.64E-05	1.84E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
283	0.86573	4.16E-02	3.6E-02	1.05E-03	3.76E-05	1.84E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
284	0.85995	4.16E-02	3.6E-02	1.05E-03	3.74E-05	1.84E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
285	0.82472	4.16E-02	3.4E-02	1.05E-03	3.59E-05	1.84E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
286	0.76997	4.16E-02	3.2E-02	1.05E-03	3.35E-05	1.84E-01	1.57E-01	9.66E-07	1.0E+06	9.7E-01
287	0.7249	4.16E-02	3.0E-02	1.05E-03	3.15E-05	1.84E-01	1.57E-01	9.09E-07	1.0E+06	9.1E-01
288	0.19179	4.16E-02	8.0E-03	1.05E-03	8.34E-06	1.84E-01	1.57E-01	2.41E-07	1.0E+06	2.4E-01
289	0.20415	4.16E-02	8.5E-03	1.05E-03	8.88E-06	1.84E-01	1.57E-01	2.56E-07	1.0E+06	2.6E-01
290	0.22731	4.16E-02	9.5E-03	1.05E-03	9.88E-06	1.84E-01	1.57E-01	2.85E-07	1.0E+06	2.9E-01
291	0.25153	4.16E-02	1.0E-02	1.05E-03	1.09E-05	1.84E-01	1.57E-01	3.15E-07	1.0E+06	3.2E-01
292	0.31346	4.16E-02	1.3E-02	1.05E-03	1.36E-05	1.84E-01	1.57E-01	3.93E-07	1.0E+06	3.9E-01
293	0.33705	4.16E-02	1.4E-02	1.05E-03	1.47E-05	1.84E-01	1.57E-01	4.23E-07	1.0E+06	4.2E-01
294	0.3399	4.16E-02	1.4E-02	1.05E-03	1.48E-05	1.84E-01	1.57E-01	4.26E-07	1.0E+06	4.3E-01
295	0.38573	4.16E-02	1.6E-02	1.05E-03	1.68E-05	1.84E-01	1.57E-01	4.84E-07	1.0E+06	4.8E-01
296	0.44174	4.16E-02	1.8E-02	1.05E-03	1.92E-05	1.84E-01	1.57E-01	5.54E-07	1.0E+06	5.5E-01
297	0.4983	4.16E-02	2.1E-02	1.05E-03	2.17E-05	1.84E-01	1.57E-01	6.25E-07	1.0E+06	6.2E-01
298	0.56731	4.16E-02	2.4E-02	1.05E-03	2.47E-05	1.84E-01	1.57E-01	7.11E-07	1.0E+06	7.1E-01
299	0.64127	4.16E-02	2.7E-02	1.05E-03	2.79E-05	1.84E-01	1.57E-01	8.04E-07	1.0E+06	8.0E-01
300	0.69	4.16E-02	2.9E-02	1.05E-03	3.00E-05	1.84E-01	1.57E-01	8.65E-07	1.0E+06	8.7E-01
301	0.72301	4.16E-02	3.0E-02	1.05E-03	3.14E-05	1.84E-01	1.57E-01	9.07E-07	1.0E+06	9.1E-01
302	0.7295	4.16E-02	3.0E-02	1.05E-03	3.17E-05	1.84E-01	1.57E-01	9.15E-07	1.0E+06	9.1E-01
303	0.7107	4.16E-02	3.0E-02	1.05E-03	3.09E-05	1.84E-01	1.57E-01	8.91E-07	1.0E+06	8.9E-01
304	0.67196	4.16E-02	2.8E-02	1.05E-03	2.92E-05	1.84E-01	1.57E-01	8.43E-07	1.0E+06	8.4E-01
305	0.63256	4.16E-02	2.6E-02	1.05E-03	2.75E-05	1.84E-01	1.57E-01	7.93E-07	1.0E+06	7.9E-01
306	0.19076	4.16E-02	7.9E-03	1.05E-03	8.29E-06	1.84E-01	1.57E-01	2.39E-07	1.0E+06	2.4E-01
307	0.1965	4.16E-02	8.2E-03	1.05E-03	8.54E-06	1.84E-01	1.57E-01	2.46E-07	1.0E+06	2.5E-01
308	0.21163	4.16E-02	8.8E-03	1.05E-03	9.20E-06	1.84E-01	1.57E-01	2.65E-07	1.0E+06	2.7E-01
309	0.24993	4.16E-02	1.0E-02	1.05E-03	1.09E-05	1.84E-01	1.57E-01	3.13E-07	1.0E+06	3.1E-01
310	0.2892	4.16E-02	1.2E-02	1.05E-03	1.26E-05	1.84E-01	1.57E-01	3.63E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.30706	4.16E-02	1.3E-02	1.05E-03	1.33E-05	1.84E-01	1.57E-01	3.85E-07	1.0E+06	3.9E-01
312	0.30302	4.16E-02	1.3E-02	1.05E-03	1.32E-05	1.84E-01	1.57E-01	3.80E-07	1.0E+06	3.8E-01
313	0.34058	4.16E-02	1.4E-02	1.05E-03	1.48E-05	1.84E-01	1.57E-01	4.27E-07	1.0E+06	4.3E-01
314	0.38571	4.16E-02	1.6E-02	1.05E-03	1.68E-05	1.84E-01	1.57E-01	4.84E-07	1.0E+06	4.8E-01
315	0.44619	4.16E-02	1.9E-02	1.05E-03	1.94E-05	1.84E-01	1.57E-01	5.60E-07	1.0E+06	5.6E-01
316	0.48737	4.16E-02	2.0E-02	1.05E-03	2.12E-05	1.84E-01	1.57E-01	6.11E-07	1.0E+06	6.1E-01
317	0.53274	4.16E-02	2.2E-02	1.05E-03	2.32E-05	1.84E-01	1.57E-01	6.68E-07	1.0E+06	6.7E-01
318	0.57567	4.16E-02	2.4E-02	1.05E-03	2.50E-05	1.84E-01	1.57E-01	7.22E-07	1.0E+06	7.2E-01
319	0.61162	4.16E-02	2.5E-02	1.05E-03	2.66E-05	1.84E-01	1.57E-01	7.67E-07	1.0E+06	7.7E-01
320	0.62978	4.16E-02	2.6E-02	1.05E-03	2.74E-05	1.84E-01	1.57E-01	7.90E-07	1.0E+06	7.9E-01
321	0.61772	4.16E-02	2.6E-02	1.05E-03	2.69E-05	1.84E-01	1.57E-01	7.75E-07	1.0E+06	7.7E-01
322	0.58947	4.16E-02	2.5E-02	1.05E-03	2.56E-05	1.84E-01	1.57E-01	7.39E-07	1.0E+06	7.4E-01
323	0.55418	4.16E-02	2.3E-02	1.05E-03	2.41E-05	1.84E-01	1.57E-01	6.95E-07	1.0E+06	6.9E-01
324	0.17901	4.16E-02	7.4E-03	1.05E-03	7.78E-06	1.84E-01	1.57E-01	2.24E-07	1.0E+06	2.2E-01
325	0.19809	4.16E-02	8.2E-03	1.05E-03	8.61E-06	1.84E-01	1.57E-01	2.48E-07	1.0E+06	2.5E-01
326	0.21043	4.16E-02	8.8E-03	1.05E-03	9.15E-06	1.84E-01	1.57E-01	2.64E-07	1.0E+06	2.6E-01
327	0.22027	4.16E-02	9.2E-03	1.05E-03	9.58E-06	1.84E-01	1.57E-01	2.76E-07	1.0E+06	2.8E-01
328	0.27094	4.16E-02	1.1E-02	1.05E-03	1.18E-05	1.84E-01	1.57E-01	3.40E-07	1.0E+06	3.4E-01
329	0.28116	4.16E-02	1.2E-02	1.05E-03	1.22E-05	1.84E-01	1.57E-01	3.53E-07	1.0E+06	3.5E-01
330	0.27877	4.16E-02	1.2E-02	1.05E-03	1.21E-05	1.84E-01	1.57E-01	3.50E-07	1.0E+06	3.5E-01
331	0.31121	4.16E-02	1.3E-02	1.05E-03	1.35E-05	1.84E-01	1.57E-01	3.90E-07	1.0E+06	3.9E-01
332	0.34977	4.16E-02	1.5E-02	1.05E-03	1.52E-05	1.84E-01	1.57E-01	4.39E-07	1.0E+06	4.4E-01
333	0.40012	4.16E-02	1.7E-02	1.05E-03	1.74E-05	1.84E-01	1.57E-01	5.02E-07	1.0E+06	5.0E-01
334	0.44075	4.16E-02	1.8E-02	1.05E-03	1.92E-05	1.84E-01	1.57E-01	5.53E-07	1.0E+06	5.5E-01
335	0.47966	4.16E-02	2.0E-02	1.05E-03	2.09E-05	1.84E-01	1.57E-01	6.02E-07	1.0E+06	6.0E-01
336	1.97471	4.16E-02	8.2E-02	1.05E-03	8.59E-05	1.84E-01	1.57E-01	2.48E-06	1.0E+06	2.5E+00
337	1.3422	4.16E-02	5.6E-02	1.05E-03	5.84E-05	1.84E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
338	0.56668	4.16E-02	2.4E-02	1.05E-03	2.46E-05	1.84E-01	1.57E-01	7.11E-07	1.0E+06	7.1E-01
339	0.57604	4.16E-02	2.4E-02	1.05E-03	2.50E-05	1.84E-01	1.57E-01	7.22E-07	1.0E+06	7.2E-01
340	0.5775	4.16E-02	2.4E-02	1.05E-03	2.51E-05	1.84E-01	1.57E-01	7.24E-07	1.0E+06	7.2E-01
341	0.57069	4.16E-02	2.4E-02	1.05E-03	2.48E-05	1.84E-01	1.57E-01	7.16E-07	1.0E+06	7.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.55721	4.16E-02	2.3E-02	1.05E-03	2.42E-05	1.84E-01	1.57E-01	6.99E-07	1.0E+06	7.0E-01
343	0.51363	4.16E-02	2.1E-02	1.05E-03	2.23E-05	1.84E-01	1.57E-01	6.44E-07	1.0E+06	6.4E-01
344	0.48828	4.16E-02	2.0E-02	1.05E-03	2.12E-05	1.84E-01	1.57E-01	6.12E-07	1.0E+06	6.1E-01
345	0.45971	4.16E-02	1.9E-02	1.05E-03	2.00E-05	1.84E-01	1.57E-01	5.77E-07	1.0E+06	5.8E-01
346	0.42748	4.16E-02	1.8E-02	1.05E-03	1.86E-05	1.84E-01	1.57E-01	5.36E-07	1.0E+06	5.4E-01
347	0.69458	4.16E-02	2.9E-02	1.05E-03	3.02E-05	1.84E-01	1.57E-01	8.71E-07	1.0E+06	8.7E-01
348	0.71117	4.16E-02	3.0E-02	1.05E-03	3.09E-05	1.84E-01	1.57E-01	8.92E-07	1.0E+06	8.9E-01
349	0.71014	4.16E-02	3.0E-02	1.05E-03	3.09E-05	1.84E-01	1.57E-01	8.91E-07	1.0E+06	8.9E-01
350	0.69693	4.16E-02	2.9E-02	1.05E-03	3.03E-05	1.84E-01	1.57E-01	8.74E-07	1.0E+06	8.7E-01
351	0.68051	4.16E-02	2.8E-02	1.05E-03	2.96E-05	1.84E-01	1.57E-01	8.53E-07	1.0E+06	8.5E-01
352	0.61121	4.16E-02	2.5E-02	1.05E-03	2.66E-05	1.84E-01	1.57E-01	7.67E-07	1.0E+06	7.7E-01
353	0.57261	4.16E-02	2.4E-02	1.05E-03	2.49E-05	1.84E-01	1.57E-01	7.18E-07	1.0E+06	7.2E-01
354	0.52467	4.16E-02	2.2E-02	1.05E-03	2.28E-05	1.84E-01	1.57E-01	6.58E-07	1.0E+06	6.6E-01
355	0.48312	4.16E-02	2.0E-02	1.05E-03	2.10E-05	1.84E-01	1.57E-01	6.06E-07	1.0E+06	6.1E-01
356	0.87356	4.16E-02	3.6E-02	1.05E-03	3.80E-05	1.84E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
357	0.90521	4.16E-02	3.8E-02	1.05E-03	3.94E-05	1.84E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
358	0.90366	4.16E-02	3.8E-02	1.05E-03	3.93E-05	1.84E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
359	0.88428	4.16E-02	3.7E-02	1.05E-03	3.84E-05	1.84E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
360	0.84786	4.16E-02	3.5E-02	1.05E-03	3.69E-05	1.84E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
361	0.73319	4.16E-02	3.0E-02	1.05E-03	3.19E-05	1.84E-01	1.57E-01	9.19E-07	1.0E+06	9.2E-01
362	0.67477	4.16E-02	2.8E-02	1.05E-03	2.93E-05	1.84E-01	1.57E-01	8.46E-07	1.0E+06	8.5E-01
363	0.6046	4.16E-02	2.5E-02	1.05E-03	2.63E-05	1.84E-01	1.57E-01	7.58E-07	1.0E+06	7.6E-01
364	1.13942	4.16E-02	4.7E-02	1.05E-03	4.95E-05	1.84E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
365	1.17169	4.16E-02	4.9E-02	1.05E-03	5.09E-05	1.84E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
366	1.1846	4.16E-02	4.9E-02	1.05E-03	5.15E-05	1.84E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
367	1.14583	4.16E-02	4.8E-02	1.05E-03	4.98E-05	1.84E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
368	1.08139	4.16E-02	4.5E-02	1.05E-03	4.70E-05	1.84E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
369	0.89181	4.16E-02	3.7E-02	1.05E-03	3.88E-05	1.84E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
370	0.70809	4.16E-02	2.9E-02	1.05E-03	3.08E-05	1.84E-01	1.57E-01	8.88E-07	1.0E+06	8.9E-01
371	0.61897	4.16E-02	2.6E-02	1.05E-03	2.69E-05	1.84E-01	1.57E-01	7.76E-07	1.0E+06	7.8E-01
372	1.57861	4.16E-02	6.6E-02	1.05E-03	6.86E-05	1.84E-01	1.57E-01	1.98E-06	1.0E+06	2.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	1.61119	4.16E-02	6.7E-02	1.05E-03	7.00E-05	1.84E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
374	1.61527	4.16E-02	6.7E-02	1.05E-03	7.02E-05	1.84E-01	1.57E-01	2.03E-06	1.0E+06	2.0E+00
375	1.53816	4.16E-02	6.4E-02	1.05E-03	6.69E-05	1.84E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
376	1.41279	4.16E-02	5.9E-02	1.05E-03	6.14E-05	1.84E-01	1.57E-01	1.77E-06	1.0E+06	1.8E+00
377	1.25649	4.16E-02	5.2E-02	1.05E-03	5.46E-05	1.84E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
378	1.10053	4.16E-02	4.6E-02	1.05E-03	4.78E-05	1.84E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
379	0.81264	4.16E-02	3.4E-02	1.05E-03	3.53E-05	1.84E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
380	0.69418	4.16E-02	2.9E-02	1.05E-03	3.02E-05	1.84E-01	1.57E-01	8.71E-07	1.0E+06	8.7E-01
381	0.59082	4.16E-02	2.5E-02	1.05E-03	2.57E-05	1.84E-01	1.57E-01	7.41E-07	1.0E+06	7.4E-01
382	2.3504	4.16E-02	9.8E-02	1.05E-03	1.02E-04	1.84E-01	1.57E-01	2.95E-06	1.0E+06	2.9E+00
383	2.39027	4.16E-02	9.9E-02	1.05E-03	1.04E-04	1.84E-01	1.57E-01	3.00E-06	1.0E+06	3.0E+00
384	2.32804	4.16E-02	9.7E-02	1.05E-03	1.01E-04	1.84E-01	1.57E-01	2.92E-06	1.0E+06	2.9E+00
385	2.15915	4.16E-02	9.0E-02	1.05E-03	9.39E-05	1.84E-01	1.57E-01	2.71E-06	1.0E+06	2.7E+00
386	1.91749	4.16E-02	8.0E-02	1.05E-03	8.34E-05	1.84E-01	1.57E-01	2.40E-06	1.0E+06	2.4E+00
387	1.62751	4.16E-02	6.8E-02	1.05E-03	7.08E-05	1.84E-01	1.57E-01	2.04E-06	1.0E+06	2.0E+00
388	1.3592	4.16E-02	5.7E-02	1.05E-03	5.91E-05	1.84E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
389	0.91334	4.16E-02	3.8E-02	1.05E-03	3.97E-05	1.84E-01	1.57E-01	1.15E-06	1.0E+06	1.1E+00
390	0.75131	4.16E-02	3.1E-02	1.05E-03	3.27E-05	1.84E-01	1.57E-01	9.42E-07	1.0E+06	9.4E-01
391	0.62456	4.16E-02	2.6E-02	1.05E-03	2.72E-05	1.84E-01	1.57E-01	7.83E-07	1.0E+06	7.8E-01
392	0.51197	4.16E-02	2.1E-02	1.05E-03	2.23E-05	1.84E-01	1.57E-01	6.42E-07	1.0E+06	6.4E-01
393	3.34299	4.16E-02	1.4E-01	1.05E-03	1.45E-04	1.84E-01	1.57E-01	4.19E-06	1.0E+06	4.2E+00
394	3.3105	4.16E-02	1.4E-01	1.05E-03	1.44E-04	1.84E-01	1.57E-01	4.15E-06	1.0E+06	4.2E+00
395	2.91282	4.16E-02	1.2E-01	1.05E-03	1.27E-04	1.84E-01	1.57E-01	3.65E-06	1.0E+06	3.7E+00
396	2.55551	4.16E-02	1.1E-01	1.05E-03	1.11E-04	1.84E-01	1.57E-01	3.20E-06	1.0E+06	3.2E+00
397	2.04418	4.16E-02	8.5E-02	1.05E-03	8.89E-05	1.84E-01	1.57E-01	2.56E-06	1.0E+06	2.6E+00
398	1.60012	4.16E-02	6.7E-02	1.05E-03	6.96E-05	1.84E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
399	1.27678	4.16E-02	5.3E-02	1.05E-03	5.55E-05	1.84E-01	1.57E-01	1.60E-06	1.0E+06	1.6E+00
400	0.99864	4.16E-02	4.2E-02	1.05E-03	4.34E-05	1.84E-01	1.57E-01	1.25E-06	1.0E+06	1.3E+00
401	0.7939	4.16E-02	3.3E-02	1.05E-03	3.45E-05	1.84E-01	1.57E-01	9.96E-07	1.0E+06	1.0E+00
402	0.51625	4.16E-02	2.1E-02	1.05E-03	2.24E-05	1.84E-01	1.57E-01	6.47E-07	1.0E+06	6.5E-01
403	1.06396	4.16E-02	4.4E-02	1.05E-03	4.63E-05	1.84E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.53137	4.16E-02	2.2E-02	1.05E-03	2.31E-05	1.84E-01	1.57E-01	6.66E-07	1.0E+06	6.7E-01
405	0.43135	4.16E-02	1.8E-02	1.05E-03	1.88E-05	1.84E-01	1.57E-01	5.41E-07	1.0E+06	5.4E-01
406	1.05891	4.16E-02	4.4E-02	1.05E-03	4.60E-05	1.84E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
407	0.41789	4.16E-02	1.7E-02	1.05E-03	1.82E-05	1.84E-01	1.57E-01	5.24E-07	1.0E+06	5.2E-01
408	1.00415	4.16E-02	4.2E-02	1.05E-03	4.37E-05	1.84E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
409	0.40251	4.16E-02	1.7E-02	1.05E-03	1.75E-05	1.84E-01	1.57E-01	5.05E-07	1.0E+06	5.0E-01
410	0.92328	4.16E-02	3.8E-02	1.05E-03	4.01E-05	1.84E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
411	0.46728	4.16E-02	1.9E-02	1.05E-03	2.03E-05	1.84E-01	1.57E-01	5.86E-07	1.0E+06	5.9E-01
412	0.39358	4.16E-02	1.6E-02	1.05E-03	1.71E-05	1.84E-01	1.57E-01	4.94E-07	1.0E+06	4.9E-01
413	0.83985	4.16E-02	3.5E-02	1.05E-03	3.65E-05	1.84E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
414	0.53129	4.16E-02	2.2E-02	1.05E-03	2.31E-05	1.84E-01	1.57E-01	6.66E-07	1.0E+06	6.7E-01
415	0.44137	4.16E-02	1.8E-02	1.05E-03	1.92E-05	1.84E-01	1.57E-01	5.54E-07	1.0E+06	5.5E-01
416	0.3746	4.16E-02	1.6E-02	1.05E-03	1.63E-05	1.84E-01	1.57E-01	4.70E-07	1.0E+06	4.7E-01
417	0.764	4.16E-02	3.2E-02	1.05E-03	3.32E-05	1.84E-01	1.57E-01	9.58E-07	1.0E+06	9.6E-01
418	0.41536	4.16E-02	1.7E-02	1.05E-03	1.81E-05	1.84E-01	1.57E-01	5.21E-07	1.0E+06	5.2E-01
419	0.35519	4.16E-02	1.5E-02	1.05E-03	1.54E-05	1.84E-01	1.57E-01	4.45E-07	1.0E+06	4.5E-01
420	0.30691	4.16E-02	1.3E-02	1.05E-03	1.33E-05	1.84E-01	1.57E-01	3.85E-07	1.0E+06	3.8E-01
421	0.69682	4.16E-02	2.9E-02	1.05E-03	3.03E-05	1.84E-01	1.57E-01	8.74E-07	1.0E+06	8.7E-01
422	0.33554	4.16E-02	1.4E-02	1.05E-03	1.46E-05	1.84E-01	1.57E-01	4.21E-07	1.0E+06	4.2E-01
423	0.29285	4.16E-02	1.2E-02	1.05E-03	1.27E-05	1.84E-01	1.57E-01	3.67E-07	1.0E+06	3.7E-01
424	0.63653	4.16E-02	2.6E-02	1.05E-03	2.77E-05	1.84E-01	1.57E-01	7.98E-07	1.0E+06	8.0E-01
425	0.27805	4.16E-02	1.2E-02	1.05E-03	1.21E-05	1.84E-01	1.57E-01	3.49E-07	1.0E+06	3.5E-01
426	0.2461	4.16E-02	1.0E-02	1.05E-03	1.07E-05	1.84E-01	1.57E-01	3.09E-07	1.0E+06	3.1E-01
427	0.58149	4.16E-02	2.4E-02	1.05E-03	2.53E-05	1.84E-01	1.57E-01	7.29E-07	1.0E+06	7.3E-01
428	0.26331	4.16E-02	1.1E-02	1.05E-03	1.14E-05	1.84E-01	1.57E-01	3.30E-07	1.0E+06	3.3E-01
429	0.23466	4.16E-02	9.8E-03	1.05E-03	1.02E-05	1.84E-01	1.57E-01	2.94E-07	1.0E+06	2.9E-01
430	0.53238	4.16E-02	2.2E-02	1.05E-03	2.31E-05	1.84E-01	1.57E-01	6.68E-07	1.0E+06	6.7E-01
431	0.22324	4.16E-02	9.3E-03	1.05E-03	9.71E-06	1.84E-01	1.57E-01	2.80E-07	1.0E+06	2.8E-01
432	0.19965	4.16E-02	8.3E-03	1.05E-03	8.68E-06	1.84E-01	1.57E-01	2.50E-07	1.0E+06	2.5E-01
433	0.48697	4.16E-02	2.0E-02	1.05E-03	2.12E-05	1.84E-01	1.57E-01	6.11E-07	1.0E+06	6.1E-01
434	0.21223	4.16E-02	8.8E-03	1.05E-03	9.23E-06	1.84E-01	1.57E-01	2.66E-07	1.0E+06	2.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.19185	4.16E-02	8.0E-03	1.05E-03	8.34E-06	1.84E-01	1.57E-01	2.41E-07	1.0E+06	2.4E-01
436	0.44624	4.16E-02	1.9E-02	1.05E-03	1.94E-05	1.84E-01	1.57E-01	5.60E-07	1.0E+06	5.6E-01
437	0.22439	4.16E-02	9.3E-03	1.05E-03	9.76E-06	1.84E-01	1.57E-01	2.81E-07	1.0E+06	2.8E-01
438	0.20209	4.16E-02	8.4E-03	1.05E-03	8.79E-06	1.84E-01	1.57E-01	2.53E-07	1.0E+06	2.5E-01
439	0.18334	4.16E-02	7.6E-03	1.05E-03	7.97E-06	1.84E-01	1.57E-01	2.30E-07	1.0E+06	2.3E-01
440	0.40907	4.16E-02	1.7E-02	1.05E-03	1.78E-05	1.84E-01	1.57E-01	5.13E-07	1.0E+06	5.1E-01
441	0.27118	4.16E-02	1.1E-02	1.05E-03	1.18E-05	1.84E-01	1.57E-01	3.40E-07	1.0E+06	3.4E-01
442	0.23821	4.16E-02	9.9E-03	1.05E-03	1.04E-05	1.84E-01	1.57E-01	2.99E-07	1.0E+06	3.0E-01
443	0.21314	4.16E-02	8.9E-03	1.05E-03	9.27E-06	1.84E-01	1.57E-01	2.67E-07	1.0E+06	2.7E-01
444	0.19231	4.16E-02	8.0E-03	1.05E-03	8.36E-06	1.84E-01	1.57E-01	2.41E-07	1.0E+06	2.4E-01
445	0.37579	4.16E-02	1.6E-02	1.05E-03	1.63E-05	1.84E-01	1.57E-01	4.71E-07	1.0E+06	4.7E-01
446	0.28688	4.16E-02	1.2E-02	1.05E-03	1.25E-05	1.84E-01	1.57E-01	3.60E-07	1.0E+06	3.6E-01
447	0.25315	4.16E-02	1.1E-02	1.05E-03	1.10E-05	1.84E-01	1.57E-01	3.17E-07	1.0E+06	3.2E-01
448	0.22535	4.16E-02	9.4E-03	1.05E-03	9.80E-06	1.84E-01	1.57E-01	2.83E-07	1.0E+06	2.8E-01
449	0.34584	4.16E-02	1.4E-02	1.05E-03	1.50E-05	1.84E-01	1.57E-01	4.34E-07	1.0E+06	4.3E-01
450	0.30476	4.16E-02	1.3E-02	1.05E-03	1.32E-05	1.84E-01	1.57E-01	3.82E-07	1.0E+06	3.8E-01
451	0.26899	4.16E-02	1.1E-02	1.05E-03	1.17E-05	1.84E-01	1.57E-01	3.37E-07	1.0E+06	3.4E-01
452	0.31885	4.16E-02	1.3E-02	1.05E-03	1.39E-05	1.84E-01	1.57E-01	4.00E-07	1.0E+06	4.0E-01
453	0.28372	4.16E-02	1.2E-02	1.05E-03	1.23E-05	1.84E-01	1.57E-01	3.56E-07	1.0E+06	3.6E-01
454	0.15144	4.16E-02	6.3E-03	1.05E-03	6.58E-06	1.84E-01	1.57E-01	1.90E-07	1.0E+06	1.9E-01
455	0.14078	4.16E-02	5.9E-03	1.05E-03	6.12E-06	1.84E-01	1.57E-01	1.77E-07	1.0E+06	1.8E-01
456	0.29447	4.16E-02	1.2E-02	1.05E-03	1.28E-05	1.84E-01	1.57E-01	3.69E-07	1.0E+06	3.7E-01
457	0.26431	4.16E-02	1.1E-02	1.05E-03	1.15E-05	1.84E-01	1.57E-01	3.31E-07	1.0E+06	3.3E-01
458	0.23625	4.16E-02	9.8E-03	1.05E-03	1.03E-05	1.84E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01
459	0.1733	4.16E-02	7.2E-03	1.05E-03	7.53E-06	1.84E-01	1.57E-01	2.17E-07	1.0E+06	2.2E-01
460	0.15877	4.16E-02	6.6E-03	1.05E-03	6.90E-06	1.84E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
461	0.14598	4.16E-02	6.1E-03	1.05E-03	6.35E-06	1.84E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
462	0.1348	4.16E-02	5.6E-03	1.05E-03	5.86E-06	1.84E-01	1.57E-01	1.69E-07	1.0E+06	1.7E-01
463	1.839	4.16E-02	7.6E-02	1.05E-03	8.00E-05	1.84E-01	1.57E-01	2.31E-06	1.0E+06	2.3E+00
464	1.26957	4.16E-02	5.3E-02	1.05E-03	5.52E-05	1.84E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
465	1.59928	4.16E-02	6.7E-02	1.05E-03	6.95E-05	1.84E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	1.09342	4.16E-02	4.5E-02	1.05E-03	4.75E-05	1.84E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
467	1.16993	4.16E-02	4.9E-02	1.05E-03	5.09E-05	1.84E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
468	1.0327	4.16E-02	4.3E-02	1.05E-03	4.49E-05	1.84E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
469	0.90979	4.16E-02	3.8E-02	1.05E-03	3.96E-05	1.84E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
470	1.01077	4.16E-02	4.2E-02	1.05E-03	4.39E-05	1.84E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
471	0.8602	4.16E-02	3.6E-02	1.05E-03	3.74E-05	1.84E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
472	0.86823	4.16E-02	3.6E-02	1.05E-03	3.77E-05	1.84E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
473	0.71059	4.16E-02	3.0E-02	1.05E-03	3.09E-05	1.84E-01	1.57E-01	8.91E-07	1.0E+06	8.9E-01
474	0.74975	4.16E-02	3.1E-02	1.05E-03	3.26E-05	1.84E-01	1.57E-01	9.40E-07	1.0E+06	9.4E-01
475	0.63154	4.16E-02	2.6E-02	1.05E-03	2.75E-05	1.84E-01	1.57E-01	7.92E-07	1.0E+06	7.9E-01
476	0.65398	4.16E-02	2.7E-02	1.05E-03	2.84E-05	1.84E-01	1.57E-01	8.20E-07	1.0E+06	8.2E-01
477	0.56323	4.16E-02	2.3E-02	1.05E-03	2.45E-05	1.84E-01	1.57E-01	7.06E-07	1.0E+06	7.1E-01
478	0.57492	4.16E-02	2.4E-02	1.05E-03	2.50E-05	1.84E-01	1.57E-01	7.21E-07	1.0E+06	7.2E-01
479	0.50322	4.16E-02	2.1E-02	1.05E-03	2.19E-05	1.84E-01	1.57E-01	6.31E-07	1.0E+06	6.3E-01
480	0.43536	4.16E-02	1.8E-02	1.05E-03	1.89E-05	1.84E-01	1.57E-01	5.46E-07	1.0E+06	5.5E-01
481	0.50912	4.16E-02	2.1E-02	1.05E-03	2.21E-05	1.84E-01	1.57E-01	6.38E-07	1.0E+06	6.4E-01
482	0.39729	4.16E-02	1.7E-02	1.05E-03	1.73E-05	1.84E-01	1.57E-01	4.98E-07	1.0E+06	5.0E-01
483	0.40834	4.16E-02	1.7E-02	1.05E-03	1.78E-05	1.84E-01	1.57E-01	5.12E-07	1.0E+06	5.1E-01
484	0.36317	4.16E-02	1.5E-02	1.05E-03	1.58E-05	1.84E-01	1.57E-01	4.55E-07	1.0E+06	4.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	2.04E-03
2	5	2.15E-03
3	5	2.26E-03
4	5	2.39E-03
5	5	2.53E-03
6	5	2.72E-03
7	5	2.96E-03
8	5	3.21E-03
9	5	3.51E-03
10	5	3.84E-03
11	5	4.21E-03
12	5	4.55E-03
13	5	4.79E-03
14	5	4.63E-03
15	5	2.32E-03
16	5	2.46E-03
17	5	2.63E-03
18	5	2.80E-03
19	5	2.97E-03
20	5	3.19E-03
21	5	3.44E-03
22	5	3.75E-03
23	5	4.17E-03
24	5	4.56E-03
25	5	5.07E-03
26	5	5.55E-03
27	5	5.85E-03
28	5	5.64E-03
29	5	2.60E-03
30	5	2.81E-03
31	5	3.06E-03

Max	Receptor #	
0.112	145	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	3.32E-03
33	5	3.54E-03
34	5	3.83E-03
35	5	4.14E-03
36	5	4.53E-03
37	5	5.02E-03
38	5	5.62E-03
39	5	6.27E-03
40	5	6.86E-03
41	5	7.34E-03
42	5	7.00E-03
43	5	2.84E-03
44	5	3.12E-03
45	5	3.47E-03
46	5	3.86E-03
47	5	4.24E-03
48	5	4.64E-03
49	5	5.07E-03
50	5	5.54E-03
51	5	6.31E-03
52	5	7.08E-03
53	5	8.04E-03
54	5	8.92E-03
55	5	9.63E-03
56	5	8.81E-03
57	5	3.01E-03
58	5	3.40E-03
59	5	3.88E-03
60	5	4.43E-03
61	5	5.04E-03
62	5	5.71E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	6.50E-03
64	5	7.11E-03
65	5	8.19E-03
66	5	9.47E-03
67	5	1.07E-02
68	5	1.22E-02
69	5	1.34E-02
70	5	3.21E-03
71	5	3.67E-03
72	5	4.28E-03
73	5	4.99E-03
74	5	5.88E-03
75	5	6.93E-03
76	5	8.28E-03
77	5	9.64E-03
78	5	1.15E-02
79	5	1.44E-02
80	5	1.63E-02
81	5	1.89E-02
82	5	2.02E-02
83	5	3.39E-03
84	5	4.00E-03
85	5	4.75E-03
86	5	5.49E-03
87	5	6.60E-03
88	5	8.11E-03
89	5	1.02E-02
90	5	1.32E-02
91	5	1.73E-02
92	5	2.22E-02
93	5	2.71E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	3.09E-02
95	5	3.31E-02
96	5	3.56E-03
97	5	4.20E-03
98	5	4.98E-03
99	5	5.98E-03
100	5	7.27E-03
101	5	9.26E-03
102	5	1.24E-02
103	5	1.76E-02
104	5	2.65E-02
105	5	4.02E-02
106	5	5.28E-02
107	5	6.03E-02
108	5	6.41E-02
109	5	3.54E-03
110	5	4.16E-03
111	5	4.96E-03
112	5	6.06E-03
113	5	7.66E-03
114	5	1.01E-02
115	5	1.42E-02
116	5	2.25E-02
117	5	4.46E-02
118	5	5.28E-02
119	5	8.39E-02
120	5	9.37E-02
121	5	9.23E-02
122	5	3.36E-03
123	5	3.98E-03
124	5	4.80E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	5.93E-03
126	5	7.54E-03
127	5	1.00E-02
128	5	1.39E-02
129	5	2.27E-02
130	5	5.55E-02
131	5	1.81E-02
132	5	1.28E-02
133	5	3.10E-03
134	5	3.73E-03
135	5	4.53E-03
136	5	5.57E-03
137	5	7.06E-03
138	5	9.25E-03
139	5	1.26E-02
140	5	1.94E-02
141	5	3.80E-02
142	5	5.34E-02
143	5	8.46E-02
144	5	1.11E-01
145	5	1.12E-01
146	5	1.78E-02
147	5	2.85E-03
148	5	3.40E-03
149	5	4.12E-03
150	5	5.06E-03
151	5	6.40E-03
152	5	8.17E-03
153	5	1.08E-02
154	5	1.57E-02
155	5	2.57E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	4.38E-02
157	5	5.75E-02
158	5	6.06E-02
159	5	6.60E-02
160	5	2.67E-03
161	5	3.10E-03
162	5	3.61E-03
163	5	4.46E-03
164	5	5.66E-03
165	5	7.09E-03
166	5	9.20E-03
167	5	1.24E-02
168	5	1.78E-02
169	5	2.57E-02
170	5	3.27E-02
171	5	3.60E-02
172	5	3.79E-02
173	5	3.88E-02
174	5	3.86E-02
175	5	3.46E-02
176	5	2.74E-02
177	5	1.92E-02
178	5	1.28E-02
179	5	2.41E-03
180	5	2.76E-03
181	5	3.11E-03
182	5	3.89E-03
183	5	5.02E-03
184	5	6.17E-03
185	5	7.81E-03
186	5	1.01E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.33E-02
188	5	1.75E-02
189	5	2.15E-02
190	5	2.40E-02
191	5	2.48E-02
192	5	2.50E-02
193	5	2.42E-02
194	5	2.29E-02
195	5	1.96E-02
196	5	1.50E-02
197	5	1.09E-02
198	5	2.24E-03
199	5	2.54E-03
200	5	2.91E-03
201	5	3.44E-03
202	5	4.36E-03
203	5	5.33E-03
204	5	6.61E-03
205	5	8.23E-03
206	5	1.04E-02
207	5	1.29E-02
208	5	1.54E-02
209	5	1.72E-02
210	5	1.80E-02
211	5	1.79E-02
212	5	1.71E-02
213	5	1.55E-02
214	5	1.32E-02
215	5	1.21E-02
216	5	2.11E-03
217	5	2.36E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	2.68E-03
219	5	3.10E-03
220	5	3.80E-03
221	5	4.51E-03
222	5	5.53E-03
223	5	6.71E-03
224	5	8.20E-03
225	5	9.85E-03
226	5	1.16E-02
227	5	1.28E-02
228	5	1.36E-02
229	5	1.36E-02
230	5	1.31E-02
231	5	1.21E-02
232	5	1.07E-02
233	5	9.84E-03
234	5	1.99E-03
235	5	2.19E-03
236	5	2.46E-03
237	5	2.83E-03
238	5	3.32E-03
239	5	3.88E-03
240	5	4.61E-03
241	5	5.51E-03
242	5	6.58E-03
243	5	7.77E-03
244	5	9.02E-03
245	5	1.00E-02
246	5	1.07E-02
247	5	1.08E-02
248	5	1.06E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	9.87E-03
250	5	8.96E-03
251	5	8.28E-03
252	5	1.85E-03
253	5	2.01E-03
254	5	2.21E-03
255	5	2.46E-03
256	5	2.93E-03
257	5	3.25E-03
258	5	3.73E-03
259	5	4.33E-03
260	5	5.17E-03
261	5	6.19E-03
262	5	7.18E-03
263	5	7.95E-03
264	5	8.53E-03
265	5	8.72E-03
266	5	8.60E-03
267	5	8.14E-03
268	5	7.49E-03
269	5	7.01E-03
270	5	1.71E-03
271	5	1.85E-03
272	5	2.02E-03
273	5	2.22E-03
274	5	2.65E-03
275	5	3.04E-03
276	5	3.21E-03
277	5	3.65E-03
278	5	4.23E-03
279	5	4.93E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	5.76E-03
281	5	6.48E-03
282	5	6.97E-03
283	5	7.20E-03
284	5	7.15E-03
285	5	6.86E-03
286	5	6.41E-03
287	5	6.03E-03
288	5	1.60E-03
289	5	1.70E-03
290	5	1.89E-03
291	5	2.09E-03
292	5	2.61E-03
293	5	2.80E-03
294	5	2.83E-03
295	5	3.21E-03
296	5	3.67E-03
297	5	4.15E-03
298	5	4.72E-03
299	5	5.33E-03
300	5	5.74E-03
301	5	6.01E-03
302	5	6.07E-03
303	5	5.91E-03
304	5	5.59E-03
305	5	5.26E-03
306	5	1.59E-03
307	5	1.63E-03
308	5	1.76E-03
309	5	2.08E-03
310	5	2.41E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	2.55E-03
312	5	2.52E-03
313	5	2.83E-03
314	5	3.21E-03
315	5	3.71E-03
316	5	4.05E-03
317	5	4.43E-03
318	5	4.79E-03
319	5	5.09E-03
320	5	5.24E-03
321	5	5.14E-03
322	5	4.90E-03
323	5	4.61E-03
324	5	1.49E-03
325	5	1.65E-03
326	5	1.75E-03
327	5	1.83E-03
328	5	2.25E-03
329	5	2.34E-03
330	5	2.32E-03
331	5	2.59E-03
332	5	2.91E-03
333	5	3.33E-03
334	5	3.67E-03
335	5	3.99E-03
336	5	1.64E-02
337	5	1.12E-02
338	5	4.71E-03
339	5	4.79E-03
340	5	4.80E-03
341	5	4.75E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	4.64E-03
343	5	4.27E-03
344	5	4.06E-03
345	5	3.82E-03
346	5	3.56E-03
347	5	5.78E-03
348	5	5.92E-03
349	5	5.91E-03
350	5	5.80E-03
351	5	5.66E-03
352	5	5.08E-03
353	5	4.76E-03
354	5	4.36E-03
355	5	4.02E-03
356	5	7.27E-03
357	5	7.53E-03
358	5	7.52E-03
359	5	7.36E-03
360	5	7.05E-03
361	5	6.10E-03
362	5	5.61E-03
363	5	5.03E-03
364	5	9.48E-03
365	5	9.75E-03
366	5	9.85E-03
367	5	9.53E-03
368	5	9.00E-03
369	5	7.42E-03
370	5	5.89E-03
371	5	5.15E-03
372	5	1.31E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	1.34E-02
374	5	1.34E-02
375	5	1.28E-02
376	5	1.18E-02
377	5	1.05E-02
378	5	9.16E-03
379	5	6.76E-03
380	5	5.77E-03
381	5	4.92E-03
382	5	1.96E-02
383	5	1.99E-02
384	5	1.94E-02
385	5	1.80E-02
386	5	1.60E-02
387	5	1.35E-02
388	5	1.13E-02
389	5	7.60E-03
390	5	6.25E-03
391	5	5.20E-03
392	5	4.26E-03
393	5	2.78E-02
394	5	2.75E-02
395	5	2.42E-02
396	5	2.13E-02
397	5	1.70E-02
398	5	1.33E-02
399	5	1.06E-02
400	5	8.31E-03
401	5	6.60E-03
402	5	4.29E-03
403	5	8.85E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	4.42E-03
405	5	3.59E-03
406	5	8.81E-03
407	5	3.48E-03
408	5	8.35E-03
409	5	3.35E-03
410	5	7.68E-03
411	5	3.89E-03
412	5	3.27E-03
413	5	6.99E-03
414	5	4.42E-03
415	5	3.67E-03
416	5	3.12E-03
417	5	6.36E-03
418	5	3.46E-03
419	5	2.95E-03
420	5	2.55E-03
421	5	5.80E-03
422	5	2.79E-03
423	5	2.44E-03
424	5	5.30E-03
425	5	2.31E-03
426	5	2.05E-03
427	5	4.84E-03
428	5	2.19E-03
429	5	1.95E-03
430	5	4.43E-03
431	5	1.86E-03
432	5	1.66E-03
433	5	4.05E-03
434	5	1.77E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.60E-03
436	5	3.71E-03
437	5	1.87E-03
438	5	1.68E-03
439	5	1.53E-03
440	5	3.40E-03
441	5	2.26E-03
442	5	1.98E-03
443	5	1.77E-03
444	5	1.60E-03
445	5	3.13E-03
446	5	2.39E-03
447	5	2.11E-03
448	5	1.87E-03
449	5	2.88E-03
450	5	2.54E-03
451	5	2.24E-03
452	5	2.65E-03
453	5	2.36E-03
454	5	1.26E-03
455	5	1.17E-03
456	5	2.45E-03
457	5	2.20E-03
458	5	1.97E-03
459	5	1.44E-03
460	5	1.32E-03
461	5	1.21E-03
462	5	1.12E-03
463	5	1.53E-02
464	5	1.06E-02
465	5	1.33E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	9.10E-03
467	5	9.73E-03
468	5	8.59E-03
469	5	7.57E-03
470	5	8.41E-03
471	5	7.16E-03
472	5	7.22E-03
473	5	5.91E-03
474	5	6.24E-03
475	5	5.25E-03
476	5	5.44E-03
477	5	4.69E-03
478	5	4.78E-03
479	5	4.19E-03
480	5	3.62E-03
481	5	4.24E-03
482	5	3.31E-03
483	5	3.40E-03
484	5	3.02E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24522	4.16E-02	1.0E-02	6.05E-04	6.17E-06	1.49E-01	4.71E-02	4.33E-08	1.0E+06	4.3E-02
2	0.25812	4.16E-02	1.1E-02	6.05E-04	6.50E-06	1.49E-01	4.71E-02	4.56E-08	1.0E+06	4.6E-02
3	0.27182	4.16E-02	1.1E-02	6.05E-04	6.84E-06	1.49E-01	4.71E-02	4.80E-08	1.0E+06	4.8E-02
4	0.28694	4.16E-02	1.2E-02	6.05E-04	7.22E-06	1.49E-01	4.71E-02	5.07E-08	1.0E+06	5.1E-02
5	0.30421	4.16E-02	1.3E-02	6.05E-04	7.66E-06	1.49E-01	4.71E-02	5.37E-08	1.0E+06	5.4E-02
6	0.32665	4.16E-02	1.4E-02	6.05E-04	8.22E-06	1.49E-01	4.71E-02	5.77E-08	1.0E+06	5.8E-02
7	0.35525	4.16E-02	1.5E-02	6.05E-04	8.94E-06	1.49E-01	4.71E-02	6.27E-08	1.0E+06	6.3E-02
8	0.38621	4.16E-02	1.6E-02	6.05E-04	9.72E-06	1.49E-01	4.71E-02	6.82E-08	1.0E+06	6.8E-02
9	0.42233	4.16E-02	1.8E-02	6.05E-04	1.06E-05	1.49E-01	4.71E-02	7.46E-08	1.0E+06	7.5E-02
10	0.46134	4.16E-02	1.9E-02	6.05E-04	1.16E-05	1.49E-01	4.71E-02	8.15E-08	1.0E+06	8.1E-02
11	0.50584	4.16E-02	2.1E-02	6.05E-04	1.27E-05	1.49E-01	4.71E-02	8.93E-08	1.0E+06	8.9E-02
12	0.54691	4.16E-02	2.3E-02	6.05E-04	1.38E-05	1.49E-01	4.71E-02	9.66E-08	1.0E+06	9.7E-02
13	0.5752	4.16E-02	2.4E-02	6.05E-04	1.45E-05	1.49E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
14	0.55713	4.16E-02	2.3E-02	6.05E-04	1.40E-05	1.49E-01	4.71E-02	9.84E-08	1.0E+06	9.8E-02
15	0.27871	4.16E-02	1.2E-02	6.05E-04	7.01E-06	1.49E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
16	0.29601	4.16E-02	1.2E-02	6.05E-04	7.45E-06	1.49E-01	4.71E-02	5.23E-08	1.0E+06	5.2E-02
17	0.31614	4.16E-02	1.3E-02	6.05E-04	7.96E-06	1.49E-01	4.71E-02	5.58E-08	1.0E+06	5.6E-02
18	0.33621	4.16E-02	1.4E-02	6.05E-04	8.46E-06	1.49E-01	4.71E-02	5.94E-08	1.0E+06	5.9E-02
19	0.35725	4.16E-02	1.5E-02	6.05E-04	8.99E-06	1.49E-01	4.71E-02	6.31E-08	1.0E+06	6.3E-02
20	0.38354	4.16E-02	1.6E-02	6.05E-04	9.65E-06	1.49E-01	4.71E-02	6.77E-08	1.0E+06	6.8E-02
21	0.41325	4.16E-02	1.7E-02	6.05E-04	1.04E-05	1.49E-01	4.71E-02	7.30E-08	1.0E+06	7.3E-02
22	0.45075	4.16E-02	1.9E-02	6.05E-04	1.13E-05	1.49E-01	4.71E-02	7.96E-08	1.0E+06	8.0E-02
23	0.50138	4.16E-02	2.1E-02	6.05E-04	1.26E-05	1.49E-01	4.71E-02	8.86E-08	1.0E+06	8.9E-02
24	0.54771	4.16E-02	2.3E-02	6.05E-04	1.38E-05	1.49E-01	4.71E-02	9.67E-08	1.0E+06	9.7E-02
25	0.60994	4.16E-02	2.5E-02	6.05E-04	1.54E-05	1.49E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
26	0.66721	4.16E-02	2.8E-02	6.05E-04	1.68E-05	1.49E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
27	0.70269	4.16E-02	2.9E-02	6.05E-04	1.77E-05	1.49E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
28	0.67847	4.16E-02	2.8E-02	6.05E-04	1.71E-05	1.49E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
29	0.31274	4.16E-02	1.3E-02	6.05E-04	7.87E-06	1.49E-01	4.71E-02	5.52E-08	1.0E+06	5.5E-02
30	0.33825	4.16E-02	1.4E-02	6.05E-04	8.51E-06	1.49E-01	4.71E-02	5.97E-08	1.0E+06	6.0E-02
31	0.3674	4.16E-02	1.5E-02	6.05E-04	9.25E-06	1.49E-01	4.71E-02	6.49E-08	1.0E+06	6.5E-02

	Max	Receptor #
Res	2.387	145

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.39913	4.16E-02	1.7E-02	6.05E-04	1.00E-05	1.49E-01	4.71E-02	7.05E-08	1.0E+06	7.0E-02
33	0.42599	4.16E-02	1.8E-02	6.05E-04	1.07E-05	1.49E-01	4.71E-02	7.52E-08	1.0E+06	7.5E-02
34	0.46028	4.16E-02	1.9E-02	6.05E-04	1.16E-05	1.49E-01	4.71E-02	8.13E-08	1.0E+06	8.1E-02
35	0.49742	4.16E-02	2.1E-02	6.05E-04	1.25E-05	1.49E-01	4.71E-02	8.79E-08	1.0E+06	8.8E-02
36	0.5441	4.16E-02	2.3E-02	6.05E-04	1.37E-05	1.49E-01	4.71E-02	9.61E-08	1.0E+06	9.6E-02
37	0.60298	4.16E-02	2.5E-02	6.05E-04	1.52E-05	1.49E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
38	0.67584	4.16E-02	2.8E-02	6.05E-04	1.70E-05	1.49E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
39	0.75362	4.16E-02	3.1E-02	6.05E-04	1.90E-05	1.49E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
40	0.82458	4.16E-02	3.4E-02	6.05E-04	2.08E-05	1.49E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
41	0.88192	4.16E-02	3.7E-02	6.05E-04	2.22E-05	1.49E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
42	0.84179	4.16E-02	3.5E-02	6.05E-04	2.12E-05	1.49E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
43	0.3419	4.16E-02	1.4E-02	6.05E-04	8.61E-06	1.49E-01	4.71E-02	6.04E-08	1.0E+06	6.0E-02
44	0.37456	4.16E-02	1.6E-02	6.05E-04	9.43E-06	1.49E-01	4.71E-02	6.62E-08	1.0E+06	6.6E-02
45	0.41658	4.16E-02	1.7E-02	6.05E-04	1.05E-05	1.49E-01	4.71E-02	7.36E-08	1.0E+06	7.4E-02
46	0.46349	4.16E-02	1.9E-02	6.05E-04	1.17E-05	1.49E-01	4.71E-02	8.19E-08	1.0E+06	8.2E-02
47	0.50951	4.16E-02	2.1E-02	6.05E-04	1.28E-05	1.49E-01	4.71E-02	9.00E-08	1.0E+06	9.0E-02
48	0.55797	4.16E-02	2.3E-02	6.05E-04	1.40E-05	1.49E-01	4.71E-02	9.85E-08	1.0E+06	9.9E-02
49	0.60926	4.16E-02	2.5E-02	6.05E-04	1.53E-05	1.49E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
50	0.66552	4.16E-02	2.8E-02	6.05E-04	1.67E-05	1.49E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
51	0.75822	4.16E-02	3.2E-02	6.05E-04	1.91E-05	1.49E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
52	0.85126	4.16E-02	3.5E-02	6.05E-04	2.14E-05	1.49E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
53	0.96684	4.16E-02	4.0E-02	6.05E-04	2.43E-05	1.49E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
54	1.07266	4.16E-02	4.5E-02	6.05E-04	2.70E-05	1.49E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
55	1.15752	4.16E-02	4.8E-02	6.05E-04	2.91E-05	1.49E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
56	1.05945	4.16E-02	4.4E-02	6.05E-04	2.67E-05	1.49E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
57	0.36224	4.16E-02	1.5E-02	6.05E-04	9.12E-06	1.49E-01	4.71E-02	6.40E-08	1.0E+06	6.4E-02
58	0.4086	4.16E-02	1.7E-02	6.05E-04	1.03E-05	1.49E-01	4.71E-02	7.22E-08	1.0E+06	7.2E-02
59	0.46663	4.16E-02	1.9E-02	6.05E-04	1.17E-05	1.49E-01	4.71E-02	8.24E-08	1.0E+06	8.2E-02
60	0.53196	4.16E-02	2.2E-02	6.05E-04	1.34E-05	1.49E-01	4.71E-02	9.40E-08	1.0E+06	9.4E-02
61	0.6059	4.16E-02	2.5E-02	6.05E-04	1.52E-05	1.49E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
62	0.68687	4.16E-02	2.9E-02	6.05E-04	1.73E-05	1.49E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.7816	4.16E-02	3.3E-02	6.05E-04	1.97E-05	1.49E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
64	0.85518	4.16E-02	3.6E-02	6.05E-04	2.15E-05	1.49E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
65	0.98486	4.16E-02	4.1E-02	6.05E-04	2.48E-05	1.49E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
66	1.13862	4.16E-02	4.7E-02	6.05E-04	2.87E-05	1.49E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
67	1.29122	4.16E-02	5.4E-02	6.05E-04	3.25E-05	1.49E-01	4.71E-02	2.28E-07	1.0E+06	2.3E-01
68	1.46923	4.16E-02	6.1E-02	6.05E-04	3.70E-05	1.49E-01	4.71E-02	2.59E-07	1.0E+06	2.6E-01
69	1.61487	4.16E-02	6.7E-02	6.05E-04	4.06E-05	1.49E-01	4.71E-02	2.85E-07	1.0E+06	2.9E-01
70	0.38587	4.16E-02	1.6E-02	6.05E-04	9.71E-06	1.49E-01	4.71E-02	6.82E-08	1.0E+06	6.8E-02
71	0.44138	4.16E-02	1.8E-02	6.05E-04	1.11E-05	1.49E-01	4.71E-02	7.80E-08	1.0E+06	7.8E-02
72	0.51499	4.16E-02	2.1E-02	6.05E-04	1.30E-05	1.49E-01	4.71E-02	9.10E-08	1.0E+06	9.1E-02
73	0.59943	4.16E-02	2.5E-02	6.05E-04	1.51E-05	1.49E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
74	0.70697	4.16E-02	2.9E-02	6.05E-04	1.78E-05	1.49E-01	4.71E-02	1.25E-07	1.0E+06	1.2E-01
75	0.83321	4.16E-02	3.5E-02	6.05E-04	2.10E-05	1.49E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
76	0.99536	4.16E-02	4.1E-02	6.05E-04	2.51E-05	1.49E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
77	1.15904	4.16E-02	4.8E-02	6.05E-04	2.92E-05	1.49E-01	4.71E-02	2.05E-07	1.0E+06	2.0E-01
78	1.38678	4.16E-02	5.8E-02	6.05E-04	3.49E-05	1.49E-01	4.71E-02	2.45E-07	1.0E+06	2.4E-01
79	1.72999	4.16E-02	7.2E-02	6.05E-04	4.35E-05	1.49E-01	4.71E-02	3.06E-07	1.0E+06	3.1E-01
80	1.95913	4.16E-02	8.1E-02	6.05E-04	4.93E-05	1.49E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
81	2.26974	4.16E-02	9.4E-02	6.05E-04	5.71E-05	1.49E-01	4.71E-02	4.01E-07	1.0E+06	4.0E-01
82	2.4321	4.16E-02	1.0E-01	6.05E-04	6.12E-05	1.49E-01	4.71E-02	4.30E-07	1.0E+06	4.3E-01
83	0.40751	4.16E-02	1.7E-02	6.05E-04	1.03E-05	1.49E-01	4.71E-02	7.20E-08	1.0E+06	7.2E-02
84	0.48107	4.16E-02	2.0E-02	6.05E-04	1.21E-05	1.49E-01	4.71E-02	8.50E-08	1.0E+06	8.5E-02
85	0.57125	4.16E-02	2.4E-02	6.05E-04	1.44E-05	1.49E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
86	0.65944	4.16E-02	2.7E-02	6.05E-04	1.66E-05	1.49E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
87	0.793	4.16E-02	3.3E-02	6.05E-04	2.00E-05	1.49E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
88	0.9744	4.16E-02	4.1E-02	6.05E-04	2.45E-05	1.49E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01
89	1.22894	4.16E-02	5.1E-02	6.05E-04	3.09E-05	1.49E-01	4.71E-02	2.17E-07	1.0E+06	2.2E-01
90	1.58842	4.16E-02	6.6E-02	6.05E-04	4.00E-05	1.49E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
91	2.07909	4.16E-02	8.6E-02	6.05E-04	5.23E-05	1.49E-01	4.71E-02	3.67E-07	1.0E+06	3.7E-01
92	2.673	4.16E-02	1.1E-01	6.05E-04	6.73E-05	1.49E-01	4.71E-02	4.72E-07	1.0E+06	4.7E-01
93	3.26073	4.16E-02	1.4E-01	6.05E-04	8.21E-05	1.49E-01	4.71E-02	5.76E-07	1.0E+06	5.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.7105	4.16E-02	1.5E-01	6.05E-04	9.34E-05	1.49E-01	4.71E-02	6.55E-07	1.0E+06	6.6E-01
95	3.97772	4.16E-02	1.7E-01	6.05E-04	1.00E-04	1.49E-01	4.71E-02	7.03E-07	1.0E+06	7.0E-01
96	0.42783	4.16E-02	1.8E-02	6.05E-04	1.08E-05	1.49E-01	4.71E-02	7.56E-08	1.0E+06	7.6E-02
97	0.50509	4.16E-02	2.1E-02	6.05E-04	1.27E-05	1.49E-01	4.71E-02	8.92E-08	1.0E+06	8.9E-02
98	0.59829	4.16E-02	2.5E-02	6.05E-04	1.51E-05	1.49E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
99	0.71884	4.16E-02	3.0E-02	6.05E-04	1.81E-05	1.49E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
100	0.87437	4.16E-02	3.6E-02	6.05E-04	2.20E-05	1.49E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
101	1.11264	4.16E-02	4.6E-02	6.05E-04	2.80E-05	1.49E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
102	1.49032	4.16E-02	6.2E-02	6.05E-04	3.75E-05	1.49E-01	4.71E-02	2.63E-07	1.0E+06	2.6E-01
103	2.11062	4.16E-02	8.8E-02	6.05E-04	5.31E-05	1.49E-01	4.71E-02	3.73E-07	1.0E+06	3.7E-01
104	3.18262	4.16E-02	1.3E-01	6.05E-04	8.01E-05	1.49E-01	4.71E-02	5.62E-07	1.0E+06	5.6E-01
105	4.82918	4.16E-02	2.0E-01	6.05E-04	1.22E-04	1.49E-01	4.71E-02	8.53E-07	1.0E+06	8.5E-01
106	6.35044	4.16E-02	2.6E-01	6.05E-04	1.60E-04	1.49E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
107	7.24945	4.16E-02	3.0E-01	6.05E-04	1.82E-04	1.49E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
108	7.70358	4.16E-02	3.2E-01	6.05E-04	1.94E-04	1.49E-01	4.71E-02	1.36E-06	1.0E+06	1.4E+00
109	0.42527	4.16E-02	1.8E-02	6.05E-04	1.07E-05	1.49E-01	4.71E-02	7.51E-08	1.0E+06	7.5E-02
110	0.50003	4.16E-02	2.1E-02	6.05E-04	1.26E-05	1.49E-01	4.71E-02	8.83E-08	1.0E+06	8.8E-02
111	0.59613	4.16E-02	2.5E-02	6.05E-04	1.50E-05	1.49E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
112	0.72796	4.16E-02	3.0E-02	6.05E-04	1.83E-05	1.49E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
113	0.92025	4.16E-02	3.8E-02	6.05E-04	2.32E-05	1.49E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01
114	1.21078	4.16E-02	5.0E-02	6.05E-04	3.05E-05	1.49E-01	4.71E-02	2.14E-07	1.0E+06	2.1E-01
115	1.70768	4.16E-02	7.1E-02	6.05E-04	4.30E-05	1.49E-01	4.71E-02	3.02E-07	1.0E+06	3.0E-01
116	2.70228	4.16E-02	1.1E-01	6.05E-04	6.80E-05	1.49E-01	4.71E-02	4.77E-07	1.0E+06	4.8E-01
117	5.36175	4.16E-02	2.2E-01	6.05E-04	1.35E-04	1.49E-01	4.71E-02	9.47E-07	1.0E+06	9.5E-01
118	6.35201	4.16E-02	2.6E-01	6.05E-04	1.60E-04	1.49E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
119	10.08642	4.16E-02	4.2E-01	6.05E-04	2.54E-04	1.49E-01	4.71E-02	1.78E-06	1.0E+06	1.8E+00
120	11.26207	4.16E-02	4.7E-01	6.05E-04	2.83E-04	1.49E-01	4.71E-02	1.99E-06	1.0E+06	2.0E+00
121	11.09892	4.16E-02	4.6E-01	6.05E-04	2.79E-04	1.49E-01	4.71E-02	1.96E-06	1.0E+06	2.0E+00
122	0.40376	4.16E-02	1.7E-02	6.05E-04	1.02E-05	1.49E-01	4.71E-02	7.13E-08	1.0E+06	7.1E-02
123	0.47827	4.16E-02	2.0E-02	6.05E-04	1.20E-05	1.49E-01	4.71E-02	8.45E-08	1.0E+06	8.4E-02
124	0.57738	4.16E-02	2.4E-02	6.05E-04	1.45E-05	1.49E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.71334	4.16E-02	3.0E-02	6.05E-04	1.80E-05	1.49E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
126	0.90625	4.16E-02	3.8E-02	6.05E-04	2.28E-05	1.49E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
127	1.20749	4.16E-02	5.0E-02	6.05E-04	3.04E-05	1.49E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
128	1.67153	4.16E-02	7.0E-02	6.05E-04	4.21E-05	1.49E-01	4.71E-02	2.95E-07	1.0E+06	3.0E-01
129	2.7297	4.16E-02	1.1E-01	6.05E-04	6.87E-05	1.49E-01	4.71E-02	4.82E-07	1.0E+06	4.8E-01
130	6.66669	4.16E-02	2.8E-01	6.05E-04	1.68E-04	1.49E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
131	2.17942	4.16E-02	9.1E-02	6.05E-04	5.49E-05	1.49E-01	4.71E-02	3.85E-07	1.0E+06	3.8E-01
132	1.5364	4.16E-02	6.4E-02	6.05E-04	3.87E-05	1.49E-01	4.71E-02	2.71E-07	1.0E+06	2.7E-01
133	0.37253	4.16E-02	1.5E-02	6.05E-04	9.38E-06	1.49E-01	4.71E-02	6.58E-08	1.0E+06	6.6E-02
134	0.44783	4.16E-02	1.9E-02	6.05E-04	1.13E-05	1.49E-01	4.71E-02	7.91E-08	1.0E+06	7.9E-02
135	0.54393	4.16E-02	2.3E-02	6.05E-04	1.37E-05	1.49E-01	4.71E-02	9.61E-08	1.0E+06	9.6E-02
136	0.66975	4.16E-02	2.8E-02	6.05E-04	1.69E-05	1.49E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
137	0.8492	4.16E-02	3.5E-02	6.05E-04	2.14E-05	1.49E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
138	1.11161	4.16E-02	4.6E-02	6.05E-04	2.80E-05	1.49E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
139	1.51637	4.16E-02	6.3E-02	6.05E-04	3.82E-05	1.49E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
140	2.33444	4.16E-02	9.7E-02	6.05E-04	5.88E-05	1.49E-01	4.71E-02	4.12E-07	1.0E+06	4.1E-01
141	4.56552	4.16E-02	1.9E-01	6.05E-04	1.15E-04	1.49E-01	4.71E-02	8.06E-07	1.0E+06	8.1E-01
142	6.41914	4.16E-02	2.7E-01	6.05E-04	1.62E-04	1.49E-01	4.71E-02	1.13E-06	1.0E+06	1.1E+00
143	10.17338	4.16E-02	4.2E-01	6.05E-04	2.56E-04	1.49E-01	4.71E-02	1.80E-06	1.0E+06	1.8E+00
144	13.38661	4.16E-02	5.6E-01	6.05E-04	3.37E-04	1.49E-01	4.71E-02	2.36E-06	1.0E+06	2.4E+00
145	13.51679	4.16E-02	5.6E-01	6.05E-04	3.40E-04	1.49E-01	4.71E-02	2.39E-06	1.0E+06	2.4E+00
146	2.14495	4.16E-02	8.9E-02	6.05E-04	5.40E-05	1.49E-01	4.71E-02	3.79E-07	1.0E+06	3.8E-01
147	0.34214	4.16E-02	1.4E-02	6.05E-04	8.61E-06	1.49E-01	4.71E-02	6.04E-08	1.0E+06	6.0E-02
148	0.40831	4.16E-02	1.7E-02	6.05E-04	1.03E-05	1.49E-01	4.71E-02	7.21E-08	1.0E+06	7.2E-02
149	0.49577	4.16E-02	2.1E-02	6.05E-04	1.25E-05	1.49E-01	4.71E-02	8.76E-08	1.0E+06	8.8E-02
150	0.60785	4.16E-02	2.5E-02	6.05E-04	1.53E-05	1.49E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
151	0.7688	4.16E-02	3.2E-02	6.05E-04	1.93E-05	1.49E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
152	0.9823	4.16E-02	4.1E-02	6.05E-04	2.47E-05	1.49E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
153	1.30396	4.16E-02	5.4E-02	6.05E-04	3.28E-05	1.49E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
154	1.88437	4.16E-02	7.8E-02	6.05E-04	4.74E-05	1.49E-01	4.71E-02	3.33E-07	1.0E+06	3.3E-01
155	3.08613	4.16E-02	1.3E-01	6.05E-04	7.77E-05	1.49E-01	4.71E-02	5.45E-07	1.0E+06	5.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	5.26306	4.16E-02	2.2E-01	6.05E-04	1.32E-04	1.49E-01	4.71E-02	9.30E-07	1.0E+06	9.3E-01
157	6.91686	4.16E-02	2.9E-01	6.05E-04	1.74E-04	1.49E-01	4.71E-02	1.22E-06	1.0E+06	1.2E+00
158	7.28102	4.16E-02	3.0E-01	6.05E-04	1.83E-04	1.49E-01	4.71E-02	1.29E-06	1.0E+06	1.3E+00
159	7.92875	4.16E-02	3.3E-01	6.05E-04	2.00E-04	1.49E-01	4.71E-02	1.40E-06	1.0E+06	1.4E+00
160	0.32054	4.16E-02	1.3E-02	6.05E-04	8.07E-06	1.49E-01	4.71E-02	5.66E-08	1.0E+06	5.7E-02
161	0.37294	4.16E-02	1.6E-02	6.05E-04	9.39E-06	1.49E-01	4.71E-02	6.59E-08	1.0E+06	6.6E-02
162	0.43383	4.16E-02	1.8E-02	6.05E-04	1.09E-05	1.49E-01	4.71E-02	7.66E-08	1.0E+06	7.7E-02
163	0.53585	4.16E-02	2.2E-02	6.05E-04	1.35E-05	1.49E-01	4.71E-02	9.46E-08	1.0E+06	9.5E-02
164	0.68088	4.16E-02	2.8E-02	6.05E-04	1.71E-05	1.49E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
165	0.85225	4.16E-02	3.5E-02	6.05E-04	2.14E-05	1.49E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
166	1.10586	4.16E-02	4.6E-02	6.05E-04	2.78E-05	1.49E-01	4.71E-02	1.95E-07	1.0E+06	2.0E-01
167	1.49488	4.16E-02	6.2E-02	6.05E-04	3.76E-05	1.49E-01	4.71E-02	2.64E-07	1.0E+06	2.6E-01
168	2.14007	4.16E-02	8.9E-02	6.05E-04	5.39E-05	1.49E-01	4.71E-02	3.78E-07	1.0E+06	3.8E-01
169	3.09049	4.16E-02	1.3E-01	6.05E-04	7.78E-05	1.49E-01	4.71E-02	5.46E-07	1.0E+06	5.5E-01
170	3.93283	4.16E-02	1.6E-01	6.05E-04	9.90E-05	1.49E-01	4.71E-02	6.95E-07	1.0E+06	6.9E-01
171	4.33042	4.16E-02	1.8E-01	6.05E-04	1.09E-04	1.49E-01	4.71E-02	7.65E-07	1.0E+06	7.6E-01
172	4.55053	4.16E-02	1.9E-01	6.05E-04	1.15E-04	1.49E-01	4.71E-02	8.04E-07	1.0E+06	8.0E-01
173	4.6617	4.16E-02	1.9E-01	6.05E-04	1.17E-04	1.49E-01	4.71E-02	8.23E-07	1.0E+06	8.2E-01
174	4.63839	4.16E-02	1.9E-01	6.05E-04	1.17E-04	1.49E-01	4.71E-02	8.19E-07	1.0E+06	8.2E-01
175	4.15775	4.16E-02	1.7E-01	6.05E-04	1.05E-04	1.49E-01	4.71E-02	7.34E-07	1.0E+06	7.3E-01
176	3.29074	4.16E-02	1.4E-01	6.05E-04	8.28E-05	1.49E-01	4.71E-02	5.81E-07	1.0E+06	5.8E-01
177	2.30244	4.16E-02	9.6E-02	6.05E-04	5.79E-05	1.49E-01	4.71E-02	4.07E-07	1.0E+06	4.1E-01
178	1.53757	4.16E-02	6.4E-02	6.05E-04	3.87E-05	1.49E-01	4.71E-02	2.72E-07	1.0E+06	2.7E-01
179	0.29019	4.16E-02	1.2E-02	6.05E-04	7.30E-06	1.49E-01	4.71E-02	5.13E-08	1.0E+06	5.1E-02
180	0.33117	4.16E-02	1.4E-02	6.05E-04	8.33E-06	1.49E-01	4.71E-02	5.85E-08	1.0E+06	5.8E-02
181	0.37418	4.16E-02	1.6E-02	6.05E-04	9.42E-06	1.49E-01	4.71E-02	6.61E-08	1.0E+06	6.6E-02
182	0.46724	4.16E-02	1.9E-02	6.05E-04	1.18E-05	1.49E-01	4.71E-02	8.25E-08	1.0E+06	8.3E-02
183	0.60354	4.16E-02	2.5E-02	6.05E-04	1.52E-05	1.49E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
184	0.74184	4.16E-02	3.1E-02	6.05E-04	1.87E-05	1.49E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
185	0.93939	4.16E-02	3.9E-02	6.05E-04	2.36E-05	1.49E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
186	1.20886	4.16E-02	5.0E-02	6.05E-04	3.04E-05	1.49E-01	4.71E-02	2.14E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	1.59534	4.16E-02	6.6E-02	6.05E-04	4.02E-05	1.49E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
188	2.10918	4.16E-02	8.8E-02	6.05E-04	5.31E-05	1.49E-01	4.71E-02	3.73E-07	1.0E+06	3.7E-01
189	2.58029	4.16E-02	1.1E-01	6.05E-04	6.49E-05	1.49E-01	4.71E-02	4.56E-07	1.0E+06	4.6E-01
190	2.87995	4.16E-02	1.2E-01	6.05E-04	7.25E-05	1.49E-01	4.71E-02	5.09E-07	1.0E+06	5.1E-01
191	2.98254	4.16E-02	1.2E-01	6.05E-04	7.51E-05	1.49E-01	4.71E-02	5.27E-07	1.0E+06	5.3E-01
192	3.0049	4.16E-02	1.2E-01	6.05E-04	7.56E-05	1.49E-01	4.71E-02	5.31E-07	1.0E+06	5.3E-01
193	2.90512	4.16E-02	1.2E-01	6.05E-04	7.31E-05	1.49E-01	4.71E-02	5.13E-07	1.0E+06	5.1E-01
194	2.75066	4.16E-02	1.1E-01	6.05E-04	6.92E-05	1.49E-01	4.71E-02	4.86E-07	1.0E+06	4.9E-01
195	2.36182	4.16E-02	9.8E-02	6.05E-04	5.94E-05	1.49E-01	4.71E-02	4.17E-07	1.0E+06	4.2E-01
196	1.79817	4.16E-02	7.5E-02	6.05E-04	4.53E-05	1.49E-01	4.71E-02	3.18E-07	1.0E+06	3.2E-01
197	1.30564	4.16E-02	5.4E-02	6.05E-04	3.29E-05	1.49E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
198	0.26895	4.16E-02	1.1E-02	6.05E-04	6.77E-06	1.49E-01	4.71E-02	4.75E-08	1.0E+06	4.8E-02
199	0.30588	4.16E-02	1.3E-02	6.05E-04	7.70E-06	1.49E-01	4.71E-02	5.40E-08	1.0E+06	5.4E-02
200	0.34989	4.16E-02	1.5E-02	6.05E-04	8.81E-06	1.49E-01	4.71E-02	6.18E-08	1.0E+06	6.2E-02
201	0.41345	4.16E-02	1.7E-02	6.05E-04	1.04E-05	1.49E-01	4.71E-02	7.30E-08	1.0E+06	7.3E-02
202	0.5245	4.16E-02	2.2E-02	6.05E-04	1.32E-05	1.49E-01	4.71E-02	9.26E-08	1.0E+06	9.3E-02
203	0.64051	4.16E-02	2.7E-02	6.05E-04	1.61E-05	1.49E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
204	0.79507	4.16E-02	3.3E-02	6.05E-04	2.00E-05	1.49E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
205	0.98978	4.16E-02	4.1E-02	6.05E-04	2.49E-05	1.49E-01	4.71E-02	1.75E-07	1.0E+06	1.7E-01
206	1.24675	4.16E-02	5.2E-02	6.05E-04	3.14E-05	1.49E-01	4.71E-02	2.20E-07	1.0E+06	2.2E-01
207	1.55455	4.16E-02	6.5E-02	6.05E-04	3.91E-05	1.49E-01	4.71E-02	2.75E-07	1.0E+06	2.7E-01
208	1.85416	4.16E-02	7.7E-02	6.05E-04	4.67E-05	1.49E-01	4.71E-02	3.27E-07	1.0E+06	3.3E-01
209	2.06719	4.16E-02	8.6E-02	6.05E-04	5.20E-05	1.49E-01	4.71E-02	3.65E-07	1.0E+06	3.7E-01
210	2.16636	4.16E-02	9.0E-02	6.05E-04	5.45E-05	1.49E-01	4.71E-02	3.83E-07	1.0E+06	3.8E-01
211	2.15679	4.16E-02	9.0E-02	6.05E-04	5.43E-05	1.49E-01	4.71E-02	3.81E-07	1.0E+06	3.8E-01
212	2.06018	4.16E-02	8.6E-02	6.05E-04	5.19E-05	1.49E-01	4.71E-02	3.64E-07	1.0E+06	3.6E-01
213	1.86154	4.16E-02	7.7E-02	6.05E-04	4.69E-05	1.49E-01	4.71E-02	3.29E-07	1.0E+06	3.3E-01
214	1.58195	4.16E-02	6.6E-02	6.05E-04	3.98E-05	1.49E-01	4.71E-02	2.79E-07	1.0E+06	2.8E-01
215	1.4515	4.16E-02	6.0E-02	6.05E-04	3.65E-05	1.49E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01
216	0.25394	4.16E-02	1.1E-02	6.05E-04	6.39E-06	1.49E-01	4.71E-02	4.49E-08	1.0E+06	4.5E-02
217	0.28402	4.16E-02	1.2E-02	6.05E-04	7.15E-06	1.49E-01	4.71E-02	5.02E-08	1.0E+06	5.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.32252	4.16E-02	1.3E-02	6.05E-04	8.12E-06	1.49E-01	4.71E-02	5.70E-08	1.0E+06	5.7E-02
219	0.37256	4.16E-02	1.5E-02	6.05E-04	9.38E-06	1.49E-01	4.71E-02	6.58E-08	1.0E+06	6.6E-02
220	0.45636	4.16E-02	1.9E-02	6.05E-04	1.15E-05	1.49E-01	4.71E-02	8.06E-08	1.0E+06	8.1E-02
221	0.54246	4.16E-02	2.3E-02	6.05E-04	1.37E-05	1.49E-01	4.71E-02	9.58E-08	1.0E+06	9.6E-02
222	0.66438	4.16E-02	2.8E-02	6.05E-04	1.67E-05	1.49E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
223	0.80689	4.16E-02	3.4E-02	6.05E-04	2.03E-05	1.49E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
224	0.98601	4.16E-02	4.1E-02	6.05E-04	2.48E-05	1.49E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
225	1.18396	4.16E-02	4.9E-02	6.05E-04	2.98E-05	1.49E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
226	1.39003	4.16E-02	5.8E-02	6.05E-04	3.50E-05	1.49E-01	4.71E-02	2.46E-07	1.0E+06	2.5E-01
227	1.54365	4.16E-02	6.4E-02	6.05E-04	3.89E-05	1.49E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01
228	1.62944	4.16E-02	6.8E-02	6.05E-04	4.10E-05	1.49E-01	4.71E-02	2.88E-07	1.0E+06	2.9E-01
229	1.63849	4.16E-02	6.8E-02	6.05E-04	4.12E-05	1.49E-01	4.71E-02	2.89E-07	1.0E+06	2.9E-01
230	1.57097	4.16E-02	6.5E-02	6.05E-04	3.95E-05	1.49E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
231	1.45346	4.16E-02	6.0E-02	6.05E-04	3.66E-05	1.49E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
232	1.28041	4.16E-02	5.3E-02	6.05E-04	3.22E-05	1.49E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
233	1.18274	4.16E-02	4.9E-02	6.05E-04	2.98E-05	1.49E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
234	0.23974	4.16E-02	1.0E-02	6.05E-04	6.03E-06	1.49E-01	4.71E-02	4.23E-08	1.0E+06	4.2E-02
235	0.26365	4.16E-02	1.1E-02	6.05E-04	6.64E-06	1.49E-01	4.71E-02	4.66E-08	1.0E+06	4.7E-02
236	0.29587	4.16E-02	1.2E-02	6.05E-04	7.45E-06	1.49E-01	4.71E-02	5.23E-08	1.0E+06	5.2E-02
237	0.33958	4.16E-02	1.4E-02	6.05E-04	8.55E-06	1.49E-01	4.71E-02	6.00E-08	1.0E+06	6.0E-02
238	0.39927	4.16E-02	1.7E-02	6.05E-04	1.00E-05	1.49E-01	4.71E-02	7.05E-08	1.0E+06	7.1E-02
239	0.46628	4.16E-02	1.9E-02	6.05E-04	1.17E-05	1.49E-01	4.71E-02	8.24E-08	1.0E+06	8.2E-02
240	0.55425	4.16E-02	2.3E-02	6.05E-04	1.39E-05	1.49E-01	4.71E-02	9.79E-08	1.0E+06	9.8E-02
241	0.66256	4.16E-02	2.8E-02	6.05E-04	1.67E-05	1.49E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
242	0.79101	4.16E-02	3.3E-02	6.05E-04	1.99E-05	1.49E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
243	0.93444	4.16E-02	3.9E-02	6.05E-04	2.35E-05	1.49E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
244	1.08389	4.16E-02	4.5E-02	6.05E-04	2.73E-05	1.49E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
245	1.2064	4.16E-02	5.0E-02	6.05E-04	3.04E-05	1.49E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
246	1.28269	4.16E-02	5.3E-02	6.05E-04	3.23E-05	1.49E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
247	1.30234	4.16E-02	5.4E-02	6.05E-04	3.28E-05	1.49E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
248	1.2704	4.16E-02	5.3E-02	6.05E-04	3.20E-05	1.49E-01	4.71E-02	2.24E-07	1.0E+06	2.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.18628	4.16E-02	4.9E-02	6.05E-04	2.99E-05	1.49E-01	4.71E-02	2.10E-07	1.0E+06	2.1E-01
250	1.0767	4.16E-02	4.5E-02	6.05E-04	2.71E-05	1.49E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
251	0.99552	4.16E-02	4.1E-02	6.05E-04	2.51E-05	1.49E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
252	0.22288	4.16E-02	9.3E-03	6.05E-04	5.61E-06	1.49E-01	4.71E-02	3.94E-08	1.0E+06	3.9E-02
253	0.24125	4.16E-02	1.0E-02	6.05E-04	6.07E-06	1.49E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
254	0.26526	4.16E-02	1.1E-02	6.05E-04	6.68E-06	1.49E-01	4.71E-02	4.69E-08	1.0E+06	4.7E-02
255	0.29598	4.16E-02	1.2E-02	6.05E-04	7.45E-06	1.49E-01	4.71E-02	5.23E-08	1.0E+06	5.2E-02
256	0.35215	4.16E-02	1.5E-02	6.05E-04	8.86E-06	1.49E-01	4.71E-02	6.22E-08	1.0E+06	6.2E-02
257	0.39078	4.16E-02	1.6E-02	6.05E-04	9.84E-06	1.49E-01	4.71E-02	6.90E-08	1.0E+06	6.9E-02
258	0.44847	4.16E-02	1.9E-02	6.05E-04	1.13E-05	1.49E-01	4.71E-02	7.92E-08	1.0E+06	7.9E-02
259	0.51996	4.16E-02	2.2E-02	6.05E-04	1.31E-05	1.49E-01	4.71E-02	9.18E-08	1.0E+06	9.2E-02
260	0.62139	4.16E-02	2.6E-02	6.05E-04	1.56E-05	1.49E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
261	0.74353	4.16E-02	3.1E-02	6.05E-04	1.87E-05	1.49E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
262	0.86299	4.16E-02	3.6E-02	6.05E-04	2.17E-05	1.49E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
263	0.95593	4.16E-02	4.0E-02	6.05E-04	2.41E-05	1.49E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
264	1.0253	4.16E-02	4.3E-02	6.05E-04	2.58E-05	1.49E-01	4.71E-02	1.81E-07	1.0E+06	1.8E-01
265	1.0477	4.16E-02	4.4E-02	6.05E-04	2.64E-05	1.49E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
266	1.03328	4.16E-02	4.3E-02	6.05E-04	2.60E-05	1.49E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
267	0.97802	4.16E-02	4.1E-02	6.05E-04	2.46E-05	1.49E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
268	0.90078	4.16E-02	3.7E-02	6.05E-04	2.27E-05	1.49E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
269	0.8422	4.16E-02	3.5E-02	6.05E-04	2.12E-05	1.49E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
270	0.20609	4.16E-02	8.6E-03	6.05E-04	5.19E-06	1.49E-01	4.71E-02	3.64E-08	1.0E+06	3.6E-02
271	0.22236	4.16E-02	9.2E-03	6.05E-04	5.60E-06	1.49E-01	4.71E-02	3.93E-08	1.0E+06	3.9E-02
272	0.2426	4.16E-02	1.0E-02	6.05E-04	6.11E-06	1.49E-01	4.71E-02	4.28E-08	1.0E+06	4.3E-02
273	0.26659	4.16E-02	1.1E-02	6.05E-04	6.71E-06	1.49E-01	4.71E-02	4.71E-08	1.0E+06	4.7E-02
274	0.31843	4.16E-02	1.3E-02	6.05E-04	8.01E-06	1.49E-01	4.71E-02	5.62E-08	1.0E+06	5.6E-02
275	0.36509	4.16E-02	1.5E-02	6.05E-04	9.19E-06	1.49E-01	4.71E-02	6.45E-08	1.0E+06	6.4E-02
276	0.38581	4.16E-02	1.6E-02	6.05E-04	9.71E-06	1.49E-01	4.71E-02	6.81E-08	1.0E+06	6.8E-02
277	0.43917	4.16E-02	1.8E-02	6.05E-04	1.11E-05	1.49E-01	4.71E-02	7.76E-08	1.0E+06	7.8E-02
278	0.50889	4.16E-02	2.1E-02	6.05E-04	1.28E-05	1.49E-01	4.71E-02	8.99E-08	1.0E+06	9.0E-02
279	0.5928	4.16E-02	2.5E-02	6.05E-04	1.49E-05	1.49E-01	4.71E-02	1.05E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.69196	4.16E-02	2.9E-02	6.05E-04	1.74E-05	1.49E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
281	0.77845	4.16E-02	3.2E-02	6.05E-04	1.96E-05	1.49E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
282	0.83812	4.16E-02	3.5E-02	6.05E-04	2.11E-05	1.49E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
283	0.86573	4.16E-02	3.6E-02	6.05E-04	2.18E-05	1.49E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
284	0.85995	4.16E-02	3.6E-02	6.05E-04	2.16E-05	1.49E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
285	0.82472	4.16E-02	3.4E-02	6.05E-04	2.08E-05	1.49E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
286	0.76997	4.16E-02	3.2E-02	6.05E-04	1.94E-05	1.49E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
287	0.7249	4.16E-02	3.0E-02	6.05E-04	1.82E-05	1.49E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
288	0.19179	4.16E-02	8.0E-03	6.05E-04	4.83E-06	1.49E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
289	0.20415	4.16E-02	8.5E-03	6.05E-04	5.14E-06	1.49E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
290	0.22731	4.16E-02	9.5E-03	6.05E-04	5.72E-06	1.49E-01	4.71E-02	4.01E-08	1.0E+06	4.0E-02
291	0.25153	4.16E-02	1.0E-02	6.05E-04	6.33E-06	1.49E-01	4.71E-02	4.44E-08	1.0E+06	4.4E-02
292	0.31346	4.16E-02	1.3E-02	6.05E-04	7.89E-06	1.49E-01	4.71E-02	5.54E-08	1.0E+06	5.5E-02
293	0.33705	4.16E-02	1.4E-02	6.05E-04	8.48E-06	1.49E-01	4.71E-02	5.95E-08	1.0E+06	6.0E-02
294	0.3399	4.16E-02	1.4E-02	6.05E-04	8.55E-06	1.49E-01	4.71E-02	6.00E-08	1.0E+06	6.0E-02
295	0.38573	4.16E-02	1.6E-02	6.05E-04	9.71E-06	1.49E-01	4.71E-02	6.81E-08	1.0E+06	6.8E-02
296	0.44174	4.16E-02	1.8E-02	6.05E-04	1.11E-05	1.49E-01	4.71E-02	7.80E-08	1.0E+06	7.8E-02
297	0.4983	4.16E-02	2.1E-02	6.05E-04	1.25E-05	1.49E-01	4.71E-02	8.80E-08	1.0E+06	8.8E-02
298	0.56731	4.16E-02	2.4E-02	6.05E-04	1.43E-05	1.49E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
299	0.64127	4.16E-02	2.7E-02	6.05E-04	1.61E-05	1.49E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
300	0.69	4.16E-02	2.9E-02	6.05E-04	1.74E-05	1.49E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
301	0.72301	4.16E-02	3.0E-02	6.05E-04	1.82E-05	1.49E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
302	0.7295	4.16E-02	3.0E-02	6.05E-04	1.84E-05	1.49E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
303	0.7107	4.16E-02	3.0E-02	6.05E-04	1.79E-05	1.49E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
304	0.67196	4.16E-02	2.8E-02	6.05E-04	1.69E-05	1.49E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
305	0.63256	4.16E-02	2.6E-02	6.05E-04	1.59E-05	1.49E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
306	0.19076	4.16E-02	7.9E-03	6.05E-04	4.80E-06	1.49E-01	4.71E-02	3.37E-08	1.0E+06	3.4E-02
307	0.1965	4.16E-02	8.2E-03	6.05E-04	4.95E-06	1.49E-01	4.71E-02	3.47E-08	1.0E+06	3.5E-02
308	0.21163	4.16E-02	8.8E-03	6.05E-04	5.33E-06	1.49E-01	4.71E-02	3.74E-08	1.0E+06	3.7E-02
309	0.24993	4.16E-02	1.0E-02	6.05E-04	6.29E-06	1.49E-01	4.71E-02	4.41E-08	1.0E+06	4.4E-02
310	0.2892	4.16E-02	1.2E-02	6.05E-04	7.28E-06	1.49E-01	4.71E-02	5.11E-08	1.0E+06	5.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.30706	4.16E-02	1.3E-02	6.05E-04	7.73E-06	1.49E-01	4.71E-02	5.42E-08	1.0E+06	5.4E-02
312	0.30302	4.16E-02	1.3E-02	6.05E-04	7.63E-06	1.49E-01	4.71E-02	5.35E-08	1.0E+06	5.4E-02
313	0.34058	4.16E-02	1.4E-02	6.05E-04	8.57E-06	1.49E-01	4.71E-02	6.02E-08	1.0E+06	6.0E-02
314	0.38571	4.16E-02	1.6E-02	6.05E-04	9.71E-06	1.49E-01	4.71E-02	6.81E-08	1.0E+06	6.8E-02
315	0.44619	4.16E-02	1.9E-02	6.05E-04	1.12E-05	1.49E-01	4.71E-02	7.88E-08	1.0E+06	7.9E-02
316	0.48737	4.16E-02	2.0E-02	6.05E-04	1.23E-05	1.49E-01	4.71E-02	8.61E-08	1.0E+06	8.6E-02
317	0.53274	4.16E-02	2.2E-02	6.05E-04	1.34E-05	1.49E-01	4.71E-02	9.41E-08	1.0E+06	9.4E-02
318	0.57567	4.16E-02	2.4E-02	6.05E-04	1.45E-05	1.49E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
319	0.61162	4.16E-02	2.5E-02	6.05E-04	1.54E-05	1.49E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
320	0.62978	4.16E-02	2.6E-02	6.05E-04	1.59E-05	1.49E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
321	0.61772	4.16E-02	2.6E-02	6.05E-04	1.55E-05	1.49E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
322	0.58947	4.16E-02	2.5E-02	6.05E-04	1.48E-05	1.49E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
323	0.55418	4.16E-02	2.3E-02	6.05E-04	1.39E-05	1.49E-01	4.71E-02	9.79E-08	1.0E+06	9.8E-02
324	0.17901	4.16E-02	7.4E-03	6.05E-04	4.51E-06	1.49E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02
325	0.19809	4.16E-02	8.2E-03	6.05E-04	4.99E-06	1.49E-01	4.71E-02	3.50E-08	1.0E+06	3.5E-02
326	0.21043	4.16E-02	8.8E-03	6.05E-04	5.30E-06	1.49E-01	4.71E-02	3.72E-08	1.0E+06	3.7E-02
327	0.22027	4.16E-02	9.2E-03	6.05E-04	5.54E-06	1.49E-01	4.71E-02	3.89E-08	1.0E+06	3.9E-02
328	0.27094	4.16E-02	1.1E-02	6.05E-04	6.82E-06	1.49E-01	4.71E-02	4.79E-08	1.0E+06	4.8E-02
329	0.28116	4.16E-02	1.2E-02	6.05E-04	7.08E-06	1.49E-01	4.71E-02	4.97E-08	1.0E+06	5.0E-02
330	0.27877	4.16E-02	1.2E-02	6.05E-04	7.02E-06	1.49E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
331	0.31121	4.16E-02	1.3E-02	6.05E-04	7.83E-06	1.49E-01	4.71E-02	5.50E-08	1.0E+06	5.5E-02
332	0.34977	4.16E-02	1.5E-02	6.05E-04	8.80E-06	1.49E-01	4.71E-02	6.18E-08	1.0E+06	6.2E-02
333	0.40012	4.16E-02	1.7E-02	6.05E-04	1.01E-05	1.49E-01	4.71E-02	7.07E-08	1.0E+06	7.1E-02
334	0.44075	4.16E-02	1.8E-02	6.05E-04	1.11E-05	1.49E-01	4.71E-02	7.78E-08	1.0E+06	7.8E-02
335	0.47966	4.16E-02	2.0E-02	6.05E-04	1.21E-05	1.49E-01	4.71E-02	8.47E-08	1.0E+06	8.5E-02
336	1.97471	4.16E-02	8.2E-02	6.05E-04	4.97E-05	1.49E-01	4.71E-02	3.49E-07	1.0E+06	3.5E-01
337	1.3422	4.16E-02	5.6E-02	6.05E-04	3.38E-05	1.49E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
338	0.56668	4.16E-02	2.4E-02	6.05E-04	1.43E-05	1.49E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
339	0.57604	4.16E-02	2.4E-02	6.05E-04	1.45E-05	1.49E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
340	0.5775	4.16E-02	2.4E-02	6.05E-04	1.45E-05	1.49E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
341	0.57069	4.16E-02	2.4E-02	6.05E-04	1.44E-05	1.49E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.55721	4.16E-02	2.3E-02	6.05E-04	1.40E-05	1.49E-01	4.71E-02	9.84E-08	1.0E+06	9.8E-02
343	0.51363	4.16E-02	2.1E-02	6.05E-04	1.29E-05	1.49E-01	4.71E-02	9.07E-08	1.0E+06	9.1E-02
344	0.48828	4.16E-02	2.0E-02	6.05E-04	1.23E-05	1.49E-01	4.71E-02	8.62E-08	1.0E+06	8.6E-02
345	0.45971	4.16E-02	1.9E-02	6.05E-04	1.16E-05	1.49E-01	4.71E-02	8.12E-08	1.0E+06	8.1E-02
346	0.42748	4.16E-02	1.8E-02	6.05E-04	1.08E-05	1.49E-01	4.71E-02	7.55E-08	1.0E+06	7.6E-02
347	0.69458	4.16E-02	2.9E-02	6.05E-04	1.75E-05	1.49E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
348	0.71117	4.16E-02	3.0E-02	6.05E-04	1.79E-05	1.49E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
349	0.71014	4.16E-02	3.0E-02	6.05E-04	1.79E-05	1.49E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
350	0.69693	4.16E-02	2.9E-02	6.05E-04	1.75E-05	1.49E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
351	0.68051	4.16E-02	2.8E-02	6.05E-04	1.71E-05	1.49E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
352	0.61121	4.16E-02	2.5E-02	6.05E-04	1.54E-05	1.49E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
353	0.57261	4.16E-02	2.4E-02	6.05E-04	1.44E-05	1.49E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
354	0.52467	4.16E-02	2.2E-02	6.05E-04	1.32E-05	1.49E-01	4.71E-02	9.27E-08	1.0E+06	9.3E-02
355	0.48312	4.16E-02	2.0E-02	6.05E-04	1.22E-05	1.49E-01	4.71E-02	8.53E-08	1.0E+06	8.5E-02
356	0.87356	4.16E-02	3.6E-02	6.05E-04	2.20E-05	1.49E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
357	0.90521	4.16E-02	3.8E-02	6.05E-04	2.28E-05	1.49E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
358	0.90366	4.16E-02	3.8E-02	6.05E-04	2.27E-05	1.49E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
359	0.88428	4.16E-02	3.7E-02	6.05E-04	2.23E-05	1.49E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
360	0.84786	4.16E-02	3.5E-02	6.05E-04	2.13E-05	1.49E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
361	0.73319	4.16E-02	3.0E-02	6.05E-04	1.85E-05	1.49E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
362	0.67477	4.16E-02	2.8E-02	6.05E-04	1.70E-05	1.49E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
363	0.6046	4.16E-02	2.5E-02	6.05E-04	1.52E-05	1.49E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
364	1.13942	4.16E-02	4.7E-02	6.05E-04	2.87E-05	1.49E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
365	1.17169	4.16E-02	4.9E-02	6.05E-04	2.95E-05	1.49E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01
366	1.1846	4.16E-02	4.9E-02	6.05E-04	2.98E-05	1.49E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
367	1.14583	4.16E-02	4.8E-02	6.05E-04	2.88E-05	1.49E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
368	1.08139	4.16E-02	4.5E-02	6.05E-04	2.72E-05	1.49E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
369	0.89181	4.16E-02	3.7E-02	6.05E-04	2.24E-05	1.49E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
370	0.70809	4.16E-02	2.9E-02	6.05E-04	1.78E-05	1.49E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
371	0.61897	4.16E-02	2.6E-02	6.05E-04	1.56E-05	1.49E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
372	1.57861	4.16E-02	6.6E-02	6.05E-04	3.97E-05	1.49E-01	4.71E-02	2.79E-07	1.0E+06	2.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	1.61119	4.16E-02	6.7E-02	6.05E-04	4.06E-05	1.49E-01	4.71E-02	2.85E-07	1.0E+06	2.8E-01
374	1.61527	4.16E-02	6.7E-02	6.05E-04	4.07E-05	1.49E-01	4.71E-02	2.85E-07	1.0E+06	2.9E-01
375	1.53816	4.16E-02	6.4E-02	6.05E-04	3.87E-05	1.49E-01	4.71E-02	2.72E-07	1.0E+06	2.7E-01
376	1.41279	4.16E-02	5.9E-02	6.05E-04	3.56E-05	1.49E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
377	1.25649	4.16E-02	5.2E-02	6.05E-04	3.16E-05	1.49E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
378	1.10053	4.16E-02	4.6E-02	6.05E-04	2.77E-05	1.49E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
379	0.81264	4.16E-02	3.4E-02	6.05E-04	2.05E-05	1.49E-01	4.71E-02	1.44E-07	1.0E+06	1.4E-01
380	0.69418	4.16E-02	2.9E-02	6.05E-04	1.75E-05	1.49E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
381	0.59082	4.16E-02	2.5E-02	6.05E-04	1.49E-05	1.49E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
382	2.3504	4.16E-02	9.8E-02	6.05E-04	5.92E-05	1.49E-01	4.71E-02	4.15E-07	1.0E+06	4.2E-01
383	2.39027	4.16E-02	9.9E-02	6.05E-04	6.02E-05	1.49E-01	4.71E-02	4.22E-07	1.0E+06	4.2E-01
384	2.32804	4.16E-02	9.7E-02	6.05E-04	5.86E-05	1.49E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
385	2.15915	4.16E-02	9.0E-02	6.05E-04	5.43E-05	1.49E-01	4.71E-02	3.81E-07	1.0E+06	3.8E-01
386	1.91749	4.16E-02	8.0E-02	6.05E-04	4.83E-05	1.49E-01	4.71E-02	3.39E-07	1.0E+06	3.4E-01
387	1.62751	4.16E-02	6.8E-02	6.05E-04	4.10E-05	1.49E-01	4.71E-02	2.87E-07	1.0E+06	2.9E-01
388	1.3592	4.16E-02	5.7E-02	6.05E-04	3.42E-05	1.49E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
389	0.91334	4.16E-02	3.8E-02	6.05E-04	2.30E-05	1.49E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
390	0.75131	4.16E-02	3.1E-02	6.05E-04	1.89E-05	1.49E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
391	0.62456	4.16E-02	2.6E-02	6.05E-04	1.57E-05	1.49E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
392	0.51197	4.16E-02	2.1E-02	6.05E-04	1.29E-05	1.49E-01	4.71E-02	9.04E-08	1.0E+06	9.0E-02
393	3.34299	4.16E-02	1.4E-01	6.05E-04	8.41E-05	1.49E-01	4.71E-02	5.90E-07	1.0E+06	5.9E-01
394	3.3105	4.16E-02	1.4E-01	6.05E-04	8.33E-05	1.49E-01	4.71E-02	5.85E-07	1.0E+06	5.8E-01
395	2.91282	4.16E-02	1.2E-01	6.05E-04	7.33E-05	1.49E-01	4.71E-02	5.14E-07	1.0E+06	5.1E-01
396	2.55551	4.16E-02	1.1E-01	6.05E-04	6.43E-05	1.49E-01	4.71E-02	4.51E-07	1.0E+06	4.5E-01
397	2.04418	4.16E-02	8.5E-02	6.05E-04	5.14E-05	1.49E-01	4.71E-02	3.61E-07	1.0E+06	3.6E-01
398	1.60012	4.16E-02	6.7E-02	6.05E-04	4.03E-05	1.49E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
399	1.27678	4.16E-02	5.3E-02	6.05E-04	3.21E-05	1.49E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
400	0.99864	4.16E-02	4.2E-02	6.05E-04	2.51E-05	1.49E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
401	0.7939	4.16E-02	3.3E-02	6.05E-04	2.00E-05	1.49E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
402	0.51625	4.16E-02	2.1E-02	6.05E-04	1.30E-05	1.49E-01	4.71E-02	9.12E-08	1.0E+06	9.1E-02
403	1.06396	4.16E-02	4.4E-02	6.05E-04	2.68E-05	1.49E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.53137	4.16E-02	2.2E-02	6.05E-04	1.34E-05	1.49E-01	4.71E-02	9.39E-08	1.0E+06	9.4E-02
405	0.43135	4.16E-02	1.8E-02	6.05E-04	1.09E-05	1.49E-01	4.71E-02	7.62E-08	1.0E+06	7.6E-02
406	1.05891	4.16E-02	4.4E-02	6.05E-04	2.67E-05	1.49E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
407	0.41789	4.16E-02	1.7E-02	6.05E-04	1.05E-05	1.49E-01	4.71E-02	7.38E-08	1.0E+06	7.4E-02
408	1.00415	4.16E-02	4.2E-02	6.05E-04	2.53E-05	1.49E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
409	0.40251	4.16E-02	1.7E-02	6.05E-04	1.01E-05	1.49E-01	4.71E-02	7.11E-08	1.0E+06	7.1E-02
410	0.92328	4.16E-02	3.8E-02	6.05E-04	2.32E-05	1.49E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01
411	0.46728	4.16E-02	1.9E-02	6.05E-04	1.18E-05	1.49E-01	4.71E-02	8.25E-08	1.0E+06	8.3E-02
412	0.39358	4.16E-02	1.6E-02	6.05E-04	9.91E-06	1.49E-01	4.71E-02	6.95E-08	1.0E+06	7.0E-02
413	0.83985	4.16E-02	3.5E-02	6.05E-04	2.11E-05	1.49E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
414	0.53129	4.16E-02	2.2E-02	6.05E-04	1.34E-05	1.49E-01	4.71E-02	9.38E-08	1.0E+06	9.4E-02
415	0.44137	4.16E-02	1.8E-02	6.05E-04	1.11E-05	1.49E-01	4.71E-02	7.80E-08	1.0E+06	7.8E-02
416	0.3746	4.16E-02	1.6E-02	6.05E-04	9.43E-06	1.49E-01	4.71E-02	6.62E-08	1.0E+06	6.6E-02
417	0.764	4.16E-02	3.2E-02	6.05E-04	1.92E-05	1.49E-01	4.71E-02	1.35E-07	1.0E+06	1.3E-01
418	0.41536	4.16E-02	1.7E-02	6.05E-04	1.05E-05	1.49E-01	4.71E-02	7.34E-08	1.0E+06	7.3E-02
419	0.35519	4.16E-02	1.5E-02	6.05E-04	8.94E-06	1.49E-01	4.71E-02	6.27E-08	1.0E+06	6.3E-02
420	0.30691	4.16E-02	1.3E-02	6.05E-04	7.72E-06	1.49E-01	4.71E-02	5.42E-08	1.0E+06	5.4E-02
421	0.69682	4.16E-02	2.9E-02	6.05E-04	1.75E-05	1.49E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
422	0.33554	4.16E-02	1.4E-02	6.05E-04	8.44E-06	1.49E-01	4.71E-02	5.93E-08	1.0E+06	5.9E-02
423	0.29285	4.16E-02	1.2E-02	6.05E-04	7.37E-06	1.49E-01	4.71E-02	5.17E-08	1.0E+06	5.2E-02
424	0.63653	4.16E-02	2.6E-02	6.05E-04	1.60E-05	1.49E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
425	0.27805	4.16E-02	1.2E-02	6.05E-04	7.00E-06	1.49E-01	4.71E-02	4.91E-08	1.0E+06	4.9E-02
426	0.2461	4.16E-02	1.0E-02	6.05E-04	6.19E-06	1.49E-01	4.71E-02	4.35E-08	1.0E+06	4.3E-02
427	0.58149	4.16E-02	2.4E-02	6.05E-04	1.46E-05	1.49E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
428	0.26331	4.16E-02	1.1E-02	6.05E-04	6.63E-06	1.49E-01	4.71E-02	4.65E-08	1.0E+06	4.7E-02
429	0.23466	4.16E-02	9.8E-03	6.05E-04	5.91E-06	1.49E-01	4.71E-02	4.14E-08	1.0E+06	4.1E-02
430	0.53238	4.16E-02	2.2E-02	6.05E-04	1.34E-05	1.49E-01	4.71E-02	9.40E-08	1.0E+06	9.4E-02
431	0.22324	4.16E-02	9.3E-03	6.05E-04	5.62E-06	1.49E-01	4.71E-02	3.94E-08	1.0E+06	3.9E-02
432	0.19965	4.16E-02	8.3E-03	6.05E-04	5.02E-06	1.49E-01	4.71E-02	3.53E-08	1.0E+06	3.5E-02
433	0.48697	4.16E-02	2.0E-02	6.05E-04	1.23E-05	1.49E-01	4.71E-02	8.60E-08	1.0E+06	8.6E-02
434	0.21223	4.16E-02	8.8E-03	6.05E-04	5.34E-06	1.49E-01	4.71E-02	3.75E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.19185	4.16E-02	8.0E-03	6.05E-04	4.83E-06	1.49E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
436	0.44624	4.16E-02	1.9E-02	6.05E-04	1.12E-05	1.49E-01	4.71E-02	7.88E-08	1.0E+06	7.9E-02
437	0.22439	4.16E-02	9.3E-03	6.05E-04	5.65E-06	1.49E-01	4.71E-02	3.96E-08	1.0E+06	4.0E-02
438	0.20209	4.16E-02	8.4E-03	6.05E-04	5.09E-06	1.49E-01	4.71E-02	3.57E-08	1.0E+06	3.6E-02
439	0.18334	4.16E-02	7.6E-03	6.05E-04	4.61E-06	1.49E-01	4.71E-02	3.24E-08	1.0E+06	3.2E-02
440	0.40907	4.16E-02	1.7E-02	6.05E-04	1.03E-05	1.49E-01	4.71E-02	7.23E-08	1.0E+06	7.2E-02
441	0.27118	4.16E-02	1.1E-02	6.05E-04	6.83E-06	1.49E-01	4.71E-02	4.79E-08	1.0E+06	4.8E-02
442	0.23821	4.16E-02	9.9E-03	6.05E-04	6.00E-06	1.49E-01	4.71E-02	4.21E-08	1.0E+06	4.2E-02
443	0.21314	4.16E-02	8.9E-03	6.05E-04	5.36E-06	1.49E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02
444	0.19231	4.16E-02	8.0E-03	6.05E-04	4.84E-06	1.49E-01	4.71E-02	3.40E-08	1.0E+06	3.4E-02
445	0.37579	4.16E-02	1.6E-02	6.05E-04	9.46E-06	1.49E-01	4.71E-02	6.64E-08	1.0E+06	6.6E-02
446	0.28688	4.16E-02	1.2E-02	6.05E-04	7.22E-06	1.49E-01	4.71E-02	5.07E-08	1.0E+06	5.1E-02
447	0.25315	4.16E-02	1.1E-02	6.05E-04	6.37E-06	1.49E-01	4.71E-02	4.47E-08	1.0E+06	4.5E-02
448	0.22535	4.16E-02	9.4E-03	6.05E-04	5.67E-06	1.49E-01	4.71E-02	3.98E-08	1.0E+06	4.0E-02
449	0.34584	4.16E-02	1.4E-02	6.05E-04	8.70E-06	1.49E-01	4.71E-02	6.11E-08	1.0E+06	6.1E-02
450	0.30476	4.16E-02	1.3E-02	6.05E-04	7.67E-06	1.49E-01	4.71E-02	5.38E-08	1.0E+06	5.4E-02
451	0.26899	4.16E-02	1.1E-02	6.05E-04	6.77E-06	1.49E-01	4.71E-02	4.75E-08	1.0E+06	4.8E-02
452	0.31885	4.16E-02	1.3E-02	6.05E-04	8.02E-06	1.49E-01	4.71E-02	5.63E-08	1.0E+06	5.6E-02
453	0.28372	4.16E-02	1.2E-02	6.05E-04	7.14E-06	1.49E-01	4.71E-02	5.01E-08	1.0E+06	5.0E-02
454	0.15144	4.16E-02	6.3E-03	6.05E-04	3.81E-06	1.49E-01	4.71E-02	2.67E-08	1.0E+06	2.7E-02
455	0.14078	4.16E-02	5.9E-03	6.05E-04	3.54E-06	1.49E-01	4.71E-02	2.49E-08	1.0E+06	2.5E-02
456	0.29447	4.16E-02	1.2E-02	6.05E-04	7.41E-06	1.49E-01	4.71E-02	5.20E-08	1.0E+06	5.2E-02
457	0.26431	4.16E-02	1.1E-02	6.05E-04	6.65E-06	1.49E-01	4.71E-02	4.67E-08	1.0E+06	4.7E-02
458	0.23625	4.16E-02	9.8E-03	6.05E-04	5.95E-06	1.49E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02
459	0.1733	4.16E-02	7.2E-03	6.05E-04	4.36E-06	1.49E-01	4.71E-02	3.06E-08	1.0E+06	3.1E-02
460	0.15877	4.16E-02	6.6E-03	6.05E-04	4.00E-06	1.49E-01	4.71E-02	2.80E-08	1.0E+06	2.8E-02
461	0.14598	4.16E-02	6.1E-03	6.05E-04	3.67E-06	1.49E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
462	0.1348	4.16E-02	5.6E-03	6.05E-04	3.39E-06	1.49E-01	4.71E-02	2.38E-08	1.0E+06	2.4E-02
463	1.839	4.16E-02	7.6E-02	6.05E-04	4.63E-05	1.49E-01	4.71E-02	3.25E-07	1.0E+06	3.2E-01
464	1.26957	4.16E-02	5.3E-02	6.05E-04	3.20E-05	1.49E-01	4.71E-02	2.24E-07	1.0E+06	2.2E-01
465	1.59928	4.16E-02	6.7E-02	6.05E-04	4.03E-05	1.49E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	1.09342	4.16E-02	4.5E-02	6.05E-04	2.75E-05	1.49E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
467	1.16993	4.16E-02	4.9E-02	6.05E-04	2.94E-05	1.49E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01
468	1.0327	4.16E-02	4.3E-02	6.05E-04	2.60E-05	1.49E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
469	0.90979	4.16E-02	3.8E-02	6.05E-04	2.29E-05	1.49E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
470	1.01077	4.16E-02	4.2E-02	6.05E-04	2.54E-05	1.49E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
471	0.8602	4.16E-02	3.6E-02	6.05E-04	2.16E-05	1.49E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
472	0.86823	4.16E-02	3.6E-02	6.05E-04	2.19E-05	1.49E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
473	0.71059	4.16E-02	3.0E-02	6.05E-04	1.79E-05	1.49E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
474	0.74975	4.16E-02	3.1E-02	6.05E-04	1.89E-05	1.49E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
475	0.63154	4.16E-02	2.6E-02	6.05E-04	1.59E-05	1.49E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
476	0.65398	4.16E-02	2.7E-02	6.05E-04	1.65E-05	1.49E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
477	0.56323	4.16E-02	2.3E-02	6.05E-04	1.42E-05	1.49E-01	4.71E-02	9.95E-08	1.0E+06	9.9E-02
478	0.57492	4.16E-02	2.4E-02	6.05E-04	1.45E-05	1.49E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
479	0.50322	4.16E-02	2.1E-02	6.05E-04	1.27E-05	1.49E-01	4.71E-02	8.89E-08	1.0E+06	8.9E-02
480	0.43536	4.16E-02	1.8E-02	6.05E-04	1.10E-05	1.49E-01	4.71E-02	7.69E-08	1.0E+06	7.7E-02
481	0.50912	4.16E-02	2.1E-02	6.05E-04	1.28E-05	1.49E-01	4.71E-02	8.99E-08	1.0E+06	9.0E-02
482	0.39729	4.16E-02	1.7E-02	6.05E-04	1.00E-05	1.49E-01	4.71E-02	7.02E-08	1.0E+06	7.0E-02
483	0.40834	4.16E-02	1.7E-02	6.05E-04	1.03E-05	1.49E-01	4.71E-02	7.21E-08	1.0E+06	7.2E-02
484	0.36317	4.16E-02	1.5E-02	6.05E-04	9.14E-06	1.49E-01	4.71E-02	6.41E-08	1.0E+06	6.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	2.04E-03
2	5	2.15E-03
3	5	2.26E-03
4	5	2.39E-03
5	5	2.53E-03
6	5	2.72E-03
7	5	2.96E-03
8	5	3.21E-03
9	5	3.51E-03
10	5	3.84E-03
11	5	4.21E-03
12	5	4.55E-03
13	5	4.79E-03
14	5	4.63E-03
15	5	2.32E-03
16	5	2.46E-03
17	5	2.63E-03
18	5	2.80E-03
19	5	2.97E-03
20	5	3.19E-03
21	5	3.44E-03
22	5	3.75E-03
23	5	4.17E-03
24	5	4.56E-03
25	5	5.07E-03
26	5	5.55E-03
27	5	5.85E-03
28	5	5.64E-03
29	5	2.60E-03
30	5	2.81E-03
31	5	3.06E-03

Max	Receptor #	
0.112	145	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	3.32E-03
33	5	3.54E-03
34	5	3.83E-03
35	5	4.14E-03
36	5	4.53E-03
37	5	5.02E-03
38	5	5.62E-03
39	5	6.27E-03
40	5	6.86E-03
41	5	7.34E-03
42	5	7.00E-03
43	5	2.84E-03
44	5	3.12E-03
45	5	3.47E-03
46	5	3.86E-03
47	5	4.24E-03
48	5	4.64E-03
49	5	5.07E-03
50	5	5.54E-03
51	5	6.31E-03
52	5	7.08E-03
53	5	8.04E-03
54	5	8.92E-03
55	5	9.63E-03
56	5	8.81E-03
57	5	3.01E-03
58	5	3.40E-03
59	5	3.88E-03
60	5	4.43E-03
61	5	5.04E-03
62	5	5.71E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	6.50E-03
64	5	7.11E-03
65	5	8.19E-03
66	5	9.47E-03
67	5	1.07E-02
68	5	1.22E-02
69	5	1.34E-02
70	5	3.21E-03
71	5	3.67E-03
72	5	4.28E-03
73	5	4.99E-03
74	5	5.88E-03
75	5	6.93E-03
76	5	8.28E-03
77	5	9.64E-03
78	5	1.15E-02
79	5	1.44E-02
80	5	1.63E-02
81	5	1.89E-02
82	5	2.02E-02
83	5	3.39E-03
84	5	4.00E-03
85	5	4.75E-03
86	5	5.49E-03
87	5	6.60E-03
88	5	8.11E-03
89	5	1.02E-02
90	5	1.32E-02
91	5	1.73E-02
92	5	2.22E-02
93	5	2.71E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	3.09E-02
95	5	3.31E-02
96	5	3.56E-03
97	5	4.20E-03
98	5	4.98E-03
99	5	5.98E-03
100	5	7.27E-03
101	5	9.26E-03
102	5	1.24E-02
103	5	1.76E-02
104	5	2.65E-02
105	5	4.02E-02
106	5	5.28E-02
107	5	6.03E-02
108	5	6.41E-02
109	5	3.54E-03
110	5	4.16E-03
111	5	4.96E-03
112	5	6.06E-03
113	5	7.66E-03
114	5	1.01E-02
115	5	1.42E-02
116	5	2.25E-02
117	5	4.46E-02
118	5	5.28E-02
119	5	8.39E-02
120	5	9.37E-02
121	5	9.23E-02
122	5	3.36E-03
123	5	3.98E-03
124	5	4.80E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	5.93E-03
126	5	7.54E-03
127	5	1.00E-02
128	5	1.39E-02
129	5	2.27E-02
130	5	5.55E-02
131	5	1.81E-02
132	5	1.28E-02
133	5	3.10E-03
134	5	3.73E-03
135	5	4.53E-03
136	5	5.57E-03
137	5	7.06E-03
138	5	9.25E-03
139	5	1.26E-02
140	5	1.94E-02
141	5	3.80E-02
142	5	5.34E-02
143	5	8.46E-02
144	5	1.11E-01
145	5	1.12E-01
146	5	1.78E-02
147	5	2.85E-03
148	5	3.40E-03
149	5	4.12E-03
150	5	5.06E-03
151	5	6.40E-03
152	5	8.17E-03
153	5	1.08E-02
154	5	1.57E-02
155	5	2.57E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	4.38E-02
157	5	5.75E-02
158	5	6.06E-02
159	5	6.60E-02
160	5	2.67E-03
161	5	3.10E-03
162	5	3.61E-03
163	5	4.46E-03
164	5	5.66E-03
165	5	7.09E-03
166	5	9.20E-03
167	5	1.24E-02
168	5	1.78E-02
169	5	2.57E-02
170	5	3.27E-02
171	5	3.60E-02
172	5	3.79E-02
173	5	3.88E-02
174	5	3.86E-02
175	5	3.46E-02
176	5	2.74E-02
177	5	1.92E-02
178	5	1.28E-02
179	5	2.41E-03
180	5	2.76E-03
181	5	3.11E-03
182	5	3.89E-03
183	5	5.02E-03
184	5	6.17E-03
185	5	7.81E-03
186	5	1.01E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.33E-02
188	5	1.75E-02
189	5	2.15E-02
190	5	2.40E-02
191	5	2.48E-02
192	5	2.50E-02
193	5	2.42E-02
194	5	2.29E-02
195	5	1.96E-02
196	5	1.50E-02
197	5	1.09E-02
198	5	2.24E-03
199	5	2.54E-03
200	5	2.91E-03
201	5	3.44E-03
202	5	4.36E-03
203	5	5.33E-03
204	5	6.61E-03
205	5	8.23E-03
206	5	1.04E-02
207	5	1.29E-02
208	5	1.54E-02
209	5	1.72E-02
210	5	1.80E-02
211	5	1.79E-02
212	5	1.71E-02
213	5	1.55E-02
214	5	1.32E-02
215	5	1.21E-02
216	5	2.11E-03
217	5	2.36E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	2.68E-03
219	5	3.10E-03
220	5	3.80E-03
221	5	4.51E-03
222	5	5.53E-03
223	5	6.71E-03
224	5	8.20E-03
225	5	9.85E-03
226	5	1.16E-02
227	5	1.28E-02
228	5	1.36E-02
229	5	1.36E-02
230	5	1.31E-02
231	5	1.21E-02
232	5	1.07E-02
233	5	9.84E-03
234	5	1.99E-03
235	5	2.19E-03
236	5	2.46E-03
237	5	2.83E-03
238	5	3.32E-03
239	5	3.88E-03
240	5	4.61E-03
241	5	5.51E-03
242	5	6.58E-03
243	5	7.77E-03
244	5	9.02E-03
245	5	1.00E-02
246	5	1.07E-02
247	5	1.08E-02
248	5	1.06E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	9.87E-03
250	5	8.96E-03
251	5	8.28E-03
252	5	1.85E-03
253	5	2.01E-03
254	5	2.21E-03
255	5	2.46E-03
256	5	2.93E-03
257	5	3.25E-03
258	5	3.73E-03
259	5	4.33E-03
260	5	5.17E-03
261	5	6.19E-03
262	5	7.18E-03
263	5	7.95E-03
264	5	8.53E-03
265	5	8.72E-03
266	5	8.60E-03
267	5	8.14E-03
268	5	7.49E-03
269	5	7.01E-03
270	5	1.71E-03
271	5	1.85E-03
272	5	2.02E-03
273	5	2.22E-03
274	5	2.65E-03
275	5	3.04E-03
276	5	3.21E-03
277	5	3.65E-03
278	5	4.23E-03
279	5	4.93E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	5.76E-03
281	5	6.48E-03
282	5	6.97E-03
283	5	7.20E-03
284	5	7.15E-03
285	5	6.86E-03
286	5	6.41E-03
287	5	6.03E-03
288	5	1.60E-03
289	5	1.70E-03
290	5	1.89E-03
291	5	2.09E-03
292	5	2.61E-03
293	5	2.80E-03
294	5	2.83E-03
295	5	3.21E-03
296	5	3.67E-03
297	5	4.15E-03
298	5	4.72E-03
299	5	5.33E-03
300	5	5.74E-03
301	5	6.01E-03
302	5	6.07E-03
303	5	5.91E-03
304	5	5.59E-03
305	5	5.26E-03
306	5	1.59E-03
307	5	1.63E-03
308	5	1.76E-03
309	5	2.08E-03
310	5	2.41E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	2.55E-03
312	5	2.52E-03
313	5	2.83E-03
314	5	3.21E-03
315	5	3.71E-03
316	5	4.05E-03
317	5	4.43E-03
318	5	4.79E-03
319	5	5.09E-03
320	5	5.24E-03
321	5	5.14E-03
322	5	4.90E-03
323	5	4.61E-03
324	5	1.49E-03
325	5	1.65E-03
326	5	1.75E-03
327	5	1.83E-03
328	5	2.25E-03
329	5	2.34E-03
330	5	2.32E-03
331	5	2.59E-03
332	5	2.91E-03
333	5	3.33E-03
334	5	3.67E-03
335	5	3.99E-03
336	5	1.64E-02
337	5	1.12E-02
338	5	4.71E-03
339	5	4.79E-03
340	5	4.80E-03
341	5	4.75E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	4.64E-03
343	5	4.27E-03
344	5	4.06E-03
345	5	3.82E-03
346	5	3.56E-03
347	5	5.78E-03
348	5	5.92E-03
349	5	5.91E-03
350	5	5.80E-03
351	5	5.66E-03
352	5	5.08E-03
353	5	4.76E-03
354	5	4.36E-03
355	5	4.02E-03
356	5	7.27E-03
357	5	7.53E-03
358	5	7.52E-03
359	5	7.36E-03
360	5	7.05E-03
361	5	6.10E-03
362	5	5.61E-03
363	5	5.03E-03
364	5	9.48E-03
365	5	9.75E-03
366	5	9.85E-03
367	5	9.53E-03
368	5	9.00E-03
369	5	7.42E-03
370	5	5.89E-03
371	5	5.15E-03
372	5	1.31E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	1.34E-02
374	5	1.34E-02
375	5	1.28E-02
376	5	1.18E-02
377	5	1.05E-02
378	5	9.16E-03
379	5	6.76E-03
380	5	5.77E-03
381	5	4.92E-03
382	5	1.96E-02
383	5	1.99E-02
384	5	1.94E-02
385	5	1.80E-02
386	5	1.60E-02
387	5	1.35E-02
388	5	1.13E-02
389	5	7.60E-03
390	5	6.25E-03
391	5	5.20E-03
392	5	4.26E-03
393	5	2.78E-02
394	5	2.75E-02
395	5	2.42E-02
396	5	2.13E-02
397	5	1.70E-02
398	5	1.33E-02
399	5	1.06E-02
400	5	8.31E-03
401	5	6.60E-03
402	5	4.29E-03
403	5	8.85E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	4.42E-03
405	5	3.59E-03
406	5	8.81E-03
407	5	3.48E-03
408	5	8.35E-03
409	5	3.35E-03
410	5	7.68E-03
411	5	3.89E-03
412	5	3.27E-03
413	5	6.99E-03
414	5	4.42E-03
415	5	3.67E-03
416	5	3.12E-03
417	5	6.36E-03
418	5	3.46E-03
419	5	2.95E-03
420	5	2.55E-03
421	5	5.80E-03
422	5	2.79E-03
423	5	2.44E-03
424	5	5.30E-03
425	5	2.31E-03
426	5	2.05E-03
427	5	4.84E-03
428	5	2.19E-03
429	5	1.95E-03
430	5	4.43E-03
431	5	1.86E-03
432	5	1.66E-03
433	5	4.05E-03
434	5	1.77E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.60E-03
436	5	3.71E-03
437	5	1.87E-03
438	5	1.68E-03
439	5	1.53E-03
440	5	3.40E-03
441	5	2.26E-03
442	5	1.98E-03
443	5	1.77E-03
444	5	1.60E-03
445	5	3.13E-03
446	5	2.39E-03
447	5	2.11E-03
448	5	1.87E-03
449	5	2.88E-03
450	5	2.54E-03
451	5	2.24E-03
452	5	2.65E-03
453	5	2.36E-03
454	5	1.26E-03
455	5	1.17E-03
456	5	2.45E-03
457	5	2.20E-03
458	5	1.97E-03
459	5	1.44E-03
460	5	1.32E-03
461	5	1.21E-03
462	5	1.12E-03
463	5	1.53E-02
464	5	1.06E-02
465	5	1.33E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	9.10E-03
467	5	9.73E-03
468	5	8.59E-03
469	5	7.57E-03
470	5	8.41E-03
471	5	7.16E-03
472	5	7.22E-03
473	5	5.91E-03
474	5	6.24E-03
475	5	5.25E-03
476	5	5.44E-03
477	5	4.69E-03
478	5	4.78E-03
479	5	4.19E-03
480	5	3.62E-03
481	5	4.24E-03
482	5	3.31E-03
483	5	3.40E-03
484	5	3.02E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24522	1.40E-02	3.4E-03	6.05E-04	2.08E-06	3.82E+00	4.71E-02	3.75E-07	1.0E+06	3.7E-01
2	0.25812	1.40E-02	3.6E-03	6.05E-04	2.19E-06	3.82E+00	4.71E-02	3.95E-07	1.0E+06	3.9E-01
3	0.27182	1.40E-02	3.8E-03	6.05E-04	2.31E-06	3.82E+00	4.71E-02	4.15E-07	1.0E+06	4.2E-01
4	0.28694	1.40E-02	4.0E-03	6.05E-04	2.43E-06	3.82E+00	4.71E-02	4.39E-07	1.0E+06	4.4E-01
5	0.30421	1.40E-02	4.3E-03	6.05E-04	2.58E-06	3.82E+00	4.71E-02	4.65E-07	1.0E+06	4.6E-01
6	0.32665	1.40E-02	4.6E-03	6.05E-04	2.77E-06	3.82E+00	4.71E-02	4.99E-07	1.0E+06	5.0E-01
7	0.35525	1.40E-02	5.0E-03	6.05E-04	3.01E-06	3.82E+00	4.71E-02	5.43E-07	1.0E+06	5.4E-01
8	0.38621	1.40E-02	5.4E-03	6.05E-04	3.28E-06	3.82E+00	4.71E-02	5.90E-07	1.0E+06	5.9E-01
9	0.42233	1.40E-02	5.9E-03	6.05E-04	3.58E-06	3.82E+00	4.71E-02	6.46E-07	1.0E+06	6.5E-01
10	0.46134	1.40E-02	6.5E-03	6.05E-04	3.91E-06	3.82E+00	4.71E-02	7.05E-07	1.0E+06	7.1E-01
11	0.50584	1.40E-02	7.1E-03	6.05E-04	4.29E-06	3.82E+00	4.71E-02	7.73E-07	1.0E+06	7.7E-01
12	0.54691	1.40E-02	7.7E-03	6.05E-04	4.64E-06	3.82E+00	4.71E-02	8.36E-07	1.0E+06	8.4E-01
13	0.5752	1.40E-02	8.1E-03	6.05E-04	4.88E-06	3.82E+00	4.71E-02	8.79E-07	1.0E+06	8.8E-01
14	0.55713	1.40E-02	7.8E-03	6.05E-04	4.73E-06	3.82E+00	4.71E-02	8.52E-07	1.0E+06	8.5E-01
15	0.27871	1.40E-02	3.9E-03	6.05E-04	2.36E-06	3.82E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
16	0.29601	1.40E-02	4.1E-03	6.05E-04	2.51E-06	3.82E+00	4.71E-02	4.52E-07	1.0E+06	4.5E-01
17	0.31614	1.40E-02	4.4E-03	6.05E-04	2.68E-06	3.82E+00	4.71E-02	4.83E-07	1.0E+06	4.8E-01
18	0.33621	1.40E-02	4.7E-03	6.05E-04	2.85E-06	3.82E+00	4.71E-02	5.14E-07	1.0E+06	5.1E-01
19	0.35725	1.40E-02	5.0E-03	6.05E-04	3.03E-06	3.82E+00	4.71E-02	5.46E-07	1.0E+06	5.5E-01
20	0.38354	1.40E-02	5.4E-03	6.05E-04	3.25E-06	3.82E+00	4.71E-02	5.86E-07	1.0E+06	5.9E-01
21	0.41325	1.40E-02	5.8E-03	6.05E-04	3.50E-06	3.82E+00	4.71E-02	6.32E-07	1.0E+06	6.3E-01
22	0.45075	1.40E-02	6.3E-03	6.05E-04	3.82E-06	3.82E+00	4.71E-02	6.89E-07	1.0E+06	6.9E-01
23	0.50138	1.40E-02	7.0E-03	6.05E-04	4.25E-06	3.82E+00	4.71E-02	7.66E-07	1.0E+06	7.7E-01
24	0.54771	1.40E-02	7.7E-03	6.05E-04	4.65E-06	3.82E+00	4.71E-02	8.37E-07	1.0E+06	8.4E-01
25	0.60994	1.40E-02	8.5E-03	6.05E-04	5.17E-06	3.82E+00	4.71E-02	9.32E-07	1.0E+06	9.3E-01
26	0.66721	1.40E-02	9.4E-03	6.05E-04	5.66E-06	3.82E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
27	0.70269	1.40E-02	9.8E-03	6.05E-04	5.96E-06	3.82E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
28	0.67847	1.40E-02	9.5E-03	6.05E-04	5.75E-06	3.82E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
29	0.31274	1.40E-02	4.4E-03	6.05E-04	2.65E-06	3.82E+00	4.71E-02	4.78E-07	1.0E+06	4.8E-01
30	0.33825	1.40E-02	4.7E-03	6.05E-04	2.87E-06	3.82E+00	4.71E-02	5.17E-07	1.0E+06	5.2E-01
31	0.3674	1.40E-02	5.1E-03	6.05E-04	3.12E-06	3.82E+00	4.71E-02	5.62E-07	1.0E+06	5.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.39913	1.40E-02	5.6E-03	6.05E-04	3.39E-06	3.82E+00	4.71E-02	6.10E-07	1.0E+06	6.1E-01
33	0.42599	1.40E-02	6.0E-03	6.05E-04	3.61E-06	3.82E+00	4.71E-02	6.51E-07	1.0E+06	6.5E-01
34	0.46028	1.40E-02	6.5E-03	6.05E-04	3.90E-06	3.82E+00	4.71E-02	7.04E-07	1.0E+06	7.0E-01
35	0.49742	1.40E-02	7.0E-03	6.05E-04	4.22E-06	3.82E+00	4.71E-02	7.60E-07	1.0E+06	7.6E-01
36	0.5441	1.40E-02	7.6E-03	6.05E-04	4.61E-06	3.82E+00	4.71E-02	8.32E-07	1.0E+06	8.3E-01
37	0.60298	1.40E-02	8.5E-03	6.05E-04	5.11E-06	3.82E+00	4.71E-02	9.22E-07	1.0E+06	9.2E-01
38	0.67584	1.40E-02	9.5E-03	6.05E-04	5.73E-06	3.82E+00	4.71E-02	1.03E-06	1.0E+06	1.0E+00
39	0.75362	1.40E-02	1.1E-02	6.05E-04	6.39E-06	3.82E+00	4.71E-02	1.15E-06	1.0E+06	1.2E+00
40	0.82458	1.40E-02	1.2E-02	6.05E-04	6.99E-06	3.82E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
41	0.88192	1.40E-02	1.2E-02	6.05E-04	7.48E-06	3.82E+00	4.71E-02	1.35E-06	1.0E+06	1.3E+00
42	0.84179	1.40E-02	1.2E-02	6.05E-04	7.14E-06	3.82E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00
43	0.3419	1.40E-02	4.8E-03	6.05E-04	2.90E-06	3.82E+00	4.71E-02	5.23E-07	1.0E+06	5.2E-01
44	0.37456	1.40E-02	5.3E-03	6.05E-04	3.18E-06	3.82E+00	4.71E-02	5.73E-07	1.0E+06	5.7E-01
45	0.41658	1.40E-02	5.8E-03	6.05E-04	3.53E-06	3.82E+00	4.71E-02	6.37E-07	1.0E+06	6.4E-01
46	0.46349	1.40E-02	6.5E-03	6.05E-04	3.93E-06	3.82E+00	4.71E-02	7.08E-07	1.0E+06	7.1E-01
47	0.50951	1.40E-02	7.1E-03	6.05E-04	4.32E-06	3.82E+00	4.71E-02	7.79E-07	1.0E+06	7.8E-01
48	0.55797	1.40E-02	7.8E-03	6.05E-04	4.73E-06	3.82E+00	4.71E-02	8.53E-07	1.0E+06	8.5E-01
49	0.60926	1.40E-02	8.5E-03	6.05E-04	5.17E-06	3.82E+00	4.71E-02	9.31E-07	1.0E+06	9.3E-01
50	0.66552	1.40E-02	9.3E-03	6.05E-04	5.64E-06	3.82E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
51	0.75822	1.40E-02	1.1E-02	6.05E-04	6.43E-06	3.82E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
52	0.85126	1.40E-02	1.2E-02	6.05E-04	7.22E-06	3.82E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
53	0.96684	1.40E-02	1.4E-02	6.05E-04	8.20E-06	3.82E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
54	1.07266	1.40E-02	1.5E-02	6.05E-04	9.10E-06	3.82E+00	4.71E-02	1.64E-06	1.0E+06	1.6E+00
55	1.15752	1.40E-02	1.6E-02	6.05E-04	9.82E-06	3.82E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
56	1.05945	1.40E-02	1.5E-02	6.05E-04	8.99E-06	3.82E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
57	0.36224	1.40E-02	5.1E-03	6.05E-04	3.07E-06	3.82E+00	4.71E-02	5.54E-07	1.0E+06	5.5E-01
58	0.4086	1.40E-02	5.7E-03	6.05E-04	3.47E-06	3.82E+00	4.71E-02	6.25E-07	1.0E+06	6.2E-01
59	0.46663	1.40E-02	6.5E-03	6.05E-04	3.96E-06	3.82E+00	4.71E-02	7.13E-07	1.0E+06	7.1E-01
60	0.53196	1.40E-02	7.5E-03	6.05E-04	4.51E-06	3.82E+00	4.71E-02	8.13E-07	1.0E+06	8.1E-01
61	0.6059	1.40E-02	8.5E-03	6.05E-04	5.14E-06	3.82E+00	4.71E-02	9.26E-07	1.0E+06	9.3E-01
62	0.68687	1.40E-02	9.6E-03	6.05E-04	5.83E-06	3.82E+00	4.71E-02	1.05E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.7816	1.40E-02	1.1E-02	6.05E-04	6.63E-06	3.82E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
64	0.85518	1.40E-02	1.2E-02	6.05E-04	7.25E-06	3.82E+00	4.71E-02	1.31E-06	1.0E+06	1.3E+00
65	0.98486	1.40E-02	1.4E-02	6.05E-04	8.35E-06	3.82E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00
66	1.13862	1.40E-02	1.6E-02	6.05E-04	9.66E-06	3.82E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
67	1.29122	1.40E-02	1.8E-02	6.05E-04	1.10E-05	3.82E+00	4.71E-02	1.97E-06	1.0E+06	2.0E+00
68	1.46923	1.40E-02	2.1E-02	6.05E-04	1.25E-05	3.82E+00	4.71E-02	2.25E-06	1.0E+06	2.2E+00
69	1.61487	1.40E-02	2.3E-02	6.05E-04	1.37E-05	3.82E+00	4.71E-02	2.47E-06	1.0E+06	2.5E+00
70	0.38587	1.40E-02	5.4E-03	6.05E-04	3.27E-06	3.82E+00	4.71E-02	5.90E-07	1.0E+06	5.9E-01
71	0.44138	1.40E-02	6.2E-03	6.05E-04	3.74E-06	3.82E+00	4.71E-02	6.75E-07	1.0E+06	6.7E-01
72	0.51499	1.40E-02	7.2E-03	6.05E-04	4.37E-06	3.82E+00	4.71E-02	7.87E-07	1.0E+06	7.9E-01
73	0.59943	1.40E-02	8.4E-03	6.05E-04	5.08E-06	3.82E+00	4.71E-02	9.16E-07	1.0E+06	9.2E-01
74	0.70697	1.40E-02	9.9E-03	6.05E-04	6.00E-06	3.82E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
75	0.83321	1.40E-02	1.2E-02	6.05E-04	7.07E-06	3.82E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
76	0.99536	1.40E-02	1.4E-02	6.05E-04	8.44E-06	3.82E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
77	1.15904	1.40E-02	1.6E-02	6.05E-04	9.83E-06	3.82E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
78	1.38678	1.40E-02	1.9E-02	6.05E-04	1.18E-05	3.82E+00	4.71E-02	2.12E-06	1.0E+06	2.1E+00
79	1.72999	1.40E-02	2.4E-02	6.05E-04	1.47E-05	3.82E+00	4.71E-02	2.64E-06	1.0E+06	2.6E+00
80	1.95913	1.40E-02	2.7E-02	6.05E-04	1.66E-05	3.82E+00	4.71E-02	2.99E-06	1.0E+06	3.0E+00
81	2.26974	1.40E-02	3.2E-02	6.05E-04	1.93E-05	3.82E+00	4.71E-02	3.47E-06	1.0E+06	3.5E+00
82	2.4321	1.40E-02	3.4E-02	6.05E-04	2.06E-05	3.82E+00	4.71E-02	3.72E-06	1.0E+06	3.7E+00
83	0.40751	1.40E-02	5.7E-03	6.05E-04	3.46E-06	3.82E+00	4.71E-02	6.23E-07	1.0E+06	6.2E-01
84	0.48107	1.40E-02	6.7E-03	6.05E-04	4.08E-06	3.82E+00	4.71E-02	7.35E-07	1.0E+06	7.4E-01
85	0.57125	1.40E-02	8.0E-03	6.05E-04	4.85E-06	3.82E+00	4.71E-02	8.73E-07	1.0E+06	8.7E-01
86	0.65944	1.40E-02	9.2E-03	6.05E-04	5.59E-06	3.82E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
87	0.793	1.40E-02	1.1E-02	6.05E-04	6.73E-06	3.82E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
88	0.9744	1.40E-02	1.4E-02	6.05E-04	8.26E-06	3.82E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
89	1.22894	1.40E-02	1.7E-02	6.05E-04	1.04E-05	3.82E+00	4.71E-02	1.88E-06	1.0E+06	1.9E+00
90	1.58842	1.40E-02	2.2E-02	6.05E-04	1.35E-05	3.82E+00	4.71E-02	2.43E-06	1.0E+06	2.4E+00
91	2.07909	1.40E-02	2.9E-02	6.05E-04	1.76E-05	3.82E+00	4.71E-02	3.18E-06	1.0E+06	3.2E+00
92	2.673	1.40E-02	3.7E-02	6.05E-04	2.27E-05	3.82E+00	4.71E-02	4.09E-06	1.0E+06	4.1E+00
93	3.26073	1.40E-02	4.6E-02	6.05E-04	2.77E-05	3.82E+00	4.71E-02	4.98E-06	1.0E+06	5.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.7105	1.40E-02	5.2E-02	6.05E-04	3.15E-05	3.82E+00	4.71E-02	5.67E-06	1.0E+06	5.7E+00
95	3.97772	1.40E-02	5.6E-02	6.05E-04	3.37E-05	3.82E+00	4.71E-02	6.08E-06	1.0E+06	6.1E+00
96	0.42783	1.40E-02	6.0E-03	6.05E-04	3.63E-06	3.82E+00	4.71E-02	6.54E-07	1.0E+06	6.5E-01
97	0.50509	1.40E-02	7.1E-03	6.05E-04	4.28E-06	3.82E+00	4.71E-02	7.72E-07	1.0E+06	7.7E-01
98	0.59829	1.40E-02	8.4E-03	6.05E-04	5.07E-06	3.82E+00	4.71E-02	9.14E-07	1.0E+06	9.1E-01
99	0.71884	1.40E-02	1.0E-02	6.05E-04	6.10E-06	3.82E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
100	0.87437	1.40E-02	1.2E-02	6.05E-04	7.42E-06	3.82E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
101	1.11264	1.40E-02	1.6E-02	6.05E-04	9.44E-06	3.82E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
102	1.49032	1.40E-02	2.1E-02	6.05E-04	1.26E-05	3.82E+00	4.71E-02	2.28E-06	1.0E+06	2.3E+00
103	2.11062	1.40E-02	3.0E-02	6.05E-04	1.79E-05	3.82E+00	4.71E-02	3.23E-06	1.0E+06	3.2E+00
104	3.18262	1.40E-02	4.5E-02	6.05E-04	2.70E-05	3.82E+00	4.71E-02	4.86E-06	1.0E+06	4.9E+00
105	4.82918	1.40E-02	6.8E-02	6.05E-04	4.10E-05	3.82E+00	4.71E-02	7.38E-06	1.0E+06	7.4E+00
106	6.35044	1.40E-02	8.9E-02	6.05E-04	5.39E-05	3.82E+00	4.71E-02	9.71E-06	1.0E+06	9.7E+00
107	7.24945	1.40E-02	1.0E-01	6.05E-04	6.15E-05	3.82E+00	4.71E-02	1.11E-05	1.0E+06	1.1E+01
108	7.70358	1.40E-02	1.1E-01	6.05E-04	6.53E-05	3.82E+00	4.71E-02	1.18E-05	1.0E+06	1.2E+01
109	0.42527	1.40E-02	6.0E-03	6.05E-04	3.61E-06	3.82E+00	4.71E-02	6.50E-07	1.0E+06	6.5E-01
110	0.50003	1.40E-02	7.0E-03	6.05E-04	4.24E-06	3.82E+00	4.71E-02	7.64E-07	1.0E+06	7.6E-01
111	0.59613	1.40E-02	8.4E-03	6.05E-04	5.06E-06	3.82E+00	4.71E-02	9.11E-07	1.0E+06	9.1E-01
112	0.72796	1.40E-02	1.0E-02	6.05E-04	6.17E-06	3.82E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
113	0.92025	1.40E-02	1.3E-02	6.05E-04	7.81E-06	3.82E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
114	1.21078	1.40E-02	1.7E-02	6.05E-04	1.03E-05	3.82E+00	4.71E-02	1.85E-06	1.0E+06	1.9E+00
115	1.70768	1.40E-02	2.4E-02	6.05E-04	1.45E-05	3.82E+00	4.71E-02	2.61E-06	1.0E+06	2.6E+00
116	2.70228	1.40E-02	3.8E-02	6.05E-04	2.29E-05	3.82E+00	4.71E-02	4.13E-06	1.0E+06	4.1E+00
117	5.36175	1.40E-02	7.5E-02	6.05E-04	4.55E-05	3.82E+00	4.71E-02	8.20E-06	1.0E+06	8.2E+00
118	6.35201	1.40E-02	8.9E-02	6.05E-04	5.39E-05	3.82E+00	4.71E-02	9.71E-06	1.0E+06	9.7E+00
119	10.08642	1.40E-02	1.4E-01	6.05E-04	8.55E-05	3.82E+00	4.71E-02	1.54E-05	1.0E+06	1.5E+01
120	11.26207	1.40E-02	1.6E-01	6.05E-04	9.55E-05	3.82E+00	4.71E-02	1.72E-05	1.0E+06	1.7E+01
121	11.09892	1.40E-02	1.6E-01	6.05E-04	9.41E-05	3.82E+00	4.71E-02	1.70E-05	1.0E+06	1.7E+01
122	0.40376	1.40E-02	5.7E-03	6.05E-04	3.42E-06	3.82E+00	4.71E-02	6.17E-07	1.0E+06	6.2E-01
123	0.47827	1.40E-02	6.7E-03	6.05E-04	4.06E-06	3.82E+00	4.71E-02	7.31E-07	1.0E+06	7.3E-01
124	0.57738	1.40E-02	8.1E-03	6.05E-04	4.90E-06	3.82E+00	4.71E-02	8.83E-07	1.0E+06	8.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.71334	1.40E-02	1.0E-02	6.05E-04	6.05E-06	3.82E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
126	0.90625	1.40E-02	1.3E-02	6.05E-04	7.69E-06	3.82E+00	4.71E-02	1.39E-06	1.0E+06	1.4E+00
127	1.20749	1.40E-02	1.7E-02	6.05E-04	1.02E-05	3.82E+00	4.71E-02	1.85E-06	1.0E+06	1.8E+00
128	1.67153	1.40E-02	2.3E-02	6.05E-04	1.42E-05	3.82E+00	4.71E-02	2.55E-06	1.0E+06	2.6E+00
129	2.7297	1.40E-02	3.8E-02	6.05E-04	2.32E-05	3.82E+00	4.71E-02	4.17E-06	1.0E+06	4.2E+00
130	6.66669	1.40E-02	9.3E-02	6.05E-04	5.65E-05	3.82E+00	4.71E-02	1.02E-05	1.0E+06	1.0E+01
131	2.17942	1.40E-02	3.1E-02	6.05E-04	1.85E-05	3.82E+00	4.71E-02	3.33E-06	1.0E+06	3.3E+00
132	1.5364	1.40E-02	2.2E-02	6.05E-04	1.30E-05	3.82E+00	4.71E-02	2.35E-06	1.0E+06	2.3E+00
133	0.37253	1.40E-02	5.2E-03	6.05E-04	3.16E-06	3.82E+00	4.71E-02	5.69E-07	1.0E+06	5.7E-01
134	0.44783	1.40E-02	6.3E-03	6.05E-04	3.80E-06	3.82E+00	4.71E-02	6.85E-07	1.0E+06	6.8E-01
135	0.54393	1.40E-02	7.6E-03	6.05E-04	4.61E-06	3.82E+00	4.71E-02	8.31E-07	1.0E+06	8.3E-01
136	0.66975	1.40E-02	9.4E-03	6.05E-04	5.68E-06	3.82E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
137	0.8492	1.40E-02	1.2E-02	6.05E-04	7.20E-06	3.82E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
138	1.11161	1.40E-02	1.6E-02	6.05E-04	9.43E-06	3.82E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
139	1.51637	1.40E-02	2.1E-02	6.05E-04	1.29E-05	3.82E+00	4.71E-02	2.32E-06	1.0E+06	2.3E+00
140	2.33444	1.40E-02	3.3E-02	6.05E-04	1.98E-05	3.82E+00	4.71E-02	3.57E-06	1.0E+06	3.6E+00
141	4.56552	1.40E-02	6.4E-02	6.05E-04	3.87E-05	3.82E+00	4.71E-02	6.98E-06	1.0E+06	7.0E+00
142	6.41914	1.40E-02	9.0E-02	6.05E-04	5.44E-05	3.82E+00	4.71E-02	9.81E-06	1.0E+06	9.8E+00
143	10.17338	1.40E-02	1.4E-01	6.05E-04	8.63E-05	3.82E+00	4.71E-02	1.56E-05	1.0E+06	1.6E+01
144	13.38661	1.40E-02	1.9E-01	6.05E-04	1.14E-04	3.82E+00	4.71E-02	2.05E-05	1.0E+06	2.0E+01
145	13.51679	1.40E-02	1.9E-01	6.05E-04	1.15E-04	3.82E+00	4.71E-02	2.07E-05	1.0E+06	2.1E+01
146	2.14495	1.40E-02	3.0E-02	6.05E-04	1.82E-05	3.82E+00	4.71E-02	3.28E-06	1.0E+06	3.3E+00
147	0.34214	1.40E-02	4.8E-03	6.05E-04	2.90E-06	3.82E+00	4.71E-02	5.23E-07	1.0E+06	5.2E-01
148	0.40831	1.40E-02	5.7E-03	6.05E-04	3.46E-06	3.82E+00	4.71E-02	6.24E-07	1.0E+06	6.2E-01
149	0.49577	1.40E-02	6.9E-03	6.05E-04	4.20E-06	3.82E+00	4.71E-02	7.58E-07	1.0E+06	7.6E-01
150	0.60785	1.40E-02	8.5E-03	6.05E-04	5.16E-06	3.82E+00	4.71E-02	9.29E-07	1.0E+06	9.3E-01
151	0.7688	1.40E-02	1.1E-02	6.05E-04	6.52E-06	3.82E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
152	0.9823	1.40E-02	1.4E-02	6.05E-04	8.33E-06	3.82E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
153	1.30396	1.40E-02	1.8E-02	6.05E-04	1.11E-05	3.82E+00	4.71E-02	1.99E-06	1.0E+06	2.0E+00
154	1.88437	1.40E-02	2.6E-02	6.05E-04	1.60E-05	3.82E+00	4.71E-02	2.88E-06	1.0E+06	2.9E+00
155	3.08613	1.40E-02	4.3E-02	6.05E-04	2.62E-05	3.82E+00	4.71E-02	4.72E-06	1.0E+06	4.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	5.26306	1.40E-02	7.4E-02	6.05E-04	4.46E-05	3.82E+00	4.71E-02	8.04E-06	1.0E+06	8.0E+00
157	6.91686	1.40E-02	9.7E-02	6.05E-04	5.87E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01
158	7.28102	1.40E-02	1.0E-01	6.05E-04	6.18E-05	3.82E+00	4.71E-02	1.11E-05	1.0E+06	1.1E+01
159	7.92875	1.40E-02	1.1E-01	6.05E-04	6.72E-05	3.82E+00	4.71E-02	1.21E-05	1.0E+06	1.2E+01
160	0.32054	1.40E-02	4.5E-03	6.05E-04	2.72E-06	3.82E+00	4.71E-02	4.90E-07	1.0E+06	4.9E-01
161	0.37294	1.40E-02	5.2E-03	6.05E-04	3.16E-06	3.82E+00	4.71E-02	5.70E-07	1.0E+06	5.7E-01
162	0.43383	1.40E-02	6.1E-03	6.05E-04	3.68E-06	3.82E+00	4.71E-02	6.63E-07	1.0E+06	6.6E-01
163	0.53585	1.40E-02	7.5E-03	6.05E-04	4.54E-06	3.82E+00	4.71E-02	8.19E-07	1.0E+06	8.2E-01
164	0.68088	1.40E-02	9.5E-03	6.05E-04	5.77E-06	3.82E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
165	0.85225	1.40E-02	1.2E-02	6.05E-04	7.23E-06	3.82E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
166	1.10586	1.40E-02	1.6E-02	6.05E-04	9.38E-06	3.82E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
167	1.49488	1.40E-02	2.1E-02	6.05E-04	1.27E-05	3.82E+00	4.71E-02	2.28E-06	1.0E+06	2.3E+00
168	2.14007	1.40E-02	3.0E-02	6.05E-04	1.82E-05	3.82E+00	4.71E-02	3.27E-06	1.0E+06	3.3E+00
169	3.09049	1.40E-02	4.3E-02	6.05E-04	2.62E-05	3.82E+00	4.71E-02	4.72E-06	1.0E+06	4.7E+00
170	3.93283	1.40E-02	5.5E-02	6.05E-04	3.34E-05	3.82E+00	4.71E-02	6.01E-06	1.0E+06	6.0E+00
171	4.33042	1.40E-02	6.1E-02	6.05E-04	3.67E-05	3.82E+00	4.71E-02	6.62E-06	1.0E+06	6.6E+00
172	4.55053	1.40E-02	6.4E-02	6.05E-04	3.86E-05	3.82E+00	4.71E-02	6.96E-06	1.0E+06	7.0E+00
173	4.6617	1.40E-02	6.5E-02	6.05E-04	3.95E-05	3.82E+00	4.71E-02	7.13E-06	1.0E+06	7.1E+00
174	4.63839	1.40E-02	6.5E-02	6.05E-04	3.93E-05	3.82E+00	4.71E-02	7.09E-06	1.0E+06	7.1E+00
175	4.15775	1.40E-02	5.8E-02	6.05E-04	3.53E-05	3.82E+00	4.71E-02	6.36E-06	1.0E+06	6.4E+00
176	3.29074	1.40E-02	4.6E-02	6.05E-04	2.79E-05	3.82E+00	4.71E-02	5.03E-06	1.0E+06	5.0E+00
177	2.30244	1.40E-02	3.2E-02	6.05E-04	1.95E-05	3.82E+00	4.71E-02	3.52E-06	1.0E+06	3.5E+00
178	1.53757	1.40E-02	2.2E-02	6.05E-04	1.30E-05	3.82E+00	4.71E-02	2.35E-06	1.0E+06	2.4E+00
179	0.29019	1.40E-02	4.1E-03	6.05E-04	2.46E-06	3.82E+00	4.71E-02	4.44E-07	1.0E+06	4.4E-01
180	0.33117	1.40E-02	4.6E-03	6.05E-04	2.81E-06	3.82E+00	4.71E-02	5.06E-07	1.0E+06	5.1E-01
181	0.37418	1.40E-02	5.2E-03	6.05E-04	3.17E-06	3.82E+00	4.71E-02	5.72E-07	1.0E+06	5.7E-01
182	0.46724	1.40E-02	6.5E-03	6.05E-04	3.96E-06	3.82E+00	4.71E-02	7.14E-07	1.0E+06	7.1E-01
183	0.60354	1.40E-02	8.5E-03	6.05E-04	5.12E-06	3.82E+00	4.71E-02	9.23E-07	1.0E+06	9.2E-01
184	0.74184	1.40E-02	1.0E-02	6.05E-04	6.29E-06	3.82E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
185	0.93939	1.40E-02	1.3E-02	6.05E-04	7.97E-06	3.82E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
186	1.20886	1.40E-02	1.7E-02	6.05E-04	1.03E-05	3.82E+00	4.71E-02	1.85E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	1.59534	1.40E-02	2.2E-02	6.05E-04	1.35E-05	3.82E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
188	2.10918	1.40E-02	3.0E-02	6.05E-04	1.79E-05	3.82E+00	4.71E-02	3.22E-06	1.0E+06	3.2E+00
189	2.58029	1.40E-02	3.6E-02	6.05E-04	2.19E-05	3.82E+00	4.71E-02	3.94E-06	1.0E+06	3.9E+00
190	2.87995	1.40E-02	4.0E-02	6.05E-04	2.44E-05	3.82E+00	4.71E-02	4.40E-06	1.0E+06	4.4E+00
191	2.98254	1.40E-02	4.2E-02	6.05E-04	2.53E-05	3.82E+00	4.71E-02	4.56E-06	1.0E+06	4.6E+00
192	3.0049	1.40E-02	4.2E-02	6.05E-04	2.55E-05	3.82E+00	4.71E-02	4.59E-06	1.0E+06	4.6E+00
193	2.90512	1.40E-02	4.1E-02	6.05E-04	2.46E-05	3.82E+00	4.71E-02	4.44E-06	1.0E+06	4.4E+00
194	2.75066	1.40E-02	3.9E-02	6.05E-04	2.33E-05	3.82E+00	4.71E-02	4.20E-06	1.0E+06	4.2E+00
195	2.36182	1.40E-02	3.3E-02	6.05E-04	2.00E-05	3.82E+00	4.71E-02	3.61E-06	1.0E+06	3.6E+00
196	1.79817	1.40E-02	2.5E-02	6.05E-04	1.53E-05	3.82E+00	4.71E-02	2.75E-06	1.0E+06	2.7E+00
197	1.30564	1.40E-02	1.8E-02	6.05E-04	1.11E-05	3.82E+00	4.71E-02	2.00E-06	1.0E+06	2.0E+00
198	0.26895	1.40E-02	3.8E-03	6.05E-04	2.28E-06	3.82E+00	4.71E-02	4.11E-07	1.0E+06	4.1E-01
199	0.30588	1.40E-02	4.3E-03	6.05E-04	2.59E-06	3.82E+00	4.71E-02	4.68E-07	1.0E+06	4.7E-01
200	0.34989	1.40E-02	4.9E-03	6.05E-04	2.97E-06	3.82E+00	4.71E-02	5.35E-07	1.0E+06	5.3E-01
201	0.41345	1.40E-02	5.8E-03	6.05E-04	3.51E-06	3.82E+00	4.71E-02	6.32E-07	1.0E+06	6.3E-01
202	0.5245	1.40E-02	7.4E-03	6.05E-04	4.45E-06	3.82E+00	4.71E-02	8.02E-07	1.0E+06	8.0E-01
203	0.64051	1.40E-02	9.0E-03	6.05E-04	5.43E-06	3.82E+00	4.71E-02	9.79E-07	1.0E+06	9.8E-01
204	0.79507	1.40E-02	1.1E-02	6.05E-04	6.74E-06	3.82E+00	4.71E-02	1.22E-06	1.0E+06	1.2E+00
205	0.98978	1.40E-02	1.4E-02	6.05E-04	8.39E-06	3.82E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00
206	1.24675	1.40E-02	1.7E-02	6.05E-04	1.06E-05	3.82E+00	4.71E-02	1.91E-06	1.0E+06	1.9E+00
207	1.55455	1.40E-02	2.2E-02	6.05E-04	1.32E-05	3.82E+00	4.71E-02	2.38E-06	1.0E+06	2.4E+00
208	1.85416	1.40E-02	2.6E-02	6.05E-04	1.57E-05	3.82E+00	4.71E-02	2.83E-06	1.0E+06	2.8E+00
209	2.06719	1.40E-02	2.9E-02	6.05E-04	1.75E-05	3.82E+00	4.71E-02	3.16E-06	1.0E+06	3.2E+00
210	2.16636	1.40E-02	3.0E-02	6.05E-04	1.84E-05	3.82E+00	4.71E-02	3.31E-06	1.0E+06	3.3E+00
211	2.15679	1.40E-02	3.0E-02	6.05E-04	1.83E-05	3.82E+00	4.71E-02	3.30E-06	1.0E+06	3.3E+00
212	2.06018	1.40E-02	2.9E-02	6.05E-04	1.75E-05	3.82E+00	4.71E-02	3.15E-06	1.0E+06	3.1E+00
213	1.86154	1.40E-02	2.6E-02	6.05E-04	1.58E-05	3.82E+00	4.71E-02	2.85E-06	1.0E+06	2.8E+00
214	1.58195	1.40E-02	2.2E-02	6.05E-04	1.34E-05	3.82E+00	4.71E-02	2.42E-06	1.0E+06	2.4E+00
215	1.4515	1.40E-02	2.0E-02	6.05E-04	1.23E-05	3.82E+00	4.71E-02	2.22E-06	1.0E+06	2.2E+00
216	0.25394	1.40E-02	3.6E-03	6.05E-04	2.15E-06	3.82E+00	4.71E-02	3.88E-07	1.0E+06	3.9E-01
217	0.28402	1.40E-02	4.0E-03	6.05E-04	2.41E-06	3.82E+00	4.71E-02	4.34E-07	1.0E+06	4.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.32252	1.40E-02	4.5E-03	6.05E-04	2.74E-06	3.82E+00	4.71E-02	4.93E-07	1.0E+06	4.9E-01
219	0.37256	1.40E-02	5.2E-03	6.05E-04	3.16E-06	3.82E+00	4.71E-02	5.69E-07	1.0E+06	5.7E-01
220	0.45636	1.40E-02	6.4E-03	6.05E-04	3.87E-06	3.82E+00	4.71E-02	6.98E-07	1.0E+06	7.0E-01
221	0.54246	1.40E-02	7.6E-03	6.05E-04	4.60E-06	3.82E+00	4.71E-02	8.29E-07	1.0E+06	8.3E-01
222	0.66438	1.40E-02	9.3E-03	6.05E-04	5.63E-06	3.82E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
223	0.80689	1.40E-02	1.1E-02	6.05E-04	6.84E-06	3.82E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
224	0.98601	1.40E-02	1.4E-02	6.05E-04	8.36E-06	3.82E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00
225	1.18396	1.40E-02	1.7E-02	6.05E-04	1.00E-05	3.82E+00	4.71E-02	1.81E-06	1.0E+06	1.8E+00
226	1.39003	1.40E-02	1.9E-02	6.05E-04	1.18E-05	3.82E+00	4.71E-02	2.12E-06	1.0E+06	2.1E+00
227	1.54365	1.40E-02	2.2E-02	6.05E-04	1.31E-05	3.82E+00	4.71E-02	2.36E-06	1.0E+06	2.4E+00
228	1.62944	1.40E-02	2.3E-02	6.05E-04	1.38E-05	3.82E+00	4.71E-02	2.49E-06	1.0E+06	2.5E+00
229	1.63849	1.40E-02	2.3E-02	6.05E-04	1.39E-05	3.82E+00	4.71E-02	2.50E-06	1.0E+06	2.5E+00
230	1.57097	1.40E-02	2.2E-02	6.05E-04	1.33E-05	3.82E+00	4.71E-02	2.40E-06	1.0E+06	2.4E+00
231	1.45346	1.40E-02	2.0E-02	6.05E-04	1.23E-05	3.82E+00	4.71E-02	2.22E-06	1.0E+06	2.2E+00
232	1.28041	1.40E-02	1.8E-02	6.05E-04	1.09E-05	3.82E+00	4.71E-02	1.96E-06	1.0E+06	2.0E+00
233	1.18274	1.40E-02	1.7E-02	6.05E-04	1.00E-05	3.82E+00	4.71E-02	1.81E-06	1.0E+06	1.8E+00
234	0.23974	1.40E-02	3.4E-03	6.05E-04	2.03E-06	3.82E+00	4.71E-02	3.66E-07	1.0E+06	3.7E-01
235	0.26365	1.40E-02	3.7E-03	6.05E-04	2.24E-06	3.82E+00	4.71E-02	4.03E-07	1.0E+06	4.0E-01
236	0.29587	1.40E-02	4.1E-03	6.05E-04	2.51E-06	3.82E+00	4.71E-02	4.52E-07	1.0E+06	4.5E-01
237	0.33958	1.40E-02	4.8E-03	6.05E-04	2.88E-06	3.82E+00	4.71E-02	5.19E-07	1.0E+06	5.2E-01
238	0.39927	1.40E-02	5.6E-03	6.05E-04	3.39E-06	3.82E+00	4.71E-02	6.10E-07	1.0E+06	6.1E-01
239	0.46628	1.40E-02	6.5E-03	6.05E-04	3.95E-06	3.82E+00	4.71E-02	7.13E-07	1.0E+06	7.1E-01
240	0.55425	1.40E-02	7.8E-03	6.05E-04	4.70E-06	3.82E+00	4.71E-02	8.47E-07	1.0E+06	8.5E-01
241	0.66256	1.40E-02	9.3E-03	6.05E-04	5.62E-06	3.82E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
242	0.79101	1.40E-02	1.1E-02	6.05E-04	6.71E-06	3.82E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
243	0.93444	1.40E-02	1.3E-02	6.05E-04	7.93E-06	3.82E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
244	1.08389	1.40E-02	1.5E-02	6.05E-04	9.19E-06	3.82E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
245	1.2064	1.40E-02	1.7E-02	6.05E-04	1.02E-05	3.82E+00	4.71E-02	1.84E-06	1.0E+06	1.8E+00
246	1.28269	1.40E-02	1.8E-02	6.05E-04	1.09E-05	3.82E+00	4.71E-02	1.96E-06	1.0E+06	2.0E+00
247	1.30234	1.40E-02	1.8E-02	6.05E-04	1.10E-05	3.82E+00	4.71E-02	1.99E-06	1.0E+06	2.0E+00
248	1.2704	1.40E-02	1.8E-02	6.05E-04	1.08E-05	3.82E+00	4.71E-02	1.94E-06	1.0E+06	1.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.18628	1.40E-02	1.7E-02	6.05E-04	1.01E-05	3.82E+00	4.71E-02	1.81E-06	1.0E+06	1.8E+00
250	1.0767	1.40E-02	1.5E-02	6.05E-04	9.13E-06	3.82E+00	4.71E-02	1.65E-06	1.0E+06	1.6E+00
251	0.99552	1.40E-02	1.4E-02	6.05E-04	8.44E-06	3.82E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
252	0.22288	1.40E-02	3.1E-03	6.05E-04	1.89E-06	3.82E+00	4.71E-02	3.41E-07	1.0E+06	3.4E-01
253	0.24125	1.40E-02	3.4E-03	6.05E-04	2.05E-06	3.82E+00	4.71E-02	3.69E-07	1.0E+06	3.7E-01
254	0.26526	1.40E-02	3.7E-03	6.05E-04	2.25E-06	3.82E+00	4.71E-02	4.05E-07	1.0E+06	4.1E-01
255	0.29598	1.40E-02	4.1E-03	6.05E-04	2.51E-06	3.82E+00	4.71E-02	4.52E-07	1.0E+06	4.5E-01
256	0.35215	1.40E-02	4.9E-03	6.05E-04	2.99E-06	3.82E+00	4.71E-02	5.38E-07	1.0E+06	5.4E-01
257	0.39078	1.40E-02	5.5E-03	6.05E-04	3.31E-06	3.82E+00	4.71E-02	5.97E-07	1.0E+06	6.0E-01
258	0.44847	1.40E-02	6.3E-03	6.05E-04	3.80E-06	3.82E+00	4.71E-02	6.85E-07	1.0E+06	6.9E-01
259	0.51996	1.40E-02	7.3E-03	6.05E-04	4.41E-06	3.82E+00	4.71E-02	7.95E-07	1.0E+06	7.9E-01
260	0.62139	1.40E-02	8.7E-03	6.05E-04	5.27E-06	3.82E+00	4.71E-02	9.50E-07	1.0E+06	9.5E-01
261	0.74353	1.40E-02	1.0E-02	6.05E-04	6.31E-06	3.82E+00	4.71E-02	1.14E-06	1.0E+06	1.1E+00
262	0.86299	1.40E-02	1.2E-02	6.05E-04	7.32E-06	3.82E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
263	0.95593	1.40E-02	1.3E-02	6.05E-04	8.11E-06	3.82E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
264	1.0253	1.40E-02	1.4E-02	6.05E-04	8.70E-06	3.82E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
265	1.0477	1.40E-02	1.5E-02	6.05E-04	8.89E-06	3.82E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
266	1.03328	1.40E-02	1.4E-02	6.05E-04	8.76E-06	3.82E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
267	0.97802	1.40E-02	1.4E-02	6.05E-04	8.29E-06	3.82E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
268	0.90078	1.40E-02	1.3E-02	6.05E-04	7.64E-06	3.82E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
269	0.8422	1.40E-02	1.2E-02	6.05E-04	7.14E-06	3.82E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00
270	0.20609	1.40E-02	2.9E-03	6.05E-04	1.75E-06	3.82E+00	4.71E-02	3.15E-07	1.0E+06	3.2E-01
271	0.22236	1.40E-02	3.1E-03	6.05E-04	1.89E-06	3.82E+00	4.71E-02	3.40E-07	1.0E+06	3.4E-01
272	0.2426	1.40E-02	3.4E-03	6.05E-04	2.06E-06	3.82E+00	4.71E-02	3.71E-07	1.0E+06	3.7E-01
273	0.26659	1.40E-02	3.7E-03	6.05E-04	2.26E-06	3.82E+00	4.71E-02	4.07E-07	1.0E+06	4.1E-01
274	0.31843	1.40E-02	4.5E-03	6.05E-04	2.70E-06	3.82E+00	4.71E-02	4.87E-07	1.0E+06	4.9E-01
275	0.36509	1.40E-02	5.1E-03	6.05E-04	3.10E-06	3.82E+00	4.71E-02	5.58E-07	1.0E+06	5.6E-01
276	0.38581	1.40E-02	5.4E-03	6.05E-04	3.27E-06	3.82E+00	4.71E-02	5.90E-07	1.0E+06	5.9E-01
277	0.43917	1.40E-02	6.2E-03	6.05E-04	3.72E-06	3.82E+00	4.71E-02	6.71E-07	1.0E+06	6.7E-01
278	0.50889	1.40E-02	7.1E-03	6.05E-04	4.32E-06	3.82E+00	4.71E-02	7.78E-07	1.0E+06	7.8E-01
279	0.5928	1.40E-02	8.3E-03	6.05E-04	5.03E-06	3.82E+00	4.71E-02	9.06E-07	1.0E+06	9.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.69196	1.40E-02	9.7E-03	6.05E-04	5.87E-06	3.82E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
281	0.77845	1.40E-02	1.1E-02	6.05E-04	6.60E-06	3.82E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
282	0.83812	1.40E-02	1.2E-02	6.05E-04	7.11E-06	3.82E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
283	0.86573	1.40E-02	1.2E-02	6.05E-04	7.34E-06	3.82E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
284	0.85995	1.40E-02	1.2E-02	6.05E-04	7.29E-06	3.82E+00	4.71E-02	1.31E-06	1.0E+06	1.3E+00
285	0.82472	1.40E-02	1.2E-02	6.05E-04	6.99E-06	3.82E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
286	0.76997	1.40E-02	1.1E-02	6.05E-04	6.53E-06	3.82E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
287	0.7249	1.40E-02	1.0E-02	6.05E-04	6.15E-06	3.82E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
288	0.19179	1.40E-02	2.7E-03	6.05E-04	1.63E-06	3.82E+00	4.71E-02	2.93E-07	1.0E+06	2.9E-01
289	0.20415	1.40E-02	2.9E-03	6.05E-04	1.73E-06	3.82E+00	4.71E-02	3.12E-07	1.0E+06	3.1E-01
290	0.22731	1.40E-02	3.2E-03	6.05E-04	1.93E-06	3.82E+00	4.71E-02	3.47E-07	1.0E+06	3.5E-01
291	0.25153	1.40E-02	3.5E-03	6.05E-04	2.13E-06	3.82E+00	4.71E-02	3.84E-07	1.0E+06	3.8E-01
292	0.31346	1.40E-02	4.4E-03	6.05E-04	2.66E-06	3.82E+00	4.71E-02	4.79E-07	1.0E+06	4.8E-01
293	0.33705	1.40E-02	4.7E-03	6.05E-04	2.86E-06	3.82E+00	4.71E-02	5.15E-07	1.0E+06	5.2E-01
294	0.3399	1.40E-02	4.8E-03	6.05E-04	2.88E-06	3.82E+00	4.71E-02	5.20E-07	1.0E+06	5.2E-01
295	0.38573	1.40E-02	5.4E-03	6.05E-04	3.27E-06	3.82E+00	4.71E-02	5.90E-07	1.0E+06	5.9E-01
296	0.44174	1.40E-02	6.2E-03	6.05E-04	3.75E-06	3.82E+00	4.71E-02	6.75E-07	1.0E+06	6.8E-01
297	0.4983	1.40E-02	7.0E-03	6.05E-04	4.23E-06	3.82E+00	4.71E-02	7.62E-07	1.0E+06	7.6E-01
298	0.56731	1.40E-02	8.0E-03	6.05E-04	4.81E-06	3.82E+00	4.71E-02	8.67E-07	1.0E+06	8.7E-01
299	0.64127	1.40E-02	9.0E-03	6.05E-04	5.44E-06	3.82E+00	4.71E-02	9.80E-07	1.0E+06	9.8E-01
300	0.69	1.40E-02	9.7E-03	6.05E-04	5.85E-06	3.82E+00	4.71E-02	1.05E-06	1.0E+06	1.1E+00
301	0.72301	1.40E-02	1.0E-02	6.05E-04	6.13E-06	3.82E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
302	0.7295	1.40E-02	1.0E-02	6.05E-04	6.19E-06	3.82E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
303	0.7107	1.40E-02	1.0E-02	6.05E-04	6.03E-06	3.82E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
304	0.67196	1.40E-02	9.4E-03	6.05E-04	5.70E-06	3.82E+00	4.71E-02	1.03E-06	1.0E+06	1.0E+00
305	0.63256	1.40E-02	8.9E-03	6.05E-04	5.36E-06	3.82E+00	4.71E-02	9.67E-07	1.0E+06	9.7E-01
306	0.19076	1.40E-02	2.7E-03	6.05E-04	1.62E-06	3.82E+00	4.71E-02	2.92E-07	1.0E+06	2.9E-01
307	0.1965	1.40E-02	2.8E-03	6.05E-04	1.67E-06	3.82E+00	4.71E-02	3.00E-07	1.0E+06	3.0E-01
308	0.21163	1.40E-02	3.0E-03	6.05E-04	1.79E-06	3.82E+00	4.71E-02	3.23E-07	1.0E+06	3.2E-01
309	0.24993	1.40E-02	3.5E-03	6.05E-04	2.12E-06	3.82E+00	4.71E-02	3.82E-07	1.0E+06	3.8E-01
310	0.2892	1.40E-02	4.1E-03	6.05E-04	2.45E-06	3.82E+00	4.71E-02	4.42E-07	1.0E+06	4.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.30706	1.40E-02	4.3E-03	6.05E-04	2.60E-06	3.82E+00	4.71E-02	4.69E-07	1.0E+06	4.7E-01
312	0.30302	1.40E-02	4.2E-03	6.05E-04	2.57E-06	3.82E+00	4.71E-02	4.63E-07	1.0E+06	4.6E-01
313	0.34058	1.40E-02	4.8E-03	6.05E-04	2.89E-06	3.82E+00	4.71E-02	5.21E-07	1.0E+06	5.2E-01
314	0.38571	1.40E-02	5.4E-03	6.05E-04	3.27E-06	3.82E+00	4.71E-02	5.90E-07	1.0E+06	5.9E-01
315	0.44619	1.40E-02	6.3E-03	6.05E-04	3.78E-06	3.82E+00	4.71E-02	6.82E-07	1.0E+06	6.8E-01
316	0.48737	1.40E-02	6.8E-03	6.05E-04	4.13E-06	3.82E+00	4.71E-02	7.45E-07	1.0E+06	7.4E-01
317	0.53274	1.40E-02	7.5E-03	6.05E-04	4.52E-06	3.82E+00	4.71E-02	8.14E-07	1.0E+06	8.1E-01
318	0.57567	1.40E-02	8.1E-03	6.05E-04	4.88E-06	3.82E+00	4.71E-02	8.80E-07	1.0E+06	8.8E-01
319	0.61162	1.40E-02	8.6E-03	6.05E-04	5.19E-06	3.82E+00	4.71E-02	9.35E-07	1.0E+06	9.3E-01
320	0.62978	1.40E-02	8.8E-03	6.05E-04	5.34E-06	3.82E+00	4.71E-02	9.63E-07	1.0E+06	9.6E-01
321	0.61772	1.40E-02	8.7E-03	6.05E-04	5.24E-06	3.82E+00	4.71E-02	9.44E-07	1.0E+06	9.4E-01
322	0.58947	1.40E-02	8.3E-03	6.05E-04	5.00E-06	3.82E+00	4.71E-02	9.01E-07	1.0E+06	9.0E-01
323	0.55418	1.40E-02	7.8E-03	6.05E-04	4.70E-06	3.82E+00	4.71E-02	8.47E-07	1.0E+06	8.5E-01
324	0.17901	1.40E-02	2.5E-03	6.05E-04	1.52E-06	3.82E+00	4.71E-02	2.74E-07	1.0E+06	2.7E-01
325	0.19809	1.40E-02	2.8E-03	6.05E-04	1.68E-06	3.82E+00	4.71E-02	3.03E-07	1.0E+06	3.0E-01
326	0.21043	1.40E-02	2.9E-03	6.05E-04	1.78E-06	3.82E+00	4.71E-02	3.22E-07	1.0E+06	3.2E-01
327	0.22027	1.40E-02	3.1E-03	6.05E-04	1.87E-06	3.82E+00	4.71E-02	3.37E-07	1.0E+06	3.4E-01
328	0.27094	1.40E-02	3.8E-03	6.05E-04	2.30E-06	3.82E+00	4.71E-02	4.14E-07	1.0E+06	4.1E-01
329	0.28116	1.40E-02	3.9E-03	6.05E-04	2.38E-06	3.82E+00	4.71E-02	4.30E-07	1.0E+06	4.3E-01
330	0.27877	1.40E-02	3.9E-03	6.05E-04	2.36E-06	3.82E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
331	0.31121	1.40E-02	4.4E-03	6.05E-04	2.64E-06	3.82E+00	4.71E-02	4.76E-07	1.0E+06	4.8E-01
332	0.34977	1.40E-02	4.9E-03	6.05E-04	2.97E-06	3.82E+00	4.71E-02	5.35E-07	1.0E+06	5.3E-01
333	0.40012	1.40E-02	5.6E-03	6.05E-04	3.39E-06	3.82E+00	4.71E-02	6.12E-07	1.0E+06	6.1E-01
334	0.44075	1.40E-02	6.2E-03	6.05E-04	3.74E-06	3.82E+00	4.71E-02	6.74E-07	1.0E+06	6.7E-01
335	0.47966	1.40E-02	6.7E-03	6.05E-04	4.07E-06	3.82E+00	4.71E-02	7.33E-07	1.0E+06	7.3E-01
336	1.97471	1.40E-02	2.8E-02	6.05E-04	1.67E-05	3.82E+00	4.71E-02	3.02E-06	1.0E+06	3.0E+00
337	1.3422	1.40E-02	1.9E-02	6.05E-04	1.14E-05	3.82E+00	4.71E-02	2.05E-06	1.0E+06	2.1E+00
338	0.56668	1.40E-02	7.9E-03	6.05E-04	4.81E-06	3.82E+00	4.71E-02	8.66E-07	1.0E+06	8.7E-01
339	0.57604	1.40E-02	8.1E-03	6.05E-04	4.89E-06	3.82E+00	4.71E-02	8.80E-07	1.0E+06	8.8E-01
340	0.5775	1.40E-02	8.1E-03	6.05E-04	4.90E-06	3.82E+00	4.71E-02	8.83E-07	1.0E+06	8.8E-01
341	0.57069	1.40E-02	8.0E-03	6.05E-04	4.84E-06	3.82E+00	4.71E-02	8.72E-07	1.0E+06	8.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.55721	1.40E-02	7.8E-03	6.05E-04	4.73E-06	3.82E+00	4.71E-02	8.52E-07	1.0E+06	8.5E-01
343	0.51363	1.40E-02	7.2E-03	6.05E-04	4.36E-06	3.82E+00	4.71E-02	7.85E-07	1.0E+06	7.9E-01
344	0.48828	1.40E-02	6.8E-03	6.05E-04	4.14E-06	3.82E+00	4.71E-02	7.46E-07	1.0E+06	7.5E-01
345	0.45971	1.40E-02	6.4E-03	6.05E-04	3.90E-06	3.82E+00	4.71E-02	7.03E-07	1.0E+06	7.0E-01
346	0.42748	1.40E-02	6.0E-03	6.05E-04	3.63E-06	3.82E+00	4.71E-02	6.53E-07	1.0E+06	6.5E-01
347	0.69458	1.40E-02	9.7E-03	6.05E-04	5.89E-06	3.82E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
348	0.71117	1.40E-02	1.0E-02	6.05E-04	6.03E-06	3.82E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
349	0.71014	1.40E-02	1.0E-02	6.05E-04	6.02E-06	3.82E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
350	0.69693	1.40E-02	9.8E-03	6.05E-04	5.91E-06	3.82E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
351	0.68051	1.40E-02	9.5E-03	6.05E-04	5.77E-06	3.82E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
352	0.61121	1.40E-02	8.6E-03	6.05E-04	5.18E-06	3.82E+00	4.71E-02	9.34E-07	1.0E+06	9.3E-01
353	0.57261	1.40E-02	8.0E-03	6.05E-04	4.86E-06	3.82E+00	4.71E-02	8.75E-07	1.0E+06	8.8E-01
354	0.52467	1.40E-02	7.4E-03	6.05E-04	4.45E-06	3.82E+00	4.71E-02	8.02E-07	1.0E+06	8.0E-01
355	0.48312	1.40E-02	6.8E-03	6.05E-04	4.10E-06	3.82E+00	4.71E-02	7.38E-07	1.0E+06	7.4E-01
356	0.87356	1.40E-02	1.2E-02	6.05E-04	7.41E-06	3.82E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
357	0.90521	1.40E-02	1.3E-02	6.05E-04	7.68E-06	3.82E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
358	0.90366	1.40E-02	1.3E-02	6.05E-04	7.66E-06	3.82E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
359	0.88428	1.40E-02	1.2E-02	6.05E-04	7.50E-06	3.82E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
360	0.84786	1.40E-02	1.2E-02	6.05E-04	7.19E-06	3.82E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
361	0.73319	1.40E-02	1.0E-02	6.05E-04	6.22E-06	3.82E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
362	0.67477	1.40E-02	9.5E-03	6.05E-04	5.72E-06	3.82E+00	4.71E-02	1.03E-06	1.0E+06	1.0E+00
363	0.6046	1.40E-02	8.5E-03	6.05E-04	5.13E-06	3.82E+00	4.71E-02	9.24E-07	1.0E+06	9.2E-01
364	1.13942	1.40E-02	1.6E-02	6.05E-04	9.66E-06	3.82E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
365	1.17169	1.40E-02	1.6E-02	6.05E-04	9.94E-06	3.82E+00	4.71E-02	1.79E-06	1.0E+06	1.8E+00
366	1.1846	1.40E-02	1.7E-02	6.05E-04	1.00E-05	3.82E+00	4.71E-02	1.81E-06	1.0E+06	1.8E+00
367	1.14583	1.40E-02	1.6E-02	6.05E-04	9.72E-06	3.82E+00	4.71E-02	1.75E-06	1.0E+06	1.8E+00
368	1.08139	1.40E-02	1.5E-02	6.05E-04	9.17E-06	3.82E+00	4.71E-02	1.65E-06	1.0E+06	1.7E+00
369	0.89181	1.40E-02	1.3E-02	6.05E-04	7.56E-06	3.82E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
370	0.70809	1.40E-02	9.9E-03	6.05E-04	6.01E-06	3.82E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
371	0.61897	1.40E-02	8.7E-03	6.05E-04	5.25E-06	3.82E+00	4.71E-02	9.46E-07	1.0E+06	9.5E-01
372	1.57861	1.40E-02	2.2E-02	6.05E-04	1.34E-05	3.82E+00	4.71E-02	2.41E-06	1.0E+06	2.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	1.61119	1.40E-02	2.3E-02	6.05E-04	1.37E-05	3.82E+00	4.71E-02	2.46E-06	1.0E+06	2.5E+00
374	1.61527	1.40E-02	2.3E-02	6.05E-04	1.37E-05	3.82E+00	4.71E-02	2.47E-06	1.0E+06	2.5E+00
375	1.53816	1.40E-02	2.2E-02	6.05E-04	1.30E-05	3.82E+00	4.71E-02	2.35E-06	1.0E+06	2.4E+00
376	1.41279	1.40E-02	2.0E-02	6.05E-04	1.20E-05	3.82E+00	4.71E-02	2.16E-06	1.0E+06	2.2E+00
377	1.25649	1.40E-02	1.8E-02	6.05E-04	1.07E-05	3.82E+00	4.71E-02	1.92E-06	1.0E+06	1.9E+00
378	1.10053	1.40E-02	1.5E-02	6.05E-04	9.33E-06	3.82E+00	4.71E-02	1.68E-06	1.0E+06	1.7E+00
379	0.81264	1.40E-02	1.1E-02	6.05E-04	6.89E-06	3.82E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
380	0.69418	1.40E-02	9.7E-03	6.05E-04	5.89E-06	3.82E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
381	0.59082	1.40E-02	8.3E-03	6.05E-04	5.01E-06	3.82E+00	4.71E-02	9.03E-07	1.0E+06	9.0E-01
382	2.3504	1.40E-02	3.3E-02	6.05E-04	1.99E-05	3.82E+00	4.71E-02	3.59E-06	1.0E+06	3.6E+00
383	2.39027	1.40E-02	3.4E-02	6.05E-04	2.03E-05	3.82E+00	4.71E-02	3.65E-06	1.0E+06	3.7E+00
384	2.32804	1.40E-02	3.3E-02	6.05E-04	1.97E-05	3.82E+00	4.71E-02	3.56E-06	1.0E+06	3.6E+00
385	2.15915	1.40E-02	3.0E-02	6.05E-04	1.83E-05	3.82E+00	4.71E-02	3.30E-06	1.0E+06	3.3E+00
386	1.91749	1.40E-02	2.7E-02	6.05E-04	1.63E-05	3.82E+00	4.71E-02	2.93E-06	1.0E+06	2.9E+00
387	1.62751	1.40E-02	2.3E-02	6.05E-04	1.38E-05	3.82E+00	4.71E-02	2.49E-06	1.0E+06	2.5E+00
388	1.3592	1.40E-02	1.9E-02	6.05E-04	1.15E-05	3.82E+00	4.71E-02	2.08E-06	1.0E+06	2.1E+00
389	0.91334	1.40E-02	1.3E-02	6.05E-04	7.75E-06	3.82E+00	4.71E-02	1.40E-06	1.0E+06	1.4E+00
390	0.75131	1.40E-02	1.1E-02	6.05E-04	6.37E-06	3.82E+00	4.71E-02	1.15E-06	1.0E+06	1.1E+00
391	0.62456	1.40E-02	8.8E-03	6.05E-04	5.30E-06	3.82E+00	4.71E-02	9.55E-07	1.0E+06	9.5E-01
392	0.51197	1.40E-02	7.2E-03	6.05E-04	4.34E-06	3.82E+00	4.71E-02	7.83E-07	1.0E+06	7.8E-01
393	3.34299	1.40E-02	4.7E-02	6.05E-04	2.84E-05	3.82E+00	4.71E-02	5.11E-06	1.0E+06	5.1E+00
394	3.3105	1.40E-02	4.6E-02	6.05E-04	2.81E-05	3.82E+00	4.71E-02	5.06E-06	1.0E+06	5.1E+00
395	2.91282	1.40E-02	4.1E-02	6.05E-04	2.47E-05	3.82E+00	4.71E-02	4.45E-06	1.0E+06	4.5E+00
396	2.55551	1.40E-02	3.6E-02	6.05E-04	2.17E-05	3.82E+00	4.71E-02	3.91E-06	1.0E+06	3.9E+00
397	2.04418	1.40E-02	2.9E-02	6.05E-04	1.73E-05	3.82E+00	4.71E-02	3.12E-06	1.0E+06	3.1E+00
398	1.60012	1.40E-02	2.2E-02	6.05E-04	1.36E-05	3.82E+00	4.71E-02	2.45E-06	1.0E+06	2.4E+00
399	1.27678	1.40E-02	1.8E-02	6.05E-04	1.08E-05	3.82E+00	4.71E-02	1.95E-06	1.0E+06	2.0E+00
400	0.99864	1.40E-02	1.4E-02	6.05E-04	8.47E-06	3.82E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
401	0.7939	1.40E-02	1.1E-02	6.05E-04	6.73E-06	3.82E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
402	0.51625	1.40E-02	7.2E-03	6.05E-04	4.38E-06	3.82E+00	4.71E-02	7.89E-07	1.0E+06	7.9E-01
403	1.06396	1.40E-02	1.5E-02	6.05E-04	9.02E-06	3.82E+00	4.71E-02	1.63E-06	1.0E+06	1.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.53137	1.40E-02	7.4E-03	6.05E-04	4.51E-06	3.82E+00	4.71E-02	8.12E-07	1.0E+06	8.1E-01
405	0.43135	1.40E-02	6.0E-03	6.05E-04	3.66E-06	3.82E+00	4.71E-02	6.59E-07	1.0E+06	6.6E-01
406	1.05891	1.40E-02	1.5E-02	6.05E-04	8.98E-06	3.82E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
407	0.41789	1.40E-02	5.9E-03	6.05E-04	3.54E-06	3.82E+00	4.71E-02	6.39E-07	1.0E+06	6.4E-01
408	1.00415	1.40E-02	1.4E-02	6.05E-04	8.52E-06	3.82E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
409	0.40251	1.40E-02	5.6E-03	6.05E-04	3.41E-06	3.82E+00	4.71E-02	6.15E-07	1.0E+06	6.2E-01
410	0.92328	1.40E-02	1.3E-02	6.05E-04	7.83E-06	3.82E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
411	0.46728	1.40E-02	6.5E-03	6.05E-04	3.96E-06	3.82E+00	4.71E-02	7.14E-07	1.0E+06	7.1E-01
412	0.39358	1.40E-02	5.5E-03	6.05E-04	3.34E-06	3.82E+00	4.71E-02	6.02E-07	1.0E+06	6.0E-01
413	0.83985	1.40E-02	1.2E-02	6.05E-04	7.12E-06	3.82E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
414	0.53129	1.40E-02	7.4E-03	6.05E-04	4.51E-06	3.82E+00	4.71E-02	8.12E-07	1.0E+06	8.1E-01
415	0.44137	1.40E-02	6.2E-03	6.05E-04	3.74E-06	3.82E+00	4.71E-02	6.75E-07	1.0E+06	6.7E-01
416	0.3746	1.40E-02	5.3E-03	6.05E-04	3.18E-06	3.82E+00	4.71E-02	5.73E-07	1.0E+06	5.7E-01
417	0.764	1.40E-02	1.1E-02	6.05E-04	6.48E-06	3.82E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
418	0.41536	1.40E-02	5.8E-03	6.05E-04	3.52E-06	3.82E+00	4.71E-02	6.35E-07	1.0E+06	6.3E-01
419	0.35519	1.40E-02	5.0E-03	6.05E-04	3.01E-06	3.82E+00	4.71E-02	5.43E-07	1.0E+06	5.4E-01
420	0.30691	1.40E-02	4.3E-03	6.05E-04	2.60E-06	3.82E+00	4.71E-02	4.69E-07	1.0E+06	4.7E-01
421	0.69682	1.40E-02	9.8E-03	6.05E-04	5.91E-06	3.82E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
422	0.33554	1.40E-02	4.7E-03	6.05E-04	2.85E-06	3.82E+00	4.71E-02	5.13E-07	1.0E+06	5.1E-01
423	0.29285	1.40E-02	4.1E-03	6.05E-04	2.48E-06	3.82E+00	4.71E-02	4.48E-07	1.0E+06	4.5E-01
424	0.63653	1.40E-02	8.9E-03	6.05E-04	5.40E-06	3.82E+00	4.71E-02	9.73E-07	1.0E+06	9.7E-01
425	0.27805	1.40E-02	3.9E-03	6.05E-04	2.36E-06	3.82E+00	4.71E-02	4.25E-07	1.0E+06	4.3E-01
426	0.2461	1.40E-02	3.4E-03	6.05E-04	2.09E-06	3.82E+00	4.71E-02	3.76E-07	1.0E+06	3.8E-01
427	0.58149	1.40E-02	8.2E-03	6.05E-04	4.93E-06	3.82E+00	4.71E-02	8.89E-07	1.0E+06	8.9E-01
428	0.26331	1.40E-02	3.7E-03	6.05E-04	2.23E-06	3.82E+00	4.71E-02	4.02E-07	1.0E+06	4.0E-01
429	0.23466	1.40E-02	3.3E-03	6.05E-04	1.99E-06	3.82E+00	4.71E-02	3.59E-07	1.0E+06	3.6E-01
430	0.53238	1.40E-02	7.5E-03	6.05E-04	4.52E-06	3.82E+00	4.71E-02	8.14E-07	1.0E+06	8.1E-01
431	0.22324	1.40E-02	3.1E-03	6.05E-04	1.89E-06	3.82E+00	4.71E-02	3.41E-07	1.0E+06	3.4E-01
432	0.19965	1.40E-02	2.8E-03	6.05E-04	1.69E-06	3.82E+00	4.71E-02	3.05E-07	1.0E+06	3.1E-01
433	0.48697	1.40E-02	6.8E-03	6.05E-04	4.13E-06	3.82E+00	4.71E-02	7.44E-07	1.0E+06	7.4E-01
434	0.21223	1.40E-02	3.0E-03	6.05E-04	1.80E-06	3.82E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.19185	1.40E-02	2.7E-03	6.05E-04	1.63E-06	3.82E+00	4.71E-02	2.93E-07	1.0E+06	2.9E-01
436	0.44624	1.40E-02	6.3E-03	6.05E-04	3.78E-06	3.82E+00	4.71E-02	6.82E-07	1.0E+06	6.8E-01
437	0.22439	1.40E-02	3.1E-03	6.05E-04	1.90E-06	3.82E+00	4.71E-02	3.43E-07	1.0E+06	3.4E-01
438	0.20209	1.40E-02	2.8E-03	6.05E-04	1.71E-06	3.82E+00	4.71E-02	3.09E-07	1.0E+06	3.1E-01
439	0.18334	1.40E-02	2.6E-03	6.05E-04	1.55E-06	3.82E+00	4.71E-02	2.80E-07	1.0E+06	2.8E-01
440	0.40907	1.40E-02	5.7E-03	6.05E-04	3.47E-06	3.82E+00	4.71E-02	6.25E-07	1.0E+06	6.3E-01
441	0.27118	1.40E-02	3.8E-03	6.05E-04	2.30E-06	3.82E+00	4.71E-02	4.15E-07	1.0E+06	4.1E-01
442	0.23821	1.40E-02	3.3E-03	6.05E-04	2.02E-06	3.82E+00	4.71E-02	3.64E-07	1.0E+06	3.6E-01
443	0.21314	1.40E-02	3.0E-03	6.05E-04	1.81E-06	3.82E+00	4.71E-02	3.26E-07	1.0E+06	3.3E-01
444	0.19231	1.40E-02	2.7E-03	6.05E-04	1.63E-06	3.82E+00	4.71E-02	2.94E-07	1.0E+06	2.9E-01
445	0.37579	1.40E-02	5.3E-03	6.05E-04	3.19E-06	3.82E+00	4.71E-02	5.74E-07	1.0E+06	5.7E-01
446	0.28688	1.40E-02	4.0E-03	6.05E-04	2.43E-06	3.82E+00	4.71E-02	4.38E-07	1.0E+06	4.4E-01
447	0.25315	1.40E-02	3.5E-03	6.05E-04	2.15E-06	3.82E+00	4.71E-02	3.87E-07	1.0E+06	3.9E-01
448	0.22535	1.40E-02	3.2E-03	6.05E-04	1.91E-06	3.82E+00	4.71E-02	3.44E-07	1.0E+06	3.4E-01
449	0.34584	1.40E-02	4.8E-03	6.05E-04	2.93E-06	3.82E+00	4.71E-02	5.29E-07	1.0E+06	5.3E-01
450	0.30476	1.40E-02	4.3E-03	6.05E-04	2.58E-06	3.82E+00	4.71E-02	4.66E-07	1.0E+06	4.7E-01
451	0.26899	1.40E-02	3.8E-03	6.05E-04	2.28E-06	3.82E+00	4.71E-02	4.11E-07	1.0E+06	4.1E-01
452	0.31885	1.40E-02	4.5E-03	6.05E-04	2.70E-06	3.82E+00	4.71E-02	4.87E-07	1.0E+06	4.9E-01
453	0.28372	1.40E-02	4.0E-03	6.05E-04	2.41E-06	3.82E+00	4.71E-02	4.34E-07	1.0E+06	4.3E-01
454	0.15144	1.40E-02	2.1E-03	6.05E-04	1.28E-06	3.82E+00	4.71E-02	2.31E-07	1.0E+06	2.3E-01
455	0.14078	1.40E-02	2.0E-03	6.05E-04	1.19E-06	3.82E+00	4.71E-02	2.15E-07	1.0E+06	2.2E-01
456	0.29447	1.40E-02	4.1E-03	6.05E-04	2.50E-06	3.82E+00	4.71E-02	4.50E-07	1.0E+06	4.5E-01
457	0.26431	1.40E-02	3.7E-03	6.05E-04	2.24E-06	3.82E+00	4.71E-02	4.04E-07	1.0E+06	4.0E-01
458	0.23625	1.40E-02	3.3E-03	6.05E-04	2.00E-06	3.82E+00	4.71E-02	3.61E-07	1.0E+06	3.6E-01
459	0.1733	1.40E-02	2.4E-03	6.05E-04	1.47E-06	3.82E+00	4.71E-02	2.65E-07	1.0E+06	2.6E-01
460	0.15877	1.40E-02	2.2E-03	6.05E-04	1.35E-06	3.82E+00	4.71E-02	2.43E-07	1.0E+06	2.4E-01
461	0.14598	1.40E-02	2.0E-03	6.05E-04	1.24E-06	3.82E+00	4.71E-02	2.23E-07	1.0E+06	2.2E-01
462	0.1348	1.40E-02	1.9E-03	6.05E-04	1.14E-06	3.82E+00	4.71E-02	2.06E-07	1.0E+06	2.1E-01
463	1.839	1.40E-02	2.6E-02	6.05E-04	1.56E-05	3.82E+00	4.71E-02	2.81E-06	1.0E+06	2.8E+00
464	1.26957	1.40E-02	1.8E-02	6.05E-04	1.08E-05	3.82E+00	4.71E-02	1.94E-06	1.0E+06	1.9E+00
465	1.59928	1.40E-02	2.2E-02	6.05E-04	1.36E-05	3.82E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	1.09342	1.40E-02	1.5E-02	6.05E-04	9.27E-06	3.82E+00	4.71E-02	1.67E-06	1.0E+06	1.7E+00
467	1.16993	1.40E-02	1.6E-02	6.05E-04	9.92E-06	3.82E+00	4.71E-02	1.79E-06	1.0E+06	1.8E+00
468	1.0327	1.40E-02	1.4E-02	6.05E-04	8.76E-06	3.82E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
469	0.90979	1.40E-02	1.3E-02	6.05E-04	7.72E-06	3.82E+00	4.71E-02	1.39E-06	1.0E+06	1.4E+00
470	1.01077	1.40E-02	1.4E-02	6.05E-04	8.57E-06	3.82E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
471	0.8602	1.40E-02	1.2E-02	6.05E-04	7.30E-06	3.82E+00	4.71E-02	1.31E-06	1.0E+06	1.3E+00
472	0.86823	1.40E-02	1.2E-02	6.05E-04	7.36E-06	3.82E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
473	0.71059	1.40E-02	1.0E-02	6.05E-04	6.03E-06	3.82E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
474	0.74975	1.40E-02	1.1E-02	6.05E-04	6.36E-06	3.82E+00	4.71E-02	1.15E-06	1.0E+06	1.1E+00
475	0.63154	1.40E-02	8.9E-03	6.05E-04	5.36E-06	3.82E+00	4.71E-02	9.65E-07	1.0E+06	9.7E-01
476	0.65398	1.40E-02	9.2E-03	6.05E-04	5.55E-06	3.82E+00	4.71E-02	1.00E-06	1.0E+06	1.0E+00
477	0.56323	1.40E-02	7.9E-03	6.05E-04	4.78E-06	3.82E+00	4.71E-02	8.61E-07	1.0E+06	8.6E-01
478	0.57492	1.40E-02	8.1E-03	6.05E-04	4.88E-06	3.82E+00	4.71E-02	8.79E-07	1.0E+06	8.8E-01
479	0.50322	1.40E-02	7.1E-03	6.05E-04	4.27E-06	3.82E+00	4.71E-02	7.69E-07	1.0E+06	7.7E-01
480	0.43536	1.40E-02	6.1E-03	6.05E-04	3.69E-06	3.82E+00	4.71E-02	6.65E-07	1.0E+06	6.7E-01
481	0.50912	1.40E-02	7.1E-03	6.05E-04	4.32E-06	3.82E+00	4.71E-02	7.78E-07	1.0E+06	7.8E-01
482	0.39729	1.40E-02	5.6E-03	6.05E-04	3.37E-06	3.82E+00	4.71E-02	6.07E-07	1.0E+06	6.1E-01
483	0.40834	1.40E-02	5.7E-03	6.05E-04	3.46E-06	3.82E+00	4.71E-02	6.24E-07	1.0E+06	6.2E-01
484	0.36317	1.40E-02	5.1E-03	6.05E-04	3.08E-06	3.82E+00	4.71E-02	5.55E-07	1.0E+06	5.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.20003	1.12868E-05	2.3E-06	6.05E-04	1.37E-09	3.82E+00	4.71E-02	2.46E-10	1.0E+06	2.5E-04
2	2	0.21048	1.12868E-05	2.4E-06	6.05E-04	1.44E-09	3.82E+00	4.71E-02	2.59E-10	1.0E+06	2.6E-04
3	3	0.22157	1.12868E-05	2.5E-06	6.05E-04	1.51E-09	3.82E+00	4.71E-02	2.73E-10	1.0E+06	2.7E-04
4	4	0.23364	1.12868E-05	2.6E-06	6.05E-04	1.60E-09	3.82E+00	4.71E-02	2.88E-10	1.0E+06	2.9E-04
5	5	0.24542	1.12868E-05	2.8E-06	6.05E-04	1.68E-09	3.82E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
6	6	0.26211	1.12868E-05	3.0E-06	6.05E-04	1.79E-09	3.82E+00	4.71E-02	3.23E-10	1.0E+06	3.2E-04
7	7	0.2796	1.12868E-05	3.2E-06	6.05E-04	1.91E-09	3.82E+00	4.71E-02	3.44E-10	1.0E+06	3.4E-04
8	8	0.29959	1.12868E-05	3.4E-06	6.05E-04	2.05E-09	3.82E+00	4.71E-02	3.69E-10	1.0E+06	3.7E-04
9	9	0.31965	1.12868E-05	3.6E-06	6.05E-04	2.18E-09	3.82E+00	4.71E-02	3.93E-10	1.0E+06	3.9E-04
10	10	0.34185	1.12868E-05	3.9E-06	6.05E-04	2.33E-09	3.82E+00	4.71E-02	4.21E-10	1.0E+06	4.2E-04
11	11	0.36846	1.12868E-05	4.2E-06	6.05E-04	2.52E-09	3.82E+00	4.71E-02	4.53E-10	1.0E+06	4.5E-04
12	12	0.39225	1.12868E-05	4.4E-06	6.05E-04	2.68E-09	3.82E+00	4.71E-02	4.83E-10	1.0E+06	4.8E-04
13	13	0.41513	1.12868E-05	4.7E-06	6.05E-04	2.84E-09	3.82E+00	4.71E-02	5.11E-10	1.0E+06	5.1E-04
14	14	0.46493	1.12868E-05	5.2E-06	6.05E-04	3.18E-09	3.82E+00	4.71E-02	5.72E-10	1.0E+06	5.7E-04
15	15	0.22471	1.12868E-05	2.5E-06	6.05E-04	1.53E-09	3.82E+00	4.71E-02	2.77E-10	1.0E+06	2.8E-04
16	16	0.23739	1.12868E-05	2.7E-06	6.05E-04	1.62E-09	3.82E+00	4.71E-02	2.92E-10	1.0E+06	2.9E-04
17	17	0.2523	1.12868E-05	2.8E-06	6.05E-04	1.72E-09	3.82E+00	4.71E-02	3.11E-10	1.0E+06	3.1E-04
18	18	0.26765	1.12868E-05	3.0E-06	6.05E-04	1.83E-09	3.82E+00	4.71E-02	3.29E-10	1.0E+06	3.3E-04
19	19	0.28279	1.12868E-05	3.2E-06	6.05E-04	1.93E-09	3.82E+00	4.71E-02	3.48E-10	1.0E+06	3.5E-04
20	20	0.30008	1.12868E-05	3.4E-06	6.05E-04	2.05E-09	3.82E+00	4.71E-02	3.69E-10	1.0E+06	3.7E-04
21	21	0.32065	1.12868E-05	3.6E-06	6.05E-04	2.19E-09	3.82E+00	4.71E-02	3.95E-10	1.0E+06	3.9E-04
22	22	0.34283	1.12868E-05	3.9E-06	6.05E-04	2.34E-09	3.82E+00	4.71E-02	4.22E-10	1.0E+06	4.2E-04
23	23	0.37162	1.12868E-05	4.2E-06	6.05E-04	2.54E-09	3.82E+00	4.71E-02	4.57E-10	1.0E+06	4.6E-04
24	24	0.39765	1.12868E-05	4.5E-06	6.05E-04	2.72E-09	3.82E+00	4.71E-02	4.89E-10	1.0E+06	4.9E-04
25	25	0.43268	1.12868E-05	4.9E-06	6.05E-04	2.95E-09	3.82E+00	4.71E-02	5.33E-10	1.0E+06	5.3E-04
26	26	0.46555	1.12868E-05	5.3E-06	6.05E-04	3.18E-09	3.82E+00	4.71E-02	5.73E-10	1.0E+06	5.7E-04
27	27	0.49037	1.12868E-05	5.5E-06	6.05E-04	3.35E-09	3.82E+00	4.71E-02	6.04E-10	1.0E+06	6.0E-04
28	28	0.55834	1.12868E-05	6.3E-06	6.05E-04	3.81E-09	3.82E+00	4.71E-02	6.87E-10	1.0E+06	6.9E-04
29	29	0.24881	1.12868E-05	2.8E-06	6.05E-04	1.70E-09	3.82E+00	4.71E-02	3.06E-10	1.0E+06	3.1E-04
30	30	0.26699	1.12868E-05	3.0E-06	6.05E-04	1.82E-09	3.82E+00	4.71E-02	3.29E-10	1.0E+06	3.3E-04
31	31	0.28715	1.12868E-05	3.2E-06	6.05E-04	1.96E-09	3.82E+00	4.71E-02	3.53E-10	1.0E+06	3.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.30866	1.12868E-05	3.5E-06	6.05E-04	2.11E-09	3.82E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
33	33	0.3271	1.12868E-05	3.7E-06	6.05E-04	2.23E-09	3.82E+00	4.71E-02	4.03E-10	1.0E+06	4.0E-04
34	34	0.35121	1.12868E-05	4.0E-06	6.05E-04	2.40E-09	3.82E+00	4.71E-02	4.32E-10	1.0E+06	4.3E-04
35	35	0.37543	1.12868E-05	4.2E-06	6.05E-04	2.56E-09	3.82E+00	4.71E-02	4.62E-10	1.0E+06	4.6E-04
36	36	0.403	1.12868E-05	4.5E-06	6.05E-04	2.75E-09	3.82E+00	4.71E-02	4.96E-10	1.0E+06	5.0E-04
37	37	0.43822	1.12868E-05	4.9E-06	6.05E-04	2.99E-09	3.82E+00	4.71E-02	5.39E-10	1.0E+06	5.4E-04
38	38	0.47665	1.12868E-05	5.4E-06	6.05E-04	3.26E-09	3.82E+00	4.71E-02	5.87E-10	1.0E+06	5.9E-04
39	39	0.5176	1.12868E-05	5.8E-06	6.05E-04	3.53E-09	3.82E+00	4.71E-02	6.37E-10	1.0E+06	6.4E-04
40	40	0.55684	1.12868E-05	6.3E-06	6.05E-04	3.80E-09	3.82E+00	4.71E-02	6.85E-10	1.0E+06	6.9E-04
41	41	0.59224	1.12868E-05	6.7E-06	6.05E-04	4.04E-09	3.82E+00	4.71E-02	7.29E-10	1.0E+06	7.3E-04
42	42	0.683	1.12868E-05	7.7E-06	6.05E-04	4.66E-09	3.82E+00	4.71E-02	8.41E-10	1.0E+06	8.4E-04
43	43	0.27009	1.12868E-05	3.0E-06	6.05E-04	1.84E-09	3.82E+00	4.71E-02	3.32E-10	1.0E+06	3.3E-04
44	44	0.29306	1.12868E-05	3.3E-06	6.05E-04	2.00E-09	3.82E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
45	45	0.32036	1.12868E-05	3.6E-06	6.05E-04	2.19E-09	3.82E+00	4.71E-02	3.94E-10	1.0E+06	3.9E-04
46	46	0.35055	1.12868E-05	4.0E-06	6.05E-04	2.39E-09	3.82E+00	4.71E-02	4.31E-10	1.0E+06	4.3E-04
47	47	0.38002	1.12868E-05	4.3E-06	6.05E-04	2.60E-09	3.82E+00	4.71E-02	4.68E-10	1.0E+06	4.7E-04
48	48	0.41164	1.12868E-05	4.6E-06	6.05E-04	2.81E-09	3.82E+00	4.71E-02	5.07E-10	1.0E+06	5.1E-04
49	49	0.44248	1.12868E-05	5.0E-06	6.05E-04	3.02E-09	3.82E+00	4.71E-02	5.45E-10	1.0E+06	5.4E-04
50	50	0.47634	1.12868E-05	5.4E-06	6.05E-04	3.25E-09	3.82E+00	4.71E-02	5.86E-10	1.0E+06	5.9E-04
51	51	0.52777	1.12868E-05	6.0E-06	6.05E-04	3.60E-09	3.82E+00	4.71E-02	6.50E-10	1.0E+06	6.5E-04
52	52	0.5787	1.12868E-05	6.5E-06	6.05E-04	3.95E-09	3.82E+00	4.71E-02	7.12E-10	1.0E+06	7.1E-04
53	53	0.63202	1.12868E-05	7.1E-06	6.05E-04	4.32E-09	3.82E+00	4.71E-02	7.78E-10	1.0E+06	7.8E-04
54	54	0.68865	1.12868E-05	7.8E-06	6.05E-04	4.70E-09	3.82E+00	4.71E-02	8.48E-10	1.0E+06	8.5E-04
55	55	0.73787	1.12868E-05	8.3E-06	6.05E-04	5.04E-09	3.82E+00	4.71E-02	9.08E-10	1.0E+06	9.1E-04
56	56	0.85184	1.12868E-05	9.6E-06	6.05E-04	5.82E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
57	57	0.288	1.12868E-05	3.3E-06	6.05E-04	1.97E-09	3.82E+00	4.71E-02	3.54E-10	1.0E+06	3.5E-04
58	58	0.31844	1.12868E-05	3.6E-06	6.05E-04	2.17E-09	3.82E+00	4.71E-02	3.92E-10	1.0E+06	3.9E-04
59	59	0.35465	1.12868E-05	4.0E-06	6.05E-04	2.42E-09	3.82E+00	4.71E-02	4.36E-10	1.0E+06	4.4E-04
60	60	0.39468	1.12868E-05	4.5E-06	6.05E-04	2.70E-09	3.82E+00	4.71E-02	4.86E-10	1.0E+06	4.9E-04
61	61	0.43924	1.12868E-05	5.0E-06	6.05E-04	3.00E-09	3.82E+00	4.71E-02	5.41E-10	1.0E+06	5.4E-04
62	62	0.48662	1.12868E-05	5.5E-06	6.05E-04	3.32E-09	3.82E+00	4.71E-02	5.99E-10	1.0E+06	6.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.54159	1.12868E-05	6.1E-06	6.05E-04	3.70E-09	3.82E+00	4.71E-02	6.67E-10	1.0E+06	6.7E-04
64	64	0.5853	1.12868E-05	6.6E-06	6.05E-04	4.00E-09	3.82E+00	4.71E-02	7.20E-10	1.0E+06	7.2E-04
65	65	0.65231	1.12868E-05	7.4E-06	6.05E-04	4.45E-09	3.82E+00	4.71E-02	8.03E-10	1.0E+06	8.0E-04
66	66	0.72833	1.12868E-05	8.2E-06	6.05E-04	4.97E-09	3.82E+00	4.71E-02	8.96E-10	1.0E+06	9.0E-04
67	67	0.79913	1.12868E-05	9.0E-06	6.05E-04	5.46E-09	3.82E+00	4.71E-02	9.84E-10	1.0E+06	9.8E-04
68	68	0.88145	1.12868E-05	9.9E-06	6.05E-04	6.02E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
69	69	0.95901	1.12868E-05	1.1E-05	6.05E-04	6.55E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
70	70	0.30686	1.12868E-05	3.5E-06	6.05E-04	2.10E-09	3.82E+00	4.71E-02	3.78E-10	1.0E+06	3.8E-04
71	71	0.3434	1.12868E-05	3.9E-06	6.05E-04	2.35E-09	3.82E+00	4.71E-02	4.23E-10	1.0E+06	4.2E-04
72	72	0.38894	1.12868E-05	4.4E-06	6.05E-04	2.66E-09	3.82E+00	4.71E-02	4.79E-10	1.0E+06	4.8E-04
73	73	0.43996	1.12868E-05	5.0E-06	6.05E-04	3.00E-09	3.82E+00	4.71E-02	5.41E-10	1.0E+06	5.4E-04
74	74	0.50122	1.12868E-05	5.7E-06	6.05E-04	3.42E-09	3.82E+00	4.71E-02	6.17E-10	1.0E+06	6.2E-04
75	75	0.57007	1.12868E-05	6.4E-06	6.05E-04	3.89E-09	3.82E+00	4.71E-02	7.02E-10	1.0E+06	7.0E-04
76	76	0.65265	1.12868E-05	7.4E-06	6.05E-04	4.46E-09	3.82E+00	4.71E-02	8.03E-10	1.0E+06	8.0E-04
77	77	0.73973	1.12868E-05	8.3E-06	6.05E-04	5.05E-09	3.82E+00	4.71E-02	9.10E-10	1.0E+06	9.1E-04
78	78	0.84415	1.12868E-05	9.5E-06	6.05E-04	5.76E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
79	79	0.97232	1.12868E-05	1.1E-05	6.05E-04	6.64E-09	3.82E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
80	80	1.08089	1.12868E-05	1.2E-05	6.05E-04	7.38E-09	3.82E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
81	81	1.20475	1.12868E-05	1.4E-05	6.05E-04	8.23E-09	3.82E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
82	82	1.29954	1.12868E-05	1.5E-05	6.05E-04	8.87E-09	3.82E+00	4.71E-02	1.60E-09	1.0E+06	1.6E-03
83	83	0.32423	1.12868E-05	3.7E-06	6.05E-04	2.21E-09	3.82E+00	4.71E-02	3.99E-10	1.0E+06	4.0E-04
84	84	0.37156	1.12868E-05	4.2E-06	6.05E-04	2.54E-09	3.82E+00	4.71E-02	4.57E-10	1.0E+06	4.6E-04
85	85	0.42797	1.12868E-05	4.8E-06	6.05E-04	2.92E-09	3.82E+00	4.71E-02	5.27E-10	1.0E+06	5.3E-04
86	86	0.48343	1.12868E-05	5.5E-06	6.05E-04	3.30E-09	3.82E+00	4.71E-02	5.95E-10	1.0E+06	5.9E-04
87	87	0.56028	1.12868E-05	6.3E-06	6.05E-04	3.83E-09	3.82E+00	4.71E-02	6.90E-10	1.0E+06	6.9E-04
88	88	0.65505	1.12868E-05	7.4E-06	6.05E-04	4.47E-09	3.82E+00	4.71E-02	8.06E-10	1.0E+06	8.1E-04
89	89	0.77416	1.12868E-05	8.7E-06	6.05E-04	5.29E-09	3.82E+00	4.71E-02	9.53E-10	1.0E+06	9.5E-04
90	90	0.92147	1.12868E-05	1.0E-05	6.05E-04	6.29E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
91	91	1.09788	1.12868E-05	1.2E-05	6.05E-04	7.50E-09	3.82E+00	4.71E-02	1.35E-09	1.0E+06	1.4E-03
92	92	1.29396	1.12868E-05	1.5E-05	6.05E-04	8.84E-09	3.82E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
93	93	1.49734	1.12868E-05	1.7E-05	6.05E-04	1.02E-08	3.82E+00	4.71E-02	1.84E-09	1.0E+06	1.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	1.68288	1.12868E-05	1.9E-05	6.05E-04	1.15E-08	3.82E+00	4.71E-02	2.07E-09	1.0E+06	2.1E-03
95	95	1.83845	1.12868E-05	2.1E-05	6.05E-04	1.26E-08	3.82E+00	4.71E-02	2.26E-09	1.0E+06	2.3E-03
96	96	0.34053	1.12868E-05	3.8E-06	6.05E-04	2.33E-09	3.82E+00	4.71E-02	4.19E-10	1.0E+06	4.2E-04
97	97	0.39564	1.12868E-05	4.5E-06	6.05E-04	2.70E-09	3.82E+00	4.71E-02	4.87E-10	1.0E+06	4.9E-04
98	98	0.45707	1.12868E-05	5.2E-06	6.05E-04	3.12E-09	3.82E+00	4.71E-02	5.63E-10	1.0E+06	5.6E-04
99	99	0.52984	1.12868E-05	6.0E-06	6.05E-04	3.62E-09	3.82E+00	4.71E-02	6.52E-10	1.0E+06	6.5E-04
100	100	0.62102	1.12868E-05	7.0E-06	6.05E-04	4.24E-09	3.82E+00	4.71E-02	7.64E-10	1.0E+06	7.6E-04
101	101	0.74954	1.12868E-05	8.5E-06	6.05E-04	5.12E-09	3.82E+00	4.71E-02	9.23E-10	1.0E+06	9.2E-04
102	102	0.9207	1.12868E-05	1.0E-05	6.05E-04	6.29E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
103	103	1.15133	1.12868E-05	1.3E-05	6.05E-04	7.86E-09	3.82E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
104	104	1.45685	1.12868E-05	1.6E-05	6.05E-04	9.95E-09	3.82E+00	4.71E-02	1.79E-09	1.0E+06	1.8E-03
105	105	1.83231	1.12868E-05	2.1E-05	6.05E-04	1.25E-08	3.82E+00	4.71E-02	2.26E-09	1.0E+06	2.3E-03
106	106	2.21146	1.12868E-05	2.5E-05	6.05E-04	1.51E-08	3.82E+00	4.71E-02	2.72E-09	1.0E+06	2.7E-03
107	107	2.54401	1.12868E-05	2.9E-05	6.05E-04	1.74E-08	3.82E+00	4.71E-02	3.13E-09	1.0E+06	3.1E-03
108	108	2.80332	1.12868E-05	3.2E-05	6.05E-04	1.91E-08	3.82E+00	4.71E-02	3.45E-09	1.0E+06	3.5E-03
109	109	0.34956	1.12868E-05	3.9E-06	6.05E-04	2.39E-09	3.82E+00	4.71E-02	4.30E-10	1.0E+06	4.3E-04
110	110	0.39954	1.12868E-05	4.5E-06	6.05E-04	2.73E-09	3.82E+00	4.71E-02	4.92E-10	1.0E+06	4.9E-04
111	111	0.46555	1.12868E-05	5.3E-06	6.05E-04	3.18E-09	3.82E+00	4.71E-02	5.73E-10	1.0E+06	5.7E-04
112	112	0.55076	1.12868E-05	6.2E-06	6.05E-04	3.76E-09	3.82E+00	4.71E-02	6.78E-10	1.0E+06	6.8E-04
113	113	0.66926	1.12868E-05	7.6E-06	6.05E-04	4.57E-09	3.82E+00	4.71E-02	8.24E-10	1.0E+06	8.2E-04
114	114	0.83687	1.12868E-05	9.4E-06	6.05E-04	5.72E-09	3.82E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
115	115	1.08518	1.12868E-05	1.2E-05	6.05E-04	7.41E-09	3.82E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
116	116	1.46913	1.12868E-05	1.7E-05	6.05E-04	1.00E-08	3.82E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
117	117	2.06017	1.12868E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
118	118	2.58852	1.12868E-05	2.9E-05	6.05E-04	1.77E-08	3.82E+00	4.71E-02	3.19E-09	1.0E+06	3.2E-03
119	119	3.34958	1.12868E-05	3.8E-05	6.05E-04	2.29E-08	3.82E+00	4.71E-02	4.12E-09	1.0E+06	4.1E-03
120	120	3.86121	1.12868E-05	4.4E-05	6.05E-04	2.64E-08	3.82E+00	4.71E-02	4.75E-09	1.0E+06	4.8E-03
121	121	4.12512	1.12868E-05	4.7E-05	6.05E-04	2.82E-08	3.82E+00	4.71E-02	5.08E-09	1.0E+06	5.1E-03
122	122	0.34293	1.12868E-05	3.9E-06	6.05E-04	2.34E-09	3.82E+00	4.71E-02	4.22E-10	1.0E+06	4.2E-04
123	123	0.39692	1.12868E-05	4.5E-06	6.05E-04	2.71E-09	3.82E+00	4.71E-02	4.89E-10	1.0E+06	4.9E-04
124	124	0.46516	1.12868E-05	5.3E-06	6.05E-04	3.18E-09	3.82E+00	4.71E-02	5.73E-10	1.0E+06	5.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.55977	1.12868E-05	6.3E-06	6.05E-04	3.82E-09	3.82E+00	4.71E-02	6.89E-10	1.0E+06	6.9E-04
126	126	0.69198	1.12868E-05	7.8E-06	6.05E-04	4.73E-09	3.82E+00	4.71E-02	8.52E-10	1.0E+06	8.5E-04
127	127	0.89036	1.12868E-05	1.0E-05	6.05E-04	6.08E-09	3.82E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
128	128	1.19972	1.12868E-05	1.4E-05	6.05E-04	8.19E-09	3.82E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
129	129	1.78635	1.12868E-05	2.0E-05	6.05E-04	1.22E-08	3.82E+00	4.71E-02	2.20E-09	1.0E+06	2.2E-03
130	130	3.19875	1.12868E-05	3.6E-05	6.05E-04	2.18E-08	3.82E+00	4.71E-02	3.94E-09	1.0E+06	3.9E-03
131	131	11.50442	1.12868E-05	1.3E-04	6.05E-04	7.86E-08	3.82E+00	4.71E-02	1.42E-08	1.0E+06	1.4E-02
132	132	10.08771	1.12868E-05	1.1E-04	6.05E-04	6.89E-08	3.82E+00	4.71E-02	1.24E-08	1.0E+06	1.2E-02
133	133	0.32342	1.12868E-05	3.7E-06	6.05E-04	2.21E-09	3.82E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
134	134	0.3817	1.12868E-05	4.3E-06	6.05E-04	2.61E-09	3.82E+00	4.71E-02	4.70E-10	1.0E+06	4.7E-04
135	135	0.45276	1.12868E-05	5.1E-06	6.05E-04	3.09E-09	3.82E+00	4.71E-02	5.57E-10	1.0E+06	5.6E-04
136	136	0.54697	1.12868E-05	6.2E-06	6.05E-04	3.74E-09	3.82E+00	4.71E-02	6.73E-10	1.0E+06	6.7E-04
137	137	0.68186	1.12868E-05	7.7E-06	6.05E-04	4.66E-09	3.82E+00	4.71E-02	8.39E-10	1.0E+06	8.4E-04
138	138	0.88467	1.12868E-05	1.0E-05	6.05E-04	6.04E-09	3.82E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
139	139	1.21331	1.12868E-05	1.4E-05	6.05E-04	8.29E-09	3.82E+00	4.71E-02	1.49E-09	1.0E+06	1.5E-03
140	140	1.92465	1.12868E-05	2.2E-05	6.05E-04	1.31E-08	3.82E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
141	141	4.09389	1.12868E-05	4.6E-05	6.05E-04	2.80E-08	3.82E+00	4.71E-02	5.04E-09	1.0E+06	5.0E-03
142	142	9.87173	1.12868E-05	1.1E-04	6.05E-04	6.74E-08	3.82E+00	4.71E-02	1.21E-08	1.0E+06	1.2E-02
143	143	12.01227	1.12868E-05	1.4E-04	6.05E-04	8.20E-08	3.82E+00	4.71E-02	1.48E-08	1.0E+06	1.5E-02
144	144	14.46782	1.12868E-05	1.6E-04	6.05E-04	9.88E-08	3.82E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
145	145	13.83902	1.12868E-05	1.6E-04	6.05E-04	9.45E-08	3.82E+00	4.71E-02	1.70E-08	1.0E+06	1.7E-02
146	146	13.45848	1.12868E-05	1.5E-04	6.05E-04	9.19E-08	3.82E+00	4.71E-02	1.66E-08	1.0E+06	1.7E-02
147	147	0.29996	1.12868E-05	3.4E-06	6.05E-04	2.05E-09	3.82E+00	4.71E-02	3.69E-10	1.0E+06	3.7E-04
148	148	0.35407	1.12868E-05	4.0E-06	6.05E-04	2.42E-09	3.82E+00	4.71E-02	4.36E-10	1.0E+06	4.4E-04
149	149	0.42452	1.12868E-05	4.8E-06	6.05E-04	2.90E-09	3.82E+00	4.71E-02	5.22E-10	1.0E+06	5.2E-04
150	150	0.51465	1.12868E-05	5.8E-06	6.05E-04	3.51E-09	3.82E+00	4.71E-02	6.33E-10	1.0E+06	6.3E-04
151	151	0.64337	1.12868E-05	7.3E-06	6.05E-04	4.39E-09	3.82E+00	4.71E-02	7.92E-10	1.0E+06	7.9E-04
152	152	0.82511	1.12868E-05	9.3E-06	6.05E-04	5.63E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
153	153	1.11931	1.12868E-05	1.3E-05	6.05E-04	7.64E-09	3.82E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
154	154	1.68943	1.12868E-05	1.9E-05	6.05E-04	1.15E-08	3.82E+00	4.71E-02	2.08E-09	1.0E+06	2.1E-03
155	155	3.06058	1.12868E-05	3.5E-05	6.05E-04	2.09E-08	3.82E+00	4.71E-02	3.77E-09	1.0E+06	3.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	7.05041	1.12868E-05	8.0E-05	6.05E-04	4.81E-08	3.82E+00	4.71E-02	8.68E-09	1.0E+06	8.7E-03
157	157	10.30091	1.12868E-05	1.2E-04	6.05E-04	7.03E-08	3.82E+00	4.71E-02	1.27E-08	1.0E+06	1.3E-02
158	158	10.70348	1.12868E-05	1.2E-04	6.05E-04	7.31E-08	3.82E+00	4.71E-02	1.32E-08	1.0E+06	1.3E-02
159	159	11.46132	1.12868E-05	1.3E-04	6.05E-04	7.83E-08	3.82E+00	4.71E-02	1.41E-08	1.0E+06	1.4E-02
160	160	0.2825	1.12868E-05	3.2E-06	6.05E-04	1.93E-09	3.82E+00	4.71E-02	3.48E-10	1.0E+06	3.5E-04
161	161	0.32708	1.12868E-05	3.7E-06	6.05E-04	2.23E-09	3.82E+00	4.71E-02	4.03E-10	1.0E+06	4.0E-04
162	162	0.37981	1.12868E-05	4.3E-06	6.05E-04	2.59E-09	3.82E+00	4.71E-02	4.67E-10	1.0E+06	4.7E-04
163	163	0.46578	1.12868E-05	5.3E-06	6.05E-04	3.18E-09	3.82E+00	4.71E-02	5.73E-10	1.0E+06	5.7E-04
164	164	0.58832	1.12868E-05	6.6E-06	6.05E-04	4.02E-09	3.82E+00	4.71E-02	7.24E-10	1.0E+06	7.2E-04
165	165	0.74465	1.12868E-05	8.4E-06	6.05E-04	5.09E-09	3.82E+00	4.71E-02	9.16E-10	1.0E+06	9.2E-04
166	166	0.98674	1.12868E-05	1.1E-05	6.05E-04	6.74E-09	3.82E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
167	167	1.38413	1.12868E-05	1.6E-05	6.05E-04	9.45E-09	3.82E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
168	168	2.11724	1.12868E-05	2.4E-05	6.05E-04	1.45E-08	3.82E+00	4.71E-02	2.61E-09	1.0E+06	2.6E-03
169	169	3.45214	1.12868E-05	3.9E-05	6.05E-04	2.36E-08	3.82E+00	4.71E-02	4.25E-09	1.0E+06	4.2E-03
170	170	4.7498	1.12868E-05	5.4E-05	6.05E-04	3.24E-08	3.82E+00	4.71E-02	5.85E-09	1.0E+06	5.8E-03
171	171	5.32989	1.12868E-05	6.0E-05	6.05E-04	3.64E-08	3.82E+00	4.71E-02	6.56E-09	1.0E+06	6.6E-03
172	172	5.59331	1.12868E-05	6.3E-05	6.05E-04	3.82E-08	3.82E+00	4.71E-02	6.88E-09	1.0E+06	6.9E-03
173	173	5.77214	1.12868E-05	6.5E-05	6.05E-04	3.94E-08	3.82E+00	4.71E-02	7.10E-09	1.0E+06	7.1E-03
174	174	5.98976	1.12868E-05	6.8E-05	6.05E-04	4.09E-08	3.82E+00	4.71E-02	7.37E-09	1.0E+06	7.4E-03
175	175	6.0359	1.12868E-05	6.8E-05	6.05E-04	4.12E-08	3.82E+00	4.71E-02	7.43E-09	1.0E+06	7.4E-03
176	176	5.91978	1.12868E-05	6.7E-05	6.05E-04	4.04E-08	3.82E+00	4.71E-02	7.29E-09	1.0E+06	7.3E-03
177	177	5.6789	1.12868E-05	6.4E-05	6.05E-04	3.88E-08	3.82E+00	4.71E-02	6.99E-09	1.0E+06	7.0E-03
178	178	5.23752	1.12868E-05	5.9E-05	6.05E-04	3.58E-08	3.82E+00	4.71E-02	6.45E-09	1.0E+06	6.4E-03
179	179	0.25936	1.12868E-05	2.9E-06	6.05E-04	1.77E-09	3.82E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
180	180	0.29585	1.12868E-05	3.3E-06	6.05E-04	2.02E-09	3.82E+00	4.71E-02	3.64E-10	1.0E+06	3.6E-04
181	181	0.33571	1.12868E-05	3.8E-06	6.05E-04	2.29E-09	3.82E+00	4.71E-02	4.13E-10	1.0E+06	4.1E-04
182	182	0.41745	1.12868E-05	4.7E-06	6.05E-04	2.85E-09	3.82E+00	4.71E-02	5.14E-10	1.0E+06	5.1E-04
183	183	0.5359	1.12868E-05	6.0E-06	6.05E-04	3.66E-09	3.82E+00	4.71E-02	6.60E-10	1.0E+06	6.6E-04
184	184	0.66809	1.12868E-05	7.5E-06	6.05E-04	4.56E-09	3.82E+00	4.71E-02	8.22E-10	1.0E+06	8.2E-04
185	185	0.85897	1.12868E-05	9.7E-06	6.05E-04	5.87E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
186	186	1.13465	1.12868E-05	1.3E-05	6.05E-04	7.75E-09	3.82E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	1.55887	1.12868E-05	1.8E-05	6.05E-04	1.06E-08	3.82E+00	4.71E-02	1.92E-09	1.0E+06	1.9E-03
188	188	2.19082	1.12868E-05	2.5E-05	6.05E-04	1.50E-08	3.82E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
189	189	2.83274	1.12868E-05	3.2E-05	6.05E-04	1.93E-08	3.82E+00	4.71E-02	3.49E-09	1.0E+06	3.5E-03
190	190	3.24012	1.12868E-05	3.7E-05	6.05E-04	2.21E-08	3.82E+00	4.71E-02	3.99E-09	1.0E+06	4.0E-03
191	191	3.40203	1.12868E-05	3.8E-05	6.05E-04	2.32E-08	3.82E+00	4.71E-02	4.19E-09	1.0E+06	4.2E-03
192	192	3.47427	1.12868E-05	3.9E-05	6.05E-04	2.37E-08	3.82E+00	4.71E-02	4.28E-09	1.0E+06	4.3E-03
193	193	3.49986	1.12868E-05	4.0E-05	6.05E-04	2.39E-08	3.82E+00	4.71E-02	4.31E-09	1.0E+06	4.3E-03
194	194	3.58873	1.12868E-05	4.1E-05	6.05E-04	2.45E-08	3.82E+00	4.71E-02	4.42E-09	1.0E+06	4.4E-03
195	195	3.70115	1.12868E-05	4.2E-05	6.05E-04	2.53E-08	3.82E+00	4.71E-02	4.56E-09	1.0E+06	4.6E-03
196	196	3.54852	1.12868E-05	4.0E-05	6.05E-04	2.42E-08	3.82E+00	4.71E-02	4.37E-09	1.0E+06	4.4E-03
197	197	3.2637	1.12868E-05	3.7E-05	6.05E-04	2.23E-08	3.82E+00	4.71E-02	4.02E-09	1.0E+06	4.0E-03
198	198	0.2436	1.12868E-05	2.7E-06	6.05E-04	1.66E-09	3.82E+00	4.71E-02	3.00E-10	1.0E+06	3.0E-04
199	199	0.27744	1.12868E-05	3.1E-06	6.05E-04	1.89E-09	3.82E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
200	200	0.31885	1.12868E-05	3.6E-06	6.05E-04	2.18E-09	3.82E+00	4.71E-02	3.92E-10	1.0E+06	3.9E-04
201	201	0.37874	1.12868E-05	4.3E-06	6.05E-04	2.59E-09	3.82E+00	4.71E-02	4.66E-10	1.0E+06	4.7E-04
202	202	0.47958	1.12868E-05	5.4E-06	6.05E-04	3.28E-09	3.82E+00	4.71E-02	5.90E-10	1.0E+06	5.9E-04
203	203	0.59201	1.12868E-05	6.7E-06	6.05E-04	4.04E-09	3.82E+00	4.71E-02	7.29E-10	1.0E+06	7.3E-04
204	204	0.74054	1.12868E-05	8.4E-06	6.05E-04	5.06E-09	3.82E+00	4.71E-02	9.11E-10	1.0E+06	9.1E-04
205	205	0.93608	1.12868E-05	1.1E-05	6.05E-04	6.39E-09	3.82E+00	4.71E-02	1.15E-09	1.0E+06	1.2E-03
206	206	1.20839	1.12868E-05	1.4E-05	6.05E-04	8.25E-09	3.82E+00	4.71E-02	1.49E-09	1.0E+06	1.5E-03
207	207	1.56541	1.12868E-05	1.8E-05	6.05E-04	1.07E-08	3.82E+00	4.71E-02	1.93E-09	1.0E+06	1.9E-03
208	208	1.93327	1.12868E-05	2.2E-05	6.05E-04	1.32E-08	3.82E+00	4.71E-02	2.38E-09	1.0E+06	2.4E-03
209	209	2.20856	1.12868E-05	2.5E-05	6.05E-04	1.51E-08	3.82E+00	4.71E-02	2.72E-09	1.0E+06	2.7E-03
210	210	2.35198	1.12868E-05	2.7E-05	6.05E-04	1.61E-08	3.82E+00	4.71E-02	2.89E-09	1.0E+06	2.9E-03
211	211	2.39624	1.12868E-05	2.7E-05	6.05E-04	1.64E-08	3.82E+00	4.71E-02	2.95E-09	1.0E+06	2.9E-03
212	212	2.37383	1.12868E-05	2.7E-05	6.05E-04	1.62E-08	3.82E+00	4.71E-02	2.92E-09	1.0E+06	2.9E-03
213	213	2.29697	1.12868E-05	2.6E-05	6.05E-04	1.57E-08	3.82E+00	4.71E-02	2.83E-09	1.0E+06	2.8E-03
214	214	2.18233	1.12868E-05	2.5E-05	6.05E-04	1.49E-08	3.82E+00	4.71E-02	2.69E-09	1.0E+06	2.7E-03
215	215	2.42675	1.12868E-05	2.7E-05	6.05E-04	1.66E-08	3.82E+00	4.71E-02	2.99E-09	1.0E+06	3.0E-03
216	216	0.23253	1.12868E-05	2.6E-06	6.05E-04	1.59E-09	3.82E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
217	217	0.26137	1.12868E-05	3.0E-06	6.05E-04	1.78E-09	3.82E+00	4.71E-02	3.22E-10	1.0E+06	3.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.2988	1.12868E-05	3.4E-06	6.05E-04	2.04E-09	3.82E+00	4.71E-02	3.68E-10	1.0E+06	3.7E-04
219	219	0.34791	1.12868E-05	3.9E-06	6.05E-04	2.38E-09	3.82E+00	4.71E-02	4.28E-10	1.0E+06	4.3E-04
220	220	0.42701	1.12868E-05	4.8E-06	6.05E-04	2.92E-09	3.82E+00	4.71E-02	5.26E-10	1.0E+06	5.3E-04
221	221	0.51265	1.12868E-05	5.8E-06	6.05E-04	3.50E-09	3.82E+00	4.71E-02	6.31E-10	1.0E+06	6.3E-04
222	222	0.6305	1.12868E-05	7.1E-06	6.05E-04	4.31E-09	3.82E+00	4.71E-02	7.76E-10	1.0E+06	7.8E-04
223	223	0.7728	1.12868E-05	8.7E-06	6.05E-04	5.28E-09	3.82E+00	4.71E-02	9.51E-10	1.0E+06	9.5E-04
224	224	0.95637	1.12868E-05	1.1E-05	6.05E-04	6.53E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
225	225	1.17688	1.12868E-05	1.3E-05	6.05E-04	8.04E-09	3.82E+00	4.71E-02	1.45E-09	1.0E+06	1.4E-03
226	226	1.41255	1.12868E-05	1.6E-05	6.05E-04	9.65E-09	3.82E+00	4.71E-02	1.74E-09	1.0E+06	1.7E-03
227	227	1.60131	1.12868E-05	1.8E-05	6.05E-04	1.09E-08	3.82E+00	4.71E-02	1.97E-09	1.0E+06	2.0E-03
228	228	1.71851	1.12868E-05	1.9E-05	6.05E-04	1.17E-08	3.82E+00	4.71E-02	2.12E-09	1.0E+06	2.1E-03
229	229	1.77015	1.12868E-05	2.0E-05	6.05E-04	1.21E-08	3.82E+00	4.71E-02	2.18E-09	1.0E+06	2.2E-03
230	230	1.76285	1.12868E-05	2.0E-05	6.05E-04	1.20E-08	3.82E+00	4.71E-02	2.17E-09	1.0E+06	2.2E-03
231	231	1.73164	1.12868E-05	2.0E-05	6.05E-04	1.18E-08	3.82E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
232	232	1.67538	1.12868E-05	1.9E-05	6.05E-04	1.14E-08	3.82E+00	4.71E-02	2.06E-09	1.0E+06	2.1E-03
233	233	1.76949	1.12868E-05	2.0E-05	6.05E-04	1.21E-08	3.82E+00	4.71E-02	2.18E-09	1.0E+06	2.2E-03
234	234	0.22196	1.12868E-05	2.5E-06	6.05E-04	1.52E-09	3.82E+00	4.71E-02	2.73E-10	1.0E+06	2.7E-04
235	235	0.24608	1.12868E-05	2.8E-06	6.05E-04	1.68E-09	3.82E+00	4.71E-02	3.03E-10	1.0E+06	3.0E-04
236	236	0.27843	1.12868E-05	3.1E-06	6.05E-04	1.90E-09	3.82E+00	4.71E-02	3.43E-10	1.0E+06	3.4E-04
237	237	0.3218	1.12868E-05	3.6E-06	6.05E-04	2.20E-09	3.82E+00	4.71E-02	3.96E-10	1.0E+06	4.0E-04
238	238	0.38003	1.12868E-05	4.3E-06	6.05E-04	2.60E-09	3.82E+00	4.71E-02	4.68E-10	1.0E+06	4.7E-04
239	239	0.44611	1.12868E-05	5.0E-06	6.05E-04	3.05E-09	3.82E+00	4.71E-02	5.49E-10	1.0E+06	5.5E-04
240	240	0.53474	1.12868E-05	6.0E-06	6.05E-04	3.65E-09	3.82E+00	4.71E-02	6.58E-10	1.0E+06	6.6E-04
241	241	0.63997	1.12868E-05	7.2E-06	6.05E-04	4.37E-09	3.82E+00	4.71E-02	7.88E-10	1.0E+06	7.9E-04
242	242	0.76975	1.12868E-05	8.7E-06	6.05E-04	5.26E-09	3.82E+00	4.71E-02	9.47E-10	1.0E+06	9.5E-04
243	243	0.92051	1.12868E-05	1.0E-05	6.05E-04	6.29E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
244	244	1.0844	1.12868E-05	1.2E-05	6.05E-04	7.41E-09	3.82E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
245	245	1.22413	1.12868E-05	1.4E-05	6.05E-04	8.36E-09	3.82E+00	4.71E-02	1.51E-09	1.0E+06	1.5E-03
246	246	1.32483	1.12868E-05	1.5E-05	6.05E-04	9.05E-09	3.82E+00	4.71E-02	1.63E-09	1.0E+06	1.6E-03
247	247	1.37701	1.12868E-05	1.6E-05	6.05E-04	9.40E-09	3.82E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
248	248	1.39037	1.12868E-05	1.6E-05	6.05E-04	9.50E-09	3.82E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.37371	1.12868E-05	1.6E-05	6.05E-04	9.38E-09	3.82E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
250	250	1.35085	1.12868E-05	1.5E-05	6.05E-04	9.23E-09	3.82E+00	4.71E-02	1.66E-09	1.0E+06	1.7E-03
251	251	1.39327	1.12868E-05	1.6E-05	6.05E-04	9.52E-09	3.82E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
252	252	0.20914	1.12868E-05	2.4E-06	6.05E-04	1.43E-09	3.82E+00	4.71E-02	2.57E-10	1.0E+06	2.6E-04
253	253	0.22866	1.12868E-05	2.6E-06	6.05E-04	1.56E-09	3.82E+00	4.71E-02	2.81E-10	1.0E+06	2.8E-04
254	254	0.25374	1.12868E-05	2.9E-06	6.05E-04	1.73E-09	3.82E+00	4.71E-02	3.12E-10	1.0E+06	3.1E-04
255	255	0.28521	1.12868E-05	3.2E-06	6.05E-04	1.95E-09	3.82E+00	4.71E-02	3.51E-10	1.0E+06	3.5E-04
256	256	0.33939	1.12868E-05	3.8E-06	6.05E-04	2.32E-09	3.82E+00	4.71E-02	4.18E-10	1.0E+06	4.2E-04
257	257	0.37861	1.12868E-05	4.3E-06	6.05E-04	2.59E-09	3.82E+00	4.71E-02	4.66E-10	1.0E+06	4.7E-04
258	258	0.43511	1.12868E-05	4.9E-06	6.05E-04	2.97E-09	3.82E+00	4.71E-02	5.36E-10	1.0E+06	5.4E-04
259	259	0.50511	1.12868E-05	5.7E-06	6.05E-04	3.45E-09	3.82E+00	4.71E-02	6.22E-10	1.0E+06	6.2E-04
260	260	0.60739	1.12868E-05	6.9E-06	6.05E-04	4.15E-09	3.82E+00	4.71E-02	7.48E-10	1.0E+06	7.5E-04
261	261	0.73138	1.12868E-05	8.3E-06	6.05E-04	4.99E-09	3.82E+00	4.71E-02	9.00E-10	1.0E+06	9.0E-04
262	262	0.85592	1.12868E-05	9.7E-06	6.05E-04	5.85E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
263	263	0.96008	1.12868E-05	1.1E-05	6.05E-04	6.56E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
264	264	1.0449	1.12868E-05	1.2E-05	6.05E-04	7.14E-09	3.82E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
265	265	1.09283	1.12868E-05	1.2E-05	6.05E-04	7.46E-09	3.82E+00	4.71E-02	1.35E-09	1.0E+06	1.3E-03
266	266	1.11376	1.12868E-05	1.3E-05	6.05E-04	7.61E-09	3.82E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
267	267	1.11127	1.12868E-05	1.3E-05	6.05E-04	7.59E-09	3.82E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
268	268	1.09302	1.12868E-05	1.2E-05	6.05E-04	7.46E-09	3.82E+00	4.71E-02	1.35E-09	1.0E+06	1.3E-03
269	269	1.1159	1.12868E-05	1.3E-05	6.05E-04	7.62E-09	3.82E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
270	270	0.19616	1.12868E-05	2.2E-06	6.05E-04	1.34E-09	3.82E+00	4.71E-02	2.41E-10	1.0E+06	2.4E-04
271	271	0.21365	1.12868E-05	2.4E-06	6.05E-04	1.46E-09	3.82E+00	4.71E-02	2.63E-10	1.0E+06	2.6E-04
272	272	0.23492	1.12868E-05	2.7E-06	6.05E-04	1.60E-09	3.82E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
273	273	0.25955	1.12868E-05	2.9E-06	6.05E-04	1.77E-09	3.82E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
274	274	0.30914	1.12868E-05	3.5E-06	6.05E-04	2.11E-09	3.82E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
275	275	0.35498	1.12868E-05	4.0E-06	6.05E-04	2.42E-09	3.82E+00	4.71E-02	4.37E-10	1.0E+06	4.4E-04
276	276	0.37535	1.12868E-05	4.2E-06	6.05E-04	2.56E-09	3.82E+00	4.71E-02	4.62E-10	1.0E+06	4.6E-04
277	277	0.42662	1.12868E-05	4.8E-06	6.05E-04	2.91E-09	3.82E+00	4.71E-02	5.25E-10	1.0E+06	5.3E-04
278	278	0.49448	1.12868E-05	5.6E-06	6.05E-04	3.38E-09	3.82E+00	4.71E-02	6.09E-10	1.0E+06	6.1E-04
279	279	0.58021	1.12868E-05	6.5E-06	6.05E-04	3.96E-09	3.82E+00	4.71E-02	7.14E-10	1.0E+06	7.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.68271	1.12868E-05	7.7E-06	6.05E-04	4.66E-09	3.82E+00	4.71E-02	8.40E-10	1.0E+06	8.4E-04
281	281	0.77524	1.12868E-05	8.7E-06	6.05E-04	5.29E-09	3.82E+00	4.71E-02	9.54E-10	1.0E+06	9.5E-04
282	282	0.84642	1.12868E-05	9.6E-06	6.05E-04	5.78E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
283	283	0.89261	1.12868E-05	1.0E-05	6.05E-04	6.10E-09	3.82E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
284	284	0.91793	1.12868E-05	1.0E-05	6.05E-04	6.27E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
285	285	0.92033	1.12868E-05	1.0E-05	6.05E-04	6.29E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
286	286	0.91035	1.12868E-05	1.0E-05	6.05E-04	6.22E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
287	287	0.92443	1.12868E-05	1.0E-05	6.05E-04	6.31E-09	3.82E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
288	288	0.18492	1.12868E-05	2.1E-06	6.05E-04	1.26E-09	3.82E+00	4.71E-02	2.28E-10	1.0E+06	2.3E-04
289	289	0.19856	1.12868E-05	2.2E-06	6.05E-04	1.36E-09	3.82E+00	4.71E-02	2.44E-10	1.0E+06	2.4E-04
290	290	0.22176	1.12868E-05	2.5E-06	6.05E-04	1.51E-09	3.82E+00	4.71E-02	2.73E-10	1.0E+06	2.7E-04
291	291	0.24585	1.12868E-05	2.8E-06	6.05E-04	1.68E-09	3.82E+00	4.71E-02	3.03E-10	1.0E+06	3.0E-04
292	292	0.30361	1.12868E-05	3.4E-06	6.05E-04	2.07E-09	3.82E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04
293	293	0.3279	1.12868E-05	3.7E-06	6.05E-04	2.24E-09	3.82E+00	4.71E-02	4.04E-10	1.0E+06	4.0E-04
294	294	0.33061	1.12868E-05	3.7E-06	6.05E-04	2.26E-09	3.82E+00	4.71E-02	4.07E-10	1.0E+06	4.1E-04
295	295	0.37401	1.12868E-05	4.2E-06	6.05E-04	2.55E-09	3.82E+00	4.71E-02	4.60E-10	1.0E+06	4.6E-04
296	296	0.4288	1.12868E-05	4.8E-06	6.05E-04	2.93E-09	3.82E+00	4.71E-02	5.28E-10	1.0E+06	5.3E-04
297	297	0.48458	1.12868E-05	5.5E-06	6.05E-04	3.31E-09	3.82E+00	4.71E-02	5.96E-10	1.0E+06	6.0E-04
298	298	0.55645	1.12868E-05	6.3E-06	6.05E-04	3.80E-09	3.82E+00	4.71E-02	6.85E-10	1.0E+06	6.8E-04
299	299	0.63599	1.12868E-05	7.2E-06	6.05E-04	4.34E-09	3.82E+00	4.71E-02	7.83E-10	1.0E+06	7.8E-04
300	300	0.69318	1.12868E-05	7.8E-06	6.05E-04	4.73E-09	3.82E+00	4.71E-02	8.53E-10	1.0E+06	8.5E-04
301	301	0.74039	1.12868E-05	8.4E-06	6.05E-04	5.06E-09	3.82E+00	4.71E-02	9.11E-10	1.0E+06	9.1E-04
302	302	0.76943	1.12868E-05	8.7E-06	6.05E-04	5.25E-09	3.82E+00	4.71E-02	9.47E-10	1.0E+06	9.5E-04
303	303	0.78019	1.12868E-05	8.8E-06	6.05E-04	5.33E-09	3.82E+00	4.71E-02	9.60E-10	1.0E+06	9.6E-04
304	304	0.77551	1.12868E-05	8.8E-06	6.05E-04	5.30E-09	3.82E+00	4.71E-02	9.54E-10	1.0E+06	9.5E-04
305	305	0.78385	1.12868E-05	8.8E-06	6.05E-04	5.35E-09	3.82E+00	4.71E-02	9.65E-10	1.0E+06	9.6E-04
306	306	0.18465	1.12868E-05	2.1E-06	6.05E-04	1.26E-09	3.82E+00	4.71E-02	2.27E-10	1.0E+06	2.3E-04
307	307	0.1921	1.12868E-05	2.2E-06	6.05E-04	1.31E-09	3.82E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04
308	308	0.20756	1.12868E-05	2.3E-06	6.05E-04	1.42E-09	3.82E+00	4.71E-02	2.55E-10	1.0E+06	2.6E-04
309	309	0.24417	1.12868E-05	2.8E-06	6.05E-04	1.67E-09	3.82E+00	4.71E-02	3.01E-10	1.0E+06	3.0E-04
310	310	0.27972	1.12868E-05	3.2E-06	6.05E-04	1.91E-09	3.82E+00	4.71E-02	3.44E-10	1.0E+06	3.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.29859	1.12868E-05	3.4E-06	6.05E-04	2.04E-09	3.82E+00	4.71E-02	3.67E-10	1.0E+06	3.7E-04
312	312	0.29416	1.12868E-05	3.3E-06	6.05E-04	2.01E-09	3.82E+00	4.71E-02	3.62E-10	1.0E+06	3.6E-04
313	313	0.32939	1.12868E-05	3.7E-06	6.05E-04	2.25E-09	3.82E+00	4.71E-02	4.05E-10	1.0E+06	4.1E-04
314	314	0.37331	1.12868E-05	4.2E-06	6.05E-04	2.55E-09	3.82E+00	4.71E-02	4.59E-10	1.0E+06	4.6E-04
315	315	0.43333	1.12868E-05	4.9E-06	6.05E-04	2.96E-09	3.82E+00	4.71E-02	5.33E-10	1.0E+06	5.3E-04
316	316	0.47641	1.12868E-05	5.4E-06	6.05E-04	3.25E-09	3.82E+00	4.71E-02	5.86E-10	1.0E+06	5.9E-04
317	317	0.52716	1.12868E-05	5.9E-06	6.05E-04	3.60E-09	3.82E+00	4.71E-02	6.49E-10	1.0E+06	6.5E-04
318	318	0.5783	1.12868E-05	6.5E-06	6.05E-04	3.95E-09	3.82E+00	4.71E-02	7.12E-10	1.0E+06	7.1E-04
319	319	0.6231	1.12868E-05	7.0E-06	6.05E-04	4.26E-09	3.82E+00	4.71E-02	7.67E-10	1.0E+06	7.7E-04
320	320	0.65924	1.12868E-05	7.4E-06	6.05E-04	4.50E-09	3.82E+00	4.71E-02	8.11E-10	1.0E+06	8.1E-04
321	321	0.66958	1.12868E-05	7.6E-06	6.05E-04	4.57E-09	3.82E+00	4.71E-02	8.24E-10	1.0E+06	8.2E-04
322	322	0.66774	1.12868E-05	7.5E-06	6.05E-04	4.56E-09	3.82E+00	4.71E-02	8.22E-10	1.0E+06	8.2E-04
323	323	0.67332	1.12868E-05	7.6E-06	6.05E-04	4.60E-09	3.82E+00	4.71E-02	8.29E-10	1.0E+06	8.3E-04
324	324	0.17462	1.12868E-05	2.0E-06	6.05E-04	1.19E-09	3.82E+00	4.71E-02	2.15E-10	1.0E+06	2.1E-04
325	325	0.19353	1.12868E-05	2.2E-06	6.05E-04	1.32E-09	3.82E+00	4.71E-02	2.38E-10	1.0E+06	2.4E-04
326	326	0.20635	1.12868E-05	2.3E-06	6.05E-04	1.41E-09	3.82E+00	4.71E-02	2.54E-10	1.0E+06	2.5E-04
327	327	0.21584	1.12868E-05	2.4E-06	6.05E-04	1.47E-09	3.82E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
328	328	0.25981	1.12868E-05	2.9E-06	6.05E-04	1.77E-09	3.82E+00	4.71E-02	3.20E-10	1.0E+06	3.2E-04
329	329	0.27221	1.12868E-05	3.1E-06	6.05E-04	1.86E-09	3.82E+00	4.71E-02	3.35E-10	1.0E+06	3.4E-04
330	330	0.27002	1.12868E-05	3.0E-06	6.05E-04	1.84E-09	3.82E+00	4.71E-02	3.32E-10	1.0E+06	3.3E-04
331	331	0.30097	1.12868E-05	3.4E-06	6.05E-04	2.06E-09	3.82E+00	4.71E-02	3.70E-10	1.0E+06	3.7E-04
332	332	0.33838	1.12868E-05	3.8E-06	6.05E-04	2.31E-09	3.82E+00	4.71E-02	4.16E-10	1.0E+06	4.2E-04
333	333	0.38739	1.12868E-05	4.4E-06	6.05E-04	2.65E-09	3.82E+00	4.71E-02	4.77E-10	1.0E+06	4.8E-04
334	334	0.42964	1.12868E-05	4.8E-06	6.05E-04	2.93E-09	3.82E+00	4.71E-02	5.29E-10	1.0E+06	5.3E-04
335	335	0.47139	1.12868E-05	5.3E-06	6.05E-04	3.22E-09	3.82E+00	4.71E-02	5.80E-10	1.0E+06	5.8E-04
336	336	13.55258	1.12868E-05	1.5E-04	6.05E-04	9.26E-08	3.82E+00	4.71E-02	1.67E-08	1.0E+06	1.7E-02
337	337	8.99202	1.12868E-05	1.0E-04	6.05E-04	6.14E-08	3.82E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
338	338	0.41364	1.12868E-05	4.7E-06	6.05E-04	2.82E-09	3.82E+00	4.71E-02	5.09E-10	1.0E+06	5.1E-04
339	339	0.4316	1.12868E-05	4.9E-06	6.05E-04	2.95E-09	3.82E+00	4.71E-02	5.31E-10	1.0E+06	5.3E-04
340	340	0.44575	1.12868E-05	5.0E-06	6.05E-04	3.04E-09	3.82E+00	4.71E-02	5.49E-10	1.0E+06	5.5E-04
341	341	0.45432	1.12868E-05	5.1E-06	6.05E-04	3.10E-09	3.82E+00	4.71E-02	5.59E-10	1.0E+06	5.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.45645	1.12868E-05	5.2E-06	6.05E-04	3.12E-09	3.82E+00	4.71E-02	5.62E-10	1.0E+06	5.6E-04
343	343	0.44747	1.12868E-05	5.1E-06	6.05E-04	3.06E-09	3.82E+00	4.71E-02	5.51E-10	1.0E+06	5.5E-04
344	344	0.4383	1.12868E-05	4.9E-06	6.05E-04	2.99E-09	3.82E+00	4.71E-02	5.39E-10	1.0E+06	5.4E-04
345	345	0.42519	1.12868E-05	4.8E-06	6.05E-04	2.90E-09	3.82E+00	4.71E-02	5.23E-10	1.0E+06	5.2E-04
346	346	0.4075	1.12868E-05	4.6E-06	6.05E-04	2.78E-09	3.82E+00	4.71E-02	5.02E-10	1.0E+06	5.0E-04
347	347	0.48825	1.12868E-05	5.5E-06	6.05E-04	3.33E-09	3.82E+00	4.71E-02	6.01E-10	1.0E+06	6.0E-04
348	348	0.51708	1.12868E-05	5.8E-06	6.05E-04	3.53E-09	3.82E+00	4.71E-02	6.36E-10	1.0E+06	6.4E-04
349	349	0.53545	1.12868E-05	6.0E-06	6.05E-04	3.66E-09	3.82E+00	4.71E-02	6.59E-10	1.0E+06	6.6E-04
350	350	0.54262	1.12868E-05	6.1E-06	6.05E-04	3.71E-09	3.82E+00	4.71E-02	6.68E-10	1.0E+06	6.7E-04
351	351	0.54713	1.12868E-05	6.2E-06	6.05E-04	3.74E-09	3.82E+00	4.71E-02	6.73E-10	1.0E+06	6.7E-04
352	352	0.53213	1.12868E-05	6.0E-06	6.05E-04	3.63E-09	3.82E+00	4.71E-02	6.55E-10	1.0E+06	6.5E-04
353	353	0.51803	1.12868E-05	5.8E-06	6.05E-04	3.54E-09	3.82E+00	4.71E-02	6.38E-10	1.0E+06	6.4E-04
354	354	0.49397	1.12868E-05	5.6E-06	6.05E-04	3.37E-09	3.82E+00	4.71E-02	6.08E-10	1.0E+06	6.1E-04
355	355	0.47169	1.12868E-05	5.3E-06	6.05E-04	3.22E-09	3.82E+00	4.71E-02	5.81E-10	1.0E+06	5.8E-04
356	356	0.58987	1.12868E-05	6.7E-06	6.05E-04	4.03E-09	3.82E+00	4.71E-02	7.26E-10	1.0E+06	7.3E-04
357	357	0.61907	1.12868E-05	7.0E-06	6.05E-04	4.23E-09	3.82E+00	4.71E-02	7.62E-10	1.0E+06	7.6E-04
358	358	0.64786	1.12868E-05	7.3E-06	6.05E-04	4.42E-09	3.82E+00	4.71E-02	7.97E-10	1.0E+06	8.0E-04
359	359	0.66393	1.12868E-05	7.5E-06	6.05E-04	4.53E-09	3.82E+00	4.71E-02	8.17E-10	1.0E+06	8.2E-04
360	360	0.66801	1.12868E-05	7.5E-06	6.05E-04	4.56E-09	3.82E+00	4.71E-02	8.22E-10	1.0E+06	8.2E-04
361	361	0.64174	1.12868E-05	7.2E-06	6.05E-04	4.38E-09	3.82E+00	4.71E-02	7.90E-10	1.0E+06	7.9E-04
362	362	0.62055	1.12868E-05	7.0E-06	6.05E-04	4.24E-09	3.82E+00	4.71E-02	7.64E-10	1.0E+06	7.6E-04
363	363	0.58481	1.12868E-05	6.6E-06	6.05E-04	3.99E-09	3.82E+00	4.71E-02	7.20E-10	1.0E+06	7.2E-04
364	364	0.73276	1.12868E-05	8.3E-06	6.05E-04	5.00E-09	3.82E+00	4.71E-02	9.02E-10	1.0E+06	9.0E-04
365	365	0.76482	1.12868E-05	8.6E-06	6.05E-04	5.22E-09	3.82E+00	4.71E-02	9.41E-10	1.0E+06	9.4E-04
366	366	0.80544	1.12868E-05	9.1E-06	6.05E-04	5.50E-09	3.82E+00	4.71E-02	9.91E-10	1.0E+06	9.9E-04
367	367	0.82831	1.12868E-05	9.3E-06	6.05E-04	5.66E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
368	368	0.83395	1.12868E-05	9.4E-06	6.05E-04	5.70E-09	3.82E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
369	369	0.79104	1.12868E-05	8.9E-06	6.05E-04	5.40E-09	3.82E+00	4.71E-02	9.74E-10	1.0E+06	9.7E-04
370	370	0.71346	1.12868E-05	8.1E-06	6.05E-04	4.87E-09	3.82E+00	4.71E-02	8.78E-10	1.0E+06	8.8E-04
371	371	0.66056	1.12868E-05	7.5E-06	6.05E-04	4.51E-09	3.82E+00	4.71E-02	8.13E-10	1.0E+06	8.1E-04
372	372	0.94594	1.12868E-05	1.1E-05	6.05E-04	6.46E-09	3.82E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.98834	1.12868E-05	1.1E-05	6.05E-04	6.75E-09	3.82E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
374	374	1.03971	1.12868E-05	1.2E-05	6.05E-04	7.10E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
375	375	1.06633	1.12868E-05	1.2E-05	6.05E-04	7.28E-09	3.82E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
376	376	1.06802	1.12868E-05	1.2E-05	6.05E-04	7.29E-09	3.82E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
377	377	1.04325	1.12868E-05	1.2E-05	6.05E-04	7.12E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
378	378	1.00245	1.12868E-05	1.1E-05	6.05E-04	6.85E-09	3.82E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
379	379	0.87598	1.12868E-05	9.9E-06	6.05E-04	5.98E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
380	380	0.80116	1.12868E-05	9.0E-06	6.05E-04	5.47E-09	3.82E+00	4.71E-02	9.86E-10	1.0E+06	9.9E-04
381	381	0.72094	1.12868E-05	8.1E-06	6.05E-04	4.92E-09	3.82E+00	4.71E-02	8.87E-10	1.0E+06	8.9E-04
382	382	1.27958	1.12868E-05	1.4E-05	6.05E-04	8.74E-09	3.82E+00	4.71E-02	1.57E-09	1.0E+06	1.6E-03
383	383	1.35111	1.12868E-05	1.5E-05	6.05E-04	9.23E-09	3.82E+00	4.71E-02	1.66E-09	1.0E+06	1.7E-03
384	384	1.39785	1.12868E-05	1.6E-05	6.05E-04	9.55E-09	3.82E+00	4.71E-02	1.72E-09	1.0E+06	1.7E-03
385	385	1.42586	1.12868E-05	1.6E-05	6.05E-04	9.74E-09	3.82E+00	4.71E-02	1.75E-09	1.0E+06	1.8E-03
386	386	1.41645	1.12868E-05	1.6E-05	6.05E-04	9.67E-09	3.82E+00	4.71E-02	1.74E-09	1.0E+06	1.7E-03
387	387	1.37252	1.12868E-05	1.5E-05	6.05E-04	9.37E-09	3.82E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
388	388	1.30582	1.12868E-05	1.5E-05	6.05E-04	8.92E-09	3.82E+00	4.71E-02	1.61E-09	1.0E+06	1.6E-03
389	389	1.09487	1.12868E-05	1.2E-05	6.05E-04	7.48E-09	3.82E+00	4.71E-02	1.35E-09	1.0E+06	1.3E-03
390	390	0.97257	1.12868E-05	1.1E-05	6.05E-04	6.64E-09	3.82E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
391	391	0.85286	1.12868E-05	9.6E-06	6.05E-04	5.82E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
392	392	0.72063	1.12868E-05	8.1E-06	6.05E-04	4.92E-09	3.82E+00	4.71E-02	8.87E-10	1.0E+06	8.9E-04
393	393	1.72857	1.12868E-05	2.0E-05	6.05E-04	1.18E-08	3.82E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
394	394	1.83967	1.12868E-05	2.1E-05	6.05E-04	1.26E-08	3.82E+00	4.71E-02	2.26E-09	1.0E+06	2.3E-03
395	395	1.81469	1.12868E-05	2.0E-05	6.05E-04	1.24E-08	3.82E+00	4.71E-02	2.23E-09	1.0E+06	2.2E-03
396	396	1.83053	1.12868E-05	2.1E-05	6.05E-04	1.25E-08	3.82E+00	4.71E-02	2.25E-09	1.0E+06	2.3E-03
397	397	1.78195	1.12868E-05	2.0E-05	6.05E-04	1.22E-08	3.82E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03
398	398	1.65737	1.12868E-05	1.9E-05	6.05E-04	1.13E-08	3.82E+00	4.71E-02	2.04E-09	1.0E+06	2.0E-03
399	399	1.50226	1.12868E-05	1.7E-05	6.05E-04	1.03E-08	3.82E+00	4.71E-02	1.85E-09	1.0E+06	1.8E-03
400	400	1.41071	1.12868E-05	1.6E-05	6.05E-04	9.63E-09	3.82E+00	4.71E-02	1.74E-09	1.0E+06	1.7E-03
401	401	1.20655	1.12868E-05	1.4E-05	6.05E-04	8.24E-09	3.82E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
402	402	0.81598	1.12868E-05	9.2E-06	6.05E-04	5.57E-09	3.82E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
403	403	1.89074	1.12868E-05	2.1E-05	6.05E-04	1.29E-08	3.82E+00	4.71E-02	2.33E-09	1.0E+06	2.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.94707	1.12868E-05	1.1E-05	6.05E-04	6.47E-09	3.82E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
405	405	0.73263	1.12868E-05	8.3E-06	6.05E-04	5.00E-09	3.82E+00	4.71E-02	9.02E-10	1.0E+06	9.0E-04
406	406	2.72449	1.12868E-05	3.1E-05	6.05E-04	1.86E-08	3.82E+00	4.71E-02	3.35E-09	1.0E+06	3.4E-03
407	407	0.75322	1.12868E-05	8.5E-06	6.05E-04	5.14E-09	3.82E+00	4.71E-02	9.27E-10	1.0E+06	9.3E-04
408	408	4.37031	1.12868E-05	4.9E-05	6.05E-04	2.98E-08	3.82E+00	4.71E-02	5.38E-09	1.0E+06	5.4E-03
409	409	0.74242	1.12868E-05	8.4E-06	6.05E-04	5.07E-09	3.82E+00	4.71E-02	9.14E-10	1.0E+06	9.1E-04
410	410	5.89066	1.12868E-05	6.6E-05	6.05E-04	4.02E-08	3.82E+00	4.71E-02	7.25E-09	1.0E+06	7.3E-03
411	411	0.96301	1.12868E-05	1.1E-05	6.05E-04	6.58E-09	3.82E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
412	412	0.72082	1.12868E-05	8.1E-06	6.05E-04	4.92E-09	3.82E+00	4.71E-02	8.87E-10	1.0E+06	8.9E-04
413	413	4.15242	1.12868E-05	4.7E-05	6.05E-04	2.84E-08	3.82E+00	4.71E-02	5.11E-09	1.0E+06	5.1E-03
414	414	1.2307	1.12868E-05	1.4E-05	6.05E-04	8.40E-09	3.82E+00	4.71E-02	1.51E-09	1.0E+06	1.5E-03
415	415	0.87609	1.12868E-05	9.9E-06	6.05E-04	5.98E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
416	416	0.66877	1.12868E-05	7.5E-06	6.05E-04	4.57E-09	3.82E+00	4.71E-02	8.23E-10	1.0E+06	8.2E-04
417	417	2.82592	1.12868E-05	3.2E-05	6.05E-04	1.93E-08	3.82E+00	4.71E-02	3.48E-09	1.0E+06	3.5E-03
418	418	0.79163	1.12868E-05	8.9E-06	6.05E-04	5.41E-09	3.82E+00	4.71E-02	9.74E-10	1.0E+06	9.7E-04
419	419	0.61638	1.12868E-05	7.0E-06	6.05E-04	4.21E-09	3.82E+00	4.71E-02	7.59E-10	1.0E+06	7.6E-04
420	420	0.49673	1.12868E-05	5.6E-06	6.05E-04	3.39E-09	3.82E+00	4.71E-02	6.11E-10	1.0E+06	6.1E-04
421	421	2.04611	1.12868E-05	2.3E-05	6.05E-04	1.40E-08	3.82E+00	4.71E-02	2.52E-09	1.0E+06	2.5E-03
422	422	0.56643	1.12868E-05	6.4E-06	6.05E-04	3.87E-09	3.82E+00	4.71E-02	6.97E-10	1.0E+06	7.0E-04
423	423	0.46407	1.12868E-05	5.2E-06	6.05E-04	3.17E-09	3.82E+00	4.71E-02	5.71E-10	1.0E+06	5.7E-04
424	424	1.56649	1.12868E-05	1.8E-05	6.05E-04	1.07E-08	3.82E+00	4.71E-02	1.93E-09	1.0E+06	1.9E-03
425	425	0.43176	1.12868E-05	4.9E-06	6.05E-04	2.95E-09	3.82E+00	4.71E-02	5.31E-10	1.0E+06	5.3E-04
426	426	0.3652	1.12868E-05	4.1E-06	6.05E-04	2.49E-09	3.82E+00	4.71E-02	4.49E-10	1.0E+06	4.5E-04
427	427	1.24762	1.12868E-05	1.4E-05	6.05E-04	8.52E-09	3.82E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03
428	428	0.40134	1.12868E-05	4.5E-06	6.05E-04	2.74E-09	3.82E+00	4.71E-02	4.94E-10	1.0E+06	4.9E-04
429	429	0.34276	1.12868E-05	3.9E-06	6.05E-04	2.34E-09	3.82E+00	4.71E-02	4.22E-10	1.0E+06	4.2E-04
430	430	1.0239	1.12868E-05	1.2E-05	6.05E-04	6.99E-09	3.82E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
431	431	0.32135	1.12868E-05	3.6E-06	6.05E-04	2.19E-09	3.82E+00	4.71E-02	3.96E-10	1.0E+06	4.0E-04
432	432	0.27846	1.12868E-05	3.1E-06	6.05E-04	1.90E-09	3.82E+00	4.71E-02	3.43E-10	1.0E+06	3.4E-04
433	433	0.85795	1.12868E-05	9.7E-06	6.05E-04	5.86E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
434	434	0.30144	1.12868E-05	3.4E-06	6.05E-04	2.06E-09	3.82E+00	4.71E-02	3.71E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.2643	1.12868E-05	3.0E-06	6.05E-04	1.80E-09	3.82E+00	4.71E-02	3.25E-10	1.0E+06	3.3E-04
436	436	0.73157	1.12868E-05	8.3E-06	6.05E-04	5.00E-09	3.82E+00	4.71E-02	9.00E-10	1.0E+06	9.0E-04
437	437	0.32605	1.12868E-05	3.7E-06	6.05E-04	2.23E-09	3.82E+00	4.71E-02	4.01E-10	1.0E+06	4.0E-04
438	438	0.28347	1.12868E-05	3.2E-06	6.05E-04	1.94E-09	3.82E+00	4.71E-02	3.49E-10	1.0E+06	3.5E-04
439	439	0.24978	1.12868E-05	2.8E-06	6.05E-04	1.71E-09	3.82E+00	4.71E-02	3.07E-10	1.0E+06	3.1E-04
440	440	0.63195	1.12868E-05	7.1E-06	6.05E-04	4.32E-09	3.82E+00	4.71E-02	7.78E-10	1.0E+06	7.8E-04
441	441	0.41411	1.12868E-05	4.7E-06	6.05E-04	2.83E-09	3.82E+00	4.71E-02	5.10E-10	1.0E+06	5.1E-04
442	442	0.35317	1.12868E-05	4.0E-06	6.05E-04	2.41E-09	3.82E+00	4.71E-02	4.35E-10	1.0E+06	4.3E-04
443	443	0.30514	1.12868E-05	3.4E-06	6.05E-04	2.08E-09	3.82E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
444	444	0.26663	1.12868E-05	3.0E-06	6.05E-04	1.82E-09	3.82E+00	4.71E-02	3.28E-10	1.0E+06	3.3E-04
445	445	0.55224	1.12868E-05	6.2E-06	6.05E-04	3.77E-09	3.82E+00	4.71E-02	6.80E-10	1.0E+06	6.8E-04
446	446	0.43322	1.12868E-05	4.9E-06	6.05E-04	2.96E-09	3.82E+00	4.71E-02	5.33E-10	1.0E+06	5.3E-04
447	447	0.377	1.12868E-05	4.3E-06	6.05E-04	2.57E-09	3.82E+00	4.71E-02	4.64E-10	1.0E+06	4.6E-04
448	448	0.32738	1.12868E-05	3.7E-06	6.05E-04	2.24E-09	3.82E+00	4.71E-02	4.03E-10	1.0E+06	4.0E-04
449	449	0.48715	1.12868E-05	5.5E-06	6.05E-04	3.33E-09	3.82E+00	4.71E-02	6.00E-10	1.0E+06	6.0E-04
450	450	0.44047	1.12868E-05	5.0E-06	6.05E-04	3.01E-09	3.82E+00	4.71E-02	5.42E-10	1.0E+06	5.4E-04
451	451	0.39229	1.12868E-05	4.4E-06	6.05E-04	2.68E-09	3.82E+00	4.71E-02	4.83E-10	1.0E+06	4.8E-04
452	452	0.43319	1.12868E-05	4.9E-06	6.05E-04	2.96E-09	3.82E+00	4.71E-02	5.33E-10	1.0E+06	5.3E-04
453	453	0.3958	1.12868E-05	4.5E-06	6.05E-04	2.70E-09	3.82E+00	4.71E-02	4.87E-10	1.0E+06	4.9E-04
454	454	0.19899	1.12868E-05	2.2E-06	6.05E-04	1.36E-09	3.82E+00	4.71E-02	2.45E-10	1.0E+06	2.4E-04
455	455	0.18119	1.12868E-05	2.0E-06	6.05E-04	1.24E-09	3.82E+00	4.71E-02	2.23E-10	1.0E+06	2.2E-04
456	456	0.38783	1.12868E-05	4.4E-06	6.05E-04	2.65E-09	3.82E+00	4.71E-02	4.77E-10	1.0E+06	4.8E-04
457	457	0.35747	1.12868E-05	4.0E-06	6.05E-04	2.44E-09	3.82E+00	4.71E-02	4.40E-10	1.0E+06	4.4E-04
458	458	0.32462	1.12868E-05	3.7E-06	6.05E-04	2.22E-09	3.82E+00	4.71E-02	4.00E-10	1.0E+06	4.0E-04
459	459	0.2342	1.12868E-05	2.6E-06	6.05E-04	1.60E-09	3.82E+00	4.71E-02	2.88E-10	1.0E+06	2.9E-04
460	460	0.21065	1.12868E-05	2.4E-06	6.05E-04	1.44E-09	3.82E+00	4.71E-02	2.59E-10	1.0E+06	2.6E-04
461	461	0.19001	1.12868E-05	2.1E-06	6.05E-04	1.30E-09	3.82E+00	4.71E-02	2.34E-10	1.0E+06	2.3E-04
462	462	0.17231	1.12868E-05	1.9E-06	6.05E-04	1.18E-09	3.82E+00	4.71E-02	2.12E-10	1.0E+06	2.1E-04
463	463	13.65727	1.12868E-05	1.5E-04	6.05E-04	9.33E-08	3.82E+00	4.71E-02	1.68E-08	1.0E+06	1.7E-02
464	464	8.4501	1.12868E-05	9.5E-05	6.05E-04	5.77E-08	3.82E+00	4.71E-02	1.04E-08	1.0E+06	1.0E-02
465	465	9.42636	1.12868E-05	1.1E-04	6.05E-04	6.44E-08	3.82E+00	4.71E-02	1.16E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	6.1695	1.12868E-05	7.0E-05	6.05E-04	4.21E-08	3.82E+00	4.71E-02	7.59E-09	1.0E+06	7.6E-03
467	467	4.62459	1.12868E-05	5.2E-05	6.05E-04	3.16E-08	3.82E+00	4.71E-02	5.69E-09	1.0E+06	5.7E-03
468	468	2.91656	1.12868E-05	3.3E-05	6.05E-04	1.99E-08	3.82E+00	4.71E-02	3.59E-09	1.0E+06	3.6E-03
469	469	2.06456	1.12868E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
470	470	1.73964	1.12868E-05	2.0E-05	6.05E-04	1.19E-08	3.82E+00	4.71E-02	2.14E-09	1.0E+06	2.1E-03
471	471	1.80023	1.12868E-05	2.0E-05	6.05E-04	1.23E-08	3.82E+00	4.71E-02	2.22E-09	1.0E+06	2.2E-03
472	472	1.36133	1.12868E-05	1.5E-05	6.05E-04	9.30E-09	3.82E+00	4.71E-02	1.68E-09	1.0E+06	1.7E-03
473	473	1.23707	1.12868E-05	1.4E-05	6.05E-04	8.45E-09	3.82E+00	4.71E-02	1.52E-09	1.0E+06	1.5E-03
474	474	1.09844	1.12868E-05	1.2E-05	6.05E-04	7.50E-09	3.82E+00	4.71E-02	1.35E-09	1.0E+06	1.4E-03
475	475	1.00949	1.12868E-05	1.1E-05	6.05E-04	6.89E-09	3.82E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
476	476	0.90773	1.12868E-05	1.0E-05	6.05E-04	6.20E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
477	477	0.84234	1.12868E-05	9.5E-06	6.05E-04	5.75E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
478	478	0.76413	1.12868E-05	8.6E-06	6.05E-04	5.22E-09	3.82E+00	4.71E-02	9.40E-10	1.0E+06	9.4E-04
479	479	0.71404	1.12868E-05	8.1E-06	6.05E-04	4.88E-09	3.82E+00	4.71E-02	8.79E-10	1.0E+06	8.8E-04
480	480	0.65203	1.12868E-05	7.4E-06	6.05E-04	4.45E-09	3.82E+00	4.71E-02	8.02E-10	1.0E+06	8.0E-04
481	481	0.65313	1.12868E-05	7.4E-06	6.05E-04	4.46E-09	3.82E+00	4.71E-02	8.04E-10	1.0E+06	8.0E-04
482	482	0.56714	1.12868E-05	6.4E-06	6.05E-04	3.87E-09	3.82E+00	4.71E-02	6.98E-10	1.0E+06	7.0E-04
483	483	0.53522	1.12868E-05	6.0E-06	6.05E-04	3.66E-09	3.82E+00	4.71E-02	6.59E-10	1.0E+06	6.6E-04
484	484	0.49805	1.12868E-05	5.6E-06	6.05E-04	3.40E-09	3.82E+00	4.71E-02	6.13E-10	1.0E+06	6.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.09216	1.52945E-05	1.4E-06	6.05E-04	8.53E-10	3.82E+00	4.71E-02	1.54E-10	1.0E+06	1.5E-04
2	2	0.09432	1.52945E-05	1.4E-06	6.05E-04	8.73E-10	3.82E+00	4.71E-02	1.57E-10	1.0E+06	1.6E-04
3	3	0.09633	1.52945E-05	1.5E-06	6.05E-04	8.91E-10	3.82E+00	4.71E-02	1.61E-10	1.0E+06	1.6E-04
4	4	0.09844	1.52945E-05	1.5E-06	6.05E-04	9.11E-10	3.82E+00	4.71E-02	1.64E-10	1.0E+06	1.6E-04
5	5	0.10048	1.52945E-05	1.5E-06	6.05E-04	9.30E-10	3.82E+00	4.71E-02	1.68E-10	1.0E+06	1.7E-04
6	6	0.10345	1.52945E-05	1.6E-06	6.05E-04	9.57E-10	3.82E+00	4.71E-02	1.73E-10	1.0E+06	1.7E-04
7	7	0.1068	1.52945E-05	1.6E-06	6.05E-04	9.88E-10	3.82E+00	4.71E-02	1.78E-10	1.0E+06	1.8E-04
8	8	0.11047	1.52945E-05	1.7E-06	6.05E-04	1.02E-09	3.82E+00	4.71E-02	1.84E-10	1.0E+06	1.8E-04
9	9	0.11461	1.52945E-05	1.8E-06	6.05E-04	1.06E-09	3.82E+00	4.71E-02	1.91E-10	1.0E+06	1.9E-04
10	10	0.11999	1.52945E-05	1.8E-06	6.05E-04	1.11E-09	3.82E+00	4.71E-02	2.00E-10	1.0E+06	2.0E-04
11	11	0.12729	1.52945E-05	1.9E-06	6.05E-04	1.18E-09	3.82E+00	4.71E-02	2.12E-10	1.0E+06	2.1E-04
12	12	0.13543	1.52945E-05	2.1E-06	6.05E-04	1.25E-09	3.82E+00	4.71E-02	2.26E-10	1.0E+06	2.3E-04
13	13	0.14458	1.52945E-05	2.2E-06	6.05E-04	1.34E-09	3.82E+00	4.71E-02	2.41E-10	1.0E+06	2.4E-04
14	14	0.20999	1.52945E-05	3.2E-06	6.05E-04	1.94E-09	3.82E+00	4.71E-02	3.50E-10	1.0E+06	3.5E-04
15	15	0.10096	1.52945E-05	1.5E-06	6.05E-04	9.34E-10	3.82E+00	4.71E-02	1.68E-10	1.0E+06	1.7E-04
16	16	0.10308	1.52945E-05	1.6E-06	6.05E-04	9.54E-10	3.82E+00	4.71E-02	1.72E-10	1.0E+06	1.7E-04
17	17	0.10597	1.52945E-05	1.6E-06	6.05E-04	9.81E-10	3.82E+00	4.71E-02	1.77E-10	1.0E+06	1.8E-04
18	18	0.10826	1.52945E-05	1.7E-06	6.05E-04	1.00E-09	3.82E+00	4.71E-02	1.81E-10	1.0E+06	1.8E-04
19	19	0.11046	1.52945E-05	1.7E-06	6.05E-04	1.02E-09	3.82E+00	4.71E-02	1.84E-10	1.0E+06	1.8E-04
20	20	0.11335	1.52945E-05	1.7E-06	6.05E-04	1.05E-09	3.82E+00	4.71E-02	1.89E-10	1.0E+06	1.9E-04
21	21	0.11665	1.52945E-05	1.8E-06	6.05E-04	1.08E-09	3.82E+00	4.71E-02	1.95E-10	1.0E+06	1.9E-04
22	22	0.12015	1.52945E-05	1.8E-06	6.05E-04	1.11E-09	3.82E+00	4.71E-02	2.00E-10	1.0E+06	2.0E-04
23	23	0.12552	1.52945E-05	1.9E-06	6.05E-04	1.16E-09	3.82E+00	4.71E-02	2.09E-10	1.0E+06	2.1E-04
24	24	0.13047	1.52945E-05	2.0E-06	6.05E-04	1.21E-09	3.82E+00	4.71E-02	2.18E-10	1.0E+06	2.2E-04
25	25	0.13892	1.52945E-05	2.1E-06	6.05E-04	1.29E-09	3.82E+00	4.71E-02	2.32E-10	1.0E+06	2.3E-04
26	26	0.14856	1.52945E-05	2.3E-06	6.05E-04	1.37E-09	3.82E+00	4.71E-02	2.48E-10	1.0E+06	2.5E-04
27	27	0.15739	1.52945E-05	2.4E-06	6.05E-04	1.46E-09	3.82E+00	4.71E-02	2.62E-10	1.0E+06	2.6E-04
28	28	0.2371	1.52945E-05	3.6E-06	6.05E-04	2.19E-09	3.82E+00	4.71E-02	3.95E-10	1.0E+06	4.0E-04
29	29	0.11037	1.52945E-05	1.7E-06	6.05E-04	1.02E-09	3.82E+00	4.71E-02	1.84E-10	1.0E+06	1.8E-04
30	30	0.11364	1.52945E-05	1.7E-06	6.05E-04	1.05E-09	3.82E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
31	31	0.1174	1.52945E-05	1.8E-06	6.05E-04	1.09E-09	3.82E+00	4.71E-02	1.96E-10	1.0E+06	2.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.12053	1.52945E-05	1.8E-06	6.05E-04	1.12E-09	3.82E+00	4.71E-02	2.01E-10	1.0E+06	2.0E-04
33	33	0.12212	1.52945E-05	1.9E-06	6.05E-04	1.13E-09	3.82E+00	4.71E-02	2.04E-10	1.0E+06	2.0E-04
34	34	0.12541	1.52945E-05	1.9E-06	6.05E-04	1.16E-09	3.82E+00	4.71E-02	2.09E-10	1.0E+06	2.1E-04
35	35	0.12869	1.52945E-05	2.0E-06	6.05E-04	1.19E-09	3.82E+00	4.71E-02	2.15E-10	1.0E+06	2.1E-04
36	36	0.13286	1.52945E-05	2.0E-06	6.05E-04	1.23E-09	3.82E+00	4.71E-02	2.22E-10	1.0E+06	2.2E-04
37	37	0.13814	1.52945E-05	2.1E-06	6.05E-04	1.28E-09	3.82E+00	4.71E-02	2.30E-10	1.0E+06	2.3E-04
38	38	0.14461	1.52945E-05	2.2E-06	6.05E-04	1.34E-09	3.82E+00	4.71E-02	2.41E-10	1.0E+06	2.4E-04
39	39	0.15282	1.52945E-05	2.3E-06	6.05E-04	1.41E-09	3.82E+00	4.71E-02	2.55E-10	1.0E+06	2.5E-04
40	40	0.1622	1.52945E-05	2.5E-06	6.05E-04	1.50E-09	3.82E+00	4.71E-02	2.71E-10	1.0E+06	2.7E-04
41	41	0.17241	1.52945E-05	2.6E-06	6.05E-04	1.60E-09	3.82E+00	4.71E-02	2.88E-10	1.0E+06	2.9E-04
42	42	0.26807	1.52945E-05	4.1E-06	6.05E-04	2.48E-09	3.82E+00	4.71E-02	4.47E-10	1.0E+06	4.5E-04
43	43	0.11985	1.52945E-05	1.8E-06	6.05E-04	1.11E-09	3.82E+00	4.71E-02	2.00E-10	1.0E+06	2.0E-04
44	44	0.12432	1.52945E-05	1.9E-06	6.05E-04	1.15E-09	3.82E+00	4.71E-02	2.07E-10	1.0E+06	2.1E-04
45	45	0.12854	1.52945E-05	2.0E-06	6.05E-04	1.19E-09	3.82E+00	4.71E-02	2.14E-10	1.0E+06	2.1E-04
46	46	0.13203	1.52945E-05	2.0E-06	6.05E-04	1.22E-09	3.82E+00	4.71E-02	2.20E-10	1.0E+06	2.2E-04
47	47	0.13511	1.52945E-05	2.1E-06	6.05E-04	1.25E-09	3.82E+00	4.71E-02	2.25E-10	1.0E+06	2.3E-04
48	48	0.13875	1.52945E-05	2.1E-06	6.05E-04	1.28E-09	3.82E+00	4.71E-02	2.31E-10	1.0E+06	2.3E-04
49	49	0.14226	1.52945E-05	2.2E-06	6.05E-04	1.32E-09	3.82E+00	4.71E-02	2.37E-10	1.0E+06	2.4E-04
50	50	0.1461	1.52945E-05	2.2E-06	6.05E-04	1.35E-09	3.82E+00	4.71E-02	2.44E-10	1.0E+06	2.4E-04
51	51	0.15356	1.52945E-05	2.3E-06	6.05E-04	1.42E-09	3.82E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
52	52	0.16063	1.52945E-05	2.5E-06	6.05E-04	1.49E-09	3.82E+00	4.71E-02	2.68E-10	1.0E+06	2.7E-04
53	53	0.17003	1.52945E-05	2.6E-06	6.05E-04	1.57E-09	3.82E+00	4.71E-02	2.84E-10	1.0E+06	2.8E-04
54	54	0.18104	1.52945E-05	2.8E-06	6.05E-04	1.68E-09	3.82E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
55	55	0.19382	1.52945E-05	3.0E-06	6.05E-04	1.79E-09	3.82E+00	4.71E-02	3.23E-10	1.0E+06	3.2E-04
56	56	0.312	1.52945E-05	4.8E-06	6.05E-04	2.89E-09	3.82E+00	4.71E-02	5.20E-10	1.0E+06	5.2E-04
57	57	0.12894	1.52945E-05	2.0E-06	6.05E-04	1.19E-09	3.82E+00	4.71E-02	2.15E-10	1.0E+06	2.2E-04
58	58	0.13406	1.52945E-05	2.1E-06	6.05E-04	1.24E-09	3.82E+00	4.71E-02	2.24E-10	1.0E+06	2.2E-04
59	59	0.1392	1.52945E-05	2.1E-06	6.05E-04	1.29E-09	3.82E+00	4.71E-02	2.32E-10	1.0E+06	2.3E-04
60	60	0.14439	1.52945E-05	2.2E-06	6.05E-04	1.34E-09	3.82E+00	4.71E-02	2.41E-10	1.0E+06	2.4E-04
61	61	0.14936	1.52945E-05	2.3E-06	6.05E-04	1.38E-09	3.82E+00	4.71E-02	2.49E-10	1.0E+06	2.5E-04
62	62	0.15433	1.52945E-05	2.4E-06	6.05E-04	1.43E-09	3.82E+00	4.71E-02	2.57E-10	1.0E+06	2.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.16081	1.52945E-05	2.5E-06	6.05E-04	1.49E-09	3.82E+00	4.71E-02	2.68E-10	1.0E+06	2.7E-04
64	64	0.16344	1.52945E-05	2.5E-06	6.05E-04	1.51E-09	3.82E+00	4.71E-02	2.73E-10	1.0E+06	2.7E-04
65	65	0.1716	1.52945E-05	2.6E-06	6.05E-04	1.59E-09	3.82E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
66	66	0.18095	1.52945E-05	2.8E-06	6.05E-04	1.67E-09	3.82E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
67	67	0.19028	1.52945E-05	2.9E-06	6.05E-04	1.76E-09	3.82E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
68	68	0.20512	1.52945E-05	3.1E-06	6.05E-04	1.90E-09	3.82E+00	4.71E-02	3.42E-10	1.0E+06	3.4E-04
69	69	0.22197	1.52945E-05	3.4E-06	6.05E-04	2.05E-09	3.82E+00	4.71E-02	3.70E-10	1.0E+06	3.7E-04
70	70	0.13753	1.52945E-05	2.1E-06	6.05E-04	1.27E-09	3.82E+00	4.71E-02	2.29E-10	1.0E+06	2.3E-04
71	71	0.14367	1.52945E-05	2.2E-06	6.05E-04	1.33E-09	3.82E+00	4.71E-02	2.40E-10	1.0E+06	2.4E-04
72	72	0.14988	1.52945E-05	2.3E-06	6.05E-04	1.39E-09	3.82E+00	4.71E-02	2.50E-10	1.0E+06	2.5E-04
73	73	0.15664	1.52945E-05	2.4E-06	6.05E-04	1.45E-09	3.82E+00	4.71E-02	2.61E-10	1.0E+06	2.6E-04
74	74	0.16296	1.52945E-05	2.5E-06	6.05E-04	1.51E-09	3.82E+00	4.71E-02	2.72E-10	1.0E+06	2.7E-04
75	75	0.17173	1.52945E-05	2.6E-06	6.05E-04	1.59E-09	3.82E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
76	76	0.17981	1.52945E-05	2.8E-06	6.05E-04	1.66E-09	3.82E+00	4.71E-02	3.00E-10	1.0E+06	3.0E-04
77	77	0.18581	1.52945E-05	2.8E-06	6.05E-04	1.72E-09	3.82E+00	4.71E-02	3.10E-10	1.0E+06	3.1E-04
78	78	0.19581	1.52945E-05	3.0E-06	6.05E-04	1.81E-09	3.82E+00	4.71E-02	3.27E-10	1.0E+06	3.3E-04
79	79	0.21188	1.52945E-05	3.2E-06	6.05E-04	1.96E-09	3.82E+00	4.71E-02	3.53E-10	1.0E+06	3.5E-04
80	80	0.22169	1.52945E-05	3.4E-06	6.05E-04	2.05E-09	3.82E+00	4.71E-02	3.70E-10	1.0E+06	3.7E-04
81	81	0.24223	1.52945E-05	3.7E-06	6.05E-04	2.24E-09	3.82E+00	4.71E-02	4.04E-10	1.0E+06	4.0E-04
82	82	0.25941	1.52945E-05	4.0E-06	6.05E-04	2.40E-09	3.82E+00	4.71E-02	4.33E-10	1.0E+06	4.3E-04
83	83	0.14576	1.52945E-05	2.2E-06	6.05E-04	1.35E-09	3.82E+00	4.71E-02	2.43E-10	1.0E+06	2.4E-04
84	84	0.15224	1.52945E-05	2.3E-06	6.05E-04	1.41E-09	3.82E+00	4.71E-02	2.54E-10	1.0E+06	2.5E-04
85	85	0.15832	1.52945E-05	2.4E-06	6.05E-04	1.47E-09	3.82E+00	4.71E-02	2.64E-10	1.0E+06	2.6E-04
86	86	0.16879	1.52945E-05	2.6E-06	6.05E-04	1.56E-09	3.82E+00	4.71E-02	2.82E-10	1.0E+06	2.8E-04
87	87	0.17803	1.52945E-05	2.7E-06	6.05E-04	1.65E-09	3.82E+00	4.71E-02	2.97E-10	1.0E+06	3.0E-04
88	88	0.18849	1.52945E-05	2.9E-06	6.05E-04	1.74E-09	3.82E+00	4.71E-02	3.14E-10	1.0E+06	3.1E-04
89	89	0.19984	1.52945E-05	3.1E-06	6.05E-04	1.85E-09	3.82E+00	4.71E-02	3.33E-10	1.0E+06	3.3E-04
90	90	0.21232	1.52945E-05	3.2E-06	6.05E-04	1.96E-09	3.82E+00	4.71E-02	3.54E-10	1.0E+06	3.5E-04
91	91	0.22629	1.52945E-05	3.5E-06	6.05E-04	2.09E-09	3.82E+00	4.71E-02	3.77E-10	1.0E+06	3.8E-04
92	92	0.24224	1.52945E-05	3.7E-06	6.05E-04	2.24E-09	3.82E+00	4.71E-02	4.04E-10	1.0E+06	4.0E-04
93	93	0.26012	1.52945E-05	4.0E-06	6.05E-04	2.41E-09	3.82E+00	4.71E-02	4.34E-10	1.0E+06	4.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.28097	1.52945E-05	4.3E-06	6.05E-04	2.60E-09	3.82E+00	4.71E-02	4.69E-10	1.0E+06	4.7E-04
95	95	0.30584	1.52945E-05	4.7E-06	6.05E-04	2.83E-09	3.82E+00	4.71E-02	5.10E-10	1.0E+06	5.1E-04
96	96	0.1525	1.52945E-05	2.3E-06	6.05E-04	1.41E-09	3.82E+00	4.71E-02	2.54E-10	1.0E+06	2.5E-04
97	97	0.15819	1.52945E-05	2.4E-06	6.05E-04	1.46E-09	3.82E+00	4.71E-02	2.64E-10	1.0E+06	2.6E-04
98	98	0.16574	1.52945E-05	2.5E-06	6.05E-04	1.53E-09	3.82E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04
99	99	0.17705	1.52945E-05	2.7E-06	6.05E-04	1.64E-09	3.82E+00	4.71E-02	2.95E-10	1.0E+06	3.0E-04
100	100	0.19094	1.52945E-05	2.9E-06	6.05E-04	1.77E-09	3.82E+00	4.71E-02	3.18E-10	1.0E+06	3.2E-04
101	101	0.20346	1.52945E-05	3.1E-06	6.05E-04	1.88E-09	3.82E+00	4.71E-02	3.39E-10	1.0E+06	3.4E-04
102	102	0.21727	1.52945E-05	3.3E-06	6.05E-04	2.01E-09	3.82E+00	4.71E-02	3.62E-10	1.0E+06	3.6E-04
103	103	0.23295	1.52945E-05	3.6E-06	6.05E-04	2.16E-09	3.82E+00	4.71E-02	3.89E-10	1.0E+06	3.9E-04
104	104	0.25029	1.52945E-05	3.8E-06	6.05E-04	2.32E-09	3.82E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
105	105	0.26983	1.52945E-05	4.1E-06	6.05E-04	2.50E-09	3.82E+00	4.71E-02	4.50E-10	1.0E+06	4.5E-04
106	106	0.29296	1.52945E-05	4.5E-06	6.05E-04	2.71E-09	3.82E+00	4.71E-02	4.89E-10	1.0E+06	4.9E-04
107	107	0.32006	1.52945E-05	4.9E-06	6.05E-04	2.96E-09	3.82E+00	4.71E-02	5.34E-10	1.0E+06	5.3E-04
108	108	0.35239	1.52945E-05	5.4E-06	6.05E-04	3.26E-09	3.82E+00	4.71E-02	5.88E-10	1.0E+06	5.9E-04
109	109	0.15646	1.52945E-05	2.4E-06	6.05E-04	1.45E-09	3.82E+00	4.71E-02	2.61E-10	1.0E+06	2.6E-04
110	110	0.16633	1.52945E-05	2.5E-06	6.05E-04	1.54E-09	3.82E+00	4.71E-02	2.77E-10	1.0E+06	2.8E-04
111	111	0.17726	1.52945E-05	2.7E-06	6.05E-04	1.64E-09	3.82E+00	4.71E-02	2.96E-10	1.0E+06	3.0E-04
112	112	0.18924	1.52945E-05	2.9E-06	6.05E-04	1.75E-09	3.82E+00	4.71E-02	3.16E-10	1.0E+06	3.2E-04
113	113	0.20242	1.52945E-05	3.1E-06	6.05E-04	1.87E-09	3.82E+00	4.71E-02	3.38E-10	1.0E+06	3.4E-04
114	114	0.21692	1.52945E-05	3.3E-06	6.05E-04	2.01E-09	3.82E+00	4.71E-02	3.62E-10	1.0E+06	3.6E-04
115	115	0.23281	1.52945E-05	3.6E-06	6.05E-04	2.15E-09	3.82E+00	4.71E-02	3.88E-10	1.0E+06	3.9E-04
116	116	0.25137	1.52945E-05	3.8E-06	6.05E-04	2.33E-09	3.82E+00	4.71E-02	4.19E-10	1.0E+06	4.2E-04
117	117	0.27328	1.52945E-05	4.2E-06	6.05E-04	2.53E-09	3.82E+00	4.71E-02	4.56E-10	1.0E+06	4.6E-04
118	118	0.29284	1.52945E-05	4.5E-06	6.05E-04	2.71E-09	3.82E+00	4.71E-02	4.88E-10	1.0E+06	4.9E-04
119	119	0.32152	1.52945E-05	4.9E-06	6.05E-04	2.98E-09	3.82E+00	4.71E-02	5.36E-10	1.0E+06	5.4E-04
120	120	0.35343	1.52945E-05	5.4E-06	6.05E-04	3.27E-09	3.82E+00	4.71E-02	5.89E-10	1.0E+06	5.9E-04
121	121	0.39023	1.52945E-05	6.0E-06	6.05E-04	3.61E-09	3.82E+00	4.71E-02	6.51E-10	1.0E+06	6.5E-04
122	122	0.1594	1.52945E-05	2.4E-06	6.05E-04	1.48E-09	3.82E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
123	123	0.17081	1.52945E-05	2.6E-06	6.05E-04	1.58E-09	3.82E+00	4.71E-02	2.85E-10	1.0E+06	2.8E-04
124	124	0.1844	1.52945E-05	2.8E-06	6.05E-04	1.71E-09	3.82E+00	4.71E-02	3.08E-10	1.0E+06	3.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19791	1.52945E-05	3.0E-06	6.05E-04	1.83E-09	3.82E+00	4.71E-02	3.30E-10	1.0E+06	3.3E-04
126	126	0.21207	1.52945E-05	3.2E-06	6.05E-04	1.96E-09	3.82E+00	4.71E-02	3.54E-10	1.0E+06	3.5E-04
127	127	0.22702	1.52945E-05	3.5E-06	6.05E-04	2.10E-09	3.82E+00	4.71E-02	3.79E-10	1.0E+06	3.8E-04
128	128	0.23651	1.52945E-05	3.6E-06	6.05E-04	2.19E-09	3.82E+00	4.71E-02	3.94E-10	1.0E+06	3.9E-04
129	129	0.25652	1.52945E-05	3.9E-06	6.05E-04	2.37E-09	3.82E+00	4.71E-02	4.28E-10	1.0E+06	4.3E-04
130	130	0.28681	1.52945E-05	4.4E-06	6.05E-04	2.65E-09	3.82E+00	4.71E-02	4.78E-10	1.0E+06	4.8E-04
131	131	2.1026	1.52945E-05	3.2E-05	6.05E-04	1.95E-08	3.82E+00	4.71E-02	3.51E-09	1.0E+06	3.5E-03
132	132	3.06035	1.52945E-05	4.7E-05	6.05E-04	2.83E-08	3.82E+00	4.71E-02	5.10E-09	1.0E+06	5.1E-03
133	133	0.15976	1.52945E-05	2.4E-06	6.05E-04	1.48E-09	3.82E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
134	134	0.17419	1.52945E-05	2.7E-06	6.05E-04	1.61E-09	3.82E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
135	135	0.18902	1.52945E-05	2.9E-06	6.05E-04	1.75E-09	3.82E+00	4.71E-02	3.15E-10	1.0E+06	3.2E-04
136	136	0.20383	1.52945E-05	3.1E-06	6.05E-04	1.89E-09	3.82E+00	4.71E-02	3.40E-10	1.0E+06	3.4E-04
137	137	0.21975	1.52945E-05	3.4E-06	6.05E-04	2.03E-09	3.82E+00	4.71E-02	3.66E-10	1.0E+06	3.7E-04
138	138	0.2353	1.52945E-05	3.6E-06	6.05E-04	2.18E-09	3.82E+00	4.71E-02	3.92E-10	1.0E+06	3.9E-04
139	139	0.24956	1.52945E-05	3.8E-06	6.05E-04	2.31E-09	3.82E+00	4.71E-02	4.16E-10	1.0E+06	4.2E-04
140	140	0.27529	1.52945E-05	4.2E-06	6.05E-04	2.55E-09	3.82E+00	4.71E-02	4.59E-10	1.0E+06	4.6E-04
141	141	0.30274	1.52945E-05	4.6E-06	6.05E-04	2.80E-09	3.82E+00	4.71E-02	5.05E-10	1.0E+06	5.0E-04
142	142	0.33396	1.52945E-05	5.1E-06	6.05E-04	3.09E-09	3.82E+00	4.71E-02	5.57E-10	1.0E+06	5.6E-04
143	143	0.37519	1.52945E-05	5.7E-06	6.05E-04	3.47E-09	3.82E+00	4.71E-02	6.26E-10	1.0E+06	6.3E-04
144	144	0.4316	1.52945E-05	6.6E-06	6.05E-04	3.99E-09	3.82E+00	4.71E-02	7.20E-10	1.0E+06	7.2E-04
145	145	0.49688	1.52945E-05	7.6E-06	6.05E-04	4.60E-09	3.82E+00	4.71E-02	8.29E-10	1.0E+06	8.3E-04
146	146	2.96442	1.52945E-05	4.5E-05	6.05E-04	2.74E-08	3.82E+00	4.71E-02	4.94E-09	1.0E+06	4.9E-03
147	147	0.159	1.52945E-05	2.4E-06	6.05E-04	1.47E-09	3.82E+00	4.71E-02	2.65E-10	1.0E+06	2.7E-04
148	148	0.17357	1.52945E-05	2.7E-06	6.05E-04	1.61E-09	3.82E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
149	149	0.18984	1.52945E-05	2.9E-06	6.05E-04	1.76E-09	3.82E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
150	150	0.20615	1.52945E-05	3.2E-06	6.05E-04	1.91E-09	3.82E+00	4.71E-02	3.44E-10	1.0E+06	3.4E-04
151	151	0.22496	1.52945E-05	3.4E-06	6.05E-04	2.08E-09	3.82E+00	4.71E-02	3.75E-10	1.0E+06	3.8E-04
152	152	0.24207	1.52945E-05	3.7E-06	6.05E-04	2.24E-09	3.82E+00	4.71E-02	4.04E-10	1.0E+06	4.0E-04
153	153	0.26089	1.52945E-05	4.0E-06	6.05E-04	2.41E-09	3.82E+00	4.71E-02	4.35E-10	1.0E+06	4.4E-04
154	154	0.28522	1.52945E-05	4.4E-06	6.05E-04	2.64E-09	3.82E+00	4.71E-02	4.76E-10	1.0E+06	4.8E-04
155	155	0.31549	1.52945E-05	4.8E-06	6.05E-04	2.92E-09	3.82E+00	4.71E-02	5.26E-10	1.0E+06	5.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.35039	1.52945E-05	5.4E-06	6.05E-04	3.24E-09	3.82E+00	4.71E-02	5.84E-10	1.0E+06	5.8E-04
157	157	0.39073	1.52945E-05	6.0E-06	6.05E-04	3.62E-09	3.82E+00	4.71E-02	6.52E-10	1.0E+06	6.5E-04
158	158	0.43909	1.52945E-05	6.7E-06	6.05E-04	4.06E-09	3.82E+00	4.71E-02	7.32E-10	1.0E+06	7.3E-04
159	159	0.52696	1.52945E-05	8.1E-06	6.05E-04	4.88E-09	3.82E+00	4.71E-02	8.79E-10	1.0E+06	8.8E-04
160	160	0.15954	1.52945E-05	2.4E-06	6.05E-04	1.48E-09	3.82E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
161	161	0.17229	1.52945E-05	2.6E-06	6.05E-04	1.59E-09	3.82E+00	4.71E-02	2.87E-10	1.0E+06	2.9E-04
162	162	0.18448	1.52945E-05	2.8E-06	6.05E-04	1.71E-09	3.82E+00	4.71E-02	3.08E-10	1.0E+06	3.1E-04
163	163	0.20428	1.52945E-05	3.1E-06	6.05E-04	1.89E-09	3.82E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
164	164	0.22766	1.52945E-05	3.5E-06	6.05E-04	2.11E-09	3.82E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
165	165	0.24766	1.52945E-05	3.8E-06	6.05E-04	2.29E-09	3.82E+00	4.71E-02	4.13E-10	1.0E+06	4.1E-04
166	166	0.27128	1.52945E-05	4.1E-06	6.05E-04	2.51E-09	3.82E+00	4.71E-02	4.52E-10	1.0E+06	4.5E-04
167	167	0.29839	1.52945E-05	4.6E-06	6.05E-04	2.76E-09	3.82E+00	4.71E-02	4.98E-10	1.0E+06	5.0E-04
168	168	0.33053	1.52945E-05	5.1E-06	6.05E-04	3.06E-09	3.82E+00	4.71E-02	5.51E-10	1.0E+06	5.5E-04
169	169	0.36857	1.52945E-05	5.6E-06	6.05E-04	3.41E-09	3.82E+00	4.71E-02	6.15E-10	1.0E+06	6.1E-04
170	170	0.41336	1.52945E-05	6.3E-06	6.05E-04	3.83E-09	3.82E+00	4.71E-02	6.89E-10	1.0E+06	6.9E-04
171	171	0.46852	1.52945E-05	7.2E-06	6.05E-04	4.34E-09	3.82E+00	4.71E-02	7.81E-10	1.0E+06	7.8E-04
172	172	0.55099	1.52945E-05	8.4E-06	6.05E-04	5.10E-09	3.82E+00	4.71E-02	9.19E-10	1.0E+06	9.2E-04
173	173	0.67168	1.52945E-05	1.0E-05	6.05E-04	6.22E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
174	174	0.85514	1.52945E-05	1.3E-05	6.05E-04	7.91E-09	3.82E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
175	175	1.12024	1.52945E-05	1.7E-05	6.05E-04	1.04E-08	3.82E+00	4.71E-02	1.87E-09	1.0E+06	1.9E-03
176	176	1.52224	1.52945E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
177	177	2.35744	1.52945E-05	3.6E-05	6.05E-04	2.18E-08	3.82E+00	4.71E-02	3.93E-09	1.0E+06	3.9E-03
178	178	4.31639	1.52945E-05	6.6E-05	6.05E-04	3.99E-08	3.82E+00	4.71E-02	7.20E-09	1.0E+06	7.2E-03
179	179	0.15515	1.52945E-05	2.4E-06	6.05E-04	1.44E-09	3.82E+00	4.71E-02	2.59E-10	1.0E+06	2.6E-04
180	180	0.16683	1.52945E-05	2.6E-06	6.05E-04	1.54E-09	3.82E+00	4.71E-02	2.78E-10	1.0E+06	2.8E-04
181	181	0.17732	1.52945E-05	2.7E-06	6.05E-04	1.64E-09	3.82E+00	4.71E-02	2.96E-10	1.0E+06	3.0E-04
182	182	0.20086	1.52945E-05	3.1E-06	6.05E-04	1.86E-09	3.82E+00	4.71E-02	3.35E-10	1.0E+06	3.3E-04
183	183	0.23068	1.52945E-05	3.5E-06	6.05E-04	2.13E-09	3.82E+00	4.71E-02	3.85E-10	1.0E+06	3.8E-04
184	184	0.25381	1.52945E-05	3.9E-06	6.05E-04	2.35E-09	3.82E+00	4.71E-02	4.23E-10	1.0E+06	4.2E-04
185	185	0.28134	1.52945E-05	4.3E-06	6.05E-04	2.60E-09	3.82E+00	4.71E-02	4.69E-10	1.0E+06	4.7E-04
186	186	0.31149	1.52945E-05	4.8E-06	6.05E-04	2.88E-09	3.82E+00	4.71E-02	5.20E-10	1.0E+06	5.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.34538	1.52945E-05	5.3E-06	6.05E-04	3.20E-09	3.82E+00	4.71E-02	5.76E-10	1.0E+06	5.8E-04
188	188	0.38664	1.52945E-05	5.9E-06	6.05E-04	3.58E-09	3.82E+00	4.71E-02	6.45E-10	1.0E+06	6.4E-04
189	189	0.43447	1.52945E-05	6.6E-06	6.05E-04	4.02E-09	3.82E+00	4.71E-02	7.25E-10	1.0E+06	7.2E-04
190	190	0.49498	1.52945E-05	7.6E-06	6.05E-04	4.58E-09	3.82E+00	4.71E-02	8.26E-10	1.0E+06	8.3E-04
191	191	0.57119	1.52945E-05	8.7E-06	6.05E-04	5.29E-09	3.82E+00	4.71E-02	9.53E-10	1.0E+06	9.5E-04
192	192	0.68429	1.52945E-05	1.0E-05	6.05E-04	6.33E-09	3.82E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
193	193	0.84638	1.52945E-05	1.3E-05	6.05E-04	7.83E-09	3.82E+00	4.71E-02	1.41E-09	1.0E+06	1.4E-03
194	194	1.12499	1.52945E-05	1.7E-05	6.05E-04	1.04E-08	3.82E+00	4.71E-02	1.88E-09	1.0E+06	1.9E-03
195	195	1.63303	1.52945E-05	2.5E-05	6.05E-04	1.51E-08	3.82E+00	4.71E-02	2.72E-09	1.0E+06	2.7E-03
196	196	2.52631	1.52945E-05	3.9E-05	6.05E-04	2.34E-08	3.82E+00	4.71E-02	4.21E-09	1.0E+06	4.2E-03
197	197	4.55458	1.52945E-05	7.0E-05	6.05E-04	4.21E-08	3.82E+00	4.71E-02	7.60E-09	1.0E+06	7.6E-03
198	198	0.15327	1.52945E-05	2.3E-06	6.05E-04	1.42E-09	3.82E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
199	199	0.16603	1.52945E-05	2.5E-06	6.05E-04	1.54E-09	3.82E+00	4.71E-02	2.77E-10	1.0E+06	2.8E-04
200	200	0.18018	1.52945E-05	2.8E-06	6.05E-04	1.67E-09	3.82E+00	4.71E-02	3.01E-10	1.0E+06	3.0E-04
201	201	0.19948	1.52945E-05	3.1E-06	6.05E-04	1.85E-09	3.82E+00	4.71E-02	3.33E-10	1.0E+06	3.3E-04
202	202	0.23047	1.52945E-05	3.5E-06	6.05E-04	2.13E-09	3.82E+00	4.71E-02	3.84E-10	1.0E+06	3.8E-04
203	203	0.25779	1.52945E-05	3.9E-06	6.05E-04	2.39E-09	3.82E+00	4.71E-02	4.30E-10	1.0E+06	4.3E-04
204	204	0.28883	1.52945E-05	4.4E-06	6.05E-04	2.67E-09	3.82E+00	4.71E-02	4.82E-10	1.0E+06	4.8E-04
205	205	0.32201	1.52945E-05	4.9E-06	6.05E-04	2.98E-09	3.82E+00	4.71E-02	5.37E-10	1.0E+06	5.4E-04
206	206	0.35949	1.52945E-05	5.5E-06	6.05E-04	3.33E-09	3.82E+00	4.71E-02	6.00E-10	1.0E+06	6.0E-04
207	207	0.40367	1.52945E-05	6.2E-06	6.05E-04	3.74E-09	3.82E+00	4.71E-02	6.73E-10	1.0E+06	6.7E-04
208	208	0.45551	1.52945E-05	7.0E-06	6.05E-04	4.22E-09	3.82E+00	4.71E-02	7.60E-10	1.0E+06	7.6E-04
209	209	0.52002	1.52945E-05	8.0E-06	6.05E-04	4.81E-09	3.82E+00	4.71E-02	8.67E-10	1.0E+06	8.7E-04
210	210	0.60121	1.52945E-05	9.2E-06	6.05E-04	5.56E-09	3.82E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
211	211	0.70972	1.52945E-05	1.1E-05	6.05E-04	6.57E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
212	212	0.8556	1.52945E-05	1.3E-05	6.05E-04	7.92E-09	3.82E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
213	213	1.06184	1.52945E-05	1.6E-05	6.05E-04	9.83E-09	3.82E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
214	214	1.37139	1.52945E-05	2.1E-05	6.05E-04	1.27E-08	3.82E+00	4.71E-02	2.29E-09	1.0E+06	2.3E-03
215	215	2.44577	1.52945E-05	3.7E-05	6.05E-04	2.26E-08	3.82E+00	4.71E-02	4.08E-09	1.0E+06	4.1E-03
216	216	0.15319	1.52945E-05	2.3E-06	6.05E-04	1.42E-09	3.82E+00	4.71E-02	2.55E-10	1.0E+06	2.6E-04
217	217	0.16559	1.52945E-05	2.5E-06	6.05E-04	1.53E-09	3.82E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.18096	1.52945E-05	2.8E-06	6.05E-04	1.67E-09	3.82E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
219	219	0.20004	1.52945E-05	3.1E-06	6.05E-04	1.85E-09	3.82E+00	4.71E-02	3.34E-10	1.0E+06	3.3E-04
220	220	0.2294	1.52945E-05	3.5E-06	6.05E-04	2.12E-09	3.82E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
221	221	0.25665	1.52945E-05	3.9E-06	6.05E-04	2.38E-09	3.82E+00	4.71E-02	4.28E-10	1.0E+06	4.3E-04
222	222	0.29063	1.52945E-05	4.4E-06	6.05E-04	2.69E-09	3.82E+00	4.71E-02	4.85E-10	1.0E+06	4.8E-04
223	223	0.32669	1.52945E-05	5.0E-06	6.05E-04	3.02E-09	3.82E+00	4.71E-02	5.45E-10	1.0E+06	5.4E-04
224	224	0.36726	1.52945E-05	5.6E-06	6.05E-04	3.40E-09	3.82E+00	4.71E-02	6.13E-10	1.0E+06	6.1E-04
225	225	0.41303	1.52945E-05	6.3E-06	6.05E-04	3.82E-09	3.82E+00	4.71E-02	6.89E-10	1.0E+06	6.9E-04
226	226	0.4701	1.52945E-05	7.2E-06	6.05E-04	4.35E-09	3.82E+00	4.71E-02	7.84E-10	1.0E+06	7.8E-04
227	227	0.53799	1.52945E-05	8.2E-06	6.05E-04	4.98E-09	3.82E+00	4.71E-02	8.97E-10	1.0E+06	9.0E-04
228	228	0.62299	1.52945E-05	9.5E-06	6.05E-04	5.77E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
229	229	0.7354	1.52945E-05	1.1E-05	6.05E-04	6.81E-09	3.82E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
230	230	0.88259	1.52945E-05	1.3E-05	6.05E-04	8.17E-09	3.82E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03
231	231	1.09864	1.52945E-05	1.7E-05	6.05E-04	1.02E-08	3.82E+00	4.71E-02	1.83E-09	1.0E+06	1.8E-03
232	232	1.43751	1.52945E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
233	233	2.40441	1.52945E-05	3.7E-05	6.05E-04	2.23E-08	3.82E+00	4.71E-02	4.01E-09	1.0E+06	4.0E-03
234	234	0.1527	1.52945E-05	2.3E-06	6.05E-04	1.41E-09	3.82E+00	4.71E-02	2.55E-10	1.0E+06	2.5E-04
235	235	0.1647	1.52945E-05	2.5E-06	6.05E-04	1.52E-09	3.82E+00	4.71E-02	2.75E-10	1.0E+06	2.7E-04
236	236	0.18055	1.52945E-05	2.8E-06	6.05E-04	1.67E-09	3.82E+00	4.71E-02	3.01E-10	1.0E+06	3.0E-04
237	237	0.20111	1.52945E-05	3.1E-06	6.05E-04	1.86E-09	3.82E+00	4.71E-02	3.35E-10	1.0E+06	3.4E-04
238	238	0.22732	1.52945E-05	3.5E-06	6.05E-04	2.10E-09	3.82E+00	4.71E-02	3.79E-10	1.0E+06	3.8E-04
239	239	0.255	1.52945E-05	3.9E-06	6.05E-04	2.36E-09	3.82E+00	4.71E-02	4.25E-10	1.0E+06	4.3E-04
240	240	0.28846	1.52945E-05	4.4E-06	6.05E-04	2.67E-09	3.82E+00	4.71E-02	4.81E-10	1.0E+06	4.8E-04
241	241	0.32627	1.52945E-05	5.0E-06	6.05E-04	3.02E-09	3.82E+00	4.71E-02	5.44E-10	1.0E+06	5.4E-04
242	242	0.36954	1.52945E-05	5.7E-06	6.05E-04	3.42E-09	3.82E+00	4.71E-02	6.16E-10	1.0E+06	6.2E-04
243	243	0.4192	1.52945E-05	6.4E-06	6.05E-04	3.88E-09	3.82E+00	4.71E-02	6.99E-10	1.0E+06	7.0E-04
244	244	0.48126	1.52945E-05	7.4E-06	6.05E-04	4.45E-09	3.82E+00	4.71E-02	8.03E-10	1.0E+06	8.0E-04
245	245	0.5562	1.52945E-05	8.5E-06	6.05E-04	5.15E-09	3.82E+00	4.71E-02	9.28E-10	1.0E+06	9.3E-04
246	246	0.64925	1.52945E-05	9.9E-06	6.05E-04	6.01E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
247	247	0.76811	1.52945E-05	1.2E-05	6.05E-04	7.11E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
248	248	0.928	1.52945E-05	1.4E-05	6.05E-04	8.59E-09	3.82E+00	4.71E-02	1.55E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.15538	1.52945E-05	1.8E-05	6.05E-04	1.07E-08	3.82E+00	4.71E-02	1.93E-09	1.0E+06	1.9E-03
250	250	1.52774	1.52945E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.55E-09	1.0E+06	2.5E-03
251	251	2.5086	1.52945E-05	3.8E-05	6.05E-04	2.32E-08	3.82E+00	4.71E-02	4.18E-09	1.0E+06	4.2E-03
252	252	0.15001	1.52945E-05	2.3E-06	6.05E-04	1.39E-09	3.82E+00	4.71E-02	2.50E-10	1.0E+06	2.5E-04
253	253	0.16148	1.52945E-05	2.5E-06	6.05E-04	1.49E-09	3.82E+00	4.71E-02	2.69E-10	1.0E+06	2.7E-04
254	254	0.17624	1.52945E-05	2.7E-06	6.05E-04	1.63E-09	3.82E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
255	255	0.19449	1.52945E-05	3.0E-06	6.05E-04	1.80E-09	3.82E+00	4.71E-02	3.24E-10	1.0E+06	3.2E-04
256	256	0.22408	1.52945E-05	3.4E-06	6.05E-04	2.07E-09	3.82E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04
257	257	0.24552	1.52945E-05	3.8E-06	6.05E-04	2.27E-09	3.82E+00	4.71E-02	4.09E-10	1.0E+06	4.1E-04
258	258	0.27459	1.52945E-05	4.2E-06	6.05E-04	2.54E-09	3.82E+00	4.71E-02	4.58E-10	1.0E+06	4.6E-04
259	259	0.30864	1.52945E-05	4.7E-06	6.05E-04	2.86E-09	3.82E+00	4.71E-02	5.15E-10	1.0E+06	5.1E-04
260	260	0.35569	1.52945E-05	5.4E-06	6.05E-04	3.29E-09	3.82E+00	4.71E-02	5.93E-10	1.0E+06	5.9E-04
261	261	0.41512	1.52945E-05	6.3E-06	6.05E-04	3.84E-09	3.82E+00	4.71E-02	6.92E-10	1.0E+06	6.9E-04
262	262	0.48454	1.52945E-05	7.4E-06	6.05E-04	4.48E-09	3.82E+00	4.71E-02	8.08E-10	1.0E+06	8.1E-04
263	263	0.5625	1.52945E-05	8.6E-06	6.05E-04	5.21E-09	3.82E+00	4.71E-02	9.38E-10	1.0E+06	9.4E-04
264	264	0.66401	1.52945E-05	1.0E-05	6.05E-04	6.14E-09	3.82E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
265	265	0.78855	1.52945E-05	1.2E-05	6.05E-04	7.30E-09	3.82E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
266	266	0.95858	1.52945E-05	1.5E-05	6.05E-04	8.87E-09	3.82E+00	4.71E-02	1.60E-09	1.0E+06	1.6E-03
267	267	1.1983	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
268	268	1.58144	1.52945E-05	2.4E-05	6.05E-04	1.46E-08	3.82E+00	4.71E-02	2.64E-09	1.0E+06	2.6E-03
269	269	2.55628	1.52945E-05	3.9E-05	6.05E-04	2.37E-08	3.82E+00	4.71E-02	4.26E-09	1.0E+06	4.3E-03
270	270	0.14621	1.52945E-05	2.2E-06	6.05E-04	1.35E-09	3.82E+00	4.71E-02	2.44E-10	1.0E+06	2.4E-04
271	271	0.1583	1.52945E-05	2.4E-06	6.05E-04	1.46E-09	3.82E+00	4.71E-02	2.64E-10	1.0E+06	2.6E-04
272	272	0.17313	1.52945E-05	2.6E-06	6.05E-04	1.60E-09	3.82E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
273	273	0.19039	1.52945E-05	2.9E-06	6.05E-04	1.76E-09	3.82E+00	4.71E-02	3.18E-10	1.0E+06	3.2E-04
274	274	0.22201	1.52945E-05	3.4E-06	6.05E-04	2.05E-09	3.82E+00	4.71E-02	3.70E-10	1.0E+06	3.7E-04
275	275	0.25128	1.52945E-05	3.8E-06	6.05E-04	2.33E-09	3.82E+00	4.71E-02	4.19E-10	1.0E+06	4.2E-04
276	276	0.26733	1.52945E-05	4.1E-06	6.05E-04	2.47E-09	3.82E+00	4.71E-02	4.46E-10	1.0E+06	4.5E-04
277	277	0.30004	1.52945E-05	4.6E-06	6.05E-04	2.78E-09	3.82E+00	4.71E-02	5.00E-10	1.0E+06	5.0E-04
278	278	0.34249	1.52945E-05	5.2E-06	6.05E-04	3.17E-09	3.82E+00	4.71E-02	5.71E-10	1.0E+06	5.7E-04
279	279	0.39721	1.52945E-05	6.1E-06	6.05E-04	3.68E-09	3.82E+00	4.71E-02	6.62E-10	1.0E+06	6.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.47332	1.52945E-05	7.2E-06	6.05E-04	4.38E-09	3.82E+00	4.71E-02	7.89E-10	1.0E+06	7.9E-04
281	281	0.56419	1.52945E-05	8.6E-06	6.05E-04	5.22E-09	3.82E+00	4.71E-02	9.41E-10	1.0E+06	9.4E-04
282	282	0.67443	1.52945E-05	1.0E-05	6.05E-04	6.24E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
283	283	0.81274	1.52945E-05	1.2E-05	6.05E-04	7.52E-09	3.82E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
284	284	0.99874	1.52945E-05	1.5E-05	6.05E-04	9.24E-09	3.82E+00	4.71E-02	1.67E-09	1.0E+06	1.7E-03
285	285	1.25668	1.52945E-05	1.9E-05	6.05E-04	1.16E-08	3.82E+00	4.71E-02	2.10E-09	1.0E+06	2.1E-03
286	286	1.67882	1.52945E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.80E-09	1.0E+06	2.8E-03
287	287	2.73091	1.52945E-05	4.2E-05	6.05E-04	2.53E-08	3.82E+00	4.71E-02	4.55E-09	1.0E+06	4.6E-03
288	288	0.14265	1.52945E-05	2.2E-06	6.05E-04	1.32E-09	3.82E+00	4.71E-02	2.38E-10	1.0E+06	2.4E-04
289	289	0.15374	1.52945E-05	2.4E-06	6.05E-04	1.42E-09	3.82E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
290	290	0.17161	1.52945E-05	2.6E-06	6.05E-04	1.59E-09	3.82E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
291	291	0.19064	1.52945E-05	2.9E-06	6.05E-04	1.76E-09	3.82E+00	4.71E-02	3.18E-10	1.0E+06	3.2E-04
292	292	0.23085	1.52945E-05	3.5E-06	6.05E-04	2.14E-09	3.82E+00	4.71E-02	3.85E-10	1.0E+06	3.9E-04
293	293	0.25131	1.52945E-05	3.8E-06	6.05E-04	2.33E-09	3.82E+00	4.71E-02	4.19E-10	1.0E+06	4.2E-04
294	294	0.25984	1.52945E-05	4.0E-06	6.05E-04	2.40E-09	3.82E+00	4.71E-02	4.33E-10	1.0E+06	4.3E-04
295	295	0.29421	1.52945E-05	4.5E-06	6.05E-04	2.72E-09	3.82E+00	4.71E-02	4.91E-10	1.0E+06	4.9E-04
296	296	0.33744	1.52945E-05	5.2E-06	6.05E-04	3.12E-09	3.82E+00	4.71E-02	5.63E-10	1.0E+06	5.6E-04
297	297	0.38583	1.52945E-05	5.9E-06	6.05E-04	3.57E-09	3.82E+00	4.71E-02	6.43E-10	1.0E+06	6.4E-04
298	298	0.45449	1.52945E-05	7.0E-06	6.05E-04	4.21E-09	3.82E+00	4.71E-02	7.58E-10	1.0E+06	7.6E-04
299	299	0.55386	1.52945E-05	8.5E-06	6.05E-04	5.13E-09	3.82E+00	4.71E-02	9.24E-10	1.0E+06	9.2E-04
300	300	0.66683	1.52945E-05	1.0E-05	6.05E-04	6.17E-09	3.82E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
301	301	0.82545	1.52945E-05	1.3E-05	6.05E-04	7.64E-09	3.82E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
302	302	1.03874	1.52945E-05	1.6E-05	6.05E-04	9.61E-09	3.82E+00	4.71E-02	1.73E-09	1.0E+06	1.7E-03
303	303	1.35075	1.52945E-05	2.1E-05	6.05E-04	1.25E-08	3.82E+00	4.71E-02	2.25E-09	1.0E+06	2.3E-03
304	304	1.8498	1.52945E-05	2.8E-05	6.05E-04	1.71E-08	3.82E+00	4.71E-02	3.09E-09	1.0E+06	3.1E-03
305	305	3.10895	1.52945E-05	4.8E-05	6.05E-04	2.88E-08	3.82E+00	4.71E-02	5.19E-09	1.0E+06	5.2E-03
306	306	0.14622	1.52945E-05	2.2E-06	6.05E-04	1.35E-09	3.82E+00	4.71E-02	2.44E-10	1.0E+06	2.4E-04
307	307	0.15391	1.52945E-05	2.4E-06	6.05E-04	1.42E-09	3.82E+00	4.71E-02	2.57E-10	1.0E+06	2.6E-04
308	308	0.16799	1.52945E-05	2.6E-06	6.05E-04	1.55E-09	3.82E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
309	309	0.19684	1.52945E-05	3.0E-06	6.05E-04	1.82E-09	3.82E+00	4.71E-02	3.28E-10	1.0E+06	3.3E-04
310	310	0.22674	1.52945E-05	3.5E-06	6.05E-04	2.10E-09	3.82E+00	4.71E-02	3.78E-10	1.0E+06	3.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.24612	1.52945E-05	3.8E-06	6.05E-04	2.28E-09	3.82E+00	4.71E-02	4.10E-10	1.0E+06	4.1E-04
312	312	0.25013	1.52945E-05	3.8E-06	6.05E-04	2.31E-09	3.82E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
313	313	0.28342	1.52945E-05	4.3E-06	6.05E-04	2.62E-09	3.82E+00	4.71E-02	4.73E-10	1.0E+06	4.7E-04
314	314	0.32564	1.52945E-05	5.0E-06	6.05E-04	3.01E-09	3.82E+00	4.71E-02	5.43E-10	1.0E+06	5.4E-04
315	315	0.38776	1.52945E-05	5.9E-06	6.05E-04	3.59E-09	3.82E+00	4.71E-02	6.47E-10	1.0E+06	6.5E-04
316	316	0.44463	1.52945E-05	6.8E-06	6.05E-04	4.11E-09	3.82E+00	4.71E-02	7.42E-10	1.0E+06	7.4E-04
317	317	0.52836	1.52945E-05	8.1E-06	6.05E-04	4.89E-09	3.82E+00	4.71E-02	8.81E-10	1.0E+06	8.8E-04
318	318	0.64675	1.52945E-05	9.9E-06	6.05E-04	5.99E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
319	319	0.82406	1.52945E-05	1.3E-05	6.05E-04	7.63E-09	3.82E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
320	320	1.09488	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	3.82E+00	4.71E-02	1.83E-09	1.0E+06	1.8E-03
321	321	1.45509	1.52945E-05	2.2E-05	6.05E-04	1.35E-08	3.82E+00	4.71E-02	2.43E-09	1.0E+06	2.4E-03
322	322	2.05339	1.52945E-05	3.1E-05	6.05E-04	1.90E-08	3.82E+00	4.71E-02	3.42E-09	1.0E+06	3.4E-03
323	323	3.71052	1.52945E-05	5.7E-05	6.05E-04	3.43E-08	3.82E+00	4.71E-02	6.19E-09	1.0E+06	6.2E-03
324	324	0.14277	1.52945E-05	2.2E-06	6.05E-04	1.32E-09	3.82E+00	4.71E-02	2.38E-10	1.0E+06	2.4E-04
325	325	0.15916	1.52945E-05	2.4E-06	6.05E-04	1.47E-09	3.82E+00	4.71E-02	2.65E-10	1.0E+06	2.7E-04
326	326	0.17209	1.52945E-05	2.6E-06	6.05E-04	1.59E-09	3.82E+00	4.71E-02	2.87E-10	1.0E+06	2.9E-04
327	327	0.18403	1.52945E-05	2.8E-06	6.05E-04	1.70E-09	3.82E+00	4.71E-02	3.07E-10	1.0E+06	3.1E-04
328	328	0.2233	1.52945E-05	3.4E-06	6.05E-04	2.07E-09	3.82E+00	4.71E-02	3.72E-10	1.0E+06	3.7E-04
329	329	0.23851	1.52945E-05	3.6E-06	6.05E-04	2.21E-09	3.82E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
330	330	0.24362	1.52945E-05	3.7E-06	6.05E-04	2.25E-09	3.82E+00	4.71E-02	4.06E-10	1.0E+06	4.1E-04
331	331	0.27658	1.52945E-05	4.2E-06	6.05E-04	2.56E-09	3.82E+00	4.71E-02	4.61E-10	1.0E+06	4.6E-04
332	332	0.31861	1.52945E-05	4.9E-06	6.05E-04	2.95E-09	3.82E+00	4.71E-02	5.31E-10	1.0E+06	5.3E-04
333	333	0.38066	1.52945E-05	5.8E-06	6.05E-04	3.52E-09	3.82E+00	4.71E-02	6.35E-10	1.0E+06	6.3E-04
334	334	0.44764	1.52945E-05	6.8E-06	6.05E-04	4.14E-09	3.82E+00	4.71E-02	7.47E-10	1.0E+06	7.5E-04
335	335	0.53678	1.52945E-05	8.2E-06	6.05E-04	4.97E-09	3.82E+00	4.71E-02	8.95E-10	1.0E+06	9.0E-04
336	336	3.04215	1.52945E-05	4.7E-05	6.05E-04	2.82E-08	3.82E+00	4.71E-02	5.07E-09	1.0E+06	5.1E-03
337	337	2.72055	1.52945E-05	4.2E-05	6.05E-04	2.52E-08	3.82E+00	4.71E-02	4.54E-09	1.0E+06	4.5E-03
338	338	0.14587	1.52945E-05	2.2E-06	6.05E-04	1.35E-09	3.82E+00	4.71E-02	2.43E-10	1.0E+06	2.4E-04
339	339	0.15578	1.52945E-05	2.4E-06	6.05E-04	1.44E-09	3.82E+00	4.71E-02	2.60E-10	1.0E+06	2.6E-04
340	340	0.16656	1.52945E-05	2.5E-06	6.05E-04	1.54E-09	3.82E+00	4.71E-02	2.78E-10	1.0E+06	2.8E-04
341	341	0.19173	1.52945E-05	2.9E-06	6.05E-04	1.77E-09	3.82E+00	4.71E-02	3.20E-10	1.0E+06	3.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.20206	1.52945E-05	3.1E-06	6.05E-04	1.87E-09	3.82E+00	4.71E-02	3.37E-10	1.0E+06	3.4E-04
343	343	0.21573	1.52945E-05	3.3E-06	6.05E-04	2.00E-09	3.82E+00	4.71E-02	3.60E-10	1.0E+06	3.6E-04
344	344	0.22034	1.52945E-05	3.4E-06	6.05E-04	2.04E-09	3.82E+00	4.71E-02	3.67E-10	1.0E+06	3.7E-04
345	345	0.22329	1.52945E-05	3.4E-06	6.05E-04	2.07E-09	3.82E+00	4.71E-02	3.72E-10	1.0E+06	3.7E-04
346	346	0.22417	1.52945E-05	3.4E-06	6.05E-04	2.07E-09	3.82E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04
347	347	0.15873	1.52945E-05	2.4E-06	6.05E-04	1.47E-09	3.82E+00	4.71E-02	2.65E-10	1.0E+06	2.6E-04
348	348	0.17314	1.52945E-05	2.6E-06	6.05E-04	1.60E-09	3.82E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
349	349	0.19776	1.52945E-05	3.0E-06	6.05E-04	1.83E-09	3.82E+00	4.71E-02	3.30E-10	1.0E+06	3.3E-04
350	350	0.2178	1.52945E-05	3.3E-06	6.05E-04	2.02E-09	3.82E+00	4.71E-02	3.63E-10	1.0E+06	3.6E-04
351	351	0.22673	1.52945E-05	3.5E-06	6.05E-04	2.10E-09	3.82E+00	4.71E-02	3.78E-10	1.0E+06	3.8E-04
352	352	0.24526	1.52945E-05	3.8E-06	6.05E-04	2.27E-09	3.82E+00	4.71E-02	4.09E-10	1.0E+06	4.1E-04
353	353	0.25118	1.52945E-05	3.8E-06	6.05E-04	2.32E-09	3.82E+00	4.71E-02	4.19E-10	1.0E+06	4.2E-04
354	354	0.25395	1.52945E-05	3.9E-06	6.05E-04	2.35E-09	3.82E+00	4.71E-02	4.24E-10	1.0E+06	4.2E-04
355	355	0.25528	1.52945E-05	3.9E-06	6.05E-04	2.36E-09	3.82E+00	4.71E-02	4.26E-10	1.0E+06	4.3E-04
356	356	0.17458	1.52945E-05	2.7E-06	6.05E-04	1.62E-09	3.82E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
357	357	0.18779	1.52945E-05	2.9E-06	6.05E-04	1.74E-09	3.82E+00	4.71E-02	3.13E-10	1.0E+06	3.1E-04
358	358	0.20503	1.52945E-05	3.1E-06	6.05E-04	1.90E-09	3.82E+00	4.71E-02	3.42E-10	1.0E+06	3.4E-04
359	359	0.22518	1.52945E-05	3.4E-06	6.05E-04	2.08E-09	3.82E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
360	360	0.25562	1.52945E-05	3.9E-06	6.05E-04	2.37E-09	3.82E+00	4.71E-02	4.26E-10	1.0E+06	4.3E-04
361	361	0.2824	1.52945E-05	4.3E-06	6.05E-04	2.61E-09	3.82E+00	4.71E-02	4.71E-10	1.0E+06	4.7E-04
362	362	0.29022	1.52945E-05	4.4E-06	6.05E-04	2.69E-09	3.82E+00	4.71E-02	4.84E-10	1.0E+06	4.8E-04
363	363	0.29351	1.52945E-05	4.5E-06	6.05E-04	2.72E-09	3.82E+00	4.71E-02	4.90E-10	1.0E+06	4.9E-04
364	364	0.19574	1.52945E-05	3.0E-06	6.05E-04	1.81E-09	3.82E+00	4.71E-02	3.26E-10	1.0E+06	3.3E-04
365	365	0.20742	1.52945E-05	3.2E-06	6.05E-04	1.92E-09	3.82E+00	4.71E-02	3.46E-10	1.0E+06	3.5E-04
366	366	0.22868	1.52945E-05	3.5E-06	6.05E-04	2.12E-09	3.82E+00	4.71E-02	3.81E-10	1.0E+06	3.8E-04
367	367	0.25093	1.52945E-05	3.8E-06	6.05E-04	2.32E-09	3.82E+00	4.71E-02	4.18E-10	1.0E+06	4.2E-04
368	368	0.2912	1.52945E-05	4.5E-06	6.05E-04	2.69E-09	3.82E+00	4.71E-02	4.86E-10	1.0E+06	4.9E-04
369	369	0.33047	1.52945E-05	5.1E-06	6.05E-04	3.06E-09	3.82E+00	4.71E-02	5.51E-10	1.0E+06	5.5E-04
370	370	0.34752	1.52945E-05	5.3E-06	6.05E-04	3.22E-09	3.82E+00	4.71E-02	5.80E-10	1.0E+06	5.8E-04
371	371	0.34837	1.52945E-05	5.3E-06	6.05E-04	3.22E-09	3.82E+00	4.71E-02	5.81E-10	1.0E+06	5.8E-04
372	372	0.22406	1.52945E-05	3.4E-06	6.05E-04	2.07E-09	3.82E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.23752	1.52945E-05	3.6E-06	6.05E-04	2.20E-09	3.82E+00	4.71E-02	3.96E-10	1.0E+06	4.0E-04
374	374	0.26345	1.52945E-05	4.0E-06	6.05E-04	2.44E-09	3.82E+00	4.71E-02	4.39E-10	1.0E+06	4.4E-04
375	375	0.29032	1.52945E-05	4.4E-06	6.05E-04	2.69E-09	3.82E+00	4.71E-02	4.84E-10	1.0E+06	4.8E-04
376	376	0.34537	1.52945E-05	5.3E-06	6.05E-04	3.20E-09	3.82E+00	4.71E-02	5.76E-10	1.0E+06	5.8E-04
377	377	0.37279	1.52945E-05	5.7E-06	6.05E-04	3.45E-09	3.82E+00	4.71E-02	6.22E-10	1.0E+06	6.2E-04
378	378	0.3946	1.52945E-05	6.0E-06	6.05E-04	3.65E-09	3.82E+00	4.71E-02	6.58E-10	1.0E+06	6.6E-04
379	379	0.41914	1.52945E-05	6.4E-06	6.05E-04	3.88E-09	3.82E+00	4.71E-02	6.99E-10	1.0E+06	7.0E-04
380	380	0.42084	1.52945E-05	6.4E-06	6.05E-04	3.89E-09	3.82E+00	4.71E-02	7.02E-10	1.0E+06	7.0E-04
381	381	0.41554	1.52945E-05	6.4E-06	6.05E-04	3.85E-09	3.82E+00	4.71E-02	6.93E-10	1.0E+06	6.9E-04
382	382	0.26298	1.52945E-05	4.0E-06	6.05E-04	2.43E-09	3.82E+00	4.71E-02	4.39E-10	1.0E+06	4.4E-04
383	383	0.28545	1.52945E-05	4.4E-06	6.05E-04	2.64E-09	3.82E+00	4.71E-02	4.76E-10	1.0E+06	4.8E-04
384	384	0.31053	1.52945E-05	4.7E-06	6.05E-04	2.87E-09	3.82E+00	4.71E-02	5.18E-10	1.0E+06	5.2E-04
385	385	0.36518	1.52945E-05	5.6E-06	6.05E-04	3.38E-09	3.82E+00	4.71E-02	6.09E-10	1.0E+06	6.1E-04
386	386	0.41329	1.52945E-05	6.3E-06	6.05E-04	3.82E-09	3.82E+00	4.71E-02	6.89E-10	1.0E+06	6.9E-04
387	387	0.45111	1.52945E-05	6.9E-06	6.05E-04	4.17E-09	3.82E+00	4.71E-02	7.52E-10	1.0E+06	7.5E-04
388	388	0.48385	1.52945E-05	7.4E-06	6.05E-04	4.48E-09	3.82E+00	4.71E-02	8.07E-10	1.0E+06	8.1E-04
389	389	0.52078	1.52945E-05	8.0E-06	6.05E-04	4.82E-09	3.82E+00	4.71E-02	8.69E-10	1.0E+06	8.7E-04
390	390	0.52062	1.52945E-05	8.0E-06	6.05E-04	4.82E-09	3.82E+00	4.71E-02	8.68E-10	1.0E+06	8.7E-04
391	391	0.51051	1.52945E-05	7.8E-06	6.05E-04	4.72E-09	3.82E+00	4.71E-02	8.51E-10	1.0E+06	8.5E-04
392	392	0.48435	1.52945E-05	7.4E-06	6.05E-04	4.48E-09	3.82E+00	4.71E-02	8.08E-10	1.0E+06	8.1E-04
393	393	0.31778	1.52945E-05	4.9E-06	6.05E-04	2.94E-09	3.82E+00	4.71E-02	5.30E-10	1.0E+06	5.3E-04
394	394	0.36232	1.52945E-05	5.5E-06	6.05E-04	3.35E-09	3.82E+00	4.71E-02	6.04E-10	1.0E+06	6.0E-04
395	395	0.42146	1.52945E-05	6.4E-06	6.05E-04	3.90E-09	3.82E+00	4.71E-02	7.03E-10	1.0E+06	7.0E-04
396	396	0.4801	1.52945E-05	7.3E-06	6.05E-04	4.44E-09	3.82E+00	4.71E-02	8.01E-10	1.0E+06	8.0E-04
397	397	0.54024	1.52945E-05	8.3E-06	6.05E-04	5.00E-09	3.82E+00	4.71E-02	9.01E-10	1.0E+06	9.0E-04
398	398	0.5835	1.52945E-05	8.9E-06	6.05E-04	5.40E-09	3.82E+00	4.71E-02	9.73E-10	1.0E+06	9.7E-04
399	399	0.60737	1.52945E-05	9.3E-06	6.05E-04	5.62E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
400	400	0.67671	1.52945E-05	1.0E-05	6.05E-04	6.26E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
401	401	0.6719	1.52945E-05	1.0E-05	6.05E-04	6.22E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
402	402	0.59802	1.52945E-05	9.1E-06	6.05E-04	5.53E-09	3.82E+00	4.71E-02	9.97E-10	1.0E+06	1.0E-03
403	403	0.92385	1.52945E-05	1.4E-05	6.05E-04	8.55E-09	3.82E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.768	1.52945E-05	1.2E-05	6.05E-04	7.11E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
405	405	0.67389	1.52945E-05	1.0E-05	6.05E-04	6.24E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
406	406	1.44334	1.52945E-05	2.2E-05	6.05E-04	1.34E-08	3.82E+00	4.71E-02	2.41E-09	1.0E+06	2.4E-03
407	407	0.81532	1.52945E-05	1.2E-05	6.05E-04	7.55E-09	3.82E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
408	408	2.87208	1.52945E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.79E-09	1.0E+06	4.8E-03
409	409	0.97052	1.52945E-05	1.5E-05	6.05E-04	8.98E-09	3.82E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
410	410	3.46466	1.52945E-05	5.3E-05	6.05E-04	3.21E-08	3.82E+00	4.71E-02	5.78E-09	1.0E+06	5.8E-03
411	411	1.47879	1.52945E-05	2.3E-05	6.05E-04	1.37E-08	3.82E+00	4.71E-02	2.47E-09	1.0E+06	2.5E-03
412	412	1.14591	1.52945E-05	1.8E-05	6.05E-04	1.06E-08	3.82E+00	4.71E-02	1.91E-09	1.0E+06	1.9E-03
413	413	7.15969	1.52945E-05	1.1E-04	6.05E-04	6.63E-08	3.82E+00	4.71E-02	1.19E-08	1.0E+06	1.2E-02
414	414	2.46032	1.52945E-05	3.8E-05	6.05E-04	2.28E-08	3.82E+00	4.71E-02	4.10E-09	1.0E+06	4.1E-03
415	415	1.69852	1.52945E-05	2.6E-05	6.05E-04	1.57E-08	3.82E+00	4.71E-02	2.83E-09	1.0E+06	2.8E-03
416	416	1.27981	1.52945E-05	2.0E-05	6.05E-04	1.18E-08	3.82E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
417	417	8.91786	1.52945E-05	1.4E-04	6.05E-04	8.25E-08	3.82E+00	4.71E-02	1.49E-08	1.0E+06	1.5E-02
418	418	1.88239	1.52945E-05	2.9E-05	6.05E-04	1.74E-08	3.82E+00	4.71E-02	3.14E-09	1.0E+06	3.1E-03
419	419	1.39286	1.52945E-05	2.1E-05	6.05E-04	1.29E-08	3.82E+00	4.71E-02	2.32E-09	1.0E+06	2.3E-03
420	420	1.08392	1.52945E-05	1.7E-05	6.05E-04	1.00E-08	3.82E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
421	421	6.36667	1.52945E-05	9.7E-05	6.05E-04	5.89E-08	3.82E+00	4.71E-02	1.06E-08	1.0E+06	1.1E-02
422	422	1.48397	1.52945E-05	2.3E-05	6.05E-04	1.37E-08	3.82E+00	4.71E-02	2.47E-09	1.0E+06	2.5E-03
423	423	1.14502	1.52945E-05	1.8E-05	6.05E-04	1.06E-08	3.82E+00	4.71E-02	1.91E-09	1.0E+06	1.9E-03
424	424	11.01121	1.52945E-05	1.7E-04	6.05E-04	1.02E-07	3.82E+00	4.71E-02	1.84E-08	1.0E+06	1.8E-02
425	425	1.18737	1.52945E-05	1.8E-05	6.05E-04	1.10E-08	3.82E+00	4.71E-02	1.98E-09	1.0E+06	2.0E-03
426	426	0.93982	1.52945E-05	1.4E-05	6.05E-04	8.70E-09	3.82E+00	4.71E-02	1.57E-09	1.0E+06	1.6E-03
427	427	10.75236	1.52945E-05	1.6E-04	6.05E-04	9.95E-08	3.82E+00	4.71E-02	1.79E-08	1.0E+06	1.8E-02
428	428	1.20985	1.52945E-05	1.9E-05	6.05E-04	1.12E-08	3.82E+00	4.71E-02	2.02E-09	1.0E+06	2.0E-03
429	429	0.95106	1.52945E-05	1.5E-05	6.05E-04	8.80E-09	3.82E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
430	430	11.02507	1.52945E-05	1.7E-04	6.05E-04	1.02E-07	3.82E+00	4.71E-02	1.84E-08	1.0E+06	1.8E-02
431	431	0.946	1.52945E-05	1.4E-05	6.05E-04	8.75E-09	3.82E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
432	432	0.75597	1.52945E-05	1.2E-05	6.05E-04	7.00E-09	3.82E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
433	433	7.37901	1.52945E-05	1.1E-04	6.05E-04	6.83E-08	3.82E+00	4.71E-02	1.23E-08	1.0E+06	1.2E-02
434	434	0.92512	1.52945E-05	1.4E-05	6.05E-04	8.56E-09	3.82E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.74044	1.52945E-05	1.1E-05	6.05E-04	6.85E-09	3.82E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
436	436	7.10577	1.52945E-05	1.1E-04	6.05E-04	6.58E-08	3.82E+00	4.71E-02	1.19E-08	1.0E+06	1.2E-02
437	437	1.14977	1.52945E-05	1.8E-05	6.05E-04	1.06E-08	3.82E+00	4.71E-02	1.92E-09	1.0E+06	1.9E-03
438	438	0.8912	1.52945E-05	1.4E-05	6.05E-04	8.25E-09	3.82E+00	4.71E-02	1.49E-09	1.0E+06	1.5E-03
439	439	0.71274	1.52945E-05	1.1E-05	6.05E-04	6.60E-09	3.82E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
440	440	13.02169	1.52945E-05	2.0E-04	6.05E-04	1.21E-07	3.82E+00	4.71E-02	2.17E-08	1.0E+06	2.2E-02
441	441	2.04143	1.52945E-05	3.1E-05	6.05E-04	1.89E-08	3.82E+00	4.71E-02	3.40E-09	1.0E+06	3.4E-03
442	442	1.46173	1.52945E-05	2.2E-05	6.05E-04	1.35E-08	3.82E+00	4.71E-02	2.44E-09	1.0E+06	2.4E-03
443	443	1.08981	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	3.82E+00	4.71E-02	1.82E-09	1.0E+06	1.8E-03
444	444	0.84571	1.52945E-05	1.3E-05	6.05E-04	7.83E-09	3.82E+00	4.71E-02	1.41E-09	1.0E+06	1.4E-03
445	445	9.30514	1.52945E-05	1.4E-04	6.05E-04	8.61E-08	3.82E+00	4.71E-02	1.55E-08	1.0E+06	1.6E-02
446	446	2.82121	1.52945E-05	4.3E-05	6.05E-04	2.61E-08	3.82E+00	4.71E-02	4.71E-09	1.0E+06	4.7E-03
447	447	1.8889	1.52945E-05	2.9E-05	6.05E-04	1.75E-08	3.82E+00	4.71E-02	3.15E-09	1.0E+06	3.2E-03
448	448	1.35236	1.52945E-05	2.1E-05	6.05E-04	1.25E-08	3.82E+00	4.71E-02	2.26E-09	1.0E+06	2.3E-03
449	449	6.80571	1.52945E-05	1.0E-04	6.05E-04	6.30E-08	3.82E+00	4.71E-02	1.14E-08	1.0E+06	1.1E-02
450	450	3.85172	1.52945E-05	5.9E-05	6.05E-04	3.56E-08	3.82E+00	4.71E-02	6.42E-09	1.0E+06	6.4E-03
451	451	2.4557	1.52945E-05	3.8E-05	6.05E-04	2.27E-08	3.82E+00	4.71E-02	4.10E-09	1.0E+06	4.1E-03
452	452	5.08302	1.52945E-05	7.8E-05	6.05E-04	4.70E-08	3.82E+00	4.71E-02	8.48E-09	1.0E+06	8.5E-03
453	453	3.11618	1.52945E-05	4.8E-05	6.05E-04	2.88E-08	3.82E+00	4.71E-02	5.20E-09	1.0E+06	5.2E-03
454	454	0.55416	1.52945E-05	8.5E-06	6.05E-04	5.13E-09	3.82E+00	4.71E-02	9.24E-10	1.0E+06	9.2E-04
455	455	0.46577	1.52945E-05	7.1E-06	6.05E-04	4.31E-09	3.82E+00	4.71E-02	7.77E-10	1.0E+06	7.8E-04
456	456	3.77075	1.52945E-05	5.8E-05	6.05E-04	3.49E-08	3.82E+00	4.71E-02	6.29E-09	1.0E+06	6.3E-03
457	457	2.48664	1.52945E-05	3.8E-05	6.05E-04	2.30E-08	3.82E+00	4.71E-02	4.15E-09	1.0E+06	4.1E-03
458	458	1.7558	1.52945E-05	2.7E-05	6.05E-04	1.62E-08	3.82E+00	4.71E-02	2.93E-09	1.0E+06	2.9E-03
459	459	0.77734	1.52945E-05	1.2E-05	6.05E-04	7.19E-09	3.82E+00	4.71E-02	1.30E-09	1.0E+06	1.3E-03
460	460	0.62867	1.52945E-05	9.6E-06	6.05E-04	5.82E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
461	461	0.51885	1.52945E-05	7.9E-06	6.05E-04	4.80E-09	3.82E+00	4.71E-02	8.65E-10	1.0E+06	8.7E-04
462	462	0.43635	1.52945E-05	6.7E-06	6.05E-04	4.04E-09	3.82E+00	4.71E-02	7.28E-10	1.0E+06	7.3E-04
463	463	3.79928	1.52945E-05	5.8E-05	6.05E-04	3.52E-08	3.82E+00	4.71E-02	6.34E-09	1.0E+06	6.3E-03
464	464	4.68174	1.52945E-05	7.2E-05	6.05E-04	4.33E-08	3.82E+00	4.71E-02	7.81E-09	1.0E+06	7.8E-03
465	465	4.81943	1.52945E-05	7.4E-05	6.05E-04	4.46E-08	3.82E+00	4.71E-02	8.04E-09	1.0E+06	8.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	4.90053	1.52945E-05	7.5E-05	6.05E-04	4.54E-08	3.82E+00	4.71E-02	8.17E-09	1.0E+06	8.2E-03
467	467	8.97847	1.52945E-05	1.4E-04	6.05E-04	8.31E-08	3.82E+00	4.71E-02	1.50E-08	1.0E+06	1.5E-02
468	468	9.0475	1.52945E-05	1.4E-04	6.05E-04	8.37E-08	3.82E+00	4.71E-02	1.51E-08	1.0E+06	1.5E-02
469	469	9.08523	1.52945E-05	1.4E-04	6.05E-04	8.41E-08	3.82E+00	4.71E-02	1.52E-08	1.0E+06	1.5E-02
470	470	4.06714	1.52945E-05	6.2E-05	6.05E-04	3.76E-08	3.82E+00	4.71E-02	6.78E-09	1.0E+06	6.8E-03
471	471	8.95152	1.52945E-05	1.4E-04	6.05E-04	8.28E-08	3.82E+00	4.71E-02	1.49E-08	1.0E+06	1.5E-02
472	472	4.1525	1.52945E-05	6.4E-05	6.05E-04	3.84E-08	3.82E+00	4.71E-02	6.93E-09	1.0E+06	6.9E-03
473	473	9.21322	1.52945E-05	1.4E-04	6.05E-04	8.53E-08	3.82E+00	4.71E-02	1.54E-08	1.0E+06	1.5E-02
474	474	4.39124	1.52945E-05	6.7E-05	6.05E-04	4.06E-08	3.82E+00	4.71E-02	7.32E-09	1.0E+06	7.3E-03
475	475	9.44975	1.52945E-05	1.4E-04	6.05E-04	8.75E-08	3.82E+00	4.71E-02	1.58E-08	1.0E+06	1.6E-02
476	476	4.81147	1.52945E-05	7.4E-05	6.05E-04	4.45E-08	3.82E+00	4.71E-02	8.02E-09	1.0E+06	8.0E-03
477	477	10.62118	1.52945E-05	1.6E-04	6.05E-04	9.83E-08	3.82E+00	4.71E-02	1.77E-08	1.0E+06	1.8E-02
478	478	5.73645	1.52945E-05	8.8E-05	6.05E-04	5.31E-08	3.82E+00	4.71E-02	9.57E-09	1.0E+06	9.6E-03
479	479	6.50829	1.52945E-05	1.0E-04	6.05E-04	6.02E-08	3.82E+00	4.71E-02	1.09E-08	1.0E+06	1.1E-02
480	480	12.15705	1.52945E-05	1.9E-04	6.05E-04	1.13E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
481	481	7.5967	1.52945E-05	1.2E-04	6.05E-04	7.03E-08	3.82E+00	4.71E-02	1.27E-08	1.0E+06	1.3E-02
482	482	9.86843	1.52945E-05	1.5E-04	6.05E-04	9.13E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.6E-02
483	483	7.63748	1.52945E-05	1.2E-04	6.05E-04	7.07E-08	3.82E+00	4.71E-02	1.27E-08	1.0E+06	1.3E-02
484	484	9.37473	1.52945E-05	1.4E-04	6.05E-04	8.68E-08	3.82E+00	4.71E-02	1.56E-08	1.0E+06	1.6E-02
		6.2637									

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1	1	3.8E-01	Max	Receptor #	5	6.87E-04	Max	Receptor #	
2	2	3.9E-01	20.678	145	5	7.24E-04	0.038	145	Res
3	3	4.2E-01			5	7.62E-04			
4	4	4.4E-01			5	8.04E-04			
5	5	4.7E-01			5	8.53E-04			
6	6	5.0E-01			5	9.16E-04			
7	7	5.4E-01			5	9.96E-04			
8	8	5.9E-01			5	1.08E-03			
9	9	6.5E-01			5	1.18E-03			
10	10	7.1E-01			5	1.29E-03			
11	11	7.7E-01			5	1.42E-03			
12	12	8.4E-01			5	1.53E-03			
13	13	8.8E-01			5	1.61E-03			
14	14	8.5E-01			5	1.56E-03			
15	15	4.3E-01			5	7.81E-04			
16	16	4.5E-01			5	8.30E-04			
17	17	4.8E-01			5	8.86E-04			
18	18	5.1E-01			5	9.43E-04			
19	19	5.5E-01			5	1.00E-03			
20	20	5.9E-01			5	1.08E-03			
21	21	6.3E-01			5	1.16E-03			
22	22	6.9E-01			5	1.26E-03			
23	23	7.7E-01			5	1.41E-03			
24	24	8.4E-01			5	1.54E-03			
25	25	9.3E-01			5	1.71E-03			
26	26	1.0E+00			5	1.87E-03			
27	27	1.1E+00			5	1.97E-03			
28	28	1.0E+00			5	1.90E-03			
29	29	4.8E-01			5	8.77E-04			
30	30	5.2E-01			5	9.48E-04			
31	31	5.6E-01			5	1.03E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	6.1E-01	5	1.12E-03
33	33	6.5E-01	5	1.19E-03
34	34	7.0E-01	5	1.29E-03
35	35	7.6E-01	5	1.39E-03
36	36	8.3E-01	5	1.53E-03
37	37	9.2E-01	5	1.69E-03
38	38	1.0E+00	5	1.89E-03
39	39	1.2E+00	5	2.11E-03
40	40	1.3E+00	5	2.31E-03
41	41	1.3E+00	5	2.47E-03
42	42	1.3E+00	5	2.36E-03
43	43	5.2E-01	5	9.59E-04
44	44	5.7E-01	5	1.05E-03
45	45	6.4E-01	5	1.17E-03
46	46	7.1E-01	5	1.30E-03
47	47	7.8E-01	5	1.43E-03
48	48	8.5E-01	5	1.56E-03
49	49	9.3E-01	5	1.71E-03
50	50	1.0E+00	5	1.87E-03
51	51	1.2E+00	5	2.13E-03
52	52	1.3E+00	5	2.39E-03
53	53	1.5E+00	5	2.71E-03
54	54	1.6E+00	5	3.01E-03
55	55	1.8E+00	5	3.25E-03
56	56	1.6E+00	5	2.97E-03
57	57	5.5E-01	5	1.02E-03
58	58	6.3E-01	5	1.15E-03
59	59	7.1E-01	5	1.31E-03
60	60	8.1E-01	5	1.49E-03
61	61	9.3E-01	5	1.70E-03
62	62	1.1E+00	5	1.93E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	1.2E+00	5	2.19E-03
64	64	1.3E+00	5	2.40E-03
65	65	1.5E+00	5	2.76E-03
66	66	1.7E+00	5	3.19E-03
67	67	2.0E+00	5	3.62E-03
68	68	2.2E+00	5	4.12E-03
69	69	2.5E+00	5	4.53E-03
70	70	5.9E-01	5	1.08E-03
71	71	6.8E-01	5	1.24E-03
72	72	7.9E-01	5	1.44E-03
73	73	9.2E-01	5	1.68E-03
74	74	1.1E+00	5	1.98E-03
75	75	1.3E+00	5	2.34E-03
76	76	1.5E+00	5	2.79E-03
77	77	1.8E+00	5	3.25E-03
78	78	2.1E+00	5	3.89E-03
79	79	2.6E+00	5	4.85E-03
80	80	3.0E+00	5	5.49E-03
81	81	3.5E+00	5	6.36E-03
82	82	3.7E+00	5	6.82E-03
83	83	6.2E-01	5	1.14E-03
84	84	7.4E-01	5	1.35E-03
85	85	8.7E-01	5	1.60E-03
86	86	1.0E+00	5	1.85E-03
87	87	1.2E+00	5	2.22E-03
88	88	1.5E+00	5	2.73E-03
89	89	1.9E+00	5	3.45E-03
90	90	2.4E+00	5	4.45E-03
91	91	3.2E+00	5	5.83E-03
92	92	4.1E+00	5	7.49E-03
93	93	5.0E+00	5	9.14E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	5.7E+00	5	1.04E-02
95	95	6.1E+00	5	1.12E-02
96	96	6.5E-01	5	1.20E-03
97	97	7.7E-01	5	1.42E-03
98	98	9.2E-01	5	1.68E-03
99	99	1.1E+00	5	2.02E-03
100	100	1.3E+00	5	2.45E-03
101	101	1.7E+00	5	3.12E-03
102	102	2.3E+00	5	4.18E-03
103	103	3.2E+00	5	5.92E-03
104	104	4.9E+00	5	8.92E-03
105	105	7.4E+00	5	1.35E-02
106	106	9.7E+00	5	1.78E-02
107	107	1.1E+01	5	2.03E-02
108	108	1.2E+01	5	2.16E-02
109	109	6.5E-01	5	1.19E-03
110	110	7.7E-01	5	1.40E-03
111	111	9.1E-01	5	1.67E-03
112	112	1.1E+00	5	2.04E-03
113	113	1.4E+00	5	2.58E-03
114	114	1.9E+00	5	3.39E-03
115	115	2.6E+00	5	4.79E-03
116	116	4.1E+00	5	7.58E-03
117	117	8.2E+00	5	1.50E-02
118	118	9.7E+00	5	1.78E-02
119	119	1.5E+01	5	2.83E-02
120	120	1.7E+01	5	3.16E-02
121	121	1.7E+01	5	3.11E-02
122	122	6.2E-01	5	1.13E-03
123	123	7.3E-01	5	1.34E-03
124	124	8.8E-01	5	1.62E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	1.1E+00	5	2.00E-03
126	126	1.4E+00	5	2.54E-03
127	127	1.8E+00	5	3.39E-03
128	128	2.6E+00	5	4.69E-03
129	129	4.2E+00	5	7.65E-03
130	130	1.0E+01	5	1.87E-02
131	131	3.3E+00	5	6.11E-03
132	132	2.4E+00	5	4.31E-03
133	133	5.7E-01	5	1.04E-03
134	134	6.9E-01	5	1.26E-03
135	135	8.3E-01	5	1.52E-03
136	136	1.0E+00	5	1.88E-03
137	137	1.3E+00	5	2.38E-03
138	138	1.7E+00	5	3.12E-03
139	139	2.3E+00	5	4.25E-03
140	140	3.6E+00	5	6.54E-03
141	141	7.0E+00	5	1.28E-02
142	142	9.8E+00	5	1.80E-02
143	143	1.6E+01	5	2.85E-02
144	144	2.0E+01	5	3.75E-02
145	145	2.1E+01	5	3.79E-02
146	146	3.3E+00	5	6.01E-03
147	147	5.2E-01	5	9.59E-04
148	148	6.2E-01	5	1.14E-03
149	149	7.6E-01	5	1.39E-03
150	150	9.3E-01	5	1.70E-03
151	151	1.2E+00	5	2.16E-03
152	152	1.5E+00	5	2.75E-03
153	153	2.0E+00	5	3.66E-03
154	154	2.9E+00	5	5.28E-03
155	155	4.7E+00	5	8.65E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	8.1E+00	5	1.48E-02
157	157	1.1E+01	5	1.94E-02
158	158	1.1E+01	5	2.04E-02
159	159	1.2E+01	5	2.22E-02
160	160	4.9E-01	5	8.99E-04
161	161	5.7E-01	5	1.05E-03
162	162	6.6E-01	5	1.22E-03
163	163	8.2E-01	5	1.50E-03
164	164	1.0E+00	5	1.91E-03
165	165	1.3E+00	5	2.39E-03
166	166	1.7E+00	5	3.10E-03
167	167	2.3E+00	5	4.19E-03
168	168	3.3E+00	5	6.00E-03
169	169	4.7E+00	5	8.66E-03
170	170	6.0E+00	5	1.10E-02
171	171	6.6E+00	5	1.21E-02
172	172	7.0E+00	5	1.28E-02
173	173	7.1E+00	5	1.31E-02
174	174	7.1E+00	5	1.30E-02
175	175	6.4E+00	5	1.17E-02
176	176	5.0E+00	5	9.23E-03
177	177	3.5E+00	5	6.45E-03
178	178	2.4E+00	5	4.31E-03
179	179	4.4E-01	5	8.14E-04
180	180	5.1E-01	5	9.28E-04
181	181	5.7E-01	5	1.05E-03
182	182	7.2E-01	5	1.31E-03
183	183	9.2E-01	5	1.69E-03
184	184	1.1E+00	5	2.08E-03
185	185	1.4E+00	5	2.63E-03
186	186	1.8E+00	5	3.39E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	2.4E+00	5	4.47E-03
188	188	3.2E+00	5	5.91E-03
189	189	3.9E+00	5	7.23E-03
190	190	4.4E+00	5	8.07E-03
191	191	4.6E+00	5	8.36E-03
192	192	4.6E+00	5	8.42E-03
193	193	4.4E+00	5	8.14E-03
194	194	4.2E+00	5	7.71E-03
195	195	3.6E+00	5	6.62E-03
196	196	2.8E+00	5	5.04E-03
197	197	2.0E+00	5	3.66E-03
198	198	4.1E-01	5	7.54E-04
199	199	4.7E-01	5	8.58E-04
200	200	5.4E-01	5	9.81E-04
201	201	6.3E-01	5	1.16E-03
202	202	8.0E-01	5	1.47E-03
203	203	9.8E-01	5	1.80E-03
204	204	1.2E+00	5	2.23E-03
205	205	1.5E+00	5	2.77E-03
206	206	1.9E+00	5	3.50E-03
207	207	2.4E+00	5	4.36E-03
208	208	2.8E+00	5	5.20E-03
209	209	3.2E+00	5	5.80E-03
210	210	3.3E+00	5	6.07E-03
211	211	3.3E+00	5	6.05E-03
212	212	3.2E+00	5	5.78E-03
213	213	2.8E+00	5	5.22E-03
214	214	2.4E+00	5	4.43E-03
215	215	2.2E+00	5	4.07E-03
216	216	3.9E-01	5	7.12E-04
217	217	4.3E-01	5	7.96E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	4.9E-01	5	9.04E-04
219	219	5.7E-01	5	1.04E-03
220	220	7.0E-01	5	1.28E-03
221	221	8.3E-01	5	1.52E-03
222	222	1.0E+00	5	1.86E-03
223	223	1.2E+00	5	2.26E-03
224	224	1.5E+00	5	2.76E-03
225	225	1.8E+00	5	3.32E-03
226	226	2.1E+00	5	3.90E-03
227	227	2.4E+00	5	4.33E-03
228	228	2.5E+00	5	4.57E-03
229	229	2.5E+00	5	4.59E-03
230	230	2.4E+00	5	4.40E-03
231	231	2.2E+00	5	4.07E-03
232	232	2.0E+00	5	3.59E-03
233	233	1.8E+00	5	3.32E-03
234	234	3.7E-01	5	6.72E-04
235	235	4.0E-01	5	7.39E-04
236	236	4.5E-01	5	8.29E-04
237	237	5.2E-01	5	9.52E-04
238	238	6.1E-01	5	1.12E-03
239	239	7.1E-01	5	1.31E-03
240	240	8.5E-01	5	1.55E-03
241	241	1.0E+00	5	1.86E-03
242	242	1.2E+00	5	2.22E-03
243	243	1.4E+00	5	2.62E-03
244	244	1.7E+00	5	3.04E-03
245	245	1.8E+00	5	3.38E-03
246	246	2.0E+00	5	3.60E-03
247	247	2.0E+00	5	3.65E-03
248	248	1.9E+00	5	3.56E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	1.8E+00	5	3.33E-03
250	250	1.6E+00	5	3.02E-03
251	251	1.5E+00	5	2.79E-03
252	252	3.4E-01	5	6.25E-04
253	253	3.7E-01	5	6.76E-04
254	254	4.1E-01	5	7.44E-04
255	255	4.5E-01	5	8.30E-04
256	256	5.4E-01	5	9.87E-04
257	257	6.0E-01	5	1.10E-03
258	258	6.9E-01	5	1.26E-03
259	259	8.0E-01	5	1.46E-03
260	260	9.5E-01	5	1.74E-03
261	261	1.1E+00	5	2.08E-03
262	262	1.3E+00	5	2.42E-03
263	263	1.5E+00	5	2.68E-03
264	264	1.6E+00	5	2.87E-03
265	265	1.6E+00	5	2.94E-03
266	266	1.6E+00	5	2.90E-03
267	267	1.5E+00	5	2.74E-03
268	268	1.4E+00	5	2.53E-03
269	269	1.3E+00	5	2.36E-03
270	270	3.2E-01	5	5.78E-04
271	271	3.4E-01	5	6.23E-04
272	272	3.7E-01	5	6.80E-04
273	273	4.1E-01	5	7.47E-04
274	274	4.9E-01	5	8.93E-04
275	275	5.6E-01	5	1.02E-03
276	276	5.9E-01	5	1.08E-03
277	277	6.7E-01	5	1.23E-03
278	278	7.8E-01	5	1.43E-03
279	279	9.1E-01	5	1.66E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	1.1E+00	5	1.94E-03
281	281	1.2E+00	5	2.18E-03
282	282	1.3E+00	5	2.35E-03
283	283	1.3E+00	5	2.43E-03
284	284	1.3E+00	5	2.41E-03
285	285	1.3E+00	5	2.31E-03
286	286	1.2E+00	5	2.16E-03
287	287	1.1E+00	5	2.03E-03
288	288	2.9E-01	5	5.38E-04
289	289	3.1E-01	5	5.72E-04
290	290	3.5E-01	5	6.37E-04
291	291	3.9E-01	5	7.05E-04
292	292	4.8E-01	5	8.79E-04
293	293	5.2E-01	5	9.45E-04
294	294	5.2E-01	5	9.53E-04
295	295	5.9E-01	5	1.08E-03
296	296	6.8E-01	5	1.24E-03
297	297	7.6E-01	5	1.40E-03
298	298	8.7E-01	5	1.59E-03
299	299	9.8E-01	5	1.80E-03
300	300	1.1E+00	5	1.93E-03
301	301	1.1E+00	5	2.03E-03
302	302	1.1E+00	5	2.05E-03
303	303	1.1E+00	5	1.99E-03
304	304	1.0E+00	5	1.88E-03
305	305	9.7E-01	5	1.77E-03
306	306	2.9E-01	5	5.35E-04
307	307	3.0E-01	5	5.51E-04
308	308	3.2E-01	5	5.93E-04
309	309	3.8E-01	5	7.01E-04
310	310	4.4E-01	5	8.11E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	4.7E-01	5	8.61E-04
312	312	4.6E-01	5	8.50E-04
313	313	5.2E-01	5	9.55E-04
314	314	5.9E-01	5	1.08E-03
315	315	6.8E-01	5	1.25E-03
316	316	7.5E-01	5	1.37E-03
317	317	8.2E-01	5	1.49E-03
318	318	8.8E-01	5	1.61E-03
319	319	9.4E-01	5	1.71E-03
320	320	9.7E-01	5	1.77E-03
321	321	9.5E-01	5	1.73E-03
322	322	9.1E-01	5	1.65E-03
323	323	8.5E-01	5	1.55E-03
324	324	2.7E-01	5	5.02E-04
325	325	3.0E-01	5	5.55E-04
326	326	3.2E-01	5	5.90E-04
327	327	3.4E-01	5	6.18E-04
328	328	4.1E-01	5	7.60E-04
329	329	4.3E-01	5	7.88E-04
330	330	4.3E-01	5	7.82E-04
331	331	4.8E-01	5	8.72E-04
332	332	5.4E-01	5	9.81E-04
333	333	6.1E-01	5	1.12E-03
334	334	6.7E-01	5	1.24E-03
335	335	7.3E-01	5	1.34E-03
336	336	3.0E+00	5	5.54E-03
337	337	2.1E+00	5	3.76E-03
338	338	8.7E-01	5	1.59E-03
339	339	8.8E-01	5	1.61E-03
340	340	8.8E-01	5	1.62E-03
341	341	8.7E-01	5	1.60E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	8.5E-01	5	1.56E-03
343	343	7.9E-01	5	1.44E-03
344	344	7.5E-01	5	1.37E-03
345	345	7.0E-01	5	1.29E-03
346	346	6.5E-01	5	1.20E-03
347	347	1.1E+00	5	1.95E-03
348	348	1.1E+00	5	1.99E-03
349	349	1.1E+00	5	1.99E-03
350	350	1.1E+00	5	1.95E-03
351	351	1.0E+00	5	1.91E-03
352	352	9.4E-01	5	1.71E-03
353	353	8.8E-01	5	1.61E-03
354	354	8.0E-01	5	1.47E-03
355	355	7.4E-01	5	1.35E-03
356	356	1.3E+00	5	2.45E-03
357	357	1.4E+00	5	2.54E-03
358	358	1.4E+00	5	2.53E-03
359	359	1.4E+00	5	2.48E-03
360	360	1.3E+00	5	2.38E-03
361	361	1.1E+00	5	2.06E-03
362	362	1.0E+00	5	1.89E-03
363	363	9.3E-01	5	1.69E-03
364	364	1.7E+00	5	3.19E-03
365	365	1.8E+00	5	3.28E-03
366	366	1.8E+00	5	3.32E-03
367	367	1.8E+00	5	3.21E-03
368	368	1.7E+00	5	3.03E-03
369	369	1.4E+00	5	2.50E-03
370	370	1.1E+00	5	1.99E-03
371	371	9.5E-01	5	1.74E-03
372	372	2.4E+00	5	4.43E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	2.5E+00	5	4.52E-03
374	374	2.5E+00	5	4.53E-03
375	375	2.4E+00	5	4.31E-03
376	376	2.2E+00	5	3.96E-03
377	377	1.9E+00	5	3.52E-03
378	378	1.7E+00	5	3.09E-03
379	379	1.2E+00	5	2.28E-03
380	380	1.1E+00	5	1.95E-03
381	381	9.0E-01	5	1.66E-03
382	382	3.6E+00	5	6.59E-03
383	383	3.7E+00	5	6.70E-03
384	384	3.6E+00	5	6.53E-03
385	385	3.3E+00	5	6.05E-03
386	386	2.9E+00	5	5.38E-03
387	387	2.5E+00	5	4.56E-03
388	388	2.1E+00	5	3.81E-03
389	389	1.4E+00	5	2.56E-03
390	390	1.2E+00	5	2.11E-03
391	391	9.6E-01	5	1.75E-03
392	392	7.8E-01	5	1.44E-03
393	393	5.1E+00	5	9.37E-03
394	394	5.1E+00	5	9.28E-03
395	395	4.5E+00	5	8.17E-03
396	396	3.9E+00	5	7.16E-03
397	397	3.1E+00	5	5.73E-03
398	398	2.4E+00	5	4.49E-03
399	399	2.0E+00	5	3.58E-03
400	400	1.5E+00	5	2.80E-03
401	401	1.2E+00	5	2.23E-03
402	402	7.9E-01	5	1.45E-03
403	403	1.6E+00	5	2.98E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	8.1E-01	5	1.49E-03
405	405	6.6E-01	5	1.21E-03
406	406	1.6E+00	5	2.97E-03
407	407	6.4E-01	5	1.17E-03
408	408	1.5E+00	5	2.82E-03
409	409	6.2E-01	5	1.13E-03
410	410	1.4E+00	5	2.59E-03
411	411	7.2E-01	5	1.31E-03
412	412	6.0E-01	5	1.10E-03
413	413	1.3E+00	5	2.35E-03
414	414	8.2E-01	5	1.49E-03
415	415	6.8E-01	5	1.24E-03
416	416	5.8E-01	5	1.05E-03
417	417	1.2E+00	5	2.14E-03
418	418	6.4E-01	5	1.16E-03
419	419	5.5E-01	5	9.96E-04
420	420	4.7E-01	5	8.60E-04
421	421	1.1E+00	5	1.95E-03
422	422	5.2E-01	5	9.41E-04
423	423	4.5E-01	5	8.21E-04
424	424	9.9E-01	5	1.78E-03
425	425	4.3E-01	5	7.80E-04
426	426	3.8E-01	5	6.90E-04
427	427	9.1E-01	5	1.63E-03
428	428	4.0E-01	5	7.38E-04
429	429	3.6E-01	5	6.58E-04
430	430	8.3E-01	5	1.49E-03
431	431	3.4E-01	5	6.26E-04
432	432	3.1E-01	5	5.60E-04
433	433	7.6E-01	5	1.37E-03
434	434	3.3E-01	5	5.95E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	2.9E-01	5	5.38E-04
436	436	6.9E-01	5	1.25E-03
437	437	3.5E-01	5	6.29E-04
438	438	3.1E-01	5	5.67E-04
439	439	2.8E-01	5	5.14E-04
440	440	6.5E-01	5	1.15E-03
441	441	4.2E-01	5	7.60E-04
442	442	3.7E-01	5	6.68E-04
443	443	3.3E-01	5	5.98E-04
444	444	3.0E-01	5	5.39E-04
445	445	5.9E-01	5	1.05E-03
446	446	4.4E-01	5	8.04E-04
447	447	3.9E-01	5	7.10E-04
448	448	3.5E-01	5	6.32E-04
449	449	5.4E-01	5	9.70E-04
450	450	4.7E-01	5	8.54E-04
451	451	4.2E-01	5	7.54E-04
452	452	5.0E-01	5	8.94E-04
453	453	4.4E-01	5	7.95E-04
454	454	2.3E-01	5	4.25E-04
455	455	2.2E-01	5	3.95E-04
456	456	4.6E-01	5	8.26E-04
457	457	4.1E-01	5	7.41E-04
458	458	3.6E-01	5	6.62E-04
459	459	2.7E-01	5	4.86E-04
460	460	2.4E-01	5	4.45E-04
461	461	2.2E-01	5	4.09E-04
462	462	2.1E-01	5	3.78E-04
463	463	2.8E+00	5	5.16E-03
464	464	2.0E+00	5	3.56E-03
465	465	2.5E+00	5	4.48E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
466	466	1.7E+00	5	3.07E-03
467	467	1.8E+00	5	3.28E-03
468	468	1.6E+00	5	2.90E-03
469	469	1.4E+00	5	2.55E-03
470	470	1.6E+00	5	2.83E-03
471	471	1.3E+00	5	2.41E-03
472	472	1.3E+00	5	2.43E-03
473	473	1.1E+00	5	1.99E-03
474	474	1.2E+00	5	2.10E-03
475	475	9.8E-01	5	1.77E-03
476	476	1.0E+00	5	1.83E-03
477	477	8.8E-01	5	1.58E-03
478	478	8.9E-01	5	1.61E-03
479	479	7.8E-01	5	1.41E-03
480	480	6.9E-01	5	1.22E-03
481	481	7.9E-01	5	1.43E-03
482	482	6.2E-01	5	1.11E-03
483	483	6.4E-01	5	1.14E-03
484	484	5.7E-01	5	1.02E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24522	5.41E-05	1.3E-05	6.05E-04	8.02E-09	5.48E-02	4.71E-02	2.07E-11	1.0E+06	2.1E-05
2	0.25812	5.41E-05	1.4E-05	6.05E-04	8.44E-09	5.48E-02	4.71E-02	2.18E-11	1.0E+06	2.2E-05
3	0.27182	5.41E-05	1.5E-05	6.05E-04	8.89E-09	5.48E-02	4.71E-02	2.30E-11	1.0E+06	2.3E-05
4	0.28694	5.41E-05	1.6E-05	6.05E-04	9.38E-09	5.48E-02	4.71E-02	2.42E-11	1.0E+06	2.4E-05
5	0.30421	5.41E-05	1.6E-05	6.05E-04	9.95E-09	5.48E-02	4.71E-02	2.57E-11	1.0E+06	2.6E-05
6	0.32665	5.41E-05	1.8E-05	6.05E-04	1.07E-08	5.48E-02	4.71E-02	2.76E-11	1.0E+06	2.8E-05
7	0.35525	5.41E-05	1.9E-05	6.05E-04	1.16E-08	5.48E-02	4.71E-02	3.00E-11	1.0E+06	3.0E-05
8	0.38621	5.41E-05	2.1E-05	6.05E-04	1.26E-08	5.48E-02	4.71E-02	3.26E-11	1.0E+06	3.3E-05
9	0.42233	5.41E-05	2.3E-05	6.05E-04	1.38E-08	5.48E-02	4.71E-02	3.57E-11	1.0E+06	3.6E-05
10	0.46134	5.41E-05	2.5E-05	6.05E-04	1.51E-08	5.48E-02	4.71E-02	3.90E-11	1.0E+06	3.9E-05
11	0.50584	5.41E-05	2.7E-05	6.05E-04	1.65E-08	5.48E-02	4.71E-02	4.27E-11	1.0E+06	4.3E-05
12	0.54691	5.41E-05	3.0E-05	6.05E-04	1.79E-08	5.48E-02	4.71E-02	4.62E-11	1.0E+06	4.6E-05
13	0.5752	5.41E-05	3.1E-05	6.05E-04	1.88E-08	5.48E-02	4.71E-02	4.86E-11	1.0E+06	4.9E-05
14	0.55713	5.41E-05	3.0E-05	6.05E-04	1.82E-08	5.48E-02	4.71E-02	4.71E-11	1.0E+06	4.7E-05
15	0.27871	5.41E-05	1.5E-05	6.05E-04	9.12E-09	5.48E-02	4.71E-02	2.35E-11	1.0E+06	2.4E-05
16	0.29601	5.41E-05	1.6E-05	6.05E-04	9.68E-09	5.48E-02	4.71E-02	2.50E-11	1.0E+06	2.5E-05
17	0.31614	5.41E-05	1.7E-05	6.05E-04	1.03E-08	5.48E-02	4.71E-02	2.67E-11	1.0E+06	2.7E-05
18	0.33621	5.41E-05	1.8E-05	6.05E-04	1.10E-08	5.48E-02	4.71E-02	2.84E-11	1.0E+06	2.8E-05
19	0.35725	5.41E-05	1.9E-05	6.05E-04	1.17E-08	5.48E-02	4.71E-02	3.02E-11	1.0E+06	3.0E-05
20	0.38354	5.41E-05	2.1E-05	6.05E-04	1.25E-08	5.48E-02	4.71E-02	3.24E-11	1.0E+06	3.2E-05
21	0.41325	5.41E-05	2.2E-05	6.05E-04	1.35E-08	5.48E-02	4.71E-02	3.49E-11	1.0E+06	3.5E-05
22	0.45075	5.41E-05	2.4E-05	6.05E-04	1.47E-08	5.48E-02	4.71E-02	3.81E-11	1.0E+06	3.8E-05
23	0.50138	5.41E-05	2.7E-05	6.05E-04	1.64E-08	5.48E-02	4.71E-02	4.24E-11	1.0E+06	4.2E-05
24	0.54771	5.41E-05	3.0E-05	6.05E-04	1.79E-08	5.48E-02	4.71E-02	4.63E-11	1.0E+06	4.6E-05
25	0.60994	5.41E-05	3.3E-05	6.05E-04	1.99E-08	5.48E-02	4.71E-02	5.15E-11	1.0E+06	5.2E-05
26	0.66721	5.41E-05	3.6E-05	6.05E-04	2.18E-08	5.48E-02	4.71E-02	5.64E-11	1.0E+06	5.6E-05
27	0.70269	5.41E-05	3.8E-05	6.05E-04	2.30E-08	5.48E-02	4.71E-02	5.94E-11	1.0E+06	5.9E-05
28	0.67847	5.41E-05	3.7E-05	6.05E-04	2.22E-08	5.48E-02	4.71E-02	5.73E-11	1.0E+06	5.7E-05
29	0.31274	5.41E-05	1.7E-05	6.05E-04	1.02E-08	5.48E-02	4.71E-02	2.64E-11	1.0E+06	2.6E-05
30	0.33825	5.41E-05	1.8E-05	6.05E-04	1.11E-08	5.48E-02	4.71E-02	2.86E-11	1.0E+06	2.9E-05
31	0.3674	5.41E-05	2.0E-05	6.05E-04	1.20E-08	5.48E-02	4.71E-02	3.10E-11	1.0E+06	3.1E-05

	Max	Receptor #
Res	0.001	145

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.39913	5.41E-05	2.2E-05	6.05E-04	1.31E-08	5.48E-02	4.71E-02	3.37E-11	1.0E+06	3.4E-05
33	0.42599	5.41E-05	2.3E-05	6.05E-04	1.39E-08	5.48E-02	4.71E-02	3.60E-11	1.0E+06	3.6E-05
34	0.46028	5.41E-05	2.5E-05	6.05E-04	1.51E-08	5.48E-02	4.71E-02	3.89E-11	1.0E+06	3.9E-05
35	0.49742	5.41E-05	2.7E-05	6.05E-04	1.63E-08	5.48E-02	4.71E-02	4.20E-11	1.0E+06	4.2E-05
36	0.5441	5.41E-05	2.9E-05	6.05E-04	1.78E-08	5.48E-02	4.71E-02	4.60E-11	1.0E+06	4.6E-05
37	0.60298	5.41E-05	3.3E-05	6.05E-04	1.97E-08	5.48E-02	4.71E-02	5.09E-11	1.0E+06	5.1E-05
38	0.67584	5.41E-05	3.7E-05	6.05E-04	2.21E-08	5.48E-02	4.71E-02	5.71E-11	1.0E+06	5.7E-05
39	0.75362	5.41E-05	4.1E-05	6.05E-04	2.46E-08	5.48E-02	4.71E-02	6.37E-11	1.0E+06	6.4E-05
40	0.82458	5.41E-05	4.5E-05	6.05E-04	2.70E-08	5.48E-02	4.71E-02	6.97E-11	1.0E+06	7.0E-05
41	0.88192	5.41E-05	4.8E-05	6.05E-04	2.88E-08	5.48E-02	4.71E-02	7.45E-11	1.0E+06	7.5E-05
42	0.84179	5.41E-05	4.6E-05	6.05E-04	2.75E-08	5.48E-02	4.71E-02	7.11E-11	1.0E+06	7.1E-05
43	0.3419	5.41E-05	1.8E-05	6.05E-04	1.12E-08	5.48E-02	4.71E-02	2.89E-11	1.0E+06	2.9E-05
44	0.37456	5.41E-05	2.0E-05	6.05E-04	1.23E-08	5.48E-02	4.71E-02	3.16E-11	1.0E+06	3.2E-05
45	0.41658	5.41E-05	2.3E-05	6.05E-04	1.36E-08	5.48E-02	4.71E-02	3.52E-11	1.0E+06	3.5E-05
46	0.46349	5.41E-05	2.5E-05	6.05E-04	1.52E-08	5.48E-02	4.71E-02	3.92E-11	1.0E+06	3.9E-05
47	0.50951	5.41E-05	2.8E-05	6.05E-04	1.67E-08	5.48E-02	4.71E-02	4.30E-11	1.0E+06	4.3E-05
48	0.55797	5.41E-05	3.0E-05	6.05E-04	1.82E-08	5.48E-02	4.71E-02	4.71E-11	1.0E+06	4.7E-05
49	0.60926	5.41E-05	3.3E-05	6.05E-04	1.99E-08	5.48E-02	4.71E-02	5.15E-11	1.0E+06	5.1E-05
50	0.66552	5.41E-05	3.6E-05	6.05E-04	2.18E-08	5.48E-02	4.71E-02	5.62E-11	1.0E+06	5.6E-05
51	0.75822	5.41E-05	4.1E-05	6.05E-04	2.48E-08	5.48E-02	4.71E-02	6.41E-11	1.0E+06	6.4E-05
52	0.85126	5.41E-05	4.6E-05	6.05E-04	2.78E-08	5.48E-02	4.71E-02	7.19E-11	1.0E+06	7.2E-05
53	0.96684	5.41E-05	5.2E-05	6.05E-04	3.16E-08	5.48E-02	4.71E-02	8.17E-11	1.0E+06	8.2E-05
54	1.07266	5.41E-05	5.8E-05	6.05E-04	3.51E-08	5.48E-02	4.71E-02	9.06E-11	1.0E+06	9.1E-05
55	1.15752	5.41E-05	6.3E-05	6.05E-04	3.79E-08	5.48E-02	4.71E-02	9.78E-11	1.0E+06	9.8E-05
56	1.05945	5.41E-05	5.7E-05	6.05E-04	3.47E-08	5.48E-02	4.71E-02	8.95E-11	1.0E+06	9.0E-05
57	0.36224	5.41E-05	2.0E-05	6.05E-04	1.18E-08	5.48E-02	4.71E-02	3.06E-11	1.0E+06	3.1E-05
58	0.4086	5.41E-05	2.2E-05	6.05E-04	1.34E-08	5.48E-02	4.71E-02	3.45E-11	1.0E+06	3.5E-05
59	0.46663	5.41E-05	2.5E-05	6.05E-04	1.53E-08	5.48E-02	4.71E-02	3.94E-11	1.0E+06	3.9E-05
60	0.53196	5.41E-05	2.9E-05	6.05E-04	1.74E-08	5.48E-02	4.71E-02	4.49E-11	1.0E+06	4.5E-05
61	0.6059	5.41E-05	3.3E-05	6.05E-04	1.98E-08	5.48E-02	4.71E-02	5.12E-11	1.0E+06	5.1E-05
62	0.68687	5.41E-05	3.7E-05	6.05E-04	2.25E-08	5.48E-02	4.71E-02	5.80E-11	1.0E+06	5.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.7816	5.41E-05	4.2E-05	6.05E-04	2.56E-08	5.48E-02	4.71E-02	6.60E-11	1.0E+06	6.6E-05
64	0.85518	5.41E-05	4.6E-05	6.05E-04	2.80E-08	5.48E-02	4.71E-02	7.22E-11	1.0E+06	7.2E-05
65	0.98486	5.41E-05	5.3E-05	6.05E-04	3.22E-08	5.48E-02	4.71E-02	8.32E-11	1.0E+06	8.3E-05
66	1.13862	5.41E-05	6.2E-05	6.05E-04	3.72E-08	5.48E-02	4.71E-02	9.62E-11	1.0E+06	9.6E-05
67	1.29122	5.41E-05	7.0E-05	6.05E-04	4.22E-08	5.48E-02	4.71E-02	1.09E-10	1.0E+06	1.1E-04
68	1.46923	5.41E-05	7.9E-05	6.05E-04	4.81E-08	5.48E-02	4.71E-02	1.24E-10	1.0E+06	1.2E-04
69	1.61487	5.41E-05	8.7E-05	6.05E-04	5.28E-08	5.48E-02	4.71E-02	1.36E-10	1.0E+06	1.4E-04
70	0.38587	5.41E-05	2.1E-05	6.05E-04	1.26E-08	5.48E-02	4.71E-02	3.26E-11	1.0E+06	3.3E-05
71	0.44138	5.41E-05	2.4E-05	6.05E-04	1.44E-08	5.48E-02	4.71E-02	3.73E-11	1.0E+06	3.7E-05
72	0.51499	5.41E-05	2.8E-05	6.05E-04	1.68E-08	5.48E-02	4.71E-02	4.35E-11	1.0E+06	4.4E-05
73	0.59943	5.41E-05	3.2E-05	6.05E-04	1.96E-08	5.48E-02	4.71E-02	5.06E-11	1.0E+06	5.1E-05
74	0.70697	5.41E-05	3.8E-05	6.05E-04	2.31E-08	5.48E-02	4.71E-02	5.97E-11	1.0E+06	6.0E-05
75	0.83321	5.41E-05	4.5E-05	6.05E-04	2.73E-08	5.48E-02	4.71E-02	7.04E-11	1.0E+06	7.0E-05
76	0.99536	5.41E-05	5.4E-05	6.05E-04	3.26E-08	5.48E-02	4.71E-02	8.41E-11	1.0E+06	8.4E-05
77	1.15904	5.41E-05	6.3E-05	6.05E-04	3.79E-08	5.48E-02	4.71E-02	9.79E-11	1.0E+06	9.8E-05
78	1.38678	5.41E-05	7.5E-05	6.05E-04	4.54E-08	5.48E-02	4.71E-02	1.17E-10	1.0E+06	1.2E-04
79	1.72999	5.41E-05	9.4E-05	6.05E-04	5.66E-08	5.48E-02	4.71E-02	1.46E-10	1.0E+06	1.5E-04
80	1.95913	5.41E-05	1.1E-04	6.05E-04	6.41E-08	5.48E-02	4.71E-02	1.66E-10	1.0E+06	1.7E-04
81	2.26974	5.41E-05	1.2E-04	6.05E-04	7.42E-08	5.48E-02	4.71E-02	1.92E-10	1.0E+06	1.9E-04
82	2.4321	5.41E-05	1.3E-04	6.05E-04	7.95E-08	5.48E-02	4.71E-02	2.05E-10	1.0E+06	2.1E-04
83	0.40751	5.41E-05	2.2E-05	6.05E-04	1.33E-08	5.48E-02	4.71E-02	3.44E-11	1.0E+06	3.4E-05
84	0.48107	5.41E-05	2.6E-05	6.05E-04	1.57E-08	5.48E-02	4.71E-02	4.06E-11	1.0E+06	4.1E-05
85	0.57125	5.41E-05	3.1E-05	6.05E-04	1.87E-08	5.48E-02	4.71E-02	4.83E-11	1.0E+06	4.8E-05
86	0.65944	5.41E-05	3.6E-05	6.05E-04	2.16E-08	5.48E-02	4.71E-02	5.57E-11	1.0E+06	5.6E-05
87	0.793	5.41E-05	4.3E-05	6.05E-04	2.59E-08	5.48E-02	4.71E-02	6.70E-11	1.0E+06	6.7E-05
88	0.9744	5.41E-05	5.3E-05	6.05E-04	3.19E-08	5.48E-02	4.71E-02	8.23E-11	1.0E+06	8.2E-05
89	1.22894	5.41E-05	6.6E-05	6.05E-04	4.02E-08	5.48E-02	4.71E-02	1.04E-10	1.0E+06	1.0E-04
90	1.58842	5.41E-05	8.6E-05	6.05E-04	5.20E-08	5.48E-02	4.71E-02	1.34E-10	1.0E+06	1.3E-04
91	2.07909	5.41E-05	1.1E-04	6.05E-04	6.80E-08	5.48E-02	4.71E-02	1.76E-10	1.0E+06	1.8E-04
92	2.673	5.41E-05	1.4E-04	6.05E-04	8.74E-08	5.48E-02	4.71E-02	2.26E-10	1.0E+06	2.3E-04
93	3.26073	5.41E-05	1.8E-04	6.05E-04	1.07E-07	5.48E-02	4.71E-02	2.75E-10	1.0E+06	2.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.7105	5.41E-05	2.0E-04	6.05E-04	1.21E-07	5.48E-02	4.71E-02	3.13E-10	1.0E+06	3.1E-04
95	3.97772	5.41E-05	2.2E-04	6.05E-04	1.30E-07	5.48E-02	4.71E-02	3.36E-10	1.0E+06	3.4E-04
96	0.42783	5.41E-05	2.3E-05	6.05E-04	1.40E-08	5.48E-02	4.71E-02	3.61E-11	1.0E+06	3.6E-05
97	0.50509	5.41E-05	2.7E-05	6.05E-04	1.65E-08	5.48E-02	4.71E-02	4.27E-11	1.0E+06	4.3E-05
98	0.59829	5.41E-05	3.2E-05	6.05E-04	1.96E-08	5.48E-02	4.71E-02	5.05E-11	1.0E+06	5.1E-05
99	0.71884	5.41E-05	3.9E-05	6.05E-04	2.35E-08	5.48E-02	4.71E-02	6.07E-11	1.0E+06	6.1E-05
100	0.87437	5.41E-05	4.7E-05	6.05E-04	2.86E-08	5.48E-02	4.71E-02	7.39E-11	1.0E+06	7.4E-05
101	1.11264	5.41E-05	6.0E-05	6.05E-04	3.64E-08	5.48E-02	4.71E-02	9.40E-11	1.0E+06	9.4E-05
102	1.49032	5.41E-05	8.1E-05	6.05E-04	4.87E-08	5.48E-02	4.71E-02	1.26E-10	1.0E+06	1.3E-04
103	2.11062	5.41E-05	1.1E-04	6.05E-04	6.90E-08	5.48E-02	4.71E-02	1.78E-10	1.0E+06	1.8E-04
104	3.18262	5.41E-05	1.7E-04	6.05E-04	1.04E-07	5.48E-02	4.71E-02	2.69E-10	1.0E+06	2.7E-04
105	4.82918	5.41E-05	2.6E-04	6.05E-04	1.58E-07	5.48E-02	4.71E-02	4.08E-10	1.0E+06	4.1E-04
106	6.35044	5.41E-05	3.4E-04	6.05E-04	2.08E-07	5.48E-02	4.71E-02	5.37E-10	1.0E+06	5.4E-04
107	7.24945	5.41E-05	3.9E-04	6.05E-04	2.37E-07	5.48E-02	4.71E-02	6.12E-10	1.0E+06	6.1E-04
108	7.70358	5.41E-05	4.2E-04	6.05E-04	2.52E-07	5.48E-02	4.71E-02	6.51E-10	1.0E+06	6.5E-04
109	0.42527	5.41E-05	2.3E-05	6.05E-04	1.39E-08	5.48E-02	4.71E-02	3.59E-11	1.0E+06	3.6E-05
110	0.50003	5.41E-05	2.7E-05	6.05E-04	1.64E-08	5.48E-02	4.71E-02	4.22E-11	1.0E+06	4.2E-05
111	0.59613	5.41E-05	3.2E-05	6.05E-04	1.95E-08	5.48E-02	4.71E-02	5.04E-11	1.0E+06	5.0E-05
112	0.72796	5.41E-05	3.9E-05	6.05E-04	2.38E-08	5.48E-02	4.71E-02	6.15E-11	1.0E+06	6.2E-05
113	0.92025	5.41E-05	5.0E-05	6.05E-04	3.01E-08	5.48E-02	4.71E-02	7.77E-11	1.0E+06	7.8E-05
114	1.21078	5.41E-05	6.5E-05	6.05E-04	3.96E-08	5.48E-02	4.71E-02	1.02E-10	1.0E+06	1.0E-04
115	1.70768	5.41E-05	9.2E-05	6.05E-04	5.59E-08	5.48E-02	4.71E-02	1.44E-10	1.0E+06	1.4E-04
116	2.70228	5.41E-05	1.5E-04	6.05E-04	8.84E-08	5.48E-02	4.71E-02	2.28E-10	1.0E+06	2.3E-04
117	5.36175	5.41E-05	2.9E-04	6.05E-04	1.75E-07	5.48E-02	4.71E-02	4.53E-10	1.0E+06	4.5E-04
118	6.35201	5.41E-05	3.4E-04	6.05E-04	2.08E-07	5.48E-02	4.71E-02	5.37E-10	1.0E+06	5.4E-04
119	10.08642	5.41E-05	5.5E-04	6.05E-04	3.30E-07	5.48E-02	4.71E-02	8.52E-10	1.0E+06	8.5E-04
120	11.26207	5.41E-05	6.1E-04	6.05E-04	3.68E-07	5.48E-02	4.71E-02	9.51E-10	1.0E+06	9.5E-04
121	11.09892	5.41E-05	6.0E-04	6.05E-04	3.63E-07	5.48E-02	4.71E-02	9.38E-10	1.0E+06	9.4E-04
122	0.40376	5.41E-05	2.2E-05	6.05E-04	1.32E-08	5.48E-02	4.71E-02	3.41E-11	1.0E+06	3.4E-05
123	0.47827	5.41E-05	2.6E-05	6.05E-04	1.56E-08	5.48E-02	4.71E-02	4.04E-11	1.0E+06	4.0E-05
124	0.57738	5.41E-05	3.1E-05	6.05E-04	1.89E-08	5.48E-02	4.71E-02	4.88E-11	1.0E+06	4.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.71334	5.41E-05	3.9E-05	6.05E-04	2.33E-08	5.48E-02	4.71E-02	6.03E-11	1.0E+06	6.0E-05
126	0.90625	5.41E-05	4.9E-05	6.05E-04	2.96E-08	5.48E-02	4.71E-02	7.66E-11	1.0E+06	7.7E-05
127	1.20749	5.41E-05	6.5E-05	6.05E-04	3.95E-08	5.48E-02	4.71E-02	1.02E-10	1.0E+06	1.0E-04
128	1.67153	5.41E-05	9.0E-05	6.05E-04	5.47E-08	5.48E-02	4.71E-02	1.41E-10	1.0E+06	1.4E-04
129	2.7297	5.41E-05	1.5E-04	6.05E-04	8.93E-08	5.48E-02	4.71E-02	2.31E-10	1.0E+06	2.3E-04
130	6.66669	5.41E-05	3.6E-04	6.05E-04	2.18E-07	5.48E-02	4.71E-02	5.63E-10	1.0E+06	5.6E-04
131	2.17942	5.41E-05	1.2E-04	6.05E-04	7.13E-08	5.48E-02	4.71E-02	1.84E-10	1.0E+06	1.8E-04
132	1.5364	5.41E-05	8.3E-05	6.05E-04	5.02E-08	5.48E-02	4.71E-02	1.30E-10	1.0E+06	1.3E-04
133	0.37253	5.41E-05	2.0E-05	6.05E-04	1.22E-08	5.48E-02	4.71E-02	3.15E-11	1.0E+06	3.1E-05
134	0.44783	5.41E-05	2.4E-05	6.05E-04	1.46E-08	5.48E-02	4.71E-02	3.78E-11	1.0E+06	3.8E-05
135	0.54393	5.41E-05	2.9E-05	6.05E-04	1.78E-08	5.48E-02	4.71E-02	4.60E-11	1.0E+06	4.6E-05
136	0.66975	5.41E-05	3.6E-05	6.05E-04	2.19E-08	5.48E-02	4.71E-02	5.66E-11	1.0E+06	5.7E-05
137	0.8492	5.41E-05	4.6E-05	6.05E-04	2.78E-08	5.48E-02	4.71E-02	7.17E-11	1.0E+06	7.2E-05
138	1.11161	5.41E-05	6.0E-05	6.05E-04	3.64E-08	5.48E-02	4.71E-02	9.39E-11	1.0E+06	9.4E-05
139	1.51637	5.41E-05	8.2E-05	6.05E-04	4.96E-08	5.48E-02	4.71E-02	1.28E-10	1.0E+06	1.3E-04
140	2.33444	5.41E-05	1.3E-04	6.05E-04	7.63E-08	5.48E-02	4.71E-02	1.97E-10	1.0E+06	2.0E-04
141	4.56552	5.41E-05	2.5E-04	6.05E-04	1.49E-07	5.48E-02	4.71E-02	3.86E-10	1.0E+06	3.9E-04
142	6.41914	5.41E-05	3.5E-04	6.05E-04	2.10E-07	5.48E-02	4.71E-02	5.42E-10	1.0E+06	5.4E-04
143	10.17338	5.41E-05	5.5E-04	6.05E-04	3.33E-07	5.48E-02	4.71E-02	8.59E-10	1.0E+06	8.6E-04
144	13.38661	5.41E-05	7.2E-04	6.05E-04	4.38E-07	5.48E-02	4.71E-02	1.13E-09	1.0E+06	1.1E-03
145	13.51679	5.41E-05	7.3E-04	6.05E-04	4.42E-07	5.48E-02	4.71E-02	1.14E-09	1.0E+06	1.1E-03
146	2.14495	5.41E-05	1.2E-04	6.05E-04	7.02E-08	5.48E-02	4.71E-02	1.81E-10	1.0E+06	1.8E-04
147	0.34214	5.41E-05	1.8E-05	6.05E-04	1.12E-08	5.48E-02	4.71E-02	2.89E-11	1.0E+06	2.9E-05
148	0.40831	5.41E-05	2.2E-05	6.05E-04	1.34E-08	5.48E-02	4.71E-02	3.45E-11	1.0E+06	3.4E-05
149	0.49577	5.41E-05	2.7E-05	6.05E-04	1.62E-08	5.48E-02	4.71E-02	4.19E-11	1.0E+06	4.2E-05
150	0.60785	5.41E-05	3.3E-05	6.05E-04	1.99E-08	5.48E-02	4.71E-02	5.14E-11	1.0E+06	5.1E-05
151	0.7688	5.41E-05	4.2E-05	6.05E-04	2.51E-08	5.48E-02	4.71E-02	6.50E-11	1.0E+06	6.5E-05
152	0.9823	5.41E-05	5.3E-05	6.05E-04	3.21E-08	5.48E-02	4.71E-02	8.30E-11	1.0E+06	8.3E-05
153	1.30396	5.41E-05	7.0E-05	6.05E-04	4.26E-08	5.48E-02	4.71E-02	1.10E-10	1.0E+06	1.1E-04
154	1.88437	5.41E-05	1.0E-04	6.05E-04	6.16E-08	5.48E-02	4.71E-02	1.59E-10	1.0E+06	1.6E-04
155	3.08613	5.41E-05	1.7E-04	6.05E-04	1.01E-07	5.48E-02	4.71E-02	2.61E-10	1.0E+06	2.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	5.26306	5.41E-05	2.8E-04	6.05E-04	1.72E-07	5.48E-02	4.71E-02	4.45E-10	1.0E+06	4.4E-04
157	6.91686	5.41E-05	3.7E-04	6.05E-04	2.26E-07	5.48E-02	4.71E-02	5.84E-10	1.0E+06	5.8E-04
158	7.28102	5.41E-05	3.9E-04	6.05E-04	2.38E-07	5.48E-02	4.71E-02	6.15E-10	1.0E+06	6.2E-04
159	7.92875	5.41E-05	4.3E-04	6.05E-04	2.59E-07	5.48E-02	4.71E-02	6.70E-10	1.0E+06	6.7E-04
160	0.32054	5.41E-05	1.7E-05	6.05E-04	1.05E-08	5.48E-02	4.71E-02	2.71E-11	1.0E+06	2.7E-05
161	0.37294	5.41E-05	2.0E-05	6.05E-04	1.22E-08	5.48E-02	4.71E-02	3.15E-11	1.0E+06	3.2E-05
162	0.43383	5.41E-05	2.3E-05	6.05E-04	1.42E-08	5.48E-02	4.71E-02	3.67E-11	1.0E+06	3.7E-05
163	0.53585	5.41E-05	2.9E-05	6.05E-04	1.75E-08	5.48E-02	4.71E-02	4.53E-11	1.0E+06	4.5E-05
164	0.68088	5.41E-05	3.7E-05	6.05E-04	2.23E-08	5.48E-02	4.71E-02	5.75E-11	1.0E+06	5.8E-05
165	0.85225	5.41E-05	4.6E-05	6.05E-04	2.79E-08	5.48E-02	4.71E-02	7.20E-11	1.0E+06	7.2E-05
166	1.10586	5.41E-05	6.0E-05	6.05E-04	3.62E-08	5.48E-02	4.71E-02	9.34E-11	1.0E+06	9.3E-05
167	1.49488	5.41E-05	8.1E-05	6.05E-04	4.89E-08	5.48E-02	4.71E-02	1.26E-10	1.0E+06	1.3E-04
168	2.14007	5.41E-05	1.2E-04	6.05E-04	7.00E-08	5.48E-02	4.71E-02	1.81E-10	1.0E+06	1.8E-04
169	3.09049	5.41E-05	1.7E-04	6.05E-04	1.01E-07	5.48E-02	4.71E-02	2.61E-10	1.0E+06	2.6E-04
170	3.93283	5.41E-05	2.1E-04	6.05E-04	1.29E-07	5.48E-02	4.71E-02	3.32E-10	1.0E+06	3.3E-04
171	4.33042	5.41E-05	2.3E-04	6.05E-04	1.42E-07	5.48E-02	4.71E-02	3.66E-10	1.0E+06	3.7E-04
172	4.55053	5.41E-05	2.5E-04	6.05E-04	1.49E-07	5.48E-02	4.71E-02	3.84E-10	1.0E+06	3.8E-04
173	4.6617	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.94E-10	1.0E+06	3.9E-04
174	4.63839	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.92E-10	1.0E+06	3.9E-04
175	4.15775	5.41E-05	2.2E-04	6.05E-04	1.36E-07	5.48E-02	4.71E-02	3.51E-10	1.0E+06	3.5E-04
176	3.29074	5.41E-05	1.8E-04	6.05E-04	1.08E-07	5.48E-02	4.71E-02	2.78E-10	1.0E+06	2.8E-04
177	2.30244	5.41E-05	1.2E-04	6.05E-04	7.53E-08	5.48E-02	4.71E-02	1.95E-10	1.0E+06	1.9E-04
178	1.53757	5.41E-05	8.3E-05	6.05E-04	5.03E-08	5.48E-02	4.71E-02	1.30E-10	1.0E+06	1.3E-04
179	0.29019	5.41E-05	1.6E-05	6.05E-04	9.49E-09	5.48E-02	4.71E-02	2.45E-11	1.0E+06	2.5E-05
180	0.33117	5.41E-05	1.8E-05	6.05E-04	1.08E-08	5.48E-02	4.71E-02	2.80E-11	1.0E+06	2.8E-05
181	0.37418	5.41E-05	2.0E-05	6.05E-04	1.22E-08	5.48E-02	4.71E-02	3.16E-11	1.0E+06	3.2E-05
182	0.46724	5.41E-05	2.5E-05	6.05E-04	1.53E-08	5.48E-02	4.71E-02	3.95E-11	1.0E+06	3.9E-05
183	0.60354	5.41E-05	3.3E-05	6.05E-04	1.97E-08	5.48E-02	4.71E-02	5.10E-11	1.0E+06	5.1E-05
184	0.74184	5.41E-05	4.0E-05	6.05E-04	2.43E-08	5.48E-02	4.71E-02	6.27E-11	1.0E+06	6.3E-05
185	0.93939	5.41E-05	5.1E-05	6.05E-04	3.07E-08	5.48E-02	4.71E-02	7.94E-11	1.0E+06	7.9E-05
186	1.20886	5.41E-05	6.5E-05	6.05E-04	3.95E-08	5.48E-02	4.71E-02	1.02E-10	1.0E+06	1.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	1.59534	5.41E-05	8.6E-05	6.05E-04	5.22E-08	5.48E-02	4.71E-02	1.35E-10	1.0E+06	1.3E-04
188	2.10918	5.41E-05	1.1E-04	6.05E-04	6.90E-08	5.48E-02	4.71E-02	1.78E-10	1.0E+06	1.8E-04
189	2.58029	5.41E-05	1.4E-04	6.05E-04	8.44E-08	5.48E-02	4.71E-02	2.18E-10	1.0E+06	2.2E-04
190	2.87995	5.41E-05	1.6E-04	6.05E-04	9.42E-08	5.48E-02	4.71E-02	2.43E-10	1.0E+06	2.4E-04
191	2.98254	5.41E-05	1.6E-04	6.05E-04	9.75E-08	5.48E-02	4.71E-02	2.52E-10	1.0E+06	2.5E-04
192	3.0049	5.41E-05	1.6E-04	6.05E-04	9.83E-08	5.48E-02	4.71E-02	2.54E-10	1.0E+06	2.5E-04
193	2.90512	5.41E-05	1.6E-04	6.05E-04	9.50E-08	5.48E-02	4.71E-02	2.45E-10	1.0E+06	2.5E-04
194	2.75066	5.41E-05	1.5E-04	6.05E-04	9.00E-08	5.48E-02	4.71E-02	2.32E-10	1.0E+06	2.3E-04
195	2.36182	5.41E-05	1.3E-04	6.05E-04	7.72E-08	5.48E-02	4.71E-02	2.00E-10	1.0E+06	2.0E-04
196	1.79817	5.41E-05	9.7E-05	6.05E-04	5.88E-08	5.48E-02	4.71E-02	1.52E-10	1.0E+06	1.5E-04
197	1.30564	5.41E-05	7.1E-05	6.05E-04	4.27E-08	5.48E-02	4.71E-02	1.10E-10	1.0E+06	1.1E-04
198	0.26895	5.41E-05	1.5E-05	6.05E-04	8.80E-09	5.48E-02	4.71E-02	2.27E-11	1.0E+06	2.3E-05
199	0.30588	5.41E-05	1.7E-05	6.05E-04	1.00E-08	5.48E-02	4.71E-02	2.58E-11	1.0E+06	2.6E-05
200	0.34989	5.41E-05	1.9E-05	6.05E-04	1.14E-08	5.48E-02	4.71E-02	2.96E-11	1.0E+06	3.0E-05
201	0.41345	5.41E-05	2.2E-05	6.05E-04	1.35E-08	5.48E-02	4.71E-02	3.49E-11	1.0E+06	3.5E-05
202	0.5245	5.41E-05	2.8E-05	6.05E-04	1.72E-08	5.48E-02	4.71E-02	4.43E-11	1.0E+06	4.4E-05
203	0.64051	5.41E-05	3.5E-05	6.05E-04	2.09E-08	5.48E-02	4.71E-02	5.41E-11	1.0E+06	5.4E-05
204	0.79507	5.41E-05	4.3E-05	6.05E-04	2.60E-08	5.48E-02	4.71E-02	6.72E-11	1.0E+06	6.7E-05
205	0.98978	5.41E-05	5.4E-05	6.05E-04	3.24E-08	5.48E-02	4.71E-02	8.36E-11	1.0E+06	8.4E-05
206	1.24675	5.41E-05	6.7E-05	6.05E-04	4.08E-08	5.48E-02	4.71E-02	1.05E-10	1.0E+06	1.1E-04
207	1.55455	5.41E-05	8.4E-05	6.05E-04	5.08E-08	5.48E-02	4.71E-02	1.31E-10	1.0E+06	1.3E-04
208	1.85416	5.41E-05	1.0E-04	6.05E-04	6.06E-08	5.48E-02	4.71E-02	1.57E-10	1.0E+06	1.6E-04
209	2.06719	5.41E-05	1.1E-04	6.05E-04	6.76E-08	5.48E-02	4.71E-02	1.75E-10	1.0E+06	1.7E-04
210	2.16636	5.41E-05	1.2E-04	6.05E-04	7.09E-08	5.48E-02	4.71E-02	1.83E-10	1.0E+06	1.8E-04
211	2.15679	5.41E-05	1.2E-04	6.05E-04	7.05E-08	5.48E-02	4.71E-02	1.82E-10	1.0E+06	1.8E-04
212	2.06018	5.41E-05	1.1E-04	6.05E-04	6.74E-08	5.48E-02	4.71E-02	1.74E-10	1.0E+06	1.7E-04
213	1.86154	5.41E-05	1.0E-04	6.05E-04	6.09E-08	5.48E-02	4.71E-02	1.57E-10	1.0E+06	1.6E-04
214	1.58195	5.41E-05	8.6E-05	6.05E-04	5.17E-08	5.48E-02	4.71E-02	1.34E-10	1.0E+06	1.3E-04
215	1.4515	5.41E-05	7.8E-05	6.05E-04	4.75E-08	5.48E-02	4.71E-02	1.23E-10	1.0E+06	1.2E-04
216	0.25394	5.41E-05	1.4E-05	6.05E-04	8.31E-09	5.48E-02	4.71E-02	2.15E-11	1.0E+06	2.1E-05
217	0.28402	5.41E-05	1.5E-05	6.05E-04	9.29E-09	5.48E-02	4.71E-02	2.40E-11	1.0E+06	2.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.32252	5.41E-05	1.7E-05	6.05E-04	1.05E-08	5.48E-02	4.71E-02	2.72E-11	1.0E+06	2.7E-05
219	0.37256	5.41E-05	2.0E-05	6.05E-04	1.22E-08	5.48E-02	4.71E-02	3.15E-11	1.0E+06	3.1E-05
220	0.45636	5.41E-05	2.5E-05	6.05E-04	1.49E-08	5.48E-02	4.71E-02	3.86E-11	1.0E+06	3.9E-05
221	0.54246	5.41E-05	2.9E-05	6.05E-04	1.77E-08	5.48E-02	4.71E-02	4.58E-11	1.0E+06	4.6E-05
222	0.66438	5.41E-05	3.6E-05	6.05E-04	2.17E-08	5.48E-02	4.71E-02	5.61E-11	1.0E+06	5.6E-05
223	0.80689	5.41E-05	4.4E-05	6.05E-04	2.64E-08	5.48E-02	4.71E-02	6.82E-11	1.0E+06	6.8E-05
224	0.98601	5.41E-05	5.3E-05	6.05E-04	3.22E-08	5.48E-02	4.71E-02	8.33E-11	1.0E+06	8.3E-05
225	1.18396	5.41E-05	6.4E-05	6.05E-04	3.87E-08	5.48E-02	4.71E-02	1.00E-10	1.0E+06	1.0E-04
226	1.39003	5.41E-05	7.5E-05	6.05E-04	4.55E-08	5.48E-02	4.71E-02	1.17E-10	1.0E+06	1.2E-04
227	1.54365	5.41E-05	8.3E-05	6.05E-04	5.05E-08	5.48E-02	4.71E-02	1.30E-10	1.0E+06	1.3E-04
228	1.62944	5.41E-05	8.8E-05	6.05E-04	5.33E-08	5.48E-02	4.71E-02	1.38E-10	1.0E+06	1.4E-04
229	1.63849	5.41E-05	8.9E-05	6.05E-04	5.36E-08	5.48E-02	4.71E-02	1.38E-10	1.0E+06	1.4E-04
230	1.57097	5.41E-05	8.5E-05	6.05E-04	5.14E-08	5.48E-02	4.71E-02	1.33E-10	1.0E+06	1.3E-04
231	1.45346	5.41E-05	7.9E-05	6.05E-04	4.75E-08	5.48E-02	4.71E-02	1.23E-10	1.0E+06	1.2E-04
232	1.28041	5.41E-05	6.9E-05	6.05E-04	4.19E-08	5.48E-02	4.71E-02	1.08E-10	1.0E+06	1.1E-04
233	1.18274	5.41E-05	6.4E-05	6.05E-04	3.87E-08	5.48E-02	4.71E-02	9.99E-11	1.0E+06	1.0E-04
234	0.23974	5.41E-05	1.3E-05	6.05E-04	7.84E-09	5.48E-02	4.71E-02	2.03E-11	1.0E+06	2.0E-05
235	0.26365	5.41E-05	1.4E-05	6.05E-04	8.62E-09	5.48E-02	4.71E-02	2.23E-11	1.0E+06	2.2E-05
236	0.29587	5.41E-05	1.6E-05	6.05E-04	9.68E-09	5.48E-02	4.71E-02	2.50E-11	1.0E+06	2.5E-05
237	0.33958	5.41E-05	1.8E-05	6.05E-04	1.11E-08	5.48E-02	4.71E-02	2.87E-11	1.0E+06	2.9E-05
238	0.39927	5.41E-05	2.2E-05	6.05E-04	1.31E-08	5.48E-02	4.71E-02	3.37E-11	1.0E+06	3.4E-05
239	0.46628	5.41E-05	2.5E-05	6.05E-04	1.53E-08	5.48E-02	4.71E-02	3.94E-11	1.0E+06	3.9E-05
240	0.55425	5.41E-05	3.0E-05	6.05E-04	1.81E-08	5.48E-02	4.71E-02	4.68E-11	1.0E+06	4.7E-05
241	0.66256	5.41E-05	3.6E-05	6.05E-04	2.17E-08	5.48E-02	4.71E-02	5.60E-11	1.0E+06	5.6E-05
242	0.79101	5.41E-05	4.3E-05	6.05E-04	2.59E-08	5.48E-02	4.71E-02	6.68E-11	1.0E+06	6.7E-05
243	0.93444	5.41E-05	5.1E-05	6.05E-04	3.06E-08	5.48E-02	4.71E-02	7.89E-11	1.0E+06	7.9E-05
244	1.08389	5.41E-05	5.9E-05	6.05E-04	3.54E-08	5.48E-02	4.71E-02	9.16E-11	1.0E+06	9.2E-05
245	1.2064	5.41E-05	6.5E-05	6.05E-04	3.95E-08	5.48E-02	4.71E-02	1.02E-10	1.0E+06	1.0E-04
246	1.28269	5.41E-05	6.9E-05	6.05E-04	4.20E-08	5.48E-02	4.71E-02	1.08E-10	1.0E+06	1.1E-04
247	1.30234	5.41E-05	7.0E-05	6.05E-04	4.26E-08	5.48E-02	4.71E-02	1.10E-10	1.0E+06	1.1E-04
248	1.2704	5.41E-05	6.9E-05	6.05E-04	4.15E-08	5.48E-02	4.71E-02	1.07E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.18628	5.41E-05	6.4E-05	6.05E-04	3.88E-08	5.48E-02	4.71E-02	1.00E-10	1.0E+06	1.0E-04
250	1.0767	5.41E-05	5.8E-05	6.05E-04	3.52E-08	5.48E-02	4.71E-02	9.10E-11	1.0E+06	9.1E-05
251	0.99552	5.41E-05	5.4E-05	6.05E-04	3.26E-08	5.48E-02	4.71E-02	8.41E-11	1.0E+06	8.4E-05
252	0.22288	5.41E-05	1.2E-05	6.05E-04	7.29E-09	5.48E-02	4.71E-02	1.88E-11	1.0E+06	1.9E-05
253	0.24125	5.41E-05	1.3E-05	6.05E-04	7.89E-09	5.48E-02	4.71E-02	2.04E-11	1.0E+06	2.0E-05
254	0.26526	5.41E-05	1.4E-05	6.05E-04	8.68E-09	5.48E-02	4.71E-02	2.24E-11	1.0E+06	2.2E-05
255	0.29598	5.41E-05	1.6E-05	6.05E-04	9.68E-09	5.48E-02	4.71E-02	2.50E-11	1.0E+06	2.5E-05
256	0.35215	5.41E-05	1.9E-05	6.05E-04	1.15E-08	5.48E-02	4.71E-02	2.98E-11	1.0E+06	3.0E-05
257	0.39078	5.41E-05	2.1E-05	6.05E-04	1.28E-08	5.48E-02	4.71E-02	3.30E-11	1.0E+06	3.3E-05
258	0.44847	5.41E-05	2.4E-05	6.05E-04	1.47E-08	5.48E-02	4.71E-02	3.79E-11	1.0E+06	3.8E-05
259	0.51996	5.41E-05	2.8E-05	6.05E-04	1.70E-08	5.48E-02	4.71E-02	4.39E-11	1.0E+06	4.4E-05
260	0.62139	5.41E-05	3.4E-05	6.05E-04	2.03E-08	5.48E-02	4.71E-02	5.25E-11	1.0E+06	5.2E-05
261	0.74353	5.41E-05	4.0E-05	6.05E-04	2.43E-08	5.48E-02	4.71E-02	6.28E-11	1.0E+06	6.3E-05
262	0.86299	5.41E-05	4.7E-05	6.05E-04	2.82E-08	5.48E-02	4.71E-02	7.29E-11	1.0E+06	7.3E-05
263	0.95593	5.41E-05	5.2E-05	6.05E-04	3.13E-08	5.48E-02	4.71E-02	8.08E-11	1.0E+06	8.1E-05
264	1.0253	5.41E-05	5.5E-05	6.05E-04	3.35E-08	5.48E-02	4.71E-02	8.66E-11	1.0E+06	8.7E-05
265	1.0477	5.41E-05	5.7E-05	6.05E-04	3.43E-08	5.48E-02	4.71E-02	8.85E-11	1.0E+06	8.9E-05
266	1.03328	5.41E-05	5.6E-05	6.05E-04	3.38E-08	5.48E-02	4.71E-02	8.73E-11	1.0E+06	8.7E-05
267	0.97802	5.41E-05	5.3E-05	6.05E-04	3.20E-08	5.48E-02	4.71E-02	8.26E-11	1.0E+06	8.3E-05
268	0.90078	5.41E-05	4.9E-05	6.05E-04	2.95E-08	5.48E-02	4.71E-02	7.61E-11	1.0E+06	7.6E-05
269	0.8422	5.41E-05	4.6E-05	6.05E-04	2.75E-08	5.48E-02	4.71E-02	7.12E-11	1.0E+06	7.1E-05
270	0.20609	5.41E-05	1.1E-05	6.05E-04	6.74E-09	5.48E-02	4.71E-02	1.74E-11	1.0E+06	1.7E-05
271	0.22236	5.41E-05	1.2E-05	6.05E-04	7.27E-09	5.48E-02	4.71E-02	1.88E-11	1.0E+06	1.9E-05
272	0.2426	5.41E-05	1.3E-05	6.05E-04	7.93E-09	5.48E-02	4.71E-02	2.05E-11	1.0E+06	2.0E-05
273	0.26659	5.41E-05	1.4E-05	6.05E-04	8.72E-09	5.48E-02	4.71E-02	2.25E-11	1.0E+06	2.3E-05
274	0.31843	5.41E-05	1.7E-05	6.05E-04	1.04E-08	5.48E-02	4.71E-02	2.69E-11	1.0E+06	2.7E-05
275	0.36509	5.41E-05	2.0E-05	6.05E-04	1.19E-08	5.48E-02	4.71E-02	3.08E-11	1.0E+06	3.1E-05
276	0.38581	5.41E-05	2.1E-05	6.05E-04	1.26E-08	5.48E-02	4.71E-02	3.26E-11	1.0E+06	3.3E-05
277	0.43917	5.41E-05	2.4E-05	6.05E-04	1.44E-08	5.48E-02	4.71E-02	3.71E-11	1.0E+06	3.7E-05
278	0.50889	5.41E-05	2.8E-05	6.05E-04	1.66E-08	5.48E-02	4.71E-02	4.30E-11	1.0E+06	4.3E-05
279	0.5928	5.41E-05	3.2E-05	6.05E-04	1.94E-08	5.48E-02	4.71E-02	5.01E-11	1.0E+06	5.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.69196	5.41E-05	3.7E-05	6.05E-04	2.26E-08	5.48E-02	4.71E-02	5.85E-11	1.0E+06	5.8E-05
281	0.77845	5.41E-05	4.2E-05	6.05E-04	2.55E-08	5.48E-02	4.71E-02	6.58E-11	1.0E+06	6.6E-05
282	0.83812	5.41E-05	4.5E-05	6.05E-04	2.74E-08	5.48E-02	4.71E-02	7.08E-11	1.0E+06	7.1E-05
283	0.86573	5.41E-05	4.7E-05	6.05E-04	2.83E-08	5.48E-02	4.71E-02	7.31E-11	1.0E+06	7.3E-05
284	0.85995	5.41E-05	4.6E-05	6.05E-04	2.81E-08	5.48E-02	4.71E-02	7.27E-11	1.0E+06	7.3E-05
285	0.82472	5.41E-05	4.5E-05	6.05E-04	2.70E-08	5.48E-02	4.71E-02	6.97E-11	1.0E+06	7.0E-05
286	0.76997	5.41E-05	4.2E-05	6.05E-04	2.52E-08	5.48E-02	4.71E-02	6.51E-11	1.0E+06	6.5E-05
287	0.7249	5.41E-05	3.9E-05	6.05E-04	2.37E-08	5.48E-02	4.71E-02	6.12E-11	1.0E+06	6.1E-05
288	0.19179	5.41E-05	1.0E-05	6.05E-04	6.27E-09	5.48E-02	4.71E-02	1.62E-11	1.0E+06	1.6E-05
289	0.20415	5.41E-05	1.1E-05	6.05E-04	6.68E-09	5.48E-02	4.71E-02	1.72E-11	1.0E+06	1.7E-05
290	0.22731	5.41E-05	1.2E-05	6.05E-04	7.43E-09	5.48E-02	4.71E-02	1.92E-11	1.0E+06	1.9E-05
291	0.25153	5.41E-05	1.4E-05	6.05E-04	8.23E-09	5.48E-02	4.71E-02	2.13E-11	1.0E+06	2.1E-05
292	0.31346	5.41E-05	1.7E-05	6.05E-04	1.03E-08	5.48E-02	4.71E-02	2.65E-11	1.0E+06	2.6E-05
293	0.33705	5.41E-05	1.8E-05	6.05E-04	1.10E-08	5.48E-02	4.71E-02	2.85E-11	1.0E+06	2.8E-05
294	0.3399	5.41E-05	1.8E-05	6.05E-04	1.11E-08	5.48E-02	4.71E-02	2.87E-11	1.0E+06	2.9E-05
295	0.38573	5.41E-05	2.1E-05	6.05E-04	1.26E-08	5.48E-02	4.71E-02	3.26E-11	1.0E+06	3.3E-05
296	0.44174	5.41E-05	2.4E-05	6.05E-04	1.44E-08	5.48E-02	4.71E-02	3.73E-11	1.0E+06	3.7E-05
297	0.4983	5.41E-05	2.7E-05	6.05E-04	1.63E-08	5.48E-02	4.71E-02	4.21E-11	1.0E+06	4.2E-05
298	0.56731	5.41E-05	3.1E-05	6.05E-04	1.86E-08	5.48E-02	4.71E-02	4.79E-11	1.0E+06	4.8E-05
299	0.64127	5.41E-05	3.5E-05	6.05E-04	2.10E-08	5.48E-02	4.71E-02	5.42E-11	1.0E+06	5.4E-05
300	0.69	5.41E-05	3.7E-05	6.05E-04	2.26E-08	5.48E-02	4.71E-02	5.83E-11	1.0E+06	5.8E-05
301	0.72301	5.41E-05	3.9E-05	6.05E-04	2.36E-08	5.48E-02	4.71E-02	6.11E-11	1.0E+06	6.1E-05
302	0.7295	5.41E-05	3.9E-05	6.05E-04	2.39E-08	5.48E-02	4.71E-02	6.16E-11	1.0E+06	6.2E-05
303	0.7107	5.41E-05	3.8E-05	6.05E-04	2.32E-08	5.48E-02	4.71E-02	6.00E-11	1.0E+06	6.0E-05
304	0.67196	5.41E-05	3.6E-05	6.05E-04	2.20E-08	5.48E-02	4.71E-02	5.68E-11	1.0E+06	5.7E-05
305	0.63256	5.41E-05	3.4E-05	6.05E-04	2.07E-08	5.48E-02	4.71E-02	5.34E-11	1.0E+06	5.3E-05
306	0.19076	5.41E-05	1.0E-05	6.05E-04	6.24E-09	5.48E-02	4.71E-02	1.61E-11	1.0E+06	1.6E-05
307	0.1965	5.41E-05	1.1E-05	6.05E-04	6.43E-09	5.48E-02	4.71E-02	1.66E-11	1.0E+06	1.7E-05
308	0.21163	5.41E-05	1.1E-05	6.05E-04	6.92E-09	5.48E-02	4.71E-02	1.79E-11	1.0E+06	1.8E-05
309	0.24993	5.41E-05	1.4E-05	6.05E-04	8.17E-09	5.48E-02	4.71E-02	2.11E-11	1.0E+06	2.1E-05
310	0.2892	5.41E-05	1.6E-05	6.05E-04	9.46E-09	5.48E-02	4.71E-02	2.44E-11	1.0E+06	2.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.30706	5.41E-05	1.7E-05	6.05E-04	1.00E-08	5.48E-02	4.71E-02	2.59E-11	1.0E+06	2.6E-05
312	0.30302	5.41E-05	1.6E-05	6.05E-04	9.91E-09	5.48E-02	4.71E-02	2.56E-11	1.0E+06	2.6E-05
313	0.34058	5.41E-05	1.8E-05	6.05E-04	1.11E-08	5.48E-02	4.71E-02	2.88E-11	1.0E+06	2.9E-05
314	0.38571	5.41E-05	2.1E-05	6.05E-04	1.26E-08	5.48E-02	4.71E-02	3.26E-11	1.0E+06	3.3E-05
315	0.44619	5.41E-05	2.4E-05	6.05E-04	1.46E-08	5.48E-02	4.71E-02	3.77E-11	1.0E+06	3.8E-05
316	0.48737	5.41E-05	2.6E-05	6.05E-04	1.59E-08	5.48E-02	4.71E-02	4.12E-11	1.0E+06	4.1E-05
317	0.53274	5.41E-05	2.9E-05	6.05E-04	1.74E-08	5.48E-02	4.71E-02	4.50E-11	1.0E+06	4.5E-05
318	0.57567	5.41E-05	3.1E-05	6.05E-04	1.88E-08	5.48E-02	4.71E-02	4.86E-11	1.0E+06	4.9E-05
319	0.61162	5.41E-05	3.3E-05	6.05E-04	2.00E-08	5.48E-02	4.71E-02	5.17E-11	1.0E+06	5.2E-05
320	0.62978	5.41E-05	3.4E-05	6.05E-04	2.06E-08	5.48E-02	4.71E-02	5.32E-11	1.0E+06	5.3E-05
321	0.61772	5.41E-05	3.3E-05	6.05E-04	2.02E-08	5.48E-02	4.71E-02	5.22E-11	1.0E+06	5.2E-05
322	0.58947	5.41E-05	3.2E-05	6.05E-04	1.93E-08	5.48E-02	4.71E-02	4.98E-11	1.0E+06	5.0E-05
323	0.55418	5.41E-05	3.0E-05	6.05E-04	1.81E-08	5.48E-02	4.71E-02	4.68E-11	1.0E+06	4.7E-05
324	0.17901	5.41E-05	9.7E-06	6.05E-04	5.85E-09	5.48E-02	4.71E-02	1.51E-11	1.0E+06	1.5E-05
325	0.19809	5.41E-05	1.1E-05	6.05E-04	6.48E-09	5.48E-02	4.71E-02	1.67E-11	1.0E+06	1.7E-05
326	0.21043	5.41E-05	1.1E-05	6.05E-04	6.88E-09	5.48E-02	4.71E-02	1.78E-11	1.0E+06	1.8E-05
327	0.22027	5.41E-05	1.2E-05	6.05E-04	7.20E-09	5.48E-02	4.71E-02	1.86E-11	1.0E+06	1.9E-05
328	0.27094	5.41E-05	1.5E-05	6.05E-04	8.86E-09	5.48E-02	4.71E-02	2.29E-11	1.0E+06	2.3E-05
329	0.28116	5.41E-05	1.5E-05	6.05E-04	9.20E-09	5.48E-02	4.71E-02	2.38E-11	1.0E+06	2.4E-05
330	0.27877	5.41E-05	1.5E-05	6.05E-04	9.12E-09	5.48E-02	4.71E-02	2.36E-11	1.0E+06	2.4E-05
331	0.31121	5.41E-05	1.7E-05	6.05E-04	1.02E-08	5.48E-02	4.71E-02	2.63E-11	1.0E+06	2.6E-05
332	0.34977	5.41E-05	1.9E-05	6.05E-04	1.14E-08	5.48E-02	4.71E-02	2.96E-11	1.0E+06	3.0E-05
333	0.40012	5.41E-05	2.2E-05	6.05E-04	1.31E-08	5.48E-02	4.71E-02	3.38E-11	1.0E+06	3.4E-05
334	0.44075	5.41E-05	2.4E-05	6.05E-04	1.44E-08	5.48E-02	4.71E-02	3.72E-11	1.0E+06	3.7E-05
335	0.47966	5.41E-05	2.6E-05	6.05E-04	1.57E-08	5.48E-02	4.71E-02	4.05E-11	1.0E+06	4.1E-05
336	1.97471	5.41E-05	1.1E-04	6.05E-04	6.46E-08	5.48E-02	4.71E-02	1.67E-10	1.0E+06	1.7E-04
337	1.3422	5.41E-05	7.3E-05	6.05E-04	4.39E-08	5.48E-02	4.71E-02	1.13E-10	1.0E+06	1.1E-04
338	0.56668	5.41E-05	3.1E-05	6.05E-04	1.85E-08	5.48E-02	4.71E-02	4.79E-11	1.0E+06	4.8E-05
339	0.57604	5.41E-05	3.1E-05	6.05E-04	1.88E-08	5.48E-02	4.71E-02	4.87E-11	1.0E+06	4.9E-05
340	0.5775	5.41E-05	3.1E-05	6.05E-04	1.89E-08	5.48E-02	4.71E-02	4.88E-11	1.0E+06	4.9E-05
341	0.57069	5.41E-05	3.1E-05	6.05E-04	1.87E-08	5.48E-02	4.71E-02	4.82E-11	1.0E+06	4.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.55721	5.41E-05	3.0E-05	6.05E-04	1.82E-08	5.48E-02	4.71E-02	4.71E-11	1.0E+06	4.7E-05
343	0.51363	5.41E-05	2.8E-05	6.05E-04	1.68E-08	5.48E-02	4.71E-02	4.34E-11	1.0E+06	4.3E-05
344	0.48828	5.41E-05	2.6E-05	6.05E-04	1.60E-08	5.48E-02	4.71E-02	4.13E-11	1.0E+06	4.1E-05
345	0.45971	5.41E-05	2.5E-05	6.05E-04	1.50E-08	5.48E-02	4.71E-02	3.88E-11	1.0E+06	3.9E-05
346	0.42748	5.41E-05	2.3E-05	6.05E-04	1.40E-08	5.48E-02	4.71E-02	3.61E-11	1.0E+06	3.6E-05
347	0.69458	5.41E-05	3.8E-05	6.05E-04	2.27E-08	5.48E-02	4.71E-02	5.87E-11	1.0E+06	5.9E-05
348	0.71117	5.41E-05	3.8E-05	6.05E-04	2.33E-08	5.48E-02	4.71E-02	6.01E-11	1.0E+06	6.0E-05
349	0.71014	5.41E-05	3.8E-05	6.05E-04	2.32E-08	5.48E-02	4.71E-02	6.00E-11	1.0E+06	6.0E-05
350	0.69693	5.41E-05	3.8E-05	6.05E-04	2.28E-08	5.48E-02	4.71E-02	5.89E-11	1.0E+06	5.9E-05
351	0.68051	5.41E-05	3.7E-05	6.05E-04	2.23E-08	5.48E-02	4.71E-02	5.75E-11	1.0E+06	5.7E-05
352	0.61121	5.41E-05	3.3E-05	6.05E-04	2.00E-08	5.48E-02	4.71E-02	5.16E-11	1.0E+06	5.2E-05
353	0.57261	5.41E-05	3.1E-05	6.05E-04	1.87E-08	5.48E-02	4.71E-02	4.84E-11	1.0E+06	4.8E-05
354	0.52467	5.41E-05	2.8E-05	6.05E-04	1.72E-08	5.48E-02	4.71E-02	4.43E-11	1.0E+06	4.4E-05
355	0.48312	5.41E-05	2.6E-05	6.05E-04	1.58E-08	5.48E-02	4.71E-02	4.08E-11	1.0E+06	4.1E-05
356	0.87356	5.41E-05	4.7E-05	6.05E-04	2.86E-08	5.48E-02	4.71E-02	7.38E-11	1.0E+06	7.4E-05
357	0.90521	5.41E-05	4.9E-05	6.05E-04	2.96E-08	5.48E-02	4.71E-02	7.65E-11	1.0E+06	7.6E-05
358	0.90366	5.41E-05	4.9E-05	6.05E-04	2.96E-08	5.48E-02	4.71E-02	7.63E-11	1.0E+06	7.6E-05
359	0.88428	5.41E-05	4.8E-05	6.05E-04	2.89E-08	5.48E-02	4.71E-02	7.47E-11	1.0E+06	7.5E-05
360	0.84786	5.41E-05	4.6E-05	6.05E-04	2.77E-08	5.48E-02	4.71E-02	7.16E-11	1.0E+06	7.2E-05
361	0.73319	5.41E-05	4.0E-05	6.05E-04	2.40E-08	5.48E-02	4.71E-02	6.19E-11	1.0E+06	6.2E-05
362	0.67477	5.41E-05	3.6E-05	6.05E-04	2.21E-08	5.48E-02	4.71E-02	5.70E-11	1.0E+06	5.7E-05
363	0.6046	5.41E-05	3.3E-05	6.05E-04	1.98E-08	5.48E-02	4.71E-02	5.11E-11	1.0E+06	5.1E-05
364	1.13942	5.41E-05	6.2E-05	6.05E-04	3.73E-08	5.48E-02	4.71E-02	9.63E-11	1.0E+06	9.6E-05
365	1.17169	5.41E-05	6.3E-05	6.05E-04	3.83E-08	5.48E-02	4.71E-02	9.90E-11	1.0E+06	9.9E-05
366	1.1846	5.41E-05	6.4E-05	6.05E-04	3.87E-08	5.48E-02	4.71E-02	1.00E-10	1.0E+06	1.0E-04
367	1.14583	5.41E-05	6.2E-05	6.05E-04	3.75E-08	5.48E-02	4.71E-02	9.68E-11	1.0E+06	9.7E-05
368	1.08139	5.41E-05	5.8E-05	6.05E-04	3.54E-08	5.48E-02	4.71E-02	9.14E-11	1.0E+06	9.1E-05
369	0.89181	5.41E-05	4.8E-05	6.05E-04	2.92E-08	5.48E-02	4.71E-02	7.53E-11	1.0E+06	7.5E-05
370	0.70809	5.41E-05	3.8E-05	6.05E-04	2.32E-08	5.48E-02	4.71E-02	5.98E-11	1.0E+06	6.0E-05
371	0.61897	5.41E-05	3.3E-05	6.05E-04	2.02E-08	5.48E-02	4.71E-02	5.23E-11	1.0E+06	5.2E-05
372	1.57861	5.41E-05	8.5E-05	6.05E-04	5.16E-08	5.48E-02	4.71E-02	1.33E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	1.61119	5.41E-05	8.7E-05	6.05E-04	5.27E-08	5.48E-02	4.71E-02	1.36E-10	1.0E+06	1.4E-04
374	1.61527	5.41E-05	8.7E-05	6.05E-04	5.28E-08	5.48E-02	4.71E-02	1.36E-10	1.0E+06	1.4E-04
375	1.53816	5.41E-05	8.3E-05	6.05E-04	5.03E-08	5.48E-02	4.71E-02	1.30E-10	1.0E+06	1.3E-04
376	1.41279	5.41E-05	7.6E-05	6.05E-04	4.62E-08	5.48E-02	4.71E-02	1.19E-10	1.0E+06	1.2E-04
377	1.25649	5.41E-05	6.8E-05	6.05E-04	4.11E-08	5.48E-02	4.71E-02	1.06E-10	1.0E+06	1.1E-04
378	1.10053	5.41E-05	5.9E-05	6.05E-04	3.60E-08	5.48E-02	4.71E-02	9.30E-11	1.0E+06	9.3E-05
379	0.81264	5.41E-05	4.4E-05	6.05E-04	2.66E-08	5.48E-02	4.71E-02	6.87E-11	1.0E+06	6.9E-05
380	0.69418	5.41E-05	3.8E-05	6.05E-04	2.27E-08	5.48E-02	4.71E-02	5.86E-11	1.0E+06	5.9E-05
381	0.59082	5.41E-05	3.2E-05	6.05E-04	1.93E-08	5.48E-02	4.71E-02	4.99E-11	1.0E+06	5.0E-05
382	2.3504	5.41E-05	1.3E-04	6.05E-04	7.69E-08	5.48E-02	4.71E-02	1.99E-10	1.0E+06	2.0E-04
383	2.39027	5.41E-05	1.3E-04	6.05E-04	7.82E-08	5.48E-02	4.71E-02	2.02E-10	1.0E+06	2.0E-04
384	2.32804	5.41E-05	1.3E-04	6.05E-04	7.61E-08	5.48E-02	4.71E-02	1.97E-10	1.0E+06	2.0E-04
385	2.15915	5.41E-05	1.2E-04	6.05E-04	7.06E-08	5.48E-02	4.71E-02	1.82E-10	1.0E+06	1.8E-04
386	1.91749	5.41E-05	1.0E-04	6.05E-04	6.27E-08	5.48E-02	4.71E-02	1.62E-10	1.0E+06	1.6E-04
387	1.62751	5.41E-05	8.8E-05	6.05E-04	5.32E-08	5.48E-02	4.71E-02	1.37E-10	1.0E+06	1.4E-04
388	1.3592	5.41E-05	7.3E-05	6.05E-04	4.45E-08	5.48E-02	4.71E-02	1.15E-10	1.0E+06	1.1E-04
389	0.91334	5.41E-05	4.9E-05	6.05E-04	2.99E-08	5.48E-02	4.71E-02	7.72E-11	1.0E+06	7.7E-05
390	0.75131	5.41E-05	4.1E-05	6.05E-04	2.46E-08	5.48E-02	4.71E-02	6.35E-11	1.0E+06	6.3E-05
391	0.62456	5.41E-05	3.4E-05	6.05E-04	2.04E-08	5.48E-02	4.71E-02	5.28E-11	1.0E+06	5.3E-05
392	0.51197	5.41E-05	2.8E-05	6.05E-04	1.67E-08	5.48E-02	4.71E-02	4.33E-11	1.0E+06	4.3E-05
393	3.34299	5.41E-05	1.8E-04	6.05E-04	1.09E-07	5.48E-02	4.71E-02	2.82E-10	1.0E+06	2.8E-04
394	3.3105	5.41E-05	1.8E-04	6.05E-04	1.08E-07	5.48E-02	4.71E-02	2.80E-10	1.0E+06	2.8E-04
395	2.91282	5.41E-05	1.6E-04	6.05E-04	9.53E-08	5.48E-02	4.71E-02	2.46E-10	1.0E+06	2.5E-04
396	2.55551	5.41E-05	1.4E-04	6.05E-04	8.36E-08	5.48E-02	4.71E-02	2.16E-10	1.0E+06	2.2E-04
397	2.04418	5.41E-05	1.1E-04	6.05E-04	6.69E-08	5.48E-02	4.71E-02	1.73E-10	1.0E+06	1.7E-04
398	1.60012	5.41E-05	8.6E-05	6.05E-04	5.23E-08	5.48E-02	4.71E-02	1.35E-10	1.0E+06	1.4E-04
399	1.27678	5.41E-05	6.9E-05	6.05E-04	4.18E-08	5.48E-02	4.71E-02	1.08E-10	1.0E+06	1.1E-04
400	0.99864	5.41E-05	5.4E-05	6.05E-04	3.27E-08	5.48E-02	4.71E-02	8.44E-11	1.0E+06	8.4E-05
401	0.7939	5.41E-05	4.3E-05	6.05E-04	2.60E-08	5.48E-02	4.71E-02	6.71E-11	1.0E+06	6.7E-05
402	0.51625	5.41E-05	2.8E-05	6.05E-04	1.69E-08	5.48E-02	4.71E-02	4.36E-11	1.0E+06	4.4E-05
403	1.06396	5.41E-05	5.8E-05	6.05E-04	3.48E-08	5.48E-02	4.71E-02	8.99E-11	1.0E+06	9.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.53137	5.41E-05	2.9E-05	6.05E-04	1.74E-08	5.48E-02	4.71E-02	4.49E-11	1.0E+06	4.5E-05
405	0.43135	5.41E-05	2.3E-05	6.05E-04	1.41E-08	5.48E-02	4.71E-02	3.64E-11	1.0E+06	3.6E-05
406	1.05891	5.41E-05	5.7E-05	6.05E-04	3.46E-08	5.48E-02	4.71E-02	8.95E-11	1.0E+06	8.9E-05
407	0.41789	5.41E-05	2.3E-05	6.05E-04	1.37E-08	5.48E-02	4.71E-02	3.53E-11	1.0E+06	3.5E-05
408	1.00415	5.41E-05	5.4E-05	6.05E-04	3.28E-08	5.48E-02	4.71E-02	8.48E-11	1.0E+06	8.5E-05
409	0.40251	5.41E-05	2.2E-05	6.05E-04	1.32E-08	5.48E-02	4.71E-02	3.40E-11	1.0E+06	3.4E-05
410	0.92328	5.41E-05	5.0E-05	6.05E-04	3.02E-08	5.48E-02	4.71E-02	7.80E-11	1.0E+06	7.8E-05
411	0.46728	5.41E-05	2.5E-05	6.05E-04	1.53E-08	5.48E-02	4.71E-02	3.95E-11	1.0E+06	3.9E-05
412	0.39358	5.41E-05	2.1E-05	6.05E-04	1.29E-08	5.48E-02	4.71E-02	3.33E-11	1.0E+06	3.3E-05
413	0.83985	5.41E-05	4.5E-05	6.05E-04	2.75E-08	5.48E-02	4.71E-02	7.10E-11	1.0E+06	7.1E-05
414	0.53129	5.41E-05	2.9E-05	6.05E-04	1.74E-08	5.48E-02	4.71E-02	4.49E-11	1.0E+06	4.5E-05
415	0.44137	5.41E-05	2.4E-05	6.05E-04	1.44E-08	5.48E-02	4.71E-02	3.73E-11	1.0E+06	3.7E-05
416	0.3746	5.41E-05	2.0E-05	6.05E-04	1.23E-08	5.48E-02	4.71E-02	3.16E-11	1.0E+06	3.2E-05
417	0.764	5.41E-05	4.1E-05	6.05E-04	2.50E-08	5.48E-02	4.71E-02	6.45E-11	1.0E+06	6.5E-05
418	0.41536	5.41E-05	2.2E-05	6.05E-04	1.36E-08	5.48E-02	4.71E-02	3.51E-11	1.0E+06	3.5E-05
419	0.35519	5.41E-05	1.9E-05	6.05E-04	1.16E-08	5.48E-02	4.71E-02	3.00E-11	1.0E+06	3.0E-05
420	0.30691	5.41E-05	1.7E-05	6.05E-04	1.00E-08	5.48E-02	4.71E-02	2.59E-11	1.0E+06	2.6E-05
421	0.69682	5.41E-05	3.8E-05	6.05E-04	2.28E-08	5.48E-02	4.71E-02	5.89E-11	1.0E+06	5.9E-05
422	0.33554	5.41E-05	1.8E-05	6.05E-04	1.10E-08	5.48E-02	4.71E-02	2.83E-11	1.0E+06	2.8E-05
423	0.29285	5.41E-05	1.6E-05	6.05E-04	9.58E-09	5.48E-02	4.71E-02	2.47E-11	1.0E+06	2.5E-05
424	0.63653	5.41E-05	3.4E-05	6.05E-04	2.08E-08	5.48E-02	4.71E-02	5.38E-11	1.0E+06	5.4E-05
425	0.27805	5.41E-05	1.5E-05	6.05E-04	9.09E-09	5.48E-02	4.71E-02	2.35E-11	1.0E+06	2.3E-05
426	0.2461	5.41E-05	1.3E-05	6.05E-04	8.05E-09	5.48E-02	4.71E-02	2.08E-11	1.0E+06	2.1E-05
427	0.58149	5.41E-05	3.1E-05	6.05E-04	1.90E-08	5.48E-02	4.71E-02	4.91E-11	1.0E+06	4.9E-05
428	0.26331	5.41E-05	1.4E-05	6.05E-04	8.61E-09	5.48E-02	4.71E-02	2.22E-11	1.0E+06	2.2E-05
429	0.23466	5.41E-05	1.3E-05	6.05E-04	7.67E-09	5.48E-02	4.71E-02	1.98E-11	1.0E+06	2.0E-05
430	0.53238	5.41E-05	2.9E-05	6.05E-04	1.74E-08	5.48E-02	4.71E-02	4.50E-11	1.0E+06	4.5E-05
431	0.22324	5.41E-05	1.2E-05	6.05E-04	7.30E-09	5.48E-02	4.71E-02	1.89E-11	1.0E+06	1.9E-05
432	0.19965	5.41E-05	1.1E-05	6.05E-04	6.53E-09	5.48E-02	4.71E-02	1.69E-11	1.0E+06	1.7E-05
433	0.48697	5.41E-05	2.6E-05	6.05E-04	1.59E-08	5.48E-02	4.71E-02	4.11E-11	1.0E+06	4.1E-05
434	0.21223	5.41E-05	1.1E-05	6.05E-04	6.94E-09	5.48E-02	4.71E-02	1.79E-11	1.0E+06	1.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

					Cancer Risk from 2to16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.19185	5.41E-05	1.0E-05	6.05E-04	6.27E-09	5.48E-02	4.71E-02	1.62E-11	1.0E+06	1.6E-05
436	0.44624	5.41E-05	2.4E-05	6.05E-04	1.46E-08	5.48E-02	4.71E-02	3.77E-11	1.0E+06	3.8E-05
437	0.22439	5.41E-05	1.2E-05	6.05E-04	7.34E-09	5.48E-02	4.71E-02	1.90E-11	1.0E+06	1.9E-05
438	0.20209	5.41E-05	1.1E-05	6.05E-04	6.61E-09	5.48E-02	4.71E-02	1.71E-11	1.0E+06	1.7E-05
439	0.18334	5.41E-05	9.9E-06	6.05E-04	6.00E-09	5.48E-02	4.71E-02	1.55E-11	1.0E+06	1.5E-05
440	0.40907	5.41E-05	2.2E-05	6.05E-04	1.34E-08	5.48E-02	4.71E-02	3.46E-11	1.0E+06	3.5E-05
441	0.27118	5.41E-05	1.5E-05	6.05E-04	8.87E-09	5.48E-02	4.71E-02	2.29E-11	1.0E+06	2.3E-05
442	0.23821	5.41E-05	1.3E-05	6.05E-04	7.79E-09	5.48E-02	4.71E-02	2.01E-11	1.0E+06	2.0E-05
443	0.21314	5.41E-05	1.2E-05	6.05E-04	6.97E-09	5.48E-02	4.71E-02	1.80E-11	1.0E+06	1.8E-05
444	0.19231	5.41E-05	1.0E-05	6.05E-04	6.29E-09	5.48E-02	4.71E-02	1.62E-11	1.0E+06	1.6E-05
445	0.37579	5.41E-05	2.0E-05	6.05E-04	1.23E-08	5.48E-02	4.71E-02	3.17E-11	1.0E+06	3.2E-05
446	0.28688	5.41E-05	1.6E-05	6.05E-04	9.38E-09	5.48E-02	4.71E-02	2.42E-11	1.0E+06	2.4E-05
447	0.25315	5.41E-05	1.4E-05	6.05E-04	8.28E-09	5.48E-02	4.71E-02	2.14E-11	1.0E+06	2.1E-05
448	0.22535	5.41E-05	1.2E-05	6.05E-04	7.37E-09	5.48E-02	4.71E-02	1.90E-11	1.0E+06	1.9E-05
449	0.34584	5.41E-05	1.9E-05	6.05E-04	1.13E-08	5.48E-02	4.71E-02	2.92E-11	1.0E+06	2.9E-05
450	0.30476	5.41E-05	1.6E-05	6.05E-04	9.97E-09	5.48E-02	4.71E-02	2.57E-11	1.0E+06	2.6E-05
451	0.26899	5.41E-05	1.5E-05	6.05E-04	8.80E-09	5.48E-02	4.71E-02	2.27E-11	1.0E+06	2.3E-05
452	0.31885	5.41E-05	1.7E-05	6.05E-04	1.04E-08	5.48E-02	4.71E-02	2.69E-11	1.0E+06	2.7E-05
453	0.28372	5.41E-05	1.5E-05	6.05E-04	9.28E-09	5.48E-02	4.71E-02	2.40E-11	1.0E+06	2.4E-05
454	0.15144	5.41E-05	8.2E-06	6.05E-04	4.95E-09	5.48E-02	4.71E-02	1.28E-11	1.0E+06	1.3E-05
455	0.14078	5.41E-05	7.6E-06	6.05E-04	4.60E-09	5.48E-02	4.71E-02	1.19E-11	1.0E+06	1.2E-05
456	0.29447	5.41E-05	1.6E-05	6.05E-04	9.63E-09	5.48E-02	4.71E-02	2.49E-11	1.0E+06	2.5E-05
457	0.26431	5.41E-05	1.4E-05	6.05E-04	8.64E-09	5.48E-02	4.71E-02	2.23E-11	1.0E+06	2.2E-05
458	0.23625	5.41E-05	1.3E-05	6.05E-04	7.73E-09	5.48E-02	4.71E-02	2.00E-11	1.0E+06	2.0E-05
459	0.1733	5.41E-05	9.4E-06	6.05E-04	5.67E-09	5.48E-02	4.71E-02	1.46E-11	1.0E+06	1.5E-05
460	0.15877	5.41E-05	8.6E-06	6.05E-04	5.19E-09	5.48E-02	4.71E-02	1.34E-11	1.0E+06	1.3E-05
461	0.14598	5.41E-05	7.9E-06	6.05E-04	4.77E-09	5.48E-02	4.71E-02	1.23E-11	1.0E+06	1.2E-05
462	0.1348	5.41E-05	7.3E-06	6.05E-04	4.41E-09	5.48E-02	4.71E-02	1.14E-11	1.0E+06	1.1E-05
463	1.839	5.41E-05	9.9E-05	6.05E-04	6.01E-08	5.48E-02	4.71E-02	1.55E-10	1.0E+06	1.6E-04
464	1.26957	5.41E-05	6.9E-05	6.05E-04	4.15E-08	5.48E-02	4.71E-02	1.07E-10	1.0E+06	1.1E-04
465	1.59928	5.41E-05	8.6E-05	6.05E-04	5.23E-08	5.48E-02	4.71E-02	1.35E-10	1.0E+06	1.4E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	1.09342	5.41E-05	5.9E-05	6.05E-04	3.58E-08	5.48E-02	4.71E-02	9.24E-11	1.0E+06	9.2E-05
467	1.16993	5.41E-05	6.3E-05	6.05E-04	3.83E-08	5.48E-02	4.71E-02	9.88E-11	1.0E+06	9.9E-05
468	1.0327	5.41E-05	5.6E-05	6.05E-04	3.38E-08	5.48E-02	4.71E-02	8.72E-11	1.0E+06	8.7E-05
469	0.90979	5.41E-05	4.9E-05	6.05E-04	2.98E-08	5.48E-02	4.71E-02	7.69E-11	1.0E+06	7.7E-05
470	1.01077	5.41E-05	5.5E-05	6.05E-04	3.31E-08	5.48E-02	4.71E-02	8.54E-11	1.0E+06	8.5E-05
471	0.8602	5.41E-05	4.6E-05	6.05E-04	2.81E-08	5.48E-02	4.71E-02	7.27E-11	1.0E+06	7.3E-05
472	0.86823	5.41E-05	4.7E-05	6.05E-04	2.84E-08	5.48E-02	4.71E-02	7.34E-11	1.0E+06	7.3E-05
473	0.71059	5.41E-05	3.8E-05	6.05E-04	2.32E-08	5.48E-02	4.71E-02	6.00E-11	1.0E+06	6.0E-05
474	0.74975	5.41E-05	4.1E-05	6.05E-04	2.45E-08	5.48E-02	4.71E-02	6.33E-11	1.0E+06	6.3E-05
475	0.63154	5.41E-05	3.4E-05	6.05E-04	2.07E-08	5.48E-02	4.71E-02	5.34E-11	1.0E+06	5.3E-05
476	0.65398	5.41E-05	3.5E-05	6.05E-04	2.14E-08	5.48E-02	4.71E-02	5.53E-11	1.0E+06	5.5E-05
477	0.56323	5.41E-05	3.0E-05	6.05E-04	1.84E-08	5.48E-02	4.71E-02	4.76E-11	1.0E+06	4.8E-05
478	0.57492	5.41E-05	3.1E-05	6.05E-04	1.88E-08	5.48E-02	4.71E-02	4.86E-11	1.0E+06	4.9E-05
479	0.50322	5.41E-05	2.7E-05	6.05E-04	1.65E-08	5.48E-02	4.71E-02	4.25E-11	1.0E+06	4.3E-05
480	0.43536	5.41E-05	2.4E-05	6.05E-04	1.42E-08	5.48E-02	4.71E-02	3.68E-11	1.0E+06	3.7E-05
481	0.50912	5.41E-05	2.8E-05	6.05E-04	1.67E-08	5.48E-02	4.71E-02	4.30E-11	1.0E+06	4.3E-05
482	0.39729	5.41E-05	2.1E-05	6.05E-04	1.30E-08	5.48E-02	4.71E-02	3.36E-11	1.0E+06	3.4E-05
483	0.40834	5.41E-05	2.2E-05	6.05E-04	1.34E-08	5.48E-02	4.71E-02	3.45E-11	1.0E+06	3.4E-05
484	0.36317	5.41E-05	2.0E-05	6.05E-04	1.19E-08	5.48E-02	4.71E-02	3.07E-11	1.0E+06	3.1E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	2.65E-06
2	5	2.79E-06
3	5	2.94E-06
4	5	3.10E-06
5	5	3.29E-06
6	5	3.53E-06
7	5	3.84E-06
8	5	4.18E-06
9	5	4.57E-06
10	5	4.99E-06
11	5	5.47E-06
12	5	5.91E-06
13	5	6.22E-06
14	5	6.02E-06
15	5	3.01E-06
16	5	3.20E-06
17	5	3.42E-06
18	5	3.63E-06
19	5	3.86E-06
20	5	4.15E-06
21	5	4.47E-06
22	5	4.87E-06
23	5	5.42E-06
24	5	5.92E-06
25	5	6.59E-06
26	5	7.21E-06
27	5	7.60E-06
28	5	7.33E-06
29	5	3.38E-06
30	5	3.66E-06
31	5	3.97E-06

Max	Receptor #	
0.000	145	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	4.31E-06
33	5	4.61E-06
34	5	4.98E-06
35	5	5.38E-06
36	5	5.88E-06
37	5	6.52E-06
38	5	7.31E-06
39	5	8.15E-06
40	5	8.91E-06
41	5	9.53E-06
42	5	9.10E-06
43	5	3.70E-06
44	5	4.05E-06
45	5	4.50E-06
46	5	5.01E-06
47	5	5.51E-06
48	5	6.03E-06
49	5	6.59E-06
50	5	7.19E-06
51	5	8.20E-06
52	5	9.20E-06
53	5	1.05E-05
54	5	1.16E-05
55	5	1.25E-05
56	5	1.15E-05
57	5	3.92E-06
58	5	4.42E-06
59	5	5.04E-06
60	5	5.75E-06
61	5	6.55E-06
62	5	7.43E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	8.45E-06
64	5	9.25E-06
65	5	1.06E-05
66	5	1.23E-05
67	5	1.40E-05
68	5	1.59E-05
69	5	1.75E-05
70	5	4.17E-06
71	5	4.77E-06
72	5	5.57E-06
73	5	6.48E-06
74	5	7.64E-06
75	5	9.01E-06
76	5	1.08E-05
77	5	1.25E-05
78	5	1.50E-05
79	5	1.87E-05
80	5	2.12E-05
81	5	2.45E-05
82	5	2.63E-05
83	5	4.41E-06
84	5	5.20E-06
85	5	6.18E-06
86	5	7.13E-06
87	5	8.57E-06
88	5	1.05E-05
89	5	1.33E-05
90	5	1.72E-05
91	5	2.25E-05
92	5	2.89E-05
93	5	3.53E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	4.01E-05
95	5	4.30E-05
96	5	4.63E-06
97	5	5.46E-06
98	5	6.47E-06
99	5	7.77E-06
100	5	9.45E-06
101	5	1.20E-05
102	5	1.61E-05
103	5	2.28E-05
104	5	3.44E-05
105	5	5.22E-05
106	5	6.87E-05
107	5	7.84E-05
108	5	8.33E-05
109	5	4.60E-06
110	5	5.41E-06
111	5	6.44E-06
112	5	7.87E-06
113	5	9.95E-06
114	5	1.31E-05
115	5	1.85E-05
116	5	2.92E-05
117	5	5.80E-05
118	5	6.87E-05
119	5	1.09E-04
120	5	1.22E-04
121	5	1.20E-04
122	5	4.36E-06
123	5	5.17E-06
124	5	6.24E-06

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	7.71E-06
126	5	9.80E-06
127	5	1.31E-05
128	5	1.81E-05
129	5	2.95E-05
130	5	7.21E-05
131	5	2.36E-05
132	5	1.66E-05
133	5	4.03E-06
134	5	4.84E-06
135	5	5.88E-06
136	5	7.24E-06
137	5	9.18E-06
138	5	1.20E-05
139	5	1.64E-05
140	5	2.52E-05
141	5	4.94E-05
142	5	6.94E-05
143	5	1.10E-04
144	5	1.45E-04
145	5	1.46E-04
146	5	2.32E-05
147	5	3.70E-06
148	5	4.41E-06
149	5	5.36E-06
150	5	6.57E-06
151	5	8.31E-06
152	5	1.06E-05
153	5	1.41E-05
154	5	2.04E-05
155	5	3.34E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	5.69E-05
157	5	7.48E-05
158	5	7.87E-05
159	5	8.57E-05
160	5	3.47E-06
161	5	4.03E-06
162	5	4.69E-06
163	5	5.79E-06
164	5	7.36E-06
165	5	9.21E-06
166	5	1.20E-05
167	5	1.62E-05
168	5	2.31E-05
169	5	3.34E-05
170	5	4.25E-05
171	5	4.68E-05
172	5	4.92E-05
173	5	5.04E-05
174	5	5.01E-05
175	5	4.49E-05
176	5	3.56E-05
177	5	2.49E-05
178	5	1.66E-05
179	5	3.14E-06
180	5	3.58E-06
181	5	4.05E-06
182	5	5.05E-06
183	5	6.52E-06
184	5	8.02E-06
185	5	1.02E-05
186	5	1.31E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.72E-05
188	5	2.28E-05
189	5	2.79E-05
190	5	3.11E-05
191	5	3.22E-05
192	5	3.25E-05
193	5	3.14E-05
194	5	2.97E-05
195	5	2.55E-05
196	5	1.94E-05
197	5	1.41E-05
198	5	2.91E-06
199	5	3.31E-06
200	5	3.78E-06
201	5	4.47E-06
202	5	5.67E-06
203	5	6.92E-06
204	5	8.60E-06
205	5	1.07E-05
206	5	1.35E-05
207	5	1.68E-05
208	5	2.00E-05
209	5	2.23E-05
210	5	2.34E-05
211	5	2.33E-05
212	5	2.23E-05
213	5	2.01E-05
214	5	1.71E-05
215	5	1.57E-05
216	5	2.75E-06
217	5	3.07E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	3.49E-06
219	5	4.03E-06
220	5	4.93E-06
221	5	5.86E-06
222	5	7.18E-06
223	5	8.72E-06
224	5	1.07E-05
225	5	1.28E-05
226	5	1.50E-05
227	5	1.67E-05
228	5	1.76E-05
229	5	1.77E-05
230	5	1.70E-05
231	5	1.57E-05
232	5	1.38E-05
233	5	1.28E-05
234	5	2.59E-06
235	5	2.85E-06
236	5	3.20E-06
237	5	3.67E-06
238	5	4.32E-06
239	5	5.04E-06
240	5	5.99E-06
241	5	7.16E-06
242	5	8.55E-06
243	5	1.01E-05
244	5	1.17E-05
245	5	1.30E-05
246	5	1.39E-05
247	5	1.41E-05
248	5	1.37E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	1.28E-05
250	5	1.16E-05
251	5	1.08E-05
252	5	2.41E-06
253	5	2.61E-06
254	5	2.87E-06
255	5	3.20E-06
256	5	3.81E-06
257	5	4.22E-06
258	5	4.85E-06
259	5	5.62E-06
260	5	6.72E-06
261	5	8.04E-06
262	5	9.33E-06
263	5	1.03E-05
264	5	1.11E-05
265	5	1.13E-05
266	5	1.12E-05
267	5	1.06E-05
268	5	9.74E-06
269	5	9.10E-06
270	5	2.23E-06
271	5	2.40E-06
272	5	2.62E-06
273	5	2.88E-06
274	5	3.44E-06
275	5	3.95E-06
276	5	4.17E-06
277	5	4.75E-06
278	5	5.50E-06
279	5	6.41E-06

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	7.48E-06
281	5	8.42E-06
282	5	9.06E-06
283	5	9.36E-06
284	5	9.30E-06
285	5	8.92E-06
286	5	8.32E-06
287	5	7.84E-06
288	5	2.07E-06
289	5	2.21E-06
290	5	2.46E-06
291	5	2.72E-06
292	5	3.39E-06
293	5	3.64E-06
294	5	3.67E-06
295	5	4.17E-06
296	5	4.78E-06
297	5	5.39E-06
298	5	6.13E-06
299	5	6.93E-06
300	5	7.46E-06
301	5	7.82E-06
302	5	7.89E-06
303	5	7.68E-06
304	5	7.26E-06
305	5	6.84E-06
306	5	2.06E-06
307	5	2.12E-06
308	5	2.29E-06
309	5	2.70E-06
310	5	3.13E-06

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	3.32E-06
312	5	3.28E-06
313	5	3.68E-06
314	5	4.17E-06
315	5	4.82E-06
316	5	5.27E-06
317	5	5.76E-06
318	5	6.22E-06
319	5	6.61E-06
320	5	6.81E-06
321	5	6.68E-06
322	5	6.37E-06
323	5	5.99E-06
324	5	1.94E-06
325	5	2.14E-06
326	5	2.27E-06
327	5	2.38E-06
328	5	2.93E-06
329	5	3.04E-06
330	5	3.01E-06
331	5	3.36E-06
332	5	3.78E-06
333	5	4.33E-06
334	5	4.76E-06
335	5	5.19E-06
336	5	2.13E-05
337	5	1.45E-05
338	5	6.13E-06
339	5	6.23E-06
340	5	6.24E-06
341	5	6.17E-06

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	6.02E-06
343	5	5.55E-06
344	5	5.28E-06
345	5	4.97E-06
346	5	4.62E-06
347	5	7.51E-06
348	5	7.69E-06
349	5	7.68E-06
350	5	7.53E-06
351	5	7.36E-06
352	5	6.61E-06
353	5	6.19E-06
354	5	5.67E-06
355	5	5.22E-06
356	5	9.44E-06
357	5	9.79E-06
358	5	9.77E-06
359	5	9.56E-06
360	5	9.17E-06
361	5	7.93E-06
362	5	7.29E-06
363	5	6.54E-06
364	5	1.23E-05
365	5	1.27E-05
366	5	1.28E-05
367	5	1.24E-05
368	5	1.17E-05
369	5	9.64E-06
370	5	7.65E-06
371	5	6.69E-06
372	5	1.71E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	1.74E-05
374	5	1.75E-05
375	5	1.66E-05
376	5	1.53E-05
377	5	1.36E-05
378	5	1.19E-05
379	5	8.79E-06
380	5	7.50E-06
381	5	6.39E-06
382	5	2.54E-05
383	5	2.58E-05
384	5	2.52E-05
385	5	2.33E-05
386	5	2.07E-05
387	5	1.76E-05
388	5	1.47E-05
389	5	9.87E-06
390	5	8.12E-06
391	5	6.75E-06
392	5	5.53E-06
393	5	3.61E-05
394	5	3.58E-05
395	5	3.15E-05
396	5	2.76E-05
397	5	2.21E-05
398	5	1.73E-05
399	5	1.38E-05
400	5	1.08E-05
401	5	8.58E-06
402	5	5.58E-06
403	5	1.15E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	5.74E-06
405	5	4.66E-06
406	5	1.14E-05
407	5	4.52E-06
408	5	1.09E-05
409	5	4.35E-06
410	5	9.98E-06
411	5	5.05E-06
412	5	4.25E-06
413	5	9.08E-06
414	5	5.74E-06
415	5	4.77E-06
416	5	4.05E-06
417	5	8.26E-06
418	5	4.49E-06
419	5	3.84E-06
420	5	3.32E-06
421	5	7.53E-06
422	5	3.63E-06
423	5	3.17E-06
424	5	6.88E-06
425	5	3.01E-06
426	5	2.66E-06
427	5	6.29E-06
428	5	2.85E-06
429	5	2.54E-06
430	5	5.76E-06
431	5	2.41E-06
432	5	2.16E-06
433	5	5.26E-06
434	5	2.29E-06

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	2.07E-06
436	5	4.82E-06
437	5	2.43E-06
438	5	2.18E-06
439	5	1.98E-06
440	5	4.42E-06
441	5	2.93E-06
442	5	2.58E-06
443	5	2.30E-06
444	5	2.08E-06
445	5	4.06E-06
446	5	3.10E-06
447	5	2.74E-06
448	5	2.44E-06
449	5	3.74E-06
450	5	3.29E-06
451	5	2.91E-06
452	5	3.45E-06
453	5	3.07E-06
454	5	1.64E-06
455	5	1.52E-06
456	5	3.18E-06
457	5	2.86E-06
458	5	2.55E-06
459	5	1.87E-06
460	5	1.72E-06
461	5	1.58E-06
462	5	1.46E-06
463	5	1.99E-05
464	5	1.37E-05
465	5	1.73E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	1.18E-05
467	5	1.26E-05
468	5	1.12E-05
469	5	9.84E-06
470	5	1.09E-05
471	5	9.30E-06
472	5	9.39E-06
473	5	7.68E-06
474	5	8.11E-06
475	5	6.83E-06
476	5	7.07E-06
477	5	6.09E-06
478	5	6.22E-06
479	5	5.44E-06
480	5	4.71E-06
481	5	5.50E-06
482	5	4.29E-06
483	5	4.41E-06
484	5	3.93E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24522	4.66E-03	1.1E-03	6.05E-04	6.91E-07	1.91E+00	4.71E-02	6.22E-08	1.0E+06	6.2E-02
2	0.25812	4.66E-03	1.2E-03	6.05E-04	7.27E-07	1.91E+00	4.71E-02	6.55E-08	1.0E+06	6.6E-02
3	0.27182	4.66E-03	1.3E-03	6.05E-04	7.66E-07	1.91E+00	4.71E-02	6.90E-08	1.0E+06	6.9E-02
4	0.28694	4.66E-03	1.3E-03	6.05E-04	8.08E-07	1.91E+00	4.71E-02	7.28E-08	1.0E+06	7.3E-02
5	0.30421	4.66E-03	1.4E-03	6.05E-04	8.57E-07	1.91E+00	4.71E-02	7.72E-08	1.0E+06	7.7E-02
6	0.32665	4.66E-03	1.5E-03	6.05E-04	9.20E-07	1.91E+00	4.71E-02	8.29E-08	1.0E+06	8.3E-02
7	0.35525	4.66E-03	1.7E-03	6.05E-04	1.00E-06	1.91E+00	4.71E-02	9.02E-08	1.0E+06	9.0E-02
8	0.38621	4.66E-03	1.8E-03	6.05E-04	1.09E-06	1.91E+00	4.71E-02	9.80E-08	1.0E+06	9.8E-02
9	0.42233	4.66E-03	2.0E-03	6.05E-04	1.19E-06	1.91E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
10	0.46134	4.66E-03	2.1E-03	6.05E-04	1.30E-06	1.91E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
11	0.50584	4.66E-03	2.4E-03	6.05E-04	1.42E-06	1.91E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
12	0.54691	4.66E-03	2.5E-03	6.05E-04	1.54E-06	1.91E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
13	0.5752	4.66E-03	2.7E-03	6.05E-04	1.62E-06	1.91E+00	4.71E-02	1.46E-07	1.0E+06	1.5E-01
14	0.55713	4.66E-03	2.6E-03	6.05E-04	1.57E-06	1.91E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01
15	0.27871	4.66E-03	1.3E-03	6.05E-04	7.85E-07	1.91E+00	4.71E-02	7.07E-08	1.0E+06	7.1E-02
16	0.29601	4.66E-03	1.4E-03	6.05E-04	8.34E-07	1.91E+00	4.71E-02	7.51E-08	1.0E+06	7.5E-02
17	0.31614	4.66E-03	1.5E-03	6.05E-04	8.91E-07	1.91E+00	4.71E-02	8.02E-08	1.0E+06	8.0E-02
18	0.33621	4.66E-03	1.6E-03	6.05E-04	9.47E-07	1.91E+00	4.71E-02	8.53E-08	1.0E+06	8.5E-02
19	0.35725	4.66E-03	1.7E-03	6.05E-04	1.01E-06	1.91E+00	4.71E-02	9.07E-08	1.0E+06	9.1E-02
20	0.38354	4.66E-03	1.8E-03	6.05E-04	1.08E-06	1.91E+00	4.71E-02	9.74E-08	1.0E+06	9.7E-02
21	0.41325	4.66E-03	1.9E-03	6.05E-04	1.16E-06	1.91E+00	4.71E-02	1.05E-07	1.0E+06	1.0E-01
22	0.45075	4.66E-03	2.1E-03	6.05E-04	1.27E-06	1.91E+00	4.71E-02	1.14E-07	1.0E+06	1.1E-01
23	0.50138	4.66E-03	2.3E-03	6.05E-04	1.41E-06	1.91E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01
24	0.54771	4.66E-03	2.5E-03	6.05E-04	1.54E-06	1.91E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
25	0.60994	4.66E-03	2.8E-03	6.05E-04	1.72E-06	1.91E+00	4.71E-02	1.55E-07	1.0E+06	1.5E-01
26	0.66721	4.66E-03	3.1E-03	6.05E-04	1.88E-06	1.91E+00	4.71E-02	1.69E-07	1.0E+06	1.7E-01
27	0.70269	4.66E-03	3.3E-03	6.05E-04	1.98E-06	1.91E+00	4.71E-02	1.78E-07	1.0E+06	1.8E-01
28	0.67847	4.66E-03	3.2E-03	6.05E-04	1.91E-06	1.91E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01
29	0.31274	4.66E-03	1.5E-03	6.05E-04	8.81E-07	1.91E+00	4.71E-02	7.94E-08	1.0E+06	7.9E-02
30	0.33825	4.66E-03	1.6E-03	6.05E-04	9.53E-07	1.91E+00	4.71E-02	8.59E-08	1.0E+06	8.6E-02
31	0.3674	4.66E-03	1.7E-03	6.05E-04	1.03E-06	1.91E+00	4.71E-02	9.33E-08	1.0E+06	9.3E-02

	Max	Receptor #
Res	3.431	145

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.39913	4.66E-03	1.9E-03	6.05E-04	1.12E-06	1.91E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
33	0.42599	4.66E-03	2.0E-03	6.05E-04	1.20E-06	1.91E+00	4.71E-02	1.08E-07	1.0E+06	1.1E-01
34	0.46028	4.66E-03	2.1E-03	6.05E-04	1.30E-06	1.91E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
35	0.49742	4.66E-03	2.3E-03	6.05E-04	1.40E-06	1.91E+00	4.71E-02	1.26E-07	1.0E+06	1.3E-01
36	0.5441	4.66E-03	2.5E-03	6.05E-04	1.53E-06	1.91E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
37	0.60298	4.66E-03	2.8E-03	6.05E-04	1.70E-06	1.91E+00	4.71E-02	1.53E-07	1.0E+06	1.5E-01
38	0.67584	4.66E-03	3.1E-03	6.05E-04	1.90E-06	1.91E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01
39	0.75362	4.66E-03	3.5E-03	6.05E-04	2.12E-06	1.91E+00	4.71E-02	1.91E-07	1.0E+06	1.9E-01
40	0.82458	4.66E-03	3.8E-03	6.05E-04	2.32E-06	1.91E+00	4.71E-02	2.09E-07	1.0E+06	2.1E-01
41	0.88192	4.66E-03	4.1E-03	6.05E-04	2.48E-06	1.91E+00	4.71E-02	2.24E-07	1.0E+06	2.2E-01
42	0.84179	4.66E-03	3.9E-03	6.05E-04	2.37E-06	1.91E+00	4.71E-02	2.14E-07	1.0E+06	2.1E-01
43	0.3419	4.66E-03	1.6E-03	6.05E-04	9.63E-07	1.91E+00	4.71E-02	8.68E-08	1.0E+06	8.7E-02
44	0.37456	4.66E-03	1.7E-03	6.05E-04	1.06E-06	1.91E+00	4.71E-02	9.51E-08	1.0E+06	9.5E-02
45	0.41658	4.66E-03	1.9E-03	6.05E-04	1.17E-06	1.91E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
46	0.46349	4.66E-03	2.2E-03	6.05E-04	1.31E-06	1.91E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01
47	0.50951	4.66E-03	2.4E-03	6.05E-04	1.44E-06	1.91E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01
48	0.55797	4.66E-03	2.6E-03	6.05E-04	1.57E-06	1.91E+00	4.71E-02	1.42E-07	1.0E+06	1.4E-01
49	0.60926	4.66E-03	2.8E-03	6.05E-04	1.72E-06	1.91E+00	4.71E-02	1.55E-07	1.0E+06	1.5E-01
50	0.66552	4.66E-03	3.1E-03	6.05E-04	1.87E-06	1.91E+00	4.71E-02	1.69E-07	1.0E+06	1.7E-01
51	0.75822	4.66E-03	3.5E-03	6.05E-04	2.14E-06	1.91E+00	4.71E-02	1.92E-07	1.0E+06	1.9E-01
52	0.85126	4.66E-03	4.0E-03	6.05E-04	2.40E-06	1.91E+00	4.71E-02	2.16E-07	1.0E+06	2.2E-01
53	0.96684	4.66E-03	4.5E-03	6.05E-04	2.72E-06	1.91E+00	4.71E-02	2.45E-07	1.0E+06	2.5E-01
54	1.07266	4.66E-03	5.0E-03	6.05E-04	3.02E-06	1.91E+00	4.71E-02	2.72E-07	1.0E+06	2.7E-01
55	1.15752	4.66E-03	5.4E-03	6.05E-04	3.26E-06	1.91E+00	4.71E-02	2.94E-07	1.0E+06	2.9E-01
56	1.05945	4.66E-03	4.9E-03	6.05E-04	2.98E-06	1.91E+00	4.71E-02	2.69E-07	1.0E+06	2.7E-01
57	0.36224	4.66E-03	1.7E-03	6.05E-04	1.02E-06	1.91E+00	4.71E-02	9.19E-08	1.0E+06	9.2E-02
58	0.4086	4.66E-03	1.9E-03	6.05E-04	1.15E-06	1.91E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
59	0.46663	4.66E-03	2.2E-03	6.05E-04	1.31E-06	1.91E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01
60	0.53196	4.66E-03	2.5E-03	6.05E-04	1.50E-06	1.91E+00	4.71E-02	1.35E-07	1.0E+06	1.4E-01
61	0.6059	4.66E-03	2.8E-03	6.05E-04	1.71E-06	1.91E+00	4.71E-02	1.54E-07	1.0E+06	1.5E-01
62	0.68687	4.66E-03	3.2E-03	6.05E-04	1.93E-06	1.91E+00	4.71E-02	1.74E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.7816	4.66E-03	3.6E-03	6.05E-04	2.20E-06	1.91E+00	4.71E-02	1.98E-07	1.0E+06	2.0E-01
64	0.85518	4.66E-03	4.0E-03	6.05E-04	2.41E-06	1.91E+00	4.71E-02	2.17E-07	1.0E+06	2.2E-01
65	0.98486	4.66E-03	4.6E-03	6.05E-04	2.77E-06	1.91E+00	4.71E-02	2.50E-07	1.0E+06	2.5E-01
66	1.13862	4.66E-03	5.3E-03	6.05E-04	3.21E-06	1.91E+00	4.71E-02	2.89E-07	1.0E+06	2.9E-01
67	1.29122	4.66E-03	6.0E-03	6.05E-04	3.64E-06	1.91E+00	4.71E-02	3.28E-07	1.0E+06	3.3E-01
68	1.46923	4.66E-03	6.8E-03	6.05E-04	4.14E-06	1.91E+00	4.71E-02	3.73E-07	1.0E+06	3.7E-01
69	1.61487	4.66E-03	7.5E-03	6.05E-04	4.55E-06	1.91E+00	4.71E-02	4.10E-07	1.0E+06	4.1E-01
70	0.38587	4.66E-03	1.8E-03	6.05E-04	1.09E-06	1.91E+00	4.71E-02	9.79E-08	1.0E+06	9.8E-02
71	0.44138	4.66E-03	2.1E-03	6.05E-04	1.24E-06	1.91E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
72	0.51499	4.66E-03	2.4E-03	6.05E-04	1.45E-06	1.91E+00	4.71E-02	1.31E-07	1.0E+06	1.3E-01
73	0.59943	4.66E-03	2.8E-03	6.05E-04	1.69E-06	1.91E+00	4.71E-02	1.52E-07	1.0E+06	1.5E-01
74	0.70697	4.66E-03	3.3E-03	6.05E-04	1.99E-06	1.91E+00	4.71E-02	1.79E-07	1.0E+06	1.8E-01
75	0.83321	4.66E-03	3.9E-03	6.05E-04	2.35E-06	1.91E+00	4.71E-02	2.11E-07	1.0E+06	2.1E-01
76	0.99536	4.66E-03	4.6E-03	6.05E-04	2.80E-06	1.91E+00	4.71E-02	2.53E-07	1.0E+06	2.5E-01
77	1.15904	4.66E-03	5.4E-03	6.05E-04	3.26E-06	1.91E+00	4.71E-02	2.94E-07	1.0E+06	2.9E-01
78	1.38678	4.66E-03	6.5E-03	6.05E-04	3.91E-06	1.91E+00	4.71E-02	3.52E-07	1.0E+06	3.5E-01
79	1.72999	4.66E-03	8.1E-03	6.05E-04	4.87E-06	1.91E+00	4.71E-02	4.39E-07	1.0E+06	4.4E-01
80	1.95913	4.66E-03	9.1E-03	6.05E-04	5.52E-06	1.91E+00	4.71E-02	4.97E-07	1.0E+06	5.0E-01
81	2.26974	4.66E-03	1.1E-02	6.05E-04	6.39E-06	1.91E+00	4.71E-02	5.76E-07	1.0E+06	5.8E-01
82	2.4321	4.66E-03	1.1E-02	6.05E-04	6.85E-06	1.91E+00	4.71E-02	6.17E-07	1.0E+06	6.2E-01
83	0.40751	4.66E-03	1.9E-03	6.05E-04	1.15E-06	1.91E+00	4.71E-02	1.03E-07	1.0E+06	1.0E-01
84	0.48107	4.66E-03	2.2E-03	6.05E-04	1.36E-06	1.91E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01
85	0.57125	4.66E-03	2.7E-03	6.05E-04	1.61E-06	1.91E+00	4.71E-02	1.45E-07	1.0E+06	1.5E-01
86	0.65944	4.66E-03	3.1E-03	6.05E-04	1.86E-06	1.91E+00	4.71E-02	1.67E-07	1.0E+06	1.7E-01
87	0.793	4.66E-03	3.7E-03	6.05E-04	2.23E-06	1.91E+00	4.71E-02	2.01E-07	1.0E+06	2.0E-01
88	0.9744	4.66E-03	4.5E-03	6.05E-04	2.74E-06	1.91E+00	4.71E-02	2.47E-07	1.0E+06	2.5E-01
89	1.22894	4.66E-03	5.7E-03	6.05E-04	3.46E-06	1.91E+00	4.71E-02	3.12E-07	1.0E+06	3.1E-01
90	1.58842	4.66E-03	7.4E-03	6.05E-04	4.47E-06	1.91E+00	4.71E-02	4.03E-07	1.0E+06	4.0E-01
91	2.07909	4.66E-03	9.7E-03	6.05E-04	5.86E-06	1.91E+00	4.71E-02	5.28E-07	1.0E+06	5.3E-01
92	2.673	4.66E-03	1.2E-02	6.05E-04	7.53E-06	1.91E+00	4.71E-02	6.79E-07	1.0E+06	6.8E-01
93	3.26073	4.66E-03	1.5E-02	6.05E-04	9.19E-06	1.91E+00	4.71E-02	8.28E-07	1.0E+06	8.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.7105	4.66E-03	1.7E-02	6.05E-04	1.05E-05	1.91E+00	4.71E-02	9.42E-07	1.0E+06	9.4E-01
95	3.97772	4.66E-03	1.9E-02	6.05E-04	1.12E-05	1.91E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
96	0.42783	4.66E-03	2.0E-03	6.05E-04	1.21E-06	1.91E+00	4.71E-02	1.09E-07	1.0E+06	1.1E-01
97	0.50509	4.66E-03	2.4E-03	6.05E-04	1.42E-06	1.91E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
98	0.59829	4.66E-03	2.8E-03	6.05E-04	1.69E-06	1.91E+00	4.71E-02	1.52E-07	1.0E+06	1.5E-01
99	0.71884	4.66E-03	3.3E-03	6.05E-04	2.02E-06	1.91E+00	4.71E-02	1.82E-07	1.0E+06	1.8E-01
100	0.87437	4.66E-03	4.1E-03	6.05E-04	2.46E-06	1.91E+00	4.71E-02	2.22E-07	1.0E+06	2.2E-01
101	1.11264	4.66E-03	5.2E-03	6.05E-04	3.13E-06	1.91E+00	4.71E-02	2.82E-07	1.0E+06	2.8E-01
102	1.49032	4.66E-03	6.9E-03	6.05E-04	4.20E-06	1.91E+00	4.71E-02	3.78E-07	1.0E+06	3.8E-01
103	2.11062	4.66E-03	9.8E-03	6.05E-04	5.95E-06	1.91E+00	4.71E-02	5.36E-07	1.0E+06	5.4E-01
104	3.18262	4.66E-03	1.5E-02	6.05E-04	8.97E-06	1.91E+00	4.71E-02	8.08E-07	1.0E+06	8.1E-01
105	4.82918	4.66E-03	2.2E-02	6.05E-04	1.36E-05	1.91E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
106	6.35044	4.66E-03	3.0E-02	6.05E-04	1.79E-05	1.91E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
107	7.24945	4.66E-03	3.4E-02	6.05E-04	2.04E-05	1.91E+00	4.71E-02	1.84E-06	1.0E+06	1.8E+00
108	7.70358	4.66E-03	3.6E-02	6.05E-04	2.17E-05	1.91E+00	4.71E-02	1.96E-06	1.0E+06	2.0E+00
109	0.42527	4.66E-03	2.0E-03	6.05E-04	1.20E-06	1.91E+00	4.71E-02	1.08E-07	1.0E+06	1.1E-01
110	0.50003	4.66E-03	2.3E-03	6.05E-04	1.41E-06	1.91E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01
111	0.59613	4.66E-03	2.8E-03	6.05E-04	1.68E-06	1.91E+00	4.71E-02	1.51E-07	1.0E+06	1.5E-01
112	0.72796	4.66E-03	3.4E-03	6.05E-04	2.05E-06	1.91E+00	4.71E-02	1.85E-07	1.0E+06	1.8E-01
113	0.92025	4.66E-03	4.3E-03	6.05E-04	2.59E-06	1.91E+00	4.71E-02	2.34E-07	1.0E+06	2.3E-01
114	1.21078	4.66E-03	5.6E-03	6.05E-04	3.41E-06	1.91E+00	4.71E-02	3.07E-07	1.0E+06	3.1E-01
115	1.70768	4.66E-03	8.0E-03	6.05E-04	4.81E-06	1.91E+00	4.71E-02	4.33E-07	1.0E+06	4.3E-01
116	2.70228	4.66E-03	1.3E-02	6.05E-04	7.61E-06	1.91E+00	4.71E-02	6.86E-07	1.0E+06	6.9E-01
117	5.36175	4.66E-03	2.5E-02	6.05E-04	1.51E-05	1.91E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
118	6.35201	4.66E-03	3.0E-02	6.05E-04	1.79E-05	1.91E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
119	10.08642	4.66E-03	4.7E-02	6.05E-04	2.84E-05	1.91E+00	4.71E-02	2.56E-06	1.0E+06	2.6E+00
120	11.26207	4.66E-03	5.2E-02	6.05E-04	3.17E-05	1.91E+00	4.71E-02	2.86E-06	1.0E+06	2.9E+00
121	11.09892	4.66E-03	5.2E-02	6.05E-04	3.13E-05	1.91E+00	4.71E-02	2.82E-06	1.0E+06	2.8E+00
122	0.40376	4.66E-03	1.9E-03	6.05E-04	1.14E-06	1.91E+00	4.71E-02	1.02E-07	1.0E+06	1.0E-01
123	0.47827	4.66E-03	2.2E-03	6.05E-04	1.35E-06	1.91E+00	4.71E-02	1.21E-07	1.0E+06	1.2E-01
124	0.57738	4.66E-03	2.7E-03	6.05E-04	1.63E-06	1.91E+00	4.71E-02	1.47E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.71334	4.66E-03	3.3E-03	6.05E-04	2.01E-06	1.91E+00	4.71E-02	1.81E-07	1.0E+06	1.8E-01
126	0.90625	4.66E-03	4.2E-03	6.05E-04	2.55E-06	1.91E+00	4.71E-02	2.30E-07	1.0E+06	2.3E-01
127	1.20749	4.66E-03	5.6E-03	6.05E-04	3.40E-06	1.91E+00	4.71E-02	3.07E-07	1.0E+06	3.1E-01
128	1.67153	4.66E-03	7.8E-03	6.05E-04	4.71E-06	1.91E+00	4.71E-02	4.24E-07	1.0E+06	4.2E-01
129	2.7297	4.66E-03	1.3E-02	6.05E-04	7.69E-06	1.91E+00	4.71E-02	6.93E-07	1.0E+06	6.9E-01
130	6.66669	4.66E-03	3.1E-02	6.05E-04	1.88E-05	1.91E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
131	2.17942	4.66E-03	1.0E-02	6.05E-04	6.14E-06	1.91E+00	4.71E-02	5.53E-07	1.0E+06	5.5E-01
132	1.5364	4.66E-03	7.2E-03	6.05E-04	4.33E-06	1.91E+00	4.71E-02	3.90E-07	1.0E+06	3.9E-01
133	0.37253	4.66E-03	1.7E-03	6.05E-04	1.05E-06	1.91E+00	4.71E-02	9.46E-08	1.0E+06	9.5E-02
134	0.44783	4.66E-03	2.1E-03	6.05E-04	1.26E-06	1.91E+00	4.71E-02	1.14E-07	1.0E+06	1.1E-01
135	0.54393	4.66E-03	2.5E-03	6.05E-04	1.53E-06	1.91E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
136	0.66975	4.66E-03	3.1E-03	6.05E-04	1.89E-06	1.91E+00	4.71E-02	1.70E-07	1.0E+06	1.7E-01
137	0.8492	4.66E-03	4.0E-03	6.05E-04	2.39E-06	1.91E+00	4.71E-02	2.16E-07	1.0E+06	2.2E-01
138	1.11161	4.66E-03	5.2E-03	6.05E-04	3.13E-06	1.91E+00	4.71E-02	2.82E-07	1.0E+06	2.8E-01
139	1.51637	4.66E-03	7.1E-03	6.05E-04	4.27E-06	1.91E+00	4.71E-02	3.85E-07	1.0E+06	3.8E-01
140	2.33444	4.66E-03	1.1E-02	6.05E-04	6.58E-06	1.91E+00	4.71E-02	5.93E-07	1.0E+06	5.9E-01
141	4.56552	4.66E-03	2.1E-02	6.05E-04	1.29E-05	1.91E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
142	6.41914	4.66E-03	3.0E-02	6.05E-04	1.81E-05	1.91E+00	4.71E-02	1.63E-06	1.0E+06	1.6E+00
143	10.17338	4.66E-03	4.7E-02	6.05E-04	2.87E-05	1.91E+00	4.71E-02	2.58E-06	1.0E+06	2.6E+00
144	13.38661	4.66E-03	6.2E-02	6.05E-04	3.77E-05	1.91E+00	4.71E-02	3.40E-06	1.0E+06	3.4E+00
145	13.51679	4.66E-03	6.3E-02	6.05E-04	3.81E-05	1.91E+00	4.71E-02	3.43E-06	1.0E+06	3.4E+00
146	2.14495	4.66E-03	1.0E-02	6.05E-04	6.04E-06	1.91E+00	4.71E-02	5.44E-07	1.0E+06	5.4E-01
147	0.34214	4.66E-03	1.6E-03	6.05E-04	9.64E-07	1.91E+00	4.71E-02	8.68E-08	1.0E+06	8.7E-02
148	0.40831	4.66E-03	1.9E-03	6.05E-04	1.15E-06	1.91E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
149	0.49577	4.66E-03	2.3E-03	6.05E-04	1.40E-06	1.91E+00	4.71E-02	1.26E-07	1.0E+06	1.3E-01
150	0.60785	4.66E-03	2.8E-03	6.05E-04	1.71E-06	1.91E+00	4.71E-02	1.54E-07	1.0E+06	1.5E-01
151	0.7688	4.66E-03	3.6E-03	6.05E-04	2.17E-06	1.91E+00	4.71E-02	1.95E-07	1.0E+06	2.0E-01
152	0.9823	4.66E-03	4.6E-03	6.05E-04	2.77E-06	1.91E+00	4.71E-02	2.49E-07	1.0E+06	2.5E-01
153	1.30396	4.66E-03	6.1E-03	6.05E-04	3.67E-06	1.91E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
154	1.88437	4.66E-03	8.8E-03	6.05E-04	5.31E-06	1.91E+00	4.71E-02	4.78E-07	1.0E+06	4.8E-01
155	3.08613	4.66E-03	1.4E-02	6.05E-04	8.69E-06	1.91E+00	4.71E-02	7.83E-07	1.0E+06	7.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	5.26306	4.66E-03	2.5E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
157	6.91686	4.66E-03	3.2E-02	6.05E-04	1.95E-05	1.91E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
158	7.28102	4.66E-03	3.4E-02	6.05E-04	2.05E-05	1.91E+00	4.71E-02	1.85E-06	1.0E+06	1.8E+00
159	7.92875	4.66E-03	3.7E-02	6.05E-04	2.23E-05	1.91E+00	4.71E-02	2.01E-06	1.0E+06	2.0E+00
160	0.32054	4.66E-03	1.5E-03	6.05E-04	9.03E-07	1.91E+00	4.71E-02	8.14E-08	1.0E+06	8.1E-02
161	0.37294	4.66E-03	1.7E-03	6.05E-04	1.05E-06	1.91E+00	4.71E-02	9.47E-08	1.0E+06	9.5E-02
162	0.43383	4.66E-03	2.0E-03	6.05E-04	1.22E-06	1.91E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
163	0.53585	4.66E-03	2.5E-03	6.05E-04	1.51E-06	1.91E+00	4.71E-02	1.36E-07	1.0E+06	1.4E-01
164	0.68088	4.66E-03	3.2E-03	6.05E-04	1.92E-06	1.91E+00	4.71E-02	1.73E-07	1.0E+06	1.7E-01
165	0.85225	4.66E-03	4.0E-03	6.05E-04	2.40E-06	1.91E+00	4.71E-02	2.16E-07	1.0E+06	2.2E-01
166	1.10586	4.66E-03	5.1E-03	6.05E-04	3.12E-06	1.91E+00	4.71E-02	2.81E-07	1.0E+06	2.8E-01
167	1.49488	4.66E-03	7.0E-03	6.05E-04	4.21E-06	1.91E+00	4.71E-02	3.79E-07	1.0E+06	3.8E-01
168	2.14007	4.66E-03	1.0E-02	6.05E-04	6.03E-06	1.91E+00	4.71E-02	5.43E-07	1.0E+06	5.4E-01
169	3.09049	4.66E-03	1.4E-02	6.05E-04	8.71E-06	1.91E+00	4.71E-02	7.84E-07	1.0E+06	7.8E-01
170	3.93283	4.66E-03	1.8E-02	6.05E-04	1.11E-05	1.91E+00	4.71E-02	9.98E-07	1.0E+06	1.0E+00
171	4.33042	4.66E-03	2.0E-02	6.05E-04	1.22E-05	1.91E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
172	4.55053	4.66E-03	2.1E-02	6.05E-04	1.28E-05	1.91E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
173	4.6617	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
174	4.63839	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
175	4.15775	4.66E-03	1.9E-02	6.05E-04	1.17E-05	1.91E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
176	3.29074	4.66E-03	1.5E-02	6.05E-04	9.27E-06	1.91E+00	4.71E-02	8.35E-07	1.0E+06	8.4E-01
177	2.30244	4.66E-03	1.1E-02	6.05E-04	6.49E-06	1.91E+00	4.71E-02	5.84E-07	1.0E+06	5.8E-01
178	1.53757	4.66E-03	7.2E-03	6.05E-04	4.33E-06	1.91E+00	4.71E-02	3.90E-07	1.0E+06	3.9E-01
179	0.29019	4.66E-03	1.4E-03	6.05E-04	8.17E-07	1.91E+00	4.71E-02	7.37E-08	1.0E+06	7.4E-02
180	0.33117	4.66E-03	1.5E-03	6.05E-04	9.33E-07	1.91E+00	4.71E-02	8.41E-08	1.0E+06	8.4E-02
181	0.37418	4.66E-03	1.7E-03	6.05E-04	1.05E-06	1.91E+00	4.71E-02	9.50E-08	1.0E+06	9.5E-02
182	0.46724	4.66E-03	2.2E-03	6.05E-04	1.32E-06	1.91E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
183	0.60354	4.66E-03	2.8E-03	6.05E-04	1.70E-06	1.91E+00	4.71E-02	1.53E-07	1.0E+06	1.5E-01
184	0.74184	4.66E-03	3.5E-03	6.05E-04	2.09E-06	1.91E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01
185	0.93939	4.66E-03	4.4E-03	6.05E-04	2.65E-06	1.91E+00	4.71E-02	2.38E-07	1.0E+06	2.4E-01
186	1.20886	4.66E-03	5.6E-03	6.05E-04	3.41E-06	1.91E+00	4.71E-02	3.07E-07	1.0E+06	3.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	1.59534	4.66E-03	7.4E-03	6.05E-04	4.49E-06	1.91E+00	4.71E-02	4.05E-07	1.0E+06	4.0E-01
188	2.10918	4.66E-03	9.8E-03	6.05E-04	5.94E-06	1.91E+00	4.71E-02	5.35E-07	1.0E+06	5.4E-01
189	2.58029	4.66E-03	1.2E-02	6.05E-04	7.27E-06	1.91E+00	4.71E-02	6.55E-07	1.0E+06	6.5E-01
190	2.87995	4.66E-03	1.3E-02	6.05E-04	8.11E-06	1.91E+00	4.71E-02	7.31E-07	1.0E+06	7.3E-01
191	2.98254	4.66E-03	1.4E-02	6.05E-04	8.40E-06	1.91E+00	4.71E-02	7.57E-07	1.0E+06	7.6E-01
192	3.0049	4.66E-03	1.4E-02	6.05E-04	8.46E-06	1.91E+00	4.71E-02	7.63E-07	1.0E+06	7.6E-01
193	2.90512	4.66E-03	1.4E-02	6.05E-04	8.18E-06	1.91E+00	4.71E-02	7.37E-07	1.0E+06	7.4E-01
194	2.75066	4.66E-03	1.3E-02	6.05E-04	7.75E-06	1.91E+00	4.71E-02	6.98E-07	1.0E+06	7.0E-01
195	2.36182	4.66E-03	1.1E-02	6.05E-04	6.65E-06	1.91E+00	4.71E-02	6.00E-07	1.0E+06	6.0E-01
196	1.79817	4.66E-03	8.4E-03	6.05E-04	5.07E-06	1.91E+00	4.71E-02	4.56E-07	1.0E+06	4.6E-01
197	1.30564	4.66E-03	6.1E-03	6.05E-04	3.68E-06	1.91E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
198	0.26895	4.66E-03	1.3E-03	6.05E-04	7.58E-07	1.91E+00	4.71E-02	6.83E-08	1.0E+06	6.8E-02
199	0.30588	4.66E-03	1.4E-03	6.05E-04	8.62E-07	1.91E+00	4.71E-02	7.76E-08	1.0E+06	7.8E-02
200	0.34989	4.66E-03	1.6E-03	6.05E-04	9.86E-07	1.91E+00	4.71E-02	8.88E-08	1.0E+06	8.9E-02
201	0.41345	4.66E-03	1.9E-03	6.05E-04	1.16E-06	1.91E+00	4.71E-02	1.05E-07	1.0E+06	1.0E-01
202	0.5245	4.66E-03	2.4E-03	6.05E-04	1.48E-06	1.91E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
203	0.64051	4.66E-03	3.0E-03	6.05E-04	1.80E-06	1.91E+00	4.71E-02	1.63E-07	1.0E+06	1.6E-01
204	0.79507	4.66E-03	3.7E-03	6.05E-04	2.24E-06	1.91E+00	4.71E-02	2.02E-07	1.0E+06	2.0E-01
205	0.98978	4.66E-03	4.6E-03	6.05E-04	2.79E-06	1.91E+00	4.71E-02	2.51E-07	1.0E+06	2.5E-01
206	1.24675	4.66E-03	5.8E-03	6.05E-04	3.51E-06	1.91E+00	4.71E-02	3.16E-07	1.0E+06	3.2E-01
207	1.55455	4.66E-03	7.2E-03	6.05E-04	4.38E-06	1.91E+00	4.71E-02	3.95E-07	1.0E+06	3.9E-01
208	1.85416	4.66E-03	8.6E-03	6.05E-04	5.22E-06	1.91E+00	4.71E-02	4.71E-07	1.0E+06	4.7E-01
209	2.06719	4.66E-03	9.6E-03	6.05E-04	5.82E-06	1.91E+00	4.71E-02	5.25E-07	1.0E+06	5.2E-01
210	2.16636	4.66E-03	1.0E-02	6.05E-04	6.10E-06	1.91E+00	4.71E-02	5.50E-07	1.0E+06	5.5E-01
211	2.15679	4.66E-03	1.0E-02	6.05E-04	6.08E-06	1.91E+00	4.71E-02	5.47E-07	1.0E+06	5.5E-01
212	2.06018	4.66E-03	9.6E-03	6.05E-04	5.80E-06	1.91E+00	4.71E-02	5.23E-07	1.0E+06	5.2E-01
213	1.86154	4.66E-03	8.7E-03	6.05E-04	5.24E-06	1.91E+00	4.71E-02	4.73E-07	1.0E+06	4.7E-01
214	1.58195	4.66E-03	7.4E-03	6.05E-04	4.46E-06	1.91E+00	4.71E-02	4.02E-07	1.0E+06	4.0E-01
215	1.4515	4.66E-03	6.8E-03	6.05E-04	4.09E-06	1.91E+00	4.71E-02	3.68E-07	1.0E+06	3.7E-01
216	0.25394	4.66E-03	1.2E-03	6.05E-04	7.15E-07	1.91E+00	4.71E-02	6.45E-08	1.0E+06	6.4E-02
217	0.28402	4.66E-03	1.3E-03	6.05E-04	8.00E-07	1.91E+00	4.71E-02	7.21E-08	1.0E+06	7.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.32252	4.66E-03	1.5E-03	6.05E-04	9.09E-07	1.91E+00	4.71E-02	8.19E-08	1.0E+06	8.2E-02
219	0.37256	4.66E-03	1.7E-03	6.05E-04	1.05E-06	1.91E+00	4.71E-02	9.46E-08	1.0E+06	9.5E-02
220	0.45636	4.66E-03	2.1E-03	6.05E-04	1.29E-06	1.91E+00	4.71E-02	1.16E-07	1.0E+06	1.2E-01
221	0.54246	4.66E-03	2.5E-03	6.05E-04	1.53E-06	1.91E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
222	0.66438	4.66E-03	3.1E-03	6.05E-04	1.87E-06	1.91E+00	4.71E-02	1.69E-07	1.0E+06	1.7E-01
223	0.80689	4.66E-03	3.8E-03	6.05E-04	2.27E-06	1.91E+00	4.71E-02	2.05E-07	1.0E+06	2.0E-01
224	0.98601	4.66E-03	4.6E-03	6.05E-04	2.78E-06	1.91E+00	4.71E-02	2.50E-07	1.0E+06	2.5E-01
225	1.18396	4.66E-03	5.5E-03	6.05E-04	3.34E-06	1.91E+00	4.71E-02	3.01E-07	1.0E+06	3.0E-01
226	1.39003	4.66E-03	6.5E-03	6.05E-04	3.92E-06	1.91E+00	4.71E-02	3.53E-07	1.0E+06	3.5E-01
227	1.54365	4.66E-03	7.2E-03	6.05E-04	4.35E-06	1.91E+00	4.71E-02	3.92E-07	1.0E+06	3.9E-01
228	1.62944	4.66E-03	7.6E-03	6.05E-04	4.59E-06	1.91E+00	4.71E-02	4.14E-07	1.0E+06	4.1E-01
229	1.63849	4.66E-03	7.6E-03	6.05E-04	4.62E-06	1.91E+00	4.71E-02	4.16E-07	1.0E+06	4.2E-01
230	1.57097	4.66E-03	7.3E-03	6.05E-04	4.43E-06	1.91E+00	4.71E-02	3.99E-07	1.0E+06	4.0E-01
231	1.45346	4.66E-03	6.8E-03	6.05E-04	4.09E-06	1.91E+00	4.71E-02	3.69E-07	1.0E+06	3.7E-01
232	1.28041	4.66E-03	6.0E-03	6.05E-04	3.61E-06	1.91E+00	4.71E-02	3.25E-07	1.0E+06	3.3E-01
233	1.18274	4.66E-03	5.5E-03	6.05E-04	3.33E-06	1.91E+00	4.71E-02	3.00E-07	1.0E+06	3.0E-01
234	0.23974	4.66E-03	1.1E-03	6.05E-04	6.75E-07	1.91E+00	4.71E-02	6.09E-08	1.0E+06	6.1E-02
235	0.26365	4.66E-03	1.2E-03	6.05E-04	7.43E-07	1.91E+00	4.71E-02	6.69E-08	1.0E+06	6.7E-02
236	0.29587	4.66E-03	1.4E-03	6.05E-04	8.33E-07	1.91E+00	4.71E-02	7.51E-08	1.0E+06	7.5E-02
237	0.33958	4.66E-03	1.6E-03	6.05E-04	9.57E-07	1.91E+00	4.71E-02	8.62E-08	1.0E+06	8.6E-02
238	0.39927	4.66E-03	1.9E-03	6.05E-04	1.12E-06	1.91E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
239	0.46628	4.66E-03	2.2E-03	6.05E-04	1.31E-06	1.91E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01
240	0.55425	4.66E-03	2.6E-03	6.05E-04	1.56E-06	1.91E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01
241	0.66256	4.66E-03	3.1E-03	6.05E-04	1.87E-06	1.91E+00	4.71E-02	1.68E-07	1.0E+06	1.7E-01
242	0.79101	4.66E-03	3.7E-03	6.05E-04	2.23E-06	1.91E+00	4.71E-02	2.01E-07	1.0E+06	2.0E-01
243	0.93444	4.66E-03	4.4E-03	6.05E-04	2.63E-06	1.91E+00	4.71E-02	2.37E-07	1.0E+06	2.4E-01
244	1.08389	4.66E-03	5.0E-03	6.05E-04	3.05E-06	1.91E+00	4.71E-02	2.75E-07	1.0E+06	2.8E-01
245	1.2064	4.66E-03	5.6E-03	6.05E-04	3.40E-06	1.91E+00	4.71E-02	3.06E-07	1.0E+06	3.1E-01
246	1.28269	4.66E-03	6.0E-03	6.05E-04	3.61E-06	1.91E+00	4.71E-02	3.26E-07	1.0E+06	3.3E-01
247	1.30234	4.66E-03	6.1E-03	6.05E-04	3.67E-06	1.91E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
248	1.2704	4.66E-03	5.9E-03	6.05E-04	3.58E-06	1.91E+00	4.71E-02	3.22E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.18628	4.66E-03	5.5E-03	6.05E-04	3.34E-06	1.91E+00	4.71E-02	3.01E-07	1.0E+06	3.0E-01
250	1.0767	4.66E-03	5.0E-03	6.05E-04	3.03E-06	1.91E+00	4.71E-02	2.73E-07	1.0E+06	2.7E-01
251	0.99552	4.66E-03	4.6E-03	6.05E-04	2.80E-06	1.91E+00	4.71E-02	2.53E-07	1.0E+06	2.5E-01
252	0.22288	4.66E-03	1.0E-03	6.05E-04	6.28E-07	1.91E+00	4.71E-02	5.66E-08	1.0E+06	5.7E-02
253	0.24125	4.66E-03	1.1E-03	6.05E-04	6.80E-07	1.91E+00	4.71E-02	6.12E-08	1.0E+06	6.1E-02
254	0.26526	4.66E-03	1.2E-03	6.05E-04	7.47E-07	1.91E+00	4.71E-02	6.73E-08	1.0E+06	6.7E-02
255	0.29598	4.66E-03	1.4E-03	6.05E-04	8.34E-07	1.91E+00	4.71E-02	7.51E-08	1.0E+06	7.5E-02
256	0.35215	4.66E-03	1.6E-03	6.05E-04	9.92E-07	1.91E+00	4.71E-02	8.94E-08	1.0E+06	8.9E-02
257	0.39078	4.66E-03	1.8E-03	6.05E-04	1.10E-06	1.91E+00	4.71E-02	9.92E-08	1.0E+06	9.9E-02
258	0.44847	4.66E-03	2.1E-03	6.05E-04	1.26E-06	1.91E+00	4.71E-02	1.14E-07	1.0E+06	1.1E-01
259	0.51996	4.66E-03	2.4E-03	6.05E-04	1.46E-06	1.91E+00	4.71E-02	1.32E-07	1.0E+06	1.3E-01
260	0.62139	4.66E-03	2.9E-03	6.05E-04	1.75E-06	1.91E+00	4.71E-02	1.58E-07	1.0E+06	1.6E-01
261	0.74353	4.66E-03	3.5E-03	6.05E-04	2.09E-06	1.91E+00	4.71E-02	1.89E-07	1.0E+06	1.9E-01
262	0.86299	4.66E-03	4.0E-03	6.05E-04	2.43E-06	1.91E+00	4.71E-02	2.19E-07	1.0E+06	2.2E-01
263	0.95593	4.66E-03	4.5E-03	6.05E-04	2.69E-06	1.91E+00	4.71E-02	2.43E-07	1.0E+06	2.4E-01
264	1.0253	4.66E-03	4.8E-03	6.05E-04	2.89E-06	1.91E+00	4.71E-02	2.60E-07	1.0E+06	2.6E-01
265	1.0477	4.66E-03	4.9E-03	6.05E-04	2.95E-06	1.91E+00	4.71E-02	2.66E-07	1.0E+06	2.7E-01
266	1.03328	4.66E-03	4.8E-03	6.05E-04	2.91E-06	1.91E+00	4.71E-02	2.62E-07	1.0E+06	2.6E-01
267	0.97802	4.66E-03	4.6E-03	6.05E-04	2.76E-06	1.91E+00	4.71E-02	2.48E-07	1.0E+06	2.5E-01
268	0.90078	4.66E-03	4.2E-03	6.05E-04	2.54E-06	1.91E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
269	0.8422	4.66E-03	3.9E-03	6.05E-04	2.37E-06	1.91E+00	4.71E-02	2.14E-07	1.0E+06	2.1E-01
270	0.20609	4.66E-03	9.6E-04	6.05E-04	5.81E-07	1.91E+00	4.71E-02	5.23E-08	1.0E+06	5.2E-02
271	0.22236	4.66E-03	1.0E-03	6.05E-04	6.26E-07	1.91E+00	4.71E-02	5.64E-08	1.0E+06	5.6E-02
272	0.2426	4.66E-03	1.1E-03	6.05E-04	6.83E-07	1.91E+00	4.71E-02	6.16E-08	1.0E+06	6.2E-02
273	0.26659	4.66E-03	1.2E-03	6.05E-04	7.51E-07	1.91E+00	4.71E-02	6.77E-08	1.0E+06	6.8E-02
274	0.31843	4.66E-03	1.5E-03	6.05E-04	8.97E-07	1.91E+00	4.71E-02	8.08E-08	1.0E+06	8.1E-02
275	0.36509	4.66E-03	1.7E-03	6.05E-04	1.03E-06	1.91E+00	4.71E-02	9.27E-08	1.0E+06	9.3E-02
276	0.38581	4.66E-03	1.8E-03	6.05E-04	1.09E-06	1.91E+00	4.71E-02	9.79E-08	1.0E+06	9.8E-02
277	0.43917	4.66E-03	2.0E-03	6.05E-04	1.24E-06	1.91E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
278	0.50889	4.66E-03	2.4E-03	6.05E-04	1.43E-06	1.91E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01
279	0.5928	4.66E-03	2.8E-03	6.05E-04	1.67E-06	1.91E+00	4.71E-02	1.50E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.69196	4.66E-03	3.2E-03	6.05E-04	1.95E-06	1.91E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01
281	0.77845	4.66E-03	3.6E-03	6.05E-04	2.19E-06	1.91E+00	4.71E-02	1.98E-07	1.0E+06	2.0E-01
282	0.83812	4.66E-03	3.9E-03	6.05E-04	2.36E-06	1.91E+00	4.71E-02	2.13E-07	1.0E+06	2.1E-01
283	0.86573	4.66E-03	4.0E-03	6.05E-04	2.44E-06	1.91E+00	4.71E-02	2.20E-07	1.0E+06	2.2E-01
284	0.85995	4.66E-03	4.0E-03	6.05E-04	2.42E-06	1.91E+00	4.71E-02	2.18E-07	1.0E+06	2.2E-01
285	0.82472	4.66E-03	3.8E-03	6.05E-04	2.32E-06	1.91E+00	4.71E-02	2.09E-07	1.0E+06	2.1E-01
286	0.76997	4.66E-03	3.6E-03	6.05E-04	2.17E-06	1.91E+00	4.71E-02	1.95E-07	1.0E+06	2.0E-01
287	0.7249	4.66E-03	3.4E-03	6.05E-04	2.04E-06	1.91E+00	4.71E-02	1.84E-07	1.0E+06	1.8E-01
288	0.19179	4.66E-03	8.9E-04	6.05E-04	5.40E-07	1.91E+00	4.71E-02	4.87E-08	1.0E+06	4.9E-02
289	0.20415	4.66E-03	9.5E-04	6.05E-04	5.75E-07	1.91E+00	4.71E-02	5.18E-08	1.0E+06	5.2E-02
290	0.22731	4.66E-03	1.1E-03	6.05E-04	6.40E-07	1.91E+00	4.71E-02	5.77E-08	1.0E+06	5.8E-02
291	0.25153	4.66E-03	1.2E-03	6.05E-04	7.09E-07	1.91E+00	4.71E-02	6.38E-08	1.0E+06	6.4E-02
292	0.31346	4.66E-03	1.5E-03	6.05E-04	8.83E-07	1.91E+00	4.71E-02	7.96E-08	1.0E+06	8.0E-02
293	0.33705	4.66E-03	1.6E-03	6.05E-04	9.49E-07	1.91E+00	4.71E-02	8.56E-08	1.0E+06	8.6E-02
294	0.3399	4.66E-03	1.6E-03	6.05E-04	9.57E-07	1.91E+00	4.71E-02	8.63E-08	1.0E+06	8.6E-02
295	0.38573	4.66E-03	1.8E-03	6.05E-04	1.09E-06	1.91E+00	4.71E-02	9.79E-08	1.0E+06	9.8E-02
296	0.44174	4.66E-03	2.1E-03	6.05E-04	1.24E-06	1.91E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
297	0.4983	4.66E-03	2.3E-03	6.05E-04	1.40E-06	1.91E+00	4.71E-02	1.26E-07	1.0E+06	1.3E-01
298	0.56731	4.66E-03	2.6E-03	6.05E-04	1.60E-06	1.91E+00	4.71E-02	1.44E-07	1.0E+06	1.4E-01
299	0.64127	4.66E-03	3.0E-03	6.05E-04	1.81E-06	1.91E+00	4.71E-02	1.63E-07	1.0E+06	1.6E-01
300	0.69	4.66E-03	3.2E-03	6.05E-04	1.94E-06	1.91E+00	4.71E-02	1.75E-07	1.0E+06	1.8E-01
301	0.72301	4.66E-03	3.4E-03	6.05E-04	2.04E-06	1.91E+00	4.71E-02	1.84E-07	1.0E+06	1.8E-01
302	0.7295	4.66E-03	3.4E-03	6.05E-04	2.05E-06	1.91E+00	4.71E-02	1.85E-07	1.0E+06	1.9E-01
303	0.7107	4.66E-03	3.3E-03	6.05E-04	2.00E-06	1.91E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
304	0.67196	4.66E-03	3.1E-03	6.05E-04	1.89E-06	1.91E+00	4.71E-02	1.71E-07	1.0E+06	1.7E-01
305	0.63256	4.66E-03	2.9E-03	6.05E-04	1.78E-06	1.91E+00	4.71E-02	1.61E-07	1.0E+06	1.6E-01
306	0.19076	4.66E-03	8.9E-04	6.05E-04	5.37E-07	1.91E+00	4.71E-02	4.84E-08	1.0E+06	4.8E-02
307	0.1965	4.66E-03	9.1E-04	6.05E-04	5.54E-07	1.91E+00	4.71E-02	4.99E-08	1.0E+06	5.0E-02
308	0.21163	4.66E-03	9.9E-04	6.05E-04	5.96E-07	1.91E+00	4.71E-02	5.37E-08	1.0E+06	5.4E-02
309	0.24993	4.66E-03	1.2E-03	6.05E-04	7.04E-07	1.91E+00	4.71E-02	6.34E-08	1.0E+06	6.3E-02
310	0.2892	4.66E-03	1.3E-03	6.05E-04	8.15E-07	1.91E+00	4.71E-02	7.34E-08	1.0E+06	7.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.30706	4.66E-03	1.4E-03	6.05E-04	8.65E-07	1.91E+00	4.71E-02	7.79E-08	1.0E+06	7.8E-02
312	0.30302	4.66E-03	1.4E-03	6.05E-04	8.54E-07	1.91E+00	4.71E-02	7.69E-08	1.0E+06	7.7E-02
313	0.34058	4.66E-03	1.6E-03	6.05E-04	9.59E-07	1.91E+00	4.71E-02	8.65E-08	1.0E+06	8.6E-02
314	0.38571	4.66E-03	1.8E-03	6.05E-04	1.09E-06	1.91E+00	4.71E-02	9.79E-08	1.0E+06	9.8E-02
315	0.44619	4.66E-03	2.1E-03	6.05E-04	1.26E-06	1.91E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01
316	0.48737	4.66E-03	2.3E-03	6.05E-04	1.37E-06	1.91E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
317	0.53274	4.66E-03	2.5E-03	6.05E-04	1.50E-06	1.91E+00	4.71E-02	1.35E-07	1.0E+06	1.4E-01
318	0.57567	4.66E-03	2.7E-03	6.05E-04	1.62E-06	1.91E+00	4.71E-02	1.46E-07	1.0E+06	1.5E-01
319	0.61162	4.66E-03	2.8E-03	6.05E-04	1.72E-06	1.91E+00	4.71E-02	1.55E-07	1.0E+06	1.6E-01
320	0.62978	4.66E-03	2.9E-03	6.05E-04	1.77E-06	1.91E+00	4.71E-02	1.60E-07	1.0E+06	1.6E-01
321	0.61772	4.66E-03	2.9E-03	6.05E-04	1.74E-06	1.91E+00	4.71E-02	1.57E-07	1.0E+06	1.6E-01
322	0.58947	4.66E-03	2.7E-03	6.05E-04	1.66E-06	1.91E+00	4.71E-02	1.50E-07	1.0E+06	1.5E-01
323	0.55418	4.66E-03	2.6E-03	6.05E-04	1.56E-06	1.91E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01
324	0.17901	4.66E-03	8.3E-04	6.05E-04	5.04E-07	1.91E+00	4.71E-02	4.54E-08	1.0E+06	4.5E-02
325	0.19809	4.66E-03	9.2E-04	6.05E-04	5.58E-07	1.91E+00	4.71E-02	5.03E-08	1.0E+06	5.0E-02
326	0.21043	4.66E-03	9.8E-04	6.05E-04	5.93E-07	1.91E+00	4.71E-02	5.34E-08	1.0E+06	5.3E-02
327	0.22027	4.66E-03	1.0E-03	6.05E-04	6.20E-07	1.91E+00	4.71E-02	5.59E-08	1.0E+06	5.6E-02
328	0.27094	4.66E-03	1.3E-03	6.05E-04	7.63E-07	1.91E+00	4.71E-02	6.88E-08	1.0E+06	6.9E-02
329	0.28116	4.66E-03	1.3E-03	6.05E-04	7.92E-07	1.91E+00	4.71E-02	7.14E-08	1.0E+06	7.1E-02
330	0.27877	4.66E-03	1.3E-03	6.05E-04	7.85E-07	1.91E+00	4.71E-02	7.08E-08	1.0E+06	7.1E-02
331	0.31121	4.66E-03	1.4E-03	6.05E-04	8.77E-07	1.91E+00	4.71E-02	7.90E-08	1.0E+06	7.9E-02
332	0.34977	4.66E-03	1.6E-03	6.05E-04	9.85E-07	1.91E+00	4.71E-02	8.88E-08	1.0E+06	8.9E-02
333	0.40012	4.66E-03	1.9E-03	6.05E-04	1.13E-06	1.91E+00	4.71E-02	1.02E-07	1.0E+06	1.0E-01
334	0.44075	4.66E-03	2.1E-03	6.05E-04	1.24E-06	1.91E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
335	0.47966	4.66E-03	2.2E-03	6.05E-04	1.35E-06	1.91E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01
336	1.97471	4.66E-03	9.2E-03	6.05E-04	5.56E-06	1.91E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
337	1.3422	4.66E-03	6.2E-03	6.05E-04	3.78E-06	1.91E+00	4.71E-02	3.41E-07	1.0E+06	3.4E-01
338	0.56668	4.66E-03	2.6E-03	6.05E-04	1.60E-06	1.91E+00	4.71E-02	1.44E-07	1.0E+06	1.4E-01
339	0.57604	4.66E-03	2.7E-03	6.05E-04	1.62E-06	1.91E+00	4.71E-02	1.46E-07	1.0E+06	1.5E-01
340	0.5775	4.66E-03	2.7E-03	6.05E-04	1.63E-06	1.91E+00	4.71E-02	1.47E-07	1.0E+06	1.5E-01
341	0.57069	4.66E-03	2.7E-03	6.05E-04	1.61E-06	1.91E+00	4.71E-02	1.45E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

					Cancer Risk from 2to16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.55721	4.66E-03	2.6E-03	6.05E-04	1.57E-06	1.91E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01
343	0.51363	4.66E-03	2.4E-03	6.05E-04	1.45E-06	1.91E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
344	0.48828	4.66E-03	2.3E-03	6.05E-04	1.38E-06	1.91E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
345	0.45971	4.66E-03	2.1E-03	6.05E-04	1.29E-06	1.91E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
346	0.42748	4.66E-03	2.0E-03	6.05E-04	1.20E-06	1.91E+00	4.71E-02	1.09E-07	1.0E+06	1.1E-01
347	0.69458	4.66E-03	3.2E-03	6.05E-04	1.96E-06	1.91E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01
348	0.71117	4.66E-03	3.3E-03	6.05E-04	2.00E-06	1.91E+00	4.71E-02	1.81E-07	1.0E+06	1.8E-01
349	0.71014	4.66E-03	3.3E-03	6.05E-04	2.00E-06	1.91E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
350	0.69693	4.66E-03	3.2E-03	6.05E-04	1.96E-06	1.91E+00	4.71E-02	1.77E-07	1.0E+06	1.8E-01
351	0.68051	4.66E-03	3.2E-03	6.05E-04	1.92E-06	1.91E+00	4.71E-02	1.73E-07	1.0E+06	1.7E-01
352	0.61121	4.66E-03	2.8E-03	6.05E-04	1.72E-06	1.91E+00	4.71E-02	1.55E-07	1.0E+06	1.6E-01
353	0.57261	4.66E-03	2.7E-03	6.05E-04	1.61E-06	1.91E+00	4.71E-02	1.45E-07	1.0E+06	1.5E-01
354	0.52467	4.66E-03	2.4E-03	6.05E-04	1.48E-06	1.91E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
355	0.48312	4.66E-03	2.2E-03	6.05E-04	1.36E-06	1.91E+00	4.71E-02	1.23E-07	1.0E+06	1.2E-01
356	0.87356	4.66E-03	4.1E-03	6.05E-04	2.46E-06	1.91E+00	4.71E-02	2.22E-07	1.0E+06	2.2E-01
357	0.90521	4.66E-03	4.2E-03	6.05E-04	2.55E-06	1.91E+00	4.71E-02	2.30E-07	1.0E+06	2.3E-01
358	0.90366	4.66E-03	4.2E-03	6.05E-04	2.55E-06	1.91E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
359	0.88428	4.66E-03	4.1E-03	6.05E-04	2.49E-06	1.91E+00	4.71E-02	2.24E-07	1.0E+06	2.2E-01
360	0.84786	4.66E-03	3.9E-03	6.05E-04	2.39E-06	1.91E+00	4.71E-02	2.15E-07	1.0E+06	2.2E-01
361	0.73319	4.66E-03	3.4E-03	6.05E-04	2.07E-06	1.91E+00	4.71E-02	1.86E-07	1.0E+06	1.9E-01
362	0.67477	4.66E-03	3.1E-03	6.05E-04	1.90E-06	1.91E+00	4.71E-02	1.71E-07	1.0E+06	1.7E-01
363	0.6046	4.66E-03	2.8E-03	6.05E-04	1.70E-06	1.91E+00	4.71E-02	1.53E-07	1.0E+06	1.5E-01
364	1.13942	4.66E-03	5.3E-03	6.05E-04	3.21E-06	1.91E+00	4.71E-02	2.89E-07	1.0E+06	2.9E-01
365	1.17169	4.66E-03	5.5E-03	6.05E-04	3.30E-06	1.91E+00	4.71E-02	2.97E-07	1.0E+06	3.0E-01
366	1.1846	4.66E-03	5.5E-03	6.05E-04	3.34E-06	1.91E+00	4.71E-02	3.01E-07	1.0E+06	3.0E-01
367	1.14583	4.66E-03	5.3E-03	6.05E-04	3.23E-06	1.91E+00	4.71E-02	2.91E-07	1.0E+06	2.9E-01
368	1.08139	4.66E-03	5.0E-03	6.05E-04	3.05E-06	1.91E+00	4.71E-02	2.74E-07	1.0E+06	2.7E-01
369	0.89181	4.66E-03	4.2E-03	6.05E-04	2.51E-06	1.91E+00	4.71E-02	2.26E-07	1.0E+06	2.3E-01
370	0.70809	4.66E-03	3.3E-03	6.05E-04	1.99E-06	1.91E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
371	0.61897	4.66E-03	2.9E-03	6.05E-04	1.74E-06	1.91E+00	4.71E-02	1.57E-07	1.0E+06	1.6E-01
372	1.57861	4.66E-03	7.3E-03	6.05E-04	4.45E-06	1.91E+00	4.71E-02	4.01E-07	1.0E+06	4.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	1.61119	4.66E-03	7.5E-03	6.05E-04	4.54E-06	1.91E+00	4.71E-02	4.09E-07	1.0E+06	4.1E-01
374	1.61527	4.66E-03	7.5E-03	6.05E-04	4.55E-06	1.91E+00	4.71E-02	4.10E-07	1.0E+06	4.1E-01
375	1.53816	4.66E-03	7.2E-03	6.05E-04	4.33E-06	1.91E+00	4.71E-02	3.90E-07	1.0E+06	3.9E-01
376	1.41279	4.66E-03	6.6E-03	6.05E-04	3.98E-06	1.91E+00	4.71E-02	3.59E-07	1.0E+06	3.6E-01
377	1.25649	4.66E-03	5.8E-03	6.05E-04	3.54E-06	1.91E+00	4.71E-02	3.19E-07	1.0E+06	3.2E-01
378	1.10053	4.66E-03	5.1E-03	6.05E-04	3.10E-06	1.91E+00	4.71E-02	2.79E-07	1.0E+06	2.8E-01
379	0.81264	4.66E-03	3.8E-03	6.05E-04	2.29E-06	1.91E+00	4.71E-02	2.06E-07	1.0E+06	2.1E-01
380	0.69418	4.66E-03	3.2E-03	6.05E-04	1.96E-06	1.91E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01
381	0.59082	4.66E-03	2.8E-03	6.05E-04	1.66E-06	1.91E+00	4.71E-02	1.50E-07	1.0E+06	1.5E-01
382	2.3504	4.66E-03	1.1E-02	6.05E-04	6.62E-06	1.91E+00	4.71E-02	5.97E-07	1.0E+06	6.0E-01
383	2.39027	4.66E-03	1.1E-02	6.05E-04	6.73E-06	1.91E+00	4.71E-02	6.07E-07	1.0E+06	6.1E-01
384	2.32804	4.66E-03	1.1E-02	6.05E-04	6.56E-06	1.91E+00	4.71E-02	5.91E-07	1.0E+06	5.9E-01
385	2.15915	4.66E-03	1.0E-02	6.05E-04	6.08E-06	1.91E+00	4.71E-02	5.48E-07	1.0E+06	5.5E-01
386	1.91749	4.66E-03	8.9E-03	6.05E-04	5.40E-06	1.91E+00	4.71E-02	4.87E-07	1.0E+06	4.9E-01
387	1.62751	4.66E-03	7.6E-03	6.05E-04	4.58E-06	1.91E+00	4.71E-02	4.13E-07	1.0E+06	4.1E-01
388	1.3592	4.66E-03	6.3E-03	6.05E-04	3.83E-06	1.91E+00	4.71E-02	3.45E-07	1.0E+06	3.5E-01
389	0.91334	4.66E-03	4.3E-03	6.05E-04	2.57E-06	1.91E+00	4.71E-02	2.32E-07	1.0E+06	2.3E-01
390	0.75131	4.66E-03	3.5E-03	6.05E-04	2.12E-06	1.91E+00	4.71E-02	1.91E-07	1.0E+06	1.9E-01
391	0.62456	4.66E-03	2.9E-03	6.05E-04	1.76E-06	1.91E+00	4.71E-02	1.59E-07	1.0E+06	1.6E-01
392	0.51197	4.66E-03	2.4E-03	6.05E-04	1.44E-06	1.91E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
393	3.34299	4.66E-03	1.6E-02	6.05E-04	9.42E-06	1.91E+00	4.71E-02	8.49E-07	1.0E+06	8.5E-01
394	3.3105	4.66E-03	1.5E-02	6.05E-04	9.33E-06	1.91E+00	4.71E-02	8.40E-07	1.0E+06	8.4E-01
395	2.91282	4.66E-03	1.4E-02	6.05E-04	8.21E-06	1.91E+00	4.71E-02	7.39E-07	1.0E+06	7.4E-01
396	2.55551	4.66E-03	1.2E-02	6.05E-04	7.20E-06	1.91E+00	4.71E-02	6.49E-07	1.0E+06	6.5E-01
397	2.04418	4.66E-03	9.5E-03	6.05E-04	5.76E-06	1.91E+00	4.71E-02	5.19E-07	1.0E+06	5.2E-01
398	1.60012	4.66E-03	7.4E-03	6.05E-04	4.51E-06	1.91E+00	4.71E-02	4.06E-07	1.0E+06	4.1E-01
399	1.27678	4.66E-03	5.9E-03	6.05E-04	3.60E-06	1.91E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01
400	0.99864	4.66E-03	4.6E-03	6.05E-04	2.81E-06	1.91E+00	4.71E-02	2.53E-07	1.0E+06	2.5E-01
401	0.7939	4.66E-03	3.7E-03	6.05E-04	2.24E-06	1.91E+00	4.71E-02	2.02E-07	1.0E+06	2.0E-01
402	0.51625	4.66E-03	2.4E-03	6.05E-04	1.45E-06	1.91E+00	4.71E-02	1.31E-07	1.0E+06	1.3E-01
403	1.06396	4.66E-03	5.0E-03	6.05E-04	3.00E-06	1.91E+00	4.71E-02	2.70E-07	1.0E+06	2.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.53137	4.66E-03	2.5E-03	6.05E-04	1.50E-06	1.91E+00	4.71E-02	1.35E-07	1.0E+06	1.3E-01
405	0.43135	4.66E-03	2.0E-03	6.05E-04	1.22E-06	1.91E+00	4.71E-02	1.09E-07	1.0E+06	1.1E-01
406	1.05891	4.66E-03	4.9E-03	6.05E-04	2.98E-06	1.91E+00	4.71E-02	2.69E-07	1.0E+06	2.7E-01
407	0.41789	4.66E-03	1.9E-03	6.05E-04	1.18E-06	1.91E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
408	1.00415	4.66E-03	4.7E-03	6.05E-04	2.83E-06	1.91E+00	4.71E-02	2.55E-07	1.0E+06	2.5E-01
409	0.40251	4.66E-03	1.9E-03	6.05E-04	1.13E-06	1.91E+00	4.71E-02	1.02E-07	1.0E+06	1.0E-01
410	0.92328	4.66E-03	4.3E-03	6.05E-04	2.60E-06	1.91E+00	4.71E-02	2.34E-07	1.0E+06	2.3E-01
411	0.46728	4.66E-03	2.2E-03	6.05E-04	1.32E-06	1.91E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
412	0.39358	4.66E-03	1.8E-03	6.05E-04	1.11E-06	1.91E+00	4.71E-02	9.99E-08	1.0E+06	1.0E-01
413	0.83985	4.66E-03	3.9E-03	6.05E-04	2.37E-06	1.91E+00	4.71E-02	2.13E-07	1.0E+06	2.1E-01
414	0.53129	4.66E-03	2.5E-03	6.05E-04	1.50E-06	1.91E+00	4.71E-02	1.35E-07	1.0E+06	1.3E-01
415	0.44137	4.66E-03	2.1E-03	6.05E-04	1.24E-06	1.91E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
416	0.3746	4.66E-03	1.7E-03	6.05E-04	1.06E-06	1.91E+00	4.71E-02	9.51E-08	1.0E+06	9.5E-02
417	0.764	4.66E-03	3.6E-03	6.05E-04	2.15E-06	1.91E+00	4.71E-02	1.94E-07	1.0E+06	1.9E-01
418	0.41536	4.66E-03	1.9E-03	6.05E-04	1.17E-06	1.91E+00	4.71E-02	1.05E-07	1.0E+06	1.1E-01
419	0.35519	4.66E-03	1.7E-03	6.05E-04	1.00E-06	1.91E+00	4.71E-02	9.02E-08	1.0E+06	9.0E-02
420	0.30691	4.66E-03	1.4E-03	6.05E-04	8.65E-07	1.91E+00	4.71E-02	7.79E-08	1.0E+06	7.8E-02
421	0.69682	4.66E-03	3.2E-03	6.05E-04	1.96E-06	1.91E+00	4.71E-02	1.77E-07	1.0E+06	1.8E-01
422	0.33554	4.66E-03	1.6E-03	6.05E-04	9.45E-07	1.91E+00	4.71E-02	8.52E-08	1.0E+06	8.5E-02
423	0.29285	4.66E-03	1.4E-03	6.05E-04	8.25E-07	1.91E+00	4.71E-02	7.43E-08	1.0E+06	7.4E-02
424	0.63653	4.66E-03	3.0E-03	6.05E-04	1.79E-06	1.91E+00	4.71E-02	1.62E-07	1.0E+06	1.6E-01
425	0.27805	4.66E-03	1.3E-03	6.05E-04	7.83E-07	1.91E+00	4.71E-02	7.06E-08	1.0E+06	7.1E-02
426	0.2461	4.66E-03	1.1E-03	6.05E-04	6.93E-07	1.91E+00	4.71E-02	6.25E-08	1.0E+06	6.2E-02
427	0.58149	4.66E-03	2.7E-03	6.05E-04	1.64E-06	1.91E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
428	0.26331	4.66E-03	1.2E-03	6.05E-04	7.42E-07	1.91E+00	4.71E-02	6.68E-08	1.0E+06	6.7E-02
429	0.23466	4.66E-03	1.1E-03	6.05E-04	6.61E-07	1.91E+00	4.71E-02	5.96E-08	1.0E+06	6.0E-02
430	0.53238	4.66E-03	2.5E-03	6.05E-04	1.50E-06	1.91E+00	4.71E-02	1.35E-07	1.0E+06	1.4E-01
431	0.22324	4.66E-03	1.0E-03	6.05E-04	6.29E-07	1.91E+00	4.71E-02	5.67E-08	1.0E+06	5.7E-02
432	0.19965	4.66E-03	9.3E-04	6.05E-04	5.62E-07	1.91E+00	4.71E-02	5.07E-08	1.0E+06	5.1E-02
433	0.48697	4.66E-03	2.3E-03	6.05E-04	1.37E-06	1.91E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
434	0.21223	4.66E-03	9.9E-04	6.05E-04	5.98E-07	1.91E+00	4.71E-02	5.39E-08	1.0E+06	5.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

					Cancer Risk from 2to16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.19185	4.66E-03	8.9E-04	6.05E-04	5.40E-07	1.91E+00	4.71E-02	4.87E-08	1.0E+06	4.9E-02
436	0.44624	4.66E-03	2.1E-03	6.05E-04	1.26E-06	1.91E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01
437	0.22439	4.66E-03	1.0E-03	6.05E-04	6.32E-07	1.91E+00	4.71E-02	5.70E-08	1.0E+06	5.7E-02
438	0.20209	4.66E-03	9.4E-04	6.05E-04	5.69E-07	1.91E+00	4.71E-02	5.13E-08	1.0E+06	5.1E-02
439	0.18334	4.66E-03	8.5E-04	6.05E-04	5.16E-07	1.91E+00	4.71E-02	4.65E-08	1.0E+06	4.7E-02
440	0.40907	4.66E-03	1.9E-03	6.05E-04	1.15E-06	1.91E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
441	0.27118	4.66E-03	1.3E-03	6.05E-04	7.64E-07	1.91E+00	4.71E-02	6.88E-08	1.0E+06	6.9E-02
442	0.23821	4.66E-03	1.1E-03	6.05E-04	6.71E-07	1.91E+00	4.71E-02	6.05E-08	1.0E+06	6.0E-02
443	0.21314	4.66E-03	9.9E-04	6.05E-04	6.00E-07	1.91E+00	4.71E-02	5.41E-08	1.0E+06	5.4E-02
444	0.19231	4.66E-03	9.0E-04	6.05E-04	5.42E-07	1.91E+00	4.71E-02	4.88E-08	1.0E+06	4.9E-02
445	0.37579	4.66E-03	1.7E-03	6.05E-04	1.06E-06	1.91E+00	4.71E-02	9.54E-08	1.0E+06	9.5E-02
446	0.28688	4.66E-03	1.3E-03	6.05E-04	8.08E-07	1.91E+00	4.71E-02	7.28E-08	1.0E+06	7.3E-02
447	0.25315	4.66E-03	1.2E-03	6.05E-04	7.13E-07	1.91E+00	4.71E-02	6.43E-08	1.0E+06	6.4E-02
448	0.22535	4.66E-03	1.0E-03	6.05E-04	6.35E-07	1.91E+00	4.71E-02	5.72E-08	1.0E+06	5.7E-02
449	0.34584	4.66E-03	1.6E-03	6.05E-04	9.74E-07	1.91E+00	4.71E-02	8.78E-08	1.0E+06	8.8E-02
450	0.30476	4.66E-03	1.4E-03	6.05E-04	8.58E-07	1.91E+00	4.71E-02	7.74E-08	1.0E+06	7.7E-02
451	0.26899	4.66E-03	1.3E-03	6.05E-04	7.58E-07	1.91E+00	4.71E-02	6.83E-08	1.0E+06	6.8E-02
452	0.31885	4.66E-03	1.5E-03	6.05E-04	8.98E-07	1.91E+00	4.71E-02	8.09E-08	1.0E+06	8.1E-02
453	0.28372	4.66E-03	1.3E-03	6.05E-04	7.99E-07	1.91E+00	4.71E-02	7.20E-08	1.0E+06	7.2E-02
454	0.15144	4.66E-03	7.1E-04	6.05E-04	4.27E-07	1.91E+00	4.71E-02	3.84E-08	1.0E+06	3.8E-02
455	0.14078	4.66E-03	6.6E-04	6.05E-04	3.97E-07	1.91E+00	4.71E-02	3.57E-08	1.0E+06	3.6E-02
456	0.29447	4.66E-03	1.4E-03	6.05E-04	8.30E-07	1.91E+00	4.71E-02	7.47E-08	1.0E+06	7.5E-02
457	0.26431	4.66E-03	1.2E-03	6.05E-04	7.45E-07	1.91E+00	4.71E-02	6.71E-08	1.0E+06	6.7E-02
458	0.23625	4.66E-03	1.1E-03	6.05E-04	6.66E-07	1.91E+00	4.71E-02	6.00E-08	1.0E+06	6.0E-02
459	0.1733	4.66E-03	8.1E-04	6.05E-04	4.88E-07	1.91E+00	4.71E-02	4.40E-08	1.0E+06	4.4E-02
460	0.15877	4.66E-03	7.4E-04	6.05E-04	4.47E-07	1.91E+00	4.71E-02	4.03E-08	1.0E+06	4.0E-02
461	0.14598	4.66E-03	6.8E-04	6.05E-04	4.11E-07	1.91E+00	4.71E-02	3.71E-08	1.0E+06	3.7E-02
462	0.1348	4.66E-03	6.3E-04	6.05E-04	3.80E-07	1.91E+00	4.71E-02	3.42E-08	1.0E+06	3.4E-02
463	1.839	4.66E-03	8.6E-03	6.05E-04	5.18E-06	1.91E+00	4.71E-02	4.67E-07	1.0E+06	4.7E-01
464	1.26957	4.66E-03	5.9E-03	6.05E-04	3.58E-06	1.91E+00	4.71E-02	3.22E-07	1.0E+06	3.2E-01
465	1.59928	4.66E-03	7.4E-03	6.05E-04	4.51E-06	1.91E+00	4.71E-02	4.06E-07	1.0E+06	4.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	1.09342	4.66E-03	5.1E-03	6.05E-04	3.08E-06	1.91E+00	4.71E-02	2.78E-07	1.0E+06	2.8E-01
467	1.16993	4.66E-03	5.4E-03	6.05E-04	3.30E-06	1.91E+00	4.71E-02	2.97E-07	1.0E+06	3.0E-01
468	1.0327	4.66E-03	4.8E-03	6.05E-04	2.91E-06	1.91E+00	4.71E-02	2.62E-07	1.0E+06	2.6E-01
469	0.90979	4.66E-03	4.2E-03	6.05E-04	2.56E-06	1.91E+00	4.71E-02	2.31E-07	1.0E+06	2.3E-01
470	1.01077	4.66E-03	4.7E-03	6.05E-04	2.85E-06	1.91E+00	4.71E-02	2.57E-07	1.0E+06	2.6E-01
471	0.8602	4.66E-03	4.0E-03	6.05E-04	2.42E-06	1.91E+00	4.71E-02	2.18E-07	1.0E+06	2.2E-01
472	0.86823	4.66E-03	4.0E-03	6.05E-04	2.45E-06	1.91E+00	4.71E-02	2.20E-07	1.0E+06	2.2E-01
473	0.71059	4.66E-03	3.3E-03	6.05E-04	2.00E-06	1.91E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
474	0.74975	4.66E-03	3.5E-03	6.05E-04	2.11E-06	1.91E+00	4.71E-02	1.90E-07	1.0E+06	1.9E-01
475	0.63154	4.66E-03	2.9E-03	6.05E-04	1.78E-06	1.91E+00	4.71E-02	1.60E-07	1.0E+06	1.6E-01
476	0.65398	4.66E-03	3.0E-03	6.05E-04	1.84E-06	1.91E+00	4.71E-02	1.66E-07	1.0E+06	1.7E-01
477	0.56323	4.66E-03	2.6E-03	6.05E-04	1.59E-06	1.91E+00	4.71E-02	1.43E-07	1.0E+06	1.4E-01
478	0.57492	4.66E-03	2.7E-03	6.05E-04	1.62E-06	1.91E+00	4.71E-02	1.46E-07	1.0E+06	1.5E-01
479	0.50322	4.66E-03	2.3E-03	6.05E-04	1.42E-06	1.91E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
480	0.43536	4.66E-03	2.0E-03	6.05E-04	1.23E-06	1.91E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
481	0.50912	4.66E-03	2.4E-03	6.05E-04	1.43E-06	1.91E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01
482	0.39729	4.66E-03	1.8E-03	6.05E-04	1.12E-06	1.91E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
483	0.40834	4.66E-03	1.9E-03	6.05E-04	1.15E-06	1.91E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
484	0.36317	4.66E-03	1.7E-03	6.05E-04	1.02E-06	1.91E+00	4.71E-02	9.22E-08	1.0E+06	9.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	2.28E-04
2	5	2.40E-04
3	5	2.53E-04
4	5	2.67E-04
5	5	2.83E-04
6	5	3.04E-04
7	5	3.31E-04
8	5	3.60E-04
9	5	3.93E-04
10	5	4.30E-04
11	5	4.71E-04
12	5	5.09E-04
13	5	5.36E-04
14	5	5.19E-04
15	5	2.60E-04
16	5	2.76E-04
17	5	2.94E-04
18	5	3.13E-04
19	5	3.33E-04
20	5	3.57E-04
21	5	3.85E-04
22	5	4.20E-04
23	5	4.67E-04
24	5	5.10E-04
25	5	5.68E-04
26	5	6.21E-04
27	5	6.54E-04
28	5	6.32E-04
29	5	2.91E-04
30	5	3.15E-04
31	5	3.42E-04

Max	Receptor #	
0.013	145	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	3.72E-04
33	5	3.97E-04
34	5	4.29E-04
35	5	4.63E-04
36	5	5.07E-04
37	5	5.61E-04
38	5	6.29E-04
39	5	7.02E-04
40	5	7.68E-04
41	5	8.21E-04
42	5	7.84E-04
43	5	3.18E-04
44	5	3.49E-04
45	5	3.88E-04
46	5	4.32E-04
47	5	4.74E-04
48	5	5.20E-04
49	5	5.67E-04
50	5	6.20E-04
51	5	7.06E-04
52	5	7.93E-04
53	5	9.00E-04
54	5	9.99E-04
55	5	1.08E-03
56	5	9.86E-04
57	5	3.37E-04
58	5	3.80E-04
59	5	4.34E-04
60	5	4.95E-04
61	5	5.64E-04
62	5	6.40E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	7.28E-04
64	5	7.96E-04
65	5	9.17E-04
66	5	1.06E-03
67	5	1.20E-03
68	5	1.37E-03
69	5	1.50E-03
70	5	3.59E-04
71	5	4.11E-04
72	5	4.80E-04
73	5	5.58E-04
74	5	6.58E-04
75	5	7.76E-04
76	5	9.27E-04
77	5	1.08E-03
78	5	1.29E-03
79	5	1.61E-03
80	5	1.82E-03
81	5	2.11E-03
82	5	2.26E-03
83	5	3.79E-04
84	5	4.48E-04
85	5	5.32E-04
86	5	6.14E-04
87	5	7.38E-04
88	5	9.07E-04
89	5	1.14E-03
90	5	1.48E-03
91	5	1.94E-03
92	5	2.49E-03
93	5	3.04E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	3.45E-03
95	5	3.70E-03
96	5	3.98E-04
97	5	4.70E-04
98	5	5.57E-04
99	5	6.69E-04
100	5	8.14E-04
101	5	1.04E-03
102	5	1.39E-03
103	5	1.97E-03
104	5	2.96E-03
105	5	4.50E-03
106	5	5.91E-03
107	5	6.75E-03
108	5	7.17E-03
109	5	3.96E-04
110	5	4.66E-04
111	5	5.55E-04
112	5	6.78E-04
113	5	8.57E-04
114	5	1.13E-03
115	5	1.59E-03
116	5	2.52E-03
117	5	4.99E-03
118	5	5.91E-03
119	5	9.39E-03
120	5	1.05E-02
121	5	1.03E-02
122	5	3.76E-04
123	5	4.45E-04
124	5	5.38E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	6.64E-04
126	5	8.44E-04
127	5	1.12E-03
128	5	1.56E-03
129	5	2.54E-03
130	5	6.21E-03
131	5	2.03E-03
132	5	1.43E-03
133	5	3.47E-04
134	5	4.17E-04
135	5	5.06E-04
136	5	6.24E-04
137	5	7.91E-04
138	5	1.04E-03
139	5	1.41E-03
140	5	2.17E-03
141	5	4.25E-03
142	5	5.98E-03
143	5	9.47E-03
144	5	1.25E-02
145	5	1.26E-02
146	5	2.00E-03
147	5	3.19E-04
148	5	3.80E-04
149	5	4.62E-04
150	5	5.66E-04
151	5	7.16E-04
152	5	9.15E-04
153	5	1.21E-03
154	5	1.75E-03
155	5	2.87E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	4.90E-03
157	5	6.44E-03
158	5	6.78E-03
159	5	7.38E-03
160	5	2.98E-04
161	5	3.47E-04
162	5	4.04E-04
163	5	4.99E-04
164	5	6.34E-04
165	5	7.94E-04
166	5	1.03E-03
167	5	1.39E-03
168	5	1.99E-03
169	5	2.88E-03
170	5	3.66E-03
171	5	4.03E-03
172	5	4.24E-03
173	5	4.34E-03
174	5	4.32E-03
175	5	3.87E-03
176	5	3.06E-03
177	5	2.14E-03
178	5	1.43E-03
179	5	2.70E-04
180	5	3.08E-04
181	5	3.48E-04
182	5	4.35E-04
183	5	5.62E-04
184	5	6.91E-04
185	5	8.75E-04
186	5	1.13E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.49E-03
188	5	1.96E-03
189	5	2.40E-03
190	5	2.68E-03
191	5	2.78E-03
192	5	2.80E-03
193	5	2.71E-03
194	5	2.56E-03
195	5	2.20E-03
196	5	1.67E-03
197	5	1.22E-03
198	5	2.50E-04
199	5	2.85E-04
200	5	3.26E-04
201	5	3.85E-04
202	5	4.88E-04
203	5	5.96E-04
204	5	7.40E-04
205	5	9.22E-04
206	5	1.16E-03
207	5	1.45E-03
208	5	1.73E-03
209	5	1.92E-03
210	5	2.02E-03
211	5	2.01E-03
212	5	1.92E-03
213	5	1.73E-03
214	5	1.47E-03
215	5	1.35E-03
216	5	2.36E-04
217	5	2.64E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	3.00E-04
219	5	3.47E-04
220	5	4.25E-04
221	5	5.05E-04
222	5	6.19E-04
223	5	7.51E-04
224	5	9.18E-04
225	5	1.10E-03
226	5	1.29E-03
227	5	1.44E-03
228	5	1.52E-03
229	5	1.53E-03
230	5	1.46E-03
231	5	1.35E-03
232	5	1.19E-03
233	5	1.10E-03
234	5	2.23E-04
235	5	2.45E-04
236	5	2.75E-04
237	5	3.16E-04
238	5	3.72E-04
239	5	4.34E-04
240	5	5.16E-04
241	5	6.17E-04
242	5	7.37E-04
243	5	8.70E-04
244	5	1.01E-03
245	5	1.12E-03
246	5	1.19E-03
247	5	1.21E-03
248	5	1.18E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	1.10E-03
250	5	1.00E-03
251	5	9.27E-04
252	5	2.08E-04
253	5	2.25E-04
254	5	2.47E-04
255	5	2.76E-04
256	5	3.28E-04
257	5	3.64E-04
258	5	4.18E-04
259	5	4.84E-04
260	5	5.79E-04
261	5	6.92E-04
262	5	8.04E-04
263	5	8.90E-04
264	5	9.55E-04
265	5	9.76E-04
266	5	9.62E-04
267	5	9.11E-04
268	5	8.39E-04
269	5	7.84E-04
270	5	1.92E-04
271	5	2.07E-04
272	5	2.26E-04
273	5	2.48E-04
274	5	2.96E-04
275	5	3.40E-04
276	5	3.59E-04
277	5	4.09E-04
278	5	4.74E-04
279	5	5.52E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	6.44E-04
281	5	7.25E-04
282	5	7.80E-04
283	5	8.06E-04
284	5	8.01E-04
285	5	7.68E-04
286	5	7.17E-04
287	5	6.75E-04
288	5	1.79E-04
289	5	1.90E-04
290	5	2.12E-04
291	5	2.34E-04
292	5	2.92E-04
293	5	3.14E-04
294	5	3.16E-04
295	5	3.59E-04
296	5	4.11E-04
297	5	4.64E-04
298	5	5.28E-04
299	5	5.97E-04
300	5	6.42E-04
301	5	6.73E-04
302	5	6.79E-04
303	5	6.62E-04
304	5	6.26E-04
305	5	5.89E-04
306	5	1.78E-04
307	5	1.83E-04
308	5	1.97E-04
309	5	2.33E-04
310	5	2.69E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	2.86E-04
312	5	2.82E-04
313	5	3.17E-04
314	5	3.59E-04
315	5	4.15E-04
316	5	4.54E-04
317	5	4.96E-04
318	5	5.36E-04
319	5	5.69E-04
320	5	5.86E-04
321	5	5.75E-04
322	5	5.49E-04
323	5	5.16E-04
324	5	1.67E-04
325	5	1.84E-04
326	5	1.96E-04
327	5	2.05E-04
328	5	2.52E-04
329	5	2.62E-04
330	5	2.60E-04
331	5	2.90E-04
332	5	3.26E-04
333	5	3.73E-04
334	5	4.10E-04
335	5	4.47E-04
336	5	1.84E-03
337	5	1.25E-03
338	5	5.28E-04
339	5	5.36E-04
340	5	5.38E-04
341	5	5.31E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	5.19E-04
343	5	4.78E-04
344	5	4.55E-04
345	5	4.28E-04
346	5	3.98E-04
347	5	6.47E-04
348	5	6.62E-04
349	5	6.61E-04
350	5	6.49E-04
351	5	6.34E-04
352	5	5.69E-04
353	5	5.33E-04
354	5	4.89E-04
355	5	4.50E-04
356	5	8.13E-04
357	5	8.43E-04
358	5	8.41E-04
359	5	8.23E-04
360	5	7.89E-04
361	5	6.83E-04
362	5	6.28E-04
363	5	5.63E-04
364	5	1.06E-03
365	5	1.09E-03
366	5	1.10E-03
367	5	1.07E-03
368	5	1.01E-03
369	5	8.30E-04
370	5	6.59E-04
371	5	5.76E-04
372	5	1.47E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	1.50E-03
374	5	1.50E-03
375	5	1.43E-03
376	5	1.32E-03
377	5	1.17E-03
378	5	1.02E-03
379	5	7.57E-04
380	5	6.46E-04
381	5	5.50E-04
382	5	2.19E-03
383	5	2.23E-03
384	5	2.17E-03
385	5	2.01E-03
386	5	1.79E-03
387	5	1.52E-03
388	5	1.27E-03
389	5	8.50E-04
390	5	7.00E-04
391	5	5.82E-04
392	5	4.77E-04
393	5	3.11E-03
394	5	3.08E-03
395	5	2.71E-03
396	5	2.38E-03
397	5	1.90E-03
398	5	1.49E-03
399	5	1.19E-03
400	5	9.30E-04
401	5	7.39E-04
402	5	4.81E-04
403	5	9.91E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	4.95E-04
405	5	4.02E-04
406	5	9.86E-04
407	5	3.89E-04
408	5	9.35E-04
409	5	3.75E-04
410	5	8.60E-04
411	5	4.35E-04
412	5	3.66E-04
413	5	7.82E-04
414	5	4.95E-04
415	5	4.11E-04
416	5	3.49E-04
417	5	7.11E-04
418	5	3.87E-04
419	5	3.31E-04
420	5	2.86E-04
421	5	6.49E-04
422	5	3.12E-04
423	5	2.73E-04
424	5	5.93E-04
425	5	2.59E-04
426	5	2.29E-04
427	5	5.41E-04
428	5	2.45E-04
429	5	2.18E-04
430	5	4.96E-04
431	5	2.08E-04
432	5	1.86E-04
433	5	4.53E-04
434	5	1.98E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.79E-04
436	5	4.16E-04
437	5	2.09E-04
438	5	1.88E-04
439	5	1.71E-04
440	5	3.81E-04
441	5	2.53E-04
442	5	2.22E-04
443	5	1.98E-04
444	5	1.79E-04
445	5	3.50E-04
446	5	2.67E-04
447	5	2.36E-04
448	5	2.10E-04
449	5	3.22E-04
450	5	2.84E-04
451	5	2.50E-04
452	5	2.97E-04
453	5	2.64E-04
454	5	1.41E-04
455	5	1.31E-04
456	5	2.74E-04
457	5	2.46E-04
458	5	2.20E-04
459	5	1.61E-04
460	5	1.48E-04
461	5	1.36E-04
462	5	1.26E-04
463	5	1.71E-03
464	5	1.18E-03
465	5	1.49E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	1.02E-03
467	5	1.09E-03
468	5	9.62E-04
469	5	8.47E-04
470	5	9.41E-04
471	5	8.01E-04
472	5	8.08E-04
473	5	6.62E-04
474	5	6.98E-04
475	5	5.88E-04
476	5	6.09E-04
477	5	5.24E-04
478	5	5.35E-04
479	5	4.69E-04
480	5	4.05E-04
481	5	4.74E-04
482	5	3.70E-04
483	5	3.80E-04
484	5	3.38E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24208	1.02E-02	2.5E-03	6.05E-04	1.49E-06	2.09E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02
2	0.26015	1.02E-02	2.6E-03	6.05E-04	1.60E-06	2.09E-01	4.71E-02	1.58E-08	1.0E+06	1.6E-02
3	0.2791	1.02E-02	2.8E-03	6.05E-04	1.72E-06	2.09E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
4	0.29917	1.02E-02	3.0E-03	6.05E-04	1.84E-06	2.09E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
5	0.31982	1.02E-02	3.3E-03	6.05E-04	1.97E-06	2.09E-01	4.71E-02	1.94E-08	1.0E+06	1.9E-02
6	0.34333	1.02E-02	3.5E-03	6.05E-04	2.11E-06	2.09E-01	4.71E-02	2.08E-08	1.0E+06	2.1E-02
7	0.36878	1.02E-02	3.8E-03	6.05E-04	2.27E-06	2.09E-01	4.71E-02	2.24E-08	1.0E+06	2.2E-02
8	0.39664	1.02E-02	4.0E-03	6.05E-04	2.44E-06	2.09E-01	4.71E-02	2.41E-08	1.0E+06	2.4E-02
9	0.42832	1.02E-02	4.4E-03	6.05E-04	2.64E-06	2.09E-01	4.71E-02	2.60E-08	1.0E+06	2.6E-02
10	0.46814	1.02E-02	4.8E-03	6.05E-04	2.88E-06	2.09E-01	4.71E-02	2.84E-08	1.0E+06	2.8E-02
11	0.52197	1.02E-02	5.3E-03	6.05E-04	3.21E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
12	0.59851	1.02E-02	6.1E-03	6.05E-04	3.68E-06	2.09E-01	4.71E-02	3.63E-08	1.0E+06	3.6E-02
13	0.68958	1.02E-02	7.0E-03	6.05E-04	4.24E-06	2.09E-01	4.71E-02	4.18E-08	1.0E+06	4.2E-02
14	0.95843	1.02E-02	9.7E-03	6.05E-04	5.90E-06	2.09E-01	4.71E-02	5.82E-08	1.0E+06	5.8E-02
15	0.26037	1.02E-02	2.6E-03	6.05E-04	1.60E-06	2.09E-01	4.71E-02	1.58E-08	1.0E+06	1.6E-02
16	0.28217	1.02E-02	2.9E-03	6.05E-04	1.74E-06	2.09E-01	4.71E-02	1.71E-08	1.0E+06	1.7E-02
17	0.30728	1.02E-02	3.1E-03	6.05E-04	1.89E-06	2.09E-01	4.71E-02	1.86E-08	1.0E+06	1.9E-02
18	0.33369	1.02E-02	3.4E-03	6.05E-04	2.05E-06	2.09E-01	4.71E-02	2.03E-08	1.0E+06	2.0E-02
19	0.36184	1.02E-02	3.7E-03	6.05E-04	2.23E-06	2.09E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
20	0.39341	1.02E-02	4.0E-03	6.05E-04	2.42E-06	2.09E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
21	0.42795	1.02E-02	4.4E-03	6.05E-04	2.63E-06	2.09E-01	4.71E-02	2.60E-08	1.0E+06	2.6E-02
22	0.46515	1.02E-02	4.7E-03	6.05E-04	2.86E-06	2.09E-01	4.71E-02	2.82E-08	1.0E+06	2.8E-02
23	0.51215	1.02E-02	5.2E-03	6.05E-04	3.15E-06	2.09E-01	4.71E-02	3.11E-08	1.0E+06	3.1E-02
24	0.56234	1.02E-02	5.7E-03	6.05E-04	3.46E-06	2.09E-01	4.71E-02	3.41E-08	1.0E+06	3.4E-02
25	0.63622	1.02E-02	6.5E-03	6.05E-04	3.92E-06	2.09E-01	4.71E-02	3.86E-08	1.0E+06	3.9E-02
26	0.73661	1.02E-02	7.5E-03	6.05E-04	4.53E-06	2.09E-01	4.71E-02	4.47E-08	1.0E+06	4.5E-02
27	0.85488	1.02E-02	8.7E-03	6.05E-04	5.26E-06	2.09E-01	4.71E-02	5.19E-08	1.0E+06	5.2E-02
28	1.27528	1.02E-02	1.3E-02	6.05E-04	7.85E-06	2.09E-01	4.71E-02	7.74E-08	1.0E+06	7.7E-02
29	0.27362	1.02E-02	2.8E-03	6.05E-04	1.68E-06	2.09E-01	4.71E-02	1.66E-08	1.0E+06	1.7E-02
30	0.30057	1.02E-02	3.1E-03	6.05E-04	1.85E-06	2.09E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
31	0.33123	1.02E-02	3.4E-03	6.05E-04	2.04E-06	2.09E-01	4.71E-02	2.01E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.36622	1.02E-02	3.7E-03	6.05E-04	2.25E-06	2.09E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
33	0.40327	1.02E-02	4.1E-03	6.05E-04	2.48E-06	2.09E-01	4.71E-02	2.45E-08	1.0E+06	2.4E-02
34	0.44658	1.02E-02	4.5E-03	6.05E-04	2.75E-06	2.09E-01	4.71E-02	2.71E-08	1.0E+06	2.7E-02
35	0.49429	1.02E-02	5.0E-03	6.05E-04	3.04E-06	2.09E-01	4.71E-02	3.00E-08	1.0E+06	3.0E-02
36	0.54931	1.02E-02	5.6E-03	6.05E-04	3.38E-06	2.09E-01	4.71E-02	3.33E-08	1.0E+06	3.3E-02
37	0.61418	1.02E-02	6.2E-03	6.05E-04	3.78E-06	2.09E-01	4.71E-02	3.73E-08	1.0E+06	3.7E-02
38	0.69237	1.02E-02	7.0E-03	6.05E-04	4.26E-06	2.09E-01	4.71E-02	4.20E-08	1.0E+06	4.2E-02
39	0.79147	1.02E-02	8.0E-03	6.05E-04	4.87E-06	2.09E-01	4.71E-02	4.80E-08	1.0E+06	4.8E-02
40	0.91597	1.02E-02	9.3E-03	6.05E-04	5.64E-06	2.09E-01	4.71E-02	5.56E-08	1.0E+06	5.6E-02
41	1.07705	1.02E-02	1.1E-02	6.05E-04	6.63E-06	2.09E-01	4.71E-02	6.54E-08	1.0E+06	6.5E-02
42	1.77861	1.02E-02	1.8E-02	6.05E-04	1.09E-05	2.09E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
43	0.27954	1.02E-02	2.8E-03	6.05E-04	1.72E-06	2.09E-01	4.71E-02	1.70E-08	1.0E+06	1.7E-02
44	0.30913	1.02E-02	3.1E-03	6.05E-04	1.90E-06	2.09E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
45	0.34534	1.02E-02	3.5E-03	6.05E-04	2.13E-06	2.09E-01	4.71E-02	2.10E-08	1.0E+06	2.1E-02
46	0.38872	1.02E-02	4.0E-03	6.05E-04	2.39E-06	2.09E-01	4.71E-02	2.36E-08	1.0E+06	2.4E-02
47	0.43732	1.02E-02	4.4E-03	6.05E-04	2.69E-06	2.09E-01	4.71E-02	2.65E-08	1.0E+06	2.7E-02
48	0.49359	1.02E-02	5.0E-03	6.05E-04	3.04E-06	2.09E-01	4.71E-02	3.00E-08	1.0E+06	3.0E-02
49	0.55797	1.02E-02	5.7E-03	6.05E-04	3.43E-06	2.09E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
50	0.63243	1.02E-02	6.4E-03	6.05E-04	3.89E-06	2.09E-01	4.71E-02	3.84E-08	1.0E+06	3.8E-02
51	0.73394	1.02E-02	7.5E-03	6.05E-04	4.52E-06	2.09E-01	4.71E-02	4.45E-08	1.0E+06	4.5E-02
52	0.8509	1.02E-02	8.7E-03	6.05E-04	5.24E-06	2.09E-01	4.71E-02	5.16E-08	1.0E+06	5.2E-02
53	1.00391	1.02E-02	1.0E-02	6.05E-04	6.18E-06	2.09E-01	4.71E-02	6.09E-08	1.0E+06	6.1E-02
54	1.20323	1.02E-02	1.2E-02	6.05E-04	7.40E-06	2.09E-01	4.71E-02	7.30E-08	1.0E+06	7.3E-02
55	1.47244	1.02E-02	1.5E-02	6.05E-04	9.06E-06	2.09E-01	4.71E-02	8.94E-08	1.0E+06	8.9E-02
56	2.64917	1.02E-02	2.7E-02	6.05E-04	1.63E-05	2.09E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
57	0.27888	1.02E-02	2.8E-03	6.05E-04	1.72E-06	2.09E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
58	0.31189	1.02E-02	3.2E-03	6.05E-04	1.92E-06	2.09E-01	4.71E-02	1.89E-08	1.0E+06	1.9E-02
59	0.35208	1.02E-02	3.6E-03	6.05E-04	2.17E-06	2.09E-01	4.71E-02	2.14E-08	1.0E+06	2.1E-02
60	0.40013	1.02E-02	4.1E-03	6.05E-04	2.46E-06	2.09E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
61	0.45792	1.02E-02	4.7E-03	6.05E-04	2.82E-06	2.09E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
62	0.52762	1.02E-02	5.4E-03	6.05E-04	3.25E-06	2.09E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.61592	1.02E-02	6.3E-03	6.05E-04	3.79E-06	2.09E-01	4.71E-02	3.74E-08	1.0E+06	3.7E-02
64	0.71239	1.02E-02	7.2E-03	6.05E-04	4.38E-06	2.09E-01	4.71E-02	4.32E-08	1.0E+06	4.3E-02
65	0.8536	1.02E-02	8.7E-03	6.05E-04	5.25E-06	2.09E-01	4.71E-02	5.18E-08	1.0E+06	5.2E-02
66	1.03816	1.02E-02	1.1E-02	6.05E-04	6.39E-06	2.09E-01	4.71E-02	6.30E-08	1.0E+06	6.3E-02
67	1.27404	1.02E-02	1.3E-02	6.05E-04	7.84E-06	2.09E-01	4.71E-02	7.73E-08	1.0E+06	7.7E-02
68	1.63449	1.02E-02	1.7E-02	6.05E-04	1.01E-05	2.09E-01	4.71E-02	9.92E-08	1.0E+06	9.9E-02
69	2.18232	1.02E-02	2.2E-02	6.05E-04	1.34E-05	2.09E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
70	0.27538	1.02E-02	2.8E-03	6.05E-04	1.69E-06	2.09E-01	4.71E-02	1.67E-08	1.0E+06	1.7E-02
71	0.3091	1.02E-02	3.1E-03	6.05E-04	1.90E-06	2.09E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
72	0.35013	1.02E-02	3.6E-03	6.05E-04	2.15E-06	2.09E-01	4.71E-02	2.12E-08	1.0E+06	2.1E-02
73	0.40019	1.02E-02	4.1E-03	6.05E-04	2.46E-06	2.09E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
74	0.46138	1.02E-02	4.7E-03	6.05E-04	2.84E-06	2.09E-01	4.71E-02	2.80E-08	1.0E+06	2.8E-02
75	0.54195	1.02E-02	5.5E-03	6.05E-04	3.34E-06	2.09E-01	4.71E-02	3.29E-08	1.0E+06	3.3E-02
76	0.64437	1.02E-02	6.6E-03	6.05E-04	3.97E-06	2.09E-01	4.71E-02	3.91E-08	1.0E+06	3.9E-02
77	0.77196	1.02E-02	7.9E-03	6.05E-04	4.75E-06	2.09E-01	4.71E-02	4.68E-08	1.0E+06	4.7E-02
78	0.95736	1.02E-02	9.7E-03	6.05E-04	5.89E-06	2.09E-01	4.71E-02	5.81E-08	1.0E+06	5.8E-02
79	1.24329	1.02E-02	1.3E-02	6.05E-04	7.65E-06	2.09E-01	4.71E-02	7.55E-08	1.0E+06	7.5E-02
80	1.63154	1.02E-02	1.7E-02	6.05E-04	1.00E-05	2.09E-01	4.71E-02	9.90E-08	1.0E+06	9.9E-02
81	2.3629	1.02E-02	2.4E-02	6.05E-04	1.45E-05	2.09E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
82	3.60151	1.02E-02	3.7E-02	6.05E-04	2.22E-05	2.09E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
83	0.26762	1.02E-02	2.7E-03	6.05E-04	1.65E-06	2.09E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
84	0.29866	1.02E-02	3.0E-03	6.05E-04	1.84E-06	2.09E-01	4.71E-02	1.81E-08	1.0E+06	1.8E-02
85	0.33423	1.02E-02	3.4E-03	6.05E-04	2.06E-06	2.09E-01	4.71E-02	2.03E-08	1.0E+06	2.0E-02
86	0.39048	1.02E-02	4.0E-03	6.05E-04	2.40E-06	2.09E-01	4.71E-02	2.37E-08	1.0E+06	2.4E-02
87	0.45418	1.02E-02	4.6E-03	6.05E-04	2.79E-06	2.09E-01	4.71E-02	2.76E-08	1.0E+06	2.8E-02
88	0.53712	1.02E-02	5.5E-03	6.05E-04	3.31E-06	2.09E-01	4.71E-02	3.26E-08	1.0E+06	3.3E-02
89	0.64668	1.02E-02	6.6E-03	6.05E-04	3.98E-06	2.09E-01	4.71E-02	3.92E-08	1.0E+06	3.9E-02
90	0.79766	1.02E-02	8.1E-03	6.05E-04	4.91E-06	2.09E-01	4.71E-02	4.84E-08	1.0E+06	4.8E-02
91	1.01632	1.02E-02	1.0E-02	6.05E-04	6.25E-06	2.09E-01	4.71E-02	6.17E-08	1.0E+06	6.2E-02
92	1.34874	1.02E-02	1.4E-02	6.05E-04	8.30E-06	2.09E-01	4.71E-02	8.19E-08	1.0E+06	8.2E-02
93	1.9215	1.02E-02	2.0E-02	6.05E-04	1.18E-05	2.09E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.11964	1.02E-02	3.2E-02	6.05E-04	1.92E-05	2.09E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
95	6.62959	1.02E-02	6.7E-02	6.05E-04	4.08E-05	2.09E-01	4.71E-02	4.02E-07	1.0E+06	4.0E-01
96	0.25324	1.02E-02	2.6E-03	6.05E-04	1.56E-06	2.09E-01	4.71E-02	1.54E-08	1.0E+06	1.5E-02
97	0.27645	1.02E-02	2.8E-03	6.05E-04	1.70E-06	2.09E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
98	0.30981	1.02E-02	3.2E-03	6.05E-04	1.91E-06	2.09E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
99	0.36155	1.02E-02	3.7E-03	6.05E-04	2.22E-06	2.09E-01	4.71E-02	2.19E-08	1.0E+06	2.2E-02
100	0.43382	1.02E-02	4.4E-03	6.05E-04	2.67E-06	2.09E-01	4.71E-02	2.63E-08	1.0E+06	2.6E-02
101	0.51544	1.02E-02	5.2E-03	6.05E-04	3.17E-06	2.09E-01	4.71E-02	3.13E-08	1.0E+06	3.1E-02
102	0.62369	1.02E-02	6.3E-03	6.05E-04	3.84E-06	2.09E-01	4.71E-02	3.79E-08	1.0E+06	3.8E-02
103	0.77652	1.02E-02	7.9E-03	6.05E-04	4.78E-06	2.09E-01	4.71E-02	4.71E-08	1.0E+06	4.7E-02
104	0.9983	1.02E-02	1.0E-02	6.05E-04	6.14E-06	2.09E-01	4.71E-02	6.06E-08	1.0E+06	6.1E-02
105	1.3481	1.02E-02	1.4E-02	6.05E-04	8.30E-06	2.09E-01	4.71E-02	8.18E-08	1.0E+06	8.2E-02
106	1.98311	1.02E-02	2.0E-02	6.05E-04	1.22E-05	2.09E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
107	3.42535	1.02E-02	3.5E-02	6.05E-04	2.11E-05	2.09E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
108	8.9529	1.02E-02	9.1E-02	6.05E-04	5.51E-05	2.09E-01	4.71E-02	5.43E-07	1.0E+06	5.4E-01
109	0.23343	1.02E-02	2.4E-03	6.05E-04	1.44E-06	2.09E-01	4.71E-02	1.42E-08	1.0E+06	1.4E-02
110	0.26376	1.02E-02	2.7E-03	6.05E-04	1.62E-06	2.09E-01	4.71E-02	1.60E-08	1.0E+06	1.6E-02
111	0.30122	1.02E-02	3.1E-03	6.05E-04	1.85E-06	2.09E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
112	0.34771	1.02E-02	3.5E-03	6.05E-04	2.14E-06	2.09E-01	4.71E-02	2.11E-08	1.0E+06	2.1E-02
113	0.40621	1.02E-02	4.1E-03	6.05E-04	2.50E-06	2.09E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
114	0.48088	1.02E-02	4.9E-03	6.05E-04	2.96E-06	2.09E-01	4.71E-02	2.92E-08	1.0E+06	2.9E-02
115	0.57802	1.02E-02	5.9E-03	6.05E-04	3.56E-06	2.09E-01	4.71E-02	3.51E-08	1.0E+06	3.5E-02
116	0.71561	1.02E-02	7.3E-03	6.05E-04	4.40E-06	2.09E-01	4.71E-02	4.34E-08	1.0E+06	4.3E-02
117	0.92231	1.02E-02	9.4E-03	6.05E-04	5.68E-06	2.09E-01	4.71E-02	5.60E-08	1.0E+06	5.6E-02
118	1.27526	1.02E-02	1.3E-02	6.05E-04	7.85E-06	2.09E-01	4.71E-02	7.74E-08	1.0E+06	7.7E-02
119	1.85182	1.02E-02	1.9E-02	6.05E-04	1.14E-05	2.09E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
120	3.10182	1.02E-02	3.2E-02	6.05E-04	1.91E-05	2.09E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
121	7.30224	1.02E-02	7.4E-02	6.05E-04	4.49E-05	2.09E-01	4.71E-02	4.43E-07	1.0E+06	4.4E-01
122	0.21719	1.02E-02	2.2E-03	6.05E-04	1.34E-06	2.09E-01	4.71E-02	1.32E-08	1.0E+06	1.3E-02
123	0.24603	1.02E-02	2.5E-03	6.05E-04	1.51E-06	2.09E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02
124	0.28402	1.02E-02	2.9E-03	6.05E-04	1.75E-06	2.09E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.32675	1.02E-02	3.3E-03	6.05E-04	2.01E-06	2.09E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
126	0.37739	1.02E-02	3.8E-03	6.05E-04	2.32E-06	2.09E-01	4.71E-02	2.29E-08	1.0E+06	2.3E-02
127	0.43832	1.02E-02	4.5E-03	6.05E-04	2.70E-06	2.09E-01	4.71E-02	2.66E-08	1.0E+06	2.7E-02
128	0.4895	1.02E-02	5.0E-03	6.05E-04	3.01E-06	2.09E-01	4.71E-02	2.97E-08	1.0E+06	3.0E-02
129	0.59454	1.02E-02	6.0E-03	6.05E-04	3.66E-06	2.09E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
130	0.77837	1.02E-02	7.9E-03	6.05E-04	4.79E-06	2.09E-01	4.71E-02	4.72E-08	1.0E+06	4.7E-02
131	7.40233	1.02E-02	7.5E-02	6.05E-04	4.56E-05	2.09E-01	4.71E-02	4.49E-07	1.0E+06	4.5E-01
132	5.92098	1.02E-02	6.0E-02	6.05E-04	3.64E-05	2.09E-01	4.71E-02	3.59E-07	1.0E+06	3.6E-01
133	0.2012	1.02E-02	2.0E-03	6.05E-04	1.24E-06	2.09E-01	4.71E-02	1.22E-08	1.0E+06	1.2E-02
134	0.23128	1.02E-02	2.4E-03	6.05E-04	1.42E-06	2.09E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
135	0.26577	1.02E-02	2.7E-03	6.05E-04	1.64E-06	2.09E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
136	0.30422	1.02E-02	3.1E-03	6.05E-04	1.87E-06	2.09E-01	4.71E-02	1.85E-08	1.0E+06	1.8E-02
137	0.35024	1.02E-02	3.6E-03	6.05E-04	2.16E-06	2.09E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
138	0.4009	1.02E-02	4.1E-03	6.05E-04	2.47E-06	2.09E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
139	0.45464	1.02E-02	4.6E-03	6.05E-04	2.80E-06	2.09E-01	4.71E-02	2.76E-08	1.0E+06	2.8E-02
140	0.53896	1.02E-02	5.5E-03	6.05E-04	3.32E-06	2.09E-01	4.71E-02	3.27E-08	1.0E+06	3.3E-02
141	0.66049	1.02E-02	6.7E-03	6.05E-04	4.06E-06	2.09E-01	4.71E-02	4.01E-08	1.0E+06	4.0E-02
142	0.81857	1.02E-02	8.3E-03	6.05E-04	5.04E-06	2.09E-01	4.71E-02	4.97E-08	1.0E+06	5.0E-02
143	1.06969	1.02E-02	1.1E-02	6.05E-04	6.58E-06	2.09E-01	4.71E-02	6.49E-08	1.0E+06	6.5E-02
144	1.51306	1.02E-02	1.5E-02	6.05E-04	9.31E-06	2.09E-01	4.71E-02	9.18E-08	1.0E+06	9.2E-02
145	2.20204	1.02E-02	2.2E-02	6.05E-04	1.36E-05	2.09E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
146	4.57471	1.02E-02	4.7E-02	6.05E-04	2.82E-05	2.09E-01	4.71E-02	2.78E-07	1.0E+06	2.8E-01
147	0.18734	1.02E-02	1.9E-03	6.05E-04	1.15E-06	2.09E-01	4.71E-02	1.14E-08	1.0E+06	1.1E-02
148	0.21309	1.02E-02	2.2E-03	6.05E-04	1.31E-06	2.09E-01	4.71E-02	1.29E-08	1.0E+06	1.3E-02
149	0.24448	1.02E-02	2.5E-03	6.05E-04	1.50E-06	2.09E-01	4.71E-02	1.48E-08	1.0E+06	1.5E-02
150	0.27925	1.02E-02	2.8E-03	6.05E-04	1.72E-06	2.09E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
151	0.32321	1.02E-02	3.3E-03	6.05E-04	1.99E-06	2.09E-01	4.71E-02	1.96E-08	1.0E+06	2.0E-02
152	0.3674	1.02E-02	3.7E-03	6.05E-04	2.26E-06	2.09E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
153	0.42017	1.02E-02	4.3E-03	6.05E-04	2.59E-06	2.09E-01	4.71E-02	2.55E-08	1.0E+06	2.5E-02
154	0.49329	1.02E-02	5.0E-03	6.05E-04	3.04E-06	2.09E-01	4.71E-02	2.99E-08	1.0E+06	3.0E-02
155	0.59199	1.02E-02	6.0E-03	6.05E-04	3.64E-06	2.09E-01	4.71E-02	3.59E-08	1.0E+06	3.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.71666	1.02E-02	7.3E-03	6.05E-04	4.41E-06	2.09E-01	4.71E-02	4.35E-08	1.0E+06	4.3E-02
157	0.87778	1.02E-02	8.9E-03	6.05E-04	5.40E-06	2.09E-01	4.71E-02	5.33E-08	1.0E+06	5.3E-02
158	1.10629	1.02E-02	1.1E-02	6.05E-04	6.81E-06	2.09E-01	4.71E-02	6.71E-08	1.0E+06	6.7E-02
159	1.59661	1.02E-02	1.6E-02	6.05E-04	9.83E-06	2.09E-01	4.71E-02	9.69E-08	1.0E+06	9.7E-02
160	0.17769	1.02E-02	1.8E-03	6.05E-04	1.09E-06	2.09E-01	4.71E-02	1.08E-08	1.0E+06	1.1E-02
161	0.1973	1.02E-02	2.0E-03	6.05E-04	1.21E-06	2.09E-01	4.71E-02	1.20E-08	1.0E+06	1.2E-02
162	0.21729	1.02E-02	2.2E-03	6.05E-04	1.34E-06	2.09E-01	4.71E-02	1.32E-08	1.0E+06	1.3E-02
163	0.25154	1.02E-02	2.6E-03	6.05E-04	1.55E-06	2.09E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
164	0.29579	1.02E-02	3.0E-03	6.05E-04	1.82E-06	2.09E-01	4.71E-02	1.80E-08	1.0E+06	1.8E-02
165	0.33639	1.02E-02	3.4E-03	6.05E-04	2.07E-06	2.09E-01	4.71E-02	2.04E-08	1.0E+06	2.0E-02
166	0.38696	1.02E-02	3.9E-03	6.05E-04	2.38E-06	2.09E-01	4.71E-02	2.35E-08	1.0E+06	2.3E-02
167	0.44773	1.02E-02	4.6E-03	6.05E-04	2.76E-06	2.09E-01	4.71E-02	2.72E-08	1.0E+06	2.7E-02
168	0.52312	1.02E-02	5.3E-03	6.05E-04	3.22E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
169	0.61749	1.02E-02	6.3E-03	6.05E-04	3.80E-06	2.09E-01	4.71E-02	3.75E-08	1.0E+06	3.7E-02
170	0.73787	1.02E-02	7.5E-03	6.05E-04	4.54E-06	2.09E-01	4.71E-02	4.48E-08	1.0E+06	4.5E-02
171	0.90459	1.02E-02	9.2E-03	6.05E-04	5.57E-06	2.09E-01	4.71E-02	5.49E-08	1.0E+06	5.5E-02
172	1.17863	1.02E-02	1.2E-02	6.05E-04	7.25E-06	2.09E-01	4.71E-02	7.15E-08	1.0E+06	7.2E-02
173	1.56202	1.02E-02	1.6E-02	6.05E-04	9.61E-06	2.09E-01	4.71E-02	9.48E-08	1.0E+06	9.5E-02
174	2.02836	1.02E-02	2.1E-02	6.05E-04	1.25E-05	2.09E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
175	2.36083	1.02E-02	2.4E-02	6.05E-04	1.45E-05	2.09E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
176	2.47447	1.02E-02	2.5E-02	6.05E-04	1.52E-05	2.09E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
177	2.43188	1.02E-02	2.5E-02	6.05E-04	1.50E-05	2.09E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
178	2.25623	1.02E-02	2.3E-02	6.05E-04	1.39E-05	2.09E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
179	0.16283	1.02E-02	1.7E-03	6.05E-04	1.00E-06	2.09E-01	4.71E-02	9.88E-09	1.0E+06	9.9E-03
180	0.1782	1.02E-02	1.8E-03	6.05E-04	1.10E-06	2.09E-01	4.71E-02	1.08E-08	1.0E+06	1.1E-02
181	0.19241	1.02E-02	2.0E-03	6.05E-04	1.18E-06	2.09E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
182	0.22626	1.02E-02	2.3E-03	6.05E-04	1.39E-06	2.09E-01	4.71E-02	1.37E-08	1.0E+06	1.4E-02
183	0.27299	1.02E-02	2.8E-03	6.05E-04	1.68E-06	2.09E-01	4.71E-02	1.66E-08	1.0E+06	1.7E-02
184	0.31025	1.02E-02	3.2E-03	6.05E-04	1.91E-06	2.09E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
185	0.35623	1.02E-02	3.6E-03	6.05E-04	2.19E-06	2.09E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
186	0.40715	1.02E-02	4.1E-03	6.05E-04	2.51E-06	2.09E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.46491	1.02E-02	4.7E-03	6.05E-04	2.86E-06	2.09E-01	4.71E-02	2.82E-08	1.0E+06	2.8E-02
188	0.53875	1.02E-02	5.5E-03	6.05E-04	3.32E-06	2.09E-01	4.71E-02	3.27E-08	1.0E+06	3.3E-02
189	0.62873	1.02E-02	6.4E-03	6.05E-04	3.87E-06	2.09E-01	4.71E-02	3.82E-08	1.0E+06	3.8E-02
190	0.7521	1.02E-02	7.6E-03	6.05E-04	4.63E-06	2.09E-01	4.71E-02	4.56E-08	1.0E+06	4.6E-02
191	0.91282	1.02E-02	9.3E-03	6.05E-04	5.62E-06	2.09E-01	4.71E-02	5.54E-08	1.0E+06	5.5E-02
192	1.1316	1.02E-02	1.2E-02	6.05E-04	6.96E-06	2.09E-01	4.71E-02	6.87E-08	1.0E+06	6.9E-02
193	1.3626	1.02E-02	1.4E-02	6.05E-04	8.39E-06	2.09E-01	4.71E-02	8.27E-08	1.0E+06	8.3E-02
194	1.6103	1.02E-02	1.6E-02	6.05E-04	9.91E-06	2.09E-01	4.71E-02	9.77E-08	1.0E+06	9.8E-02
195	1.83033	1.02E-02	1.9E-02	6.05E-04	1.13E-05	2.09E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
196	1.83082	1.02E-02	1.9E-02	6.05E-04	1.13E-05	2.09E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
197	1.72496	1.02E-02	1.8E-02	6.05E-04	1.06E-05	2.09E-01	4.71E-02	1.05E-07	1.0E+06	1.0E-01
198	0.15329	1.02E-02	1.6E-03	6.05E-04	9.43E-07	2.09E-01	4.71E-02	9.30E-09	1.0E+06	9.3E-03
199	0.16801	1.02E-02	1.7E-03	6.05E-04	1.03E-06	2.09E-01	4.71E-02	1.02E-08	1.0E+06	1.0E-02
200	0.1845	1.02E-02	1.9E-03	6.05E-04	1.14E-06	2.09E-01	4.71E-02	1.12E-08	1.0E+06	1.1E-02
201	0.20774	1.02E-02	2.1E-03	6.05E-04	1.28E-06	2.09E-01	4.71E-02	1.26E-08	1.0E+06	1.3E-02
202	0.24802	1.02E-02	2.5E-03	6.05E-04	1.53E-06	2.09E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02
203	0.28344	1.02E-02	2.9E-03	6.05E-04	1.74E-06	2.09E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
204	0.32437	1.02E-02	3.3E-03	6.05E-04	2.00E-06	2.09E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
205	0.36737	1.02E-02	3.7E-03	6.05E-04	2.26E-06	2.09E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
206	0.41583	1.02E-02	4.2E-03	6.05E-04	2.56E-06	2.09E-01	4.71E-02	2.52E-08	1.0E+06	2.5E-02
207	0.47445	1.02E-02	4.8E-03	6.05E-04	2.92E-06	2.09E-01	4.71E-02	2.88E-08	1.0E+06	2.9E-02
208	0.54532	1.02E-02	5.5E-03	6.05E-04	3.36E-06	2.09E-01	4.71E-02	3.31E-08	1.0E+06	3.3E-02
209	0.63729	1.02E-02	6.5E-03	6.05E-04	3.92E-06	2.09E-01	4.71E-02	3.87E-08	1.0E+06	3.9E-02
210	0.75216	1.02E-02	7.6E-03	6.05E-04	4.63E-06	2.09E-01	4.71E-02	4.56E-08	1.0E+06	4.6E-02
211	0.88928	1.02E-02	9.0E-03	6.05E-04	5.47E-06	2.09E-01	4.71E-02	5.40E-08	1.0E+06	5.4E-02
212	1.02495	1.02E-02	1.0E-02	6.05E-04	6.31E-06	2.09E-01	4.71E-02	6.22E-08	1.0E+06	6.2E-02
213	1.13148	1.02E-02	1.2E-02	6.05E-04	6.96E-06	2.09E-01	4.71E-02	6.87E-08	1.0E+06	6.9E-02
214	1.1847	1.02E-02	1.2E-02	6.05E-04	7.29E-06	2.09E-01	4.71E-02	7.19E-08	1.0E+06	7.2E-02
215	1.39908	1.02E-02	1.4E-02	6.05E-04	8.61E-06	2.09E-01	4.71E-02	8.49E-08	1.0E+06	8.5E-02
216	0.14739	1.02E-02	1.5E-03	6.05E-04	9.07E-07	2.09E-01	4.71E-02	8.94E-09	1.0E+06	8.9E-03
217	0.15974	1.02E-02	1.6E-03	6.05E-04	9.83E-07	2.09E-01	4.71E-02	9.69E-09	1.0E+06	9.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.17507	1.02E-02	1.8E-03	6.05E-04	1.08E-06	2.09E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
219	0.19408	1.02E-02	2.0E-03	6.05E-04	1.19E-06	2.09E-01	4.71E-02	1.18E-08	1.0E+06	1.2E-02
220	0.22545	1.02E-02	2.3E-03	6.05E-04	1.39E-06	2.09E-01	4.71E-02	1.37E-08	1.0E+06	1.4E-02
221	0.25293	1.02E-02	2.6E-03	6.05E-04	1.56E-06	2.09E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
222	0.28852	1.02E-02	2.9E-03	6.05E-04	1.78E-06	2.09E-01	4.71E-02	1.75E-08	1.0E+06	1.8E-02
223	0.32506	1.02E-02	3.3E-03	6.05E-04	2.00E-06	2.09E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
224	0.36579	1.02E-02	3.7E-03	6.05E-04	2.25E-06	2.09E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
225	0.41139	1.02E-02	4.2E-03	6.05E-04	2.53E-06	2.09E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
226	0.47087	1.02E-02	4.8E-03	6.05E-04	2.90E-06	2.09E-01	4.71E-02	2.86E-08	1.0E+06	2.9E-02
227	0.54132	1.02E-02	5.5E-03	6.05E-04	3.33E-06	2.09E-01	4.71E-02	3.29E-08	1.0E+06	3.3E-02
228	0.62646	1.02E-02	6.4E-03	6.05E-04	3.86E-06	2.09E-01	4.71E-02	3.80E-08	1.0E+06	3.8E-02
229	0.72545	1.02E-02	7.4E-03	6.05E-04	4.46E-06	2.09E-01	4.71E-02	4.40E-08	1.0E+06	4.4E-02
230	0.82114	1.02E-02	8.4E-03	6.05E-04	5.05E-06	2.09E-01	4.71E-02	4.98E-08	1.0E+06	5.0E-02
231	0.90433	1.02E-02	9.2E-03	6.05E-04	5.57E-06	2.09E-01	4.71E-02	5.49E-08	1.0E+06	5.5E-02
232	0.95831	1.02E-02	9.7E-03	6.05E-04	5.90E-06	2.09E-01	4.71E-02	5.82E-08	1.0E+06	5.8E-02
233	1.08841	1.02E-02	1.1E-02	6.05E-04	6.70E-06	2.09E-01	4.71E-02	6.61E-08	1.0E+06	6.6E-02
234	0.14198	1.02E-02	1.4E-03	6.05E-04	8.74E-07	2.09E-01	4.71E-02	8.62E-09	1.0E+06	8.6E-03
235	0.152	1.02E-02	1.5E-03	6.05E-04	9.35E-07	2.09E-01	4.71E-02	9.22E-09	1.0E+06	9.2E-03
236	0.16533	1.02E-02	1.7E-03	6.05E-04	1.02E-06	2.09E-01	4.71E-02	1.00E-08	1.0E+06	1.0E-02
237	0.1827	1.02E-02	1.9E-03	6.05E-04	1.12E-06	2.09E-01	4.71E-02	1.11E-08	1.0E+06	1.1E-02
238	0.20515	1.02E-02	2.1E-03	6.05E-04	1.26E-06	2.09E-01	4.71E-02	1.24E-08	1.0E+06	1.2E-02
239	0.22746	1.02E-02	2.3E-03	6.05E-04	1.40E-06	2.09E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02
240	0.25485	1.02E-02	2.6E-03	6.05E-04	1.57E-06	2.09E-01	4.71E-02	1.55E-08	1.0E+06	1.5E-02
241	0.28536	1.02E-02	2.9E-03	6.05E-04	1.76E-06	2.09E-01	4.71E-02	1.73E-08	1.0E+06	1.7E-02
242	0.32011	1.02E-02	3.3E-03	6.05E-04	1.97E-06	2.09E-01	4.71E-02	1.94E-08	1.0E+06	1.9E-02
243	0.35968	1.02E-02	3.7E-03	6.05E-04	2.21E-06	2.09E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
244	0.41028	1.02E-02	4.2E-03	6.05E-04	2.52E-06	2.09E-01	4.71E-02	2.49E-08	1.0E+06	2.5E-02
245	0.46953	1.02E-02	4.8E-03	6.05E-04	2.89E-06	2.09E-01	4.71E-02	2.85E-08	1.0E+06	2.8E-02
246	0.538	1.02E-02	5.5E-03	6.05E-04	3.31E-06	2.09E-01	4.71E-02	3.26E-08	1.0E+06	3.3E-02
247	0.61275	1.02E-02	6.2E-03	6.05E-04	3.77E-06	2.09E-01	4.71E-02	3.72E-08	1.0E+06	3.7E-02
248	0.68743	1.02E-02	7.0E-03	6.05E-04	4.23E-06	2.09E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	0.75095	1.02E-02	7.6E-03	6.05E-04	4.62E-06	2.09E-01	4.71E-02	4.56E-08	1.0E+06	4.6E-02
250	0.80013	1.02E-02	8.1E-03	6.05E-04	4.92E-06	2.09E-01	4.71E-02	4.86E-08	1.0E+06	4.9E-02
251	0.89928	1.02E-02	9.1E-03	6.05E-04	5.53E-06	2.09E-01	4.71E-02	5.46E-08	1.0E+06	5.5E-02
252	0.13488	1.02E-02	1.4E-03	6.05E-04	8.30E-07	2.09E-01	4.71E-02	8.19E-09	1.0E+06	8.2E-03
253	0.14265	1.02E-02	1.5E-03	6.05E-04	8.78E-07	2.09E-01	4.71E-02	8.66E-09	1.0E+06	8.7E-03
254	0.15259	1.02E-02	1.6E-03	6.05E-04	9.39E-07	2.09E-01	4.71E-02	9.26E-09	1.0E+06	9.3E-03
255	0.16464	1.02E-02	1.7E-03	6.05E-04	1.01E-06	2.09E-01	4.71E-02	9.99E-09	1.0E+06	1.0E-02
256	0.18715	1.02E-02	1.9E-03	6.05E-04	1.15E-06	2.09E-01	4.71E-02	1.14E-08	1.0E+06	1.1E-02
257	0.19855	1.02E-02	2.0E-03	6.05E-04	1.22E-06	2.09E-01	4.71E-02	1.20E-08	1.0E+06	1.2E-02
258	0.2162	1.02E-02	2.2E-03	6.05E-04	1.33E-06	2.09E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02
259	0.23718	1.02E-02	2.4E-03	6.05E-04	1.46E-06	2.09E-01	4.71E-02	1.44E-08	1.0E+06	1.4E-02
260	0.26947	1.02E-02	2.7E-03	6.05E-04	1.66E-06	2.09E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
261	0.31098	1.02E-02	3.2E-03	6.05E-04	1.91E-06	2.09E-01	4.71E-02	1.89E-08	1.0E+06	1.9E-02
262	0.35732	1.02E-02	3.6E-03	6.05E-04	2.20E-06	2.09E-01	4.71E-02	2.17E-08	1.0E+06	2.2E-02
263	0.4049	1.02E-02	4.1E-03	6.05E-04	2.49E-06	2.09E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02
264	0.46204	1.02E-02	4.7E-03	6.05E-04	2.84E-06	2.09E-01	4.71E-02	2.80E-08	1.0E+06	2.8E-02
265	0.51992	1.02E-02	5.3E-03	6.05E-04	3.20E-06	2.09E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02
266	0.57862	1.02E-02	5.9E-03	6.05E-04	3.56E-06	2.09E-01	4.71E-02	3.51E-08	1.0E+06	3.5E-02
267	0.6287	1.02E-02	6.4E-03	6.05E-04	3.87E-06	2.09E-01	4.71E-02	3.82E-08	1.0E+06	3.8E-02
268	0.66735	1.02E-02	6.8E-03	6.05E-04	4.11E-06	2.09E-01	4.71E-02	4.05E-08	1.0E+06	4.0E-02
269	0.7427	1.02E-02	7.6E-03	6.05E-04	4.57E-06	2.09E-01	4.71E-02	4.51E-08	1.0E+06	4.5E-02
270	0.12735	1.02E-02	1.3E-03	6.05E-04	7.84E-07	2.09E-01	4.71E-02	7.73E-09	1.0E+06	7.7E-03
271	0.13443	1.02E-02	1.4E-03	6.05E-04	8.27E-07	2.09E-01	4.71E-02	8.16E-09	1.0E+06	8.2E-03
272	0.14286	1.02E-02	1.5E-03	6.05E-04	8.79E-07	2.09E-01	4.71E-02	8.67E-09	1.0E+06	8.7E-03
273	0.1521	1.02E-02	1.5E-03	6.05E-04	9.36E-07	2.09E-01	4.71E-02	9.23E-09	1.0E+06	9.2E-03
274	0.17405	1.02E-02	1.8E-03	6.05E-04	1.07E-06	2.09E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
275	0.19151	1.02E-02	1.9E-03	6.05E-04	1.18E-06	2.09E-01	4.71E-02	1.16E-08	1.0E+06	1.2E-02
276	0.19368	1.02E-02	2.0E-03	6.05E-04	1.19E-06	2.09E-01	4.71E-02	1.18E-08	1.0E+06	1.2E-02
277	0.2106	1.02E-02	2.1E-03	6.05E-04	1.30E-06	2.09E-01	4.71E-02	1.28E-08	1.0E+06	1.3E-02
278	0.2342	1.02E-02	2.4E-03	6.05E-04	1.44E-06	2.09E-01	4.71E-02	1.42E-08	1.0E+06	1.4E-02
279	0.26516	1.02E-02	2.7E-03	6.05E-04	1.63E-06	2.09E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.30781	1.02E-02	3.1E-03	6.05E-04	1.89E-06	2.09E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
281	0.35373	1.02E-02	3.6E-03	6.05E-04	2.18E-06	2.09E-01	4.71E-02	2.15E-08	1.0E+06	2.1E-02
282	0.40181	1.02E-02	4.1E-03	6.05E-04	2.47E-06	2.09E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
283	0.45035	1.02E-02	4.6E-03	6.05E-04	2.77E-06	2.09E-01	4.71E-02	2.73E-08	1.0E+06	2.7E-02
284	0.49767	1.02E-02	5.1E-03	6.05E-04	3.06E-06	2.09E-01	4.71E-02	3.02E-08	1.0E+06	3.0E-02
285	0.53687	1.02E-02	5.5E-03	6.05E-04	3.30E-06	2.09E-01	4.71E-02	3.26E-08	1.0E+06	3.3E-02
286	0.56978	1.02E-02	5.8E-03	6.05E-04	3.51E-06	2.09E-01	4.71E-02	3.46E-08	1.0E+06	3.5E-02
287	0.63116	1.02E-02	6.4E-03	6.05E-04	3.88E-06	2.09E-01	4.71E-02	3.83E-08	1.0E+06	3.8E-02
288	0.12073	1.02E-02	1.2E-03	6.05E-04	7.43E-07	2.09E-01	4.71E-02	7.33E-09	1.0E+06	7.3E-03
289	0.12591	1.02E-02	1.3E-03	6.05E-04	7.75E-07	2.09E-01	4.71E-02	7.64E-09	1.0E+06	7.6E-03
290	0.13629	1.02E-02	1.4E-03	6.05E-04	8.39E-07	2.09E-01	4.71E-02	8.27E-09	1.0E+06	8.3E-03
291	0.14618	1.02E-02	1.5E-03	6.05E-04	9.00E-07	2.09E-01	4.71E-02	8.87E-09	1.0E+06	8.9E-03
292	0.17553	1.02E-02	1.8E-03	6.05E-04	1.08E-06	2.09E-01	4.71E-02	1.07E-08	1.0E+06	1.1E-02
293	0.18214	1.02E-02	1.9E-03	6.05E-04	1.12E-06	2.09E-01	4.71E-02	1.11E-08	1.0E+06	1.1E-02
294	0.17701	1.02E-02	1.8E-03	6.05E-04	1.09E-06	2.09E-01	4.71E-02	1.07E-08	1.0E+06	1.1E-02
295	0.19366	1.02E-02	2.0E-03	6.05E-04	1.19E-06	2.09E-01	4.71E-02	1.18E-08	1.0E+06	1.2E-02
296	0.21492	1.02E-02	2.2E-03	6.05E-04	1.32E-06	2.09E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
297	0.23689	1.02E-02	2.4E-03	6.05E-04	1.46E-06	2.09E-01	4.71E-02	1.44E-08	1.0E+06	1.4E-02
298	0.26792	1.02E-02	2.7E-03	6.05E-04	1.65E-06	2.09E-01	4.71E-02	1.63E-08	1.0E+06	1.6E-02
299	0.30964	1.02E-02	3.1E-03	6.05E-04	1.91E-06	2.09E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
300	0.34814	1.02E-02	3.5E-03	6.05E-04	2.14E-06	2.09E-01	4.71E-02	2.11E-08	1.0E+06	2.1E-02
301	0.39207	1.02E-02	4.0E-03	6.05E-04	2.41E-06	2.09E-01	4.71E-02	2.38E-08	1.0E+06	2.4E-02
302	0.43341	1.02E-02	4.4E-03	6.05E-04	2.67E-06	2.09E-01	4.71E-02	2.63E-08	1.0E+06	2.6E-02
303	0.47003	1.02E-02	4.8E-03	6.05E-04	2.89E-06	2.09E-01	4.71E-02	2.85E-08	1.0E+06	2.9E-02
304	0.49846	1.02E-02	5.1E-03	6.05E-04	3.07E-06	2.09E-01	4.71E-02	3.03E-08	1.0E+06	3.0E-02
305	0.54889	1.02E-02	5.6E-03	6.05E-04	3.38E-06	2.09E-01	4.71E-02	3.33E-08	1.0E+06	3.3E-02
306	0.1215	1.02E-02	1.2E-03	6.05E-04	7.48E-07	2.09E-01	4.71E-02	7.37E-09	1.0E+06	7.4E-03
307	0.12282	1.02E-02	1.2E-03	6.05E-04	7.56E-07	2.09E-01	4.71E-02	7.45E-09	1.0E+06	7.5E-03
308	0.12903	1.02E-02	1.3E-03	6.05E-04	7.94E-07	2.09E-01	4.71E-02	7.83E-09	1.0E+06	7.8E-03
309	0.14771	1.02E-02	1.5E-03	6.05E-04	9.09E-07	2.09E-01	4.71E-02	8.96E-09	1.0E+06	9.0E-03
310	0.1661	1.02E-02	1.7E-03	6.05E-04	1.02E-06	2.09E-01	4.71E-02	1.01E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.17127	1.02E-02	1.7E-03	6.05E-04	1.05E-06	2.09E-01	4.71E-02	1.04E-08	1.0E+06	1.0E-02
312	0.16328	1.02E-02	1.7E-03	6.05E-04	1.00E-06	2.09E-01	4.71E-02	9.91E-09	1.0E+06	9.9E-03
313	0.17828	1.02E-02	1.8E-03	6.05E-04	1.10E-06	2.09E-01	4.71E-02	1.08E-08	1.0E+06	1.1E-02
314	0.19711	1.02E-02	2.0E-03	6.05E-04	1.21E-06	2.09E-01	4.71E-02	1.20E-08	1.0E+06	1.2E-02
315	0.22456	1.02E-02	2.3E-03	6.05E-04	1.38E-06	2.09E-01	4.71E-02	1.36E-08	1.0E+06	1.4E-02
316	0.24394	1.02E-02	2.5E-03	6.05E-04	1.50E-06	2.09E-01	4.71E-02	1.48E-08	1.0E+06	1.5E-02
317	0.27118	1.02E-02	2.8E-03	6.05E-04	1.67E-06	2.09E-01	4.71E-02	1.65E-08	1.0E+06	1.6E-02
318	0.30422	1.02E-02	3.1E-03	6.05E-04	1.87E-06	2.09E-01	4.71E-02	1.85E-08	1.0E+06	1.8E-02
319	0.34378	1.02E-02	3.5E-03	6.05E-04	2.12E-06	2.09E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
320	0.3868	1.02E-02	3.9E-03	6.05E-04	2.38E-06	2.09E-01	4.71E-02	2.35E-08	1.0E+06	2.3E-02
321	0.41641	1.02E-02	4.2E-03	6.05E-04	2.56E-06	2.09E-01	4.71E-02	2.53E-08	1.0E+06	2.5E-02
322	0.44075	1.02E-02	4.5E-03	6.05E-04	2.71E-06	2.09E-01	4.71E-02	2.67E-08	1.0E+06	2.7E-02
323	0.48154	1.02E-02	4.9E-03	6.05E-04	2.96E-06	2.09E-01	4.71E-02	2.92E-08	1.0E+06	2.9E-02
324	0.11562	1.02E-02	1.2E-03	6.05E-04	7.12E-07	2.09E-01	4.71E-02	7.02E-09	1.0E+06	7.0E-03
325	0.12511	1.02E-02	1.3E-03	6.05E-04	7.70E-07	2.09E-01	4.71E-02	7.59E-09	1.0E+06	7.6E-03
326	0.12995	1.02E-02	1.3E-03	6.05E-04	8.00E-07	2.09E-01	4.71E-02	7.89E-09	1.0E+06	7.9E-03
327	0.13277	1.02E-02	1.4E-03	6.05E-04	8.17E-07	2.09E-01	4.71E-02	8.06E-09	1.0E+06	8.1E-03
328	0.15993	1.02E-02	1.6E-03	6.05E-04	9.84E-07	2.09E-01	4.71E-02	9.71E-09	1.0E+06	9.7E-03
329	0.1611	1.02E-02	1.6E-03	6.05E-04	9.91E-07	2.09E-01	4.71E-02	9.78E-09	1.0E+06	9.8E-03
330	0.15531	1.02E-02	1.6E-03	6.05E-04	9.56E-07	2.09E-01	4.71E-02	9.43E-09	1.0E+06	9.4E-03
331	0.16961	1.02E-02	1.7E-03	6.05E-04	1.04E-06	2.09E-01	4.71E-02	1.03E-08	1.0E+06	1.0E-02
332	0.18704	1.02E-02	1.9E-03	6.05E-04	1.15E-06	2.09E-01	4.71E-02	1.14E-08	1.0E+06	1.1E-02
333	0.21165	1.02E-02	2.2E-03	6.05E-04	1.30E-06	2.09E-01	4.71E-02	1.28E-08	1.0E+06	1.3E-02
334	0.23286	1.02E-02	2.4E-03	6.05E-04	1.43E-06	2.09E-01	4.71E-02	1.41E-08	1.0E+06	1.4E-02
335	0.25687	1.02E-02	2.6E-03	6.05E-04	1.58E-06	2.09E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
336	5.25471	1.02E-02	5.3E-02	6.05E-04	3.23E-05	2.09E-01	4.71E-02	3.19E-07	1.0E+06	3.2E-01
337	4.09801	1.02E-02	4.2E-02	6.05E-04	2.52E-05	2.09E-01	4.71E-02	2.49E-07	1.0E+06	2.5E-01
338	0.69877	1.02E-02	7.1E-03	6.05E-04	4.30E-06	2.09E-01	4.71E-02	4.24E-08	1.0E+06	4.2E-02
339	0.77633	1.02E-02	7.9E-03	6.05E-04	4.78E-06	2.09E-01	4.71E-02	4.71E-08	1.0E+06	4.7E-02
340	0.84525	1.02E-02	8.6E-03	6.05E-04	5.20E-06	2.09E-01	4.71E-02	5.13E-08	1.0E+06	5.1E-02
341	0.89345	1.02E-02	9.1E-03	6.05E-04	5.50E-06	2.09E-01	4.71E-02	5.42E-08	1.0E+06	5.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.92141	1.02E-02	9.4E-03	6.05E-04	5.67E-06	2.09E-01	4.71E-02	5.59E-08	1.0E+06	5.6E-02
343	0.91505	1.02E-02	9.3E-03	6.05E-04	5.63E-06	2.09E-01	4.71E-02	5.55E-08	1.0E+06	5.6E-02
344	0.8857	1.02E-02	9.0E-03	6.05E-04	5.45E-06	2.09E-01	4.71E-02	5.38E-08	1.0E+06	5.4E-02
345	0.8401	1.02E-02	8.5E-03	6.05E-04	5.17E-06	2.09E-01	4.71E-02	5.10E-08	1.0E+06	5.1E-02
346	0.7797	1.02E-02	7.9E-03	6.05E-04	4.80E-06	2.09E-01	4.71E-02	4.73E-08	1.0E+06	4.7E-02
347	0.86888	1.02E-02	8.8E-03	6.05E-04	5.35E-06	2.09E-01	4.71E-02	5.27E-08	1.0E+06	5.3E-02
348	1.00398	1.02E-02	1.0E-02	6.05E-04	6.18E-06	2.09E-01	4.71E-02	6.09E-08	1.0E+06	6.1E-02
349	1.10866	1.02E-02	1.1E-02	6.05E-04	6.82E-06	2.09E-01	4.71E-02	6.73E-08	1.0E+06	6.7E-02
350	1.17766	1.02E-02	1.2E-02	6.05E-04	7.25E-06	2.09E-01	4.71E-02	7.15E-08	1.0E+06	7.1E-02
351	1.21981	1.02E-02	1.2E-02	6.05E-04	7.51E-06	2.09E-01	4.71E-02	7.40E-08	1.0E+06	7.4E-02
352	1.19644	1.02E-02	1.2E-02	6.05E-04	7.36E-06	2.09E-01	4.71E-02	7.26E-08	1.0E+06	7.3E-02
353	1.14005	1.02E-02	1.2E-02	6.05E-04	7.02E-06	2.09E-01	4.71E-02	6.92E-08	1.0E+06	6.9E-02
354	1.04619	1.02E-02	1.1E-02	6.05E-04	6.44E-06	2.09E-01	4.71E-02	6.35E-08	1.0E+06	6.3E-02
355	0.95366	1.02E-02	9.7E-03	6.05E-04	5.87E-06	2.09E-01	4.71E-02	5.79E-08	1.0E+06	5.8E-02
356	1.11736	1.02E-02	1.1E-02	6.05E-04	6.88E-06	2.09E-01	4.71E-02	6.78E-08	1.0E+06	6.8E-02
357	1.30958	1.02E-02	1.3E-02	6.05E-04	8.06E-06	2.09E-01	4.71E-02	7.95E-08	1.0E+06	7.9E-02
358	1.49976	1.02E-02	1.5E-02	6.05E-04	9.23E-06	2.09E-01	4.71E-02	9.10E-08	1.0E+06	9.1E-02
359	1.62635	1.02E-02	1.7E-02	6.05E-04	1.00E-05	2.09E-01	4.71E-02	9.87E-08	1.0E+06	9.9E-02
360	1.69468	1.02E-02	1.7E-02	6.05E-04	1.04E-05	2.09E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
361	1.62336	1.02E-02	1.7E-02	6.05E-04	9.99E-06	2.09E-01	4.71E-02	9.85E-08	1.0E+06	9.9E-02
362	1.51327	1.02E-02	1.5E-02	6.05E-04	9.31E-06	2.09E-01	4.71E-02	9.18E-08	1.0E+06	9.2E-02
363	1.34227	1.02E-02	1.4E-02	6.05E-04	8.26E-06	2.09E-01	4.71E-02	8.15E-08	1.0E+06	8.1E-02
364	1.53351	1.02E-02	1.6E-02	6.05E-04	9.44E-06	2.09E-01	4.71E-02	9.31E-08	1.0E+06	9.3E-02
365	1.80482	1.02E-02	1.8E-02	6.05E-04	1.11E-05	2.09E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
366	2.17696	1.02E-02	2.2E-02	6.05E-04	1.34E-05	2.09E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
367	2.40697	1.02E-02	2.4E-02	6.05E-04	1.48E-05	2.09E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
368	2.51485	1.02E-02	2.6E-02	6.05E-04	1.55E-05	2.09E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
369	2.33111	1.02E-02	2.4E-02	6.05E-04	1.43E-05	2.09E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
370	1.80686	1.02E-02	1.8E-02	6.05E-04	1.11E-05	2.09E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
371	1.49896	1.02E-02	1.5E-02	6.05E-04	9.22E-06	2.09E-01	4.71E-02	9.10E-08	1.0E+06	9.1E-02
372	2.29428	1.02E-02	2.3E-02	6.05E-04	1.41E-05	2.09E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	2.85493	1.02E-02	2.9E-02	6.05E-04	1.76E-05	2.09E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
374	3.56379	1.02E-02	3.6E-02	6.05E-04	2.19E-05	2.09E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
375	3.96254	1.02E-02	4.0E-02	6.05E-04	2.44E-05	2.09E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
376	4.11531	1.02E-02	4.2E-02	6.05E-04	2.53E-05	2.09E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
377	4.00445	1.02E-02	4.1E-02	6.05E-04	2.46E-05	2.09E-01	4.71E-02	2.43E-07	1.0E+06	2.4E-01
378	3.65975	1.02E-02	3.7E-02	6.05E-04	2.25E-05	2.09E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
379	2.47423	1.02E-02	2.5E-02	6.05E-04	1.52E-05	2.09E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
380	1.90451	1.02E-02	1.9E-02	6.05E-04	1.17E-05	2.09E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
381	1.45157	1.02E-02	1.5E-02	6.05E-04	8.93E-06	2.09E-01	4.71E-02	8.81E-08	1.0E+06	8.8E-02
382	3.94527	1.02E-02	4.0E-02	6.05E-04	2.43E-05	2.09E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
383	5.74292	1.02E-02	5.8E-02	6.05E-04	3.53E-05	2.09E-01	4.71E-02	3.49E-07	1.0E+06	3.5E-01
384	7.0628	1.02E-02	7.2E-02	6.05E-04	4.35E-05	2.09E-01	4.71E-02	4.29E-07	1.0E+06	4.3E-01
385	7.7788	1.02E-02	7.9E-02	6.05E-04	4.79E-05	2.09E-01	4.71E-02	4.72E-07	1.0E+06	4.7E-01
386	7.94303	1.02E-02	8.1E-02	6.05E-04	4.89E-05	2.09E-01	4.71E-02	4.82E-07	1.0E+06	4.8E-01
387	7.61242	1.02E-02	7.7E-02	6.05E-04	4.68E-05	2.09E-01	4.71E-02	4.62E-07	1.0E+06	4.6E-01
388	6.77558	1.02E-02	6.9E-02	6.05E-04	4.17E-05	2.09E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
389	3.47544	1.02E-02	3.5E-02	6.05E-04	2.14E-05	2.09E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
390	2.31331	1.02E-02	2.4E-02	6.05E-04	1.42E-05	2.09E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
391	1.6179	1.02E-02	1.6E-02	6.05E-04	9.96E-06	2.09E-01	4.71E-02	9.82E-08	1.0E+06	9.8E-02
392	1.15161	1.02E-02	1.2E-02	6.05E-04	7.09E-06	2.09E-01	4.71E-02	6.99E-08	1.0E+06	7.0E-02
393	8.7282	1.02E-02	8.9E-02	6.05E-04	5.37E-05	2.09E-01	4.71E-02	5.30E-07	1.0E+06	5.3E-01
394	10.19606	1.02E-02	1.0E-01	6.05E-04	6.27E-05	2.09E-01	4.71E-02	6.19E-07	1.0E+06	6.2E-01
395	10.29107	1.02E-02	1.0E-01	6.05E-04	6.33E-05	2.09E-01	4.71E-02	6.25E-07	1.0E+06	6.2E-01
396	10.86265	1.02E-02	1.1E-01	6.05E-04	6.68E-05	2.09E-01	4.71E-02	6.59E-07	1.0E+06	6.6E-01
397	12.76958	1.02E-02	1.3E-01	6.05E-04	7.86E-05	2.09E-01	4.71E-02	7.75E-07	1.0E+06	7.7E-01
398	8.34943	1.02E-02	8.5E-02	6.05E-04	5.14E-05	2.09E-01	4.71E-02	5.07E-07	1.0E+06	5.1E-01
399	6.66481	1.02E-02	6.8E-02	6.05E-04	4.10E-05	2.09E-01	4.71E-02	4.04E-07	1.0E+06	4.0E-01
400	4.69002	1.02E-02	4.8E-02	6.05E-04	2.89E-05	2.09E-01	4.71E-02	2.85E-07	1.0E+06	2.8E-01
401	2.59215	1.02E-02	2.6E-02	6.05E-04	1.60E-05	2.09E-01	4.71E-02	1.57E-07	1.0E+06	1.6E-01
402	1.14275	1.02E-02	1.2E-02	6.05E-04	7.03E-06	2.09E-01	4.71E-02	6.94E-08	1.0E+06	6.9E-02
403	5.34568	1.02E-02	5.4E-02	6.05E-04	3.29E-05	2.09E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.14379	1.02E-02	1.2E-02	6.05E-04	7.04E-06	2.09E-01	4.71E-02	6.94E-08	1.0E+06	6.9E-02
405	0.83327	1.02E-02	8.5E-03	6.05E-04	5.13E-06	2.09E-01	4.71E-02	5.06E-08	1.0E+06	5.1E-02
406	4.3595	1.02E-02	4.4E-02	6.05E-04	2.68E-05	2.09E-01	4.71E-02	2.65E-07	1.0E+06	2.6E-01
407	0.77446	1.02E-02	7.9E-03	6.05E-04	4.77E-06	2.09E-01	4.71E-02	4.70E-08	1.0E+06	4.7E-02
408	3.26711	1.02E-02	3.3E-02	6.05E-04	2.01E-05	2.09E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
409	0.71621	1.02E-02	7.3E-03	6.05E-04	4.41E-06	2.09E-01	4.71E-02	4.35E-08	1.0E+06	4.3E-02
410	2.482	1.02E-02	2.5E-02	6.05E-04	1.53E-05	2.09E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
411	0.85532	1.02E-02	8.7E-03	6.05E-04	5.26E-06	2.09E-01	4.71E-02	5.19E-08	1.0E+06	5.2E-02
412	0.67288	1.02E-02	6.8E-03	6.05E-04	4.14E-06	2.09E-01	4.71E-02	4.08E-08	1.0E+06	4.1E-02
413	1.93775	1.02E-02	2.0E-02	6.05E-04	1.19E-05	2.09E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
414	1.0153	1.02E-02	1.0E-02	6.05E-04	6.25E-06	2.09E-01	4.71E-02	6.16E-08	1.0E+06	6.2E-02
415	0.77501	1.02E-02	7.9E-03	6.05E-04	4.77E-06	2.09E-01	4.71E-02	4.70E-08	1.0E+06	4.7E-02
416	0.61765	1.02E-02	6.3E-03	6.05E-04	3.80E-06	2.09E-01	4.71E-02	3.75E-08	1.0E+06	3.7E-02
417	1.554	1.02E-02	1.6E-02	6.05E-04	9.56E-06	2.09E-01	4.71E-02	9.43E-08	1.0E+06	9.4E-02
418	0.70372	1.02E-02	7.2E-03	6.05E-04	4.33E-06	2.09E-01	4.71E-02	4.27E-08	1.0E+06	4.3E-02
419	0.56773	1.02E-02	5.8E-03	6.05E-04	3.49E-06	2.09E-01	4.71E-02	3.45E-08	1.0E+06	3.4E-02
420	0.46976	1.02E-02	4.8E-03	6.05E-04	2.89E-06	2.09E-01	4.71E-02	2.85E-08	1.0E+06	2.9E-02
421	1.274	1.02E-02	1.3E-02	6.05E-04	7.84E-06	2.09E-01	4.71E-02	7.73E-08	1.0E+06	7.7E-02
422	0.52242	1.02E-02	5.3E-03	6.05E-04	3.21E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
423	0.43715	1.02E-02	4.4E-03	6.05E-04	2.69E-06	2.09E-01	4.71E-02	2.65E-08	1.0E+06	2.7E-02
424	1.06285	1.02E-02	1.1E-02	6.05E-04	6.54E-06	2.09E-01	4.71E-02	6.45E-08	1.0E+06	6.5E-02
425	0.40644	1.02E-02	4.1E-03	6.05E-04	2.50E-06	2.09E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
426	0.34877	1.02E-02	3.5E-03	6.05E-04	2.15E-06	2.09E-01	4.71E-02	2.12E-08	1.0E+06	2.1E-02
427	0.8992	1.02E-02	9.1E-03	6.05E-04	5.53E-06	2.09E-01	4.71E-02	5.46E-08	1.0E+06	5.5E-02
428	0.37801	1.02E-02	3.8E-03	6.05E-04	2.33E-06	2.09E-01	4.71E-02	2.29E-08	1.0E+06	2.3E-02
429	0.32678	1.02E-02	3.3E-03	6.05E-04	2.01E-06	2.09E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
430	0.77021	1.02E-02	7.8E-03	6.05E-04	4.74E-06	2.09E-01	4.71E-02	4.67E-08	1.0E+06	4.7E-02
431	0.30623	1.02E-02	3.1E-03	6.05E-04	1.88E-06	2.09E-01	4.71E-02	1.86E-08	1.0E+06	1.9E-02
432	0.26825	1.02E-02	2.7E-03	6.05E-04	1.65E-06	2.09E-01	4.71E-02	1.63E-08	1.0E+06	1.6E-02
433	0.66605	1.02E-02	6.8E-03	6.05E-04	4.10E-06	2.09E-01	4.71E-02	4.04E-08	1.0E+06	4.0E-02
434	0.28725	1.02E-02	2.9E-03	6.05E-04	1.77E-06	2.09E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.2539	1.02E-02	2.6E-03	6.05E-04	1.56E-06	2.09E-01	4.71E-02	1.54E-08	1.0E+06	1.5E-02
436	0.58116	1.02E-02	5.9E-03	6.05E-04	3.58E-06	2.09E-01	4.71E-02	3.53E-08	1.0E+06	3.5E-02
437	0.30691	1.02E-02	3.1E-03	6.05E-04	1.89E-06	2.09E-01	4.71E-02	1.86E-08	1.0E+06	1.9E-02
438	0.27001	1.02E-02	2.7E-03	6.05E-04	1.66E-06	2.09E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
439	0.23975	1.02E-02	2.4E-03	6.05E-04	1.48E-06	2.09E-01	4.71E-02	1.45E-08	1.0E+06	1.5E-02
440	0.51082	1.02E-02	5.2E-03	6.05E-04	3.14E-06	2.09E-01	4.71E-02	3.10E-08	1.0E+06	3.1E-02
441	0.3712	1.02E-02	3.8E-03	6.05E-04	2.28E-06	2.09E-01	4.71E-02	2.25E-08	1.0E+06	2.3E-02
442	0.326	1.02E-02	3.3E-03	6.05E-04	2.01E-06	2.09E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
443	0.28704	1.02E-02	2.9E-03	6.05E-04	1.77E-06	2.09E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
444	0.25394	1.02E-02	2.6E-03	6.05E-04	1.56E-06	2.09E-01	4.71E-02	1.54E-08	1.0E+06	1.5E-02
445	0.4522	1.02E-02	4.6E-03	6.05E-04	2.78E-06	2.09E-01	4.71E-02	2.74E-08	1.0E+06	2.7E-02
446	0.37925	1.02E-02	3.9E-03	6.05E-04	2.33E-06	2.09E-01	4.71E-02	2.30E-08	1.0E+06	2.3E-02
447	0.33987	1.02E-02	3.5E-03	6.05E-04	2.09E-06	2.09E-01	4.71E-02	2.06E-08	1.0E+06	2.1E-02
448	0.30239	1.02E-02	3.1E-03	6.05E-04	1.86E-06	2.09E-01	4.71E-02	1.84E-08	1.0E+06	1.8E-02
449	0.40282	1.02E-02	4.1E-03	6.05E-04	2.48E-06	2.09E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
450	0.37605	1.02E-02	3.8E-03	6.05E-04	2.31E-06	2.09E-01	4.71E-02	2.28E-08	1.0E+06	2.3E-02
451	0.34509	1.02E-02	3.5E-03	6.05E-04	2.12E-06	2.09E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
452	0.36089	1.02E-02	3.7E-03	6.05E-04	2.22E-06	2.09E-01	4.71E-02	2.19E-08	1.0E+06	2.2E-02
453	0.33992	1.02E-02	3.5E-03	6.05E-04	2.09E-06	2.09E-01	4.71E-02	2.06E-08	1.0E+06	2.1E-02
454	0.19146	1.02E-02	1.9E-03	6.05E-04	1.18E-06	2.09E-01	4.71E-02	1.16E-08	1.0E+06	1.2E-02
455	0.17478	1.02E-02	1.8E-03	6.05E-04	1.08E-06	2.09E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
456	0.32501	1.02E-02	3.3E-03	6.05E-04	2.00E-06	2.09E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
457	0.30847	1.02E-02	3.1E-03	6.05E-04	1.90E-06	2.09E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
458	0.28793	1.02E-02	2.9E-03	6.05E-04	1.77E-06	2.09E-01	4.71E-02	1.75E-08	1.0E+06	1.7E-02
459	0.22069	1.02E-02	2.2E-03	6.05E-04	1.36E-06	2.09E-01	4.71E-02	1.34E-08	1.0E+06	1.3E-02
460	0.20066	1.02E-02	2.0E-03	6.05E-04	1.23E-06	2.09E-01	4.71E-02	1.22E-08	1.0E+06	1.2E-02
461	0.18243	1.02E-02	1.9E-03	6.05E-04	1.12E-06	2.09E-01	4.71E-02	1.11E-08	1.0E+06	1.1E-02
462	0.16633	1.02E-02	1.7E-03	6.05E-04	1.02E-06	2.09E-01	4.71E-02	1.01E-08	1.0E+06	1.0E-02
463	4.29765	1.02E-02	4.4E-02	6.05E-04	2.64E-05	2.09E-01	4.71E-02	2.61E-07	1.0E+06	2.6E-01
464	3.3969	1.02E-02	3.5E-02	6.05E-04	2.09E-05	2.09E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
465	2.89488	1.02E-02	2.9E-02	6.05E-04	1.78E-05	2.09E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.25169	1.02E-02	2.3E-02	6.05E-04	1.39E-05	2.09E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
467	2.03748	1.02E-02	2.1E-02	6.05E-04	1.25E-05	2.09E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
468	1.58578	1.02E-02	1.6E-02	6.05E-04	9.76E-06	2.09E-01	4.71E-02	9.62E-08	1.0E+06	9.6E-02
469	1.27157	1.02E-02	1.3E-02	6.05E-04	7.83E-06	2.09E-01	4.71E-02	7.72E-08	1.0E+06	7.7E-02
470	1.11457	1.02E-02	1.1E-02	6.05E-04	6.86E-06	2.09E-01	4.71E-02	6.76E-08	1.0E+06	6.8E-02
471	1.15557	1.02E-02	1.2E-02	6.05E-04	7.11E-06	2.09E-01	4.71E-02	7.01E-08	1.0E+06	7.0E-02
472	0.91809	1.02E-02	9.3E-03	6.05E-04	5.65E-06	2.09E-01	4.71E-02	5.57E-08	1.0E+06	5.6E-02
473	0.8703	1.02E-02	8.9E-03	6.05E-04	5.36E-06	2.09E-01	4.71E-02	5.28E-08	1.0E+06	5.3E-02
474	0.76922	1.02E-02	7.8E-03	6.05E-04	4.73E-06	2.09E-01	4.71E-02	4.67E-08	1.0E+06	4.7E-02
475	0.73688	1.02E-02	7.5E-03	6.05E-04	4.53E-06	2.09E-01	4.71E-02	4.47E-08	1.0E+06	4.5E-02
476	0.65302	1.02E-02	6.6E-03	6.05E-04	4.02E-06	2.09E-01	4.71E-02	3.96E-08	1.0E+06	4.0E-02
477	0.63139	1.02E-02	6.4E-03	6.05E-04	3.89E-06	2.09E-01	4.71E-02	3.83E-08	1.0E+06	3.8E-02
478	0.5609	1.02E-02	5.7E-03	6.05E-04	3.45E-06	2.09E-01	4.71E-02	3.40E-08	1.0E+06	3.4E-02
479	0.54625	1.02E-02	5.6E-03	6.05E-04	3.36E-06	2.09E-01	4.71E-02	3.32E-08	1.0E+06	3.3E-02
480	0.51817	1.02E-02	5.3E-03	6.05E-04	3.19E-06	2.09E-01	4.71E-02	3.14E-08	1.0E+06	3.1E-02
481	0.48689	1.02E-02	5.0E-03	6.05E-04	3.00E-06	2.09E-01	4.71E-02	2.95E-08	1.0E+06	3.0E-02
482	0.45676	1.02E-02	4.6E-03	6.05E-04	2.81E-06	2.09E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
483	0.42029	1.02E-02	4.3E-03	6.05E-04	2.59E-06	2.09E-01	4.71E-02	2.55E-08	1.0E+06	2.6E-02
484	0.40531	1.02E-02	4.1E-03	6.05E-04	2.49E-06	2.09E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer risk from 2 to 16 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.25428	9.48035E-07	2.4E-07	6.05E-04	1.46E-10	2.09E-01	4.71E-02	1.44E-12	1.0E+06	1.4E-06
2	2	0.27637	9.48035E-07	2.6E-07	6.05E-04	1.59E-10	2.09E-01	4.71E-02	1.56E-12	1.0E+06	1.6E-06
3	3	0.30035	9.48035E-07	2.8E-07	6.05E-04	1.72E-10	2.09E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
4	4	0.32663	9.48035E-07	3.1E-07	6.05E-04	1.87E-10	2.09E-01	4.71E-02	1.85E-12	1.0E+06	1.8E-06
5	5	0.35475	9.48035E-07	3.4E-07	6.05E-04	2.03E-10	2.09E-01	4.71E-02	2.01E-12	1.0E+06	2.0E-06
6	6	0.38703	9.48035E-07	3.7E-07	6.05E-04	2.22E-10	2.09E-01	4.71E-02	2.19E-12	1.0E+06	2.2E-06
7	7	0.42232	9.48035E-07	4.0E-07	6.05E-04	2.42E-10	2.09E-01	4.71E-02	2.39E-12	1.0E+06	2.4E-06
8	8	0.46087	9.48035E-07	4.4E-07	6.05E-04	2.64E-10	2.09E-01	4.71E-02	2.61E-12	1.0E+06	2.6E-06
9	9	0.50407	9.48035E-07	4.8E-07	6.05E-04	2.89E-10	2.09E-01	4.71E-02	2.85E-12	1.0E+06	2.9E-06
10	10	0.55668	9.48035E-07	5.3E-07	6.05E-04	3.19E-10	2.09E-01	4.71E-02	3.15E-12	1.0E+06	3.1E-06
11	11	0.62607	9.48035E-07	5.9E-07	6.05E-04	3.59E-10	2.09E-01	4.71E-02	3.54E-12	1.0E+06	3.5E-06
12	12	0.72578	9.48035E-07	6.9E-07	6.05E-04	4.16E-10	2.09E-01	4.71E-02	4.11E-12	1.0E+06	4.1E-06
13	13	0.84464	9.48035E-07	8.0E-07	6.05E-04	4.85E-10	2.09E-01	4.71E-02	4.78E-12	1.0E+06	4.8E-06
14	14	1.25114	9.48035E-07	1.2E-06	6.05E-04	7.18E-10	2.09E-01	4.71E-02	7.08E-12	1.0E+06	7.1E-06
15	15	0.26771	9.48035E-07	2.5E-07	6.05E-04	1.54E-10	2.09E-01	4.71E-02	1.51E-12	1.0E+06	1.5E-06
16	16	0.29333	9.48035E-07	2.8E-07	6.05E-04	1.68E-10	2.09E-01	4.71E-02	1.66E-12	1.0E+06	1.7E-06
17	17	0.3235	9.48035E-07	3.1E-07	6.05E-04	1.86E-10	2.09E-01	4.71E-02	1.83E-12	1.0E+06	1.8E-06
18	18	0.35659	9.48035E-07	3.4E-07	6.05E-04	2.05E-10	2.09E-01	4.71E-02	2.02E-12	1.0E+06	2.0E-06
19	19	0.39342	9.48035E-07	3.7E-07	6.05E-04	2.26E-10	2.09E-01	4.71E-02	2.23E-12	1.0E+06	2.2E-06
20	20	0.43604	9.48035E-07	4.1E-07	6.05E-04	2.50E-10	2.09E-01	4.71E-02	2.47E-12	1.0E+06	2.5E-06
21	21	0.48425	9.48035E-07	4.6E-07	6.05E-04	2.78E-10	2.09E-01	4.71E-02	2.74E-12	1.0E+06	2.7E-06
22	22	0.53774	9.48035E-07	5.1E-07	6.05E-04	3.08E-10	2.09E-01	4.71E-02	3.04E-12	1.0E+06	3.0E-06
23	23	0.60347	9.48035E-07	5.7E-07	6.05E-04	3.46E-10	2.09E-01	4.71E-02	3.41E-12	1.0E+06	3.4E-06
24	24	0.67516	9.48035E-07	6.4E-07	6.05E-04	3.87E-10	2.09E-01	4.71E-02	3.82E-12	1.0E+06	3.8E-06
25	25	0.77514	9.48035E-07	7.3E-07	6.05E-04	4.45E-10	2.09E-01	4.71E-02	4.38E-12	1.0E+06	4.4E-06
26	26	0.922	9.48035E-07	8.7E-07	6.05E-04	5.29E-10	2.09E-01	4.71E-02	5.22E-12	1.0E+06	5.2E-06
27	27	1.07569	9.48035E-07	1.0E-06	6.05E-04	6.17E-10	2.09E-01	4.71E-02	6.09E-12	1.0E+06	6.1E-06
28	28	1.7381	9.48035E-07	1.6E-06	6.05E-04	9.97E-10	2.09E-01	4.71E-02	9.83E-12	1.0E+06	9.8E-06
29	29	0.27447	9.48035E-07	2.6E-07	6.05E-04	1.57E-10	2.09E-01	4.71E-02	1.55E-12	1.0E+06	1.6E-06
30	30	0.30429	9.48035E-07	2.9E-07	6.05E-04	1.75E-10	2.09E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
31	31	0.33911	9.48035E-07	3.2E-07	6.05E-04	1.95E-10	2.09E-01	4.71E-02	1.92E-12	1.0E+06	1.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.37998	9.48035E-07	3.6E-07	6.05E-04	2.18E-10	2.09E-01	4.71E-02	2.15E-12	1.0E+06	2.1E-06
33	33	0.42564	9.48035E-07	4.0E-07	6.05E-04	2.44E-10	2.09E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
34	34	0.48098	9.48035E-07	4.6E-07	6.05E-04	2.76E-10	2.09E-01	4.71E-02	2.72E-12	1.0E+06	2.7E-06
35	35	0.5453	9.48035E-07	5.2E-07	6.05E-04	3.13E-10	2.09E-01	4.71E-02	3.08E-12	1.0E+06	3.1E-06
36	36	0.62255	9.48035E-07	5.9E-07	6.05E-04	3.57E-10	2.09E-01	4.71E-02	3.52E-12	1.0E+06	3.5E-06
37	37	0.71608	9.48035E-07	6.8E-07	6.05E-04	4.11E-10	2.09E-01	4.71E-02	4.05E-12	1.0E+06	4.1E-06
38	38	0.83019	9.48035E-07	7.9E-07	6.05E-04	4.76E-10	2.09E-01	4.71E-02	4.70E-12	1.0E+06	4.7E-06
39	39	0.97462	9.48035E-07	9.2E-07	6.05E-04	5.59E-10	2.09E-01	4.71E-02	5.51E-12	1.0E+06	5.5E-06
40	40	1.15938	9.48035E-07	1.1E-06	6.05E-04	6.65E-10	2.09E-01	4.71E-02	6.56E-12	1.0E+06	6.6E-06
41	41	1.41414	9.48035E-07	1.3E-06	6.05E-04	8.11E-10	2.09E-01	4.71E-02	8.00E-12	1.0E+06	8.0E-06
42	42	2.56737	9.48035E-07	2.4E-06	6.05E-04	1.47E-09	2.09E-01	4.71E-02	1.45E-11	1.0E+06	1.5E-05
43	43	0.27402	9.48035E-07	2.6E-07	6.05E-04	1.57E-10	2.09E-01	4.71E-02	1.55E-12	1.0E+06	1.6E-06
44	44	0.30537	9.48035E-07	2.9E-07	6.05E-04	1.75E-10	2.09E-01	4.71E-02	1.73E-12	1.0E+06	1.7E-06
45	45	0.34365	9.48035E-07	3.3E-07	6.05E-04	1.97E-10	2.09E-01	4.71E-02	1.94E-12	1.0E+06	1.9E-06
46	46	0.39007	9.48035E-07	3.7E-07	6.05E-04	2.24E-10	2.09E-01	4.71E-02	2.21E-12	1.0E+06	2.2E-06
47	47	0.44439	9.48035E-07	4.2E-07	6.05E-04	2.55E-10	2.09E-01	4.71E-02	2.51E-12	1.0E+06	2.5E-06
48	48	0.51054	9.48035E-07	4.8E-07	6.05E-04	2.93E-10	2.09E-01	4.71E-02	2.89E-12	1.0E+06	2.9E-06
49	49	0.59076	9.48035E-07	5.6E-07	6.05E-04	3.39E-10	2.09E-01	4.71E-02	3.34E-12	1.0E+06	3.3E-06
50	50	0.68994	9.48035E-07	6.5E-07	6.05E-04	3.96E-10	2.09E-01	4.71E-02	3.90E-12	1.0E+06	3.9E-06
51	51	0.82922	9.48035E-07	7.9E-07	6.05E-04	4.76E-10	2.09E-01	4.71E-02	4.69E-12	1.0E+06	4.7E-06
52	52	1.00131	9.48035E-07	9.5E-07	6.05E-04	5.74E-10	2.09E-01	4.71E-02	5.66E-12	1.0E+06	5.7E-06
53	53	1.23315	9.48035E-07	1.2E-06	6.05E-04	7.07E-10	2.09E-01	4.71E-02	6.98E-12	1.0E+06	7.0E-06
54	54	1.54707	9.48035E-07	1.5E-06	6.05E-04	8.87E-10	2.09E-01	4.71E-02	8.75E-12	1.0E+06	8.8E-06
55	55	2.02151	9.48035E-07	1.9E-06	6.05E-04	1.16E-09	2.09E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
56	56	4.15291	9.48035E-07	3.9E-06	6.05E-04	2.38E-09	2.09E-01	4.71E-02	2.35E-11	1.0E+06	2.3E-05
57	57	0.26868	9.48035E-07	2.5E-07	6.05E-04	1.54E-10	2.09E-01	4.71E-02	1.52E-12	1.0E+06	1.5E-06
58	58	0.30123	9.48035E-07	2.9E-07	6.05E-04	1.73E-10	2.09E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
59	59	0.34072	9.48035E-07	3.2E-07	6.05E-04	1.95E-10	2.09E-01	4.71E-02	1.93E-12	1.0E+06	1.9E-06
60	60	0.38872	9.48035E-07	3.7E-07	6.05E-04	2.23E-10	2.09E-01	4.71E-02	2.20E-12	1.0E+06	2.2E-06
61	61	0.44749	9.48035E-07	4.2E-07	6.05E-04	2.57E-10	2.09E-01	4.71E-02	2.53E-12	1.0E+06	2.5E-06
62	62	0.52085	9.48035E-07	4.9E-07	6.05E-04	2.99E-10	2.09E-01	4.71E-02	2.95E-12	1.0E+06	2.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.61858	9.48035E-07	5.9E-07	6.05E-04	3.55E-10	2.09E-01	4.71E-02	3.50E-12	1.0E+06	3.5E-06
64	64	0.73154	9.48035E-07	6.9E-07	6.05E-04	4.20E-10	2.09E-01	4.71E-02	4.14E-12	1.0E+06	4.1E-06
65	65	0.90835	9.48035E-07	8.6E-07	6.05E-04	5.21E-10	2.09E-01	4.71E-02	5.14E-12	1.0E+06	5.1E-06
66	66	1.15929	9.48035E-07	1.1E-06	6.05E-04	6.65E-10	2.09E-01	4.71E-02	6.56E-12	1.0E+06	6.6E-06
67	67	1.51627	9.48035E-07	1.4E-06	6.05E-04	8.70E-10	2.09E-01	4.71E-02	8.58E-12	1.0E+06	8.6E-06
68	68	2.10193	9.48035E-07	2.0E-06	6.05E-04	1.21E-09	2.09E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
69	69	3.11868	9.48035E-07	3.0E-06	6.05E-04	1.79E-09	2.09E-01	4.71E-02	1.76E-11	1.0E+06	1.8E-05
70	70	0.26104	9.48035E-07	2.5E-07	6.05E-04	1.50E-10	2.09E-01	4.71E-02	1.48E-12	1.0E+06	1.5E-06
71	71	0.29292	9.48035E-07	2.8E-07	6.05E-04	1.68E-10	2.09E-01	4.71E-02	1.66E-12	1.0E+06	1.7E-06
72	72	0.33076	9.48035E-07	3.1E-07	6.05E-04	1.90E-10	2.09E-01	4.71E-02	1.87E-12	1.0E+06	1.9E-06
73	73	0.37819	9.48035E-07	3.6E-07	6.05E-04	2.17E-10	2.09E-01	4.71E-02	2.14E-12	1.0E+06	2.1E-06
74	74	0.43517	9.48035E-07	4.1E-07	6.05E-04	2.50E-10	2.09E-01	4.71E-02	2.46E-12	1.0E+06	2.5E-06
75	75	0.51517	9.48035E-07	4.9E-07	6.05E-04	2.96E-10	2.09E-01	4.71E-02	2.91E-12	1.0E+06	2.9E-06
76	76	0.61615	9.48035E-07	5.8E-07	6.05E-04	3.53E-10	2.09E-01	4.71E-02	3.49E-12	1.0E+06	3.5E-06
77	77	0.74231	9.48035E-07	7.0E-07	6.05E-04	4.26E-10	2.09E-01	4.71E-02	4.20E-12	1.0E+06	4.2E-06
78	78	0.94081	9.48035E-07	8.9E-07	6.05E-04	5.40E-10	2.09E-01	4.71E-02	5.32E-12	1.0E+06	5.3E-06
79	79	1.27513	9.48035E-07	1.2E-06	6.05E-04	7.31E-10	2.09E-01	4.71E-02	7.21E-12	1.0E+06	7.2E-06
80	80	1.7742	9.48035E-07	1.7E-06	6.05E-04	1.02E-09	2.09E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
81	81	2.83811	9.48035E-07	2.7E-06	6.05E-04	1.63E-09	2.09E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
82	82	5.38613	9.48035E-07	5.1E-06	6.05E-04	3.09E-09	2.09E-01	4.71E-02	3.05E-11	1.0E+06	3.0E-05
83	83	0.2507	9.48035E-07	2.4E-07	6.05E-04	1.44E-10	2.09E-01	4.71E-02	1.42E-12	1.0E+06	1.4E-06
84	84	0.27763	9.48035E-07	2.6E-07	6.05E-04	1.59E-10	2.09E-01	4.71E-02	1.57E-12	1.0E+06	1.6E-06
85	85	0.30821	9.48035E-07	2.9E-07	6.05E-04	1.77E-10	2.09E-01	4.71E-02	1.74E-12	1.0E+06	1.7E-06
86	86	0.36229	9.48035E-07	3.4E-07	6.05E-04	2.08E-10	2.09E-01	4.71E-02	2.05E-12	1.0E+06	2.0E-06
87	87	0.42083	9.48035E-07	4.0E-07	6.05E-04	2.41E-10	2.09E-01	4.71E-02	2.38E-12	1.0E+06	2.4E-06
88	88	0.49822	9.48035E-07	4.7E-07	6.05E-04	2.86E-10	2.09E-01	4.71E-02	2.82E-12	1.0E+06	2.8E-06
89	89	0.60034	9.48035E-07	5.7E-07	6.05E-04	3.44E-10	2.09E-01	4.71E-02	3.40E-12	1.0E+06	3.4E-06
90	90	0.7416	9.48035E-07	7.0E-07	6.05E-04	4.25E-10	2.09E-01	4.71E-02	4.20E-12	1.0E+06	4.2E-06
91	91	0.9485	9.48035E-07	9.0E-07	6.05E-04	5.44E-10	2.09E-01	4.71E-02	5.37E-12	1.0E+06	5.4E-06
92	92	1.2708	9.48035E-07	1.2E-06	6.05E-04	7.29E-10	2.09E-01	4.71E-02	7.19E-12	1.0E+06	7.2E-06
93	93	1.85524	9.48035E-07	1.8E-06	6.05E-04	1.06E-09	2.09E-01	4.71E-02	1.05E-11	1.0E+06	1.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	3.16116	9.48035E-07	3.0E-06	6.05E-04	1.81E-09	2.09E-01	4.71E-02	1.79E-11	1.0E+06	1.8E-05
95	95	8.07452	9.48035E-07	7.7E-06	6.05E-04	4.63E-09	2.09E-01	4.71E-02	4.57E-11	1.0E+06	4.6E-05
96	96	0.23529	9.48035E-07	2.2E-07	6.05E-04	1.35E-10	2.09E-01	4.71E-02	1.33E-12	1.0E+06	1.3E-06
97	97	0.25485	9.48035E-07	2.4E-07	6.05E-04	1.46E-10	2.09E-01	4.71E-02	1.44E-12	1.0E+06	1.4E-06
98	98	0.28398	9.48035E-07	2.7E-07	6.05E-04	1.63E-10	2.09E-01	4.71E-02	1.61E-12	1.0E+06	1.6E-06
99	99	0.33031	9.48035E-07	3.1E-07	6.05E-04	1.89E-10	2.09E-01	4.71E-02	1.87E-12	1.0E+06	1.9E-06
100	100	0.39644	9.48035E-07	3.8E-07	6.05E-04	2.27E-10	2.09E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
101	101	0.46889	9.48035E-07	4.4E-07	6.05E-04	2.69E-10	2.09E-01	4.71E-02	2.65E-12	1.0E+06	2.7E-06
102	102	0.56397	9.48035E-07	5.3E-07	6.05E-04	3.24E-10	2.09E-01	4.71E-02	3.19E-12	1.0E+06	3.2E-06
103	103	0.69793	9.48035E-07	6.6E-07	6.05E-04	4.00E-10	2.09E-01	4.71E-02	3.95E-12	1.0E+06	3.9E-06
104	104	0.88703	9.48035E-07	8.4E-07	6.05E-04	5.09E-10	2.09E-01	4.71E-02	5.02E-12	1.0E+06	5.0E-06
105	105	1.17483	9.48035E-07	1.1E-06	6.05E-04	6.74E-10	2.09E-01	4.71E-02	6.65E-12	1.0E+06	6.6E-06
106	106	1.68699	9.48035E-07	1.6E-06	6.05E-04	9.68E-10	2.09E-01	4.71E-02	9.54E-12	1.0E+06	9.5E-06
107	107	2.70538	9.48035E-07	2.6E-06	6.05E-04	1.55E-09	2.09E-01	4.71E-02	1.53E-11	1.0E+06	1.5E-05
108	108	5.26727	9.48035E-07	5.0E-06	6.05E-04	3.02E-09	2.09E-01	4.71E-02	2.98E-11	1.0E+06	3.0E-05
109	109	0.21721	9.48035E-07	2.1E-07	6.05E-04	1.25E-10	2.09E-01	4.71E-02	1.23E-12	1.0E+06	1.2E-06
110	110	0.24437	9.48035E-07	2.3E-07	6.05E-04	1.40E-10	2.09E-01	4.71E-02	1.38E-12	1.0E+06	1.4E-06
111	111	0.27772	9.48035E-07	2.6E-07	6.05E-04	1.59E-10	2.09E-01	4.71E-02	1.57E-12	1.0E+06	1.6E-06
112	112	0.31879	9.48035E-07	3.0E-07	6.05E-04	1.83E-10	2.09E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
113	113	0.37002	9.48035E-07	3.5E-07	6.05E-04	2.12E-10	2.09E-01	4.71E-02	2.09E-12	1.0E+06	2.1E-06
114	114	0.43454	9.48035E-07	4.1E-07	6.05E-04	2.49E-10	2.09E-01	4.71E-02	2.46E-12	1.0E+06	2.5E-06
115	115	0.5169	9.48035E-07	4.9E-07	6.05E-04	2.97E-10	2.09E-01	4.71E-02	2.92E-12	1.0E+06	2.9E-06
116	116	0.63155	9.48035E-07	6.0E-07	6.05E-04	3.62E-10	2.09E-01	4.71E-02	3.57E-12	1.0E+06	3.6E-06
117	117	0.79952	9.48035E-07	7.6E-07	6.05E-04	4.59E-10	2.09E-01	4.71E-02	4.52E-12	1.0E+06	4.5E-06
118	118	1.07879	9.48035E-07	1.0E-06	6.05E-04	6.19E-10	2.09E-01	4.71E-02	6.10E-12	1.0E+06	6.1E-06
119	119	1.48871	9.48035E-07	1.4E-06	6.05E-04	8.54E-10	2.09E-01	4.71E-02	8.42E-12	1.0E+06	8.4E-06
120	120	2.22518	9.48035E-07	2.1E-06	6.05E-04	1.28E-09	2.09E-01	4.71E-02	1.26E-11	1.0E+06	1.3E-05
121	121	3.73196	9.48035E-07	3.5E-06	6.05E-04	2.14E-09	2.09E-01	4.71E-02	2.11E-11	1.0E+06	2.1E-05
122	122	0.20313	9.48035E-07	1.9E-07	6.05E-04	1.17E-10	2.09E-01	4.71E-02	1.15E-12	1.0E+06	1.1E-06
123	123	0.22892	9.48035E-07	2.2E-07	6.05E-04	1.31E-10	2.09E-01	4.71E-02	1.29E-12	1.0E+06	1.3E-06
124	124	0.26271	9.48035E-07	2.5E-07	6.05E-04	1.51E-10	2.09E-01	4.71E-02	1.49E-12	1.0E+06	1.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.30034	9.48035E-07	2.8E-07	6.05E-04	1.72E-10	2.09E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
126	126	0.34432	9.48035E-07	3.3E-07	6.05E-04	1.98E-10	2.09E-01	4.71E-02	1.95E-12	1.0E+06	1.9E-06
127	127	0.39622	9.48035E-07	3.8E-07	6.05E-04	2.27E-10	2.09E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
128	128	0.43709	9.48035E-07	4.1E-07	6.05E-04	2.51E-10	2.09E-01	4.71E-02	2.47E-12	1.0E+06	2.5E-06
129	129	0.52232	9.48035E-07	5.0E-07	6.05E-04	3.00E-10	2.09E-01	4.71E-02	2.95E-12	1.0E+06	3.0E-06
130	130	0.66837	9.48035E-07	6.3E-07	6.05E-04	3.83E-10	2.09E-01	4.71E-02	3.78E-12	1.0E+06	3.8E-06
131	131	4.34244	9.48035E-07	4.1E-06	6.05E-04	2.49E-09	2.09E-01	4.71E-02	2.46E-11	1.0E+06	2.5E-05
132	132	3.78104	9.48035E-07	3.6E-06	6.05E-04	2.17E-09	2.09E-01	4.71E-02	2.14E-11	1.0E+06	2.1E-05
133	133	0.18852	9.48035E-07	1.8E-07	6.05E-04	1.08E-10	2.09E-01	4.71E-02	1.07E-12	1.0E+06	1.1E-06
134	134	0.21544	9.48035E-07	2.0E-07	6.05E-04	1.24E-10	2.09E-01	4.71E-02	1.22E-12	1.0E+06	1.2E-06
135	135	0.24609	9.48035E-07	2.3E-07	6.05E-04	1.41E-10	2.09E-01	4.71E-02	1.39E-12	1.0E+06	1.4E-06
136	136	0.27986	9.48035E-07	2.7E-07	6.05E-04	1.61E-10	2.09E-01	4.71E-02	1.58E-12	1.0E+06	1.6E-06
137	137	0.31968	9.48035E-07	3.0E-07	6.05E-04	1.83E-10	2.09E-01	4.71E-02	1.81E-12	1.0E+06	1.8E-06
138	138	0.36217	9.48035E-07	3.4E-07	6.05E-04	2.08E-10	2.09E-01	4.71E-02	2.05E-12	1.0E+06	2.0E-06
139	139	0.40504	9.48035E-07	3.8E-07	6.05E-04	2.32E-10	2.09E-01	4.71E-02	2.29E-12	1.0E+06	2.3E-06
140	140	0.47072	9.48035E-07	4.5E-07	6.05E-04	2.70E-10	2.09E-01	4.71E-02	2.66E-12	1.0E+06	2.7E-06
141	141	0.56278	9.48035E-07	5.3E-07	6.05E-04	3.23E-10	2.09E-01	4.71E-02	3.18E-12	1.0E+06	3.2E-06
142	142	0.67468	9.48035E-07	6.4E-07	6.05E-04	3.87E-10	2.09E-01	4.71E-02	3.82E-12	1.0E+06	3.8E-06
143	143	0.84464	9.48035E-07	8.0E-07	6.05E-04	4.85E-10	2.09E-01	4.71E-02	4.78E-12	1.0E+06	4.8E-06
144	144	1.12552	9.48035E-07	1.1E-06	6.05E-04	6.46E-10	2.09E-01	4.71E-02	6.37E-12	1.0E+06	6.4E-06
145	145	1.50377	9.48035E-07	1.4E-06	6.05E-04	8.63E-10	2.09E-01	4.71E-02	8.51E-12	1.0E+06	8.5E-06
146	146	3.06945	9.48035E-07	2.9E-06	6.05E-04	1.76E-09	2.09E-01	4.71E-02	1.74E-11	1.0E+06	1.7E-05
147	147	0.17515	9.48035E-07	1.7E-07	6.05E-04	1.00E-10	2.09E-01	4.71E-02	9.91E-13	1.0E+06	9.9E-07
148	148	0.19818	9.48035E-07	1.9E-07	6.05E-04	1.14E-10	2.09E-01	4.71E-02	1.12E-12	1.0E+06	1.1E-06
149	149	0.22608	9.48035E-07	2.1E-07	6.05E-04	1.30E-10	2.09E-01	4.71E-02	1.28E-12	1.0E+06	1.3E-06
150	150	0.2565	9.48035E-07	2.4E-07	6.05E-04	1.47E-10	2.09E-01	4.71E-02	1.45E-12	1.0E+06	1.5E-06
151	151	0.29441	9.48035E-07	2.8E-07	6.05E-04	1.69E-10	2.09E-01	4.71E-02	1.67E-12	1.0E+06	1.7E-06
152	152	0.33081	9.48035E-07	3.1E-07	6.05E-04	1.90E-10	2.09E-01	4.71E-02	1.87E-12	1.0E+06	1.9E-06
153	153	0.3726	9.48035E-07	3.5E-07	6.05E-04	2.14E-10	2.09E-01	4.71E-02	2.11E-12	1.0E+06	2.1E-06
154	154	0.42896	9.48035E-07	4.1E-07	6.05E-04	2.46E-10	2.09E-01	4.71E-02	2.43E-12	1.0E+06	2.4E-06
155	155	0.50241	9.48035E-07	4.8E-07	6.05E-04	2.88E-10	2.09E-01	4.71E-02	2.84E-12	1.0E+06	2.8E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.59106	9.48035E-07	5.6E-07	6.05E-04	3.39E-10	2.09E-01	4.71E-02	3.34E-12	1.0E+06	3.3E-06
157	157	0.7007	9.48035E-07	6.6E-07	6.05E-04	4.02E-10	2.09E-01	4.71E-02	3.96E-12	1.0E+06	4.0E-06
158	158	0.84757	9.48035E-07	8.0E-07	6.05E-04	4.86E-10	2.09E-01	4.71E-02	4.79E-12	1.0E+06	4.8E-06
159	159	1.1498	9.48035E-07	1.1E-06	6.05E-04	6.60E-10	2.09E-01	4.71E-02	6.50E-12	1.0E+06	6.5E-06
160	160	0.16576	9.48035E-07	1.6E-07	6.05E-04	9.51E-11	2.09E-01	4.71E-02	9.38E-13	1.0E+06	9.4E-07
161	161	0.18316	9.48035E-07	1.7E-07	6.05E-04	1.05E-10	2.09E-01	4.71E-02	1.04E-12	1.0E+06	1.0E-06
162	162	0.20053	9.48035E-07	1.9E-07	6.05E-04	1.15E-10	2.09E-01	4.71E-02	1.13E-12	1.0E+06	1.1E-06
163	163	0.23049	9.48035E-07	2.2E-07	6.05E-04	1.32E-10	2.09E-01	4.71E-02	1.30E-12	1.0E+06	1.3E-06
164	164	0.26854	9.48035E-07	2.5E-07	6.05E-04	1.54E-10	2.09E-01	4.71E-02	1.52E-12	1.0E+06	1.5E-06
165	165	0.30157	9.48035E-07	2.9E-07	6.05E-04	1.73E-10	2.09E-01	4.71E-02	1.71E-12	1.0E+06	1.7E-06
166	166	0.34149	9.48035E-07	3.2E-07	6.05E-04	1.96E-10	2.09E-01	4.71E-02	1.93E-12	1.0E+06	1.9E-06
167	167	0.38778	9.48035E-07	3.7E-07	6.05E-04	2.22E-10	2.09E-01	4.71E-02	2.19E-12	1.0E+06	2.2E-06
168	168	0.44369	9.48035E-07	4.2E-07	6.05E-04	2.55E-10	2.09E-01	4.71E-02	2.51E-12	1.0E+06	2.5E-06
169	169	0.51208	9.48035E-07	4.9E-07	6.05E-04	2.94E-10	2.09E-01	4.71E-02	2.90E-12	1.0E+06	2.9E-06
170	170	0.59664	9.48035E-07	5.7E-07	6.05E-04	3.42E-10	2.09E-01	4.71E-02	3.38E-12	1.0E+06	3.4E-06
171	171	0.70853	9.48035E-07	6.7E-07	6.05E-04	4.06E-10	2.09E-01	4.71E-02	4.01E-12	1.0E+06	4.0E-06
172	172	0.88567	9.48035E-07	8.4E-07	6.05E-04	5.08E-10	2.09E-01	4.71E-02	5.01E-12	1.0E+06	5.0E-06
173	173	1.12931	9.48035E-07	1.1E-06	6.05E-04	6.48E-10	2.09E-01	4.71E-02	6.39E-12	1.0E+06	6.4E-06
174	174	1.4353	9.48035E-07	1.4E-06	6.05E-04	8.23E-10	2.09E-01	4.71E-02	8.12E-12	1.0E+06	8.1E-06
175	175	1.67676	9.48035E-07	1.6E-06	6.05E-04	9.62E-10	2.09E-01	4.71E-02	9.49E-12	1.0E+06	9.5E-06
176	176	1.78891	9.48035E-07	1.7E-06	6.05E-04	1.03E-09	2.09E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
177	177	1.80048	9.48035E-07	1.7E-06	6.05E-04	1.03E-09	2.09E-01	4.71E-02	1.02E-11	1.0E+06	1.0E-05
178	178	1.72123	9.48035E-07	1.6E-06	6.05E-04	9.87E-10	2.09E-01	4.71E-02	9.74E-12	1.0E+06	9.7E-06
179	179	0.15184	9.48035E-07	1.4E-07	6.05E-04	8.71E-11	2.09E-01	4.71E-02	8.59E-13	1.0E+06	8.6E-07
180	180	0.16537	9.48035E-07	1.6E-07	6.05E-04	9.49E-11	2.09E-01	4.71E-02	9.35E-13	1.0E+06	9.4E-07
181	181	0.17744	9.48035E-07	1.7E-07	6.05E-04	1.02E-10	2.09E-01	4.71E-02	1.00E-12	1.0E+06	1.0E-06
182	182	0.20687	9.48035E-07	2.0E-07	6.05E-04	1.19E-10	2.09E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06
183	183	0.24692	9.48035E-07	2.3E-07	6.05E-04	1.42E-10	2.09E-01	4.71E-02	1.40E-12	1.0E+06	1.4E-06
184	184	0.27695	9.48035E-07	2.6E-07	6.05E-04	1.59E-10	2.09E-01	4.71E-02	1.57E-12	1.0E+06	1.6E-06
185	185	0.31325	9.48035E-07	3.0E-07	6.05E-04	1.80E-10	2.09E-01	4.71E-02	1.77E-12	1.0E+06	1.8E-06
186	186	0.35223	9.48035E-07	3.3E-07	6.05E-04	2.02E-10	2.09E-01	4.71E-02	1.99E-12	1.0E+06	2.0E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.39547	9.48035E-07	3.7E-07	6.05E-04	2.27E-10	2.09E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
188	188	0.45023	9.48035E-07	4.3E-07	6.05E-04	2.58E-10	2.09E-01	4.71E-02	2.55E-12	1.0E+06	2.5E-06
189	189	0.51504	9.48035E-07	4.9E-07	6.05E-04	2.95E-10	2.09E-01	4.71E-02	2.91E-12	1.0E+06	2.9E-06
190	190	0.60099	9.48035E-07	5.7E-07	6.05E-04	3.45E-10	2.09E-01	4.71E-02	3.40E-12	1.0E+06	3.4E-06
191	191	0.70882	9.48035E-07	6.7E-07	6.05E-04	4.07E-10	2.09E-01	4.71E-02	4.01E-12	1.0E+06	4.0E-06
192	192	0.85558	9.48035E-07	8.1E-07	6.05E-04	4.91E-10	2.09E-01	4.71E-02	4.84E-12	1.0E+06	4.8E-06
193	193	1.01594	9.48035E-07	9.6E-07	6.05E-04	5.83E-10	2.09E-01	4.71E-02	5.75E-12	1.0E+06	5.7E-06
194	194	1.20178	9.48035E-07	1.1E-06	6.05E-04	6.89E-10	2.09E-01	4.71E-02	6.80E-12	1.0E+06	6.8E-06
195	195	1.37451	9.48035E-07	1.3E-06	6.05E-04	7.88E-10	2.09E-01	4.71E-02	7.78E-12	1.0E+06	7.8E-06
196	196	1.40606	9.48035E-07	1.3E-06	6.05E-04	8.07E-10	2.09E-01	4.71E-02	7.95E-12	1.0E+06	8.0E-06
197	197	1.36033	9.48035E-07	1.3E-06	6.05E-04	7.80E-10	2.09E-01	4.71E-02	7.70E-12	1.0E+06	7.7E-06
198	198	0.14305	9.48035E-07	1.4E-07	6.05E-04	8.21E-11	2.09E-01	4.71E-02	8.09E-13	1.0E+06	8.1E-07
199	199	0.15587	9.48035E-07	1.5E-07	6.05E-04	8.94E-11	2.09E-01	4.71E-02	8.82E-13	1.0E+06	8.8E-07
200	200	0.16985	9.48035E-07	1.6E-07	6.05E-04	9.74E-11	2.09E-01	4.71E-02	9.61E-13	1.0E+06	9.6E-07
201	201	0.18937	9.48035E-07	1.8E-07	6.05E-04	1.09E-10	2.09E-01	4.71E-02	1.07E-12	1.0E+06	1.1E-06
202	202	0.22346	9.48035E-07	2.1E-07	6.05E-04	1.28E-10	2.09E-01	4.71E-02	1.26E-12	1.0E+06	1.3E-06
203	203	0.25217	9.48035E-07	2.4E-07	6.05E-04	1.45E-10	2.09E-01	4.71E-02	1.43E-12	1.0E+06	1.4E-06
204	204	0.28484	9.48035E-07	2.7E-07	6.05E-04	1.63E-10	2.09E-01	4.71E-02	1.61E-12	1.0E+06	1.6E-06
205	205	0.31835	9.48035E-07	3.0E-07	6.05E-04	1.83E-10	2.09E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
206	206	0.35556	9.48035E-07	3.4E-07	6.05E-04	2.04E-10	2.09E-01	4.71E-02	2.01E-12	1.0E+06	2.0E-06
207	207	0.39998	9.48035E-07	3.8E-07	6.05E-04	2.29E-10	2.09E-01	4.71E-02	2.26E-12	1.0E+06	2.3E-06
208	208	0.45236	9.48035E-07	4.3E-07	6.05E-04	2.59E-10	2.09E-01	4.71E-02	2.56E-12	1.0E+06	2.6E-06
209	209	0.51849	9.48035E-07	4.9E-07	6.05E-04	2.97E-10	2.09E-01	4.71E-02	2.93E-12	1.0E+06	2.9E-06
210	210	0.59891	9.48035E-07	5.7E-07	6.05E-04	3.44E-10	2.09E-01	4.71E-02	3.39E-12	1.0E+06	3.4E-06
211	211	0.69455	9.48035E-07	6.6E-07	6.05E-04	3.98E-10	2.09E-01	4.71E-02	3.93E-12	1.0E+06	3.9E-06
212	212	0.79203	9.48035E-07	7.5E-07	6.05E-04	4.54E-10	2.09E-01	4.71E-02	4.48E-12	1.0E+06	4.5E-06
213	213	0.87527	9.48035E-07	8.3E-07	6.05E-04	5.02E-10	2.09E-01	4.71E-02	4.95E-12	1.0E+06	5.0E-06
214	214	0.92685	9.48035E-07	8.8E-07	6.05E-04	5.32E-10	2.09E-01	4.71E-02	5.24E-12	1.0E+06	5.2E-06
215	215	1.10097	9.48035E-07	1.0E-06	6.05E-04	6.32E-10	2.09E-01	4.71E-02	6.23E-12	1.0E+06	6.2E-06
216	216	0.13742	9.48035E-07	1.3E-07	6.05E-04	7.88E-11	2.09E-01	4.71E-02	7.77E-13	1.0E+06	7.8E-07
217	217	0.14785	9.48035E-07	1.4E-07	6.05E-04	8.48E-11	2.09E-01	4.71E-02	8.36E-13	1.0E+06	8.4E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1606	9.48035E-07	1.5E-07	6.05E-04	9.21E-11	2.09E-01	4.71E-02	9.08E-13	1.0E+06	9.1E-07
219	219	0.17624	9.48035E-07	1.7E-07	6.05E-04	1.01E-10	2.09E-01	4.71E-02	9.97E-13	1.0E+06	1.0E-06
220	220	0.20249	9.48035E-07	1.9E-07	6.05E-04	1.16E-10	2.09E-01	4.71E-02	1.15E-12	1.0E+06	1.1E-06
221	221	0.22471	9.48035E-07	2.1E-07	6.05E-04	1.29E-10	2.09E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
222	222	0.25363	9.48035E-07	2.4E-07	6.05E-04	1.45E-10	2.09E-01	4.71E-02	1.43E-12	1.0E+06	1.4E-06
223	223	0.28284	9.48035E-07	2.7E-07	6.05E-04	1.62E-10	2.09E-01	4.71E-02	1.60E-12	1.0E+06	1.6E-06
224	224	0.31499	9.48035E-07	3.0E-07	6.05E-04	1.81E-10	2.09E-01	4.71E-02	1.78E-12	1.0E+06	1.8E-06
225	225	0.35031	9.48035E-07	3.3E-07	6.05E-04	2.01E-10	2.09E-01	4.71E-02	1.98E-12	1.0E+06	2.0E-06
226	226	0.39562	9.48035E-07	3.8E-07	6.05E-04	2.27E-10	2.09E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
227	227	0.4478	9.48035E-07	4.2E-07	6.05E-04	2.57E-10	2.09E-01	4.71E-02	2.53E-12	1.0E+06	2.5E-06
228	228	0.50956	9.48035E-07	4.8E-07	6.05E-04	2.92E-10	2.09E-01	4.71E-02	2.88E-12	1.0E+06	2.9E-06
229	229	0.58111	9.48035E-07	5.5E-07	6.05E-04	3.33E-10	2.09E-01	4.71E-02	3.29E-12	1.0E+06	3.3E-06
230	230	0.6518	9.48035E-07	6.2E-07	6.05E-04	3.74E-10	2.09E-01	4.71E-02	3.69E-12	1.0E+06	3.7E-06
231	231	0.71742	9.48035E-07	6.8E-07	6.05E-04	4.12E-10	2.09E-01	4.71E-02	4.06E-12	1.0E+06	4.1E-06
232	232	0.76633	9.48035E-07	7.3E-07	6.05E-04	4.40E-10	2.09E-01	4.71E-02	4.34E-12	1.0E+06	4.3E-06
233	233	0.8764	9.48035E-07	8.3E-07	6.05E-04	5.03E-10	2.09E-01	4.71E-02	4.96E-12	1.0E+06	5.0E-06
234	234	0.13197	9.48035E-07	1.3E-07	6.05E-04	7.57E-11	2.09E-01	4.71E-02	7.47E-13	1.0E+06	7.5E-07
235	235	0.14015	9.48035E-07	1.3E-07	6.05E-04	8.04E-11	2.09E-01	4.71E-02	7.93E-13	1.0E+06	7.9E-07
236	236	0.15107	9.48035E-07	1.4E-07	6.05E-04	8.67E-11	2.09E-01	4.71E-02	8.55E-13	1.0E+06	8.5E-07
237	237	0.16538	9.48035E-07	1.6E-07	6.05E-04	9.49E-11	2.09E-01	4.71E-02	9.36E-13	1.0E+06	9.4E-07
238	238	0.184	9.48035E-07	1.7E-07	6.05E-04	1.06E-10	2.09E-01	4.71E-02	1.04E-12	1.0E+06	1.0E-06
239	239	0.20227	9.48035E-07	1.9E-07	6.05E-04	1.16E-10	2.09E-01	4.71E-02	1.14E-12	1.0E+06	1.1E-06
240	240	0.22483	9.48035E-07	2.1E-07	6.05E-04	1.29E-10	2.09E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
241	241	0.2498	9.48035E-07	2.4E-07	6.05E-04	1.43E-10	2.09E-01	4.71E-02	1.41E-12	1.0E+06	1.4E-06
242	242	0.27792	9.48035E-07	2.6E-07	6.05E-04	1.59E-10	2.09E-01	4.71E-02	1.57E-12	1.0E+06	1.6E-06
243	243	0.30937	9.48035E-07	2.9E-07	6.05E-04	1.77E-10	2.09E-01	4.71E-02	1.75E-12	1.0E+06	1.8E-06
244	244	0.34887	9.48035E-07	3.3E-07	6.05E-04	2.00E-10	2.09E-01	4.71E-02	1.97E-12	1.0E+06	2.0E-06
245	245	0.39402	9.48035E-07	3.7E-07	6.05E-04	2.26E-10	2.09E-01	4.71E-02	2.23E-12	1.0E+06	2.2E-06
246	246	0.4452	9.48035E-07	4.2E-07	6.05E-04	2.55E-10	2.09E-01	4.71E-02	2.52E-12	1.0E+06	2.5E-06
247	247	0.50074	9.48035E-07	4.7E-07	6.05E-04	2.87E-10	2.09E-01	4.71E-02	2.83E-12	1.0E+06	2.8E-06
248	248	0.55725	9.48035E-07	5.3E-07	6.05E-04	3.20E-10	2.09E-01	4.71E-02	3.15E-12	1.0E+06	3.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.60798	9.48035E-07	5.8E-07	6.05E-04	3.49E-10	2.09E-01	4.71E-02	3.44E-12	1.0E+06	3.4E-06
250	250	0.65154	9.48035E-07	6.2E-07	6.05E-04	3.74E-10	2.09E-01	4.71E-02	3.69E-12	1.0E+06	3.7E-06
251	251	0.73622	9.48035E-07	7.0E-07	6.05E-04	4.22E-10	2.09E-01	4.71E-02	4.16E-12	1.0E+06	4.2E-06
252	252	0.12486	9.48035E-07	1.2E-07	6.05E-04	7.16E-11	2.09E-01	4.71E-02	7.06E-13	1.0E+06	7.1E-07
253	253	0.13102	9.48035E-07	1.2E-07	6.05E-04	7.52E-11	2.09E-01	4.71E-02	7.41E-13	1.0E+06	7.4E-07
254	254	0.13902	9.48035E-07	1.3E-07	6.05E-04	7.97E-11	2.09E-01	4.71E-02	7.86E-13	1.0E+06	7.9E-07
255	255	0.14884	9.48035E-07	1.4E-07	6.05E-04	8.54E-11	2.09E-01	4.71E-02	8.42E-13	1.0E+06	8.4E-07
256	256	0.16799	9.48035E-07	1.6E-07	6.05E-04	9.64E-11	2.09E-01	4.71E-02	9.50E-13	1.0E+06	9.5E-07
257	257	0.17717	9.48035E-07	1.7E-07	6.05E-04	1.02E-10	2.09E-01	4.71E-02	1.00E-12	1.0E+06	1.0E-06
258	258	0.19191	9.48035E-07	1.8E-07	6.05E-04	1.10E-10	2.09E-01	4.71E-02	1.09E-12	1.0E+06	1.1E-06
259	259	0.20945	9.48035E-07	2.0E-07	6.05E-04	1.20E-10	2.09E-01	4.71E-02	1.18E-12	1.0E+06	1.2E-06
260	260	0.23633	9.48035E-07	2.2E-07	6.05E-04	1.36E-10	2.09E-01	4.71E-02	1.34E-12	1.0E+06	1.3E-06
261	261	0.27027	9.48035E-07	2.6E-07	6.05E-04	1.55E-10	2.09E-01	4.71E-02	1.53E-12	1.0E+06	1.5E-06
262	262	0.30728	9.48035E-07	2.9E-07	6.05E-04	1.76E-10	2.09E-01	4.71E-02	1.74E-12	1.0E+06	1.7E-06
263	263	0.3443	9.48035E-07	3.3E-07	6.05E-04	1.97E-10	2.09E-01	4.71E-02	1.95E-12	1.0E+06	1.9E-06
264	264	0.38815	9.48035E-07	3.7E-07	6.05E-04	2.23E-10	2.09E-01	4.71E-02	2.20E-12	1.0E+06	2.2E-06
265	265	0.43216	9.48035E-07	4.1E-07	6.05E-04	2.48E-10	2.09E-01	4.71E-02	2.44E-12	1.0E+06	2.4E-06
266	266	0.47752	9.48035E-07	4.5E-07	6.05E-04	2.74E-10	2.09E-01	4.71E-02	2.70E-12	1.0E+06	2.7E-06
267	267	0.51801	9.48035E-07	4.9E-07	6.05E-04	2.97E-10	2.09E-01	4.71E-02	2.93E-12	1.0E+06	2.9E-06
268	268	0.55231	9.48035E-07	5.2E-07	6.05E-04	3.17E-10	2.09E-01	4.71E-02	3.12E-12	1.0E+06	3.1E-06
269	269	0.6178	9.48035E-07	5.9E-07	6.05E-04	3.54E-10	2.09E-01	4.71E-02	3.49E-12	1.0E+06	3.5E-06
270	270	0.11748	9.48035E-07	1.1E-07	6.05E-04	6.74E-11	2.09E-01	4.71E-02	6.65E-13	1.0E+06	6.6E-07
271	271	0.12315	9.48035E-07	1.2E-07	6.05E-04	7.06E-11	2.09E-01	4.71E-02	6.97E-13	1.0E+06	7.0E-07
272	272	0.13001	9.48035E-07	1.2E-07	6.05E-04	7.46E-11	2.09E-01	4.71E-02	7.35E-13	1.0E+06	7.4E-07
273	273	0.13762	9.48035E-07	1.3E-07	6.05E-04	7.89E-11	2.09E-01	4.71E-02	7.79E-13	1.0E+06	7.8E-07
274	274	0.15664	9.48035E-07	1.5E-07	6.05E-04	8.99E-11	2.09E-01	4.71E-02	8.86E-13	1.0E+06	8.9E-07
275	275	0.17154	9.48035E-07	1.6E-07	6.05E-04	9.84E-11	2.09E-01	4.71E-02	9.70E-13	1.0E+06	9.7E-07
276	276	0.17303	9.48035E-07	1.6E-07	6.05E-04	9.93E-11	2.09E-01	4.71E-02	9.79E-13	1.0E+06	9.8E-07
277	277	0.18742	9.48035E-07	1.8E-07	6.05E-04	1.08E-10	2.09E-01	4.71E-02	1.06E-12	1.0E+06	1.1E-06
278	278	0.20728	9.48035E-07	2.0E-07	6.05E-04	1.19E-10	2.09E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06
279	279	0.23289	9.48035E-07	2.2E-07	6.05E-04	1.34E-10	2.09E-01	4.71E-02	1.32E-12	1.0E+06	1.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.26762	9.48035E-07	2.5E-07	6.05E-04	1.54E-10	2.09E-01	4.71E-02	1.51E-12	1.0E+06	1.5E-06
281	281	0.30423	9.48035E-07	2.9E-07	6.05E-04	1.75E-10	2.09E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
282	282	0.34191	9.48035E-07	3.2E-07	6.05E-04	1.96E-10	2.09E-01	4.71E-02	1.93E-12	1.0E+06	1.9E-06
283	283	0.37966	9.48035E-07	3.6E-07	6.05E-04	2.18E-10	2.09E-01	4.71E-02	2.15E-12	1.0E+06	2.1E-06
284	284	0.4169	9.48035E-07	4.0E-07	6.05E-04	2.39E-10	2.09E-01	4.71E-02	2.36E-12	1.0E+06	2.4E-06
285	285	0.44898	9.48035E-07	4.3E-07	6.05E-04	2.58E-10	2.09E-01	4.71E-02	2.54E-12	1.0E+06	2.5E-06
286	286	0.47811	9.48035E-07	4.5E-07	6.05E-04	2.74E-10	2.09E-01	4.71E-02	2.70E-12	1.0E+06	2.7E-06
287	287	0.53223	9.48035E-07	5.0E-07	6.05E-04	3.05E-10	2.09E-01	4.71E-02	3.01E-12	1.0E+06	3.0E-06
288	288	0.11112	9.48035E-07	1.1E-07	6.05E-04	6.37E-11	2.09E-01	4.71E-02	6.29E-13	1.0E+06	6.3E-07
289	289	0.11524	9.48035E-07	1.1E-07	6.05E-04	6.61E-11	2.09E-01	4.71E-02	6.52E-13	1.0E+06	6.5E-07
290	290	0.12413	9.48035E-07	1.2E-07	6.05E-04	7.12E-11	2.09E-01	4.71E-02	7.02E-13	1.0E+06	7.0E-07
291	291	0.13257	9.48035E-07	1.3E-07	6.05E-04	7.60E-11	2.09E-01	4.71E-02	7.50E-13	1.0E+06	7.5E-07
292	292	0.15848	9.48035E-07	1.5E-07	6.05E-04	9.09E-11	2.09E-01	4.71E-02	8.97E-13	1.0E+06	9.0E-07
293	293	0.16388	9.48035E-07	1.6E-07	6.05E-04	9.40E-11	2.09E-01	4.71E-02	9.27E-13	1.0E+06	9.3E-07
294	294	0.15913	9.48035E-07	1.5E-07	6.05E-04	9.13E-11	2.09E-01	4.71E-02	9.00E-13	1.0E+06	9.0E-07
295	295	0.17346	9.48035E-07	1.6E-07	6.05E-04	9.95E-11	2.09E-01	4.71E-02	9.81E-13	1.0E+06	9.8E-07
296	296	0.19149	9.48035E-07	1.8E-07	6.05E-04	1.10E-10	2.09E-01	4.71E-02	1.08E-12	1.0E+06	1.1E-06
297	297	0.20974	9.48035E-07	2.0E-07	6.05E-04	1.20E-10	2.09E-01	4.71E-02	1.19E-12	1.0E+06	1.2E-06
298	298	0.2352	9.48035E-07	2.2E-07	6.05E-04	1.35E-10	2.09E-01	4.71E-02	1.33E-12	1.0E+06	1.3E-06
299	299	0.26904	9.48035E-07	2.6E-07	6.05E-04	1.54E-10	2.09E-01	4.71E-02	1.52E-12	1.0E+06	1.5E-06
300	300	0.29967	9.48035E-07	2.8E-07	6.05E-04	1.72E-10	2.09E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
301	301	0.33462	9.48035E-07	3.2E-07	6.05E-04	1.92E-10	2.09E-01	4.71E-02	1.89E-12	1.0E+06	1.9E-06
302	302	0.36778	9.48035E-07	3.5E-07	6.05E-04	2.11E-10	2.09E-01	4.71E-02	2.08E-12	1.0E+06	2.1E-06
303	303	0.39809	9.48035E-07	3.8E-07	6.05E-04	2.28E-10	2.09E-01	4.71E-02	2.25E-12	1.0E+06	2.3E-06
304	304	0.42325	9.48035E-07	4.0E-07	6.05E-04	2.43E-10	2.09E-01	4.71E-02	2.39E-12	1.0E+06	2.4E-06
305	305	0.46845	9.48035E-07	4.4E-07	6.05E-04	2.69E-10	2.09E-01	4.71E-02	2.65E-12	1.0E+06	2.6E-06
306	306	0.11179	9.48035E-07	1.1E-07	6.05E-04	6.41E-11	2.09E-01	4.71E-02	6.32E-13	1.0E+06	6.3E-07
307	307	0.1125	9.48035E-07	1.1E-07	6.05E-04	6.45E-11	2.09E-01	4.71E-02	6.36E-13	1.0E+06	6.4E-07
308	308	0.11777	9.48035E-07	1.1E-07	6.05E-04	6.76E-11	2.09E-01	4.71E-02	6.66E-13	1.0E+06	6.7E-07
309	309	0.13435	9.48035E-07	1.3E-07	6.05E-04	7.71E-11	2.09E-01	4.71E-02	7.60E-13	1.0E+06	7.6E-07
310	310	0.15057	9.48035E-07	1.4E-07	6.05E-04	8.64E-11	2.09E-01	4.71E-02	8.52E-13	1.0E+06	8.5E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.15483	9.48035E-07	1.5E-07	6.05E-04	8.88E-11	2.09E-01	4.71E-02	8.76E-13	1.0E+06	8.8E-07
312	312	0.14765	9.48035E-07	1.4E-07	6.05E-04	8.47E-11	2.09E-01	4.71E-02	8.35E-13	1.0E+06	8.4E-07
313	313	0.16064	9.48035E-07	1.5E-07	6.05E-04	9.21E-11	2.09E-01	4.71E-02	9.09E-13	1.0E+06	9.1E-07
314	314	0.1767	9.48035E-07	1.7E-07	6.05E-04	1.01E-10	2.09E-01	4.71E-02	1.00E-12	1.0E+06	1.0E-06
315	315	0.19982	9.48035E-07	1.9E-07	6.05E-04	1.15E-10	2.09E-01	4.71E-02	1.13E-12	1.0E+06	1.1E-06
316	316	0.21566	9.48035E-07	2.0E-07	6.05E-04	1.24E-10	2.09E-01	4.71E-02	1.22E-12	1.0E+06	1.2E-06
317	317	0.2378	9.48035E-07	2.3E-07	6.05E-04	1.36E-10	2.09E-01	4.71E-02	1.35E-12	1.0E+06	1.3E-06
318	318	0.26451	9.48035E-07	2.5E-07	6.05E-04	1.52E-10	2.09E-01	4.71E-02	1.50E-12	1.0E+06	1.5E-06
319	319	0.29658	9.48035E-07	2.8E-07	6.05E-04	1.70E-10	2.09E-01	4.71E-02	1.68E-12	1.0E+06	1.7E-06
320	320	0.33185	9.48035E-07	3.1E-07	6.05E-04	1.90E-10	2.09E-01	4.71E-02	1.88E-12	1.0E+06	1.9E-06
321	321	0.35664	9.48035E-07	3.4E-07	6.05E-04	2.05E-10	2.09E-01	4.71E-02	2.02E-12	1.0E+06	2.0E-06
322	322	0.37869	9.48035E-07	3.6E-07	6.05E-04	2.17E-10	2.09E-01	4.71E-02	2.14E-12	1.0E+06	2.1E-06
323	323	0.41453	9.48035E-07	3.9E-07	6.05E-04	2.38E-10	2.09E-01	4.71E-02	2.34E-12	1.0E+06	2.3E-06
324	324	0.10646	9.48035E-07	1.0E-07	6.05E-04	6.11E-11	2.09E-01	4.71E-02	6.02E-13	1.0E+06	6.0E-07
325	325	0.11483	9.48035E-07	1.1E-07	6.05E-04	6.59E-11	2.09E-01	4.71E-02	6.50E-13	1.0E+06	6.5E-07
326	326	0.11893	9.48035E-07	1.1E-07	6.05E-04	6.82E-11	2.09E-01	4.71E-02	6.73E-13	1.0E+06	6.7E-07
327	327	0.12127	9.48035E-07	1.1E-07	6.05E-04	6.96E-11	2.09E-01	4.71E-02	6.86E-13	1.0E+06	6.9E-07
328	328	0.14555	9.48035E-07	1.4E-07	6.05E-04	8.35E-11	2.09E-01	4.71E-02	8.23E-13	1.0E+06	8.2E-07
329	329	0.1463	9.48035E-07	1.4E-07	6.05E-04	8.39E-11	2.09E-01	4.71E-02	8.28E-13	1.0E+06	8.3E-07
330	330	0.14107	9.48035E-07	1.3E-07	6.05E-04	8.09E-11	2.09E-01	4.71E-02	7.98E-13	1.0E+06	8.0E-07
331	331	0.15349	9.48035E-07	1.5E-07	6.05E-04	8.80E-11	2.09E-01	4.71E-02	8.68E-13	1.0E+06	8.7E-07
332	332	0.1684	9.48035E-07	1.6E-07	6.05E-04	9.66E-11	2.09E-01	4.71E-02	9.53E-13	1.0E+06	9.5E-07
333	333	0.18926	9.48035E-07	1.8E-07	6.05E-04	1.09E-10	2.09E-01	4.71E-02	1.07E-12	1.0E+06	1.1E-06
334	334	0.20686	9.48035E-07	2.0E-07	6.05E-04	1.19E-10	2.09E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06
335	335	0.22659	9.48035E-07	2.1E-07	6.05E-04	1.30E-10	2.09E-01	4.71E-02	1.28E-12	1.0E+06	1.3E-06
336	336	3.4169	9.48035E-07	3.2E-06	6.05E-04	1.96E-09	2.09E-01	4.71E-02	1.93E-11	1.0E+06	1.9E-05
337	337	2.90718	9.48035E-07	2.8E-06	6.05E-04	1.67E-09	2.09E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
338	338	0.85598	9.48035E-07	8.1E-07	6.05E-04	4.91E-10	2.09E-01	4.71E-02	4.84E-12	1.0E+06	4.8E-06
339	339	0.96382	9.48035E-07	9.1E-07	6.05E-04	5.53E-10	2.09E-01	4.71E-02	5.45E-12	1.0E+06	5.5E-06
340	340	1.06362	9.48035E-07	1.0E-06	6.05E-04	6.10E-10	2.09E-01	4.71E-02	6.02E-12	1.0E+06	6.0E-06
341	341	1.1441	9.48035E-07	1.1E-06	6.05E-04	6.56E-10	2.09E-01	4.71E-02	6.47E-12	1.0E+06	6.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	1.19205	9.48035E-07	1.1E-06	6.05E-04	6.84E-10	2.09E-01	4.71E-02	6.74E-12	1.0E+06	6.7E-06
343	343	1.19137	9.48035E-07	1.1E-06	6.05E-04	6.83E-10	2.09E-01	4.71E-02	6.74E-12	1.0E+06	6.7E-06
344	344	1.14641	9.48035E-07	1.1E-06	6.05E-04	6.58E-10	2.09E-01	4.71E-02	6.49E-12	1.0E+06	6.5E-06
345	345	1.0747	9.48035E-07	1.0E-06	6.05E-04	6.16E-10	2.09E-01	4.71E-02	6.08E-12	1.0E+06	6.1E-06
346	346	0.98075	9.48035E-07	9.3E-07	6.05E-04	5.63E-10	2.09E-01	4.71E-02	5.55E-12	1.0E+06	5.5E-06
347	347	1.09501	9.48035E-07	1.0E-06	6.05E-04	6.28E-10	2.09E-01	4.71E-02	6.19E-12	1.0E+06	6.2E-06
348	348	1.28923	9.48035E-07	1.2E-06	6.05E-04	7.40E-10	2.09E-01	4.71E-02	7.29E-12	1.0E+06	7.3E-06
349	349	1.44968	9.48035E-07	1.4E-06	6.05E-04	8.32E-10	2.09E-01	4.71E-02	8.20E-12	1.0E+06	8.2E-06
350	350	1.56961	9.48035E-07	1.5E-06	6.05E-04	9.00E-10	2.09E-01	4.71E-02	8.88E-12	1.0E+06	8.9E-06
351	351	1.64505	9.48035E-07	1.6E-06	6.05E-04	9.44E-10	2.09E-01	4.71E-02	9.31E-12	1.0E+06	9.3E-06
352	352	1.62245	9.48035E-07	1.5E-06	6.05E-04	9.31E-10	2.09E-01	4.71E-02	9.18E-12	1.0E+06	9.2E-06
353	353	1.5308	9.48035E-07	1.5E-06	6.05E-04	8.78E-10	2.09E-01	4.71E-02	8.66E-12	1.0E+06	8.7E-06
354	354	1.37789	9.48035E-07	1.3E-06	6.05E-04	7.90E-10	2.09E-01	4.71E-02	7.79E-12	1.0E+06	7.8E-06
355	355	1.22552	9.48035E-07	1.2E-06	6.05E-04	7.03E-10	2.09E-01	4.71E-02	6.93E-12	1.0E+06	6.9E-06
356	356	1.46835	9.48035E-07	1.4E-06	6.05E-04	8.42E-10	2.09E-01	4.71E-02	8.31E-12	1.0E+06	8.3E-06
357	357	1.77096	9.48035E-07	1.7E-06	6.05E-04	1.02E-09	2.09E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
358	358	2.06523	9.48035E-07	2.0E-06	6.05E-04	1.18E-09	2.09E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
359	359	2.28272	9.48035E-07	2.2E-06	6.05E-04	1.31E-09	2.09E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
360	360	2.41622	9.48035E-07	2.3E-06	6.05E-04	1.39E-09	2.09E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
361	361	2.32422	9.48035E-07	2.2E-06	6.05E-04	1.33E-09	2.09E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
362	362	2.13311	9.48035E-07	2.0E-06	6.05E-04	1.22E-09	2.09E-01	4.71E-02	1.21E-11	1.0E+06	1.2E-05
363	363	1.83505	9.48035E-07	1.7E-06	6.05E-04	1.05E-09	2.09E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
364	364	2.11063	9.48035E-07	2.0E-06	6.05E-04	1.21E-09	2.09E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
365	365	2.60655	9.48035E-07	2.5E-06	6.05E-04	1.50E-09	2.09E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
366	366	3.23664	9.48035E-07	3.1E-06	6.05E-04	1.86E-09	2.09E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
367	367	3.65833	9.48035E-07	3.5E-06	6.05E-04	2.10E-09	2.09E-01	4.71E-02	2.07E-11	1.0E+06	2.1E-05
368	368	3.87486	9.48035E-07	3.7E-06	6.05E-04	2.22E-09	2.09E-01	4.71E-02	2.19E-11	1.0E+06	2.2E-05
369	369	3.61637	9.48035E-07	3.4E-06	6.05E-04	2.07E-09	2.09E-01	4.71E-02	2.05E-11	1.0E+06	2.0E-05
370	370	2.60618	9.48035E-07	2.5E-06	6.05E-04	1.49E-09	2.09E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
371	371	2.02259	9.48035E-07	1.9E-06	6.05E-04	1.16E-09	2.09E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
372	372	3.35904	9.48035E-07	3.2E-06	6.05E-04	1.93E-09	2.09E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	4.57744	9.48035E-07	4.3E-06	6.05E-04	2.63E-09	2.09E-01	4.71E-02	2.59E-11	1.0E+06	2.6E-05
374	374	5.97489	9.48035E-07	5.7E-06	6.05E-04	3.43E-09	2.09E-01	4.71E-02	3.38E-11	1.0E+06	3.4E-05
375	375	6.77983	9.48035E-07	6.4E-06	6.05E-04	3.89E-09	2.09E-01	4.71E-02	3.84E-11	1.0E+06	3.8E-05
376	376	7.14925	9.48035E-07	6.8E-06	6.05E-04	4.10E-09	2.09E-01	4.71E-02	4.04E-11	1.0E+06	4.0E-05
377	377	7.08637	9.48035E-07	6.7E-06	6.05E-04	4.06E-09	2.09E-01	4.71E-02	4.01E-11	1.0E+06	4.0E-05
378	378	6.52639	9.48035E-07	6.2E-06	6.05E-04	3.74E-09	2.09E-01	4.71E-02	3.69E-11	1.0E+06	3.7E-05
379	379	3.84441	9.48035E-07	3.6E-06	6.05E-04	2.21E-09	2.09E-01	4.71E-02	2.17E-11	1.0E+06	2.2E-05
380	380	2.60468	9.48035E-07	2.5E-06	6.05E-04	1.49E-09	2.09E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
381	381	1.78859	9.48035E-07	1.7E-06	6.05E-04	1.03E-09	2.09E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
382	382	6.46984	9.48035E-07	6.1E-06	6.05E-04	3.71E-09	2.09E-01	4.71E-02	3.66E-11	1.0E+06	3.7E-05
383	383	11.78555	9.48035E-07	1.1E-05	6.05E-04	6.76E-09	2.09E-01	4.71E-02	6.67E-11	1.0E+06	6.7E-05
384	384	15.01559	9.48035E-07	1.4E-05	6.05E-04	8.61E-09	2.09E-01	4.71E-02	8.49E-11	1.0E+06	8.5E-05
385	385	16.73781	9.48035E-07	1.6E-05	6.05E-04	9.60E-09	2.09E-01	4.71E-02	9.47E-11	1.0E+06	9.5E-05
386	386	17.50021	9.48035E-07	1.7E-05	6.05E-04	1.00E-08	2.09E-01	4.71E-02	9.90E-11	1.0E+06	9.9E-05
387	387	17.53546	9.48035E-07	1.7E-05	6.05E-04	1.01E-08	2.09E-01	4.71E-02	9.92E-11	1.0E+06	9.9E-05
388	388	16.55215	9.48035E-07	1.6E-05	6.05E-04	9.49E-09	2.09E-01	4.71E-02	9.36E-11	1.0E+06	9.4E-05
389	389	5.82856	9.48035E-07	5.5E-06	6.05E-04	3.34E-09	2.09E-01	4.71E-02	3.30E-11	1.0E+06	3.3E-05
390	390	3.01987	9.48035E-07	2.9E-06	6.05E-04	1.73E-09	2.09E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
391	391	1.86499	9.48035E-07	1.8E-06	6.05E-04	1.07E-09	2.09E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
392	392	1.24646	9.48035E-07	1.2E-06	6.05E-04	7.15E-10	2.09E-01	4.71E-02	7.05E-12	1.0E+06	7.1E-06
393	393	15.59212	9.48035E-07	1.5E-05	6.05E-04	8.94E-09	2.09E-01	4.71E-02	8.82E-11	1.0E+06	8.8E-05
394	394	21.62423	9.48035E-07	2.1E-05	6.05E-04	1.24E-08	2.09E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
395	395	22.42744	9.48035E-07	2.1E-05	6.05E-04	1.29E-08	2.09E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
396	396	22.57647	9.48035E-07	2.1E-05	6.05E-04	1.30E-08	2.09E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
397	397	22.5171	9.48035E-07	2.1E-05	6.05E-04	1.29E-08	2.09E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
398	398	20.33448	9.48035E-07	1.9E-05	6.05E-04	1.17E-08	2.09E-01	4.71E-02	1.15E-10	1.0E+06	1.2E-04
399	399	9.86722	9.48035E-07	9.4E-06	6.05E-04	5.66E-09	2.09E-01	4.71E-02	5.58E-11	1.0E+06	5.6E-05
400	400	6.33293	9.48035E-07	6.0E-06	6.05E-04	3.63E-09	2.09E-01	4.71E-02	3.58E-11	1.0E+06	3.6E-05
401	401	2.87046	9.48035E-07	2.7E-06	6.05E-04	1.65E-09	2.09E-01	4.71E-02	1.62E-11	1.0E+06	1.6E-05
402	402	1.16401	9.48035E-07	1.1E-06	6.05E-04	6.68E-10	2.09E-01	4.71E-02	6.58E-12	1.0E+06	6.6E-06
403	403	5.1041	9.48035E-07	4.8E-06	6.05E-04	2.93E-09	2.09E-01	4.71E-02	2.89E-11	1.0E+06	2.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	1.1208	9.48035E-07	1.1E-06	6.05E-04	6.43E-10	2.09E-01	4.71E-02	6.34E-12	1.0E+06	6.3E-06
405	405	0.82198	9.48035E-07	7.8E-07	6.05E-04	4.72E-10	2.09E-01	4.71E-02	4.65E-12	1.0E+06	4.6E-06
406	406	3.6432	9.48035E-07	3.5E-06	6.05E-04	2.09E-09	2.09E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
407	407	0.75486	9.48035E-07	7.2E-07	6.05E-04	4.33E-10	2.09E-01	4.71E-02	4.27E-12	1.0E+06	4.3E-06
408	408	2.68324	9.48035E-07	2.5E-06	6.05E-04	1.54E-09	2.09E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
409	409	0.69346	9.48035E-07	6.6E-07	6.05E-04	3.98E-10	2.09E-01	4.71E-02	3.92E-12	1.0E+06	3.9E-06
410	410	2.05652	9.48035E-07	1.9E-06	6.05E-04	1.18E-09	2.09E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
411	411	0.81939	9.48035E-07	7.8E-07	6.05E-04	4.70E-10	2.09E-01	4.71E-02	4.64E-12	1.0E+06	4.6E-06
412	412	0.64796	9.48035E-07	6.1E-07	6.05E-04	3.72E-10	2.09E-01	4.71E-02	3.67E-12	1.0E+06	3.7E-06
413	413	1.62841	9.48035E-07	1.5E-06	6.05E-04	9.34E-10	2.09E-01	4.71E-02	9.21E-12	1.0E+06	9.2E-06
414	414	0.95647	9.48035E-07	9.1E-07	6.05E-04	5.49E-10	2.09E-01	4.71E-02	5.41E-12	1.0E+06	5.4E-06
415	415	0.74154	9.48035E-07	7.0E-07	6.05E-04	4.25E-10	2.09E-01	4.71E-02	4.19E-12	1.0E+06	4.2E-06
416	416	0.59417	9.48035E-07	5.6E-07	6.05E-04	3.41E-10	2.09E-01	4.71E-02	3.36E-12	1.0E+06	3.4E-06
417	417	1.32286	9.48035E-07	1.3E-06	6.05E-04	7.59E-10	2.09E-01	4.71E-02	7.48E-12	1.0E+06	7.5E-06
418	418	0.67169	9.48035E-07	6.4E-07	6.05E-04	3.85E-10	2.09E-01	4.71E-02	3.80E-12	1.0E+06	3.8E-06
419	419	0.54583	9.48035E-07	5.2E-07	6.05E-04	3.13E-10	2.09E-01	4.71E-02	3.09E-12	1.0E+06	3.1E-06
420	420	0.45342	9.48035E-07	4.3E-07	6.05E-04	2.60E-10	2.09E-01	4.71E-02	2.56E-12	1.0E+06	2.6E-06
421	421	1.09627	9.48035E-07	1.0E-06	6.05E-04	6.29E-10	2.09E-01	4.71E-02	6.20E-12	1.0E+06	6.2E-06
422	422	0.50182	9.48035E-07	4.8E-07	6.05E-04	2.88E-10	2.09E-01	4.71E-02	2.84E-12	1.0E+06	2.8E-06
423	423	0.42161	9.48035E-07	4.0E-07	6.05E-04	2.42E-10	2.09E-01	4.71E-02	2.39E-12	1.0E+06	2.4E-06
424	424	0.92284	9.48035E-07	8.7E-07	6.05E-04	5.29E-10	2.09E-01	4.71E-02	5.22E-12	1.0E+06	5.2E-06
425	425	0.39184	9.48035E-07	3.7E-07	6.05E-04	2.25E-10	2.09E-01	4.71E-02	2.22E-12	1.0E+06	2.2E-06
426	426	0.3372	9.48035E-07	3.2E-07	6.05E-04	1.93E-10	2.09E-01	4.71E-02	1.91E-12	1.0E+06	1.9E-06
427	427	0.78673	9.48035E-07	7.5E-07	6.05E-04	4.51E-10	2.09E-01	4.71E-02	4.45E-12	1.0E+06	4.5E-06
428	428	0.36429	9.48035E-07	3.5E-07	6.05E-04	2.09E-10	2.09E-01	4.71E-02	2.06E-12	1.0E+06	2.1E-06
429	429	0.31587	9.48035E-07	3.0E-07	6.05E-04	1.81E-10	2.09E-01	4.71E-02	1.79E-12	1.0E+06	1.8E-06
430	430	0.67821	9.48035E-07	6.4E-07	6.05E-04	3.89E-10	2.09E-01	4.71E-02	3.84E-12	1.0E+06	3.8E-06
431	431	0.296	9.48035E-07	2.8E-07	6.05E-04	1.70E-10	2.09E-01	4.71E-02	1.67E-12	1.0E+06	1.7E-06
432	432	0.26001	9.48035E-07	2.5E-07	6.05E-04	1.49E-10	2.09E-01	4.71E-02	1.47E-12	1.0E+06	1.5E-06
433	433	0.58985	9.48035E-07	5.6E-07	6.05E-04	3.38E-10	2.09E-01	4.71E-02	3.34E-12	1.0E+06	3.3E-06
434	434	0.27765	9.48035E-07	2.6E-07	6.05E-04	1.59E-10	2.09E-01	4.71E-02	1.57E-12	1.0E+06	1.6E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.24601	9.48035E-07	2.3E-07	6.05E-04	1.41E-10	2.09E-01	4.71E-02	1.39E-12	1.0E+06	1.4E-06
436	436	0.5173	9.48035E-07	4.9E-07	6.05E-04	2.97E-10	2.09E-01	4.71E-02	2.93E-12	1.0E+06	2.9E-06
437	437	0.29507	9.48035E-07	2.8E-07	6.05E-04	1.69E-10	2.09E-01	4.71E-02	1.67E-12	1.0E+06	1.7E-06
438	438	0.26092	9.48035E-07	2.5E-07	6.05E-04	1.50E-10	2.09E-01	4.71E-02	1.48E-12	1.0E+06	1.5E-06
439	439	0.23233	9.48035E-07	2.2E-07	6.05E-04	1.33E-10	2.09E-01	4.71E-02	1.31E-12	1.0E+06	1.3E-06
440	440	0.45686	9.48035E-07	4.3E-07	6.05E-04	2.62E-10	2.09E-01	4.71E-02	2.58E-12	1.0E+06	2.6E-06
441	441	0.34875	9.48035E-07	3.3E-07	6.05E-04	2.00E-10	2.09E-01	4.71E-02	1.97E-12	1.0E+06	2.0E-06
442	442	0.31036	9.48035E-07	2.9E-07	6.05E-04	1.78E-10	2.09E-01	4.71E-02	1.76E-12	1.0E+06	1.8E-06
443	443	0.27571	9.48035E-07	2.6E-07	6.05E-04	1.58E-10	2.09E-01	4.71E-02	1.56E-12	1.0E+06	1.6E-06
444	444	0.24532	9.48035E-07	2.3E-07	6.05E-04	1.41E-10	2.09E-01	4.71E-02	1.39E-12	1.0E+06	1.4E-06
445	445	0.40619	9.48035E-07	3.9E-07	6.05E-04	2.33E-10	2.09E-01	4.71E-02	2.30E-12	1.0E+06	2.3E-06
446	446	0.35146	9.48035E-07	3.3E-07	6.05E-04	2.02E-10	2.09E-01	4.71E-02	1.99E-12	1.0E+06	2.0E-06
447	447	0.31946	9.48035E-07	3.0E-07	6.05E-04	1.83E-10	2.09E-01	4.71E-02	1.81E-12	1.0E+06	1.8E-06
448	448	0.28761	9.48035E-07	2.7E-07	6.05E-04	1.65E-10	2.09E-01	4.71E-02	1.63E-12	1.0E+06	1.6E-06
449	449	0.36332	9.48035E-07	3.4E-07	6.05E-04	2.08E-10	2.09E-01	4.71E-02	2.06E-12	1.0E+06	2.1E-06
450	450	0.34394	9.48035E-07	3.3E-07	6.05E-04	1.97E-10	2.09E-01	4.71E-02	1.95E-12	1.0E+06	1.9E-06
451	451	0.32009	9.48035E-07	3.0E-07	6.05E-04	1.84E-10	2.09E-01	4.71E-02	1.81E-12	1.0E+06	1.8E-06
452	452	0.32677	9.48035E-07	3.1E-07	6.05E-04	1.87E-10	2.09E-01	4.71E-02	1.85E-12	1.0E+06	1.8E-06
453	453	0.31165	9.48035E-07	3.0E-07	6.05E-04	1.79E-10	2.09E-01	4.71E-02	1.76E-12	1.0E+06	1.8E-06
454	454	0.18564	9.48035E-07	1.8E-07	6.05E-04	1.06E-10	2.09E-01	4.71E-02	1.05E-12	1.0E+06	1.1E-06
455	455	0.16985	9.48035E-07	1.6E-07	6.05E-04	9.74E-11	2.09E-01	4.71E-02	9.61E-13	1.0E+06	9.6E-07
456	456	0.29538	9.48035E-07	2.8E-07	6.05E-04	1.69E-10	2.09E-01	4.71E-02	1.67E-12	1.0E+06	1.7E-06
457	457	0.2835	9.48035E-07	2.7E-07	6.05E-04	1.63E-10	2.09E-01	4.71E-02	1.60E-12	1.0E+06	1.6E-06
458	458	0.26774	9.48035E-07	2.5E-07	6.05E-04	1.54E-10	2.09E-01	4.71E-02	1.51E-12	1.0E+06	1.5E-06
459	459	0.21146	9.48035E-07	2.0E-07	6.05E-04	1.21E-10	2.09E-01	4.71E-02	1.20E-12	1.0E+06	1.2E-06
460	460	0.19351	9.48035E-07	1.8E-07	6.05E-04	1.11E-10	2.09E-01	4.71E-02	1.09E-12	1.0E+06	1.1E-06
461	461	0.17676	9.48035E-07	1.7E-07	6.05E-04	1.01E-10	2.09E-01	4.71E-02	1.00E-12	1.0E+06	1.0E-06
462	462	0.16167	9.48035E-07	1.5E-07	6.05E-04	9.27E-11	2.09E-01	4.71E-02	9.15E-13	1.0E+06	9.1E-07
463	463	2.93796	9.48035E-07	2.8E-06	6.05E-04	1.69E-09	2.09E-01	4.71E-02	1.66E-11	1.0E+06	1.7E-05
464	464	2.50417	9.48035E-07	2.4E-06	6.05E-04	1.44E-09	2.09E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
465	465	2.13764	9.48035E-07	2.0E-06	6.05E-04	1.23E-09	2.09E-01	4.71E-02	1.21E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	1.77077	9.48035E-07	1.7E-06	6.05E-04	1.02E-09	2.09E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
467	467	1.60232	9.48035E-07	1.5E-06	6.05E-04	9.19E-10	2.09E-01	4.71E-02	9.06E-12	1.0E+06	9.1E-06
468	468	1.28246	9.48035E-07	1.2E-06	6.05E-04	7.36E-10	2.09E-01	4.71E-02	7.25E-12	1.0E+06	7.3E-06
469	469	1.04966	9.48035E-07	1.0E-06	6.05E-04	6.02E-10	2.09E-01	4.71E-02	5.94E-12	1.0E+06	5.9E-06
470	470	0.91286	9.48035E-07	8.7E-07	6.05E-04	5.24E-10	2.09E-01	4.71E-02	5.16E-12	1.0E+06	5.2E-06
471	471	0.96114	9.48035E-07	9.1E-07	6.05E-04	5.51E-10	2.09E-01	4.71E-02	5.44E-12	1.0E+06	5.4E-06
472	472	0.76401	9.48035E-07	7.2E-07	6.05E-04	4.38E-10	2.09E-01	4.71E-02	4.32E-12	1.0E+06	4.3E-06
473	473	0.73921	9.48035E-07	7.0E-07	6.05E-04	4.24E-10	2.09E-01	4.71E-02	4.18E-12	1.0E+06	4.2E-06
474	474	0.649	9.48035E-07	6.2E-07	6.05E-04	3.72E-10	2.09E-01	4.71E-02	3.67E-12	1.0E+06	3.7E-06
475	475	0.63257	9.48035E-07	6.0E-07	6.05E-04	3.63E-10	2.09E-01	4.71E-02	3.58E-12	1.0E+06	3.6E-06
476	476	0.55748	9.48035E-07	5.3E-07	6.05E-04	3.20E-10	2.09E-01	4.71E-02	3.15E-12	1.0E+06	3.2E-06
477	477	0.54706	9.48035E-07	5.2E-07	6.05E-04	3.14E-10	2.09E-01	4.71E-02	3.09E-12	1.0E+06	3.1E-06
478	478	0.48382	9.48035E-07	4.6E-07	6.05E-04	2.78E-10	2.09E-01	4.71E-02	2.74E-12	1.0E+06	2.7E-06
479	479	0.47727	9.48035E-07	4.5E-07	6.05E-04	2.74E-10	2.09E-01	4.71E-02	2.70E-12	1.0E+06	2.7E-06
480	480	0.45975	9.48035E-07	4.4E-07	6.05E-04	2.64E-10	2.09E-01	4.71E-02	2.60E-12	1.0E+06	2.6E-06
481	481	0.42381	9.48035E-07	4.0E-07	6.05E-04	2.43E-10	2.09E-01	4.71E-02	2.40E-12	1.0E+06	2.4E-06
482	482	0.40744	9.48035E-07	3.9E-07	6.05E-04	2.34E-10	2.09E-01	4.71E-02	2.30E-12	1.0E+06	2.3E-06
483	483	0.37239	9.48035E-07	3.5E-07	6.05E-04	2.14E-10	2.09E-01	4.71E-02	2.11E-12	1.0E+06	2.1E-06
484	484	0.36336	9.48035E-07	3.4E-07	6.05E-04	2.08E-10	2.09E-01	4.71E-02	2.06E-12	1.0E+06	2.1E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.10907	2.5998E-06	2.8E-07	6.05E-04	1.72E-10	2.09E-01	4.71E-02	1.69E-12	1.0E+06	1.7E-06
2	2	0.11331	2.5998E-06	2.9E-07	6.05E-04	1.78E-10	2.09E-01	4.71E-02	1.76E-12	1.0E+06	1.8E-06
3	3	0.11757	2.5998E-06	3.1E-07	6.05E-04	1.85E-10	2.09E-01	4.71E-02	1.82E-12	1.0E+06	1.8E-06
4	4	0.12211	2.5998E-06	3.2E-07	6.05E-04	1.92E-10	2.09E-01	4.71E-02	1.89E-12	1.0E+06	1.9E-06
5	5	0.12673	2.5998E-06	3.3E-07	6.05E-04	1.99E-10	2.09E-01	4.71E-02	1.97E-12	1.0E+06	2.0E-06
6	6	0.13252	2.5998E-06	3.4E-07	6.05E-04	2.08E-10	2.09E-01	4.71E-02	2.06E-12	1.0E+06	2.1E-06
7	7	0.13881	2.5998E-06	3.6E-07	6.05E-04	2.18E-10	2.09E-01	4.71E-02	2.15E-12	1.0E+06	2.2E-06
8	8	0.14549	2.5998E-06	3.8E-07	6.05E-04	2.29E-10	2.09E-01	4.71E-02	2.26E-12	1.0E+06	2.3E-06
9	9	0.1527	2.5998E-06	4.0E-07	6.05E-04	2.40E-10	2.09E-01	4.71E-02	2.37E-12	1.0E+06	2.4E-06
10	10	0.16129	2.5998E-06	4.2E-07	6.05E-04	2.54E-10	2.09E-01	4.71E-02	2.50E-12	1.0E+06	2.5E-06
11	11	0.17205	2.5998E-06	4.5E-07	6.05E-04	2.71E-10	2.09E-01	4.71E-02	2.67E-12	1.0E+06	2.7E-06
12	12	0.18401	2.5998E-06	4.8E-07	6.05E-04	2.89E-10	2.09E-01	4.71E-02	2.85E-12	1.0E+06	2.9E-06
13	13	0.19777	2.5998E-06	5.1E-07	6.05E-04	3.11E-10	2.09E-01	4.71E-02	3.07E-12	1.0E+06	3.1E-06
14	14	0.3176	2.5998E-06	8.3E-07	6.05E-04	5.00E-10	2.09E-01	4.71E-02	4.93E-12	1.0E+06	4.9E-06
15	15	0.11775	2.5998E-06	3.1E-07	6.05E-04	1.85E-10	2.09E-01	4.71E-02	1.83E-12	1.0E+06	1.8E-06
16	16	0.12213	2.5998E-06	3.2E-07	6.05E-04	1.92E-10	2.09E-01	4.71E-02	1.89E-12	1.0E+06	1.9E-06
17	17	0.12765	2.5998E-06	3.3E-07	6.05E-04	2.01E-10	2.09E-01	4.71E-02	1.98E-12	1.0E+06	2.0E-06
18	18	0.13278	2.5998E-06	3.5E-07	6.05E-04	2.09E-10	2.09E-01	4.71E-02	2.06E-12	1.0E+06	2.1E-06
19	19	0.13808	2.5998E-06	3.6E-07	6.05E-04	2.17E-10	2.09E-01	4.71E-02	2.14E-12	1.0E+06	2.1E-06
20	20	0.14447	2.5998E-06	3.8E-07	6.05E-04	2.27E-10	2.09E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
21	21	0.15159	2.5998E-06	3.9E-07	6.05E-04	2.38E-10	2.09E-01	4.71E-02	2.35E-12	1.0E+06	2.4E-06
22	22	0.1592	2.5998E-06	4.1E-07	6.05E-04	2.50E-10	2.09E-01	4.71E-02	2.47E-12	1.0E+06	2.5E-06
23	23	0.16919	2.5998E-06	4.4E-07	6.05E-04	2.66E-10	2.09E-01	4.71E-02	2.62E-12	1.0E+06	2.6E-06
24	24	0.17887	2.5998E-06	4.7E-07	6.05E-04	2.81E-10	2.09E-01	4.71E-02	2.77E-12	1.0E+06	2.8E-06
25	25	0.19268	2.5998E-06	5.0E-07	6.05E-04	3.03E-10	2.09E-01	4.71E-02	2.99E-12	1.0E+06	3.0E-06
26	26	0.20796	2.5998E-06	5.4E-07	6.05E-04	3.27E-10	2.09E-01	4.71E-02	3.23E-12	1.0E+06	3.2E-06
27	27	0.22325	2.5998E-06	5.8E-07	6.05E-04	3.51E-10	2.09E-01	4.71E-02	3.46E-12	1.0E+06	3.5E-06
28	28	0.37998	2.5998E-06	9.9E-07	6.05E-04	5.98E-10	2.09E-01	4.71E-02	5.89E-12	1.0E+06	5.9E-06
29	29	0.12631	2.5998E-06	3.3E-07	6.05E-04	1.99E-10	2.09E-01	4.71E-02	1.96E-12	1.0E+06	2.0E-06
30	30	0.13209	2.5998E-06	3.4E-07	6.05E-04	2.08E-10	2.09E-01	4.71E-02	2.05E-12	1.0E+06	2.0E-06
31	31	0.13872	2.5998E-06	3.6E-07	6.05E-04	2.18E-10	2.09E-01	4.71E-02	2.15E-12	1.0E+06	2.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.14511	2.5998E-06	3.8E-07	6.05E-04	2.28E-10	2.09E-01	4.71E-02	2.25E-12	1.0E+06	2.3E-06
33	33	0.15024	2.5998E-06	3.9E-07	6.05E-04	2.36E-10	2.09E-01	4.71E-02	2.33E-12	1.0E+06	2.3E-06
34	34	0.15769	2.5998E-06	4.1E-07	6.05E-04	2.48E-10	2.09E-01	4.71E-02	2.45E-12	1.0E+06	2.4E-06
35	35	0.16562	2.5998E-06	4.3E-07	6.05E-04	2.61E-10	2.09E-01	4.71E-02	2.57E-12	1.0E+06	2.6E-06
36	36	0.17514	2.5998E-06	4.6E-07	6.05E-04	2.76E-10	2.09E-01	4.71E-02	2.72E-12	1.0E+06	2.7E-06
37	37	0.18653	2.5998E-06	4.8E-07	6.05E-04	2.93E-10	2.09E-01	4.71E-02	2.89E-12	1.0E+06	2.9E-06
38	38	0.19994	2.5998E-06	5.2E-07	6.05E-04	3.15E-10	2.09E-01	4.71E-02	3.10E-12	1.0E+06	3.1E-06
39	39	0.21597	2.5998E-06	5.6E-07	6.05E-04	3.40E-10	2.09E-01	4.71E-02	3.35E-12	1.0E+06	3.4E-06
40	40	0.23397	2.5998E-06	6.1E-07	6.05E-04	3.68E-10	2.09E-01	4.71E-02	3.63E-12	1.0E+06	3.6E-06
41	41	0.25393	2.5998E-06	6.6E-07	6.05E-04	3.99E-10	2.09E-01	4.71E-02	3.94E-12	1.0E+06	3.9E-06
42	42	0.46504	2.5998E-06	1.2E-06	6.05E-04	7.32E-10	2.09E-01	4.71E-02	7.21E-12	1.0E+06	7.2E-06
43	43	0.13415	2.5998E-06	3.5E-07	6.05E-04	2.11E-10	2.09E-01	4.71E-02	2.08E-12	1.0E+06	2.1E-06
44	44	0.14118	2.5998E-06	3.7E-07	6.05E-04	2.22E-10	2.09E-01	4.71E-02	2.19E-12	1.0E+06	2.2E-06
45	45	0.1484	2.5998E-06	3.9E-07	6.05E-04	2.33E-10	2.09E-01	4.71E-02	2.30E-12	1.0E+06	2.3E-06
46	46	0.15539	2.5998E-06	4.0E-07	6.05E-04	2.44E-10	2.09E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
47	47	0.16244	2.5998E-06	4.2E-07	6.05E-04	2.56E-10	2.09E-01	4.71E-02	2.52E-12	1.0E+06	2.5E-06
48	48	0.17071	2.5998E-06	4.4E-07	6.05E-04	2.69E-10	2.09E-01	4.71E-02	2.65E-12	1.0E+06	2.6E-06
49	49	0.17953	2.5998E-06	4.7E-07	6.05E-04	2.82E-10	2.09E-01	4.71E-02	2.79E-12	1.0E+06	2.8E-06
50	50	0.18952	2.5998E-06	4.9E-07	6.05E-04	2.98E-10	2.09E-01	4.71E-02	2.94E-12	1.0E+06	2.9E-06
51	51	0.20492	2.5998E-06	5.3E-07	6.05E-04	3.22E-10	2.09E-01	4.71E-02	3.18E-12	1.0E+06	3.2E-06
52	52	0.22105	2.5998E-06	5.7E-07	6.05E-04	3.48E-10	2.09E-01	4.71E-02	3.43E-12	1.0E+06	3.4E-06
53	53	0.24135	2.5998E-06	6.3E-07	6.05E-04	3.80E-10	2.09E-01	4.71E-02	3.74E-12	1.0E+06	3.7E-06
54	54	0.26506	2.5998E-06	6.9E-07	6.05E-04	4.17E-10	2.09E-01	4.71E-02	4.11E-12	1.0E+06	4.1E-06
55	55	0.29263	2.5998E-06	7.6E-07	6.05E-04	4.60E-10	2.09E-01	4.71E-02	4.54E-12	1.0E+06	4.5E-06
56	56	0.59571	2.5998E-06	1.5E-06	6.05E-04	9.37E-10	2.09E-01	4.71E-02	9.24E-12	1.0E+06	9.2E-06
57	57	0.14098	2.5998E-06	3.7E-07	6.05E-04	2.22E-10	2.09E-01	4.71E-02	2.19E-12	1.0E+06	2.2E-06
58	58	0.14857	2.5998E-06	3.9E-07	6.05E-04	2.34E-10	2.09E-01	4.71E-02	2.30E-12	1.0E+06	2.3E-06
59	59	0.15665	2.5998E-06	4.1E-07	6.05E-04	2.46E-10	2.09E-01	4.71E-02	2.43E-12	1.0E+06	2.4E-06
60	60	0.16533	2.5998E-06	4.3E-07	6.05E-04	2.60E-10	2.09E-01	4.71E-02	2.56E-12	1.0E+06	2.6E-06
61	61	0.17444	2.5998E-06	4.5E-07	6.05E-04	2.74E-10	2.09E-01	4.71E-02	2.71E-12	1.0E+06	2.7E-06
62	62	0.18432	2.5998E-06	4.8E-07	6.05E-04	2.90E-10	2.09E-01	4.71E-02	2.86E-12	1.0E+06	2.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.19684	2.5998E-06	5.1E-07	6.05E-04	3.10E-10	2.09E-01	4.71E-02	3.05E-12	1.0E+06	3.1E-06
64	64	0.20596	2.5998E-06	5.4E-07	6.05E-04	3.24E-10	2.09E-01	4.71E-02	3.20E-12	1.0E+06	3.2E-06
65	65	0.22307	2.5998E-06	5.8E-07	6.05E-04	3.51E-10	2.09E-01	4.71E-02	3.46E-12	1.0E+06	3.5E-06
66	66	0.24347	2.5998E-06	6.3E-07	6.05E-04	3.83E-10	2.09E-01	4.71E-02	3.78E-12	1.0E+06	3.8E-06
67	67	0.26617	2.5998E-06	6.9E-07	6.05E-04	4.19E-10	2.09E-01	4.71E-02	4.13E-12	1.0E+06	4.1E-06
68	68	0.29845	2.5998E-06	7.8E-07	6.05E-04	4.69E-10	2.09E-01	4.71E-02	4.63E-12	1.0E+06	4.6E-06
69	69	0.33619	2.5998E-06	8.7E-07	6.05E-04	5.29E-10	2.09E-01	4.71E-02	5.22E-12	1.0E+06	5.2E-06
70	70	0.1468	2.5998E-06	3.8E-07	6.05E-04	2.31E-10	2.09E-01	4.71E-02	2.28E-12	1.0E+06	2.3E-06
71	71	0.15519	2.5998E-06	4.0E-07	6.05E-04	2.44E-10	2.09E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
72	72	0.16401	2.5998E-06	4.3E-07	6.05E-04	2.58E-10	2.09E-01	4.71E-02	2.54E-12	1.0E+06	2.5E-06
73	73	0.17408	2.5998E-06	4.5E-07	6.05E-04	2.74E-10	2.09E-01	4.71E-02	2.70E-12	1.0E+06	2.7E-06
74	74	0.18425	2.5998E-06	4.8E-07	6.05E-04	2.90E-10	2.09E-01	4.71E-02	2.86E-12	1.0E+06	2.9E-06
75	75	0.19816	2.5998E-06	5.2E-07	6.05E-04	3.12E-10	2.09E-01	4.71E-02	3.07E-12	1.0E+06	3.1E-06
76	76	0.21229	2.5998E-06	5.5E-07	6.05E-04	3.34E-10	2.09E-01	4.71E-02	3.29E-12	1.0E+06	3.3E-06
77	77	0.22526	2.5998E-06	5.9E-07	6.05E-04	3.54E-10	2.09E-01	4.71E-02	3.49E-12	1.0E+06	3.5E-06
78	78	0.2447	2.5998E-06	6.4E-07	6.05E-04	3.85E-10	2.09E-01	4.71E-02	3.80E-12	1.0E+06	3.8E-06
79	79	0.27361	2.5998E-06	7.1E-07	6.05E-04	4.30E-10	2.09E-01	4.71E-02	4.24E-12	1.0E+06	4.2E-06
80	80	0.29848	2.5998E-06	7.8E-07	6.05E-04	4.70E-10	2.09E-01	4.71E-02	4.63E-12	1.0E+06	4.6E-06
81	81	0.339	2.5998E-06	8.8E-07	6.05E-04	5.33E-10	2.09E-01	4.71E-02	5.26E-12	1.0E+06	5.3E-06
82	82	0.38249	2.5998E-06	9.9E-07	6.05E-04	6.02E-10	2.09E-01	4.71E-02	5.93E-12	1.0E+06	5.9E-06
83	83	0.15183	2.5998E-06	3.9E-07	6.05E-04	2.39E-10	2.09E-01	4.71E-02	2.36E-12	1.0E+06	2.4E-06
84	84	0.15989	2.5998E-06	4.2E-07	6.05E-04	2.52E-10	2.09E-01	4.71E-02	2.48E-12	1.0E+06	2.5E-06
85	85	0.16788	2.5998E-06	4.4E-07	6.05E-04	2.64E-10	2.09E-01	4.71E-02	2.60E-12	1.0E+06	2.6E-06
86	86	0.18194	2.5998E-06	4.7E-07	6.05E-04	2.86E-10	2.09E-01	4.71E-02	2.82E-12	1.0E+06	2.8E-06
87	87	0.19491	2.5998E-06	5.1E-07	6.05E-04	3.07E-10	2.09E-01	4.71E-02	3.02E-12	1.0E+06	3.0E-06
88	88	0.2101	2.5998E-06	5.5E-07	6.05E-04	3.30E-10	2.09E-01	4.71E-02	3.26E-12	1.0E+06	3.3E-06
89	89	0.22727	2.5998E-06	5.9E-07	6.05E-04	3.58E-10	2.09E-01	4.71E-02	3.53E-12	1.0E+06	3.5E-06
90	90	0.24704	2.5998E-06	6.4E-07	6.05E-04	3.89E-10	2.09E-01	4.71E-02	3.83E-12	1.0E+06	3.8E-06
91	91	0.27028	2.5998E-06	7.0E-07	6.05E-04	4.25E-10	2.09E-01	4.71E-02	4.19E-12	1.0E+06	4.2E-06
92	92	0.29823	2.5998E-06	7.8E-07	6.05E-04	4.69E-10	2.09E-01	4.71E-02	4.63E-12	1.0E+06	4.6E-06
93	93	0.3319	2.5998E-06	8.6E-07	6.05E-04	5.22E-10	2.09E-01	4.71E-02	5.15E-12	1.0E+06	5.1E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.37378	2.5998E-06	9.7E-07	6.05E-04	5.88E-10	2.09E-01	4.71E-02	5.80E-12	1.0E+06	5.8E-06
95	95	0.42744	2.5998E-06	1.1E-06	6.05E-04	6.72E-10	2.09E-01	4.71E-02	6.63E-12	1.0E+06	6.6E-06
96	96	0.15484	2.5998E-06	4.0E-07	6.05E-04	2.44E-10	2.09E-01	4.71E-02	2.40E-12	1.0E+06	2.4E-06
97	97	0.16136	2.5998E-06	4.2E-07	6.05E-04	2.54E-10	2.09E-01	4.71E-02	2.50E-12	1.0E+06	2.5E-06
98	98	0.17049	2.5998E-06	4.4E-07	6.05E-04	2.68E-10	2.09E-01	4.71E-02	2.64E-12	1.0E+06	2.6E-06
99	99	0.18446	2.5998E-06	4.8E-07	6.05E-04	2.90E-10	2.09E-01	4.71E-02	2.86E-12	1.0E+06	2.9E-06
100	100	0.20234	2.5998E-06	5.3E-07	6.05E-04	3.18E-10	2.09E-01	4.71E-02	3.14E-12	1.0E+06	3.1E-06
101	101	0.21902	2.5998E-06	5.7E-07	6.05E-04	3.45E-10	2.09E-01	4.71E-02	3.40E-12	1.0E+06	3.4E-06
102	102	0.23799	2.5998E-06	6.2E-07	6.05E-04	3.74E-10	2.09E-01	4.71E-02	3.69E-12	1.0E+06	3.7E-06
103	103	0.26041	2.5998E-06	6.8E-07	6.05E-04	4.10E-10	2.09E-01	4.71E-02	4.04E-12	1.0E+06	4.0E-06
104	104	0.28623	2.5998E-06	7.4E-07	6.05E-04	4.50E-10	2.09E-01	4.71E-02	4.44E-12	1.0E+06	4.4E-06
105	105	0.31686	2.5998E-06	8.2E-07	6.05E-04	4.98E-10	2.09E-01	4.71E-02	4.92E-12	1.0E+06	4.9E-06
106	106	0.35531	2.5998E-06	9.2E-07	6.05E-04	5.59E-10	2.09E-01	4.71E-02	5.51E-12	1.0E+06	5.5E-06
107	107	0.4035	2.5998E-06	1.0E-06	6.05E-04	6.35E-10	2.09E-01	4.71E-02	6.26E-12	1.0E+06	6.3E-06
108	108	0.46556	2.5998E-06	1.2E-06	6.05E-04	7.32E-10	2.09E-01	4.71E-02	7.22E-12	1.0E+06	7.2E-06
109	109	0.15515	2.5998E-06	4.0E-07	6.05E-04	2.44E-10	2.09E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
110	110	0.1661	2.5998E-06	4.3E-07	6.05E-04	2.61E-10	2.09E-01	4.71E-02	2.58E-12	1.0E+06	2.6E-06
111	111	0.17849	2.5998E-06	4.6E-07	6.05E-04	2.81E-10	2.09E-01	4.71E-02	2.77E-12	1.0E+06	2.8E-06
112	112	0.19242	2.5998E-06	5.0E-07	6.05E-04	3.03E-10	2.09E-01	4.71E-02	2.98E-12	1.0E+06	3.0E-06
113	113	0.20811	2.5998E-06	5.4E-07	6.05E-04	3.27E-10	2.09E-01	4.71E-02	3.23E-12	1.0E+06	3.2E-06
114	114	0.22578	2.5998E-06	5.9E-07	6.05E-04	3.55E-10	2.09E-01	4.71E-02	3.50E-12	1.0E+06	3.5E-06
115	115	0.24565	2.5998E-06	6.4E-07	6.05E-04	3.86E-10	2.09E-01	4.71E-02	3.81E-12	1.0E+06	3.8E-06
116	116	0.26961	2.5998E-06	7.0E-07	6.05E-04	4.24E-10	2.09E-01	4.71E-02	4.18E-12	1.0E+06	4.2E-06
117	117	0.29898	2.5998E-06	7.8E-07	6.05E-04	4.70E-10	2.09E-01	4.71E-02	4.64E-12	1.0E+06	4.6E-06
118	118	0.33106	2.5998E-06	8.6E-07	6.05E-04	5.21E-10	2.09E-01	4.71E-02	5.14E-12	1.0E+06	5.1E-06
119	119	0.37314	2.5998E-06	9.7E-07	6.05E-04	5.87E-10	2.09E-01	4.71E-02	5.79E-12	1.0E+06	5.8E-06
120	120	0.42493	2.5998E-06	1.1E-06	6.05E-04	6.68E-10	2.09E-01	4.71E-02	6.59E-12	1.0E+06	6.6E-06
121	121	0.49048	2.5998E-06	1.3E-06	6.05E-04	7.72E-10	2.09E-01	4.71E-02	7.61E-12	1.0E+06	7.6E-06
122	122	0.15529	2.5998E-06	4.0E-07	6.05E-04	2.44E-10	2.09E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
123	123	0.16731	2.5998E-06	4.3E-07	6.05E-04	2.63E-10	2.09E-01	4.71E-02	2.60E-12	1.0E+06	2.6E-06
124	124	0.18198	2.5998E-06	4.7E-07	6.05E-04	2.86E-10	2.09E-01	4.71E-02	2.82E-12	1.0E+06	2.8E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19676	2.5998E-06	5.1E-07	6.05E-04	3.10E-10	2.09E-01	4.71E-02	3.05E-12	1.0E+06	3.1E-06
126	126	0.21245	2.5998E-06	5.5E-07	6.05E-04	3.34E-10	2.09E-01	4.71E-02	3.30E-12	1.0E+06	3.3E-06
127	127	0.22921	2.5998E-06	6.0E-07	6.05E-04	3.61E-10	2.09E-01	4.71E-02	3.56E-12	1.0E+06	3.6E-06
128	128	0.2399	2.5998E-06	6.2E-07	6.05E-04	3.77E-10	2.09E-01	4.71E-02	3.72E-12	1.0E+06	3.7E-06
129	129	0.26327	2.5998E-06	6.8E-07	6.05E-04	4.14E-10	2.09E-01	4.71E-02	4.08E-12	1.0E+06	4.1E-06
130	130	0.29955	2.5998E-06	7.8E-07	6.05E-04	4.71E-10	2.09E-01	4.71E-02	4.65E-12	1.0E+06	4.6E-06
131	131	4.64477	2.5998E-06	1.2E-05	6.05E-04	7.31E-09	2.09E-01	4.71E-02	7.21E-11	1.0E+06	7.2E-05
132	132	7.23198	2.5998E-06	1.9E-05	6.05E-04	1.14E-08	2.09E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
133	133	0.1536	2.5998E-06	4.0E-07	6.05E-04	2.42E-10	2.09E-01	4.71E-02	2.38E-12	1.0E+06	2.4E-06
134	134	0.16825	2.5998E-06	4.4E-07	6.05E-04	2.65E-10	2.09E-01	4.71E-02	2.61E-12	1.0E+06	2.6E-06
135	135	0.18352	2.5998E-06	4.8E-07	6.05E-04	2.89E-10	2.09E-01	4.71E-02	2.85E-12	1.0E+06	2.8E-06
136	136	0.1989	2.5998E-06	5.2E-07	6.05E-04	3.13E-10	2.09E-01	4.71E-02	3.09E-12	1.0E+06	3.1E-06
137	137	0.21561	2.5998E-06	5.6E-07	6.05E-04	3.39E-10	2.09E-01	4.71E-02	3.34E-12	1.0E+06	3.3E-06
138	138	0.23199	2.5998E-06	6.0E-07	6.05E-04	3.65E-10	2.09E-01	4.71E-02	3.60E-12	1.0E+06	3.6E-06
139	139	0.24715	2.5998E-06	6.4E-07	6.05E-04	3.89E-10	2.09E-01	4.71E-02	3.83E-12	1.0E+06	3.8E-06
140	140	0.27389	2.5998E-06	7.1E-07	6.05E-04	4.31E-10	2.09E-01	4.71E-02	4.25E-12	1.0E+06	4.2E-06
141	141	0.30427	2.5998E-06	7.9E-07	6.05E-04	4.79E-10	2.09E-01	4.71E-02	4.72E-12	1.0E+06	4.7E-06
142	142	0.33924	2.5998E-06	8.8E-07	6.05E-04	5.34E-10	2.09E-01	4.71E-02	5.26E-12	1.0E+06	5.3E-06
143	143	0.38655	2.5998E-06	1.0E-06	6.05E-04	6.08E-10	2.09E-01	4.71E-02	6.00E-12	1.0E+06	6.0E-06
144	144	0.45309	2.5998E-06	1.2E-06	6.05E-04	7.13E-10	2.09E-01	4.71E-02	7.03E-12	1.0E+06	7.0E-06
145	145	0.53163	2.5998E-06	1.4E-06	6.05E-04	8.36E-10	2.09E-01	4.71E-02	8.25E-12	1.0E+06	8.2E-06
146	146	3.90425	2.5998E-06	1.0E-05	6.05E-04	6.14E-09	2.09E-01	4.71E-02	6.06E-11	1.0E+06	6.1E-05
147	147	0.15157	2.5998E-06	3.9E-07	6.05E-04	2.38E-10	2.09E-01	4.71E-02	2.35E-12	1.0E+06	2.4E-06
148	148	0.16583	2.5998E-06	4.3E-07	6.05E-04	2.61E-10	2.09E-01	4.71E-02	2.57E-12	1.0E+06	2.6E-06
149	149	0.18192	2.5998E-06	4.7E-07	6.05E-04	2.86E-10	2.09E-01	4.71E-02	2.82E-12	1.0E+06	2.8E-06
150	150	0.19816	2.5998E-06	5.2E-07	6.05E-04	3.12E-10	2.09E-01	4.71E-02	3.07E-12	1.0E+06	3.1E-06
151	151	0.21712	2.5998E-06	5.6E-07	6.05E-04	3.42E-10	2.09E-01	4.71E-02	3.37E-12	1.0E+06	3.4E-06
152	152	0.23435	2.5998E-06	6.1E-07	6.05E-04	3.69E-10	2.09E-01	4.71E-02	3.64E-12	1.0E+06	3.6E-06
153	153	0.25349	2.5998E-06	6.6E-07	6.05E-04	3.99E-10	2.09E-01	4.71E-02	3.93E-12	1.0E+06	3.9E-06
154	154	0.27862	2.5998E-06	7.2E-07	6.05E-04	4.38E-10	2.09E-01	4.71E-02	4.32E-12	1.0E+06	4.3E-06
155	155	0.31029	2.5998E-06	8.1E-07	6.05E-04	4.88E-10	2.09E-01	4.71E-02	4.81E-12	1.0E+06	4.8E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.34715	2.5998E-06	9.0E-07	6.05E-04	5.46E-10	2.09E-01	4.71E-02	5.39E-12	1.0E+06	5.4E-06
157	157	0.39008	2.5998E-06	1.0E-06	6.05E-04	6.14E-10	2.09E-01	4.71E-02	6.05E-12	1.0E+06	6.1E-06
158	158	0.44191	2.5998E-06	1.1E-06	6.05E-04	6.95E-10	2.09E-01	4.71E-02	6.86E-12	1.0E+06	6.9E-06
159	159	0.53795	2.5998E-06	1.4E-06	6.05E-04	8.46E-10	2.09E-01	4.71E-02	8.35E-12	1.0E+06	8.3E-06
160	160	0.15131	2.5998E-06	3.9E-07	6.05E-04	2.38E-10	2.09E-01	4.71E-02	2.35E-12	1.0E+06	2.3E-06
161	161	0.16342	2.5998E-06	4.2E-07	6.05E-04	2.57E-10	2.09E-01	4.71E-02	2.54E-12	1.0E+06	2.5E-06
162	162	0.17499	2.5998E-06	4.5E-07	6.05E-04	2.75E-10	2.09E-01	4.71E-02	2.71E-12	1.0E+06	2.7E-06
163	163	0.19409	2.5998E-06	5.0E-07	6.05E-04	3.05E-10	2.09E-01	4.71E-02	3.01E-12	1.0E+06	3.0E-06
164	164	0.2169	2.5998E-06	5.6E-07	6.05E-04	3.41E-10	2.09E-01	4.71E-02	3.36E-12	1.0E+06	3.4E-06
165	165	0.23636	2.5998E-06	6.1E-07	6.05E-04	3.72E-10	2.09E-01	4.71E-02	3.67E-12	1.0E+06	3.7E-06
166	166	0.25955	2.5998E-06	6.7E-07	6.05E-04	4.08E-10	2.09E-01	4.71E-02	4.03E-12	1.0E+06	4.0E-06
167	167	0.28636	2.5998E-06	7.4E-07	6.05E-04	4.50E-10	2.09E-01	4.71E-02	4.44E-12	1.0E+06	4.4E-06
168	168	0.31836	2.5998E-06	8.3E-07	6.05E-04	5.01E-10	2.09E-01	4.71E-02	4.94E-12	1.0E+06	4.9E-06
169	169	0.35642	2.5998E-06	9.3E-07	6.05E-04	5.61E-10	2.09E-01	4.71E-02	5.53E-12	1.0E+06	5.5E-06
170	170	0.40125	2.5998E-06	1.0E-06	6.05E-04	6.31E-10	2.09E-01	4.71E-02	6.22E-12	1.0E+06	6.2E-06
171	171	0.45637	2.5998E-06	1.2E-06	6.05E-04	7.18E-10	2.09E-01	4.71E-02	7.08E-12	1.0E+06	7.1E-06
172	172	0.53911	2.5998E-06	1.4E-06	6.05E-04	8.48E-10	2.09E-01	4.71E-02	8.36E-12	1.0E+06	8.4E-06
173	173	0.66064	2.5998E-06	1.7E-06	6.05E-04	1.04E-09	2.09E-01	4.71E-02	1.02E-11	1.0E+06	1.0E-05
174	174	0.84766	2.5998E-06	2.2E-06	6.05E-04	1.33E-09	2.09E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
175	175	1.11593	2.5998E-06	2.9E-06	6.05E-04	1.76E-09	2.09E-01	4.71E-02	1.73E-11	1.0E+06	1.7E-05
176	176	1.50994	2.5998E-06	3.9E-06	6.05E-04	2.38E-09	2.09E-01	4.71E-02	2.34E-11	1.0E+06	2.3E-05
177	177	2.27498	2.5998E-06	5.9E-06	6.05E-04	3.58E-09	2.09E-01	4.71E-02	3.53E-11	1.0E+06	3.5E-05
178	178	3.9651	2.5998E-06	1.0E-05	6.05E-04	6.24E-09	2.09E-01	4.71E-02	6.15E-11	1.0E+06	6.2E-05
179	179	0.14651	2.5998E-06	3.8E-07	6.05E-04	2.30E-10	2.09E-01	4.71E-02	2.27E-12	1.0E+06	2.3E-06
180	180	0.15736	2.5998E-06	4.1E-07	6.05E-04	2.48E-10	2.09E-01	4.71E-02	2.44E-12	1.0E+06	2.4E-06
181	181	0.16703	2.5998E-06	4.3E-07	6.05E-04	2.63E-10	2.09E-01	4.71E-02	2.59E-12	1.0E+06	2.6E-06
182	182	0.18924	2.5998E-06	4.9E-07	6.05E-04	2.98E-10	2.09E-01	4.71E-02	2.94E-12	1.0E+06	2.9E-06
183	183	0.21768	2.5998E-06	5.7E-07	6.05E-04	3.42E-10	2.09E-01	4.71E-02	3.38E-12	1.0E+06	3.4E-06
184	184	0.23959	2.5998E-06	6.2E-07	6.05E-04	3.77E-10	2.09E-01	4.71E-02	3.72E-12	1.0E+06	3.7E-06
185	185	0.26584	2.5998E-06	6.9E-07	6.05E-04	4.18E-10	2.09E-01	4.71E-02	4.12E-12	1.0E+06	4.1E-06
186	186	0.29461	2.5998E-06	7.7E-07	6.05E-04	4.63E-10	2.09E-01	4.71E-02	4.57E-12	1.0E+06	4.6E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.32693	2.5998E-06	8.5E-07	6.05E-04	5.14E-10	2.09E-01	4.71E-02	5.07E-12	1.0E+06	5.1E-06
188	188	0.36632	2.5998E-06	9.5E-07	6.05E-04	5.76E-10	2.09E-01	4.71E-02	5.68E-12	1.0E+06	5.7E-06
189	189	0.41167	2.5998E-06	1.1E-06	6.05E-04	6.48E-10	2.09E-01	4.71E-02	6.39E-12	1.0E+06	6.4E-06
190	190	0.4687	2.5998E-06	1.2E-06	6.05E-04	7.37E-10	2.09E-01	4.71E-02	7.27E-12	1.0E+06	7.3E-06
191	191	0.53962	2.5998E-06	1.4E-06	6.05E-04	8.49E-10	2.09E-01	4.71E-02	8.37E-12	1.0E+06	8.4E-06
192	192	0.64447	2.5998E-06	1.7E-06	6.05E-04	1.01E-09	2.09E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
193	193	0.79322	2.5998E-06	2.1E-06	6.05E-04	1.25E-09	2.09E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05
194	194	1.0491	2.5998E-06	2.7E-06	6.05E-04	1.65E-09	2.09E-01	4.71E-02	1.63E-11	1.0E+06	1.6E-05
195	195	1.51253	2.5998E-06	3.9E-06	6.05E-04	2.38E-09	2.09E-01	4.71E-02	2.35E-11	1.0E+06	2.3E-05
196	196	2.28444	2.5998E-06	5.9E-06	6.05E-04	3.59E-09	2.09E-01	4.71E-02	3.54E-11	1.0E+06	3.5E-05
197	197	3.9425	2.5998E-06	1.0E-05	6.05E-04	6.20E-09	2.09E-01	4.71E-02	6.12E-11	1.0E+06	6.1E-05
198	198	0.14432	2.5998E-06	3.8E-07	6.05E-04	2.27E-10	2.09E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
199	199	0.15606	2.5998E-06	4.1E-07	6.05E-04	2.45E-10	2.09E-01	4.71E-02	2.42E-12	1.0E+06	2.4E-06
200	200	0.16904	2.5998E-06	4.4E-07	6.05E-04	2.66E-10	2.09E-01	4.71E-02	2.62E-12	1.0E+06	2.6E-06
201	201	0.18686	2.5998E-06	4.9E-07	6.05E-04	2.94E-10	2.09E-01	4.71E-02	2.90E-12	1.0E+06	2.9E-06
202	202	0.21584	2.5998E-06	5.6E-07	6.05E-04	3.40E-10	2.09E-01	4.71E-02	3.35E-12	1.0E+06	3.3E-06
203	203	0.24124	2.5998E-06	6.3E-07	6.05E-04	3.79E-10	2.09E-01	4.71E-02	3.74E-12	1.0E+06	3.7E-06
204	204	0.27014	2.5998E-06	7.0E-07	6.05E-04	4.25E-10	2.09E-01	4.71E-02	4.19E-12	1.0E+06	4.2E-06
205	205	0.30085	2.5998E-06	7.8E-07	6.05E-04	4.73E-10	2.09E-01	4.71E-02	4.67E-12	1.0E+06	4.7E-06
206	206	0.33535	2.5998E-06	8.7E-07	6.05E-04	5.28E-10	2.09E-01	4.71E-02	5.20E-12	1.0E+06	5.2E-06
207	207	0.37577	2.5998E-06	9.8E-07	6.05E-04	5.91E-10	2.09E-01	4.71E-02	5.83E-12	1.0E+06	5.8E-06
208	208	0.4227	2.5998E-06	1.1E-06	6.05E-04	6.65E-10	2.09E-01	4.71E-02	6.56E-12	1.0E+06	6.6E-06
209	209	0.48049	2.5998E-06	1.2E-06	6.05E-04	7.56E-10	2.09E-01	4.71E-02	7.45E-12	1.0E+06	7.5E-06
210	210	0.55223	2.5998E-06	1.4E-06	6.05E-04	8.69E-10	2.09E-01	4.71E-02	8.57E-12	1.0E+06	8.6E-06
211	211	0.64704	2.5998E-06	1.7E-06	6.05E-04	1.02E-09	2.09E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
212	212	0.77299	2.5998E-06	2.0E-06	6.05E-04	1.22E-09	2.09E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
213	213	0.94957	2.5998E-06	2.5E-06	6.05E-04	1.49E-09	2.09E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
214	214	1.21223	2.5998E-06	3.2E-06	6.05E-04	1.91E-09	2.09E-01	4.71E-02	1.88E-11	1.0E+06	1.9E-05
215	215	2.11964	2.5998E-06	5.5E-06	6.05E-04	3.33E-09	2.09E-01	4.71E-02	3.29E-11	1.0E+06	3.3E-05
216	216	0.14399	2.5998E-06	3.7E-07	6.05E-04	2.27E-10	2.09E-01	4.71E-02	2.23E-12	1.0E+06	2.2E-06
217	217	0.15528	2.5998E-06	4.0E-07	6.05E-04	2.44E-10	2.09E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1693	2.5998E-06	4.4E-07	6.05E-04	2.66E-10	2.09E-01	4.71E-02	2.63E-12	1.0E+06	2.6E-06
219	219	0.18671	2.5998E-06	4.9E-07	6.05E-04	2.94E-10	2.09E-01	4.71E-02	2.90E-12	1.0E+06	2.9E-06
220	220	0.21373	2.5998E-06	5.6E-07	6.05E-04	3.36E-10	2.09E-01	4.71E-02	3.32E-12	1.0E+06	3.3E-06
221	221	0.23853	2.5998E-06	6.2E-07	6.05E-04	3.75E-10	2.09E-01	4.71E-02	3.70E-12	1.0E+06	3.7E-06
222	222	0.26948	2.5998E-06	7.0E-07	6.05E-04	4.24E-10	2.09E-01	4.71E-02	4.18E-12	1.0E+06	4.2E-06
223	223	0.30196	2.5998E-06	7.9E-07	6.05E-04	4.75E-10	2.09E-01	4.71E-02	4.68E-12	1.0E+06	4.7E-06
224	224	0.33813	2.5998E-06	8.8E-07	6.05E-04	5.32E-10	2.09E-01	4.71E-02	5.25E-12	1.0E+06	5.2E-06
225	225	0.37835	2.5998E-06	9.8E-07	6.05E-04	5.95E-10	2.09E-01	4.71E-02	5.87E-12	1.0E+06	5.9E-06
226	226	0.42817	2.5998E-06	1.1E-06	6.05E-04	6.74E-10	2.09E-01	4.71E-02	6.64E-12	1.0E+06	6.6E-06
227	227	0.48658	2.5998E-06	1.3E-06	6.05E-04	7.65E-10	2.09E-01	4.71E-02	7.55E-12	1.0E+06	7.5E-06
228	228	0.55888	2.5998E-06	1.5E-06	6.05E-04	8.79E-10	2.09E-01	4.71E-02	8.67E-12	1.0E+06	8.7E-06
229	229	0.65382	2.5998E-06	1.7E-06	6.05E-04	1.03E-09	2.09E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
230	230	0.7771	2.5998E-06	2.0E-06	6.05E-04	1.22E-09	2.09E-01	4.71E-02	1.21E-11	1.0E+06	1.2E-05
231	231	0.95764	2.5998E-06	2.5E-06	6.05E-04	1.51E-09	2.09E-01	4.71E-02	1.49E-11	1.0E+06	1.5E-05
232	232	1.23827	2.5998E-06	3.2E-06	6.05E-04	1.95E-09	2.09E-01	4.71E-02	1.92E-11	1.0E+06	1.9E-05
233	233	2.02801	2.5998E-06	5.3E-06	6.05E-04	3.19E-09	2.09E-01	4.71E-02	3.15E-11	1.0E+06	3.1E-05
234	234	0.14351	2.5998E-06	3.7E-07	6.05E-04	2.26E-10	2.09E-01	4.71E-02	2.23E-12	1.0E+06	2.2E-06
235	235	0.15435	2.5998E-06	4.0E-07	6.05E-04	2.43E-10	2.09E-01	4.71E-02	2.39E-12	1.0E+06	2.4E-06
236	236	0.16873	2.5998E-06	4.4E-07	6.05E-04	2.65E-10	2.09E-01	4.71E-02	2.62E-12	1.0E+06	2.6E-06
237	237	0.18739	2.5998E-06	4.9E-07	6.05E-04	2.95E-10	2.09E-01	4.71E-02	2.91E-12	1.0E+06	2.9E-06
238	238	0.21115	2.5998E-06	5.5E-07	6.05E-04	3.32E-10	2.09E-01	4.71E-02	3.28E-12	1.0E+06	3.3E-06
239	239	0.23595	2.5998E-06	6.1E-07	6.05E-04	3.71E-10	2.09E-01	4.71E-02	3.66E-12	1.0E+06	3.7E-06
240	240	0.26574	2.5998E-06	6.9E-07	6.05E-04	4.18E-10	2.09E-01	4.71E-02	4.12E-12	1.0E+06	4.1E-06
241	241	0.29898	2.5998E-06	7.8E-07	6.05E-04	4.70E-10	2.09E-01	4.71E-02	4.64E-12	1.0E+06	4.6E-06
242	242	0.33653	2.5998E-06	8.7E-07	6.05E-04	5.29E-10	2.09E-01	4.71E-02	5.22E-12	1.0E+06	5.2E-06
243	243	0.37898	2.5998E-06	9.9E-07	6.05E-04	5.96E-10	2.09E-01	4.71E-02	5.88E-12	1.0E+06	5.9E-06
244	244	0.43168	2.5998E-06	1.1E-06	6.05E-04	6.79E-10	2.09E-01	4.71E-02	6.70E-12	1.0E+06	6.7E-06
245	245	0.4946	2.5998E-06	1.3E-06	6.05E-04	7.78E-10	2.09E-01	4.71E-02	7.67E-12	1.0E+06	7.7E-06
246	246	0.57205	2.5998E-06	1.5E-06	6.05E-04	9.00E-10	2.09E-01	4.71E-02	8.87E-12	1.0E+06	8.9E-06
247	247	0.67036	2.5998E-06	1.7E-06	6.05E-04	1.05E-09	2.09E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
248	248	0.80212	2.5998E-06	2.1E-06	6.05E-04	1.26E-09	2.09E-01	4.71E-02	1.24E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.9884	2.5998E-06	2.6E-06	6.05E-04	1.55E-09	2.09E-01	4.71E-02	1.53E-11	1.0E+06	1.5E-05
250	250	1.29042	2.5998E-06	3.4E-06	6.05E-04	2.03E-09	2.09E-01	4.71E-02	2.00E-11	1.0E+06	2.0E-05
251	251	2.0743	2.5998E-06	5.4E-06	6.05E-04	3.26E-09	2.09E-01	4.71E-02	3.22E-11	1.0E+06	3.2E-05
252	252	0.14117	2.5998E-06	3.7E-07	6.05E-04	2.22E-10	2.09E-01	4.71E-02	2.19E-12	1.0E+06	2.2E-06
253	253	0.15149	2.5998E-06	3.9E-07	6.05E-04	2.38E-10	2.09E-01	4.71E-02	2.35E-12	1.0E+06	2.4E-06
254	254	0.16477	2.5998E-06	4.3E-07	6.05E-04	2.59E-10	2.09E-01	4.71E-02	2.56E-12	1.0E+06	2.6E-06
255	255	0.18112	2.5998E-06	4.7E-07	6.05E-04	2.85E-10	2.09E-01	4.71E-02	2.81E-12	1.0E+06	2.8E-06
256	256	0.20786	2.5998E-06	5.4E-07	6.05E-04	3.27E-10	2.09E-01	4.71E-02	3.22E-12	1.0E+06	3.2E-06
257	257	0.22647	2.5998E-06	5.9E-07	6.05E-04	3.56E-10	2.09E-01	4.71E-02	3.51E-12	1.0E+06	3.5E-06
258	258	0.25169	2.5998E-06	6.5E-07	6.05E-04	3.96E-10	2.09E-01	4.71E-02	3.90E-12	1.0E+06	3.9E-06
259	259	0.28083	2.5998E-06	7.3E-07	6.05E-04	4.42E-10	2.09E-01	4.71E-02	4.36E-12	1.0E+06	4.4E-06
260	260	0.32106	2.5998E-06	8.3E-07	6.05E-04	5.05E-10	2.09E-01	4.71E-02	4.98E-12	1.0E+06	5.0E-06
261	261	0.37151	2.5998E-06	9.7E-07	6.05E-04	5.84E-10	2.09E-01	4.71E-02	5.76E-12	1.0E+06	5.8E-06
262	262	0.42968	2.5998E-06	1.1E-06	6.05E-04	6.76E-10	2.09E-01	4.71E-02	6.67E-12	1.0E+06	6.7E-06
263	263	0.49386	2.5998E-06	1.3E-06	6.05E-04	7.77E-10	2.09E-01	4.71E-02	7.66E-12	1.0E+06	7.7E-06
264	264	0.57735	2.5998E-06	1.5E-06	6.05E-04	9.08E-10	2.09E-01	4.71E-02	8.96E-12	1.0E+06	9.0E-06
265	265	0.67898	2.5998E-06	1.8E-06	6.05E-04	1.07E-09	2.09E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
266	266	0.81732	2.5998E-06	2.1E-06	6.05E-04	1.29E-09	2.09E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
267	267	1.01071	2.5998E-06	2.6E-06	6.05E-04	1.59E-09	2.09E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
268	268	1.31614	2.5998E-06	3.4E-06	6.05E-04	2.07E-09	2.09E-01	4.71E-02	2.04E-11	1.0E+06	2.0E-05
269	269	2.08317	2.5998E-06	5.4E-06	6.05E-04	3.28E-09	2.09E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
270	270	0.13796	2.5998E-06	3.6E-07	6.05E-04	2.17E-10	2.09E-01	4.71E-02	2.14E-12	1.0E+06	2.1E-06
271	271	0.14885	2.5998E-06	3.9E-07	6.05E-04	2.34E-10	2.09E-01	4.71E-02	2.31E-12	1.0E+06	2.3E-06
272	272	0.16215	2.5998E-06	4.2E-07	6.05E-04	2.55E-10	2.09E-01	4.71E-02	2.52E-12	1.0E+06	2.5E-06
273	273	0.17748	2.5998E-06	4.6E-07	6.05E-04	2.79E-10	2.09E-01	4.71E-02	2.75E-12	1.0E+06	2.8E-06
274	274	0.20595	2.5998E-06	5.4E-07	6.05E-04	3.24E-10	2.09E-01	4.71E-02	3.19E-12	1.0E+06	3.2E-06
275	275	0.23171	2.5998E-06	6.0E-07	6.05E-04	3.64E-10	2.09E-01	4.71E-02	3.59E-12	1.0E+06	3.6E-06
276	276	0.24452	2.5998E-06	6.4E-07	6.05E-04	3.85E-10	2.09E-01	4.71E-02	3.79E-12	1.0E+06	3.8E-06
277	277	0.27214	2.5998E-06	7.1E-07	6.05E-04	4.28E-10	2.09E-01	4.71E-02	4.22E-12	1.0E+06	4.2E-06
278	278	0.30777	2.5998E-06	8.0E-07	6.05E-04	4.84E-10	2.09E-01	4.71E-02	4.77E-12	1.0E+06	4.8E-06
279	279	0.3534	2.5998E-06	9.2E-07	6.05E-04	5.56E-10	2.09E-01	4.71E-02	5.48E-12	1.0E+06	5.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.41691	2.5998E-06	1.1E-06	6.05E-04	6.56E-10	2.09E-01	4.71E-02	6.47E-12	1.0E+06	6.5E-06
281	281	0.49189	2.5998E-06	1.3E-06	6.05E-04	7.74E-10	2.09E-01	4.71E-02	7.63E-12	1.0E+06	7.6E-06
282	282	0.58198	2.5998E-06	1.5E-06	6.05E-04	9.15E-10	2.09E-01	4.71E-02	9.03E-12	1.0E+06	9.0E-06
283	283	0.69411	2.5998E-06	1.8E-06	6.05E-04	1.09E-09	2.09E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05
284	284	0.84386	2.5998E-06	2.2E-06	6.05E-04	1.33E-09	2.09E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
285	285	1.0491	2.5998E-06	2.7E-06	6.05E-04	1.65E-09	2.09E-01	4.71E-02	1.63E-11	1.0E+06	1.6E-05
286	286	1.381	2.5998E-06	3.6E-06	6.05E-04	2.17E-09	2.09E-01	4.71E-02	2.14E-11	1.0E+06	2.1E-05
287	287	2.19837	2.5998E-06	5.7E-06	6.05E-04	3.46E-09	2.09E-01	4.71E-02	3.41E-11	1.0E+06	3.4E-05
288	288	0.13498	2.5998E-06	3.5E-07	6.05E-04	2.12E-10	2.09E-01	4.71E-02	2.09E-12	1.0E+06	2.1E-06
289	289	0.14494	2.5998E-06	3.8E-07	6.05E-04	2.28E-10	2.09E-01	4.71E-02	2.25E-12	1.0E+06	2.2E-06
290	290	0.16108	2.5998E-06	4.2E-07	6.05E-04	2.53E-10	2.09E-01	4.71E-02	2.50E-12	1.0E+06	2.5E-06
291	291	0.17802	2.5998E-06	4.6E-07	6.05E-04	2.80E-10	2.09E-01	4.71E-02	2.76E-12	1.0E+06	2.8E-06
292	292	0.2145	2.5998E-06	5.6E-07	6.05E-04	3.37E-10	2.09E-01	4.71E-02	3.33E-12	1.0E+06	3.3E-06
293	293	0.23184	2.5998E-06	6.0E-07	6.05E-04	3.65E-10	2.09E-01	4.71E-02	3.60E-12	1.0E+06	3.6E-06
294	294	0.23766	2.5998E-06	6.2E-07	6.05E-04	3.74E-10	2.09E-01	4.71E-02	3.69E-12	1.0E+06	3.7E-06
295	295	0.26679	2.5998E-06	6.9E-07	6.05E-04	4.20E-10	2.09E-01	4.71E-02	4.14E-12	1.0E+06	4.1E-06
296	296	0.30316	2.5998E-06	7.9E-07	6.05E-04	4.77E-10	2.09E-01	4.71E-02	4.70E-12	1.0E+06	4.7E-06
297	297	0.34315	2.5998E-06	8.9E-07	6.05E-04	5.40E-10	2.09E-01	4.71E-02	5.32E-12	1.0E+06	5.3E-06
298	298	0.40005	2.5998E-06	1.0E-06	6.05E-04	6.29E-10	2.09E-01	4.71E-02	6.21E-12	1.0E+06	6.2E-06
299	299	0.48249	2.5998E-06	1.3E-06	6.05E-04	7.59E-10	2.09E-01	4.71E-02	7.48E-12	1.0E+06	7.5E-06
300	300	0.57453	2.5998E-06	1.5E-06	6.05E-04	9.04E-10	2.09E-01	4.71E-02	8.91E-12	1.0E+06	8.9E-06
301	301	0.70316	2.5998E-06	1.8E-06	6.05E-04	1.11E-09	2.09E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
302	302	0.8741	2.5998E-06	2.3E-06	6.05E-04	1.38E-09	2.09E-01	4.71E-02	1.36E-11	1.0E+06	1.4E-05
303	303	1.12099	2.5998E-06	2.9E-06	6.05E-04	1.76E-09	2.09E-01	4.71E-02	1.74E-11	1.0E+06	1.7E-05
304	304	1.50996	2.5998E-06	3.9E-06	6.05E-04	2.38E-09	2.09E-01	4.71E-02	2.34E-11	1.0E+06	2.3E-05
305	305	2.47865	2.5998E-06	6.4E-06	6.05E-04	3.90E-09	2.09E-01	4.71E-02	3.85E-11	1.0E+06	3.8E-05
306	306	0.1386	2.5998E-06	3.6E-07	6.05E-04	2.18E-10	2.09E-01	4.71E-02	2.15E-12	1.0E+06	2.2E-06
307	307	0.14532	2.5998E-06	3.8E-07	6.05E-04	2.29E-10	2.09E-01	4.71E-02	2.25E-12	1.0E+06	2.3E-06
308	308	0.15788	2.5998E-06	4.1E-07	6.05E-04	2.48E-10	2.09E-01	4.71E-02	2.45E-12	1.0E+06	2.4E-06
309	309	0.18403	2.5998E-06	4.8E-07	6.05E-04	2.89E-10	2.09E-01	4.71E-02	2.85E-12	1.0E+06	2.9E-06
310	310	0.21083	2.5998E-06	5.5E-07	6.05E-04	3.32E-10	2.09E-01	4.71E-02	3.27E-12	1.0E+06	3.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.22724	2.5998E-06	5.9E-07	6.05E-04	3.57E-10	2.09E-01	4.71E-02	3.53E-12	1.0E+06	3.5E-06
312	312	0.2291	2.5998E-06	6.0E-07	6.05E-04	3.60E-10	2.09E-01	4.71E-02	3.55E-12	1.0E+06	3.6E-06
313	313	0.25752	2.5998E-06	6.7E-07	6.05E-04	4.05E-10	2.09E-01	4.71E-02	3.99E-12	1.0E+06	4.0E-06
314	314	0.2934	2.5998E-06	7.6E-07	6.05E-04	4.62E-10	2.09E-01	4.71E-02	4.55E-12	1.0E+06	4.6E-06
315	315	0.34637	2.5998E-06	9.0E-07	6.05E-04	5.45E-10	2.09E-01	4.71E-02	5.37E-12	1.0E+06	5.4E-06
316	316	0.39345	2.5998E-06	1.0E-06	6.05E-04	6.19E-10	2.09E-01	4.71E-02	6.10E-12	1.0E+06	6.1E-06
317	317	0.46294	2.5998E-06	1.2E-06	6.05E-04	7.28E-10	2.09E-01	4.71E-02	7.18E-12	1.0E+06	7.2E-06
318	318	0.5605	2.5998E-06	1.5E-06	6.05E-04	8.82E-10	2.09E-01	4.71E-02	8.69E-12	1.0E+06	8.7E-06
319	319	0.70525	2.5998E-06	1.8E-06	6.05E-04	1.11E-09	2.09E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
320	320	0.92366	2.5998E-06	2.4E-06	6.05E-04	1.45E-09	2.09E-01	4.71E-02	1.43E-11	1.0E+06	1.4E-05
321	321	1.20831	2.5998E-06	3.1E-06	6.05E-04	1.90E-09	2.09E-01	4.71E-02	1.87E-11	1.0E+06	1.9E-05
322	322	1.6752	2.5998E-06	4.4E-06	6.05E-04	2.64E-09	2.09E-01	4.71E-02	2.60E-11	1.0E+06	2.6E-05
323	323	2.9551	2.5998E-06	7.7E-06	6.05E-04	4.65E-09	2.09E-01	4.71E-02	4.58E-11	1.0E+06	4.6E-05
324	324	0.13534	2.5998E-06	3.5E-07	6.05E-04	2.13E-10	2.09E-01	4.71E-02	2.10E-12	1.0E+06	2.1E-06
325	325	0.15024	2.5998E-06	3.9E-07	6.05E-04	2.36E-10	2.09E-01	4.71E-02	2.33E-12	1.0E+06	2.3E-06
326	326	0.16168	2.5998E-06	4.2E-07	6.05E-04	2.54E-10	2.09E-01	4.71E-02	2.51E-12	1.0E+06	2.5E-06
327	327	0.17198	2.5998E-06	4.5E-07	6.05E-04	2.71E-10	2.09E-01	4.71E-02	2.67E-12	1.0E+06	2.7E-06
328	328	0.20765	2.5998E-06	5.4E-07	6.05E-04	3.27E-10	2.09E-01	4.71E-02	3.22E-12	1.0E+06	3.2E-06
329	329	0.22031	2.5998E-06	5.7E-07	6.05E-04	3.47E-10	2.09E-01	4.71E-02	3.42E-12	1.0E+06	3.4E-06
330	330	0.22351	2.5998E-06	5.8E-07	6.05E-04	3.52E-10	2.09E-01	4.71E-02	3.47E-12	1.0E+06	3.5E-06
331	331	0.25206	2.5998E-06	6.6E-07	6.05E-04	3.97E-10	2.09E-01	4.71E-02	3.91E-12	1.0E+06	3.9E-06
332	332	0.28842	2.5998E-06	7.5E-07	6.05E-04	4.54E-10	2.09E-01	4.71E-02	4.47E-12	1.0E+06	4.5E-06
333	333	0.34229	2.5998E-06	8.9E-07	6.05E-04	5.38E-10	2.09E-01	4.71E-02	5.31E-12	1.0E+06	5.3E-06
334	334	0.39971	2.5998E-06	1.0E-06	6.05E-04	6.29E-10	2.09E-01	4.71E-02	6.20E-12	1.0E+06	6.2E-06
335	335	0.47561	2.5998E-06	1.2E-06	6.05E-04	7.48E-10	2.09E-01	4.71E-02	7.38E-12	1.0E+06	7.4E-06
336	336	4.87031	2.5998E-06	1.3E-05	6.05E-04	7.66E-09	2.09E-01	4.71E-02	7.56E-11	1.0E+06	7.6E-05
337	337	5.01225	2.5998E-06	1.3E-05	6.05E-04	7.88E-09	2.09E-01	4.71E-02	7.78E-11	1.0E+06	7.8E-05
338	338	0.19951	2.5998E-06	5.2E-07	6.05E-04	3.14E-10	2.09E-01	4.71E-02	3.09E-12	1.0E+06	3.1E-06
339	339	0.21561	2.5998E-06	5.6E-07	6.05E-04	3.39E-10	2.09E-01	4.71E-02	3.34E-12	1.0E+06	3.3E-06
340	340	0.23457	2.5998E-06	6.1E-07	6.05E-04	3.69E-10	2.09E-01	4.71E-02	3.64E-12	1.0E+06	3.6E-06
341	341	0.27563	2.5998E-06	7.2E-07	6.05E-04	4.34E-10	2.09E-01	4.71E-02	4.28E-12	1.0E+06	4.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.29793	2.5998E-06	7.7E-07	6.05E-04	4.69E-10	2.09E-01	4.71E-02	4.62E-12	1.0E+06	4.6E-06
343	343	0.33557	2.5998E-06	8.7E-07	6.05E-04	5.28E-10	2.09E-01	4.71E-02	5.21E-12	1.0E+06	5.2E-06
344	344	0.3481	2.5998E-06	9.0E-07	6.05E-04	5.48E-10	2.09E-01	4.71E-02	5.40E-12	1.0E+06	5.4E-06
345	345	0.35465	2.5998E-06	9.2E-07	6.05E-04	5.58E-10	2.09E-01	4.71E-02	5.50E-12	1.0E+06	5.5E-06
346	346	0.35401	2.5998E-06	9.2E-07	6.05E-04	5.57E-10	2.09E-01	4.71E-02	5.49E-12	1.0E+06	5.5E-06
347	347	0.22524	2.5998E-06	5.9E-07	6.05E-04	3.54E-10	2.09E-01	4.71E-02	3.49E-12	1.0E+06	3.5E-06
348	348	0.24824	2.5998E-06	6.5E-07	6.05E-04	3.90E-10	2.09E-01	4.71E-02	3.85E-12	1.0E+06	3.9E-06
349	349	0.2886	2.5998E-06	7.5E-07	6.05E-04	4.54E-10	2.09E-01	4.71E-02	4.48E-12	1.0E+06	4.5E-06
350	350	0.32503	2.5998E-06	8.5E-07	6.05E-04	5.11E-10	2.09E-01	4.71E-02	5.04E-12	1.0E+06	5.0E-06
351	351	0.35174	2.5998E-06	9.1E-07	6.05E-04	5.53E-10	2.09E-01	4.71E-02	5.46E-12	1.0E+06	5.5E-06
352	352	0.4101	2.5998E-06	1.1E-06	6.05E-04	6.45E-10	2.09E-01	4.71E-02	6.36E-12	1.0E+06	6.4E-06
353	353	0.42944	2.5998E-06	1.1E-06	6.05E-04	6.76E-10	2.09E-01	4.71E-02	6.66E-12	1.0E+06	6.7E-06
354	354	0.43585	2.5998E-06	1.1E-06	6.05E-04	6.86E-10	2.09E-01	4.71E-02	6.76E-12	1.0E+06	6.8E-06
355	355	0.43407	2.5998E-06	1.1E-06	6.05E-04	6.83E-10	2.09E-01	4.71E-02	6.73E-12	1.0E+06	6.7E-06
356	356	0.25761	2.5998E-06	6.7E-07	6.05E-04	4.05E-10	2.09E-01	4.71E-02	4.00E-12	1.0E+06	4.0E-06
357	357	0.28264	2.5998E-06	7.3E-07	6.05E-04	4.45E-10	2.09E-01	4.71E-02	4.38E-12	1.0E+06	4.4E-06
358	358	0.3155	2.5998E-06	8.2E-07	6.05E-04	4.96E-10	2.09E-01	4.71E-02	4.89E-12	1.0E+06	4.9E-06
359	359	0.3535	2.5998E-06	9.2E-07	6.05E-04	5.56E-10	2.09E-01	4.71E-02	5.48E-12	1.0E+06	5.5E-06
360	360	0.42306	2.5998E-06	1.1E-06	6.05E-04	6.65E-10	2.09E-01	4.71E-02	6.56E-12	1.0E+06	6.6E-06
361	361	0.52121	2.5998E-06	1.4E-06	6.05E-04	8.20E-10	2.09E-01	4.71E-02	8.09E-12	1.0E+06	8.1E-06
362	362	0.5543	2.5998E-06	1.4E-06	6.05E-04	8.72E-10	2.09E-01	4.71E-02	8.60E-12	1.0E+06	8.6E-06
363	363	0.56216	2.5998E-06	1.5E-06	6.05E-04	8.84E-10	2.09E-01	4.71E-02	8.72E-12	1.0E+06	8.7E-06
364	364	0.29789	2.5998E-06	7.7E-07	6.05E-04	4.69E-10	2.09E-01	4.71E-02	4.62E-12	1.0E+06	4.6E-06
365	365	0.32767	2.5998E-06	8.5E-07	6.05E-04	5.15E-10	2.09E-01	4.71E-02	5.08E-12	1.0E+06	5.1E-06
366	366	0.3727	2.5998E-06	9.7E-07	6.05E-04	5.86E-10	2.09E-01	4.71E-02	5.78E-12	1.0E+06	5.8E-06
367	367	0.42727	2.5998E-06	1.1E-06	6.05E-04	6.72E-10	2.09E-01	4.71E-02	6.63E-12	1.0E+06	6.6E-06
368	368	0.52262	2.5998E-06	1.4E-06	6.05E-04	8.22E-10	2.09E-01	4.71E-02	8.11E-12	1.0E+06	8.1E-06
369	369	0.70405	2.5998E-06	1.8E-06	6.05E-04	1.11E-09	2.09E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
370	370	0.79063	2.5998E-06	2.1E-06	6.05E-04	1.24E-09	2.09E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05
371	371	0.75589	2.5998E-06	2.0E-06	6.05E-04	1.19E-09	2.09E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
372	372	0.34458	2.5998E-06	9.0E-07	6.05E-04	5.42E-10	2.09E-01	4.71E-02	5.35E-12	1.0E+06	5.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.38604	2.5998E-06	1.0E-06	6.05E-04	6.07E-10	2.09E-01	4.71E-02	5.99E-12	1.0E+06	6.0E-06
374	374	0.4492	2.5998E-06	1.2E-06	6.05E-04	7.07E-10	2.09E-01	4.71E-02	6.97E-12	1.0E+06	7.0E-06
375	375	0.52939	2.5998E-06	1.4E-06	6.05E-04	8.33E-10	2.09E-01	4.71E-02	8.21E-12	1.0E+06	8.2E-06
376	376	0.67137	2.5998E-06	1.7E-06	6.05E-04	1.06E-09	2.09E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
377	377	0.83675	2.5998E-06	2.2E-06	6.05E-04	1.32E-09	2.09E-01	4.71E-02	1.30E-11	1.0E+06	1.3E-05
378	378	1.04714	2.5998E-06	2.7E-06	6.05E-04	1.65E-09	2.09E-01	4.71E-02	1.62E-11	1.0E+06	1.6E-05
379	379	1.25734	2.5998E-06	3.3E-06	6.05E-04	1.98E-09	2.09E-01	4.71E-02	1.95E-11	1.0E+06	2.0E-05
380	380	1.11262	2.5998E-06	2.9E-06	6.05E-04	1.75E-09	2.09E-01	4.71E-02	1.73E-11	1.0E+06	1.7E-05
381	381	0.93575	2.5998E-06	2.4E-06	6.05E-04	1.47E-09	2.09E-01	4.71E-02	1.45E-11	1.0E+06	1.5E-05
382	382	0.39546	2.5998E-06	1.0E-06	6.05E-04	6.22E-10	2.09E-01	4.71E-02	6.13E-12	1.0E+06	6.1E-06
383	383	0.45631	2.5998E-06	1.2E-06	6.05E-04	7.18E-10	2.09E-01	4.71E-02	7.08E-12	1.0E+06	7.1E-06
384	384	0.53724	2.5998E-06	1.4E-06	6.05E-04	8.45E-10	2.09E-01	4.71E-02	8.33E-12	1.0E+06	8.3E-06
385	385	0.67119	2.5998E-06	1.7E-06	6.05E-04	1.06E-09	2.09E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
386	386	0.86618	2.5998E-06	2.3E-06	6.05E-04	1.36E-09	2.09E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
387	387	1.19543	2.5998E-06	3.1E-06	6.05E-04	1.88E-09	2.09E-01	4.71E-02	1.85E-11	1.0E+06	1.9E-05
388	388	1.82596	2.5998E-06	4.7E-06	6.05E-04	2.87E-09	2.09E-01	4.71E-02	2.83E-11	1.0E+06	2.8E-05
389	389	2.5263	2.5998E-06	6.6E-06	6.05E-04	3.97E-09	2.09E-01	4.71E-02	3.92E-11	1.0E+06	3.9E-05
390	390	1.70091	2.5998E-06	4.4E-06	6.05E-04	2.68E-09	2.09E-01	4.71E-02	2.64E-11	1.0E+06	2.6E-05
391	391	1.24189	2.5998E-06	3.2E-06	6.05E-04	1.95E-09	2.09E-01	4.71E-02	1.93E-11	1.0E+06	1.9E-05
392	392	0.94167	2.5998E-06	2.4E-06	6.05E-04	1.48E-09	2.09E-01	4.71E-02	1.46E-11	1.0E+06	1.5E-05
393	393	0.49774	2.5998E-06	1.3E-06	6.05E-04	7.83E-10	2.09E-01	4.71E-02	7.72E-12	1.0E+06	7.7E-06
394	394	0.61547	2.5998E-06	1.6E-06	6.05E-04	9.68E-10	2.09E-01	4.71E-02	9.55E-12	1.0E+06	9.5E-06
395	395	0.769	2.5998E-06	2.0E-06	6.05E-04	1.21E-09	2.09E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
396	396	1.02844	2.5998E-06	2.7E-06	6.05E-04	1.62E-09	2.09E-01	4.71E-02	1.60E-11	1.0E+06	1.6E-05
397	397	1.59766	2.5998E-06	4.2E-06	6.05E-04	2.51E-09	2.09E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
398	398	2.98983	2.5998E-06	7.8E-06	6.05E-04	4.70E-09	2.09E-01	4.71E-02	4.64E-11	1.0E+06	4.6E-05
399	399	2.58492	2.5998E-06	6.7E-06	6.05E-04	4.07E-09	2.09E-01	4.71E-02	4.01E-11	1.0E+06	4.0E-05
400	400	5.59179	2.5998E-06	1.5E-05	6.05E-04	8.80E-09	2.09E-01	4.71E-02	8.67E-11	1.0E+06	8.7E-05
401	401	2.43538	2.5998E-06	6.3E-06	6.05E-04	3.83E-09	2.09E-01	4.71E-02	3.78E-11	1.0E+06	3.8E-05
402	402	1.10624	2.5998E-06	2.9E-06	6.05E-04	1.74E-09	2.09E-01	4.71E-02	1.72E-11	1.0E+06	1.7E-05
403	403	5.27946	2.5998E-06	1.4E-05	6.05E-04	8.30E-09	2.09E-01	4.71E-02	8.19E-11	1.0E+06	8.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	1.31628	2.5998E-06	3.4E-06	6.05E-04	2.07E-09	2.09E-01	4.71E-02	2.04E-11	1.0E+06	2.0E-05
405	405	0.97992	2.5998E-06	2.5E-06	6.05E-04	1.54E-09	2.09E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
406	406	9.42446	2.5998E-06	2.5E-05	6.05E-04	1.48E-08	2.09E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
407	407	1.06466	2.5998E-06	2.8E-06	6.05E-04	1.67E-09	2.09E-01	4.71E-02	1.65E-11	1.0E+06	1.7E-05
408	408	7.20196	2.5998E-06	1.9E-05	6.05E-04	1.13E-08	2.09E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
409	409	1.14251	2.5998E-06	3.0E-06	6.05E-04	1.80E-09	2.09E-01	4.71E-02	1.77E-11	1.0E+06	1.8E-05
410	410	7.31134	2.5998E-06	1.9E-05	6.05E-04	1.15E-08	2.09E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
411	411	1.66794	2.5998E-06	4.3E-06	6.05E-04	2.62E-09	2.09E-01	4.71E-02	2.59E-11	1.0E+06	2.6E-05
412	412	1.23746	2.5998E-06	3.2E-06	6.05E-04	1.95E-09	2.09E-01	4.71E-02	1.92E-11	1.0E+06	1.9E-05
413	413	7.59765	2.5998E-06	2.0E-05	6.05E-04	1.20E-08	2.09E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
414	414	2.59847	2.5998E-06	6.8E-06	6.05E-04	4.09E-09	2.09E-01	4.71E-02	4.03E-11	1.0E+06	4.0E-05
415	415	1.75382	2.5998E-06	4.6E-06	6.05E-04	2.76E-09	2.09E-01	4.71E-02	2.72E-11	1.0E+06	2.7E-05
416	416	1.29448	2.5998E-06	3.4E-06	6.05E-04	2.04E-09	2.09E-01	4.71E-02	2.01E-11	1.0E+06	2.0E-05
417	417	5.41315	2.5998E-06	1.4E-05	6.05E-04	8.52E-09	2.09E-01	4.71E-02	8.40E-11	1.0E+06	8.4E-05
418	418	1.82591	2.5998E-06	4.7E-06	6.05E-04	2.87E-09	2.09E-01	4.71E-02	2.83E-11	1.0E+06	2.8E-05
419	419	1.34237	2.5998E-06	3.5E-06	6.05E-04	2.11E-09	2.09E-01	4.71E-02	2.08E-11	1.0E+06	2.1E-05
420	420	1.03863	2.5998E-06	2.7E-06	6.05E-04	1.63E-09	2.09E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
421	421	8.53491	2.5998E-06	2.2E-05	6.05E-04	1.34E-08	2.09E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
422	422	1.37941	2.5998E-06	3.6E-06	6.05E-04	2.17E-09	2.09E-01	4.71E-02	2.14E-11	1.0E+06	2.1E-05
423	423	1.06498	2.5998E-06	2.8E-06	6.05E-04	1.68E-09	2.09E-01	4.71E-02	1.65E-11	1.0E+06	1.7E-05
424	424	8.3156	2.5998E-06	2.2E-05	6.05E-04	1.31E-08	2.09E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
425	425	1.07987	2.5998E-06	2.8E-06	6.05E-04	1.70E-09	2.09E-01	4.71E-02	1.68E-11	1.0E+06	1.7E-05
426	426	0.85874	2.5998E-06	2.2E-06	6.05E-04	1.35E-09	2.09E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
427	427	8.42244	2.5998E-06	2.2E-05	6.05E-04	1.32E-08	2.09E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
428	428	1.0822	2.5998E-06	2.8E-06	6.05E-04	1.70E-09	2.09E-01	4.71E-02	1.68E-11	1.0E+06	1.7E-05
429	429	0.85725	2.5998E-06	2.2E-06	6.05E-04	1.35E-09	2.09E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
430	430	5.81908	2.5998E-06	1.5E-05	6.05E-04	9.15E-09	2.09E-01	4.71E-02	9.03E-11	1.0E+06	9.0E-05
431	431	0.84486	2.5998E-06	2.2E-06	6.05E-04	1.33E-09	2.09E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
432	432	0.68124	2.5998E-06	1.8E-06	6.05E-04	1.07E-09	2.09E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
433	433	5.7166	2.5998E-06	1.5E-05	6.05E-04	8.99E-09	2.09E-01	4.71E-02	8.87E-11	1.0E+06	8.9E-05
434	434	0.82163	2.5998E-06	2.1E-06	6.05E-04	1.29E-09	2.09E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.66416	2.5998E-06	1.7E-06	6.05E-04	1.04E-09	2.09E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
436	436	8.2607	2.5998E-06	2.1E-05	6.05E-04	1.30E-08	2.09E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
437	437	1.00424	2.5998E-06	2.6E-06	6.05E-04	1.58E-09	2.09E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
438	438	0.78936	2.5998E-06	2.1E-06	6.05E-04	1.24E-09	2.09E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
439	439	0.63814	2.5998E-06	1.7E-06	6.05E-04	1.00E-09	2.09E-01	4.71E-02	9.90E-12	1.0E+06	9.9E-06
440	440	7.1369	2.5998E-06	1.9E-05	6.05E-04	1.12E-08	2.09E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
441	441	1.70549	2.5998E-06	4.4E-06	6.05E-04	2.68E-09	2.09E-01	4.71E-02	2.65E-11	1.0E+06	2.6E-05
442	442	1.25036	2.5998E-06	3.3E-06	6.05E-04	1.97E-09	2.09E-01	4.71E-02	1.94E-11	1.0E+06	1.9E-05
443	443	0.95063	2.5998E-06	2.5E-06	6.05E-04	1.50E-09	2.09E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
444	444	0.74876	2.5998E-06	1.9E-06	6.05E-04	1.18E-09	2.09E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
445	445	7.26367	2.5998E-06	1.9E-05	6.05E-04	1.14E-08	2.09E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
446	446	2.29847	2.5998E-06	6.0E-06	6.05E-04	3.62E-09	2.09E-01	4.71E-02	3.57E-11	1.0E+06	3.6E-05
447	447	1.57984	2.5998E-06	4.1E-06	6.05E-04	2.49E-09	2.09E-01	4.71E-02	2.45E-11	1.0E+06	2.5E-05
448	448	1.15811	2.5998E-06	3.0E-06	6.05E-04	1.82E-09	2.09E-01	4.71E-02	1.80E-11	1.0E+06	1.8E-05
449	449	5.34024	2.5998E-06	1.4E-05	6.05E-04	8.40E-09	2.09E-01	4.71E-02	8.28E-11	1.0E+06	8.3E-05
450	450	3.08666	2.5998E-06	8.0E-06	6.05E-04	4.86E-09	2.09E-01	4.71E-02	4.79E-11	1.0E+06	4.8E-05
451	451	2.01536	2.5998E-06	5.2E-06	6.05E-04	3.17E-09	2.09E-01	4.71E-02	3.13E-11	1.0E+06	3.1E-05
452	452	4.04554	2.5998E-06	1.1E-05	6.05E-04	6.36E-09	2.09E-01	4.71E-02	6.28E-11	1.0E+06	6.3E-05
453	453	2.53406	2.5998E-06	6.6E-06	6.05E-04	3.99E-09	2.09E-01	4.71E-02	3.93E-11	1.0E+06	3.9E-05
454	454	0.49853	2.5998E-06	1.3E-06	6.05E-04	7.84E-10	2.09E-01	4.71E-02	7.73E-12	1.0E+06	7.7E-06
455	455	0.42226	2.5998E-06	1.1E-06	6.05E-04	6.64E-10	2.09E-01	4.71E-02	6.55E-12	1.0E+06	6.6E-06
456	456	3.08246	2.5998E-06	8.0E-06	6.05E-04	4.85E-09	2.09E-01	4.71E-02	4.78E-11	1.0E+06	4.8E-05
457	457	2.05735	2.5998E-06	5.3E-06	6.05E-04	3.24E-09	2.09E-01	4.71E-02	3.19E-11	1.0E+06	3.2E-05
458	458	1.4727	2.5998E-06	3.8E-06	6.05E-04	2.32E-09	2.09E-01	4.71E-02	2.28E-11	1.0E+06	2.3E-05
459	459	0.68385	2.5998E-06	1.8E-06	6.05E-04	1.08E-09	2.09E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
460	460	0.5602	2.5998E-06	1.5E-06	6.05E-04	8.81E-10	2.09E-01	4.71E-02	8.69E-12	1.0E+06	8.7E-06
461	461	0.46719	2.5998E-06	1.2E-06	6.05E-04	7.35E-10	2.09E-01	4.71E-02	7.25E-12	1.0E+06	7.2E-06
462	462	0.39613	2.5998E-06	1.0E-06	6.05E-04	6.23E-10	2.09E-01	4.71E-02	6.15E-12	1.0E+06	6.1E-06
463	463	4.95732	2.5998E-06	1.3E-05	6.05E-04	7.80E-09	2.09E-01	4.71E-02	7.69E-11	1.0E+06	7.7E-05
464	464	5.5278	2.5998E-06	1.4E-05	6.05E-04	8.70E-09	2.09E-01	4.71E-02	8.58E-11	1.0E+06	8.6E-05
465	465	4.7897	2.5998E-06	1.2E-05	6.05E-04	7.53E-09	2.09E-01	4.71E-02	7.43E-11	1.0E+06	7.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	5.28316	2.5998E-06	1.4E-05	6.05E-04	8.31E-09	2.09E-01	4.71E-02	8.20E-11	1.0E+06	8.2E-05
467	467	7.69136	2.5998E-06	2.0E-05	6.05E-04	1.21E-08	2.09E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
468	468	7.46569	2.5998E-06	1.9E-05	6.05E-04	1.17E-08	2.09E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
469	469	7.32278	2.5998E-06	1.9E-05	6.05E-04	1.15E-08	2.09E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
470	470	3.34494	2.5998E-06	8.7E-06	6.05E-04	5.26E-09	2.09E-01	4.71E-02	5.19E-11	1.0E+06	5.2E-05
471	471	7.13101	2.5998E-06	1.9E-05	6.05E-04	1.12E-08	2.09E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
472	472	3.35763	2.5998E-06	8.7E-06	6.05E-04	5.28E-09	2.09E-01	4.71E-02	5.21E-11	1.0E+06	5.2E-05
473	473	7.20944	2.5998E-06	1.9E-05	6.05E-04	1.13E-08	2.09E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
474	474	3.50016	2.5998E-06	9.1E-06	6.05E-04	5.51E-09	2.09E-01	4.71E-02	5.43E-11	1.0E+06	5.4E-05
475	475	7.32953	2.5998E-06	1.9E-05	6.05E-04	1.15E-08	2.09E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
476	476	3.7853	2.5998E-06	9.8E-06	6.05E-04	5.95E-09	2.09E-01	4.71E-02	5.87E-11	1.0E+06	5.9E-05
477	477	8.1157	2.5998E-06	2.1E-05	6.05E-04	1.28E-08	2.09E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
478	478	4.45327	2.5998E-06	1.2E-05	6.05E-04	7.01E-09	2.09E-01	4.71E-02	6.91E-11	1.0E+06	6.9E-05
479	479	7.7327	2.5998E-06	2.0E-05	6.05E-04	1.22E-08	2.09E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
480	480	6.2846	2.5998E-06	1.6E-05	6.05E-04	9.89E-09	2.09E-01	4.71E-02	9.75E-11	1.0E+06	9.7E-05
481	481	5.89105	2.5998E-06	1.5E-05	6.05E-04	9.27E-09	2.09E-01	4.71E-02	9.14E-11	1.0E+06	9.1E-05
482	482	10.93729	2.5998E-06	2.8E-05	6.05E-04	1.72E-08	2.09E-01	4.71E-02	1.70E-10	1.0E+06	1.7E-04
483	483	6.76675	2.5998E-06	1.8E-05	6.05E-04	1.06E-08	2.09E-01	4.71E-02	1.05E-10	1.0E+06	1.0E-04
484	484	7.26001	2.5998E-06	1.9E-05	6.05E-04	1.14E-08	2.09E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk				*Chronic Non Cancer Risk*				
Receptor #	**Receptor #**	**Total Risk/ Million**			**REL**	**HI**			
1	1	1.5E-02	**Max**	**Receptor #**	5	4.92E-04	**Max**	**Receptor #**	
2	2	1.6E-02	0.775	397	5	5.29E-04	0.026	397	Res
3	3	1.7E-02			5	5.68E-04			
4	4	1.8E-02			5	6.09E-04			
5	5	1.9E-02			5	6.51E-04			
6	6	2.1E-02			5	6.98E-04			
7	7	2.2E-02			5	7.50E-04			
8	8	2.4E-02			5	8.07E-04			
9	9	2.6E-02			5	8.71E-04			
10	10	2.8E-02			5	9.52E-04			
11	11	3.2E-02			5	1.06E-03			
12	12	3.6E-02			5	1.22E-03			
13	13	4.2E-02			5	1.40E-03			
14	14	5.8E-02			5	1.95E-03			
15	15	1.6E-02			5	5.30E-04			
16	16	1.7E-02			5	5.74E-04			
17	17	1.9E-02			5	6.25E-04			
18	18	2.0E-02			5	6.79E-04			
19	19	2.2E-02			5	7.36E-04			
20	20	2.4E-02			5	8.00E-04			
21	21	2.6E-02			5	8.70E-04			
22	22	2.8E-02			5	9.46E-04			
23	23	3.1E-02			5	1.04E-03			
24	24	3.4E-02			5	1.14E-03			
25	25	3.9E-02			5	1.29E-03			
26	26	4.5E-02			5	1.50E-03			
27	27	5.2E-02			5	1.74E-03			
28	28	7.7E-02			5	2.59E-03			
29	29	1.7E-02			5	5.57E-04			
30	30	1.8E-02			5	6.11E-04			
31	31	2.0E-02			5	6.74E-04			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	2.2E-02	5	7.45E-04
33	33	2.4E-02	5	8.20E-04
34	34	2.7E-02	5	9.08E-04
35	35	3.0E-02	5	1.01E-03
36	36	3.3E-02	5	1.12E-03
37	37	3.7E-02	5	1.25E-03
38	38	4.2E-02	5	1.41E-03
39	39	4.8E-02	5	1.61E-03
40	40	5.6E-02	5	1.86E-03
41	41	6.5E-02	5	2.19E-03
42	42	1.1E-01	5	3.62E-03
43	43	1.7E-02	5	5.69E-04
44	44	1.9E-02	5	6.29E-04
45	45	2.1E-02	5	7.02E-04
46	46	2.4E-02	5	7.91E-04
47	47	2.7E-02	5	8.90E-04
48	48	3.0E-02	5	1.00E-03
49	49	3.4E-02	5	1.13E-03
50	50	3.8E-02	5	1.29E-03
51	51	4.5E-02	5	1.49E-03
52	52	5.2E-02	5	1.73E-03
53	53	6.1E-02	5	2.04E-03
54	54	7.3E-02	5	2.45E-03
55	55	8.9E-02	5	3.00E-03
56	56	1.6E-01	5	5.39E-03
57	57	1.7E-02	5	5.67E-04
58	58	1.9E-02	5	6.34E-04
59	59	2.1E-02	5	7.16E-04
60	60	2.4E-02	5	8.14E-04
61	61	2.8E-02	5	9.31E-04
62	62	3.2E-02	5	1.07E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	3.7E-02	5	1.25E-03
64	64	4.3E-02	5	1.45E-03
65	65	5.2E-02	5	1.74E-03
66	66	6.3E-02	5	2.11E-03
67	67	7.7E-02	5	2.59E-03
68	68	9.9E-02	5	3.32E-03
69	69	1.3E-01	5	4.44E-03
70	70	1.7E-02	5	5.60E-04
71	71	1.9E-02	5	6.29E-04
72	72	2.1E-02	5	7.12E-04
73	73	2.4E-02	5	8.14E-04
74	74	2.8E-02	5	9.38E-04
75	75	3.3E-02	5	1.10E-03
76	76	3.9E-02	5	1.31E-03
77	77	4.7E-02	5	1.57E-03
78	78	5.8E-02	5	1.95E-03
79	79	7.5E-02	5	2.53E-03
80	80	9.9E-02	5	3.32E-03
81	81	1.4E-01	5	4.81E-03
82	82	2.2E-01	5	7.33E-03
83	83	1.6E-02	5	5.44E-04
84	84	1.8E-02	5	6.08E-04
85	85	2.0E-02	5	6.80E-04
86	86	2.4E-02	5	7.94E-04
87	87	2.8E-02	5	9.24E-04
88	88	3.3E-02	5	1.09E-03
89	89	3.9E-02	5	1.32E-03
90	90	4.8E-02	5	1.62E-03
91	91	6.2E-02	5	2.07E-03
92	92	8.2E-02	5	2.74E-03
93	93	1.2E-01	5	3.91E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	1.9E-01	5	6.35E-03
95	95	4.0E-01	5	1.35E-02
96	96	1.5E-02	5	5.15E-04
97	97	1.7E-02	5	5.62E-04
98	98	1.9E-02	5	6.30E-04
99	99	2.2E-02	5	7.35E-04
100	100	2.6E-02	5	8.82E-04
101	101	3.1E-02	5	1.05E-03
102	102	3.8E-02	5	1.27E-03
103	103	4.7E-02	5	1.58E-03
104	104	6.1E-02	5	2.03E-03
105	105	8.2E-02	5	2.74E-03
106	106	1.2E-01	5	4.03E-03
107	107	2.1E-01	5	6.97E-03
108	108	5.4E-01	5	1.82E-02
109	109	1.4E-02	5	4.75E-04
110	110	1.6E-02	5	5.37E-04
111	111	1.8E-02	5	6.13E-04
112	112	2.1E-02	5	7.07E-04
113	113	2.5E-02	5	8.26E-04
114	114	2.9E-02	5	9.78E-04
115	115	3.5E-02	5	1.18E-03
116	116	4.3E-02	5	1.46E-03
117	117	5.6E-02	5	1.88E-03
118	118	7.7E-02	5	2.59E-03
119	119	1.1E-01	5	3.77E-03
120	120	1.9E-01	5	6.31E-03
121	121	4.4E-01	5	1.49E-02
122	122	1.3E-02	5	4.42E-04
123	123	1.5E-02	5	5.00E-04
124	124	1.7E-02	5	5.78E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	2.0E-02	5	6.65E-04
126	126	2.3E-02	5	7.68E-04
127	127	2.7E-02	5	8.92E-04
128	128	3.0E-02	5	9.96E-04
129	129	3.6E-02	5	1.21E-03
130	130	4.7E-02	5	1.58E-03
131	131	4.5E-01	5	1.51E-02
132	132	3.6E-01	5	1.20E-02
133	133	1.2E-02	5	4.09E-04
134	134	1.4E-02	5	4.70E-04
135	135	1.6E-02	5	5.41E-04
136	136	1.8E-02	5	6.19E-04
137	137	2.1E-02	5	7.12E-04
138	138	2.4E-02	5	8.15E-04
139	139	2.8E-02	5	9.25E-04
140	140	3.3E-02	5	1.10E-03
141	141	4.0E-02	5	1.34E-03
142	142	5.0E-02	5	1.67E-03
143	143	6.5E-02	5	2.18E-03
144	144	9.2E-02	5	3.08E-03
145	145	1.3E-01	5	4.48E-03
146	146	2.8E-01	5	9.31E-03
147	147	1.1E-02	5	3.81E-04
148	148	1.3E-02	5	4.33E-04
149	149	1.5E-02	5	4.97E-04
150	150	1.7E-02	5	5.68E-04
151	151	2.0E-02	5	6.57E-04
152	152	2.2E-02	5	7.47E-04
153	153	2.6E-02	5	8.55E-04
154	154	3.0E-02	5	1.00E-03
155	155	3.6E-02	5	1.20E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	4.4E-02	5	1.46E-03
157	157	5.3E-02	5	1.79E-03
158	158	6.7E-02	5	2.25E-03
159	159	9.7E-02	5	3.25E-03
160	160	1.1E-02	5	3.61E-04
161	161	1.2E-02	5	4.01E-04
162	162	1.3E-02	5	4.42E-04
163	163	1.5E-02	5	5.12E-04
164	164	1.8E-02	5	6.02E-04
165	165	2.0E-02	5	6.84E-04
166	166	2.3E-02	5	7.87E-04
167	167	2.7E-02	5	9.11E-04
168	168	3.2E-02	5	1.06E-03
169	169	3.7E-02	5	1.26E-03
170	170	4.5E-02	5	1.50E-03
171	171	5.5E-02	5	1.84E-03
172	172	7.2E-02	5	2.40E-03
173	173	9.5E-02	5	3.18E-03
174	174	1.2E-01	5	4.13E-03
175	175	1.4E-01	5	4.80E-03
176	176	1.5E-01	5	5.03E-03
177	177	1.5E-01	5	4.95E-03
178	178	1.4E-01	5	4.59E-03
179	179	9.9E-03	5	3.31E-04
180	180	1.1E-02	5	3.62E-04
181	181	1.2E-02	5	3.91E-04
182	182	1.4E-02	5	4.60E-04
183	183	1.7E-02	5	5.55E-04
184	184	1.9E-02	5	6.31E-04
185	185	2.2E-02	5	7.25E-04
186	186	2.5E-02	5	8.28E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	2.8E-02	5	9.46E-04
188	188	3.3E-02	5	1.10E-03
189	189	3.8E-02	5	1.28E-03
190	190	4.6E-02	5	1.53E-03
191	191	5.5E-02	5	1.86E-03
192	192	6.9E-02	5	2.30E-03
193	193	8.3E-02	5	2.77E-03
194	194	9.8E-02	5	3.28E-03
195	195	1.1E-01	5	3.72E-03
196	196	1.1E-01	5	3.72E-03
197	197	1.0E-01	5	3.51E-03
198	198	9.3E-03	5	3.12E-04
199	199	1.0E-02	5	3.42E-04
200	200	1.1E-02	5	3.75E-04
201	201	1.3E-02	5	4.23E-04
202	202	1.5E-02	5	5.04E-04
203	203	1.7E-02	5	5.77E-04
204	204	2.0E-02	5	6.60E-04
205	205	2.2E-02	5	7.47E-04
206	206	2.5E-02	5	8.46E-04
207	207	2.9E-02	5	9.65E-04
208	208	3.3E-02	5	1.11E-03
209	209	3.9E-02	5	1.30E-03
210	210	4.6E-02	5	1.53E-03
211	211	5.4E-02	5	1.81E-03
212	212	6.2E-02	5	2.08E-03
213	213	6.9E-02	5	2.30E-03
214	214	7.2E-02	5	2.41E-03
215	215	8.5E-02	5	2.85E-03
216	216	8.9E-03	5	3.00E-04
217	217	9.7E-03	5	3.25E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	1.1E-02	5	3.56E-04
219	219	1.2E-02	5	3.95E-04
220	220	1.4E-02	5	4.59E-04
221	221	1.5E-02	5	5.14E-04
222	222	1.8E-02	5	5.87E-04
223	223	2.0E-02	5	6.61E-04
224	224	2.2E-02	5	7.44E-04
225	225	2.5E-02	5	8.37E-04
226	226	2.9E-02	5	9.58E-04
227	227	3.3E-02	5	1.10E-03
228	228	3.8E-02	5	1.27E-03
229	229	4.4E-02	5	1.48E-03
230	230	5.0E-02	5	1.67E-03
231	231	5.5E-02	5	1.84E-03
232	232	5.8E-02	5	1.95E-03
233	233	6.6E-02	5	2.21E-03
234	234	8.6E-03	5	2.89E-04
235	235	9.2E-03	5	3.09E-04
236	236	1.0E-02	5	3.36E-04
237	237	1.1E-02	5	3.72E-04
238	238	1.2E-02	5	4.17E-04
239	239	1.4E-02	5	4.63E-04
240	240	1.5E-02	5	5.18E-04
241	241	1.7E-02	5	5.80E-04
242	242	1.9E-02	5	6.51E-04
243	243	2.2E-02	5	7.32E-04
244	244	2.5E-02	5	8.35E-04
245	245	2.9E-02	5	9.55E-04
246	246	3.3E-02	5	1.09E-03
247	247	3.7E-02	5	1.25E-03
248	248	4.2E-02	5	1.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	4.6E-02	5	1.53E-03
250	250	4.9E-02	5	1.63E-03
251	251	5.5E-02	5	1.83E-03
252	252	8.2E-03	5	2.74E-04
253	253	8.7E-03	5	2.90E-04
254	254	9.3E-03	5	3.10E-04
255	255	1.0E-02	5	3.35E-04
256	256	1.1E-02	5	3.81E-04
257	257	1.2E-02	5	4.04E-04
258	258	1.3E-02	5	4.40E-04
259	259	1.4E-02	5	4.82E-04
260	260	1.6E-02	5	5.48E-04
261	261	1.9E-02	5	6.33E-04
262	262	2.2E-02	5	7.27E-04
263	263	2.5E-02	5	8.24E-04
264	264	2.8E-02	5	9.40E-04
265	265	3.2E-02	5	1.06E-03
266	266	3.5E-02	5	1.18E-03
267	267	3.8E-02	5	1.28E-03
268	268	4.1E-02	5	1.36E-03
269	269	4.5E-02	5	1.51E-03
270	270	7.7E-03	5	2.59E-04
271	271	8.2E-03	5	2.73E-04
272	272	8.7E-03	5	2.91E-04
273	273	9.2E-03	5	3.09E-04
274	274	1.1E-02	5	3.54E-04
275	275	1.2E-02	5	3.90E-04
276	276	1.2E-02	5	3.94E-04
277	277	1.3E-02	5	4.28E-04
278	278	1.4E-02	5	4.76E-04
279	279	1.6E-02	5	5.39E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	1.9E-02	5	6.26E-04
281	281	2.1E-02	5	7.20E-04
282	282	2.4E-02	5	8.17E-04
283	283	2.7E-02	5	9.16E-04
284	284	3.0E-02	5	1.01E-03
285	285	3.3E-02	5	1.09E-03
286	286	3.5E-02	5	1.16E-03
287	287	3.8E-02	5	1.28E-03
288	288	7.3E-03	5	2.46E-04
289	289	7.6E-03	5	2.56E-04
290	290	8.3E-03	5	2.77E-04
291	291	8.9E-03	5	2.97E-04
292	292	1.1E-02	5	3.57E-04
293	293	1.1E-02	5	3.70E-04
294	294	1.1E-02	5	3.60E-04
295	295	1.2E-02	5	3.94E-04
296	296	1.3E-02	5	4.37E-04
297	297	1.4E-02	5	4.82E-04
298	298	1.6E-02	5	5.45E-04
299	299	1.9E-02	5	6.30E-04
300	300	2.1E-02	5	7.08E-04
301	301	2.4E-02	5	7.98E-04
302	302	2.6E-02	5	8.82E-04
303	303	2.9E-02	5	9.56E-04
304	304	3.0E-02	5	1.01E-03
305	305	3.3E-02	5	1.12E-03
306	306	7.4E-03	5	2.47E-04
307	307	7.5E-03	5	2.50E-04
308	308	7.8E-03	5	2.62E-04
309	309	9.0E-03	5	3.00E-04
310	310	1.0E-02	5	3.38E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	1.0E-02	5	3.48E-04
312	312	9.9E-03	5	3.32E-04
313	313	1.1E-02	5	3.63E-04
314	314	1.2E-02	5	4.01E-04
315	315	1.4E-02	5	4.57E-04
316	316	1.5E-02	5	4.96E-04
317	317	1.6E-02	5	5.52E-04
318	318	1.8E-02	5	6.19E-04
319	319	2.1E-02	5	6.99E-04
320	320	2.3E-02	5	7.87E-04
321	321	2.5E-02	5	8.47E-04
322	322	2.7E-02	5	8.97E-04
323	323	2.9E-02	5	9.80E-04
324	324	7.0E-03	5	2.35E-04
325	325	7.6E-03	5	2.54E-04
326	326	7.9E-03	5	2.64E-04
327	327	8.1E-03	5	2.70E-04
328	328	9.7E-03	5	3.25E-04
329	329	9.8E-03	5	3.28E-04
330	330	9.4E-03	5	3.16E-04
331	331	1.0E-02	5	3.45E-04
332	332	1.1E-02	5	3.80E-04
333	333	1.3E-02	5	4.31E-04
334	334	1.4E-02	5	4.74E-04
335	335	1.6E-02	5	5.23E-04
336	336	3.2E-01	5	1.07E-02
337	337	2.5E-01	5	8.34E-03
338	338	4.2E-02	5	1.42E-03
339	339	4.7E-02	5	1.58E-03
340	340	5.1E-02	5	1.72E-03
341	341	5.4E-02	5	1.82E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	5.6E-02	5	1.87E-03
343	343	5.6E-02	5	1.86E-03
344	344	5.4E-02	5	1.80E-03
345	345	5.1E-02	5	1.71E-03
346	346	4.7E-02	5	1.59E-03
347	347	5.3E-02	5	1.77E-03
348	348	6.1E-02	5	2.04E-03
349	349	6.7E-02	5	2.26E-03
350	350	7.1E-02	5	2.40E-03
351	351	7.4E-02	5	2.48E-03
352	352	7.3E-02	5	2.43E-03
353	353	6.9E-02	5	2.32E-03
354	354	6.4E-02	5	2.13E-03
355	355	5.8E-02	5	1.94E-03
356	356	6.8E-02	5	2.27E-03
357	357	7.9E-02	5	2.66E-03
358	358	9.1E-02	5	3.05E-03
359	359	9.9E-02	5	3.31E-03
360	360	1.0E-01	5	3.45E-03
361	361	9.9E-02	5	3.30E-03
362	362	9.2E-02	5	3.08E-03
363	363	8.1E-02	5	2.73E-03
364	364	9.3E-02	5	3.12E-03
365	365	1.1E-01	5	3.67E-03
366	366	1.3E-01	5	4.43E-03
367	367	1.5E-01	5	4.90E-03
368	368	1.5E-01	5	5.12E-03
369	369	1.4E-01	5	4.74E-03
370	370	1.1E-01	5	3.68E-03
371	371	9.1E-02	5	3.05E-03
372	372	1.4E-01	5	4.67E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	1.7E-01	5	5.81E-03
374	374	2.2E-01	5	7.25E-03
375	375	2.4E-01	5	8.06E-03
376	376	2.5E-01	5	8.37E-03
377	377	2.4E-01	5	8.15E-03
378	378	2.2E-01	5	7.44E-03
379	379	1.5E-01	5	5.03E-03
380	380	1.2E-01	5	3.87E-03
381	381	8.8E-02	5	2.95E-03
382	382	2.4E-01	5	8.03E-03
383	383	3.5E-01	5	1.17E-02
384	384	4.3E-01	5	1.44E-02
385	385	4.7E-01	5	1.58E-02
386	386	4.8E-01	5	1.62E-02
387	387	4.6E-01	5	1.55E-02
388	388	4.1E-01	5	1.38E-02
389	389	2.1E-01	5	7.07E-03
390	390	1.4E-01	5	4.71E-03
391	391	9.8E-02	5	3.29E-03
392	392	7.0E-02	5	2.34E-03
393	393	5.3E-01	5	1.78E-02
394	394	6.2E-01	5	2.07E-02
395	395	6.2E-01	5	2.09E-02
396	396	6.6E-01	5	2.21E-02
397	397	7.8E-01	5	2.60E-02
398	398	5.1E-01	5	1.70E-02
399	399	4.0E-01	5	1.36E-02
400	400	2.8E-01	5	9.54E-03
401	401	1.6E-01	5	5.27E-03
402	402	6.9E-02	5	2.32E-03
403	403	3.2E-01	5	1.09E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	6.9E-02	5	2.33E-03
405	405	5.1E-02	5	1.69E-03
406	406	2.6E-01	5	8.87E-03
407	407	4.7E-02	5	1.58E-03
408	408	2.0E-01	5	6.65E-03
409	409	4.3E-02	5	1.46E-03
410	410	1.5E-01	5	5.05E-03
411	411	5.2E-02	5	1.74E-03
412	412	4.1E-02	5	1.37E-03
413	413	1.2E-01	5	3.94E-03
414	414	6.2E-02	5	2.07E-03
415	415	4.7E-02	5	1.58E-03
416	416	3.8E-02	5	1.26E-03
417	417	9.4E-02	5	3.16E-03
418	418	4.3E-02	5	1.43E-03
419	419	3.4E-02	5	1.15E-03
420	420	2.9E-02	5	9.56E-04
421	421	7.7E-02	5	2.59E-03
422	422	3.2E-02	5	1.06E-03
423	423	2.7E-02	5	8.89E-04
424	424	6.5E-02	5	2.16E-03
425	425	2.5E-02	5	8.27E-04
426	426	2.1E-02	5	7.09E-04
427	427	5.5E-02	5	1.83E-03
428	428	2.3E-02	5	7.69E-04
429	429	2.0E-02	5	6.65E-04
430	430	4.7E-02	5	1.57E-03
431	431	1.9E-02	5	6.23E-04
432	432	1.6E-02	5	5.46E-04
433	433	4.1E-02	5	1.35E-03
434	434	1.7E-02	5	5.84E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	1.5E-02	5	5.16E-04
436	436	3.5E-02	5	1.18E-03
437	437	1.9E-02	5	6.24E-04
438	438	1.6E-02	5	5.49E-04
439	439	1.5E-02	5	4.88E-04
440	440	3.1E-02	5	1.04E-03
441	441	2.3E-02	5	7.55E-04
442	442	2.0E-02	5	6.63E-04
443	443	1.7E-02	5	5.84E-04
444	444	1.5E-02	5	5.17E-04
445	445	2.8E-02	5	9.20E-04
446	446	2.3E-02	5	7.71E-04
447	447	2.1E-02	5	6.91E-04
448	448	1.8E-02	5	6.15E-04
449	449	2.5E-02	5	8.19E-04
450	450	2.3E-02	5	7.65E-04
451	451	2.1E-02	5	7.02E-04
452	452	2.2E-02	5	7.34E-04
453	453	2.1E-02	5	6.91E-04
454	454	1.2E-02	5	3.89E-04
455	455	1.1E-02	5	3.56E-04
456	456	2.0E-02	5	6.61E-04
457	457	1.9E-02	5	6.27E-04
458	458	1.7E-02	5	5.86E-04
459	459	1.3E-02	5	4.49E-04
460	460	1.2E-02	5	4.08E-04
461	461	1.1E-02	5	3.71E-04
462	462	1.0E-02	5	3.38E-04
463	463	2.6E-01	5	8.74E-03
464	464	2.1E-01	5	6.91E-03
465	465	1.8E-01	5	5.89E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
466	466	1.4E-01	5	4.58E-03
467	467	1.2E-01	5	4.14E-03
468	468	9.6E-02	5	3.23E-03
469	469	7.7E-02	5	2.59E-03
470	470	6.8E-02	5	2.27E-03
471	471	7.0E-02	5	2.35E-03
472	472	5.6E-02	5	1.87E-03
473	473	5.3E-02	5	1.77E-03
474	474	4.7E-02	5	1.56E-03
475	475	4.5E-02	5	1.50E-03
476	476	4.0E-02	5	1.33E-03
477	477	3.8E-02	5	1.28E-03
478	478	3.4E-02	5	1.14E-03
479	479	3.3E-02	5	1.11E-03
480	480	3.2E-02	5	1.05E-03
481	481	3.0E-02	5	9.90E-04
482	482	2.8E-02	5	9.29E-04
483	483	2.6E-02	5	8.55E-04
484	484	2.5E-02	5	8.24E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24208	4.58E-03	1.1E-03	6.05E-04	6.70E-07	1.05E-01	4.71E-02	3.31E-09	1.0E+06	3.3E-03
2	0.26015	4.58E-03	1.2E-03	6.05E-04	7.20E-07	1.05E-01	4.71E-02	3.55E-09	1.0E+06	3.6E-03
3	0.2791	4.58E-03	1.3E-03	6.05E-04	7.73E-07	1.05E-01	4.71E-02	3.81E-09	1.0E+06	3.8E-03
4	0.29917	4.58E-03	1.4E-03	6.05E-04	8.28E-07	1.05E-01	4.71E-02	4.08E-09	1.0E+06	4.1E-03
5	0.31982	4.58E-03	1.5E-03	6.05E-04	8.86E-07	1.05E-01	4.71E-02	4.37E-09	1.0E+06	4.4E-03
6	0.34333	4.58E-03	1.6E-03	6.05E-04	9.51E-07	1.05E-01	4.71E-02	4.69E-09	1.0E+06	4.7E-03
7	0.36878	4.58E-03	1.7E-03	6.05E-04	1.02E-06	1.05E-01	4.71E-02	5.04E-09	1.0E+06	5.0E-03
8	0.39664	4.58E-03	1.8E-03	6.05E-04	1.10E-06	1.05E-01	4.71E-02	5.42E-09	1.0E+06	5.4E-03
9	0.42832	4.58E-03	2.0E-03	6.05E-04	1.19E-06	1.05E-01	4.71E-02	5.85E-09	1.0E+06	5.8E-03
10	0.46814	4.58E-03	2.1E-03	6.05E-04	1.30E-06	1.05E-01	4.71E-02	6.39E-09	1.0E+06	6.4E-03
11	0.52197	4.58E-03	2.4E-03	6.05E-04	1.45E-06	1.05E-01	4.71E-02	7.13E-09	1.0E+06	7.1E-03
12	0.59851	4.58E-03	2.7E-03	6.05E-04	1.66E-06	1.05E-01	4.71E-02	8.17E-09	1.0E+06	8.2E-03
13	0.68958	4.58E-03	3.2E-03	6.05E-04	1.91E-06	1.05E-01	4.71E-02	9.41E-09	1.0E+06	9.4E-03
14	0.95843	4.58E-03	4.4E-03	6.05E-04	2.65E-06	1.05E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02
15	0.26037	4.58E-03	1.2E-03	6.05E-04	7.21E-07	1.05E-01	4.71E-02	3.55E-09	1.0E+06	3.6E-03
16	0.28217	4.58E-03	1.3E-03	6.05E-04	7.81E-07	1.05E-01	4.71E-02	3.85E-09	1.0E+06	3.9E-03
17	0.30728	4.58E-03	1.4E-03	6.05E-04	8.51E-07	1.05E-01	4.71E-02	4.20E-09	1.0E+06	4.2E-03
18	0.33369	4.58E-03	1.5E-03	6.05E-04	9.24E-07	1.05E-01	4.71E-02	4.56E-09	1.0E+06	4.6E-03
19	0.36184	4.58E-03	1.7E-03	6.05E-04	1.00E-06	1.05E-01	4.71E-02	4.94E-09	1.0E+06	4.9E-03
20	0.39341	4.58E-03	1.8E-03	6.05E-04	1.09E-06	1.05E-01	4.71E-02	5.37E-09	1.0E+06	5.4E-03
21	0.42795	4.58E-03	2.0E-03	6.05E-04	1.18E-06	1.05E-01	4.71E-02	5.84E-09	1.0E+06	5.8E-03
22	0.46515	4.58E-03	2.1E-03	6.05E-04	1.29E-06	1.05E-01	4.71E-02	6.35E-09	1.0E+06	6.4E-03
23	0.51215	4.58E-03	2.3E-03	6.05E-04	1.42E-06	1.05E-01	4.71E-02	6.99E-09	1.0E+06	7.0E-03
24	0.56234	4.58E-03	2.6E-03	6.05E-04	1.56E-06	1.05E-01	4.71E-02	7.68E-09	1.0E+06	7.7E-03
25	0.63622	4.58E-03	2.9E-03	6.05E-04	1.76E-06	1.05E-01	4.71E-02	8.69E-09	1.0E+06	8.7E-03
26	0.73661	4.58E-03	3.4E-03	6.05E-04	2.04E-06	1.05E-01	4.71E-02	1.01E-08	1.0E+06	1.0E-02
27	0.85488	4.58E-03	3.9E-03	6.05E-04	2.37E-06	1.05E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
28	1.27528	4.58E-03	5.8E-03	6.05E-04	3.53E-06	1.05E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
29	0.27362	4.58E-03	1.3E-03	6.05E-04	7.58E-07	1.05E-01	4.71E-02	3.74E-09	1.0E+06	3.7E-03
30	0.30057	4.58E-03	1.4E-03	6.05E-04	8.32E-07	1.05E-01	4.71E-02	4.10E-09	1.0E+06	4.1E-03
31	0.33123	4.58E-03	1.5E-03	6.05E-04	9.17E-07	1.05E-01	4.71E-02	4.52E-09	1.0E+06	4.5E-03

	Max	Receptor #
Res	0.174	397

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.36622	4.58E-03	1.7E-03	6.05E-04	1.01E-06	1.05E-01	4.71E-02	5.00E-09	1.0E+06	5.0E-03
33	0.40327	4.58E-03	1.8E-03	6.05E-04	1.12E-06	1.05E-01	4.71E-02	5.51E-09	1.0E+06	5.5E-03
34	0.44658	4.58E-03	2.0E-03	6.05E-04	1.24E-06	1.05E-01	4.71E-02	6.10E-09	1.0E+06	6.1E-03
35	0.49429	4.58E-03	2.3E-03	6.05E-04	1.37E-06	1.05E-01	4.71E-02	6.75E-09	1.0E+06	6.7E-03
36	0.54931	4.58E-03	2.5E-03	6.05E-04	1.52E-06	1.05E-01	4.71E-02	7.50E-09	1.0E+06	7.5E-03
37	0.61418	4.58E-03	2.8E-03	6.05E-04	1.70E-06	1.05E-01	4.71E-02	8.39E-09	1.0E+06	8.4E-03
38	0.69237	4.58E-03	3.2E-03	6.05E-04	1.92E-06	1.05E-01	4.71E-02	9.45E-09	1.0E+06	9.5E-03
39	0.79147	4.58E-03	3.6E-03	6.05E-04	2.19E-06	1.05E-01	4.71E-02	1.08E-08	1.0E+06	1.1E-02
40	0.91597	4.58E-03	4.2E-03	6.05E-04	2.54E-06	1.05E-01	4.71E-02	1.25E-08	1.0E+06	1.3E-02
41	1.07705	4.58E-03	4.9E-03	6.05E-04	2.98E-06	1.05E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02
42	1.77861	4.58E-03	8.1E-03	6.05E-04	4.92E-06	1.05E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
43	0.27954	4.58E-03	1.3E-03	6.05E-04	7.74E-07	1.05E-01	4.71E-02	3.82E-09	1.0E+06	3.8E-03
44	0.30913	4.58E-03	1.4E-03	6.05E-04	8.56E-07	1.05E-01	4.71E-02	4.22E-09	1.0E+06	4.2E-03
45	0.34534	4.58E-03	1.6E-03	6.05E-04	9.56E-07	1.05E-01	4.71E-02	4.71E-09	1.0E+06	4.7E-03
46	0.38872	4.58E-03	1.8E-03	6.05E-04	1.08E-06	1.05E-01	4.71E-02	5.31E-09	1.0E+06	5.3E-03
47	0.43732	4.58E-03	2.0E-03	6.05E-04	1.21E-06	1.05E-01	4.71E-02	5.97E-09	1.0E+06	6.0E-03
48	0.49359	4.58E-03	2.3E-03	6.05E-04	1.37E-06	1.05E-01	4.71E-02	6.74E-09	1.0E+06	6.7E-03
49	0.55797	4.58E-03	2.6E-03	6.05E-04	1.54E-06	1.05E-01	4.71E-02	7.62E-09	1.0E+06	7.6E-03
50	0.63243	4.58E-03	2.9E-03	6.05E-04	1.75E-06	1.05E-01	4.71E-02	8.63E-09	1.0E+06	8.6E-03
51	0.73394	4.58E-03	3.4E-03	6.05E-04	2.03E-06	1.05E-01	4.71E-02	1.00E-08	1.0E+06	1.0E-02
52	0.8509	4.58E-03	3.9E-03	6.05E-04	2.36E-06	1.05E-01	4.71E-02	1.16E-08	1.0E+06	1.2E-02
53	1.00391	4.58E-03	4.6E-03	6.05E-04	2.78E-06	1.05E-01	4.71E-02	1.37E-08	1.0E+06	1.4E-02
54	1.20323	4.58E-03	5.5E-03	6.05E-04	3.33E-06	1.05E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
55	1.47244	4.58E-03	6.7E-03	6.05E-04	4.08E-06	1.05E-01	4.71E-02	2.01E-08	1.0E+06	2.0E-02
56	2.64917	4.58E-03	1.2E-02	6.05E-04	7.34E-06	1.05E-01	4.71E-02	3.62E-08	1.0E+06	3.6E-02
57	0.27888	4.58E-03	1.3E-03	6.05E-04	7.72E-07	1.05E-01	4.71E-02	3.81E-09	1.0E+06	3.8E-03
58	0.31189	4.58E-03	1.4E-03	6.05E-04	8.64E-07	1.05E-01	4.71E-02	4.26E-09	1.0E+06	4.3E-03
59	0.35208	4.58E-03	1.6E-03	6.05E-04	9.75E-07	1.05E-01	4.71E-02	4.81E-09	1.0E+06	4.8E-03
60	0.40013	4.58E-03	1.8E-03	6.05E-04	1.11E-06	1.05E-01	4.71E-02	5.46E-09	1.0E+06	5.5E-03
61	0.45792	4.58E-03	2.1E-03	6.05E-04	1.27E-06	1.05E-01	4.71E-02	6.25E-09	1.0E+06	6.3E-03
62	0.52762	4.58E-03	2.4E-03	6.05E-04	1.46E-06	1.05E-01	4.71E-02	7.20E-09	1.0E+06	7.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.61592	4.58E-03	2.8E-03	6.05E-04	1.71E-06	1.05E-01	4.71E-02	8.41E-09	1.0E+06	8.4E-03
64	0.71239	4.58E-03	3.3E-03	6.05E-04	1.97E-06	1.05E-01	4.71E-02	9.73E-09	1.0E+06	9.7E-03
65	0.8536	4.58E-03	3.9E-03	6.05E-04	2.36E-06	1.05E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
66	1.03816	4.58E-03	4.8E-03	6.05E-04	2.87E-06	1.05E-01	4.71E-02	1.42E-08	1.0E+06	1.4E-02
67	1.27404	4.58E-03	5.8E-03	6.05E-04	3.53E-06	1.05E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
68	1.63449	4.58E-03	7.5E-03	6.05E-04	4.53E-06	1.05E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
69	2.18232	4.58E-03	1.0E-02	6.05E-04	6.04E-06	1.05E-01	4.71E-02	2.98E-08	1.0E+06	3.0E-02
70	0.27538	4.58E-03	1.3E-03	6.05E-04	7.63E-07	1.05E-01	4.71E-02	3.76E-09	1.0E+06	3.8E-03
71	0.3091	4.58E-03	1.4E-03	6.05E-04	8.56E-07	1.05E-01	4.71E-02	4.22E-09	1.0E+06	4.2E-03
72	0.35013	4.58E-03	1.6E-03	6.05E-04	9.69E-07	1.05E-01	4.71E-02	4.78E-09	1.0E+06	4.8E-03
73	0.40019	4.58E-03	1.8E-03	6.05E-04	1.11E-06	1.05E-01	4.71E-02	5.46E-09	1.0E+06	5.5E-03
74	0.46138	4.58E-03	2.1E-03	6.05E-04	1.28E-06	1.05E-01	4.71E-02	6.30E-09	1.0E+06	6.3E-03
75	0.54195	4.58E-03	2.5E-03	6.05E-04	1.50E-06	1.05E-01	4.71E-02	7.40E-09	1.0E+06	7.4E-03
76	0.64437	4.58E-03	2.9E-03	6.05E-04	1.78E-06	1.05E-01	4.71E-02	8.80E-09	1.0E+06	8.8E-03
77	0.77196	4.58E-03	3.5E-03	6.05E-04	2.14E-06	1.05E-01	4.71E-02	1.05E-08	1.0E+06	1.1E-02
78	0.95736	4.58E-03	4.4E-03	6.05E-04	2.65E-06	1.05E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02
79	1.24329	4.58E-03	5.7E-03	6.05E-04	3.44E-06	1.05E-01	4.71E-02	1.70E-08	1.0E+06	1.7E-02
80	1.63154	4.58E-03	7.5E-03	6.05E-04	4.52E-06	1.05E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
81	2.3629	4.58E-03	1.1E-02	6.05E-04	6.54E-06	1.05E-01	4.71E-02	3.23E-08	1.0E+06	3.2E-02
82	3.60151	4.58E-03	1.6E-02	6.05E-04	9.97E-06	1.05E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
83	0.26762	4.58E-03	1.2E-03	6.05E-04	7.41E-07	1.05E-01	4.71E-02	3.65E-09	1.0E+06	3.7E-03
84	0.29866	4.58E-03	1.4E-03	6.05E-04	8.27E-07	1.05E-01	4.71E-02	4.08E-09	1.0E+06	4.1E-03
85	0.33423	4.58E-03	1.5E-03	6.05E-04	9.25E-07	1.05E-01	4.71E-02	4.56E-09	1.0E+06	4.6E-03
86	0.39048	4.58E-03	1.8E-03	6.05E-04	1.08E-06	1.05E-01	4.71E-02	5.33E-09	1.0E+06	5.3E-03
87	0.45418	4.58E-03	2.1E-03	6.05E-04	1.26E-06	1.05E-01	4.71E-02	6.20E-09	1.0E+06	6.2E-03
88	0.53712	4.58E-03	2.5E-03	6.05E-04	1.49E-06	1.05E-01	4.71E-02	7.33E-09	1.0E+06	7.3E-03
89	0.64668	4.58E-03	3.0E-03	6.05E-04	1.79E-06	1.05E-01	4.71E-02	8.83E-09	1.0E+06	8.8E-03
90	0.79766	4.58E-03	3.7E-03	6.05E-04	2.21E-06	1.05E-01	4.71E-02	1.09E-08	1.0E+06	1.1E-02
91	1.01632	4.58E-03	4.7E-03	6.05E-04	2.81E-06	1.05E-01	4.71E-02	1.39E-08	1.0E+06	1.4E-02
92	1.34874	4.58E-03	6.2E-03	6.05E-04	3.73E-06	1.05E-01	4.71E-02	1.84E-08	1.0E+06	1.8E-02
93	1.9215	4.58E-03	8.8E-03	6.05E-04	5.32E-06	1.05E-01	4.71E-02	2.62E-08	1.0E+06	2.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.11964	4.58E-03	1.4E-02	6.05E-04	8.64E-06	1.05E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
95	6.62959	4.58E-03	3.0E-02	6.05E-04	1.84E-05	1.05E-01	4.71E-02	9.05E-08	1.0E+06	9.1E-02
96	0.25324	4.58E-03	1.2E-03	6.05E-04	7.01E-07	1.05E-01	4.71E-02	3.46E-09	1.0E+06	3.5E-03
97	0.27645	4.58E-03	1.3E-03	6.05E-04	7.65E-07	1.05E-01	4.71E-02	3.77E-09	1.0E+06	3.8E-03
98	0.30981	4.58E-03	1.4E-03	6.05E-04	8.58E-07	1.05E-01	4.71E-02	4.23E-09	1.0E+06	4.2E-03
99	0.36155	4.58E-03	1.7E-03	6.05E-04	1.00E-06	1.05E-01	4.71E-02	4.94E-09	1.0E+06	4.9E-03
100	0.43382	4.58E-03	2.0E-03	6.05E-04	1.20E-06	1.05E-01	4.71E-02	5.92E-09	1.0E+06	5.9E-03
101	0.51544	4.58E-03	2.4E-03	6.05E-04	1.43E-06	1.05E-01	4.71E-02	7.04E-09	1.0E+06	7.0E-03
102	0.62369	4.58E-03	2.9E-03	6.05E-04	1.73E-06	1.05E-01	4.71E-02	8.52E-09	1.0E+06	8.5E-03
103	0.77652	4.58E-03	3.6E-03	6.05E-04	2.15E-06	1.05E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
104	0.9983	4.58E-03	4.6E-03	6.05E-04	2.76E-06	1.05E-01	4.71E-02	1.36E-08	1.0E+06	1.4E-02
105	1.3481	4.58E-03	6.2E-03	6.05E-04	3.73E-06	1.05E-01	4.71E-02	1.84E-08	1.0E+06	1.8E-02
106	1.98311	4.58E-03	9.1E-03	6.05E-04	5.49E-06	1.05E-01	4.71E-02	2.71E-08	1.0E+06	2.7E-02
107	3.42535	4.58E-03	1.6E-02	6.05E-04	9.48E-06	1.05E-01	4.71E-02	4.68E-08	1.0E+06	4.7E-02
108	8.9529	4.58E-03	4.1E-02	6.05E-04	2.48E-05	1.05E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
109	0.23343	4.58E-03	1.1E-03	6.05E-04	6.46E-07	1.05E-01	4.71E-02	3.19E-09	1.0E+06	3.2E-03
110	0.26376	4.58E-03	1.2E-03	6.05E-04	7.30E-07	1.05E-01	4.71E-02	3.60E-09	1.0E+06	3.6E-03
111	0.30122	4.58E-03	1.4E-03	6.05E-04	8.34E-07	1.05E-01	4.71E-02	4.11E-09	1.0E+06	4.1E-03
112	0.34771	4.58E-03	1.6E-03	6.05E-04	9.63E-07	1.05E-01	4.71E-02	4.75E-09	1.0E+06	4.7E-03
113	0.40621	4.58E-03	1.9E-03	6.05E-04	1.12E-06	1.05E-01	4.71E-02	5.55E-09	1.0E+06	5.5E-03
114	0.48088	4.58E-03	2.2E-03	6.05E-04	1.33E-06	1.05E-01	4.71E-02	6.57E-09	1.0E+06	6.6E-03
115	0.57802	4.58E-03	2.6E-03	6.05E-04	1.60E-06	1.05E-01	4.71E-02	7.89E-09	1.0E+06	7.9E-03
116	0.71561	4.58E-03	3.3E-03	6.05E-04	1.98E-06	1.05E-01	4.71E-02	9.77E-09	1.0E+06	9.8E-03
117	0.92231	4.58E-03	4.2E-03	6.05E-04	2.55E-06	1.05E-01	4.71E-02	1.26E-08	1.0E+06	1.3E-02
118	1.27526	4.58E-03	5.8E-03	6.05E-04	3.53E-06	1.05E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
119	1.85182	4.58E-03	8.5E-03	6.05E-04	5.13E-06	1.05E-01	4.71E-02	2.53E-08	1.0E+06	2.5E-02
120	3.10182	4.58E-03	1.4E-02	6.05E-04	8.59E-06	1.05E-01	4.71E-02	4.23E-08	1.0E+06	4.2E-02
121	7.30224	4.58E-03	3.3E-02	6.05E-04	2.02E-05	1.05E-01	4.71E-02	9.97E-08	1.0E+06	1.0E-01
122	0.21719	4.58E-03	9.9E-04	6.05E-04	6.01E-07	1.05E-01	4.71E-02	2.97E-09	1.0E+06	3.0E-03
123	0.24603	4.58E-03	1.1E-03	6.05E-04	6.81E-07	1.05E-01	4.71E-02	3.36E-09	1.0E+06	3.4E-03
124	0.28402	4.58E-03	1.3E-03	6.05E-04	7.86E-07	1.05E-01	4.71E-02	3.88E-09	1.0E+06	3.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.32675	4.58E-03	1.5E-03	6.05E-04	9.05E-07	1.05E-01	4.71E-02	4.46E-09	1.0E+06	4.5E-03
126	0.37739	4.58E-03	1.7E-03	6.05E-04	1.04E-06	1.05E-01	4.71E-02	5.15E-09	1.0E+06	5.2E-03
127	0.43832	4.58E-03	2.0E-03	6.05E-04	1.21E-06	1.05E-01	4.71E-02	5.98E-09	1.0E+06	6.0E-03
128	0.4895	4.58E-03	2.2E-03	6.05E-04	1.36E-06	1.05E-01	4.71E-02	6.68E-09	1.0E+06	6.7E-03
129	0.59454	4.58E-03	2.7E-03	6.05E-04	1.65E-06	1.05E-01	4.71E-02	8.12E-09	1.0E+06	8.1E-03
130	0.77837	4.58E-03	3.6E-03	6.05E-04	2.16E-06	1.05E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
131	7.40233	4.58E-03	3.4E-02	6.05E-04	2.05E-05	1.05E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
132	5.92098	4.58E-03	2.7E-02	6.05E-04	1.64E-05	1.05E-01	4.71E-02	8.08E-08	1.0E+06	8.1E-02
133	0.2012	4.58E-03	9.2E-04	6.05E-04	5.57E-07	1.05E-01	4.71E-02	2.75E-09	1.0E+06	2.7E-03
134	0.23128	4.58E-03	1.1E-03	6.05E-04	6.40E-07	1.05E-01	4.71E-02	3.16E-09	1.0E+06	3.2E-03
135	0.26577	4.58E-03	1.2E-03	6.05E-04	7.36E-07	1.05E-01	4.71E-02	3.63E-09	1.0E+06	3.6E-03
136	0.30422	4.58E-03	1.4E-03	6.05E-04	8.42E-07	1.05E-01	4.71E-02	4.15E-09	1.0E+06	4.2E-03
137	0.35024	4.58E-03	1.6E-03	6.05E-04	9.70E-07	1.05E-01	4.71E-02	4.78E-09	1.0E+06	4.8E-03
138	0.4009	4.58E-03	1.8E-03	6.05E-04	1.11E-06	1.05E-01	4.71E-02	5.47E-09	1.0E+06	5.5E-03
139	0.45464	4.58E-03	2.1E-03	6.05E-04	1.26E-06	1.05E-01	4.71E-02	6.21E-09	1.0E+06	6.2E-03
140	0.53896	4.58E-03	2.5E-03	6.05E-04	1.49E-06	1.05E-01	4.71E-02	7.36E-09	1.0E+06	7.4E-03
141	0.66049	4.58E-03	3.0E-03	6.05E-04	1.83E-06	1.05E-01	4.71E-02	9.02E-09	1.0E+06	9.0E-03
142	0.81857	4.58E-03	3.7E-03	6.05E-04	2.27E-06	1.05E-01	4.71E-02	1.12E-08	1.0E+06	1.1E-02
143	1.06969	4.58E-03	4.9E-03	6.05E-04	2.96E-06	1.05E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
144	1.51306	4.58E-03	6.9E-03	6.05E-04	4.19E-06	1.05E-01	4.71E-02	2.07E-08	1.0E+06	2.1E-02
145	2.20204	4.58E-03	1.0E-02	6.05E-04	6.10E-06	1.05E-01	4.71E-02	3.01E-08	1.0E+06	3.0E-02
146	4.57471	4.58E-03	2.1E-02	6.05E-04	1.27E-05	1.05E-01	4.71E-02	6.25E-08	1.0E+06	6.2E-02
147	0.18734	4.58E-03	8.6E-04	6.05E-04	5.19E-07	1.05E-01	4.71E-02	2.56E-09	1.0E+06	2.6E-03
148	0.21309	4.58E-03	9.8E-04	6.05E-04	5.90E-07	1.05E-01	4.71E-02	2.91E-09	1.0E+06	2.9E-03
149	0.24448	4.58E-03	1.1E-03	6.05E-04	6.77E-07	1.05E-01	4.71E-02	3.34E-09	1.0E+06	3.3E-03
150	0.27925	4.58E-03	1.3E-03	6.05E-04	7.73E-07	1.05E-01	4.71E-02	3.81E-09	1.0E+06	3.8E-03
151	0.32321	4.58E-03	1.5E-03	6.05E-04	8.95E-07	1.05E-01	4.71E-02	4.41E-09	1.0E+06	4.4E-03
152	0.3674	4.58E-03	1.7E-03	6.05E-04	1.02E-06	1.05E-01	4.71E-02	5.02E-09	1.0E+06	5.0E-03
153	0.42017	4.58E-03	1.9E-03	6.05E-04	1.16E-06	1.05E-01	4.71E-02	5.74E-09	1.0E+06	5.7E-03
154	0.49329	4.58E-03	2.3E-03	6.05E-04	1.37E-06	1.05E-01	4.71E-02	6.73E-09	1.0E+06	6.7E-03
155	0.59199	4.58E-03	2.7E-03	6.05E-04	1.64E-06	1.05E-01	4.71E-02	8.08E-09	1.0E+06	8.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.71666	4.58E-03	3.3E-03	6.05E-04	1.98E-06	1.05E-01	4.71E-02	9.78E-09	1.0E+06	9.8E-03
157	0.87778	4.58E-03	4.0E-03	6.05E-04	2.43E-06	1.05E-01	4.71E-02	1.20E-08	1.0E+06	1.2E-02
158	1.10629	4.58E-03	5.1E-03	6.05E-04	3.06E-06	1.05E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02
159	1.59661	4.58E-03	7.3E-03	6.05E-04	4.42E-06	1.05E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
160	0.17769	4.58E-03	8.1E-04	6.05E-04	4.92E-07	1.05E-01	4.71E-02	2.43E-09	1.0E+06	2.4E-03
161	0.1973	4.58E-03	9.0E-04	6.05E-04	5.46E-07	1.05E-01	4.71E-02	2.69E-09	1.0E+06	2.7E-03
162	0.21729	4.58E-03	9.9E-04	6.05E-04	6.02E-07	1.05E-01	4.71E-02	2.97E-09	1.0E+06	3.0E-03
163	0.25154	4.58E-03	1.2E-03	6.05E-04	6.96E-07	1.05E-01	4.71E-02	3.43E-09	1.0E+06	3.4E-03
164	0.29579	4.58E-03	1.4E-03	6.05E-04	8.19E-07	1.05E-01	4.71E-02	4.04E-09	1.0E+06	4.0E-03
165	0.33639	4.58E-03	1.5E-03	6.05E-04	9.31E-07	1.05E-01	4.71E-02	4.59E-09	1.0E+06	4.6E-03
166	0.38696	4.58E-03	1.8E-03	6.05E-04	1.07E-06	1.05E-01	4.71E-02	5.28E-09	1.0E+06	5.3E-03
167	0.44773	4.58E-03	2.0E-03	6.05E-04	1.24E-06	1.05E-01	4.71E-02	6.11E-09	1.0E+06	6.1E-03
168	0.52312	4.58E-03	2.4E-03	6.05E-04	1.45E-06	1.05E-01	4.71E-02	7.14E-09	1.0E+06	7.1E-03
169	0.61749	4.58E-03	2.8E-03	6.05E-04	1.71E-06	1.05E-01	4.71E-02	8.43E-09	1.0E+06	8.4E-03
170	0.73787	4.58E-03	3.4E-03	6.05E-04	2.04E-06	1.05E-01	4.71E-02	1.01E-08	1.0E+06	1.0E-02
171	0.90459	4.58E-03	4.1E-03	6.05E-04	2.50E-06	1.05E-01	4.71E-02	1.24E-08	1.0E+06	1.2E-02
172	1.17863	4.58E-03	5.4E-03	6.05E-04	3.26E-06	1.05E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
173	1.56202	4.58E-03	7.1E-03	6.05E-04	4.33E-06	1.05E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
174	2.02836	4.58E-03	9.3E-03	6.05E-04	5.62E-06	1.05E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
175	2.36083	4.58E-03	1.1E-02	6.05E-04	6.54E-06	1.05E-01	4.71E-02	3.22E-08	1.0E+06	3.2E-02
176	2.47447	4.58E-03	1.1E-02	6.05E-04	6.85E-06	1.05E-01	4.71E-02	3.38E-08	1.0E+06	3.4E-02
177	2.43188	4.58E-03	1.1E-02	6.05E-04	6.73E-06	1.05E-01	4.71E-02	3.32E-08	1.0E+06	3.3E-02
178	2.25623	4.58E-03	1.0E-02	6.05E-04	6.25E-06	1.05E-01	4.71E-02	3.08E-08	1.0E+06	3.1E-02
179	0.16283	4.58E-03	7.5E-04	6.05E-04	4.51E-07	1.05E-01	4.71E-02	2.22E-09	1.0E+06	2.2E-03
180	0.1782	4.58E-03	8.2E-04	6.05E-04	4.93E-07	1.05E-01	4.71E-02	2.43E-09	1.0E+06	2.4E-03
181	0.19241	4.58E-03	8.8E-04	6.05E-04	5.33E-07	1.05E-01	4.71E-02	2.63E-09	1.0E+06	2.6E-03
182	0.22626	4.58E-03	1.0E-03	6.05E-04	6.27E-07	1.05E-01	4.71E-02	3.09E-09	1.0E+06	3.1E-03
183	0.27299	4.58E-03	1.2E-03	6.05E-04	7.56E-07	1.05E-01	4.71E-02	3.73E-09	1.0E+06	3.7E-03
184	0.31025	4.58E-03	1.4E-03	6.05E-04	8.59E-07	1.05E-01	4.71E-02	4.24E-09	1.0E+06	4.2E-03
185	0.35623	4.58E-03	1.6E-03	6.05E-04	9.86E-07	1.05E-01	4.71E-02	4.86E-09	1.0E+06	4.9E-03
186	0.40715	4.58E-03	1.9E-03	6.05E-04	1.13E-06	1.05E-01	4.71E-02	5.56E-09	1.0E+06	5.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.46491	4.58E-03	2.1E-03	6.05E-04	1.29E-06	1.05E-01	4.71E-02	6.35E-09	1.0E+06	6.3E-03
188	0.53875	4.58E-03	2.5E-03	6.05E-04	1.49E-06	1.05E-01	4.71E-02	7.36E-09	1.0E+06	7.4E-03
189	0.62873	4.58E-03	2.9E-03	6.05E-04	1.74E-06	1.05E-01	4.71E-02	8.58E-09	1.0E+06	8.6E-03
190	0.7521	4.58E-03	3.4E-03	6.05E-04	2.08E-06	1.05E-01	4.71E-02	1.03E-08	1.0E+06	1.0E-02
191	0.91282	4.58E-03	4.2E-03	6.05E-04	2.53E-06	1.05E-01	4.71E-02	1.25E-08	1.0E+06	1.2E-02
192	1.1316	4.58E-03	5.2E-03	6.05E-04	3.13E-06	1.05E-01	4.71E-02	1.54E-08	1.0E+06	1.5E-02
193	1.3626	4.58E-03	6.2E-03	6.05E-04	3.77E-06	1.05E-01	4.71E-02	1.86E-08	1.0E+06	1.9E-02
194	1.6103	4.58E-03	7.4E-03	6.05E-04	4.46E-06	1.05E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
195	1.83033	4.58E-03	8.4E-03	6.05E-04	5.07E-06	1.05E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
196	1.83082	4.58E-03	8.4E-03	6.05E-04	5.07E-06	1.05E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
197	1.72496	4.58E-03	7.9E-03	6.05E-04	4.78E-06	1.05E-01	4.71E-02	2.36E-08	1.0E+06	2.4E-02
198	0.15329	4.58E-03	7.0E-04	6.05E-04	4.24E-07	1.05E-01	4.71E-02	2.09E-09	1.0E+06	2.1E-03
199	0.16801	4.58E-03	7.7E-04	6.05E-04	4.65E-07	1.05E-01	4.71E-02	2.29E-09	1.0E+06	2.3E-03
200	0.1845	4.58E-03	8.4E-04	6.05E-04	5.11E-07	1.05E-01	4.71E-02	2.52E-09	1.0E+06	2.5E-03
201	0.20774	4.58E-03	9.5E-04	6.05E-04	5.75E-07	1.05E-01	4.71E-02	2.84E-09	1.0E+06	2.8E-03
202	0.24802	4.58E-03	1.1E-03	6.05E-04	6.87E-07	1.05E-01	4.71E-02	3.39E-09	1.0E+06	3.4E-03
203	0.28344	4.58E-03	1.3E-03	6.05E-04	7.85E-07	1.05E-01	4.71E-02	3.87E-09	1.0E+06	3.9E-03
204	0.32437	4.58E-03	1.5E-03	6.05E-04	8.98E-07	1.05E-01	4.71E-02	4.43E-09	1.0E+06	4.4E-03
205	0.36737	4.58E-03	1.7E-03	6.05E-04	1.02E-06	1.05E-01	4.71E-02	5.02E-09	1.0E+06	5.0E-03
206	0.41583	4.58E-03	1.9E-03	6.05E-04	1.15E-06	1.05E-01	4.71E-02	5.68E-09	1.0E+06	5.7E-03
207	0.47445	4.58E-03	2.2E-03	6.05E-04	1.31E-06	1.05E-01	4.71E-02	6.48E-09	1.0E+06	6.5E-03
208	0.54532	4.58E-03	2.5E-03	6.05E-04	1.51E-06	1.05E-01	4.71E-02	7.45E-09	1.0E+06	7.4E-03
209	0.63729	4.58E-03	2.9E-03	6.05E-04	1.76E-06	1.05E-01	4.71E-02	8.70E-09	1.0E+06	8.7E-03
210	0.75216	4.58E-03	3.4E-03	6.05E-04	2.08E-06	1.05E-01	4.71E-02	1.03E-08	1.0E+06	1.0E-02
211	0.88928	4.58E-03	4.1E-03	6.05E-04	2.46E-06	1.05E-01	4.71E-02	1.21E-08	1.0E+06	1.2E-02
212	1.02495	4.58E-03	4.7E-03	6.05E-04	2.84E-06	1.05E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
213	1.13148	4.58E-03	5.2E-03	6.05E-04	3.13E-06	1.05E-01	4.71E-02	1.54E-08	1.0E+06	1.5E-02
214	1.1847	4.58E-03	5.4E-03	6.05E-04	3.28E-06	1.05E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
215	1.39908	4.58E-03	6.4E-03	6.05E-04	3.87E-06	1.05E-01	4.71E-02	1.91E-08	1.0E+06	1.9E-02
216	0.14739	4.58E-03	6.7E-04	6.05E-04	4.08E-07	1.05E-01	4.71E-02	2.01E-09	1.0E+06	2.0E-03
217	0.15974	4.58E-03	7.3E-04	6.05E-04	4.42E-07	1.05E-01	4.71E-02	2.18E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.17507	4.58E-03	8.0E-04	6.05E-04	4.85E-07	1.05E-01	4.71E-02	2.39E-09	1.0E+06	2.4E-03
219	0.19408	4.58E-03	8.9E-04	6.05E-04	5.37E-07	1.05E-01	4.71E-02	2.65E-09	1.0E+06	2.6E-03
220	0.22545	4.58E-03	1.0E-03	6.05E-04	6.24E-07	1.05E-01	4.71E-02	3.08E-09	1.0E+06	3.1E-03
221	0.25293	4.58E-03	1.2E-03	6.05E-04	7.00E-07	1.05E-01	4.71E-02	3.45E-09	1.0E+06	3.5E-03
222	0.28852	4.58E-03	1.3E-03	6.05E-04	7.99E-07	1.05E-01	4.71E-02	3.94E-09	1.0E+06	3.9E-03
223	0.32506	4.58E-03	1.5E-03	6.05E-04	9.00E-07	1.05E-01	4.71E-02	4.44E-09	1.0E+06	4.4E-03
224	0.36579	4.58E-03	1.7E-03	6.05E-04	1.01E-06	1.05E-01	4.71E-02	4.99E-09	1.0E+06	5.0E-03
225	0.41139	4.58E-03	1.9E-03	6.05E-04	1.14E-06	1.05E-01	4.71E-02	5.62E-09	1.0E+06	5.6E-03
226	0.47087	4.58E-03	2.2E-03	6.05E-04	1.30E-06	1.05E-01	4.71E-02	6.43E-09	1.0E+06	6.4E-03
227	0.54132	4.58E-03	2.5E-03	6.05E-04	1.50E-06	1.05E-01	4.71E-02	7.39E-09	1.0E+06	7.4E-03
228	0.62646	4.58E-03	2.9E-03	6.05E-04	1.73E-06	1.05E-01	4.71E-02	8.55E-09	1.0E+06	8.6E-03
229	0.72545	4.58E-03	3.3E-03	6.05E-04	2.01E-06	1.05E-01	4.71E-02	9.90E-09	1.0E+06	9.9E-03
230	0.82114	4.58E-03	3.8E-03	6.05E-04	2.27E-06	1.05E-01	4.71E-02	1.12E-08	1.0E+06	1.1E-02
231	0.90433	4.58E-03	4.1E-03	6.05E-04	2.50E-06	1.05E-01	4.71E-02	1.23E-08	1.0E+06	1.2E-02
232	0.95831	4.58E-03	4.4E-03	6.05E-04	2.65E-06	1.05E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02
233	1.08841	4.58E-03	5.0E-03	6.05E-04	3.01E-06	1.05E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02
234	0.14198	4.58E-03	6.5E-04	6.05E-04	3.93E-07	1.05E-01	4.71E-02	1.94E-09	1.0E+06	1.9E-03
235	0.152	4.58E-03	7.0E-04	6.05E-04	4.21E-07	1.05E-01	4.71E-02	2.08E-09	1.0E+06	2.1E-03
236	0.16533	4.58E-03	7.6E-04	6.05E-04	4.58E-07	1.05E-01	4.71E-02	2.26E-09	1.0E+06	2.3E-03
237	0.1827	4.58E-03	8.4E-04	6.05E-04	5.06E-07	1.05E-01	4.71E-02	2.49E-09	1.0E+06	2.5E-03
238	0.20515	4.58E-03	9.4E-04	6.05E-04	5.68E-07	1.05E-01	4.71E-02	2.80E-09	1.0E+06	2.8E-03
239	0.22746	4.58E-03	1.0E-03	6.05E-04	6.30E-07	1.05E-01	4.71E-02	3.11E-09	1.0E+06	3.1E-03
240	0.25485	4.58E-03	1.2E-03	6.05E-04	7.06E-07	1.05E-01	4.71E-02	3.48E-09	1.0E+06	3.5E-03
241	0.28536	4.58E-03	1.3E-03	6.05E-04	7.90E-07	1.05E-01	4.71E-02	3.90E-09	1.0E+06	3.9E-03
242	0.32011	4.58E-03	1.5E-03	6.05E-04	8.86E-07	1.05E-01	4.71E-02	4.37E-09	1.0E+06	4.4E-03
243	0.35968	4.58E-03	1.6E-03	6.05E-04	9.96E-07	1.05E-01	4.71E-02	4.91E-09	1.0E+06	4.9E-03
244	0.41028	4.58E-03	1.9E-03	6.05E-04	1.14E-06	1.05E-01	4.71E-02	5.60E-09	1.0E+06	5.6E-03
245	0.46953	4.58E-03	2.1E-03	6.05E-04	1.30E-06	1.05E-01	4.71E-02	6.41E-09	1.0E+06	6.4E-03
246	0.538	4.58E-03	2.5E-03	6.05E-04	1.49E-06	1.05E-01	4.71E-02	7.35E-09	1.0E+06	7.3E-03
247	0.61275	4.58E-03	2.8E-03	6.05E-04	1.70E-06	1.05E-01	4.71E-02	8.37E-09	1.0E+06	8.4E-03
248	0.68743	4.58E-03	3.1E-03	6.05E-04	1.90E-06	1.05E-01	4.71E-02	9.39E-09	1.0E+06	9.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	0.75095	4.58E-03	3.4E-03	6.05E-04	2.08E-06	1.05E-01	4.71E-02	1.03E-08	1.0E+06	1.0E-02
250	0.80013	4.58E-03	3.7E-03	6.05E-04	2.22E-06	1.05E-01	4.71E-02	1.09E-08	1.0E+06	1.1E-02
251	0.89928	4.58E-03	4.1E-03	6.05E-04	2.49E-06	1.05E-01	4.71E-02	1.23E-08	1.0E+06	1.2E-02
252	0.13488	4.58E-03	6.2E-04	6.05E-04	3.73E-07	1.05E-01	4.71E-02	1.84E-09	1.0E+06	1.8E-03
253	0.14265	4.58E-03	6.5E-04	6.05E-04	3.95E-07	1.05E-01	4.71E-02	1.95E-09	1.0E+06	1.9E-03
254	0.15259	4.58E-03	7.0E-04	6.05E-04	4.23E-07	1.05E-01	4.71E-02	2.08E-09	1.0E+06	2.1E-03
255	0.16464	4.58E-03	7.5E-04	6.05E-04	4.56E-07	1.05E-01	4.71E-02	2.25E-09	1.0E+06	2.2E-03
256	0.18715	4.58E-03	8.6E-04	6.05E-04	5.18E-07	1.05E-01	4.71E-02	2.56E-09	1.0E+06	2.6E-03
257	0.19855	4.58E-03	9.1E-04	6.05E-04	5.50E-07	1.05E-01	4.71E-02	2.71E-09	1.0E+06	2.7E-03
258	0.2162	4.58E-03	9.9E-04	6.05E-04	5.99E-07	1.05E-01	4.71E-02	2.95E-09	1.0E+06	3.0E-03
259	0.23718	4.58E-03	1.1E-03	6.05E-04	6.57E-07	1.05E-01	4.71E-02	3.24E-09	1.0E+06	3.2E-03
260	0.26947	4.58E-03	1.2E-03	6.05E-04	7.46E-07	1.05E-01	4.71E-02	3.68E-09	1.0E+06	3.7E-03
261	0.31098	4.58E-03	1.4E-03	6.05E-04	8.61E-07	1.05E-01	4.71E-02	4.25E-09	1.0E+06	4.2E-03
262	0.35732	4.58E-03	1.6E-03	6.05E-04	9.89E-07	1.05E-01	4.71E-02	4.88E-09	1.0E+06	4.9E-03
263	0.4049	4.58E-03	1.9E-03	6.05E-04	1.12E-06	1.05E-01	4.71E-02	5.53E-09	1.0E+06	5.5E-03
264	0.46204	4.58E-03	2.1E-03	6.05E-04	1.28E-06	1.05E-01	4.71E-02	6.31E-09	1.0E+06	6.3E-03
265	0.51992	4.58E-03	2.4E-03	6.05E-04	1.44E-06	1.05E-01	4.71E-02	7.10E-09	1.0E+06	7.1E-03
266	0.57862	4.58E-03	2.6E-03	6.05E-04	1.60E-06	1.05E-01	4.71E-02	7.90E-09	1.0E+06	7.9E-03
267	0.6287	4.58E-03	2.9E-03	6.05E-04	1.74E-06	1.05E-01	4.71E-02	8.58E-09	1.0E+06	8.6E-03
268	0.66735	4.58E-03	3.1E-03	6.05E-04	1.85E-06	1.05E-01	4.71E-02	9.11E-09	1.0E+06	9.1E-03
269	0.7427	4.58E-03	3.4E-03	6.05E-04	2.06E-06	1.05E-01	4.71E-02	1.01E-08	1.0E+06	1.0E-02
270	0.12735	4.58E-03	5.8E-04	6.05E-04	3.53E-07	1.05E-01	4.71E-02	1.74E-09	1.0E+06	1.7E-03
271	0.13443	4.58E-03	6.2E-04	6.05E-04	3.72E-07	1.05E-01	4.71E-02	1.84E-09	1.0E+06	1.8E-03
272	0.14286	4.58E-03	6.5E-04	6.05E-04	3.96E-07	1.05E-01	4.71E-02	1.95E-09	1.0E+06	2.0E-03
273	0.1521	4.58E-03	7.0E-04	6.05E-04	4.21E-07	1.05E-01	4.71E-02	2.08E-09	1.0E+06	2.1E-03
274	0.17405	4.58E-03	8.0E-04	6.05E-04	4.82E-07	1.05E-01	4.71E-02	2.38E-09	1.0E+06	2.4E-03
275	0.19151	4.58E-03	8.8E-04	6.05E-04	5.30E-07	1.05E-01	4.71E-02	2.61E-09	1.0E+06	2.6E-03
276	0.19368	4.58E-03	8.9E-04	6.05E-04	5.36E-07	1.05E-01	4.71E-02	2.64E-09	1.0E+06	2.6E-03
277	0.2106	4.58E-03	9.6E-04	6.05E-04	5.83E-07	1.05E-01	4.71E-02	2.88E-09	1.0E+06	2.9E-03
278	0.2342	4.58E-03	1.1E-03	6.05E-04	6.48E-07	1.05E-01	4.71E-02	3.20E-09	1.0E+06	3.2E-03
279	0.26516	4.58E-03	1.2E-03	6.05E-04	7.34E-07	1.05E-01	4.71E-02	3.62E-09	1.0E+06	3.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.30781	4.58E-03	1.4E-03	6.05E-04	8.52E-07	1.05E-01	4.71E-02	4.20E-09	1.0E+06	4.2E-03
281	0.35373	4.58E-03	1.6E-03	6.05E-04	9.79E-07	1.05E-01	4.71E-02	4.83E-09	1.0E+06	4.8E-03
282	0.40181	4.58E-03	1.8E-03	6.05E-04	1.11E-06	1.05E-01	4.71E-02	5.49E-09	1.0E+06	5.5E-03
283	0.45035	4.58E-03	2.1E-03	6.05E-04	1.25E-06	1.05E-01	4.71E-02	6.15E-09	1.0E+06	6.1E-03
284	0.49767	4.58E-03	2.3E-03	6.05E-04	1.38E-06	1.05E-01	4.71E-02	6.79E-09	1.0E+06	6.8E-03
285	0.53687	4.58E-03	2.5E-03	6.05E-04	1.49E-06	1.05E-01	4.71E-02	7.33E-09	1.0E+06	7.3E-03
286	0.56978	4.58E-03	2.6E-03	6.05E-04	1.58E-06	1.05E-01	4.71E-02	7.78E-09	1.0E+06	7.8E-03
287	0.63116	4.58E-03	2.9E-03	6.05E-04	1.75E-06	1.05E-01	4.71E-02	8.62E-09	1.0E+06	8.6E-03
288	0.12073	4.58E-03	5.5E-04	6.05E-04	3.34E-07	1.05E-01	4.71E-02	1.65E-09	1.0E+06	1.6E-03
289	0.12591	4.58E-03	5.8E-04	6.05E-04	3.49E-07	1.05E-01	4.71E-02	1.72E-09	1.0E+06	1.7E-03
290	0.13629	4.58E-03	6.2E-04	6.05E-04	3.77E-07	1.05E-01	4.71E-02	1.86E-09	1.0E+06	1.9E-03
291	0.14618	4.58E-03	6.7E-04	6.05E-04	4.05E-07	1.05E-01	4.71E-02	2.00E-09	1.0E+06	2.0E-03
292	0.17553	4.58E-03	8.0E-04	6.05E-04	4.86E-07	1.05E-01	4.71E-02	2.40E-09	1.0E+06	2.4E-03
293	0.18214	4.58E-03	8.3E-04	6.05E-04	5.04E-07	1.05E-01	4.71E-02	2.49E-09	1.0E+06	2.5E-03
294	0.17701	4.58E-03	8.1E-04	6.05E-04	4.90E-07	1.05E-01	4.71E-02	2.42E-09	1.0E+06	2.4E-03
295	0.19366	4.58E-03	8.9E-04	6.05E-04	5.36E-07	1.05E-01	4.71E-02	2.64E-09	1.0E+06	2.6E-03
296	0.21492	4.58E-03	9.8E-04	6.05E-04	5.95E-07	1.05E-01	4.71E-02	2.93E-09	1.0E+06	2.9E-03
297	0.23689	4.58E-03	1.1E-03	6.05E-04	6.56E-07	1.05E-01	4.71E-02	3.23E-09	1.0E+06	3.2E-03
298	0.26792	4.58E-03	1.2E-03	6.05E-04	7.42E-07	1.05E-01	4.71E-02	3.66E-09	1.0E+06	3.7E-03
299	0.30964	4.58E-03	1.4E-03	6.05E-04	8.57E-07	1.05E-01	4.71E-02	4.23E-09	1.0E+06	4.2E-03
300	0.34814	4.58E-03	1.6E-03	6.05E-04	9.64E-07	1.05E-01	4.71E-02	4.75E-09	1.0E+06	4.8E-03
301	0.39207	4.58E-03	1.8E-03	6.05E-04	1.09E-06	1.05E-01	4.71E-02	5.35E-09	1.0E+06	5.4E-03
302	0.43341	4.58E-03	2.0E-03	6.05E-04	1.20E-06	1.05E-01	4.71E-02	5.92E-09	1.0E+06	5.9E-03
303	0.47003	4.58E-03	2.2E-03	6.05E-04	1.30E-06	1.05E-01	4.71E-02	6.42E-09	1.0E+06	6.4E-03
304	0.49846	4.58E-03	2.3E-03	6.05E-04	1.38E-06	1.05E-01	4.71E-02	6.81E-09	1.0E+06	6.8E-03
305	0.54889	4.58E-03	2.5E-03	6.05E-04	1.52E-06	1.05E-01	4.71E-02	7.49E-09	1.0E+06	7.5E-03
306	0.1215	4.58E-03	5.6E-04	6.05E-04	3.36E-07	1.05E-01	4.71E-02	1.66E-09	1.0E+06	1.7E-03
307	0.12282	4.58E-03	5.6E-04	6.05E-04	3.40E-07	1.05E-01	4.71E-02	1.68E-09	1.0E+06	1.7E-03
308	0.12903	4.58E-03	5.9E-04	6.05E-04	3.57E-07	1.05E-01	4.71E-02	1.76E-09	1.0E+06	1.8E-03
309	0.14771	4.58E-03	6.8E-04	6.05E-04	4.09E-07	1.05E-01	4.71E-02	2.02E-09	1.0E+06	2.0E-03
310	0.1661	4.58E-03	7.6E-04	6.05E-04	4.60E-07	1.05E-01	4.71E-02	2.27E-09	1.0E+06	2.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.17127	4.58E-03	7.8E-04	6.05E-04	4.74E-07	1.05E-01	4.71E-02	2.34E-09	1.0E+06	2.3E-03
312	0.16328	4.58E-03	7.5E-04	6.05E-04	4.52E-07	1.05E-01	4.71E-02	2.23E-09	1.0E+06	2.2E-03
313	0.17828	4.58E-03	8.2E-04	6.05E-04	4.94E-07	1.05E-01	4.71E-02	2.43E-09	1.0E+06	2.4E-03
314	0.19711	4.58E-03	9.0E-04	6.05E-04	5.46E-07	1.05E-01	4.71E-02	2.69E-09	1.0E+06	2.7E-03
315	0.22456	4.58E-03	1.0E-03	6.05E-04	6.22E-07	1.05E-01	4.71E-02	3.07E-09	1.0E+06	3.1E-03
316	0.24394	4.58E-03	1.1E-03	6.05E-04	6.75E-07	1.05E-01	4.71E-02	3.33E-09	1.0E+06	3.3E-03
317	0.27118	4.58E-03	1.2E-03	6.05E-04	7.51E-07	1.05E-01	4.71E-02	3.70E-09	1.0E+06	3.7E-03
318	0.30422	4.58E-03	1.4E-03	6.05E-04	8.42E-07	1.05E-01	4.71E-02	4.15E-09	1.0E+06	4.2E-03
319	0.34378	4.58E-03	1.6E-03	6.05E-04	9.52E-07	1.05E-01	4.71E-02	4.69E-09	1.0E+06	4.7E-03
320	0.3868	4.58E-03	1.8E-03	6.05E-04	1.07E-06	1.05E-01	4.71E-02	5.28E-09	1.0E+06	5.3E-03
321	0.41641	4.58E-03	1.9E-03	6.05E-04	1.15E-06	1.05E-01	4.71E-02	5.69E-09	1.0E+06	5.7E-03
322	0.44075	4.58E-03	2.0E-03	6.05E-04	1.22E-06	1.05E-01	4.71E-02	6.02E-09	1.0E+06	6.0E-03
323	0.48154	4.58E-03	2.2E-03	6.05E-04	1.33E-06	1.05E-01	4.71E-02	6.57E-09	1.0E+06	6.6E-03
324	0.11562	4.58E-03	5.3E-04	6.05E-04	3.20E-07	1.05E-01	4.71E-02	1.58E-09	1.0E+06	1.6E-03
325	0.12511	4.58E-03	5.7E-04	6.05E-04	3.46E-07	1.05E-01	4.71E-02	1.71E-09	1.0E+06	1.7E-03
326	0.12995	4.58E-03	5.9E-04	6.05E-04	3.60E-07	1.05E-01	4.71E-02	1.77E-09	1.0E+06	1.8E-03
327	0.13277	4.58E-03	6.1E-04	6.05E-04	3.68E-07	1.05E-01	4.71E-02	1.81E-09	1.0E+06	1.8E-03
328	0.15993	4.58E-03	7.3E-04	6.05E-04	4.43E-07	1.05E-01	4.71E-02	2.18E-09	1.0E+06	2.2E-03
329	0.1611	4.58E-03	7.4E-04	6.05E-04	4.46E-07	1.05E-01	4.71E-02	2.20E-09	1.0E+06	2.2E-03
330	0.15531	4.58E-03	7.1E-04	6.05E-04	4.30E-07	1.05E-01	4.71E-02	2.12E-09	1.0E+06	2.1E-03
331	0.16961	4.58E-03	7.8E-04	6.05E-04	4.70E-07	1.05E-01	4.71E-02	2.32E-09	1.0E+06	2.3E-03
332	0.18704	4.58E-03	8.6E-04	6.05E-04	5.18E-07	1.05E-01	4.71E-02	2.55E-09	1.0E+06	2.6E-03
333	0.21165	4.58E-03	9.7E-04	6.05E-04	5.86E-07	1.05E-01	4.71E-02	2.89E-09	1.0E+06	2.9E-03
334	0.23286	4.58E-03	1.1E-03	6.05E-04	6.45E-07	1.05E-01	4.71E-02	3.18E-09	1.0E+06	3.2E-03
335	0.25687	4.58E-03	1.2E-03	6.05E-04	7.11E-07	1.05E-01	4.71E-02	3.51E-09	1.0E+06	3.5E-03
336	5.25471	4.58E-03	2.4E-02	6.05E-04	1.45E-05	1.05E-01	4.71E-02	7.17E-08	1.0E+06	7.2E-02
337	4.09801	4.58E-03	1.9E-02	6.05E-04	1.13E-05	1.05E-01	4.71E-02	5.60E-08	1.0E+06	5.6E-02
338	0.69877	4.58E-03	3.2E-03	6.05E-04	1.93E-06	1.05E-01	4.71E-02	9.54E-09	1.0E+06	9.5E-03
339	0.77633	4.58E-03	3.6E-03	6.05E-04	2.15E-06	1.05E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
340	0.84525	4.58E-03	3.9E-03	6.05E-04	2.34E-06	1.05E-01	4.71E-02	1.15E-08	1.0E+06	1.2E-02
341	0.89345	4.58E-03	4.1E-03	6.05E-04	2.47E-06	1.05E-01	4.71E-02	1.22E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.92141	4.58E-03	4.2E-03	6.05E-04	2.55E-06	1.05E-01	4.71E-02	1.26E-08	1.0E+06	1.3E-02
343	0.91505	4.58E-03	4.2E-03	6.05E-04	2.53E-06	1.05E-01	4.71E-02	1.25E-08	1.0E+06	1.2E-02
344	0.8857	4.58E-03	4.1E-03	6.05E-04	2.45E-06	1.05E-01	4.71E-02	1.21E-08	1.0E+06	1.2E-02
345	0.8401	4.58E-03	3.8E-03	6.05E-04	2.33E-06	1.05E-01	4.71E-02	1.15E-08	1.0E+06	1.1E-02
346	0.7797	4.58E-03	3.6E-03	6.05E-04	2.16E-06	1.05E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
347	0.86888	4.58E-03	4.0E-03	6.05E-04	2.41E-06	1.05E-01	4.71E-02	1.19E-08	1.0E+06	1.2E-02
348	1.00398	4.58E-03	4.6E-03	6.05E-04	2.78E-06	1.05E-01	4.71E-02	1.37E-08	1.0E+06	1.4E-02
349	1.10866	4.58E-03	5.1E-03	6.05E-04	3.07E-06	1.05E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02
350	1.17766	4.58E-03	5.4E-03	6.05E-04	3.26E-06	1.05E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
351	1.21981	4.58E-03	5.6E-03	6.05E-04	3.38E-06	1.05E-01	4.71E-02	1.67E-08	1.0E+06	1.7E-02
352	1.19644	4.58E-03	5.5E-03	6.05E-04	3.31E-06	1.05E-01	4.71E-02	1.63E-08	1.0E+06	1.6E-02
353	1.14005	4.58E-03	5.2E-03	6.05E-04	3.16E-06	1.05E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
354	1.04619	4.58E-03	4.8E-03	6.05E-04	2.90E-06	1.05E-01	4.71E-02	1.43E-08	1.0E+06	1.4E-02
355	0.95366	4.58E-03	4.4E-03	6.05E-04	2.64E-06	1.05E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
356	1.11736	4.58E-03	5.1E-03	6.05E-04	3.09E-06	1.05E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
357	1.30958	4.58E-03	6.0E-03	6.05E-04	3.63E-06	1.05E-01	4.71E-02	1.79E-08	1.0E+06	1.8E-02
358	1.49976	4.58E-03	6.9E-03	6.05E-04	4.15E-06	1.05E-01	4.71E-02	2.05E-08	1.0E+06	2.0E-02
359	1.62635	4.58E-03	7.4E-03	6.05E-04	4.50E-06	1.05E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
360	1.69468	4.58E-03	7.8E-03	6.05E-04	4.69E-06	1.05E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
361	1.62336	4.58E-03	7.4E-03	6.05E-04	4.49E-06	1.05E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
362	1.51327	4.58E-03	6.9E-03	6.05E-04	4.19E-06	1.05E-01	4.71E-02	2.07E-08	1.0E+06	2.1E-02
363	1.34227	4.58E-03	6.1E-03	6.05E-04	3.72E-06	1.05E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
364	1.53351	4.58E-03	7.0E-03	6.05E-04	4.25E-06	1.05E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
365	1.80482	4.58E-03	8.3E-03	6.05E-04	5.00E-06	1.05E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02
366	2.17696	4.58E-03	1.0E-02	6.05E-04	6.03E-06	1.05E-01	4.71E-02	2.97E-08	1.0E+06	3.0E-02
367	2.40697	4.58E-03	1.1E-02	6.05E-04	6.66E-06	1.05E-01	4.71E-02	3.29E-08	1.0E+06	3.3E-02
368	2.51485	4.58E-03	1.2E-02	6.05E-04	6.96E-06	1.05E-01	4.71E-02	3.43E-08	1.0E+06	3.4E-02
369	2.33111	4.58E-03	1.1E-02	6.05E-04	6.45E-06	1.05E-01	4.71E-02	3.18E-08	1.0E+06	3.2E-02
370	1.80686	4.58E-03	8.3E-03	6.05E-04	5.00E-06	1.05E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
371	1.49896	4.58E-03	6.9E-03	6.05E-04	4.15E-06	1.05E-01	4.71E-02	2.05E-08	1.0E+06	2.0E-02
372	2.29428	4.58E-03	1.0E-02	6.05E-04	6.35E-06	1.05E-01	4.71E-02	3.13E-08	1.0E+06	3.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	2.85493	4.58E-03	1.3E-02	6.05E-04	7.91E-06	1.05E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
374	3.56379	4.58E-03	1.6E-02	6.05E-04	9.87E-06	1.05E-01	4.71E-02	4.87E-08	1.0E+06	4.9E-02
375	3.96254	4.58E-03	1.8E-02	6.05E-04	1.10E-05	1.05E-01	4.71E-02	5.41E-08	1.0E+06	5.4E-02
376	4.11531	4.58E-03	1.9E-02	6.05E-04	1.14E-05	1.05E-01	4.71E-02	5.62E-08	1.0E+06	5.6E-02
377	4.00445	4.58E-03	1.8E-02	6.05E-04	1.11E-05	1.05E-01	4.71E-02	5.47E-08	1.0E+06	5.5E-02
378	3.65975	4.58E-03	1.7E-02	6.05E-04	1.01E-05	1.05E-01	4.71E-02	5.00E-08	1.0E+06	5.0E-02
379	2.47423	4.58E-03	1.1E-02	6.05E-04	6.85E-06	1.05E-01	4.71E-02	3.38E-08	1.0E+06	3.4E-02
380	1.90451	4.58E-03	8.7E-03	6.05E-04	5.27E-06	1.05E-01	4.71E-02	2.60E-08	1.0E+06	2.6E-02
381	1.45157	4.58E-03	6.6E-03	6.05E-04	4.02E-06	1.05E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
382	3.94527	4.58E-03	1.8E-02	6.05E-04	1.09E-05	1.05E-01	4.71E-02	5.39E-08	1.0E+06	5.4E-02
383	5.74292	4.58E-03	2.6E-02	6.05E-04	1.59E-05	1.05E-01	4.71E-02	7.84E-08	1.0E+06	7.8E-02
384	7.0628	4.58E-03	3.2E-02	6.05E-04	1.96E-05	1.05E-01	4.71E-02	9.64E-08	1.0E+06	9.6E-02
385	7.7788	4.58E-03	3.6E-02	6.05E-04	2.15E-05	1.05E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
386	7.94303	4.58E-03	3.6E-02	6.05E-04	2.20E-05	1.05E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
387	7.61242	4.58E-03	3.5E-02	6.05E-04	2.11E-05	1.05E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
388	6.77558	4.58E-03	3.1E-02	6.05E-04	1.88E-05	1.05E-01	4.71E-02	9.25E-08	1.0E+06	9.3E-02
389	3.47544	4.58E-03	1.6E-02	6.05E-04	9.62E-06	1.05E-01	4.71E-02	4.75E-08	1.0E+06	4.7E-02
390	2.31331	4.58E-03	1.1E-02	6.05E-04	6.41E-06	1.05E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02
391	1.6179	4.58E-03	7.4E-03	6.05E-04	4.48E-06	1.05E-01	4.71E-02	2.21E-08	1.0E+06	2.2E-02
392	1.15161	4.58E-03	5.3E-03	6.05E-04	3.19E-06	1.05E-01	4.71E-02	1.57E-08	1.0E+06	1.6E-02
393	8.7282	4.58E-03	4.0E-02	6.05E-04	2.42E-05	1.05E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
394	10.19606	4.58E-03	4.7E-02	6.05E-04	2.82E-05	1.05E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
395	10.29107	4.58E-03	4.7E-02	6.05E-04	2.85E-05	1.05E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
396	10.86265	4.58E-03	5.0E-02	6.05E-04	3.01E-05	1.05E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
397	12.76958	4.58E-03	5.8E-02	6.05E-04	3.54E-05	1.05E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
398	8.34943	4.58E-03	3.8E-02	6.05E-04	2.31E-05	1.05E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
399	6.66481	4.58E-03	3.0E-02	6.05E-04	1.85E-05	1.05E-01	4.71E-02	9.10E-08	1.0E+06	9.1E-02
400	4.69002	4.58E-03	2.1E-02	6.05E-04	1.30E-05	1.05E-01	4.71E-02	6.40E-08	1.0E+06	6.4E-02
401	2.59215	4.58E-03	1.2E-02	6.05E-04	7.18E-06	1.05E-01	4.71E-02	3.54E-08	1.0E+06	3.5E-02
402	1.14275	4.58E-03	5.2E-03	6.05E-04	3.16E-06	1.05E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
403	5.34568	4.58E-03	2.4E-02	6.05E-04	1.48E-05	1.05E-01	4.71E-02	7.30E-08	1.0E+06	7.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.14379	4.58E-03	5.2E-03	6.05E-04	3.17E-06	1.05E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
405	0.83327	4.58E-03	3.8E-03	6.05E-04	2.31E-06	1.05E-01	4.71E-02	1.14E-08	1.0E+06	1.1E-02
406	4.3595	4.58E-03	2.0E-02	6.05E-04	1.21E-05	1.05E-01	4.71E-02	5.95E-08	1.0E+06	6.0E-02
407	0.77446	4.58E-03	3.5E-03	6.05E-04	2.14E-06	1.05E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
408	3.26711	4.58E-03	1.5E-02	6.05E-04	9.05E-06	1.05E-01	4.71E-02	4.46E-08	1.0E+06	4.5E-02
409	0.71621	4.58E-03	3.3E-03	6.05E-04	1.98E-06	1.05E-01	4.71E-02	9.78E-09	1.0E+06	9.8E-03
410	2.482	4.58E-03	1.1E-02	6.05E-04	6.87E-06	1.05E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
411	0.85532	4.58E-03	3.9E-03	6.05E-04	2.37E-06	1.05E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
412	0.67288	4.58E-03	3.1E-03	6.05E-04	1.86E-06	1.05E-01	4.71E-02	9.19E-09	1.0E+06	9.2E-03
413	1.93775	4.58E-03	8.9E-03	6.05E-04	5.37E-06	1.05E-01	4.71E-02	2.65E-08	1.0E+06	2.6E-02
414	1.0153	4.58E-03	4.6E-03	6.05E-04	2.81E-06	1.05E-01	4.71E-02	1.39E-08	1.0E+06	1.4E-02
415	0.77501	4.58E-03	3.5E-03	6.05E-04	2.15E-06	1.05E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
416	0.61765	4.58E-03	2.8E-03	6.05E-04	1.71E-06	1.05E-01	4.71E-02	8.43E-09	1.0E+06	8.4E-03
417	1.554	4.58E-03	7.1E-03	6.05E-04	4.30E-06	1.05E-01	4.71E-02	2.12E-08	1.0E+06	2.1E-02
418	0.70372	4.58E-03	3.2E-03	6.05E-04	1.95E-06	1.05E-01	4.71E-02	9.61E-09	1.0E+06	9.6E-03
419	0.56773	4.58E-03	2.6E-03	6.05E-04	1.57E-06	1.05E-01	4.71E-02	7.75E-09	1.0E+06	7.8E-03
420	0.46976	4.58E-03	2.1E-03	6.05E-04	1.30E-06	1.05E-01	4.71E-02	6.41E-09	1.0E+06	6.4E-03
421	1.274	4.58E-03	5.8E-03	6.05E-04	3.53E-06	1.05E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
422	0.52242	4.58E-03	2.4E-03	6.05E-04	1.45E-06	1.05E-01	4.71E-02	7.13E-09	1.0E+06	7.1E-03
423	0.43715	4.58E-03	2.0E-03	6.05E-04	1.21E-06	1.05E-01	4.71E-02	5.97E-09	1.0E+06	6.0E-03
424	1.06285	4.58E-03	4.9E-03	6.05E-04	2.94E-06	1.05E-01	4.71E-02	1.45E-08	1.0E+06	1.5E-02
425	0.40644	4.58E-03	1.9E-03	6.05E-04	1.13E-06	1.05E-01	4.71E-02	5.55E-09	1.0E+06	5.5E-03
426	0.34877	4.58E-03	1.6E-03	6.05E-04	9.66E-07	1.05E-01	4.71E-02	4.76E-09	1.0E+06	4.8E-03
427	0.8992	4.58E-03	4.1E-03	6.05E-04	2.49E-06	1.05E-01	4.71E-02	1.23E-08	1.0E+06	1.2E-02
428	0.37801	4.58E-03	1.7E-03	6.05E-04	1.05E-06	1.05E-01	4.71E-02	5.16E-09	1.0E+06	5.2E-03
429	0.32678	4.58E-03	1.5E-03	6.05E-04	9.05E-07	1.05E-01	4.71E-02	4.46E-09	1.0E+06	4.5E-03
430	0.77021	4.58E-03	3.5E-03	6.05E-04	2.13E-06	1.05E-01	4.71E-02	1.05E-08	1.0E+06	1.1E-02
431	0.30623	4.58E-03	1.4E-03	6.05E-04	8.48E-07	1.05E-01	4.71E-02	4.18E-09	1.0E+06	4.2E-03
432	0.26825	4.58E-03	1.2E-03	6.05E-04	7.43E-07	1.05E-01	4.71E-02	3.66E-09	1.0E+06	3.7E-03
433	0.66605	4.58E-03	3.0E-03	6.05E-04	1.84E-06	1.05E-01	4.71E-02	9.09E-09	1.0E+06	9.1E-03
434	0.28725	4.58E-03	1.3E-03	6.05E-04	7.95E-07	1.05E-01	4.71E-02	3.92E-09	1.0E+06	3.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.2539	4.58E-03	1.2E-03	6.05E-04	7.03E-07	1.05E-01	4.71E-02	3.47E-09	1.0E+06	3.5E-03
436	0.58116	4.58E-03	2.7E-03	6.05E-04	1.61E-06	1.05E-01	4.71E-02	7.93E-09	1.0E+06	7.9E-03
437	0.30691	4.58E-03	1.4E-03	6.05E-04	8.50E-07	1.05E-01	4.71E-02	4.19E-09	1.0E+06	4.2E-03
438	0.27001	4.58E-03	1.2E-03	6.05E-04	7.48E-07	1.05E-01	4.71E-02	3.69E-09	1.0E+06	3.7E-03
439	0.23975	4.58E-03	1.1E-03	6.05E-04	6.64E-07	1.05E-01	4.71E-02	3.27E-09	1.0E+06	3.3E-03
440	0.51082	4.58E-03	2.3E-03	6.05E-04	1.41E-06	1.05E-01	4.71E-02	6.97E-09	1.0E+06	7.0E-03
441	0.3712	4.58E-03	1.7E-03	6.05E-04	1.03E-06	1.05E-01	4.71E-02	5.07E-09	1.0E+06	5.1E-03
442	0.326	4.58E-03	1.5E-03	6.05E-04	9.03E-07	1.05E-01	4.71E-02	4.45E-09	1.0E+06	4.5E-03
443	0.28704	4.58E-03	1.3E-03	6.05E-04	7.95E-07	1.05E-01	4.71E-02	3.92E-09	1.0E+06	3.9E-03
444	0.25394	4.58E-03	1.2E-03	6.05E-04	7.03E-07	1.05E-01	4.71E-02	3.47E-09	1.0E+06	3.5E-03
445	0.4522	4.58E-03	2.1E-03	6.05E-04	1.25E-06	1.05E-01	4.71E-02	6.17E-09	1.0E+06	6.2E-03
446	0.37925	4.58E-03	1.7E-03	6.05E-04	1.05E-06	1.05E-01	4.71E-02	5.18E-09	1.0E+06	5.2E-03
447	0.33987	4.58E-03	1.6E-03	6.05E-04	9.41E-07	1.05E-01	4.71E-02	4.64E-09	1.0E+06	4.6E-03
448	0.30239	4.58E-03	1.4E-03	6.05E-04	8.37E-07	1.05E-01	4.71E-02	4.13E-09	1.0E+06	4.1E-03
449	0.40282	4.58E-03	1.8E-03	6.05E-04	1.12E-06	1.05E-01	4.71E-02	5.50E-09	1.0E+06	5.5E-03
450	0.37605	4.58E-03	1.7E-03	6.05E-04	1.04E-06	1.05E-01	4.71E-02	5.13E-09	1.0E+06	5.1E-03
451	0.34509	4.58E-03	1.6E-03	6.05E-04	9.56E-07	1.05E-01	4.71E-02	4.71E-09	1.0E+06	4.7E-03
452	0.36089	4.58E-03	1.7E-03	6.05E-04	9.99E-07	1.05E-01	4.71E-02	4.93E-09	1.0E+06	4.9E-03
453	0.33992	4.58E-03	1.6E-03	6.05E-04	9.41E-07	1.05E-01	4.71E-02	4.64E-09	1.0E+06	4.6E-03
454	0.19146	4.58E-03	8.8E-04	6.05E-04	5.30E-07	1.05E-01	4.71E-02	2.61E-09	1.0E+06	2.6E-03
455	0.17478	4.58E-03	8.0E-04	6.05E-04	4.84E-07	1.05E-01	4.71E-02	2.39E-09	1.0E+06	2.4E-03
456	0.32501	4.58E-03	1.5E-03	6.05E-04	9.00E-07	1.05E-01	4.71E-02	4.44E-09	1.0E+06	4.4E-03
457	0.30847	4.58E-03	1.4E-03	6.05E-04	8.54E-07	1.05E-01	4.71E-02	4.21E-09	1.0E+06	4.2E-03
458	0.28793	4.58E-03	1.3E-03	6.05E-04	7.97E-07	1.05E-01	4.71E-02	3.93E-09	1.0E+06	3.9E-03
459	0.22069	4.58E-03	1.0E-03	6.05E-04	6.11E-07	1.05E-01	4.71E-02	3.01E-09	1.0E+06	3.0E-03
460	0.20066	4.58E-03	9.2E-04	6.05E-04	5.56E-07	1.05E-01	4.71E-02	2.74E-09	1.0E+06	2.7E-03
461	0.18243	4.58E-03	8.3E-04	6.05E-04	5.05E-07	1.05E-01	4.71E-02	2.49E-09	1.0E+06	2.5E-03
462	0.16633	4.58E-03	7.6E-04	6.05E-04	4.61E-07	1.05E-01	4.71E-02	2.27E-09	1.0E+06	2.3E-03
463	4.29765	4.58E-03	2.0E-02	6.05E-04	1.19E-05	1.05E-01	4.71E-02	5.87E-08	1.0E+06	5.9E-02
464	3.3969	4.58E-03	1.6E-02	6.05E-04	9.41E-06	1.05E-01	4.71E-02	4.64E-08	1.0E+06	4.6E-02
465	2.89488	4.58E-03	1.3E-02	6.05E-04	8.02E-06	1.05E-01	4.71E-02	3.95E-08	1.0E+06	4.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.25169	4.58E-03	1.0E-02	6.05E-04	6.23E-06	1.05E-01	4.71E-02	3.07E-08	1.0E+06	3.1E-02
467	2.03748	4.58E-03	9.3E-03	6.05E-04	5.64E-06	1.05E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
468	1.58578	4.58E-03	7.3E-03	6.05E-04	4.39E-06	1.05E-01	4.71E-02	2.17E-08	1.0E+06	2.2E-02
469	1.27157	4.58E-03	5.8E-03	6.05E-04	3.52E-06	1.05E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
470	1.11457	4.58E-03	5.1E-03	6.05E-04	3.09E-06	1.05E-01	4.71E-02	1.52E-08	1.0E+06	1.5E-02
471	1.15557	4.58E-03	5.3E-03	6.05E-04	3.20E-06	1.05E-01	4.71E-02	1.58E-08	1.0E+06	1.6E-02
472	0.91809	4.58E-03	4.2E-03	6.05E-04	2.54E-06	1.05E-01	4.71E-02	1.25E-08	1.0E+06	1.3E-02
473	0.8703	4.58E-03	4.0E-03	6.05E-04	2.41E-06	1.05E-01	4.71E-02	1.19E-08	1.0E+06	1.2E-02
474	0.76922	4.58E-03	3.5E-03	6.05E-04	2.13E-06	1.05E-01	4.71E-02	1.05E-08	1.0E+06	1.1E-02
475	0.73688	4.58E-03	3.4E-03	6.05E-04	2.04E-06	1.05E-01	4.71E-02	1.01E-08	1.0E+06	1.0E-02
476	0.65302	4.58E-03	3.0E-03	6.05E-04	1.81E-06	1.05E-01	4.71E-02	8.92E-09	1.0E+06	8.9E-03
477	0.63139	4.58E-03	2.9E-03	6.05E-04	1.75E-06	1.05E-01	4.71E-02	8.62E-09	1.0E+06	8.6E-03
478	0.5609	4.58E-03	2.6E-03	6.05E-04	1.55E-06	1.05E-01	4.71E-02	7.66E-09	1.0E+06	7.7E-03
479	0.54625	4.58E-03	2.5E-03	6.05E-04	1.51E-06	1.05E-01	4.71E-02	7.46E-09	1.0E+06	7.5E-03
480	0.51817	4.58E-03	2.4E-03	6.05E-04	1.43E-06	1.05E-01	4.71E-02	7.07E-09	1.0E+06	7.1E-03
481	0.48689	4.58E-03	2.2E-03	6.05E-04	1.35E-06	1.05E-01	4.71E-02	6.65E-09	1.0E+06	6.6E-03
482	0.45676	4.58E-03	2.1E-03	6.05E-04	1.26E-06	1.05E-01	4.71E-02	6.24E-09	1.0E+06	6.2E-03
483	0.42029	4.58E-03	1.9E-03	6.05E-04	1.16E-06	1.05E-01	4.71E-02	5.74E-09	1.0E+06	5.7E-03
484	0.40531	4.58E-03	1.9E-03	6.05E-04	1.12E-06	1.05E-01	4.71E-02	5.53E-09	1.0E+06	5.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	2.22E-04
2	5	2.38E-04
3	5	2.55E-04
4	5	2.74E-04
5	5	2.93E-04
6	5	3.14E-04
7	5	3.38E-04
8	5	3.63E-04
9	5	3.92E-04
10	5	4.28E-04
11	5	4.78E-04
12	5	5.48E-04
13	5	6.31E-04
14	5	8.77E-04
15	5	2.38E-04
16	5	2.58E-04
17	5	2.81E-04
18	5	3.05E-04
19	5	3.31E-04
20	5	3.60E-04
21	5	3.92E-04
22	5	4.26E-04
23	5	4.69E-04
24	5	5.15E-04
25	5	5.82E-04
26	5	6.74E-04
27	5	7.82E-04
28	5	1.17E-03
29	5	2.50E-04
30	5	2.75E-04
31	5	3.03E-04

Max	Receptor #	
0.012	397	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	3.35E-04
33	5	3.69E-04
34	5	4.09E-04
35	5	4.52E-04
36	5	5.03E-04
37	5	5.62E-04
38	5	6.34E-04
39	5	7.24E-04
40	5	8.38E-04
41	5	9.86E-04
42	5	1.63E-03
43	5	2.56E-04
44	5	2.83E-04
45	5	3.16E-04
46	5	3.56E-04
47	5	4.00E-04
48	5	4.52E-04
49	5	5.11E-04
50	5	5.79E-04
51	5	6.72E-04
52	5	7.79E-04
53	5	9.19E-04
54	5	1.10E-03
55	5	1.35E-03
56	5	2.42E-03
57	5	2.55E-04
58	5	2.85E-04
59	5	3.22E-04
60	5	3.66E-04
61	5	4.19E-04
62	5	4.83E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	5.64E-04
64	5	6.52E-04
65	5	7.81E-04
66	5	9.50E-04
67	5	1.17E-03
68	5	1.50E-03
69	5	2.00E-03
70	5	2.52E-04
71	5	2.83E-04
72	5	3.20E-04
73	5	3.66E-04
74	5	4.22E-04
75	5	4.96E-04
76	5	5.90E-04
77	5	7.07E-04
78	5	8.76E-04
79	5	1.14E-03
80	5	1.49E-03
81	5	2.16E-03
82	5	3.30E-03
83	5	2.45E-04
84	5	2.73E-04
85	5	3.06E-04
86	5	3.57E-04
87	5	4.16E-04
88	5	4.92E-04
89	5	5.92E-04
90	5	7.30E-04
91	5	9.30E-04
92	5	1.23E-03
93	5	1.76E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	2.86E-03
95	5	6.07E-03
96	5	2.32E-04
97	5	2.53E-04
98	5	2.84E-04
99	5	3.31E-04
100	5	3.97E-04
101	5	4.72E-04
102	5	5.71E-04
103	5	7.11E-04
104	5	9.14E-04
105	5	1.23E-03
106	5	1.82E-03
107	5	3.14E-03
108	5	8.19E-03
109	5	2.14E-04
110	5	2.41E-04
111	5	2.76E-04
112	5	3.18E-04
113	5	3.72E-04
114	5	4.40E-04
115	5	5.29E-04
116	5	6.55E-04
117	5	8.44E-04
118	5	1.17E-03
119	5	1.69E-03
120	5	2.84E-03
121	5	6.68E-03
122	5	1.99E-04
123	5	2.25E-04
124	5	2.60E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	2.99E-04
126	5	3.45E-04
127	5	4.01E-04
128	5	4.48E-04
129	5	5.44E-04
130	5	7.12E-04
131	5	6.77E-03
132	5	5.42E-03
133	5	1.84E-04
134	5	2.12E-04
135	5	2.43E-04
136	5	2.78E-04
137	5	3.21E-04
138	5	3.67E-04
139	5	4.16E-04
140	5	4.93E-04
141	5	6.05E-04
142	5	7.49E-04
143	5	9.79E-04
144	5	1.38E-03
145	5	2.02E-03
146	5	4.19E-03
147	5	1.71E-04
148	5	1.95E-04
149	5	2.24E-04
150	5	2.56E-04
151	5	2.96E-04
152	5	3.36E-04
153	5	3.85E-04
154	5	4.51E-04
155	5	5.42E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	6.56E-04
157	5	8.03E-04
158	5	1.01E-03
159	5	1.46E-03
160	5	1.63E-04
161	5	1.81E-04
162	5	1.99E-04
163	5	2.30E-04
164	5	2.71E-04
165	5	3.08E-04
166	5	3.54E-04
167	5	4.10E-04
168	5	4.79E-04
169	5	5.65E-04
170	5	6.75E-04
171	5	8.28E-04
172	5	1.08E-03
173	5	1.43E-03
174	5	1.86E-03
175	5	2.16E-03
176	5	2.26E-03
177	5	2.23E-03
178	5	2.07E-03
179	5	1.49E-04
180	5	1.63E-04
181	5	1.76E-04
182	5	2.07E-04
183	5	2.50E-04
184	5	2.84E-04
185	5	3.26E-04
186	5	3.73E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	4.26E-04
188	5	4.93E-04
189	5	5.75E-04
190	5	6.88E-04
191	5	8.35E-04
192	5	1.04E-03
193	5	1.25E-03
194	5	1.47E-03
195	5	1.68E-03
196	5	1.68E-03
197	5	1.58E-03
198	5	1.40E-04
199	5	1.54E-04
200	5	1.69E-04
201	5	1.90E-04
202	5	2.27E-04
203	5	2.59E-04
204	5	2.97E-04
205	5	3.36E-04
206	5	3.81E-04
207	5	4.34E-04
208	5	4.99E-04
209	5	5.83E-04
210	5	6.88E-04
211	5	8.14E-04
212	5	9.38E-04
213	5	1.04E-03
214	5	1.08E-03
215	5	1.28E-03
216	5	1.35E-04
217	5	1.46E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	1.60E-04
219	5	1.78E-04
220	5	2.06E-04
221	5	2.31E-04
222	5	2.64E-04
223	5	2.98E-04
224	5	3.35E-04
225	5	3.77E-04
226	5	4.31E-04
227	5	4.95E-04
228	5	5.73E-04
229	5	6.64E-04
230	5	7.52E-04
231	5	8.28E-04
232	5	8.77E-04
233	5	9.96E-04
234	5	1.30E-04
235	5	1.39E-04
236	5	1.51E-04
237	5	1.67E-04
238	5	1.88E-04
239	5	2.08E-04
240	5	2.33E-04
241	5	2.61E-04
242	5	2.93E-04
243	5	3.29E-04
244	5	3.76E-04
245	5	4.30E-04
246	5	4.92E-04
247	5	5.61E-04
248	5	6.29E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	6.87E-04
250	5	7.32E-04
251	5	8.23E-04
252	5	1.23E-04
253	5	1.31E-04
254	5	1.40E-04
255	5	1.51E-04
256	5	1.71E-04
257	5	1.82E-04
258	5	1.98E-04
259	5	2.17E-04
260	5	2.47E-04
261	5	2.85E-04
262	5	3.27E-04
263	5	3.71E-04
264	5	4.23E-04
265	5	4.76E-04
266	5	5.30E-04
267	5	5.75E-04
268	5	6.11E-04
269	5	6.80E-04
270	5	1.17E-04
271	5	1.23E-04
272	5	1.31E-04
273	5	1.39E-04
274	5	1.59E-04
275	5	1.75E-04
276	5	1.77E-04
277	5	1.93E-04
278	5	2.14E-04
279	5	2.43E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	2.82E-04
281	5	3.24E-04
282	5	3.68E-04
283	5	4.12E-04
284	5	4.55E-04
285	5	4.91E-04
286	5	5.21E-04
287	5	5.78E-04
288	5	1.10E-04
289	5	1.15E-04
290	5	1.25E-04
291	5	1.34E-04
292	5	1.61E-04
293	5	1.67E-04
294	5	1.62E-04
295	5	1.77E-04
296	5	1.97E-04
297	5	2.17E-04
298	5	2.45E-04
299	5	2.83E-04
300	5	3.19E-04
301	5	3.59E-04
302	5	3.97E-04
303	5	4.30E-04
304	5	4.56E-04
305	5	5.02E-04
306	5	1.11E-04
307	5	1.12E-04
308	5	1.18E-04
309	5	1.35E-04
310	5	1.52E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	1.57E-04
312	5	1.49E-04
313	5	1.63E-04
314	5	1.80E-04
315	5	2.06E-04
316	5	2.23E-04
317	5	2.48E-04
318	5	2.78E-04
319	5	3.15E-04
320	5	3.54E-04
321	5	3.81E-04
322	5	4.03E-04
323	5	4.41E-04
324	5	1.06E-04
325	5	1.15E-04
326	5	1.19E-04
327	5	1.22E-04
328	5	1.46E-04
329	5	1.47E-04
330	5	1.42E-04
331	5	1.55E-04
332	5	1.71E-04
333	5	1.94E-04
334	5	2.13E-04
335	5	2.35E-04
336	5	4.81E-03
337	5	3.75E-03
338	5	6.40E-04
339	5	7.11E-04
340	5	7.74E-04
341	5	8.18E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	8.43E-04
343	5	8.37E-04
344	5	8.11E-04
345	5	7.69E-04
346	5	7.14E-04
347	5	7.95E-04
348	5	9.19E-04
349	5	1.01E-03
350	5	1.08E-03
351	5	1.12E-03
352	5	1.10E-03
353	5	1.04E-03
354	5	9.58E-04
355	5	8.73E-04
356	5	1.02E-03
357	5	1.20E-03
358	5	1.37E-03
359	5	1.49E-03
360	5	1.55E-03
361	5	1.49E-03
362	5	1.39E-03
363	5	1.23E-03
364	5	1.40E-03
365	5	1.65E-03
366	5	1.99E-03
367	5	2.20E-03
368	5	2.30E-03
369	5	2.13E-03
370	5	1.65E-03
371	5	1.37E-03
372	5	2.10E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	2.61E-03
374	5	3.26E-03
375	5	3.63E-03
376	5	3.77E-03
377	5	3.67E-03
378	5	3.35E-03
379	5	2.26E-03
380	5	1.74E-03
381	5	1.33E-03
382	5	3.61E-03
383	5	5.26E-03
384	5	6.46E-03
385	5	7.12E-03
386	5	7.27E-03
387	5	6.97E-03
388	5	6.20E-03
389	5	3.18E-03
390	5	2.12E-03
391	5	1.48E-03
392	5	1.05E-03
393	5	7.99E-03
394	5	9.33E-03
395	5	9.42E-03
396	5	9.94E-03
397	5	1.17E-02
398	5	7.64E-03
399	5	6.10E-03
400	5	4.29E-03
401	5	2.37E-03
402	5	1.05E-03
403	5	4.89E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.05E-03
405	5	7.63E-04
406	5	3.99E-03
407	5	7.09E-04
408	5	2.99E-03
409	5	6.56E-04
410	5	2.27E-03
411	5	7.83E-04
412	5	6.16E-04
413	5	1.77E-03
414	5	9.29E-04
415	5	7.09E-04
416	5	5.65E-04
417	5	1.42E-03
418	5	6.44E-04
419	5	5.20E-04
420	5	4.30E-04
421	5	1.17E-03
422	5	4.78E-04
423	5	4.00E-04
424	5	9.73E-04
425	5	3.72E-04
426	5	3.19E-04
427	5	8.23E-04
428	5	3.46E-04
429	5	2.99E-04
430	5	7.05E-04
431	5	2.80E-04
432	5	2.46E-04
433	5	6.10E-04
434	5	2.63E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	2.32E-04
436	5	5.32E-04
437	5	2.81E-04
438	5	2.47E-04
439	5	2.19E-04
440	5	4.68E-04
441	5	3.40E-04
442	5	2.98E-04
443	5	2.63E-04
444	5	2.32E-04
445	5	4.14E-04
446	5	3.47E-04
447	5	3.11E-04
448	5	2.77E-04
449	5	3.69E-04
450	5	3.44E-04
451	5	3.16E-04
452	5	3.30E-04
453	5	3.11E-04
454	5	1.75E-04
455	5	1.60E-04
456	5	2.97E-04
457	5	2.82E-04
458	5	2.64E-04
459	5	2.02E-04
460	5	1.84E-04
461	5	1.67E-04
462	5	1.52E-04
463	5	3.93E-03
464	5	3.11E-03
465	5	2.65E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	2.06E-03
467	5	1.86E-03
468	5	1.45E-03
469	5	1.16E-03
470	5	1.02E-03
471	5	1.06E-03
472	5	8.40E-04
473	5	7.97E-04
474	5	7.04E-04
475	5	6.74E-04
476	5	5.98E-04
477	5	5.78E-04
478	5	5.13E-04
479	5	5.00E-04
480	5	4.74E-04
481	5	4.46E-04
482	5	4.18E-04
483	5	3.85E-04
484	5	3.71E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24208	1.90E-02	4.6E-03	6.05E-04	2.79E-06	2.09E-01	4.71E-02	2.75E-08	1.0E+06	2.7E-02
2	0.26015	1.90E-02	4.9E-03	6.05E-04	2.99E-06	2.09E-01	4.71E-02	2.95E-08	1.0E+06	3.0E-02
3	0.2791	1.90E-02	5.3E-03	6.05E-04	3.21E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
4	0.29917	1.90E-02	5.7E-03	6.05E-04	3.44E-06	2.09E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
5	0.31982	1.90E-02	6.1E-03	6.05E-04	3.68E-06	2.09E-01	4.71E-02	3.63E-08	1.0E+06	3.6E-02
6	0.34333	1.90E-02	6.5E-03	6.05E-04	3.95E-06	2.09E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
7	0.36878	1.90E-02	7.0E-03	6.05E-04	4.24E-06	2.09E-01	4.71E-02	4.18E-08	1.0E+06	4.2E-02
8	0.39664	1.90E-02	7.5E-03	6.05E-04	4.56E-06	2.09E-01	4.71E-02	4.50E-08	1.0E+06	4.5E-02
9	0.42832	1.90E-02	8.1E-03	6.05E-04	4.93E-06	2.09E-01	4.71E-02	4.86E-08	1.0E+06	4.9E-02
10	0.46814	1.90E-02	8.9E-03	6.05E-04	5.39E-06	2.09E-01	4.71E-02	5.31E-08	1.0E+06	5.3E-02
11	0.52197	1.90E-02	9.9E-03	6.05E-04	6.01E-06	2.09E-01	4.71E-02	5.92E-08	1.0E+06	5.9E-02
12	0.59851	1.90E-02	1.1E-02	6.05E-04	6.89E-06	2.09E-01	4.71E-02	6.79E-08	1.0E+06	6.8E-02
13	0.68958	1.90E-02	1.3E-02	6.05E-04	7.93E-06	2.09E-01	4.71E-02	7.82E-08	1.0E+06	7.8E-02
14	0.95843	1.90E-02	1.8E-02	6.05E-04	1.10E-05	2.09E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
15	0.26037	1.90E-02	5.0E-03	6.05E-04	3.00E-06	2.09E-01	4.71E-02	2.95E-08	1.0E+06	3.0E-02
16	0.28217	1.90E-02	5.4E-03	6.05E-04	3.25E-06	2.09E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02
17	0.30728	1.90E-02	5.8E-03	6.05E-04	3.54E-06	2.09E-01	4.71E-02	3.49E-08	1.0E+06	3.5E-02
18	0.33369	1.90E-02	6.3E-03	6.05E-04	3.84E-06	2.09E-01	4.71E-02	3.79E-08	1.0E+06	3.8E-02
19	0.36184	1.90E-02	6.9E-03	6.05E-04	4.16E-06	2.09E-01	4.71E-02	4.11E-08	1.0E+06	4.1E-02
20	0.39341	1.90E-02	7.5E-03	6.05E-04	4.53E-06	2.09E-01	4.71E-02	4.46E-08	1.0E+06	4.5E-02
21	0.42795	1.90E-02	8.1E-03	6.05E-04	4.92E-06	2.09E-01	4.71E-02	4.86E-08	1.0E+06	4.9E-02
22	0.46515	1.90E-02	8.8E-03	6.05E-04	5.35E-06	2.09E-01	4.71E-02	5.28E-08	1.0E+06	5.3E-02
23	0.51215	1.90E-02	9.7E-03	6.05E-04	5.89E-06	2.09E-01	4.71E-02	5.81E-08	1.0E+06	5.8E-02
24	0.56234	1.90E-02	1.1E-02	6.05E-04	6.47E-06	2.09E-01	4.71E-02	6.38E-08	1.0E+06	6.4E-02
25	0.63622	1.90E-02	1.2E-02	6.05E-04	7.32E-06	2.09E-01	4.71E-02	7.22E-08	1.0E+06	7.2E-02
26	0.73661	1.90E-02	1.4E-02	6.05E-04	8.47E-06	2.09E-01	4.71E-02	8.36E-08	1.0E+06	8.4E-02
27	0.85488	1.90E-02	1.6E-02	6.05E-04	9.84E-06	2.09E-01	4.71E-02	9.70E-08	1.0E+06	9.7E-02
28	1.27528	1.90E-02	2.4E-02	6.05E-04	1.47E-05	2.09E-01	4.71E-02	1.45E-07	1.0E+06	1.4E-01
29	0.27362	1.90E-02	5.2E-03	6.05E-04	3.15E-06	2.09E-01	4.71E-02	3.10E-08	1.0E+06	3.1E-02
30	0.30057	1.90E-02	5.7E-03	6.05E-04	3.46E-06	2.09E-01	4.71E-02	3.41E-08	1.0E+06	3.4E-02
31	0.33123	1.90E-02	6.3E-03	6.05E-04	3.81E-06	2.09E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.36622	1.90E-02	7.0E-03	6.05E-04	4.21E-06	2.09E-01	4.71E-02	4.16E-08	1.0E+06	4.2E-02
33	0.40327	1.90E-02	7.7E-03	6.05E-04	4.64E-06	2.09E-01	4.71E-02	4.58E-08	1.0E+06	4.6E-02
34	0.44658	1.90E-02	8.5E-03	6.05E-04	5.14E-06	2.09E-01	4.71E-02	5.07E-08	1.0E+06	5.1E-02
35	0.49429	1.90E-02	9.4E-03	6.05E-04	5.69E-06	2.09E-01	4.71E-02	5.61E-08	1.0E+06	5.6E-02
36	0.54931	1.90E-02	1.0E-02	6.05E-04	6.32E-06	2.09E-01	4.71E-02	6.23E-08	1.0E+06	6.2E-02
37	0.61418	1.90E-02	1.2E-02	6.05E-04	7.07E-06	2.09E-01	4.71E-02	6.97E-08	1.0E+06	7.0E-02
38	0.69237	1.90E-02	1.3E-02	6.05E-04	7.97E-06	2.09E-01	4.71E-02	7.86E-08	1.0E+06	7.9E-02
39	0.79147	1.90E-02	1.5E-02	6.05E-04	9.11E-06	2.09E-01	4.71E-02	8.98E-08	1.0E+06	9.0E-02
40	0.91597	1.90E-02	1.7E-02	6.05E-04	1.05E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
41	1.07705	1.90E-02	2.0E-02	6.05E-04	1.24E-05	2.09E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
42	1.77861	1.90E-02	3.4E-02	6.05E-04	2.05E-05	2.09E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
43	0.27954	1.90E-02	5.3E-03	6.05E-04	3.22E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
44	0.30913	1.90E-02	5.9E-03	6.05E-04	3.56E-06	2.09E-01	4.71E-02	3.51E-08	1.0E+06	3.5E-02
45	0.34534	1.90E-02	6.6E-03	6.05E-04	3.97E-06	2.09E-01	4.71E-02	3.92E-08	1.0E+06	3.9E-02
46	0.38872	1.90E-02	7.4E-03	6.05E-04	4.47E-06	2.09E-01	4.71E-02	4.41E-08	1.0E+06	4.4E-02
47	0.43732	1.90E-02	8.3E-03	6.05E-04	5.03E-06	2.09E-01	4.71E-02	4.96E-08	1.0E+06	5.0E-02
48	0.49359	1.90E-02	9.4E-03	6.05E-04	5.68E-06	2.09E-01	4.71E-02	5.60E-08	1.0E+06	5.6E-02
49	0.55797	1.90E-02	1.1E-02	6.05E-04	6.42E-06	2.09E-01	4.71E-02	6.33E-08	1.0E+06	6.3E-02
50	0.63243	1.90E-02	1.2E-02	6.05E-04	7.28E-06	2.09E-01	4.71E-02	7.18E-08	1.0E+06	7.2E-02
51	0.73394	1.90E-02	1.4E-02	6.05E-04	8.44E-06	2.09E-01	4.71E-02	8.33E-08	1.0E+06	8.3E-02
52	0.8509	1.90E-02	1.6E-02	6.05E-04	9.79E-06	2.09E-01	4.71E-02	9.65E-08	1.0E+06	9.7E-02
53	1.00391	1.90E-02	1.9E-02	6.05E-04	1.15E-05	2.09E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
54	1.20323	1.90E-02	2.3E-02	6.05E-04	1.38E-05	2.09E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
55	1.47244	1.90E-02	2.8E-02	6.05E-04	1.69E-05	2.09E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
56	2.64917	1.90E-02	5.0E-02	6.05E-04	3.05E-05	2.09E-01	4.71E-02	3.01E-07	1.0E+06	3.0E-01
57	0.27888	1.90E-02	5.3E-03	6.05E-04	3.21E-06	2.09E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02
58	0.31189	1.90E-02	5.9E-03	6.05E-04	3.59E-06	2.09E-01	4.71E-02	3.54E-08	1.0E+06	3.5E-02
59	0.35208	1.90E-02	6.7E-03	6.05E-04	4.05E-06	2.09E-01	4.71E-02	3.99E-08	1.0E+06	4.0E-02
60	0.40013	1.90E-02	7.6E-03	6.05E-04	4.60E-06	2.09E-01	4.71E-02	4.54E-08	1.0E+06	4.5E-02
61	0.45792	1.90E-02	8.7E-03	6.05E-04	5.27E-06	2.09E-01	4.71E-02	5.20E-08	1.0E+06	5.2E-02
62	0.52762	1.90E-02	1.0E-02	6.05E-04	6.07E-06	2.09E-01	4.71E-02	5.99E-08	1.0E+06	6.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.61592	1.90E-02	1.2E-02	6.05E-04	7.09E-06	2.09E-01	4.71E-02	6.99E-08	1.0E+06	7.0E-02
64	0.71239	1.90E-02	1.4E-02	6.05E-04	8.20E-06	2.09E-01	4.71E-02	8.08E-08	1.0E+06	8.1E-02
65	0.8536	1.90E-02	1.6E-02	6.05E-04	9.82E-06	2.09E-01	4.71E-02	9.68E-08	1.0E+06	9.7E-02
66	1.03816	1.90E-02	2.0E-02	6.05E-04	1.19E-05	2.09E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
67	1.27404	1.90E-02	2.4E-02	6.05E-04	1.47E-05	2.09E-01	4.71E-02	1.45E-07	1.0E+06	1.4E-01
68	1.63449	1.90E-02	3.1E-02	6.05E-04	1.88E-05	2.09E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
69	2.18232	1.90E-02	4.1E-02	6.05E-04	2.51E-05	2.09E-01	4.71E-02	2.48E-07	1.0E+06	2.5E-01
70	0.27538	1.90E-02	5.2E-03	6.05E-04	3.17E-06	2.09E-01	4.71E-02	3.12E-08	1.0E+06	3.1E-02
71	0.3091	1.90E-02	5.9E-03	6.05E-04	3.56E-06	2.09E-01	4.71E-02	3.51E-08	1.0E+06	3.5E-02
72	0.35013	1.90E-02	6.7E-03	6.05E-04	4.03E-06	2.09E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02
73	0.40019	1.90E-02	7.6E-03	6.05E-04	4.60E-06	2.09E-01	4.71E-02	4.54E-08	1.0E+06	4.5E-02
74	0.46138	1.90E-02	8.8E-03	6.05E-04	5.31E-06	2.09E-01	4.71E-02	5.23E-08	1.0E+06	5.2E-02
75	0.54195	1.90E-02	1.0E-02	6.05E-04	6.24E-06	2.09E-01	4.71E-02	6.15E-08	1.0E+06	6.1E-02
76	0.64437	1.90E-02	1.2E-02	6.05E-04	7.41E-06	2.09E-01	4.71E-02	7.31E-08	1.0E+06	7.3E-02
77	0.77196	1.90E-02	1.5E-02	6.05E-04	8.88E-06	2.09E-01	4.71E-02	8.76E-08	1.0E+06	8.8E-02
78	0.95736	1.90E-02	1.8E-02	6.05E-04	1.10E-05	2.09E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
79	1.24329	1.90E-02	2.4E-02	6.05E-04	1.43E-05	2.09E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
80	1.63154	1.90E-02	3.1E-02	6.05E-04	1.88E-05	2.09E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
81	2.3629	1.90E-02	4.5E-02	6.05E-04	2.72E-05	2.09E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
82	3.60151	1.90E-02	6.8E-02	6.05E-04	4.14E-05	2.09E-01	4.71E-02	4.09E-07	1.0E+06	4.1E-01
83	0.26762	1.90E-02	5.1E-03	6.05E-04	3.08E-06	2.09E-01	4.71E-02	3.04E-08	1.0E+06	3.0E-02
84	0.29866	1.90E-02	5.7E-03	6.05E-04	3.44E-06	2.09E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
85	0.33423	1.90E-02	6.4E-03	6.05E-04	3.85E-06	2.09E-01	4.71E-02	3.79E-08	1.0E+06	3.8E-02
86	0.39048	1.90E-02	7.4E-03	6.05E-04	4.49E-06	2.09E-01	4.71E-02	4.43E-08	1.0E+06	4.4E-02
87	0.45418	1.90E-02	8.6E-03	6.05E-04	5.23E-06	2.09E-01	4.71E-02	5.15E-08	1.0E+06	5.2E-02
88	0.53712	1.90E-02	1.0E-02	6.05E-04	6.18E-06	2.09E-01	4.71E-02	6.09E-08	1.0E+06	6.1E-02
89	0.64668	1.90E-02	1.2E-02	6.05E-04	7.44E-06	2.09E-01	4.71E-02	7.34E-08	1.0E+06	7.3E-02
90	0.79766	1.90E-02	1.5E-02	6.05E-04	9.18E-06	2.09E-01	4.71E-02	9.05E-08	1.0E+06	9.1E-02
91	1.01632	1.90E-02	1.9E-02	6.05E-04	1.17E-05	2.09E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
92	1.34874	1.90E-02	2.6E-02	6.05E-04	1.55E-05	2.09E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
93	1.9215	1.90E-02	3.7E-02	6.05E-04	2.21E-05	2.09E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.11964	1.90E-02	5.9E-02	6.05E-04	3.59E-05	2.09E-01	4.71E-02	3.54E-07	1.0E+06	3.5E-01
95	6.62959	1.90E-02	1.3E-01	6.05E-04	7.63E-05	2.09E-01	4.71E-02	7.52E-07	1.0E+06	7.5E-01
96	0.25324	1.90E-02	4.8E-03	6.05E-04	2.91E-06	2.09E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
97	0.27645	1.90E-02	5.3E-03	6.05E-04	3.18E-06	2.09E-01	4.71E-02	3.14E-08	1.0E+06	3.1E-02
98	0.30981	1.90E-02	5.9E-03	6.05E-04	3.56E-06	2.09E-01	4.71E-02	3.52E-08	1.0E+06	3.5E-02
99	0.36155	1.90E-02	6.9E-03	6.05E-04	4.16E-06	2.09E-01	4.71E-02	4.10E-08	1.0E+06	4.1E-02
100	0.43382	1.90E-02	8.2E-03	6.05E-04	4.99E-06	2.09E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
101	0.51544	1.90E-02	9.8E-03	6.05E-04	5.93E-06	2.09E-01	4.71E-02	5.85E-08	1.0E+06	5.8E-02
102	0.62369	1.90E-02	1.2E-02	6.05E-04	7.18E-06	2.09E-01	4.71E-02	7.08E-08	1.0E+06	7.1E-02
103	0.77652	1.90E-02	1.5E-02	6.05E-04	8.93E-06	2.09E-01	4.71E-02	8.81E-08	1.0E+06	8.8E-02
104	0.9983	1.90E-02	1.9E-02	6.05E-04	1.15E-05	2.09E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
105	1.3481	1.90E-02	2.6E-02	6.05E-04	1.55E-05	2.09E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
106	1.98311	1.90E-02	3.8E-02	6.05E-04	2.28E-05	2.09E-01	4.71E-02	2.25E-07	1.0E+06	2.2E-01
107	3.42535	1.90E-02	6.5E-02	6.05E-04	3.94E-05	2.09E-01	4.71E-02	3.89E-07	1.0E+06	3.9E-01
108	8.9529	1.90E-02	1.7E-01	6.05E-04	1.03E-04	2.09E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
109	0.23343	1.90E-02	4.4E-03	6.05E-04	2.69E-06	2.09E-01	4.71E-02	2.65E-08	1.0E+06	2.6E-02
110	0.26376	1.90E-02	5.0E-03	6.05E-04	3.03E-06	2.09E-01	4.71E-02	2.99E-08	1.0E+06	3.0E-02
111	0.30122	1.90E-02	5.7E-03	6.05E-04	3.47E-06	2.09E-01	4.71E-02	3.42E-08	1.0E+06	3.4E-02
112	0.34771	1.90E-02	6.6E-03	6.05E-04	4.00E-06	2.09E-01	4.71E-02	3.95E-08	1.0E+06	3.9E-02
113	0.40621	1.90E-02	7.7E-03	6.05E-04	4.67E-06	2.09E-01	4.71E-02	4.61E-08	1.0E+06	4.6E-02
114	0.48088	1.90E-02	9.1E-03	6.05E-04	5.53E-06	2.09E-01	4.71E-02	5.46E-08	1.0E+06	5.5E-02
115	0.57802	1.90E-02	1.1E-02	6.05E-04	6.65E-06	2.09E-01	4.71E-02	6.56E-08	1.0E+06	6.6E-02
116	0.71561	1.90E-02	1.4E-02	6.05E-04	8.23E-06	2.09E-01	4.71E-02	8.12E-08	1.0E+06	8.1E-02
117	0.92231	1.90E-02	1.8E-02	6.05E-04	1.06E-05	2.09E-01	4.71E-02	1.05E-07	1.0E+06	1.0E-01
118	1.27526	1.90E-02	2.4E-02	6.05E-04	1.47E-05	2.09E-01	4.71E-02	1.45E-07	1.0E+06	1.4E-01
119	1.85182	1.90E-02	3.5E-02	6.05E-04	2.13E-05	2.09E-01	4.71E-02	2.10E-07	1.0E+06	2.1E-01
120	3.10182	1.90E-02	5.9E-02	6.05E-04	3.57E-05	2.09E-01	4.71E-02	3.52E-07	1.0E+06	3.5E-01
121	7.30224	1.90E-02	1.4E-01	6.05E-04	8.40E-05	2.09E-01	4.71E-02	8.28E-07	1.0E+06	8.3E-01
122	0.21719	1.90E-02	4.1E-03	6.05E-04	2.50E-06	2.09E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02
123	0.24603	1.90E-02	4.7E-03	6.05E-04	2.83E-06	2.09E-01	4.71E-02	2.79E-08	1.0E+06	2.8E-02
124	0.28402	1.90E-02	5.4E-03	6.05E-04	3.27E-06	2.09E-01	4.71E-02	3.22E-08	1.0E+06	3.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.32675	1.90E-02	6.2E-03	6.05E-04	3.76E-06	2.09E-01	4.71E-02	3.71E-08	1.0E+06	3.7E-02
126	0.37739	1.90E-02	7.2E-03	6.05E-04	4.34E-06	2.09E-01	4.71E-02	4.28E-08	1.0E+06	4.3E-02
127	0.43832	1.90E-02	8.3E-03	6.05E-04	5.04E-06	2.09E-01	4.71E-02	4.97E-08	1.0E+06	5.0E-02
128	0.4895	1.90E-02	9.3E-03	6.05E-04	5.63E-06	2.09E-01	4.71E-02	5.55E-08	1.0E+06	5.6E-02
129	0.59454	1.90E-02	1.1E-02	6.05E-04	6.84E-06	2.09E-01	4.71E-02	6.75E-08	1.0E+06	6.7E-02
130	0.77837	1.90E-02	1.5E-02	6.05E-04	8.96E-06	2.09E-01	4.71E-02	8.83E-08	1.0E+06	8.8E-02
131	7.40233	1.90E-02	1.4E-01	6.05E-04	8.52E-05	2.09E-01	4.71E-02	8.40E-07	1.0E+06	8.4E-01
132	5.92098	1.90E-02	1.1E-01	6.05E-04	6.81E-05	2.09E-01	4.71E-02	6.72E-07	1.0E+06	6.7E-01
133	0.2012	1.90E-02	3.8E-03	6.05E-04	2.31E-06	2.09E-01	4.71E-02	2.28E-08	1.0E+06	2.3E-02
134	0.23128	1.90E-02	4.4E-03	6.05E-04	2.66E-06	2.09E-01	4.71E-02	2.62E-08	1.0E+06	2.6E-02
135	0.26577	1.90E-02	5.1E-03	6.05E-04	3.06E-06	2.09E-01	4.71E-02	3.02E-08	1.0E+06	3.0E-02
136	0.30422	1.90E-02	5.8E-03	6.05E-04	3.50E-06	2.09E-01	4.71E-02	3.45E-08	1.0E+06	3.5E-02
137	0.35024	1.90E-02	6.7E-03	6.05E-04	4.03E-06	2.09E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02
138	0.4009	1.90E-02	7.6E-03	6.05E-04	4.61E-06	2.09E-01	4.71E-02	4.55E-08	1.0E+06	4.5E-02
139	0.45464	1.90E-02	8.6E-03	6.05E-04	5.23E-06	2.09E-01	4.71E-02	5.16E-08	1.0E+06	5.2E-02
140	0.53896	1.90E-02	1.0E-02	6.05E-04	6.20E-06	2.09E-01	4.71E-02	6.11E-08	1.0E+06	6.1E-02
141	0.66049	1.90E-02	1.3E-02	6.05E-04	7.60E-06	2.09E-01	4.71E-02	7.49E-08	1.0E+06	7.5E-02
142	0.81857	1.90E-02	1.6E-02	6.05E-04	9.42E-06	2.09E-01	4.71E-02	9.29E-08	1.0E+06	9.3E-02
143	1.06969	1.90E-02	2.0E-02	6.05E-04	1.23E-05	2.09E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
144	1.51306	1.90E-02	2.9E-02	6.05E-04	1.74E-05	2.09E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01
145	2.20204	1.90E-02	4.2E-02	6.05E-04	2.53E-05	2.09E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
146	4.57471	1.90E-02	8.7E-02	6.05E-04	5.26E-05	2.09E-01	4.71E-02	5.19E-07	1.0E+06	5.2E-01
147	0.18734	1.90E-02	3.6E-03	6.05E-04	2.16E-06	2.09E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
148	0.21309	1.90E-02	4.1E-03	6.05E-04	2.45E-06	2.09E-01	4.71E-02	2.42E-08	1.0E+06	2.4E-02
149	0.24448	1.90E-02	4.6E-03	6.05E-04	2.81E-06	2.09E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
150	0.27925	1.90E-02	5.3E-03	6.05E-04	3.21E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
151	0.32321	1.90E-02	6.1E-03	6.05E-04	3.72E-06	2.09E-01	4.71E-02	3.67E-08	1.0E+06	3.7E-02
152	0.3674	1.90E-02	7.0E-03	6.05E-04	4.23E-06	2.09E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02
153	0.42017	1.90E-02	8.0E-03	6.05E-04	4.83E-06	2.09E-01	4.71E-02	4.77E-08	1.0E+06	4.8E-02
154	0.49329	1.90E-02	9.4E-03	6.05E-04	5.68E-06	2.09E-01	4.71E-02	5.60E-08	1.0E+06	5.6E-02
155	0.59199	1.90E-02	1.1E-02	6.05E-04	6.81E-06	2.09E-01	4.71E-02	6.72E-08	1.0E+06	6.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.71666	1.90E-02	1.4E-02	6.05E-04	8.25E-06	2.09E-01	4.71E-02	8.13E-08	1.0E+06	8.1E-02
157	0.87778	1.90E-02	1.7E-02	6.05E-04	1.01E-05	2.09E-01	4.71E-02	9.96E-08	1.0E+06	1.0E-01
158	1.10629	1.90E-02	2.1E-02	6.05E-04	1.27E-05	2.09E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
159	1.59661	1.90E-02	3.0E-02	6.05E-04	1.84E-05	2.09E-01	4.71E-02	1.81E-07	1.0E+06	1.8E-01
160	0.17769	1.90E-02	3.4E-03	6.05E-04	2.04E-06	2.09E-01	4.71E-02	2.02E-08	1.0E+06	2.0E-02
161	0.1973	1.90E-02	3.8E-03	6.05E-04	2.27E-06	2.09E-01	4.71E-02	2.24E-08	1.0E+06	2.2E-02
162	0.21729	1.90E-02	4.1E-03	6.05E-04	2.50E-06	2.09E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
163	0.25154	1.90E-02	4.8E-03	6.05E-04	2.89E-06	2.09E-01	4.71E-02	2.85E-08	1.0E+06	2.9E-02
164	0.29579	1.90E-02	5.6E-03	6.05E-04	3.40E-06	2.09E-01	4.71E-02	3.36E-08	1.0E+06	3.4E-02
165	0.33639	1.90E-02	6.4E-03	6.05E-04	3.87E-06	2.09E-01	4.71E-02	3.82E-08	1.0E+06	3.8E-02
166	0.38696	1.90E-02	7.4E-03	6.05E-04	4.45E-06	2.09E-01	4.71E-02	4.39E-08	1.0E+06	4.4E-02
167	0.44773	1.90E-02	8.5E-03	6.05E-04	5.15E-06	2.09E-01	4.71E-02	5.08E-08	1.0E+06	5.1E-02
168	0.52312	1.90E-02	9.9E-03	6.05E-04	6.02E-06	2.09E-01	4.71E-02	5.94E-08	1.0E+06	5.9E-02
169	0.61749	1.90E-02	1.2E-02	6.05E-04	7.10E-06	2.09E-01	4.71E-02	7.01E-08	1.0E+06	7.0E-02
170	0.73787	1.90E-02	1.4E-02	6.05E-04	8.49E-06	2.09E-01	4.71E-02	8.37E-08	1.0E+06	8.4E-02
171	0.90459	1.90E-02	1.7E-02	6.05E-04	1.04E-05	2.09E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
172	1.17863	1.90E-02	2.2E-02	6.05E-04	1.36E-05	2.09E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
173	1.56202	1.90E-02	3.0E-02	6.05E-04	1.80E-05	2.09E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
174	2.02836	1.90E-02	3.9E-02	6.05E-04	2.33E-05	2.09E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
175	2.36083	1.90E-02	4.5E-02	6.05E-04	2.72E-05	2.09E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
176	2.47447	1.90E-02	4.7E-02	6.05E-04	2.85E-05	2.09E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
177	2.43188	1.90E-02	4.6E-02	6.05E-04	2.80E-05	2.09E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
178	2.25623	1.90E-02	4.3E-02	6.05E-04	2.60E-05	2.09E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01
179	0.16283	1.90E-02	3.1E-03	6.05E-04	1.87E-06	2.09E-01	4.71E-02	1.85E-08	1.0E+06	1.8E-02
180	0.1782	1.90E-02	3.4E-03	6.05E-04	2.05E-06	2.09E-01	4.71E-02	2.02E-08	1.0E+06	2.0E-02
181	0.19241	1.90E-02	3.7E-03	6.05E-04	2.21E-06	2.09E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
182	0.22626	1.90E-02	4.3E-03	6.05E-04	2.60E-06	2.09E-01	4.71E-02	2.57E-08	1.0E+06	2.6E-02
183	0.27299	1.90E-02	5.2E-03	6.05E-04	3.14E-06	2.09E-01	4.71E-02	3.10E-08	1.0E+06	3.1E-02
184	0.31025	1.90E-02	5.9E-03	6.05E-04	3.57E-06	2.09E-01	4.71E-02	3.52E-08	1.0E+06	3.5E-02
185	0.35623	1.90E-02	6.8E-03	6.05E-04	4.10E-06	2.09E-01	4.71E-02	4.04E-08	1.0E+06	4.0E-02
186	0.40715	1.90E-02	7.7E-03	6.05E-04	4.68E-06	2.09E-01	4.71E-02	4.62E-08	1.0E+06	4.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.46491	1.90E-02	8.8E-03	6.05E-04	5.35E-06	2.09E-01	4.71E-02	5.27E-08	1.0E+06	5.3E-02
188	0.53875	1.90E-02	1.0E-02	6.05E-04	6.20E-06	2.09E-01	4.71E-02	6.11E-08	1.0E+06	6.1E-02
189	0.62873	1.90E-02	1.2E-02	6.05E-04	7.23E-06	2.09E-01	4.71E-02	7.13E-08	1.0E+06	7.1E-02
190	0.7521	1.90E-02	1.4E-02	6.05E-04	8.65E-06	2.09E-01	4.71E-02	8.53E-08	1.0E+06	8.5E-02
191	0.91282	1.90E-02	1.7E-02	6.05E-04	1.05E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
192	1.1316	1.90E-02	2.2E-02	6.05E-04	1.30E-05	2.09E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
193	1.3626	1.90E-02	2.6E-02	6.05E-04	1.57E-05	2.09E-01	4.71E-02	1.55E-07	1.0E+06	1.5E-01
194	1.6103	1.90E-02	3.1E-02	6.05E-04	1.85E-05	2.09E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
195	1.83033	1.90E-02	3.5E-02	6.05E-04	2.11E-05	2.09E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
196	1.83082	1.90E-02	3.5E-02	6.05E-04	2.11E-05	2.09E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
197	1.72496	1.90E-02	3.3E-02	6.05E-04	1.98E-05	2.09E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
198	0.15329	1.90E-02	2.9E-03	6.05E-04	1.76E-06	2.09E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
199	0.16801	1.90E-02	3.2E-03	6.05E-04	1.93E-06	2.09E-01	4.71E-02	1.91E-08	1.0E+06	1.9E-02
200	0.1845	1.90E-02	3.5E-03	6.05E-04	2.12E-06	2.09E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
201	0.20774	1.90E-02	4.0E-03	6.05E-04	2.39E-06	2.09E-01	4.71E-02	2.36E-08	1.0E+06	2.4E-02
202	0.24802	1.90E-02	4.7E-03	6.05E-04	2.85E-06	2.09E-01	4.71E-02	2.81E-08	1.0E+06	2.8E-02
203	0.28344	1.90E-02	5.4E-03	6.05E-04	3.26E-06	2.09E-01	4.71E-02	3.22E-08	1.0E+06	3.2E-02
204	0.32437	1.90E-02	6.2E-03	6.05E-04	3.73E-06	2.09E-01	4.71E-02	3.68E-08	1.0E+06	3.7E-02
205	0.36737	1.90E-02	7.0E-03	6.05E-04	4.23E-06	2.09E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02
206	0.41583	1.90E-02	7.9E-03	6.05E-04	4.78E-06	2.09E-01	4.71E-02	4.72E-08	1.0E+06	4.7E-02
207	0.47445	1.90E-02	9.0E-03	6.05E-04	5.46E-06	2.09E-01	4.71E-02	5.38E-08	1.0E+06	5.4E-02
208	0.54532	1.90E-02	1.0E-02	6.05E-04	6.27E-06	2.09E-01	4.71E-02	6.19E-08	1.0E+06	6.2E-02
209	0.63729	1.90E-02	1.2E-02	6.05E-04	7.33E-06	2.09E-01	4.71E-02	7.23E-08	1.0E+06	7.2E-02
210	0.75216	1.90E-02	1.4E-02	6.05E-04	8.65E-06	2.09E-01	4.71E-02	8.53E-08	1.0E+06	8.5E-02
211	0.88928	1.90E-02	1.7E-02	6.05E-04	1.02E-05	2.09E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
212	1.02495	1.90E-02	1.9E-02	6.05E-04	1.18E-05	2.09E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
213	1.13148	1.90E-02	2.2E-02	6.05E-04	1.30E-05	2.09E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
214	1.1847	1.90E-02	2.3E-02	6.05E-04	1.36E-05	2.09E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
215	1.39908	1.90E-02	2.7E-02	6.05E-04	1.61E-05	2.09E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
216	0.14739	1.90E-02	2.8E-03	6.05E-04	1.70E-06	2.09E-01	4.71E-02	1.67E-08	1.0E+06	1.7E-02
217	0.15974	1.90E-02	3.0E-03	6.05E-04	1.84E-06	2.09E-01	4.71E-02	1.81E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.17507	1.90E-02	3.3E-03	6.05E-04	2.01E-06	2.09E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02
219	0.19408	1.90E-02	3.7E-03	6.05E-04	2.23E-06	2.09E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
220	0.22545	1.90E-02	4.3E-03	6.05E-04	2.59E-06	2.09E-01	4.71E-02	2.56E-08	1.0E+06	2.6E-02
221	0.25293	1.90E-02	4.8E-03	6.05E-04	2.91E-06	2.09E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
222	0.28852	1.90E-02	5.5E-03	6.05E-04	3.32E-06	2.09E-01	4.71E-02	3.27E-08	1.0E+06	3.3E-02
223	0.32506	1.90E-02	6.2E-03	6.05E-04	3.74E-06	2.09E-01	4.71E-02	3.69E-08	1.0E+06	3.7E-02
224	0.36579	1.90E-02	7.0E-03	6.05E-04	4.21E-06	2.09E-01	4.71E-02	4.15E-08	1.0E+06	4.2E-02
225	0.41139	1.90E-02	7.8E-03	6.05E-04	4.73E-06	2.09E-01	4.71E-02	4.67E-08	1.0E+06	4.7E-02
226	0.47087	1.90E-02	9.0E-03	6.05E-04	5.42E-06	2.09E-01	4.71E-02	5.34E-08	1.0E+06	5.3E-02
227	0.54132	1.90E-02	1.0E-02	6.05E-04	6.23E-06	2.09E-01	4.71E-02	6.14E-08	1.0E+06	6.1E-02
228	0.62646	1.90E-02	1.2E-02	6.05E-04	7.21E-06	2.09E-01	4.71E-02	7.11E-08	1.0E+06	7.1E-02
229	0.72545	1.90E-02	1.4E-02	6.05E-04	8.35E-06	2.09E-01	4.71E-02	8.23E-08	1.0E+06	8.2E-02
230	0.82114	1.90E-02	1.6E-02	6.05E-04	9.45E-06	2.09E-01	4.71E-02	9.32E-08	1.0E+06	9.3E-02
231	0.90433	1.90E-02	1.7E-02	6.05E-04	1.04E-05	2.09E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
232	0.95831	1.90E-02	1.8E-02	6.05E-04	1.10E-05	2.09E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
233	1.08841	1.90E-02	2.1E-02	6.05E-04	1.25E-05	2.09E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
234	0.14198	1.90E-02	2.7E-03	6.05E-04	1.63E-06	2.09E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
235	0.152	1.90E-02	2.9E-03	6.05E-04	1.75E-06	2.09E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
236	0.16533	1.90E-02	3.1E-03	6.05E-04	1.90E-06	2.09E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
237	0.1827	1.90E-02	3.5E-03	6.05E-04	2.10E-06	2.09E-01	4.71E-02	2.07E-08	1.0E+06	2.1E-02
238	0.20515	1.90E-02	3.9E-03	6.05E-04	2.36E-06	2.09E-01	4.71E-02	2.33E-08	1.0E+06	2.3E-02
239	0.22746	1.90E-02	4.3E-03	6.05E-04	2.62E-06	2.09E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
240	0.25485	1.90E-02	4.8E-03	6.05E-04	2.93E-06	2.09E-01	4.71E-02	2.89E-08	1.0E+06	2.9E-02
241	0.28536	1.90E-02	5.4E-03	6.05E-04	3.28E-06	2.09E-01	4.71E-02	3.24E-08	1.0E+06	3.2E-02
242	0.32011	1.90E-02	6.1E-03	6.05E-04	3.68E-06	2.09E-01	4.71E-02	3.63E-08	1.0E+06	3.6E-02
243	0.35968	1.90E-02	6.8E-03	6.05E-04	4.14E-06	2.09E-01	4.71E-02	4.08E-08	1.0E+06	4.1E-02
244	0.41028	1.90E-02	7.8E-03	6.05E-04	4.72E-06	2.09E-01	4.71E-02	4.65E-08	1.0E+06	4.7E-02
245	0.46953	1.90E-02	8.9E-03	6.05E-04	5.40E-06	2.09E-01	4.71E-02	5.33E-08	1.0E+06	5.3E-02
246	0.538	1.90E-02	1.0E-02	6.05E-04	6.19E-06	2.09E-01	4.71E-02	6.10E-08	1.0E+06	6.1E-02
247	0.61275	1.90E-02	1.2E-02	6.05E-04	7.05E-06	2.09E-01	4.71E-02	6.95E-08	1.0E+06	7.0E-02
248	0.68743	1.90E-02	1.3E-02	6.05E-04	7.91E-06	2.09E-01	4.71E-02	7.80E-08	1.0E+06	7.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	0.75095	1.90E-02	1.4E-02	6.05E-04	8.64E-06	2.09E-01	4.71E-02	8.52E-08	1.0E+06	8.5E-02
250	0.80013	1.90E-02	1.5E-02	6.05E-04	9.21E-06	2.09E-01	4.71E-02	9.08E-08	1.0E+06	9.1E-02
251	0.89928	1.90E-02	1.7E-02	6.05E-04	1.03E-05	2.09E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
252	0.13488	1.90E-02	2.6E-03	6.05E-04	1.55E-06	2.09E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
253	0.14265	1.90E-02	2.7E-03	6.05E-04	1.64E-06	2.09E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
254	0.15259	1.90E-02	2.9E-03	6.05E-04	1.76E-06	2.09E-01	4.71E-02	1.73E-08	1.0E+06	1.7E-02
255	0.16464	1.90E-02	3.1E-03	6.05E-04	1.89E-06	2.09E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
256	0.18715	1.90E-02	3.6E-03	6.05E-04	2.15E-06	2.09E-01	4.71E-02	2.12E-08	1.0E+06	2.1E-02
257	0.19855	1.90E-02	3.8E-03	6.05E-04	2.28E-06	2.09E-01	4.71E-02	2.25E-08	1.0E+06	2.3E-02
258	0.2162	1.90E-02	4.1E-03	6.05E-04	2.49E-06	2.09E-01	4.71E-02	2.45E-08	1.0E+06	2.5E-02
259	0.23718	1.90E-02	4.5E-03	6.05E-04	2.73E-06	2.09E-01	4.71E-02	2.69E-08	1.0E+06	2.7E-02
260	0.26947	1.90E-02	5.1E-03	6.05E-04	3.10E-06	2.09E-01	4.71E-02	3.06E-08	1.0E+06	3.1E-02
261	0.31098	1.90E-02	5.9E-03	6.05E-04	3.58E-06	2.09E-01	4.71E-02	3.53E-08	1.0E+06	3.5E-02
262	0.35732	1.90E-02	6.8E-03	6.05E-04	4.11E-06	2.09E-01	4.71E-02	4.05E-08	1.0E+06	4.1E-02
263	0.4049	1.90E-02	7.7E-03	6.05E-04	4.66E-06	2.09E-01	4.71E-02	4.59E-08	1.0E+06	4.6E-02
264	0.46204	1.90E-02	8.8E-03	6.05E-04	5.32E-06	2.09E-01	4.71E-02	5.24E-08	1.0E+06	5.2E-02
265	0.51992	1.90E-02	9.9E-03	6.05E-04	5.98E-06	2.09E-01	4.71E-02	5.90E-08	1.0E+06	5.9E-02
266	0.57862	1.90E-02	1.1E-02	6.05E-04	6.66E-06	2.09E-01	4.71E-02	6.56E-08	1.0E+06	6.6E-02
267	0.6287	1.90E-02	1.2E-02	6.05E-04	7.23E-06	2.09E-01	4.71E-02	7.13E-08	1.0E+06	7.1E-02
268	0.66735	1.90E-02	1.3E-02	6.05E-04	7.68E-06	2.09E-01	4.71E-02	7.57E-08	1.0E+06	7.6E-02
269	0.7427	1.90E-02	1.4E-02	6.05E-04	8.54E-06	2.09E-01	4.71E-02	8.43E-08	1.0E+06	8.4E-02
270	0.12735	1.90E-02	2.4E-03	6.05E-04	1.47E-06	2.09E-01	4.71E-02	1.44E-08	1.0E+06	1.4E-02
271	0.13443	1.90E-02	2.6E-03	6.05E-04	1.55E-06	2.09E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
272	0.14286	1.90E-02	2.7E-03	6.05E-04	1.64E-06	2.09E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
273	0.1521	1.90E-02	2.9E-03	6.05E-04	1.75E-06	2.09E-01	4.71E-02	1.73E-08	1.0E+06	1.7E-02
274	0.17405	1.90E-02	3.3E-03	6.05E-04	2.00E-06	2.09E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
275	0.19151	1.90E-02	3.6E-03	6.05E-04	2.20E-06	2.09E-01	4.71E-02	2.17E-08	1.0E+06	2.2E-02
276	0.19368	1.90E-02	3.7E-03	6.05E-04	2.23E-06	2.09E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
277	0.2106	1.90E-02	4.0E-03	6.05E-04	2.42E-06	2.09E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
278	0.2342	1.90E-02	4.5E-03	6.05E-04	2.69E-06	2.09E-01	4.71E-02	2.66E-08	1.0E+06	2.7E-02
279	0.26516	1.90E-02	5.0E-03	6.05E-04	3.05E-06	2.09E-01	4.71E-02	3.01E-08	1.0E+06	3.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.30781	1.90E-02	5.9E-03	6.05E-04	3.54E-06	2.09E-01	4.71E-02	3.49E-08	1.0E+06	3.5E-02
281	0.35373	1.90E-02	6.7E-03	6.05E-04	4.07E-06	2.09E-01	4.71E-02	4.01E-08	1.0E+06	4.0E-02
282	0.40181	1.90E-02	7.6E-03	6.05E-04	4.62E-06	2.09E-01	4.71E-02	4.56E-08	1.0E+06	4.6E-02
283	0.45035	1.90E-02	8.6E-03	6.05E-04	5.18E-06	2.09E-01	4.71E-02	5.11E-08	1.0E+06	5.1E-02
284	0.49767	1.90E-02	9.5E-03	6.05E-04	5.73E-06	2.09E-01	4.71E-02	5.65E-08	1.0E+06	5.6E-02
285	0.53687	1.90E-02	1.0E-02	6.05E-04	6.18E-06	2.09E-01	4.71E-02	6.09E-08	1.0E+06	6.1E-02
286	0.56978	1.90E-02	1.1E-02	6.05E-04	6.56E-06	2.09E-01	4.71E-02	6.46E-08	1.0E+06	6.5E-02
287	0.63116	1.90E-02	1.2E-02	6.05E-04	7.26E-06	2.09E-01	4.71E-02	7.16E-08	1.0E+06	7.2E-02
288	0.12073	1.90E-02	2.3E-03	6.05E-04	1.39E-06	2.09E-01	4.71E-02	1.37E-08	1.0E+06	1.4E-02
289	0.12591	1.90E-02	2.4E-03	6.05E-04	1.45E-06	2.09E-01	4.71E-02	1.43E-08	1.0E+06	1.4E-02
290	0.13629	1.90E-02	2.6E-03	6.05E-04	1.57E-06	2.09E-01	4.71E-02	1.55E-08	1.0E+06	1.5E-02
291	0.14618	1.90E-02	2.8E-03	6.05E-04	1.68E-06	2.09E-01	4.71E-02	1.66E-08	1.0E+06	1.7E-02
292	0.17553	1.90E-02	3.3E-03	6.05E-04	2.02E-06	2.09E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02
293	0.18214	1.90E-02	3.5E-03	6.05E-04	2.10E-06	2.09E-01	4.71E-02	2.07E-08	1.0E+06	2.1E-02
294	0.17701	1.90E-02	3.4E-03	6.05E-04	2.04E-06	2.09E-01	4.71E-02	2.01E-08	1.0E+06	2.0E-02
295	0.19366	1.90E-02	3.7E-03	6.05E-04	2.23E-06	2.09E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
296	0.21492	1.90E-02	4.1E-03	6.05E-04	2.47E-06	2.09E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
297	0.23689	1.90E-02	4.5E-03	6.05E-04	2.73E-06	2.09E-01	4.71E-02	2.69E-08	1.0E+06	2.7E-02
298	0.26792	1.90E-02	5.1E-03	6.05E-04	3.08E-06	2.09E-01	4.71E-02	3.04E-08	1.0E+06	3.0E-02
299	0.30964	1.90E-02	5.9E-03	6.05E-04	3.56E-06	2.09E-01	4.71E-02	3.51E-08	1.0E+06	3.5E-02
300	0.34814	1.90E-02	6.6E-03	6.05E-04	4.01E-06	2.09E-01	4.71E-02	3.95E-08	1.0E+06	3.9E-02
301	0.39207	1.90E-02	7.5E-03	6.05E-04	4.51E-06	2.09E-01	4.71E-02	4.45E-08	1.0E+06	4.4E-02
302	0.43341	1.90E-02	8.2E-03	6.05E-04	4.99E-06	2.09E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
303	0.47003	1.90E-02	8.9E-03	6.05E-04	5.41E-06	2.09E-01	4.71E-02	5.33E-08	1.0E+06	5.3E-02
304	0.49846	1.90E-02	9.5E-03	6.05E-04	5.73E-06	2.09E-01	4.71E-02	5.66E-08	1.0E+06	5.7E-02
305	0.54889	1.90E-02	1.0E-02	6.05E-04	6.31E-06	2.09E-01	4.71E-02	6.23E-08	1.0E+06	6.2E-02
306	0.1215	1.90E-02	2.3E-03	6.05E-04	1.40E-06	2.09E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02
307	0.12282	1.90E-02	2.3E-03	6.05E-04	1.41E-06	2.09E-01	4.71E-02	1.39E-08	1.0E+06	1.4E-02
308	0.12903	1.90E-02	2.5E-03	6.05E-04	1.48E-06	2.09E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
309	0.14771	1.90E-02	2.8E-03	6.05E-04	1.70E-06	2.09E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
310	0.1661	1.90E-02	3.2E-03	6.05E-04	1.91E-06	2.09E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.17127	1.90E-02	3.3E-03	6.05E-04	1.97E-06	2.09E-01	4.71E-02	1.94E-08	1.0E+06	1.9E-02
312	0.16328	1.90E-02	3.1E-03	6.05E-04	1.88E-06	2.09E-01	4.71E-02	1.85E-08	1.0E+06	1.9E-02
313	0.17828	1.90E-02	3.4E-03	6.05E-04	2.05E-06	2.09E-01	4.71E-02	2.02E-08	1.0E+06	2.0E-02
314	0.19711	1.90E-02	3.7E-03	6.05E-04	2.27E-06	2.09E-01	4.71E-02	2.24E-08	1.0E+06	2.2E-02
315	0.22456	1.90E-02	4.3E-03	6.05E-04	2.58E-06	2.09E-01	4.71E-02	2.55E-08	1.0E+06	2.5E-02
316	0.24394	1.90E-02	4.6E-03	6.05E-04	2.81E-06	2.09E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
317	0.27118	1.90E-02	5.2E-03	6.05E-04	3.12E-06	2.09E-01	4.71E-02	3.08E-08	1.0E+06	3.1E-02
318	0.30422	1.90E-02	5.8E-03	6.05E-04	3.50E-06	2.09E-01	4.71E-02	3.45E-08	1.0E+06	3.5E-02
319	0.34378	1.90E-02	6.5E-03	6.05E-04	3.96E-06	2.09E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
320	0.3868	1.90E-02	7.4E-03	6.05E-04	4.45E-06	2.09E-01	4.71E-02	4.39E-08	1.0E+06	4.4E-02
321	0.41641	1.90E-02	7.9E-03	6.05E-04	4.79E-06	2.09E-01	4.71E-02	4.72E-08	1.0E+06	4.7E-02
322	0.44075	1.90E-02	8.4E-03	6.05E-04	5.07E-06	2.09E-01	4.71E-02	5.00E-08	1.0E+06	5.0E-02
323	0.48154	1.90E-02	9.2E-03	6.05E-04	5.54E-06	2.09E-01	4.71E-02	5.46E-08	1.0E+06	5.5E-02
324	0.11562	1.90E-02	2.2E-03	6.05E-04	1.33E-06	2.09E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02
325	0.12511	1.90E-02	2.4E-03	6.05E-04	1.44E-06	2.09E-01	4.71E-02	1.42E-08	1.0E+06	1.4E-02
326	0.12995	1.90E-02	2.5E-03	6.05E-04	1.50E-06	2.09E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02
327	0.13277	1.90E-02	2.5E-03	6.05E-04	1.53E-06	2.09E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02
328	0.15993	1.90E-02	3.0E-03	6.05E-04	1.84E-06	2.09E-01	4.71E-02	1.81E-08	1.0E+06	1.8E-02
329	0.1611	1.90E-02	3.1E-03	6.05E-04	1.85E-06	2.09E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
330	0.15531	1.90E-02	3.0E-03	6.05E-04	1.79E-06	2.09E-01	4.71E-02	1.76E-08	1.0E+06	1.8E-02
331	0.16961	1.90E-02	3.2E-03	6.05E-04	1.95E-06	2.09E-01	4.71E-02	1.92E-08	1.0E+06	1.9E-02
332	0.18704	1.90E-02	3.6E-03	6.05E-04	2.15E-06	2.09E-01	4.71E-02	2.12E-08	1.0E+06	2.1E-02
333	0.21165	1.90E-02	4.0E-03	6.05E-04	2.44E-06	2.09E-01	4.71E-02	2.40E-08	1.0E+06	2.4E-02
334	0.23286	1.90E-02	4.4E-03	6.05E-04	2.68E-06	2.09E-01	4.71E-02	2.64E-08	1.0E+06	2.6E-02
335	0.25687	1.90E-02	4.9E-03	6.05E-04	2.96E-06	2.09E-01	4.71E-02	2.91E-08	1.0E+06	2.9E-02
336	5.25471	1.90E-02	1.0E-01	6.05E-04	6.05E-05	2.09E-01	4.71E-02	5.96E-07	1.0E+06	6.0E-01
337	4.09801	1.90E-02	7.8E-02	6.05E-04	4.71E-05	2.09E-01	4.71E-02	4.65E-07	1.0E+06	4.6E-01
338	0.69877	1.90E-02	1.3E-02	6.05E-04	8.04E-06	2.09E-01	4.71E-02	7.93E-08	1.0E+06	7.9E-02
339	0.77633	1.90E-02	1.5E-02	6.05E-04	8.93E-06	2.09E-01	4.71E-02	8.81E-08	1.0E+06	8.8E-02
340	0.84525	1.90E-02	1.6E-02	6.05E-04	9.72E-06	2.09E-01	4.71E-02	9.59E-08	1.0E+06	9.6E-02
341	0.89345	1.90E-02	1.7E-02	6.05E-04	1.03E-05	2.09E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.92141	1.90E-02	1.8E-02	6.05E-04	1.06E-05	2.09E-01	4.71E-02	1.05E-07	1.0E+06	1.0E-01
343	0.91505	1.90E-02	1.7E-02	6.05E-04	1.05E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
344	0.8857	1.90E-02	1.7E-02	6.05E-04	1.02E-05	2.09E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
345	0.8401	1.90E-02	1.6E-02	6.05E-04	9.67E-06	2.09E-01	4.71E-02	9.53E-08	1.0E+06	9.5E-02
346	0.7797	1.90E-02	1.5E-02	6.05E-04	8.97E-06	2.09E-01	4.71E-02	8.85E-08	1.0E+06	8.8E-02
347	0.86888	1.90E-02	1.7E-02	6.05E-04	1.00E-05	2.09E-01	4.71E-02	9.86E-08	1.0E+06	9.9E-02
348	1.00398	1.90E-02	1.9E-02	6.05E-04	1.16E-05	2.09E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
349	1.10866	1.90E-02	2.1E-02	6.05E-04	1.28E-05	2.09E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
350	1.17766	1.90E-02	2.2E-02	6.05E-04	1.35E-05	2.09E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
351	1.21981	1.90E-02	2.3E-02	6.05E-04	1.40E-05	2.09E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
352	1.19644	1.90E-02	2.3E-02	6.05E-04	1.38E-05	2.09E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
353	1.14005	1.90E-02	2.2E-02	6.05E-04	1.31E-05	2.09E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
354	1.04619	1.90E-02	2.0E-02	6.05E-04	1.20E-05	2.09E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
355	0.95366	1.90E-02	1.8E-02	6.05E-04	1.10E-05	2.09E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
356	1.11736	1.90E-02	2.1E-02	6.05E-04	1.29E-05	2.09E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
357	1.30958	1.90E-02	2.5E-02	6.05E-04	1.51E-05	2.09E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
358	1.49976	1.90E-02	2.9E-02	6.05E-04	1.73E-05	2.09E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
359	1.62635	1.90E-02	3.1E-02	6.05E-04	1.87E-05	2.09E-01	4.71E-02	1.85E-07	1.0E+06	1.8E-01
360	1.69468	1.90E-02	3.2E-02	6.05E-04	1.95E-05	2.09E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
361	1.62336	1.90E-02	3.1E-02	6.05E-04	1.87E-05	2.09E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
362	1.51327	1.90E-02	2.9E-02	6.05E-04	1.74E-05	2.09E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01
363	1.34227	1.90E-02	2.6E-02	6.05E-04	1.54E-05	2.09E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
364	1.53351	1.90E-02	2.9E-02	6.05E-04	1.76E-05	2.09E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
365	1.80482	1.90E-02	3.4E-02	6.05E-04	2.08E-05	2.09E-01	4.71E-02	2.05E-07	1.0E+06	2.0E-01
366	2.17696	1.90E-02	4.1E-02	6.05E-04	2.50E-05	2.09E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
367	2.40697	1.90E-02	4.6E-02	6.05E-04	2.77E-05	2.09E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01
368	2.51485	1.90E-02	4.8E-02	6.05E-04	2.89E-05	2.09E-01	4.71E-02	2.85E-07	1.0E+06	2.9E-01
369	2.33111	1.90E-02	4.4E-02	6.05E-04	2.68E-05	2.09E-01	4.71E-02	2.64E-07	1.0E+06	2.6E-01
370	1.80686	1.90E-02	3.4E-02	6.05E-04	2.08E-05	2.09E-01	4.71E-02	2.05E-07	1.0E+06	2.1E-01
371	1.49896	1.90E-02	2.9E-02	6.05E-04	1.72E-05	2.09E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
372	2.29428	1.90E-02	4.4E-02	6.05E-04	2.64E-05	2.09E-01	4.71E-02	2.60E-07	1.0E+06	2.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	2.85493	1.90E-02	5.4E-02	6.05E-04	3.28E-05	2.09E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
374	3.56379	1.90E-02	6.8E-02	6.05E-04	4.10E-05	2.09E-01	4.71E-02	4.04E-07	1.0E+06	4.0E-01
375	3.96254	1.90E-02	7.5E-02	6.05E-04	4.56E-05	2.09E-01	4.71E-02	4.50E-07	1.0E+06	4.5E-01
376	4.11531	1.90E-02	7.8E-02	6.05E-04	4.73E-05	2.09E-01	4.71E-02	4.67E-07	1.0E+06	4.7E-01
377	4.00445	1.90E-02	7.6E-02	6.05E-04	4.61E-05	2.09E-01	4.71E-02	4.54E-07	1.0E+06	4.5E-01
378	3.65975	1.90E-02	7.0E-02	6.05E-04	4.21E-05	2.09E-01	4.71E-02	4.15E-07	1.0E+06	4.2E-01
379	2.47423	1.90E-02	4.7E-02	6.05E-04	2.85E-05	2.09E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
380	1.90451	1.90E-02	3.6E-02	6.05E-04	2.19E-05	2.09E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
381	1.45157	1.90E-02	2.8E-02	6.05E-04	1.67E-05	2.09E-01	4.71E-02	1.65E-07	1.0E+06	1.6E-01
382	3.94527	1.90E-02	7.5E-02	6.05E-04	4.54E-05	2.09E-01	4.71E-02	4.48E-07	1.0E+06	4.5E-01
383	5.74292	1.90E-02	1.1E-01	6.05E-04	6.61E-05	2.09E-01	4.71E-02	6.52E-07	1.0E+06	6.5E-01
384	7.0628	1.90E-02	1.3E-01	6.05E-04	8.13E-05	2.09E-01	4.71E-02	8.01E-07	1.0E+06	8.0E-01
385	7.7788	1.90E-02	1.5E-01	6.05E-04	8.95E-05	2.09E-01	4.71E-02	8.83E-07	1.0E+06	8.8E-01
386	7.94303	1.90E-02	1.5E-01	6.05E-04	9.14E-05	2.09E-01	4.71E-02	9.01E-07	1.0E+06	9.0E-01
387	7.61242	1.90E-02	1.4E-01	6.05E-04	8.76E-05	2.09E-01	4.71E-02	8.64E-07	1.0E+06	8.6E-01
388	6.77558	1.90E-02	1.3E-01	6.05E-04	7.80E-05	2.09E-01	4.71E-02	7.69E-07	1.0E+06	7.7E-01
389	3.47544	1.90E-02	6.6E-02	6.05E-04	4.00E-05	2.09E-01	4.71E-02	3.94E-07	1.0E+06	3.9E-01
390	2.31331	1.90E-02	4.4E-02	6.05E-04	2.66E-05	2.09E-01	4.71E-02	2.62E-07	1.0E+06	2.6E-01
391	1.6179	1.90E-02	3.1E-02	6.05E-04	1.86E-05	2.09E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
392	1.15161	1.90E-02	2.2E-02	6.05E-04	1.32E-05	2.09E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
393	8.7282	1.90E-02	1.7E-01	6.05E-04	1.00E-04	2.09E-01	4.71E-02	9.90E-07	1.0E+06	9.9E-01
394	10.19606	1.90E-02	1.9E-01	6.05E-04	1.17E-04	2.09E-01	4.71E-02	1.16E-06	1.0E+06	1.2E+00
395	10.29107	1.90E-02	2.0E-01	6.05E-04	1.18E-04	2.09E-01	4.71E-02	1.17E-06	1.0E+06	1.2E+00
396	10.86265	1.90E-02	2.1E-01	6.05E-04	1.25E-04	2.09E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
397	12.76958	1.90E-02	2.4E-01	6.05E-04	1.47E-04	2.09E-01	4.71E-02	1.45E-06	1.0E+06	1.4E+00
398	8.34943	1.90E-02	1.6E-01	6.05E-04	9.61E-05	2.09E-01	4.71E-02	9.47E-07	1.0E+06	9.5E-01
399	6.66481	1.90E-02	1.3E-01	6.05E-04	7.67E-05	2.09E-01	4.71E-02	7.56E-07	1.0E+06	7.6E-01
400	4.69002	1.90E-02	8.9E-02	6.05E-04	5.40E-05	2.09E-01	4.71E-02	5.32E-07	1.0E+06	5.3E-01
401	2.59215	1.90E-02	4.9E-02	6.05E-04	2.98E-05	2.09E-01	4.71E-02	2.94E-07	1.0E+06	2.9E-01
402	1.14275	1.90E-02	2.2E-02	6.05E-04	1.31E-05	2.09E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
403	5.34568	1.90E-02	1.0E-01	6.05E-04	6.15E-05	2.09E-01	4.71E-02	6.07E-07	1.0E+06	6.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.14379	1.90E-02	2.2E-02	6.05E-04	1.32E-05	2.09E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
405	0.83327	1.90E-02	1.6E-02	6.05E-04	9.59E-06	2.09E-01	4.71E-02	9.45E-08	1.0E+06	9.5E-02
406	4.3595	1.90E-02	8.3E-02	6.05E-04	5.02E-05	2.09E-01	4.71E-02	4.95E-07	1.0E+06	4.9E-01
407	0.77446	1.90E-02	1.5E-02	6.05E-04	8.91E-06	2.09E-01	4.71E-02	8.79E-08	1.0E+06	8.8E-02
408	3.26711	1.90E-02	6.2E-02	6.05E-04	3.76E-05	2.09E-01	4.71E-02	3.71E-07	1.0E+06	3.7E-01
409	0.71621	1.90E-02	1.4E-02	6.05E-04	8.24E-06	2.09E-01	4.71E-02	8.13E-08	1.0E+06	8.1E-02
410	2.482	1.90E-02	4.7E-02	6.05E-04	2.86E-05	2.09E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
411	0.85532	1.90E-02	1.6E-02	6.05E-04	9.84E-06	2.09E-01	4.71E-02	9.70E-08	1.0E+06	9.7E-02
412	0.67288	1.90E-02	1.3E-02	6.05E-04	7.74E-06	2.09E-01	4.71E-02	7.63E-08	1.0E+06	7.6E-02
413	1.93775	1.90E-02	3.7E-02	6.05E-04	2.23E-05	2.09E-01	4.71E-02	2.20E-07	1.0E+06	2.2E-01
414	1.0153	1.90E-02	1.9E-02	6.05E-04	1.17E-05	2.09E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
415	0.77501	1.90E-02	1.5E-02	6.05E-04	8.92E-06	2.09E-01	4.71E-02	8.79E-08	1.0E+06	8.8E-02
416	0.61765	1.90E-02	1.2E-02	6.05E-04	7.11E-06	2.09E-01	4.71E-02	7.01E-08	1.0E+06	7.0E-02
417	1.554	1.90E-02	3.0E-02	6.05E-04	1.79E-05	2.09E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
418	0.70372	1.90E-02	1.3E-02	6.05E-04	8.10E-06	2.09E-01	4.71E-02	7.98E-08	1.0E+06	8.0E-02
419	0.56773	1.90E-02	1.1E-02	6.05E-04	6.53E-06	2.09E-01	4.71E-02	6.44E-08	1.0E+06	6.4E-02
420	0.46976	1.90E-02	8.9E-03	6.05E-04	5.40E-06	2.09E-01	4.71E-02	5.33E-08	1.0E+06	5.3E-02
421	1.274	1.90E-02	2.4E-02	6.05E-04	1.47E-05	2.09E-01	4.71E-02	1.45E-07	1.0E+06	1.4E-01
422	0.52242	1.90E-02	9.9E-03	6.05E-04	6.01E-06	2.09E-01	4.71E-02	5.93E-08	1.0E+06	5.9E-02
423	0.43715	1.90E-02	8.3E-03	6.05E-04	5.03E-06	2.09E-01	4.71E-02	4.96E-08	1.0E+06	5.0E-02
424	1.06285	1.90E-02	2.0E-02	6.05E-04	1.22E-05	2.09E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
425	0.40644	1.90E-02	7.7E-03	6.05E-04	4.68E-06	2.09E-01	4.71E-02	4.61E-08	1.0E+06	4.6E-02
426	0.34877	1.90E-02	6.6E-03	6.05E-04	4.01E-06	2.09E-01	4.71E-02	3.96E-08	1.0E+06	4.0E-02
427	0.8992	1.90E-02	1.7E-02	6.05E-04	1.03E-05	2.09E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
428	0.37801	1.90E-02	7.2E-03	6.05E-04	4.35E-06	2.09E-01	4.71E-02	4.29E-08	1.0E+06	4.3E-02
429	0.32678	1.90E-02	6.2E-03	6.05E-04	3.76E-06	2.09E-01	4.71E-02	3.71E-08	1.0E+06	3.7E-02
430	0.77021	1.90E-02	1.5E-02	6.05E-04	8.86E-06	2.09E-01	4.71E-02	8.74E-08	1.0E+06	8.7E-02
431	0.30623	1.90E-02	5.8E-03	6.05E-04	3.52E-06	2.09E-01	4.71E-02	3.47E-08	1.0E+06	3.5E-02
432	0.26825	1.90E-02	5.1E-03	6.05E-04	3.09E-06	2.09E-01	4.71E-02	3.04E-08	1.0E+06	3.0E-02
433	0.66605	1.90E-02	1.3E-02	6.05E-04	7.66E-06	2.09E-01	4.71E-02	7.56E-08	1.0E+06	7.6E-02
434	0.28725	1.90E-02	5.5E-03	6.05E-04	3.30E-06	2.09E-01	4.71E-02	3.26E-08	1.0E+06	3.3E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.2539	1.90E-02	4.8E-03	6.05E-04	2.92E-06	2.09E-01	4.71E-02	2.88E-08	1.0E+06	2.9E-02
436	0.58116	1.90E-02	1.1E-02	6.05E-04	6.69E-06	2.09E-01	4.71E-02	6.59E-08	1.0E+06	6.6E-02
437	0.30691	1.90E-02	5.8E-03	6.05E-04	3.53E-06	2.09E-01	4.71E-02	3.48E-08	1.0E+06	3.5E-02
438	0.27001	1.90E-02	5.1E-03	6.05E-04	3.11E-06	2.09E-01	4.71E-02	3.06E-08	1.0E+06	3.1E-02
439	0.23975	1.90E-02	4.6E-03	6.05E-04	2.76E-06	2.09E-01	4.71E-02	2.72E-08	1.0E+06	2.7E-02
440	0.51082	1.90E-02	9.7E-03	6.05E-04	5.88E-06	2.09E-01	4.71E-02	5.80E-08	1.0E+06	5.8E-02
441	0.3712	1.90E-02	7.1E-03	6.05E-04	4.27E-06	2.09E-01	4.71E-02	4.21E-08	1.0E+06	4.2E-02
442	0.326	1.90E-02	6.2E-03	6.05E-04	3.75E-06	2.09E-01	4.71E-02	3.70E-08	1.0E+06	3.7E-02
443	0.28704	1.90E-02	5.5E-03	6.05E-04	3.30E-06	2.09E-01	4.71E-02	3.26E-08	1.0E+06	3.3E-02
444	0.25394	1.90E-02	4.8E-03	6.05E-04	2.92E-06	2.09E-01	4.71E-02	2.88E-08	1.0E+06	2.9E-02
445	0.4522	1.90E-02	8.6E-03	6.05E-04	5.20E-06	2.09E-01	4.71E-02	5.13E-08	1.0E+06	5.1E-02
446	0.37925	1.90E-02	7.2E-03	6.05E-04	4.36E-06	2.09E-01	4.71E-02	4.30E-08	1.0E+06	4.3E-02
447	0.33987	1.90E-02	6.5E-03	6.05E-04	3.91E-06	2.09E-01	4.71E-02	3.86E-08	1.0E+06	3.9E-02
448	0.30239	1.90E-02	5.7E-03	6.05E-04	3.48E-06	2.09E-01	4.71E-02	3.43E-08	1.0E+06	3.4E-02
449	0.40282	1.90E-02	7.7E-03	6.05E-04	4.63E-06	2.09E-01	4.71E-02	4.57E-08	1.0E+06	4.6E-02
450	0.37605	1.90E-02	7.2E-03	6.05E-04	4.33E-06	2.09E-01	4.71E-02	4.27E-08	1.0E+06	4.3E-02
451	0.34509	1.90E-02	6.6E-03	6.05E-04	3.97E-06	2.09E-01	4.71E-02	3.92E-08	1.0E+06	3.9E-02
452	0.36089	1.90E-02	6.9E-03	6.05E-04	4.15E-06	2.09E-01	4.71E-02	4.09E-08	1.0E+06	4.1E-02
453	0.33992	1.90E-02	6.5E-03	6.05E-04	3.91E-06	2.09E-01	4.71E-02	3.86E-08	1.0E+06	3.9E-02
454	0.19146	1.90E-02	3.6E-03	6.05E-04	2.20E-06	2.09E-01	4.71E-02	2.17E-08	1.0E+06	2.2E-02
455	0.17478	1.90E-02	3.3E-03	6.05E-04	2.01E-06	2.09E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
456	0.32501	1.90E-02	6.2E-03	6.05E-04	3.74E-06	2.09E-01	4.71E-02	3.69E-08	1.0E+06	3.7E-02
457	0.30847	1.90E-02	5.9E-03	6.05E-04	3.55E-06	2.09E-01	4.71E-02	3.50E-08	1.0E+06	3.5E-02
458	0.28793	1.90E-02	5.5E-03	6.05E-04	3.31E-06	2.09E-01	4.71E-02	3.27E-08	1.0E+06	3.3E-02
459	0.22069	1.90E-02	4.2E-03	6.05E-04	2.54E-06	2.09E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
460	0.20066	1.90E-02	3.8E-03	6.05E-04	2.31E-06	2.09E-01	4.71E-02	2.28E-08	1.0E+06	2.3E-02
461	0.18243	1.90E-02	3.5E-03	6.05E-04	2.10E-06	2.09E-01	4.71E-02	2.07E-08	1.0E+06	2.1E-02
462	0.16633	1.90E-02	3.2E-03	6.05E-04	1.91E-06	2.09E-01	4.71E-02	1.89E-08	1.0E+06	1.9E-02
463	4.29765	1.90E-02	8.2E-02	6.05E-04	4.94E-05	2.09E-01	4.71E-02	4.88E-07	1.0E+06	4.9E-01
464	3.3969	1.90E-02	6.5E-02	6.05E-04	3.91E-05	2.09E-01	4.71E-02	3.85E-07	1.0E+06	3.9E-01
465	2.89488	1.90E-02	5.5E-02	6.05E-04	3.33E-05	2.09E-01	4.71E-02	3.28E-07	1.0E+06	3.3E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.25169	1.90E-02	4.3E-02	6.05E-04	2.59E-05	2.09E-01	4.71E-02	2.55E-07	1.0E+06	2.6E-01
467	2.03748	1.90E-02	3.9E-02	6.05E-04	2.34E-05	2.09E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
468	1.58578	1.90E-02	3.0E-02	6.05E-04	1.82E-05	2.09E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
469	1.27157	1.90E-02	2.4E-02	6.05E-04	1.46E-05	2.09E-01	4.71E-02	1.44E-07	1.0E+06	1.4E-01
470	1.11457	1.90E-02	2.1E-02	6.05E-04	1.28E-05	2.09E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
471	1.15557	1.90E-02	2.2E-02	6.05E-04	1.33E-05	2.09E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
472	0.91809	1.90E-02	1.7E-02	6.05E-04	1.06E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
473	0.8703	1.90E-02	1.7E-02	6.05E-04	1.00E-05	2.09E-01	4.71E-02	9.87E-08	1.0E+06	9.9E-02
474	0.76922	1.90E-02	1.5E-02	6.05E-04	8.85E-06	2.09E-01	4.71E-02	8.73E-08	1.0E+06	8.7E-02
475	0.73688	1.90E-02	1.4E-02	6.05E-04	8.48E-06	2.09E-01	4.71E-02	8.36E-08	1.0E+06	8.4E-02
476	0.65302	1.90E-02	1.2E-02	6.05E-04	7.51E-06	2.09E-01	4.71E-02	7.41E-08	1.0E+06	7.4E-02
477	0.63139	1.90E-02	1.2E-02	6.05E-04	7.26E-06	2.09E-01	4.71E-02	7.16E-08	1.0E+06	7.2E-02
478	0.5609	1.90E-02	1.1E-02	6.05E-04	6.45E-06	2.09E-01	4.71E-02	6.36E-08	1.0E+06	6.4E-02
479	0.54625	1.90E-02	1.0E-02	6.05E-04	6.28E-06	2.09E-01	4.71E-02	6.20E-08	1.0E+06	6.2E-02
480	0.51817	1.90E-02	9.9E-03	6.05E-04	5.96E-06	2.09E-01	4.71E-02	5.88E-08	1.0E+06	5.9E-02
481	0.48689	1.90E-02	9.3E-03	6.05E-04	5.60E-06	2.09E-01	4.71E-02	5.52E-08	1.0E+06	5.5E-02
482	0.45676	1.90E-02	8.7E-03	6.05E-04	5.26E-06	2.09E-01	4.71E-02	5.18E-08	1.0E+06	5.2E-02
483	0.42029	1.90E-02	8.0E-03	6.05E-04	4.84E-06	2.09E-01	4.71E-02	4.77E-08	1.0E+06	4.8E-02
484	0.40531	1.90E-02	7.7E-03	6.05E-04	4.66E-06	2.09E-01	4.71E-02	4.60E-08	1.0E+06	4.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.25428	9.50706E-06	2.4E-06	6.05E-04	1.46E-09	2.09E-01	4.71E-02	1.44E-11	1.0E+06	1.4E-05
2	2	0.27637	9.50706E-06	2.6E-06	6.05E-04	1.59E-09	2.09E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
3	3	0.30035	9.50706E-06	2.9E-06	6.05E-04	1.73E-09	2.09E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
4	4	0.32663	9.50706E-06	3.1E-06	6.05E-04	1.88E-09	2.09E-01	4.71E-02	1.85E-11	1.0E+06	1.9E-05
5	5	0.35475	9.50706E-06	3.4E-06	6.05E-04	2.04E-09	2.09E-01	4.71E-02	2.01E-11	1.0E+06	2.0E-05
6	6	0.38703	9.50706E-06	3.7E-06	6.05E-04	2.23E-09	2.09E-01	4.71E-02	2.20E-11	1.0E+06	2.2E-05
7	7	0.42232	9.50706E-06	4.0E-06	6.05E-04	2.43E-09	2.09E-01	4.71E-02	2.40E-11	1.0E+06	2.4E-05
8	8	0.46087	9.50706E-06	4.4E-06	6.05E-04	2.65E-09	2.09E-01	4.71E-02	2.61E-11	1.0E+06	2.6E-05
9	9	0.50407	9.50706E-06	4.8E-06	6.05E-04	2.90E-09	2.09E-01	4.71E-02	2.86E-11	1.0E+06	2.9E-05
10	10	0.55668	9.50706E-06	5.3E-06	6.05E-04	3.20E-09	2.09E-01	4.71E-02	3.16E-11	1.0E+06	3.2E-05
11	11	0.62607	9.50706E-06	6.0E-06	6.05E-04	3.60E-09	2.09E-01	4.71E-02	3.55E-11	1.0E+06	3.6E-05
12	12	0.72578	9.50706E-06	6.9E-06	6.05E-04	4.17E-09	2.09E-01	4.71E-02	4.12E-11	1.0E+06	4.1E-05
13	13	0.84464	9.50706E-06	8.0E-06	6.05E-04	4.86E-09	2.09E-01	4.71E-02	4.79E-11	1.0E+06	4.8E-05
14	14	1.25114	9.50706E-06	1.2E-05	6.05E-04	7.20E-09	2.09E-01	4.71E-02	7.10E-11	1.0E+06	7.1E-05
15	15	0.26771	9.50706E-06	2.5E-06	6.05E-04	1.54E-09	2.09E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
16	16	0.29333	9.50706E-06	2.8E-06	6.05E-04	1.69E-09	2.09E-01	4.71E-02	1.66E-11	1.0E+06	1.7E-05
17	17	0.3235	9.50706E-06	3.1E-06	6.05E-04	1.86E-09	2.09E-01	4.71E-02	1.84E-11	1.0E+06	1.8E-05
18	18	0.35659	9.50706E-06	3.4E-06	6.05E-04	2.05E-09	2.09E-01	4.71E-02	2.02E-11	1.0E+06	2.0E-05
19	19	0.39342	9.50706E-06	3.7E-06	6.05E-04	2.26E-09	2.09E-01	4.71E-02	2.23E-11	1.0E+06	2.2E-05
20	20	0.43604	9.50706E-06	4.1E-06	6.05E-04	2.51E-09	2.09E-01	4.71E-02	2.47E-11	1.0E+06	2.5E-05
21	21	0.48425	9.50706E-06	4.6E-06	6.05E-04	2.79E-09	2.09E-01	4.71E-02	2.75E-11	1.0E+06	2.7E-05
22	22	0.53774	9.50706E-06	5.1E-06	6.05E-04	3.09E-09	2.09E-01	4.71E-02	3.05E-11	1.0E+06	3.1E-05
23	23	0.60347	9.50706E-06	5.7E-06	6.05E-04	3.47E-09	2.09E-01	4.71E-02	3.42E-11	1.0E+06	3.4E-05
24	24	0.67516	9.50706E-06	6.4E-06	6.05E-04	3.88E-09	2.09E-01	4.71E-02	3.83E-11	1.0E+06	3.8E-05
25	25	0.77514	9.50706E-06	7.4E-06	6.05E-04	4.46E-09	2.09E-01	4.71E-02	4.40E-11	1.0E+06	4.4E-05
26	26	0.922	9.50706E-06	8.8E-06	6.05E-04	5.30E-09	2.09E-01	4.71E-02	5.23E-11	1.0E+06	5.2E-05
27	27	1.07569	9.50706E-06	1.0E-05	6.05E-04	6.19E-09	2.09E-01	4.71E-02	6.10E-11	1.0E+06	6.1E-05
28	28	1.7381	9.50706E-06	1.7E-05	6.05E-04	1.00E-08	2.09E-01	4.71E-02	9.86E-11	1.0E+06	9.9E-05
29	29	0.27447	9.50706E-06	2.6E-06	6.05E-04	1.58E-09	2.09E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
30	30	0.30429	9.50706E-06	2.9E-06	6.05E-04	1.75E-09	2.09E-01	4.71E-02	1.73E-11	1.0E+06	1.7E-05
31	31	0.33911	9.50706E-06	3.2E-06	6.05E-04	1.95E-09	2.09E-01	4.71E-02	1.92E-11	1.0E+06	1.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.37998	9.50706E-06	3.6E-06	6.05E-04	2.19E-09	2.09E-01	4.71E-02	2.16E-11	1.0E+06	2.2E-05
33	33	0.42564	9.50706E-06	4.0E-06	6.05E-04	2.45E-09	2.09E-01	4.71E-02	2.41E-11	1.0E+06	2.4E-05
34	34	0.48098	9.50706E-06	4.6E-06	6.05E-04	2.77E-09	2.09E-01	4.71E-02	2.73E-11	1.0E+06	2.7E-05
35	35	0.5453	9.50706E-06	5.2E-06	6.05E-04	3.14E-09	2.09E-01	4.71E-02	3.09E-11	1.0E+06	3.1E-05
36	36	0.62255	9.50706E-06	5.9E-06	6.05E-04	3.58E-09	2.09E-01	4.71E-02	3.53E-11	1.0E+06	3.5E-05
37	37	0.71608	9.50706E-06	6.8E-06	6.05E-04	4.12E-09	2.09E-01	4.71E-02	4.06E-11	1.0E+06	4.1E-05
38	38	0.83019	9.50706E-06	7.9E-06	6.05E-04	4.78E-09	2.09E-01	4.71E-02	4.71E-11	1.0E+06	4.7E-05
39	39	0.97462	9.50706E-06	9.3E-06	6.05E-04	5.61E-09	2.09E-01	4.71E-02	5.53E-11	1.0E+06	5.5E-05
40	40	1.15938	9.50706E-06	1.1E-05	6.05E-04	6.67E-09	2.09E-01	4.71E-02	6.58E-11	1.0E+06	6.6E-05
41	41	1.41414	9.50706E-06	1.3E-05	6.05E-04	8.13E-09	2.09E-01	4.71E-02	8.02E-11	1.0E+06	8.0E-05
42	42	2.56737	9.50706E-06	2.4E-05	6.05E-04	1.48E-08	2.09E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
43	43	0.27402	9.50706E-06	2.6E-06	6.05E-04	1.58E-09	2.09E-01	4.71E-02	1.55E-11	1.0E+06	1.6E-05
44	44	0.30537	9.50706E-06	2.9E-06	6.05E-04	1.76E-09	2.09E-01	4.71E-02	1.73E-11	1.0E+06	1.7E-05
45	45	0.34365	9.50706E-06	3.3E-06	6.05E-04	1.98E-09	2.09E-01	4.71E-02	1.95E-11	1.0E+06	1.9E-05
46	46	0.39007	9.50706E-06	3.7E-06	6.05E-04	2.24E-09	2.09E-01	4.71E-02	2.21E-11	1.0E+06	2.2E-05
47	47	0.44439	9.50706E-06	4.2E-06	6.05E-04	2.56E-09	2.09E-01	4.71E-02	2.52E-11	1.0E+06	2.5E-05
48	48	0.51054	9.50706E-06	4.9E-06	6.05E-04	2.94E-09	2.09E-01	4.71E-02	2.90E-11	1.0E+06	2.9E-05
49	49	0.59076	9.50706E-06	5.6E-06	6.05E-04	3.40E-09	2.09E-01	4.71E-02	3.35E-11	1.0E+06	3.4E-05
50	50	0.68994	9.50706E-06	6.6E-06	6.05E-04	3.97E-09	2.09E-01	4.71E-02	3.91E-11	1.0E+06	3.9E-05
51	51	0.82922	9.50706E-06	7.9E-06	6.05E-04	4.77E-09	2.09E-01	4.71E-02	4.70E-11	1.0E+06	4.7E-05
52	52	1.00131	9.50706E-06	9.5E-06	6.05E-04	5.76E-09	2.09E-01	4.71E-02	5.68E-11	1.0E+06	5.7E-05
53	53	1.23315	9.50706E-06	1.2E-05	6.05E-04	7.09E-09	2.09E-01	4.71E-02	7.00E-11	1.0E+06	7.0E-05
54	54	1.54707	9.50706E-06	1.5E-05	6.05E-04	8.90E-09	2.09E-01	4.71E-02	8.78E-11	1.0E+06	8.8E-05
55	55	2.02151	9.50706E-06	1.9E-05	6.05E-04	1.16E-08	2.09E-01	4.71E-02	1.15E-10	1.0E+06	1.1E-04
56	56	4.15291	9.50706E-06	3.9E-05	6.05E-04	2.39E-08	2.09E-01	4.71E-02	2.36E-10	1.0E+06	2.4E-04
57	57	0.26868	9.50706E-06	2.6E-06	6.05E-04	1.55E-09	2.09E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
58	58	0.30123	9.50706E-06	2.9E-06	6.05E-04	1.73E-09	2.09E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
59	59	0.34072	9.50706E-06	3.2E-06	6.05E-04	1.96E-09	2.09E-01	4.71E-02	1.93E-11	1.0E+06	1.9E-05
60	60	0.38872	9.50706E-06	3.7E-06	6.05E-04	2.24E-09	2.09E-01	4.71E-02	2.21E-11	1.0E+06	2.2E-05
61	61	0.44749	9.50706E-06	4.3E-06	6.05E-04	2.57E-09	2.09E-01	4.71E-02	2.54E-11	1.0E+06	2.5E-05
62	62	0.52085	9.50706E-06	5.0E-06	6.05E-04	3.00E-09	2.09E-01	4.71E-02	2.95E-11	1.0E+06	3.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.61858	9.50706E-06	5.9E-06	6.05E-04	3.56E-09	2.09E-01	4.71E-02	3.51E-11	1.0E+06	3.5E-05
64	64	0.73154	9.50706E-06	7.0E-06	6.05E-04	4.21E-09	2.09E-01	4.71E-02	4.15E-11	1.0E+06	4.1E-05
65	65	0.90835	9.50706E-06	8.6E-06	6.05E-04	5.23E-09	2.09E-01	4.71E-02	5.15E-11	1.0E+06	5.2E-05
66	66	1.15929	9.50706E-06	1.1E-05	6.05E-04	6.67E-09	2.09E-01	4.71E-02	6.58E-11	1.0E+06	6.6E-05
67	67	1.51627	9.50706E-06	1.4E-05	6.05E-04	8.72E-09	2.09E-01	4.71E-02	8.60E-11	1.0E+06	8.6E-05
68	68	2.10193	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.09E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
69	69	3.11868	9.50706E-06	3.0E-05	6.05E-04	1.79E-08	2.09E-01	4.71E-02	1.77E-10	1.0E+06	1.8E-04
70	70	0.26104	9.50706E-06	2.5E-06	6.05E-04	1.50E-09	2.09E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
71	71	0.29292	9.50706E-06	2.8E-06	6.05E-04	1.68E-09	2.09E-01	4.71E-02	1.66E-11	1.0E+06	1.7E-05
72	72	0.33076	9.50706E-06	3.1E-06	6.05E-04	1.90E-09	2.09E-01	4.71E-02	1.88E-11	1.0E+06	1.9E-05
73	73	0.37819	9.50706E-06	3.6E-06	6.05E-04	2.18E-09	2.09E-01	4.71E-02	2.15E-11	1.0E+06	2.1E-05
74	74	0.43517	9.50706E-06	4.1E-06	6.05E-04	2.50E-09	2.09E-01	4.71E-02	2.47E-11	1.0E+06	2.5E-05
75	75	0.51517	9.50706E-06	4.9E-06	6.05E-04	2.96E-09	2.09E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
76	76	0.61615	9.50706E-06	5.9E-06	6.05E-04	3.54E-09	2.09E-01	4.71E-02	3.50E-11	1.0E+06	3.5E-05
77	77	0.74231	9.50706E-06	7.1E-06	6.05E-04	4.27E-09	2.09E-01	4.71E-02	4.21E-11	1.0E+06	4.2E-05
78	78	0.94081	9.50706E-06	8.9E-06	6.05E-04	5.41E-09	2.09E-01	4.71E-02	5.34E-11	1.0E+06	5.3E-05
79	79	1.27513	9.50706E-06	1.2E-05	6.05E-04	7.34E-09	2.09E-01	4.71E-02	7.23E-11	1.0E+06	7.2E-05
80	80	1.7742	9.50706E-06	1.7E-05	6.05E-04	1.02E-08	2.09E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
81	81	2.83811	9.50706E-06	2.7E-05	6.05E-04	1.63E-08	2.09E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
82	82	5.38613	9.50706E-06	5.1E-05	6.05E-04	3.10E-08	2.09E-01	4.71E-02	3.06E-10	1.0E+06	3.1E-04
83	83	0.2507	9.50706E-06	2.4E-06	6.05E-04	1.44E-09	2.09E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
84	84	0.27763	9.50706E-06	2.6E-06	6.05E-04	1.60E-09	2.09E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
85	85	0.30821	9.50706E-06	2.9E-06	6.05E-04	1.77E-09	2.09E-01	4.71E-02	1.75E-11	1.0E+06	1.7E-05
86	86	0.36229	9.50706E-06	3.4E-06	6.05E-04	2.08E-09	2.09E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
87	87	0.42083	9.50706E-06	4.0E-06	6.05E-04	2.42E-09	2.09E-01	4.71E-02	2.39E-11	1.0E+06	2.4E-05
88	88	0.49822	9.50706E-06	4.7E-06	6.05E-04	2.87E-09	2.09E-01	4.71E-02	2.83E-11	1.0E+06	2.8E-05
89	89	0.60034	9.50706E-06	5.7E-06	6.05E-04	3.45E-09	2.09E-01	4.71E-02	3.41E-11	1.0E+06	3.4E-05
90	90	0.7416	9.50706E-06	7.1E-06	6.05E-04	4.27E-09	2.09E-01	4.71E-02	4.21E-11	1.0E+06	4.2E-05
91	91	0.9485	9.50706E-06	9.0E-06	6.05E-04	5.46E-09	2.09E-01	4.71E-02	5.38E-11	1.0E+06	5.4E-05
92	92	1.2708	9.50706E-06	1.2E-05	6.05E-04	7.31E-09	2.09E-01	4.71E-02	7.21E-11	1.0E+06	7.2E-05
93	93	1.85524	9.50706E-06	1.8E-05	6.05E-04	1.07E-08	2.09E-01	4.71E-02	1.05E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	3.16116	9.50706E-06	3.0E-05	6.05E-04	1.82E-08	2.09E-01	4.71E-02	1.79E-10	1.0E+06	1.8E-04
95	95	8.07452	9.50706E-06	7.7E-05	6.05E-04	4.64E-08	2.09E-01	4.71E-02	4.58E-10	1.0E+06	4.6E-04
96	96	0.23529	9.50706E-06	2.2E-06	6.05E-04	1.35E-09	2.09E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
97	97	0.25485	9.50706E-06	2.4E-06	6.05E-04	1.47E-09	2.09E-01	4.71E-02	1.45E-11	1.0E+06	1.4E-05
98	98	0.28398	9.50706E-06	2.7E-06	6.05E-04	1.63E-09	2.09E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
99	99	0.33031	9.50706E-06	3.1E-06	6.05E-04	1.90E-09	2.09E-01	4.71E-02	1.87E-11	1.0E+06	1.9E-05
100	100	0.39644	9.50706E-06	3.8E-06	6.05E-04	2.28E-09	2.09E-01	4.71E-02	2.25E-11	1.0E+06	2.2E-05
101	101	0.46889	9.50706E-06	4.5E-06	6.05E-04	2.70E-09	2.09E-01	4.71E-02	2.66E-11	1.0E+06	2.7E-05
102	102	0.56397	9.50706E-06	5.4E-06	6.05E-04	3.24E-09	2.09E-01	4.71E-02	3.20E-11	1.0E+06	3.2E-05
103	103	0.69793	9.50706E-06	6.6E-06	6.05E-04	4.01E-09	2.09E-01	4.71E-02	3.96E-11	1.0E+06	4.0E-05
104	104	0.88703	9.50706E-06	8.4E-06	6.05E-04	5.10E-09	2.09E-01	4.71E-02	5.03E-11	1.0E+06	5.0E-05
105	105	1.17483	9.50706E-06	1.1E-05	6.05E-04	6.76E-09	2.09E-01	4.71E-02	6.66E-11	1.0E+06	6.7E-05
106	106	1.68699	9.50706E-06	1.6E-05	6.05E-04	9.70E-09	2.09E-01	4.71E-02	9.57E-11	1.0E+06	9.6E-05
107	107	2.70538	9.50706E-06	2.6E-05	6.05E-04	1.56E-08	2.09E-01	4.71E-02	1.53E-10	1.0E+06	1.5E-04
108	108	5.26727	9.50706E-06	5.0E-05	6.05E-04	3.03E-08	2.09E-01	4.71E-02	2.99E-10	1.0E+06	3.0E-04
109	109	0.21721	9.50706E-06	2.1E-06	6.05E-04	1.25E-09	2.09E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05
110	110	0.24437	9.50706E-06	2.3E-06	6.05E-04	1.41E-09	2.09E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
111	111	0.27772	9.50706E-06	2.6E-06	6.05E-04	1.60E-09	2.09E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
112	112	0.31879	9.50706E-06	3.0E-06	6.05E-04	1.83E-09	2.09E-01	4.71E-02	1.81E-11	1.0E+06	1.8E-05
113	113	0.37002	9.50706E-06	3.5E-06	6.05E-04	2.13E-09	2.09E-01	4.71E-02	2.10E-11	1.0E+06	2.1E-05
114	114	0.43454	9.50706E-06	4.1E-06	6.05E-04	2.50E-09	2.09E-01	4.71E-02	2.47E-11	1.0E+06	2.5E-05
115	115	0.5169	9.50706E-06	4.9E-06	6.05E-04	2.97E-09	2.09E-01	4.71E-02	2.93E-11	1.0E+06	2.9E-05
116	116	0.63155	9.50706E-06	6.0E-06	6.05E-04	3.63E-09	2.09E-01	4.71E-02	3.58E-11	1.0E+06	3.6E-05
117	117	0.79952	9.50706E-06	7.6E-06	6.05E-04	4.60E-09	2.09E-01	4.71E-02	4.54E-11	1.0E+06	4.5E-05
118	118	1.07879	9.50706E-06	1.0E-05	6.05E-04	6.21E-09	2.09E-01	4.71E-02	6.12E-11	1.0E+06	6.1E-05
119	119	1.48871	9.50706E-06	1.4E-05	6.05E-04	8.56E-09	2.09E-01	4.71E-02	8.45E-11	1.0E+06	8.4E-05
120	120	2.22518	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.09E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
121	121	3.73196	9.50706E-06	3.5E-05	6.05E-04	2.15E-08	2.09E-01	4.71E-02	2.12E-10	1.0E+06	2.1E-04
122	122	0.20313	9.50706E-06	1.9E-06	6.05E-04	1.17E-09	2.09E-01	4.71E-02	1.15E-11	1.0E+06	1.2E-05
123	123	0.22892	9.50706E-06	2.2E-06	6.05E-04	1.32E-09	2.09E-01	4.71E-02	1.30E-11	1.0E+06	1.3E-05
124	124	0.26271	9.50706E-06	2.5E-06	6.05E-04	1.51E-09	2.09E-01	4.71E-02	1.49E-11	1.0E+06	1.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.30034	9.50706E-06	2.9E-06	6.05E-04	1.73E-09	2.09E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
126	126	0.34432	9.50706E-06	3.3E-06	6.05E-04	1.98E-09	2.09E-01	4.71E-02	1.95E-11	1.0E+06	2.0E-05
127	127	0.39622	9.50706E-06	3.8E-06	6.05E-04	2.28E-09	2.09E-01	4.71E-02	2.25E-11	1.0E+06	2.2E-05
128	128	0.43709	9.50706E-06	4.2E-06	6.05E-04	2.51E-09	2.09E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
129	129	0.52232	9.50706E-06	5.0E-06	6.05E-04	3.00E-09	2.09E-01	4.71E-02	2.96E-11	1.0E+06	3.0E-05
130	130	0.66837	9.50706E-06	6.4E-06	6.05E-04	3.84E-09	2.09E-01	4.71E-02	3.79E-11	1.0E+06	3.8E-05
131	131	4.34244	9.50706E-06	4.1E-05	6.05E-04	2.50E-08	2.09E-01	4.71E-02	2.46E-10	1.0E+06	2.5E-04
132	132	3.78104	9.50706E-06	3.6E-05	6.05E-04	2.18E-08	2.09E-01	4.71E-02	2.14E-10	1.0E+06	2.1E-04
133	133	0.18852	9.50706E-06	1.8E-06	6.05E-04	1.08E-09	2.09E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
134	134	0.21544	9.50706E-06	2.0E-06	6.05E-04	1.24E-09	2.09E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
135	135	0.24609	9.50706E-06	2.3E-06	6.05E-04	1.42E-09	2.09E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
136	136	0.27986	9.50706E-06	2.7E-06	6.05E-04	1.61E-09	2.09E-01	4.71E-02	1.59E-11	1.0E+06	1.6E-05
137	137	0.31968	9.50706E-06	3.0E-06	6.05E-04	1.84E-09	2.09E-01	4.71E-02	1.81E-11	1.0E+06	1.8E-05
138	138	0.36217	9.50706E-06	3.4E-06	6.05E-04	2.08E-09	2.09E-01	4.71E-02	2.05E-11	1.0E+06	2.1E-05
139	139	0.40504	9.50706E-06	3.9E-06	6.05E-04	2.33E-09	2.09E-01	4.71E-02	2.30E-11	1.0E+06	2.3E-05
140	140	0.47072	9.50706E-06	4.5E-06	6.05E-04	2.71E-09	2.09E-01	4.71E-02	2.67E-11	1.0E+06	2.7E-05
141	141	0.56278	9.50706E-06	5.4E-06	6.05E-04	3.24E-09	2.09E-01	4.71E-02	3.19E-11	1.0E+06	3.2E-05
142	142	0.67468	9.50706E-06	6.4E-06	6.05E-04	3.88E-09	2.09E-01	4.71E-02	3.83E-11	1.0E+06	3.8E-05
143	143	0.84464	9.50706E-06	8.0E-06	6.05E-04	4.86E-09	2.09E-01	4.71E-02	4.79E-11	1.0E+06	4.8E-05
144	144	1.12552	9.50706E-06	1.1E-05	6.05E-04	6.47E-09	2.09E-01	4.71E-02	6.38E-11	1.0E+06	6.4E-05
145	145	1.50377	9.50706E-06	1.4E-05	6.05E-04	8.65E-09	2.09E-01	4.71E-02	8.53E-11	1.0E+06	8.5E-05
146	146	3.06945	9.50706E-06	2.9E-05	6.05E-04	1.77E-08	2.09E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
147	147	0.17515	9.50706E-06	1.7E-06	6.05E-04	1.01E-09	2.09E-01	4.71E-02	9.94E-12	1.0E+06	9.9E-06
148	148	0.19818	9.50706E-06	1.9E-06	6.05E-04	1.14E-09	2.09E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
149	149	0.22608	9.50706E-06	2.1E-06	6.05E-04	1.30E-09	2.09E-01	4.71E-02	1.28E-11	1.0E+06	1.3E-05
150	150	0.2565	9.50706E-06	2.4E-06	6.05E-04	1.48E-09	2.09E-01	4.71E-02	1.46E-11	1.0E+06	1.5E-05
151	151	0.29441	9.50706E-06	2.8E-06	6.05E-04	1.69E-09	2.09E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
152	152	0.33081	9.50706E-06	3.1E-06	6.05E-04	1.90E-09	2.09E-01	4.71E-02	1.88E-11	1.0E+06	1.9E-05
153	153	0.3726	9.50706E-06	3.5E-06	6.05E-04	2.14E-09	2.09E-01	4.71E-02	2.11E-11	1.0E+06	2.1E-05
154	154	0.42896	9.50706E-06	4.1E-06	6.05E-04	2.47E-09	2.09E-01	4.71E-02	2.43E-11	1.0E+06	2.4E-05
155	155	0.50241	9.50706E-06	4.8E-06	6.05E-04	2.89E-09	2.09E-01	4.71E-02	2.85E-11	1.0E+06	2.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.59106	9.50706E-06	5.6E-06	6.05E-04	3.40E-09	2.09E-01	4.71E-02	3.35E-11	1.0E+06	3.4E-05
157	157	0.7007	9.50706E-06	6.7E-06	6.05E-04	4.03E-09	2.09E-01	4.71E-02	3.97E-11	1.0E+06	4.0E-05
158	158	0.84757	9.50706E-06	8.1E-06	6.05E-04	4.88E-09	2.09E-01	4.71E-02	4.81E-11	1.0E+06	4.8E-05
159	159	1.1498	9.50706E-06	1.1E-05	6.05E-04	6.61E-09	2.09E-01	4.71E-02	6.52E-11	1.0E+06	6.5E-05
160	160	0.16576	9.50706E-06	1.6E-06	6.05E-04	9.54E-10	2.09E-01	4.71E-02	9.40E-12	1.0E+06	9.4E-06
161	161	0.18316	9.50706E-06	1.7E-06	6.05E-04	1.05E-09	2.09E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
162	162	0.20053	9.50706E-06	1.9E-06	6.05E-04	1.15E-09	2.09E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
163	163	0.23049	9.50706E-06	2.2E-06	6.05E-04	1.33E-09	2.09E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
164	164	0.26854	9.50706E-06	2.6E-06	6.05E-04	1.54E-09	2.09E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
165	165	0.30157	9.50706E-06	2.9E-06	6.05E-04	1.73E-09	2.09E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
166	166	0.34149	9.50706E-06	3.2E-06	6.05E-04	1.96E-09	2.09E-01	4.71E-02	1.94E-11	1.0E+06	1.9E-05
167	167	0.38778	9.50706E-06	3.7E-06	6.05E-04	2.23E-09	2.09E-01	4.71E-02	2.20E-11	1.0E+06	2.2E-05
168	168	0.44369	9.50706E-06	4.2E-06	6.05E-04	2.55E-09	2.09E-01	4.71E-02	2.52E-11	1.0E+06	2.5E-05
169	169	0.51208	9.50706E-06	4.9E-06	6.05E-04	2.95E-09	2.09E-01	4.71E-02	2.90E-11	1.0E+06	2.9E-05
170	170	0.59664	9.50706E-06	5.7E-06	6.05E-04	3.43E-09	2.09E-01	4.71E-02	3.38E-11	1.0E+06	3.4E-05
171	171	0.70853	9.50706E-06	6.7E-06	6.05E-04	4.08E-09	2.09E-01	4.71E-02	4.02E-11	1.0E+06	4.0E-05
172	172	0.88567	9.50706E-06	8.4E-06	6.05E-04	5.09E-09	2.09E-01	4.71E-02	5.02E-11	1.0E+06	5.0E-05
173	173	1.12931	9.50706E-06	1.1E-05	6.05E-04	6.50E-09	2.09E-01	4.71E-02	6.41E-11	1.0E+06	6.4E-05
174	174	1.4353	9.50706E-06	1.4E-05	6.05E-04	8.26E-09	2.09E-01	4.71E-02	8.14E-11	1.0E+06	8.1E-05
175	175	1.67676	9.50706E-06	1.6E-05	6.05E-04	9.65E-09	2.09E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
176	176	1.78891	9.50706E-06	1.7E-05	6.05E-04	1.03E-08	2.09E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
177	177	1.80048	9.50706E-06	1.7E-05	6.05E-04	1.04E-08	2.09E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
178	178	1.72123	9.50706E-06	1.6E-05	6.05E-04	9.90E-09	2.09E-01	4.71E-02	9.76E-11	1.0E+06	9.8E-05
179	179	0.15184	9.50706E-06	1.4E-06	6.05E-04	8.73E-10	2.09E-01	4.71E-02	8.61E-12	1.0E+06	8.6E-06
180	180	0.16537	9.50706E-06	1.6E-06	6.05E-04	9.51E-10	2.09E-01	4.71E-02	9.38E-12	1.0E+06	9.4E-06
181	181	0.17744	9.50706E-06	1.7E-06	6.05E-04	1.02E-09	2.09E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
182	182	0.20687	9.50706E-06	2.0E-06	6.05E-04	1.19E-09	2.09E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
183	183	0.24692	9.50706E-06	2.3E-06	6.05E-04	1.42E-09	2.09E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
184	184	0.27695	9.50706E-06	2.6E-06	6.05E-04	1.59E-09	2.09E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
185	185	0.31325	9.50706E-06	3.0E-06	6.05E-04	1.80E-09	2.09E-01	4.71E-02	1.78E-11	1.0E+06	1.8E-05
186	186	0.35223	9.50706E-06	3.3E-06	6.05E-04	2.03E-09	2.09E-01	4.71E-02	2.00E-11	1.0E+06	2.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.39547	9.50706E-06	3.8E-06	6.05E-04	2.27E-09	2.09E-01	4.71E-02	2.24E-11	1.0E+06	2.2E-05
188	188	0.45023	9.50706E-06	4.3E-06	6.05E-04	2.59E-09	2.09E-01	4.71E-02	2.55E-11	1.0E+06	2.6E-05
189	189	0.51504	9.50706E-06	4.9E-06	6.05E-04	2.96E-09	2.09E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
190	190	0.60099	9.50706E-06	5.7E-06	6.05E-04	3.46E-09	2.09E-01	4.71E-02	3.41E-11	1.0E+06	3.4E-05
191	191	0.70882	9.50706E-06	6.7E-06	6.05E-04	4.08E-09	2.09E-01	4.71E-02	4.02E-11	1.0E+06	4.0E-05
192	192	0.85558	9.50706E-06	8.1E-06	6.05E-04	4.92E-09	2.09E-01	4.71E-02	4.85E-11	1.0E+06	4.9E-05
193	193	1.01594	9.50706E-06	9.7E-06	6.05E-04	5.84E-09	2.09E-01	4.71E-02	5.76E-11	1.0E+06	5.8E-05
194	194	1.20178	9.50706E-06	1.1E-05	6.05E-04	6.91E-09	2.09E-01	4.71E-02	6.82E-11	1.0E+06	6.8E-05
195	195	1.37451	9.50706E-06	1.3E-05	6.05E-04	7.91E-09	2.09E-01	4.71E-02	7.80E-11	1.0E+06	7.8E-05
196	196	1.40606	9.50706E-06	1.3E-05	6.05E-04	8.09E-09	2.09E-01	4.71E-02	7.98E-11	1.0E+06	8.0E-05
197	197	1.36033	9.50706E-06	1.3E-05	6.05E-04	7.83E-09	2.09E-01	4.71E-02	7.72E-11	1.0E+06	7.7E-05
198	198	0.14305	9.50706E-06	1.4E-06	6.05E-04	8.23E-10	2.09E-01	4.71E-02	8.11E-12	1.0E+06	8.1E-06
199	199	0.15587	9.50706E-06	1.5E-06	6.05E-04	8.97E-10	2.09E-01	4.71E-02	8.84E-12	1.0E+06	8.8E-06
200	200	0.16985	9.50706E-06	1.6E-06	6.05E-04	9.77E-10	2.09E-01	4.71E-02	9.64E-12	1.0E+06	9.6E-06
201	201	0.18937	9.50706E-06	1.8E-06	6.05E-04	1.09E-09	2.09E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
202	202	0.22346	9.50706E-06	2.1E-06	6.05E-04	1.29E-09	2.09E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
203	203	0.25217	9.50706E-06	2.4E-06	6.05E-04	1.45E-09	2.09E-01	4.71E-02	1.43E-11	1.0E+06	1.4E-05
204	204	0.28484	9.50706E-06	2.7E-06	6.05E-04	1.64E-09	2.09E-01	4.71E-02	1.62E-11	1.0E+06	1.6E-05
205	205	0.31835	9.50706E-06	3.0E-06	6.05E-04	1.83E-09	2.09E-01	4.71E-02	1.81E-11	1.0E+06	1.8E-05
206	206	0.35556	9.50706E-06	3.4E-06	6.05E-04	2.05E-09	2.09E-01	4.71E-02	2.02E-11	1.0E+06	2.0E-05
207	207	0.39998	9.50706E-06	3.8E-06	6.05E-04	2.30E-09	2.09E-01	4.71E-02	2.27E-11	1.0E+06	2.3E-05
208	208	0.45236	9.50706E-06	4.3E-06	6.05E-04	2.60E-09	2.09E-01	4.71E-02	2.57E-11	1.0E+06	2.6E-05
209	209	0.51849	9.50706E-06	4.9E-06	6.05E-04	2.98E-09	2.09E-01	4.71E-02	2.94E-11	1.0E+06	2.9E-05
210	210	0.59891	9.50706E-06	5.7E-06	6.05E-04	3.45E-09	2.09E-01	4.71E-02	3.40E-11	1.0E+06	3.4E-05
211	211	0.69455	9.50706E-06	6.6E-06	6.05E-04	4.00E-09	2.09E-01	4.71E-02	3.94E-11	1.0E+06	3.9E-05
212	212	0.79203	9.50706E-06	7.5E-06	6.05E-04	4.56E-09	2.09E-01	4.71E-02	4.49E-11	1.0E+06	4.5E-05
213	213	0.87527	9.50706E-06	8.3E-06	6.05E-04	5.03E-09	2.09E-01	4.71E-02	4.97E-11	1.0E+06	5.0E-05
214	214	0.92685	9.50706E-06	8.8E-06	6.05E-04	5.33E-09	2.09E-01	4.71E-02	5.26E-11	1.0E+06	5.3E-05
215	215	1.10097	9.50706E-06	1.0E-05	6.05E-04	6.33E-09	2.09E-01	4.71E-02	6.25E-11	1.0E+06	6.2E-05
216	216	0.13742	9.50706E-06	1.3E-06	6.05E-04	7.90E-10	2.09E-01	4.71E-02	7.80E-12	1.0E+06	7.8E-06
217	217	0.14785	9.50706E-06	1.4E-06	6.05E-04	8.50E-10	2.09E-01	4.71E-02	8.39E-12	1.0E+06	8.4E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1606	9.50706E-06	1.5E-06	6.05E-04	9.24E-10	2.09E-01	4.71E-02	9.11E-12	1.0E+06	9.1E-06
219	219	0.17624	9.50706E-06	1.7E-06	6.05E-04	1.01E-09	2.09E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
220	220	0.20249	9.50706E-06	1.9E-06	6.05E-04	1.16E-09	2.09E-01	4.71E-02	1.15E-11	1.0E+06	1.1E-05
221	221	0.22471	9.50706E-06	2.1E-06	6.05E-04	1.29E-09	2.09E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
222	222	0.25363	9.50706E-06	2.4E-06	6.05E-04	1.46E-09	2.09E-01	4.71E-02	1.44E-11	1.0E+06	1.4E-05
223	223	0.28284	9.50706E-06	2.7E-06	6.05E-04	1.63E-09	2.09E-01	4.71E-02	1.60E-11	1.0E+06	1.6E-05
224	224	0.31499	9.50706E-06	3.0E-06	6.05E-04	1.81E-09	2.09E-01	4.71E-02	1.79E-11	1.0E+06	1.8E-05
225	225	0.35031	9.50706E-06	3.3E-06	6.05E-04	2.02E-09	2.09E-01	4.71E-02	1.99E-11	1.0E+06	2.0E-05
226	226	0.39562	9.50706E-06	3.8E-06	6.05E-04	2.28E-09	2.09E-01	4.71E-02	2.24E-11	1.0E+06	2.2E-05
227	227	0.4478	9.50706E-06	4.3E-06	6.05E-04	2.58E-09	2.09E-01	4.71E-02	2.54E-11	1.0E+06	2.5E-05
228	228	0.50956	9.50706E-06	4.8E-06	6.05E-04	2.93E-09	2.09E-01	4.71E-02	2.89E-11	1.0E+06	2.9E-05
229	229	0.58111	9.50706E-06	5.5E-06	6.05E-04	3.34E-09	2.09E-01	4.71E-02	3.30E-11	1.0E+06	3.3E-05
230	230	0.6518	9.50706E-06	6.2E-06	6.05E-04	3.75E-09	2.09E-01	4.71E-02	3.70E-11	1.0E+06	3.7E-05
231	231	0.71742	9.50706E-06	6.8E-06	6.05E-04	4.13E-09	2.09E-01	4.71E-02	4.07E-11	1.0E+06	4.1E-05
232	232	0.76633	9.50706E-06	7.3E-06	6.05E-04	4.41E-09	2.09E-01	4.71E-02	4.35E-11	1.0E+06	4.3E-05
233	233	0.8764	9.50706E-06	8.3E-06	6.05E-04	5.04E-09	2.09E-01	4.71E-02	4.97E-11	1.0E+06	5.0E-05
234	234	0.13197	9.50706E-06	1.3E-06	6.05E-04	7.59E-10	2.09E-01	4.71E-02	7.49E-12	1.0E+06	7.5E-06
235	235	0.14015	9.50706E-06	1.3E-06	6.05E-04	8.06E-10	2.09E-01	4.71E-02	7.95E-12	1.0E+06	8.0E-06
236	236	0.15107	9.50706E-06	1.4E-06	6.05E-04	8.69E-10	2.09E-01	4.71E-02	8.57E-12	1.0E+06	8.6E-06
237	237	0.16538	9.50706E-06	1.6E-06	6.05E-04	9.51E-10	2.09E-01	4.71E-02	9.38E-12	1.0E+06	9.4E-06
238	238	0.184	9.50706E-06	1.7E-06	6.05E-04	1.06E-09	2.09E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
239	239	0.20227	9.50706E-06	1.9E-06	6.05E-04	1.16E-09	2.09E-01	4.71E-02	1.15E-11	1.0E+06	1.1E-05
240	240	0.22483	9.50706E-06	2.1E-06	6.05E-04	1.29E-09	2.09E-01	4.71E-02	1.28E-11	1.0E+06	1.3E-05
241	241	0.2498	9.50706E-06	2.4E-06	6.05E-04	1.44E-09	2.09E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
242	242	0.27792	9.50706E-06	2.6E-06	6.05E-04	1.60E-09	2.09E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
243	243	0.30937	9.50706E-06	2.9E-06	6.05E-04	1.78E-09	2.09E-01	4.71E-02	1.76E-11	1.0E+06	1.8E-05
244	244	0.34887	9.50706E-06	3.3E-06	6.05E-04	2.01E-09	2.09E-01	4.71E-02	1.98E-11	1.0E+06	2.0E-05
245	245	0.39402	9.50706E-06	3.7E-06	6.05E-04	2.27E-09	2.09E-01	4.71E-02	2.24E-11	1.0E+06	2.2E-05
246	246	0.4452	9.50706E-06	4.2E-06	6.05E-04	2.56E-09	2.09E-01	4.71E-02	2.53E-11	1.0E+06	2.5E-05
247	247	0.50074	9.50706E-06	4.8E-06	6.05E-04	2.88E-09	2.09E-01	4.71E-02	2.84E-11	1.0E+06	2.8E-05
248	248	0.55725	9.50706E-06	5.3E-06	6.05E-04	3.21E-09	2.09E-01	4.71E-02	3.16E-11	1.0E+06	3.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.60798	9.50706E-06	5.8E-06	6.05E-04	3.50E-09	2.09E-01	4.71E-02	3.45E-11	1.0E+06	3.4E-05
250	250	0.65154	9.50706E-06	6.2E-06	6.05E-04	3.75E-09	2.09E-01	4.71E-02	3.70E-11	1.0E+06	3.7E-05
251	251	0.73622	9.50706E-06	7.0E-06	6.05E-04	4.24E-09	2.09E-01	4.71E-02	4.18E-11	1.0E+06	4.2E-05
252	252	0.12486	9.50706E-06	1.2E-06	6.05E-04	7.18E-10	2.09E-01	4.71E-02	7.08E-12	1.0E+06	7.1E-06
253	253	0.13102	9.50706E-06	1.2E-06	6.05E-04	7.54E-10	2.09E-01	4.71E-02	7.43E-12	1.0E+06	7.4E-06
254	254	0.13902	9.50706E-06	1.3E-06	6.05E-04	8.00E-10	2.09E-01	4.71E-02	7.89E-12	1.0E+06	7.9E-06
255	255	0.14884	9.50706E-06	1.4E-06	6.05E-04	8.56E-10	2.09E-01	4.71E-02	8.44E-12	1.0E+06	8.4E-06
256	256	0.16799	9.50706E-06	1.6E-06	6.05E-04	9.66E-10	2.09E-01	4.71E-02	9.53E-12	1.0E+06	9.5E-06
257	257	0.17717	9.50706E-06	1.7E-06	6.05E-04	1.02E-09	2.09E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
258	258	0.19191	9.50706E-06	1.8E-06	6.05E-04	1.10E-09	2.09E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
259	259	0.20945	9.50706E-06	2.0E-06	6.05E-04	1.20E-09	2.09E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
260	260	0.23633	9.50706E-06	2.2E-06	6.05E-04	1.36E-09	2.09E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
261	261	0.27027	9.50706E-06	2.6E-06	6.05E-04	1.55E-09	2.09E-01	4.71E-02	1.53E-11	1.0E+06	1.5E-05
262	262	0.30728	9.50706E-06	2.9E-06	6.05E-04	1.77E-09	2.09E-01	4.71E-02	1.74E-11	1.0E+06	1.7E-05
263	263	0.3443	9.50706E-06	3.3E-06	6.05E-04	1.98E-09	2.09E-01	4.71E-02	1.95E-11	1.0E+06	2.0E-05
264	264	0.38815	9.50706E-06	3.7E-06	6.05E-04	2.23E-09	2.09E-01	4.71E-02	2.20E-11	1.0E+06	2.2E-05
265	265	0.43216	9.50706E-06	4.1E-06	6.05E-04	2.49E-09	2.09E-01	4.71E-02	2.45E-11	1.0E+06	2.5E-05
266	266	0.47752	9.50706E-06	4.5E-06	6.05E-04	2.75E-09	2.09E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
267	267	0.51801	9.50706E-06	4.9E-06	6.05E-04	2.98E-09	2.09E-01	4.71E-02	2.94E-11	1.0E+06	2.9E-05
268	268	0.55231	9.50706E-06	5.3E-06	6.05E-04	3.18E-09	2.09E-01	4.71E-02	3.13E-11	1.0E+06	3.1E-05
269	269	0.6178	9.50706E-06	5.9E-06	6.05E-04	3.55E-09	2.09E-01	4.71E-02	3.50E-11	1.0E+06	3.5E-05
270	270	0.11748	9.50706E-06	1.1E-06	6.05E-04	6.76E-10	2.09E-01	4.71E-02	6.66E-12	1.0E+06	6.7E-06
271	271	0.12315	9.50706E-06	1.2E-06	6.05E-04	7.08E-10	2.09E-01	4.71E-02	6.99E-12	1.0E+06	7.0E-06
272	272	0.13001	9.50706E-06	1.2E-06	6.05E-04	7.48E-10	2.09E-01	4.71E-02	7.38E-12	1.0E+06	7.4E-06
273	273	0.13762	9.50706E-06	1.3E-06	6.05E-04	7.92E-10	2.09E-01	4.71E-02	7.81E-12	1.0E+06	7.8E-06
274	274	0.15664	9.50706E-06	1.5E-06	6.05E-04	9.01E-10	2.09E-01	4.71E-02	8.89E-12	1.0E+06	8.9E-06
275	275	0.17154	9.50706E-06	1.6E-06	6.05E-04	9.87E-10	2.09E-01	4.71E-02	9.73E-12	1.0E+06	9.7E-06
276	276	0.17303	9.50706E-06	1.6E-06	6.05E-04	9.95E-10	2.09E-01	4.71E-02	9.82E-12	1.0E+06	9.8E-06
277	277	0.18742	9.50706E-06	1.8E-06	6.05E-04	1.08E-09	2.09E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
278	278	0.20728	9.50706E-06	2.0E-06	6.05E-04	1.19E-09	2.09E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
279	279	0.23289	9.50706E-06	2.2E-06	6.05E-04	1.34E-09	2.09E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.26762	9.50706E-06	2.5E-06	6.05E-04	1.54E-09	2.09E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
281	281	0.30423	9.50706E-06	2.9E-06	6.05E-04	1.75E-09	2.09E-01	4.71E-02	1.73E-11	1.0E+06	1.7E-05
282	282	0.34191	9.50706E-06	3.3E-06	6.05E-04	1.97E-09	2.09E-01	4.71E-02	1.94E-11	1.0E+06	1.9E-05
283	283	0.37966	9.50706E-06	3.6E-06	6.05E-04	2.18E-09	2.09E-01	4.71E-02	2.15E-11	1.0E+06	2.2E-05
284	284	0.4169	9.50706E-06	4.0E-06	6.05E-04	2.40E-09	2.09E-01	4.71E-02	2.37E-11	1.0E+06	2.4E-05
285	285	0.44898	9.50706E-06	4.3E-06	6.05E-04	2.58E-09	2.09E-01	4.71E-02	2.55E-11	1.0E+06	2.5E-05
286	286	0.47811	9.50706E-06	4.5E-06	6.05E-04	2.75E-09	2.09E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
287	287	0.53223	9.50706E-06	5.1E-06	6.05E-04	3.06E-09	2.09E-01	4.71E-02	3.02E-11	1.0E+06	3.0E-05
288	288	0.11112	9.50706E-06	1.1E-06	6.05E-04	6.39E-10	2.09E-01	4.71E-02	6.30E-12	1.0E+06	6.3E-06
289	289	0.11524	9.50706E-06	1.1E-06	6.05E-04	6.63E-10	2.09E-01	4.71E-02	6.54E-12	1.0E+06	6.5E-06
290	290	0.12413	9.50706E-06	1.2E-06	6.05E-04	7.14E-10	2.09E-01	4.71E-02	7.04E-12	1.0E+06	7.0E-06
291	291	0.13257	9.50706E-06	1.3E-06	6.05E-04	7.63E-10	2.09E-01	4.71E-02	7.52E-12	1.0E+06	7.5E-06
292	292	0.15848	9.50706E-06	1.5E-06	6.05E-04	9.12E-10	2.09E-01	4.71E-02	8.99E-12	1.0E+06	9.0E-06
293	293	0.16388	9.50706E-06	1.6E-06	6.05E-04	9.43E-10	2.09E-01	4.71E-02	9.30E-12	1.0E+06	9.3E-06
294	294	0.15913	9.50706E-06	1.5E-06	6.05E-04	9.15E-10	2.09E-01	4.71E-02	9.03E-12	1.0E+06	9.0E-06
295	295	0.17346	9.50706E-06	1.6E-06	6.05E-04	9.98E-10	2.09E-01	4.71E-02	9.84E-12	1.0E+06	9.8E-06
296	296	0.19149	9.50706E-06	1.8E-06	6.05E-04	1.10E-09	2.09E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
297	297	0.20974	9.50706E-06	2.0E-06	6.05E-04	1.21E-09	2.09E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
298	298	0.2352	9.50706E-06	2.2E-06	6.05E-04	1.35E-09	2.09E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
299	299	0.26904	9.50706E-06	2.6E-06	6.05E-04	1.55E-09	2.09E-01	4.71E-02	1.53E-11	1.0E+06	1.5E-05
300	300	0.29967	9.50706E-06	2.8E-06	6.05E-04	1.72E-09	2.09E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
301	301	0.33462	9.50706E-06	3.2E-06	6.05E-04	1.92E-09	2.09E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
302	302	0.36778	9.50706E-06	3.5E-06	6.05E-04	2.12E-09	2.09E-01	4.71E-02	2.09E-11	1.0E+06	2.1E-05
303	303	0.39809	9.50706E-06	3.8E-06	6.05E-04	2.29E-09	2.09E-01	4.71E-02	2.26E-11	1.0E+06	2.3E-05
304	304	0.42325	9.50706E-06	4.0E-06	6.05E-04	2.43E-09	2.09E-01	4.71E-02	2.40E-11	1.0E+06	2.4E-05
305	305	0.46845	9.50706E-06	4.5E-06	6.05E-04	2.69E-09	2.09E-01	4.71E-02	2.66E-11	1.0E+06	2.7E-05
306	306	0.11179	9.50706E-06	1.1E-06	6.05E-04	6.43E-10	2.09E-01	4.71E-02	6.34E-12	1.0E+06	6.3E-06
307	307	0.1125	9.50706E-06	1.1E-06	6.05E-04	6.47E-10	2.09E-01	4.71E-02	6.38E-12	1.0E+06	6.4E-06
308	308	0.11777	9.50706E-06	1.1E-06	6.05E-04	6.77E-10	2.09E-01	4.71E-02	6.68E-12	1.0E+06	6.7E-06
309	309	0.13435	9.50706E-06	1.3E-06	6.05E-04	7.73E-10	2.09E-01	4.71E-02	7.62E-12	1.0E+06	7.6E-06
310	310	0.15057	9.50706E-06	1.4E-06	6.05E-04	8.66E-10	2.09E-01	4.71E-02	8.54E-12	1.0E+06	8.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.15483	9.50706E-06	1.5E-06	6.05E-04	8.91E-10	2.09E-01	4.71E-02	8.78E-12	1.0E+06	8.8E-06
312	312	0.14765	9.50706E-06	1.4E-06	6.05E-04	8.49E-10	2.09E-01	4.71E-02	8.38E-12	1.0E+06	8.4E-06
313	313	0.16064	9.50706E-06	1.5E-06	6.05E-04	9.24E-10	2.09E-01	4.71E-02	9.11E-12	1.0E+06	9.1E-06
314	314	0.1767	9.50706E-06	1.7E-06	6.05E-04	1.02E-09	2.09E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
315	315	0.19982	9.50706E-06	1.9E-06	6.05E-04	1.15E-09	2.09E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
316	316	0.21566	9.50706E-06	2.1E-06	6.05E-04	1.24E-09	2.09E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
317	317	0.2378	9.50706E-06	2.3E-06	6.05E-04	1.37E-09	2.09E-01	4.71E-02	1.35E-11	1.0E+06	1.3E-05
318	318	0.26451	9.50706E-06	2.5E-06	6.05E-04	1.52E-09	2.09E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
319	319	0.29658	9.50706E-06	2.8E-06	6.05E-04	1.71E-09	2.09E-01	4.71E-02	1.68E-11	1.0E+06	1.7E-05
320	320	0.33185	9.50706E-06	3.2E-06	6.05E-04	1.91E-09	2.09E-01	4.71E-02	1.88E-11	1.0E+06	1.9E-05
321	321	0.35664	9.50706E-06	3.4E-06	6.05E-04	2.05E-09	2.09E-01	4.71E-02	2.02E-11	1.0E+06	2.0E-05
322	322	0.37869	9.50706E-06	3.6E-06	6.05E-04	2.18E-09	2.09E-01	4.71E-02	2.15E-11	1.0E+06	2.1E-05
323	323	0.41453	9.50706E-06	3.9E-06	6.05E-04	2.38E-09	2.09E-01	4.71E-02	2.35E-11	1.0E+06	2.4E-05
324	324	0.10646	9.50706E-06	1.0E-06	6.05E-04	6.12E-10	2.09E-01	4.71E-02	6.04E-12	1.0E+06	6.0E-06
325	325	0.11483	9.50706E-06	1.1E-06	6.05E-04	6.61E-10	2.09E-01	4.71E-02	6.51E-12	1.0E+06	6.5E-06
326	326	0.11893	9.50706E-06	1.1E-06	6.05E-04	6.84E-10	2.09E-01	4.71E-02	6.75E-12	1.0E+06	6.7E-06
327	327	0.12127	9.50706E-06	1.2E-06	6.05E-04	6.98E-10	2.09E-01	4.71E-02	6.88E-12	1.0E+06	6.9E-06
328	328	0.14555	9.50706E-06	1.4E-06	6.05E-04	8.37E-10	2.09E-01	4.71E-02	8.26E-12	1.0E+06	8.3E-06
329	329	0.1463	9.50706E-06	1.4E-06	6.05E-04	8.42E-10	2.09E-01	4.71E-02	8.30E-12	1.0E+06	8.3E-06
330	330	0.14107	9.50706E-06	1.3E-06	6.05E-04	8.11E-10	2.09E-01	4.71E-02	8.00E-12	1.0E+06	8.0E-06
331	331	0.15349	9.50706E-06	1.5E-06	6.05E-04	8.83E-10	2.09E-01	4.71E-02	8.71E-12	1.0E+06	8.7E-06
332	332	0.1684	9.50706E-06	1.6E-06	6.05E-04	9.69E-10	2.09E-01	4.71E-02	9.55E-12	1.0E+06	9.6E-06
333	333	0.18926	9.50706E-06	1.8E-06	6.05E-04	1.09E-09	2.09E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
334	334	0.20686	9.50706E-06	2.0E-06	6.05E-04	1.19E-09	2.09E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
335	335	0.22659	9.50706E-06	2.2E-06	6.05E-04	1.30E-09	2.09E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
336	336	3.4169	9.50706E-06	3.2E-05	6.05E-04	1.97E-08	2.09E-01	4.71E-02	1.94E-10	1.0E+06	1.9E-04
337	337	2.90718	9.50706E-06	2.8E-05	6.05E-04	1.67E-08	2.09E-01	4.71E-02	1.65E-10	1.0E+06	1.6E-04
338	338	0.85598	9.50706E-06	8.1E-06	6.05E-04	4.92E-09	2.09E-01	4.71E-02	4.86E-11	1.0E+06	4.9E-05
339	339	0.96382	9.50706E-06	9.2E-06	6.05E-04	5.54E-09	2.09E-01	4.71E-02	5.47E-11	1.0E+06	5.5E-05
340	340	1.06362	9.50706E-06	1.0E-05	6.05E-04	6.12E-09	2.09E-01	4.71E-02	6.03E-11	1.0E+06	6.0E-05
341	341	1.1441	9.50706E-06	1.1E-05	6.05E-04	6.58E-09	2.09E-01	4.71E-02	6.49E-11	1.0E+06	6.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	1.19205	9.50706E-06	1.1E-05	6.05E-04	6.86E-09	2.09E-01	4.71E-02	6.76E-11	1.0E+06	6.8E-05
343	343	1.19137	9.50706E-06	1.1E-05	6.05E-04	6.85E-09	2.09E-01	4.71E-02	6.76E-11	1.0E+06	6.8E-05
344	344	1.14641	9.50706E-06	1.1E-05	6.05E-04	6.59E-09	2.09E-01	4.71E-02	6.50E-11	1.0E+06	6.5E-05
345	345	1.0747	9.50706E-06	1.0E-05	6.05E-04	6.18E-09	2.09E-01	4.71E-02	6.10E-11	1.0E+06	6.1E-05
346	346	0.98075	9.50706E-06	9.3E-06	6.05E-04	5.64E-09	2.09E-01	4.71E-02	5.56E-11	1.0E+06	5.6E-05
347	347	1.09501	9.50706E-06	1.0E-05	6.05E-04	6.30E-09	2.09E-01	4.71E-02	6.21E-11	1.0E+06	6.2E-05
348	348	1.28923	9.50706E-06	1.2E-05	6.05E-04	7.42E-09	2.09E-01	4.71E-02	7.31E-11	1.0E+06	7.3E-05
349	349	1.44968	9.50706E-06	1.4E-05	6.05E-04	8.34E-09	2.09E-01	4.71E-02	8.22E-11	1.0E+06	8.2E-05
350	350	1.56961	9.50706E-06	1.5E-05	6.05E-04	9.03E-09	2.09E-01	4.71E-02	8.90E-11	1.0E+06	8.9E-05
351	351	1.64505	9.50706E-06	1.6E-05	6.05E-04	9.46E-09	2.09E-01	4.71E-02	9.33E-11	1.0E+06	9.3E-05
352	352	1.62245	9.50706E-06	1.5E-05	6.05E-04	9.33E-09	2.09E-01	4.71E-02	9.20E-11	1.0E+06	9.2E-05
353	353	1.5308	9.50706E-06	1.5E-05	6.05E-04	8.81E-09	2.09E-01	4.71E-02	8.68E-11	1.0E+06	8.7E-05
354	354	1.37789	9.50706E-06	1.3E-05	6.05E-04	7.93E-09	2.09E-01	4.71E-02	7.82E-11	1.0E+06	7.8E-05
355	355	1.22552	9.50706E-06	1.2E-05	6.05E-04	7.05E-09	2.09E-01	4.71E-02	6.95E-11	1.0E+06	7.0E-05
356	356	1.46835	9.50706E-06	1.4E-05	6.05E-04	8.45E-09	2.09E-01	4.71E-02	8.33E-11	1.0E+06	8.3E-05
357	357	1.77096	9.50706E-06	1.7E-05	6.05E-04	1.02E-08	2.09E-01	4.71E-02	1.00E-10	1.0E+06	1.0E-04
358	358	2.06523	9.50706E-06	2.0E-05	6.05E-04	1.19E-08	2.09E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
359	359	2.28272	9.50706E-06	2.2E-05	6.05E-04	1.31E-08	2.09E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
360	360	2.41622	9.50706E-06	2.3E-05	6.05E-04	1.39E-08	2.09E-01	4.71E-02	1.37E-10	1.0E+06	1.4E-04
361	361	2.32422	9.50706E-06	2.2E-05	6.05E-04	1.34E-08	2.09E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
362	362	2.13311	9.50706E-06	2.0E-05	6.05E-04	1.23E-08	2.09E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
363	363	1.83505	9.50706E-06	1.7E-05	6.05E-04	1.06E-08	2.09E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
364	364	2.11063	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.09E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
365	365	2.60655	9.50706E-06	2.5E-05	6.05E-04	1.50E-08	2.09E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
366	366	3.23664	9.50706E-06	3.1E-05	6.05E-04	1.86E-08	2.09E-01	4.71E-02	1.84E-10	1.0E+06	1.8E-04
367	367	3.65833	9.50706E-06	3.5E-05	6.05E-04	2.10E-08	2.09E-01	4.71E-02	2.08E-10	1.0E+06	2.1E-04
368	368	3.87486	9.50706E-06	3.7E-05	6.05E-04	2.23E-08	2.09E-01	4.71E-02	2.20E-10	1.0E+06	2.2E-04
369	369	3.61637	9.50706E-06	3.4E-05	6.05E-04	2.08E-08	2.09E-01	4.71E-02	2.05E-10	1.0E+06	2.1E-04
370	370	2.60618	9.50706E-06	2.5E-05	6.05E-04	1.50E-08	2.09E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
371	371	2.02259	9.50706E-06	1.9E-05	6.05E-04	1.16E-08	2.09E-01	4.71E-02	1.15E-10	1.0E+06	1.1E-04
372	372	3.35904	9.50706E-06	3.2E-05	6.05E-04	1.93E-08	2.09E-01	4.71E-02	1.91E-10	1.0E+06	1.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	4.57744	9.50706E-06	4.4E-05	6.05E-04	2.63E-08	2.09E-01	4.71E-02	2.60E-10	1.0E+06	2.6E-04
374	374	5.97489	9.50706E-06	5.7E-05	6.05E-04	3.44E-08	2.09E-01	4.71E-02	3.39E-10	1.0E+06	3.4E-04
375	375	6.77983	9.50706E-06	6.4E-05	6.05E-04	3.90E-08	2.09E-01	4.71E-02	3.85E-10	1.0E+06	3.8E-04
376	376	7.14925	9.50706E-06	6.8E-05	6.05E-04	4.11E-08	2.09E-01	4.71E-02	4.06E-10	1.0E+06	4.1E-04
377	377	7.08637	9.50706E-06	6.7E-05	6.05E-04	4.08E-08	2.09E-01	4.71E-02	4.02E-10	1.0E+06	4.0E-04
378	378	6.52639	9.50706E-06	6.2E-05	6.05E-04	3.75E-08	2.09E-01	4.71E-02	3.70E-10	1.0E+06	3.7E-04
379	379	3.84441	9.50706E-06	3.7E-05	6.05E-04	2.21E-08	2.09E-01	4.71E-02	2.18E-10	1.0E+06	2.2E-04
380	380	2.60468	9.50706E-06	2.5E-05	6.05E-04	1.50E-08	2.09E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
381	381	1.78859	9.50706E-06	1.7E-05	6.05E-04	1.03E-08	2.09E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
382	382	6.46984	9.50706E-06	6.2E-05	6.05E-04	3.72E-08	2.09E-01	4.71E-02	3.67E-10	1.0E+06	3.7E-04
383	383	11.78555	9.50706E-06	1.1E-04	6.05E-04	6.78E-08	2.09E-01	4.71E-02	6.69E-10	1.0E+06	6.7E-04
384	384	15.01559	9.50706E-06	1.4E-04	6.05E-04	8.64E-08	2.09E-01	4.71E-02	8.52E-10	1.0E+06	8.5E-04
385	385	16.73781	9.50706E-06	1.6E-04	6.05E-04	9.63E-08	2.09E-01	4.71E-02	9.50E-10	1.0E+06	9.5E-04
386	386	17.50021	9.50706E-06	1.7E-04	6.05E-04	1.01E-07	2.09E-01	4.71E-02	9.93E-10	1.0E+06	9.9E-04
387	387	17.53546	9.50706E-06	1.7E-04	6.05E-04	1.01E-07	2.09E-01	4.71E-02	9.95E-10	1.0E+06	9.9E-04
388	388	16.55215	9.50706E-06	1.6E-04	6.05E-04	9.52E-08	2.09E-01	4.71E-02	9.39E-10	1.0E+06	9.4E-04
389	389	5.82856	9.50706E-06	5.5E-05	6.05E-04	3.35E-08	2.09E-01	4.71E-02	3.31E-10	1.0E+06	3.3E-04
390	390	3.01987	9.50706E-06	2.9E-05	6.05E-04	1.74E-08	2.09E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
391	391	1.86499	9.50706E-06	1.8E-05	6.05E-04	1.07E-08	2.09E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
392	392	1.24646	9.50706E-06	1.2E-05	6.05E-04	7.17E-09	2.09E-01	4.71E-02	7.07E-11	1.0E+06	7.1E-05
393	393	15.59212	9.50706E-06	1.5E-04	6.05E-04	8.97E-08	2.09E-01	4.71E-02	8.85E-10	1.0E+06	8.8E-04
394	394	21.62423	9.50706E-06	2.1E-04	6.05E-04	1.24E-07	2.09E-01	4.71E-02	1.23E-09	1.0E+06	1.2E-03
395	395	22.42744	9.50706E-06	2.1E-04	6.05E-04	1.29E-07	2.09E-01	4.71E-02	1.27E-09	1.0E+06	1.3E-03
396	396	22.57647	9.50706E-06	2.1E-04	6.05E-04	1.30E-07	2.09E-01	4.71E-02	1.28E-09	1.0E+06	1.3E-03
397	397	22.5171	9.50706E-06	2.1E-04	6.05E-04	1.30E-07	2.09E-01	4.71E-02	1.28E-09	1.0E+06	1.3E-03
398	398	20.33448	9.50706E-06	1.9E-04	6.05E-04	1.17E-07	2.09E-01	4.71E-02	1.15E-09	1.0E+06	1.2E-03
399	399	9.86722	9.50706E-06	9.4E-05	6.05E-04	5.68E-08	2.09E-01	4.71E-02	5.60E-10	1.0E+06	5.6E-04
400	400	6.33293	9.50706E-06	6.0E-05	6.05E-04	3.64E-08	2.09E-01	4.71E-02	3.59E-10	1.0E+06	3.6E-04
401	401	2.87046	9.50706E-06	2.7E-05	6.05E-04	1.65E-08	2.09E-01	4.71E-02	1.63E-10	1.0E+06	1.6E-04
402	402	1.16401	9.50706E-06	1.1E-05	6.05E-04	6.70E-09	2.09E-01	4.71E-02	6.60E-11	1.0E+06	6.6E-05
403	403	5.1041	9.50706E-06	4.9E-05	6.05E-04	2.94E-08	2.09E-01	4.71E-02	2.90E-10	1.0E+06	2.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	1.1208	9.50706E-06	1.1E-05	6.05E-04	6.45E-09	2.09E-01	4.71E-02	6.36E-11	1.0E+06	6.4E-05
405	405	0.82198	9.50706E-06	7.8E-06	6.05E-04	4.73E-09	2.09E-01	4.71E-02	4.66E-11	1.0E+06	4.7E-05
406	406	3.6432	9.50706E-06	3.5E-05	6.05E-04	2.10E-08	2.09E-01	4.71E-02	2.07E-10	1.0E+06	2.1E-04
407	407	0.75486	9.50706E-06	7.2E-06	6.05E-04	4.34E-09	2.09E-01	4.71E-02	4.28E-11	1.0E+06	4.3E-05
408	408	2.68324	9.50706E-06	2.6E-05	6.05E-04	1.54E-08	2.09E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
409	409	0.69346	9.50706E-06	6.6E-06	6.05E-04	3.99E-09	2.09E-01	4.71E-02	3.93E-11	1.0E+06	3.9E-05
410	410	2.05652	9.50706E-06	2.0E-05	6.05E-04	1.18E-08	2.09E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
411	411	0.81939	9.50706E-06	7.8E-06	6.05E-04	4.71E-09	2.09E-01	4.71E-02	4.65E-11	1.0E+06	4.6E-05
412	412	0.64796	9.50706E-06	6.2E-06	6.05E-04	3.73E-09	2.09E-01	4.71E-02	3.68E-11	1.0E+06	3.7E-05
413	413	1.62841	9.50706E-06	1.5E-05	6.05E-04	9.37E-09	2.09E-01	4.71E-02	9.24E-11	1.0E+06	9.2E-05
414	414	0.95647	9.50706E-06	9.1E-06	6.05E-04	5.50E-09	2.09E-01	4.71E-02	5.43E-11	1.0E+06	5.4E-05
415	415	0.74154	9.50706E-06	7.0E-06	6.05E-04	4.27E-09	2.09E-01	4.71E-02	4.21E-11	1.0E+06	4.2E-05
416	416	0.59417	9.50706E-06	5.6E-06	6.05E-04	3.42E-09	2.09E-01	4.71E-02	3.37E-11	1.0E+06	3.4E-05
417	417	1.32286	9.50706E-06	1.3E-05	6.05E-04	7.61E-09	2.09E-01	4.71E-02	7.50E-11	1.0E+06	7.5E-05
418	418	0.67169	9.50706E-06	6.4E-06	6.05E-04	3.86E-09	2.09E-01	4.71E-02	3.81E-11	1.0E+06	3.8E-05
419	419	0.54583	9.50706E-06	5.2E-06	6.05E-04	3.14E-09	2.09E-01	4.71E-02	3.10E-11	1.0E+06	3.1E-05
420	420	0.45342	9.50706E-06	4.3E-06	6.05E-04	2.61E-09	2.09E-01	4.71E-02	2.57E-11	1.0E+06	2.6E-05
421	421	1.09627	9.50706E-06	1.0E-05	6.05E-04	6.31E-09	2.09E-01	4.71E-02	6.22E-11	1.0E+06	6.2E-05
422	422	0.50182	9.50706E-06	4.8E-06	6.05E-04	2.89E-09	2.09E-01	4.71E-02	2.85E-11	1.0E+06	2.8E-05
423	423	0.42161	9.50706E-06	4.0E-06	6.05E-04	2.43E-09	2.09E-01	4.71E-02	2.39E-11	1.0E+06	2.4E-05
424	424	0.92284	9.50706E-06	8.8E-06	6.05E-04	5.31E-09	2.09E-01	4.71E-02	5.24E-11	1.0E+06	5.2E-05
425	425	0.39184	9.50706E-06	3.7E-06	6.05E-04	2.25E-09	2.09E-01	4.71E-02	2.22E-11	1.0E+06	2.2E-05
426	426	0.3372	9.50706E-06	3.2E-06	6.05E-04	1.94E-09	2.09E-01	4.71E-02	1.91E-11	1.0E+06	1.9E-05
427	427	0.78673	9.50706E-06	7.5E-06	6.05E-04	4.53E-09	2.09E-01	4.71E-02	4.46E-11	1.0E+06	4.5E-05
428	428	0.36429	9.50706E-06	3.5E-06	6.05E-04	2.10E-09	2.09E-01	4.71E-02	2.07E-11	1.0E+06	2.1E-05
429	429	0.31587	9.50706E-06	3.0E-06	6.05E-04	1.82E-09	2.09E-01	4.71E-02	1.79E-11	1.0E+06	1.8E-05
430	430	0.67821	9.50706E-06	6.4E-06	6.05E-04	3.90E-09	2.09E-01	4.71E-02	3.85E-11	1.0E+06	3.8E-05
431	431	0.296	9.50706E-06	2.8E-06	6.05E-04	1.70E-09	2.09E-01	4.71E-02	1.68E-11	1.0E+06	1.7E-05
432	432	0.26001	9.50706E-06	2.5E-06	6.05E-04	1.50E-09	2.09E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
433	433	0.58985	9.50706E-06	5.6E-06	6.05E-04	3.39E-09	2.09E-01	4.71E-02	3.35E-11	1.0E+06	3.3E-05
434	434	0.27765	9.50706E-06	2.6E-06	6.05E-04	1.60E-09	2.09E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.24601	9.50706E-06	2.3E-06	6.05E-04	1.42E-09	2.09E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
436	436	0.5173	9.50706E-06	4.9E-06	6.05E-04	2.98E-09	2.09E-01	4.71E-02	2.93E-11	1.0E+06	2.9E-05
437	437	0.29507	9.50706E-06	2.8E-06	6.05E-04	1.70E-09	2.09E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
438	438	0.26092	9.50706E-06	2.5E-06	6.05E-04	1.50E-09	2.09E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
439	439	0.23233	9.50706E-06	2.2E-06	6.05E-04	1.34E-09	2.09E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05
440	440	0.45686	9.50706E-06	4.3E-06	6.05E-04	2.63E-09	2.09E-01	4.71E-02	2.59E-11	1.0E+06	2.6E-05
441	441	0.34875	9.50706E-06	3.3E-06	6.05E-04	2.01E-09	2.09E-01	4.71E-02	1.98E-11	1.0E+06	2.0E-05
442	442	0.31036	9.50706E-06	3.0E-06	6.05E-04	1.79E-09	2.09E-01	4.71E-02	1.76E-11	1.0E+06	1.8E-05
443	443	0.27571	9.50706E-06	2.6E-06	6.05E-04	1.59E-09	2.09E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
444	444	0.24532	9.50706E-06	2.3E-06	6.05E-04	1.41E-09	2.09E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
445	445	0.40619	9.50706E-06	3.9E-06	6.05E-04	2.34E-09	2.09E-01	4.71E-02	2.30E-11	1.0E+06	2.3E-05
446	446	0.35146	9.50706E-06	3.3E-06	6.05E-04	2.02E-09	2.09E-01	4.71E-02	1.99E-11	1.0E+06	2.0E-05
447	447	0.31946	9.50706E-06	3.0E-06	6.05E-04	1.84E-09	2.09E-01	4.71E-02	1.81E-11	1.0E+06	1.8E-05
448	448	0.28761	9.50706E-06	2.7E-06	6.05E-04	1.65E-09	2.09E-01	4.71E-02	1.63E-11	1.0E+06	1.6E-05
449	449	0.36332	9.50706E-06	3.5E-06	6.05E-04	2.09E-09	2.09E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
450	450	0.34394	9.50706E-06	3.3E-06	6.05E-04	1.98E-09	2.09E-01	4.71E-02	1.95E-11	1.0E+06	2.0E-05
451	451	0.32009	9.50706E-06	3.0E-06	6.05E-04	1.84E-09	2.09E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
452	452	0.32677	9.50706E-06	3.1E-06	6.05E-04	1.88E-09	2.09E-01	4.71E-02	1.85E-11	1.0E+06	1.9E-05
453	453	0.31165	9.50706E-06	3.0E-06	6.05E-04	1.79E-09	2.09E-01	4.71E-02	1.77E-11	1.0E+06	1.8E-05
454	454	0.18564	9.50706E-06	1.8E-06	6.05E-04	1.07E-09	2.09E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
455	455	0.16985	9.50706E-06	1.6E-06	6.05E-04	9.77E-10	2.09E-01	4.71E-02	9.64E-12	1.0E+06	9.6E-06
456	456	0.29538	9.50706E-06	2.8E-06	6.05E-04	1.70E-09	2.09E-01	4.71E-02	1.68E-11	1.0E+06	1.7E-05
457	457	0.2835	9.50706E-06	2.7E-06	6.05E-04	1.63E-09	2.09E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
458	458	0.26774	9.50706E-06	2.5E-06	6.05E-04	1.54E-09	2.09E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
459	459	0.21146	9.50706E-06	2.0E-06	6.05E-04	1.22E-09	2.09E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
460	460	0.19351	9.50706E-06	1.8E-06	6.05E-04	1.11E-09	2.09E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
461	461	0.17676	9.50706E-06	1.7E-06	6.05E-04	1.02E-09	2.09E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
462	462	0.16167	9.50706E-06	1.5E-06	6.05E-04	9.30E-10	2.09E-01	4.71E-02	9.17E-12	1.0E+06	9.2E-06
463	463	2.93796	9.50706E-06	2.8E-05	6.05E-04	1.69E-08	2.09E-01	4.71E-02	1.67E-10	1.0E+06	1.7E-04
464	464	2.50417	9.50706E-06	2.4E-05	6.05E-04	1.44E-08	2.09E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
465	465	2.13764	9.50706E-06	2.0E-05	6.05E-04	1.23E-08	2.09E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	1.77077	9.50706E-06	1.7E-05	6.05E-04	1.02E-08	2.09E-01	4.71E-02	1.00E-10	1.0E+06	1.0E-04
467	467	1.60232	9.50706E-06	1.5E-05	6.05E-04	9.22E-09	2.09E-01	4.71E-02	9.09E-11	1.0E+06	9.1E-05
468	468	1.28246	9.50706E-06	1.2E-05	6.05E-04	7.38E-09	2.09E-01	4.71E-02	7.28E-11	1.0E+06	7.3E-05
469	469	1.04966	9.50706E-06	1.0E-05	6.05E-04	6.04E-09	2.09E-01	4.71E-02	5.95E-11	1.0E+06	6.0E-05
470	470	0.91286	9.50706E-06	8.7E-06	6.05E-04	5.25E-09	2.09E-01	4.71E-02	5.18E-11	1.0E+06	5.2E-05
471	471	0.96114	9.50706E-06	9.1E-06	6.05E-04	5.53E-09	2.09E-01	4.71E-02	5.45E-11	1.0E+06	5.5E-05
472	472	0.76401	9.50706E-06	7.3E-06	6.05E-04	4.39E-09	2.09E-01	4.71E-02	4.33E-11	1.0E+06	4.3E-05
473	473	0.73921	9.50706E-06	7.0E-06	6.05E-04	4.25E-09	2.09E-01	4.71E-02	4.19E-11	1.0E+06	4.2E-05
474	474	0.649	9.50706E-06	6.2E-06	6.05E-04	3.73E-09	2.09E-01	4.71E-02	3.68E-11	1.0E+06	3.7E-05
475	475	0.63257	9.50706E-06	6.0E-06	6.05E-04	3.64E-09	2.09E-01	4.71E-02	3.59E-11	1.0E+06	3.6E-05
476	476	0.55748	9.50706E-06	5.3E-06	6.05E-04	3.21E-09	2.09E-01	4.71E-02	3.16E-11	1.0E+06	3.2E-05
477	477	0.54706	9.50706E-06	5.2E-06	6.05E-04	3.15E-09	2.09E-01	4.71E-02	3.10E-11	1.0E+06	3.1E-05
478	478	0.48382	9.50706E-06	4.6E-06	6.05E-04	2.78E-09	2.09E-01	4.71E-02	2.74E-11	1.0E+06	2.7E-05
479	479	0.47727	9.50706E-06	4.5E-06	6.05E-04	2.75E-09	2.09E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
480	480	0.45975	9.50706E-06	4.4E-06	6.05E-04	2.64E-09	2.09E-01	4.71E-02	2.61E-11	1.0E+06	2.6E-05
481	481	0.42381	9.50706E-06	4.0E-06	6.05E-04	2.44E-09	2.09E-01	4.71E-02	2.40E-11	1.0E+06	2.4E-05
482	482	0.40744	9.50706E-06	3.9E-06	6.05E-04	2.34E-09	2.09E-01	4.71E-02	2.31E-11	1.0E+06	2.3E-05
483	483	0.37239	9.50706E-06	3.5E-06	6.05E-04	2.14E-09	2.09E-01	4.71E-02	2.11E-11	1.0E+06	2.1E-05
484	484	0.36336	9.50706E-06	3.5E-06	6.05E-04	2.09E-09	2.09E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer risk from 2 to 16 years - Haul 2									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.10907	2.60712E-05	2.8E-06	6.05E-04	1.72E-09	2.09E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
2	2	0.11331	2.60712E-05	3.0E-06	6.05E-04	1.79E-09	2.09E-01	4.71E-02	1.76E-11	1.0E+06	1.8E-05
3	3	0.11757	2.60712E-05	3.1E-06	6.05E-04	1.85E-09	2.09E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
4	4	0.12211	2.60712E-05	3.2E-06	6.05E-04	1.93E-09	2.09E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
5	5	0.12673	2.60712E-05	3.3E-06	6.05E-04	2.00E-09	2.09E-01	4.71E-02	1.97E-11	1.0E+06	2.0E-05
6	6	0.13252	2.60712E-05	3.5E-06	6.05E-04	2.09E-09	2.09E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
7	7	0.13881	2.60712E-05	3.6E-06	6.05E-04	2.19E-09	2.09E-01	4.71E-02	2.16E-11	1.0E+06	2.2E-05
8	8	0.14549	2.60712E-05	3.8E-06	6.05E-04	2.30E-09	2.09E-01	4.71E-02	2.26E-11	1.0E+06	2.3E-05
9	9	0.1527	2.60712E-05	4.0E-06	6.05E-04	2.41E-09	2.09E-01	4.71E-02	2.38E-11	1.0E+06	2.4E-05
10	10	0.16129	2.60712E-05	4.2E-06	6.05E-04	2.54E-09	2.09E-01	4.71E-02	2.51E-11	1.0E+06	2.5E-05
11	11	0.17205	2.60712E-05	4.5E-06	6.05E-04	2.71E-09	2.09E-01	4.71E-02	2.68E-11	1.0E+06	2.7E-05
12	12	0.18401	2.60712E-05	4.8E-06	6.05E-04	2.90E-09	2.09E-01	4.71E-02	2.86E-11	1.0E+06	2.9E-05
13	13	0.19777	2.60712E-05	5.2E-06	6.05E-04	3.12E-09	2.09E-01	4.71E-02	3.08E-11	1.0E+06	3.1E-05
14	14	0.3176	2.60712E-05	8.3E-06	6.05E-04	5.01E-09	2.09E-01	4.71E-02	4.94E-11	1.0E+06	4.9E-05
15	15	0.11775	2.60712E-05	3.1E-06	6.05E-04	1.86E-09	2.09E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
16	16	0.12213	2.60712E-05	3.2E-06	6.05E-04	1.93E-09	2.09E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
17	17	0.12765	2.60712E-05	3.3E-06	6.05E-04	2.01E-09	2.09E-01	4.71E-02	1.99E-11	1.0E+06	2.0E-05
18	18	0.13278	2.60712E-05	3.5E-06	6.05E-04	2.09E-09	2.09E-01	4.71E-02	2.07E-11	1.0E+06	2.1E-05
19	19	0.13808	2.60712E-05	3.6E-06	6.05E-04	2.18E-09	2.09E-01	4.71E-02	2.15E-11	1.0E+06	2.1E-05
20	20	0.14447	2.60712E-05	3.8E-06	6.05E-04	2.28E-09	2.09E-01	4.71E-02	2.25E-11	1.0E+06	2.2E-05
21	21	0.15159	2.60712E-05	4.0E-06	6.05E-04	2.39E-09	2.09E-01	4.71E-02	2.36E-11	1.0E+06	2.4E-05
22	22	0.1592	2.60712E-05	4.2E-06	6.05E-04	2.51E-09	2.09E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
23	23	0.16919	2.60712E-05	4.4E-06	6.05E-04	2.67E-09	2.09E-01	4.71E-02	2.63E-11	1.0E+06	2.6E-05
24	24	0.17887	2.60712E-05	4.7E-06	6.05E-04	2.82E-09	2.09E-01	4.71E-02	2.78E-11	1.0E+06	2.8E-05
25	25	0.19268	2.60712E-05	5.0E-06	6.05E-04	3.04E-09	2.09E-01	4.71E-02	3.00E-11	1.0E+06	3.0E-05
26	26	0.20796	2.60712E-05	5.4E-06	6.05E-04	3.28E-09	2.09E-01	4.71E-02	3.24E-11	1.0E+06	3.2E-05
27	27	0.22325	2.60712E-05	5.8E-06	6.05E-04	3.52E-09	2.09E-01	4.71E-02	3.47E-11	1.0E+06	3.5E-05
28	28	0.37998	2.60712E-05	9.9E-06	6.05E-04	5.99E-09	2.09E-01	4.71E-02	5.91E-11	1.0E+06	5.9E-05
29	29	0.12631	2.60712E-05	3.3E-06	6.05E-04	1.99E-09	2.09E-01	4.71E-02	1.96E-11	1.0E+06	2.0E-05
30	30	0.13209	2.60712E-05	3.4E-06	6.05E-04	2.08E-09	2.09E-01	4.71E-02	2.05E-11	1.0E+06	2.1E-05
31	31	0.13872	2.60712E-05	3.6E-06	6.05E-04	2.19E-09	2.09E-01	4.71E-02	2.16E-11	1.0E+06	2.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.14511	2.60712E-05	3.8E-06	6.05E-04	2.29E-09	2.09E-01	4.71E-02	2.26E-11	1.0E+06	2.3E-05
33	33	0.15024	2.60712E-05	3.9E-06	6.05E-04	2.37E-09	2.09E-01	4.71E-02	2.34E-11	1.0E+06	2.3E-05
34	34	0.15769	2.60712E-05	4.1E-06	6.05E-04	2.49E-09	2.09E-01	4.71E-02	2.45E-11	1.0E+06	2.5E-05
35	35	0.16562	2.60712E-05	4.3E-06	6.05E-04	2.61E-09	2.09E-01	4.71E-02	2.58E-11	1.0E+06	2.6E-05
36	36	0.17514	2.60712E-05	4.6E-06	6.05E-04	2.76E-09	2.09E-01	4.71E-02	2.72E-11	1.0E+06	2.7E-05
37	37	0.18653	2.60712E-05	4.9E-06	6.05E-04	2.94E-09	2.09E-01	4.71E-02	2.90E-11	1.0E+06	2.9E-05
38	38	0.19994	2.60712E-05	5.2E-06	6.05E-04	3.15E-09	2.09E-01	4.71E-02	3.11E-11	1.0E+06	3.1E-05
39	39	0.21597	2.60712E-05	5.6E-06	6.05E-04	3.41E-09	2.09E-01	4.71E-02	3.36E-11	1.0E+06	3.4E-05
40	40	0.23397	2.60712E-05	6.1E-06	6.05E-04	3.69E-09	2.09E-01	4.71E-02	3.64E-11	1.0E+06	3.6E-05
41	41	0.25393	2.60712E-05	6.6E-06	6.05E-04	4.01E-09	2.09E-01	4.71E-02	3.95E-11	1.0E+06	4.0E-05
42	42	0.46504	2.60712E-05	1.2E-05	6.05E-04	7.34E-09	2.09E-01	4.71E-02	7.23E-11	1.0E+06	7.2E-05
43	43	0.13415	2.60712E-05	3.5E-06	6.05E-04	2.12E-09	2.09E-01	4.71E-02	2.09E-11	1.0E+06	2.1E-05
44	44	0.14118	2.60712E-05	3.7E-06	6.05E-04	2.23E-09	2.09E-01	4.71E-02	2.20E-11	1.0E+06	2.2E-05
45	45	0.1484	2.60712E-05	3.9E-06	6.05E-04	2.34E-09	2.09E-01	4.71E-02	2.31E-11	1.0E+06	2.3E-05
46	46	0.15539	2.60712E-05	4.1E-06	6.05E-04	2.45E-09	2.09E-01	4.71E-02	2.42E-11	1.0E+06	2.4E-05
47	47	0.16244	2.60712E-05	4.2E-06	6.05E-04	2.56E-09	2.09E-01	4.71E-02	2.53E-11	1.0E+06	2.5E-05
48	48	0.17071	2.60712E-05	4.5E-06	6.05E-04	2.69E-09	2.09E-01	4.71E-02	2.66E-11	1.0E+06	2.7E-05
49	49	0.17953	2.60712E-05	4.7E-06	6.05E-04	2.83E-09	2.09E-01	4.71E-02	2.79E-11	1.0E+06	2.8E-05
50	50	0.18952	2.60712E-05	4.9E-06	6.05E-04	2.99E-09	2.09E-01	4.71E-02	2.95E-11	1.0E+06	2.9E-05
51	51	0.20492	2.60712E-05	5.3E-06	6.05E-04	3.23E-09	2.09E-01	4.71E-02	3.19E-11	1.0E+06	3.2E-05
52	52	0.22105	2.60712E-05	5.8E-06	6.05E-04	3.49E-09	2.09E-01	4.71E-02	3.44E-11	1.0E+06	3.4E-05
53	53	0.24135	2.60712E-05	6.3E-06	6.05E-04	3.81E-09	2.09E-01	4.71E-02	3.75E-11	1.0E+06	3.8E-05
54	54	0.26506	2.60712E-05	6.9E-06	6.05E-04	4.18E-09	2.09E-01	4.71E-02	4.12E-11	1.0E+06	4.1E-05
55	55	0.29263	2.60712E-05	7.6E-06	6.05E-04	4.62E-09	2.09E-01	4.71E-02	4.55E-11	1.0E+06	4.6E-05
56	56	0.59571	2.60712E-05	1.6E-05	6.05E-04	9.40E-09	2.09E-01	4.71E-02	9.27E-11	1.0E+06	9.3E-05
57	57	0.14098	2.60712E-05	3.7E-06	6.05E-04	2.22E-09	2.09E-01	4.71E-02	2.19E-11	1.0E+06	2.2E-05
58	58	0.14857	2.60712E-05	3.9E-06	6.05E-04	2.34E-09	2.09E-01	4.71E-02	2.31E-11	1.0E+06	2.3E-05
59	59	0.15665	2.60712E-05	4.1E-06	6.05E-04	2.47E-09	2.09E-01	4.71E-02	2.44E-11	1.0E+06	2.4E-05
60	60	0.16533	2.60712E-05	4.3E-06	6.05E-04	2.61E-09	2.09E-01	4.71E-02	2.57E-11	1.0E+06	2.6E-05
61	61	0.17444	2.60712E-05	4.5E-06	6.05E-04	2.75E-09	2.09E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
62	62	0.18432	2.60712E-05	4.8E-06	6.05E-04	2.91E-09	2.09E-01	4.71E-02	2.87E-11	1.0E+06	2.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.19684	2.60712E-05	5.1E-06	6.05E-04	3.11E-09	2.09E-01	4.71E-02	3.06E-11	1.0E+06	3.1E-05
64	64	0.20596	2.60712E-05	5.4E-06	6.05E-04	3.25E-09	2.09E-01	4.71E-02	3.20E-11	1.0E+06	3.2E-05
65	65	0.22307	2.60712E-05	5.8E-06	6.05E-04	3.52E-09	2.09E-01	4.71E-02	3.47E-11	1.0E+06	3.5E-05
66	66	0.24347	2.60712E-05	6.3E-06	6.05E-04	3.84E-09	2.09E-01	4.71E-02	3.79E-11	1.0E+06	3.8E-05
67	67	0.26617	2.60712E-05	6.9E-06	6.05E-04	4.20E-09	2.09E-01	4.71E-02	4.14E-11	1.0E+06	4.1E-05
68	68	0.29845	2.60712E-05	7.8E-06	6.05E-04	4.71E-09	2.09E-01	4.71E-02	4.64E-11	1.0E+06	4.6E-05
69	69	0.33619	2.60712E-05	8.8E-06	6.05E-04	5.30E-09	2.09E-01	4.71E-02	5.23E-11	1.0E+06	5.2E-05
70	70	0.1468	2.60712E-05	3.8E-06	6.05E-04	2.32E-09	2.09E-01	4.71E-02	2.28E-11	1.0E+06	2.3E-05
71	71	0.15519	2.60712E-05	4.0E-06	6.05E-04	2.45E-09	2.09E-01	4.71E-02	2.41E-11	1.0E+06	2.4E-05
72	72	0.16401	2.60712E-05	4.3E-06	6.05E-04	2.59E-09	2.09E-01	4.71E-02	2.55E-11	1.0E+06	2.6E-05
73	73	0.17408	2.60712E-05	4.5E-06	6.05E-04	2.75E-09	2.09E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
74	74	0.18425	2.60712E-05	4.8E-06	6.05E-04	2.91E-09	2.09E-01	4.71E-02	2.87E-11	1.0E+06	2.9E-05
75	75	0.19816	2.60712E-05	5.2E-06	6.05E-04	3.13E-09	2.09E-01	4.71E-02	3.08E-11	1.0E+06	3.1E-05
76	76	0.21229	2.60712E-05	5.5E-06	6.05E-04	3.35E-09	2.09E-01	4.71E-02	3.30E-11	1.0E+06	3.3E-05
77	77	0.22526	2.60712E-05	5.9E-06	6.05E-04	3.55E-09	2.09E-01	4.71E-02	3.50E-11	1.0E+06	3.5E-05
78	78	0.2447	2.60712E-05	6.4E-06	6.05E-04	3.86E-09	2.09E-01	4.71E-02	3.81E-11	1.0E+06	3.8E-05
79	79	0.27361	2.60712E-05	7.1E-06	6.05E-04	4.32E-09	2.09E-01	4.71E-02	4.26E-11	1.0E+06	4.3E-05
80	80	0.29848	2.60712E-05	7.8E-06	6.05E-04	4.71E-09	2.09E-01	4.71E-02	4.64E-11	1.0E+06	4.6E-05
81	81	0.339	2.60712E-05	8.8E-06	6.05E-04	5.35E-09	2.09E-01	4.71E-02	5.27E-11	1.0E+06	5.3E-05
82	82	0.38249	2.60712E-05	1.0E-05	6.05E-04	6.03E-09	2.09E-01	4.71E-02	5.95E-11	1.0E+06	6.0E-05
83	83	0.15183	2.60712E-05	4.0E-06	6.05E-04	2.40E-09	2.09E-01	4.71E-02	2.36E-11	1.0E+06	2.4E-05
84	84	0.15989	2.60712E-05	4.2E-06	6.05E-04	2.52E-09	2.09E-01	4.71E-02	2.49E-11	1.0E+06	2.5E-05
85	85	0.16788	2.60712E-05	4.4E-06	6.05E-04	2.65E-09	2.09E-01	4.71E-02	2.61E-11	1.0E+06	2.6E-05
86	86	0.18194	2.60712E-05	4.7E-06	6.05E-04	2.87E-09	2.09E-01	4.71E-02	2.83E-11	1.0E+06	2.8E-05
87	87	0.19491	2.60712E-05	5.1E-06	6.05E-04	3.07E-09	2.09E-01	4.71E-02	3.03E-11	1.0E+06	3.0E-05
88	88	0.2101	2.60712E-05	5.5E-06	6.05E-04	3.31E-09	2.09E-01	4.71E-02	3.27E-11	1.0E+06	3.3E-05
89	89	0.22727	2.60712E-05	5.9E-06	6.05E-04	3.59E-09	2.09E-01	4.71E-02	3.54E-11	1.0E+06	3.5E-05
90	90	0.24704	2.60712E-05	6.4E-06	6.05E-04	3.90E-09	2.09E-01	4.71E-02	3.84E-11	1.0E+06	3.8E-05
91	91	0.27028	2.60712E-05	7.0E-06	6.05E-04	4.26E-09	2.09E-01	4.71E-02	4.20E-11	1.0E+06	4.2E-05
92	92	0.29823	2.60712E-05	7.8E-06	6.05E-04	4.70E-09	2.09E-01	4.71E-02	4.64E-11	1.0E+06	4.6E-05
93	93	0.3319	2.60712E-05	8.7E-06	6.05E-04	5.24E-09	2.09E-01	4.71E-02	5.16E-11	1.0E+06	5.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.37378	2.60712E-05	9.7E-06	6.05E-04	5.90E-09	2.09E-01	4.71E-02	5.81E-11	1.0E+06	5.8E-05
95	95	0.42744	2.60712E-05	1.1E-05	6.05E-04	6.74E-09	2.09E-01	4.71E-02	6.65E-11	1.0E+06	6.6E-05
96	96	0.15484	2.60712E-05	4.0E-06	6.05E-04	2.44E-09	2.09E-01	4.71E-02	2.41E-11	1.0E+06	2.4E-05
97	97	0.16136	2.60712E-05	4.2E-06	6.05E-04	2.55E-09	2.09E-01	4.71E-02	2.51E-11	1.0E+06	2.5E-05
98	98	0.17049	2.60712E-05	4.4E-06	6.05E-04	2.69E-09	2.09E-01	4.71E-02	2.65E-11	1.0E+06	2.7E-05
99	99	0.18446	2.60712E-05	4.8E-06	6.05E-04	2.91E-09	2.09E-01	4.71E-02	2.87E-11	1.0E+06	2.9E-05
100	100	0.20234	2.60712E-05	5.3E-06	6.05E-04	3.19E-09	2.09E-01	4.71E-02	3.15E-11	1.0E+06	3.1E-05
101	101	0.21902	2.60712E-05	5.7E-06	6.05E-04	3.46E-09	2.09E-01	4.71E-02	3.41E-11	1.0E+06	3.4E-05
102	102	0.23799	2.60712E-05	6.2E-06	6.05E-04	3.75E-09	2.09E-01	4.71E-02	3.70E-11	1.0E+06	3.7E-05
103	103	0.26041	2.60712E-05	6.8E-06	6.05E-04	4.11E-09	2.09E-01	4.71E-02	4.05E-11	1.0E+06	4.1E-05
104	104	0.28623	2.60712E-05	7.5E-06	6.05E-04	4.52E-09	2.09E-01	4.71E-02	4.45E-11	1.0E+06	4.5E-05
105	105	0.31686	2.60712E-05	8.3E-06	6.05E-04	5.00E-09	2.09E-01	4.71E-02	4.93E-11	1.0E+06	4.9E-05
106	106	0.35531	2.60712E-05	9.3E-06	6.05E-04	5.60E-09	2.09E-01	4.71E-02	5.53E-11	1.0E+06	5.5E-05
107	107	0.4035	2.60712E-05	1.1E-05	6.05E-04	6.37E-09	2.09E-01	4.71E-02	6.28E-11	1.0E+06	6.3E-05
108	108	0.46556	2.60712E-05	1.2E-05	6.05E-04	7.34E-09	2.09E-01	4.71E-02	7.24E-11	1.0E+06	7.2E-05
109	109	0.15515	2.60712E-05	4.0E-06	6.05E-04	2.45E-09	2.09E-01	4.71E-02	2.41E-11	1.0E+06	2.4E-05
110	110	0.1661	2.60712E-05	4.3E-06	6.05E-04	2.62E-09	2.09E-01	4.71E-02	2.58E-11	1.0E+06	2.6E-05
111	111	0.17849	2.60712E-05	4.7E-06	6.05E-04	2.82E-09	2.09E-01	4.71E-02	2.78E-11	1.0E+06	2.8E-05
112	112	0.19242	2.60712E-05	5.0E-06	6.05E-04	3.04E-09	2.09E-01	4.71E-02	2.99E-11	1.0E+06	3.0E-05
113	113	0.20811	2.60712E-05	5.4E-06	6.05E-04	3.28E-09	2.09E-01	4.71E-02	3.24E-11	1.0E+06	3.2E-05
114	114	0.22578	2.60712E-05	5.9E-06	6.05E-04	3.56E-09	2.09E-01	4.71E-02	3.51E-11	1.0E+06	3.5E-05
115	115	0.24565	2.60712E-05	6.4E-06	6.05E-04	3.88E-09	2.09E-01	4.71E-02	3.82E-11	1.0E+06	3.8E-05
116	116	0.26961	2.60712E-05	7.0E-06	6.05E-04	4.25E-09	2.09E-01	4.71E-02	4.19E-11	1.0E+06	4.2E-05
117	117	0.29898	2.60712E-05	7.8E-06	6.05E-04	4.72E-09	2.09E-01	4.71E-02	4.65E-11	1.0E+06	4.7E-05
118	118	0.33106	2.60712E-05	8.6E-06	6.05E-04	5.22E-09	2.09E-01	4.71E-02	5.15E-11	1.0E+06	5.2E-05
119	119	0.37314	2.60712E-05	9.7E-06	6.05E-04	5.89E-09	2.09E-01	4.71E-02	5.80E-11	1.0E+06	5.8E-05
120	120	0.42493	2.60712E-05	1.1E-05	6.05E-04	6.70E-09	2.09E-01	4.71E-02	6.61E-11	1.0E+06	6.6E-05
121	121	0.49048	2.60712E-05	1.3E-05	6.05E-04	7.74E-09	2.09E-01	4.71E-02	7.63E-11	1.0E+06	7.6E-05
122	122	0.15529	2.60712E-05	4.0E-06	6.05E-04	2.45E-09	2.09E-01	4.71E-02	2.42E-11	1.0E+06	2.4E-05
123	123	0.16731	2.60712E-05	4.4E-06	6.05E-04	2.64E-09	2.09E-01	4.71E-02	2.60E-11	1.0E+06	2.6E-05
124	124	0.18198	2.60712E-05	4.7E-06	6.05E-04	2.87E-09	2.09E-01	4.71E-02	2.83E-11	1.0E+06	2.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19676	2.60712E-05	5.1E-06	6.05E-04	3.10E-09	2.09E-01	4.71E-02	3.06E-11	1.0E+06	3.1E-05
126	126	0.21245	2.60712E-05	5.5E-06	6.05E-04	3.35E-09	2.09E-01	4.71E-02	3.31E-11	1.0E+06	3.3E-05
127	127	0.22921	2.60712E-05	6.0E-06	6.05E-04	3.62E-09	2.09E-01	4.71E-02	3.57E-11	1.0E+06	3.6E-05
128	128	0.2399	2.60712E-05	6.3E-06	6.05E-04	3.78E-09	2.09E-01	4.71E-02	3.73E-11	1.0E+06	3.7E-05
129	129	0.26327	2.60712E-05	6.9E-06	6.05E-04	4.15E-09	2.09E-01	4.71E-02	4.10E-11	1.0E+06	4.1E-05
130	130	0.29955	2.60712E-05	7.8E-06	6.05E-04	4.73E-09	2.09E-01	4.71E-02	4.66E-11	1.0E+06	4.7E-05
131	131	4.64477	2.60712E-05	1.2E-04	6.05E-04	7.33E-08	2.09E-01	4.71E-02	7.23E-10	1.0E+06	7.2E-04
132	132	7.23198	2.60712E-05	1.9E-04	6.05E-04	1.14E-07	2.09E-01	4.71E-02	1.13E-09	1.0E+06	1.1E-03
133	133	0.1536	2.60712E-05	4.0E-06	6.05E-04	2.42E-09	2.09E-01	4.71E-02	2.39E-11	1.0E+06	2.4E-05
134	134	0.16825	2.60712E-05	4.4E-06	6.05E-04	2.65E-09	2.09E-01	4.71E-02	2.62E-11	1.0E+06	2.6E-05
135	135	0.18352	2.60712E-05	4.8E-06	6.05E-04	2.90E-09	2.09E-01	4.71E-02	2.85E-11	1.0E+06	2.9E-05
136	136	0.1989	2.60712E-05	5.2E-06	6.05E-04	3.14E-09	2.09E-01	4.71E-02	3.09E-11	1.0E+06	3.1E-05
137	137	0.21561	2.60712E-05	5.6E-06	6.05E-04	3.40E-09	2.09E-01	4.71E-02	3.35E-11	1.0E+06	3.4E-05
138	138	0.23199	2.60712E-05	6.0E-06	6.05E-04	3.66E-09	2.09E-01	4.71E-02	3.61E-11	1.0E+06	3.6E-05
139	139	0.24715	2.60712E-05	6.4E-06	6.05E-04	3.90E-09	2.09E-01	4.71E-02	3.84E-11	1.0E+06	3.8E-05
140	140	0.27389	2.60712E-05	7.1E-06	6.05E-04	4.32E-09	2.09E-01	4.71E-02	4.26E-11	1.0E+06	4.3E-05
141	141	0.30427	2.60712E-05	7.9E-06	6.05E-04	4.80E-09	2.09E-01	4.71E-02	4.73E-11	1.0E+06	4.7E-05
142	142	0.33924	2.60712E-05	8.8E-06	6.05E-04	5.35E-09	2.09E-01	4.71E-02	5.28E-11	1.0E+06	5.3E-05
143	143	0.38655	2.60712E-05	1.0E-05	6.05E-04	6.10E-09	2.09E-01	4.71E-02	6.01E-11	1.0E+06	6.0E-05
144	144	0.45309	2.60712E-05	1.2E-05	6.05E-04	7.15E-09	2.09E-01	4.71E-02	7.05E-11	1.0E+06	7.0E-05
145	145	0.53163	2.60712E-05	1.4E-05	6.05E-04	8.39E-09	2.09E-01	4.71E-02	8.27E-11	1.0E+06	8.3E-05
146	146	3.90425	2.60712E-05	1.0E-04	6.05E-04	6.16E-08	2.09E-01	4.71E-02	6.07E-10	1.0E+06	6.1E-04
147	147	0.15157	2.60712E-05	4.0E-06	6.05E-04	2.39E-09	2.09E-01	4.71E-02	2.36E-11	1.0E+06	2.4E-05
148	148	0.16583	2.60712E-05	4.3E-06	6.05E-04	2.62E-09	2.09E-01	4.71E-02	2.58E-11	1.0E+06	2.6E-05
149	149	0.18192	2.60712E-05	4.7E-06	6.05E-04	2.87E-09	2.09E-01	4.71E-02	2.83E-11	1.0E+06	2.8E-05
150	150	0.19816	2.60712E-05	5.2E-06	6.05E-04	3.13E-09	2.09E-01	4.71E-02	3.08E-11	1.0E+06	3.1E-05
151	151	0.21712	2.60712E-05	5.7E-06	6.05E-04	3.43E-09	2.09E-01	4.71E-02	3.38E-11	1.0E+06	3.4E-05
152	152	0.23435	2.60712E-05	6.1E-06	6.05E-04	3.70E-09	2.09E-01	4.71E-02	3.65E-11	1.0E+06	3.6E-05
153	153	0.25349	2.60712E-05	6.6E-06	6.05E-04	4.00E-09	2.09E-01	4.71E-02	3.94E-11	1.0E+06	3.9E-05
154	154	0.27862	2.60712E-05	7.3E-06	6.05E-04	4.40E-09	2.09E-01	4.71E-02	4.33E-11	1.0E+06	4.3E-05
155	155	0.31029	2.60712E-05	8.1E-06	6.05E-04	4.89E-09	2.09E-01	4.71E-02	4.83E-11	1.0E+06	4.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.34715	2.60712E-05	9.1E-06	6.05E-04	5.48E-09	2.09E-01	4.71E-02	5.40E-11	1.0E+06	5.4E-05
157	157	0.39008	2.60712E-05	1.0E-05	6.05E-04	6.15E-09	2.09E-01	4.71E-02	6.07E-11	1.0E+06	6.1E-05
158	158	0.44191	2.60712E-05	1.2E-05	6.05E-04	6.97E-09	2.09E-01	4.71E-02	6.87E-11	1.0E+06	6.9E-05
159	159	0.53795	2.60712E-05	1.4E-05	6.05E-04	8.49E-09	2.09E-01	4.71E-02	8.37E-11	1.0E+06	8.4E-05
160	160	0.15131	2.60712E-05	3.9E-06	6.05E-04	2.39E-09	2.09E-01	4.71E-02	2.35E-11	1.0E+06	2.4E-05
161	161	0.16342	2.60712E-05	4.3E-06	6.05E-04	2.58E-09	2.09E-01	4.71E-02	2.54E-11	1.0E+06	2.5E-05
162	162	0.17499	2.60712E-05	4.6E-06	6.05E-04	2.76E-09	2.09E-01	4.71E-02	2.72E-11	1.0E+06	2.7E-05
163	163	0.19409	2.60712E-05	5.1E-06	6.05E-04	3.06E-09	2.09E-01	4.71E-02	3.02E-11	1.0E+06	3.0E-05
164	164	0.2169	2.60712E-05	5.7E-06	6.05E-04	3.42E-09	2.09E-01	4.71E-02	3.37E-11	1.0E+06	3.4E-05
165	165	0.23636	2.60712E-05	6.2E-06	6.05E-04	3.73E-09	2.09E-01	4.71E-02	3.68E-11	1.0E+06	3.7E-05
166	166	0.25955	2.60712E-05	6.8E-06	6.05E-04	4.09E-09	2.09E-01	4.71E-02	4.04E-11	1.0E+06	4.0E-05
167	167	0.28636	2.60712E-05	7.5E-06	6.05E-04	4.52E-09	2.09E-01	4.71E-02	4.45E-11	1.0E+06	4.5E-05
168	168	0.31836	2.60712E-05	8.3E-06	6.05E-04	5.02E-09	2.09E-01	4.71E-02	4.95E-11	1.0E+06	5.0E-05
169	169	0.35642	2.60712E-05	9.3E-06	6.05E-04	5.62E-09	2.09E-01	4.71E-02	5.54E-11	1.0E+06	5.5E-05
170	170	0.40125	2.60712E-05	1.0E-05	6.05E-04	6.33E-09	2.09E-01	4.71E-02	6.24E-11	1.0E+06	6.2E-05
171	171	0.45637	2.60712E-05	1.2E-05	6.05E-04	7.20E-09	2.09E-01	4.71E-02	7.10E-11	1.0E+06	7.1E-05
172	172	0.53911	2.60712E-05	1.4E-05	6.05E-04	8.50E-09	2.09E-01	4.71E-02	8.39E-11	1.0E+06	8.4E-05
173	173	0.66064	2.60712E-05	1.7E-05	6.05E-04	1.04E-08	2.09E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
174	174	0.84766	2.60712E-05	2.2E-05	6.05E-04	1.34E-08	2.09E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
175	175	1.11593	2.60712E-05	2.9E-05	6.05E-04	1.76E-08	2.09E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
176	176	1.50994	2.60712E-05	3.9E-05	6.05E-04	2.38E-08	2.09E-01	4.71E-02	2.35E-10	1.0E+06	2.3E-04
177	177	2.27498	2.60712E-05	5.9E-05	6.05E-04	3.59E-08	2.09E-01	4.71E-02	3.54E-10	1.0E+06	3.5E-04
178	178	3.9651	2.60712E-05	1.0E-04	6.05E-04	6.25E-08	2.09E-01	4.71E-02	6.17E-10	1.0E+06	6.2E-04
179	179	0.14651	2.60712E-05	3.8E-06	6.05E-04	2.31E-09	2.09E-01	4.71E-02	2.28E-11	1.0E+06	2.3E-05
180	180	0.15736	2.60712E-05	4.1E-06	6.05E-04	2.48E-09	2.09E-01	4.71E-02	2.45E-11	1.0E+06	2.4E-05
181	181	0.16703	2.60712E-05	4.4E-06	6.05E-04	2.63E-09	2.09E-01	4.71E-02	2.60E-11	1.0E+06	2.6E-05
182	182	0.18924	2.60712E-05	4.9E-06	6.05E-04	2.99E-09	2.09E-01	4.71E-02	2.94E-11	1.0E+06	2.9E-05
183	183	0.21768	2.60712E-05	5.7E-06	6.05E-04	3.43E-09	2.09E-01	4.71E-02	3.39E-11	1.0E+06	3.4E-05
184	184	0.23959	2.60712E-05	6.2E-06	6.05E-04	3.78E-09	2.09E-01	4.71E-02	3.73E-11	1.0E+06	3.7E-05
185	185	0.26584	2.60712E-05	6.9E-06	6.05E-04	4.19E-09	2.09E-01	4.71E-02	4.14E-11	1.0E+06	4.1E-05
186	186	0.29461	2.60712E-05	7.7E-06	6.05E-04	4.65E-09	2.09E-01	4.71E-02	4.58E-11	1.0E+06	4.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.32693	2.60712E-05	8.5E-06	6.05E-04	5.16E-09	2.09E-01	4.71E-02	5.09E-11	1.0E+06	5.1E-05
188	188	0.36632	2.60712E-05	9.6E-06	6.05E-04	5.78E-09	2.09E-01	4.71E-02	5.70E-11	1.0E+06	5.7E-05
189	189	0.41167	2.60712E-05	1.1E-05	6.05E-04	6.49E-09	2.09E-01	4.71E-02	6.40E-11	1.0E+06	6.4E-05
190	190	0.4687	2.60712E-05	1.2E-05	6.05E-04	7.39E-09	2.09E-01	4.71E-02	7.29E-11	1.0E+06	7.3E-05
191	191	0.53962	2.60712E-05	1.4E-05	6.05E-04	8.51E-09	2.09E-01	4.71E-02	8.39E-11	1.0E+06	8.4E-05
192	192	0.64447	2.60712E-05	1.7E-05	6.05E-04	1.02E-08	2.09E-01	4.71E-02	1.00E-10	1.0E+06	1.0E-04
193	193	0.79322	2.60712E-05	2.1E-05	6.05E-04	1.25E-08	2.09E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
194	194	1.0491	2.60712E-05	2.7E-05	6.05E-04	1.65E-08	2.09E-01	4.71E-02	1.63E-10	1.0E+06	1.6E-04
195	195	1.51253	2.60712E-05	3.9E-05	6.05E-04	2.39E-08	2.09E-01	4.71E-02	2.35E-10	1.0E+06	2.4E-04
196	196	2.28444	2.60712E-05	6.0E-05	6.05E-04	3.60E-08	2.09E-01	4.71E-02	3.55E-10	1.0E+06	3.6E-04
197	197	3.9425	2.60712E-05	1.0E-04	6.05E-04	6.22E-08	2.09E-01	4.71E-02	6.13E-10	1.0E+06	6.1E-04
198	198	0.14432	2.60712E-05	3.8E-06	6.05E-04	2.28E-09	2.09E-01	4.71E-02	2.25E-11	1.0E+06	2.2E-05
199	199	0.15606	2.60712E-05	4.1E-06	6.05E-04	2.46E-09	2.09E-01	4.71E-02	2.43E-11	1.0E+06	2.4E-05
200	200	0.16904	2.60712E-05	4.4E-06	6.05E-04	2.67E-09	2.09E-01	4.71E-02	2.63E-11	1.0E+06	2.6E-05
201	201	0.18686	2.60712E-05	4.9E-06	6.05E-04	2.95E-09	2.09E-01	4.71E-02	2.91E-11	1.0E+06	2.9E-05
202	202	0.21584	2.60712E-05	5.6E-06	6.05E-04	3.40E-09	2.09E-01	4.71E-02	3.36E-11	1.0E+06	3.4E-05
203	203	0.24124	2.60712E-05	6.3E-06	6.05E-04	3.81E-09	2.09E-01	4.71E-02	3.75E-11	1.0E+06	3.8E-05
204	204	0.27014	2.60712E-05	7.0E-06	6.05E-04	4.26E-09	2.09E-01	4.71E-02	4.20E-11	1.0E+06	4.2E-05
205	205	0.30085	2.60712E-05	7.8E-06	6.05E-04	4.75E-09	2.09E-01	4.71E-02	4.68E-11	1.0E+06	4.7E-05
206	206	0.33535	2.60712E-05	8.7E-06	6.05E-04	5.29E-09	2.09E-01	4.71E-02	5.22E-11	1.0E+06	5.2E-05
207	207	0.37577	2.60712E-05	9.8E-06	6.05E-04	5.93E-09	2.09E-01	4.71E-02	5.85E-11	1.0E+06	5.8E-05
208	208	0.4227	2.60712E-05	1.1E-05	6.05E-04	6.67E-09	2.09E-01	4.71E-02	6.58E-11	1.0E+06	6.6E-05
209	209	0.48049	2.60712E-05	1.3E-05	6.05E-04	7.58E-09	2.09E-01	4.71E-02	7.47E-11	1.0E+06	7.5E-05
210	210	0.55223	2.60712E-05	1.4E-05	6.05E-04	8.71E-09	2.09E-01	4.71E-02	8.59E-11	1.0E+06	8.6E-05
211	211	0.64704	2.60712E-05	1.7E-05	6.05E-04	1.02E-08	2.09E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
212	212	0.77299	2.60712E-05	2.0E-05	6.05E-04	1.22E-08	2.09E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
213	213	0.94957	2.60712E-05	2.5E-05	6.05E-04	1.50E-08	2.09E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
214	214	1.21223	2.60712E-05	3.2E-05	6.05E-04	1.91E-08	2.09E-01	4.71E-02	1.89E-10	1.0E+06	1.9E-04
215	215	2.11964	2.60712E-05	5.5E-05	6.05E-04	3.34E-08	2.09E-01	4.71E-02	3.30E-10	1.0E+06	3.3E-04
216	216	0.14399	2.60712E-05	3.8E-06	6.05E-04	2.27E-09	2.09E-01	4.71E-02	2.24E-11	1.0E+06	2.2E-05
217	217	0.15528	2.60712E-05	4.0E-06	6.05E-04	2.45E-09	2.09E-01	4.71E-02	2.42E-11	1.0E+06	2.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1693	2.60712E-05	4.4E-06	6.05E-04	2.67E-09	2.09E-01	4.71E-02	2.63E-11	1.0E+06	2.6E-05
219	219	0.18671	2.60712E-05	4.9E-06	6.05E-04	2.95E-09	2.09E-01	4.71E-02	2.90E-11	1.0E+06	2.9E-05
220	220	0.21373	2.60712E-05	5.6E-06	6.05E-04	3.37E-09	2.09E-01	4.71E-02	3.32E-11	1.0E+06	3.3E-05
221	221	0.23853	2.60712E-05	6.2E-06	6.05E-04	3.76E-09	2.09E-01	4.71E-02	3.71E-11	1.0E+06	3.7E-05
222	222	0.26948	2.60712E-05	7.0E-06	6.05E-04	4.25E-09	2.09E-01	4.71E-02	4.19E-11	1.0E+06	4.2E-05
223	223	0.30196	2.60712E-05	7.9E-06	6.05E-04	4.76E-09	2.09E-01	4.71E-02	4.70E-11	1.0E+06	4.7E-05
224	224	0.33813	2.60712E-05	8.8E-06	6.05E-04	5.33E-09	2.09E-01	4.71E-02	5.26E-11	1.0E+06	5.3E-05
225	225	0.37835	2.60712E-05	9.9E-06	6.05E-04	5.97E-09	2.09E-01	4.71E-02	5.89E-11	1.0E+06	5.9E-05
226	226	0.42817	2.60712E-05	1.1E-05	6.05E-04	6.75E-09	2.09E-01	4.71E-02	6.66E-11	1.0E+06	6.7E-05
227	227	0.48658	2.60712E-05	1.3E-05	6.05E-04	7.68E-09	2.09E-01	4.71E-02	7.57E-11	1.0E+06	7.6E-05
228	228	0.55888	2.60712E-05	1.5E-05	6.05E-04	8.82E-09	2.09E-01	4.71E-02	8.69E-11	1.0E+06	8.7E-05
229	229	0.65382	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.09E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
230	230	0.7771	2.60712E-05	2.0E-05	6.05E-04	1.23E-08	2.09E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
231	231	0.95764	2.60712E-05	2.5E-05	6.05E-04	1.51E-08	2.09E-01	4.71E-02	1.49E-10	1.0E+06	1.5E-04
232	232	1.23827	2.60712E-05	3.2E-05	6.05E-04	1.95E-08	2.09E-01	4.71E-02	1.93E-10	1.0E+06	1.9E-04
233	233	2.02801	2.60712E-05	5.3E-05	6.05E-04	3.20E-08	2.09E-01	4.71E-02	3.15E-10	1.0E+06	3.2E-04
234	234	0.14351	2.60712E-05	3.7E-06	6.05E-04	2.26E-09	2.09E-01	4.71E-02	2.23E-11	1.0E+06	2.2E-05
235	235	0.15435	2.60712E-05	4.0E-06	6.05E-04	2.43E-09	2.09E-01	4.71E-02	2.40E-11	1.0E+06	2.4E-05
236	236	0.16873	2.60712E-05	4.4E-06	6.05E-04	2.66E-09	2.09E-01	4.71E-02	2.62E-11	1.0E+06	2.6E-05
237	237	0.18739	2.60712E-05	4.9E-06	6.05E-04	2.96E-09	2.09E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
238	238	0.21115	2.60712E-05	5.5E-06	6.05E-04	3.33E-09	2.09E-01	4.71E-02	3.28E-11	1.0E+06	3.3E-05
239	239	0.23595	2.60712E-05	6.2E-06	6.05E-04	3.72E-09	2.09E-01	4.71E-02	3.67E-11	1.0E+06	3.7E-05
240	240	0.26574	2.60712E-05	6.9E-06	6.05E-04	4.19E-09	2.09E-01	4.71E-02	4.13E-11	1.0E+06	4.1E-05
241	241	0.29898	2.60712E-05	7.8E-06	6.05E-04	4.72E-09	2.09E-01	4.71E-02	4.65E-11	1.0E+06	4.7E-05
242	242	0.33653	2.60712E-05	8.8E-06	6.05E-04	5.31E-09	2.09E-01	4.71E-02	5.24E-11	1.0E+06	5.2E-05
243	243	0.37898	2.60712E-05	9.9E-06	6.05E-04	5.98E-09	2.09E-01	4.71E-02	5.90E-11	1.0E+06	5.9E-05
244	244	0.43168	2.60712E-05	1.1E-05	6.05E-04	6.81E-09	2.09E-01	4.71E-02	6.72E-11	1.0E+06	6.7E-05
245	245	0.4946	2.60712E-05	1.3E-05	6.05E-04	7.80E-09	2.09E-01	4.71E-02	7.69E-11	1.0E+06	7.7E-05
246	246	0.57205	2.60712E-05	1.5E-05	6.05E-04	9.02E-09	2.09E-01	4.71E-02	8.90E-11	1.0E+06	8.9E-05
247	247	0.67036	2.60712E-05	1.7E-05	6.05E-04	1.06E-08	2.09E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
248	248	0.80212	2.60712E-05	2.1E-05	6.05E-04	1.27E-08	2.09E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.9884	2.60712E-05	2.6E-05	6.05E-04	1.56E-08	2.09E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
250	250	1.29042	2.60712E-05	3.4E-05	6.05E-04	2.04E-08	2.09E-01	4.71E-02	2.01E-10	1.0E+06	2.0E-04
251	251	2.0743	2.60712E-05	5.4E-05	6.05E-04	3.27E-08	2.09E-01	4.71E-02	3.23E-10	1.0E+06	3.2E-04
252	252	0.14117	2.60712E-05	3.7E-06	6.05E-04	2.23E-09	2.09E-01	4.71E-02	2.20E-11	1.0E+06	2.2E-05
253	253	0.15149	2.60712E-05	3.9E-06	6.05E-04	2.39E-09	2.09E-01	4.71E-02	2.36E-11	1.0E+06	2.4E-05
254	254	0.16477	2.60712E-05	4.3E-06	6.05E-04	2.60E-09	2.09E-01	4.71E-02	2.56E-11	1.0E+06	2.6E-05
255	255	0.18112	2.60712E-05	4.7E-06	6.05E-04	2.86E-09	2.09E-01	4.71E-02	2.82E-11	1.0E+06	2.8E-05
256	256	0.20786	2.60712E-05	5.4E-06	6.05E-04	3.28E-09	2.09E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
257	257	0.22647	2.60712E-05	5.9E-06	6.05E-04	3.57E-09	2.09E-01	4.71E-02	3.52E-11	1.0E+06	3.5E-05
258	258	0.25169	2.60712E-05	6.6E-06	6.05E-04	3.97E-09	2.09E-01	4.71E-02	3.92E-11	1.0E+06	3.9E-05
259	259	0.28083	2.60712E-05	7.3E-06	6.05E-04	4.43E-09	2.09E-01	4.71E-02	4.37E-11	1.0E+06	4.4E-05
260	260	0.32106	2.60712E-05	8.4E-06	6.05E-04	5.06E-09	2.09E-01	4.71E-02	4.99E-11	1.0E+06	5.0E-05
261	261	0.37151	2.60712E-05	9.7E-06	6.05E-04	5.86E-09	2.09E-01	4.71E-02	5.78E-11	1.0E+06	5.8E-05
262	262	0.42968	2.60712E-05	1.1E-05	6.05E-04	6.78E-09	2.09E-01	4.71E-02	6.68E-11	1.0E+06	6.7E-05
263	263	0.49386	2.60712E-05	1.3E-05	6.05E-04	7.79E-09	2.09E-01	4.71E-02	7.68E-11	1.0E+06	7.7E-05
264	264	0.57735	2.60712E-05	1.5E-05	6.05E-04	9.11E-09	2.09E-01	4.71E-02	8.98E-11	1.0E+06	9.0E-05
265	265	0.67898	2.60712E-05	1.8E-05	6.05E-04	1.07E-08	2.09E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
266	266	0.81732	2.60712E-05	2.1E-05	6.05E-04	1.29E-08	2.09E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
267	267	1.01071	2.60712E-05	2.6E-05	6.05E-04	1.59E-08	2.09E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
268	268	1.31614	2.60712E-05	3.4E-05	6.05E-04	2.08E-08	2.09E-01	4.71E-02	2.05E-10	1.0E+06	2.0E-04
269	269	2.08317	2.60712E-05	5.4E-05	6.05E-04	3.29E-08	2.09E-01	4.71E-02	3.24E-10	1.0E+06	3.2E-04
270	270	0.13796	2.60712E-05	3.6E-06	6.05E-04	2.18E-09	2.09E-01	4.71E-02	2.15E-11	1.0E+06	2.1E-05
271	271	0.14885	2.60712E-05	3.9E-06	6.05E-04	2.35E-09	2.09E-01	4.71E-02	2.32E-11	1.0E+06	2.3E-05
272	272	0.16215	2.60712E-05	4.2E-06	6.05E-04	2.56E-09	2.09E-01	4.71E-02	2.52E-11	1.0E+06	2.5E-05
273	273	0.17748	2.60712E-05	4.6E-06	6.05E-04	2.80E-09	2.09E-01	4.71E-02	2.76E-11	1.0E+06	2.8E-05
274	274	0.20595	2.60712E-05	5.4E-06	6.05E-04	3.25E-09	2.09E-01	4.71E-02	3.20E-11	1.0E+06	3.2E-05
275	275	0.23171	2.60712E-05	6.0E-06	6.05E-04	3.66E-09	2.09E-01	4.71E-02	3.60E-11	1.0E+06	3.6E-05
276	276	0.24452	2.60712E-05	6.4E-06	6.05E-04	3.86E-09	2.09E-01	4.71E-02	3.80E-11	1.0E+06	3.8E-05
277	277	0.27214	2.60712E-05	7.1E-06	6.05E-04	4.29E-09	2.09E-01	4.71E-02	4.23E-11	1.0E+06	4.2E-05
278	278	0.30777	2.60712E-05	8.0E-06	6.05E-04	4.86E-09	2.09E-01	4.71E-02	4.79E-11	1.0E+06	4.8E-05
279	279	0.3534	2.60712E-05	9.2E-06	6.05E-04	5.57E-09	2.09E-01	4.71E-02	5.50E-11	1.0E+06	5.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.41691	2.60712E-05	1.1E-05	6.05E-04	6.58E-09	2.09E-01	4.71E-02	6.49E-11	1.0E+06	6.5E-05
281	281	0.49189	2.60712E-05	1.3E-05	6.05E-04	7.76E-09	2.09E-01	4.71E-02	7.65E-11	1.0E+06	7.7E-05
282	282	0.58198	2.60712E-05	1.5E-05	6.05E-04	9.18E-09	2.09E-01	4.71E-02	9.05E-11	1.0E+06	9.1E-05
283	283	0.69411	2.60712E-05	1.8E-05	6.05E-04	1.09E-08	2.09E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
284	284	0.84386	2.60712E-05	2.2E-05	6.05E-04	1.33E-08	2.09E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
285	285	1.0491	2.60712E-05	2.7E-05	6.05E-04	1.65E-08	2.09E-01	4.71E-02	1.63E-10	1.0E+06	1.6E-04
286	286	1.381	2.60712E-05	3.6E-05	6.05E-04	2.18E-08	2.09E-01	4.71E-02	2.15E-10	1.0E+06	2.1E-04
287	287	2.19837	2.60712E-05	5.7E-05	6.05E-04	3.47E-08	2.09E-01	4.71E-02	3.42E-10	1.0E+06	3.4E-04
288	288	0.13498	2.60712E-05	3.5E-06	6.05E-04	2.13E-09	2.09E-01	4.71E-02	2.10E-11	1.0E+06	2.1E-05
289	289	0.14494	2.60712E-05	3.8E-06	6.05E-04	2.29E-09	2.09E-01	4.71E-02	2.25E-11	1.0E+06	2.3E-05
290	290	0.16108	2.60712E-05	4.2E-06	6.05E-04	2.54E-09	2.09E-01	4.71E-02	2.51E-11	1.0E+06	2.5E-05
291	291	0.17802	2.60712E-05	4.6E-06	6.05E-04	2.81E-09	2.09E-01	4.71E-02	2.77E-11	1.0E+06	2.8E-05
292	292	0.2145	2.60712E-05	5.6E-06	6.05E-04	3.38E-09	2.09E-01	4.71E-02	3.34E-11	1.0E+06	3.3E-05
293	293	0.23184	2.60712E-05	6.0E-06	6.05E-04	3.66E-09	2.09E-01	4.71E-02	3.61E-11	1.0E+06	3.6E-05
294	294	0.23766	2.60712E-05	6.2E-06	6.05E-04	3.75E-09	2.09E-01	4.71E-02	3.70E-11	1.0E+06	3.7E-05
295	295	0.26679	2.60712E-05	7.0E-06	6.05E-04	4.21E-09	2.09E-01	4.71E-02	4.15E-11	1.0E+06	4.2E-05
296	296	0.30316	2.60712E-05	7.9E-06	6.05E-04	4.78E-09	2.09E-01	4.71E-02	4.72E-11	1.0E+06	4.7E-05
297	297	0.34315	2.60712E-05	8.9E-06	6.05E-04	5.41E-09	2.09E-01	4.71E-02	5.34E-11	1.0E+06	5.3E-05
298	298	0.40005	2.60712E-05	1.0E-05	6.05E-04	6.31E-09	2.09E-01	4.71E-02	6.22E-11	1.0E+06	6.2E-05
299	299	0.48249	2.60712E-05	1.3E-05	6.05E-04	7.61E-09	2.09E-01	4.71E-02	7.51E-11	1.0E+06	7.5E-05
300	300	0.57453	2.60712E-05	1.5E-05	6.05E-04	9.06E-09	2.09E-01	4.71E-02	8.94E-11	1.0E+06	8.9E-05
301	301	0.70316	2.60712E-05	1.8E-05	6.05E-04	1.11E-08	2.09E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
302	302	0.8741	2.60712E-05	2.3E-05	6.05E-04	1.38E-08	2.09E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
303	303	1.12099	2.60712E-05	2.9E-05	6.05E-04	1.77E-08	2.09E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
304	304	1.50996	2.60712E-05	3.9E-05	6.05E-04	2.38E-08	2.09E-01	4.71E-02	2.35E-10	1.0E+06	2.3E-04
305	305	2.47865	2.60712E-05	6.5E-05	6.05E-04	3.91E-08	2.09E-01	4.71E-02	3.86E-10	1.0E+06	3.9E-04
306	306	0.1386	2.60712E-05	3.6E-06	6.05E-04	2.19E-09	2.09E-01	4.71E-02	2.16E-11	1.0E+06	2.2E-05
307	307	0.14532	2.60712E-05	3.8E-06	6.05E-04	2.29E-09	2.09E-01	4.71E-02	2.26E-11	1.0E+06	2.3E-05
308	308	0.15788	2.60712E-05	4.1E-06	6.05E-04	2.49E-09	2.09E-01	4.71E-02	2.46E-11	1.0E+06	2.5E-05
309	309	0.18403	2.60712E-05	4.8E-06	6.05E-04	2.90E-09	2.09E-01	4.71E-02	2.86E-11	1.0E+06	2.9E-05
310	310	0.21083	2.60712E-05	5.5E-06	6.05E-04	3.33E-09	2.09E-01	4.71E-02	3.28E-11	1.0E+06	3.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.22724	2.60712E-05	5.9E-06	6.05E-04	3.58E-09	2.09E-01	4.71E-02	3.54E-11	1.0E+06	3.5E-05
312	312	0.2291	2.60712E-05	6.0E-06	6.05E-04	3.61E-09	2.09E-01	4.71E-02	3.56E-11	1.0E+06	3.6E-05
313	313	0.25752	2.60712E-05	6.7E-06	6.05E-04	4.06E-09	2.09E-01	4.71E-02	4.01E-11	1.0E+06	4.0E-05
314	314	0.2934	2.60712E-05	7.6E-06	6.05E-04	4.63E-09	2.09E-01	4.71E-02	4.56E-11	1.0E+06	4.6E-05
315	315	0.34637	2.60712E-05	9.0E-06	6.05E-04	5.46E-09	2.09E-01	4.71E-02	5.39E-11	1.0E+06	5.4E-05
316	316	0.39345	2.60712E-05	1.0E-05	6.05E-04	6.21E-09	2.09E-01	4.71E-02	6.12E-11	1.0E+06	6.1E-05
317	317	0.46294	2.60712E-05	1.2E-05	6.05E-04	7.30E-09	2.09E-01	4.71E-02	7.20E-11	1.0E+06	7.2E-05
318	318	0.5605	2.60712E-05	1.5E-05	6.05E-04	8.84E-09	2.09E-01	4.71E-02	8.72E-11	1.0E+06	8.7E-05
319	319	0.70525	2.60712E-05	1.8E-05	6.05E-04	1.11E-08	2.09E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
320	320	0.92366	2.60712E-05	2.4E-05	6.05E-04	1.46E-08	2.09E-01	4.71E-02	1.44E-10	1.0E+06	1.4E-04
321	321	1.20831	2.60712E-05	3.2E-05	6.05E-04	1.91E-08	2.09E-01	4.71E-02	1.88E-10	1.0E+06	1.9E-04
322	322	1.6752	2.60712E-05	4.4E-05	6.05E-04	2.64E-08	2.09E-01	4.71E-02	2.61E-10	1.0E+06	2.6E-04
323	323	2.9551	2.60712E-05	7.7E-05	6.05E-04	4.66E-08	2.09E-01	4.71E-02	4.60E-10	1.0E+06	4.6E-04
324	324	0.13534	2.60712E-05	3.5E-06	6.05E-04	2.13E-09	2.09E-01	4.71E-02	2.11E-11	1.0E+06	2.1E-05
325	325	0.15024	2.60712E-05	3.9E-06	6.05E-04	2.37E-09	2.09E-01	4.71E-02	2.34E-11	1.0E+06	2.3E-05
326	326	0.16168	2.60712E-05	4.2E-06	6.05E-04	2.55E-09	2.09E-01	4.71E-02	2.52E-11	1.0E+06	2.5E-05
327	327	0.17198	2.60712E-05	4.5E-06	6.05E-04	2.71E-09	2.09E-01	4.71E-02	2.68E-11	1.0E+06	2.7E-05
328	328	0.20765	2.60712E-05	5.4E-06	6.05E-04	3.28E-09	2.09E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
329	329	0.22031	2.60712E-05	5.7E-06	6.05E-04	3.48E-09	2.09E-01	4.71E-02	3.43E-11	1.0E+06	3.4E-05
330	330	0.22351	2.60712E-05	5.8E-06	6.05E-04	3.53E-09	2.09E-01	4.71E-02	3.48E-11	1.0E+06	3.5E-05
331	331	0.25206	2.60712E-05	6.6E-06	6.05E-04	3.98E-09	2.09E-01	4.71E-02	3.92E-11	1.0E+06	3.9E-05
332	332	0.28842	2.60712E-05	7.5E-06	6.05E-04	4.55E-09	2.09E-01	4.71E-02	4.49E-11	1.0E+06	4.5E-05
333	333	0.34229	2.60712E-05	8.9E-06	6.05E-04	5.40E-09	2.09E-01	4.71E-02	5.32E-11	1.0E+06	5.3E-05
334	334	0.39971	2.60712E-05	1.0E-05	6.05E-04	6.31E-09	2.09E-01	4.71E-02	6.22E-11	1.0E+06	6.2E-05
335	335	0.47561	2.60712E-05	1.2E-05	6.05E-04	7.50E-09	2.09E-01	4.71E-02	7.40E-11	1.0E+06	7.4E-05
336	336	4.87031	2.60712E-05	1.3E-04	6.05E-04	7.68E-08	2.09E-01	4.71E-02	7.58E-10	1.0E+06	7.6E-04
337	337	5.01225	2.60712E-05	1.3E-04	6.05E-04	7.91E-08	2.09E-01	4.71E-02	7.80E-10	1.0E+06	7.8E-04
338	338	0.19951	2.60712E-05	5.2E-06	6.05E-04	3.15E-09	2.09E-01	4.71E-02	3.10E-11	1.0E+06	3.1E-05
339	339	0.21561	2.60712E-05	5.6E-06	6.05E-04	3.40E-09	2.09E-01	4.71E-02	3.35E-11	1.0E+06	3.4E-05
340	340	0.23457	2.60712E-05	6.1E-06	6.05E-04	3.70E-09	2.09E-01	4.71E-02	3.65E-11	1.0E+06	3.6E-05
341	341	0.27563	2.60712E-05	7.2E-06	6.05E-04	4.35E-09	2.09E-01	4.71E-02	4.29E-11	1.0E+06	4.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.29793	2.60712E-05	7.8E-06	6.05E-04	4.70E-09	2.09E-01	4.71E-02	4.63E-11	1.0E+06	4.6E-05
343	343	0.33557	2.60712E-05	8.7E-06	6.05E-04	5.29E-09	2.09E-01	4.71E-02	5.22E-11	1.0E+06	5.2E-05
344	344	0.3481	2.60712E-05	9.1E-06	6.05E-04	5.49E-09	2.09E-01	4.71E-02	5.42E-11	1.0E+06	5.4E-05
345	345	0.35465	2.60712E-05	9.2E-06	6.05E-04	5.59E-09	2.09E-01	4.71E-02	5.52E-11	1.0E+06	5.5E-05
346	346	0.35401	2.60712E-05	9.2E-06	6.05E-04	5.58E-09	2.09E-01	4.71E-02	5.51E-11	1.0E+06	5.5E-05
347	347	0.22524	2.60712E-05	5.9E-06	6.05E-04	3.55E-09	2.09E-01	4.71E-02	3.50E-11	1.0E+06	3.5E-05
348	348	0.24824	2.60712E-05	6.5E-06	6.05E-04	3.92E-09	2.09E-01	4.71E-02	3.86E-11	1.0E+06	3.9E-05
349	349	0.2886	2.60712E-05	7.5E-06	6.05E-04	4.55E-09	2.09E-01	4.71E-02	4.49E-11	1.0E+06	4.5E-05
350	350	0.32503	2.60712E-05	8.5E-06	6.05E-04	5.13E-09	2.09E-01	4.71E-02	5.06E-11	1.0E+06	5.1E-05
351	351	0.35174	2.60712E-05	9.2E-06	6.05E-04	5.55E-09	2.09E-01	4.71E-02	5.47E-11	1.0E+06	5.5E-05
352	352	0.4101	2.60712E-05	1.1E-05	6.05E-04	6.47E-09	2.09E-01	4.71E-02	6.38E-11	1.0E+06	6.4E-05
353	353	0.42944	2.60712E-05	1.1E-05	6.05E-04	6.77E-09	2.09E-01	4.71E-02	6.68E-11	1.0E+06	6.7E-05
354	354	0.43585	2.60712E-05	1.1E-05	6.05E-04	6.88E-09	2.09E-01	4.71E-02	6.78E-11	1.0E+06	6.8E-05
355	355	0.43407	2.60712E-05	1.1E-05	6.05E-04	6.85E-09	2.09E-01	4.71E-02	6.75E-11	1.0E+06	6.8E-05
356	356	0.25761	2.60712E-05	6.7E-06	6.05E-04	4.06E-09	2.09E-01	4.71E-02	4.01E-11	1.0E+06	4.0E-05
357	357	0.28264	2.60712E-05	7.4E-06	6.05E-04	4.46E-09	2.09E-01	4.71E-02	4.40E-11	1.0E+06	4.4E-05
358	358	0.3155	2.60712E-05	8.2E-06	6.05E-04	4.98E-09	2.09E-01	4.71E-02	4.91E-11	1.0E+06	4.9E-05
359	359	0.3535	2.60712E-05	9.2E-06	6.05E-04	5.58E-09	2.09E-01	4.71E-02	5.50E-11	1.0E+06	5.5E-05
360	360	0.42306	2.60712E-05	1.1E-05	6.05E-04	6.67E-09	2.09E-01	4.71E-02	6.58E-11	1.0E+06	6.6E-05
361	361	0.52121	2.60712E-05	1.4E-05	6.05E-04	8.22E-09	2.09E-01	4.71E-02	8.11E-11	1.0E+06	8.1E-05
362	362	0.5543	2.60712E-05	1.4E-05	6.05E-04	8.74E-09	2.09E-01	4.71E-02	8.62E-11	1.0E+06	8.6E-05
363	363	0.56216	2.60712E-05	1.5E-05	6.05E-04	8.87E-09	2.09E-01	4.71E-02	8.75E-11	1.0E+06	8.7E-05
364	364	0.29789	2.60712E-05	7.8E-06	6.05E-04	4.70E-09	2.09E-01	4.71E-02	4.63E-11	1.0E+06	4.6E-05
365	365	0.32767	2.60712E-05	8.5E-06	6.05E-04	5.17E-09	2.09E-01	4.71E-02	5.10E-11	1.0E+06	5.1E-05
366	366	0.3727	2.60712E-05	9.7E-06	6.05E-04	5.88E-09	2.09E-01	4.71E-02	5.80E-11	1.0E+06	5.8E-05
367	367	0.42727	2.60712E-05	1.1E-05	6.05E-04	6.74E-09	2.09E-01	4.71E-02	6.65E-11	1.0E+06	6.6E-05
368	368	0.52262	2.60712E-05	1.4E-05	6.05E-04	8.24E-09	2.09E-01	4.71E-02	8.13E-11	1.0E+06	8.1E-05
369	369	0.70405	2.60712E-05	1.8E-05	6.05E-04	1.11E-08	2.09E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
370	370	0.79063	2.60712E-05	2.1E-05	6.05E-04	1.25E-08	2.09E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
371	371	0.75589	2.60712E-05	2.0E-05	6.05E-04	1.19E-08	2.09E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
372	372	0.34458	2.60712E-05	9.0E-06	6.05E-04	5.44E-09	2.09E-01	4.71E-02	5.36E-11	1.0E+06	5.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.38604	2.60712E-05	1.0E-05	6.05E-04	6.09E-09	2.09E-01	4.71E-02	6.01E-11	1.0E+06	6.0E-05
374	374	0.4492	2.60712E-05	1.2E-05	6.05E-04	7.09E-09	2.09E-01	4.71E-02	6.99E-11	1.0E+06	7.0E-05
375	375	0.52939	2.60712E-05	1.4E-05	6.05E-04	8.35E-09	2.09E-01	4.71E-02	8.24E-11	1.0E+06	8.2E-05
376	376	0.67137	2.60712E-05	1.8E-05	6.05E-04	1.06E-08	2.09E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
377	377	0.83675	2.60712E-05	2.2E-05	6.05E-04	1.32E-08	2.09E-01	4.71E-02	1.30E-10	1.0E+06	1.3E-04
378	378	1.04714	2.60712E-05	2.7E-05	6.05E-04	1.65E-08	2.09E-01	4.71E-02	1.63E-10	1.0E+06	1.6E-04
379	379	1.25734	2.60712E-05	3.3E-05	6.05E-04	1.98E-08	2.09E-01	4.71E-02	1.96E-10	1.0E+06	2.0E-04
380	380	1.11262	2.60712E-05	2.9E-05	6.05E-04	1.76E-08	2.09E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
381	381	0.93575	2.60712E-05	2.4E-05	6.05E-04	1.48E-08	2.09E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
382	382	0.39546	2.60712E-05	1.0E-05	6.05E-04	6.24E-09	2.09E-01	4.71E-02	6.15E-11	1.0E+06	6.2E-05
383	383	0.45631	2.60712E-05	1.2E-05	6.05E-04	7.20E-09	2.09E-01	4.71E-02	7.10E-11	1.0E+06	7.1E-05
384	384	0.53724	2.60712E-05	1.4E-05	6.05E-04	8.47E-09	2.09E-01	4.71E-02	8.36E-11	1.0E+06	8.4E-05
385	385	0.67119	2.60712E-05	1.7E-05	6.05E-04	1.06E-08	2.09E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
386	386	0.86618	2.60712E-05	2.3E-05	6.05E-04	1.37E-08	2.09E-01	4.71E-02	1.35E-10	1.0E+06	1.3E-04
387	387	1.19543	2.60712E-05	3.1E-05	6.05E-04	1.89E-08	2.09E-01	4.71E-02	1.86E-10	1.0E+06	1.9E-04
388	388	1.82596	2.60712E-05	4.8E-05	6.05E-04	2.88E-08	2.09E-01	4.71E-02	2.84E-10	1.0E+06	2.8E-04
389	389	2.5263	2.60712E-05	6.6E-05	6.05E-04	3.99E-08	2.09E-01	4.71E-02	3.93E-10	1.0E+06	3.9E-04
390	390	1.70091	2.60712E-05	4.4E-05	6.05E-04	2.68E-08	2.09E-01	4.71E-02	2.65E-10	1.0E+06	2.6E-04
391	391	1.24189	2.60712E-05	3.2E-05	6.05E-04	1.96E-08	2.09E-01	4.71E-02	1.93E-10	1.0E+06	1.9E-04
392	392	0.94167	2.60712E-05	2.5E-05	6.05E-04	1.49E-08	2.09E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
393	393	0.49774	2.60712E-05	1.3E-05	6.05E-04	7.85E-09	2.09E-01	4.71E-02	7.74E-11	1.0E+06	7.7E-05
394	394	0.61547	2.60712E-05	1.6E-05	6.05E-04	9.71E-09	2.09E-01	4.71E-02	9.57E-11	1.0E+06	9.6E-05
395	395	0.769	2.60712E-05	2.0E-05	6.05E-04	1.21E-08	2.09E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
396	396	1.02844	2.60712E-05	2.7E-05	6.05E-04	1.62E-08	2.09E-01	4.71E-02	1.60E-10	1.0E+06	1.6E-04
397	397	1.59766	2.60712E-05	4.2E-05	6.05E-04	2.52E-08	2.09E-01	4.71E-02	2.49E-10	1.0E+06	2.5E-04
398	398	2.98983	2.60712E-05	7.8E-05	6.05E-04	4.72E-08	2.09E-01	4.71E-02	4.65E-10	1.0E+06	4.7E-04
399	399	2.58492	2.60712E-05	6.7E-05	6.05E-04	4.08E-08	2.09E-01	4.71E-02	4.02E-10	1.0E+06	4.0E-04
400	400	5.59179	2.60712E-05	1.5E-04	6.05E-04	8.82E-08	2.09E-01	4.71E-02	8.70E-10	1.0E+06	8.7E-04
401	401	2.43538	2.60712E-05	6.3E-05	6.05E-04	3.84E-08	2.09E-01	4.71E-02	3.79E-10	1.0E+06	3.8E-04
402	402	1.10624	2.60712E-05	2.9E-05	6.05E-04	1.75E-08	2.09E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
403	403	5.27946	2.60712E-05	1.4E-04	6.05E-04	8.33E-08	2.09E-01	4.71E-02	8.21E-10	1.0E+06	8.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	1.31628	2.60712E-05	3.4E-05	6.05E-04	2.08E-08	2.09E-01	4.71E-02	2.05E-10	1.0E+06	2.0E-04
405	405	0.97992	2.60712E-05	2.6E-05	6.05E-04	1.55E-08	2.09E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
406	406	9.42446	2.60712E-05	2.5E-04	6.05E-04	1.49E-07	2.09E-01	4.71E-02	1.47E-09	1.0E+06	1.5E-03
407	407	1.06466	2.60712E-05	2.8E-05	6.05E-04	1.68E-08	2.09E-01	4.71E-02	1.66E-10	1.0E+06	1.7E-04
408	408	7.20196	2.60712E-05	1.9E-04	6.05E-04	1.14E-07	2.09E-01	4.71E-02	1.12E-09	1.0E+06	1.1E-03
409	409	1.14251	2.60712E-05	3.0E-05	6.05E-04	1.80E-08	2.09E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
410	410	7.31134	2.60712E-05	1.9E-04	6.05E-04	1.15E-07	2.09E-01	4.71E-02	1.14E-09	1.0E+06	1.1E-03
411	411	1.66794	2.60712E-05	4.3E-05	6.05E-04	2.63E-08	2.09E-01	4.71E-02	2.59E-10	1.0E+06	2.6E-04
412	412	1.23746	2.60712E-05	3.2E-05	6.05E-04	1.95E-08	2.09E-01	4.71E-02	1.93E-10	1.0E+06	1.9E-04
413	413	7.59765	2.60712E-05	2.0E-04	6.05E-04	1.20E-07	2.09E-01	4.71E-02	1.18E-09	1.0E+06	1.2E-03
414	414	2.59847	2.60712E-05	6.8E-05	6.05E-04	4.10E-08	2.09E-01	4.71E-02	4.04E-10	1.0E+06	4.0E-04
415	415	1.75382	2.60712E-05	4.6E-05	6.05E-04	2.77E-08	2.09E-01	4.71E-02	2.73E-10	1.0E+06	2.7E-04
416	416	1.29448	2.60712E-05	3.4E-05	6.05E-04	2.04E-08	2.09E-01	4.71E-02	2.01E-10	1.0E+06	2.0E-04
417	417	5.41315	2.60712E-05	1.4E-04	6.05E-04	8.54E-08	2.09E-01	4.71E-02	8.42E-10	1.0E+06	8.4E-04
418	418	1.82591	2.60712E-05	4.8E-05	6.05E-04	2.88E-08	2.09E-01	4.71E-02	2.84E-10	1.0E+06	2.8E-04
419	419	1.34237	2.60712E-05	3.5E-05	6.05E-04	2.12E-08	2.09E-01	4.71E-02	2.09E-10	1.0E+06	2.1E-04
420	420	1.03863	2.60712E-05	2.7E-05	6.05E-04	1.64E-08	2.09E-01	4.71E-02	1.62E-10	1.0E+06	1.6E-04
421	421	8.53491	2.60712E-05	2.2E-04	6.05E-04	1.35E-07	2.09E-01	4.71E-02	1.33E-09	1.0E+06	1.3E-03
422	422	1.37941	2.60712E-05	3.6E-05	6.05E-04	2.18E-08	2.09E-01	4.71E-02	2.15E-10	1.0E+06	2.1E-04
423	423	1.06498	2.60712E-05	2.8E-05	6.05E-04	1.68E-08	2.09E-01	4.71E-02	1.66E-10	1.0E+06	1.7E-04
424	424	8.3156	2.60712E-05	2.2E-04	6.05E-04	1.31E-07	2.09E-01	4.71E-02	1.29E-09	1.0E+06	1.3E-03
425	425	1.07987	2.60712E-05	2.8E-05	6.05E-04	1.70E-08	2.09E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
426	426	0.85874	2.60712E-05	2.2E-05	6.05E-04	1.35E-08	2.09E-01	4.71E-02	1.34E-10	1.0E+06	1.3E-04
427	427	8.42244	2.60712E-05	2.2E-04	6.05E-04	1.33E-07	2.09E-01	4.71E-02	1.31E-09	1.0E+06	1.3E-03
428	428	1.0822	2.60712E-05	2.8E-05	6.05E-04	1.71E-08	2.09E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
429	429	0.85725	2.60712E-05	2.2E-05	6.05E-04	1.35E-08	2.09E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
430	430	5.81908	2.60712E-05	1.5E-04	6.05E-04	9.18E-08	2.09E-01	4.71E-02	9.05E-10	1.0E+06	9.1E-04
431	431	0.84486	2.60712E-05	2.2E-05	6.05E-04	1.33E-08	2.09E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
432	432	0.68124	2.60712E-05	1.8E-05	6.05E-04	1.07E-08	2.09E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
433	433	5.7166	2.60712E-05	1.5E-04	6.05E-04	9.02E-08	2.09E-01	4.71E-02	8.89E-10	1.0E+06	8.9E-04
434	434	0.82163	2.60712E-05	2.1E-05	6.05E-04	1.30E-08	2.09E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.66416	2.60712E-05	1.7E-05	6.05E-04	1.05E-08	2.09E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
436	436	8.2607	2.60712E-05	2.2E-04	6.05E-04	1.30E-07	2.09E-01	4.71E-02	1.29E-09	1.0E+06	1.3E-03
437	437	1.00424	2.60712E-05	2.6E-05	6.05E-04	1.58E-08	2.09E-01	4.71E-02	1.56E-10	1.0E+06	1.6E-04
438	438	0.78936	2.60712E-05	2.1E-05	6.05E-04	1.25E-08	2.09E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
439	439	0.63814	2.60712E-05	1.7E-05	6.05E-04	1.01E-08	2.09E-01	4.71E-02	9.93E-11	1.0E+06	9.9E-05
440	440	7.1369	2.60712E-05	1.9E-04	6.05E-04	1.13E-07	2.09E-01	4.71E-02	1.11E-09	1.0E+06	1.1E-03
441	441	1.70549	2.60712E-05	4.4E-05	6.05E-04	2.69E-08	2.09E-01	4.71E-02	2.65E-10	1.0E+06	2.7E-04
442	442	1.25036	2.60712E-05	3.3E-05	6.05E-04	1.97E-08	2.09E-01	4.71E-02	1.95E-10	1.0E+06	1.9E-04
443	443	0.95063	2.60712E-05	2.5E-05	6.05E-04	1.50E-08	2.09E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
444	444	0.74876	2.60712E-05	2.0E-05	6.05E-04	1.18E-08	2.09E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
445	445	7.26367	2.60712E-05	1.9E-04	6.05E-04	1.15E-07	2.09E-01	4.71E-02	1.13E-09	1.0E+06	1.1E-03
446	446	2.29847	2.60712E-05	6.0E-05	6.05E-04	3.63E-08	2.09E-01	4.71E-02	3.58E-10	1.0E+06	3.6E-04
447	447	1.57984	2.60712E-05	4.1E-05	6.05E-04	2.49E-08	2.09E-01	4.71E-02	2.46E-10	1.0E+06	2.5E-04
448	448	1.15811	2.60712E-05	3.0E-05	6.05E-04	1.83E-08	2.09E-01	4.71E-02	1.80E-10	1.0E+06	1.8E-04
449	449	5.34024	2.60712E-05	1.4E-04	6.05E-04	8.42E-08	2.09E-01	4.71E-02	8.31E-10	1.0E+06	8.3E-04
450	450	3.08666	2.60712E-05	8.0E-05	6.05E-04	4.87E-08	2.09E-01	4.71E-02	4.80E-10	1.0E+06	4.8E-04
451	451	2.01536	2.60712E-05	5.3E-05	6.05E-04	3.18E-08	2.09E-01	4.71E-02	3.14E-10	1.0E+06	3.1E-04
452	452	4.04554	2.60712E-05	1.1E-04	6.05E-04	6.38E-08	2.09E-01	4.71E-02	6.29E-10	1.0E+06	6.3E-04
453	453	2.53406	2.60712E-05	6.6E-05	6.05E-04	4.00E-08	2.09E-01	4.71E-02	3.94E-10	1.0E+06	3.9E-04
454	454	0.49853	2.60712E-05	1.3E-05	6.05E-04	7.86E-09	2.09E-01	4.71E-02	7.76E-11	1.0E+06	7.8E-05
455	455	0.42226	2.60712E-05	1.1E-05	6.05E-04	6.66E-09	2.09E-01	4.71E-02	6.57E-11	1.0E+06	6.6E-05
456	456	3.08246	2.60712E-05	8.0E-05	6.05E-04	4.86E-08	2.09E-01	4.71E-02	4.80E-10	1.0E+06	4.8E-04
457	457	2.05735	2.60712E-05	5.4E-05	6.05E-04	3.25E-08	2.09E-01	4.71E-02	3.20E-10	1.0E+06	3.2E-04
458	458	1.4727	2.60712E-05	3.8E-05	6.05E-04	2.32E-08	2.09E-01	4.71E-02	2.29E-10	1.0E+06	2.3E-04
459	459	0.68385	2.60712E-05	1.8E-05	6.05E-04	1.08E-08	2.09E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
460	460	0.5602	2.60712E-05	1.5E-05	6.05E-04	8.84E-09	2.09E-01	4.71E-02	8.71E-11	1.0E+06	8.7E-05
461	461	0.46719	2.60712E-05	1.2E-05	6.05E-04	7.37E-09	2.09E-01	4.71E-02	7.27E-11	1.0E+06	7.3E-05
462	462	0.39613	2.60712E-05	1.0E-05	6.05E-04	6.25E-09	2.09E-01	4.71E-02	6.16E-11	1.0E+06	6.2E-05
463	463	4.95732	2.60712E-05	1.3E-04	6.05E-04	7.82E-08	2.09E-01	4.71E-02	7.71E-10	1.0E+06	7.7E-04
464	464	5.5278	2.60712E-05	1.4E-04	6.05E-04	8.72E-08	2.09E-01	4.71E-02	8.60E-10	1.0E+06	8.6E-04
465	465	4.7897	2.60712E-05	1.2E-04	6.05E-04	7.56E-08	2.09E-01	4.71E-02	7.45E-10	1.0E+06	7.5E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Grading Risk

		Cancer risk from 2 to 16 years - Haul 2									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	5.28316	2.60712E-05	1.4E-04	6.05E-04	8.33E-08	2.09E-01	4.71E-02	8.22E-10	1.0E+06	8.2E-04
467	467	7.69136	2.60712E-05	2.0E-04	6.05E-04	1.21E-07	2.09E-01	4.71E-02	1.20E-09	1.0E+06	1.2E-03
468	468	7.46569	2.60712E-05	1.9E-04	6.05E-04	1.18E-07	2.09E-01	4.71E-02	1.16E-09	1.0E+06	1.2E-03
469	469	7.32278	2.60712E-05	1.9E-04	6.05E-04	1.16E-07	2.09E-01	4.71E-02	1.14E-09	1.0E+06	1.1E-03
470	470	3.34494	2.60712E-05	8.7E-05	6.05E-04	5.28E-08	2.09E-01	4.71E-02	5.20E-10	1.0E+06	5.2E-04
471	471	7.13101	2.60712E-05	1.9E-04	6.05E-04	1.12E-07	2.09E-01	4.71E-02	1.11E-09	1.0E+06	1.1E-03
472	472	3.35763	2.60712E-05	8.8E-05	6.05E-04	5.30E-08	2.09E-01	4.71E-02	5.22E-10	1.0E+06	5.2E-04
473	473	7.20944	2.60712E-05	1.9E-04	6.05E-04	1.14E-07	2.09E-01	4.71E-02	1.12E-09	1.0E+06	1.1E-03
474	474	3.50016	2.60712E-05	9.1E-05	6.05E-04	5.52E-08	2.09E-01	4.71E-02	5.45E-10	1.0E+06	5.4E-04
475	475	7.32953	2.60712E-05	1.9E-04	6.05E-04	1.16E-07	2.09E-01	4.71E-02	1.14E-09	1.0E+06	1.1E-03
476	476	3.7853	2.60712E-05	9.9E-05	6.05E-04	5.97E-08	2.09E-01	4.71E-02	5.89E-10	1.0E+06	5.9E-04
477	477	8.1157	2.60712E-05	2.1E-04	6.05E-04	1.28E-07	2.09E-01	4.71E-02	1.26E-09	1.0E+06	1.3E-03
478	478	4.45327	2.60712E-05	1.2E-04	6.05E-04	7.02E-08	2.09E-01	4.71E-02	6.93E-10	1.0E+06	6.9E-04
479	479	7.7327	2.60712E-05	2.0E-04	6.05E-04	1.22E-07	2.09E-01	4.71E-02	1.20E-09	1.0E+06	1.2E-03
480	480	6.2846	2.60712E-05	1.6E-04	6.05E-04	9.91E-08	2.09E-01	4.71E-02	9.78E-10	1.0E+06	9.8E-04
481	481	5.89105	2.60712E-05	1.5E-04	6.05E-04	9.29E-08	2.09E-01	4.71E-02	9.16E-10	1.0E+06	9.2E-04
482	482	10.93729	2.60712E-05	2.9E-04	6.05E-04	1.73E-07	2.09E-01	4.71E-02	1.70E-09	1.0E+06	1.7E-03
483	483	6.76675	2.60712E-05	1.8E-04	6.05E-04	1.07E-07	2.09E-01	4.71E-02	1.05E-09	1.0E+06	1.1E-03
484	484	7.26001	2.60712E-05	1.9E-04	6.05E-04	1.15E-07	2.09E-01	4.71E-02	1.13E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk				*Chronic Non Cancer Risk*				
Receptor #	**Receptor #**	**Total Risk/ Million**			**REL**	**HI**			
1	1	2.7E-02	**Max**	**Receptor #**	5	9.21E-04	**Max**	**Receptor #**	
2	2	3.0E-02	1.450	397	5	9.89E-04	0.049	397	Res
3	3	3.2E-02			5	1.06E-03			
4	4	3.4E-02			5	1.14E-03			
5	5	3.6E-02			5	1.22E-03			
6	6	3.9E-02			5	1.31E-03			
7	7	4.2E-02			5	1.40E-03			
8	8	4.5E-02			5	1.51E-03			
9	9	4.9E-02			5	1.63E-03			
10	10	5.3E-02			5	1.78E-03			
11	11	5.9E-02			5	1.98E-03			
12	12	6.8E-02			5	2.28E-03			
13	13	7.8E-02			5	2.62E-03			
14	14	1.1E-01			5	3.64E-03			
15	15	3.0E-02			5	9.90E-04			
16	16	3.2E-02			5	1.07E-03			
17	17	3.5E-02			5	1.17E-03			
18	18	3.8E-02			5	1.27E-03			
19	19	4.1E-02			5	1.38E-03			
20	20	4.5E-02			5	1.50E-03			
21	21	4.9E-02			5	1.63E-03			
22	22	5.3E-02			5	1.77E-03			
23	23	5.8E-02			5	1.95E-03			
24	24	6.4E-02			5	2.14E-03			
25	25	7.2E-02			5	2.42E-03			
26	26	8.4E-02			5	2.80E-03			
27	27	9.7E-02			5	3.25E-03			
28	28	1.4E-01			5	4.85E-03			
29	29	3.1E-02			5	1.04E-03			
30	30	3.4E-02			5	1.14E-03			
31	31	3.8E-02			5	1.26E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	4.2E-02	5	1.39E-03
33	33	4.6E-02	5	1.53E-03
34	34	5.1E-02	5	1.70E-03
35	35	5.6E-02	5	1.88E-03
36	36	6.2E-02	5	2.09E-03
37	37	7.0E-02	5	2.34E-03
38	38	7.9E-02	5	2.63E-03
39	39	9.0E-02	5	3.01E-03
40	40	1.0E-01	5	3.48E-03
41	41	1.2E-01	5	4.10E-03
42	42	2.0E-01	5	6.76E-03
43	43	3.2E-02	5	1.06E-03
44	44	3.5E-02	5	1.18E-03
45	45	3.9E-02	5	1.31E-03
46	46	4.4E-02	5	1.48E-03
47	47	5.0E-02	5	1.66E-03
48	48	5.6E-02	5	1.88E-03
49	49	6.3E-02	5	2.12E-03
50	50	7.2E-02	5	2.41E-03
51	51	8.3E-02	5	2.79E-03
52	52	9.7E-02	5	3.24E-03
53	53	1.1E-01	5	3.82E-03
54	54	1.4E-01	5	4.58E-03
55	55	1.7E-01	5	5.60E-03
56	56	3.0E-01	5	1.01E-02
57	57	3.2E-02	5	1.06E-03
58	58	3.5E-02	5	1.19E-03
59	59	4.0E-02	5	1.34E-03
60	60	4.5E-02	5	1.52E-03
61	61	5.2E-02	5	1.74E-03
62	62	6.0E-02	5	2.01E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	7.0E-02	5	2.34E-03
64	64	8.1E-02	5	2.71E-03
65	65	9.7E-02	5	3.25E-03
66	66	1.2E-01	5	3.95E-03
67	67	1.4E-01	5	4.85E-03
68	68	1.9E-01	5	6.22E-03
69	69	2.5E-01	5	8.30E-03
70	70	3.1E-02	5	1.05E-03
71	71	3.5E-02	5	1.18E-03
72	72	4.0E-02	5	1.33E-03
73	73	4.5E-02	5	1.52E-03
74	74	5.2E-02	5	1.75E-03
75	75	6.2E-02	5	2.06E-03
76	76	7.3E-02	5	2.45E-03
77	77	8.8E-02	5	2.94E-03
78	78	1.1E-01	5	3.64E-03
79	79	1.4E-01	5	4.73E-03
80	80	1.9E-01	5	6.20E-03
81	81	2.7E-01	5	8.99E-03
82	82	4.1E-01	5	1.37E-02
83	83	3.0E-02	5	1.02E-03
84	84	3.4E-02	5	1.14E-03
85	85	3.8E-02	5	1.27E-03
86	86	4.4E-02	5	1.48E-03
87	87	5.2E-02	5	1.73E-03
88	88	6.1E-02	5	2.04E-03
89	89	7.3E-02	5	2.46E-03
90	90	9.1E-02	5	3.03E-03
91	91	1.2E-01	5	3.86E-03
92	92	1.5E-01	5	5.13E-03
93	93	2.2E-01	5	7.31E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	3.5E-01	5	1.19E-02
95	95	7.5E-01	5	2.52E-02
96	96	2.9E-02	5	9.63E-04
97	97	3.1E-02	5	1.05E-03
98	98	3.5E-02	5	1.18E-03
99	99	4.1E-02	5	1.37E-03
100	100	4.9E-02	5	1.65E-03
101	101	5.9E-02	5	1.96E-03
102	102	7.1E-02	5	2.37E-03
103	103	8.8E-02	5	2.95E-03
104	104	1.1E-01	5	3.80E-03
105	105	1.5E-01	5	5.13E-03
106	106	2.3E-01	5	7.54E-03
107	107	3.9E-01	5	1.30E-02
108	108	1.0E+00	5	3.40E-02
109	109	2.7E-02	5	8.88E-04
110	110	3.0E-02	5	1.00E-03
111	111	3.4E-02	5	1.15E-03
112	112	3.9E-02	5	1.32E-03
113	113	4.6E-02	5	1.54E-03
114	114	5.5E-02	5	1.83E-03
115	115	6.6E-02	5	2.20E-03
116	116	8.1E-02	5	2.72E-03
117	117	1.0E-01	5	3.51E-03
118	118	1.4E-01	5	4.85E-03
119	119	2.1E-01	5	7.04E-03
120	120	3.5E-01	5	1.18E-02
121	121	8.3E-01	5	2.78E-02
122	122	2.5E-02	5	8.26E-04
123	123	2.8E-02	5	9.36E-04
124	124	3.2E-02	5	1.08E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	3.7E-02	5	1.24E-03
126	126	4.3E-02	5	1.44E-03
127	127	5.0E-02	5	1.67E-03
128	128	5.6E-02	5	1.86E-03
129	129	6.8E-02	5	2.26E-03
130	130	8.8E-02	5	2.96E-03
131	131	8.4E-01	5	2.82E-02
132	132	6.7E-01	5	2.25E-02
133	133	2.3E-02	5	7.65E-04
134	134	2.6E-02	5	8.80E-04
135	135	3.0E-02	5	1.01E-03
136	136	3.5E-02	5	1.16E-03
137	137	4.0E-02	5	1.33E-03
138	138	4.6E-02	5	1.52E-03
139	139	5.2E-02	5	1.73E-03
140	140	6.1E-02	5	2.05E-03
141	141	7.5E-02	5	2.51E-03
142	142	9.3E-02	5	3.11E-03
143	143	1.2E-01	5	4.07E-03
144	144	1.7E-01	5	5.75E-03
145	145	2.5E-01	5	8.37E-03
146	146	5.2E-01	5	1.74E-02
147	147	2.1E-02	5	7.12E-04
148	148	2.4E-02	5	8.10E-04
149	149	2.8E-02	5	9.30E-04
150	150	3.2E-02	5	1.06E-03
151	151	3.7E-02	5	1.23E-03
152	152	4.2E-02	5	1.40E-03
153	153	4.8E-02	5	1.60E-03
154	154	5.6E-02	5	1.88E-03
155	155	6.7E-02	5	2.25E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	8.1E-02	5	2.73E-03
157	157	1.0E-01	5	3.34E-03
158	158	1.3E-01	5	4.21E-03
159	159	1.8E-01	5	6.07E-03
160	160	2.0E-02	5	6.76E-04
161	161	2.2E-02	5	7.50E-04
162	162	2.5E-02	5	8.26E-04
163	163	2.9E-02	5	9.57E-04
164	164	3.4E-02	5	1.12E-03
165	165	3.8E-02	5	1.28E-03
166	166	4.4E-02	5	1.47E-03
167	167	5.1E-02	5	1.70E-03
168	168	5.9E-02	5	1.99E-03
169	169	7.0E-02	5	2.35E-03
170	170	8.4E-02	5	2.81E-03
171	171	1.0E-01	5	3.44E-03
172	172	1.3E-01	5	4.48E-03
173	173	1.8E-01	5	5.94E-03
174	174	2.3E-01	5	7.71E-03
175	175	2.7E-01	5	8.98E-03
176	176	2.8E-01	5	9.41E-03
177	177	2.8E-01	5	9.25E-03
178	178	2.6E-01	5	8.58E-03
179	179	1.9E-02	5	6.19E-04
180	180	2.0E-02	5	6.78E-04
181	181	2.2E-02	5	7.32E-04
182	182	2.6E-02	5	8.60E-04
183	183	3.1E-02	5	1.04E-03
184	184	3.5E-02	5	1.18E-03
185	185	4.0E-02	5	1.35E-03
186	186	4.6E-02	5	1.55E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	5.3E-02	5	1.77E-03
188	188	6.1E-02	5	2.05E-03
189	189	7.1E-02	5	2.39E-03
190	190	8.5E-02	5	2.86E-03
191	191	1.0E-01	5	3.47E-03
192	192	1.3E-01	5	4.30E-03
193	193	1.5E-01	5	5.18E-03
194	194	1.8E-01	5	6.12E-03
195	195	2.1E-01	5	6.96E-03
196	196	2.1E-01	5	6.96E-03
197	197	2.0E-01	5	6.56E-03
198	198	1.7E-02	5	5.83E-04
199	199	1.9E-02	5	6.39E-04
200	200	2.1E-02	5	7.02E-04
201	201	2.4E-02	5	7.90E-04
202	202	2.8E-02	5	9.43E-04
203	203	3.2E-02	5	1.08E-03
204	204	3.7E-02	5	1.23E-03
205	205	4.2E-02	5	1.40E-03
206	206	4.7E-02	5	1.58E-03
207	207	5.4E-02	5	1.80E-03
208	208	6.2E-02	5	2.07E-03
209	209	7.2E-02	5	2.42E-03
210	210	8.5E-02	5	2.86E-03
211	211	1.0E-01	5	3.38E-03
212	212	1.2E-01	5	3.90E-03
213	213	1.3E-01	5	4.30E-03
214	214	1.3E-01	5	4.51E-03
215	215	1.6E-01	5	5.32E-03
216	216	1.7E-02	5	5.61E-04
217	217	1.8E-02	5	6.07E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	2.0E-02	5	6.66E-04
219	219	2.2E-02	5	7.38E-04
220	220	2.6E-02	5	8.57E-04
221	221	2.9E-02	5	9.62E-04
222	222	3.3E-02	5	1.10E-03
223	223	3.7E-02	5	1.24E-03
224	224	4.2E-02	5	1.39E-03
225	225	4.7E-02	5	1.56E-03
226	226	5.4E-02	5	1.79E-03
227	227	6.2E-02	5	2.06E-03
228	228	7.1E-02	5	2.38E-03
229	229	8.2E-02	5	2.76E-03
230	230	9.3E-02	5	3.12E-03
231	231	1.0E-01	5	3.44E-03
232	232	1.1E-01	5	3.64E-03
233	233	1.2E-01	5	4.14E-03
234	234	1.6E-02	5	5.40E-04
235	235	1.7E-02	5	5.78E-04
236	236	1.9E-02	5	6.29E-04
237	237	2.1E-02	5	6.95E-04
238	238	2.3E-02	5	7.80E-04
239	239	2.6E-02	5	8.65E-04
240	240	2.9E-02	5	9.69E-04
241	241	3.2E-02	5	1.09E-03
242	242	3.6E-02	5	1.22E-03
243	243	4.1E-02	5	1.37E-03
244	244	4.7E-02	5	1.56E-03
245	245	5.3E-02	5	1.79E-03
246	246	6.1E-02	5	2.05E-03
247	247	7.0E-02	5	2.33E-03
248	248	7.8E-02	5	2.61E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	8.5E-02	5	2.86E-03
250	250	9.1E-02	5	3.04E-03
251	251	1.0E-01	5	3.42E-03
252	252	1.5E-02	5	5.13E-04
253	253	1.6E-02	5	5.42E-04
254	254	1.7E-02	5	5.80E-04
255	255	1.9E-02	5	6.26E-04
256	256	2.1E-02	5	7.12E-04
257	257	2.3E-02	5	7.55E-04
258	258	2.5E-02	5	8.22E-04
259	259	2.7E-02	5	9.02E-04
260	260	3.1E-02	5	1.02E-03
261	261	3.5E-02	5	1.18E-03
262	262	4.1E-02	5	1.36E-03
263	263	4.6E-02	5	1.54E-03
264	264	5.3E-02	5	1.76E-03
265	265	5.9E-02	5	1.98E-03
266	266	6.6E-02	5	2.20E-03
267	267	7.2E-02	5	2.39E-03
268	268	7.6E-02	5	2.54E-03
269	269	8.5E-02	5	2.82E-03
270	270	1.4E-02	5	4.84E-04
271	271	1.5E-02	5	5.11E-04
272	272	1.6E-02	5	5.43E-04
273	273	1.7E-02	5	5.78E-04
274	274	2.0E-02	5	6.62E-04
275	275	2.2E-02	5	7.28E-04
276	276	2.2E-02	5	7.37E-04
277	277	2.4E-02	5	8.01E-04
278	278	2.7E-02	5	8.91E-04
279	279	3.0E-02	5	1.01E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	3.5E-02	5	1.17E-03
281	281	4.0E-02	5	1.35E-03
282	282	4.6E-02	5	1.53E-03
283	283	5.1E-02	5	1.71E-03
284	284	5.7E-02	5	1.89E-03
285	285	6.1E-02	5	2.04E-03
286	286	6.5E-02	5	2.17E-03
287	287	7.2E-02	5	2.40E-03
288	288	1.4E-02	5	4.59E-04
289	289	1.4E-02	5	4.79E-04
290	290	1.5E-02	5	5.18E-04
291	291	1.7E-02	5	5.56E-04
292	292	2.0E-02	5	6.68E-04
293	293	2.1E-02	5	6.93E-04
294	294	2.0E-02	5	6.73E-04
295	295	2.2E-02	5	7.36E-04
296	296	2.4E-02	5	8.17E-04
297	297	2.7E-02	5	9.01E-04
298	298	3.0E-02	5	1.02E-03
299	299	3.5E-02	5	1.18E-03
300	300	4.0E-02	5	1.32E-03
301	301	4.5E-02	5	1.49E-03
302	302	4.9E-02	5	1.65E-03
303	303	5.4E-02	5	1.79E-03
304	304	5.7E-02	5	1.90E-03
305	305	6.3E-02	5	2.09E-03
306	306	1.4E-02	5	4.62E-04
307	307	1.4E-02	5	4.67E-04
308	308	1.5E-02	5	4.91E-04
309	309	1.7E-02	5	5.62E-04
310	310	1.9E-02	5	6.32E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	1.9E-02	5	6.51E-04
312	312	1.9E-02	5	6.21E-04
313	313	2.0E-02	5	6.78E-04
314	314	2.2E-02	5	7.50E-04
315	315	2.6E-02	5	8.54E-04
316	316	2.8E-02	5	9.28E-04
317	317	3.1E-02	5	1.03E-03
318	318	3.5E-02	5	1.16E-03
319	319	3.9E-02	5	1.31E-03
320	320	4.4E-02	5	1.47E-03
321	321	4.7E-02	5	1.58E-03
322	322	5.0E-02	5	1.68E-03
323	323	5.5E-02	5	1.83E-03
324	324	1.3E-02	5	4.40E-04
325	325	1.4E-02	5	4.76E-04
326	326	1.5E-02	5	4.94E-04
327	327	1.5E-02	5	5.05E-04
328	328	1.8E-02	5	6.08E-04
329	329	1.8E-02	5	6.13E-04
330	330	1.8E-02	5	5.91E-04
331	331	1.9E-02	5	6.45E-04
332	332	2.1E-02	5	7.11E-04
333	333	2.4E-02	5	8.05E-04
334	334	2.6E-02	5	8.86E-04
335	335	2.9E-02	5	9.77E-04
336	336	6.0E-01	5	2.00E-02
337	337	4.7E-01	5	1.56E-02
338	338	7.9E-02	5	2.66E-03
339	339	8.8E-02	5	2.95E-03
340	340	9.6E-02	5	3.21E-03
341	341	1.0E-01	5	3.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	1.0E-01	5	3.50E-03
343	343	1.0E-01	5	3.48E-03
344	344	1.0E-01	5	3.37E-03
345	345	9.5E-02	5	3.19E-03
346	346	8.9E-02	5	2.97E-03
347	347	9.9E-02	5	3.30E-03
348	348	1.1E-01	5	3.82E-03
349	349	1.3E-01	5	4.22E-03
350	350	1.3E-01	5	4.48E-03
351	351	1.4E-01	5	4.64E-03
352	352	1.4E-01	5	4.55E-03
353	353	1.3E-01	5	4.34E-03
354	354	1.2E-01	5	3.98E-03
355	355	1.1E-01	5	3.63E-03
356	356	1.3E-01	5	4.25E-03
357	357	1.5E-01	5	4.98E-03
358	358	1.7E-01	5	5.70E-03
359	359	1.8E-01	5	6.18E-03
360	360	1.9E-01	5	6.44E-03
361	361	1.8E-01	5	6.17E-03
362	362	1.7E-01	5	5.75E-03
363	363	1.5E-01	5	5.10E-03
364	364	1.7E-01	5	5.83E-03
365	365	2.0E-01	5	6.86E-03
366	366	2.5E-01	5	8.28E-03
367	367	2.7E-01	5	9.15E-03
368	368	2.9E-01	5	9.56E-03
369	369	2.6E-01	5	8.86E-03
370	370	2.1E-01	5	6.87E-03
371	371	1.7E-01	5	5.70E-03
372	372	2.6E-01	5	8.72E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	3.2E-01	5	1.09E-02
374	374	4.0E-01	5	1.36E-02
375	375	4.5E-01	5	1.51E-02
376	376	4.7E-01	5	1.56E-02
377	377	4.5E-01	5	1.52E-02
378	378	4.2E-01	5	1.39E-02
379	379	2.8E-01	5	9.41E-03
380	380	2.2E-01	5	7.24E-03
381	381	1.6E-01	5	5.52E-03
382	382	4.5E-01	5	1.50E-02
383	383	6.5E-01	5	2.18E-02
384	384	8.0E-01	5	2.69E-02
385	385	8.8E-01	5	2.96E-02
386	386	9.0E-01	5	3.02E-02
387	387	8.6E-01	5	2.89E-02
388	388	7.7E-01	5	2.58E-02
389	389	4.0E-01	5	1.32E-02
390	390	2.6E-01	5	8.80E-03
391	391	1.8E-01	5	6.15E-03
392	392	1.3E-01	5	4.38E-03
393	393	9.9E-01	5	3.32E-02
394	394	1.2E+00	5	3.88E-02
395	395	1.2E+00	5	3.91E-02
396	396	1.2E+00	5	4.13E-02
397	397	1.5E+00	5	4.86E-02
398	398	9.5E-01	5	3.18E-02
399	399	7.6E-01	5	2.53E-02
400	400	5.3E-01	5	1.78E-02
401	401	2.9E-01	5	9.86E-03
402	402	1.3E-01	5	4.35E-03
403	403	6.1E-01	5	2.03E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	1.3E-01	5	4.35E-03
405	405	9.5E-02	5	3.17E-03
406	406	5.0E-01	5	1.66E-02
407	407	8.8E-02	5	2.95E-03
408	408	3.7E-01	5	1.24E-02
409	409	8.1E-02	5	2.72E-03
410	410	2.8E-01	5	9.44E-03
411	411	9.7E-02	5	3.25E-03
412	412	7.7E-02	5	2.56E-03
413	413	2.2E-01	5	7.37E-03
414	414	1.2E-01	5	3.86E-03
415	415	8.8E-02	5	2.95E-03
416	416	7.0E-02	5	2.35E-03
417	417	1.8E-01	5	5.91E-03
418	418	8.0E-02	5	2.68E-03
419	419	6.5E-02	5	2.16E-03
420	420	5.3E-02	5	1.79E-03
421	421	1.5E-01	5	4.84E-03
422	422	6.0E-02	5	1.99E-03
423	423	5.0E-02	5	1.66E-03
424	424	1.2E-01	5	4.04E-03
425	425	4.6E-02	5	1.55E-03
426	426	4.0E-02	5	1.33E-03
427	427	1.0E-01	5	3.42E-03
428	428	4.3E-02	5	1.44E-03
429	429	3.7E-02	5	1.24E-03
430	430	8.8E-02	5	2.93E-03
431	431	3.5E-02	5	1.16E-03
432	432	3.1E-02	5	1.02E-03
433	433	7.6E-02	5	2.53E-03
434	434	3.3E-02	5	1.09E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	2.9E-02	5	9.66E-04
436	436	6.7E-02	5	2.21E-03
437	437	3.5E-02	5	1.17E-03
438	438	3.1E-02	5	1.03E-03
439	439	2.7E-02	5	9.12E-04
440	440	5.9E-02	5	1.94E-03
441	441	4.2E-02	5	1.41E-03
442	442	3.7E-02	5	1.24E-03
443	443	3.3E-02	5	1.09E-03
444	444	2.9E-02	5	9.66E-04
445	445	5.2E-02	5	1.72E-03
446	446	4.3E-02	5	1.44E-03
447	447	3.9E-02	5	1.29E-03
448	448	3.5E-02	5	1.15E-03
449	449	4.7E-02	5	1.53E-03
450	450	4.3E-02	5	1.43E-03
451	451	3.9E-02	5	1.31E-03
452	452	4.2E-02	5	1.37E-03
453	453	3.9E-02	5	1.29E-03
454	454	2.2E-02	5	7.28E-04
455	455	2.0E-02	5	6.65E-04
456	456	3.7E-02	5	1.24E-03
457	457	3.5E-02	5	1.17E-03
458	458	3.3E-02	5	1.09E-03
459	459	2.5E-02	5	8.39E-04
460	460	2.3E-02	5	7.63E-04
461	461	2.1E-02	5	6.94E-04
462	462	1.9E-02	5	6.33E-04
463	463	4.9E-01	5	1.63E-02
464	464	3.9E-01	5	1.29E-02
465	465	3.3E-01	5	1.10E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million		REL	HI
466	466	2.6E-01		5	8.56E-03
467	467	2.3E-01		5	7.75E-03
468	468	1.8E-01		5	6.03E-03
469	469	1.5E-01		5	4.84E-03
470	470	1.3E-01		5	4.24E-03
471	471	1.3E-01		5	4.39E-03
472	472	1.0E-01		5	3.49E-03
473	473	1.0E-01		5	3.31E-03
474	474	8.8E-02		5	2.93E-03
475	475	8.5E-02		5	2.80E-03
476	476	7.5E-02		5	2.48E-03
477	477	7.3E-02		5	2.40E-03
478	478	6.4E-02		5	2.13E-03
479	479	6.3E-02		5	2.08E-03
480	480	6.0E-02		5	1.97E-03
481	481	5.6E-02		5	1.85E-03
482	482	5.4E-02		5	1.74E-03
483	483	4.9E-02		5	1.60E-03
484	484	4.7E-02		5	1.54E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24208	1.72E-02	4.2E-03	6.05E-04	2.52E-06	2.09E-01	4.71E-02	2.49E-08	1.0E+06	2.5E-02
2	0.26015	1.72E-02	4.5E-03	6.05E-04	2.71E-06	2.09E-01	4.71E-02	2.67E-08	1.0E+06	2.7E-02
3	0.2791	1.72E-02	4.8E-03	6.05E-04	2.91E-06	2.09E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
4	0.29917	1.72E-02	5.1E-03	6.05E-04	3.11E-06	2.09E-01	4.71E-02	3.07E-08	1.0E+06	3.1E-02
5	0.31982	1.72E-02	5.5E-03	6.05E-04	3.33E-06	2.09E-01	4.71E-02	3.28E-08	1.0E+06	3.3E-02
6	0.34333	1.72E-02	5.9E-03	6.05E-04	3.57E-06	2.09E-01	4.71E-02	3.52E-08	1.0E+06	3.5E-02
7	0.36878	1.72E-02	6.3E-03	6.05E-04	3.84E-06	2.09E-01	4.71E-02	3.79E-08	1.0E+06	3.8E-02
8	0.39664	1.72E-02	6.8E-03	6.05E-04	4.13E-06	2.09E-01	4.71E-02	4.07E-08	1.0E+06	4.1E-02
9	0.42832	1.72E-02	7.4E-03	6.05E-04	4.46E-06	2.09E-01	4.71E-02	4.40E-08	1.0E+06	4.4E-02
10	0.46814	1.72E-02	8.1E-03	6.05E-04	4.87E-06	2.09E-01	4.71E-02	4.81E-08	1.0E+06	4.8E-02
11	0.52197	1.72E-02	9.0E-03	6.05E-04	5.43E-06	2.09E-01	4.71E-02	5.36E-08	1.0E+06	5.4E-02
12	0.59851	1.72E-02	1.0E-02	6.05E-04	6.23E-06	2.09E-01	4.71E-02	6.14E-08	1.0E+06	6.1E-02
13	0.68958	1.72E-02	1.2E-02	6.05E-04	7.18E-06	2.09E-01	4.71E-02	7.08E-08	1.0E+06	7.1E-02
14	0.95843	1.72E-02	1.6E-02	6.05E-04	9.98E-06	2.09E-01	4.71E-02	9.84E-08	1.0E+06	9.8E-02
15	0.26037	1.72E-02	4.5E-03	6.05E-04	2.71E-06	2.09E-01	4.71E-02	2.67E-08	1.0E+06	2.7E-02
16	0.28217	1.72E-02	4.9E-03	6.05E-04	2.94E-06	2.09E-01	4.71E-02	2.90E-08	1.0E+06	2.9E-02
17	0.30728	1.72E-02	5.3E-03	6.05E-04	3.20E-06	2.09E-01	4.71E-02	3.15E-08	1.0E+06	3.2E-02
18	0.33369	1.72E-02	5.7E-03	6.05E-04	3.47E-06	2.09E-01	4.71E-02	3.43E-08	1.0E+06	3.4E-02
19	0.36184	1.72E-02	6.2E-03	6.05E-04	3.77E-06	2.09E-01	4.71E-02	3.71E-08	1.0E+06	3.7E-02
20	0.39341	1.72E-02	6.8E-03	6.05E-04	4.10E-06	2.09E-01	4.71E-02	4.04E-08	1.0E+06	4.0E-02
21	0.42795	1.72E-02	7.4E-03	6.05E-04	4.46E-06	2.09E-01	4.71E-02	4.39E-08	1.0E+06	4.4E-02
22	0.46515	1.72E-02	8.0E-03	6.05E-04	4.84E-06	2.09E-01	4.71E-02	4.78E-08	1.0E+06	4.8E-02
23	0.51215	1.72E-02	8.8E-03	6.05E-04	5.33E-06	2.09E-01	4.71E-02	5.26E-08	1.0E+06	5.3E-02
24	0.56234	1.72E-02	9.7E-03	6.05E-04	5.85E-06	2.09E-01	4.71E-02	5.77E-08	1.0E+06	5.8E-02
25	0.63622	1.72E-02	1.1E-02	6.05E-04	6.62E-06	2.09E-01	4.71E-02	6.53E-08	1.0E+06	6.5E-02
26	0.73661	1.72E-02	1.3E-02	6.05E-04	7.67E-06	2.09E-01	4.71E-02	7.56E-08	1.0E+06	7.6E-02
27	0.85488	1.72E-02	1.5E-02	6.05E-04	8.90E-06	2.09E-01	4.71E-02	8.78E-08	1.0E+06	8.8E-02
28	1.27528	1.72E-02	2.2E-02	6.05E-04	1.33E-05	2.09E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
29	0.27362	1.72E-02	4.7E-03	6.05E-04	2.85E-06	2.09E-01	4.71E-02	2.81E-08	1.0E+06	2.8E-02
30	0.30057	1.72E-02	5.2E-03	6.05E-04	3.13E-06	2.09E-01	4.71E-02	3.09E-08	1.0E+06	3.1E-02
31	0.33123	1.72E-02	5.7E-03	6.05E-04	3.45E-06	2.09E-01	4.71E-02	3.40E-08	1.0E+06	3.4E-02

	Max	Receptor #
Res	1.311	397

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.36622	1.72E-02	6.3E-03	6.05E-04	3.81E-06	2.09E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02
33	0.40327	1.72E-02	6.9E-03	6.05E-04	4.20E-06	2.09E-01	4.71E-02	4.14E-08	1.0E+06	4.1E-02
34	0.44658	1.72E-02	7.7E-03	6.05E-04	4.65E-06	2.09E-01	4.71E-02	4.58E-08	1.0E+06	4.6E-02
35	0.49429	1.72E-02	8.5E-03	6.05E-04	5.15E-06	2.09E-01	4.71E-02	5.07E-08	1.0E+06	5.1E-02
36	0.54931	1.72E-02	9.5E-03	6.05E-04	5.72E-06	2.09E-01	4.71E-02	5.64E-08	1.0E+06	5.6E-02
37	0.61418	1.72E-02	1.1E-02	6.05E-04	6.39E-06	2.09E-01	4.71E-02	6.31E-08	1.0E+06	6.3E-02
38	0.69237	1.72E-02	1.2E-02	6.05E-04	7.21E-06	2.09E-01	4.71E-02	7.11E-08	1.0E+06	7.1E-02
39	0.79147	1.72E-02	1.4E-02	6.05E-04	8.24E-06	2.09E-01	4.71E-02	8.13E-08	1.0E+06	8.1E-02
40	0.91597	1.72E-02	1.6E-02	6.05E-04	9.54E-06	2.09E-01	4.71E-02	9.40E-08	1.0E+06	9.4E-02
41	1.07705	1.72E-02	1.9E-02	6.05E-04	1.12E-05	2.09E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
42	1.77861	1.72E-02	3.1E-02	6.05E-04	1.85E-05	2.09E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
43	0.27954	1.72E-02	4.8E-03	6.05E-04	2.91E-06	2.09E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
44	0.30913	1.72E-02	5.3E-03	6.05E-04	3.22E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
45	0.34534	1.72E-02	5.9E-03	6.05E-04	3.60E-06	2.09E-01	4.71E-02	3.55E-08	1.0E+06	3.5E-02
46	0.38872	1.72E-02	6.7E-03	6.05E-04	4.05E-06	2.09E-01	4.71E-02	3.99E-08	1.0E+06	4.0E-02
47	0.43732	1.72E-02	7.5E-03	6.05E-04	4.55E-06	2.09E-01	4.71E-02	4.49E-08	1.0E+06	4.5E-02
48	0.49359	1.72E-02	8.5E-03	6.05E-04	5.14E-06	2.09E-01	4.71E-02	5.07E-08	1.0E+06	5.1E-02
49	0.55797	1.72E-02	9.6E-03	6.05E-04	5.81E-06	2.09E-01	4.71E-02	5.73E-08	1.0E+06	5.7E-02
50	0.63243	1.72E-02	1.1E-02	6.05E-04	6.58E-06	2.09E-01	4.71E-02	6.49E-08	1.0E+06	6.5E-02
51	0.73394	1.72E-02	1.3E-02	6.05E-04	7.64E-06	2.09E-01	4.71E-02	7.53E-08	1.0E+06	7.5E-02
52	0.8509	1.72E-02	1.5E-02	6.05E-04	8.86E-06	2.09E-01	4.71E-02	8.74E-08	1.0E+06	8.7E-02
53	1.00391	1.72E-02	1.7E-02	6.05E-04	1.05E-05	2.09E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
54	1.20323	1.72E-02	2.1E-02	6.05E-04	1.25E-05	2.09E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
55	1.47244	1.72E-02	2.5E-02	6.05E-04	1.53E-05	2.09E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
56	2.64917	1.72E-02	4.6E-02	6.05E-04	2.76E-05	2.09E-01	4.71E-02	2.72E-07	1.0E+06	2.7E-01
57	0.27888	1.72E-02	4.8E-03	6.05E-04	2.90E-06	2.09E-01	4.71E-02	2.86E-08	1.0E+06	2.9E-02
58	0.31189	1.72E-02	5.4E-03	6.05E-04	3.25E-06	2.09E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02
59	0.35208	1.72E-02	6.1E-03	6.05E-04	3.67E-06	2.09E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
60	0.40013	1.72E-02	6.9E-03	6.05E-04	4.17E-06	2.09E-01	4.71E-02	4.11E-08	1.0E+06	4.1E-02
61	0.45792	1.72E-02	7.9E-03	6.05E-04	4.77E-06	2.09E-01	4.71E-02	4.70E-08	1.0E+06	4.7E-02
62	0.52762	1.72E-02	9.1E-03	6.05E-04	5.49E-06	2.09E-01	4.71E-02	5.42E-08	1.0E+06	5.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.61592	1.72E-02	1.1E-02	6.05E-04	6.41E-06	2.09E-01	4.71E-02	6.32E-08	1.0E+06	6.3E-02
64	0.71239	1.72E-02	1.2E-02	6.05E-04	7.42E-06	2.09E-01	4.71E-02	7.31E-08	1.0E+06	7.3E-02
65	0.8536	1.72E-02	1.5E-02	6.05E-04	8.89E-06	2.09E-01	4.71E-02	8.76E-08	1.0E+06	8.8E-02
66	1.03816	1.72E-02	1.8E-02	6.05E-04	1.08E-05	2.09E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
67	1.27404	1.72E-02	2.2E-02	6.05E-04	1.33E-05	2.09E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
68	1.63449	1.72E-02	2.8E-02	6.05E-04	1.70E-05	2.09E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
69	2.18232	1.72E-02	3.8E-02	6.05E-04	2.27E-05	2.09E-01	4.71E-02	2.24E-07	1.0E+06	2.2E-01
70	0.27538	1.72E-02	4.7E-03	6.05E-04	2.87E-06	2.09E-01	4.71E-02	2.83E-08	1.0E+06	2.8E-02
71	0.3091	1.72E-02	5.3E-03	6.05E-04	3.22E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
72	0.35013	1.72E-02	6.0E-03	6.05E-04	3.64E-06	2.09E-01	4.71E-02	3.59E-08	1.0E+06	3.6E-02
73	0.40019	1.72E-02	6.9E-03	6.05E-04	4.17E-06	2.09E-01	4.71E-02	4.11E-08	1.0E+06	4.1E-02
74	0.46138	1.72E-02	7.9E-03	6.05E-04	4.80E-06	2.09E-01	4.71E-02	4.74E-08	1.0E+06	4.7E-02
75	0.54195	1.72E-02	9.3E-03	6.05E-04	5.64E-06	2.09E-01	4.71E-02	5.56E-08	1.0E+06	5.6E-02
76	0.64437	1.72E-02	1.1E-02	6.05E-04	6.71E-06	2.09E-01	4.71E-02	6.62E-08	1.0E+06	6.6E-02
77	0.77196	1.72E-02	1.3E-02	6.05E-04	8.04E-06	2.09E-01	4.71E-02	7.93E-08	1.0E+06	7.9E-02
78	0.95736	1.72E-02	1.6E-02	6.05E-04	9.97E-06	2.09E-01	4.71E-02	9.83E-08	1.0E+06	9.8E-02
79	1.24329	1.72E-02	2.1E-02	6.05E-04	1.29E-05	2.09E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
80	1.63154	1.72E-02	2.8E-02	6.05E-04	1.70E-05	2.09E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
81	2.3629	1.72E-02	4.1E-02	6.05E-04	2.46E-05	2.09E-01	4.71E-02	2.43E-07	1.0E+06	2.4E-01
82	3.60151	1.72E-02	6.2E-02	6.05E-04	3.75E-05	2.09E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
83	0.26762	1.72E-02	4.6E-03	6.05E-04	2.79E-06	2.09E-01	4.71E-02	2.75E-08	1.0E+06	2.7E-02
84	0.29866	1.72E-02	5.1E-03	6.05E-04	3.11E-06	2.09E-01	4.71E-02	3.07E-08	1.0E+06	3.1E-02
85	0.33423	1.72E-02	5.8E-03	6.05E-04	3.48E-06	2.09E-01	4.71E-02	3.43E-08	1.0E+06	3.4E-02
86	0.39048	1.72E-02	6.7E-03	6.05E-04	4.06E-06	2.09E-01	4.71E-02	4.01E-08	1.0E+06	4.0E-02
87	0.45418	1.72E-02	7.8E-03	6.05E-04	4.73E-06	2.09E-01	4.71E-02	4.66E-08	1.0E+06	4.7E-02
88	0.53712	1.72E-02	9.2E-03	6.05E-04	5.59E-06	2.09E-01	4.71E-02	5.51E-08	1.0E+06	5.5E-02
89	0.64668	1.72E-02	1.1E-02	6.05E-04	6.73E-06	2.09E-01	4.71E-02	6.64E-08	1.0E+06	6.6E-02
90	0.79766	1.72E-02	1.4E-02	6.05E-04	8.30E-06	2.09E-01	4.71E-02	8.19E-08	1.0E+06	8.2E-02
91	1.01632	1.72E-02	1.7E-02	6.05E-04	1.06E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
92	1.34874	1.72E-02	2.3E-02	6.05E-04	1.40E-05	2.09E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
93	1.9215	1.72E-02	3.3E-02	6.05E-04	2.00E-05	2.09E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.11964	1.72E-02	5.4E-02	6.05E-04	3.25E-05	2.09E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
95	6.62959	1.72E-02	1.1E-01	6.05E-04	6.90E-05	2.09E-01	4.71E-02	6.81E-07	1.0E+06	6.8E-01
96	0.25324	1.72E-02	4.4E-03	6.05E-04	2.64E-06	2.09E-01	4.71E-02	2.60E-08	1.0E+06	2.6E-02
97	0.27645	1.72E-02	4.8E-03	6.05E-04	2.88E-06	2.09E-01	4.71E-02	2.84E-08	1.0E+06	2.8E-02
98	0.30981	1.72E-02	5.3E-03	6.05E-04	3.23E-06	2.09E-01	4.71E-02	3.18E-08	1.0E+06	3.2E-02
99	0.36155	1.72E-02	6.2E-03	6.05E-04	3.76E-06	2.09E-01	4.71E-02	3.71E-08	1.0E+06	3.7E-02
100	0.43382	1.72E-02	7.5E-03	6.05E-04	4.52E-06	2.09E-01	4.71E-02	4.45E-08	1.0E+06	4.5E-02
101	0.51544	1.72E-02	8.9E-03	6.05E-04	5.37E-06	2.09E-01	4.71E-02	5.29E-08	1.0E+06	5.3E-02
102	0.62369	1.72E-02	1.1E-02	6.05E-04	6.49E-06	2.09E-01	4.71E-02	6.40E-08	1.0E+06	6.4E-02
103	0.77652	1.72E-02	1.3E-02	6.05E-04	8.08E-06	2.09E-01	4.71E-02	7.97E-08	1.0E+06	8.0E-02
104	0.9983	1.72E-02	1.7E-02	6.05E-04	1.04E-05	2.09E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
105	1.3481	1.72E-02	2.3E-02	6.05E-04	1.40E-05	2.09E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
106	1.98311	1.72E-02	3.4E-02	6.05E-04	2.06E-05	2.09E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
107	3.42535	1.72E-02	5.9E-02	6.05E-04	3.57E-05	2.09E-01	4.71E-02	3.52E-07	1.0E+06	3.5E-01
108	8.9529	1.72E-02	1.5E-01	6.05E-04	9.32E-05	2.09E-01	4.71E-02	9.19E-07	1.0E+06	9.2E-01
109	0.23343	1.72E-02	4.0E-03	6.05E-04	2.43E-06	2.09E-01	4.71E-02	2.40E-08	1.0E+06	2.4E-02
110	0.26376	1.72E-02	4.5E-03	6.05E-04	2.75E-06	2.09E-01	4.71E-02	2.71E-08	1.0E+06	2.7E-02
111	0.30122	1.72E-02	5.2E-03	6.05E-04	3.14E-06	2.09E-01	4.71E-02	3.09E-08	1.0E+06	3.1E-02
112	0.34771	1.72E-02	6.0E-03	6.05E-04	3.62E-06	2.09E-01	4.71E-02	3.57E-08	1.0E+06	3.6E-02
113	0.40621	1.72E-02	7.0E-03	6.05E-04	4.23E-06	2.09E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02
114	0.48088	1.72E-02	8.3E-03	6.05E-04	5.01E-06	2.09E-01	4.71E-02	4.94E-08	1.0E+06	4.9E-02
115	0.57802	1.72E-02	9.9E-03	6.05E-04	6.02E-06	2.09E-01	4.71E-02	5.93E-08	1.0E+06	5.9E-02
116	0.71561	1.72E-02	1.2E-02	6.05E-04	7.45E-06	2.09E-01	4.71E-02	7.35E-08	1.0E+06	7.3E-02
117	0.92231	1.72E-02	1.6E-02	6.05E-04	9.60E-06	2.09E-01	4.71E-02	9.47E-08	1.0E+06	9.5E-02
118	1.27526	1.72E-02	2.2E-02	6.05E-04	1.33E-05	2.09E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
119	1.85182	1.72E-02	3.2E-02	6.05E-04	1.93E-05	2.09E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
120	3.10182	1.72E-02	5.3E-02	6.05E-04	3.23E-05	2.09E-01	4.71E-02	3.18E-07	1.0E+06	3.2E-01
121	7.30224	1.72E-02	1.3E-01	6.05E-04	7.60E-05	2.09E-01	4.71E-02	7.50E-07	1.0E+06	7.5E-01
122	0.21719	1.72E-02	3.7E-03	6.05E-04	2.26E-06	2.09E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
123	0.24603	1.72E-02	4.2E-03	6.05E-04	2.56E-06	2.09E-01	4.71E-02	2.53E-08	1.0E+06	2.5E-02
124	0.28402	1.72E-02	4.9E-03	6.05E-04	2.96E-06	2.09E-01	4.71E-02	2.92E-08	1.0E+06	2.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.32675	1.72E-02	5.6E-03	6.05E-04	3.40E-06	2.09E-01	4.71E-02	3.35E-08	1.0E+06	3.4E-02
126	0.37739	1.72E-02	6.5E-03	6.05E-04	3.93E-06	2.09E-01	4.71E-02	3.87E-08	1.0E+06	3.9E-02
127	0.43832	1.72E-02	7.5E-03	6.05E-04	4.56E-06	2.09E-01	4.71E-02	4.50E-08	1.0E+06	4.5E-02
128	0.4895	1.72E-02	8.4E-03	6.05E-04	5.10E-06	2.09E-01	4.71E-02	5.03E-08	1.0E+06	5.0E-02
129	0.59454	1.72E-02	1.0E-02	6.05E-04	6.19E-06	2.09E-01	4.71E-02	6.10E-08	1.0E+06	6.1E-02
130	0.77837	1.72E-02	1.3E-02	6.05E-04	8.10E-06	2.09E-01	4.71E-02	7.99E-08	1.0E+06	8.0E-02
131	7.40233	1.72E-02	1.3E-01	6.05E-04	7.71E-05	2.09E-01	4.71E-02	7.60E-07	1.0E+06	7.6E-01
132	5.92098	1.72E-02	1.0E-01	6.05E-04	6.16E-05	2.09E-01	4.71E-02	6.08E-07	1.0E+06	6.1E-01
133	0.2012	1.72E-02	3.5E-03	6.05E-04	2.09E-06	2.09E-01	4.71E-02	2.07E-08	1.0E+06	2.1E-02
134	0.23128	1.72E-02	4.0E-03	6.05E-04	2.41E-06	2.09E-01	4.71E-02	2.37E-08	1.0E+06	2.4E-02
135	0.26577	1.72E-02	4.6E-03	6.05E-04	2.77E-06	2.09E-01	4.71E-02	2.73E-08	1.0E+06	2.7E-02
136	0.30422	1.72E-02	5.2E-03	6.05E-04	3.17E-06	2.09E-01	4.71E-02	3.12E-08	1.0E+06	3.1E-02
137	0.35024	1.72E-02	6.0E-03	6.05E-04	3.65E-06	2.09E-01	4.71E-02	3.60E-08	1.0E+06	3.6E-02
138	0.4009	1.72E-02	6.9E-03	6.05E-04	4.17E-06	2.09E-01	4.71E-02	4.12E-08	1.0E+06	4.1E-02
139	0.45464	1.72E-02	7.8E-03	6.05E-04	4.73E-06	2.09E-01	4.71E-02	4.67E-08	1.0E+06	4.7E-02
140	0.53896	1.72E-02	9.3E-03	6.05E-04	5.61E-06	2.09E-01	4.71E-02	5.53E-08	1.0E+06	5.5E-02
141	0.66049	1.72E-02	1.1E-02	6.05E-04	6.88E-06	2.09E-01	4.71E-02	6.78E-08	1.0E+06	6.8E-02
142	0.81857	1.72E-02	1.4E-02	6.05E-04	8.52E-06	2.09E-01	4.71E-02	8.40E-08	1.0E+06	8.4E-02
143	1.06969	1.72E-02	1.8E-02	6.05E-04	1.11E-05	2.09E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
144	1.51306	1.72E-02	2.6E-02	6.05E-04	1.58E-05	2.09E-01	4.71E-02	1.55E-07	1.0E+06	1.6E-01
145	2.20204	1.72E-02	3.8E-02	6.05E-04	2.29E-05	2.09E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
146	4.57471	1.72E-02	7.9E-02	6.05E-04	4.76E-05	2.09E-01	4.71E-02	4.70E-07	1.0E+06	4.7E-01
147	0.18734	1.72E-02	3.2E-03	6.05E-04	1.95E-06	2.09E-01	4.71E-02	1.92E-08	1.0E+06	1.9E-02
148	0.21309	1.72E-02	3.7E-03	6.05E-04	2.22E-06	2.09E-01	4.71E-02	2.19E-08	1.0E+06	2.2E-02
149	0.24448	1.72E-02	4.2E-03	6.05E-04	2.55E-06	2.09E-01	4.71E-02	2.51E-08	1.0E+06	2.5E-02
150	0.27925	1.72E-02	4.8E-03	6.05E-04	2.91E-06	2.09E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
151	0.32321	1.72E-02	5.6E-03	6.05E-04	3.36E-06	2.09E-01	4.71E-02	3.32E-08	1.0E+06	3.3E-02
152	0.3674	1.72E-02	6.3E-03	6.05E-04	3.82E-06	2.09E-01	4.71E-02	3.77E-08	1.0E+06	3.8E-02
153	0.42017	1.72E-02	7.2E-03	6.05E-04	4.37E-06	2.09E-01	4.71E-02	4.31E-08	1.0E+06	4.3E-02
154	0.49329	1.72E-02	8.5E-03	6.05E-04	5.14E-06	2.09E-01	4.71E-02	5.06E-08	1.0E+06	5.1E-02
155	0.59199	1.72E-02	1.0E-02	6.05E-04	6.16E-06	2.09E-01	4.71E-02	6.08E-08	1.0E+06	6.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.71666	1.72E-02	1.2E-02	6.05E-04	7.46E-06	2.09E-01	4.71E-02	7.36E-08	1.0E+06	7.4E-02
157	0.87778	1.72E-02	1.5E-02	6.05E-04	9.14E-06	2.09E-01	4.71E-02	9.01E-08	1.0E+06	9.0E-02
158	1.10629	1.72E-02	1.9E-02	6.05E-04	1.15E-05	2.09E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
159	1.59661	1.72E-02	2.7E-02	6.05E-04	1.66E-05	2.09E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01
160	0.17769	1.72E-02	3.1E-03	6.05E-04	1.85E-06	2.09E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
161	0.1973	1.72E-02	3.4E-03	6.05E-04	2.05E-06	2.09E-01	4.71E-02	2.03E-08	1.0E+06	2.0E-02
162	0.21729	1.72E-02	3.7E-03	6.05E-04	2.26E-06	2.09E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
163	0.25154	1.72E-02	4.3E-03	6.05E-04	2.62E-06	2.09E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
164	0.29579	1.72E-02	5.1E-03	6.05E-04	3.08E-06	2.09E-01	4.71E-02	3.04E-08	1.0E+06	3.0E-02
165	0.33639	1.72E-02	5.8E-03	6.05E-04	3.50E-06	2.09E-01	4.71E-02	3.45E-08	1.0E+06	3.5E-02
166	0.38696	1.72E-02	6.7E-03	6.05E-04	4.03E-06	2.09E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02
167	0.44773	1.72E-02	7.7E-03	6.05E-04	4.66E-06	2.09E-01	4.71E-02	4.60E-08	1.0E+06	4.6E-02
168	0.52312	1.72E-02	9.0E-03	6.05E-04	5.45E-06	2.09E-01	4.71E-02	5.37E-08	1.0E+06	5.4E-02
169	0.61749	1.72E-02	1.1E-02	6.05E-04	6.43E-06	2.09E-01	4.71E-02	6.34E-08	1.0E+06	6.3E-02
170	0.73787	1.72E-02	1.3E-02	6.05E-04	7.68E-06	2.09E-01	4.71E-02	7.58E-08	1.0E+06	7.6E-02
171	0.90459	1.72E-02	1.6E-02	6.05E-04	9.42E-06	2.09E-01	4.71E-02	9.29E-08	1.0E+06	9.3E-02
172	1.17863	1.72E-02	2.0E-02	6.05E-04	1.23E-05	2.09E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
173	1.56202	1.72E-02	2.7E-02	6.05E-04	1.63E-05	2.09E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
174	2.02836	1.72E-02	3.5E-02	6.05E-04	2.11E-05	2.09E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
175	2.36083	1.72E-02	4.1E-02	6.05E-04	2.46E-05	2.09E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
176	2.47447	1.72E-02	4.3E-02	6.05E-04	2.58E-05	2.09E-01	4.71E-02	2.54E-07	1.0E+06	2.5E-01
177	2.43188	1.72E-02	4.2E-02	6.05E-04	2.53E-05	2.09E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
178	2.25623	1.72E-02	3.9E-02	6.05E-04	2.35E-05	2.09E-01	4.71E-02	2.32E-07	1.0E+06	2.3E-01
179	0.16283	1.72E-02	2.8E-03	6.05E-04	1.70E-06	2.09E-01	4.71E-02	1.67E-08	1.0E+06	1.7E-02
180	0.1782	1.72E-02	3.1E-03	6.05E-04	1.86E-06	2.09E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
181	0.19241	1.72E-02	3.3E-03	6.05E-04	2.00E-06	2.09E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
182	0.22626	1.72E-02	3.9E-03	6.05E-04	2.36E-06	2.09E-01	4.71E-02	2.32E-08	1.0E+06	2.3E-02
183	0.27299	1.72E-02	4.7E-03	6.05E-04	2.84E-06	2.09E-01	4.71E-02	2.80E-08	1.0E+06	2.8E-02
184	0.31025	1.72E-02	5.3E-03	6.05E-04	3.23E-06	2.09E-01	4.71E-02	3.19E-08	1.0E+06	3.2E-02
185	0.35623	1.72E-02	6.1E-03	6.05E-04	3.71E-06	2.09E-01	4.71E-02	3.66E-08	1.0E+06	3.7E-02
186	0.40715	1.72E-02	7.0E-03	6.05E-04	4.24E-06	2.09E-01	4.71E-02	4.18E-08	1.0E+06	4.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.46491	1.72E-02	8.0E-03	6.05E-04	4.84E-06	2.09E-01	4.71E-02	4.77E-08	1.0E+06	4.8E-02
188	0.53875	1.72E-02	9.3E-03	6.05E-04	5.61E-06	2.09E-01	4.71E-02	5.53E-08	1.0E+06	5.5E-02
189	0.62873	1.72E-02	1.1E-02	6.05E-04	6.55E-06	2.09E-01	4.71E-02	6.45E-08	1.0E+06	6.5E-02
190	0.7521	1.72E-02	1.3E-02	6.05E-04	7.83E-06	2.09E-01	4.71E-02	7.72E-08	1.0E+06	7.7E-02
191	0.91282	1.72E-02	1.6E-02	6.05E-04	9.50E-06	2.09E-01	4.71E-02	9.37E-08	1.0E+06	9.4E-02
192	1.1316	1.72E-02	1.9E-02	6.05E-04	1.18E-05	2.09E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
193	1.3626	1.72E-02	2.3E-02	6.05E-04	1.42E-05	2.09E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
194	1.6103	1.72E-02	2.8E-02	6.05E-04	1.68E-05	2.09E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
195	1.83033	1.72E-02	3.1E-02	6.05E-04	1.91E-05	2.09E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
196	1.83082	1.72E-02	3.1E-02	6.05E-04	1.91E-05	2.09E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
197	1.72496	1.72E-02	3.0E-02	6.05E-04	1.80E-05	2.09E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
198	0.15329	1.72E-02	2.6E-03	6.05E-04	1.60E-06	2.09E-01	4.71E-02	1.57E-08	1.0E+06	1.6E-02
199	0.16801	1.72E-02	2.9E-03	6.05E-04	1.75E-06	2.09E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
200	0.1845	1.72E-02	3.2E-03	6.05E-04	1.92E-06	2.09E-01	4.71E-02	1.89E-08	1.0E+06	1.9E-02
201	0.20774	1.72E-02	3.6E-03	6.05E-04	2.16E-06	2.09E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
202	0.24802	1.72E-02	4.3E-03	6.05E-04	2.58E-06	2.09E-01	4.71E-02	2.55E-08	1.0E+06	2.5E-02
203	0.28344	1.72E-02	4.9E-03	6.05E-04	2.95E-06	2.09E-01	4.71E-02	2.91E-08	1.0E+06	2.9E-02
204	0.32437	1.72E-02	5.6E-03	6.05E-04	3.38E-06	2.09E-01	4.71E-02	3.33E-08	1.0E+06	3.3E-02
205	0.36737	1.72E-02	6.3E-03	6.05E-04	3.82E-06	2.09E-01	4.71E-02	3.77E-08	1.0E+06	3.8E-02
206	0.41583	1.72E-02	7.2E-03	6.05E-04	4.33E-06	2.09E-01	4.71E-02	4.27E-08	1.0E+06	4.3E-02
207	0.47445	1.72E-02	8.2E-03	6.05E-04	4.94E-06	2.09E-01	4.71E-02	4.87E-08	1.0E+06	4.9E-02
208	0.54532	1.72E-02	9.4E-03	6.05E-04	5.68E-06	2.09E-01	4.71E-02	5.60E-08	1.0E+06	5.6E-02
209	0.63729	1.72E-02	1.1E-02	6.05E-04	6.63E-06	2.09E-01	4.71E-02	6.54E-08	1.0E+06	6.5E-02
210	0.75216	1.72E-02	1.3E-02	6.05E-04	7.83E-06	2.09E-01	4.71E-02	7.72E-08	1.0E+06	7.7E-02
211	0.88928	1.72E-02	1.5E-02	6.05E-04	9.26E-06	2.09E-01	4.71E-02	9.13E-08	1.0E+06	9.1E-02
212	1.02495	1.72E-02	1.8E-02	6.05E-04	1.07E-05	2.09E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
213	1.13148	1.72E-02	1.9E-02	6.05E-04	1.18E-05	2.09E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
214	1.1847	1.72E-02	2.0E-02	6.05E-04	1.23E-05	2.09E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
215	1.39908	1.72E-02	2.4E-02	6.05E-04	1.46E-05	2.09E-01	4.71E-02	1.44E-07	1.0E+06	1.4E-01
216	0.14739	1.72E-02	2.5E-03	6.05E-04	1.53E-06	2.09E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02
217	0.15974	1.72E-02	2.7E-03	6.05E-04	1.66E-06	2.09E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.17507	1.72E-02	3.0E-03	6.05E-04	1.82E-06	2.09E-01	4.71E-02	1.80E-08	1.0E+06	1.8E-02
219	0.19408	1.72E-02	3.3E-03	6.05E-04	2.02E-06	2.09E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02
220	0.22545	1.72E-02	3.9E-03	6.05E-04	2.35E-06	2.09E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
221	0.25293	1.72E-02	4.4E-03	6.05E-04	2.63E-06	2.09E-01	4.71E-02	2.60E-08	1.0E+06	2.6E-02
222	0.28852	1.72E-02	5.0E-03	6.05E-04	3.00E-06	2.09E-01	4.71E-02	2.96E-08	1.0E+06	3.0E-02
223	0.32506	1.72E-02	5.6E-03	6.05E-04	3.38E-06	2.09E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02
224	0.36579	1.72E-02	6.3E-03	6.05E-04	3.81E-06	2.09E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02
225	0.41139	1.72E-02	7.1E-03	6.05E-04	4.28E-06	2.09E-01	4.71E-02	4.22E-08	1.0E+06	4.2E-02
226	0.47087	1.72E-02	8.1E-03	6.05E-04	4.90E-06	2.09E-01	4.71E-02	4.83E-08	1.0E+06	4.8E-02
227	0.54132	1.72E-02	9.3E-03	6.05E-04	5.64E-06	2.09E-01	4.71E-02	5.56E-08	1.0E+06	5.6E-02
228	0.62646	1.72E-02	1.1E-02	6.05E-04	6.52E-06	2.09E-01	4.71E-02	6.43E-08	1.0E+06	6.4E-02
229	0.72545	1.72E-02	1.2E-02	6.05E-04	7.55E-06	2.09E-01	4.71E-02	7.45E-08	1.0E+06	7.4E-02
230	0.82114	1.72E-02	1.4E-02	6.05E-04	8.55E-06	2.09E-01	4.71E-02	8.43E-08	1.0E+06	8.4E-02
231	0.90433	1.72E-02	1.6E-02	6.05E-04	9.41E-06	2.09E-01	4.71E-02	9.28E-08	1.0E+06	9.3E-02
232	0.95831	1.72E-02	1.6E-02	6.05E-04	9.98E-06	2.09E-01	4.71E-02	9.84E-08	1.0E+06	9.8E-02
233	1.08841	1.72E-02	1.9E-02	6.05E-04	1.13E-05	2.09E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
234	0.14198	1.72E-02	2.4E-03	6.05E-04	1.48E-06	2.09E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
235	0.152	1.72E-02	2.6E-03	6.05E-04	1.58E-06	2.09E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
236	0.16533	1.72E-02	2.8E-03	6.05E-04	1.72E-06	2.09E-01	4.71E-02	1.70E-08	1.0E+06	1.7E-02
237	0.1827	1.72E-02	3.1E-03	6.05E-04	1.90E-06	2.09E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
238	0.20515	1.72E-02	3.5E-03	6.05E-04	2.14E-06	2.09E-01	4.71E-02	2.11E-08	1.0E+06	2.1E-02
239	0.22746	1.72E-02	3.9E-03	6.05E-04	2.37E-06	2.09E-01	4.71E-02	2.34E-08	1.0E+06	2.3E-02
240	0.25485	1.72E-02	4.4E-03	6.05E-04	2.65E-06	2.09E-01	4.71E-02	2.62E-08	1.0E+06	2.6E-02
241	0.28536	1.72E-02	4.9E-03	6.05E-04	2.97E-06	2.09E-01	4.71E-02	2.93E-08	1.0E+06	2.9E-02
242	0.32011	1.72E-02	5.5E-03	6.05E-04	3.33E-06	2.09E-01	4.71E-02	3.29E-08	1.0E+06	3.3E-02
243	0.35968	1.72E-02	6.2E-03	6.05E-04	3.74E-06	2.09E-01	4.71E-02	3.69E-08	1.0E+06	3.7E-02
244	0.41028	1.72E-02	7.1E-03	6.05E-04	4.27E-06	2.09E-01	4.71E-02	4.21E-08	1.0E+06	4.2E-02
245	0.46953	1.72E-02	8.1E-03	6.05E-04	4.89E-06	2.09E-01	4.71E-02	4.82E-08	1.0E+06	4.8E-02
246	0.538	1.72E-02	9.3E-03	6.05E-04	5.60E-06	2.09E-01	4.71E-02	5.52E-08	1.0E+06	5.5E-02
247	0.61275	1.72E-02	1.1E-02	6.05E-04	6.38E-06	2.09E-01	4.71E-02	6.29E-08	1.0E+06	6.3E-02
248	0.68743	1.72E-02	1.2E-02	6.05E-04	7.16E-06	2.09E-01	4.71E-02	7.06E-08	1.0E+06	7.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	0.75095	1.72E-02	1.3E-02	6.05E-04	7.82E-06	2.09E-01	4.71E-02	7.71E-08	1.0E+06	7.7E-02
250	0.80013	1.72E-02	1.4E-02	6.05E-04	8.33E-06	2.09E-01	4.71E-02	8.21E-08	1.0E+06	8.2E-02
251	0.89928	1.72E-02	1.5E-02	6.05E-04	9.36E-06	2.09E-01	4.71E-02	9.23E-08	1.0E+06	9.2E-02
252	0.13488	1.72E-02	2.3E-03	6.05E-04	1.40E-06	2.09E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02
253	0.14265	1.72E-02	2.5E-03	6.05E-04	1.49E-06	2.09E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
254	0.15259	1.72E-02	2.6E-03	6.05E-04	1.59E-06	2.09E-01	4.71E-02	1.57E-08	1.0E+06	1.6E-02
255	0.16464	1.72E-02	2.8E-03	6.05E-04	1.71E-06	2.09E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
256	0.18715	1.72E-02	3.2E-03	6.05E-04	1.95E-06	2.09E-01	4.71E-02	1.92E-08	1.0E+06	1.9E-02
257	0.19855	1.72E-02	3.4E-03	6.05E-04	2.07E-06	2.09E-01	4.71E-02	2.04E-08	1.0E+06	2.0E-02
258	0.2162	1.72E-02	3.7E-03	6.05E-04	2.25E-06	2.09E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
259	0.23718	1.72E-02	4.1E-03	6.05E-04	2.47E-06	2.09E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
260	0.26947	1.72E-02	4.6E-03	6.05E-04	2.81E-06	2.09E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
261	0.31098	1.72E-02	5.4E-03	6.05E-04	3.24E-06	2.09E-01	4.71E-02	3.19E-08	1.0E+06	3.2E-02
262	0.35732	1.72E-02	6.1E-03	6.05E-04	3.72E-06	2.09E-01	4.71E-02	3.67E-08	1.0E+06	3.7E-02
263	0.4049	1.72E-02	7.0E-03	6.05E-04	4.22E-06	2.09E-01	4.71E-02	4.16E-08	1.0E+06	4.2E-02
264	0.46204	1.72E-02	7.9E-03	6.05E-04	4.81E-06	2.09E-01	4.71E-02	4.74E-08	1.0E+06	4.7E-02
265	0.51992	1.72E-02	8.9E-03	6.05E-04	5.41E-06	2.09E-01	4.71E-02	5.34E-08	1.0E+06	5.3E-02
266	0.57862	1.72E-02	1.0E-02	6.05E-04	6.02E-06	2.09E-01	4.71E-02	5.94E-08	1.0E+06	5.9E-02
267	0.6287	1.72E-02	1.1E-02	6.05E-04	6.54E-06	2.09E-01	4.71E-02	6.45E-08	1.0E+06	6.5E-02
268	0.66735	1.72E-02	1.1E-02	6.05E-04	6.95E-06	2.09E-01	4.71E-02	6.85E-08	1.0E+06	6.9E-02
269	0.7427	1.72E-02	1.3E-02	6.05E-04	7.73E-06	2.09E-01	4.71E-02	7.62E-08	1.0E+06	7.6E-02
270	0.12735	1.72E-02	2.2E-03	6.05E-04	1.33E-06	2.09E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02
271	0.13443	1.72E-02	2.3E-03	6.05E-04	1.40E-06	2.09E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02
272	0.14286	1.72E-02	2.5E-03	6.05E-04	1.49E-06	2.09E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02
273	0.1521	1.72E-02	2.6E-03	6.05E-04	1.58E-06	2.09E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
274	0.17405	1.72E-02	3.0E-03	6.05E-04	1.81E-06	2.09E-01	4.71E-02	1.79E-08	1.0E+06	1.8E-02
275	0.19151	1.72E-02	3.3E-03	6.05E-04	1.99E-06	2.09E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
276	0.19368	1.72E-02	3.3E-03	6.05E-04	2.02E-06	2.09E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02
277	0.2106	1.72E-02	3.6E-03	6.05E-04	2.19E-06	2.09E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
278	0.2342	1.72E-02	4.0E-03	6.05E-04	2.44E-06	2.09E-01	4.71E-02	2.40E-08	1.0E+06	2.4E-02
279	0.26516	1.72E-02	4.6E-03	6.05E-04	2.76E-06	2.09E-01	4.71E-02	2.72E-08	1.0E+06	2.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.30781	1.72E-02	5.3E-03	6.05E-04	3.20E-06	2.09E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02
281	0.35373	1.72E-02	6.1E-03	6.05E-04	3.68E-06	2.09E-01	4.71E-02	3.63E-08	1.0E+06	3.6E-02
282	0.40181	1.72E-02	6.9E-03	6.05E-04	4.18E-06	2.09E-01	4.71E-02	4.13E-08	1.0E+06	4.1E-02
283	0.45035	1.72E-02	7.7E-03	6.05E-04	4.69E-06	2.09E-01	4.71E-02	4.62E-08	1.0E+06	4.6E-02
284	0.49767	1.72E-02	8.6E-03	6.05E-04	5.18E-06	2.09E-01	4.71E-02	5.11E-08	1.0E+06	5.1E-02
285	0.53687	1.72E-02	9.2E-03	6.05E-04	5.59E-06	2.09E-01	4.71E-02	5.51E-08	1.0E+06	5.5E-02
286	0.56978	1.72E-02	9.8E-03	6.05E-04	5.93E-06	2.09E-01	4.71E-02	5.85E-08	1.0E+06	5.8E-02
287	0.63116	1.72E-02	1.1E-02	6.05E-04	6.57E-06	2.09E-01	4.71E-02	6.48E-08	1.0E+06	6.5E-02
288	0.12073	1.72E-02	2.1E-03	6.05E-04	1.26E-06	2.09E-01	4.71E-02	1.24E-08	1.0E+06	1.2E-02
289	0.12591	1.72E-02	2.2E-03	6.05E-04	1.31E-06	2.09E-01	4.71E-02	1.29E-08	1.0E+06	1.3E-02
290	0.13629	1.72E-02	2.3E-03	6.05E-04	1.42E-06	2.09E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
291	0.14618	1.72E-02	2.5E-03	6.05E-04	1.52E-06	2.09E-01	4.71E-02	1.50E-08	1.0E+06	1.5E-02
292	0.17553	1.72E-02	3.0E-03	6.05E-04	1.83E-06	2.09E-01	4.71E-02	1.80E-08	1.0E+06	1.8E-02
293	0.18214	1.72E-02	3.1E-03	6.05E-04	1.90E-06	2.09E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
294	0.17701	1.72E-02	3.0E-03	6.05E-04	1.84E-06	2.09E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
295	0.19366	1.72E-02	3.3E-03	6.05E-04	2.02E-06	2.09E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02
296	0.21492	1.72E-02	3.7E-03	6.05E-04	2.24E-06	2.09E-01	4.71E-02	2.21E-08	1.0E+06	2.2E-02
297	0.23689	1.72E-02	4.1E-03	6.05E-04	2.47E-06	2.09E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
298	0.26792	1.72E-02	4.6E-03	6.05E-04	2.79E-06	2.09E-01	4.71E-02	2.75E-08	1.0E+06	2.8E-02
299	0.30964	1.72E-02	5.3E-03	6.05E-04	3.22E-06	2.09E-01	4.71E-02	3.18E-08	1.0E+06	3.2E-02
300	0.34814	1.72E-02	6.0E-03	6.05E-04	3.62E-06	2.09E-01	4.71E-02	3.57E-08	1.0E+06	3.6E-02
301	0.39207	1.72E-02	6.7E-03	6.05E-04	4.08E-06	2.09E-01	4.71E-02	4.03E-08	1.0E+06	4.0E-02
302	0.43341	1.72E-02	7.5E-03	6.05E-04	4.51E-06	2.09E-01	4.71E-02	4.45E-08	1.0E+06	4.4E-02
303	0.47003	1.72E-02	8.1E-03	6.05E-04	4.89E-06	2.09E-01	4.71E-02	4.83E-08	1.0E+06	4.8E-02
304	0.49846	1.72E-02	8.6E-03	6.05E-04	5.19E-06	2.09E-01	4.71E-02	5.12E-08	1.0E+06	5.1E-02
305	0.54889	1.72E-02	9.4E-03	6.05E-04	5.71E-06	2.09E-01	4.71E-02	5.63E-08	1.0E+06	5.6E-02
306	0.1215	1.72E-02	2.1E-03	6.05E-04	1.26E-06	2.09E-01	4.71E-02	1.25E-08	1.0E+06	1.2E-02
307	0.12282	1.72E-02	2.1E-03	6.05E-04	1.28E-06	2.09E-01	4.71E-02	1.26E-08	1.0E+06	1.3E-02
308	0.12903	1.72E-02	2.2E-03	6.05E-04	1.34E-06	2.09E-01	4.71E-02	1.32E-08	1.0E+06	1.3E-02
309	0.14771	1.72E-02	2.5E-03	6.05E-04	1.54E-06	2.09E-01	4.71E-02	1.52E-08	1.0E+06	1.5E-02
310	0.1661	1.72E-02	2.9E-03	6.05E-04	1.73E-06	2.09E-01	4.71E-02	1.71E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.17127	1.72E-02	2.9E-03	6.05E-04	1.78E-06	2.09E-01	4.71E-02	1.76E-08	1.0E+06	1.8E-02
312	0.16328	1.72E-02	2.8E-03	6.05E-04	1.70E-06	2.09E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
313	0.17828	1.72E-02	3.1E-03	6.05E-04	1.86E-06	2.09E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
314	0.19711	1.72E-02	3.4E-03	6.05E-04	2.05E-06	2.09E-01	4.71E-02	2.02E-08	1.0E+06	2.0E-02
315	0.22456	1.72E-02	3.9E-03	6.05E-04	2.34E-06	2.09E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
316	0.24394	1.72E-02	4.2E-03	6.05E-04	2.54E-06	2.09E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
317	0.27118	1.72E-02	4.7E-03	6.05E-04	2.82E-06	2.09E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
318	0.30422	1.72E-02	5.2E-03	6.05E-04	3.17E-06	2.09E-01	4.71E-02	3.12E-08	1.0E+06	3.1E-02
319	0.34378	1.72E-02	5.9E-03	6.05E-04	3.58E-06	2.09E-01	4.71E-02	3.53E-08	1.0E+06	3.5E-02
320	0.3868	1.72E-02	6.7E-03	6.05E-04	4.03E-06	2.09E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02
321	0.41641	1.72E-02	7.2E-03	6.05E-04	4.33E-06	2.09E-01	4.71E-02	4.27E-08	1.0E+06	4.3E-02
322	0.44075	1.72E-02	7.6E-03	6.05E-04	4.59E-06	2.09E-01	4.71E-02	4.52E-08	1.0E+06	4.5E-02
323	0.48154	1.72E-02	8.3E-03	6.05E-04	5.01E-06	2.09E-01	4.71E-02	4.94E-08	1.0E+06	4.9E-02
324	0.11562	1.72E-02	2.0E-03	6.05E-04	1.20E-06	2.09E-01	4.71E-02	1.19E-08	1.0E+06	1.2E-02
325	0.12511	1.72E-02	2.2E-03	6.05E-04	1.30E-06	2.09E-01	4.71E-02	1.28E-08	1.0E+06	1.3E-02
326	0.12995	1.72E-02	2.2E-03	6.05E-04	1.35E-06	2.09E-01	4.71E-02	1.33E-08	1.0E+06	1.3E-02
327	0.13277	1.72E-02	2.3E-03	6.05E-04	1.38E-06	2.09E-01	4.71E-02	1.36E-08	1.0E+06	1.4E-02
328	0.15993	1.72E-02	2.8E-03	6.05E-04	1.66E-06	2.09E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
329	0.1611	1.72E-02	2.8E-03	6.05E-04	1.68E-06	2.09E-01	4.71E-02	1.65E-08	1.0E+06	1.7E-02
330	0.15531	1.72E-02	2.7E-03	6.05E-04	1.62E-06	2.09E-01	4.71E-02	1.59E-08	1.0E+06	1.6E-02
331	0.16961	1.72E-02	2.9E-03	6.05E-04	1.77E-06	2.09E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
332	0.18704	1.72E-02	3.2E-03	6.05E-04	1.95E-06	2.09E-01	4.71E-02	1.92E-08	1.0E+06	1.9E-02
333	0.21165	1.72E-02	3.6E-03	6.05E-04	2.20E-06	2.09E-01	4.71E-02	2.17E-08	1.0E+06	2.2E-02
334	0.23286	1.72E-02	4.0E-03	6.05E-04	2.42E-06	2.09E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
335	0.25687	1.72E-02	4.4E-03	6.05E-04	2.67E-06	2.09E-01	4.71E-02	2.64E-08	1.0E+06	2.6E-02
336	5.25471	1.72E-02	9.0E-02	6.05E-04	5.47E-05	2.09E-01	4.71E-02	5.39E-07	1.0E+06	5.4E-01
337	4.09801	1.72E-02	7.1E-02	6.05E-04	4.27E-05	2.09E-01	4.71E-02	4.21E-07	1.0E+06	4.2E-01
338	0.69877	1.72E-02	1.2E-02	6.05E-04	7.27E-06	2.09E-01	4.71E-02	7.17E-08	1.0E+06	7.2E-02
339	0.77633	1.72E-02	1.3E-02	6.05E-04	8.08E-06	2.09E-01	4.71E-02	7.97E-08	1.0E+06	8.0E-02
340	0.84525	1.72E-02	1.5E-02	6.05E-04	8.80E-06	2.09E-01	4.71E-02	8.68E-08	1.0E+06	8.7E-02
341	0.89345	1.72E-02	1.5E-02	6.05E-04	9.30E-06	2.09E-01	4.71E-02	9.17E-08	1.0E+06	9.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.92141	1.72E-02	1.6E-02	6.05E-04	9.59E-06	2.09E-01	4.71E-02	9.46E-08	1.0E+06	9.5E-02
343	0.91505	1.72E-02	1.6E-02	6.05E-04	9.53E-06	2.09E-01	4.71E-02	9.39E-08	1.0E+06	9.4E-02
344	0.8857	1.72E-02	1.5E-02	6.05E-04	9.22E-06	2.09E-01	4.71E-02	9.09E-08	1.0E+06	9.1E-02
345	0.8401	1.72E-02	1.4E-02	6.05E-04	8.75E-06	2.09E-01	4.71E-02	8.62E-08	1.0E+06	8.6E-02
346	0.7797	1.72E-02	1.3E-02	6.05E-04	8.12E-06	2.09E-01	4.71E-02	8.00E-08	1.0E+06	8.0E-02
347	0.86888	1.72E-02	1.5E-02	6.05E-04	9.05E-06	2.09E-01	4.71E-02	8.92E-08	1.0E+06	8.9E-02
348	1.00398	1.72E-02	1.7E-02	6.05E-04	1.05E-05	2.09E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
349	1.10866	1.72E-02	1.9E-02	6.05E-04	1.15E-05	2.09E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
350	1.17766	1.72E-02	2.0E-02	6.05E-04	1.23E-05	2.09E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
351	1.21981	1.72E-02	2.1E-02	6.05E-04	1.27E-05	2.09E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
352	1.19644	1.72E-02	2.1E-02	6.05E-04	1.25E-05	2.09E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
353	1.14005	1.72E-02	2.0E-02	6.05E-04	1.19E-05	2.09E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
354	1.04619	1.72E-02	1.8E-02	6.05E-04	1.09E-05	2.09E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
355	0.95366	1.72E-02	1.6E-02	6.05E-04	9.93E-06	2.09E-01	4.71E-02	9.79E-08	1.0E+06	9.8E-02
356	1.11736	1.72E-02	1.9E-02	6.05E-04	1.16E-05	2.09E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
357	1.30958	1.72E-02	2.3E-02	6.05E-04	1.36E-05	2.09E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
358	1.49976	1.72E-02	2.6E-02	6.05E-04	1.56E-05	2.09E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
359	1.62635	1.72E-02	2.8E-02	6.05E-04	1.69E-05	2.09E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
360	1.69468	1.72E-02	2.9E-02	6.05E-04	1.76E-05	2.09E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
361	1.62336	1.72E-02	2.8E-02	6.05E-04	1.69E-05	2.09E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
362	1.51327	1.72E-02	2.6E-02	6.05E-04	1.58E-05	2.09E-01	4.71E-02	1.55E-07	1.0E+06	1.6E-01
363	1.34227	1.72E-02	2.3E-02	6.05E-04	1.40E-05	2.09E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
364	1.53351	1.72E-02	2.6E-02	6.05E-04	1.60E-05	2.09E-01	4.71E-02	1.57E-07	1.0E+06	1.6E-01
365	1.80482	1.72E-02	3.1E-02	6.05E-04	1.88E-05	2.09E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
366	2.17696	1.72E-02	3.7E-02	6.05E-04	2.27E-05	2.09E-01	4.71E-02	2.23E-07	1.0E+06	2.2E-01
367	2.40697	1.72E-02	4.1E-02	6.05E-04	2.51E-05	2.09E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
368	2.51485	1.72E-02	4.3E-02	6.05E-04	2.62E-05	2.09E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
369	2.33111	1.72E-02	4.0E-02	6.05E-04	2.43E-05	2.09E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
370	1.80686	1.72E-02	3.1E-02	6.05E-04	1.88E-05	2.09E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
371	1.49896	1.72E-02	2.6E-02	6.05E-04	1.56E-05	2.09E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
372	2.29428	1.72E-02	3.9E-02	6.05E-04	2.39E-05	2.09E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	2.85493	1.72E-02	4.9E-02	6.05E-04	2.97E-05	2.09E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
374	3.56379	1.72E-02	6.1E-02	6.05E-04	3.71E-05	2.09E-01	4.71E-02	3.66E-07	1.0E+06	3.7E-01
375	3.96254	1.72E-02	6.8E-02	6.05E-04	4.13E-05	2.09E-01	4.71E-02	4.07E-07	1.0E+06	4.1E-01
376	4.11531	1.72E-02	7.1E-02	6.05E-04	4.28E-05	2.09E-01	4.71E-02	4.22E-07	1.0E+06	4.2E-01
377	4.00445	1.72E-02	6.9E-02	6.05E-04	4.17E-05	2.09E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
378	3.65975	1.72E-02	6.3E-02	6.05E-04	3.81E-05	2.09E-01	4.71E-02	3.76E-07	1.0E+06	3.8E-01
379	2.47423	1.72E-02	4.3E-02	6.05E-04	2.58E-05	2.09E-01	4.71E-02	2.54E-07	1.0E+06	2.5E-01
380	1.90451	1.72E-02	3.3E-02	6.05E-04	1.98E-05	2.09E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
381	1.45157	1.72E-02	2.5E-02	6.05E-04	1.51E-05	2.09E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
382	3.94527	1.72E-02	6.8E-02	6.05E-04	4.11E-05	2.09E-01	4.71E-02	4.05E-07	1.0E+06	4.1E-01
383	5.74292	1.72E-02	9.9E-02	6.05E-04	5.98E-05	2.09E-01	4.71E-02	5.90E-07	1.0E+06	5.9E-01
384	7.0628	1.72E-02	1.2E-01	6.05E-04	7.35E-05	2.09E-01	4.71E-02	7.25E-07	1.0E+06	7.3E-01
385	7.7788	1.72E-02	1.3E-01	6.05E-04	8.10E-05	2.09E-01	4.71E-02	7.99E-07	1.0E+06	8.0E-01
386	7.94303	1.72E-02	1.4E-01	6.05E-04	8.27E-05	2.09E-01	4.71E-02	8.15E-07	1.0E+06	8.2E-01
387	7.61242	1.72E-02	1.3E-01	6.05E-04	7.92E-05	2.09E-01	4.71E-02	7.82E-07	1.0E+06	7.8E-01
388	6.77558	1.72E-02	1.2E-01	6.05E-04	7.05E-05	2.09E-01	4.71E-02	6.96E-07	1.0E+06	7.0E-01
389	3.47544	1.72E-02	6.0E-02	6.05E-04	3.62E-05	2.09E-01	4.71E-02	3.57E-07	1.0E+06	3.6E-01
390	2.31331	1.72E-02	4.0E-02	6.05E-04	2.41E-05	2.09E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
391	1.6179	1.72E-02	2.8E-02	6.05E-04	1.68E-05	2.09E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
392	1.15161	1.72E-02	2.0E-02	6.05E-04	1.20E-05	2.09E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
393	8.7282	1.72E-02	1.5E-01	6.05E-04	9.09E-05	2.09E-01	4.71E-02	8.96E-07	1.0E+06	9.0E-01
394	10.19606	1.72E-02	1.8E-01	6.05E-04	1.06E-04	2.09E-01	4.71E-02	1.05E-06	1.0E+06	1.0E+00
395	10.29107	1.72E-02	1.8E-01	6.05E-04	1.07E-04	2.09E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
396	10.86265	1.72E-02	1.9E-01	6.05E-04	1.13E-04	2.09E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
397	12.76958	1.72E-02	2.2E-01	6.05E-04	1.33E-04	2.09E-01	4.71E-02	1.31E-06	1.0E+06	1.3E+00
398	8.34943	1.72E-02	1.4E-01	6.05E-04	8.69E-05	2.09E-01	4.71E-02	8.57E-07	1.0E+06	8.6E-01
399	6.66481	1.72E-02	1.1E-01	6.05E-04	6.94E-05	2.09E-01	4.71E-02	6.84E-07	1.0E+06	6.8E-01
400	4.69002	1.72E-02	8.1E-02	6.05E-04	4.88E-05	2.09E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
401	2.59215	1.72E-02	4.5E-02	6.05E-04	2.70E-05	2.09E-01	4.71E-02	2.66E-07	1.0E+06	2.7E-01
402	1.14275	1.72E-02	2.0E-02	6.05E-04	1.19E-05	2.09E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
403	5.34568	1.72E-02	9.2E-02	6.05E-04	5.56E-05	2.09E-01	4.71E-02	5.49E-07	1.0E+06	5.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.14379	1.72E-02	2.0E-02	6.05E-04	1.19E-05	2.09E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
405	0.83327	1.72E-02	1.4E-02	6.05E-04	8.67E-06	2.09E-01	4.71E-02	8.55E-08	1.0E+06	8.6E-02
406	4.3595	1.72E-02	7.5E-02	6.05E-04	4.54E-05	2.09E-01	4.71E-02	4.48E-07	1.0E+06	4.5E-01
407	0.77446	1.72E-02	1.3E-02	6.05E-04	8.06E-06	2.09E-01	4.71E-02	7.95E-08	1.0E+06	8.0E-02
408	3.26711	1.72E-02	5.6E-02	6.05E-04	3.40E-05	2.09E-01	4.71E-02	3.35E-07	1.0E+06	3.4E-01
409	0.71621	1.72E-02	1.2E-02	6.05E-04	7.46E-06	2.09E-01	4.71E-02	7.35E-08	1.0E+06	7.4E-02
410	2.482	1.72E-02	4.3E-02	6.05E-04	2.58E-05	2.09E-01	4.71E-02	2.55E-07	1.0E+06	2.5E-01
411	0.85532	1.72E-02	1.5E-02	6.05E-04	8.90E-06	2.09E-01	4.71E-02	8.78E-08	1.0E+06	8.8E-02
412	0.67288	1.72E-02	1.2E-02	6.05E-04	7.00E-06	2.09E-01	4.71E-02	6.91E-08	1.0E+06	6.9E-02
413	1.93775	1.72E-02	3.3E-02	6.05E-04	2.02E-05	2.09E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01
414	1.0153	1.72E-02	1.7E-02	6.05E-04	1.06E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
415	0.77501	1.72E-02	1.3E-02	6.05E-04	8.07E-06	2.09E-01	4.71E-02	7.96E-08	1.0E+06	8.0E-02
416	0.61765	1.72E-02	1.1E-02	6.05E-04	6.43E-06	2.09E-01	4.71E-02	6.34E-08	1.0E+06	6.3E-02
417	1.554	1.72E-02	2.7E-02	6.05E-04	1.62E-05	2.09E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
418	0.70372	1.72E-02	1.2E-02	6.05E-04	7.33E-06	2.09E-01	4.71E-02	7.22E-08	1.0E+06	7.2E-02
419	0.56773	1.72E-02	9.8E-03	6.05E-04	5.91E-06	2.09E-01	4.71E-02	5.83E-08	1.0E+06	5.8E-02
420	0.46976	1.72E-02	8.1E-03	6.05E-04	4.89E-06	2.09E-01	4.71E-02	4.82E-08	1.0E+06	4.8E-02
421	1.274	1.72E-02	2.2E-02	6.05E-04	1.33E-05	2.09E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
422	0.52242	1.72E-02	9.0E-03	6.05E-04	5.44E-06	2.09E-01	4.71E-02	5.36E-08	1.0E+06	5.4E-02
423	0.43715	1.72E-02	7.5E-03	6.05E-04	4.55E-06	2.09E-01	4.71E-02	4.49E-08	1.0E+06	4.5E-02
424	1.06285	1.72E-02	1.8E-02	6.05E-04	1.11E-05	2.09E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
425	0.40644	1.72E-02	7.0E-03	6.05E-04	4.23E-06	2.09E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02
426	0.34877	1.72E-02	6.0E-03	6.05E-04	3.63E-06	2.09E-01	4.71E-02	3.58E-08	1.0E+06	3.6E-02
427	0.8992	1.72E-02	1.5E-02	6.05E-04	9.36E-06	2.09E-01	4.71E-02	9.23E-08	1.0E+06	9.2E-02
428	0.37801	1.72E-02	6.5E-03	6.05E-04	3.94E-06	2.09E-01	4.71E-02	3.88E-08	1.0E+06	3.9E-02
429	0.32678	1.72E-02	5.6E-03	6.05E-04	3.40E-06	2.09E-01	4.71E-02	3.35E-08	1.0E+06	3.4E-02
430	0.77021	1.72E-02	1.3E-02	6.05E-04	8.02E-06	2.09E-01	4.71E-02	7.91E-08	1.0E+06	7.9E-02
431	0.30623	1.72E-02	5.3E-03	6.05E-04	3.19E-06	2.09E-01	4.71E-02	3.14E-08	1.0E+06	3.1E-02
432	0.26825	1.72E-02	4.6E-03	6.05E-04	2.79E-06	2.09E-01	4.71E-02	2.75E-08	1.0E+06	2.8E-02
433	0.66605	1.72E-02	1.1E-02	6.05E-04	6.93E-06	2.09E-01	4.71E-02	6.84E-08	1.0E+06	6.8E-02
434	0.28725	1.72E-02	4.9E-03	6.05E-04	2.99E-06	2.09E-01	4.71E-02	2.95E-08	1.0E+06	2.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.2539	1.72E-02	4.4E-03	6.05E-04	2.64E-06	2.09E-01	4.71E-02	2.61E-08	1.0E+06	2.6E-02
436	0.58116	1.72E-02	1.0E-02	6.05E-04	6.05E-06	2.09E-01	4.71E-02	5.97E-08	1.0E+06	6.0E-02
437	0.30691	1.72E-02	5.3E-03	6.05E-04	3.19E-06	2.09E-01	4.71E-02	3.15E-08	1.0E+06	3.2E-02
438	0.27001	1.72E-02	4.6E-03	6.05E-04	2.81E-06	2.09E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
439	0.23975	1.72E-02	4.1E-03	6.05E-04	2.50E-06	2.09E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02
440	0.51082	1.72E-02	8.8E-03	6.05E-04	5.32E-06	2.09E-01	4.71E-02	5.24E-08	1.0E+06	5.2E-02
441	0.3712	1.72E-02	6.4E-03	6.05E-04	3.86E-06	2.09E-01	4.71E-02	3.81E-08	1.0E+06	3.8E-02
442	0.326	1.72E-02	5.6E-03	6.05E-04	3.39E-06	2.09E-01	4.71E-02	3.35E-08	1.0E+06	3.3E-02
443	0.28704	1.72E-02	4.9E-03	6.05E-04	2.99E-06	2.09E-01	4.71E-02	2.95E-08	1.0E+06	2.9E-02
444	0.25394	1.72E-02	4.4E-03	6.05E-04	2.64E-06	2.09E-01	4.71E-02	2.61E-08	1.0E+06	2.6E-02
445	0.4522	1.72E-02	7.8E-03	6.05E-04	4.71E-06	2.09E-01	4.71E-02	4.64E-08	1.0E+06	4.6E-02
446	0.37925	1.72E-02	6.5E-03	6.05E-04	3.95E-06	2.09E-01	4.71E-02	3.89E-08	1.0E+06	3.9E-02
447	0.33987	1.72E-02	5.8E-03	6.05E-04	3.54E-06	2.09E-01	4.71E-02	3.49E-08	1.0E+06	3.5E-02
448	0.30239	1.72E-02	5.2E-03	6.05E-04	3.15E-06	2.09E-01	4.71E-02	3.10E-08	1.0E+06	3.1E-02
449	0.40282	1.72E-02	6.9E-03	6.05E-04	4.19E-06	2.09E-01	4.71E-02	4.14E-08	1.0E+06	4.1E-02
450	0.37605	1.72E-02	6.5E-03	6.05E-04	3.91E-06	2.09E-01	4.71E-02	3.86E-08	1.0E+06	3.9E-02
451	0.34509	1.72E-02	5.9E-03	6.05E-04	3.59E-06	2.09E-01	4.71E-02	3.54E-08	1.0E+06	3.5E-02
452	0.36089	1.72E-02	6.2E-03	6.05E-04	3.76E-06	2.09E-01	4.71E-02	3.70E-08	1.0E+06	3.7E-02
453	0.33992	1.72E-02	5.8E-03	6.05E-04	3.54E-06	2.09E-01	4.71E-02	3.49E-08	1.0E+06	3.5E-02
454	0.19146	1.72E-02	3.3E-03	6.05E-04	1.99E-06	2.09E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
455	0.17478	1.72E-02	3.0E-03	6.05E-04	1.82E-06	2.09E-01	4.71E-02	1.79E-08	1.0E+06	1.8E-02
456	0.32501	1.72E-02	5.6E-03	6.05E-04	3.38E-06	2.09E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02
457	0.30847	1.72E-02	5.3E-03	6.05E-04	3.21E-06	2.09E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
458	0.28793	1.72E-02	5.0E-03	6.05E-04	3.00E-06	2.09E-01	4.71E-02	2.96E-08	1.0E+06	3.0E-02
459	0.22069	1.72E-02	3.8E-03	6.05E-04	2.30E-06	2.09E-01	4.71E-02	2.27E-08	1.0E+06	2.3E-02
460	0.20066	1.72E-02	3.5E-03	6.05E-04	2.09E-06	2.09E-01	4.71E-02	2.06E-08	1.0E+06	2.1E-02
461	0.18243	1.72E-02	3.1E-03	6.05E-04	1.90E-06	2.09E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
462	0.16633	1.72E-02	2.9E-03	6.05E-04	1.73E-06	2.09E-01	4.71E-02	1.71E-08	1.0E+06	1.7E-02
463	4.29765	1.72E-02	7.4E-02	6.05E-04	4.47E-05	2.09E-01	4.71E-02	4.41E-07	1.0E+06	4.4E-01
464	3.3969	1.72E-02	5.8E-02	6.05E-04	3.54E-05	2.09E-01	4.71E-02	3.49E-07	1.0E+06	3.5E-01
465	2.89488	1.72E-02	5.0E-02	6.05E-04	3.01E-05	2.09E-01	4.71E-02	2.97E-07	1.0E+06	3.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.25169	1.72E-02	3.9E-02	6.05E-04	2.34E-05	2.09E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
467	2.03748	1.72E-02	3.5E-02	6.05E-04	2.12E-05	2.09E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
468	1.58578	1.72E-02	2.7E-02	6.05E-04	1.65E-05	2.09E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01
469	1.27157	1.72E-02	2.2E-02	6.05E-04	1.32E-05	2.09E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
470	1.11457	1.72E-02	1.9E-02	6.05E-04	1.16E-05	2.09E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
471	1.15557	1.72E-02	2.0E-02	6.05E-04	1.20E-05	2.09E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
472	0.91809	1.72E-02	1.6E-02	6.05E-04	9.56E-06	2.09E-01	4.71E-02	9.43E-08	1.0E+06	9.4E-02
473	0.8703	1.72E-02	1.5E-02	6.05E-04	9.06E-06	2.09E-01	4.71E-02	8.93E-08	1.0E+06	8.9E-02
474	0.76922	1.72E-02	1.3E-02	6.05E-04	8.01E-06	2.09E-01	4.71E-02	7.90E-08	1.0E+06	7.9E-02
475	0.73688	1.72E-02	1.3E-02	6.05E-04	7.67E-06	2.09E-01	4.71E-02	7.56E-08	1.0E+06	7.6E-02
476	0.65302	1.72E-02	1.1E-02	6.05E-04	6.80E-06	2.09E-01	4.71E-02	6.70E-08	1.0E+06	6.7E-02
477	0.63139	1.72E-02	1.1E-02	6.05E-04	6.57E-06	2.09E-01	4.71E-02	6.48E-08	1.0E+06	6.5E-02
478	0.5609	1.72E-02	9.7E-03	6.05E-04	5.84E-06	2.09E-01	4.71E-02	5.76E-08	1.0E+06	5.8E-02
479	0.54625	1.72E-02	9.4E-03	6.05E-04	5.69E-06	2.09E-01	4.71E-02	5.61E-08	1.0E+06	5.6E-02
480	0.51817	1.72E-02	8.9E-03	6.05E-04	5.39E-06	2.09E-01	4.71E-02	5.32E-08	1.0E+06	5.3E-02
481	0.48689	1.72E-02	8.4E-03	6.05E-04	5.07E-06	2.09E-01	4.71E-02	5.00E-08	1.0E+06	5.0E-02
482	0.45676	1.72E-02	7.9E-03	6.05E-04	4.75E-06	2.09E-01	4.71E-02	4.69E-08	1.0E+06	4.7E-02
483	0.42029	1.72E-02	7.2E-03	6.05E-04	4.38E-06	2.09E-01	4.71E-02	4.31E-08	1.0E+06	4.3E-02
484	0.40531	1.72E-02	7.0E-03	6.05E-04	4.22E-06	2.09E-01	4.71E-02	4.16E-08	1.0E+06	4.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	8.33E-04
2	5	8.95E-04
3	5	9.60E-04
4	5	1.03E-03
5	5	1.10E-03
6	5	1.18E-03
7	5	1.27E-03
8	5	1.36E-03
9	5	1.47E-03
10	5	1.61E-03
11	5	1.80E-03
12	5	2.06E-03
13	5	2.37E-03
14	5	3.30E-03
15	5	8.96E-04
16	5	9.71E-04
17	5	1.06E-03
18	5	1.15E-03
19	5	1.25E-03
20	5	1.35E-03
21	5	1.47E-03
22	5	1.60E-03
23	5	1.76E-03
24	5	1.94E-03
25	5	2.19E-03
26	5	2.53E-03
27	5	2.94E-03
28	5	4.39E-03
29	5	9.42E-04
30	5	1.03E-03
31	5	1.14E-03

Max	Receptor #	
0.044	397	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	1.26E-03
33	5	1.39E-03
34	5	1.54E-03
35	5	1.70E-03
36	5	1.89E-03
37	5	2.11E-03
38	5	2.38E-03
39	5	2.72E-03
40	5	3.15E-03
41	5	3.71E-03
42	5	6.12E-03
43	5	9.62E-04
44	5	1.06E-03
45	5	1.19E-03
46	5	1.34E-03
47	5	1.50E-03
48	5	1.70E-03
49	5	1.92E-03
50	5	2.18E-03
51	5	2.53E-03
52	5	2.93E-03
53	5	3.45E-03
54	5	4.14E-03
55	5	5.07E-03
56	5	9.12E-03
57	5	9.60E-04
58	5	1.07E-03
59	5	1.21E-03
60	5	1.38E-03
61	5	1.58E-03
62	5	1.82E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	2.12E-03
64	5	2.45E-03
65	5	2.94E-03
66	5	3.57E-03
67	5	4.38E-03
68	5	5.62E-03
69	5	7.51E-03
70	5	9.48E-04
71	5	1.06E-03
72	5	1.20E-03
73	5	1.38E-03
74	5	1.59E-03
75	5	1.86E-03
76	5	2.22E-03
77	5	2.66E-03
78	5	3.29E-03
79	5	4.28E-03
80	5	5.61E-03
81	5	8.13E-03
82	5	1.24E-02
83	5	9.21E-04
84	5	1.03E-03
85	5	1.15E-03
86	5	1.34E-03
87	5	1.56E-03
88	5	1.85E-03
89	5	2.23E-03
90	5	2.74E-03
91	5	3.50E-03
92	5	4.64E-03
93	5	6.61E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	1.07E-02
95	5	2.28E-02
96	5	8.71E-04
97	5	9.51E-04
98	5	1.07E-03
99	5	1.24E-03
100	5	1.49E-03
101	5	1.77E-03
102	5	2.15E-03
103	5	2.67E-03
104	5	3.44E-03
105	5	4.64E-03
106	5	6.82E-03
107	5	1.18E-02
108	5	3.08E-02
109	5	8.03E-04
110	5	9.08E-04
111	5	1.04E-03
112	5	1.20E-03
113	5	1.40E-03
114	5	1.65E-03
115	5	1.99E-03
116	5	2.46E-03
117	5	3.17E-03
118	5	4.39E-03
119	5	6.37E-03
120	5	1.07E-02
121	5	2.51E-02
122	5	7.47E-04
123	5	8.47E-04
124	5	9.77E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	1.12E-03
126	5	1.30E-03
127	5	1.51E-03
128	5	1.68E-03
129	5	2.05E-03
130	5	2.68E-03
131	5	2.55E-02
132	5	2.04E-02
133	5	6.92E-04
134	5	7.96E-04
135	5	9.15E-04
136	5	1.05E-03
137	5	1.21E-03
138	5	1.38E-03
139	5	1.56E-03
140	5	1.85E-03
141	5	2.27E-03
142	5	2.82E-03
143	5	3.68E-03
144	5	5.21E-03
145	5	7.58E-03
146	5	1.57E-02
147	5	6.45E-04
148	5	7.33E-04
149	5	8.41E-04
150	5	9.61E-04
151	5	1.11E-03
152	5	1.26E-03
153	5	1.45E-03
154	5	1.70E-03
155	5	2.04E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	2.47E-03
157	5	3.02E-03
158	5	3.81E-03
159	5	5.49E-03
160	5	6.11E-04
161	5	6.79E-04
162	5	7.48E-04
163	5	8.66E-04
164	5	1.02E-03
165	5	1.16E-03
166	5	1.33E-03
167	5	1.54E-03
168	5	1.80E-03
169	5	2.12E-03
170	5	2.54E-03
171	5	3.11E-03
172	5	4.06E-03
173	5	5.37E-03
174	5	6.98E-03
175	5	8.12E-03
176	5	8.51E-03
177	5	8.37E-03
178	5	7.76E-03
179	5	5.60E-04
180	5	6.13E-04
181	5	6.62E-04
182	5	7.79E-04
183	5	9.39E-04
184	5	1.07E-03
185	5	1.23E-03
186	5	1.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.60E-03
188	5	1.85E-03
189	5	2.16E-03
190	5	2.59E-03
191	5	3.14E-03
192	5	3.89E-03
193	5	4.69E-03
194	5	5.54E-03
195	5	6.30E-03
196	5	6.30E-03
197	5	5.94E-03
198	5	5.27E-04
199	5	5.78E-04
200	5	6.35E-04
201	5	7.15E-04
202	5	8.53E-04
203	5	9.75E-04
204	5	1.12E-03
205	5	1.26E-03
206	5	1.43E-03
207	5	1.63E-03
208	5	1.88E-03
209	5	2.19E-03
210	5	2.59E-03
211	5	3.06E-03
212	5	3.53E-03
213	5	3.89E-03
214	5	4.08E-03
215	5	4.81E-03
216	5	5.07E-04
217	5	5.50E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	6.02E-04
219	5	6.68E-04
220	5	7.76E-04
221	5	8.70E-04
222	5	9.93E-04
223	5	1.12E-03
224	5	1.26E-03
225	5	1.42E-03
226	5	1.62E-03
227	5	1.86E-03
228	5	2.16E-03
229	5	2.50E-03
230	5	2.83E-03
231	5	3.11E-03
232	5	3.30E-03
233	5	3.75E-03
234	5	4.89E-04
235	5	5.23E-04
236	5	5.69E-04
237	5	6.29E-04
238	5	7.06E-04
239	5	7.83E-04
240	5	8.77E-04
241	5	9.82E-04
242	5	1.10E-03
243	5	1.24E-03
244	5	1.41E-03
245	5	1.62E-03
246	5	1.85E-03
247	5	2.11E-03
248	5	2.37E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	2.58E-03
250	5	2.75E-03
251	5	3.09E-03
252	5	4.64E-04
253	5	4.91E-04
254	5	5.25E-04
255	5	5.67E-04
256	5	6.44E-04
257	5	6.83E-04
258	5	7.44E-04
259	5	8.16E-04
260	5	9.27E-04
261	5	1.07E-03
262	5	1.23E-03
263	5	1.39E-03
264	5	1.59E-03
265	5	1.79E-03
266	5	1.99E-03
267	5	2.16E-03
268	5	2.30E-03
269	5	2.56E-03
270	5	4.38E-04
271	5	4.63E-04
272	5	4.92E-04
273	5	5.23E-04
274	5	5.99E-04
275	5	6.59E-04
276	5	6.66E-04
277	5	7.25E-04
278	5	8.06E-04
279	5	9.12E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.06E-03
281	5	1.22E-03
282	5	1.38E-03
283	5	1.55E-03
284	5	1.71E-03
285	5	1.85E-03
286	5	1.96E-03
287	5	2.17E-03
288	5	4.15E-04
289	5	4.33E-04
290	5	4.69E-04
291	5	5.03E-04
292	5	6.04E-04
293	5	6.27E-04
294	5	6.09E-04
295	5	6.66E-04
296	5	7.40E-04
297	5	8.15E-04
298	5	9.22E-04
299	5	1.07E-03
300	5	1.20E-03
301	5	1.35E-03
302	5	1.49E-03
303	5	1.62E-03
304	5	1.72E-03
305	5	1.89E-03
306	5	4.18E-04
307	5	4.23E-04
308	5	4.44E-04
309	5	5.08E-04
310	5	5.72E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	5.89E-04
312	5	5.62E-04
313	5	6.13E-04
314	5	6.78E-04
315	5	7.73E-04
316	5	8.39E-04
317	5	9.33E-04
318	5	1.05E-03
319	5	1.18E-03
320	5	1.33E-03
321	5	1.43E-03
322	5	1.52E-03
323	5	1.66E-03
324	5	3.98E-04
325	5	4.31E-04
326	5	4.47E-04
327	5	4.57E-04
328	5	5.50E-04
329	5	5.54E-04
330	5	5.34E-04
331	5	5.84E-04
332	5	6.44E-04
333	5	7.28E-04
334	5	8.01E-04
335	5	8.84E-04
336	5	1.81E-02
337	5	1.41E-02
338	5	2.40E-03
339	5	2.67E-03
340	5	2.91E-03
341	5	3.07E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	3.17E-03
343	5	3.15E-03
344	5	3.05E-03
345	5	2.89E-03
346	5	2.68E-03
347	5	2.99E-03
348	5	3.45E-03
349	5	3.81E-03
350	5	4.05E-03
351	5	4.20E-03
352	5	4.12E-03
353	5	3.92E-03
354	5	3.60E-03
355	5	3.28E-03
356	5	3.84E-03
357	5	4.51E-03
358	5	5.16E-03
359	5	5.60E-03
360	5	5.83E-03
361	5	5.59E-03
362	5	5.21E-03
363	5	4.62E-03
364	5	5.28E-03
365	5	6.21E-03
366	5	7.49E-03
367	5	8.28E-03
368	5	8.65E-03
369	5	8.02E-03
370	5	6.22E-03
371	5	5.16E-03
372	5	7.89E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	9.82E-03
374	5	1.23E-02
375	5	1.36E-02
376	5	1.42E-02
377	5	1.38E-02
378	5	1.26E-02
379	5	8.51E-03
380	5	6.55E-03
381	5	4.99E-03
382	5	1.36E-02
383	5	1.98E-02
384	5	2.43E-02
385	5	2.68E-02
386	5	2.73E-02
387	5	2.62E-02
388	5	2.33E-02
389	5	1.20E-02
390	5	7.96E-03
391	5	5.57E-03
392	5	3.96E-03
393	5	3.00E-02
394	5	3.51E-02
395	5	3.54E-02
396	5	3.74E-02
397	5	4.39E-02
398	5	2.87E-02
399	5	2.29E-02
400	5	1.61E-02
401	5	8.92E-03
402	5	3.93E-03
403	5	1.84E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	3.94E-03
405	5	2.87E-03
406	5	1.50E-02
407	5	2.66E-03
408	5	1.12E-02
409	5	2.46E-03
410	5	8.54E-03
411	5	2.94E-03
412	5	2.32E-03
413	5	6.67E-03
414	5	3.49E-03
415	5	2.67E-03
416	5	2.13E-03
417	5	5.35E-03
418	5	2.42E-03
419	5	1.95E-03
420	5	1.62E-03
421	5	4.38E-03
422	5	1.80E-03
423	5	1.50E-03
424	5	3.66E-03
425	5	1.40E-03
426	5	1.20E-03
427	5	3.09E-03
428	5	1.30E-03
429	5	1.12E-03
430	5	2.65E-03
431	5	1.05E-03
432	5	9.23E-04
433	5	2.29E-03
434	5	9.88E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	8.74E-04
436	5	2.00E-03
437	5	1.06E-03
438	5	9.29E-04
439	5	8.25E-04
440	5	1.76E-03
441	5	1.28E-03
442	5	1.12E-03
443	5	9.88E-04
444	5	8.74E-04
445	5	1.56E-03
446	5	1.31E-03
447	5	1.17E-03
448	5	1.04E-03
449	5	1.39E-03
450	5	1.29E-03
451	5	1.19E-03
452	5	1.24E-03
453	5	1.17E-03
454	5	6.59E-04
455	5	6.01E-04
456	5	1.12E-03
457	5	1.06E-03
458	5	9.91E-04
459	5	7.59E-04
460	5	6.90E-04
461	5	6.28E-04
462	5	5.72E-04
463	5	1.48E-02
464	5	1.17E-02
465	5	9.96E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	7.75E-03
467	5	7.01E-03
468	5	5.46E-03
469	5	4.38E-03
470	5	3.84E-03
471	5	3.98E-03
472	5	3.16E-03
473	5	2.99E-03
474	5	2.65E-03
475	5	2.54E-03
476	5	2.25E-03
477	5	2.17E-03
478	5	1.93E-03
479	5	1.88E-03
480	5	1.78E-03
481	5	1.68E-03
482	5	1.57E-03
483	5	1.45E-03
484	5	1.39E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24208	5.02E-03	1.2E-03	6.05E-04	7.36E-07	2.41E+00	4.71E-02	8.35E-08	1.0E+06	8.3E-02
2	0.26015	5.02E-03	1.3E-03	6.05E-04	7.91E-07	2.41E+00	4.71E-02	8.97E-08	1.0E+06	9.0E-02
3	0.2791	5.02E-03	1.4E-03	6.05E-04	8.49E-07	2.41E+00	4.71E-02	9.62E-08	1.0E+06	9.6E-02
4	0.29917	5.02E-03	1.5E-03	6.05E-04	9.10E-07	2.41E+00	4.71E-02	1.03E-07	1.0E+06	1.0E-01
5	0.31982	5.02E-03	1.6E-03	6.05E-04	9.72E-07	2.41E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
6	0.34333	5.02E-03	1.7E-03	6.05E-04	1.04E-06	2.41E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01
7	0.36878	5.02E-03	1.9E-03	6.05E-04	1.12E-06	2.41E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01
8	0.39664	5.02E-03	2.0E-03	6.05E-04	1.21E-06	2.41E+00	4.71E-02	1.37E-07	1.0E+06	1.4E-01
9	0.42832	5.02E-03	2.2E-03	6.05E-04	1.30E-06	2.41E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
10	0.46814	5.02E-03	2.4E-03	6.05E-04	1.42E-06	2.41E+00	4.71E-02	1.61E-07	1.0E+06	1.6E-01
11	0.52197	5.02E-03	2.6E-03	6.05E-04	1.59E-06	2.41E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
12	0.59851	5.02E-03	3.0E-03	6.05E-04	1.82E-06	2.41E+00	4.71E-02	2.06E-07	1.0E+06	2.1E-01
13	0.68958	5.02E-03	3.5E-03	6.05E-04	2.10E-06	2.41E+00	4.71E-02	2.38E-07	1.0E+06	2.4E-01
14	0.95843	5.02E-03	4.8E-03	6.05E-04	2.91E-06	2.41E+00	4.71E-02	3.30E-07	1.0E+06	3.3E-01
15	0.26037	5.02E-03	1.3E-03	6.05E-04	7.92E-07	2.41E+00	4.71E-02	8.98E-08	1.0E+06	9.0E-02
16	0.28217	5.02E-03	1.4E-03	6.05E-04	8.58E-07	2.41E+00	4.71E-02	9.73E-08	1.0E+06	9.7E-02
17	0.30728	5.02E-03	1.5E-03	6.05E-04	9.34E-07	2.41E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
18	0.33369	5.02E-03	1.7E-03	6.05E-04	1.01E-06	2.41E+00	4.71E-02	1.15E-07	1.0E+06	1.2E-01
19	0.36184	5.02E-03	1.8E-03	6.05E-04	1.10E-06	2.41E+00	4.71E-02	1.25E-07	1.0E+06	1.2E-01
20	0.39341	5.02E-03	2.0E-03	6.05E-04	1.20E-06	2.41E+00	4.71E-02	1.36E-07	1.0E+06	1.4E-01
21	0.42795	5.02E-03	2.2E-03	6.05E-04	1.30E-06	2.41E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
22	0.46515	5.02E-03	2.3E-03	6.05E-04	1.41E-06	2.41E+00	4.71E-02	1.60E-07	1.0E+06	1.6E-01
23	0.51215	5.02E-03	2.6E-03	6.05E-04	1.56E-06	2.41E+00	4.71E-02	1.77E-07	1.0E+06	1.8E-01
24	0.56234	5.02E-03	2.8E-03	6.05E-04	1.71E-06	2.41E+00	4.71E-02	1.94E-07	1.0E+06	1.9E-01
25	0.63622	5.02E-03	3.2E-03	6.05E-04	1.93E-06	2.41E+00	4.71E-02	2.19E-07	1.0E+06	2.2E-01
26	0.73661	5.02E-03	3.7E-03	6.05E-04	2.24E-06	2.41E+00	4.71E-02	2.54E-07	1.0E+06	2.5E-01
27	0.85488	5.02E-03	4.3E-03	6.05E-04	2.60E-06	2.41E+00	4.71E-02	2.95E-07	1.0E+06	2.9E-01
28	1.27528	5.02E-03	6.4E-03	6.05E-04	3.88E-06	2.41E+00	4.71E-02	4.40E-07	1.0E+06	4.4E-01
29	0.27362	5.02E-03	1.4E-03	6.05E-04	8.32E-07	2.41E+00	4.71E-02	9.43E-08	1.0E+06	9.4E-02
30	0.30057	5.02E-03	1.5E-03	6.05E-04	9.14E-07	2.41E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
31	0.33123	5.02E-03	1.7E-03	6.05E-04	1.01E-06	2.41E+00	4.71E-02	1.14E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.36622	5.02E-03	1.8E-03	6.05E-04	1.11E-06	2.41E+00	4.71E-02	1.26E-07	1.0E+06	1.3E-01
33	0.40327	5.02E-03	2.0E-03	6.05E-04	1.23E-06	2.41E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
34	0.44658	5.02E-03	2.2E-03	6.05E-04	1.36E-06	2.41E+00	4.71E-02	1.54E-07	1.0E+06	1.5E-01
35	0.49429	5.02E-03	2.5E-03	6.05E-04	1.50E-06	2.41E+00	4.71E-02	1.70E-07	1.0E+06	1.7E-01
36	0.54931	5.02E-03	2.8E-03	6.05E-04	1.67E-06	2.41E+00	4.71E-02	1.89E-07	1.0E+06	1.9E-01
37	0.61418	5.02E-03	3.1E-03	6.05E-04	1.87E-06	2.41E+00	4.71E-02	2.12E-07	1.0E+06	2.1E-01
38	0.69237	5.02E-03	3.5E-03	6.05E-04	2.11E-06	2.41E+00	4.71E-02	2.39E-07	1.0E+06	2.4E-01
39	0.79147	5.02E-03	4.0E-03	6.05E-04	2.41E-06	2.41E+00	4.71E-02	2.73E-07	1.0E+06	2.7E-01
40	0.91597	5.02E-03	4.6E-03	6.05E-04	2.78E-06	2.41E+00	4.71E-02	3.16E-07	1.0E+06	3.2E-01
41	1.07705	5.02E-03	5.4E-03	6.05E-04	3.27E-06	2.41E+00	4.71E-02	3.71E-07	1.0E+06	3.7E-01
42	1.77861	5.02E-03	8.9E-03	6.05E-04	5.41E-06	2.41E+00	4.71E-02	6.13E-07	1.0E+06	6.1E-01
43	0.27954	5.02E-03	1.4E-03	6.05E-04	8.50E-07	2.41E+00	4.71E-02	9.64E-08	1.0E+06	9.6E-02
44	0.30913	5.02E-03	1.6E-03	6.05E-04	9.40E-07	2.41E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
45	0.34534	5.02E-03	1.7E-03	6.05E-04	1.05E-06	2.41E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
46	0.38872	5.02E-03	2.0E-03	6.05E-04	1.18E-06	2.41E+00	4.71E-02	1.34E-07	1.0E+06	1.3E-01
47	0.43732	5.02E-03	2.2E-03	6.05E-04	1.33E-06	2.41E+00	4.71E-02	1.51E-07	1.0E+06	1.5E-01
48	0.49359	5.02E-03	2.5E-03	6.05E-04	1.50E-06	2.41E+00	4.71E-02	1.70E-07	1.0E+06	1.7E-01
49	0.55797	5.02E-03	2.8E-03	6.05E-04	1.70E-06	2.41E+00	4.71E-02	1.92E-07	1.0E+06	1.9E-01
50	0.63243	5.02E-03	3.2E-03	6.05E-04	1.92E-06	2.41E+00	4.71E-02	2.18E-07	1.0E+06	2.2E-01
51	0.73394	5.02E-03	3.7E-03	6.05E-04	2.23E-06	2.41E+00	4.71E-02	2.53E-07	1.0E+06	2.5E-01
52	0.8509	5.02E-03	4.3E-03	6.05E-04	2.59E-06	2.41E+00	4.71E-02	2.93E-07	1.0E+06	2.9E-01
53	1.00391	5.02E-03	5.0E-03	6.05E-04	3.05E-06	2.41E+00	4.71E-02	3.46E-07	1.0E+06	3.5E-01
54	1.20323	5.02E-03	6.0E-03	6.05E-04	3.66E-06	2.41E+00	4.71E-02	4.15E-07	1.0E+06	4.1E-01
55	1.47244	5.02E-03	7.4E-03	6.05E-04	4.48E-06	2.41E+00	4.71E-02	5.08E-07	1.0E+06	5.1E-01
56	2.64917	5.02E-03	1.3E-02	6.05E-04	8.05E-06	2.41E+00	4.71E-02	9.13E-07	1.0E+06	9.1E-01
57	0.27888	5.02E-03	1.4E-03	6.05E-04	8.48E-07	2.41E+00	4.71E-02	9.62E-08	1.0E+06	9.6E-02
58	0.31189	5.02E-03	1.6E-03	6.05E-04	9.48E-07	2.41E+00	4.71E-02	1.08E-07	1.0E+06	1.1E-01
59	0.35208	5.02E-03	1.8E-03	6.05E-04	1.07E-06	2.41E+00	4.71E-02	1.21E-07	1.0E+06	1.2E-01
60	0.40013	5.02E-03	2.0E-03	6.05E-04	1.22E-06	2.41E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
61	0.45792	5.02E-03	2.3E-03	6.05E-04	1.39E-06	2.41E+00	4.71E-02	1.58E-07	1.0E+06	1.6E-01
62	0.52762	5.02E-03	2.7E-03	6.05E-04	1.60E-06	2.41E+00	4.71E-02	1.82E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.61592	5.02E-03	3.1E-03	6.05E-04	1.87E-06	2.41E+00	4.71E-02	2.12E-07	1.0E+06	2.1E-01
64	0.71239	5.02E-03	3.6E-03	6.05E-04	2.17E-06	2.41E+00	4.71E-02	2.46E-07	1.0E+06	2.5E-01
65	0.8536	5.02E-03	4.3E-03	6.05E-04	2.60E-06	2.41E+00	4.71E-02	2.94E-07	1.0E+06	2.9E-01
66	1.03816	5.02E-03	5.2E-03	6.05E-04	3.16E-06	2.41E+00	4.71E-02	3.58E-07	1.0E+06	3.6E-01
67	1.27404	5.02E-03	6.4E-03	6.05E-04	3.87E-06	2.41E+00	4.71E-02	4.39E-07	1.0E+06	4.4E-01
68	1.63449	5.02E-03	8.2E-03	6.05E-04	4.97E-06	2.41E+00	4.71E-02	5.64E-07	1.0E+06	5.6E-01
69	2.18232	5.02E-03	1.1E-02	6.05E-04	6.64E-06	2.41E+00	4.71E-02	7.52E-07	1.0E+06	7.5E-01
70	0.27538	5.02E-03	1.4E-03	6.05E-04	8.37E-07	2.41E+00	4.71E-02	9.50E-08	1.0E+06	9.5E-02
71	0.3091	5.02E-03	1.6E-03	6.05E-04	9.40E-07	2.41E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
72	0.35013	5.02E-03	1.8E-03	6.05E-04	1.06E-06	2.41E+00	4.71E-02	1.21E-07	1.0E+06	1.2E-01
73	0.40019	5.02E-03	2.0E-03	6.05E-04	1.22E-06	2.41E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
74	0.46138	5.02E-03	2.3E-03	6.05E-04	1.40E-06	2.41E+00	4.71E-02	1.59E-07	1.0E+06	1.6E-01
75	0.54195	5.02E-03	2.7E-03	6.05E-04	1.65E-06	2.41E+00	4.71E-02	1.87E-07	1.0E+06	1.9E-01
76	0.64437	5.02E-03	3.2E-03	6.05E-04	1.96E-06	2.41E+00	4.71E-02	2.22E-07	1.0E+06	2.2E-01
77	0.77196	5.02E-03	3.9E-03	6.05E-04	2.35E-06	2.41E+00	4.71E-02	2.66E-07	1.0E+06	2.7E-01
78	0.95736	5.02E-03	4.8E-03	6.05E-04	2.91E-06	2.41E+00	4.71E-02	3.30E-07	1.0E+06	3.3E-01
79	1.24329	5.02E-03	6.2E-03	6.05E-04	3.78E-06	2.41E+00	4.71E-02	4.29E-07	1.0E+06	4.3E-01
80	1.63154	5.02E-03	8.2E-03	6.05E-04	4.96E-06	2.41E+00	4.71E-02	5.63E-07	1.0E+06	5.6E-01
81	2.3629	5.02E-03	1.2E-02	6.05E-04	7.18E-06	2.41E+00	4.71E-02	8.15E-07	1.0E+06	8.1E-01
82	3.60151	5.02E-03	1.8E-02	6.05E-04	1.09E-05	2.41E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
83	0.26762	5.02E-03	1.3E-03	6.05E-04	8.14E-07	2.41E+00	4.71E-02	9.23E-08	1.0E+06	9.2E-02
84	0.29866	5.02E-03	1.5E-03	6.05E-04	9.08E-07	2.41E+00	4.71E-02	1.03E-07	1.0E+06	1.0E-01
85	0.33423	5.02E-03	1.7E-03	6.05E-04	1.02E-06	2.41E+00	4.71E-02	1.15E-07	1.0E+06	1.2E-01
86	0.39048	5.02E-03	2.0E-03	6.05E-04	1.19E-06	2.41E+00	4.71E-02	1.35E-07	1.0E+06	1.3E-01
87	0.45418	5.02E-03	2.3E-03	6.05E-04	1.38E-06	2.41E+00	4.71E-02	1.57E-07	1.0E+06	1.6E-01
88	0.53712	5.02E-03	2.7E-03	6.05E-04	1.63E-06	2.41E+00	4.71E-02	1.85E-07	1.0E+06	1.9E-01
89	0.64668	5.02E-03	3.2E-03	6.05E-04	1.97E-06	2.41E+00	4.71E-02	2.23E-07	1.0E+06	2.2E-01
90	0.79766	5.02E-03	4.0E-03	6.05E-04	2.43E-06	2.41E+00	4.71E-02	2.75E-07	1.0E+06	2.8E-01
91	1.01632	5.02E-03	5.1E-03	6.05E-04	3.09E-06	2.41E+00	4.71E-02	3.50E-07	1.0E+06	3.5E-01
92	1.34874	5.02E-03	6.8E-03	6.05E-04	4.10E-06	2.41E+00	4.71E-02	4.65E-07	1.0E+06	4.7E-01
93	1.9215	5.02E-03	9.7E-03	6.05E-04	5.84E-06	2.41E+00	4.71E-02	6.63E-07	1.0E+06	6.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.11964	5.02E-03	1.6E-02	6.05E-04	9.48E-06	2.41E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
95	6.62959	5.02E-03	3.3E-02	6.05E-04	2.02E-05	2.41E+00	4.71E-02	2.29E-06	1.0E+06	2.3E+00
96	0.25324	5.02E-03	1.3E-03	6.05E-04	7.70E-07	2.41E+00	4.71E-02	8.73E-08	1.0E+06	8.7E-02
97	0.27645	5.02E-03	1.4E-03	6.05E-04	8.41E-07	2.41E+00	4.71E-02	9.53E-08	1.0E+06	9.5E-02
98	0.30981	5.02E-03	1.6E-03	6.05E-04	9.42E-07	2.41E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
99	0.36155	5.02E-03	1.8E-03	6.05E-04	1.10E-06	2.41E+00	4.71E-02	1.25E-07	1.0E+06	1.2E-01
100	0.43382	5.02E-03	2.2E-03	6.05E-04	1.32E-06	2.41E+00	4.71E-02	1.50E-07	1.0E+06	1.5E-01
101	0.51544	5.02E-03	2.6E-03	6.05E-04	1.57E-06	2.41E+00	4.71E-02	1.78E-07	1.0E+06	1.8E-01
102	0.62369	5.02E-03	3.1E-03	6.05E-04	1.90E-06	2.41E+00	4.71E-02	2.15E-07	1.0E+06	2.2E-01
103	0.77652	5.02E-03	3.9E-03	6.05E-04	2.36E-06	2.41E+00	4.71E-02	2.68E-07	1.0E+06	2.7E-01
104	0.9983	5.02E-03	5.0E-03	6.05E-04	3.04E-06	2.41E+00	4.71E-02	3.44E-07	1.0E+06	3.4E-01
105	1.3481	5.02E-03	6.8E-03	6.05E-04	4.10E-06	2.41E+00	4.71E-02	4.65E-07	1.0E+06	4.6E-01
106	1.98311	5.02E-03	1.0E-02	6.05E-04	6.03E-06	2.41E+00	4.71E-02	6.84E-07	1.0E+06	6.8E-01
107	3.42535	5.02E-03	1.7E-02	6.05E-04	1.04E-05	2.41E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
108	8.9529	5.02E-03	4.5E-02	6.05E-04	2.72E-05	2.41E+00	4.71E-02	3.09E-06	1.0E+06	3.1E+00
109	0.23343	5.02E-03	1.2E-03	6.05E-04	7.10E-07	2.41E+00	4.71E-02	8.05E-08	1.0E+06	8.0E-02
110	0.26376	5.02E-03	1.3E-03	6.05E-04	8.02E-07	2.41E+00	4.71E-02	9.09E-08	1.0E+06	9.1E-02
111	0.30122	5.02E-03	1.5E-03	6.05E-04	9.16E-07	2.41E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
112	0.34771	5.02E-03	1.7E-03	6.05E-04	1.06E-06	2.41E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01
113	0.40621	5.02E-03	2.0E-03	6.05E-04	1.24E-06	2.41E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01
114	0.48088	5.02E-03	2.4E-03	6.05E-04	1.46E-06	2.41E+00	4.71E-02	1.66E-07	1.0E+06	1.7E-01
115	0.57802	5.02E-03	2.9E-03	6.05E-04	1.76E-06	2.41E+00	4.71E-02	1.99E-07	1.0E+06	2.0E-01
116	0.71561	5.02E-03	3.6E-03	6.05E-04	2.18E-06	2.41E+00	4.71E-02	2.47E-07	1.0E+06	2.5E-01
117	0.92231	5.02E-03	4.6E-03	6.05E-04	2.80E-06	2.41E+00	4.71E-02	3.18E-07	1.0E+06	3.2E-01
118	1.27526	5.02E-03	6.4E-03	6.05E-04	3.88E-06	2.41E+00	4.71E-02	4.40E-07	1.0E+06	4.4E-01
119	1.85182	5.02E-03	9.3E-03	6.05E-04	5.63E-06	2.41E+00	4.71E-02	6.39E-07	1.0E+06	6.4E-01
120	3.10182	5.02E-03	1.6E-02	6.05E-04	9.43E-06	2.41E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
121	7.30224	5.02E-03	3.7E-02	6.05E-04	2.22E-05	2.41E+00	4.71E-02	2.52E-06	1.0E+06	2.5E+00
122	0.21719	5.02E-03	1.1E-03	6.05E-04	6.60E-07	2.41E+00	4.71E-02	7.49E-08	1.0E+06	7.5E-02
123	0.24603	5.02E-03	1.2E-03	6.05E-04	7.48E-07	2.41E+00	4.71E-02	8.48E-08	1.0E+06	8.5E-02
124	0.28402	5.02E-03	1.4E-03	6.05E-04	8.64E-07	2.41E+00	4.71E-02	9.79E-08	1.0E+06	9.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.32675	5.02E-03	1.6E-03	6.05E-04	9.93E-07	2.41E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01
126	0.37739	5.02E-03	1.9E-03	6.05E-04	1.15E-06	2.41E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
127	0.43832	5.02E-03	2.2E-03	6.05E-04	1.33E-06	2.41E+00	4.71E-02	1.51E-07	1.0E+06	1.5E-01
128	0.4895	5.02E-03	2.5E-03	6.05E-04	1.49E-06	2.41E+00	4.71E-02	1.69E-07	1.0E+06	1.7E-01
129	0.59454	5.02E-03	3.0E-03	6.05E-04	1.81E-06	2.41E+00	4.71E-02	2.05E-07	1.0E+06	2.0E-01
130	0.77837	5.02E-03	3.9E-03	6.05E-04	2.37E-06	2.41E+00	4.71E-02	2.68E-07	1.0E+06	2.7E-01
131	7.40233	5.02E-03	3.7E-02	6.05E-04	2.25E-05	2.41E+00	4.71E-02	2.55E-06	1.0E+06	2.6E+00
132	5.92098	5.02E-03	3.0E-02	6.05E-04	1.80E-05	2.41E+00	4.71E-02	2.04E-06	1.0E+06	2.0E+00
133	0.2012	5.02E-03	1.0E-03	6.05E-04	6.12E-07	2.41E+00	4.71E-02	6.94E-08	1.0E+06	6.9E-02
134	0.23128	5.02E-03	1.2E-03	6.05E-04	7.03E-07	2.41E+00	4.71E-02	7.97E-08	1.0E+06	8.0E-02
135	0.26577	5.02E-03	1.3E-03	6.05E-04	8.08E-07	2.41E+00	4.71E-02	9.16E-08	1.0E+06	9.2E-02
136	0.30422	5.02E-03	1.5E-03	6.05E-04	9.25E-07	2.41E+00	4.71E-02	1.05E-07	1.0E+06	1.0E-01
137	0.35024	5.02E-03	1.8E-03	6.05E-04	1.06E-06	2.41E+00	4.71E-02	1.21E-07	1.0E+06	1.2E-01
138	0.4009	5.02E-03	2.0E-03	6.05E-04	1.22E-06	2.41E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
139	0.45464	5.02E-03	2.3E-03	6.05E-04	1.38E-06	2.41E+00	4.71E-02	1.57E-07	1.0E+06	1.6E-01
140	0.53896	5.02E-03	2.7E-03	6.05E-04	1.64E-06	2.41E+00	4.71E-02	1.86E-07	1.0E+06	1.9E-01
141	0.66049	5.02E-03	3.3E-03	6.05E-04	2.01E-06	2.41E+00	4.71E-02	2.28E-07	1.0E+06	2.3E-01
142	0.81857	5.02E-03	4.1E-03	6.05E-04	2.49E-06	2.41E+00	4.71E-02	2.82E-07	1.0E+06	2.8E-01
143	1.06969	5.02E-03	5.4E-03	6.05E-04	3.25E-06	2.41E+00	4.71E-02	3.69E-07	1.0E+06	3.7E-01
144	1.51306	5.02E-03	7.6E-03	6.05E-04	4.60E-06	2.41E+00	4.71E-02	5.22E-07	1.0E+06	5.2E-01
145	2.20204	5.02E-03	1.1E-02	6.05E-04	6.69E-06	2.41E+00	4.71E-02	7.59E-07	1.0E+06	7.6E-01
146	4.57471	5.02E-03	2.3E-02	6.05E-04	1.39E-05	2.41E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
147	0.18734	5.02E-03	9.4E-04	6.05E-04	5.70E-07	2.41E+00	4.71E-02	6.46E-08	1.0E+06	6.5E-02
148	0.21309	5.02E-03	1.1E-03	6.05E-04	6.48E-07	2.41E+00	4.71E-02	7.35E-08	1.0E+06	7.3E-02
149	0.24448	5.02E-03	1.2E-03	6.05E-04	7.43E-07	2.41E+00	4.71E-02	8.43E-08	1.0E+06	8.4E-02
150	0.27925	5.02E-03	1.4E-03	6.05E-04	8.49E-07	2.41E+00	4.71E-02	9.63E-08	1.0E+06	9.6E-02
151	0.32321	5.02E-03	1.6E-03	6.05E-04	9.83E-07	2.41E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
152	0.3674	5.02E-03	1.8E-03	6.05E-04	1.12E-06	2.41E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01
153	0.42017	5.02E-03	2.1E-03	6.05E-04	1.28E-06	2.41E+00	4.71E-02	1.45E-07	1.0E+06	1.4E-01
154	0.49329	5.02E-03	2.5E-03	6.05E-04	1.50E-06	2.41E+00	4.71E-02	1.70E-07	1.0E+06	1.7E-01
155	0.59199	5.02E-03	3.0E-03	6.05E-04	1.80E-06	2.41E+00	4.71E-02	2.04E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.71666	5.02E-03	3.6E-03	6.05E-04	2.18E-06	2.41E+00	4.71E-02	2.47E-07	1.0E+06	2.5E-01
157	0.87778	5.02E-03	4.4E-03	6.05E-04	2.67E-06	2.41E+00	4.71E-02	3.03E-07	1.0E+06	3.0E-01
158	1.10629	5.02E-03	5.6E-03	6.05E-04	3.36E-06	2.41E+00	4.71E-02	3.81E-07	1.0E+06	3.8E-01
159	1.59661	5.02E-03	8.0E-03	6.05E-04	4.85E-06	2.41E+00	4.71E-02	5.51E-07	1.0E+06	5.5E-01
160	0.17769	5.02E-03	8.9E-04	6.05E-04	5.40E-07	2.41E+00	4.71E-02	6.13E-08	1.0E+06	6.1E-02
161	0.1973	5.02E-03	9.9E-04	6.05E-04	6.00E-07	2.41E+00	4.71E-02	6.80E-08	1.0E+06	6.8E-02
162	0.21729	5.02E-03	1.1E-03	6.05E-04	6.61E-07	2.41E+00	4.71E-02	7.49E-08	1.0E+06	7.5E-02
163	0.25154	5.02E-03	1.3E-03	6.05E-04	7.65E-07	2.41E+00	4.71E-02	8.67E-08	1.0E+06	8.7E-02
164	0.29579	5.02E-03	1.5E-03	6.05E-04	8.99E-07	2.41E+00	4.71E-02	1.02E-07	1.0E+06	1.0E-01
165	0.33639	5.02E-03	1.7E-03	6.05E-04	1.02E-06	2.41E+00	4.71E-02	1.16E-07	1.0E+06	1.2E-01
166	0.38696	5.02E-03	1.9E-03	6.05E-04	1.18E-06	2.41E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
167	0.44773	5.02E-03	2.2E-03	6.05E-04	1.36E-06	2.41E+00	4.71E-02	1.54E-07	1.0E+06	1.5E-01
168	0.52312	5.02E-03	2.6E-03	6.05E-04	1.59E-06	2.41E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
169	0.61749	5.02E-03	3.1E-03	6.05E-04	1.88E-06	2.41E+00	4.71E-02	2.13E-07	1.0E+06	2.1E-01
170	0.73787	5.02E-03	3.7E-03	6.05E-04	2.24E-06	2.41E+00	4.71E-02	2.54E-07	1.0E+06	2.5E-01
171	0.90459	5.02E-03	4.5E-03	6.05E-04	2.75E-06	2.41E+00	4.71E-02	3.12E-07	1.0E+06	3.1E-01
172	1.17863	5.02E-03	5.9E-03	6.05E-04	3.58E-06	2.41E+00	4.71E-02	4.06E-07	1.0E+06	4.1E-01
173	1.56202	5.02E-03	7.8E-03	6.05E-04	4.75E-06	2.41E+00	4.71E-02	5.39E-07	1.0E+06	5.4E-01
174	2.02836	5.02E-03	1.0E-02	6.05E-04	6.17E-06	2.41E+00	4.71E-02	6.99E-07	1.0E+06	7.0E-01
175	2.36083	5.02E-03	1.2E-02	6.05E-04	7.18E-06	2.41E+00	4.71E-02	8.14E-07	1.0E+06	8.1E-01
176	2.47447	5.02E-03	1.2E-02	6.05E-04	7.52E-06	2.41E+00	4.71E-02	8.53E-07	1.0E+06	8.5E-01
177	2.43188	5.02E-03	1.2E-02	6.05E-04	7.39E-06	2.41E+00	4.71E-02	8.39E-07	1.0E+06	8.4E-01
178	2.25623	5.02E-03	1.1E-02	6.05E-04	6.86E-06	2.41E+00	4.71E-02	7.78E-07	1.0E+06	7.8E-01
179	0.16283	5.02E-03	8.2E-04	6.05E-04	4.95E-07	2.41E+00	4.71E-02	5.61E-08	1.0E+06	5.6E-02
180	0.1782	5.02E-03	9.0E-04	6.05E-04	5.42E-07	2.41E+00	4.71E-02	6.14E-08	1.0E+06	6.1E-02
181	0.19241	5.02E-03	9.7E-04	6.05E-04	5.85E-07	2.41E+00	4.71E-02	6.63E-08	1.0E+06	6.6E-02
182	0.22626	5.02E-03	1.1E-03	6.05E-04	6.88E-07	2.41E+00	4.71E-02	7.80E-08	1.0E+06	7.8E-02
183	0.27299	5.02E-03	1.4E-03	6.05E-04	8.30E-07	2.41E+00	4.71E-02	9.41E-08	1.0E+06	9.4E-02
184	0.31025	5.02E-03	1.6E-03	6.05E-04	9.43E-07	2.41E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
185	0.35623	5.02E-03	1.8E-03	6.05E-04	1.08E-06	2.41E+00	4.71E-02	1.23E-07	1.0E+06	1.2E-01
186	0.40715	5.02E-03	2.0E-03	6.05E-04	1.24E-06	2.41E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.46491	5.02E-03	2.3E-03	6.05E-04	1.41E-06	2.41E+00	4.71E-02	1.60E-07	1.0E+06	1.6E-01
188	0.53875	5.02E-03	2.7E-03	6.05E-04	1.64E-06	2.41E+00	4.71E-02	1.86E-07	1.0E+06	1.9E-01
189	0.62873	5.02E-03	3.2E-03	6.05E-04	1.91E-06	2.41E+00	4.71E-02	2.17E-07	1.0E+06	2.2E-01
190	0.7521	5.02E-03	3.8E-03	6.05E-04	2.29E-06	2.41E+00	4.71E-02	2.59E-07	1.0E+06	2.6E-01
191	0.91282	5.02E-03	4.6E-03	6.05E-04	2.78E-06	2.41E+00	4.71E-02	3.15E-07	1.0E+06	3.1E-01
192	1.1316	5.02E-03	5.7E-03	6.05E-04	3.44E-06	2.41E+00	4.71E-02	3.90E-07	1.0E+06	3.9E-01
193	1.3626	5.02E-03	6.8E-03	6.05E-04	4.14E-06	2.41E+00	4.71E-02	4.70E-07	1.0E+06	4.7E-01
194	1.6103	5.02E-03	8.1E-03	6.05E-04	4.90E-06	2.41E+00	4.71E-02	5.55E-07	1.0E+06	5.6E-01
195	1.83033	5.02E-03	9.2E-03	6.05E-04	5.56E-06	2.41E+00	4.71E-02	6.31E-07	1.0E+06	6.3E-01
196	1.83082	5.02E-03	9.2E-03	6.05E-04	5.57E-06	2.41E+00	4.71E-02	6.31E-07	1.0E+06	6.3E-01
197	1.72496	5.02E-03	8.7E-03	6.05E-04	5.24E-06	2.41E+00	4.71E-02	5.95E-07	1.0E+06	5.9E-01
198	0.15329	5.02E-03	7.7E-04	6.05E-04	4.66E-07	2.41E+00	4.71E-02	5.29E-08	1.0E+06	5.3E-02
199	0.16801	5.02E-03	8.4E-04	6.05E-04	5.11E-07	2.41E+00	4.71E-02	5.79E-08	1.0E+06	5.8E-02
200	0.1845	5.02E-03	9.3E-04	6.05E-04	5.61E-07	2.41E+00	4.71E-02	6.36E-08	1.0E+06	6.4E-02
201	0.20774	5.02E-03	1.0E-03	6.05E-04	6.32E-07	2.41E+00	4.71E-02	7.16E-08	1.0E+06	7.2E-02
202	0.24802	5.02E-03	1.2E-03	6.05E-04	7.54E-07	2.41E+00	4.71E-02	8.55E-08	1.0E+06	8.6E-02
203	0.28344	5.02E-03	1.4E-03	6.05E-04	8.62E-07	2.41E+00	4.71E-02	9.77E-08	1.0E+06	9.8E-02
204	0.32437	5.02E-03	1.6E-03	6.05E-04	9.86E-07	2.41E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
205	0.36737	5.02E-03	1.8E-03	6.05E-04	1.12E-06	2.41E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01
206	0.41583	5.02E-03	2.1E-03	6.05E-04	1.26E-06	2.41E+00	4.71E-02	1.43E-07	1.0E+06	1.4E-01
207	0.47445	5.02E-03	2.4E-03	6.05E-04	1.44E-06	2.41E+00	4.71E-02	1.64E-07	1.0E+06	1.6E-01
208	0.54532	5.02E-03	2.7E-03	6.05E-04	1.66E-06	2.41E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01
209	0.63729	5.02E-03	3.2E-03	6.05E-04	1.94E-06	2.41E+00	4.71E-02	2.20E-07	1.0E+06	2.2E-01
210	0.75216	5.02E-03	3.8E-03	6.05E-04	2.29E-06	2.41E+00	4.71E-02	2.59E-07	1.0E+06	2.6E-01
211	0.88928	5.02E-03	4.5E-03	6.05E-04	2.70E-06	2.41E+00	4.71E-02	3.07E-07	1.0E+06	3.1E-01
212	1.02495	5.02E-03	5.2E-03	6.05E-04	3.12E-06	2.41E+00	4.71E-02	3.53E-07	1.0E+06	3.5E-01
213	1.13148	5.02E-03	5.7E-03	6.05E-04	3.44E-06	2.41E+00	4.71E-02	3.90E-07	1.0E+06	3.9E-01
214	1.1847	5.02E-03	6.0E-03	6.05E-04	3.60E-06	2.41E+00	4.71E-02	4.08E-07	1.0E+06	4.1E-01
215	1.39908	5.02E-03	7.0E-03	6.05E-04	4.25E-06	2.41E+00	4.71E-02	4.82E-07	1.0E+06	4.8E-01
216	0.14739	5.02E-03	7.4E-04	6.05E-04	4.48E-07	2.41E+00	4.71E-02	5.08E-08	1.0E+06	5.1E-02
217	0.15974	5.02E-03	8.0E-04	6.05E-04	4.86E-07	2.41E+00	4.71E-02	5.51E-08	1.0E+06	5.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.17507	5.02E-03	8.8E-04	6.05E-04	5.32E-07	2.41E+00	4.71E-02	6.04E-08	1.0E+06	6.0E-02
219	0.19408	5.02E-03	9.8E-04	6.05E-04	5.90E-07	2.41E+00	4.71E-02	6.69E-08	1.0E+06	6.7E-02
220	0.22545	5.02E-03	1.1E-03	6.05E-04	6.85E-07	2.41E+00	4.71E-02	7.77E-08	1.0E+06	7.8E-02
221	0.25293	5.02E-03	1.3E-03	6.05E-04	7.69E-07	2.41E+00	4.71E-02	8.72E-08	1.0E+06	8.7E-02
222	0.28852	5.02E-03	1.4E-03	6.05E-04	8.77E-07	2.41E+00	4.71E-02	9.95E-08	1.0E+06	9.9E-02
223	0.32506	5.02E-03	1.6E-03	6.05E-04	9.88E-07	2.41E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
224	0.36579	5.02E-03	1.8E-03	6.05E-04	1.11E-06	2.41E+00	4.71E-02	1.26E-07	1.0E+06	1.3E-01
225	0.41139	5.02E-03	2.1E-03	6.05E-04	1.25E-06	2.41E+00	4.71E-02	1.42E-07	1.0E+06	1.4E-01
226	0.47087	5.02E-03	2.4E-03	6.05E-04	1.43E-06	2.41E+00	4.71E-02	1.62E-07	1.0E+06	1.6E-01
227	0.54132	5.02E-03	2.7E-03	6.05E-04	1.65E-06	2.41E+00	4.71E-02	1.87E-07	1.0E+06	1.9E-01
228	0.62646	5.02E-03	3.1E-03	6.05E-04	1.90E-06	2.41E+00	4.71E-02	2.16E-07	1.0E+06	2.2E-01
229	0.72545	5.02E-03	3.6E-03	6.05E-04	2.21E-06	2.41E+00	4.71E-02	2.50E-07	1.0E+06	2.5E-01
230	0.82114	5.02E-03	4.1E-03	6.05E-04	2.50E-06	2.41E+00	4.71E-02	2.83E-07	1.0E+06	2.8E-01
231	0.90433	5.02E-03	4.5E-03	6.05E-04	2.75E-06	2.41E+00	4.71E-02	3.12E-07	1.0E+06	3.1E-01
232	0.95831	5.02E-03	4.8E-03	6.05E-04	2.91E-06	2.41E+00	4.71E-02	3.30E-07	1.0E+06	3.3E-01
233	1.08841	5.02E-03	5.5E-03	6.05E-04	3.31E-06	2.41E+00	4.71E-02	3.75E-07	1.0E+06	3.8E-01
234	0.14198	5.02E-03	7.1E-04	6.05E-04	4.32E-07	2.41E+00	4.71E-02	4.90E-08	1.0E+06	4.9E-02
235	0.152	5.02E-03	7.6E-04	6.05E-04	4.62E-07	2.41E+00	4.71E-02	5.24E-08	1.0E+06	5.2E-02
236	0.16533	5.02E-03	8.3E-04	6.05E-04	5.03E-07	2.41E+00	4.71E-02	5.70E-08	1.0E+06	5.7E-02
237	0.1827	5.02E-03	9.2E-04	6.05E-04	5.55E-07	2.41E+00	4.71E-02	6.30E-08	1.0E+06	6.3E-02
238	0.20515	5.02E-03	1.0E-03	6.05E-04	6.24E-07	2.41E+00	4.71E-02	7.07E-08	1.0E+06	7.1E-02
239	0.22746	5.02E-03	1.1E-03	6.05E-04	6.92E-07	2.41E+00	4.71E-02	7.84E-08	1.0E+06	7.8E-02
240	0.25485	5.02E-03	1.3E-03	6.05E-04	7.75E-07	2.41E+00	4.71E-02	8.79E-08	1.0E+06	8.8E-02
241	0.28536	5.02E-03	1.4E-03	6.05E-04	8.68E-07	2.41E+00	4.71E-02	9.84E-08	1.0E+06	9.8E-02
242	0.32011	5.02E-03	1.6E-03	6.05E-04	9.73E-07	2.41E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
243	0.35968	5.02E-03	1.8E-03	6.05E-04	1.09E-06	2.41E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
244	0.41028	5.02E-03	2.1E-03	6.05E-04	1.25E-06	2.41E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01
245	0.46953	5.02E-03	2.4E-03	6.05E-04	1.43E-06	2.41E+00	4.71E-02	1.62E-07	1.0E+06	1.6E-01
246	0.538	5.02E-03	2.7E-03	6.05E-04	1.64E-06	2.41E+00	4.71E-02	1.86E-07	1.0E+06	1.9E-01
247	0.61275	5.02E-03	3.1E-03	6.05E-04	1.86E-06	2.41E+00	4.71E-02	2.11E-07	1.0E+06	2.1E-01
248	0.68743	5.02E-03	3.5E-03	6.05E-04	2.09E-06	2.41E+00	4.71E-02	2.37E-07	1.0E+06	2.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	0.75095	5.02E-03	3.8E-03	6.05E-04	2.28E-06	2.41E+00	4.71E-02	2.59E-07	1.0E+06	2.6E-01
250	0.80013	5.02E-03	4.0E-03	6.05E-04	2.43E-06	2.41E+00	4.71E-02	2.76E-07	1.0E+06	2.8E-01
251	0.89928	5.02E-03	4.5E-03	6.05E-04	2.73E-06	2.41E+00	4.71E-02	3.10E-07	1.0E+06	3.1E-01
252	0.13488	5.02E-03	6.8E-04	6.05E-04	4.10E-07	2.41E+00	4.71E-02	4.65E-08	1.0E+06	4.7E-02
253	0.14265	5.02E-03	7.2E-04	6.05E-04	4.34E-07	2.41E+00	4.71E-02	4.92E-08	1.0E+06	4.9E-02
254	0.15259	5.02E-03	7.7E-04	6.05E-04	4.64E-07	2.41E+00	4.71E-02	5.26E-08	1.0E+06	5.3E-02
255	0.16464	5.02E-03	8.3E-04	6.05E-04	5.01E-07	2.41E+00	4.71E-02	5.68E-08	1.0E+06	5.7E-02
256	0.18715	5.02E-03	9.4E-04	6.05E-04	5.69E-07	2.41E+00	4.71E-02	6.45E-08	1.0E+06	6.5E-02
257	0.19855	5.02E-03	1.0E-03	6.05E-04	6.04E-07	2.41E+00	4.71E-02	6.85E-08	1.0E+06	6.8E-02
258	0.2162	5.02E-03	1.1E-03	6.05E-04	6.57E-07	2.41E+00	4.71E-02	7.45E-08	1.0E+06	7.5E-02
259	0.23718	5.02E-03	1.2E-03	6.05E-04	7.21E-07	2.41E+00	4.71E-02	8.18E-08	1.0E+06	8.2E-02
260	0.26947	5.02E-03	1.4E-03	6.05E-04	8.19E-07	2.41E+00	4.71E-02	9.29E-08	1.0E+06	9.3E-02
261	0.31098	5.02E-03	1.6E-03	6.05E-04	9.45E-07	2.41E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
262	0.35732	5.02E-03	1.8E-03	6.05E-04	1.09E-06	2.41E+00	4.71E-02	1.23E-07	1.0E+06	1.2E-01
263	0.4049	5.02E-03	2.0E-03	6.05E-04	1.23E-06	2.41E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01
264	0.46204	5.02E-03	2.3E-03	6.05E-04	1.40E-06	2.41E+00	4.71E-02	1.59E-07	1.0E+06	1.6E-01
265	0.51992	5.02E-03	2.6E-03	6.05E-04	1.58E-06	2.41E+00	4.71E-02	1.79E-07	1.0E+06	1.8E-01
266	0.57862	5.02E-03	2.9E-03	6.05E-04	1.76E-06	2.41E+00	4.71E-02	2.00E-07	1.0E+06	2.0E-01
267	0.6287	5.02E-03	3.2E-03	6.05E-04	1.91E-06	2.41E+00	4.71E-02	2.17E-07	1.0E+06	2.2E-01
268	0.66735	5.02E-03	3.4E-03	6.05E-04	2.03E-06	2.41E+00	4.71E-02	2.30E-07	1.0E+06	2.3E-01
269	0.7427	5.02E-03	3.7E-03	6.05E-04	2.26E-06	2.41E+00	4.71E-02	2.56E-07	1.0E+06	2.6E-01
270	0.12735	5.02E-03	6.4E-04	6.05E-04	3.87E-07	2.41E+00	4.71E-02	4.39E-08	1.0E+06	4.4E-02
271	0.13443	5.02E-03	6.8E-04	6.05E-04	4.09E-07	2.41E+00	4.71E-02	4.64E-08	1.0E+06	4.6E-02
272	0.14286	5.02E-03	7.2E-04	6.05E-04	4.34E-07	2.41E+00	4.71E-02	4.93E-08	1.0E+06	4.9E-02
273	0.1521	5.02E-03	7.6E-04	6.05E-04	4.62E-07	2.41E+00	4.71E-02	5.24E-08	1.0E+06	5.2E-02
274	0.17405	5.02E-03	8.7E-04	6.05E-04	5.29E-07	2.41E+00	4.71E-02	6.00E-08	1.0E+06	6.0E-02
275	0.19151	5.02E-03	9.6E-04	6.05E-04	5.82E-07	2.41E+00	4.71E-02	6.60E-08	1.0E+06	6.6E-02
276	0.19368	5.02E-03	9.7E-04	6.05E-04	5.89E-07	2.41E+00	4.71E-02	6.68E-08	1.0E+06	6.7E-02
277	0.2106	5.02E-03	1.1E-03	6.05E-04	6.40E-07	2.41E+00	4.71E-02	7.26E-08	1.0E+06	7.3E-02
278	0.2342	5.02E-03	1.2E-03	6.05E-04	7.12E-07	2.41E+00	4.71E-02	8.08E-08	1.0E+06	8.1E-02
279	0.26516	5.02E-03	1.3E-03	6.05E-04	8.06E-07	2.41E+00	4.71E-02	9.14E-08	1.0E+06	9.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.30781	5.02E-03	1.5E-03	6.05E-04	9.36E-07	2.41E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
281	0.35373	5.02E-03	1.8E-03	6.05E-04	1.08E-06	2.41E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01
282	0.40181	5.02E-03	2.0E-03	6.05E-04	1.22E-06	2.41E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
283	0.45035	5.02E-03	2.3E-03	6.05E-04	1.37E-06	2.41E+00	4.71E-02	1.55E-07	1.0E+06	1.6E-01
284	0.49767	5.02E-03	2.5E-03	6.05E-04	1.51E-06	2.41E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01
285	0.53687	5.02E-03	2.7E-03	6.05E-04	1.63E-06	2.41E+00	4.71E-02	1.85E-07	1.0E+06	1.9E-01
286	0.56978	5.02E-03	2.9E-03	6.05E-04	1.73E-06	2.41E+00	4.71E-02	1.96E-07	1.0E+06	2.0E-01
287	0.63116	5.02E-03	3.2E-03	6.05E-04	1.92E-06	2.41E+00	4.71E-02	2.18E-07	1.0E+06	2.2E-01
288	0.12073	5.02E-03	6.1E-04	6.05E-04	3.67E-07	2.41E+00	4.71E-02	4.16E-08	1.0E+06	4.2E-02
289	0.12591	5.02E-03	6.3E-04	6.05E-04	3.83E-07	2.41E+00	4.71E-02	4.34E-08	1.0E+06	4.3E-02
290	0.13629	5.02E-03	6.8E-04	6.05E-04	4.14E-07	2.41E+00	4.71E-02	4.70E-08	1.0E+06	4.7E-02
291	0.14618	5.02E-03	7.3E-04	6.05E-04	4.44E-07	2.41E+00	4.71E-02	5.04E-08	1.0E+06	5.0E-02
292	0.17553	5.02E-03	8.8E-04	6.05E-04	5.34E-07	2.41E+00	4.71E-02	6.05E-08	1.0E+06	6.1E-02
293	0.18214	5.02E-03	9.2E-04	6.05E-04	5.54E-07	2.41E+00	4.71E-02	6.28E-08	1.0E+06	6.3E-02
294	0.17701	5.02E-03	8.9E-04	6.05E-04	5.38E-07	2.41E+00	4.71E-02	6.10E-08	1.0E+06	6.1E-02
295	0.19366	5.02E-03	9.7E-04	6.05E-04	5.89E-07	2.41E+00	4.71E-02	6.68E-08	1.0E+06	6.7E-02
296	0.21492	5.02E-03	1.1E-03	6.05E-04	6.53E-07	2.41E+00	4.71E-02	7.41E-08	1.0E+06	7.4E-02
297	0.23689	5.02E-03	1.2E-03	6.05E-04	7.20E-07	2.41E+00	4.71E-02	8.17E-08	1.0E+06	8.2E-02
298	0.26792	5.02E-03	1.3E-03	6.05E-04	8.15E-07	2.41E+00	4.71E-02	9.24E-08	1.0E+06	9.2E-02
299	0.30964	5.02E-03	1.6E-03	6.05E-04	9.41E-07	2.41E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
300	0.34814	5.02E-03	1.7E-03	6.05E-04	1.06E-06	2.41E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01
301	0.39207	5.02E-03	2.0E-03	6.05E-04	1.19E-06	2.41E+00	4.71E-02	1.35E-07	1.0E+06	1.4E-01
302	0.43341	5.02E-03	2.2E-03	6.05E-04	1.32E-06	2.41E+00	4.71E-02	1.49E-07	1.0E+06	1.5E-01
303	0.47003	5.02E-03	2.4E-03	6.05E-04	1.43E-06	2.41E+00	4.71E-02	1.62E-07	1.0E+06	1.6E-01
304	0.49846	5.02E-03	2.5E-03	6.05E-04	1.52E-06	2.41E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01
305	0.54889	5.02E-03	2.8E-03	6.05E-04	1.67E-06	2.41E+00	4.71E-02	1.89E-07	1.0E+06	1.9E-01
306	0.1215	5.02E-03	6.1E-04	6.05E-04	3.69E-07	2.41E+00	4.71E-02	4.19E-08	1.0E+06	4.2E-02
307	0.12282	5.02E-03	6.2E-04	6.05E-04	3.73E-07	2.41E+00	4.71E-02	4.23E-08	1.0E+06	4.2E-02
308	0.12903	5.02E-03	6.5E-04	6.05E-04	3.92E-07	2.41E+00	4.71E-02	4.45E-08	1.0E+06	4.4E-02
309	0.14771	5.02E-03	7.4E-04	6.05E-04	4.49E-07	2.41E+00	4.71E-02	5.09E-08	1.0E+06	5.1E-02
310	0.1661	5.02E-03	8.3E-04	6.05E-04	5.05E-07	2.41E+00	4.71E-02	5.73E-08	1.0E+06	5.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.17127	5.02E-03	8.6E-04	6.05E-04	5.21E-07	2.41E+00	4.71E-02	5.91E-08	1.0E+06	5.9E-02
312	0.16328	5.02E-03	8.2E-04	6.05E-04	4.96E-07	2.41E+00	4.71E-02	5.63E-08	1.0E+06	5.6E-02
313	0.17828	5.02E-03	9.0E-04	6.05E-04	5.42E-07	2.41E+00	4.71E-02	6.15E-08	1.0E+06	6.1E-02
314	0.19711	5.02E-03	9.9E-04	6.05E-04	5.99E-07	2.41E+00	4.71E-02	6.80E-08	1.0E+06	6.8E-02
315	0.22456	5.02E-03	1.1E-03	6.05E-04	6.83E-07	2.41E+00	4.71E-02	7.74E-08	1.0E+06	7.7E-02
316	0.24394	5.02E-03	1.2E-03	6.05E-04	7.42E-07	2.41E+00	4.71E-02	8.41E-08	1.0E+06	8.4E-02
317	0.27118	5.02E-03	1.4E-03	6.05E-04	8.24E-07	2.41E+00	4.71E-02	9.35E-08	1.0E+06	9.4E-02
318	0.30422	5.02E-03	1.5E-03	6.05E-04	9.25E-07	2.41E+00	4.71E-02	1.05E-07	1.0E+06	1.0E-01
319	0.34378	5.02E-03	1.7E-03	6.05E-04	1.05E-06	2.41E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
320	0.3868	5.02E-03	1.9E-03	6.05E-04	1.18E-06	2.41E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
321	0.41641	5.02E-03	2.1E-03	6.05E-04	1.27E-06	2.41E+00	4.71E-02	1.44E-07	1.0E+06	1.4E-01
322	0.44075	5.02E-03	2.2E-03	6.05E-04	1.34E-06	2.41E+00	4.71E-02	1.52E-07	1.0E+06	1.5E-01
323	0.48154	5.02E-03	2.4E-03	6.05E-04	1.46E-06	2.41E+00	4.71E-02	1.66E-07	1.0E+06	1.7E-01
324	0.11562	5.02E-03	5.8E-04	6.05E-04	3.52E-07	2.41E+00	4.71E-02	3.99E-08	1.0E+06	4.0E-02
325	0.12511	5.02E-03	6.3E-04	6.05E-04	3.80E-07	2.41E+00	4.71E-02	4.31E-08	1.0E+06	4.3E-02
326	0.12995	5.02E-03	6.5E-04	6.05E-04	3.95E-07	2.41E+00	4.71E-02	4.48E-08	1.0E+06	4.5E-02
327	0.13277	5.02E-03	6.7E-04	6.05E-04	4.04E-07	2.41E+00	4.71E-02	4.58E-08	1.0E+06	4.6E-02
328	0.15993	5.02E-03	8.0E-04	6.05E-04	4.86E-07	2.41E+00	4.71E-02	5.51E-08	1.0E+06	5.5E-02
329	0.1611	5.02E-03	8.1E-04	6.05E-04	4.90E-07	2.41E+00	4.71E-02	5.55E-08	1.0E+06	5.6E-02
330	0.15531	5.02E-03	7.8E-04	6.05E-04	4.72E-07	2.41E+00	4.71E-02	5.36E-08	1.0E+06	5.4E-02
331	0.16961	5.02E-03	8.5E-04	6.05E-04	5.16E-07	2.41E+00	4.71E-02	5.85E-08	1.0E+06	5.8E-02
332	0.18704	5.02E-03	9.4E-04	6.05E-04	5.69E-07	2.41E+00	4.71E-02	6.45E-08	1.0E+06	6.4E-02
333	0.21165	5.02E-03	1.1E-03	6.05E-04	6.43E-07	2.41E+00	4.71E-02	7.30E-08	1.0E+06	7.3E-02
334	0.23286	5.02E-03	1.2E-03	6.05E-04	7.08E-07	2.41E+00	4.71E-02	8.03E-08	1.0E+06	8.0E-02
335	0.25687	5.02E-03	1.3E-03	6.05E-04	7.81E-07	2.41E+00	4.71E-02	8.86E-08	1.0E+06	8.9E-02
336	5.25471	5.02E-03	2.6E-02	6.05E-04	1.60E-05	2.41E+00	4.71E-02	1.81E-06	1.0E+06	1.8E+00
337	4.09801	5.02E-03	2.1E-02	6.05E-04	1.25E-05	2.41E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
338	0.69877	5.02E-03	3.5E-03	6.05E-04	2.12E-06	2.41E+00	4.71E-02	2.41E-07	1.0E+06	2.4E-01
339	0.77633	5.02E-03	3.9E-03	6.05E-04	2.36E-06	2.41E+00	4.71E-02	2.68E-07	1.0E+06	2.7E-01
340	0.84525	5.02E-03	4.2E-03	6.05E-04	2.57E-06	2.41E+00	4.71E-02	2.91E-07	1.0E+06	2.9E-01
341	0.89345	5.02E-03	4.5E-03	6.05E-04	2.72E-06	2.41E+00	4.71E-02	3.08E-07	1.0E+06	3.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.92141	5.02E-03	4.6E-03	6.05E-04	2.80E-06	2.41E+00	4.71E-02	3.18E-07	1.0E+06	3.2E-01
343	0.91505	5.02E-03	4.6E-03	6.05E-04	2.78E-06	2.41E+00	4.71E-02	3.16E-07	1.0E+06	3.2E-01
344	0.8857	5.02E-03	4.5E-03	6.05E-04	2.69E-06	2.41E+00	4.71E-02	3.05E-07	1.0E+06	3.1E-01
345	0.8401	5.02E-03	4.2E-03	6.05E-04	2.55E-06	2.41E+00	4.71E-02	2.90E-07	1.0E+06	2.9E-01
346	0.7797	5.02E-03	3.9E-03	6.05E-04	2.37E-06	2.41E+00	4.71E-02	2.69E-07	1.0E+06	2.7E-01
347	0.86888	5.02E-03	4.4E-03	6.05E-04	2.64E-06	2.41E+00	4.71E-02	3.00E-07	1.0E+06	3.0E-01
348	1.00398	5.02E-03	5.0E-03	6.05E-04	3.05E-06	2.41E+00	4.71E-02	3.46E-07	1.0E+06	3.5E-01
349	1.10866	5.02E-03	5.6E-03	6.05E-04	3.37E-06	2.41E+00	4.71E-02	3.82E-07	1.0E+06	3.8E-01
350	1.17766	5.02E-03	5.9E-03	6.05E-04	3.58E-06	2.41E+00	4.71E-02	4.06E-07	1.0E+06	4.1E-01
351	1.21981	5.02E-03	6.1E-03	6.05E-04	3.71E-06	2.41E+00	4.71E-02	4.21E-07	1.0E+06	4.2E-01
352	1.19644	5.02E-03	6.0E-03	6.05E-04	3.64E-06	2.41E+00	4.71E-02	4.13E-07	1.0E+06	4.1E-01
353	1.14005	5.02E-03	5.7E-03	6.05E-04	3.47E-06	2.41E+00	4.71E-02	3.93E-07	1.0E+06	3.9E-01
354	1.04619	5.02E-03	5.3E-03	6.05E-04	3.18E-06	2.41E+00	4.71E-02	3.61E-07	1.0E+06	3.6E-01
355	0.95366	5.02E-03	4.8E-03	6.05E-04	2.90E-06	2.41E+00	4.71E-02	3.29E-07	1.0E+06	3.3E-01
356	1.11736	5.02E-03	5.6E-03	6.05E-04	3.40E-06	2.41E+00	4.71E-02	3.85E-07	1.0E+06	3.9E-01
357	1.30958	5.02E-03	6.6E-03	6.05E-04	3.98E-06	2.41E+00	4.71E-02	4.52E-07	1.0E+06	4.5E-01
358	1.49976	5.02E-03	7.5E-03	6.05E-04	4.56E-06	2.41E+00	4.71E-02	5.17E-07	1.0E+06	5.2E-01
359	1.62635	5.02E-03	8.2E-03	6.05E-04	4.94E-06	2.41E+00	4.71E-02	5.61E-07	1.0E+06	5.6E-01
360	1.69468	5.02E-03	8.5E-03	6.05E-04	5.15E-06	2.41E+00	4.71E-02	5.84E-07	1.0E+06	5.8E-01
361	1.62336	5.02E-03	8.2E-03	6.05E-04	4.94E-06	2.41E+00	4.71E-02	5.60E-07	1.0E+06	5.6E-01
362	1.51327	5.02E-03	7.6E-03	6.05E-04	4.60E-06	2.41E+00	4.71E-02	5.22E-07	1.0E+06	5.2E-01
363	1.34227	5.02E-03	6.7E-03	6.05E-04	4.08E-06	2.41E+00	4.71E-02	4.63E-07	1.0E+06	4.6E-01
364	1.53351	5.02E-03	7.7E-03	6.05E-04	4.66E-06	2.41E+00	4.71E-02	5.29E-07	1.0E+06	5.3E-01
365	1.80482	5.02E-03	9.1E-03	6.05E-04	5.49E-06	2.41E+00	4.71E-02	6.22E-07	1.0E+06	6.2E-01
366	2.17696	5.02E-03	1.1E-02	6.05E-04	6.62E-06	2.41E+00	4.71E-02	7.51E-07	1.0E+06	7.5E-01
367	2.40697	5.02E-03	1.2E-02	6.05E-04	7.32E-06	2.41E+00	4.71E-02	8.30E-07	1.0E+06	8.3E-01
368	2.51485	5.02E-03	1.3E-02	6.05E-04	7.65E-06	2.41E+00	4.71E-02	8.67E-07	1.0E+06	8.7E-01
369	2.33111	5.02E-03	1.2E-02	6.05E-04	7.09E-06	2.41E+00	4.71E-02	8.04E-07	1.0E+06	8.0E-01
370	1.80686	5.02E-03	9.1E-03	6.05E-04	5.49E-06	2.41E+00	4.71E-02	6.23E-07	1.0E+06	6.2E-01
371	1.49896	5.02E-03	7.5E-03	6.05E-04	4.56E-06	2.41E+00	4.71E-02	5.17E-07	1.0E+06	5.2E-01
372	2.29428	5.02E-03	1.2E-02	6.05E-04	6.98E-06	2.41E+00	4.71E-02	7.91E-07	1.0E+06	7.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	2.85493	5.02E-03	1.4E-02	6.05E-04	8.68E-06	2.41E+00	4.71E-02	9.84E-07	1.0E+06	9.8E-01
374	3.56379	5.02E-03	1.8E-02	6.05E-04	1.08E-05	2.41E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
375	3.96254	5.02E-03	2.0E-02	6.05E-04	1.20E-05	2.41E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
376	4.11531	5.02E-03	2.1E-02	6.05E-04	1.25E-05	2.41E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
377	4.00445	5.02E-03	2.0E-02	6.05E-04	1.22E-05	2.41E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
378	3.65975	5.02E-03	1.8E-02	6.05E-04	1.11E-05	2.41E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
379	2.47423	5.02E-03	1.2E-02	6.05E-04	7.52E-06	2.41E+00	4.71E-02	8.53E-07	1.0E+06	8.5E-01
380	1.90451	5.02E-03	9.6E-03	6.05E-04	5.79E-06	2.41E+00	4.71E-02	6.57E-07	1.0E+06	6.6E-01
381	1.45157	5.02E-03	7.3E-03	6.05E-04	4.41E-06	2.41E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
382	3.94527	5.02E-03	2.0E-02	6.05E-04	1.20E-05	2.41E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
383	5.74292	5.02E-03	2.9E-02	6.05E-04	1.75E-05	2.41E+00	4.71E-02	1.98E-06	1.0E+06	2.0E+00
384	7.0628	5.02E-03	3.5E-02	6.05E-04	2.15E-05	2.41E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
385	7.7788	5.02E-03	3.9E-02	6.05E-04	2.37E-05	2.41E+00	4.71E-02	2.68E-06	1.0E+06	2.7E+00
386	7.94303	5.02E-03	4.0E-02	6.05E-04	2.41E-05	2.41E+00	4.71E-02	2.74E-06	1.0E+06	2.7E+00
387	7.61242	5.02E-03	3.8E-02	6.05E-04	2.31E-05	2.41E+00	4.71E-02	2.62E-06	1.0E+06	2.6E+00
388	6.77558	5.02E-03	3.4E-02	6.05E-04	2.06E-05	2.41E+00	4.71E-02	2.34E-06	1.0E+06	2.3E+00
389	3.47544	5.02E-03	1.7E-02	6.05E-04	1.06E-05	2.41E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
390	2.31331	5.02E-03	1.2E-02	6.05E-04	7.03E-06	2.41E+00	4.71E-02	7.98E-07	1.0E+06	8.0E-01
391	1.6179	5.02E-03	8.1E-03	6.05E-04	4.92E-06	2.41E+00	4.71E-02	5.58E-07	1.0E+06	5.6E-01
392	1.15161	5.02E-03	5.8E-03	6.05E-04	3.50E-06	2.41E+00	4.71E-02	3.97E-07	1.0E+06	4.0E-01
393	8.7282	5.02E-03	4.4E-02	6.05E-04	2.65E-05	2.41E+00	4.71E-02	3.01E-06	1.0E+06	3.0E+00
394	10.19606	5.02E-03	5.1E-02	6.05E-04	3.10E-05	2.41E+00	4.71E-02	3.52E-06	1.0E+06	3.5E+00
395	10.29107	5.02E-03	5.2E-02	6.05E-04	3.13E-05	2.41E+00	4.71E-02	3.55E-06	1.0E+06	3.5E+00
396	10.86265	5.02E-03	5.5E-02	6.05E-04	3.30E-05	2.41E+00	4.71E-02	3.75E-06	1.0E+06	3.7E+00
397	12.76958	5.02E-03	6.4E-02	6.05E-04	3.88E-05	2.41E+00	4.71E-02	4.40E-06	1.0E+06	4.4E+00
398	8.34943	5.02E-03	4.2E-02	6.05E-04	2.54E-05	2.41E+00	4.71E-02	2.88E-06	1.0E+06	2.9E+00
399	6.66481	5.02E-03	3.3E-02	6.05E-04	2.03E-05	2.41E+00	4.71E-02	2.30E-06	1.0E+06	2.3E+00
400	4.69002	5.02E-03	2.4E-02	6.05E-04	1.43E-05	2.41E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
401	2.59215	5.02E-03	1.3E-02	6.05E-04	7.88E-06	2.41E+00	4.71E-02	8.94E-07	1.0E+06	8.9E-01
402	1.14275	5.02E-03	5.7E-03	6.05E-04	3.47E-06	2.41E+00	4.71E-02	3.94E-07	1.0E+06	3.9E-01
403	5.34568	5.02E-03	2.7E-02	6.05E-04	1.63E-05	2.41E+00	4.71E-02	1.84E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.14379	5.02E-03	5.7E-03	6.05E-04	3.48E-06	2.41E+00	4.71E-02	3.94E-07	1.0E+06	3.9E-01
405	0.83327	5.02E-03	4.2E-03	6.05E-04	2.53E-06	2.41E+00	4.71E-02	2.87E-07	1.0E+06	2.9E-01
406	4.3595	5.02E-03	2.2E-02	6.05E-04	1.33E-05	2.41E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
407	0.77446	5.02E-03	3.9E-03	6.05E-04	2.35E-06	2.41E+00	4.71E-02	2.67E-07	1.0E+06	2.7E-01
408	3.26711	5.02E-03	1.6E-02	6.05E-04	9.93E-06	2.41E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
409	0.71621	5.02E-03	3.6E-03	6.05E-04	2.18E-06	2.41E+00	4.71E-02	2.47E-07	1.0E+06	2.5E-01
410	2.482	5.02E-03	1.2E-02	6.05E-04	7.55E-06	2.41E+00	4.71E-02	8.56E-07	1.0E+06	8.6E-01
411	0.85532	5.02E-03	4.3E-03	6.05E-04	2.60E-06	2.41E+00	4.71E-02	2.95E-07	1.0E+06	2.9E-01
412	0.67288	5.02E-03	3.4E-03	6.05E-04	2.05E-06	2.41E+00	4.71E-02	2.32E-07	1.0E+06	2.3E-01
413	1.93775	5.02E-03	9.7E-03	6.05E-04	5.89E-06	2.41E+00	4.71E-02	6.68E-07	1.0E+06	6.7E-01
414	1.0153	5.02E-03	5.1E-03	6.05E-04	3.09E-06	2.41E+00	4.71E-02	3.50E-07	1.0E+06	3.5E-01
415	0.77501	5.02E-03	3.9E-03	6.05E-04	2.36E-06	2.41E+00	4.71E-02	2.67E-07	1.0E+06	2.7E-01
416	0.61765	5.02E-03	3.1E-03	6.05E-04	1.88E-06	2.41E+00	4.71E-02	2.13E-07	1.0E+06	2.1E-01
417	1.554	5.02E-03	7.8E-03	6.05E-04	4.72E-06	2.41E+00	4.71E-02	5.36E-07	1.0E+06	5.4E-01
418	0.70372	5.02E-03	3.5E-03	6.05E-04	2.14E-06	2.41E+00	4.71E-02	2.43E-07	1.0E+06	2.4E-01
419	0.56773	5.02E-03	2.9E-03	6.05E-04	1.73E-06	2.41E+00	4.71E-02	1.96E-07	1.0E+06	2.0E-01
420	0.46976	5.02E-03	2.4E-03	6.05E-04	1.43E-06	2.41E+00	4.71E-02	1.62E-07	1.0E+06	1.6E-01
421	1.274	5.02E-03	6.4E-03	6.05E-04	3.87E-06	2.41E+00	4.71E-02	4.39E-07	1.0E+06	4.4E-01
422	0.52242	5.02E-03	2.6E-03	6.05E-04	1.59E-06	2.41E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
423	0.43715	5.02E-03	2.2E-03	6.05E-04	1.33E-06	2.41E+00	4.71E-02	1.51E-07	1.0E+06	1.5E-01
424	1.06285	5.02E-03	5.3E-03	6.05E-04	3.23E-06	2.41E+00	4.71E-02	3.66E-07	1.0E+06	3.7E-01
425	0.40644	5.02E-03	2.0E-03	6.05E-04	1.24E-06	2.41E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01
426	0.34877	5.02E-03	1.8E-03	6.05E-04	1.06E-06	2.41E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01
427	0.8992	5.02E-03	4.5E-03	6.05E-04	2.73E-06	2.41E+00	4.71E-02	3.10E-07	1.0E+06	3.1E-01
428	0.37801	5.02E-03	1.9E-03	6.05E-04	1.15E-06	2.41E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
429	0.32678	5.02E-03	1.6E-03	6.05E-04	9.94E-07	2.41E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01
430	0.77021	5.02E-03	3.9E-03	6.05E-04	2.34E-06	2.41E+00	4.71E-02	2.66E-07	1.0E+06	2.7E-01
431	0.30623	5.02E-03	1.5E-03	6.05E-04	9.31E-07	2.41E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
432	0.26825	5.02E-03	1.3E-03	6.05E-04	8.16E-07	2.41E+00	4.71E-02	9.25E-08	1.0E+06	9.2E-02
433	0.66605	5.02E-03	3.3E-03	6.05E-04	2.03E-06	2.41E+00	4.71E-02	2.30E-07	1.0E+06	2.3E-01
434	0.28725	5.02E-03	1.4E-03	6.05E-04	8.73E-07	2.41E+00	4.71E-02	9.90E-08	1.0E+06	9.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.2539	5.02E-03	1.3E-03	6.05E-04	7.72E-07	2.41E+00	4.71E-02	8.75E-08	1.0E+06	8.8E-02
436	0.58116	5.02E-03	2.9E-03	6.05E-04	1.77E-06	2.41E+00	4.71E-02	2.00E-07	1.0E+06	2.0E-01
437	0.30691	5.02E-03	1.5E-03	6.05E-04	9.33E-07	2.41E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
438	0.27001	5.02E-03	1.4E-03	6.05E-04	8.21E-07	2.41E+00	4.71E-02	9.31E-08	1.0E+06	9.3E-02
439	0.23975	5.02E-03	1.2E-03	6.05E-04	7.29E-07	2.41E+00	4.71E-02	8.27E-08	1.0E+06	8.3E-02
440	0.51082	5.02E-03	2.6E-03	6.05E-04	1.55E-06	2.41E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01
441	0.3712	5.02E-03	1.9E-03	6.05E-04	1.13E-06	2.41E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
442	0.326	5.02E-03	1.6E-03	6.05E-04	9.91E-07	2.41E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
443	0.28704	5.02E-03	1.4E-03	6.05E-04	8.73E-07	2.41E+00	4.71E-02	9.90E-08	1.0E+06	9.9E-02
444	0.25394	5.02E-03	1.3E-03	6.05E-04	7.72E-07	2.41E+00	4.71E-02	8.76E-08	1.0E+06	8.8E-02
445	0.4522	5.02E-03	2.3E-03	6.05E-04	1.37E-06	2.41E+00	4.71E-02	1.56E-07	1.0E+06	1.6E-01
446	0.37925	5.02E-03	1.9E-03	6.05E-04	1.15E-06	2.41E+00	4.71E-02	1.31E-07	1.0E+06	1.3E-01
447	0.33987	5.02E-03	1.7E-03	6.05E-04	1.03E-06	2.41E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
448	0.30239	5.02E-03	1.5E-03	6.05E-04	9.19E-07	2.41E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
449	0.40282	5.02E-03	2.0E-03	6.05E-04	1.22E-06	2.41E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
450	0.37605	5.02E-03	1.9E-03	6.05E-04	1.14E-06	2.41E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
451	0.34509	5.02E-03	1.7E-03	6.05E-04	1.05E-06	2.41E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
452	0.36089	5.02E-03	1.8E-03	6.05E-04	1.10E-06	2.41E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
453	0.33992	5.02E-03	1.7E-03	6.05E-04	1.03E-06	2.41E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
454	0.19146	5.02E-03	9.6E-04	6.05E-04	5.82E-07	2.41E+00	4.71E-02	6.60E-08	1.0E+06	6.6E-02
455	0.17478	5.02E-03	8.8E-04	6.05E-04	5.31E-07	2.41E+00	4.71E-02	6.03E-08	1.0E+06	6.0E-02
456	0.32501	5.02E-03	1.6E-03	6.05E-04	9.88E-07	2.41E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
457	0.30847	5.02E-03	1.5E-03	6.05E-04	9.38E-07	2.41E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
458	0.28793	5.02E-03	1.4E-03	6.05E-04	8.75E-07	2.41E+00	4.71E-02	9.93E-08	1.0E+06	9.9E-02
459	0.22069	5.02E-03	1.1E-03	6.05E-04	6.71E-07	2.41E+00	4.71E-02	7.61E-08	1.0E+06	7.6E-02
460	0.20066	5.02E-03	1.0E-03	6.05E-04	6.10E-07	2.41E+00	4.71E-02	6.92E-08	1.0E+06	6.9E-02
461	0.18243	5.02E-03	9.2E-04	6.05E-04	5.55E-07	2.41E+00	4.71E-02	6.29E-08	1.0E+06	6.3E-02
462	0.16633	5.02E-03	8.4E-04	6.05E-04	5.06E-07	2.41E+00	4.71E-02	5.74E-08	1.0E+06	5.7E-02
463	4.29765	5.02E-03	2.2E-02	6.05E-04	1.31E-05	2.41E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
464	3.3969	5.02E-03	1.7E-02	6.05E-04	1.03E-05	2.41E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
465	2.89488	5.02E-03	1.5E-02	6.05E-04	8.80E-06	2.41E+00	4.71E-02	9.98E-07	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.25169	5.02E-03	1.1E-02	6.05E-04	6.85E-06	2.41E+00	4.71E-02	7.76E-07	1.0E+06	7.8E-01
467	2.03748	5.02E-03	1.0E-02	6.05E-04	6.19E-06	2.41E+00	4.71E-02	7.03E-07	1.0E+06	7.0E-01
468	1.58578	5.02E-03	8.0E-03	6.05E-04	4.82E-06	2.41E+00	4.71E-02	5.47E-07	1.0E+06	5.5E-01
469	1.27157	5.02E-03	6.4E-03	6.05E-04	3.87E-06	2.41E+00	4.71E-02	4.38E-07	1.0E+06	4.4E-01
470	1.11457	5.02E-03	5.6E-03	6.05E-04	3.39E-06	2.41E+00	4.71E-02	3.84E-07	1.0E+06	3.8E-01
471	1.15557	5.02E-03	5.8E-03	6.05E-04	3.51E-06	2.41E+00	4.71E-02	3.98E-07	1.0E+06	4.0E-01
472	0.91809	5.02E-03	4.6E-03	6.05E-04	2.79E-06	2.41E+00	4.71E-02	3.17E-07	1.0E+06	3.2E-01
473	0.8703	5.02E-03	4.4E-03	6.05E-04	2.65E-06	2.41E+00	4.71E-02	3.00E-07	1.0E+06	3.0E-01
474	0.76922	5.02E-03	3.9E-03	6.05E-04	2.34E-06	2.41E+00	4.71E-02	2.65E-07	1.0E+06	2.7E-01
475	0.73688	5.02E-03	3.7E-03	6.05E-04	2.24E-06	2.41E+00	4.71E-02	2.54E-07	1.0E+06	2.5E-01
476	0.65302	5.02E-03	3.3E-03	6.05E-04	1.99E-06	2.41E+00	4.71E-02	2.25E-07	1.0E+06	2.3E-01
477	0.63139	5.02E-03	3.2E-03	6.05E-04	1.92E-06	2.41E+00	4.71E-02	2.18E-07	1.0E+06	2.2E-01
478	0.5609	5.02E-03	2.8E-03	6.05E-04	1.71E-06	2.41E+00	4.71E-02	1.93E-07	1.0E+06	1.9E-01
479	0.54625	5.02E-03	2.7E-03	6.05E-04	1.66E-06	2.41E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01
480	0.51817	5.02E-03	2.6E-03	6.05E-04	1.58E-06	2.41E+00	4.71E-02	1.79E-07	1.0E+06	1.8E-01
481	0.48689	5.02E-03	2.4E-03	6.05E-04	1.48E-06	2.41E+00	4.71E-02	1.68E-07	1.0E+06	1.7E-01
482	0.45676	5.02E-03	2.3E-03	6.05E-04	1.39E-06	2.41E+00	4.71E-02	1.57E-07	1.0E+06	1.6E-01
483	0.42029	5.02E-03	2.1E-03	6.05E-04	1.28E-06	2.41E+00	4.71E-02	1.45E-07	1.0E+06	1.4E-01
484	0.40531	5.02E-03	2.0E-03	6.05E-04	1.23E-06	2.41E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.25428	1.52945E-05	3.9E-06	6.05E-04	2.35E-09	2.41E+00	4.71E-02	2.67E-10	1.0E+06	2.7E-04
2	2	0.27637	1.52945E-05	4.2E-06	6.05E-04	2.56E-09	2.41E+00	4.71E-02	2.90E-10	1.0E+06	2.9E-04
3	3	0.30035	1.52945E-05	4.6E-06	6.05E-04	2.78E-09	2.41E+00	4.71E-02	3.15E-10	1.0E+06	3.2E-04
4	4	0.32663	1.52945E-05	5.0E-06	6.05E-04	3.02E-09	2.41E+00	4.71E-02	3.43E-10	1.0E+06	3.4E-04
5	5	0.35475	1.52945E-05	5.4E-06	6.05E-04	3.28E-09	2.41E+00	4.71E-02	3.72E-10	1.0E+06	3.7E-04
6	6	0.38703	1.52945E-05	5.9E-06	6.05E-04	3.58E-09	2.41E+00	4.71E-02	4.06E-10	1.0E+06	4.1E-04
7	7	0.42232	1.52945E-05	6.5E-06	6.05E-04	3.91E-09	2.41E+00	4.71E-02	4.43E-10	1.0E+06	4.4E-04
8	8	0.46087	1.52945E-05	7.0E-06	6.05E-04	4.27E-09	2.41E+00	4.71E-02	4.84E-10	1.0E+06	4.8E-04
9	9	0.50407	1.52945E-05	7.7E-06	6.05E-04	4.66E-09	2.41E+00	4.71E-02	5.29E-10	1.0E+06	5.3E-04
10	10	0.55668	1.52945E-05	8.5E-06	6.05E-04	5.15E-09	2.41E+00	4.71E-02	5.84E-10	1.0E+06	5.8E-04
11	11	0.62607	1.52945E-05	9.6E-06	6.05E-04	5.79E-09	2.41E+00	4.71E-02	6.57E-10	1.0E+06	6.6E-04
12	12	0.72578	1.52945E-05	1.1E-05	6.05E-04	6.72E-09	2.41E+00	4.71E-02	7.62E-10	1.0E+06	7.6E-04
13	13	0.84464	1.52945E-05	1.3E-05	6.05E-04	7.82E-09	2.41E+00	4.71E-02	8.86E-10	1.0E+06	8.9E-04
14	14	1.25114	1.52945E-05	1.9E-05	6.05E-04	1.16E-08	2.41E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
15	15	0.26771	1.52945E-05	4.1E-06	6.05E-04	2.48E-09	2.41E+00	4.71E-02	2.81E-10	1.0E+06	2.8E-04
16	16	0.29333	1.52945E-05	4.5E-06	6.05E-04	2.71E-09	2.41E+00	4.71E-02	3.08E-10	1.0E+06	3.1E-04
17	17	0.3235	1.52945E-05	4.9E-06	6.05E-04	2.99E-09	2.41E+00	4.71E-02	3.40E-10	1.0E+06	3.4E-04
18	18	0.35659	1.52945E-05	5.5E-06	6.05E-04	3.30E-09	2.41E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04
19	19	0.39342	1.52945E-05	6.0E-06	6.05E-04	3.64E-09	2.41E+00	4.71E-02	4.13E-10	1.0E+06	4.1E-04
20	20	0.43604	1.52945E-05	6.7E-06	6.05E-04	4.04E-09	2.41E+00	4.71E-02	4.58E-10	1.0E+06	4.6E-04
21	21	0.48425	1.52945E-05	7.4E-06	6.05E-04	4.48E-09	2.41E+00	4.71E-02	5.08E-10	1.0E+06	5.1E-04
22	22	0.53774	1.52945E-05	8.2E-06	6.05E-04	4.98E-09	2.41E+00	4.71E-02	5.64E-10	1.0E+06	5.6E-04
23	23	0.60347	1.52945E-05	9.2E-06	6.05E-04	5.58E-09	2.41E+00	4.71E-02	6.33E-10	1.0E+06	6.3E-04
24	24	0.67516	1.52945E-05	1.0E-05	6.05E-04	6.25E-09	2.41E+00	4.71E-02	7.09E-10	1.0E+06	7.1E-04
25	25	0.77514	1.52945E-05	1.2E-05	6.05E-04	7.17E-09	2.41E+00	4.71E-02	8.14E-10	1.0E+06	8.1E-04
26	26	0.922	1.52945E-05	1.4E-05	6.05E-04	8.53E-09	2.41E+00	4.71E-02	9.68E-10	1.0E+06	9.7E-04
27	27	1.07569	1.52945E-05	1.6E-05	6.05E-04	9.95E-09	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
28	28	1.7381	1.52945E-05	2.7E-05	6.05E-04	1.61E-08	2.41E+00	4.71E-02	1.82E-09	1.0E+06	1.8E-03
29	29	0.27447	1.52945E-05	4.2E-06	6.05E-04	2.54E-09	2.41E+00	4.71E-02	2.88E-10	1.0E+06	2.9E-04
30	30	0.30429	1.52945E-05	4.7E-06	6.05E-04	2.82E-09	2.41E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
31	31	0.33911	1.52945E-05	5.2E-06	6.05E-04	3.14E-09	2.41E+00	4.71E-02	3.56E-10	1.0E+06	3.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.37998	1.52945E-05	5.8E-06	6.05E-04	3.52E-09	2.41E+00	4.71E-02	3.99E-10	1.0E+06	4.0E-04
33	33	0.42564	1.52945E-05	6.5E-06	6.05E-04	3.94E-09	2.41E+00	4.71E-02	4.47E-10	1.0E+06	4.5E-04
34	34	0.48098	1.52945E-05	7.4E-06	6.05E-04	4.45E-09	2.41E+00	4.71E-02	5.05E-10	1.0E+06	5.0E-04
35	35	0.5453	1.52945E-05	8.3E-06	6.05E-04	5.05E-09	2.41E+00	4.71E-02	5.72E-10	1.0E+06	5.7E-04
36	36	0.62255	1.52945E-05	9.5E-06	6.05E-04	5.76E-09	2.41E+00	4.71E-02	6.53E-10	1.0E+06	6.5E-04
37	37	0.71608	1.52945E-05	1.1E-05	6.05E-04	6.63E-09	2.41E+00	4.71E-02	7.52E-10	1.0E+06	7.5E-04
38	38	0.83019	1.52945E-05	1.3E-05	6.05E-04	7.68E-09	2.41E+00	4.71E-02	8.71E-10	1.0E+06	8.7E-04
39	39	0.97462	1.52945E-05	1.5E-05	6.05E-04	9.02E-09	2.41E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
40	40	1.15938	1.52945E-05	1.8E-05	6.05E-04	1.07E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
41	41	1.41414	1.52945E-05	2.2E-05	6.05E-04	1.31E-08	2.41E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
42	42	2.56737	1.52945E-05	3.9E-05	6.05E-04	2.38E-08	2.41E+00	4.71E-02	2.69E-09	1.0E+06	2.7E-03
43	43	0.27402	1.52945E-05	4.2E-06	6.05E-04	2.54E-09	2.41E+00	4.71E-02	2.88E-10	1.0E+06	2.9E-04
44	44	0.30537	1.52945E-05	4.7E-06	6.05E-04	2.83E-09	2.41E+00	4.71E-02	3.20E-10	1.0E+06	3.2E-04
45	45	0.34365	1.52945E-05	5.3E-06	6.05E-04	3.18E-09	2.41E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
46	46	0.39007	1.52945E-05	6.0E-06	6.05E-04	3.61E-09	2.41E+00	4.71E-02	4.09E-10	1.0E+06	4.1E-04
47	47	0.44439	1.52945E-05	6.8E-06	6.05E-04	4.11E-09	2.41E+00	4.71E-02	4.66E-10	1.0E+06	4.7E-04
48	48	0.51054	1.52945E-05	7.8E-06	6.05E-04	4.72E-09	2.41E+00	4.71E-02	5.36E-10	1.0E+06	5.4E-04
49	49	0.59076	1.52945E-05	9.0E-06	6.05E-04	5.47E-09	2.41E+00	4.71E-02	6.20E-10	1.0E+06	6.2E-04
50	50	0.68994	1.52945E-05	1.1E-05	6.05E-04	6.38E-09	2.41E+00	4.71E-02	7.24E-10	1.0E+06	7.2E-04
51	51	0.82922	1.52945E-05	1.3E-05	6.05E-04	7.67E-09	2.41E+00	4.71E-02	8.70E-10	1.0E+06	8.7E-04
52	52	1.00131	1.52945E-05	1.5E-05	6.05E-04	9.27E-09	2.41E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
53	53	1.23315	1.52945E-05	1.9E-05	6.05E-04	1.14E-08	2.41E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
54	54	1.54707	1.52945E-05	2.4E-05	6.05E-04	1.43E-08	2.41E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
55	55	2.02151	1.52945E-05	3.1E-05	6.05E-04	1.87E-08	2.41E+00	4.71E-02	2.12E-09	1.0E+06	2.1E-03
56	56	4.15291	1.52945E-05	6.4E-05	6.05E-04	3.84E-08	2.41E+00	4.71E-02	4.36E-09	1.0E+06	4.4E-03
57	57	0.26868	1.52945E-05	4.1E-06	6.05E-04	2.49E-09	2.41E+00	4.71E-02	2.82E-10	1.0E+06	2.8E-04
58	58	0.30123	1.52945E-05	4.6E-06	6.05E-04	2.79E-09	2.41E+00	4.71E-02	3.16E-10	1.0E+06	3.2E-04
59	59	0.34072	1.52945E-05	5.2E-06	6.05E-04	3.15E-09	2.41E+00	4.71E-02	3.58E-10	1.0E+06	3.6E-04
60	60	0.38872	1.52945E-05	5.9E-06	6.05E-04	3.60E-09	2.41E+00	4.71E-02	4.08E-10	1.0E+06	4.1E-04
61	61	0.44749	1.52945E-05	6.8E-06	6.05E-04	4.14E-09	2.41E+00	4.71E-02	4.70E-10	1.0E+06	4.7E-04
62	62	0.52085	1.52945E-05	8.0E-06	6.05E-04	4.82E-09	2.41E+00	4.71E-02	5.47E-10	1.0E+06	5.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.61858	1.52945E-05	9.5E-06	6.05E-04	5.72E-09	2.41E+00	4.71E-02	6.49E-10	1.0E+06	6.5E-04
64	64	0.73154	1.52945E-05	1.1E-05	6.05E-04	6.77E-09	2.41E+00	4.71E-02	7.68E-10	1.0E+06	7.7E-04
65	65	0.90835	1.52945E-05	1.4E-05	6.05E-04	8.41E-09	2.41E+00	4.71E-02	9.53E-10	1.0E+06	9.5E-04
66	66	1.15929	1.52945E-05	1.8E-05	6.05E-04	1.07E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
67	67	1.51627	1.52945E-05	2.3E-05	6.05E-04	1.40E-08	2.41E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
68	68	2.10193	1.52945E-05	3.2E-05	6.05E-04	1.95E-08	2.41E+00	4.71E-02	2.21E-09	1.0E+06	2.2E-03
69	69	3.11868	1.52945E-05	4.8E-05	6.05E-04	2.89E-08	2.41E+00	4.71E-02	3.27E-09	1.0E+06	3.3E-03
70	70	0.26104	1.52945E-05	4.0E-06	6.05E-04	2.42E-09	2.41E+00	4.71E-02	2.74E-10	1.0E+06	2.7E-04
71	71	0.29292	1.52945E-05	4.5E-06	6.05E-04	2.71E-09	2.41E+00	4.71E-02	3.07E-10	1.0E+06	3.1E-04
72	72	0.33076	1.52945E-05	5.1E-06	6.05E-04	3.06E-09	2.41E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04
73	73	0.37819	1.52945E-05	5.8E-06	6.05E-04	3.50E-09	2.41E+00	4.71E-02	3.97E-10	1.0E+06	4.0E-04
74	74	0.43517	1.52945E-05	6.7E-06	6.05E-04	4.03E-09	2.41E+00	4.71E-02	4.57E-10	1.0E+06	4.6E-04
75	75	0.51517	1.52945E-05	7.9E-06	6.05E-04	4.77E-09	2.41E+00	4.71E-02	5.41E-10	1.0E+06	5.4E-04
76	76	0.61615	1.52945E-05	9.4E-06	6.05E-04	5.70E-09	2.41E+00	4.71E-02	6.47E-10	1.0E+06	6.5E-04
77	77	0.74231	1.52945E-05	1.1E-05	6.05E-04	6.87E-09	2.41E+00	4.71E-02	7.79E-10	1.0E+06	7.8E-04
78	78	0.94081	1.52945E-05	1.4E-05	6.05E-04	8.71E-09	2.41E+00	4.71E-02	9.87E-10	1.0E+06	9.9E-04
79	79	1.27513	1.52945E-05	2.0E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
80	80	1.7742	1.52945E-05	2.7E-05	6.05E-04	1.64E-08	2.41E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
81	81	2.83811	1.52945E-05	4.3E-05	6.05E-04	2.63E-08	2.41E+00	4.71E-02	2.98E-09	1.0E+06	3.0E-03
82	82	5.38613	1.52945E-05	8.2E-05	6.05E-04	4.98E-08	2.41E+00	4.71E-02	5.65E-09	1.0E+06	5.7E-03
83	83	0.2507	1.52945E-05	3.8E-06	6.05E-04	2.32E-09	2.41E+00	4.71E-02	2.63E-10	1.0E+06	2.6E-04
84	84	0.27763	1.52945E-05	4.2E-06	6.05E-04	2.57E-09	2.41E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
85	85	0.30821	1.52945E-05	4.7E-06	6.05E-04	2.85E-09	2.41E+00	4.71E-02	3.23E-10	1.0E+06	3.2E-04
86	86	0.36229	1.52945E-05	5.5E-06	6.05E-04	3.35E-09	2.41E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
87	87	0.42083	1.52945E-05	6.4E-06	6.05E-04	3.89E-09	2.41E+00	4.71E-02	4.42E-10	1.0E+06	4.4E-04
88	88	0.49822	1.52945E-05	7.6E-06	6.05E-04	4.61E-09	2.41E+00	4.71E-02	5.23E-10	1.0E+06	5.2E-04
89	89	0.60034	1.52945E-05	9.2E-06	6.05E-04	5.56E-09	2.41E+00	4.71E-02	6.30E-10	1.0E+06	6.3E-04
90	90	0.7416	1.52945E-05	1.1E-05	6.05E-04	6.86E-09	2.41E+00	4.71E-02	7.78E-10	1.0E+06	7.8E-04
91	91	0.9485	1.52945E-05	1.5E-05	6.05E-04	8.78E-09	2.41E+00	4.71E-02	9.95E-10	1.0E+06	1.0E-03
92	92	1.2708	1.52945E-05	1.9E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
93	93	1.85524	1.52945E-05	2.8E-05	6.05E-04	1.72E-08	2.41E+00	4.71E-02	1.95E-09	1.0E+06	1.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	3.16116	1.52945E-05	4.8E-05	6.05E-04	2.93E-08	2.41E+00	4.71E-02	3.32E-09	1.0E+06	3.3E-03
95	95	8.07452	1.52945E-05	1.2E-04	6.05E-04	7.47E-08	2.41E+00	4.71E-02	8.47E-09	1.0E+06	8.5E-03
96	96	0.23529	1.52945E-05	3.6E-06	6.05E-04	2.18E-09	2.41E+00	4.71E-02	2.47E-10	1.0E+06	2.5E-04
97	97	0.25485	1.52945E-05	3.9E-06	6.05E-04	2.36E-09	2.41E+00	4.71E-02	2.67E-10	1.0E+06	2.7E-04
98	98	0.28398	1.52945E-05	4.3E-06	6.05E-04	2.63E-09	2.41E+00	4.71E-02	2.98E-10	1.0E+06	3.0E-04
99	99	0.33031	1.52945E-05	5.1E-06	6.05E-04	3.06E-09	2.41E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04
100	100	0.39644	1.52945E-05	6.1E-06	6.05E-04	3.67E-09	2.41E+00	4.71E-02	4.16E-10	1.0E+06	4.2E-04
101	101	0.46889	1.52945E-05	7.2E-06	6.05E-04	4.34E-09	2.41E+00	4.71E-02	4.92E-10	1.0E+06	4.9E-04
102	102	0.56397	1.52945E-05	8.6E-06	6.05E-04	5.22E-09	2.41E+00	4.71E-02	5.92E-10	1.0E+06	5.9E-04
103	103	0.69793	1.52945E-05	1.1E-05	6.05E-04	6.46E-09	2.41E+00	4.71E-02	7.32E-10	1.0E+06	7.3E-04
104	104	0.88703	1.52945E-05	1.4E-05	6.05E-04	8.21E-09	2.41E+00	4.71E-02	9.31E-10	1.0E+06	9.3E-04
105	105	1.17483	1.52945E-05	1.8E-05	6.05E-04	1.09E-08	2.41E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
106	106	1.68699	1.52945E-05	2.6E-05	6.05E-04	1.56E-08	2.41E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
107	107	2.70538	1.52945E-05	4.1E-05	6.05E-04	2.50E-08	2.41E+00	4.71E-02	2.84E-09	1.0E+06	2.8E-03
108	108	5.26727	1.52945E-05	8.1E-05	6.05E-04	4.87E-08	2.41E+00	4.71E-02	5.53E-09	1.0E+06	5.5E-03
109	109	0.21721	1.52945E-05	3.3E-06	6.05E-04	2.01E-09	2.41E+00	4.71E-02	2.28E-10	1.0E+06	2.3E-04
110	110	0.24437	1.52945E-05	3.7E-06	6.05E-04	2.26E-09	2.41E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
111	111	0.27772	1.52945E-05	4.2E-06	6.05E-04	2.57E-09	2.41E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
112	112	0.31879	1.52945E-05	4.9E-06	6.05E-04	2.95E-09	2.41E+00	4.71E-02	3.35E-10	1.0E+06	3.3E-04
113	113	0.37002	1.52945E-05	5.7E-06	6.05E-04	3.42E-09	2.41E+00	4.71E-02	3.88E-10	1.0E+06	3.9E-04
114	114	0.43454	1.52945E-05	6.6E-06	6.05E-04	4.02E-09	2.41E+00	4.71E-02	4.56E-10	1.0E+06	4.6E-04
115	115	0.5169	1.52945E-05	7.9E-06	6.05E-04	4.78E-09	2.41E+00	4.71E-02	5.42E-10	1.0E+06	5.4E-04
116	116	0.63155	1.52945E-05	9.7E-06	6.05E-04	5.84E-09	2.41E+00	4.71E-02	6.63E-10	1.0E+06	6.6E-04
117	117	0.79952	1.52945E-05	1.2E-05	6.05E-04	7.40E-09	2.41E+00	4.71E-02	8.39E-10	1.0E+06	8.4E-04
118	118	1.07879	1.52945E-05	1.6E-05	6.05E-04	9.98E-09	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
119	119	1.48871	1.52945E-05	2.3E-05	6.05E-04	1.38E-08	2.41E+00	4.71E-02	1.56E-09	1.0E+06	1.6E-03
120	120	2.22518	1.52945E-05	3.4E-05	6.05E-04	2.06E-08	2.41E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
121	121	3.73196	1.52945E-05	5.7E-05	6.05E-04	3.45E-08	2.41E+00	4.71E-02	3.92E-09	1.0E+06	3.9E-03
122	122	0.20313	1.52945E-05	3.1E-06	6.05E-04	1.88E-09	2.41E+00	4.71E-02	2.13E-10	1.0E+06	2.1E-04
123	123	0.22892	1.52945E-05	3.5E-06	6.05E-04	2.12E-09	2.41E+00	4.71E-02	2.40E-10	1.0E+06	2.4E-04
124	124	0.26271	1.52945E-05	4.0E-06	6.05E-04	2.43E-09	2.41E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.30034	1.52945E-05	4.6E-06	6.05E-04	2.78E-09	2.41E+00	4.71E-02	3.15E-10	1.0E+06	3.2E-04
126	126	0.34432	1.52945E-05	5.3E-06	6.05E-04	3.19E-09	2.41E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
127	127	0.39622	1.52945E-05	6.1E-06	6.05E-04	3.67E-09	2.41E+00	4.71E-02	4.16E-10	1.0E+06	4.2E-04
128	128	0.43709	1.52945E-05	6.7E-06	6.05E-04	4.04E-09	2.41E+00	4.71E-02	4.59E-10	1.0E+06	4.6E-04
129	129	0.52232	1.52945E-05	8.0E-06	6.05E-04	4.83E-09	2.41E+00	4.71E-02	5.48E-10	1.0E+06	5.5E-04
130	130	0.66837	1.52945E-05	1.0E-05	6.05E-04	6.19E-09	2.41E+00	4.71E-02	7.01E-10	1.0E+06	7.0E-04
131	131	4.34244	1.52945E-05	6.6E-05	6.05E-04	4.02E-08	2.41E+00	4.71E-02	4.56E-09	1.0E+06	4.6E-03
132	132	3.78104	1.52945E-05	5.8E-05	6.05E-04	3.50E-08	2.41E+00	4.71E-02	3.97E-09	1.0E+06	4.0E-03
133	133	0.18852	1.52945E-05	2.9E-06	6.05E-04	1.74E-09	2.41E+00	4.71E-02	1.98E-10	1.0E+06	2.0E-04
134	134	0.21544	1.52945E-05	3.3E-06	6.05E-04	1.99E-09	2.41E+00	4.71E-02	2.26E-10	1.0E+06	2.3E-04
135	135	0.24609	1.52945E-05	3.8E-06	6.05E-04	2.28E-09	2.41E+00	4.71E-02	2.58E-10	1.0E+06	2.6E-04
136	136	0.27986	1.52945E-05	4.3E-06	6.05E-04	2.59E-09	2.41E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
137	137	0.31968	1.52945E-05	4.9E-06	6.05E-04	2.96E-09	2.41E+00	4.71E-02	3.36E-10	1.0E+06	3.4E-04
138	138	0.36217	1.52945E-05	5.5E-06	6.05E-04	3.35E-09	2.41E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
139	139	0.40504	1.52945E-05	6.2E-06	6.05E-04	3.75E-09	2.41E+00	4.71E-02	4.25E-10	1.0E+06	4.3E-04
140	140	0.47072	1.52945E-05	7.2E-06	6.05E-04	4.36E-09	2.41E+00	4.71E-02	4.94E-10	1.0E+06	4.9E-04
141	141	0.56278	1.52945E-05	8.6E-06	6.05E-04	5.21E-09	2.41E+00	4.71E-02	5.91E-10	1.0E+06	5.9E-04
142	142	0.67468	1.52945E-05	1.0E-05	6.05E-04	6.24E-09	2.41E+00	4.71E-02	7.08E-10	1.0E+06	7.1E-04
143	143	0.84464	1.52945E-05	1.3E-05	6.05E-04	7.82E-09	2.41E+00	4.71E-02	8.86E-10	1.0E+06	8.9E-04
144	144	1.12552	1.52945E-05	1.7E-05	6.05E-04	1.04E-08	2.41E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
145	145	1.50377	1.52945E-05	2.3E-05	6.05E-04	1.39E-08	2.41E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
146	146	3.06945	1.52945E-05	4.7E-05	6.05E-04	2.84E-08	2.41E+00	4.71E-02	3.22E-09	1.0E+06	3.2E-03
147	147	0.17515	1.52945E-05	2.7E-06	6.05E-04	1.62E-09	2.41E+00	4.71E-02	1.84E-10	1.0E+06	1.8E-04
148	148	0.19818	1.52945E-05	3.0E-06	6.05E-04	1.83E-09	2.41E+00	4.71E-02	2.08E-10	1.0E+06	2.1E-04
149	149	0.22608	1.52945E-05	3.5E-06	6.05E-04	2.09E-09	2.41E+00	4.71E-02	2.37E-10	1.0E+06	2.4E-04
150	150	0.2565	1.52945E-05	3.9E-06	6.05E-04	2.37E-09	2.41E+00	4.71E-02	2.69E-10	1.0E+06	2.7E-04
151	151	0.29441	1.52945E-05	4.5E-06	6.05E-04	2.72E-09	2.41E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04
152	152	0.33081	1.52945E-05	5.1E-06	6.05E-04	3.06E-09	2.41E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04
153	153	0.3726	1.52945E-05	5.7E-06	6.05E-04	3.45E-09	2.41E+00	4.71E-02	3.91E-10	1.0E+06	3.9E-04
154	154	0.42896	1.52945E-05	6.6E-06	6.05E-04	3.97E-09	2.41E+00	4.71E-02	4.50E-10	1.0E+06	4.5E-04
155	155	0.50241	1.52945E-05	7.7E-06	6.05E-04	4.65E-09	2.41E+00	4.71E-02	5.27E-10	1.0E+06	5.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.59106	1.52945E-05	9.0E-06	6.05E-04	5.47E-09	2.41E+00	4.71E-02	6.20E-10	1.0E+06	6.2E-04
157	157	0.7007	1.52945E-05	1.1E-05	6.05E-04	6.48E-09	2.41E+00	4.71E-02	7.35E-10	1.0E+06	7.4E-04
158	158	0.84757	1.52945E-05	1.3E-05	6.05E-04	7.84E-09	2.41E+00	4.71E-02	8.90E-10	1.0E+06	8.9E-04
159	159	1.1498	1.52945E-05	1.8E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
160	160	0.16576	1.52945E-05	2.5E-06	6.05E-04	1.53E-09	2.41E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
161	161	0.18316	1.52945E-05	2.8E-06	6.05E-04	1.70E-09	2.41E+00	4.71E-02	1.92E-10	1.0E+06	1.9E-04
162	162	0.20053	1.52945E-05	3.1E-06	6.05E-04	1.86E-09	2.41E+00	4.71E-02	2.10E-10	1.0E+06	2.1E-04
163	163	0.23049	1.52945E-05	3.5E-06	6.05E-04	2.13E-09	2.41E+00	4.71E-02	2.42E-10	1.0E+06	2.4E-04
164	164	0.26854	1.52945E-05	4.1E-06	6.05E-04	2.49E-09	2.41E+00	4.71E-02	2.82E-10	1.0E+06	2.8E-04
165	165	0.30157	1.52945E-05	4.6E-06	6.05E-04	2.79E-09	2.41E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
166	166	0.34149	1.52945E-05	5.2E-06	6.05E-04	3.16E-09	2.41E+00	4.71E-02	3.58E-10	1.0E+06	3.6E-04
167	167	0.38778	1.52945E-05	5.9E-06	6.05E-04	3.59E-09	2.41E+00	4.71E-02	4.07E-10	1.0E+06	4.1E-04
168	168	0.44369	1.52945E-05	6.8E-06	6.05E-04	4.11E-09	2.41E+00	4.71E-02	4.66E-10	1.0E+06	4.7E-04
169	169	0.51208	1.52945E-05	7.8E-06	6.05E-04	4.74E-09	2.41E+00	4.71E-02	5.37E-10	1.0E+06	5.4E-04
170	170	0.59664	1.52945E-05	9.1E-06	6.05E-04	5.52E-09	2.41E+00	4.71E-02	6.26E-10	1.0E+06	6.3E-04
171	171	0.70853	1.52945E-05	1.1E-05	6.05E-04	6.56E-09	2.41E+00	4.71E-02	7.44E-10	1.0E+06	7.4E-04
172	172	0.88567	1.52945E-05	1.4E-05	6.05E-04	8.20E-09	2.41E+00	4.71E-02	9.30E-10	1.0E+06	9.3E-04
173	173	1.12931	1.52945E-05	1.7E-05	6.05E-04	1.05E-08	2.41E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
174	174	1.4353	1.52945E-05	2.2E-05	6.05E-04	1.33E-08	2.41E+00	4.71E-02	1.51E-09	1.0E+06	1.5E-03
175	175	1.67676	1.52945E-05	2.6E-05	6.05E-04	1.55E-08	2.41E+00	4.71E-02	1.76E-09	1.0E+06	1.8E-03
176	176	1.78891	1.52945E-05	2.7E-05	6.05E-04	1.66E-08	2.41E+00	4.71E-02	1.88E-09	1.0E+06	1.9E-03
177	177	1.80048	1.52945E-05	2.8E-05	6.05E-04	1.67E-08	2.41E+00	4.71E-02	1.89E-09	1.0E+06	1.9E-03
178	178	1.72123	1.52945E-05	2.6E-05	6.05E-04	1.59E-08	2.41E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
179	179	0.15184	1.52945E-05	2.3E-06	6.05E-04	1.41E-09	2.41E+00	4.71E-02	1.59E-10	1.0E+06	1.6E-04
180	180	0.16537	1.52945E-05	2.5E-06	6.05E-04	1.53E-09	2.41E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
181	181	0.17744	1.52945E-05	2.7E-06	6.05E-04	1.64E-09	2.41E+00	4.71E-02	1.86E-10	1.0E+06	1.9E-04
182	182	0.20687	1.52945E-05	3.2E-06	6.05E-04	1.91E-09	2.41E+00	4.71E-02	2.17E-10	1.0E+06	2.2E-04
183	183	0.24692	1.52945E-05	3.8E-06	6.05E-04	2.29E-09	2.41E+00	4.71E-02	2.59E-10	1.0E+06	2.6E-04
184	184	0.27695	1.52945E-05	4.2E-06	6.05E-04	2.56E-09	2.41E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
185	185	0.31325	1.52945E-05	4.8E-06	6.05E-04	2.90E-09	2.41E+00	4.71E-02	3.29E-10	1.0E+06	3.3E-04
186	186	0.35223	1.52945E-05	5.4E-06	6.05E-04	3.26E-09	2.41E+00	4.71E-02	3.70E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.39547	1.52945E-05	6.0E-06	6.05E-04	3.66E-09	2.41E+00	4.71E-02	4.15E-10	1.0E+06	4.2E-04
188	188	0.45023	1.52945E-05	6.9E-06	6.05E-04	4.17E-09	2.41E+00	4.71E-02	4.73E-10	1.0E+06	4.7E-04
189	189	0.51504	1.52945E-05	7.9E-06	6.05E-04	4.77E-09	2.41E+00	4.71E-02	5.41E-10	1.0E+06	5.4E-04
190	190	0.60099	1.52945E-05	9.2E-06	6.05E-04	5.56E-09	2.41E+00	4.71E-02	6.31E-10	1.0E+06	6.3E-04
191	191	0.70882	1.52945E-05	1.1E-05	6.05E-04	6.56E-09	2.41E+00	4.71E-02	7.44E-10	1.0E+06	7.4E-04
192	192	0.85558	1.52945E-05	1.3E-05	6.05E-04	7.92E-09	2.41E+00	4.71E-02	8.98E-10	1.0E+06	9.0E-04
193	193	1.01594	1.52945E-05	1.6E-05	6.05E-04	9.40E-09	2.41E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
194	194	1.20178	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	2.41E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
195	195	1.37451	1.52945E-05	2.1E-05	6.05E-04	1.27E-08	2.41E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03
196	196	1.40606	1.52945E-05	2.2E-05	6.05E-04	1.30E-08	2.41E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
197	197	1.36033	1.52945E-05	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
198	198	0.14305	1.52945E-05	2.2E-06	6.05E-04	1.32E-09	2.41E+00	4.71E-02	1.50E-10	1.0E+06	1.5E-04
199	199	0.15587	1.52945E-05	2.4E-06	6.05E-04	1.44E-09	2.41E+00	4.71E-02	1.64E-10	1.0E+06	1.6E-04
200	200	0.16985	1.52945E-05	2.6E-06	6.05E-04	1.57E-09	2.41E+00	4.71E-02	1.78E-10	1.0E+06	1.8E-04
201	201	0.18937	1.52945E-05	2.9E-06	6.05E-04	1.75E-09	2.41E+00	4.71E-02	1.99E-10	1.0E+06	2.0E-04
202	202	0.22346	1.52945E-05	3.4E-06	6.05E-04	2.07E-09	2.41E+00	4.71E-02	2.35E-10	1.0E+06	2.3E-04
203	203	0.25217	1.52945E-05	3.9E-06	6.05E-04	2.33E-09	2.41E+00	4.71E-02	2.65E-10	1.0E+06	2.6E-04
204	204	0.28484	1.52945E-05	4.4E-06	6.05E-04	2.64E-09	2.41E+00	4.71E-02	2.99E-10	1.0E+06	3.0E-04
205	205	0.31835	1.52945E-05	4.9E-06	6.05E-04	2.95E-09	2.41E+00	4.71E-02	3.34E-10	1.0E+06	3.3E-04
206	206	0.35556	1.52945E-05	5.4E-06	6.05E-04	3.29E-09	2.41E+00	4.71E-02	3.73E-10	1.0E+06	3.7E-04
207	207	0.39998	1.52945E-05	6.1E-06	6.05E-04	3.70E-09	2.41E+00	4.71E-02	4.20E-10	1.0E+06	4.2E-04
208	208	0.45236	1.52945E-05	6.9E-06	6.05E-04	4.19E-09	2.41E+00	4.71E-02	4.75E-10	1.0E+06	4.7E-04
209	209	0.51849	1.52945E-05	7.9E-06	6.05E-04	4.80E-09	2.41E+00	4.71E-02	5.44E-10	1.0E+06	5.4E-04
210	210	0.59891	1.52945E-05	9.2E-06	6.05E-04	5.54E-09	2.41E+00	4.71E-02	6.29E-10	1.0E+06	6.3E-04
211	211	0.69455	1.52945E-05	1.1E-05	6.05E-04	6.43E-09	2.41E+00	4.71E-02	7.29E-10	1.0E+06	7.3E-04
212	212	0.79203	1.52945E-05	1.2E-05	6.05E-04	7.33E-09	2.41E+00	4.71E-02	8.31E-10	1.0E+06	8.3E-04
213	213	0.87527	1.52945E-05	1.3E-05	6.05E-04	8.10E-09	2.41E+00	4.71E-02	9.19E-10	1.0E+06	9.2E-04
214	214	0.92685	1.52945E-05	1.4E-05	6.05E-04	8.58E-09	2.41E+00	4.71E-02	9.73E-10	1.0E+06	9.7E-04
215	215	1.10097	1.52945E-05	1.7E-05	6.05E-04	1.02E-08	2.41E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
216	216	0.13742	1.52945E-05	2.1E-06	6.05E-04	1.27E-09	2.41E+00	4.71E-02	1.44E-10	1.0E+06	1.4E-04
217	217	0.14785	1.52945E-05	2.3E-06	6.05E-04	1.37E-09	2.41E+00	4.71E-02	1.55E-10	1.0E+06	1.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1606	1.52945E-05	2.5E-06	6.05E-04	1.49E-09	2.41E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04
219	219	0.17624	1.52945E-05	2.7E-06	6.05E-04	1.63E-09	2.41E+00	4.71E-02	1.85E-10	1.0E+06	1.8E-04
220	220	0.20249	1.52945E-05	3.1E-06	6.05E-04	1.87E-09	2.41E+00	4.71E-02	2.13E-10	1.0E+06	2.1E-04
221	221	0.22471	1.52945E-05	3.4E-06	6.05E-04	2.08E-09	2.41E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04
222	222	0.25363	1.52945E-05	3.9E-06	6.05E-04	2.35E-09	2.41E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
223	223	0.28284	1.52945E-05	4.3E-06	6.05E-04	2.62E-09	2.41E+00	4.71E-02	2.97E-10	1.0E+06	3.0E-04
224	224	0.31499	1.52945E-05	4.8E-06	6.05E-04	2.91E-09	2.41E+00	4.71E-02	3.31E-10	1.0E+06	3.3E-04
225	225	0.35031	1.52945E-05	5.4E-06	6.05E-04	3.24E-09	2.41E+00	4.71E-02	3.68E-10	1.0E+06	3.7E-04
226	226	0.39562	1.52945E-05	6.1E-06	6.05E-04	3.66E-09	2.41E+00	4.71E-02	4.15E-10	1.0E+06	4.2E-04
227	227	0.4478	1.52945E-05	6.8E-06	6.05E-04	4.14E-09	2.41E+00	4.71E-02	4.70E-10	1.0E+06	4.7E-04
228	228	0.50956	1.52945E-05	7.8E-06	6.05E-04	4.72E-09	2.41E+00	4.71E-02	5.35E-10	1.0E+06	5.3E-04
229	229	0.58111	1.52945E-05	8.9E-06	6.05E-04	5.38E-09	2.41E+00	4.71E-02	6.10E-10	1.0E+06	6.1E-04
230	230	0.6518	1.52945E-05	1.0E-05	6.05E-04	6.03E-09	2.41E+00	4.71E-02	6.84E-10	1.0E+06	6.8E-04
231	231	0.71742	1.52945E-05	1.1E-05	6.05E-04	6.64E-09	2.41E+00	4.71E-02	7.53E-10	1.0E+06	7.5E-04
232	232	0.76633	1.52945E-05	1.2E-05	6.05E-04	7.09E-09	2.41E+00	4.71E-02	8.04E-10	1.0E+06	8.0E-04
233	233	0.8764	1.52945E-05	1.3E-05	6.05E-04	8.11E-09	2.41E+00	4.71E-02	9.20E-10	1.0E+06	9.2E-04
234	234	0.13197	1.52945E-05	2.0E-06	6.05E-04	1.22E-09	2.41E+00	4.71E-02	1.39E-10	1.0E+06	1.4E-04
235	235	0.14015	1.52945E-05	2.1E-06	6.05E-04	1.30E-09	2.41E+00	4.71E-02	1.47E-10	1.0E+06	1.5E-04
236	236	0.15107	1.52945E-05	2.3E-06	6.05E-04	1.40E-09	2.41E+00	4.71E-02	1.59E-10	1.0E+06	1.6E-04
237	237	0.16538	1.52945E-05	2.5E-06	6.05E-04	1.53E-09	2.41E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
238	238	0.184	1.52945E-05	2.8E-06	6.05E-04	1.70E-09	2.41E+00	4.71E-02	1.93E-10	1.0E+06	1.9E-04
239	239	0.20227	1.52945E-05	3.1E-06	6.05E-04	1.87E-09	2.41E+00	4.71E-02	2.12E-10	1.0E+06	2.1E-04
240	240	0.22483	1.52945E-05	3.4E-06	6.05E-04	2.08E-09	2.41E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04
241	241	0.2498	1.52945E-05	3.8E-06	6.05E-04	2.31E-09	2.41E+00	4.71E-02	2.62E-10	1.0E+06	2.6E-04
242	242	0.27792	1.52945E-05	4.3E-06	6.05E-04	2.57E-09	2.41E+00	4.71E-02	2.92E-10	1.0E+06	2.9E-04
243	243	0.30937	1.52945E-05	4.7E-06	6.05E-04	2.86E-09	2.41E+00	4.71E-02	3.25E-10	1.0E+06	3.2E-04
244	244	0.34887	1.52945E-05	5.3E-06	6.05E-04	3.23E-09	2.41E+00	4.71E-02	3.66E-10	1.0E+06	3.7E-04
245	245	0.39402	1.52945E-05	6.0E-06	6.05E-04	3.65E-09	2.41E+00	4.71E-02	4.14E-10	1.0E+06	4.1E-04
246	246	0.4452	1.52945E-05	6.8E-06	6.05E-04	4.12E-09	2.41E+00	4.71E-02	4.67E-10	1.0E+06	4.7E-04
247	247	0.50074	1.52945E-05	7.7E-06	6.05E-04	4.63E-09	2.41E+00	4.71E-02	5.26E-10	1.0E+06	5.3E-04
248	248	0.55725	1.52945E-05	8.5E-06	6.05E-04	5.16E-09	2.41E+00	4.71E-02	5.85E-10	1.0E+06	5.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.60798	1.52945E-05	9.3E-06	6.05E-04	5.63E-09	2.41E+00	4.71E-02	6.38E-10	1.0E+06	6.4E-04
250	250	0.65154	1.52945E-05	1.0E-05	6.05E-04	6.03E-09	2.41E+00	4.71E-02	6.84E-10	1.0E+06	6.8E-04
251	251	0.73622	1.52945E-05	1.1E-05	6.05E-04	6.81E-09	2.41E+00	4.71E-02	7.73E-10	1.0E+06	7.7E-04
252	252	0.12486	1.52945E-05	1.9E-06	6.05E-04	1.16E-09	2.41E+00	4.71E-02	1.31E-10	1.0E+06	1.3E-04
253	253	0.13102	1.52945E-05	2.0E-06	6.05E-04	1.21E-09	2.41E+00	4.71E-02	1.38E-10	1.0E+06	1.4E-04
254	254	0.13902	1.52945E-05	2.1E-06	6.05E-04	1.29E-09	2.41E+00	4.71E-02	1.46E-10	1.0E+06	1.5E-04
255	255	0.14884	1.52945E-05	2.3E-06	6.05E-04	1.38E-09	2.41E+00	4.71E-02	1.56E-10	1.0E+06	1.6E-04
256	256	0.16799	1.52945E-05	2.6E-06	6.05E-04	1.55E-09	2.41E+00	4.71E-02	1.76E-10	1.0E+06	1.8E-04
257	257	0.17717	1.52945E-05	2.7E-06	6.05E-04	1.64E-09	2.41E+00	4.71E-02	1.86E-10	1.0E+06	1.9E-04
258	258	0.19191	1.52945E-05	2.9E-06	6.05E-04	1.78E-09	2.41E+00	4.71E-02	2.01E-10	1.0E+06	2.0E-04
259	259	0.20945	1.52945E-05	3.2E-06	6.05E-04	1.94E-09	2.41E+00	4.71E-02	2.20E-10	1.0E+06	2.2E-04
260	260	0.23633	1.52945E-05	3.6E-06	6.05E-04	2.19E-09	2.41E+00	4.71E-02	2.48E-10	1.0E+06	2.5E-04
261	261	0.27027	1.52945E-05	4.1E-06	6.05E-04	2.50E-09	2.41E+00	4.71E-02	2.84E-10	1.0E+06	2.8E-04
262	262	0.30728	1.52945E-05	4.7E-06	6.05E-04	2.84E-09	2.41E+00	4.71E-02	3.22E-10	1.0E+06	3.2E-04
263	263	0.3443	1.52945E-05	5.3E-06	6.05E-04	3.19E-09	2.41E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
264	264	0.38815	1.52945E-05	5.9E-06	6.05E-04	3.59E-09	2.41E+00	4.71E-02	4.07E-10	1.0E+06	4.1E-04
265	265	0.43216	1.52945E-05	6.6E-06	6.05E-04	4.00E-09	2.41E+00	4.71E-02	4.54E-10	1.0E+06	4.5E-04
266	266	0.47752	1.52945E-05	7.3E-06	6.05E-04	4.42E-09	2.41E+00	4.71E-02	5.01E-10	1.0E+06	5.0E-04
267	267	0.51801	1.52945E-05	7.9E-06	6.05E-04	4.79E-09	2.41E+00	4.71E-02	5.44E-10	1.0E+06	5.4E-04
268	268	0.55231	1.52945E-05	8.4E-06	6.05E-04	5.11E-09	2.41E+00	4.71E-02	5.80E-10	1.0E+06	5.8E-04
269	269	0.6178	1.52945E-05	9.4E-06	6.05E-04	5.72E-09	2.41E+00	4.71E-02	6.48E-10	1.0E+06	6.5E-04
270	270	0.11748	1.52945E-05	1.8E-06	6.05E-04	1.09E-09	2.41E+00	4.71E-02	1.23E-10	1.0E+06	1.2E-04
271	271	0.12315	1.52945E-05	1.9E-06	6.05E-04	1.14E-09	2.41E+00	4.71E-02	1.29E-10	1.0E+06	1.3E-04
272	272	0.13001	1.52945E-05	2.0E-06	6.05E-04	1.20E-09	2.41E+00	4.71E-02	1.36E-10	1.0E+06	1.4E-04
273	273	0.13762	1.52945E-05	2.1E-06	6.05E-04	1.27E-09	2.41E+00	4.71E-02	1.44E-10	1.0E+06	1.4E-04
274	274	0.15664	1.52945E-05	2.4E-06	6.05E-04	1.45E-09	2.41E+00	4.71E-02	1.64E-10	1.0E+06	1.6E-04
275	275	0.17154	1.52945E-05	2.6E-06	6.05E-04	1.59E-09	2.41E+00	4.71E-02	1.80E-10	1.0E+06	1.8E-04
276	276	0.17303	1.52945E-05	2.6E-06	6.05E-04	1.60E-09	2.41E+00	4.71E-02	1.82E-10	1.0E+06	1.8E-04
277	277	0.18742	1.52945E-05	2.9E-06	6.05E-04	1.73E-09	2.41E+00	4.71E-02	1.97E-10	1.0E+06	2.0E-04
278	278	0.20728	1.52945E-05	3.2E-06	6.05E-04	1.92E-09	2.41E+00	4.71E-02	2.18E-10	1.0E+06	2.2E-04
279	279	0.23289	1.52945E-05	3.6E-06	6.05E-04	2.16E-09	2.41E+00	4.71E-02	2.44E-10	1.0E+06	2.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.26762	1.52945E-05	4.1E-06	6.05E-04	2.48E-09	2.41E+00	4.71E-02	2.81E-10	1.0E+06	2.8E-04
281	281	0.30423	1.52945E-05	4.7E-06	6.05E-04	2.82E-09	2.41E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
282	282	0.34191	1.52945E-05	5.2E-06	6.05E-04	3.16E-09	2.41E+00	4.71E-02	3.59E-10	1.0E+06	3.6E-04
283	283	0.37966	1.52945E-05	5.8E-06	6.05E-04	3.51E-09	2.41E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
284	284	0.4169	1.52945E-05	6.4E-06	6.05E-04	3.86E-09	2.41E+00	4.71E-02	4.38E-10	1.0E+06	4.4E-04
285	285	0.44898	1.52945E-05	6.9E-06	6.05E-04	4.15E-09	2.41E+00	4.71E-02	4.71E-10	1.0E+06	4.7E-04
286	286	0.47811	1.52945E-05	7.3E-06	6.05E-04	4.42E-09	2.41E+00	4.71E-02	5.02E-10	1.0E+06	5.0E-04
287	287	0.53223	1.52945E-05	8.1E-06	6.05E-04	4.93E-09	2.41E+00	4.71E-02	5.59E-10	1.0E+06	5.6E-04
288	288	0.11112	1.52945E-05	1.7E-06	6.05E-04	1.03E-09	2.41E+00	4.71E-02	1.17E-10	1.0E+06	1.2E-04
289	289	0.11524	1.52945E-05	1.8E-06	6.05E-04	1.07E-09	2.41E+00	4.71E-02	1.21E-10	1.0E+06	1.2E-04
290	290	0.12413	1.52945E-05	1.9E-06	6.05E-04	1.15E-09	2.41E+00	4.71E-02	1.30E-10	1.0E+06	1.3E-04
291	291	0.13257	1.52945E-05	2.0E-06	6.05E-04	1.23E-09	2.41E+00	4.71E-02	1.39E-10	1.0E+06	1.4E-04
292	292	0.15848	1.52945E-05	2.4E-06	6.05E-04	1.47E-09	2.41E+00	4.71E-02	1.66E-10	1.0E+06	1.7E-04
293	293	0.16388	1.52945E-05	2.5E-06	6.05E-04	1.52E-09	2.41E+00	4.71E-02	1.72E-10	1.0E+06	1.7E-04
294	294	0.15913	1.52945E-05	2.4E-06	6.05E-04	1.47E-09	2.41E+00	4.71E-02	1.67E-10	1.0E+06	1.7E-04
295	295	0.17346	1.52945E-05	2.7E-06	6.05E-04	1.61E-09	2.41E+00	4.71E-02	1.82E-10	1.0E+06	1.8E-04
296	296	0.19149	1.52945E-05	2.9E-06	6.05E-04	1.77E-09	2.41E+00	4.71E-02	2.01E-10	1.0E+06	2.0E-04
297	297	0.20974	1.52945E-05	3.2E-06	6.05E-04	1.94E-09	2.41E+00	4.71E-02	2.20E-10	1.0E+06	2.2E-04
298	298	0.2352	1.52945E-05	3.6E-06	6.05E-04	2.18E-09	2.41E+00	4.71E-02	2.47E-10	1.0E+06	2.5E-04
299	299	0.26904	1.52945E-05	4.1E-06	6.05E-04	2.49E-09	2.41E+00	4.71E-02	2.82E-10	1.0E+06	2.8E-04
300	300	0.29967	1.52945E-05	4.6E-06	6.05E-04	2.77E-09	2.41E+00	4.71E-02	3.15E-10	1.0E+06	3.1E-04
301	301	0.33462	1.52945E-05	5.1E-06	6.05E-04	3.10E-09	2.41E+00	4.71E-02	3.51E-10	1.0E+06	3.5E-04
302	302	0.36778	1.52945E-05	5.6E-06	6.05E-04	3.40E-09	2.41E+00	4.71E-02	3.86E-10	1.0E+06	3.9E-04
303	303	0.39809	1.52945E-05	6.1E-06	6.05E-04	3.68E-09	2.41E+00	4.71E-02	4.18E-10	1.0E+06	4.2E-04
304	304	0.42325	1.52945E-05	6.5E-06	6.05E-04	3.92E-09	2.41E+00	4.71E-02	4.44E-10	1.0E+06	4.4E-04
305	305	0.46845	1.52945E-05	7.2E-06	6.05E-04	4.34E-09	2.41E+00	4.71E-02	4.92E-10	1.0E+06	4.9E-04
306	306	0.11179	1.52945E-05	1.7E-06	6.05E-04	1.03E-09	2.41E+00	4.71E-02	1.17E-10	1.0E+06	1.2E-04
307	307	0.1125	1.52945E-05	1.7E-06	6.05E-04	1.04E-09	2.41E+00	4.71E-02	1.18E-10	1.0E+06	1.2E-04
308	308	0.11777	1.52945E-05	1.8E-06	6.05E-04	1.09E-09	2.41E+00	4.71E-02	1.24E-10	1.0E+06	1.2E-04
309	309	0.13435	1.52945E-05	2.1E-06	6.05E-04	1.24E-09	2.41E+00	4.71E-02	1.41E-10	1.0E+06	1.4E-04
310	310	0.15057	1.52945E-05	2.3E-06	6.05E-04	1.39E-09	2.41E+00	4.71E-02	1.58E-10	1.0E+06	1.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.15483	1.52945E-05	2.4E-06	6.05E-04	1.43E-09	2.41E+00	4.71E-02	1.62E-10	1.0E+06	1.6E-04
312	312	0.14765	1.52945E-05	2.3E-06	6.05E-04	1.37E-09	2.41E+00	4.71E-02	1.55E-10	1.0E+06	1.5E-04
313	313	0.16064	1.52945E-05	2.5E-06	6.05E-04	1.49E-09	2.41E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04
314	314	0.1767	1.52945E-05	2.7E-06	6.05E-04	1.64E-09	2.41E+00	4.71E-02	1.85E-10	1.0E+06	1.9E-04
315	315	0.19982	1.52945E-05	3.1E-06	6.05E-04	1.85E-09	2.41E+00	4.71E-02	2.10E-10	1.0E+06	2.1E-04
316	316	0.21566	1.52945E-05	3.3E-06	6.05E-04	2.00E-09	2.41E+00	4.71E-02	2.26E-10	1.0E+06	2.3E-04
317	317	0.2378	1.52945E-05	3.6E-06	6.05E-04	2.20E-09	2.41E+00	4.71E-02	2.50E-10	1.0E+06	2.5E-04
318	318	0.26451	1.52945E-05	4.0E-06	6.05E-04	2.45E-09	2.41E+00	4.71E-02	2.78E-10	1.0E+06	2.8E-04
319	319	0.29658	1.52945E-05	4.5E-06	6.05E-04	2.74E-09	2.41E+00	4.71E-02	3.11E-10	1.0E+06	3.1E-04
320	320	0.33185	1.52945E-05	5.1E-06	6.05E-04	3.07E-09	2.41E+00	4.71E-02	3.48E-10	1.0E+06	3.5E-04
321	321	0.35664	1.52945E-05	5.5E-06	6.05E-04	3.30E-09	2.41E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04
322	322	0.37869	1.52945E-05	5.8E-06	6.05E-04	3.50E-09	2.41E+00	4.71E-02	3.97E-10	1.0E+06	4.0E-04
323	323	0.41453	1.52945E-05	6.3E-06	6.05E-04	3.84E-09	2.41E+00	4.71E-02	4.35E-10	1.0E+06	4.4E-04
324	324	0.10646	1.52945E-05	1.6E-06	6.05E-04	9.85E-10	2.41E+00	4.71E-02	1.12E-10	1.0E+06	1.1E-04
325	325	0.11483	1.52945E-05	1.8E-06	6.05E-04	1.06E-09	2.41E+00	4.71E-02	1.21E-10	1.0E+06	1.2E-04
326	326	0.11893	1.52945E-05	1.8E-06	6.05E-04	1.10E-09	2.41E+00	4.71E-02	1.25E-10	1.0E+06	1.2E-04
327	327	0.12127	1.52945E-05	1.9E-06	6.05E-04	1.12E-09	2.41E+00	4.71E-02	1.27E-10	1.0E+06	1.3E-04
328	328	0.14555	1.52945E-05	2.2E-06	6.05E-04	1.35E-09	2.41E+00	4.71E-02	1.53E-10	1.0E+06	1.5E-04
329	329	0.1463	1.52945E-05	2.2E-06	6.05E-04	1.35E-09	2.41E+00	4.71E-02	1.54E-10	1.0E+06	1.5E-04
330	330	0.14107	1.52945E-05	2.2E-06	6.05E-04	1.31E-09	2.41E+00	4.71E-02	1.48E-10	1.0E+06	1.5E-04
331	331	0.15349	1.52945E-05	2.3E-06	6.05E-04	1.42E-09	2.41E+00	4.71E-02	1.61E-10	1.0E+06	1.6E-04
332	332	0.1684	1.52945E-05	2.6E-06	6.05E-04	1.56E-09	2.41E+00	4.71E-02	1.77E-10	1.0E+06	1.8E-04
333	333	0.18926	1.52945E-05	2.9E-06	6.05E-04	1.75E-09	2.41E+00	4.71E-02	1.99E-10	1.0E+06	2.0E-04
334	334	0.20686	1.52945E-05	3.2E-06	6.05E-04	1.91E-09	2.41E+00	4.71E-02	2.17E-10	1.0E+06	2.2E-04
335	335	0.22659	1.52945E-05	3.5E-06	6.05E-04	2.10E-09	2.41E+00	4.71E-02	2.38E-10	1.0E+06	2.4E-04
336	336	3.4169	1.52945E-05	5.2E-05	6.05E-04	3.16E-08	2.41E+00	4.71E-02	3.59E-09	1.0E+06	3.6E-03
337	337	2.90718	1.52945E-05	4.4E-05	6.05E-04	2.69E-08	2.41E+00	4.71E-02	3.05E-09	1.0E+06	3.1E-03
338	338	0.85598	1.52945E-05	1.3E-05	6.05E-04	7.92E-09	2.41E+00	4.71E-02	8.98E-10	1.0E+06	9.0E-04
339	339	0.96382	1.52945E-05	1.5E-05	6.05E-04	8.92E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
340	340	1.06362	1.52945E-05	1.6E-05	6.05E-04	9.84E-09	2.41E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
341	341	1.1441	1.52945E-05	1.7E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	1.19205	1.52945E-05	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.3E-03
343	343	1.19137	1.52945E-05	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.3E-03
344	344	1.14641	1.52945E-05	1.8E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
345	345	1.0747	1.52945E-05	1.6E-05	6.05E-04	9.95E-09	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
346	346	0.98075	1.52945E-05	1.5E-05	6.05E-04	9.08E-09	2.41E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
347	347	1.09501	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	2.41E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
348	348	1.28923	1.52945E-05	2.0E-05	6.05E-04	1.19E-08	2.41E+00	4.71E-02	1.35E-09	1.0E+06	1.4E-03
349	349	1.44968	1.52945E-05	2.2E-05	6.05E-04	1.34E-08	2.41E+00	4.71E-02	1.52E-09	1.0E+06	1.5E-03
350	350	1.56961	1.52945E-05	2.4E-05	6.05E-04	1.45E-08	2.41E+00	4.71E-02	1.65E-09	1.0E+06	1.6E-03
351	351	1.64505	1.52945E-05	2.5E-05	6.05E-04	1.52E-08	2.41E+00	4.71E-02	1.73E-09	1.0E+06	1.7E-03
352	352	1.62245	1.52945E-05	2.5E-05	6.05E-04	1.50E-08	2.41E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
353	353	1.5308	1.52945E-05	2.3E-05	6.05E-04	1.42E-08	2.41E+00	4.71E-02	1.61E-09	1.0E+06	1.6E-03
354	354	1.37789	1.52945E-05	2.1E-05	6.05E-04	1.28E-08	2.41E+00	4.71E-02	1.45E-09	1.0E+06	1.4E-03
355	355	1.22552	1.52945E-05	1.9E-05	6.05E-04	1.13E-08	2.41E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
356	356	1.46835	1.52945E-05	2.2E-05	6.05E-04	1.36E-08	2.41E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03
357	357	1.77096	1.52945E-05	2.7E-05	6.05E-04	1.64E-08	2.41E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
358	358	2.06523	1.52945E-05	3.2E-05	6.05E-04	1.91E-08	2.41E+00	4.71E-02	2.17E-09	1.0E+06	2.2E-03
359	359	2.28272	1.52945E-05	3.5E-05	6.05E-04	2.11E-08	2.41E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
360	360	2.41622	1.52945E-05	3.7E-05	6.05E-04	2.24E-08	2.41E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
361	361	2.32422	1.52945E-05	3.6E-05	6.05E-04	2.15E-08	2.41E+00	4.71E-02	2.44E-09	1.0E+06	2.4E-03
362	362	2.13311	1.52945E-05	3.3E-05	6.05E-04	1.97E-08	2.41E+00	4.71E-02	2.24E-09	1.0E+06	2.2E-03
363	363	1.83505	1.52945E-05	2.8E-05	6.05E-04	1.70E-08	2.41E+00	4.71E-02	1.93E-09	1.0E+06	1.9E-03
364	364	2.11063	1.52945E-05	3.2E-05	6.05E-04	1.95E-08	2.41E+00	4.71E-02	2.22E-09	1.0E+06	2.2E-03
365	365	2.60655	1.52945E-05	4.0E-05	6.05E-04	2.41E-08	2.41E+00	4.71E-02	2.74E-09	1.0E+06	2.7E-03
366	366	3.23664	1.52945E-05	5.0E-05	6.05E-04	3.00E-08	2.41E+00	4.71E-02	3.40E-09	1.0E+06	3.4E-03
367	367	3.65833	1.52945E-05	5.6E-05	6.05E-04	3.39E-08	2.41E+00	4.71E-02	3.84E-09	1.0E+06	3.8E-03
368	368	3.87486	1.52945E-05	5.9E-05	6.05E-04	3.59E-08	2.41E+00	4.71E-02	4.07E-09	1.0E+06	4.1E-03
369	369	3.61637	1.52945E-05	5.5E-05	6.05E-04	3.35E-08	2.41E+00	4.71E-02	3.80E-09	1.0E+06	3.8E-03
370	370	2.60618	1.52945E-05	4.0E-05	6.05E-04	2.41E-08	2.41E+00	4.71E-02	2.74E-09	1.0E+06	2.7E-03
371	371	2.02259	1.52945E-05	3.1E-05	6.05E-04	1.87E-08	2.41E+00	4.71E-02	2.12E-09	1.0E+06	2.1E-03
372	372	3.35904	1.52945E-05	5.1E-05	6.05E-04	3.11E-08	2.41E+00	4.71E-02	3.53E-09	1.0E+06	3.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	4.57744	1.52945E-05	7.0E-05	6.05E-04	4.24E-08	2.41E+00	4.71E-02	4.80E-09	1.0E+06	4.8E-03
374	374	5.97489	1.52945E-05	9.1E-05	6.05E-04	5.53E-08	2.41E+00	4.71E-02	6.27E-09	1.0E+06	6.3E-03
375	375	6.77983	1.52945E-05	1.0E-04	6.05E-04	6.27E-08	2.41E+00	4.71E-02	7.12E-09	1.0E+06	7.1E-03
376	376	7.14925	1.52945E-05	1.1E-04	6.05E-04	6.62E-08	2.41E+00	4.71E-02	7.50E-09	1.0E+06	7.5E-03
377	377	7.08637	1.52945E-05	1.1E-04	6.05E-04	6.56E-08	2.41E+00	4.71E-02	7.44E-09	1.0E+06	7.4E-03
378	378	6.52639	1.52945E-05	1.0E-04	6.05E-04	6.04E-08	2.41E+00	4.71E-02	6.85E-09	1.0E+06	6.8E-03
379	379	3.84441	1.52945E-05	5.9E-05	6.05E-04	3.56E-08	2.41E+00	4.71E-02	4.03E-09	1.0E+06	4.0E-03
380	380	2.60468	1.52945E-05	4.0E-05	6.05E-04	2.41E-08	2.41E+00	4.71E-02	2.73E-09	1.0E+06	2.7E-03
381	381	1.78859	1.52945E-05	2.7E-05	6.05E-04	1.66E-08	2.41E+00	4.71E-02	1.88E-09	1.0E+06	1.9E-03
382	382	6.46984	1.52945E-05	9.9E-05	6.05E-04	5.99E-08	2.41E+00	4.71E-02	6.79E-09	1.0E+06	6.8E-03
383	383	11.78555	1.52945E-05	1.8E-04	6.05E-04	1.09E-07	2.41E+00	4.71E-02	1.24E-08	1.0E+06	1.2E-02
384	384	15.01559	1.52945E-05	2.3E-04	6.05E-04	1.39E-07	2.41E+00	4.71E-02	1.58E-08	1.0E+06	1.6E-02
385	385	16.73781	1.52945E-05	2.6E-04	6.05E-04	1.55E-07	2.41E+00	4.71E-02	1.76E-08	1.0E+06	1.8E-02
386	386	17.50021	1.52945E-05	2.7E-04	6.05E-04	1.62E-07	2.41E+00	4.71E-02	1.84E-08	1.0E+06	1.8E-02
387	387	17.53546	1.52945E-05	2.7E-04	6.05E-04	1.62E-07	2.41E+00	4.71E-02	1.84E-08	1.0E+06	1.8E-02
388	388	16.55215	1.52945E-05	2.5E-04	6.05E-04	1.53E-07	2.41E+00	4.71E-02	1.74E-08	1.0E+06	1.7E-02
389	389	5.82856	1.52945E-05	8.9E-05	6.05E-04	5.39E-08	2.41E+00	4.71E-02	6.12E-09	1.0E+06	6.1E-03
390	390	3.01987	1.52945E-05	4.6E-05	6.05E-04	2.79E-08	2.41E+00	4.71E-02	3.17E-09	1.0E+06	3.2E-03
391	391	1.86499	1.52945E-05	2.9E-05	6.05E-04	1.73E-08	2.41E+00	4.71E-02	1.96E-09	1.0E+06	2.0E-03
392	392	1.24646	1.52945E-05	1.9E-05	6.05E-04	1.15E-08	2.41E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
393	393	15.59212	1.52945E-05	2.4E-04	6.05E-04	1.44E-07	2.41E+00	4.71E-02	1.64E-08	1.0E+06	1.6E-02
394	394	21.62423	1.52945E-05	3.3E-04	6.05E-04	2.00E-07	2.41E+00	4.71E-02	2.27E-08	1.0E+06	2.3E-02
395	395	22.42744	1.52945E-05	3.4E-04	6.05E-04	2.08E-07	2.41E+00	4.71E-02	2.35E-08	1.0E+06	2.4E-02
396	396	22.57647	1.52945E-05	3.5E-04	6.05E-04	2.09E-07	2.41E+00	4.71E-02	2.37E-08	1.0E+06	2.4E-02
397	397	22.5171	1.52945E-05	3.4E-04	6.05E-04	2.08E-07	2.41E+00	4.71E-02	2.36E-08	1.0E+06	2.4E-02
398	398	20.33448	1.52945E-05	3.1E-04	6.05E-04	1.88E-07	2.41E+00	4.71E-02	2.13E-08	1.0E+06	2.1E-02
399	399	9.86722	1.52945E-05	1.5E-04	6.05E-04	9.13E-08	2.41E+00	4.71E-02	1.04E-08	1.0E+06	1.0E-02
400	400	6.33293	1.52945E-05	9.7E-05	6.05E-04	5.86E-08	2.41E+00	4.71E-02	6.65E-09	1.0E+06	6.6E-03
401	401	2.87046	1.52945E-05	4.4E-05	6.05E-04	2.66E-08	2.41E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
402	402	1.16401	1.52945E-05	1.8E-05	6.05E-04	1.08E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
403	403	5.1041	1.52945E-05	7.8E-05	6.05E-04	4.72E-08	2.41E+00	4.71E-02	5.36E-09	1.0E+06	5.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	1.1208	1.52945E-05	1.7E-05	6.05E-04	1.04E-08	2.41E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
405	405	0.82198	1.52945E-05	1.3E-05	6.05E-04	7.61E-09	2.41E+00	4.71E-02	8.63E-10	1.0E+06	8.6E-04
406	406	3.6432	1.52945E-05	5.6E-05	6.05E-04	3.37E-08	2.41E+00	4.71E-02	3.82E-09	1.0E+06	3.8E-03
407	407	0.75486	1.52945E-05	1.2E-05	6.05E-04	6.99E-09	2.41E+00	4.71E-02	7.92E-10	1.0E+06	7.9E-04
408	408	2.68324	1.52945E-05	4.1E-05	6.05E-04	2.48E-08	2.41E+00	4.71E-02	2.82E-09	1.0E+06	2.8E-03
409	409	0.69346	1.52945E-05	1.1E-05	6.05E-04	6.42E-09	2.41E+00	4.71E-02	7.28E-10	1.0E+06	7.3E-04
410	410	2.05652	1.52945E-05	3.1E-05	6.05E-04	1.90E-08	2.41E+00	4.71E-02	2.16E-09	1.0E+06	2.2E-03
411	411	0.81939	1.52945E-05	1.3E-05	6.05E-04	7.58E-09	2.41E+00	4.71E-02	8.60E-10	1.0E+06	8.6E-04
412	412	0.64796	1.52945E-05	9.9E-06	6.05E-04	6.00E-09	2.41E+00	4.71E-02	6.80E-10	1.0E+06	6.8E-04
413	413	1.62841	1.52945E-05	2.5E-05	6.05E-04	1.51E-08	2.41E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
414	414	0.95647	1.52945E-05	1.5E-05	6.05E-04	8.85E-09	2.41E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
415	415	0.74154	1.52945E-05	1.1E-05	6.05E-04	6.86E-09	2.41E+00	4.71E-02	7.78E-10	1.0E+06	7.8E-04
416	416	0.59417	1.52945E-05	9.1E-06	6.05E-04	5.50E-09	2.41E+00	4.71E-02	6.24E-10	1.0E+06	6.2E-04
417	417	1.32286	1.52945E-05	2.0E-05	6.05E-04	1.22E-08	2.41E+00	4.71E-02	1.39E-09	1.0E+06	1.4E-03
418	418	0.67169	1.52945E-05	1.0E-05	6.05E-04	6.22E-09	2.41E+00	4.71E-02	7.05E-10	1.0E+06	7.0E-04
419	419	0.54583	1.52945E-05	8.3E-06	6.05E-04	5.05E-09	2.41E+00	4.71E-02	5.73E-10	1.0E+06	5.7E-04
420	420	0.45342	1.52945E-05	6.9E-06	6.05E-04	4.20E-09	2.41E+00	4.71E-02	4.76E-10	1.0E+06	4.8E-04
421	421	1.09627	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	2.41E+00	4.71E-02	1.15E-09	1.0E+06	1.2E-03
422	422	0.50182	1.52945E-05	7.7E-06	6.05E-04	4.64E-09	2.41E+00	4.71E-02	5.27E-10	1.0E+06	5.3E-04
423	423	0.42161	1.52945E-05	6.4E-06	6.05E-04	3.90E-09	2.41E+00	4.71E-02	4.42E-10	1.0E+06	4.4E-04
424	424	0.92284	1.52945E-05	1.4E-05	6.05E-04	8.54E-09	2.41E+00	4.71E-02	9.69E-10	1.0E+06	9.7E-04
425	425	0.39184	1.52945E-05	6.0E-06	6.05E-04	3.63E-09	2.41E+00	4.71E-02	4.11E-10	1.0E+06	4.1E-04
426	426	0.3372	1.52945E-05	5.2E-06	6.05E-04	3.12E-09	2.41E+00	4.71E-02	3.54E-10	1.0E+06	3.5E-04
427	427	0.78673	1.52945E-05	1.2E-05	6.05E-04	7.28E-09	2.41E+00	4.71E-02	8.26E-10	1.0E+06	8.3E-04
428	428	0.36429	1.52945E-05	5.6E-06	6.05E-04	3.37E-09	2.41E+00	4.71E-02	3.82E-10	1.0E+06	3.8E-04
429	429	0.31587	1.52945E-05	4.8E-06	6.05E-04	2.92E-09	2.41E+00	4.71E-02	3.32E-10	1.0E+06	3.3E-04
430	430	0.67821	1.52945E-05	1.0E-05	6.05E-04	6.28E-09	2.41E+00	4.71E-02	7.12E-10	1.0E+06	7.1E-04
431	431	0.296	1.52945E-05	4.5E-06	6.05E-04	2.74E-09	2.41E+00	4.71E-02	3.11E-10	1.0E+06	3.1E-04
432	432	0.26001	1.52945E-05	4.0E-06	6.05E-04	2.41E-09	2.41E+00	4.71E-02	2.73E-10	1.0E+06	2.7E-04
433	433	0.58985	1.52945E-05	9.0E-06	6.05E-04	5.46E-09	2.41E+00	4.71E-02	6.19E-10	1.0E+06	6.2E-04
434	434	0.27765	1.52945E-05	4.2E-06	6.05E-04	2.57E-09	2.41E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.24601	1.52945E-05	3.8E-06	6.05E-04	2.28E-09	2.41E+00	4.71E-02	2.58E-10	1.0E+06	2.6E-04
436	436	0.5173	1.52945E-05	7.9E-06	6.05E-04	4.79E-09	2.41E+00	4.71E-02	5.43E-10	1.0E+06	5.4E-04
437	437	0.29507	1.52945E-05	4.5E-06	6.05E-04	2.73E-09	2.41E+00	4.71E-02	3.10E-10	1.0E+06	3.1E-04
438	438	0.26092	1.52945E-05	4.0E-06	6.05E-04	2.41E-09	2.41E+00	4.71E-02	2.74E-10	1.0E+06	2.7E-04
439	439	0.23233	1.52945E-05	3.6E-06	6.05E-04	2.15E-09	2.41E+00	4.71E-02	2.44E-10	1.0E+06	2.4E-04
440	440	0.45686	1.52945E-05	7.0E-06	6.05E-04	4.23E-09	2.41E+00	4.71E-02	4.79E-10	1.0E+06	4.8E-04
441	441	0.34875	1.52945E-05	5.3E-06	6.05E-04	3.23E-09	2.41E+00	4.71E-02	3.66E-10	1.0E+06	3.7E-04
442	442	0.31036	1.52945E-05	4.7E-06	6.05E-04	2.87E-09	2.41E+00	4.71E-02	3.26E-10	1.0E+06	3.3E-04
443	443	0.27571	1.52945E-05	4.2E-06	6.05E-04	2.55E-09	2.41E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
444	444	0.24532	1.52945E-05	3.8E-06	6.05E-04	2.27E-09	2.41E+00	4.71E-02	2.57E-10	1.0E+06	2.6E-04
445	445	0.40619	1.52945E-05	6.2E-06	6.05E-04	3.76E-09	2.41E+00	4.71E-02	4.26E-10	1.0E+06	4.3E-04
446	446	0.35146	1.52945E-05	5.4E-06	6.05E-04	3.25E-09	2.41E+00	4.71E-02	3.69E-10	1.0E+06	3.7E-04
447	447	0.31946	1.52945E-05	4.9E-06	6.05E-04	2.96E-09	2.41E+00	4.71E-02	3.35E-10	1.0E+06	3.4E-04
448	448	0.28761	1.52945E-05	4.4E-06	6.05E-04	2.66E-09	2.41E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
449	449	0.36332	1.52945E-05	5.6E-06	6.05E-04	3.36E-09	2.41E+00	4.71E-02	3.81E-10	1.0E+06	3.8E-04
450	450	0.34394	1.52945E-05	5.3E-06	6.05E-04	3.18E-09	2.41E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
451	451	0.32009	1.52945E-05	4.9E-06	6.05E-04	2.96E-09	2.41E+00	4.71E-02	3.36E-10	1.0E+06	3.4E-04
452	452	0.32677	1.52945E-05	5.0E-06	6.05E-04	3.02E-09	2.41E+00	4.71E-02	3.43E-10	1.0E+06	3.4E-04
453	453	0.31165	1.52945E-05	4.8E-06	6.05E-04	2.88E-09	2.41E+00	4.71E-02	3.27E-10	1.0E+06	3.3E-04
454	454	0.18564	1.52945E-05	2.8E-06	6.05E-04	1.72E-09	2.41E+00	4.71E-02	1.95E-10	1.0E+06	1.9E-04
455	455	0.16985	1.52945E-05	2.6E-06	6.05E-04	1.57E-09	2.41E+00	4.71E-02	1.78E-10	1.0E+06	1.8E-04
456	456	0.29538	1.52945E-05	4.5E-06	6.05E-04	2.73E-09	2.41E+00	4.71E-02	3.10E-10	1.0E+06	3.1E-04
457	457	0.2835	1.52945E-05	4.3E-06	6.05E-04	2.62E-09	2.41E+00	4.71E-02	2.98E-10	1.0E+06	3.0E-04
458	458	0.26774	1.52945E-05	4.1E-06	6.05E-04	2.48E-09	2.41E+00	4.71E-02	2.81E-10	1.0E+06	2.8E-04
459	459	0.21146	1.52945E-05	3.2E-06	6.05E-04	1.96E-09	2.41E+00	4.71E-02	2.22E-10	1.0E+06	2.2E-04
460	460	0.19351	1.52945E-05	3.0E-06	6.05E-04	1.79E-09	2.41E+00	4.71E-02	2.03E-10	1.0E+06	2.0E-04
461	461	0.17676	1.52945E-05	2.7E-06	6.05E-04	1.64E-09	2.41E+00	4.71E-02	1.86E-10	1.0E+06	1.9E-04
462	462	0.16167	1.52945E-05	2.5E-06	6.05E-04	1.50E-09	2.41E+00	4.71E-02	1.70E-10	1.0E+06	1.7E-04
463	463	2.93796	1.52945E-05	4.5E-05	6.05E-04	2.72E-08	2.41E+00	4.71E-02	3.08E-09	1.0E+06	3.1E-03
464	464	2.50417	1.52945E-05	3.8E-05	6.05E-04	2.32E-08	2.41E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
465	465	2.13764	1.52945E-05	3.3E-05	6.05E-04	1.98E-08	2.41E+00	4.71E-02	2.24E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	1.77077	1.52945E-05	2.7E-05	6.05E-04	1.64E-08	2.41E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
467	467	1.60232	1.52945E-05	2.5E-05	6.05E-04	1.48E-08	2.41E+00	4.71E-02	1.68E-09	1.0E+06	1.7E-03
468	468	1.28246	1.52945E-05	2.0E-05	6.05E-04	1.19E-08	2.41E+00	4.71E-02	1.35E-09	1.0E+06	1.3E-03
469	469	1.04966	1.52945E-05	1.6E-05	6.05E-04	9.71E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
470	470	0.91286	1.52945E-05	1.4E-05	6.05E-04	8.45E-09	2.41E+00	4.71E-02	9.58E-10	1.0E+06	9.6E-04
471	471	0.96114	1.52945E-05	1.5E-05	6.05E-04	8.89E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
472	472	0.76401	1.52945E-05	1.2E-05	6.05E-04	7.07E-09	2.41E+00	4.71E-02	8.02E-10	1.0E+06	8.0E-04
473	473	0.73921	1.52945E-05	1.1E-05	6.05E-04	6.84E-09	2.41E+00	4.71E-02	7.76E-10	1.0E+06	7.8E-04
474	474	0.649	1.52945E-05	9.9E-06	6.05E-04	6.01E-09	2.41E+00	4.71E-02	6.81E-10	1.0E+06	6.8E-04
475	475	0.63257	1.52945E-05	9.7E-06	6.05E-04	5.85E-09	2.41E+00	4.71E-02	6.64E-10	1.0E+06	6.6E-04
476	476	0.55748	1.52945E-05	8.5E-06	6.05E-04	5.16E-09	2.41E+00	4.71E-02	5.85E-10	1.0E+06	5.9E-04
477	477	0.54706	1.52945E-05	8.4E-06	6.05E-04	5.06E-09	2.41E+00	4.71E-02	5.74E-10	1.0E+06	5.7E-04
478	478	0.48382	1.52945E-05	7.4E-06	6.05E-04	4.48E-09	2.41E+00	4.71E-02	5.08E-10	1.0E+06	5.1E-04
479	479	0.47727	1.52945E-05	7.3E-06	6.05E-04	4.42E-09	2.41E+00	4.71E-02	5.01E-10	1.0E+06	5.0E-04
480	480	0.45975	1.52945E-05	7.0E-06	6.05E-04	4.25E-09	2.41E+00	4.71E-02	4.83E-10	1.0E+06	4.8E-04
481	481	0.42381	1.52945E-05	6.5E-06	6.05E-04	3.92E-09	2.41E+00	4.71E-02	4.45E-10	1.0E+06	4.4E-04
482	482	0.40744	1.52945E-05	6.2E-06	6.05E-04	3.77E-09	2.41E+00	4.71E-02	4.28E-10	1.0E+06	4.3E-04
483	483	0.37239	1.52945E-05	5.7E-06	6.05E-04	3.45E-09	2.41E+00	4.71E-02	3.91E-10	1.0E+06	3.9E-04
484	484	0.36336	1.52945E-05	5.6E-06	6.05E-04	3.36E-09	2.41E+00	4.71E-02	3.81E-10	1.0E+06	3.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.10907	1.86799E-05	2.0E-06	6.05E-04	1.23E-09	2.41E+00	4.71E-02	1.40E-10	1.0E+06	1.4E-04
2	2	0.11331	1.86799E-05	2.1E-06	6.05E-04	1.28E-09	2.41E+00	4.71E-02	1.45E-10	1.0E+06	1.5E-04
3	3	0.11757	1.86799E-05	2.2E-06	6.05E-04	1.33E-09	2.41E+00	4.71E-02	1.51E-10	1.0E+06	1.5E-04
4	4	0.12211	1.86799E-05	2.3E-06	6.05E-04	1.38E-09	2.41E+00	4.71E-02	1.57E-10	1.0E+06	1.6E-04
5	5	0.12673	1.86799E-05	2.4E-06	6.05E-04	1.43E-09	2.41E+00	4.71E-02	1.62E-10	1.0E+06	1.6E-04
6	6	0.13252	1.86799E-05	2.5E-06	6.05E-04	1.50E-09	2.41E+00	4.71E-02	1.70E-10	1.0E+06	1.7E-04
7	7	0.13881	1.86799E-05	2.6E-06	6.05E-04	1.57E-09	2.41E+00	4.71E-02	1.78E-10	1.0E+06	1.8E-04
8	8	0.14549	1.86799E-05	2.7E-06	6.05E-04	1.64E-09	2.41E+00	4.71E-02	1.86E-10	1.0E+06	1.9E-04
9	9	0.1527	1.86799E-05	2.9E-06	6.05E-04	1.73E-09	2.41E+00	4.71E-02	1.96E-10	1.0E+06	2.0E-04
10	10	0.16129	1.86799E-05	3.0E-06	6.05E-04	1.82E-09	2.41E+00	4.71E-02	2.07E-10	1.0E+06	2.1E-04
11	11	0.17205	1.86799E-05	3.2E-06	6.05E-04	1.94E-09	2.41E+00	4.71E-02	2.21E-10	1.0E+06	2.2E-04
12	12	0.18401	1.86799E-05	3.4E-06	6.05E-04	2.08E-09	2.41E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04
13	13	0.19777	1.86799E-05	3.7E-06	6.05E-04	2.24E-09	2.41E+00	4.71E-02	2.54E-10	1.0E+06	2.5E-04
14	14	0.3176	1.86799E-05	5.9E-06	6.05E-04	3.59E-09	2.41E+00	4.71E-02	4.07E-10	1.0E+06	4.1E-04
15	15	0.11775	1.86799E-05	2.2E-06	6.05E-04	1.33E-09	2.41E+00	4.71E-02	1.51E-10	1.0E+06	1.5E-04
16	16	0.12213	1.86799E-05	2.3E-06	6.05E-04	1.38E-09	2.41E+00	4.71E-02	1.57E-10	1.0E+06	1.6E-04
17	17	0.12765	1.86799E-05	2.4E-06	6.05E-04	1.44E-09	2.41E+00	4.71E-02	1.64E-10	1.0E+06	1.6E-04
18	18	0.13278	1.86799E-05	2.5E-06	6.05E-04	1.50E-09	2.41E+00	4.71E-02	1.70E-10	1.0E+06	1.7E-04
19	19	0.13808	1.86799E-05	2.6E-06	6.05E-04	1.56E-09	2.41E+00	4.71E-02	1.77E-10	1.0E+06	1.8E-04
20	20	0.14447	1.86799E-05	2.7E-06	6.05E-04	1.63E-09	2.41E+00	4.71E-02	1.85E-10	1.0E+06	1.9E-04
21	21	0.15159	1.86799E-05	2.8E-06	6.05E-04	1.71E-09	2.41E+00	4.71E-02	1.94E-10	1.0E+06	1.9E-04
22	22	0.1592	1.86799E-05	3.0E-06	6.05E-04	1.80E-09	2.41E+00	4.71E-02	2.04E-10	1.0E+06	2.0E-04
23	23	0.16919	1.86799E-05	3.2E-06	6.05E-04	1.91E-09	2.41E+00	4.71E-02	2.17E-10	1.0E+06	2.2E-04
24	24	0.17887	1.86799E-05	3.3E-06	6.05E-04	2.02E-09	2.41E+00	4.71E-02	2.29E-10	1.0E+06	2.3E-04
25	25	0.19268	1.86799E-05	3.6E-06	6.05E-04	2.18E-09	2.41E+00	4.71E-02	2.47E-10	1.0E+06	2.5E-04
26	26	0.20796	1.86799E-05	3.9E-06	6.05E-04	2.35E-09	2.41E+00	4.71E-02	2.67E-10	1.0E+06	2.7E-04
27	27	0.22325	1.86799E-05	4.2E-06	6.05E-04	2.52E-09	2.41E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
28	28	0.37998	1.86799E-05	7.1E-06	6.05E-04	4.29E-09	2.41E+00	4.71E-02	4.87E-10	1.0E+06	4.9E-04
29	29	0.12631	1.86799E-05	2.4E-06	6.05E-04	1.43E-09	2.41E+00	4.71E-02	1.62E-10	1.0E+06	1.6E-04
30	30	0.13209	1.86799E-05	2.5E-06	6.05E-04	1.49E-09	2.41E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04
31	31	0.13872	1.86799E-05	2.6E-06	6.05E-04	1.57E-09	2.41E+00	4.71E-02	1.78E-10	1.0E+06	1.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.14511	1.86799E-05	2.7E-06	6.05E-04	1.64E-09	2.41E+00	4.71E-02	1.86E-10	1.0E+06	1.9E-04
33	33	0.15024	1.86799E-05	2.8E-06	6.05E-04	1.70E-09	2.41E+00	4.71E-02	1.93E-10	1.0E+06	1.9E-04
34	34	0.15769	1.86799E-05	2.9E-06	6.05E-04	1.78E-09	2.41E+00	4.71E-02	2.02E-10	1.0E+06	2.0E-04
35	35	0.16562	1.86799E-05	3.1E-06	6.05E-04	1.87E-09	2.41E+00	4.71E-02	2.12E-10	1.0E+06	2.1E-04
36	36	0.17514	1.86799E-05	3.3E-06	6.05E-04	1.98E-09	2.41E+00	4.71E-02	2.24E-10	1.0E+06	2.2E-04
37	37	0.18653	1.86799E-05	3.5E-06	6.05E-04	2.11E-09	2.41E+00	4.71E-02	2.39E-10	1.0E+06	2.4E-04
38	38	0.19994	1.86799E-05	3.7E-06	6.05E-04	2.26E-09	2.41E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
39	39	0.21597	1.86799E-05	4.0E-06	6.05E-04	2.44E-09	2.41E+00	4.71E-02	2.77E-10	1.0E+06	2.8E-04
40	40	0.23397	1.86799E-05	4.4E-06	6.05E-04	2.64E-09	2.41E+00	4.71E-02	3.00E-10	1.0E+06	3.0E-04
41	41	0.25393	1.86799E-05	4.7E-06	6.05E-04	2.87E-09	2.41E+00	4.71E-02	3.25E-10	1.0E+06	3.3E-04
42	42	0.46504	1.86799E-05	8.7E-06	6.05E-04	5.26E-09	2.41E+00	4.71E-02	5.96E-10	1.0E+06	6.0E-04
43	43	0.13415	1.86799E-05	2.5E-06	6.05E-04	1.52E-09	2.41E+00	4.71E-02	1.72E-10	1.0E+06	1.7E-04
44	44	0.14118	1.86799E-05	2.6E-06	6.05E-04	1.60E-09	2.41E+00	4.71E-02	1.81E-10	1.0E+06	1.8E-04
45	45	0.1484	1.86799E-05	2.8E-06	6.05E-04	1.68E-09	2.41E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
46	46	0.15539	1.86799E-05	2.9E-06	6.05E-04	1.76E-09	2.41E+00	4.71E-02	1.99E-10	1.0E+06	2.0E-04
47	47	0.16244	1.86799E-05	3.0E-06	6.05E-04	1.84E-09	2.41E+00	4.71E-02	2.08E-10	1.0E+06	2.1E-04
48	48	0.17071	1.86799E-05	3.2E-06	6.05E-04	1.93E-09	2.41E+00	4.71E-02	2.19E-10	1.0E+06	2.2E-04
49	49	0.17953	1.86799E-05	3.4E-06	6.05E-04	2.03E-09	2.41E+00	4.71E-02	2.30E-10	1.0E+06	2.3E-04
50	50	0.18952	1.86799E-05	3.5E-06	6.05E-04	2.14E-09	2.41E+00	4.71E-02	2.43E-10	1.0E+06	2.4E-04
51	51	0.20492	1.86799E-05	3.8E-06	6.05E-04	2.32E-09	2.41E+00	4.71E-02	2.63E-10	1.0E+06	2.6E-04
52	52	0.22105	1.86799E-05	4.1E-06	6.05E-04	2.50E-09	2.41E+00	4.71E-02	2.83E-10	1.0E+06	2.8E-04
53	53	0.24135	1.86799E-05	4.5E-06	6.05E-04	2.73E-09	2.41E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04
54	54	0.26506	1.86799E-05	5.0E-06	6.05E-04	3.00E-09	2.41E+00	4.71E-02	3.40E-10	1.0E+06	3.4E-04
55	55	0.29263	1.86799E-05	5.5E-06	6.05E-04	3.31E-09	2.41E+00	4.71E-02	3.75E-10	1.0E+06	3.8E-04
56	56	0.59571	1.86799E-05	1.1E-05	6.05E-04	6.73E-09	2.41E+00	4.71E-02	7.64E-10	1.0E+06	7.6E-04
57	57	0.14098	1.86799E-05	2.6E-06	6.05E-04	1.59E-09	2.41E+00	4.71E-02	1.81E-10	1.0E+06	1.8E-04
58	58	0.14857	1.86799E-05	2.8E-06	6.05E-04	1.68E-09	2.41E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
59	59	0.15665	1.86799E-05	2.9E-06	6.05E-04	1.77E-09	2.41E+00	4.71E-02	2.01E-10	1.0E+06	2.0E-04
60	60	0.16533	1.86799E-05	3.1E-06	6.05E-04	1.87E-09	2.41E+00	4.71E-02	2.12E-10	1.0E+06	2.1E-04
61	61	0.17444	1.86799E-05	3.3E-06	6.05E-04	1.97E-09	2.41E+00	4.71E-02	2.24E-10	1.0E+06	2.2E-04
62	62	0.18432	1.86799E-05	3.4E-06	6.05E-04	2.08E-09	2.41E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.19684	1.86799E-05	3.7E-06	6.05E-04	2.22E-09	2.41E+00	4.71E-02	2.52E-10	1.0E+06	2.5E-04
64	64	0.20596	1.86799E-05	3.8E-06	6.05E-04	2.33E-09	2.41E+00	4.71E-02	2.64E-10	1.0E+06	2.6E-04
65	65	0.22307	1.86799E-05	4.2E-06	6.05E-04	2.52E-09	2.41E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
66	66	0.24347	1.86799E-05	4.5E-06	6.05E-04	2.75E-09	2.41E+00	4.71E-02	3.12E-10	1.0E+06	3.1E-04
67	67	0.26617	1.86799E-05	5.0E-06	6.05E-04	3.01E-09	2.41E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
68	68	0.29845	1.86799E-05	5.6E-06	6.05E-04	3.37E-09	2.41E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
69	69	0.33619	1.86799E-05	6.3E-06	6.05E-04	3.80E-09	2.41E+00	4.71E-02	4.31E-10	1.0E+06	4.3E-04
70	70	0.1468	1.86799E-05	2.7E-06	6.05E-04	1.66E-09	2.41E+00	4.71E-02	1.88E-10	1.0E+06	1.9E-04
71	71	0.15519	1.86799E-05	2.9E-06	6.05E-04	1.75E-09	2.41E+00	4.71E-02	1.99E-10	1.0E+06	2.0E-04
72	72	0.16401	1.86799E-05	3.1E-06	6.05E-04	1.85E-09	2.41E+00	4.71E-02	2.10E-10	1.0E+06	2.1E-04
73	73	0.17408	1.86799E-05	3.3E-06	6.05E-04	1.97E-09	2.41E+00	4.71E-02	2.23E-10	1.0E+06	2.2E-04
74	74	0.18425	1.86799E-05	3.4E-06	6.05E-04	2.08E-09	2.41E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04
75	75	0.19816	1.86799E-05	3.7E-06	6.05E-04	2.24E-09	2.41E+00	4.71E-02	2.54E-10	1.0E+06	2.5E-04
76	76	0.21229	1.86799E-05	4.0E-06	6.05E-04	2.40E-09	2.41E+00	4.71E-02	2.72E-10	1.0E+06	2.7E-04
77	77	0.22526	1.86799E-05	4.2E-06	6.05E-04	2.55E-09	2.41E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
78	78	0.2447	1.86799E-05	4.6E-06	6.05E-04	2.77E-09	2.41E+00	4.71E-02	3.14E-10	1.0E+06	3.1E-04
79	79	0.27361	1.86799E-05	5.1E-06	6.05E-04	3.09E-09	2.41E+00	4.71E-02	3.51E-10	1.0E+06	3.5E-04
80	80	0.29848	1.86799E-05	5.6E-06	6.05E-04	3.37E-09	2.41E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
81	81	0.339	1.86799E-05	6.3E-06	6.05E-04	3.83E-09	2.41E+00	4.71E-02	4.35E-10	1.0E+06	4.3E-04
82	82	0.38249	1.86799E-05	7.1E-06	6.05E-04	4.32E-09	2.41E+00	4.71E-02	4.90E-10	1.0E+06	4.9E-04
83	83	0.15183	1.86799E-05	2.8E-06	6.05E-04	1.72E-09	2.41E+00	4.71E-02	1.95E-10	1.0E+06	1.9E-04
84	84	0.15989	1.86799E-05	3.0E-06	6.05E-04	1.81E-09	2.41E+00	4.71E-02	2.05E-10	1.0E+06	2.0E-04
85	85	0.16788	1.86799E-05	3.1E-06	6.05E-04	1.90E-09	2.41E+00	4.71E-02	2.15E-10	1.0E+06	2.2E-04
86	86	0.18194	1.86799E-05	3.4E-06	6.05E-04	2.06E-09	2.41E+00	4.71E-02	2.33E-10	1.0E+06	2.3E-04
87	87	0.19491	1.86799E-05	3.6E-06	6.05E-04	2.20E-09	2.41E+00	4.71E-02	2.50E-10	1.0E+06	2.5E-04
88	88	0.2101	1.86799E-05	3.9E-06	6.05E-04	2.37E-09	2.41E+00	4.71E-02	2.69E-10	1.0E+06	2.7E-04
89	89	0.22727	1.86799E-05	4.2E-06	6.05E-04	2.57E-09	2.41E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
90	90	0.24704	1.86799E-05	4.6E-06	6.05E-04	2.79E-09	2.41E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
91	91	0.27028	1.86799E-05	5.0E-06	6.05E-04	3.05E-09	2.41E+00	4.71E-02	3.46E-10	1.0E+06	3.5E-04
92	92	0.29823	1.86799E-05	5.6E-06	6.05E-04	3.37E-09	2.41E+00	4.71E-02	3.82E-10	1.0E+06	3.8E-04
93	93	0.3319	1.86799E-05	6.2E-06	6.05E-04	3.75E-09	2.41E+00	4.71E-02	4.25E-10	1.0E+06	4.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.37378	1.86799E-05	7.0E-06	6.05E-04	4.22E-09	2.41E+00	4.71E-02	4.79E-10	1.0E+06	4.8E-04
95	95	0.42744	1.86799E-05	8.0E-06	6.05E-04	4.83E-09	2.41E+00	4.71E-02	5.48E-10	1.0E+06	5.5E-04
96	96	0.15484	1.86799E-05	2.9E-06	6.05E-04	1.75E-09	2.41E+00	4.71E-02	1.98E-10	1.0E+06	2.0E-04
97	97	0.16136	1.86799E-05	3.0E-06	6.05E-04	1.82E-09	2.41E+00	4.71E-02	2.07E-10	1.0E+06	2.1E-04
98	98	0.17049	1.86799E-05	3.2E-06	6.05E-04	1.93E-09	2.41E+00	4.71E-02	2.19E-10	1.0E+06	2.2E-04
99	99	0.18446	1.86799E-05	3.4E-06	6.05E-04	2.08E-09	2.41E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04
100	100	0.20234	1.86799E-05	3.8E-06	6.05E-04	2.29E-09	2.41E+00	4.71E-02	2.59E-10	1.0E+06	2.6E-04
101	101	0.21902	1.86799E-05	4.1E-06	6.05E-04	2.48E-09	2.41E+00	4.71E-02	2.81E-10	1.0E+06	2.8E-04
102	102	0.23799	1.86799E-05	4.4E-06	6.05E-04	2.69E-09	2.41E+00	4.71E-02	3.05E-10	1.0E+06	3.1E-04
103	103	0.26041	1.86799E-05	4.9E-06	6.05E-04	2.94E-09	2.41E+00	4.71E-02	3.34E-10	1.0E+06	3.3E-04
104	104	0.28623	1.86799E-05	5.3E-06	6.05E-04	3.24E-09	2.41E+00	4.71E-02	3.67E-10	1.0E+06	3.7E-04
105	105	0.31686	1.86799E-05	5.9E-06	6.05E-04	3.58E-09	2.41E+00	4.71E-02	4.06E-10	1.0E+06	4.1E-04
106	106	0.35531	1.86799E-05	6.6E-06	6.05E-04	4.02E-09	2.41E+00	4.71E-02	4.55E-10	1.0E+06	4.6E-04
107	107	0.4035	1.86799E-05	7.5E-06	6.05E-04	4.56E-09	2.41E+00	4.71E-02	5.17E-10	1.0E+06	5.2E-04
108	108	0.46556	1.86799E-05	8.7E-06	6.05E-04	5.26E-09	2.41E+00	4.71E-02	5.97E-10	1.0E+06	6.0E-04
109	109	0.15515	1.86799E-05	2.9E-06	6.05E-04	1.75E-09	2.41E+00	4.71E-02	1.99E-10	1.0E+06	2.0E-04
110	110	0.1661	1.86799E-05	3.1E-06	6.05E-04	1.88E-09	2.41E+00	4.71E-02	2.13E-10	1.0E+06	2.1E-04
111	111	0.17849	1.86799E-05	3.3E-06	6.05E-04	2.02E-09	2.41E+00	4.71E-02	2.29E-10	1.0E+06	2.3E-04
112	112	0.19242	1.86799E-05	3.6E-06	6.05E-04	2.17E-09	2.41E+00	4.71E-02	2.47E-10	1.0E+06	2.5E-04
113	113	0.20811	1.86799E-05	3.9E-06	6.05E-04	2.35E-09	2.41E+00	4.71E-02	2.67E-10	1.0E+06	2.7E-04
114	114	0.22578	1.86799E-05	4.2E-06	6.05E-04	2.55E-09	2.41E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
115	115	0.24565	1.86799E-05	4.6E-06	6.05E-04	2.78E-09	2.41E+00	4.71E-02	3.15E-10	1.0E+06	3.1E-04
116	116	0.26961	1.86799E-05	5.0E-06	6.05E-04	3.05E-09	2.41E+00	4.71E-02	3.46E-10	1.0E+06	3.5E-04
117	117	0.29898	1.86799E-05	5.6E-06	6.05E-04	3.38E-09	2.41E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
118	118	0.33106	1.86799E-05	6.2E-06	6.05E-04	3.74E-09	2.41E+00	4.71E-02	4.24E-10	1.0E+06	4.2E-04
119	119	0.37314	1.86799E-05	7.0E-06	6.05E-04	4.22E-09	2.41E+00	4.71E-02	4.78E-10	1.0E+06	4.8E-04
120	120	0.42493	1.86799E-05	7.9E-06	6.05E-04	4.80E-09	2.41E+00	4.71E-02	5.45E-10	1.0E+06	5.4E-04
121	121	0.49048	1.86799E-05	9.2E-06	6.05E-04	5.54E-09	2.41E+00	4.71E-02	6.29E-10	1.0E+06	6.3E-04
122	122	0.15529	1.86799E-05	2.9E-06	6.05E-04	1.76E-09	2.41E+00	4.71E-02	1.99E-10	1.0E+06	2.0E-04
123	123	0.16731	1.86799E-05	3.1E-06	6.05E-04	1.89E-09	2.41E+00	4.71E-02	2.14E-10	1.0E+06	2.1E-04
124	124	0.18198	1.86799E-05	3.4E-06	6.05E-04	2.06E-09	2.41E+00	4.71E-02	2.33E-10	1.0E+06	2.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19676	1.86799E-05	3.7E-06	6.05E-04	2.22E-09	2.41E+00	4.71E-02	2.52E-10	1.0E+06	2.5E-04
126	126	0.21245	1.86799E-05	4.0E-06	6.05E-04	2.40E-09	2.41E+00	4.71E-02	2.72E-10	1.0E+06	2.7E-04
127	127	0.22921	1.86799E-05	4.3E-06	6.05E-04	2.59E-09	2.41E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
128	128	0.2399	1.86799E-05	4.5E-06	6.05E-04	2.71E-09	2.41E+00	4.71E-02	3.08E-10	1.0E+06	3.1E-04
129	129	0.26327	1.86799E-05	4.9E-06	6.05E-04	2.98E-09	2.41E+00	4.71E-02	3.37E-10	1.0E+06	3.4E-04
130	130	0.29955	1.86799E-05	5.6E-06	6.05E-04	3.39E-09	2.41E+00	4.71E-02	3.84E-10	1.0E+06	3.8E-04
131	131	4.64477	1.86799E-05	8.7E-05	6.05E-04	5.25E-08	2.41E+00	4.71E-02	5.95E-09	1.0E+06	6.0E-03
132	132	7.23198	1.86799E-05	1.4E-04	6.05E-04	8.17E-08	2.41E+00	4.71E-02	9.27E-09	1.0E+06	9.3E-03
133	133	0.1536	1.86799E-05	2.9E-06	6.05E-04	1.74E-09	2.41E+00	4.71E-02	1.97E-10	1.0E+06	2.0E-04
134	134	0.16825	1.86799E-05	3.1E-06	6.05E-04	1.90E-09	2.41E+00	4.71E-02	2.16E-10	1.0E+06	2.2E-04
135	135	0.18352	1.86799E-05	3.4E-06	6.05E-04	2.07E-09	2.41E+00	4.71E-02	2.35E-10	1.0E+06	2.4E-04
136	136	0.1989	1.86799E-05	3.7E-06	6.05E-04	2.25E-09	2.41E+00	4.71E-02	2.55E-10	1.0E+06	2.5E-04
137	137	0.21561	1.86799E-05	4.0E-06	6.05E-04	2.44E-09	2.41E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04
138	138	0.23199	1.86799E-05	4.3E-06	6.05E-04	2.62E-09	2.41E+00	4.71E-02	2.97E-10	1.0E+06	3.0E-04
139	139	0.24715	1.86799E-05	4.6E-06	6.05E-04	2.79E-09	2.41E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
140	140	0.27389	1.86799E-05	5.1E-06	6.05E-04	3.10E-09	2.41E+00	4.71E-02	3.51E-10	1.0E+06	3.5E-04
141	141	0.30427	1.86799E-05	5.7E-06	6.05E-04	3.44E-09	2.41E+00	4.71E-02	3.90E-10	1.0E+06	3.9E-04
142	142	0.33924	1.86799E-05	6.3E-06	6.05E-04	3.83E-09	2.41E+00	4.71E-02	4.35E-10	1.0E+06	4.3E-04
143	143	0.38655	1.86799E-05	7.2E-06	6.05E-04	4.37E-09	2.41E+00	4.71E-02	4.95E-10	1.0E+06	5.0E-04
144	144	0.45309	1.86799E-05	8.5E-06	6.05E-04	5.12E-09	2.41E+00	4.71E-02	5.81E-10	1.0E+06	5.8E-04
145	145	0.53163	1.86799E-05	9.9E-06	6.05E-04	6.01E-09	2.41E+00	4.71E-02	6.81E-10	1.0E+06	6.8E-04
146	146	3.90425	1.86799E-05	7.3E-05	6.05E-04	4.41E-08	2.41E+00	4.71E-02	5.00E-09	1.0E+06	5.0E-03
147	147	0.15157	1.86799E-05	2.8E-06	6.05E-04	1.71E-09	2.41E+00	4.71E-02	1.94E-10	1.0E+06	1.9E-04
148	148	0.16583	1.86799E-05	3.1E-06	6.05E-04	1.87E-09	2.41E+00	4.71E-02	2.13E-10	1.0E+06	2.1E-04
149	149	0.18192	1.86799E-05	3.4E-06	6.05E-04	2.06E-09	2.41E+00	4.71E-02	2.33E-10	1.0E+06	2.3E-04
150	150	0.19816	1.86799E-05	3.7E-06	6.05E-04	2.24E-09	2.41E+00	4.71E-02	2.54E-10	1.0E+06	2.5E-04
151	151	0.21712	1.86799E-05	4.1E-06	6.05E-04	2.45E-09	2.41E+00	4.71E-02	2.78E-10	1.0E+06	2.8E-04
152	152	0.23435	1.86799E-05	4.4E-06	6.05E-04	2.65E-09	2.41E+00	4.71E-02	3.00E-10	1.0E+06	3.0E-04
153	153	0.25349	1.86799E-05	4.7E-06	6.05E-04	2.87E-09	2.41E+00	4.71E-02	3.25E-10	1.0E+06	3.2E-04
154	154	0.27862	1.86799E-05	5.2E-06	6.05E-04	3.15E-09	2.41E+00	4.71E-02	3.57E-10	1.0E+06	3.6E-04
155	155	0.31029	1.86799E-05	5.8E-06	6.05E-04	3.51E-09	2.41E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.34715	1.86799E-05	6.5E-06	6.05E-04	3.92E-09	2.41E+00	4.71E-02	4.45E-10	1.0E+06	4.4E-04
157	157	0.39008	1.86799E-05	7.3E-06	6.05E-04	4.41E-09	2.41E+00	4.71E-02	5.00E-10	1.0E+06	5.0E-04
158	158	0.44191	1.86799E-05	8.3E-06	6.05E-04	4.99E-09	2.41E+00	4.71E-02	5.66E-10	1.0E+06	5.7E-04
159	159	0.53795	1.86799E-05	1.0E-05	6.05E-04	6.08E-09	2.41E+00	4.71E-02	6.90E-10	1.0E+06	6.9E-04
160	160	0.15131	1.86799E-05	2.8E-06	6.05E-04	1.71E-09	2.41E+00	4.71E-02	1.94E-10	1.0E+06	1.9E-04
161	161	0.16342	1.86799E-05	3.1E-06	6.05E-04	1.85E-09	2.41E+00	4.71E-02	2.09E-10	1.0E+06	2.1E-04
162	162	0.17499	1.86799E-05	3.3E-06	6.05E-04	1.98E-09	2.41E+00	4.71E-02	2.24E-10	1.0E+06	2.2E-04
163	163	0.19409	1.86799E-05	3.6E-06	6.05E-04	2.19E-09	2.41E+00	4.71E-02	2.49E-10	1.0E+06	2.5E-04
164	164	0.2169	1.86799E-05	4.1E-06	6.05E-04	2.45E-09	2.41E+00	4.71E-02	2.78E-10	1.0E+06	2.8E-04
165	165	0.23636	1.86799E-05	4.4E-06	6.05E-04	2.67E-09	2.41E+00	4.71E-02	3.03E-10	1.0E+06	3.0E-04
166	166	0.25955	1.86799E-05	4.8E-06	6.05E-04	2.93E-09	2.41E+00	4.71E-02	3.33E-10	1.0E+06	3.3E-04
167	167	0.28636	1.86799E-05	5.3E-06	6.05E-04	3.24E-09	2.41E+00	4.71E-02	3.67E-10	1.0E+06	3.7E-04
168	168	0.31836	1.86799E-05	5.9E-06	6.05E-04	3.60E-09	2.41E+00	4.71E-02	4.08E-10	1.0E+06	4.1E-04
169	169	0.35642	1.86799E-05	6.7E-06	6.05E-04	4.03E-09	2.41E+00	4.71E-02	4.57E-10	1.0E+06	4.6E-04
170	170	0.40125	1.86799E-05	7.5E-06	6.05E-04	4.54E-09	2.41E+00	4.71E-02	5.14E-10	1.0E+06	5.1E-04
171	171	0.45637	1.86799E-05	8.5E-06	6.05E-04	5.16E-09	2.41E+00	4.71E-02	5.85E-10	1.0E+06	5.8E-04
172	172	0.53911	1.86799E-05	1.0E-05	6.05E-04	6.09E-09	2.41E+00	4.71E-02	6.91E-10	1.0E+06	6.9E-04
173	173	0.66064	1.86799E-05	1.2E-05	6.05E-04	7.47E-09	2.41E+00	4.71E-02	8.47E-10	1.0E+06	8.5E-04
174	174	0.84766	1.86799E-05	1.6E-05	6.05E-04	9.58E-09	2.41E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
175	175	1.11593	1.86799E-05	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
176	176	1.50994	1.86799E-05	2.8E-05	6.05E-04	1.71E-08	2.41E+00	4.71E-02	1.94E-09	1.0E+06	1.9E-03
177	177	2.27498	1.86799E-05	4.2E-05	6.05E-04	2.57E-08	2.41E+00	4.71E-02	2.92E-09	1.0E+06	2.9E-03
178	178	3.9651	1.86799E-05	7.4E-05	6.05E-04	4.48E-08	2.41E+00	4.71E-02	5.08E-09	1.0E+06	5.1E-03
179	179	0.14651	1.86799E-05	2.7E-06	6.05E-04	1.66E-09	2.41E+00	4.71E-02	1.88E-10	1.0E+06	1.9E-04
180	180	0.15736	1.86799E-05	2.9E-06	6.05E-04	1.78E-09	2.41E+00	4.71E-02	2.02E-10	1.0E+06	2.0E-04
181	181	0.16703	1.86799E-05	3.1E-06	6.05E-04	1.89E-09	2.41E+00	4.71E-02	2.14E-10	1.0E+06	2.1E-04
182	182	0.18924	1.86799E-05	3.5E-06	6.05E-04	2.14E-09	2.41E+00	4.71E-02	2.43E-10	1.0E+06	2.4E-04
183	183	0.21768	1.86799E-05	4.1E-06	6.05E-04	2.46E-09	2.41E+00	4.71E-02	2.79E-10	1.0E+06	2.8E-04
184	184	0.23959	1.86799E-05	4.5E-06	6.05E-04	2.71E-09	2.41E+00	4.71E-02	3.07E-10	1.0E+06	3.1E-04
185	185	0.26584	1.86799E-05	5.0E-06	6.05E-04	3.00E-09	2.41E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
186	186	0.29461	1.86799E-05	5.5E-06	6.05E-04	3.33E-09	2.41E+00	4.71E-02	3.78E-10	1.0E+06	3.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.32693	1.86799E-05	6.1E-06	6.05E-04	3.70E-09	2.41E+00	4.71E-02	4.19E-10	1.0E+06	4.2E-04
188	188	0.36632	1.86799E-05	6.8E-06	6.05E-04	4.14E-09	2.41E+00	4.71E-02	4.70E-10	1.0E+06	4.7E-04
189	189	0.41167	1.86799E-05	7.7E-06	6.05E-04	4.65E-09	2.41E+00	4.71E-02	5.28E-10	1.0E+06	5.3E-04
190	190	0.4687	1.86799E-05	8.8E-06	6.05E-04	5.30E-09	2.41E+00	4.71E-02	6.01E-10	1.0E+06	6.0E-04
191	191	0.53962	1.86799E-05	1.0E-05	6.05E-04	6.10E-09	2.41E+00	4.71E-02	6.92E-10	1.0E+06	6.9E-04
192	192	0.64447	1.86799E-05	1.2E-05	6.05E-04	7.28E-09	2.41E+00	4.71E-02	8.26E-10	1.0E+06	8.3E-04
193	193	0.79322	1.86799E-05	1.5E-05	6.05E-04	8.97E-09	2.41E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
194	194	1.0491	1.86799E-05	2.0E-05	6.05E-04	1.19E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
195	195	1.51253	1.86799E-05	2.8E-05	6.05E-04	1.71E-08	2.41E+00	4.71E-02	1.94E-09	1.0E+06	1.9E-03
196	196	2.28444	1.86799E-05	4.3E-05	6.05E-04	2.58E-08	2.41E+00	4.71E-02	2.93E-09	1.0E+06	2.9E-03
197	197	3.9425	1.86799E-05	7.4E-05	6.05E-04	4.46E-08	2.41E+00	4.71E-02	5.05E-09	1.0E+06	5.1E-03
198	198	0.14432	1.86799E-05	2.7E-06	6.05E-04	1.63E-09	2.41E+00	4.71E-02	1.85E-10	1.0E+06	1.8E-04
199	199	0.15606	1.86799E-05	2.9E-06	6.05E-04	1.76E-09	2.41E+00	4.71E-02	2.00E-10	1.0E+06	2.0E-04
200	200	0.16904	1.86799E-05	3.2E-06	6.05E-04	1.91E-09	2.41E+00	4.71E-02	2.17E-10	1.0E+06	2.2E-04
201	201	0.18686	1.86799E-05	3.5E-06	6.05E-04	2.11E-09	2.41E+00	4.71E-02	2.40E-10	1.0E+06	2.4E-04
202	202	0.21584	1.86799E-05	4.0E-06	6.05E-04	2.44E-09	2.41E+00	4.71E-02	2.77E-10	1.0E+06	2.8E-04
203	203	0.24124	1.86799E-05	4.5E-06	6.05E-04	2.73E-09	2.41E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04
204	204	0.27014	1.86799E-05	5.0E-06	6.05E-04	3.05E-09	2.41E+00	4.71E-02	3.46E-10	1.0E+06	3.5E-04
205	205	0.30085	1.86799E-05	5.6E-06	6.05E-04	3.40E-09	2.41E+00	4.71E-02	3.86E-10	1.0E+06	3.9E-04
206	206	0.33535	1.86799E-05	6.3E-06	6.05E-04	3.79E-09	2.41E+00	4.71E-02	4.30E-10	1.0E+06	4.3E-04
207	207	0.37577	1.86799E-05	7.0E-06	6.05E-04	4.25E-09	2.41E+00	4.71E-02	4.82E-10	1.0E+06	4.8E-04
208	208	0.4227	1.86799E-05	7.9E-06	6.05E-04	4.78E-09	2.41E+00	4.71E-02	5.42E-10	1.0E+06	5.4E-04
209	209	0.48049	1.86799E-05	9.0E-06	6.05E-04	5.43E-09	2.41E+00	4.71E-02	6.16E-10	1.0E+06	6.2E-04
210	210	0.55223	1.86799E-05	1.0E-05	6.05E-04	6.24E-09	2.41E+00	4.71E-02	7.08E-10	1.0E+06	7.1E-04
211	211	0.64704	1.86799E-05	1.2E-05	6.05E-04	7.31E-09	2.41E+00	4.71E-02	8.29E-10	1.0E+06	8.3E-04
212	212	0.77299	1.86799E-05	1.4E-05	6.05E-04	8.74E-09	2.41E+00	4.71E-02	9.91E-10	1.0E+06	9.9E-04
213	213	0.94957	1.86799E-05	1.8E-05	6.05E-04	1.07E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
214	214	1.21223	1.86799E-05	2.3E-05	6.05E-04	1.37E-08	2.41E+00	4.71E-02	1.55E-09	1.0E+06	1.6E-03
215	215	2.11964	1.86799E-05	4.0E-05	6.05E-04	2.40E-08	2.41E+00	4.71E-02	2.72E-09	1.0E+06	2.7E-03
216	216	0.14399	1.86799E-05	2.7E-06	6.05E-04	1.63E-09	2.41E+00	4.71E-02	1.85E-10	1.0E+06	1.8E-04
217	217	0.15528	1.86799E-05	2.9E-06	6.05E-04	1.76E-09	2.41E+00	4.71E-02	1.99E-10	1.0E+06	2.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1693	1.86799E-05	3.2E-06	6.05E-04	1.91E-09	2.41E+00	4.71E-02	2.17E-10	1.0E+06	2.2E-04
219	219	0.18671	1.86799E-05	3.5E-06	6.05E-04	2.11E-09	2.41E+00	4.71E-02	2.39E-10	1.0E+06	2.4E-04
220	220	0.21373	1.86799E-05	4.0E-06	6.05E-04	2.42E-09	2.41E+00	4.71E-02	2.74E-10	1.0E+06	2.7E-04
221	221	0.23853	1.86799E-05	4.5E-06	6.05E-04	2.70E-09	2.41E+00	4.71E-02	3.06E-10	1.0E+06	3.1E-04
222	222	0.26948	1.86799E-05	5.0E-06	6.05E-04	3.05E-09	2.41E+00	4.71E-02	3.45E-10	1.0E+06	3.5E-04
223	223	0.30196	1.86799E-05	5.6E-06	6.05E-04	3.41E-09	2.41E+00	4.71E-02	3.87E-10	1.0E+06	3.9E-04
224	224	0.33813	1.86799E-05	6.3E-06	6.05E-04	3.82E-09	2.41E+00	4.71E-02	4.33E-10	1.0E+06	4.3E-04
225	225	0.37835	1.86799E-05	7.1E-06	6.05E-04	4.28E-09	2.41E+00	4.71E-02	4.85E-10	1.0E+06	4.8E-04
226	226	0.42817	1.86799E-05	8.0E-06	6.05E-04	4.84E-09	2.41E+00	4.71E-02	5.49E-10	1.0E+06	5.5E-04
227	227	0.48658	1.86799E-05	9.1E-06	6.05E-04	5.50E-09	2.41E+00	4.71E-02	6.24E-10	1.0E+06	6.2E-04
228	228	0.55888	1.86799E-05	1.0E-05	6.05E-04	6.32E-09	2.41E+00	4.71E-02	7.16E-10	1.0E+06	7.2E-04
229	229	0.65382	1.86799E-05	1.2E-05	6.05E-04	7.39E-09	2.41E+00	4.71E-02	8.38E-10	1.0E+06	8.4E-04
230	230	0.7771	1.86799E-05	1.5E-05	6.05E-04	8.78E-09	2.41E+00	4.71E-02	9.96E-10	1.0E+06	1.0E-03
231	231	0.95764	1.86799E-05	1.8E-05	6.05E-04	1.08E-08	2.41E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
232	232	1.23827	1.86799E-05	2.3E-05	6.05E-04	1.40E-08	2.41E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
233	233	2.02801	1.86799E-05	3.8E-05	6.05E-04	2.29E-08	2.41E+00	4.71E-02	2.60E-09	1.0E+06	2.6E-03
234	234	0.14351	1.86799E-05	2.7E-06	6.05E-04	1.62E-09	2.41E+00	4.71E-02	1.84E-10	1.0E+06	1.8E-04
235	235	0.15435	1.86799E-05	2.9E-06	6.05E-04	1.74E-09	2.41E+00	4.71E-02	1.98E-10	1.0E+06	2.0E-04
236	236	0.16873	1.86799E-05	3.2E-06	6.05E-04	1.91E-09	2.41E+00	4.71E-02	2.16E-10	1.0E+06	2.2E-04
237	237	0.18739	1.86799E-05	3.5E-06	6.05E-04	2.12E-09	2.41E+00	4.71E-02	2.40E-10	1.0E+06	2.4E-04
238	238	0.21115	1.86799E-05	3.9E-06	6.05E-04	2.39E-09	2.41E+00	4.71E-02	2.71E-10	1.0E+06	2.7E-04
239	239	0.23595	1.86799E-05	4.4E-06	6.05E-04	2.67E-09	2.41E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
240	240	0.26574	1.86799E-05	5.0E-06	6.05E-04	3.00E-09	2.41E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
241	241	0.29898	1.86799E-05	5.6E-06	6.05E-04	3.38E-09	2.41E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
242	242	0.33653	1.86799E-05	6.3E-06	6.05E-04	3.80E-09	2.41E+00	4.71E-02	4.31E-10	1.0E+06	4.3E-04
243	243	0.37898	1.86799E-05	7.1E-06	6.05E-04	4.28E-09	2.41E+00	4.71E-02	4.86E-10	1.0E+06	4.9E-04
244	244	0.43168	1.86799E-05	8.1E-06	6.05E-04	4.88E-09	2.41E+00	4.71E-02	5.53E-10	1.0E+06	5.5E-04
245	245	0.4946	1.86799E-05	9.2E-06	6.05E-04	5.59E-09	2.41E+00	4.71E-02	6.34E-10	1.0E+06	6.3E-04
246	246	0.57205	1.86799E-05	1.1E-05	6.05E-04	6.47E-09	2.41E+00	4.71E-02	7.33E-10	1.0E+06	7.3E-04
247	247	0.67036	1.86799E-05	1.3E-05	6.05E-04	7.58E-09	2.41E+00	4.71E-02	8.59E-10	1.0E+06	8.6E-04
248	248	0.80212	1.86799E-05	1.5E-05	6.05E-04	9.07E-09	2.41E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.9884	1.86799E-05	1.8E-05	6.05E-04	1.12E-08	2.41E+00	4.71E-02	1.27E-09	1.0E+06	1.3E-03
250	250	1.29042	1.86799E-05	2.4E-05	6.05E-04	1.46E-08	2.41E+00	4.71E-02	1.65E-09	1.0E+06	1.7E-03
251	251	2.0743	1.86799E-05	3.9E-05	6.05E-04	2.34E-08	2.41E+00	4.71E-02	2.66E-09	1.0E+06	2.7E-03
252	252	0.14117	1.86799E-05	2.6E-06	6.05E-04	1.60E-09	2.41E+00	4.71E-02	1.81E-10	1.0E+06	1.8E-04
253	253	0.15149	1.86799E-05	2.8E-06	6.05E-04	1.71E-09	2.41E+00	4.71E-02	1.94E-10	1.0E+06	1.9E-04
254	254	0.16477	1.86799E-05	3.1E-06	6.05E-04	1.86E-09	2.41E+00	4.71E-02	2.11E-10	1.0E+06	2.1E-04
255	255	0.18112	1.86799E-05	3.4E-06	6.05E-04	2.05E-09	2.41E+00	4.71E-02	2.32E-10	1.0E+06	2.3E-04
256	256	0.20786	1.86799E-05	3.9E-06	6.05E-04	2.35E-09	2.41E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
257	257	0.22647	1.86799E-05	4.2E-06	6.05E-04	2.56E-09	2.41E+00	4.71E-02	2.90E-10	1.0E+06	2.9E-04
258	258	0.25169	1.86799E-05	4.7E-06	6.05E-04	2.84E-09	2.41E+00	4.71E-02	3.23E-10	1.0E+06	3.2E-04
259	259	0.28083	1.86799E-05	5.2E-06	6.05E-04	3.17E-09	2.41E+00	4.71E-02	3.60E-10	1.0E+06	3.6E-04
260	260	0.32106	1.86799E-05	6.0E-06	6.05E-04	3.63E-09	2.41E+00	4.71E-02	4.12E-10	1.0E+06	4.1E-04
261	261	0.37151	1.86799E-05	6.9E-06	6.05E-04	4.20E-09	2.41E+00	4.71E-02	4.76E-10	1.0E+06	4.8E-04
262	262	0.42968	1.86799E-05	8.0E-06	6.05E-04	4.86E-09	2.41E+00	4.71E-02	5.51E-10	1.0E+06	5.5E-04
263	263	0.49386	1.86799E-05	9.2E-06	6.05E-04	5.58E-09	2.41E+00	4.71E-02	6.33E-10	1.0E+06	6.3E-04
264	264	0.57735	1.86799E-05	1.1E-05	6.05E-04	6.53E-09	2.41E+00	4.71E-02	7.40E-10	1.0E+06	7.4E-04
265	265	0.67898	1.86799E-05	1.3E-05	6.05E-04	7.67E-09	2.41E+00	4.71E-02	8.70E-10	1.0E+06	8.7E-04
266	266	0.81732	1.86799E-05	1.5E-05	6.05E-04	9.24E-09	2.41E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
267	267	1.01071	1.86799E-05	1.9E-05	6.05E-04	1.14E-08	2.41E+00	4.71E-02	1.30E-09	1.0E+06	1.3E-03
268	268	1.31614	1.86799E-05	2.5E-05	6.05E-04	1.49E-08	2.41E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
269	269	2.08317	1.86799E-05	3.9E-05	6.05E-04	2.35E-08	2.41E+00	4.71E-02	2.67E-09	1.0E+06	2.7E-03
270	270	0.13796	1.86799E-05	2.6E-06	6.05E-04	1.56E-09	2.41E+00	4.71E-02	1.77E-10	1.0E+06	1.8E-04
271	271	0.14885	1.86799E-05	2.8E-06	6.05E-04	1.68E-09	2.41E+00	4.71E-02	1.91E-10	1.0E+06	1.9E-04
272	272	0.16215	1.86799E-05	3.0E-06	6.05E-04	1.83E-09	2.41E+00	4.71E-02	2.08E-10	1.0E+06	2.1E-04
273	273	0.17748	1.86799E-05	3.3E-06	6.05E-04	2.01E-09	2.41E+00	4.71E-02	2.27E-10	1.0E+06	2.3E-04
274	274	0.20595	1.86799E-05	3.8E-06	6.05E-04	2.33E-09	2.41E+00	4.71E-02	2.64E-10	1.0E+06	2.6E-04
275	275	0.23171	1.86799E-05	4.3E-06	6.05E-04	2.62E-09	2.41E+00	4.71E-02	2.97E-10	1.0E+06	3.0E-04
276	276	0.24452	1.86799E-05	4.6E-06	6.05E-04	2.76E-09	2.41E+00	4.71E-02	3.13E-10	1.0E+06	3.1E-04
277	277	0.27214	1.86799E-05	5.1E-06	6.05E-04	3.08E-09	2.41E+00	4.71E-02	3.49E-10	1.0E+06	3.5E-04
278	278	0.30777	1.86799E-05	5.7E-06	6.05E-04	3.48E-09	2.41E+00	4.71E-02	3.95E-10	1.0E+06	3.9E-04
279	279	0.3534	1.86799E-05	6.6E-06	6.05E-04	3.99E-09	2.41E+00	4.71E-02	4.53E-10	1.0E+06	4.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.41691	1.86799E-05	7.8E-06	6.05E-04	4.71E-09	2.41E+00	4.71E-02	5.34E-10	1.0E+06	5.3E-04
281	281	0.49189	1.86799E-05	9.2E-06	6.05E-04	5.56E-09	2.41E+00	4.71E-02	6.31E-10	1.0E+06	6.3E-04
282	282	0.58198	1.86799E-05	1.1E-05	6.05E-04	6.58E-09	2.41E+00	4.71E-02	7.46E-10	1.0E+06	7.5E-04
283	283	0.69411	1.86799E-05	1.3E-05	6.05E-04	7.85E-09	2.41E+00	4.71E-02	8.90E-10	1.0E+06	8.9E-04
284	284	0.84386	1.86799E-05	1.6E-05	6.05E-04	9.54E-09	2.41E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
285	285	1.0491	1.86799E-05	2.0E-05	6.05E-04	1.19E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
286	286	1.381	1.86799E-05	2.6E-05	6.05E-04	1.56E-08	2.41E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
287	287	2.19837	1.86799E-05	4.1E-05	6.05E-04	2.48E-08	2.41E+00	4.71E-02	2.82E-09	1.0E+06	2.8E-03
288	288	0.13498	1.86799E-05	2.5E-06	6.05E-04	1.53E-09	2.41E+00	4.71E-02	1.73E-10	1.0E+06	1.7E-04
289	289	0.14494	1.86799E-05	2.7E-06	6.05E-04	1.64E-09	2.41E+00	4.71E-02	1.86E-10	1.0E+06	1.9E-04
290	290	0.16108	1.86799E-05	3.0E-06	6.05E-04	1.82E-09	2.41E+00	4.71E-02	2.06E-10	1.0E+06	2.1E-04
291	291	0.17802	1.86799E-05	3.3E-06	6.05E-04	2.01E-09	2.41E+00	4.71E-02	2.28E-10	1.0E+06	2.3E-04
292	292	0.2145	1.86799E-05	4.0E-06	6.05E-04	2.42E-09	2.41E+00	4.71E-02	2.75E-10	1.0E+06	2.7E-04
293	293	0.23184	1.86799E-05	4.3E-06	6.05E-04	2.62E-09	2.41E+00	4.71E-02	2.97E-10	1.0E+06	3.0E-04
294	294	0.23766	1.86799E-05	4.4E-06	6.05E-04	2.69E-09	2.41E+00	4.71E-02	3.05E-10	1.0E+06	3.0E-04
295	295	0.26679	1.86799E-05	5.0E-06	6.05E-04	3.02E-09	2.41E+00	4.71E-02	3.42E-10	1.0E+06	3.4E-04
296	296	0.30316	1.86799E-05	5.7E-06	6.05E-04	3.43E-09	2.41E+00	4.71E-02	3.89E-10	1.0E+06	3.9E-04
297	297	0.34315	1.86799E-05	6.4E-06	6.05E-04	3.88E-09	2.41E+00	4.71E-02	4.40E-10	1.0E+06	4.4E-04
298	298	0.40005	1.86799E-05	7.5E-06	6.05E-04	4.52E-09	2.41E+00	4.71E-02	5.13E-10	1.0E+06	5.1E-04
299	299	0.48249	1.86799E-05	9.0E-06	6.05E-04	5.45E-09	2.41E+00	4.71E-02	6.18E-10	1.0E+06	6.2E-04
300	300	0.57453	1.86799E-05	1.1E-05	6.05E-04	6.49E-09	2.41E+00	4.71E-02	7.36E-10	1.0E+06	7.4E-04
301	301	0.70316	1.86799E-05	1.3E-05	6.05E-04	7.95E-09	2.41E+00	4.71E-02	9.01E-10	1.0E+06	9.0E-04
302	302	0.8741	1.86799E-05	1.6E-05	6.05E-04	9.88E-09	2.41E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
303	303	1.12099	1.86799E-05	2.1E-05	6.05E-04	1.27E-08	2.41E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03
304	304	1.50996	1.86799E-05	2.8E-05	6.05E-04	1.71E-08	2.41E+00	4.71E-02	1.94E-09	1.0E+06	1.9E-03
305	305	2.47865	1.86799E-05	4.6E-05	6.05E-04	2.80E-08	2.41E+00	4.71E-02	3.18E-09	1.0E+06	3.2E-03
306	306	0.1386	1.86799E-05	2.6E-06	6.05E-04	1.57E-09	2.41E+00	4.71E-02	1.78E-10	1.0E+06	1.8E-04
307	307	0.14532	1.86799E-05	2.7E-06	6.05E-04	1.64E-09	2.41E+00	4.71E-02	1.86E-10	1.0E+06	1.9E-04
308	308	0.15788	1.86799E-05	2.9E-06	6.05E-04	1.78E-09	2.41E+00	4.71E-02	2.02E-10	1.0E+06	2.0E-04
309	309	0.18403	1.86799E-05	3.4E-06	6.05E-04	2.08E-09	2.41E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04
310	310	0.21083	1.86799E-05	3.9E-06	6.05E-04	2.38E-09	2.41E+00	4.71E-02	2.70E-10	1.0E+06	2.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.22724	1.86799E-05	4.2E-06	6.05E-04	2.57E-09	2.41E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
312	312	0.2291	1.86799E-05	4.3E-06	6.05E-04	2.59E-09	2.41E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
313	313	0.25752	1.86799E-05	4.8E-06	6.05E-04	2.91E-09	2.41E+00	4.71E-02	3.30E-10	1.0E+06	3.3E-04
314	314	0.2934	1.86799E-05	5.5E-06	6.05E-04	3.32E-09	2.41E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
315	315	0.34637	1.86799E-05	6.5E-06	6.05E-04	3.91E-09	2.41E+00	4.71E-02	4.44E-10	1.0E+06	4.4E-04
316	316	0.39345	1.86799E-05	7.3E-06	6.05E-04	4.45E-09	2.41E+00	4.71E-02	5.04E-10	1.0E+06	5.0E-04
317	317	0.46294	1.86799E-05	8.6E-06	6.05E-04	5.23E-09	2.41E+00	4.71E-02	5.93E-10	1.0E+06	5.9E-04
318	318	0.5605	1.86799E-05	1.0E-05	6.05E-04	6.34E-09	2.41E+00	4.71E-02	7.18E-10	1.0E+06	7.2E-04
319	319	0.70525	1.86799E-05	1.3E-05	6.05E-04	7.97E-09	2.41E+00	4.71E-02	9.04E-10	1.0E+06	9.0E-04
320	320	0.92366	1.86799E-05	1.7E-05	6.05E-04	1.04E-08	2.41E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
321	321	1.20831	1.86799E-05	2.3E-05	6.05E-04	1.37E-08	2.41E+00	4.71E-02	1.55E-09	1.0E+06	1.5E-03
322	322	1.6752	1.86799E-05	3.1E-05	6.05E-04	1.89E-08	2.41E+00	4.71E-02	2.15E-09	1.0E+06	2.1E-03
323	323	2.9551	1.86799E-05	5.5E-05	6.05E-04	3.34E-08	2.41E+00	4.71E-02	3.79E-09	1.0E+06	3.8E-03
324	324	0.13534	1.86799E-05	2.5E-06	6.05E-04	1.53E-09	2.41E+00	4.71E-02	1.73E-10	1.0E+06	1.7E-04
325	325	0.15024	1.86799E-05	2.8E-06	6.05E-04	1.70E-09	2.41E+00	4.71E-02	1.93E-10	1.0E+06	1.9E-04
326	326	0.16168	1.86799E-05	3.0E-06	6.05E-04	1.83E-09	2.41E+00	4.71E-02	2.07E-10	1.0E+06	2.1E-04
327	327	0.17198	1.86799E-05	3.2E-06	6.05E-04	1.94E-09	2.41E+00	4.71E-02	2.20E-10	1.0E+06	2.2E-04
328	328	0.20765	1.86799E-05	3.9E-06	6.05E-04	2.35E-09	2.41E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
329	329	0.22031	1.86799E-05	4.1E-06	6.05E-04	2.49E-09	2.41E+00	4.71E-02	2.82E-10	1.0E+06	2.8E-04
330	330	0.22351	1.86799E-05	4.2E-06	6.05E-04	2.53E-09	2.41E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
331	331	0.25206	1.86799E-05	4.7E-06	6.05E-04	2.85E-09	2.41E+00	4.71E-02	3.23E-10	1.0E+06	3.2E-04
332	332	0.28842	1.86799E-05	5.4E-06	6.05E-04	3.26E-09	2.41E+00	4.71E-02	3.70E-10	1.0E+06	3.7E-04
333	333	0.34229	1.86799E-05	6.4E-06	6.05E-04	3.87E-09	2.41E+00	4.71E-02	4.39E-10	1.0E+06	4.4E-04
334	334	0.39971	1.86799E-05	7.5E-06	6.05E-04	4.52E-09	2.41E+00	4.71E-02	5.12E-10	1.0E+06	5.1E-04
335	335	0.47561	1.86799E-05	8.9E-06	6.05E-04	5.38E-09	2.41E+00	4.71E-02	6.10E-10	1.0E+06	6.1E-04
336	336	4.87031	1.86799E-05	9.1E-05	6.05E-04	5.50E-08	2.41E+00	4.71E-02	6.24E-09	1.0E+06	6.2E-03
337	337	5.01225	1.86799E-05	9.4E-05	6.05E-04	5.67E-08	2.41E+00	4.71E-02	6.42E-09	1.0E+06	6.4E-03
338	338	0.19951	1.86799E-05	3.7E-06	6.05E-04	2.25E-09	2.41E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
339	339	0.21561	1.86799E-05	4.0E-06	6.05E-04	2.44E-09	2.41E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04
340	340	0.23457	1.86799E-05	4.4E-06	6.05E-04	2.65E-09	2.41E+00	4.71E-02	3.01E-10	1.0E+06	3.0E-04
341	341	0.27563	1.86799E-05	5.1E-06	6.05E-04	3.12E-09	2.41E+00	4.71E-02	3.53E-10	1.0E+06	3.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.29793	1.86799E-05	5.6E-06	6.05E-04	3.37E-09	2.41E+00	4.71E-02	3.82E-10	1.0E+06	3.8E-04
343	343	0.33557	1.86799E-05	6.3E-06	6.05E-04	3.79E-09	2.41E+00	4.71E-02	4.30E-10	1.0E+06	4.3E-04
344	344	0.3481	1.86799E-05	6.5E-06	6.05E-04	3.93E-09	2.41E+00	4.71E-02	4.46E-10	1.0E+06	4.5E-04
345	345	0.35465	1.86799E-05	6.6E-06	6.05E-04	4.01E-09	2.41E+00	4.71E-02	4.55E-10	1.0E+06	4.5E-04
346	346	0.35401	1.86799E-05	6.6E-06	6.05E-04	4.00E-09	2.41E+00	4.71E-02	4.54E-10	1.0E+06	4.5E-04
347	347	0.22524	1.86799E-05	4.2E-06	6.05E-04	2.55E-09	2.41E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
348	348	0.24824	1.86799E-05	4.6E-06	6.05E-04	2.81E-09	2.41E+00	4.71E-02	3.18E-10	1.0E+06	3.2E-04
349	349	0.2886	1.86799E-05	5.4E-06	6.05E-04	3.26E-09	2.41E+00	4.71E-02	3.70E-10	1.0E+06	3.7E-04
350	350	0.32503	1.86799E-05	6.1E-06	6.05E-04	3.67E-09	2.41E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
351	351	0.35174	1.86799E-05	6.6E-06	6.05E-04	3.98E-09	2.41E+00	4.71E-02	4.51E-10	1.0E+06	4.5E-04
352	352	0.4101	1.86799E-05	7.7E-06	6.05E-04	4.64E-09	2.41E+00	4.71E-02	5.26E-10	1.0E+06	5.3E-04
353	353	0.42944	1.86799E-05	8.0E-06	6.05E-04	4.85E-09	2.41E+00	4.71E-02	5.50E-10	1.0E+06	5.5E-04
354	354	0.43585	1.86799E-05	8.1E-06	6.05E-04	4.93E-09	2.41E+00	4.71E-02	5.59E-10	1.0E+06	5.6E-04
355	355	0.43407	1.86799E-05	8.1E-06	6.05E-04	4.91E-09	2.41E+00	4.71E-02	5.56E-10	1.0E+06	5.6E-04
356	356	0.25761	1.86799E-05	4.8E-06	6.05E-04	2.91E-09	2.41E+00	4.71E-02	3.30E-10	1.0E+06	3.3E-04
357	357	0.28264	1.86799E-05	5.3E-06	6.05E-04	3.19E-09	2.41E+00	4.71E-02	3.62E-10	1.0E+06	3.6E-04
358	358	0.3155	1.86799E-05	5.9E-06	6.05E-04	3.57E-09	2.41E+00	4.71E-02	4.04E-10	1.0E+06	4.0E-04
359	359	0.3535	1.86799E-05	6.6E-06	6.05E-04	4.00E-09	2.41E+00	4.71E-02	4.53E-10	1.0E+06	4.5E-04
360	360	0.42306	1.86799E-05	7.9E-06	6.05E-04	4.78E-09	2.41E+00	4.71E-02	5.42E-10	1.0E+06	5.4E-04
361	361	0.52121	1.86799E-05	9.7E-06	6.05E-04	5.89E-09	2.41E+00	4.71E-02	6.68E-10	1.0E+06	6.7E-04
362	362	0.5543	1.86799E-05	1.0E-05	6.05E-04	6.27E-09	2.41E+00	4.71E-02	7.11E-10	1.0E+06	7.1E-04
363	363	0.56216	1.86799E-05	1.1E-05	6.05E-04	6.35E-09	2.41E+00	4.71E-02	7.21E-10	1.0E+06	7.2E-04
364	364	0.29789	1.86799E-05	5.6E-06	6.05E-04	3.37E-09	2.41E+00	4.71E-02	3.82E-10	1.0E+06	3.8E-04
365	365	0.32767	1.86799E-05	6.1E-06	6.05E-04	3.70E-09	2.41E+00	4.71E-02	4.20E-10	1.0E+06	4.2E-04
366	366	0.3727	1.86799E-05	7.0E-06	6.05E-04	4.21E-09	2.41E+00	4.71E-02	4.78E-10	1.0E+06	4.8E-04
367	367	0.42727	1.86799E-05	8.0E-06	6.05E-04	4.83E-09	2.41E+00	4.71E-02	5.48E-10	1.0E+06	5.5E-04
368	368	0.52262	1.86799E-05	9.8E-06	6.05E-04	5.91E-09	2.41E+00	4.71E-02	6.70E-10	1.0E+06	6.7E-04
369	369	0.70405	1.86799E-05	1.3E-05	6.05E-04	7.96E-09	2.41E+00	4.71E-02	9.02E-10	1.0E+06	9.0E-04
370	370	0.79063	1.86799E-05	1.5E-05	6.05E-04	8.94E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
371	371	0.75589	1.86799E-05	1.4E-05	6.05E-04	8.54E-09	2.41E+00	4.71E-02	9.69E-10	1.0E+06	9.7E-04
372	372	0.34458	1.86799E-05	6.4E-06	6.05E-04	3.89E-09	2.41E+00	4.71E-02	4.42E-10	1.0E+06	4.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.38604	1.86799E-05	7.2E-06	6.05E-04	4.36E-09	2.41E+00	4.71E-02	4.95E-10	1.0E+06	4.9E-04
374	374	0.4492	1.86799E-05	8.4E-06	6.05E-04	5.08E-09	2.41E+00	4.71E-02	5.76E-10	1.0E+06	5.8E-04
375	375	0.52939	1.86799E-05	9.9E-06	6.05E-04	5.98E-09	2.41E+00	4.71E-02	6.79E-10	1.0E+06	6.8E-04
376	376	0.67137	1.86799E-05	1.3E-05	6.05E-04	7.59E-09	2.41E+00	4.71E-02	8.61E-10	1.0E+06	8.6E-04
377	377	0.83675	1.86799E-05	1.6E-05	6.05E-04	9.46E-09	2.41E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
378	378	1.04714	1.86799E-05	2.0E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
379	379	1.25734	1.86799E-05	2.3E-05	6.05E-04	1.42E-08	2.41E+00	4.71E-02	1.61E-09	1.0E+06	1.6E-03
380	380	1.11262	1.86799E-05	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
381	381	0.93575	1.86799E-05	1.7E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
382	382	0.39546	1.86799E-05	7.4E-06	6.05E-04	4.47E-09	2.41E+00	4.71E-02	5.07E-10	1.0E+06	5.1E-04
383	383	0.45631	1.86799E-05	8.5E-06	6.05E-04	5.16E-09	2.41E+00	4.71E-02	5.85E-10	1.0E+06	5.8E-04
384	384	0.53724	1.86799E-05	1.0E-05	6.05E-04	6.07E-09	2.41E+00	4.71E-02	6.89E-10	1.0E+06	6.9E-04
385	385	0.67119	1.86799E-05	1.3E-05	6.05E-04	7.59E-09	2.41E+00	4.71E-02	8.60E-10	1.0E+06	8.6E-04
386	386	0.86618	1.86799E-05	1.6E-05	6.05E-04	9.79E-09	2.41E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
387	387	1.19543	1.86799E-05	2.2E-05	6.05E-04	1.35E-08	2.41E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
388	388	1.82596	1.86799E-05	3.4E-05	6.05E-04	2.06E-08	2.41E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
389	389	2.5263	1.86799E-05	4.7E-05	6.05E-04	2.86E-08	2.41E+00	4.71E-02	3.24E-09	1.0E+06	3.2E-03
390	390	1.70091	1.86799E-05	3.2E-05	6.05E-04	1.92E-08	2.41E+00	4.71E-02	2.18E-09	1.0E+06	2.2E-03
391	391	1.24189	1.86799E-05	2.3E-05	6.05E-04	1.40E-08	2.41E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
392	392	0.94167	1.86799E-05	1.8E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
393	393	0.49774	1.86799E-05	9.3E-06	6.05E-04	5.63E-09	2.41E+00	4.71E-02	6.38E-10	1.0E+06	6.4E-04
394	394	0.61547	1.86799E-05	1.1E-05	6.05E-04	6.96E-09	2.41E+00	4.71E-02	7.89E-10	1.0E+06	7.9E-04
395	395	0.769	1.86799E-05	1.4E-05	6.05E-04	8.69E-09	2.41E+00	4.71E-02	9.86E-10	1.0E+06	9.9E-04
396	396	1.02844	1.86799E-05	1.9E-05	6.05E-04	1.16E-08	2.41E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
397	397	1.59766	1.86799E-05	3.0E-05	6.05E-04	1.81E-08	2.41E+00	4.71E-02	2.05E-09	1.0E+06	2.0E-03
398	398	2.98983	1.86799E-05	5.6E-05	6.05E-04	3.38E-08	2.41E+00	4.71E-02	3.83E-09	1.0E+06	3.8E-03
399	399	2.58492	1.86799E-05	4.8E-05	6.05E-04	2.92E-08	2.41E+00	4.71E-02	3.31E-09	1.0E+06	3.3E-03
400	400	5.59179	1.86799E-05	1.0E-04	6.05E-04	6.32E-08	2.41E+00	4.71E-02	7.17E-09	1.0E+06	7.2E-03
401	401	2.43538	1.86799E-05	4.5E-05	6.05E-04	2.75E-08	2.41E+00	4.71E-02	3.12E-09	1.0E+06	3.1E-03
402	402	1.10624	1.86799E-05	2.1E-05	6.05E-04	1.25E-08	2.41E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
403	403	5.27946	1.86799E-05	9.9E-05	6.05E-04	5.97E-08	2.41E+00	4.71E-02	6.77E-09	1.0E+06	6.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	1.31628	1.86799E-05	2.5E-05	6.05E-04	1.49E-08	2.41E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
405	405	0.97992	1.86799E-05	1.8E-05	6.05E-04	1.11E-08	2.41E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
406	406	9.42446	1.86799E-05	1.8E-04	6.05E-04	1.07E-07	2.41E+00	4.71E-02	1.21E-08	1.0E+06	1.2E-02
407	407	1.06466	1.86799E-05	2.0E-05	6.05E-04	1.20E-08	2.41E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
408	408	7.20196	1.86799E-05	1.3E-04	6.05E-04	8.14E-08	2.41E+00	4.71E-02	9.23E-09	1.0E+06	9.2E-03
409	409	1.14251	1.86799E-05	2.1E-05	6.05E-04	1.29E-08	2.41E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03
410	410	7.31134	1.86799E-05	1.4E-04	6.05E-04	8.26E-08	2.41E+00	4.71E-02	9.37E-09	1.0E+06	9.4E-03
411	411	1.66794	1.86799E-05	3.1E-05	6.05E-04	1.89E-08	2.41E+00	4.71E-02	2.14E-09	1.0E+06	2.1E-03
412	412	1.23746	1.86799E-05	2.3E-05	6.05E-04	1.40E-08	2.41E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
413	413	7.59765	1.86799E-05	1.4E-04	6.05E-04	8.59E-08	2.41E+00	4.71E-02	9.74E-09	1.0E+06	9.7E-03
414	414	2.59847	1.86799E-05	4.9E-05	6.05E-04	2.94E-08	2.41E+00	4.71E-02	3.33E-09	1.0E+06	3.3E-03
415	415	1.75382	1.86799E-05	3.3E-05	6.05E-04	1.98E-08	2.41E+00	4.71E-02	2.25E-09	1.0E+06	2.2E-03
416	416	1.29448	1.86799E-05	2.4E-05	6.05E-04	1.46E-08	2.41E+00	4.71E-02	1.66E-09	1.0E+06	1.7E-03
417	417	5.41315	1.86799E-05	1.0E-04	6.05E-04	6.12E-08	2.41E+00	4.71E-02	6.94E-09	1.0E+06	6.9E-03
418	418	1.82591	1.86799E-05	3.4E-05	6.05E-04	2.06E-08	2.41E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
419	419	1.34237	1.86799E-05	2.5E-05	6.05E-04	1.52E-08	2.41E+00	4.71E-02	1.72E-09	1.0E+06	1.7E-03
420	420	1.03863	1.86799E-05	1.9E-05	6.05E-04	1.17E-08	2.41E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
421	421	8.53491	1.86799E-05	1.6E-04	6.05E-04	9.65E-08	2.41E+00	4.71E-02	1.09E-08	1.0E+06	1.1E-02
422	422	1.37941	1.86799E-05	2.6E-05	6.05E-04	1.56E-08	2.41E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
423	423	1.06498	1.86799E-05	2.0E-05	6.05E-04	1.20E-08	2.41E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
424	424	8.3156	1.86799E-05	1.6E-04	6.05E-04	9.40E-08	2.41E+00	4.71E-02	1.07E-08	1.0E+06	1.1E-02
425	425	1.07987	1.86799E-05	2.0E-05	6.05E-04	1.22E-08	2.41E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
426	426	0.85874	1.86799E-05	1.6E-05	6.05E-04	9.71E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
427	427	8.42244	1.86799E-05	1.6E-04	6.05E-04	9.52E-08	2.41E+00	4.71E-02	1.08E-08	1.0E+06	1.1E-02
428	428	1.0822	1.86799E-05	2.0E-05	6.05E-04	1.22E-08	2.41E+00	4.71E-02	1.39E-09	1.0E+06	1.4E-03
429	429	0.85725	1.86799E-05	1.6E-05	6.05E-04	9.69E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
430	430	5.81908	1.86799E-05	1.1E-04	6.05E-04	6.58E-08	2.41E+00	4.71E-02	7.46E-09	1.0E+06	7.5E-03
431	431	0.84486	1.86799E-05	1.6E-05	6.05E-04	9.55E-09	2.41E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
432	432	0.68124	1.86799E-05	1.3E-05	6.05E-04	7.70E-09	2.41E+00	4.71E-02	8.73E-10	1.0E+06	8.7E-04
433	433	5.7166	1.86799E-05	1.1E-04	6.05E-04	6.46E-08	2.41E+00	4.71E-02	7.33E-09	1.0E+06	7.3E-03
434	434	0.82163	1.86799E-05	1.5E-05	6.05E-04	9.29E-09	2.41E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.66416	1.86799E-05	1.2E-05	6.05E-04	7.51E-09	2.41E+00	4.71E-02	8.51E-10	1.0E+06	8.5E-04
436	436	8.2607	1.86799E-05	1.5E-04	6.05E-04	9.34E-08	2.41E+00	4.71E-02	1.06E-08	1.0E+06	1.1E-02
437	437	1.00424	1.86799E-05	1.9E-05	6.05E-04	1.14E-08	2.41E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
438	438	0.78936	1.86799E-05	1.5E-05	6.05E-04	8.92E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
439	439	0.63814	1.86799E-05	1.2E-05	6.05E-04	7.21E-09	2.41E+00	4.71E-02	8.18E-10	1.0E+06	8.2E-04
440	440	7.1369	1.86799E-05	1.3E-04	6.05E-04	8.07E-08	2.41E+00	4.71E-02	9.15E-09	1.0E+06	9.1E-03
441	441	1.70549	1.86799E-05	3.2E-05	6.05E-04	1.93E-08	2.41E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03
442	442	1.25036	1.86799E-05	2.3E-05	6.05E-04	1.41E-08	2.41E+00	4.71E-02	1.60E-09	1.0E+06	1.6E-03
443	443	0.95063	1.86799E-05	1.8E-05	6.05E-04	1.07E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
444	444	0.74876	1.86799E-05	1.4E-05	6.05E-04	8.46E-09	2.41E+00	4.71E-02	9.60E-10	1.0E+06	9.6E-04
445	445	7.26367	1.86799E-05	1.4E-04	6.05E-04	8.21E-08	2.41E+00	4.71E-02	9.31E-09	1.0E+06	9.3E-03
446	446	2.29847	1.86799E-05	4.3E-05	6.05E-04	2.60E-08	2.41E+00	4.71E-02	2.95E-09	1.0E+06	2.9E-03
447	447	1.57984	1.86799E-05	3.0E-05	6.05E-04	1.79E-08	2.41E+00	4.71E-02	2.03E-09	1.0E+06	2.0E-03
448	448	1.15811	1.86799E-05	2.2E-05	6.05E-04	1.31E-08	2.41E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
449	449	5.34024	1.86799E-05	1.0E-04	6.05E-04	6.04E-08	2.41E+00	4.71E-02	6.85E-09	1.0E+06	6.8E-03
450	450	3.08666	1.86799E-05	5.8E-05	6.05E-04	3.49E-08	2.41E+00	4.71E-02	3.96E-09	1.0E+06	4.0E-03
451	451	2.01536	1.86799E-05	3.8E-05	6.05E-04	2.28E-08	2.41E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03
452	452	4.04554	1.86799E-05	7.6E-05	6.05E-04	4.57E-08	2.41E+00	4.71E-02	5.19E-09	1.0E+06	5.2E-03
453	453	2.53406	1.86799E-05	4.7E-05	6.05E-04	2.86E-08	2.41E+00	4.71E-02	3.25E-09	1.0E+06	3.2E-03
454	454	0.49853	1.86799E-05	9.3E-06	6.05E-04	5.63E-09	2.41E+00	4.71E-02	6.39E-10	1.0E+06	6.4E-04
455	455	0.42226	1.86799E-05	7.9E-06	6.05E-04	4.77E-09	2.41E+00	4.71E-02	5.41E-10	1.0E+06	5.4E-04
456	456	3.08246	1.86799E-05	5.8E-05	6.05E-04	3.48E-08	2.41E+00	4.71E-02	3.95E-09	1.0E+06	4.0E-03
457	457	2.05735	1.86799E-05	3.8E-05	6.05E-04	2.33E-08	2.41E+00	4.71E-02	2.64E-09	1.0E+06	2.6E-03
458	458	1.4727	1.86799E-05	2.8E-05	6.05E-04	1.66E-08	2.41E+00	4.71E-02	1.89E-09	1.0E+06	1.9E-03
459	459	0.68385	1.86799E-05	1.3E-05	6.05E-04	7.73E-09	2.41E+00	4.71E-02	8.77E-10	1.0E+06	8.8E-04
460	460	0.5602	1.86799E-05	1.0E-05	6.05E-04	6.33E-09	2.41E+00	4.71E-02	7.18E-10	1.0E+06	7.2E-04
461	461	0.46719	1.86799E-05	8.7E-06	6.05E-04	5.28E-09	2.41E+00	4.71E-02	5.99E-10	1.0E+06	6.0E-04
462	462	0.39613	1.86799E-05	7.4E-06	6.05E-04	4.48E-09	2.41E+00	4.71E-02	5.08E-10	1.0E+06	5.1E-04
463	463	4.95732	1.86799E-05	9.3E-05	6.05E-04	5.60E-08	2.41E+00	4.71E-02	6.35E-09	1.0E+06	6.4E-03
464	464	5.5278	1.86799E-05	1.0E-04	6.05E-04	6.25E-08	2.41E+00	4.71E-02	7.09E-09	1.0E+06	7.1E-03
465	465	4.7897	1.86799E-05	8.9E-05	6.05E-04	5.41E-08	2.41E+00	4.71E-02	6.14E-09	1.0E+06	6.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	5.28316	1.86799E-05	9.9E-05	6.05E-04	5.97E-08	2.41E+00	4.71E-02	6.77E-09	1.0E+06	6.8E-03
467	467	7.69136	1.86799E-05	1.4E-04	6.05E-04	8.69E-08	2.41E+00	4.71E-02	9.86E-09	1.0E+06	9.9E-03
468	468	7.46569	1.86799E-05	1.4E-04	6.05E-04	8.44E-08	2.41E+00	4.71E-02	9.57E-09	1.0E+06	9.6E-03
469	469	7.32278	1.86799E-05	1.4E-04	6.05E-04	8.28E-08	2.41E+00	4.71E-02	9.39E-09	1.0E+06	9.4E-03
470	470	3.34494	1.86799E-05	6.2E-05	6.05E-04	3.78E-08	2.41E+00	4.71E-02	4.29E-09	1.0E+06	4.3E-03
471	471	7.13101	1.86799E-05	1.3E-04	6.05E-04	8.06E-08	2.41E+00	4.71E-02	9.14E-09	1.0E+06	9.1E-03
472	472	3.35763	1.86799E-05	6.3E-05	6.05E-04	3.80E-08	2.41E+00	4.71E-02	4.30E-09	1.0E+06	4.3E-03
473	473	7.20944	1.86799E-05	1.3E-04	6.05E-04	8.15E-08	2.41E+00	4.71E-02	9.24E-09	1.0E+06	9.2E-03
474	474	3.50016	1.86799E-05	6.5E-05	6.05E-04	3.96E-08	2.41E+00	4.71E-02	4.49E-09	1.0E+06	4.5E-03
475	475	7.32953	1.86799E-05	1.4E-04	6.05E-04	8.28E-08	2.41E+00	4.71E-02	9.40E-09	1.0E+06	9.4E-03
476	476	3.7853	1.86799E-05	7.1E-05	6.05E-04	4.28E-08	2.41E+00	4.71E-02	4.85E-09	1.0E+06	4.9E-03
477	477	8.1157	1.86799E-05	1.5E-04	6.05E-04	9.17E-08	2.41E+00	4.71E-02	1.04E-08	1.0E+06	1.0E-02
478	478	4.45327	1.86799E-05	8.3E-05	6.05E-04	5.03E-08	2.41E+00	4.71E-02	5.71E-09	1.0E+06	5.7E-03
479	479	7.7327	1.86799E-05	1.4E-04	6.05E-04	8.74E-08	2.41E+00	4.71E-02	9.91E-09	1.0E+06	9.9E-03
480	480	6.2846	1.86799E-05	1.2E-04	6.05E-04	7.10E-08	2.41E+00	4.71E-02	8.06E-09	1.0E+06	8.1E-03
481	481	5.89105	1.86799E-05	1.1E-04	6.05E-04	6.66E-08	2.41E+00	4.71E-02	7.55E-09	1.0E+06	7.6E-03
482	482	10.93729	1.86799E-05	2.0E-04	6.05E-04	1.24E-07	2.41E+00	4.71E-02	1.40E-08	1.0E+06	1.4E-02
483	483	6.76675	1.86799E-05	1.3E-04	6.05E-04	7.65E-08	2.41E+00	4.71E-02	8.67E-09	1.0E+06	8.7E-03
484	484	7.26001	1.86799E-05	1.4E-04	6.05E-04	8.21E-08	2.41E+00	4.71E-02	9.31E-09	1.0E+06	9.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1	1	8.4E-02	Max	Receptor #	5	2.43E-04	Max	Receptor #	
2	2	9.0E-02	4.429	397	5	2.61E-04	0.013	397	Res
3	3	9.7E-02			5	2.80E-04			
4	4	1.0E-01			5	3.01E-04			
5	5	1.1E-01			5	3.21E-04			
6	6	1.2E-01			5	3.45E-04			
7	7	1.3E-01			5	3.71E-04			
8	8	1.4E-01			5	3.99E-04			
9	9	1.5E-01			5	4.30E-04			
10	10	1.6E-01			5	4.70E-04			
11	11	1.8E-01			5	5.25E-04			
12	12	2.1E-01			5	6.01E-04			
13	13	2.4E-01			5	6.93E-04			
14	14	3.3E-01			5	9.63E-04			
15	15	9.0E-02			5	2.62E-04			
16	16	9.8E-02			5	2.84E-04			
17	17	1.1E-01			5	3.09E-04			
18	18	1.2E-01			5	3.35E-04			
19	19	1.3E-01			5	3.64E-04			
20	20	1.4E-01			5	3.95E-04			
21	21	1.5E-01			5	4.30E-04			
22	22	1.6E-01			5	4.67E-04			
23	23	1.8E-01			5	5.15E-04			
24	24	1.9E-01			5	5.65E-04			
25	25	2.2E-01			5	6.39E-04			
26	26	2.6E-01			5	7.40E-04			
27	27	3.0E-01			5	8.59E-04			
28	28	4.4E-01			5	1.28E-03			
29	29	9.5E-02			5	2.75E-04			
30	30	1.0E-01			5	3.02E-04			
31	31	1.1E-01			5	3.33E-04			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	1.3E-01	5	3.68E-04
33	33	1.4E-01	5	4.05E-04
34	34	1.5E-01	5	4.49E-04
35	35	1.7E-01	5	4.97E-04
36	36	1.9E-01	5	5.52E-04
37	37	2.1E-01	5	6.17E-04
38	38	2.4E-01	5	6.96E-04
39	39	2.7E-01	5	7.95E-04
40	40	3.2E-01	5	9.21E-04
41	41	3.7E-01	5	1.08E-03
42	42	6.2E-01	5	1.79E-03
43	43	9.7E-02	5	2.81E-04
44	44	1.1E-01	5	3.11E-04
45	45	1.2E-01	5	3.47E-04
46	46	1.3E-01	5	3.91E-04
47	47	1.5E-01	5	4.39E-04
48	48	1.7E-01	5	4.96E-04
49	49	1.9E-01	5	5.61E-04
50	50	2.2E-01	5	6.36E-04
51	51	2.5E-01	5	7.38E-04
52	52	2.9E-01	5	8.55E-04
53	53	3.5E-01	5	1.01E-03
54	54	4.2E-01	5	1.21E-03
55	55	5.1E-01	5	1.48E-03
56	56	9.2E-01	5	2.66E-03
57	57	9.7E-02	5	2.80E-04
58	58	1.1E-01	5	3.13E-04
59	59	1.2E-01	5	3.54E-04
60	60	1.4E-01	5	4.02E-04
61	61	1.6E-01	5	4.60E-04
62	62	1.8E-01	5	5.30E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	2.1E-01	5	6.19E-04
64	64	2.5E-01	5	7.16E-04
65	65	3.0E-01	5	8.58E-04
66	66	3.6E-01	5	1.04E-03
67	67	4.4E-01	5	1.28E-03
68	68	5.7E-01	5	1.64E-03
69	69	7.6E-01	5	2.19E-03
70	70	9.5E-02	5	2.77E-04
71	71	1.1E-01	5	3.11E-04
72	72	1.2E-01	5	3.52E-04
73	73	1.4E-01	5	4.02E-04
74	74	1.6E-01	5	4.64E-04
75	75	1.9E-01	5	5.45E-04
76	76	2.2E-01	5	6.48E-04
77	77	2.7E-01	5	7.76E-04
78	78	3.3E-01	5	9.62E-04
79	79	4.3E-01	5	1.25E-03
80	80	5.6E-01	5	1.64E-03
81	81	8.2E-01	5	2.37E-03
82	82	1.2E+00	5	3.62E-03
83	83	9.3E-02	5	2.69E-04
84	84	1.0E-01	5	3.00E-04
85	85	1.2E-01	5	3.36E-04
86	86	1.4E-01	5	3.92E-04
87	87	1.6E-01	5	4.56E-04
88	88	1.9E-01	5	5.40E-04
89	89	2.2E-01	5	6.50E-04
90	90	2.8E-01	5	8.02E-04
91	91	3.5E-01	5	1.02E-03
92	92	4.7E-01	5	1.36E-03
93	93	6.6E-01	5	1.93E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	1.1E+00	5	3.14E-03
95	95	2.3E+00	5	6.66E-03
96	96	8.8E-02	5	2.54E-04
97	97	9.6E-02	5	2.78E-04
98	98	1.1E-01	5	3.11E-04
99	99	1.3E-01	5	3.63E-04
100	100	1.5E-01	5	4.36E-04
101	101	1.8E-01	5	5.18E-04
102	102	2.2E-01	5	6.27E-04
103	103	2.7E-01	5	7.80E-04
104	104	3.5E-01	5	1.00E-03
105	105	4.7E-01	5	1.35E-03
106	106	6.9E-01	5	1.99E-03
107	107	1.2E+00	5	3.44E-03
108	108	3.1E+00	5	9.00E-03
109	109	8.1E-02	5	2.35E-04
110	110	9.1E-02	5	2.65E-04
111	111	1.0E-01	5	3.03E-04
112	112	1.2E-01	5	3.49E-04
113	113	1.4E-01	5	4.08E-04
114	114	1.7E-01	5	4.83E-04
115	115	2.0E-01	5	5.81E-04
116	116	2.5E-01	5	7.19E-04
117	117	3.2E-01	5	9.27E-04
118	118	4.4E-01	5	1.28E-03
119	119	6.4E-01	5	1.86E-03
120	120	1.1E+00	5	3.12E-03
121	121	2.5E+00	5	7.34E-03
122	122	7.5E-02	5	2.18E-04
123	123	8.5E-02	5	2.47E-04
124	124	9.8E-02	5	2.85E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	1.1E-01	5	3.28E-04
126	126	1.3E-01	5	3.79E-04
127	127	1.5E-01	5	4.40E-04
128	128	1.7E-01	5	4.92E-04
129	129	2.1E-01	5	5.97E-04
130	130	2.7E-01	5	7.82E-04
131	131	2.6E+00	5	7.44E-03
132	132	2.1E+00	5	5.95E-03
133	133	7.0E-02	5	2.02E-04
134	134	8.0E-02	5	2.32E-04
135	135	9.2E-02	5	2.67E-04
136	136	1.1E-01	5	3.06E-04
137	137	1.2E-01	5	3.52E-04
138	138	1.4E-01	5	4.03E-04
139	139	1.6E-01	5	4.57E-04
140	140	1.9E-01	5	5.42E-04
141	141	2.3E-01	5	6.64E-04
142	142	2.8E-01	5	8.23E-04
143	143	3.7E-01	5	1.07E-03
144	144	5.2E-01	5	1.52E-03
145	145	7.6E-01	5	2.21E-03
146	146	1.6E+00	5	4.60E-03
147	147	6.5E-02	5	1.88E-04
148	148	7.4E-02	5	2.14E-04
149	149	8.5E-02	5	2.46E-04
150	150	9.7E-02	5	2.81E-04
151	151	1.1E-01	5	3.25E-04
152	152	1.3E-01	5	3.69E-04
153	153	1.5E-01	5	4.22E-04
154	154	1.7E-01	5	4.96E-04
155	155	2.1E-01	5	5.95E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	2.5E-01	5	7.20E-04
157	157	3.0E-01	5	8.82E-04
158	158	3.8E-01	5	1.11E-03
159	159	5.5E-01	5	1.60E-03
160	160	6.2E-02	5	1.79E-04
161	161	6.8E-02	5	1.98E-04
162	162	7.5E-02	5	2.18E-04
163	163	8.7E-02	5	2.53E-04
164	164	1.0E-01	5	2.97E-04
165	165	1.2E-01	5	3.38E-04
166	166	1.3E-01	5	3.89E-04
167	167	1.6E-01	5	4.50E-04
168	168	1.8E-01	5	5.26E-04
169	169	2.1E-01	5	6.21E-04
170	170	2.6E-01	5	7.42E-04
171	171	3.1E-01	5	9.09E-04
172	172	4.1E-01	5	1.18E-03
173	173	5.4E-01	5	1.57E-03
174	174	7.0E-01	5	2.04E-03
175	175	8.2E-01	5	2.37E-03
176	176	8.6E-01	5	2.49E-03
177	177	8.4E-01	5	2.44E-03
178	178	7.8E-01	5	2.27E-03
179	179	5.6E-02	5	1.64E-04
180	180	6.2E-02	5	1.79E-04
181	181	6.7E-02	5	1.93E-04
182	182	7.8E-02	5	2.27E-04
183	183	9.5E-02	5	2.74E-04
184	184	1.1E-01	5	3.12E-04
185	185	1.2E-01	5	3.58E-04
186	186	1.4E-01	5	4.09E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	1.6E-01	5	4.67E-04
188	188	1.9E-01	5	5.41E-04
189	189	2.2E-01	5	6.32E-04
190	190	2.6E-01	5	7.56E-04
191	191	3.2E-01	5	9.17E-04
192	192	3.9E-01	5	1.14E-03
193	193	4.7E-01	5	1.37E-03
194	194	5.6E-01	5	1.62E-03
195	195	6.3E-01	5	1.84E-03
196	196	6.4E-01	5	1.84E-03
197	197	6.0E-01	5	1.73E-03
198	198	5.3E-02	5	1.54E-04
199	199	5.8E-02	5	1.69E-04
200	200	6.4E-02	5	1.85E-04
201	201	7.2E-02	5	2.09E-04
202	202	8.6E-02	5	2.49E-04
203	203	9.8E-02	5	2.85E-04
204	204	1.1E-01	5	3.26E-04
205	205	1.3E-01	5	3.69E-04
206	206	1.4E-01	5	4.18E-04
207	207	1.6E-01	5	4.77E-04
208	208	1.9E-01	5	5.48E-04
209	209	2.2E-01	5	6.40E-04
210	210	2.6E-01	5	7.56E-04
211	211	3.1E-01	5	8.94E-04
212	212	3.6E-01	5	1.03E-03
213	213	3.9E-01	5	1.14E-03
214	214	4.1E-01	5	1.19E-03
215	215	4.9E-01	5	1.41E-03
216	216	5.1E-02	5	1.48E-04
217	217	5.5E-02	5	1.61E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	6.1E-02	5	1.76E-04
219	219	6.7E-02	5	1.95E-04
220	220	7.8E-02	5	2.27E-04
221	221	8.8E-02	5	2.54E-04
222	222	1.0E-01	5	2.90E-04
223	223	1.1E-01	5	3.27E-04
224	224	1.3E-01	5	3.68E-04
225	225	1.4E-01	5	4.13E-04
226	226	1.6E-01	5	4.73E-04
227	227	1.9E-01	5	5.44E-04
228	228	2.2E-01	5	6.30E-04
229	229	2.5E-01	5	7.29E-04
230	230	2.8E-01	5	8.25E-04
231	231	3.1E-01	5	9.09E-04
232	232	3.3E-01	5	9.63E-04
233	233	3.8E-01	5	1.09E-03
234	234	4.9E-02	5	1.43E-04
235	235	5.3E-02	5	1.53E-04
236	236	5.7E-02	5	1.66E-04
237	237	6.3E-02	5	1.84E-04
238	238	7.1E-02	5	2.06E-04
239	239	7.9E-02	5	2.29E-04
240	240	8.8E-02	5	2.56E-04
241	241	9.9E-02	5	2.87E-04
242	242	1.1E-01	5	3.22E-04
243	243	1.2E-01	5	3.61E-04
244	244	1.4E-01	5	4.12E-04
245	245	1.6E-01	5	4.72E-04
246	246	1.9E-01	5	5.41E-04
247	247	2.1E-01	5	6.16E-04
248	248	2.4E-01	5	6.91E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	2.6E-01	5	7.55E-04
250	250	2.8E-01	5	8.04E-04
251	251	3.1E-01	5	9.04E-04
252	252	4.7E-02	5	1.36E-04
253	253	5.0E-02	5	1.43E-04
254	254	5.3E-02	5	1.53E-04
255	255	5.7E-02	5	1.65E-04
256	256	6.5E-02	5	1.88E-04
257	257	6.9E-02	5	2.00E-04
258	258	7.5E-02	5	2.17E-04
259	259	8.2E-02	5	2.38E-04
260	260	9.4E-02	5	2.71E-04
261	261	1.1E-01	5	3.13E-04
262	262	1.2E-01	5	3.59E-04
263	263	1.4E-01	5	4.07E-04
264	264	1.6E-01	5	4.64E-04
265	265	1.8E-01	5	5.22E-04
266	266	2.0E-01	5	5.81E-04
267	267	2.2E-01	5	6.32E-04
268	268	2.3E-01	5	6.71E-04
269	269	2.6E-01	5	7.46E-04
270	270	4.4E-02	5	1.28E-04
271	271	4.7E-02	5	1.35E-04
272	272	5.0E-02	5	1.44E-04
273	273	5.3E-02	5	1.53E-04
274	274	6.0E-02	5	1.75E-04
275	275	6.7E-02	5	1.92E-04
276	276	6.7E-02	5	1.95E-04
277	277	7.3E-02	5	2.12E-04
278	278	8.1E-02	5	2.35E-04
279	279	9.2E-02	5	2.66E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	1.1E-01	5	3.09E-04
281	281	1.2E-01	5	3.55E-04
282	282	1.4E-01	5	4.04E-04
283	283	1.6E-01	5	4.53E-04
284	284	1.7E-01	5	5.00E-04
285	285	1.9E-01	5	5.40E-04
286	286	2.0E-01	5	5.73E-04
287	287	2.2E-01	5	6.34E-04
288	288	4.2E-02	5	1.21E-04
289	289	4.4E-02	5	1.27E-04
290	290	4.7E-02	5	1.37E-04
291	291	5.1E-02	5	1.47E-04
292	292	6.1E-02	5	1.76E-04
293	293	6.3E-02	5	1.83E-04
294	294	6.2E-02	5	1.78E-04
295	295	6.7E-02	5	1.95E-04
296	296	7.5E-02	5	2.16E-04
297	297	8.2E-02	5	2.38E-04
298	298	9.3E-02	5	2.69E-04
299	299	1.1E-01	5	3.11E-04
300	300	1.2E-01	5	3.50E-04
301	301	1.4E-01	5	3.94E-04
302	302	1.5E-01	5	4.36E-04
303	303	1.6E-01	5	4.72E-04
304	304	1.7E-01	5	5.01E-04
305	305	1.9E-01	5	5.52E-04
306	306	4.2E-02	5	1.22E-04
307	307	4.3E-02	5	1.23E-04
308	308	4.5E-02	5	1.30E-04
309	309	5.1E-02	5	1.48E-04
310	310	5.8E-02	5	1.67E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	6.0E-02	5	1.72E-04
312	312	5.7E-02	5	1.64E-04
313	313	6.2E-02	5	1.79E-04
314	314	6.9E-02	5	1.98E-04
315	315	7.8E-02	5	2.26E-04
316	316	8.5E-02	5	2.45E-04
317	317	9.4E-02	5	2.73E-04
318	318	1.1E-01	5	3.06E-04
319	319	1.2E-01	5	3.45E-04
320	320	1.3E-01	5	3.89E-04
321	321	1.5E-01	5	4.18E-04
322	322	1.5E-01	5	4.43E-04
323	323	1.7E-01	5	4.84E-04
324	324	4.0E-02	5	1.16E-04
325	325	4.3E-02	5	1.26E-04
326	326	4.5E-02	5	1.31E-04
327	327	4.6E-02	5	1.33E-04
328	328	5.6E-02	5	1.61E-04
329	329	5.6E-02	5	1.62E-04
330	330	5.4E-02	5	1.56E-04
331	331	5.9E-02	5	1.70E-04
332	332	6.5E-02	5	1.88E-04
333	333	7.4E-02	5	2.13E-04
334	334	8.1E-02	5	2.34E-04
335	335	8.9E-02	5	2.58E-04
336	336	1.8E+00	5	5.28E-03
337	337	1.4E+00	5	4.12E-03
338	338	2.4E-01	5	7.02E-04
339	339	2.7E-01	5	7.80E-04
340	340	2.9E-01	5	8.49E-04
341	341	3.1E-01	5	8.98E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	3.2E-01	5	9.26E-04
343	343	3.2E-01	5	9.20E-04
344	344	3.1E-01	5	8.90E-04
345	345	2.9E-01	5	8.44E-04
346	346	2.7E-01	5	7.84E-04
347	347	3.0E-01	5	8.73E-04
348	348	3.5E-01	5	1.01E-03
349	349	3.8E-01	5	1.11E-03
350	350	4.1E-01	5	1.18E-03
351	351	4.2E-01	5	1.23E-03
352	352	4.1E-01	5	1.20E-03
353	353	4.0E-01	5	1.15E-03
354	354	3.6E-01	5	1.05E-03
355	355	3.3E-01	5	9.58E-04
356	356	3.9E-01	5	1.12E-03
357	357	4.5E-01	5	1.32E-03
358	358	5.2E-01	5	1.51E-03
359	359	5.6E-01	5	1.63E-03
360	360	5.9E-01	5	1.70E-03
361	361	5.6E-01	5	1.63E-03
362	362	5.2E-01	5	1.52E-03
363	363	4.7E-01	5	1.35E-03
364	364	5.3E-01	5	1.54E-03
365	365	6.3E-01	5	1.81E-03
366	366	7.5E-01	5	2.19E-03
367	367	8.3E-01	5	2.42E-03
368	368	8.7E-01	5	2.53E-03
369	369	8.1E-01	5	2.34E-03
370	370	6.3E-01	5	1.82E-03
371	371	5.2E-01	5	1.51E-03
372	372	8.0E-01	5	2.31E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	9.9E-01	5	2.87E-03
374	374	1.2E+00	5	3.58E-03
375	375	1.4E+00	5	3.98E-03
376	376	1.4E+00	5	4.14E-03
377	377	1.4E+00	5	4.02E-03
378	378	1.3E+00	5	3.68E-03
379	379	8.6E-01	5	2.49E-03
380	380	6.6E-01	5	1.91E-03
381	381	5.0E-01	5	1.46E-03
382	382	1.4E+00	5	3.96E-03
383	383	2.0E+00	5	5.77E-03
384	384	2.5E+00	5	7.10E-03
385	385	2.7E+00	5	7.82E-03
386	386	2.8E+00	5	7.98E-03
387	387	2.6E+00	5	7.65E-03
388	388	2.4E+00	5	6.81E-03
389	389	1.2E+00	5	3.49E-03
390	390	8.0E-01	5	2.32E-03
391	391	5.6E-01	5	1.63E-03
392	392	4.0E-01	5	1.16E-03
393	393	3.0E+00	5	8.77E-03
394	394	3.5E+00	5	1.02E-02
395	395	3.6E+00	5	1.03E-02
396	396	3.8E+00	5	1.09E-02
397	397	4.4E+00	5	1.28E-02
398	398	2.9E+00	5	8.39E-03
399	399	2.3E+00	5	6.70E-03
400	400	1.6E+00	5	4.71E-03
401	401	9.0E-01	5	2.61E-03
402	402	4.0E-01	5	1.15E-03
403	403	1.9E+00	5	5.37E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	4.0E-01	5	1.15E-03
405	405	2.9E-01	5	8.37E-04
406	406	1.5E+00	5	4.38E-03
407	407	2.7E-01	5	7.78E-04
408	408	1.1E+00	5	3.28E-03
409	409	2.5E-01	5	7.20E-04
410	410	8.7E-01	5	2.49E-03
411	411	3.0E-01	5	8.60E-04
412	412	2.3E-01	5	6.76E-04
413	413	6.8E-01	5	1.95E-03
414	414	3.5E-01	5	1.02E-03
415	415	2.7E-01	5	7.79E-04
416	416	2.2E-01	5	6.21E-04
417	417	5.4E-01	5	1.56E-03
418	418	2.5E-01	5	7.07E-04
419	419	2.0E-01	5	5.71E-04
420	420	1.6E-01	5	4.72E-04
421	421	4.5E-01	5	1.28E-03
422	422	1.8E-01	5	5.25E-04
423	423	1.5E-01	5	4.39E-04
424	424	3.8E-01	5	1.07E-03
425	425	1.4E-01	5	4.08E-04
426	426	1.2E-01	5	3.50E-04
427	427	3.2E-01	5	9.04E-04
428	428	1.3E-01	5	3.80E-04
429	429	1.1E-01	5	3.28E-04
430	430	2.7E-01	5	7.74E-04
431	431	1.1E-01	5	3.08E-04
432	432	9.4E-02	5	2.70E-04
433	433	2.4E-01	5	6.69E-04
434	434	1.0E-01	5	2.89E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	8.9E-02	5	2.55E-04
436	436	2.1E-01	5	5.84E-04
437	437	1.1E-01	5	3.08E-04
438	438	9.4E-02	5	2.71E-04
439	439	8.4E-02	5	2.41E-04
440	440	1.9E-01	5	5.13E-04
441	441	1.3E-01	5	3.73E-04
442	442	1.1E-01	5	3.28E-04
443	443	1.0E-01	5	2.88E-04
444	444	8.9E-02	5	2.55E-04
445	445	1.7E-01	5	4.54E-04
446	446	1.3E-01	5	3.81E-04
447	447	1.2E-01	5	3.42E-04
448	448	1.1E-01	5	3.04E-04
449	449	1.5E-01	5	4.05E-04
450	450	1.3E-01	5	3.78E-04
451	451	1.2E-01	5	3.47E-04
452	452	1.3E-01	5	3.63E-04
453	453	1.2E-01	5	3.42E-04
454	454	6.7E-02	5	1.92E-04
455	455	6.1E-02	5	1.76E-04
456	456	1.2E-01	5	3.27E-04
457	457	1.1E-01	5	3.10E-04
458	458	1.0E-01	5	2.89E-04
459	459	7.7E-02	5	2.22E-04
460	460	7.0E-02	5	2.02E-04
461	461	6.4E-02	5	1.83E-04
462	462	5.8E-02	5	1.67E-04
463	463	1.5E+00	5	4.32E-03
464	464	1.2E+00	5	3.41E-03
465	465	1.0E+00	5	2.91E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
466	466	7.9E-01	5	2.26E-03
467	467	7.1E-01	5	2.05E-03
468	468	5.6E-01	5	1.59E-03
469	469	4.5E-01	5	1.28E-03
470	470	3.9E-01	5	1.12E-03
471	471	4.1E-01	5	1.16E-03
472	472	3.2E-01	5	9.23E-04
473	473	3.1E-01	5	8.75E-04
474	474	2.7E-01	5	7.73E-04
475	475	2.6E-01	5	7.41E-04
476	476	2.3E-01	5	6.56E-04
477	477	2.3E-01	5	6.35E-04
478	478	2.0E-01	5	5.64E-04
479	479	2.0E-01	5	5.49E-04
480	480	1.9E-01	5	5.21E-04
481	481	1.8E-01	5	4.89E-04
482	482	1.7E-01	5	4.59E-04
483	483	1.5E-01	5	4.22E-04
484	484	1.5E-01	5	4.07E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24208	1.17E-02	2.8E-03	6.05E-04	1.71E-06	5.48E-02	4.71E-02	4.43E-09	1.0E+06	4.4E-03
2	0.26015	1.17E-02	3.0E-03	6.05E-04	1.84E-06	5.48E-02	4.71E-02	4.76E-09	1.0E+06	4.8E-03
3	0.2791	1.17E-02	3.3E-03	6.05E-04	1.98E-06	5.48E-02	4.71E-02	5.11E-09	1.0E+06	5.1E-03
4	0.29917	1.17E-02	3.5E-03	6.05E-04	2.12E-06	5.48E-02	4.71E-02	5.47E-09	1.0E+06	5.5E-03
5	0.31982	1.17E-02	3.7E-03	6.05E-04	2.27E-06	5.48E-02	4.71E-02	5.85E-09	1.0E+06	5.9E-03
6	0.34333	1.17E-02	4.0E-03	6.05E-04	2.43E-06	5.48E-02	4.71E-02	6.28E-09	1.0E+06	6.3E-03
7	0.36878	1.17E-02	4.3E-03	6.05E-04	2.61E-06	5.48E-02	4.71E-02	6.75E-09	1.0E+06	6.7E-03
8	0.39664	1.17E-02	4.6E-03	6.05E-04	2.81E-06	5.48E-02	4.71E-02	7.26E-09	1.0E+06	7.3E-03
9	0.42832	1.17E-02	5.0E-03	6.05E-04	3.03E-06	5.48E-02	4.71E-02	7.84E-09	1.0E+06	7.8E-03
10	0.46814	1.17E-02	5.5E-03	6.05E-04	3.32E-06	5.48E-02	4.71E-02	8.57E-09	1.0E+06	8.6E-03
11	0.52197	1.17E-02	6.1E-03	6.05E-04	3.70E-06	5.48E-02	4.71E-02	9.55E-09	1.0E+06	9.6E-03
12	0.59851	1.17E-02	7.0E-03	6.05E-04	4.24E-06	5.48E-02	4.71E-02	1.10E-08	1.0E+06	1.1E-02
13	0.68958	1.17E-02	8.1E-03	6.05E-04	4.88E-06	5.48E-02	4.71E-02	1.26E-08	1.0E+06	1.3E-02
14	0.95843	1.17E-02	1.1E-02	6.05E-04	6.79E-06	5.48E-02	4.71E-02	1.75E-08	1.0E+06	1.8E-02
15	0.26037	1.17E-02	3.0E-03	6.05E-04	1.84E-06	5.48E-02	4.71E-02	4.76E-09	1.0E+06	4.8E-03
16	0.28217	1.17E-02	3.3E-03	6.05E-04	2.00E-06	5.48E-02	4.71E-02	5.16E-09	1.0E+06	5.2E-03
17	0.30728	1.17E-02	3.6E-03	6.05E-04	2.18E-06	5.48E-02	4.71E-02	5.62E-09	1.0E+06	5.6E-03
18	0.33369	1.17E-02	3.9E-03	6.05E-04	2.36E-06	5.48E-02	4.71E-02	6.11E-09	1.0E+06	6.1E-03
19	0.36184	1.17E-02	4.2E-03	6.05E-04	2.56E-06	5.48E-02	4.71E-02	6.62E-09	1.0E+06	6.6E-03
20	0.39341	1.17E-02	4.6E-03	6.05E-04	2.79E-06	5.48E-02	4.71E-02	7.20E-09	1.0E+06	7.2E-03
21	0.42795	1.17E-02	5.0E-03	6.05E-04	3.03E-06	5.48E-02	4.71E-02	7.83E-09	1.0E+06	7.8E-03
22	0.46515	1.17E-02	5.4E-03	6.05E-04	3.30E-06	5.48E-02	4.71E-02	8.51E-09	1.0E+06	8.5E-03
23	0.51215	1.17E-02	6.0E-03	6.05E-04	3.63E-06	5.48E-02	4.71E-02	9.37E-09	1.0E+06	9.4E-03
24	0.56234	1.17E-02	6.6E-03	6.05E-04	3.98E-06	5.48E-02	4.71E-02	1.03E-08	1.0E+06	1.0E-02
25	0.63622	1.17E-02	7.4E-03	6.05E-04	4.51E-06	5.48E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
26	0.73661	1.17E-02	8.6E-03	6.05E-04	5.22E-06	5.48E-02	4.71E-02	1.35E-08	1.0E+06	1.3E-02
27	0.85488	1.17E-02	1.0E-02	6.05E-04	6.06E-06	5.48E-02	4.71E-02	1.56E-08	1.0E+06	1.6E-02
28	1.27528	1.17E-02	1.5E-02	6.05E-04	9.03E-06	5.48E-02	4.71E-02	2.33E-08	1.0E+06	2.3E-02
29	0.27362	1.17E-02	3.2E-03	6.05E-04	1.94E-06	5.48E-02	4.71E-02	5.01E-09	1.0E+06	5.0E-03
30	0.30057	1.17E-02	3.5E-03	6.05E-04	2.13E-06	5.48E-02	4.71E-02	5.50E-09	1.0E+06	5.5E-03
31	0.33123	1.17E-02	3.9E-03	6.05E-04	2.35E-06	5.48E-02	4.71E-02	6.06E-09	1.0E+06	6.1E-03

	Max	Receptor #
Res	0.234	397

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.36622	1.17E-02	4.3E-03	6.05E-04	2.59E-06	5.48E-02	4.71E-02	6.70E-09	1.0E+06	6.7E-03
33	0.40327	1.17E-02	4.7E-03	6.05E-04	2.86E-06	5.48E-02	4.71E-02	7.38E-09	1.0E+06	7.4E-03
34	0.44658	1.17E-02	5.2E-03	6.05E-04	3.16E-06	5.48E-02	4.71E-02	8.17E-09	1.0E+06	8.2E-03
35	0.49429	1.17E-02	5.8E-03	6.05E-04	3.50E-06	5.48E-02	4.71E-02	9.05E-09	1.0E+06	9.0E-03
36	0.54931	1.17E-02	6.4E-03	6.05E-04	3.89E-06	5.48E-02	4.71E-02	1.01E-08	1.0E+06	1.0E-02
37	0.61418	1.17E-02	7.2E-03	6.05E-04	4.35E-06	5.48E-02	4.71E-02	1.12E-08	1.0E+06	1.1E-02
38	0.69237	1.17E-02	8.1E-03	6.05E-04	4.90E-06	5.48E-02	4.71E-02	1.27E-08	1.0E+06	1.3E-02
39	0.79147	1.17E-02	9.3E-03	6.05E-04	5.61E-06	5.48E-02	4.71E-02	1.45E-08	1.0E+06	1.4E-02
40	0.91597	1.17E-02	1.1E-02	6.05E-04	6.49E-06	5.48E-02	4.71E-02	1.68E-08	1.0E+06	1.7E-02
41	1.07705	1.17E-02	1.3E-02	6.05E-04	7.63E-06	5.48E-02	4.71E-02	1.97E-08	1.0E+06	2.0E-02
42	1.77861	1.17E-02	2.1E-02	6.05E-04	1.26E-05	5.48E-02	4.71E-02	3.25E-08	1.0E+06	3.3E-02
43	0.27954	1.17E-02	3.3E-03	6.05E-04	1.98E-06	5.48E-02	4.71E-02	5.12E-09	1.0E+06	5.1E-03
44	0.30913	1.17E-02	3.6E-03	6.05E-04	2.19E-06	5.48E-02	4.71E-02	5.66E-09	1.0E+06	5.7E-03
45	0.34534	1.17E-02	4.0E-03	6.05E-04	2.45E-06	5.48E-02	4.71E-02	6.32E-09	1.0E+06	6.3E-03
46	0.38872	1.17E-02	4.6E-03	6.05E-04	2.75E-06	5.48E-02	4.71E-02	7.11E-09	1.0E+06	7.1E-03
47	0.43732	1.17E-02	5.1E-03	6.05E-04	3.10E-06	5.48E-02	4.71E-02	8.00E-09	1.0E+06	8.0E-03
48	0.49359	1.17E-02	5.8E-03	6.05E-04	3.50E-06	5.48E-02	4.71E-02	9.03E-09	1.0E+06	9.0E-03
49	0.55797	1.17E-02	6.5E-03	6.05E-04	3.95E-06	5.48E-02	4.71E-02	1.02E-08	1.0E+06	1.0E-02
50	0.63243	1.17E-02	7.4E-03	6.05E-04	4.48E-06	5.48E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
51	0.73394	1.17E-02	8.6E-03	6.05E-04	5.20E-06	5.48E-02	4.71E-02	1.34E-08	1.0E+06	1.3E-02
52	0.8509	1.17E-02	1.0E-02	6.05E-04	6.03E-06	5.48E-02	4.71E-02	1.56E-08	1.0E+06	1.6E-02
53	1.00391	1.17E-02	1.2E-02	6.05E-04	7.11E-06	5.48E-02	4.71E-02	1.84E-08	1.0E+06	1.8E-02
54	1.20323	1.17E-02	1.4E-02	6.05E-04	8.52E-06	5.48E-02	4.71E-02	2.20E-08	1.0E+06	2.2E-02
55	1.47244	1.17E-02	1.7E-02	6.05E-04	1.04E-05	5.48E-02	4.71E-02	2.69E-08	1.0E+06	2.7E-02
56	2.64917	1.17E-02	3.1E-02	6.05E-04	1.88E-05	5.48E-02	4.71E-02	4.85E-08	1.0E+06	4.8E-02
57	0.27888	1.17E-02	3.3E-03	6.05E-04	1.98E-06	5.48E-02	4.71E-02	5.10E-09	1.0E+06	5.1E-03
58	0.31189	1.17E-02	3.7E-03	6.05E-04	2.21E-06	5.48E-02	4.71E-02	5.71E-09	1.0E+06	5.7E-03
59	0.35208	1.17E-02	4.1E-03	6.05E-04	2.49E-06	5.48E-02	4.71E-02	6.44E-09	1.0E+06	6.4E-03
60	0.40013	1.17E-02	4.7E-03	6.05E-04	2.83E-06	5.48E-02	4.71E-02	7.32E-09	1.0E+06	7.3E-03
61	0.45792	1.17E-02	5.4E-03	6.05E-04	3.24E-06	5.48E-02	4.71E-02	8.38E-09	1.0E+06	8.4E-03
62	0.52762	1.17E-02	6.2E-03	6.05E-04	3.74E-06	5.48E-02	4.71E-02	9.65E-09	1.0E+06	9.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.61592	1.17E-02	7.2E-03	6.05E-04	4.36E-06	5.48E-02	4.71E-02	1.13E-08	1.0E+06	1.1E-02
64	0.71239	1.17E-02	8.3E-03	6.05E-04	5.05E-06	5.48E-02	4.71E-02	1.30E-08	1.0E+06	1.3E-02
65	0.8536	1.17E-02	1.0E-02	6.05E-04	6.05E-06	5.48E-02	4.71E-02	1.56E-08	1.0E+06	1.6E-02
66	1.03816	1.17E-02	1.2E-02	6.05E-04	7.35E-06	5.48E-02	4.71E-02	1.90E-08	1.0E+06	1.9E-02
67	1.27404	1.17E-02	1.5E-02	6.05E-04	9.03E-06	5.48E-02	4.71E-02	2.33E-08	1.0E+06	2.3E-02
68	1.63449	1.17E-02	1.9E-02	6.05E-04	1.16E-05	5.48E-02	4.71E-02	2.99E-08	1.0E+06	3.0E-02
69	2.18232	1.17E-02	2.6E-02	6.05E-04	1.55E-05	5.48E-02	4.71E-02	3.99E-08	1.0E+06	4.0E-02
70	0.27538	1.17E-02	3.2E-03	6.05E-04	1.95E-06	5.48E-02	4.71E-02	5.04E-09	1.0E+06	5.0E-03
71	0.3091	1.17E-02	3.6E-03	6.05E-04	2.19E-06	5.48E-02	4.71E-02	5.66E-09	1.0E+06	5.7E-03
72	0.35013	1.17E-02	4.1E-03	6.05E-04	2.48E-06	5.48E-02	4.71E-02	6.41E-09	1.0E+06	6.4E-03
73	0.40019	1.17E-02	4.7E-03	6.05E-04	2.83E-06	5.48E-02	4.71E-02	7.32E-09	1.0E+06	7.3E-03
74	0.46138	1.17E-02	5.4E-03	6.05E-04	3.27E-06	5.48E-02	4.71E-02	8.44E-09	1.0E+06	8.4E-03
75	0.54195	1.17E-02	6.3E-03	6.05E-04	3.84E-06	5.48E-02	4.71E-02	9.92E-09	1.0E+06	9.9E-03
76	0.64437	1.17E-02	7.5E-03	6.05E-04	4.56E-06	5.48E-02	4.71E-02	1.18E-08	1.0E+06	1.2E-02
77	0.77196	1.17E-02	9.0E-03	6.05E-04	5.47E-06	5.48E-02	4.71E-02	1.41E-08	1.0E+06	1.4E-02
78	0.95736	1.17E-02	1.1E-02	6.05E-04	6.78E-06	5.48E-02	4.71E-02	1.75E-08	1.0E+06	1.8E-02
79	1.24329	1.17E-02	1.5E-02	6.05E-04	8.81E-06	5.48E-02	4.71E-02	2.28E-08	1.0E+06	2.3E-02
80	1.63154	1.17E-02	1.9E-02	6.05E-04	1.16E-05	5.48E-02	4.71E-02	2.99E-08	1.0E+06	3.0E-02
81	2.3629	1.17E-02	2.8E-02	6.05E-04	1.67E-05	5.48E-02	4.71E-02	4.32E-08	1.0E+06	4.3E-02
82	3.60151	1.17E-02	4.2E-02	6.05E-04	2.55E-05	5.48E-02	4.71E-02	6.59E-08	1.0E+06	6.6E-02
83	0.26762	1.17E-02	3.1E-03	6.05E-04	1.90E-06	5.48E-02	4.71E-02	4.90E-09	1.0E+06	4.9E-03
84	0.29866	1.17E-02	3.5E-03	6.05E-04	2.12E-06	5.48E-02	4.71E-02	5.47E-09	1.0E+06	5.5E-03
85	0.33423	1.17E-02	3.9E-03	6.05E-04	2.37E-06	5.48E-02	4.71E-02	6.12E-09	1.0E+06	6.1E-03
86	0.39048	1.17E-02	4.6E-03	6.05E-04	2.77E-06	5.48E-02	4.71E-02	7.15E-09	1.0E+06	7.1E-03
87	0.45418	1.17E-02	5.3E-03	6.05E-04	3.22E-06	5.48E-02	4.71E-02	8.31E-09	1.0E+06	8.3E-03
88	0.53712	1.17E-02	6.3E-03	6.05E-04	3.80E-06	5.48E-02	4.71E-02	9.83E-09	1.0E+06	9.8E-03
89	0.64668	1.17E-02	7.6E-03	6.05E-04	4.58E-06	5.48E-02	4.71E-02	1.18E-08	1.0E+06	1.2E-02
90	0.79766	1.17E-02	9.3E-03	6.05E-04	5.65E-06	5.48E-02	4.71E-02	1.46E-08	1.0E+06	1.5E-02
91	1.01632	1.17E-02	1.2E-02	6.05E-04	7.20E-06	5.48E-02	4.71E-02	1.86E-08	1.0E+06	1.9E-02
92	1.34874	1.17E-02	1.6E-02	6.05E-04	9.55E-06	5.48E-02	4.71E-02	2.47E-08	1.0E+06	2.5E-02
93	1.9215	1.17E-02	2.2E-02	6.05E-04	1.36E-05	5.48E-02	4.71E-02	3.52E-08	1.0E+06	3.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.11964	1.17E-02	3.7E-02	6.05E-04	2.21E-05	5.48E-02	4.71E-02	5.71E-08	1.0E+06	5.7E-02
95	6.62959	1.17E-02	7.8E-02	6.05E-04	4.70E-05	5.48E-02	4.71E-02	1.21E-07	1.0E+06	1.2E-01
96	0.25324	1.17E-02	3.0E-03	6.05E-04	1.79E-06	5.48E-02	4.71E-02	4.63E-09	1.0E+06	4.6E-03
97	0.27645	1.17E-02	3.2E-03	6.05E-04	1.96E-06	5.48E-02	4.71E-02	5.06E-09	1.0E+06	5.1E-03
98	0.30981	1.17E-02	3.6E-03	6.05E-04	2.19E-06	5.48E-02	4.71E-02	5.67E-09	1.0E+06	5.7E-03
99	0.36155	1.17E-02	4.2E-03	6.05E-04	2.56E-06	5.48E-02	4.71E-02	6.62E-09	1.0E+06	6.6E-03
100	0.43382	1.17E-02	5.1E-03	6.05E-04	3.07E-06	5.48E-02	4.71E-02	7.94E-09	1.0E+06	7.9E-03
101	0.51544	1.17E-02	6.0E-03	6.05E-04	3.65E-06	5.48E-02	4.71E-02	9.43E-09	1.0E+06	9.4E-03
102	0.62369	1.17E-02	7.3E-03	6.05E-04	4.42E-06	5.48E-02	4.71E-02	1.14E-08	1.0E+06	1.1E-02
103	0.77652	1.17E-02	9.1E-03	6.05E-04	5.50E-06	5.48E-02	4.71E-02	1.42E-08	1.0E+06	1.4E-02
104	0.9983	1.17E-02	1.2E-02	6.05E-04	7.07E-06	5.48E-02	4.71E-02	1.83E-08	1.0E+06	1.8E-02
105	1.3481	1.17E-02	1.6E-02	6.05E-04	9.55E-06	5.48E-02	4.71E-02	2.47E-08	1.0E+06	2.5E-02
106	1.98311	1.17E-02	2.3E-02	6.05E-04	1.40E-05	5.48E-02	4.71E-02	3.63E-08	1.0E+06	3.6E-02
107	3.42535	1.17E-02	4.0E-02	6.05E-04	2.43E-05	5.48E-02	4.71E-02	6.27E-08	1.0E+06	6.3E-02
108	8.9529	1.17E-02	1.0E-01	6.05E-04	6.34E-05	5.48E-02	4.71E-02	1.64E-07	1.0E+06	1.6E-01
109	0.23343	1.17E-02	2.7E-03	6.05E-04	1.65E-06	5.48E-02	4.71E-02	4.27E-09	1.0E+06	4.3E-03
110	0.26376	1.17E-02	3.1E-03	6.05E-04	1.87E-06	5.48E-02	4.71E-02	4.83E-09	1.0E+06	4.8E-03
111	0.30122	1.17E-02	3.5E-03	6.05E-04	2.13E-06	5.48E-02	4.71E-02	5.51E-09	1.0E+06	5.5E-03
112	0.34771	1.17E-02	4.1E-03	6.05E-04	2.46E-06	5.48E-02	4.71E-02	6.36E-09	1.0E+06	6.4E-03
113	0.40621	1.17E-02	4.8E-03	6.05E-04	2.88E-06	5.48E-02	4.71E-02	7.43E-09	1.0E+06	7.4E-03
114	0.48088	1.17E-02	5.6E-03	6.05E-04	3.41E-06	5.48E-02	4.71E-02	8.80E-09	1.0E+06	8.8E-03
115	0.57802	1.17E-02	6.8E-03	6.05E-04	4.09E-06	5.48E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02
116	0.71561	1.17E-02	8.4E-03	6.05E-04	5.07E-06	5.48E-02	4.71E-02	1.31E-08	1.0E+06	1.3E-02
117	0.92231	1.17E-02	1.1E-02	6.05E-04	6.53E-06	5.48E-02	4.71E-02	1.69E-08	1.0E+06	1.7E-02
118	1.27526	1.17E-02	1.5E-02	6.05E-04	9.03E-06	5.48E-02	4.71E-02	2.33E-08	1.0E+06	2.3E-02
119	1.85182	1.17E-02	2.2E-02	6.05E-04	1.31E-05	5.48E-02	4.71E-02	3.39E-08	1.0E+06	3.4E-02
120	3.10182	1.17E-02	3.6E-02	6.05E-04	2.20E-05	5.48E-02	4.71E-02	5.68E-08	1.0E+06	5.7E-02
121	7.30224	1.17E-02	8.5E-02	6.05E-04	5.17E-05	5.48E-02	4.71E-02	1.34E-07	1.0E+06	1.3E-01
122	0.21719	1.17E-02	2.5E-03	6.05E-04	1.54E-06	5.48E-02	4.71E-02	3.97E-09	1.0E+06	4.0E-03
123	0.24603	1.17E-02	2.9E-03	6.05E-04	1.74E-06	5.48E-02	4.71E-02	4.50E-09	1.0E+06	4.5E-03
124	0.28402	1.17E-02	3.3E-03	6.05E-04	2.01E-06	5.48E-02	4.71E-02	5.20E-09	1.0E+06	5.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.32675	1.17E-02	3.8E-03	6.05E-04	2.31E-06	5.48E-02	4.71E-02	5.98E-09	1.0E+06	6.0E-03
126	0.37739	1.17E-02	4.4E-03	6.05E-04	2.67E-06	5.48E-02	4.71E-02	6.91E-09	1.0E+06	6.9E-03
127	0.43832	1.17E-02	5.1E-03	6.05E-04	3.11E-06	5.48E-02	4.71E-02	8.02E-09	1.0E+06	8.0E-03
128	0.4895	1.17E-02	5.7E-03	6.05E-04	3.47E-06	5.48E-02	4.71E-02	8.96E-09	1.0E+06	9.0E-03
129	0.59454	1.17E-02	7.0E-03	6.05E-04	4.21E-06	5.48E-02	4.71E-02	1.09E-08	1.0E+06	1.1E-02
130	0.77837	1.17E-02	9.1E-03	6.05E-04	5.51E-06	5.48E-02	4.71E-02	1.42E-08	1.0E+06	1.4E-02
131	7.40233	1.17E-02	8.7E-02	6.05E-04	5.24E-05	5.48E-02	4.71E-02	1.35E-07	1.0E+06	1.4E-01
132	5.92098	1.17E-02	6.9E-02	6.05E-04	4.19E-05	5.48E-02	4.71E-02	1.08E-07	1.0E+06	1.1E-01
133	0.2012	1.17E-02	2.4E-03	6.05E-04	1.43E-06	5.48E-02	4.71E-02	3.68E-09	1.0E+06	3.7E-03
134	0.23128	1.17E-02	2.7E-03	6.05E-04	1.64E-06	5.48E-02	4.71E-02	4.23E-09	1.0E+06	4.2E-03
135	0.26577	1.17E-02	3.1E-03	6.05E-04	1.88E-06	5.48E-02	4.71E-02	4.86E-09	1.0E+06	4.9E-03
136	0.30422	1.17E-02	3.6E-03	6.05E-04	2.16E-06	5.48E-02	4.71E-02	5.57E-09	1.0E+06	5.6E-03
137	0.35024	1.17E-02	4.1E-03	6.05E-04	2.48E-06	5.48E-02	4.71E-02	6.41E-09	1.0E+06	6.4E-03
138	0.4009	1.17E-02	4.7E-03	6.05E-04	2.84E-06	5.48E-02	4.71E-02	7.34E-09	1.0E+06	7.3E-03
139	0.45464	1.17E-02	5.3E-03	6.05E-04	3.22E-06	5.48E-02	4.71E-02	8.32E-09	1.0E+06	8.3E-03
140	0.53896	1.17E-02	6.3E-03	6.05E-04	3.82E-06	5.48E-02	4.71E-02	9.86E-09	1.0E+06	9.9E-03
141	0.66049	1.17E-02	7.7E-03	6.05E-04	4.68E-06	5.48E-02	4.71E-02	1.21E-08	1.0E+06	1.2E-02
142	0.81857	1.17E-02	9.6E-03	6.05E-04	5.80E-06	5.48E-02	4.71E-02	1.50E-08	1.0E+06	1.5E-02
143	1.06969	1.17E-02	1.3E-02	6.05E-04	7.58E-06	5.48E-02	4.71E-02	1.96E-08	1.0E+06	2.0E-02
144	1.51306	1.17E-02	1.8E-02	6.05E-04	1.07E-05	5.48E-02	4.71E-02	2.77E-08	1.0E+06	2.8E-02
145	2.20204	1.17E-02	2.6E-02	6.05E-04	1.56E-05	5.48E-02	4.71E-02	4.03E-08	1.0E+06	4.0E-02
146	4.57471	1.17E-02	5.4E-02	6.05E-04	3.24E-05	5.48E-02	4.71E-02	8.37E-08	1.0E+06	8.4E-02
147	0.18734	1.17E-02	2.2E-03	6.05E-04	1.33E-06	5.48E-02	4.71E-02	3.43E-09	1.0E+06	3.4E-03
148	0.21309	1.17E-02	2.5E-03	6.05E-04	1.51E-06	5.48E-02	4.71E-02	3.90E-09	1.0E+06	3.9E-03
149	0.24448	1.17E-02	2.9E-03	6.05E-04	1.73E-06	5.48E-02	4.71E-02	4.47E-09	1.0E+06	4.5E-03
150	0.27925	1.17E-02	3.3E-03	6.05E-04	1.98E-06	5.48E-02	4.71E-02	5.11E-09	1.0E+06	5.1E-03
151	0.32321	1.17E-02	3.8E-03	6.05E-04	2.29E-06	5.48E-02	4.71E-02	5.91E-09	1.0E+06	5.9E-03
152	0.3674	1.17E-02	4.3E-03	6.05E-04	2.60E-06	5.48E-02	4.71E-02	6.72E-09	1.0E+06	6.7E-03
153	0.42017	1.17E-02	4.9E-03	6.05E-04	2.98E-06	5.48E-02	4.71E-02	7.69E-09	1.0E+06	7.7E-03
154	0.49329	1.17E-02	5.8E-03	6.05E-04	3.49E-06	5.48E-02	4.71E-02	9.03E-09	1.0E+06	9.0E-03
155	0.59199	1.17E-02	6.9E-03	6.05E-04	4.19E-06	5.48E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.71666	1.17E-02	8.4E-03	6.05E-04	5.08E-06	5.48E-02	4.71E-02	1.31E-08	1.0E+06	1.3E-02
157	0.87778	1.17E-02	1.0E-02	6.05E-04	6.22E-06	5.48E-02	4.71E-02	1.61E-08	1.0E+06	1.6E-02
158	1.10629	1.17E-02	1.3E-02	6.05E-04	7.84E-06	5.48E-02	4.71E-02	2.02E-08	1.0E+06	2.0E-02
159	1.59661	1.17E-02	1.9E-02	6.05E-04	1.13E-05	5.48E-02	4.71E-02	2.92E-08	1.0E+06	2.9E-02
160	0.17769	1.17E-02	2.1E-03	6.05E-04	1.26E-06	5.48E-02	4.71E-02	3.25E-09	1.0E+06	3.3E-03
161	0.1973	1.17E-02	2.3E-03	6.05E-04	1.40E-06	5.48E-02	4.71E-02	3.61E-09	1.0E+06	3.6E-03
162	0.21729	1.17E-02	2.5E-03	6.05E-04	1.54E-06	5.48E-02	4.71E-02	3.98E-09	1.0E+06	4.0E-03
163	0.25154	1.17E-02	2.9E-03	6.05E-04	1.78E-06	5.48E-02	4.71E-02	4.60E-09	1.0E+06	4.6E-03
164	0.29579	1.17E-02	3.5E-03	6.05E-04	2.10E-06	5.48E-02	4.71E-02	5.41E-09	1.0E+06	5.4E-03
165	0.33639	1.17E-02	3.9E-03	6.05E-04	2.38E-06	5.48E-02	4.71E-02	6.16E-09	1.0E+06	6.2E-03
166	0.38696	1.17E-02	4.5E-03	6.05E-04	2.74E-06	5.48E-02	4.71E-02	7.08E-09	1.0E+06	7.1E-03
167	0.44773	1.17E-02	5.2E-03	6.05E-04	3.17E-06	5.48E-02	4.71E-02	8.19E-09	1.0E+06	8.2E-03
168	0.52312	1.17E-02	6.1E-03	6.05E-04	3.71E-06	5.48E-02	4.71E-02	9.57E-09	1.0E+06	9.6E-03
169	0.61749	1.17E-02	7.2E-03	6.05E-04	4.37E-06	5.48E-02	4.71E-02	1.13E-08	1.0E+06	1.1E-02
170	0.73787	1.17E-02	8.6E-03	6.05E-04	5.23E-06	5.48E-02	4.71E-02	1.35E-08	1.0E+06	1.4E-02
171	0.90459	1.17E-02	1.1E-02	6.05E-04	6.41E-06	5.48E-02	4.71E-02	1.66E-08	1.0E+06	1.7E-02
172	1.17863	1.17E-02	1.4E-02	6.05E-04	8.35E-06	5.48E-02	4.71E-02	2.16E-08	1.0E+06	2.2E-02
173	1.56202	1.17E-02	1.8E-02	6.05E-04	1.11E-05	5.48E-02	4.71E-02	2.86E-08	1.0E+06	2.9E-02
174	2.02836	1.17E-02	2.4E-02	6.05E-04	1.44E-05	5.48E-02	4.71E-02	3.71E-08	1.0E+06	3.7E-02
175	2.36083	1.17E-02	2.8E-02	6.05E-04	1.67E-05	5.48E-02	4.71E-02	4.32E-08	1.0E+06	4.3E-02
176	2.47447	1.17E-02	2.9E-02	6.05E-04	1.75E-05	5.48E-02	4.71E-02	4.53E-08	1.0E+06	4.5E-02
177	2.43188	1.17E-02	2.8E-02	6.05E-04	1.72E-05	5.48E-02	4.71E-02	4.45E-08	1.0E+06	4.5E-02
178	2.25623	1.17E-02	2.6E-02	6.05E-04	1.60E-05	5.48E-02	4.71E-02	4.13E-08	1.0E+06	4.1E-02
179	0.16283	1.17E-02	1.9E-03	6.05E-04	1.15E-06	5.48E-02	4.71E-02	2.98E-09	1.0E+06	3.0E-03
180	0.1782	1.17E-02	2.1E-03	6.05E-04	1.26E-06	5.48E-02	4.71E-02	3.26E-09	1.0E+06	3.3E-03
181	0.19241	1.17E-02	2.3E-03	6.05E-04	1.36E-06	5.48E-02	4.71E-02	3.52E-09	1.0E+06	3.5E-03
182	0.22626	1.17E-02	2.6E-03	6.05E-04	1.60E-06	5.48E-02	4.71E-02	4.14E-09	1.0E+06	4.1E-03
183	0.27299	1.17E-02	3.2E-03	6.05E-04	1.93E-06	5.48E-02	4.71E-02	5.00E-09	1.0E+06	5.0E-03
184	0.31025	1.17E-02	3.6E-03	6.05E-04	2.20E-06	5.48E-02	4.71E-02	5.68E-09	1.0E+06	5.7E-03
185	0.35623	1.17E-02	4.2E-03	6.05E-04	2.52E-06	5.48E-02	4.71E-02	6.52E-09	1.0E+06	6.5E-03
186	0.40715	1.17E-02	4.8E-03	6.05E-04	2.88E-06	5.48E-02	4.71E-02	7.45E-09	1.0E+06	7.5E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.46491	1.17E-02	5.4E-03	6.05E-04	3.29E-06	5.48E-02	4.71E-02	8.51E-09	1.0E+06	8.5E-03
188	0.53875	1.17E-02	6.3E-03	6.05E-04	3.82E-06	5.48E-02	4.71E-02	9.86E-09	1.0E+06	9.9E-03
189	0.62873	1.17E-02	7.4E-03	6.05E-04	4.45E-06	5.48E-02	4.71E-02	1.15E-08	1.0E+06	1.2E-02
190	0.7521	1.17E-02	8.8E-03	6.05E-04	5.33E-06	5.48E-02	4.71E-02	1.38E-08	1.0E+06	1.4E-02
191	0.91282	1.17E-02	1.1E-02	6.05E-04	6.47E-06	5.48E-02	4.71E-02	1.67E-08	1.0E+06	1.7E-02
192	1.1316	1.17E-02	1.3E-02	6.05E-04	8.02E-06	5.48E-02	4.71E-02	2.07E-08	1.0E+06	2.1E-02
193	1.3626	1.17E-02	1.6E-02	6.05E-04	9.65E-06	5.48E-02	4.71E-02	2.49E-08	1.0E+06	2.5E-02
194	1.6103	1.17E-02	1.9E-02	6.05E-04	1.14E-05	5.48E-02	4.71E-02	2.95E-08	1.0E+06	2.9E-02
195	1.83033	1.17E-02	2.1E-02	6.05E-04	1.30E-05	5.48E-02	4.71E-02	3.35E-08	1.0E+06	3.3E-02
196	1.83082	1.17E-02	2.1E-02	6.05E-04	1.30E-05	5.48E-02	4.71E-02	3.35E-08	1.0E+06	3.4E-02
197	1.72496	1.17E-02	2.0E-02	6.05E-04	1.22E-05	5.48E-02	4.71E-02	3.16E-08	1.0E+06	3.2E-02
198	0.15329	1.17E-02	1.8E-03	6.05E-04	1.09E-06	5.48E-02	4.71E-02	2.81E-09	1.0E+06	2.8E-03
199	0.16801	1.17E-02	2.0E-03	6.05E-04	1.19E-06	5.48E-02	4.71E-02	3.07E-09	1.0E+06	3.1E-03
200	0.1845	1.17E-02	2.2E-03	6.05E-04	1.31E-06	5.48E-02	4.71E-02	3.38E-09	1.0E+06	3.4E-03
201	0.20774	1.17E-02	2.4E-03	6.05E-04	1.47E-06	5.48E-02	4.71E-02	3.80E-09	1.0E+06	3.8E-03
202	0.24802	1.17E-02	2.9E-03	6.05E-04	1.76E-06	5.48E-02	4.71E-02	4.54E-09	1.0E+06	4.5E-03
203	0.28344	1.17E-02	3.3E-03	6.05E-04	2.01E-06	5.48E-02	4.71E-02	5.19E-09	1.0E+06	5.2E-03
204	0.32437	1.17E-02	3.8E-03	6.05E-04	2.30E-06	5.48E-02	4.71E-02	5.94E-09	1.0E+06	5.9E-03
205	0.36737	1.17E-02	4.3E-03	6.05E-04	2.60E-06	5.48E-02	4.71E-02	6.72E-09	1.0E+06	6.7E-03
206	0.41583	1.17E-02	4.9E-03	6.05E-04	2.95E-06	5.48E-02	4.71E-02	7.61E-09	1.0E+06	7.6E-03
207	0.47445	1.17E-02	5.6E-03	6.05E-04	3.36E-06	5.48E-02	4.71E-02	8.68E-09	1.0E+06	8.7E-03
208	0.54532	1.17E-02	6.4E-03	6.05E-04	3.86E-06	5.48E-02	4.71E-02	9.98E-09	1.0E+06	1.0E-02
209	0.63729	1.17E-02	7.5E-03	6.05E-04	4.51E-06	5.48E-02	4.71E-02	1.17E-08	1.0E+06	1.2E-02
210	0.75216	1.17E-02	8.8E-03	6.05E-04	5.33E-06	5.48E-02	4.71E-02	1.38E-08	1.0E+06	1.4E-02
211	0.88928	1.17E-02	1.0E-02	6.05E-04	6.30E-06	5.48E-02	4.71E-02	1.63E-08	1.0E+06	1.6E-02
212	1.02495	1.17E-02	1.2E-02	6.05E-04	7.26E-06	5.48E-02	4.71E-02	1.88E-08	1.0E+06	1.9E-02
213	1.13148	1.17E-02	1.3E-02	6.05E-04	8.02E-06	5.48E-02	4.71E-02	2.07E-08	1.0E+06	2.1E-02
214	1.1847	1.17E-02	1.4E-02	6.05E-04	8.39E-06	5.48E-02	4.71E-02	2.17E-08	1.0E+06	2.2E-02
215	1.39908	1.17E-02	1.6E-02	6.05E-04	9.91E-06	5.48E-02	4.71E-02	2.56E-08	1.0E+06	2.6E-02
216	0.14739	1.17E-02	1.7E-03	6.05E-04	1.04E-06	5.48E-02	4.71E-02	2.70E-09	1.0E+06	2.7E-03
217	0.15974	1.17E-02	1.9E-03	6.05E-04	1.13E-06	5.48E-02	4.71E-02	2.92E-09	1.0E+06	2.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.17507	1.17E-02	2.0E-03	6.05E-04	1.24E-06	5.48E-02	4.71E-02	3.20E-09	1.0E+06	3.2E-03
219	0.19408	1.17E-02	2.3E-03	6.05E-04	1.37E-06	5.48E-02	4.71E-02	3.55E-09	1.0E+06	3.6E-03
220	0.22545	1.17E-02	2.6E-03	6.05E-04	1.60E-06	5.48E-02	4.71E-02	4.13E-09	1.0E+06	4.1E-03
221	0.25293	1.17E-02	3.0E-03	6.05E-04	1.79E-06	5.48E-02	4.71E-02	4.63E-09	1.0E+06	4.6E-03
222	0.28852	1.17E-02	3.4E-03	6.05E-04	2.04E-06	5.48E-02	4.71E-02	5.28E-09	1.0E+06	5.3E-03
223	0.32506	1.17E-02	3.8E-03	6.05E-04	2.30E-06	5.48E-02	4.71E-02	5.95E-09	1.0E+06	5.9E-03
224	0.36579	1.17E-02	4.3E-03	6.05E-04	2.59E-06	5.48E-02	4.71E-02	6.69E-09	1.0E+06	6.7E-03
225	0.41139	1.17E-02	4.8E-03	6.05E-04	2.91E-06	5.48E-02	4.71E-02	7.53E-09	1.0E+06	7.5E-03
226	0.47087	1.17E-02	5.5E-03	6.05E-04	3.34E-06	5.48E-02	4.71E-02	8.62E-09	1.0E+06	8.6E-03
227	0.54132	1.17E-02	6.3E-03	6.05E-04	3.83E-06	5.48E-02	4.71E-02	9.91E-09	1.0E+06	9.9E-03
228	0.62646	1.17E-02	7.3E-03	6.05E-04	4.44E-06	5.48E-02	4.71E-02	1.15E-08	1.0E+06	1.1E-02
229	0.72545	1.17E-02	8.5E-03	6.05E-04	5.14E-06	5.48E-02	4.71E-02	1.33E-08	1.0E+06	1.3E-02
230	0.82114	1.17E-02	9.6E-03	6.05E-04	5.82E-06	5.48E-02	4.71E-02	1.50E-08	1.0E+06	1.5E-02
231	0.90433	1.17E-02	1.1E-02	6.05E-04	6.41E-06	5.48E-02	4.71E-02	1.65E-08	1.0E+06	1.7E-02
232	0.95831	1.17E-02	1.1E-02	6.05E-04	6.79E-06	5.48E-02	4.71E-02	1.75E-08	1.0E+06	1.8E-02
233	1.08841	1.17E-02	1.3E-02	6.05E-04	7.71E-06	5.48E-02	4.71E-02	1.99E-08	1.0E+06	2.0E-02
234	0.14198	1.17E-02	1.7E-03	6.05E-04	1.01E-06	5.48E-02	4.71E-02	2.60E-09	1.0E+06	2.6E-03
235	0.152	1.17E-02	1.8E-03	6.05E-04	1.08E-06	5.48E-02	4.71E-02	2.78E-09	1.0E+06	2.8E-03
236	0.16533	1.17E-02	1.9E-03	6.05E-04	1.17E-06	5.48E-02	4.71E-02	3.03E-09	1.0E+06	3.0E-03
237	0.1827	1.17E-02	2.1E-03	6.05E-04	1.29E-06	5.48E-02	4.71E-02	3.34E-09	1.0E+06	3.3E-03
238	0.20515	1.17E-02	2.4E-03	6.05E-04	1.45E-06	5.48E-02	4.71E-02	3.75E-09	1.0E+06	3.8E-03
239	0.22746	1.17E-02	2.7E-03	6.05E-04	1.61E-06	5.48E-02	4.71E-02	4.16E-09	1.0E+06	4.2E-03
240	0.25485	1.17E-02	3.0E-03	6.05E-04	1.81E-06	5.48E-02	4.71E-02	4.66E-09	1.0E+06	4.7E-03
241	0.28536	1.17E-02	3.3E-03	6.05E-04	2.02E-06	5.48E-02	4.71E-02	5.22E-09	1.0E+06	5.2E-03
242	0.32011	1.17E-02	3.7E-03	6.05E-04	2.27E-06	5.48E-02	4.71E-02	5.86E-09	1.0E+06	5.9E-03
243	0.35968	1.17E-02	4.2E-03	6.05E-04	2.55E-06	5.48E-02	4.71E-02	6.58E-09	1.0E+06	6.6E-03
244	0.41028	1.17E-02	4.8E-03	6.05E-04	2.91E-06	5.48E-02	4.71E-02	7.51E-09	1.0E+06	7.5E-03
245	0.46953	1.17E-02	5.5E-03	6.05E-04	3.33E-06	5.48E-02	4.71E-02	8.59E-09	1.0E+06	8.6E-03
246	0.538	1.17E-02	6.3E-03	6.05E-04	3.81E-06	5.48E-02	4.71E-02	9.84E-09	1.0E+06	9.8E-03
247	0.61275	1.17E-02	7.2E-03	6.05E-04	4.34E-06	5.48E-02	4.71E-02	1.12E-08	1.0E+06	1.1E-02
248	0.68743	1.17E-02	8.0E-03	6.05E-04	4.87E-06	5.48E-02	4.71E-02	1.26E-08	1.0E+06	1.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	0.75095	1.17E-02	8.8E-03	6.05E-04	5.32E-06	5.48E-02	4.71E-02	1.37E-08	1.0E+06	1.4E-02
250	0.80013	1.17E-02	9.4E-03	6.05E-04	5.67E-06	5.48E-02	4.71E-02	1.46E-08	1.0E+06	1.5E-02
251	0.89928	1.17E-02	1.1E-02	6.05E-04	6.37E-06	5.48E-02	4.71E-02	1.65E-08	1.0E+06	1.6E-02
252	0.13488	1.17E-02	1.6E-03	6.05E-04	9.55E-07	5.48E-02	4.71E-02	2.47E-09	1.0E+06	2.5E-03
253	0.14265	1.17E-02	1.7E-03	6.05E-04	1.01E-06	5.48E-02	4.71E-02	2.61E-09	1.0E+06	2.6E-03
254	0.15259	1.17E-02	1.8E-03	6.05E-04	1.08E-06	5.48E-02	4.71E-02	2.79E-09	1.0E+06	2.8E-03
255	0.16464	1.17E-02	1.9E-03	6.05E-04	1.17E-06	5.48E-02	4.71E-02	3.01E-09	1.0E+06	3.0E-03
256	0.18715	1.17E-02	2.2E-03	6.05E-04	1.33E-06	5.48E-02	4.71E-02	3.42E-09	1.0E+06	3.4E-03
257	0.19855	1.17E-02	2.3E-03	6.05E-04	1.41E-06	5.48E-02	4.71E-02	3.63E-09	1.0E+06	3.6E-03
258	0.2162	1.17E-02	2.5E-03	6.05E-04	1.53E-06	5.48E-02	4.71E-02	3.96E-09	1.0E+06	4.0E-03
259	0.23718	1.17E-02	2.8E-03	6.05E-04	1.68E-06	5.48E-02	4.71E-02	4.34E-09	1.0E+06	4.3E-03
260	0.26947	1.17E-02	3.2E-03	6.05E-04	1.91E-06	5.48E-02	4.71E-02	4.93E-09	1.0E+06	4.9E-03
261	0.31098	1.17E-02	3.6E-03	6.05E-04	2.20E-06	5.48E-02	4.71E-02	5.69E-09	1.0E+06	5.7E-03
262	0.35732	1.17E-02	4.2E-03	6.05E-04	2.53E-06	5.48E-02	4.71E-02	6.54E-09	1.0E+06	6.5E-03
263	0.4049	1.17E-02	4.7E-03	6.05E-04	2.87E-06	5.48E-02	4.71E-02	7.41E-09	1.0E+06	7.4E-03
264	0.46204	1.17E-02	5.4E-03	6.05E-04	3.27E-06	5.48E-02	4.71E-02	8.45E-09	1.0E+06	8.5E-03
265	0.51992	1.17E-02	6.1E-03	6.05E-04	3.68E-06	5.48E-02	4.71E-02	9.51E-09	1.0E+06	9.5E-03
266	0.57862	1.17E-02	6.8E-03	6.05E-04	4.10E-06	5.48E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02
267	0.6287	1.17E-02	7.4E-03	6.05E-04	4.45E-06	5.48E-02	4.71E-02	1.15E-08	1.0E+06	1.2E-02
268	0.66735	1.17E-02	7.8E-03	6.05E-04	4.73E-06	5.48E-02	4.71E-02	1.22E-08	1.0E+06	1.2E-02
269	0.7427	1.17E-02	8.7E-03	6.05E-04	5.26E-06	5.48E-02	4.71E-02	1.36E-08	1.0E+06	1.4E-02
270	0.12735	1.17E-02	1.5E-03	6.05E-04	9.02E-07	5.48E-02	4.71E-02	2.33E-09	1.0E+06	2.3E-03
271	0.13443	1.17E-02	1.6E-03	6.05E-04	9.52E-07	5.48E-02	4.71E-02	2.46E-09	1.0E+06	2.5E-03
272	0.14286	1.17E-02	1.7E-03	6.05E-04	1.01E-06	5.48E-02	4.71E-02	2.61E-09	1.0E+06	2.6E-03
273	0.1521	1.17E-02	1.8E-03	6.05E-04	1.08E-06	5.48E-02	4.71E-02	2.78E-09	1.0E+06	2.8E-03
274	0.17405	1.17E-02	2.0E-03	6.05E-04	1.23E-06	5.48E-02	4.71E-02	3.18E-09	1.0E+06	3.2E-03
275	0.19151	1.17E-02	2.2E-03	6.05E-04	1.36E-06	5.48E-02	4.71E-02	3.50E-09	1.0E+06	3.5E-03
276	0.19368	1.17E-02	2.3E-03	6.05E-04	1.37E-06	5.48E-02	4.71E-02	3.54E-09	1.0E+06	3.5E-03
277	0.2106	1.17E-02	2.5E-03	6.05E-04	1.49E-06	5.48E-02	4.71E-02	3.85E-09	1.0E+06	3.9E-03
278	0.2342	1.17E-02	2.7E-03	6.05E-04	1.66E-06	5.48E-02	4.71E-02	4.29E-09	1.0E+06	4.3E-03
279	0.26516	1.17E-02	3.1E-03	6.05E-04	1.88E-06	5.48E-02	4.71E-02	4.85E-09	1.0E+06	4.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.30781	1.17E-02	3.6E-03	6.05E-04	2.18E-06	5.48E-02	4.71E-02	5.63E-09	1.0E+06	5.6E-03
281	0.35373	1.17E-02	4.1E-03	6.05E-04	2.51E-06	5.48E-02	4.71E-02	6.47E-09	1.0E+06	6.5E-03
282	0.40181	1.17E-02	4.7E-03	6.05E-04	2.85E-06	5.48E-02	4.71E-02	7.35E-09	1.0E+06	7.4E-03
283	0.45035	1.17E-02	5.3E-03	6.05E-04	3.19E-06	5.48E-02	4.71E-02	8.24E-09	1.0E+06	8.2E-03
284	0.49767	1.17E-02	5.8E-03	6.05E-04	3.53E-06	5.48E-02	4.71E-02	9.11E-09	1.0E+06	9.1E-03
285	0.53687	1.17E-02	6.3E-03	6.05E-04	3.80E-06	5.48E-02	4.71E-02	9.82E-09	1.0E+06	9.8E-03
286	0.56978	1.17E-02	6.7E-03	6.05E-04	4.04E-06	5.48E-02	4.71E-02	1.04E-08	1.0E+06	1.0E-02
287	0.63116	1.17E-02	7.4E-03	6.05E-04	4.47E-06	5.48E-02	4.71E-02	1.15E-08	1.0E+06	1.2E-02
288	0.12073	1.17E-02	1.4E-03	6.05E-04	8.55E-07	5.48E-02	4.71E-02	2.21E-09	1.0E+06	2.2E-03
289	0.12591	1.17E-02	1.5E-03	6.05E-04	8.92E-07	5.48E-02	4.71E-02	2.30E-09	1.0E+06	2.3E-03
290	0.13629	1.17E-02	1.6E-03	6.05E-04	9.65E-07	5.48E-02	4.71E-02	2.49E-09	1.0E+06	2.5E-03
291	0.14618	1.17E-02	1.7E-03	6.05E-04	1.04E-06	5.48E-02	4.71E-02	2.67E-09	1.0E+06	2.7E-03
292	0.17553	1.17E-02	2.1E-03	6.05E-04	1.24E-06	5.48E-02	4.71E-02	3.21E-09	1.0E+06	3.2E-03
293	0.18214	1.17E-02	2.1E-03	6.05E-04	1.29E-06	5.48E-02	4.71E-02	3.33E-09	1.0E+06	3.3E-03
294	0.17701	1.17E-02	2.1E-03	6.05E-04	1.25E-06	5.48E-02	4.71E-02	3.24E-09	1.0E+06	3.2E-03
295	0.19366	1.17E-02	2.3E-03	6.05E-04	1.37E-06	5.48E-02	4.71E-02	3.54E-09	1.0E+06	3.5E-03
296	0.21492	1.17E-02	2.5E-03	6.05E-04	1.52E-06	5.48E-02	4.71E-02	3.93E-09	1.0E+06	3.9E-03
297	0.23689	1.17E-02	2.8E-03	6.05E-04	1.68E-06	5.48E-02	4.71E-02	4.33E-09	1.0E+06	4.3E-03
298	0.26792	1.17E-02	3.1E-03	6.05E-04	1.90E-06	5.48E-02	4.71E-02	4.90E-09	1.0E+06	4.9E-03
299	0.30964	1.17E-02	3.6E-03	6.05E-04	2.19E-06	5.48E-02	4.71E-02	5.67E-09	1.0E+06	5.7E-03
300	0.34814	1.17E-02	4.1E-03	6.05E-04	2.47E-06	5.48E-02	4.71E-02	6.37E-09	1.0E+06	6.4E-03
301	0.39207	1.17E-02	4.6E-03	6.05E-04	2.78E-06	5.48E-02	4.71E-02	7.17E-09	1.0E+06	7.2E-03
302	0.43341	1.17E-02	5.1E-03	6.05E-04	3.07E-06	5.48E-02	4.71E-02	7.93E-09	1.0E+06	7.9E-03
303	0.47003	1.17E-02	5.5E-03	6.05E-04	3.33E-06	5.48E-02	4.71E-02	8.60E-09	1.0E+06	8.6E-03
304	0.49846	1.17E-02	5.8E-03	6.05E-04	3.53E-06	5.48E-02	4.71E-02	9.12E-09	1.0E+06	9.1E-03
305	0.54889	1.17E-02	6.4E-03	6.05E-04	3.89E-06	5.48E-02	4.71E-02	1.00E-08	1.0E+06	1.0E-02
306	0.1215	1.17E-02	1.4E-03	6.05E-04	8.61E-07	5.48E-02	4.71E-02	2.22E-09	1.0E+06	2.2E-03
307	0.12282	1.17E-02	1.4E-03	6.05E-04	8.70E-07	5.48E-02	4.71E-02	2.25E-09	1.0E+06	2.2E-03
308	0.12903	1.17E-02	1.5E-03	6.05E-04	9.14E-07	5.48E-02	4.71E-02	2.36E-09	1.0E+06	2.4E-03
309	0.14771	1.17E-02	1.7E-03	6.05E-04	1.05E-06	5.48E-02	4.71E-02	2.70E-09	1.0E+06	2.7E-03
310	0.1661	1.17E-02	1.9E-03	6.05E-04	1.18E-06	5.48E-02	4.71E-02	3.04E-09	1.0E+06	3.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.17127	1.17E-02	2.0E-03	6.05E-04	1.21E-06	5.48E-02	4.71E-02	3.13E-09	1.0E+06	3.1E-03
312	0.16328	1.17E-02	1.9E-03	6.05E-04	1.16E-06	5.48E-02	4.71E-02	2.99E-09	1.0E+06	3.0E-03
313	0.17828	1.17E-02	2.1E-03	6.05E-04	1.26E-06	5.48E-02	4.71E-02	3.26E-09	1.0E+06	3.3E-03
314	0.19711	1.17E-02	2.3E-03	6.05E-04	1.40E-06	5.48E-02	4.71E-02	3.61E-09	1.0E+06	3.6E-03
315	0.22456	1.17E-02	2.6E-03	6.05E-04	1.59E-06	5.48E-02	4.71E-02	4.11E-09	1.0E+06	4.1E-03
316	0.24394	1.17E-02	2.9E-03	6.05E-04	1.73E-06	5.48E-02	4.71E-02	4.46E-09	1.0E+06	4.5E-03
317	0.27118	1.17E-02	3.2E-03	6.05E-04	1.92E-06	5.48E-02	4.71E-02	4.96E-09	1.0E+06	5.0E-03
318	0.30422	1.17E-02	3.6E-03	6.05E-04	2.16E-06	5.48E-02	4.71E-02	5.57E-09	1.0E+06	5.6E-03
319	0.34378	1.17E-02	4.0E-03	6.05E-04	2.44E-06	5.48E-02	4.71E-02	6.29E-09	1.0E+06	6.3E-03
320	0.3868	1.17E-02	4.5E-03	6.05E-04	2.74E-06	5.48E-02	4.71E-02	7.08E-09	1.0E+06	7.1E-03
321	0.41641	1.17E-02	4.9E-03	6.05E-04	2.95E-06	5.48E-02	4.71E-02	7.62E-09	1.0E+06	7.6E-03
322	0.44075	1.17E-02	5.2E-03	6.05E-04	3.12E-06	5.48E-02	4.71E-02	8.07E-09	1.0E+06	8.1E-03
323	0.48154	1.17E-02	5.6E-03	6.05E-04	3.41E-06	5.48E-02	4.71E-02	8.81E-09	1.0E+06	8.8E-03
324	0.11562	1.17E-02	1.4E-03	6.05E-04	8.19E-07	5.48E-02	4.71E-02	2.12E-09	1.0E+06	2.1E-03
325	0.12511	1.17E-02	1.5E-03	6.05E-04	8.86E-07	5.48E-02	4.71E-02	2.29E-09	1.0E+06	2.3E-03
326	0.12995	1.17E-02	1.5E-03	6.05E-04	9.21E-07	5.48E-02	4.71E-02	2.38E-09	1.0E+06	2.4E-03
327	0.13277	1.17E-02	1.6E-03	6.05E-04	9.41E-07	5.48E-02	4.71E-02	2.43E-09	1.0E+06	2.4E-03
328	0.15993	1.17E-02	1.9E-03	6.05E-04	1.13E-06	5.48E-02	4.71E-02	2.93E-09	1.0E+06	2.9E-03
329	0.1611	1.17E-02	1.9E-03	6.05E-04	1.14E-06	5.48E-02	4.71E-02	2.95E-09	1.0E+06	2.9E-03
330	0.15531	1.17E-02	1.8E-03	6.05E-04	1.10E-06	5.48E-02	4.71E-02	2.84E-09	1.0E+06	2.8E-03
331	0.16961	1.17E-02	2.0E-03	6.05E-04	1.20E-06	5.48E-02	4.71E-02	3.10E-09	1.0E+06	3.1E-03
332	0.18704	1.17E-02	2.2E-03	6.05E-04	1.32E-06	5.48E-02	4.71E-02	3.42E-09	1.0E+06	3.4E-03
333	0.21165	1.17E-02	2.5E-03	6.05E-04	1.50E-06	5.48E-02	4.71E-02	3.87E-09	1.0E+06	3.9E-03
334	0.23286	1.17E-02	2.7E-03	6.05E-04	1.65E-06	5.48E-02	4.71E-02	4.26E-09	1.0E+06	4.3E-03
335	0.25687	1.17E-02	3.0E-03	6.05E-04	1.82E-06	5.48E-02	4.71E-02	4.70E-09	1.0E+06	4.7E-03
336	5.25471	1.17E-02	6.2E-02	6.05E-04	3.72E-05	5.48E-02	4.71E-02	9.62E-08	1.0E+06	9.6E-02
337	4.09801	1.17E-02	4.8E-02	6.05E-04	2.90E-05	5.48E-02	4.71E-02	7.50E-08	1.0E+06	7.5E-02
338	0.69877	1.17E-02	8.2E-03	6.05E-04	4.95E-06	5.48E-02	4.71E-02	1.28E-08	1.0E+06	1.3E-02
339	0.77633	1.17E-02	9.1E-03	6.05E-04	5.50E-06	5.48E-02	4.71E-02	1.42E-08	1.0E+06	1.4E-02
340	0.84525	1.17E-02	9.9E-03	6.05E-04	5.99E-06	5.48E-02	4.71E-02	1.55E-08	1.0E+06	1.5E-02
341	0.89345	1.17E-02	1.0E-02	6.05E-04	6.33E-06	5.48E-02	4.71E-02	1.63E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.92141	1.17E-02	1.1E-02	6.05E-04	6.53E-06	5.48E-02	4.71E-02	1.69E-08	1.0E+06	1.7E-02
343	0.91505	1.17E-02	1.1E-02	6.05E-04	6.48E-06	5.48E-02	4.71E-02	1.67E-08	1.0E+06	1.7E-02
344	0.8857	1.17E-02	1.0E-02	6.05E-04	6.27E-06	5.48E-02	4.71E-02	1.62E-08	1.0E+06	1.6E-02
345	0.8401	1.17E-02	9.8E-03	6.05E-04	5.95E-06	5.48E-02	4.71E-02	1.54E-08	1.0E+06	1.5E-02
346	0.7797	1.17E-02	9.1E-03	6.05E-04	5.52E-06	5.48E-02	4.71E-02	1.43E-08	1.0E+06	1.4E-02
347	0.86888	1.17E-02	1.0E-02	6.05E-04	6.16E-06	5.48E-02	4.71E-02	1.59E-08	1.0E+06	1.6E-02
348	1.00398	1.17E-02	1.2E-02	6.05E-04	7.11E-06	5.48E-02	4.71E-02	1.84E-08	1.0E+06	1.8E-02
349	1.10866	1.17E-02	1.3E-02	6.05E-04	7.85E-06	5.48E-02	4.71E-02	2.03E-08	1.0E+06	2.0E-02
350	1.17766	1.17E-02	1.4E-02	6.05E-04	8.34E-06	5.48E-02	4.71E-02	2.16E-08	1.0E+06	2.2E-02
351	1.21981	1.17E-02	1.4E-02	6.05E-04	8.64E-06	5.48E-02	4.71E-02	2.23E-08	1.0E+06	2.2E-02
352	1.19644	1.17E-02	1.4E-02	6.05E-04	8.48E-06	5.48E-02	4.71E-02	2.19E-08	1.0E+06	2.2E-02
353	1.14005	1.17E-02	1.3E-02	6.05E-04	8.08E-06	5.48E-02	4.71E-02	2.09E-08	1.0E+06	2.1E-02
354	1.04619	1.17E-02	1.2E-02	6.05E-04	7.41E-06	5.48E-02	4.71E-02	1.91E-08	1.0E+06	1.9E-02
355	0.95366	1.17E-02	1.1E-02	6.05E-04	6.76E-06	5.48E-02	4.71E-02	1.75E-08	1.0E+06	1.7E-02
356	1.11736	1.17E-02	1.3E-02	6.05E-04	7.92E-06	5.48E-02	4.71E-02	2.04E-08	1.0E+06	2.0E-02
357	1.30958	1.17E-02	1.5E-02	6.05E-04	9.28E-06	5.48E-02	4.71E-02	2.40E-08	1.0E+06	2.4E-02
358	1.49976	1.17E-02	1.8E-02	6.05E-04	1.06E-05	5.48E-02	4.71E-02	2.74E-08	1.0E+06	2.7E-02
359	1.62635	1.17E-02	1.9E-02	6.05E-04	1.15E-05	5.48E-02	4.71E-02	2.98E-08	1.0E+06	3.0E-02
360	1.69468	1.17E-02	2.0E-02	6.05E-04	1.20E-05	5.48E-02	4.71E-02	3.10E-08	1.0E+06	3.1E-02
361	1.62336	1.17E-02	1.9E-02	6.05E-04	1.15E-05	5.48E-02	4.71E-02	2.97E-08	1.0E+06	3.0E-02
362	1.51327	1.17E-02	1.8E-02	6.05E-04	1.07E-05	5.48E-02	4.71E-02	2.77E-08	1.0E+06	2.8E-02
363	1.34227	1.17E-02	1.6E-02	6.05E-04	9.51E-06	5.48E-02	4.71E-02	2.46E-08	1.0E+06	2.5E-02
364	1.53351	1.17E-02	1.8E-02	6.05E-04	1.09E-05	5.48E-02	4.71E-02	2.81E-08	1.0E+06	2.8E-02
365	1.80482	1.17E-02	2.1E-02	6.05E-04	1.28E-05	5.48E-02	4.71E-02	3.30E-08	1.0E+06	3.3E-02
366	2.17696	1.17E-02	2.5E-02	6.05E-04	1.54E-05	5.48E-02	4.71E-02	3.98E-08	1.0E+06	4.0E-02
367	2.40697	1.17E-02	2.8E-02	6.05E-04	1.71E-05	5.48E-02	4.71E-02	4.40E-08	1.0E+06	4.4E-02
368	2.51485	1.17E-02	2.9E-02	6.05E-04	1.78E-05	5.48E-02	4.71E-02	4.60E-08	1.0E+06	4.6E-02
369	2.33111	1.17E-02	2.7E-02	6.05E-04	1.65E-05	5.48E-02	4.71E-02	4.27E-08	1.0E+06	4.3E-02
370	1.80686	1.17E-02	2.1E-02	6.05E-04	1.28E-05	5.48E-02	4.71E-02	3.31E-08	1.0E+06	3.3E-02
371	1.49896	1.17E-02	1.8E-02	6.05E-04	1.06E-05	5.48E-02	4.71E-02	2.74E-08	1.0E+06	2.7E-02
372	2.29428	1.17E-02	2.7E-02	6.05E-04	1.63E-05	5.48E-02	4.71E-02	4.20E-08	1.0E+06	4.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	2.85493	1.17E-02	3.3E-02	6.05E-04	2.02E-05	5.48E-02	4.71E-02	5.22E-08	1.0E+06	5.2E-02
374	3.56379	1.17E-02	4.2E-02	6.05E-04	2.52E-05	5.48E-02	4.71E-02	6.52E-08	1.0E+06	6.5E-02
375	3.96254	1.17E-02	4.6E-02	6.05E-04	2.81E-05	5.48E-02	4.71E-02	7.25E-08	1.0E+06	7.3E-02
376	4.11531	1.17E-02	4.8E-02	6.05E-04	2.92E-05	5.48E-02	4.71E-02	7.53E-08	1.0E+06	7.5E-02
377	4.00445	1.17E-02	4.7E-02	6.05E-04	2.84E-05	5.48E-02	4.71E-02	7.33E-08	1.0E+06	7.3E-02
378	3.65975	1.17E-02	4.3E-02	6.05E-04	2.59E-05	5.48E-02	4.71E-02	6.70E-08	1.0E+06	6.7E-02
379	2.47423	1.17E-02	2.9E-02	6.05E-04	1.75E-05	5.48E-02	4.71E-02	4.53E-08	1.0E+06	4.5E-02
380	1.90451	1.17E-02	2.2E-02	6.05E-04	1.35E-05	5.48E-02	4.71E-02	3.49E-08	1.0E+06	3.5E-02
381	1.45157	1.17E-02	1.7E-02	6.05E-04	1.03E-05	5.48E-02	4.71E-02	2.66E-08	1.0E+06	2.7E-02
382	3.94527	1.17E-02	4.6E-02	6.05E-04	2.79E-05	5.48E-02	4.71E-02	7.22E-08	1.0E+06	7.2E-02
383	5.74292	1.17E-02	6.7E-02	6.05E-04	4.07E-05	5.48E-02	4.71E-02	1.05E-07	1.0E+06	1.1E-01
384	7.0628	1.17E-02	8.3E-02	6.05E-04	5.00E-05	5.48E-02	4.71E-02	1.29E-07	1.0E+06	1.3E-01
385	7.7788	1.17E-02	9.1E-02	6.05E-04	5.51E-05	5.48E-02	4.71E-02	1.42E-07	1.0E+06	1.4E-01
386	7.94303	1.17E-02	9.3E-02	6.05E-04	5.63E-05	5.48E-02	4.71E-02	1.45E-07	1.0E+06	1.5E-01
387	7.61242	1.17E-02	8.9E-02	6.05E-04	5.39E-05	5.48E-02	4.71E-02	1.39E-07	1.0E+06	1.4E-01
388	6.77558	1.17E-02	7.9E-02	6.05E-04	4.80E-05	5.48E-02	4.71E-02	1.24E-07	1.0E+06	1.2E-01
389	3.47544	1.17E-02	4.1E-02	6.05E-04	2.46E-05	5.48E-02	4.71E-02	6.36E-08	1.0E+06	6.4E-02
390	2.31331	1.17E-02	2.7E-02	6.05E-04	1.64E-05	5.48E-02	4.71E-02	4.23E-08	1.0E+06	4.2E-02
391	1.6179	1.17E-02	1.9E-02	6.05E-04	1.15E-05	5.48E-02	4.71E-02	2.96E-08	1.0E+06	3.0E-02
392	1.15161	1.17E-02	1.3E-02	6.05E-04	8.16E-06	5.48E-02	4.71E-02	2.11E-08	1.0E+06	2.1E-02
393	8.7282	1.17E-02	1.0E-01	6.05E-04	6.18E-05	5.48E-02	4.71E-02	1.60E-07	1.0E+06	1.6E-01
394	10.19606	1.17E-02	1.2E-01	6.05E-04	7.22E-05	5.48E-02	4.71E-02	1.87E-07	1.0E+06	1.9E-01
395	10.29107	1.17E-02	1.2E-01	6.05E-04	7.29E-05	5.48E-02	4.71E-02	1.88E-07	1.0E+06	1.9E-01
396	10.86265	1.17E-02	1.3E-01	6.05E-04	7.70E-05	5.48E-02	4.71E-02	1.99E-07	1.0E+06	2.0E-01
397	12.76958	1.17E-02	1.5E-01	6.05E-04	9.05E-05	5.48E-02	4.71E-02	2.34E-07	1.0E+06	2.3E-01
398	8.34943	1.17E-02	9.8E-02	6.05E-04	5.91E-05	5.48E-02	4.71E-02	1.53E-07	1.0E+06	1.5E-01
399	6.66481	1.17E-02	7.8E-02	6.05E-04	4.72E-05	5.48E-02	4.71E-02	1.22E-07	1.0E+06	1.2E-01
400	4.69002	1.17E-02	5.5E-02	6.05E-04	3.32E-05	5.48E-02	4.71E-02	8.58E-08	1.0E+06	8.6E-02
401	2.59215	1.17E-02	3.0E-02	6.05E-04	1.84E-05	5.48E-02	4.71E-02	4.74E-08	1.0E+06	4.7E-02
402	1.14275	1.17E-02	1.3E-02	6.05E-04	8.10E-06	5.48E-02	4.71E-02	2.09E-08	1.0E+06	2.1E-02
403	5.34568	1.17E-02	6.3E-02	6.05E-04	3.79E-05	5.48E-02	4.71E-02	9.78E-08	1.0E+06	9.8E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.14379	1.17E-02	1.3E-02	6.05E-04	8.10E-06	5.48E-02	4.71E-02	2.09E-08	1.0E+06	2.1E-02
405	0.83327	1.17E-02	9.8E-03	6.05E-04	5.90E-06	5.48E-02	4.71E-02	1.52E-08	1.0E+06	1.5E-02
406	4.3595	1.17E-02	5.1E-02	6.05E-04	3.09E-05	5.48E-02	4.71E-02	7.98E-08	1.0E+06	8.0E-02
407	0.77446	1.17E-02	9.1E-03	6.05E-04	5.49E-06	5.48E-02	4.71E-02	1.42E-08	1.0E+06	1.4E-02
408	3.26711	1.17E-02	3.8E-02	6.05E-04	2.31E-05	5.48E-02	4.71E-02	5.98E-08	1.0E+06	6.0E-02
409	0.71621	1.17E-02	8.4E-03	6.05E-04	5.07E-06	5.48E-02	4.71E-02	1.31E-08	1.0E+06	1.3E-02
410	2.482	1.17E-02	2.9E-02	6.05E-04	1.76E-05	5.48E-02	4.71E-02	4.54E-08	1.0E+06	4.5E-02
411	0.85532	1.17E-02	1.0E-02	6.05E-04	6.06E-06	5.48E-02	4.71E-02	1.57E-08	1.0E+06	1.6E-02
412	0.67288	1.17E-02	7.9E-03	6.05E-04	4.77E-06	5.48E-02	4.71E-02	1.23E-08	1.0E+06	1.2E-02
413	1.93775	1.17E-02	2.3E-02	6.05E-04	1.37E-05	5.48E-02	4.71E-02	3.55E-08	1.0E+06	3.5E-02
414	1.0153	1.17E-02	1.2E-02	6.05E-04	7.19E-06	5.48E-02	4.71E-02	1.86E-08	1.0E+06	1.9E-02
415	0.77501	1.17E-02	9.1E-03	6.05E-04	5.49E-06	5.48E-02	4.71E-02	1.42E-08	1.0E+06	1.4E-02
416	0.61765	1.17E-02	7.2E-03	6.05E-04	4.38E-06	5.48E-02	4.71E-02	1.13E-08	1.0E+06	1.1E-02
417	1.554	1.17E-02	1.8E-02	6.05E-04	1.10E-05	5.48E-02	4.71E-02	2.84E-08	1.0E+06	2.8E-02
418	0.70372	1.17E-02	8.2E-03	6.05E-04	4.99E-06	5.48E-02	4.71E-02	1.29E-08	1.0E+06	1.3E-02
419	0.56773	1.17E-02	6.6E-03	6.05E-04	4.02E-06	5.48E-02	4.71E-02	1.04E-08	1.0E+06	1.0E-02
420	0.46976	1.17E-02	5.5E-03	6.05E-04	3.33E-06	5.48E-02	4.71E-02	8.60E-09	1.0E+06	8.6E-03
421	1.274	1.17E-02	1.5E-02	6.05E-04	9.02E-06	5.48E-02	4.71E-02	2.33E-08	1.0E+06	2.3E-02
422	0.52242	1.17E-02	6.1E-03	6.05E-04	3.70E-06	5.48E-02	4.71E-02	9.56E-09	1.0E+06	9.6E-03
423	0.43715	1.17E-02	5.1E-03	6.05E-04	3.10E-06	5.48E-02	4.71E-02	8.00E-09	1.0E+06	8.0E-03
424	1.06285	1.17E-02	1.2E-02	6.05E-04	7.53E-06	5.48E-02	4.71E-02	1.94E-08	1.0E+06	1.9E-02
425	0.40644	1.17E-02	4.8E-03	6.05E-04	2.88E-06	5.48E-02	4.71E-02	7.44E-09	1.0E+06	7.4E-03
426	0.34877	1.17E-02	4.1E-03	6.05E-04	2.47E-06	5.48E-02	4.71E-02	6.38E-09	1.0E+06	6.4E-03
427	0.8992	1.17E-02	1.1E-02	6.05E-04	6.37E-06	5.48E-02	4.71E-02	1.65E-08	1.0E+06	1.6E-02
428	0.37801	1.17E-02	4.4E-03	6.05E-04	2.68E-06	5.48E-02	4.71E-02	6.92E-09	1.0E+06	6.9E-03
429	0.32678	1.17E-02	3.8E-03	6.05E-04	2.31E-06	5.48E-02	4.71E-02	5.98E-09	1.0E+06	6.0E-03
430	0.77021	1.17E-02	9.0E-03	6.05E-04	5.46E-06	5.48E-02	4.71E-02	1.41E-08	1.0E+06	1.4E-02
431	0.30623	1.17E-02	3.6E-03	6.05E-04	2.17E-06	5.48E-02	4.71E-02	5.60E-09	1.0E+06	5.6E-03
432	0.26825	1.17E-02	3.1E-03	6.05E-04	1.90E-06	5.48E-02	4.71E-02	4.91E-09	1.0E+06	4.9E-03
433	0.66605	1.17E-02	7.8E-03	6.05E-04	4.72E-06	5.48E-02	4.71E-02	1.22E-08	1.0E+06	1.2E-02
434	0.28725	1.17E-02	3.4E-03	6.05E-04	2.03E-06	5.48E-02	4.71E-02	5.26E-09	1.0E+06	5.3E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.2539	1.17E-02	3.0E-03	6.05E-04	1.80E-06	5.48E-02	4.71E-02	4.65E-09	1.0E+06	4.6E-03
436	0.58116	1.17E-02	6.8E-03	6.05E-04	4.12E-06	5.48E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02
437	0.30691	1.17E-02	3.6E-03	6.05E-04	2.17E-06	5.48E-02	4.71E-02	5.62E-09	1.0E+06	5.6E-03
438	0.27001	1.17E-02	3.2E-03	6.05E-04	1.91E-06	5.48E-02	4.71E-02	4.94E-09	1.0E+06	4.9E-03
439	0.23975	1.17E-02	2.8E-03	6.05E-04	1.70E-06	5.48E-02	4.71E-02	4.39E-09	1.0E+06	4.4E-03
440	0.51082	1.17E-02	6.0E-03	6.05E-04	3.62E-06	5.48E-02	4.71E-02	9.35E-09	1.0E+06	9.3E-03
441	0.3712	1.17E-02	4.3E-03	6.05E-04	2.63E-06	5.48E-02	4.71E-02	6.79E-09	1.0E+06	6.8E-03
442	0.326	1.17E-02	3.8E-03	6.05E-04	2.31E-06	5.48E-02	4.71E-02	5.97E-09	1.0E+06	6.0E-03
443	0.28704	1.17E-02	3.4E-03	6.05E-04	2.03E-06	5.48E-02	4.71E-02	5.25E-09	1.0E+06	5.3E-03
444	0.25394	1.17E-02	3.0E-03	6.05E-04	1.80E-06	5.48E-02	4.71E-02	4.65E-09	1.0E+06	4.6E-03
445	0.4522	1.17E-02	5.3E-03	6.05E-04	3.20E-06	5.48E-02	4.71E-02	8.27E-09	1.0E+06	8.3E-03
446	0.37925	1.17E-02	4.4E-03	6.05E-04	2.69E-06	5.48E-02	4.71E-02	6.94E-09	1.0E+06	6.9E-03
447	0.33987	1.17E-02	4.0E-03	6.05E-04	2.41E-06	5.48E-02	4.71E-02	6.22E-09	1.0E+06	6.2E-03
448	0.30239	1.17E-02	3.5E-03	6.05E-04	2.14E-06	5.48E-02	4.71E-02	5.53E-09	1.0E+06	5.5E-03
449	0.40282	1.17E-02	4.7E-03	6.05E-04	2.85E-06	5.48E-02	4.71E-02	7.37E-09	1.0E+06	7.4E-03
450	0.37605	1.17E-02	4.4E-03	6.05E-04	2.66E-06	5.48E-02	4.71E-02	6.88E-09	1.0E+06	6.9E-03
451	0.34509	1.17E-02	4.0E-03	6.05E-04	2.44E-06	5.48E-02	4.71E-02	6.31E-09	1.0E+06	6.3E-03
452	0.36089	1.17E-02	4.2E-03	6.05E-04	2.56E-06	5.48E-02	4.71E-02	6.60E-09	1.0E+06	6.6E-03
453	0.33992	1.17E-02	4.0E-03	6.05E-04	2.41E-06	5.48E-02	4.71E-02	6.22E-09	1.0E+06	6.2E-03
454	0.19146	1.17E-02	2.2E-03	6.05E-04	1.36E-06	5.48E-02	4.71E-02	3.50E-09	1.0E+06	3.5E-03
455	0.17478	1.17E-02	2.0E-03	6.05E-04	1.24E-06	5.48E-02	4.71E-02	3.20E-09	1.0E+06	3.2E-03
456	0.32501	1.17E-02	3.8E-03	6.05E-04	2.30E-06	5.48E-02	4.71E-02	5.95E-09	1.0E+06	5.9E-03
457	0.30847	1.17E-02	3.6E-03	6.05E-04	2.19E-06	5.48E-02	4.71E-02	5.64E-09	1.0E+06	5.6E-03
458	0.28793	1.17E-02	3.4E-03	6.05E-04	2.04E-06	5.48E-02	4.71E-02	5.27E-09	1.0E+06	5.3E-03
459	0.22069	1.17E-02	2.6E-03	6.05E-04	1.56E-06	5.48E-02	4.71E-02	4.04E-09	1.0E+06	4.0E-03
460	0.20066	1.17E-02	2.3E-03	6.05E-04	1.42E-06	5.48E-02	4.71E-02	3.67E-09	1.0E+06	3.7E-03
461	0.18243	1.17E-02	2.1E-03	6.05E-04	1.29E-06	5.48E-02	4.71E-02	3.34E-09	1.0E+06	3.3E-03
462	0.16633	1.17E-02	1.9E-03	6.05E-04	1.18E-06	5.48E-02	4.71E-02	3.04E-09	1.0E+06	3.0E-03
463	4.29765	1.17E-02	5.0E-02	6.05E-04	3.04E-05	5.48E-02	4.71E-02	7.86E-08	1.0E+06	7.9E-02
464	3.3969	1.17E-02	4.0E-02	6.05E-04	2.41E-05	5.48E-02	4.71E-02	6.22E-08	1.0E+06	6.2E-02
465	2.89488	1.17E-02	3.4E-02	6.05E-04	2.05E-05	5.48E-02	4.71E-02	5.30E-08	1.0E+06	5.3E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.25169	1.17E-02	2.6E-02	6.05E-04	1.60E-05	5.48E-02	4.71E-02	4.12E-08	1.0E+06	4.1E-02
467	2.03748	1.17E-02	2.4E-02	6.05E-04	1.44E-05	5.48E-02	4.71E-02	3.73E-08	1.0E+06	3.7E-02
468	1.58578	1.17E-02	1.9E-02	6.05E-04	1.12E-05	5.48E-02	4.71E-02	2.90E-08	1.0E+06	2.9E-02
469	1.27157	1.17E-02	1.5E-02	6.05E-04	9.01E-06	5.48E-02	4.71E-02	2.33E-08	1.0E+06	2.3E-02
470	1.11457	1.17E-02	1.3E-02	6.05E-04	7.90E-06	5.48E-02	4.71E-02	2.04E-08	1.0E+06	2.0E-02
471	1.15557	1.17E-02	1.4E-02	6.05E-04	8.19E-06	5.48E-02	4.71E-02	2.11E-08	1.0E+06	2.1E-02
472	0.91809	1.17E-02	1.1E-02	6.05E-04	6.50E-06	5.48E-02	4.71E-02	1.68E-08	1.0E+06	1.7E-02
473	0.8703	1.17E-02	1.0E-02	6.05E-04	6.17E-06	5.48E-02	4.71E-02	1.59E-08	1.0E+06	1.6E-02
474	0.76922	1.17E-02	9.0E-03	6.05E-04	5.45E-06	5.48E-02	4.71E-02	1.41E-08	1.0E+06	1.4E-02
475	0.73688	1.17E-02	8.6E-03	6.05E-04	5.22E-06	5.48E-02	4.71E-02	1.35E-08	1.0E+06	1.3E-02
476	0.65302	1.17E-02	7.6E-03	6.05E-04	4.63E-06	5.48E-02	4.71E-02	1.19E-08	1.0E+06	1.2E-02
477	0.63139	1.17E-02	7.4E-03	6.05E-04	4.47E-06	5.48E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
478	0.5609	1.17E-02	6.6E-03	6.05E-04	3.97E-06	5.48E-02	4.71E-02	1.03E-08	1.0E+06	1.0E-02
479	0.54625	1.17E-02	6.4E-03	6.05E-04	3.87E-06	5.48E-02	4.71E-02	1.00E-08	1.0E+06	1.0E-02
480	0.51817	1.17E-02	6.1E-03	6.05E-04	3.67E-06	5.48E-02	4.71E-02	9.48E-09	1.0E+06	9.5E-03
481	0.48689	1.17E-02	5.7E-03	6.05E-04	3.45E-06	5.48E-02	4.71E-02	8.91E-09	1.0E+06	8.9E-03
482	0.45676	1.17E-02	5.3E-03	6.05E-04	3.24E-06	5.48E-02	4.71E-02	8.36E-09	1.0E+06	8.4E-03
483	0.42029	1.17E-02	4.9E-03	6.05E-04	2.98E-06	5.48E-02	4.71E-02	7.69E-09	1.0E+06	7.7E-03
484	0.40531	1.17E-02	4.7E-03	6.05E-04	2.87E-06	5.48E-02	4.71E-02	7.42E-09	1.0E+06	7.4E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	5.67E-04
2	5	6.09E-04
3	5	6.54E-04
4	5	7.01E-04
5	5	7.49E-04
6	5	8.04E-04
7	5	8.64E-04
8	5	9.29E-04
9	5	1.00E-03
10	5	1.10E-03
11	5	1.22E-03
12	5	1.40E-03
13	5	1.61E-03
14	5	2.24E-03
15	5	6.10E-04
16	5	6.61E-04
17	5	7.20E-04
18	5	7.81E-04
19	5	8.47E-04
20	5	9.21E-04
21	5	1.00E-03
22	5	1.09E-03
23	5	1.20E-03
24	5	1.32E-03
25	5	1.49E-03
26	5	1.72E-03
27	5	2.00E-03
28	5	2.99E-03
29	5	6.41E-04
30	5	7.04E-04
31	5	7.76E-04

Max	Receptor #	
0.030	397	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	8.58E-04
33	5	9.44E-04
34	5	1.05E-03
35	5	1.16E-03
36	5	1.29E-03
37	5	1.44E-03
38	5	1.62E-03
39	5	1.85E-03
40	5	2.14E-03
41	5	2.52E-03
42	5	4.16E-03
43	5	6.55E-04
44	5	7.24E-04
45	5	8.09E-04
46	5	9.10E-04
47	5	1.02E-03
48	5	1.16E-03
49	5	1.31E-03
50	5	1.48E-03
51	5	1.72E-03
52	5	1.99E-03
53	5	2.35E-03
54	5	2.82E-03
55	5	3.45E-03
56	5	6.20E-03
57	5	6.53E-04
58	5	7.30E-04
59	5	8.24E-04
60	5	9.37E-04
61	5	1.07E-03
62	5	1.24E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	1.44E-03
64	5	1.67E-03
65	5	2.00E-03
66	5	2.43E-03
67	5	2.98E-03
68	5	3.83E-03
69	5	5.11E-03
70	5	6.45E-04
71	5	7.24E-04
72	5	8.20E-04
73	5	9.37E-04
74	5	1.08E-03
75	5	1.27E-03
76	5	1.51E-03
77	5	1.81E-03
78	5	2.24E-03
79	5	2.91E-03
80	5	3.82E-03
81	5	5.53E-03
82	5	8.43E-03
83	5	6.27E-04
84	5	6.99E-04
85	5	7.83E-04
86	5	9.14E-04
87	5	1.06E-03
88	5	1.26E-03
89	5	1.51E-03
90	5	1.87E-03
91	5	2.38E-03
92	5	3.16E-03
93	5	4.50E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	7.30E-03
95	5	1.55E-02
96	5	5.93E-04
97	5	6.47E-04
98	5	7.25E-04
99	5	8.47E-04
100	5	1.02E-03
101	5	1.21E-03
102	5	1.46E-03
103	5	1.82E-03
104	5	2.34E-03
105	5	3.16E-03
106	5	4.64E-03
107	5	8.02E-03
108	5	2.10E-02
109	5	5.47E-04
110	5	6.18E-04
111	5	7.05E-04
112	5	8.14E-04
113	5	9.51E-04
114	5	1.13E-03
115	5	1.35E-03
116	5	1.68E-03
117	5	2.16E-03
118	5	2.99E-03
119	5	4.34E-03
120	5	7.26E-03
121	5	1.71E-02
122	5	5.09E-04
123	5	5.76E-04
124	5	6.65E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	7.65E-04
126	5	8.84E-04
127	5	1.03E-03
128	5	1.15E-03
129	5	1.39E-03
130	5	1.82E-03
131	5	1.73E-02
132	5	1.39E-02
133	5	4.71E-04
134	5	5.42E-04
135	5	6.22E-04
136	5	7.12E-04
137	5	8.20E-04
138	5	9.39E-04
139	5	1.06E-03
140	5	1.26E-03
141	5	1.55E-03
142	5	1.92E-03
143	5	2.50E-03
144	5	3.54E-03
145	5	5.16E-03
146	5	1.07E-02
147	5	4.39E-04
148	5	4.99E-04
149	5	5.72E-04
150	5	6.54E-04
151	5	7.57E-04
152	5	8.60E-04
153	5	9.84E-04
154	5	1.16E-03
155	5	1.39E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.68E-03
157	5	2.06E-03
158	5	2.59E-03
159	5	3.74E-03
160	5	4.16E-04
161	5	4.62E-04
162	5	5.09E-04
163	5	5.89E-04
164	5	6.93E-04
165	5	7.88E-04
166	5	9.06E-04
167	5	1.05E-03
168	5	1.22E-03
169	5	1.45E-03
170	5	1.73E-03
171	5	2.12E-03
172	5	2.76E-03
173	5	3.66E-03
174	5	4.75E-03
175	5	5.53E-03
176	5	5.79E-03
177	5	5.69E-03
178	5	5.28E-03
179	5	3.81E-04
180	5	4.17E-04
181	5	4.51E-04
182	5	5.30E-04
183	5	6.39E-04
184	5	7.26E-04
185	5	8.34E-04
186	5	9.53E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.09E-03
188	5	1.26E-03
189	5	1.47E-03
190	5	1.76E-03
191	5	2.14E-03
192	5	2.65E-03
193	5	3.19E-03
194	5	3.77E-03
195	5	4.29E-03
196	5	4.29E-03
197	5	4.04E-03
198	5	3.59E-04
199	5	3.93E-04
200	5	4.32E-04
201	5	4.86E-04
202	5	5.81E-04
203	5	6.64E-04
204	5	7.60E-04
205	5	8.60E-04
206	5	9.74E-04
207	5	1.11E-03
208	5	1.28E-03
209	5	1.49E-03
210	5	1.76E-03
211	5	2.08E-03
212	5	2.40E-03
213	5	2.65E-03
214	5	2.77E-03
215	5	3.28E-03
216	5	3.45E-04
217	5	3.74E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	4.10E-04
219	5	4.54E-04
220	5	5.28E-04
221	5	5.92E-04
222	5	6.76E-04
223	5	7.61E-04
224	5	8.57E-04
225	5	9.63E-04
226	5	1.10E-03
227	5	1.27E-03
228	5	1.47E-03
229	5	1.70E-03
230	5	1.92E-03
231	5	2.12E-03
232	5	2.24E-03
233	5	2.55E-03
234	5	3.32E-04
235	5	3.56E-04
236	5	3.87E-04
237	5	4.28E-04
238	5	4.80E-04
239	5	5.33E-04
240	5	5.97E-04
241	5	6.68E-04
242	5	7.50E-04
243	5	8.42E-04
244	5	9.61E-04
245	5	1.10E-03
246	5	1.26E-03
247	5	1.43E-03
248	5	1.61E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	1.76E-03
250	5	1.87E-03
251	5	2.11E-03
252	5	3.16E-04
253	5	3.34E-04
254	5	3.57E-04
255	5	3.86E-04
256	5	4.38E-04
257	5	4.65E-04
258	5	5.06E-04
259	5	5.55E-04
260	5	6.31E-04
261	5	7.28E-04
262	5	8.37E-04
263	5	9.48E-04
264	5	1.08E-03
265	5	1.22E-03
266	5	1.35E-03
267	5	1.47E-03
268	5	1.56E-03
269	5	1.74E-03
270	5	2.98E-04
271	5	3.15E-04
272	5	3.35E-04
273	5	3.56E-04
274	5	4.08E-04
275	5	4.48E-04
276	5	4.54E-04
277	5	4.93E-04
278	5	5.48E-04
279	5	6.21E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	7.21E-04
281	5	8.28E-04
282	5	9.41E-04
283	5	1.05E-03
284	5	1.17E-03
285	5	1.26E-03
286	5	1.33E-03
287	5	1.48E-03
288	5	2.83E-04
289	5	2.95E-04
290	5	3.19E-04
291	5	3.42E-04
292	5	4.11E-04
293	5	4.26E-04
294	5	4.14E-04
295	5	4.53E-04
296	5	5.03E-04
297	5	5.55E-04
298	5	6.27E-04
299	5	7.25E-04
300	5	8.15E-04
301	5	9.18E-04
302	5	1.01E-03
303	5	1.10E-03
304	5	1.17E-03
305	5	1.29E-03
306	5	2.84E-04
307	5	2.88E-04
308	5	3.02E-04
309	5	3.46E-04
310	5	3.89E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	4.01E-04
312	5	3.82E-04
313	5	4.17E-04
314	5	4.62E-04
315	5	5.26E-04
316	5	5.71E-04
317	5	6.35E-04
318	5	7.12E-04
319	5	8.05E-04
320	5	9.06E-04
321	5	9.75E-04
322	5	1.03E-03
323	5	1.13E-03
324	5	2.71E-04
325	5	2.93E-04
326	5	3.04E-04
327	5	3.11E-04
328	5	3.74E-04
329	5	3.77E-04
330	5	3.64E-04
331	5	3.97E-04
332	5	4.38E-04
333	5	4.96E-04
334	5	5.45E-04
335	5	6.01E-04
336	5	1.23E-02
337	5	9.60E-03
338	5	1.64E-03
339	5	1.82E-03
340	5	1.98E-03
341	5	2.09E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	2.16E-03
343	5	2.14E-03
344	5	2.07E-03
345	5	1.97E-03
346	5	1.83E-03
347	5	2.03E-03
348	5	2.35E-03
349	5	2.60E-03
350	5	2.76E-03
351	5	2.86E-03
352	5	2.80E-03
353	5	2.67E-03
354	5	2.45E-03
355	5	2.23E-03
356	5	2.62E-03
357	5	3.07E-03
358	5	3.51E-03
359	5	3.81E-03
360	5	3.97E-03
361	5	3.80E-03
362	5	3.54E-03
363	5	3.14E-03
364	5	3.59E-03
365	5	4.23E-03
366	5	5.10E-03
367	5	5.64E-03
368	5	5.89E-03
369	5	5.46E-03
370	5	4.23E-03
371	5	3.51E-03
372	5	5.37E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	6.68E-03
374	5	8.34E-03
375	5	9.28E-03
376	5	9.64E-03
377	5	9.38E-03
378	5	8.57E-03
379	5	5.79E-03
380	5	4.46E-03
381	5	3.40E-03
382	5	9.24E-03
383	5	1.34E-02
384	5	1.65E-02
385	5	1.82E-02
386	5	1.86E-02
387	5	1.78E-02
388	5	1.59E-02
389	5	8.14E-03
390	5	5.42E-03
391	5	3.79E-03
392	5	2.70E-03
393	5	2.04E-02
394	5	2.39E-02
395	5	2.41E-02
396	5	2.54E-02
397	5	2.99E-02
398	5	1.96E-02
399	5	1.56E-02
400	5	1.10E-02
401	5	6.07E-03
402	5	2.68E-03
403	5	1.25E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	2.68E-03
405	5	1.95E-03
406	5	1.02E-02
407	5	1.81E-03
408	5	7.65E-03
409	5	1.68E-03
410	5	5.81E-03
411	5	2.00E-03
412	5	1.58E-03
413	5	4.54E-03
414	5	2.38E-03
415	5	1.81E-03
416	5	1.45E-03
417	5	3.64E-03
418	5	1.65E-03
419	5	1.33E-03
420	5	1.10E-03
421	5	2.98E-03
422	5	1.22E-03
423	5	1.02E-03
424	5	2.49E-03
425	5	9.52E-04
426	5	8.17E-04
427	5	2.11E-03
428	5	8.85E-04
429	5	7.65E-04
430	5	1.80E-03
431	5	7.17E-04
432	5	6.28E-04
433	5	1.56E-03
434	5	6.73E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	5.95E-04
436	5	1.36E-03
437	5	7.19E-04
438	5	6.32E-04
439	5	5.61E-04
440	5	1.20E-03
441	5	8.69E-04
442	5	7.63E-04
443	5	6.72E-04
444	5	5.95E-04
445	5	1.06E-03
446	5	8.88E-04
447	5	7.96E-04
448	5	7.08E-04
449	5	9.43E-04
450	5	8.81E-04
451	5	8.08E-04
452	5	8.45E-04
453	5	7.96E-04
454	5	4.48E-04
455	5	4.09E-04
456	5	7.61E-04
457	5	7.22E-04
458	5	6.74E-04
459	5	5.17E-04
460	5	4.70E-04
461	5	4.27E-04
462	5	3.89E-04
463	5	1.01E-02
464	5	7.95E-03
465	5	6.78E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	5.27E-03
467	5	4.77E-03
468	5	3.71E-03
469	5	2.98E-03
470	5	2.61E-03
471	5	2.71E-03
472	5	2.15E-03
473	5	2.04E-03
474	5	1.80E-03
475	5	1.73E-03
476	5	1.53E-03
477	5	1.48E-03
478	5	1.31E-03
479	5	1.28E-03
480	5	1.21E-03
481	5	1.14E-03
482	5	1.07E-03
483	5	9.84E-04
484	5	9.49E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.24208	3.38E-03	8.2E-04	6.05E-04	4.96E-07	1.20E+00	4.71E-02	2.81E-08	1.0E+06	2.8E-02
2	0.26015	3.38E-03	8.8E-04	6.05E-04	5.33E-07	1.20E+00	4.71E-02	3.02E-08	1.0E+06	3.0E-02
3	0.2791	3.38E-03	9.4E-04	6.05E-04	5.71E-07	1.20E+00	4.71E-02	3.24E-08	1.0E+06	3.2E-02
4	0.29917	3.38E-03	1.0E-03	6.05E-04	6.12E-07	1.20E+00	4.71E-02	3.47E-08	1.0E+06	3.5E-02
5	0.31982	3.38E-03	1.1E-03	6.05E-04	6.55E-07	1.20E+00	4.71E-02	3.71E-08	1.0E+06	3.7E-02
6	0.34333	3.38E-03	1.2E-03	6.05E-04	7.03E-07	1.20E+00	4.71E-02	3.98E-08	1.0E+06	4.0E-02
7	0.36878	3.38E-03	1.2E-03	6.05E-04	7.55E-07	1.20E+00	4.71E-02	4.28E-08	1.0E+06	4.3E-02
8	0.39664	3.38E-03	1.3E-03	6.05E-04	8.12E-07	1.20E+00	4.71E-02	4.60E-08	1.0E+06	4.6E-02
9	0.42832	3.38E-03	1.4E-03	6.05E-04	8.77E-07	1.20E+00	4.71E-02	4.97E-08	1.0E+06	5.0E-02
10	0.46814	3.38E-03	1.6E-03	6.05E-04	9.58E-07	1.20E+00	4.71E-02	5.43E-08	1.0E+06	5.4E-02
11	0.52197	3.38E-03	1.8E-03	6.05E-04	1.07E-06	1.20E+00	4.71E-02	6.06E-08	1.0E+06	6.1E-02
12	0.59851	3.38E-03	2.0E-03	6.05E-04	1.23E-06	1.20E+00	4.71E-02	6.95E-08	1.0E+06	6.9E-02
13	0.68958	3.38E-03	2.3E-03	6.05E-04	1.41E-06	1.20E+00	4.71E-02	8.00E-08	1.0E+06	8.0E-02
14	0.95843	3.38E-03	3.2E-03	6.05E-04	1.96E-06	1.20E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
15	0.26037	3.38E-03	8.8E-04	6.05E-04	5.33E-07	1.20E+00	4.71E-02	3.02E-08	1.0E+06	3.0E-02
16	0.28217	3.38E-03	9.5E-04	6.05E-04	5.78E-07	1.20E+00	4.71E-02	3.27E-08	1.0E+06	3.3E-02
17	0.30728	3.38E-03	1.0E-03	6.05E-04	6.29E-07	1.20E+00	4.71E-02	3.57E-08	1.0E+06	3.6E-02
18	0.33369	3.38E-03	1.1E-03	6.05E-04	6.83E-07	1.20E+00	4.71E-02	3.87E-08	1.0E+06	3.9E-02
19	0.36184	3.38E-03	1.2E-03	6.05E-04	7.41E-07	1.20E+00	4.71E-02	4.20E-08	1.0E+06	4.2E-02
20	0.39341	3.38E-03	1.3E-03	6.05E-04	8.05E-07	1.20E+00	4.71E-02	4.57E-08	1.0E+06	4.6E-02
21	0.42795	3.38E-03	1.4E-03	6.05E-04	8.76E-07	1.20E+00	4.71E-02	4.97E-08	1.0E+06	5.0E-02
22	0.46515	3.38E-03	1.6E-03	6.05E-04	9.52E-07	1.20E+00	4.71E-02	5.40E-08	1.0E+06	5.4E-02
23	0.51215	3.38E-03	1.7E-03	6.05E-04	1.05E-06	1.20E+00	4.71E-02	5.94E-08	1.0E+06	5.9E-02
24	0.56234	3.38E-03	1.9E-03	6.05E-04	1.15E-06	1.20E+00	4.71E-02	6.53E-08	1.0E+06	6.5E-02
25	0.63622	3.38E-03	2.2E-03	6.05E-04	1.30E-06	1.20E+00	4.71E-02	7.38E-08	1.0E+06	7.4E-02
26	0.73661	3.38E-03	2.5E-03	6.05E-04	1.51E-06	1.20E+00	4.71E-02	8.55E-08	1.0E+06	8.5E-02
27	0.85488	3.38E-03	2.9E-03	6.05E-04	1.75E-06	1.20E+00	4.71E-02	9.92E-08	1.0E+06	9.9E-02
28	1.27528	3.38E-03	4.3E-03	6.05E-04	2.61E-06	1.20E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
29	0.27362	3.38E-03	9.3E-04	6.05E-04	5.60E-07	1.20E+00	4.71E-02	3.18E-08	1.0E+06	3.2E-02
30	0.30057	3.38E-03	1.0E-03	6.05E-04	6.15E-07	1.20E+00	4.71E-02	3.49E-08	1.0E+06	3.5E-02
31	0.33123	3.38E-03	1.1E-03	6.05E-04	6.78E-07	1.20E+00	4.71E-02	3.84E-08	1.0E+06	3.8E-02

	Max	Receptor #
Res	1.482	397

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.36622	3.38E-03	1.2E-03	6.05E-04	7.50E-07	1.20E+00	4.71E-02	4.25E-08	1.0E+06	4.3E-02
33	0.40327	3.38E-03	1.4E-03	6.05E-04	8.25E-07	1.20E+00	4.71E-02	4.68E-08	1.0E+06	4.7E-02
34	0.44658	3.38E-03	1.5E-03	6.05E-04	9.14E-07	1.20E+00	4.71E-02	5.18E-08	1.0E+06	5.2E-02
35	0.49429	3.38E-03	1.7E-03	6.05E-04	1.01E-06	1.20E+00	4.71E-02	5.74E-08	1.0E+06	5.7E-02
36	0.54931	3.38E-03	1.9E-03	6.05E-04	1.12E-06	1.20E+00	4.71E-02	6.38E-08	1.0E+06	6.4E-02
37	0.61418	3.38E-03	2.1E-03	6.05E-04	1.26E-06	1.20E+00	4.71E-02	7.13E-08	1.0E+06	7.1E-02
38	0.69237	3.38E-03	2.3E-03	6.05E-04	1.42E-06	1.20E+00	4.71E-02	8.04E-08	1.0E+06	8.0E-02
39	0.79147	3.38E-03	2.7E-03	6.05E-04	1.62E-06	1.20E+00	4.71E-02	9.19E-08	1.0E+06	9.2E-02
40	0.91597	3.38E-03	3.1E-03	6.05E-04	1.87E-06	1.20E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
41	1.07705	3.38E-03	3.6E-03	6.05E-04	2.20E-06	1.20E+00	4.71E-02	1.25E-07	1.0E+06	1.3E-01
42	1.77861	3.38E-03	6.0E-03	6.05E-04	3.64E-06	1.20E+00	4.71E-02	2.06E-07	1.0E+06	2.1E-01
43	0.27954	3.38E-03	9.5E-04	6.05E-04	5.72E-07	1.20E+00	4.71E-02	3.24E-08	1.0E+06	3.2E-02
44	0.30913	3.38E-03	1.0E-03	6.05E-04	6.33E-07	1.20E+00	4.71E-02	3.59E-08	1.0E+06	3.6E-02
45	0.34534	3.38E-03	1.2E-03	6.05E-04	7.07E-07	1.20E+00	4.71E-02	4.01E-08	1.0E+06	4.0E-02
46	0.38872	3.38E-03	1.3E-03	6.05E-04	7.96E-07	1.20E+00	4.71E-02	4.51E-08	1.0E+06	4.5E-02
47	0.43732	3.38E-03	1.5E-03	6.05E-04	8.95E-07	1.20E+00	4.71E-02	5.08E-08	1.0E+06	5.1E-02
48	0.49359	3.38E-03	1.7E-03	6.05E-04	1.01E-06	1.20E+00	4.71E-02	5.73E-08	1.0E+06	5.7E-02
49	0.55797	3.38E-03	1.9E-03	6.05E-04	1.14E-06	1.20E+00	4.71E-02	6.48E-08	1.0E+06	6.5E-02
50	0.63243	3.38E-03	2.1E-03	6.05E-04	1.29E-06	1.20E+00	4.71E-02	7.34E-08	1.0E+06	7.3E-02
51	0.73394	3.38E-03	2.5E-03	6.05E-04	1.50E-06	1.20E+00	4.71E-02	8.52E-08	1.0E+06	8.5E-02
52	0.8509	3.38E-03	2.9E-03	6.05E-04	1.74E-06	1.20E+00	4.71E-02	9.88E-08	1.0E+06	9.9E-02
53	1.00391	3.38E-03	3.4E-03	6.05E-04	2.05E-06	1.20E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
54	1.20323	3.38E-03	4.1E-03	6.05E-04	2.46E-06	1.20E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01
55	1.47244	3.38E-03	5.0E-03	6.05E-04	3.01E-06	1.20E+00	4.71E-02	1.71E-07	1.0E+06	1.7E-01
56	2.64917	3.38E-03	9.0E-03	6.05E-04	5.42E-06	1.20E+00	4.71E-02	3.07E-07	1.0E+06	3.1E-01
57	0.27888	3.38E-03	9.4E-04	6.05E-04	5.71E-07	1.20E+00	4.71E-02	3.24E-08	1.0E+06	3.2E-02
58	0.31189	3.38E-03	1.1E-03	6.05E-04	6.38E-07	1.20E+00	4.71E-02	3.62E-08	1.0E+06	3.6E-02
59	0.35208	3.38E-03	1.2E-03	6.05E-04	7.21E-07	1.20E+00	4.71E-02	4.09E-08	1.0E+06	4.1E-02
60	0.40013	3.38E-03	1.4E-03	6.05E-04	8.19E-07	1.20E+00	4.71E-02	4.64E-08	1.0E+06	4.6E-02
61	0.45792	3.38E-03	1.5E-03	6.05E-04	9.37E-07	1.20E+00	4.71E-02	5.31E-08	1.0E+06	5.3E-02
62	0.52762	3.38E-03	1.8E-03	6.05E-04	1.08E-06	1.20E+00	4.71E-02	6.12E-08	1.0E+06	6.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.61592	3.38E-03	2.1E-03	6.05E-04	1.26E-06	1.20E+00	4.71E-02	7.15E-08	1.0E+06	7.1E-02
64	0.71239	3.38E-03	2.4E-03	6.05E-04	1.46E-06	1.20E+00	4.71E-02	8.27E-08	1.0E+06	8.3E-02
65	0.8536	3.38E-03	2.9E-03	6.05E-04	1.75E-06	1.20E+00	4.71E-02	9.91E-08	1.0E+06	9.9E-02
66	1.03816	3.38E-03	3.5E-03	6.05E-04	2.13E-06	1.20E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01
67	1.27404	3.38E-03	4.3E-03	6.05E-04	2.61E-06	1.20E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
68	1.63449	3.38E-03	5.5E-03	6.05E-04	3.35E-06	1.20E+00	4.71E-02	1.90E-07	1.0E+06	1.9E-01
69	2.18232	3.38E-03	7.4E-03	6.05E-04	4.47E-06	1.20E+00	4.71E-02	2.53E-07	1.0E+06	2.5E-01
70	0.27538	3.38E-03	9.3E-04	6.05E-04	5.64E-07	1.20E+00	4.71E-02	3.20E-08	1.0E+06	3.2E-02
71	0.3091	3.38E-03	1.0E-03	6.05E-04	6.33E-07	1.20E+00	4.71E-02	3.59E-08	1.0E+06	3.6E-02
72	0.35013	3.38E-03	1.2E-03	6.05E-04	7.17E-07	1.20E+00	4.71E-02	4.06E-08	1.0E+06	4.1E-02
73	0.40019	3.38E-03	1.4E-03	6.05E-04	8.19E-07	1.20E+00	4.71E-02	4.64E-08	1.0E+06	4.6E-02
74	0.46138	3.38E-03	1.6E-03	6.05E-04	9.44E-07	1.20E+00	4.71E-02	5.35E-08	1.0E+06	5.4E-02
75	0.54195	3.38E-03	1.8E-03	6.05E-04	1.11E-06	1.20E+00	4.71E-02	6.29E-08	1.0E+06	6.3E-02
76	0.64437	3.38E-03	2.2E-03	6.05E-04	1.32E-06	1.20E+00	4.71E-02	7.48E-08	1.0E+06	7.5E-02
77	0.77196	3.38E-03	2.6E-03	6.05E-04	1.58E-06	1.20E+00	4.71E-02	8.96E-08	1.0E+06	9.0E-02
78	0.95736	3.38E-03	3.2E-03	6.05E-04	1.96E-06	1.20E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
79	1.24329	3.38E-03	4.2E-03	6.05E-04	2.54E-06	1.20E+00	4.71E-02	1.44E-07	1.0E+06	1.4E-01
80	1.63154	3.38E-03	5.5E-03	6.05E-04	3.34E-06	1.20E+00	4.71E-02	1.89E-07	1.0E+06	1.9E-01
81	2.3629	3.38E-03	8.0E-03	6.05E-04	4.84E-06	1.20E+00	4.71E-02	2.74E-07	1.0E+06	2.7E-01
82	3.60151	3.38E-03	1.2E-02	6.05E-04	7.37E-06	1.20E+00	4.71E-02	4.18E-07	1.0E+06	4.2E-01
83	0.26762	3.38E-03	9.1E-04	6.05E-04	5.48E-07	1.20E+00	4.71E-02	3.11E-08	1.0E+06	3.1E-02
84	0.29866	3.38E-03	1.0E-03	6.05E-04	6.11E-07	1.20E+00	4.71E-02	3.47E-08	1.0E+06	3.5E-02
85	0.33423	3.38E-03	1.1E-03	6.05E-04	6.84E-07	1.20E+00	4.71E-02	3.88E-08	1.0E+06	3.9E-02
86	0.39048	3.38E-03	1.3E-03	6.05E-04	7.99E-07	1.20E+00	4.71E-02	4.53E-08	1.0E+06	4.5E-02
87	0.45418	3.38E-03	1.5E-03	6.05E-04	9.30E-07	1.20E+00	4.71E-02	5.27E-08	1.0E+06	5.3E-02
88	0.53712	3.38E-03	1.8E-03	6.05E-04	1.10E-06	1.20E+00	4.71E-02	6.23E-08	1.0E+06	6.2E-02
89	0.64668	3.38E-03	2.2E-03	6.05E-04	1.32E-06	1.20E+00	4.71E-02	7.51E-08	1.0E+06	7.5E-02
90	0.79766	3.38E-03	2.7E-03	6.05E-04	1.63E-06	1.20E+00	4.71E-02	9.26E-08	1.0E+06	9.3E-02
91	1.01632	3.38E-03	3.4E-03	6.05E-04	2.08E-06	1.20E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01
92	1.34874	3.38E-03	4.6E-03	6.05E-04	2.76E-06	1.20E+00	4.71E-02	1.57E-07	1.0E+06	1.6E-01
93	1.9215	3.38E-03	6.5E-03	6.05E-04	3.93E-06	1.20E+00	4.71E-02	2.23E-07	1.0E+06	2.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	3.11964	3.38E-03	1.1E-02	6.05E-04	6.39E-06	1.20E+00	4.71E-02	3.62E-07	1.0E+06	3.6E-01
95	6.62959	3.38E-03	2.2E-02	6.05E-04	1.36E-05	1.20E+00	4.71E-02	7.69E-07	1.0E+06	7.7E-01
96	0.25324	3.38E-03	8.6E-04	6.05E-04	5.18E-07	1.20E+00	4.71E-02	2.94E-08	1.0E+06	2.9E-02
97	0.27645	3.38E-03	9.4E-04	6.05E-04	5.66E-07	1.20E+00	4.71E-02	3.21E-08	1.0E+06	3.2E-02
98	0.30981	3.38E-03	1.0E-03	6.05E-04	6.34E-07	1.20E+00	4.71E-02	3.60E-08	1.0E+06	3.6E-02
99	0.36155	3.38E-03	1.2E-03	6.05E-04	7.40E-07	1.20E+00	4.71E-02	4.20E-08	1.0E+06	4.2E-02
100	0.43382	3.38E-03	1.5E-03	6.05E-04	8.88E-07	1.20E+00	4.71E-02	5.04E-08	1.0E+06	5.0E-02
101	0.51544	3.38E-03	1.7E-03	6.05E-04	1.06E-06	1.20E+00	4.71E-02	5.98E-08	1.0E+06	6.0E-02
102	0.62369	3.38E-03	2.1E-03	6.05E-04	1.28E-06	1.20E+00	4.71E-02	7.24E-08	1.0E+06	7.2E-02
103	0.77652	3.38E-03	2.6E-03	6.05E-04	1.59E-06	1.20E+00	4.71E-02	9.01E-08	1.0E+06	9.0E-02
104	0.9983	3.38E-03	3.4E-03	6.05E-04	2.04E-06	1.20E+00	4.71E-02	1.16E-07	1.0E+06	1.2E-01
105	1.3481	3.38E-03	4.6E-03	6.05E-04	2.76E-06	1.20E+00	4.71E-02	1.56E-07	1.0E+06	1.6E-01
106	1.98311	3.38E-03	6.7E-03	6.05E-04	4.06E-06	1.20E+00	4.71E-02	2.30E-07	1.0E+06	2.3E-01
107	3.42535	3.38E-03	1.2E-02	6.05E-04	7.01E-06	1.20E+00	4.71E-02	3.98E-07	1.0E+06	4.0E-01
108	8.9529	3.38E-03	3.0E-02	6.05E-04	1.83E-05	1.20E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
109	0.23343	3.38E-03	7.9E-04	6.05E-04	4.78E-07	1.20E+00	4.71E-02	2.71E-08	1.0E+06	2.7E-02
110	0.26376	3.38E-03	8.9E-04	6.05E-04	5.40E-07	1.20E+00	4.71E-02	3.06E-08	1.0E+06	3.1E-02
111	0.30122	3.38E-03	1.0E-03	6.05E-04	6.17E-07	1.20E+00	4.71E-02	3.50E-08	1.0E+06	3.5E-02
112	0.34771	3.38E-03	1.2E-03	6.05E-04	7.12E-07	1.20E+00	4.71E-02	4.04E-08	1.0E+06	4.0E-02
113	0.40621	3.38E-03	1.4E-03	6.05E-04	8.32E-07	1.20E+00	4.71E-02	4.71E-08	1.0E+06	4.7E-02
114	0.48088	3.38E-03	1.6E-03	6.05E-04	9.84E-07	1.20E+00	4.71E-02	5.58E-08	1.0E+06	5.6E-02
115	0.57802	3.38E-03	2.0E-03	6.05E-04	1.18E-06	1.20E+00	4.71E-02	6.71E-08	1.0E+06	6.7E-02
116	0.71561	3.38E-03	2.4E-03	6.05E-04	1.46E-06	1.20E+00	4.71E-02	8.31E-08	1.0E+06	8.3E-02
117	0.92231	3.38E-03	3.1E-03	6.05E-04	1.89E-06	1.20E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
118	1.27526	3.38E-03	4.3E-03	6.05E-04	2.61E-06	1.20E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
119	1.85182	3.38E-03	6.3E-03	6.05E-04	3.79E-06	1.20E+00	4.71E-02	2.15E-07	1.0E+06	2.1E-01
120	3.10182	3.38E-03	1.0E-02	6.05E-04	6.35E-06	1.20E+00	4.71E-02	3.60E-07	1.0E+06	3.6E-01
121	7.30224	3.38E-03	2.5E-02	6.05E-04	1.49E-05	1.20E+00	4.71E-02	8.48E-07	1.0E+06	8.5E-01
122	0.21719	3.38E-03	7.3E-04	6.05E-04	4.45E-07	1.20E+00	4.71E-02	2.52E-08	1.0E+06	2.5E-02
123	0.24603	3.38E-03	8.3E-04	6.05E-04	5.04E-07	1.20E+00	4.71E-02	2.86E-08	1.0E+06	2.9E-02
124	0.28402	3.38E-03	9.6E-04	6.05E-04	5.81E-07	1.20E+00	4.71E-02	3.30E-08	1.0E+06	3.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.32675	3.38E-03	1.1E-03	6.05E-04	6.69E-07	1.20E+00	4.71E-02	3.79E-08	1.0E+06	3.8E-02
126	0.37739	3.38E-03	1.3E-03	6.05E-04	7.73E-07	1.20E+00	4.71E-02	4.38E-08	1.0E+06	4.4E-02
127	0.43832	3.38E-03	1.5E-03	6.05E-04	8.97E-07	1.20E+00	4.71E-02	5.09E-08	1.0E+06	5.1E-02
128	0.4895	3.38E-03	1.7E-03	6.05E-04	1.00E-06	1.20E+00	4.71E-02	5.68E-08	1.0E+06	5.7E-02
129	0.59454	3.38E-03	2.0E-03	6.05E-04	1.22E-06	1.20E+00	4.71E-02	6.90E-08	1.0E+06	6.9E-02
130	0.77837	3.38E-03	2.6E-03	6.05E-04	1.59E-06	1.20E+00	4.71E-02	9.03E-08	1.0E+06	9.0E-02
131	7.40233	3.38E-03	2.5E-02	6.05E-04	1.52E-05	1.20E+00	4.71E-02	8.59E-07	1.0E+06	8.6E-01
132	5.92098	3.38E-03	2.0E-02	6.05E-04	1.21E-05	1.20E+00	4.71E-02	6.87E-07	1.0E+06	6.9E-01
133	0.2012	3.38E-03	6.8E-04	6.05E-04	4.12E-07	1.20E+00	4.71E-02	2.34E-08	1.0E+06	2.3E-02
134	0.23128	3.38E-03	7.8E-04	6.05E-04	4.73E-07	1.20E+00	4.71E-02	2.68E-08	1.0E+06	2.7E-02
135	0.26577	3.38E-03	9.0E-04	6.05E-04	5.44E-07	1.20E+00	4.71E-02	3.08E-08	1.0E+06	3.1E-02
136	0.30422	3.38E-03	1.0E-03	6.05E-04	6.23E-07	1.20E+00	4.71E-02	3.53E-08	1.0E+06	3.5E-02
137	0.35024	3.38E-03	1.2E-03	6.05E-04	7.17E-07	1.20E+00	4.71E-02	4.07E-08	1.0E+06	4.1E-02
138	0.4009	3.38E-03	1.4E-03	6.05E-04	8.21E-07	1.20E+00	4.71E-02	4.65E-08	1.0E+06	4.7E-02
139	0.45464	3.38E-03	1.5E-03	6.05E-04	9.31E-07	1.20E+00	4.71E-02	5.28E-08	1.0E+06	5.3E-02
140	0.53896	3.38E-03	1.8E-03	6.05E-04	1.10E-06	1.20E+00	4.71E-02	6.26E-08	1.0E+06	6.3E-02
141	0.66049	3.38E-03	2.2E-03	6.05E-04	1.35E-06	1.20E+00	4.71E-02	7.67E-08	1.0E+06	7.7E-02
142	0.81857	3.38E-03	2.8E-03	6.05E-04	1.68E-06	1.20E+00	4.71E-02	9.50E-08	1.0E+06	9.5E-02
143	1.06969	3.38E-03	3.6E-03	6.05E-04	2.19E-06	1.20E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
144	1.51306	3.38E-03	5.1E-03	6.05E-04	3.10E-06	1.20E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01
145	2.20204	3.38E-03	7.4E-03	6.05E-04	4.51E-06	1.20E+00	4.71E-02	2.56E-07	1.0E+06	2.6E-01
146	4.57471	3.38E-03	1.5E-02	6.05E-04	9.36E-06	1.20E+00	4.71E-02	5.31E-07	1.0E+06	5.3E-01
147	0.18734	3.38E-03	6.3E-04	6.05E-04	3.83E-07	1.20E+00	4.71E-02	2.17E-08	1.0E+06	2.2E-02
148	0.21309	3.38E-03	7.2E-04	6.05E-04	4.36E-07	1.20E+00	4.71E-02	2.47E-08	1.0E+06	2.5E-02
149	0.24448	3.38E-03	8.3E-04	6.05E-04	5.00E-07	1.20E+00	4.71E-02	2.84E-08	1.0E+06	2.8E-02
150	0.27925	3.38E-03	9.4E-04	6.05E-04	5.72E-07	1.20E+00	4.71E-02	3.24E-08	1.0E+06	3.2E-02
151	0.32321	3.38E-03	1.1E-03	6.05E-04	6.62E-07	1.20E+00	4.71E-02	3.75E-08	1.0E+06	3.8E-02
152	0.3674	3.38E-03	1.2E-03	6.05E-04	7.52E-07	1.20E+00	4.71E-02	4.26E-08	1.0E+06	4.3E-02
153	0.42017	3.38E-03	1.4E-03	6.05E-04	8.60E-07	1.20E+00	4.71E-02	4.88E-08	1.0E+06	4.9E-02
154	0.49329	3.38E-03	1.7E-03	6.05E-04	1.01E-06	1.20E+00	4.71E-02	5.73E-08	1.0E+06	5.7E-02
155	0.59199	3.38E-03	2.0E-03	6.05E-04	1.21E-06	1.20E+00	4.71E-02	6.87E-08	1.0E+06	6.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.71666	3.38E-03	2.4E-03	6.05E-04	1.47E-06	1.20E+00	4.71E-02	8.32E-08	1.0E+06	8.3E-02
157	0.87778	3.38E-03	3.0E-03	6.05E-04	1.80E-06	1.20E+00	4.71E-02	1.02E-07	1.0E+06	1.0E-01
158	1.10629	3.38E-03	3.7E-03	6.05E-04	2.26E-06	1.20E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
159	1.59661	3.38E-03	5.4E-03	6.05E-04	3.27E-06	1.20E+00	4.71E-02	1.85E-07	1.0E+06	1.9E-01
160	0.17769	3.38E-03	6.0E-04	6.05E-04	3.64E-07	1.20E+00	4.71E-02	2.06E-08	1.0E+06	2.1E-02
161	0.1973	3.38E-03	6.7E-04	6.05E-04	4.04E-07	1.20E+00	4.71E-02	2.29E-08	1.0E+06	2.3E-02
162	0.21729	3.38E-03	7.4E-04	6.05E-04	4.45E-07	1.20E+00	4.71E-02	2.52E-08	1.0E+06	2.5E-02
163	0.25154	3.38E-03	8.5E-04	6.05E-04	5.15E-07	1.20E+00	4.71E-02	2.92E-08	1.0E+06	2.9E-02
164	0.29579	3.38E-03	1.0E-03	6.05E-04	6.05E-07	1.20E+00	4.71E-02	3.43E-08	1.0E+06	3.4E-02
165	0.33639	3.38E-03	1.1E-03	6.05E-04	6.89E-07	1.20E+00	4.71E-02	3.90E-08	1.0E+06	3.9E-02
166	0.38696	3.38E-03	1.3E-03	6.05E-04	7.92E-07	1.20E+00	4.71E-02	4.49E-08	1.0E+06	4.5E-02
167	0.44773	3.38E-03	1.5E-03	6.05E-04	9.16E-07	1.20E+00	4.71E-02	5.20E-08	1.0E+06	5.2E-02
168	0.52312	3.38E-03	1.8E-03	6.05E-04	1.07E-06	1.20E+00	4.71E-02	6.07E-08	1.0E+06	6.1E-02
169	0.61749	3.38E-03	2.1E-03	6.05E-04	1.26E-06	1.20E+00	4.71E-02	7.17E-08	1.0E+06	7.2E-02
170	0.73787	3.38E-03	2.5E-03	6.05E-04	1.51E-06	1.20E+00	4.71E-02	8.56E-08	1.0E+06	8.6E-02
171	0.90459	3.38E-03	3.1E-03	6.05E-04	1.85E-06	1.20E+00	4.71E-02	1.05E-07	1.0E+06	1.0E-01
172	1.17863	3.38E-03	4.0E-03	6.05E-04	2.41E-06	1.20E+00	4.71E-02	1.37E-07	1.0E+06	1.4E-01
173	1.56202	3.38E-03	5.3E-03	6.05E-04	3.20E-06	1.20E+00	4.71E-02	1.81E-07	1.0E+06	1.8E-01
174	2.02836	3.38E-03	6.9E-03	6.05E-04	4.15E-06	1.20E+00	4.71E-02	2.35E-07	1.0E+06	2.4E-01
175	2.36083	3.38E-03	8.0E-03	6.05E-04	4.83E-06	1.20E+00	4.71E-02	2.74E-07	1.0E+06	2.7E-01
176	2.47447	3.38E-03	8.4E-03	6.05E-04	5.07E-06	1.20E+00	4.71E-02	2.87E-07	1.0E+06	2.9E-01
177	2.43188	3.38E-03	8.2E-03	6.05E-04	4.98E-06	1.20E+00	4.71E-02	2.82E-07	1.0E+06	2.8E-01
178	2.25623	3.38E-03	7.6E-03	6.05E-04	4.62E-06	1.20E+00	4.71E-02	2.62E-07	1.0E+06	2.6E-01
179	0.16283	3.38E-03	5.5E-04	6.05E-04	3.33E-07	1.20E+00	4.71E-02	1.89E-08	1.0E+06	1.9E-02
180	0.1782	3.38E-03	6.0E-04	6.05E-04	3.65E-07	1.20E+00	4.71E-02	2.07E-08	1.0E+06	2.1E-02
181	0.19241	3.38E-03	6.5E-04	6.05E-04	3.94E-07	1.20E+00	4.71E-02	2.23E-08	1.0E+06	2.2E-02
182	0.22626	3.38E-03	7.7E-04	6.05E-04	4.63E-07	1.20E+00	4.71E-02	2.63E-08	1.0E+06	2.6E-02
183	0.27299	3.38E-03	9.2E-04	6.05E-04	5.59E-07	1.20E+00	4.71E-02	3.17E-08	1.0E+06	3.2E-02
184	0.31025	3.38E-03	1.0E-03	6.05E-04	6.35E-07	1.20E+00	4.71E-02	3.60E-08	1.0E+06	3.6E-02
185	0.35623	3.38E-03	1.2E-03	6.05E-04	7.29E-07	1.20E+00	4.71E-02	4.13E-08	1.0E+06	4.1E-02
186	0.40715	3.38E-03	1.4E-03	6.05E-04	8.33E-07	1.20E+00	4.71E-02	4.73E-08	1.0E+06	4.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.46491	3.38E-03	1.6E-03	6.05E-04	9.52E-07	1.20E+00	4.71E-02	5.40E-08	1.0E+06	5.4E-02
188	0.53875	3.38E-03	1.8E-03	6.05E-04	1.10E-06	1.20E+00	4.71E-02	6.25E-08	1.0E+06	6.3E-02
189	0.62873	3.38E-03	2.1E-03	6.05E-04	1.29E-06	1.20E+00	4.71E-02	7.30E-08	1.0E+06	7.3E-02
190	0.7521	3.38E-03	2.5E-03	6.05E-04	1.54E-06	1.20E+00	4.71E-02	8.73E-08	1.0E+06	8.7E-02
191	0.91282	3.38E-03	3.1E-03	6.05E-04	1.87E-06	1.20E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
192	1.1316	3.38E-03	3.8E-03	6.05E-04	2.32E-06	1.20E+00	4.71E-02	1.31E-07	1.0E+06	1.3E-01
193	1.3626	3.38E-03	4.6E-03	6.05E-04	2.79E-06	1.20E+00	4.71E-02	1.58E-07	1.0E+06	1.6E-01
194	1.6103	3.38E-03	5.4E-03	6.05E-04	3.30E-06	1.20E+00	4.71E-02	1.87E-07	1.0E+06	1.9E-01
195	1.83033	3.38E-03	6.2E-03	6.05E-04	3.75E-06	1.20E+00	4.71E-02	2.12E-07	1.0E+06	2.1E-01
196	1.83082	3.38E-03	6.2E-03	6.05E-04	3.75E-06	1.20E+00	4.71E-02	2.12E-07	1.0E+06	2.1E-01
197	1.72496	3.38E-03	5.8E-03	6.05E-04	3.53E-06	1.20E+00	4.71E-02	2.00E-07	1.0E+06	2.0E-01
198	0.15329	3.38E-03	5.2E-04	6.05E-04	3.14E-07	1.20E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
199	0.16801	3.38E-03	5.7E-04	6.05E-04	3.44E-07	1.20E+00	4.71E-02	1.95E-08	1.0E+06	2.0E-02
200	0.1845	3.38E-03	6.2E-04	6.05E-04	3.78E-07	1.20E+00	4.71E-02	2.14E-08	1.0E+06	2.1E-02
201	0.20774	3.38E-03	7.0E-04	6.05E-04	4.25E-07	1.20E+00	4.71E-02	2.41E-08	1.0E+06	2.4E-02
202	0.24802	3.38E-03	8.4E-04	6.05E-04	5.08E-07	1.20E+00	4.71E-02	2.88E-08	1.0E+06	2.9E-02
203	0.28344	3.38E-03	9.6E-04	6.05E-04	5.80E-07	1.20E+00	4.71E-02	3.29E-08	1.0E+06	3.3E-02
204	0.32437	3.38E-03	1.1E-03	6.05E-04	6.64E-07	1.20E+00	4.71E-02	3.76E-08	1.0E+06	3.8E-02
205	0.36737	3.38E-03	1.2E-03	6.05E-04	7.52E-07	1.20E+00	4.71E-02	4.26E-08	1.0E+06	4.3E-02
206	0.41583	3.38E-03	1.4E-03	6.05E-04	8.51E-07	1.20E+00	4.71E-02	4.83E-08	1.0E+06	4.8E-02
207	0.47445	3.38E-03	1.6E-03	6.05E-04	9.71E-07	1.20E+00	4.71E-02	5.51E-08	1.0E+06	5.5E-02
208	0.54532	3.38E-03	1.8E-03	6.05E-04	1.12E-06	1.20E+00	4.71E-02	6.33E-08	1.0E+06	6.3E-02
209	0.63729	3.38E-03	2.2E-03	6.05E-04	1.30E-06	1.20E+00	4.71E-02	7.40E-08	1.0E+06	7.4E-02
210	0.75216	3.38E-03	2.5E-03	6.05E-04	1.54E-06	1.20E+00	4.71E-02	8.73E-08	1.0E+06	8.7E-02
211	0.88928	3.38E-03	3.0E-03	6.05E-04	1.82E-06	1.20E+00	4.71E-02	1.03E-07	1.0E+06	1.0E-01
212	1.02495	3.38E-03	3.5E-03	6.05E-04	2.10E-06	1.20E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
213	1.13148	3.38E-03	3.8E-03	6.05E-04	2.32E-06	1.20E+00	4.71E-02	1.31E-07	1.0E+06	1.3E-01
214	1.1847	3.38E-03	4.0E-03	6.05E-04	2.43E-06	1.20E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
215	1.39908	3.38E-03	4.7E-03	6.05E-04	2.86E-06	1.20E+00	4.71E-02	1.62E-07	1.0E+06	1.6E-01
216	0.14739	3.38E-03	5.0E-04	6.05E-04	3.02E-07	1.20E+00	4.71E-02	1.71E-08	1.0E+06	1.7E-02
217	0.15974	3.38E-03	5.4E-04	6.05E-04	3.27E-07	1.20E+00	4.71E-02	1.85E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.17507	3.38E-03	5.9E-04	6.05E-04	3.58E-07	1.20E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
219	0.19408	3.38E-03	6.6E-04	6.05E-04	3.97E-07	1.20E+00	4.71E-02	2.25E-08	1.0E+06	2.3E-02
220	0.22545	3.38E-03	7.6E-04	6.05E-04	4.61E-07	1.20E+00	4.71E-02	2.62E-08	1.0E+06	2.6E-02
221	0.25293	3.38E-03	8.6E-04	6.05E-04	5.18E-07	1.20E+00	4.71E-02	2.94E-08	1.0E+06	2.9E-02
222	0.28852	3.38E-03	9.8E-04	6.05E-04	5.91E-07	1.20E+00	4.71E-02	3.35E-08	1.0E+06	3.3E-02
223	0.32506	3.38E-03	1.1E-03	6.05E-04	6.65E-07	1.20E+00	4.71E-02	3.77E-08	1.0E+06	3.8E-02
224	0.36579	3.38E-03	1.2E-03	6.05E-04	7.49E-07	1.20E+00	4.71E-02	4.25E-08	1.0E+06	4.2E-02
225	0.41139	3.38E-03	1.4E-03	6.05E-04	8.42E-07	1.20E+00	4.71E-02	4.77E-08	1.0E+06	4.8E-02
226	0.47087	3.38E-03	1.6E-03	6.05E-04	9.64E-07	1.20E+00	4.71E-02	5.47E-08	1.0E+06	5.5E-02
227	0.54132	3.38E-03	1.8E-03	6.05E-04	1.11E-06	1.20E+00	4.71E-02	6.28E-08	1.0E+06	6.3E-02
228	0.62646	3.38E-03	2.1E-03	6.05E-04	1.28E-06	1.20E+00	4.71E-02	7.27E-08	1.0E+06	7.3E-02
229	0.72545	3.38E-03	2.5E-03	6.05E-04	1.48E-06	1.20E+00	4.71E-02	8.42E-08	1.0E+06	8.4E-02
230	0.82114	3.38E-03	2.8E-03	6.05E-04	1.68E-06	1.20E+00	4.71E-02	9.53E-08	1.0E+06	9.5E-02
231	0.90433	3.38E-03	3.1E-03	6.05E-04	1.85E-06	1.20E+00	4.71E-02	1.05E-07	1.0E+06	1.0E-01
232	0.95831	3.38E-03	3.2E-03	6.05E-04	1.96E-06	1.20E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
233	1.08841	3.38E-03	3.7E-03	6.05E-04	2.23E-06	1.20E+00	4.71E-02	1.26E-07	1.0E+06	1.3E-01
234	0.14198	3.38E-03	4.8E-04	6.05E-04	2.91E-07	1.20E+00	4.71E-02	1.65E-08	1.0E+06	1.6E-02
235	0.152	3.38E-03	5.1E-04	6.05E-04	3.11E-07	1.20E+00	4.71E-02	1.76E-08	1.0E+06	1.8E-02
236	0.16533	3.38E-03	5.6E-04	6.05E-04	3.38E-07	1.20E+00	4.71E-02	1.92E-08	1.0E+06	1.9E-02
237	0.1827	3.38E-03	6.2E-04	6.05E-04	3.74E-07	1.20E+00	4.71E-02	2.12E-08	1.0E+06	2.1E-02
238	0.20515	3.38E-03	6.9E-04	6.05E-04	4.20E-07	1.20E+00	4.71E-02	2.38E-08	1.0E+06	2.4E-02
239	0.22746	3.38E-03	7.7E-04	6.05E-04	4.66E-07	1.20E+00	4.71E-02	2.64E-08	1.0E+06	2.6E-02
240	0.25485	3.38E-03	8.6E-04	6.05E-04	5.22E-07	1.20E+00	4.71E-02	2.96E-08	1.0E+06	3.0E-02
241	0.28536	3.38E-03	9.7E-04	6.05E-04	5.84E-07	1.20E+00	4.71E-02	3.31E-08	1.0E+06	3.3E-02
242	0.32011	3.38E-03	1.1E-03	6.05E-04	6.55E-07	1.20E+00	4.71E-02	3.72E-08	1.0E+06	3.7E-02
243	0.35968	3.38E-03	1.2E-03	6.05E-04	7.36E-07	1.20E+00	4.71E-02	4.17E-08	1.0E+06	4.2E-02
244	0.41028	3.38E-03	1.4E-03	6.05E-04	8.40E-07	1.20E+00	4.71E-02	4.76E-08	1.0E+06	4.8E-02
245	0.46953	3.38E-03	1.6E-03	6.05E-04	9.61E-07	1.20E+00	4.71E-02	5.45E-08	1.0E+06	5.4E-02
246	0.538	3.38E-03	1.8E-03	6.05E-04	1.10E-06	1.20E+00	4.71E-02	6.24E-08	1.0E+06	6.2E-02
247	0.61275	3.38E-03	2.1E-03	6.05E-04	1.25E-06	1.20E+00	4.71E-02	7.11E-08	1.0E+06	7.1E-02
248	0.68743	3.38E-03	2.3E-03	6.05E-04	1.41E-06	1.20E+00	4.71E-02	7.98E-08	1.0E+06	8.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	0.75095	3.38E-03	2.5E-03	6.05E-04	1.54E-06	1.20E+00	4.71E-02	8.72E-08	1.0E+06	8.7E-02
250	0.80013	3.38E-03	2.7E-03	6.05E-04	1.64E-06	1.20E+00	4.71E-02	9.29E-08	1.0E+06	9.3E-02
251	0.89928	3.38E-03	3.0E-03	6.05E-04	1.84E-06	1.20E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
252	0.13488	3.38E-03	4.6E-04	6.05E-04	2.76E-07	1.20E+00	4.71E-02	1.57E-08	1.0E+06	1.6E-02
253	0.14265	3.38E-03	4.8E-04	6.05E-04	2.92E-07	1.20E+00	4.71E-02	1.66E-08	1.0E+06	1.7E-02
254	0.15259	3.38E-03	5.2E-04	6.05E-04	3.12E-07	1.20E+00	4.71E-02	1.77E-08	1.0E+06	1.8E-02
255	0.16464	3.38E-03	5.6E-04	6.05E-04	3.37E-07	1.20E+00	4.71E-02	1.91E-08	1.0E+06	1.9E-02
256	0.18715	3.38E-03	6.3E-04	6.05E-04	3.83E-07	1.20E+00	4.71E-02	2.17E-08	1.0E+06	2.2E-02
257	0.19855	3.38E-03	6.7E-04	6.05E-04	4.06E-07	1.20E+00	4.71E-02	2.30E-08	1.0E+06	2.3E-02
258	0.2162	3.38E-03	7.3E-04	6.05E-04	4.43E-07	1.20E+00	4.71E-02	2.51E-08	1.0E+06	2.5E-02
259	0.23718	3.38E-03	8.0E-04	6.05E-04	4.86E-07	1.20E+00	4.71E-02	2.75E-08	1.0E+06	2.8E-02
260	0.26947	3.38E-03	9.1E-04	6.05E-04	5.52E-07	1.20E+00	4.71E-02	3.13E-08	1.0E+06	3.1E-02
261	0.31098	3.38E-03	1.1E-03	6.05E-04	6.37E-07	1.20E+00	4.71E-02	3.61E-08	1.0E+06	3.6E-02
262	0.35732	3.38E-03	1.2E-03	6.05E-04	7.31E-07	1.20E+00	4.71E-02	4.15E-08	1.0E+06	4.1E-02
263	0.4049	3.38E-03	1.4E-03	6.05E-04	8.29E-07	1.20E+00	4.71E-02	4.70E-08	1.0E+06	4.7E-02
264	0.46204	3.38E-03	1.6E-03	6.05E-04	9.46E-07	1.20E+00	4.71E-02	5.36E-08	1.0E+06	5.4E-02
265	0.51992	3.38E-03	1.8E-03	6.05E-04	1.06E-06	1.20E+00	4.71E-02	6.03E-08	1.0E+06	6.0E-02
266	0.57862	3.38E-03	2.0E-03	6.05E-04	1.18E-06	1.20E+00	4.71E-02	6.72E-08	1.0E+06	6.7E-02
267	0.6287	3.38E-03	2.1E-03	6.05E-04	1.29E-06	1.20E+00	4.71E-02	7.30E-08	1.0E+06	7.3E-02
268	0.66735	3.38E-03	2.3E-03	6.05E-04	1.37E-06	1.20E+00	4.71E-02	7.75E-08	1.0E+06	7.7E-02
269	0.7427	3.38E-03	2.5E-03	6.05E-04	1.52E-06	1.20E+00	4.71E-02	8.62E-08	1.0E+06	8.6E-02
270	0.12735	3.38E-03	4.3E-04	6.05E-04	2.61E-07	1.20E+00	4.71E-02	1.48E-08	1.0E+06	1.5E-02
271	0.13443	3.38E-03	4.5E-04	6.05E-04	2.75E-07	1.20E+00	4.71E-02	1.56E-08	1.0E+06	1.6E-02
272	0.14286	3.38E-03	4.8E-04	6.05E-04	2.92E-07	1.20E+00	4.71E-02	1.66E-08	1.0E+06	1.7E-02
273	0.1521	3.38E-03	5.1E-04	6.05E-04	3.11E-07	1.20E+00	4.71E-02	1.77E-08	1.0E+06	1.8E-02
274	0.17405	3.38E-03	5.9E-04	6.05E-04	3.56E-07	1.20E+00	4.71E-02	2.02E-08	1.0E+06	2.0E-02
275	0.19151	3.38E-03	6.5E-04	6.05E-04	3.92E-07	1.20E+00	4.71E-02	2.22E-08	1.0E+06	2.2E-02
276	0.19368	3.38E-03	6.6E-04	6.05E-04	3.96E-07	1.20E+00	4.71E-02	2.25E-08	1.0E+06	2.2E-02
277	0.2106	3.38E-03	7.1E-04	6.05E-04	4.31E-07	1.20E+00	4.71E-02	2.44E-08	1.0E+06	2.4E-02
278	0.2342	3.38E-03	7.9E-04	6.05E-04	4.79E-07	1.20E+00	4.71E-02	2.72E-08	1.0E+06	2.7E-02
279	0.26516	3.38E-03	9.0E-04	6.05E-04	5.43E-07	1.20E+00	4.71E-02	3.08E-08	1.0E+06	3.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.30781	3.38E-03	1.0E-03	6.05E-04	6.30E-07	1.20E+00	4.71E-02	3.57E-08	1.0E+06	3.6E-02
281	0.35373	3.38E-03	1.2E-03	6.05E-04	7.24E-07	1.20E+00	4.71E-02	4.11E-08	1.0E+06	4.1E-02
282	0.40181	3.38E-03	1.4E-03	6.05E-04	8.22E-07	1.20E+00	4.71E-02	4.66E-08	1.0E+06	4.7E-02
283	0.45035	3.38E-03	1.5E-03	6.05E-04	9.22E-07	1.20E+00	4.71E-02	5.23E-08	1.0E+06	5.2E-02
284	0.49767	3.38E-03	1.7E-03	6.05E-04	1.02E-06	1.20E+00	4.71E-02	5.78E-08	1.0E+06	5.8E-02
285	0.53687	3.38E-03	1.8E-03	6.05E-04	1.10E-06	1.20E+00	4.71E-02	6.23E-08	1.0E+06	6.2E-02
286	0.56978	3.38E-03	1.9E-03	6.05E-04	1.17E-06	1.20E+00	4.71E-02	6.61E-08	1.0E+06	6.6E-02
287	0.63116	3.38E-03	2.1E-03	6.05E-04	1.29E-06	1.20E+00	4.71E-02	7.33E-08	1.0E+06	7.3E-02
288	0.12073	3.38E-03	4.1E-04	6.05E-04	2.47E-07	1.20E+00	4.71E-02	1.40E-08	1.0E+06	1.4E-02
289	0.12591	3.38E-03	4.3E-04	6.05E-04	2.58E-07	1.20E+00	4.71E-02	1.46E-08	1.0E+06	1.5E-02
290	0.13629	3.38E-03	4.6E-04	6.05E-04	2.79E-07	1.20E+00	4.71E-02	1.58E-08	1.0E+06	1.6E-02
291	0.14618	3.38E-03	4.9E-04	6.05E-04	2.99E-07	1.20E+00	4.71E-02	1.70E-08	1.0E+06	1.7E-02
292	0.17553	3.38E-03	5.9E-04	6.05E-04	3.59E-07	1.20E+00	4.71E-02	2.04E-08	1.0E+06	2.0E-02
293	0.18214	3.38E-03	6.2E-04	6.05E-04	3.73E-07	1.20E+00	4.71E-02	2.11E-08	1.0E+06	2.1E-02
294	0.17701	3.38E-03	6.0E-04	6.05E-04	3.62E-07	1.20E+00	4.71E-02	2.05E-08	1.0E+06	2.1E-02
295	0.19366	3.38E-03	6.6E-04	6.05E-04	3.96E-07	1.20E+00	4.71E-02	2.25E-08	1.0E+06	2.2E-02
296	0.21492	3.38E-03	7.3E-04	6.05E-04	4.40E-07	1.20E+00	4.71E-02	2.49E-08	1.0E+06	2.5E-02
297	0.23689	3.38E-03	8.0E-04	6.05E-04	4.85E-07	1.20E+00	4.71E-02	2.75E-08	1.0E+06	2.7E-02
298	0.26792	3.38E-03	9.1E-04	6.05E-04	5.48E-07	1.20E+00	4.71E-02	3.11E-08	1.0E+06	3.1E-02
299	0.30964	3.38E-03	1.0E-03	6.05E-04	6.34E-07	1.20E+00	4.71E-02	3.59E-08	1.0E+06	3.6E-02
300	0.34814	3.38E-03	1.2E-03	6.05E-04	7.13E-07	1.20E+00	4.71E-02	4.04E-08	1.0E+06	4.0E-02
301	0.39207	3.38E-03	1.3E-03	6.05E-04	8.03E-07	1.20E+00	4.71E-02	4.55E-08	1.0E+06	4.6E-02
302	0.43341	3.38E-03	1.5E-03	6.05E-04	8.87E-07	1.20E+00	4.71E-02	5.03E-08	1.0E+06	5.0E-02
303	0.47003	3.38E-03	1.6E-03	6.05E-04	9.62E-07	1.20E+00	4.71E-02	5.46E-08	1.0E+06	5.5E-02
304	0.49846	3.38E-03	1.7E-03	6.05E-04	1.02E-06	1.20E+00	4.71E-02	5.79E-08	1.0E+06	5.8E-02
305	0.54889	3.38E-03	1.9E-03	6.05E-04	1.12E-06	1.20E+00	4.71E-02	6.37E-08	1.0E+06	6.4E-02
306	0.1215	3.38E-03	4.1E-04	6.05E-04	2.49E-07	1.20E+00	4.71E-02	1.41E-08	1.0E+06	1.4E-02
307	0.12282	3.38E-03	4.2E-04	6.05E-04	2.51E-07	1.20E+00	4.71E-02	1.43E-08	1.0E+06	1.4E-02
308	0.12903	3.38E-03	4.4E-04	6.05E-04	2.64E-07	1.20E+00	4.71E-02	1.50E-08	1.0E+06	1.5E-02
309	0.14771	3.38E-03	5.0E-04	6.05E-04	3.02E-07	1.20E+00	4.71E-02	1.71E-08	1.0E+06	1.7E-02
310	0.1661	3.38E-03	5.6E-04	6.05E-04	3.40E-07	1.20E+00	4.71E-02	1.93E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.17127	3.38E-03	5.8E-04	6.05E-04	3.51E-07	1.20E+00	4.71E-02	1.99E-08	1.0E+06	2.0E-02
312	0.16328	3.38E-03	5.5E-04	6.05E-04	3.34E-07	1.20E+00	4.71E-02	1.90E-08	1.0E+06	1.9E-02
313	0.17828	3.38E-03	6.0E-04	6.05E-04	3.65E-07	1.20E+00	4.71E-02	2.07E-08	1.0E+06	2.1E-02
314	0.19711	3.38E-03	6.7E-04	6.05E-04	4.03E-07	1.20E+00	4.71E-02	2.29E-08	1.0E+06	2.3E-02
315	0.22456	3.38E-03	7.6E-04	6.05E-04	4.60E-07	1.20E+00	4.71E-02	2.61E-08	1.0E+06	2.6E-02
316	0.24394	3.38E-03	8.3E-04	6.05E-04	4.99E-07	1.20E+00	4.71E-02	2.83E-08	1.0E+06	2.8E-02
317	0.27118	3.38E-03	9.2E-04	6.05E-04	5.55E-07	1.20E+00	4.71E-02	3.15E-08	1.0E+06	3.1E-02
318	0.30422	3.38E-03	1.0E-03	6.05E-04	6.23E-07	1.20E+00	4.71E-02	3.53E-08	1.0E+06	3.5E-02
319	0.34378	3.38E-03	1.2E-03	6.05E-04	7.04E-07	1.20E+00	4.71E-02	3.99E-08	1.0E+06	4.0E-02
320	0.3868	3.38E-03	1.3E-03	6.05E-04	7.92E-07	1.20E+00	4.71E-02	4.49E-08	1.0E+06	4.5E-02
321	0.41641	3.38E-03	1.4E-03	6.05E-04	8.52E-07	1.20E+00	4.71E-02	4.83E-08	1.0E+06	4.8E-02
322	0.44075	3.38E-03	1.5E-03	6.05E-04	9.02E-07	1.20E+00	4.71E-02	5.12E-08	1.0E+06	5.1E-02
323	0.48154	3.38E-03	1.6E-03	6.05E-04	9.86E-07	1.20E+00	4.71E-02	5.59E-08	1.0E+06	5.6E-02
324	0.11562	3.38E-03	3.9E-04	6.05E-04	2.37E-07	1.20E+00	4.71E-02	1.34E-08	1.0E+06	1.3E-02
325	0.12511	3.38E-03	4.2E-04	6.05E-04	2.56E-07	1.20E+00	4.71E-02	1.45E-08	1.0E+06	1.5E-02
326	0.12995	3.38E-03	4.4E-04	6.05E-04	2.66E-07	1.20E+00	4.71E-02	1.51E-08	1.0E+06	1.5E-02
327	0.13277	3.38E-03	4.5E-04	6.05E-04	2.72E-07	1.20E+00	4.71E-02	1.54E-08	1.0E+06	1.5E-02
328	0.15993	3.38E-03	5.4E-04	6.05E-04	3.27E-07	1.20E+00	4.71E-02	1.86E-08	1.0E+06	1.9E-02
329	0.1611	3.38E-03	5.5E-04	6.05E-04	3.30E-07	1.20E+00	4.71E-02	1.87E-08	1.0E+06	1.9E-02
330	0.15531	3.38E-03	5.3E-04	6.05E-04	3.18E-07	1.20E+00	4.71E-02	1.80E-08	1.0E+06	1.8E-02
331	0.16961	3.38E-03	5.7E-04	6.05E-04	3.47E-07	1.20E+00	4.71E-02	1.97E-08	1.0E+06	2.0E-02
332	0.18704	3.38E-03	6.3E-04	6.05E-04	3.83E-07	1.20E+00	4.71E-02	2.17E-08	1.0E+06	2.2E-02
333	0.21165	3.38E-03	7.2E-04	6.05E-04	4.33E-07	1.20E+00	4.71E-02	2.46E-08	1.0E+06	2.5E-02
334	0.23286	3.38E-03	7.9E-04	6.05E-04	4.77E-07	1.20E+00	4.71E-02	2.70E-08	1.0E+06	2.7E-02
335	0.25687	3.38E-03	8.7E-04	6.05E-04	5.26E-07	1.20E+00	4.71E-02	2.98E-08	1.0E+06	3.0E-02
336	5.25471	3.38E-03	1.8E-02	6.05E-04	1.08E-05	1.20E+00	4.71E-02	6.10E-07	1.0E+06	6.1E-01
337	4.09801	3.38E-03	1.4E-02	6.05E-04	8.39E-06	1.20E+00	4.71E-02	4.76E-07	1.0E+06	4.8E-01
338	0.69877	3.38E-03	2.4E-03	6.05E-04	1.43E-06	1.20E+00	4.71E-02	8.11E-08	1.0E+06	8.1E-02
339	0.77633	3.38E-03	2.6E-03	6.05E-04	1.59E-06	1.20E+00	4.71E-02	9.01E-08	1.0E+06	9.0E-02
340	0.84525	3.38E-03	2.9E-03	6.05E-04	1.73E-06	1.20E+00	4.71E-02	9.81E-08	1.0E+06	9.8E-02
341	0.89345	3.38E-03	3.0E-03	6.05E-04	1.83E-06	1.20E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.92141	3.38E-03	3.1E-03	6.05E-04	1.89E-06	1.20E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
343	0.91505	3.38E-03	3.1E-03	6.05E-04	1.87E-06	1.20E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
344	0.8857	3.38E-03	3.0E-03	6.05E-04	1.81E-06	1.20E+00	4.71E-02	1.03E-07	1.0E+06	1.0E-01
345	0.8401	3.38E-03	2.8E-03	6.05E-04	1.72E-06	1.20E+00	4.71E-02	9.75E-08	1.0E+06	9.8E-02
346	0.7797	3.38E-03	2.6E-03	6.05E-04	1.60E-06	1.20E+00	4.71E-02	9.05E-08	1.0E+06	9.0E-02
347	0.86888	3.38E-03	2.9E-03	6.05E-04	1.78E-06	1.20E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
348	1.00398	3.38E-03	3.4E-03	6.05E-04	2.06E-06	1.20E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
349	1.10866	3.38E-03	3.8E-03	6.05E-04	2.27E-06	1.20E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01
350	1.17766	3.38E-03	4.0E-03	6.05E-04	2.41E-06	1.20E+00	4.71E-02	1.37E-07	1.0E+06	1.4E-01
351	1.21981	3.38E-03	4.1E-03	6.05E-04	2.50E-06	1.20E+00	4.71E-02	1.42E-07	1.0E+06	1.4E-01
352	1.19644	3.38E-03	4.0E-03	6.05E-04	2.45E-06	1.20E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
353	1.14005	3.38E-03	3.9E-03	6.05E-04	2.33E-06	1.20E+00	4.71E-02	1.32E-07	1.0E+06	1.3E-01
354	1.04619	3.38E-03	3.5E-03	6.05E-04	2.14E-06	1.20E+00	4.71E-02	1.21E-07	1.0E+06	1.2E-01
355	0.95366	3.38E-03	3.2E-03	6.05E-04	1.95E-06	1.20E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
356	1.11736	3.38E-03	3.8E-03	6.05E-04	2.29E-06	1.20E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
357	1.30958	3.38E-03	4.4E-03	6.05E-04	2.68E-06	1.20E+00	4.71E-02	1.52E-07	1.0E+06	1.5E-01
358	1.49976	3.38E-03	5.1E-03	6.05E-04	3.07E-06	1.20E+00	4.71E-02	1.74E-07	1.0E+06	1.7E-01
359	1.62635	3.38E-03	5.5E-03	6.05E-04	3.33E-06	1.20E+00	4.71E-02	1.89E-07	1.0E+06	1.9E-01
360	1.69468	3.38E-03	5.7E-03	6.05E-04	3.47E-06	1.20E+00	4.71E-02	1.97E-07	1.0E+06	2.0E-01
361	1.62336	3.38E-03	5.5E-03	6.05E-04	3.32E-06	1.20E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01
362	1.51327	3.38E-03	5.1E-03	6.05E-04	3.10E-06	1.20E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01
363	1.34227	3.38E-03	4.5E-03	6.05E-04	2.75E-06	1.20E+00	4.71E-02	1.56E-07	1.0E+06	1.6E-01
364	1.53351	3.38E-03	5.2E-03	6.05E-04	3.14E-06	1.20E+00	4.71E-02	1.78E-07	1.0E+06	1.8E-01
365	1.80482	3.38E-03	6.1E-03	6.05E-04	3.69E-06	1.20E+00	4.71E-02	2.09E-07	1.0E+06	2.1E-01
366	2.17696	3.38E-03	7.4E-03	6.05E-04	4.46E-06	1.20E+00	4.71E-02	2.53E-07	1.0E+06	2.5E-01
367	2.40697	3.38E-03	8.1E-03	6.05E-04	4.93E-06	1.20E+00	4.71E-02	2.79E-07	1.0E+06	2.8E-01
368	2.51485	3.38E-03	8.5E-03	6.05E-04	5.15E-06	1.20E+00	4.71E-02	2.92E-07	1.0E+06	2.9E-01
369	2.33111	3.38E-03	7.9E-03	6.05E-04	4.77E-06	1.20E+00	4.71E-02	2.71E-07	1.0E+06	2.7E-01
370	1.80686	3.38E-03	6.1E-03	6.05E-04	3.70E-06	1.20E+00	4.71E-02	2.10E-07	1.0E+06	2.1E-01
371	1.49896	3.38E-03	5.1E-03	6.05E-04	3.07E-06	1.20E+00	4.71E-02	1.74E-07	1.0E+06	1.7E-01
372	2.29428	3.38E-03	7.8E-03	6.05E-04	4.70E-06	1.20E+00	4.71E-02	2.66E-07	1.0E+06	2.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	2.85493	3.38E-03	9.7E-03	6.05E-04	5.84E-06	1.20E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
374	3.56379	3.38E-03	1.2E-02	6.05E-04	7.29E-06	1.20E+00	4.71E-02	4.14E-07	1.0E+06	4.1E-01
375	3.96254	3.38E-03	1.3E-02	6.05E-04	8.11E-06	1.20E+00	4.71E-02	4.60E-07	1.0E+06	4.6E-01
376	4.11531	3.38E-03	1.4E-02	6.05E-04	8.42E-06	1.20E+00	4.71E-02	4.78E-07	1.0E+06	4.8E-01
377	4.00445	3.38E-03	1.4E-02	6.05E-04	8.20E-06	1.20E+00	4.71E-02	4.65E-07	1.0E+06	4.6E-01
378	3.65975	3.38E-03	1.2E-02	6.05E-04	7.49E-06	1.20E+00	4.71E-02	4.25E-07	1.0E+06	4.2E-01
379	2.47423	3.38E-03	8.4E-03	6.05E-04	5.06E-06	1.20E+00	4.71E-02	2.87E-07	1.0E+06	2.9E-01
380	1.90451	3.38E-03	6.4E-03	6.05E-04	3.90E-06	1.20E+00	4.71E-02	2.21E-07	1.0E+06	2.2E-01
381	1.45157	3.38E-03	4.9E-03	6.05E-04	2.97E-06	1.20E+00	4.71E-02	1.68E-07	1.0E+06	1.7E-01
382	3.94527	3.38E-03	1.3E-02	6.05E-04	8.08E-06	1.20E+00	4.71E-02	4.58E-07	1.0E+06	4.6E-01
383	5.74292	3.38E-03	1.9E-02	6.05E-04	1.18E-05	1.20E+00	4.71E-02	6.67E-07	1.0E+06	6.7E-01
384	7.0628	3.38E-03	2.4E-02	6.05E-04	1.45E-05	1.20E+00	4.71E-02	8.20E-07	1.0E+06	8.2E-01
385	7.7788	3.38E-03	2.6E-02	6.05E-04	1.59E-05	1.20E+00	4.71E-02	9.03E-07	1.0E+06	9.0E-01
386	7.94303	3.38E-03	2.7E-02	6.05E-04	1.63E-05	1.20E+00	4.71E-02	9.22E-07	1.0E+06	9.2E-01
387	7.61242	3.38E-03	2.6E-02	6.05E-04	1.56E-05	1.20E+00	4.71E-02	8.84E-07	1.0E+06	8.8E-01
388	6.77558	3.38E-03	2.3E-02	6.05E-04	1.39E-05	1.20E+00	4.71E-02	7.86E-07	1.0E+06	7.9E-01
389	3.47544	3.38E-03	1.2E-02	6.05E-04	7.11E-06	1.20E+00	4.71E-02	4.03E-07	1.0E+06	4.0E-01
390	2.31331	3.38E-03	7.8E-03	6.05E-04	4.74E-06	1.20E+00	4.71E-02	2.68E-07	1.0E+06	2.7E-01
391	1.6179	3.38E-03	5.5E-03	6.05E-04	3.31E-06	1.20E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01
392	1.15161	3.38E-03	3.9E-03	6.05E-04	2.36E-06	1.20E+00	4.71E-02	1.34E-07	1.0E+06	1.3E-01
393	8.7282	3.38E-03	3.0E-02	6.05E-04	1.79E-05	1.20E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
394	10.19606	3.38E-03	3.4E-02	6.05E-04	2.09E-05	1.20E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
395	10.29107	3.38E-03	3.5E-02	6.05E-04	2.11E-05	1.20E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
396	10.86265	3.38E-03	3.7E-02	6.05E-04	2.22E-05	1.20E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
397	12.76958	3.38E-03	4.3E-02	6.05E-04	2.61E-05	1.20E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
398	8.34943	3.38E-03	2.8E-02	6.05E-04	1.71E-05	1.20E+00	4.71E-02	9.69E-07	1.0E+06	9.7E-01
399	6.66481	3.38E-03	2.3E-02	6.05E-04	1.36E-05	1.20E+00	4.71E-02	7.74E-07	1.0E+06	7.7E-01
400	4.69002	3.38E-03	1.6E-02	6.05E-04	9.60E-06	1.20E+00	4.71E-02	5.44E-07	1.0E+06	5.4E-01
401	2.59215	3.38E-03	8.8E-03	6.05E-04	5.31E-06	1.20E+00	4.71E-02	3.01E-07	1.0E+06	3.0E-01
402	1.14275	3.38E-03	3.9E-03	6.05E-04	2.34E-06	1.20E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
403	5.34568	3.38E-03	1.8E-02	6.05E-04	1.09E-05	1.20E+00	4.71E-02	6.20E-07	1.0E+06	6.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.14379	3.38E-03	3.9E-03	6.05E-04	2.34E-06	1.20E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
405	0.83327	3.38E-03	2.8E-03	6.05E-04	1.71E-06	1.20E+00	4.71E-02	9.67E-08	1.0E+06	9.7E-02
406	4.3595	3.38E-03	1.5E-02	6.05E-04	8.92E-06	1.20E+00	4.71E-02	5.06E-07	1.0E+06	5.1E-01
407	0.77446	3.38E-03	2.6E-03	6.05E-04	1.59E-06	1.20E+00	4.71E-02	8.99E-08	1.0E+06	9.0E-02
408	3.26711	3.38E-03	1.1E-02	6.05E-04	6.69E-06	1.20E+00	4.71E-02	3.79E-07	1.0E+06	3.8E-01
409	0.71621	3.38E-03	2.4E-03	6.05E-04	1.47E-06	1.20E+00	4.71E-02	8.31E-08	1.0E+06	8.3E-02
410	2.482	3.38E-03	8.4E-03	6.05E-04	5.08E-06	1.20E+00	4.71E-02	2.88E-07	1.0E+06	2.9E-01
411	0.85532	3.38E-03	2.9E-03	6.05E-04	1.75E-06	1.20E+00	4.71E-02	9.93E-08	1.0E+06	9.9E-02
412	0.67288	3.38E-03	2.3E-03	6.05E-04	1.38E-06	1.20E+00	4.71E-02	7.81E-08	1.0E+06	7.8E-02
413	1.93775	3.38E-03	6.6E-03	6.05E-04	3.97E-06	1.20E+00	4.71E-02	2.25E-07	1.0E+06	2.2E-01
414	1.0153	3.38E-03	3.4E-03	6.05E-04	2.08E-06	1.20E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01
415	0.77501	3.38E-03	2.6E-03	6.05E-04	1.59E-06	1.20E+00	4.71E-02	9.00E-08	1.0E+06	9.0E-02
416	0.61765	3.38E-03	2.1E-03	6.05E-04	1.26E-06	1.20E+00	4.71E-02	7.17E-08	1.0E+06	7.2E-02
417	1.554	3.38E-03	5.3E-03	6.05E-04	3.18E-06	1.20E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
418	0.70372	3.38E-03	2.4E-03	6.05E-04	1.44E-06	1.20E+00	4.71E-02	8.17E-08	1.0E+06	8.2E-02
419	0.56773	3.38E-03	1.9E-03	6.05E-04	1.16E-06	1.20E+00	4.71E-02	6.59E-08	1.0E+06	6.6E-02
420	0.46976	3.38E-03	1.6E-03	6.05E-04	9.62E-07	1.20E+00	4.71E-02	5.45E-08	1.0E+06	5.5E-02
421	1.274	3.38E-03	4.3E-03	6.05E-04	2.61E-06	1.20E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
422	0.52242	3.38E-03	1.8E-03	6.05E-04	1.07E-06	1.20E+00	4.71E-02	6.06E-08	1.0E+06	6.1E-02
423	0.43715	3.38E-03	1.5E-03	6.05E-04	8.95E-07	1.20E+00	4.71E-02	5.07E-08	1.0E+06	5.1E-02
424	1.06285	3.38E-03	3.6E-03	6.05E-04	2.18E-06	1.20E+00	4.71E-02	1.23E-07	1.0E+06	1.2E-01
425	0.40644	3.38E-03	1.4E-03	6.05E-04	8.32E-07	1.20E+00	4.71E-02	4.72E-08	1.0E+06	4.7E-02
426	0.34877	3.38E-03	1.2E-03	6.05E-04	7.14E-07	1.20E+00	4.71E-02	4.05E-08	1.0E+06	4.0E-02
427	0.8992	3.38E-03	3.0E-03	6.05E-04	1.84E-06	1.20E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
428	0.37801	3.38E-03	1.3E-03	6.05E-04	7.74E-07	1.20E+00	4.71E-02	4.39E-08	1.0E+06	4.4E-02
429	0.32678	3.38E-03	1.1E-03	6.05E-04	6.69E-07	1.20E+00	4.71E-02	3.79E-08	1.0E+06	3.8E-02
430	0.77021	3.38E-03	2.6E-03	6.05E-04	1.58E-06	1.20E+00	4.71E-02	8.94E-08	1.0E+06	8.9E-02
431	0.30623	3.38E-03	1.0E-03	6.05E-04	6.27E-07	1.20E+00	4.71E-02	3.55E-08	1.0E+06	3.6E-02
432	0.26825	3.38E-03	9.1E-04	6.05E-04	5.49E-07	1.20E+00	4.71E-02	3.11E-08	1.0E+06	3.1E-02
433	0.66605	3.38E-03	2.3E-03	6.05E-04	1.36E-06	1.20E+00	4.71E-02	7.73E-08	1.0E+06	7.7E-02
434	0.28725	3.38E-03	9.7E-04	6.05E-04	5.88E-07	1.20E+00	4.71E-02	3.33E-08	1.0E+06	3.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.2539	3.38E-03	8.6E-04	6.05E-04	5.20E-07	1.20E+00	4.71E-02	2.95E-08	1.0E+06	2.9E-02
436	0.58116	3.38E-03	2.0E-03	6.05E-04	1.19E-06	1.20E+00	4.71E-02	6.75E-08	1.0E+06	6.7E-02
437	0.30691	3.38E-03	1.0E-03	6.05E-04	6.28E-07	1.20E+00	4.71E-02	3.56E-08	1.0E+06	3.6E-02
438	0.27001	3.38E-03	9.1E-04	6.05E-04	5.53E-07	1.20E+00	4.71E-02	3.13E-08	1.0E+06	3.1E-02
439	0.23975	3.38E-03	8.1E-04	6.05E-04	4.91E-07	1.20E+00	4.71E-02	2.78E-08	1.0E+06	2.8E-02
440	0.51082	3.38E-03	1.7E-03	6.05E-04	1.05E-06	1.20E+00	4.71E-02	5.93E-08	1.0E+06	5.9E-02
441	0.3712	3.38E-03	1.3E-03	6.05E-04	7.60E-07	1.20E+00	4.71E-02	4.31E-08	1.0E+06	4.3E-02
442	0.326	3.38E-03	1.1E-03	6.05E-04	6.67E-07	1.20E+00	4.71E-02	3.78E-08	1.0E+06	3.8E-02
443	0.28704	3.38E-03	9.7E-04	6.05E-04	5.88E-07	1.20E+00	4.71E-02	3.33E-08	1.0E+06	3.3E-02
444	0.25394	3.38E-03	8.6E-04	6.05E-04	5.20E-07	1.20E+00	4.71E-02	2.95E-08	1.0E+06	2.9E-02
445	0.4522	3.38E-03	1.5E-03	6.05E-04	9.26E-07	1.20E+00	4.71E-02	5.25E-08	1.0E+06	5.2E-02
446	0.37925	3.38E-03	1.3E-03	6.05E-04	7.76E-07	1.20E+00	4.71E-02	4.40E-08	1.0E+06	4.4E-02
447	0.33987	3.38E-03	1.1E-03	6.05E-04	6.96E-07	1.20E+00	4.71E-02	3.94E-08	1.0E+06	3.9E-02
448	0.30239	3.38E-03	1.0E-03	6.05E-04	6.19E-07	1.20E+00	4.71E-02	3.51E-08	1.0E+06	3.5E-02
449	0.40282	3.38E-03	1.4E-03	6.05E-04	8.25E-07	1.20E+00	4.71E-02	4.68E-08	1.0E+06	4.7E-02
450	0.37605	3.38E-03	1.3E-03	6.05E-04	7.70E-07	1.20E+00	4.71E-02	4.36E-08	1.0E+06	4.4E-02
451	0.34509	3.38E-03	1.2E-03	6.05E-04	7.06E-07	1.20E+00	4.71E-02	4.01E-08	1.0E+06	4.0E-02
452	0.36089	3.38E-03	1.2E-03	6.05E-04	7.39E-07	1.20E+00	4.71E-02	4.19E-08	1.0E+06	4.2E-02
453	0.33992	3.38E-03	1.1E-03	6.05E-04	6.96E-07	1.20E+00	4.71E-02	3.95E-08	1.0E+06	3.9E-02
454	0.19146	3.38E-03	6.5E-04	6.05E-04	3.92E-07	1.20E+00	4.71E-02	2.22E-08	1.0E+06	2.2E-02
455	0.17478	3.38E-03	5.9E-04	6.05E-04	3.58E-07	1.20E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
456	0.32501	3.38E-03	1.1E-03	6.05E-04	6.65E-07	1.20E+00	4.71E-02	3.77E-08	1.0E+06	3.8E-02
457	0.30847	3.38E-03	1.0E-03	6.05E-04	6.31E-07	1.20E+00	4.71E-02	3.58E-08	1.0E+06	3.6E-02
458	0.28793	3.38E-03	9.7E-04	6.05E-04	5.89E-07	1.20E+00	4.71E-02	3.34E-08	1.0E+06	3.3E-02
459	0.22069	3.38E-03	7.5E-04	6.05E-04	4.52E-07	1.20E+00	4.71E-02	2.56E-08	1.0E+06	2.6E-02
460	0.20066	3.38E-03	6.8E-04	6.05E-04	4.11E-07	1.20E+00	4.71E-02	2.33E-08	1.0E+06	2.3E-02
461	0.18243	3.38E-03	6.2E-04	6.05E-04	3.73E-07	1.20E+00	4.71E-02	2.12E-08	1.0E+06	2.1E-02
462	0.16633	3.38E-03	5.6E-04	6.05E-04	3.40E-07	1.20E+00	4.71E-02	1.93E-08	1.0E+06	1.9E-02
463	4.29765	3.38E-03	1.5E-02	6.05E-04	8.80E-06	1.20E+00	4.71E-02	4.99E-07	1.0E+06	5.0E-01
464	3.3969	3.38E-03	1.1E-02	6.05E-04	6.95E-06	1.20E+00	4.71E-02	3.94E-07	1.0E+06	3.9E-01
465	2.89488	3.38E-03	9.8E-03	6.05E-04	5.93E-06	1.20E+00	4.71E-02	3.36E-07	1.0E+06	3.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.25169	3.38E-03	7.6E-03	6.05E-04	4.61E-06	1.20E+00	4.71E-02	2.61E-07	1.0E+06	2.6E-01
467	2.03748	3.38E-03	6.9E-03	6.05E-04	4.17E-06	1.20E+00	4.71E-02	2.36E-07	1.0E+06	2.4E-01
468	1.58578	3.38E-03	5.4E-03	6.05E-04	3.25E-06	1.20E+00	4.71E-02	1.84E-07	1.0E+06	1.8E-01
469	1.27157	3.38E-03	4.3E-03	6.05E-04	2.60E-06	1.20E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
470	1.11457	3.38E-03	3.8E-03	6.05E-04	2.28E-06	1.20E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01
471	1.15557	3.38E-03	3.9E-03	6.05E-04	2.37E-06	1.20E+00	4.71E-02	1.34E-07	1.0E+06	1.3E-01
472	0.91809	3.38E-03	3.1E-03	6.05E-04	1.88E-06	1.20E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
473	0.8703	3.38E-03	2.9E-03	6.05E-04	1.78E-06	1.20E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
474	0.76922	3.38E-03	2.6E-03	6.05E-04	1.57E-06	1.20E+00	4.71E-02	8.93E-08	1.0E+06	8.9E-02
475	0.73688	3.38E-03	2.5E-03	6.05E-04	1.51E-06	1.20E+00	4.71E-02	8.55E-08	1.0E+06	8.6E-02
476	0.65302	3.38E-03	2.2E-03	6.05E-04	1.34E-06	1.20E+00	4.71E-02	7.58E-08	1.0E+06	7.6E-02
477	0.63139	3.38E-03	2.1E-03	6.05E-04	1.29E-06	1.20E+00	4.71E-02	7.33E-08	1.0E+06	7.3E-02
478	0.5609	3.38E-03	1.9E-03	6.05E-04	1.15E-06	1.20E+00	4.71E-02	6.51E-08	1.0E+06	6.5E-02
479	0.54625	3.38E-03	1.8E-03	6.05E-04	1.12E-06	1.20E+00	4.71E-02	6.34E-08	1.0E+06	6.3E-02
480	0.51817	3.38E-03	1.8E-03	6.05E-04	1.06E-06	1.20E+00	4.71E-02	6.01E-08	1.0E+06	6.0E-02
481	0.48689	3.38E-03	1.6E-03	6.05E-04	9.97E-07	1.20E+00	4.71E-02	5.65E-08	1.0E+06	5.7E-02
482	0.45676	3.38E-03	1.5E-03	6.05E-04	9.35E-07	1.20E+00	4.71E-02	5.30E-08	1.0E+06	5.3E-02
483	0.42029	3.38E-03	1.4E-03	6.05E-04	8.60E-07	1.20E+00	4.71E-02	4.88E-08	1.0E+06	4.9E-02
484	0.40531	3.38E-03	1.4E-03	6.05E-04	8.30E-07	1.20E+00	4.71E-02	4.70E-08	1.0E+06	4.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	1.64E-04
2	5	1.76E-04
3	5	1.89E-04
4	5	2.02E-04
5	5	2.16E-04
6	5	2.32E-04
7	5	2.50E-04
8	5	2.68E-04
9	5	2.90E-04
10	5	3.17E-04
11	5	3.53E-04
12	5	4.05E-04
13	5	4.67E-04
14	5	6.48E-04
15	5	1.76E-04
16	5	1.91E-04
17	5	2.08E-04
18	5	2.26E-04
19	5	2.45E-04
20	5	2.66E-04
21	5	2.90E-04
22	5	3.15E-04
23	5	3.47E-04
24	5	3.80E-04
25	5	4.30E-04
26	5	4.98E-04
27	5	5.78E-04
28	5	8.63E-04
29	5	1.85E-04
30	5	2.03E-04
31	5	2.24E-04

Max	Receptor #	
0.009	397	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	2.48E-04
33	5	2.73E-04
34	5	3.02E-04
35	5	3.34E-04
36	5	3.72E-04
37	5	4.16E-04
38	5	4.68E-04
39	5	5.36E-04
40	5	6.20E-04
41	5	7.29E-04
42	5	1.20E-03
43	5	1.89E-04
44	5	2.09E-04
45	5	2.34E-04
46	5	2.63E-04
47	5	2.96E-04
48	5	3.34E-04
49	5	3.78E-04
50	5	4.28E-04
51	5	4.97E-04
52	5	5.76E-04
53	5	6.79E-04
54	5	8.14E-04
55	5	9.96E-04
56	5	1.79E-03
57	5	1.89E-04
58	5	2.11E-04
59	5	2.38E-04
60	5	2.71E-04
61	5	3.10E-04
62	5	3.57E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	4.17E-04
64	5	4.82E-04
65	5	5.78E-04
66	5	7.02E-04
67	5	8.62E-04
68	5	1.11E-03
69	5	1.48E-03
70	5	1.86E-04
71	5	2.09E-04
72	5	2.37E-04
73	5	2.71E-04
74	5	3.12E-04
75	5	3.67E-04
76	5	4.36E-04
77	5	5.22E-04
78	5	6.48E-04
79	5	8.41E-04
80	5	1.10E-03
81	5	1.60E-03
82	5	2.44E-03
83	5	1.81E-04
84	5	2.02E-04
85	5	2.26E-04
86	5	2.64E-04
87	5	3.07E-04
88	5	3.63E-04
89	5	4.38E-04
90	5	5.40E-04
91	5	6.88E-04
92	5	9.13E-04
93	5	1.30E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	2.11E-03
95	5	4.49E-03
96	5	1.71E-04
97	5	1.87E-04
98	5	2.10E-04
99	5	2.45E-04
100	5	2.94E-04
101	5	3.49E-04
102	5	4.22E-04
103	5	5.25E-04
104	5	6.75E-04
105	5	9.12E-04
106	5	1.34E-03
107	5	2.32E-03
108	5	6.06E-03
109	5	1.58E-04
110	5	1.78E-04
111	5	2.04E-04
112	5	2.35E-04
113	5	2.75E-04
114	5	3.25E-04
115	5	3.91E-04
116	5	4.84E-04
117	5	6.24E-04
118	5	8.63E-04
119	5	1.25E-03
120	5	2.10E-03
121	5	4.94E-03
122	5	1.47E-04
123	5	1.66E-04
124	5	1.92E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	2.21E-04
126	5	2.55E-04
127	5	2.97E-04
128	5	3.31E-04
129	5	4.02E-04
130	5	5.27E-04
131	5	5.01E-03
132	5	4.01E-03
133	5	1.36E-04
134	5	1.56E-04
135	5	1.80E-04
136	5	2.06E-04
137	5	2.37E-04
138	5	2.71E-04
139	5	3.08E-04
140	5	3.65E-04
141	5	4.47E-04
142	5	5.54E-04
143	5	7.24E-04
144	5	1.02E-03
145	5	1.49E-03
146	5	3.10E-03
147	5	1.27E-04
148	5	1.44E-04
149	5	1.65E-04
150	5	1.89E-04
151	5	2.19E-04
152	5	2.49E-04
153	5	2.84E-04
154	5	3.34E-04
155	5	4.01E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	4.85E-04
157	5	5.94E-04
158	5	7.49E-04
159	5	1.08E-03
160	5	1.20E-04
161	5	1.33E-04
162	5	1.47E-04
163	5	1.70E-04
164	5	2.00E-04
165	5	2.28E-04
166	5	2.62E-04
167	5	3.03E-04
168	5	3.54E-04
169	5	4.18E-04
170	5	4.99E-04
171	5	6.12E-04
172	5	7.97E-04
173	5	1.06E-03
174	5	1.37E-03
175	5	1.60E-03
176	5	1.67E-03
177	5	1.65E-03
178	5	1.53E-03
179	5	1.10E-04
180	5	1.21E-04
181	5	1.30E-04
182	5	1.53E-04
183	5	1.85E-04
184	5	2.10E-04
185	5	2.41E-04
186	5	2.75E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	3.15E-04
188	5	3.65E-04
189	5	4.25E-04
190	5	5.09E-04
191	5	6.18E-04
192	5	7.66E-04
193	5	9.22E-04
194	5	1.09E-03
195	5	1.24E-03
196	5	1.24E-03
197	5	1.17E-03
198	5	1.04E-04
199	5	1.14E-04
200	5	1.25E-04
201	5	1.41E-04
202	5	1.68E-04
203	5	1.92E-04
204	5	2.19E-04
205	5	2.49E-04
206	5	2.81E-04
207	5	3.21E-04
208	5	3.69E-04
209	5	4.31E-04
210	5	5.09E-04
211	5	6.02E-04
212	5	6.93E-04
213	5	7.66E-04
214	5	8.02E-04
215	5	9.47E-04
216	5	9.97E-05
217	5	1.08E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	1.18E-04
219	5	1.31E-04
220	5	1.53E-04
221	5	1.71E-04
222	5	1.95E-04
223	5	2.20E-04
224	5	2.47E-04
225	5	2.78E-04
226	5	3.19E-04
227	5	3.66E-04
228	5	4.24E-04
229	5	4.91E-04
230	5	5.56E-04
231	5	6.12E-04
232	5	6.48E-04
233	5	7.36E-04
234	5	9.61E-05
235	5	1.03E-04
236	5	1.12E-04
237	5	1.24E-04
238	5	1.39E-04
239	5	1.54E-04
240	5	1.72E-04
241	5	1.93E-04
242	5	2.17E-04
243	5	2.43E-04
244	5	2.78E-04
245	5	3.18E-04
246	5	3.64E-04
247	5	4.15E-04
248	5	4.65E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	5.08E-04
250	5	5.41E-04
251	5	6.08E-04
252	5	9.13E-05
253	5	9.65E-05
254	5	1.03E-04
255	5	1.11E-04
256	5	1.27E-04
257	5	1.34E-04
258	5	1.46E-04
259	5	1.60E-04
260	5	1.82E-04
261	5	2.10E-04
262	5	2.42E-04
263	5	2.74E-04
264	5	3.13E-04
265	5	3.52E-04
266	5	3.91E-04
267	5	4.25E-04
268	5	4.52E-04
269	5	5.03E-04
270	5	8.62E-05
271	5	9.10E-05
272	5	9.67E-05
273	5	1.03E-04
274	5	1.18E-04
275	5	1.30E-04
276	5	1.31E-04
277	5	1.42E-04
278	5	1.58E-04
279	5	1.79E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	2.08E-04
281	5	2.39E-04
282	5	2.72E-04
283	5	3.05E-04
284	5	3.37E-04
285	5	3.63E-04
286	5	3.86E-04
287	5	4.27E-04
288	5	8.17E-05
289	5	8.52E-05
290	5	9.22E-05
291	5	9.89E-05
292	5	1.19E-04
293	5	1.23E-04
294	5	1.20E-04
295	5	1.31E-04
296	5	1.45E-04
297	5	1.60E-04
298	5	1.81E-04
299	5	2.10E-04
300	5	2.36E-04
301	5	2.65E-04
302	5	2.93E-04
303	5	3.18E-04
304	5	3.37E-04
305	5	3.71E-04
306	5	8.22E-05
307	5	8.31E-05
308	5	8.73E-05
309	5	9.99E-05
310	5	1.12E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	1.16E-04
312	5	1.10E-04
313	5	1.21E-04
314	5	1.33E-04
315	5	1.52E-04
316	5	1.65E-04
317	5	1.83E-04
318	5	2.06E-04
319	5	2.33E-04
320	5	2.62E-04
321	5	2.82E-04
322	5	2.98E-04
323	5	3.26E-04
324	5	7.82E-05
325	5	8.47E-05
326	5	8.79E-05
327	5	8.98E-05
328	5	1.08E-04
329	5	1.09E-04
330	5	1.05E-04
331	5	1.15E-04
332	5	1.27E-04
333	5	1.43E-04
334	5	1.58E-04
335	5	1.74E-04
336	5	3.56E-03
337	5	2.77E-03
338	5	4.73E-04
339	5	5.25E-04
340	5	5.72E-04
341	5	6.05E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	6.23E-04
343	5	6.19E-04
344	5	5.99E-04
345	5	5.68E-04
346	5	5.28E-04
347	5	5.88E-04
348	5	6.79E-04
349	5	7.50E-04
350	5	7.97E-04
351	5	8.25E-04
352	5	8.10E-04
353	5	7.71E-04
354	5	7.08E-04
355	5	6.45E-04
356	5	7.56E-04
357	5	8.86E-04
358	5	1.01E-03
359	5	1.10E-03
360	5	1.15E-03
361	5	1.10E-03
362	5	1.02E-03
363	5	9.08E-04
364	5	1.04E-03
365	5	1.22E-03
366	5	1.47E-03
367	5	1.63E-03
368	5	1.70E-03
369	5	1.58E-03
370	5	1.22E-03
371	5	1.01E-03
372	5	1.55E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	1.93E-03
374	5	2.41E-03
375	5	2.68E-03
376	5	2.78E-03
377	5	2.71E-03
378	5	2.48E-03
379	5	1.67E-03
380	5	1.29E-03
381	5	9.82E-04
382	5	2.67E-03
383	5	3.89E-03
384	5	4.78E-03
385	5	5.26E-03
386	5	5.37E-03
387	5	5.15E-03
388	5	4.58E-03
389	5	2.35E-03
390	5	1.57E-03
391	5	1.09E-03
392	5	7.79E-04
393	5	5.91E-03
394	5	6.90E-03
395	5	6.96E-03
396	5	7.35E-03
397	5	8.64E-03
398	5	5.65E-03
399	5	4.51E-03
400	5	3.17E-03
401	5	1.75E-03
402	5	7.73E-04
403	5	3.62E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	7.74E-04
405	5	5.64E-04
406	5	2.95E-03
407	5	5.24E-04
408	5	2.21E-03
409	5	4.85E-04
410	5	1.68E-03
411	5	5.79E-04
412	5	4.55E-04
413	5	1.31E-03
414	5	6.87E-04
415	5	5.24E-04
416	5	4.18E-04
417	5	1.05E-03
418	5	4.76E-04
419	5	3.84E-04
420	5	3.18E-04
421	5	8.62E-04
422	5	3.53E-04
423	5	2.96E-04
424	5	7.19E-04
425	5	2.75E-04
426	5	2.36E-04
427	5	6.08E-04
428	5	2.56E-04
429	5	2.21E-04
430	5	5.21E-04
431	5	2.07E-04
432	5	1.82E-04
433	5	4.51E-04
434	5	1.94E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.72E-04
436	5	3.93E-04
437	5	2.08E-04
438	5	1.83E-04
439	5	1.62E-04
440	5	3.46E-04
441	5	2.51E-04
442	5	2.21E-04
443	5	1.94E-04
444	5	1.72E-04
445	5	3.06E-04
446	5	2.57E-04
447	5	2.30E-04
448	5	2.05E-04
449	5	2.73E-04
450	5	2.54E-04
451	5	2.33E-04
452	5	2.44E-04
453	5	2.30E-04
454	5	1.30E-04
455	5	1.18E-04
456	5	2.20E-04
457	5	2.09E-04
458	5	1.95E-04
459	5	1.49E-04
460	5	1.36E-04
461	5	1.23E-04
462	5	1.13E-04
463	5	2.91E-03
464	5	2.30E-03
465	5	1.96E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	1.52E-03
467	5	1.38E-03
468	5	1.07E-03
469	5	8.60E-04
470	5	7.54E-04
471	5	7.82E-04
472	5	6.21E-04
473	5	5.89E-04
474	5	5.20E-04
475	5	4.99E-04
476	5	4.42E-04
477	5	4.27E-04
478	5	3.80E-04
479	5	3.70E-04
480	5	3.51E-04
481	5	3.29E-04
482	5	3.09E-04
483	5	2.84E-04
484	5	2.74E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.17488	9.87E-03	1.7E-03	6.05E-04	1.04E-06	1.60E-01	4.71E-02	7.89E-09	1.0E+06	7.9E-03
2	0.1821	9.87E-03	1.8E-03	6.05E-04	1.09E-06	1.60E-01	4.71E-02	8.21E-09	1.0E+06	8.2E-03
3	0.18927	9.87E-03	1.9E-03	6.05E-04	1.13E-06	1.60E-01	4.71E-02	8.54E-09	1.0E+06	8.5E-03
4	0.19672	9.87E-03	1.9E-03	6.05E-04	1.17E-06	1.60E-01	4.71E-02	8.87E-09	1.0E+06	8.9E-03
5	0.20428	9.87E-03	2.0E-03	6.05E-04	1.22E-06	1.60E-01	4.71E-02	9.21E-09	1.0E+06	9.2E-03
6	0.21386	9.87E-03	2.1E-03	6.05E-04	1.28E-06	1.60E-01	4.71E-02	9.64E-09	1.0E+06	9.6E-03
7	0.22485	9.87E-03	2.2E-03	6.05E-04	1.34E-06	1.60E-01	4.71E-02	1.01E-08	1.0E+06	1.0E-02
8	0.23793	9.87E-03	2.3E-03	6.05E-04	1.42E-06	1.60E-01	4.71E-02	1.07E-08	1.0E+06	1.1E-02
9	0.25299	9.87E-03	2.5E-03	6.05E-04	1.51E-06	1.60E-01	4.71E-02	1.14E-08	1.0E+06	1.1E-02
10	0.27375	9.87E-03	2.7E-03	6.05E-04	1.63E-06	1.60E-01	4.71E-02	1.23E-08	1.0E+06	1.2E-02
11	0.29877	9.87E-03	2.9E-03	6.05E-04	1.78E-06	1.60E-01	4.71E-02	1.35E-08	1.0E+06	1.3E-02
12	0.32773	9.87E-03	3.2E-03	6.05E-04	1.96E-06	1.60E-01	4.71E-02	1.48E-08	1.0E+06	1.5E-02
13	0.35728	9.87E-03	3.5E-03	6.05E-04	2.13E-06	1.60E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
14	0.47121	9.87E-03	4.7E-03	6.05E-04	2.81E-06	1.60E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
15	0.19314	9.87E-03	1.9E-03	6.05E-04	1.15E-06	1.60E-01	4.71E-02	8.71E-09	1.0E+06	8.7E-03
16	0.20217	9.87E-03	2.0E-03	6.05E-04	1.21E-06	1.60E-01	4.71E-02	9.12E-09	1.0E+06	9.1E-03
17	0.21216	9.87E-03	2.1E-03	6.05E-04	1.27E-06	1.60E-01	4.71E-02	9.57E-09	1.0E+06	9.6E-03
18	0.22178	9.87E-03	2.2E-03	6.05E-04	1.32E-06	1.60E-01	4.71E-02	1.00E-08	1.0E+06	1.0E-02
19	0.23136	9.87E-03	2.3E-03	6.05E-04	1.38E-06	1.60E-01	4.71E-02	1.04E-08	1.0E+06	1.0E-02
20	0.2424	9.87E-03	2.4E-03	6.05E-04	1.45E-06	1.60E-01	4.71E-02	1.09E-08	1.0E+06	1.1E-02
21	0.25482	9.87E-03	2.5E-03	6.05E-04	1.52E-06	1.60E-01	4.71E-02	1.15E-08	1.0E+06	1.1E-02
22	0.26846	9.87E-03	2.6E-03	6.05E-04	1.60E-06	1.60E-01	4.71E-02	1.21E-08	1.0E+06	1.2E-02
23	0.28842	9.87E-03	2.8E-03	6.05E-04	1.72E-06	1.60E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
24	0.30946	9.87E-03	3.1E-03	6.05E-04	1.85E-06	1.60E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
25	0.3417	9.87E-03	3.4E-03	6.05E-04	2.04E-06	1.60E-01	4.71E-02	1.54E-08	1.0E+06	1.5E-02
26	0.37884	9.87E-03	3.7E-03	6.05E-04	2.26E-06	1.60E-01	4.71E-02	1.71E-08	1.0E+06	1.7E-02
27	0.41116	9.87E-03	4.1E-03	6.05E-04	2.46E-06	1.60E-01	4.71E-02	1.85E-08	1.0E+06	1.9E-02
28	0.57175	9.87E-03	5.6E-03	6.05E-04	3.41E-06	1.60E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
29	0.21093	9.87E-03	2.1E-03	6.05E-04	1.26E-06	1.60E-01	4.71E-02	9.51E-09	1.0E+06	9.5E-03
30	0.22337	9.87E-03	2.2E-03	6.05E-04	1.33E-06	1.60E-01	4.71E-02	1.01E-08	1.0E+06	1.0E-02
31	0.23665	9.87E-03	2.3E-03	6.05E-04	1.41E-06	1.60E-01	4.71E-02	1.07E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.25053	9.87E-03	2.5E-03	6.05E-04	1.50E-06	1.60E-01	4.71E-02	1.13E-08	1.0E+06	1.1E-02
33	0.26279	9.87E-03	2.6E-03	6.05E-04	1.57E-06	1.60E-01	4.71E-02	1.19E-08	1.0E+06	1.2E-02
34	0.27715	9.87E-03	2.7E-03	6.05E-04	1.66E-06	1.60E-01	4.71E-02	1.25E-08	1.0E+06	1.2E-02
35	0.29204	9.87E-03	2.9E-03	6.05E-04	1.74E-06	1.60E-01	4.71E-02	1.32E-08	1.0E+06	1.3E-02
36	0.30964	9.87E-03	3.1E-03	6.05E-04	1.85E-06	1.60E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
37	0.33136	9.87E-03	3.3E-03	6.05E-04	1.98E-06	1.60E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02
38	0.35987	9.87E-03	3.6E-03	6.05E-04	2.15E-06	1.60E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
39	0.39788	9.87E-03	3.9E-03	6.05E-04	2.38E-06	1.60E-01	4.71E-02	1.79E-08	1.0E+06	1.8E-02
40	0.43602	9.87E-03	4.3E-03	6.05E-04	2.60E-06	1.60E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
41	0.4798	9.87E-03	4.7E-03	6.05E-04	2.87E-06	1.60E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
42	0.7101	9.87E-03	7.0E-03	6.05E-04	4.24E-06	1.60E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02
43	0.22642	9.87E-03	2.2E-03	6.05E-04	1.35E-06	1.60E-01	4.71E-02	1.02E-08	1.0E+06	1.0E-02
44	0.24148	9.87E-03	2.4E-03	6.05E-04	1.44E-06	1.60E-01	4.71E-02	1.09E-08	1.0E+06	1.1E-02
45	0.25936	9.87E-03	2.6E-03	6.05E-04	1.55E-06	1.60E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
46	0.27862	9.87E-03	2.7E-03	6.05E-04	1.66E-06	1.60E-01	4.71E-02	1.26E-08	1.0E+06	1.3E-02
47	0.2972	9.87E-03	2.9E-03	6.05E-04	1.77E-06	1.60E-01	4.71E-02	1.34E-08	1.0E+06	1.3E-02
48	0.31625	9.87E-03	3.1E-03	6.05E-04	1.89E-06	1.60E-01	4.71E-02	1.43E-08	1.0E+06	1.4E-02
49	0.33541	9.87E-03	3.3E-03	6.05E-04	2.00E-06	1.60E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02
50	0.35565	9.87E-03	3.5E-03	6.05E-04	2.12E-06	1.60E-01	4.71E-02	1.60E-08	1.0E+06	1.6E-02
51	0.38654	9.87E-03	3.8E-03	6.05E-04	2.31E-06	1.60E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
52	0.42056	9.87E-03	4.2E-03	6.05E-04	2.51E-06	1.60E-01	4.71E-02	1.90E-08	1.0E+06	1.9E-02
53	0.46818	9.87E-03	4.6E-03	6.05E-04	2.80E-06	1.60E-01	4.71E-02	2.11E-08	1.0E+06	2.1E-02
54	0.52053	9.87E-03	5.1E-03	6.05E-04	3.11E-06	1.60E-01	4.71E-02	2.35E-08	1.0E+06	2.3E-02
55	0.58292	9.87E-03	5.8E-03	6.05E-04	3.48E-06	1.60E-01	4.71E-02	2.63E-08	1.0E+06	2.6E-02
56	0.91081	9.87E-03	9.0E-03	6.05E-04	5.44E-06	1.60E-01	4.71E-02	4.11E-08	1.0E+06	4.1E-02
57	0.23786	9.87E-03	2.3E-03	6.05E-04	1.42E-06	1.60E-01	4.71E-02	1.07E-08	1.0E+06	1.1E-02
58	0.25766	9.87E-03	2.5E-03	6.05E-04	1.54E-06	1.60E-01	4.71E-02	1.16E-08	1.0E+06	1.2E-02
59	0.28115	9.87E-03	2.8E-03	6.05E-04	1.68E-06	1.60E-01	4.71E-02	1.27E-08	1.0E+06	1.3E-02
60	0.30622	9.87E-03	3.0E-03	6.05E-04	1.83E-06	1.60E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02
61	0.33261	9.87E-03	3.3E-03	6.05E-04	1.99E-06	1.60E-01	4.71E-02	1.50E-08	1.0E+06	1.5E-02
62	0.35999	9.87E-03	3.6E-03	6.05E-04	2.15E-06	1.60E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.39069	9.87E-03	3.9E-03	6.05E-04	2.33E-06	1.60E-01	4.71E-02	1.76E-08	1.0E+06	1.8E-02
64	0.4155	9.87E-03	4.1E-03	6.05E-04	2.48E-06	1.60E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
65	0.45397	9.87E-03	4.5E-03	6.05E-04	2.71E-06	1.60E-01	4.71E-02	2.05E-08	1.0E+06	2.0E-02
66	0.50152	9.87E-03	4.9E-03	6.05E-04	2.99E-06	1.60E-01	4.71E-02	2.26E-08	1.0E+06	2.3E-02
67	0.55455	9.87E-03	5.5E-03	6.05E-04	3.31E-06	1.60E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
68	0.63644	9.87E-03	6.3E-03	6.05E-04	3.80E-06	1.60E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
69	0.72804	9.87E-03	7.2E-03	6.05E-04	4.35E-06	1.60E-01	4.71E-02	3.28E-08	1.0E+06	3.3E-02
70	0.2495	9.87E-03	2.5E-03	6.05E-04	1.49E-06	1.60E-01	4.71E-02	1.13E-08	1.0E+06	1.1E-02
71	0.27248	9.87E-03	2.7E-03	6.05E-04	1.63E-06	1.60E-01	4.71E-02	1.23E-08	1.0E+06	1.2E-02
72	0.3016	9.87E-03	3.0E-03	6.05E-04	1.80E-06	1.60E-01	4.71E-02	1.36E-08	1.0E+06	1.4E-02
73	0.33167	9.87E-03	3.3E-03	6.05E-04	1.98E-06	1.60E-01	4.71E-02	1.50E-08	1.0E+06	1.5E-02
74	0.36626	9.87E-03	3.6E-03	6.05E-04	2.19E-06	1.60E-01	4.71E-02	1.65E-08	1.0E+06	1.7E-02
75	0.40355	9.87E-03	4.0E-03	6.05E-04	2.41E-06	1.60E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
76	0.44679	9.87E-03	4.4E-03	6.05E-04	2.67E-06	1.60E-01	4.71E-02	2.01E-08	1.0E+06	2.0E-02
77	0.48972	9.87E-03	4.8E-03	6.05E-04	2.92E-06	1.60E-01	4.71E-02	2.21E-08	1.0E+06	2.2E-02
78	0.54448	9.87E-03	5.4E-03	6.05E-04	3.25E-06	1.60E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02
79	0.62745	9.87E-03	6.2E-03	6.05E-04	3.75E-06	1.60E-01	4.71E-02	2.83E-08	1.0E+06	2.8E-02
80	0.70098	9.87E-03	6.9E-03	6.05E-04	4.19E-06	1.60E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02
81	0.82297	9.87E-03	8.1E-03	6.05E-04	4.91E-06	1.60E-01	4.71E-02	3.71E-08	1.0E+06	3.7E-02
82	0.94086	9.87E-03	9.3E-03	6.05E-04	5.62E-06	1.60E-01	4.71E-02	4.24E-08	1.0E+06	4.2E-02
83	0.25944	9.87E-03	2.6E-03	6.05E-04	1.55E-06	1.60E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
84	0.28928	9.87E-03	2.9E-03	6.05E-04	1.73E-06	1.60E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
85	0.32121	9.87E-03	3.2E-03	6.05E-04	1.92E-06	1.60E-01	4.71E-02	1.45E-08	1.0E+06	1.4E-02
86	0.35254	9.87E-03	3.5E-03	6.05E-04	2.11E-06	1.60E-01	4.71E-02	1.59E-08	1.0E+06	1.6E-02
87	0.39269	9.87E-03	3.9E-03	6.05E-04	2.35E-06	1.60E-01	4.71E-02	1.77E-08	1.0E+06	1.8E-02
88	0.43866	9.87E-03	4.3E-03	6.05E-04	2.62E-06	1.60E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
89	0.49549	9.87E-03	4.9E-03	6.05E-04	2.96E-06	1.60E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
90	0.56452	9.87E-03	5.6E-03	6.05E-04	3.37E-06	1.60E-01	4.71E-02	2.55E-08	1.0E+06	2.5E-02
91	0.64839	9.87E-03	6.4E-03	6.05E-04	3.87E-06	1.60E-01	4.71E-02	2.92E-08	1.0E+06	2.9E-02
92	0.75145	9.87E-03	7.4E-03	6.05E-04	4.49E-06	1.60E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
93	0.88004	9.87E-03	8.7E-03	6.05E-04	5.26E-06	1.60E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	1.03748	9.87E-03	1.0E-02	6.05E-04	6.20E-06	1.60E-01	4.71E-02	4.68E-08	1.0E+06	4.7E-02
95	1.2286	9.87E-03	1.2E-02	6.05E-04	7.34E-06	1.60E-01	4.71E-02	5.54E-08	1.0E+06	5.5E-02
96	0.26724	9.87E-03	2.6E-03	6.05E-04	1.60E-06	1.60E-01	4.71E-02	1.21E-08	1.0E+06	1.2E-02
97	0.2968	9.87E-03	2.9E-03	6.05E-04	1.77E-06	1.60E-01	4.71E-02	1.34E-08	1.0E+06	1.3E-02
98	0.33036	9.87E-03	3.3E-03	6.05E-04	1.97E-06	1.60E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02
99	0.3717	9.87E-03	3.7E-03	6.05E-04	2.22E-06	1.60E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
100	0.4166	9.87E-03	4.1E-03	6.05E-04	2.49E-06	1.60E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
101	0.47215	9.87E-03	4.7E-03	6.05E-04	2.82E-06	1.60E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
102	0.5404	9.87E-03	5.3E-03	6.05E-04	3.23E-06	1.60E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
103	0.6279	9.87E-03	6.2E-03	6.05E-04	3.75E-06	1.60E-01	4.71E-02	2.83E-08	1.0E+06	2.8E-02
104	0.73836	9.87E-03	7.3E-03	6.05E-04	4.41E-06	1.60E-01	4.71E-02	3.33E-08	1.0E+06	3.3E-02
105	0.88132	9.87E-03	8.7E-03	6.05E-04	5.26E-06	1.60E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02
106	1.06529	9.87E-03	1.1E-02	6.05E-04	6.36E-06	1.60E-01	4.71E-02	4.80E-08	1.0E+06	4.8E-02
107	1.30402	9.87E-03	1.3E-02	6.05E-04	7.79E-06	1.60E-01	4.71E-02	5.88E-08	1.0E+06	5.9E-02
108	1.61057	9.87E-03	1.6E-02	6.05E-04	9.62E-06	1.60E-01	4.71E-02	7.26E-08	1.0E+06	7.3E-02
109	0.26525	9.87E-03	2.6E-03	6.05E-04	1.58E-06	1.60E-01	4.71E-02	1.20E-08	1.0E+06	1.2E-02
110	0.29664	9.87E-03	2.9E-03	6.05E-04	1.77E-06	1.60E-01	4.71E-02	1.34E-08	1.0E+06	1.3E-02
111	0.3339	9.87E-03	3.3E-03	6.05E-04	1.99E-06	1.60E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02
112	0.37842	9.87E-03	3.7E-03	6.05E-04	2.26E-06	1.60E-01	4.71E-02	1.71E-08	1.0E+06	1.7E-02
113	0.43228	9.87E-03	4.3E-03	6.05E-04	2.58E-06	1.60E-01	4.71E-02	1.95E-08	1.0E+06	1.9E-02
114	0.49803	9.87E-03	4.9E-03	6.05E-04	2.97E-06	1.60E-01	4.71E-02	2.25E-08	1.0E+06	2.2E-02
115	0.58	9.87E-03	5.7E-03	6.05E-04	3.46E-06	1.60E-01	4.71E-02	2.62E-08	1.0E+06	2.6E-02
116	0.68497	9.87E-03	6.8E-03	6.05E-04	4.09E-06	1.60E-01	4.71E-02	3.09E-08	1.0E+06	3.1E-02
117	0.82678	9.87E-03	8.2E-03	6.05E-04	4.94E-06	1.60E-01	4.71E-02	3.73E-08	1.0E+06	3.7E-02
118	0.98991	9.87E-03	9.8E-03	6.05E-04	5.91E-06	1.60E-01	4.71E-02	4.46E-08	1.0E+06	4.5E-02
119	1.24281	9.87E-03	1.2E-02	6.05E-04	7.42E-06	1.60E-01	4.71E-02	5.60E-08	1.0E+06	5.6E-02
120	1.57912	9.87E-03	1.6E-02	6.05E-04	9.43E-06	1.60E-01	4.71E-02	7.12E-08	1.0E+06	7.1E-02
121	2.00608	9.87E-03	2.0E-02	6.05E-04	1.20E-05	1.60E-01	4.71E-02	9.05E-08	1.0E+06	9.0E-02
122	0.25537	9.87E-03	2.5E-03	6.05E-04	1.52E-06	1.60E-01	4.71E-02	1.15E-08	1.0E+06	1.2E-02
123	0.28818	9.87E-03	2.8E-03	6.05E-04	1.72E-06	1.60E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
124	0.32858	9.87E-03	3.2E-03	6.05E-04	1.96E-06	1.60E-01	4.71E-02	1.48E-08	1.0E+06	1.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.3757	9.87E-03	3.7E-03	6.05E-04	2.24E-06	1.60E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
126	0.43335	9.87E-03	4.3E-03	6.05E-04	2.59E-06	1.60E-01	4.71E-02	1.95E-08	1.0E+06	2.0E-02
127	0.50557	9.87E-03	5.0E-03	6.05E-04	3.02E-06	1.60E-01	4.71E-02	2.28E-08	1.0E+06	2.3E-02
128	0.58754	9.87E-03	5.8E-03	6.05E-04	3.51E-06	1.60E-01	4.71E-02	2.65E-08	1.0E+06	2.6E-02
129	0.71039	9.87E-03	7.0E-03	6.05E-04	4.24E-06	1.60E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02
130	0.89215	9.87E-03	8.8E-03	6.05E-04	5.33E-06	1.60E-01	4.71E-02	4.02E-08	1.0E+06	4.0E-02
131	12.92748	9.87E-03	1.3E-01	6.05E-04	7.72E-05	1.60E-01	4.71E-02	5.83E-07	1.0E+06	5.8E-01
132	9.40064	9.87E-03	9.3E-02	6.05E-04	5.61E-05	1.60E-01	4.71E-02	4.24E-07	1.0E+06	4.2E-01
133	0.23911	9.87E-03	2.4E-03	6.05E-04	1.43E-06	1.60E-01	4.71E-02	1.08E-08	1.0E+06	1.1E-02
134	0.27452	9.87E-03	2.7E-03	6.05E-04	1.64E-06	1.60E-01	4.71E-02	1.24E-08	1.0E+06	1.2E-02
135	0.31532	9.87E-03	3.1E-03	6.05E-04	1.88E-06	1.60E-01	4.71E-02	1.42E-08	1.0E+06	1.4E-02
136	0.36264	9.87E-03	3.6E-03	6.05E-04	2.17E-06	1.60E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
137	0.42092	9.87E-03	4.2E-03	6.05E-04	2.51E-06	1.60E-01	4.71E-02	1.90E-08	1.0E+06	1.9E-02
138	0.49184	9.87E-03	4.9E-03	6.05E-04	2.94E-06	1.60E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
139	0.57812	9.87E-03	5.7E-03	6.05E-04	3.45E-06	1.60E-01	4.71E-02	2.61E-08	1.0E+06	2.6E-02
140	0.70963	9.87E-03	7.0E-03	6.05E-04	4.24E-06	1.60E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02
141	0.89849	9.87E-03	8.9E-03	6.05E-04	5.37E-06	1.60E-01	4.71E-02	4.05E-08	1.0E+06	4.1E-02
142	1.18174	9.87E-03	1.2E-02	6.05E-04	7.06E-06	1.60E-01	4.71E-02	5.33E-08	1.0E+06	5.3E-02
143	1.67257	9.87E-03	1.7E-02	6.05E-04	9.99E-06	1.60E-01	4.71E-02	7.54E-08	1.0E+06	7.5E-02
144	2.65947	9.87E-03	2.6E-02	6.05E-04	1.59E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
145	5.22291	9.87E-03	5.2E-02	6.05E-04	3.12E-05	1.60E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
146	15.81931	9.87E-03	1.6E-01	6.05E-04	9.45E-05	1.60E-01	4.71E-02	7.13E-07	1.0E+06	7.1E-01
147	0.22164	9.87E-03	2.2E-03	6.05E-04	1.32E-06	1.60E-01	4.71E-02	1.00E-08	1.0E+06	1.0E-02
148	0.25424	9.87E-03	2.5E-03	6.05E-04	1.52E-06	1.60E-01	4.71E-02	1.15E-08	1.0E+06	1.1E-02
149	0.294	9.87E-03	2.9E-03	6.05E-04	1.76E-06	1.60E-01	4.71E-02	1.33E-08	1.0E+06	1.3E-02
150	0.33969	9.87E-03	3.4E-03	6.05E-04	2.03E-06	1.60E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
151	0.39809	9.87E-03	3.9E-03	6.05E-04	2.38E-06	1.60E-01	4.71E-02	1.80E-08	1.0E+06	1.8E-02
152	0.46482	9.87E-03	4.6E-03	6.05E-04	2.78E-06	1.60E-01	4.71E-02	2.10E-08	1.0E+06	2.1E-02
153	0.55148	9.87E-03	5.4E-03	6.05E-04	3.29E-06	1.60E-01	4.71E-02	2.49E-08	1.0E+06	2.5E-02
154	0.67711	9.87E-03	6.7E-03	6.05E-04	4.04E-06	1.60E-01	4.71E-02	3.05E-08	1.0E+06	3.1E-02
155	0.86429	9.87E-03	8.5E-03	6.05E-04	5.16E-06	1.60E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	1.15152	9.87E-03	1.1E-02	6.05E-04	6.88E-06	1.60E-01	4.71E-02	5.19E-08	1.0E+06	5.2E-02
157	1.63937	9.87E-03	1.6E-02	6.05E-04	9.79E-06	1.60E-01	4.71E-02	7.39E-08	1.0E+06	7.4E-02
158	2.64058	9.87E-03	2.6E-02	6.05E-04	1.58E-05	1.60E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
159	6.58994	9.87E-03	6.5E-02	6.05E-04	3.94E-05	1.60E-01	4.71E-02	2.97E-07	1.0E+06	3.0E-01
160	0.20943	9.87E-03	2.1E-03	6.05E-04	1.25E-06	1.60E-01	4.71E-02	9.44E-09	1.0E+06	9.4E-03
161	0.23565	9.87E-03	2.3E-03	6.05E-04	1.41E-06	1.60E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
162	0.26393	9.87E-03	2.6E-03	6.05E-04	1.58E-06	1.60E-01	4.71E-02	1.19E-08	1.0E+06	1.2E-02
163	0.31008	9.87E-03	3.1E-03	6.05E-04	1.85E-06	1.60E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
164	0.37016	9.87E-03	3.7E-03	6.05E-04	2.21E-06	1.60E-01	4.71E-02	1.67E-08	1.0E+06	1.7E-02
165	0.43373	9.87E-03	4.3E-03	6.05E-04	2.59E-06	1.60E-01	4.71E-02	1.96E-08	1.0E+06	2.0E-02
166	0.51919	9.87E-03	5.1E-03	6.05E-04	3.10E-06	1.60E-01	4.71E-02	2.34E-08	1.0E+06	2.3E-02
167	0.63546	9.87E-03	6.3E-03	6.05E-04	3.79E-06	1.60E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
168	0.80312	9.87E-03	7.9E-03	6.05E-04	4.80E-06	1.60E-01	4.71E-02	3.62E-08	1.0E+06	3.6E-02
169	1.05888	9.87E-03	1.0E-02	6.05E-04	6.32E-06	1.60E-01	4.71E-02	4.78E-08	1.0E+06	4.8E-02
170	1.48224	9.87E-03	1.5E-02	6.05E-04	8.85E-06	1.60E-01	4.71E-02	6.68E-08	1.0E+06	6.7E-02
171	2.31071	9.87E-03	2.3E-02	6.05E-04	1.38E-05	1.60E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
172	4.93324	9.87E-03	4.9E-02	6.05E-04	2.95E-05	1.60E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
173	6.72209	9.87E-03	6.6E-02	6.05E-04	4.01E-05	1.60E-01	4.71E-02	3.03E-07	1.0E+06	3.0E-01
174	10.31006	9.87E-03	1.0E-01	6.05E-04	6.16E-05	1.60E-01	4.71E-02	4.65E-07	1.0E+06	4.6E-01
175	11.13119	9.87E-03	1.1E-01	6.05E-04	6.65E-05	1.60E-01	4.71E-02	5.02E-07	1.0E+06	5.0E-01
176	12.98888	9.87E-03	1.3E-01	6.05E-04	7.76E-05	1.60E-01	4.71E-02	5.86E-07	1.0E+06	5.9E-01
177	10.80421	9.87E-03	1.1E-01	6.05E-04	6.45E-05	1.60E-01	4.71E-02	4.87E-07	1.0E+06	4.9E-01
178	8.91457	9.87E-03	8.8E-02	6.05E-04	5.32E-05	1.60E-01	4.71E-02	4.02E-07	1.0E+06	4.0E-01
179	0.19309	9.87E-03	1.9E-03	6.05E-04	1.15E-06	1.60E-01	4.71E-02	8.71E-09	1.0E+06	8.7E-03
180	0.21456	9.87E-03	2.1E-03	6.05E-04	1.28E-06	1.60E-01	4.71E-02	9.68E-09	1.0E+06	9.7E-03
181	0.2361	9.87E-03	2.3E-03	6.05E-04	1.41E-06	1.60E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
182	0.28264	9.87E-03	2.8E-03	6.05E-04	1.69E-06	1.60E-01	4.71E-02	1.27E-08	1.0E+06	1.3E-02
183	0.34655	9.87E-03	3.4E-03	6.05E-04	2.07E-06	1.60E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
184	0.40738	9.87E-03	4.0E-03	6.05E-04	2.43E-06	1.60E-01	4.71E-02	1.84E-08	1.0E+06	1.8E-02
185	0.48904	9.87E-03	4.8E-03	6.05E-04	2.92E-06	1.60E-01	4.71E-02	2.21E-08	1.0E+06	2.2E-02
186	0.59504	9.87E-03	5.9E-03	6.05E-04	3.55E-06	1.60E-01	4.71E-02	2.68E-08	1.0E+06	2.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.73895	9.87E-03	7.3E-03	6.05E-04	4.41E-06	1.60E-01	4.71E-02	3.33E-08	1.0E+06	3.3E-02
188	0.95209	9.87E-03	9.4E-03	6.05E-04	5.69E-06	1.60E-01	4.71E-02	4.29E-08	1.0E+06	4.3E-02
189	1.27312	9.87E-03	1.3E-02	6.05E-04	7.60E-06	1.60E-01	4.71E-02	5.74E-08	1.0E+06	5.7E-02
190	1.82477	9.87E-03	1.8E-02	6.05E-04	1.09E-05	1.60E-01	4.71E-02	8.23E-08	1.0E+06	8.2E-02
191	2.94775	9.87E-03	2.9E-02	6.05E-04	1.76E-05	1.60E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
192	5.09803	9.87E-03	5.0E-02	6.05E-04	3.04E-05	1.60E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
193	6.65391	9.87E-03	6.6E-02	6.05E-04	3.97E-05	1.60E-01	4.71E-02	3.00E-07	1.0E+06	3.0E-01
194	7.42306	9.87E-03	7.3E-02	6.05E-04	4.43E-05	1.60E-01	4.71E-02	3.35E-07	1.0E+06	3.3E-01
195	8.09345	9.87E-03	8.0E-02	6.05E-04	4.83E-05	1.60E-01	4.71E-02	3.65E-07	1.0E+06	3.6E-01
196	7.64119	9.87E-03	7.5E-02	6.05E-04	4.56E-05	1.60E-01	4.71E-02	3.45E-07	1.0E+06	3.4E-01
197	5.9061	9.87E-03	5.8E-02	6.05E-04	3.53E-05	1.60E-01	4.71E-02	2.66E-07	1.0E+06	2.7E-01
198	0.18335	9.87E-03	1.8E-03	6.05E-04	1.09E-06	1.60E-01	4.71E-02	8.27E-09	1.0E+06	8.3E-03
199	0.2041	9.87E-03	2.0E-03	6.05E-04	1.22E-06	1.60E-01	4.71E-02	9.20E-09	1.0E+06	9.2E-03
200	0.22853	9.87E-03	2.3E-03	6.05E-04	1.36E-06	1.60E-01	4.71E-02	1.03E-08	1.0E+06	1.0E-02
201	0.26339	9.87E-03	2.6E-03	6.05E-04	1.57E-06	1.60E-01	4.71E-02	1.19E-08	1.0E+06	1.2E-02
202	0.32176	9.87E-03	3.2E-03	6.05E-04	1.92E-06	1.60E-01	4.71E-02	1.45E-08	1.0E+06	1.5E-02
203	0.38143	9.87E-03	3.8E-03	6.05E-04	2.28E-06	1.60E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
204	0.45785	9.87E-03	4.5E-03	6.05E-04	2.73E-06	1.60E-01	4.71E-02	2.06E-08	1.0E+06	2.1E-02
205	0.55249	9.87E-03	5.5E-03	6.05E-04	3.30E-06	1.60E-01	4.71E-02	2.49E-08	1.0E+06	2.5E-02
206	0.67606	9.87E-03	6.7E-03	6.05E-04	4.04E-06	1.60E-01	4.71E-02	3.05E-08	1.0E+06	3.0E-02
207	0.84477	9.87E-03	8.3E-03	6.05E-04	5.04E-06	1.60E-01	4.71E-02	3.81E-08	1.0E+06	3.8E-02
208	1.0806	9.87E-03	1.1E-02	6.05E-04	6.45E-06	1.60E-01	4.71E-02	4.87E-08	1.0E+06	4.9E-02
209	1.4381	9.87E-03	1.4E-02	6.05E-04	8.59E-06	1.60E-01	4.71E-02	6.49E-08	1.0E+06	6.5E-02
210	2.02651	9.87E-03	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.14E-08	1.0E+06	9.1E-02
211	2.88779	9.87E-03	2.9E-02	6.05E-04	1.72E-05	1.60E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
212	3.58306	9.87E-03	3.5E-02	6.05E-04	2.14E-05	1.60E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
213	3.84605	9.87E-03	3.8E-02	6.05E-04	2.30E-05	1.60E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
214	3.81694	9.87E-03	3.8E-02	6.05E-04	2.28E-05	1.60E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01
215	4.44903	9.87E-03	4.4E-02	6.05E-04	2.66E-05	1.60E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
216	0.17741	9.87E-03	1.8E-03	6.05E-04	1.06E-06	1.60E-01	4.71E-02	8.00E-09	1.0E+06	8.0E-03
217	0.1957	9.87E-03	1.9E-03	6.05E-04	1.17E-06	1.60E-01	4.71E-02	8.83E-09	1.0E+06	8.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.21931	9.87E-03	2.2E-03	6.05E-04	1.31E-06	1.60E-01	4.71E-02	9.89E-09	1.0E+06	9.9E-03
219	0.25009	9.87E-03	2.5E-03	6.05E-04	1.49E-06	1.60E-01	4.71E-02	1.13E-08	1.0E+06	1.1E-02
220	0.29965	9.87E-03	3.0E-03	6.05E-04	1.79E-06	1.60E-01	4.71E-02	1.35E-08	1.0E+06	1.4E-02
221	0.35077	9.87E-03	3.5E-03	6.05E-04	2.09E-06	1.60E-01	4.71E-02	1.58E-08	1.0E+06	1.6E-02
222	0.41974	9.87E-03	4.1E-03	6.05E-04	2.51E-06	1.60E-01	4.71E-02	1.89E-08	1.0E+06	1.9E-02
223	0.50101	9.87E-03	4.9E-03	6.05E-04	2.99E-06	1.60E-01	4.71E-02	2.26E-08	1.0E+06	2.3E-02
224	0.60151	9.87E-03	5.9E-03	6.05E-04	3.59E-06	1.60E-01	4.71E-02	2.71E-08	1.0E+06	2.7E-02
225	0.7257	9.87E-03	7.2E-03	6.05E-04	4.33E-06	1.60E-01	4.71E-02	3.27E-08	1.0E+06	3.3E-02
226	0.89772	9.87E-03	8.9E-03	6.05E-04	5.36E-06	1.60E-01	4.71E-02	4.05E-08	1.0E+06	4.0E-02
227	1.13195	9.87E-03	1.1E-02	6.05E-04	6.76E-06	1.60E-01	4.71E-02	5.10E-08	1.0E+06	5.1E-02
228	1.475	9.87E-03	1.5E-02	6.05E-04	8.81E-06	1.60E-01	4.71E-02	6.65E-08	1.0E+06	6.7E-02
229	1.93098	9.87E-03	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.71E-08	1.0E+06	8.7E-02
230	2.33502	9.87E-03	2.3E-02	6.05E-04	1.39E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
231	2.58104	9.87E-03	2.5E-02	6.05E-04	1.54E-05	1.60E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
232	2.66403	9.87E-03	2.6E-02	6.05E-04	1.59E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
233	2.9077	9.87E-03	2.9E-02	6.05E-04	1.74E-05	1.60E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
234	0.17189	9.87E-03	1.7E-03	6.05E-04	1.03E-06	1.60E-01	4.71E-02	7.75E-09	1.0E+06	7.8E-03
235	0.18806	9.87E-03	1.9E-03	6.05E-04	1.12E-06	1.60E-01	4.71E-02	8.48E-09	1.0E+06	8.5E-03
236	0.2101	9.87E-03	2.1E-03	6.05E-04	1.25E-06	1.60E-01	4.71E-02	9.48E-09	1.0E+06	9.5E-03
237	0.23979	9.87E-03	2.4E-03	6.05E-04	1.43E-06	1.60E-01	4.71E-02	1.08E-08	1.0E+06	1.1E-02
238	0.27936	9.87E-03	2.8E-03	6.05E-04	1.67E-06	1.60E-01	4.71E-02	1.26E-08	1.0E+06	1.3E-02
239	0.32336	9.87E-03	3.2E-03	6.05E-04	1.93E-06	1.60E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
240	0.37909	9.87E-03	3.7E-03	6.05E-04	2.26E-06	1.60E-01	4.71E-02	1.71E-08	1.0E+06	1.7E-02
241	0.44514	9.87E-03	4.4E-03	6.05E-04	2.66E-06	1.60E-01	4.71E-02	2.01E-08	1.0E+06	2.0E-02
242	0.52414	9.87E-03	5.2E-03	6.05E-04	3.13E-06	1.60E-01	4.71E-02	2.36E-08	1.0E+06	2.4E-02
243	0.61899	9.87E-03	6.1E-03	6.05E-04	3.70E-06	1.60E-01	4.71E-02	2.79E-08	1.0E+06	2.8E-02
244	0.74753	9.87E-03	7.4E-03	6.05E-04	4.46E-06	1.60E-01	4.71E-02	3.37E-08	1.0E+06	3.4E-02
245	0.91665	9.87E-03	9.0E-03	6.05E-04	5.47E-06	1.60E-01	4.71E-02	4.13E-08	1.0E+06	4.1E-02
246	1.14673	9.87E-03	1.1E-02	6.05E-04	6.85E-06	1.60E-01	4.71E-02	5.17E-08	1.0E+06	5.2E-02
247	1.4266	9.87E-03	1.4E-02	6.05E-04	8.52E-06	1.60E-01	4.71E-02	6.43E-08	1.0E+06	6.4E-02
248	1.69563	9.87E-03	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.65E-08	1.0E+06	7.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.88767	9.87E-03	1.9E-02	6.05E-04	1.13E-05	1.60E-01	4.71E-02	8.51E-08	1.0E+06	8.5E-02
250	1.98347	9.87E-03	2.0E-02	6.05E-04	1.18E-05	1.60E-01	4.71E-02	8.95E-08	1.0E+06	8.9E-02
251	2.12734	9.87E-03	2.1E-02	6.05E-04	1.27E-05	1.60E-01	4.71E-02	9.59E-08	1.0E+06	9.6E-02
252	0.16493	9.87E-03	1.6E-03	6.05E-04	9.85E-07	1.60E-01	4.71E-02	7.44E-09	1.0E+06	7.4E-03
253	0.17909	9.87E-03	1.8E-03	6.05E-04	1.07E-06	1.60E-01	4.71E-02	8.08E-09	1.0E+06	8.1E-03
254	0.19765	9.87E-03	2.0E-03	6.05E-04	1.18E-06	1.60E-01	4.71E-02	8.91E-09	1.0E+06	8.9E-03
255	0.22099	9.87E-03	2.2E-03	6.05E-04	1.32E-06	1.60E-01	4.71E-02	9.97E-09	1.0E+06	1.0E-02
256	0.26018	9.87E-03	2.6E-03	6.05E-04	1.55E-06	1.60E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
257	0.2878	9.87E-03	2.8E-03	6.05E-04	1.72E-06	1.60E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
258	0.32553	9.87E-03	3.2E-03	6.05E-04	1.94E-06	1.60E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02
259	0.3694	9.87E-03	3.6E-03	6.05E-04	2.21E-06	1.60E-01	4.71E-02	1.67E-08	1.0E+06	1.7E-02
260	0.43279	9.87E-03	4.3E-03	6.05E-04	2.58E-06	1.60E-01	4.71E-02	1.95E-08	1.0E+06	2.0E-02
261	0.51703	9.87E-03	5.1E-03	6.05E-04	3.09E-06	1.60E-01	4.71E-02	2.33E-08	1.0E+06	2.3E-02
262	0.62025	9.87E-03	6.1E-03	6.05E-04	3.70E-06	1.60E-01	4.71E-02	2.80E-08	1.0E+06	2.8E-02
263	0.74306	9.87E-03	7.3E-03	6.05E-04	4.44E-06	1.60E-01	4.71E-02	3.35E-08	1.0E+06	3.4E-02
264	0.90838	9.87E-03	9.0E-03	6.05E-04	5.42E-06	1.60E-01	4.71E-02	4.10E-08	1.0E+06	4.1E-02
265	1.09481	9.87E-03	1.1E-02	6.05E-04	6.54E-06	1.60E-01	4.71E-02	4.94E-08	1.0E+06	4.9E-02
266	1.28248	9.87E-03	1.3E-02	6.05E-04	7.66E-06	1.60E-01	4.71E-02	5.78E-08	1.0E+06	5.8E-02
267	1.42537	9.87E-03	1.4E-02	6.05E-04	8.51E-06	1.60E-01	4.71E-02	6.43E-08	1.0E+06	6.4E-02
268	1.50248	9.87E-03	1.5E-02	6.05E-04	8.97E-06	1.60E-01	4.71E-02	6.78E-08	1.0E+06	6.8E-02
269	1.60435	9.87E-03	1.6E-02	6.05E-04	9.58E-06	1.60E-01	4.71E-02	7.24E-08	1.0E+06	7.2E-02
270	0.15811	9.87E-03	1.6E-03	6.05E-04	9.44E-07	1.60E-01	4.71E-02	7.13E-09	1.0E+06	7.1E-03
271	0.17185	9.87E-03	1.7E-03	6.05E-04	1.03E-06	1.60E-01	4.71E-02	7.75E-09	1.0E+06	7.8E-03
272	0.18865	9.87E-03	1.9E-03	6.05E-04	1.13E-06	1.60E-01	4.71E-02	8.51E-09	1.0E+06	8.5E-03
273	0.20788	9.87E-03	2.1E-03	6.05E-04	1.24E-06	1.60E-01	4.71E-02	9.37E-09	1.0E+06	9.4E-03
274	0.24491	9.87E-03	2.4E-03	6.05E-04	1.46E-06	1.60E-01	4.71E-02	1.10E-08	1.0E+06	1.1E-02
275	0.27766	9.87E-03	2.7E-03	6.05E-04	1.66E-06	1.60E-01	4.71E-02	1.25E-08	1.0E+06	1.3E-02
276	0.28974	9.87E-03	2.9E-03	6.05E-04	1.73E-06	1.60E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02
277	0.32166	9.87E-03	3.2E-03	6.05E-04	1.92E-06	1.60E-01	4.71E-02	1.45E-08	1.0E+06	1.5E-02
278	0.36443	9.87E-03	3.6E-03	6.05E-04	2.18E-06	1.60E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
279	0.42257	9.87E-03	4.2E-03	6.05E-04	2.52E-06	1.60E-01	4.71E-02	1.91E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.50962	9.87E-03	5.0E-03	6.05E-04	3.04E-06	1.60E-01	4.71E-02	2.30E-08	1.0E+06	2.3E-02
281	0.616	9.87E-03	6.1E-03	6.05E-04	3.68E-06	1.60E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
282	0.74094	9.87E-03	7.3E-03	6.05E-04	4.42E-06	1.60E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02
283	0.87839	9.87E-03	8.7E-03	6.05E-04	5.25E-06	1.60E-01	4.71E-02	3.96E-08	1.0E+06	4.0E-02
284	1.01581	9.87E-03	1.0E-02	6.05E-04	6.07E-06	1.60E-01	4.71E-02	4.58E-08	1.0E+06	4.6E-02
285	1.11984	9.87E-03	1.1E-02	6.05E-04	6.69E-06	1.60E-01	4.71E-02	5.05E-08	1.0E+06	5.1E-02
286	1.18487	9.87E-03	1.2E-02	6.05E-04	7.08E-06	1.60E-01	4.71E-02	5.34E-08	1.0E+06	5.3E-02
287	1.26563	9.87E-03	1.2E-02	6.05E-04	7.56E-06	1.60E-01	4.71E-02	5.71E-08	1.0E+06	5.7E-02
288	0.15258	9.87E-03	1.5E-03	6.05E-04	9.11E-07	1.60E-01	4.71E-02	6.88E-09	1.0E+06	6.9E-03
289	0.16395	9.87E-03	1.6E-03	6.05E-04	9.79E-07	1.60E-01	4.71E-02	7.39E-09	1.0E+06	7.4E-03
290	0.18264	9.87E-03	1.8E-03	6.05E-04	1.09E-06	1.60E-01	4.71E-02	8.24E-09	1.0E+06	8.2E-03
291	0.20155	9.87E-03	2.0E-03	6.05E-04	1.20E-06	1.60E-01	4.71E-02	9.09E-09	1.0E+06	9.1E-03
292	0.24543	9.87E-03	2.4E-03	6.05E-04	1.47E-06	1.60E-01	4.71E-02	1.11E-08	1.0E+06	1.1E-02
293	0.26215	9.87E-03	2.6E-03	6.05E-04	1.57E-06	1.60E-01	4.71E-02	1.18E-08	1.0E+06	1.2E-02
294	0.26042	9.87E-03	2.6E-03	6.05E-04	1.56E-06	1.60E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
295	0.28841	9.87E-03	2.8E-03	6.05E-04	1.72E-06	1.60E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
296	0.32442	9.87E-03	3.2E-03	6.05E-04	1.94E-06	1.60E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
297	0.364	9.87E-03	3.6E-03	6.05E-04	2.17E-06	1.60E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
298	0.42495	9.87E-03	4.2E-03	6.05E-04	2.54E-06	1.60E-01	4.71E-02	1.92E-08	1.0E+06	1.9E-02
299	0.51462	9.87E-03	5.1E-03	6.05E-04	3.07E-06	1.60E-01	4.71E-02	2.32E-08	1.0E+06	2.3E-02
300	0.60798	9.87E-03	6.0E-03	6.05E-04	3.63E-06	1.60E-01	4.71E-02	2.74E-08	1.0E+06	2.7E-02
301	0.7201	9.87E-03	7.1E-03	6.05E-04	4.30E-06	1.60E-01	4.71E-02	3.25E-08	1.0E+06	3.2E-02
302	0.82671	9.87E-03	8.2E-03	6.05E-04	4.94E-06	1.60E-01	4.71E-02	3.73E-08	1.0E+06	3.7E-02
303	0.91312	9.87E-03	9.0E-03	6.05E-04	5.45E-06	1.60E-01	4.71E-02	4.12E-08	1.0E+06	4.1E-02
304	0.97225	9.87E-03	9.6E-03	6.05E-04	5.81E-06	1.60E-01	4.71E-02	4.38E-08	1.0E+06	4.4E-02
305	1.03502	9.87E-03	1.0E-02	6.05E-04	6.18E-06	1.60E-01	4.71E-02	4.67E-08	1.0E+06	4.7E-02
306	0.15526	9.87E-03	1.5E-03	6.05E-04	9.27E-07	1.60E-01	4.71E-02	7.00E-09	1.0E+06	7.0E-03
307	0.16177	9.87E-03	1.6E-03	6.05E-04	9.66E-07	1.60E-01	4.71E-02	7.30E-09	1.0E+06	7.3E-03
308	0.17435	9.87E-03	1.7E-03	6.05E-04	1.04E-06	1.60E-01	4.71E-02	7.86E-09	1.0E+06	7.9E-03
309	0.20263	9.87E-03	2.0E-03	6.05E-04	1.21E-06	1.60E-01	4.71E-02	9.14E-09	1.0E+06	9.1E-03
310	0.23095	9.87E-03	2.3E-03	6.05E-04	1.38E-06	1.60E-01	4.71E-02	1.04E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.24347	9.87E-03	2.4E-03	6.05E-04	1.45E-06	1.60E-01	4.71E-02	1.10E-08	1.0E+06	1.1E-02
312	0.23496	9.87E-03	2.3E-03	6.05E-04	1.40E-06	1.60E-01	4.71E-02	1.06E-08	1.0E+06	1.1E-02
313	0.25841	9.87E-03	2.6E-03	6.05E-04	1.54E-06	1.60E-01	4.71E-02	1.17E-08	1.0E+06	1.2E-02
314	0.28898	9.87E-03	2.9E-03	6.05E-04	1.73E-06	1.60E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
315	0.3372	9.87E-03	3.3E-03	6.05E-04	2.01E-06	1.60E-01	4.71E-02	1.52E-08	1.0E+06	1.5E-02
316	0.37548	9.87E-03	3.7E-03	6.05E-04	2.24E-06	1.60E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
317	0.43327	9.87E-03	4.3E-03	6.05E-04	2.59E-06	1.60E-01	4.71E-02	1.95E-08	1.0E+06	2.0E-02
318	0.50839	9.87E-03	5.0E-03	6.05E-04	3.04E-06	1.60E-01	4.71E-02	2.29E-08	1.0E+06	2.3E-02
319	0.60035	9.87E-03	5.9E-03	6.05E-04	3.59E-06	1.60E-01	4.71E-02	2.71E-08	1.0E+06	2.7E-02
320	0.69635	9.87E-03	6.9E-03	6.05E-04	4.16E-06	1.60E-01	4.71E-02	3.14E-08	1.0E+06	3.1E-02
321	0.76368	9.87E-03	7.5E-03	6.05E-04	4.56E-06	1.60E-01	4.71E-02	3.44E-08	1.0E+06	3.4E-02
322	0.80823	9.87E-03	8.0E-03	6.05E-04	4.83E-06	1.60E-01	4.71E-02	3.64E-08	1.0E+06	3.6E-02
323	0.86092	9.87E-03	8.5E-03	6.05E-04	5.14E-06	1.60E-01	4.71E-02	3.88E-08	1.0E+06	3.9E-02
324	0.14933	9.87E-03	1.5E-03	6.05E-04	8.92E-07	1.60E-01	4.71E-02	6.73E-09	1.0E+06	6.7E-03
325	0.16452	9.87E-03	1.6E-03	6.05E-04	9.82E-07	1.60E-01	4.71E-02	7.42E-09	1.0E+06	7.4E-03
326	0.17468	9.87E-03	1.7E-03	6.05E-04	1.04E-06	1.60E-01	4.71E-02	7.88E-09	1.0E+06	7.9E-03
327	0.18209	9.87E-03	1.8E-03	6.05E-04	1.09E-06	1.60E-01	4.71E-02	8.21E-09	1.0E+06	8.2E-03
328	0.21964	9.87E-03	2.2E-03	6.05E-04	1.31E-06	1.60E-01	4.71E-02	9.91E-09	1.0E+06	9.9E-03
329	0.22545	9.87E-03	2.2E-03	6.05E-04	1.35E-06	1.60E-01	4.71E-02	1.02E-08	1.0E+06	1.0E-02
330	0.2186	9.87E-03	2.2E-03	6.05E-04	1.31E-06	1.60E-01	4.71E-02	9.86E-09	1.0E+06	9.9E-03
331	0.24035	9.87E-03	2.4E-03	6.05E-04	1.44E-06	1.60E-01	4.71E-02	1.08E-08	1.0E+06	1.1E-02
332	0.26848	9.87E-03	2.6E-03	6.05E-04	1.60E-06	1.60E-01	4.71E-02	1.21E-08	1.0E+06	1.2E-02
333	0.31139	9.87E-03	3.1E-03	6.05E-04	1.86E-06	1.60E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
334	0.35238	9.87E-03	3.5E-03	6.05E-04	2.10E-06	1.60E-01	4.71E-02	1.59E-08	1.0E+06	1.6E-02
335	0.40188	9.87E-03	4.0E-03	6.05E-04	2.40E-06	1.60E-01	4.71E-02	1.81E-08	1.0E+06	1.8E-02
336	14.22193	9.87E-03	1.4E-01	6.05E-04	8.49E-05	1.60E-01	4.71E-02	6.41E-07	1.0E+06	6.4E-01
337	9.15446	9.87E-03	9.0E-02	6.05E-04	5.47E-05	1.60E-01	4.71E-02	4.13E-07	1.0E+06	4.1E-01
338	0.35979	9.87E-03	3.6E-03	6.05E-04	2.15E-06	1.60E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
339	0.39641	9.87E-03	3.9E-03	6.05E-04	2.37E-06	1.60E-01	4.71E-02	1.79E-08	1.0E+06	1.8E-02
340	0.42244	9.87E-03	4.2E-03	6.05E-04	2.52E-06	1.60E-01	4.71E-02	1.91E-08	1.0E+06	1.9E-02
341	0.44086	9.87E-03	4.4E-03	6.05E-04	2.63E-06	1.60E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.45488	9.87E-03	4.5E-03	6.05E-04	2.72E-06	1.60E-01	4.71E-02	2.05E-08	1.0E+06	2.1E-02
343	0.46544	9.87E-03	4.6E-03	6.05E-04	2.78E-06	1.60E-01	4.71E-02	2.10E-08	1.0E+06	2.1E-02
344	0.46309	9.87E-03	4.6E-03	6.05E-04	2.77E-06	1.60E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
345	0.4552	9.87E-03	4.5E-03	6.05E-04	2.72E-06	1.60E-01	4.71E-02	2.05E-08	1.0E+06	2.1E-02
346	0.44133	9.87E-03	4.4E-03	6.05E-04	2.64E-06	1.60E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02
347	0.41527	9.87E-03	4.1E-03	6.05E-04	2.48E-06	1.60E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
348	0.4685	9.87E-03	4.6E-03	6.05E-04	2.80E-06	1.60E-01	4.71E-02	2.11E-08	1.0E+06	2.1E-02
349	0.50316	9.87E-03	5.0E-03	6.05E-04	3.00E-06	1.60E-01	4.71E-02	2.27E-08	1.0E+06	2.3E-02
350	0.52854	9.87E-03	5.2E-03	6.05E-04	3.16E-06	1.60E-01	4.71E-02	2.38E-08	1.0E+06	2.4E-02
351	0.54861	9.87E-03	5.4E-03	6.05E-04	3.28E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
352	0.56328	9.87E-03	5.6E-03	6.05E-04	3.36E-06	1.60E-01	4.71E-02	2.54E-08	1.0E+06	2.5E-02
353	0.55888	9.87E-03	5.5E-03	6.05E-04	3.34E-06	1.60E-01	4.71E-02	2.52E-08	1.0E+06	2.5E-02
354	0.54148	9.87E-03	5.3E-03	6.05E-04	3.23E-06	1.60E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
355	0.52355	9.87E-03	5.2E-03	6.05E-04	3.13E-06	1.60E-01	4.71E-02	2.36E-08	1.0E+06	2.4E-02
356	0.48865	9.87E-03	4.8E-03	6.05E-04	2.92E-06	1.60E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
357	0.5365	9.87E-03	5.3E-03	6.05E-04	3.20E-06	1.60E-01	4.71E-02	2.42E-08	1.0E+06	2.4E-02
358	0.60331	9.87E-03	6.0E-03	6.05E-04	3.60E-06	1.60E-01	4.71E-02	2.72E-08	1.0E+06	2.7E-02
359	0.64623	9.87E-03	6.4E-03	6.05E-04	3.86E-06	1.60E-01	4.71E-02	2.91E-08	1.0E+06	2.9E-02
360	0.67667	9.87E-03	6.7E-03	6.05E-04	4.04E-06	1.60E-01	4.71E-02	3.05E-08	1.0E+06	3.1E-02
361	0.69726	9.87E-03	6.9E-03	6.05E-04	4.16E-06	1.60E-01	4.71E-02	3.14E-08	1.0E+06	3.1E-02
362	0.68982	9.87E-03	6.8E-03	6.05E-04	4.12E-06	1.60E-01	4.71E-02	3.11E-08	1.0E+06	3.1E-02
363	0.66165	9.87E-03	6.5E-03	6.05E-04	3.95E-06	1.60E-01	4.71E-02	2.98E-08	1.0E+06	3.0E-02
364	0.5908	9.87E-03	5.8E-03	6.05E-04	3.53E-06	1.60E-01	4.71E-02	2.66E-08	1.0E+06	2.7E-02
365	0.64391	9.87E-03	6.4E-03	6.05E-04	3.85E-06	1.60E-01	4.71E-02	2.90E-08	1.0E+06	2.9E-02
366	0.73317	9.87E-03	7.2E-03	6.05E-04	4.38E-06	1.60E-01	4.71E-02	3.31E-08	1.0E+06	3.3E-02
367	0.81139	9.87E-03	8.0E-03	6.05E-04	4.85E-06	1.60E-01	4.71E-02	3.66E-08	1.0E+06	3.7E-02
368	0.85914	9.87E-03	8.5E-03	6.05E-04	5.13E-06	1.60E-01	4.71E-02	3.87E-08	1.0E+06	3.9E-02
369	0.89316	9.87E-03	8.8E-03	6.05E-04	5.33E-06	1.60E-01	4.71E-02	4.03E-08	1.0E+06	4.0E-02
370	0.84336	9.87E-03	8.3E-03	6.05E-04	5.04E-06	1.60E-01	4.71E-02	3.80E-08	1.0E+06	3.8E-02
371	0.78943	9.87E-03	7.8E-03	6.05E-04	4.71E-06	1.60E-01	4.71E-02	3.56E-08	1.0E+06	3.6E-02
372	0.7404	9.87E-03	7.3E-03	6.05E-04	4.42E-06	1.60E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.81467	9.87E-03	8.0E-03	6.05E-04	4.86E-06	1.60E-01	4.71E-02	3.67E-08	1.0E+06	3.7E-02
374	0.93965	9.87E-03	9.3E-03	6.05E-04	5.61E-06	1.60E-01	4.71E-02	4.24E-08	1.0E+06	4.2E-02
375	1.05178	9.87E-03	1.0E-02	6.05E-04	6.28E-06	1.60E-01	4.71E-02	4.74E-08	1.0E+06	4.7E-02
376	1.13565	9.87E-03	1.1E-02	6.05E-04	6.78E-06	1.60E-01	4.71E-02	5.12E-08	1.0E+06	5.1E-02
377	1.18875	9.87E-03	1.2E-02	6.05E-04	7.10E-06	1.60E-01	4.71E-02	5.36E-08	1.0E+06	5.4E-02
378	1.20018	9.87E-03	1.2E-02	6.05E-04	7.17E-06	1.60E-01	4.71E-02	5.41E-08	1.0E+06	5.4E-02
379	1.0988	9.87E-03	1.1E-02	6.05E-04	6.56E-06	1.60E-01	4.71E-02	4.96E-08	1.0E+06	5.0E-02
380	1.00783	9.87E-03	9.9E-03	6.05E-04	6.02E-06	1.60E-01	4.71E-02	4.55E-08	1.0E+06	4.5E-02
381	0.90119	9.87E-03	8.9E-03	6.05E-04	5.38E-06	1.60E-01	4.71E-02	4.06E-08	1.0E+06	4.1E-02
382	0.96212	9.87E-03	9.5E-03	6.05E-04	5.75E-06	1.60E-01	4.71E-02	4.34E-08	1.0E+06	4.3E-02
383	1.10532	9.87E-03	1.1E-02	6.05E-04	6.60E-06	1.60E-01	4.71E-02	4.98E-08	1.0E+06	5.0E-02
384	1.26328	9.87E-03	1.2E-02	6.05E-04	7.54E-06	1.60E-01	4.71E-02	5.70E-08	1.0E+06	5.7E-02
385	1.43142	9.87E-03	1.4E-02	6.05E-04	8.55E-06	1.60E-01	4.71E-02	6.46E-08	1.0E+06	6.5E-02
386	1.58401	9.87E-03	1.6E-02	6.05E-04	9.46E-06	1.60E-01	4.71E-02	7.14E-08	1.0E+06	7.1E-02
387	1.69194	9.87E-03	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.63E-08	1.0E+06	7.6E-02
388	1.71763	9.87E-03	1.7E-02	6.05E-04	1.03E-05	1.60E-01	4.71E-02	7.75E-08	1.0E+06	7.7E-02
389	1.484	9.87E-03	1.5E-02	6.05E-04	8.86E-06	1.60E-01	4.71E-02	6.69E-08	1.0E+06	6.7E-02
390	1.29262	9.87E-03	1.3E-02	6.05E-04	7.72E-06	1.60E-01	4.71E-02	5.83E-08	1.0E+06	5.8E-02
391	1.10329	9.87E-03	1.1E-02	6.05E-04	6.59E-06	1.60E-01	4.71E-02	4.98E-08	1.0E+06	5.0E-02
392	0.9065	9.87E-03	8.9E-03	6.05E-04	5.41E-06	1.60E-01	4.71E-02	4.09E-08	1.0E+06	4.1E-02
393	1.34746	9.87E-03	1.3E-02	6.05E-04	8.05E-06	1.60E-01	4.71E-02	6.08E-08	1.0E+06	6.1E-02
394	1.64651	9.87E-03	1.6E-02	6.05E-04	9.83E-06	1.60E-01	4.71E-02	7.43E-08	1.0E+06	7.4E-02
395	1.85616	9.87E-03	1.8E-02	6.05E-04	1.11E-05	1.60E-01	4.71E-02	8.37E-08	1.0E+06	8.4E-02
396	2.16582	9.87E-03	2.1E-02	6.05E-04	1.29E-05	1.60E-01	4.71E-02	9.77E-08	1.0E+06	9.8E-02
397	2.45109	9.87E-03	2.4E-02	6.05E-04	1.46E-05	1.60E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
398	2.45583	9.87E-03	2.4E-02	6.05E-04	1.47E-05	1.60E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
399	2.2475	9.87E-03	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
400	2.09785	9.87E-03	2.1E-02	6.05E-04	1.25E-05	1.60E-01	4.71E-02	9.46E-08	1.0E+06	9.5E-02
401	1.67728	9.87E-03	1.7E-02	6.05E-04	1.00E-05	1.60E-01	4.71E-02	7.56E-08	1.0E+06	7.6E-02
402	1.02737	9.87E-03	1.0E-02	6.05E-04	6.14E-06	1.60E-01	4.71E-02	4.63E-08	1.0E+06	4.6E-02
403	3.07347	9.87E-03	3.0E-02	6.05E-04	1.84E-05	1.60E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.17192	9.87E-03	1.2E-02	6.05E-04	7.00E-06	1.60E-01	4.71E-02	5.29E-08	1.0E+06	5.3E-02
405	0.88845	9.87E-03	8.8E-03	6.05E-04	5.31E-06	1.60E-01	4.71E-02	4.01E-08	1.0E+06	4.0E-02
406	4.25111	9.87E-03	4.2E-02	6.05E-04	2.54E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
407	0.89626	9.87E-03	8.8E-03	6.05E-04	5.35E-06	1.60E-01	4.71E-02	4.04E-08	1.0E+06	4.0E-02
408	4.45544	9.87E-03	4.4E-02	6.05E-04	2.66E-05	1.60E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
409	0.87466	9.87E-03	8.6E-03	6.05E-04	5.22E-06	1.60E-01	4.71E-02	3.94E-08	1.0E+06	3.9E-02
410	3.99529	9.87E-03	3.9E-02	6.05E-04	2.39E-05	1.60E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
411	1.11539	9.87E-03	1.1E-02	6.05E-04	6.66E-06	1.60E-01	4.71E-02	5.03E-08	1.0E+06	5.0E-02
412	0.85128	9.87E-03	8.4E-03	6.05E-04	5.08E-06	1.60E-01	4.71E-02	3.84E-08	1.0E+06	3.8E-02
413	3.39077	9.87E-03	3.3E-02	6.05E-04	2.02E-05	1.60E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
414	1.40553	9.87E-03	1.4E-02	6.05E-04	8.39E-06	1.60E-01	4.71E-02	6.34E-08	1.0E+06	6.3E-02
415	1.02933	9.87E-03	1.0E-02	6.05E-04	6.15E-06	1.60E-01	4.71E-02	4.64E-08	1.0E+06	4.6E-02
416	0.79436	9.87E-03	7.8E-03	6.05E-04	4.74E-06	1.60E-01	4.71E-02	3.58E-08	1.0E+06	3.6E-02
417	2.77348	9.87E-03	2.7E-02	6.05E-04	1.66E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
418	0.94049	9.87E-03	9.3E-03	6.05E-04	5.62E-06	1.60E-01	4.71E-02	4.24E-08	1.0E+06	4.2E-02
419	0.73553	9.87E-03	7.3E-03	6.05E-04	4.39E-06	1.60E-01	4.71E-02	3.32E-08	1.0E+06	3.3E-02
420	0.59217	9.87E-03	5.8E-03	6.05E-04	3.54E-06	1.60E-01	4.71E-02	2.67E-08	1.0E+06	2.7E-02
421	2.27084	9.87E-03	2.2E-02	6.05E-04	1.36E-05	1.60E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
422	0.67828	9.87E-03	6.7E-03	6.05E-04	4.05E-06	1.60E-01	4.71E-02	3.06E-08	1.0E+06	3.1E-02
423	0.554	9.87E-03	5.5E-03	6.05E-04	3.31E-06	1.60E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
424	1.88	9.87E-03	1.9E-02	6.05E-04	1.12E-05	1.60E-01	4.71E-02	8.48E-08	1.0E+06	8.5E-02
425	0.5157	9.87E-03	5.1E-03	6.05E-04	3.08E-06	1.60E-01	4.71E-02	2.33E-08	1.0E+06	2.3E-02
426	0.43371	9.87E-03	4.3E-03	6.05E-04	2.59E-06	1.60E-01	4.71E-02	1.96E-08	1.0E+06	2.0E-02
427	1.56649	9.87E-03	1.5E-02	6.05E-04	9.35E-06	1.60E-01	4.71E-02	7.06E-08	1.0E+06	7.1E-02
428	0.4789	9.87E-03	4.7E-03	6.05E-04	2.86E-06	1.60E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
429	0.40662	9.87E-03	4.0E-03	6.05E-04	2.43E-06	1.60E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
430	1.3156	9.87E-03	1.3E-02	6.05E-04	7.86E-06	1.60E-01	4.71E-02	5.93E-08	1.0E+06	5.9E-02
431	0.38046	9.87E-03	3.8E-03	6.05E-04	2.27E-06	1.60E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
432	0.32758	9.87E-03	3.2E-03	6.05E-04	1.96E-06	1.60E-01	4.71E-02	1.48E-08	1.0E+06	1.5E-02
433	1.1119	9.87E-03	1.1E-02	6.05E-04	6.64E-06	1.60E-01	4.71E-02	5.01E-08	1.0E+06	5.0E-02
434	0.35598	9.87E-03	3.5E-03	6.05E-04	2.13E-06	1.60E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.31017	9.87E-03	3.1E-03	6.05E-04	1.85E-06	1.60E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
436	0.94807	9.87E-03	9.4E-03	6.05E-04	5.66E-06	1.60E-01	4.71E-02	4.28E-08	1.0E+06	4.3E-02
437	0.38616	9.87E-03	3.8E-03	6.05E-04	2.31E-06	1.60E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
438	0.33379	9.87E-03	3.3E-03	6.05E-04	1.99E-06	1.60E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02
439	0.29234	9.87E-03	2.9E-03	6.05E-04	1.75E-06	1.60E-01	4.71E-02	1.32E-08	1.0E+06	1.3E-02
440	0.81447	9.87E-03	8.0E-03	6.05E-04	4.86E-06	1.60E-01	4.71E-02	3.67E-08	1.0E+06	3.7E-02
441	0.49808	9.87E-03	4.9E-03	6.05E-04	2.97E-06	1.60E-01	4.71E-02	2.25E-08	1.0E+06	2.2E-02
442	0.42026	9.87E-03	4.1E-03	6.05E-04	2.51E-06	1.60E-01	4.71E-02	1.90E-08	1.0E+06	1.9E-02
443	0.36046	9.87E-03	3.6E-03	6.05E-04	2.15E-06	1.60E-01	4.71E-02	1.63E-08	1.0E+06	1.6E-02
444	0.31303	9.87E-03	3.1E-03	6.05E-04	1.87E-06	1.60E-01	4.71E-02	1.41E-08	1.0E+06	1.4E-02
445	0.70549	9.87E-03	7.0E-03	6.05E-04	4.21E-06	1.60E-01	4.71E-02	3.18E-08	1.0E+06	3.2E-02
446	0.52981	9.87E-03	5.2E-03	6.05E-04	3.16E-06	1.60E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
447	0.45344	9.87E-03	4.5E-03	6.05E-04	2.71E-06	1.60E-01	4.71E-02	2.04E-08	1.0E+06	2.0E-02
448	0.38911	9.87E-03	3.8E-03	6.05E-04	2.32E-06	1.60E-01	4.71E-02	1.75E-08	1.0E+06	1.8E-02
449	0.61559	9.87E-03	6.1E-03	6.05E-04	3.68E-06	1.60E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
450	0.5474	9.87E-03	5.4E-03	6.05E-04	3.27E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
451	0.47889	9.87E-03	4.7E-03	6.05E-04	2.86E-06	1.60E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
452	0.54079	9.87E-03	5.3E-03	6.05E-04	3.23E-06	1.60E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
453	0.48845	9.87E-03	4.8E-03	6.05E-04	2.92E-06	1.60E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
454	0.23028	9.87E-03	2.3E-03	6.05E-04	1.38E-06	1.60E-01	4.71E-02	1.04E-08	1.0E+06	1.0E-02
455	0.2084	9.87E-03	2.1E-03	6.05E-04	1.24E-06	1.60E-01	4.71E-02	9.40E-09	1.0E+06	9.4E-03
456	0.47804	9.87E-03	4.7E-03	6.05E-04	2.85E-06	1.60E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
457	0.43751	9.87E-03	4.3E-03	6.05E-04	2.61E-06	1.60E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
458	0.39304	9.87E-03	3.9E-03	6.05E-04	2.35E-06	1.60E-01	4.71E-02	1.77E-08	1.0E+06	1.8E-02
459	0.27435	9.87E-03	2.7E-03	6.05E-04	1.64E-06	1.60E-01	4.71E-02	1.24E-08	1.0E+06	1.2E-02
460	0.24475	9.87E-03	2.4E-03	6.05E-04	1.46E-06	1.60E-01	4.71E-02	1.10E-08	1.0E+06	1.1E-02
461	0.21926	9.87E-03	2.2E-03	6.05E-04	1.31E-06	1.60E-01	4.71E-02	9.89E-09	1.0E+06	9.9E-03
462	0.19767	9.87E-03	2.0E-03	6.05E-04	1.18E-06	1.60E-01	4.71E-02	8.91E-09	1.0E+06	8.9E-03
463	13.92843	9.87E-03	1.4E-01	6.05E-04	8.32E-05	1.60E-01	4.71E-02	6.28E-07	1.0E+06	6.3E-01
464	7.93246	9.87E-03	7.8E-02	6.05E-04	4.74E-05	1.60E-01	4.71E-02	3.58E-07	1.0E+06	3.6E-01
465	10.04613	9.87E-03	9.9E-02	6.05E-04	6.00E-05	1.60E-01	4.71E-02	4.53E-07	1.0E+06	4.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	5.6879	9.87E-03	5.6E-02	6.05E-04	3.40E-05	1.60E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
467	6.17677	9.87E-03	6.1E-02	6.05E-04	3.69E-05	1.60E-01	4.71E-02	2.79E-07	1.0E+06	2.8E-01
468	4.25156	9.87E-03	4.2E-02	6.05E-04	2.54E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
469	3.04435	9.87E-03	3.0E-02	6.05E-04	1.82E-05	1.60E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
470	2.7682	9.87E-03	2.7E-02	6.05E-04	1.65E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.2E-01
471	2.64881	9.87E-03	2.6E-02	6.05E-04	1.58E-05	1.60E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
472	2.05018	9.87E-03	2.0E-02	6.05E-04	1.22E-05	1.60E-01	4.71E-02	9.25E-08	1.0E+06	9.2E-02
473	1.76651	9.87E-03	1.7E-02	6.05E-04	1.05E-05	1.60E-01	4.71E-02	7.97E-08	1.0E+06	8.0E-02
474	1.58003	9.87E-03	1.6E-02	6.05E-04	9.44E-06	1.60E-01	4.71E-02	7.13E-08	1.0E+06	7.1E-02
475	1.40878	9.87E-03	1.4E-02	6.05E-04	8.41E-06	1.60E-01	4.71E-02	6.35E-08	1.0E+06	6.4E-02
476	1.25565	9.87E-03	1.2E-02	6.05E-04	7.50E-06	1.60E-01	4.71E-02	5.66E-08	1.0E+06	5.7E-02
477	1.14792	9.87E-03	1.1E-02	6.05E-04	6.86E-06	1.60E-01	4.71E-02	5.18E-08	1.0E+06	5.2E-02
478	1.02132	9.87E-03	1.0E-02	6.05E-04	6.10E-06	1.60E-01	4.71E-02	4.61E-08	1.0E+06	4.6E-02
479	0.95054	9.87E-03	9.4E-03	6.05E-04	5.68E-06	1.60E-01	4.71E-02	4.29E-08	1.0E+06	4.3E-02
480	0.85091	9.87E-03	8.4E-03	6.05E-04	5.08E-06	1.60E-01	4.71E-02	3.84E-08	1.0E+06	3.8E-02
481	0.84658	9.87E-03	8.4E-03	6.05E-04	5.06E-06	1.60E-01	4.71E-02	3.82E-08	1.0E+06	3.8E-02
482	0.73004	9.87E-03	7.2E-03	6.05E-04	4.36E-06	1.60E-01	4.71E-02	3.29E-08	1.0E+06	3.3E-02
483	0.68148	9.87E-03	6.7E-03	6.05E-04	4.07E-06	1.60E-01	4.71E-02	3.07E-08	1.0E+06	3.1E-02
484	0.63172	9.87E-03	6.2E-03	6.05E-04	3.77E-06	1.60E-01	4.71E-02	2.85E-08	1.0E+06	2.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.16295	3.01416E-07	4.9E-08	6.05E-04	2.97E-11	1.60E-01	4.71E-02	2.24E-13	1.0E+06	2.2E-07
2	2	0.1708	3.01416E-07	5.1E-08	6.05E-04	3.12E-11	1.60E-01	4.71E-02	2.35E-13	1.0E+06	2.4E-07
3	3	0.17834	3.01416E-07	5.4E-08	6.05E-04	3.25E-11	1.60E-01	4.71E-02	2.46E-13	1.0E+06	2.5E-07
4	4	0.18568	3.01416E-07	5.6E-08	6.05E-04	3.39E-11	1.60E-01	4.71E-02	2.56E-13	1.0E+06	2.6E-07
5	5	0.19242	3.01416E-07	5.8E-08	6.05E-04	3.51E-11	1.60E-01	4.71E-02	2.65E-13	1.0E+06	2.7E-07
6	6	0.19986	3.01416E-07	6.0E-08	6.05E-04	3.64E-11	1.60E-01	4.71E-02	2.75E-13	1.0E+06	2.8E-07
7	7	0.2073	3.01416E-07	6.2E-08	6.05E-04	3.78E-11	1.60E-01	4.71E-02	2.86E-13	1.0E+06	2.9E-07
8	8	0.21489	3.01416E-07	6.5E-08	6.05E-04	3.92E-11	1.60E-01	4.71E-02	2.96E-13	1.0E+06	3.0E-07
9	9	0.2234	3.01416E-07	6.7E-08	6.05E-04	4.07E-11	1.60E-01	4.71E-02	3.08E-13	1.0E+06	3.1E-07
10	10	0.23487	3.01416E-07	7.1E-08	6.05E-04	4.28E-11	1.60E-01	4.71E-02	3.23E-13	1.0E+06	3.2E-07
11	11	0.25152	3.01416E-07	7.6E-08	6.05E-04	4.59E-11	1.60E-01	4.71E-02	3.46E-13	1.0E+06	3.5E-07
12	12	0.27164	3.01416E-07	8.2E-08	6.05E-04	4.95E-11	1.60E-01	4.71E-02	3.74E-13	1.0E+06	3.7E-07
13	13	0.29588	3.01416E-07	8.9E-08	6.05E-04	5.40E-11	1.60E-01	4.71E-02	4.08E-13	1.0E+06	4.1E-07
14	14	0.46878	3.01416E-07	1.4E-07	6.05E-04	8.55E-11	1.60E-01	4.71E-02	6.46E-13	1.0E+06	6.5E-07
15	15	0.17688	3.01416E-07	5.3E-08	6.05E-04	3.23E-11	1.60E-01	4.71E-02	2.44E-13	1.0E+06	2.4E-07
16	16	0.18596	3.01416E-07	5.6E-08	6.05E-04	3.39E-11	1.60E-01	4.71E-02	2.56E-13	1.0E+06	2.6E-07
17	17	0.19633	3.01416E-07	5.9E-08	6.05E-04	3.58E-11	1.60E-01	4.71E-02	2.70E-13	1.0E+06	2.7E-07
18	18	0.20597	3.01416E-07	6.2E-08	6.05E-04	3.76E-11	1.60E-01	4.71E-02	2.84E-13	1.0E+06	2.8E-07
19	19	0.21529	3.01416E-07	6.5E-08	6.05E-04	3.93E-11	1.60E-01	4.71E-02	2.97E-13	1.0E+06	3.0E-07
20	20	0.22517	3.01416E-07	6.8E-08	6.05E-04	4.11E-11	1.60E-01	4.71E-02	3.10E-13	1.0E+06	3.1E-07
21	21	0.235	3.01416E-07	7.1E-08	6.05E-04	4.29E-11	1.60E-01	4.71E-02	3.24E-13	1.0E+06	3.2E-07
22	22	0.24443	3.01416E-07	7.4E-08	6.05E-04	4.46E-11	1.60E-01	4.71E-02	3.37E-13	1.0E+06	3.4E-07
23	23	0.25649	3.01416E-07	7.7E-08	6.05E-04	4.68E-11	1.60E-01	4.71E-02	3.53E-13	1.0E+06	3.5E-07
24	24	0.26809	3.01416E-07	8.1E-08	6.05E-04	4.89E-11	1.60E-01	4.71E-02	3.69E-13	1.0E+06	3.7E-07
25	25	0.28754	3.01416E-07	8.7E-08	6.05E-04	5.24E-11	1.60E-01	4.71E-02	3.96E-13	1.0E+06	4.0E-07
26	26	0.31157	3.01416E-07	9.4E-08	6.05E-04	5.68E-11	1.60E-01	4.71E-02	4.29E-13	1.0E+06	4.3E-07
27	27	0.33668	3.01416E-07	1.0E-07	6.05E-04	6.14E-11	1.60E-01	4.71E-02	4.64E-13	1.0E+06	4.6E-07
28	28	0.56338	3.01416E-07	1.7E-07	6.05E-04	1.03E-10	1.60E-01	4.71E-02	7.76E-13	1.0E+06	7.8E-07
29	29	0.19008	3.01416E-07	5.7E-08	6.05E-04	3.47E-11	1.60E-01	4.71E-02	2.62E-13	1.0E+06	2.6E-07
30	30	0.20201	3.01416E-07	6.1E-08	6.05E-04	3.68E-11	1.60E-01	4.71E-02	2.78E-13	1.0E+06	2.8E-07
31	31	0.21504	3.01416E-07	6.5E-08	6.05E-04	3.92E-11	1.60E-01	4.71E-02	2.96E-13	1.0E+06	3.0E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.22813	3.01416E-07	6.9E-08	6.05E-04	4.16E-11	1.60E-01	4.71E-02	3.14E-13	1.0E+06	3.1E-07
33	33	0.23965	3.01416E-07	7.2E-08	6.05E-04	4.37E-11	1.60E-01	4.71E-02	3.30E-13	1.0E+06	3.3E-07
34	34	0.25326	3.01416E-07	7.6E-08	6.05E-04	4.62E-11	1.60E-01	4.71E-02	3.49E-13	1.0E+06	3.5E-07
35	35	0.26659	3.01416E-07	8.0E-08	6.05E-04	4.86E-11	1.60E-01	4.71E-02	3.67E-13	1.0E+06	3.7E-07
36	36	0.28073	3.01416E-07	8.5E-08	6.05E-04	5.12E-11	1.60E-01	4.71E-02	3.87E-13	1.0E+06	3.9E-07
37	37	0.29599	3.01416E-07	8.9E-08	6.05E-04	5.40E-11	1.60E-01	4.71E-02	4.08E-13	1.0E+06	4.1E-07
38	38	0.31295	3.01416E-07	9.4E-08	6.05E-04	5.71E-11	1.60E-01	4.71E-02	4.31E-13	1.0E+06	4.3E-07
39	39	0.33375	3.01416E-07	1.0E-07	6.05E-04	6.09E-11	1.60E-01	4.71E-02	4.60E-13	1.0E+06	4.6E-07
40	40	0.35878	3.01416E-07	1.1E-07	6.05E-04	6.54E-11	1.60E-01	4.71E-02	4.94E-13	1.0E+06	4.9E-07
41	41	0.38856	3.01416E-07	1.2E-07	6.05E-04	7.09E-11	1.60E-01	4.71E-02	5.35E-13	1.0E+06	5.4E-07
42	42	0.691	3.01416E-07	2.1E-07	6.05E-04	1.26E-10	1.60E-01	4.71E-02	9.52E-13	1.0E+06	9.5E-07
43	43	0.20089	3.01416E-07	6.1E-08	6.05E-04	3.66E-11	1.60E-01	4.71E-02	2.77E-13	1.0E+06	2.8E-07
44	44	0.21517	3.01416E-07	6.5E-08	6.05E-04	3.92E-11	1.60E-01	4.71E-02	2.96E-13	1.0E+06	3.0E-07
45	45	0.23091	3.01416E-07	7.0E-08	6.05E-04	4.21E-11	1.60E-01	4.71E-02	3.18E-13	1.0E+06	3.2E-07
46	46	0.24746	3.01416E-07	7.5E-08	6.05E-04	4.51E-11	1.60E-01	4.71E-02	3.41E-13	1.0E+06	3.4E-07
47	47	0.26399	3.01416E-07	8.0E-08	6.05E-04	4.81E-11	1.60E-01	4.71E-02	3.64E-13	1.0E+06	3.6E-07
48	48	0.28171	3.01416E-07	8.5E-08	6.05E-04	5.14E-11	1.60E-01	4.71E-02	3.88E-13	1.0E+06	3.9E-07
49	49	0.2996	3.01416E-07	9.0E-08	6.05E-04	5.46E-11	1.60E-01	4.71E-02	4.13E-13	1.0E+06	4.1E-07
50	50	0.31794	3.01416E-07	9.6E-08	6.05E-04	5.80E-11	1.60E-01	4.71E-02	4.38E-13	1.0E+06	4.4E-07
51	51	0.34247	3.01416E-07	1.0E-07	6.05E-04	6.25E-11	1.60E-01	4.71E-02	4.72E-13	1.0E+06	4.7E-07
52	52	0.3658	3.01416E-07	1.1E-07	6.05E-04	6.67E-11	1.60E-01	4.71E-02	5.04E-13	1.0E+06	5.0E-07
53	53	0.39355	3.01416E-07	1.2E-07	6.05E-04	7.18E-11	1.60E-01	4.71E-02	5.42E-13	1.0E+06	5.4E-07
54	54	0.42556	3.01416E-07	1.3E-07	6.05E-04	7.76E-11	1.60E-01	4.71E-02	5.86E-13	1.0E+06	5.9E-07
55	55	0.46443	3.01416E-07	1.4E-07	6.05E-04	8.47E-11	1.60E-01	4.71E-02	6.40E-13	1.0E+06	6.4E-07
56	56	0.87506	3.01416E-07	2.6E-07	6.05E-04	1.60E-10	1.60E-01	4.71E-02	1.21E-12	1.0E+06	1.2E-06
57	57	0.20805	3.01416E-07	6.3E-08	6.05E-04	3.79E-11	1.60E-01	4.71E-02	2.87E-13	1.0E+06	2.9E-07
58	58	0.22487	3.01416E-07	6.8E-08	6.05E-04	4.10E-11	1.60E-01	4.71E-02	3.10E-13	1.0E+06	3.1E-07
59	59	0.24377	3.01416E-07	7.3E-08	6.05E-04	4.45E-11	1.60E-01	4.71E-02	3.36E-13	1.0E+06	3.4E-07
60	60	0.26436	3.01416E-07	8.0E-08	6.05E-04	4.82E-11	1.60E-01	4.71E-02	3.64E-13	1.0E+06	3.6E-07
61	61	0.28649	3.01416E-07	8.6E-08	6.05E-04	5.22E-11	1.60E-01	4.71E-02	3.95E-13	1.0E+06	3.9E-07
62	62	0.31016	3.01416E-07	9.3E-08	6.05E-04	5.66E-11	1.60E-01	4.71E-02	4.27E-13	1.0E+06	4.3E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.33746	3.01416E-07	1.0E-07	6.05E-04	6.15E-11	1.60E-01	4.71E-02	4.65E-13	1.0E+06	4.6E-07
64	64	0.36007	3.01416E-07	1.1E-07	6.05E-04	6.57E-11	1.60E-01	4.71E-02	4.96E-13	1.0E+06	5.0E-07
65	65	0.39307	3.01416E-07	1.2E-07	6.05E-04	7.17E-11	1.60E-01	4.71E-02	5.41E-13	1.0E+06	5.4E-07
66	66	0.4291	3.01416E-07	1.3E-07	6.05E-04	7.83E-11	1.60E-01	4.71E-02	5.91E-13	1.0E+06	5.9E-07
67	67	0.46563	3.01416E-07	1.4E-07	6.05E-04	8.49E-11	1.60E-01	4.71E-02	6.41E-13	1.0E+06	6.4E-07
68	68	0.51395	3.01416E-07	1.5E-07	6.05E-04	9.37E-11	1.60E-01	4.71E-02	7.08E-13	1.0E+06	7.1E-07
69	69	0.56928	3.01416E-07	1.7E-07	6.05E-04	1.04E-10	1.60E-01	4.71E-02	7.84E-13	1.0E+06	7.8E-07
70	70	0.21251	3.01416E-07	6.4E-08	6.05E-04	3.88E-11	1.60E-01	4.71E-02	2.93E-13	1.0E+06	2.9E-07
71	71	0.2312	3.01416E-07	7.0E-08	6.05E-04	4.22E-11	1.60E-01	4.71E-02	3.18E-13	1.0E+06	3.2E-07
72	72	0.25266	3.01416E-07	7.6E-08	6.05E-04	4.61E-11	1.60E-01	4.71E-02	3.48E-13	1.0E+06	3.5E-07
73	73	0.27657	3.01416E-07	8.3E-08	6.05E-04	5.04E-11	1.60E-01	4.71E-02	3.81E-13	1.0E+06	3.8E-07
74	74	0.30308	3.01416E-07	9.1E-08	6.05E-04	5.53E-11	1.60E-01	4.71E-02	4.17E-13	1.0E+06	4.2E-07
75	75	0.33457	3.01416E-07	1.0E-07	6.05E-04	6.10E-11	1.60E-01	4.71E-02	4.61E-13	1.0E+06	4.6E-07
76	76	0.36942	3.01416E-07	1.1E-07	6.05E-04	6.74E-11	1.60E-01	4.71E-02	5.09E-13	1.0E+06	5.1E-07
77	77	0.40518	3.01416E-07	1.2E-07	6.05E-04	7.39E-11	1.60E-01	4.71E-02	5.58E-13	1.0E+06	5.6E-07
78	78	0.44996	3.01416E-07	1.4E-07	6.05E-04	8.21E-11	1.60E-01	4.71E-02	6.20E-13	1.0E+06	6.2E-07
79	79	0.50681	3.01416E-07	1.5E-07	6.05E-04	9.24E-11	1.60E-01	4.71E-02	6.98E-13	1.0E+06	7.0E-07
80	80	0.56122	3.01416E-07	1.7E-07	6.05E-04	1.02E-10	1.60E-01	4.71E-02	7.73E-13	1.0E+06	7.7E-07
81	81	0.63194	3.01416E-07	1.9E-07	6.05E-04	1.15E-10	1.60E-01	4.71E-02	8.70E-13	1.0E+06	8.7E-07
82	82	0.70854	3.01416E-07	2.1E-07	6.05E-04	1.29E-10	1.60E-01	4.71E-02	9.76E-13	1.0E+06	9.8E-07
83	83	0.21332	3.01416E-07	6.4E-08	6.05E-04	3.89E-11	1.60E-01	4.71E-02	2.94E-13	1.0E+06	2.9E-07
84	84	0.23286	3.01416E-07	7.0E-08	6.05E-04	4.25E-11	1.60E-01	4.71E-02	3.21E-13	1.0E+06	3.2E-07
85	85	0.25399	3.01416E-07	7.7E-08	6.05E-04	4.63E-11	1.60E-01	4.71E-02	3.50E-13	1.0E+06	3.5E-07
86	86	0.28267	3.01416E-07	8.5E-08	6.05E-04	5.16E-11	1.60E-01	4.71E-02	3.89E-13	1.0E+06	3.9E-07
87	87	0.31343	3.01416E-07	9.4E-08	6.05E-04	5.72E-11	1.60E-01	4.71E-02	4.32E-13	1.0E+06	4.3E-07
88	88	0.349	3.01416E-07	1.1E-07	6.05E-04	6.36E-11	1.60E-01	4.71E-02	4.81E-13	1.0E+06	4.8E-07
89	89	0.39045	3.01416E-07	1.2E-07	6.05E-04	7.12E-11	1.60E-01	4.71E-02	5.38E-13	1.0E+06	5.4E-07
90	90	0.43931	3.01416E-07	1.3E-07	6.05E-04	8.01E-11	1.60E-01	4.71E-02	6.05E-13	1.0E+06	6.1E-07
91	91	0.49712	3.01416E-07	1.5E-07	6.05E-04	9.07E-11	1.60E-01	4.71E-02	6.85E-13	1.0E+06	6.8E-07
92	92	0.56472	3.01416E-07	1.7E-07	6.05E-04	1.03E-10	1.60E-01	4.71E-02	7.78E-13	1.0E+06	7.8E-07
93	93	0.64657	3.01416E-07	1.9E-07	6.05E-04	1.18E-10	1.60E-01	4.71E-02	8.91E-13	1.0E+06	8.9E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.74436	3.01416E-07	2.2E-07	6.05E-04	1.36E-10	1.60E-01	4.71E-02	1.03E-12	1.0E+06	1.0E-06
95	95	0.8649	3.01416E-07	2.6E-07	6.05E-04	1.58E-10	1.60E-01	4.71E-02	1.19E-12	1.0E+06	1.2E-06
96	96	0.20852	3.01416E-07	6.3E-08	6.05E-04	3.80E-11	1.60E-01	4.71E-02	2.87E-13	1.0E+06	2.9E-07
97	97	0.22513	3.01416E-07	6.8E-08	6.05E-04	4.11E-11	1.60E-01	4.71E-02	3.10E-13	1.0E+06	3.1E-07
98	98	0.24675	3.01416E-07	7.4E-08	6.05E-04	4.50E-11	1.60E-01	4.71E-02	3.40E-13	1.0E+06	3.4E-07
99	99	0.27703	3.01416E-07	8.4E-08	6.05E-04	5.05E-11	1.60E-01	4.71E-02	3.82E-13	1.0E+06	3.8E-07
100	100	0.31444	3.01416E-07	9.5E-08	6.05E-04	5.73E-11	1.60E-01	4.71E-02	4.33E-13	1.0E+06	4.3E-07
101	101	0.35401	3.01416E-07	1.1E-07	6.05E-04	6.46E-11	1.60E-01	4.71E-02	4.88E-13	1.0E+06	4.9E-07
102	102	0.40089	3.01416E-07	1.2E-07	6.05E-04	7.31E-11	1.60E-01	4.71E-02	5.52E-13	1.0E+06	5.5E-07
103	103	0.45685	3.01416E-07	1.4E-07	6.05E-04	8.33E-11	1.60E-01	4.71E-02	6.29E-13	1.0E+06	6.3E-07
104	104	0.52578	3.01416E-07	1.6E-07	6.05E-04	9.59E-11	1.60E-01	4.71E-02	7.24E-13	1.0E+06	7.2E-07
105	105	0.61209	3.01416E-07	1.8E-07	6.05E-04	1.12E-10	1.60E-01	4.71E-02	8.43E-13	1.0E+06	8.4E-07
106	106	0.71832	3.01416E-07	2.2E-07	6.05E-04	1.31E-10	1.60E-01	4.71E-02	9.89E-13	1.0E+06	9.9E-07
107	107	0.85234	3.01416E-07	2.6E-07	6.05E-04	1.55E-10	1.60E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06
108	108	1.02697	3.01416E-07	3.1E-07	6.05E-04	1.87E-10	1.60E-01	4.71E-02	1.41E-12	1.0E+06	1.4E-06
109	109	0.19639	3.01416E-07	5.9E-08	6.05E-04	3.58E-11	1.60E-01	4.71E-02	2.70E-13	1.0E+06	2.7E-07
110	110	0.21736	3.01416E-07	6.6E-08	6.05E-04	3.96E-11	1.60E-01	4.71E-02	2.99E-13	1.0E+06	3.0E-07
111	111	0.2421	3.01416E-07	7.3E-08	6.05E-04	4.42E-11	1.60E-01	4.71E-02	3.33E-13	1.0E+06	3.3E-07
112	112	0.27121	3.01416E-07	8.2E-08	6.05E-04	4.95E-11	1.60E-01	4.71E-02	3.74E-13	1.0E+06	3.7E-07
113	113	0.30569	3.01416E-07	9.2E-08	6.05E-04	5.58E-11	1.60E-01	4.71E-02	4.21E-13	1.0E+06	4.2E-07
114	114	0.34668	3.01416E-07	1.0E-07	6.05E-04	6.32E-11	1.60E-01	4.71E-02	4.77E-13	1.0E+06	4.8E-07
115	115	0.39574	3.01416E-07	1.2E-07	6.05E-04	7.22E-11	1.60E-01	4.71E-02	5.45E-13	1.0E+06	5.5E-07
116	116	0.4571	3.01416E-07	1.4E-07	6.05E-04	8.34E-11	1.60E-01	4.71E-02	6.30E-13	1.0E+06	6.3E-07
117	117	0.53437	3.01416E-07	1.6E-07	6.05E-04	9.75E-11	1.60E-01	4.71E-02	7.36E-13	1.0E+06	7.4E-07
118	118	0.63004	3.01416E-07	1.9E-07	6.05E-04	1.15E-10	1.60E-01	4.71E-02	8.68E-13	1.0E+06	8.7E-07
119	119	0.75251	3.01416E-07	2.3E-07	6.05E-04	1.37E-10	1.60E-01	4.71E-02	1.04E-12	1.0E+06	1.0E-06
120	120	0.91298	3.01416E-07	2.8E-07	6.05E-04	1.67E-10	1.60E-01	4.71E-02	1.26E-12	1.0E+06	1.3E-06
121	121	1.12529	3.01416E-07	3.4E-07	6.05E-04	2.05E-10	1.60E-01	4.71E-02	1.55E-12	1.0E+06	1.5E-06
122	122	0.18255	3.01416E-07	5.5E-08	6.05E-04	3.33E-11	1.60E-01	4.71E-02	2.51E-13	1.0E+06	2.5E-07
123	123	0.20314	3.01416E-07	6.1E-08	6.05E-04	3.70E-11	1.60E-01	4.71E-02	2.80E-13	1.0E+06	2.8E-07
124	124	0.2293	3.01416E-07	6.9E-08	6.05E-04	4.18E-11	1.60E-01	4.71E-02	3.16E-13	1.0E+06	3.2E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.25749	3.01416E-07	7.8E-08	6.05E-04	4.70E-11	1.60E-01	4.71E-02	3.55E-13	1.0E+06	3.5E-07
126	126	0.28941	3.01416E-07	8.7E-08	6.05E-04	5.28E-11	1.60E-01	4.71E-02	3.99E-13	1.0E+06	4.0E-07
127	127	0.326	3.01416E-07	9.8E-08	6.05E-04	5.95E-11	1.60E-01	4.71E-02	4.49E-13	1.0E+06	4.5E-07
128	128	0.35595	3.01416E-07	1.1E-07	6.05E-04	6.49E-11	1.60E-01	4.71E-02	4.90E-13	1.0E+06	4.9E-07
129	129	0.41259	3.01416E-07	1.2E-07	6.05E-04	7.52E-11	1.60E-01	4.71E-02	5.68E-13	1.0E+06	5.7E-07
130	130	0.50049	3.01416E-07	1.5E-07	6.05E-04	9.13E-11	1.60E-01	4.71E-02	6.89E-13	1.0E+06	6.9E-07
131	131	40.29017	3.01416E-07	1.2E-05	6.05E-04	7.35E-09	1.60E-01	4.71E-02	5.55E-11	1.0E+06	5.5E-05
132	132	40.63433	3.01416E-07	1.2E-05	6.05E-04	7.41E-09	1.60E-01	4.71E-02	5.60E-11	1.0E+06	5.6E-05
133	133	0.16729	3.01416E-07	5.0E-08	6.05E-04	3.05E-11	1.60E-01	4.71E-02	2.30E-13	1.0E+06	2.3E-07
134	134	0.18943	3.01416E-07	5.7E-08	6.05E-04	3.45E-11	1.60E-01	4.71E-02	2.61E-13	1.0E+06	2.6E-07
135	135	0.21396	3.01416E-07	6.4E-08	6.05E-04	3.90E-11	1.60E-01	4.71E-02	2.95E-13	1.0E+06	2.9E-07
136	136	0.24019	3.01416E-07	7.2E-08	6.05E-04	4.38E-11	1.60E-01	4.71E-02	3.31E-13	1.0E+06	3.3E-07
137	137	0.2703	3.01416E-07	8.1E-08	6.05E-04	4.93E-11	1.60E-01	4.71E-02	3.72E-13	1.0E+06	3.7E-07
138	138	0.3019	3.01416E-07	9.1E-08	6.05E-04	5.51E-11	1.60E-01	4.71E-02	4.16E-13	1.0E+06	4.2E-07
139	139	0.33401	3.01416E-07	1.0E-07	6.05E-04	6.09E-11	1.60E-01	4.71E-02	4.60E-13	1.0E+06	4.6E-07
140	140	0.38373	3.01416E-07	1.2E-07	6.05E-04	7.00E-11	1.60E-01	4.71E-02	5.29E-13	1.0E+06	5.3E-07
141	141	0.45198	3.01416E-07	1.4E-07	6.05E-04	8.24E-11	1.60E-01	4.71E-02	6.23E-13	1.0E+06	6.2E-07
142	142	0.53672	3.01416E-07	1.6E-07	6.05E-04	9.79E-11	1.60E-01	4.71E-02	7.39E-13	1.0E+06	7.4E-07
143	143	0.66121	3.01416E-07	2.0E-07	6.05E-04	1.21E-10	1.60E-01	4.71E-02	9.11E-13	1.0E+06	9.1E-07
144	144	0.85149	3.01416E-07	2.6E-07	6.05E-04	1.55E-10	1.60E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06
145	145	1.10977	3.01416E-07	3.3E-07	6.05E-04	2.02E-10	1.60E-01	4.71E-02	1.53E-12	1.0E+06	1.5E-06
146	146	24.23854	3.01416E-07	7.3E-06	6.05E-04	4.42E-09	1.60E-01	4.71E-02	3.34E-11	1.0E+06	3.3E-05
147	147	0.15464	3.01416E-07	4.7E-08	6.05E-04	2.82E-11	1.60E-01	4.71E-02	2.13E-13	1.0E+06	2.1E-07
148	148	0.17394	3.01416E-07	5.2E-08	6.05E-04	3.17E-11	1.60E-01	4.71E-02	2.40E-13	1.0E+06	2.4E-07
149	149	0.19691	3.01416E-07	5.9E-08	6.05E-04	3.59E-11	1.60E-01	4.71E-02	2.71E-13	1.0E+06	2.7E-07
150	150	0.2214	3.01416E-07	6.7E-08	6.05E-04	4.04E-11	1.60E-01	4.71E-02	3.05E-13	1.0E+06	3.0E-07
151	151	0.25154	3.01416E-07	7.6E-08	6.05E-04	4.59E-11	1.60E-01	4.71E-02	3.46E-13	1.0E+06	3.5E-07
152	152	0.28058	3.01416E-07	8.5E-08	6.05E-04	5.12E-11	1.60E-01	4.71E-02	3.86E-13	1.0E+06	3.9E-07
153	153	0.31476	3.01416E-07	9.5E-08	6.05E-04	5.74E-11	1.60E-01	4.71E-02	4.34E-13	1.0E+06	4.3E-07
154	154	0.36173	3.01416E-07	1.1E-07	6.05E-04	6.60E-11	1.60E-01	4.71E-02	4.98E-13	1.0E+06	5.0E-07
155	155	0.42426	3.01416E-07	1.3E-07	6.05E-04	7.74E-11	1.60E-01	4.71E-02	5.84E-13	1.0E+06	5.8E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.50248	3.01416E-07	1.5E-07	6.05E-04	9.16E-11	1.60E-01	4.71E-02	6.92E-13	1.0E+06	6.9E-07
157	157	0.60154	3.01416E-07	1.8E-07	6.05E-04	1.10E-10	1.60E-01	4.71E-02	8.29E-13	1.0E+06	8.3E-07
158	158	0.73295	3.01416E-07	2.2E-07	6.05E-04	1.34E-10	1.60E-01	4.71E-02	1.01E-12	1.0E+06	1.0E-06
159	159	0.99098	3.01416E-07	3.0E-07	6.05E-04	1.81E-10	1.60E-01	4.71E-02	1.36E-12	1.0E+06	1.4E-06
160	160	0.14764	3.01416E-07	4.5E-08	6.05E-04	2.69E-11	1.60E-01	4.71E-02	2.03E-13	1.0E+06	2.0E-07
161	161	0.16257	3.01416E-07	4.9E-08	6.05E-04	2.96E-11	1.60E-01	4.71E-02	2.24E-13	1.0E+06	2.2E-07
162	162	0.17749	3.01416E-07	5.3E-08	6.05E-04	3.24E-11	1.60E-01	4.71E-02	2.44E-13	1.0E+06	2.4E-07
163	163	0.20288	3.01416E-07	6.1E-08	6.05E-04	3.70E-11	1.60E-01	4.71E-02	2.79E-13	1.0E+06	2.8E-07
164	164	0.23487	3.01416E-07	7.1E-08	6.05E-04	4.28E-11	1.60E-01	4.71E-02	3.23E-13	1.0E+06	3.2E-07
165	165	0.26386	3.01416E-07	8.0E-08	6.05E-04	4.81E-11	1.60E-01	4.71E-02	3.63E-13	1.0E+06	3.6E-07
166	166	0.30008	3.01416E-07	9.0E-08	6.05E-04	5.47E-11	1.60E-01	4.71E-02	4.13E-13	1.0E+06	4.1E-07
167	167	0.34418	3.01416E-07	1.0E-07	6.05E-04	6.28E-11	1.60E-01	4.71E-02	4.74E-13	1.0E+06	4.7E-07
168	168	0.39972	3.01416E-07	1.2E-07	6.05E-04	7.29E-11	1.60E-01	4.71E-02	5.51E-13	1.0E+06	5.5E-07
169	169	0.46992	3.01416E-07	1.4E-07	6.05E-04	8.57E-11	1.60E-01	4.71E-02	6.47E-13	1.0E+06	6.5E-07
170	170	0.55866	3.01416E-07	1.7E-07	6.05E-04	1.02E-10	1.60E-01	4.71E-02	7.69E-13	1.0E+06	7.7E-07
171	171	0.67646	3.01416E-07	2.0E-07	6.05E-04	1.23E-10	1.60E-01	4.71E-02	9.32E-13	1.0E+06	9.3E-07
172	172	0.86603	3.01416E-07	2.6E-07	6.05E-04	1.58E-10	1.60E-01	4.71E-02	1.19E-12	1.0E+06	1.2E-06
173	173	1.17572	3.01416E-07	3.5E-07	6.05E-04	2.14E-10	1.60E-01	4.71E-02	1.62E-12	1.0E+06	1.6E-06
174	174	1.72711	3.01416E-07	5.2E-07	6.05E-04	3.15E-10	1.60E-01	4.71E-02	2.38E-12	1.0E+06	2.4E-06
175	175	2.66253	3.01416E-07	8.0E-07	6.05E-04	4.86E-10	1.60E-01	4.71E-02	3.67E-12	1.0E+06	3.7E-06
176	176	4.29608	3.01416E-07	1.3E-06	6.05E-04	7.84E-10	1.60E-01	4.71E-02	5.92E-12	1.0E+06	5.9E-06
177	177	7.52527	3.01416E-07	2.3E-06	6.05E-04	1.37E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
178	178	13.07509	3.01416E-07	3.9E-06	6.05E-04	2.38E-09	1.60E-01	4.71E-02	1.80E-11	1.0E+06	1.8E-05
179	179	0.13802	3.01416E-07	4.2E-08	6.05E-04	2.52E-11	1.60E-01	4.71E-02	1.90E-13	1.0E+06	1.9E-07
180	180	0.15026	3.01416E-07	4.5E-08	6.05E-04	2.74E-11	1.60E-01	4.71E-02	2.07E-13	1.0E+06	2.1E-07
181	181	0.16167	3.01416E-07	4.9E-08	6.05E-04	2.95E-11	1.60E-01	4.71E-02	2.23E-13	1.0E+06	2.2E-07
182	182	0.18788	3.01416E-07	5.7E-08	6.05E-04	3.43E-11	1.60E-01	4.71E-02	2.59E-13	1.0E+06	2.6E-07
183	183	0.22317	3.01416E-07	6.7E-08	6.05E-04	4.07E-11	1.60E-01	4.71E-02	3.07E-13	1.0E+06	3.1E-07
184	184	0.25212	3.01416E-07	7.6E-08	6.05E-04	4.60E-11	1.60E-01	4.71E-02	3.47E-13	1.0E+06	3.5E-07
185	185	0.28834	3.01416E-07	8.7E-08	6.05E-04	5.26E-11	1.60E-01	4.71E-02	3.97E-13	1.0E+06	4.0E-07
186	186	0.33007	3.01416E-07	9.9E-08	6.05E-04	6.02E-11	1.60E-01	4.71E-02	4.55E-13	1.0E+06	4.5E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.37945	3.01416E-07	1.1E-07	6.05E-04	6.92E-11	1.60E-01	4.71E-02	5.23E-13	1.0E+06	5.2E-07
188	188	0.44282	3.01416E-07	1.3E-07	6.05E-04	8.08E-11	1.60E-01	4.71E-02	6.10E-13	1.0E+06	6.1E-07
189	189	0.52011	3.01416E-07	1.6E-07	6.05E-04	9.49E-11	1.60E-01	4.71E-02	7.16E-13	1.0E+06	7.2E-07
190	190	0.62267	3.01416E-07	1.9E-07	6.05E-04	1.14E-10	1.60E-01	4.71E-02	8.58E-13	1.0E+06	8.6E-07
191	191	0.75717	3.01416E-07	2.3E-07	6.05E-04	1.38E-10	1.60E-01	4.71E-02	1.04E-12	1.0E+06	1.0E-06
192	192	0.96366	3.01416E-07	2.9E-07	6.05E-04	1.76E-10	1.60E-01	4.71E-02	1.33E-12	1.0E+06	1.3E-06
193	193	1.26764	3.01416E-07	3.8E-07	6.05E-04	2.31E-10	1.60E-01	4.71E-02	1.75E-12	1.0E+06	1.7E-06
194	194	1.82273	3.01416E-07	5.5E-07	6.05E-04	3.32E-10	1.60E-01	4.71E-02	2.51E-12	1.0E+06	2.5E-06
195	195	2.96679	3.01416E-07	8.9E-07	6.05E-04	5.41E-10	1.60E-01	4.71E-02	4.09E-12	1.0E+06	4.1E-06
196	196	4.65065	3.01416E-07	1.4E-06	6.05E-04	8.48E-10	1.60E-01	4.71E-02	6.41E-12	1.0E+06	6.4E-06
197	197	6.7989	3.01416E-07	2.0E-06	6.05E-04	1.24E-09	1.60E-01	4.71E-02	9.36E-12	1.0E+06	9.4E-06
198	198	0.13281	3.01416E-07	4.0E-08	6.05E-04	2.42E-11	1.60E-01	4.71E-02	1.83E-13	1.0E+06	1.8E-07
199	199	0.14492	3.01416E-07	4.4E-08	6.05E-04	2.64E-11	1.60E-01	4.71E-02	2.00E-13	1.0E+06	2.0E-07
200	200	0.15858	3.01416E-07	4.8E-08	6.05E-04	2.89E-11	1.60E-01	4.71E-02	2.18E-13	1.0E+06	2.2E-07
201	201	0.17775	3.01416E-07	5.4E-08	6.05E-04	3.24E-11	1.60E-01	4.71E-02	2.45E-13	1.0E+06	2.4E-07
202	202	0.21002	3.01416E-07	6.3E-08	6.05E-04	3.83E-11	1.60E-01	4.71E-02	2.89E-13	1.0E+06	2.9E-07
203	203	0.23979	3.01416E-07	7.2E-08	6.05E-04	4.37E-11	1.60E-01	4.71E-02	3.30E-13	1.0E+06	3.3E-07
204	204	0.27524	3.01416E-07	8.3E-08	6.05E-04	5.02E-11	1.60E-01	4.71E-02	3.79E-13	1.0E+06	3.8E-07
205	205	0.31467	3.01416E-07	9.5E-08	6.05E-04	5.74E-11	1.60E-01	4.71E-02	4.33E-13	1.0E+06	4.3E-07
206	206	0.36097	3.01416E-07	1.1E-07	6.05E-04	6.58E-11	1.60E-01	4.71E-02	4.97E-13	1.0E+06	5.0E-07
207	207	0.41746	3.01416E-07	1.3E-07	6.05E-04	7.61E-11	1.60E-01	4.71E-02	5.75E-13	1.0E+06	5.7E-07
208	208	0.48517	3.01416E-07	1.5E-07	6.05E-04	8.85E-11	1.60E-01	4.71E-02	6.68E-13	1.0E+06	6.7E-07
209	209	0.57014	3.01416E-07	1.7E-07	6.05E-04	1.04E-10	1.60E-01	4.71E-02	7.85E-13	1.0E+06	7.9E-07
210	210	0.67524	3.01416E-07	2.0E-07	6.05E-04	1.23E-10	1.60E-01	4.71E-02	9.30E-13	1.0E+06	9.3E-07
211	211	0.81049	3.01416E-07	2.4E-07	6.05E-04	1.48E-10	1.60E-01	4.71E-02	1.12E-12	1.0E+06	1.1E-06
212	212	0.98298	3.01416E-07	3.0E-07	6.05E-04	1.79E-10	1.60E-01	4.71E-02	1.35E-12	1.0E+06	1.4E-06
213	213	1.22519	3.01416E-07	3.7E-07	6.05E-04	2.23E-10	1.60E-01	4.71E-02	1.69E-12	1.0E+06	1.7E-06
214	214	1.61292	3.01416E-07	4.9E-07	6.05E-04	2.94E-10	1.60E-01	4.71E-02	2.22E-12	1.0E+06	2.2E-06
215	215	2.89116	3.01416E-07	8.7E-07	6.05E-04	5.27E-10	1.60E-01	4.71E-02	3.98E-12	1.0E+06	4.0E-06
216	216	0.12963	3.01416E-07	3.9E-08	6.05E-04	2.36E-11	1.60E-01	4.71E-02	1.79E-13	1.0E+06	1.8E-07
217	217	0.14021	3.01416E-07	4.2E-08	6.05E-04	2.56E-11	1.60E-01	4.71E-02	1.93E-13	1.0E+06	1.9E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.15356	3.01416E-07	4.6E-08	6.05E-04	2.80E-11	1.60E-01	4.71E-02	2.11E-13	1.0E+06	2.1E-07
219	219	0.17051	3.01416E-07	5.1E-08	6.05E-04	3.11E-11	1.60E-01	4.71E-02	2.35E-13	1.0E+06	2.3E-07
220	220	0.19795	3.01416E-07	6.0E-08	6.05E-04	3.61E-11	1.60E-01	4.71E-02	2.73E-13	1.0E+06	2.7E-07
221	221	0.22398	3.01416E-07	6.8E-08	6.05E-04	4.08E-11	1.60E-01	4.71E-02	3.08E-13	1.0E+06	3.1E-07
222	222	0.25792	3.01416E-07	7.8E-08	6.05E-04	4.70E-11	1.60E-01	4.71E-02	3.55E-13	1.0E+06	3.6E-07
223	223	0.29474	3.01416E-07	8.9E-08	6.05E-04	5.38E-11	1.60E-01	4.71E-02	4.06E-13	1.0E+06	4.1E-07
224	224	0.33685	3.01416E-07	1.0E-07	6.05E-04	6.14E-11	1.60E-01	4.71E-02	4.64E-13	1.0E+06	4.6E-07
225	225	0.38417	3.01416E-07	1.2E-07	6.05E-04	7.01E-11	1.60E-01	4.71E-02	5.29E-13	1.0E+06	5.3E-07
226	226	0.44288	3.01416E-07	1.3E-07	6.05E-04	8.08E-11	1.60E-01	4.71E-02	6.10E-13	1.0E+06	6.1E-07
227	227	0.50934	3.01416E-07	1.5E-07	6.05E-04	9.29E-11	1.60E-01	4.71E-02	7.02E-13	1.0E+06	7.0E-07
228	228	0.58693	3.01416E-07	1.8E-07	6.05E-04	1.07E-10	1.60E-01	4.71E-02	8.08E-13	1.0E+06	8.1E-07
229	229	0.68305	3.01416E-07	2.1E-07	6.05E-04	1.25E-10	1.60E-01	4.71E-02	9.41E-13	1.0E+06	9.4E-07
230	230	0.80324	3.01416E-07	2.4E-07	6.05E-04	1.46E-10	1.60E-01	4.71E-02	1.11E-12	1.0E+06	1.1E-06
231	231	0.98834	3.01416E-07	3.0E-07	6.05E-04	1.80E-10	1.60E-01	4.71E-02	1.36E-12	1.0E+06	1.4E-06
232	232	1.28506	3.01416E-07	3.9E-07	6.05E-04	2.34E-10	1.60E-01	4.71E-02	1.77E-12	1.0E+06	1.8E-06
233	233	1.99037	3.01416E-07	6.0E-07	6.05E-04	3.63E-10	1.60E-01	4.71E-02	2.74E-12	1.0E+06	2.7E-06
234	234	0.12623	3.01416E-07	3.8E-08	6.05E-04	2.30E-11	1.60E-01	4.71E-02	1.74E-13	1.0E+06	1.7E-07
235	235	0.1355	3.01416E-07	4.1E-08	6.05E-04	2.47E-11	1.60E-01	4.71E-02	1.87E-13	1.0E+06	1.9E-07
236	236	0.14813	3.01416E-07	4.5E-08	6.05E-04	2.70E-11	1.60E-01	4.71E-02	2.04E-13	1.0E+06	2.0E-07
237	237	0.16501	3.01416E-07	5.0E-08	6.05E-04	3.01E-11	1.60E-01	4.71E-02	2.27E-13	1.0E+06	2.3E-07
238	238	0.18719	3.01416E-07	5.6E-08	6.05E-04	3.41E-11	1.60E-01	4.71E-02	2.58E-13	1.0E+06	2.6E-07
239	239	0.21075	3.01416E-07	6.4E-08	6.05E-04	3.84E-11	1.60E-01	4.71E-02	2.90E-13	1.0E+06	2.9E-07
240	240	0.23979	3.01416E-07	7.2E-08	6.05E-04	4.37E-11	1.60E-01	4.71E-02	3.30E-13	1.0E+06	3.3E-07
241	241	0.27255	3.01416E-07	8.2E-08	6.05E-04	4.97E-11	1.60E-01	4.71E-02	3.75E-13	1.0E+06	3.8E-07
242	242	0.30944	3.01416E-07	9.3E-08	6.05E-04	5.64E-11	1.60E-01	4.71E-02	4.26E-13	1.0E+06	4.3E-07
243	243	0.35007	3.01416E-07	1.1E-07	6.05E-04	6.38E-11	1.60E-01	4.71E-02	4.82E-13	1.0E+06	4.8E-07
244	244	0.39895	3.01416E-07	1.2E-07	6.05E-04	7.28E-11	1.60E-01	4.71E-02	5.49E-13	1.0E+06	5.5E-07
245	245	0.45335	3.01416E-07	1.4E-07	6.05E-04	8.27E-11	1.60E-01	4.71E-02	6.24E-13	1.0E+06	6.2E-07
246	246	0.51528	3.01416E-07	1.6E-07	6.05E-04	9.40E-11	1.60E-01	4.71E-02	7.10E-13	1.0E+06	7.1E-07
247	247	0.5899	3.01416E-07	1.8E-07	6.05E-04	1.08E-10	1.60E-01	4.71E-02	8.12E-13	1.0E+06	8.1E-07
248	248	0.69075	3.01416E-07	2.1E-07	6.05E-04	1.26E-10	1.60E-01	4.71E-02	9.51E-13	1.0E+06	9.5E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.83703	3.01416E-07	2.5E-07	6.05E-04	1.53E-10	1.60E-01	4.71E-02	1.15E-12	1.0E+06	1.2E-06
250	250	1.0632	3.01416E-07	3.2E-07	6.05E-04	1.94E-10	1.60E-01	4.71E-02	1.46E-12	1.0E+06	1.5E-06
251	251	1.51852	3.01416E-07	4.6E-07	6.05E-04	2.77E-10	1.60E-01	4.71E-02	2.09E-12	1.0E+06	2.1E-06
252	252	0.12164	3.01416E-07	3.7E-08	6.05E-04	2.22E-11	1.60E-01	4.71E-02	1.68E-13	1.0E+06	1.7E-07
253	253	0.12985	3.01416E-07	3.9E-08	6.05E-04	2.37E-11	1.60E-01	4.71E-02	1.79E-13	1.0E+06	1.8E-07
254	254	0.14073	3.01416E-07	4.2E-08	6.05E-04	2.57E-11	1.60E-01	4.71E-02	1.94E-13	1.0E+06	1.9E-07
255	255	0.1544	3.01416E-07	4.7E-08	6.05E-04	2.82E-11	1.60E-01	4.71E-02	2.13E-13	1.0E+06	2.1E-07
256	256	0.17786	3.01416E-07	5.4E-08	6.05E-04	3.24E-11	1.60E-01	4.71E-02	2.45E-13	1.0E+06	2.4E-07
257	257	0.19304	3.01416E-07	5.8E-08	6.05E-04	3.52E-11	1.60E-01	4.71E-02	2.66E-13	1.0E+06	2.7E-07
258	258	0.21394	3.01416E-07	6.4E-08	6.05E-04	3.90E-11	1.60E-01	4.71E-02	2.95E-13	1.0E+06	2.9E-07
259	259	0.23742	3.01416E-07	7.2E-08	6.05E-04	4.33E-11	1.60E-01	4.71E-02	3.27E-13	1.0E+06	3.3E-07
260	260	0.26983	3.01416E-07	8.1E-08	6.05E-04	4.92E-11	1.60E-01	4.71E-02	3.72E-13	1.0E+06	3.7E-07
261	261	0.30942	3.01416E-07	9.3E-08	6.05E-04	5.64E-11	1.60E-01	4.71E-02	4.26E-13	1.0E+06	4.3E-07
262	262	0.35201	3.01416E-07	1.1E-07	6.05E-04	6.42E-11	1.60E-01	4.71E-02	4.85E-13	1.0E+06	4.8E-07
263	263	0.39368	3.01416E-07	1.2E-07	6.05E-04	7.18E-11	1.60E-01	4.71E-02	5.42E-13	1.0E+06	5.4E-07
264	264	0.44639	3.01416E-07	1.3E-07	6.05E-04	8.14E-11	1.60E-01	4.71E-02	6.15E-13	1.0E+06	6.1E-07
265	265	0.50761	3.01416E-07	1.5E-07	6.05E-04	9.26E-11	1.60E-01	4.71E-02	6.99E-13	1.0E+06	7.0E-07
266	266	0.59275	3.01416E-07	1.8E-07	6.05E-04	1.08E-10	1.60E-01	4.71E-02	8.16E-13	1.0E+06	8.2E-07
267	267	0.70852	3.01416E-07	2.1E-07	6.05E-04	1.29E-10	1.60E-01	4.71E-02	9.76E-13	1.0E+06	9.8E-07
268	268	0.86994	3.01416E-07	2.6E-07	6.05E-04	1.59E-10	1.60E-01	4.71E-02	1.20E-12	1.0E+06	1.2E-06
269	269	1.16994	3.01416E-07	3.5E-07	6.05E-04	2.13E-10	1.60E-01	4.71E-02	1.61E-12	1.0E+06	1.6E-06
270	270	0.11738	3.01416E-07	3.5E-08	6.05E-04	2.14E-11	1.60E-01	4.71E-02	1.62E-13	1.0E+06	1.6E-07
271	271	0.12583	3.01416E-07	3.8E-08	6.05E-04	2.29E-11	1.60E-01	4.71E-02	1.73E-13	1.0E+06	1.7E-07
272	272	0.13625	3.01416E-07	4.1E-08	6.05E-04	2.48E-11	1.60E-01	4.71E-02	1.88E-13	1.0E+06	1.9E-07
273	273	0.14816	3.01416E-07	4.5E-08	6.05E-04	2.70E-11	1.60E-01	4.71E-02	2.04E-13	1.0E+06	2.0E-07
274	274	0.1716	3.01416E-07	5.2E-08	6.05E-04	3.13E-11	1.60E-01	4.71E-02	2.36E-13	1.0E+06	2.4E-07
275	275	0.19153	3.01416E-07	5.8E-08	6.05E-04	3.49E-11	1.60E-01	4.71E-02	2.64E-13	1.0E+06	2.6E-07
276	276	0.1977	3.01416E-07	6.0E-08	6.05E-04	3.61E-11	1.60E-01	4.71E-02	2.72E-13	1.0E+06	2.7E-07
277	277	0.21546	3.01416E-07	6.5E-08	6.05E-04	3.93E-11	1.60E-01	4.71E-02	2.97E-13	1.0E+06	3.0E-07
278	278	0.23743	3.01416E-07	7.2E-08	6.05E-04	4.33E-11	1.60E-01	4.71E-02	3.27E-13	1.0E+06	3.3E-07
279	279	0.2643	3.01416E-07	8.0E-08	6.05E-04	4.82E-11	1.60E-01	4.71E-02	3.64E-13	1.0E+06	3.6E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.30207	3.01416E-07	9.1E-08	6.05E-04	5.51E-11	1.60E-01	4.71E-02	4.16E-13	1.0E+06	4.2E-07
281	281	0.34373	3.01416E-07	1.0E-07	6.05E-04	6.27E-11	1.60E-01	4.71E-02	4.73E-13	1.0E+06	4.7E-07
282	282	0.39096	3.01416E-07	1.2E-07	6.05E-04	7.13E-11	1.60E-01	4.71E-02	5.38E-13	1.0E+06	5.4E-07
283	283	0.44754	3.01416E-07	1.3E-07	6.05E-04	8.16E-11	1.60E-01	4.71E-02	6.16E-13	1.0E+06	6.2E-07
284	284	0.52053	3.01416E-07	1.6E-07	6.05E-04	9.49E-11	1.60E-01	4.71E-02	7.17E-13	1.0E+06	7.2E-07
285	285	0.61056	3.01416E-07	1.8E-07	6.05E-04	1.11E-10	1.60E-01	4.71E-02	8.41E-13	1.0E+06	8.4E-07
286	286	0.73119	3.01416E-07	2.2E-07	6.05E-04	1.33E-10	1.60E-01	4.71E-02	1.01E-12	1.0E+06	1.0E-06
287	287	0.94305	3.01416E-07	2.8E-07	6.05E-04	1.72E-10	1.60E-01	4.71E-02	1.30E-12	1.0E+06	1.3E-06
288	288	0.1145	3.01416E-07	3.5E-08	6.05E-04	2.09E-11	1.60E-01	4.71E-02	1.58E-13	1.0E+06	1.6E-07
289	289	0.12186	3.01416E-07	3.7E-08	6.05E-04	2.22E-11	1.60E-01	4.71E-02	1.68E-13	1.0E+06	1.7E-07
290	290	0.13433	3.01416E-07	4.0E-08	6.05E-04	2.45E-11	1.60E-01	4.71E-02	1.85E-13	1.0E+06	1.9E-07
291	291	0.14675	3.01416E-07	4.4E-08	6.05E-04	2.68E-11	1.60E-01	4.71E-02	2.02E-13	1.0E+06	2.0E-07
292	292	0.1761	3.01416E-07	5.3E-08	6.05E-04	3.21E-11	1.60E-01	4.71E-02	2.43E-13	1.0E+06	2.4E-07
293	293	0.18578	3.01416E-07	5.6E-08	6.05E-04	3.39E-11	1.60E-01	4.71E-02	2.56E-13	1.0E+06	2.6E-07
294	294	0.18335	3.01416E-07	5.5E-08	6.05E-04	3.34E-11	1.60E-01	4.71E-02	2.53E-13	1.0E+06	2.5E-07
295	295	0.19891	3.01416E-07	6.0E-08	6.05E-04	3.63E-11	1.60E-01	4.71E-02	2.74E-13	1.0E+06	2.7E-07
296	296	0.21706	3.01416E-07	6.5E-08	6.05E-04	3.96E-11	1.60E-01	4.71E-02	2.99E-13	1.0E+06	3.0E-07
297	297	0.23397	3.01416E-07	7.1E-08	6.05E-04	4.27E-11	1.60E-01	4.71E-02	3.22E-13	1.0E+06	3.2E-07
298	298	0.25975	3.01416E-07	7.8E-08	6.05E-04	4.74E-11	1.60E-01	4.71E-02	3.58E-13	1.0E+06	3.6E-07
299	299	0.29979	3.01416E-07	9.0E-08	6.05E-04	5.47E-11	1.60E-01	4.71E-02	4.13E-13	1.0E+06	4.1E-07
300	300	0.33994	3.01416E-07	1.0E-07	6.05E-04	6.20E-11	1.60E-01	4.71E-02	4.68E-13	1.0E+06	4.7E-07
301	301	0.39551	3.01416E-07	1.2E-07	6.05E-04	7.21E-11	1.60E-01	4.71E-02	5.45E-13	1.0E+06	5.4E-07
302	302	0.46101	3.01416E-07	1.4E-07	6.05E-04	8.41E-11	1.60E-01	4.71E-02	6.35E-13	1.0E+06	6.3E-07
303	303	0.53934	3.01416E-07	1.6E-07	6.05E-04	9.84E-11	1.60E-01	4.71E-02	7.43E-13	1.0E+06	7.4E-07
304	304	0.63199	3.01416E-07	1.9E-07	6.05E-04	1.15E-10	1.60E-01	4.71E-02	8.70E-13	1.0E+06	8.7E-07
305	305	0.78825	3.01416E-07	2.4E-07	6.05E-04	1.44E-10	1.60E-01	4.71E-02	1.09E-12	1.0E+06	1.1E-06
306	306	0.11819	3.01416E-07	3.6E-08	6.05E-04	2.16E-11	1.60E-01	4.71E-02	1.63E-13	1.0E+06	1.6E-07
307	307	0.12228	3.01416E-07	3.7E-08	6.05E-04	2.23E-11	1.60E-01	4.71E-02	1.68E-13	1.0E+06	1.7E-07
308	308	0.13088	3.01416E-07	3.9E-08	6.05E-04	2.39E-11	1.60E-01	4.71E-02	1.80E-13	1.0E+06	1.8E-07
309	309	0.15046	3.01416E-07	4.5E-08	6.05E-04	2.74E-11	1.60E-01	4.71E-02	2.07E-13	1.0E+06	2.1E-07
310	310	0.16946	3.01416E-07	5.1E-08	6.05E-04	3.09E-11	1.60E-01	4.71E-02	2.33E-13	1.0E+06	2.3E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.17657	3.01416E-07	5.3E-08	6.05E-04	3.22E-11	1.60E-01	4.71E-02	2.43E-13	1.0E+06	2.4E-07
312	312	0.16934	3.01416E-07	5.1E-08	6.05E-04	3.09E-11	1.60E-01	4.71E-02	2.33E-13	1.0E+06	2.3E-07
313	313	0.18195	3.01416E-07	5.5E-08	6.05E-04	3.32E-11	1.60E-01	4.71E-02	2.51E-13	1.0E+06	2.5E-07
314	314	0.19697	3.01416E-07	5.9E-08	6.05E-04	3.59E-11	1.60E-01	4.71E-02	2.71E-13	1.0E+06	2.7E-07
315	315	0.2209	3.01416E-07	6.7E-08	6.05E-04	4.03E-11	1.60E-01	4.71E-02	3.04E-13	1.0E+06	3.0E-07
316	316	0.23567	3.01416E-07	7.1E-08	6.05E-04	4.30E-11	1.60E-01	4.71E-02	3.25E-13	1.0E+06	3.2E-07
317	317	0.26147	3.01416E-07	7.9E-08	6.05E-04	4.77E-11	1.60E-01	4.71E-02	3.60E-13	1.0E+06	3.6E-07
318	318	0.29873	3.01416E-07	9.0E-08	6.05E-04	5.45E-11	1.60E-01	4.71E-02	4.11E-13	1.0E+06	4.1E-07
319	319	0.35136	3.01416E-07	1.1E-07	6.05E-04	6.41E-11	1.60E-01	4.71E-02	4.84E-13	1.0E+06	4.8E-07
320	320	0.41844	3.01416E-07	1.3E-07	6.05E-04	7.63E-11	1.60E-01	4.71E-02	5.76E-13	1.0E+06	5.8E-07
321	321	0.47994	3.01416E-07	1.4E-07	6.05E-04	8.75E-11	1.60E-01	4.71E-02	6.61E-13	1.0E+06	6.6E-07
322	322	0.54969	3.01416E-07	1.7E-07	6.05E-04	1.00E-10	1.60E-01	4.71E-02	7.57E-13	1.0E+06	7.6E-07
323	323	0.67577	3.01416E-07	2.0E-07	6.05E-04	1.23E-10	1.60E-01	4.71E-02	9.31E-13	1.0E+06	9.3E-07
324	324	0.11556	3.01416E-07	3.5E-08	6.05E-04	2.11E-11	1.60E-01	4.71E-02	1.59E-13	1.0E+06	1.6E-07
325	325	0.12648	3.01416E-07	3.8E-08	6.05E-04	2.31E-11	1.60E-01	4.71E-02	1.74E-13	1.0E+06	1.7E-07
326	326	0.13338	3.01416E-07	4.0E-08	6.05E-04	2.43E-11	1.60E-01	4.71E-02	1.84E-13	1.0E+06	1.8E-07
327	327	0.13815	3.01416E-07	4.2E-08	6.05E-04	2.52E-11	1.60E-01	4.71E-02	1.90E-13	1.0E+06	1.9E-07
328	328	0.16393	3.01416E-07	4.9E-08	6.05E-04	2.99E-11	1.60E-01	4.71E-02	2.26E-13	1.0E+06	2.3E-07
329	329	0.16644	3.01416E-07	5.0E-08	6.05E-04	3.04E-11	1.60E-01	4.71E-02	2.29E-13	1.0E+06	2.3E-07
330	330	0.15975	3.01416E-07	4.8E-08	6.05E-04	2.91E-11	1.60E-01	4.71E-02	2.20E-13	1.0E+06	2.2E-07
331	331	0.17123	3.01416E-07	5.2E-08	6.05E-04	3.12E-11	1.60E-01	4.71E-02	2.36E-13	1.0E+06	2.4E-07
332	332	0.18532	3.01416E-07	5.6E-08	6.05E-04	3.38E-11	1.60E-01	4.71E-02	2.55E-13	1.0E+06	2.6E-07
333	333	0.20812	3.01416E-07	6.3E-08	6.05E-04	3.80E-11	1.60E-01	4.71E-02	2.87E-13	1.0E+06	2.9E-07
334	334	0.22811	3.01416E-07	6.9E-08	6.05E-04	4.16E-11	1.60E-01	4.71E-02	3.14E-13	1.0E+06	3.1E-07
335	335	0.25374	3.01416E-07	7.6E-08	6.05E-04	4.63E-11	1.60E-01	4.71E-02	3.49E-13	1.0E+06	3.5E-07
336	336	82.14259	3.01416E-07	2.5E-05	6.05E-04	1.50E-08	1.60E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
337	337	53.27889	3.01416E-07	1.6E-05	6.05E-04	9.72E-09	1.60E-01	4.71E-02	7.34E-11	1.0E+06	7.3E-05
338	338	0.29936	3.01416E-07	9.0E-08	6.05E-04	5.46E-11	1.60E-01	4.71E-02	4.12E-13	1.0E+06	4.1E-07
339	339	0.32812	3.01416E-07	9.9E-08	6.05E-04	5.98E-11	1.60E-01	4.71E-02	4.52E-13	1.0E+06	4.5E-07
340	340	0.38214	3.01416E-07	1.2E-07	6.05E-04	6.97E-11	1.60E-01	4.71E-02	5.26E-13	1.0E+06	5.3E-07
341	341	0.41799	3.01416E-07	1.3E-07	6.05E-04	7.62E-11	1.60E-01	4.71E-02	5.76E-13	1.0E+06	5.8E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.44376	3.01416E-07	1.3E-07	6.05E-04	8.09E-11	1.60E-01	4.71E-02	6.11E-13	1.0E+06	6.1E-07
343	343	0.48109	3.01416E-07	1.5E-07	6.05E-04	8.77E-11	1.60E-01	4.71E-02	6.63E-13	1.0E+06	6.6E-07
344	344	0.49028	3.01416E-07	1.5E-07	6.05E-04	8.94E-11	1.60E-01	4.71E-02	6.75E-13	1.0E+06	6.8E-07
345	345	0.49239	3.01416E-07	1.5E-07	6.05E-04	8.98E-11	1.60E-01	4.71E-02	6.78E-13	1.0E+06	6.8E-07
346	346	0.48663	3.01416E-07	1.5E-07	6.05E-04	8.88E-11	1.60E-01	4.71E-02	6.70E-13	1.0E+06	6.7E-07
347	347	0.3403	3.01416E-07	1.0E-07	6.05E-04	6.21E-11	1.60E-01	4.71E-02	4.69E-13	1.0E+06	4.7E-07
348	348	0.38226	3.01416E-07	1.2E-07	6.05E-04	6.97E-11	1.60E-01	4.71E-02	5.26E-13	1.0E+06	5.3E-07
349	349	0.45852	3.01416E-07	1.4E-07	6.05E-04	8.36E-11	1.60E-01	4.71E-02	6.32E-13	1.0E+06	6.3E-07
350	350	0.4965	3.01416E-07	1.5E-07	6.05E-04	9.06E-11	1.60E-01	4.71E-02	6.84E-13	1.0E+06	6.8E-07
351	351	0.52938	3.01416E-07	1.6E-07	6.05E-04	9.65E-11	1.60E-01	4.71E-02	7.29E-13	1.0E+06	7.3E-07
352	352	0.5831	3.01416E-07	1.8E-07	6.05E-04	1.06E-10	1.60E-01	4.71E-02	8.03E-13	1.0E+06	8.0E-07
353	353	0.59522	3.01416E-07	1.8E-07	6.05E-04	1.09E-10	1.60E-01	4.71E-02	8.20E-13	1.0E+06	8.2E-07
354	354	0.59291	3.01416E-07	1.8E-07	6.05E-04	1.08E-10	1.60E-01	4.71E-02	8.17E-13	1.0E+06	8.2E-07
355	355	0.58541	3.01416E-07	1.8E-07	6.05E-04	1.07E-10	1.60E-01	4.71E-02	8.06E-13	1.0E+06	8.1E-07
356	356	0.39386	3.01416E-07	1.2E-07	6.05E-04	7.18E-11	1.60E-01	4.71E-02	5.42E-13	1.0E+06	5.4E-07
357	357	0.43552	3.01416E-07	1.3E-07	6.05E-04	7.94E-11	1.60E-01	4.71E-02	6.00E-13	1.0E+06	6.0E-07
358	358	0.5047	3.01416E-07	1.5E-07	6.05E-04	9.20E-11	1.60E-01	4.71E-02	6.95E-13	1.0E+06	7.0E-07
359	359	0.59312	3.01416E-07	1.8E-07	6.05E-04	1.08E-10	1.60E-01	4.71E-02	8.17E-13	1.0E+06	8.2E-07
360	360	0.64417	3.01416E-07	1.9E-07	6.05E-04	1.17E-10	1.60E-01	4.71E-02	8.87E-13	1.0E+06	8.9E-07
361	361	0.72307	3.01416E-07	2.2E-07	6.05E-04	1.32E-10	1.60E-01	4.71E-02	9.96E-13	1.0E+06	1.0E-06
362	362	0.73992	3.01416E-07	2.2E-07	6.05E-04	1.35E-10	1.60E-01	4.71E-02	1.02E-12	1.0E+06	1.0E-06
363	363	0.73374	3.01416E-07	2.2E-07	6.05E-04	1.34E-10	1.60E-01	4.71E-02	1.01E-12	1.0E+06	1.0E-06
364	364	0.46909	3.01416E-07	1.4E-07	6.05E-04	8.56E-11	1.60E-01	4.71E-02	6.46E-13	1.0E+06	6.5E-07
365	365	0.51116	3.01416E-07	1.5E-07	6.05E-04	9.32E-11	1.60E-01	4.71E-02	7.04E-13	1.0E+06	7.0E-07
366	366	0.58558	3.01416E-07	1.8E-07	6.05E-04	1.07E-10	1.60E-01	4.71E-02	8.07E-13	1.0E+06	8.1E-07
367	367	0.71231	3.01416E-07	2.1E-07	6.05E-04	1.30E-10	1.60E-01	4.71E-02	9.81E-13	1.0E+06	9.8E-07
368	368	0.80313	3.01416E-07	2.4E-07	6.05E-04	1.46E-10	1.60E-01	4.71E-02	1.11E-12	1.0E+06	1.1E-06
369	369	0.92535	3.01416E-07	2.8E-07	6.05E-04	1.69E-10	1.60E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
370	370	0.94681	3.01416E-07	2.9E-07	6.05E-04	1.73E-10	1.60E-01	4.71E-02	1.30E-12	1.0E+06	1.3E-06
371	371	0.91877	3.01416E-07	2.8E-07	6.05E-04	1.68E-10	1.60E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
372	372	0.575	3.01416E-07	1.7E-07	6.05E-04	1.05E-10	1.60E-01	4.71E-02	7.92E-13	1.0E+06	7.9E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.63011	3.01416E-07	1.9E-07	6.05E-04	1.15E-10	1.60E-01	4.71E-02	8.68E-13	1.0E+06	8.7E-07
374	374	0.72927	3.01416E-07	2.2E-07	6.05E-04	1.33E-10	1.60E-01	4.71E-02	1.00E-12	1.0E+06	1.0E-06
375	375	0.89713	3.01416E-07	2.7E-07	6.05E-04	1.64E-10	1.60E-01	4.71E-02	1.24E-12	1.0E+06	1.2E-06
376	376	1.03661	3.01416E-07	3.1E-07	6.05E-04	1.89E-10	1.60E-01	4.71E-02	1.43E-12	1.0E+06	1.4E-06
377	377	1.15423	3.01416E-07	3.5E-07	6.05E-04	2.11E-10	1.60E-01	4.71E-02	1.59E-12	1.0E+06	1.6E-06
378	378	1.23463	3.01416E-07	3.7E-07	6.05E-04	2.25E-10	1.60E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
379	379	1.25854	3.01416E-07	3.8E-07	6.05E-04	2.30E-10	1.60E-01	4.71E-02	1.73E-12	1.0E+06	1.7E-06
380	380	1.21215	3.01416E-07	3.7E-07	6.05E-04	2.21E-10	1.60E-01	4.71E-02	1.67E-12	1.0E+06	1.7E-06
381	381	1.13531	3.01416E-07	3.4E-07	6.05E-04	2.07E-10	1.60E-01	4.71E-02	1.56E-12	1.0E+06	1.6E-06
382	382	0.72126	3.01416E-07	2.2E-07	6.05E-04	1.32E-10	1.60E-01	4.71E-02	9.93E-13	1.0E+06	9.9E-07
383	383	0.81985	3.01416E-07	2.5E-07	6.05E-04	1.50E-10	1.60E-01	4.71E-02	1.13E-12	1.0E+06	1.1E-06
384	384	0.94251	3.01416E-07	2.8E-07	6.05E-04	1.72E-10	1.60E-01	4.71E-02	1.30E-12	1.0E+06	1.3E-06
385	385	1.19144	3.01416E-07	3.6E-07	6.05E-04	2.17E-10	1.60E-01	4.71E-02	1.64E-12	1.0E+06	1.6E-06
386	386	1.39064	3.01416E-07	4.2E-07	6.05E-04	2.54E-10	1.60E-01	4.71E-02	1.92E-12	1.0E+06	1.9E-06
387	387	1.59455	3.01416E-07	4.8E-07	6.05E-04	2.91E-10	1.60E-01	4.71E-02	2.20E-12	1.0E+06	2.2E-06
388	388	1.73734	3.01416E-07	5.2E-07	6.05E-04	3.17E-10	1.60E-01	4.71E-02	2.39E-12	1.0E+06	2.4E-06
389	389	1.75306	3.01416E-07	5.3E-07	6.05E-04	3.20E-10	1.60E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
390	390	1.64464	3.01416E-07	5.0E-07	6.05E-04	3.00E-10	1.60E-01	4.71E-02	2.27E-12	1.0E+06	2.3E-06
391	391	1.49314	3.01416E-07	4.5E-07	6.05E-04	2.72E-10	1.60E-01	4.71E-02	2.06E-12	1.0E+06	2.1E-06
392	392	1.28195	3.01416E-07	3.9E-07	6.05E-04	2.34E-10	1.60E-01	4.71E-02	1.77E-12	1.0E+06	1.8E-06
393	393	0.97212	3.01416E-07	2.9E-07	6.05E-04	1.77E-10	1.60E-01	4.71E-02	1.34E-12	1.0E+06	1.3E-06
394	394	1.22534	3.01416E-07	3.7E-07	6.05E-04	2.23E-10	1.60E-01	4.71E-02	1.69E-12	1.0E+06	1.7E-06
395	395	1.47726	3.01416E-07	4.5E-07	6.05E-04	2.69E-10	1.60E-01	4.71E-02	2.03E-12	1.0E+06	2.0E-06
396	396	1.80531	3.01416E-07	5.4E-07	6.05E-04	3.29E-10	1.60E-01	4.71E-02	2.49E-12	1.0E+06	2.5E-06
397	397	2.19628	3.01416E-07	6.6E-07	6.05E-04	4.01E-10	1.60E-01	4.71E-02	3.02E-12	1.0E+06	3.0E-06
398	398	2.4027	3.01416E-07	7.2E-07	6.05E-04	4.38E-10	1.60E-01	4.71E-02	3.31E-12	1.0E+06	3.3E-06
399	399	2.41808	3.01416E-07	7.3E-07	6.05E-04	4.41E-10	1.60E-01	4.71E-02	3.33E-12	1.0E+06	3.3E-06
400	400	2.60955	3.01416E-07	7.9E-07	6.05E-04	4.76E-10	1.60E-01	4.71E-02	3.59E-12	1.0E+06	3.6E-06
401	401	2.34003	3.01416E-07	7.1E-07	6.05E-04	4.27E-10	1.60E-01	4.71E-02	3.22E-12	1.0E+06	3.2E-06
402	402	1.60136	3.01416E-07	4.8E-07	6.05E-04	2.92E-10	1.60E-01	4.71E-02	2.21E-12	1.0E+06	2.2E-06
403	403	4.15731	3.01416E-07	1.3E-06	6.05E-04	7.58E-10	1.60E-01	4.71E-02	5.73E-12	1.0E+06	5.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	2.03727	3.01416E-07	6.1E-07	6.05E-04	3.72E-10	1.60E-01	4.71E-02	2.81E-12	1.0E+06	2.8E-06
405	405	1.51038	3.01416E-07	4.6E-07	6.05E-04	2.75E-10	1.60E-01	4.71E-02	2.08E-12	1.0E+06	2.1E-06
406	406	7.45504	3.01416E-07	2.2E-06	6.05E-04	1.36E-09	1.60E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
407	407	1.6226	3.01416E-07	4.9E-07	6.05E-04	2.96E-10	1.60E-01	4.71E-02	2.23E-12	1.0E+06	2.2E-06
408	408	14.09383	3.01416E-07	4.2E-06	6.05E-04	2.57E-09	1.60E-01	4.71E-02	1.94E-11	1.0E+06	1.9E-05
409	409	1.62319	3.01416E-07	4.9E-07	6.05E-04	2.96E-10	1.60E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
410	410	18.30698	3.01416E-07	5.5E-06	6.05E-04	3.34E-09	1.60E-01	4.71E-02	2.52E-11	1.0E+06	2.5E-05
411	411	2.2664	3.01416E-07	6.8E-07	6.05E-04	4.13E-10	1.60E-01	4.71E-02	3.12E-12	1.0E+06	3.1E-06
412	412	1.56098	3.01416E-07	4.7E-07	6.05E-04	2.85E-10	1.60E-01	4.71E-02	2.15E-12	1.0E+06	2.1E-06
413	413	13.06994	3.01416E-07	3.9E-06	6.05E-04	2.38E-09	1.60E-01	4.71E-02	1.80E-11	1.0E+06	1.8E-05
414	414	3.08915	3.01416E-07	9.3E-07	6.05E-04	5.63E-10	1.60E-01	4.71E-02	4.25E-12	1.0E+06	4.3E-06
415	415	2.00181	3.01416E-07	6.0E-07	6.05E-04	3.65E-10	1.60E-01	4.71E-02	2.76E-12	1.0E+06	2.8E-06
416	416	1.41304	3.01416E-07	4.3E-07	6.05E-04	2.58E-10	1.60E-01	4.71E-02	1.95E-12	1.0E+06	1.9E-06
417	417	8.87579	3.01416E-07	2.7E-06	6.05E-04	1.62E-09	1.60E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
418	418	1.74828	3.01416E-07	5.3E-07	6.05E-04	3.19E-10	1.60E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
419	419	1.2658	3.01416E-07	3.8E-07	6.05E-04	2.31E-10	1.60E-01	4.71E-02	1.74E-12	1.0E+06	1.7E-06
420	420	0.96034	3.01416E-07	2.9E-07	6.05E-04	1.75E-10	1.60E-01	4.71E-02	1.32E-12	1.0E+06	1.3E-06
421	421	5.93508	3.01416E-07	1.8E-06	6.05E-04	1.08E-09	1.60E-01	4.71E-02	8.17E-12	1.0E+06	8.2E-06
422	422	1.13089	3.01416E-07	3.4E-07	6.05E-04	2.06E-10	1.60E-01	4.71E-02	1.56E-12	1.0E+06	1.6E-06
423	423	0.87507	3.01416E-07	2.6E-07	6.05E-04	1.60E-10	1.60E-01	4.71E-02	1.21E-12	1.0E+06	1.2E-06
424	424	4.08672	3.01416E-07	1.2E-06	6.05E-04	7.45E-10	1.60E-01	4.71E-02	5.63E-12	1.0E+06	5.6E-06
425	425	0.79523	3.01416E-07	2.4E-07	6.05E-04	1.45E-10	1.60E-01	4.71E-02	1.10E-12	1.0E+06	1.1E-06
426	426	0.64278	3.01416E-07	1.9E-07	6.05E-04	1.17E-10	1.60E-01	4.71E-02	8.85E-13	1.0E+06	8.9E-07
427	427	2.92516	3.01416E-07	8.8E-07	6.05E-04	5.33E-10	1.60E-01	4.71E-02	4.03E-12	1.0E+06	4.0E-06
428	428	0.72393	3.01416E-07	2.2E-07	6.05E-04	1.32E-10	1.60E-01	4.71E-02	9.97E-13	1.0E+06	1.0E-06
429	429	0.59136	3.01416E-07	1.8E-07	6.05E-04	1.08E-10	1.60E-01	4.71E-02	8.14E-13	1.0E+06	8.1E-07
430	430	2.17292	3.01416E-07	6.5E-07	6.05E-04	3.96E-10	1.60E-01	4.71E-02	2.99E-12	1.0E+06	3.0E-06
431	431	0.54454	3.01416E-07	1.6E-07	6.05E-04	9.93E-11	1.60E-01	4.71E-02	7.50E-13	1.0E+06	7.5E-07
432	432	0.45604	3.01416E-07	1.4E-07	6.05E-04	8.32E-11	1.60E-01	4.71E-02	6.28E-13	1.0E+06	6.3E-07
433	433	1.66637	3.01416E-07	5.0E-07	6.05E-04	3.04E-10	1.60E-01	4.71E-02	2.30E-12	1.0E+06	2.3E-06
434	434	0.5026	3.01416E-07	1.5E-07	6.05E-04	9.17E-11	1.60E-01	4.71E-02	6.92E-13	1.0E+06	6.9E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.42542	3.01416E-07	1.3E-07	6.05E-04	7.76E-11	1.60E-01	4.71E-02	5.86E-13	1.0E+06	5.9E-07
436	436	1.31321	3.01416E-07	4.0E-07	6.05E-04	2.39E-10	1.60E-01	4.71E-02	1.81E-12	1.0E+06	1.8E-06
437	437	0.55759	3.01416E-07	1.7E-07	6.05E-04	1.02E-10	1.60E-01	4.71E-02	7.68E-13	1.0E+06	7.7E-07
438	438	0.46546	3.01416E-07	1.4E-07	6.05E-04	8.49E-11	1.60E-01	4.71E-02	6.41E-13	1.0E+06	6.4E-07
439	439	0.39614	3.01416E-07	1.2E-07	6.05E-04	7.22E-11	1.60E-01	4.71E-02	5.46E-13	1.0E+06	5.5E-07
440	440	1.05873	3.01416E-07	3.2E-07	6.05E-04	1.93E-10	1.60E-01	4.71E-02	1.46E-12	1.0E+06	1.5E-06
441	441	0.73886	3.01416E-07	2.2E-07	6.05E-04	1.35E-10	1.60E-01	4.71E-02	1.02E-12	1.0E+06	1.0E-06
442	442	0.61579	3.01416E-07	1.9E-07	6.05E-04	1.12E-10	1.60E-01	4.71E-02	8.48E-13	1.0E+06	8.5E-07
443	443	0.51271	3.01416E-07	1.5E-07	6.05E-04	9.35E-11	1.60E-01	4.71E-02	7.06E-13	1.0E+06	7.1E-07
444	444	0.43166	3.01416E-07	1.3E-07	6.05E-04	7.87E-11	1.60E-01	4.71E-02	5.95E-13	1.0E+06	5.9E-07
445	445	0.87036	3.01416E-07	2.6E-07	6.05E-04	1.59E-10	1.60E-01	4.71E-02	1.20E-12	1.0E+06	1.2E-06
446	446	0.74957	3.01416E-07	2.3E-07	6.05E-04	1.37E-10	1.60E-01	4.71E-02	1.03E-12	1.0E+06	1.0E-06
447	447	0.65316	3.01416E-07	2.0E-07	6.05E-04	1.19E-10	1.60E-01	4.71E-02	9.00E-13	1.0E+06	9.0E-07
448	448	0.55663	3.01416E-07	1.7E-07	6.05E-04	1.02E-10	1.60E-01	4.71E-02	7.67E-13	1.0E+06	7.7E-07
449	449	0.72746	3.01416E-07	2.2E-07	6.05E-04	1.33E-10	1.60E-01	4.71E-02	1.00E-12	1.0E+06	1.0E-06
450	450	0.70232	3.01416E-07	2.1E-07	6.05E-04	1.28E-10	1.60E-01	4.71E-02	9.67E-13	1.0E+06	9.7E-07
451	451	0.64887	3.01416E-07	2.0E-07	6.05E-04	1.18E-10	1.60E-01	4.71E-02	8.94E-13	1.0E+06	8.9E-07
452	452	0.61676	3.01416E-07	1.9E-07	6.05E-04	1.12E-10	1.60E-01	4.71E-02	8.49E-13	1.0E+06	8.5E-07
453	453	0.60209	3.01416E-07	1.8E-07	6.05E-04	1.10E-10	1.60E-01	4.71E-02	8.29E-13	1.0E+06	8.3E-07
454	454	0.30149	3.01416E-07	9.1E-08	6.05E-04	5.50E-11	1.60E-01	4.71E-02	4.15E-13	1.0E+06	4.2E-07
455	455	0.26672	3.01416E-07	8.0E-08	6.05E-04	4.86E-11	1.60E-01	4.71E-02	3.67E-13	1.0E+06	3.7E-07
456	456	0.52943	3.01416E-07	1.6E-07	6.05E-04	9.66E-11	1.60E-01	4.71E-02	7.29E-13	1.0E+06	7.3E-07
457	457	0.5212	3.01416E-07	1.6E-07	6.05E-04	9.51E-11	1.60E-01	4.71E-02	7.18E-13	1.0E+06	7.2E-07
458	458	0.49555	3.01416E-07	1.5E-07	6.05E-04	9.04E-11	1.60E-01	4.71E-02	6.83E-13	1.0E+06	6.8E-07
459	459	0.36505	3.01416E-07	1.1E-07	6.05E-04	6.66E-11	1.60E-01	4.71E-02	5.03E-13	1.0E+06	5.0E-07
460	460	0.32196	3.01416E-07	9.7E-08	6.05E-04	5.87E-11	1.60E-01	4.71E-02	4.43E-13	1.0E+06	4.4E-07
461	461	0.28377	3.01416E-07	8.6E-08	6.05E-04	5.18E-11	1.60E-01	4.71E-02	3.91E-13	1.0E+06	3.9E-07
462	462	0.25133	3.01416E-07	7.6E-08	6.05E-04	4.58E-11	1.60E-01	4.71E-02	3.46E-13	1.0E+06	3.5E-07
463	463	94.6838	3.01416E-07	2.9E-05	6.05E-04	1.73E-08	1.60E-01	4.71E-02	1.30E-10	1.0E+06	1.3E-04
464	464	51.59566	3.01416E-07	1.6E-05	6.05E-04	9.41E-09	1.60E-01	4.71E-02	7.11E-11	1.0E+06	7.1E-05
465	465	34.09701	3.01416E-07	1.0E-05	6.05E-04	6.22E-09	1.60E-01	4.71E-02	4.70E-11	1.0E+06	4.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	23.95103	3.01416E-07	7.2E-06	6.05E-04	4.37E-09	1.60E-01	4.71E-02	3.30E-11	1.0E+06	3.3E-05
467	467	14.939	3.01416E-07	4.5E-06	6.05E-04	2.72E-09	1.60E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
468	468	7.5915	3.01416E-07	2.3E-06	6.05E-04	1.38E-09	1.60E-01	4.71E-02	1.05E-11	1.0E+06	1.0E-05
469	469	4.55128	3.01416E-07	1.4E-06	6.05E-04	8.30E-10	1.60E-01	4.71E-02	6.27E-12	1.0E+06	6.3E-06
470	470	2.6396	3.01416E-07	8.0E-07	6.05E-04	4.81E-10	1.60E-01	4.71E-02	3.64E-12	1.0E+06	3.6E-06
471	471	3.70323	3.01416E-07	1.1E-06	6.05E-04	6.75E-10	1.60E-01	4.71E-02	5.10E-12	1.0E+06	5.1E-06
472	472	1.91154	3.01416E-07	5.8E-07	6.05E-04	3.49E-10	1.60E-01	4.71E-02	2.63E-12	1.0E+06	2.6E-06
473	473	2.15232	3.01416E-07	6.5E-07	6.05E-04	3.93E-10	1.60E-01	4.71E-02	2.96E-12	1.0E+06	3.0E-06
474	474	1.45657	3.01416E-07	4.4E-07	6.05E-04	2.66E-10	1.60E-01	4.71E-02	2.01E-12	1.0E+06	2.0E-06
475	475	1.6101	3.01416E-07	4.9E-07	6.05E-04	2.94E-10	1.60E-01	4.71E-02	2.22E-12	1.0E+06	2.2E-06
476	476	1.14412	3.01416E-07	3.4E-07	6.05E-04	2.09E-10	1.60E-01	4.71E-02	1.58E-12	1.0E+06	1.6E-06
477	477	1.25022	3.01416E-07	3.8E-07	6.05E-04	2.28E-10	1.60E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
478	478	0.92232	3.01416E-07	2.8E-07	6.05E-04	1.68E-10	1.60E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
479	479	0.99915	3.01416E-07	3.0E-07	6.05E-04	1.82E-10	1.60E-01	4.71E-02	1.38E-12	1.0E+06	1.4E-06
480	480	1.02828	3.01416E-07	3.1E-07	6.05E-04	1.88E-10	1.60E-01	4.71E-02	1.42E-12	1.0E+06	1.4E-06
481	481	0.75977	3.01416E-07	2.3E-07	6.05E-04	1.39E-10	1.60E-01	4.71E-02	1.05E-12	1.0E+06	1.0E-06
482	482	0.84331	3.01416E-07	2.5E-07	6.05E-04	1.54E-10	1.60E-01	4.71E-02	1.16E-12	1.0E+06	1.2E-06
483	483	0.68117	3.01416E-07	2.1E-07	6.05E-04	1.24E-10	1.60E-01	4.71E-02	9.38E-13	1.0E+06	9.4E-07
484	484	0.70386	3.01416E-07	2.1E-07	6.05E-04	1.28E-10	1.60E-01	4.71E-02	9.69E-13	1.0E+06	9.7E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.0922	2.56808E-06	2.4E-07	6.05E-04	1.43E-10	1.60E-01	4.71E-02	1.08E-12	1.0E+06	1.1E-06
2	2	0.09435	2.56808E-06	2.4E-07	6.05E-04	1.47E-10	1.60E-01	4.71E-02	1.11E-12	1.0E+06	1.1E-06
3	3	0.09636	2.56808E-06	2.5E-07	6.05E-04	1.50E-10	1.60E-01	4.71E-02	1.13E-12	1.0E+06	1.1E-06
4	4	0.09846	2.56808E-06	2.5E-07	6.05E-04	1.53E-10	1.60E-01	4.71E-02	1.16E-12	1.0E+06	1.2E-06
5	5	0.1005	2.56808E-06	2.6E-07	6.05E-04	1.56E-10	1.60E-01	4.71E-02	1.18E-12	1.0E+06	1.2E-06
6	6	0.10347	2.56808E-06	2.7E-07	6.05E-04	1.61E-10	1.60E-01	4.71E-02	1.21E-12	1.0E+06	1.2E-06
7	7	0.10683	2.56808E-06	2.7E-07	6.05E-04	1.66E-10	1.60E-01	4.71E-02	1.25E-12	1.0E+06	1.3E-06
8	8	0.11051	2.56808E-06	2.8E-07	6.05E-04	1.72E-10	1.60E-01	4.71E-02	1.30E-12	1.0E+06	1.3E-06
9	9	0.11468	2.56808E-06	2.9E-07	6.05E-04	1.78E-10	1.60E-01	4.71E-02	1.35E-12	1.0E+06	1.3E-06
10	10	0.1201	2.56808E-06	3.1E-07	6.05E-04	1.87E-10	1.60E-01	4.71E-02	1.41E-12	1.0E+06	1.4E-06
11	11	0.12743	2.56808E-06	3.3E-07	6.05E-04	1.98E-10	1.60E-01	4.71E-02	1.50E-12	1.0E+06	1.5E-06
12	12	0.13561	2.56808E-06	3.5E-07	6.05E-04	2.11E-10	1.60E-01	4.71E-02	1.59E-12	1.0E+06	1.6E-06
13	13	0.1448	2.56808E-06	3.7E-07	6.05E-04	2.25E-10	1.60E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
14	14	0.21018	2.56808E-06	5.4E-07	6.05E-04	3.27E-10	1.60E-01	4.71E-02	2.47E-12	1.0E+06	2.5E-06
15	15	0.10103	2.56808E-06	2.6E-07	6.05E-04	1.57E-10	1.60E-01	4.71E-02	1.19E-12	1.0E+06	1.2E-06
16	16	0.10314	2.56808E-06	2.6E-07	6.05E-04	1.60E-10	1.60E-01	4.71E-02	1.21E-12	1.0E+06	1.2E-06
17	17	0.10602	2.56808E-06	2.7E-07	6.05E-04	1.65E-10	1.60E-01	4.71E-02	1.24E-12	1.0E+06	1.2E-06
18	18	0.10831	2.56808E-06	2.8E-07	6.05E-04	1.68E-10	1.60E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
19	19	0.1105	2.56808E-06	2.8E-07	6.05E-04	1.72E-10	1.60E-01	4.71E-02	1.30E-12	1.0E+06	1.3E-06
20	20	0.11339	2.56808E-06	2.9E-07	6.05E-04	1.76E-10	1.60E-01	4.71E-02	1.33E-12	1.0E+06	1.3E-06
21	21	0.11668	2.56808E-06	3.0E-07	6.05E-04	1.81E-10	1.60E-01	4.71E-02	1.37E-12	1.0E+06	1.4E-06
22	22	0.12019	2.56808E-06	3.1E-07	6.05E-04	1.87E-10	1.60E-01	4.71E-02	1.41E-12	1.0E+06	1.4E-06
23	23	0.12559	2.56808E-06	3.2E-07	6.05E-04	1.95E-10	1.60E-01	4.71E-02	1.47E-12	1.0E+06	1.5E-06
24	24	0.13056	2.56808E-06	3.4E-07	6.05E-04	2.03E-10	1.60E-01	4.71E-02	1.53E-12	1.0E+06	1.5E-06
25	25	0.13906	2.56808E-06	3.6E-07	6.05E-04	2.16E-10	1.60E-01	4.71E-02	1.63E-12	1.0E+06	1.6E-06
26	26	0.14875	2.56808E-06	3.8E-07	6.05E-04	2.31E-10	1.60E-01	4.71E-02	1.75E-12	1.0E+06	1.7E-06
27	27	0.15763	2.56808E-06	4.0E-07	6.05E-04	2.45E-10	1.60E-01	4.71E-02	1.85E-12	1.0E+06	1.8E-06
28	28	0.23737	2.56808E-06	6.1E-07	6.05E-04	3.69E-10	1.60E-01	4.71E-02	2.79E-12	1.0E+06	2.8E-06
29	29	0.11048	2.56808E-06	2.8E-07	6.05E-04	1.72E-10	1.60E-01	4.71E-02	1.30E-12	1.0E+06	1.3E-06
30	30	0.11375	2.56808E-06	2.9E-07	6.05E-04	1.77E-10	1.60E-01	4.71E-02	1.33E-12	1.0E+06	1.3E-06
31	31	0.1175	2.56808E-06	3.0E-07	6.05E-04	1.83E-10	1.60E-01	4.71E-02	1.38E-12	1.0E+06	1.4E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.12063	2.56808E-06	3.1E-07	6.05E-04	1.87E-10	1.60E-01	4.71E-02	1.42E-12	1.0E+06	1.4E-06
33	33	0.12219	2.56808E-06	3.1E-07	6.05E-04	1.90E-10	1.60E-01	4.71E-02	1.43E-12	1.0E+06	1.4E-06
34	34	0.12548	2.56808E-06	3.2E-07	6.05E-04	1.95E-10	1.60E-01	4.71E-02	1.47E-12	1.0E+06	1.5E-06
35	35	0.12876	2.56808E-06	3.3E-07	6.05E-04	2.00E-10	1.60E-01	4.71E-02	1.51E-12	1.0E+06	1.5E-06
36	36	0.13292	2.56808E-06	3.4E-07	6.05E-04	2.07E-10	1.60E-01	4.71E-02	1.56E-12	1.0E+06	1.6E-06
37	37	0.13822	2.56808E-06	3.5E-07	6.05E-04	2.15E-10	1.60E-01	4.71E-02	1.62E-12	1.0E+06	1.6E-06
38	38	0.14471	2.56808E-06	3.7E-07	6.05E-04	2.25E-10	1.60E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
39	39	0.15297	2.56808E-06	3.9E-07	6.05E-04	2.38E-10	1.60E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
40	40	0.16241	2.56808E-06	4.2E-07	6.05E-04	2.52E-10	1.60E-01	4.71E-02	1.91E-12	1.0E+06	1.9E-06
41	41	0.17267	2.56808E-06	4.4E-07	6.05E-04	2.68E-10	1.60E-01	4.71E-02	2.03E-12	1.0E+06	2.0E-06
42	42	0.26844	2.56808E-06	6.9E-07	6.05E-04	4.17E-10	1.60E-01	4.71E-02	3.15E-12	1.0E+06	3.2E-06
43	43	0.12	2.56808E-06	3.1E-07	6.05E-04	1.86E-10	1.60E-01	4.71E-02	1.41E-12	1.0E+06	1.4E-06
44	44	0.12447	2.56808E-06	3.2E-07	6.05E-04	1.93E-10	1.60E-01	4.71E-02	1.46E-12	1.0E+06	1.5E-06
45	45	0.12869	2.56808E-06	3.3E-07	6.05E-04	2.00E-10	1.60E-01	4.71E-02	1.51E-12	1.0E+06	1.5E-06
46	46	0.13218	2.56808E-06	3.4E-07	6.05E-04	2.05E-10	1.60E-01	4.71E-02	1.55E-12	1.0E+06	1.6E-06
47	47	0.13524	2.56808E-06	3.5E-07	6.05E-04	2.10E-10	1.60E-01	4.71E-02	1.59E-12	1.0E+06	1.6E-06
48	48	0.13887	2.56808E-06	3.6E-07	6.05E-04	2.16E-10	1.60E-01	4.71E-02	1.63E-12	1.0E+06	1.6E-06
49	49	0.14237	2.56808E-06	3.7E-07	6.05E-04	2.21E-10	1.60E-01	4.71E-02	1.67E-12	1.0E+06	1.7E-06
50	50	0.14619	2.56808E-06	3.8E-07	6.05E-04	2.27E-10	1.60E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
51	51	0.15366	2.56808E-06	3.9E-07	6.05E-04	2.39E-10	1.60E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
52	52	0.16076	2.56808E-06	4.1E-07	6.05E-04	2.50E-10	1.60E-01	4.71E-02	1.89E-12	1.0E+06	1.9E-06
53	53	0.1702	2.56808E-06	4.4E-07	6.05E-04	2.64E-10	1.60E-01	4.71E-02	2.00E-12	1.0E+06	2.0E-06
54	54	0.18127	2.56808E-06	4.7E-07	6.05E-04	2.82E-10	1.60E-01	4.71E-02	2.13E-12	1.0E+06	2.1E-06
55	55	0.19413	2.56808E-06	5.0E-07	6.05E-04	3.02E-10	1.60E-01	4.71E-02	2.28E-12	1.0E+06	2.3E-06
56	56	0.31254	2.56808E-06	8.0E-07	6.05E-04	4.86E-10	1.60E-01	4.71E-02	3.67E-12	1.0E+06	3.7E-06
57	57	0.12914	2.56808E-06	3.3E-07	6.05E-04	2.01E-10	1.60E-01	4.71E-02	1.52E-12	1.0E+06	1.5E-06
58	58	0.13426	2.56808E-06	3.4E-07	6.05E-04	2.09E-10	1.60E-01	4.71E-02	1.58E-12	1.0E+06	1.6E-06
59	59	0.13942	2.56808E-06	3.6E-07	6.05E-04	2.17E-10	1.60E-01	4.71E-02	1.64E-12	1.0E+06	1.6E-06
60	60	0.14461	2.56808E-06	3.7E-07	6.05E-04	2.25E-10	1.60E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
61	61	0.14957	2.56808E-06	3.8E-07	6.05E-04	2.32E-10	1.60E-01	4.71E-02	1.76E-12	1.0E+06	1.8E-06
62	62	0.15453	2.56808E-06	4.0E-07	6.05E-04	2.40E-10	1.60E-01	4.71E-02	1.81E-12	1.0E+06	1.8E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.161	2.56808E-06	4.1E-07	6.05E-04	2.50E-10	1.60E-01	4.71E-02	1.89E-12	1.0E+06	1.9E-06
64	64	0.16361	2.56808E-06	4.2E-07	6.05E-04	2.54E-10	1.60E-01	4.71E-02	1.92E-12	1.0E+06	1.9E-06
65	65	0.17177	2.56808E-06	4.4E-07	6.05E-04	2.67E-10	1.60E-01	4.71E-02	2.02E-12	1.0E+06	2.0E-06
66	66	0.18113	2.56808E-06	4.7E-07	6.05E-04	2.81E-10	1.60E-01	4.71E-02	2.13E-12	1.0E+06	2.1E-06
67	67	0.19048	2.56808E-06	4.9E-07	6.05E-04	2.96E-10	1.60E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
68	68	0.2054	2.56808E-06	5.3E-07	6.05E-04	3.19E-10	1.60E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
69	69	0.22236	2.56808E-06	5.7E-07	6.05E-04	3.46E-10	1.60E-01	4.71E-02	2.61E-12	1.0E+06	2.6E-06
70	70	0.13778	2.56808E-06	3.5E-07	6.05E-04	2.14E-10	1.60E-01	4.71E-02	1.62E-12	1.0E+06	1.6E-06
71	71	0.14394	2.56808E-06	3.7E-07	6.05E-04	2.24E-10	1.60E-01	4.71E-02	1.69E-12	1.0E+06	1.7E-06
72	72	0.15016	2.56808E-06	3.9E-07	6.05E-04	2.33E-10	1.60E-01	4.71E-02	1.76E-12	1.0E+06	1.8E-06
73	73	0.15694	2.56808E-06	4.0E-07	6.05E-04	2.44E-10	1.60E-01	4.71E-02	1.84E-12	1.0E+06	1.8E-06
74	74	0.16325	2.56808E-06	4.2E-07	6.05E-04	2.54E-10	1.60E-01	4.71E-02	1.92E-12	1.0E+06	1.9E-06
75	75	0.17204	2.56808E-06	4.4E-07	6.05E-04	2.67E-10	1.60E-01	4.71E-02	2.02E-12	1.0E+06	2.0E-06
76	76	0.18013	2.56808E-06	4.6E-07	6.05E-04	2.80E-10	1.60E-01	4.71E-02	2.11E-12	1.0E+06	2.1E-06
77	77	0.18611	2.56808E-06	4.8E-07	6.05E-04	2.89E-10	1.60E-01	4.71E-02	2.18E-12	1.0E+06	2.2E-06
78	78	0.19611	2.56808E-06	5.0E-07	6.05E-04	3.05E-10	1.60E-01	4.71E-02	2.30E-12	1.0E+06	2.3E-06
79	79	0.21224	2.56808E-06	5.5E-07	6.05E-04	3.30E-10	1.60E-01	4.71E-02	2.49E-12	1.0E+06	2.5E-06
80	80	0.22205	2.56808E-06	5.7E-07	6.05E-04	3.45E-10	1.60E-01	4.71E-02	2.61E-12	1.0E+06	2.6E-06
81	81	0.24272	2.56808E-06	6.2E-07	6.05E-04	3.77E-10	1.60E-01	4.71E-02	2.85E-12	1.0E+06	2.8E-06
82	82	0.25999	2.56808E-06	6.7E-07	6.05E-04	4.04E-10	1.60E-01	4.71E-02	3.05E-12	1.0E+06	3.1E-06
83	83	0.14606	2.56808E-06	3.8E-07	6.05E-04	2.27E-10	1.60E-01	4.71E-02	1.71E-12	1.0E+06	1.7E-06
84	84	0.15257	2.56808E-06	3.9E-07	6.05E-04	2.37E-10	1.60E-01	4.71E-02	1.79E-12	1.0E+06	1.8E-06
85	85	0.15866	2.56808E-06	4.1E-07	6.05E-04	2.47E-10	1.60E-01	4.71E-02	1.86E-12	1.0E+06	1.9E-06
86	86	0.16917	2.56808E-06	4.3E-07	6.05E-04	2.63E-10	1.60E-01	4.71E-02	1.99E-12	1.0E+06	2.0E-06
87	87	0.17844	2.56808E-06	4.6E-07	6.05E-04	2.77E-10	1.60E-01	4.71E-02	2.09E-12	1.0E+06	2.1E-06
88	88	0.18893	2.56808E-06	4.9E-07	6.05E-04	2.94E-10	1.60E-01	4.71E-02	2.22E-12	1.0E+06	2.2E-06
89	89	0.20032	2.56808E-06	5.1E-07	6.05E-04	3.11E-10	1.60E-01	4.71E-02	2.35E-12	1.0E+06	2.4E-06
90	90	0.21283	2.56808E-06	5.5E-07	6.05E-04	3.31E-10	1.60E-01	4.71E-02	2.50E-12	1.0E+06	2.5E-06
91	91	0.22684	2.56808E-06	5.8E-07	6.05E-04	3.52E-10	1.60E-01	4.71E-02	2.66E-12	1.0E+06	2.7E-06
92	92	0.24286	2.56808E-06	6.2E-07	6.05E-04	3.77E-10	1.60E-01	4.71E-02	2.85E-12	1.0E+06	2.8E-06
93	93	0.26082	2.56808E-06	6.7E-07	6.05E-04	4.05E-10	1.60E-01	4.71E-02	3.06E-12	1.0E+06	3.1E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.28179	2.56808E-06	7.2E-07	6.05E-04	4.38E-10	1.60E-01	4.71E-02	3.31E-12	1.0E+06	3.3E-06
95	95	0.30681	2.56808E-06	7.9E-07	6.05E-04	4.77E-10	1.60E-01	4.71E-02	3.60E-12	1.0E+06	3.6E-06
96	96	0.15285	2.56808E-06	3.9E-07	6.05E-04	2.38E-10	1.60E-01	4.71E-02	1.79E-12	1.0E+06	1.8E-06
97	97	0.15857	2.56808E-06	4.1E-07	6.05E-04	2.46E-10	1.60E-01	4.71E-02	1.86E-12	1.0E+06	1.9E-06
98	98	0.16615	2.56808E-06	4.3E-07	6.05E-04	2.58E-10	1.60E-01	4.71E-02	1.95E-12	1.0E+06	1.9E-06
99	99	0.17751	2.56808E-06	4.6E-07	6.05E-04	2.76E-10	1.60E-01	4.71E-02	2.08E-12	1.0E+06	2.1E-06
100	100	0.19145	2.56808E-06	4.9E-07	6.05E-04	2.97E-10	1.60E-01	4.71E-02	2.25E-12	1.0E+06	2.2E-06
101	101	0.20403	2.56808E-06	5.2E-07	6.05E-04	3.17E-10	1.60E-01	4.71E-02	2.39E-12	1.0E+06	2.4E-06
102	102	0.2179	2.56808E-06	5.6E-07	6.05E-04	3.39E-10	1.60E-01	4.71E-02	2.56E-12	1.0E+06	2.6E-06
103	103	0.23364	2.56808E-06	6.0E-07	6.05E-04	3.63E-10	1.60E-01	4.71E-02	2.74E-12	1.0E+06	2.7E-06
104	104	0.25106	2.56808E-06	6.4E-07	6.05E-04	3.90E-10	1.60E-01	4.71E-02	2.95E-12	1.0E+06	2.9E-06
105	105	0.27069	2.56808E-06	7.0E-07	6.05E-04	4.21E-10	1.60E-01	4.71E-02	3.18E-12	1.0E+06	3.2E-06
106	106	0.29395	2.56808E-06	7.5E-07	6.05E-04	4.57E-10	1.60E-01	4.71E-02	3.45E-12	1.0E+06	3.4E-06
107	107	0.32121	2.56808E-06	8.2E-07	6.05E-04	4.99E-10	1.60E-01	4.71E-02	3.77E-12	1.0E+06	3.8E-06
108	108	0.35378	2.56808E-06	9.1E-07	6.05E-04	5.50E-10	1.60E-01	4.71E-02	4.15E-12	1.0E+06	4.2E-06
109	109	0.15685	2.56808E-06	4.0E-07	6.05E-04	2.44E-10	1.60E-01	4.71E-02	1.84E-12	1.0E+06	1.8E-06
110	110	0.16677	2.56808E-06	4.3E-07	6.05E-04	2.59E-10	1.60E-01	4.71E-02	1.96E-12	1.0E+06	2.0E-06
111	111	0.17775	2.56808E-06	4.6E-07	6.05E-04	2.76E-10	1.60E-01	4.71E-02	2.09E-12	1.0E+06	2.1E-06
112	112	0.18979	2.56808E-06	4.9E-07	6.05E-04	2.95E-10	1.60E-01	4.71E-02	2.23E-12	1.0E+06	2.2E-06
113	113	0.20303	2.56808E-06	5.2E-07	6.05E-04	3.15E-10	1.60E-01	4.71E-02	2.38E-12	1.0E+06	2.4E-06
114	114	0.21761	2.56808E-06	5.6E-07	6.05E-04	3.38E-10	1.60E-01	4.71E-02	2.55E-12	1.0E+06	2.6E-06
115	115	0.23359	2.56808E-06	6.0E-07	6.05E-04	3.63E-10	1.60E-01	4.71E-02	2.74E-12	1.0E+06	2.7E-06
116	116	0.25225	2.56808E-06	6.5E-07	6.05E-04	3.92E-10	1.60E-01	4.71E-02	2.96E-12	1.0E+06	3.0E-06
117	117	0.27429	2.56808E-06	7.0E-07	6.05E-04	4.26E-10	1.60E-01	4.71E-02	3.22E-12	1.0E+06	3.2E-06
118	118	0.29394	2.56808E-06	7.5E-07	6.05E-04	4.57E-10	1.60E-01	4.71E-02	3.45E-12	1.0E+06	3.4E-06
119	119	0.32282	2.56808E-06	8.3E-07	6.05E-04	5.02E-10	1.60E-01	4.71E-02	3.79E-12	1.0E+06	3.8E-06
120	120	0.35496	2.56808E-06	9.1E-07	6.05E-04	5.52E-10	1.60E-01	4.71E-02	4.17E-12	1.0E+06	4.2E-06
121	121	0.39206	2.56808E-06	1.0E-06	6.05E-04	6.09E-10	1.60E-01	4.71E-02	4.60E-12	1.0E+06	4.6E-06
122	122	0.15982	2.56808E-06	4.1E-07	6.05E-04	2.48E-10	1.60E-01	4.71E-02	1.88E-12	1.0E+06	1.9E-06
123	123	0.17128	2.56808E-06	4.4E-07	6.05E-04	2.66E-10	1.60E-01	4.71E-02	2.01E-12	1.0E+06	2.0E-06
124	124	0.18494	2.56808E-06	4.7E-07	6.05E-04	2.87E-10	1.60E-01	4.71E-02	2.17E-12	1.0E+06	2.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19853	2.56808E-06	5.1E-07	6.05E-04	3.08E-10	1.60E-01	4.71E-02	2.33E-12	1.0E+06	2.3E-06
126	126	0.21277	2.56808E-06	5.5E-07	6.05E-04	3.31E-10	1.60E-01	4.71E-02	2.50E-12	1.0E+06	2.5E-06
127	127	0.22781	2.56808E-06	5.9E-07	6.05E-04	3.54E-10	1.60E-01	4.71E-02	2.67E-12	1.0E+06	2.7E-06
128	128	0.23739	2.56808E-06	6.1E-07	6.05E-04	3.69E-10	1.60E-01	4.71E-02	2.79E-12	1.0E+06	2.8E-06
129	129	0.25753	2.56808E-06	6.6E-07	6.05E-04	4.00E-10	1.60E-01	4.71E-02	3.02E-12	1.0E+06	3.0E-06
130	130	0.28802	2.56808E-06	7.4E-07	6.05E-04	4.48E-10	1.60E-01	4.71E-02	3.38E-12	1.0E+06	3.4E-06
131	131	2.13818	2.56808E-06	5.5E-06	6.05E-04	3.32E-09	1.60E-01	4.71E-02	2.51E-11	1.0E+06	2.5E-05
132	132	3.10234	2.56808E-06	8.0E-06	6.05E-04	4.82E-09	1.60E-01	4.71E-02	3.64E-11	1.0E+06	3.6E-05
133	133	0.16019	2.56808E-06	4.1E-07	6.05E-04	2.49E-10	1.60E-01	4.71E-02	1.88E-12	1.0E+06	1.9E-06
134	134	0.17469	2.56808E-06	4.5E-07	6.05E-04	2.71E-10	1.60E-01	4.71E-02	2.05E-12	1.0E+06	2.0E-06
135	135	0.1896	2.56808E-06	4.9E-07	6.05E-04	2.95E-10	1.60E-01	4.71E-02	2.22E-12	1.0E+06	2.2E-06
136	136	0.2045	2.56808E-06	5.3E-07	6.05E-04	3.18E-10	1.60E-01	4.71E-02	2.40E-12	1.0E+06	2.4E-06
137	137	0.22052	2.56808E-06	5.7E-07	6.05E-04	3.43E-10	1.60E-01	4.71E-02	2.59E-12	1.0E+06	2.6E-06
138	138	0.23618	2.56808E-06	6.1E-07	6.05E-04	3.67E-10	1.60E-01	4.71E-02	2.77E-12	1.0E+06	2.8E-06
139	139	0.25056	2.56808E-06	6.4E-07	6.05E-04	3.89E-10	1.60E-01	4.71E-02	2.94E-12	1.0E+06	2.9E-06
140	140	0.2765	2.56808E-06	7.1E-07	6.05E-04	4.30E-10	1.60E-01	4.71E-02	3.24E-12	1.0E+06	3.2E-06
141	141	0.30418	2.56808E-06	7.8E-07	6.05E-04	4.73E-10	1.60E-01	4.71E-02	3.57E-12	1.0E+06	3.6E-06
142	142	0.33569	2.56808E-06	8.6E-07	6.05E-04	5.22E-10	1.60E-01	4.71E-02	3.94E-12	1.0E+06	3.9E-06
143	143	0.3773	2.56808E-06	9.7E-07	6.05E-04	5.86E-10	1.60E-01	4.71E-02	4.43E-12	1.0E+06	4.4E-06
144	144	0.43429	2.56808E-06	1.1E-06	6.05E-04	6.75E-10	1.60E-01	4.71E-02	5.10E-12	1.0E+06	5.1E-06
145	145	0.50032	2.56808E-06	1.3E-06	6.05E-04	7.77E-10	1.60E-01	4.71E-02	5.87E-12	1.0E+06	5.9E-06
146	146	3.05502	2.56808E-06	7.8E-06	6.05E-04	4.75E-09	1.60E-01	4.71E-02	3.58E-11	1.0E+06	3.6E-05
147	147	0.15943	2.56808E-06	4.1E-07	6.05E-04	2.48E-10	1.60E-01	4.71E-02	1.87E-12	1.0E+06	1.9E-06
148	148	0.17407	2.56808E-06	4.5E-07	6.05E-04	2.70E-10	1.60E-01	4.71E-02	2.04E-12	1.0E+06	2.0E-06
149	149	0.19042	2.56808E-06	4.9E-07	6.05E-04	2.96E-10	1.60E-01	4.71E-02	2.23E-12	1.0E+06	2.2E-06
150	150	0.20683	2.56808E-06	5.3E-07	6.05E-04	3.21E-10	1.60E-01	4.71E-02	2.43E-12	1.0E+06	2.4E-06
151	151	0.22576	2.56808E-06	5.8E-07	6.05E-04	3.51E-10	1.60E-01	4.71E-02	2.65E-12	1.0E+06	2.6E-06
152	152	0.24299	2.56808E-06	6.2E-07	6.05E-04	3.78E-10	1.60E-01	4.71E-02	2.85E-12	1.0E+06	2.9E-06
153	153	0.26197	2.56808E-06	6.7E-07	6.05E-04	4.07E-10	1.60E-01	4.71E-02	3.07E-12	1.0E+06	3.1E-06
154	154	0.28651	2.56808E-06	7.4E-07	6.05E-04	4.45E-10	1.60E-01	4.71E-02	3.36E-12	1.0E+06	3.4E-06
155	155	0.31707	2.56808E-06	8.1E-07	6.05E-04	4.93E-10	1.60E-01	4.71E-02	3.72E-12	1.0E+06	3.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.35232	2.56808E-06	9.0E-07	6.05E-04	5.47E-10	1.60E-01	4.71E-02	4.13E-12	1.0E+06	4.1E-06
157	157	0.39311	2.56808E-06	1.0E-06	6.05E-04	6.11E-10	1.60E-01	4.71E-02	4.61E-12	1.0E+06	4.6E-06
158	158	0.44206	2.56808E-06	1.1E-06	6.05E-04	6.87E-10	1.60E-01	4.71E-02	5.19E-12	1.0E+06	5.2E-06
159	159	0.53104	2.56808E-06	1.4E-06	6.05E-04	8.25E-10	1.60E-01	4.71E-02	6.23E-12	1.0E+06	6.2E-06
160	160	0.15998	2.56808E-06	4.1E-07	6.05E-04	2.49E-10	1.60E-01	4.71E-02	1.88E-12	1.0E+06	1.9E-06
161	161	0.17278	2.56808E-06	4.4E-07	6.05E-04	2.68E-10	1.60E-01	4.71E-02	2.03E-12	1.0E+06	2.0E-06
162	162	0.18504	2.56808E-06	4.8E-07	6.05E-04	2.88E-10	1.60E-01	4.71E-02	2.17E-12	1.0E+06	2.2E-06
163	163	0.20494	2.56808E-06	5.3E-07	6.05E-04	3.18E-10	1.60E-01	4.71E-02	2.40E-12	1.0E+06	2.4E-06
164	164	0.22847	2.56808E-06	5.9E-07	6.05E-04	3.55E-10	1.60E-01	4.71E-02	2.68E-12	1.0E+06	2.7E-06
165	165	0.24861	2.56808E-06	6.4E-07	6.05E-04	3.86E-10	1.60E-01	4.71E-02	2.92E-12	1.0E+06	2.9E-06
166	166	0.27241	2.56808E-06	7.0E-07	6.05E-04	4.23E-10	1.60E-01	4.71E-02	3.20E-12	1.0E+06	3.2E-06
167	167	0.29976	2.56808E-06	7.7E-07	6.05E-04	4.66E-10	1.60E-01	4.71E-02	3.52E-12	1.0E+06	3.5E-06
168	168	0.33221	2.56808E-06	8.5E-07	6.05E-04	5.16E-10	1.60E-01	4.71E-02	3.90E-12	1.0E+06	3.9E-06
169	169	0.37066	2.56808E-06	9.5E-07	6.05E-04	5.76E-10	1.60E-01	4.71E-02	4.35E-12	1.0E+06	4.3E-06
170	170	0.41599	2.56808E-06	1.1E-06	6.05E-04	6.46E-10	1.60E-01	4.71E-02	4.88E-12	1.0E+06	4.9E-06
171	171	0.47189	2.56808E-06	1.2E-06	6.05E-04	7.33E-10	1.60E-01	4.71E-02	5.54E-12	1.0E+06	5.5E-06
172	172	0.55556	2.56808E-06	1.4E-06	6.05E-04	8.63E-10	1.60E-01	4.71E-02	6.52E-12	1.0E+06	6.5E-06
173	173	0.67824	2.56808E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.96E-12	1.0E+06	8.0E-06
174	174	0.86539	2.56808E-06	2.2E-06	6.05E-04	1.34E-09	1.60E-01	4.71E-02	1.02E-11	1.0E+06	1.0E-05
175	175	1.13736	2.56808E-06	2.9E-06	6.05E-04	1.77E-09	1.60E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
176	176	1.55362	2.56808E-06	4.0E-06	6.05E-04	2.41E-09	1.60E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
177	177	2.42543	2.56808E-06	6.2E-06	6.05E-04	3.77E-09	1.60E-01	4.71E-02	2.85E-11	1.0E+06	2.8E-05
178	178	4.51825	2.56808E-06	1.2E-05	6.05E-04	7.02E-09	1.60E-01	4.71E-02	5.30E-11	1.0E+06	5.3E-05
179	179	0.15556	2.56808E-06	4.0E-07	6.05E-04	2.42E-10	1.60E-01	4.71E-02	1.83E-12	1.0E+06	1.8E-06
180	180	0.16729	2.56808E-06	4.3E-07	6.05E-04	2.60E-10	1.60E-01	4.71E-02	1.96E-12	1.0E+06	2.0E-06
181	181	0.17784	2.56808E-06	4.6E-07	6.05E-04	2.76E-10	1.60E-01	4.71E-02	2.09E-12	1.0E+06	2.1E-06
182	182	0.20149	2.56808E-06	5.2E-07	6.05E-04	3.13E-10	1.60E-01	4.71E-02	2.36E-12	1.0E+06	2.4E-06
183	183	0.23147	2.56808E-06	5.9E-07	6.05E-04	3.60E-10	1.60E-01	4.71E-02	2.72E-12	1.0E+06	2.7E-06
184	184	0.25475	2.56808E-06	6.5E-07	6.05E-04	3.96E-10	1.60E-01	4.71E-02	2.99E-12	1.0E+06	3.0E-06
185	185	0.28248	2.56808E-06	7.3E-07	6.05E-04	4.39E-10	1.60E-01	4.71E-02	3.31E-12	1.0E+06	3.3E-06
186	186	0.31288	2.56808E-06	8.0E-07	6.05E-04	4.86E-10	1.60E-01	4.71E-02	3.67E-12	1.0E+06	3.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.3471	2.56808E-06	8.9E-07	6.05E-04	5.39E-10	1.60E-01	4.71E-02	4.07E-12	1.0E+06	4.1E-06
188	188	0.3888	2.56808E-06	1.0E-06	6.05E-04	6.04E-10	1.60E-01	4.71E-02	4.56E-12	1.0E+06	4.6E-06
189	189	0.43722	2.56808E-06	1.1E-06	6.05E-04	6.79E-10	1.60E-01	4.71E-02	5.13E-12	1.0E+06	5.1E-06
190	190	0.49858	2.56808E-06	1.3E-06	6.05E-04	7.75E-10	1.60E-01	4.71E-02	5.85E-12	1.0E+06	5.9E-06
191	191	0.576	2.56808E-06	1.5E-06	6.05E-04	8.95E-10	1.60E-01	4.71E-02	6.76E-12	1.0E+06	6.8E-06
192	192	0.69109	2.56808E-06	1.8E-06	6.05E-04	1.07E-09	1.60E-01	4.71E-02	8.11E-12	1.0E+06	8.1E-06
193	193	0.85655	2.56808E-06	2.2E-06	6.05E-04	1.33E-09	1.60E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
194	194	1.14217	2.56808E-06	2.9E-06	6.05E-04	1.77E-09	1.60E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
195	195	1.66747	2.56808E-06	4.3E-06	6.05E-04	2.59E-09	1.60E-01	4.71E-02	1.96E-11	1.0E+06	2.0E-05
196	196	2.60456	2.56808E-06	6.7E-06	6.05E-04	4.05E-09	1.60E-01	4.71E-02	3.06E-11	1.0E+06	3.1E-05
197	197	4.78841	2.56808E-06	1.2E-05	6.05E-04	7.44E-09	1.60E-01	4.71E-02	5.62E-11	1.0E+06	5.6E-05
198	198	0.15367	2.56808E-06	3.9E-07	6.05E-04	2.39E-10	1.60E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
199	199	0.16648	2.56808E-06	4.3E-07	6.05E-04	2.59E-10	1.60E-01	4.71E-02	1.95E-12	1.0E+06	2.0E-06
200	200	0.18069	2.56808E-06	4.6E-07	6.05E-04	2.81E-10	1.60E-01	4.71E-02	2.12E-12	1.0E+06	2.1E-06
201	201	0.20009	2.56808E-06	5.1E-07	6.05E-04	3.11E-10	1.60E-01	4.71E-02	2.35E-12	1.0E+06	2.3E-06
202	202	0.23123	2.56808E-06	5.9E-07	6.05E-04	3.59E-10	1.60E-01	4.71E-02	2.71E-12	1.0E+06	2.7E-06
203	203	0.2587	2.56808E-06	6.6E-07	6.05E-04	4.02E-10	1.60E-01	4.71E-02	3.04E-12	1.0E+06	3.0E-06
204	204	0.28995	2.56808E-06	7.4E-07	6.05E-04	4.51E-10	1.60E-01	4.71E-02	3.40E-12	1.0E+06	3.4E-06
205	205	0.32338	2.56808E-06	8.3E-07	6.05E-04	5.02E-10	1.60E-01	4.71E-02	3.79E-12	1.0E+06	3.8E-06
206	206	0.36119	2.56808E-06	9.3E-07	6.05E-04	5.61E-10	1.60E-01	4.71E-02	4.24E-12	1.0E+06	4.2E-06
207	207	0.4058	2.56808E-06	1.0E-06	6.05E-04	6.31E-10	1.60E-01	4.71E-02	4.76E-12	1.0E+06	4.8E-06
208	208	0.45826	2.56808E-06	1.2E-06	6.05E-04	7.12E-10	1.60E-01	4.71E-02	5.38E-12	1.0E+06	5.4E-06
209	209	0.52363	2.56808E-06	1.3E-06	6.05E-04	8.14E-10	1.60E-01	4.71E-02	6.14E-12	1.0E+06	6.1E-06
210	210	0.60609	2.56808E-06	1.6E-06	6.05E-04	9.42E-10	1.60E-01	4.71E-02	7.11E-12	1.0E+06	7.1E-06
211	211	0.71656	2.56808E-06	1.8E-06	6.05E-04	1.11E-09	1.60E-01	4.71E-02	8.41E-12	1.0E+06	8.4E-06
212	212	0.86556	2.56808E-06	2.2E-06	6.05E-04	1.34E-09	1.60E-01	4.71E-02	1.02E-11	1.0E+06	1.0E-05
213	213	1.07716	2.56808E-06	2.8E-06	6.05E-04	1.67E-09	1.60E-01	4.71E-02	1.26E-11	1.0E+06	1.3E-05
214	214	1.39697	2.56808E-06	3.6E-06	6.05E-04	2.17E-09	1.60E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
215	215	2.51762	2.56808E-06	6.5E-06	6.05E-04	3.91E-09	1.60E-01	4.71E-02	2.95E-11	1.0E+06	3.0E-05
216	216	0.15358	2.56808E-06	3.9E-07	6.05E-04	2.39E-10	1.60E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
217	217	0.16603	2.56808E-06	4.3E-07	6.05E-04	2.58E-10	1.60E-01	4.71E-02	1.95E-12	1.0E+06	1.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.18147	2.56808E-06	4.7E-07	6.05E-04	2.82E-10	1.60E-01	4.71E-02	2.13E-12	1.0E+06	2.1E-06
219	219	0.20063	2.56808E-06	5.2E-07	6.05E-04	3.12E-10	1.60E-01	4.71E-02	2.35E-12	1.0E+06	2.4E-06
220	220	0.23012	2.56808E-06	5.9E-07	6.05E-04	3.58E-10	1.60E-01	4.71E-02	2.70E-12	1.0E+06	2.7E-06
221	221	0.25752	2.56808E-06	6.6E-07	6.05E-04	4.00E-10	1.60E-01	4.71E-02	3.02E-12	1.0E+06	3.0E-06
222	222	0.29169	2.56808E-06	7.5E-07	6.05E-04	4.53E-10	1.60E-01	4.71E-02	3.42E-12	1.0E+06	3.4E-06
223	223	0.32799	2.56808E-06	8.4E-07	6.05E-04	5.10E-10	1.60E-01	4.71E-02	3.85E-12	1.0E+06	3.8E-06
224	224	0.36886	2.56808E-06	9.5E-07	6.05E-04	5.73E-10	1.60E-01	4.71E-02	4.33E-12	1.0E+06	4.3E-06
225	225	0.41504	2.56808E-06	1.1E-06	6.05E-04	6.45E-10	1.60E-01	4.71E-02	4.87E-12	1.0E+06	4.9E-06
226	226	0.47268	2.56808E-06	1.2E-06	6.05E-04	7.34E-10	1.60E-01	4.71E-02	5.55E-12	1.0E+06	5.5E-06
227	227	0.54138	2.56808E-06	1.4E-06	6.05E-04	8.41E-10	1.60E-01	4.71E-02	6.35E-12	1.0E+06	6.4E-06
228	228	0.62757	2.56808E-06	1.6E-06	6.05E-04	9.75E-10	1.60E-01	4.71E-02	7.36E-12	1.0E+06	7.4E-06
229	229	0.74182	2.56808E-06	1.9E-06	6.05E-04	1.15E-09	1.60E-01	4.71E-02	8.71E-12	1.0E+06	8.7E-06
230	230	0.89194	2.56808E-06	2.3E-06	6.05E-04	1.39E-09	1.60E-01	4.71E-02	1.05E-11	1.0E+06	1.0E-05
231	231	1.11326	2.56808E-06	2.9E-06	6.05E-04	1.73E-09	1.60E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
232	232	1.46266	2.56808E-06	3.8E-06	6.05E-04	2.27E-09	1.60E-01	4.71E-02	1.72E-11	1.0E+06	1.7E-05
233	233	2.46845	2.56808E-06	6.3E-06	6.05E-04	3.84E-09	1.60E-01	4.71E-02	2.90E-11	1.0E+06	2.9E-05
234	234	0.15309	2.56808E-06	3.9E-07	6.05E-04	2.38E-10	1.60E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
235	235	0.16513	2.56808E-06	4.2E-07	6.05E-04	2.57E-10	1.60E-01	4.71E-02	1.94E-12	1.0E+06	1.9E-06
236	236	0.18104	2.56808E-06	4.6E-07	6.05E-04	2.81E-10	1.60E-01	4.71E-02	2.12E-12	1.0E+06	2.1E-06
237	237	0.20169	2.56808E-06	5.2E-07	6.05E-04	3.13E-10	1.60E-01	4.71E-02	2.37E-12	1.0E+06	2.4E-06
238	238	0.22802	2.56808E-06	5.9E-07	6.05E-04	3.54E-10	1.60E-01	4.71E-02	2.68E-12	1.0E+06	2.7E-06
239	239	0.25583	2.56808E-06	6.6E-07	6.05E-04	3.98E-10	1.60E-01	4.71E-02	3.00E-12	1.0E+06	3.0E-06
240	240	0.28947	2.56808E-06	7.4E-07	6.05E-04	4.50E-10	1.60E-01	4.71E-02	3.40E-12	1.0E+06	3.4E-06
241	241	0.32748	2.56808E-06	8.4E-07	6.05E-04	5.09E-10	1.60E-01	4.71E-02	3.84E-12	1.0E+06	3.8E-06
242	242	0.37103	2.56808E-06	9.5E-07	6.05E-04	5.77E-10	1.60E-01	4.71E-02	4.35E-12	1.0E+06	4.4E-06
243	243	0.42104	2.56808E-06	1.1E-06	6.05E-04	6.54E-10	1.60E-01	4.71E-02	4.94E-12	1.0E+06	4.9E-06
244	244	0.4836	2.56808E-06	1.2E-06	6.05E-04	7.51E-10	1.60E-01	4.71E-02	5.67E-12	1.0E+06	5.7E-06
245	245	0.55926	2.56808E-06	1.4E-06	6.05E-04	8.69E-10	1.60E-01	4.71E-02	6.56E-12	1.0E+06	6.6E-06
246	246	0.65335	2.56808E-06	1.7E-06	6.05E-04	1.02E-09	1.60E-01	4.71E-02	7.67E-12	1.0E+06	7.7E-06
247	247	0.7738	2.56808E-06	2.0E-06	6.05E-04	1.20E-09	1.60E-01	4.71E-02	9.08E-12	1.0E+06	9.1E-06
248	248	0.93629	2.56808E-06	2.4E-06	6.05E-04	1.45E-09	1.60E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.16831	2.56808E-06	3.0E-06	6.05E-04	1.82E-09	1.60E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
250	250	1.55042	2.56808E-06	4.0E-06	6.05E-04	2.41E-09	1.60E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
251	251	2.56532	2.56808E-06	6.6E-06	6.05E-04	3.99E-09	1.60E-01	4.71E-02	3.01E-11	1.0E+06	3.0E-05
252	252	0.15039	2.56808E-06	3.9E-07	6.05E-04	2.34E-10	1.60E-01	4.71E-02	1.76E-12	1.0E+06	1.8E-06
253	253	0.16192	2.56808E-06	4.2E-07	6.05E-04	2.52E-10	1.60E-01	4.71E-02	1.90E-12	1.0E+06	1.9E-06
254	254	0.17673	2.56808E-06	4.5E-07	6.05E-04	2.75E-10	1.60E-01	4.71E-02	2.07E-12	1.0E+06	2.1E-06
255	255	0.19505	2.56808E-06	5.0E-07	6.05E-04	3.03E-10	1.60E-01	4.71E-02	2.29E-12	1.0E+06	2.3E-06
256	256	0.22476	2.56808E-06	5.8E-07	6.05E-04	3.49E-10	1.60E-01	4.71E-02	2.64E-12	1.0E+06	2.6E-06
257	257	0.2463	2.56808E-06	6.3E-07	6.05E-04	3.83E-10	1.60E-01	4.71E-02	2.89E-12	1.0E+06	2.9E-06
258	258	0.2755	2.56808E-06	7.1E-07	6.05E-04	4.28E-10	1.60E-01	4.71E-02	3.23E-12	1.0E+06	3.2E-06
259	259	0.30972	2.56808E-06	8.0E-07	6.05E-04	4.81E-10	1.60E-01	4.71E-02	3.63E-12	1.0E+06	3.6E-06
260	260	0.35701	2.56808E-06	9.2E-07	6.05E-04	5.55E-10	1.60E-01	4.71E-02	4.19E-12	1.0E+06	4.2E-06
261	261	0.41677	2.56808E-06	1.1E-06	6.05E-04	6.48E-10	1.60E-01	4.71E-02	4.89E-12	1.0E+06	4.9E-06
262	262	0.48663	2.56808E-06	1.2E-06	6.05E-04	7.56E-10	1.60E-01	4.71E-02	5.71E-12	1.0E+06	5.7E-06
263	263	0.56515	2.56808E-06	1.5E-06	6.05E-04	8.78E-10	1.60E-01	4.71E-02	6.63E-12	1.0E+06	6.6E-06
264	264	0.66747	2.56808E-06	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.83E-12	1.0E+06	7.8E-06
265	265	0.79321	2.56808E-06	2.0E-06	6.05E-04	1.23E-09	1.60E-01	4.71E-02	9.31E-12	1.0E+06	9.3E-06
266	266	0.96519	2.56808E-06	2.5E-06	6.05E-04	1.50E-09	1.60E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
267	267	1.20835	2.56808E-06	3.1E-06	6.05E-04	1.88E-09	1.60E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
268	268	1.59854	2.56808E-06	4.1E-06	6.05E-04	2.48E-09	1.60E-01	4.71E-02	1.88E-11	1.0E+06	1.9E-05
269	269	2.5967	2.56808E-06	6.7E-06	6.05E-04	4.03E-09	1.60E-01	4.71E-02	3.05E-11	1.0E+06	3.0E-05
270	270	0.1466	2.56808E-06	3.8E-07	6.05E-04	2.28E-10	1.60E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
271	271	0.15873	2.56808E-06	4.1E-07	6.05E-04	2.47E-10	1.60E-01	4.71E-02	1.86E-12	1.0E+06	1.9E-06
272	272	0.17362	2.56808E-06	4.5E-07	6.05E-04	2.70E-10	1.60E-01	4.71E-02	2.04E-12	1.0E+06	2.0E-06
273	273	0.19095	2.56808E-06	4.9E-07	6.05E-04	2.97E-10	1.60E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
274	274	0.2227	2.56808E-06	5.7E-07	6.05E-04	3.46E-10	1.60E-01	4.71E-02	2.61E-12	1.0E+06	2.6E-06
275	275	0.2521	2.56808E-06	6.5E-07	6.05E-04	3.92E-10	1.60E-01	4.71E-02	2.96E-12	1.0E+06	3.0E-06
276	276	0.26821	2.56808E-06	6.9E-07	6.05E-04	4.17E-10	1.60E-01	4.71E-02	3.15E-12	1.0E+06	3.1E-06
277	277	0.30107	2.56808E-06	7.7E-07	6.05E-04	4.68E-10	1.60E-01	4.71E-02	3.53E-12	1.0E+06	3.5E-06
278	278	0.34371	2.56808E-06	8.8E-07	6.05E-04	5.34E-10	1.60E-01	4.71E-02	4.03E-12	1.0E+06	4.0E-06
279	279	0.39869	2.56808E-06	1.0E-06	6.05E-04	6.20E-10	1.60E-01	4.71E-02	4.68E-12	1.0E+06	4.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.47517	2.56808E-06	1.2E-06	6.05E-04	7.38E-10	1.60E-01	4.71E-02	5.58E-12	1.0E+06	5.6E-06
281	281	0.56651	2.56808E-06	1.5E-06	6.05E-04	8.80E-10	1.60E-01	4.71E-02	6.65E-12	1.0E+06	6.6E-06
282	282	0.67737	2.56808E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.95E-12	1.0E+06	7.9E-06
283	283	0.81651	2.56808E-06	2.1E-06	6.05E-04	1.27E-09	1.60E-01	4.71E-02	9.58E-12	1.0E+06	9.6E-06
284	284	1.0038	2.56808E-06	2.6E-06	6.05E-04	1.56E-09	1.60E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
285	285	1.26382	2.56808E-06	3.2E-06	6.05E-04	1.96E-09	1.60E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
286	286	1.69011	2.56808E-06	4.3E-06	6.05E-04	2.63E-09	1.60E-01	4.71E-02	1.98E-11	1.0E+06	2.0E-05
287	287	2.75465	2.56808E-06	7.1E-06	6.05E-04	4.28E-09	1.60E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
288	288	0.14303	2.56808E-06	3.7E-07	6.05E-04	2.22E-10	1.60E-01	4.71E-02	1.68E-12	1.0E+06	1.7E-06
289	289	0.15417	2.56808E-06	4.0E-07	6.05E-04	2.40E-10	1.60E-01	4.71E-02	1.81E-12	1.0E+06	1.8E-06
290	290	0.17211	2.56808E-06	4.4E-07	6.05E-04	2.67E-10	1.60E-01	4.71E-02	2.02E-12	1.0E+06	2.0E-06
291	291	0.19122	2.56808E-06	4.9E-07	6.05E-04	2.97E-10	1.60E-01	4.71E-02	2.24E-12	1.0E+06	2.2E-06
292	292	0.2316	2.56808E-06	5.9E-07	6.05E-04	3.60E-10	1.60E-01	4.71E-02	2.72E-12	1.0E+06	2.7E-06
293	293	0.25214	2.56808E-06	6.5E-07	6.05E-04	3.92E-10	1.60E-01	4.71E-02	2.96E-12	1.0E+06	3.0E-06
294	294	0.26071	2.56808E-06	6.7E-07	6.05E-04	4.05E-10	1.60E-01	4.71E-02	3.06E-12	1.0E+06	3.1E-06
295	295	0.29523	2.56808E-06	7.6E-07	6.05E-04	4.59E-10	1.60E-01	4.71E-02	3.46E-12	1.0E+06	3.5E-06
296	296	0.33865	2.56808E-06	8.7E-07	6.05E-04	5.26E-10	1.60E-01	4.71E-02	3.97E-12	1.0E+06	4.0E-06
297	297	0.38724	2.56808E-06	9.9E-07	6.05E-04	6.02E-10	1.60E-01	4.71E-02	4.54E-12	1.0E+06	4.5E-06
298	298	0.45619	2.56808E-06	1.2E-06	6.05E-04	7.09E-10	1.60E-01	4.71E-02	5.35E-12	1.0E+06	5.4E-06
299	299	0.55599	2.56808E-06	1.4E-06	6.05E-04	8.64E-10	1.60E-01	4.71E-02	6.52E-12	1.0E+06	6.5E-06
300	300	0.6694	2.56808E-06	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.86E-12	1.0E+06	7.9E-06
301	301	0.82864	2.56808E-06	2.1E-06	6.05E-04	1.29E-09	1.60E-01	4.71E-02	9.72E-12	1.0E+06	9.7E-06
302	302	1.04274	2.56808E-06	2.7E-06	6.05E-04	1.62E-09	1.60E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
303	303	1.35582	2.56808E-06	3.5E-06	6.05E-04	2.11E-09	1.60E-01	4.71E-02	1.59E-11	1.0E+06	1.6E-05
304	304	1.85624	2.56808E-06	4.8E-06	6.05E-04	2.88E-09	1.60E-01	4.71E-02	2.18E-11	1.0E+06	2.2E-05
305	305	3.11682	2.56808E-06	8.0E-06	6.05E-04	4.84E-09	1.60E-01	4.71E-02	3.66E-11	1.0E+06	3.7E-05
306	306	0.14661	2.56808E-06	3.8E-07	6.05E-04	2.28E-10	1.60E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
307	307	0.15434	2.56808E-06	4.0E-07	6.05E-04	2.40E-10	1.60E-01	4.71E-02	1.81E-12	1.0E+06	1.8E-06
308	308	0.16848	2.56808E-06	4.3E-07	6.05E-04	2.62E-10	1.60E-01	4.71E-02	1.98E-12	1.0E+06	2.0E-06
309	309	0.19744	2.56808E-06	5.1E-07	6.05E-04	3.07E-10	1.60E-01	4.71E-02	2.32E-12	1.0E+06	2.3E-06
310	310	0.22748	2.56808E-06	5.8E-07	6.05E-04	3.53E-10	1.60E-01	4.71E-02	2.67E-12	1.0E+06	2.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.24695	2.56808E-06	6.3E-07	6.05E-04	3.84E-10	1.60E-01	4.71E-02	2.90E-12	1.0E+06	2.9E-06
312	312	0.25097	2.56808E-06	6.4E-07	6.05E-04	3.90E-10	1.60E-01	4.71E-02	2.95E-12	1.0E+06	2.9E-06
313	313	0.28441	2.56808E-06	7.3E-07	6.05E-04	4.42E-10	1.60E-01	4.71E-02	3.34E-12	1.0E+06	3.3E-06
314	314	0.32681	2.56808E-06	8.4E-07	6.05E-04	5.08E-10	1.60E-01	4.71E-02	3.84E-12	1.0E+06	3.8E-06
315	315	0.38921	2.56808E-06	1.0E-06	6.05E-04	6.05E-10	1.60E-01	4.71E-02	4.57E-12	1.0E+06	4.6E-06
316	316	0.4463	2.56808E-06	1.1E-06	6.05E-04	6.93E-10	1.60E-01	4.71E-02	5.24E-12	1.0E+06	5.2E-06
317	317	0.53036	2.56808E-06	1.4E-06	6.05E-04	8.24E-10	1.60E-01	4.71E-02	6.22E-12	1.0E+06	6.2E-06
318	318	0.6492	2.56808E-06	1.7E-06	6.05E-04	1.01E-09	1.60E-01	4.71E-02	7.62E-12	1.0E+06	7.6E-06
319	319	0.82714	2.56808E-06	2.1E-06	6.05E-04	1.29E-09	1.60E-01	4.71E-02	9.71E-12	1.0E+06	9.7E-06
320	320	1.09879	2.56808E-06	2.8E-06	6.05E-04	1.71E-09	1.60E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
321	321	1.45956	2.56808E-06	3.7E-06	6.05E-04	2.27E-09	1.60E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
322	322	2.05755	2.56808E-06	5.3E-06	6.05E-04	3.20E-09	1.60E-01	4.71E-02	2.41E-11	1.0E+06	2.4E-05
323	323	3.70657	2.56808E-06	9.5E-06	6.05E-04	5.76E-09	1.60E-01	4.71E-02	4.35E-11	1.0E+06	4.3E-05
324	324	0.14315	2.56808E-06	3.7E-07	6.05E-04	2.22E-10	1.60E-01	4.71E-02	1.68E-12	1.0E+06	1.7E-06
325	325	0.15961	2.56808E-06	4.1E-07	6.05E-04	2.48E-10	1.60E-01	4.71E-02	1.87E-12	1.0E+06	1.9E-06
326	326	0.17259	2.56808E-06	4.4E-07	6.05E-04	2.68E-10	1.60E-01	4.71E-02	2.03E-12	1.0E+06	2.0E-06
327	327	0.18458	2.56808E-06	4.7E-07	6.05E-04	2.87E-10	1.60E-01	4.71E-02	2.17E-12	1.0E+06	2.2E-06
328	328	0.22402	2.56808E-06	5.8E-07	6.05E-04	3.48E-10	1.60E-01	4.71E-02	2.63E-12	1.0E+06	2.6E-06
329	329	0.23929	2.56808E-06	6.1E-07	6.05E-04	3.72E-10	1.60E-01	4.71E-02	2.81E-12	1.0E+06	2.8E-06
330	330	0.24442	2.56808E-06	6.3E-07	6.05E-04	3.80E-10	1.60E-01	4.71E-02	2.87E-12	1.0E+06	2.9E-06
331	331	0.27753	2.56808E-06	7.1E-07	6.05E-04	4.31E-10	1.60E-01	4.71E-02	3.26E-12	1.0E+06	3.3E-06
332	332	0.31974	2.56808E-06	8.2E-07	6.05E-04	4.97E-10	1.60E-01	4.71E-02	3.75E-12	1.0E+06	3.8E-06
333	333	0.38207	2.56808E-06	9.8E-07	6.05E-04	5.94E-10	1.60E-01	4.71E-02	4.48E-12	1.0E+06	4.5E-06
334	334	0.44936	2.56808E-06	1.2E-06	6.05E-04	6.98E-10	1.60E-01	4.71E-02	5.27E-12	1.0E+06	5.3E-06
335	335	0.53891	2.56808E-06	1.4E-06	6.05E-04	8.37E-10	1.60E-01	4.71E-02	6.32E-12	1.0E+06	6.3E-06
336	336	3.12945	2.56808E-06	8.0E-06	6.05E-04	4.86E-09	1.60E-01	4.71E-02	3.67E-11	1.0E+06	3.7E-05
337	337	2.75027	2.56808E-06	7.1E-06	6.05E-04	4.27E-09	1.60E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
338	338	0.14609	2.56808E-06	3.8E-07	6.05E-04	2.27E-10	1.60E-01	4.71E-02	1.71E-12	1.0E+06	1.7E-06
339	339	0.15603	2.56808E-06	4.0E-07	6.05E-04	2.42E-10	1.60E-01	4.71E-02	1.83E-12	1.0E+06	1.8E-06
340	340	0.16684	2.56808E-06	4.3E-07	6.05E-04	2.59E-10	1.60E-01	4.71E-02	1.96E-12	1.0E+06	2.0E-06
341	341	0.19198	2.56808E-06	4.9E-07	6.05E-04	2.98E-10	1.60E-01	4.71E-02	2.25E-12	1.0E+06	2.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.20227	2.56808E-06	5.2E-07	6.05E-04	3.14E-10	1.60E-01	4.71E-02	2.37E-12	1.0E+06	2.4E-06
343	343	0.21583	2.56808E-06	5.5E-07	6.05E-04	3.35E-10	1.60E-01	4.71E-02	2.53E-12	1.0E+06	2.5E-06
344	344	0.22035	2.56808E-06	5.7E-07	6.05E-04	3.42E-10	1.60E-01	4.71E-02	2.59E-12	1.0E+06	2.6E-06
345	345	0.22322	2.56808E-06	5.7E-07	6.05E-04	3.47E-10	1.60E-01	4.71E-02	2.62E-12	1.0E+06	2.6E-06
346	346	0.22402	2.56808E-06	5.8E-07	6.05E-04	3.48E-10	1.60E-01	4.71E-02	2.63E-12	1.0E+06	2.6E-06
347	347	0.15897	2.56808E-06	4.1E-07	6.05E-04	2.47E-10	1.60E-01	4.71E-02	1.87E-12	1.0E+06	1.9E-06
348	348	0.17346	2.56808E-06	4.5E-07	6.05E-04	2.70E-10	1.60E-01	4.71E-02	2.04E-12	1.0E+06	2.0E-06
349	349	0.19812	2.56808E-06	5.1E-07	6.05E-04	3.08E-10	1.60E-01	4.71E-02	2.32E-12	1.0E+06	2.3E-06
350	350	0.21813	2.56808E-06	5.6E-07	6.05E-04	3.39E-10	1.60E-01	4.71E-02	2.56E-12	1.0E+06	2.6E-06
351	351	0.22702	2.56808E-06	5.8E-07	6.05E-04	3.53E-10	1.60E-01	4.71E-02	2.66E-12	1.0E+06	2.7E-06
352	352	0.24539	2.56808E-06	6.3E-07	6.05E-04	3.81E-10	1.60E-01	4.71E-02	2.88E-12	1.0E+06	2.9E-06
353	353	0.25121	2.56808E-06	6.5E-07	6.05E-04	3.90E-10	1.60E-01	4.71E-02	2.95E-12	1.0E+06	2.9E-06
354	354	0.25386	2.56808E-06	6.5E-07	6.05E-04	3.94E-10	1.60E-01	4.71E-02	2.98E-12	1.0E+06	3.0E-06
355	355	0.25508	2.56808E-06	6.6E-07	6.05E-04	3.96E-10	1.60E-01	4.71E-02	2.99E-12	1.0E+06	3.0E-06
356	356	0.17486	2.56808E-06	4.5E-07	6.05E-04	2.72E-10	1.60E-01	4.71E-02	2.05E-12	1.0E+06	2.1E-06
357	357	0.18813	2.56808E-06	4.8E-07	6.05E-04	2.92E-10	1.60E-01	4.71E-02	2.21E-12	1.0E+06	2.2E-06
358	358	0.20545	2.56808E-06	5.3E-07	6.05E-04	3.19E-10	1.60E-01	4.71E-02	2.41E-12	1.0E+06	2.4E-06
359	359	0.22564	2.56808E-06	5.8E-07	6.05E-04	3.51E-10	1.60E-01	4.71E-02	2.65E-12	1.0E+06	2.6E-06
360	360	0.25602	2.56808E-06	6.6E-07	6.05E-04	3.98E-10	1.60E-01	4.71E-02	3.00E-12	1.0E+06	3.0E-06
361	361	0.28259	2.56808E-06	7.3E-07	6.05E-04	4.39E-10	1.60E-01	4.71E-02	3.32E-12	1.0E+06	3.3E-06
362	362	0.29027	2.56808E-06	7.5E-07	6.05E-04	4.51E-10	1.60E-01	4.71E-02	3.41E-12	1.0E+06	3.4E-06
363	363	0.29339	2.56808E-06	7.5E-07	6.05E-04	4.56E-10	1.60E-01	4.71E-02	3.44E-12	1.0E+06	3.4E-06
364	364	0.19607	2.56808E-06	5.0E-07	6.05E-04	3.05E-10	1.60E-01	4.71E-02	2.30E-12	1.0E+06	2.3E-06
365	365	0.2078	2.56808E-06	5.3E-07	6.05E-04	3.23E-10	1.60E-01	4.71E-02	2.44E-12	1.0E+06	2.4E-06
366	366	0.22918	2.56808E-06	5.9E-07	6.05E-04	3.56E-10	1.60E-01	4.71E-02	2.69E-12	1.0E+06	2.7E-06
367	367	0.25152	2.56808E-06	6.5E-07	6.05E-04	3.91E-10	1.60E-01	4.71E-02	2.95E-12	1.0E+06	3.0E-06
368	368	0.29177	2.56808E-06	7.5E-07	6.05E-04	4.53E-10	1.60E-01	4.71E-02	3.42E-12	1.0E+06	3.4E-06
369	369	0.33077	2.56808E-06	8.5E-07	6.05E-04	5.14E-10	1.60E-01	4.71E-02	3.88E-12	1.0E+06	3.9E-06
370	370	0.34736	2.56808E-06	8.9E-07	6.05E-04	5.40E-10	1.60E-01	4.71E-02	4.08E-12	1.0E+06	4.1E-06
371	371	0.34798	2.56808E-06	8.9E-07	6.05E-04	5.41E-10	1.60E-01	4.71E-02	4.08E-12	1.0E+06	4.1E-06
372	372	0.22448	2.56808E-06	5.8E-07	6.05E-04	3.49E-10	1.60E-01	4.71E-02	2.63E-12	1.0E+06	2.6E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.238	2.56808E-06	6.1E-07	6.05E-04	3.70E-10	1.60E-01	4.71E-02	2.79E-12	1.0E+06	2.8E-06
374	374	0.2641	2.56808E-06	6.8E-07	6.05E-04	4.10E-10	1.60E-01	4.71E-02	3.10E-12	1.0E+06	3.1E-06
375	375	0.2911	2.56808E-06	7.5E-07	6.05E-04	4.52E-10	1.60E-01	4.71E-02	3.42E-12	1.0E+06	3.4E-06
376	376	0.34537	2.56808E-06	8.9E-07	6.05E-04	5.37E-10	1.60E-01	4.71E-02	4.05E-12	1.0E+06	4.1E-06
377	377	0.37351	2.56808E-06	9.6E-07	6.05E-04	5.80E-10	1.60E-01	4.71E-02	4.38E-12	1.0E+06	4.4E-06
378	378	0.39509	2.56808E-06	1.0E-06	6.05E-04	6.14E-10	1.60E-01	4.71E-02	4.64E-12	1.0E+06	4.6E-06
379	379	0.4189	2.56808E-06	1.1E-06	6.05E-04	6.51E-10	1.60E-01	4.71E-02	4.92E-12	1.0E+06	4.9E-06
380	380	0.42025	2.56808E-06	1.1E-06	6.05E-04	6.53E-10	1.60E-01	4.71E-02	4.93E-12	1.0E+06	4.9E-06
381	381	0.41468	2.56808E-06	1.1E-06	6.05E-04	6.44E-10	1.60E-01	4.71E-02	4.87E-12	1.0E+06	4.9E-06
382	382	0.2636	2.56808E-06	6.8E-07	6.05E-04	4.10E-10	1.60E-01	4.71E-02	3.09E-12	1.0E+06	3.1E-06
383	383	0.28621	2.56808E-06	7.4E-07	6.05E-04	4.45E-10	1.60E-01	4.71E-02	3.36E-12	1.0E+06	3.4E-06
384	384	0.31145	2.56808E-06	8.0E-07	6.05E-04	4.84E-10	1.60E-01	4.71E-02	3.65E-12	1.0E+06	3.7E-06
385	385	0.36646	2.56808E-06	9.4E-07	6.05E-04	5.69E-10	1.60E-01	4.71E-02	4.30E-12	1.0E+06	4.3E-06
386	386	0.41456	2.56808E-06	1.1E-06	6.05E-04	6.44E-10	1.60E-01	4.71E-02	4.86E-12	1.0E+06	4.9E-06
387	387	0.45226	2.56808E-06	1.2E-06	6.05E-04	7.03E-10	1.60E-01	4.71E-02	5.31E-12	1.0E+06	5.3E-06
388	388	0.48468	2.56808E-06	1.2E-06	6.05E-04	7.53E-10	1.60E-01	4.71E-02	5.69E-12	1.0E+06	5.7E-06
389	389	0.52038	2.56808E-06	1.3E-06	6.05E-04	8.09E-10	1.60E-01	4.71E-02	6.11E-12	1.0E+06	6.1E-06
390	390	0.51964	2.56808E-06	1.3E-06	6.05E-04	8.07E-10	1.60E-01	4.71E-02	6.10E-12	1.0E+06	6.1E-06
391	391	0.50912	2.56808E-06	1.3E-06	6.05E-04	7.91E-10	1.60E-01	4.71E-02	5.97E-12	1.0E+06	6.0E-06
392	392	0.48271	2.56808E-06	1.2E-06	6.05E-04	7.50E-10	1.60E-01	4.71E-02	5.66E-12	1.0E+06	5.7E-06
393	393	0.31872	2.56808E-06	8.2E-07	6.05E-04	4.95E-10	1.60E-01	4.71E-02	3.74E-12	1.0E+06	3.7E-06
394	394	0.36363	2.56808E-06	9.3E-07	6.05E-04	5.65E-10	1.60E-01	4.71E-02	4.27E-12	1.0E+06	4.3E-06
395	395	0.4232	2.56808E-06	1.1E-06	6.05E-04	6.58E-10	1.60E-01	4.71E-02	4.97E-12	1.0E+06	5.0E-06
396	396	0.48194	2.56808E-06	1.2E-06	6.05E-04	7.49E-10	1.60E-01	4.71E-02	5.66E-12	1.0E+06	5.7E-06
397	397	0.54202	2.56808E-06	1.4E-06	6.05E-04	8.42E-10	1.60E-01	4.71E-02	6.36E-12	1.0E+06	6.4E-06
398	398	0.58482	2.56808E-06	1.5E-06	6.05E-04	9.09E-10	1.60E-01	4.71E-02	6.86E-12	1.0E+06	6.9E-06
399	399	0.60789	2.56808E-06	1.6E-06	6.05E-04	9.45E-10	1.60E-01	4.71E-02	7.13E-12	1.0E+06	7.1E-06
400	400	0.67594	2.56808E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.93E-12	1.0E+06	7.9E-06
401	401	0.67008	2.56808E-06	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.86E-12	1.0E+06	7.9E-06
402	402	0.59527	2.56808E-06	1.5E-06	6.05E-04	9.25E-10	1.60E-01	4.71E-02	6.99E-12	1.0E+06	7.0E-06
403	403	0.92226	2.56808E-06	2.4E-06	6.05E-04	1.43E-09	1.60E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.76302	2.56808E-06	2.0E-06	6.05E-04	1.19E-09	1.60E-01	4.71E-02	8.95E-12	1.0E+06	9.0E-06
405	405	0.66936	2.56808E-06	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.85E-12	1.0E+06	7.9E-06
406	406	1.43771	2.56808E-06	3.7E-06	6.05E-04	2.23E-09	1.60E-01	4.71E-02	1.69E-11	1.0E+06	1.7E-05
407	407	0.80804	2.56808E-06	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.48E-12	1.0E+06	9.5E-06
408	408	2.83294	2.56808E-06	7.3E-06	6.05E-04	4.40E-09	1.60E-01	4.71E-02	3.32E-11	1.0E+06	3.3E-05
409	409	0.95947	2.56808E-06	2.5E-06	6.05E-04	1.49E-09	1.60E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
410	410	3.38753	2.56808E-06	8.7E-06	6.05E-04	5.26E-09	1.60E-01	4.71E-02	3.98E-11	1.0E+06	4.0E-05
411	411	1.45464	2.56808E-06	3.7E-06	6.05E-04	2.26E-09	1.60E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
412	412	1.12992	2.56808E-06	2.9E-06	6.05E-04	1.76E-09	1.60E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
413	413	6.87423	2.56808E-06	1.8E-05	6.05E-04	1.07E-08	1.60E-01	4.71E-02	8.07E-11	1.0E+06	8.1E-05
414	414	2.39907	2.56808E-06	6.2E-06	6.05E-04	3.73E-09	1.60E-01	4.71E-02	2.82E-11	1.0E+06	2.8E-05
415	415	1.66563	2.56808E-06	4.3E-06	6.05E-04	2.59E-09	1.60E-01	4.71E-02	1.95E-11	1.0E+06	2.0E-05
416	416	1.25939	2.56808E-06	3.2E-06	6.05E-04	1.96E-09	1.60E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
417	417	8.4799	2.56808E-06	2.2E-05	6.05E-04	1.32E-08	1.60E-01	4.71E-02	9.95E-11	1.0E+06	1.0E-04
418	418	1.84136	2.56808E-06	4.7E-06	6.05E-04	2.86E-09	1.60E-01	4.71E-02	2.16E-11	1.0E+06	2.2E-05
419	419	1.36864	2.56808E-06	3.5E-06	6.05E-04	2.13E-09	1.60E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
420	420	1.06839	2.56808E-06	2.7E-06	6.05E-04	1.66E-09	1.60E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05
421	421	6.19172	2.56808E-06	1.6E-05	6.05E-04	9.62E-09	1.60E-01	4.71E-02	7.27E-11	1.0E+06	7.3E-05
422	422	1.45718	2.56808E-06	3.7E-06	6.05E-04	2.26E-09	1.60E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
423	423	1.12836	2.56808E-06	2.9E-06	6.05E-04	1.75E-09	1.60E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05
424	424	10.30981	2.56808E-06	2.6E-05	6.05E-04	1.60E-08	1.60E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
425	425	1.17062	2.56808E-06	3.0E-06	6.05E-04	1.82E-09	1.60E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
426	426	0.92899	2.56808E-06	2.4E-06	6.05E-04	1.44E-09	1.60E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
427	427	10.1828	2.56808E-06	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
428	428	1.19406	2.56808E-06	3.1E-06	6.05E-04	1.86E-09	1.60E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
429	429	0.94096	2.56808E-06	2.4E-06	6.05E-04	1.46E-09	1.60E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
430	430	10.50959	2.56808E-06	2.7E-05	6.05E-04	1.63E-08	1.60E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
431	431	0.937	2.56808E-06	2.4E-06	6.05E-04	1.46E-09	1.60E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
432	432	0.74989	2.56808E-06	1.9E-06	6.05E-04	1.17E-09	1.60E-01	4.71E-02	8.80E-12	1.0E+06	8.8E-06
433	433	7.23234	2.56808E-06	1.9E-05	6.05E-04	1.12E-08	1.60E-01	4.71E-02	8.49E-11	1.0E+06	8.5E-05
434	434	0.91735	2.56808E-06	2.4E-06	6.05E-04	1.43E-09	1.60E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.7351	2.56808E-06	1.9E-06	6.05E-04	1.14E-09	1.60E-01	4.71E-02	8.63E-12	1.0E+06	8.6E-06
436	436	11.13042	2.56808E-06	2.9E-05	6.05E-04	1.73E-08	1.60E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
437	437	1.13975	2.56808E-06	2.9E-06	6.05E-04	1.77E-09	1.60E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
438	438	0.88457	2.56808E-06	2.3E-06	6.05E-04	1.37E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
439	439	0.7081	2.56808E-06	1.8E-06	6.05E-04	1.10E-09	1.60E-01	4.71E-02	8.31E-12	1.0E+06	8.3E-06
440	440	12.91004	2.56808E-06	3.3E-05	6.05E-04	2.01E-08	1.60E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
441	441	2.02126	2.56808E-06	5.2E-06	6.05E-04	3.14E-09	1.60E-01	4.71E-02	2.37E-11	1.0E+06	2.4E-05
442	442	1.44889	2.56808E-06	3.7E-06	6.05E-04	2.25E-09	1.60E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
443	443	1.08149	2.56808E-06	2.8E-06	6.05E-04	1.68E-09	1.60E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
444	444	0.84005	2.56808E-06	2.2E-06	6.05E-04	1.31E-09	1.60E-01	4.71E-02	9.86E-12	1.0E+06	9.9E-06
445	445	9.32645	2.56808E-06	2.4E-05	6.05E-04	1.45E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
446	446	2.80182	2.56808E-06	7.2E-06	6.05E-04	4.35E-09	1.60E-01	4.71E-02	3.29E-11	1.0E+06	3.3E-05
447	447	1.87415	2.56808E-06	4.8E-06	6.05E-04	2.91E-09	1.60E-01	4.71E-02	2.20E-11	1.0E+06	2.2E-05
448	448	1.3422	2.56808E-06	3.4E-06	6.05E-04	2.09E-09	1.60E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
449	449	6.84751	2.56808E-06	1.8E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	8.04E-11	1.0E+06	8.0E-05
450	450	3.84854	2.56808E-06	9.9E-06	6.05E-04	5.98E-09	1.60E-01	4.71E-02	4.52E-11	1.0E+06	4.5E-05
451	451	2.44485	2.56808E-06	6.3E-06	6.05E-04	3.80E-09	1.60E-01	4.71E-02	2.87E-11	1.0E+06	2.9E-05
452	452	5.10211	2.56808E-06	1.3E-05	6.05E-04	7.93E-09	1.60E-01	4.71E-02	5.99E-11	1.0E+06	6.0E-05
453	453	3.11601	2.56808E-06	8.0E-06	6.05E-04	4.84E-09	1.60E-01	4.71E-02	3.66E-11	1.0E+06	3.7E-05
454	454	0.55141	2.56808E-06	1.4E-06	6.05E-04	8.57E-10	1.60E-01	4.71E-02	6.47E-12	1.0E+06	6.5E-06
455	455	0.46367	2.56808E-06	1.2E-06	6.05E-04	7.20E-10	1.60E-01	4.71E-02	5.44E-12	1.0E+06	5.4E-06
456	456	3.77503	2.56808E-06	9.7E-06	6.05E-04	5.87E-09	1.60E-01	4.71E-02	4.43E-11	1.0E+06	4.4E-05
457	457	2.48664	2.56808E-06	6.4E-06	6.05E-04	3.86E-09	1.60E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
458	458	1.75197	2.56808E-06	4.5E-06	6.05E-04	2.72E-09	1.60E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
459	459	0.77331	2.56808E-06	2.0E-06	6.05E-04	1.20E-09	1.60E-01	4.71E-02	9.07E-12	1.0E+06	9.1E-06
460	460	0.62552	2.56808E-06	1.6E-06	6.05E-04	9.72E-10	1.60E-01	4.71E-02	7.34E-12	1.0E+06	7.3E-06
461	461	0.51642	2.56808E-06	1.3E-06	6.05E-04	8.02E-10	1.60E-01	4.71E-02	6.06E-12	1.0E+06	6.1E-06
462	462	0.43446	2.56808E-06	1.1E-06	6.05E-04	6.75E-10	1.60E-01	4.71E-02	5.10E-12	1.0E+06	5.1E-06
463	463	3.94182	2.56808E-06	1.0E-05	6.05E-04	6.13E-09	1.60E-01	4.71E-02	4.63E-11	1.0E+06	4.6E-05
464	464	4.80827	2.56808E-06	1.2E-05	6.05E-04	7.47E-09	1.60E-01	4.71E-02	5.64E-11	1.0E+06	5.6E-05
465	465	5.05195	2.56808E-06	1.3E-05	6.05E-04	7.85E-09	1.60E-01	4.71E-02	5.93E-11	1.0E+06	5.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	5.0289	2.56808E-06	1.3E-05	6.05E-04	7.81E-09	1.60E-01	4.71E-02	5.90E-11	1.0E+06	5.9E-05
467	467	9.7266	2.56808E-06	2.5E-05	6.05E-04	1.51E-08	1.60E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
468	468	9.8834	2.56808E-06	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
469	469	9.95315	2.56808E-06	2.6E-05	6.05E-04	1.55E-08	1.60E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
470	470	4.23647	2.56808E-06	1.1E-05	6.05E-04	6.58E-09	1.60E-01	4.71E-02	4.97E-11	1.0E+06	5.0E-05
471	471	9.78465	2.56808E-06	2.5E-05	6.05E-04	1.52E-08	1.60E-01	4.71E-02	1.15E-10	1.0E+06	1.1E-04
472	472	4.2962	2.56808E-06	1.1E-05	6.05E-04	6.68E-09	1.60E-01	4.71E-02	5.04E-11	1.0E+06	5.0E-05
473	473	9.92254	2.56808E-06	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
474	474	4.49482	2.56808E-06	1.2E-05	6.05E-04	6.98E-09	1.60E-01	4.71E-02	5.27E-11	1.0E+06	5.3E-05
475	475	9.92283	2.56808E-06	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
476	476	4.86287	2.56808E-06	1.2E-05	6.05E-04	7.56E-09	1.60E-01	4.71E-02	5.71E-11	1.0E+06	5.7E-05
477	477	10.75226	2.56808E-06	2.8E-05	6.05E-04	1.67E-08	1.60E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
478	478	5.73221	2.56808E-06	1.5E-05	6.05E-04	8.91E-09	1.60E-01	4.71E-02	6.73E-11	1.0E+06	6.7E-05
479	479	6.50024	2.56808E-06	1.7E-05	6.05E-04	1.01E-08	1.60E-01	4.71E-02	7.63E-11	1.0E+06	7.6E-05
480	480	12.20859	2.56808E-06	3.1E-05	6.05E-04	1.90E-08	1.60E-01	4.71E-02	1.43E-10	1.0E+06	1.4E-04
481	481	7.52465	2.56808E-06	1.9E-05	6.05E-04	1.17E-08	1.60E-01	4.71E-02	8.83E-11	1.0E+06	8.8E-05
482	482	9.88217	2.56808E-06	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
483	483	7.60878	2.56808E-06	2.0E-05	6.05E-04	1.18E-08	1.60E-01	4.71E-02	8.93E-11	1.0E+06	8.9E-05
484	484	9.47683	2.56808E-06	2.4E-05	6.05E-04	1.47E-08	1.60E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk				*Chronic Non Cancer Risk*				
Receptor #	**Receptor #**	**Total Risk/ Million**			**REL**	**HI**			
1	1	7.9E-03	**Max**	**Receptor #**	5	3.45E-04	**Max**	**Receptor #**	
2	2	8.2E-03	0.713	146	5	3.59E-04	0.031	146	Res
3	3	8.5E-03			5	3.74E-04			
4	4	8.9E-03			5	3.88E-04			
5	5	9.2E-03			5	4.03E-04			
6	6	9.6E-03			5	4.22E-04			
7	7	1.0E-02			5	4.44E-04			
8	8	1.1E-02			5	4.70E-04			
9	9	1.1E-02			5	4.99E-04			
10	10	1.2E-02			5	5.40E-04			
11	11	1.3E-02			5	5.90E-04			
12	12	1.5E-02			5	6.47E-04			
13	13	1.6E-02			5	7.05E-04			
14	14	2.1E-02			5	9.30E-04			
15	15	8.7E-03			5	3.81E-04			
16	16	9.1E-03			5	3.99E-04			
17	17	9.6E-03			5	4.19E-04			
18	18	1.0E-02			5	4.38E-04			
19	19	1.0E-02			5	4.57E-04			
20	20	1.1E-02			5	4.78E-04			
21	21	1.1E-02			5	5.03E-04			
22	22	1.2E-02			5	5.30E-04			
23	23	1.3E-02			5	5.69E-04			
24	24	1.4E-02			5	6.11E-04			
25	25	1.5E-02			5	6.74E-04			
26	26	1.7E-02			5	7.48E-04			
27	27	1.9E-02			5	8.12E-04			
28	28	2.6E-02			5	1.13E-03			
29	29	9.5E-03			5	4.16E-04			
30	30	1.0E-02			5	4.41E-04			
31	31	1.1E-02			5	4.67E-04			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	1.1E-02	5	4.95E-04
33	33	1.2E-02	5	5.19E-04
34	34	1.3E-02	5	5.47E-04
35	35	1.3E-02	5	5.76E-04
36	36	1.4E-02	5	6.11E-04
37	37	1.5E-02	5	6.54E-04
38	38	1.6E-02	5	7.10E-04
39	39	1.8E-02	5	7.85E-04
40	40	2.0E-02	5	8.61E-04
41	41	2.2E-02	5	9.47E-04
42	42	3.2E-02	5	1.40E-03
43	43	1.0E-02	5	4.47E-04
44	44	1.1E-02	5	4.77E-04
45	45	1.2E-02	5	5.12E-04
46	46	1.3E-02	5	5.50E-04
47	47	1.3E-02	5	5.87E-04
48	48	1.4E-02	5	6.24E-04
49	49	1.5E-02	5	6.62E-04
50	50	1.6E-02	5	7.02E-04
51	51	1.7E-02	5	7.63E-04
52	52	1.9E-02	5	8.30E-04
53	53	2.1E-02	5	9.24E-04
54	54	2.3E-02	5	1.03E-03
55	55	2.6E-02	5	1.15E-03
56	56	4.1E-02	5	1.80E-03
57	57	1.1E-02	5	4.70E-04
58	58	1.2E-02	5	5.09E-04
59	59	1.3E-02	5	5.55E-04
60	60	1.4E-02	5	6.04E-04
61	61	1.5E-02	5	6.57E-04
62	62	1.6E-02	5	7.11E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	1.8E-02	5	7.71E-04
64	64	1.9E-02	5	8.20E-04
65	65	2.0E-02	5	8.96E-04
66	66	2.3E-02	5	9.90E-04
67	67	2.5E-02	5	1.09E-03
68	68	2.9E-02	5	1.26E-03
69	69	3.3E-02	5	1.44E-03
70	70	1.1E-02	5	4.92E-04
71	71	1.2E-02	5	5.38E-04
72	72	1.4E-02	5	5.95E-04
73	73	1.5E-02	5	6.55E-04
74	74	1.7E-02	5	7.23E-04
75	75	1.8E-02	5	7.97E-04
76	76	2.0E-02	5	8.82E-04
77	77	2.2E-02	5	9.67E-04
78	78	2.5E-02	5	1.07E-03
79	79	2.8E-02	5	1.24E-03
80	80	3.2E-02	5	1.38E-03
81	81	3.7E-02	5	1.62E-03
82	82	4.2E-02	5	1.86E-03
83	83	1.2E-02	5	5.12E-04
84	84	1.3E-02	5	5.71E-04
85	85	1.4E-02	5	6.34E-04
86	86	1.6E-02	5	6.96E-04
87	87	1.8E-02	5	7.75E-04
88	88	2.0E-02	5	8.66E-04
89	89	2.2E-02	5	9.78E-04
90	90	2.5E-02	5	1.11E-03
91	91	2.9E-02	5	1.28E-03
92	92	3.4E-02	5	1.48E-03
93	93	4.0E-02	5	1.74E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	4.7E-02	5	2.05E-03
95	95	5.5E-02	5	2.43E-03
96	96	1.2E-02	5	5.28E-04
97	97	1.3E-02	5	5.86E-04
98	98	1.5E-02	5	6.52E-04
99	99	1.7E-02	5	7.34E-04
100	100	1.9E-02	5	8.22E-04
101	101	2.1E-02	5	9.32E-04
102	102	2.4E-02	5	1.07E-03
103	103	2.8E-02	5	1.24E-03
104	104	3.3E-02	5	1.46E-03
105	105	4.0E-02	5	1.74E-03
106	106	4.8E-02	5	2.10E-03
107	107	5.9E-02	5	2.57E-03
108	108	7.3E-02	5	3.18E-03
109	109	1.2E-02	5	5.24E-04
110	110	1.3E-02	5	5.86E-04
111	111	1.5E-02	5	6.59E-04
112	112	1.7E-02	5	7.47E-04
113	113	1.9E-02	5	8.53E-04
114	114	2.2E-02	5	9.83E-04
115	115	2.6E-02	5	1.14E-03
116	116	3.1E-02	5	1.35E-03
117	117	3.7E-02	5	1.63E-03
118	118	4.5E-02	5	1.95E-03
119	119	5.6E-02	5	2.45E-03
120	120	7.1E-02	5	3.12E-03
121	121	9.0E-02	5	3.96E-03
122	122	1.2E-02	5	5.04E-04
123	123	1.3E-02	5	5.69E-04
124	124	1.5E-02	5	6.49E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	1.7E-02	5	7.42E-04
126	126	2.0E-02	5	8.55E-04
127	127	2.3E-02	5	9.98E-04
128	128	2.7E-02	5	1.16E-03
129	129	3.2E-02	5	1.40E-03
130	130	4.0E-02	5	1.76E-03
131	131	5.8E-01	5	2.55E-02
132	132	4.2E-01	5	1.86E-02
133	133	1.1E-02	5	4.72E-04
134	134	1.2E-02	5	5.42E-04
135	135	1.4E-02	5	6.22E-04
136	136	1.6E-02	5	7.16E-04
137	137	1.9E-02	5	8.31E-04
138	138	2.2E-02	5	9.71E-04
139	139	2.6E-02	5	1.14E-03
140	140	3.2E-02	5	1.40E-03
141	141	4.1E-02	5	1.77E-03
142	142	5.3E-02	5	2.33E-03
143	143	7.5E-02	5	3.30E-03
144	144	1.2E-01	5	5.25E-03
145	145	2.4E-01	5	1.03E-02
146	146	7.1E-01	5	3.12E-02
147	147	1.0E-02	5	4.37E-04
148	148	1.1E-02	5	5.02E-04
149	149	1.3E-02	5	5.80E-04
150	150	1.5E-02	5	6.71E-04
151	151	1.8E-02	5	7.86E-04
152	152	2.1E-02	5	9.18E-04
153	153	2.5E-02	5	1.09E-03
154	154	3.1E-02	5	1.34E-03
155	155	3.9E-02	5	1.71E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	5.2E-02	5	2.27E-03
157	157	7.4E-02	5	3.24E-03
158	158	1.2E-01	5	5.21E-03
159	159	3.0E-01	5	1.30E-02
160	160	9.4E-03	5	4.13E-04
161	161	1.1E-02	5	4.65E-04
162	162	1.2E-02	5	5.21E-04
163	163	1.4E-02	5	6.12E-04
164	164	1.7E-02	5	7.31E-04
165	165	2.0E-02	5	8.56E-04
166	166	2.3E-02	5	1.02E-03
167	167	2.9E-02	5	1.25E-03
168	168	3.6E-02	5	1.59E-03
169	169	4.8E-02	5	2.09E-03
170	170	6.7E-02	5	2.93E-03
171	171	1.0E-01	5	4.56E-03
172	172	2.2E-01	5	9.74E-03
173	173	3.0E-01	5	1.33E-02
174	174	4.6E-01	5	2.04E-02
175	175	5.0E-01	5	2.20E-02
176	176	5.9E-01	5	2.56E-02
177	177	4.9E-01	5	2.13E-02
178	178	4.0E-01	5	1.76E-02
179	179	8.7E-03	5	3.81E-04
180	180	9.7E-03	5	4.24E-04
181	181	1.1E-02	5	4.66E-04
182	182	1.3E-02	5	5.58E-04
183	183	1.6E-02	5	6.84E-04
184	184	1.8E-02	5	8.04E-04
185	185	2.2E-02	5	9.65E-04
186	186	2.7E-02	5	1.17E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	3.3E-02	5	1.46E-03
188	188	4.3E-02	5	1.88E-03
189	189	5.7E-02	5	2.51E-03
190	190	8.2E-02	5	3.60E-03
191	191	1.3E-01	5	5.82E-03
192	192	2.3E-01	5	1.01E-02
193	193	3.0E-01	5	1.31E-02
194	194	3.3E-01	5	1.47E-02
195	195	3.7E-01	5	1.60E-02
196	196	3.4E-01	5	1.51E-02
197	197	2.7E-01	5	1.17E-02
198	198	8.3E-03	5	3.62E-04
199	199	9.2E-03	5	4.03E-04
200	200	1.0E-02	5	4.51E-04
201	201	1.2E-02	5	5.20E-04
202	202	1.5E-02	5	6.35E-04
203	203	1.7E-02	5	7.53E-04
204	204	2.1E-02	5	9.04E-04
205	205	2.5E-02	5	1.09E-03
206	206	3.0E-02	5	1.33E-03
207	207	3.8E-02	5	1.67E-03
208	208	4.9E-02	5	2.13E-03
209	209	6.5E-02	5	2.84E-03
210	210	9.1E-02	5	4.00E-03
211	211	1.3E-01	5	5.70E-03
212	212	1.6E-01	5	7.07E-03
213	213	1.7E-01	5	7.59E-03
214	214	1.7E-01	5	7.53E-03
215	215	2.0E-01	5	8.78E-03
216	216	8.0E-03	5	3.50E-04
217	217	8.8E-03	5	3.86E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	9.9E-03	5	4.33E-04
219	219	1.1E-02	5	4.94E-04
220	220	1.4E-02	5	5.91E-04
221	221	1.6E-02	5	6.92E-04
222	222	1.9E-02	5	8.29E-04
223	223	2.3E-02	5	9.89E-04
224	224	2.7E-02	5	1.19E-03
225	225	3.3E-02	5	1.43E-03
226	226	4.0E-02	5	1.77E-03
227	227	5.1E-02	5	2.23E-03
228	228	6.7E-02	5	2.91E-03
229	229	8.7E-02	5	3.81E-03
230	230	1.1E-01	5	4.61E-03
231	231	1.2E-01	5	5.09E-03
232	232	1.2E-01	5	5.26E-03
233	233	1.3E-01	5	5.74E-03
234	234	7.8E-03	5	3.39E-04
235	235	8.5E-03	5	3.71E-04
236	236	9.5E-03	5	4.15E-04
237	237	1.1E-02	5	4.73E-04
238	238	1.3E-02	5	5.51E-04
239	239	1.5E-02	5	6.38E-04
240	240	1.7E-02	5	7.48E-04
241	241	2.0E-02	5	8.79E-04
242	242	2.4E-02	5	1.03E-03
243	243	2.8E-02	5	1.22E-03
244	244	3.4E-02	5	1.48E-03
245	245	4.1E-02	5	1.81E-03
246	246	5.2E-02	5	2.26E-03
247	247	6.4E-02	5	2.82E-03
248	248	7.6E-02	5	3.35E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	8.5E-02	5	3.73E-03
250	250	8.9E-02	5	3.92E-03
251	251	9.6E-02	5	4.20E-03
252	252	7.4E-03	5	3.26E-04
253	253	8.1E-03	5	3.54E-04
254	254	8.9E-03	5	3.90E-04
255	255	1.0E-02	5	4.36E-04
256	256	1.2E-02	5	5.14E-04
257	257	1.3E-02	5	5.68E-04
258	258	1.5E-02	5	6.43E-04
259	259	1.7E-02	5	7.29E-04
260	260	2.0E-02	5	8.54E-04
261	261	2.3E-02	5	1.02E-03
262	262	2.8E-02	5	1.22E-03
263	263	3.4E-02	5	1.47E-03
264	264	4.1E-02	5	1.79E-03
265	265	4.9E-02	5	2.16E-03
266	266	5.8E-02	5	2.53E-03
267	267	6.4E-02	5	2.81E-03
268	268	6.8E-02	5	2.97E-03
269	269	7.2E-02	5	3.17E-03
270	270	7.1E-03	5	3.12E-04
271	271	7.8E-03	5	3.39E-04
272	272	8.5E-03	5	3.72E-04
273	273	9.4E-03	5	4.10E-04
274	274	1.1E-02	5	4.83E-04
275	275	1.3E-02	5	5.48E-04
276	276	1.3E-02	5	5.72E-04
277	277	1.5E-02	5	6.35E-04
278	278	1.6E-02	5	7.19E-04
279	279	1.9E-02	5	8.34E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	2.3E-02	5	1.01E-03
281	281	2.8E-02	5	1.22E-03
282	282	3.3E-02	5	1.46E-03
283	283	4.0E-02	5	1.73E-03
284	284	4.6E-02	5	2.01E-03
285	285	5.1E-02	5	2.21E-03
286	286	5.3E-02	5	2.34E-03
287	287	5.7E-02	5	2.50E-03
288	288	6.9E-03	5	3.01E-04
289	289	7.4E-03	5	3.24E-04
290	290	8.2E-03	5	3.61E-04
291	291	9.1E-03	5	3.98E-04
292	292	1.1E-02	5	4.84E-04
293	293	1.2E-02	5	5.17E-04
294	294	1.2E-02	5	5.14E-04
295	295	1.3E-02	5	5.69E-04
296	296	1.5E-02	5	6.40E-04
297	297	1.6E-02	5	7.18E-04
298	298	1.9E-02	5	8.39E-04
299	299	2.3E-02	5	1.02E-03
300	300	2.7E-02	5	1.20E-03
301	301	3.2E-02	5	1.42E-03
302	302	3.7E-02	5	1.63E-03
303	303	4.1E-02	5	1.80E-03
304	304	4.4E-02	5	1.92E-03
305	305	4.7E-02	5	2.04E-03
306	306	7.0E-03	5	3.06E-04
307	307	7.3E-03	5	3.19E-04
308	308	7.9E-03	5	3.44E-04
309	309	9.1E-03	5	4.00E-04
310	310	1.0E-02	5	4.56E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	1.1E-02	5	4.81E-04
312	312	1.1E-02	5	4.64E-04
313	313	1.2E-02	5	5.10E-04
314	314	1.3E-02	5	5.70E-04
315	315	1.5E-02	5	6.66E-04
316	316	1.7E-02	5	7.41E-04
317	317	2.0E-02	5	8.55E-04
318	318	2.3E-02	5	1.00E-03
319	319	2.7E-02	5	1.19E-03
320	320	3.1E-02	5	1.37E-03
321	321	3.4E-02	5	1.51E-03
322	322	3.6E-02	5	1.60E-03
323	323	3.9E-02	5	1.70E-03
324	324	6.7E-03	5	2.95E-04
325	325	7.4E-03	5	3.25E-04
326	326	7.9E-03	5	3.45E-04
327	327	8.2E-03	5	3.59E-04
328	328	9.9E-03	5	4.34E-04
329	329	1.0E-02	5	4.45E-04
330	330	9.9E-03	5	4.31E-04
331	331	1.1E-02	5	4.74E-04
332	332	1.2E-02	5	5.30E-04
333	333	1.4E-02	5	6.15E-04
334	334	1.6E-02	5	6.96E-04
335	335	1.8E-02	5	7.93E-04
336	336	6.4E-01	5	2.81E-02
337	337	4.1E-01	5	1.81E-02
338	338	1.6E-02	5	7.10E-04
339	339	1.8E-02	5	7.82E-04
340	340	1.9E-02	5	8.34E-04
341	341	2.0E-02	5	8.70E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	2.1E-02	5	8.98E-04
343	343	2.1E-02	5	9.19E-04
344	344	2.1E-02	5	9.14E-04
345	345	2.1E-02	5	8.99E-04
346	346	2.0E-02	5	8.71E-04
347	347	1.9E-02	5	8.20E-04
348	348	2.1E-02	5	9.25E-04
349	349	2.3E-02	5	9.93E-04
350	350	2.4E-02	5	1.04E-03
351	351	2.5E-02	5	1.08E-03
352	352	2.5E-02	5	1.11E-03
353	353	2.5E-02	5	1.10E-03
354	354	2.4E-02	5	1.07E-03
355	355	2.4E-02	5	1.03E-03
356	356	2.2E-02	5	9.65E-04
357	357	2.4E-02	5	1.06E-03
358	358	2.7E-02	5	1.19E-03
359	359	2.9E-02	5	1.28E-03
360	360	3.1E-02	5	1.34E-03
361	361	3.1E-02	5	1.38E-03
362	362	3.1E-02	5	1.36E-03
363	363	3.0E-02	5	1.31E-03
364	364	2.7E-02	5	1.17E-03
365	365	2.9E-02	5	1.27E-03
366	366	3.3E-02	5	1.45E-03
367	367	3.7E-02	5	1.60E-03
368	368	3.9E-02	5	1.70E-03
369	369	4.0E-02	5	1.76E-03
370	370	3.8E-02	5	1.66E-03
371	371	3.6E-02	5	1.56E-03
372	372	3.3E-02	5	1.46E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	3.7E-02	5	1.61E-03
374	374	4.2E-02	5	1.85E-03
375	375	4.7E-02	5	2.08E-03
376	376	5.1E-02	5	2.24E-03
377	377	5.4E-02	5	2.35E-03
378	378	5.4E-02	5	2.37E-03
379	379	5.0E-02	5	2.17E-03
380	380	4.5E-02	5	1.99E-03
381	381	4.1E-02	5	1.78E-03
382	382	4.3E-02	5	1.90E-03
383	383	5.0E-02	5	2.18E-03
384	384	5.7E-02	5	2.49E-03
385	385	6.5E-02	5	2.83E-03
386	386	7.1E-02	5	3.13E-03
387	387	7.6E-02	5	3.34E-03
388	388	7.7E-02	5	3.39E-03
389	389	6.7E-02	5	2.93E-03
390	390	5.8E-02	5	2.55E-03
391	391	5.0E-02	5	2.18E-03
392	392	4.1E-02	5	1.79E-03
393	393	6.1E-02	5	2.66E-03
394	394	7.4E-02	5	3.25E-03
395	395	8.4E-02	5	3.66E-03
396	396	9.8E-02	5	4.28E-03
397	397	1.1E-01	5	4.84E-03
398	398	1.1E-01	5	4.85E-03
399	399	1.0E-01	5	4.44E-03
400	400	9.5E-02	5	4.14E-03
401	401	7.6E-02	5	3.31E-03
402	402	4.6E-02	5	2.03E-03
403	403	1.4E-01	5	6.07E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	5.3E-02	5	2.31E-03
405	405	4.0E-02	5	1.75E-03
406	406	1.9E-01	5	8.39E-03
407	407	4.0E-02	5	1.77E-03
408	408	2.0E-01	5	8.79E-03
409	409	3.9E-02	5	1.73E-03
410	410	1.8E-01	5	7.89E-03
411	411	5.0E-02	5	2.20E-03
412	412	3.8E-02	5	1.68E-03
413	413	1.5E-01	5	6.69E-03
414	414	6.3E-02	5	2.77E-03
415	415	4.6E-02	5	2.03E-03
416	416	3.6E-02	5	1.57E-03
417	417	1.3E-01	5	5.47E-03
418	418	4.2E-02	5	1.86E-03
419	419	3.3E-02	5	1.45E-03
420	420	2.7E-02	5	1.17E-03
421	421	1.0E-01	5	4.48E-03
422	422	3.1E-02	5	1.34E-03
423	423	2.5E-02	5	1.09E-03
424	424	8.5E-02	5	3.71E-03
425	425	2.3E-02	5	1.02E-03
426	426	2.0E-02	5	8.56E-04
427	427	7.1E-02	5	3.09E-03
428	428	2.2E-02	5	9.45E-04
429	429	1.8E-02	5	8.03E-04
430	430	5.9E-02	5	2.60E-03
431	431	1.7E-02	5	7.51E-04
432	432	1.5E-02	5	6.47E-04
433	433	5.0E-02	5	2.19E-03
434	434	1.6E-02	5	7.03E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	1.4E-02	5	6.12E-04
436	436	4.3E-02	5	1.87E-03
437	437	1.7E-02	5	7.62E-04
438	438	1.5E-02	5	6.59E-04
439	439	1.3E-02	5	5.77E-04
440	440	3.7E-02	5	1.61E-03
441	441	2.2E-02	5	9.83E-04
442	442	1.9E-02	5	8.30E-04
443	443	1.6E-02	5	7.12E-04
444	444	1.4E-02	5	6.18E-04
445	445	3.2E-02	5	1.39E-03
446	446	2.4E-02	5	1.05E-03
447	447	2.0E-02	5	8.95E-04
448	448	1.8E-02	5	7.68E-04
449	449	2.8E-02	5	1.22E-03
450	450	2.5E-02	5	1.08E-03
451	451	2.2E-02	5	9.45E-04
452	452	2.4E-02	5	1.07E-03
453	453	2.2E-02	5	9.64E-04
454	454	1.0E-02	5	4.55E-04
455	455	9.4E-03	5	4.11E-04
456	456	2.2E-02	5	9.44E-04
457	457	2.0E-02	5	8.64E-04
458	458	1.8E-02	5	7.76E-04
459	459	1.2E-02	5	5.42E-04
460	460	1.1E-02	5	4.83E-04
461	461	9.9E-03	5	4.33E-04
462	462	8.9E-03	5	3.90E-04
463	463	6.3E-01	5	2.75E-02
464	464	3.6E-01	5	1.57E-02
465	465	4.5E-01	5	1.98E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
466	466	2.6E-01	5	1.12E-02
467	467	2.8E-01	5	1.22E-02
468	468	1.9E-01	5	8.39E-03
469	469	1.4E-01	5	6.01E-03
470	470	1.2E-01	5	5.46E-03
471	471	1.2E-01	5	5.23E-03
472	472	9.3E-02	5	4.05E-03
473	473	8.0E-02	5	3.49E-03
474	474	7.1E-02	5	3.12E-03
475	475	6.4E-02	5	2.78E-03
476	476	5.7E-02	5	2.48E-03
477	477	5.2E-02	5	2.27E-03
478	478	4.6E-02	5	2.02E-03
479	479	4.3E-02	5	1.88E-03
480	480	3.9E-02	5	1.68E-03
481	481	3.8E-02	5	1.67E-03
482	482	3.3E-02	5	1.44E-03
483	483	3.1E-02	5	1.35E-03
484	484	2.9E-02	5	1.25E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.17488	4.58E-03	8.0E-04	6.05E-04	4.84E-07	8.01E-02	4.71E-02	1.83E-09	1.0E+06	1.8E-03
2	0.1821	4.58E-03	8.3E-04	6.05E-04	5.04E-07	8.01E-02	4.71E-02	1.90E-09	1.0E+06	1.9E-03
3	0.18927	4.58E-03	8.7E-04	6.05E-04	5.24E-07	8.01E-02	4.71E-02	1.98E-09	1.0E+06	2.0E-03
4	0.19672	4.58E-03	9.0E-04	6.05E-04	5.45E-07	8.01E-02	4.71E-02	2.06E-09	1.0E+06	2.1E-03
5	0.20428	4.58E-03	9.3E-04	6.05E-04	5.66E-07	8.01E-02	4.71E-02	2.14E-09	1.0E+06	2.1E-03
6	0.21386	4.58E-03	9.8E-04	6.05E-04	5.92E-07	8.01E-02	4.71E-02	2.24E-09	1.0E+06	2.2E-03
7	0.22485	4.58E-03	1.0E-03	6.05E-04	6.23E-07	8.01E-02	4.71E-02	2.35E-09	1.0E+06	2.4E-03
8	0.23793	4.58E-03	1.1E-03	6.05E-04	6.59E-07	8.01E-02	4.71E-02	2.49E-09	1.0E+06	2.5E-03
9	0.25299	4.58E-03	1.2E-03	6.05E-04	7.01E-07	8.01E-02	4.71E-02	2.65E-09	1.0E+06	2.6E-03
10	0.27375	4.58E-03	1.3E-03	6.05E-04	7.58E-07	8.01E-02	4.71E-02	2.86E-09	1.0E+06	2.9E-03
11	0.29877	4.58E-03	1.4E-03	6.05E-04	8.27E-07	8.01E-02	4.71E-02	3.12E-09	1.0E+06	3.1E-03
12	0.32773	4.58E-03	1.5E-03	6.05E-04	9.07E-07	8.01E-02	4.71E-02	3.43E-09	1.0E+06	3.4E-03
13	0.35728	4.58E-03	1.6E-03	6.05E-04	9.89E-07	8.01E-02	4.71E-02	3.74E-09	1.0E+06	3.7E-03
14	0.47121	4.58E-03	2.2E-03	6.05E-04	1.30E-06	8.01E-02	4.71E-02	4.93E-09	1.0E+06	4.9E-03
15	0.19314	4.58E-03	8.8E-04	6.05E-04	5.35E-07	8.01E-02	4.71E-02	2.02E-09	1.0E+06	2.0E-03
16	0.20217	4.58E-03	9.3E-04	6.05E-04	5.60E-07	8.01E-02	4.71E-02	2.11E-09	1.0E+06	2.1E-03
17	0.21216	4.58E-03	9.7E-04	6.05E-04	5.87E-07	8.01E-02	4.71E-02	2.22E-09	1.0E+06	2.2E-03
18	0.22178	4.58E-03	1.0E-03	6.05E-04	6.14E-07	8.01E-02	4.71E-02	2.32E-09	1.0E+06	2.3E-03
19	0.23136	4.58E-03	1.1E-03	6.05E-04	6.41E-07	8.01E-02	4.71E-02	2.42E-09	1.0E+06	2.4E-03
20	0.2424	4.58E-03	1.1E-03	6.05E-04	6.71E-07	8.01E-02	4.71E-02	2.53E-09	1.0E+06	2.5E-03
21	0.25482	4.58E-03	1.2E-03	6.05E-04	7.06E-07	8.01E-02	4.71E-02	2.66E-09	1.0E+06	2.7E-03
22	0.26846	4.58E-03	1.2E-03	6.05E-04	7.43E-07	8.01E-02	4.71E-02	2.81E-09	1.0E+06	2.8E-03
23	0.28842	4.58E-03	1.3E-03	6.05E-04	7.99E-07	8.01E-02	4.71E-02	3.02E-09	1.0E+06	3.0E-03
24	0.30946	4.58E-03	1.4E-03	6.05E-04	8.57E-07	8.01E-02	4.71E-02	3.24E-09	1.0E+06	3.2E-03
25	0.3417	4.58E-03	1.6E-03	6.05E-04	9.46E-07	8.01E-02	4.71E-02	3.57E-09	1.0E+06	3.6E-03
26	0.37884	4.58E-03	1.7E-03	6.05E-04	1.05E-06	8.01E-02	4.71E-02	3.96E-09	1.0E+06	4.0E-03
27	0.41116	4.58E-03	1.9E-03	6.05E-04	1.14E-06	8.01E-02	4.71E-02	4.30E-09	1.0E+06	4.3E-03
28	0.57175	4.58E-03	2.6E-03	6.05E-04	1.58E-06	8.01E-02	4.71E-02	5.98E-09	1.0E+06	6.0E-03
29	0.21093	4.58E-03	9.7E-04	6.05E-04	5.84E-07	8.01E-02	4.71E-02	2.21E-09	1.0E+06	2.2E-03
30	0.22337	4.58E-03	1.0E-03	6.05E-04	6.18E-07	8.01E-02	4.71E-02	2.34E-09	1.0E+06	2.3E-03
31	0.23665	4.58E-03	1.1E-03	6.05E-04	6.55E-07	8.01E-02	4.71E-02	2.47E-09	1.0E+06	2.5E-03

	Max	Receptor #
Res	0.165	146

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.25053	4.58E-03	1.1E-03	6.05E-04	6.94E-07	8.01E-02	4.71E-02	2.62E-09	1.0E+06	2.6E-03
33	0.26279	4.58E-03	1.2E-03	6.05E-04	7.28E-07	8.01E-02	4.71E-02	2.75E-09	1.0E+06	2.7E-03
34	0.27715	4.58E-03	1.3E-03	6.05E-04	7.67E-07	8.01E-02	4.71E-02	2.90E-09	1.0E+06	2.9E-03
35	0.29204	4.58E-03	1.3E-03	6.05E-04	8.09E-07	8.01E-02	4.71E-02	3.05E-09	1.0E+06	3.1E-03
36	0.30964	4.58E-03	1.4E-03	6.05E-04	8.57E-07	8.01E-02	4.71E-02	3.24E-09	1.0E+06	3.2E-03
37	0.33136	4.58E-03	1.5E-03	6.05E-04	9.18E-07	8.01E-02	4.71E-02	3.46E-09	1.0E+06	3.5E-03
38	0.35987	4.58E-03	1.6E-03	6.05E-04	9.96E-07	8.01E-02	4.71E-02	3.76E-09	1.0E+06	3.8E-03
39	0.39788	4.58E-03	1.8E-03	6.05E-04	1.10E-06	8.01E-02	4.71E-02	4.16E-09	1.0E+06	4.2E-03
40	0.43602	4.58E-03	2.0E-03	6.05E-04	1.21E-06	8.01E-02	4.71E-02	4.56E-09	1.0E+06	4.6E-03
41	0.4798	4.58E-03	2.2E-03	6.05E-04	1.33E-06	8.01E-02	4.71E-02	5.02E-09	1.0E+06	5.0E-03
42	0.7101	4.58E-03	3.2E-03	6.05E-04	1.97E-06	8.01E-02	4.71E-02	7.42E-09	1.0E+06	7.4E-03
43	0.22642	4.58E-03	1.0E-03	6.05E-04	6.27E-07	8.01E-02	4.71E-02	2.37E-09	1.0E+06	2.4E-03
44	0.24148	4.58E-03	1.1E-03	6.05E-04	6.69E-07	8.01E-02	4.71E-02	2.52E-09	1.0E+06	2.5E-03
45	0.25936	4.58E-03	1.2E-03	6.05E-04	7.18E-07	8.01E-02	4.71E-02	2.71E-09	1.0E+06	2.7E-03
46	0.27862	4.58E-03	1.3E-03	6.05E-04	7.71E-07	8.01E-02	4.71E-02	2.91E-09	1.0E+06	2.9E-03
47	0.2972	4.58E-03	1.4E-03	6.05E-04	8.23E-07	8.01E-02	4.71E-02	3.11E-09	1.0E+06	3.1E-03
48	0.31625	4.58E-03	1.4E-03	6.05E-04	8.76E-07	8.01E-02	4.71E-02	3.31E-09	1.0E+06	3.3E-03
49	0.33541	4.58E-03	1.5E-03	6.05E-04	9.29E-07	8.01E-02	4.71E-02	3.51E-09	1.0E+06	3.5E-03
50	0.35565	4.58E-03	1.6E-03	6.05E-04	9.85E-07	8.01E-02	4.71E-02	3.72E-09	1.0E+06	3.7E-03
51	0.38654	4.58E-03	1.8E-03	6.05E-04	1.07E-06	8.01E-02	4.71E-02	4.04E-09	1.0E+06	4.0E-03
52	0.42056	4.58E-03	1.9E-03	6.05E-04	1.16E-06	8.01E-02	4.71E-02	4.40E-09	1.0E+06	4.4E-03
53	0.46818	4.58E-03	2.1E-03	6.05E-04	1.30E-06	8.01E-02	4.71E-02	4.90E-09	1.0E+06	4.9E-03
54	0.52053	4.58E-03	2.4E-03	6.05E-04	1.44E-06	8.01E-02	4.71E-02	5.44E-09	1.0E+06	5.4E-03
55	0.58292	4.58E-03	2.7E-03	6.05E-04	1.61E-06	8.01E-02	4.71E-02	6.09E-09	1.0E+06	6.1E-03
56	0.91081	4.58E-03	4.2E-03	6.05E-04	2.52E-06	8.01E-02	4.71E-02	9.52E-09	1.0E+06	9.5E-03
57	0.23786	4.58E-03	1.1E-03	6.05E-04	6.59E-07	8.01E-02	4.71E-02	2.49E-09	1.0E+06	2.5E-03
58	0.25766	4.58E-03	1.2E-03	6.05E-04	7.13E-07	8.01E-02	4.71E-02	2.69E-09	1.0E+06	2.7E-03
59	0.28115	4.58E-03	1.3E-03	6.05E-04	7.78E-07	8.01E-02	4.71E-02	2.94E-09	1.0E+06	2.9E-03
60	0.30622	4.58E-03	1.4E-03	6.05E-04	8.48E-07	8.01E-02	4.71E-02	3.20E-09	1.0E+06	3.2E-03
61	0.33261	4.58E-03	1.5E-03	6.05E-04	9.21E-07	8.01E-02	4.71E-02	3.48E-09	1.0E+06	3.5E-03
62	0.35999	4.58E-03	1.6E-03	6.05E-04	9.97E-07	8.01E-02	4.71E-02	3.76E-09	1.0E+06	3.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.39069	4.58E-03	1.8E-03	6.05E-04	1.08E-06	8.01E-02	4.71E-02	4.08E-09	1.0E+06	4.1E-03
64	0.4155	4.58E-03	1.9E-03	6.05E-04	1.15E-06	8.01E-02	4.71E-02	4.34E-09	1.0E+06	4.3E-03
65	0.45397	4.58E-03	2.1E-03	6.05E-04	1.26E-06	8.01E-02	4.71E-02	4.75E-09	1.0E+06	4.7E-03
66	0.50152	4.58E-03	2.3E-03	6.05E-04	1.39E-06	8.01E-02	4.71E-02	5.24E-09	1.0E+06	5.2E-03
67	0.55455	4.58E-03	2.5E-03	6.05E-04	1.54E-06	8.01E-02	4.71E-02	5.80E-09	1.0E+06	5.8E-03
68	0.63644	4.58E-03	2.9E-03	6.05E-04	1.76E-06	8.01E-02	4.71E-02	6.65E-09	1.0E+06	6.7E-03
69	0.72804	4.58E-03	3.3E-03	6.05E-04	2.02E-06	8.01E-02	4.71E-02	7.61E-09	1.0E+06	7.6E-03
70	0.2495	4.58E-03	1.1E-03	6.05E-04	6.91E-07	8.01E-02	4.71E-02	2.61E-09	1.0E+06	2.6E-03
71	0.27248	4.58E-03	1.2E-03	6.05E-04	7.54E-07	8.01E-02	4.71E-02	2.85E-09	1.0E+06	2.8E-03
72	0.3016	4.58E-03	1.4E-03	6.05E-04	8.35E-07	8.01E-02	4.71E-02	3.15E-09	1.0E+06	3.2E-03
73	0.33167	4.58E-03	1.5E-03	6.05E-04	9.18E-07	8.01E-02	4.71E-02	3.47E-09	1.0E+06	3.5E-03
74	0.36626	4.58E-03	1.7E-03	6.05E-04	1.01E-06	8.01E-02	4.71E-02	3.83E-09	1.0E+06	3.8E-03
75	0.40355	4.58E-03	1.8E-03	6.05E-04	1.12E-06	8.01E-02	4.71E-02	4.22E-09	1.0E+06	4.2E-03
76	0.44679	4.58E-03	2.0E-03	6.05E-04	1.24E-06	8.01E-02	4.71E-02	4.67E-09	1.0E+06	4.7E-03
77	0.48972	4.58E-03	2.2E-03	6.05E-04	1.36E-06	8.01E-02	4.71E-02	5.12E-09	1.0E+06	5.1E-03
78	0.54448	4.58E-03	2.5E-03	6.05E-04	1.51E-06	8.01E-02	4.71E-02	5.69E-09	1.0E+06	5.7E-03
79	0.62745	4.58E-03	2.9E-03	6.05E-04	1.74E-06	8.01E-02	4.71E-02	6.56E-09	1.0E+06	6.6E-03
80	0.70098	4.58E-03	3.2E-03	6.05E-04	1.94E-06	8.01E-02	4.71E-02	7.33E-09	1.0E+06	7.3E-03
81	0.82297	4.58E-03	3.8E-03	6.05E-04	2.28E-06	8.01E-02	4.71E-02	8.60E-09	1.0E+06	8.6E-03
82	0.94086	4.58E-03	4.3E-03	6.05E-04	2.61E-06	8.01E-02	4.71E-02	9.84E-09	1.0E+06	9.8E-03
83	0.25944	4.58E-03	1.2E-03	6.05E-04	7.18E-07	8.01E-02	4.71E-02	2.71E-09	1.0E+06	2.7E-03
84	0.28928	4.58E-03	1.3E-03	6.05E-04	8.01E-07	8.01E-02	4.71E-02	3.02E-09	1.0E+06	3.0E-03
85	0.32121	4.58E-03	1.5E-03	6.05E-04	8.89E-07	8.01E-02	4.71E-02	3.36E-09	1.0E+06	3.4E-03
86	0.35254	4.58E-03	1.6E-03	6.05E-04	9.76E-07	8.01E-02	4.71E-02	3.69E-09	1.0E+06	3.7E-03
87	0.39269	4.58E-03	1.8E-03	6.05E-04	1.09E-06	8.01E-02	4.71E-02	4.11E-09	1.0E+06	4.1E-03
88	0.43866	4.58E-03	2.0E-03	6.05E-04	1.21E-06	8.01E-02	4.71E-02	4.59E-09	1.0E+06	4.6E-03
89	0.49549	4.58E-03	2.3E-03	6.05E-04	1.37E-06	8.01E-02	4.71E-02	5.18E-09	1.0E+06	5.2E-03
90	0.56452	4.58E-03	2.6E-03	6.05E-04	1.56E-06	8.01E-02	4.71E-02	5.90E-09	1.0E+06	5.9E-03
91	0.64839	4.58E-03	3.0E-03	6.05E-04	1.80E-06	8.01E-02	4.71E-02	6.78E-09	1.0E+06	6.8E-03
92	0.75145	4.58E-03	3.4E-03	6.05E-04	2.08E-06	8.01E-02	4.71E-02	7.86E-09	1.0E+06	7.9E-03
93	0.88004	4.58E-03	4.0E-03	6.05E-04	2.44E-06	8.01E-02	4.71E-02	9.20E-09	1.0E+06	9.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	1.03748	4.58E-03	4.7E-03	6.05E-04	2.87E-06	8.01E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
95	1.2286	4.58E-03	5.6E-03	6.05E-04	3.40E-06	8.01E-02	4.71E-02	1.28E-08	1.0E+06	1.3E-02
96	0.26724	4.58E-03	1.2E-03	6.05E-04	7.40E-07	8.01E-02	4.71E-02	2.79E-09	1.0E+06	2.8E-03
97	0.2968	4.58E-03	1.4E-03	6.05E-04	8.22E-07	8.01E-02	4.71E-02	3.10E-09	1.0E+06	3.1E-03
98	0.33036	4.58E-03	1.5E-03	6.05E-04	9.15E-07	8.01E-02	4.71E-02	3.45E-09	1.0E+06	3.5E-03
99	0.3717	4.58E-03	1.7E-03	6.05E-04	1.03E-06	8.01E-02	4.71E-02	3.89E-09	1.0E+06	3.9E-03
100	0.4166	4.58E-03	1.9E-03	6.05E-04	1.15E-06	8.01E-02	4.71E-02	4.36E-09	1.0E+06	4.4E-03
101	0.47215	4.58E-03	2.2E-03	6.05E-04	1.31E-06	8.01E-02	4.71E-02	4.94E-09	1.0E+06	4.9E-03
102	0.5404	4.58E-03	2.5E-03	6.05E-04	1.50E-06	8.01E-02	4.71E-02	5.65E-09	1.0E+06	5.7E-03
103	0.6279	4.58E-03	2.9E-03	6.05E-04	1.74E-06	8.01E-02	4.71E-02	6.56E-09	1.0E+06	6.6E-03
104	0.73836	4.58E-03	3.4E-03	6.05E-04	2.04E-06	8.01E-02	4.71E-02	7.72E-09	1.0E+06	7.7E-03
105	0.88132	4.58E-03	4.0E-03	6.05E-04	2.44E-06	8.01E-02	4.71E-02	9.21E-09	1.0E+06	9.2E-03
106	1.06529	4.58E-03	4.9E-03	6.05E-04	2.95E-06	8.01E-02	4.71E-02	1.11E-08	1.0E+06	1.1E-02
107	1.30402	4.58E-03	6.0E-03	6.05E-04	3.61E-06	8.01E-02	4.71E-02	1.36E-08	1.0E+06	1.4E-02
108	1.61057	4.58E-03	7.4E-03	6.05E-04	4.46E-06	8.01E-02	4.71E-02	1.68E-08	1.0E+06	1.7E-02
109	0.26525	4.58E-03	1.2E-03	6.05E-04	7.34E-07	8.01E-02	4.71E-02	2.77E-09	1.0E+06	2.8E-03
110	0.29664	4.58E-03	1.4E-03	6.05E-04	8.21E-07	8.01E-02	4.71E-02	3.10E-09	1.0E+06	3.1E-03
111	0.3339	4.58E-03	1.5E-03	6.05E-04	9.25E-07	8.01E-02	4.71E-02	3.49E-09	1.0E+06	3.5E-03
112	0.37842	4.58E-03	1.7E-03	6.05E-04	1.05E-06	8.01E-02	4.71E-02	3.96E-09	1.0E+06	4.0E-03
113	0.43228	4.58E-03	2.0E-03	6.05E-04	1.20E-06	8.01E-02	4.71E-02	4.52E-09	1.0E+06	4.5E-03
114	0.49803	4.58E-03	2.3E-03	6.05E-04	1.38E-06	8.01E-02	4.71E-02	5.21E-09	1.0E+06	5.2E-03
115	0.58	4.58E-03	2.7E-03	6.05E-04	1.61E-06	8.01E-02	4.71E-02	6.06E-09	1.0E+06	6.1E-03
116	0.68497	4.58E-03	3.1E-03	6.05E-04	1.90E-06	8.01E-02	4.71E-02	7.16E-09	1.0E+06	7.2E-03
117	0.82678	4.58E-03	3.8E-03	6.05E-04	2.29E-06	8.01E-02	4.71E-02	8.64E-09	1.0E+06	8.6E-03
118	0.98991	4.58E-03	4.5E-03	6.05E-04	2.74E-06	8.01E-02	4.71E-02	1.03E-08	1.0E+06	1.0E-02
119	1.24281	4.58E-03	5.7E-03	6.05E-04	3.44E-06	8.01E-02	4.71E-02	1.30E-08	1.0E+06	1.3E-02
120	1.57912	4.58E-03	7.2E-03	6.05E-04	4.37E-06	8.01E-02	4.71E-02	1.65E-08	1.0E+06	1.7E-02
121	2.00608	4.58E-03	9.2E-03	6.05E-04	5.55E-06	8.01E-02	4.71E-02	2.10E-08	1.0E+06	2.1E-02
122	0.25537	4.58E-03	1.2E-03	6.05E-04	7.07E-07	8.01E-02	4.71E-02	2.67E-09	1.0E+06	2.7E-03
123	0.28818	4.58E-03	1.3E-03	6.05E-04	7.98E-07	8.01E-02	4.71E-02	3.01E-09	1.0E+06	3.0E-03
124	0.32858	4.58E-03	1.5E-03	6.05E-04	9.10E-07	8.01E-02	4.71E-02	3.44E-09	1.0E+06	3.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.3757	4.58E-03	1.7E-03	6.05E-04	1.04E-06	8.01E-02	4.71E-02	3.93E-09	1.0E+06	3.9E-03
126	0.43335	4.58E-03	2.0E-03	6.05E-04	1.20E-06	8.01E-02	4.71E-02	4.53E-09	1.0E+06	4.5E-03
127	0.50557	4.58E-03	2.3E-03	6.05E-04	1.40E-06	8.01E-02	4.71E-02	5.29E-09	1.0E+06	5.3E-03
128	0.58754	4.58E-03	2.7E-03	6.05E-04	1.63E-06	8.01E-02	4.71E-02	6.14E-09	1.0E+06	6.1E-03
129	0.71039	4.58E-03	3.3E-03	6.05E-04	1.97E-06	8.01E-02	4.71E-02	7.43E-09	1.0E+06	7.4E-03
130	0.89215	4.58E-03	4.1E-03	6.05E-04	2.47E-06	8.01E-02	4.71E-02	9.33E-09	1.0E+06	9.3E-03
131	12.92748	4.58E-03	5.9E-02	6.05E-04	3.58E-05	8.01E-02	4.71E-02	1.35E-07	1.0E+06	1.4E-01
132	9.40064	4.58E-03	4.3E-02	6.05E-04	2.60E-05	8.01E-02	4.71E-02	9.83E-08	1.0E+06	9.8E-02
133	0.23911	4.58E-03	1.1E-03	6.05E-04	6.62E-07	8.01E-02	4.71E-02	2.50E-09	1.0E+06	2.5E-03
134	0.27452	4.58E-03	1.3E-03	6.05E-04	7.60E-07	8.01E-02	4.71E-02	2.87E-09	1.0E+06	2.9E-03
135	0.31532	4.58E-03	1.4E-03	6.05E-04	8.73E-07	8.01E-02	4.71E-02	3.30E-09	1.0E+06	3.3E-03
136	0.36264	4.58E-03	1.7E-03	6.05E-04	1.00E-06	8.01E-02	4.71E-02	3.79E-09	1.0E+06	3.8E-03
137	0.42092	4.58E-03	1.9E-03	6.05E-04	1.17E-06	8.01E-02	4.71E-02	4.40E-09	1.0E+06	4.4E-03
138	0.49184	4.58E-03	2.3E-03	6.05E-04	1.36E-06	8.01E-02	4.71E-02	5.14E-09	1.0E+06	5.1E-03
139	0.57812	4.58E-03	2.6E-03	6.05E-04	1.60E-06	8.01E-02	4.71E-02	6.04E-09	1.0E+06	6.0E-03
140	0.70963	4.58E-03	3.2E-03	6.05E-04	1.96E-06	8.01E-02	4.71E-02	7.42E-09	1.0E+06	7.4E-03
141	0.89849	4.58E-03	4.1E-03	6.05E-04	2.49E-06	8.01E-02	4.71E-02	9.39E-09	1.0E+06	9.4E-03
142	1.18174	4.58E-03	5.4E-03	6.05E-04	3.27E-06	8.01E-02	4.71E-02	1.24E-08	1.0E+06	1.2E-02
143	1.67257	4.58E-03	7.7E-03	6.05E-04	4.63E-06	8.01E-02	4.71E-02	1.75E-08	1.0E+06	1.7E-02
144	2.65947	4.58E-03	1.2E-02	6.05E-04	7.36E-06	8.01E-02	4.71E-02	2.78E-08	1.0E+06	2.8E-02
145	5.22291	4.58E-03	2.4E-02	6.05E-04	1.45E-05	8.01E-02	4.71E-02	5.46E-08	1.0E+06	5.5E-02
146	15.81931	4.58E-03	7.2E-02	6.05E-04	4.38E-05	8.01E-02	4.71E-02	1.65E-07	1.0E+06	1.7E-01
147	0.22164	4.58E-03	1.0E-03	6.05E-04	6.14E-07	8.01E-02	4.71E-02	2.32E-09	1.0E+06	2.3E-03
148	0.25424	4.58E-03	1.2E-03	6.05E-04	7.04E-07	8.01E-02	4.71E-02	2.66E-09	1.0E+06	2.7E-03
149	0.294	4.58E-03	1.3E-03	6.05E-04	8.14E-07	8.01E-02	4.71E-02	3.07E-09	1.0E+06	3.1E-03
150	0.33969	4.58E-03	1.6E-03	6.05E-04	9.41E-07	8.01E-02	4.71E-02	3.55E-09	1.0E+06	3.6E-03
151	0.39809	4.58E-03	1.8E-03	6.05E-04	1.10E-06	8.01E-02	4.71E-02	4.16E-09	1.0E+06	4.2E-03
152	0.46482	4.58E-03	2.1E-03	6.05E-04	1.29E-06	8.01E-02	4.71E-02	4.86E-09	1.0E+06	4.9E-03
153	0.55148	4.58E-03	2.5E-03	6.05E-04	1.53E-06	8.01E-02	4.71E-02	5.77E-09	1.0E+06	5.8E-03
154	0.67711	4.58E-03	3.1E-03	6.05E-04	1.87E-06	8.01E-02	4.71E-02	7.08E-09	1.0E+06	7.1E-03
155	0.86429	4.58E-03	4.0E-03	6.05E-04	2.39E-06	8.01E-02	4.71E-02	9.04E-09	1.0E+06	9.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	1.15152	4.58E-03	5.3E-03	6.05E-04	3.19E-06	8.01E-02	4.71E-02	1.20E-08	1.0E+06	1.2E-02
157	1.63937	4.58E-03	7.5E-03	6.05E-04	4.54E-06	8.01E-02	4.71E-02	1.71E-08	1.0E+06	1.7E-02
158	2.64058	4.58E-03	1.2E-02	6.05E-04	7.31E-06	8.01E-02	4.71E-02	2.76E-08	1.0E+06	2.8E-02
159	6.58994	4.58E-03	3.0E-02	6.05E-04	1.82E-05	8.01E-02	4.71E-02	6.89E-08	1.0E+06	6.9E-02
160	0.20943	4.58E-03	9.6E-04	6.05E-04	5.80E-07	8.01E-02	4.71E-02	2.19E-09	1.0E+06	2.2E-03
161	0.23565	4.58E-03	1.1E-03	6.05E-04	6.53E-07	8.01E-02	4.71E-02	2.46E-09	1.0E+06	2.5E-03
162	0.26393	4.58E-03	1.2E-03	6.05E-04	7.31E-07	8.01E-02	4.71E-02	2.76E-09	1.0E+06	2.8E-03
163	0.31008	4.58E-03	1.4E-03	6.05E-04	8.59E-07	8.01E-02	4.71E-02	3.24E-09	1.0E+06	3.2E-03
164	0.37016	4.58E-03	1.7E-03	6.05E-04	1.02E-06	8.01E-02	4.71E-02	3.87E-09	1.0E+06	3.9E-03
165	0.43373	4.58E-03	2.0E-03	6.05E-04	1.20E-06	8.01E-02	4.71E-02	4.53E-09	1.0E+06	4.5E-03
166	0.51919	4.58E-03	2.4E-03	6.05E-04	1.44E-06	8.01E-02	4.71E-02	5.43E-09	1.0E+06	5.4E-03
167	0.63546	4.58E-03	2.9E-03	6.05E-04	1.76E-06	8.01E-02	4.71E-02	6.64E-09	1.0E+06	6.6E-03
168	0.80312	4.58E-03	3.7E-03	6.05E-04	2.22E-06	8.01E-02	4.71E-02	8.40E-09	1.0E+06	8.4E-03
169	1.05888	4.58E-03	4.8E-03	6.05E-04	2.93E-06	8.01E-02	4.71E-02	1.11E-08	1.0E+06	1.1E-02
170	1.48224	4.58E-03	6.8E-03	6.05E-04	4.10E-06	8.01E-02	4.71E-02	1.55E-08	1.0E+06	1.5E-02
171	2.31071	4.58E-03	1.1E-02	6.05E-04	6.40E-06	8.01E-02	4.71E-02	2.42E-08	1.0E+06	2.4E-02
172	4.93324	4.58E-03	2.3E-02	6.05E-04	1.37E-05	8.01E-02	4.71E-02	5.16E-08	1.0E+06	5.2E-02
173	6.72209	4.58E-03	3.1E-02	6.05E-04	1.86E-05	8.01E-02	4.71E-02	7.03E-08	1.0E+06	7.0E-02
174	10.31006	4.58E-03	4.7E-02	6.05E-04	2.85E-05	8.01E-02	4.71E-02	1.08E-07	1.0E+06	1.1E-01
175	11.13119	4.58E-03	5.1E-02	6.05E-04	3.08E-05	8.01E-02	4.71E-02	1.16E-07	1.0E+06	1.2E-01
176	12.98888	4.58E-03	5.9E-02	6.05E-04	3.60E-05	8.01E-02	4.71E-02	1.36E-07	1.0E+06	1.4E-01
177	10.80421	4.58E-03	4.9E-02	6.05E-04	2.99E-05	8.01E-02	4.71E-02	1.13E-07	1.0E+06	1.1E-01
178	8.91457	4.58E-03	4.1E-02	6.05E-04	2.47E-05	8.01E-02	4.71E-02	9.32E-08	1.0E+06	9.3E-02
179	0.19309	4.58E-03	8.8E-04	6.05E-04	5.35E-07	8.01E-02	4.71E-02	2.02E-09	1.0E+06	2.0E-03
180	0.21456	4.58E-03	9.8E-04	6.05E-04	5.94E-07	8.01E-02	4.71E-02	2.24E-09	1.0E+06	2.2E-03
181	0.2361	4.58E-03	1.1E-03	6.05E-04	6.54E-07	8.01E-02	4.71E-02	2.47E-09	1.0E+06	2.5E-03
182	0.28264	4.58E-03	1.3E-03	6.05E-04	7.83E-07	8.01E-02	4.71E-02	2.96E-09	1.0E+06	3.0E-03
183	0.34655	4.58E-03	1.6E-03	6.05E-04	9.60E-07	8.01E-02	4.71E-02	3.62E-09	1.0E+06	3.6E-03
184	0.40738	4.58E-03	1.9E-03	6.05E-04	1.13E-06	8.01E-02	4.71E-02	4.26E-09	1.0E+06	4.3E-03
185	0.48904	4.58E-03	2.2E-03	6.05E-04	1.35E-06	8.01E-02	4.71E-02	5.11E-09	1.0E+06	5.1E-03
186	0.59504	4.58E-03	2.7E-03	6.05E-04	1.65E-06	8.01E-02	4.71E-02	6.22E-09	1.0E+06	6.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.73895	4.58E-03	3.4E-03	6.05E-04	2.05E-06	8.01E-02	4.71E-02	7.73E-09	1.0E+06	7.7E-03
188	0.95209	4.58E-03	4.4E-03	6.05E-04	2.64E-06	8.01E-02	4.71E-02	9.95E-09	1.0E+06	1.0E-02
189	1.27312	4.58E-03	5.8E-03	6.05E-04	3.53E-06	8.01E-02	4.71E-02	1.33E-08	1.0E+06	1.3E-02
190	1.82477	4.58E-03	8.4E-03	6.05E-04	5.05E-06	8.01E-02	4.71E-02	1.91E-08	1.0E+06	1.9E-02
191	2.94775	4.58E-03	1.3E-02	6.05E-04	8.16E-06	8.01E-02	4.71E-02	3.08E-08	1.0E+06	3.1E-02
192	5.09803	4.58E-03	2.3E-02	6.05E-04	1.41E-05	8.01E-02	4.71E-02	5.33E-08	1.0E+06	5.3E-02
193	6.65391	4.58E-03	3.0E-02	6.05E-04	1.84E-05	8.01E-02	4.71E-02	6.96E-08	1.0E+06	7.0E-02
194	7.42306	4.58E-03	3.4E-02	6.05E-04	2.06E-05	8.01E-02	4.71E-02	7.76E-08	1.0E+06	7.8E-02
195	8.09345	4.58E-03	3.7E-02	6.05E-04	2.24E-05	8.01E-02	4.71E-02	8.46E-08	1.0E+06	8.5E-02
196	7.64119	4.58E-03	3.5E-02	6.05E-04	2.12E-05	8.01E-02	4.71E-02	7.99E-08	1.0E+06	8.0E-02
197	5.9061	4.58E-03	2.7E-02	6.05E-04	1.64E-05	8.01E-02	4.71E-02	6.18E-08	1.0E+06	6.2E-02
198	0.18335	4.58E-03	8.4E-04	6.05E-04	5.08E-07	8.01E-02	4.71E-02	1.92E-09	1.0E+06	1.9E-03
199	0.2041	4.58E-03	9.3E-04	6.05E-04	5.65E-07	8.01E-02	4.71E-02	2.13E-09	1.0E+06	2.1E-03
200	0.22853	4.58E-03	1.0E-03	6.05E-04	6.33E-07	8.01E-02	4.71E-02	2.39E-09	1.0E+06	2.4E-03
201	0.26339	4.58E-03	1.2E-03	6.05E-04	7.29E-07	8.01E-02	4.71E-02	2.75E-09	1.0E+06	2.8E-03
202	0.32176	4.58E-03	1.5E-03	6.05E-04	8.91E-07	8.01E-02	4.71E-02	3.36E-09	1.0E+06	3.4E-03
203	0.38143	4.58E-03	1.7E-03	6.05E-04	1.06E-06	8.01E-02	4.71E-02	3.99E-09	1.0E+06	4.0E-03
204	0.45785	4.58E-03	2.1E-03	6.05E-04	1.27E-06	8.01E-02	4.71E-02	4.79E-09	1.0E+06	4.8E-03
205	0.55249	4.58E-03	2.5E-03	6.05E-04	1.53E-06	8.01E-02	4.71E-02	5.78E-09	1.0E+06	5.8E-03
206	0.67606	4.58E-03	3.1E-03	6.05E-04	1.87E-06	8.01E-02	4.71E-02	7.07E-09	1.0E+06	7.1E-03
207	0.84477	4.58E-03	3.9E-03	6.05E-04	2.34E-06	8.01E-02	4.71E-02	8.83E-09	1.0E+06	8.8E-03
208	1.0806	4.58E-03	4.9E-03	6.05E-04	2.99E-06	8.01E-02	4.71E-02	1.13E-08	1.0E+06	1.1E-02
209	1.4381	4.58E-03	6.6E-03	6.05E-04	3.98E-06	8.01E-02	4.71E-02	1.50E-08	1.0E+06	1.5E-02
210	2.02651	4.58E-03	9.3E-03	6.05E-04	5.61E-06	8.01E-02	4.71E-02	2.12E-08	1.0E+06	2.1E-02
211	2.88779	4.58E-03	1.3E-02	6.05E-04	8.00E-06	8.01E-02	4.71E-02	3.02E-08	1.0E+06	3.0E-02
212	3.58306	4.58E-03	1.6E-02	6.05E-04	9.92E-06	8.01E-02	4.71E-02	3.75E-08	1.0E+06	3.7E-02
213	3.84605	4.58E-03	1.8E-02	6.05E-04	1.06E-05	8.01E-02	4.71E-02	4.02E-08	1.0E+06	4.0E-02
214	3.81694	4.58E-03	1.7E-02	6.05E-04	1.06E-05	8.01E-02	4.71E-02	3.99E-08	1.0E+06	4.0E-02
215	4.44903	4.58E-03	2.0E-02	6.05E-04	1.23E-05	8.01E-02	4.71E-02	4.65E-08	1.0E+06	4.7E-02
216	0.17741	4.58E-03	8.1E-04	6.05E-04	4.91E-07	8.01E-02	4.71E-02	1.85E-09	1.0E+06	1.9E-03
217	0.1957	4.58E-03	9.0E-04	6.05E-04	5.42E-07	8.01E-02	4.71E-02	2.05E-09	1.0E+06	2.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.21931	4.58E-03	1.0E-03	6.05E-04	6.07E-07	8.01E-02	4.71E-02	2.29E-09	1.0E+06	2.3E-03
219	0.25009	4.58E-03	1.1E-03	6.05E-04	6.92E-07	8.01E-02	4.71E-02	2.61E-09	1.0E+06	2.6E-03
220	0.29965	4.58E-03	1.4E-03	6.05E-04	8.30E-07	8.01E-02	4.71E-02	3.13E-09	1.0E+06	3.1E-03
221	0.35077	4.58E-03	1.6E-03	6.05E-04	9.71E-07	8.01E-02	4.71E-02	3.67E-09	1.0E+06	3.7E-03
222	0.41974	4.58E-03	1.9E-03	6.05E-04	1.16E-06	8.01E-02	4.71E-02	4.39E-09	1.0E+06	4.4E-03
223	0.50101	4.58E-03	2.3E-03	6.05E-04	1.39E-06	8.01E-02	4.71E-02	5.24E-09	1.0E+06	5.2E-03
224	0.60151	4.58E-03	2.8E-03	6.05E-04	1.67E-06	8.01E-02	4.71E-02	6.29E-09	1.0E+06	6.3E-03
225	0.7257	4.58E-03	3.3E-03	6.05E-04	2.01E-06	8.01E-02	4.71E-02	7.59E-09	1.0E+06	7.6E-03
226	0.89772	4.58E-03	4.1E-03	6.05E-04	2.49E-06	8.01E-02	4.71E-02	9.39E-09	1.0E+06	9.4E-03
227	1.13195	4.58E-03	5.2E-03	6.05E-04	3.13E-06	8.01E-02	4.71E-02	1.18E-08	1.0E+06	1.2E-02
228	1.475	4.58E-03	6.7E-03	6.05E-04	4.08E-06	8.01E-02	4.71E-02	1.54E-08	1.0E+06	1.5E-02
229	1.93098	4.58E-03	8.8E-03	6.05E-04	5.35E-06	8.01E-02	4.71E-02	2.02E-08	1.0E+06	2.0E-02
230	2.33502	4.58E-03	1.1E-02	6.05E-04	6.47E-06	8.01E-02	4.71E-02	2.44E-08	1.0E+06	2.4E-02
231	2.58104	4.58E-03	1.2E-02	6.05E-04	7.15E-06	8.01E-02	4.71E-02	2.70E-08	1.0E+06	2.7E-02
232	2.66403	4.58E-03	1.2E-02	6.05E-04	7.38E-06	8.01E-02	4.71E-02	2.79E-08	1.0E+06	2.8E-02
233	2.9077	4.58E-03	1.3E-02	6.05E-04	8.05E-06	8.01E-02	4.71E-02	3.04E-08	1.0E+06	3.0E-02
234	0.17189	4.58E-03	7.9E-04	6.05E-04	4.76E-07	8.01E-02	4.71E-02	1.80E-09	1.0E+06	1.8E-03
235	0.18806	4.58E-03	8.6E-04	6.05E-04	5.21E-07	8.01E-02	4.71E-02	1.97E-09	1.0E+06	2.0E-03
236	0.2101	4.58E-03	9.6E-04	6.05E-04	5.82E-07	8.01E-02	4.71E-02	2.20E-09	1.0E+06	2.2E-03
237	0.23979	4.58E-03	1.1E-03	6.05E-04	6.64E-07	8.01E-02	4.71E-02	2.51E-09	1.0E+06	2.5E-03
238	0.27936	4.58E-03	1.3E-03	6.05E-04	7.74E-07	8.01E-02	4.71E-02	2.92E-09	1.0E+06	2.9E-03
239	0.32336	4.58E-03	1.5E-03	6.05E-04	8.95E-07	8.01E-02	4.71E-02	3.38E-09	1.0E+06	3.4E-03
240	0.37909	4.58E-03	1.7E-03	6.05E-04	1.05E-06	8.01E-02	4.71E-02	3.96E-09	1.0E+06	4.0E-03
241	0.44514	4.58E-03	2.0E-03	6.05E-04	1.23E-06	8.01E-02	4.71E-02	4.65E-09	1.0E+06	4.7E-03
242	0.52414	4.58E-03	2.4E-03	6.05E-04	1.45E-06	8.01E-02	4.71E-02	5.48E-09	1.0E+06	5.5E-03
243	0.61899	4.58E-03	2.8E-03	6.05E-04	1.71E-06	8.01E-02	4.71E-02	6.47E-09	1.0E+06	6.5E-03
244	0.74753	4.58E-03	3.4E-03	6.05E-04	2.07E-06	8.01E-02	4.71E-02	7.82E-09	1.0E+06	7.8E-03
245	0.91665	4.58E-03	4.2E-03	6.05E-04	2.54E-06	8.01E-02	4.71E-02	9.58E-09	1.0E+06	9.6E-03
246	1.14673	4.58E-03	5.2E-03	6.05E-04	3.18E-06	8.01E-02	4.71E-02	1.20E-08	1.0E+06	1.2E-02
247	1.4266	4.58E-03	6.5E-03	6.05E-04	3.95E-06	8.01E-02	4.71E-02	1.49E-08	1.0E+06	1.5E-02
248	1.69563	4.58E-03	7.8E-03	6.05E-04	4.70E-06	8.01E-02	4.71E-02	1.77E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.88767	4.58E-03	8.6E-03	6.05E-04	5.23E-06	8.01E-02	4.71E-02	1.97E-08	1.0E+06	2.0E-02
250	1.98347	4.58E-03	9.1E-03	6.05E-04	5.49E-06	8.01E-02	4.71E-02	2.07E-08	1.0E+06	2.1E-02
251	2.12734	4.58E-03	9.7E-03	6.05E-04	5.89E-06	8.01E-02	4.71E-02	2.22E-08	1.0E+06	2.2E-02
252	0.16493	4.58E-03	7.5E-04	6.05E-04	4.57E-07	8.01E-02	4.71E-02	1.72E-09	1.0E+06	1.7E-03
253	0.17909	4.58E-03	8.2E-04	6.05E-04	4.96E-07	8.01E-02	4.71E-02	1.87E-09	1.0E+06	1.9E-03
254	0.19765	4.58E-03	9.0E-04	6.05E-04	5.47E-07	8.01E-02	4.71E-02	2.07E-09	1.0E+06	2.1E-03
255	0.22099	4.58E-03	1.0E-03	6.05E-04	6.12E-07	8.01E-02	4.71E-02	2.31E-09	1.0E+06	2.3E-03
256	0.26018	4.58E-03	1.2E-03	6.05E-04	7.20E-07	8.01E-02	4.71E-02	2.72E-09	1.0E+06	2.7E-03
257	0.2878	4.58E-03	1.3E-03	6.05E-04	7.97E-07	8.01E-02	4.71E-02	3.01E-09	1.0E+06	3.0E-03
258	0.32553	4.58E-03	1.5E-03	6.05E-04	9.01E-07	8.01E-02	4.71E-02	3.40E-09	1.0E+06	3.4E-03
259	0.3694	4.58E-03	1.7E-03	6.05E-04	1.02E-06	8.01E-02	4.71E-02	3.86E-09	1.0E+06	3.9E-03
260	0.43279	4.58E-03	2.0E-03	6.05E-04	1.20E-06	8.01E-02	4.71E-02	4.53E-09	1.0E+06	4.5E-03
261	0.51703	4.58E-03	2.4E-03	6.05E-04	1.43E-06	8.01E-02	4.71E-02	5.41E-09	1.0E+06	5.4E-03
262	0.62025	4.58E-03	2.8E-03	6.05E-04	1.72E-06	8.01E-02	4.71E-02	6.49E-09	1.0E+06	6.5E-03
263	0.74306	4.58E-03	3.4E-03	6.05E-04	2.06E-06	8.01E-02	4.71E-02	7.77E-09	1.0E+06	7.8E-03
264	0.90838	4.58E-03	4.2E-03	6.05E-04	2.52E-06	8.01E-02	4.71E-02	9.50E-09	1.0E+06	9.5E-03
265	1.09481	4.58E-03	5.0E-03	6.05E-04	3.03E-06	8.01E-02	4.71E-02	1.14E-08	1.0E+06	1.1E-02
266	1.28248	4.58E-03	5.9E-03	6.05E-04	3.55E-06	8.01E-02	4.71E-02	1.34E-08	1.0E+06	1.3E-02
267	1.42537	4.58E-03	6.5E-03	6.05E-04	3.95E-06	8.01E-02	4.71E-02	1.49E-08	1.0E+06	1.5E-02
268	1.50248	4.58E-03	6.9E-03	6.05E-04	4.16E-06	8.01E-02	4.71E-02	1.57E-08	1.0E+06	1.6E-02
269	1.60435	4.58E-03	7.3E-03	6.05E-04	4.44E-06	8.01E-02	4.71E-02	1.68E-08	1.0E+06	1.7E-02
270	0.15811	4.58E-03	7.2E-04	6.05E-04	4.38E-07	8.01E-02	4.71E-02	1.65E-09	1.0E+06	1.7E-03
271	0.17185	4.58E-03	7.9E-04	6.05E-04	4.76E-07	8.01E-02	4.71E-02	1.80E-09	1.0E+06	1.8E-03
272	0.18865	4.58E-03	8.6E-04	6.05E-04	5.22E-07	8.01E-02	4.71E-02	1.97E-09	1.0E+06	2.0E-03
273	0.20788	4.58E-03	9.5E-04	6.05E-04	5.76E-07	8.01E-02	4.71E-02	2.17E-09	1.0E+06	2.2E-03
274	0.24491	4.58E-03	1.1E-03	6.05E-04	6.78E-07	8.01E-02	4.71E-02	2.56E-09	1.0E+06	2.6E-03
275	0.27766	4.58E-03	1.3E-03	6.05E-04	7.69E-07	8.01E-02	4.71E-02	2.90E-09	1.0E+06	2.9E-03
276	0.28974	4.58E-03	1.3E-03	6.05E-04	8.02E-07	8.01E-02	4.71E-02	3.03E-09	1.0E+06	3.0E-03
277	0.32166	4.58E-03	1.5E-03	6.05E-04	8.91E-07	8.01E-02	4.71E-02	3.36E-09	1.0E+06	3.4E-03
278	0.36443	4.58E-03	1.7E-03	6.05E-04	1.01E-06	8.01E-02	4.71E-02	3.81E-09	1.0E+06	3.8E-03
279	0.42257	4.58E-03	1.9E-03	6.05E-04	1.17E-06	8.01E-02	4.71E-02	4.42E-09	1.0E+06	4.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.50962	4.58E-03	2.3E-03	6.05E-04	1.41E-06	8.01E-02	4.71E-02	5.33E-09	1.0E+06	5.3E-03
281	0.616	4.58E-03	2.8E-03	6.05E-04	1.71E-06	8.01E-02	4.71E-02	6.44E-09	1.0E+06	6.4E-03
282	0.74094	4.58E-03	3.4E-03	6.05E-04	2.05E-06	8.01E-02	4.71E-02	7.75E-09	1.0E+06	7.7E-03
283	0.87839	4.58E-03	4.0E-03	6.05E-04	2.43E-06	8.01E-02	4.71E-02	9.18E-09	1.0E+06	9.2E-03
284	1.01581	4.58E-03	4.6E-03	6.05E-04	2.81E-06	8.01E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02
285	1.11984	4.58E-03	5.1E-03	6.05E-04	3.10E-06	8.01E-02	4.71E-02	1.17E-08	1.0E+06	1.2E-02
286	1.18487	4.58E-03	5.4E-03	6.05E-04	3.28E-06	8.01E-02	4.71E-02	1.24E-08	1.0E+06	1.2E-02
287	1.26563	4.58E-03	5.8E-03	6.05E-04	3.50E-06	8.01E-02	4.71E-02	1.32E-08	1.0E+06	1.3E-02
288	0.15258	4.58E-03	7.0E-04	6.05E-04	4.22E-07	8.01E-02	4.71E-02	1.60E-09	1.0E+06	1.6E-03
289	0.16395	4.58E-03	7.5E-04	6.05E-04	4.54E-07	8.01E-02	4.71E-02	1.71E-09	1.0E+06	1.7E-03
290	0.18264	4.58E-03	8.4E-04	6.05E-04	5.06E-07	8.01E-02	4.71E-02	1.91E-09	1.0E+06	1.9E-03
291	0.20155	4.58E-03	9.2E-04	6.05E-04	5.58E-07	8.01E-02	4.71E-02	2.11E-09	1.0E+06	2.1E-03
292	0.24543	4.58E-03	1.1E-03	6.05E-04	6.80E-07	8.01E-02	4.71E-02	2.57E-09	1.0E+06	2.6E-03
293	0.26215	4.58E-03	1.2E-03	6.05E-04	7.26E-07	8.01E-02	4.71E-02	2.74E-09	1.0E+06	2.7E-03
294	0.26042	4.58E-03	1.2E-03	6.05E-04	7.21E-07	8.01E-02	4.71E-02	2.72E-09	1.0E+06	2.7E-03
295	0.28841	4.58E-03	1.3E-03	6.05E-04	7.99E-07	8.01E-02	4.71E-02	3.02E-09	1.0E+06	3.0E-03
296	0.32442	4.58E-03	1.5E-03	6.05E-04	8.98E-07	8.01E-02	4.71E-02	3.39E-09	1.0E+06	3.4E-03
297	0.364	4.58E-03	1.7E-03	6.05E-04	1.01E-06	8.01E-02	4.71E-02	3.81E-09	1.0E+06	3.8E-03
298	0.42495	4.58E-03	1.9E-03	6.05E-04	1.18E-06	8.01E-02	4.71E-02	4.44E-09	1.0E+06	4.4E-03
299	0.51462	4.58E-03	2.4E-03	6.05E-04	1.42E-06	8.01E-02	4.71E-02	5.38E-09	1.0E+06	5.4E-03
300	0.60798	4.58E-03	2.8E-03	6.05E-04	1.68E-06	8.01E-02	4.71E-02	6.36E-09	1.0E+06	6.4E-03
301	0.7201	4.58E-03	3.3E-03	6.05E-04	1.99E-06	8.01E-02	4.71E-02	7.53E-09	1.0E+06	7.5E-03
302	0.82671	4.58E-03	3.8E-03	6.05E-04	2.29E-06	8.01E-02	4.71E-02	8.64E-09	1.0E+06	8.6E-03
303	0.91312	4.58E-03	4.2E-03	6.05E-04	2.53E-06	8.01E-02	4.71E-02	9.55E-09	1.0E+06	9.5E-03
304	0.97225	4.58E-03	4.4E-03	6.05E-04	2.69E-06	8.01E-02	4.71E-02	1.02E-08	1.0E+06	1.0E-02
305	1.03502	4.58E-03	4.7E-03	6.05E-04	2.87E-06	8.01E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
306	0.15526	4.58E-03	7.1E-04	6.05E-04	4.30E-07	8.01E-02	4.71E-02	1.62E-09	1.0E+06	1.6E-03
307	0.16177	4.58E-03	7.4E-04	6.05E-04	4.48E-07	8.01E-02	4.71E-02	1.69E-09	1.0E+06	1.7E-03
308	0.17435	4.58E-03	8.0E-04	6.05E-04	4.83E-07	8.01E-02	4.71E-02	1.82E-09	1.0E+06	1.8E-03
309	0.20263	4.58E-03	9.3E-04	6.05E-04	5.61E-07	8.01E-02	4.71E-02	2.12E-09	1.0E+06	2.1E-03
310	0.23095	4.58E-03	1.1E-03	6.05E-04	6.39E-07	8.01E-02	4.71E-02	2.41E-09	1.0E+06	2.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.24347	4.58E-03	1.1E-03	6.05E-04	6.74E-07	8.01E-02	4.71E-02	2.55E-09	1.0E+06	2.5E-03
312	0.23496	4.58E-03	1.1E-03	6.05E-04	6.51E-07	8.01E-02	4.71E-02	2.46E-09	1.0E+06	2.5E-03
313	0.25841	4.58E-03	1.2E-03	6.05E-04	7.16E-07	8.01E-02	4.71E-02	2.70E-09	1.0E+06	2.7E-03
314	0.28898	4.58E-03	1.3E-03	6.05E-04	8.00E-07	8.01E-02	4.71E-02	3.02E-09	1.0E+06	3.0E-03
315	0.3372	4.58E-03	1.5E-03	6.05E-04	9.34E-07	8.01E-02	4.71E-02	3.53E-09	1.0E+06	3.5E-03
316	0.37548	4.58E-03	1.7E-03	6.05E-04	1.04E-06	8.01E-02	4.71E-02	3.93E-09	1.0E+06	3.9E-03
317	0.43327	4.58E-03	2.0E-03	6.05E-04	1.20E-06	8.01E-02	4.71E-02	4.53E-09	1.0E+06	4.5E-03
318	0.50839	4.58E-03	2.3E-03	6.05E-04	1.41E-06	8.01E-02	4.71E-02	5.32E-09	1.0E+06	5.3E-03
319	0.60035	4.58E-03	2.7E-03	6.05E-04	1.66E-06	8.01E-02	4.71E-02	6.28E-09	1.0E+06	6.3E-03
320	0.69635	4.58E-03	3.2E-03	6.05E-04	1.93E-06	8.01E-02	4.71E-02	7.28E-09	1.0E+06	7.3E-03
321	0.76368	4.58E-03	3.5E-03	6.05E-04	2.11E-06	8.01E-02	4.71E-02	7.98E-09	1.0E+06	8.0E-03
322	0.80823	4.58E-03	3.7E-03	6.05E-04	2.24E-06	8.01E-02	4.71E-02	8.45E-09	1.0E+06	8.5E-03
323	0.86092	4.58E-03	3.9E-03	6.05E-04	2.38E-06	8.01E-02	4.71E-02	9.00E-09	1.0E+06	9.0E-03
324	0.14933	4.58E-03	6.8E-04	6.05E-04	4.13E-07	8.01E-02	4.71E-02	1.56E-09	1.0E+06	1.6E-03
325	0.16452	4.58E-03	7.5E-04	6.05E-04	4.56E-07	8.01E-02	4.71E-02	1.72E-09	1.0E+06	1.7E-03
326	0.17468	4.58E-03	8.0E-04	6.05E-04	4.84E-07	8.01E-02	4.71E-02	1.83E-09	1.0E+06	1.8E-03
327	0.18209	4.58E-03	8.3E-04	6.05E-04	5.04E-07	8.01E-02	4.71E-02	1.90E-09	1.0E+06	1.9E-03
328	0.21964	4.58E-03	1.0E-03	6.05E-04	6.08E-07	8.01E-02	4.71E-02	2.30E-09	1.0E+06	2.3E-03
329	0.22545	4.58E-03	1.0E-03	6.05E-04	6.24E-07	8.01E-02	4.71E-02	2.36E-09	1.0E+06	2.4E-03
330	0.2186	4.58E-03	1.0E-03	6.05E-04	6.05E-07	8.01E-02	4.71E-02	2.29E-09	1.0E+06	2.3E-03
331	0.24035	4.58E-03	1.1E-03	6.05E-04	6.66E-07	8.01E-02	4.71E-02	2.51E-09	1.0E+06	2.5E-03
332	0.26848	4.58E-03	1.2E-03	6.05E-04	7.43E-07	8.01E-02	4.71E-02	2.81E-09	1.0E+06	2.8E-03
333	0.31139	4.58E-03	1.4E-03	6.05E-04	8.62E-07	8.01E-02	4.71E-02	3.26E-09	1.0E+06	3.3E-03
334	0.35238	4.58E-03	1.6E-03	6.05E-04	9.76E-07	8.01E-02	4.71E-02	3.68E-09	1.0E+06	3.7E-03
335	0.40188	4.58E-03	1.8E-03	6.05E-04	1.11E-06	8.01E-02	4.71E-02	4.20E-09	1.0E+06	4.2E-03
336	14.22193	4.58E-03	6.5E-02	6.05E-04	3.94E-05	8.01E-02	4.71E-02	1.49E-07	1.0E+06	1.5E-01
337	9.15446	4.58E-03	4.2E-02	6.05E-04	2.53E-05	8.01E-02	4.71E-02	9.57E-08	1.0E+06	9.6E-02
338	0.35979	4.58E-03	1.6E-03	6.05E-04	9.96E-07	8.01E-02	4.71E-02	3.76E-09	1.0E+06	3.8E-03
339	0.39641	4.58E-03	1.8E-03	6.05E-04	1.10E-06	8.01E-02	4.71E-02	4.14E-09	1.0E+06	4.1E-03
340	0.42244	4.58E-03	1.9E-03	6.05E-04	1.17E-06	8.01E-02	4.71E-02	4.42E-09	1.0E+06	4.4E-03
341	0.44086	4.58E-03	2.0E-03	6.05E-04	1.22E-06	8.01E-02	4.71E-02	4.61E-09	1.0E+06	4.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.45488	4.58E-03	2.1E-03	6.05E-04	1.26E-06	8.01E-02	4.71E-02	4.76E-09	1.0E+06	4.8E-03
343	0.46544	4.58E-03	2.1E-03	6.05E-04	1.29E-06	8.01E-02	4.71E-02	4.87E-09	1.0E+06	4.9E-03
344	0.46309	4.58E-03	2.1E-03	6.05E-04	1.28E-06	8.01E-02	4.71E-02	4.84E-09	1.0E+06	4.8E-03
345	0.4552	4.58E-03	2.1E-03	6.05E-04	1.26E-06	8.01E-02	4.71E-02	4.76E-09	1.0E+06	4.8E-03
346	0.44133	4.58E-03	2.0E-03	6.05E-04	1.22E-06	8.01E-02	4.71E-02	4.61E-09	1.0E+06	4.6E-03
347	0.41527	4.58E-03	1.9E-03	6.05E-04	1.15E-06	8.01E-02	4.71E-02	4.34E-09	1.0E+06	4.3E-03
348	0.4685	4.58E-03	2.1E-03	6.05E-04	1.30E-06	8.01E-02	4.71E-02	4.90E-09	1.0E+06	4.9E-03
349	0.50316	4.58E-03	2.3E-03	6.05E-04	1.39E-06	8.01E-02	4.71E-02	5.26E-09	1.0E+06	5.3E-03
350	0.52854	4.58E-03	2.4E-03	6.05E-04	1.46E-06	8.01E-02	4.71E-02	5.53E-09	1.0E+06	5.5E-03
351	0.54861	4.58E-03	2.5E-03	6.05E-04	1.52E-06	8.01E-02	4.71E-02	5.74E-09	1.0E+06	5.7E-03
352	0.56328	4.58E-03	2.6E-03	6.05E-04	1.56E-06	8.01E-02	4.71E-02	5.89E-09	1.0E+06	5.9E-03
353	0.55888	4.58E-03	2.6E-03	6.05E-04	1.55E-06	8.01E-02	4.71E-02	5.84E-09	1.0E+06	5.8E-03
354	0.54148	4.58E-03	2.5E-03	6.05E-04	1.50E-06	8.01E-02	4.71E-02	5.66E-09	1.0E+06	5.7E-03
355	0.52355	4.58E-03	2.4E-03	6.05E-04	1.45E-06	8.01E-02	4.71E-02	5.47E-09	1.0E+06	5.5E-03
356	0.48865	4.58E-03	2.2E-03	6.05E-04	1.35E-06	8.01E-02	4.71E-02	5.11E-09	1.0E+06	5.1E-03
357	0.5365	4.58E-03	2.5E-03	6.05E-04	1.49E-06	8.01E-02	4.71E-02	5.61E-09	1.0E+06	5.6E-03
358	0.60331	4.58E-03	2.8E-03	6.05E-04	1.67E-06	8.01E-02	4.71E-02	6.31E-09	1.0E+06	6.3E-03
359	0.64623	4.58E-03	3.0E-03	6.05E-04	1.79E-06	8.01E-02	4.71E-02	6.76E-09	1.0E+06	6.8E-03
360	0.67667	4.58E-03	3.1E-03	6.05E-04	1.87E-06	8.01E-02	4.71E-02	7.07E-09	1.0E+06	7.1E-03
361	0.69726	4.58E-03	3.2E-03	6.05E-04	1.93E-06	8.01E-02	4.71E-02	7.29E-09	1.0E+06	7.3E-03
362	0.68982	4.58E-03	3.2E-03	6.05E-04	1.91E-06	8.01E-02	4.71E-02	7.21E-09	1.0E+06	7.2E-03
363	0.66165	4.58E-03	3.0E-03	6.05E-04	1.83E-06	8.01E-02	4.71E-02	6.92E-09	1.0E+06	6.9E-03
364	0.5908	4.58E-03	2.7E-03	6.05E-04	1.64E-06	8.01E-02	4.71E-02	6.18E-09	1.0E+06	6.2E-03
365	0.64391	4.58E-03	2.9E-03	6.05E-04	1.78E-06	8.01E-02	4.71E-02	6.73E-09	1.0E+06	6.7E-03
366	0.73317	4.58E-03	3.4E-03	6.05E-04	2.03E-06	8.01E-02	4.71E-02	7.67E-09	1.0E+06	7.7E-03
367	0.81139	4.58E-03	3.7E-03	6.05E-04	2.25E-06	8.01E-02	4.71E-02	8.48E-09	1.0E+06	8.5E-03
368	0.85914	4.58E-03	3.9E-03	6.05E-04	2.38E-06	8.01E-02	4.71E-02	8.98E-09	1.0E+06	9.0E-03
369	0.89316	4.58E-03	4.1E-03	6.05E-04	2.47E-06	8.01E-02	4.71E-02	9.34E-09	1.0E+06	9.3E-03
370	0.84336	4.58E-03	3.9E-03	6.05E-04	2.34E-06	8.01E-02	4.71E-02	8.82E-09	1.0E+06	8.8E-03
371	0.78943	4.58E-03	3.6E-03	6.05E-04	2.19E-06	8.01E-02	4.71E-02	8.25E-09	1.0E+06	8.3E-03
372	0.7404	4.58E-03	3.4E-03	6.05E-04	2.05E-06	8.01E-02	4.71E-02	7.74E-09	1.0E+06	7.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.81467	4.58E-03	3.7E-03	6.05E-04	2.26E-06	8.01E-02	4.71E-02	8.52E-09	1.0E+06	8.5E-03
374	0.93965	4.58E-03	4.3E-03	6.05E-04	2.60E-06	8.01E-02	4.71E-02	9.82E-09	1.0E+06	9.8E-03
375	1.05178	4.58E-03	4.8E-03	6.05E-04	2.91E-06	8.01E-02	4.71E-02	1.10E-08	1.0E+06	1.1E-02
376	1.13565	4.58E-03	5.2E-03	6.05E-04	3.14E-06	8.01E-02	4.71E-02	1.19E-08	1.0E+06	1.2E-02
377	1.18875	4.58E-03	5.4E-03	6.05E-04	3.29E-06	8.01E-02	4.71E-02	1.24E-08	1.0E+06	1.2E-02
378	1.20018	4.58E-03	5.5E-03	6.05E-04	3.32E-06	8.01E-02	4.71E-02	1.25E-08	1.0E+06	1.3E-02
379	1.0988	4.58E-03	5.0E-03	6.05E-04	3.04E-06	8.01E-02	4.71E-02	1.15E-08	1.0E+06	1.1E-02
380	1.00783	4.58E-03	4.6E-03	6.05E-04	2.79E-06	8.01E-02	4.71E-02	1.05E-08	1.0E+06	1.1E-02
381	0.90119	4.58E-03	4.1E-03	6.05E-04	2.50E-06	8.01E-02	4.71E-02	9.42E-09	1.0E+06	9.4E-03
382	0.96212	4.58E-03	4.4E-03	6.05E-04	2.66E-06	8.01E-02	4.71E-02	1.01E-08	1.0E+06	1.0E-02
383	1.10532	4.58E-03	5.1E-03	6.05E-04	3.06E-06	8.01E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
384	1.26328	4.58E-03	5.8E-03	6.05E-04	3.50E-06	8.01E-02	4.71E-02	1.32E-08	1.0E+06	1.3E-02
385	1.43142	4.58E-03	6.6E-03	6.05E-04	3.96E-06	8.01E-02	4.71E-02	1.50E-08	1.0E+06	1.5E-02
386	1.58401	4.58E-03	7.2E-03	6.05E-04	4.39E-06	8.01E-02	4.71E-02	1.66E-08	1.0E+06	1.7E-02
387	1.69194	4.58E-03	7.7E-03	6.05E-04	4.68E-06	8.01E-02	4.71E-02	1.77E-08	1.0E+06	1.8E-02
388	1.71763	4.58E-03	7.9E-03	6.05E-04	4.76E-06	8.01E-02	4.71E-02	1.80E-08	1.0E+06	1.8E-02
389	1.484	4.58E-03	6.8E-03	6.05E-04	4.11E-06	8.01E-02	4.71E-02	1.55E-08	1.0E+06	1.6E-02
390	1.29262	4.58E-03	5.9E-03	6.05E-04	3.58E-06	8.01E-02	4.71E-02	1.35E-08	1.0E+06	1.4E-02
391	1.10329	4.58E-03	5.0E-03	6.05E-04	3.05E-06	8.01E-02	4.71E-02	1.15E-08	1.0E+06	1.2E-02
392	0.9065	4.58E-03	4.1E-03	6.05E-04	2.51E-06	8.01E-02	4.71E-02	9.48E-09	1.0E+06	9.5E-03
393	1.34746	4.58E-03	6.2E-03	6.05E-04	3.73E-06	8.01E-02	4.71E-02	1.41E-08	1.0E+06	1.4E-02
394	1.64651	4.58E-03	7.5E-03	6.05E-04	4.56E-06	8.01E-02	4.71E-02	1.72E-08	1.0E+06	1.7E-02
395	1.85616	4.58E-03	8.5E-03	6.05E-04	5.14E-06	8.01E-02	4.71E-02	1.94E-08	1.0E+06	1.9E-02
396	2.16582	4.58E-03	9.9E-03	6.05E-04	6.00E-06	8.01E-02	4.71E-02	2.26E-08	1.0E+06	2.3E-02
397	2.45109	4.58E-03	1.1E-02	6.05E-04	6.79E-06	8.01E-02	4.71E-02	2.56E-08	1.0E+06	2.6E-02
398	2.45583	4.58E-03	1.1E-02	6.05E-04	6.80E-06	8.01E-02	4.71E-02	2.57E-08	1.0E+06	2.6E-02
399	2.2475	4.58E-03	1.0E-02	6.05E-04	6.22E-06	8.01E-02	4.71E-02	2.35E-08	1.0E+06	2.3E-02
400	2.09785	4.58E-03	9.6E-03	6.05E-04	5.81E-06	8.01E-02	4.71E-02	2.19E-08	1.0E+06	2.2E-02
401	1.67728	4.58E-03	7.7E-03	6.05E-04	4.64E-06	8.01E-02	4.71E-02	1.75E-08	1.0E+06	1.8E-02
402	1.02737	4.58E-03	4.7E-03	6.05E-04	2.84E-06	8.01E-02	4.71E-02	1.07E-08	1.0E+06	1.1E-02
403	3.07347	4.58E-03	1.4E-02	6.05E-04	8.51E-06	8.01E-02	4.71E-02	3.21E-08	1.0E+06	3.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.17192	4.58E-03	5.4E-03	6.05E-04	3.24E-06	8.01E-02	4.71E-02	1.23E-08	1.0E+06	1.2E-02
405	0.88845	4.58E-03	4.1E-03	6.05E-04	2.46E-06	8.01E-02	4.71E-02	9.29E-09	1.0E+06	9.3E-03
406	4.25111	4.58E-03	1.9E-02	6.05E-04	1.18E-05	8.01E-02	4.71E-02	4.44E-08	1.0E+06	4.4E-02
407	0.89626	4.58E-03	4.1E-03	6.05E-04	2.48E-06	8.01E-02	4.71E-02	9.37E-09	1.0E+06	9.4E-03
408	4.45544	4.58E-03	2.0E-02	6.05E-04	1.23E-05	8.01E-02	4.71E-02	4.66E-08	1.0E+06	4.7E-02
409	0.87466	4.58E-03	4.0E-03	6.05E-04	2.42E-06	8.01E-02	4.71E-02	9.14E-09	1.0E+06	9.1E-03
410	3.99529	4.58E-03	1.8E-02	6.05E-04	1.11E-05	8.01E-02	4.71E-02	4.18E-08	1.0E+06	4.2E-02
411	1.11539	4.58E-03	5.1E-03	6.05E-04	3.09E-06	8.01E-02	4.71E-02	1.17E-08	1.0E+06	1.2E-02
412	0.85128	4.58E-03	3.9E-03	6.05E-04	2.36E-06	8.01E-02	4.71E-02	8.90E-09	1.0E+06	8.9E-03
413	3.39077	4.58E-03	1.6E-02	6.05E-04	9.39E-06	8.01E-02	4.71E-02	3.55E-08	1.0E+06	3.5E-02
414	1.40553	4.58E-03	6.4E-03	6.05E-04	3.89E-06	8.01E-02	4.71E-02	1.47E-08	1.0E+06	1.5E-02
415	1.02933	4.58E-03	4.7E-03	6.05E-04	2.85E-06	8.01E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
416	0.79436	4.58E-03	3.6E-03	6.05E-04	2.20E-06	8.01E-02	4.71E-02	8.31E-09	1.0E+06	8.3E-03
417	2.77348	4.58E-03	1.3E-02	6.05E-04	7.68E-06	8.01E-02	4.71E-02	2.90E-08	1.0E+06	2.9E-02
418	0.94049	4.58E-03	4.3E-03	6.05E-04	2.60E-06	8.01E-02	4.71E-02	9.83E-09	1.0E+06	9.8E-03
419	0.73553	4.58E-03	3.4E-03	6.05E-04	2.04E-06	8.01E-02	4.71E-02	7.69E-09	1.0E+06	7.7E-03
420	0.59217	4.58E-03	2.7E-03	6.05E-04	1.64E-06	8.01E-02	4.71E-02	6.19E-09	1.0E+06	6.2E-03
421	2.27084	4.58E-03	1.0E-02	6.05E-04	6.29E-06	8.01E-02	4.71E-02	2.37E-08	1.0E+06	2.4E-02
422	0.67828	4.58E-03	3.1E-03	6.05E-04	1.88E-06	8.01E-02	4.71E-02	7.09E-09	1.0E+06	7.1E-03
423	0.554	4.58E-03	2.5E-03	6.05E-04	1.53E-06	8.01E-02	4.71E-02	5.79E-09	1.0E+06	5.8E-03
424	1.88	4.58E-03	8.6E-03	6.05E-04	5.21E-06	8.01E-02	4.71E-02	1.97E-08	1.0E+06	2.0E-02
425	0.5157	4.58E-03	2.4E-03	6.05E-04	1.43E-06	8.01E-02	4.71E-02	5.39E-09	1.0E+06	5.4E-03
426	0.43371	4.58E-03	2.0E-03	6.05E-04	1.20E-06	8.01E-02	4.71E-02	4.53E-09	1.0E+06	4.5E-03
427	1.56649	4.58E-03	7.2E-03	6.05E-04	4.34E-06	8.01E-02	4.71E-02	1.64E-08	1.0E+06	1.6E-02
428	0.4789	4.58E-03	2.2E-03	6.05E-04	1.33E-06	8.01E-02	4.71E-02	5.01E-09	1.0E+06	5.0E-03
429	0.40662	4.58E-03	1.9E-03	6.05E-04	1.13E-06	8.01E-02	4.71E-02	4.25E-09	1.0E+06	4.3E-03
430	1.3156	4.58E-03	6.0E-03	6.05E-04	3.64E-06	8.01E-02	4.71E-02	1.38E-08	1.0E+06	1.4E-02
431	0.38046	4.58E-03	1.7E-03	6.05E-04	1.05E-06	8.01E-02	4.71E-02	3.98E-09	1.0E+06	4.0E-03
432	0.32758	4.58E-03	1.5E-03	6.05E-04	9.07E-07	8.01E-02	4.71E-02	3.43E-09	1.0E+06	3.4E-03
433	1.1119	4.58E-03	5.1E-03	6.05E-04	3.08E-06	8.01E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
434	0.35598	4.58E-03	1.6E-03	6.05E-04	9.86E-07	8.01E-02	4.71E-02	3.72E-09	1.0E+06	3.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.31017	4.58E-03	1.4E-03	6.05E-04	8.59E-07	8.01E-02	4.71E-02	3.24E-09	1.0E+06	3.2E-03
436	0.94807	4.58E-03	4.3E-03	6.05E-04	2.63E-06	8.01E-02	4.71E-02	9.91E-09	1.0E+06	9.9E-03
437	0.38616	4.58E-03	1.8E-03	6.05E-04	1.07E-06	8.01E-02	4.71E-02	4.04E-09	1.0E+06	4.0E-03
438	0.33379	4.58E-03	1.5E-03	6.05E-04	9.24E-07	8.01E-02	4.71E-02	3.49E-09	1.0E+06	3.5E-03
439	0.29234	4.58E-03	1.3E-03	6.05E-04	8.09E-07	8.01E-02	4.71E-02	3.06E-09	1.0E+06	3.1E-03
440	0.81447	4.58E-03	3.7E-03	6.05E-04	2.26E-06	8.01E-02	4.71E-02	8.52E-09	1.0E+06	8.5E-03
441	0.49808	4.58E-03	2.3E-03	6.05E-04	1.38E-06	8.01E-02	4.71E-02	5.21E-09	1.0E+06	5.2E-03
442	0.42026	4.58E-03	1.9E-03	6.05E-04	1.16E-06	8.01E-02	4.71E-02	4.39E-09	1.0E+06	4.4E-03
443	0.36046	4.58E-03	1.6E-03	6.05E-04	9.98E-07	8.01E-02	4.71E-02	3.77E-09	1.0E+06	3.8E-03
444	0.31303	4.58E-03	1.4E-03	6.05E-04	8.67E-07	8.01E-02	4.71E-02	3.27E-09	1.0E+06	3.3E-03
445	0.70549	4.58E-03	3.2E-03	6.05E-04	1.95E-06	8.01E-02	4.71E-02	7.38E-09	1.0E+06	7.4E-03
446	0.52981	4.58E-03	2.4E-03	6.05E-04	1.47E-06	8.01E-02	4.71E-02	5.54E-09	1.0E+06	5.5E-03
447	0.45344	4.58E-03	2.1E-03	6.05E-04	1.26E-06	8.01E-02	4.71E-02	4.74E-09	1.0E+06	4.7E-03
448	0.38911	4.58E-03	1.8E-03	6.05E-04	1.08E-06	8.01E-02	4.71E-02	4.07E-09	1.0E+06	4.1E-03
449	0.61559	4.58E-03	2.8E-03	6.05E-04	1.70E-06	8.01E-02	4.71E-02	6.44E-09	1.0E+06	6.4E-03
450	0.5474	4.58E-03	2.5E-03	6.05E-04	1.52E-06	8.01E-02	4.71E-02	5.72E-09	1.0E+06	5.7E-03
451	0.47889	4.58E-03	2.2E-03	6.05E-04	1.33E-06	8.01E-02	4.71E-02	5.01E-09	1.0E+06	5.0E-03
452	0.54079	4.58E-03	2.5E-03	6.05E-04	1.50E-06	8.01E-02	4.71E-02	5.65E-09	1.0E+06	5.7E-03
453	0.48845	4.58E-03	2.2E-03	6.05E-04	1.35E-06	8.01E-02	4.71E-02	5.11E-09	1.0E+06	5.1E-03
454	0.23028	4.58E-03	1.1E-03	6.05E-04	6.38E-07	8.01E-02	4.71E-02	2.41E-09	1.0E+06	2.4E-03
455	0.2084	4.58E-03	9.5E-04	6.05E-04	5.77E-07	8.01E-02	4.71E-02	2.18E-09	1.0E+06	2.2E-03
456	0.47804	4.58E-03	2.2E-03	6.05E-04	1.32E-06	8.01E-02	4.71E-02	5.00E-09	1.0E+06	5.0E-03
457	0.43751	4.58E-03	2.0E-03	6.05E-04	1.21E-06	8.01E-02	4.71E-02	4.57E-09	1.0E+06	4.6E-03
458	0.39304	4.58E-03	1.8E-03	6.05E-04	1.09E-06	8.01E-02	4.71E-02	4.11E-09	1.0E+06	4.1E-03
459	0.27435	4.58E-03	1.3E-03	6.05E-04	7.60E-07	8.01E-02	4.71E-02	2.87E-09	1.0E+06	2.9E-03
460	0.24475	4.58E-03	1.1E-03	6.05E-04	6.78E-07	8.01E-02	4.71E-02	2.56E-09	1.0E+06	2.6E-03
461	0.21926	4.58E-03	1.0E-03	6.05E-04	6.07E-07	8.01E-02	4.71E-02	2.29E-09	1.0E+06	2.3E-03
462	0.19767	4.58E-03	9.0E-04	6.05E-04	5.47E-07	8.01E-02	4.71E-02	2.07E-09	1.0E+06	2.1E-03
463	13.92843	4.58E-03	6.4E-02	6.05E-04	3.86E-05	8.01E-02	4.71E-02	1.46E-07	1.0E+06	1.5E-01
464	7.93246	4.58E-03	3.6E-02	6.05E-04	2.20E-05	8.01E-02	4.71E-02	8.29E-08	1.0E+06	8.3E-02
465	10.04613	4.58E-03	4.6E-02	6.05E-04	2.78E-05	8.01E-02	4.71E-02	1.05E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	5.6879	4.58E-03	2.6E-02	6.05E-04	1.57E-05	8.01E-02	4.71E-02	5.95E-08	1.0E+06	5.9E-02
467	6.17677	4.58E-03	2.8E-02	6.05E-04	1.71E-05	8.01E-02	4.71E-02	6.46E-08	1.0E+06	6.5E-02
468	4.25156	4.58E-03	1.9E-02	6.05E-04	1.18E-05	8.01E-02	4.71E-02	4.45E-08	1.0E+06	4.4E-02
469	3.04435	4.58E-03	1.4E-02	6.05E-04	8.43E-06	8.01E-02	4.71E-02	3.18E-08	1.0E+06	3.2E-02
470	2.7682	4.58E-03	1.3E-02	6.05E-04	7.66E-06	8.01E-02	4.71E-02	2.89E-08	1.0E+06	2.9E-02
471	2.64881	4.58E-03	1.2E-02	6.05E-04	7.33E-06	8.01E-02	4.71E-02	2.77E-08	1.0E+06	2.8E-02
472	2.05018	4.58E-03	9.4E-03	6.05E-04	5.68E-06	8.01E-02	4.71E-02	2.14E-08	1.0E+06	2.1E-02
473	1.76651	4.58E-03	8.1E-03	6.05E-04	4.89E-06	8.01E-02	4.71E-02	1.85E-08	1.0E+06	1.8E-02
474	1.58003	4.58E-03	7.2E-03	6.05E-04	4.38E-06	8.01E-02	4.71E-02	1.65E-08	1.0E+06	1.7E-02
475	1.40878	4.58E-03	6.4E-03	6.05E-04	3.90E-06	8.01E-02	4.71E-02	1.47E-08	1.0E+06	1.5E-02
476	1.25565	4.58E-03	5.7E-03	6.05E-04	3.48E-06	8.01E-02	4.71E-02	1.31E-08	1.0E+06	1.3E-02
477	1.14792	4.58E-03	5.3E-03	6.05E-04	3.18E-06	8.01E-02	4.71E-02	1.20E-08	1.0E+06	1.2E-02
478	1.02132	4.58E-03	4.7E-03	6.05E-04	2.83E-06	8.01E-02	4.71E-02	1.07E-08	1.0E+06	1.1E-02
479	0.95054	4.58E-03	4.3E-03	6.05E-04	2.63E-06	8.01E-02	4.71E-02	9.94E-09	1.0E+06	9.9E-03
480	0.85091	4.58E-03	3.9E-03	6.05E-04	2.36E-06	8.01E-02	4.71E-02	8.90E-09	1.0E+06	8.9E-03
481	0.84658	4.58E-03	3.9E-03	6.05E-04	2.34E-06	8.01E-02	4.71E-02	8.85E-09	1.0E+06	8.9E-03
482	0.73004	4.58E-03	3.3E-03	6.05E-04	2.02E-06	8.01E-02	4.71E-02	7.63E-09	1.0E+06	7.6E-03
483	0.68148	4.58E-03	3.1E-03	6.05E-04	1.89E-06	8.01E-02	4.71E-02	7.13E-09	1.0E+06	7.1E-03
484	0.63172	4.58E-03	2.9E-03	6.05E-04	1.75E-06	8.01E-02	4.71E-02	6.60E-09	1.0E+06	6.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	1.60E-04
2	5	1.67E-04
3	5	1.73E-04
4	5	1.80E-04
5	5	1.87E-04
6	5	1.96E-04
7	5	2.06E-04
8	5	2.18E-04
9	5	2.32E-04
10	5	2.51E-04
11	5	2.73E-04
12	5	3.00E-04
13	5	3.27E-04
14	5	4.31E-04
15	5	1.77E-04
16	5	1.85E-04
17	5	1.94E-04
18	5	2.03E-04
19	5	2.12E-04
20	5	2.22E-04
21	5	2.33E-04
22	5	2.46E-04
23	5	2.64E-04
24	5	2.83E-04
25	5	3.13E-04
26	5	3.47E-04
27	5	3.76E-04
28	5	5.23E-04
29	5	1.93E-04
30	5	2.04E-04
31	5	2.17E-04

Max	Receptor #	
0.014	146	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	2.29E-04
33	5	2.41E-04
34	5	2.54E-04
35	5	2.67E-04
36	5	2.83E-04
37	5	3.03E-04
38	5	3.29E-04
39	5	3.64E-04
40	5	3.99E-04
41	5	4.39E-04
42	5	6.50E-04
43	5	2.07E-04
44	5	2.21E-04
45	5	2.37E-04
46	5	2.55E-04
47	5	2.72E-04
48	5	2.89E-04
49	5	3.07E-04
50	5	3.26E-04
51	5	3.54E-04
52	5	3.85E-04
53	5	4.29E-04
54	5	4.76E-04
55	5	5.34E-04
56	5	8.34E-04
57	5	2.18E-04
58	5	2.36E-04
59	5	2.57E-04
60	5	2.80E-04
61	5	3.04E-04
62	5	3.29E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	3.58E-04
64	5	3.80E-04
65	5	4.15E-04
66	5	4.59E-04
67	5	5.08E-04
68	5	5.83E-04
69	5	6.66E-04
70	5	2.28E-04
71	5	2.49E-04
72	5	2.76E-04
73	5	3.04E-04
74	5	3.35E-04
75	5	3.69E-04
76	5	4.09E-04
77	5	4.48E-04
78	5	4.98E-04
79	5	5.74E-04
80	5	6.42E-04
81	5	7.53E-04
82	5	8.61E-04
83	5	2.37E-04
84	5	2.65E-04
85	5	2.94E-04
86	5	3.23E-04
87	5	3.59E-04
88	5	4.01E-04
89	5	4.53E-04
90	5	5.17E-04
91	5	5.93E-04
92	5	6.88E-04
93	5	8.05E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	9.50E-04
95	5	1.12E-03
96	5	2.45E-04
97	5	2.72E-04
98	5	3.02E-04
99	5	3.40E-04
100	5	3.81E-04
101	5	4.32E-04
102	5	4.95E-04
103	5	5.75E-04
104	5	6.76E-04
105	5	8.07E-04
106	5	9.75E-04
107	5	1.19E-03
108	5	1.47E-03
109	5	2.43E-04
110	5	2.71E-04
111	5	3.06E-04
112	5	3.46E-04
113	5	3.96E-04
114	5	4.56E-04
115	5	5.31E-04
116	5	6.27E-04
117	5	7.57E-04
118	5	9.06E-04
119	5	1.14E-03
120	5	1.45E-03
121	5	1.84E-03
122	5	2.34E-04
123	5	2.64E-04
124	5	3.01E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	3.44E-04
126	5	3.97E-04
127	5	4.63E-04
128	5	5.38E-04
129	5	6.50E-04
130	5	8.17E-04
131	5	1.18E-02
132	5	8.60E-03
133	5	2.19E-04
134	5	2.51E-04
135	5	2.89E-04
136	5	3.32E-04
137	5	3.85E-04
138	5	4.50E-04
139	5	5.29E-04
140	5	6.49E-04
141	5	8.22E-04
142	5	1.08E-03
143	5	1.53E-03
144	5	2.43E-03
145	5	4.78E-03
146	5	1.45E-02
147	5	2.03E-04
148	5	2.33E-04
149	5	2.69E-04
150	5	3.11E-04
151	5	3.64E-04
152	5	4.25E-04
153	5	5.05E-04
154	5	6.20E-04
155	5	7.91E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.05E-03
157	5	1.50E-03
158	5	2.42E-03
159	5	6.03E-03
160	5	1.92E-04
161	5	2.16E-04
162	5	2.42E-04
163	5	2.84E-04
164	5	3.39E-04
165	5	3.97E-04
166	5	4.75E-04
167	5	5.82E-04
168	5	7.35E-04
169	5	9.69E-04
170	5	1.36E-03
171	5	2.11E-03
172	5	4.52E-03
173	5	6.15E-03
174	5	9.44E-03
175	5	1.02E-02
176	5	1.19E-02
177	5	9.89E-03
178	5	8.16E-03
179	5	1.77E-04
180	5	1.96E-04
181	5	2.16E-04
182	5	2.59E-04
183	5	3.17E-04
184	5	3.73E-04
185	5	4.48E-04
186	5	5.45E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	6.76E-04
188	5	8.71E-04
189	5	1.17E-03
190	5	1.67E-03
191	5	2.70E-03
192	5	4.67E-03
193	5	6.09E-03
194	5	6.79E-03
195	5	7.41E-03
196	5	6.99E-03
197	5	5.41E-03
198	5	1.68E-04
199	5	1.87E-04
200	5	2.09E-04
201	5	2.41E-04
202	5	2.94E-04
203	5	3.49E-04
204	5	4.19E-04
205	5	5.06E-04
206	5	6.19E-04
207	5	7.73E-04
208	5	9.89E-04
209	5	1.32E-03
210	5	1.85E-03
211	5	2.64E-03
212	5	3.28E-03
213	5	3.52E-03
214	5	3.49E-03
215	5	4.07E-03
216	5	1.62E-04
217	5	1.79E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	2.01E-04
219	5	2.29E-04
220	5	2.74E-04
221	5	3.21E-04
222	5	3.84E-04
223	5	4.59E-04
224	5	5.51E-04
225	5	6.64E-04
226	5	8.22E-04
227	5	1.04E-03
228	5	1.35E-03
229	5	1.77E-03
230	5	2.14E-03
231	5	2.36E-03
232	5	2.44E-03
233	5	2.66E-03
234	5	1.57E-04
235	5	1.72E-04
236	5	1.92E-04
237	5	2.19E-04
238	5	2.56E-04
239	5	2.96E-04
240	5	3.47E-04
241	5	4.07E-04
242	5	4.80E-04
243	5	5.67E-04
244	5	6.84E-04
245	5	8.39E-04
246	5	1.05E-03
247	5	1.31E-03
248	5	1.55E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	1.73E-03
250	5	1.82E-03
251	5	1.95E-03
252	5	1.51E-04
253	5	1.64E-04
254	5	1.81E-04
255	5	2.02E-04
256	5	2.38E-04
257	5	2.63E-04
258	5	2.98E-04
259	5	3.38E-04
260	5	3.96E-04
261	5	4.73E-04
262	5	5.68E-04
263	5	6.80E-04
264	5	8.31E-04
265	5	1.00E-03
266	5	1.17E-03
267	5	1.30E-03
268	5	1.38E-03
269	5	1.47E-03
270	5	1.45E-04
271	5	1.57E-04
272	5	1.73E-04
273	5	1.90E-04
274	5	2.24E-04
275	5	2.54E-04
276	5	2.65E-04
277	5	2.94E-04
278	5	3.34E-04
279	5	3.87E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	4.66E-04
281	5	5.64E-04
282	5	6.78E-04
283	5	8.04E-04
284	5	9.30E-04
285	5	1.02E-03
286	5	1.08E-03
287	5	1.16E-03
288	5	1.40E-04
289	5	1.50E-04
290	5	1.67E-04
291	5	1.84E-04
292	5	2.25E-04
293	5	2.40E-04
294	5	2.38E-04
295	5	2.64E-04
296	5	2.97E-04
297	5	3.33E-04
298	5	3.89E-04
299	5	4.71E-04
300	5	5.56E-04
301	5	6.59E-04
302	5	7.57E-04
303	5	8.36E-04
304	5	8.90E-04
305	5	9.47E-04
306	5	1.42E-04
307	5	1.48E-04
308	5	1.60E-04
309	5	1.85E-04
310	5	2.11E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	2.23E-04
312	5	2.15E-04
313	5	2.37E-04
314	5	2.64E-04
315	5	3.09E-04
316	5	3.44E-04
317	5	3.97E-04
318	5	4.65E-04
319	5	5.49E-04
320	5	6.37E-04
321	5	6.99E-04
322	5	7.40E-04
323	5	7.88E-04
324	5	1.37E-04
325	5	1.51E-04
326	5	1.60E-04
327	5	1.67E-04
328	5	2.01E-04
329	5	2.06E-04
330	5	2.00E-04
331	5	2.20E-04
332	5	2.46E-04
333	5	2.85E-04
334	5	3.23E-04
335	5	3.68E-04
336	5	1.30E-02
337	5	8.38E-03
338	5	3.29E-04
339	5	3.63E-04
340	5	3.87E-04
341	5	4.03E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	4.16E-04
343	5	4.26E-04
344	5	4.24E-04
345	5	4.17E-04
346	5	4.04E-04
347	5	3.80E-04
348	5	4.29E-04
349	5	4.61E-04
350	5	4.84E-04
351	5	5.02E-04
352	5	5.16E-04
353	5	5.12E-04
354	5	4.96E-04
355	5	4.79E-04
356	5	4.47E-04
357	5	4.91E-04
358	5	5.52E-04
359	5	5.91E-04
360	5	6.19E-04
361	5	6.38E-04
362	5	6.31E-04
363	5	6.06E-04
364	5	5.41E-04
365	5	5.89E-04
366	5	6.71E-04
367	5	7.43E-04
368	5	7.86E-04
369	5	8.17E-04
370	5	7.72E-04
371	5	7.23E-04
372	5	6.78E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	7.46E-04
374	5	8.60E-04
375	5	9.63E-04
376	5	1.04E-03
377	5	1.09E-03
378	5	1.10E-03
379	5	1.01E-03
380	5	9.22E-04
381	5	8.25E-04
382	5	8.81E-04
383	5	1.01E-03
384	5	1.16E-03
385	5	1.31E-03
386	5	1.45E-03
387	5	1.55E-03
388	5	1.57E-03
389	5	1.36E-03
390	5	1.18E-03
391	5	1.01E-03
392	5	8.30E-04
393	5	1.23E-03
394	5	1.51E-03
395	5	1.70E-03
396	5	1.98E-03
397	5	2.24E-03
398	5	2.25E-03
399	5	2.06E-03
400	5	1.92E-03
401	5	1.54E-03
402	5	9.40E-04
403	5	2.81E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.07E-03
405	5	8.13E-04
406	5	3.89E-03
407	5	8.20E-04
408	5	4.08E-03
409	5	8.01E-04
410	5	3.66E-03
411	5	1.02E-03
412	5	7.79E-04
413	5	3.10E-03
414	5	1.29E-03
415	5	9.42E-04
416	5	7.27E-04
417	5	2.54E-03
418	5	8.61E-04
419	5	6.73E-04
420	5	5.42E-04
421	5	2.08E-03
422	5	6.21E-04
423	5	5.07E-04
424	5	1.72E-03
425	5	4.72E-04
426	5	3.97E-04
427	5	1.43E-03
428	5	4.38E-04
429	5	3.72E-04
430	5	1.20E-03
431	5	3.48E-04
432	5	3.00E-04
433	5	1.02E-03
434	5	3.26E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	2.84E-04
436	5	8.68E-04
437	5	3.53E-04
438	5	3.06E-04
439	5	2.68E-04
440	5	7.45E-04
441	5	4.56E-04
442	5	3.85E-04
443	5	3.30E-04
444	5	2.87E-04
445	5	6.46E-04
446	5	4.85E-04
447	5	4.15E-04
448	5	3.56E-04
449	5	5.63E-04
450	5	5.01E-04
451	5	4.38E-04
452	5	4.95E-04
453	5	4.47E-04
454	5	2.11E-04
455	5	1.91E-04
456	5	4.38E-04
457	5	4.00E-04
458	5	3.60E-04
459	5	2.51E-04
460	5	2.24E-04
461	5	2.01E-04
462	5	1.81E-04
463	5	1.27E-02
464	5	7.26E-03
465	5	9.19E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	5.21E-03
467	5	5.65E-03
468	5	3.89E-03
469	5	2.79E-03
470	5	2.53E-03
471	5	2.42E-03
472	5	1.88E-03
473	5	1.62E-03
474	5	1.45E-03
475	5	1.29E-03
476	5	1.15E-03
477	5	1.05E-03
478	5	9.35E-04
479	5	8.70E-04
480	5	7.79E-04
481	5	7.75E-04
482	5	6.68E-04
483	5	6.24E-04
484	5	5.78E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.17488	1.87E-02	3.3E-03	6.05E-04	1.98E-06	1.60E-01	4.71E-02	1.50E-08	1.0E+06	1.5E-02
2	0.1821	1.87E-02	3.4E-03	6.05E-04	2.06E-06	1.60E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
3	0.18927	1.87E-02	3.5E-03	6.05E-04	2.14E-06	1.60E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
4	0.19672	1.87E-02	3.7E-03	6.05E-04	2.23E-06	1.60E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
5	0.20428	1.87E-02	3.8E-03	6.05E-04	2.31E-06	1.60E-01	4.71E-02	1.75E-08	1.0E+06	1.7E-02
6	0.21386	1.87E-02	4.0E-03	6.05E-04	2.42E-06	1.60E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
7	0.22485	1.87E-02	4.2E-03	6.05E-04	2.55E-06	1.60E-01	4.71E-02	1.92E-08	1.0E+06	1.9E-02
8	0.23793	1.87E-02	4.5E-03	6.05E-04	2.69E-06	1.60E-01	4.71E-02	2.03E-08	1.0E+06	2.0E-02
9	0.25299	1.87E-02	4.7E-03	6.05E-04	2.86E-06	1.60E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
10	0.27375	1.87E-02	5.1E-03	6.05E-04	3.10E-06	1.60E-01	4.71E-02	2.34E-08	1.0E+06	2.3E-02
11	0.29877	1.87E-02	5.6E-03	6.05E-04	3.38E-06	1.60E-01	4.71E-02	2.55E-08	1.0E+06	2.6E-02
12	0.32773	1.87E-02	6.1E-03	6.05E-04	3.71E-06	1.60E-01	4.71E-02	2.80E-08	1.0E+06	2.8E-02
13	0.35728	1.87E-02	6.7E-03	6.05E-04	4.05E-06	1.60E-01	4.71E-02	3.06E-08	1.0E+06	3.1E-02
14	0.47121	1.87E-02	8.8E-03	6.05E-04	5.34E-06	1.60E-01	4.71E-02	4.03E-08	1.0E+06	4.0E-02
15	0.19314	1.87E-02	3.6E-03	6.05E-04	2.19E-06	1.60E-01	4.71E-02	1.65E-08	1.0E+06	1.7E-02
16	0.20217	1.87E-02	3.8E-03	6.05E-04	2.29E-06	1.60E-01	4.71E-02	1.73E-08	1.0E+06	1.7E-02
17	0.21216	1.87E-02	4.0E-03	6.05E-04	2.40E-06	1.60E-01	4.71E-02	1.81E-08	1.0E+06	1.8E-02
18	0.22178	1.87E-02	4.2E-03	6.05E-04	2.51E-06	1.60E-01	4.71E-02	1.90E-08	1.0E+06	1.9E-02
19	0.23136	1.87E-02	4.3E-03	6.05E-04	2.62E-06	1.60E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
20	0.2424	1.87E-02	4.5E-03	6.05E-04	2.74E-06	1.60E-01	4.71E-02	2.07E-08	1.0E+06	2.1E-02
21	0.25482	1.87E-02	4.8E-03	6.05E-04	2.89E-06	1.60E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
22	0.26846	1.87E-02	5.0E-03	6.05E-04	3.04E-06	1.60E-01	4.71E-02	2.30E-08	1.0E+06	2.3E-02
23	0.28842	1.87E-02	5.4E-03	6.05E-04	3.27E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
24	0.30946	1.87E-02	5.8E-03	6.05E-04	3.50E-06	1.60E-01	4.71E-02	2.65E-08	1.0E+06	2.6E-02
25	0.3417	1.87E-02	6.4E-03	6.05E-04	3.87E-06	1.60E-01	4.71E-02	2.92E-08	1.0E+06	2.9E-02
26	0.37884	1.87E-02	7.1E-03	6.05E-04	4.29E-06	1.60E-01	4.71E-02	3.24E-08	1.0E+06	3.2E-02
27	0.41116	1.87E-02	7.7E-03	6.05E-04	4.66E-06	1.60E-01	4.71E-02	3.52E-08	1.0E+06	3.5E-02
28	0.57175	1.87E-02	1.1E-02	6.05E-04	6.47E-06	1.60E-01	4.71E-02	4.89E-08	1.0E+06	4.9E-02
29	0.21093	1.87E-02	3.9E-03	6.05E-04	2.39E-06	1.60E-01	4.71E-02	1.80E-08	1.0E+06	1.8E-02
30	0.22337	1.87E-02	4.2E-03	6.05E-04	2.53E-06	1.60E-01	4.71E-02	1.91E-08	1.0E+06	1.9E-02
31	0.23665	1.87E-02	4.4E-03	6.05E-04	2.68E-06	1.60E-01	4.71E-02	2.02E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.25053	1.87E-02	4.7E-03	6.05E-04	2.84E-06	1.60E-01	4.71E-02	2.14E-08	1.0E+06	2.1E-02
33	0.26279	1.87E-02	4.9E-03	6.05E-04	2.98E-06	1.60E-01	4.71E-02	2.25E-08	1.0E+06	2.2E-02
34	0.27715	1.87E-02	5.2E-03	6.05E-04	3.14E-06	1.60E-01	4.71E-02	2.37E-08	1.0E+06	2.4E-02
35	0.29204	1.87E-02	5.5E-03	6.05E-04	3.31E-06	1.60E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
36	0.30964	1.87E-02	5.8E-03	6.05E-04	3.51E-06	1.60E-01	4.71E-02	2.65E-08	1.0E+06	2.6E-02
37	0.33136	1.87E-02	6.2E-03	6.05E-04	3.75E-06	1.60E-01	4.71E-02	2.83E-08	1.0E+06	2.8E-02
38	0.35987	1.87E-02	6.7E-03	6.05E-04	4.07E-06	1.60E-01	4.71E-02	3.08E-08	1.0E+06	3.1E-02
39	0.39788	1.87E-02	7.4E-03	6.05E-04	4.51E-06	1.60E-01	4.71E-02	3.40E-08	1.0E+06	3.4E-02
40	0.43602	1.87E-02	8.2E-03	6.05E-04	4.94E-06	1.60E-01	4.71E-02	3.73E-08	1.0E+06	3.7E-02
41	0.4798	1.87E-02	9.0E-03	6.05E-04	5.43E-06	1.60E-01	4.71E-02	4.10E-08	1.0E+06	4.1E-02
42	0.7101	1.87E-02	1.3E-02	6.05E-04	8.04E-06	1.60E-01	4.71E-02	6.07E-08	1.0E+06	6.1E-02
43	0.22642	1.87E-02	4.2E-03	6.05E-04	2.56E-06	1.60E-01	4.71E-02	1.94E-08	1.0E+06	1.9E-02
44	0.24148	1.87E-02	4.5E-03	6.05E-04	2.73E-06	1.60E-01	4.71E-02	2.06E-08	1.0E+06	2.1E-02
45	0.25936	1.87E-02	4.9E-03	6.05E-04	2.94E-06	1.60E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
46	0.27862	1.87E-02	5.2E-03	6.05E-04	3.15E-06	1.60E-01	4.71E-02	2.38E-08	1.0E+06	2.4E-02
47	0.2972	1.87E-02	5.6E-03	6.05E-04	3.37E-06	1.60E-01	4.71E-02	2.54E-08	1.0E+06	2.5E-02
48	0.31625	1.87E-02	5.9E-03	6.05E-04	3.58E-06	1.60E-01	4.71E-02	2.70E-08	1.0E+06	2.7E-02
49	0.33541	1.87E-02	6.3E-03	6.05E-04	3.80E-06	1.60E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
50	0.35565	1.87E-02	6.7E-03	6.05E-04	4.03E-06	1.60E-01	4.71E-02	3.04E-08	1.0E+06	3.0E-02
51	0.38654	1.87E-02	7.2E-03	6.05E-04	4.38E-06	1.60E-01	4.71E-02	3.31E-08	1.0E+06	3.3E-02
52	0.42056	1.87E-02	7.9E-03	6.05E-04	4.76E-06	1.60E-01	4.71E-02	3.60E-08	1.0E+06	3.6E-02
53	0.46818	1.87E-02	8.8E-03	6.05E-04	5.30E-06	1.60E-01	4.71E-02	4.00E-08	1.0E+06	4.0E-02
54	0.52053	1.87E-02	9.7E-03	6.05E-04	5.89E-06	1.60E-01	4.71E-02	4.45E-08	1.0E+06	4.5E-02
55	0.58292	1.87E-02	1.1E-02	6.05E-04	6.60E-06	1.60E-01	4.71E-02	4.98E-08	1.0E+06	5.0E-02
56	0.91081	1.87E-02	1.7E-02	6.05E-04	1.03E-05	1.60E-01	4.71E-02	7.79E-08	1.0E+06	7.8E-02
57	0.23786	1.87E-02	4.5E-03	6.05E-04	2.69E-06	1.60E-01	4.71E-02	2.03E-08	1.0E+06	2.0E-02
58	0.25766	1.87E-02	4.8E-03	6.05E-04	2.92E-06	1.60E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
59	0.28115	1.87E-02	5.3E-03	6.05E-04	3.18E-06	1.60E-01	4.71E-02	2.40E-08	1.0E+06	2.4E-02
60	0.30622	1.87E-02	5.7E-03	6.05E-04	3.47E-06	1.60E-01	4.71E-02	2.62E-08	1.0E+06	2.6E-02
61	0.33261	1.87E-02	6.2E-03	6.05E-04	3.77E-06	1.60E-01	4.71E-02	2.84E-08	1.0E+06	2.8E-02
62	0.35999	1.87E-02	6.7E-03	6.05E-04	4.08E-06	1.60E-01	4.71E-02	3.08E-08	1.0E+06	3.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.39069	1.87E-02	7.3E-03	6.05E-04	4.42E-06	1.60E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02
64	0.4155	1.87E-02	7.8E-03	6.05E-04	4.70E-06	1.60E-01	4.71E-02	3.55E-08	1.0E+06	3.6E-02
65	0.45397	1.87E-02	8.5E-03	6.05E-04	5.14E-06	1.60E-01	4.71E-02	3.88E-08	1.0E+06	3.9E-02
66	0.50152	1.87E-02	9.4E-03	6.05E-04	5.68E-06	1.60E-01	4.71E-02	4.29E-08	1.0E+06	4.3E-02
67	0.55455	1.87E-02	1.0E-02	6.05E-04	6.28E-06	1.60E-01	4.71E-02	4.74E-08	1.0E+06	4.7E-02
68	0.63644	1.87E-02	1.2E-02	6.05E-04	7.21E-06	1.60E-01	4.71E-02	5.44E-08	1.0E+06	5.4E-02
69	0.72804	1.87E-02	1.4E-02	6.05E-04	8.24E-06	1.60E-01	4.71E-02	6.23E-08	1.0E+06	6.2E-02
70	0.2495	1.87E-02	4.7E-03	6.05E-04	2.83E-06	1.60E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
71	0.27248	1.87E-02	5.1E-03	6.05E-04	3.09E-06	1.60E-01	4.71E-02	2.33E-08	1.0E+06	2.3E-02
72	0.3016	1.87E-02	5.6E-03	6.05E-04	3.41E-06	1.60E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
73	0.33167	1.87E-02	6.2E-03	6.05E-04	3.76E-06	1.60E-01	4.71E-02	2.84E-08	1.0E+06	2.8E-02
74	0.36626	1.87E-02	6.9E-03	6.05E-04	4.15E-06	1.60E-01	4.71E-02	3.13E-08	1.0E+06	3.1E-02
75	0.40355	1.87E-02	7.6E-03	6.05E-04	4.57E-06	1.60E-01	4.71E-02	3.45E-08	1.0E+06	3.5E-02
76	0.44679	1.87E-02	8.4E-03	6.05E-04	5.06E-06	1.60E-01	4.71E-02	3.82E-08	1.0E+06	3.8E-02
77	0.48972	1.87E-02	9.2E-03	6.05E-04	5.54E-06	1.60E-01	4.71E-02	4.19E-08	1.0E+06	4.2E-02
78	0.54448	1.87E-02	1.0E-02	6.05E-04	6.17E-06	1.60E-01	4.71E-02	4.66E-08	1.0E+06	4.7E-02
79	0.62745	1.87E-02	1.2E-02	6.05E-04	7.10E-06	1.60E-01	4.71E-02	5.37E-08	1.0E+06	5.4E-02
80	0.70098	1.87E-02	1.3E-02	6.05E-04	7.94E-06	1.60E-01	4.71E-02	5.99E-08	1.0E+06	6.0E-02
81	0.82297	1.87E-02	1.5E-02	6.05E-04	9.32E-06	1.60E-01	4.71E-02	7.04E-08	1.0E+06	7.0E-02
82	0.94086	1.87E-02	1.8E-02	6.05E-04	1.07E-05	1.60E-01	4.71E-02	8.05E-08	1.0E+06	8.0E-02
83	0.25944	1.87E-02	4.9E-03	6.05E-04	2.94E-06	1.60E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
84	0.28928	1.87E-02	5.4E-03	6.05E-04	3.28E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
85	0.32121	1.87E-02	6.0E-03	6.05E-04	3.64E-06	1.60E-01	4.71E-02	2.75E-08	1.0E+06	2.7E-02
86	0.35254	1.87E-02	6.6E-03	6.05E-04	3.99E-06	1.60E-01	4.71E-02	3.01E-08	1.0E+06	3.0E-02
87	0.39269	1.87E-02	7.3E-03	6.05E-04	4.45E-06	1.60E-01	4.71E-02	3.36E-08	1.0E+06	3.4E-02
88	0.43866	1.87E-02	8.2E-03	6.05E-04	4.97E-06	1.60E-01	4.71E-02	3.75E-08	1.0E+06	3.8E-02
89	0.49549	1.87E-02	9.3E-03	6.05E-04	5.61E-06	1.60E-01	4.71E-02	4.24E-08	1.0E+06	4.2E-02
90	0.56452	1.87E-02	1.1E-02	6.05E-04	6.39E-06	1.60E-01	4.71E-02	4.83E-08	1.0E+06	4.8E-02
91	0.64839	1.87E-02	1.2E-02	6.05E-04	7.34E-06	1.60E-01	4.71E-02	5.54E-08	1.0E+06	5.5E-02
92	0.75145	1.87E-02	1.4E-02	6.05E-04	8.51E-06	1.60E-01	4.71E-02	6.43E-08	1.0E+06	6.4E-02
93	0.88004	1.87E-02	1.6E-02	6.05E-04	9.96E-06	1.60E-01	4.71E-02	7.53E-08	1.0E+06	7.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	1.03748	1.87E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.87E-08	1.0E+06	8.9E-02
95	1.2286	1.87E-02	2.3E-02	6.05E-04	1.39E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
96	0.26724	1.87E-02	5.0E-03	6.05E-04	3.03E-06	1.60E-01	4.71E-02	2.29E-08	1.0E+06	2.3E-02
97	0.2968	1.87E-02	5.6E-03	6.05E-04	3.36E-06	1.60E-01	4.71E-02	2.54E-08	1.0E+06	2.5E-02
98	0.33036	1.87E-02	6.2E-03	6.05E-04	3.74E-06	1.60E-01	4.71E-02	2.82E-08	1.0E+06	2.8E-02
99	0.3717	1.87E-02	7.0E-03	6.05E-04	4.21E-06	1.60E-01	4.71E-02	3.18E-08	1.0E+06	3.2E-02
100	0.4166	1.87E-02	7.8E-03	6.05E-04	4.72E-06	1.60E-01	4.71E-02	3.56E-08	1.0E+06	3.6E-02
101	0.47215	1.87E-02	8.8E-03	6.05E-04	5.35E-06	1.60E-01	4.71E-02	4.04E-08	1.0E+06	4.0E-02
102	0.5404	1.87E-02	1.0E-02	6.05E-04	6.12E-06	1.60E-01	4.71E-02	4.62E-08	1.0E+06	4.6E-02
103	0.6279	1.87E-02	1.2E-02	6.05E-04	7.11E-06	1.60E-01	4.71E-02	5.37E-08	1.0E+06	5.4E-02
104	0.73836	1.87E-02	1.4E-02	6.05E-04	8.36E-06	1.60E-01	4.71E-02	6.31E-08	1.0E+06	6.3E-02
105	0.88132	1.87E-02	1.6E-02	6.05E-04	9.98E-06	1.60E-01	4.71E-02	7.54E-08	1.0E+06	7.5E-02
106	1.06529	1.87E-02	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.11E-08	1.0E+06	9.1E-02
107	1.30402	1.87E-02	2.4E-02	6.05E-04	1.48E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
108	1.61057	1.87E-02	3.0E-02	6.05E-04	1.82E-05	1.60E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
109	0.26525	1.87E-02	5.0E-03	6.05E-04	3.00E-06	1.60E-01	4.71E-02	2.27E-08	1.0E+06	2.3E-02
110	0.29664	1.87E-02	5.6E-03	6.05E-04	3.36E-06	1.60E-01	4.71E-02	2.54E-08	1.0E+06	2.5E-02
111	0.3339	1.87E-02	6.2E-03	6.05E-04	3.78E-06	1.60E-01	4.71E-02	2.86E-08	1.0E+06	2.9E-02
112	0.37842	1.87E-02	7.1E-03	6.05E-04	4.28E-06	1.60E-01	4.71E-02	3.24E-08	1.0E+06	3.2E-02
113	0.43228	1.87E-02	8.1E-03	6.05E-04	4.89E-06	1.60E-01	4.71E-02	3.70E-08	1.0E+06	3.7E-02
114	0.49803	1.87E-02	9.3E-03	6.05E-04	5.64E-06	1.60E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
115	0.58	1.87E-02	1.1E-02	6.05E-04	6.57E-06	1.60E-01	4.71E-02	4.96E-08	1.0E+06	5.0E-02
116	0.68497	1.87E-02	1.3E-02	6.05E-04	7.76E-06	1.60E-01	4.71E-02	5.86E-08	1.0E+06	5.9E-02
117	0.82678	1.87E-02	1.5E-02	6.05E-04	9.36E-06	1.60E-01	4.71E-02	7.07E-08	1.0E+06	7.1E-02
118	0.98991	1.87E-02	1.9E-02	6.05E-04	1.12E-05	1.60E-01	4.71E-02	8.46E-08	1.0E+06	8.5E-02
119	1.24281	1.87E-02	2.3E-02	6.05E-04	1.41E-05	1.60E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
120	1.57912	1.87E-02	3.0E-02	6.05E-04	1.79E-05	1.60E-01	4.71E-02	1.35E-07	1.0E+06	1.4E-01
121	2.00608	1.87E-02	3.8E-02	6.05E-04	2.27E-05	1.60E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01
122	0.25537	1.87E-02	4.8E-03	6.05E-04	2.89E-06	1.60E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
123	0.28818	1.87E-02	5.4E-03	6.05E-04	3.26E-06	1.60E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02
124	0.32858	1.87E-02	6.1E-03	6.05E-04	3.72E-06	1.60E-01	4.71E-02	2.81E-08	1.0E+06	2.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.3757	1.87E-02	7.0E-03	6.05E-04	4.25E-06	1.60E-01	4.71E-02	3.21E-08	1.0E+06	3.2E-02
126	0.43335	1.87E-02	8.1E-03	6.05E-04	4.91E-06	1.60E-01	4.71E-02	3.71E-08	1.0E+06	3.7E-02
127	0.50557	1.87E-02	9.5E-03	6.05E-04	5.72E-06	1.60E-01	4.71E-02	4.32E-08	1.0E+06	4.3E-02
128	0.58754	1.87E-02	1.1E-02	6.05E-04	6.65E-06	1.60E-01	4.71E-02	5.02E-08	1.0E+06	5.0E-02
129	0.71039	1.87E-02	1.3E-02	6.05E-04	8.04E-06	1.60E-01	4.71E-02	6.07E-08	1.0E+06	6.1E-02
130	0.89215	1.87E-02	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.63E-08	1.0E+06	7.6E-02
131	12.92748	1.87E-02	2.4E-01	6.05E-04	1.46E-04	1.60E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
132	9.40064	1.87E-02	1.8E-01	6.05E-04	1.06E-04	1.60E-01	4.71E-02	8.04E-07	1.0E+06	8.0E-01
133	0.23911	1.87E-02	4.5E-03	6.05E-04	2.71E-06	1.60E-01	4.71E-02	2.04E-08	1.0E+06	2.0E-02
134	0.27452	1.87E-02	5.1E-03	6.05E-04	3.11E-06	1.60E-01	4.71E-02	2.35E-08	1.0E+06	2.3E-02
135	0.31532	1.87E-02	5.9E-03	6.05E-04	3.57E-06	1.60E-01	4.71E-02	2.70E-08	1.0E+06	2.7E-02
136	0.36264	1.87E-02	6.8E-03	6.05E-04	4.11E-06	1.60E-01	4.71E-02	3.10E-08	1.0E+06	3.1E-02
137	0.42092	1.87E-02	7.9E-03	6.05E-04	4.77E-06	1.60E-01	4.71E-02	3.60E-08	1.0E+06	3.6E-02
138	0.49184	1.87E-02	9.2E-03	6.05E-04	5.57E-06	1.60E-01	4.71E-02	4.21E-08	1.0E+06	4.2E-02
139	0.57812	1.87E-02	1.1E-02	6.05E-04	6.55E-06	1.60E-01	4.71E-02	4.94E-08	1.0E+06	4.9E-02
140	0.70963	1.87E-02	1.3E-02	6.05E-04	8.03E-06	1.60E-01	4.71E-02	6.07E-08	1.0E+06	6.1E-02
141	0.89849	1.87E-02	1.7E-02	6.05E-04	1.02E-05	1.60E-01	4.71E-02	7.68E-08	1.0E+06	7.7E-02
142	1.18174	1.87E-02	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
143	1.67257	1.87E-02	3.1E-02	6.05E-04	1.89E-05	1.60E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
144	2.65947	1.87E-02	5.0E-02	6.05E-04	3.01E-05	1.60E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
145	5.22291	1.87E-02	9.8E-02	6.05E-04	5.91E-05	1.60E-01	4.71E-02	4.47E-07	1.0E+06	4.5E-01
146	15.81931	1.87E-02	3.0E-01	6.05E-04	1.79E-04	1.60E-01	4.71E-02	1.35E-06	1.0E+06	1.4E+00
147	0.22164	1.87E-02	4.1E-03	6.05E-04	2.51E-06	1.60E-01	4.71E-02	1.90E-08	1.0E+06	1.9E-02
148	0.25424	1.87E-02	4.8E-03	6.05E-04	2.88E-06	1.60E-01	4.71E-02	2.17E-08	1.0E+06	2.2E-02
149	0.294	1.87E-02	5.5E-03	6.05E-04	3.33E-06	1.60E-01	4.71E-02	2.51E-08	1.0E+06	2.5E-02
150	0.33969	1.87E-02	6.4E-03	6.05E-04	3.85E-06	1.60E-01	4.71E-02	2.90E-08	1.0E+06	2.9E-02
151	0.39809	1.87E-02	7.4E-03	6.05E-04	4.51E-06	1.60E-01	4.71E-02	3.40E-08	1.0E+06	3.4E-02
152	0.46482	1.87E-02	8.7E-03	6.05E-04	5.26E-06	1.60E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02
153	0.55148	1.87E-02	1.0E-02	6.05E-04	6.24E-06	1.60E-01	4.71E-02	4.72E-08	1.0E+06	4.7E-02
154	0.67711	1.87E-02	1.3E-02	6.05E-04	7.67E-06	1.60E-01	4.71E-02	5.79E-08	1.0E+06	5.8E-02
155	0.86429	1.87E-02	1.6E-02	6.05E-04	9.79E-06	1.60E-01	4.71E-02	7.39E-08	1.0E+06	7.4E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	1.15152	1.87E-02	2.2E-02	6.05E-04	1.30E-05	1.60E-01	4.71E-02	9.85E-08	1.0E+06	9.8E-02
157	1.63937	1.87E-02	3.1E-02	6.05E-04	1.86E-05	1.60E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
158	2.64058	1.87E-02	4.9E-02	6.05E-04	2.99E-05	1.60E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
159	6.58994	1.87E-02	1.2E-01	6.05E-04	7.46E-05	1.60E-01	4.71E-02	5.64E-07	1.0E+06	5.6E-01
160	0.20943	1.87E-02	3.9E-03	6.05E-04	2.37E-06	1.60E-01	4.71E-02	1.79E-08	1.0E+06	1.8E-02
161	0.23565	1.87E-02	4.4E-03	6.05E-04	2.67E-06	1.60E-01	4.71E-02	2.02E-08	1.0E+06	2.0E-02
162	0.26393	1.87E-02	4.9E-03	6.05E-04	2.99E-06	1.60E-01	4.71E-02	2.26E-08	1.0E+06	2.3E-02
163	0.31008	1.87E-02	5.8E-03	6.05E-04	3.51E-06	1.60E-01	4.71E-02	2.65E-08	1.0E+06	2.7E-02
164	0.37016	1.87E-02	6.9E-03	6.05E-04	4.19E-06	1.60E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
165	0.43373	1.87E-02	8.1E-03	6.05E-04	4.91E-06	1.60E-01	4.71E-02	3.71E-08	1.0E+06	3.7E-02
166	0.51919	1.87E-02	9.7E-03	6.05E-04	5.88E-06	1.60E-01	4.71E-02	4.44E-08	1.0E+06	4.4E-02
167	0.63546	1.87E-02	1.2E-02	6.05E-04	7.20E-06	1.60E-01	4.71E-02	5.43E-08	1.0E+06	5.4E-02
168	0.80312	1.87E-02	1.5E-02	6.05E-04	9.09E-06	1.60E-01	4.71E-02	6.87E-08	1.0E+06	6.9E-02
169	1.05888	1.87E-02	2.0E-02	6.05E-04	1.20E-05	1.60E-01	4.71E-02	9.05E-08	1.0E+06	9.1E-02
170	1.48224	1.87E-02	2.8E-02	6.05E-04	1.68E-05	1.60E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
171	2.31071	1.87E-02	4.3E-02	6.05E-04	2.62E-05	1.60E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
172	4.93324	1.87E-02	9.2E-02	6.05E-04	5.59E-05	1.60E-01	4.71E-02	4.22E-07	1.0E+06	4.2E-01
173	6.72209	1.87E-02	1.3E-01	6.05E-04	7.61E-05	1.60E-01	4.71E-02	5.75E-07	1.0E+06	5.7E-01
174	10.31006	1.87E-02	1.9E-01	6.05E-04	1.17E-04	1.60E-01	4.71E-02	8.82E-07	1.0E+06	8.8E-01
175	11.13119	1.87E-02	2.1E-01	6.05E-04	1.26E-04	1.60E-01	4.71E-02	9.52E-07	1.0E+06	9.5E-01
176	12.98888	1.87E-02	2.4E-01	6.05E-04	1.47E-04	1.60E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
177	10.80421	1.87E-02	2.0E-01	6.05E-04	1.22E-04	1.60E-01	4.71E-02	9.24E-07	1.0E+06	9.2E-01
178	8.91457	1.87E-02	1.7E-01	6.05E-04	1.01E-04	1.60E-01	4.71E-02	7.62E-07	1.0E+06	7.6E-01
179	0.19309	1.87E-02	3.6E-03	6.05E-04	2.19E-06	1.60E-01	4.71E-02	1.65E-08	1.0E+06	1.7E-02
180	0.21456	1.87E-02	4.0E-03	6.05E-04	2.43E-06	1.60E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
181	0.2361	1.87E-02	4.4E-03	6.05E-04	2.67E-06	1.60E-01	4.71E-02	2.02E-08	1.0E+06	2.0E-02
182	0.28264	1.87E-02	5.3E-03	6.05E-04	3.20E-06	1.60E-01	4.71E-02	2.42E-08	1.0E+06	2.4E-02
183	0.34655	1.87E-02	6.5E-03	6.05E-04	3.92E-06	1.60E-01	4.71E-02	2.96E-08	1.0E+06	3.0E-02
184	0.40738	1.87E-02	7.6E-03	6.05E-04	4.61E-06	1.60E-01	4.71E-02	3.48E-08	1.0E+06	3.5E-02
185	0.48904	1.87E-02	9.2E-03	6.05E-04	5.54E-06	1.60E-01	4.71E-02	4.18E-08	1.0E+06	4.2E-02
186	0.59504	1.87E-02	1.1E-02	6.05E-04	6.74E-06	1.60E-01	4.71E-02	5.09E-08	1.0E+06	5.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.73895	1.87E-02	1.4E-02	6.05E-04	8.37E-06	1.60E-01	4.71E-02	6.32E-08	1.0E+06	6.3E-02
188	0.95209	1.87E-02	1.8E-02	6.05E-04	1.08E-05	1.60E-01	4.71E-02	8.14E-08	1.0E+06	8.1E-02
189	1.27312	1.87E-02	2.4E-02	6.05E-04	1.44E-05	1.60E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
190	1.82477	1.87E-02	3.4E-02	6.05E-04	2.07E-05	1.60E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
191	2.94775	1.87E-02	5.5E-02	6.05E-04	3.34E-05	1.60E-01	4.71E-02	2.52E-07	1.0E+06	2.5E-01
192	5.09803	1.87E-02	9.5E-02	6.05E-04	5.77E-05	1.60E-01	4.71E-02	4.36E-07	1.0E+06	4.4E-01
193	6.65391	1.87E-02	1.2E-01	6.05E-04	7.53E-05	1.60E-01	4.71E-02	5.69E-07	1.0E+06	5.7E-01
194	7.42306	1.87E-02	1.4E-01	6.05E-04	8.40E-05	1.60E-01	4.71E-02	6.35E-07	1.0E+06	6.3E-01
195	8.09345	1.87E-02	1.5E-01	6.05E-04	9.16E-05	1.60E-01	4.71E-02	6.92E-07	1.0E+06	6.9E-01
196	7.64119	1.87E-02	1.4E-01	6.05E-04	8.65E-05	1.60E-01	4.71E-02	6.53E-07	1.0E+06	6.5E-01
197	5.9061	1.87E-02	1.1E-01	6.05E-04	6.69E-05	1.60E-01	4.71E-02	5.05E-07	1.0E+06	5.1E-01
198	0.18335	1.87E-02	3.4E-03	6.05E-04	2.08E-06	1.60E-01	4.71E-02	1.57E-08	1.0E+06	1.6E-02
199	0.2041	1.87E-02	3.8E-03	6.05E-04	2.31E-06	1.60E-01	4.71E-02	1.75E-08	1.0E+06	1.7E-02
200	0.22853	1.87E-02	4.3E-03	6.05E-04	2.59E-06	1.60E-01	4.71E-02	1.95E-08	1.0E+06	2.0E-02
201	0.26339	1.87E-02	4.9E-03	6.05E-04	2.98E-06	1.60E-01	4.71E-02	2.25E-08	1.0E+06	2.3E-02
202	0.32176	1.87E-02	6.0E-03	6.05E-04	3.64E-06	1.60E-01	4.71E-02	2.75E-08	1.0E+06	2.8E-02
203	0.38143	1.87E-02	7.1E-03	6.05E-04	4.32E-06	1.60E-01	4.71E-02	3.26E-08	1.0E+06	3.3E-02
204	0.45785	1.87E-02	8.6E-03	6.05E-04	5.18E-06	1.60E-01	4.71E-02	3.92E-08	1.0E+06	3.9E-02
205	0.55249	1.87E-02	1.0E-02	6.05E-04	6.26E-06	1.60E-01	4.71E-02	4.72E-08	1.0E+06	4.7E-02
206	0.67606	1.87E-02	1.3E-02	6.05E-04	7.65E-06	1.60E-01	4.71E-02	5.78E-08	1.0E+06	5.8E-02
207	0.84477	1.87E-02	1.6E-02	6.05E-04	9.57E-06	1.60E-01	4.71E-02	7.22E-08	1.0E+06	7.2E-02
208	1.0806	1.87E-02	2.0E-02	6.05E-04	1.22E-05	1.60E-01	4.71E-02	9.24E-08	1.0E+06	9.2E-02
209	1.4381	1.87E-02	2.7E-02	6.05E-04	1.63E-05	1.60E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
210	2.02651	1.87E-02	3.8E-02	6.05E-04	2.29E-05	1.60E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
211	2.88779	1.87E-02	5.4E-02	6.05E-04	3.27E-05	1.60E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
212	3.58306	1.87E-02	6.7E-02	6.05E-04	4.06E-05	1.60E-01	4.71E-02	3.06E-07	1.0E+06	3.1E-01
213	3.84605	1.87E-02	7.2E-02	6.05E-04	4.35E-05	1.60E-01	4.71E-02	3.29E-07	1.0E+06	3.3E-01
214	3.81694	1.87E-02	7.1E-02	6.05E-04	4.32E-05	1.60E-01	4.71E-02	3.26E-07	1.0E+06	3.3E-01
215	4.44903	1.87E-02	8.3E-02	6.05E-04	5.04E-05	1.60E-01	4.71E-02	3.80E-07	1.0E+06	3.8E-01
216	0.17741	1.87E-02	3.3E-03	6.05E-04	2.01E-06	1.60E-01	4.71E-02	1.52E-08	1.0E+06	1.5E-02
217	0.1957	1.87E-02	3.7E-03	6.05E-04	2.22E-06	1.60E-01	4.71E-02	1.67E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.21931	1.87E-02	4.1E-03	6.05E-04	2.48E-06	1.60E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
219	0.25009	1.87E-02	4.7E-03	6.05E-04	2.83E-06	1.60E-01	4.71E-02	2.14E-08	1.0E+06	2.1E-02
220	0.29965	1.87E-02	5.6E-03	6.05E-04	3.39E-06	1.60E-01	4.71E-02	2.56E-08	1.0E+06	2.6E-02
221	0.35077	1.87E-02	6.6E-03	6.05E-04	3.97E-06	1.60E-01	4.71E-02	3.00E-08	1.0E+06	3.0E-02
222	0.41974	1.87E-02	7.9E-03	6.05E-04	4.75E-06	1.60E-01	4.71E-02	3.59E-08	1.0E+06	3.6E-02
223	0.50101	1.87E-02	9.4E-03	6.05E-04	5.67E-06	1.60E-01	4.71E-02	4.28E-08	1.0E+06	4.3E-02
224	0.60151	1.87E-02	1.1E-02	6.05E-04	6.81E-06	1.60E-01	4.71E-02	5.14E-08	1.0E+06	5.1E-02
225	0.7257	1.87E-02	1.4E-02	6.05E-04	8.22E-06	1.60E-01	4.71E-02	6.21E-08	1.0E+06	6.2E-02
226	0.89772	1.87E-02	1.7E-02	6.05E-04	1.02E-05	1.60E-01	4.71E-02	7.68E-08	1.0E+06	7.7E-02
227	1.13195	1.87E-02	2.1E-02	6.05E-04	1.28E-05	1.60E-01	4.71E-02	9.68E-08	1.0E+06	9.7E-02
228	1.475	1.87E-02	2.8E-02	6.05E-04	1.67E-05	1.60E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
229	1.93098	1.87E-02	3.6E-02	6.05E-04	2.19E-05	1.60E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
230	2.33502	1.87E-02	4.4E-02	6.05E-04	2.64E-05	1.60E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
231	2.58104	1.87E-02	4.8E-02	6.05E-04	2.92E-05	1.60E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
232	2.66403	1.87E-02	5.0E-02	6.05E-04	3.02E-05	1.60E-01	4.71E-02	2.28E-07	1.0E+06	2.3E-01
233	2.9077	1.87E-02	5.4E-02	6.05E-04	3.29E-05	1.60E-01	4.71E-02	2.49E-07	1.0E+06	2.5E-01
234	0.17189	1.87E-02	3.2E-03	6.05E-04	1.95E-06	1.60E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02
235	0.18806	1.87E-02	3.5E-03	6.05E-04	2.13E-06	1.60E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
236	0.2101	1.87E-02	3.9E-03	6.05E-04	2.38E-06	1.60E-01	4.71E-02	1.80E-08	1.0E+06	1.8E-02
237	0.23979	1.87E-02	4.5E-03	6.05E-04	2.72E-06	1.60E-01	4.71E-02	2.05E-08	1.0E+06	2.1E-02
238	0.27936	1.87E-02	5.2E-03	6.05E-04	3.16E-06	1.60E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
239	0.32336	1.87E-02	6.1E-03	6.05E-04	3.66E-06	1.60E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
240	0.37909	1.87E-02	7.1E-03	6.05E-04	4.29E-06	1.60E-01	4.71E-02	3.24E-08	1.0E+06	3.2E-02
241	0.44514	1.87E-02	8.3E-03	6.05E-04	5.04E-06	1.60E-01	4.71E-02	3.81E-08	1.0E+06	3.8E-02
242	0.52414	1.87E-02	9.8E-03	6.05E-04	5.93E-06	1.60E-01	4.71E-02	4.48E-08	1.0E+06	4.5E-02
243	0.61899	1.87E-02	1.2E-02	6.05E-04	7.01E-06	1.60E-01	4.71E-02	5.29E-08	1.0E+06	5.3E-02
244	0.74753	1.87E-02	1.4E-02	6.05E-04	8.46E-06	1.60E-01	4.71E-02	6.39E-08	1.0E+06	6.4E-02
245	0.91665	1.87E-02	1.7E-02	6.05E-04	1.04E-05	1.60E-01	4.71E-02	7.84E-08	1.0E+06	7.8E-02
246	1.14673	1.87E-02	2.1E-02	6.05E-04	1.30E-05	1.60E-01	4.71E-02	9.81E-08	1.0E+06	9.8E-02
247	1.4266	1.87E-02	2.7E-02	6.05E-04	1.62E-05	1.60E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
248	1.69563	1.87E-02	3.2E-02	6.05E-04	1.92E-05	1.60E-01	4.71E-02	1.45E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.88767	1.87E-02	3.5E-02	6.05E-04	2.14E-05	1.60E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
250	1.98347	1.87E-02	3.7E-02	6.05E-04	2.25E-05	1.60E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
251	2.12734	1.87E-02	4.0E-02	6.05E-04	2.41E-05	1.60E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
252	0.16493	1.87E-02	3.1E-03	6.05E-04	1.87E-06	1.60E-01	4.71E-02	1.41E-08	1.0E+06	1.4E-02
253	0.17909	1.87E-02	3.4E-03	6.05E-04	2.03E-06	1.60E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
254	0.19765	1.87E-02	3.7E-03	6.05E-04	2.24E-06	1.60E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
255	0.22099	1.87E-02	4.1E-03	6.05E-04	2.50E-06	1.60E-01	4.71E-02	1.89E-08	1.0E+06	1.9E-02
256	0.26018	1.87E-02	4.9E-03	6.05E-04	2.95E-06	1.60E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
257	0.2878	1.87E-02	5.4E-03	6.05E-04	3.26E-06	1.60E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02
258	0.32553	1.87E-02	6.1E-03	6.05E-04	3.69E-06	1.60E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
259	0.3694	1.87E-02	6.9E-03	6.05E-04	4.18E-06	1.60E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02
260	0.43279	1.87E-02	8.1E-03	6.05E-04	4.90E-06	1.60E-01	4.71E-02	3.70E-08	1.0E+06	3.7E-02
261	0.51703	1.87E-02	9.7E-03	6.05E-04	5.85E-06	1.60E-01	4.71E-02	4.42E-08	1.0E+06	4.4E-02
262	0.62025	1.87E-02	1.2E-02	6.05E-04	7.02E-06	1.60E-01	4.71E-02	5.30E-08	1.0E+06	5.3E-02
263	0.74306	1.87E-02	1.4E-02	6.05E-04	8.41E-06	1.60E-01	4.71E-02	6.35E-08	1.0E+06	6.4E-02
264	0.90838	1.87E-02	1.7E-02	6.05E-04	1.03E-05	1.60E-01	4.71E-02	7.77E-08	1.0E+06	7.8E-02
265	1.09481	1.87E-02	2.0E-02	6.05E-04	1.24E-05	1.60E-01	4.71E-02	9.36E-08	1.0E+06	9.4E-02
266	1.28248	1.87E-02	2.4E-02	6.05E-04	1.45E-05	1.60E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
267	1.42537	1.87E-02	2.7E-02	6.05E-04	1.61E-05	1.60E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
268	1.50248	1.87E-02	2.8E-02	6.05E-04	1.70E-05	1.60E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
269	1.60435	1.87E-02	3.0E-02	6.05E-04	1.82E-05	1.60E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
270	0.15811	1.87E-02	3.0E-03	6.05E-04	1.79E-06	1.60E-01	4.71E-02	1.35E-08	1.0E+06	1.4E-02
271	0.17185	1.87E-02	3.2E-03	6.05E-04	1.95E-06	1.60E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02
272	0.18865	1.87E-02	3.5E-03	6.05E-04	2.14E-06	1.60E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
273	0.20788	1.87E-02	3.9E-03	6.05E-04	2.35E-06	1.60E-01	4.71E-02	1.78E-08	1.0E+06	1.8E-02
274	0.24491	1.87E-02	4.6E-03	6.05E-04	2.77E-06	1.60E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
275	0.27766	1.87E-02	5.2E-03	6.05E-04	3.14E-06	1.60E-01	4.71E-02	2.37E-08	1.0E+06	2.4E-02
276	0.28974	1.87E-02	5.4E-03	6.05E-04	3.28E-06	1.60E-01	4.71E-02	2.48E-08	1.0E+06	2.5E-02
277	0.32166	1.87E-02	6.0E-03	6.05E-04	3.64E-06	1.60E-01	4.71E-02	2.75E-08	1.0E+06	2.8E-02
278	0.36443	1.87E-02	6.8E-03	6.05E-04	4.13E-06	1.60E-01	4.71E-02	3.12E-08	1.0E+06	3.1E-02
279	0.42257	1.87E-02	7.9E-03	6.05E-04	4.78E-06	1.60E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.50962	1.87E-02	9.5E-03	6.05E-04	5.77E-06	1.60E-01	4.71E-02	4.36E-08	1.0E+06	4.4E-02
281	0.616	1.87E-02	1.2E-02	6.05E-04	6.97E-06	1.60E-01	4.71E-02	5.27E-08	1.0E+06	5.3E-02
282	0.74094	1.87E-02	1.4E-02	6.05E-04	8.39E-06	1.60E-01	4.71E-02	6.34E-08	1.0E+06	6.3E-02
283	0.87839	1.87E-02	1.6E-02	6.05E-04	9.95E-06	1.60E-01	4.71E-02	7.51E-08	1.0E+06	7.5E-02
284	1.01581	1.87E-02	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.69E-08	1.0E+06	8.7E-02
285	1.11984	1.87E-02	2.1E-02	6.05E-04	1.27E-05	1.60E-01	4.71E-02	9.58E-08	1.0E+06	9.6E-02
286	1.18487	1.87E-02	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
287	1.26563	1.87E-02	2.4E-02	6.05E-04	1.43E-05	1.60E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
288	0.15258	1.87E-02	2.9E-03	6.05E-04	1.73E-06	1.60E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02
289	0.16395	1.87E-02	3.1E-03	6.05E-04	1.86E-06	1.60E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02
290	0.18264	1.87E-02	3.4E-03	6.05E-04	2.07E-06	1.60E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
291	0.20155	1.87E-02	3.8E-03	6.05E-04	2.28E-06	1.60E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
292	0.24543	1.87E-02	4.6E-03	6.05E-04	2.78E-06	1.60E-01	4.71E-02	2.10E-08	1.0E+06	2.1E-02
293	0.26215	1.87E-02	4.9E-03	6.05E-04	2.97E-06	1.60E-01	4.71E-02	2.24E-08	1.0E+06	2.2E-02
294	0.26042	1.87E-02	4.9E-03	6.05E-04	2.95E-06	1.60E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
295	0.28841	1.87E-02	5.4E-03	6.05E-04	3.27E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
296	0.32442	1.87E-02	6.1E-03	6.05E-04	3.67E-06	1.60E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
297	0.364	1.87E-02	6.8E-03	6.05E-04	4.12E-06	1.60E-01	4.71E-02	3.11E-08	1.0E+06	3.1E-02
298	0.42495	1.87E-02	8.0E-03	6.05E-04	4.81E-06	1.60E-01	4.71E-02	3.63E-08	1.0E+06	3.6E-02
299	0.51462	1.87E-02	9.6E-03	6.05E-04	5.83E-06	1.60E-01	4.71E-02	4.40E-08	1.0E+06	4.4E-02
300	0.60798	1.87E-02	1.1E-02	6.05E-04	6.88E-06	1.60E-01	4.71E-02	5.20E-08	1.0E+06	5.2E-02
301	0.7201	1.87E-02	1.3E-02	6.05E-04	8.15E-06	1.60E-01	4.71E-02	6.16E-08	1.0E+06	6.2E-02
302	0.82671	1.87E-02	1.5E-02	6.05E-04	9.36E-06	1.60E-01	4.71E-02	7.07E-08	1.0E+06	7.1E-02
303	0.91312	1.87E-02	1.7E-02	6.05E-04	1.03E-05	1.60E-01	4.71E-02	7.81E-08	1.0E+06	7.8E-02
304	0.97225	1.87E-02	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.31E-08	1.0E+06	8.3E-02
305	1.03502	1.87E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.85E-08	1.0E+06	8.9E-02
306	0.15526	1.87E-02	2.9E-03	6.05E-04	1.76E-06	1.60E-01	4.71E-02	1.33E-08	1.0E+06	1.3E-02
307	0.16177	1.87E-02	3.0E-03	6.05E-04	1.83E-06	1.60E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02
308	0.17435	1.87E-02	3.3E-03	6.05E-04	1.97E-06	1.60E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02
309	0.20263	1.87E-02	3.8E-03	6.05E-04	2.29E-06	1.60E-01	4.71E-02	1.73E-08	1.0E+06	1.7E-02
310	0.23095	1.87E-02	4.3E-03	6.05E-04	2.61E-06	1.60E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.24347	1.87E-02	4.6E-03	6.05E-04	2.76E-06	1.60E-01	4.71E-02	2.08E-08	1.0E+06	2.1E-02
312	0.23496	1.87E-02	4.4E-03	6.05E-04	2.66E-06	1.60E-01	4.71E-02	2.01E-08	1.0E+06	2.0E-02
313	0.25841	1.87E-02	4.8E-03	6.05E-04	2.93E-06	1.60E-01	4.71E-02	2.21E-08	1.0E+06	2.2E-02
314	0.28898	1.87E-02	5.4E-03	6.05E-04	3.27E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
315	0.3372	1.87E-02	6.3E-03	6.05E-04	3.82E-06	1.60E-01	4.71E-02	2.88E-08	1.0E+06	2.9E-02
316	0.37548	1.87E-02	7.0E-03	6.05E-04	4.25E-06	1.60E-01	4.71E-02	3.21E-08	1.0E+06	3.2E-02
317	0.43327	1.87E-02	8.1E-03	6.05E-04	4.91E-06	1.60E-01	4.71E-02	3.70E-08	1.0E+06	3.7E-02
318	0.50839	1.87E-02	9.5E-03	6.05E-04	5.76E-06	1.60E-01	4.71E-02	4.35E-08	1.0E+06	4.3E-02
319	0.60035	1.87E-02	1.1E-02	6.05E-04	6.80E-06	1.60E-01	4.71E-02	5.13E-08	1.0E+06	5.1E-02
320	0.69635	1.87E-02	1.3E-02	6.05E-04	7.88E-06	1.60E-01	4.71E-02	5.95E-08	1.0E+06	6.0E-02
321	0.76368	1.87E-02	1.4E-02	6.05E-04	8.65E-06	1.60E-01	4.71E-02	6.53E-08	1.0E+06	6.5E-02
322	0.80823	1.87E-02	1.5E-02	6.05E-04	9.15E-06	1.60E-01	4.71E-02	6.91E-08	1.0E+06	6.9E-02
323	0.86092	1.87E-02	1.6E-02	6.05E-04	9.75E-06	1.60E-01	4.71E-02	7.36E-08	1.0E+06	7.4E-02
324	0.14933	1.87E-02	2.8E-03	6.05E-04	1.69E-06	1.60E-01	4.71E-02	1.28E-08	1.0E+06	1.3E-02
325	0.16452	1.87E-02	3.1E-03	6.05E-04	1.86E-06	1.60E-01	4.71E-02	1.41E-08	1.0E+06	1.4E-02
326	0.17468	1.87E-02	3.3E-03	6.05E-04	1.98E-06	1.60E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02
327	0.18209	1.87E-02	3.4E-03	6.05E-04	2.06E-06	1.60E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
328	0.21964	1.87E-02	4.1E-03	6.05E-04	2.49E-06	1.60E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
329	0.22545	1.87E-02	4.2E-03	6.05E-04	2.55E-06	1.60E-01	4.71E-02	1.93E-08	1.0E+06	1.9E-02
330	0.2186	1.87E-02	4.1E-03	6.05E-04	2.48E-06	1.60E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
331	0.24035	1.87E-02	4.5E-03	6.05E-04	2.72E-06	1.60E-01	4.71E-02	2.06E-08	1.0E+06	2.1E-02
332	0.26848	1.87E-02	5.0E-03	6.05E-04	3.04E-06	1.60E-01	4.71E-02	2.30E-08	1.0E+06	2.3E-02
333	0.31139	1.87E-02	5.8E-03	6.05E-04	3.53E-06	1.60E-01	4.71E-02	2.66E-08	1.0E+06	2.7E-02
334	0.35238	1.87E-02	6.6E-03	6.05E-04	3.99E-06	1.60E-01	4.71E-02	3.01E-08	1.0E+06	3.0E-02
335	0.40188	1.87E-02	7.5E-03	6.05E-04	4.55E-06	1.60E-01	4.71E-02	3.44E-08	1.0E+06	3.4E-02
336	14.22193	1.87E-02	2.7E-01	6.05E-04	1.61E-04	1.60E-01	4.71E-02	1.22E-06	1.0E+06	1.2E+00
337	9.15446	1.87E-02	1.7E-01	6.05E-04	1.04E-04	1.60E-01	4.71E-02	7.83E-07	1.0E+06	7.8E-01
338	0.35979	1.87E-02	6.7E-03	6.05E-04	4.07E-06	1.60E-01	4.71E-02	3.08E-08	1.0E+06	3.1E-02
339	0.39641	1.87E-02	7.4E-03	6.05E-04	4.49E-06	1.60E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
340	0.42244	1.87E-02	7.9E-03	6.05E-04	4.78E-06	1.60E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
341	0.44086	1.87E-02	8.2E-03	6.05E-04	4.99E-06	1.60E-01	4.71E-02	3.77E-08	1.0E+06	3.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.45488	1.87E-02	8.5E-03	6.05E-04	5.15E-06	1.60E-01	4.71E-02	3.89E-08	1.0E+06	3.9E-02
343	0.46544	1.87E-02	8.7E-03	6.05E-04	5.27E-06	1.60E-01	4.71E-02	3.98E-08	1.0E+06	4.0E-02
344	0.46309	1.87E-02	8.7E-03	6.05E-04	5.24E-06	1.60E-01	4.71E-02	3.96E-08	1.0E+06	4.0E-02
345	0.4552	1.87E-02	8.5E-03	6.05E-04	5.15E-06	1.60E-01	4.71E-02	3.89E-08	1.0E+06	3.9E-02
346	0.44133	1.87E-02	8.3E-03	6.05E-04	5.00E-06	1.60E-01	4.71E-02	3.77E-08	1.0E+06	3.8E-02
347	0.41527	1.87E-02	7.8E-03	6.05E-04	4.70E-06	1.60E-01	4.71E-02	3.55E-08	1.0E+06	3.6E-02
348	0.4685	1.87E-02	8.8E-03	6.05E-04	5.30E-06	1.60E-01	4.71E-02	4.01E-08	1.0E+06	4.0E-02
349	0.50316	1.87E-02	9.4E-03	6.05E-04	5.70E-06	1.60E-01	4.71E-02	4.30E-08	1.0E+06	4.3E-02
350	0.52854	1.87E-02	9.9E-03	6.05E-04	5.98E-06	1.60E-01	4.71E-02	4.52E-08	1.0E+06	4.5E-02
351	0.54861	1.87E-02	1.0E-02	6.05E-04	6.21E-06	1.60E-01	4.71E-02	4.69E-08	1.0E+06	4.7E-02
352	0.56328	1.87E-02	1.1E-02	6.05E-04	6.38E-06	1.60E-01	4.71E-02	4.82E-08	1.0E+06	4.8E-02
353	0.55888	1.87E-02	1.0E-02	6.05E-04	6.33E-06	1.60E-01	4.71E-02	4.78E-08	1.0E+06	4.8E-02
354	0.54148	1.87E-02	1.0E-02	6.05E-04	6.13E-06	1.60E-01	4.71E-02	4.63E-08	1.0E+06	4.6E-02
355	0.52355	1.87E-02	9.8E-03	6.05E-04	5.93E-06	1.60E-01	4.71E-02	4.48E-08	1.0E+06	4.5E-02
356	0.48865	1.87E-02	9.1E-03	6.05E-04	5.53E-06	1.60E-01	4.71E-02	4.18E-08	1.0E+06	4.2E-02
357	0.5365	1.87E-02	1.0E-02	6.05E-04	6.07E-06	1.60E-01	4.71E-02	4.59E-08	1.0E+06	4.6E-02
358	0.60331	1.87E-02	1.1E-02	6.05E-04	6.83E-06	1.60E-01	4.71E-02	5.16E-08	1.0E+06	5.2E-02
359	0.64623	1.87E-02	1.2E-02	6.05E-04	7.32E-06	1.60E-01	4.71E-02	5.53E-08	1.0E+06	5.5E-02
360	0.67667	1.87E-02	1.3E-02	6.05E-04	7.66E-06	1.60E-01	4.71E-02	5.79E-08	1.0E+06	5.8E-02
361	0.69726	1.87E-02	1.3E-02	6.05E-04	7.89E-06	1.60E-01	4.71E-02	5.96E-08	1.0E+06	6.0E-02
362	0.68982	1.87E-02	1.3E-02	6.05E-04	7.81E-06	1.60E-01	4.71E-02	5.90E-08	1.0E+06	5.9E-02
363	0.66165	1.87E-02	1.2E-02	6.05E-04	7.49E-06	1.60E-01	4.71E-02	5.66E-08	1.0E+06	5.7E-02
364	0.5908	1.87E-02	1.1E-02	6.05E-04	6.69E-06	1.60E-01	4.71E-02	5.05E-08	1.0E+06	5.1E-02
365	0.64391	1.87E-02	1.2E-02	6.05E-04	7.29E-06	1.60E-01	4.71E-02	5.51E-08	1.0E+06	5.5E-02
366	0.73317	1.87E-02	1.4E-02	6.05E-04	8.30E-06	1.60E-01	4.71E-02	6.27E-08	1.0E+06	6.3E-02
367	0.81139	1.87E-02	1.5E-02	6.05E-04	9.19E-06	1.60E-01	4.71E-02	6.94E-08	1.0E+06	6.9E-02
368	0.85914	1.87E-02	1.6E-02	6.05E-04	9.73E-06	1.60E-01	4.71E-02	7.35E-08	1.0E+06	7.3E-02
369	0.89316	1.87E-02	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.64E-08	1.0E+06	7.6E-02
370	0.84336	1.87E-02	1.6E-02	6.05E-04	9.55E-06	1.60E-01	4.71E-02	7.21E-08	1.0E+06	7.2E-02
371	0.78943	1.87E-02	1.5E-02	6.05E-04	8.94E-06	1.60E-01	4.71E-02	6.75E-08	1.0E+06	6.8E-02
372	0.7404	1.87E-02	1.4E-02	6.05E-04	8.38E-06	1.60E-01	4.71E-02	6.33E-08	1.0E+06	6.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.81467	1.87E-02	1.5E-02	6.05E-04	9.22E-06	1.60E-01	4.71E-02	6.97E-08	1.0E+06	7.0E-02
374	0.93965	1.87E-02	1.8E-02	6.05E-04	1.06E-05	1.60E-01	4.71E-02	8.03E-08	1.0E+06	8.0E-02
375	1.05178	1.87E-02	2.0E-02	6.05E-04	1.19E-05	1.60E-01	4.71E-02	8.99E-08	1.0E+06	9.0E-02
376	1.13565	1.87E-02	2.1E-02	6.05E-04	1.29E-05	1.60E-01	4.71E-02	9.71E-08	1.0E+06	9.7E-02
377	1.18875	1.87E-02	2.2E-02	6.05E-04	1.35E-05	1.60E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
378	1.20018	1.87E-02	2.2E-02	6.05E-04	1.36E-05	1.60E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
379	1.0988	1.87E-02	2.1E-02	6.05E-04	1.24E-05	1.60E-01	4.71E-02	9.40E-08	1.0E+06	9.4E-02
380	1.00783	1.87E-02	1.9E-02	6.05E-04	1.14E-05	1.60E-01	4.71E-02	8.62E-08	1.0E+06	8.6E-02
381	0.90119	1.87E-02	1.7E-02	6.05E-04	1.02E-05	1.60E-01	4.71E-02	7.71E-08	1.0E+06	7.7E-02
382	0.96212	1.87E-02	1.8E-02	6.05E-04	1.09E-05	1.60E-01	4.71E-02	8.23E-08	1.0E+06	8.2E-02
383	1.10532	1.87E-02	2.1E-02	6.05E-04	1.25E-05	1.60E-01	4.71E-02	9.45E-08	1.0E+06	9.5E-02
384	1.26328	1.87E-02	2.4E-02	6.05E-04	1.43E-05	1.60E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
385	1.43142	1.87E-02	2.7E-02	6.05E-04	1.62E-05	1.60E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
386	1.58401	1.87E-02	3.0E-02	6.05E-04	1.79E-05	1.60E-01	4.71E-02	1.35E-07	1.0E+06	1.4E-01
387	1.69194	1.87E-02	3.2E-02	6.05E-04	1.92E-05	1.60E-01	4.71E-02	1.45E-07	1.0E+06	1.4E-01
388	1.71763	1.87E-02	3.2E-02	6.05E-04	1.94E-05	1.60E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
389	1.484	1.87E-02	2.8E-02	6.05E-04	1.68E-05	1.60E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
390	1.29262	1.87E-02	2.4E-02	6.05E-04	1.46E-05	1.60E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
391	1.10329	1.87E-02	2.1E-02	6.05E-04	1.25E-05	1.60E-01	4.71E-02	9.43E-08	1.0E+06	9.4E-02
392	0.9065	1.87E-02	1.7E-02	6.05E-04	1.03E-05	1.60E-01	4.71E-02	7.75E-08	1.0E+06	7.8E-02
393	1.34746	1.87E-02	2.5E-02	6.05E-04	1.53E-05	1.60E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
394	1.64651	1.87E-02	3.1E-02	6.05E-04	1.86E-05	1.60E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
395	1.85616	1.87E-02	3.5E-02	6.05E-04	2.10E-05	1.60E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
396	2.16582	1.87E-02	4.1E-02	6.05E-04	2.45E-05	1.60E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
397	2.45109	1.87E-02	4.6E-02	6.05E-04	2.78E-05	1.60E-01	4.71E-02	2.10E-07	1.0E+06	2.1E-01
398	2.45583	1.87E-02	4.6E-02	6.05E-04	2.78E-05	1.60E-01	4.71E-02	2.10E-07	1.0E+06	2.1E-01
399	2.2475	1.87E-02	4.2E-02	6.05E-04	2.54E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
400	2.09785	1.87E-02	3.9E-02	6.05E-04	2.38E-05	1.60E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
401	1.67728	1.87E-02	3.1E-02	6.05E-04	1.90E-05	1.60E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
402	1.02737	1.87E-02	1.9E-02	6.05E-04	1.16E-05	1.60E-01	4.71E-02	8.78E-08	1.0E+06	8.8E-02
403	3.07347	1.87E-02	5.8E-02	6.05E-04	3.48E-05	1.60E-01	4.71E-02	2.63E-07	1.0E+06	2.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.17192	1.87E-02	2.2E-02	6.05E-04	1.33E-05	1.60E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
405	0.88845	1.87E-02	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.60E-08	1.0E+06	7.6E-02
406	4.25111	1.87E-02	8.0E-02	6.05E-04	4.81E-05	1.60E-01	4.71E-02	3.64E-07	1.0E+06	3.6E-01
407	0.89626	1.87E-02	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.66E-08	1.0E+06	7.7E-02
408	4.45544	1.87E-02	8.3E-02	6.05E-04	5.04E-05	1.60E-01	4.71E-02	3.81E-07	1.0E+06	3.8E-01
409	0.87466	1.87E-02	1.6E-02	6.05E-04	9.90E-06	1.60E-01	4.71E-02	7.48E-08	1.0E+06	7.5E-02
410	3.99529	1.87E-02	7.5E-02	6.05E-04	4.52E-05	1.60E-01	4.71E-02	3.42E-07	1.0E+06	3.4E-01
411	1.11539	1.87E-02	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.54E-08	1.0E+06	9.5E-02
412	0.85128	1.87E-02	1.6E-02	6.05E-04	9.64E-06	1.60E-01	4.71E-02	7.28E-08	1.0E+06	7.3E-02
413	3.39077	1.87E-02	6.3E-02	6.05E-04	3.84E-05	1.60E-01	4.71E-02	2.90E-07	1.0E+06	2.9E-01
414	1.40553	1.87E-02	2.6E-02	6.05E-04	1.59E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
415	1.02933	1.87E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.80E-08	1.0E+06	8.8E-02
416	0.79436	1.87E-02	1.5E-02	6.05E-04	8.99E-06	1.60E-01	4.71E-02	6.79E-08	1.0E+06	6.8E-02
417	2.77348	1.87E-02	5.2E-02	6.05E-04	3.14E-05	1.60E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
418	0.94049	1.87E-02	1.8E-02	6.05E-04	1.06E-05	1.60E-01	4.71E-02	8.04E-08	1.0E+06	8.0E-02
419	0.73553	1.87E-02	1.4E-02	6.05E-04	8.33E-06	1.60E-01	4.71E-02	6.29E-08	1.0E+06	6.3E-02
420	0.59217	1.87E-02	1.1E-02	6.05E-04	6.71E-06	1.60E-01	4.71E-02	5.06E-08	1.0E+06	5.1E-02
421	2.27084	1.87E-02	4.2E-02	6.05E-04	2.57E-05	1.60E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
422	0.67828	1.87E-02	1.3E-02	6.05E-04	7.68E-06	1.60E-01	4.71E-02	5.80E-08	1.0E+06	5.8E-02
423	0.554	1.87E-02	1.0E-02	6.05E-04	6.27E-06	1.60E-01	4.71E-02	4.74E-08	1.0E+06	4.7E-02
424	1.88	1.87E-02	3.5E-02	6.05E-04	2.13E-05	1.60E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
425	0.5157	1.87E-02	9.7E-03	6.05E-04	5.84E-06	1.60E-01	4.71E-02	4.41E-08	1.0E+06	4.4E-02
426	0.43371	1.87E-02	8.1E-03	6.05E-04	4.91E-06	1.60E-01	4.71E-02	3.71E-08	1.0E+06	3.7E-02
427	1.56649	1.87E-02	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
428	0.4789	1.87E-02	9.0E-03	6.05E-04	5.42E-06	1.60E-01	4.71E-02	4.10E-08	1.0E+06	4.1E-02
429	0.40662	1.87E-02	7.6E-03	6.05E-04	4.60E-06	1.60E-01	4.71E-02	3.48E-08	1.0E+06	3.5E-02
430	1.3156	1.87E-02	2.5E-02	6.05E-04	1.49E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
431	0.38046	1.87E-02	7.1E-03	6.05E-04	4.31E-06	1.60E-01	4.71E-02	3.25E-08	1.0E+06	3.3E-02
432	0.32758	1.87E-02	6.1E-03	6.05E-04	3.71E-06	1.60E-01	4.71E-02	2.80E-08	1.0E+06	2.8E-02
433	1.1119	1.87E-02	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.51E-08	1.0E+06	9.5E-02
434	0.35598	1.87E-02	6.7E-03	6.05E-04	4.03E-06	1.60E-01	4.71E-02	3.04E-08	1.0E+06	3.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.31017	1.87E-02	5.8E-03	6.05E-04	3.51E-06	1.60E-01	4.71E-02	2.65E-08	1.0E+06	2.7E-02
436	0.94807	1.87E-02	1.8E-02	6.05E-04	1.07E-05	1.60E-01	4.71E-02	8.11E-08	1.0E+06	8.1E-02
437	0.38616	1.87E-02	7.2E-03	6.05E-04	4.37E-06	1.60E-01	4.71E-02	3.30E-08	1.0E+06	3.3E-02
438	0.33379	1.87E-02	6.2E-03	6.05E-04	3.78E-06	1.60E-01	4.71E-02	2.85E-08	1.0E+06	2.9E-02
439	0.29234	1.87E-02	5.5E-03	6.05E-04	3.31E-06	1.60E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
440	0.81447	1.87E-02	1.5E-02	6.05E-04	9.22E-06	1.60E-01	4.71E-02	6.96E-08	1.0E+06	7.0E-02
441	0.49808	1.87E-02	9.3E-03	6.05E-04	5.64E-06	1.60E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
442	0.42026	1.87E-02	7.9E-03	6.05E-04	4.76E-06	1.60E-01	4.71E-02	3.59E-08	1.0E+06	3.6E-02
443	0.36046	1.87E-02	6.7E-03	6.05E-04	4.08E-06	1.60E-01	4.71E-02	3.08E-08	1.0E+06	3.1E-02
444	0.31303	1.87E-02	5.9E-03	6.05E-04	3.54E-06	1.60E-01	4.71E-02	2.68E-08	1.0E+06	2.7E-02
445	0.70549	1.87E-02	1.3E-02	6.05E-04	7.99E-06	1.60E-01	4.71E-02	6.03E-08	1.0E+06	6.0E-02
446	0.52981	1.87E-02	9.9E-03	6.05E-04	6.00E-06	1.60E-01	4.71E-02	4.53E-08	1.0E+06	4.5E-02
447	0.45344	1.87E-02	8.5E-03	6.05E-04	5.13E-06	1.60E-01	4.71E-02	3.88E-08	1.0E+06	3.9E-02
448	0.38911	1.87E-02	7.3E-03	6.05E-04	4.41E-06	1.60E-01	4.71E-02	3.33E-08	1.0E+06	3.3E-02
449	0.61559	1.87E-02	1.2E-02	6.05E-04	6.97E-06	1.60E-01	4.71E-02	5.26E-08	1.0E+06	5.3E-02
450	0.5474	1.87E-02	1.0E-02	6.05E-04	6.20E-06	1.60E-01	4.71E-02	4.68E-08	1.0E+06	4.7E-02
451	0.47889	1.87E-02	9.0E-03	6.05E-04	5.42E-06	1.60E-01	4.71E-02	4.09E-08	1.0E+06	4.1E-02
452	0.54079	1.87E-02	1.0E-02	6.05E-04	6.12E-06	1.60E-01	4.71E-02	4.62E-08	1.0E+06	4.6E-02
453	0.48845	1.87E-02	9.1E-03	6.05E-04	5.53E-06	1.60E-01	4.71E-02	4.18E-08	1.0E+06	4.2E-02
454	0.23028	1.87E-02	4.3E-03	6.05E-04	2.61E-06	1.60E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
455	0.2084	1.87E-02	3.9E-03	6.05E-04	2.36E-06	1.60E-01	4.71E-02	1.78E-08	1.0E+06	1.8E-02
456	0.47804	1.87E-02	8.9E-03	6.05E-04	5.41E-06	1.60E-01	4.71E-02	4.09E-08	1.0E+06	4.1E-02
457	0.43751	1.87E-02	8.2E-03	6.05E-04	4.95E-06	1.60E-01	4.71E-02	3.74E-08	1.0E+06	3.7E-02
458	0.39304	1.87E-02	7.4E-03	6.05E-04	4.45E-06	1.60E-01	4.71E-02	3.36E-08	1.0E+06	3.4E-02
459	0.27435	1.87E-02	5.1E-03	6.05E-04	3.11E-06	1.60E-01	4.71E-02	2.35E-08	1.0E+06	2.3E-02
460	0.24475	1.87E-02	4.6E-03	6.05E-04	2.77E-06	1.60E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
461	0.21926	1.87E-02	4.1E-03	6.05E-04	2.48E-06	1.60E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
462	0.19767	1.87E-02	3.7E-03	6.05E-04	2.24E-06	1.60E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
463	13.92843	1.87E-02	2.6E-01	6.05E-04	1.58E-04	1.60E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
464	7.93246	1.87E-02	1.5E-01	6.05E-04	8.98E-05	1.60E-01	4.71E-02	6.78E-07	1.0E+06	6.8E-01
465	10.04613	1.87E-02	1.9E-01	6.05E-04	1.14E-04	1.60E-01	4.71E-02	8.59E-07	1.0E+06	8.6E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	5.6879	1.87E-02	1.1E-01	6.05E-04	6.44E-05	1.60E-01	4.71E-02	4.86E-07	1.0E+06	4.9E-01
467	6.17677	1.87E-02	1.2E-01	6.05E-04	6.99E-05	1.60E-01	4.71E-02	5.28E-07	1.0E+06	5.3E-01
468	4.25156	1.87E-02	8.0E-02	6.05E-04	4.81E-05	1.60E-01	4.71E-02	3.64E-07	1.0E+06	3.6E-01
469	3.04435	1.87E-02	5.7E-02	6.05E-04	3.45E-05	1.60E-01	4.71E-02	2.60E-07	1.0E+06	2.6E-01
470	2.7682	1.87E-02	5.2E-02	6.05E-04	3.13E-05	1.60E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
471	2.64881	1.87E-02	5.0E-02	6.05E-04	3.00E-05	1.60E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
472	2.05018	1.87E-02	3.8E-02	6.05E-04	2.32E-05	1.60E-01	4.71E-02	1.75E-07	1.0E+06	1.8E-01
473	1.76651	1.87E-02	3.3E-02	6.05E-04	2.00E-05	1.60E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
474	1.58003	1.87E-02	3.0E-02	6.05E-04	1.79E-05	1.60E-01	4.71E-02	1.35E-07	1.0E+06	1.4E-01
475	1.40878	1.87E-02	2.6E-02	6.05E-04	1.60E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
476	1.25565	1.87E-02	2.3E-02	6.05E-04	1.42E-05	1.60E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
477	1.14792	1.87E-02	2.1E-02	6.05E-04	1.30E-05	1.60E-01	4.71E-02	9.82E-08	1.0E+06	9.8E-02
478	1.02132	1.87E-02	1.9E-02	6.05E-04	1.16E-05	1.60E-01	4.71E-02	8.73E-08	1.0E+06	8.7E-02
479	0.95054	1.87E-02	1.8E-02	6.05E-04	1.08E-05	1.60E-01	4.71E-02	8.13E-08	1.0E+06	8.1E-02
480	0.85091	1.87E-02	1.6E-02	6.05E-04	9.63E-06	1.60E-01	4.71E-02	7.28E-08	1.0E+06	7.3E-02
481	0.84658	1.87E-02	1.6E-02	6.05E-04	9.59E-06	1.60E-01	4.71E-02	7.24E-08	1.0E+06	7.2E-02
482	0.73004	1.87E-02	1.4E-02	6.05E-04	8.27E-06	1.60E-01	4.71E-02	6.24E-08	1.0E+06	6.2E-02
483	0.68148	1.87E-02	1.3E-02	6.05E-04	7.72E-06	1.60E-01	4.71E-02	5.83E-08	1.0E+06	5.8E-02
484	0.63172	1.87E-02	1.2E-02	6.05E-04	7.15E-06	1.60E-01	4.71E-02	5.40E-08	1.0E+06	5.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.16295	5.76607E-06	9.4E-07	6.05E-04	5.69E-10	1.60E-01	4.71E-02	4.29E-12	1.0E+06	4.3E-06
2	2	0.1708	5.76607E-06	9.8E-07	6.05E-04	5.96E-10	1.60E-01	4.71E-02	4.50E-12	1.0E+06	4.5E-06
3	3	0.17834	5.76607E-06	1.0E-06	6.05E-04	6.22E-10	1.60E-01	4.71E-02	4.70E-12	1.0E+06	4.7E-06
4	4	0.18568	5.76607E-06	1.1E-06	6.05E-04	6.48E-10	1.60E-01	4.71E-02	4.89E-12	1.0E+06	4.9E-06
5	5	0.19242	5.76607E-06	1.1E-06	6.05E-04	6.71E-10	1.60E-01	4.71E-02	5.07E-12	1.0E+06	5.1E-06
6	6	0.19986	5.76607E-06	1.2E-06	6.05E-04	6.97E-10	1.60E-01	4.71E-02	5.27E-12	1.0E+06	5.3E-06
7	7	0.2073	5.76607E-06	1.2E-06	6.05E-04	7.23E-10	1.60E-01	4.71E-02	5.46E-12	1.0E+06	5.5E-06
8	8	0.21489	5.76607E-06	1.2E-06	6.05E-04	7.50E-10	1.60E-01	4.71E-02	5.66E-12	1.0E+06	5.7E-06
9	9	0.2234	5.76607E-06	1.3E-06	6.05E-04	7.79E-10	1.60E-01	4.71E-02	5.89E-12	1.0E+06	5.9E-06
10	10	0.23487	5.76607E-06	1.4E-06	6.05E-04	8.19E-10	1.60E-01	4.71E-02	6.19E-12	1.0E+06	6.2E-06
11	11	0.25152	5.76607E-06	1.5E-06	6.05E-04	8.78E-10	1.60E-01	4.71E-02	6.63E-12	1.0E+06	6.6E-06
12	12	0.27164	5.76607E-06	1.6E-06	6.05E-04	9.48E-10	1.60E-01	4.71E-02	7.16E-12	1.0E+06	7.2E-06
13	13	0.29588	5.76607E-06	1.7E-06	6.05E-04	1.03E-09	1.60E-01	4.71E-02	7.80E-12	1.0E+06	7.8E-06
14	14	0.46878	5.76607E-06	2.7E-06	6.05E-04	1.64E-09	1.60E-01	4.71E-02	1.24E-11	1.0E+06	1.2E-05
15	15	0.17688	5.76607E-06	1.0E-06	6.05E-04	6.17E-10	1.60E-01	4.71E-02	4.66E-12	1.0E+06	4.7E-06
16	16	0.18596	5.76607E-06	1.1E-06	6.05E-04	6.49E-10	1.60E-01	4.71E-02	4.90E-12	1.0E+06	4.9E-06
17	17	0.19633	5.76607E-06	1.1E-06	6.05E-04	6.85E-10	1.60E-01	4.71E-02	5.17E-12	1.0E+06	5.2E-06
18	18	0.20597	5.76607E-06	1.2E-06	6.05E-04	7.19E-10	1.60E-01	4.71E-02	5.43E-12	1.0E+06	5.4E-06
19	19	0.21529	5.76607E-06	1.2E-06	6.05E-04	7.51E-10	1.60E-01	4.71E-02	5.67E-12	1.0E+06	5.7E-06
20	20	0.22517	5.76607E-06	1.3E-06	6.05E-04	7.86E-10	1.60E-01	4.71E-02	5.93E-12	1.0E+06	5.9E-06
21	21	0.235	5.76607E-06	1.4E-06	6.05E-04	8.20E-10	1.60E-01	4.71E-02	6.19E-12	1.0E+06	6.2E-06
22	22	0.24443	5.76607E-06	1.4E-06	6.05E-04	8.53E-10	1.60E-01	4.71E-02	6.44E-12	1.0E+06	6.4E-06
23	23	0.25649	5.76607E-06	1.5E-06	6.05E-04	8.95E-10	1.60E-01	4.71E-02	6.76E-12	1.0E+06	6.8E-06
24	24	0.26809	5.76607E-06	1.5E-06	6.05E-04	9.35E-10	1.60E-01	4.71E-02	7.06E-12	1.0E+06	7.1E-06
25	25	0.28754	5.76607E-06	1.7E-06	6.05E-04	1.00E-09	1.60E-01	4.71E-02	7.58E-12	1.0E+06	7.6E-06
26	26	0.31157	5.76607E-06	1.8E-06	6.05E-04	1.09E-09	1.60E-01	4.71E-02	8.21E-12	1.0E+06	8.2E-06
27	27	0.33668	5.76607E-06	1.9E-06	6.05E-04	1.17E-09	1.60E-01	4.71E-02	8.87E-12	1.0E+06	8.9E-06
28	28	0.56338	5.76607E-06	3.2E-06	6.05E-04	1.97E-09	1.60E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
29	29	0.19008	5.76607E-06	1.1E-06	6.05E-04	6.63E-10	1.60E-01	4.71E-02	5.01E-12	1.0E+06	5.0E-06
30	30	0.20201	5.76607E-06	1.2E-06	6.05E-04	7.05E-10	1.60E-01	4.71E-02	5.32E-12	1.0E+06	5.3E-06
31	31	0.21504	5.76607E-06	1.2E-06	6.05E-04	7.50E-10	1.60E-01	4.71E-02	5.67E-12	1.0E+06	5.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.22813	5.76607E-06	1.3E-06	6.05E-04	7.96E-10	1.60E-01	4.71E-02	6.01E-12	1.0E+06	6.0E-06
33	33	0.23965	5.76607E-06	1.4E-06	6.05E-04	8.36E-10	1.60E-01	4.71E-02	6.31E-12	1.0E+06	6.3E-06
34	34	0.25326	5.76607E-06	1.5E-06	6.05E-04	8.84E-10	1.60E-01	4.71E-02	6.67E-12	1.0E+06	6.7E-06
35	35	0.26659	5.76607E-06	1.5E-06	6.05E-04	9.30E-10	1.60E-01	4.71E-02	7.02E-12	1.0E+06	7.0E-06
36	36	0.28073	5.76607E-06	1.6E-06	6.05E-04	9.79E-10	1.60E-01	4.71E-02	7.40E-12	1.0E+06	7.4E-06
37	37	0.29599	5.76607E-06	1.7E-06	6.05E-04	1.03E-09	1.60E-01	4.71E-02	7.80E-12	1.0E+06	7.8E-06
38	38	0.31295	5.76607E-06	1.8E-06	6.05E-04	1.09E-09	1.60E-01	4.71E-02	8.25E-12	1.0E+06	8.2E-06
39	39	0.33375	5.76607E-06	1.9E-06	6.05E-04	1.16E-09	1.60E-01	4.71E-02	8.79E-12	1.0E+06	8.8E-06
40	40	0.35878	5.76607E-06	2.1E-06	6.05E-04	1.25E-09	1.60E-01	4.71E-02	9.45E-12	1.0E+06	9.5E-06
41	41	0.38856	5.76607E-06	2.2E-06	6.05E-04	1.36E-09	1.60E-01	4.71E-02	1.02E-11	1.0E+06	1.0E-05
42	42	0.691	5.76607E-06	4.0E-06	6.05E-04	2.41E-09	1.60E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
43	43	0.20089	5.76607E-06	1.2E-06	6.05E-04	7.01E-10	1.60E-01	4.71E-02	5.29E-12	1.0E+06	5.3E-06
44	44	0.21517	5.76607E-06	1.2E-06	6.05E-04	7.51E-10	1.60E-01	4.71E-02	5.67E-12	1.0E+06	5.7E-06
45	45	0.23091	5.76607E-06	1.3E-06	6.05E-04	8.06E-10	1.60E-01	4.71E-02	6.08E-12	1.0E+06	6.1E-06
46	46	0.24746	5.76607E-06	1.4E-06	6.05E-04	8.63E-10	1.60E-01	4.71E-02	6.52E-12	1.0E+06	6.5E-06
47	47	0.26399	5.76607E-06	1.5E-06	6.05E-04	9.21E-10	1.60E-01	4.71E-02	6.96E-12	1.0E+06	7.0E-06
48	48	0.28171	5.76607E-06	1.6E-06	6.05E-04	9.83E-10	1.60E-01	4.71E-02	7.42E-12	1.0E+06	7.4E-06
49	49	0.2996	5.76607E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.89E-12	1.0E+06	7.9E-06
50	50	0.31794	5.76607E-06	1.8E-06	6.05E-04	1.11E-09	1.60E-01	4.71E-02	8.38E-12	1.0E+06	8.4E-06
51	51	0.34247	5.76607E-06	2.0E-06	6.05E-04	1.19E-09	1.60E-01	4.71E-02	9.02E-12	1.0E+06	9.0E-06
52	52	0.3658	5.76607E-06	2.1E-06	6.05E-04	1.28E-09	1.60E-01	4.71E-02	9.64E-12	1.0E+06	9.6E-06
53	53	0.39355	5.76607E-06	2.3E-06	6.05E-04	1.37E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
54	54	0.42556	5.76607E-06	2.5E-06	6.05E-04	1.48E-09	1.60E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
55	55	0.46443	5.76607E-06	2.7E-06	6.05E-04	1.62E-09	1.60E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
56	56	0.87506	5.76607E-06	5.0E-06	6.05E-04	3.05E-09	1.60E-01	4.71E-02	2.31E-11	1.0E+06	2.3E-05
57	57	0.20805	5.76607E-06	1.2E-06	6.05E-04	7.26E-10	1.60E-01	4.71E-02	5.48E-12	1.0E+06	5.5E-06
58	58	0.22487	5.76607E-06	1.3E-06	6.05E-04	7.85E-10	1.60E-01	4.71E-02	5.92E-12	1.0E+06	5.9E-06
59	59	0.24377	5.76607E-06	1.4E-06	6.05E-04	8.50E-10	1.60E-01	4.71E-02	6.42E-12	1.0E+06	6.4E-06
60	60	0.26436	5.76607E-06	1.5E-06	6.05E-04	9.22E-10	1.60E-01	4.71E-02	6.97E-12	1.0E+06	7.0E-06
61	61	0.28649	5.76607E-06	1.7E-06	6.05E-04	1.00E-09	1.60E-01	4.71E-02	7.55E-12	1.0E+06	7.5E-06
62	62	0.31016	5.76607E-06	1.8E-06	6.05E-04	1.08E-09	1.60E-01	4.71E-02	8.17E-12	1.0E+06	8.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.33746	5.76607E-06	1.9E-06	6.05E-04	1.18E-09	1.60E-01	4.71E-02	8.89E-12	1.0E+06	8.9E-06
64	64	0.36007	5.76607E-06	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.49E-12	1.0E+06	9.5E-06
65	65	0.39307	5.76607E-06	2.3E-06	6.05E-04	1.37E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
66	66	0.4291	5.76607E-06	2.5E-06	6.05E-04	1.50E-09	1.60E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
67	67	0.46563	5.76607E-06	2.7E-06	6.05E-04	1.62E-09	1.60E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05
68	68	0.51395	5.76607E-06	3.0E-06	6.05E-04	1.79E-09	1.60E-01	4.71E-02	1.35E-11	1.0E+06	1.4E-05
69	69	0.56928	5.76607E-06	3.3E-06	6.05E-04	1.99E-09	1.60E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
70	70	0.21251	5.76607E-06	1.2E-06	6.05E-04	7.41E-10	1.60E-01	4.71E-02	5.60E-12	1.0E+06	5.6E-06
71	71	0.2312	5.76607E-06	1.3E-06	6.05E-04	8.07E-10	1.60E-01	4.71E-02	6.09E-12	1.0E+06	6.1E-06
72	72	0.25266	5.76607E-06	1.5E-06	6.05E-04	8.81E-10	1.60E-01	4.71E-02	6.66E-12	1.0E+06	6.7E-06
73	73	0.27657	5.76607E-06	1.6E-06	6.05E-04	9.65E-10	1.60E-01	4.71E-02	7.29E-12	1.0E+06	7.3E-06
74	74	0.30308	5.76607E-06	1.7E-06	6.05E-04	1.06E-09	1.60E-01	4.71E-02	7.99E-12	1.0E+06	8.0E-06
75	75	0.33457	5.76607E-06	1.9E-06	6.05E-04	1.17E-09	1.60E-01	4.71E-02	8.82E-12	1.0E+06	8.8E-06
76	76	0.36942	5.76607E-06	2.1E-06	6.05E-04	1.29E-09	1.60E-01	4.71E-02	9.73E-12	1.0E+06	9.7E-06
77	77	0.40518	5.76607E-06	2.3E-06	6.05E-04	1.41E-09	1.60E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
78	78	0.44996	5.76607E-06	2.6E-06	6.05E-04	1.57E-09	1.60E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
79	79	0.50681	5.76607E-06	2.9E-06	6.05E-04	1.77E-09	1.60E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
80	80	0.56122	5.76607E-06	3.2E-06	6.05E-04	1.96E-09	1.60E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
81	81	0.63194	5.76607E-06	3.6E-06	6.05E-04	2.20E-09	1.60E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
82	82	0.70854	5.76607E-06	4.1E-06	6.05E-04	2.47E-09	1.60E-01	4.71E-02	1.87E-11	1.0E+06	1.9E-05
83	83	0.21332	5.76607E-06	1.2E-06	6.05E-04	7.44E-10	1.60E-01	4.71E-02	5.62E-12	1.0E+06	5.6E-06
84	84	0.23286	5.76607E-06	1.3E-06	6.05E-04	8.12E-10	1.60E-01	4.71E-02	6.14E-12	1.0E+06	6.1E-06
85	85	0.25399	5.76607E-06	1.5E-06	6.05E-04	8.86E-10	1.60E-01	4.71E-02	6.69E-12	1.0E+06	6.7E-06
86	86	0.28267	5.76607E-06	1.6E-06	6.05E-04	9.86E-10	1.60E-01	4.71E-02	7.45E-12	1.0E+06	7.4E-06
87	87	0.31343	5.76607E-06	1.8E-06	6.05E-04	1.09E-09	1.60E-01	4.71E-02	8.26E-12	1.0E+06	8.3E-06
88	88	0.349	5.76607E-06	2.0E-06	6.05E-04	1.22E-09	1.60E-01	4.71E-02	9.20E-12	1.0E+06	9.2E-06
89	89	0.39045	5.76607E-06	2.3E-06	6.05E-04	1.36E-09	1.60E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
90	90	0.43931	5.76607E-06	2.5E-06	6.05E-04	1.53E-09	1.60E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
91	91	0.49712	5.76607E-06	2.9E-06	6.05E-04	1.73E-09	1.60E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
92	92	0.56472	5.76607E-06	3.3E-06	6.05E-04	1.97E-09	1.60E-01	4.71E-02	1.49E-11	1.0E+06	1.5E-05
93	93	0.64657	5.76607E-06	3.7E-06	6.05E-04	2.26E-09	1.60E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

		Cancer risk from 2 to 16 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.74436	5.76607E-06	4.3E-06	6.05E-04	2.60E-09	1.60E-01	4.71E-02	1.96E-11	1.0E+06	2.0E-05
95	95	0.8649	5.76607E-06	5.0E-06	6.05E-04	3.02E-09	1.60E-01	4.71E-02	2.28E-11	1.0E+06	2.3E-05
96	96	0.20852	5.76607E-06	1.2E-06	6.05E-04	7.27E-10	1.60E-01	4.71E-02	5.49E-12	1.0E+06	5.5E-06
97	97	0.22513	5.76607E-06	1.3E-06	6.05E-04	7.85E-10	1.60E-01	4.71E-02	5.93E-12	1.0E+06	5.9E-06
98	98	0.24675	5.76607E-06	1.4E-06	6.05E-04	8.61E-10	1.60E-01	4.71E-02	6.50E-12	1.0E+06	6.5E-06
99	99	0.27703	5.76607E-06	1.6E-06	6.05E-04	9.67E-10	1.60E-01	4.71E-02	7.30E-12	1.0E+06	7.3E-06
100	100	0.31444	5.76607E-06	1.8E-06	6.05E-04	1.10E-09	1.60E-01	4.71E-02	8.28E-12	1.0E+06	8.3E-06
101	101	0.35401	5.76607E-06	2.0E-06	6.05E-04	1.24E-09	1.60E-01	4.71E-02	9.33E-12	1.0E+06	9.3E-06
102	102	0.40089	5.76607E-06	2.3E-06	6.05E-04	1.40E-09	1.60E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
103	103	0.45685	5.76607E-06	2.6E-06	6.05E-04	1.59E-09	1.60E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
104	104	0.52578	5.76607E-06	3.0E-06	6.05E-04	1.83E-09	1.60E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
105	105	0.61209	5.76607E-06	3.5E-06	6.05E-04	2.14E-09	1.60E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
106	106	0.71832	5.76607E-06	4.1E-06	6.05E-04	2.51E-09	1.60E-01	4.71E-02	1.89E-11	1.0E+06	1.9E-05
107	107	0.85234	5.76607E-06	4.9E-06	6.05E-04	2.97E-09	1.60E-01	4.71E-02	2.25E-11	1.0E+06	2.2E-05
108	108	1.02697	5.76607E-06	5.9E-06	6.05E-04	3.58E-09	1.60E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
109	109	0.19639	5.76607E-06	1.1E-06	6.05E-04	6.85E-10	1.60E-01	4.71E-02	5.17E-12	1.0E+06	5.2E-06
110	110	0.21736	5.76607E-06	1.3E-06	6.05E-04	7.58E-10	1.60E-01	4.71E-02	5.73E-12	1.0E+06	5.7E-06
111	111	0.2421	5.76607E-06	1.4E-06	6.05E-04	8.45E-10	1.60E-01	4.71E-02	6.38E-12	1.0E+06	6.4E-06
112	112	0.27121	5.76607E-06	1.6E-06	6.05E-04	9.46E-10	1.60E-01	4.71E-02	7.15E-12	1.0E+06	7.1E-06
113	113	0.30569	5.76607E-06	1.8E-06	6.05E-04	1.07E-09	1.60E-01	4.71E-02	8.05E-12	1.0E+06	8.1E-06
114	114	0.34668	5.76607E-06	2.0E-06	6.05E-04	1.21E-09	1.60E-01	4.71E-02	9.13E-12	1.0E+06	9.1E-06
115	115	0.39574	5.76607E-06	2.3E-06	6.05E-04	1.38E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
116	116	0.4571	5.76607E-06	2.6E-06	6.05E-04	1.59E-09	1.60E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
117	117	0.53437	5.76607E-06	3.1E-06	6.05E-04	1.86E-09	1.60E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
118	118	0.63004	5.76607E-06	3.6E-06	6.05E-04	2.20E-09	1.60E-01	4.71E-02	1.66E-11	1.0E+06	1.7E-05
119	119	0.75251	5.76607E-06	4.3E-06	6.05E-04	2.63E-09	1.60E-01	4.71E-02	1.98E-11	1.0E+06	2.0E-05
120	120	0.91298	5.76607E-06	5.3E-06	6.05E-04	3.19E-09	1.60E-01	4.71E-02	2.41E-11	1.0E+06	2.4E-05
121	121	1.12529	5.76607E-06	6.5E-06	6.05E-04	3.93E-09	1.60E-01	4.71E-02	2.96E-11	1.0E+06	3.0E-05
122	122	0.18255	5.76607E-06	1.1E-06	6.05E-04	6.37E-10	1.60E-01	4.71E-02	4.81E-12	1.0E+06	4.8E-06
123	123	0.20314	5.76607E-06	1.2E-06	6.05E-04	7.09E-10	1.60E-01	4.71E-02	5.35E-12	1.0E+06	5.4E-06
124	124	0.2293	5.76607E-06	1.3E-06	6.05E-04	8.00E-10	1.60E-01	4.71E-02	6.04E-12	1.0E+06	6.0E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.25749	5.76607E-06	1.5E-06	6.05E-04	8.98E-10	1.60E-01	4.71E-02	6.78E-12	1.0E+06	6.8E-06
126	126	0.28941	5.76607E-06	1.7E-06	6.05E-04	1.01E-09	1.60E-01	4.71E-02	7.63E-12	1.0E+06	7.6E-06
127	127	0.326	5.76607E-06	1.9E-06	6.05E-04	1.14E-09	1.60E-01	4.71E-02	8.59E-12	1.0E+06	8.6E-06
128	128	0.35595	5.76607E-06	2.1E-06	6.05E-04	1.24E-09	1.60E-01	4.71E-02	9.38E-12	1.0E+06	9.4E-06
129	129	0.41259	5.76607E-06	2.4E-06	6.05E-04	1.44E-09	1.60E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
130	130	0.50049	5.76607E-06	2.9E-06	6.05E-04	1.75E-09	1.60E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05
131	131	40.29017	5.76607E-06	2.3E-04	6.05E-04	1.41E-07	1.60E-01	4.71E-02	1.06E-09	1.0E+06	1.1E-03
132	132	40.63433	5.76607E-06	2.3E-04	6.05E-04	1.42E-07	1.60E-01	4.71E-02	1.07E-09	1.0E+06	1.1E-03
133	133	0.16729	5.76607E-06	9.6E-07	6.05E-04	5.84E-10	1.60E-01	4.71E-02	4.41E-12	1.0E+06	4.4E-06
134	134	0.18943	5.76607E-06	1.1E-06	6.05E-04	6.61E-10	1.60E-01	4.71E-02	4.99E-12	1.0E+06	5.0E-06
135	135	0.21396	5.76607E-06	1.2E-06	6.05E-04	7.46E-10	1.60E-01	4.71E-02	5.64E-12	1.0E+06	5.6E-06
136	136	0.24019	5.76607E-06	1.4E-06	6.05E-04	8.38E-10	1.60E-01	4.71E-02	6.33E-12	1.0E+06	6.3E-06
137	137	0.2703	5.76607E-06	1.6E-06	6.05E-04	9.43E-10	1.60E-01	4.71E-02	7.12E-12	1.0E+06	7.1E-06
138	138	0.3019	5.76607E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.95E-12	1.0E+06	8.0E-06
139	139	0.33401	5.76607E-06	1.9E-06	6.05E-04	1.17E-09	1.60E-01	4.71E-02	8.80E-12	1.0E+06	8.8E-06
140	140	0.38373	5.76607E-06	2.2E-06	6.05E-04	1.34E-09	1.60E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
141	141	0.45198	5.76607E-06	2.6E-06	6.05E-04	1.58E-09	1.60E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
142	142	0.53672	5.76607E-06	3.1E-06	6.05E-04	1.87E-09	1.60E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
143	143	0.66121	5.76607E-06	3.8E-06	6.05E-04	2.31E-09	1.60E-01	4.71E-02	1.74E-11	1.0E+06	1.7E-05
144	144	0.85149	5.76607E-06	4.9E-06	6.05E-04	2.97E-09	1.60E-01	4.71E-02	2.24E-11	1.0E+06	2.2E-05
145	145	1.10977	5.76607E-06	6.4E-06	6.05E-04	3.87E-09	1.60E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
146	146	24.23854	5.76607E-06	1.4E-04	6.05E-04	8.46E-08	1.60E-01	4.71E-02	6.39E-10	1.0E+06	6.4E-04
147	147	0.15464	5.76607E-06	8.9E-07	6.05E-04	5.40E-10	1.60E-01	4.71E-02	4.07E-12	1.0E+06	4.1E-06
148	148	0.17394	5.76607E-06	1.0E-06	6.05E-04	6.07E-10	1.60E-01	4.71E-02	4.58E-12	1.0E+06	4.6E-06
149	149	0.19691	5.76607E-06	1.1E-06	6.05E-04	6.87E-10	1.60E-01	4.71E-02	5.19E-12	1.0E+06	5.2E-06
150	150	0.2214	5.76607E-06	1.3E-06	6.05E-04	7.72E-10	1.60E-01	4.71E-02	5.83E-12	1.0E+06	5.8E-06
151	151	0.25154	5.76607E-06	1.5E-06	6.05E-04	8.78E-10	1.60E-01	4.71E-02	6.63E-12	1.0E+06	6.6E-06
152	152	0.28058	5.76607E-06	1.6E-06	6.05E-04	9.79E-10	1.60E-01	4.71E-02	7.39E-12	1.0E+06	7.4E-06
153	153	0.31476	5.76607E-06	1.8E-06	6.05E-04	1.10E-09	1.60E-01	4.71E-02	8.29E-12	1.0E+06	8.3E-06
154	154	0.36173	5.76607E-06	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.53E-12	1.0E+06	9.5E-06
155	155	0.42426	5.76607E-06	2.4E-06	6.05E-04	1.48E-09	1.60E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.50248	5.76607E-06	2.9E-06	6.05E-04	1.75E-09	1.60E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05
157	157	0.60154	5.76607E-06	3.5E-06	6.05E-04	2.10E-09	1.60E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
158	158	0.73295	5.76607E-06	4.2E-06	6.05E-04	2.56E-09	1.60E-01	4.71E-02	1.93E-11	1.0E+06	1.9E-05
159	159	0.99098	5.76607E-06	5.7E-06	6.05E-04	3.46E-09	1.60E-01	4.71E-02	2.61E-11	1.0E+06	2.6E-05
160	160	0.14764	5.76607E-06	8.5E-07	6.05E-04	5.15E-10	1.60E-01	4.71E-02	3.89E-12	1.0E+06	3.9E-06
161	161	0.16257	5.76607E-06	9.4E-07	6.05E-04	5.67E-10	1.60E-01	4.71E-02	4.28E-12	1.0E+06	4.3E-06
162	162	0.17749	5.76607E-06	1.0E-06	6.05E-04	6.19E-10	1.60E-01	4.71E-02	4.68E-12	1.0E+06	4.7E-06
163	163	0.20288	5.76607E-06	1.2E-06	6.05E-04	7.08E-10	1.60E-01	4.71E-02	5.35E-12	1.0E+06	5.3E-06
164	164	0.23487	5.76607E-06	1.4E-06	6.05E-04	8.19E-10	1.60E-01	4.71E-02	6.19E-12	1.0E+06	6.2E-06
165	165	0.26386	5.76607E-06	1.5E-06	6.05E-04	9.21E-10	1.60E-01	4.71E-02	6.95E-12	1.0E+06	7.0E-06
166	166	0.30008	5.76607E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.91E-12	1.0E+06	7.9E-06
167	167	0.34418	5.76607E-06	2.0E-06	6.05E-04	1.20E-09	1.60E-01	4.71E-02	9.07E-12	1.0E+06	9.1E-06
168	168	0.39972	5.76607E-06	2.3E-06	6.05E-04	1.39E-09	1.60E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
169	169	0.46992	5.76607E-06	2.7E-06	6.05E-04	1.64E-09	1.60E-01	4.71E-02	1.24E-11	1.0E+06	1.2E-05
170	170	0.55866	5.76607E-06	3.2E-06	6.05E-04	1.95E-09	1.60E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
171	171	0.67646	5.76607E-06	3.9E-06	6.05E-04	2.36E-09	1.60E-01	4.71E-02	1.78E-11	1.0E+06	1.8E-05
172	172	0.86603	5.76607E-06	5.0E-06	6.05E-04	3.02E-09	1.60E-01	4.71E-02	2.28E-11	1.0E+06	2.3E-05
173	173	1.17572	5.76607E-06	6.8E-06	6.05E-04	4.10E-09	1.60E-01	4.71E-02	3.10E-11	1.0E+06	3.1E-05
174	174	1.72711	5.76607E-06	1.0E-05	6.05E-04	6.03E-09	1.60E-01	4.71E-02	4.55E-11	1.0E+06	4.6E-05
175	175	2.66253	5.76607E-06	1.5E-05	6.05E-04	9.29E-09	1.60E-01	4.71E-02	7.02E-11	1.0E+06	7.0E-05
176	176	4.29608	5.76607E-06	2.5E-05	6.05E-04	1.50E-08	1.60E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
177	177	7.52527	5.76607E-06	4.3E-05	6.05E-04	2.63E-08	1.60E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
178	178	13.07509	5.76607E-06	7.5E-05	6.05E-04	4.56E-08	1.60E-01	4.71E-02	3.45E-10	1.0E+06	3.4E-04
179	179	0.13802	5.76607E-06	8.0E-07	6.05E-04	4.82E-10	1.60E-01	4.71E-02	3.64E-12	1.0E+06	3.6E-06
180	180	0.15026	5.76607E-06	8.7E-07	6.05E-04	5.24E-10	1.60E-01	4.71E-02	3.96E-12	1.0E+06	4.0E-06
181	181	0.16167	5.76607E-06	9.3E-07	6.05E-04	5.64E-10	1.60E-01	4.71E-02	4.26E-12	1.0E+06	4.3E-06
182	182	0.18788	5.76607E-06	1.1E-06	6.05E-04	6.55E-10	1.60E-01	4.71E-02	4.95E-12	1.0E+06	5.0E-06
183	183	0.22317	5.76607E-06	1.3E-06	6.05E-04	7.79E-10	1.60E-01	4.71E-02	5.88E-12	1.0E+06	5.9E-06
184	184	0.25212	5.76607E-06	1.5E-06	6.05E-04	8.80E-10	1.60E-01	4.71E-02	6.64E-12	1.0E+06	6.6E-06
185	185	0.28834	5.76607E-06	1.7E-06	6.05E-04	1.01E-09	1.60E-01	4.71E-02	7.60E-12	1.0E+06	7.6E-06
186	186	0.33007	5.76607E-06	1.9E-06	6.05E-04	1.15E-09	1.60E-01	4.71E-02	8.70E-12	1.0E+06	8.7E-06

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.37945	5.76607E-06	2.2E-06	6.05E-04	1.32E-09	1.60E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
188	188	0.44282	5.76607E-06	2.6E-06	6.05E-04	1.54E-09	1.60E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
189	189	0.52011	5.76607E-06	3.0E-06	6.05E-04	1.81E-09	1.60E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
190	190	0.62267	5.76607E-06	3.6E-06	6.05E-04	2.17E-09	1.60E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
191	191	0.75717	5.76607E-06	4.4E-06	6.05E-04	2.64E-09	1.60E-01	4.71E-02	1.99E-11	1.0E+06	2.0E-05
192	192	0.96366	5.76607E-06	5.6E-06	6.05E-04	3.36E-09	1.60E-01	4.71E-02	2.54E-11	1.0E+06	2.5E-05
193	193	1.26764	5.76607E-06	7.3E-06	6.05E-04	4.42E-09	1.60E-01	4.71E-02	3.34E-11	1.0E+06	3.3E-05
194	194	1.82273	5.76607E-06	1.1E-05	6.05E-04	6.36E-09	1.60E-01	4.71E-02	4.80E-11	1.0E+06	4.8E-05
195	195	2.96679	5.76607E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.82E-11	1.0E+06	7.8E-05
196	196	4.65065	5.76607E-06	2.7E-05	6.05E-04	1.62E-08	1.60E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
197	197	6.7989	5.76607E-06	3.9E-05	6.05E-04	2.37E-08	1.60E-01	4.71E-02	1.79E-10	1.0E+06	1.8E-04
198	198	0.13281	5.76607E-06	7.7E-07	6.05E-04	4.63E-10	1.60E-01	4.71E-02	3.50E-12	1.0E+06	3.5E-06
199	199	0.14492	5.76607E-06	8.4E-07	6.05E-04	5.06E-10	1.60E-01	4.71E-02	3.82E-12	1.0E+06	3.8E-06
200	200	0.15858	5.76607E-06	9.1E-07	6.05E-04	5.53E-10	1.60E-01	4.71E-02	4.18E-12	1.0E+06	4.2E-06
201	201	0.17775	5.76607E-06	1.0E-06	6.05E-04	6.20E-10	1.60E-01	4.71E-02	4.68E-12	1.0E+06	4.7E-06
202	202	0.21002	5.76607E-06	1.2E-06	6.05E-04	7.33E-10	1.60E-01	4.71E-02	5.53E-12	1.0E+06	5.5E-06
203	203	0.23979	5.76607E-06	1.4E-06	6.05E-04	8.37E-10	1.60E-01	4.71E-02	6.32E-12	1.0E+06	6.3E-06
204	204	0.27524	5.76607E-06	1.6E-06	6.05E-04	9.60E-10	1.60E-01	4.71E-02	7.25E-12	1.0E+06	7.3E-06
205	205	0.31467	5.76607E-06	1.8E-06	6.05E-04	1.10E-09	1.60E-01	4.71E-02	8.29E-12	1.0E+06	8.3E-06
206	206	0.36097	5.76607E-06	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.51E-12	1.0E+06	9.5E-06
207	207	0.41746	5.76607E-06	2.4E-06	6.05E-04	1.46E-09	1.60E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
208	208	0.48517	5.76607E-06	2.8E-06	6.05E-04	1.69E-09	1.60E-01	4.71E-02	1.28E-11	1.0E+06	1.3E-05
209	209	0.57014	5.76607E-06	3.3E-06	6.05E-04	1.99E-09	1.60E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
210	210	0.67524	5.76607E-06	3.9E-06	6.05E-04	2.36E-09	1.60E-01	4.71E-02	1.78E-11	1.0E+06	1.8E-05
211	211	0.81049	5.76607E-06	4.7E-06	6.05E-04	2.83E-09	1.60E-01	4.71E-02	2.14E-11	1.0E+06	2.1E-05
212	212	0.98298	5.76607E-06	5.7E-06	6.05E-04	3.43E-09	1.60E-01	4.71E-02	2.59E-11	1.0E+06	2.6E-05
213	213	1.22519	5.76607E-06	7.1E-06	6.05E-04	4.27E-09	1.60E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
214	214	1.61292	5.76607E-06	9.3E-06	6.05E-04	5.63E-09	1.60E-01	4.71E-02	4.25E-11	1.0E+06	4.2E-05
215	215	2.89116	5.76607E-06	1.7E-05	6.05E-04	1.01E-08	1.60E-01	4.71E-02	7.62E-11	1.0E+06	7.6E-05
216	216	0.12963	5.76607E-06	7.5E-07	6.05E-04	4.52E-10	1.60E-01	4.71E-02	3.42E-12	1.0E+06	3.4E-06
217	217	0.14021	5.76607E-06	8.1E-07	6.05E-04	4.89E-10	1.60E-01	4.71E-02	3.69E-12	1.0E+06	3.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.15356	5.76607E-06	8.9E-07	6.05E-04	5.36E-10	1.60E-01	4.71E-02	4.05E-12	1.0E+06	4.0E-06
219	219	0.17051	5.76607E-06	9.8E-07	6.05E-04	5.95E-10	1.60E-01	4.71E-02	4.49E-12	1.0E+06	4.5E-06
220	220	0.19795	5.76607E-06	1.1E-06	6.05E-04	6.91E-10	1.60E-01	4.71E-02	5.22E-12	1.0E+06	5.2E-06
221	221	0.22398	5.76607E-06	1.3E-06	6.05E-04	7.81E-10	1.60E-01	4.71E-02	5.90E-12	1.0E+06	5.9E-06
222	222	0.25792	5.76607E-06	1.5E-06	6.05E-04	9.00E-10	1.60E-01	4.71E-02	6.80E-12	1.0E+06	6.8E-06
223	223	0.29474	5.76607E-06	1.7E-06	6.05E-04	1.03E-09	1.60E-01	4.71E-02	7.77E-12	1.0E+06	7.8E-06
224	224	0.33685	5.76607E-06	1.9E-06	6.05E-04	1.18E-09	1.60E-01	4.71E-02	8.88E-12	1.0E+06	8.9E-06
225	225	0.38417	5.76607E-06	2.2E-06	6.05E-04	1.34E-09	1.60E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
226	226	0.44288	5.76607E-06	2.6E-06	6.05E-04	1.55E-09	1.60E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
227	227	0.50934	5.76607E-06	2.9E-06	6.05E-04	1.78E-09	1.60E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
228	228	0.58693	5.76607E-06	3.4E-06	6.05E-04	2.05E-09	1.60E-01	4.71E-02	1.55E-11	1.0E+06	1.5E-05
229	229	0.68305	5.76607E-06	3.9E-06	6.05E-04	2.38E-09	1.60E-01	4.71E-02	1.80E-11	1.0E+06	1.8E-05
230	230	0.80324	5.76607E-06	4.6E-06	6.05E-04	2.80E-09	1.60E-01	4.71E-02	2.12E-11	1.0E+06	2.1E-05
231	231	0.98834	5.76607E-06	5.7E-06	6.05E-04	3.45E-09	1.60E-01	4.71E-02	2.60E-11	1.0E+06	2.6E-05
232	232	1.28506	5.76607E-06	7.4E-06	6.05E-04	4.48E-09	1.60E-01	4.71E-02	3.39E-11	1.0E+06	3.4E-05
233	233	1.99037	5.76607E-06	1.1E-05	6.05E-04	6.94E-09	1.60E-01	4.71E-02	5.24E-11	1.0E+06	5.2E-05
234	234	0.12623	5.76607E-06	7.3E-07	6.05E-04	4.40E-10	1.60E-01	4.71E-02	3.33E-12	1.0E+06	3.3E-06
235	235	0.1355	5.76607E-06	7.8E-07	6.05E-04	4.73E-10	1.60E-01	4.71E-02	3.57E-12	1.0E+06	3.6E-06
236	236	0.14813	5.76607E-06	8.5E-07	6.05E-04	5.17E-10	1.60E-01	4.71E-02	3.90E-12	1.0E+06	3.9E-06
237	237	0.16501	5.76607E-06	9.5E-07	6.05E-04	5.76E-10	1.60E-01	4.71E-02	4.35E-12	1.0E+06	4.3E-06
238	238	0.18719	5.76607E-06	1.1E-06	6.05E-04	6.53E-10	1.60E-01	4.71E-02	4.93E-12	1.0E+06	4.9E-06
239	239	0.21075	5.76607E-06	1.2E-06	6.05E-04	7.35E-10	1.60E-01	4.71E-02	5.55E-12	1.0E+06	5.6E-06
240	240	0.23979	5.76607E-06	1.4E-06	6.05E-04	8.37E-10	1.60E-01	4.71E-02	6.32E-12	1.0E+06	6.3E-06
241	241	0.27255	5.76607E-06	1.6E-06	6.05E-04	9.51E-10	1.60E-01	4.71E-02	7.18E-12	1.0E+06	7.2E-06
242	242	0.30944	5.76607E-06	1.8E-06	6.05E-04	1.08E-09	1.60E-01	4.71E-02	8.15E-12	1.0E+06	8.2E-06
243	243	0.35007	5.76607E-06	2.0E-06	6.05E-04	1.22E-09	1.60E-01	4.71E-02	9.22E-12	1.0E+06	9.2E-06
244	244	0.39895	5.76607E-06	2.3E-06	6.05E-04	1.39E-09	1.60E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
245	245	0.45335	5.76607E-06	2.6E-06	6.05E-04	1.58E-09	1.60E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
246	246	0.51528	5.76607E-06	3.0E-06	6.05E-04	1.80E-09	1.60E-01	4.71E-02	1.36E-11	1.0E+06	1.4E-05
247	247	0.5899	5.76607E-06	3.4E-06	6.05E-04	2.06E-09	1.60E-01	4.71E-02	1.55E-11	1.0E+06	1.6E-05
248	248	0.69075	5.76607E-06	4.0E-06	6.05E-04	2.41E-09	1.60E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.83703	5.76607E-06	4.8E-06	6.05E-04	2.92E-09	1.60E-01	4.71E-02	2.21E-11	1.0E+06	2.2E-05
250	250	1.0632	5.76607E-06	6.1E-06	6.05E-04	3.71E-09	1.60E-01	4.71E-02	2.80E-11	1.0E+06	2.8E-05
251	251	1.51852	5.76607E-06	8.8E-06	6.05E-04	5.30E-09	1.60E-01	4.71E-02	4.00E-11	1.0E+06	4.0E-05
252	252	0.12164	5.76607E-06	7.0E-07	6.05E-04	4.24E-10	1.60E-01	4.71E-02	3.20E-12	1.0E+06	3.2E-06
253	253	0.12985	5.76607E-06	7.5E-07	6.05E-04	4.53E-10	1.60E-01	4.71E-02	3.42E-12	1.0E+06	3.4E-06
254	254	0.14073	5.76607E-06	8.1E-07	6.05E-04	4.91E-10	1.60E-01	4.71E-02	3.71E-12	1.0E+06	3.7E-06
255	255	0.1544	5.76607E-06	8.9E-07	6.05E-04	5.39E-10	1.60E-01	4.71E-02	4.07E-12	1.0E+06	4.1E-06
256	256	0.17786	5.76607E-06	1.0E-06	6.05E-04	6.21E-10	1.60E-01	4.71E-02	4.69E-12	1.0E+06	4.7E-06
257	257	0.19304	5.76607E-06	1.1E-06	6.05E-04	6.73E-10	1.60E-01	4.71E-02	5.09E-12	1.0E+06	5.1E-06
258	258	0.21394	5.76607E-06	1.2E-06	6.05E-04	7.46E-10	1.60E-01	4.71E-02	5.64E-12	1.0E+06	5.6E-06
259	259	0.23742	5.76607E-06	1.4E-06	6.05E-04	8.28E-10	1.60E-01	4.71E-02	6.26E-12	1.0E+06	6.3E-06
260	260	0.26983	5.76607E-06	1.6E-06	6.05E-04	9.41E-10	1.60E-01	4.71E-02	7.11E-12	1.0E+06	7.1E-06
261	261	0.30942	5.76607E-06	1.8E-06	6.05E-04	1.08E-09	1.60E-01	4.71E-02	8.15E-12	1.0E+06	8.2E-06
262	262	0.35201	5.76607E-06	2.0E-06	6.05E-04	1.23E-09	1.60E-01	4.71E-02	9.27E-12	1.0E+06	9.3E-06
263	263	0.39368	5.76607E-06	2.3E-06	6.05E-04	1.37E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
264	264	0.44639	5.76607E-06	2.6E-06	6.05E-04	1.56E-09	1.60E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
265	265	0.50761	5.76607E-06	2.9E-06	6.05E-04	1.77E-09	1.60E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
266	266	0.59275	5.76607E-06	3.4E-06	6.05E-04	2.07E-09	1.60E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
267	267	0.70852	5.76607E-06	4.1E-06	6.05E-04	2.47E-09	1.60E-01	4.71E-02	1.87E-11	1.0E+06	1.9E-05
268	268	0.86994	5.76607E-06	5.0E-06	6.05E-04	3.04E-09	1.60E-01	4.71E-02	2.29E-11	1.0E+06	2.3E-05
269	269	1.16994	5.76607E-06	6.7E-06	6.05E-04	4.08E-09	1.60E-01	4.71E-02	3.08E-11	1.0E+06	3.1E-05
270	270	0.11738	5.76607E-06	6.8E-07	6.05E-04	4.10E-10	1.60E-01	4.71E-02	3.09E-12	1.0E+06	3.1E-06
271	271	0.12583	5.76607E-06	7.3E-07	6.05E-04	4.39E-10	1.60E-01	4.71E-02	3.32E-12	1.0E+06	3.3E-06
272	272	0.13625	5.76607E-06	7.9E-07	6.05E-04	4.75E-10	1.60E-01	4.71E-02	3.59E-12	1.0E+06	3.6E-06
273	273	0.14816	5.76607E-06	8.5E-07	6.05E-04	5.17E-10	1.60E-01	4.71E-02	3.90E-12	1.0E+06	3.9E-06
274	274	0.1716	5.76607E-06	9.9E-07	6.05E-04	5.99E-10	1.60E-01	4.71E-02	4.52E-12	1.0E+06	4.5E-06
275	275	0.19153	5.76607E-06	1.1E-06	6.05E-04	6.68E-10	1.60E-01	4.71E-02	5.05E-12	1.0E+06	5.0E-06
276	276	0.1977	5.76607E-06	1.1E-06	6.05E-04	6.90E-10	1.60E-01	4.71E-02	5.21E-12	1.0E+06	5.2E-06
277	277	0.21546	5.76607E-06	1.2E-06	6.05E-04	7.52E-10	1.60E-01	4.71E-02	5.68E-12	1.0E+06	5.7E-06
278	278	0.23743	5.76607E-06	1.4E-06	6.05E-04	8.28E-10	1.60E-01	4.71E-02	6.26E-12	1.0E+06	6.3E-06
279	279	0.2643	5.76607E-06	1.5E-06	6.05E-04	9.22E-10	1.60E-01	4.71E-02	6.96E-12	1.0E+06	7.0E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.30207	5.76607E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.96E-12	1.0E+06	8.0E-06
281	281	0.34373	5.76607E-06	2.0E-06	6.05E-04	1.20E-09	1.60E-01	4.71E-02	9.06E-12	1.0E+06	9.1E-06
282	282	0.39096	5.76607E-06	2.3E-06	6.05E-04	1.36E-09	1.60E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
283	283	0.44754	5.76607E-06	2.6E-06	6.05E-04	1.56E-09	1.60E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
284	284	0.52053	5.76607E-06	3.0E-06	6.05E-04	1.82E-09	1.60E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
285	285	0.61056	5.76607E-06	3.5E-06	6.05E-04	2.13E-09	1.60E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
286	286	0.73119	5.76607E-06	4.2E-06	6.05E-04	2.55E-09	1.60E-01	4.71E-02	1.93E-11	1.0E+06	1.9E-05
287	287	0.94305	5.76607E-06	5.4E-06	6.05E-04	3.29E-09	1.60E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
288	288	0.1145	5.76607E-06	6.6E-07	6.05E-04	3.99E-10	1.60E-01	4.71E-02	3.02E-12	1.0E+06	3.0E-06
289	289	0.12186	5.76607E-06	7.0E-07	6.05E-04	4.25E-10	1.60E-01	4.71E-02	3.21E-12	1.0E+06	3.2E-06
290	290	0.13433	5.76607E-06	7.7E-07	6.05E-04	4.69E-10	1.60E-01	4.71E-02	3.54E-12	1.0E+06	3.5E-06
291	291	0.14675	5.76607E-06	8.5E-07	6.05E-04	5.12E-10	1.60E-01	4.71E-02	3.87E-12	1.0E+06	3.9E-06
292	292	0.1761	5.76607E-06	1.0E-06	6.05E-04	6.14E-10	1.60E-01	4.71E-02	4.64E-12	1.0E+06	4.6E-06
293	293	0.18578	5.76607E-06	1.1E-06	6.05E-04	6.48E-10	1.60E-01	4.71E-02	4.89E-12	1.0E+06	4.9E-06
294	294	0.18335	5.76607E-06	1.1E-06	6.05E-04	6.40E-10	1.60E-01	4.71E-02	4.83E-12	1.0E+06	4.8E-06
295	295	0.19891	5.76607E-06	1.1E-06	6.05E-04	6.94E-10	1.60E-01	4.71E-02	5.24E-12	1.0E+06	5.2E-06
296	296	0.21706	5.76607E-06	1.3E-06	6.05E-04	7.57E-10	1.60E-01	4.71E-02	5.72E-12	1.0E+06	5.7E-06
297	297	0.23397	5.76607E-06	1.3E-06	6.05E-04	8.16E-10	1.60E-01	4.71E-02	6.16E-12	1.0E+06	6.2E-06
298	298	0.25975	5.76607E-06	1.5E-06	6.05E-04	9.06E-10	1.60E-01	4.71E-02	6.84E-12	1.0E+06	6.8E-06
299	299	0.29979	5.76607E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.90E-12	1.0E+06	7.9E-06
300	300	0.33994	5.76607E-06	2.0E-06	6.05E-04	1.19E-09	1.60E-01	4.71E-02	8.96E-12	1.0E+06	9.0E-06
301	301	0.39551	5.76607E-06	2.3E-06	6.05E-04	1.38E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
302	302	0.46101	5.76607E-06	2.7E-06	6.05E-04	1.61E-09	1.60E-01	4.71E-02	1.21E-11	1.0E+06	1.2E-05
303	303	0.53934	5.76607E-06	3.1E-06	6.05E-04	1.88E-09	1.60E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
304	304	0.63199	5.76607E-06	3.6E-06	6.05E-04	2.20E-09	1.60E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
305	305	0.78825	5.76607E-06	4.5E-06	6.05E-04	2.75E-09	1.60E-01	4.71E-02	2.08E-11	1.0E+06	2.1E-05
306	306	0.11819	5.76607E-06	6.8E-07	6.05E-04	4.12E-10	1.60E-01	4.71E-02	3.11E-12	1.0E+06	3.1E-06
307	307	0.12228	5.76607E-06	7.1E-07	6.05E-04	4.27E-10	1.60E-01	4.71E-02	3.22E-12	1.0E+06	3.2E-06
308	308	0.13088	5.76607E-06	7.5E-07	6.05E-04	4.57E-10	1.60E-01	4.71E-02	3.45E-12	1.0E+06	3.4E-06
309	309	0.15046	5.76607E-06	8.7E-07	6.05E-04	5.25E-10	1.60E-01	4.71E-02	3.96E-12	1.0E+06	4.0E-06
310	310	0.16946	5.76607E-06	9.8E-07	6.05E-04	5.91E-10	1.60E-01	4.71E-02	4.46E-12	1.0E+06	4.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.17657	5.76607E-06	1.0E-06	6.05E-04	6.16E-10	1.60E-01	4.71E-02	4.65E-12	1.0E+06	4.7E-06
312	312	0.16934	5.76607E-06	9.8E-07	6.05E-04	5.91E-10	1.60E-01	4.71E-02	4.46E-12	1.0E+06	4.5E-06
313	313	0.18195	5.76607E-06	1.0E-06	6.05E-04	6.35E-10	1.60E-01	4.71E-02	4.79E-12	1.0E+06	4.8E-06
314	314	0.19697	5.76607E-06	1.1E-06	6.05E-04	6.87E-10	1.60E-01	4.71E-02	5.19E-12	1.0E+06	5.2E-06
315	315	0.2209	5.76607E-06	1.3E-06	6.05E-04	7.71E-10	1.60E-01	4.71E-02	5.82E-12	1.0E+06	5.8E-06
316	316	0.23567	5.76607E-06	1.4E-06	6.05E-04	8.22E-10	1.60E-01	4.71E-02	6.21E-12	1.0E+06	6.2E-06
317	317	0.26147	5.76607E-06	1.5E-06	6.05E-04	9.12E-10	1.60E-01	4.71E-02	6.89E-12	1.0E+06	6.9E-06
318	318	0.29873	5.76607E-06	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.87E-12	1.0E+06	7.9E-06
319	319	0.35136	5.76607E-06	2.0E-06	6.05E-04	1.23E-09	1.60E-01	4.71E-02	9.26E-12	1.0E+06	9.3E-06
320	320	0.41844	5.76607E-06	2.4E-06	6.05E-04	1.46E-09	1.60E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
321	321	0.47994	5.76607E-06	2.8E-06	6.05E-04	1.67E-09	1.60E-01	4.71E-02	1.26E-11	1.0E+06	1.3E-05
322	322	0.54969	5.76607E-06	3.2E-06	6.05E-04	1.92E-09	1.60E-01	4.71E-02	1.45E-11	1.0E+06	1.4E-05
323	323	0.67577	5.76607E-06	3.9E-06	6.05E-04	2.36E-09	1.60E-01	4.71E-02	1.78E-11	1.0E+06	1.8E-05
324	324	0.11556	5.76607E-06	6.7E-07	6.05E-04	4.03E-10	1.60E-01	4.71E-02	3.04E-12	1.0E+06	3.0E-06
325	325	0.12648	5.76607E-06	7.3E-07	6.05E-04	4.41E-10	1.60E-01	4.71E-02	3.33E-12	1.0E+06	3.3E-06
326	326	0.13338	5.76607E-06	7.7E-07	6.05E-04	4.65E-10	1.60E-01	4.71E-02	3.51E-12	1.0E+06	3.5E-06
327	327	0.13815	5.76607E-06	8.0E-07	6.05E-04	4.82E-10	1.60E-01	4.71E-02	3.64E-12	1.0E+06	3.6E-06
328	328	0.16393	5.76607E-06	9.5E-07	6.05E-04	5.72E-10	1.60E-01	4.71E-02	4.32E-12	1.0E+06	4.3E-06
329	329	0.16644	5.76607E-06	9.6E-07	6.05E-04	5.81E-10	1.60E-01	4.71E-02	4.39E-12	1.0E+06	4.4E-06
330	330	0.15975	5.76607E-06	9.2E-07	6.05E-04	5.57E-10	1.60E-01	4.71E-02	4.21E-12	1.0E+06	4.2E-06
331	331	0.17123	5.76607E-06	9.9E-07	6.05E-04	5.97E-10	1.60E-01	4.71E-02	4.51E-12	1.0E+06	4.5E-06
332	332	0.18532	5.76607E-06	1.1E-06	6.05E-04	6.47E-10	1.60E-01	4.71E-02	4.88E-12	1.0E+06	4.9E-06
333	333	0.20812	5.76607E-06	1.2E-06	6.05E-04	7.26E-10	1.60E-01	4.71E-02	5.48E-12	1.0E+06	5.5E-06
334	334	0.22811	5.76607E-06	1.3E-06	6.05E-04	7.96E-10	1.60E-01	4.71E-02	6.01E-12	1.0E+06	6.0E-06
335	335	0.25374	5.76607E-06	1.5E-06	6.05E-04	8.85E-10	1.60E-01	4.71E-02	6.69E-12	1.0E+06	6.7E-06
336	336	82.14259	5.76607E-06	4.7E-04	6.05E-04	2.87E-07	1.60E-01	4.71E-02	2.16E-09	1.0E+06	2.2E-03
337	337	53.27889	5.76607E-06	3.1E-04	6.05E-04	1.86E-07	1.60E-01	4.71E-02	1.40E-09	1.0E+06	1.4E-03
338	338	0.29936	5.76607E-06	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.89E-12	1.0E+06	7.9E-06
339	339	0.32812	5.76607E-06	1.9E-06	6.05E-04	1.14E-09	1.60E-01	4.71E-02	8.65E-12	1.0E+06	8.6E-06
340	340	0.38214	5.76607E-06	2.2E-06	6.05E-04	1.33E-09	1.60E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
341	341	0.41799	5.76607E-06	2.4E-06	6.05E-04	1.46E-09	1.60E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.44376	5.76607E-06	2.6E-06	6.05E-04	1.55E-09	1.60E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
343	343	0.48109	5.76607E-06	2.8E-06	6.05E-04	1.68E-09	1.60E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
344	344	0.49028	5.76607E-06	2.8E-06	6.05E-04	1.71E-09	1.60E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
345	345	0.49239	5.76607E-06	2.8E-06	6.05E-04	1.72E-09	1.60E-01	4.71E-02	1.30E-11	1.0E+06	1.3E-05
346	346	0.48663	5.76607E-06	2.8E-06	6.05E-04	1.70E-09	1.60E-01	4.71E-02	1.28E-11	1.0E+06	1.3E-05
347	347	0.3403	5.76607E-06	2.0E-06	6.05E-04	1.19E-09	1.60E-01	4.71E-02	8.97E-12	1.0E+06	9.0E-06
348	348	0.38226	5.76607E-06	2.2E-06	6.05E-04	1.33E-09	1.60E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
349	349	0.45852	5.76607E-06	2.6E-06	6.05E-04	1.60E-09	1.60E-01	4.71E-02	1.21E-11	1.0E+06	1.2E-05
350	350	0.4965	5.76607E-06	2.9E-06	6.05E-04	1.73E-09	1.60E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
351	351	0.52938	5.76607E-06	3.1E-06	6.05E-04	1.85E-09	1.60E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
352	352	0.5831	5.76607E-06	3.4E-06	6.05E-04	2.03E-09	1.60E-01	4.71E-02	1.54E-11	1.0E+06	1.5E-05
353	353	0.59522	5.76607E-06	3.4E-06	6.05E-04	2.08E-09	1.60E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
354	354	0.59291	5.76607E-06	3.4E-06	6.05E-04	2.07E-09	1.60E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
355	355	0.58541	5.76607E-06	3.4E-06	6.05E-04	2.04E-09	1.60E-01	4.71E-02	1.54E-11	1.0E+06	1.5E-05
356	356	0.39386	5.76607E-06	2.3E-06	6.05E-04	1.37E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
357	357	0.43552	5.76607E-06	2.5E-06	6.05E-04	1.52E-09	1.60E-01	4.71E-02	1.15E-11	1.0E+06	1.1E-05
358	358	0.5047	5.76607E-06	2.9E-06	6.05E-04	1.76E-09	1.60E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
359	359	0.59312	5.76607E-06	3.4E-06	6.05E-04	2.07E-09	1.60E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
360	360	0.64417	5.76607E-06	3.7E-06	6.05E-04	2.25E-09	1.60E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
361	361	0.72307	5.76607E-06	4.2E-06	6.05E-04	2.52E-09	1.60E-01	4.71E-02	1.91E-11	1.0E+06	1.9E-05
362	362	0.73992	5.76607E-06	4.3E-06	6.05E-04	2.58E-09	1.60E-01	4.71E-02	1.95E-11	1.0E+06	1.9E-05
363	363	0.73374	5.76607E-06	4.2E-06	6.05E-04	2.56E-09	1.60E-01	4.71E-02	1.93E-11	1.0E+06	1.9E-05
364	364	0.46909	5.76607E-06	2.7E-06	6.05E-04	1.64E-09	1.60E-01	4.71E-02	1.24E-11	1.0E+06	1.2E-05
365	365	0.51116	5.76607E-06	2.9E-06	6.05E-04	1.78E-09	1.60E-01	4.71E-02	1.35E-11	1.0E+06	1.3E-05
366	366	0.58558	5.76607E-06	3.4E-06	6.05E-04	2.04E-09	1.60E-01	4.71E-02	1.54E-11	1.0E+06	1.5E-05
367	367	0.71231	5.76607E-06	4.1E-06	6.05E-04	2.49E-09	1.60E-01	4.71E-02	1.88E-11	1.0E+06	1.9E-05
368	368	0.80313	5.76607E-06	4.6E-06	6.05E-04	2.80E-09	1.60E-01	4.71E-02	2.12E-11	1.0E+06	2.1E-05
369	369	0.92535	5.76607E-06	5.3E-06	6.05E-04	3.23E-09	1.60E-01	4.71E-02	2.44E-11	1.0E+06	2.4E-05
370	370	0.94681	5.76607E-06	5.5E-06	6.05E-04	3.30E-09	1.60E-01	4.71E-02	2.49E-11	1.0E+06	2.5E-05
371	371	0.91877	5.76607E-06	5.3E-06	6.05E-04	3.21E-09	1.60E-01	4.71E-02	2.42E-11	1.0E+06	2.4E-05
372	372	0.575	5.76607E-06	3.3E-06	6.05E-04	2.01E-09	1.60E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.63011	5.76607E-06	3.6E-06	6.05E-04	2.20E-09	1.60E-01	4.71E-02	1.66E-11	1.0E+06	1.7E-05
374	374	0.72927	5.76607E-06	4.2E-06	6.05E-04	2.54E-09	1.60E-01	4.71E-02	1.92E-11	1.0E+06	1.9E-05
375	375	0.89713	5.76607E-06	5.2E-06	6.05E-04	3.13E-09	1.60E-01	4.71E-02	2.36E-11	1.0E+06	2.4E-05
376	376	1.03661	5.76607E-06	6.0E-06	6.05E-04	3.62E-09	1.60E-01	4.71E-02	2.73E-11	1.0E+06	2.7E-05
377	377	1.15423	5.76607E-06	6.7E-06	6.05E-04	4.03E-09	1.60E-01	4.71E-02	3.04E-11	1.0E+06	3.0E-05
378	378	1.23463	5.76607E-06	7.1E-06	6.05E-04	4.31E-09	1.60E-01	4.71E-02	3.25E-11	1.0E+06	3.3E-05
379	379	1.25854	5.76607E-06	7.3E-06	6.05E-04	4.39E-09	1.60E-01	4.71E-02	3.32E-11	1.0E+06	3.3E-05
380	380	1.21215	5.76607E-06	7.0E-06	6.05E-04	4.23E-09	1.60E-01	4.71E-02	3.19E-11	1.0E+06	3.2E-05
381	381	1.13531	5.76607E-06	6.5E-06	6.05E-04	3.96E-09	1.60E-01	4.71E-02	2.99E-11	1.0E+06	3.0E-05
382	382	0.72126	5.76607E-06	4.2E-06	6.05E-04	2.52E-09	1.60E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
383	383	0.81985	5.76607E-06	4.7E-06	6.05E-04	2.86E-09	1.60E-01	4.71E-02	2.16E-11	1.0E+06	2.2E-05
384	384	0.94251	5.76607E-06	5.4E-06	6.05E-04	3.29E-09	1.60E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
385	385	1.19144	5.76607E-06	6.9E-06	6.05E-04	4.16E-09	1.60E-01	4.71E-02	3.14E-11	1.0E+06	3.1E-05
386	386	1.39064	5.76607E-06	8.0E-06	6.05E-04	4.85E-09	1.60E-01	4.71E-02	3.66E-11	1.0E+06	3.7E-05
387	387	1.59455	5.76607E-06	9.2E-06	6.05E-04	5.56E-09	1.60E-01	4.71E-02	4.20E-11	1.0E+06	4.2E-05
388	388	1.73734	5.76607E-06	1.0E-05	6.05E-04	6.06E-09	1.60E-01	4.71E-02	4.58E-11	1.0E+06	4.6E-05
389	389	1.75306	5.76607E-06	1.0E-05	6.05E-04	6.12E-09	1.60E-01	4.71E-02	4.62E-11	1.0E+06	4.6E-05
390	390	1.64464	5.76607E-06	9.5E-06	6.05E-04	5.74E-09	1.60E-01	4.71E-02	4.33E-11	1.0E+06	4.3E-05
391	391	1.49314	5.76607E-06	8.6E-06	6.05E-04	5.21E-09	1.60E-01	4.71E-02	3.93E-11	1.0E+06	3.9E-05
392	392	1.28195	5.76607E-06	7.4E-06	6.05E-04	4.47E-09	1.60E-01	4.71E-02	3.38E-11	1.0E+06	3.4E-05
393	393	0.97212	5.76607E-06	5.6E-06	6.05E-04	3.39E-09	1.60E-01	4.71E-02	2.56E-11	1.0E+06	2.6E-05
394	394	1.22534	5.76607E-06	7.1E-06	6.05E-04	4.28E-09	1.60E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
395	395	1.47726	5.76607E-06	8.5E-06	6.05E-04	5.15E-09	1.60E-01	4.71E-02	3.89E-11	1.0E+06	3.9E-05
396	396	1.80531	5.76607E-06	1.0E-05	6.05E-04	6.30E-09	1.60E-01	4.71E-02	4.76E-11	1.0E+06	4.8E-05
397	397	2.19628	5.76607E-06	1.3E-05	6.05E-04	7.66E-09	1.60E-01	4.71E-02	5.79E-11	1.0E+06	5.8E-05
398	398	2.4027	5.76607E-06	1.4E-05	6.05E-04	8.38E-09	1.60E-01	4.71E-02	6.33E-11	1.0E+06	6.3E-05
399	399	2.41808	5.76607E-06	1.4E-05	6.05E-04	8.44E-09	1.60E-01	4.71E-02	6.37E-11	1.0E+06	6.4E-05
400	400	2.60955	5.76607E-06	1.5E-05	6.05E-04	9.10E-09	1.60E-01	4.71E-02	6.88E-11	1.0E+06	6.9E-05
401	401	2.34003	5.76607E-06	1.3E-05	6.05E-04	8.16E-09	1.60E-01	4.71E-02	6.17E-11	1.0E+06	6.2E-05
402	402	1.60136	5.76607E-06	9.2E-06	6.05E-04	5.59E-09	1.60E-01	4.71E-02	4.22E-11	1.0E+06	4.2E-05
403	403	4.15731	5.76607E-06	2.4E-05	6.05E-04	1.45E-08	1.60E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	2.03727	5.76607E-06	1.2E-05	6.05E-04	7.11E-09	1.60E-01	4.71E-02	5.37E-11	1.0E+06	5.4E-05
405	405	1.51038	5.76607E-06	8.7E-06	6.05E-04	5.27E-09	1.60E-01	4.71E-02	3.98E-11	1.0E+06	4.0E-05
406	406	7.45504	5.76607E-06	4.3E-05	6.05E-04	2.60E-08	1.60E-01	4.71E-02	1.96E-10	1.0E+06	2.0E-04
407	407	1.6226	5.76607E-06	9.4E-06	6.05E-04	5.66E-09	1.60E-01	4.71E-02	4.28E-11	1.0E+06	4.3E-05
408	408	14.09383	5.76607E-06	8.1E-05	6.05E-04	4.92E-08	1.60E-01	4.71E-02	3.71E-10	1.0E+06	3.7E-04
409	409	1.62319	5.76607E-06	9.4E-06	6.05E-04	5.66E-09	1.60E-01	4.71E-02	4.28E-11	1.0E+06	4.3E-05
410	410	18.30698	5.76607E-06	1.1E-04	6.05E-04	6.39E-08	1.60E-01	4.71E-02	4.82E-10	1.0E+06	4.8E-04
411	411	2.2664	5.76607E-06	1.3E-05	6.05E-04	7.91E-09	1.60E-01	4.71E-02	5.97E-11	1.0E+06	6.0E-05
412	412	1.56098	5.76607E-06	9.0E-06	6.05E-04	5.45E-09	1.60E-01	4.71E-02	4.11E-11	1.0E+06	4.1E-05
413	413	13.06994	5.76607E-06	7.5E-05	6.05E-04	4.56E-08	1.60E-01	4.71E-02	3.44E-10	1.0E+06	3.4E-04
414	414	3.08915	5.76607E-06	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.14E-11	1.0E+06	8.1E-05
415	415	2.00181	5.76607E-06	1.2E-05	6.05E-04	6.98E-09	1.60E-01	4.71E-02	5.27E-11	1.0E+06	5.3E-05
416	416	1.41304	5.76607E-06	8.1E-06	6.05E-04	4.93E-09	1.60E-01	4.71E-02	3.72E-11	1.0E+06	3.7E-05
417	417	8.87579	5.76607E-06	5.1E-05	6.05E-04	3.10E-08	1.60E-01	4.71E-02	2.34E-10	1.0E+06	2.3E-04
418	418	1.74828	5.76607E-06	1.0E-05	6.05E-04	6.10E-09	1.60E-01	4.71E-02	4.61E-11	1.0E+06	4.6E-05
419	419	1.2658	5.76607E-06	7.3E-06	6.05E-04	4.42E-09	1.60E-01	4.71E-02	3.34E-11	1.0E+06	3.3E-05
420	420	0.96034	5.76607E-06	5.5E-06	6.05E-04	3.35E-09	1.60E-01	4.71E-02	2.53E-11	1.0E+06	2.5E-05
421	421	5.93508	5.76607E-06	3.4E-05	6.05E-04	2.07E-08	1.60E-01	4.71E-02	1.56E-10	1.0E+06	1.6E-04
422	422	1.13089	5.76607E-06	6.5E-06	6.05E-04	3.95E-09	1.60E-01	4.71E-02	2.98E-11	1.0E+06	3.0E-05
423	423	0.87507	5.76607E-06	5.0E-06	6.05E-04	3.05E-09	1.60E-01	4.71E-02	2.31E-11	1.0E+06	2.3E-05
424	424	4.08672	5.76607E-06	2.4E-05	6.05E-04	1.43E-08	1.60E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
425	425	0.79523	5.76607E-06	4.6E-06	6.05E-04	2.77E-09	1.60E-01	4.71E-02	2.10E-11	1.0E+06	2.1E-05
426	426	0.64278	5.76607E-06	3.7E-06	6.05E-04	2.24E-09	1.60E-01	4.71E-02	1.69E-11	1.0E+06	1.7E-05
427	427	2.92516	5.76607E-06	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.71E-11	1.0E+06	7.7E-05
428	428	0.72393	5.76607E-06	4.2E-06	6.05E-04	2.53E-09	1.60E-01	4.71E-02	1.91E-11	1.0E+06	1.9E-05
429	429	0.59136	5.76607E-06	3.4E-06	6.05E-04	2.06E-09	1.60E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
430	430	2.17292	5.76607E-06	1.3E-05	6.05E-04	7.58E-09	1.60E-01	4.71E-02	5.73E-11	1.0E+06	5.7E-05
431	431	0.54454	5.76607E-06	3.1E-06	6.05E-04	1.90E-09	1.60E-01	4.71E-02	1.43E-11	1.0E+06	1.4E-05
432	432	0.45604	5.76607E-06	2.6E-06	6.05E-04	1.59E-09	1.60E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
433	433	1.66637	5.76607E-06	9.6E-06	6.05E-04	5.81E-09	1.60E-01	4.71E-02	4.39E-11	1.0E+06	4.4E-05
434	434	0.5026	5.76607E-06	2.9E-06	6.05E-04	1.75E-09	1.60E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.42542	5.76607E-06	2.5E-06	6.05E-04	1.48E-09	1.60E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
436	436	1.31321	5.76607E-06	7.6E-06	6.05E-04	4.58E-09	1.60E-01	4.71E-02	3.46E-11	1.0E+06	3.5E-05
437	437	0.55759	5.76607E-06	3.2E-06	6.05E-04	1.95E-09	1.60E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
438	438	0.46546	5.76607E-06	2.7E-06	6.05E-04	1.62E-09	1.60E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05
439	439	0.39614	5.76607E-06	2.3E-06	6.05E-04	1.38E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
440	440	1.05873	5.76607E-06	6.1E-06	6.05E-04	3.69E-09	1.60E-01	4.71E-02	2.79E-11	1.0E+06	2.8E-05
441	441	0.73886	5.76607E-06	4.3E-06	6.05E-04	2.58E-09	1.60E-01	4.71E-02	1.95E-11	1.0E+06	1.9E-05
442	442	0.61579	5.76607E-06	3.6E-06	6.05E-04	2.15E-09	1.60E-01	4.71E-02	1.62E-11	1.0E+06	1.6E-05
443	443	0.51271	5.76607E-06	3.0E-06	6.05E-04	1.79E-09	1.60E-01	4.71E-02	1.35E-11	1.0E+06	1.4E-05
444	444	0.43166	5.76607E-06	2.5E-06	6.05E-04	1.51E-09	1.60E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
445	445	0.87036	5.76607E-06	5.0E-06	6.05E-04	3.04E-09	1.60E-01	4.71E-02	2.29E-11	1.0E+06	2.3E-05
446	446	0.74957	5.76607E-06	4.3E-06	6.05E-04	2.62E-09	1.60E-01	4.71E-02	1.97E-11	1.0E+06	2.0E-05
447	447	0.65316	5.76607E-06	3.8E-06	6.05E-04	2.28E-09	1.60E-01	4.71E-02	1.72E-11	1.0E+06	1.7E-05
448	448	0.55663	5.76607E-06	3.2E-06	6.05E-04	1.94E-09	1.60E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
449	449	0.72746	5.76607E-06	4.2E-06	6.05E-04	2.54E-09	1.60E-01	4.71E-02	1.92E-11	1.0E+06	1.9E-05
450	450	0.70232	5.76607E-06	4.0E-06	6.05E-04	2.45E-09	1.60E-01	4.71E-02	1.85E-11	1.0E+06	1.9E-05
451	451	0.64887	5.76607E-06	3.7E-06	6.05E-04	2.26E-09	1.60E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
452	452	0.61676	5.76607E-06	3.6E-06	6.05E-04	2.15E-09	1.60E-01	4.71E-02	1.63E-11	1.0E+06	1.6E-05
453	453	0.60209	5.76607E-06	3.5E-06	6.05E-04	2.10E-09	1.60E-01	4.71E-02	1.59E-11	1.0E+06	1.6E-05
454	454	0.30149	5.76607E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.94E-12	1.0E+06	7.9E-06
455	455	0.26672	5.76607E-06	1.5E-06	6.05E-04	9.31E-10	1.60E-01	4.71E-02	7.03E-12	1.0E+06	7.0E-06
456	456	0.52943	5.76607E-06	3.1E-06	6.05E-04	1.85E-09	1.60E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
457	457	0.5212	5.76607E-06	3.0E-06	6.05E-04	1.82E-09	1.60E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
458	458	0.49555	5.76607E-06	2.9E-06	6.05E-04	1.73E-09	1.60E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
459	459	0.36505	5.76607E-06	2.1E-06	6.05E-04	1.27E-09	1.60E-01	4.71E-02	9.62E-12	1.0E+06	9.6E-06
460	460	0.32196	5.76607E-06	1.9E-06	6.05E-04	1.12E-09	1.60E-01	4.71E-02	8.48E-12	1.0E+06	8.5E-06
461	461	0.28377	5.76607E-06	1.6E-06	6.05E-04	9.90E-10	1.60E-01	4.71E-02	7.48E-12	1.0E+06	7.5E-06
462	462	0.25133	5.76607E-06	1.4E-06	6.05E-04	8.77E-10	1.60E-01	4.71E-02	6.62E-12	1.0E+06	6.6E-06
463	463	94.6838	5.76607E-06	5.5E-04	6.05E-04	3.30E-07	1.60E-01	4.71E-02	2.49E-09	1.0E+06	2.5E-03
464	464	51.59566	5.76607E-06	3.0E-04	6.05E-04	1.80E-07	1.60E-01	4.71E-02	1.36E-09	1.0E+06	1.4E-03
465	465	34.09701	5.76607E-06	2.0E-04	6.05E-04	1.19E-07	1.60E-01	4.71E-02	8.98E-10	1.0E+06	9.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer risk from 2 to 16 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	23.95103	5.76607E-06	1.4E-04	6.05E-04	8.36E-08	1.60E-01	4.71E-02	6.31E-10	1.0E+06	6.3E-04
467	467	14.939	5.76607E-06	8.6E-05	6.05E-04	5.21E-08	1.60E-01	4.71E-02	3.94E-10	1.0E+06	3.9E-04
468	468	7.5915	5.76607E-06	4.4E-05	6.05E-04	2.65E-08	1.60E-01	4.71E-02	2.00E-10	1.0E+06	2.0E-04
469	469	4.55128	5.76607E-06	2.6E-05	6.05E-04	1.59E-08	1.60E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
470	470	2.6396	5.76607E-06	1.5E-05	6.05E-04	9.21E-09	1.60E-01	4.71E-02	6.95E-11	1.0E+06	7.0E-05
471	471	3.70323	5.76607E-06	2.1E-05	6.05E-04	1.29E-08	1.60E-01	4.71E-02	9.76E-11	1.0E+06	9.8E-05
472	472	1.91154	5.76607E-06	1.1E-05	6.05E-04	6.67E-09	1.60E-01	4.71E-02	5.04E-11	1.0E+06	5.0E-05
473	473	2.15232	5.76607E-06	1.2E-05	6.05E-04	7.51E-09	1.60E-01	4.71E-02	5.67E-11	1.0E+06	5.7E-05
474	474	1.45657	5.76607E-06	8.4E-06	6.05E-04	5.08E-09	1.60E-01	4.71E-02	3.84E-11	1.0E+06	3.8E-05
475	475	1.6101	5.76607E-06	9.3E-06	6.05E-04	5.62E-09	1.60E-01	4.71E-02	4.24E-11	1.0E+06	4.2E-05
476	476	1.14412	5.76607E-06	6.6E-06	6.05E-04	3.99E-09	1.60E-01	4.71E-02	3.01E-11	1.0E+06	3.0E-05
477	477	1.25022	5.76607E-06	7.2E-06	6.05E-04	4.36E-09	1.60E-01	4.71E-02	3.29E-11	1.0E+06	3.3E-05
478	478	0.92232	5.76607E-06	5.3E-06	6.05E-04	3.22E-09	1.60E-01	4.71E-02	2.43E-11	1.0E+06	2.4E-05
479	479	0.99915	5.76607E-06	5.8E-06	6.05E-04	3.49E-09	1.60E-01	4.71E-02	2.63E-11	1.0E+06	2.6E-05
480	480	1.02828	5.76607E-06	5.9E-06	6.05E-04	3.59E-09	1.60E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
481	481	0.75977	5.76607E-06	4.4E-06	6.05E-04	2.65E-09	1.60E-01	4.71E-02	2.00E-11	1.0E+06	2.0E-05
482	482	0.84331	5.76607E-06	4.9E-06	6.05E-04	2.94E-09	1.60E-01	4.71E-02	2.22E-11	1.0E+06	2.2E-05
483	483	0.68117	5.76607E-06	3.9E-06	6.05E-04	2.38E-09	1.60E-01	4.71E-02	1.79E-11	1.0E+06	1.8E-05
484	484	0.70386	5.76607E-06	4.1E-06	6.05E-04	2.46E-09	1.60E-01	4.71E-02	1.85E-11	1.0E+06	1.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.0922	4.91272E-05	4.5E-06	6.05E-04	2.74E-09	1.60E-01	4.71E-02	2.07E-11	1.0E+06	2.1E-05
2	2	0.09435	4.91272E-05	4.6E-06	6.05E-04	2.80E-09	1.60E-01	4.71E-02	2.12E-11	1.0E+06	2.1E-05
3	3	0.09636	4.91272E-05	4.7E-06	6.05E-04	2.86E-09	1.60E-01	4.71E-02	2.16E-11	1.0E+06	2.2E-05
4	4	0.09846	4.91272E-05	4.8E-06	6.05E-04	2.93E-09	1.60E-01	4.71E-02	2.21E-11	1.0E+06	2.2E-05
5	5	0.1005	4.91272E-05	4.9E-06	6.05E-04	2.99E-09	1.60E-01	4.71E-02	2.26E-11	1.0E+06	2.3E-05
6	6	0.10347	4.91272E-05	5.1E-06	6.05E-04	3.08E-09	1.60E-01	4.71E-02	2.32E-11	1.0E+06	2.3E-05
7	7	0.10683	4.91272E-05	5.2E-06	6.05E-04	3.18E-09	1.60E-01	4.71E-02	2.40E-11	1.0E+06	2.4E-05
8	8	0.11051	4.91272E-05	5.4E-06	6.05E-04	3.28E-09	1.60E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
9	9	0.11468	4.91272E-05	5.6E-06	6.05E-04	3.41E-09	1.60E-01	4.71E-02	2.57E-11	1.0E+06	2.6E-05
10	10	0.1201	4.91272E-05	5.9E-06	6.05E-04	3.57E-09	1.60E-01	4.71E-02	2.70E-11	1.0E+06	2.7E-05
11	11	0.12743	4.91272E-05	6.3E-06	6.05E-04	3.79E-09	1.60E-01	4.71E-02	2.86E-11	1.0E+06	2.9E-05
12	12	0.13561	4.91272E-05	6.7E-06	6.05E-04	4.03E-09	1.60E-01	4.71E-02	3.04E-11	1.0E+06	3.0E-05
13	13	0.1448	4.91272E-05	7.1E-06	6.05E-04	4.30E-09	1.60E-01	4.71E-02	3.25E-11	1.0E+06	3.3E-05
14	14	0.21018	4.91272E-05	1.0E-05	6.05E-04	6.25E-09	1.60E-01	4.71E-02	4.72E-11	1.0E+06	4.7E-05
15	15	0.10103	4.91272E-05	5.0E-06	6.05E-04	3.00E-09	1.60E-01	4.71E-02	2.27E-11	1.0E+06	2.3E-05
16	16	0.10314	4.91272E-05	5.1E-06	6.05E-04	3.07E-09	1.60E-01	4.71E-02	2.32E-11	1.0E+06	2.3E-05
17	17	0.10602	4.91272E-05	5.2E-06	6.05E-04	3.15E-09	1.60E-01	4.71E-02	2.38E-11	1.0E+06	2.4E-05
18	18	0.10831	4.91272E-05	5.3E-06	6.05E-04	3.22E-09	1.60E-01	4.71E-02	2.43E-11	1.0E+06	2.4E-05
19	19	0.1105	4.91272E-05	5.4E-06	6.05E-04	3.28E-09	1.60E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
20	20	0.11339	4.91272E-05	5.6E-06	6.05E-04	3.37E-09	1.60E-01	4.71E-02	2.55E-11	1.0E+06	2.5E-05
21	21	0.11668	4.91272E-05	5.7E-06	6.05E-04	3.47E-09	1.60E-01	4.71E-02	2.62E-11	1.0E+06	2.6E-05
22	22	0.12019	4.91272E-05	5.9E-06	6.05E-04	3.57E-09	1.60E-01	4.71E-02	2.70E-11	1.0E+06	2.7E-05
23	23	0.12559	4.91272E-05	6.2E-06	6.05E-04	3.73E-09	1.60E-01	4.71E-02	2.82E-11	1.0E+06	2.8E-05
24	24	0.13056	4.91272E-05	6.4E-06	6.05E-04	3.88E-09	1.60E-01	4.71E-02	2.93E-11	1.0E+06	2.9E-05
25	25	0.13906	4.91272E-05	6.8E-06	6.05E-04	4.13E-09	1.60E-01	4.71E-02	3.12E-11	1.0E+06	3.1E-05
26	26	0.14875	4.91272E-05	7.3E-06	6.05E-04	4.42E-09	1.60E-01	4.71E-02	3.34E-11	1.0E+06	3.3E-05
27	27	0.15763	4.91272E-05	7.7E-06	6.05E-04	4.69E-09	1.60E-01	4.71E-02	3.54E-11	1.0E+06	3.5E-05
28	28	0.23737	4.91272E-05	1.2E-05	6.05E-04	7.06E-09	1.60E-01	4.71E-02	5.33E-11	1.0E+06	5.3E-05
29	29	0.11048	4.91272E-05	5.4E-06	6.05E-04	3.28E-09	1.60E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
30	30	0.11375	4.91272E-05	5.6E-06	6.05E-04	3.38E-09	1.60E-01	4.71E-02	2.55E-11	1.0E+06	2.6E-05
31	31	0.1175	4.91272E-05	5.8E-06	6.05E-04	3.49E-09	1.60E-01	4.71E-02	2.64E-11	1.0E+06	2.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.12063	4.91272E-05	5.9E-06	6.05E-04	3.59E-09	1.60E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
33	33	0.12219	4.91272E-05	6.0E-06	6.05E-04	3.63E-09	1.60E-01	4.71E-02	2.74E-11	1.0E+06	2.7E-05
34	34	0.12548	4.91272E-05	6.2E-06	6.05E-04	3.73E-09	1.60E-01	4.71E-02	2.82E-11	1.0E+06	2.8E-05
35	35	0.12876	4.91272E-05	6.3E-06	6.05E-04	3.83E-09	1.60E-01	4.71E-02	2.89E-11	1.0E+06	2.9E-05
36	36	0.13292	4.91272E-05	6.5E-06	6.05E-04	3.95E-09	1.60E-01	4.71E-02	2.98E-11	1.0E+06	3.0E-05
37	37	0.13822	4.91272E-05	6.8E-06	6.05E-04	4.11E-09	1.60E-01	4.71E-02	3.10E-11	1.0E+06	3.1E-05
38	38	0.14471	4.91272E-05	7.1E-06	6.05E-04	4.30E-09	1.60E-01	4.71E-02	3.25E-11	1.0E+06	3.2E-05
39	39	0.15297	4.91272E-05	7.5E-06	6.05E-04	4.55E-09	1.60E-01	4.71E-02	3.43E-11	1.0E+06	3.4E-05
40	40	0.16241	4.91272E-05	8.0E-06	6.05E-04	4.83E-09	1.60E-01	4.71E-02	3.65E-11	1.0E+06	3.6E-05
41	41	0.17267	4.91272E-05	8.5E-06	6.05E-04	5.13E-09	1.60E-01	4.71E-02	3.88E-11	1.0E+06	3.9E-05
42	42	0.26844	4.91272E-05	1.3E-05	6.05E-04	7.98E-09	1.60E-01	4.71E-02	6.03E-11	1.0E+06	6.0E-05
43	43	0.12	4.91272E-05	5.9E-06	6.05E-04	3.57E-09	1.60E-01	4.71E-02	2.69E-11	1.0E+06	2.7E-05
44	44	0.12447	4.91272E-05	6.1E-06	6.05E-04	3.70E-09	1.60E-01	4.71E-02	2.79E-11	1.0E+06	2.8E-05
45	45	0.12869	4.91272E-05	6.3E-06	6.05E-04	3.83E-09	1.60E-01	4.71E-02	2.89E-11	1.0E+06	2.9E-05
46	46	0.13218	4.91272E-05	6.5E-06	6.05E-04	3.93E-09	1.60E-01	4.71E-02	2.97E-11	1.0E+06	3.0E-05
47	47	0.13524	4.91272E-05	6.6E-06	6.05E-04	4.02E-09	1.60E-01	4.71E-02	3.04E-11	1.0E+06	3.0E-05
48	48	0.13887	4.91272E-05	6.8E-06	6.05E-04	4.13E-09	1.60E-01	4.71E-02	3.12E-11	1.0E+06	3.1E-05
49	49	0.14237	4.91272E-05	7.0E-06	6.05E-04	4.23E-09	1.60E-01	4.71E-02	3.20E-11	1.0E+06	3.2E-05
50	50	0.14619	4.91272E-05	7.2E-06	6.05E-04	4.35E-09	1.60E-01	4.71E-02	3.28E-11	1.0E+06	3.3E-05
51	51	0.15366	4.91272E-05	7.5E-06	6.05E-04	4.57E-09	1.60E-01	4.71E-02	3.45E-11	1.0E+06	3.4E-05
52	52	0.16076	4.91272E-05	7.9E-06	6.05E-04	4.78E-09	1.60E-01	4.71E-02	3.61E-11	1.0E+06	3.6E-05
53	53	0.1702	4.91272E-05	8.4E-06	6.05E-04	5.06E-09	1.60E-01	4.71E-02	3.82E-11	1.0E+06	3.8E-05
54	54	0.18127	4.91272E-05	8.9E-06	6.05E-04	5.39E-09	1.60E-01	4.71E-02	4.07E-11	1.0E+06	4.1E-05
55	55	0.19413	4.91272E-05	9.5E-06	6.05E-04	5.77E-09	1.60E-01	4.71E-02	4.36E-11	1.0E+06	4.4E-05
56	56	0.31254	4.91272E-05	1.5E-05	6.05E-04	9.29E-09	1.60E-01	4.71E-02	7.02E-11	1.0E+06	7.0E-05
57	57	0.12914	4.91272E-05	6.3E-06	6.05E-04	3.84E-09	1.60E-01	4.71E-02	2.90E-11	1.0E+06	2.9E-05
58	58	0.13426	4.91272E-05	6.6E-06	6.05E-04	3.99E-09	1.60E-01	4.71E-02	3.01E-11	1.0E+06	3.0E-05
59	59	0.13942	4.91272E-05	6.8E-06	6.05E-04	4.14E-09	1.60E-01	4.71E-02	3.13E-11	1.0E+06	3.1E-05
60	60	0.14461	4.91272E-05	7.1E-06	6.05E-04	4.30E-09	1.60E-01	4.71E-02	3.25E-11	1.0E+06	3.2E-05
61	61	0.14957	4.91272E-05	7.3E-06	6.05E-04	4.45E-09	1.60E-01	4.71E-02	3.36E-11	1.0E+06	3.4E-05
62	62	0.15453	4.91272E-05	7.6E-06	6.05E-04	4.59E-09	1.60E-01	4.71E-02	3.47E-11	1.0E+06	3.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.161	4.91272E-05	7.9E-06	6.05E-04	4.79E-09	1.60E-01	4.71E-02	3.61E-11	1.0E+06	3.6E-05
64	64	0.16361	4.91272E-05	8.0E-06	6.05E-04	4.86E-09	1.60E-01	4.71E-02	3.67E-11	1.0E+06	3.7E-05
65	65	0.17177	4.91272E-05	8.4E-06	6.05E-04	5.11E-09	1.60E-01	4.71E-02	3.86E-11	1.0E+06	3.9E-05
66	66	0.18113	4.91272E-05	8.9E-06	6.05E-04	5.38E-09	1.60E-01	4.71E-02	4.07E-11	1.0E+06	4.1E-05
67	67	0.19048	4.91272E-05	9.4E-06	6.05E-04	5.66E-09	1.60E-01	4.71E-02	4.28E-11	1.0E+06	4.3E-05
68	68	0.2054	4.91272E-05	1.0E-05	6.05E-04	6.11E-09	1.60E-01	4.71E-02	4.61E-11	1.0E+06	4.6E-05
69	69	0.22236	4.91272E-05	1.1E-05	6.05E-04	6.61E-09	1.60E-01	4.71E-02	4.99E-11	1.0E+06	5.0E-05
70	70	0.13778	4.91272E-05	6.8E-06	6.05E-04	4.10E-09	1.60E-01	4.71E-02	3.09E-11	1.0E+06	3.1E-05
71	71	0.14394	4.91272E-05	7.1E-06	6.05E-04	4.28E-09	1.60E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
72	72	0.15016	4.91272E-05	7.4E-06	6.05E-04	4.46E-09	1.60E-01	4.71E-02	3.37E-11	1.0E+06	3.4E-05
73	73	0.15694	4.91272E-05	7.7E-06	6.05E-04	4.67E-09	1.60E-01	4.71E-02	3.52E-11	1.0E+06	3.5E-05
74	74	0.16325	4.91272E-05	8.0E-06	6.05E-04	4.85E-09	1.60E-01	4.71E-02	3.66E-11	1.0E+06	3.7E-05
75	75	0.17204	4.91272E-05	8.5E-06	6.05E-04	5.11E-09	1.60E-01	4.71E-02	3.86E-11	1.0E+06	3.9E-05
76	76	0.18013	4.91272E-05	8.8E-06	6.05E-04	5.35E-09	1.60E-01	4.71E-02	4.04E-11	1.0E+06	4.0E-05
77	77	0.18611	4.91272E-05	9.1E-06	6.05E-04	5.53E-09	1.60E-01	4.71E-02	4.18E-11	1.0E+06	4.2E-05
78	78	0.19611	4.91272E-05	9.6E-06	6.05E-04	5.83E-09	1.60E-01	4.71E-02	4.40E-11	1.0E+06	4.4E-05
79	79	0.21224	4.91272E-05	1.0E-05	6.05E-04	6.31E-09	1.60E-01	4.71E-02	4.76E-11	1.0E+06	4.8E-05
80	80	0.22205	4.91272E-05	1.1E-05	6.05E-04	6.60E-09	1.60E-01	4.71E-02	4.98E-11	1.0E+06	5.0E-05
81	81	0.24272	4.91272E-05	1.2E-05	6.05E-04	7.21E-09	1.60E-01	4.71E-02	5.45E-11	1.0E+06	5.4E-05
82	82	0.25999	4.91272E-05	1.3E-05	6.05E-04	7.73E-09	1.60E-01	4.71E-02	5.84E-11	1.0E+06	5.8E-05
83	83	0.14606	4.91272E-05	7.2E-06	6.05E-04	4.34E-09	1.60E-01	4.71E-02	3.28E-11	1.0E+06	3.3E-05
84	84	0.15257	4.91272E-05	7.5E-06	6.05E-04	4.54E-09	1.60E-01	4.71E-02	3.42E-11	1.0E+06	3.4E-05
85	85	0.15866	4.91272E-05	7.8E-06	6.05E-04	4.72E-09	1.60E-01	4.71E-02	3.56E-11	1.0E+06	3.6E-05
86	86	0.16917	4.91272E-05	8.3E-06	6.05E-04	5.03E-09	1.60E-01	4.71E-02	3.80E-11	1.0E+06	3.8E-05
87	87	0.17844	4.91272E-05	8.8E-06	6.05E-04	5.30E-09	1.60E-01	4.71E-02	4.01E-11	1.0E+06	4.0E-05
88	88	0.18893	4.91272E-05	9.3E-06	6.05E-04	5.62E-09	1.60E-01	4.71E-02	4.24E-11	1.0E+06	4.2E-05
89	89	0.20032	4.91272E-05	9.8E-06	6.05E-04	5.95E-09	1.60E-01	4.71E-02	4.50E-11	1.0E+06	4.5E-05
90	90	0.21283	4.91272E-05	1.0E-05	6.05E-04	6.33E-09	1.60E-01	4.71E-02	4.78E-11	1.0E+06	4.8E-05
91	91	0.22684	4.91272E-05	1.1E-05	6.05E-04	6.74E-09	1.60E-01	4.71E-02	5.09E-11	1.0E+06	5.1E-05
92	92	0.24286	4.91272E-05	1.2E-05	6.05E-04	7.22E-09	1.60E-01	4.71E-02	5.45E-11	1.0E+06	5.5E-05
93	93	0.26082	4.91272E-05	1.3E-05	6.05E-04	7.75E-09	1.60E-01	4.71E-02	5.86E-11	1.0E+06	5.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.28179	4.91272E-05	1.4E-05	6.05E-04	8.38E-09	1.60E-01	4.71E-02	6.33E-11	1.0E+06	6.3E-05
95	95	0.30681	4.91272E-05	1.5E-05	6.05E-04	9.12E-09	1.60E-01	4.71E-02	6.89E-11	1.0E+06	6.9E-05
96	96	0.15285	4.91272E-05	7.5E-06	6.05E-04	4.54E-09	1.60E-01	4.71E-02	3.43E-11	1.0E+06	3.4E-05
97	97	0.15857	4.91272E-05	7.8E-06	6.05E-04	4.71E-09	1.60E-01	4.71E-02	3.56E-11	1.0E+06	3.6E-05
98	98	0.16615	4.91272E-05	8.2E-06	6.05E-04	4.94E-09	1.60E-01	4.71E-02	3.73E-11	1.0E+06	3.7E-05
99	99	0.17751	4.91272E-05	8.7E-06	6.05E-04	5.28E-09	1.60E-01	4.71E-02	3.98E-11	1.0E+06	4.0E-05
100	100	0.19145	4.91272E-05	9.4E-06	6.05E-04	5.69E-09	1.60E-01	4.71E-02	4.30E-11	1.0E+06	4.3E-05
101	101	0.20403	4.91272E-05	1.0E-05	6.05E-04	6.06E-09	1.60E-01	4.71E-02	4.58E-11	1.0E+06	4.6E-05
102	102	0.2179	4.91272E-05	1.1E-05	6.05E-04	6.48E-09	1.60E-01	4.71E-02	4.89E-11	1.0E+06	4.9E-05
103	103	0.23364	4.91272E-05	1.1E-05	6.05E-04	6.95E-09	1.60E-01	4.71E-02	5.24E-11	1.0E+06	5.2E-05
104	104	0.25106	4.91272E-05	1.2E-05	6.05E-04	7.46E-09	1.60E-01	4.71E-02	5.64E-11	1.0E+06	5.6E-05
105	105	0.27069	4.91272E-05	1.3E-05	6.05E-04	8.05E-09	1.60E-01	4.71E-02	6.08E-11	1.0E+06	6.1E-05
106	106	0.29395	4.91272E-05	1.4E-05	6.05E-04	8.74E-09	1.60E-01	4.71E-02	6.60E-11	1.0E+06	6.6E-05
107	107	0.32121	4.91272E-05	1.6E-05	6.05E-04	9.55E-09	1.60E-01	4.71E-02	7.21E-11	1.0E+06	7.2E-05
108	108	0.35378	4.91272E-05	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.94E-11	1.0E+06	7.9E-05
109	109	0.15685	4.91272E-05	7.7E-06	6.05E-04	4.66E-09	1.60E-01	4.71E-02	3.52E-11	1.0E+06	3.5E-05
110	110	0.16677	4.91272E-05	8.2E-06	6.05E-04	4.96E-09	1.60E-01	4.71E-02	3.74E-11	1.0E+06	3.7E-05
111	111	0.17775	4.91272E-05	8.7E-06	6.05E-04	5.28E-09	1.60E-01	4.71E-02	3.99E-11	1.0E+06	4.0E-05
112	112	0.18979	4.91272E-05	9.3E-06	6.05E-04	5.64E-09	1.60E-01	4.71E-02	4.26E-11	1.0E+06	4.3E-05
113	113	0.20303	4.91272E-05	1.0E-05	6.05E-04	6.04E-09	1.60E-01	4.71E-02	4.56E-11	1.0E+06	4.6E-05
114	114	0.21761	4.91272E-05	1.1E-05	6.05E-04	6.47E-09	1.60E-01	4.71E-02	4.89E-11	1.0E+06	4.9E-05
115	115	0.23359	4.91272E-05	1.1E-05	6.05E-04	6.94E-09	1.60E-01	4.71E-02	5.24E-11	1.0E+06	5.2E-05
116	116	0.25225	4.91272E-05	1.2E-05	6.05E-04	7.50E-09	1.60E-01	4.71E-02	5.66E-11	1.0E+06	5.7E-05
117	117	0.27429	4.91272E-05	1.3E-05	6.05E-04	8.15E-09	1.60E-01	4.71E-02	6.16E-11	1.0E+06	6.2E-05
118	118	0.29394	4.91272E-05	1.4E-05	6.05E-04	8.74E-09	1.60E-01	4.71E-02	6.60E-11	1.0E+06	6.6E-05
119	119	0.32282	4.91272E-05	1.6E-05	6.05E-04	9.60E-09	1.60E-01	4.71E-02	7.25E-11	1.0E+06	7.2E-05
120	120	0.35496	4.91272E-05	1.7E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	7.97E-11	1.0E+06	8.0E-05
121	121	0.39206	4.91272E-05	1.9E-05	6.05E-04	1.17E-08	1.60E-01	4.71E-02	8.80E-11	1.0E+06	8.8E-05
122	122	0.15982	4.91272E-05	7.9E-06	6.05E-04	4.75E-09	1.60E-01	4.71E-02	3.59E-11	1.0E+06	3.6E-05
123	123	0.17128	4.91272E-05	8.4E-06	6.05E-04	5.09E-09	1.60E-01	4.71E-02	3.84E-11	1.0E+06	3.8E-05
124	124	0.18494	4.91272E-05	9.1E-06	6.05E-04	5.50E-09	1.60E-01	4.71E-02	4.15E-11	1.0E+06	4.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19853	4.91272E-05	9.8E-06	6.05E-04	5.90E-09	1.60E-01	4.71E-02	4.46E-11	1.0E+06	4.5E-05
126	126	0.21277	4.91272E-05	1.0E-05	6.05E-04	6.32E-09	1.60E-01	4.71E-02	4.78E-11	1.0E+06	4.8E-05
127	127	0.22781	4.91272E-05	1.1E-05	6.05E-04	6.77E-09	1.60E-01	4.71E-02	5.11E-11	1.0E+06	5.1E-05
128	128	0.23739	4.91272E-05	1.2E-05	6.05E-04	7.06E-09	1.60E-01	4.71E-02	5.33E-11	1.0E+06	5.3E-05
129	129	0.25753	4.91272E-05	1.3E-05	6.05E-04	7.66E-09	1.60E-01	4.71E-02	5.78E-11	1.0E+06	5.8E-05
130	130	0.28802	4.91272E-05	1.4E-05	6.05E-04	8.56E-09	1.60E-01	4.71E-02	6.47E-11	1.0E+06	6.5E-05
131	131	2.13818	4.91272E-05	1.1E-04	6.05E-04	6.36E-08	1.60E-01	4.71E-02	4.80E-10	1.0E+06	4.8E-04
132	132	3.10234	4.91272E-05	1.5E-04	6.05E-04	9.22E-08	1.60E-01	4.71E-02	6.96E-10	1.0E+06	7.0E-04
133	133	0.16019	4.91272E-05	7.9E-06	6.05E-04	4.76E-09	1.60E-01	4.71E-02	3.60E-11	1.0E+06	3.6E-05
134	134	0.17469	4.91272E-05	8.6E-06	6.05E-04	5.19E-09	1.60E-01	4.71E-02	3.92E-11	1.0E+06	3.9E-05
135	135	0.1896	4.91272E-05	9.3E-06	6.05E-04	5.64E-09	1.60E-01	4.71E-02	4.26E-11	1.0E+06	4.3E-05
136	136	0.2045	4.91272E-05	1.0E-05	6.05E-04	6.08E-09	1.60E-01	4.71E-02	4.59E-11	1.0E+06	4.6E-05
137	137	0.22052	4.91272E-05	1.1E-05	6.05E-04	6.56E-09	1.60E-01	4.71E-02	4.95E-11	1.0E+06	5.0E-05
138	138	0.23618	4.91272E-05	1.2E-05	6.05E-04	7.02E-09	1.60E-01	4.71E-02	5.30E-11	1.0E+06	5.3E-05
139	139	0.25056	4.91272E-05	1.2E-05	6.05E-04	7.45E-09	1.60E-01	4.71E-02	5.62E-11	1.0E+06	5.6E-05
140	140	0.2765	4.91272E-05	1.4E-05	6.05E-04	8.22E-09	1.60E-01	4.71E-02	6.21E-11	1.0E+06	6.2E-05
141	141	0.30418	4.91272E-05	1.5E-05	6.05E-04	9.04E-09	1.60E-01	4.71E-02	6.83E-11	1.0E+06	6.8E-05
142	142	0.33569	4.91272E-05	1.6E-05	6.05E-04	9.98E-09	1.60E-01	4.71E-02	7.54E-11	1.0E+06	7.5E-05
143	143	0.3773	4.91272E-05	1.9E-05	6.05E-04	1.12E-08	1.60E-01	4.71E-02	8.47E-11	1.0E+06	8.5E-05
144	144	0.43429	4.91272E-05	2.1E-05	6.05E-04	1.29E-08	1.60E-01	4.71E-02	9.75E-11	1.0E+06	9.7E-05
145	145	0.50032	4.91272E-05	2.5E-05	6.05E-04	1.49E-08	1.60E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
146	146	3.05502	4.91272E-05	1.5E-04	6.05E-04	9.08E-08	1.60E-01	4.71E-02	6.86E-10	1.0E+06	6.9E-04
147	147	0.15943	4.91272E-05	7.8E-06	6.05E-04	4.74E-09	1.60E-01	4.71E-02	3.58E-11	1.0E+06	3.6E-05
148	148	0.17407	4.91272E-05	8.6E-06	6.05E-04	5.17E-09	1.60E-01	4.71E-02	3.91E-11	1.0E+06	3.9E-05
149	149	0.19042	4.91272E-05	9.4E-06	6.05E-04	5.66E-09	1.60E-01	4.71E-02	4.27E-11	1.0E+06	4.3E-05
150	150	0.20683	4.91272E-05	1.0E-05	6.05E-04	6.15E-09	1.60E-01	4.71E-02	4.64E-11	1.0E+06	4.6E-05
151	151	0.22576	4.91272E-05	1.1E-05	6.05E-04	6.71E-09	1.60E-01	4.71E-02	5.07E-11	1.0E+06	5.1E-05
152	152	0.24299	4.91272E-05	1.2E-05	6.05E-04	7.22E-09	1.60E-01	4.71E-02	5.45E-11	1.0E+06	5.5E-05
153	153	0.26197	4.91272E-05	1.3E-05	6.05E-04	7.79E-09	1.60E-01	4.71E-02	5.88E-11	1.0E+06	5.9E-05
154	154	0.28651	4.91272E-05	1.4E-05	6.05E-04	8.52E-09	1.60E-01	4.71E-02	6.43E-11	1.0E+06	6.4E-05
155	155	0.31707	4.91272E-05	1.6E-05	6.05E-04	9.43E-09	1.60E-01	4.71E-02	7.12E-11	1.0E+06	7.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.35232	4.91272E-05	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.91E-11	1.0E+06	7.9E-05
157	157	0.39311	4.91272E-05	1.9E-05	6.05E-04	1.17E-08	1.60E-01	4.71E-02	8.82E-11	1.0E+06	8.8E-05
158	158	0.44206	4.91272E-05	2.2E-05	6.05E-04	1.31E-08	1.60E-01	4.71E-02	9.92E-11	1.0E+06	9.9E-05
159	159	0.53104	4.91272E-05	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
160	160	0.15998	4.91272E-05	7.9E-06	6.05E-04	4.76E-09	1.60E-01	4.71E-02	3.59E-11	1.0E+06	3.6E-05
161	161	0.17278	4.91272E-05	8.5E-06	6.05E-04	5.14E-09	1.60E-01	4.71E-02	3.88E-11	1.0E+06	3.9E-05
162	162	0.18504	4.91272E-05	9.1E-06	6.05E-04	5.50E-09	1.60E-01	4.71E-02	4.15E-11	1.0E+06	4.2E-05
163	163	0.20494	4.91272E-05	1.0E-05	6.05E-04	6.09E-09	1.60E-01	4.71E-02	4.60E-11	1.0E+06	4.6E-05
164	164	0.22847	4.91272E-05	1.1E-05	6.05E-04	6.79E-09	1.60E-01	4.71E-02	5.13E-11	1.0E+06	5.1E-05
165	165	0.24861	4.91272E-05	1.2E-05	6.05E-04	7.39E-09	1.60E-01	4.71E-02	5.58E-11	1.0E+06	5.6E-05
166	166	0.27241	4.91272E-05	1.3E-05	6.05E-04	8.10E-09	1.60E-01	4.71E-02	6.12E-11	1.0E+06	6.1E-05
167	167	0.29976	4.91272E-05	1.5E-05	6.05E-04	8.91E-09	1.60E-01	4.71E-02	6.73E-11	1.0E+06	6.7E-05
168	168	0.33221	4.91272E-05	1.6E-05	6.05E-04	9.88E-09	1.60E-01	4.71E-02	7.46E-11	1.0E+06	7.5E-05
169	169	0.37066	4.91272E-05	1.8E-05	6.05E-04	1.10E-08	1.60E-01	4.71E-02	8.32E-11	1.0E+06	8.3E-05
170	170	0.41599	4.91272E-05	2.0E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.34E-11	1.0E+06	9.3E-05
171	171	0.47189	4.91272E-05	2.3E-05	6.05E-04	1.40E-08	1.60E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
172	172	0.55556	4.91272E-05	2.7E-05	6.05E-04	1.65E-08	1.60E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
173	173	0.67824	4.91272E-05	3.3E-05	6.05E-04	2.02E-08	1.60E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
174	174	0.86539	4.91272E-05	4.3E-05	6.05E-04	2.57E-08	1.60E-01	4.71E-02	1.94E-10	1.0E+06	1.9E-04
175	175	1.13736	4.91272E-05	5.6E-05	6.05E-04	3.38E-08	1.60E-01	4.71E-02	2.55E-10	1.0E+06	2.6E-04
176	176	1.55362	4.91272E-05	7.6E-05	6.05E-04	4.62E-08	1.60E-01	4.71E-02	3.49E-10	1.0E+06	3.5E-04
177	177	2.42543	4.91272E-05	1.2E-04	6.05E-04	7.21E-08	1.60E-01	4.71E-02	5.44E-10	1.0E+06	5.4E-04
178	178	4.51825	4.91272E-05	2.2E-04	6.05E-04	1.34E-07	1.60E-01	4.71E-02	1.01E-09	1.0E+06	1.0E-03
179	179	0.15556	4.91272E-05	7.6E-06	6.05E-04	4.62E-09	1.60E-01	4.71E-02	3.49E-11	1.0E+06	3.5E-05
180	180	0.16729	4.91272E-05	8.2E-06	6.05E-04	4.97E-09	1.60E-01	4.71E-02	3.76E-11	1.0E+06	3.8E-05
181	181	0.17784	4.91272E-05	8.7E-06	6.05E-04	5.29E-09	1.60E-01	4.71E-02	3.99E-11	1.0E+06	4.0E-05
182	182	0.20149	4.91272E-05	9.9E-06	6.05E-04	5.99E-09	1.60E-01	4.71E-02	4.52E-11	1.0E+06	4.5E-05
183	183	0.23147	4.91272E-05	1.1E-05	6.05E-04	6.88E-09	1.60E-01	4.71E-02	5.20E-11	1.0E+06	5.2E-05
184	184	0.25475	4.91272E-05	1.3E-05	6.05E-04	7.57E-09	1.60E-01	4.71E-02	5.72E-11	1.0E+06	5.7E-05
185	185	0.28248	4.91272E-05	1.4E-05	6.05E-04	8.40E-09	1.60E-01	4.71E-02	6.34E-11	1.0E+06	6.3E-05
186	186	0.31288	4.91272E-05	1.5E-05	6.05E-04	9.30E-09	1.60E-01	4.71E-02	7.02E-11	1.0E+06	7.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.3471	4.91272E-05	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.79E-11	1.0E+06	7.8E-05
188	188	0.3888	4.91272E-05	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.73E-11	1.0E+06	8.7E-05
189	189	0.43722	4.91272E-05	2.1E-05	6.05E-04	1.30E-08	1.60E-01	4.71E-02	9.81E-11	1.0E+06	9.8E-05
190	190	0.49858	4.91272E-05	2.4E-05	6.05E-04	1.48E-08	1.60E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
191	191	0.576	4.91272E-05	2.8E-05	6.05E-04	1.71E-08	1.60E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
192	192	0.69109	4.91272E-05	3.4E-05	6.05E-04	2.05E-08	1.60E-01	4.71E-02	1.55E-10	1.0E+06	1.6E-04
193	193	0.85655	4.91272E-05	4.2E-05	6.05E-04	2.55E-08	1.60E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
194	194	1.14217	4.91272E-05	5.6E-05	6.05E-04	3.40E-08	1.60E-01	4.71E-02	2.56E-10	1.0E+06	2.6E-04
195	195	1.66747	4.91272E-05	8.2E-05	6.05E-04	4.96E-08	1.60E-01	4.71E-02	3.74E-10	1.0E+06	3.7E-04
196	196	2.60456	4.91272E-05	1.3E-04	6.05E-04	7.74E-08	1.60E-01	4.71E-02	5.85E-10	1.0E+06	5.8E-04
197	197	4.78841	4.91272E-05	2.4E-04	6.05E-04	1.42E-07	1.60E-01	4.71E-02	1.07E-09	1.0E+06	1.1E-03
198	198	0.15367	4.91272E-05	7.5E-06	6.05E-04	4.57E-09	1.60E-01	4.71E-02	3.45E-11	1.0E+06	3.4E-05
199	199	0.16648	4.91272E-05	8.2E-06	6.05E-04	4.95E-09	1.60E-01	4.71E-02	3.74E-11	1.0E+06	3.7E-05
200	200	0.18069	4.91272E-05	8.9E-06	6.05E-04	5.37E-09	1.60E-01	4.71E-02	4.06E-11	1.0E+06	4.1E-05
201	201	0.20009	4.91272E-05	9.8E-06	6.05E-04	5.95E-09	1.60E-01	4.71E-02	4.49E-11	1.0E+06	4.5E-05
202	202	0.23123	4.91272E-05	1.1E-05	6.05E-04	6.87E-09	1.60E-01	4.71E-02	5.19E-11	1.0E+06	5.2E-05
203	203	0.2587	4.91272E-05	1.3E-05	6.05E-04	7.69E-09	1.60E-01	4.71E-02	5.81E-11	1.0E+06	5.8E-05
204	204	0.28995	4.91272E-05	1.4E-05	6.05E-04	8.62E-09	1.60E-01	4.71E-02	6.51E-11	1.0E+06	6.5E-05
205	205	0.32338	4.91272E-05	1.6E-05	6.05E-04	9.61E-09	1.60E-01	4.71E-02	7.26E-11	1.0E+06	7.3E-05
206	206	0.36119	4.91272E-05	1.8E-05	6.05E-04	1.07E-08	1.60E-01	4.71E-02	8.11E-11	1.0E+06	8.1E-05
207	207	0.4058	4.91272E-05	2.0E-05	6.05E-04	1.21E-08	1.60E-01	4.71E-02	9.11E-11	1.0E+06	9.1E-05
208	208	0.45826	4.91272E-05	2.3E-05	6.05E-04	1.36E-08	1.60E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
209	209	0.52363	4.91272E-05	2.6E-05	6.05E-04	1.56E-08	1.60E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
210	210	0.60609	4.91272E-05	3.0E-05	6.05E-04	1.80E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
211	211	0.71656	4.91272E-05	3.5E-05	6.05E-04	2.13E-08	1.60E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
212	212	0.86556	4.91272E-05	4.3E-05	6.05E-04	2.57E-08	1.60E-01	4.71E-02	1.94E-10	1.0E+06	1.9E-04
213	213	1.07716	4.91272E-05	5.3E-05	6.05E-04	3.20E-08	1.60E-01	4.71E-02	2.42E-10	1.0E+06	2.4E-04
214	214	1.39697	4.91272E-05	6.9E-05	6.05E-04	4.15E-08	1.60E-01	4.71E-02	3.14E-10	1.0E+06	3.1E-04
215	215	2.51762	4.91272E-05	1.2E-04	6.05E-04	7.48E-08	1.60E-01	4.71E-02	5.65E-10	1.0E+06	5.7E-04
216	216	0.15358	4.91272E-05	7.5E-06	6.05E-04	4.57E-09	1.60E-01	4.71E-02	3.45E-11	1.0E+06	3.4E-05
217	217	0.16603	4.91272E-05	8.2E-06	6.05E-04	4.94E-09	1.60E-01	4.71E-02	3.73E-11	1.0E+06	3.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.18147	4.91272E-05	8.9E-06	6.05E-04	5.39E-09	1.60E-01	4.71E-02	4.07E-11	1.0E+06	4.1E-05
219	219	0.20063	4.91272E-05	9.9E-06	6.05E-04	5.96E-09	1.60E-01	4.71E-02	4.50E-11	1.0E+06	4.5E-05
220	220	0.23012	4.91272E-05	1.1E-05	6.05E-04	6.84E-09	1.60E-01	4.71E-02	5.17E-11	1.0E+06	5.2E-05
221	221	0.25752	4.91272E-05	1.3E-05	6.05E-04	7.65E-09	1.60E-01	4.71E-02	5.78E-11	1.0E+06	5.8E-05
222	222	0.29169	4.91272E-05	1.4E-05	6.05E-04	8.67E-09	1.60E-01	4.71E-02	6.55E-11	1.0E+06	6.5E-05
223	223	0.32799	4.91272E-05	1.6E-05	6.05E-04	9.75E-09	1.60E-01	4.71E-02	7.36E-11	1.0E+06	7.4E-05
224	224	0.36886	4.91272E-05	1.8E-05	6.05E-04	1.10E-08	1.60E-01	4.71E-02	8.28E-11	1.0E+06	8.3E-05
225	225	0.41504	4.91272E-05	2.0E-05	6.05E-04	1.23E-08	1.60E-01	4.71E-02	9.32E-11	1.0E+06	9.3E-05
226	226	0.47268	4.91272E-05	2.3E-05	6.05E-04	1.41E-08	1.60E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
227	227	0.54138	4.91272E-05	2.7E-05	6.05E-04	1.61E-08	1.60E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
228	228	0.62757	4.91272E-05	3.1E-05	6.05E-04	1.87E-08	1.60E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
229	229	0.74182	4.91272E-05	3.6E-05	6.05E-04	2.21E-08	1.60E-01	4.71E-02	1.67E-10	1.0E+06	1.7E-04
230	230	0.89194	4.91272E-05	4.4E-05	6.05E-04	2.65E-08	1.60E-01	4.71E-02	2.00E-10	1.0E+06	2.0E-04
231	231	1.11326	4.91272E-05	5.5E-05	6.05E-04	3.31E-08	1.60E-01	4.71E-02	2.50E-10	1.0E+06	2.5E-04
232	232	1.46266	4.91272E-05	7.2E-05	6.05E-04	4.35E-08	1.60E-01	4.71E-02	3.28E-10	1.0E+06	3.3E-04
233	233	2.46845	4.91272E-05	1.2E-04	6.05E-04	7.34E-08	1.60E-01	4.71E-02	5.54E-10	1.0E+06	5.5E-04
234	234	0.15309	4.91272E-05	7.5E-06	6.05E-04	4.55E-09	1.60E-01	4.71E-02	3.44E-11	1.0E+06	3.4E-05
235	235	0.16513	4.91272E-05	8.1E-06	6.05E-04	4.91E-09	1.60E-01	4.71E-02	3.71E-11	1.0E+06	3.7E-05
236	236	0.18104	4.91272E-05	8.9E-06	6.05E-04	5.38E-09	1.60E-01	4.71E-02	4.06E-11	1.0E+06	4.1E-05
237	237	0.20169	4.91272E-05	9.9E-06	6.05E-04	6.00E-09	1.60E-01	4.71E-02	4.53E-11	1.0E+06	4.5E-05
238	238	0.22802	4.91272E-05	1.1E-05	6.05E-04	6.78E-09	1.60E-01	4.71E-02	5.12E-11	1.0E+06	5.1E-05
239	239	0.25583	4.91272E-05	1.3E-05	6.05E-04	7.60E-09	1.60E-01	4.71E-02	5.74E-11	1.0E+06	5.7E-05
240	240	0.28947	4.91272E-05	1.4E-05	6.05E-04	8.60E-09	1.60E-01	4.71E-02	6.50E-11	1.0E+06	6.5E-05
241	241	0.32748	4.91272E-05	1.6E-05	6.05E-04	9.73E-09	1.60E-01	4.71E-02	7.35E-11	1.0E+06	7.4E-05
242	242	0.37103	4.91272E-05	1.8E-05	6.05E-04	1.10E-08	1.60E-01	4.71E-02	8.33E-11	1.0E+06	8.3E-05
243	243	0.42104	4.91272E-05	2.1E-05	6.05E-04	1.25E-08	1.60E-01	4.71E-02	9.45E-11	1.0E+06	9.5E-05
244	244	0.4836	4.91272E-05	2.4E-05	6.05E-04	1.44E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
245	245	0.55926	4.91272E-05	2.7E-05	6.05E-04	1.66E-08	1.60E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
246	246	0.65335	4.91272E-05	3.2E-05	6.05E-04	1.94E-08	1.60E-01	4.71E-02	1.47E-10	1.0E+06	1.5E-04
247	247	0.7738	4.91272E-05	3.8E-05	6.05E-04	2.30E-08	1.60E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
248	248	0.93629	4.91272E-05	4.6E-05	6.05E-04	2.78E-08	1.60E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.16831	4.91272E-05	5.7E-05	6.05E-04	3.47E-08	1.60E-01	4.71E-02	2.62E-10	1.0E+06	2.6E-04
250	250	1.55042	4.91272E-05	7.6E-05	6.05E-04	4.61E-08	1.60E-01	4.71E-02	3.48E-10	1.0E+06	3.5E-04
251	251	2.56532	4.91272E-05	1.3E-04	6.05E-04	7.63E-08	1.60E-01	4.71E-02	5.76E-10	1.0E+06	5.8E-04
252	252	0.15039	4.91272E-05	7.4E-06	6.05E-04	4.47E-09	1.60E-01	4.71E-02	3.38E-11	1.0E+06	3.4E-05
253	253	0.16192	4.91272E-05	8.0E-06	6.05E-04	4.81E-09	1.60E-01	4.71E-02	3.63E-11	1.0E+06	3.6E-05
254	254	0.17673	4.91272E-05	8.7E-06	6.05E-04	5.25E-09	1.60E-01	4.71E-02	3.97E-11	1.0E+06	4.0E-05
255	255	0.19505	4.91272E-05	9.6E-06	6.05E-04	5.80E-09	1.60E-01	4.71E-02	4.38E-11	1.0E+06	4.4E-05
256	256	0.22476	4.91272E-05	1.1E-05	6.05E-04	6.68E-09	1.60E-01	4.71E-02	5.05E-11	1.0E+06	5.0E-05
257	257	0.2463	4.91272E-05	1.2E-05	6.05E-04	7.32E-09	1.60E-01	4.71E-02	5.53E-11	1.0E+06	5.5E-05
258	258	0.2755	4.91272E-05	1.4E-05	6.05E-04	8.19E-09	1.60E-01	4.71E-02	6.18E-11	1.0E+06	6.2E-05
259	259	0.30972	4.91272E-05	1.5E-05	6.05E-04	9.21E-09	1.60E-01	4.71E-02	6.95E-11	1.0E+06	7.0E-05
260	260	0.35701	4.91272E-05	1.8E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	8.01E-11	1.0E+06	8.0E-05
261	261	0.41677	4.91272E-05	2.0E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.36E-11	1.0E+06	9.4E-05
262	262	0.48663	4.91272E-05	2.4E-05	6.05E-04	1.45E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
263	263	0.56515	4.91272E-05	2.8E-05	6.05E-04	1.68E-08	1.60E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
264	264	0.66747	4.91272E-05	3.3E-05	6.05E-04	1.98E-08	1.60E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
265	265	0.79321	4.91272E-05	3.9E-05	6.05E-04	2.36E-08	1.60E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
266	266	0.96519	4.91272E-05	4.7E-05	6.05E-04	2.87E-08	1.60E-01	4.71E-02	2.17E-10	1.0E+06	2.2E-04
267	267	1.20835	4.91272E-05	5.9E-05	6.05E-04	3.59E-08	1.60E-01	4.71E-02	2.71E-10	1.0E+06	2.7E-04
268	268	1.59854	4.91272E-05	7.9E-05	6.05E-04	4.75E-08	1.60E-01	4.71E-02	3.59E-10	1.0E+06	3.6E-04
269	269	2.5967	4.91272E-05	1.3E-04	6.05E-04	7.72E-08	1.60E-01	4.71E-02	5.83E-10	1.0E+06	5.8E-04
270	270	0.1466	4.91272E-05	7.2E-06	6.05E-04	4.36E-09	1.60E-01	4.71E-02	3.29E-11	1.0E+06	3.3E-05
271	271	0.15873	4.91272E-05	7.8E-06	6.05E-04	4.72E-09	1.60E-01	4.71E-02	3.56E-11	1.0E+06	3.6E-05
272	272	0.17362	4.91272E-05	8.5E-06	6.05E-04	5.16E-09	1.60E-01	4.71E-02	3.90E-11	1.0E+06	3.9E-05
273	273	0.19095	4.91272E-05	9.4E-06	6.05E-04	5.68E-09	1.60E-01	4.71E-02	4.29E-11	1.0E+06	4.3E-05
274	274	0.2227	4.91272E-05	1.1E-05	6.05E-04	6.62E-09	1.60E-01	4.71E-02	5.00E-11	1.0E+06	5.0E-05
275	275	0.2521	4.91272E-05	1.2E-05	6.05E-04	7.49E-09	1.60E-01	4.71E-02	5.66E-11	1.0E+06	5.7E-05
276	276	0.26821	4.91272E-05	1.3E-05	6.05E-04	7.97E-09	1.60E-01	4.71E-02	6.02E-11	1.0E+06	6.0E-05
277	277	0.30107	4.91272E-05	1.5E-05	6.05E-04	8.95E-09	1.60E-01	4.71E-02	6.76E-11	1.0E+06	6.8E-05
278	278	0.34371	4.91272E-05	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.72E-11	1.0E+06	7.7E-05
279	279	0.39869	4.91272E-05	2.0E-05	6.05E-04	1.19E-08	1.60E-01	4.71E-02	8.95E-11	1.0E+06	8.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.47517	4.91272E-05	2.3E-05	6.05E-04	1.41E-08	1.60E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
281	281	0.56651	4.91272E-05	2.8E-05	6.05E-04	1.68E-08	1.60E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
282	282	0.67737	4.91272E-05	3.3E-05	6.05E-04	2.01E-08	1.60E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
283	283	0.81651	4.91272E-05	4.0E-05	6.05E-04	2.43E-08	1.60E-01	4.71E-02	1.83E-10	1.0E+06	1.8E-04
284	284	1.0038	4.91272E-05	4.9E-05	6.05E-04	2.98E-08	1.60E-01	4.71E-02	2.25E-10	1.0E+06	2.3E-04
285	285	1.26382	4.91272E-05	6.2E-05	6.05E-04	3.76E-08	1.60E-01	4.71E-02	2.84E-10	1.0E+06	2.8E-04
286	286	1.69011	4.91272E-05	8.3E-05	6.05E-04	5.02E-08	1.60E-01	4.71E-02	3.79E-10	1.0E+06	3.8E-04
287	287	2.75465	4.91272E-05	1.4E-04	6.05E-04	8.19E-08	1.60E-01	4.71E-02	6.18E-10	1.0E+06	6.2E-04
288	288	0.14303	4.91272E-05	7.0E-06	6.05E-04	4.25E-09	1.60E-01	4.71E-02	3.21E-11	1.0E+06	3.2E-05
289	289	0.15417	4.91272E-05	7.6E-06	6.05E-04	4.58E-09	1.60E-01	4.71E-02	3.46E-11	1.0E+06	3.5E-05
290	290	0.17211	4.91272E-05	8.5E-06	6.05E-04	5.12E-09	1.60E-01	4.71E-02	3.86E-11	1.0E+06	3.9E-05
291	291	0.19122	4.91272E-05	9.4E-06	6.05E-04	5.68E-09	1.60E-01	4.71E-02	4.29E-11	1.0E+06	4.3E-05
292	292	0.2316	4.91272E-05	1.1E-05	6.05E-04	6.88E-09	1.60E-01	4.71E-02	5.20E-11	1.0E+06	5.2E-05
293	293	0.25214	4.91272E-05	1.2E-05	6.05E-04	7.49E-09	1.60E-01	4.71E-02	5.66E-11	1.0E+06	5.7E-05
294	294	0.26071	4.91272E-05	1.3E-05	6.05E-04	7.75E-09	1.60E-01	4.71E-02	5.85E-11	1.0E+06	5.9E-05
295	295	0.29523	4.91272E-05	1.5E-05	6.05E-04	8.78E-09	1.60E-01	4.71E-02	6.63E-11	1.0E+06	6.6E-05
296	296	0.33865	4.91272E-05	1.7E-05	6.05E-04	1.01E-08	1.60E-01	4.71E-02	7.60E-11	1.0E+06	7.6E-05
297	297	0.38724	4.91272E-05	1.9E-05	6.05E-04	1.15E-08	1.60E-01	4.71E-02	8.69E-11	1.0E+06	8.7E-05
298	298	0.45619	4.91272E-05	2.2E-05	6.05E-04	1.36E-08	1.60E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
299	299	0.55599	4.91272E-05	2.7E-05	6.05E-04	1.65E-08	1.60E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
300	300	0.6694	4.91272E-05	3.3E-05	6.05E-04	1.99E-08	1.60E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
301	301	0.82864	4.91272E-05	4.1E-05	6.05E-04	2.46E-08	1.60E-01	4.71E-02	1.86E-10	1.0E+06	1.9E-04
302	302	1.04274	4.91272E-05	5.1E-05	6.05E-04	3.10E-08	1.60E-01	4.71E-02	2.34E-10	1.0E+06	2.3E-04
303	303	1.35582	4.91272E-05	6.7E-05	6.05E-04	4.03E-08	1.60E-01	4.71E-02	3.04E-10	1.0E+06	3.0E-04
304	304	1.85624	4.91272E-05	9.1E-05	6.05E-04	5.52E-08	1.60E-01	4.71E-02	4.17E-10	1.0E+06	4.2E-04
305	305	3.11682	4.91272E-05	1.5E-04	6.05E-04	9.26E-08	1.60E-01	4.71E-02	7.00E-10	1.0E+06	7.0E-04
306	306	0.14661	4.91272E-05	7.2E-06	6.05E-04	4.36E-09	1.60E-01	4.71E-02	3.29E-11	1.0E+06	3.3E-05
307	307	0.15434	4.91272E-05	7.6E-06	6.05E-04	4.59E-09	1.60E-01	4.71E-02	3.46E-11	1.0E+06	3.5E-05
308	308	0.16848	4.91272E-05	8.3E-06	6.05E-04	5.01E-09	1.60E-01	4.71E-02	3.78E-11	1.0E+06	3.8E-05
309	309	0.19744	4.91272E-05	9.7E-06	6.05E-04	5.87E-09	1.60E-01	4.71E-02	4.43E-11	1.0E+06	4.4E-05
310	310	0.22748	4.91272E-05	1.1E-05	6.05E-04	6.76E-09	1.60E-01	4.71E-02	5.11E-11	1.0E+06	5.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.24695	4.91272E-05	1.2E-05	6.05E-04	7.34E-09	1.60E-01	4.71E-02	5.54E-11	1.0E+06	5.5E-05
312	312	0.25097	4.91272E-05	1.2E-05	6.05E-04	7.46E-09	1.60E-01	4.71E-02	5.63E-11	1.0E+06	5.6E-05
313	313	0.28441	4.91272E-05	1.4E-05	6.05E-04	8.45E-09	1.60E-01	4.71E-02	6.38E-11	1.0E+06	6.4E-05
314	314	0.32681	4.91272E-05	1.6E-05	6.05E-04	9.71E-09	1.60E-01	4.71E-02	7.34E-11	1.0E+06	7.3E-05
315	315	0.38921	4.91272E-05	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.74E-11	1.0E+06	8.7E-05
316	316	0.4463	4.91272E-05	2.2E-05	6.05E-04	1.33E-08	1.60E-01	4.71E-02	1.00E-10	1.0E+06	1.0E-04
317	317	0.53036	4.91272E-05	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
318	318	0.6492	4.91272E-05	3.2E-05	6.05E-04	1.93E-08	1.60E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
319	319	0.82714	4.91272E-05	4.1E-05	6.05E-04	2.46E-08	1.60E-01	4.71E-02	1.86E-10	1.0E+06	1.9E-04
320	320	1.09879	4.91272E-05	5.4E-05	6.05E-04	3.27E-08	1.60E-01	4.71E-02	2.47E-10	1.0E+06	2.5E-04
321	321	1.45956	4.91272E-05	7.2E-05	6.05E-04	4.34E-08	1.60E-01	4.71E-02	3.28E-10	1.0E+06	3.3E-04
322	322	2.05755	4.91272E-05	1.0E-04	6.05E-04	6.12E-08	1.60E-01	4.71E-02	4.62E-10	1.0E+06	4.6E-04
323	323	3.70657	4.91272E-05	1.8E-04	6.05E-04	1.10E-07	1.60E-01	4.71E-02	8.32E-10	1.0E+06	8.3E-04
324	324	0.14315	4.91272E-05	7.0E-06	6.05E-04	4.26E-09	1.60E-01	4.71E-02	3.21E-11	1.0E+06	3.2E-05
325	325	0.15961	4.91272E-05	7.8E-06	6.05E-04	4.74E-09	1.60E-01	4.71E-02	3.58E-11	1.0E+06	3.6E-05
326	326	0.17259	4.91272E-05	8.5E-06	6.05E-04	5.13E-09	1.60E-01	4.71E-02	3.87E-11	1.0E+06	3.9E-05
327	327	0.18458	4.91272E-05	9.1E-06	6.05E-04	5.49E-09	1.60E-01	4.71E-02	4.14E-11	1.0E+06	4.1E-05
328	328	0.22402	4.91272E-05	1.1E-05	6.05E-04	6.66E-09	1.60E-01	4.71E-02	5.03E-11	1.0E+06	5.0E-05
329	329	0.23929	4.91272E-05	1.2E-05	6.05E-04	7.11E-09	1.60E-01	4.71E-02	5.37E-11	1.0E+06	5.4E-05
330	330	0.24442	4.91272E-05	1.2E-05	6.05E-04	7.27E-09	1.60E-01	4.71E-02	5.49E-11	1.0E+06	5.5E-05
331	331	0.27753	4.91272E-05	1.4E-05	6.05E-04	8.25E-09	1.60E-01	4.71E-02	6.23E-11	1.0E+06	6.2E-05
332	332	0.31974	4.91272E-05	1.6E-05	6.05E-04	9.50E-09	1.60E-01	4.71E-02	7.18E-11	1.0E+06	7.2E-05
333	333	0.38207	4.91272E-05	1.9E-05	6.05E-04	1.14E-08	1.60E-01	4.71E-02	8.58E-11	1.0E+06	8.6E-05
334	334	0.44936	4.91272E-05	2.2E-05	6.05E-04	1.34E-08	1.60E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
335	335	0.53891	4.91272E-05	2.6E-05	6.05E-04	1.60E-08	1.60E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
336	336	3.12945	4.91272E-05	1.5E-04	6.05E-04	9.30E-08	1.60E-01	4.71E-02	7.03E-10	1.0E+06	7.0E-04
337	337	2.75027	4.91272E-05	1.4E-04	6.05E-04	8.18E-08	1.60E-01	4.71E-02	6.17E-10	1.0E+06	6.2E-04
338	338	0.14609	4.91272E-05	7.2E-06	6.05E-04	4.34E-09	1.60E-01	4.71E-02	3.28E-11	1.0E+06	3.3E-05
339	339	0.15603	4.91272E-05	7.7E-06	6.05E-04	4.64E-09	1.60E-01	4.71E-02	3.50E-11	1.0E+06	3.5E-05
340	340	0.16684	4.91272E-05	8.2E-06	6.05E-04	4.96E-09	1.60E-01	4.71E-02	3.75E-11	1.0E+06	3.7E-05
341	341	0.19198	4.91272E-05	9.4E-06	6.05E-04	5.71E-09	1.60E-01	4.71E-02	4.31E-11	1.0E+06	4.3E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.20227	4.91272E-05	9.9E-06	6.05E-04	6.01E-09	1.60E-01	4.71E-02	4.54E-11	1.0E+06	4.5E-05
343	343	0.21583	4.91272E-05	1.1E-05	6.05E-04	6.42E-09	1.60E-01	4.71E-02	4.85E-11	1.0E+06	4.8E-05
344	344	0.22035	4.91272E-05	1.1E-05	6.05E-04	6.55E-09	1.60E-01	4.71E-02	4.95E-11	1.0E+06	4.9E-05
345	345	0.22322	4.91272E-05	1.1E-05	6.05E-04	6.64E-09	1.60E-01	4.71E-02	5.01E-11	1.0E+06	5.0E-05
346	346	0.22402	4.91272E-05	1.1E-05	6.05E-04	6.66E-09	1.60E-01	4.71E-02	5.03E-11	1.0E+06	5.0E-05
347	347	0.15897	4.91272E-05	7.8E-06	6.05E-04	4.73E-09	1.60E-01	4.71E-02	3.57E-11	1.0E+06	3.6E-05
348	348	0.17346	4.91272E-05	8.5E-06	6.05E-04	5.16E-09	1.60E-01	4.71E-02	3.89E-11	1.0E+06	3.9E-05
349	349	0.19812	4.91272E-05	9.7E-06	6.05E-04	5.89E-09	1.60E-01	4.71E-02	4.45E-11	1.0E+06	4.4E-05
350	350	0.21813	4.91272E-05	1.1E-05	6.05E-04	6.48E-09	1.60E-01	4.71E-02	4.90E-11	1.0E+06	4.9E-05
351	351	0.22702	4.91272E-05	1.1E-05	6.05E-04	6.75E-09	1.60E-01	4.71E-02	5.10E-11	1.0E+06	5.1E-05
352	352	0.24539	4.91272E-05	1.2E-05	6.05E-04	7.29E-09	1.60E-01	4.71E-02	5.51E-11	1.0E+06	5.5E-05
353	353	0.25121	4.91272E-05	1.2E-05	6.05E-04	7.47E-09	1.60E-01	4.71E-02	5.64E-11	1.0E+06	5.6E-05
354	354	0.25386	4.91272E-05	1.2E-05	6.05E-04	7.55E-09	1.60E-01	4.71E-02	5.70E-11	1.0E+06	5.7E-05
355	355	0.25508	4.91272E-05	1.3E-05	6.05E-04	7.58E-09	1.60E-01	4.71E-02	5.73E-11	1.0E+06	5.7E-05
356	356	0.17486	4.91272E-05	8.6E-06	6.05E-04	5.20E-09	1.60E-01	4.71E-02	3.93E-11	1.0E+06	3.9E-05
357	357	0.18813	4.91272E-05	9.2E-06	6.05E-04	5.59E-09	1.60E-01	4.71E-02	4.22E-11	1.0E+06	4.2E-05
358	358	0.20545	4.91272E-05	1.0E-05	6.05E-04	6.11E-09	1.60E-01	4.71E-02	4.61E-11	1.0E+06	4.6E-05
359	359	0.22564	4.91272E-05	1.1E-05	6.05E-04	6.71E-09	1.60E-01	4.71E-02	5.07E-11	1.0E+06	5.1E-05
360	360	0.25602	4.91272E-05	1.3E-05	6.05E-04	7.61E-09	1.60E-01	4.71E-02	5.75E-11	1.0E+06	5.7E-05
361	361	0.28259	4.91272E-05	1.4E-05	6.05E-04	8.40E-09	1.60E-01	4.71E-02	6.34E-11	1.0E+06	6.3E-05
362	362	0.29027	4.91272E-05	1.4E-05	6.05E-04	8.63E-09	1.60E-01	4.71E-02	6.52E-11	1.0E+06	6.5E-05
363	363	0.29339	4.91272E-05	1.4E-05	6.05E-04	8.72E-09	1.60E-01	4.71E-02	6.59E-11	1.0E+06	6.6E-05
364	364	0.19607	4.91272E-05	9.6E-06	6.05E-04	5.83E-09	1.60E-01	4.71E-02	4.40E-11	1.0E+06	4.4E-05
365	365	0.2078	4.91272E-05	1.0E-05	6.05E-04	6.18E-09	1.60E-01	4.71E-02	4.66E-11	1.0E+06	4.7E-05
366	366	0.22918	4.91272E-05	1.1E-05	6.05E-04	6.81E-09	1.60E-01	4.71E-02	5.14E-11	1.0E+06	5.1E-05
367	367	0.25152	4.91272E-05	1.2E-05	6.05E-04	7.48E-09	1.60E-01	4.71E-02	5.65E-11	1.0E+06	5.6E-05
368	368	0.29177	4.91272E-05	1.4E-05	6.05E-04	8.67E-09	1.60E-01	4.71E-02	6.55E-11	1.0E+06	6.5E-05
369	369	0.33077	4.91272E-05	1.6E-05	6.05E-04	9.83E-09	1.60E-01	4.71E-02	7.43E-11	1.0E+06	7.4E-05
370	370	0.34736	4.91272E-05	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.80E-11	1.0E+06	7.8E-05
371	371	0.34798	4.91272E-05	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.81E-11	1.0E+06	7.8E-05
372	372	0.22448	4.91272E-05	1.1E-05	6.05E-04	6.67E-09	1.60E-01	4.71E-02	5.04E-11	1.0E+06	5.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.238	4.91272E-05	1.2E-05	6.05E-04	7.07E-09	1.60E-01	4.71E-02	5.34E-11	1.0E+06	5.3E-05
374	374	0.2641	4.91272E-05	1.3E-05	6.05E-04	7.85E-09	1.60E-01	4.71E-02	5.93E-11	1.0E+06	5.9E-05
375	375	0.2911	4.91272E-05	1.4E-05	6.05E-04	8.65E-09	1.60E-01	4.71E-02	6.53E-11	1.0E+06	6.5E-05
376	376	0.34537	4.91272E-05	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.75E-11	1.0E+06	7.8E-05
377	377	0.37351	4.91272E-05	1.8E-05	6.05E-04	1.11E-08	1.60E-01	4.71E-02	8.38E-11	1.0E+06	8.4E-05
378	378	0.39509	4.91272E-05	1.9E-05	6.05E-04	1.17E-08	1.60E-01	4.71E-02	8.87E-11	1.0E+06	8.9E-05
379	379	0.4189	4.91272E-05	2.1E-05	6.05E-04	1.25E-08	1.60E-01	4.71E-02	9.40E-11	1.0E+06	9.4E-05
380	380	0.42025	4.91272E-05	2.1E-05	6.05E-04	1.25E-08	1.60E-01	4.71E-02	9.43E-11	1.0E+06	9.4E-05
381	381	0.41468	4.91272E-05	2.0E-05	6.05E-04	1.23E-08	1.60E-01	4.71E-02	9.31E-11	1.0E+06	9.3E-05
382	382	0.2636	4.91272E-05	1.3E-05	6.05E-04	7.84E-09	1.60E-01	4.71E-02	5.92E-11	1.0E+06	5.9E-05
383	383	0.28621	4.91272E-05	1.4E-05	6.05E-04	8.51E-09	1.60E-01	4.71E-02	6.42E-11	1.0E+06	6.4E-05
384	384	0.31145	4.91272E-05	1.5E-05	6.05E-04	9.26E-09	1.60E-01	4.71E-02	6.99E-11	1.0E+06	7.0E-05
385	385	0.36646	4.91272E-05	1.8E-05	6.05E-04	1.09E-08	1.60E-01	4.71E-02	8.23E-11	1.0E+06	8.2E-05
386	386	0.41456	4.91272E-05	2.0E-05	6.05E-04	1.23E-08	1.60E-01	4.71E-02	9.31E-11	1.0E+06	9.3E-05
387	387	0.45226	4.91272E-05	2.2E-05	6.05E-04	1.34E-08	1.60E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
388	388	0.48468	4.91272E-05	2.4E-05	6.05E-04	1.44E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
389	389	0.52038	4.91272E-05	2.6E-05	6.05E-04	1.55E-08	1.60E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
390	390	0.51964	4.91272E-05	2.6E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
391	391	0.50912	4.91272E-05	2.5E-05	6.05E-04	1.51E-08	1.60E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
392	392	0.48271	4.91272E-05	2.4E-05	6.05E-04	1.43E-08	1.60E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
393	393	0.31872	4.91272E-05	1.6E-05	6.05E-04	9.47E-09	1.60E-01	4.71E-02	7.15E-11	1.0E+06	7.2E-05
394	394	0.36363	4.91272E-05	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.16E-11	1.0E+06	8.2E-05
395	395	0.4232	4.91272E-05	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.50E-11	1.0E+06	9.5E-05
396	396	0.48194	4.91272E-05	2.4E-05	6.05E-04	1.43E-08	1.60E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
397	397	0.54202	4.91272E-05	2.7E-05	6.05E-04	1.61E-08	1.60E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
398	398	0.58482	4.91272E-05	2.9E-05	6.05E-04	1.74E-08	1.60E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
399	399	0.60789	4.91272E-05	3.0E-05	6.05E-04	1.81E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
400	400	0.67594	4.91272E-05	3.3E-05	6.05E-04	2.01E-08	1.60E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
401	401	0.67008	4.91272E-05	3.3E-05	6.05E-04	1.99E-08	1.60E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
402	402	0.59527	4.91272E-05	2.9E-05	6.05E-04	1.77E-08	1.60E-01	4.71E-02	1.34E-10	1.0E+06	1.3E-04
403	403	0.92226	4.91272E-05	4.5E-05	6.05E-04	2.74E-08	1.60E-01	4.71E-02	2.07E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.76302	4.91272E-05	3.7E-05	6.05E-04	2.27E-08	1.60E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
405	405	0.66936	4.91272E-05	3.3E-05	6.05E-04	1.99E-08	1.60E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
406	406	1.43771	4.91272E-05	7.1E-05	6.05E-04	4.27E-08	1.60E-01	4.71E-02	3.23E-10	1.0E+06	3.2E-04
407	407	0.80804	4.91272E-05	4.0E-05	6.05E-04	2.40E-08	1.60E-01	4.71E-02	1.81E-10	1.0E+06	1.8E-04
408	408	2.83294	4.91272E-05	1.4E-04	6.05E-04	8.42E-08	1.60E-01	4.71E-02	6.36E-10	1.0E+06	6.4E-04
409	409	0.95947	4.91272E-05	4.7E-05	6.05E-04	2.85E-08	1.60E-01	4.71E-02	2.15E-10	1.0E+06	2.2E-04
410	410	3.38753	4.91272E-05	1.7E-04	6.05E-04	1.01E-07	1.60E-01	4.71E-02	7.60E-10	1.0E+06	7.6E-04
411	411	1.45464	4.91272E-05	7.1E-05	6.05E-04	4.32E-08	1.60E-01	4.71E-02	3.27E-10	1.0E+06	3.3E-04
412	412	1.12992	4.91272E-05	5.6E-05	6.05E-04	3.36E-08	1.60E-01	4.71E-02	2.54E-10	1.0E+06	2.5E-04
413	413	6.87423	4.91272E-05	3.4E-04	6.05E-04	2.04E-07	1.60E-01	4.71E-02	1.54E-09	1.0E+06	1.5E-03
414	414	2.39907	4.91272E-05	1.2E-04	6.05E-04	7.13E-08	1.60E-01	4.71E-02	5.39E-10	1.0E+06	5.4E-04
415	415	1.66563	4.91272E-05	8.2E-05	6.05E-04	4.95E-08	1.60E-01	4.71E-02	3.74E-10	1.0E+06	3.7E-04
416	416	1.25939	4.91272E-05	6.2E-05	6.05E-04	3.74E-08	1.60E-01	4.71E-02	2.83E-10	1.0E+06	2.8E-04
417	417	8.4799	4.91272E-05	4.2E-04	6.05E-04	2.52E-07	1.60E-01	4.71E-02	1.90E-09	1.0E+06	1.9E-03
418	418	1.84136	4.91272E-05	9.0E-05	6.05E-04	5.47E-08	1.60E-01	4.71E-02	4.13E-10	1.0E+06	4.1E-04
419	419	1.36864	4.91272E-05	6.7E-05	6.05E-04	4.07E-08	1.60E-01	4.71E-02	3.07E-10	1.0E+06	3.1E-04
420	420	1.06839	4.91272E-05	5.2E-05	6.05E-04	3.18E-08	1.60E-01	4.71E-02	2.40E-10	1.0E+06	2.4E-04
421	421	6.19172	4.91272E-05	3.0E-04	6.05E-04	1.84E-07	1.60E-01	4.71E-02	1.39E-09	1.0E+06	1.4E-03
422	422	1.45718	4.91272E-05	7.2E-05	6.05E-04	4.33E-08	1.60E-01	4.71E-02	3.27E-10	1.0E+06	3.3E-04
423	423	1.12836	4.91272E-05	5.5E-05	6.05E-04	3.35E-08	1.60E-01	4.71E-02	2.53E-10	1.0E+06	2.5E-04
424	424	10.30981	4.91272E-05	5.1E-04	6.05E-04	3.06E-07	1.60E-01	4.71E-02	2.31E-09	1.0E+06	2.3E-03
425	425	1.17062	4.91272E-05	5.8E-05	6.05E-04	3.48E-08	1.60E-01	4.71E-02	2.63E-10	1.0E+06	2.6E-04
426	426	0.92899	4.91272E-05	4.6E-05	6.05E-04	2.76E-08	1.60E-01	4.71E-02	2.09E-10	1.0E+06	2.1E-04
427	427	10.1828	4.91272E-05	5.0E-04	6.05E-04	3.03E-07	1.60E-01	4.71E-02	2.29E-09	1.0E+06	2.3E-03
428	428	1.19406	4.91272E-05	5.9E-05	6.05E-04	3.55E-08	1.60E-01	4.71E-02	2.68E-10	1.0E+06	2.7E-04
429	429	0.94096	4.91272E-05	4.6E-05	6.05E-04	2.80E-08	1.60E-01	4.71E-02	2.11E-10	1.0E+06	2.1E-04
430	430	10.50959	4.91272E-05	5.2E-04	6.05E-04	3.12E-07	1.60E-01	4.71E-02	2.36E-09	1.0E+06	2.4E-03
431	431	0.937	4.91272E-05	4.6E-05	6.05E-04	2.79E-08	1.60E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04
432	432	0.74989	4.91272E-05	3.7E-05	6.05E-04	2.23E-08	1.60E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
433	433	7.23234	4.91272E-05	3.6E-04	6.05E-04	2.15E-07	1.60E-01	4.71E-02	1.62E-09	1.0E+06	1.6E-03
434	434	0.91735	4.91272E-05	4.5E-05	6.05E-04	2.73E-08	1.60E-01	4.71E-02	2.06E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.7351	4.91272E-05	3.6E-05	6.05E-04	2.19E-08	1.60E-01	4.71E-02	1.65E-10	1.0E+06	1.7E-04
436	436	11.13042	4.91272E-05	5.5E-04	6.05E-04	3.31E-07	1.60E-01	4.71E-02	2.50E-09	1.0E+06	2.5E-03
437	437	1.13975	4.91272E-05	5.6E-05	6.05E-04	3.39E-08	1.60E-01	4.71E-02	2.56E-10	1.0E+06	2.6E-04
438	438	0.88457	4.91272E-05	4.3E-05	6.05E-04	2.63E-08	1.60E-01	4.71E-02	1.99E-10	1.0E+06	2.0E-04
439	439	0.7081	4.91272E-05	3.5E-05	6.05E-04	2.10E-08	1.60E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
440	440	12.91004	4.91272E-05	6.3E-04	6.05E-04	3.84E-07	1.60E-01	4.71E-02	2.90E-09	1.0E+06	2.9E-03
441	441	2.02126	4.91272E-05	9.9E-05	6.05E-04	6.01E-08	1.60E-01	4.71E-02	4.54E-10	1.0E+06	4.5E-04
442	442	1.44889	4.91272E-05	7.1E-05	6.05E-04	4.31E-08	1.60E-01	4.71E-02	3.25E-10	1.0E+06	3.3E-04
443	443	1.08149	4.91272E-05	5.3E-05	6.05E-04	3.21E-08	1.60E-01	4.71E-02	2.43E-10	1.0E+06	2.4E-04
444	444	0.84005	4.91272E-05	4.1E-05	6.05E-04	2.50E-08	1.60E-01	4.71E-02	1.89E-10	1.0E+06	1.9E-04
445	445	9.32645	4.91272E-05	4.6E-04	6.05E-04	2.77E-07	1.60E-01	4.71E-02	2.09E-09	1.0E+06	2.1E-03
446	446	2.80182	4.91272E-05	1.4E-04	6.05E-04	8.33E-08	1.60E-01	4.71E-02	6.29E-10	1.0E+06	6.3E-04
447	447	1.87415	4.91272E-05	9.2E-05	6.05E-04	5.57E-08	1.60E-01	4.71E-02	4.21E-10	1.0E+06	4.2E-04
448	448	1.3422	4.91272E-05	6.6E-05	6.05E-04	3.99E-08	1.60E-01	4.71E-02	3.01E-10	1.0E+06	3.0E-04
449	449	6.84751	4.91272E-05	3.4E-04	6.05E-04	2.04E-07	1.60E-01	4.71E-02	1.54E-09	1.0E+06	1.5E-03
450	450	3.84854	4.91272E-05	1.9E-04	6.05E-04	1.14E-07	1.60E-01	4.71E-02	8.64E-10	1.0E+06	8.6E-04
451	451	2.44485	4.91272E-05	1.2E-04	6.05E-04	7.27E-08	1.60E-01	4.71E-02	5.49E-10	1.0E+06	5.5E-04
452	452	5.10211	4.91272E-05	2.5E-04	6.05E-04	1.52E-07	1.60E-01	4.71E-02	1.15E-09	1.0E+06	1.1E-03
453	453	3.11601	4.91272E-05	1.5E-04	6.05E-04	9.26E-08	1.60E-01	4.71E-02	6.99E-10	1.0E+06	7.0E-04
454	454	0.55141	4.91272E-05	2.7E-05	6.05E-04	1.64E-08	1.60E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
455	455	0.46367	4.91272E-05	2.3E-05	6.05E-04	1.38E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
456	456	3.77503	4.91272E-05	1.9E-04	6.05E-04	1.12E-07	1.60E-01	4.71E-02	8.47E-10	1.0E+06	8.5E-04
457	457	2.48664	4.91272E-05	1.2E-04	6.05E-04	7.39E-08	1.60E-01	4.71E-02	5.58E-10	1.0E+06	5.6E-04
458	458	1.75197	4.91272E-05	8.6E-05	6.05E-04	5.21E-08	1.60E-01	4.71E-02	3.93E-10	1.0E+06	3.9E-04
459	459	0.77331	4.91272E-05	3.8E-05	6.05E-04	2.30E-08	1.60E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
460	460	0.62552	4.91272E-05	3.1E-05	6.05E-04	1.86E-08	1.60E-01	4.71E-02	1.40E-10	1.0E+06	1.4E-04
461	461	0.51642	4.91272E-05	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
462	462	0.43446	4.91272E-05	2.1E-05	6.05E-04	1.29E-08	1.60E-01	4.71E-02	9.75E-11	1.0E+06	9.8E-05
463	463	3.94182	4.91272E-05	1.9E-04	6.05E-04	1.17E-07	1.60E-01	4.71E-02	8.85E-10	1.0E+06	8.8E-04
464	464	4.80827	4.91272E-05	2.4E-04	6.05E-04	1.43E-07	1.60E-01	4.71E-02	1.08E-09	1.0E+06	1.1E-03
465	465	5.05195	4.91272E-05	2.5E-04	6.05E-04	1.50E-07	1.60E-01	4.71E-02	1.13E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	5.0289	4.91272E-05	2.5E-04	6.05E-04	1.49E-07	1.60E-01	4.71E-02	1.13E-09	1.0E+06	1.1E-03
467	467	9.7266	4.91272E-05	4.8E-04	6.05E-04	2.89E-07	1.60E-01	4.71E-02	2.18E-09	1.0E+06	2.2E-03
468	468	9.8834	4.91272E-05	4.9E-04	6.05E-04	2.94E-07	1.60E-01	4.71E-02	2.22E-09	1.0E+06	2.2E-03
469	469	9.95315	4.91272E-05	4.9E-04	6.05E-04	2.96E-07	1.60E-01	4.71E-02	2.23E-09	1.0E+06	2.2E-03
470	470	4.23647	4.91272E-05	2.1E-04	6.05E-04	1.26E-07	1.60E-01	4.71E-02	9.51E-10	1.0E+06	9.5E-04
471	471	9.78465	4.91272E-05	4.8E-04	6.05E-04	2.91E-07	1.60E-01	4.71E-02	2.20E-09	1.0E+06	2.2E-03
472	472	4.2962	4.91272E-05	2.1E-04	6.05E-04	1.28E-07	1.60E-01	4.71E-02	9.64E-10	1.0E+06	9.6E-04
473	473	9.92254	4.91272E-05	4.9E-04	6.05E-04	2.95E-07	1.60E-01	4.71E-02	2.23E-09	1.0E+06	2.2E-03
474	474	4.49482	4.91272E-05	2.2E-04	6.05E-04	1.34E-07	1.60E-01	4.71E-02	1.01E-09	1.0E+06	1.0E-03
475	475	9.92283	4.91272E-05	4.9E-04	6.05E-04	2.95E-07	1.60E-01	4.71E-02	2.23E-09	1.0E+06	2.2E-03
476	476	4.86287	4.91272E-05	2.4E-04	6.05E-04	1.45E-07	1.60E-01	4.71E-02	1.09E-09	1.0E+06	1.1E-03
477	477	10.75226	4.91272E-05	5.3E-04	6.05E-04	3.20E-07	1.60E-01	4.71E-02	2.41E-09	1.0E+06	2.4E-03
478	478	5.73221	4.91272E-05	2.8E-04	6.05E-04	1.70E-07	1.60E-01	4.71E-02	1.29E-09	1.0E+06	1.3E-03
479	479	6.50024	4.91272E-05	3.2E-04	6.05E-04	1.93E-07	1.60E-01	4.71E-02	1.46E-09	1.0E+06	1.5E-03
480	480	12.20859	4.91272E-05	6.0E-04	6.05E-04	3.63E-07	1.60E-01	4.71E-02	2.74E-09	1.0E+06	2.7E-03
481	481	7.52465	4.91272E-05	3.7E-04	6.05E-04	2.24E-07	1.60E-01	4.71E-02	1.69E-09	1.0E+06	1.7E-03
482	482	9.88217	4.91272E-05	4.9E-04	6.05E-04	2.94E-07	1.60E-01	4.71E-02	2.22E-09	1.0E+06	2.2E-03
483	483	7.60878	4.91272E-05	3.7E-04	6.05E-04	2.26E-07	1.60E-01	4.71E-02	1.71E-09	1.0E+06	1.7E-03
484	484	9.47683	4.91272E-05	4.7E-04	6.05E-04	2.82E-07	1.60E-01	4.71E-02	2.13E-09	1.0E+06	2.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million
1	1	1.5E-02
2	2	1.6E-02
3	3	1.6E-02
4	4	1.7E-02
5	5	1.7E-02
6	6	1.8E-02
7	7	1.9E-02
8	8	2.0E-02
9	9	2.2E-02
10	10	2.3E-02
11	11	2.6E-02
12	12	2.8E-02
13	13	3.1E-02
14	14	4.0E-02
15	15	1.7E-02
16	16	1.7E-02
17	17	1.8E-02
18	18	1.9E-02
19	19	2.0E-02
20	20	2.1E-02
21	21	2.2E-02
22	22	2.3E-02
23	23	2.5E-02
24	24	2.6E-02
25	25	2.9E-02
26	26	3.2E-02
27	27	3.5E-02
28	28	4.9E-02
29	29	1.8E-02
30	30	1.9E-02
31	31	2.0E-02

Max	Receptor #
1.354	146

Chronic Non Cancer Risk	
REL	HI
5	6.55E-04
5	6.82E-04
5	7.08E-04
5	7.36E-04
5	7.65E-04
5	8.00E-04
5	8.42E-04
5	8.90E-04
5	9.47E-04
5	1.02E-03
5	1.12E-03
5	1.23E-03
5	1.34E-03
5	1.76E-03
5	7.23E-04
5	7.57E-04
5	7.94E-04
5	8.30E-04
5	8.66E-04
5	9.07E-04
5	9.54E-04
5	1.00E-03
5	1.08E-03
5	1.16E-03
5	1.28E-03
5	1.42E-03
5	1.54E-03
5	2.14E-03
5	7.89E-04
5	8.36E-04
5	8.86E-04

Max	Receptor #	
0.059	146	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	2.1E-02	5	9.38E-04
33	33	2.3E-02	5	9.84E-04
34	34	2.4E-02	5	1.04E-03
35	35	2.5E-02	5	1.09E-03
36	36	2.7E-02	5	1.16E-03
37	37	2.8E-02	5	1.24E-03
38	38	3.1E-02	5	1.35E-03
39	39	3.4E-02	5	1.49E-03
40	40	3.7E-02	5	1.63E-03
41	41	4.1E-02	5	1.80E-03
42	42	6.1E-02	5	2.66E-03
43	43	1.9E-02	5	8.47E-04
44	44	2.1E-02	5	9.04E-04
45	45	2.2E-02	5	9.71E-04
46	46	2.4E-02	5	1.04E-03
47	47	2.5E-02	5	1.11E-03
48	48	2.7E-02	5	1.18E-03
49	49	2.9E-02	5	1.26E-03
50	50	3.0E-02	5	1.33E-03
51	51	3.3E-02	5	1.45E-03
52	52	3.6E-02	5	1.57E-03
53	53	4.0E-02	5	1.75E-03
54	54	4.5E-02	5	1.95E-03
55	55	5.0E-02	5	2.18E-03
56	56	7.8E-02	5	3.41E-03
57	57	2.0E-02	5	8.90E-04
58	58	2.2E-02	5	9.64E-04
59	59	2.4E-02	5	1.05E-03
60	60	2.6E-02	5	1.15E-03
61	61	2.8E-02	5	1.24E-03
62	62	3.1E-02	5	1.35E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	3.3E-02	5	1.46E-03
64	64	3.6E-02	5	1.56E-03
65	65	3.9E-02	5	1.70E-03
66	66	4.3E-02	5	1.88E-03
67	67	4.7E-02	5	2.08E-03
68	68	5.4E-02	5	2.38E-03
69	69	6.2E-02	5	2.72E-03
70	70	2.1E-02	5	9.34E-04
71	71	2.3E-02	5	1.02E-03
72	72	2.6E-02	5	1.13E-03
73	73	2.8E-02	5	1.24E-03
74	74	3.1E-02	5	1.37E-03
75	75	3.5E-02	5	1.51E-03
76	76	3.8E-02	5	1.67E-03
77	77	4.2E-02	5	1.83E-03
78	78	4.7E-02	5	2.04E-03
79	79	5.4E-02	5	2.35E-03
80	80	6.0E-02	5	2.62E-03
81	81	7.0E-02	5	3.08E-03
82	82	8.1E-02	5	3.52E-03
83	83	2.2E-02	5	9.71E-04
84	84	2.5E-02	5	1.08E-03
85	85	2.8E-02	5	1.20E-03
86	86	3.0E-02	5	1.32E-03
87	87	3.4E-02	5	1.47E-03
88	88	3.8E-02	5	1.64E-03
89	89	4.2E-02	5	1.85E-03
90	90	4.8E-02	5	2.11E-03
91	91	5.6E-02	5	2.43E-03
92	92	6.4E-02	5	2.81E-03
93	93	7.5E-02	5	3.29E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	8.9E-02	5	3.88E-03
95	95	1.1E-01	5	4.60E-03
96	96	2.3E-02	5	1.00E-03
97	97	2.5E-02	5	1.11E-03
98	98	2.8E-02	5	1.24E-03
99	99	3.2E-02	5	1.39E-03
100	100	3.6E-02	5	1.56E-03
101	101	4.0E-02	5	1.77E-03
102	102	4.6E-02	5	2.02E-03
103	103	5.4E-02	5	2.35E-03
104	104	6.3E-02	5	2.76E-03
105	105	7.5E-02	5	3.30E-03
106	106	9.1E-02	5	3.99E-03
107	107	1.1E-01	5	4.88E-03
108	108	1.4E-01	5	6.03E-03
109	109	2.3E-02	5	9.93E-04
110	110	2.5E-02	5	1.11E-03
111	111	2.9E-02	5	1.25E-03
112	112	3.2E-02	5	1.42E-03
113	113	3.7E-02	5	1.62E-03
114	114	4.3E-02	5	1.86E-03
115	115	5.0E-02	5	2.17E-03
116	116	5.9E-02	5	2.56E-03
117	117	7.1E-02	5	3.09E-03
118	118	8.5E-02	5	3.70E-03
119	119	1.1E-01	5	4.65E-03
120	120	1.4E-01	5	5.91E-03
121	121	1.7E-01	5	7.51E-03
122	122	2.2E-02	5	9.56E-04
123	123	2.5E-02	5	1.08E-03
124	124	2.8E-02	5	1.23E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	3.2E-02	5	1.41E-03
126	126	3.7E-02	5	1.62E-03
127	127	4.3E-02	5	1.89E-03
128	128	5.0E-02	5	2.20E-03
129	129	6.1E-02	5	2.66E-03
130	130	7.6E-02	5	3.34E-03
131	131	1.1E+00	5	4.84E-02
132	132	8.1E-01	5	3.52E-02
133	133	2.0E-02	5	8.95E-04
134	134	2.4E-02	5	1.03E-03
135	135	2.7E-02	5	1.18E-03
136	136	3.1E-02	5	1.36E-03
137	137	3.6E-02	5	1.58E-03
138	138	4.2E-02	5	1.84E-03
139	139	4.9E-02	5	2.16E-03
140	140	6.1E-02	5	2.66E-03
141	141	7.7E-02	5	3.36E-03
142	142	1.0E-01	5	4.42E-03
143	143	1.4E-01	5	6.26E-03
144	144	2.3E-01	5	9.95E-03
145	145	4.5E-01	5	1.95E-02
146	146	1.4E+00	5	5.92E-02
147	147	1.9E-02	5	8.30E-04
148	148	2.2E-02	5	9.52E-04
149	149	2.5E-02	5	1.10E-03
150	150	2.9E-02	5	1.27E-03
151	151	3.4E-02	5	1.49E-03
152	152	4.0E-02	5	1.74E-03
153	153	4.7E-02	5	2.06E-03
154	154	5.8E-02	5	2.53E-03
155	155	7.4E-02	5	3.23E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	9.9E-02	5	4.31E-03
157	157	1.4E-01	5	6.14E-03
158	158	2.3E-01	5	9.88E-03
159	159	5.6E-01	5	2.47E-02
160	160	1.8E-02	5	7.84E-04
161	161	2.0E-02	5	8.82E-04
162	162	2.3E-02	5	9.88E-04
163	163	2.7E-02	5	1.16E-03
164	164	3.2E-02	5	1.39E-03
165	165	3.7E-02	5	1.62E-03
166	166	4.4E-02	5	1.94E-03
167	167	5.4E-02	5	2.38E-03
168	168	6.9E-02	5	3.01E-03
169	169	9.1E-02	5	3.96E-03
170	170	1.3E-01	5	5.55E-03
171	171	2.0E-01	5	8.65E-03
172	172	4.2E-01	5	1.85E-02
173	173	5.7E-01	5	2.52E-02
174	174	8.8E-01	5	3.86E-02
175	175	9.5E-01	5	4.17E-02
176	176	1.1E+00	5	4.86E-02
177	177	9.2E-01	5	4.04E-02
178	178	7.6E-01	5	3.34E-02
179	179	1.7E-02	5	7.23E-04
180	180	1.8E-02	5	8.03E-04
181	181	2.0E-02	5	8.84E-04
182	182	2.4E-02	5	1.06E-03
183	183	3.0E-02	5	1.30E-03
184	184	3.5E-02	5	1.52E-03
185	185	4.2E-02	5	1.83E-03
186	186	5.1E-02	5	2.23E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	6.3E-02	5	2.77E-03
188	188	8.2E-02	5	3.56E-03
189	189	1.1E-01	5	4.76E-03
190	190	1.6E-01	5	6.83E-03
191	191	2.5E-01	5	1.10E-02
192	192	4.4E-01	5	1.91E-02
193	193	5.7E-01	5	2.49E-02
194	194	6.4E-01	5	2.78E-02
195	195	6.9E-01	5	3.03E-02
196	196	6.5E-01	5	2.86E-02
197	197	5.1E-01	5	2.21E-02
198	198	1.6E-02	5	6.86E-04
199	199	1.7E-02	5	7.64E-04
200	200	2.0E-02	5	8.55E-04
201	201	2.3E-02	5	9.86E-04
202	202	2.8E-02	5	1.20E-03
203	203	3.3E-02	5	1.43E-03
204	204	3.9E-02	5	1.71E-03
205	205	4.7E-02	5	2.07E-03
206	206	5.8E-02	5	2.53E-03
207	207	7.2E-02	5	3.16E-03
208	208	9.3E-02	5	4.04E-03
209	209	1.2E-01	5	5.38E-03
210	210	1.7E-01	5	7.58E-03
211	211	2.5E-01	5	1.08E-02
212	212	3.1E-01	5	1.34E-02
213	213	3.3E-01	5	1.44E-02
214	214	3.3E-01	5	1.43E-02
215	215	3.8E-01	5	1.67E-02
216	216	1.5E-02	5	6.64E-04
217	217	1.7E-02	5	7.32E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	1.9E-02	5	8.21E-04
219	219	2.1E-02	5	9.36E-04
220	220	2.6E-02	5	1.12E-03
221	221	3.0E-02	5	1.31E-03
222	222	3.6E-02	5	1.57E-03
223	223	4.3E-02	5	1.88E-03
224	224	5.2E-02	5	2.25E-03
225	225	6.2E-02	5	2.72E-03
226	226	7.7E-02	5	3.36E-03
227	227	9.7E-02	5	4.24E-03
228	228	1.3E-01	5	5.52E-03
229	229	1.7E-01	5	7.23E-03
230	230	2.0E-01	5	8.74E-03
231	231	2.2E-01	5	9.66E-03
232	232	2.3E-01	5	9.97E-03
233	233	2.5E-01	5	1.09E-02
234	234	1.5E-02	5	6.43E-04
235	235	1.6E-02	5	7.04E-04
236	236	1.8E-02	5	7.86E-04
237	237	2.1E-02	5	8.97E-04
238	238	2.4E-02	5	1.05E-03
239	239	2.8E-02	5	1.21E-03
240	240	3.2E-02	5	1.42E-03
241	241	3.8E-02	5	1.67E-03
242	242	4.5E-02	5	1.96E-03
243	243	5.3E-02	5	2.32E-03
244	244	6.4E-02	5	2.80E-03
245	245	7.9E-02	5	3.43E-03
246	246	9.8E-02	5	4.29E-03
247	247	1.2E-01	5	5.34E-03
248	248	1.5E-01	5	6.35E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	1.6E-01	5	7.06E-03
250	250	1.7E-01	5	7.42E-03
251	251	1.8E-01	5	7.96E-03
252	252	1.4E-02	5	6.17E-04
253	253	1.5E-02	5	6.70E-04
254	254	1.7E-02	5	7.40E-04
255	255	1.9E-02	5	8.27E-04
256	256	2.2E-02	5	9.74E-04
257	257	2.5E-02	5	1.08E-03
258	258	2.8E-02	5	1.22E-03
259	259	3.2E-02	5	1.38E-03
260	260	3.7E-02	5	1.62E-03
261	261	4.4E-02	5	1.94E-03
262	262	5.3E-02	5	2.32E-03
263	263	6.4E-02	5	2.78E-03
264	264	7.8E-02	5	3.40E-03
265	265	9.4E-02	5	4.10E-03
266	266	1.1E-01	5	4.80E-03
267	267	1.2E-01	5	5.33E-03
268	268	1.3E-01	5	5.62E-03
269	269	1.4E-01	5	6.00E-03
270	270	1.4E-02	5	5.92E-04
271	271	1.5E-02	5	6.43E-04
272	272	1.6E-02	5	7.06E-04
273	273	1.8E-02	5	7.78E-04
274	274	2.1E-02	5	9.17E-04
275	275	2.4E-02	5	1.04E-03
276	276	2.5E-02	5	1.08E-03
277	277	2.8E-02	5	1.20E-03
278	278	3.1E-02	5	1.36E-03
279	279	3.6E-02	5	1.58E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	4.4E-02	5	1.91E-03
281	281	5.3E-02	5	2.31E-03
282	282	6.4E-02	5	2.77E-03
283	283	7.5E-02	5	3.29E-03
284	284	8.7E-02	5	3.80E-03
285	285	9.6E-02	5	4.19E-03
286	286	1.0E-01	5	4.43E-03
287	287	1.1E-01	5	4.74E-03
288	288	1.3E-02	5	5.71E-04
289	289	1.4E-02	5	6.14E-04
290	290	1.6E-02	5	6.84E-04
291	291	1.7E-02	5	7.54E-04
292	292	2.1E-02	5	9.19E-04
293	293	2.2E-02	5	9.81E-04
294	294	2.2E-02	5	9.75E-04
295	295	2.5E-02	5	1.08E-03
296	296	2.8E-02	5	1.21E-03
297	297	3.1E-02	5	1.36E-03
298	298	3.6E-02	5	1.59E-03
299	299	4.4E-02	5	1.93E-03
300	300	5.2E-02	5	2.28E-03
301	301	6.2E-02	5	2.70E-03
302	302	7.1E-02	5	3.09E-03
303	303	7.8E-02	5	3.42E-03
304	304	8.4E-02	5	3.64E-03
305	305	8.9E-02	5	3.87E-03
306	306	1.3E-02	5	5.81E-04
307	307	1.4E-02	5	6.05E-04
308	308	1.5E-02	5	6.53E-04
309	309	1.7E-02	5	7.58E-04
310	310	2.0E-02	5	8.64E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	2.1E-02	5	9.11E-04
312	312	2.0E-02	5	8.79E-04
313	313	2.2E-02	5	9.67E-04
314	314	2.5E-02	5	1.08E-03
315	315	2.9E-02	5	1.26E-03
316	316	3.2E-02	5	1.41E-03
317	317	3.7E-02	5	1.62E-03
318	318	4.4E-02	5	1.90E-03
319	319	5.2E-02	5	2.25E-03
320	320	6.0E-02	5	2.61E-03
321	321	6.6E-02	5	2.86E-03
322	322	7.0E-02	5	3.02E-03
323	323	7.4E-02	5	3.22E-03
324	324	1.3E-02	5	5.59E-04
325	325	1.4E-02	5	6.16E-04
326	326	1.5E-02	5	6.54E-04
327	327	1.6E-02	5	6.81E-04
328	328	1.9E-02	5	8.22E-04
329	329	1.9E-02	5	8.44E-04
330	330	1.9E-02	5	8.18E-04
331	331	2.1E-02	5	9.00E-04
332	332	2.3E-02	5	1.00E-03
333	333	2.7E-02	5	1.17E-03
334	334	3.0E-02	5	1.32E-03
335	335	3.4E-02	5	1.50E-03
336	336	1.2E+00	5	5.32E-02
337	337	7.8E-01	5	3.43E-02
338	338	3.1E-02	5	1.35E-03
339	339	3.4E-02	5	1.48E-03
340	340	3.6E-02	5	1.58E-03
341	341	3.8E-02	5	1.65E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	3.9E-02	5	1.70E-03
343	343	4.0E-02	5	1.74E-03
344	344	4.0E-02	5	1.73E-03
345	345	3.9E-02	5	1.70E-03
346	346	3.8E-02	5	1.65E-03
347	347	3.6E-02	5	1.55E-03
348	348	4.0E-02	5	1.75E-03
349	349	4.3E-02	5	1.88E-03
350	350	4.5E-02	5	1.98E-03
351	351	4.7E-02	5	2.05E-03
352	352	4.8E-02	5	2.11E-03
353	353	4.8E-02	5	2.09E-03
354	354	4.6E-02	5	2.03E-03
355	355	4.5E-02	5	1.96E-03
356	356	4.2E-02	5	1.83E-03
357	357	4.6E-02	5	2.01E-03
358	358	5.2E-02	5	2.26E-03
359	359	5.5E-02	5	2.42E-03
360	360	5.8E-02	5	2.53E-03
361	361	6.0E-02	5	2.61E-03
362	362	5.9E-02	5	2.58E-03
363	363	5.7E-02	5	2.48E-03
364	364	5.1E-02	5	2.21E-03
365	365	5.5E-02	5	2.41E-03
366	366	6.3E-02	5	2.74E-03
367	367	6.9E-02	5	3.04E-03
368	368	7.4E-02	5	3.22E-03
369	369	7.6E-02	5	3.34E-03
370	370	7.2E-02	5	3.16E-03
371	371	6.8E-02	5	2.95E-03
372	372	6.3E-02	5	2.77E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	7.0E-02	5	3.05E-03
374	374	8.0E-02	5	3.52E-03
375	375	9.0E-02	5	3.94E-03
376	376	9.7E-02	5	4.25E-03
377	377	1.0E-01	5	4.45E-03
378	378	1.0E-01	5	4.49E-03
379	379	9.4E-02	5	4.11E-03
380	380	8.6E-02	5	3.77E-03
381	381	7.7E-02	5	3.37E-03
382	382	8.2E-02	5	3.60E-03
383	383	9.5E-02	5	4.14E-03
384	384	1.1E-01	5	4.73E-03
385	385	1.2E-01	5	5.36E-03
386	386	1.4E-01	5	5.93E-03
387	387	1.4E-01	5	6.33E-03
388	388	1.5E-01	5	6.43E-03
389	389	1.3E-01	5	5.55E-03
390	390	1.1E-01	5	4.84E-03
391	391	9.4E-02	5	4.13E-03
392	392	7.8E-02	5	3.39E-03
393	393	1.2E-01	5	5.04E-03
394	394	1.4E-01	5	6.16E-03
395	395	1.6E-01	5	6.95E-03
396	396	1.9E-01	5	8.11E-03
397	397	2.1E-01	5	9.17E-03
398	398	2.1E-01	5	9.19E-03
399	399	1.9E-01	5	8.41E-03
400	400	1.8E-01	5	7.85E-03
401	401	1.4E-01	5	6.28E-03
402	402	8.8E-02	5	3.85E-03
403	403	2.6E-01	5	1.15E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	1.0E-01	5	4.39E-03
405	405	7.6E-02	5	3.33E-03
406	406	3.6E-01	5	1.59E-02
407	407	7.7E-02	5	3.35E-03
408	408	3.8E-01	5	1.67E-02
409	409	7.5E-02	5	3.27E-03
410	410	3.4E-01	5	1.50E-02
411	411	9.6E-02	5	4.17E-03
412	412	7.3E-02	5	3.19E-03
413	413	2.9E-01	5	1.27E-02
414	414	1.2E-01	5	5.26E-03
415	415	8.8E-02	5	3.85E-03
416	416	6.8E-02	5	2.97E-03
417	417	2.4E-01	5	1.04E-02
418	418	8.1E-02	5	3.52E-03
419	419	6.3E-02	5	2.75E-03
420	420	5.1E-02	5	2.22E-03
421	421	2.0E-01	5	8.50E-03
422	422	5.8E-02	5	2.54E-03
423	423	4.8E-02	5	2.07E-03
424	424	1.6E-01	5	7.04E-03
425	425	4.4E-02	5	1.93E-03
426	426	3.7E-02	5	1.62E-03
427	427	1.4E-01	5	5.86E-03
428	428	4.1E-02	5	1.79E-03
429	429	3.5E-02	5	1.52E-03
430	430	1.1E-01	5	4.92E-03
431	431	3.3E-02	5	1.42E-03
432	432	2.8E-02	5	1.23E-03
433	433	9.7E-02	5	4.16E-03
434	434	3.1E-02	5	1.33E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	2.7E-02	5	1.16E-03
436	436	8.4E-02	5	3.55E-03
437	437	3.3E-02	5	1.45E-03
438	438	2.9E-02	5	1.25E-03
439	439	2.5E-02	5	1.09E-03
440	440	7.3E-02	5	3.05E-03
441	441	4.3E-02	5	1.86E-03
442	442	3.6E-02	5	1.57E-03
443	443	3.1E-02	5	1.35E-03
444	444	2.7E-02	5	1.17E-03
445	445	6.2E-02	5	2.64E-03
446	446	4.6E-02	5	1.98E-03
447	447	3.9E-02	5	1.70E-03
448	448	3.4E-02	5	1.46E-03
449	449	5.4E-02	5	2.30E-03
450	450	4.8E-02	5	2.05E-03
451	451	4.2E-02	5	1.79E-03
452	452	4.7E-02	5	2.02E-03
453	453	4.2E-02	5	1.83E-03
454	454	2.0E-02	5	8.62E-04
455	455	1.8E-02	5	7.80E-04
456	456	4.2E-02	5	1.79E-03
457	457	3.8E-02	5	1.64E-03
458	458	3.4E-02	5	1.47E-03
459	459	2.4E-02	5	1.03E-03
460	460	2.1E-02	5	9.16E-04
461	461	1.9E-02	5	8.21E-04
462	462	1.7E-02	5	7.40E-04
463	463	1.2E+00	5	5.21E-02
464	464	6.8E-01	5	2.97E-02
465	465	8.6E-01	5	3.76E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Max Cancer Risk Cancer Risk		
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
466	466	4.9E-01	5	2.13E-02
467	467	5.3E-01	5	2.31E-02
468	468	3.7E-01	5	1.59E-02
469	469	2.6E-01	5	1.14E-02
470	470	2.4E-01	5	1.04E-02
471	471	2.3E-01	5	9.91E-03
472	472	1.8E-01	5	7.67E-03
473	473	1.5E-01	5	6.61E-03
474	474	1.4E-01	5	5.91E-03
475	475	1.2E-01	5	5.27E-03
476	476	1.1E-01	5	4.70E-03
477	477	1.0E-01	5	4.30E-03
478	478	8.9E-02	5	3.82E-03
479	479	8.3E-02	5	3.56E-03
480	480	7.6E-02	5	3.18E-03
481	481	7.4E-02	5	3.17E-03
482	482	6.5E-02	5	2.73E-03
483	483	6.0E-02	5	2.55E-03
484	484	5.6E-02	5	2.36E-03

Chronic Non Cancer Risk

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.17488	1.82E-02	3.2E-03	6.05E-04	1.93E-06	1.60E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
2	0.1821	1.82E-02	3.3E-03	6.05E-04	2.01E-06	1.60E-01	4.71E-02	1.52E-08	1.0E+06	1.5E-02
3	0.18927	1.82E-02	3.4E-03	6.05E-04	2.09E-06	1.60E-01	4.71E-02	1.57E-08	1.0E+06	1.6E-02
4	0.19672	1.82E-02	3.6E-03	6.05E-04	2.17E-06	1.60E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
5	0.20428	1.82E-02	3.7E-03	6.05E-04	2.25E-06	1.60E-01	4.71E-02	1.70E-08	1.0E+06	1.7E-02
6	0.21386	1.82E-02	3.9E-03	6.05E-04	2.36E-06	1.60E-01	4.71E-02	1.78E-08	1.0E+06	1.8E-02
7	0.22485	1.82E-02	4.1E-03	6.05E-04	2.48E-06	1.60E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
8	0.23793	1.82E-02	4.3E-03	6.05E-04	2.62E-06	1.60E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
9	0.25299	1.82E-02	4.6E-03	6.05E-04	2.79E-06	1.60E-01	4.71E-02	2.11E-08	1.0E+06	2.1E-02
10	0.27375	1.82E-02	5.0E-03	6.05E-04	3.02E-06	1.60E-01	4.71E-02	2.28E-08	1.0E+06	2.3E-02
11	0.29877	1.82E-02	5.4E-03	6.05E-04	3.29E-06	1.60E-01	4.71E-02	2.49E-08	1.0E+06	2.5E-02
12	0.32773	1.82E-02	6.0E-03	6.05E-04	3.61E-06	1.60E-01	4.71E-02	2.73E-08	1.0E+06	2.7E-02
13	0.35728	1.82E-02	6.5E-03	6.05E-04	3.94E-06	1.60E-01	4.71E-02	2.97E-08	1.0E+06	3.0E-02
14	0.47121	1.82E-02	8.6E-03	6.05E-04	5.19E-06	1.60E-01	4.71E-02	3.92E-08	1.0E+06	3.9E-02
15	0.19314	1.82E-02	3.5E-03	6.05E-04	2.13E-06	1.60E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
16	0.20217	1.82E-02	3.7E-03	6.05E-04	2.23E-06	1.60E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
17	0.21216	1.82E-02	3.9E-03	6.05E-04	2.34E-06	1.60E-01	4.71E-02	1.77E-08	1.0E+06	1.8E-02
18	0.22178	1.82E-02	4.0E-03	6.05E-04	2.44E-06	1.60E-01	4.71E-02	1.85E-08	1.0E+06	1.8E-02
19	0.23136	1.82E-02	4.2E-03	6.05E-04	2.55E-06	1.60E-01	4.71E-02	1.93E-08	1.0E+06	1.9E-02
20	0.2424	1.82E-02	4.4E-03	6.05E-04	2.67E-06	1.60E-01	4.71E-02	2.02E-08	1.0E+06	2.0E-02
21	0.25482	1.82E-02	4.6E-03	6.05E-04	2.81E-06	1.60E-01	4.71E-02	2.12E-08	1.0E+06	2.1E-02
22	0.26846	1.82E-02	4.9E-03	6.05E-04	2.96E-06	1.60E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
23	0.28842	1.82E-02	5.3E-03	6.05E-04	3.18E-06	1.60E-01	4.71E-02	2.40E-08	1.0E+06	2.4E-02
24	0.30946	1.82E-02	5.6E-03	6.05E-04	3.41E-06	1.60E-01	4.71E-02	2.57E-08	1.0E+06	2.6E-02
25	0.3417	1.82E-02	6.2E-03	6.05E-04	3.76E-06	1.60E-01	4.71E-02	2.84E-08	1.0E+06	2.8E-02
26	0.37884	1.82E-02	6.9E-03	6.05E-04	4.17E-06	1.60E-01	4.71E-02	3.15E-08	1.0E+06	3.2E-02
27	0.41116	1.82E-02	7.5E-03	6.05E-04	4.53E-06	1.60E-01	4.71E-02	3.42E-08	1.0E+06	3.4E-02
28	0.57175	1.82E-02	1.0E-02	6.05E-04	6.30E-06	1.60E-01	4.71E-02	4.76E-08	1.0E+06	4.8E-02
29	0.21093	1.82E-02	3.8E-03	6.05E-04	2.32E-06	1.60E-01	4.71E-02	1.76E-08	1.0E+06	1.8E-02
30	0.22337	1.82E-02	4.1E-03	6.05E-04	2.46E-06	1.60E-01	4.71E-02	1.86E-08	1.0E+06	1.9E-02
31	0.23665	1.82E-02	4.3E-03	6.05E-04	2.61E-06	1.60E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02

	Max	Receptor #
Res	1.316	146

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.25053	1.82E-02	4.6E-03	6.05E-04	2.76E-06	1.60E-01	4.71E-02	2.08E-08	1.0E+06	2.1E-02
33	0.26279	1.82E-02	4.8E-03	6.05E-04	2.90E-06	1.60E-01	4.71E-02	2.19E-08	1.0E+06	2.2E-02
34	0.27715	1.82E-02	5.0E-03	6.05E-04	3.05E-06	1.60E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
35	0.29204	1.82E-02	5.3E-03	6.05E-04	3.22E-06	1.60E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
36	0.30964	1.82E-02	5.6E-03	6.05E-04	3.41E-06	1.60E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
37	0.33136	1.82E-02	6.0E-03	6.05E-04	3.65E-06	1.60E-01	4.71E-02	2.76E-08	1.0E+06	2.8E-02
38	0.35987	1.82E-02	6.6E-03	6.05E-04	3.96E-06	1.60E-01	4.71E-02	2.99E-08	1.0E+06	3.0E-02
39	0.39788	1.82E-02	7.2E-03	6.05E-04	4.38E-06	1.60E-01	4.71E-02	3.31E-08	1.0E+06	3.3E-02
40	0.43602	1.82E-02	7.9E-03	6.05E-04	4.80E-06	1.60E-01	4.71E-02	3.63E-08	1.0E+06	3.6E-02
41	0.4798	1.82E-02	8.7E-03	6.05E-04	5.29E-06	1.60E-01	4.71E-02	3.99E-08	1.0E+06	4.0E-02
42	0.7101	1.82E-02	1.3E-02	6.05E-04	7.82E-06	1.60E-01	4.71E-02	5.91E-08	1.0E+06	5.9E-02
43	0.22642	1.82E-02	4.1E-03	6.05E-04	2.49E-06	1.60E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
44	0.24148	1.82E-02	4.4E-03	6.05E-04	2.66E-06	1.60E-01	4.71E-02	2.01E-08	1.0E+06	2.0E-02
45	0.25936	1.82E-02	4.7E-03	6.05E-04	2.86E-06	1.60E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
46	0.27862	1.82E-02	5.1E-03	6.05E-04	3.07E-06	1.60E-01	4.71E-02	2.32E-08	1.0E+06	2.3E-02
47	0.2972	1.82E-02	5.4E-03	6.05E-04	3.27E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
48	0.31625	1.82E-02	5.8E-03	6.05E-04	3.48E-06	1.60E-01	4.71E-02	2.63E-08	1.0E+06	2.6E-02
49	0.33541	1.82E-02	6.1E-03	6.05E-04	3.70E-06	1.60E-01	4.71E-02	2.79E-08	1.0E+06	2.8E-02
50	0.35565	1.82E-02	6.5E-03	6.05E-04	3.92E-06	1.60E-01	4.71E-02	2.96E-08	1.0E+06	3.0E-02
51	0.38654	1.82E-02	7.0E-03	6.05E-04	4.26E-06	1.60E-01	4.71E-02	3.22E-08	1.0E+06	3.2E-02
52	0.42056	1.82E-02	7.7E-03	6.05E-04	4.63E-06	1.60E-01	4.71E-02	3.50E-08	1.0E+06	3.5E-02
53	0.46818	1.82E-02	8.5E-03	6.05E-04	5.16E-06	1.60E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
54	0.52053	1.82E-02	9.5E-03	6.05E-04	5.74E-06	1.60E-01	4.71E-02	4.33E-08	1.0E+06	4.3E-02
55	0.58292	1.82E-02	1.1E-02	6.05E-04	6.42E-06	1.60E-01	4.71E-02	4.85E-08	1.0E+06	4.9E-02
56	0.91081	1.82E-02	1.7E-02	6.05E-04	1.00E-05	1.60E-01	4.71E-02	7.58E-08	1.0E+06	7.6E-02
57	0.23786	1.82E-02	4.3E-03	6.05E-04	2.62E-06	1.60E-01	4.71E-02	1.98E-08	1.0E+06	2.0E-02
58	0.25766	1.82E-02	4.7E-03	6.05E-04	2.84E-06	1.60E-01	4.71E-02	2.14E-08	1.0E+06	2.1E-02
59	0.28115	1.82E-02	5.1E-03	6.05E-04	3.10E-06	1.60E-01	4.71E-02	2.34E-08	1.0E+06	2.3E-02
60	0.30622	1.82E-02	5.6E-03	6.05E-04	3.37E-06	1.60E-01	4.71E-02	2.55E-08	1.0E+06	2.5E-02
61	0.33261	1.82E-02	6.1E-03	6.05E-04	3.66E-06	1.60E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
62	0.35999	1.82E-02	6.6E-03	6.05E-04	3.97E-06	1.60E-01	4.71E-02	3.00E-08	1.0E+06	3.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.39069	1.82E-02	7.1E-03	6.05E-04	4.30E-06	1.60E-01	4.71E-02	3.25E-08	1.0E+06	3.3E-02
64	0.4155	1.82E-02	7.6E-03	6.05E-04	4.58E-06	1.60E-01	4.71E-02	3.46E-08	1.0E+06	3.5E-02
65	0.45397	1.82E-02	8.3E-03	6.05E-04	5.00E-06	1.60E-01	4.71E-02	3.78E-08	1.0E+06	3.8E-02
66	0.50152	1.82E-02	9.1E-03	6.05E-04	5.53E-06	1.60E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02
67	0.55455	1.82E-02	1.0E-02	6.05E-04	6.11E-06	1.60E-01	4.71E-02	4.61E-08	1.0E+06	4.6E-02
68	0.63644	1.82E-02	1.2E-02	6.05E-04	7.01E-06	1.60E-01	4.71E-02	5.30E-08	1.0E+06	5.3E-02
69	0.72804	1.82E-02	1.3E-02	6.05E-04	8.02E-06	1.60E-01	4.71E-02	6.06E-08	1.0E+06	6.1E-02
70	0.2495	1.82E-02	4.5E-03	6.05E-04	2.75E-06	1.60E-01	4.71E-02	2.08E-08	1.0E+06	2.1E-02
71	0.27248	1.82E-02	5.0E-03	6.05E-04	3.00E-06	1.60E-01	4.71E-02	2.27E-08	1.0E+06	2.3E-02
72	0.3016	1.82E-02	5.5E-03	6.05E-04	3.32E-06	1.60E-01	4.71E-02	2.51E-08	1.0E+06	2.5E-02
73	0.33167	1.82E-02	6.0E-03	6.05E-04	3.65E-06	1.60E-01	4.71E-02	2.76E-08	1.0E+06	2.8E-02
74	0.36626	1.82E-02	6.7E-03	6.05E-04	4.04E-06	1.60E-01	4.71E-02	3.05E-08	1.0E+06	3.0E-02
75	0.40355	1.82E-02	7.3E-03	6.05E-04	4.45E-06	1.60E-01	4.71E-02	3.36E-08	1.0E+06	3.4E-02
76	0.44679	1.82E-02	8.1E-03	6.05E-04	4.92E-06	1.60E-01	4.71E-02	3.72E-08	1.0E+06	3.7E-02
77	0.48972	1.82E-02	8.9E-03	6.05E-04	5.40E-06	1.60E-01	4.71E-02	4.07E-08	1.0E+06	4.1E-02
78	0.54448	1.82E-02	9.9E-03	6.05E-04	6.00E-06	1.60E-01	4.71E-02	4.53E-08	1.0E+06	4.5E-02
79	0.62745	1.82E-02	1.1E-02	6.05E-04	6.91E-06	1.60E-01	4.71E-02	5.22E-08	1.0E+06	5.2E-02
80	0.70098	1.82E-02	1.3E-02	6.05E-04	7.72E-06	1.60E-01	4.71E-02	5.83E-08	1.0E+06	5.8E-02
81	0.82297	1.82E-02	1.5E-02	6.05E-04	9.07E-06	1.60E-01	4.71E-02	6.85E-08	1.0E+06	6.8E-02
82	0.94086	1.82E-02	1.7E-02	6.05E-04	1.04E-05	1.60E-01	4.71E-02	7.83E-08	1.0E+06	7.8E-02
83	0.25944	1.82E-02	4.7E-03	6.05E-04	2.86E-06	1.60E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
84	0.28928	1.82E-02	5.3E-03	6.05E-04	3.19E-06	1.60E-01	4.71E-02	2.41E-08	1.0E+06	2.4E-02
85	0.32121	1.82E-02	5.8E-03	6.05E-04	3.54E-06	1.60E-01	4.71E-02	2.67E-08	1.0E+06	2.7E-02
86	0.35254	1.82E-02	6.4E-03	6.05E-04	3.88E-06	1.60E-01	4.71E-02	2.93E-08	1.0E+06	2.9E-02
87	0.39269	1.82E-02	7.2E-03	6.05E-04	4.33E-06	1.60E-01	4.71E-02	3.27E-08	1.0E+06	3.3E-02
88	0.43866	1.82E-02	8.0E-03	6.05E-04	4.83E-06	1.60E-01	4.71E-02	3.65E-08	1.0E+06	3.6E-02
89	0.49549	1.82E-02	9.0E-03	6.05E-04	5.46E-06	1.60E-01	4.71E-02	4.12E-08	1.0E+06	4.1E-02
90	0.56452	1.82E-02	1.0E-02	6.05E-04	6.22E-06	1.60E-01	4.71E-02	4.70E-08	1.0E+06	4.7E-02
91	0.64839	1.82E-02	1.2E-02	6.05E-04	7.14E-06	1.60E-01	4.71E-02	5.40E-08	1.0E+06	5.4E-02
92	0.75145	1.82E-02	1.4E-02	6.05E-04	8.28E-06	1.60E-01	4.71E-02	6.25E-08	1.0E+06	6.3E-02
93	0.88004	1.82E-02	1.6E-02	6.05E-04	9.70E-06	1.60E-01	4.71E-02	7.32E-08	1.0E+06	7.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	1.03748	1.82E-02	1.9E-02	6.05E-04	1.14E-05	1.60E-01	4.71E-02	8.63E-08	1.0E+06	8.6E-02
95	1.2286	1.82E-02	2.2E-02	6.05E-04	1.35E-05	1.60E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
96	0.26724	1.82E-02	4.9E-03	6.05E-04	2.94E-06	1.60E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
97	0.2968	1.82E-02	5.4E-03	6.05E-04	3.27E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
98	0.33036	1.82E-02	6.0E-03	6.05E-04	3.64E-06	1.60E-01	4.71E-02	2.75E-08	1.0E+06	2.7E-02
99	0.3717	1.82E-02	6.8E-03	6.05E-04	4.10E-06	1.60E-01	4.71E-02	3.09E-08	1.0E+06	3.1E-02
100	0.4166	1.82E-02	7.6E-03	6.05E-04	4.59E-06	1.60E-01	4.71E-02	3.47E-08	1.0E+06	3.5E-02
101	0.47215	1.82E-02	8.6E-03	6.05E-04	5.20E-06	1.60E-01	4.71E-02	3.93E-08	1.0E+06	3.9E-02
102	0.5404	1.82E-02	9.8E-03	6.05E-04	5.95E-06	1.60E-01	4.71E-02	4.50E-08	1.0E+06	4.5E-02
103	0.6279	1.82E-02	1.1E-02	6.05E-04	6.92E-06	1.60E-01	4.71E-02	5.22E-08	1.0E+06	5.2E-02
104	0.73836	1.82E-02	1.3E-02	6.05E-04	8.14E-06	1.60E-01	4.71E-02	6.14E-08	1.0E+06	6.1E-02
105	0.88132	1.82E-02	1.6E-02	6.05E-04	9.71E-06	1.60E-01	4.71E-02	7.33E-08	1.0E+06	7.3E-02
106	1.06529	1.82E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.86E-08	1.0E+06	8.9E-02
107	1.30402	1.82E-02	2.4E-02	6.05E-04	1.44E-05	1.60E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
108	1.61057	1.82E-02	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
109	0.26525	1.82E-02	4.8E-03	6.05E-04	2.92E-06	1.60E-01	4.71E-02	2.21E-08	1.0E+06	2.2E-02
110	0.29664	1.82E-02	5.4E-03	6.05E-04	3.27E-06	1.60E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
111	0.3339	1.82E-02	6.1E-03	6.05E-04	3.68E-06	1.60E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
112	0.37842	1.82E-02	6.9E-03	6.05E-04	4.17E-06	1.60E-01	4.71E-02	3.15E-08	1.0E+06	3.1E-02
113	0.43228	1.82E-02	7.9E-03	6.05E-04	4.76E-06	1.60E-01	4.71E-02	3.60E-08	1.0E+06	3.6E-02
114	0.49803	1.82E-02	9.1E-03	6.05E-04	5.49E-06	1.60E-01	4.71E-02	4.14E-08	1.0E+06	4.1E-02
115	0.58	1.82E-02	1.1E-02	6.05E-04	6.39E-06	1.60E-01	4.71E-02	4.83E-08	1.0E+06	4.8E-02
116	0.68497	1.82E-02	1.2E-02	6.05E-04	7.55E-06	1.60E-01	4.71E-02	5.70E-08	1.0E+06	5.7E-02
117	0.82678	1.82E-02	1.5E-02	6.05E-04	9.11E-06	1.60E-01	4.71E-02	6.88E-08	1.0E+06	6.9E-02
118	0.98991	1.82E-02	1.8E-02	6.05E-04	1.09E-05	1.60E-01	4.71E-02	8.24E-08	1.0E+06	8.2E-02
119	1.24281	1.82E-02	2.3E-02	6.05E-04	1.37E-05	1.60E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
120	1.57912	1.82E-02	2.9E-02	6.05E-04	1.74E-05	1.60E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
121	2.00608	1.82E-02	3.7E-02	6.05E-04	2.21E-05	1.60E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
122	0.25537	1.82E-02	4.7E-03	6.05E-04	2.81E-06	1.60E-01	4.71E-02	2.12E-08	1.0E+06	2.1E-02
123	0.28818	1.82E-02	5.2E-03	6.05E-04	3.18E-06	1.60E-01	4.71E-02	2.40E-08	1.0E+06	2.4E-02
124	0.32858	1.82E-02	6.0E-03	6.05E-04	3.62E-06	1.60E-01	4.71E-02	2.73E-08	1.0E+06	2.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.3757	1.82E-02	6.8E-03	6.05E-04	4.14E-06	1.60E-01	4.71E-02	3.13E-08	1.0E+06	3.1E-02
126	0.43335	1.82E-02	7.9E-03	6.05E-04	4.77E-06	1.60E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
127	0.50557	1.82E-02	9.2E-03	6.05E-04	5.57E-06	1.60E-01	4.71E-02	4.21E-08	1.0E+06	4.2E-02
128	0.58754	1.82E-02	1.1E-02	6.05E-04	6.47E-06	1.60E-01	4.71E-02	4.89E-08	1.0E+06	4.9E-02
129	0.71039	1.82E-02	1.3E-02	6.05E-04	7.83E-06	1.60E-01	4.71E-02	5.91E-08	1.0E+06	5.9E-02
130	0.89215	1.82E-02	1.6E-02	6.05E-04	9.83E-06	1.60E-01	4.71E-02	7.42E-08	1.0E+06	7.4E-02
131	12.92748	1.82E-02	2.4E-01	6.05E-04	1.42E-04	1.60E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
132	9.40064	1.82E-02	1.7E-01	6.05E-04	1.04E-04	1.60E-01	4.71E-02	7.82E-07	1.0E+06	7.8E-01
133	0.23911	1.82E-02	4.4E-03	6.05E-04	2.63E-06	1.60E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02
134	0.27452	1.82E-02	5.0E-03	6.05E-04	3.02E-06	1.60E-01	4.71E-02	2.28E-08	1.0E+06	2.3E-02
135	0.31532	1.82E-02	5.7E-03	6.05E-04	3.47E-06	1.60E-01	4.71E-02	2.62E-08	1.0E+06	2.6E-02
136	0.36264	1.82E-02	6.6E-03	6.05E-04	4.00E-06	1.60E-01	4.71E-02	3.02E-08	1.0E+06	3.0E-02
137	0.42092	1.82E-02	7.7E-03	6.05E-04	4.64E-06	1.60E-01	4.71E-02	3.50E-08	1.0E+06	3.5E-02
138	0.49184	1.82E-02	9.0E-03	6.05E-04	5.42E-06	1.60E-01	4.71E-02	4.09E-08	1.0E+06	4.1E-02
139	0.57812	1.82E-02	1.1E-02	6.05E-04	6.37E-06	1.60E-01	4.71E-02	4.81E-08	1.0E+06	4.8E-02
140	0.70963	1.82E-02	1.3E-02	6.05E-04	7.82E-06	1.60E-01	4.71E-02	5.90E-08	1.0E+06	5.9E-02
141	0.89849	1.82E-02	1.6E-02	6.05E-04	9.90E-06	1.60E-01	4.71E-02	7.48E-08	1.0E+06	7.5E-02
142	1.18174	1.82E-02	2.2E-02	6.05E-04	1.30E-05	1.60E-01	4.71E-02	9.83E-08	1.0E+06	9.8E-02
143	1.67257	1.82E-02	3.0E-02	6.05E-04	1.84E-05	1.60E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
144	2.65947	1.82E-02	4.8E-02	6.05E-04	2.93E-05	1.60E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
145	5.22291	1.82E-02	9.5E-02	6.05E-04	5.75E-05	1.60E-01	4.71E-02	4.35E-07	1.0E+06	4.3E-01
146	15.81931	1.82E-02	2.9E-01	6.05E-04	1.74E-04	1.60E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
147	0.22164	1.82E-02	4.0E-03	6.05E-04	2.44E-06	1.60E-01	4.71E-02	1.84E-08	1.0E+06	1.8E-02
148	0.25424	1.82E-02	4.6E-03	6.05E-04	2.80E-06	1.60E-01	4.71E-02	2.12E-08	1.0E+06	2.1E-02
149	0.294	1.82E-02	5.4E-03	6.05E-04	3.24E-06	1.60E-01	4.71E-02	2.45E-08	1.0E+06	2.4E-02
150	0.33969	1.82E-02	6.2E-03	6.05E-04	3.74E-06	1.60E-01	4.71E-02	2.83E-08	1.0E+06	2.8E-02
151	0.39809	1.82E-02	7.2E-03	6.05E-04	4.39E-06	1.60E-01	4.71E-02	3.31E-08	1.0E+06	3.3E-02
152	0.46482	1.82E-02	8.5E-03	6.05E-04	5.12E-06	1.60E-01	4.71E-02	3.87E-08	1.0E+06	3.9E-02
153	0.55148	1.82E-02	1.0E-02	6.05E-04	6.08E-06	1.60E-01	4.71E-02	4.59E-08	1.0E+06	4.6E-02
154	0.67711	1.82E-02	1.2E-02	6.05E-04	7.46E-06	1.60E-01	4.71E-02	5.63E-08	1.0E+06	5.6E-02
155	0.86429	1.82E-02	1.6E-02	6.05E-04	9.52E-06	1.60E-01	4.71E-02	7.19E-08	1.0E+06	7.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	1.15152	1.82E-02	2.1E-02	6.05E-04	1.27E-05	1.60E-01	4.71E-02	9.58E-08	1.0E+06	9.6E-02
157	1.63937	1.82E-02	3.0E-02	6.05E-04	1.81E-05	1.60E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
158	2.64058	1.82E-02	4.8E-02	6.05E-04	2.91E-05	1.60E-01	4.71E-02	2.20E-07	1.0E+06	2.2E-01
159	6.58994	1.82E-02	1.2E-01	6.05E-04	7.26E-05	1.60E-01	4.71E-02	5.48E-07	1.0E+06	5.5E-01
160	0.20943	1.82E-02	3.8E-03	6.05E-04	2.31E-06	1.60E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02
161	0.23565	1.82E-02	4.3E-03	6.05E-04	2.60E-06	1.60E-01	4.71E-02	1.96E-08	1.0E+06	2.0E-02
162	0.26393	1.82E-02	4.8E-03	6.05E-04	2.91E-06	1.60E-01	4.71E-02	2.20E-08	1.0E+06	2.2E-02
163	0.31008	1.82E-02	5.6E-03	6.05E-04	3.42E-06	1.60E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
164	0.37016	1.82E-02	6.7E-03	6.05E-04	4.08E-06	1.60E-01	4.71E-02	3.08E-08	1.0E+06	3.1E-02
165	0.43373	1.82E-02	7.9E-03	6.05E-04	4.78E-06	1.60E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
166	0.51919	1.82E-02	9.5E-03	6.05E-04	5.72E-06	1.60E-01	4.71E-02	4.32E-08	1.0E+06	4.3E-02
167	0.63546	1.82E-02	1.2E-02	6.05E-04	7.00E-06	1.60E-01	4.71E-02	5.29E-08	1.0E+06	5.3E-02
168	0.80312	1.82E-02	1.5E-02	6.05E-04	8.85E-06	1.60E-01	4.71E-02	6.68E-08	1.0E+06	6.7E-02
169	1.05888	1.82E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.81E-08	1.0E+06	8.8E-02
170	1.48224	1.82E-02	2.7E-02	6.05E-04	1.63E-05	1.60E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
171	2.31071	1.82E-02	4.2E-02	6.05E-04	2.55E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
172	4.93324	1.82E-02	9.0E-02	6.05E-04	5.44E-05	1.60E-01	4.71E-02	4.10E-07	1.0E+06	4.1E-01
173	6.72209	1.82E-02	1.2E-01	6.05E-04	7.41E-05	1.60E-01	4.71E-02	5.59E-07	1.0E+06	5.6E-01
174	10.31006	1.82E-02	1.9E-01	6.05E-04	1.14E-04	1.60E-01	4.71E-02	8.58E-07	1.0E+06	8.6E-01
175	11.13119	1.82E-02	2.0E-01	6.05E-04	1.23E-04	1.60E-01	4.71E-02	9.26E-07	1.0E+06	9.3E-01
176	12.98888	1.82E-02	2.4E-01	6.05E-04	1.43E-04	1.60E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
177	10.80421	1.82E-02	2.0E-01	6.05E-04	1.19E-04	1.60E-01	4.71E-02	8.99E-07	1.0E+06	9.0E-01
178	8.91457	1.82E-02	1.6E-01	6.05E-04	9.82E-05	1.60E-01	4.71E-02	7.42E-07	1.0E+06	7.4E-01
179	0.19309	1.82E-02	3.5E-03	6.05E-04	2.13E-06	1.60E-01	4.71E-02	1.61E-08	1.0E+06	1.6E-02
180	0.21456	1.82E-02	3.9E-03	6.05E-04	2.36E-06	1.60E-01	4.71E-02	1.79E-08	1.0E+06	1.8E-02
181	0.2361	1.82E-02	4.3E-03	6.05E-04	2.60E-06	1.60E-01	4.71E-02	1.96E-08	1.0E+06	2.0E-02
182	0.28264	1.82E-02	5.1E-03	6.05E-04	3.11E-06	1.60E-01	4.71E-02	2.35E-08	1.0E+06	2.4E-02
183	0.34655	1.82E-02	6.3E-03	6.05E-04	3.82E-06	1.60E-01	4.71E-02	2.88E-08	1.0E+06	2.9E-02
184	0.40738	1.82E-02	7.4E-03	6.05E-04	4.49E-06	1.60E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
185	0.48904	1.82E-02	8.9E-03	6.05E-04	5.39E-06	1.60E-01	4.71E-02	4.07E-08	1.0E+06	4.1E-02
186	0.59504	1.82E-02	1.1E-02	6.05E-04	6.56E-06	1.60E-01	4.71E-02	4.95E-08	1.0E+06	5.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.73895	1.82E-02	1.3E-02	6.05E-04	8.14E-06	1.60E-01	4.71E-02	6.15E-08	1.0E+06	6.1E-02
188	0.95209	1.82E-02	1.7E-02	6.05E-04	1.05E-05	1.60E-01	4.71E-02	7.92E-08	1.0E+06	7.9E-02
189	1.27312	1.82E-02	2.3E-02	6.05E-04	1.40E-05	1.60E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
190	1.82477	1.82E-02	3.3E-02	6.05E-04	2.01E-05	1.60E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
191	2.94775	1.82E-02	5.4E-02	6.05E-04	3.25E-05	1.60E-01	4.71E-02	2.45E-07	1.0E+06	2.5E-01
192	5.09803	1.82E-02	9.3E-02	6.05E-04	5.62E-05	1.60E-01	4.71E-02	4.24E-07	1.0E+06	4.2E-01
193	6.65391	1.82E-02	1.2E-01	6.05E-04	7.33E-05	1.60E-01	4.71E-02	5.54E-07	1.0E+06	5.5E-01
194	7.42306	1.82E-02	1.4E-01	6.05E-04	8.18E-05	1.60E-01	4.71E-02	6.18E-07	1.0E+06	6.2E-01
195	8.09345	1.82E-02	1.5E-01	6.05E-04	8.92E-05	1.60E-01	4.71E-02	6.73E-07	1.0E+06	6.7E-01
196	7.64119	1.82E-02	1.4E-01	6.05E-04	8.42E-05	1.60E-01	4.71E-02	6.36E-07	1.0E+06	6.4E-01
197	5.9061	1.82E-02	1.1E-01	6.05E-04	6.51E-05	1.60E-01	4.71E-02	4.91E-07	1.0E+06	4.9E-01
198	0.18335	1.82E-02	3.3E-03	6.05E-04	2.02E-06	1.60E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
199	0.2041	1.82E-02	3.7E-03	6.05E-04	2.25E-06	1.60E-01	4.71E-02	1.70E-08	1.0E+06	1.7E-02
200	0.22853	1.82E-02	4.2E-03	6.05E-04	2.52E-06	1.60E-01	4.71E-02	1.90E-08	1.0E+06	1.9E-02
201	0.26339	1.82E-02	4.8E-03	6.05E-04	2.90E-06	1.60E-01	4.71E-02	2.19E-08	1.0E+06	2.2E-02
202	0.32176	1.82E-02	5.9E-03	6.05E-04	3.55E-06	1.60E-01	4.71E-02	2.68E-08	1.0E+06	2.7E-02
203	0.38143	1.82E-02	6.9E-03	6.05E-04	4.20E-06	1.60E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
204	0.45785	1.82E-02	8.3E-03	6.05E-04	5.04E-06	1.60E-01	4.71E-02	3.81E-08	1.0E+06	3.8E-02
205	0.55249	1.82E-02	1.0E-02	6.05E-04	6.09E-06	1.60E-01	4.71E-02	4.60E-08	1.0E+06	4.6E-02
206	0.67606	1.82E-02	1.2E-02	6.05E-04	7.45E-06	1.60E-01	4.71E-02	5.63E-08	1.0E+06	5.6E-02
207	0.84477	1.82E-02	1.5E-02	6.05E-04	9.31E-06	1.60E-01	4.71E-02	7.03E-08	1.0E+06	7.0E-02
208	1.0806	1.82E-02	2.0E-02	6.05E-04	1.19E-05	1.60E-01	4.71E-02	8.99E-08	1.0E+06	9.0E-02
209	1.4381	1.82E-02	2.6E-02	6.05E-04	1.58E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
210	2.02651	1.82E-02	3.7E-02	6.05E-04	2.23E-05	1.60E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
211	2.88779	1.82E-02	5.3E-02	6.05E-04	3.18E-05	1.60E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
212	3.58306	1.82E-02	6.5E-02	6.05E-04	3.95E-05	1.60E-01	4.71E-02	2.98E-07	1.0E+06	3.0E-01
213	3.84605	1.82E-02	7.0E-02	6.05E-04	4.24E-05	1.60E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
214	3.81694	1.82E-02	7.0E-02	6.05E-04	4.21E-05	1.60E-01	4.71E-02	3.18E-07	1.0E+06	3.2E-01
215	4.44903	1.82E-02	8.1E-02	6.05E-04	4.90E-05	1.60E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
216	0.17741	1.82E-02	3.2E-03	6.05E-04	1.95E-06	1.60E-01	4.71E-02	1.48E-08	1.0E+06	1.5E-02
217	0.1957	1.82E-02	3.6E-03	6.05E-04	2.16E-06	1.60E-01	4.71E-02	1.63E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.21931	1.82E-02	4.0E-03	6.05E-04	2.42E-06	1.60E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
219	0.25009	1.82E-02	4.6E-03	6.05E-04	2.76E-06	1.60E-01	4.71E-02	2.08E-08	1.0E+06	2.1E-02
220	0.29965	1.82E-02	5.5E-03	6.05E-04	3.30E-06	1.60E-01	4.71E-02	2.49E-08	1.0E+06	2.5E-02
221	0.35077	1.82E-02	6.4E-03	6.05E-04	3.86E-06	1.60E-01	4.71E-02	2.92E-08	1.0E+06	2.9E-02
222	0.41974	1.82E-02	7.6E-03	6.05E-04	4.62E-06	1.60E-01	4.71E-02	3.49E-08	1.0E+06	3.5E-02
223	0.50101	1.82E-02	9.1E-03	6.05E-04	5.52E-06	1.60E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02
224	0.60151	1.82E-02	1.1E-02	6.05E-04	6.63E-06	1.60E-01	4.71E-02	5.00E-08	1.0E+06	5.0E-02
225	0.7257	1.82E-02	1.3E-02	6.05E-04	8.00E-06	1.60E-01	4.71E-02	6.04E-08	1.0E+06	6.0E-02
226	0.89772	1.82E-02	1.6E-02	6.05E-04	9.89E-06	1.60E-01	4.71E-02	7.47E-08	1.0E+06	7.5E-02
227	1.13195	1.82E-02	2.1E-02	6.05E-04	1.25E-05	1.60E-01	4.71E-02	9.42E-08	1.0E+06	9.4E-02
228	1.475	1.82E-02	2.7E-02	6.05E-04	1.63E-05	1.60E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
229	1.93098	1.82E-02	3.5E-02	6.05E-04	2.13E-05	1.60E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
230	2.33502	1.82E-02	4.3E-02	6.05E-04	2.57E-05	1.60E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
231	2.58104	1.82E-02	4.7E-02	6.05E-04	2.84E-05	1.60E-01	4.71E-02	2.15E-07	1.0E+06	2.1E-01
232	2.66403	1.82E-02	4.9E-02	6.05E-04	2.94E-05	1.60E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
233	2.9077	1.82E-02	5.3E-02	6.05E-04	3.20E-05	1.60E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
234	0.17189	1.82E-02	3.1E-03	6.05E-04	1.89E-06	1.60E-01	4.71E-02	1.43E-08	1.0E+06	1.4E-02
235	0.18806	1.82E-02	3.4E-03	6.05E-04	2.07E-06	1.60E-01	4.71E-02	1.56E-08	1.0E+06	1.6E-02
236	0.2101	1.82E-02	3.8E-03	6.05E-04	2.31E-06	1.60E-01	4.71E-02	1.75E-08	1.0E+06	1.7E-02
237	0.23979	1.82E-02	4.4E-03	6.05E-04	2.64E-06	1.60E-01	4.71E-02	2.00E-08	1.0E+06	2.0E-02
238	0.27936	1.82E-02	5.1E-03	6.05E-04	3.08E-06	1.60E-01	4.71E-02	2.32E-08	1.0E+06	2.3E-02
239	0.32336	1.82E-02	5.9E-03	6.05E-04	3.56E-06	1.60E-01	4.71E-02	2.69E-08	1.0E+06	2.7E-02
240	0.37909	1.82E-02	6.9E-03	6.05E-04	4.18E-06	1.60E-01	4.71E-02	3.15E-08	1.0E+06	3.2E-02
241	0.44514	1.82E-02	8.1E-03	6.05E-04	4.90E-06	1.60E-01	4.71E-02	3.70E-08	1.0E+06	3.7E-02
242	0.52414	1.82E-02	9.5E-03	6.05E-04	5.77E-06	1.60E-01	4.71E-02	4.36E-08	1.0E+06	4.4E-02
243	0.61899	1.82E-02	1.1E-02	6.05E-04	6.82E-06	1.60E-01	4.71E-02	5.15E-08	1.0E+06	5.2E-02
244	0.74753	1.82E-02	1.4E-02	6.05E-04	8.24E-06	1.60E-01	4.71E-02	6.22E-08	1.0E+06	6.2E-02
245	0.91665	1.82E-02	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.63E-08	1.0E+06	7.6E-02
246	1.14673	1.82E-02	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.54E-08	1.0E+06	9.5E-02
247	1.4266	1.82E-02	2.6E-02	6.05E-04	1.57E-05	1.60E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
248	1.69563	1.82E-02	3.1E-02	6.05E-04	1.87E-05	1.60E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.88767	1.82E-02	3.4E-02	6.05E-04	2.08E-05	1.60E-01	4.71E-02	1.57E-07	1.0E+06	1.6E-01
250	1.98347	1.82E-02	3.6E-02	6.05E-04	2.19E-05	1.60E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
251	2.12734	1.82E-02	3.9E-02	6.05E-04	2.34E-05	1.60E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
252	0.16493	1.82E-02	3.0E-03	6.05E-04	1.82E-06	1.60E-01	4.71E-02	1.37E-08	1.0E+06	1.4E-02
253	0.17909	1.82E-02	3.3E-03	6.05E-04	1.97E-06	1.60E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02
254	0.19765	1.82E-02	3.6E-03	6.05E-04	2.18E-06	1.60E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
255	0.22099	1.82E-02	4.0E-03	6.05E-04	2.43E-06	1.60E-01	4.71E-02	1.84E-08	1.0E+06	1.8E-02
256	0.26018	1.82E-02	4.7E-03	6.05E-04	2.87E-06	1.60E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
257	0.2878	1.82E-02	5.2E-03	6.05E-04	3.17E-06	1.60E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
258	0.32553	1.82E-02	5.9E-03	6.05E-04	3.59E-06	1.60E-01	4.71E-02	2.71E-08	1.0E+06	2.7E-02
259	0.3694	1.82E-02	6.7E-03	6.05E-04	4.07E-06	1.60E-01	4.71E-02	3.07E-08	1.0E+06	3.1E-02
260	0.43279	1.82E-02	7.9E-03	6.05E-04	4.77E-06	1.60E-01	4.71E-02	3.60E-08	1.0E+06	3.6E-02
261	0.51703	1.82E-02	9.4E-03	6.05E-04	5.70E-06	1.60E-01	4.71E-02	4.30E-08	1.0E+06	4.3E-02
262	0.62025	1.82E-02	1.1E-02	6.05E-04	6.83E-06	1.60E-01	4.71E-02	5.16E-08	1.0E+06	5.2E-02
263	0.74306	1.82E-02	1.4E-02	6.05E-04	8.19E-06	1.60E-01	4.71E-02	6.18E-08	1.0E+06	6.2E-02
264	0.90838	1.82E-02	1.7E-02	6.05E-04	1.00E-05	1.60E-01	4.71E-02	7.56E-08	1.0E+06	7.6E-02
265	1.09481	1.82E-02	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.11E-08	1.0E+06	9.1E-02
266	1.28248	1.82E-02	2.3E-02	6.05E-04	1.41E-05	1.60E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
267	1.42537	1.82E-02	2.6E-02	6.05E-04	1.57E-05	1.60E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
268	1.50248	1.82E-02	2.7E-02	6.05E-04	1.66E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
269	1.60435	1.82E-02	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
270	0.15811	1.82E-02	2.9E-03	6.05E-04	1.74E-06	1.60E-01	4.71E-02	1.32E-08	1.0E+06	1.3E-02
271	0.17185	1.82E-02	3.1E-03	6.05E-04	1.89E-06	1.60E-01	4.71E-02	1.43E-08	1.0E+06	1.4E-02
272	0.18865	1.82E-02	3.4E-03	6.05E-04	2.08E-06	1.60E-01	4.71E-02	1.57E-08	1.0E+06	1.6E-02
273	0.20788	1.82E-02	3.8E-03	6.05E-04	2.29E-06	1.60E-01	4.71E-02	1.73E-08	1.0E+06	1.7E-02
274	0.24491	1.82E-02	4.5E-03	6.05E-04	2.70E-06	1.60E-01	4.71E-02	2.04E-08	1.0E+06	2.0E-02
275	0.27766	1.82E-02	5.1E-03	6.05E-04	3.06E-06	1.60E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
276	0.28974	1.82E-02	5.3E-03	6.05E-04	3.19E-06	1.60E-01	4.71E-02	2.41E-08	1.0E+06	2.4E-02
277	0.32166	1.82E-02	5.9E-03	6.05E-04	3.54E-06	1.60E-01	4.71E-02	2.68E-08	1.0E+06	2.7E-02
278	0.36443	1.82E-02	6.6E-03	6.05E-04	4.02E-06	1.60E-01	4.71E-02	3.03E-08	1.0E+06	3.0E-02
279	0.42257	1.82E-02	7.7E-03	6.05E-04	4.66E-06	1.60E-01	4.71E-02	3.52E-08	1.0E+06	3.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.50962	1.82E-02	9.3E-03	6.05E-04	5.61E-06	1.60E-01	4.71E-02	4.24E-08	1.0E+06	4.2E-02
281	0.616	1.82E-02	1.1E-02	6.05E-04	6.79E-06	1.60E-01	4.71E-02	5.13E-08	1.0E+06	5.1E-02
282	0.74094	1.82E-02	1.3E-02	6.05E-04	8.16E-06	1.60E-01	4.71E-02	6.17E-08	1.0E+06	6.2E-02
283	0.87839	1.82E-02	1.6E-02	6.05E-04	9.68E-06	1.60E-01	4.71E-02	7.31E-08	1.0E+06	7.3E-02
284	1.01581	1.82E-02	1.8E-02	6.05E-04	1.12E-05	1.60E-01	4.71E-02	8.45E-08	1.0E+06	8.5E-02
285	1.11984	1.82E-02	2.0E-02	6.05E-04	1.23E-05	1.60E-01	4.71E-02	9.32E-08	1.0E+06	9.3E-02
286	1.18487	1.82E-02	2.2E-02	6.05E-04	1.31E-05	1.60E-01	4.71E-02	9.86E-08	1.0E+06	9.9E-02
287	1.26563	1.82E-02	2.3E-02	6.05E-04	1.39E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
288	0.15258	1.82E-02	2.8E-03	6.05E-04	1.68E-06	1.60E-01	4.71E-02	1.27E-08	1.0E+06	1.3E-02
289	0.16395	1.82E-02	3.0E-03	6.05E-04	1.81E-06	1.60E-01	4.71E-02	1.36E-08	1.0E+06	1.4E-02
290	0.18264	1.82E-02	3.3E-03	6.05E-04	2.01E-06	1.60E-01	4.71E-02	1.52E-08	1.0E+06	1.5E-02
291	0.20155	1.82E-02	3.7E-03	6.05E-04	2.22E-06	1.60E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
292	0.24543	1.82E-02	4.5E-03	6.05E-04	2.70E-06	1.60E-01	4.71E-02	2.04E-08	1.0E+06	2.0E-02
293	0.26215	1.82E-02	4.8E-03	6.05E-04	2.89E-06	1.60E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
294	0.26042	1.82E-02	4.7E-03	6.05E-04	2.87E-06	1.60E-01	4.71E-02	2.17E-08	1.0E+06	2.2E-02
295	0.28841	1.82E-02	5.3E-03	6.05E-04	3.18E-06	1.60E-01	4.71E-02	2.40E-08	1.0E+06	2.4E-02
296	0.32442	1.82E-02	5.9E-03	6.05E-04	3.57E-06	1.60E-01	4.71E-02	2.70E-08	1.0E+06	2.7E-02
297	0.364	1.82E-02	6.6E-03	6.05E-04	4.01E-06	1.60E-01	4.71E-02	3.03E-08	1.0E+06	3.0E-02
298	0.42495	1.82E-02	7.7E-03	6.05E-04	4.68E-06	1.60E-01	4.71E-02	3.54E-08	1.0E+06	3.5E-02
299	0.51462	1.82E-02	9.4E-03	6.05E-04	5.67E-06	1.60E-01	4.71E-02	4.28E-08	1.0E+06	4.3E-02
300	0.60798	1.82E-02	1.1E-02	6.05E-04	6.70E-06	1.60E-01	4.71E-02	5.06E-08	1.0E+06	5.1E-02
301	0.7201	1.82E-02	1.3E-02	6.05E-04	7.93E-06	1.60E-01	4.71E-02	5.99E-08	1.0E+06	6.0E-02
302	0.82671	1.82E-02	1.5E-02	6.05E-04	9.11E-06	1.60E-01	4.71E-02	6.88E-08	1.0E+06	6.9E-02
303	0.91312	1.82E-02	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.60E-08	1.0E+06	7.6E-02
304	0.97225	1.82E-02	1.8E-02	6.05E-04	1.07E-05	1.60E-01	4.71E-02	8.09E-08	1.0E+06	8.1E-02
305	1.03502	1.82E-02	1.9E-02	6.05E-04	1.14E-05	1.60E-01	4.71E-02	8.61E-08	1.0E+06	8.6E-02
306	0.15526	1.82E-02	2.8E-03	6.05E-04	1.71E-06	1.60E-01	4.71E-02	1.29E-08	1.0E+06	1.3E-02
307	0.16177	1.82E-02	2.9E-03	6.05E-04	1.78E-06	1.60E-01	4.71E-02	1.35E-08	1.0E+06	1.3E-02
308	0.17435	1.82E-02	3.2E-03	6.05E-04	1.92E-06	1.60E-01	4.71E-02	1.45E-08	1.0E+06	1.5E-02
309	0.20263	1.82E-02	3.7E-03	6.05E-04	2.23E-06	1.60E-01	4.71E-02	1.69E-08	1.0E+06	1.7E-02
310	0.23095	1.82E-02	4.2E-03	6.05E-04	2.54E-06	1.60E-01	4.71E-02	1.92E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.24347	1.82E-02	4.4E-03	6.05E-04	2.68E-06	1.60E-01	4.71E-02	2.03E-08	1.0E+06	2.0E-02
312	0.23496	1.82E-02	4.3E-03	6.05E-04	2.59E-06	1.60E-01	4.71E-02	1.96E-08	1.0E+06	2.0E-02
313	0.25841	1.82E-02	4.7E-03	6.05E-04	2.85E-06	1.60E-01	4.71E-02	2.15E-08	1.0E+06	2.2E-02
314	0.28898	1.82E-02	5.3E-03	6.05E-04	3.18E-06	1.60E-01	4.71E-02	2.40E-08	1.0E+06	2.4E-02
315	0.3372	1.82E-02	6.1E-03	6.05E-04	3.72E-06	1.60E-01	4.71E-02	2.81E-08	1.0E+06	2.8E-02
316	0.37548	1.82E-02	6.8E-03	6.05E-04	4.14E-06	1.60E-01	4.71E-02	3.12E-08	1.0E+06	3.1E-02
317	0.43327	1.82E-02	7.9E-03	6.05E-04	4.77E-06	1.60E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
318	0.50839	1.82E-02	9.3E-03	6.05E-04	5.60E-06	1.60E-01	4.71E-02	4.23E-08	1.0E+06	4.2E-02
319	0.60035	1.82E-02	1.1E-02	6.05E-04	6.61E-06	1.60E-01	4.71E-02	5.00E-08	1.0E+06	5.0E-02
320	0.69635	1.82E-02	1.3E-02	6.05E-04	7.67E-06	1.60E-01	4.71E-02	5.79E-08	1.0E+06	5.8E-02
321	0.76368	1.82E-02	1.4E-02	6.05E-04	8.41E-06	1.60E-01	4.71E-02	6.35E-08	1.0E+06	6.4E-02
322	0.80823	1.82E-02	1.5E-02	6.05E-04	8.90E-06	1.60E-01	4.71E-02	6.72E-08	1.0E+06	6.7E-02
323	0.86092	1.82E-02	1.6E-02	6.05E-04	9.49E-06	1.60E-01	4.71E-02	7.16E-08	1.0E+06	7.2E-02
324	0.14933	1.82E-02	2.7E-03	6.05E-04	1.65E-06	1.60E-01	4.71E-02	1.24E-08	1.0E+06	1.2E-02
325	0.16452	1.82E-02	3.0E-03	6.05E-04	1.81E-06	1.60E-01	4.71E-02	1.37E-08	1.0E+06	1.4E-02
326	0.17468	1.82E-02	3.2E-03	6.05E-04	1.92E-06	1.60E-01	4.71E-02	1.45E-08	1.0E+06	1.5E-02
327	0.18209	1.82E-02	3.3E-03	6.05E-04	2.01E-06	1.60E-01	4.71E-02	1.52E-08	1.0E+06	1.5E-02
328	0.21964	1.82E-02	4.0E-03	6.05E-04	2.42E-06	1.60E-01	4.71E-02	1.83E-08	1.0E+06	1.8E-02
329	0.22545	1.82E-02	4.1E-03	6.05E-04	2.48E-06	1.60E-01	4.71E-02	1.88E-08	1.0E+06	1.9E-02
330	0.2186	1.82E-02	4.0E-03	6.05E-04	2.41E-06	1.60E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
331	0.24035	1.82E-02	4.4E-03	6.05E-04	2.65E-06	1.60E-01	4.71E-02	2.00E-08	1.0E+06	2.0E-02
332	0.26848	1.82E-02	4.9E-03	6.05E-04	2.96E-06	1.60E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
333	0.31139	1.82E-02	5.7E-03	6.05E-04	3.43E-06	1.60E-01	4.71E-02	2.59E-08	1.0E+06	2.6E-02
334	0.35238	1.82E-02	6.4E-03	6.05E-04	3.88E-06	1.60E-01	4.71E-02	2.93E-08	1.0E+06	2.9E-02
335	0.40188	1.82E-02	7.3E-03	6.05E-04	4.43E-06	1.60E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02
336	14.22193	1.82E-02	2.6E-01	6.05E-04	1.57E-04	1.60E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
337	9.15446	1.82E-02	1.7E-01	6.05E-04	1.01E-04	1.60E-01	4.71E-02	7.62E-07	1.0E+06	7.6E-01
338	0.35979	1.82E-02	6.6E-03	6.05E-04	3.96E-06	1.60E-01	4.71E-02	2.99E-08	1.0E+06	3.0E-02
339	0.39641	1.82E-02	7.2E-03	6.05E-04	4.37E-06	1.60E-01	4.71E-02	3.30E-08	1.0E+06	3.3E-02
340	0.42244	1.82E-02	7.7E-03	6.05E-04	4.65E-06	1.60E-01	4.71E-02	3.51E-08	1.0E+06	3.5E-02
341	0.44086	1.82E-02	8.0E-03	6.05E-04	4.86E-06	1.60E-01	4.71E-02	3.67E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.45488	1.82E-02	8.3E-03	6.05E-04	5.01E-06	1.60E-01	4.71E-02	3.78E-08	1.0E+06	3.8E-02
343	0.46544	1.82E-02	8.5E-03	6.05E-04	5.13E-06	1.60E-01	4.71E-02	3.87E-08	1.0E+06	3.9E-02
344	0.46309	1.82E-02	8.4E-03	6.05E-04	5.10E-06	1.60E-01	4.71E-02	3.85E-08	1.0E+06	3.9E-02
345	0.4552	1.82E-02	8.3E-03	6.05E-04	5.02E-06	1.60E-01	4.71E-02	3.79E-08	1.0E+06	3.8E-02
346	0.44133	1.82E-02	8.0E-03	6.05E-04	4.86E-06	1.60E-01	4.71E-02	3.67E-08	1.0E+06	3.7E-02
347	0.41527	1.82E-02	7.6E-03	6.05E-04	4.58E-06	1.60E-01	4.71E-02	3.46E-08	1.0E+06	3.5E-02
348	0.4685	1.82E-02	8.5E-03	6.05E-04	5.16E-06	1.60E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
349	0.50316	1.82E-02	9.2E-03	6.05E-04	5.54E-06	1.60E-01	4.71E-02	4.19E-08	1.0E+06	4.2E-02
350	0.52854	1.82E-02	9.6E-03	6.05E-04	5.82E-06	1.60E-01	4.71E-02	4.40E-08	1.0E+06	4.4E-02
351	0.54861	1.82E-02	1.0E-02	6.05E-04	6.04E-06	1.60E-01	4.71E-02	4.56E-08	1.0E+06	4.6E-02
352	0.56328	1.82E-02	1.0E-02	6.05E-04	6.21E-06	1.60E-01	4.71E-02	4.69E-08	1.0E+06	4.7E-02
353	0.55888	1.82E-02	1.0E-02	6.05E-04	6.16E-06	1.60E-01	4.71E-02	4.65E-08	1.0E+06	4.7E-02
354	0.54148	1.82E-02	9.9E-03	6.05E-04	5.97E-06	1.60E-01	4.71E-02	4.51E-08	1.0E+06	4.5E-02
355	0.52355	1.82E-02	9.5E-03	6.05E-04	5.77E-06	1.60E-01	4.71E-02	4.36E-08	1.0E+06	4.4E-02
356	0.48865	1.82E-02	8.9E-03	6.05E-04	5.38E-06	1.60E-01	4.71E-02	4.07E-08	1.0E+06	4.1E-02
357	0.5365	1.82E-02	9.8E-03	6.05E-04	5.91E-06	1.60E-01	4.71E-02	4.46E-08	1.0E+06	4.5E-02
358	0.60331	1.82E-02	1.1E-02	6.05E-04	6.65E-06	1.60E-01	4.71E-02	5.02E-08	1.0E+06	5.0E-02
359	0.64623	1.82E-02	1.2E-02	6.05E-04	7.12E-06	1.60E-01	4.71E-02	5.38E-08	1.0E+06	5.4E-02
360	0.67667	1.82E-02	1.2E-02	6.05E-04	7.46E-06	1.60E-01	4.71E-02	5.63E-08	1.0E+06	5.6E-02
361	0.69726	1.82E-02	1.3E-02	6.05E-04	7.68E-06	1.60E-01	4.71E-02	5.80E-08	1.0E+06	5.8E-02
362	0.68982	1.82E-02	1.3E-02	6.05E-04	7.60E-06	1.60E-01	4.71E-02	5.74E-08	1.0E+06	5.7E-02
363	0.66165	1.82E-02	1.2E-02	6.05E-04	7.29E-06	1.60E-01	4.71E-02	5.51E-08	1.0E+06	5.5E-02
364	0.5908	1.82E-02	1.1E-02	6.05E-04	6.51E-06	1.60E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
365	0.64391	1.82E-02	1.2E-02	6.05E-04	7.09E-06	1.60E-01	4.71E-02	5.36E-08	1.0E+06	5.4E-02
366	0.73317	1.82E-02	1.3E-02	6.05E-04	8.08E-06	1.60E-01	4.71E-02	6.10E-08	1.0E+06	6.1E-02
367	0.81139	1.82E-02	1.5E-02	6.05E-04	8.94E-06	1.60E-01	4.71E-02	6.75E-08	1.0E+06	6.8E-02
368	0.85914	1.82E-02	1.6E-02	6.05E-04	9.47E-06	1.60E-01	4.71E-02	7.15E-08	1.0E+06	7.1E-02
369	0.89316	1.82E-02	1.6E-02	6.05E-04	9.84E-06	1.60E-01	4.71E-02	7.43E-08	1.0E+06	7.4E-02
370	0.84336	1.82E-02	1.5E-02	6.05E-04	9.29E-06	1.60E-01	4.71E-02	7.02E-08	1.0E+06	7.0E-02
371	0.78943	1.82E-02	1.4E-02	6.05E-04	8.70E-06	1.60E-01	4.71E-02	6.57E-08	1.0E+06	6.6E-02
372	0.7404	1.82E-02	1.3E-02	6.05E-04	8.16E-06	1.60E-01	4.71E-02	6.16E-08	1.0E+06	6.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.81467	1.82E-02	1.5E-02	6.05E-04	8.98E-06	1.60E-01	4.71E-02	6.78E-08	1.0E+06	6.8E-02
374	0.93965	1.82E-02	1.7E-02	6.05E-04	1.04E-05	1.60E-01	4.71E-02	7.82E-08	1.0E+06	7.8E-02
375	1.05178	1.82E-02	1.9E-02	6.05E-04	1.16E-05	1.60E-01	4.71E-02	8.75E-08	1.0E+06	8.8E-02
376	1.13565	1.82E-02	2.1E-02	6.05E-04	1.25E-05	1.60E-01	4.71E-02	9.45E-08	1.0E+06	9.4E-02
377	1.18875	1.82E-02	2.2E-02	6.05E-04	1.31E-05	1.60E-01	4.71E-02	9.89E-08	1.0E+06	9.9E-02
378	1.20018	1.82E-02	2.2E-02	6.05E-04	1.32E-05	1.60E-01	4.71E-02	9.99E-08	1.0E+06	1.0E-01
379	1.0988	1.82E-02	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.14E-08	1.0E+06	9.1E-02
380	1.00783	1.82E-02	1.8E-02	6.05E-04	1.11E-05	1.60E-01	4.71E-02	8.39E-08	1.0E+06	8.4E-02
381	0.90119	1.82E-02	1.6E-02	6.05E-04	9.93E-06	1.60E-01	4.71E-02	7.50E-08	1.0E+06	7.5E-02
382	0.96212	1.82E-02	1.8E-02	6.05E-04	1.06E-05	1.60E-01	4.71E-02	8.01E-08	1.0E+06	8.0E-02
383	1.10532	1.82E-02	2.0E-02	6.05E-04	1.22E-05	1.60E-01	4.71E-02	9.20E-08	1.0E+06	9.2E-02
384	1.26328	1.82E-02	2.3E-02	6.05E-04	1.39E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
385	1.43142	1.82E-02	2.6E-02	6.05E-04	1.58E-05	1.60E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
386	1.58401	1.82E-02	2.9E-02	6.05E-04	1.75E-05	1.60E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
387	1.69194	1.82E-02	3.1E-02	6.05E-04	1.86E-05	1.60E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
388	1.71763	1.82E-02	3.1E-02	6.05E-04	1.89E-05	1.60E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
389	1.484	1.82E-02	2.7E-02	6.05E-04	1.64E-05	1.60E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
390	1.29262	1.82E-02	2.4E-02	6.05E-04	1.42E-05	1.60E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
391	1.10329	1.82E-02	2.0E-02	6.05E-04	1.22E-05	1.60E-01	4.71E-02	9.18E-08	1.0E+06	9.2E-02
392	0.9065	1.82E-02	1.7E-02	6.05E-04	9.99E-06	1.60E-01	4.71E-02	7.54E-08	1.0E+06	7.5E-02
393	1.34746	1.82E-02	2.5E-02	6.05E-04	1.48E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
394	1.64651	1.82E-02	3.0E-02	6.05E-04	1.81E-05	1.60E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
395	1.85616	1.82E-02	3.4E-02	6.05E-04	2.05E-05	1.60E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
396	2.16582	1.82E-02	3.9E-02	6.05E-04	2.39E-05	1.60E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
397	2.45109	1.82E-02	4.5E-02	6.05E-04	2.70E-05	1.60E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
398	2.45583	1.82E-02	4.5E-02	6.05E-04	2.71E-05	1.60E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
399	2.2475	1.82E-02	4.1E-02	6.05E-04	2.48E-05	1.60E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
400	2.09785	1.82E-02	3.8E-02	6.05E-04	2.31E-05	1.60E-01	4.71E-02	1.75E-07	1.0E+06	1.7E-01
401	1.67728	1.82E-02	3.1E-02	6.05E-04	1.85E-05	1.60E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
402	1.02737	1.82E-02	1.9E-02	6.05E-04	1.13E-05	1.60E-01	4.71E-02	8.55E-08	1.0E+06	8.5E-02
403	3.07347	1.82E-02	5.6E-02	6.05E-04	3.39E-05	1.60E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.17192	1.82E-02	2.1E-02	6.05E-04	1.29E-05	1.60E-01	4.71E-02	9.75E-08	1.0E+06	9.8E-02
405	0.88845	1.82E-02	1.6E-02	6.05E-04	9.79E-06	1.60E-01	4.71E-02	7.39E-08	1.0E+06	7.4E-02
406	4.25111	1.82E-02	7.7E-02	6.05E-04	4.68E-05	1.60E-01	4.71E-02	3.54E-07	1.0E+06	3.5E-01
407	0.89626	1.82E-02	1.6E-02	6.05E-04	9.87E-06	1.60E-01	4.71E-02	7.46E-08	1.0E+06	7.5E-02
408	4.45544	1.82E-02	8.1E-02	6.05E-04	4.91E-05	1.60E-01	4.71E-02	3.71E-07	1.0E+06	3.7E-01
409	0.87466	1.82E-02	1.6E-02	6.05E-04	9.64E-06	1.60E-01	4.71E-02	7.28E-08	1.0E+06	7.3E-02
410	3.99529	1.82E-02	7.3E-02	6.05E-04	4.40E-05	1.60E-01	4.71E-02	3.32E-07	1.0E+06	3.3E-01
411	1.11539	1.82E-02	2.0E-02	6.05E-04	1.23E-05	1.60E-01	4.71E-02	9.28E-08	1.0E+06	9.3E-02
412	0.85128	1.82E-02	1.6E-02	6.05E-04	9.38E-06	1.60E-01	4.71E-02	7.08E-08	1.0E+06	7.1E-02
413	3.39077	1.82E-02	6.2E-02	6.05E-04	3.74E-05	1.60E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
414	1.40553	1.82E-02	2.6E-02	6.05E-04	1.55E-05	1.60E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
415	1.02933	1.82E-02	1.9E-02	6.05E-04	1.13E-05	1.60E-01	4.71E-02	8.56E-08	1.0E+06	8.6E-02
416	0.79436	1.82E-02	1.4E-02	6.05E-04	8.75E-06	1.60E-01	4.71E-02	6.61E-08	1.0E+06	6.6E-02
417	2.77348	1.82E-02	5.1E-02	6.05E-04	3.06E-05	1.60E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
418	0.94049	1.82E-02	1.7E-02	6.05E-04	1.04E-05	1.60E-01	4.71E-02	7.83E-08	1.0E+06	7.8E-02
419	0.73553	1.82E-02	1.3E-02	6.05E-04	8.10E-06	1.60E-01	4.71E-02	6.12E-08	1.0E+06	6.1E-02
420	0.59217	1.82E-02	1.1E-02	6.05E-04	6.52E-06	1.60E-01	4.71E-02	4.93E-08	1.0E+06	4.9E-02
421	2.27084	1.82E-02	4.1E-02	6.05E-04	2.50E-05	1.60E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
422	0.67828	1.82E-02	1.2E-02	6.05E-04	7.47E-06	1.60E-01	4.71E-02	5.64E-08	1.0E+06	5.6E-02
423	0.554	1.82E-02	1.0E-02	6.05E-04	6.10E-06	1.60E-01	4.71E-02	4.61E-08	1.0E+06	4.6E-02
424	1.88	1.82E-02	3.4E-02	6.05E-04	2.07E-05	1.60E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
425	0.5157	1.82E-02	9.4E-03	6.05E-04	5.68E-06	1.60E-01	4.71E-02	4.29E-08	1.0E+06	4.3E-02
426	0.43371	1.82E-02	7.9E-03	6.05E-04	4.78E-06	1.60E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
427	1.56649	1.82E-02	2.9E-02	6.05E-04	1.73E-05	1.60E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
428	0.4789	1.82E-02	8.7E-03	6.05E-04	5.28E-06	1.60E-01	4.71E-02	3.98E-08	1.0E+06	4.0E-02
429	0.40662	1.82E-02	7.4E-03	6.05E-04	4.48E-06	1.60E-01	4.71E-02	3.38E-08	1.0E+06	3.4E-02
430	1.3156	1.82E-02	2.4E-02	6.05E-04	1.45E-05	1.60E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
431	0.38046	1.82E-02	6.9E-03	6.05E-04	4.19E-06	1.60E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
432	0.32758	1.82E-02	6.0E-03	6.05E-04	3.61E-06	1.60E-01	4.71E-02	2.73E-08	1.0E+06	2.7E-02
433	1.1119	1.82E-02	2.0E-02	6.05E-04	1.23E-05	1.60E-01	4.71E-02	9.25E-08	1.0E+06	9.3E-02
434	0.35598	1.82E-02	6.5E-03	6.05E-04	3.92E-06	1.60E-01	4.71E-02	2.96E-08	1.0E+06	3.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.31017	1.82E-02	5.6E-03	6.05E-04	3.42E-06	1.60E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
436	0.94807	1.82E-02	1.7E-02	6.05E-04	1.04E-05	1.60E-01	4.71E-02	7.89E-08	1.0E+06	7.9E-02
437	0.38616	1.82E-02	7.0E-03	6.05E-04	4.25E-06	1.60E-01	4.71E-02	3.21E-08	1.0E+06	3.2E-02
438	0.33379	1.82E-02	6.1E-03	6.05E-04	3.68E-06	1.60E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
439	0.29234	1.82E-02	5.3E-03	6.05E-04	3.22E-06	1.60E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
440	0.81447	1.82E-02	1.5E-02	6.05E-04	8.97E-06	1.60E-01	4.71E-02	6.78E-08	1.0E+06	6.8E-02
441	0.49808	1.82E-02	9.1E-03	6.05E-04	5.49E-06	1.60E-01	4.71E-02	4.14E-08	1.0E+06	4.1E-02
442	0.42026	1.82E-02	7.7E-03	6.05E-04	4.63E-06	1.60E-01	4.71E-02	3.50E-08	1.0E+06	3.5E-02
443	0.36046	1.82E-02	6.6E-03	6.05E-04	3.97E-06	1.60E-01	4.71E-02	3.00E-08	1.0E+06	3.0E-02
444	0.31303	1.82E-02	5.7E-03	6.05E-04	3.45E-06	1.60E-01	4.71E-02	2.60E-08	1.0E+06	2.6E-02
445	0.70549	1.82E-02	1.3E-02	6.05E-04	7.77E-06	1.60E-01	4.71E-02	5.87E-08	1.0E+06	5.9E-02
446	0.52981	1.82E-02	9.6E-03	6.05E-04	5.84E-06	1.60E-01	4.71E-02	4.41E-08	1.0E+06	4.4E-02
447	0.45344	1.82E-02	8.3E-03	6.05E-04	5.00E-06	1.60E-01	4.71E-02	3.77E-08	1.0E+06	3.8E-02
448	0.38911	1.82E-02	7.1E-03	6.05E-04	4.29E-06	1.60E-01	4.71E-02	3.24E-08	1.0E+06	3.2E-02
449	0.61559	1.82E-02	1.1E-02	6.05E-04	6.78E-06	1.60E-01	4.71E-02	5.12E-08	1.0E+06	5.1E-02
450	0.5474	1.82E-02	1.0E-02	6.05E-04	6.03E-06	1.60E-01	4.71E-02	4.55E-08	1.0E+06	4.6E-02
451	0.47889	1.82E-02	8.7E-03	6.05E-04	5.28E-06	1.60E-01	4.71E-02	3.98E-08	1.0E+06	4.0E-02
452	0.54079	1.82E-02	9.8E-03	6.05E-04	5.96E-06	1.60E-01	4.71E-02	4.50E-08	1.0E+06	4.5E-02
453	0.48845	1.82E-02	8.9E-03	6.05E-04	5.38E-06	1.60E-01	4.71E-02	4.06E-08	1.0E+06	4.1E-02
454	0.23028	1.82E-02	4.2E-03	6.05E-04	2.54E-06	1.60E-01	4.71E-02	1.92E-08	1.0E+06	1.9E-02
455	0.2084	1.82E-02	3.8E-03	6.05E-04	2.30E-06	1.60E-01	4.71E-02	1.73E-08	1.0E+06	1.7E-02
456	0.47804	1.82E-02	8.7E-03	6.05E-04	5.27E-06	1.60E-01	4.71E-02	3.98E-08	1.0E+06	4.0E-02
457	0.43751	1.82E-02	8.0E-03	6.05E-04	4.82E-06	1.60E-01	4.71E-02	3.64E-08	1.0E+06	3.6E-02
458	0.39304	1.82E-02	7.2E-03	6.05E-04	4.33E-06	1.60E-01	4.71E-02	3.27E-08	1.0E+06	3.3E-02
459	0.27435	1.82E-02	5.0E-03	6.05E-04	3.02E-06	1.60E-01	4.71E-02	2.28E-08	1.0E+06	2.3E-02
460	0.24475	1.82E-02	4.5E-03	6.05E-04	2.70E-06	1.60E-01	4.71E-02	2.04E-08	1.0E+06	2.0E-02
461	0.21926	1.82E-02	4.0E-03	6.05E-04	2.42E-06	1.60E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
462	0.19767	1.82E-02	3.6E-03	6.05E-04	2.18E-06	1.60E-01	4.71E-02	1.64E-08	1.0E+06	1.6E-02
463	13.92843	1.82E-02	2.5E-01	6.05E-04	1.53E-04	1.60E-01	4.71E-02	1.16E-06	1.0E+06	1.2E+00
464	7.93246	1.82E-02	1.4E-01	6.05E-04	8.74E-05	1.60E-01	4.71E-02	6.60E-07	1.0E+06	6.6E-01
465	10.04613	1.82E-02	1.8E-01	6.05E-04	1.11E-04	1.60E-01	4.71E-02	8.36E-07	1.0E+06	8.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	5.6879	1.82E-02	1.0E-01	6.05E-04	6.27E-05	1.60E-01	4.71E-02	4.73E-07	1.0E+06	4.7E-01
467	6.17677	1.82E-02	1.1E-01	6.05E-04	6.81E-05	1.60E-01	4.71E-02	5.14E-07	1.0E+06	5.1E-01
468	4.25156	1.82E-02	7.7E-02	6.05E-04	4.68E-05	1.60E-01	4.71E-02	3.54E-07	1.0E+06	3.5E-01
469	3.04435	1.82E-02	5.5E-02	6.05E-04	3.35E-05	1.60E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
470	2.7682	1.82E-02	5.0E-02	6.05E-04	3.05E-05	1.60E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
471	2.64881	1.82E-02	4.8E-02	6.05E-04	2.92E-05	1.60E-01	4.71E-02	2.20E-07	1.0E+06	2.2E-01
472	2.05018	1.82E-02	3.7E-02	6.05E-04	2.26E-05	1.60E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
473	1.76651	1.82E-02	3.2E-02	6.05E-04	1.95E-05	1.60E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
474	1.58003	1.82E-02	2.9E-02	6.05E-04	1.74E-05	1.60E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
475	1.40878	1.82E-02	2.6E-02	6.05E-04	1.55E-05	1.60E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
476	1.25565	1.82E-02	2.3E-02	6.05E-04	1.38E-05	1.60E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
477	1.14792	1.82E-02	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.55E-08	1.0E+06	9.6E-02
478	1.02132	1.82E-02	1.9E-02	6.05E-04	1.13E-05	1.60E-01	4.71E-02	8.50E-08	1.0E+06	8.5E-02
479	0.95054	1.82E-02	1.7E-02	6.05E-04	1.05E-05	1.60E-01	4.71E-02	7.91E-08	1.0E+06	7.9E-02
480	0.85091	1.82E-02	1.5E-02	6.05E-04	9.38E-06	1.60E-01	4.71E-02	7.08E-08	1.0E+06	7.1E-02
481	0.84658	1.82E-02	1.5E-02	6.05E-04	9.33E-06	1.60E-01	4.71E-02	7.04E-08	1.0E+06	7.0E-02
482	0.73004	1.82E-02	1.3E-02	6.05E-04	8.04E-06	1.60E-01	4.71E-02	6.07E-08	1.0E+06	6.1E-02
483	0.68148	1.82E-02	1.2E-02	6.05E-04	7.51E-06	1.60E-01	4.71E-02	5.67E-08	1.0E+06	5.7E-02
484	0.63172	1.82E-02	1.2E-02	6.05E-04	6.96E-06	1.60E-01	4.71E-02	5.26E-08	1.0E+06	5.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	6.37E-04
2	5	6.63E-04
3	5	6.89E-04
4	5	7.16E-04
5	5	7.44E-04
6	5	7.79E-04
7	5	8.19E-04
8	5	8.67E-04
9	5	9.21E-04
10	5	9.97E-04
11	5	1.09E-03
12	5	1.19E-03
13	5	1.30E-03
14	5	1.72E-03
15	5	7.03E-04
16	5	7.36E-04
17	5	7.73E-04
18	5	8.08E-04
19	5	8.43E-04
20	5	8.83E-04
21	5	9.28E-04
22	5	9.78E-04
23	5	1.05E-03
24	5	1.13E-03
25	5	1.24E-03
26	5	1.38E-03
27	5	1.50E-03
28	5	2.08E-03
29	5	7.68E-04
30	5	8.13E-04
31	5	8.62E-04

Max	Receptor #	
0.058	146	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	9.12E-04
33	5	9.57E-04
34	5	1.01E-03
35	5	1.06E-03
36	5	1.13E-03
37	5	1.21E-03
38	5	1.31E-03
39	5	1.45E-03
40	5	1.59E-03
41	5	1.75E-03
42	5	2.59E-03
43	5	8.25E-04
44	5	8.79E-04
45	5	9.45E-04
46	5	1.01E-03
47	5	1.08E-03
48	5	1.15E-03
49	5	1.22E-03
50	5	1.30E-03
51	5	1.41E-03
52	5	1.53E-03
53	5	1.71E-03
54	5	1.90E-03
55	5	2.12E-03
56	5	3.32E-03
57	5	8.66E-04
58	5	9.38E-04
59	5	1.02E-03
60	5	1.12E-03
61	5	1.21E-03
62	5	1.31E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	1.42E-03
64	5	1.51E-03
65	5	1.65E-03
66	5	1.83E-03
67	5	2.02E-03
68	5	2.32E-03
69	5	2.65E-03
70	5	9.09E-04
71	5	9.92E-04
72	5	1.10E-03
73	5	1.21E-03
74	5	1.33E-03
75	5	1.47E-03
76	5	1.63E-03
77	5	1.78E-03
78	5	1.98E-03
79	5	2.29E-03
80	5	2.55E-03
81	5	3.00E-03
82	5	3.43E-03
83	5	9.45E-04
84	5	1.05E-03
85	5	1.17E-03
86	5	1.28E-03
87	5	1.43E-03
88	5	1.60E-03
89	5	1.80E-03
90	5	2.06E-03
91	5	2.36E-03
92	5	2.74E-03
93	5	3.20E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	3.78E-03
95	5	4.47E-03
96	5	9.73E-04
97	5	1.08E-03
98	5	1.20E-03
99	5	1.35E-03
100	5	1.52E-03
101	5	1.72E-03
102	5	1.97E-03
103	5	2.29E-03
104	5	2.69E-03
105	5	3.21E-03
106	5	3.88E-03
107	5	4.75E-03
108	5	5.87E-03
109	5	9.66E-04
110	5	1.08E-03
111	5	1.22E-03
112	5	1.38E-03
113	5	1.57E-03
114	5	1.81E-03
115	5	2.11E-03
116	5	2.49E-03
117	5	3.01E-03
118	5	3.61E-03
119	5	4.53E-03
120	5	5.75E-03
121	5	7.31E-03
122	5	9.30E-04
123	5	1.05E-03
124	5	1.20E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	1.37E-03
126	5	1.58E-03
127	5	1.84E-03
128	5	2.14E-03
129	5	2.59E-03
130	5	3.25E-03
131	5	4.71E-02
132	5	3.42E-02
133	5	8.71E-04
134	5	1.00E-03
135	5	1.15E-03
136	5	1.32E-03
137	5	1.53E-03
138	5	1.79E-03
139	5	2.11E-03
140	5	2.58E-03
141	5	3.27E-03
142	5	4.30E-03
143	5	6.09E-03
144	5	9.69E-03
145	5	1.90E-02
146	5	5.76E-02
147	5	8.07E-04
148	5	9.26E-04
149	5	1.07E-03
150	5	1.24E-03
151	5	1.45E-03
152	5	1.69E-03
153	5	2.01E-03
154	5	2.47E-03
155	5	3.15E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	4.19E-03
157	5	5.97E-03
158	5	9.62E-03
159	5	2.40E-02
160	5	7.63E-04
161	5	8.58E-04
162	5	9.61E-04
163	5	1.13E-03
164	5	1.35E-03
165	5	1.58E-03
166	5	1.89E-03
167	5	2.31E-03
168	5	2.92E-03
169	5	3.86E-03
170	5	5.40E-03
171	5	8.42E-03
172	5	1.80E-02
173	5	2.45E-02
174	5	3.75E-02
175	5	4.05E-02
176	5	4.73E-02
177	5	3.93E-02
178	5	3.25E-02
179	5	7.03E-04
180	5	7.81E-04
181	5	8.60E-04
182	5	1.03E-03
183	5	1.26E-03
184	5	1.48E-03
185	5	1.78E-03
186	5	2.17E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	2.69E-03
188	5	3.47E-03
189	5	4.64E-03
190	5	6.65E-03
191	5	1.07E-02
192	5	1.86E-02
193	5	2.42E-02
194	5	2.70E-02
195	5	2.95E-02
196	5	2.78E-02
197	5	2.15E-02
198	5	6.68E-04
199	5	7.43E-04
200	5	8.32E-04
201	5	9.59E-04
202	5	1.17E-03
203	5	1.39E-03
204	5	1.67E-03
205	5	2.01E-03
206	5	2.46E-03
207	5	3.08E-03
208	5	3.94E-03
209	5	5.24E-03
210	5	7.38E-03
211	5	1.05E-02
212	5	1.30E-02
213	5	1.40E-02
214	5	1.39E-02
215	5	1.62E-02
216	5	6.46E-04
217	5	7.13E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	7.99E-04
219	5	9.11E-04
220	5	1.09E-03
221	5	1.28E-03
222	5	1.53E-03
223	5	1.82E-03
224	5	2.19E-03
225	5	2.64E-03
226	5	3.27E-03
227	5	4.12E-03
228	5	5.37E-03
229	5	7.03E-03
230	5	8.50E-03
231	5	9.40E-03
232	5	9.70E-03
233	5	1.06E-02
234	5	6.26E-04
235	5	6.85E-04
236	5	7.65E-04
237	5	8.73E-04
238	5	1.02E-03
239	5	1.18E-03
240	5	1.38E-03
241	5	1.62E-03
242	5	1.91E-03
243	5	2.25E-03
244	5	2.72E-03
245	5	3.34E-03
246	5	4.18E-03
247	5	5.20E-03
248	5	6.18E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	6.87E-03
250	5	7.22E-03
251	5	7.75E-03
252	5	6.01E-04
253	5	6.52E-04
254	5	7.20E-04
255	5	8.05E-04
256	5	9.48E-04
257	5	1.05E-03
258	5	1.19E-03
259	5	1.35E-03
260	5	1.58E-03
261	5	1.88E-03
262	5	2.26E-03
263	5	2.71E-03
264	5	3.31E-03
265	5	3.99E-03
266	5	4.67E-03
267	5	5.19E-03
268	5	5.47E-03
269	5	5.84E-03
270	5	5.76E-04
271	5	6.26E-04
272	5	6.87E-04
273	5	7.57E-04
274	5	8.92E-04
275	5	1.01E-03
276	5	1.06E-03
277	5	1.17E-03
278	5	1.33E-03
279	5	1.54E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.86E-03
281	5	2.24E-03
282	5	2.70E-03
283	5	3.20E-03
284	5	3.70E-03
285	5	4.08E-03
286	5	4.32E-03
287	5	4.61E-03
288	5	5.56E-04
289	5	5.97E-04
290	5	6.65E-04
291	5	7.34E-04
292	5	8.94E-04
293	5	9.55E-04
294	5	9.48E-04
295	5	1.05E-03
296	5	1.18E-03
297	5	1.33E-03
298	5	1.55E-03
299	5	1.87E-03
300	5	2.21E-03
301	5	2.62E-03
302	5	3.01E-03
303	5	3.33E-03
304	5	3.54E-03
305	5	3.77E-03
306	5	5.65E-04
307	5	5.89E-04
308	5	6.35E-04
309	5	7.38E-04
310	5	8.41E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	8.87E-04
312	5	8.56E-04
313	5	9.41E-04
314	5	1.05E-03
315	5	1.23E-03
316	5	1.37E-03
317	5	1.58E-03
318	5	1.85E-03
319	5	2.19E-03
320	5	2.54E-03
321	5	2.78E-03
322	5	2.94E-03
323	5	3.14E-03
324	5	5.44E-04
325	5	5.99E-04
326	5	6.36E-04
327	5	6.63E-04
328	5	8.00E-04
329	5	8.21E-04
330	5	7.96E-04
331	5	8.75E-04
332	5	9.78E-04
333	5	1.13E-03
334	5	1.28E-03
335	5	1.46E-03
336	5	5.18E-02
337	5	3.33E-02
338	5	1.31E-03
339	5	1.44E-03
340	5	1.54E-03
341	5	1.61E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	1.66E-03
343	5	1.70E-03
344	5	1.69E-03
345	5	1.66E-03
346	5	1.61E-03
347	5	1.51E-03
348	5	1.71E-03
349	5	1.83E-03
350	5	1.92E-03
351	5	2.00E-03
352	5	2.05E-03
353	5	2.04E-03
354	5	1.97E-03
355	5	1.91E-03
356	5	1.78E-03
357	5	1.95E-03
358	5	2.20E-03
359	5	2.35E-03
360	5	2.46E-03
361	5	2.54E-03
362	5	2.51E-03
363	5	2.41E-03
364	5	2.15E-03
365	5	2.35E-03
366	5	2.67E-03
367	5	2.95E-03
368	5	3.13E-03
369	5	3.25E-03
370	5	3.07E-03
371	5	2.87E-03
372	5	2.70E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	2.97E-03
374	5	3.42E-03
375	5	3.83E-03
376	5	4.14E-03
377	5	4.33E-03
378	5	4.37E-03
379	5	4.00E-03
380	5	3.67E-03
381	5	3.28E-03
382	5	3.50E-03
383	5	4.03E-03
384	5	4.60E-03
385	5	5.21E-03
386	5	5.77E-03
387	5	6.16E-03
388	5	6.26E-03
389	5	5.40E-03
390	5	4.71E-03
391	5	4.02E-03
392	5	3.30E-03
393	5	4.91E-03
394	5	6.00E-03
395	5	6.76E-03
396	5	7.89E-03
397	5	8.93E-03
398	5	8.94E-03
399	5	8.19E-03
400	5	7.64E-03
401	5	6.11E-03
402	5	3.74E-03
403	5	1.12E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	4.27E-03
405	5	3.24E-03
406	5	1.55E-02
407	5	3.26E-03
408	5	1.62E-02
409	5	3.19E-03
410	5	1.46E-02
411	5	4.06E-03
412	5	3.10E-03
413	5	1.23E-02
414	5	5.12E-03
415	5	3.75E-03
416	5	2.89E-03
417	5	1.01E-02
418	5	3.43E-03
419	5	2.68E-03
420	5	2.16E-03
421	5	8.27E-03
422	5	2.47E-03
423	5	2.02E-03
424	5	6.85E-03
425	5	1.88E-03
426	5	1.58E-03
427	5	5.70E-03
428	5	1.74E-03
429	5	1.48E-03
430	5	4.79E-03
431	5	1.39E-03
432	5	1.19E-03
433	5	4.05E-03
434	5	1.30E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.13E-03
436	5	3.45E-03
437	5	1.41E-03
438	5	1.22E-03
439	5	1.06E-03
440	5	2.97E-03
441	5	1.81E-03
442	5	1.53E-03
443	5	1.31E-03
444	5	1.14E-03
445	5	2.57E-03
446	5	1.93E-03
447	5	1.65E-03
448	5	1.42E-03
449	5	2.24E-03
450	5	1.99E-03
451	5	1.74E-03
452	5	1.97E-03
453	5	1.78E-03
454	5	8.39E-04
455	5	7.59E-04
456	5	1.74E-03
457	5	1.59E-03
458	5	1.43E-03
459	5	9.99E-04
460	5	8.91E-04
461	5	7.99E-04
462	5	7.20E-04
463	5	5.07E-02
464	5	2.89E-02
465	5	3.66E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	2.07E-02
467	5	2.25E-02
468	5	1.55E-02
469	5	1.11E-02
470	5	1.01E-02
471	5	9.65E-03
472	5	7.47E-03
473	5	6.43E-03
474	5	5.75E-03
475	5	5.13E-03
476	5	4.57E-03
477	5	4.18E-03
478	5	3.72E-03
479	5	3.46E-03
480	5	3.10E-03
481	5	3.08E-03
482	5	2.66E-03
483	5	2.48E-03
484	5	2.30E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.17488	4.85E-03	8.5E-04	6.05E-04	5.13E-07	1.84E+00	4.71E-02	4.45E-08	1.0E+06	4.5E-02
2	0.1821	4.85E-03	8.8E-04	6.05E-04	5.34E-07	1.84E+00	4.71E-02	4.64E-08	1.0E+06	4.6E-02
3	0.18927	4.85E-03	9.2E-04	6.05E-04	5.55E-07	1.84E+00	4.71E-02	4.82E-08	1.0E+06	4.8E-02
4	0.19672	4.85E-03	9.5E-04	6.05E-04	5.77E-07	1.84E+00	4.71E-02	5.01E-08	1.0E+06	5.0E-02
5	0.20428	4.85E-03	9.9E-04	6.05E-04	5.99E-07	1.84E+00	4.71E-02	5.20E-08	1.0E+06	5.2E-02
6	0.21386	4.85E-03	1.0E-03	6.05E-04	6.27E-07	1.84E+00	4.71E-02	5.45E-08	1.0E+06	5.4E-02
7	0.22485	4.85E-03	1.1E-03	6.05E-04	6.59E-07	1.84E+00	4.71E-02	5.73E-08	1.0E+06	5.7E-02
8	0.23793	4.85E-03	1.2E-03	6.05E-04	6.98E-07	1.84E+00	4.71E-02	6.06E-08	1.0E+06	6.1E-02
9	0.25299	4.85E-03	1.2E-03	6.05E-04	7.42E-07	1.84E+00	4.71E-02	6.44E-08	1.0E+06	6.4E-02
10	0.27375	4.85E-03	1.3E-03	6.05E-04	8.03E-07	1.84E+00	4.71E-02	6.97E-08	1.0E+06	7.0E-02
11	0.29877	4.85E-03	1.4E-03	6.05E-04	8.76E-07	1.84E+00	4.71E-02	7.61E-08	1.0E+06	7.6E-02
12	0.32773	4.85E-03	1.6E-03	6.05E-04	9.61E-07	1.84E+00	4.71E-02	8.35E-08	1.0E+06	8.3E-02
13	0.35728	4.85E-03	1.7E-03	6.05E-04	1.05E-06	1.84E+00	4.71E-02	9.10E-08	1.0E+06	9.1E-02
14	0.47121	4.85E-03	2.3E-03	6.05E-04	1.38E-06	1.84E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01
15	0.19314	4.85E-03	9.4E-04	6.05E-04	5.66E-07	1.84E+00	4.71E-02	4.92E-08	1.0E+06	4.9E-02
16	0.20217	4.85E-03	9.8E-04	6.05E-04	5.93E-07	1.84E+00	4.71E-02	5.15E-08	1.0E+06	5.1E-02
17	0.21216	4.85E-03	1.0E-03	6.05E-04	6.22E-07	1.84E+00	4.71E-02	5.40E-08	1.0E+06	5.4E-02
18	0.22178	4.85E-03	1.1E-03	6.05E-04	6.50E-07	1.84E+00	4.71E-02	5.65E-08	1.0E+06	5.6E-02
19	0.23136	4.85E-03	1.1E-03	6.05E-04	6.78E-07	1.84E+00	4.71E-02	5.89E-08	1.0E+06	5.9E-02
20	0.2424	4.85E-03	1.2E-03	6.05E-04	7.11E-07	1.84E+00	4.71E-02	6.17E-08	1.0E+06	6.2E-02
21	0.25482	4.85E-03	1.2E-03	6.05E-04	7.47E-07	1.84E+00	4.71E-02	6.49E-08	1.0E+06	6.5E-02
22	0.26846	4.85E-03	1.3E-03	6.05E-04	7.87E-07	1.84E+00	4.71E-02	6.84E-08	1.0E+06	6.8E-02
23	0.28842	4.85E-03	1.4E-03	6.05E-04	8.46E-07	1.84E+00	4.71E-02	7.34E-08	1.0E+06	7.3E-02
24	0.30946	4.85E-03	1.5E-03	6.05E-04	9.07E-07	1.84E+00	4.71E-02	7.88E-08	1.0E+06	7.9E-02
25	0.3417	4.85E-03	1.7E-03	6.05E-04	1.00E-06	1.84E+00	4.71E-02	8.70E-08	1.0E+06	8.7E-02
26	0.37884	4.85E-03	1.8E-03	6.05E-04	1.11E-06	1.84E+00	4.71E-02	9.65E-08	1.0E+06	9.6E-02
27	0.41116	4.85E-03	2.0E-03	6.05E-04	1.21E-06	1.84E+00	4.71E-02	1.05E-07	1.0E+06	1.0E-01
28	0.57175	4.85E-03	2.8E-03	6.05E-04	1.68E-06	1.84E+00	4.71E-02	1.46E-07	1.0E+06	1.5E-01
29	0.21093	4.85E-03	1.0E-03	6.05E-04	6.18E-07	1.84E+00	4.71E-02	5.37E-08	1.0E+06	5.4E-02
30	0.22337	4.85E-03	1.1E-03	6.05E-04	6.55E-07	1.84E+00	4.71E-02	5.69E-08	1.0E+06	5.7E-02
31	0.23665	4.85E-03	1.1E-03	6.05E-04	6.94E-07	1.84E+00	4.71E-02	6.03E-08	1.0E+06	6.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.25053	4.85E-03	1.2E-03	6.05E-04	7.35E-07	1.84E+00	4.71E-02	6.38E-08	1.0E+06	6.4E-02
33	0.26279	4.85E-03	1.3E-03	6.05E-04	7.71E-07	1.84E+00	4.71E-02	6.69E-08	1.0E+06	6.7E-02
34	0.27715	4.85E-03	1.3E-03	6.05E-04	8.13E-07	1.84E+00	4.71E-02	7.06E-08	1.0E+06	7.1E-02
35	0.29204	4.85E-03	1.4E-03	6.05E-04	8.56E-07	1.84E+00	4.71E-02	7.44E-08	1.0E+06	7.4E-02
36	0.30964	4.85E-03	1.5E-03	6.05E-04	9.08E-07	1.84E+00	4.71E-02	7.88E-08	1.0E+06	7.9E-02
37	0.33136	4.85E-03	1.6E-03	6.05E-04	9.72E-07	1.84E+00	4.71E-02	8.44E-08	1.0E+06	8.4E-02
38	0.35987	4.85E-03	1.7E-03	6.05E-04	1.06E-06	1.84E+00	4.71E-02	9.16E-08	1.0E+06	9.2E-02
39	0.39788	4.85E-03	1.9E-03	6.05E-04	1.17E-06	1.84E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
40	0.43602	4.85E-03	2.1E-03	6.05E-04	1.28E-06	1.84E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
41	0.4798	4.85E-03	2.3E-03	6.05E-04	1.41E-06	1.84E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01
42	0.7101	4.85E-03	3.4E-03	6.05E-04	2.08E-06	1.84E+00	4.71E-02	1.81E-07	1.0E+06	1.8E-01
43	0.22642	4.85E-03	1.1E-03	6.05E-04	6.64E-07	1.84E+00	4.71E-02	5.77E-08	1.0E+06	5.8E-02
44	0.24148	4.85E-03	1.2E-03	6.05E-04	7.08E-07	1.84E+00	4.71E-02	6.15E-08	1.0E+06	6.1E-02
45	0.25936	4.85E-03	1.3E-03	6.05E-04	7.60E-07	1.84E+00	4.71E-02	6.60E-08	1.0E+06	6.6E-02
46	0.27862	4.85E-03	1.4E-03	6.05E-04	8.17E-07	1.84E+00	4.71E-02	7.09E-08	1.0E+06	7.1E-02
47	0.2972	4.85E-03	1.4E-03	6.05E-04	8.71E-07	1.84E+00	4.71E-02	7.57E-08	1.0E+06	7.6E-02
48	0.31625	4.85E-03	1.5E-03	6.05E-04	9.27E-07	1.84E+00	4.71E-02	8.05E-08	1.0E+06	8.1E-02
49	0.33541	4.85E-03	1.6E-03	6.05E-04	9.83E-07	1.84E+00	4.71E-02	8.54E-08	1.0E+06	8.5E-02
50	0.35565	4.85E-03	1.7E-03	6.05E-04	1.04E-06	1.84E+00	4.71E-02	9.06E-08	1.0E+06	9.1E-02
51	0.38654	4.85E-03	1.9E-03	6.05E-04	1.13E-06	1.84E+00	4.71E-02	9.84E-08	1.0E+06	9.8E-02
52	0.42056	4.85E-03	2.0E-03	6.05E-04	1.23E-06	1.84E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
53	0.46818	4.85E-03	2.3E-03	6.05E-04	1.37E-06	1.84E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
54	0.52053	4.85E-03	2.5E-03	6.05E-04	1.53E-06	1.84E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
55	0.58292	4.85E-03	2.8E-03	6.05E-04	1.71E-06	1.84E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
56	0.91081	4.85E-03	4.4E-03	6.05E-04	2.67E-06	1.84E+00	4.71E-02	2.32E-07	1.0E+06	2.3E-01
57	0.23786	4.85E-03	1.2E-03	6.05E-04	6.97E-07	1.84E+00	4.71E-02	6.06E-08	1.0E+06	6.1E-02
58	0.25766	4.85E-03	1.2E-03	6.05E-04	7.55E-07	1.84E+00	4.71E-02	6.56E-08	1.0E+06	6.6E-02
59	0.28115	4.85E-03	1.4E-03	6.05E-04	8.24E-07	1.84E+00	4.71E-02	7.16E-08	1.0E+06	7.2E-02
60	0.30622	4.85E-03	1.5E-03	6.05E-04	8.98E-07	1.84E+00	4.71E-02	7.80E-08	1.0E+06	7.8E-02
61	0.33261	4.85E-03	1.6E-03	6.05E-04	9.75E-07	1.84E+00	4.71E-02	8.47E-08	1.0E+06	8.5E-02
62	0.35999	4.85E-03	1.7E-03	6.05E-04	1.06E-06	1.84E+00	4.71E-02	9.17E-08	1.0E+06	9.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.39069	4.85E-03	1.9E-03	6.05E-04	1.15E-06	1.84E+00	4.71E-02	9.95E-08	1.0E+06	9.9E-02
64	0.4155	4.85E-03	2.0E-03	6.05E-04	1.22E-06	1.84E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
65	0.45397	4.85E-03	2.2E-03	6.05E-04	1.33E-06	1.84E+00	4.71E-02	1.16E-07	1.0E+06	1.2E-01
66	0.50152	4.85E-03	2.4E-03	6.05E-04	1.47E-06	1.84E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
67	0.55455	4.85E-03	2.7E-03	6.05E-04	1.63E-06	1.84E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01
68	0.63644	4.85E-03	3.1E-03	6.05E-04	1.87E-06	1.84E+00	4.71E-02	1.62E-07	1.0E+06	1.6E-01
69	0.72804	4.85E-03	3.5E-03	6.05E-04	2.13E-06	1.84E+00	4.71E-02	1.85E-07	1.0E+06	1.9E-01
70	0.2495	4.85E-03	1.2E-03	6.05E-04	7.32E-07	1.84E+00	4.71E-02	6.35E-08	1.0E+06	6.4E-02
71	0.27248	4.85E-03	1.3E-03	6.05E-04	7.99E-07	1.84E+00	4.71E-02	6.94E-08	1.0E+06	6.9E-02
72	0.3016	4.85E-03	1.5E-03	6.05E-04	8.84E-07	1.84E+00	4.71E-02	7.68E-08	1.0E+06	7.7E-02
73	0.33167	4.85E-03	1.6E-03	6.05E-04	9.72E-07	1.84E+00	4.71E-02	8.45E-08	1.0E+06	8.4E-02
74	0.36626	4.85E-03	1.8E-03	6.05E-04	1.07E-06	1.84E+00	4.71E-02	9.33E-08	1.0E+06	9.3E-02
75	0.40355	4.85E-03	2.0E-03	6.05E-04	1.18E-06	1.84E+00	4.71E-02	1.03E-07	1.0E+06	1.0E-01
76	0.44679	4.85E-03	2.2E-03	6.05E-04	1.31E-06	1.84E+00	4.71E-02	1.14E-07	1.0E+06	1.1E-01
77	0.48972	4.85E-03	2.4E-03	6.05E-04	1.44E-06	1.84E+00	4.71E-02	1.25E-07	1.0E+06	1.2E-01
78	0.54448	4.85E-03	2.6E-03	6.05E-04	1.60E-06	1.84E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
79	0.62745	4.85E-03	3.0E-03	6.05E-04	1.84E-06	1.84E+00	4.71E-02	1.60E-07	1.0E+06	1.6E-01
80	0.70098	4.85E-03	3.4E-03	6.05E-04	2.06E-06	1.84E+00	4.71E-02	1.79E-07	1.0E+06	1.8E-01
81	0.82297	4.85E-03	4.0E-03	6.05E-04	2.41E-06	1.84E+00	4.71E-02	2.10E-07	1.0E+06	2.1E-01
82	0.94086	4.85E-03	4.6E-03	6.05E-04	2.76E-06	1.84E+00	4.71E-02	2.40E-07	1.0E+06	2.4E-01
83	0.25944	4.85E-03	1.3E-03	6.05E-04	7.61E-07	1.84E+00	4.71E-02	6.61E-08	1.0E+06	6.6E-02
84	0.28928	4.85E-03	1.4E-03	6.05E-04	8.48E-07	1.84E+00	4.71E-02	7.37E-08	1.0E+06	7.4E-02
85	0.32121	4.85E-03	1.6E-03	6.05E-04	9.42E-07	1.84E+00	4.71E-02	8.18E-08	1.0E+06	8.2E-02
86	0.35254	4.85E-03	1.7E-03	6.05E-04	1.03E-06	1.84E+00	4.71E-02	8.98E-08	1.0E+06	9.0E-02
87	0.39269	4.85E-03	1.9E-03	6.05E-04	1.15E-06	1.84E+00	4.71E-02	1.00E-07	1.0E+06	1.0E-01
88	0.43866	4.85E-03	2.1E-03	6.05E-04	1.29E-06	1.84E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
89	0.49549	4.85E-03	2.4E-03	6.05E-04	1.45E-06	1.84E+00	4.71E-02	1.26E-07	1.0E+06	1.3E-01
90	0.56452	4.85E-03	2.7E-03	6.05E-04	1.66E-06	1.84E+00	4.71E-02	1.44E-07	1.0E+06	1.4E-01
91	0.64839	4.85E-03	3.1E-03	6.05E-04	1.90E-06	1.84E+00	4.71E-02	1.65E-07	1.0E+06	1.7E-01
92	0.75145	4.85E-03	3.6E-03	6.05E-04	2.20E-06	1.84E+00	4.71E-02	1.91E-07	1.0E+06	1.9E-01
93	0.88004	4.85E-03	4.3E-03	6.05E-04	2.58E-06	1.84E+00	4.71E-02	2.24E-07	1.0E+06	2.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	1.03748	4.85E-03	5.0E-03	6.05E-04	3.04E-06	1.84E+00	4.71E-02	2.64E-07	1.0E+06	2.6E-01
95	1.2286	4.85E-03	6.0E-03	6.05E-04	3.60E-06	1.84E+00	4.71E-02	3.13E-07	1.0E+06	3.1E-01
96	0.26724	4.85E-03	1.3E-03	6.05E-04	7.84E-07	1.84E+00	4.71E-02	6.81E-08	1.0E+06	6.8E-02
97	0.2968	4.85E-03	1.4E-03	6.05E-04	8.70E-07	1.84E+00	4.71E-02	7.56E-08	1.0E+06	7.6E-02
98	0.33036	4.85E-03	1.6E-03	6.05E-04	9.69E-07	1.84E+00	4.71E-02	8.41E-08	1.0E+06	8.4E-02
99	0.3717	4.85E-03	1.8E-03	6.05E-04	1.09E-06	1.84E+00	4.71E-02	9.47E-08	1.0E+06	9.5E-02
100	0.4166	4.85E-03	2.0E-03	6.05E-04	1.22E-06	1.84E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
101	0.47215	4.85E-03	2.3E-03	6.05E-04	1.38E-06	1.84E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01
102	0.5404	4.85E-03	2.6E-03	6.05E-04	1.58E-06	1.84E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
103	0.6279	4.85E-03	3.0E-03	6.05E-04	1.84E-06	1.84E+00	4.71E-02	1.60E-07	1.0E+06	1.6E-01
104	0.73836	4.85E-03	3.6E-03	6.05E-04	2.16E-06	1.84E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01
105	0.88132	4.85E-03	4.3E-03	6.05E-04	2.58E-06	1.84E+00	4.71E-02	2.24E-07	1.0E+06	2.2E-01
106	1.06529	4.85E-03	5.2E-03	6.05E-04	3.12E-06	1.84E+00	4.71E-02	2.71E-07	1.0E+06	2.7E-01
107	1.30402	4.85E-03	6.3E-03	6.05E-04	3.82E-06	1.84E+00	4.71E-02	3.32E-07	1.0E+06	3.3E-01
108	1.61057	4.85E-03	7.8E-03	6.05E-04	4.72E-06	1.84E+00	4.71E-02	4.10E-07	1.0E+06	4.1E-01
109	0.26525	4.85E-03	1.3E-03	6.05E-04	7.78E-07	1.84E+00	4.71E-02	6.75E-08	1.0E+06	6.8E-02
110	0.29664	4.85E-03	1.4E-03	6.05E-04	8.70E-07	1.84E+00	4.71E-02	7.55E-08	1.0E+06	7.6E-02
111	0.3339	4.85E-03	1.6E-03	6.05E-04	9.79E-07	1.84E+00	4.71E-02	8.50E-08	1.0E+06	8.5E-02
112	0.37842	4.85E-03	1.8E-03	6.05E-04	1.11E-06	1.84E+00	4.71E-02	9.64E-08	1.0E+06	9.6E-02
113	0.43228	4.85E-03	2.1E-03	6.05E-04	1.27E-06	1.84E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
114	0.49803	4.85E-03	2.4E-03	6.05E-04	1.46E-06	1.84E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01
115	0.58	4.85E-03	2.8E-03	6.05E-04	1.70E-06	1.84E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
116	0.68497	4.85E-03	3.3E-03	6.05E-04	2.01E-06	1.84E+00	4.71E-02	1.74E-07	1.0E+06	1.7E-01
117	0.82678	4.85E-03	4.0E-03	6.05E-04	2.42E-06	1.84E+00	4.71E-02	2.11E-07	1.0E+06	2.1E-01
118	0.98991	4.85E-03	4.8E-03	6.05E-04	2.90E-06	1.84E+00	4.71E-02	2.52E-07	1.0E+06	2.5E-01
119	1.24281	4.85E-03	6.0E-03	6.05E-04	3.64E-06	1.84E+00	4.71E-02	3.16E-07	1.0E+06	3.2E-01
120	1.57912	4.85E-03	7.7E-03	6.05E-04	4.63E-06	1.84E+00	4.71E-02	4.02E-07	1.0E+06	4.0E-01
121	2.00608	4.85E-03	9.7E-03	6.05E-04	5.88E-06	1.84E+00	4.71E-02	5.11E-07	1.0E+06	5.1E-01
122	0.25537	4.85E-03	1.2E-03	6.05E-04	7.49E-07	1.84E+00	4.71E-02	6.50E-08	1.0E+06	6.5E-02
123	0.28818	4.85E-03	1.4E-03	6.05E-04	8.45E-07	1.84E+00	4.71E-02	7.34E-08	1.0E+06	7.3E-02
124	0.32858	4.85E-03	1.6E-03	6.05E-04	9.63E-07	1.84E+00	4.71E-02	8.37E-08	1.0E+06	8.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.3757	4.85E-03	1.8E-03	6.05E-04	1.10E-06	1.84E+00	4.71E-02	9.57E-08	1.0E+06	9.6E-02
126	0.43335	4.85E-03	2.1E-03	6.05E-04	1.27E-06	1.84E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
127	0.50557	4.85E-03	2.4E-03	6.05E-04	1.48E-06	1.84E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01
128	0.58754	4.85E-03	2.8E-03	6.05E-04	1.72E-06	1.84E+00	4.71E-02	1.50E-07	1.0E+06	1.5E-01
129	0.71039	4.85E-03	3.4E-03	6.05E-04	2.08E-06	1.84E+00	4.71E-02	1.81E-07	1.0E+06	1.8E-01
130	0.89215	4.85E-03	4.3E-03	6.05E-04	2.62E-06	1.84E+00	4.71E-02	2.27E-07	1.0E+06	2.3E-01
131	12.92748	4.85E-03	6.3E-02	6.05E-04	3.79E-05	1.84E+00	4.71E-02	3.29E-06	1.0E+06	3.3E+00
132	9.40064	4.85E-03	4.6E-02	6.05E-04	2.76E-05	1.84E+00	4.71E-02	2.39E-06	1.0E+06	2.4E+00
133	0.23911	4.85E-03	1.2E-03	6.05E-04	7.01E-07	1.84E+00	4.71E-02	6.09E-08	1.0E+06	6.1E-02
134	0.27452	4.85E-03	1.3E-03	6.05E-04	8.05E-07	1.84E+00	4.71E-02	6.99E-08	1.0E+06	7.0E-02
135	0.31532	4.85E-03	1.5E-03	6.05E-04	9.25E-07	1.84E+00	4.71E-02	8.03E-08	1.0E+06	8.0E-02
136	0.36264	4.85E-03	1.8E-03	6.05E-04	1.06E-06	1.84E+00	4.71E-02	9.23E-08	1.0E+06	9.2E-02
137	0.42092	4.85E-03	2.0E-03	6.05E-04	1.23E-06	1.84E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
138	0.49184	4.85E-03	2.4E-03	6.05E-04	1.44E-06	1.84E+00	4.71E-02	1.25E-07	1.0E+06	1.3E-01
139	0.57812	4.85E-03	2.8E-03	6.05E-04	1.70E-06	1.84E+00	4.71E-02	1.47E-07	1.0E+06	1.5E-01
140	0.70963	4.85E-03	3.4E-03	6.05E-04	2.08E-06	1.84E+00	4.71E-02	1.81E-07	1.0E+06	1.8E-01
141	0.89849	4.85E-03	4.4E-03	6.05E-04	2.63E-06	1.84E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
142	1.18174	4.85E-03	5.7E-03	6.05E-04	3.46E-06	1.84E+00	4.71E-02	3.01E-07	1.0E+06	3.0E-01
143	1.67257	4.85E-03	8.1E-03	6.05E-04	4.90E-06	1.84E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
144	2.65947	4.85E-03	1.3E-02	6.05E-04	7.80E-06	1.84E+00	4.71E-02	6.77E-07	1.0E+06	6.8E-01
145	5.22291	4.85E-03	2.5E-02	6.05E-04	1.53E-05	1.84E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
146	15.81931	4.85E-03	7.7E-02	6.05E-04	4.64E-05	1.84E+00	4.71E-02	4.03E-06	1.0E+06	4.0E+00
147	0.22164	4.85E-03	1.1E-03	6.05E-04	6.50E-07	1.84E+00	4.71E-02	5.64E-08	1.0E+06	5.6E-02
148	0.25424	4.85E-03	1.2E-03	6.05E-04	7.45E-07	1.84E+00	4.71E-02	6.47E-08	1.0E+06	6.5E-02
149	0.294	4.85E-03	1.4E-03	6.05E-04	8.62E-07	1.84E+00	4.71E-02	7.49E-08	1.0E+06	7.5E-02
150	0.33969	4.85E-03	1.6E-03	6.05E-04	9.96E-07	1.84E+00	4.71E-02	8.65E-08	1.0E+06	8.7E-02
151	0.39809	4.85E-03	1.9E-03	6.05E-04	1.17E-06	1.84E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
152	0.46482	4.85E-03	2.3E-03	6.05E-04	1.36E-06	1.84E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01
153	0.55148	4.85E-03	2.7E-03	6.05E-04	1.62E-06	1.84E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01
154	0.67711	4.85E-03	3.3E-03	6.05E-04	1.99E-06	1.84E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01
155	0.86429	4.85E-03	4.2E-03	6.05E-04	2.53E-06	1.84E+00	4.71E-02	2.20E-07	1.0E+06	2.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	1.15152	4.85E-03	5.6E-03	6.05E-04	3.38E-06	1.84E+00	4.71E-02	2.93E-07	1.0E+06	2.9E-01
157	1.63937	4.85E-03	7.9E-03	6.05E-04	4.81E-06	1.84E+00	4.71E-02	4.17E-07	1.0E+06	4.2E-01
158	2.64058	4.85E-03	1.3E-02	6.05E-04	7.74E-06	1.84E+00	4.71E-02	6.72E-07	1.0E+06	6.7E-01
159	6.58994	4.85E-03	3.2E-02	6.05E-04	1.93E-05	1.84E+00	4.71E-02	1.68E-06	1.0E+06	1.7E+00
160	0.20943	4.85E-03	1.0E-03	6.05E-04	6.14E-07	1.84E+00	4.71E-02	5.33E-08	1.0E+06	5.3E-02
161	0.23565	4.85E-03	1.1E-03	6.05E-04	6.91E-07	1.84E+00	4.71E-02	6.00E-08	1.0E+06	6.0E-02
162	0.26393	4.85E-03	1.3E-03	6.05E-04	7.74E-07	1.84E+00	4.71E-02	6.72E-08	1.0E+06	6.7E-02
163	0.31008	4.85E-03	1.5E-03	6.05E-04	9.09E-07	1.84E+00	4.71E-02	7.90E-08	1.0E+06	7.9E-02
164	0.37016	4.85E-03	1.8E-03	6.05E-04	1.09E-06	1.84E+00	4.71E-02	9.43E-08	1.0E+06	9.4E-02
165	0.43373	4.85E-03	2.1E-03	6.05E-04	1.27E-06	1.84E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
166	0.51919	4.85E-03	2.5E-03	6.05E-04	1.52E-06	1.84E+00	4.71E-02	1.32E-07	1.0E+06	1.3E-01
167	0.63546	4.85E-03	3.1E-03	6.05E-04	1.86E-06	1.84E+00	4.71E-02	1.62E-07	1.0E+06	1.6E-01
168	0.80312	4.85E-03	3.9E-03	6.05E-04	2.35E-06	1.84E+00	4.71E-02	2.05E-07	1.0E+06	2.0E-01
169	1.05888	4.85E-03	5.1E-03	6.05E-04	3.10E-06	1.84E+00	4.71E-02	2.70E-07	1.0E+06	2.7E-01
170	1.48224	4.85E-03	7.2E-03	6.05E-04	4.35E-06	1.84E+00	4.71E-02	3.77E-07	1.0E+06	3.8E-01
171	2.31071	4.85E-03	1.1E-02	6.05E-04	6.78E-06	1.84E+00	4.71E-02	5.88E-07	1.0E+06	5.9E-01
172	4.93324	4.85E-03	2.4E-02	6.05E-04	1.45E-05	1.84E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
173	6.72209	4.85E-03	3.3E-02	6.05E-04	1.97E-05	1.84E+00	4.71E-02	1.71E-06	1.0E+06	1.7E+00
174	10.31006	4.85E-03	5.0E-02	6.05E-04	3.02E-05	1.84E+00	4.71E-02	2.63E-06	1.0E+06	2.6E+00
175	11.13119	4.85E-03	5.4E-02	6.05E-04	3.26E-05	1.84E+00	4.71E-02	2.83E-06	1.0E+06	2.8E+00
176	12.98888	4.85E-03	6.3E-02	6.05E-04	3.81E-05	1.84E+00	4.71E-02	3.31E-06	1.0E+06	3.3E+00
177	10.80421	4.85E-03	5.2E-02	6.05E-04	3.17E-05	1.84E+00	4.71E-02	2.75E-06	1.0E+06	2.8E+00
178	8.91457	4.85E-03	4.3E-02	6.05E-04	2.61E-05	1.84E+00	4.71E-02	2.27E-06	1.0E+06	2.3E+00
179	0.19309	4.85E-03	9.4E-04	6.05E-04	5.66E-07	1.84E+00	4.71E-02	4.92E-08	1.0E+06	4.9E-02
180	0.21456	4.85E-03	1.0E-03	6.05E-04	6.29E-07	1.84E+00	4.71E-02	5.46E-08	1.0E+06	5.5E-02
181	0.2361	4.85E-03	1.1E-03	6.05E-04	6.92E-07	1.84E+00	4.71E-02	6.01E-08	1.0E+06	6.0E-02
182	0.28264	4.85E-03	1.4E-03	6.05E-04	8.29E-07	1.84E+00	4.71E-02	7.20E-08	1.0E+06	7.2E-02
183	0.34655	4.85E-03	1.7E-03	6.05E-04	1.02E-06	1.84E+00	4.71E-02	8.82E-08	1.0E+06	8.8E-02
184	0.40738	4.85E-03	2.0E-03	6.05E-04	1.19E-06	1.84E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
185	0.48904	4.85E-03	2.4E-03	6.05E-04	1.43E-06	1.84E+00	4.71E-02	1.25E-07	1.0E+06	1.2E-01
186	0.59504	4.85E-03	2.9E-03	6.05E-04	1.74E-06	1.84E+00	4.71E-02	1.52E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.73895	4.85E-03	3.6E-03	6.05E-04	2.17E-06	1.84E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01
188	0.95209	4.85E-03	4.6E-03	6.05E-04	2.79E-06	1.84E+00	4.71E-02	2.42E-07	1.0E+06	2.4E-01
189	1.27312	4.85E-03	6.2E-03	6.05E-04	3.73E-06	1.84E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01
190	1.82477	4.85E-03	8.8E-03	6.05E-04	5.35E-06	1.84E+00	4.71E-02	4.65E-07	1.0E+06	4.6E-01
191	2.94775	4.85E-03	1.4E-02	6.05E-04	8.64E-06	1.84E+00	4.71E-02	7.51E-07	1.0E+06	7.5E-01
192	5.09803	4.85E-03	2.5E-02	6.05E-04	1.49E-05	1.84E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
193	6.65391	4.85E-03	3.2E-02	6.05E-04	1.95E-05	1.84E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
194	7.42306	4.85E-03	3.6E-02	6.05E-04	2.18E-05	1.84E+00	4.71E-02	1.89E-06	1.0E+06	1.9E+00
195	8.09345	4.85E-03	3.9E-02	6.05E-04	2.37E-05	1.84E+00	4.71E-02	2.06E-06	1.0E+06	2.1E+00
196	7.64119	4.85E-03	3.7E-02	6.05E-04	2.24E-05	1.84E+00	4.71E-02	1.95E-06	1.0E+06	1.9E+00
197	5.9061	4.85E-03	2.9E-02	6.05E-04	1.73E-05	1.84E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
198	0.18335	4.85E-03	8.9E-04	6.05E-04	5.38E-07	1.84E+00	4.71E-02	4.67E-08	1.0E+06	4.7E-02
199	0.2041	4.85E-03	9.9E-04	6.05E-04	5.98E-07	1.84E+00	4.71E-02	5.20E-08	1.0E+06	5.2E-02
200	0.22853	4.85E-03	1.1E-03	6.05E-04	6.70E-07	1.84E+00	4.71E-02	5.82E-08	1.0E+06	5.8E-02
201	0.26339	4.85E-03	1.3E-03	6.05E-04	7.72E-07	1.84E+00	4.71E-02	6.71E-08	1.0E+06	6.7E-02
202	0.32176	4.85E-03	1.6E-03	6.05E-04	9.43E-07	1.84E+00	4.71E-02	8.19E-08	1.0E+06	8.2E-02
203	0.38143	4.85E-03	1.8E-03	6.05E-04	1.12E-06	1.84E+00	4.71E-02	9.71E-08	1.0E+06	9.7E-02
204	0.45785	4.85E-03	2.2E-03	6.05E-04	1.34E-06	1.84E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
205	0.55249	4.85E-03	2.7E-03	6.05E-04	1.62E-06	1.84E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01
206	0.67606	4.85E-03	3.3E-03	6.05E-04	1.98E-06	1.84E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01
207	0.84477	4.85E-03	4.1E-03	6.05E-04	2.48E-06	1.84E+00	4.71E-02	2.15E-07	1.0E+06	2.2E-01
208	1.0806	4.85E-03	5.2E-03	6.05E-04	3.17E-06	1.84E+00	4.71E-02	2.75E-07	1.0E+06	2.8E-01
209	1.4381	4.85E-03	7.0E-03	6.05E-04	4.22E-06	1.84E+00	4.71E-02	3.66E-07	1.0E+06	3.7E-01
210	2.02651	4.85E-03	9.8E-03	6.05E-04	5.94E-06	1.84E+00	4.71E-02	5.16E-07	1.0E+06	5.2E-01
211	2.88779	4.85E-03	1.4E-02	6.05E-04	8.47E-06	1.84E+00	4.71E-02	7.35E-07	1.0E+06	7.4E-01
212	3.58306	4.85E-03	1.7E-02	6.05E-04	1.05E-05	1.84E+00	4.71E-02	9.12E-07	1.0E+06	9.1E-01
213	3.84605	4.85E-03	1.9E-02	6.05E-04	1.13E-05	1.84E+00	4.71E-02	9.79E-07	1.0E+06	9.8E-01
214	3.81694	4.85E-03	1.8E-02	6.05E-04	1.12E-05	1.84E+00	4.71E-02	9.72E-07	1.0E+06	9.7E-01
215	4.44903	4.85E-03	2.2E-02	6.05E-04	1.30E-05	1.84E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
216	0.17741	4.85E-03	8.6E-04	6.05E-04	5.20E-07	1.84E+00	4.71E-02	4.52E-08	1.0E+06	4.5E-02
217	0.1957	4.85E-03	9.5E-04	6.05E-04	5.74E-07	1.84E+00	4.71E-02	4.98E-08	1.0E+06	5.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.21931	4.85E-03	1.1E-03	6.05E-04	6.43E-07	1.84E+00	4.71E-02	5.58E-08	1.0E+06	5.6E-02
219	0.25009	4.85E-03	1.2E-03	6.05E-04	7.33E-07	1.84E+00	4.71E-02	6.37E-08	1.0E+06	6.4E-02
220	0.29965	4.85E-03	1.5E-03	6.05E-04	8.79E-07	1.84E+00	4.71E-02	7.63E-08	1.0E+06	7.6E-02
221	0.35077	4.85E-03	1.7E-03	6.05E-04	1.03E-06	1.84E+00	4.71E-02	8.93E-08	1.0E+06	8.9E-02
222	0.41974	4.85E-03	2.0E-03	6.05E-04	1.23E-06	1.84E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
223	0.50101	4.85E-03	2.4E-03	6.05E-04	1.47E-06	1.84E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
224	0.60151	4.85E-03	2.9E-03	6.05E-04	1.76E-06	1.84E+00	4.71E-02	1.53E-07	1.0E+06	1.5E-01
225	0.7257	4.85E-03	3.5E-03	6.05E-04	2.13E-06	1.84E+00	4.71E-02	1.85E-07	1.0E+06	1.8E-01
226	0.89772	4.85E-03	4.4E-03	6.05E-04	2.63E-06	1.84E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
227	1.13195	4.85E-03	5.5E-03	6.05E-04	3.32E-06	1.84E+00	4.71E-02	2.88E-07	1.0E+06	2.9E-01
228	1.475	4.85E-03	7.1E-03	6.05E-04	4.32E-06	1.84E+00	4.71E-02	3.76E-07	1.0E+06	3.8E-01
229	1.93098	4.85E-03	9.4E-03	6.05E-04	5.66E-06	1.84E+00	4.71E-02	4.92E-07	1.0E+06	4.9E-01
230	2.33502	4.85E-03	1.1E-02	6.05E-04	6.85E-06	1.84E+00	4.71E-02	5.95E-07	1.0E+06	5.9E-01
231	2.58104	4.85E-03	1.3E-02	6.05E-04	7.57E-06	1.84E+00	4.71E-02	6.57E-07	1.0E+06	6.6E-01
232	2.66403	4.85E-03	1.3E-02	6.05E-04	7.81E-06	1.84E+00	4.71E-02	6.78E-07	1.0E+06	6.8E-01
233	2.9077	4.85E-03	1.4E-02	6.05E-04	8.53E-06	1.84E+00	4.71E-02	7.40E-07	1.0E+06	7.4E-01
234	0.17189	4.85E-03	8.3E-04	6.05E-04	5.04E-07	1.84E+00	4.71E-02	4.38E-08	1.0E+06	4.4E-02
235	0.18806	4.85E-03	9.1E-04	6.05E-04	5.51E-07	1.84E+00	4.71E-02	4.79E-08	1.0E+06	4.8E-02
236	0.2101	4.85E-03	1.0E-03	6.05E-04	6.16E-07	1.84E+00	4.71E-02	5.35E-08	1.0E+06	5.4E-02
237	0.23979	4.85E-03	1.2E-03	6.05E-04	7.03E-07	1.84E+00	4.71E-02	6.11E-08	1.0E+06	6.1E-02
238	0.27936	4.85E-03	1.4E-03	6.05E-04	8.19E-07	1.84E+00	4.71E-02	7.11E-08	1.0E+06	7.1E-02
239	0.32336	4.85E-03	1.6E-03	6.05E-04	9.48E-07	1.84E+00	4.71E-02	8.23E-08	1.0E+06	8.2E-02
240	0.37909	4.85E-03	1.8E-03	6.05E-04	1.11E-06	1.84E+00	4.71E-02	9.65E-08	1.0E+06	9.7E-02
241	0.44514	4.85E-03	2.2E-03	6.05E-04	1.31E-06	1.84E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01
242	0.52414	4.85E-03	2.5E-03	6.05E-04	1.54E-06	1.84E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
243	0.61899	4.85E-03	3.0E-03	6.05E-04	1.81E-06	1.84E+00	4.71E-02	1.58E-07	1.0E+06	1.6E-01
244	0.74753	4.85E-03	3.6E-03	6.05E-04	2.19E-06	1.84E+00	4.71E-02	1.90E-07	1.0E+06	1.9E-01
245	0.91665	4.85E-03	4.4E-03	6.05E-04	2.69E-06	1.84E+00	4.71E-02	2.33E-07	1.0E+06	2.3E-01
246	1.14673	4.85E-03	5.6E-03	6.05E-04	3.36E-06	1.84E+00	4.71E-02	2.92E-07	1.0E+06	2.9E-01
247	1.4266	4.85E-03	6.9E-03	6.05E-04	4.18E-06	1.84E+00	4.71E-02	3.63E-07	1.0E+06	3.6E-01
248	1.69563	4.85E-03	8.2E-03	6.05E-04	4.97E-06	1.84E+00	4.71E-02	4.32E-07	1.0E+06	4.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.88767	4.85E-03	9.1E-03	6.05E-04	5.53E-06	1.84E+00	4.71E-02	4.81E-07	1.0E+06	4.8E-01
250	1.98347	4.85E-03	9.6E-03	6.05E-04	5.82E-06	1.84E+00	4.71E-02	5.05E-07	1.0E+06	5.1E-01
251	2.12734	4.85E-03	1.0E-02	6.05E-04	6.24E-06	1.84E+00	4.71E-02	5.42E-07	1.0E+06	5.4E-01
252	0.16493	4.85E-03	8.0E-04	6.05E-04	4.84E-07	1.84E+00	4.71E-02	4.20E-08	1.0E+06	4.2E-02
253	0.17909	4.85E-03	8.7E-04	6.05E-04	5.25E-07	1.84E+00	4.71E-02	4.56E-08	1.0E+06	4.6E-02
254	0.19765	4.85E-03	9.6E-04	6.05E-04	5.80E-07	1.84E+00	4.71E-02	5.03E-08	1.0E+06	5.0E-02
255	0.22099	4.85E-03	1.1E-03	6.05E-04	6.48E-07	1.84E+00	4.71E-02	5.63E-08	1.0E+06	5.6E-02
256	0.26018	4.85E-03	1.3E-03	6.05E-04	7.63E-07	1.84E+00	4.71E-02	6.63E-08	1.0E+06	6.6E-02
257	0.2878	4.85E-03	1.4E-03	6.05E-04	8.44E-07	1.84E+00	4.71E-02	7.33E-08	1.0E+06	7.3E-02
258	0.32553	4.85E-03	1.6E-03	6.05E-04	9.54E-07	1.84E+00	4.71E-02	8.29E-08	1.0E+06	8.3E-02
259	0.3694	4.85E-03	1.8E-03	6.05E-04	1.08E-06	1.84E+00	4.71E-02	9.41E-08	1.0E+06	9.4E-02
260	0.43279	4.85E-03	2.1E-03	6.05E-04	1.27E-06	1.84E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
261	0.51703	4.85E-03	2.5E-03	6.05E-04	1.52E-06	1.84E+00	4.71E-02	1.32E-07	1.0E+06	1.3E-01
262	0.62025	4.85E-03	3.0E-03	6.05E-04	1.82E-06	1.84E+00	4.71E-02	1.58E-07	1.0E+06	1.6E-01
263	0.74306	4.85E-03	3.6E-03	6.05E-04	2.18E-06	1.84E+00	4.71E-02	1.89E-07	1.0E+06	1.9E-01
264	0.90838	4.85E-03	4.4E-03	6.05E-04	2.66E-06	1.84E+00	4.71E-02	2.31E-07	1.0E+06	2.3E-01
265	1.09481	4.85E-03	5.3E-03	6.05E-04	3.21E-06	1.84E+00	4.71E-02	2.79E-07	1.0E+06	2.8E-01
266	1.28248	4.85E-03	6.2E-03	6.05E-04	3.76E-06	1.84E+00	4.71E-02	3.27E-07	1.0E+06	3.3E-01
267	1.42537	4.85E-03	6.9E-03	6.05E-04	4.18E-06	1.84E+00	4.71E-02	3.63E-07	1.0E+06	3.6E-01
268	1.50248	4.85E-03	7.3E-03	6.05E-04	4.41E-06	1.84E+00	4.71E-02	3.83E-07	1.0E+06	3.8E-01
269	1.60435	4.85E-03	7.8E-03	6.05E-04	4.70E-06	1.84E+00	4.71E-02	4.09E-07	1.0E+06	4.1E-01
270	0.15811	4.85E-03	7.7E-04	6.05E-04	4.64E-07	1.84E+00	4.71E-02	4.03E-08	1.0E+06	4.0E-02
271	0.17185	4.85E-03	8.3E-04	6.05E-04	5.04E-07	1.84E+00	4.71E-02	4.38E-08	1.0E+06	4.4E-02
272	0.18865	4.85E-03	9.1E-04	6.05E-04	5.53E-07	1.84E+00	4.71E-02	4.80E-08	1.0E+06	4.8E-02
273	0.20788	4.85E-03	1.0E-03	6.05E-04	6.10E-07	1.84E+00	4.71E-02	5.29E-08	1.0E+06	5.3E-02
274	0.24491	4.85E-03	1.2E-03	6.05E-04	7.18E-07	1.84E+00	4.71E-02	6.24E-08	1.0E+06	6.2E-02
275	0.27766	4.85E-03	1.3E-03	6.05E-04	8.14E-07	1.84E+00	4.71E-02	7.07E-08	1.0E+06	7.1E-02
276	0.28974	4.85E-03	1.4E-03	6.05E-04	8.50E-07	1.84E+00	4.71E-02	7.38E-08	1.0E+06	7.4E-02
277	0.32166	4.85E-03	1.6E-03	6.05E-04	9.43E-07	1.84E+00	4.71E-02	8.19E-08	1.0E+06	8.2E-02
278	0.36443	4.85E-03	1.8E-03	6.05E-04	1.07E-06	1.84E+00	4.71E-02	9.28E-08	1.0E+06	9.3E-02
279	0.42257	4.85E-03	2.0E-03	6.05E-04	1.24E-06	1.84E+00	4.71E-02	1.08E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.50962	4.85E-03	2.5E-03	6.05E-04	1.49E-06	1.84E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
281	0.616	4.85E-03	3.0E-03	6.05E-04	1.81E-06	1.84E+00	4.71E-02	1.57E-07	1.0E+06	1.6E-01
282	0.74094	4.85E-03	3.6E-03	6.05E-04	2.17E-06	1.84E+00	4.71E-02	1.89E-07	1.0E+06	1.9E-01
283	0.87839	4.85E-03	4.3E-03	6.05E-04	2.58E-06	1.84E+00	4.71E-02	2.24E-07	1.0E+06	2.2E-01
284	1.01581	4.85E-03	4.9E-03	6.05E-04	2.98E-06	1.84E+00	4.71E-02	2.59E-07	1.0E+06	2.6E-01
285	1.11984	4.85E-03	5.4E-03	6.05E-04	3.28E-06	1.84E+00	4.71E-02	2.85E-07	1.0E+06	2.9E-01
286	1.18487	4.85E-03	5.7E-03	6.05E-04	3.47E-06	1.84E+00	4.71E-02	3.02E-07	1.0E+06	3.0E-01
287	1.26563	4.85E-03	6.1E-03	6.05E-04	3.71E-06	1.84E+00	4.71E-02	3.22E-07	1.0E+06	3.2E-01
288	0.15258	4.85E-03	7.4E-04	6.05E-04	4.47E-07	1.84E+00	4.71E-02	3.89E-08	1.0E+06	3.9E-02
289	0.16395	4.85E-03	7.9E-04	6.05E-04	4.81E-07	1.84E+00	4.71E-02	4.17E-08	1.0E+06	4.2E-02
290	0.18264	4.85E-03	8.9E-04	6.05E-04	5.36E-07	1.84E+00	4.71E-02	4.65E-08	1.0E+06	4.7E-02
291	0.20155	4.85E-03	9.8E-04	6.05E-04	5.91E-07	1.84E+00	4.71E-02	5.13E-08	1.0E+06	5.1E-02
292	0.24543	4.85E-03	1.2E-03	6.05E-04	7.20E-07	1.84E+00	4.71E-02	6.25E-08	1.0E+06	6.2E-02
293	0.26215	4.85E-03	1.3E-03	6.05E-04	7.69E-07	1.84E+00	4.71E-02	6.68E-08	1.0E+06	6.7E-02
294	0.26042	4.85E-03	1.3E-03	6.05E-04	7.64E-07	1.84E+00	4.71E-02	6.63E-08	1.0E+06	6.6E-02
295	0.28841	4.85E-03	1.4E-03	6.05E-04	8.46E-07	1.84E+00	4.71E-02	7.34E-08	1.0E+06	7.3E-02
296	0.32442	4.85E-03	1.6E-03	6.05E-04	9.51E-07	1.84E+00	4.71E-02	8.26E-08	1.0E+06	8.3E-02
297	0.364	4.85E-03	1.8E-03	6.05E-04	1.07E-06	1.84E+00	4.71E-02	9.27E-08	1.0E+06	9.3E-02
298	0.42495	4.85E-03	2.1E-03	6.05E-04	1.25E-06	1.84E+00	4.71E-02	1.08E-07	1.0E+06	1.1E-01
299	0.51462	4.85E-03	2.5E-03	6.05E-04	1.51E-06	1.84E+00	4.71E-02	1.31E-07	1.0E+06	1.3E-01
300	0.60798	4.85E-03	2.9E-03	6.05E-04	1.78E-06	1.84E+00	4.71E-02	1.55E-07	1.0E+06	1.5E-01
301	0.7201	4.85E-03	3.5E-03	6.05E-04	2.11E-06	1.84E+00	4.71E-02	1.83E-07	1.0E+06	1.8E-01
302	0.82671	4.85E-03	4.0E-03	6.05E-04	2.42E-06	1.84E+00	4.71E-02	2.11E-07	1.0E+06	2.1E-01
303	0.91312	4.85E-03	4.4E-03	6.05E-04	2.68E-06	1.84E+00	4.71E-02	2.33E-07	1.0E+06	2.3E-01
304	0.97225	4.85E-03	4.7E-03	6.05E-04	2.85E-06	1.84E+00	4.71E-02	2.48E-07	1.0E+06	2.5E-01
305	1.03502	4.85E-03	5.0E-03	6.05E-04	3.03E-06	1.84E+00	4.71E-02	2.64E-07	1.0E+06	2.6E-01
306	0.15526	4.85E-03	7.5E-04	6.05E-04	4.55E-07	1.84E+00	4.71E-02	3.95E-08	1.0E+06	4.0E-02
307	0.16177	4.85E-03	7.8E-04	6.05E-04	4.74E-07	1.84E+00	4.71E-02	4.12E-08	1.0E+06	4.1E-02
308	0.17435	4.85E-03	8.4E-04	6.05E-04	5.11E-07	1.84E+00	4.71E-02	4.44E-08	1.0E+06	4.4E-02
309	0.20263	4.85E-03	9.8E-04	6.05E-04	5.94E-07	1.84E+00	4.71E-02	5.16E-08	1.0E+06	5.2E-02
310	0.23095	4.85E-03	1.1E-03	6.05E-04	6.77E-07	1.84E+00	4.71E-02	5.88E-08	1.0E+06	5.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.24347	4.85E-03	1.2E-03	6.05E-04	7.14E-07	1.84E+00	4.71E-02	6.20E-08	1.0E+06	6.2E-02
312	0.23496	4.85E-03	1.1E-03	6.05E-04	6.89E-07	1.84E+00	4.71E-02	5.98E-08	1.0E+06	6.0E-02
313	0.25841	4.85E-03	1.3E-03	6.05E-04	7.58E-07	1.84E+00	4.71E-02	6.58E-08	1.0E+06	6.6E-02
314	0.28898	4.85E-03	1.4E-03	6.05E-04	8.47E-07	1.84E+00	4.71E-02	7.36E-08	1.0E+06	7.4E-02
315	0.3372	4.85E-03	1.6E-03	6.05E-04	9.89E-07	1.84E+00	4.71E-02	8.59E-08	1.0E+06	8.6E-02
316	0.37548	4.85E-03	1.8E-03	6.05E-04	1.10E-06	1.84E+00	4.71E-02	9.56E-08	1.0E+06	9.6E-02
317	0.43327	4.85E-03	2.1E-03	6.05E-04	1.27E-06	1.84E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
318	0.50839	4.85E-03	2.5E-03	6.05E-04	1.49E-06	1.84E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01
319	0.60035	4.85E-03	2.9E-03	6.05E-04	1.76E-06	1.84E+00	4.71E-02	1.53E-07	1.0E+06	1.5E-01
320	0.69635	4.85E-03	3.4E-03	6.05E-04	2.04E-06	1.84E+00	4.71E-02	1.77E-07	1.0E+06	1.8E-01
321	0.76368	4.85E-03	3.7E-03	6.05E-04	2.24E-06	1.84E+00	4.71E-02	1.94E-07	1.0E+06	1.9E-01
322	0.80823	4.85E-03	3.9E-03	6.05E-04	2.37E-06	1.84E+00	4.71E-02	2.06E-07	1.0E+06	2.1E-01
323	0.86092	4.85E-03	4.2E-03	6.05E-04	2.52E-06	1.84E+00	4.71E-02	2.19E-07	1.0E+06	2.2E-01
324	0.14933	4.85E-03	7.2E-04	6.05E-04	4.38E-07	1.84E+00	4.71E-02	3.80E-08	1.0E+06	3.8E-02
325	0.16452	4.85E-03	8.0E-04	6.05E-04	4.82E-07	1.84E+00	4.71E-02	4.19E-08	1.0E+06	4.2E-02
326	0.17468	4.85E-03	8.5E-04	6.05E-04	5.12E-07	1.84E+00	4.71E-02	4.45E-08	1.0E+06	4.4E-02
327	0.18209	4.85E-03	8.8E-04	6.05E-04	5.34E-07	1.84E+00	4.71E-02	4.64E-08	1.0E+06	4.6E-02
328	0.21964	4.85E-03	1.1E-03	6.05E-04	6.44E-07	1.84E+00	4.71E-02	5.59E-08	1.0E+06	5.6E-02
329	0.22545	4.85E-03	1.1E-03	6.05E-04	6.61E-07	1.84E+00	4.71E-02	5.74E-08	1.0E+06	5.7E-02
330	0.2186	4.85E-03	1.1E-03	6.05E-04	6.41E-07	1.84E+00	4.71E-02	5.57E-08	1.0E+06	5.6E-02
331	0.24035	4.85E-03	1.2E-03	6.05E-04	7.05E-07	1.84E+00	4.71E-02	6.12E-08	1.0E+06	6.1E-02
332	0.26848	4.85E-03	1.3E-03	6.05E-04	7.87E-07	1.84E+00	4.71E-02	6.84E-08	1.0E+06	6.8E-02
333	0.31139	4.85E-03	1.5E-03	6.05E-04	9.13E-07	1.84E+00	4.71E-02	7.93E-08	1.0E+06	7.9E-02
334	0.35238	4.85E-03	1.7E-03	6.05E-04	1.03E-06	1.84E+00	4.71E-02	8.97E-08	1.0E+06	9.0E-02
335	0.40188	4.85E-03	1.9E-03	6.05E-04	1.18E-06	1.84E+00	4.71E-02	1.02E-07	1.0E+06	1.0E-01
336	14.22193	4.85E-03	6.9E-02	6.05E-04	4.17E-05	1.84E+00	4.71E-02	3.62E-06	1.0E+06	3.6E+00
337	9.15446	4.85E-03	4.4E-02	6.05E-04	2.68E-05	1.84E+00	4.71E-02	2.33E-06	1.0E+06	2.3E+00
338	0.35979	4.85E-03	1.7E-03	6.05E-04	1.05E-06	1.84E+00	4.71E-02	9.16E-08	1.0E+06	9.2E-02
339	0.39641	4.85E-03	1.9E-03	6.05E-04	1.16E-06	1.84E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
340	0.42244	4.85E-03	2.0E-03	6.05E-04	1.24E-06	1.84E+00	4.71E-02	1.08E-07	1.0E+06	1.1E-01
341	0.44086	4.85E-03	2.1E-03	6.05E-04	1.29E-06	1.84E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.45488	4.85E-03	2.2E-03	6.05E-04	1.33E-06	1.84E+00	4.71E-02	1.16E-07	1.0E+06	1.2E-01
343	0.46544	4.85E-03	2.3E-03	6.05E-04	1.36E-06	1.84E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
344	0.46309	4.85E-03	2.2E-03	6.05E-04	1.36E-06	1.84E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01
345	0.4552	4.85E-03	2.2E-03	6.05E-04	1.33E-06	1.84E+00	4.71E-02	1.16E-07	1.0E+06	1.2E-01
346	0.44133	4.85E-03	2.1E-03	6.05E-04	1.29E-06	1.84E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
347	0.41527	4.85E-03	2.0E-03	6.05E-04	1.22E-06	1.84E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
348	0.4685	4.85E-03	2.3E-03	6.05E-04	1.37E-06	1.84E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
349	0.50316	4.85E-03	2.4E-03	6.05E-04	1.48E-06	1.84E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
350	0.52854	4.85E-03	2.6E-03	6.05E-04	1.55E-06	1.84E+00	4.71E-02	1.35E-07	1.0E+06	1.3E-01
351	0.54861	4.85E-03	2.7E-03	6.05E-04	1.61E-06	1.84E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01
352	0.56328	4.85E-03	2.7E-03	6.05E-04	1.65E-06	1.84E+00	4.71E-02	1.43E-07	1.0E+06	1.4E-01
353	0.55888	4.85E-03	2.7E-03	6.05E-04	1.64E-06	1.84E+00	4.71E-02	1.42E-07	1.0E+06	1.4E-01
354	0.54148	4.85E-03	2.6E-03	6.05E-04	1.59E-06	1.84E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
355	0.52355	4.85E-03	2.5E-03	6.05E-04	1.54E-06	1.84E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
356	0.48865	4.85E-03	2.4E-03	6.05E-04	1.43E-06	1.84E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
357	0.5365	4.85E-03	2.6E-03	6.05E-04	1.57E-06	1.84E+00	4.71E-02	1.37E-07	1.0E+06	1.4E-01
358	0.60331	4.85E-03	2.9E-03	6.05E-04	1.77E-06	1.84E+00	4.71E-02	1.54E-07	1.0E+06	1.5E-01
359	0.64623	4.85E-03	3.1E-03	6.05E-04	1.89E-06	1.84E+00	4.71E-02	1.65E-07	1.0E+06	1.6E-01
360	0.67667	4.85E-03	3.3E-03	6.05E-04	1.98E-06	1.84E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01
361	0.69726	4.85E-03	3.4E-03	6.05E-04	2.04E-06	1.84E+00	4.71E-02	1.78E-07	1.0E+06	1.8E-01
362	0.68982	4.85E-03	3.3E-03	6.05E-04	2.02E-06	1.84E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01
363	0.66165	4.85E-03	3.2E-03	6.05E-04	1.94E-06	1.84E+00	4.71E-02	1.68E-07	1.0E+06	1.7E-01
364	0.5908	4.85E-03	2.9E-03	6.05E-04	1.73E-06	1.84E+00	4.71E-02	1.50E-07	1.0E+06	1.5E-01
365	0.64391	4.85E-03	3.1E-03	6.05E-04	1.89E-06	1.84E+00	4.71E-02	1.64E-07	1.0E+06	1.6E-01
366	0.73317	4.85E-03	3.6E-03	6.05E-04	2.15E-06	1.84E+00	4.71E-02	1.87E-07	1.0E+06	1.9E-01
367	0.81139	4.85E-03	3.9E-03	6.05E-04	2.38E-06	1.84E+00	4.71E-02	2.07E-07	1.0E+06	2.1E-01
368	0.85914	4.85E-03	4.2E-03	6.05E-04	2.52E-06	1.84E+00	4.71E-02	2.19E-07	1.0E+06	2.2E-01
369	0.89316	4.85E-03	4.3E-03	6.05E-04	2.62E-06	1.84E+00	4.71E-02	2.27E-07	1.0E+06	2.3E-01
370	0.84336	4.85E-03	4.1E-03	6.05E-04	2.47E-06	1.84E+00	4.71E-02	2.15E-07	1.0E+06	2.1E-01
371	0.78943	4.85E-03	3.8E-03	6.05E-04	2.31E-06	1.84E+00	4.71E-02	2.01E-07	1.0E+06	2.0E-01
372	0.7404	4.85E-03	3.6E-03	6.05E-04	2.17E-06	1.84E+00	4.71E-02	1.89E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.81467	4.85E-03	3.9E-03	6.05E-04	2.39E-06	1.84E+00	4.71E-02	2.07E-07	1.0E+06	2.1E-01
374	0.93965	4.85E-03	4.6E-03	6.05E-04	2.76E-06	1.84E+00	4.71E-02	2.39E-07	1.0E+06	2.4E-01
375	1.05178	4.85E-03	5.1E-03	6.05E-04	3.08E-06	1.84E+00	4.71E-02	2.68E-07	1.0E+06	2.7E-01
376	1.13565	4.85E-03	5.5E-03	6.05E-04	3.33E-06	1.84E+00	4.71E-02	2.89E-07	1.0E+06	2.9E-01
377	1.18875	4.85E-03	5.8E-03	6.05E-04	3.49E-06	1.84E+00	4.71E-02	3.03E-07	1.0E+06	3.0E-01
378	1.20018	4.85E-03	5.8E-03	6.05E-04	3.52E-06	1.84E+00	4.71E-02	3.06E-07	1.0E+06	3.1E-01
379	1.0988	4.85E-03	5.3E-03	6.05E-04	3.22E-06	1.84E+00	4.71E-02	2.80E-07	1.0E+06	2.8E-01
380	1.00783	4.85E-03	4.9E-03	6.05E-04	2.96E-06	1.84E+00	4.71E-02	2.57E-07	1.0E+06	2.6E-01
381	0.90119	4.85E-03	4.4E-03	6.05E-04	2.64E-06	1.84E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
382	0.96212	4.85E-03	4.7E-03	6.05E-04	2.82E-06	1.84E+00	4.71E-02	2.45E-07	1.0E+06	2.4E-01
383	1.10532	4.85E-03	5.4E-03	6.05E-04	3.24E-06	1.84E+00	4.71E-02	2.81E-07	1.0E+06	2.8E-01
384	1.26328	4.85E-03	6.1E-03	6.05E-04	3.70E-06	1.84E+00	4.71E-02	3.22E-07	1.0E+06	3.2E-01
385	1.43142	4.85E-03	6.9E-03	6.05E-04	4.20E-06	1.84E+00	4.71E-02	3.65E-07	1.0E+06	3.6E-01
386	1.58401	4.85E-03	7.7E-03	6.05E-04	4.64E-06	1.84E+00	4.71E-02	4.03E-07	1.0E+06	4.0E-01
387	1.69194	4.85E-03	8.2E-03	6.05E-04	4.96E-06	1.84E+00	4.71E-02	4.31E-07	1.0E+06	4.3E-01
388	1.71763	4.85E-03	8.3E-03	6.05E-04	5.04E-06	1.84E+00	4.71E-02	4.37E-07	1.0E+06	4.4E-01
389	1.484	4.85E-03	7.2E-03	6.05E-04	4.35E-06	1.84E+00	4.71E-02	3.78E-07	1.0E+06	3.8E-01
390	1.29262	4.85E-03	6.3E-03	6.05E-04	3.79E-06	1.84E+00	4.71E-02	3.29E-07	1.0E+06	3.3E-01
391	1.10329	4.85E-03	5.3E-03	6.05E-04	3.23E-06	1.84E+00	4.71E-02	2.81E-07	1.0E+06	2.8E-01
392	0.9065	4.85E-03	4.4E-03	6.05E-04	2.66E-06	1.84E+00	4.71E-02	2.31E-07	1.0E+06	2.3E-01
393	1.34746	4.85E-03	6.5E-03	6.05E-04	3.95E-06	1.84E+00	4.71E-02	3.43E-07	1.0E+06	3.4E-01
394	1.64651	4.85E-03	8.0E-03	6.05E-04	4.83E-06	1.84E+00	4.71E-02	4.19E-07	1.0E+06	4.2E-01
395	1.85616	4.85E-03	9.0E-03	6.05E-04	5.44E-06	1.84E+00	4.71E-02	4.73E-07	1.0E+06	4.7E-01
396	2.16582	4.85E-03	1.0E-02	6.05E-04	6.35E-06	1.84E+00	4.71E-02	5.52E-07	1.0E+06	5.5E-01
397	2.45109	4.85E-03	1.2E-02	6.05E-04	7.19E-06	1.84E+00	4.71E-02	6.24E-07	1.0E+06	6.2E-01
398	2.45583	4.85E-03	1.2E-02	6.05E-04	7.20E-06	1.84E+00	4.71E-02	6.25E-07	1.0E+06	6.3E-01
399	2.2475	4.85E-03	1.1E-02	6.05E-04	6.59E-06	1.84E+00	4.71E-02	5.72E-07	1.0E+06	5.7E-01
400	2.09785	4.85E-03	1.0E-02	6.05E-04	6.15E-06	1.84E+00	4.71E-02	5.34E-07	1.0E+06	5.3E-01
401	1.67728	4.85E-03	8.1E-03	6.05E-04	4.92E-06	1.84E+00	4.71E-02	4.27E-07	1.0E+06	4.3E-01
402	1.02737	4.85E-03	5.0E-03	6.05E-04	3.01E-06	1.84E+00	4.71E-02	2.62E-07	1.0E+06	2.6E-01
403	3.07347	4.85E-03	1.5E-02	6.05E-04	9.01E-06	1.84E+00	4.71E-02	7.83E-07	1.0E+06	7.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.17192	4.85E-03	5.7E-03	6.05E-04	3.44E-06	1.84E+00	4.71E-02	2.98E-07	1.0E+06	3.0E-01
405	0.88845	4.85E-03	4.3E-03	6.05E-04	2.61E-06	1.84E+00	4.71E-02	2.26E-07	1.0E+06	2.3E-01
406	4.25111	4.85E-03	2.1E-02	6.05E-04	1.25E-05	1.84E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
407	0.89626	4.85E-03	4.3E-03	6.05E-04	2.63E-06	1.84E+00	4.71E-02	2.28E-07	1.0E+06	2.3E-01
408	4.45544	4.85E-03	2.2E-02	6.05E-04	1.31E-05	1.84E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
409	0.87466	4.85E-03	4.2E-03	6.05E-04	2.56E-06	1.84E+00	4.71E-02	2.23E-07	1.0E+06	2.2E-01
410	3.99529	4.85E-03	1.9E-02	6.05E-04	1.17E-05	1.84E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
411	1.11539	4.85E-03	5.4E-03	6.05E-04	3.27E-06	1.84E+00	4.71E-02	2.84E-07	1.0E+06	2.8E-01
412	0.85128	4.85E-03	4.1E-03	6.05E-04	2.50E-06	1.84E+00	4.71E-02	2.17E-07	1.0E+06	2.2E-01
413	3.39077	4.85E-03	1.6E-02	6.05E-04	9.94E-06	1.84E+00	4.71E-02	8.63E-07	1.0E+06	8.6E-01
414	1.40553	4.85E-03	6.8E-03	6.05E-04	4.12E-06	1.84E+00	4.71E-02	3.58E-07	1.0E+06	3.6E-01
415	1.02933	4.85E-03	5.0E-03	6.05E-04	3.02E-06	1.84E+00	4.71E-02	2.62E-07	1.0E+06	2.6E-01
416	0.79436	4.85E-03	3.8E-03	6.05E-04	2.33E-06	1.84E+00	4.71E-02	2.02E-07	1.0E+06	2.0E-01
417	2.77348	4.85E-03	1.3E-02	6.05E-04	8.13E-06	1.84E+00	4.71E-02	7.06E-07	1.0E+06	7.1E-01
418	0.94049	4.85E-03	4.6E-03	6.05E-04	2.76E-06	1.84E+00	4.71E-02	2.39E-07	1.0E+06	2.4E-01
419	0.73553	4.85E-03	3.6E-03	6.05E-04	2.16E-06	1.84E+00	4.71E-02	1.87E-07	1.0E+06	1.9E-01
420	0.59217	4.85E-03	2.9E-03	6.05E-04	1.74E-06	1.84E+00	4.71E-02	1.51E-07	1.0E+06	1.5E-01
421	2.27084	4.85E-03	1.1E-02	6.05E-04	6.66E-06	1.84E+00	4.71E-02	5.78E-07	1.0E+06	5.8E-01
422	0.67828	4.85E-03	3.3E-03	6.05E-04	1.99E-06	1.84E+00	4.71E-02	1.73E-07	1.0E+06	1.7E-01
423	0.554	4.85E-03	2.7E-03	6.05E-04	1.62E-06	1.84E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01
424	1.88	4.85E-03	9.1E-03	6.05E-04	5.51E-06	1.84E+00	4.71E-02	4.79E-07	1.0E+06	4.8E-01
425	0.5157	4.85E-03	2.5E-03	6.05E-04	1.51E-06	1.84E+00	4.71E-02	1.31E-07	1.0E+06	1.3E-01
426	0.43371	4.85E-03	2.1E-03	6.05E-04	1.27E-06	1.84E+00	4.71E-02	1.10E-07	1.0E+06	1.1E-01
427	1.56649	4.85E-03	7.6E-03	6.05E-04	4.59E-06	1.84E+00	4.71E-02	3.99E-07	1.0E+06	4.0E-01
428	0.4789	4.85E-03	2.3E-03	6.05E-04	1.40E-06	1.84E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01
429	0.40662	4.85E-03	2.0E-03	6.05E-04	1.19E-06	1.84E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
430	1.3156	4.85E-03	6.4E-03	6.05E-04	3.86E-06	1.84E+00	4.71E-02	3.35E-07	1.0E+06	3.4E-01
431	0.38046	4.85E-03	1.8E-03	6.05E-04	1.12E-06	1.84E+00	4.71E-02	9.69E-08	1.0E+06	9.7E-02
432	0.32758	4.85E-03	1.6E-03	6.05E-04	9.60E-07	1.84E+00	4.71E-02	8.34E-08	1.0E+06	8.3E-02
433	1.1119	4.85E-03	5.4E-03	6.05E-04	3.26E-06	1.84E+00	4.71E-02	2.83E-07	1.0E+06	2.8E-01
434	0.35598	4.85E-03	1.7E-03	6.05E-04	1.04E-06	1.84E+00	4.71E-02	9.06E-08	1.0E+06	9.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.31017	4.85E-03	1.5E-03	6.05E-04	9.09E-07	1.84E+00	4.71E-02	7.90E-08	1.0E+06	7.9E-02
436	0.94807	4.85E-03	4.6E-03	6.05E-04	2.78E-06	1.84E+00	4.71E-02	2.41E-07	1.0E+06	2.4E-01
437	0.38616	4.85E-03	1.9E-03	6.05E-04	1.13E-06	1.84E+00	4.71E-02	9.83E-08	1.0E+06	9.8E-02
438	0.33379	4.85E-03	1.6E-03	6.05E-04	9.79E-07	1.84E+00	4.71E-02	8.50E-08	1.0E+06	8.5E-02
439	0.29234	4.85E-03	1.4E-03	6.05E-04	8.57E-07	1.84E+00	4.71E-02	7.44E-08	1.0E+06	7.4E-02
440	0.81447	4.85E-03	3.9E-03	6.05E-04	2.39E-06	1.84E+00	4.71E-02	2.07E-07	1.0E+06	2.1E-01
441	0.49808	4.85E-03	2.4E-03	6.05E-04	1.46E-06	1.84E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01
442	0.42026	4.85E-03	2.0E-03	6.05E-04	1.23E-06	1.84E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
443	0.36046	4.85E-03	1.7E-03	6.05E-04	1.06E-06	1.84E+00	4.71E-02	9.18E-08	1.0E+06	9.2E-02
444	0.31303	4.85E-03	1.5E-03	6.05E-04	9.18E-07	1.84E+00	4.71E-02	7.97E-08	1.0E+06	8.0E-02
445	0.70549	4.85E-03	3.4E-03	6.05E-04	2.07E-06	1.84E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
446	0.52981	4.85E-03	2.6E-03	6.05E-04	1.55E-06	1.84E+00	4.71E-02	1.35E-07	1.0E+06	1.3E-01
447	0.45344	4.85E-03	2.2E-03	6.05E-04	1.33E-06	1.84E+00	4.71E-02	1.15E-07	1.0E+06	1.2E-01
448	0.38911	4.85E-03	1.9E-03	6.05E-04	1.14E-06	1.84E+00	4.71E-02	9.91E-08	1.0E+06	9.9E-02
449	0.61559	4.85E-03	3.0E-03	6.05E-04	1.80E-06	1.84E+00	4.71E-02	1.57E-07	1.0E+06	1.6E-01
450	0.5474	4.85E-03	2.7E-03	6.05E-04	1.61E-06	1.84E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
451	0.47889	4.85E-03	2.3E-03	6.05E-04	1.40E-06	1.84E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01
452	0.54079	4.85E-03	2.6E-03	6.05E-04	1.59E-06	1.84E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
453	0.48845	4.85E-03	2.4E-03	6.05E-04	1.43E-06	1.84E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
454	0.23028	4.85E-03	1.1E-03	6.05E-04	6.75E-07	1.84E+00	4.71E-02	5.86E-08	1.0E+06	5.9E-02
455	0.2084	4.85E-03	1.0E-03	6.05E-04	6.11E-07	1.84E+00	4.71E-02	5.31E-08	1.0E+06	5.3E-02
456	0.47804	4.85E-03	2.3E-03	6.05E-04	1.40E-06	1.84E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01
457	0.43751	4.85E-03	2.1E-03	6.05E-04	1.28E-06	1.84E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
458	0.39304	4.85E-03	1.9E-03	6.05E-04	1.15E-06	1.84E+00	4.71E-02	1.00E-07	1.0E+06	1.0E-01
459	0.27435	4.85E-03	1.3E-03	6.05E-04	8.04E-07	1.84E+00	4.71E-02	6.99E-08	1.0E+06	7.0E-02
460	0.24475	4.85E-03	1.2E-03	6.05E-04	7.18E-07	1.84E+00	4.71E-02	6.23E-08	1.0E+06	6.2E-02
461	0.21926	4.85E-03	1.1E-03	6.05E-04	6.43E-07	1.84E+00	4.71E-02	5.58E-08	1.0E+06	5.6E-02
462	0.19767	4.85E-03	9.6E-04	6.05E-04	5.80E-07	1.84E+00	4.71E-02	5.03E-08	1.0E+06	5.0E-02
463	13.92843	4.85E-03	6.7E-02	6.05E-04	4.08E-05	1.84E+00	4.71E-02	3.55E-06	1.0E+06	3.5E+00
464	7.93246	4.85E-03	3.8E-02	6.05E-04	2.33E-05	1.84E+00	4.71E-02	2.02E-06	1.0E+06	2.0E+00
465	10.04613	4.85E-03	4.9E-02	6.05E-04	2.95E-05	1.84E+00	4.71E-02	2.56E-06	1.0E+06	2.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	5.6879	4.85E-03	2.8E-02	6.05E-04	1.67E-05	1.84E+00	4.71E-02	1.45E-06	1.0E+06	1.4E+00
467	6.17677	4.85E-03	3.0E-02	6.05E-04	1.81E-05	1.84E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
468	4.25156	4.85E-03	2.1E-02	6.05E-04	1.25E-05	1.84E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
469	3.04435	4.85E-03	1.5E-02	6.05E-04	8.93E-06	1.84E+00	4.71E-02	7.75E-07	1.0E+06	7.8E-01
470	2.7682	4.85E-03	1.3E-02	6.05E-04	8.12E-06	1.84E+00	4.71E-02	7.05E-07	1.0E+06	7.0E-01
471	2.64881	4.85E-03	1.3E-02	6.05E-04	7.77E-06	1.84E+00	4.71E-02	6.75E-07	1.0E+06	6.7E-01
472	2.05018	4.85E-03	9.9E-03	6.05E-04	6.01E-06	1.84E+00	4.71E-02	5.22E-07	1.0E+06	5.2E-01
473	1.76651	4.85E-03	8.6E-03	6.05E-04	5.18E-06	1.84E+00	4.71E-02	4.50E-07	1.0E+06	4.5E-01
474	1.58003	4.85E-03	7.7E-03	6.05E-04	4.63E-06	1.84E+00	4.71E-02	4.02E-07	1.0E+06	4.0E-01
475	1.40878	4.85E-03	6.8E-03	6.05E-04	4.13E-06	1.84E+00	4.71E-02	3.59E-07	1.0E+06	3.6E-01
476	1.25565	4.85E-03	6.1E-03	6.05E-04	3.68E-06	1.84E+00	4.71E-02	3.20E-07	1.0E+06	3.2E-01
477	1.14792	4.85E-03	5.6E-03	6.05E-04	3.37E-06	1.84E+00	4.71E-02	2.92E-07	1.0E+06	2.9E-01
478	1.02132	4.85E-03	4.9E-03	6.05E-04	2.99E-06	1.84E+00	4.71E-02	2.60E-07	1.0E+06	2.6E-01
479	0.95054	4.85E-03	4.6E-03	6.05E-04	2.79E-06	1.84E+00	4.71E-02	2.42E-07	1.0E+06	2.4E-01
480	0.85091	4.85E-03	4.1E-03	6.05E-04	2.49E-06	1.84E+00	4.71E-02	2.17E-07	1.0E+06	2.2E-01
481	0.84658	4.85E-03	4.1E-03	6.05E-04	2.48E-06	1.84E+00	4.71E-02	2.16E-07	1.0E+06	2.2E-01
482	0.73004	4.85E-03	3.5E-03	6.05E-04	2.14E-06	1.84E+00	4.71E-02	1.86E-07	1.0E+06	1.9E-01
483	0.68148	4.85E-03	3.3E-03	6.05E-04	2.00E-06	1.84E+00	4.71E-02	1.74E-07	1.0E+06	1.7E-01
484	0.63172	4.85E-03	3.1E-03	6.05E-04	1.85E-06	1.84E+00	4.71E-02	1.61E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.16295	2.44396E-06	4.0E-07	6.05E-04	2.41E-10	1.84E+00	4.71E-02	2.09E-11	1.0E+06	2.1E-05
2	2	0.1708	2.44396E-06	4.2E-07	6.05E-04	2.53E-10	1.84E+00	4.71E-02	2.19E-11	1.0E+06	2.2E-05
3	3	0.17834	2.44396E-06	4.4E-07	6.05E-04	2.64E-10	1.84E+00	4.71E-02	2.29E-11	1.0E+06	2.3E-05
4	4	0.18568	2.44396E-06	4.5E-07	6.05E-04	2.75E-10	1.84E+00	4.71E-02	2.38E-11	1.0E+06	2.4E-05
5	5	0.19242	2.44396E-06	4.7E-07	6.05E-04	2.85E-10	1.84E+00	4.71E-02	2.47E-11	1.0E+06	2.5E-05
6	6	0.19986	2.44396E-06	4.9E-07	6.05E-04	2.96E-10	1.84E+00	4.71E-02	2.57E-11	1.0E+06	2.6E-05
7	7	0.2073	2.44396E-06	5.1E-07	6.05E-04	3.07E-10	1.84E+00	4.71E-02	2.66E-11	1.0E+06	2.7E-05
8	8	0.21489	2.44396E-06	5.3E-07	6.05E-04	3.18E-10	1.84E+00	4.71E-02	2.76E-11	1.0E+06	2.8E-05
9	9	0.2234	2.44396E-06	5.5E-07	6.05E-04	3.30E-10	1.84E+00	4.71E-02	2.87E-11	1.0E+06	2.9E-05
10	10	0.23487	2.44396E-06	5.7E-07	6.05E-04	3.47E-10	1.84E+00	4.71E-02	3.02E-11	1.0E+06	3.0E-05
11	11	0.25152	2.44396E-06	6.1E-07	6.05E-04	3.72E-10	1.84E+00	4.71E-02	3.23E-11	1.0E+06	3.2E-05
12	12	0.27164	2.44396E-06	6.6E-07	6.05E-04	4.02E-10	1.84E+00	4.71E-02	3.49E-11	1.0E+06	3.5E-05
13	13	0.29588	2.44396E-06	7.2E-07	6.05E-04	4.38E-10	1.84E+00	4.71E-02	3.80E-11	1.0E+06	3.8E-05
14	14	0.46878	2.44396E-06	1.1E-06	6.05E-04	6.93E-10	1.84E+00	4.71E-02	6.02E-11	1.0E+06	6.0E-05
15	15	0.17688	2.44396E-06	4.3E-07	6.05E-04	2.62E-10	1.84E+00	4.71E-02	2.27E-11	1.0E+06	2.3E-05
16	16	0.18596	2.44396E-06	4.5E-07	6.05E-04	2.75E-10	1.84E+00	4.71E-02	2.39E-11	1.0E+06	2.4E-05
17	17	0.19633	2.44396E-06	4.8E-07	6.05E-04	2.90E-10	1.84E+00	4.71E-02	2.52E-11	1.0E+06	2.5E-05
18	18	0.20597	2.44396E-06	5.0E-07	6.05E-04	3.05E-10	1.84E+00	4.71E-02	2.65E-11	1.0E+06	2.6E-05
19	19	0.21529	2.44396E-06	5.3E-07	6.05E-04	3.18E-10	1.84E+00	4.71E-02	2.76E-11	1.0E+06	2.8E-05
20	20	0.22517	2.44396E-06	5.5E-07	6.05E-04	3.33E-10	1.84E+00	4.71E-02	2.89E-11	1.0E+06	2.9E-05
21	21	0.235	2.44396E-06	5.7E-07	6.05E-04	3.48E-10	1.84E+00	4.71E-02	3.02E-11	1.0E+06	3.0E-05
22	22	0.24443	2.44396E-06	6.0E-07	6.05E-04	3.61E-10	1.84E+00	4.71E-02	3.14E-11	1.0E+06	3.1E-05
23	23	0.25649	2.44396E-06	6.3E-07	6.05E-04	3.79E-10	1.84E+00	4.71E-02	3.29E-11	1.0E+06	3.3E-05
24	24	0.26809	2.44396E-06	6.6E-07	6.05E-04	3.96E-10	1.84E+00	4.71E-02	3.44E-11	1.0E+06	3.4E-05
25	25	0.28754	2.44396E-06	7.0E-07	6.05E-04	4.25E-10	1.84E+00	4.71E-02	3.69E-11	1.0E+06	3.7E-05
26	26	0.31157	2.44396E-06	7.6E-07	6.05E-04	4.61E-10	1.84E+00	4.71E-02	4.00E-11	1.0E+06	4.0E-05
27	27	0.33668	2.44396E-06	8.2E-07	6.05E-04	4.98E-10	1.84E+00	4.71E-02	4.32E-11	1.0E+06	4.3E-05
28	28	0.56338	2.44396E-06	1.4E-06	6.05E-04	8.33E-10	1.84E+00	4.71E-02	7.24E-11	1.0E+06	7.2E-05
29	29	0.19008	2.44396E-06	4.6E-07	6.05E-04	2.81E-10	1.84E+00	4.71E-02	2.44E-11	1.0E+06	2.4E-05
30	30	0.20201	2.44396E-06	4.9E-07	6.05E-04	2.99E-10	1.84E+00	4.71E-02	2.59E-11	1.0E+06	2.6E-05
31	31	0.21504	2.44396E-06	5.3E-07	6.05E-04	3.18E-10	1.84E+00	4.71E-02	2.76E-11	1.0E+06	2.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.22813	2.44396E-06	5.6E-07	6.05E-04	3.37E-10	1.84E+00	4.71E-02	2.93E-11	1.0E+06	2.9E-05
33	33	0.23965	2.44396E-06	5.9E-07	6.05E-04	3.54E-10	1.84E+00	4.71E-02	3.08E-11	1.0E+06	3.1E-05
34	34	0.25326	2.44396E-06	6.2E-07	6.05E-04	3.75E-10	1.84E+00	4.71E-02	3.25E-11	1.0E+06	3.3E-05
35	35	0.26659	2.44396E-06	6.5E-07	6.05E-04	3.94E-10	1.84E+00	4.71E-02	3.42E-11	1.0E+06	3.4E-05
36	36	0.28073	2.44396E-06	6.9E-07	6.05E-04	4.15E-10	1.84E+00	4.71E-02	3.61E-11	1.0E+06	3.6E-05
37	37	0.29599	2.44396E-06	7.2E-07	6.05E-04	4.38E-10	1.84E+00	4.71E-02	3.80E-11	1.0E+06	3.8E-05
38	38	0.31295	2.44396E-06	7.6E-07	6.05E-04	4.63E-10	1.84E+00	4.71E-02	4.02E-11	1.0E+06	4.0E-05
39	39	0.33375	2.44396E-06	8.2E-07	6.05E-04	4.94E-10	1.84E+00	4.71E-02	4.29E-11	1.0E+06	4.3E-05
40	40	0.35878	2.44396E-06	8.8E-07	6.05E-04	5.31E-10	1.84E+00	4.71E-02	4.61E-11	1.0E+06	4.6E-05
41	41	0.38856	2.44396E-06	9.5E-07	6.05E-04	5.75E-10	1.84E+00	4.71E-02	4.99E-11	1.0E+06	5.0E-05
42	42	0.691	2.44396E-06	1.7E-06	6.05E-04	1.02E-09	1.84E+00	4.71E-02	8.87E-11	1.0E+06	8.9E-05
43	43	0.20089	2.44396E-06	4.9E-07	6.05E-04	2.97E-10	1.84E+00	4.71E-02	2.58E-11	1.0E+06	2.6E-05
44	44	0.21517	2.44396E-06	5.3E-07	6.05E-04	3.18E-10	1.84E+00	4.71E-02	2.76E-11	1.0E+06	2.8E-05
45	45	0.23091	2.44396E-06	5.6E-07	6.05E-04	3.41E-10	1.84E+00	4.71E-02	2.97E-11	1.0E+06	3.0E-05
46	46	0.24746	2.44396E-06	6.0E-07	6.05E-04	3.66E-10	1.84E+00	4.71E-02	3.18E-11	1.0E+06	3.2E-05
47	47	0.26399	2.44396E-06	6.5E-07	6.05E-04	3.90E-10	1.84E+00	4.71E-02	3.39E-11	1.0E+06	3.4E-05
48	48	0.28171	2.44396E-06	6.9E-07	6.05E-04	4.17E-10	1.84E+00	4.71E-02	3.62E-11	1.0E+06	3.6E-05
49	49	0.2996	2.44396E-06	7.3E-07	6.05E-04	4.43E-10	1.84E+00	4.71E-02	3.85E-11	1.0E+06	3.8E-05
50	50	0.31794	2.44396E-06	7.8E-07	6.05E-04	4.70E-10	1.84E+00	4.71E-02	4.08E-11	1.0E+06	4.1E-05
51	51	0.34247	2.44396E-06	8.4E-07	6.05E-04	5.06E-10	1.84E+00	4.71E-02	4.40E-11	1.0E+06	4.4E-05
52	52	0.3658	2.44396E-06	8.9E-07	6.05E-04	5.41E-10	1.84E+00	4.71E-02	4.70E-11	1.0E+06	4.7E-05
53	53	0.39355	2.44396E-06	9.6E-07	6.05E-04	5.82E-10	1.84E+00	4.71E-02	5.05E-11	1.0E+06	5.1E-05
54	54	0.42556	2.44396E-06	1.0E-06	6.05E-04	6.29E-10	1.84E+00	4.71E-02	5.47E-11	1.0E+06	5.5E-05
55	55	0.46443	2.44396E-06	1.1E-06	6.05E-04	6.87E-10	1.84E+00	4.71E-02	5.96E-11	1.0E+06	6.0E-05
56	56	0.87506	2.44396E-06	2.1E-06	6.05E-04	1.29E-09	1.84E+00	4.71E-02	1.12E-10	1.0E+06	1.1E-04
57	57	0.20805	2.44396E-06	5.1E-07	6.05E-04	3.08E-10	1.84E+00	4.71E-02	2.67E-11	1.0E+06	2.7E-05
58	58	0.22487	2.44396E-06	5.5E-07	6.05E-04	3.33E-10	1.84E+00	4.71E-02	2.89E-11	1.0E+06	2.9E-05
59	59	0.24377	2.44396E-06	6.0E-07	6.05E-04	3.60E-10	1.84E+00	4.71E-02	3.13E-11	1.0E+06	3.1E-05
60	60	0.26436	2.44396E-06	6.5E-07	6.05E-04	3.91E-10	1.84E+00	4.71E-02	3.40E-11	1.0E+06	3.4E-05
61	61	0.28649	2.44396E-06	7.0E-07	6.05E-04	4.24E-10	1.84E+00	4.71E-02	3.68E-11	1.0E+06	3.7E-05
62	62	0.31016	2.44396E-06	7.6E-07	6.05E-04	4.59E-10	1.84E+00	4.71E-02	3.98E-11	1.0E+06	4.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.33746	2.44396E-06	8.2E-07	6.05E-04	4.99E-10	1.84E+00	4.71E-02	4.33E-11	1.0E+06	4.3E-05
64	64	0.36007	2.44396E-06	8.8E-07	6.05E-04	5.32E-10	1.84E+00	4.71E-02	4.62E-11	1.0E+06	4.6E-05
65	65	0.39307	2.44396E-06	9.6E-07	6.05E-04	5.81E-10	1.84E+00	4.71E-02	5.05E-11	1.0E+06	5.0E-05
66	66	0.4291	2.44396E-06	1.0E-06	6.05E-04	6.35E-10	1.84E+00	4.71E-02	5.51E-11	1.0E+06	5.5E-05
67	67	0.46563	2.44396E-06	1.1E-06	6.05E-04	6.89E-10	1.84E+00	4.71E-02	5.98E-11	1.0E+06	6.0E-05
68	68	0.51395	2.44396E-06	1.3E-06	6.05E-04	7.60E-10	1.84E+00	4.71E-02	6.60E-11	1.0E+06	6.6E-05
69	69	0.56928	2.44396E-06	1.4E-06	6.05E-04	8.42E-10	1.84E+00	4.71E-02	7.31E-11	1.0E+06	7.3E-05
70	70	0.21251	2.44396E-06	5.2E-07	6.05E-04	3.14E-10	1.84E+00	4.71E-02	2.73E-11	1.0E+06	2.7E-05
71	71	0.2312	2.44396E-06	5.7E-07	6.05E-04	3.42E-10	1.84E+00	4.71E-02	2.97E-11	1.0E+06	3.0E-05
72	72	0.25266	2.44396E-06	6.2E-07	6.05E-04	3.74E-10	1.84E+00	4.71E-02	3.24E-11	1.0E+06	3.2E-05
73	73	0.27657	2.44396E-06	6.8E-07	6.05E-04	4.09E-10	1.84E+00	4.71E-02	3.55E-11	1.0E+06	3.6E-05
74	74	0.30308	2.44396E-06	7.4E-07	6.05E-04	4.48E-10	1.84E+00	4.71E-02	3.89E-11	1.0E+06	3.9E-05
75	75	0.33457	2.44396E-06	8.2E-07	6.05E-04	4.95E-10	1.84E+00	4.71E-02	4.30E-11	1.0E+06	4.3E-05
76	76	0.36942	2.44396E-06	9.0E-07	6.05E-04	5.46E-10	1.84E+00	4.71E-02	4.74E-11	1.0E+06	4.7E-05
77	77	0.40518	2.44396E-06	9.9E-07	6.05E-04	5.99E-10	1.84E+00	4.71E-02	5.20E-11	1.0E+06	5.2E-05
78	78	0.44996	2.44396E-06	1.1E-06	6.05E-04	6.65E-10	1.84E+00	4.71E-02	5.78E-11	1.0E+06	5.8E-05
79	79	0.50681	2.44396E-06	1.2E-06	6.05E-04	7.49E-10	1.84E+00	4.71E-02	6.51E-11	1.0E+06	6.5E-05
80	80	0.56122	2.44396E-06	1.4E-06	6.05E-04	8.30E-10	1.84E+00	4.71E-02	7.21E-11	1.0E+06	7.2E-05
81	81	0.63194	2.44396E-06	1.5E-06	6.05E-04	9.34E-10	1.84E+00	4.71E-02	8.12E-11	1.0E+06	8.1E-05
82	82	0.70854	2.44396E-06	1.7E-06	6.05E-04	1.05E-09	1.84E+00	4.71E-02	9.10E-11	1.0E+06	9.1E-05
83	83	0.21332	2.44396E-06	5.2E-07	6.05E-04	3.15E-10	1.84E+00	4.71E-02	2.74E-11	1.0E+06	2.7E-05
84	84	0.23286	2.44396E-06	5.7E-07	6.05E-04	3.44E-10	1.84E+00	4.71E-02	2.99E-11	1.0E+06	3.0E-05
85	85	0.25399	2.44396E-06	6.2E-07	6.05E-04	3.76E-10	1.84E+00	4.71E-02	3.26E-11	1.0E+06	3.3E-05
86	86	0.28267	2.44396E-06	6.9E-07	6.05E-04	4.18E-10	1.84E+00	4.71E-02	3.63E-11	1.0E+06	3.6E-05
87	87	0.31343	2.44396E-06	7.7E-07	6.05E-04	4.63E-10	1.84E+00	4.71E-02	4.03E-11	1.0E+06	4.0E-05
88	88	0.349	2.44396E-06	8.5E-07	6.05E-04	5.16E-10	1.84E+00	4.71E-02	4.48E-11	1.0E+06	4.5E-05
89	89	0.39045	2.44396E-06	9.5E-07	6.05E-04	5.77E-10	1.84E+00	4.71E-02	5.01E-11	1.0E+06	5.0E-05
90	90	0.43931	2.44396E-06	1.1E-06	6.05E-04	6.50E-10	1.84E+00	4.71E-02	5.64E-11	1.0E+06	5.6E-05
91	91	0.49712	2.44396E-06	1.2E-06	6.05E-04	7.35E-10	1.84E+00	4.71E-02	6.38E-11	1.0E+06	6.4E-05
92	92	0.56472	2.44396E-06	1.4E-06	6.05E-04	8.35E-10	1.84E+00	4.71E-02	7.25E-11	1.0E+06	7.3E-05
93	93	0.64657	2.44396E-06	1.6E-06	6.05E-04	9.56E-10	1.84E+00	4.71E-02	8.30E-11	1.0E+06	8.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.74436	2.44396E-06	1.8E-06	6.05E-04	1.10E-09	1.84E+00	4.71E-02	9.56E-11	1.0E+06	9.6E-05
95	95	0.8649	2.44396E-06	2.1E-06	6.05E-04	1.28E-09	1.84E+00	4.71E-02	1.11E-10	1.0E+06	1.1E-04
96	96	0.20852	2.44396E-06	5.1E-07	6.05E-04	3.08E-10	1.84E+00	4.71E-02	2.68E-11	1.0E+06	2.7E-05
97	97	0.22513	2.44396E-06	5.5E-07	6.05E-04	3.33E-10	1.84E+00	4.71E-02	2.89E-11	1.0E+06	2.9E-05
98	98	0.24675	2.44396E-06	6.0E-07	6.05E-04	3.65E-10	1.84E+00	4.71E-02	3.17E-11	1.0E+06	3.2E-05
99	99	0.27703	2.44396E-06	6.8E-07	6.05E-04	4.10E-10	1.84E+00	4.71E-02	3.56E-11	1.0E+06	3.6E-05
100	100	0.31444	2.44396E-06	7.7E-07	6.05E-04	4.65E-10	1.84E+00	4.71E-02	4.04E-11	1.0E+06	4.0E-05
101	101	0.35401	2.44396E-06	8.7E-07	6.05E-04	5.23E-10	1.84E+00	4.71E-02	4.55E-11	1.0E+06	4.5E-05
102	102	0.40089	2.44396E-06	9.8E-07	6.05E-04	5.93E-10	1.84E+00	4.71E-02	5.15E-11	1.0E+06	5.1E-05
103	103	0.45685	2.44396E-06	1.1E-06	6.05E-04	6.76E-10	1.84E+00	4.71E-02	5.87E-11	1.0E+06	5.9E-05
104	104	0.52578	2.44396E-06	1.3E-06	6.05E-04	7.78E-10	1.84E+00	4.71E-02	6.75E-11	1.0E+06	6.8E-05
105	105	0.61209	2.44396E-06	1.5E-06	6.05E-04	9.05E-10	1.84E+00	4.71E-02	7.86E-11	1.0E+06	7.9E-05
106	106	0.71832	2.44396E-06	1.8E-06	6.05E-04	1.06E-09	1.84E+00	4.71E-02	9.23E-11	1.0E+06	9.2E-05
107	107	0.85234	2.44396E-06	2.1E-06	6.05E-04	1.26E-09	1.84E+00	4.71E-02	1.09E-10	1.0E+06	1.1E-04
108	108	1.02697	2.44396E-06	2.5E-06	6.05E-04	1.52E-09	1.84E+00	4.71E-02	1.32E-10	1.0E+06	1.3E-04
109	109	0.19639	2.44396E-06	4.8E-07	6.05E-04	2.90E-10	1.84E+00	4.71E-02	2.52E-11	1.0E+06	2.5E-05
110	110	0.21736	2.44396E-06	5.3E-07	6.05E-04	3.21E-10	1.84E+00	4.71E-02	2.79E-11	1.0E+06	2.8E-05
111	111	0.2421	2.44396E-06	5.9E-07	6.05E-04	3.58E-10	1.84E+00	4.71E-02	3.11E-11	1.0E+06	3.1E-05
112	112	0.27121	2.44396E-06	6.6E-07	6.05E-04	4.01E-10	1.84E+00	4.71E-02	3.48E-11	1.0E+06	3.5E-05
113	113	0.30569	2.44396E-06	7.5E-07	6.05E-04	4.52E-10	1.84E+00	4.71E-02	3.93E-11	1.0E+06	3.9E-05
114	114	0.34668	2.44396E-06	8.5E-07	6.05E-04	5.13E-10	1.84E+00	4.71E-02	4.45E-11	1.0E+06	4.5E-05
115	115	0.39574	2.44396E-06	9.7E-07	6.05E-04	5.85E-10	1.84E+00	4.71E-02	5.08E-11	1.0E+06	5.1E-05
116	116	0.4571	2.44396E-06	1.1E-06	6.05E-04	6.76E-10	1.84E+00	4.71E-02	5.87E-11	1.0E+06	5.9E-05
117	117	0.53437	2.44396E-06	1.3E-06	6.05E-04	7.90E-10	1.84E+00	4.71E-02	6.86E-11	1.0E+06	6.9E-05
118	118	0.63004	2.44396E-06	1.5E-06	6.05E-04	9.32E-10	1.84E+00	4.71E-02	8.09E-11	1.0E+06	8.1E-05
119	119	0.75251	2.44396E-06	1.8E-06	6.05E-04	1.11E-09	1.84E+00	4.71E-02	9.66E-11	1.0E+06	9.7E-05
120	120	0.91298	2.44396E-06	2.2E-06	6.05E-04	1.35E-09	1.84E+00	4.71E-02	1.17E-10	1.0E+06	1.2E-04
121	121	1.12529	2.44396E-06	2.8E-06	6.05E-04	1.66E-09	1.84E+00	4.71E-02	1.45E-10	1.0E+06	1.4E-04
122	122	0.18255	2.44396E-06	4.5E-07	6.05E-04	2.70E-10	1.84E+00	4.71E-02	2.34E-11	1.0E+06	2.3E-05
123	123	0.20314	2.44396E-06	5.0E-07	6.05E-04	3.00E-10	1.84E+00	4.71E-02	2.61E-11	1.0E+06	2.6E-05
124	124	0.2293	2.44396E-06	5.6E-07	6.05E-04	3.39E-10	1.84E+00	4.71E-02	2.94E-11	1.0E+06	2.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.25749	2.44396E-06	6.3E-07	6.05E-04	3.81E-10	1.84E+00	4.71E-02	3.31E-11	1.0E+06	3.3E-05
126	126	0.28941	2.44396E-06	7.1E-07	6.05E-04	4.28E-10	1.84E+00	4.71E-02	3.72E-11	1.0E+06	3.7E-05
127	127	0.326	2.44396E-06	8.0E-07	6.05E-04	4.82E-10	1.84E+00	4.71E-02	4.19E-11	1.0E+06	4.2E-05
128	128	0.35595	2.44396E-06	8.7E-07	6.05E-04	5.26E-10	1.84E+00	4.71E-02	4.57E-11	1.0E+06	4.6E-05
129	129	0.41259	2.44396E-06	1.0E-06	6.05E-04	6.10E-10	1.84E+00	4.71E-02	5.30E-11	1.0E+06	5.3E-05
130	130	0.50049	2.44396E-06	1.2E-06	6.05E-04	7.40E-10	1.84E+00	4.71E-02	6.43E-11	1.0E+06	6.4E-05
131	131	40.29017	2.44396E-06	9.8E-05	6.05E-04	5.96E-08	1.84E+00	4.71E-02	5.17E-09	1.0E+06	5.2E-03
132	132	40.63433	2.44396E-06	9.9E-05	6.05E-04	6.01E-08	1.84E+00	4.71E-02	5.22E-09	1.0E+06	5.2E-03
133	133	0.16729	2.44396E-06	4.1E-07	6.05E-04	2.47E-10	1.84E+00	4.71E-02	2.15E-11	1.0E+06	2.1E-05
134	134	0.18943	2.44396E-06	4.6E-07	6.05E-04	2.80E-10	1.84E+00	4.71E-02	2.43E-11	1.0E+06	2.4E-05
135	135	0.21396	2.44396E-06	5.2E-07	6.05E-04	3.16E-10	1.84E+00	4.71E-02	2.75E-11	1.0E+06	2.7E-05
136	136	0.24019	2.44396E-06	5.9E-07	6.05E-04	3.55E-10	1.84E+00	4.71E-02	3.08E-11	1.0E+06	3.1E-05
137	137	0.2703	2.44396E-06	6.6E-07	6.05E-04	4.00E-10	1.84E+00	4.71E-02	3.47E-11	1.0E+06	3.5E-05
138	138	0.3019	2.44396E-06	7.4E-07	6.05E-04	4.46E-10	1.84E+00	4.71E-02	3.88E-11	1.0E+06	3.9E-05
139	139	0.33401	2.44396E-06	8.2E-07	6.05E-04	4.94E-10	1.84E+00	4.71E-02	4.29E-11	1.0E+06	4.3E-05
140	140	0.38373	2.44396E-06	9.4E-07	6.05E-04	5.67E-10	1.84E+00	4.71E-02	4.93E-11	1.0E+06	4.9E-05
141	141	0.45198	2.44396E-06	1.1E-06	6.05E-04	6.68E-10	1.84E+00	4.71E-02	5.80E-11	1.0E+06	5.8E-05
142	142	0.53672	2.44396E-06	1.3E-06	6.05E-04	7.94E-10	1.84E+00	4.71E-02	6.89E-11	1.0E+06	6.9E-05
143	143	0.66121	2.44396E-06	1.6E-06	6.05E-04	9.78E-10	1.84E+00	4.71E-02	8.49E-11	1.0E+06	8.5E-05
144	144	0.85149	2.44396E-06	2.1E-06	6.05E-04	1.26E-09	1.84E+00	4.71E-02	1.09E-10	1.0E+06	1.1E-04
145	145	1.10977	2.44396E-06	2.7E-06	6.05E-04	1.64E-09	1.84E+00	4.71E-02	1.43E-10	1.0E+06	1.4E-04
146	146	24.23854	2.44396E-06	5.9E-05	6.05E-04	3.58E-08	1.84E+00	4.71E-02	3.11E-09	1.0E+06	3.1E-03
147	147	0.15464	2.44396E-06	3.8E-07	6.05E-04	2.29E-10	1.84E+00	4.71E-02	1.99E-11	1.0E+06	2.0E-05
148	148	0.17394	2.44396E-06	4.3E-07	6.05E-04	2.57E-10	1.84E+00	4.71E-02	2.23E-11	1.0E+06	2.2E-05
149	149	0.19691	2.44396E-06	4.8E-07	6.05E-04	2.91E-10	1.84E+00	4.71E-02	2.53E-11	1.0E+06	2.5E-05
150	150	0.2214	2.44396E-06	5.4E-07	6.05E-04	3.27E-10	1.84E+00	4.71E-02	2.84E-11	1.0E+06	2.8E-05
151	151	0.25154	2.44396E-06	6.1E-07	6.05E-04	3.72E-10	1.84E+00	4.71E-02	3.23E-11	1.0E+06	3.2E-05
152	152	0.28058	2.44396E-06	6.9E-07	6.05E-04	4.15E-10	1.84E+00	4.71E-02	3.60E-11	1.0E+06	3.6E-05
153	153	0.31476	2.44396E-06	7.7E-07	6.05E-04	4.65E-10	1.84E+00	4.71E-02	4.04E-11	1.0E+06	4.0E-05
154	154	0.36173	2.44396E-06	8.8E-07	6.05E-04	5.35E-10	1.84E+00	4.71E-02	4.65E-11	1.0E+06	4.6E-05
155	155	0.42426	2.44396E-06	1.0E-06	6.05E-04	6.27E-10	1.84E+00	4.71E-02	5.45E-11	1.0E+06	5.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.50248	2.44396E-06	1.2E-06	6.05E-04	7.43E-10	1.84E+00	4.71E-02	6.45E-11	1.0E+06	6.5E-05
157	157	0.60154	2.44396E-06	1.5E-06	6.05E-04	8.90E-10	1.84E+00	4.71E-02	7.73E-11	1.0E+06	7.7E-05
158	158	0.73295	2.44396E-06	1.8E-06	6.05E-04	1.08E-09	1.84E+00	4.71E-02	9.41E-11	1.0E+06	9.4E-05
159	159	0.99098	2.44396E-06	2.4E-06	6.05E-04	1.47E-09	1.84E+00	4.71E-02	1.27E-10	1.0E+06	1.3E-04
160	160	0.14764	2.44396E-06	3.6E-07	6.05E-04	2.18E-10	1.84E+00	4.71E-02	1.90E-11	1.0E+06	1.9E-05
161	161	0.16257	2.44396E-06	4.0E-07	6.05E-04	2.40E-10	1.84E+00	4.71E-02	2.09E-11	1.0E+06	2.1E-05
162	162	0.17749	2.44396E-06	4.3E-07	6.05E-04	2.62E-10	1.84E+00	4.71E-02	2.28E-11	1.0E+06	2.3E-05
163	163	0.20288	2.44396E-06	5.0E-07	6.05E-04	3.00E-10	1.84E+00	4.71E-02	2.61E-11	1.0E+06	2.6E-05
164	164	0.23487	2.44396E-06	5.7E-07	6.05E-04	3.47E-10	1.84E+00	4.71E-02	3.02E-11	1.0E+06	3.0E-05
165	165	0.26386	2.44396E-06	6.4E-07	6.05E-04	3.90E-10	1.84E+00	4.71E-02	3.39E-11	1.0E+06	3.4E-05
166	166	0.30008	2.44396E-06	7.3E-07	6.05E-04	4.44E-10	1.84E+00	4.71E-02	3.85E-11	1.0E+06	3.9E-05
167	167	0.34418	2.44396E-06	8.4E-07	6.05E-04	5.09E-10	1.84E+00	4.71E-02	4.42E-11	1.0E+06	4.4E-05
168	168	0.39972	2.44396E-06	9.8E-07	6.05E-04	5.91E-10	1.84E+00	4.71E-02	5.13E-11	1.0E+06	5.1E-05
169	169	0.46992	2.44396E-06	1.1E-06	6.05E-04	6.95E-10	1.84E+00	4.71E-02	6.04E-11	1.0E+06	6.0E-05
170	170	0.55866	2.44396E-06	1.4E-06	6.05E-04	8.26E-10	1.84E+00	4.71E-02	7.17E-11	1.0E+06	7.2E-05
171	171	0.67646	2.44396E-06	1.7E-06	6.05E-04	1.00E-09	1.84E+00	4.71E-02	8.69E-11	1.0E+06	8.7E-05
172	172	0.86603	2.44396E-06	2.1E-06	6.05E-04	1.28E-09	1.84E+00	4.71E-02	1.11E-10	1.0E+06	1.1E-04
173	173	1.17572	2.44396E-06	2.9E-06	6.05E-04	1.74E-09	1.84E+00	4.71E-02	1.51E-10	1.0E+06	1.5E-04
174	174	1.72711	2.44396E-06	4.2E-06	6.05E-04	2.55E-09	1.84E+00	4.71E-02	2.22E-10	1.0E+06	2.2E-04
175	175	2.66253	2.44396E-06	6.5E-06	6.05E-04	3.94E-09	1.84E+00	4.71E-02	3.42E-10	1.0E+06	3.4E-04
176	176	4.29608	2.44396E-06	1.0E-05	6.05E-04	6.35E-09	1.84E+00	4.71E-02	5.52E-10	1.0E+06	5.5E-04
177	177	7.52527	2.44396E-06	1.8E-05	6.05E-04	1.11E-08	1.84E+00	4.71E-02	9.66E-10	1.0E+06	9.7E-04
178	178	13.07509	2.44396E-06	3.2E-05	6.05E-04	1.93E-08	1.84E+00	4.71E-02	1.68E-09	1.0E+06	1.7E-03
179	179	0.13802	2.44396E-06	3.4E-07	6.05E-04	2.04E-10	1.84E+00	4.71E-02	1.77E-11	1.0E+06	1.8E-05
180	180	0.15026	2.44396E-06	3.7E-07	6.05E-04	2.22E-10	1.84E+00	4.71E-02	1.93E-11	1.0E+06	1.9E-05
181	181	0.16167	2.44396E-06	4.0E-07	6.05E-04	2.39E-10	1.84E+00	4.71E-02	2.08E-11	1.0E+06	2.1E-05
182	182	0.18788	2.44396E-06	4.6E-07	6.05E-04	2.78E-10	1.84E+00	4.71E-02	2.41E-11	1.0E+06	2.4E-05
183	183	0.22317	2.44396E-06	5.5E-07	6.05E-04	3.30E-10	1.84E+00	4.71E-02	2.87E-11	1.0E+06	2.9E-05
184	184	0.25212	2.44396E-06	6.2E-07	6.05E-04	3.73E-10	1.84E+00	4.71E-02	3.24E-11	1.0E+06	3.2E-05
185	185	0.28834	2.44396E-06	7.0E-07	6.05E-04	4.26E-10	1.84E+00	4.71E-02	3.70E-11	1.0E+06	3.7E-05
186	186	0.33007	2.44396E-06	8.1E-07	6.05E-04	4.88E-10	1.84E+00	4.71E-02	4.24E-11	1.0E+06	4.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.37945	2.44396E-06	9.3E-07	6.05E-04	5.61E-10	1.84E+00	4.71E-02	4.87E-11	1.0E+06	4.9E-05
188	188	0.44282	2.44396E-06	1.1E-06	6.05E-04	6.55E-10	1.84E+00	4.71E-02	5.69E-11	1.0E+06	5.7E-05
189	189	0.52011	2.44396E-06	1.3E-06	6.05E-04	7.69E-10	1.84E+00	4.71E-02	6.68E-11	1.0E+06	6.7E-05
190	190	0.62267	2.44396E-06	1.5E-06	6.05E-04	9.21E-10	1.84E+00	4.71E-02	8.00E-11	1.0E+06	8.0E-05
191	191	0.75717	2.44396E-06	1.9E-06	6.05E-04	1.12E-09	1.84E+00	4.71E-02	9.72E-11	1.0E+06	9.7E-05
192	192	0.96366	2.44396E-06	2.4E-06	6.05E-04	1.43E-09	1.84E+00	4.71E-02	1.24E-10	1.0E+06	1.2E-04
193	193	1.26764	2.44396E-06	3.1E-06	6.05E-04	1.87E-09	1.84E+00	4.71E-02	1.63E-10	1.0E+06	1.6E-04
194	194	1.82273	2.44396E-06	4.5E-06	6.05E-04	2.70E-09	1.84E+00	4.71E-02	2.34E-10	1.0E+06	2.3E-04
195	195	2.96679	2.44396E-06	7.3E-06	6.05E-04	4.39E-09	1.84E+00	4.71E-02	3.81E-10	1.0E+06	3.8E-04
196	196	4.65065	2.44396E-06	1.1E-05	6.05E-04	6.88E-09	1.84E+00	4.71E-02	5.97E-10	1.0E+06	6.0E-04
197	197	6.7989	2.44396E-06	1.7E-05	6.05E-04	1.01E-08	1.84E+00	4.71E-02	8.73E-10	1.0E+06	8.7E-04
198	198	0.13281	2.44396E-06	3.2E-07	6.05E-04	1.96E-10	1.84E+00	4.71E-02	1.71E-11	1.0E+06	1.7E-05
199	199	0.14492	2.44396E-06	3.5E-07	6.05E-04	2.14E-10	1.84E+00	4.71E-02	1.86E-11	1.0E+06	1.9E-05
200	200	0.15858	2.44396E-06	3.9E-07	6.05E-04	2.35E-10	1.84E+00	4.71E-02	2.04E-11	1.0E+06	2.0E-05
201	201	0.17775	2.44396E-06	4.3E-07	6.05E-04	2.63E-10	1.84E+00	4.71E-02	2.28E-11	1.0E+06	2.3E-05
202	202	0.21002	2.44396E-06	5.1E-07	6.05E-04	3.11E-10	1.84E+00	4.71E-02	2.70E-11	1.0E+06	2.7E-05
203	203	0.23979	2.44396E-06	5.9E-07	6.05E-04	3.55E-10	1.84E+00	4.71E-02	3.08E-11	1.0E+06	3.1E-05
204	204	0.27524	2.44396E-06	6.7E-07	6.05E-04	4.07E-10	1.84E+00	4.71E-02	3.53E-11	1.0E+06	3.5E-05
205	205	0.31467	2.44396E-06	7.7E-07	6.05E-04	4.65E-10	1.84E+00	4.71E-02	4.04E-11	1.0E+06	4.0E-05
206	206	0.36097	2.44396E-06	8.8E-07	6.05E-04	5.34E-10	1.84E+00	4.71E-02	4.64E-11	1.0E+06	4.6E-05
207	207	0.41746	2.44396E-06	1.0E-06	6.05E-04	6.17E-10	1.84E+00	4.71E-02	5.36E-11	1.0E+06	5.4E-05
208	208	0.48517	2.44396E-06	1.2E-06	6.05E-04	7.17E-10	1.84E+00	4.71E-02	6.23E-11	1.0E+06	6.2E-05
209	209	0.57014	2.44396E-06	1.4E-06	6.05E-04	8.43E-10	1.84E+00	4.71E-02	7.32E-11	1.0E+06	7.3E-05
210	210	0.67524	2.44396E-06	1.7E-06	6.05E-04	9.99E-10	1.84E+00	4.71E-02	8.67E-11	1.0E+06	8.7E-05
211	211	0.81049	2.44396E-06	2.0E-06	6.05E-04	1.20E-09	1.84E+00	4.71E-02	1.04E-10	1.0E+06	1.0E-04
212	212	0.98298	2.44396E-06	2.4E-06	6.05E-04	1.45E-09	1.84E+00	4.71E-02	1.26E-10	1.0E+06	1.3E-04
213	213	1.22519	2.44396E-06	3.0E-06	6.05E-04	1.81E-09	1.84E+00	4.71E-02	1.57E-10	1.0E+06	1.6E-04
214	214	1.61292	2.44396E-06	3.9E-06	6.05E-04	2.39E-09	1.84E+00	4.71E-02	2.07E-10	1.0E+06	2.1E-04
215	215	2.89116	2.44396E-06	7.1E-06	6.05E-04	4.28E-09	1.84E+00	4.71E-02	3.71E-10	1.0E+06	3.7E-04
216	216	0.12963	2.44396E-06	3.2E-07	6.05E-04	1.92E-10	1.84E+00	4.71E-02	1.66E-11	1.0E+06	1.7E-05
217	217	0.14021	2.44396E-06	3.4E-07	6.05E-04	2.07E-10	1.84E+00	4.71E-02	1.80E-11	1.0E+06	1.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.15356	2.44396E-06	3.8E-07	6.05E-04	2.27E-10	1.84E+00	4.71E-02	1.97E-11	1.0E+06	2.0E-05
219	219	0.17051	2.44396E-06	4.2E-07	6.05E-04	2.52E-10	1.84E+00	4.71E-02	2.19E-11	1.0E+06	2.2E-05
220	220	0.19795	2.44396E-06	4.8E-07	6.05E-04	2.93E-10	1.84E+00	4.71E-02	2.54E-11	1.0E+06	2.5E-05
221	221	0.22398	2.44396E-06	5.5E-07	6.05E-04	3.31E-10	1.84E+00	4.71E-02	2.88E-11	1.0E+06	2.9E-05
222	222	0.25792	2.44396E-06	6.3E-07	6.05E-04	3.81E-10	1.84E+00	4.71E-02	3.31E-11	1.0E+06	3.3E-05
223	223	0.29474	2.44396E-06	7.2E-07	6.05E-04	4.36E-10	1.84E+00	4.71E-02	3.79E-11	1.0E+06	3.8E-05
224	224	0.33685	2.44396E-06	8.2E-07	6.05E-04	4.98E-10	1.84E+00	4.71E-02	4.33E-11	1.0E+06	4.3E-05
225	225	0.38417	2.44396E-06	9.4E-07	6.05E-04	5.68E-10	1.84E+00	4.71E-02	4.93E-11	1.0E+06	4.9E-05
226	226	0.44288	2.44396E-06	1.1E-06	6.05E-04	6.55E-10	1.84E+00	4.71E-02	5.69E-11	1.0E+06	5.7E-05
227	227	0.50934	2.44396E-06	1.2E-06	6.05E-04	7.53E-10	1.84E+00	4.71E-02	6.54E-11	1.0E+06	6.5E-05
228	228	0.58693	2.44396E-06	1.4E-06	6.05E-04	8.68E-10	1.84E+00	4.71E-02	7.54E-11	1.0E+06	7.5E-05
229	229	0.68305	2.44396E-06	1.7E-06	6.05E-04	1.01E-09	1.84E+00	4.71E-02	8.77E-11	1.0E+06	8.8E-05
230	230	0.80324	2.44396E-06	2.0E-06	6.05E-04	1.19E-09	1.84E+00	4.71E-02	1.03E-10	1.0E+06	1.0E-04
231	231	0.98834	2.44396E-06	2.4E-06	6.05E-04	1.46E-09	1.84E+00	4.71E-02	1.27E-10	1.0E+06	1.3E-04
232	232	1.28506	2.44396E-06	3.1E-06	6.05E-04	1.90E-09	1.84E+00	4.71E-02	1.65E-10	1.0E+06	1.7E-04
233	233	1.99037	2.44396E-06	4.9E-06	6.05E-04	2.94E-09	1.84E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
234	234	0.12623	2.44396E-06	3.1E-07	6.05E-04	1.87E-10	1.84E+00	4.71E-02	1.62E-11	1.0E+06	1.6E-05
235	235	0.1355	2.44396E-06	3.3E-07	6.05E-04	2.00E-10	1.84E+00	4.71E-02	1.74E-11	1.0E+06	1.7E-05
236	236	0.14813	2.44396E-06	3.6E-07	6.05E-04	2.19E-10	1.84E+00	4.71E-02	1.90E-11	1.0E+06	1.9E-05
237	237	0.16501	2.44396E-06	4.0E-07	6.05E-04	2.44E-10	1.84E+00	4.71E-02	2.12E-11	1.0E+06	2.1E-05
238	238	0.18719	2.44396E-06	4.6E-07	6.05E-04	2.77E-10	1.84E+00	4.71E-02	2.40E-11	1.0E+06	2.4E-05
239	239	0.21075	2.44396E-06	5.2E-07	6.05E-04	3.12E-10	1.84E+00	4.71E-02	2.71E-11	1.0E+06	2.7E-05
240	240	0.23979	2.44396E-06	5.9E-07	6.05E-04	3.55E-10	1.84E+00	4.71E-02	3.08E-11	1.0E+06	3.1E-05
241	241	0.27255	2.44396E-06	6.7E-07	6.05E-04	4.03E-10	1.84E+00	4.71E-02	3.50E-11	1.0E+06	3.5E-05
242	242	0.30944	2.44396E-06	7.6E-07	6.05E-04	4.58E-10	1.84E+00	4.71E-02	3.97E-11	1.0E+06	4.0E-05
243	243	0.35007	2.44396E-06	8.6E-07	6.05E-04	5.18E-10	1.84E+00	4.71E-02	4.50E-11	1.0E+06	4.5E-05
244	244	0.39895	2.44396E-06	9.8E-07	6.05E-04	5.90E-10	1.84E+00	4.71E-02	5.12E-11	1.0E+06	5.1E-05
245	245	0.45335	2.44396E-06	1.1E-06	6.05E-04	6.70E-10	1.84E+00	4.71E-02	5.82E-11	1.0E+06	5.8E-05
246	246	0.51528	2.44396E-06	1.3E-06	6.05E-04	7.62E-10	1.84E+00	4.71E-02	6.62E-11	1.0E+06	6.6E-05
247	247	0.5899	2.44396E-06	1.4E-06	6.05E-04	8.72E-10	1.84E+00	4.71E-02	7.58E-11	1.0E+06	7.6E-05
248	248	0.69075	2.44396E-06	1.7E-06	6.05E-04	1.02E-09	1.84E+00	4.71E-02	8.87E-11	1.0E+06	8.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	0.83703	2.44396E-06	2.0E-06	6.05E-04	1.24E-09	1.84E+00	4.71E-02	1.07E-10	1.0E+06	1.1E-04
250	250	1.0632	2.44396E-06	2.6E-06	6.05E-04	1.57E-09	1.84E+00	4.71E-02	1.37E-10	1.0E+06	1.4E-04
251	251	1.51852	2.44396E-06	3.7E-06	6.05E-04	2.25E-09	1.84E+00	4.71E-02	1.95E-10	1.0E+06	2.0E-04
252	252	0.12164	2.44396E-06	3.0E-07	6.05E-04	1.80E-10	1.84E+00	4.71E-02	1.56E-11	1.0E+06	1.6E-05
253	253	0.12985	2.44396E-06	3.2E-07	6.05E-04	1.92E-10	1.84E+00	4.71E-02	1.67E-11	1.0E+06	1.7E-05
254	254	0.14073	2.44396E-06	3.4E-07	6.05E-04	2.08E-10	1.84E+00	4.71E-02	1.81E-11	1.0E+06	1.8E-05
255	255	0.1544	2.44396E-06	3.8E-07	6.05E-04	2.28E-10	1.84E+00	4.71E-02	1.98E-11	1.0E+06	2.0E-05
256	256	0.17786	2.44396E-06	4.3E-07	6.05E-04	2.63E-10	1.84E+00	4.71E-02	2.28E-11	1.0E+06	2.3E-05
257	257	0.19304	2.44396E-06	4.7E-07	6.05E-04	2.85E-10	1.84E+00	4.71E-02	2.48E-11	1.0E+06	2.5E-05
258	258	0.21394	2.44396E-06	5.2E-07	6.05E-04	3.16E-10	1.84E+00	4.71E-02	2.75E-11	1.0E+06	2.7E-05
259	259	0.23742	2.44396E-06	5.8E-07	6.05E-04	3.51E-10	1.84E+00	4.71E-02	3.05E-11	1.0E+06	3.0E-05
260	260	0.26983	2.44396E-06	6.6E-07	6.05E-04	3.99E-10	1.84E+00	4.71E-02	3.47E-11	1.0E+06	3.5E-05
261	261	0.30942	2.44396E-06	7.6E-07	6.05E-04	4.58E-10	1.84E+00	4.71E-02	3.97E-11	1.0E+06	4.0E-05
262	262	0.35201	2.44396E-06	8.6E-07	6.05E-04	5.21E-10	1.84E+00	4.71E-02	4.52E-11	1.0E+06	4.5E-05
263	263	0.39368	2.44396E-06	9.6E-07	6.05E-04	5.82E-10	1.84E+00	4.71E-02	5.06E-11	1.0E+06	5.1E-05
264	264	0.44639	2.44396E-06	1.1E-06	6.05E-04	6.60E-10	1.84E+00	4.71E-02	5.73E-11	1.0E+06	5.7E-05
265	265	0.50761	2.44396E-06	1.2E-06	6.05E-04	7.51E-10	1.84E+00	4.71E-02	6.52E-11	1.0E+06	6.5E-05
266	266	0.59275	2.44396E-06	1.4E-06	6.05E-04	8.77E-10	1.84E+00	4.71E-02	7.61E-11	1.0E+06	7.6E-05
267	267	0.70852	2.44396E-06	1.7E-06	6.05E-04	1.05E-09	1.84E+00	4.71E-02	9.10E-11	1.0E+06	9.1E-05
268	268	0.86994	2.44396E-06	2.1E-06	6.05E-04	1.29E-09	1.84E+00	4.71E-02	1.12E-10	1.0E+06	1.1E-04
269	269	1.16994	2.44396E-06	2.9E-06	6.05E-04	1.73E-09	1.84E+00	4.71E-02	1.50E-10	1.0E+06	1.5E-04
270	270	0.11738	2.44396E-06	2.9E-07	6.05E-04	1.74E-10	1.84E+00	4.71E-02	1.51E-11	1.0E+06	1.5E-05
271	271	0.12583	2.44396E-06	3.1E-07	6.05E-04	1.86E-10	1.84E+00	4.71E-02	1.62E-11	1.0E+06	1.6E-05
272	272	0.13625	2.44396E-06	3.3E-07	6.05E-04	2.01E-10	1.84E+00	4.71E-02	1.75E-11	1.0E+06	1.7E-05
273	273	0.14816	2.44396E-06	3.6E-07	6.05E-04	2.19E-10	1.84E+00	4.71E-02	1.90E-11	1.0E+06	1.9E-05
274	274	0.1716	2.44396E-06	4.2E-07	6.05E-04	2.54E-10	1.84E+00	4.71E-02	2.20E-11	1.0E+06	2.2E-05
275	275	0.19153	2.44396E-06	4.7E-07	6.05E-04	2.83E-10	1.84E+00	4.71E-02	2.46E-11	1.0E+06	2.5E-05
276	276	0.1977	2.44396E-06	4.8E-07	6.05E-04	2.92E-10	1.84E+00	4.71E-02	2.54E-11	1.0E+06	2.5E-05
277	277	0.21546	2.44396E-06	5.3E-07	6.05E-04	3.19E-10	1.84E+00	4.71E-02	2.77E-11	1.0E+06	2.8E-05
278	278	0.23743	2.44396E-06	5.8E-07	6.05E-04	3.51E-10	1.84E+00	4.71E-02	3.05E-11	1.0E+06	3.0E-05
279	279	0.2643	2.44396E-06	6.5E-07	6.05E-04	3.91E-10	1.84E+00	4.71E-02	3.39E-11	1.0E+06	3.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.30207	2.44396E-06	7.4E-07	6.05E-04	4.47E-10	1.84E+00	4.71E-02	3.88E-11	1.0E+06	3.9E-05
281	281	0.34373	2.44396E-06	8.4E-07	6.05E-04	5.08E-10	1.84E+00	4.71E-02	4.41E-11	1.0E+06	4.4E-05
282	282	0.39096	2.44396E-06	9.6E-07	6.05E-04	5.78E-10	1.84E+00	4.71E-02	5.02E-11	1.0E+06	5.0E-05
283	283	0.44754	2.44396E-06	1.1E-06	6.05E-04	6.62E-10	1.84E+00	4.71E-02	5.75E-11	1.0E+06	5.7E-05
284	284	0.52053	2.44396E-06	1.3E-06	6.05E-04	7.70E-10	1.84E+00	4.71E-02	6.69E-11	1.0E+06	6.7E-05
285	285	0.61056	2.44396E-06	1.5E-06	6.05E-04	9.03E-10	1.84E+00	4.71E-02	7.84E-11	1.0E+06	7.8E-05
286	286	0.73119	2.44396E-06	1.8E-06	6.05E-04	1.08E-09	1.84E+00	4.71E-02	9.39E-11	1.0E+06	9.4E-05
287	287	0.94305	2.44396E-06	2.3E-06	6.05E-04	1.39E-09	1.84E+00	4.71E-02	1.21E-10	1.0E+06	1.2E-04
288	288	0.1145	2.44396E-06	2.8E-07	6.05E-04	1.69E-10	1.84E+00	4.71E-02	1.47E-11	1.0E+06	1.5E-05
289	289	0.12186	2.44396E-06	3.0E-07	6.05E-04	1.80E-10	1.84E+00	4.71E-02	1.57E-11	1.0E+06	1.6E-05
290	290	0.13433	2.44396E-06	3.3E-07	6.05E-04	1.99E-10	1.84E+00	4.71E-02	1.73E-11	1.0E+06	1.7E-05
291	291	0.14675	2.44396E-06	3.6E-07	6.05E-04	2.17E-10	1.84E+00	4.71E-02	1.88E-11	1.0E+06	1.9E-05
292	292	0.1761	2.44396E-06	4.3E-07	6.05E-04	2.60E-10	1.84E+00	4.71E-02	2.26E-11	1.0E+06	2.3E-05
293	293	0.18578	2.44396E-06	4.5E-07	6.05E-04	2.75E-10	1.84E+00	4.71E-02	2.39E-11	1.0E+06	2.4E-05
294	294	0.18335	2.44396E-06	4.5E-07	6.05E-04	2.71E-10	1.84E+00	4.71E-02	2.35E-11	1.0E+06	2.4E-05
295	295	0.19891	2.44396E-06	4.9E-07	6.05E-04	2.94E-10	1.84E+00	4.71E-02	2.55E-11	1.0E+06	2.6E-05
296	296	0.21706	2.44396E-06	5.3E-07	6.05E-04	3.21E-10	1.84E+00	4.71E-02	2.79E-11	1.0E+06	2.8E-05
297	297	0.23397	2.44396E-06	5.7E-07	6.05E-04	3.46E-10	1.84E+00	4.71E-02	3.00E-11	1.0E+06	3.0E-05
298	298	0.25975	2.44396E-06	6.3E-07	6.05E-04	3.84E-10	1.84E+00	4.71E-02	3.34E-11	1.0E+06	3.3E-05
299	299	0.29979	2.44396E-06	7.3E-07	6.05E-04	4.43E-10	1.84E+00	4.71E-02	3.85E-11	1.0E+06	3.9E-05
300	300	0.33994	2.44396E-06	8.3E-07	6.05E-04	5.03E-10	1.84E+00	4.71E-02	4.37E-11	1.0E+06	4.4E-05
301	301	0.39551	2.44396E-06	9.7E-07	6.05E-04	5.85E-10	1.84E+00	4.71E-02	5.08E-11	1.0E+06	5.1E-05
302	302	0.46101	2.44396E-06	1.1E-06	6.05E-04	6.82E-10	1.84E+00	4.71E-02	5.92E-11	1.0E+06	5.9E-05
303	303	0.53934	2.44396E-06	1.3E-06	6.05E-04	7.98E-10	1.84E+00	4.71E-02	6.93E-11	1.0E+06	6.9E-05
304	304	0.63199	2.44396E-06	1.5E-06	6.05E-04	9.35E-10	1.84E+00	4.71E-02	8.12E-11	1.0E+06	8.1E-05
305	305	0.78825	2.44396E-06	1.9E-06	6.05E-04	1.17E-09	1.84E+00	4.71E-02	1.01E-10	1.0E+06	1.0E-04
306	306	0.11819	2.44396E-06	2.9E-07	6.05E-04	1.75E-10	1.84E+00	4.71E-02	1.52E-11	1.0E+06	1.5E-05
307	307	0.12228	2.44396E-06	3.0E-07	6.05E-04	1.81E-10	1.84E+00	4.71E-02	1.57E-11	1.0E+06	1.6E-05
308	308	0.13088	2.44396E-06	3.2E-07	6.05E-04	1.94E-10	1.84E+00	4.71E-02	1.68E-11	1.0E+06	1.7E-05
309	309	0.15046	2.44396E-06	3.7E-07	6.05E-04	2.22E-10	1.84E+00	4.71E-02	1.93E-11	1.0E+06	1.9E-05
310	310	0.16946	2.44396E-06	4.1E-07	6.05E-04	2.51E-10	1.84E+00	4.71E-02	2.18E-11	1.0E+06	2.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.17657	2.44396E-06	4.3E-07	6.05E-04	2.61E-10	1.84E+00	4.71E-02	2.27E-11	1.0E+06	2.3E-05
312	312	0.16934	2.44396E-06	4.1E-07	6.05E-04	2.50E-10	1.84E+00	4.71E-02	2.17E-11	1.0E+06	2.2E-05
313	313	0.18195	2.44396E-06	4.4E-07	6.05E-04	2.69E-10	1.84E+00	4.71E-02	2.34E-11	1.0E+06	2.3E-05
314	314	0.19697	2.44396E-06	4.8E-07	6.05E-04	2.91E-10	1.84E+00	4.71E-02	2.53E-11	1.0E+06	2.5E-05
315	315	0.2209	2.44396E-06	5.4E-07	6.05E-04	3.27E-10	1.84E+00	4.71E-02	2.84E-11	1.0E+06	2.8E-05
316	316	0.23567	2.44396E-06	5.8E-07	6.05E-04	3.49E-10	1.84E+00	4.71E-02	3.03E-11	1.0E+06	3.0E-05
317	317	0.26147	2.44396E-06	6.4E-07	6.05E-04	3.87E-10	1.84E+00	4.71E-02	3.36E-11	1.0E+06	3.4E-05
318	318	0.29873	2.44396E-06	7.3E-07	6.05E-04	4.42E-10	1.84E+00	4.71E-02	3.84E-11	1.0E+06	3.8E-05
319	319	0.35136	2.44396E-06	8.6E-07	6.05E-04	5.20E-10	1.84E+00	4.71E-02	4.51E-11	1.0E+06	4.5E-05
320	320	0.41844	2.44396E-06	1.0E-06	6.05E-04	6.19E-10	1.84E+00	4.71E-02	5.37E-11	1.0E+06	5.4E-05
321	321	0.47994	2.44396E-06	1.2E-06	6.05E-04	7.10E-10	1.84E+00	4.71E-02	6.16E-11	1.0E+06	6.2E-05
322	322	0.54969	2.44396E-06	1.3E-06	6.05E-04	8.13E-10	1.84E+00	4.71E-02	7.06E-11	1.0E+06	7.1E-05
323	323	0.67577	2.44396E-06	1.7E-06	6.05E-04	9.99E-10	1.84E+00	4.71E-02	8.68E-11	1.0E+06	8.7E-05
324	324	0.11556	2.44396E-06	2.8E-07	6.05E-04	1.71E-10	1.84E+00	4.71E-02	1.48E-11	1.0E+06	1.5E-05
325	325	0.12648	2.44396E-06	3.1E-07	6.05E-04	1.87E-10	1.84E+00	4.71E-02	1.62E-11	1.0E+06	1.6E-05
326	326	0.13338	2.44396E-06	3.3E-07	6.05E-04	1.97E-10	1.84E+00	4.71E-02	1.71E-11	1.0E+06	1.7E-05
327	327	0.13815	2.44396E-06	3.4E-07	6.05E-04	2.04E-10	1.84E+00	4.71E-02	1.77E-11	1.0E+06	1.8E-05
328	328	0.16393	2.44396E-06	4.0E-07	6.05E-04	2.42E-10	1.84E+00	4.71E-02	2.11E-11	1.0E+06	2.1E-05
329	329	0.16644	2.44396E-06	4.1E-07	6.05E-04	2.46E-10	1.84E+00	4.71E-02	2.14E-11	1.0E+06	2.1E-05
330	330	0.15975	2.44396E-06	3.9E-07	6.05E-04	2.36E-10	1.84E+00	4.71E-02	2.05E-11	1.0E+06	2.1E-05
331	331	0.17123	2.44396E-06	4.2E-07	6.05E-04	2.53E-10	1.84E+00	4.71E-02	2.20E-11	1.0E+06	2.2E-05
332	332	0.18532	2.44396E-06	4.5E-07	6.05E-04	2.74E-10	1.84E+00	4.71E-02	2.38E-11	1.0E+06	2.4E-05
333	333	0.20812	2.44396E-06	5.1E-07	6.05E-04	3.08E-10	1.84E+00	4.71E-02	2.67E-11	1.0E+06	2.7E-05
334	334	0.22811	2.44396E-06	5.6E-07	6.05E-04	3.37E-10	1.84E+00	4.71E-02	2.93E-11	1.0E+06	2.9E-05
335	335	0.25374	2.44396E-06	6.2E-07	6.05E-04	3.75E-10	1.84E+00	4.71E-02	3.26E-11	1.0E+06	3.3E-05
336	336	82.14259	2.44396E-06	2.0E-04	6.05E-04	1.21E-07	1.84E+00	4.71E-02	1.05E-08	1.0E+06	1.1E-02
337	337	53.27889	2.44396E-06	1.3E-04	6.05E-04	7.88E-08	1.84E+00	4.71E-02	6.84E-09	1.0E+06	6.8E-03
338	338	0.29936	2.44396E-06	7.3E-07	6.05E-04	4.43E-10	1.84E+00	4.71E-02	3.84E-11	1.0E+06	3.8E-05
339	339	0.32812	2.44396E-06	8.0E-07	6.05E-04	4.85E-10	1.84E+00	4.71E-02	4.21E-11	1.0E+06	4.2E-05
340	340	0.38214	2.44396E-06	9.3E-07	6.05E-04	5.65E-10	1.84E+00	4.71E-02	4.91E-11	1.0E+06	4.9E-05
341	341	0.41799	2.44396E-06	1.0E-06	6.05E-04	6.18E-10	1.84E+00	4.71E-02	5.37E-11	1.0E+06	5.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.44376	2.44396E-06	1.1E-06	6.05E-04	6.56E-10	1.84E+00	4.71E-02	5.70E-11	1.0E+06	5.7E-05
343	343	0.48109	2.44396E-06	1.2E-06	6.05E-04	7.11E-10	1.84E+00	4.71E-02	6.18E-11	1.0E+06	6.2E-05
344	344	0.49028	2.44396E-06	1.2E-06	6.05E-04	7.25E-10	1.84E+00	4.71E-02	6.30E-11	1.0E+06	6.3E-05
345	345	0.49239	2.44396E-06	1.2E-06	6.05E-04	7.28E-10	1.84E+00	4.71E-02	6.32E-11	1.0E+06	6.3E-05
346	346	0.48663	2.44396E-06	1.2E-06	6.05E-04	7.20E-10	1.84E+00	4.71E-02	6.25E-11	1.0E+06	6.2E-05
347	347	0.3403	2.44396E-06	8.3E-07	6.05E-04	5.03E-10	1.84E+00	4.71E-02	4.37E-11	1.0E+06	4.4E-05
348	348	0.38226	2.44396E-06	9.3E-07	6.05E-04	5.65E-10	1.84E+00	4.71E-02	4.91E-11	1.0E+06	4.9E-05
349	349	0.45852	2.44396E-06	1.1E-06	6.05E-04	6.78E-10	1.84E+00	4.71E-02	5.89E-11	1.0E+06	5.9E-05
350	350	0.4965	2.44396E-06	1.2E-06	6.05E-04	7.34E-10	1.84E+00	4.71E-02	6.38E-11	1.0E+06	6.4E-05
351	351	0.52938	2.44396E-06	1.3E-06	6.05E-04	7.83E-10	1.84E+00	4.71E-02	6.80E-11	1.0E+06	6.8E-05
352	352	0.5831	2.44396E-06	1.4E-06	6.05E-04	8.62E-10	1.84E+00	4.71E-02	7.49E-11	1.0E+06	7.5E-05
353	353	0.59522	2.44396E-06	1.5E-06	6.05E-04	8.80E-10	1.84E+00	4.71E-02	7.64E-11	1.0E+06	7.6E-05
354	354	0.59291	2.44396E-06	1.4E-06	6.05E-04	8.77E-10	1.84E+00	4.71E-02	7.61E-11	1.0E+06	7.6E-05
355	355	0.58541	2.44396E-06	1.4E-06	6.05E-04	8.66E-10	1.84E+00	4.71E-02	7.52E-11	1.0E+06	7.5E-05
356	356	0.39386	2.44396E-06	9.6E-07	6.05E-04	5.82E-10	1.84E+00	4.71E-02	5.06E-11	1.0E+06	5.1E-05
357	357	0.43552	2.44396E-06	1.1E-06	6.05E-04	6.44E-10	1.84E+00	4.71E-02	5.59E-11	1.0E+06	5.6E-05
358	358	0.5047	2.44396E-06	1.2E-06	6.05E-04	7.46E-10	1.84E+00	4.71E-02	6.48E-11	1.0E+06	6.5E-05
359	359	0.59312	2.44396E-06	1.4E-06	6.05E-04	8.77E-10	1.84E+00	4.71E-02	7.62E-11	1.0E+06	7.6E-05
360	360	0.64417	2.44396E-06	1.6E-06	6.05E-04	9.53E-10	1.84E+00	4.71E-02	8.27E-11	1.0E+06	8.3E-05
361	361	0.72307	2.44396E-06	1.8E-06	6.05E-04	1.07E-09	1.84E+00	4.71E-02	9.29E-11	1.0E+06	9.3E-05
362	362	0.73992	2.44396E-06	1.8E-06	6.05E-04	1.09E-09	1.84E+00	4.71E-02	9.50E-11	1.0E+06	9.5E-05
363	363	0.73374	2.44396E-06	1.8E-06	6.05E-04	1.09E-09	1.84E+00	4.71E-02	9.42E-11	1.0E+06	9.4E-05
364	364	0.46909	2.44396E-06	1.1E-06	6.05E-04	6.94E-10	1.84E+00	4.71E-02	6.02E-11	1.0E+06	6.0E-05
365	365	0.51116	2.44396E-06	1.2E-06	6.05E-04	7.56E-10	1.84E+00	4.71E-02	6.56E-11	1.0E+06	6.6E-05
366	366	0.58558	2.44396E-06	1.4E-06	6.05E-04	8.66E-10	1.84E+00	4.71E-02	7.52E-11	1.0E+06	7.5E-05
367	367	0.71231	2.44396E-06	1.7E-06	6.05E-04	1.05E-09	1.84E+00	4.71E-02	9.15E-11	1.0E+06	9.1E-05
368	368	0.80313	2.44396E-06	2.0E-06	6.05E-04	1.19E-09	1.84E+00	4.71E-02	1.03E-10	1.0E+06	1.0E-04
369	369	0.92535	2.44396E-06	2.3E-06	6.05E-04	1.37E-09	1.84E+00	4.71E-02	1.19E-10	1.0E+06	1.2E-04
370	370	0.94681	2.44396E-06	2.3E-06	6.05E-04	1.40E-09	1.84E+00	4.71E-02	1.22E-10	1.0E+06	1.2E-04
371	371	0.91877	2.44396E-06	2.2E-06	6.05E-04	1.36E-09	1.84E+00	4.71E-02	1.18E-10	1.0E+06	1.2E-04
372	372	0.575	2.44396E-06	1.4E-06	6.05E-04	8.50E-10	1.84E+00	4.71E-02	7.38E-11	1.0E+06	7.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.63011	2.44396E-06	1.5E-06	6.05E-04	9.32E-10	1.84E+00	4.71E-02	8.09E-11	1.0E+06	8.1E-05
374	374	0.72927	2.44396E-06	1.8E-06	6.05E-04	1.08E-09	1.84E+00	4.71E-02	9.37E-11	1.0E+06	9.4E-05
375	375	0.89713	2.44396E-06	2.2E-06	6.05E-04	1.33E-09	1.84E+00	4.71E-02	1.15E-10	1.0E+06	1.2E-04
376	376	1.03661	2.44396E-06	2.5E-06	6.05E-04	1.53E-09	1.84E+00	4.71E-02	1.33E-10	1.0E+06	1.3E-04
377	377	1.15423	2.44396E-06	2.8E-06	6.05E-04	1.71E-09	1.84E+00	4.71E-02	1.48E-10	1.0E+06	1.5E-04
378	378	1.23463	2.44396E-06	3.0E-06	6.05E-04	1.83E-09	1.84E+00	4.71E-02	1.59E-10	1.0E+06	1.6E-04
379	379	1.25854	2.44396E-06	3.1E-06	6.05E-04	1.86E-09	1.84E+00	4.71E-02	1.62E-10	1.0E+06	1.6E-04
380	380	1.21215	2.44396E-06	3.0E-06	6.05E-04	1.79E-09	1.84E+00	4.71E-02	1.56E-10	1.0E+06	1.6E-04
381	381	1.13531	2.44396E-06	2.8E-06	6.05E-04	1.68E-09	1.84E+00	4.71E-02	1.46E-10	1.0E+06	1.5E-04
382	382	0.72126	2.44396E-06	1.8E-06	6.05E-04	1.07E-09	1.84E+00	4.71E-02	9.26E-11	1.0E+06	9.3E-05
383	383	0.81985	2.44396E-06	2.0E-06	6.05E-04	1.21E-09	1.84E+00	4.71E-02	1.05E-10	1.0E+06	1.1E-04
384	384	0.94251	2.44396E-06	2.3E-06	6.05E-04	1.39E-09	1.84E+00	4.71E-02	1.21E-10	1.0E+06	1.2E-04
385	385	1.19144	2.44396E-06	2.9E-06	6.05E-04	1.76E-09	1.84E+00	4.71E-02	1.53E-10	1.0E+06	1.5E-04
386	386	1.39064	2.44396E-06	3.4E-06	6.05E-04	2.06E-09	1.84E+00	4.71E-02	1.79E-10	1.0E+06	1.8E-04
387	387	1.59455	2.44396E-06	3.9E-06	6.05E-04	2.36E-09	1.84E+00	4.71E-02	2.05E-10	1.0E+06	2.0E-04
388	388	1.73734	2.44396E-06	4.2E-06	6.05E-04	2.57E-09	1.84E+00	4.71E-02	2.23E-10	1.0E+06	2.2E-04
389	389	1.75306	2.44396E-06	4.3E-06	6.05E-04	2.59E-09	1.84E+00	4.71E-02	2.25E-10	1.0E+06	2.3E-04
390	390	1.64464	2.44396E-06	4.0E-06	6.05E-04	2.43E-09	1.84E+00	4.71E-02	2.11E-10	1.0E+06	2.1E-04
391	391	1.49314	2.44396E-06	3.6E-06	6.05E-04	2.21E-09	1.84E+00	4.71E-02	1.92E-10	1.0E+06	1.9E-04
392	392	1.28195	2.44396E-06	3.1E-06	6.05E-04	1.90E-09	1.84E+00	4.71E-02	1.65E-10	1.0E+06	1.6E-04
393	393	0.97212	2.44396E-06	2.4E-06	6.05E-04	1.44E-09	1.84E+00	4.71E-02	1.25E-10	1.0E+06	1.2E-04
394	394	1.22534	2.44396E-06	3.0E-06	6.05E-04	1.81E-09	1.84E+00	4.71E-02	1.57E-10	1.0E+06	1.6E-04
395	395	1.47726	2.44396E-06	3.6E-06	6.05E-04	2.18E-09	1.84E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
396	396	1.80531	2.44396E-06	4.4E-06	6.05E-04	2.67E-09	1.84E+00	4.71E-02	2.32E-10	1.0E+06	2.3E-04
397	397	2.19628	2.44396E-06	5.4E-06	6.05E-04	3.25E-09	1.84E+00	4.71E-02	2.82E-10	1.0E+06	2.8E-04
398	398	2.4027	2.44396E-06	5.9E-06	6.05E-04	3.55E-09	1.84E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04
399	399	2.41808	2.44396E-06	5.9E-06	6.05E-04	3.58E-09	1.84E+00	4.71E-02	3.11E-10	1.0E+06	3.1E-04
400	400	2.60955	2.44396E-06	6.4E-06	6.05E-04	3.86E-09	1.84E+00	4.71E-02	3.35E-10	1.0E+06	3.4E-04
401	401	2.34003	2.44396E-06	5.7E-06	6.05E-04	3.46E-09	1.84E+00	4.71E-02	3.01E-10	1.0E+06	3.0E-04
402	402	1.60136	2.44396E-06	3.9E-06	6.05E-04	2.37E-09	1.84E+00	4.71E-02	2.06E-10	1.0E+06	2.1E-04
403	403	4.15731	2.44396E-06	1.0E-05	6.05E-04	6.15E-09	1.84E+00	4.71E-02	5.34E-10	1.0E+06	5.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	2.03727	2.44396E-06	5.0E-06	6.05E-04	3.01E-09	1.84E+00	4.71E-02	2.62E-10	1.0E+06	2.6E-04
405	405	1.51038	2.44396E-06	3.7E-06	6.05E-04	2.23E-09	1.84E+00	4.71E-02	1.94E-10	1.0E+06	1.9E-04
406	406	7.45504	2.44396E-06	1.8E-05	6.05E-04	1.10E-08	1.84E+00	4.71E-02	9.57E-10	1.0E+06	9.6E-04
407	407	1.6226	2.44396E-06	4.0E-06	6.05E-04	2.40E-09	1.84E+00	4.71E-02	2.08E-10	1.0E+06	2.1E-04
408	408	14.09383	2.44396E-06	3.4E-05	6.05E-04	2.08E-08	1.84E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
409	409	1.62319	2.44396E-06	4.0E-06	6.05E-04	2.40E-09	1.84E+00	4.71E-02	2.08E-10	1.0E+06	2.1E-04
410	410	18.30698	2.44396E-06	4.5E-05	6.05E-04	2.71E-08	1.84E+00	4.71E-02	2.35E-09	1.0E+06	2.4E-03
411	411	2.2664	2.44396E-06	5.5E-06	6.05E-04	3.35E-09	1.84E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
412	412	1.56098	2.44396E-06	3.8E-06	6.05E-04	2.31E-09	1.84E+00	4.71E-02	2.00E-10	1.0E+06	2.0E-04
413	413	13.06994	2.44396E-06	3.2E-05	6.05E-04	1.93E-08	1.84E+00	4.71E-02	1.68E-09	1.0E+06	1.7E-03
414	414	3.08915	2.44396E-06	7.5E-06	6.05E-04	4.57E-09	1.84E+00	4.71E-02	3.97E-10	1.0E+06	4.0E-04
415	415	2.00181	2.44396E-06	4.9E-06	6.05E-04	2.96E-09	1.84E+00	4.71E-02	2.57E-10	1.0E+06	2.6E-04
416	416	1.41304	2.44396E-06	3.5E-06	6.05E-04	2.09E-09	1.84E+00	4.71E-02	1.81E-10	1.0E+06	1.8E-04
417	417	8.87579	2.44396E-06	2.2E-05	6.05E-04	1.31E-08	1.84E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
418	418	1.74828	2.44396E-06	4.3E-06	6.05E-04	2.59E-09	1.84E+00	4.71E-02	2.25E-10	1.0E+06	2.2E-04
419	419	1.2658	2.44396E-06	3.1E-06	6.05E-04	1.87E-09	1.84E+00	4.71E-02	1.63E-10	1.0E+06	1.6E-04
420	420	0.96034	2.44396E-06	2.3E-06	6.05E-04	1.42E-09	1.84E+00	4.71E-02	1.23E-10	1.0E+06	1.2E-04
421	421	5.93508	2.44396E-06	1.5E-05	6.05E-04	8.78E-09	1.84E+00	4.71E-02	7.62E-10	1.0E+06	7.6E-04
422	422	1.13089	2.44396E-06	2.8E-06	6.05E-04	1.67E-09	1.84E+00	4.71E-02	1.45E-10	1.0E+06	1.5E-04
423	423	0.87507	2.44396E-06	2.1E-06	6.05E-04	1.29E-09	1.84E+00	4.71E-02	1.12E-10	1.0E+06	1.1E-04
424	424	4.08672	2.44396E-06	1.0E-05	6.05E-04	6.04E-09	1.84E+00	4.71E-02	5.25E-10	1.0E+06	5.2E-04
425	425	0.79523	2.44396E-06	1.9E-06	6.05E-04	1.18E-09	1.84E+00	4.71E-02	1.02E-10	1.0E+06	1.0E-04
426	426	0.64278	2.44396E-06	1.6E-06	6.05E-04	9.51E-10	1.84E+00	4.71E-02	8.26E-11	1.0E+06	8.3E-05
427	427	2.92516	2.44396E-06	7.1E-06	6.05E-04	4.33E-09	1.84E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
428	428	0.72393	2.44396E-06	1.8E-06	6.05E-04	1.07E-09	1.84E+00	4.71E-02	9.30E-11	1.0E+06	9.3E-05
429	429	0.59136	2.44396E-06	1.4E-06	6.05E-04	8.74E-10	1.84E+00	4.71E-02	7.59E-11	1.0E+06	7.6E-05
430	430	2.17292	2.44396E-06	5.3E-06	6.05E-04	3.21E-09	1.84E+00	4.71E-02	2.79E-10	1.0E+06	2.8E-04
431	431	0.54454	2.44396E-06	1.3E-06	6.05E-04	8.05E-10	1.84E+00	4.71E-02	6.99E-11	1.0E+06	7.0E-05
432	432	0.45604	2.44396E-06	1.1E-06	6.05E-04	6.74E-10	1.84E+00	4.71E-02	5.86E-11	1.0E+06	5.9E-05
433	433	1.66637	2.44396E-06	4.1E-06	6.05E-04	2.46E-09	1.84E+00	4.71E-02	2.14E-10	1.0E+06	2.1E-04
434	434	0.5026	2.44396E-06	1.2E-06	6.05E-04	7.43E-10	1.84E+00	4.71E-02	6.45E-11	1.0E+06	6.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.42542	2.44396E-06	1.0E-06	6.05E-04	6.29E-10	1.84E+00	4.71E-02	5.46E-11	1.0E+06	5.5E-05
436	436	1.31321	2.44396E-06	3.2E-06	6.05E-04	1.94E-09	1.84E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04
437	437	0.55759	2.44396E-06	1.4E-06	6.05E-04	8.25E-10	1.84E+00	4.71E-02	7.16E-11	1.0E+06	7.2E-05
438	438	0.46546	2.44396E-06	1.1E-06	6.05E-04	6.88E-10	1.84E+00	4.71E-02	5.98E-11	1.0E+06	6.0E-05
439	439	0.39614	2.44396E-06	9.7E-07	6.05E-04	5.86E-10	1.84E+00	4.71E-02	5.09E-11	1.0E+06	5.1E-05
440	440	1.05873	2.44396E-06	2.6E-06	6.05E-04	1.57E-09	1.84E+00	4.71E-02	1.36E-10	1.0E+06	1.4E-04
441	441	0.73886	2.44396E-06	1.8E-06	6.05E-04	1.09E-09	1.84E+00	4.71E-02	9.49E-11	1.0E+06	9.5E-05
442	442	0.61579	2.44396E-06	1.5E-06	6.05E-04	9.11E-10	1.84E+00	4.71E-02	7.91E-11	1.0E+06	7.9E-05
443	443	0.51271	2.44396E-06	1.3E-06	6.05E-04	7.58E-10	1.84E+00	4.71E-02	6.58E-11	1.0E+06	6.6E-05
444	444	0.43166	2.44396E-06	1.1E-06	6.05E-04	6.38E-10	1.84E+00	4.71E-02	5.54E-11	1.0E+06	5.5E-05
445	445	0.87036	2.44396E-06	2.1E-06	6.05E-04	1.29E-09	1.84E+00	4.71E-02	1.12E-10	1.0E+06	1.1E-04
446	446	0.74957	2.44396E-06	1.8E-06	6.05E-04	1.11E-09	1.84E+00	4.71E-02	9.63E-11	1.0E+06	9.6E-05
447	447	0.65316	2.44396E-06	1.6E-06	6.05E-04	9.66E-10	1.84E+00	4.71E-02	8.39E-11	1.0E+06	8.4E-05
448	448	0.55663	2.44396E-06	1.4E-06	6.05E-04	8.23E-10	1.84E+00	4.71E-02	7.15E-11	1.0E+06	7.1E-05
449	449	0.72746	2.44396E-06	1.8E-06	6.05E-04	1.08E-09	1.84E+00	4.71E-02	9.34E-11	1.0E+06	9.3E-05
450	450	0.70232	2.44396E-06	1.7E-06	6.05E-04	1.04E-09	1.84E+00	4.71E-02	9.02E-11	1.0E+06	9.0E-05
451	451	0.64887	2.44396E-06	1.6E-06	6.05E-04	9.60E-10	1.84E+00	4.71E-02	8.33E-11	1.0E+06	8.3E-05
452	452	0.61676	2.44396E-06	1.5E-06	6.05E-04	9.12E-10	1.84E+00	4.71E-02	7.92E-11	1.0E+06	7.9E-05
453	453	0.60209	2.44396E-06	1.5E-06	6.05E-04	8.90E-10	1.84E+00	4.71E-02	7.73E-11	1.0E+06	7.7E-05
454	454	0.30149	2.44396E-06	7.4E-07	6.05E-04	4.46E-10	1.84E+00	4.71E-02	3.87E-11	1.0E+06	3.9E-05
455	455	0.26672	2.44396E-06	6.5E-07	6.05E-04	3.94E-10	1.84E+00	4.71E-02	3.43E-11	1.0E+06	3.4E-05
456	456	0.52943	2.44396E-06	1.3E-06	6.05E-04	7.83E-10	1.84E+00	4.71E-02	6.80E-11	1.0E+06	6.8E-05
457	457	0.5212	2.44396E-06	1.3E-06	6.05E-04	7.71E-10	1.84E+00	4.71E-02	6.69E-11	1.0E+06	6.7E-05
458	458	0.49555	2.44396E-06	1.2E-06	6.05E-04	7.33E-10	1.84E+00	4.71E-02	6.36E-11	1.0E+06	6.4E-05
459	459	0.36505	2.44396E-06	8.9E-07	6.05E-04	5.40E-10	1.84E+00	4.71E-02	4.69E-11	1.0E+06	4.7E-05
460	460	0.32196	2.44396E-06	7.9E-07	6.05E-04	4.76E-10	1.84E+00	4.71E-02	4.13E-11	1.0E+06	4.1E-05
461	461	0.28377	2.44396E-06	6.9E-07	6.05E-04	4.20E-10	1.84E+00	4.71E-02	3.64E-11	1.0E+06	3.6E-05
462	462	0.25133	2.44396E-06	6.1E-07	6.05E-04	3.72E-10	1.84E+00	4.71E-02	3.23E-11	1.0E+06	3.2E-05
463	463	94.6838	2.44396E-06	2.3E-04	6.05E-04	1.40E-07	1.84E+00	4.71E-02	1.22E-08	1.0E+06	1.2E-02
464	464	51.59566	2.44396E-06	1.3E-04	6.05E-04	7.63E-08	1.84E+00	4.71E-02	6.63E-09	1.0E+06	6.6E-03
465	465	34.09701	2.44396E-06	8.3E-05	6.05E-04	5.04E-08	1.84E+00	4.71E-02	4.38E-09	1.0E+06	4.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	23.95103	2.44396E-06	5.9E-05	6.05E-04	3.54E-08	1.84E+00	4.71E-02	3.08E-09	1.0E+06	3.1E-03
467	467	14.939	2.44396E-06	3.7E-05	6.05E-04	2.21E-08	1.84E+00	4.71E-02	1.92E-09	1.0E+06	1.9E-03
468	468	7.5915	2.44396E-06	1.9E-05	6.05E-04	1.12E-08	1.84E+00	4.71E-02	9.75E-10	1.0E+06	9.7E-04
469	469	4.55128	2.44396E-06	1.1E-05	6.05E-04	6.73E-09	1.84E+00	4.71E-02	5.85E-10	1.0E+06	5.8E-04
470	470	2.6396	2.44396E-06	6.5E-06	6.05E-04	3.90E-09	1.84E+00	4.71E-02	3.39E-10	1.0E+06	3.4E-04
471	471	3.70323	2.44396E-06	9.1E-06	6.05E-04	5.48E-09	1.84E+00	4.71E-02	4.76E-10	1.0E+06	4.8E-04
472	472	1.91154	2.44396E-06	4.7E-06	6.05E-04	2.83E-09	1.84E+00	4.71E-02	2.45E-10	1.0E+06	2.5E-04
473	473	2.15232	2.44396E-06	5.3E-06	6.05E-04	3.18E-09	1.84E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04
474	474	1.45657	2.44396E-06	3.6E-06	6.05E-04	2.15E-09	1.84E+00	4.71E-02	1.87E-10	1.0E+06	1.9E-04
475	475	1.6101	2.44396E-06	3.9E-06	6.05E-04	2.38E-09	1.84E+00	4.71E-02	2.07E-10	1.0E+06	2.1E-04
476	476	1.14412	2.44396E-06	2.8E-06	6.05E-04	1.69E-09	1.84E+00	4.71E-02	1.47E-10	1.0E+06	1.5E-04
477	477	1.25022	2.44396E-06	3.1E-06	6.05E-04	1.85E-09	1.84E+00	4.71E-02	1.61E-10	1.0E+06	1.6E-04
478	478	0.92232	2.44396E-06	2.3E-06	6.05E-04	1.36E-09	1.84E+00	4.71E-02	1.18E-10	1.0E+06	1.2E-04
479	479	0.99915	2.44396E-06	2.4E-06	6.05E-04	1.48E-09	1.84E+00	4.71E-02	1.28E-10	1.0E+06	1.3E-04
480	480	1.02828	2.44396E-06	2.5E-06	6.05E-04	1.52E-09	1.84E+00	4.71E-02	1.32E-10	1.0E+06	1.3E-04
481	481	0.75977	2.44396E-06	1.9E-06	6.05E-04	1.12E-09	1.84E+00	4.71E-02	9.76E-11	1.0E+06	9.8E-05
482	482	0.84331	2.44396E-06	2.1E-06	6.05E-04	1.25E-09	1.84E+00	4.71E-02	1.08E-10	1.0E+06	1.1E-04
483	483	0.68117	2.44396E-06	1.7E-06	6.05E-04	1.01E-09	1.84E+00	4.71E-02	8.75E-11	1.0E+06	8.7E-05
484	484	0.70386	2.44396E-06	1.7E-06	6.05E-04	1.04E-09	1.84E+00	4.71E-02	9.04E-11	1.0E+06	9.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	1	0.0922	2.08227E-05	1.9E-06	6.05E-04	1.16E-09	1.84E+00	4.71E-02	1.01E-10	1.0E+06	1.0E-04
2	2	0.09435	2.08227E-05	2.0E-06	6.05E-04	1.19E-09	1.84E+00	4.71E-02	1.03E-10	1.0E+06	1.0E-04
3	3	0.09636	2.08227E-05	2.0E-06	6.05E-04	1.21E-09	1.84E+00	4.71E-02	1.05E-10	1.0E+06	1.1E-04
4	4	0.09846	2.08227E-05	2.1E-06	6.05E-04	1.24E-09	1.84E+00	4.71E-02	1.08E-10	1.0E+06	1.1E-04
5	5	0.1005	2.08227E-05	2.1E-06	6.05E-04	1.27E-09	1.84E+00	4.71E-02	1.10E-10	1.0E+06	1.1E-04
6	6	0.10347	2.08227E-05	2.2E-06	6.05E-04	1.30E-09	1.84E+00	4.71E-02	1.13E-10	1.0E+06	1.1E-04
7	7	0.10683	2.08227E-05	2.2E-06	6.05E-04	1.35E-09	1.84E+00	4.71E-02	1.17E-10	1.0E+06	1.2E-04
8	8	0.11051	2.08227E-05	2.3E-06	6.05E-04	1.39E-09	1.84E+00	4.71E-02	1.21E-10	1.0E+06	1.2E-04
9	9	0.11468	2.08227E-05	2.4E-06	6.05E-04	1.44E-09	1.84E+00	4.71E-02	1.25E-10	1.0E+06	1.3E-04
10	10	0.1201	2.08227E-05	2.5E-06	6.05E-04	1.51E-09	1.84E+00	4.71E-02	1.31E-10	1.0E+06	1.3E-04
11	11	0.12743	2.08227E-05	2.7E-06	6.05E-04	1.61E-09	1.84E+00	4.71E-02	1.39E-10	1.0E+06	1.4E-04
12	12	0.13561	2.08227E-05	2.8E-06	6.05E-04	1.71E-09	1.84E+00	4.71E-02	1.48E-10	1.0E+06	1.5E-04
13	13	0.1448	2.08227E-05	3.0E-06	6.05E-04	1.82E-09	1.84E+00	4.71E-02	1.58E-10	1.0E+06	1.6E-04
14	14	0.21018	2.08227E-05	4.4E-06	6.05E-04	2.65E-09	1.84E+00	4.71E-02	2.30E-10	1.0E+06	2.3E-04
15	15	0.10103	2.08227E-05	2.1E-06	6.05E-04	1.27E-09	1.84E+00	4.71E-02	1.11E-10	1.0E+06	1.1E-04
16	16	0.10314	2.08227E-05	2.1E-06	6.05E-04	1.30E-09	1.84E+00	4.71E-02	1.13E-10	1.0E+06	1.1E-04
17	17	0.10602	2.08227E-05	2.2E-06	6.05E-04	1.34E-09	1.84E+00	4.71E-02	1.16E-10	1.0E+06	1.2E-04
18	18	0.10831	2.08227E-05	2.3E-06	6.05E-04	1.36E-09	1.84E+00	4.71E-02	1.19E-10	1.0E+06	1.2E-04
19	19	0.1105	2.08227E-05	2.3E-06	6.05E-04	1.39E-09	1.84E+00	4.71E-02	1.21E-10	1.0E+06	1.2E-04
20	20	0.11339	2.08227E-05	2.4E-06	6.05E-04	1.43E-09	1.84E+00	4.71E-02	1.24E-10	1.0E+06	1.2E-04
21	21	0.11668	2.08227E-05	2.4E-06	6.05E-04	1.47E-09	1.84E+00	4.71E-02	1.28E-10	1.0E+06	1.3E-04
22	22	0.12019	2.08227E-05	2.5E-06	6.05E-04	1.51E-09	1.84E+00	4.71E-02	1.32E-10	1.0E+06	1.3E-04
23	23	0.12559	2.08227E-05	2.6E-06	6.05E-04	1.58E-09	1.84E+00	4.71E-02	1.37E-10	1.0E+06	1.4E-04
24	24	0.13056	2.08227E-05	2.7E-06	6.05E-04	1.64E-09	1.84E+00	4.71E-02	1.43E-10	1.0E+06	1.4E-04
25	25	0.13906	2.08227E-05	2.9E-06	6.05E-04	1.75E-09	1.84E+00	4.71E-02	1.52E-10	1.0E+06	1.5E-04
26	26	0.14875	2.08227E-05	3.1E-06	6.05E-04	1.87E-09	1.84E+00	4.71E-02	1.63E-10	1.0E+06	1.6E-04
27	27	0.15763	2.08227E-05	3.3E-06	6.05E-04	1.99E-09	1.84E+00	4.71E-02	1.72E-10	1.0E+06	1.7E-04
28	28	0.23737	2.08227E-05	4.9E-06	6.05E-04	2.99E-09	1.84E+00	4.71E-02	2.60E-10	1.0E+06	2.6E-04
29	29	0.11048	2.08227E-05	2.3E-06	6.05E-04	1.39E-09	1.84E+00	4.71E-02	1.21E-10	1.0E+06	1.2E-04
30	30	0.11375	2.08227E-05	2.4E-06	6.05E-04	1.43E-09	1.84E+00	4.71E-02	1.24E-10	1.0E+06	1.2E-04
31	31	0.1175	2.08227E-05	2.4E-06	6.05E-04	1.48E-09	1.84E+00	4.71E-02	1.29E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.12063	2.08227E-05	2.5E-06	6.05E-04	1.52E-09	1.84E+00	4.71E-02	1.32E-10	1.0E+06	1.3E-04
33	33	0.12219	2.08227E-05	2.5E-06	6.05E-04	1.54E-09	1.84E+00	4.71E-02	1.34E-10	1.0E+06	1.3E-04
34	34	0.12548	2.08227E-05	2.6E-06	6.05E-04	1.58E-09	1.84E+00	4.71E-02	1.37E-10	1.0E+06	1.4E-04
35	35	0.12876	2.08227E-05	2.7E-06	6.05E-04	1.62E-09	1.84E+00	4.71E-02	1.41E-10	1.0E+06	1.4E-04
36	36	0.13292	2.08227E-05	2.8E-06	6.05E-04	1.67E-09	1.84E+00	4.71E-02	1.45E-10	1.0E+06	1.5E-04
37	37	0.13822	2.08227E-05	2.9E-06	6.05E-04	1.74E-09	1.84E+00	4.71E-02	1.51E-10	1.0E+06	1.5E-04
38	38	0.14471	2.08227E-05	3.0E-06	6.05E-04	1.82E-09	1.84E+00	4.71E-02	1.58E-10	1.0E+06	1.6E-04
39	39	0.15297	2.08227E-05	3.2E-06	6.05E-04	1.93E-09	1.84E+00	4.71E-02	1.67E-10	1.0E+06	1.7E-04
40	40	0.16241	2.08227E-05	3.4E-06	6.05E-04	2.05E-09	1.84E+00	4.71E-02	1.78E-10	1.0E+06	1.8E-04
41	41	0.17267	2.08227E-05	3.6E-06	6.05E-04	2.18E-09	1.84E+00	4.71E-02	1.89E-10	1.0E+06	1.9E-04
42	42	0.26844	2.08227E-05	5.6E-06	6.05E-04	3.38E-09	1.84E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
43	43	0.12	2.08227E-05	2.5E-06	6.05E-04	1.51E-09	1.84E+00	4.71E-02	1.31E-10	1.0E+06	1.3E-04
44	44	0.12447	2.08227E-05	2.6E-06	6.05E-04	1.57E-09	1.84E+00	4.71E-02	1.36E-10	1.0E+06	1.4E-04
45	45	0.12869	2.08227E-05	2.7E-06	6.05E-04	1.62E-09	1.84E+00	4.71E-02	1.41E-10	1.0E+06	1.4E-04
46	46	0.13218	2.08227E-05	2.8E-06	6.05E-04	1.67E-09	1.84E+00	4.71E-02	1.45E-10	1.0E+06	1.4E-04
47	47	0.13524	2.08227E-05	2.8E-06	6.05E-04	1.70E-09	1.84E+00	4.71E-02	1.48E-10	1.0E+06	1.5E-04
48	48	0.13887	2.08227E-05	2.9E-06	6.05E-04	1.75E-09	1.84E+00	4.71E-02	1.52E-10	1.0E+06	1.5E-04
49	49	0.14237	2.08227E-05	3.0E-06	6.05E-04	1.79E-09	1.84E+00	4.71E-02	1.56E-10	1.0E+06	1.6E-04
50	50	0.14619	2.08227E-05	3.0E-06	6.05E-04	1.84E-09	1.84E+00	4.71E-02	1.60E-10	1.0E+06	1.6E-04
51	51	0.15366	2.08227E-05	3.2E-06	6.05E-04	1.94E-09	1.84E+00	4.71E-02	1.68E-10	1.0E+06	1.7E-04
52	52	0.16076	2.08227E-05	3.3E-06	6.05E-04	2.03E-09	1.84E+00	4.71E-02	1.76E-10	1.0E+06	1.8E-04
53	53	0.1702	2.08227E-05	3.5E-06	6.05E-04	2.14E-09	1.84E+00	4.71E-02	1.86E-10	1.0E+06	1.9E-04
54	54	0.18127	2.08227E-05	3.8E-06	6.05E-04	2.28E-09	1.84E+00	4.71E-02	1.98E-10	1.0E+06	2.0E-04
55	55	0.19413	2.08227E-05	4.0E-06	6.05E-04	2.45E-09	1.84E+00	4.71E-02	2.12E-10	1.0E+06	2.1E-04
56	56	0.31254	2.08227E-05	6.5E-06	6.05E-04	3.94E-09	1.84E+00	4.71E-02	3.42E-10	1.0E+06	3.4E-04
57	57	0.12914	2.08227E-05	2.7E-06	6.05E-04	1.63E-09	1.84E+00	4.71E-02	1.41E-10	1.0E+06	1.4E-04
58	58	0.13426	2.08227E-05	2.8E-06	6.05E-04	1.69E-09	1.84E+00	4.71E-02	1.47E-10	1.0E+06	1.5E-04
59	59	0.13942	2.08227E-05	2.9E-06	6.05E-04	1.76E-09	1.84E+00	4.71E-02	1.53E-10	1.0E+06	1.5E-04
60	60	0.14461	2.08227E-05	3.0E-06	6.05E-04	1.82E-09	1.84E+00	4.71E-02	1.58E-10	1.0E+06	1.6E-04
61	61	0.14957	2.08227E-05	3.1E-06	6.05E-04	1.88E-09	1.84E+00	4.71E-02	1.64E-10	1.0E+06	1.6E-04
62	62	0.15453	2.08227E-05	3.2E-06	6.05E-04	1.95E-09	1.84E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.161	2.08227E-05	3.4E-06	6.05E-04	2.03E-09	1.84E+00	4.71E-02	1.76E-10	1.0E+06	1.8E-04
64	64	0.16361	2.08227E-05	3.4E-06	6.05E-04	2.06E-09	1.84E+00	4.71E-02	1.79E-10	1.0E+06	1.8E-04
65	65	0.17177	2.08227E-05	3.6E-06	6.05E-04	2.16E-09	1.84E+00	4.71E-02	1.88E-10	1.0E+06	1.9E-04
66	66	0.18113	2.08227E-05	3.8E-06	6.05E-04	2.28E-09	1.84E+00	4.71E-02	1.98E-10	1.0E+06	2.0E-04
67	67	0.19048	2.08227E-05	4.0E-06	6.05E-04	2.40E-09	1.84E+00	4.71E-02	2.08E-10	1.0E+06	2.1E-04
68	68	0.2054	2.08227E-05	4.3E-06	6.05E-04	2.59E-09	1.84E+00	4.71E-02	2.25E-10	1.0E+06	2.2E-04
69	69	0.22236	2.08227E-05	4.6E-06	6.05E-04	2.80E-09	1.84E+00	4.71E-02	2.43E-10	1.0E+06	2.4E-04
70	70	0.13778	2.08227E-05	2.9E-06	6.05E-04	1.74E-09	1.84E+00	4.71E-02	1.51E-10	1.0E+06	1.5E-04
71	71	0.14394	2.08227E-05	3.0E-06	6.05E-04	1.81E-09	1.84E+00	4.71E-02	1.58E-10	1.0E+06	1.6E-04
72	72	0.15016	2.08227E-05	3.1E-06	6.05E-04	1.89E-09	1.84E+00	4.71E-02	1.64E-10	1.0E+06	1.6E-04
73	73	0.15694	2.08227E-05	3.3E-06	6.05E-04	1.98E-09	1.84E+00	4.71E-02	1.72E-10	1.0E+06	1.7E-04
74	74	0.16325	2.08227E-05	3.4E-06	6.05E-04	2.06E-09	1.84E+00	4.71E-02	1.79E-10	1.0E+06	1.8E-04
75	75	0.17204	2.08227E-05	3.6E-06	6.05E-04	2.17E-09	1.84E+00	4.71E-02	1.88E-10	1.0E+06	1.9E-04
76	76	0.18013	2.08227E-05	3.8E-06	6.05E-04	2.27E-09	1.84E+00	4.71E-02	1.97E-10	1.0E+06	2.0E-04
77	77	0.18611	2.08227E-05	3.9E-06	6.05E-04	2.34E-09	1.84E+00	4.71E-02	2.04E-10	1.0E+06	2.0E-04
78	78	0.19611	2.08227E-05	4.1E-06	6.05E-04	2.47E-09	1.84E+00	4.71E-02	2.15E-10	1.0E+06	2.1E-04
79	79	0.21224	2.08227E-05	4.4E-06	6.05E-04	2.67E-09	1.84E+00	4.71E-02	2.32E-10	1.0E+06	2.3E-04
80	80	0.22205	2.08227E-05	4.6E-06	6.05E-04	2.80E-09	1.84E+00	4.71E-02	2.43E-10	1.0E+06	2.4E-04
81	81	0.24272	2.08227E-05	5.1E-06	6.05E-04	3.06E-09	1.84E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
82	82	0.25999	2.08227E-05	5.4E-06	6.05E-04	3.28E-09	1.84E+00	4.71E-02	2.84E-10	1.0E+06	2.8E-04
83	83	0.14606	2.08227E-05	3.0E-06	6.05E-04	1.84E-09	1.84E+00	4.71E-02	1.60E-10	1.0E+06	1.6E-04
84	84	0.15257	2.08227E-05	3.2E-06	6.05E-04	1.92E-09	1.84E+00	4.71E-02	1.67E-10	1.0E+06	1.7E-04
85	85	0.15866	2.08227E-05	3.3E-06	6.05E-04	2.00E-09	1.84E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
86	86	0.16917	2.08227E-05	3.5E-06	6.05E-04	2.13E-09	1.84E+00	4.71E-02	1.85E-10	1.0E+06	1.9E-04
87	87	0.17844	2.08227E-05	3.7E-06	6.05E-04	2.25E-09	1.84E+00	4.71E-02	1.95E-10	1.0E+06	2.0E-04
88	88	0.18893	2.08227E-05	3.9E-06	6.05E-04	2.38E-09	1.84E+00	4.71E-02	2.07E-10	1.0E+06	2.1E-04
89	89	0.20032	2.08227E-05	4.2E-06	6.05E-04	2.52E-09	1.84E+00	4.71E-02	2.19E-10	1.0E+06	2.2E-04
90	90	0.21283	2.08227E-05	4.4E-06	6.05E-04	2.68E-09	1.84E+00	4.71E-02	2.33E-10	1.0E+06	2.3E-04
91	91	0.22684	2.08227E-05	4.7E-06	6.05E-04	2.86E-09	1.84E+00	4.71E-02	2.48E-10	1.0E+06	2.5E-04
92	92	0.24286	2.08227E-05	5.1E-06	6.05E-04	3.06E-09	1.84E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
93	93	0.26082	2.08227E-05	5.4E-06	6.05E-04	3.29E-09	1.84E+00	4.71E-02	2.85E-10	1.0E+06	2.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.28179	2.08227E-05	5.9E-06	6.05E-04	3.55E-09	1.84E+00	4.71E-02	3.08E-10	1.0E+06	3.1E-04
95	95	0.30681	2.08227E-05	6.4E-06	6.05E-04	3.87E-09	1.84E+00	4.71E-02	3.36E-10	1.0E+06	3.4E-04
96	96	0.15285	2.08227E-05	3.2E-06	6.05E-04	1.93E-09	1.84E+00	4.71E-02	1.67E-10	1.0E+06	1.7E-04
97	97	0.15857	2.08227E-05	3.3E-06	6.05E-04	2.00E-09	1.84E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
98	98	0.16615	2.08227E-05	3.5E-06	6.05E-04	2.09E-09	1.84E+00	4.71E-02	1.82E-10	1.0E+06	1.8E-04
99	99	0.17751	2.08227E-05	3.7E-06	6.05E-04	2.24E-09	1.84E+00	4.71E-02	1.94E-10	1.0E+06	1.9E-04
100	100	0.19145	2.08227E-05	4.0E-06	6.05E-04	2.41E-09	1.84E+00	4.71E-02	2.09E-10	1.0E+06	2.1E-04
101	101	0.20403	2.08227E-05	4.2E-06	6.05E-04	2.57E-09	1.84E+00	4.71E-02	2.23E-10	1.0E+06	2.2E-04
102	102	0.2179	2.08227E-05	4.5E-06	6.05E-04	2.75E-09	1.84E+00	4.71E-02	2.38E-10	1.0E+06	2.4E-04
103	103	0.23364	2.08227E-05	4.9E-06	6.05E-04	2.94E-09	1.84E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
104	104	0.25106	2.08227E-05	5.2E-06	6.05E-04	3.16E-09	1.84E+00	4.71E-02	2.75E-10	1.0E+06	2.7E-04
105	105	0.27069	2.08227E-05	5.6E-06	6.05E-04	3.41E-09	1.84E+00	4.71E-02	2.96E-10	1.0E+06	3.0E-04
106	106	0.29395	2.08227E-05	6.1E-06	6.05E-04	3.70E-09	1.84E+00	4.71E-02	3.22E-10	1.0E+06	3.2E-04
107	107	0.32121	2.08227E-05	6.7E-06	6.05E-04	4.05E-09	1.84E+00	4.71E-02	3.51E-10	1.0E+06	3.5E-04
108	108	0.35378	2.08227E-05	7.4E-06	6.05E-04	4.46E-09	1.84E+00	4.71E-02	3.87E-10	1.0E+06	3.9E-04
109	109	0.15685	2.08227E-05	3.3E-06	6.05E-04	1.98E-09	1.84E+00	4.71E-02	1.72E-10	1.0E+06	1.7E-04
110	110	0.16677	2.08227E-05	3.5E-06	6.05E-04	2.10E-09	1.84E+00	4.71E-02	1.82E-10	1.0E+06	1.8E-04
111	111	0.17775	2.08227E-05	3.7E-06	6.05E-04	2.24E-09	1.84E+00	4.71E-02	1.94E-10	1.0E+06	1.9E-04
112	112	0.18979	2.08227E-05	4.0E-06	6.05E-04	2.39E-09	1.84E+00	4.71E-02	2.08E-10	1.0E+06	2.1E-04
113	113	0.20303	2.08227E-05	4.2E-06	6.05E-04	2.56E-09	1.84E+00	4.71E-02	2.22E-10	1.0E+06	2.2E-04
114	114	0.21761	2.08227E-05	4.5E-06	6.05E-04	2.74E-09	1.84E+00	4.71E-02	2.38E-10	1.0E+06	2.4E-04
115	115	0.23359	2.08227E-05	4.9E-06	6.05E-04	2.94E-09	1.84E+00	4.71E-02	2.56E-10	1.0E+06	2.6E-04
116	116	0.25225	2.08227E-05	5.3E-06	6.05E-04	3.18E-09	1.84E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04
117	117	0.27429	2.08227E-05	5.7E-06	6.05E-04	3.46E-09	1.84E+00	4.71E-02	3.00E-10	1.0E+06	3.0E-04
118	118	0.29394	2.08227E-05	6.1E-06	6.05E-04	3.70E-09	1.84E+00	4.71E-02	3.22E-10	1.0E+06	3.2E-04
119	119	0.32282	2.08227E-05	6.7E-06	6.05E-04	4.07E-09	1.84E+00	4.71E-02	3.53E-10	1.0E+06	3.5E-04
120	120	0.35496	2.08227E-05	7.4E-06	6.05E-04	4.47E-09	1.84E+00	4.71E-02	3.88E-10	1.0E+06	3.9E-04
121	121	0.39206	2.08227E-05	8.2E-06	6.05E-04	4.94E-09	1.84E+00	4.71E-02	4.29E-10	1.0E+06	4.3E-04
122	122	0.15982	2.08227E-05	3.3E-06	6.05E-04	2.01E-09	1.84E+00	4.71E-02	1.75E-10	1.0E+06	1.7E-04
123	123	0.17128	2.08227E-05	3.6E-06	6.05E-04	2.16E-09	1.84E+00	4.71E-02	1.87E-10	1.0E+06	1.9E-04
124	124	0.18494	2.08227E-05	3.9E-06	6.05E-04	2.33E-09	1.84E+00	4.71E-02	2.02E-10	1.0E+06	2.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.19853	2.08227E-05	4.1E-06	6.05E-04	2.50E-09	1.84E+00	4.71E-02	2.17E-10	1.0E+06	2.2E-04
126	126	0.21277	2.08227E-05	4.4E-06	6.05E-04	2.68E-09	1.84E+00	4.71E-02	2.33E-10	1.0E+06	2.3E-04
127	127	0.22781	2.08227E-05	4.7E-06	6.05E-04	2.87E-09	1.84E+00	4.71E-02	2.49E-10	1.0E+06	2.5E-04
128	128	0.23739	2.08227E-05	4.9E-06	6.05E-04	2.99E-09	1.84E+00	4.71E-02	2.60E-10	1.0E+06	2.6E-04
129	129	0.25753	2.08227E-05	5.4E-06	6.05E-04	3.24E-09	1.84E+00	4.71E-02	2.82E-10	1.0E+06	2.8E-04
130	130	0.28802	2.08227E-05	6.0E-06	6.05E-04	3.63E-09	1.84E+00	4.71E-02	3.15E-10	1.0E+06	3.2E-04
131	131	2.13818	2.08227E-05	4.5E-05	6.05E-04	2.69E-08	1.84E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
132	132	3.10234	2.08227E-05	6.5E-05	6.05E-04	3.91E-08	1.84E+00	4.71E-02	3.39E-09	1.0E+06	3.4E-03
133	133	0.16019	2.08227E-05	3.3E-06	6.05E-04	2.02E-09	1.84E+00	4.71E-02	1.75E-10	1.0E+06	1.8E-04
134	134	0.17469	2.08227E-05	3.6E-06	6.05E-04	2.20E-09	1.84E+00	4.71E-02	1.91E-10	1.0E+06	1.9E-04
135	135	0.1896	2.08227E-05	3.9E-06	6.05E-04	2.39E-09	1.84E+00	4.71E-02	2.07E-10	1.0E+06	2.1E-04
136	136	0.2045	2.08227E-05	4.3E-06	6.05E-04	2.58E-09	1.84E+00	4.71E-02	2.24E-10	1.0E+06	2.2E-04
137	137	0.22052	2.08227E-05	4.6E-06	6.05E-04	2.78E-09	1.84E+00	4.71E-02	2.41E-10	1.0E+06	2.4E-04
138	138	0.23618	2.08227E-05	4.9E-06	6.05E-04	2.98E-09	1.84E+00	4.71E-02	2.58E-10	1.0E+06	2.6E-04
139	139	0.25056	2.08227E-05	5.2E-06	6.05E-04	3.16E-09	1.84E+00	4.71E-02	2.74E-10	1.0E+06	2.7E-04
140	140	0.2765	2.08227E-05	5.8E-06	6.05E-04	3.48E-09	1.84E+00	4.71E-02	3.03E-10	1.0E+06	3.0E-04
141	141	0.30418	2.08227E-05	6.3E-06	6.05E-04	3.83E-09	1.84E+00	4.71E-02	3.33E-10	1.0E+06	3.3E-04
142	142	0.33569	2.08227E-05	7.0E-06	6.05E-04	4.23E-09	1.84E+00	4.71E-02	3.67E-10	1.0E+06	3.7E-04
143	143	0.3773	2.08227E-05	7.9E-06	6.05E-04	4.75E-09	1.84E+00	4.71E-02	4.13E-10	1.0E+06	4.1E-04
144	144	0.43429	2.08227E-05	9.0E-06	6.05E-04	5.47E-09	1.84E+00	4.71E-02	4.75E-10	1.0E+06	4.8E-04
145	145	0.50032	2.08227E-05	1.0E-05	6.05E-04	6.30E-09	1.84E+00	4.71E-02	5.47E-10	1.0E+06	5.5E-04
146	146	3.05502	2.08227E-05	6.4E-05	6.05E-04	3.85E-08	1.84E+00	4.71E-02	3.34E-09	1.0E+06	3.3E-03
147	147	0.15943	2.08227E-05	3.3E-06	6.05E-04	2.01E-09	1.84E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
148	148	0.17407	2.08227E-05	3.6E-06	6.05E-04	2.19E-09	1.84E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
149	149	0.19042	2.08227E-05	4.0E-06	6.05E-04	2.40E-09	1.84E+00	4.71E-02	2.08E-10	1.0E+06	2.1E-04
150	150	0.20683	2.08227E-05	4.3E-06	6.05E-04	2.61E-09	1.84E+00	4.71E-02	2.26E-10	1.0E+06	2.3E-04
151	151	0.22576	2.08227E-05	4.7E-06	6.05E-04	2.84E-09	1.84E+00	4.71E-02	2.47E-10	1.0E+06	2.5E-04
152	152	0.24299	2.08227E-05	5.1E-06	6.05E-04	3.06E-09	1.84E+00	4.71E-02	2.66E-10	1.0E+06	2.7E-04
153	153	0.26197	2.08227E-05	5.5E-06	6.05E-04	3.30E-09	1.84E+00	4.71E-02	2.87E-10	1.0E+06	2.9E-04
154	154	0.28651	2.08227E-05	6.0E-06	6.05E-04	3.61E-09	1.84E+00	4.71E-02	3.14E-10	1.0E+06	3.1E-04
155	155	0.31707	2.08227E-05	6.6E-06	6.05E-04	3.99E-09	1.84E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.35232	2.08227E-05	7.3E-06	6.05E-04	4.44E-09	1.84E+00	4.71E-02	3.86E-10	1.0E+06	3.9E-04
157	157	0.39311	2.08227E-05	8.2E-06	6.05E-04	4.95E-09	1.84E+00	4.71E-02	4.30E-10	1.0E+06	4.3E-04
158	158	0.44206	2.08227E-05	9.2E-06	6.05E-04	5.57E-09	1.84E+00	4.71E-02	4.84E-10	1.0E+06	4.8E-04
159	159	0.53104	2.08227E-05	1.1E-05	6.05E-04	6.69E-09	1.84E+00	4.71E-02	5.81E-10	1.0E+06	5.8E-04
160	160	0.15998	2.08227E-05	3.3E-06	6.05E-04	2.02E-09	1.84E+00	4.71E-02	1.75E-10	1.0E+06	1.8E-04
161	161	0.17278	2.08227E-05	3.6E-06	6.05E-04	2.18E-09	1.84E+00	4.71E-02	1.89E-10	1.0E+06	1.9E-04
162	162	0.18504	2.08227E-05	3.9E-06	6.05E-04	2.33E-09	1.84E+00	4.71E-02	2.02E-10	1.0E+06	2.0E-04
163	163	0.20494	2.08227E-05	4.3E-06	6.05E-04	2.58E-09	1.84E+00	4.71E-02	2.24E-10	1.0E+06	2.2E-04
164	164	0.22847	2.08227E-05	4.8E-06	6.05E-04	2.88E-09	1.84E+00	4.71E-02	2.50E-10	1.0E+06	2.5E-04
165	165	0.24861	2.08227E-05	5.2E-06	6.05E-04	3.13E-09	1.84E+00	4.71E-02	2.72E-10	1.0E+06	2.7E-04
166	166	0.27241	2.08227E-05	5.7E-06	6.05E-04	3.43E-09	1.84E+00	4.71E-02	2.98E-10	1.0E+06	3.0E-04
167	167	0.29976	2.08227E-05	6.2E-06	6.05E-04	3.78E-09	1.84E+00	4.71E-02	3.28E-10	1.0E+06	3.3E-04
168	168	0.33221	2.08227E-05	6.9E-06	6.05E-04	4.19E-09	1.84E+00	4.71E-02	3.64E-10	1.0E+06	3.6E-04
169	169	0.37066	2.08227E-05	7.7E-06	6.05E-04	4.67E-09	1.84E+00	4.71E-02	4.06E-10	1.0E+06	4.1E-04
170	170	0.41599	2.08227E-05	8.7E-06	6.05E-04	5.24E-09	1.84E+00	4.71E-02	4.55E-10	1.0E+06	4.6E-04
171	171	0.47189	2.08227E-05	9.8E-06	6.05E-04	5.95E-09	1.84E+00	4.71E-02	5.16E-10	1.0E+06	5.2E-04
172	172	0.55556	2.08227E-05	1.2E-05	6.05E-04	7.00E-09	1.84E+00	4.71E-02	6.08E-10	1.0E+06	6.1E-04
173	173	0.67824	2.08227E-05	1.4E-05	6.05E-04	8.55E-09	1.84E+00	4.71E-02	7.42E-10	1.0E+06	7.4E-04
174	174	0.86539	2.08227E-05	1.8E-05	6.05E-04	1.09E-08	1.84E+00	4.71E-02	9.47E-10	1.0E+06	9.5E-04
175	175	1.13736	2.08227E-05	2.4E-05	6.05E-04	1.43E-08	1.84E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
176	176	1.55362	2.08227E-05	3.2E-05	6.05E-04	1.96E-08	1.84E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
177	177	2.42543	2.08227E-05	5.1E-05	6.05E-04	3.06E-08	1.84E+00	4.71E-02	2.65E-09	1.0E+06	2.7E-03
178	178	4.51825	2.08227E-05	9.4E-05	6.05E-04	5.69E-08	1.84E+00	4.71E-02	4.94E-09	1.0E+06	4.9E-03
179	179	0.15556	2.08227E-05	3.2E-06	6.05E-04	1.96E-09	1.84E+00	4.71E-02	1.70E-10	1.0E+06	1.7E-04
180	180	0.16729	2.08227E-05	3.5E-06	6.05E-04	2.11E-09	1.84E+00	4.71E-02	1.83E-10	1.0E+06	1.8E-04
181	181	0.17784	2.08227E-05	3.7E-06	6.05E-04	2.24E-09	1.84E+00	4.71E-02	1.95E-10	1.0E+06	1.9E-04
182	182	0.20149	2.08227E-05	4.2E-06	6.05E-04	2.54E-09	1.84E+00	4.71E-02	2.20E-10	1.0E+06	2.2E-04
183	183	0.23147	2.08227E-05	4.8E-06	6.05E-04	2.92E-09	1.84E+00	4.71E-02	2.53E-10	1.0E+06	2.5E-04
184	184	0.25475	2.08227E-05	5.3E-06	6.05E-04	3.21E-09	1.84E+00	4.71E-02	2.79E-10	1.0E+06	2.8E-04
185	185	0.28248	2.08227E-05	5.9E-06	6.05E-04	3.56E-09	1.84E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04
186	186	0.31288	2.08227E-05	6.5E-06	6.05E-04	3.94E-09	1.84E+00	4.71E-02	3.42E-10	1.0E+06	3.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.3471	2.08227E-05	7.2E-06	6.05E-04	4.37E-09	1.84E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
188	188	0.3888	2.08227E-05	8.1E-06	6.05E-04	4.90E-09	1.84E+00	4.71E-02	4.25E-10	1.0E+06	4.3E-04
189	189	0.43722	2.08227E-05	9.1E-06	6.05E-04	5.51E-09	1.84E+00	4.71E-02	4.78E-10	1.0E+06	4.8E-04
190	190	0.49858	2.08227E-05	1.0E-05	6.05E-04	6.28E-09	1.84E+00	4.71E-02	5.46E-10	1.0E+06	5.5E-04
191	191	0.576	2.08227E-05	1.2E-05	6.05E-04	7.26E-09	1.84E+00	4.71E-02	6.30E-10	1.0E+06	6.3E-04
192	192	0.69109	2.08227E-05	1.4E-05	6.05E-04	8.71E-09	1.84E+00	4.71E-02	7.56E-10	1.0E+06	7.6E-04
193	193	0.85655	2.08227E-05	1.8E-05	6.05E-04	1.08E-08	1.84E+00	4.71E-02	9.37E-10	1.0E+06	9.4E-04
194	194	1.14217	2.08227E-05	2.4E-05	6.05E-04	1.44E-08	1.84E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
195	195	1.66747	2.08227E-05	3.5E-05	6.05E-04	2.10E-08	1.84E+00	4.71E-02	1.82E-09	1.0E+06	1.8E-03
196	196	2.60456	2.08227E-05	5.4E-05	6.05E-04	3.28E-08	1.84E+00	4.71E-02	2.85E-09	1.0E+06	2.8E-03
197	197	4.78841	2.08227E-05	1.0E-04	6.05E-04	6.03E-08	1.84E+00	4.71E-02	5.24E-09	1.0E+06	5.2E-03
198	198	0.15367	2.08227E-05	3.2E-06	6.05E-04	1.94E-09	1.84E+00	4.71E-02	1.68E-10	1.0E+06	1.7E-04
199	199	0.16648	2.08227E-05	3.5E-06	6.05E-04	2.10E-09	1.84E+00	4.71E-02	1.82E-10	1.0E+06	1.8E-04
200	200	0.18069	2.08227E-05	3.8E-06	6.05E-04	2.28E-09	1.84E+00	4.71E-02	1.98E-10	1.0E+06	2.0E-04
201	201	0.20009	2.08227E-05	4.2E-06	6.05E-04	2.52E-09	1.84E+00	4.71E-02	2.19E-10	1.0E+06	2.2E-04
202	202	0.23123	2.08227E-05	4.8E-06	6.05E-04	2.91E-09	1.84E+00	4.71E-02	2.53E-10	1.0E+06	2.5E-04
203	203	0.2587	2.08227E-05	5.4E-06	6.05E-04	3.26E-09	1.84E+00	4.71E-02	2.83E-10	1.0E+06	2.8E-04
204	204	0.28995	2.08227E-05	6.0E-06	6.05E-04	3.65E-09	1.84E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
205	205	0.32338	2.08227E-05	6.7E-06	6.05E-04	4.07E-09	1.84E+00	4.71E-02	3.54E-10	1.0E+06	3.5E-04
206	206	0.36119	2.08227E-05	7.5E-06	6.05E-04	4.55E-09	1.84E+00	4.71E-02	3.95E-10	1.0E+06	4.0E-04
207	207	0.4058	2.08227E-05	8.4E-06	6.05E-04	5.11E-09	1.84E+00	4.71E-02	4.44E-10	1.0E+06	4.4E-04
208	208	0.45826	2.08227E-05	9.5E-06	6.05E-04	5.77E-09	1.84E+00	4.71E-02	5.01E-10	1.0E+06	5.0E-04
209	209	0.52363	2.08227E-05	1.1E-05	6.05E-04	6.60E-09	1.84E+00	4.71E-02	5.73E-10	1.0E+06	5.7E-04
210	210	0.60609	2.08227E-05	1.3E-05	6.05E-04	7.64E-09	1.84E+00	4.71E-02	6.63E-10	1.0E+06	6.6E-04
211	211	0.71656	2.08227E-05	1.5E-05	6.05E-04	9.03E-09	1.84E+00	4.71E-02	7.84E-10	1.0E+06	7.8E-04
212	212	0.86556	2.08227E-05	1.8E-05	6.05E-04	1.09E-08	1.84E+00	4.71E-02	9.47E-10	1.0E+06	9.5E-04
213	213	1.07716	2.08227E-05	2.2E-05	6.05E-04	1.36E-08	1.84E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
214	214	1.39697	2.08227E-05	2.9E-05	6.05E-04	1.76E-08	1.84E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
215	215	2.51762	2.08227E-05	5.2E-05	6.05E-04	3.17E-08	1.84E+00	4.71E-02	2.75E-09	1.0E+06	2.8E-03
216	216	0.15358	2.08227E-05	3.2E-06	6.05E-04	1.93E-09	1.84E+00	4.71E-02	1.68E-10	1.0E+06	1.7E-04
217	217	0.16603	2.08227E-05	3.5E-06	6.05E-04	2.09E-09	1.84E+00	4.71E-02	1.82E-10	1.0E+06	1.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.18147	2.08227E-05	3.8E-06	6.05E-04	2.29E-09	1.84E+00	4.71E-02	1.99E-10	1.0E+06	2.0E-04
219	219	0.20063	2.08227E-05	4.2E-06	6.05E-04	2.53E-09	1.84E+00	4.71E-02	2.20E-10	1.0E+06	2.2E-04
220	220	0.23012	2.08227E-05	4.8E-06	6.05E-04	2.90E-09	1.84E+00	4.71E-02	2.52E-10	1.0E+06	2.5E-04
221	221	0.25752	2.08227E-05	5.4E-06	6.05E-04	3.24E-09	1.84E+00	4.71E-02	2.82E-10	1.0E+06	2.8E-04
222	222	0.29169	2.08227E-05	6.1E-06	6.05E-04	3.68E-09	1.84E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
223	223	0.32799	2.08227E-05	6.8E-06	6.05E-04	4.13E-09	1.84E+00	4.71E-02	3.59E-10	1.0E+06	3.6E-04
224	224	0.36886	2.08227E-05	7.7E-06	6.05E-04	4.65E-09	1.84E+00	4.71E-02	4.04E-10	1.0E+06	4.0E-04
225	225	0.41504	2.08227E-05	8.6E-06	6.05E-04	5.23E-09	1.84E+00	4.71E-02	4.54E-10	1.0E+06	4.5E-04
226	226	0.47268	2.08227E-05	9.8E-06	6.05E-04	5.96E-09	1.84E+00	4.71E-02	5.17E-10	1.0E+06	5.2E-04
227	227	0.54138	2.08227E-05	1.1E-05	6.05E-04	6.82E-09	1.84E+00	4.71E-02	5.92E-10	1.0E+06	5.9E-04
228	228	0.62757	2.08227E-05	1.3E-05	6.05E-04	7.91E-09	1.84E+00	4.71E-02	6.87E-10	1.0E+06	6.9E-04
229	229	0.74182	2.08227E-05	1.5E-05	6.05E-04	9.35E-09	1.84E+00	4.71E-02	8.12E-10	1.0E+06	8.1E-04
230	230	0.89194	2.08227E-05	1.9E-05	6.05E-04	1.12E-08	1.84E+00	4.71E-02	9.76E-10	1.0E+06	9.8E-04
231	231	1.11326	2.08227E-05	2.3E-05	6.05E-04	1.40E-08	1.84E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
232	232	1.46266	2.08227E-05	3.0E-05	6.05E-04	1.84E-08	1.84E+00	4.71E-02	1.60E-09	1.0E+06	1.6E-03
233	233	2.46845	2.08227E-05	5.1E-05	6.05E-04	3.11E-08	1.84E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
234	234	0.15309	2.08227E-05	3.2E-06	6.05E-04	1.93E-09	1.84E+00	4.71E-02	1.68E-10	1.0E+06	1.7E-04
235	235	0.16513	2.08227E-05	3.4E-06	6.05E-04	2.08E-09	1.84E+00	4.71E-02	1.81E-10	1.0E+06	1.8E-04
236	236	0.18104	2.08227E-05	3.8E-06	6.05E-04	2.28E-09	1.84E+00	4.71E-02	1.98E-10	1.0E+06	2.0E-04
237	237	0.20169	2.08227E-05	4.2E-06	6.05E-04	2.54E-09	1.84E+00	4.71E-02	2.21E-10	1.0E+06	2.2E-04
238	238	0.22802	2.08227E-05	4.7E-06	6.05E-04	2.87E-09	1.84E+00	4.71E-02	2.50E-10	1.0E+06	2.5E-04
239	239	0.25583	2.08227E-05	5.3E-06	6.05E-04	3.22E-09	1.84E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
240	240	0.28947	2.08227E-05	6.0E-06	6.05E-04	3.65E-09	1.84E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
241	241	0.32748	2.08227E-05	6.8E-06	6.05E-04	4.13E-09	1.84E+00	4.71E-02	3.58E-10	1.0E+06	3.6E-04
242	242	0.37103	2.08227E-05	7.7E-06	6.05E-04	4.67E-09	1.84E+00	4.71E-02	4.06E-10	1.0E+06	4.1E-04
243	243	0.42104	2.08227E-05	8.8E-06	6.05E-04	5.30E-09	1.84E+00	4.71E-02	4.61E-10	1.0E+06	4.6E-04
244	244	0.4836	2.08227E-05	1.0E-05	6.05E-04	6.09E-09	1.84E+00	4.71E-02	5.29E-10	1.0E+06	5.3E-04
245	245	0.55926	2.08227E-05	1.2E-05	6.05E-04	7.05E-09	1.84E+00	4.71E-02	6.12E-10	1.0E+06	6.1E-04
246	246	0.65335	2.08227E-05	1.4E-05	6.05E-04	8.23E-09	1.84E+00	4.71E-02	7.15E-10	1.0E+06	7.1E-04
247	247	0.7738	2.08227E-05	1.6E-05	6.05E-04	9.75E-09	1.84E+00	4.71E-02	8.47E-10	1.0E+06	8.5E-04
248	248	0.93629	2.08227E-05	1.9E-05	6.05E-04	1.18E-08	1.84E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.16831	2.08227E-05	2.4E-05	6.05E-04	1.47E-08	1.84E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
250	250	1.55042	2.08227E-05	3.2E-05	6.05E-04	1.95E-08	1.84E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
251	251	2.56532	2.08227E-05	5.3E-05	6.05E-04	3.23E-08	1.84E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03
252	252	0.15039	2.08227E-05	3.1E-06	6.05E-04	1.89E-09	1.84E+00	4.71E-02	1.65E-10	1.0E+06	1.6E-04
253	253	0.16192	2.08227E-05	3.4E-06	6.05E-04	2.04E-09	1.84E+00	4.71E-02	1.77E-10	1.0E+06	1.8E-04
254	254	0.17673	2.08227E-05	3.7E-06	6.05E-04	2.23E-09	1.84E+00	4.71E-02	1.93E-10	1.0E+06	1.9E-04
255	255	0.19505	2.08227E-05	4.1E-06	6.05E-04	2.46E-09	1.84E+00	4.71E-02	2.13E-10	1.0E+06	2.1E-04
256	256	0.22476	2.08227E-05	4.7E-06	6.05E-04	2.83E-09	1.84E+00	4.71E-02	2.46E-10	1.0E+06	2.5E-04
257	257	0.2463	2.08227E-05	5.1E-06	6.05E-04	3.10E-09	1.84E+00	4.71E-02	2.70E-10	1.0E+06	2.7E-04
258	258	0.2755	2.08227E-05	5.7E-06	6.05E-04	3.47E-09	1.84E+00	4.71E-02	3.01E-10	1.0E+06	3.0E-04
259	259	0.30972	2.08227E-05	6.4E-06	6.05E-04	3.90E-09	1.84E+00	4.71E-02	3.39E-10	1.0E+06	3.4E-04
260	260	0.35701	2.08227E-05	7.4E-06	6.05E-04	4.50E-09	1.84E+00	4.71E-02	3.91E-10	1.0E+06	3.9E-04
261	261	0.41677	2.08227E-05	8.7E-06	6.05E-04	5.25E-09	1.84E+00	4.71E-02	4.56E-10	1.0E+06	4.6E-04
262	262	0.48663	2.08227E-05	1.0E-05	6.05E-04	6.13E-09	1.84E+00	4.71E-02	5.32E-10	1.0E+06	5.3E-04
263	263	0.56515	2.08227E-05	1.2E-05	6.05E-04	7.12E-09	1.84E+00	4.71E-02	6.18E-10	1.0E+06	6.2E-04
264	264	0.66747	2.08227E-05	1.4E-05	6.05E-04	8.41E-09	1.84E+00	4.71E-02	7.30E-10	1.0E+06	7.3E-04
265	265	0.79321	2.08227E-05	1.7E-05	6.05E-04	9.99E-09	1.84E+00	4.71E-02	8.68E-10	1.0E+06	8.7E-04
266	266	0.96519	2.08227E-05	2.0E-05	6.05E-04	1.22E-08	1.84E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
267	267	1.20835	2.08227E-05	2.5E-05	6.05E-04	1.52E-08	1.84E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
268	268	1.59854	2.08227E-05	3.3E-05	6.05E-04	2.01E-08	1.84E+00	4.71E-02	1.75E-09	1.0E+06	1.7E-03
269	269	2.5967	2.08227E-05	5.4E-05	6.05E-04	3.27E-08	1.84E+00	4.71E-02	2.84E-09	1.0E+06	2.8E-03
270	270	0.1466	2.08227E-05	3.1E-06	6.05E-04	1.85E-09	1.84E+00	4.71E-02	1.60E-10	1.0E+06	1.6E-04
271	271	0.15873	2.08227E-05	3.3E-06	6.05E-04	2.00E-09	1.84E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
272	272	0.17362	2.08227E-05	3.6E-06	6.05E-04	2.19E-09	1.84E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
273	273	0.19095	2.08227E-05	4.0E-06	6.05E-04	2.41E-09	1.84E+00	4.71E-02	2.09E-10	1.0E+06	2.1E-04
274	274	0.2227	2.08227E-05	4.6E-06	6.05E-04	2.81E-09	1.84E+00	4.71E-02	2.44E-10	1.0E+06	2.4E-04
275	275	0.2521	2.08227E-05	5.2E-06	6.05E-04	3.18E-09	1.84E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04
276	276	0.26821	2.08227E-05	5.6E-06	6.05E-04	3.38E-09	1.84E+00	4.71E-02	2.93E-10	1.0E+06	2.9E-04
277	277	0.30107	2.08227E-05	6.3E-06	6.05E-04	3.79E-09	1.84E+00	4.71E-02	3.29E-10	1.0E+06	3.3E-04
278	278	0.34371	2.08227E-05	7.2E-06	6.05E-04	4.33E-09	1.84E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
279	279	0.39869	2.08227E-05	8.3E-06	6.05E-04	5.02E-09	1.84E+00	4.71E-02	4.36E-10	1.0E+06	4.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.47517	2.08227E-05	9.9E-06	6.05E-04	5.99E-09	1.84E+00	4.71E-02	5.20E-10	1.0E+06	5.2E-04
281	281	0.56651	2.08227E-05	1.2E-05	6.05E-04	7.14E-09	1.84E+00	4.71E-02	6.20E-10	1.0E+06	6.2E-04
282	282	0.67737	2.08227E-05	1.4E-05	6.05E-04	8.53E-09	1.84E+00	4.71E-02	7.41E-10	1.0E+06	7.4E-04
283	283	0.81651	2.08227E-05	1.7E-05	6.05E-04	1.03E-08	1.84E+00	4.71E-02	8.93E-10	1.0E+06	8.9E-04
284	284	1.0038	2.08227E-05	2.1E-05	6.05E-04	1.26E-08	1.84E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
285	285	1.26382	2.08227E-05	2.6E-05	6.05E-04	1.59E-08	1.84E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
286	286	1.69011	2.08227E-05	3.5E-05	6.05E-04	2.13E-08	1.84E+00	4.71E-02	1.85E-09	1.0E+06	1.8E-03
287	287	2.75465	2.08227E-05	5.7E-05	6.05E-04	3.47E-08	1.84E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
288	288	0.14303	2.08227E-05	3.0E-06	6.05E-04	1.80E-09	1.84E+00	4.71E-02	1.57E-10	1.0E+06	1.6E-04
289	289	0.15417	2.08227E-05	3.2E-06	6.05E-04	1.94E-09	1.84E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04
290	290	0.17211	2.08227E-05	3.6E-06	6.05E-04	2.17E-09	1.84E+00	4.71E-02	1.88E-10	1.0E+06	1.9E-04
291	291	0.19122	2.08227E-05	4.0E-06	6.05E-04	2.41E-09	1.84E+00	4.71E-02	2.09E-10	1.0E+06	2.1E-04
292	292	0.2316	2.08227E-05	4.8E-06	6.05E-04	2.92E-09	1.84E+00	4.71E-02	2.53E-10	1.0E+06	2.5E-04
293	293	0.25214	2.08227E-05	5.3E-06	6.05E-04	3.18E-09	1.84E+00	4.71E-02	2.76E-10	1.0E+06	2.8E-04
294	294	0.26071	2.08227E-05	5.4E-06	6.05E-04	3.28E-09	1.84E+00	4.71E-02	2.85E-10	1.0E+06	2.9E-04
295	295	0.29523	2.08227E-05	6.1E-06	6.05E-04	3.72E-09	1.84E+00	4.71E-02	3.23E-10	1.0E+06	3.2E-04
296	296	0.33865	2.08227E-05	7.1E-06	6.05E-04	4.27E-09	1.84E+00	4.71E-02	3.71E-10	1.0E+06	3.7E-04
297	297	0.38724	2.08227E-05	8.1E-06	6.05E-04	4.88E-09	1.84E+00	4.71E-02	4.24E-10	1.0E+06	4.2E-04
298	298	0.45619	2.08227E-05	9.5E-06	6.05E-04	5.75E-09	1.84E+00	4.71E-02	4.99E-10	1.0E+06	5.0E-04
299	299	0.55599	2.08227E-05	1.2E-05	6.05E-04	7.01E-09	1.84E+00	4.71E-02	6.08E-10	1.0E+06	6.1E-04
300	300	0.6694	2.08227E-05	1.4E-05	6.05E-04	8.43E-09	1.84E+00	4.71E-02	7.32E-10	1.0E+06	7.3E-04
301	301	0.82864	2.08227E-05	1.7E-05	6.05E-04	1.04E-08	1.84E+00	4.71E-02	9.07E-10	1.0E+06	9.1E-04
302	302	1.04274	2.08227E-05	2.2E-05	6.05E-04	1.31E-08	1.84E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
303	303	1.35582	2.08227E-05	2.8E-05	6.05E-04	1.71E-08	1.84E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
304	304	1.85624	2.08227E-05	3.9E-05	6.05E-04	2.34E-08	1.84E+00	4.71E-02	2.03E-09	1.0E+06	2.0E-03
305	305	3.11682	2.08227E-05	6.5E-05	6.05E-04	3.93E-08	1.84E+00	4.71E-02	3.41E-09	1.0E+06	3.4E-03
306	306	0.14661	2.08227E-05	3.1E-06	6.05E-04	1.85E-09	1.84E+00	4.71E-02	1.60E-10	1.0E+06	1.6E-04
307	307	0.15434	2.08227E-05	3.2E-06	6.05E-04	1.94E-09	1.84E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04
308	308	0.16848	2.08227E-05	3.5E-06	6.05E-04	2.12E-09	1.84E+00	4.71E-02	1.84E-10	1.0E+06	1.8E-04
309	309	0.19744	2.08227E-05	4.1E-06	6.05E-04	2.49E-09	1.84E+00	4.71E-02	2.16E-10	1.0E+06	2.2E-04
310	310	0.22748	2.08227E-05	4.7E-06	6.05E-04	2.87E-09	1.84E+00	4.71E-02	2.49E-10	1.0E+06	2.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.24695	2.08227E-05	5.1E-06	6.05E-04	3.11E-09	1.84E+00	4.71E-02	2.70E-10	1.0E+06	2.7E-04
312	312	0.25097	2.08227E-05	5.2E-06	6.05E-04	3.16E-09	1.84E+00	4.71E-02	2.75E-10	1.0E+06	2.7E-04
313	313	0.28441	2.08227E-05	5.9E-06	6.05E-04	3.58E-09	1.84E+00	4.71E-02	3.11E-10	1.0E+06	3.1E-04
314	314	0.32681	2.08227E-05	6.8E-06	6.05E-04	4.12E-09	1.84E+00	4.71E-02	3.58E-10	1.0E+06	3.6E-04
315	315	0.38921	2.08227E-05	8.1E-06	6.05E-04	4.90E-09	1.84E+00	4.71E-02	4.26E-10	1.0E+06	4.3E-04
316	316	0.4463	2.08227E-05	9.3E-06	6.05E-04	5.62E-09	1.84E+00	4.71E-02	4.88E-10	1.0E+06	4.9E-04
317	317	0.53036	2.08227E-05	1.1E-05	6.05E-04	6.68E-09	1.84E+00	4.71E-02	5.80E-10	1.0E+06	5.8E-04
318	318	0.6492	2.08227E-05	1.4E-05	6.05E-04	8.18E-09	1.84E+00	4.71E-02	7.10E-10	1.0E+06	7.1E-04
319	319	0.82714	2.08227E-05	1.7E-05	6.05E-04	1.04E-08	1.84E+00	4.71E-02	9.05E-10	1.0E+06	9.1E-04
320	320	1.09879	2.08227E-05	2.3E-05	6.05E-04	1.38E-08	1.84E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
321	321	1.45956	2.08227E-05	3.0E-05	6.05E-04	1.84E-08	1.84E+00	4.71E-02	1.60E-09	1.0E+06	1.6E-03
322	322	2.05755	2.08227E-05	4.3E-05	6.05E-04	2.59E-08	1.84E+00	4.71E-02	2.25E-09	1.0E+06	2.3E-03
323	323	3.70657	2.08227E-05	7.7E-05	6.05E-04	4.67E-08	1.84E+00	4.71E-02	4.06E-09	1.0E+06	4.1E-03
324	324	0.14315	2.08227E-05	3.0E-06	6.05E-04	1.80E-09	1.84E+00	4.71E-02	1.57E-10	1.0E+06	1.6E-04
325	325	0.15961	2.08227E-05	3.3E-06	6.05E-04	2.01E-09	1.84E+00	4.71E-02	1.75E-10	1.0E+06	1.7E-04
326	326	0.17259	2.08227E-05	3.6E-06	6.05E-04	2.17E-09	1.84E+00	4.71E-02	1.89E-10	1.0E+06	1.9E-04
327	327	0.18458	2.08227E-05	3.8E-06	6.05E-04	2.33E-09	1.84E+00	4.71E-02	2.02E-10	1.0E+06	2.0E-04
328	328	0.22402	2.08227E-05	4.7E-06	6.05E-04	2.82E-09	1.84E+00	4.71E-02	2.45E-10	1.0E+06	2.5E-04
329	329	0.23929	2.08227E-05	5.0E-06	6.05E-04	3.01E-09	1.84E+00	4.71E-02	2.62E-10	1.0E+06	2.6E-04
330	330	0.24442	2.08227E-05	5.1E-06	6.05E-04	3.08E-09	1.84E+00	4.71E-02	2.67E-10	1.0E+06	2.7E-04
331	331	0.27753	2.08227E-05	5.8E-06	6.05E-04	3.50E-09	1.84E+00	4.71E-02	3.04E-10	1.0E+06	3.0E-04
332	332	0.31974	2.08227E-05	6.7E-06	6.05E-04	4.03E-09	1.84E+00	4.71E-02	3.50E-10	1.0E+06	3.5E-04
333	333	0.38207	2.08227E-05	8.0E-06	6.05E-04	4.81E-09	1.84E+00	4.71E-02	4.18E-10	1.0E+06	4.2E-04
334	334	0.44936	2.08227E-05	9.4E-06	6.05E-04	5.66E-09	1.84E+00	4.71E-02	4.92E-10	1.0E+06	4.9E-04
335	335	0.53891	2.08227E-05	1.1E-05	6.05E-04	6.79E-09	1.84E+00	4.71E-02	5.90E-10	1.0E+06	5.9E-04
336	336	3.12945	2.08227E-05	6.5E-05	6.05E-04	3.94E-08	1.84E+00	4.71E-02	3.42E-09	1.0E+06	3.4E-03
337	337	2.75027	2.08227E-05	5.7E-05	6.05E-04	3.47E-08	1.84E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
338	338	0.14609	2.08227E-05	3.0E-06	6.05E-04	1.84E-09	1.84E+00	4.71E-02	1.60E-10	1.0E+06	1.6E-04
339	339	0.15603	2.08227E-05	3.2E-06	6.05E-04	1.97E-09	1.84E+00	4.71E-02	1.71E-10	1.0E+06	1.7E-04
340	340	0.16684	2.08227E-05	3.5E-06	6.05E-04	2.10E-09	1.84E+00	4.71E-02	1.83E-10	1.0E+06	1.8E-04
341	341	0.19198	2.08227E-05	4.0E-06	6.05E-04	2.42E-09	1.84E+00	4.71E-02	2.10E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.20227	2.08227E-05	4.2E-06	6.05E-04	2.55E-09	1.84E+00	4.71E-02	2.21E-10	1.0E+06	2.2E-04
343	343	0.21583	2.08227E-05	4.5E-06	6.05E-04	2.72E-09	1.84E+00	4.71E-02	2.36E-10	1.0E+06	2.4E-04
344	344	0.22035	2.08227E-05	4.6E-06	6.05E-04	2.78E-09	1.84E+00	4.71E-02	2.41E-10	1.0E+06	2.4E-04
345	345	0.22322	2.08227E-05	4.6E-06	6.05E-04	2.81E-09	1.84E+00	4.71E-02	2.44E-10	1.0E+06	2.4E-04
346	346	0.22402	2.08227E-05	4.7E-06	6.05E-04	2.82E-09	1.84E+00	4.71E-02	2.45E-10	1.0E+06	2.5E-04
347	347	0.15897	2.08227E-05	3.3E-06	6.05E-04	2.00E-09	1.84E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
348	348	0.17346	2.08227E-05	3.6E-06	6.05E-04	2.19E-09	1.84E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
349	349	0.19812	2.08227E-05	4.1E-06	6.05E-04	2.50E-09	1.84E+00	4.71E-02	2.17E-10	1.0E+06	2.2E-04
350	350	0.21813	2.08227E-05	4.5E-06	6.05E-04	2.75E-09	1.84E+00	4.71E-02	2.39E-10	1.0E+06	2.4E-04
351	351	0.22702	2.08227E-05	4.7E-06	6.05E-04	2.86E-09	1.84E+00	4.71E-02	2.48E-10	1.0E+06	2.5E-04
352	352	0.24539	2.08227E-05	5.1E-06	6.05E-04	3.09E-09	1.84E+00	4.71E-02	2.69E-10	1.0E+06	2.7E-04
353	353	0.25121	2.08227E-05	5.2E-06	6.05E-04	3.17E-09	1.84E+00	4.71E-02	2.75E-10	1.0E+06	2.7E-04
354	354	0.25386	2.08227E-05	5.3E-06	6.05E-04	3.20E-09	1.84E+00	4.71E-02	2.78E-10	1.0E+06	2.8E-04
355	355	0.25508	2.08227E-05	5.3E-06	6.05E-04	3.21E-09	1.84E+00	4.71E-02	2.79E-10	1.0E+06	2.8E-04
356	356	0.17486	2.08227E-05	3.6E-06	6.05E-04	2.20E-09	1.84E+00	4.71E-02	1.91E-10	1.0E+06	1.9E-04
357	357	0.18813	2.08227E-05	3.9E-06	6.05E-04	2.37E-09	1.84E+00	4.71E-02	2.06E-10	1.0E+06	2.1E-04
358	358	0.20545	2.08227E-05	4.3E-06	6.05E-04	2.59E-09	1.84E+00	4.71E-02	2.25E-10	1.0E+06	2.2E-04
359	359	0.22564	2.08227E-05	4.7E-06	6.05E-04	2.84E-09	1.84E+00	4.71E-02	2.47E-10	1.0E+06	2.5E-04
360	360	0.25602	2.08227E-05	5.3E-06	6.05E-04	3.23E-09	1.84E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
361	361	0.28259	2.08227E-05	5.9E-06	6.05E-04	3.56E-09	1.84E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04
362	362	0.29027	2.08227E-05	6.0E-06	6.05E-04	3.66E-09	1.84E+00	4.71E-02	3.18E-10	1.0E+06	3.2E-04
363	363	0.29339	2.08227E-05	6.1E-06	6.05E-04	3.70E-09	1.84E+00	4.71E-02	3.21E-10	1.0E+06	3.2E-04
364	364	0.19607	2.08227E-05	4.1E-06	6.05E-04	2.47E-09	1.84E+00	4.71E-02	2.15E-10	1.0E+06	2.1E-04
365	365	0.2078	2.08227E-05	4.3E-06	6.05E-04	2.62E-09	1.84E+00	4.71E-02	2.27E-10	1.0E+06	2.3E-04
366	366	0.22918	2.08227E-05	4.8E-06	6.05E-04	2.89E-09	1.84E+00	4.71E-02	2.51E-10	1.0E+06	2.5E-04
367	367	0.25152	2.08227E-05	5.2E-06	6.05E-04	3.17E-09	1.84E+00	4.71E-02	2.75E-10	1.0E+06	2.8E-04
368	368	0.29177	2.08227E-05	6.1E-06	6.05E-04	3.68E-09	1.84E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
369	369	0.33077	2.08227E-05	6.9E-06	6.05E-04	4.17E-09	1.84E+00	4.71E-02	3.62E-10	1.0E+06	3.6E-04
370	370	0.34736	2.08227E-05	7.2E-06	6.05E-04	4.38E-09	1.84E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
371	371	0.34798	2.08227E-05	7.2E-06	6.05E-04	4.38E-09	1.84E+00	4.71E-02	3.81E-10	1.0E+06	3.8E-04
372	372	0.22448	2.08227E-05	4.7E-06	6.05E-04	2.83E-09	1.84E+00	4.71E-02	2.46E-10	1.0E+06	2.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.238	2.08227E-05	5.0E-06	6.05E-04	3.00E-09	1.84E+00	4.71E-02	2.60E-10	1.0E+06	2.6E-04
374	374	0.2641	2.08227E-05	5.5E-06	6.05E-04	3.33E-09	1.84E+00	4.71E-02	2.89E-10	1.0E+06	2.9E-04
375	375	0.2911	2.08227E-05	6.1E-06	6.05E-04	3.67E-09	1.84E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
376	376	0.34537	2.08227E-05	7.2E-06	6.05E-04	4.35E-09	1.84E+00	4.71E-02	3.78E-10	1.0E+06	3.8E-04
377	377	0.37351	2.08227E-05	7.8E-06	6.05E-04	4.71E-09	1.84E+00	4.71E-02	4.09E-10	1.0E+06	4.1E-04
378	378	0.39509	2.08227E-05	8.2E-06	6.05E-04	4.98E-09	1.84E+00	4.71E-02	4.32E-10	1.0E+06	4.3E-04
379	379	0.4189	2.08227E-05	8.7E-06	6.05E-04	5.28E-09	1.84E+00	4.71E-02	4.58E-10	1.0E+06	4.6E-04
380	380	0.42025	2.08227E-05	8.8E-06	6.05E-04	5.29E-09	1.84E+00	4.71E-02	4.60E-10	1.0E+06	4.6E-04
381	381	0.41468	2.08227E-05	8.6E-06	6.05E-04	5.22E-09	1.84E+00	4.71E-02	4.54E-10	1.0E+06	4.5E-04
382	382	0.2636	2.08227E-05	5.5E-06	6.05E-04	3.32E-09	1.84E+00	4.71E-02	2.88E-10	1.0E+06	2.9E-04
383	383	0.28621	2.08227E-05	6.0E-06	6.05E-04	3.61E-09	1.84E+00	4.71E-02	3.13E-10	1.0E+06	3.1E-04
384	384	0.31145	2.08227E-05	6.5E-06	6.05E-04	3.92E-09	1.84E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
385	385	0.36646	2.08227E-05	7.6E-06	6.05E-04	4.62E-09	1.84E+00	4.71E-02	4.01E-10	1.0E+06	4.0E-04
386	386	0.41456	2.08227E-05	8.6E-06	6.05E-04	5.22E-09	1.84E+00	4.71E-02	4.54E-10	1.0E+06	4.5E-04
387	387	0.45226	2.08227E-05	9.4E-06	6.05E-04	5.70E-09	1.84E+00	4.71E-02	4.95E-10	1.0E+06	4.9E-04
388	388	0.48468	2.08227E-05	1.0E-05	6.05E-04	6.11E-09	1.84E+00	4.71E-02	5.30E-10	1.0E+06	5.3E-04
389	389	0.52038	2.08227E-05	1.1E-05	6.05E-04	6.56E-09	1.84E+00	4.71E-02	5.69E-10	1.0E+06	5.7E-04
390	390	0.51964	2.08227E-05	1.1E-05	6.05E-04	6.55E-09	1.84E+00	4.71E-02	5.69E-10	1.0E+06	5.7E-04
391	391	0.50912	2.08227E-05	1.1E-05	6.05E-04	6.41E-09	1.84E+00	4.71E-02	5.57E-10	1.0E+06	5.6E-04
392	392	0.48271	2.08227E-05	1.0E-05	6.05E-04	6.08E-09	1.84E+00	4.71E-02	5.28E-10	1.0E+06	5.3E-04
393	393	0.31872	2.08227E-05	6.6E-06	6.05E-04	4.02E-09	1.84E+00	4.71E-02	3.49E-10	1.0E+06	3.5E-04
394	394	0.36363	2.08227E-05	7.6E-06	6.05E-04	4.58E-09	1.84E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
395	395	0.4232	2.08227E-05	8.8E-06	6.05E-04	5.33E-09	1.84E+00	4.71E-02	4.63E-10	1.0E+06	4.6E-04
396	396	0.48194	2.08227E-05	1.0E-05	6.05E-04	6.07E-09	1.84E+00	4.71E-02	5.27E-10	1.0E+06	5.3E-04
397	397	0.54202	2.08227E-05	1.1E-05	6.05E-04	6.83E-09	1.84E+00	4.71E-02	5.93E-10	1.0E+06	5.9E-04
398	398	0.58482	2.08227E-05	1.2E-05	6.05E-04	7.37E-09	1.84E+00	4.71E-02	6.40E-10	1.0E+06	6.4E-04
399	399	0.60789	2.08227E-05	1.3E-05	6.05E-04	7.66E-09	1.84E+00	4.71E-02	6.65E-10	1.0E+06	6.7E-04
400	400	0.67594	2.08227E-05	1.4E-05	6.05E-04	8.52E-09	1.84E+00	4.71E-02	7.40E-10	1.0E+06	7.4E-04
401	401	0.67008	2.08227E-05	1.4E-05	6.05E-04	8.44E-09	1.84E+00	4.71E-02	7.33E-10	1.0E+06	7.3E-04
402	402	0.59527	2.08227E-05	1.2E-05	6.05E-04	7.50E-09	1.84E+00	4.71E-02	6.51E-10	1.0E+06	6.5E-04
403	403	0.92226	2.08227E-05	1.9E-05	6.05E-04	1.16E-08	1.84E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.76302	2.08227E-05	1.6E-05	6.05E-04	9.61E-09	1.84E+00	4.71E-02	8.35E-10	1.0E+06	8.3E-04
405	405	0.66936	2.08227E-05	1.4E-05	6.05E-04	8.43E-09	1.84E+00	4.71E-02	7.32E-10	1.0E+06	7.3E-04
406	406	1.43771	2.08227E-05	3.0E-05	6.05E-04	1.81E-08	1.84E+00	4.71E-02	1.57E-09	1.0E+06	1.6E-03
407	407	0.80804	2.08227E-05	1.7E-05	6.05E-04	1.02E-08	1.84E+00	4.71E-02	8.84E-10	1.0E+06	8.8E-04
408	408	2.83294	2.08227E-05	5.9E-05	6.05E-04	3.57E-08	1.84E+00	4.71E-02	3.10E-09	1.0E+06	3.1E-03
409	409	0.95947	2.08227E-05	2.0E-05	6.05E-04	1.21E-08	1.84E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
410	410	3.38753	2.08227E-05	7.1E-05	6.05E-04	4.27E-08	1.84E+00	4.71E-02	3.71E-09	1.0E+06	3.7E-03
411	411	1.45464	2.08227E-05	3.0E-05	6.05E-04	1.83E-08	1.84E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
412	412	1.12992	2.08227E-05	2.4E-05	6.05E-04	1.42E-08	1.84E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
413	413	6.87423	2.08227E-05	1.4E-04	6.05E-04	8.66E-08	1.84E+00	4.71E-02	7.52E-09	1.0E+06	7.5E-03
414	414	2.39907	2.08227E-05	5.0E-05	6.05E-04	3.02E-08	1.84E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
415	415	1.66563	2.08227E-05	3.5E-05	6.05E-04	2.10E-08	1.84E+00	4.71E-02	1.82E-09	1.0E+06	1.8E-03
416	416	1.25939	2.08227E-05	2.6E-05	6.05E-04	1.59E-08	1.84E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
417	417	8.4799	2.08227E-05	1.8E-04	6.05E-04	1.07E-07	1.84E+00	4.71E-02	9.28E-09	1.0E+06	9.3E-03
418	418	1.84136	2.08227E-05	3.8E-05	6.05E-04	2.32E-08	1.84E+00	4.71E-02	2.01E-09	1.0E+06	2.0E-03
419	419	1.36864	2.08227E-05	2.8E-05	6.05E-04	1.72E-08	1.84E+00	4.71E-02	1.50E-09	1.0E+06	1.5E-03
420	420	1.06839	2.08227E-05	2.2E-05	6.05E-04	1.35E-08	1.84E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
421	421	6.19172	2.08227E-05	1.3E-04	6.05E-04	7.80E-08	1.84E+00	4.71E-02	6.78E-09	1.0E+06	6.8E-03
422	422	1.45718	2.08227E-05	3.0E-05	6.05E-04	1.84E-08	1.84E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
423	423	1.12836	2.08227E-05	2.3E-05	6.05E-04	1.42E-08	1.84E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
424	424	10.30981	2.08227E-05	2.1E-04	6.05E-04	1.30E-07	1.84E+00	4.71E-02	1.13E-08	1.0E+06	1.1E-02
425	425	1.17062	2.08227E-05	2.4E-05	6.05E-04	1.47E-08	1.84E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
426	426	0.92899	2.08227E-05	1.9E-05	6.05E-04	1.17E-08	1.84E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
427	427	10.1828	2.08227E-05	2.1E-04	6.05E-04	1.28E-07	1.84E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
428	428	1.19406	2.08227E-05	2.5E-05	6.05E-04	1.50E-08	1.84E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
429	429	0.94096	2.08227E-05	2.0E-05	6.05E-04	1.19E-08	1.84E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
430	430	10.50959	2.08227E-05	2.2E-04	6.05E-04	1.32E-07	1.84E+00	4.71E-02	1.15E-08	1.0E+06	1.1E-02
431	431	0.937	2.08227E-05	2.0E-05	6.05E-04	1.18E-08	1.84E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
432	432	0.74989	2.08227E-05	1.6E-05	6.05E-04	9.45E-09	1.84E+00	4.71E-02	8.21E-10	1.0E+06	8.2E-04
433	433	7.23234	2.08227E-05	1.5E-04	6.05E-04	9.11E-08	1.84E+00	4.71E-02	7.91E-09	1.0E+06	7.9E-03
434	434	0.91735	2.08227E-05	1.9E-05	6.05E-04	1.16E-08	1.84E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.7351	2.08227E-05	1.5E-05	6.05E-04	9.26E-09	1.84E+00	4.71E-02	8.04E-10	1.0E+06	8.0E-04
436	436	11.13042	2.08227E-05	2.3E-04	6.05E-04	1.40E-07	1.84E+00	4.71E-02	1.22E-08	1.0E+06	1.2E-02
437	437	1.13975	2.08227E-05	2.4E-05	6.05E-04	1.44E-08	1.84E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
438	438	0.88457	2.08227E-05	1.8E-05	6.05E-04	1.11E-08	1.84E+00	4.71E-02	9.68E-10	1.0E+06	9.7E-04
439	439	0.7081	2.08227E-05	1.5E-05	6.05E-04	8.92E-09	1.84E+00	4.71E-02	7.75E-10	1.0E+06	7.7E-04
440	440	12.91004	2.08227E-05	2.7E-04	6.05E-04	1.63E-07	1.84E+00	4.71E-02	1.41E-08	1.0E+06	1.4E-02
441	441	2.02126	2.08227E-05	4.2E-05	6.05E-04	2.55E-08	1.84E+00	4.71E-02	2.21E-09	1.0E+06	2.2E-03
442	442	1.44889	2.08227E-05	3.0E-05	6.05E-04	1.83E-08	1.84E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
443	443	1.08149	2.08227E-05	2.3E-05	6.05E-04	1.36E-08	1.84E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
444	444	0.84005	2.08227E-05	1.7E-05	6.05E-04	1.06E-08	1.84E+00	4.71E-02	9.19E-10	1.0E+06	9.2E-04
445	445	9.32645	2.08227E-05	1.9E-04	6.05E-04	1.18E-07	1.84E+00	4.71E-02	1.02E-08	1.0E+06	1.0E-02
446	446	2.80182	2.08227E-05	5.8E-05	6.05E-04	3.53E-08	1.84E+00	4.71E-02	3.07E-09	1.0E+06	3.1E-03
447	447	1.87415	2.08227E-05	3.9E-05	6.05E-04	2.36E-08	1.84E+00	4.71E-02	2.05E-09	1.0E+06	2.1E-03
448	448	1.3422	2.08227E-05	2.8E-05	6.05E-04	1.69E-08	1.84E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03
449	449	6.84751	2.08227E-05	1.4E-04	6.05E-04	8.63E-08	1.84E+00	4.71E-02	7.49E-09	1.0E+06	7.5E-03
450	450	3.84854	2.08227E-05	8.0E-05	6.05E-04	4.85E-08	1.84E+00	4.71E-02	4.21E-09	1.0E+06	4.2E-03
451	451	2.44485	2.08227E-05	5.1E-05	6.05E-04	3.08E-08	1.84E+00	4.71E-02	2.68E-09	1.0E+06	2.7E-03
452	452	5.10211	2.08227E-05	1.1E-04	6.05E-04	6.43E-08	1.84E+00	4.71E-02	5.58E-09	1.0E+06	5.6E-03
453	453	3.11601	2.08227E-05	6.5E-05	6.05E-04	3.93E-08	1.84E+00	4.71E-02	3.41E-09	1.0E+06	3.4E-03
454	454	0.55141	2.08227E-05	1.1E-05	6.05E-04	6.95E-09	1.84E+00	4.71E-02	6.03E-10	1.0E+06	6.0E-04
455	455	0.46367	2.08227E-05	9.7E-06	6.05E-04	5.84E-09	1.84E+00	4.71E-02	5.07E-10	1.0E+06	5.1E-04
456	456	3.77503	2.08227E-05	7.9E-05	6.05E-04	4.76E-08	1.84E+00	4.71E-02	4.13E-09	1.0E+06	4.1E-03
457	457	2.48664	2.08227E-05	5.2E-05	6.05E-04	3.13E-08	1.84E+00	4.71E-02	2.72E-09	1.0E+06	2.7E-03
458	458	1.75197	2.08227E-05	3.6E-05	6.05E-04	2.21E-08	1.84E+00	4.71E-02	1.92E-09	1.0E+06	1.9E-03
459	459	0.77331	2.08227E-05	1.6E-05	6.05E-04	9.74E-09	1.84E+00	4.71E-02	8.46E-10	1.0E+06	8.5E-04
460	460	0.62552	2.08227E-05	1.3E-05	6.05E-04	7.88E-09	1.84E+00	4.71E-02	6.84E-10	1.0E+06	6.8E-04
461	461	0.51642	2.08227E-05	1.1E-05	6.05E-04	6.51E-09	1.84E+00	4.71E-02	5.65E-10	1.0E+06	5.7E-04
462	462	0.43446	2.08227E-05	9.0E-06	6.05E-04	5.47E-09	1.84E+00	4.71E-02	4.75E-10	1.0E+06	4.8E-04
463	463	3.94182	2.08227E-05	8.2E-05	6.05E-04	4.97E-08	1.84E+00	4.71E-02	4.31E-09	1.0E+06	4.3E-03
464	464	4.80827	2.08227E-05	1.0E-04	6.05E-04	6.06E-08	1.84E+00	4.71E-02	5.26E-09	1.0E+06	5.3E-03
465	465	5.05195	2.08227E-05	1.1E-04	6.05E-04	6.37E-08	1.84E+00	4.71E-02	5.53E-09	1.0E+06	5.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	5.0289	2.08227E-05	1.0E-04	6.05E-04	6.34E-08	1.84E+00	4.71E-02	5.50E-09	1.0E+06	5.5E-03
467	467	9.7266	2.08227E-05	2.0E-04	6.05E-04	1.23E-07	1.84E+00	4.71E-02	1.06E-08	1.0E+06	1.1E-02
468	468	9.8834	2.08227E-05	2.1E-04	6.05E-04	1.25E-07	1.84E+00	4.71E-02	1.08E-08	1.0E+06	1.1E-02
469	469	9.95315	2.08227E-05	2.1E-04	6.05E-04	1.25E-07	1.84E+00	4.71E-02	1.09E-08	1.0E+06	1.1E-02
470	470	4.23647	2.08227E-05	8.8E-05	6.05E-04	5.34E-08	1.84E+00	4.71E-02	4.64E-09	1.0E+06	4.6E-03
471	471	9.78465	2.08227E-05	2.0E-04	6.05E-04	1.23E-07	1.84E+00	4.71E-02	1.07E-08	1.0E+06	1.1E-02
472	472	4.2962	2.08227E-05	8.9E-05	6.05E-04	5.41E-08	1.84E+00	4.71E-02	4.70E-09	1.0E+06	4.7E-03
473	473	9.92254	2.08227E-05	2.1E-04	6.05E-04	1.25E-07	1.84E+00	4.71E-02	1.09E-08	1.0E+06	1.1E-02
474	474	4.49482	2.08227E-05	9.4E-05	6.05E-04	5.66E-08	1.84E+00	4.71E-02	4.92E-09	1.0E+06	4.9E-03
475	475	9.92283	2.08227E-05	2.1E-04	6.05E-04	1.25E-07	1.84E+00	4.71E-02	1.09E-08	1.0E+06	1.1E-02
476	476	4.86287	2.08227E-05	1.0E-04	6.05E-04	6.13E-08	1.84E+00	4.71E-02	5.32E-09	1.0E+06	5.3E-03
477	477	10.75226	2.08227E-05	2.2E-04	6.05E-04	1.35E-07	1.84E+00	4.71E-02	1.18E-08	1.0E+06	1.2E-02
478	478	5.73221	2.08227E-05	1.2E-04	6.05E-04	7.22E-08	1.84E+00	4.71E-02	6.27E-09	1.0E+06	6.3E-03
479	479	6.50024	2.08227E-05	1.4E-04	6.05E-04	8.19E-08	1.84E+00	4.71E-02	7.11E-09	1.0E+06	7.1E-03
480	480	12.20859	2.08227E-05	2.5E-04	6.05E-04	1.54E-07	1.84E+00	4.71E-02	1.34E-08	1.0E+06	1.3E-02
481	481	7.52465	2.08227E-05	1.6E-04	6.05E-04	9.48E-08	1.84E+00	4.71E-02	8.23E-09	1.0E+06	8.2E-03
482	482	9.88217	2.08227E-05	2.1E-04	6.05E-04	1.25E-07	1.84E+00	4.71E-02	1.08E-08	1.0E+06	1.1E-02
483	483	7.60878	2.08227E-05	1.6E-04	6.05E-04	9.59E-08	1.84E+00	4.71E-02	8.33E-09	1.0E+06	8.3E-03
484	484	9.47683	2.08227E-05	2.0E-04	6.05E-04	1.19E-07	1.84E+00	4.71E-02	1.04E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk				*Chronic Non Cancer Risk*				
Receptor #	**Receptor #**	**Total Risk/ Million**			**REL**	**HI**			
1	1	4.5E-02	**Max**	**Receptor #**	5	1.69E-04	**Max**	**Receptor #**	
2	2	4.6E-02	4.035	146	5	1.76E-04	0.015	146	Res
3	3	4.8E-02			5	1.83E-04			
4	4	5.0E-02			5	1.91E-04			
5	5	5.2E-02			5	1.98E-04			
6	6	5.5E-02			5	2.07E-04			
7	7	5.7E-02			5	2.18E-04			
8	8	6.1E-02			5	2.31E-04			
9	9	6.5E-02			5	2.45E-04			
10	10	7.0E-02			5	2.65E-04			
11	11	7.6E-02			5	2.90E-04			
12	12	8.4E-02			5	3.18E-04			
13	13	9.1E-02			5	3.46E-04			
14	14	1.2E-01			5	4.57E-04			
15	15	4.9E-02			5	1.87E-04			
16	16	5.2E-02			5	1.96E-04			
17	17	5.4E-02			5	2.06E-04			
18	18	5.7E-02			5	2.15E-04			
19	19	5.9E-02			5	2.24E-04			
20	20	6.2E-02			5	2.35E-04			
21	21	6.5E-02			5	2.47E-04			
22	22	6.9E-02			5	2.60E-04			
23	23	7.4E-02			5	2.80E-04			
24	24	7.9E-02			5	3.00E-04			
25	25	8.7E-02			5	3.31E-04			
26	26	9.7E-02			5	3.67E-04			
27	27	1.0E-01			5	3.98E-04			
28	28	1.5E-01			5	5.54E-04			
29	29	5.4E-02			5	2.04E-04			
30	30	5.7E-02			5	2.16E-04			
31	31	6.0E-02			5	2.29E-04			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	6.4E-02	5	2.43E-04
33	33	6.7E-02	5	2.55E-04
34	34	7.1E-02	5	2.69E-04
35	35	7.5E-02	5	2.83E-04
36	36	7.9E-02	5	3.00E-04
37	37	8.5E-02	5	3.21E-04
38	38	9.2E-02	5	3.49E-04
39	39	1.0E-01	5	3.86E-04
40	40	1.1E-01	5	4.23E-04
41	41	1.2E-01	5	4.65E-04
42	42	1.8E-01	5	6.88E-04
43	43	5.8E-02	5	2.19E-04
44	44	6.2E-02	5	2.34E-04
45	45	6.6E-02	5	2.51E-04
46	46	7.1E-02	5	2.70E-04
47	47	7.6E-02	5	2.88E-04
48	48	8.1E-02	5	3.07E-04
49	49	8.6E-02	5	3.25E-04
50	50	9.1E-02	5	3.45E-04
51	51	9.9E-02	5	3.75E-04
52	52	1.1E-01	5	4.08E-04
53	53	1.2E-01	5	4.54E-04
54	54	1.3E-01	5	5.04E-04
55	55	1.5E-01	5	5.65E-04
56	56	2.3E-01	5	8.83E-04
57	57	6.1E-02	5	2.31E-04
58	58	6.6E-02	5	2.50E-04
59	59	7.2E-02	5	2.72E-04
60	60	7.8E-02	5	2.97E-04
61	61	8.5E-02	5	3.22E-04
62	62	9.2E-02	5	3.49E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	1.0E-01	5	3.79E-04
64	64	1.1E-01	5	4.03E-04
65	65	1.2E-01	5	4.40E-04
66	66	1.3E-01	5	4.86E-04
67	67	1.4E-01	5	5.37E-04
68	68	1.6E-01	5	6.17E-04
69	69	1.9E-01	5	7.06E-04
70	70	6.4E-02	5	2.42E-04
71	71	7.0E-02	5	2.64E-04
72	72	7.7E-02	5	2.92E-04
73	73	8.5E-02	5	3.21E-04
74	74	9.3E-02	5	3.55E-04
75	75	1.0E-01	5	3.91E-04
76	76	1.1E-01	5	4.33E-04
77	77	1.2E-01	5	4.75E-04
78	78	1.4E-01	5	5.28E-04
79	79	1.6E-01	5	6.08E-04
80	80	1.8E-01	5	6.79E-04
81	81	2.1E-01	5	7.98E-04
82	82	2.4E-01	5	9.12E-04
83	83	6.6E-02	5	2.51E-04
84	84	7.4E-02	5	2.80E-04
85	85	8.2E-02	5	3.11E-04
86	86	9.0E-02	5	3.42E-04
87	87	1.0E-01	5	3.81E-04
88	88	1.1E-01	5	4.25E-04
89	89	1.3E-01	5	4.80E-04
90	90	1.4E-01	5	5.47E-04
91	91	1.7E-01	5	6.28E-04
92	92	1.9E-01	5	7.28E-04
93	93	2.2E-01	5	8.53E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	2.6E-01	5	1.01E-03
95	95	3.1E-01	5	1.19E-03
96	96	6.8E-02	5	2.59E-04
97	97	7.6E-02	5	2.88E-04
98	98	8.4E-02	5	3.20E-04
99	99	9.5E-02	5	3.60E-04
100	100	1.1E-01	5	4.04E-04
101	101	1.2E-01	5	4.58E-04
102	102	1.4E-01	5	5.24E-04
103	103	1.6E-01	5	6.09E-04
104	104	1.9E-01	5	7.16E-04
105	105	2.2E-01	5	8.54E-04
106	106	2.7E-01	5	1.03E-03
107	107	3.3E-01	5	1.26E-03
108	108	4.1E-01	5	1.56E-03
109	109	6.8E-02	5	2.57E-04
110	110	7.6E-02	5	2.87E-04
111	111	8.5E-02	5	3.24E-04
112	112	9.7E-02	5	3.67E-04
113	113	1.1E-01	5	4.19E-04
114	114	1.3E-01	5	4.83E-04
115	115	1.5E-01	5	5.62E-04
116	116	1.7E-01	5	6.64E-04
117	117	2.1E-01	5	8.01E-04
118	118	2.5E-01	5	9.59E-04
119	119	3.2E-01	5	1.20E-03
120	120	4.0E-01	5	1.53E-03
121	121	5.1E-01	5	1.94E-03
122	122	6.5E-02	5	2.47E-04
123	123	7.4E-02	5	2.79E-04
124	124	8.4E-02	5	3.18E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	9.6E-02	5	3.64E-04
126	126	1.1E-01	5	4.20E-04
127	127	1.3E-01	5	4.90E-04
128	128	1.5E-01	5	5.69E-04
129	129	1.8E-01	5	6.88E-04
130	130	2.3E-01	5	8.65E-04
131	131	3.3E+00	5	1.25E-02
132	132	2.4E+00	5	9.11E-03
133	133	6.1E-02	5	2.32E-04
134	134	7.0E-02	5	2.66E-04
135	135	8.1E-02	5	3.06E-04
136	136	9.3E-02	5	3.51E-04
137	137	1.1E-01	5	4.08E-04
138	138	1.3E-01	5	4.77E-04
139	139	1.5E-01	5	5.60E-04
140	140	1.8E-01	5	6.88E-04
141	141	2.3E-01	5	8.71E-04
142	142	3.0E-01	5	1.15E-03
143	143	4.3E-01	5	1.62E-03
144	144	6.8E-01	5	2.58E-03
145	145	1.3E+00	5	5.06E-03
146	146	4.0E+00	5	1.53E-02
147	147	5.7E-02	5	2.15E-04
148	148	6.5E-02	5	2.46E-04
149	149	7.5E-02	5	2.85E-04
150	150	8.7E-02	5	3.29E-04
151	151	1.0E-01	5	3.86E-04
152	152	1.2E-01	5	4.50E-04
153	153	1.4E-01	5	5.34E-04
154	154	1.7E-01	5	6.56E-04
155	155	2.2E-01	5	8.38E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	2.9E-01	5	1.12E-03
157	157	4.2E-01	5	1.59E-03
158	158	6.7E-01	5	2.56E-03
159	159	1.7E+00	5	6.39E-03
160	160	5.4E-02	5	2.03E-04
161	161	6.0E-02	5	2.28E-04
162	162	6.7E-02	5	2.56E-04
163	163	7.9E-02	5	3.01E-04
164	164	9.5E-02	5	3.59E-04
165	165	1.1E-01	5	4.20E-04
166	166	1.3E-01	5	5.03E-04
167	167	1.6E-01	5	6.16E-04
168	168	2.0E-01	5	7.78E-04
169	169	2.7E-01	5	1.03E-03
170	170	3.8E-01	5	1.44E-03
171	171	5.9E-01	5	2.24E-03
172	172	1.3E+00	5	4.78E-03
173	173	1.7E+00	5	6.51E-03
174	174	2.6E+00	5	9.99E-03
175	175	2.8E+00	5	1.08E-02
176	176	3.3E+00	5	1.26E-02
177	177	2.8E+00	5	1.05E-02
178	178	2.3E+00	5	8.64E-03
179	179	4.9E-02	5	1.87E-04
180	180	5.5E-02	5	2.08E-04
181	181	6.0E-02	5	2.29E-04
182	182	7.2E-02	5	2.74E-04
183	183	8.9E-02	5	3.36E-04
184	184	1.0E-01	5	3.95E-04
185	185	1.2E-01	5	4.74E-04
186	186	1.5E-01	5	5.77E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	1.9E-01	5	7.16E-04
188	188	2.4E-01	5	9.23E-04
189	189	3.2E-01	5	1.23E-03
190	190	4.7E-01	5	1.77E-03
191	191	7.5E-01	5	2.86E-03
192	192	1.3E+00	5	4.94E-03
193	193	1.7E+00	5	6.45E-03
194	194	1.9E+00	5	7.19E-03
195	195	2.1E+00	5	7.84E-03
196	196	1.9E+00	5	7.41E-03
197	197	1.5E+00	5	5.72E-03
198	198	4.7E-02	5	1.78E-04
199	199	5.2E-02	5	1.98E-04
200	200	5.8E-02	5	2.21E-04
201	201	6.7E-02	5	2.55E-04
202	202	8.2E-02	5	3.12E-04
203	203	9.7E-02	5	3.70E-04
204	204	1.2E-01	5	4.44E-04
205	205	1.4E-01	5	5.35E-04
206	206	1.7E-01	5	6.55E-04
207	207	2.2E-01	5	8.19E-04
208	208	2.8E-01	5	1.05E-03
209	209	3.7E-01	5	1.39E-03
210	210	5.2E-01	5	1.96E-03
211	211	7.4E-01	5	2.80E-03
212	212	9.1E-01	5	3.47E-03
213	213	9.8E-01	5	3.73E-03
214	214	9.7E-01	5	3.70E-03
215	215	1.1E+00	5	4.31E-03
216	216	4.5E-02	5	1.72E-04
217	217	5.0E-02	5	1.90E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	5.6E-02	5	2.13E-04
219	219	6.4E-02	5	2.42E-04
220	220	7.7E-02	5	2.90E-04
221	221	9.0E-02	5	3.40E-04
222	222	1.1E-01	5	4.07E-04
223	223	1.3E-01	5	4.86E-04
224	224	1.5E-01	5	5.83E-04
225	225	1.9E-01	5	7.03E-04
226	226	2.3E-01	5	8.70E-04
227	227	2.9E-01	5	1.10E-03
228	228	3.8E-01	5	1.43E-03
229	229	4.9E-01	5	1.87E-03
230	230	6.0E-01	5	2.26E-03
231	231	6.6E-01	5	2.50E-03
232	232	6.8E-01	5	2.58E-03
233	233	7.4E-01	5	2.82E-03
234	234	4.4E-02	5	1.67E-04
235	235	4.8E-02	5	1.82E-04
236	236	5.4E-02	5	2.04E-04
237	237	6.1E-02	5	2.32E-04
238	238	7.1E-02	5	2.71E-04
239	239	8.3E-02	5	3.13E-04
240	240	9.7E-02	5	3.67E-04
241	241	1.1E-01	5	4.31E-04
242	242	1.3E-01	5	5.08E-04
243	243	1.6E-01	5	6.00E-04
244	244	1.9E-01	5	7.24E-04
245	245	2.3E-01	5	8.88E-04
246	246	2.9E-01	5	1.11E-03
247	247	3.6E-01	5	1.38E-03
248	248	4.3E-01	5	1.64E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	4.8E-01	5	1.83E-03
250	250	5.1E-01	5	1.92E-03
251	251	5.4E-01	5	2.06E-03
252	252	4.2E-02	5	1.60E-04
253	253	4.6E-02	5	1.74E-04
254	254	5.1E-02	5	1.92E-04
255	255	5.7E-02	5	2.14E-04
256	256	6.7E-02	5	2.52E-04
257	257	7.4E-02	5	2.79E-04
258	258	8.3E-02	5	3.15E-04
259	259	9.4E-02	5	3.58E-04
260	260	1.1E-01	5	4.19E-04
261	261	1.3E-01	5	5.01E-04
262	262	1.6E-01	5	6.01E-04
263	263	1.9E-01	5	7.20E-04
264	264	2.3E-01	5	8.80E-04
265	265	2.8E-01	5	1.06E-03
266	266	3.3E-01	5	1.24E-03
267	267	3.6E-01	5	1.38E-03
268	268	3.8E-01	5	1.46E-03
269	269	4.1E-01	5	1.55E-03
270	270	4.0E-02	5	1.53E-04
271	271	4.4E-02	5	1.67E-04
272	272	4.8E-02	5	1.83E-04
273	273	5.3E-02	5	2.01E-04
274	274	6.3E-02	5	2.37E-04
275	275	7.1E-02	5	2.69E-04
276	276	7.4E-02	5	2.81E-04
277	277	8.2E-02	5	3.12E-04
278	278	9.3E-02	5	3.53E-04
279	279	1.1E-01	5	4.10E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	1.3E-01	5	4.94E-04
281	281	1.6E-01	5	5.97E-04
282	282	1.9E-01	5	7.18E-04
283	283	2.2E-01	5	8.51E-04
284	284	2.6E-01	5	9.84E-04
285	285	2.9E-01	5	1.09E-03
286	286	3.0E-01	5	1.15E-03
287	287	3.3E-01	5	1.23E-03
288	288	3.9E-02	5	1.48E-04
289	289	4.2E-02	5	1.59E-04
290	290	4.7E-02	5	1.77E-04
291	291	5.2E-02	5	1.95E-04
292	292	6.3E-02	5	2.38E-04
293	293	6.7E-02	5	2.54E-04
294	294	6.7E-02	5	2.52E-04
295	295	7.4E-02	5	2.80E-04
296	296	8.3E-02	5	3.14E-04
297	297	9.3E-02	5	3.53E-04
298	298	1.1E-01	5	4.12E-04
299	299	1.3E-01	5	4.99E-04
300	300	1.6E-01	5	5.89E-04
301	301	1.8E-01	5	6.98E-04
302	302	2.1E-01	5	8.01E-04
303	303	2.3E-01	5	8.85E-04
304	304	2.5E-01	5	9.42E-04
305	305	2.7E-01	5	1.00E-03
306	306	4.0E-02	5	1.50E-04
307	307	4.1E-02	5	1.57E-04
308	308	4.5E-02	5	1.69E-04
309	309	5.2E-02	5	1.96E-04
310	310	5.9E-02	5	2.24E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	6.2E-02	5	2.36E-04
312	312	6.0E-02	5	2.28E-04
313	313	6.6E-02	5	2.50E-04
314	314	7.4E-02	5	2.80E-04
315	315	8.6E-02	5	3.27E-04
316	316	9.6E-02	5	3.64E-04
317	317	1.1E-01	5	4.20E-04
318	318	1.3E-01	5	4.93E-04
319	319	1.5E-01	5	5.82E-04
320	320	1.8E-01	5	6.75E-04
321	321	2.0E-01	5	7.40E-04
322	322	2.1E-01	5	7.83E-04
323	323	2.2E-01	5	8.34E-04
324	324	3.8E-02	5	1.45E-04
325	325	4.2E-02	5	1.59E-04
326	326	4.5E-02	5	1.69E-04
327	327	4.7E-02	5	1.76E-04
328	328	5.6E-02	5	2.13E-04
329	329	5.8E-02	5	2.19E-04
330	330	5.6E-02	5	2.12E-04
331	331	6.2E-02	5	2.33E-04
332	332	6.9E-02	5	2.60E-04
333	333	8.0E-02	5	3.02E-04
334	334	9.0E-02	5	3.42E-04
335	335	1.0E-01	5	3.89E-04
336	336	3.6E+00	5	1.38E-02
337	337	2.3E+00	5	8.87E-03
338	338	9.2E-02	5	3.49E-04
339	339	1.0E-01	5	3.84E-04
340	340	1.1E-01	5	4.09E-04
341	341	1.1E-01	5	4.27E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	1.2E-01	5	4.41E-04
343	343	1.2E-01	5	4.51E-04
344	344	1.2E-01	5	4.49E-04
345	345	1.2E-01	5	4.41E-04
346	346	1.1E-01	5	4.28E-04
347	347	1.1E-01	5	4.02E-04
348	348	1.2E-01	5	4.54E-04
349	349	1.3E-01	5	4.88E-04
350	350	1.3E-01	5	5.12E-04
351	351	1.4E-01	5	5.32E-04
352	352	1.4E-01	5	5.46E-04
353	353	1.4E-01	5	5.42E-04
354	354	1.4E-01	5	5.25E-04
355	355	1.3E-01	5	5.07E-04
356	356	1.2E-01	5	4.74E-04
357	357	1.4E-01	5	5.20E-04
358	358	1.5E-01	5	5.85E-04
359	359	1.6E-01	5	6.26E-04
360	360	1.7E-01	5	6.56E-04
361	361	1.8E-01	5	6.76E-04
362	362	1.8E-01	5	6.69E-04
363	363	1.7E-01	5	6.41E-04
364	364	1.5E-01	5	5.73E-04
365	365	1.6E-01	5	6.24E-04
366	366	1.9E-01	5	7.11E-04
367	367	2.1E-01	5	7.86E-04
368	368	2.2E-01	5	8.33E-04
369	369	2.3E-01	5	8.66E-04
370	370	2.2E-01	5	8.17E-04
371	371	2.0E-01	5	7.65E-04
372	372	1.9E-01	5	7.18E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	2.1E-01	5	7.90E-04
374	374	2.4E-01	5	9.11E-04
375	375	2.7E-01	5	1.02E-03
376	376	2.9E-01	5	1.10E-03
377	377	3.0E-01	5	1.15E-03
378	378	3.1E-01	5	1.16E-03
379	379	2.8E-01	5	1.06E-03
380	380	2.6E-01	5	9.77E-04
381	381	2.3E-01	5	8.73E-04
382	382	2.5E-01	5	9.32E-04
383	383	2.8E-01	5	1.07E-03
384	384	3.2E-01	5	1.22E-03
385	385	3.7E-01	5	1.39E-03
386	386	4.0E-01	5	1.54E-03
387	387	4.3E-01	5	1.64E-03
388	388	4.4E-01	5	1.66E-03
389	389	3.8E-01	5	1.44E-03
390	390	3.3E-01	5	1.25E-03
391	391	2.8E-01	5	1.07E-03
392	392	2.3E-01	5	8.79E-04
393	393	3.4E-01	5	1.31E-03
394	394	4.2E-01	5	1.60E-03
395	395	4.7E-01	5	1.80E-03
396	396	5.5E-01	5	2.10E-03
397	397	6.3E-01	5	2.38E-03
398	398	6.3E-01	5	2.38E-03
399	399	5.7E-01	5	2.18E-03
400	400	5.4E-01	5	2.03E-03
401	401	4.3E-01	5	1.63E-03
402	402	2.6E-01	5	9.96E-04
403	403	7.8E-01	5	2.98E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	3.0E-01	5	1.14E-03
405	405	2.3E-01	5	8.61E-04
406	406	1.1E+00	5	4.12E-03
407	407	2.3E-01	5	8.69E-04
408	408	1.1E+00	5	4.32E-03
409	409	2.2E-01	5	8.48E-04
410	410	1.0E+00	5	3.87E-03
411	411	2.9E-01	5	1.08E-03
412	412	2.2E-01	5	8.25E-04
413	413	8.7E-01	5	3.29E-03
414	414	3.6E-01	5	1.36E-03
415	415	2.6E-01	5	9.98E-04
416	416	2.0E-01	5	7.70E-04
417	417	7.2E-01	5	2.69E-03
418	418	2.4E-01	5	9.12E-04
419	419	1.9E-01	5	7.13E-04
420	420	1.5E-01	5	5.74E-04
421	421	5.9E-01	5	2.20E-03
422	422	1.7E-01	5	6.57E-04
423	423	1.4E-01	5	5.37E-04
424	424	4.9E-01	5	1.82E-03
425	425	1.3E-01	5	5.00E-04
426	426	1.1E-01	5	4.20E-04
427	427	4.1E-01	5	1.52E-03
428	428	1.2E-01	5	4.64E-04
429	429	1.0E-01	5	3.94E-04
430	430	3.5E-01	5	1.28E-03
431	431	9.8E-02	5	3.69E-04
432	432	8.4E-02	5	3.17E-04
433	433	2.9E-01	5	1.08E-03
434	434	9.2E-02	5	3.45E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	8.0E-02	5	3.01E-04
436	436	2.5E-01	5	9.19E-04
437	437	1.0E-01	5	3.74E-04
438	438	8.6E-02	5	3.24E-04
439	439	7.5E-02	5	2.83E-04
440	440	2.2E-01	5	7.89E-04
441	441	1.3E-01	5	4.83E-04
442	442	1.1E-01	5	4.07E-04
443	443	9.3E-02	5	3.49E-04
444	444	8.1E-02	5	3.03E-04
445	445	1.9E-01	5	6.84E-04
446	446	1.4E-01	5	5.13E-04
447	447	1.2E-01	5	4.39E-04
448	448	1.0E-01	5	3.77E-04
449	449	1.6E-01	5	5.97E-04
450	450	1.4E-01	5	5.31E-04
451	451	1.2E-01	5	4.64E-04
452	452	1.4E-01	5	5.24E-04
453	453	1.3E-01	5	4.73E-04
454	454	5.9E-02	5	2.23E-04
455	455	5.4E-02	5	2.02E-04
456	456	1.3E-01	5	4.63E-04
457	457	1.1E-01	5	4.24E-04
458	458	1.0E-01	5	3.81E-04
459	459	7.1E-02	5	2.66E-04
460	460	6.3E-02	5	2.37E-04
461	461	5.6E-02	5	2.13E-04
462	462	5.1E-02	5	1.92E-04
463	463	3.6E+00	5	1.35E-02
464	464	2.0E+00	5	7.69E-03
465	465	2.6E+00	5	9.74E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**		**REL**	**HI**	
466	466	1.5E+00		5	5.51E-03	
467	467	1.6E+00		5	5.99E-03	
468	468	1.1E+00		5	4.12E-03	
469	469	7.9E-01		5	2.95E-03	
470	470	7.1E-01		5	2.68E-03	
471	471	6.9E-01		5	2.57E-03	
472	472	5.3E-01		5	1.99E-03	
473	473	4.6E-01		5	1.71E-03	
474	474	4.1E-01		5	1.53E-03	
475	475	3.7E-01		5	1.37E-03	
476	476	3.3E-01		5	1.22E-03	
477	477	3.0E-01		5	1.11E-03	
478	478	2.7E-01		5	9.90E-04	
479	479	2.5E-01		5	9.21E-04	
480	480	2.3E-01		5	8.25E-04	
481	481	2.2E-01		5	8.20E-04	
482	482	2.0E-01		5	7.08E-04	
483	483	1.8E-01		5	6.60E-04	
484	484	1.7E-01		5	6.12E-04	

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.17488	1.17E-02	2.0E-03	6.05E-04	1.24E-06	5.48E-02	4.71E-02	3.20E-09	1.0E+06	3.2E-03
2	0.1821	1.17E-02	2.1E-03	6.05E-04	1.29E-06	5.48E-02	4.71E-02	3.33E-09	1.0E+06	3.3E-03
3	0.18927	1.17E-02	2.2E-03	6.05E-04	1.34E-06	5.48E-02	4.71E-02	3.46E-09	1.0E+06	3.5E-03
4	0.19672	1.17E-02	2.3E-03	6.05E-04	1.39E-06	5.48E-02	4.71E-02	3.60E-09	1.0E+06	3.6E-03
5	0.20428	1.17E-02	2.4E-03	6.05E-04	1.45E-06	5.48E-02	4.71E-02	3.74E-09	1.0E+06	3.7E-03
6	0.21386	1.17E-02	2.5E-03	6.05E-04	1.51E-06	5.48E-02	4.71E-02	3.91E-09	1.0E+06	3.9E-03
7	0.22485	1.17E-02	2.6E-03	6.05E-04	1.59E-06	5.48E-02	4.71E-02	4.11E-09	1.0E+06	4.1E-03
8	0.23793	1.17E-02	2.8E-03	6.05E-04	1.69E-06	5.48E-02	4.71E-02	4.35E-09	1.0E+06	4.4E-03
9	0.25299	1.17E-02	3.0E-03	6.05E-04	1.79E-06	5.48E-02	4.71E-02	4.63E-09	1.0E+06	4.6E-03
10	0.27375	1.17E-02	3.2E-03	6.05E-04	1.94E-06	5.48E-02	4.71E-02	5.01E-09	1.0E+06	5.0E-03
11	0.29877	1.17E-02	3.5E-03	6.05E-04	2.12E-06	5.48E-02	4.71E-02	5.47E-09	1.0E+06	5.5E-03
12	0.32773	1.17E-02	3.8E-03	6.05E-04	2.32E-06	5.48E-02	4.71E-02	6.00E-09	1.0E+06	6.0E-03
13	0.35728	1.17E-02	4.2E-03	6.05E-04	2.53E-06	5.48E-02	4.71E-02	6.54E-09	1.0E+06	6.5E-03
14	0.47121	1.17E-02	5.5E-03	6.05E-04	3.34E-06	5.48E-02	4.71E-02	8.62E-09	1.0E+06	8.6E-03
15	0.19314	1.17E-02	2.3E-03	6.05E-04	1.37E-06	5.48E-02	4.71E-02	3.53E-09	1.0E+06	3.5E-03
16	0.20217	1.17E-02	2.4E-03	6.05E-04	1.43E-06	5.48E-02	4.71E-02	3.70E-09	1.0E+06	3.7E-03
17	0.21216	1.17E-02	2.5E-03	6.05E-04	1.50E-06	5.48E-02	4.71E-02	3.88E-09	1.0E+06	3.9E-03
18	0.22178	1.17E-02	2.6E-03	6.05E-04	1.57E-06	5.48E-02	4.71E-02	4.06E-09	1.0E+06	4.1E-03
19	0.23136	1.17E-02	2.7E-03	6.05E-04	1.64E-06	5.48E-02	4.71E-02	4.23E-09	1.0E+06	4.2E-03
20	0.2424	1.17E-02	2.8E-03	6.05E-04	1.72E-06	5.48E-02	4.71E-02	4.44E-09	1.0E+06	4.4E-03
21	0.25482	1.17E-02	3.0E-03	6.05E-04	1.81E-06	5.48E-02	4.71E-02	4.66E-09	1.0E+06	4.7E-03
22	0.26846	1.17E-02	3.1E-03	6.05E-04	1.90E-06	5.48E-02	4.71E-02	4.91E-09	1.0E+06	4.9E-03
23	0.28842	1.17E-02	3.4E-03	6.05E-04	2.04E-06	5.48E-02	4.71E-02	5.28E-09	1.0E+06	5.3E-03
24	0.30946	1.17E-02	3.6E-03	6.05E-04	2.19E-06	5.48E-02	4.71E-02	5.66E-09	1.0E+06	5.7E-03
25	0.3417	1.17E-02	4.0E-03	6.05E-04	2.42E-06	5.48E-02	4.71E-02	6.25E-09	1.0E+06	6.3E-03
26	0.37884	1.17E-02	4.4E-03	6.05E-04	2.68E-06	5.48E-02	4.71E-02	6.93E-09	1.0E+06	6.9E-03
27	0.41116	1.17E-02	4.8E-03	6.05E-04	2.91E-06	5.48E-02	4.71E-02	7.52E-09	1.0E+06	7.5E-03
28	0.57175	1.17E-02	6.7E-03	6.05E-04	4.05E-06	5.48E-02	4.71E-02	1.05E-08	1.0E+06	1.0E-02
29	0.21093	1.17E-02	2.5E-03	6.05E-04	1.49E-06	5.48E-02	4.71E-02	3.86E-09	1.0E+06	3.9E-03
30	0.22337	1.17E-02	2.6E-03	6.05E-04	1.58E-06	5.48E-02	4.71E-02	4.09E-09	1.0E+06	4.1E-03
31	0.23665	1.17E-02	2.8E-03	6.05E-04	1.68E-06	5.48E-02	4.71E-02	4.33E-09	1.0E+06	4.3E-03

	Max	Receptor #
Res	0.289	146

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.25053	1.17E-02	2.9E-03	6.05E-04	1.77E-06	5.48E-02	4.71E-02	4.58E-09	1.0E+06	4.6E-03
33	0.26279	1.17E-02	3.1E-03	6.05E-04	1.86E-06	5.48E-02	4.71E-02	4.81E-09	1.0E+06	4.8E-03
34	0.27715	1.17E-02	3.2E-03	6.05E-04	1.96E-06	5.48E-02	4.71E-02	5.07E-09	1.0E+06	5.1E-03
35	0.29204	1.17E-02	3.4E-03	6.05E-04	2.07E-06	5.48E-02	4.71E-02	5.34E-09	1.0E+06	5.3E-03
36	0.30964	1.17E-02	3.6E-03	6.05E-04	2.19E-06	5.48E-02	4.71E-02	5.67E-09	1.0E+06	5.7E-03
37	0.33136	1.17E-02	3.9E-03	6.05E-04	2.35E-06	5.48E-02	4.71E-02	6.06E-09	1.0E+06	6.1E-03
38	0.35987	1.17E-02	4.2E-03	6.05E-04	2.55E-06	5.48E-02	4.71E-02	6.59E-09	1.0E+06	6.6E-03
39	0.39788	1.17E-02	4.7E-03	6.05E-04	2.82E-06	5.48E-02	4.71E-02	7.28E-09	1.0E+06	7.3E-03
40	0.43602	1.17E-02	5.1E-03	6.05E-04	3.09E-06	5.48E-02	4.71E-02	7.98E-09	1.0E+06	8.0E-03
41	0.4798	1.17E-02	5.6E-03	6.05E-04	3.40E-06	5.48E-02	4.71E-02	8.78E-09	1.0E+06	8.8E-03
42	0.7101	1.17E-02	8.3E-03	6.05E-04	5.03E-06	5.48E-02	4.71E-02	1.30E-08	1.0E+06	1.3E-02
43	0.22642	1.17E-02	2.7E-03	6.05E-04	1.60E-06	5.48E-02	4.71E-02	4.14E-09	1.0E+06	4.1E-03
44	0.24148	1.17E-02	2.8E-03	6.05E-04	1.71E-06	5.48E-02	4.71E-02	4.42E-09	1.0E+06	4.4E-03
45	0.25936	1.17E-02	3.0E-03	6.05E-04	1.84E-06	5.48E-02	4.71E-02	4.75E-09	1.0E+06	4.7E-03
46	0.27862	1.17E-02	3.3E-03	6.05E-04	1.97E-06	5.48E-02	4.71E-02	5.10E-09	1.0E+06	5.1E-03
47	0.2972	1.17E-02	3.5E-03	6.05E-04	2.11E-06	5.48E-02	4.71E-02	5.44E-09	1.0E+06	5.4E-03
48	0.31625	1.17E-02	3.7E-03	6.05E-04	2.24E-06	5.48E-02	4.71E-02	5.79E-09	1.0E+06	5.8E-03
49	0.33541	1.17E-02	3.9E-03	6.05E-04	2.38E-06	5.48E-02	4.71E-02	6.14E-09	1.0E+06	6.1E-03
50	0.35565	1.17E-02	4.2E-03	6.05E-04	2.52E-06	5.48E-02	4.71E-02	6.51E-09	1.0E+06	6.5E-03
51	0.38654	1.17E-02	4.5E-03	6.05E-04	2.74E-06	5.48E-02	4.71E-02	7.07E-09	1.0E+06	7.1E-03
52	0.42056	1.17E-02	4.9E-03	6.05E-04	2.98E-06	5.48E-02	4.71E-02	7.70E-09	1.0E+06	7.7E-03
53	0.46818	1.17E-02	5.5E-03	6.05E-04	3.32E-06	5.48E-02	4.71E-02	8.57E-09	1.0E+06	8.6E-03
54	0.52053	1.17E-02	6.1E-03	6.05E-04	3.69E-06	5.48E-02	4.71E-02	9.53E-09	1.0E+06	9.5E-03
55	0.58292	1.17E-02	6.8E-03	6.05E-04	4.13E-06	5.48E-02	4.71E-02	1.07E-08	1.0E+06	1.1E-02
56	0.91081	1.17E-02	1.1E-02	6.05E-04	6.45E-06	5.48E-02	4.71E-02	1.67E-08	1.0E+06	1.7E-02
57	0.23786	1.17E-02	2.8E-03	6.05E-04	1.68E-06	5.48E-02	4.71E-02	4.35E-09	1.0E+06	4.4E-03
58	0.25766	1.17E-02	3.0E-03	6.05E-04	1.83E-06	5.48E-02	4.71E-02	4.71E-09	1.0E+06	4.7E-03
59	0.28115	1.17E-02	3.3E-03	6.05E-04	1.99E-06	5.48E-02	4.71E-02	5.14E-09	1.0E+06	5.1E-03
60	0.30622	1.17E-02	3.6E-03	6.05E-04	2.17E-06	5.48E-02	4.71E-02	5.60E-09	1.0E+06	5.6E-03
61	0.33261	1.17E-02	3.9E-03	6.05E-04	2.36E-06	5.48E-02	4.71E-02	6.09E-09	1.0E+06	6.1E-03
62	0.35999	1.17E-02	4.2E-03	6.05E-04	2.55E-06	5.48E-02	4.71E-02	6.59E-09	1.0E+06	6.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.39069	1.17E-02	4.6E-03	6.05E-04	2.77E-06	5.48E-02	4.71E-02	7.15E-09	1.0E+06	7.1E-03
64	0.4155	1.17E-02	4.9E-03	6.05E-04	2.94E-06	5.48E-02	4.71E-02	7.60E-09	1.0E+06	7.6E-03
65	0.45397	1.17E-02	5.3E-03	6.05E-04	3.22E-06	5.48E-02	4.71E-02	8.31E-09	1.0E+06	8.3E-03
66	0.50152	1.17E-02	5.9E-03	6.05E-04	3.55E-06	5.48E-02	4.71E-02	9.18E-09	1.0E+06	9.2E-03
67	0.55455	1.17E-02	6.5E-03	6.05E-04	3.93E-06	5.48E-02	4.71E-02	1.01E-08	1.0E+06	1.0E-02
68	0.63644	1.17E-02	7.5E-03	6.05E-04	4.51E-06	5.48E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
69	0.72804	1.17E-02	8.5E-03	6.05E-04	5.16E-06	5.48E-02	4.71E-02	1.33E-08	1.0E+06	1.3E-02
70	0.2495	1.17E-02	2.9E-03	6.05E-04	1.77E-06	5.48E-02	4.71E-02	4.57E-09	1.0E+06	4.6E-03
71	0.27248	1.17E-02	3.2E-03	6.05E-04	1.93E-06	5.48E-02	4.71E-02	4.99E-09	1.0E+06	5.0E-03
72	0.3016	1.17E-02	3.5E-03	6.05E-04	2.14E-06	5.48E-02	4.71E-02	5.52E-09	1.0E+06	5.5E-03
73	0.33167	1.17E-02	3.9E-03	6.05E-04	2.35E-06	5.48E-02	4.71E-02	6.07E-09	1.0E+06	6.1E-03
74	0.36626	1.17E-02	4.3E-03	6.05E-04	2.59E-06	5.48E-02	4.71E-02	6.70E-09	1.0E+06	6.7E-03
75	0.40355	1.17E-02	4.7E-03	6.05E-04	2.86E-06	5.48E-02	4.71E-02	7.38E-09	1.0E+06	7.4E-03
76	0.44679	1.17E-02	5.2E-03	6.05E-04	3.17E-06	5.48E-02	4.71E-02	8.18E-09	1.0E+06	8.2E-03
77	0.48972	1.17E-02	5.7E-03	6.05E-04	3.47E-06	5.48E-02	4.71E-02	8.96E-09	1.0E+06	9.0E-03
78	0.54448	1.17E-02	6.4E-03	6.05E-04	3.86E-06	5.48E-02	4.71E-02	9.96E-09	1.0E+06	1.0E-02
79	0.62745	1.17E-02	7.3E-03	6.05E-04	4.44E-06	5.48E-02	4.71E-02	1.15E-08	1.0E+06	1.1E-02
80	0.70098	1.17E-02	8.2E-03	6.05E-04	4.97E-06	5.48E-02	4.71E-02	1.28E-08	1.0E+06	1.3E-02
81	0.82297	1.17E-02	9.6E-03	6.05E-04	5.83E-06	5.48E-02	4.71E-02	1.51E-08	1.0E+06	1.5E-02
82	0.94086	1.17E-02	1.1E-02	6.05E-04	6.67E-06	5.48E-02	4.71E-02	1.72E-08	1.0E+06	1.7E-02
83	0.25944	1.17E-02	3.0E-03	6.05E-04	1.84E-06	5.48E-02	4.71E-02	4.75E-09	1.0E+06	4.7E-03
84	0.28928	1.17E-02	3.4E-03	6.05E-04	2.05E-06	5.48E-02	4.71E-02	5.29E-09	1.0E+06	5.3E-03
85	0.32121	1.17E-02	3.8E-03	6.05E-04	2.28E-06	5.48E-02	4.71E-02	5.88E-09	1.0E+06	5.9E-03
86	0.35254	1.17E-02	4.1E-03	6.05E-04	2.50E-06	5.48E-02	4.71E-02	6.45E-09	1.0E+06	6.5E-03
87	0.39269	1.17E-02	4.6E-03	6.05E-04	2.78E-06	5.48E-02	4.71E-02	7.19E-09	1.0E+06	7.2E-03
88	0.43866	1.17E-02	5.1E-03	6.05E-04	3.11E-06	5.48E-02	4.71E-02	8.03E-09	1.0E+06	8.0E-03
89	0.49549	1.17E-02	5.8E-03	6.05E-04	3.51E-06	5.48E-02	4.71E-02	9.07E-09	1.0E+06	9.1E-03
90	0.56452	1.17E-02	6.6E-03	6.05E-04	4.00E-06	5.48E-02	4.71E-02	1.03E-08	1.0E+06	1.0E-02
91	0.64839	1.17E-02	7.6E-03	6.05E-04	4.59E-06	5.48E-02	4.71E-02	1.19E-08	1.0E+06	1.2E-02
92	0.75145	1.17E-02	8.8E-03	6.05E-04	5.32E-06	5.48E-02	4.71E-02	1.38E-08	1.0E+06	1.4E-02
93	0.88004	1.17E-02	1.0E-02	6.05E-04	6.23E-06	5.48E-02	4.71E-02	1.61E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	1.03748	1.17E-02	1.2E-02	6.05E-04	7.35E-06	5.48E-02	4.71E-02	1.90E-08	1.0E+06	1.9E-02
95	1.2286	1.17E-02	1.4E-02	6.05E-04	8.70E-06	5.48E-02	4.71E-02	2.25E-08	1.0E+06	2.2E-02
96	0.26724	1.17E-02	3.1E-03	6.05E-04	1.89E-06	5.48E-02	4.71E-02	4.89E-09	1.0E+06	4.9E-03
97	0.2968	1.17E-02	3.5E-03	6.05E-04	2.10E-06	5.48E-02	4.71E-02	5.43E-09	1.0E+06	5.4E-03
98	0.33036	1.17E-02	3.9E-03	6.05E-04	2.34E-06	5.48E-02	4.71E-02	6.05E-09	1.0E+06	6.0E-03
99	0.3717	1.17E-02	4.4E-03	6.05E-04	2.63E-06	5.48E-02	4.71E-02	6.80E-09	1.0E+06	6.8E-03
100	0.4166	1.17E-02	4.9E-03	6.05E-04	2.95E-06	5.48E-02	4.71E-02	7.62E-09	1.0E+06	7.6E-03
101	0.47215	1.17E-02	5.5E-03	6.05E-04	3.34E-06	5.48E-02	4.71E-02	8.64E-09	1.0E+06	8.6E-03
102	0.5404	1.17E-02	6.3E-03	6.05E-04	3.83E-06	5.48E-02	4.71E-02	9.89E-09	1.0E+06	9.9E-03
103	0.6279	1.17E-02	7.4E-03	6.05E-04	4.45E-06	5.48E-02	4.71E-02	1.15E-08	1.0E+06	1.1E-02
104	0.73836	1.17E-02	8.6E-03	6.05E-04	5.23E-06	5.48E-02	4.71E-02	1.35E-08	1.0E+06	1.4E-02
105	0.88132	1.17E-02	1.0E-02	6.05E-04	6.24E-06	5.48E-02	4.71E-02	1.61E-08	1.0E+06	1.6E-02
106	1.06529	1.17E-02	1.2E-02	6.05E-04	7.55E-06	5.48E-02	4.71E-02	1.95E-08	1.0E+06	1.9E-02
107	1.30402	1.17E-02	1.5E-02	6.05E-04	9.24E-06	5.48E-02	4.71E-02	2.39E-08	1.0E+06	2.4E-02
108	1.61057	1.17E-02	1.9E-02	6.05E-04	1.14E-05	5.48E-02	4.71E-02	2.95E-08	1.0E+06	2.9E-02
109	0.26525	1.17E-02	3.1E-03	6.05E-04	1.88E-06	5.48E-02	4.71E-02	4.85E-09	1.0E+06	4.9E-03
110	0.29664	1.17E-02	3.5E-03	6.05E-04	2.10E-06	5.48E-02	4.71E-02	5.43E-09	1.0E+06	5.4E-03
111	0.3339	1.17E-02	3.9E-03	6.05E-04	2.37E-06	5.48E-02	4.71E-02	6.11E-09	1.0E+06	6.1E-03
112	0.37842	1.17E-02	4.4E-03	6.05E-04	2.68E-06	5.48E-02	4.71E-02	6.92E-09	1.0E+06	6.9E-03
113	0.43228	1.17E-02	5.1E-03	6.05E-04	3.06E-06	5.48E-02	4.71E-02	7.91E-09	1.0E+06	7.9E-03
114	0.49803	1.17E-02	5.8E-03	6.05E-04	3.53E-06	5.48E-02	4.71E-02	9.11E-09	1.0E+06	9.1E-03
115	0.58	1.17E-02	6.8E-03	6.05E-04	4.11E-06	5.48E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02
116	0.68497	1.17E-02	8.0E-03	6.05E-04	4.85E-06	5.48E-02	4.71E-02	1.25E-08	1.0E+06	1.3E-02
117	0.82678	1.17E-02	9.7E-03	6.05E-04	5.86E-06	5.48E-02	4.71E-02	1.51E-08	1.0E+06	1.5E-02
118	0.98991	1.17E-02	1.2E-02	6.05E-04	7.01E-06	5.48E-02	4.71E-02	1.81E-08	1.0E+06	1.8E-02
119	1.24281	1.17E-02	1.5E-02	6.05E-04	8.80E-06	5.48E-02	4.71E-02	2.27E-08	1.0E+06	2.3E-02
120	1.57912	1.17E-02	1.8E-02	6.05E-04	1.12E-05	5.48E-02	4.71E-02	2.89E-08	1.0E+06	2.9E-02
121	2.00608	1.17E-02	2.3E-02	6.05E-04	1.42E-05	5.48E-02	4.71E-02	3.67E-08	1.0E+06	3.7E-02
122	0.25537	1.17E-02	3.0E-03	6.05E-04	1.81E-06	5.48E-02	4.71E-02	4.67E-09	1.0E+06	4.7E-03
123	0.28818	1.17E-02	3.4E-03	6.05E-04	2.04E-06	5.48E-02	4.71E-02	5.27E-09	1.0E+06	5.3E-03
124	0.32858	1.17E-02	3.8E-03	6.05E-04	2.33E-06	5.48E-02	4.71E-02	6.01E-09	1.0E+06	6.0E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.3757	1.17E-02	4.4E-03	6.05E-04	2.66E-06	5.48E-02	4.71E-02	6.87E-09	1.0E+06	6.9E-03
126	0.43335	1.17E-02	5.1E-03	6.05E-04	3.07E-06	5.48E-02	4.71E-02	7.93E-09	1.0E+06	7.9E-03
127	0.50557	1.17E-02	5.9E-03	6.05E-04	3.58E-06	5.48E-02	4.71E-02	9.25E-09	1.0E+06	9.3E-03
128	0.58754	1.17E-02	6.9E-03	6.05E-04	4.16E-06	5.48E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
129	0.71039	1.17E-02	8.3E-03	6.05E-04	5.03E-06	5.48E-02	4.71E-02	1.30E-08	1.0E+06	1.3E-02
130	0.89215	1.17E-02	1.0E-02	6.05E-04	6.32E-06	5.48E-02	4.71E-02	1.63E-08	1.0E+06	1.6E-02
131	12.92748	1.17E-02	1.5E-01	6.05E-04	9.16E-05	5.48E-02	4.71E-02	2.37E-07	1.0E+06	2.4E-01
132	9.40064	1.17E-02	1.1E-01	6.05E-04	6.66E-05	5.48E-02	4.71E-02	1.72E-07	1.0E+06	1.7E-01
133	0.23911	1.17E-02	2.8E-03	6.05E-04	1.69E-06	5.48E-02	4.71E-02	4.38E-09	1.0E+06	4.4E-03
134	0.27452	1.17E-02	3.2E-03	6.05E-04	1.94E-06	5.48E-02	4.71E-02	5.02E-09	1.0E+06	5.0E-03
135	0.31532	1.17E-02	3.7E-03	6.05E-04	2.23E-06	5.48E-02	4.71E-02	5.77E-09	1.0E+06	5.8E-03
136	0.36264	1.17E-02	4.2E-03	6.05E-04	2.57E-06	5.48E-02	4.71E-02	6.64E-09	1.0E+06	6.6E-03
137	0.42092	1.17E-02	4.9E-03	6.05E-04	2.98E-06	5.48E-02	4.71E-02	7.70E-09	1.0E+06	7.7E-03
138	0.49184	1.17E-02	5.8E-03	6.05E-04	3.48E-06	5.48E-02	4.71E-02	9.00E-09	1.0E+06	9.0E-03
139	0.57812	1.17E-02	6.8E-03	6.05E-04	4.10E-06	5.48E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02
140	0.70963	1.17E-02	8.3E-03	6.05E-04	5.03E-06	5.48E-02	4.71E-02	1.30E-08	1.0E+06	1.3E-02
141	0.89849	1.17E-02	1.1E-02	6.05E-04	6.36E-06	5.48E-02	4.71E-02	1.64E-08	1.0E+06	1.6E-02
142	1.18174	1.17E-02	1.4E-02	6.05E-04	8.37E-06	5.48E-02	4.71E-02	2.16E-08	1.0E+06	2.2E-02
143	1.67257	1.17E-02	2.0E-02	6.05E-04	1.18E-05	5.48E-02	4.71E-02	3.06E-08	1.0E+06	3.1E-02
144	2.65947	1.17E-02	3.1E-02	6.05E-04	1.88E-05	5.48E-02	4.71E-02	4.87E-08	1.0E+06	4.9E-02
145	5.22291	1.17E-02	6.1E-02	6.05E-04	3.70E-05	5.48E-02	4.71E-02	9.56E-08	1.0E+06	9.6E-02
146	15.81931	1.17E-02	1.9E-01	6.05E-04	1.12E-04	5.48E-02	4.71E-02	2.89E-07	1.0E+06	2.9E-01
147	0.22164	1.17E-02	2.6E-03	6.05E-04	1.57E-06	5.48E-02	4.71E-02	4.06E-09	1.0E+06	4.1E-03
148	0.25424	1.17E-02	3.0E-03	6.05E-04	1.80E-06	5.48E-02	4.71E-02	4.65E-09	1.0E+06	4.7E-03
149	0.294	1.17E-02	3.4E-03	6.05E-04	2.08E-06	5.48E-02	4.71E-02	5.38E-09	1.0E+06	5.4E-03
150	0.33969	1.17E-02	4.0E-03	6.05E-04	2.41E-06	5.48E-02	4.71E-02	6.22E-09	1.0E+06	6.2E-03
151	0.39809	1.17E-02	4.7E-03	6.05E-04	2.82E-06	5.48E-02	4.71E-02	7.28E-09	1.0E+06	7.3E-03
152	0.46482	1.17E-02	5.4E-03	6.05E-04	3.29E-06	5.48E-02	4.71E-02	8.51E-09	1.0E+06	8.5E-03
153	0.55148	1.17E-02	6.5E-03	6.05E-04	3.91E-06	5.48E-02	4.71E-02	1.01E-08	1.0E+06	1.0E-02
154	0.67711	1.17E-02	7.9E-03	6.05E-04	4.80E-06	5.48E-02	4.71E-02	1.24E-08	1.0E+06	1.2E-02
155	0.86429	1.17E-02	1.0E-02	6.05E-04	6.12E-06	5.48E-02	4.71E-02	1.58E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	1.15152	1.17E-02	1.3E-02	6.05E-04	8.16E-06	5.48E-02	4.71E-02	2.11E-08	1.0E+06	2.1E-02
157	1.63937	1.17E-02	1.9E-02	6.05E-04	1.16E-05	5.48E-02	4.71E-02	3.00E-08	1.0E+06	3.0E-02
158	2.64058	1.17E-02	3.1E-02	6.05E-04	1.87E-05	5.48E-02	4.71E-02	4.83E-08	1.0E+06	4.8E-02
159	6.58994	1.17E-02	7.7E-02	6.05E-04	4.67E-05	5.48E-02	4.71E-02	1.21E-07	1.0E+06	1.2E-01
160	0.20943	1.17E-02	2.5E-03	6.05E-04	1.48E-06	5.48E-02	4.71E-02	3.83E-09	1.0E+06	3.8E-03
161	0.23565	1.17E-02	2.8E-03	6.05E-04	1.67E-06	5.48E-02	4.71E-02	4.31E-09	1.0E+06	4.3E-03
162	0.26393	1.17E-02	3.1E-03	6.05E-04	1.87E-06	5.48E-02	4.71E-02	4.83E-09	1.0E+06	4.8E-03
163	0.31008	1.17E-02	3.6E-03	6.05E-04	2.20E-06	5.48E-02	4.71E-02	5.67E-09	1.0E+06	5.7E-03
164	0.37016	1.17E-02	4.3E-03	6.05E-04	2.62E-06	5.48E-02	4.71E-02	6.77E-09	1.0E+06	6.8E-03
165	0.43373	1.17E-02	5.1E-03	6.05E-04	3.07E-06	5.48E-02	4.71E-02	7.94E-09	1.0E+06	7.9E-03
166	0.51919	1.17E-02	6.1E-03	6.05E-04	3.68E-06	5.48E-02	4.71E-02	9.50E-09	1.0E+06	9.5E-03
167	0.63546	1.17E-02	7.4E-03	6.05E-04	4.50E-06	5.48E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
168	0.80312	1.17E-02	9.4E-03	6.05E-04	5.69E-06	5.48E-02	4.71E-02	1.47E-08	1.0E+06	1.5E-02
169	1.05888	1.17E-02	1.2E-02	6.05E-04	7.50E-06	5.48E-02	4.71E-02	1.94E-08	1.0E+06	1.9E-02
170	1.48224	1.17E-02	1.7E-02	6.05E-04	1.05E-05	5.48E-02	4.71E-02	2.71E-08	1.0E+06	2.7E-02
171	2.31071	1.17E-02	2.7E-02	6.05E-04	1.64E-05	5.48E-02	4.71E-02	4.23E-08	1.0E+06	4.2E-02
172	4.93324	1.17E-02	5.8E-02	6.05E-04	3.49E-05	5.48E-02	4.71E-02	9.03E-08	1.0E+06	9.0E-02
173	6.72209	1.17E-02	7.9E-02	6.05E-04	4.76E-05	5.48E-02	4.71E-02	1.23E-07	1.0E+06	1.2E-01
174	10.31006	1.17E-02	1.2E-01	6.05E-04	7.30E-05	5.48E-02	4.71E-02	1.89E-07	1.0E+06	1.9E-01
175	11.13119	1.17E-02	1.3E-01	6.05E-04	7.89E-05	5.48E-02	4.71E-02	2.04E-07	1.0E+06	2.0E-01
176	12.98888	1.17E-02	1.5E-01	6.05E-04	9.20E-05	5.48E-02	4.71E-02	2.38E-07	1.0E+06	2.4E-01
177	10.80421	1.17E-02	1.3E-01	6.05E-04	7.65E-05	5.48E-02	4.71E-02	1.98E-07	1.0E+06	2.0E-01
178	8.91457	1.17E-02	1.0E-01	6.05E-04	6.32E-05	5.48E-02	4.71E-02	1.63E-07	1.0E+06	1.6E-01
179	0.19309	1.17E-02	2.3E-03	6.05E-04	1.37E-06	5.48E-02	4.71E-02	3.53E-09	1.0E+06	3.5E-03
180	0.21456	1.17E-02	2.5E-03	6.05E-04	1.52E-06	5.48E-02	4.71E-02	3.93E-09	1.0E+06	3.9E-03
181	0.2361	1.17E-02	2.8E-03	6.05E-04	1.67E-06	5.48E-02	4.71E-02	4.32E-09	1.0E+06	4.3E-03
182	0.28264	1.17E-02	3.3E-03	6.05E-04	2.00E-06	5.48E-02	4.71E-02	5.17E-09	1.0E+06	5.2E-03
183	0.34655	1.17E-02	4.1E-03	6.05E-04	2.45E-06	5.48E-02	4.71E-02	6.34E-09	1.0E+06	6.3E-03
184	0.40738	1.17E-02	4.8E-03	6.05E-04	2.89E-06	5.48E-02	4.71E-02	7.45E-09	1.0E+06	7.5E-03
185	0.48904	1.17E-02	5.7E-03	6.05E-04	3.46E-06	5.48E-02	4.71E-02	8.95E-09	1.0E+06	8.9E-03
186	0.59504	1.17E-02	7.0E-03	6.05E-04	4.22E-06	5.48E-02	4.71E-02	1.09E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.73895	1.17E-02	8.7E-03	6.05E-04	5.23E-06	5.48E-02	4.71E-02	1.35E-08	1.0E+06	1.4E-02
188	0.95209	1.17E-02	1.1E-02	6.05E-04	6.74E-06	5.48E-02	4.71E-02	1.74E-08	1.0E+06	1.7E-02
189	1.27312	1.17E-02	1.5E-02	6.05E-04	9.02E-06	5.48E-02	4.71E-02	2.33E-08	1.0E+06	2.3E-02
190	1.82477	1.17E-02	2.1E-02	6.05E-04	1.29E-05	5.48E-02	4.71E-02	3.34E-08	1.0E+06	3.3E-02
191	2.94775	1.17E-02	3.5E-02	6.05E-04	2.09E-05	5.48E-02	4.71E-02	5.39E-08	1.0E+06	5.4E-02
192	5.09803	1.17E-02	6.0E-02	6.05E-04	3.61E-05	5.48E-02	4.71E-02	9.33E-08	1.0E+06	9.3E-02
193	6.65391	1.17E-02	7.8E-02	6.05E-04	4.71E-05	5.48E-02	4.71E-02	1.22E-07	1.0E+06	1.2E-01
194	7.42306	1.17E-02	8.7E-02	6.05E-04	5.26E-05	5.48E-02	4.71E-02	1.36E-07	1.0E+06	1.4E-01
195	8.09345	1.17E-02	9.5E-02	6.05E-04	5.73E-05	5.48E-02	4.71E-02	1.48E-07	1.0E+06	1.5E-01
196	7.64119	1.17E-02	8.9E-02	6.05E-04	5.41E-05	5.48E-02	4.71E-02	1.40E-07	1.0E+06	1.4E-01
197	5.9061	1.17E-02	6.9E-02	6.05E-04	4.18E-05	5.48E-02	4.71E-02	1.08E-07	1.0E+06	1.1E-01
198	0.18335	1.17E-02	2.1E-03	6.05E-04	1.30E-06	5.48E-02	4.71E-02	3.36E-09	1.0E+06	3.4E-03
199	0.2041	1.17E-02	2.4E-03	6.05E-04	1.45E-06	5.48E-02	4.71E-02	3.73E-09	1.0E+06	3.7E-03
200	0.22853	1.17E-02	2.7E-03	6.05E-04	1.62E-06	5.48E-02	4.71E-02	4.18E-09	1.0E+06	4.2E-03
201	0.26339	1.17E-02	3.1E-03	6.05E-04	1.87E-06	5.48E-02	4.71E-02	4.82E-09	1.0E+06	4.8E-03
202	0.32176	1.17E-02	3.8E-03	6.05E-04	2.28E-06	5.48E-02	4.71E-02	5.89E-09	1.0E+06	5.9E-03
203	0.38143	1.17E-02	4.5E-03	6.05E-04	2.70E-06	5.48E-02	4.71E-02	6.98E-09	1.0E+06	7.0E-03
204	0.45785	1.17E-02	5.4E-03	6.05E-04	3.24E-06	5.48E-02	4.71E-02	8.38E-09	1.0E+06	8.4E-03
205	0.55249	1.17E-02	6.5E-03	6.05E-04	3.91E-06	5.48E-02	4.71E-02	1.01E-08	1.0E+06	1.0E-02
206	0.67606	1.17E-02	7.9E-03	6.05E-04	4.79E-06	5.48E-02	4.71E-02	1.24E-08	1.0E+06	1.2E-02
207	0.84477	1.17E-02	9.9E-03	6.05E-04	5.98E-06	5.48E-02	4.71E-02	1.55E-08	1.0E+06	1.5E-02
208	1.0806	1.17E-02	1.3E-02	6.05E-04	7.65E-06	5.48E-02	4.71E-02	1.98E-08	1.0E+06	2.0E-02
209	1.4381	1.17E-02	1.7E-02	6.05E-04	1.02E-05	5.48E-02	4.71E-02	2.63E-08	1.0E+06	2.6E-02
210	2.02651	1.17E-02	2.4E-02	6.05E-04	1.44E-05	5.48E-02	4.71E-02	3.71E-08	1.0E+06	3.7E-02
211	2.88779	1.17E-02	3.4E-02	6.05E-04	2.05E-05	5.48E-02	4.71E-02	5.28E-08	1.0E+06	5.3E-02
212	3.58306	1.17E-02	4.2E-02	6.05E-04	2.54E-05	5.48E-02	4.71E-02	6.56E-08	1.0E+06	6.6E-02
213	3.84605	1.17E-02	4.5E-02	6.05E-04	2.72E-05	5.48E-02	4.71E-02	7.04E-08	1.0E+06	7.0E-02
214	3.81694	1.17E-02	4.5E-02	6.05E-04	2.70E-05	5.48E-02	4.71E-02	6.98E-08	1.0E+06	7.0E-02
215	4.44903	1.17E-02	5.2E-02	6.05E-04	3.15E-05	5.48E-02	4.71E-02	8.14E-08	1.0E+06	8.1E-02
216	0.17741	1.17E-02	2.1E-03	6.05E-04	1.26E-06	5.48E-02	4.71E-02	3.25E-09	1.0E+06	3.2E-03
217	0.1957	1.17E-02	2.3E-03	6.05E-04	1.39E-06	5.48E-02	4.71E-02	3.58E-09	1.0E+06	3.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.21931	1.17E-02	2.6E-03	6.05E-04	1.55E-06	5.48E-02	4.71E-02	4.01E-09	1.0E+06	4.0E-03
219	0.25009	1.17E-02	2.9E-03	6.05E-04	1.77E-06	5.48E-02	4.71E-02	4.58E-09	1.0E+06	4.6E-03
220	0.29965	1.17E-02	3.5E-03	6.05E-04	2.12E-06	5.48E-02	4.71E-02	5.48E-09	1.0E+06	5.5E-03
221	0.35077	1.17E-02	4.1E-03	6.05E-04	2.48E-06	5.48E-02	4.71E-02	6.42E-09	1.0E+06	6.4E-03
222	0.41974	1.17E-02	4.9E-03	6.05E-04	2.97E-06	5.48E-02	4.71E-02	7.68E-09	1.0E+06	7.7E-03
223	0.50101	1.17E-02	5.9E-03	6.05E-04	3.55E-06	5.48E-02	4.71E-02	9.17E-09	1.0E+06	9.2E-03
224	0.60151	1.17E-02	7.0E-03	6.05E-04	4.26E-06	5.48E-02	4.71E-02	1.10E-08	1.0E+06	1.1E-02
225	0.7257	1.17E-02	8.5E-03	6.05E-04	5.14E-06	5.48E-02	4.71E-02	1.33E-08	1.0E+06	1.3E-02
226	0.89772	1.17E-02	1.1E-02	6.05E-04	6.36E-06	5.48E-02	4.71E-02	1.64E-08	1.0E+06	1.6E-02
227	1.13195	1.17E-02	1.3E-02	6.05E-04	8.02E-06	5.48E-02	4.71E-02	2.07E-08	1.0E+06	2.1E-02
228	1.475	1.17E-02	1.7E-02	6.05E-04	1.04E-05	5.48E-02	4.71E-02	2.70E-08	1.0E+06	2.7E-02
229	1.93098	1.17E-02	2.3E-02	6.05E-04	1.37E-05	5.48E-02	4.71E-02	3.53E-08	1.0E+06	3.5E-02
230	2.33502	1.17E-02	2.7E-02	6.05E-04	1.65E-05	5.48E-02	4.71E-02	4.27E-08	1.0E+06	4.3E-02
231	2.58104	1.17E-02	3.0E-02	6.05E-04	1.83E-05	5.48E-02	4.71E-02	4.72E-08	1.0E+06	4.7E-02
232	2.66403	1.17E-02	3.1E-02	6.05E-04	1.89E-05	5.48E-02	4.71E-02	4.87E-08	1.0E+06	4.9E-02
233	2.9077	1.17E-02	3.4E-02	6.05E-04	2.06E-05	5.48E-02	4.71E-02	5.32E-08	1.0E+06	5.3E-02
234	0.17189	1.17E-02	2.0E-03	6.05E-04	1.22E-06	5.48E-02	4.71E-02	3.15E-09	1.0E+06	3.1E-03
235	0.18806	1.17E-02	2.2E-03	6.05E-04	1.33E-06	5.48E-02	4.71E-02	3.44E-09	1.0E+06	3.4E-03
236	0.2101	1.17E-02	2.5E-03	6.05E-04	1.49E-06	5.48E-02	4.71E-02	3.84E-09	1.0E+06	3.8E-03
237	0.23979	1.17E-02	2.8E-03	6.05E-04	1.70E-06	5.48E-02	4.71E-02	4.39E-09	1.0E+06	4.4E-03
238	0.27936	1.17E-02	3.3E-03	6.05E-04	1.98E-06	5.48E-02	4.71E-02	5.11E-09	1.0E+06	5.1E-03
239	0.32336	1.17E-02	3.8E-03	6.05E-04	2.29E-06	5.48E-02	4.71E-02	5.92E-09	1.0E+06	5.9E-03
240	0.37909	1.17E-02	4.4E-03	6.05E-04	2.69E-06	5.48E-02	4.71E-02	6.94E-09	1.0E+06	6.9E-03
241	0.44514	1.17E-02	5.2E-03	6.05E-04	3.15E-06	5.48E-02	4.71E-02	8.15E-09	1.0E+06	8.1E-03
242	0.52414	1.17E-02	6.1E-03	6.05E-04	3.71E-06	5.48E-02	4.71E-02	9.59E-09	1.0E+06	9.6E-03
243	0.61899	1.17E-02	7.2E-03	6.05E-04	4.38E-06	5.48E-02	4.71E-02	1.13E-08	1.0E+06	1.1E-02
244	0.74753	1.17E-02	8.8E-03	6.05E-04	5.30E-06	5.48E-02	4.71E-02	1.37E-08	1.0E+06	1.4E-02
245	0.91665	1.17E-02	1.1E-02	6.05E-04	6.49E-06	5.48E-02	4.71E-02	1.68E-08	1.0E+06	1.7E-02
246	1.14673	1.17E-02	1.3E-02	6.05E-04	8.12E-06	5.48E-02	4.71E-02	2.10E-08	1.0E+06	2.1E-02
247	1.4266	1.17E-02	1.7E-02	6.05E-04	1.01E-05	5.48E-02	4.71E-02	2.61E-08	1.0E+06	2.6E-02
248	1.69563	1.17E-02	2.0E-02	6.05E-04	1.20E-05	5.48E-02	4.71E-02	3.10E-08	1.0E+06	3.1E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.88767	1.17E-02	2.2E-02	6.05E-04	1.34E-05	5.48E-02	4.71E-02	3.45E-08	1.0E+06	3.5E-02
250	1.98347	1.17E-02	2.3E-02	6.05E-04	1.41E-05	5.48E-02	4.71E-02	3.63E-08	1.0E+06	3.6E-02
251	2.12734	1.17E-02	2.5E-02	6.05E-04	1.51E-05	5.48E-02	4.71E-02	3.89E-08	1.0E+06	3.9E-02
252	0.16493	1.17E-02	1.9E-03	6.05E-04	1.17E-06	5.48E-02	4.71E-02	3.02E-09	1.0E+06	3.0E-03
253	0.17909	1.17E-02	2.1E-03	6.05E-04	1.27E-06	5.48E-02	4.71E-02	3.28E-09	1.0E+06	3.3E-03
254	0.19765	1.17E-02	2.3E-03	6.05E-04	1.40E-06	5.48E-02	4.71E-02	3.62E-09	1.0E+06	3.6E-03
255	0.22099	1.17E-02	2.6E-03	6.05E-04	1.57E-06	5.48E-02	4.71E-02	4.04E-09	1.0E+06	4.0E-03
256	0.26018	1.17E-02	3.0E-03	6.05E-04	1.84E-06	5.48E-02	4.71E-02	4.76E-09	1.0E+06	4.8E-03
257	0.2878	1.17E-02	3.4E-03	6.05E-04	2.04E-06	5.48E-02	4.71E-02	5.27E-09	1.0E+06	5.3E-03
258	0.32553	1.17E-02	3.8E-03	6.05E-04	2.31E-06	5.48E-02	4.71E-02	5.96E-09	1.0E+06	6.0E-03
259	0.3694	1.17E-02	4.3E-03	6.05E-04	2.62E-06	5.48E-02	4.71E-02	6.76E-09	1.0E+06	6.8E-03
260	0.43279	1.17E-02	5.1E-03	6.05E-04	3.07E-06	5.48E-02	4.71E-02	7.92E-09	1.0E+06	7.9E-03
261	0.51703	1.17E-02	6.1E-03	6.05E-04	3.66E-06	5.48E-02	4.71E-02	9.46E-09	1.0E+06	9.5E-03
262	0.62025	1.17E-02	7.3E-03	6.05E-04	4.39E-06	5.48E-02	4.71E-02	1.14E-08	1.0E+06	1.1E-02
263	0.74306	1.17E-02	8.7E-03	6.05E-04	5.26E-06	5.48E-02	4.71E-02	1.36E-08	1.0E+06	1.4E-02
264	0.90838	1.17E-02	1.1E-02	6.05E-04	6.43E-06	5.48E-02	4.71E-02	1.66E-08	1.0E+06	1.7E-02
265	1.09481	1.17E-02	1.3E-02	6.05E-04	7.76E-06	5.48E-02	4.71E-02	2.00E-08	1.0E+06	2.0E-02
266	1.28248	1.17E-02	1.5E-02	6.05E-04	9.09E-06	5.48E-02	4.71E-02	2.35E-08	1.0E+06	2.3E-02
267	1.42537	1.17E-02	1.7E-02	6.05E-04	1.01E-05	5.48E-02	4.71E-02	2.61E-08	1.0E+06	2.6E-02
268	1.50248	1.17E-02	1.8E-02	6.05E-04	1.06E-05	5.48E-02	4.71E-02	2.75E-08	1.0E+06	2.7E-02
269	1.60435	1.17E-02	1.9E-02	6.05E-04	1.14E-05	5.48E-02	4.71E-02	2.94E-08	1.0E+06	2.9E-02
270	0.15811	1.17E-02	1.9E-03	6.05E-04	1.12E-06	5.48E-02	4.71E-02	2.89E-09	1.0E+06	2.9E-03
271	0.17185	1.17E-02	2.0E-03	6.05E-04	1.22E-06	5.48E-02	4.71E-02	3.14E-09	1.0E+06	3.1E-03
272	0.18865	1.17E-02	2.2E-03	6.05E-04	1.34E-06	5.48E-02	4.71E-02	3.45E-09	1.0E+06	3.5E-03
273	0.20788	1.17E-02	2.4E-03	6.05E-04	1.47E-06	5.48E-02	4.71E-02	3.80E-09	1.0E+06	3.8E-03
274	0.24491	1.17E-02	2.9E-03	6.05E-04	1.73E-06	5.48E-02	4.71E-02	4.48E-09	1.0E+06	4.5E-03
275	0.27766	1.17E-02	3.3E-03	6.05E-04	1.97E-06	5.48E-02	4.71E-02	5.08E-09	1.0E+06	5.1E-03
276	0.28974	1.17E-02	3.4E-03	6.05E-04	2.05E-06	5.48E-02	4.71E-02	5.30E-09	1.0E+06	5.3E-03
277	0.32166	1.17E-02	3.8E-03	6.05E-04	2.28E-06	5.48E-02	4.71E-02	5.89E-09	1.0E+06	5.9E-03
278	0.36443	1.17E-02	4.3E-03	6.05E-04	2.58E-06	5.48E-02	4.71E-02	6.67E-09	1.0E+06	6.7E-03
279	0.42257	1.17E-02	4.9E-03	6.05E-04	2.99E-06	5.48E-02	4.71E-02	7.73E-09	1.0E+06	7.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.50962	1.17E-02	6.0E-03	6.05E-04	3.61E-06	5.48E-02	4.71E-02	9.33E-09	1.0E+06	9.3E-03
281	0.616	1.17E-02	7.2E-03	6.05E-04	4.36E-06	5.48E-02	4.71E-02	1.13E-08	1.0E+06	1.1E-02
282	0.74094	1.17E-02	8.7E-03	6.05E-04	5.25E-06	5.48E-02	4.71E-02	1.36E-08	1.0E+06	1.4E-02
283	0.87839	1.17E-02	1.0E-02	6.05E-04	6.22E-06	5.48E-02	4.71E-02	1.61E-08	1.0E+06	1.6E-02
284	1.01581	1.17E-02	1.2E-02	6.05E-04	7.20E-06	5.48E-02	4.71E-02	1.86E-08	1.0E+06	1.9E-02
285	1.11984	1.17E-02	1.3E-02	6.05E-04	7.93E-06	5.48E-02	4.71E-02	2.05E-08	1.0E+06	2.0E-02
286	1.18487	1.17E-02	1.4E-02	6.05E-04	8.39E-06	5.48E-02	4.71E-02	2.17E-08	1.0E+06	2.2E-02
287	1.26563	1.17E-02	1.5E-02	6.05E-04	8.97E-06	5.48E-02	4.71E-02	2.32E-08	1.0E+06	2.3E-02
288	0.15258	1.17E-02	1.8E-03	6.05E-04	1.08E-06	5.48E-02	4.71E-02	2.79E-09	1.0E+06	2.8E-03
289	0.16395	1.17E-02	1.9E-03	6.05E-04	1.16E-06	5.48E-02	4.71E-02	3.00E-09	1.0E+06	3.0E-03
290	0.18264	1.17E-02	2.1E-03	6.05E-04	1.29E-06	5.48E-02	4.71E-02	3.34E-09	1.0E+06	3.3E-03
291	0.20155	1.17E-02	2.4E-03	6.05E-04	1.43E-06	5.48E-02	4.71E-02	3.69E-09	1.0E+06	3.7E-03
292	0.24543	1.17E-02	2.9E-03	6.05E-04	1.74E-06	5.48E-02	4.71E-02	4.49E-09	1.0E+06	4.5E-03
293	0.26215	1.17E-02	3.1E-03	6.05E-04	1.86E-06	5.48E-02	4.71E-02	4.80E-09	1.0E+06	4.8E-03
294	0.26042	1.17E-02	3.0E-03	6.05E-04	1.84E-06	5.48E-02	4.71E-02	4.77E-09	1.0E+06	4.8E-03
295	0.28841	1.17E-02	3.4E-03	6.05E-04	2.04E-06	5.48E-02	4.71E-02	5.28E-09	1.0E+06	5.3E-03
296	0.32442	1.17E-02	3.8E-03	6.05E-04	2.30E-06	5.48E-02	4.71E-02	5.94E-09	1.0E+06	5.9E-03
297	0.364	1.17E-02	4.3E-03	6.05E-04	2.58E-06	5.48E-02	4.71E-02	6.66E-09	1.0E+06	6.7E-03
298	0.42495	1.17E-02	5.0E-03	6.05E-04	3.01E-06	5.48E-02	4.71E-02	7.78E-09	1.0E+06	7.8E-03
299	0.51462	1.17E-02	6.0E-03	6.05E-04	3.65E-06	5.48E-02	4.71E-02	9.42E-09	1.0E+06	9.4E-03
300	0.60798	1.17E-02	7.1E-03	6.05E-04	4.31E-06	5.48E-02	4.71E-02	1.11E-08	1.0E+06	1.1E-02
301	0.7201	1.17E-02	8.4E-03	6.05E-04	5.10E-06	5.48E-02	4.71E-02	1.32E-08	1.0E+06	1.3E-02
302	0.82671	1.17E-02	9.7E-03	6.05E-04	5.86E-06	5.48E-02	4.71E-02	1.51E-08	1.0E+06	1.5E-02
303	0.91312	1.17E-02	1.1E-02	6.05E-04	6.47E-06	5.48E-02	4.71E-02	1.67E-08	1.0E+06	1.7E-02
304	0.97225	1.17E-02	1.1E-02	6.05E-04	6.89E-06	5.48E-02	4.71E-02	1.78E-08	1.0E+06	1.8E-02
305	1.03502	1.17E-02	1.2E-02	6.05E-04	7.33E-06	5.48E-02	4.71E-02	1.89E-08	1.0E+06	1.9E-02
306	0.15526	1.17E-02	1.8E-03	6.05E-04	1.10E-06	5.48E-02	4.71E-02	2.84E-09	1.0E+06	2.8E-03
307	0.16177	1.17E-02	1.9E-03	6.05E-04	1.15E-06	5.48E-02	4.71E-02	2.96E-09	1.0E+06	3.0E-03
308	0.17435	1.17E-02	2.0E-03	6.05E-04	1.24E-06	5.48E-02	4.71E-02	3.19E-09	1.0E+06	3.2E-03
309	0.20263	1.17E-02	2.4E-03	6.05E-04	1.44E-06	5.48E-02	4.71E-02	3.71E-09	1.0E+06	3.7E-03
310	0.23095	1.17E-02	2.7E-03	6.05E-04	1.64E-06	5.48E-02	4.71E-02	4.23E-09	1.0E+06	4.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.24347	1.17E-02	2.9E-03	6.05E-04	1.72E-06	5.48E-02	4.71E-02	4.46E-09	1.0E+06	4.5E-03
312	0.23496	1.17E-02	2.8E-03	6.05E-04	1.66E-06	5.48E-02	4.71E-02	4.30E-09	1.0E+06	4.3E-03
313	0.25841	1.17E-02	3.0E-03	6.05E-04	1.83E-06	5.48E-02	4.71E-02	4.73E-09	1.0E+06	4.7E-03
314	0.28898	1.17E-02	3.4E-03	6.05E-04	2.05E-06	5.48E-02	4.71E-02	5.29E-09	1.0E+06	5.3E-03
315	0.3372	1.17E-02	3.9E-03	6.05E-04	2.39E-06	5.48E-02	4.71E-02	6.17E-09	1.0E+06	6.2E-03
316	0.37548	1.17E-02	4.4E-03	6.05E-04	2.66E-06	5.48E-02	4.71E-02	6.87E-09	1.0E+06	6.9E-03
317	0.43327	1.17E-02	5.1E-03	6.05E-04	3.07E-06	5.48E-02	4.71E-02	7.93E-09	1.0E+06	7.9E-03
318	0.50839	1.17E-02	6.0E-03	6.05E-04	3.60E-06	5.48E-02	4.71E-02	9.30E-09	1.0E+06	9.3E-03
319	0.60035	1.17E-02	7.0E-03	6.05E-04	4.25E-06	5.48E-02	4.71E-02	1.10E-08	1.0E+06	1.1E-02
320	0.69635	1.17E-02	8.2E-03	6.05E-04	4.93E-06	5.48E-02	4.71E-02	1.27E-08	1.0E+06	1.3E-02
321	0.76368	1.17E-02	8.9E-03	6.05E-04	5.41E-06	5.48E-02	4.71E-02	1.40E-08	1.0E+06	1.4E-02
322	0.80823	1.17E-02	9.5E-03	6.05E-04	5.73E-06	5.48E-02	4.71E-02	1.48E-08	1.0E+06	1.5E-02
323	0.86092	1.17E-02	1.0E-02	6.05E-04	6.10E-06	5.48E-02	4.71E-02	1.58E-08	1.0E+06	1.6E-02
324	0.14933	1.17E-02	1.7E-03	6.05E-04	1.06E-06	5.48E-02	4.71E-02	2.73E-09	1.0E+06	2.7E-03
325	0.16452	1.17E-02	1.9E-03	6.05E-04	1.17E-06	5.48E-02	4.71E-02	3.01E-09	1.0E+06	3.0E-03
326	0.17468	1.17E-02	2.0E-03	6.05E-04	1.24E-06	5.48E-02	4.71E-02	3.20E-09	1.0E+06	3.2E-03
327	0.18209	1.17E-02	2.1E-03	6.05E-04	1.29E-06	5.48E-02	4.71E-02	3.33E-09	1.0E+06	3.3E-03
328	0.21964	1.17E-02	2.6E-03	6.05E-04	1.56E-06	5.48E-02	4.71E-02	4.02E-09	1.0E+06	4.0E-03
329	0.22545	1.17E-02	2.6E-03	6.05E-04	1.60E-06	5.48E-02	4.71E-02	4.13E-09	1.0E+06	4.1E-03
330	0.2186	1.17E-02	2.6E-03	6.05E-04	1.55E-06	5.48E-02	4.71E-02	4.00E-09	1.0E+06	4.0E-03
331	0.24035	1.17E-02	2.8E-03	6.05E-04	1.70E-06	5.48E-02	4.71E-02	4.40E-09	1.0E+06	4.4E-03
332	0.26848	1.17E-02	3.1E-03	6.05E-04	1.90E-06	5.48E-02	4.71E-02	4.91E-09	1.0E+06	4.9E-03
333	0.31139	1.17E-02	3.6E-03	6.05E-04	2.21E-06	5.48E-02	4.71E-02	5.70E-09	1.0E+06	5.7E-03
334	0.35238	1.17E-02	4.1E-03	6.05E-04	2.50E-06	5.48E-02	4.71E-02	6.45E-09	1.0E+06	6.4E-03
335	0.40188	1.17E-02	4.7E-03	6.05E-04	2.85E-06	5.48E-02	4.71E-02	7.35E-09	1.0E+06	7.4E-03
336	14.22193	1.17E-02	1.7E-01	6.05E-04	1.01E-04	5.48E-02	4.71E-02	2.60E-07	1.0E+06	2.6E-01
337	9.15446	1.17E-02	1.1E-01	6.05E-04	6.48E-05	5.48E-02	4.71E-02	1.68E-07	1.0E+06	1.7E-01
338	0.35979	1.17E-02	4.2E-03	6.05E-04	2.55E-06	5.48E-02	4.71E-02	6.58E-09	1.0E+06	6.6E-03
339	0.39641	1.17E-02	4.6E-03	6.05E-04	2.81E-06	5.48E-02	4.71E-02	7.25E-09	1.0E+06	7.3E-03
340	0.42244	1.17E-02	4.9E-03	6.05E-04	2.99E-06	5.48E-02	4.71E-02	7.73E-09	1.0E+06	7.7E-03
341	0.44086	1.17E-02	5.2E-03	6.05E-04	3.12E-06	5.48E-02	4.71E-02	8.07E-09	1.0E+06	8.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.45488	1.17E-02	5.3E-03	6.05E-04	3.22E-06	5.48E-02	4.71E-02	8.32E-09	1.0E+06	8.3E-03
343	0.46544	1.17E-02	5.4E-03	6.05E-04	3.30E-06	5.48E-02	4.71E-02	8.52E-09	1.0E+06	8.5E-03
344	0.46309	1.17E-02	5.4E-03	6.05E-04	3.28E-06	5.48E-02	4.71E-02	8.47E-09	1.0E+06	8.5E-03
345	0.4552	1.17E-02	5.3E-03	6.05E-04	3.22E-06	5.48E-02	4.71E-02	8.33E-09	1.0E+06	8.3E-03
346	0.44133	1.17E-02	5.2E-03	6.05E-04	3.13E-06	5.48E-02	4.71E-02	8.08E-09	1.0E+06	8.1E-03
347	0.41527	1.17E-02	4.9E-03	6.05E-04	2.94E-06	5.48E-02	4.71E-02	7.60E-09	1.0E+06	7.6E-03
348	0.4685	1.17E-02	5.5E-03	6.05E-04	3.32E-06	5.48E-02	4.71E-02	8.57E-09	1.0E+06	8.6E-03
349	0.50316	1.17E-02	5.9E-03	6.05E-04	3.56E-06	5.48E-02	4.71E-02	9.21E-09	1.0E+06	9.2E-03
350	0.52854	1.17E-02	6.2E-03	6.05E-04	3.74E-06	5.48E-02	4.71E-02	9.67E-09	1.0E+06	9.7E-03
351	0.54861	1.17E-02	6.4E-03	6.05E-04	3.89E-06	5.48E-02	4.71E-02	1.00E-08	1.0E+06	1.0E-02
352	0.56328	1.17E-02	6.6E-03	6.05E-04	3.99E-06	5.48E-02	4.71E-02	1.03E-08	1.0E+06	1.0E-02
353	0.55888	1.17E-02	6.5E-03	6.05E-04	3.96E-06	5.48E-02	4.71E-02	1.02E-08	1.0E+06	1.0E-02
354	0.54148	1.17E-02	6.3E-03	6.05E-04	3.84E-06	5.48E-02	4.71E-02	9.91E-09	1.0E+06	9.9E-03
355	0.52355	1.17E-02	6.1E-03	6.05E-04	3.71E-06	5.48E-02	4.71E-02	9.58E-09	1.0E+06	9.6E-03
356	0.48865	1.17E-02	5.7E-03	6.05E-04	3.46E-06	5.48E-02	4.71E-02	8.94E-09	1.0E+06	8.9E-03
357	0.5365	1.17E-02	6.3E-03	6.05E-04	3.80E-06	5.48E-02	4.71E-02	9.82E-09	1.0E+06	9.8E-03
358	0.60331	1.17E-02	7.1E-03	6.05E-04	4.27E-06	5.48E-02	4.71E-02	1.10E-08	1.0E+06	1.1E-02
359	0.64623	1.17E-02	7.6E-03	6.05E-04	4.58E-06	5.48E-02	4.71E-02	1.18E-08	1.0E+06	1.2E-02
360	0.67667	1.17E-02	7.9E-03	6.05E-04	4.79E-06	5.48E-02	4.71E-02	1.24E-08	1.0E+06	1.2E-02
361	0.69726	1.17E-02	8.2E-03	6.05E-04	4.94E-06	5.48E-02	4.71E-02	1.28E-08	1.0E+06	1.3E-02
362	0.68982	1.17E-02	8.1E-03	6.05E-04	4.89E-06	5.48E-02	4.71E-02	1.26E-08	1.0E+06	1.3E-02
363	0.66165	1.17E-02	7.7E-03	6.05E-04	4.69E-06	5.48E-02	4.71E-02	1.21E-08	1.0E+06	1.2E-02
364	0.5908	1.17E-02	6.9E-03	6.05E-04	4.19E-06	5.48E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
365	0.64391	1.17E-02	7.5E-03	6.05E-04	4.56E-06	5.48E-02	4.71E-02	1.18E-08	1.0E+06	1.2E-02
366	0.73317	1.17E-02	8.6E-03	6.05E-04	5.19E-06	5.48E-02	4.71E-02	1.34E-08	1.0E+06	1.3E-02
367	0.81139	1.17E-02	9.5E-03	6.05E-04	5.75E-06	5.48E-02	4.71E-02	1.48E-08	1.0E+06	1.5E-02
368	0.85914	1.17E-02	1.0E-02	6.05E-04	6.09E-06	5.48E-02	4.71E-02	1.57E-08	1.0E+06	1.6E-02
369	0.89316	1.17E-02	1.0E-02	6.05E-04	6.33E-06	5.48E-02	4.71E-02	1.63E-08	1.0E+06	1.6E-02
370	0.84336	1.17E-02	9.9E-03	6.05E-04	5.97E-06	5.48E-02	4.71E-02	1.54E-08	1.0E+06	1.5E-02
371	0.78943	1.17E-02	9.2E-03	6.05E-04	5.59E-06	5.48E-02	4.71E-02	1.44E-08	1.0E+06	1.4E-02
372	0.7404	1.17E-02	8.7E-03	6.05E-04	5.24E-06	5.48E-02	4.71E-02	1.35E-08	1.0E+06	1.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.81467	1.17E-02	9.5E-03	6.05E-04	5.77E-06	5.48E-02	4.71E-02	1.49E-08	1.0E+06	1.5E-02
374	0.93965	1.17E-02	1.1E-02	6.05E-04	6.66E-06	5.48E-02	4.71E-02	1.72E-08	1.0E+06	1.7E-02
375	1.05178	1.17E-02	1.2E-02	6.05E-04	7.45E-06	5.48E-02	4.71E-02	1.92E-08	1.0E+06	1.9E-02
376	1.13565	1.17E-02	1.3E-02	6.05E-04	8.04E-06	5.48E-02	4.71E-02	2.08E-08	1.0E+06	2.1E-02
377	1.18875	1.17E-02	1.4E-02	6.05E-04	8.42E-06	5.48E-02	4.71E-02	2.18E-08	1.0E+06	2.2E-02
378	1.20018	1.17E-02	1.4E-02	6.05E-04	8.50E-06	5.48E-02	4.71E-02	2.20E-08	1.0E+06	2.2E-02
379	1.0988	1.17E-02	1.3E-02	6.05E-04	7.78E-06	5.48E-02	4.71E-02	2.01E-08	1.0E+06	2.0E-02
380	1.00783	1.17E-02	1.2E-02	6.05E-04	7.14E-06	5.48E-02	4.71E-02	1.84E-08	1.0E+06	1.8E-02
381	0.90119	1.17E-02	1.1E-02	6.05E-04	6.38E-06	5.48E-02	4.71E-02	1.65E-08	1.0E+06	1.6E-02
382	0.96212	1.17E-02	1.1E-02	6.05E-04	6.82E-06	5.48E-02	4.71E-02	1.76E-08	1.0E+06	1.8E-02
383	1.10532	1.17E-02	1.3E-02	6.05E-04	7.83E-06	5.48E-02	4.71E-02	2.02E-08	1.0E+06	2.0E-02
384	1.26328	1.17E-02	1.5E-02	6.05E-04	8.95E-06	5.48E-02	4.71E-02	2.31E-08	1.0E+06	2.3E-02
385	1.43142	1.17E-02	1.7E-02	6.05E-04	1.01E-05	5.48E-02	4.71E-02	2.62E-08	1.0E+06	2.6E-02
386	1.58401	1.17E-02	1.9E-02	6.05E-04	1.12E-05	5.48E-02	4.71E-02	2.90E-08	1.0E+06	2.9E-02
387	1.69194	1.17E-02	2.0E-02	6.05E-04	1.20E-05	5.48E-02	4.71E-02	3.10E-08	1.0E+06	3.1E-02
388	1.71763	1.17E-02	2.0E-02	6.05E-04	1.22E-05	5.48E-02	4.71E-02	3.14E-08	1.0E+06	3.1E-02
389	1.484	1.17E-02	1.7E-02	6.05E-04	1.05E-05	5.48E-02	4.71E-02	2.72E-08	1.0E+06	2.7E-02
390	1.29262	1.17E-02	1.5E-02	6.05E-04	9.16E-06	5.48E-02	4.71E-02	2.37E-08	1.0E+06	2.4E-02
391	1.10329	1.17E-02	1.3E-02	6.05E-04	7.82E-06	5.48E-02	4.71E-02	2.02E-08	1.0E+06	2.0E-02
392	0.9065	1.17E-02	1.1E-02	6.05E-04	6.42E-06	5.48E-02	4.71E-02	1.66E-08	1.0E+06	1.7E-02
393	1.34746	1.17E-02	1.6E-02	6.05E-04	9.55E-06	5.48E-02	4.71E-02	2.47E-08	1.0E+06	2.5E-02
394	1.64651	1.17E-02	1.9E-02	6.05E-04	1.17E-05	5.48E-02	4.71E-02	3.01E-08	1.0E+06	3.0E-02
395	1.85616	1.17E-02	2.2E-02	6.05E-04	1.31E-05	5.48E-02	4.71E-02	3.40E-08	1.0E+06	3.4E-02
396	2.16582	1.17E-02	2.5E-02	6.05E-04	1.53E-05	5.48E-02	4.71E-02	3.96E-08	1.0E+06	4.0E-02
397	2.45109	1.17E-02	2.9E-02	6.05E-04	1.74E-05	5.48E-02	4.71E-02	4.49E-08	1.0E+06	4.5E-02
398	2.45583	1.17E-02	2.9E-02	6.05E-04	1.74E-05	5.48E-02	4.71E-02	4.49E-08	1.0E+06	4.5E-02
399	2.2475	1.17E-02	2.6E-02	6.05E-04	1.59E-05	5.48E-02	4.71E-02	4.11E-08	1.0E+06	4.1E-02
400	2.09785	1.17E-02	2.5E-02	6.05E-04	1.49E-05	5.48E-02	4.71E-02	3.84E-08	1.0E+06	3.8E-02
401	1.67728	1.17E-02	2.0E-02	6.05E-04	1.19E-05	5.48E-02	4.71E-02	3.07E-08	1.0E+06	3.1E-02
402	1.02737	1.17E-02	1.2E-02	6.05E-04	7.28E-06	5.48E-02	4.71E-02	1.88E-08	1.0E+06	1.9E-02
403	3.07347	1.17E-02	3.6E-02	6.05E-04	2.18E-05	5.48E-02	4.71E-02	5.62E-08	1.0E+06	5.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.17192	1.17E-02	1.4E-02	6.05E-04	8.30E-06	5.48E-02	4.71E-02	2.14E-08	1.0E+06	2.1E-02
405	0.88845	1.17E-02	1.0E-02	6.05E-04	6.29E-06	5.48E-02	4.71E-02	1.63E-08	1.0E+06	1.6E-02
406	4.25111	1.17E-02	5.0E-02	6.05E-04	3.01E-05	5.48E-02	4.71E-02	7.78E-08	1.0E+06	7.8E-02
407	0.89626	1.17E-02	1.0E-02	6.05E-04	6.35E-06	5.48E-02	4.71E-02	1.64E-08	1.0E+06	1.6E-02
408	4.45544	1.17E-02	5.2E-02	6.05E-04	3.16E-05	5.48E-02	4.71E-02	8.15E-08	1.0E+06	8.2E-02
409	0.87466	1.17E-02	1.0E-02	6.05E-04	6.20E-06	5.48E-02	4.71E-02	1.60E-08	1.0E+06	1.6E-02
410	3.99529	1.17E-02	4.7E-02	6.05E-04	2.83E-05	5.48E-02	4.71E-02	7.31E-08	1.0E+06	7.3E-02
411	1.11539	1.17E-02	1.3E-02	6.05E-04	7.90E-06	5.48E-02	4.71E-02	2.04E-08	1.0E+06	2.0E-02
412	0.85128	1.17E-02	1.0E-02	6.05E-04	6.03E-06	5.48E-02	4.71E-02	1.56E-08	1.0E+06	1.6E-02
413	3.39077	1.17E-02	4.0E-02	6.05E-04	2.40E-05	5.48E-02	4.71E-02	6.20E-08	1.0E+06	6.2E-02
414	1.40553	1.17E-02	1.6E-02	6.05E-04	9.96E-06	5.48E-02	4.71E-02	2.57E-08	1.0E+06	2.6E-02
415	1.02933	1.17E-02	1.2E-02	6.05E-04	7.29E-06	5.48E-02	4.71E-02	1.88E-08	1.0E+06	1.9E-02
416	0.79436	1.17E-02	9.3E-03	6.05E-04	5.63E-06	5.48E-02	4.71E-02	1.45E-08	1.0E+06	1.5E-02
417	2.77348	1.17E-02	3.2E-02	6.05E-04	1.96E-05	5.48E-02	4.71E-02	5.08E-08	1.0E+06	5.1E-02
418	0.94049	1.17E-02	1.1E-02	6.05E-04	6.66E-06	5.48E-02	4.71E-02	1.72E-08	1.0E+06	1.7E-02
419	0.73553	1.17E-02	8.6E-03	6.05E-04	5.21E-06	5.48E-02	4.71E-02	1.35E-08	1.0E+06	1.3E-02
420	0.59217	1.17E-02	6.9E-03	6.05E-04	4.19E-06	5.48E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
421	2.27084	1.17E-02	2.7E-02	6.05E-04	1.61E-05	5.48E-02	4.71E-02	4.16E-08	1.0E+06	4.2E-02
422	0.67828	1.17E-02	7.9E-03	6.05E-04	4.80E-06	5.48E-02	4.71E-02	1.24E-08	1.0E+06	1.2E-02
423	0.554	1.17E-02	6.5E-03	6.05E-04	3.92E-06	5.48E-02	4.71E-02	1.01E-08	1.0E+06	1.0E-02
424	1.88	1.17E-02	2.2E-02	6.05E-04	1.33E-05	5.48E-02	4.71E-02	3.44E-08	1.0E+06	3.4E-02
425	0.5157	1.17E-02	6.0E-03	6.05E-04	3.65E-06	5.48E-02	4.71E-02	9.44E-09	1.0E+06	9.4E-03
426	0.43371	1.17E-02	5.1E-03	6.05E-04	3.07E-06	5.48E-02	4.71E-02	7.94E-09	1.0E+06	7.9E-03
427	1.56649	1.17E-02	1.8E-02	6.05E-04	1.11E-05	5.48E-02	4.71E-02	2.87E-08	1.0E+06	2.9E-02
428	0.4789	1.17E-02	5.6E-03	6.05E-04	3.39E-06	5.48E-02	4.71E-02	8.76E-09	1.0E+06	8.8E-03
429	0.40662	1.17E-02	4.8E-03	6.05E-04	2.88E-06	5.48E-02	4.71E-02	7.44E-09	1.0E+06	7.4E-03
430	1.3156	1.17E-02	1.5E-02	6.05E-04	9.32E-06	5.48E-02	4.71E-02	2.41E-08	1.0E+06	2.4E-02
431	0.38046	1.17E-02	4.5E-03	6.05E-04	2.70E-06	5.48E-02	4.71E-02	6.96E-09	1.0E+06	7.0E-03
432	0.32758	1.17E-02	3.8E-03	6.05E-04	2.32E-06	5.48E-02	4.71E-02	5.99E-09	1.0E+06	6.0E-03
433	1.1119	1.17E-02	1.3E-02	6.05E-04	7.88E-06	5.48E-02	4.71E-02	2.03E-08	1.0E+06	2.0E-02
434	0.35598	1.17E-02	4.2E-03	6.05E-04	2.52E-06	5.48E-02	4.71E-02	6.51E-09	1.0E+06	6.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.31017	1.17E-02	3.6E-03	6.05E-04	2.20E-06	5.48E-02	4.71E-02	5.68E-09	1.0E+06	5.7E-03
436	0.94807	1.17E-02	1.1E-02	6.05E-04	6.72E-06	5.48E-02	4.71E-02	1.73E-08	1.0E+06	1.7E-02
437	0.38616	1.17E-02	4.5E-03	6.05E-04	2.74E-06	5.48E-02	4.71E-02	7.07E-09	1.0E+06	7.1E-03
438	0.33379	1.17E-02	3.9E-03	6.05E-04	2.36E-06	5.48E-02	4.71E-02	6.11E-09	1.0E+06	6.1E-03
439	0.29234	1.17E-02	3.4E-03	6.05E-04	2.07E-06	5.48E-02	4.71E-02	5.35E-09	1.0E+06	5.3E-03
440	0.81447	1.17E-02	9.5E-03	6.05E-04	5.77E-06	5.48E-02	4.71E-02	1.49E-08	1.0E+06	1.5E-02
441	0.49808	1.17E-02	5.8E-03	6.05E-04	3.53E-06	5.48E-02	4.71E-02	9.11E-09	1.0E+06	9.1E-03
442	0.42026	1.17E-02	4.9E-03	6.05E-04	2.98E-06	5.48E-02	4.71E-02	7.69E-09	1.0E+06	7.7E-03
443	0.36046	1.17E-02	4.2E-03	6.05E-04	2.55E-06	5.48E-02	4.71E-02	6.60E-09	1.0E+06	6.6E-03
444	0.31303	1.17E-02	3.7E-03	6.05E-04	2.22E-06	5.48E-02	4.71E-02	5.73E-09	1.0E+06	5.7E-03
445	0.70549	1.17E-02	8.3E-03	6.05E-04	5.00E-06	5.48E-02	4.71E-02	1.29E-08	1.0E+06	1.3E-02
446	0.52981	1.17E-02	6.2E-03	6.05E-04	3.75E-06	5.48E-02	4.71E-02	9.70E-09	1.0E+06	9.7E-03
447	0.45344	1.17E-02	5.3E-03	6.05E-04	3.21E-06	5.48E-02	4.71E-02	8.30E-09	1.0E+06	8.3E-03
448	0.38911	1.17E-02	4.6E-03	6.05E-04	2.76E-06	5.48E-02	4.71E-02	7.12E-09	1.0E+06	7.1E-03
449	0.61559	1.17E-02	7.2E-03	6.05E-04	4.36E-06	5.48E-02	4.71E-02	1.13E-08	1.0E+06	1.1E-02
450	0.5474	1.17E-02	6.4E-03	6.05E-04	3.88E-06	5.48E-02	4.71E-02	1.00E-08	1.0E+06	1.0E-02
451	0.47889	1.17E-02	5.6E-03	6.05E-04	3.39E-06	5.48E-02	4.71E-02	8.76E-09	1.0E+06	8.8E-03
452	0.54079	1.17E-02	6.3E-03	6.05E-04	3.83E-06	5.48E-02	4.71E-02	9.90E-09	1.0E+06	9.9E-03
453	0.48845	1.17E-02	5.7E-03	6.05E-04	3.46E-06	5.48E-02	4.71E-02	8.94E-09	1.0E+06	8.9E-03
454	0.23028	1.17E-02	2.7E-03	6.05E-04	1.63E-06	5.48E-02	4.71E-02	4.21E-09	1.0E+06	4.2E-03
455	0.2084	1.17E-02	2.4E-03	6.05E-04	1.48E-06	5.48E-02	4.71E-02	3.81E-09	1.0E+06	3.8E-03
456	0.47804	1.17E-02	5.6E-03	6.05E-04	3.39E-06	5.48E-02	4.71E-02	8.75E-09	1.0E+06	8.7E-03
457	0.43751	1.17E-02	5.1E-03	6.05E-04	3.10E-06	5.48E-02	4.71E-02	8.01E-09	1.0E+06	8.0E-03
458	0.39304	1.17E-02	4.6E-03	6.05E-04	2.78E-06	5.48E-02	4.71E-02	7.19E-09	1.0E+06	7.2E-03
459	0.27435	1.17E-02	3.2E-03	6.05E-04	1.94E-06	5.48E-02	4.71E-02	5.02E-09	1.0E+06	5.0E-03
460	0.24475	1.17E-02	2.9E-03	6.05E-04	1.73E-06	5.48E-02	4.71E-02	4.48E-09	1.0E+06	4.5E-03
461	0.21926	1.17E-02	2.6E-03	6.05E-04	1.55E-06	5.48E-02	4.71E-02	4.01E-09	1.0E+06	4.0E-03
462	0.19767	1.17E-02	2.3E-03	6.05E-04	1.40E-06	5.48E-02	4.71E-02	3.62E-09	1.0E+06	3.6E-03
463	13.92843	1.17E-02	1.6E-01	6.05E-04	9.87E-05	5.48E-02	4.71E-02	2.55E-07	1.0E+06	2.5E-01
464	7.93246	1.17E-02	9.3E-02	6.05E-04	5.62E-05	5.48E-02	4.71E-02	1.45E-07	1.0E+06	1.5E-01
465	10.04613	1.17E-02	1.2E-01	6.05E-04	7.12E-05	5.48E-02	4.71E-02	1.84E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	5.6879	1.17E-02	6.7E-02	6.05E-04	4.03E-05	5.48E-02	4.71E-02	1.04E-07	1.0E+06	1.0E-01
467	6.17677	1.17E-02	7.2E-02	6.05E-04	4.38E-05	5.48E-02	4.71E-02	1.13E-07	1.0E+06	1.1E-01
468	4.25156	1.17E-02	5.0E-02	6.05E-04	3.01E-05	5.48E-02	4.71E-02	7.78E-08	1.0E+06	7.8E-02
469	3.04435	1.17E-02	3.6E-02	6.05E-04	2.16E-05	5.48E-02	4.71E-02	5.57E-08	1.0E+06	5.6E-02
470	2.7682	1.17E-02	3.2E-02	6.05E-04	1.96E-05	5.48E-02	4.71E-02	5.07E-08	1.0E+06	5.1E-02
471	2.64881	1.17E-02	3.1E-02	6.05E-04	1.88E-05	5.48E-02	4.71E-02	4.85E-08	1.0E+06	4.8E-02
472	2.05018	1.17E-02	2.4E-02	6.05E-04	1.45E-05	5.48E-02	4.71E-02	3.75E-08	1.0E+06	3.8E-02
473	1.76651	1.17E-02	2.1E-02	6.05E-04	1.25E-05	5.48E-02	4.71E-02	3.23E-08	1.0E+06	3.2E-02
474	1.58003	1.17E-02	1.8E-02	6.05E-04	1.12E-05	5.48E-02	4.71E-02	2.89E-08	1.0E+06	2.9E-02
475	1.40878	1.17E-02	1.6E-02	6.05E-04	9.98E-06	5.48E-02	4.71E-02	2.58E-08	1.0E+06	2.6E-02
476	1.25565	1.17E-02	1.5E-02	6.05E-04	8.89E-06	5.48E-02	4.71E-02	2.30E-08	1.0E+06	2.3E-02
477	1.14792	1.17E-02	1.3E-02	6.05E-04	8.13E-06	5.48E-02	4.71E-02	2.10E-08	1.0E+06	2.1E-02
478	1.02132	1.17E-02	1.2E-02	6.05E-04	7.24E-06	5.48E-02	4.71E-02	1.87E-08	1.0E+06	1.9E-02
479	0.95054	1.17E-02	1.1E-02	6.05E-04	6.73E-06	5.48E-02	4.71E-02	1.74E-08	1.0E+06	1.7E-02
480	0.85091	1.17E-02	1.0E-02	6.05E-04	6.03E-06	5.48E-02	4.71E-02	1.56E-08	1.0E+06	1.6E-02
481	0.84658	1.17E-02	9.9E-03	6.05E-04	6.00E-06	5.48E-02	4.71E-02	1.55E-08	1.0E+06	1.5E-02
482	0.73004	1.17E-02	8.5E-03	6.05E-04	5.17E-06	5.48E-02	4.71E-02	1.34E-08	1.0E+06	1.3E-02
483	0.68148	1.17E-02	8.0E-03	6.05E-04	4.83E-06	5.48E-02	4.71E-02	1.25E-08	1.0E+06	1.2E-02
484	0.63172	1.17E-02	7.4E-03	6.05E-04	4.48E-06	5.48E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	4.09E-04
2	5	4.26E-04
3	5	4.43E-04
4	5	4.61E-04
5	5	4.78E-04
6	5	5.01E-04
7	5	5.26E-04
8	5	5.57E-04
9	5	5.92E-04
10	5	6.41E-04
11	5	7.00E-04
12	5	7.67E-04
13	5	8.37E-04
14	5	1.10E-03
15	5	4.52E-04
16	5	4.73E-04
17	5	4.97E-04
18	5	5.19E-04
19	5	5.42E-04
20	5	5.68E-04
21	5	5.97E-04
22	5	6.29E-04
23	5	6.75E-04
24	5	7.25E-04
25	5	8.00E-04
26	5	8.87E-04
27	5	9.63E-04
28	5	1.34E-03
29	5	4.94E-04
30	5	5.23E-04
31	5	5.54E-04

Max	Receptor #	
0.037	146	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	5.87E-04
33	5	6.15E-04
34	5	6.49E-04
35	5	6.84E-04
36	5	7.25E-04
37	5	7.76E-04
38	5	8.43E-04
39	5	9.32E-04
40	5	1.02E-03
41	5	1.12E-03
42	5	1.66E-03
43	5	5.30E-04
44	5	5.65E-04
45	5	6.07E-04
46	5	6.52E-04
47	5	6.96E-04
48	5	7.41E-04
49	5	7.85E-04
50	5	8.33E-04
51	5	9.05E-04
52	5	9.85E-04
53	5	1.10E-03
54	5	1.22E-03
55	5	1.36E-03
56	5	2.13E-03
57	5	5.57E-04
58	5	6.03E-04
59	5	6.58E-04
60	5	7.17E-04
61	5	7.79E-04
62	5	8.43E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	9.15E-04
64	5	9.73E-04
65	5	1.06E-03
66	5	1.17E-03
67	5	1.30E-03
68	5	1.49E-03
69	5	1.70E-03
70	5	5.84E-04
71	5	6.38E-04
72	5	7.06E-04
73	5	7.77E-04
74	5	8.58E-04
75	5	9.45E-04
76	5	1.05E-03
77	5	1.15E-03
78	5	1.27E-03
79	5	1.47E-03
80	5	1.64E-03
81	5	1.93E-03
82	5	2.20E-03
83	5	6.07E-04
84	5	6.77E-04
85	5	7.52E-04
86	5	8.25E-04
87	5	9.20E-04
88	5	1.03E-03
89	5	1.16E-03
90	5	1.32E-03
91	5	1.52E-03
92	5	1.76E-03
93	5	2.06E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	2.43E-03
95	5	2.88E-03
96	5	6.26E-04
97	5	6.95E-04
98	5	7.74E-04
99	5	8.70E-04
100	5	9.75E-04
101	5	1.11E-03
102	5	1.27E-03
103	5	1.47E-03
104	5	1.73E-03
105	5	2.06E-03
106	5	2.49E-03
107	5	3.05E-03
108	5	3.77E-03
109	5	6.21E-04
110	5	6.95E-04
111	5	7.82E-04
112	5	8.86E-04
113	5	1.01E-03
114	5	1.17E-03
115	5	1.36E-03
116	5	1.60E-03
117	5	1.94E-03
118	5	2.32E-03
119	5	2.91E-03
120	5	3.70E-03
121	5	4.70E-03
122	5	5.98E-04
123	5	6.75E-04
124	5	7.69E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	8.80E-04
126	5	1.01E-03
127	5	1.18E-03
128	5	1.38E-03
129	5	1.66E-03
130	5	2.09E-03
131	5	3.03E-02
132	5	2.20E-02
133	5	5.60E-04
134	5	6.43E-04
135	5	7.38E-04
136	5	8.49E-04
137	5	9.86E-04
138	5	1.15E-03
139	5	1.35E-03
140	5	1.66E-03
141	5	2.10E-03
142	5	2.77E-03
143	5	3.92E-03
144	5	6.23E-03
145	5	1.22E-02
146	5	3.70E-02
147	5	5.19E-04
148	5	5.95E-04
149	5	6.88E-04
150	5	7.95E-04
151	5	9.32E-04
152	5	1.09E-03
153	5	1.29E-03
154	5	1.59E-03
155	5	2.02E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	2.70E-03
157	5	3.84E-03
158	5	6.18E-03
159	5	1.54E-02
160	5	4.90E-04
161	5	5.52E-04
162	5	6.18E-04
163	5	7.26E-04
164	5	8.67E-04
165	5	1.02E-03
166	5	1.22E-03
167	5	1.49E-03
168	5	1.88E-03
169	5	2.48E-03
170	5	3.47E-03
171	5	5.41E-03
172	5	1.16E-02
173	5	1.57E-02
174	5	2.41E-02
175	5	2.61E-02
176	5	3.04E-02
177	5	2.53E-02
178	5	2.09E-02
179	5	4.52E-04
180	5	5.02E-04
181	5	5.53E-04
182	5	6.62E-04
183	5	8.11E-04
184	5	9.54E-04
185	5	1.15E-03
186	5	1.39E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.73E-03
188	5	2.23E-03
189	5	2.98E-03
190	5	4.27E-03
191	5	6.90E-03
192	5	1.19E-02
193	5	1.56E-02
194	5	1.74E-02
195	5	1.90E-02
196	5	1.79E-02
197	5	1.38E-02
198	5	4.29E-04
199	5	4.78E-04
200	5	5.35E-04
201	5	6.17E-04
202	5	7.53E-04
203	5	8.93E-04
204	5	1.07E-03
205	5	1.29E-03
206	5	1.58E-03
207	5	1.98E-03
208	5	2.53E-03
209	5	3.37E-03
210	5	4.75E-03
211	5	6.76E-03
212	5	8.39E-03
213	5	9.01E-03
214	5	8.94E-03
215	5	1.04E-02
216	5	4.15E-04
217	5	4.58E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	5.14E-04
219	5	5.86E-04
220	5	7.02E-04
221	5	8.21E-04
222	5	9.83E-04
223	5	1.17E-03
224	5	1.41E-03
225	5	1.70E-03
226	5	2.10E-03
227	5	2.65E-03
228	5	3.45E-03
229	5	4.52E-03
230	5	5.47E-03
231	5	6.04E-03
232	5	6.24E-03
233	5	6.81E-03
234	5	4.02E-04
235	5	4.40E-04
236	5	4.92E-04
237	5	5.61E-04
238	5	6.54E-04
239	5	7.57E-04
240	5	8.88E-04
241	5	1.04E-03
242	5	1.23E-03
243	5	1.45E-03
244	5	1.75E-03
245	5	2.15E-03
246	5	2.69E-03
247	5	3.34E-03
248	5	3.97E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	4.42E-03
250	5	4.64E-03
251	5	4.98E-03
252	5	3.86E-04
253	5	4.19E-04
254	5	4.63E-04
255	5	5.17E-04
256	5	6.09E-04
257	5	6.74E-04
258	5	7.62E-04
259	5	8.65E-04
260	5	1.01E-03
261	5	1.21E-03
262	5	1.45E-03
263	5	1.74E-03
264	5	2.13E-03
265	5	2.56E-03
266	5	3.00E-03
267	5	3.34E-03
268	5	3.52E-03
269	5	3.76E-03
270	5	3.70E-04
271	5	4.02E-04
272	5	4.42E-04
273	5	4.87E-04
274	5	5.73E-04
275	5	6.50E-04
276	5	6.78E-04
277	5	7.53E-04
278	5	8.53E-04
279	5	9.89E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.19E-03
281	5	1.44E-03
282	5	1.73E-03
283	5	2.06E-03
284	5	2.38E-03
285	5	2.62E-03
286	5	2.77E-03
287	5	2.96E-03
288	5	3.57E-04
289	5	3.84E-04
290	5	4.28E-04
291	5	4.72E-04
292	5	5.75E-04
293	5	6.14E-04
294	5	6.10E-04
295	5	6.75E-04
296	5	7.60E-04
297	5	8.52E-04
298	5	9.95E-04
299	5	1.21E-03
300	5	1.42E-03
301	5	1.69E-03
302	5	1.94E-03
303	5	2.14E-03
304	5	2.28E-03
305	5	2.42E-03
306	5	3.64E-04
307	5	3.79E-04
308	5	4.08E-04
309	5	4.74E-04
310	5	5.41E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	5.70E-04
312	5	5.50E-04
313	5	6.05E-04
314	5	6.77E-04
315	5	7.90E-04
316	5	8.79E-04
317	5	1.01E-03
318	5	1.19E-03
319	5	1.41E-03
320	5	1.63E-03
321	5	1.79E-03
322	5	1.89E-03
323	5	2.02E-03
324	5	3.50E-04
325	5	3.85E-04
326	5	4.09E-04
327	5	4.26E-04
328	5	5.14E-04
329	5	5.28E-04
330	5	5.12E-04
331	5	5.63E-04
332	5	6.29E-04
333	5	7.29E-04
334	5	8.25E-04
335	5	9.41E-04
336	5	3.33E-02
337	5	2.14E-02
338	5	8.42E-04
339	5	9.28E-04
340	5	9.89E-04
341	5	1.03E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	1.07E-03
343	5	1.09E-03
344	5	1.08E-03
345	5	1.07E-03
346	5	1.03E-03
347	5	9.72E-04
348	5	1.10E-03
349	5	1.18E-03
350	5	1.24E-03
351	5	1.28E-03
352	5	1.32E-03
353	5	1.31E-03
354	5	1.27E-03
355	5	1.23E-03
356	5	1.14E-03
357	5	1.26E-03
358	5	1.41E-03
359	5	1.51E-03
360	5	1.58E-03
361	5	1.63E-03
362	5	1.62E-03
363	5	1.55E-03
364	5	1.38E-03
365	5	1.51E-03
366	5	1.72E-03
367	5	1.90E-03
368	5	2.01E-03
369	5	2.09E-03
370	5	1.97E-03
371	5	1.85E-03
372	5	1.73E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	1.91E-03
374	5	2.20E-03
375	5	2.46E-03
376	5	2.66E-03
377	5	2.78E-03
378	5	2.81E-03
379	5	2.57E-03
380	5	2.36E-03
381	5	2.11E-03
382	5	2.25E-03
383	5	2.59E-03
384	5	2.96E-03
385	5	3.35E-03
386	5	3.71E-03
387	5	3.96E-03
388	5	4.02E-03
389	5	3.47E-03
390	5	3.03E-03
391	5	2.58E-03
392	5	2.12E-03
393	5	3.16E-03
394	5	3.86E-03
395	5	4.35E-03
396	5	5.07E-03
397	5	5.74E-03
398	5	5.75E-03
399	5	5.26E-03
400	5	4.91E-03
401	5	3.93E-03
402	5	2.41E-03
403	5	7.20E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	2.74E-03
405	5	2.08E-03
406	5	9.95E-03
407	5	2.10E-03
408	5	1.04E-02
409	5	2.05E-03
410	5	9.36E-03
411	5	2.61E-03
412	5	1.99E-03
413	5	7.94E-03
414	5	3.29E-03
415	5	2.41E-03
416	5	1.86E-03
417	5	6.49E-03
418	5	2.20E-03
419	5	1.72E-03
420	5	1.39E-03
421	5	5.32E-03
422	5	1.59E-03
423	5	1.30E-03
424	5	4.40E-03
425	5	1.21E-03
426	5	1.02E-03
427	5	3.67E-03
428	5	1.12E-03
429	5	9.52E-04
430	5	3.08E-03
431	5	8.91E-04
432	5	7.67E-04
433	5	2.60E-03
434	5	8.34E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	7.26E-04
436	5	2.22E-03
437	5	9.04E-04
438	5	7.82E-04
439	5	6.85E-04
440	5	1.91E-03
441	5	1.17E-03
442	5	9.84E-04
443	5	8.44E-04
444	5	7.33E-04
445	5	1.65E-03
446	5	1.24E-03
447	5	1.06E-03
448	5	9.11E-04
449	5	1.44E-03
450	5	1.28E-03
451	5	1.12E-03
452	5	1.27E-03
453	5	1.14E-03
454	5	5.39E-04
455	5	4.88E-04
456	5	1.12E-03
457	5	1.02E-03
458	5	9.20E-04
459	5	6.42E-04
460	5	5.73E-04
461	5	5.13E-04
462	5	4.63E-04
463	5	3.26E-02
464	5	1.86E-02
465	5	2.35E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	1.33E-02
467	5	1.45E-02
468	5	9.96E-03
469	5	7.13E-03
470	5	6.48E-03
471	5	6.20E-03
472	5	4.80E-03
473	5	4.14E-03
474	5	3.70E-03
475	5	3.30E-03
476	5	2.94E-03
477	5	2.69E-03
478	5	2.39E-03
479	5	2.23E-03
480	5	1.99E-03
481	5	1.98E-03
482	5	1.71E-03
483	5	1.60E-03
484	5	1.48E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1	0.17488	3.38E-03	5.9E-04	6.05E-04	3.58E-07	9.21E-01	4.71E-02	1.55E-08	1.0E+06	1.6E-02
2	0.1821	3.38E-03	6.2E-04	6.05E-04	3.73E-07	9.21E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
3	0.18927	3.38E-03	6.4E-04	6.05E-04	3.87E-07	9.21E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
4	0.19672	3.38E-03	6.7E-04	6.05E-04	4.03E-07	9.21E-01	4.71E-02	1.75E-08	1.0E+06	1.7E-02
5	0.20428	3.38E-03	6.9E-04	6.05E-04	4.18E-07	9.21E-01	4.71E-02	1.82E-08	1.0E+06	1.8E-02
6	0.21386	3.38E-03	7.2E-04	6.05E-04	4.38E-07	9.21E-01	4.71E-02	1.90E-08	1.0E+06	1.9E-02
7	0.22485	3.38E-03	7.6E-04	6.05E-04	4.60E-07	9.21E-01	4.71E-02	2.00E-08	1.0E+06	2.0E-02
8	0.23793	3.38E-03	8.0E-04	6.05E-04	4.87E-07	9.21E-01	4.71E-02	2.11E-08	1.0E+06	2.1E-02
9	0.25299	3.38E-03	8.6E-04	6.05E-04	5.18E-07	9.21E-01	4.71E-02	2.25E-08	1.0E+06	2.2E-02
10	0.27375	3.38E-03	9.3E-04	6.05E-04	5.60E-07	9.21E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
11	0.29877	3.38E-03	1.0E-03	6.05E-04	6.12E-07	9.21E-01	4.71E-02	2.66E-08	1.0E+06	2.7E-02
12	0.32773	3.38E-03	1.1E-03	6.05E-04	6.71E-07	9.21E-01	4.71E-02	2.91E-08	1.0E+06	2.9E-02
13	0.35728	3.38E-03	1.2E-03	6.05E-04	7.31E-07	9.21E-01	4.71E-02	3.18E-08	1.0E+06	3.2E-02
14	0.47121	3.38E-03	1.6E-03	6.05E-04	9.65E-07	9.21E-01	4.71E-02	4.19E-08	1.0E+06	4.2E-02
15	0.19314	3.38E-03	6.5E-04	6.05E-04	3.95E-07	9.21E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
16	0.20217	3.38E-03	6.8E-04	6.05E-04	4.14E-07	9.21E-01	4.71E-02	1.80E-08	1.0E+06	1.8E-02
17	0.21216	3.38E-03	7.2E-04	6.05E-04	4.34E-07	9.21E-01	4.71E-02	1.89E-08	1.0E+06	1.9E-02
18	0.22178	3.38E-03	7.5E-04	6.05E-04	4.54E-07	9.21E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
19	0.23136	3.38E-03	7.8E-04	6.05E-04	4.74E-07	9.21E-01	4.71E-02	2.06E-08	1.0E+06	2.1E-02
20	0.2424	3.38E-03	8.2E-04	6.05E-04	4.96E-07	9.21E-01	4.71E-02	2.15E-08	1.0E+06	2.2E-02
21	0.25482	3.38E-03	8.6E-04	6.05E-04	5.22E-07	9.21E-01	4.71E-02	2.27E-08	1.0E+06	2.3E-02
22	0.26846	3.38E-03	9.1E-04	6.05E-04	5.50E-07	9.21E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
23	0.28842	3.38E-03	9.8E-04	6.05E-04	5.90E-07	9.21E-01	4.71E-02	2.56E-08	1.0E+06	2.6E-02
24	0.30946	3.38E-03	1.0E-03	6.05E-04	6.33E-07	9.21E-01	4.71E-02	2.75E-08	1.0E+06	2.8E-02
25	0.3417	3.38E-03	1.2E-03	6.05E-04	6.99E-07	9.21E-01	4.71E-02	3.04E-08	1.0E+06	3.0E-02
26	0.37884	3.38E-03	1.3E-03	6.05E-04	7.75E-07	9.21E-01	4.71E-02	3.37E-08	1.0E+06	3.4E-02
27	0.41116	3.38E-03	1.4E-03	6.05E-04	8.42E-07	9.21E-01	4.71E-02	3.65E-08	1.0E+06	3.7E-02
28	0.57175	3.38E-03	1.9E-03	6.05E-04	1.17E-06	9.21E-01	4.71E-02	5.08E-08	1.0E+06	5.1E-02
29	0.21093	3.38E-03	7.1E-04	6.05E-04	4.32E-07	9.21E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
30	0.22337	3.38E-03	7.6E-04	6.05E-04	4.57E-07	9.21E-01	4.71E-02	1.99E-08	1.0E+06	2.0E-02
31	0.23665	3.38E-03	8.0E-04	6.05E-04	4.84E-07	9.21E-01	4.71E-02	2.10E-08	1.0E+06	2.1E-02

	Max	Receptor #
Res	1.406	146

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.25053	3.38E-03	8.5E-04	6.05E-04	5.13E-07	9.21E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
33	0.26279	3.38E-03	8.9E-04	6.05E-04	5.38E-07	9.21E-01	4.71E-02	2.34E-08	1.0E+06	2.3E-02
34	0.27715	3.38E-03	9.4E-04	6.05E-04	5.67E-07	9.21E-01	4.71E-02	2.46E-08	1.0E+06	2.5E-02
35	0.29204	3.38E-03	9.9E-04	6.05E-04	5.98E-07	9.21E-01	4.71E-02	2.60E-08	1.0E+06	2.6E-02
36	0.30964	3.38E-03	1.0E-03	6.05E-04	6.34E-07	9.21E-01	4.71E-02	2.75E-08	1.0E+06	2.8E-02
37	0.33136	3.38E-03	1.1E-03	6.05E-04	6.78E-07	9.21E-01	4.71E-02	2.95E-08	1.0E+06	2.9E-02
38	0.35987	3.38E-03	1.2E-03	6.05E-04	7.37E-07	9.21E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02
39	0.39788	3.38E-03	1.3E-03	6.05E-04	8.14E-07	9.21E-01	4.71E-02	3.54E-08	1.0E+06	3.5E-02
40	0.43602	3.38E-03	1.5E-03	6.05E-04	8.93E-07	9.21E-01	4.71E-02	3.88E-08	1.0E+06	3.9E-02
41	0.4798	3.38E-03	1.6E-03	6.05E-04	9.82E-07	9.21E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
42	0.7101	3.38E-03	2.4E-03	6.05E-04	1.45E-06	9.21E-01	4.71E-02	6.31E-08	1.0E+06	6.3E-02
43	0.22642	3.38E-03	7.7E-04	6.05E-04	4.63E-07	9.21E-01	4.71E-02	2.01E-08	1.0E+06	2.0E-02
44	0.24148	3.38E-03	8.2E-04	6.05E-04	4.94E-07	9.21E-01	4.71E-02	2.15E-08	1.0E+06	2.1E-02
45	0.25936	3.38E-03	8.8E-04	6.05E-04	5.31E-07	9.21E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
46	0.27862	3.38E-03	9.4E-04	6.05E-04	5.70E-07	9.21E-01	4.71E-02	2.48E-08	1.0E+06	2.5E-02
47	0.2972	3.38E-03	1.0E-03	6.05E-04	6.08E-07	9.21E-01	4.71E-02	2.64E-08	1.0E+06	2.6E-02
48	0.31625	3.38E-03	1.1E-03	6.05E-04	6.47E-07	9.21E-01	4.71E-02	2.81E-08	1.0E+06	2.8E-02
49	0.33541	3.38E-03	1.1E-03	6.05E-04	6.87E-07	9.21E-01	4.71E-02	2.98E-08	1.0E+06	3.0E-02
50	0.35565	3.38E-03	1.2E-03	6.05E-04	7.28E-07	9.21E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02
51	0.38654	3.38E-03	1.3E-03	6.05E-04	7.91E-07	9.21E-01	4.71E-02	3.44E-08	1.0E+06	3.4E-02
52	0.42056	3.38E-03	1.4E-03	6.05E-04	8.61E-07	9.21E-01	4.71E-02	3.74E-08	1.0E+06	3.7E-02
53	0.46818	3.38E-03	1.6E-03	6.05E-04	9.58E-07	9.21E-01	4.71E-02	4.16E-08	1.0E+06	4.2E-02
54	0.52053	3.38E-03	1.8E-03	6.05E-04	1.07E-06	9.21E-01	4.71E-02	4.63E-08	1.0E+06	4.6E-02
55	0.58292	3.38E-03	2.0E-03	6.05E-04	1.19E-06	9.21E-01	4.71E-02	5.18E-08	1.0E+06	5.2E-02
56	0.91081	3.38E-03	3.1E-03	6.05E-04	1.86E-06	9.21E-01	4.71E-02	8.10E-08	1.0E+06	8.1E-02
57	0.23786	3.38E-03	8.0E-04	6.05E-04	4.87E-07	9.21E-01	4.71E-02	2.11E-08	1.0E+06	2.1E-02
58	0.25766	3.38E-03	8.7E-04	6.05E-04	5.27E-07	9.21E-01	4.71E-02	2.29E-08	1.0E+06	2.3E-02
59	0.28115	3.38E-03	9.5E-04	6.05E-04	5.76E-07	9.21E-01	4.71E-02	2.50E-08	1.0E+06	2.5E-02
60	0.30622	3.38E-03	1.0E-03	6.05E-04	6.27E-07	9.21E-01	4.71E-02	2.72E-08	1.0E+06	2.7E-02
61	0.33261	3.38E-03	1.1E-03	6.05E-04	6.81E-07	9.21E-01	4.71E-02	2.96E-08	1.0E+06	3.0E-02
62	0.35999	3.38E-03	1.2E-03	6.05E-04	7.37E-07	9.21E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.39069	3.38E-03	1.3E-03	6.05E-04	8.00E-07	9.21E-01	4.71E-02	3.47E-08	1.0E+06	3.5E-02
64	0.4155	3.38E-03	1.4E-03	6.05E-04	8.51E-07	9.21E-01	4.71E-02	3.69E-08	1.0E+06	3.7E-02
65	0.45397	3.38E-03	1.5E-03	6.05E-04	9.29E-07	9.21E-01	4.71E-02	4.04E-08	1.0E+06	4.0E-02
66	0.50152	3.38E-03	1.7E-03	6.05E-04	1.03E-06	9.21E-01	4.71E-02	4.46E-08	1.0E+06	4.5E-02
67	0.55455	3.38E-03	1.9E-03	6.05E-04	1.14E-06	9.21E-01	4.71E-02	4.93E-08	1.0E+06	4.9E-02
68	0.63644	3.38E-03	2.2E-03	6.05E-04	1.30E-06	9.21E-01	4.71E-02	5.66E-08	1.0E+06	5.7E-02
69	0.72804	3.38E-03	2.5E-03	6.05E-04	1.49E-06	9.21E-01	4.71E-02	6.47E-08	1.0E+06	6.5E-02
70	0.2495	3.38E-03	8.4E-04	6.05E-04	5.11E-07	9.21E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
71	0.27248	3.38E-03	9.2E-04	6.05E-04	5.58E-07	9.21E-01	4.71E-02	2.42E-08	1.0E+06	2.4E-02
72	0.3016	3.38E-03	1.0E-03	6.05E-04	6.17E-07	9.21E-01	4.71E-02	2.68E-08	1.0E+06	2.7E-02
73	0.33167	3.38E-03	1.1E-03	6.05E-04	6.79E-07	9.21E-01	4.71E-02	2.95E-08	1.0E+06	2.9E-02
74	0.36626	3.38E-03	1.2E-03	6.05E-04	7.50E-07	9.21E-01	4.71E-02	3.26E-08	1.0E+06	3.3E-02
75	0.40355	3.38E-03	1.4E-03	6.05E-04	8.26E-07	9.21E-01	4.71E-02	3.59E-08	1.0E+06	3.6E-02
76	0.44679	3.38E-03	1.5E-03	6.05E-04	9.15E-07	9.21E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02
77	0.48972	3.38E-03	1.7E-03	6.05E-04	1.00E-06	9.21E-01	4.71E-02	4.35E-08	1.0E+06	4.4E-02
78	0.54448	3.38E-03	1.8E-03	6.05E-04	1.11E-06	9.21E-01	4.71E-02	4.84E-08	1.0E+06	4.8E-02
79	0.62745	3.38E-03	2.1E-03	6.05E-04	1.28E-06	9.21E-01	4.71E-02	5.58E-08	1.0E+06	5.6E-02
80	0.70098	3.38E-03	2.4E-03	6.05E-04	1.43E-06	9.21E-01	4.71E-02	6.23E-08	1.0E+06	6.2E-02
81	0.82297	3.38E-03	2.8E-03	6.05E-04	1.68E-06	9.21E-01	4.71E-02	7.32E-08	1.0E+06	7.3E-02
82	0.94086	3.38E-03	3.2E-03	6.05E-04	1.93E-06	9.21E-01	4.71E-02	8.36E-08	1.0E+06	8.4E-02
83	0.25944	3.38E-03	8.8E-04	6.05E-04	5.31E-07	9.21E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
84	0.28928	3.38E-03	9.8E-04	6.05E-04	5.92E-07	9.21E-01	4.71E-02	2.57E-08	1.0E+06	2.6E-02
85	0.32121	3.38E-03	1.1E-03	6.05E-04	6.58E-07	9.21E-01	4.71E-02	2.86E-08	1.0E+06	2.9E-02
86	0.35254	3.38E-03	1.2E-03	6.05E-04	7.22E-07	9.21E-01	4.71E-02	3.13E-08	1.0E+06	3.1E-02
87	0.39269	3.38E-03	1.3E-03	6.05E-04	8.04E-07	9.21E-01	4.71E-02	3.49E-08	1.0E+06	3.5E-02
88	0.43866	3.38E-03	1.5E-03	6.05E-04	8.98E-07	9.21E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
89	0.49549	3.38E-03	1.7E-03	6.05E-04	1.01E-06	9.21E-01	4.71E-02	4.40E-08	1.0E+06	4.4E-02
90	0.56452	3.38E-03	1.9E-03	6.05E-04	1.16E-06	9.21E-01	4.71E-02	5.02E-08	1.0E+06	5.0E-02
91	0.64839	3.38E-03	2.2E-03	6.05E-04	1.33E-06	9.21E-01	4.71E-02	5.76E-08	1.0E+06	5.8E-02
92	0.75145	3.38E-03	2.5E-03	6.05E-04	1.54E-06	9.21E-01	4.71E-02	6.68E-08	1.0E+06	6.7E-02
93	0.88004	3.38E-03	3.0E-03	6.05E-04	1.80E-06	9.21E-01	4.71E-02	7.82E-08	1.0E+06	7.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	1.03748	3.38E-03	3.5E-03	6.05E-04	2.12E-06	9.21E-01	4.71E-02	9.22E-08	1.0E+06	9.2E-02
95	1.2286	3.38E-03	4.2E-03	6.05E-04	2.51E-06	9.21E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
96	0.26724	3.38E-03	9.0E-04	6.05E-04	5.47E-07	9.21E-01	4.71E-02	2.38E-08	1.0E+06	2.4E-02
97	0.2968	3.38E-03	1.0E-03	6.05E-04	6.08E-07	9.21E-01	4.71E-02	2.64E-08	1.0E+06	2.6E-02
98	0.33036	3.38E-03	1.1E-03	6.05E-04	6.76E-07	9.21E-01	4.71E-02	2.94E-08	1.0E+06	2.9E-02
99	0.3717	3.38E-03	1.3E-03	6.05E-04	7.61E-07	9.21E-01	4.71E-02	3.30E-08	1.0E+06	3.3E-02
100	0.4166	3.38E-03	1.4E-03	6.05E-04	8.53E-07	9.21E-01	4.71E-02	3.70E-08	1.0E+06	3.7E-02
101	0.47215	3.38E-03	1.6E-03	6.05E-04	9.66E-07	9.21E-01	4.71E-02	4.20E-08	1.0E+06	4.2E-02
102	0.5404	3.38E-03	1.8E-03	6.05E-04	1.11E-06	9.21E-01	4.71E-02	4.80E-08	1.0E+06	4.8E-02
103	0.6279	3.38E-03	2.1E-03	6.05E-04	1.29E-06	9.21E-01	4.71E-02	5.58E-08	1.0E+06	5.6E-02
104	0.73836	3.38E-03	2.5E-03	6.05E-04	1.51E-06	9.21E-01	4.71E-02	6.56E-08	1.0E+06	6.6E-02
105	0.88132	3.38E-03	3.0E-03	6.05E-04	1.80E-06	9.21E-01	4.71E-02	7.83E-08	1.0E+06	7.8E-02
106	1.06529	3.38E-03	3.6E-03	6.05E-04	2.18E-06	9.21E-01	4.71E-02	9.47E-08	1.0E+06	9.5E-02
107	1.30402	3.38E-03	4.4E-03	6.05E-04	2.67E-06	9.21E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
108	1.61057	3.38E-03	5.4E-03	6.05E-04	3.30E-06	9.21E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
109	0.26525	3.38E-03	9.0E-04	6.05E-04	5.43E-07	9.21E-01	4.71E-02	2.36E-08	1.0E+06	2.4E-02
110	0.29664	3.38E-03	1.0E-03	6.05E-04	6.07E-07	9.21E-01	4.71E-02	2.64E-08	1.0E+06	2.6E-02
111	0.3339	3.38E-03	1.1E-03	6.05E-04	6.83E-07	9.21E-01	4.71E-02	2.97E-08	1.0E+06	3.0E-02
112	0.37842	3.38E-03	1.3E-03	6.05E-04	7.75E-07	9.21E-01	4.71E-02	3.36E-08	1.0E+06	3.4E-02
113	0.43228	3.38E-03	1.5E-03	6.05E-04	8.85E-07	9.21E-01	4.71E-02	3.84E-08	1.0E+06	3.8E-02
114	0.49803	3.38E-03	1.7E-03	6.05E-04	1.02E-06	9.21E-01	4.71E-02	4.43E-08	1.0E+06	4.4E-02
115	0.58	3.38E-03	2.0E-03	6.05E-04	1.19E-06	9.21E-01	4.71E-02	5.16E-08	1.0E+06	5.2E-02
116	0.68497	3.38E-03	2.3E-03	6.05E-04	1.40E-06	9.21E-01	4.71E-02	6.09E-08	1.0E+06	6.1E-02
117	0.82678	3.38E-03	2.8E-03	6.05E-04	1.69E-06	9.21E-01	4.71E-02	7.35E-08	1.0E+06	7.3E-02
118	0.98991	3.38E-03	3.3E-03	6.05E-04	2.03E-06	9.21E-01	4.71E-02	8.80E-08	1.0E+06	8.8E-02
119	1.24281	3.38E-03	4.2E-03	6.05E-04	2.54E-06	9.21E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
120	1.57912	3.38E-03	5.3E-03	6.05E-04	3.23E-06	9.21E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
121	2.00608	3.38E-03	6.8E-03	6.05E-04	4.11E-06	9.21E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
122	0.25537	3.38E-03	8.6E-04	6.05E-04	5.23E-07	9.21E-01	4.71E-02	2.27E-08	1.0E+06	2.3E-02
123	0.28818	3.38E-03	9.7E-04	6.05E-04	5.90E-07	9.21E-01	4.71E-02	2.56E-08	1.0E+06	2.6E-02
124	0.32858	3.38E-03	1.1E-03	6.05E-04	6.73E-07	9.21E-01	4.71E-02	2.92E-08	1.0E+06	2.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.3757	3.38E-03	1.3E-03	6.05E-04	7.69E-07	9.21E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02
126	0.43335	3.38E-03	1.5E-03	6.05E-04	8.87E-07	9.21E-01	4.71E-02	3.85E-08	1.0E+06	3.9E-02
127	0.50557	3.38E-03	1.7E-03	6.05E-04	1.03E-06	9.21E-01	4.71E-02	4.49E-08	1.0E+06	4.5E-02
128	0.58754	3.38E-03	2.0E-03	6.05E-04	1.20E-06	9.21E-01	4.71E-02	5.22E-08	1.0E+06	5.2E-02
129	0.71039	3.38E-03	2.4E-03	6.05E-04	1.45E-06	9.21E-01	4.71E-02	6.31E-08	1.0E+06	6.3E-02
130	0.89215	3.38E-03	3.0E-03	6.05E-04	1.83E-06	9.21E-01	4.71E-02	7.93E-08	1.0E+06	7.9E-02
131	12.92748	3.38E-03	4.4E-02	6.05E-04	2.65E-05	9.21E-01	4.71E-02	1.15E-06	1.0E+06	1.1E+00
132	9.40064	3.38E-03	3.2E-02	6.05E-04	1.92E-05	9.21E-01	4.71E-02	8.36E-07	1.0E+06	8.4E-01
133	0.23911	3.38E-03	8.1E-04	6.05E-04	4.89E-07	9.21E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
134	0.27452	3.38E-03	9.3E-04	6.05E-04	5.62E-07	9.21E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
135	0.31532	3.38E-03	1.1E-03	6.05E-04	6.45E-07	9.21E-01	4.71E-02	2.80E-08	1.0E+06	2.8E-02
136	0.36264	3.38E-03	1.2E-03	6.05E-04	7.42E-07	9.21E-01	4.71E-02	3.22E-08	1.0E+06	3.2E-02
137	0.42092	3.38E-03	1.4E-03	6.05E-04	8.62E-07	9.21E-01	4.71E-02	3.74E-08	1.0E+06	3.7E-02
138	0.49184	3.38E-03	1.7E-03	6.05E-04	1.01E-06	9.21E-01	4.71E-02	4.37E-08	1.0E+06	4.4E-02
139	0.57812	3.38E-03	2.0E-03	6.05E-04	1.18E-06	9.21E-01	4.71E-02	5.14E-08	1.0E+06	5.1E-02
140	0.70963	3.38E-03	2.4E-03	6.05E-04	1.45E-06	9.21E-01	4.71E-02	6.31E-08	1.0E+06	6.3E-02
141	0.89849	3.38E-03	3.0E-03	6.05E-04	1.84E-06	9.21E-01	4.71E-02	7.99E-08	1.0E+06	8.0E-02
142	1.18174	3.38E-03	4.0E-03	6.05E-04	2.42E-06	9.21E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
143	1.67257	3.38E-03	5.7E-03	6.05E-04	3.42E-06	9.21E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
144	2.65947	3.38E-03	9.0E-03	6.05E-04	5.44E-06	9.21E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
145	5.22291	3.38E-03	1.8E-02	6.05E-04	1.07E-05	9.21E-01	4.71E-02	4.64E-07	1.0E+06	4.6E-01
146	15.81931	3.38E-03	5.4E-02	6.05E-04	3.24E-05	9.21E-01	4.71E-02	1.41E-06	1.0E+06	1.4E+00
147	0.22164	3.38E-03	7.5E-04	6.05E-04	4.54E-07	9.21E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
148	0.25424	3.38E-03	8.6E-04	6.05E-04	5.20E-07	9.21E-01	4.71E-02	2.26E-08	1.0E+06	2.3E-02
149	0.294	3.38E-03	9.9E-04	6.05E-04	6.02E-07	9.21E-01	4.71E-02	2.61E-08	1.0E+06	2.6E-02
150	0.33969	3.38E-03	1.1E-03	6.05E-04	6.95E-07	9.21E-01	4.71E-02	3.02E-08	1.0E+06	3.0E-02
151	0.39809	3.38E-03	1.3E-03	6.05E-04	8.15E-07	9.21E-01	4.71E-02	3.54E-08	1.0E+06	3.5E-02
152	0.46482	3.38E-03	1.6E-03	6.05E-04	9.51E-07	9.21E-01	4.71E-02	4.13E-08	1.0E+06	4.1E-02
153	0.55148	3.38E-03	1.9E-03	6.05E-04	1.13E-06	9.21E-01	4.71E-02	4.90E-08	1.0E+06	4.9E-02
154	0.67711	3.38E-03	2.3E-03	6.05E-04	1.39E-06	9.21E-01	4.71E-02	6.02E-08	1.0E+06	6.0E-02
155	0.86429	3.38E-03	2.9E-03	6.05E-04	1.77E-06	9.21E-01	4.71E-02	7.68E-08	1.0E+06	7.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	1.15152	3.38E-03	3.9E-03	6.05E-04	2.36E-06	9.21E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
157	1.63937	3.38E-03	5.5E-03	6.05E-04	3.36E-06	9.21E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
158	2.64058	3.38E-03	8.9E-03	6.05E-04	5.41E-06	9.21E-01	4.71E-02	2.35E-07	1.0E+06	2.3E-01
159	6.58994	3.38E-03	2.2E-02	6.05E-04	1.35E-05	9.21E-01	4.71E-02	5.86E-07	1.0E+06	5.9E-01
160	0.20943	3.38E-03	7.1E-04	6.05E-04	4.29E-07	9.21E-01	4.71E-02	1.86E-08	1.0E+06	1.9E-02
161	0.23565	3.38E-03	8.0E-04	6.05E-04	4.82E-07	9.21E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
162	0.26393	3.38E-03	8.9E-04	6.05E-04	5.40E-07	9.21E-01	4.71E-02	2.35E-08	1.0E+06	2.3E-02
163	0.31008	3.38E-03	1.0E-03	6.05E-04	6.35E-07	9.21E-01	4.71E-02	2.76E-08	1.0E+06	2.8E-02
164	0.37016	3.38E-03	1.3E-03	6.05E-04	7.58E-07	9.21E-01	4.71E-02	3.29E-08	1.0E+06	3.3E-02
165	0.43373	3.38E-03	1.5E-03	6.05E-04	8.88E-07	9.21E-01	4.71E-02	3.86E-08	1.0E+06	3.9E-02
166	0.51919	3.38E-03	1.8E-03	6.05E-04	1.06E-06	9.21E-01	4.71E-02	4.61E-08	1.0E+06	4.6E-02
167	0.63546	3.38E-03	2.1E-03	6.05E-04	1.30E-06	9.21E-01	4.71E-02	5.65E-08	1.0E+06	5.6E-02
168	0.80312	3.38E-03	2.7E-03	6.05E-04	1.64E-06	9.21E-01	4.71E-02	7.14E-08	1.0E+06	7.1E-02
169	1.05888	3.38E-03	3.6E-03	6.05E-04	2.17E-06	9.21E-01	4.71E-02	9.41E-08	1.0E+06	9.4E-02
170	1.48224	3.38E-03	5.0E-03	6.05E-04	3.03E-06	9.21E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
171	2.31071	3.38E-03	7.8E-03	6.05E-04	4.73E-06	9.21E-01	4.71E-02	2.05E-07	1.0E+06	2.1E-01
172	4.93324	3.38E-03	1.7E-02	6.05E-04	1.01E-05	9.21E-01	4.71E-02	4.39E-07	1.0E+06	4.4E-01
173	6.72209	3.38E-03	2.3E-02	6.05E-04	1.38E-05	9.21E-01	4.71E-02	5.98E-07	1.0E+06	6.0E-01
174	10.31006	3.38E-03	3.5E-02	6.05E-04	2.11E-05	9.21E-01	4.71E-02	9.16E-07	1.0E+06	9.2E-01
175	11.13119	3.38E-03	3.8E-02	6.05E-04	2.28E-05	9.21E-01	4.71E-02	9.89E-07	1.0E+06	9.9E-01
176	12.98888	3.38E-03	4.4E-02	6.05E-04	2.66E-05	9.21E-01	4.71E-02	1.15E-06	1.0E+06	1.2E+00
177	10.80421	3.38E-03	3.7E-02	6.05E-04	2.21E-05	9.21E-01	4.71E-02	9.60E-07	1.0E+06	9.6E-01
178	8.91457	3.38E-03	3.0E-02	6.05E-04	1.82E-05	9.21E-01	4.71E-02	7.92E-07	1.0E+06	7.9E-01
179	0.19309	3.38E-03	6.5E-04	6.05E-04	3.95E-07	9.21E-01	4.71E-02	1.72E-08	1.0E+06	1.7E-02
180	0.21456	3.38E-03	7.3E-04	6.05E-04	4.39E-07	9.21E-01	4.71E-02	1.91E-08	1.0E+06	1.9E-02
181	0.2361	3.38E-03	8.0E-04	6.05E-04	4.83E-07	9.21E-01	4.71E-02	2.10E-08	1.0E+06	2.1E-02
182	0.28264	3.38E-03	9.6E-04	6.05E-04	5.79E-07	9.21E-01	4.71E-02	2.51E-08	1.0E+06	2.5E-02
183	0.34655	3.38E-03	1.2E-03	6.05E-04	7.09E-07	9.21E-01	4.71E-02	3.08E-08	1.0E+06	3.1E-02
184	0.40738	3.38E-03	1.4E-03	6.05E-04	8.34E-07	9.21E-01	4.71E-02	3.62E-08	1.0E+06	3.6E-02
185	0.48904	3.38E-03	1.7E-03	6.05E-04	1.00E-06	9.21E-01	4.71E-02	4.35E-08	1.0E+06	4.3E-02
186	0.59504	3.38E-03	2.0E-03	6.05E-04	1.22E-06	9.21E-01	4.71E-02	5.29E-08	1.0E+06	5.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.73895	3.38E-03	2.5E-03	6.05E-04	1.51E-06	9.21E-01	4.71E-02	6.57E-08	1.0E+06	6.6E-02
188	0.95209	3.38E-03	3.2E-03	6.05E-04	1.95E-06	9.21E-01	4.71E-02	8.46E-08	1.0E+06	8.5E-02
189	1.27312	3.38E-03	4.3E-03	6.05E-04	2.61E-06	9.21E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
190	1.82477	3.38E-03	6.2E-03	6.05E-04	3.74E-06	9.21E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
191	2.94775	3.38E-03	1.0E-02	6.05E-04	6.03E-06	9.21E-01	4.71E-02	2.62E-07	1.0E+06	2.6E-01
192	5.09803	3.38E-03	1.7E-02	6.05E-04	1.04E-05	9.21E-01	4.71E-02	4.53E-07	1.0E+06	4.5E-01
193	6.65391	3.38E-03	2.3E-02	6.05E-04	1.36E-05	9.21E-01	4.71E-02	5.91E-07	1.0E+06	5.9E-01
194	7.42306	3.38E-03	2.5E-02	6.05E-04	1.52E-05	9.21E-01	4.71E-02	6.60E-07	1.0E+06	6.6E-01
195	8.09345	3.38E-03	2.7E-02	6.05E-04	1.66E-05	9.21E-01	4.71E-02	7.19E-07	1.0E+06	7.2E-01
196	7.64119	3.38E-03	2.6E-02	6.05E-04	1.56E-05	9.21E-01	4.71E-02	6.79E-07	1.0E+06	6.8E-01
197	5.9061	3.38E-03	2.0E-02	6.05E-04	1.21E-05	9.21E-01	4.71E-02	5.25E-07	1.0E+06	5.2E-01
198	0.18335	3.38E-03	6.2E-04	6.05E-04	3.75E-07	9.21E-01	4.71E-02	1.63E-08	1.0E+06	1.6E-02
199	0.2041	3.38E-03	6.9E-04	6.05E-04	4.18E-07	9.21E-01	4.71E-02	1.81E-08	1.0E+06	1.8E-02
200	0.22853	3.38E-03	7.7E-04	6.05E-04	4.68E-07	9.21E-01	4.71E-02	2.03E-08	1.0E+06	2.0E-02
201	0.26339	3.38E-03	8.9E-04	6.05E-04	5.39E-07	9.21E-01	4.71E-02	2.34E-08	1.0E+06	2.3E-02
202	0.32176	3.38E-03	1.1E-03	6.05E-04	6.59E-07	9.21E-01	4.71E-02	2.86E-08	1.0E+06	2.9E-02
203	0.38143	3.38E-03	1.3E-03	6.05E-04	7.81E-07	9.21E-01	4.71E-02	3.39E-08	1.0E+06	3.4E-02
204	0.45785	3.38E-03	1.5E-03	6.05E-04	9.37E-07	9.21E-01	4.71E-02	4.07E-08	1.0E+06	4.1E-02
205	0.55249	3.38E-03	1.9E-03	6.05E-04	1.13E-06	9.21E-01	4.71E-02	4.91E-08	1.0E+06	4.9E-02
206	0.67606	3.38E-03	2.3E-03	6.05E-04	1.38E-06	9.21E-01	4.71E-02	6.01E-08	1.0E+06	6.0E-02
207	0.84477	3.38E-03	2.9E-03	6.05E-04	1.73E-06	9.21E-01	4.71E-02	7.51E-08	1.0E+06	7.5E-02
208	1.0806	3.38E-03	3.7E-03	6.05E-04	2.21E-06	9.21E-01	4.71E-02	9.61E-08	1.0E+06	9.6E-02
209	1.4381	3.38E-03	4.9E-03	6.05E-04	2.94E-06	9.21E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
210	2.02651	3.38E-03	6.9E-03	6.05E-04	4.15E-06	9.21E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
211	2.88779	3.38E-03	9.8E-03	6.05E-04	5.91E-06	9.21E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
212	3.58306	3.38E-03	1.2E-02	6.05E-04	7.33E-06	9.21E-01	4.71E-02	3.18E-07	1.0E+06	3.2E-01
213	3.84605	3.38E-03	1.3E-02	6.05E-04	7.87E-06	9.21E-01	4.71E-02	3.42E-07	1.0E+06	3.4E-01
214	3.81694	3.38E-03	1.3E-02	6.05E-04	7.81E-06	9.21E-01	4.71E-02	3.39E-07	1.0E+06	3.4E-01
215	4.44903	3.38E-03	1.5E-02	6.05E-04	9.11E-06	9.21E-01	4.71E-02	3.95E-07	1.0E+06	4.0E-01
216	0.17741	3.38E-03	6.0E-04	6.05E-04	3.63E-07	9.21E-01	4.71E-02	1.58E-08	1.0E+06	1.6E-02
217	0.1957	3.38E-03	6.6E-04	6.05E-04	4.01E-07	9.21E-01	4.71E-02	1.74E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.21931	3.38E-03	7.4E-04	6.05E-04	4.49E-07	9.21E-01	4.71E-02	1.95E-08	1.0E+06	1.9E-02
219	0.25009	3.38E-03	8.5E-04	6.05E-04	5.12E-07	9.21E-01	4.71E-02	2.22E-08	1.0E+06	2.2E-02
220	0.29965	3.38E-03	1.0E-03	6.05E-04	6.13E-07	9.21E-01	4.71E-02	2.66E-08	1.0E+06	2.7E-02
221	0.35077	3.38E-03	1.2E-03	6.05E-04	7.18E-07	9.21E-01	4.71E-02	3.12E-08	1.0E+06	3.1E-02
222	0.41974	3.38E-03	1.4E-03	6.05E-04	8.59E-07	9.21E-01	4.71E-02	3.73E-08	1.0E+06	3.7E-02
223	0.50101	3.38E-03	1.7E-03	6.05E-04	1.03E-06	9.21E-01	4.71E-02	4.45E-08	1.0E+06	4.5E-02
224	0.60151	3.38E-03	2.0E-03	6.05E-04	1.23E-06	9.21E-01	4.71E-02	5.35E-08	1.0E+06	5.3E-02
225	0.7257	3.38E-03	2.5E-03	6.05E-04	1.49E-06	9.21E-01	4.71E-02	6.45E-08	1.0E+06	6.5E-02
226	0.89772	3.38E-03	3.0E-03	6.05E-04	1.84E-06	9.21E-01	4.71E-02	7.98E-08	1.0E+06	8.0E-02
227	1.13195	3.38E-03	3.8E-03	6.05E-04	2.32E-06	9.21E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
228	1.475	3.38E-03	5.0E-03	6.05E-04	3.02E-06	9.21E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
229	1.93098	3.38E-03	6.5E-03	6.05E-04	3.95E-06	9.21E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01
230	2.33502	3.38E-03	7.9E-03	6.05E-04	4.78E-06	9.21E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
231	2.58104	3.38E-03	8.7E-03	6.05E-04	5.28E-06	9.21E-01	4.71E-02	2.29E-07	1.0E+06	2.3E-01
232	2.66403	3.38E-03	9.0E-03	6.05E-04	5.45E-06	9.21E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
233	2.9077	3.38E-03	9.8E-03	6.05E-04	5.95E-06	9.21E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
234	0.17189	3.38E-03	5.8E-04	6.05E-04	3.52E-07	9.21E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
235	0.18806	3.38E-03	6.4E-04	6.05E-04	3.85E-07	9.21E-01	4.71E-02	1.67E-08	1.0E+06	1.7E-02
236	0.2101	3.38E-03	7.1E-04	6.05E-04	4.30E-07	9.21E-01	4.71E-02	1.87E-08	1.0E+06	1.9E-02
237	0.23979	3.38E-03	8.1E-04	6.05E-04	4.91E-07	9.21E-01	4.71E-02	2.13E-08	1.0E+06	2.1E-02
238	0.27936	3.38E-03	9.5E-04	6.05E-04	5.72E-07	9.21E-01	4.71E-02	2.48E-08	1.0E+06	2.5E-02
239	0.32336	3.38E-03	1.1E-03	6.05E-04	6.62E-07	9.21E-01	4.71E-02	2.87E-08	1.0E+06	2.9E-02
240	0.37909	3.38E-03	1.3E-03	6.05E-04	7.76E-07	9.21E-01	4.71E-02	3.37E-08	1.0E+06	3.4E-02
241	0.44514	3.38E-03	1.5E-03	6.05E-04	9.11E-07	9.21E-01	4.71E-02	3.96E-08	1.0E+06	4.0E-02
242	0.52414	3.38E-03	1.8E-03	6.05E-04	1.07E-06	9.21E-01	4.71E-02	4.66E-08	1.0E+06	4.7E-02
243	0.61899	3.38E-03	2.1E-03	6.05E-04	1.27E-06	9.21E-01	4.71E-02	5.50E-08	1.0E+06	5.5E-02
244	0.74753	3.38E-03	2.5E-03	6.05E-04	1.53E-06	9.21E-01	4.71E-02	6.64E-08	1.0E+06	6.6E-02
245	0.91665	3.38E-03	3.1E-03	6.05E-04	1.88E-06	9.21E-01	4.71E-02	8.15E-08	1.0E+06	8.1E-02
246	1.14673	3.38E-03	3.9E-03	6.05E-04	2.35E-06	9.21E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
247	1.4266	3.38E-03	4.8E-03	6.05E-04	2.92E-06	9.21E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
248	1.69563	3.38E-03	5.7E-03	6.05E-04	3.47E-06	9.21E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	1.88767	3.38E-03	6.4E-03	6.05E-04	3.86E-06	9.21E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
250	1.98347	3.38E-03	6.7E-03	6.05E-04	4.06E-06	9.21E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
251	2.12734	3.38E-03	7.2E-03	6.05E-04	4.35E-06	9.21E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
252	0.16493	3.38E-03	5.6E-04	6.05E-04	3.38E-07	9.21E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02
253	0.17909	3.38E-03	6.1E-04	6.05E-04	3.67E-07	9.21E-01	4.71E-02	1.59E-08	1.0E+06	1.6E-02
254	0.19765	3.38E-03	6.7E-04	6.05E-04	4.05E-07	9.21E-01	4.71E-02	1.76E-08	1.0E+06	1.8E-02
255	0.22099	3.38E-03	7.5E-04	6.05E-04	4.52E-07	9.21E-01	4.71E-02	1.96E-08	1.0E+06	2.0E-02
256	0.26018	3.38E-03	8.8E-04	6.05E-04	5.33E-07	9.21E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
257	0.2878	3.38E-03	9.7E-04	6.05E-04	5.89E-07	9.21E-01	4.71E-02	2.56E-08	1.0E+06	2.6E-02
258	0.32553	3.38E-03	1.1E-03	6.05E-04	6.66E-07	9.21E-01	4.71E-02	2.89E-08	1.0E+06	2.9E-02
259	0.3694	3.38E-03	1.2E-03	6.05E-04	7.56E-07	9.21E-01	4.71E-02	3.28E-08	1.0E+06	3.3E-02
260	0.43279	3.38E-03	1.5E-03	6.05E-04	8.86E-07	9.21E-01	4.71E-02	3.85E-08	1.0E+06	3.8E-02
261	0.51703	3.38E-03	1.7E-03	6.05E-04	1.06E-06	9.21E-01	4.71E-02	4.60E-08	1.0E+06	4.6E-02
262	0.62025	3.38E-03	2.1E-03	6.05E-04	1.27E-06	9.21E-01	4.71E-02	5.51E-08	1.0E+06	5.5E-02
263	0.74306	3.38E-03	2.5E-03	6.05E-04	1.52E-06	9.21E-01	4.71E-02	6.60E-08	1.0E+06	6.6E-02
264	0.90838	3.38E-03	3.1E-03	6.05E-04	1.86E-06	9.21E-01	4.71E-02	8.07E-08	1.0E+06	8.1E-02
265	1.09481	3.38E-03	3.7E-03	6.05E-04	2.24E-06	9.21E-01	4.71E-02	9.73E-08	1.0E+06	9.7E-02
266	1.28248	3.38E-03	4.3E-03	6.05E-04	2.63E-06	9.21E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
267	1.42537	3.38E-03	4.8E-03	6.05E-04	2.92E-06	9.21E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
268	1.50248	3.38E-03	5.1E-03	6.05E-04	3.08E-06	9.21E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
269	1.60435	3.38E-03	5.4E-03	6.05E-04	3.28E-06	9.21E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
270	0.15811	3.38E-03	5.3E-04	6.05E-04	3.24E-07	9.21E-01	4.71E-02	1.41E-08	1.0E+06	1.4E-02
271	0.17185	3.38E-03	5.8E-04	6.05E-04	3.52E-07	9.21E-01	4.71E-02	1.53E-08	1.0E+06	1.5E-02
272	0.18865	3.38E-03	6.4E-04	6.05E-04	3.86E-07	9.21E-01	4.71E-02	1.68E-08	1.0E+06	1.7E-02
273	0.20788	3.38E-03	7.0E-04	6.05E-04	4.26E-07	9.21E-01	4.71E-02	1.85E-08	1.0E+06	1.8E-02
274	0.24491	3.38E-03	8.3E-04	6.05E-04	5.01E-07	9.21E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
275	0.27766	3.38E-03	9.4E-04	6.05E-04	5.68E-07	9.21E-01	4.71E-02	2.47E-08	1.0E+06	2.5E-02
276	0.28974	3.38E-03	9.8E-04	6.05E-04	5.93E-07	9.21E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
277	0.32166	3.38E-03	1.1E-03	6.05E-04	6.58E-07	9.21E-01	4.71E-02	2.86E-08	1.0E+06	2.9E-02
278	0.36443	3.38E-03	1.2E-03	6.05E-04	7.46E-07	9.21E-01	4.71E-02	3.24E-08	1.0E+06	3.2E-02
279	0.42257	3.38E-03	1.4E-03	6.05E-04	8.65E-07	9.21E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.50962	3.38E-03	1.7E-03	6.05E-04	1.04E-06	9.21E-01	4.71E-02	4.53E-08	1.0E+06	4.5E-02
281	0.616	3.38E-03	2.1E-03	6.05E-04	1.26E-06	9.21E-01	4.71E-02	5.48E-08	1.0E+06	5.5E-02
282	0.74094	3.38E-03	2.5E-03	6.05E-04	1.52E-06	9.21E-01	4.71E-02	6.59E-08	1.0E+06	6.6E-02
283	0.87839	3.38E-03	3.0E-03	6.05E-04	1.80E-06	9.21E-01	4.71E-02	7.81E-08	1.0E+06	7.8E-02
284	1.01581	3.38E-03	3.4E-03	6.05E-04	2.08E-06	9.21E-01	4.71E-02	9.03E-08	1.0E+06	9.0E-02
285	1.11984	3.38E-03	3.8E-03	6.05E-04	2.29E-06	9.21E-01	4.71E-02	9.95E-08	1.0E+06	1.0E-01
286	1.18487	3.38E-03	4.0E-03	6.05E-04	2.43E-06	9.21E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
287	1.26563	3.38E-03	4.3E-03	6.05E-04	2.59E-06	9.21E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
288	0.15258	3.38E-03	5.2E-04	6.05E-04	3.12E-07	9.21E-01	4.71E-02	1.36E-08	1.0E+06	1.4E-02
289	0.16395	3.38E-03	5.5E-04	6.05E-04	3.36E-07	9.21E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
290	0.18264	3.38E-03	6.2E-04	6.05E-04	3.74E-07	9.21E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
291	0.20155	3.38E-03	6.8E-04	6.05E-04	4.13E-07	9.21E-01	4.71E-02	1.79E-08	1.0E+06	1.8E-02
292	0.24543	3.38E-03	8.3E-04	6.05E-04	5.02E-07	9.21E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
293	0.26215	3.38E-03	8.9E-04	6.05E-04	5.37E-07	9.21E-01	4.71E-02	2.33E-08	1.0E+06	2.3E-02
294	0.26042	3.38E-03	8.8E-04	6.05E-04	5.33E-07	9.21E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
295	0.28841	3.38E-03	9.8E-04	6.05E-04	5.90E-07	9.21E-01	4.71E-02	2.56E-08	1.0E+06	2.6E-02
296	0.32442	3.38E-03	1.1E-03	6.05E-04	6.64E-07	9.21E-01	4.71E-02	2.88E-08	1.0E+06	2.9E-02
297	0.364	3.38E-03	1.2E-03	6.05E-04	7.45E-07	9.21E-01	4.71E-02	3.24E-08	1.0E+06	3.2E-02
298	0.42495	3.38E-03	1.4E-03	6.05E-04	8.70E-07	9.21E-01	4.71E-02	3.78E-08	1.0E+06	3.8E-02
299	0.51462	3.38E-03	1.7E-03	6.05E-04	1.05E-06	9.21E-01	4.71E-02	4.57E-08	1.0E+06	4.6E-02
300	0.60798	3.38E-03	2.1E-03	6.05E-04	1.24E-06	9.21E-01	4.71E-02	5.40E-08	1.0E+06	5.4E-02
301	0.7201	3.38E-03	2.4E-03	6.05E-04	1.47E-06	9.21E-01	4.71E-02	6.40E-08	1.0E+06	6.4E-02
302	0.82671	3.38E-03	2.8E-03	6.05E-04	1.69E-06	9.21E-01	4.71E-02	7.35E-08	1.0E+06	7.3E-02
303	0.91312	3.38E-03	3.1E-03	6.05E-04	1.87E-06	9.21E-01	4.71E-02	8.12E-08	1.0E+06	8.1E-02
304	0.97225	3.38E-03	3.3E-03	6.05E-04	1.99E-06	9.21E-01	4.71E-02	8.64E-08	1.0E+06	8.6E-02
305	1.03502	3.38E-03	3.5E-03	6.05E-04	2.12E-06	9.21E-01	4.71E-02	9.20E-08	1.0E+06	9.2E-02
306	0.15526	3.38E-03	5.3E-04	6.05E-04	3.18E-07	9.21E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02
307	0.16177	3.38E-03	5.5E-04	6.05E-04	3.31E-07	9.21E-01	4.71E-02	1.44E-08	1.0E+06	1.4E-02
308	0.17435	3.38E-03	5.9E-04	6.05E-04	3.57E-07	9.21E-01	4.71E-02	1.55E-08	1.0E+06	1.5E-02
309	0.20263	3.38E-03	6.9E-04	6.05E-04	4.15E-07	9.21E-01	4.71E-02	1.80E-08	1.0E+06	1.8E-02
310	0.23095	3.38E-03	7.8E-04	6.05E-04	4.73E-07	9.21E-01	4.71E-02	2.05E-08	1.0E+06	2.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.24347	3.38E-03	8.2E-04	6.05E-04	4.98E-07	9.21E-01	4.71E-02	2.16E-08	1.0E+06	2.2E-02
312	0.23496	3.38E-03	7.9E-04	6.05E-04	4.81E-07	9.21E-01	4.71E-02	2.09E-08	1.0E+06	2.1E-02
313	0.25841	3.38E-03	8.7E-04	6.05E-04	5.29E-07	9.21E-01	4.71E-02	2.30E-08	1.0E+06	2.3E-02
314	0.28898	3.38E-03	9.8E-04	6.05E-04	5.92E-07	9.21E-01	4.71E-02	2.57E-08	1.0E+06	2.6E-02
315	0.3372	3.38E-03	1.1E-03	6.05E-04	6.90E-07	9.21E-01	4.71E-02	3.00E-08	1.0E+06	3.0E-02
316	0.37548	3.38E-03	1.3E-03	6.05E-04	7.69E-07	9.21E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02
317	0.43327	3.38E-03	1.5E-03	6.05E-04	8.87E-07	9.21E-01	4.71E-02	3.85E-08	1.0E+06	3.9E-02
318	0.50839	3.38E-03	1.7E-03	6.05E-04	1.04E-06	9.21E-01	4.71E-02	4.52E-08	1.0E+06	4.5E-02
319	0.60035	3.38E-03	2.0E-03	6.05E-04	1.23E-06	9.21E-01	4.71E-02	5.34E-08	1.0E+06	5.3E-02
320	0.69635	3.38E-03	2.4E-03	6.05E-04	1.43E-06	9.21E-01	4.71E-02	6.19E-08	1.0E+06	6.2E-02
321	0.76368	3.38E-03	2.6E-03	6.05E-04	1.56E-06	9.21E-01	4.71E-02	6.79E-08	1.0E+06	6.8E-02
322	0.80823	3.38E-03	2.7E-03	6.05E-04	1.65E-06	9.21E-01	4.71E-02	7.18E-08	1.0E+06	7.2E-02
323	0.86092	3.38E-03	2.9E-03	6.05E-04	1.76E-06	9.21E-01	4.71E-02	7.65E-08	1.0E+06	7.7E-02
324	0.14933	3.38E-03	5.1E-04	6.05E-04	3.06E-07	9.21E-01	4.71E-02	1.33E-08	1.0E+06	1.3E-02
325	0.16452	3.38E-03	5.6E-04	6.05E-04	3.37E-07	9.21E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02
326	0.17468	3.38E-03	5.9E-04	6.05E-04	3.58E-07	9.21E-01	4.71E-02	1.55E-08	1.0E+06	1.6E-02
327	0.18209	3.38E-03	6.2E-04	6.05E-04	3.73E-07	9.21E-01	4.71E-02	1.62E-08	1.0E+06	1.6E-02
328	0.21964	3.38E-03	7.4E-04	6.05E-04	4.50E-07	9.21E-01	4.71E-02	1.95E-08	1.0E+06	2.0E-02
329	0.22545	3.38E-03	7.6E-04	6.05E-04	4.61E-07	9.21E-01	4.71E-02	2.00E-08	1.0E+06	2.0E-02
330	0.2186	3.38E-03	7.4E-04	6.05E-04	4.47E-07	9.21E-01	4.71E-02	1.94E-08	1.0E+06	1.9E-02
331	0.24035	3.38E-03	8.1E-04	6.05E-04	4.92E-07	9.21E-01	4.71E-02	2.14E-08	1.0E+06	2.1E-02
332	0.26848	3.38E-03	9.1E-04	6.05E-04	5.50E-07	9.21E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
333	0.31139	3.38E-03	1.1E-03	6.05E-04	6.37E-07	9.21E-01	4.71E-02	2.77E-08	1.0E+06	2.8E-02
334	0.35238	3.38E-03	1.2E-03	6.05E-04	7.21E-07	9.21E-01	4.71E-02	3.13E-08	1.0E+06	3.1E-02
335	0.40188	3.38E-03	1.4E-03	6.05E-04	8.23E-07	9.21E-01	4.71E-02	3.57E-08	1.0E+06	3.6E-02
336	14.22193	3.38E-03	4.8E-02	6.05E-04	2.91E-05	9.21E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
337	9.15446	3.38E-03	3.1E-02	6.05E-04	1.87E-05	9.21E-01	4.71E-02	8.14E-07	1.0E+06	8.1E-01
338	0.35979	3.38E-03	1.2E-03	6.05E-04	7.36E-07	9.21E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02
339	0.39641	3.38E-03	1.3E-03	6.05E-04	8.11E-07	9.21E-01	4.71E-02	3.52E-08	1.0E+06	3.5E-02
340	0.42244	3.38E-03	1.4E-03	6.05E-04	8.65E-07	9.21E-01	4.71E-02	3.75E-08	1.0E+06	3.8E-02
341	0.44086	3.38E-03	1.5E-03	6.05E-04	9.02E-07	9.21E-01	4.71E-02	3.92E-08	1.0E+06	3.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.45488	3.38E-03	1.5E-03	6.05E-04	9.31E-07	9.21E-01	4.71E-02	4.04E-08	1.0E+06	4.0E-02
343	0.46544	3.38E-03	1.6E-03	6.05E-04	9.53E-07	9.21E-01	4.71E-02	4.14E-08	1.0E+06	4.1E-02
344	0.46309	3.38E-03	1.6E-03	6.05E-04	9.48E-07	9.21E-01	4.71E-02	4.12E-08	1.0E+06	4.1E-02
345	0.4552	3.38E-03	1.5E-03	6.05E-04	9.32E-07	9.21E-01	4.71E-02	4.05E-08	1.0E+06	4.0E-02
346	0.44133	3.38E-03	1.5E-03	6.05E-04	9.03E-07	9.21E-01	4.71E-02	3.92E-08	1.0E+06	3.9E-02
347	0.41527	3.38E-03	1.4E-03	6.05E-04	8.50E-07	9.21E-01	4.71E-02	3.69E-08	1.0E+06	3.7E-02
348	0.4685	3.38E-03	1.6E-03	6.05E-04	9.59E-07	9.21E-01	4.71E-02	4.16E-08	1.0E+06	4.2E-02
349	0.50316	3.38E-03	1.7E-03	6.05E-04	1.03E-06	9.21E-01	4.71E-02	4.47E-08	1.0E+06	4.5E-02
350	0.52854	3.38E-03	1.8E-03	6.05E-04	1.08E-06	9.21E-01	4.71E-02	4.70E-08	1.0E+06	4.7E-02
351	0.54861	3.38E-03	1.9E-03	6.05E-04	1.12E-06	9.21E-01	4.71E-02	4.88E-08	1.0E+06	4.9E-02
352	0.56328	3.38E-03	1.9E-03	6.05E-04	1.15E-06	9.21E-01	4.71E-02	5.01E-08	1.0E+06	5.0E-02
353	0.55888	3.38E-03	1.9E-03	6.05E-04	1.14E-06	9.21E-01	4.71E-02	4.97E-08	1.0E+06	5.0E-02
354	0.54148	3.38E-03	1.8E-03	6.05E-04	1.11E-06	9.21E-01	4.71E-02	4.81E-08	1.0E+06	4.8E-02
355	0.52355	3.38E-03	1.8E-03	6.05E-04	1.07E-06	9.21E-01	4.71E-02	4.65E-08	1.0E+06	4.7E-02
356	0.48865	3.38E-03	1.7E-03	6.05E-04	1.00E-06	9.21E-01	4.71E-02	4.34E-08	1.0E+06	4.3E-02
357	0.5365	3.38E-03	1.8E-03	6.05E-04	1.10E-06	9.21E-01	4.71E-02	4.77E-08	1.0E+06	4.8E-02
358	0.60331	3.38E-03	2.0E-03	6.05E-04	1.23E-06	9.21E-01	4.71E-02	5.36E-08	1.0E+06	5.4E-02
359	0.64623	3.38E-03	2.2E-03	6.05E-04	1.32E-06	9.21E-01	4.71E-02	5.74E-08	1.0E+06	5.7E-02
360	0.67667	3.38E-03	2.3E-03	6.05E-04	1.39E-06	9.21E-01	4.71E-02	6.01E-08	1.0E+06	6.0E-02
361	0.69726	3.38E-03	2.4E-03	6.05E-04	1.43E-06	9.21E-01	4.71E-02	6.20E-08	1.0E+06	6.2E-02
362	0.68982	3.38E-03	2.3E-03	6.05E-04	1.41E-06	9.21E-01	4.71E-02	6.13E-08	1.0E+06	6.1E-02
363	0.66165	3.38E-03	2.2E-03	6.05E-04	1.35E-06	9.21E-01	4.71E-02	5.88E-08	1.0E+06	5.9E-02
364	0.5908	3.38E-03	2.0E-03	6.05E-04	1.21E-06	9.21E-01	4.71E-02	5.25E-08	1.0E+06	5.3E-02
365	0.64391	3.38E-03	2.2E-03	6.05E-04	1.32E-06	9.21E-01	4.71E-02	5.72E-08	1.0E+06	5.7E-02
366	0.73317	3.38E-03	2.5E-03	6.05E-04	1.50E-06	9.21E-01	4.71E-02	6.52E-08	1.0E+06	6.5E-02
367	0.81139	3.38E-03	2.7E-03	6.05E-04	1.66E-06	9.21E-01	4.71E-02	7.21E-08	1.0E+06	7.2E-02
368	0.85914	3.38E-03	2.9E-03	6.05E-04	1.76E-06	9.21E-01	4.71E-02	7.64E-08	1.0E+06	7.6E-02
369	0.89316	3.38E-03	3.0E-03	6.05E-04	1.83E-06	9.21E-01	4.71E-02	7.94E-08	1.0E+06	7.9E-02
370	0.84336	3.38E-03	2.9E-03	6.05E-04	1.73E-06	9.21E-01	4.71E-02	7.50E-08	1.0E+06	7.5E-02
371	0.78943	3.38E-03	2.7E-03	6.05E-04	1.62E-06	9.21E-01	4.71E-02	7.02E-08	1.0E+06	7.0E-02
372	0.7404	3.38E-03	2.5E-03	6.05E-04	1.52E-06	9.21E-01	4.71E-02	6.58E-08	1.0E+06	6.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.81467	3.38E-03	2.8E-03	6.05E-04	1.67E-06	9.21E-01	4.71E-02	7.24E-08	1.0E+06	7.2E-02
374	0.93965	3.38E-03	3.2E-03	6.05E-04	1.92E-06	9.21E-01	4.71E-02	8.35E-08	1.0E+06	8.4E-02
375	1.05178	3.38E-03	3.6E-03	6.05E-04	2.15E-06	9.21E-01	4.71E-02	9.35E-08	1.0E+06	9.3E-02
376	1.13565	3.38E-03	3.8E-03	6.05E-04	2.32E-06	9.21E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
377	1.18875	3.38E-03	4.0E-03	6.05E-04	2.43E-06	9.21E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
378	1.20018	3.38E-03	4.1E-03	6.05E-04	2.46E-06	9.21E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
379	1.0988	3.38E-03	3.7E-03	6.05E-04	2.25E-06	9.21E-01	4.71E-02	9.77E-08	1.0E+06	9.8E-02
380	1.00783	3.38E-03	3.4E-03	6.05E-04	2.06E-06	9.21E-01	4.71E-02	8.96E-08	1.0E+06	9.0E-02
381	0.90119	3.38E-03	3.0E-03	6.05E-04	1.84E-06	9.21E-01	4.71E-02	8.01E-08	1.0E+06	8.0E-02
382	0.96212	3.38E-03	3.3E-03	6.05E-04	1.97E-06	9.21E-01	4.71E-02	8.55E-08	1.0E+06	8.6E-02
383	1.10532	3.38E-03	3.7E-03	6.05E-04	2.26E-06	9.21E-01	4.71E-02	9.82E-08	1.0E+06	9.8E-02
384	1.26328	3.38E-03	4.3E-03	6.05E-04	2.59E-06	9.21E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
385	1.43142	3.38E-03	4.8E-03	6.05E-04	2.93E-06	9.21E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
386	1.58401	3.38E-03	5.4E-03	6.05E-04	3.24E-06	9.21E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
387	1.69194	3.38E-03	5.7E-03	6.05E-04	3.46E-06	9.21E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
388	1.71763	3.38E-03	5.8E-03	6.05E-04	3.52E-06	9.21E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
389	1.484	3.38E-03	5.0E-03	6.05E-04	3.04E-06	9.21E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
390	1.29262	3.38E-03	4.4E-03	6.05E-04	2.65E-06	9.21E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
391	1.10329	3.38E-03	3.7E-03	6.05E-04	2.26E-06	9.21E-01	4.71E-02	9.81E-08	1.0E+06	9.8E-02
392	0.9065	3.38E-03	3.1E-03	6.05E-04	1.86E-06	9.21E-01	4.71E-02	8.06E-08	1.0E+06	8.1E-02
393	1.34746	3.38E-03	4.6E-03	6.05E-04	2.76E-06	9.21E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
394	1.64651	3.38E-03	5.6E-03	6.05E-04	3.37E-06	9.21E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
395	1.85616	3.38E-03	6.3E-03	6.05E-04	3.80E-06	9.21E-01	4.71E-02	1.65E-07	1.0E+06	1.6E-01
396	2.16582	3.38E-03	7.3E-03	6.05E-04	4.43E-06	9.21E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
397	2.45109	3.38E-03	8.3E-03	6.05E-04	5.02E-06	9.21E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01
398	2.45583	3.38E-03	8.3E-03	6.05E-04	5.03E-06	9.21E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01
399	2.2475	3.38E-03	7.6E-03	6.05E-04	4.60E-06	9.21E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
400	2.09785	3.38E-03	7.1E-03	6.05E-04	4.29E-06	9.21E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
401	1.67728	3.38E-03	5.7E-03	6.05E-04	3.43E-06	9.21E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
402	1.02737	3.38E-03	3.5E-03	6.05E-04	2.10E-06	9.21E-01	4.71E-02	9.13E-08	1.0E+06	9.1E-02
403	3.07347	3.38E-03	1.0E-02	6.05E-04	6.29E-06	9.21E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	1.17192	3.38E-03	4.0E-03	6.05E-04	2.40E-06	9.21E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
405	0.88845	3.38E-03	3.0E-03	6.05E-04	1.82E-06	9.21E-01	4.71E-02	7.90E-08	1.0E+06	7.9E-02
406	4.25111	3.38E-03	1.4E-02	6.05E-04	8.70E-06	9.21E-01	4.71E-02	3.78E-07	1.0E+06	3.8E-01
407	0.89626	3.38E-03	3.0E-03	6.05E-04	1.83E-06	9.21E-01	4.71E-02	7.97E-08	1.0E+06	8.0E-02
408	4.45544	3.38E-03	1.5E-02	6.05E-04	9.12E-06	9.21E-01	4.71E-02	3.96E-07	1.0E+06	4.0E-01
409	0.87466	3.38E-03	3.0E-03	6.05E-04	1.79E-06	9.21E-01	4.71E-02	7.77E-08	1.0E+06	7.8E-02
410	3.99529	3.38E-03	1.4E-02	6.05E-04	8.18E-06	9.21E-01	4.71E-02	3.55E-07	1.0E+06	3.6E-01
411	1.11539	3.38E-03	3.8E-03	6.05E-04	2.28E-06	9.21E-01	4.71E-02	9.91E-08	1.0E+06	9.9E-02
412	0.85128	3.38E-03	2.9E-03	6.05E-04	1.74E-06	9.21E-01	4.71E-02	7.57E-08	1.0E+06	7.6E-02
413	3.39077	3.38E-03	1.1E-02	6.05E-04	6.94E-06	9.21E-01	4.71E-02	3.01E-07	1.0E+06	3.0E-01
414	1.40553	3.38E-03	4.8E-03	6.05E-04	2.88E-06	9.21E-01	4.71E-02	1.25E-07	1.0E+06	1.2E-01
415	1.02933	3.38E-03	3.5E-03	6.05E-04	2.11E-06	9.21E-01	4.71E-02	9.15E-08	1.0E+06	9.1E-02
416	0.79436	3.38E-03	2.7E-03	6.05E-04	1.63E-06	9.21E-01	4.71E-02	7.06E-08	1.0E+06	7.1E-02
417	2.77348	3.38E-03	9.4E-03	6.05E-04	5.68E-06	9.21E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
418	0.94049	3.38E-03	3.2E-03	6.05E-04	1.93E-06	9.21E-01	4.71E-02	8.36E-08	1.0E+06	8.4E-02
419	0.73553	3.38E-03	2.5E-03	6.05E-04	1.51E-06	9.21E-01	4.71E-02	6.54E-08	1.0E+06	6.5E-02
420	0.59217	3.38E-03	2.0E-03	6.05E-04	1.21E-06	9.21E-01	4.71E-02	5.26E-08	1.0E+06	5.3E-02
421	2.27084	3.38E-03	7.7E-03	6.05E-04	4.65E-06	9.21E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
422	0.67828	3.38E-03	2.3E-03	6.05E-04	1.39E-06	9.21E-01	4.71E-02	6.03E-08	1.0E+06	6.0E-02
423	0.554	3.38E-03	1.9E-03	6.05E-04	1.13E-06	9.21E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
424	1.88	3.38E-03	6.4E-03	6.05E-04	3.85E-06	9.21E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
425	0.5157	3.38E-03	1.7E-03	6.05E-04	1.06E-06	9.21E-01	4.71E-02	4.58E-08	1.0E+06	4.6E-02
426	0.43371	3.38E-03	1.5E-03	6.05E-04	8.88E-07	9.21E-01	4.71E-02	3.86E-08	1.0E+06	3.9E-02
427	1.56649	3.38E-03	5.3E-03	6.05E-04	3.21E-06	9.21E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
428	0.4789	3.38E-03	1.6E-03	6.05E-04	9.80E-07	9.21E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
429	0.40662	3.38E-03	1.4E-03	6.05E-04	8.32E-07	9.21E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
430	1.3156	3.38E-03	4.5E-03	6.05E-04	2.69E-06	9.21E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
431	0.38046	3.38E-03	1.3E-03	6.05E-04	7.79E-07	9.21E-01	4.71E-02	3.38E-08	1.0E+06	3.4E-02
432	0.32758	3.38E-03	1.1E-03	6.05E-04	6.71E-07	9.21E-01	4.71E-02	2.91E-08	1.0E+06	2.9E-02
433	1.1119	3.38E-03	3.8E-03	6.05E-04	2.28E-06	9.21E-01	4.71E-02	9.88E-08	1.0E+06	9.9E-02
434	0.35598	3.38E-03	1.2E-03	6.05E-04	7.29E-07	9.21E-01	4.71E-02	3.16E-08	1.0E+06	3.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.31017	3.38E-03	1.0E-03	6.05E-04	6.35E-07	9.21E-01	4.71E-02	2.76E-08	1.0E+06	2.8E-02
436	0.94807	3.38E-03	3.2E-03	6.05E-04	1.94E-06	9.21E-01	4.71E-02	8.43E-08	1.0E+06	8.4E-02
437	0.38616	3.38E-03	1.3E-03	6.05E-04	7.90E-07	9.21E-01	4.71E-02	3.43E-08	1.0E+06	3.4E-02
438	0.33379	3.38E-03	1.1E-03	6.05E-04	6.83E-07	9.21E-01	4.71E-02	2.97E-08	1.0E+06	3.0E-02
439	0.29234	3.38E-03	9.9E-04	6.05E-04	5.98E-07	9.21E-01	4.71E-02	2.60E-08	1.0E+06	2.6E-02
440	0.81447	3.38E-03	2.8E-03	6.05E-04	1.67E-06	9.21E-01	4.71E-02	7.24E-08	1.0E+06	7.2E-02
441	0.49808	3.38E-03	1.7E-03	6.05E-04	1.02E-06	9.21E-01	4.71E-02	4.43E-08	1.0E+06	4.4E-02
442	0.42026	3.38E-03	1.4E-03	6.05E-04	8.60E-07	9.21E-01	4.71E-02	3.74E-08	1.0E+06	3.7E-02
443	0.36046	3.38E-03	1.2E-03	6.05E-04	7.38E-07	9.21E-01	4.71E-02	3.20E-08	1.0E+06	3.2E-02
444	0.31303	3.38E-03	1.1E-03	6.05E-04	6.41E-07	9.21E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
445	0.70549	3.38E-03	2.4E-03	6.05E-04	1.44E-06	9.21E-01	4.71E-02	6.27E-08	1.0E+06	6.3E-02
446	0.52981	3.38E-03	1.8E-03	6.05E-04	1.08E-06	9.21E-01	4.71E-02	4.71E-08	1.0E+06	4.7E-02
447	0.45344	3.38E-03	1.5E-03	6.05E-04	9.28E-07	9.21E-01	4.71E-02	4.03E-08	1.0E+06	4.0E-02
448	0.38911	3.38E-03	1.3E-03	6.05E-04	7.96E-07	9.21E-01	4.71E-02	3.46E-08	1.0E+06	3.5E-02
449	0.61559	3.38E-03	2.1E-03	6.05E-04	1.26E-06	9.21E-01	4.71E-02	5.47E-08	1.0E+06	5.5E-02
450	0.5474	3.38E-03	1.9E-03	6.05E-04	1.12E-06	9.21E-01	4.71E-02	4.87E-08	1.0E+06	4.9E-02
451	0.47889	3.38E-03	1.6E-03	6.05E-04	9.80E-07	9.21E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
452	0.54079	3.38E-03	1.8E-03	6.05E-04	1.11E-06	9.21E-01	4.71E-02	4.81E-08	1.0E+06	4.8E-02
453	0.48845	3.38E-03	1.7E-03	6.05E-04	1.00E-06	9.21E-01	4.71E-02	4.34E-08	1.0E+06	4.3E-02
454	0.23028	3.38E-03	7.8E-04	6.05E-04	4.71E-07	9.21E-01	4.71E-02	2.05E-08	1.0E+06	2.0E-02
455	0.2084	3.38E-03	7.1E-04	6.05E-04	4.27E-07	9.21E-01	4.71E-02	1.85E-08	1.0E+06	1.9E-02
456	0.47804	3.38E-03	1.6E-03	6.05E-04	9.79E-07	9.21E-01	4.71E-02	4.25E-08	1.0E+06	4.2E-02
457	0.43751	3.38E-03	1.5E-03	6.05E-04	8.96E-07	9.21E-01	4.71E-02	3.89E-08	1.0E+06	3.9E-02
458	0.39304	3.38E-03	1.3E-03	6.05E-04	8.05E-07	9.21E-01	4.71E-02	3.49E-08	1.0E+06	3.5E-02
459	0.27435	3.38E-03	9.3E-04	6.05E-04	5.62E-07	9.21E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
460	0.24475	3.38E-03	8.3E-04	6.05E-04	5.01E-07	9.21E-01	4.71E-02	2.18E-08	1.0E+06	2.2E-02
461	0.21926	3.38E-03	7.4E-04	6.05E-04	4.49E-07	9.21E-01	4.71E-02	1.95E-08	1.0E+06	1.9E-02
462	0.19767	3.38E-03	6.7E-04	6.05E-04	4.05E-07	9.21E-01	4.71E-02	1.76E-08	1.0E+06	1.8E-02
463	13.92843	3.38E-03	4.7E-02	6.05E-04	2.85E-05	9.21E-01	4.71E-02	1.24E-06	1.0E+06	1.2E+00
464	7.93246	3.38E-03	2.7E-02	6.05E-04	1.62E-05	9.21E-01	4.71E-02	7.05E-07	1.0E+06	7.1E-01
465	10.04613	3.38E-03	3.4E-02	6.05E-04	2.06E-05	9.21E-01	4.71E-02	8.93E-07	1.0E+06	8.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	5.6879	3.38E-03	1.9E-02	6.05E-04	1.16E-05	9.21E-01	4.71E-02	5.06E-07	1.0E+06	5.1E-01
467	6.17677	3.38E-03	2.1E-02	6.05E-04	1.26E-05	9.21E-01	4.71E-02	5.49E-07	1.0E+06	5.5E-01
468	4.25156	3.38E-03	1.4E-02	6.05E-04	8.70E-06	9.21E-01	4.71E-02	3.78E-07	1.0E+06	3.8E-01
469	3.04435	3.38E-03	1.0E-02	6.05E-04	6.23E-06	9.21E-01	4.71E-02	2.71E-07	1.0E+06	2.7E-01
470	2.7682	3.38E-03	9.4E-03	6.05E-04	5.67E-06	9.21E-01	4.71E-02	2.46E-07	1.0E+06	2.5E-01
471	2.64881	3.38E-03	9.0E-03	6.05E-04	5.42E-06	9.21E-01	4.71E-02	2.35E-07	1.0E+06	2.4E-01
472	2.05018	3.38E-03	6.9E-03	6.05E-04	4.20E-06	9.21E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
473	1.76651	3.38E-03	6.0E-03	6.05E-04	3.62E-06	9.21E-01	4.71E-02	1.57E-07	1.0E+06	1.6E-01
474	1.58003	3.38E-03	5.3E-03	6.05E-04	3.23E-06	9.21E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
475	1.40878	3.38E-03	4.8E-03	6.05E-04	2.88E-06	9.21E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
476	1.25565	3.38E-03	4.2E-03	6.05E-04	2.57E-06	9.21E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
477	1.14792	3.38E-03	3.9E-03	6.05E-04	2.35E-06	9.21E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
478	1.02132	3.38E-03	3.5E-03	6.05E-04	2.09E-06	9.21E-01	4.71E-02	9.08E-08	1.0E+06	9.1E-02
479	0.95054	3.38E-03	3.2E-03	6.05E-04	1.95E-06	9.21E-01	4.71E-02	8.45E-08	1.0E+06	8.4E-02
480	0.85091	3.38E-03	2.9E-03	6.05E-04	1.74E-06	9.21E-01	4.71E-02	7.56E-08	1.0E+06	7.6E-02
481	0.84658	3.38E-03	2.9E-03	6.05E-04	1.73E-06	9.21E-01	4.71E-02	7.53E-08	1.0E+06	7.5E-02
482	0.73004	3.38E-03	2.5E-03	6.05E-04	1.49E-06	9.21E-01	4.71E-02	6.49E-08	1.0E+06	6.5E-02
483	0.68148	3.38E-03	2.3E-03	6.05E-04	1.39E-06	9.21E-01	4.71E-02	6.06E-08	1.0E+06	6.1E-02
484	0.63172	3.38E-03	2.1E-03	6.05E-04	1.29E-06	9.21E-01	4.71E-02	5.62E-08	1.0E+06	5.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	1.18E-04
2	5	1.23E-04
3	5	1.28E-04
4	5	1.33E-04
5	5	1.38E-04
6	5	1.45E-04
7	5	1.52E-04
8	5	1.61E-04
9	5	1.71E-04
10	5	1.85E-04
11	5	2.02E-04
12	5	2.22E-04
13	5	2.42E-04
14	5	3.19E-04
15	5	1.31E-04
16	5	1.37E-04
17	5	1.44E-04
18	5	1.50E-04
19	5	1.57E-04
20	5	1.64E-04
21	5	1.72E-04
22	5	1.82E-04
23	5	1.95E-04
24	5	2.09E-04
25	5	2.31E-04
26	5	2.56E-04
27	5	2.78E-04
28	5	3.87E-04
29	5	1.43E-04
30	5	1.51E-04
31	5	1.60E-04

Max	Receptor #	
0.011	146	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	1.70E-04
33	5	1.78E-04
34	5	1.88E-04
35	5	1.98E-04
36	5	2.10E-04
37	5	2.24E-04
38	5	2.43E-04
39	5	2.69E-04
40	5	2.95E-04
41	5	3.25E-04
42	5	4.80E-04
43	5	1.53E-04
44	5	1.63E-04
45	5	1.75E-04
46	5	1.89E-04
47	5	2.01E-04
48	5	2.14E-04
49	5	2.27E-04
50	5	2.41E-04
51	5	2.62E-04
52	5	2.85E-04
53	5	3.17E-04
54	5	3.52E-04
55	5	3.94E-04
56	5	6.16E-04
57	5	1.61E-04
58	5	1.74E-04
59	5	1.90E-04
60	5	2.07E-04
61	5	2.25E-04
62	5	2.44E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	2.64E-04
64	5	2.81E-04
65	5	3.07E-04
66	5	3.39E-04
67	5	3.75E-04
68	5	4.31E-04
69	5	4.93E-04
70	5	1.69E-04
71	5	1.84E-04
72	5	2.04E-04
73	5	2.24E-04
74	5	2.48E-04
75	5	2.73E-04
76	5	3.02E-04
77	5	3.31E-04
78	5	3.68E-04
79	5	4.25E-04
80	5	4.74E-04
81	5	5.57E-04
82	5	6.37E-04
83	5	1.76E-04
84	5	1.96E-04
85	5	2.17E-04
86	5	2.39E-04
87	5	2.66E-04
88	5	2.97E-04
89	5	3.35E-04
90	5	3.82E-04
91	5	4.39E-04
92	5	5.08E-04
93	5	5.95E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	7.02E-04
95	5	8.31E-04
96	5	1.81E-04
97	5	2.01E-04
98	5	2.24E-04
99	5	2.51E-04
100	5	2.82E-04
101	5	3.19E-04
102	5	3.66E-04
103	5	4.25E-04
104	5	5.00E-04
105	5	5.96E-04
106	5	7.21E-04
107	5	8.82E-04
108	5	1.09E-03
109	5	1.79E-04
110	5	2.01E-04
111	5	2.26E-04
112	5	2.56E-04
113	5	2.92E-04
114	5	3.37E-04
115	5	3.92E-04
116	5	4.63E-04
117	5	5.59E-04
118	5	6.70E-04
119	5	8.41E-04
120	5	1.07E-03
121	5	1.36E-03
122	5	1.73E-04
123	5	1.95E-04
124	5	2.22E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	2.54E-04
126	5	2.93E-04
127	5	3.42E-04
128	5	3.98E-04
129	5	4.81E-04
130	5	6.04E-04
131	5	8.75E-03
132	5	6.36E-03
133	5	1.62E-04
134	5	1.86E-04
135	5	2.13E-04
136	5	2.45E-04
137	5	2.85E-04
138	5	3.33E-04
139	5	3.91E-04
140	5	4.80E-04
141	5	6.08E-04
142	5	8.00E-04
143	5	1.13E-03
144	5	1.80E-03
145	5	3.53E-03
146	5	1.07E-02
147	5	1.50E-04
148	5	1.72E-04
149	5	1.99E-04
150	5	2.30E-04
151	5	2.69E-04
152	5	3.15E-04
153	5	3.73E-04
154	5	4.58E-04
155	5	5.85E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	7.79E-04
157	5	1.11E-03
158	5	1.79E-03
159	5	4.46E-03
160	5	1.42E-04
161	5	1.59E-04
162	5	1.79E-04
163	5	2.10E-04
164	5	2.50E-04
165	5	2.93E-04
166	5	3.51E-04
167	5	4.30E-04
168	5	5.43E-04
169	5	7.16E-04
170	5	1.00E-03
171	5	1.56E-03
172	5	3.34E-03
173	5	4.55E-03
174	5	6.98E-03
175	5	7.53E-03
176	5	8.79E-03
177	5	7.31E-03
178	5	6.03E-03
179	5	1.31E-04
180	5	1.45E-04
181	5	1.60E-04
182	5	1.91E-04
183	5	2.34E-04
184	5	2.76E-04
185	5	3.31E-04
186	5	4.03E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	5.00E-04
188	5	6.44E-04
189	5	8.61E-04
190	5	1.23E-03
191	5	1.99E-03
192	5	3.45E-03
193	5	4.50E-03
194	5	5.02E-03
195	5	5.48E-03
196	5	5.17E-03
197	5	4.00E-03
198	5	1.24E-04
199	5	1.38E-04
200	5	1.55E-04
201	5	1.78E-04
202	5	2.18E-04
203	5	2.58E-04
204	5	3.10E-04
205	5	3.74E-04
206	5	4.57E-04
207	5	5.72E-04
208	5	7.31E-04
209	5	9.73E-04
210	5	1.37E-03
211	5	1.95E-03
212	5	2.42E-03
213	5	2.60E-03
214	5	2.58E-03
215	5	3.01E-03
216	5	1.20E-04
217	5	1.32E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	1.48E-04
219	5	1.69E-04
220	5	2.03E-04
221	5	2.37E-04
222	5	2.84E-04
223	5	3.39E-04
224	5	4.07E-04
225	5	4.91E-04
226	5	6.07E-04
227	5	7.66E-04
228	5	9.98E-04
229	5	1.31E-03
230	5	1.58E-03
231	5	1.75E-03
232	5	1.80E-03
233	5	1.97E-03
234	5	1.16E-04
235	5	1.27E-04
236	5	1.42E-04
237	5	1.62E-04
238	5	1.89E-04
239	5	2.19E-04
240	5	2.56E-04
241	5	3.01E-04
242	5	3.55E-04
243	5	4.19E-04
244	5	5.06E-04
245	5	6.20E-04
246	5	7.76E-04
247	5	9.65E-04
248	5	1.15E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	1.28E-03
250	5	1.34E-03
251	5	1.44E-03
252	5	1.12E-04
253	5	1.21E-04
254	5	1.34E-04
255	5	1.50E-04
256	5	1.76E-04
257	5	1.95E-04
258	5	2.20E-04
259	5	2.50E-04
260	5	2.93E-04
261	5	3.50E-04
262	5	4.20E-04
263	5	5.03E-04
264	5	6.15E-04
265	5	7.41E-04
266	5	8.68E-04
267	5	9.64E-04
268	5	1.02E-03
269	5	1.09E-03
270	5	1.07E-04
271	5	1.16E-04
272	5	1.28E-04
273	5	1.41E-04
274	5	1.66E-04
275	5	1.88E-04
276	5	1.96E-04
277	5	2.18E-04
278	5	2.47E-04
279	5	2.86E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	3.45E-04
281	5	4.17E-04
282	5	5.01E-04
283	5	5.94E-04
284	5	6.87E-04
285	5	7.58E-04
286	5	8.02E-04
287	5	8.56E-04
288	5	1.03E-04
289	5	1.11E-04
290	5	1.24E-04
291	5	1.36E-04
292	5	1.66E-04
293	5	1.77E-04
294	5	1.76E-04
295	5	1.95E-04
296	5	2.20E-04
297	5	2.46E-04
298	5	2.88E-04
299	5	3.48E-04
300	5	4.11E-04
301	5	4.87E-04
302	5	5.59E-04
303	5	6.18E-04
304	5	6.58E-04
305	5	7.00E-04
306	5	1.05E-04
307	5	1.09E-04
308	5	1.18E-04
309	5	1.37E-04
310	5	1.56E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	1.65E-04
312	5	1.59E-04
313	5	1.75E-04
314	5	1.96E-04
315	5	2.28E-04
316	5	2.54E-04
317	5	2.93E-04
318	5	3.44E-04
319	5	4.06E-04
320	5	4.71E-04
321	5	5.17E-04
322	5	5.47E-04
323	5	5.83E-04
324	5	1.01E-04
325	5	1.11E-04
326	5	1.18E-04
327	5	1.23E-04
328	5	1.49E-04
329	5	1.53E-04
330	5	1.48E-04
331	5	1.63E-04
332	5	1.82E-04
333	5	2.11E-04
334	5	2.38E-04
335	5	2.72E-04
336	5	9.62E-03
337	5	6.19E-03
338	5	2.43E-04
339	5	2.68E-04
340	5	2.86E-04
341	5	2.98E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	3.08E-04
343	5	3.15E-04
344	5	3.13E-04
345	5	3.08E-04
346	5	2.99E-04
347	5	2.81E-04
348	5	3.17E-04
349	5	3.40E-04
350	5	3.58E-04
351	5	3.71E-04
352	5	3.81E-04
353	5	3.78E-04
354	5	3.66E-04
355	5	3.54E-04
356	5	3.31E-04
357	5	3.63E-04
358	5	4.08E-04
359	5	4.37E-04
360	5	4.58E-04
361	5	4.72E-04
362	5	4.67E-04
363	5	4.48E-04
364	5	4.00E-04
365	5	4.36E-04
366	5	4.96E-04
367	5	5.49E-04
368	5	5.81E-04
369	5	6.04E-04
370	5	5.71E-04
371	5	5.34E-04
372	5	5.01E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	5.51E-04
374	5	6.36E-04
375	5	7.12E-04
376	5	7.68E-04
377	5	8.04E-04
378	5	8.12E-04
379	5	7.43E-04
380	5	6.82E-04
381	5	6.10E-04
382	5	6.51E-04
383	5	7.48E-04
384	5	8.55E-04
385	5	9.69E-04
386	5	1.07E-03
387	5	1.14E-03
388	5	1.16E-03
389	5	1.00E-03
390	5	8.75E-04
391	5	7.46E-04
392	5	6.13E-04
393	5	9.12E-04
394	5	1.11E-03
395	5	1.26E-03
396	5	1.47E-03
397	5	1.66E-03
398	5	1.66E-03
399	5	1.52E-03
400	5	1.42E-03
401	5	1.13E-03
402	5	6.95E-04
403	5	2.08E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	7.93E-04
405	5	6.01E-04
406	5	2.88E-03
407	5	6.06E-04
408	5	3.01E-03
409	5	5.92E-04
410	5	2.70E-03
411	5	7.55E-04
412	5	5.76E-04
413	5	2.29E-03
414	5	9.51E-04
415	5	6.96E-04
416	5	5.37E-04
417	5	1.88E-03
418	5	6.36E-04
419	5	4.98E-04
420	5	4.01E-04
421	5	1.54E-03
422	5	4.59E-04
423	5	3.75E-04
424	5	1.27E-03
425	5	3.49E-04
426	5	2.93E-04
427	5	1.06E-03
428	5	3.24E-04
429	5	2.75E-04
430	5	8.90E-04
431	5	2.57E-04
432	5	2.22E-04
433	5	7.52E-04
434	5	2.41E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	2.10E-04
436	5	6.41E-04
437	5	2.61E-04
438	5	2.26E-04
439	5	1.98E-04
440	5	5.51E-04
441	5	3.37E-04
442	5	2.84E-04
443	5	2.44E-04
444	5	2.12E-04
445	5	4.77E-04
446	5	3.58E-04
447	5	3.07E-04
448	5	2.63E-04
449	5	4.17E-04
450	5	3.70E-04
451	5	3.24E-04
452	5	3.66E-04
453	5	3.30E-04
454	5	1.56E-04
455	5	1.41E-04
456	5	3.23E-04
457	5	2.96E-04
458	5	2.66E-04
459	5	1.86E-04
460	5	1.66E-04
461	5	1.48E-04
462	5	1.34E-04
463	5	9.42E-03
464	5	5.37E-03
465	5	6.80E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	3.85E-03
467	5	4.18E-03
468	5	2.88E-03
469	5	2.06E-03
470	5	1.87E-03
471	5	1.79E-03
472	5	1.39E-03
473	5	1.20E-03
474	5	1.07E-03
475	5	9.53E-04
476	5	8.50E-04
477	5	7.77E-04
478	5	6.91E-04
479	5	6.43E-04
480	5	5.76E-04
481	5	5.73E-04
482	5	4.94E-04
483	5	4.61E-04
484	5	4.27E-04

Air Quality Appendix
AQ-7 Health Risk Analysis
A Unmitigated
3 Existing Onsite PA1

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	
753	**3.3**	**3.29**	**0.00**	**0.00**	**0.00**	
		753	**521**	**521**	**521**	**Receptor**
521	3.058E-02	3.06E-02	0.00	0.00	0.00	
522	3.095E-02	3.09E-02	0.00	0.00	0.00	
523	3.128E-02	3.13E-02	0.00	0.00	0.00	
524	3.167E-02	3.17E-02	0.00	0.00	0.00	
525	3.209E-02	3.21E-02	0.00	0.00	0.00	
526	3.292E-02	3.29E-02	0.00	0.00	0.00	
527	3.400E-02	3.40E-02	0.00	0.00	0.00	
528	3.532E-02	3.53E-02	0.00	0.00	0.00	
529	3.692E-02	3.69E-02	0.00	0.00	0.00	
530	3.900E-02	3.90E-02	0.00	0.00	0.00	
531	4.169E-02	4.17E-02	0.00	0.00	0.00	
532	4.454E-02	4.45E-02	0.00	0.00	0.00	
533	4.769E-02	4.77E-02	0.00	0.00	0.00	
534	6.661E-02	6.66E-02	0.00	0.00	0.00	
535	3.401E-02	3.40E-02	0.00	0.00	0.00	
536	3.436E-02	3.44E-02	0.00	0.00	0.00	
537	3.490E-02	3.49E-02	0.00	0.00	0.00	
538	3.524E-02	3.52E-02	0.00	0.00	0.00	
539	3.556E-02	3.56E-02	0.00	0.00	0.00	
540	3.617E-02	3.62E-02	0.00	0.00	0.00	
541	3.703E-02	3.70E-02	0.00	0.00	0.00	
542	3.811E-02	3.81E-02	0.00	0.00	0.00	
543	4.006E-02	4.01E-02	0.00	0.00	0.00	
544	4.196E-02	4.20E-02	0.00	0.00	0.00	
545	4.515E-02	4.52E-02	0.00	0.00	0.00	
546	4.862E-02	4.86E-02	0.00	0.00	0.00	
547	5.162E-02	5.16E-02	0.00	0.00	0.00	
548	7.470E-02	7.47E-02	0.00	0.00	0.00	
549	3.767E-02	3.77E-02	0.00	0.00	0.00	

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
550	3.844E-02	3.84E-02	0.00	0.00	0.00
551	3.927E-02	3.93E-02	0.00	0.00	0.00
552	3.986E-02	3.99E-02	0.00	0.00	0.00
553	3.986E-02	3.99E-02	0.00	0.00	0.00
554	4.041E-02	4.04E-02	0.00	0.00	0.00
555	4.101E-02	4.10E-02	0.00	0.00	0.00
556	4.205E-02	4.21E-02	0.00	0.00	0.00
557	4.371E-02	4.37E-02	0.00	0.00	0.00
558	4.603E-02	4.60E-02	0.00	0.00	0.00
559	4.912E-02	4.91E-02	0.00	0.00	0.00
560	5.256E-02	5.26E-02	0.00	0.00	0.00
561	5.609E-02	5.61E-02	0.00	0.00	0.00
562	8.444E-02	8.44E-02	0.00	0.00	0.00
563	4.137E-02	4.14E-02	0.00	0.00	0.00
564	4.256E-02	4.26E-02	0.00	0.00	0.00
565	4.366E-02	4.37E-02	0.00	0.00	0.00
566	4.446E-02	4.45E-02	0.00	0.00	0.00
567	4.493E-02	4.49E-02	0.00	0.00	0.00
568	4.544E-02	4.54E-02	0.00	0.00	0.00
569	4.584E-02	4.58E-02	0.00	0.00	0.00
570	4.638E-02	4.64E-02	0.00	0.00	0.00
571	4.844E-02	4.84E-02	0.00	0.00	0.00
572	5.062E-02	5.06E-02	0.00	0.00	0.00
573	5.396E-02	5.40E-02	0.00	0.00	0.00
574	5.797E-02	5.80E-02	0.00	0.00	0.00
575	6.247E-02	6.25E-02	0.00	0.00	0.00
576	9.667E-02	9.67E-02	0.00	0.00	0.00
577	4.499E-02	4.50E-02	0.00	0.00	0.00
578	4.663E-02	4.66E-02	0.00	0.00	0.00
579	4.818E-02	4.82E-02	0.00	0.00	0.00
580	4.958E-02	4.96E-02	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
581	5.074E-02	5.07E-02	0.00	0.00	0.00
582	5.167E-02	5.17E-02	0.00	0.00	0.00
583	5.291E-02	5.29E-02	0.00	0.00	0.00
584	5.268E-02	5.27E-02	0.00	0.00	0.00
585	5.446E-02	5.45E-02	0.00	0.00	0.00
586	5.690E-02	5.69E-02	0.00	0.00	0.00
587	5.966E-02	5.97E-02	0.00	0.00	0.00
588	6.484E-02	6.48E-02	0.00	0.00	0.00
589	7.076E-02	7.08E-02	0.00	0.00	0.00
590	4.869E-02	4.87E-02	0.00	0.00	0.00
591	5.083E-02	5.08E-02	0.00	0.00	0.00
592	5.294E-02	5.29E-02	0.00	0.00	0.00
593	5.500E-02	5.50E-02	0.00	0.00	0.00
594	5.677E-02	5.68E-02	0.00	0.00	0.00
595	5.892E-02	5.89E-02	0.00	0.00	0.00
596	6.069E-02	6.07E-02	0.00	0.00	0.00
597	6.148E-02	6.15E-02	0.00	0.00	0.00
598	6.343E-02	6.34E-02	0.00	0.00	0.00
599	6.791E-02	6.79E-02	0.00	0.00	0.00
600	6.990E-02	6.99E-02	0.00	0.00	0.00
601	7.690E-02	7.69E-02	0.00	0.00	0.00
602	8.217E-02	8.22E-02	0.00	0.00	0.00
603	5.238E-02	5.24E-02	0.00	0.00	0.00
604	5.502E-02	5.50E-02	0.00	0.00	0.00
605	5.741E-02	5.74E-02	0.00	0.00	0.00
606	6.068E-02	6.07E-02	0.00	0.00	0.00
607	6.356E-02	6.36E-02	0.00	0.00	0.00
608	6.651E-02	6.65E-02	0.00	0.00	0.00
609	6.948E-02	6.95E-02	0.00	0.00	0.00
610	7.257E-02	7.26E-02	0.00	0.00	0.00
611	7.592E-02	7.59E-02	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
612	7.992E-02	7.99E-02	0.00	0.00	0.00
613	8.453E-02	8.45E-02	0.00	0.00	0.00
614	9.046E-02	9.05E-02	0.00	0.00	0.00
615	9.788E-02	9.79E-02	0.00	0.00	0.00
616	5.578E-02	5.58E-02	0.00	0.00	0.00
617	5.841E-02	5.84E-02	0.00	0.00	0.00
618	6.150E-02	6.15E-02	0.00	0.00	0.00
619	6.566E-02	6.57E-02	0.00	0.00	0.00
620	7.023E-02	7.02E-02	0.00	0.00	0.00
621	7.428E-02	7.43E-02	0.00	0.00	0.00
622	7.840E-02	7.84E-02	0.00	0.00	0.00
623	8.267E-02	8.27E-02	0.00	0.00	0.00
624	8.714E-02	8.71E-02	0.00	0.00	0.00
625	9.186E-02	9.19E-02	0.00	0.00	0.00
626	9.754E-02	9.75E-02	0.00	0.00	0.00
627	1.046E-01	1.05E-01	0.00	0.00	0.00
628	1.133E-01	1.13E-01	0.00	0.00	0.00
629	5.820E-02	5.82E-02	0.00	0.00	0.00
630	6.233E-02	6.23E-02	0.00	0.00	0.00
631	6.683E-02	6.68E-02	0.00	0.00	0.00
632	7.165E-02	7.17E-02	0.00	0.00	0.00
633	7.679E-02	7.68E-02	0.00	0.00	0.00
634	8.216E-02	8.22E-02	0.00	0.00	0.00
635	8.775E-02	8.77E-02	0.00	0.00	0.00
636	9.368E-02	9.37E-02	0.00	0.00	0.00
637	9.998E-02	1.00E-01	0.00	0.00	0.00
638	1.036E-01	1.04E-01	0.00	0.00	0.00
639	1.111E-01	1.11E-01	0.00	0.00	0.00
640	1.188E-01	1.19E-01	0.00	0.00	0.00
641	1.278E-01	1.28E-01	0.00	0.00	0.00
642	5.990E-02	5.99E-02	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
643	6.487E-02	6.49E-02	0.00	0.00	0.00
644	7.062E-02	7.06E-02	0.00	0.00	0.00
645	7.648E-02	7.65E-02	0.00	0.00	0.00
646	8.270E-02	8.27E-02	0.00	0.00	0.00
647	8.925E-02	8.92E-02	0.00	0.00	0.00
648	9.398E-02	9.40E-02	0.00	0.00	0.00
649	1.017E-01	1.02E-01	0.00	0.00	0.00
650	1.122E-01	1.12E-01	0.00	0.00	0.00
651	3.416E-01	3.42E-01	0.00	0.00	0.00
652	3.544E-01	3.54E-01	0.00	0.00	0.00
653	6.014E-02	6.01E-02	0.00	0.00	0.00
654	6.640E-02	6.64E-02	0.00	0.00	0.00
655	7.300E-02	7.30E-02	0.00	0.00	0.00
656	7.987E-02	7.99E-02	0.00	0.00	0.00
657	8.739E-02	8.74E-02	0.00	0.00	0.00
658	9.517E-02	9.52E-02	0.00	0.00	0.00
659	1.027E-01	1.03E-01	0.00	0.00	0.00
660	1.151E-01	1.15E-01	0.00	0.00	0.00
661	1.270E-01	1.27E-01	0.00	0.00	0.00
662	1.399E-01	1.40E-01	0.00	0.00	0.00
663	1.548E-01	1.55E-01	0.00	0.00	0.00
664	1.728E-01	1.73E-01	0.00	0.00	0.00
665	1.911E-01	1.91E-01	0.00	0.00	0.00
666	4.610E-01	4.61E-01	0.00	0.00	0.00
667	5.908E-02	5.91E-02	0.00	0.00	0.00
668	6.559E-02	6.56E-02	0.00	0.00	0.00
669	7.299E-02	7.30E-02	0.00	0.00	0.00
670	8.082E-02	8.08E-02	0.00	0.00	0.00
671	8.992E-02	8.99E-02	0.00	0.00	0.00
672	9.910E-02	9.91E-02	0.00	0.00	0.00
673	1.094E-01	1.09E-01	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
674	1.222E-01	1.22E-01	0.00	0.00	0.00
675	1.375E-01	1.37E-01	0.00	0.00	0.00
676	1.548E-01	1.55E-01	0.00	0.00	0.00
677	1.739E-01	1.74E-01	0.00	0.00	0.00
678	1.949E-01	1.95E-01	0.00	0.00	0.00
679	2.278E-01	2.28E-01	0.00	0.00	0.00
680	5.747E-02	5.75E-02	0.00	0.00	0.00
681	6.329E-02	6.33E-02	0.00	0.00	0.00
682	6.931E-02	6.93E-02	0.00	0.00	0.00
683	7.848E-02	7.85E-02	0.00	0.00	0.00
684	8.947E-02	8.95E-02	0.00	0.00	0.00
685	1.001E-01	1.00E-01	0.00	0.00	0.00
686	1.129E-01	1.13E-01	0.00	0.00	0.00
687	1.281E-01	1.28E-01	0.00	0.00	0.00
688	1.464E-01	1.46E-01	0.00	0.00	0.00
689	1.685E-01	1.68E-01	0.00	0.00	0.00
690	1.946E-01	1.95E-01	0.00	0.00	0.00
691	2.261E-01	2.26E-01	0.00	0.00	0.00
692	2.690E-01	2.69E-01	0.00	0.00	0.00
693	3.256E-01	3.26E-01	0.00	0.00	0.00
694	4.017E-01	4.02E-01	0.00	0.00	0.00
695	5.038E-01	5.04E-01	0.00	0.00	0.00
696	6.714E-01	6.71E-01	0.00	0.00	0.00
697	8.742E-01	8.74E-01	0.00	0.00	0.00
698	1.100E+00	1.10E+00	0.00	0.00	0.00
699	5.338E-02	5.34E-02	0.00	0.00	0.00
700	5.850E-02	5.85E-02	0.00	0.00	0.00
701	6.354E-02	6.35E-02	0.00	0.00	0.00
702	7.373E-02	7.37E-02	0.00	0.00	0.00
703	8.684E-02	8.68E-02	0.00	0.00	0.00
704	9.845E-02	9.84E-02	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
705	1.127E-01	1.13E-01	0.00	0.00	0.00
706	1.295E-01	1.29E-01	0.00	0.00	0.00
707	1.496E-01	1.50E-01	0.00	0.00	0.00
708	1.751E-01	1.75E-01	0.00	0.00	0.00
709	2.066E-01	2.07E-01	0.00	0.00	0.00
710	2.475E-01	2.48E-01	0.00	0.00	0.00
711	3.007E-01	3.01E-01	0.00	0.00	0.00
712	3.771E-01	3.77E-01	0.00	0.00	0.00
713	4.840E-01	4.84E-01	0.00	0.00	0.00
714	6.527E-01	6.53E-01	0.00	0.00	0.00
715	9.471E-01	9.47E-01	0.00	0.00	0.00
716	1.435E+00	1.43E+00	0.00	0.00	0.00
717	2.104E+00	2.10E+00	0.00	0.00	0.00
718	4.984E-02	4.98E-02	0.00	0.00	0.00
719	5.487E-02	5.49E-02	0.00	0.00	0.00
720	6.067E-02	6.07E-02	0.00	0.00	0.00
721	6.869E-02	6.87E-02	0.00	0.00	0.00
722	8.159E-02	8.16E-02	0.00	0.00	0.00
723	9.398E-02	9.40E-02	0.00	0.00	0.00
724	1.089E-01	1.09E-01	0.00	0.00	0.00
725	1.260E-01	1.26E-01	0.00	0.00	0.00
726	1.469E-01	1.47E-01	0.00	0.00	0.00
727	1.734E-01	1.73E-01	0.00	0.00	0.00
728	2.072E-01	2.07E-01	0.00	0.00	0.00
729	2.526E-01	2.53E-01	0.00	0.00	0.00
730	3.149E-01	3.15E-01	0.00	0.00	0.00
731	4.055E-01	4.06E-01	0.00	0.00	0.00
732	5.410E-01	5.41E-01	0.00	0.00	0.00
733	7.552E-01	7.55E-01	0.00	0.00	0.00
734	1.112E+00	1.11E+00	0.00	0.00	0.00
735	2.310E+00	2.31E+00	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
736	4.723E-02	4.72E-02	0.00	0.00	0.00
737	5.166E-02	5.17E-02	0.00	0.00	0.00
738	5.730E-02	5.73E-02	0.00	0.00	0.00
739	6.451E-02	6.45E-02	0.00	0.00	0.00
740	7.591E-02	7.59E-02	0.00	0.00	0.00
741	8.716E-02	8.72E-02	0.00	0.00	0.00
742	1.019E-01	1.02E-01	0.00	0.00	0.00
743	1.186E-01	1.19E-01	0.00	0.00	0.00
744	1.388E-01	1.39E-01	0.00	0.00	0.00
745	1.635E-01	1.64E-01	0.00	0.00	0.00
746	1.969E-01	1.97E-01	0.00	0.00	0.00
747	2.408E-01	2.41E-01	0.00	0.00	0.00
748	3.022E-01	3.02E-01	0.00	0.00	0.00
749	3.940E-01	3.94E-01	0.00	0.00	0.00
750	5.368E-01	5.37E-01	0.00	0.00	0.00
751	7.907E-01	7.91E-01	0.00	0.00	0.00
752	1.311E+00	1.31E+00	0.00	0.00	0.00
753	3.291E+00	3.29E+00	0.00	0.00	0.00
754	4.529E-02	4.53E-02	0.00	0.00	0.00
755	4.921E-02	4.92E-02	0.00	0.00	0.00
756	5.453E-02	5.45E-02	0.00	0.00	0.00
757	6.165E-02	6.16E-02	0.00	0.00	0.00
758	7.104E-02	7.10E-02	0.00	0.00	0.00
759	8.133E-02	8.13E-02	0.00	0.00	0.00
760	9.435E-02	9.43E-02	0.00	0.00	0.00
761	1.098E-01	1.10E-01	0.00	0.00	0.00
762	1.286E-01	1.29E-01	0.00	0.00	0.00
763	1.518E-01	1.52E-01	0.00	0.00	0.00
764	1.830E-01	1.83E-01	0.00	0.00	0.00
765	2.244E-01	2.24E-01	0.00	0.00	0.00
766	2.816E-01	2.82E-01	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
767	3.647E-01	3.65E-01	0.00	0.00	0.00
768	4.951E-01	4.95E-01	0.00	0.00	0.00
769	7.200E-01	7.20E-01	0.00	0.00	0.00
770	1.187E+00	1.19E+00	0.00	0.00	0.00
771	2.919E+00	2.92E+00	0.00	0.00	0.00
772	4.360E-02	4.36E-02	0.00	0.00	0.00
773	4.711E-02	4.71E-02	0.00	0.00	0.00
774	5.175E-02	5.17E-02	0.00	0.00	0.00
775	5.761E-02	5.76E-02	0.00	0.00	0.00
776	6.746E-02	6.75E-02	0.00	0.00	0.00
777	7.467E-02	7.47E-02	0.00	0.00	0.00
778	8.479E-02	8.48E-02	0.00	0.00	0.00
779	9.710E-02	9.71E-02	0.00	0.00	0.00
780	1.149E-01	1.15E-01	0.00	0.00	0.00
781	1.386E-01	1.39E-01	0.00	0.00	0.00
782	1.683E-01	1.68E-01	0.00	0.00	0.00
783	2.047E-01	2.05E-01	0.00	0.00	0.00
784	2.563E-01	2.56E-01	0.00	0.00	0.00
785	3.271E-01	3.27E-01	0.00	0.00	0.00
786	4.350E-01	4.35E-01	0.00	0.00	0.00
787	6.072E-01	6.07E-01	0.00	0.00	0.00
788	9.192E-01	9.19E-01	0.00	0.00	0.00
789	1.870E+00	1.87E+00	0.00	0.00	0.00
790	4.240E-02	4.24E-02	0.00	0.00	0.00
791	4.600E-02	4.60E-02	0.00	0.00	0.00
792	5.046E-02	5.05E-02	0.00	0.00	0.00
793	5.571E-02	5.57E-02	0.00	0.00	0.00
794	6.562E-02	6.56E-02	0.00	0.00	0.00
795	7.485E-02	7.49E-02	0.00	0.00	0.00
796	7.985E-02	7.99E-02	0.00	0.00	0.00
797	9.049E-02	9.05E-02	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
798	1.047E-01	1.05E-01	0.00	0.00	0.00
799	1.238E-01	1.24E-01	0.00	0.00	0.00
800	1.516E-01	1.52E-01	0.00	0.00	0.00
801	1.869E-01	1.87E-01	0.00	0.00	0.00
802	2.326E-01	2.33E-01	0.00	0.00	0.00
803	2.935E-01	2.94E-01	0.00	0.00	0.00
804	3.792E-01	3.79E-01	0.00	0.00	0.00
805	5.004E-01	5.00E-01	0.00	0.00	0.00
806	7.034E-01	7.03E-01	0.00	0.00	0.00
807	1.254E+00	1.25E+00	0.00	0.00	0.00
808	4.173E-02	4.17E-02	0.00	0.00	0.00
809	4.493E-02	4.49E-02	0.00	0.00	0.00
810	5.018E-02	5.02E-02	0.00	0.00	0.00
811	5.574E-02	5.57E-02	0.00	0.00	0.00
812	6.781E-02	6.78E-02	0.00	0.00	0.00
813	7.377E-02	7.38E-02	0.00	0.00	0.00
814	7.598E-02	7.60E-02	0.00	0.00	0.00
815	8.622E-02	8.62E-02	0.00	0.00	0.00
816	9.932E-02	9.93E-02	0.00	0.00	0.00
817	1.142E-01	1.14E-01	0.00	0.00	0.00
818	1.359E-01	1.36E-01	0.00	0.00	0.00
819	1.682E-01	1.68E-01	0.00	0.00	0.00
820	2.051E-01	2.05E-01	0.00	0.00	0.00
821	2.568E-01	2.57E-01	0.00	0.00	0.00
822	3.237E-01	3.24E-01	0.00	0.00	0.00
823	4.166E-01	4.17E-01	0.00	0.00	0.00
824	5.602E-01	5.60E-01	0.00	0.00	0.00
825	9.031E-01	9.03E-01	0.00	0.00	0.00
826	4.317E-02	4.32E-02	0.00	0.00	0.00
827	4.532E-02	4.53E-02	0.00	0.00	0.00
828	4.929E-02	4.93E-02	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
829	5.758E-02	5.76E-02	0.00	0.00	0.00
830	6.619E-02	6.62E-02	0.00	0.00	0.00
831	7.160E-02	7.16E-02	0.00	0.00	0.00
832	7.219E-02	7.22E-02	0.00	0.00	0.00
833	8.149E-02	8.15E-02	0.00	0.00	0.00
834	9.332E-02	9.33E-02	0.00	0.00	0.00
835	1.109E-01	1.11E-01	0.00	0.00	0.00
836	1.261E-01	1.26E-01	0.00	0.00	0.00
837	1.480E-01	1.48E-01	0.00	0.00	0.00
838	1.777E-01	1.78E-01	0.00	0.00	0.00
839	2.200E-01	2.20E-01	0.00	0.00	0.00
840	2.809E-01	2.81E-01	0.00	0.00	0.00
841	3.503E-01	3.50E-01	0.00	0.00	0.00
842	4.531E-01	4.53E-01	0.00	0.00	0.00
843	6.760E-01	6.76E-01	0.00	0.00	0.00
844	4.233E-02	4.23E-02	0.00	0.00	0.00
845	4.696E-02	4.70E-02	0.00	0.00	0.00
846	5.058E-02	5.06E-02	0.00	0.00	0.00
847	5.387E-02	5.39E-02	0.00	0.00	0.00
848	6.516E-02	6.52E-02	0.00	0.00	0.00
849	6.923E-02	6.92E-02	0.00	0.00	0.00
850	7.010E-02	7.01E-02	0.00	0.00	0.00
851	7.902E-02	7.90E-02	0.00	0.00	0.00
852	9.014E-02	9.01E-02	0.00	0.00	0.00
853	1.063E-01	1.06E-01	0.00	0.00	0.00
854	1.223E-01	1.22E-01	0.00	0.00	0.00
855	1.416E-01	1.42E-01	0.00	0.00	0.00
856	4.126E-01	4.13E-01	0.00	0.00	0.00
857	4.345E-01	4.35E-01	0.00	0.00	0.00
858	4.815E-02	4.82E-02	0.00	0.00	0.00
859	5.147E-02	5.15E-02	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
860	5.863E-02	5.86E-02	0.00	0.00	0.00
861	6.239E-02	6.24E-02	0.00	0.00	0.00
862	6.448E-02	6.45E-02	0.00	0.00	0.00
863	6.764E-02	6.76E-02	0.00	0.00	0.00
864	6.861E-02	6.86E-02	0.00	0.00	0.00
865	6.915E-02	6.92E-02	0.00	0.00	0.00
866	6.915E-02	6.92E-02	0.00	0.00	0.00
867	5.211E-02	5.21E-02	0.00	0.00	0.00
868	5.708E-02	5.71E-02	0.00	0.00	0.00
869	6.691E-02	6.69E-02	0.00	0.00	0.00
870	6.977E-02	6.98E-02	0.00	0.00	0.00
871	7.212E-02	7.21E-02	0.00	0.00	0.00
872	7.615E-02	7.61E-02	0.00	0.00	0.00
873	7.732E-02	7.73E-02	0.00	0.00	0.00
874	7.765E-02	7.77E-02	0.00	0.00	0.00
875	7.775E-02	7.77E-02	0.00	0.00	0.00
876	5.691E-02	5.69E-02	0.00	0.00	0.00
877	6.130E-02	6.13E-02	0.00	0.00	0.00
878	6.696E-02	6.70E-02	0.00	0.00	0.00
879	7.629E-02	7.63E-02	0.00	0.00	0.00
880	8.135E-02	8.14E-02	0.00	0.00	0.00
881	8.647E-02	8.65E-02	0.00	0.00	0.00
882	8.794E-02	8.79E-02	0.00	0.00	0.00
883	8.824E-02	8.82E-02	0.00	0.00	0.00
884	6.325E-02	6.33E-02	0.00	0.00	0.00
885	6.698E-02	6.70E-02	0.00	0.00	0.00
886	7.398E-02	7.40E-02	0.00	0.00	0.00
887	8.633E-02	8.63E-02	0.00	0.00	0.00
888	9.264E-02	9.26E-02	0.00	0.00	0.00
889	9.931E-02	9.93E-02	0.00	0.00	0.00
890	1.021E-01	1.02E-01	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Cancer Risk			
Receptor #	**Total Per/Million**	**Harbor**	**PA1**	**PA2**	**PA3**
891	1.018E-01	1.02E-01	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
753	753	0.107	0.107	0.006	0.000	0.000	0.000	0.000	0.000
		Receptor	753	753	521	521	521	521	521
521	**521**	9.92E-04	9.92E-04	5.12E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
522	**522**	1.00E-03	1.00E-03	5.18E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
523	**523**	1.01E-03	1.01E-03	5.23E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
524	**524**	1.03E-03	1.03E-03	5.30E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
525	**525**	1.04E-03	1.04E-03	5.37E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
526	**526**	1.07E-03	1.07E-03	5.51E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
527	**527**	1.10E-03	1.10E-03	5.69E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
528	**528**	1.15E-03	1.15E-03	5.91E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
529	**529**	1.20E-03	1.20E-03	6.18E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
530	**530**	1.27E-03	1.27E-03	6.52E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
531	**531**	1.35E-03	1.35E-03	6.97E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
532	**532**	1.45E-03	1.45E-03	7.45E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
533	**533**	1.55E-03	1.55E-03	7.98E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
534	**534**	2.16E-03	2.16E-03	1.11E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
535	**535**	1.10E-03	1.10E-03	5.69E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
536	**536**	1.11E-03	1.11E-03	5.75E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
537	**537**	1.13E-03	1.13E-03	5.84E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
538	**538**	1.14E-03	1.14E-03	5.90E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
539	**539**	1.15E-03	1.15E-03	5.95E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
540	**540**	1.17E-03	1.17E-03	6.05E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
541	**541**	1.20E-03	1.20E-03	6.20E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
542	**542**	1.24E-03	1.24E-03	6.38E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
543	**543**	1.30E-03	1.30E-03	6.70E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
544	**544**	1.36E-03	1.36E-03	7.02E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
545	**545**	1.47E-03	1.47E-03	7.55E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
546	**546**	1.58E-03	1.58E-03	8.13E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
547	**547**	1.68E-03	1.68E-03	8.64E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
548	**548**	2.42E-03	2.42E-03	1.25E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
549	**549**	1.22E-03	1.22E-03	6.30E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
550	**550**	1.25E-03	1.25E-03	6.43E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
551	**551**	1.27E-03	1.27E-03	6.57E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
552	**552**	1.29E-03	1.29E-03	6.67E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
553	**553**	1.29E-03	1.29E-03	6.67E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
554	**554**	1.31E-03	1.31E-03	6.76E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
555	**555**	1.33E-03	1.33E-03	6.86E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
556	**556**	1.36E-03	1.36E-03	7.04E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
557	**557**	1.42E-03	1.42E-03	7.31E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
558	**558**	1.49E-03	1.49E-03	7.70E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
559	**559**	1.59E-03	1.59E-03	8.22E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
560	**560**	1.71E-03	1.71E-03	8.79E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
561	**561**	1.82E-03	1.82E-03	9.38E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
562	**562**	2.74E-03	2.74E-03	1.41E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
563	**563**	1.34E-03	1.34E-03	6.92E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
564	**564**	1.38E-03	1.38E-03	7.12E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
565	**565**	1.42E-03	1.42E-03	7.30E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
566	**566**	1.44E-03	1.44E-03	7.44E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
567	**567**	1.46E-03	1.46E-03	7.52E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
568	**568**	1.47E-03	1.47E-03	7.60E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
569	**569**	1.49E-03	1.49E-03	7.67E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
570	**570**	1.50E-03	1.50E-03	7.76E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
571	**571**	1.57E-03	1.57E-03	8.10E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
572	**572**	1.64E-03	1.64E-03	8.47E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
573	**573**	1.75E-03	1.75E-03	9.03E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
574	**574**	1.88E-03	1.88E-03	9.70E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
575	**575**	2.03E-03	2.03E-03	1.05E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
576	**576**	3.14E-03	3.14E-03	1.62E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
577	**577**	1.46E-03	1.46E-03	7.53E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
578	**578**	1.51E-03	1.51E-03	7.80E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
579	**579**	1.56E-03	1.56E-03	8.06E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
580	**580**	1.61E-03	1.61E-03	8.30E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
581	**581**	1.65E-03	1.65E-03	8.49E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
582	**582**	1.68E-03	1.68E-03	8.64E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
583	**583**	1.72E-03	1.72E-03	8.85E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
584	**584**	1.71E-03	1.71E-03	8.81E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
585	**585**	1.77E-03	1.77E-03	9.11E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
586	**586**	1.85E-03	1.85E-03	9.52E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
587	**587**	1.94E-03	1.94E-03	9.98E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
588	**588**	2.10E-03	2.10E-03	1.08E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
589	**589**	2.30E-03	2.30E-03	1.18E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
590	**590**	1.58E-03	1.58E-03	8.15E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
591	**591**	1.65E-03	1.65E-03	8.50E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
592	**592**	1.72E-03	1.72E-03	8.86E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
593	**593**	1.78E-03	1.78E-03	9.20E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
594	**594**	1.84E-03	1.84E-03	9.50E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
595	**595**	1.91E-03	1.91E-03	9.86E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
596	**596**	1.97E-03	1.97E-03	1.02E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
597	**597**	2.00E-03	2.00E-03	1.03E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
598	**598**	2.06E-03	2.06E-03	1.06E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
599	**599**	2.20E-03	2.20E-03	1.14E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
600	**600**	2.27E-03	2.27E-03	1.17E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
601	**601**	2.50E-03	2.50E-03	1.29E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
602	**602**	2.67E-03	2.67E-03	1.37E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
603	**603**	1.70E-03	1.70E-03	8.76E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
604	**604**	1.79E-03	1.79E-03	9.21E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
605	**605**	1.86E-03	1.86E-03	9.60E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
606	**606**	1.97E-03	1.97E-03	1.02E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
607	**607**	2.06E-03	2.06E-03	1.06E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
608	**608**	2.16E-03	2.16E-03	1.11E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
609	**609**	2.25E-03	2.25E-03	1.16E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
610	**610**	2.36E-03	2.36E-03	1.21E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
611	**611**	2.46E-03	2.46E-03	1.27E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
612	**612**	2.59E-03	2.59E-03	1.34E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
613	**613**	2.74E-03	2.74E-03	1.41E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
614	**614**	2.94E-03	2.94E-03	1.51E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
615	**615**	3.18E-03	3.18E-03	1.64E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
616	**616**	1.81E-03	1.81E-03	9.33E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
617	**617**	1.90E-03	1.90E-03	9.77E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
618	**618**	2.00E-03	2.00E-03	1.03E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
619	**619**	2.13E-03	2.13E-03	1.10E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
620	**620**	2.28E-03	2.28E-03	1.18E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
621	**621**	2.41E-03	2.41E-03	1.24E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
622	**622**	2.54E-03	2.54E-03	1.31E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
623	**623**	2.68E-03	2.68E-03	1.38E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
624	**624**	2.83E-03	2.83E-03	1.46E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
625	**625**	2.98E-03	2.98E-03	1.54E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
626	**626**	3.17E-03	3.17E-03	1.63E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
627	**627**	3.39E-03	3.39E-03	1.75E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
628	**628**	3.68E-03	3.68E-03	1.90E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
629	**629**	1.89E-03	1.89E-03	9.74E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
630	**630**	2.02E-03	2.02E-03	1.04E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
631	**631**	2.17E-03	2.17E-03	1.12E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
632	**632**	2.33E-03	2.33E-03	1.20E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
633	**633**	2.49E-03	2.49E-03	1.28E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
634	**634**	2.67E-03	2.67E-03	1.37E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
635	**635**	2.85E-03	2.85E-03	1.47E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
636	**636**	3.04E-03	3.04E-03	1.57E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
637	**637**	3.24E-03	3.24E-03	1.67E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
638	**638**	3.36E-03	3.36E-03	1.73E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
639	**639**	3.60E-03	3.60E-03	1.86E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
640	**640**	3.86E-03	3.86E-03	1.99E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
641	**641**	4.15E-03	4.15E-03	2.14E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
642	**642**	1.94E-03	1.94E-03	1.00E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
643	**643**	2.10E-03	2.10E-03	1.09E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
644	**644**	2.29E-03	2.29E-03	1.18E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
645	**645**	2.48E-03	2.48E-03	1.28E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
646	**646**	2.68E-03	2.68E-03	1.38E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
647	**647**	2.90E-03	2.90E-03	1.49E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
648	**648**	3.05E-03	3.05E-03	1.57E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
649	**649**	3.30E-03	3.30E-03	1.70E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
650	**650**	3.64E-03	3.64E-03	1.88E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
651	**651**	1.11E-02	1.11E-02	5.72E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
652	**652**	1.15E-02	1.15E-02	5.93E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
653	**653**	1.95E-03	1.95E-03	1.01E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
654	**654**	2.15E-03	2.15E-03	1.11E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
655	**655**	2.37E-03	2.37E-03	1.22E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
656	**656**	2.59E-03	2.59E-03	1.34E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
657	**657**	2.84E-03	2.84E-03	1.46E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
658	**658**	3.09E-03	3.09E-03	1.59E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
659	**659**	3.33E-03	3.33E-03	1.72E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
660	**660**	3.74E-03	3.74E-03	1.93E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
661	**661**	4.12E-03	4.12E-03	2.13E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
662	**662**	4.54E-03	4.54E-03	2.34E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
663	**663**	5.03E-03	5.03E-03	2.59E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
664	**664**	5.61E-03	5.61E-03	2.89E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
665	**665**	6.20E-03	6.20E-03	3.20E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
666	**666**	1.50E-02	1.50E-02	7.72E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
667	**667**	1.92E-03	1.92E-03	9.88E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
668	**668**	2.13E-03	2.13E-03	1.10E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
669	**669**	2.37E-03	2.37E-03	1.22E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
670	**670**	2.62E-03	2.62E-03	1.35E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
671	**671**	2.92E-03	2.92E-03	1.50E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
672	**672**	3.22E-03	3.22E-03	1.66E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
673	**673**	3.55E-03	3.55E-03	1.83E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
674	**674**	3.96E-03	3.96E-03	2.04E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
675	**675**	4.46E-03	4.46E-03	2.30E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
676	**676**	5.02E-03	5.02E-03	2.59E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
677	**677**	5.64E-03	5.64E-03	2.91E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
678	**678**	6.32E-03	6.32E-03	3.26E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
679	**679**	7.39E-03	7.39E-03	3.81E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
680	**680**	1.86E-03	1.86E-03	9.61E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
681	**681**	2.05E-03	2.05E-03	1.06E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
682	**682**	2.25E-03	2.25E-03	1.16E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
683	**683**	2.55E-03	2.55E-03	1.31E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
684	**684**	2.90E-03	2.90E-03	1.50E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
685	**685**	3.25E-03	3.25E-03	1.67E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
686	**686**	3.66E-03	3.66E-03	1.89E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
687	**687**	4.16E-03	4.16E-03	2.14E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
688	**688**	4.75E-03	4.75E-03	2.45E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
689	**689**	5.47E-03	5.47E-03	2.82E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
690	**690**	6.32E-03	6.32E-03	3.26E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
691	**691**	7.34E-03	7.34E-03	3.78E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
692	**692**	8.73E-03	8.73E-03	4.50E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
693	**693**	1.06E-02	1.06E-02	5.45E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
694	**694**	1.30E-02	1.30E-02	6.72E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
695	**695**	1.64E-02	1.64E-02	8.43E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
696	**696**	2.18E-02	2.18E-02	1.12E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
697	**697**	2.84E-02	2.84E-02	1.46E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
698	**698**	3.57E-02	3.57E-02	1.84E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
699	**699**	1.73E-03	1.73E-03	8.93E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
700	**700**	1.90E-03	1.90E-03	9.78E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
701	**701**	2.06E-03	2.06E-03	1.06E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
702	**702**	2.39E-03	2.39E-03	1.23E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
703	**703**	2.82E-03	2.82E-03	1.45E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
704	**704**	3.19E-03	3.19E-03	1.65E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
705	**705**	3.66E-03	3.66E-03	1.89E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
706	**706**	4.20E-03	4.20E-03	2.17E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
707	**707**	4.86E-03	4.86E-03	2.50E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
708	**708**	5.68E-03	5.68E-03	2.93E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
709	**709**	6.70E-03	6.70E-03	3.46E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
710	**710**	8.03E-03	8.03E-03	4.14E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
711	**711**	9.76E-03	9.76E-03	5.03E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
712	**712**	1.22E-02	1.22E-02	6.31E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
713	**713**	1.57E-02	1.57E-02	8.10E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
714	**714**	2.12E-02	2.12E-02	1.09E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
715	**715**	3.07E-02	3.07E-02	1.59E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
716	**716**	4.66E-02	4.66E-02	2.40E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
717	**717**	6.83E-02	6.83E-02	3.52E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
718	**718**	1.62E-03	1.62E-03	8.34E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
719	**719**	1.78E-03	1.78E-03	9.18E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
720	**720**	1.97E-03	1.97E-03	1.01E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
721	**721**	2.23E-03	2.23E-03	1.15E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
722	**722**	2.65E-03	2.65E-03	1.36E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
723	**723**	3.05E-03	3.05E-03	1.57E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
724	**724**	3.53E-03	3.53E-03	1.82E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
725	**725**	4.09E-03	4.09E-03	2.11E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
726	**726**	4.77E-03	4.77E-03	2.46E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
727	**727**	5.63E-03	5.63E-03	2.90E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
728	**728**	6.72E-03	6.72E-03	3.47E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
729	**729**	8.20E-03	8.20E-03	4.23E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
730	**730**	1.02E-02	1.02E-02	5.27E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
731	**731**	1.32E-02	1.32E-02	6.79E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
732	**732**	1.76E-02	1.76E-02	9.06E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
733	**733**	2.45E-02	2.45E-02	1.26E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
734	**734**	3.61E-02	3.61E-02	1.86E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
735	**735**	7.50E-02	7.50E-02	3.87E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
736	**736**	1.53E-03	1.53E-03	7.90E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
737	**737**	1.68E-03	1.68E-03	8.64E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
738	**738**	1.86E-03	1.86E-03	9.58E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
739	**739**	2.09E-03	2.09E-03	1.08E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
740	**740**	2.46E-03	2.46E-03	1.27E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
741	**741**	2.83E-03	2.83E-03	1.46E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
742	**742**	3.30E-03	3.30E-03	1.70E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
743	**743**	3.85E-03	3.85E-03	1.98E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
744	**744**	4.50E-03	4.50E-03	2.32E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
745	**745**	5.31E-03	5.31E-03	2.74E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
746	**746**	6.39E-03	6.39E-03	3.29E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
747	**747**	7.81E-03	7.81E-03	4.03E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
748	**748**	9.81E-03	9.81E-03	5.06E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
749	**749**	1.28E-02	1.28E-02	6.59E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
750	**750**	1.74E-02	1.74E-02	8.98E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
751	**751**	2.57E-02	2.57E-02	1.32E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
752	**752**	4.26E-02	4.26E-02	2.19E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
753	**753**	1.07E-01	1.07E-01	5.51E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
754	**754**	1.47E-03	1.47E-03	7.57E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
755	**755**	1.60E-03	1.60E-03	8.23E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
756	**756**	1.77E-03	1.77E-03	9.12E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
757	**757**	2.00E-03	2.00E-03	1.03E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
758	**758**	2.30E-03	2.30E-03	1.19E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
759	**759**	2.64E-03	2.64E-03	1.36E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
760	**760**	3.06E-03	3.06E-03	1.58E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
761	**761**	3.56E-03	3.56E-03	1.84E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
762	**762**	4.17E-03	4.17E-03	2.15E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
763	**763**	4.92E-03	4.92E-03	2.54E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
764	**764**	5.94E-03	5.94E-03	3.06E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
765	**765**	7.28E-03	7.28E-03	3.75E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
766	**766**	9.14E-03	9.14E-03	4.71E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
767	**767**	1.18E-02	1.18E-02	6.10E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
768	**768**	1.61E-02	1.61E-02	8.28E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
769	**769**	2.34E-02	2.34E-02	1.20E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
770	**770**	3.85E-02	3.85E-02	1.99E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
771	**771**	9.48E-02	9.48E-02	4.89E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
772	**772**	1.41E-03	1.41E-03	7.29E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
773	**773**	1.53E-03	1.53E-03	7.88E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
774	**774**	1.68E-03	1.68E-03	8.65E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
775	**775**	1.87E-03	1.87E-03	9.63E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
776	**776**	2.19E-03	2.19E-03	1.13E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
777	**777**	2.42E-03	2.42E-03	1.25E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
778	**778**	2.75E-03	2.75E-03	1.42E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
779	**779**	3.15E-03	3.15E-03	1.62E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
780	**780**	3.73E-03	3.73E-03	1.92E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
781	**781**	4.49E-03	4.49E-03	2.32E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
782	**782**	5.46E-03	5.46E-03	2.81E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
783	**783**	6.64E-03	6.64E-03	3.42E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
784	**784**	8.32E-03	8.32E-03	4.29E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
785	**785**	1.06E-02	1.06E-02	5.47E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
786	**786**	1.41E-02	1.41E-02	7.28E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
787	**787**	1.97E-02	1.97E-02	1.02E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
788	**788**	2.98E-02	2.98E-02	1.54E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
789	**789**	6.07E-02	6.07E-02	3.13E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
790	**790**	1.38E-03	1.38E-03	7.09E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
791	**791**	1.49E-03	1.49E-03	7.69E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
792	**792**	1.64E-03	1.64E-03	8.44E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
793	**793**	1.81E-03	1.81E-03	9.31E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
794	**794**	2.13E-03	2.13E-03	1.10E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
795	**795**	2.43E-03	2.43E-03	1.25E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
796	**796**	2.59E-03	2.59E-03	1.34E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
797	**797**	2.93E-03	2.93E-03	1.51E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
798	**798**	3.40E-03	3.40E-03	1.75E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
799	**799**	4.02E-03	4.02E-03	2.07E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
800	**800**	4.92E-03	4.92E-03	2.54E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
801	**801**	6.06E-03	6.06E-03	3.13E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
802	**802**	7.55E-03	7.55E-03	3.89E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
803	**803**	9.52E-03	9.52E-03	4.91E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
804	**804**	1.23E-02	1.23E-02	6.34E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
805	**805**	1.62E-02	1.62E-02	8.37E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
806	**806**	2.28E-02	2.28E-02	1.18E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
807	**807**	4.07E-02	4.07E-02	2.10E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
808	**808**	1.35E-03	1.35E-03	6.98E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
809	**809**	1.46E-03	1.46E-03	7.51E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
810	**810**	1.63E-03	1.63E-03	8.39E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
811	**811**	1.81E-03	1.81E-03	9.32E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
812	**812**	2.20E-03	2.20E-03	1.13E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
813	**813**	2.39E-03	2.39E-03	1.23E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
814	**814**	2.46E-03	2.46E-03	1.27E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
815	**815**	2.80E-03	2.80E-03	1.44E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
816	**816**	3.22E-03	3.22E-03	1.66E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
817	**817**	3.70E-03	3.70E-03	1.91E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
818	**818**	4.41E-03	4.41E-03	2.27E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
819	**819**	5.45E-03	5.45E-03	2.81E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
820	**820**	6.65E-03	6.65E-03	3.43E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
821	**821**	8.33E-03	8.33E-03	4.29E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
822	**822**	1.05E-02	1.05E-02	5.41E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
823	**823**	1.35E-02	1.35E-02	6.97E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
824	**824**	1.82E-02	1.82E-02	9.36E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
825	**825**	2.93E-02	2.93E-02	1.51E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
826	**826**	1.40E-03	1.40E-03	7.22E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
827	**827**	1.47E-03	1.47E-03	7.58E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
828	**828**	1.60E-03	1.60E-03	8.24E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
829	**829**	1.87E-03	1.87E-03	9.63E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
830	**830**	2.15E-03	2.15E-03	1.11E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
831	**831**	2.32E-03	2.32E-03	1.20E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
832	**832**	2.34E-03	2.34E-03	1.21E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
833	**833**	2.64E-03	2.64E-03	1.36E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
834	**834**	3.03E-03	3.03E-03	1.56E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
835	**835**	3.60E-03	3.60E-03	1.85E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
836	**836**	4.09E-03	4.09E-03	2.11E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
837	**837**	4.80E-03	4.80E-03	2.47E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
838	**838**	5.76E-03	5.76E-03	2.97E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
839	**839**	7.13E-03	7.13E-03	3.68E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
840	**840**	9.11E-03	9.11E-03	4.69E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
841	**841**	1.14E-02	1.14E-02	5.85E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
842	**842**	1.47E-02	1.47E-02	7.57E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
843	**843**	2.19E-02	2.19E-02	1.13E-03	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
844	**844**	1.37E-03	1.37E-03	7.08E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
845	**845**	1.52E-03	1.52E-03	7.85E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
846	**846**	1.64E-03	1.64E-03	8.46E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
847	**847**	1.75E-03	1.75E-03	9.01E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
848	**848**	2.11E-03	2.11E-03	1.09E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
849	**849**	2.25E-03	2.25E-03	1.16E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
850	**850**	2.27E-03	2.27E-03	1.17E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
851	**851**	2.56E-03	2.56E-03	1.32E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
852	**852**	2.92E-03	2.92E-03	1.51E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
853	**853**	3.45E-03	3.45E-03	1.78E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
854	**854**	3.96E-03	3.96E-03	2.04E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
855	**855**	4.59E-03	4.59E-03	2.37E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
856	**856**	1.34E-02	1.34E-02	6.91E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
857	**857**	1.41E-02	1.41E-02	7.27E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
858	**858**	1.56E-03	1.56E-03	8.06E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
859	**859**	1.67E-03	1.67E-03	8.61E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
860	**860**	1.90E-03	1.90E-03	9.81E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
861	**861**	2.02E-03	2.02E-03	1.04E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
862	**862**	2.09E-03	2.09E-03	1.08E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
863	**863**	2.19E-03	2.19E-03	1.13E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
864	**864**	2.23E-03	2.23E-03	1.15E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
865	**865**	2.24E-03	2.24E-03	1.16E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
866	**866**	2.24E-03	2.24E-03	1.16E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
867	**867**	1.69E-03	1.69E-03	8.72E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
868	**868**	1.85E-03	1.85E-03	9.55E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
869	**869**	2.17E-03	2.17E-03	1.12E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
870	**870**	2.26E-03	2.26E-03	1.17E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
871	**871**	2.34E-03	2.34E-03	1.21E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
872	**872**	2.47E-03	2.47E-03	1.27E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
873	**873**	2.51E-03	2.51E-03	1.29E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
874	**874**	2.52E-03	2.52E-03	1.30E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
875	**875**	2.52E-03	2.52E-03	1.30E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
876	**876**	1.85E-03	1.85E-03	9.52E-05	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
877	**877**	1.99E-03	1.99E-03	1.03E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
878	**878**	2.17E-03	2.17E-03	1.12E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
879	**879**	2.48E-03	2.48E-03	1.28E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
880	**880**	2.64E-03	2.64E-03	1.36E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
881	**881**	2.81E-03	2.81E-03	1.45E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
882	**882**	2.85E-03	2.85E-03	1.47E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
883	**883**	2.86E-03	2.86E-03	1.48E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
884	**884**	2.05E-03	2.05E-03	1.06E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
885	**885**	2.17E-03	2.17E-03	1.12E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
886	**886**	2.40E-03	2.40E-03	1.24E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
887	**887**	2.80E-03	2.80E-03	1.44E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
888	**888**	3.01E-03	3.01E-03	1.55E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
889	**889**	3.22E-03	3.22E-03	1.66E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
890	**890**	3.31E-03	3.31E-03	1.71E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	**Receptor #**	**Max Chronic**	**2023**	**2024**	**2033**	**2034**	**2035**	**2036**	**2037**
891	**891**	3.30E-03	3.30E-03	1.70E-04	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

					Cancer Risk from 3rd Trimester						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
1	0.09997	2.83E-03	2.8E-04	3.46E-04	9.78E-08	2.47E-02	1.57E-01	3.79E-10	1.0E+06	3.8E-04	
2	0.10116	2.83E-03	2.9E-04	3.46E-04	9.90E-08	2.47E-02	1.57E-01	3.83E-10	1.0E+06	3.8E-04	
3	0.10225	2.83E-03	2.9E-04	3.46E-04	1.00E-07	2.47E-02	1.57E-01	3.88E-10	1.0E+06	3.9E-04	
4	0.10353	2.83E-03	2.9E-04	3.46E-04	1.01E-07	2.47E-02	1.57E-01	3.92E-10	1.0E+06	3.9E-04	
5	0.1049	2.83E-03	3.0E-04	3.46E-04	1.03E-07	2.47E-02	1.57E-01	3.98E-10	1.0E+06	4.0E-04	
6	0.10762	2.83E-03	3.0E-04	3.46E-04	1.05E-07	2.47E-02	1.57E-01	4.08E-10	1.0E+06	4.1E-04	
7	0.11114	2.83E-03	3.1E-04	3.46E-04	1.09E-07	2.47E-02	1.57E-01	4.21E-10	1.0E+06	4.2E-04	
8	0.11544	2.83E-03	3.3E-04	3.46E-04	1.13E-07	2.47E-02	1.57E-01	4.38E-10	1.0E+06	4.4E-04	
9	0.12067	2.83E-03	3.4E-04	3.46E-04	1.18E-07	2.47E-02	1.57E-01	4.57E-10	1.0E+06	4.6E-04	
10	0.12749	2.83E-03	3.6E-04	3.46E-04	1.25E-07	2.47E-02	1.57E-01	4.83E-10	1.0E+06	4.8E-04	
11	0.13627	2.83E-03	3.9E-04	3.46E-04	1.33E-07	2.47E-02	1.57E-01	5.17E-10	1.0E+06	5.2E-04	
12	0.1456	2.83E-03	4.1E-04	3.46E-04	1.42E-07	2.47E-02	1.57E-01	5.52E-10	1.0E+06	5.5E-04	
13	0.15591	2.83E-03	4.4E-04	3.46E-04	1.53E-07	2.47E-02	1.57E-01	5.91E-10	1.0E+06	5.9E-04	
14	0.21775	2.83E-03	6.2E-04	3.46E-04	2.13E-07	2.47E-02	1.57E-01	8.25E-10	1.0E+06	8.3E-04	
15	0.11116	2.83E-03	3.1E-04	3.46E-04	1.09E-07	2.47E-02	1.57E-01	4.21E-10	1.0E+06	4.2E-04	
16	0.11231	2.83E-03	3.2E-04	3.46E-04	1.10E-07	2.47E-02	1.57E-01	4.26E-10	1.0E+06	4.3E-04	
17	0.11409	2.83E-03	3.2E-04	3.46E-04	1.12E-07	2.47E-02	1.57E-01	4.32E-10	1.0E+06	4.3E-04	
18	0.1152	2.83E-03	3.3E-04	3.46E-04	1.13E-07	2.47E-02	1.57E-01	4.37E-10	1.0E+06	4.4E-04	
19	0.11623	2.83E-03	3.3E-04	3.46E-04	1.14E-07	2.47E-02	1.57E-01	4.41E-10	1.0E+06	4.4E-04	
20	0.11825	2.83E-03	3.3E-04	3.46E-04	1.16E-07	2.47E-02	1.57E-01	4.48E-10	1.0E+06	4.5E-04	
21	0.12106	2.83E-03	3.4E-04	3.46E-04	1.18E-07	2.47E-02	1.57E-01	4.59E-10	1.0E+06	4.6E-04	
22	0.12456	2.83E-03	3.5E-04	3.46E-04	1.22E-07	2.47E-02	1.57E-01	4.72E-10	1.0E+06	4.7E-04	
23	0.13094	2.83E-03	3.7E-04	3.46E-04	1.28E-07	2.47E-02	1.57E-01	4.96E-10	1.0E+06	5.0E-04	
24	0.13716	2.83E-03	3.9E-04	3.46E-04	1.34E-07	2.47E-02	1.57E-01	5.20E-10	1.0E+06	5.2E-04	
25	0.14759	2.83E-03	4.2E-04	3.46E-04	1.44E-07	2.47E-02	1.57E-01	5.59E-10	1.0E+06	5.6E-04	
26	0.15892	2.83E-03	4.5E-04	3.46E-04	1.55E-07	2.47E-02	1.57E-01	6.02E-10	1.0E+06	6.0E-04	
27	0.16875	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.40E-10	1.0E+06	6.4E-04	
28	0.24418	2.83E-03	6.9E-04	3.46E-04	2.39E-07	2.47E-02	1.57E-01	9.26E-10	1.0E+06	9.3E-04	
29	0.12315	2.83E-03	3.5E-04	3.46E-04	1.20E-07	2.47E-02	1.57E-01	4.67E-10	1.0E+06	4.7E-04	
30	0.12567	2.83E-03	3.6E-04	3.46E-04	1.23E-07	2.47E-02	1.57E-01	4.76E-10	1.0E+06	4.8E-04	
31	0.12837	2.83E-03	3.6E-04	3.46E-04	1.26E-07	2.47E-02	1.57E-01	4.87E-10	1.0E+06	4.9E-04	

	Max	Receptor #
Res	0.131	471

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	2.83E-03	3.7E-04	3.46E-04	1.27E-07	2.47E-02	1.57E-01	4.94E-10	1.0E+06	4.9E-04
33	0.13031	2.83E-03	3.7E-04	3.46E-04	1.27E-07	2.47E-02	1.57E-01	4.94E-10	1.0E+06	4.9E-04
34	0.13211	2.83E-03	3.7E-04	3.46E-04	1.29E-07	2.47E-02	1.57E-01	5.01E-10	1.0E+06	5.0E-04
35	0.13406	2.83E-03	3.8E-04	3.46E-04	1.31E-07	2.47E-02	1.57E-01	5.08E-10	1.0E+06	5.1E-04
36	0.13747	2.83E-03	3.9E-04	3.46E-04	1.34E-07	2.47E-02	1.57E-01	5.21E-10	1.0E+06	5.2E-04
37	0.14288	2.83E-03	4.0E-04	3.46E-04	1.40E-07	2.47E-02	1.57E-01	5.42E-10	1.0E+06	5.4E-04
38	0.15048	2.83E-03	4.3E-04	3.46E-04	1.47E-07	2.47E-02	1.57E-01	5.70E-10	1.0E+06	5.7E-04
39	0.16057	2.83E-03	4.5E-04	3.46E-04	1.57E-07	2.47E-02	1.57E-01	6.09E-10	1.0E+06	6.1E-04
40	0.17181	2.83E-03	4.9E-04	3.46E-04	1.68E-07	2.47E-02	1.57E-01	6.51E-10	1.0E+06	6.5E-04
41	0.18337	2.83E-03	5.2E-04	3.46E-04	1.79E-07	2.47E-02	1.57E-01	6.95E-10	1.0E+06	7.0E-04
42	0.27606	2.83E-03	7.8E-04	3.46E-04	2.70E-07	2.47E-02	1.57E-01	1.05E-09	1.0E+06	1.0E-03
43	0.13523	2.83E-03	3.8E-04	3.46E-04	1.32E-07	2.47E-02	1.57E-01	5.13E-10	1.0E+06	5.1E-04
44	0.13913	2.83E-03	3.9E-04	3.46E-04	1.36E-07	2.47E-02	1.57E-01	5.27E-10	1.0E+06	5.3E-04
45	0.14273	2.83E-03	4.0E-04	3.46E-04	1.40E-07	2.47E-02	1.57E-01	5.41E-10	1.0E+06	5.4E-04
46	0.14534	2.83E-03	4.1E-04	3.46E-04	1.42E-07	2.47E-02	1.57E-01	5.51E-10	1.0E+06	5.5E-04
47	0.14689	2.83E-03	4.2E-04	3.46E-04	1.44E-07	2.47E-02	1.57E-01	5.57E-10	1.0E+06	5.6E-04
48	0.14854	2.83E-03	4.2E-04	3.46E-04	1.45E-07	2.47E-02	1.57E-01	5.63E-10	1.0E+06	5.6E-04
49	0.14984	2.83E-03	4.2E-04	3.46E-04	1.47E-07	2.47E-02	1.57E-01	5.68E-10	1.0E+06	5.7E-04
50	0.15161	2.83E-03	4.3E-04	3.46E-04	1.48E-07	2.47E-02	1.57E-01	5.75E-10	1.0E+06	5.7E-04
51	0.15836	2.83E-03	4.5E-04	3.46E-04	1.55E-07	2.47E-02	1.57E-01	6.00E-10	1.0E+06	6.0E-04
52	0.16548	2.83E-03	4.7E-04	3.46E-04	1.62E-07	2.47E-02	1.57E-01	6.27E-10	1.0E+06	6.3E-04
53	0.17641	2.83E-03	5.0E-04	3.46E-04	1.73E-07	2.47E-02	1.57E-01	6.69E-10	1.0E+06	6.7E-04
54	0.18951	2.83E-03	5.4E-04	3.46E-04	1.85E-07	2.47E-02	1.57E-01	7.18E-10	1.0E+06	7.2E-04
55	0.20421	2.83E-03	5.8E-04	3.46E-04	2.00E-07	2.47E-02	1.57E-01	7.74E-10	1.0E+06	7.7E-04
56	0.31605	2.83E-03	8.9E-04	3.46E-04	3.09E-07	2.47E-02	1.57E-01	1.20E-09	1.0E+06	1.2E-03
57	0.14708	2.83E-03	4.2E-04	3.46E-04	1.44E-07	2.47E-02	1.57E-01	5.58E-10	1.0E+06	5.6E-04
58	0.15242	2.83E-03	4.3E-04	3.46E-04	1.49E-07	2.47E-02	1.57E-01	5.78E-10	1.0E+06	5.8E-04
59	0.15749	2.83E-03	4.5E-04	3.46E-04	1.54E-07	2.47E-02	1.57E-01	5.97E-10	1.0E+06	6.0E-04
60	0.16209	2.83E-03	4.6E-04	3.46E-04	1.59E-07	2.47E-02	1.57E-01	6.14E-10	1.0E+06	6.1E-04
61	0.16587	2.83E-03	4.7E-04	3.46E-04	1.62E-07	2.47E-02	1.57E-01	6.29E-10	1.0E+06	6.3E-04
62	0.1689	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.40E-10	1.0E+06	6.4E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	2.83E-03	4.9E-04	3.46E-04	1.69E-07	2.47E-02	1.57E-01	6.56E-10	1.0E+06	6.6E-04
64	0.17221	2.83E-03	4.9E-04	3.46E-04	1.68E-07	2.47E-02	1.57E-01	6.53E-10	1.0E+06	6.5E-04
65	0.17802	2.83E-03	5.0E-04	3.46E-04	1.74E-07	2.47E-02	1.57E-01	6.75E-10	1.0E+06	6.7E-04
66	0.18602	2.83E-03	5.3E-04	3.46E-04	1.82E-07	2.47E-02	1.57E-01	7.05E-10	1.0E+06	7.1E-04
67	0.19503	2.83E-03	5.5E-04	3.46E-04	1.91E-07	2.47E-02	1.57E-01	7.39E-10	1.0E+06	7.4E-04
68	0.21198	2.83E-03	6.0E-04	3.46E-04	2.07E-07	2.47E-02	1.57E-01	8.04E-10	1.0E+06	8.0E-04
69	0.23133	2.83E-03	6.5E-04	3.46E-04	2.26E-07	2.47E-02	1.57E-01	8.77E-10	1.0E+06	8.8E-04
70	0.15915	2.83E-03	4.5E-04	3.46E-04	1.56E-07	2.47E-02	1.57E-01	6.03E-10	1.0E+06	6.0E-04
71	0.16615	2.83E-03	4.7E-04	3.46E-04	1.63E-07	2.47E-02	1.57E-01	6.30E-10	1.0E+06	6.3E-04
72	0.17306	2.83E-03	4.9E-04	3.46E-04	1.69E-07	2.47E-02	1.57E-01	6.56E-10	1.0E+06	6.6E-04
73	0.17979	2.83E-03	5.1E-04	3.46E-04	1.76E-07	2.47E-02	1.57E-01	6.82E-10	1.0E+06	6.8E-04
74	0.1856	2.83E-03	5.2E-04	3.46E-04	1.82E-07	2.47E-02	1.57E-01	7.04E-10	1.0E+06	7.0E-04
75	0.19262	2.83E-03	5.4E-04	3.46E-04	1.88E-07	2.47E-02	1.57E-01	7.30E-10	1.0E+06	7.3E-04
76	0.19839	2.83E-03	5.6E-04	3.46E-04	1.94E-07	2.47E-02	1.57E-01	7.52E-10	1.0E+06	7.5E-04
77	0.20099	2.83E-03	5.7E-04	3.46E-04	1.97E-07	2.47E-02	1.57E-01	7.62E-10	1.0E+06	7.6E-04
78	0.20736	2.83E-03	5.9E-04	3.46E-04	2.03E-07	2.47E-02	1.57E-01	7.86E-10	1.0E+06	7.9E-04
79	0.22199	2.83E-03	6.3E-04	3.46E-04	2.17E-07	2.47E-02	1.57E-01	8.41E-10	1.0E+06	8.4E-04
80	0.22851	2.83E-03	6.5E-04	3.46E-04	2.24E-07	2.47E-02	1.57E-01	8.66E-10	1.0E+06	8.7E-04
81	0.25141	2.83E-03	7.1E-04	3.46E-04	2.46E-07	2.47E-02	1.57E-01	9.53E-10	1.0E+06	9.5E-04
82	0.26864	2.83E-03	7.6E-04	3.46E-04	2.63E-07	2.47E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
83	0.17123	2.83E-03	4.8E-04	3.46E-04	1.68E-07	2.47E-02	1.57E-01	6.49E-10	1.0E+06	6.5E-04
84	0.17986	2.83E-03	5.1E-04	3.46E-04	1.76E-07	2.47E-02	1.57E-01	6.82E-10	1.0E+06	6.8E-04
85	0.18766	2.83E-03	5.3E-04	3.46E-04	1.84E-07	2.47E-02	1.57E-01	7.11E-10	1.0E+06	7.1E-04
86	0.19836	2.83E-03	5.6E-04	3.46E-04	1.94E-07	2.47E-02	1.57E-01	7.52E-10	1.0E+06	7.5E-04
87	0.20777	2.83E-03	5.9E-04	3.46E-04	2.03E-07	2.47E-02	1.57E-01	7.88E-10	1.0E+06	7.9E-04
88	0.21743	2.83E-03	6.1E-04	3.46E-04	2.13E-07	2.47E-02	1.57E-01	8.24E-10	1.0E+06	8.2E-04
89	0.22714	2.83E-03	6.4E-04	3.46E-04	2.22E-07	2.47E-02	1.57E-01	8.61E-10	1.0E+06	8.6E-04
90	0.23725	2.83E-03	6.7E-04	3.46E-04	2.32E-07	2.47E-02	1.57E-01	8.99E-10	1.0E+06	9.0E-04
91	0.24821	2.83E-03	7.0E-04	3.46E-04	2.43E-07	2.47E-02	1.57E-01	9.41E-10	1.0E+06	9.4E-04
92	0.26127	2.83E-03	7.4E-04	3.46E-04	2.56E-07	2.47E-02	1.57E-01	9.90E-10	1.0E+06	9.9E-04
93	0.27635	2.83E-03	7.8E-04	3.46E-04	2.70E-07	2.47E-02	1.57E-01	1.05E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	2.83E-03	8.4E-04	3.46E-04	2.89E-07	2.47E-02	1.57E-01	1.12E-09	1.0E+06	1.1E-03
95	0.31999	2.83E-03	9.0E-04	3.46E-04	3.13E-07	2.47E-02	1.57E-01	1.21E-09	1.0E+06	1.2E-03
96	0.18233	2.83E-03	5.2E-04	3.46E-04	1.78E-07	2.47E-02	1.57E-01	6.91E-10	1.0E+06	6.9E-04
97	0.19094	2.83E-03	5.4E-04	3.46E-04	1.87E-07	2.47E-02	1.57E-01	7.24E-10	1.0E+06	7.2E-04
98	0.20103	2.83E-03	5.7E-04	3.46E-04	1.97E-07	2.47E-02	1.57E-01	7.62E-10	1.0E+06	7.6E-04
99	0.21464	2.83E-03	6.1E-04	3.46E-04	2.10E-07	2.47E-02	1.57E-01	8.14E-10	1.0E+06	8.1E-04
100	0.22959	2.83E-03	6.5E-04	3.46E-04	2.25E-07	2.47E-02	1.57E-01	8.70E-10	1.0E+06	8.7E-04
101	0.24284	2.83E-03	6.9E-04	3.46E-04	2.38E-07	2.47E-02	1.57E-01	9.21E-10	1.0E+06	9.2E-04
102	0.25629	2.83E-03	7.2E-04	3.46E-04	2.51E-07	2.47E-02	1.57E-01	9.72E-10	1.0E+06	9.7E-04
103	0.27027	2.83E-03	7.6E-04	3.46E-04	2.64E-07	2.47E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
104	0.28488	2.83E-03	8.1E-04	3.46E-04	2.79E-07	2.47E-02	1.57E-01	1.08E-09	1.0E+06	1.1E-03
105	0.3003	2.83E-03	8.5E-04	3.46E-04	2.94E-07	2.47E-02	1.57E-01	1.14E-09	1.0E+06	1.1E-03
106	0.3189	2.83E-03	9.0E-04	3.46E-04	3.12E-07	2.47E-02	1.57E-01	1.21E-09	1.0E+06	1.2E-03
107	0.34186	2.83E-03	9.7E-04	3.46E-04	3.34E-07	2.47E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03
108	0.37026	2.83E-03	1.0E-03	3.46E-04	3.62E-07	2.47E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
109	0.19023	2.83E-03	5.4E-04	3.46E-04	1.86E-07	2.47E-02	1.57E-01	7.21E-10	1.0E+06	7.2E-04
110	0.20375	2.83E-03	5.8E-04	3.46E-04	1.99E-07	2.47E-02	1.57E-01	7.72E-10	1.0E+06	7.7E-04
111	0.21846	2.83E-03	6.2E-04	3.46E-04	2.14E-07	2.47E-02	1.57E-01	8.28E-10	1.0E+06	8.3E-04
112	0.23423	2.83E-03	6.6E-04	3.46E-04	2.29E-07	2.47E-02	1.57E-01	8.88E-10	1.0E+06	8.9E-04
113	0.25102	2.83E-03	7.1E-04	3.46E-04	2.46E-07	2.47E-02	1.57E-01	9.52E-10	1.0E+06	9.5E-04
114	0.2686	2.83E-03	7.6E-04	3.46E-04	2.63E-07	2.47E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
115	0.28686	2.83E-03	8.1E-04	3.46E-04	2.81E-07	2.47E-02	1.57E-01	1.09E-09	1.0E+06	1.1E-03
116	0.30627	2.83E-03	8.7E-04	3.46E-04	3.00E-07	2.47E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
117	0.32686	2.83E-03	9.2E-04	3.46E-04	3.20E-07	2.47E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
118	0.33858	2.83E-03	9.6E-04	3.46E-04	3.31E-07	2.47E-02	1.57E-01	1.28E-09	1.0E+06	1.3E-03
119	0.36311	2.83E-03	1.0E-03	3.46E-04	3.55E-07	2.47E-02	1.57E-01	1.38E-09	1.0E+06	1.4E-03
120	0.38851	2.83E-03	1.1E-03	3.46E-04	3.80E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
121	0.4178	2.83E-03	1.2E-03	3.46E-04	4.09E-07	2.47E-02	1.57E-01	1.58E-09	1.0E+06	1.6E-03
122	0.19578	2.83E-03	5.5E-04	3.46E-04	1.92E-07	2.47E-02	1.57E-01	7.42E-10	1.0E+06	7.4E-04
123	0.21204	2.83E-03	6.0E-04	3.46E-04	2.07E-07	2.47E-02	1.57E-01	8.04E-10	1.0E+06	8.0E-04
124	0.23086	2.83E-03	6.5E-04	3.46E-04	2.26E-07	2.47E-02	1.57E-01	8.75E-10	1.0E+06	8.8E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	2.83E-03	7.1E-04	3.46E-04	2.45E-07	2.47E-02	1.57E-01	9.48E-10	1.0E+06	9.5E-04
126	0.27035	2.83E-03	7.6E-04	3.46E-04	2.64E-07	2.47E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
127	0.29177	2.83E-03	8.2E-04	3.46E-04	2.85E-07	2.47E-02	1.57E-01	1.11E-09	1.0E+06	1.1E-03
128	0.30724	2.83E-03	8.7E-04	3.46E-04	3.01E-07	2.47E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
129	0.33259	2.83E-03	9.4E-04	3.46E-04	3.25E-07	2.47E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
130	0.36682	2.83E-03	1.0E-03	3.46E-04	3.59E-07	2.47E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
131	1.11688	2.83E-03	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
132	1.15875	2.83E-03	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.39E-09	1.0E+06	4.4E-03
133	0.19656	2.83E-03	5.6E-04	3.46E-04	1.92E-07	2.47E-02	1.57E-01	7.45E-10	1.0E+06	7.5E-04
134	0.21704	2.83E-03	6.1E-04	3.46E-04	2.12E-07	2.47E-02	1.57E-01	8.23E-10	1.0E+06	8.2E-04
135	0.23863	2.83E-03	6.7E-04	3.46E-04	2.33E-07	2.47E-02	1.57E-01	9.05E-10	1.0E+06	9.0E-04
136	0.26108	2.83E-03	7.4E-04	3.46E-04	2.55E-07	2.47E-02	1.57E-01	9.90E-10	1.0E+06	9.9E-04
137	0.28567	2.83E-03	8.1E-04	3.46E-04	2.79E-07	2.47E-02	1.57E-01	1.08E-09	1.0E+06	1.1E-03
138	0.31112	2.83E-03	8.8E-04	3.46E-04	3.04E-07	2.47E-02	1.57E-01	1.18E-09	1.0E+06	1.2E-03
139	0.33575	2.83E-03	9.5E-04	3.46E-04	3.28E-07	2.47E-02	1.57E-01	1.27E-09	1.0E+06	1.3E-03
140	0.37628	2.83E-03	1.1E-03	3.46E-04	3.68E-07	2.47E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
141	0.41535	2.83E-03	1.2E-03	3.46E-04	4.06E-07	2.47E-02	1.57E-01	1.57E-09	1.0E+06	1.6E-03
142	0.45747	2.83E-03	1.3E-03	3.46E-04	4.48E-07	2.47E-02	1.57E-01	1.73E-09	1.0E+06	1.7E-03
143	0.5063	2.83E-03	1.4E-03	3.46E-04	4.95E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
144	0.56507	2.83E-03	1.6E-03	3.46E-04	5.53E-07	2.47E-02	1.57E-01	2.14E-09	1.0E+06	2.1E-03
145	0.62491	2.83E-03	1.8E-03	3.46E-04	6.11E-07	2.47E-02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
146	1.50759	2.83E-03	4.3E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.71E-09	1.0E+06	5.7E-03
147	0.1931	2.83E-03	5.5E-04	3.46E-04	1.89E-07	2.47E-02	1.57E-01	7.32E-10	1.0E+06	7.3E-04
148	0.21437	2.83E-03	6.1E-04	3.46E-04	2.10E-07	2.47E-02	1.57E-01	8.13E-10	1.0E+06	8.1E-04
149	0.23858	2.83E-03	6.7E-04	3.46E-04	2.33E-07	2.47E-02	1.57E-01	9.04E-10	1.0E+06	9.0E-04
150	0.26418	2.83E-03	7.5E-04	3.46E-04	2.58E-07	2.47E-02	1.57E-01	1.00E-09	1.0E+06	1.0E-03
151	0.29392	2.83E-03	8.3E-04	3.46E-04	2.88E-07	2.47E-02	1.57E-01	1.11E-09	1.0E+06	1.1E-03
152	0.32394	2.83E-03	9.2E-04	3.46E-04	3.17E-07	2.47E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
153	0.3577	2.83E-03	1.0E-03	3.46E-04	3.50E-07	2.47E-02	1.57E-01	1.36E-09	1.0E+06	1.4E-03
154	0.39941	2.83E-03	1.1E-03	3.46E-04	3.91E-07	2.47E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
155	0.44952	2.83E-03	1.3E-03	3.46E-04	4.40E-07	2.47E-02	1.57E-01	1.70E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	2.83E-03	1.4E-03	3.46E-04	4.95E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
157	0.56864	2.83E-03	1.6E-03	3.46E-04	5.56E-07	2.47E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
158	0.63716	2.83E-03	1.8E-03	3.46E-04	6.23E-07	2.47E-02	1.57E-01	2.42E-09	1.0E+06	2.4E-03
159	0.74488	2.83E-03	2.1E-03	3.46E-04	7.29E-07	2.47E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
160	0.18782	2.83E-03	5.3E-04	3.46E-04	1.84E-07	2.47E-02	1.57E-01	7.12E-10	1.0E+06	7.1E-04
161	0.20685	2.83E-03	5.8E-04	3.46E-04	2.02E-07	2.47E-02	1.57E-01	7.84E-10	1.0E+06	7.8E-04
162	0.22653	2.83E-03	6.4E-04	3.46E-04	2.22E-07	2.47E-02	1.57E-01	8.59E-10	1.0E+06	8.6E-04
163	0.25651	2.83E-03	7.2E-04	3.46E-04	2.51E-07	2.47E-02	1.57E-01	9.72E-10	1.0E+06	9.7E-04
164	0.29246	2.83E-03	8.3E-04	3.46E-04	2.86E-07	2.47E-02	1.57E-01	1.11E-09	1.0E+06	1.1E-03
165	0.32725	2.83E-03	9.2E-04	3.46E-04	3.20E-07	2.47E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
166	0.36919	2.83E-03	1.0E-03	3.46E-04	3.61E-07	2.47E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
167	0.41887	2.83E-03	1.2E-03	3.46E-04	4.10E-07	2.47E-02	1.57E-01	1.59E-09	1.0E+06	1.6E-03
168	0.47877	2.83E-03	1.4E-03	3.46E-04	4.68E-07	2.47E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
169	0.55074	2.83E-03	1.6E-03	3.46E-04	5.39E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03
170	0.63634	2.83E-03	1.8E-03	3.46E-04	6.23E-07	2.47E-02	1.57E-01	2.41E-09	1.0E+06	2.4E-03
171	0.73945	2.83E-03	2.1E-03	3.46E-04	7.23E-07	2.47E-02	1.57E-01	2.80E-09	1.0E+06	2.8E-03
172	0.87948	2.83E-03	2.5E-03	3.46E-04	8.60E-07	2.47E-02	1.57E-01	3.33E-09	1.0E+06	3.3E-03
173	1.06486	2.83E-03	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.04E-09	1.0E+06	4.0E-03
174	1.31351	2.83E-03	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
175	1.6474	2.83E-03	4.7E-03	3.46E-04	1.61E-06	2.47E-02	1.57E-01	6.24E-09	1.0E+06	6.2E-03
176	2.19565	2.83E-03	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.32E-09	1.0E+06	8.3E-03
177	2.85894	2.83E-03	8.1E-03	3.46E-04	2.80E-06	2.47E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
178	3.59716	2.83E-03	1.0E-02	3.46E-04	3.52E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
179	0.17443	2.83E-03	4.9E-04	3.46E-04	1.71E-07	2.47E-02	1.57E-01	6.61E-10	1.0E+06	6.6E-04
180	0.19117	2.83E-03	5.4E-04	3.46E-04	1.87E-07	2.47E-02	1.57E-01	7.25E-10	1.0E+06	7.2E-04
181	0.20765	2.83E-03	5.9E-04	3.46E-04	2.03E-07	2.47E-02	1.57E-01	7.87E-10	1.0E+06	7.9E-04
182	0.24097	2.83E-03	6.8E-04	3.46E-04	2.36E-07	2.47E-02	1.57E-01	9.13E-10	1.0E+06	9.1E-04
183	0.28383	2.83E-03	8.0E-04	3.46E-04	2.78E-07	2.47E-02	1.57E-01	1.08E-09	1.0E+06	1.1E-03
184	0.32178	2.83E-03	9.1E-04	3.46E-04	3.15E-07	2.47E-02	1.57E-01	1.22E-09	1.0E+06	1.2E-03
185	0.36853	2.83E-03	1.0E-03	3.46E-04	3.61E-07	2.47E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
186	0.42331	2.83E-03	1.2E-03	3.46E-04	4.14E-07	2.47E-02	1.57E-01	1.60E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	2.83E-03	1.4E-03	3.46E-04	4.79E-07	2.47E-02	1.57E-01	1.85E-09	1.0E+06	1.9E-03
188	0.57244	2.83E-03	1.6E-03	3.46E-04	5.60E-07	2.47E-02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
189	0.67537	2.83E-03	1.9E-03	3.46E-04	6.61E-07	2.47E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03
190	0.80933	2.83E-03	2.3E-03	3.46E-04	7.92E-07	2.47E-02	1.57E-01	3.07E-09	1.0E+06	3.1E-03
191	0.98328	2.83E-03	2.8E-03	3.46E-04	9.62E-07	2.47E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
192	1.23304	2.83E-03	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.67E-09	1.0E+06	4.7E-03
193	1.58271	2.83E-03	4.5E-03	3.46E-04	1.55E-06	2.47E-02	1.57E-01	6.00E-09	1.0E+06	6.0E-03
194	2.13464	2.83E-03	6.0E-03	3.46E-04	2.09E-06	2.47E-02	1.57E-01	8.09E-09	1.0E+06	8.1E-03
195	3.0975	2.83E-03	8.8E-03	3.46E-04	3.03E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
196	4.69284	2.83E-03	1.3E-02	3.46E-04	4.59E-06	2.47E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
197	6.88357	2.83E-03	1.9E-02	3.46E-04	6.73E-06	2.47E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
198	0.16286	2.83E-03	4.6E-04	3.46E-04	1.59E-07	2.47E-02	1.57E-01	6.17E-10	1.0E+06	6.2E-04
199	0.1793	2.83E-03	5.1E-04	3.46E-04	1.75E-07	2.47E-02	1.57E-01	6.80E-10	1.0E+06	6.8E-04
200	0.19824	2.83E-03	5.6E-04	3.46E-04	1.94E-07	2.47E-02	1.57E-01	7.51E-10	1.0E+06	7.5E-04
201	0.22447	2.83E-03	6.3E-04	3.46E-04	2.20E-07	2.47E-02	1.57E-01	8.51E-10	1.0E+06	8.5E-04
202	0.26663	2.83E-03	7.5E-04	3.46E-04	2.61E-07	2.47E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03
203	0.30715	2.83E-03	8.7E-04	3.46E-04	3.00E-07	2.47E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
204	0.35579	2.83E-03	1.0E-03	3.46E-04	3.48E-07	2.47E-02	1.57E-01	1.35E-09	1.0E+06	1.3E-03
205	0.41191	2.83E-03	1.2E-03	3.46E-04	4.03E-07	2.47E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
206	0.48026	2.83E-03	1.4E-03	3.46E-04	4.70E-07	2.47E-02	1.57E-01	1.82E-09	1.0E+06	1.8E-03
207	0.56684	2.83E-03	1.6E-03	3.46E-04	5.55E-07	2.47E-02	1.57E-01	2.15E-09	1.0E+06	2.1E-03
208	0.67745	2.83E-03	1.9E-03	3.46E-04	6.63E-07	2.47E-02	1.57E-01	2.57E-09	1.0E+06	2.6E-03
209	0.82589	2.83E-03	2.3E-03	3.46E-04	8.08E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
210	1.02976	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
211	1.32605	2.83E-03	3.7E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.03E-09	1.0E+06	5.0E-03
212	1.76927	2.83E-03	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.71E-09	1.0E+06	6.7E-03
213	2.46994	2.83E-03	7.0E-03	3.46E-04	2.42E-06	2.47E-02	1.57E-01	9.36E-09	1.0E+06	9.4E-03
214	3.63615	2.83E-03	1.0E-02	3.46E-04	3.56E-06	2.47E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
215	7.55748	2.83E-03	2.1E-02	3.46E-04	7.39E-06	2.47E-02	1.57E-01	2.86E-08	1.0E+06	2.9E-02
216	0.15431	2.83E-03	4.4E-04	3.46E-04	1.51E-07	2.47E-02	1.57E-01	5.85E-10	1.0E+06	5.8E-04
217	0.16879	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.40E-10	1.0E+06	6.4E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	2.83E-03	5.3E-04	3.46E-04	1.83E-07	2.47E-02	1.57E-01	7.10E-10	1.0E+06	7.1E-04
219	0.21079	2.83E-03	6.0E-04	3.46E-04	2.06E-07	2.47E-02	1.57E-01	7.99E-10	1.0E+06	8.0E-04
220	0.24803	2.83E-03	7.0E-04	3.46E-04	2.43E-07	2.47E-02	1.57E-01	9.40E-10	1.0E+06	9.4E-04
221	0.28481	2.83E-03	8.0E-04	3.46E-04	2.79E-07	2.47E-02	1.57E-01	1.08E-09	1.0E+06	1.1E-03
222	0.33289	2.83E-03	9.4E-04	3.46E-04	3.26E-07	2.47E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
223	0.3875	2.83E-03	1.1E-03	3.46E-04	3.79E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
224	0.45352	2.83E-03	1.3E-03	3.46E-04	4.44E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
225	0.53452	2.83E-03	1.5E-03	3.46E-04	5.23E-07	2.47E-02	1.57E-01	2.03E-09	1.0E+06	2.0E-03
226	0.64348	2.83E-03	1.8E-03	3.46E-04	6.30E-07	2.47E-02	1.57E-01	2.44E-09	1.0E+06	2.4E-03
227	0.7871	2.83E-03	2.2E-03	3.46E-04	7.70E-07	2.47E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
228	0.98789	2.83E-03	2.8E-03	3.46E-04	9.66E-07	2.47E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
229	1.28832	2.83E-03	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
230	1.75514	2.83E-03	5.0E-03	3.46E-04	1.72E-06	2.47E-02	1.57E-01	6.65E-09	1.0E+06	6.7E-03
231	2.58583	2.83E-03	7.3E-03	3.46E-04	2.53E-06	2.47E-02	1.57E-01	9.80E-09	1.0E+06	9.8E-03
232	4.28751	2.83E-03	1.2E-02	3.46E-04	4.19E-06	2.47E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
233	10.76445	2.83E-03	3.0E-02	3.46E-04	1.05E-05	2.47E-02	1.57E-01	4.08E-08	1.0E+06	4.1E-02
234	0.14796	2.83E-03	4.2E-04	3.46E-04	1.45E-07	2.47E-02	1.57E-01	5.61E-10	1.0E+06	5.6E-04
235	0.16076	2.83E-03	4.5E-04	3.46E-04	1.57E-07	2.47E-02	1.57E-01	6.09E-10	1.0E+06	6.1E-04
236	0.17816	2.83E-03	5.0E-04	3.46E-04	1.74E-07	2.47E-02	1.57E-01	6.75E-10	1.0E+06	6.8E-04
237	0.20142	2.83E-03	5.7E-04	3.46E-04	1.97E-07	2.47E-02	1.57E-01	7.64E-10	1.0E+06	7.6E-04
238	0.2321	2.83E-03	6.6E-04	3.46E-04	2.27E-07	2.47E-02	1.57E-01	8.80E-10	1.0E+06	8.8E-04
239	0.26575	2.83E-03	7.5E-04	3.46E-04	2.60E-07	2.47E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03
240	0.30828	2.83E-03	8.7E-04	3.46E-04	3.02E-07	2.47E-02	1.57E-01	1.17E-09	1.0E+06	1.2E-03
241	0.35891	2.83E-03	1.0E-03	3.46E-04	3.51E-07	2.47E-02	1.57E-01	1.36E-09	1.0E+06	1.4E-03
242	0.4204	2.83E-03	1.2E-03	3.46E-04	4.11E-07	2.47E-02	1.57E-01	1.59E-09	1.0E+06	1.6E-03
243	0.49614	2.83E-03	1.4E-03	3.46E-04	4.85E-07	2.47E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03
244	0.59817	2.83E-03	1.7E-03	3.46E-04	5.85E-07	2.47E-02	1.57E-01	2.27E-09	1.0E+06	2.3E-03
245	0.7334	2.83E-03	2.1E-03	3.46E-04	7.17E-07	2.47E-02	1.57E-01	2.78E-09	1.0E+06	2.8E-03
246	0.92041	2.83E-03	2.6E-03	3.46E-04	9.00E-07	2.47E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
247	1.19215	2.83E-03	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.52E-09	1.0E+06	4.5E-03
248	1.61854	2.83E-03	4.6E-03	3.46E-04	1.58E-06	2.47E-02	1.57E-01	6.14E-09	1.0E+06	6.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	2.83E-03	6.7E-03	3.46E-04	2.30E-06	2.47E-02	1.57E-01	8.92E-09	1.0E+06	8.9E-03
250	3.88245	2.83E-03	1.1E-02	3.46E-04	3.80E-06	2.47E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
251	9.548	2.83E-03	2.7E-02	3.46E-04	9.34E-06	2.47E-02	1.57E-01	3.62E-08	1.0E+06	3.6E-02
252	0.14244	2.83E-03	4.0E-04	3.46E-04	1.39E-07	2.47E-02	1.57E-01	5.40E-10	1.0E+06	5.4E-04
253	0.15391	2.83E-03	4.3E-04	3.46E-04	1.51E-07	2.47E-02	1.57E-01	5.83E-10	1.0E+06	5.8E-04
254	0.16905	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.41E-10	1.0E+06	6.4E-04
255	0.1882	2.83E-03	5.3E-04	3.46E-04	1.84E-07	2.47E-02	1.57E-01	7.13E-10	1.0E+06	7.1E-04
256	0.22038	2.83E-03	6.2E-04	3.46E-04	2.16E-07	2.47E-02	1.57E-01	8.35E-10	1.0E+06	8.4E-04
257	0.24395	2.83E-03	6.9E-04	3.46E-04	2.39E-07	2.47E-02	1.57E-01	9.25E-10	1.0E+06	9.2E-04
258	0.27703	2.83E-03	7.8E-04	3.46E-04	2.71E-07	2.47E-02	1.57E-01	1.05E-09	1.0E+06	1.1E-03
259	0.31726	2.83E-03	9.0E-04	3.46E-04	3.10E-07	2.47E-02	1.57E-01	1.20E-09	1.0E+06	1.2E-03
260	0.37532	2.83E-03	1.1E-03	3.46E-04	3.67E-07	2.47E-02	1.57E-01	1.42E-09	1.0E+06	1.4E-03
261	0.45282	2.83E-03	1.3E-03	3.46E-04	4.43E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
262	0.54991	2.83E-03	1.6E-03	3.46E-04	5.38E-07	2.47E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
263	0.6689	2.83E-03	1.9E-03	3.46E-04	6.54E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
264	0.83769	2.83E-03	2.4E-03	3.46E-04	8.20E-07	2.47E-02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
265	1.069	2.83E-03	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.05E-09	1.0E+06	4.1E-03
266	1.42172	2.83E-03	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.39E-09	1.0E+06	5.4E-03
267	1.98481	2.83E-03	5.6E-03	3.46E-04	1.94E-06	2.47E-02	1.57E-01	7.52E-09	1.0E+06	7.5E-03
268	3.00508	2.83E-03	8.5E-03	3.46E-04	2.94E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
269	6.11415	2.83E-03	1.7E-02	3.46E-04	5.98E-06	2.47E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
270	0.13852	2.83E-03	3.9E-04	3.46E-04	1.36E-07	2.47E-02	1.57E-01	5.25E-10	1.0E+06	5.3E-04
271	0.15026	2.83E-03	4.2E-04	3.46E-04	1.47E-07	2.47E-02	1.57E-01	5.70E-10	1.0E+06	5.7E-04
272	0.16484	2.83E-03	4.7E-04	3.46E-04	1.61E-07	2.47E-02	1.57E-01	6.25E-10	1.0E+06	6.2E-04
273	0.18199	2.83E-03	5.1E-04	3.46E-04	1.78E-07	2.47E-02	1.57E-01	6.90E-10	1.0E+06	6.9E-04
274	0.21436	2.83E-03	6.1E-04	3.46E-04	2.10E-07	2.47E-02	1.57E-01	8.13E-10	1.0E+06	8.1E-04
275	0.24454	2.83E-03	6.9E-04	3.46E-04	2.39E-07	2.47E-02	1.57E-01	9.27E-10	1.0E+06	9.3E-04
276	0.26087	2.83E-03	7.4E-04	3.46E-04	2.55E-07	2.47E-02	1.57E-01	9.89E-10	1.0E+06	9.9E-04
277	0.29564	2.83E-03	8.4E-04	3.46E-04	2.89E-07	2.47E-02	1.57E-01	1.12E-09	1.0E+06	1.1E-03
278	0.34216	2.83E-03	9.7E-04	3.46E-04	3.35E-07	2.47E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03
279	0.40447	2.83E-03	1.1E-03	3.46E-04	3.96E-07	2.47E-02	1.57E-01	1.53E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	2.83E-03	1.4E-03	3.46E-04	4.85E-07	2.47E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03
281	0.61075	2.83E-03	1.7E-03	3.46E-04	5.98E-07	2.47E-02	1.57E-01	2.32E-09	1.0E+06	2.3E-03
282	0.76016	2.83E-03	2.1E-03	3.46E-04	7.44E-07	2.47E-02	1.57E-01	2.88E-09	1.0E+06	2.9E-03
283	0.9592	2.83E-03	2.7E-03	3.46E-04	9.38E-07	2.47E-02	1.57E-01	3.64E-09	1.0E+06	3.6E-03
284	1.23907	2.83E-03	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.70E-09	1.0E+06	4.7E-03
285	1.6354	2.83E-03	4.6E-03	3.46E-04	1.60E-06	2.47E-02	1.57E-01	6.20E-09	1.0E+06	6.2E-03
286	2.29875	2.83E-03	6.5E-03	3.46E-04	2.25E-06	2.47E-02	1.57E-01	8.71E-09	1.0E+06	8.7E-03
287	4.0984	2.83E-03	1.2E-02	3.46E-04	4.01E-06	2.47E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
288	0.13632	2.83E-03	3.9E-04	3.46E-04	1.33E-07	2.47E-02	1.57E-01	5.17E-10	1.0E+06	5.2E-04
289	0.14679	2.83E-03	4.1E-04	3.46E-04	1.44E-07	2.47E-02	1.57E-01	5.56E-10	1.0E+06	5.6E-04
290	0.16392	2.83E-03	4.6E-04	3.46E-04	1.60E-07	2.47E-02	1.57E-01	6.21E-10	1.0E+06	6.2E-04
291	0.1821	2.83E-03	5.1E-04	3.46E-04	1.78E-07	2.47E-02	1.57E-01	6.90E-10	1.0E+06	6.9E-04
292	0.22152	2.83E-03	6.3E-04	3.46E-04	2.17E-07	2.47E-02	1.57E-01	8.40E-10	1.0E+06	8.4E-04
293	0.241	2.83E-03	6.8E-04	3.46E-04	2.36E-07	2.47E-02	1.57E-01	9.14E-10	1.0E+06	9.1E-04
294	0.24821	2.83E-03	7.0E-04	3.46E-04	2.43E-07	2.47E-02	1.57E-01	9.41E-10	1.0E+06	9.4E-04
295	0.28165	2.83E-03	8.0E-04	3.46E-04	2.76E-07	2.47E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
296	0.32446	2.83E-03	9.2E-04	3.46E-04	3.17E-07	2.47E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
297	0.37299	2.83E-03	1.1E-03	3.46E-04	3.65E-07	2.47E-02	1.57E-01	1.41E-09	1.0E+06	1.4E-03
298	0.44378	2.83E-03	1.3E-03	3.46E-04	4.34E-07	2.47E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03
299	0.54938	2.83E-03	1.6E-03	3.46E-04	5.37E-07	2.47E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
300	0.67014	2.83E-03	1.9E-03	3.46E-04	6.56E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
301	0.83889	2.83E-03	2.4E-03	3.46E-04	8.21E-07	2.47E-02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
302	1.05754	2.83E-03	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
303	1.36095	2.83E-03	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
304	1.82968	2.83E-03	5.2E-03	3.46E-04	1.79E-06	2.47E-02	1.57E-01	6.94E-09	1.0E+06	6.9E-03
305	2.94941	2.83E-03	8.3E-03	3.46E-04	2.89E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
306	0.14102	2.83E-03	4.0E-04	3.46E-04	1.38E-07	2.47E-02	1.57E-01	5.35E-10	1.0E+06	5.3E-04
307	0.14805	2.83E-03	4.2E-04	3.46E-04	1.45E-07	2.47E-02	1.57E-01	5.61E-10	1.0E+06	5.6E-04
308	0.16104	2.83E-03	4.6E-04	3.46E-04	1.58E-07	2.47E-02	1.57E-01	6.10E-10	1.0E+06	6.1E-04
309	0.1881	2.83E-03	5.3E-04	3.46E-04	1.84E-07	2.47E-02	1.57E-01	7.13E-10	1.0E+06	7.1E-04
310	0.21623	2.83E-03	6.1E-04	3.46E-04	2.12E-07	2.47E-02	1.57E-01	8.20E-10	1.0E+06	8.2E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	2.83E-03	6.6E-04	3.46E-04	2.29E-07	2.47E-02	1.57E-01	8.87E-10	1.0E+06	8.9E-04
312	0.23582	2.83E-03	6.7E-04	3.46E-04	2.31E-07	2.47E-02	1.57E-01	8.94E-10	1.0E+06	8.9E-04
313	0.2662	2.83E-03	7.5E-04	3.46E-04	2.60E-07	2.47E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03
314	0.30482	2.83E-03	8.6E-04	3.46E-04	2.98E-07	2.47E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
315	0.36238	2.83E-03	1.0E-03	3.46E-04	3.55E-07	2.47E-02	1.57E-01	1.37E-09	1.0E+06	1.4E-03
316	0.41173	2.83E-03	1.2E-03	3.46E-04	4.03E-07	2.47E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
317	0.48329	2.83E-03	1.4E-03	3.46E-04	4.73E-07	2.47E-02	1.57E-01	1.83E-09	1.0E+06	1.8E-03
318	0.58024	2.83E-03	1.6E-03	3.46E-04	5.68E-07	2.47E-02	1.57E-01	2.20E-09	1.0E+06	2.2E-03
319	0.71842	2.83E-03	2.0E-03	3.46E-04	7.03E-07	2.47E-02	1.57E-01	2.72E-09	1.0E+06	2.7E-03
320	0.91725	2.83E-03	2.6E-03	3.46E-04	8.97E-07	2.47E-02	1.57E-01	3.48E-09	1.0E+06	3.5E-03
321	1.14351	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
322	1.47884	2.83E-03	4.2E-03	3.46E-04	1.45E-06	2.47E-02	1.57E-01	5.61E-09	1.0E+06	5.6E-03
323	2.2049	2.83E-03	6.2E-03	3.46E-04	2.16E-06	2.47E-02	1.57E-01	8.36E-09	1.0E+06	8.4E-03
324	0.13829	2.83E-03	3.9E-04	3.46E-04	1.35E-07	2.47E-02	1.57E-01	5.24E-10	1.0E+06	5.2E-04
325	0.15341	2.83E-03	4.3E-04	3.46E-04	1.50E-07	2.47E-02	1.57E-01	5.82E-10	1.0E+06	5.8E-04
326	0.16525	2.83E-03	4.7E-04	3.46E-04	1.62E-07	2.47E-02	1.57E-01	6.26E-10	1.0E+06	6.3E-04
327	0.17597	2.83E-03	5.0E-04	3.46E-04	1.72E-07	2.47E-02	1.57E-01	6.67E-10	1.0E+06	6.7E-04
328	0.21285	2.83E-03	6.0E-04	3.46E-04	2.08E-07	2.47E-02	1.57E-01	8.07E-10	1.0E+06	8.1E-04
329	0.22617	2.83E-03	6.4E-04	3.46E-04	2.21E-07	2.47E-02	1.57E-01	8.57E-10	1.0E+06	8.6E-04
330	0.229	2.83E-03	6.5E-04	3.46E-04	2.24E-07	2.47E-02	1.57E-01	8.68E-10	1.0E+06	8.7E-04
331	0.25812	2.83E-03	7.3E-04	3.46E-04	2.53E-07	2.47E-02	1.57E-01	9.78E-10	1.0E+06	9.8E-04
332	0.29444	2.83E-03	8.3E-04	3.46E-04	2.88E-07	2.47E-02	1.57E-01	1.12E-09	1.0E+06	1.1E-03
333	0.34735	2.83E-03	9.8E-04	3.46E-04	3.40E-07	2.47E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
334	0.39929	2.83E-03	1.1E-03	3.46E-04	3.91E-07	2.47E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
335	0.46251	2.83E-03	1.3E-03	3.46E-04	4.52E-07	2.47E-02	1.57E-01	1.75E-09	1.0E+06	1.8E-03
336	1.34926	2.83E-03	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
337	1.42098	2.83E-03	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.39E-09	1.0E+06	5.4E-03
338	0.15741	2.83E-03	4.4E-04	3.46E-04	1.54E-07	2.47E-02	1.57E-01	5.97E-10	1.0E+06	6.0E-04
339	0.16826	2.83E-03	4.8E-04	3.46E-04	1.65E-07	2.47E-02	1.57E-01	6.38E-10	1.0E+06	6.4E-04
340	0.19168	2.83E-03	5.4E-04	3.46E-04	1.88E-07	2.47E-02	1.57E-01	7.27E-10	1.0E+06	7.3E-04
341	0.20395	2.83E-03	5.8E-04	3.46E-04	2.00E-07	2.47E-02	1.57E-01	7.73E-10	1.0E+06	7.7E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	2.83E-03	6.0E-04	3.46E-04	2.06E-07	2.47E-02	1.57E-01	7.99E-10	1.0E+06	8.0E-04
343	0.22111	2.83E-03	6.2E-04	3.46E-04	2.16E-07	2.47E-02	1.57E-01	8.38E-10	1.0E+06	8.4E-04
344	0.22429	2.83E-03	6.3E-04	3.46E-04	2.19E-07	2.47E-02	1.57E-01	8.50E-10	1.0E+06	8.5E-04
345	0.22606	2.83E-03	6.4E-04	3.46E-04	2.21E-07	2.47E-02	1.57E-01	8.57E-10	1.0E+06	8.6E-04
346	0.22606	2.83E-03	6.4E-04	3.46E-04	2.21E-07	2.47E-02	1.57E-01	8.57E-10	1.0E+06	8.6E-04
347	0.17036	2.83E-03	4.8E-04	3.46E-04	1.67E-07	2.47E-02	1.57E-01	6.46E-10	1.0E+06	6.5E-04
348	0.18661	2.83E-03	5.3E-04	3.46E-04	1.83E-07	2.47E-02	1.57E-01	7.07E-10	1.0E+06	7.1E-04
349	0.21873	2.83E-03	6.2E-04	3.46E-04	2.14E-07	2.47E-02	1.57E-01	8.29E-10	1.0E+06	8.3E-04
350	0.22806	2.83E-03	6.4E-04	3.46E-04	2.23E-07	2.47E-02	1.57E-01	8.65E-10	1.0E+06	8.6E-04
351	0.23577	2.83E-03	6.7E-04	3.46E-04	2.31E-07	2.47E-02	1.57E-01	8.94E-10	1.0E+06	8.9E-04
352	0.24893	2.83E-03	7.0E-04	3.46E-04	2.44E-07	2.47E-02	1.57E-01	9.44E-10	1.0E+06	9.4E-04
353	0.25277	2.83E-03	7.1E-04	3.46E-04	2.47E-07	2.47E-02	1.57E-01	9.58E-10	1.0E+06	9.6E-04
354	0.25385	2.83E-03	7.2E-04	3.46E-04	2.48E-07	2.47E-02	1.57E-01	9.62E-10	1.0E+06	9.6E-04
355	0.25415	2.83E-03	7.2E-04	3.46E-04	2.49E-07	2.47E-02	1.57E-01	9.63E-10	1.0E+06	9.6E-04
356	0.18604	2.83E-03	5.3E-04	3.46E-04	1.82E-07	2.47E-02	1.57E-01	7.05E-10	1.0E+06	7.1E-04
357	0.20039	2.83E-03	5.7E-04	3.46E-04	1.96E-07	2.47E-02	1.57E-01	7.60E-10	1.0E+06	7.6E-04
358	0.21891	2.83E-03	6.2E-04	3.46E-04	2.14E-07	2.47E-02	1.57E-01	8.30E-10	1.0E+06	8.3E-04
359	0.24942	2.83E-03	7.0E-04	3.46E-04	2.44E-07	2.47E-02	1.57E-01	9.45E-10	1.0E+06	9.5E-04
360	0.26595	2.83E-03	7.5E-04	3.46E-04	2.60E-07	2.47E-02	1.57E-01	1.01E-09	1.0E+06	1.0E-03
361	0.28268	2.83E-03	8.0E-04	3.46E-04	2.77E-07	2.47E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
362	0.28748	2.83E-03	8.1E-04	3.46E-04	2.81E-07	2.47E-02	1.57E-01	1.09E-09	1.0E+06	1.1E-03
363	0.28847	2.83E-03	8.2E-04	3.46E-04	2.82E-07	2.47E-02	1.57E-01	1.09E-09	1.0E+06	1.1E-03
364	0.20678	2.83E-03	5.8E-04	3.46E-04	2.02E-07	2.47E-02	1.57E-01	7.84E-10	1.0E+06	7.8E-04
365	0.21895	2.83E-03	6.2E-04	3.46E-04	2.14E-07	2.47E-02	1.57E-01	8.30E-10	1.0E+06	8.3E-04
366	0.24185	2.83E-03	6.8E-04	3.46E-04	2.37E-07	2.47E-02	1.57E-01	9.17E-10	1.0E+06	9.2E-04
367	0.28223	2.83E-03	8.0E-04	3.46E-04	2.76E-07	2.47E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
368	0.30287	2.83E-03	8.6E-04	3.46E-04	2.96E-07	2.47E-02	1.57E-01	1.15E-09	1.0E+06	1.1E-03
369	0.32466	2.83E-03	9.2E-04	3.46E-04	3.18E-07	2.47E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
370	0.33362	2.83E-03	9.4E-04	3.46E-04	3.26E-07	2.47E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
371	0.33293	2.83E-03	9.4E-04	3.46E-04	3.26E-07	2.47E-02	1.57E-01	1.26E-09	1.0E+06	1.3E-03
372	0.23425	2.83E-03	6.6E-04	3.46E-04	2.29E-07	2.47E-02	1.57E-01	8.88E-10	1.0E+06	8.9E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	2.83E-03	7.0E-04	3.46E-04	2.43E-07	2.47E-02	1.57E-01	9.40E-10	1.0E+06	9.4E-04
374	0.2758	2.83E-03	7.8E-04	3.46E-04	2.70E-07	2.47E-02	1.57E-01	1.05E-09	1.0E+06	1.0E-03
375	0.3231	2.83E-03	9.1E-04	3.46E-04	3.16E-07	2.47E-02	1.57E-01	1.22E-09	1.0E+06	1.2E-03
376	0.34946	2.83E-03	9.9E-04	3.46E-04	3.42E-07	2.47E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
377	0.36592	2.83E-03	1.0E-03	3.46E-04	3.58E-07	2.47E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
378	0.37782	2.83E-03	1.1E-03	3.46E-04	3.70E-07	2.47E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
379	0.38907	2.83E-03	1.1E-03	3.46E-04	3.81E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
380	0.389	2.83E-03	1.1E-03	3.46E-04	3.81E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
381	0.38496	2.83E-03	1.1E-03	3.46E-04	3.77E-07	2.47E-02	1.57E-01	1.46E-09	1.0E+06	1.5E-03
382	0.27352	2.83E-03	7.7E-04	3.46E-04	2.68E-07	2.47E-02	1.57E-01	1.04E-09	1.0E+06	1.0E-03
383	0.29685	2.83E-03	8.4E-04	3.46E-04	2.90E-07	2.47E-02	1.57E-01	1.13E-09	1.0E+06	1.1E-03
384	0.32129	2.83E-03	9.1E-04	3.46E-04	3.14E-07	2.47E-02	1.57E-01	1.22E-09	1.0E+06	1.2E-03
385	0.3848	2.83E-03	1.1E-03	3.46E-04	3.76E-07	2.47E-02	1.57E-01	1.46E-09	1.0E+06	1.5E-03
386	0.40823	2.83E-03	1.2E-03	3.46E-04	3.99E-07	2.47E-02	1.57E-01	1.55E-09	1.0E+06	1.5E-03
387	0.43009	2.83E-03	1.2E-03	3.46E-04	4.21E-07	2.47E-02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
388	0.44587	2.83E-03	1.3E-03	3.46E-04	4.36E-07	2.47E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
389	0.46018	2.83E-03	1.3E-03	3.46E-04	4.50E-07	2.47E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
390	0.45888	2.83E-03	1.3E-03	3.46E-04	4.49E-07	2.47E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
391	0.45337	2.83E-03	1.3E-03	3.46E-04	4.44E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
392	0.43787	2.83E-03	1.2E-03	3.46E-04	4.28E-07	2.47E-02	1.57E-01	1.66E-09	1.0E+06	1.7E-03
393	0.32603	2.83E-03	9.2E-04	3.46E-04	3.19E-07	2.47E-02	1.57E-01	1.24E-09	1.0E+06	1.2E-03
394	0.38853	2.83E-03	1.1E-03	3.46E-04	3.80E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
395	0.43296	2.83E-03	1.2E-03	3.46E-04	4.24E-07	2.47E-02	1.57E-01	1.64E-09	1.0E+06	1.6E-03
396	0.4654	2.83E-03	1.3E-03	3.46E-04	4.55E-07	2.47E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
397	0.4979	2.83E-03	1.4E-03	3.46E-04	4.87E-07	2.47E-02	1.57E-01	1.89E-09	1.0E+06	1.9E-03
398	0.51462	2.83E-03	1.5E-03	3.46E-04	5.03E-07	2.47E-02	1.57E-01	1.95E-09	1.0E+06	2.0E-03
399	0.52048	2.83E-03	1.5E-03	3.46E-04	5.09E-07	2.47E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03
400	0.55457	2.83E-03	1.6E-03	3.46E-04	5.43E-07	2.47E-02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
401	0.55208	2.83E-03	1.6E-03	3.46E-04	5.40E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03
402	0.51974	2.83E-03	1.5E-03	3.46E-04	5.08E-07	2.47E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03
403	0.67545	2.83E-03	1.9E-03	3.46E-04	6.61E-07	2.47E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	2.83E-03	1.8E-03	3.46E-04	6.22E-07	2.47E-02	1.57E-01	2.41E-09	1.0E+06	2.4E-03
405	0.59648	2.83E-03	1.7E-03	3.46E-04	5.84E-07	2.47E-02	1.57E-01	2.26E-09	1.0E+06	2.3E-03
406	0.8541	2.83E-03	2.4E-03	3.46E-04	8.36E-07	2.47E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
407	0.72119	2.83E-03	2.0E-03	3.46E-04	7.06E-07	2.47E-02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
408	1.11899	2.83E-03	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.24E-09	1.0E+06	4.2E-03
409	0.88286	2.83E-03	2.5E-03	3.46E-04	8.64E-07	2.47E-02	1.57E-01	3.35E-09	1.0E+06	3.3E-03
410	1.53458	2.83E-03	4.3E-03	3.46E-04	1.50E-06	2.47E-02	1.57E-01	5.82E-09	1.0E+06	5.8E-03
411	1.24788	2.83E-03	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
412	1.10769	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.20E-09	1.0E+06	4.2E-03
413	2.24007	2.83E-03	6.3E-03	3.46E-04	2.19E-06	2.47E-02	1.57E-01	8.49E-09	1.0E+06	8.5E-03
414	1.85905	2.83E-03	5.3E-03	3.46E-04	1.82E-06	2.47E-02	1.57E-01	7.05E-09	1.0E+06	7.0E-03
415	1.59815	2.83E-03	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.06E-09	1.0E+06	6.1E-03
416	1.34652	2.83E-03	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.10E-09	1.0E+06	5.1E-03
417	3.57218	2.83E-03	1.0E-02	3.46E-04	3.49E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
418	2.01893	2.83E-03	5.7E-03	3.46E-04	1.98E-06	2.47E-02	1.57E-01	7.65E-09	1.0E+06	7.7E-03
419	1.58987	2.83E-03	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.03E-09	1.0E+06	6.0E-03
420	1.2521	2.83E-03	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.75E-09	1.0E+06	4.7E-03
421	6.42312	2.83E-03	1.8E-02	3.46E-04	6.28E-06	2.47E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
422	1.77737	2.83E-03	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.74E-09	1.0E+06	6.7E-03
423	1.33662	2.83E-03	3.8E-03	3.46E-04	1.31E-06	2.47E-02	1.57E-01	5.07E-09	1.0E+06	5.1E-03
424	12.91388	2.83E-03	3.6E-02	3.46E-04	1.26E-05	2.47E-02	1.57E-01	4.90E-08	1.0E+06	4.9E-02
425	1.34203	2.83E-03	3.8E-03	3.46E-04	1.31E-06	2.47E-02	1.57E-01	5.09E-09	1.0E+06	5.1E-03
426	1.01676	2.83E-03	2.9E-03	3.46E-04	9.95E-07	2.47E-02	1.57E-01	3.85E-09	1.0E+06	3.9E-03
427	22.75271	2.83E-03	6.4E-02	3.46E-04	2.23E-05	2.47E-02	1.57E-01	8.62E-08	1.0E+06	8.6E-02
428	1.27773	2.83E-03	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.84E-09	1.0E+06	4.8E-03
429	0.96908	2.83E-03	2.7E-03	3.46E-04	9.48E-07	2.47E-02	1.57E-01	3.67E-09	1.0E+06	3.7E-03
430	21.09262	2.83E-03	6.0E-02	3.46E-04	2.06E-05	2.47E-02	1.57E-01	8.00E-08	1.0E+06	8.0E-02
431	0.90443	2.83E-03	2.6E-03	3.46E-04	8.85E-07	2.47E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
432	0.71229	2.83E-03	2.0E-03	3.46E-04	6.97E-07	2.47E-02	1.57E-01	2.70E-09	1.0E+06	2.7E-03
433	13.11622	2.83E-03	3.7E-02	3.46E-04	1.28E-05	2.47E-02	1.57E-01	4.97E-08	1.0E+06	5.0E-02
434	0.83575	2.83E-03	2.4E-03	3.46E-04	8.18E-07	2.47E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	2.83E-03	1.9E-03	3.46E-04	6.56E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
436	8.0879	2.83E-03	2.3E-02	3.46E-04	7.91E-06	2.47E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
437	0.97518	2.83E-03	2.8E-03	3.46E-04	9.54E-07	2.47E-02	1.57E-01	3.70E-09	1.0E+06	3.7E-03
438	0.76912	2.83E-03	2.2E-03	3.46E-04	7.52E-07	2.47E-02	1.57E-01	2.92E-09	1.0E+06	2.9E-03
439	0.6239	2.83E-03	1.8E-03	3.46E-04	6.10E-07	2.47E-02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
440	5.21196	2.83E-03	1.5E-02	3.46E-04	5.10E-06	2.47E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
441	1.57338	2.83E-03	4.4E-03	3.46E-04	1.54E-06	2.47E-02	1.57E-01	5.96E-09	1.0E+06	6.0E-03
442	1.14958	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.36E-09	1.0E+06	4.4E-03
443	0.88407	2.83E-03	2.5E-03	3.46E-04	8.65E-07	2.47E-02	1.57E-01	3.35E-09	1.0E+06	3.4E-03
444	0.70507	2.83E-03	2.0E-03	3.46E-04	6.90E-07	2.47E-02	1.57E-01	2.67E-09	1.0E+06	2.7E-03
445	3.55393	2.83E-03	1.0E-02	3.46E-04	3.48E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
446	1.95063	2.83E-03	5.5E-03	3.46E-04	1.91E-06	2.47E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
447	1.38871	2.83E-03	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
448	1.03194	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
449	2.54704	2.83E-03	7.2E-03	3.46E-04	2.49E-06	2.47E-02	1.57E-01	9.66E-09	1.0E+06	9.7E-03
450	2.13244	2.83E-03	6.0E-03	3.46E-04	2.09E-06	2.47E-02	1.57E-01	8.08E-09	1.0E+06	8.1E-03
451	1.63606	2.83E-03	4.6E-03	3.46E-04	1.60E-06	2.47E-02	1.57E-01	6.20E-09	1.0E+06	6.2E-03
452	1.90224	2.83E-03	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.21E-09	1.0E+06	7.2E-03
453	1.68146	2.83E-03	4.8E-03	3.46E-04	1.64E-06	2.47E-02	1.57E-01	6.37E-09	1.0E+06	6.4E-03
454	0.45602	2.83E-03	1.3E-03	3.46E-04	4.46E-07	2.47E-02	1.57E-01	1.73E-09	1.0E+06	1.7E-03
455	0.39292	2.83E-03	1.1E-03	3.46E-04	3.84E-07	2.47E-02	1.57E-01	1.49E-09	1.0E+06	1.5E-03
456	1.46911	2.83E-03	4.2E-03	3.46E-04	1.44E-06	2.47E-02	1.57E-01	5.57E-09	1.0E+06	5.6E-03
457	1.34798	2.83E-03	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
458	1.14854	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.35E-09	1.0E+06	4.4E-03
459	0.60959	2.83E-03	1.7E-03	3.46E-04	5.96E-07	2.47E-02	1.57E-01	2.31E-09	1.0E+06	2.3E-03
460	0.50521	2.83E-03	1.4E-03	3.46E-04	4.94E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
461	0.42667	2.83E-03	1.2E-03	3.46E-04	4.17E-07	2.47E-02	1.57E-01	1.62E-09	1.0E+06	1.6E-03
462	0.36664	2.83E-03	1.0E-03	3.46E-04	3.59E-07	2.47E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
463	1.56366	2.83E-03	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.93E-09	1.0E+06	5.9E-03
464	1.67908	2.83E-03	4.7E-03	3.46E-04	1.64E-06	2.47E-02	1.57E-01	6.36E-09	1.0E+06	6.4E-03
465	2.37925	2.83E-03	6.7E-03	3.46E-04	2.33E-06	2.47E-02	1.57E-01	9.02E-09	1.0E+06	9.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	2.83E-03	8.2E-03	3.46E-04	2.84E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
467	4.03499	2.83E-03	1.1E-02	3.46E-04	3.95E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
468	8.35246	2.83E-03	2.4E-02	3.46E-04	8.17E-06	2.47E-02	1.57E-01	3.17E-08	1.0E+06	3.2E-02
469	28.13292	2.83E-03	8.0E-02	3.46E-04	2.75E-05	2.47E-02	1.57E-01	1.07E-07	1.0E+06	1.1E-01
470	20.35286	2.83E-03	5.8E-02	3.46E-04	1.99E-05	2.47E-02	1.57E-01	7.72E-08	1.0E+06	7.7E-02
471	34.54288	2.83E-03	9.8E-02	3.46E-04	3.38E-05	2.47E-02	1.57E-01	1.31E-07	1.0E+06	1.3E-01
472	27.90221	2.83E-03	7.9E-02	3.46E-04	2.73E-05	2.47E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
473	29.67594	2.83E-03	8.4E-02	3.46E-04	2.90E-05	2.47E-02	1.57E-01	1.12E-07	1.0E+06	1.1E-01
474	13.04296	2.83E-03	3.7E-02	3.46E-04	1.28E-05	2.47E-02	1.57E-01	4.94E-08	1.0E+06	4.9E-02
475	22.08892	2.83E-03	6.2E-02	3.46E-04	2.16E-05	2.47E-02	1.57E-01	8.37E-08	1.0E+06	8.4E-02
476	6.99817	2.83E-03	2.0E-02	3.46E-04	6.85E-06	2.47E-02	1.57E-01	2.65E-08	1.0E+06	2.7E-02
477	9.76012	2.83E-03	2.8E-02	3.46E-04	9.55E-06	2.47E-02	1.57E-01	3.70E-08	1.0E+06	3.7E-02
478	4.29281	2.83E-03	1.2E-02	3.46E-04	4.20E-06	2.47E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
479	5.44714	2.83E-03	1.5E-02	3.46E-04	5.33E-06	2.47E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
480	5.4004	2.83E-03	1.5E-02	3.46E-04	5.28E-06	2.47E-02	1.57E-01	2.05E-08	1.0E+06	2.0E-02
481	2.88653	2.83E-03	8.2E-03	3.46E-04	2.82E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
482	3.54717	2.83E-03	1.0E-02	3.46E-04	3.47E-06	2.47E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
483	2.40679	2.83E-03	6.8E-03	3.46E-04	2.35E-06	2.47E-02	1.57E-01	9.12E-09	1.0E+06	9.1E-03
484	2.49271	2.83E-03	7.0E-03	3.46E-04	2.44E-06	2.47E-02	1.57E-01	9.45E-09	1.0E+06	9.4E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1	5	5.65E-05
2	5	5.72E-05
3	5	5.78E-05
4	5	5.85E-05
5	5	5.93E-05
6	5	6.08E-05
7	5	6.28E-05
8	5	6.52E-05
9	5	6.82E-05
10	5	7.21E-05
11	5	7.70E-05
12	5	8.23E-05
13	5	8.81E-05
14	5	1.23E-04
15	5	6.28E-05
16	5	6.35E-05
17	5	6.45E-05
18	5	6.51E-05
19	5	6.57E-05
20	5	6.68E-05
21	5	6.84E-05
22	5	7.04E-05
23	5	7.40E-05
24	5	7.75E-05
25	5	8.34E-05
26	5	8.98E-05
27	5	9.54E-05
28	5	1.38E-04
29	5	6.96E-05
30	5	7.10E-05
31	5	7.26E-05

Max	Receptor #	
0.020	471	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	7.37E-05
33	5	7.37E-05
34	5	7.47E-05
35	5	7.58E-05
36	5	7.77E-05
37	5	8.08E-05
38	5	8.51E-05
39	5	9.08E-05
40	5	9.71E-05
41	5	1.04E-04
42	5	1.56E-04
43	5	7.64E-05
44	5	7.86E-05
45	5	8.07E-05
46	5	8.22E-05
47	5	8.30E-05
48	5	8.40E-05
49	5	8.47E-05
50	5	8.57E-05
51	5	8.95E-05
52	5	9.35E-05
53	5	9.97E-05
54	5	1.07E-04
55	5	1.15E-04
56	5	1.79E-04
57	5	8.31E-05
58	5	8.62E-05
59	5	8.90E-05
60	5	9.16E-05
61	5	9.38E-05
62	5	9.55E-05

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	9.78E-05
64	5	9.73E-05
65	5	1.01E-04
66	5	1.05E-04
67	5	1.10E-04
68	5	1.20E-04
69	5	1.31E-04
70	5	9.00E-05
71	5	9.39E-05
72	5	9.78E-05
73	5	1.02E-04
74	5	1.05E-04
75	5	1.09E-04
76	5	1.12E-04
77	5	1.14E-04
78	5	1.17E-04
79	5	1.25E-04
80	5	1.29E-04
81	5	1.42E-04
82	5	1.52E-04
83	5	9.68E-05
84	5	1.02E-04
85	5	1.06E-04
86	5	1.12E-04
87	5	1.17E-04
88	5	1.23E-04
89	5	1.28E-04
90	5	1.34E-04
91	5	1.40E-04
92	5	1.48E-04
93	5	1.56E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	1.67E-04
95	5	1.81E-04
96	5	1.03E-04
97	5	1.08E-04
98	5	1.14E-04
99	5	1.21E-04
100	5	1.30E-04
101	5	1.37E-04
102	5	1.45E-04
103	5	1.53E-04
104	5	1.61E-04
105	5	1.70E-04
106	5	1.80E-04
107	5	1.93E-04
108	5	2.09E-04
109	5	1.08E-04
110	5	1.15E-04
111	5	1.23E-04
112	5	1.32E-04
113	5	1.42E-04
114	5	1.52E-04
115	5	1.62E-04
116	5	1.73E-04
117	5	1.85E-04
118	5	1.91E-04
119	5	2.05E-04
120	5	2.20E-04
121	5	2.36E-04
122	5	1.11E-04
123	5	1.20E-04
124	5	1.30E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	1.41E-04
126	5	1.53E-04
127	5	1.65E-04
128	5	1.74E-04
129	5	1.88E-04
130	5	2.07E-04
131	5	6.31E-04
132	5	6.55E-04
133	5	1.11E-04
134	5	1.23E-04
135	5	1.35E-04
136	5	1.48E-04
137	5	1.61E-04
138	5	1.76E-04
139	5	1.90E-04
140	5	2.13E-04
141	5	2.35E-04
142	5	2.59E-04
143	5	2.86E-04
144	5	3.19E-04
145	5	3.53E-04
146	5	8.52E-04
147	5	1.09E-04
148	5	1.21E-04
149	5	1.35E-04
150	5	1.49E-04
151	5	1.66E-04
152	5	1.83E-04
153	5	2.02E-04
154	5	2.26E-04
155	5	2.54E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	2.86E-04
157	5	3.21E-04
158	5	3.60E-04
159	5	4.21E-04
160	5	1.06E-04
161	5	1.17E-04
162	5	1.28E-04
163	5	1.45E-04
164	5	1.65E-04
165	5	1.85E-04
166	5	2.09E-04
167	5	2.37E-04
168	5	2.71E-04
169	5	3.11E-04
170	5	3.60E-04
171	5	4.18E-04
172	5	4.97E-04
173	5	6.02E-04
174	5	7.42E-04
175	5	9.31E-04
176	5	1.24E-03
177	5	1.62E-03
178	5	2.03E-03
179	5	9.86E-05
180	5	1.08E-04
181	5	1.17E-04
182	5	1.36E-04
183	5	1.60E-04
184	5	1.82E-04
185	5	2.08E-04
186	5	2.39E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	2.76E-04
188	5	3.24E-04
189	5	3.82E-04
190	5	4.57E-04
191	5	5.56E-04
192	5	6.97E-04
193	5	8.95E-04
194	5	1.21E-03
195	5	1.75E-03
196	5	2.65E-03
197	5	3.89E-03
198	5	9.21E-05
199	5	1.01E-04
200	5	1.12E-04
201	5	1.27E-04
202	5	1.51E-04
203	5	1.74E-04
204	5	2.01E-04
205	5	2.33E-04
206	5	2.71E-04
207	5	3.20E-04
208	5	3.83E-04
209	5	4.67E-04
210	5	5.82E-04
211	5	7.50E-04
212	5	1.00E-03
213	5	1.40E-03
214	5	2.06E-03
215	5	4.27E-03
216	5	8.72E-05
217	5	9.54E-05

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	1.06E-04
219	5	1.19E-04
220	5	1.40E-04
221	5	1.61E-04
222	5	1.88E-04
223	5	2.19E-04
224	5	2.56E-04
225	5	3.02E-04
226	5	3.64E-04
227	5	4.45E-04
228	5	5.58E-04
229	5	7.28E-04
230	5	9.92E-04
231	5	1.46E-03
232	5	2.42E-03
233	5	6.08E-03
234	5	8.36E-05
235	5	9.09E-05
236	5	1.01E-04
237	5	1.14E-04
238	5	1.31E-04
239	5	1.50E-04
240	5	1.74E-04
241	5	2.03E-04
242	5	2.38E-04
243	5	2.80E-04
244	5	3.38E-04
245	5	4.15E-04
246	5	5.20E-04
247	5	6.74E-04
248	5	9.15E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	1.33E-03
250	5	2.19E-03
251	5	5.40E-03
252	5	8.05E-05
253	5	8.70E-05
254	5	9.56E-05
255	5	1.06E-04
256	5	1.25E-04
257	5	1.38E-04
258	5	1.57E-04
259	5	1.79E-04
260	5	2.12E-04
261	5	2.56E-04
262	5	3.11E-04
263	5	3.78E-04
264	5	4.73E-04
265	5	6.04E-04
266	5	8.04E-04
267	5	1.12E-03
268	5	1.70E-03
269	5	3.46E-03
270	5	7.83E-05
271	5	8.49E-05
272	5	9.32E-05
273	5	1.03E-04
274	5	1.21E-04
275	5	1.38E-04
276	5	1.47E-04
277	5	1.67E-04
278	5	1.93E-04
279	5	2.29E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	2.80E-04
281	5	3.45E-04
282	5	4.30E-04
283	5	5.42E-04
284	5	7.00E-04
285	5	9.24E-04
286	5	1.30E-03
287	5	2.32E-03
288	5	7.71E-05
289	5	8.30E-05
290	5	9.27E-05
291	5	1.03E-04
292	5	1.25E-04
293	5	1.36E-04
294	5	1.40E-04
295	5	1.59E-04
296	5	1.83E-04
297	5	2.11E-04
298	5	2.51E-04
299	5	3.11E-04
300	5	3.79E-04
301	5	4.74E-04
302	5	5.98E-04
303	5	7.69E-04
304	5	1.03E-03
305	5	1.67E-03
306	5	7.97E-05
307	5	8.37E-05
308	5	9.10E-05
309	5	1.06E-04
310	5	1.22E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	1.32E-04
312	5	1.33E-04
313	5	1.50E-04
314	5	1.72E-04
315	5	2.05E-04
316	5	2.33E-04
317	5	2.73E-04
318	5	3.28E-04
319	5	4.06E-04
320	5	5.18E-04
321	5	6.46E-04
322	5	8.36E-04
323	5	1.25E-03
324	5	7.82E-05
325	5	8.67E-05
326	5	9.34E-05
327	5	9.95E-05
328	5	1.20E-04
329	5	1.28E-04
330	5	1.29E-04
331	5	1.46E-04
332	5	1.66E-04
333	5	1.96E-04
334	5	2.26E-04
335	5	2.61E-04
336	5	7.63E-04
337	5	8.03E-04
338	5	8.90E-05
339	5	9.51E-05
340	5	1.08E-04
341	5	1.15E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	1.19E-04
343	5	1.25E-04
344	5	1.27E-04
345	5	1.28E-04
346	5	1.28E-04
347	5	9.63E-05
348	5	1.05E-04
349	5	1.24E-04
350	5	1.29E-04
351	5	1.33E-04
352	5	1.41E-04
353	5	1.43E-04
354	5	1.43E-04
355	5	1.44E-04
356	5	1.05E-04
357	5	1.13E-04
358	5	1.24E-04
359	5	1.41E-04
360	5	1.50E-04
361	5	1.60E-04
362	5	1.62E-04
363	5	1.63E-04
364	5	1.17E-04
365	5	1.24E-04
366	5	1.37E-04
367	5	1.60E-04
368	5	1.71E-04
369	5	1.84E-04
370	5	1.89E-04
371	5	1.88E-04
372	5	1.32E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	1.40E-04
374	5	1.56E-04
375	5	1.83E-04
376	5	1.98E-04
377	5	2.07E-04
378	5	2.14E-04
379	5	2.20E-04
380	5	2.20E-04
381	5	2.18E-04
382	5	1.55E-04
383	5	1.68E-04
384	5	1.82E-04
385	5	2.17E-04
386	5	2.31E-04
387	5	2.43E-04
388	5	2.52E-04
389	5	2.60E-04
390	5	2.59E-04
391	5	2.56E-04
392	5	2.47E-04
393	5	1.84E-04
394	5	2.20E-04
395	5	2.45E-04
396	5	2.63E-04
397	5	2.81E-04
398	5	2.91E-04
399	5	2.94E-04
400	5	3.13E-04
401	5	3.12E-04
402	5	2.94E-04
403	5	3.82E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	3.59E-04
405	5	3.37E-04
406	5	4.83E-04
407	5	4.08E-04
408	5	6.32E-04
409	5	4.99E-04
410	5	8.67E-04
411	5	7.05E-04
412	5	6.26E-04
413	5	1.27E-03
414	5	1.05E-03
415	5	9.03E-04
416	5	7.61E-04
417	5	2.02E-03
418	5	1.14E-03
419	5	8.99E-04
420	5	7.08E-04
421	5	3.63E-03
422	5	1.00E-03
423	5	7.55E-04
424	5	7.30E-03
425	5	7.59E-04
426	5	5.75E-04
427	5	1.29E-02
428	5	7.22E-04
429	5	5.48E-04
430	5	1.19E-02
431	5	5.11E-04
432	5	4.03E-04
433	5	7.41E-03
434	5	4.72E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	3.79E-04
436	5	4.57E-03
437	5	5.51E-04
438	5	4.35E-04
439	5	3.53E-04
440	5	2.95E-03
441	5	8.89E-04
442	5	6.50E-04
443	5	5.00E-04
444	5	3.99E-04
445	5	2.01E-03
446	5	1.10E-03
447	5	7.85E-04
448	5	5.83E-04
449	5	1.44E-03
450	5	1.21E-03
451	5	9.25E-04
452	5	1.08E-03
453	5	9.50E-04
454	5	2.58E-04
455	5	2.22E-04
456	5	8.30E-04
457	5	7.62E-04
458	5	6.49E-04
459	5	3.45E-04
460	5	2.86E-04
461	5	2.41E-04
462	5	2.07E-04
463	5	8.84E-04
464	5	9.49E-04
465	5	1.34E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	1.64E-03
467	5	2.28E-03
468	5	4.72E-03
469	5	1.59E-02
470	5	1.15E-02
471	5	1.95E-02
472	5	1.58E-02
473	5	1.68E-02
474	5	7.37E-03
475	5	1.25E-02
476	5	3.96E-03
477	5	5.52E-03
478	5	2.43E-03
479	5	3.08E-03
480	5	3.05E-03
481	5	1.63E-03
482	5	2.00E-03
483	5	1.36E-03
484	5	1.41E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	0.09997	1.70E-02	1.7E-03	3.46E-04	5.87E-07	2.47E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03
2	0.10116	1.70E-02	1.7E-03	3.46E-04	5.94E-07	2.47E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
3	0.10225	1.70E-02	1.7E-03	3.46E-04	6.01E-07	2.47E-02	1.57E-01	2.33E-09	1.0E+06	2.3E-03
4	0.10353	1.70E-02	1.8E-03	3.46E-04	6.08E-07	2.47E-02	1.57E-01	2.36E-09	1.0E+06	2.4E-03
5	0.1049	1.70E-02	1.8E-03	3.46E-04	6.16E-07	2.47E-02	1.57E-01	2.39E-09	1.0E+06	2.4E-03
6	0.10762	1.70E-02	1.8E-03	3.46E-04	6.32E-07	2.47E-02	1.57E-01	2.45E-09	1.0E+06	2.4E-03
7	0.11114	1.70E-02	1.9E-03	3.46E-04	6.53E-07	2.47E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
8	0.11544	1.70E-02	2.0E-03	3.46E-04	6.78E-07	2.47E-02	1.57E-01	2.63E-09	1.0E+06	2.6E-03
9	0.12067	1.70E-02	2.0E-03	3.46E-04	7.09E-07	2.47E-02	1.57E-01	2.75E-09	1.0E+06	2.7E-03
10	0.12749	1.70E-02	2.2E-03	3.46E-04	7.49E-07	2.47E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
11	0.13627	1.70E-02	2.3E-03	3.46E-04	8.00E-07	2.47E-02	1.57E-01	3.10E-09	1.0E+06	3.1E-03
12	0.1456	1.70E-02	2.5E-03	3.46E-04	8.55E-07	2.47E-02	1.57E-01	3.31E-09	1.0E+06	3.3E-03
13	0.15591	1.70E-02	2.6E-03	3.46E-04	9.16E-07	2.47E-02	1.57E-01	3.55E-09	1.0E+06	3.5E-03
14	0.21775	1.70E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.96E-09	1.0E+06	5.0E-03
15	0.11116	1.70E-02	1.9E-03	3.46E-04	6.53E-07	2.47E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
16	0.11231	1.70E-02	1.9E-03	3.46E-04	6.60E-07	2.47E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03
17	0.11409	1.70E-02	1.9E-03	3.46E-04	6.70E-07	2.47E-02	1.57E-01	2.60E-09	1.0E+06	2.6E-03
18	0.1152	1.70E-02	2.0E-03	3.46E-04	6.77E-07	2.47E-02	1.57E-01	2.62E-09	1.0E+06	2.6E-03
19	0.11623	1.70E-02	2.0E-03	3.46E-04	6.83E-07	2.47E-02	1.57E-01	2.65E-09	1.0E+06	2.6E-03
20	0.11825	1.70E-02	2.0E-03	3.46E-04	6.95E-07	2.47E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
21	0.12106	1.70E-02	2.1E-03	3.46E-04	7.11E-07	2.47E-02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
22	0.12456	1.70E-02	2.1E-03	3.46E-04	7.32E-07	2.47E-02	1.57E-01	2.84E-09	1.0E+06	2.8E-03
23	0.13094	1.70E-02	2.2E-03	3.46E-04	7.69E-07	2.47E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
24	0.13716	1.70E-02	2.3E-03	3.46E-04	8.06E-07	2.47E-02	1.57E-01	3.12E-09	1.0E+06	3.1E-03
25	0.14759	1.70E-02	2.5E-03	3.46E-04	8.67E-07	2.47E-02	1.57E-01	3.36E-09	1.0E+06	3.4E-03
26	0.15892	1.70E-02	2.7E-03	3.46E-04	9.34E-07	2.47E-02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
27	0.16875	1.70E-02	2.9E-03	3.46E-04	9.91E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03
28	0.24418	1.70E-02	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.56E-09	1.0E+06	5.6E-03
29	0.12315	1.70E-02	2.1E-03	3.46E-04	7.23E-07	2.47E-02	1.57E-01	2.80E-09	1.0E+06	2.8E-03
30	0.12567	1.70E-02	2.1E-03	3.46E-04	7.38E-07	2.47E-02	1.57E-01	2.86E-09	1.0E+06	2.9E-03
31	0.12837	1.70E-02	2.2E-03	3.46E-04	7.54E-07	2.47E-02	1.57E-01	2.92E-09	1.0E+06	2.9E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	1.70E-02	2.2E-03	3.46E-04	7.65E-07	2.47E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
33	0.13031	1.70E-02	2.2E-03	3.46E-04	7.65E-07	2.47E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
34	0.13211	1.70E-02	2.2E-03	3.46E-04	7.76E-07	2.47E-02	1.57E-01	3.01E-09	1.0E+06	3.0E-03
35	0.13406	1.70E-02	2.3E-03	3.46E-04	7.87E-07	2.47E-02	1.57E-01	3.05E-09	1.0E+06	3.1E-03
36	0.13747	1.70E-02	2.3E-03	3.46E-04	8.08E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
37	0.14288	1.70E-02	2.4E-03	3.46E-04	8.39E-07	2.47E-02	1.57E-01	3.25E-09	1.0E+06	3.3E-03
38	0.15048	1.70E-02	2.6E-03	3.46E-04	8.84E-07	2.47E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
39	0.16057	1.70E-02	2.7E-03	3.46E-04	9.43E-07	2.47E-02	1.57E-01	3.65E-09	1.0E+06	3.7E-03
40	0.17181	1.70E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
41	0.18337	1.70E-02	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.17E-09	1.0E+06	4.2E-03
42	0.27606	1.70E-02	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
43	0.13523	1.70E-02	2.3E-03	3.46E-04	7.94E-07	2.47E-02	1.57E-01	3.08E-09	1.0E+06	3.1E-03
44	0.13913	1.70E-02	2.4E-03	3.46E-04	8.17E-07	2.47E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03
45	0.14273	1.70E-02	2.4E-03	3.46E-04	8.38E-07	2.47E-02	1.57E-01	3.25E-09	1.0E+06	3.2E-03
46	0.14534	1.70E-02	2.5E-03	3.46E-04	8.54E-07	2.47E-02	1.57E-01	3.31E-09	1.0E+06	3.3E-03
47	0.14689	1.70E-02	2.5E-03	3.46E-04	8.63E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
48	0.14854	1.70E-02	2.5E-03	3.46E-04	8.73E-07	2.47E-02	1.57E-01	3.38E-09	1.0E+06	3.4E-03
49	0.14984	1.70E-02	2.5E-03	3.46E-04	8.80E-07	2.47E-02	1.57E-01	3.41E-09	1.0E+06	3.4E-03
50	0.15161	1.70E-02	2.6E-03	3.46E-04	8.91E-07	2.47E-02	1.57E-01	3.45E-09	1.0E+06	3.5E-03
51	0.15836	1.70E-02	2.7E-03	3.46E-04	9.30E-07	2.47E-02	1.57E-01	3.60E-09	1.0E+06	3.6E-03
52	0.16548	1.70E-02	2.8E-03	3.46E-04	9.72E-07	2.47E-02	1.57E-01	3.77E-09	1.0E+06	3.8E-03
53	0.17641	1.70E-02	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.02E-09	1.0E+06	4.0E-03
54	0.18951	1.70E-02	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.31E-09	1.0E+06	4.3E-03
55	0.20421	1.70E-02	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.65E-09	1.0E+06	4.6E-03
56	0.31605	1.70E-02	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.19E-09	1.0E+06	7.2E-03
57	0.14708	1.70E-02	2.5E-03	3.46E-04	8.64E-07	2.47E-02	1.57E-01	3.35E-09	1.0E+06	3.3E-03
58	0.15242	1.70E-02	2.6E-03	3.46E-04	8.95E-07	2.47E-02	1.57E-01	3.47E-09	1.0E+06	3.5E-03
59	0.15749	1.70E-02	2.7E-03	3.46E-04	9.25E-07	2.47E-02	1.57E-01	3.58E-09	1.0E+06	3.6E-03
60	0.16209	1.70E-02	2.8E-03	3.46E-04	9.52E-07	2.47E-02	1.57E-01	3.69E-09	1.0E+06	3.7E-03
61	0.16587	1.70E-02	2.8E-03	3.46E-04	9.74E-07	2.47E-02	1.57E-01	3.78E-09	1.0E+06	3.8E-03
62	0.1689	1.70E-02	2.9E-03	3.46E-04	9.92E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	1.70E-02	2.9E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.94E-09	1.0E+06	3.9E-03
64	0.17221	1.70E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03
65	0.17802	1.70E-02	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.05E-09	1.0E+06	4.1E-03
66	0.18602	1.70E-02	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
67	0.19503	1.70E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.44E-09	1.0E+06	4.4E-03
68	0.21198	1.70E-02	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.82E-09	1.0E+06	4.8E-03
69	0.23133	1.70E-02	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.27E-09	1.0E+06	5.3E-03
70	0.15915	1.70E-02	2.7E-03	3.46E-04	9.35E-07	2.47E-02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
71	0.16615	1.70E-02	2.8E-03	3.46E-04	9.76E-07	2.47E-02	1.57E-01	3.78E-09	1.0E+06	3.8E-03
72	0.17306	1.70E-02	2.9E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.94E-09	1.0E+06	3.9E-03
73	0.17979	1.70E-02	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.09E-09	1.0E+06	4.1E-03
74	0.1856	1.70E-02	3.1E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.22E-09	1.0E+06	4.2E-03
75	0.19262	1.70E-02	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.38E-09	1.0E+06	4.4E-03
76	0.19839	1.70E-02	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.52E-09	1.0E+06	4.5E-03
77	0.20099	1.70E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.57E-09	1.0E+06	4.6E-03
78	0.20736	1.70E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.72E-09	1.0E+06	4.7E-03
79	0.22199	1.70E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.05E-09	1.0E+06	5.1E-03
80	0.22851	1.70E-02	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.20E-09	1.0E+06	5.2E-03
81	0.25141	1.70E-02	4.3E-03	3.46E-04	1.48E-06	2.47E-02	1.57E-01	5.72E-09	1.0E+06	5.7E-03
82	0.26864	1.70E-02	4.6E-03	3.46E-04	1.58E-06	2.47E-02	1.57E-01	6.11E-09	1.0E+06	6.1E-03
83	0.17123	1.70E-02	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
84	0.17986	1.70E-02	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.09E-09	1.0E+06	4.1E-03
85	0.18766	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.27E-09	1.0E+06	4.3E-03
86	0.19836	1.70E-02	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.51E-09	1.0E+06	4.5E-03
87	0.20777	1.70E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
88	0.21743	1.70E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.95E-09	1.0E+06	4.9E-03
89	0.22714	1.70E-02	3.9E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.17E-09	1.0E+06	5.2E-03
90	0.23725	1.70E-02	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.40E-09	1.0E+06	5.4E-03
91	0.24821	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.65E-09	1.0E+06	5.6E-03
92	0.26127	1.70E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.95E-09	1.0E+06	5.9E-03
93	0.27635	1.70E-02	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.29E-09	1.0E+06	6.3E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	1.70E-02	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.73E-09	1.0E+06	6.7E-03
95	0.31999	1.70E-02	5.4E-03	3.46E-04	1.88E-06	2.47E-02	1.57E-01	7.28E-09	1.0E+06	7.3E-03
96	0.18233	1.70E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.15E-09	1.0E+06	4.2E-03
97	0.19094	1.70E-02	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.35E-09	1.0E+06	4.3E-03
98	0.20103	1.70E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.58E-09	1.0E+06	4.6E-03
99	0.21464	1.70E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.89E-09	1.0E+06	4.9E-03
100	0.22959	1.70E-02	3.9E-03	3.46E-04	1.35E-06	2.47E-02	1.57E-01	5.23E-09	1.0E+06	5.2E-03
101	0.24284	1.70E-02	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.53E-09	1.0E+06	5.5E-03
102	0.25629	1.70E-02	4.3E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.83E-09	1.0E+06	5.8E-03
103	0.27027	1.70E-02	4.6E-03	3.46E-04	1.59E-06	2.47E-02	1.57E-01	6.15E-09	1.0E+06	6.2E-03
104	0.28488	1.70E-02	4.8E-03	3.46E-04	1.67E-06	2.47E-02	1.57E-01	6.48E-09	1.0E+06	6.5E-03
105	0.3003	1.70E-02	5.1E-03	3.46E-04	1.76E-06	2.47E-02	1.57E-01	6.84E-09	1.0E+06	6.8E-03
106	0.3189	1.70E-02	5.4E-03	3.46E-04	1.87E-06	2.47E-02	1.57E-01	7.26E-09	1.0E+06	7.3E-03
107	0.34186	1.70E-02	5.8E-03	3.46E-04	2.01E-06	2.47E-02	1.57E-01	7.78E-09	1.0E+06	7.8E-03
108	0.37026	1.70E-02	6.3E-03	3.46E-04	2.17E-06	2.47E-02	1.57E-01	8.43E-09	1.0E+06	8.4E-03
109	0.19023	1.70E-02	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
110	0.20375	1.70E-02	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.64E-09	1.0E+06	4.6E-03
111	0.21846	1.70E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.97E-09	1.0E+06	5.0E-03
112	0.23423	1.70E-02	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.33E-09	1.0E+06	5.3E-03
113	0.25102	1.70E-02	4.3E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.71E-09	1.0E+06	5.7E-03
114	0.2686	1.70E-02	4.6E-03	3.46E-04	1.58E-06	2.47E-02	1.57E-01	6.11E-09	1.0E+06	6.1E-03
115	0.28686	1.70E-02	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.53E-09	1.0E+06	6.5E-03
116	0.30627	1.70E-02	5.2E-03	3.46E-04	1.80E-06	2.47E-02	1.57E-01	6.97E-09	1.0E+06	7.0E-03
117	0.32686	1.70E-02	5.5E-03	3.46E-04	1.92E-06	2.47E-02	1.57E-01	7.44E-09	1.0E+06	7.4E-03
118	0.33858	1.70E-02	5.7E-03	3.46E-04	1.99E-06	2.47E-02	1.57E-01	7.71E-09	1.0E+06	7.7E-03
119	0.36311	1.70E-02	6.2E-03	3.46E-04	2.13E-06	2.47E-02	1.57E-01	8.26E-09	1.0E+06	8.3E-03
120	0.38851	1.70E-02	6.6E-03	3.46E-04	2.28E-06	2.47E-02	1.57E-01	8.84E-09	1.0E+06	8.8E-03
121	0.4178	1.70E-02	7.1E-03	3.46E-04	2.45E-06	2.47E-02	1.57E-01	9.51E-09	1.0E+06	9.5E-03
122	0.19578	1.70E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.46E-09	1.0E+06	4.5E-03
123	0.21204	1.70E-02	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
124	0.23086	1.70E-02	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.25E-09	1.0E+06	5.3E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	1.70E-02	4.2E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.69E-09	1.0E+06	5.7E-03
126	0.27035	1.70E-02	4.6E-03	3.46E-04	1.59E-06	2.47E-02	1.57E-01	6.15E-09	1.0E+06	6.2E-03
127	0.29177	1.70E-02	5.0E-03	3.46E-04	1.71E-06	2.47E-02	1.57E-01	6.64E-09	1.0E+06	6.6E-03
128	0.30724	1.70E-02	5.2E-03	3.46E-04	1.80E-06	2.47E-02	1.57E-01	6.99E-09	1.0E+06	7.0E-03
129	0.33259	1.70E-02	5.6E-03	3.46E-04	1.95E-06	2.47E-02	1.57E-01	7.57E-09	1.0E+06	7.6E-03
130	0.36682	1.70E-02	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.35E-09	1.0E+06	8.3E-03
131	1.11688	1.70E-02	1.9E-02	3.46E-04	6.56E-06	2.47E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
132	1.15875	1.70E-02	2.0E-02	3.46E-04	6.81E-06	2.47E-02	1.57E-01	2.64E-08	1.0E+06	2.6E-02
133	0.19656	1.70E-02	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
134	0.21704	1.70E-02	3.7E-03	3.46E-04	1.27E-06	2.47E-02	1.57E-01	4.94E-09	1.0E+06	4.9E-03
135	0.23863	1.70E-02	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
136	0.26108	1.70E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
137	0.28567	1.70E-02	4.8E-03	3.46E-04	1.68E-06	2.47E-02	1.57E-01	6.50E-09	1.0E+06	6.5E-03
138	0.31112	1.70E-02	5.3E-03	3.46E-04	1.83E-06	2.47E-02	1.57E-01	7.08E-09	1.0E+06	7.1E-03
139	0.33575	1.70E-02	5.7E-03	3.46E-04	1.97E-06	2.47E-02	1.57E-01	7.64E-09	1.0E+06	7.6E-03
140	0.37628	1.70E-02	6.4E-03	3.46E-04	2.21E-06	2.47E-02	1.57E-01	8.56E-09	1.0E+06	8.6E-03
141	0.41535	1.70E-02	7.0E-03	3.46E-04	2.44E-06	2.47E-02	1.57E-01	9.45E-09	1.0E+06	9.5E-03
142	0.45747	1.70E-02	7.8E-03	3.46E-04	2.69E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
143	0.5063	1.70E-02	8.6E-03	3.46E-04	2.97E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
144	0.56507	1.70E-02	9.6E-03	3.46E-04	3.32E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
145	0.62491	1.70E-02	1.1E-02	3.46E-04	3.67E-06	2.47E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
146	1.50759	1.70E-02	2.6E-02	3.46E-04	8.86E-06	2.47E-02	1.57E-01	3.43E-08	1.0E+06	3.4E-02
147	0.1931	1.70E-02	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.40E-09	1.0E+06	4.4E-03
148	0.21437	1.70E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
149	0.23858	1.70E-02	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
150	0.26418	1.70E-02	4.5E-03	3.46E-04	1.55E-06	2.47E-02	1.57E-01	6.01E-09	1.0E+06	6.0E-03
151	0.29392	1.70E-02	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.69E-09	1.0E+06	6.7E-03
152	0.32394	1.70E-02	5.5E-03	3.46E-04	1.90E-06	2.47E-02	1.57E-01	7.37E-09	1.0E+06	7.4E-03
153	0.3577	1.70E-02	6.1E-03	3.46E-04	2.10E-06	2.47E-02	1.57E-01	8.14E-09	1.0E+06	8.1E-03
154	0.39941	1.70E-02	6.8E-03	3.46E-04	2.35E-06	2.47E-02	1.57E-01	9.09E-09	1.0E+06	9.1E-03
155	0.44952	1.70E-02	7.6E-03	3.46E-04	2.64E-06	2.47E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	1.70E-02	8.6E-03	3.46E-04	2.97E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
157	0.56864	1.70E-02	9.6E-03	3.46E-04	3.34E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
158	0.63716	1.70E-02	1.1E-02	3.46E-04	3.74E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
159	0.74488	1.70E-02	1.3E-02	3.46E-04	4.38E-06	2.47E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
160	0.18782	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.27E-09	1.0E+06	4.3E-03
161	0.20685	1.70E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
162	0.22653	1.70E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
163	0.25651	1.70E-02	4.4E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.84E-09	1.0E+06	5.8E-03
164	0.29246	1.70E-02	5.0E-03	3.46E-04	1.72E-06	2.47E-02	1.57E-01	6.66E-09	1.0E+06	6.7E-03
165	0.32725	1.70E-02	5.6E-03	3.46E-04	1.92E-06	2.47E-02	1.57E-01	7.45E-09	1.0E+06	7.4E-03
166	0.36919	1.70E-02	6.3E-03	3.46E-04	2.17E-06	2.47E-02	1.57E-01	8.40E-09	1.0E+06	8.4E-03
167	0.41887	1.70E-02	7.1E-03	3.46E-04	2.46E-06	2.47E-02	1.57E-01	9.53E-09	1.0E+06	9.5E-03
168	0.47877	1.70E-02	8.1E-03	3.46E-04	2.81E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
169	0.55074	1.70E-02	9.3E-03	3.46E-04	3.24E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
170	0.63634	1.70E-02	1.1E-02	3.46E-04	3.74E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
171	0.73945	1.70E-02	1.3E-02	3.46E-04	4.34E-06	2.47E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
172	0.87948	1.70E-02	1.5E-02	3.46E-04	5.17E-06	2.47E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
173	1.06486	1.70E-02	1.8E-02	3.46E-04	6.26E-06	2.47E-02	1.57E-01	2.42E-08	1.0E+06	2.4E-02
174	1.31351	1.70E-02	2.2E-02	3.46E-04	7.72E-06	2.47E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
175	1.6474	1.70E-02	2.8E-02	3.46E-04	9.68E-06	2.47E-02	1.57E-01	3.75E-08	1.0E+06	3.7E-02
176	2.19565	1.70E-02	3.7E-02	3.46E-04	1.29E-05	2.47E-02	1.57E-01	5.00E-08	1.0E+06	5.0E-02
177	2.85894	1.70E-02	4.9E-02	3.46E-04	1.68E-05	2.47E-02	1.57E-01	6.51E-08	1.0E+06	6.5E-02
178	3.59716	1.70E-02	6.1E-02	3.46E-04	2.11E-05	2.47E-02	1.57E-01	8.19E-08	1.0E+06	8.2E-02
179	0.17443	1.70E-02	3.0E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.97E-09	1.0E+06	4.0E-03
180	0.19117	1.70E-02	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.35E-09	1.0E+06	4.4E-03
181	0.20765	1.70E-02	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
182	0.24097	1.70E-02	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.48E-09	1.0E+06	5.5E-03
183	0.28383	1.70E-02	4.8E-03	3.46E-04	1.67E-06	2.47E-02	1.57E-01	6.46E-09	1.0E+06	6.5E-03
184	0.32178	1.70E-02	5.5E-03	3.46E-04	1.89E-06	2.47E-02	1.57E-01	7.32E-09	1.0E+06	7.3E-03
185	0.36853	1.70E-02	6.3E-03	3.46E-04	2.16E-06	2.47E-02	1.57E-01	8.39E-09	1.0E+06	8.4E-03
186	0.42331	1.70E-02	7.2E-03	3.46E-04	2.49E-06	2.47E-02	1.57E-01	9.63E-09	1.0E+06	9.6E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	1.70E-02	8.3E-03	3.46E-04	2.87E-06	2.47E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
188	0.57244	1.70E-02	9.7E-03	3.46E-04	3.36E-06	2.47E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
189	0.67537	1.70E-02	1.1E-02	3.46E-04	3.97E-06	2.47E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
190	0.80933	1.70E-02	1.4E-02	3.46E-04	4.75E-06	2.47E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
191	0.98328	1.70E-02	1.7E-02	3.46E-04	5.78E-06	2.47E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
192	1.23304	1.70E-02	2.1E-02	3.46E-04	7.24E-06	2.47E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
193	1.58271	1.70E-02	2.7E-02	3.46E-04	9.30E-06	2.47E-02	1.57E-01	3.60E-08	1.0E+06	3.6E-02
194	2.13464	1.70E-02	3.6E-02	3.46E-04	1.25E-05	2.47E-02	1.57E-01	4.86E-08	1.0E+06	4.9E-02
195	3.0975	1.70E-02	5.3E-02	3.46E-04	1.82E-05	2.47E-02	1.57E-01	7.05E-08	1.0E+06	7.1E-02
196	4.69284	1.70E-02	8.0E-02	3.46E-04	2.76E-05	2.47E-02	1.57E-01	1.07E-07	1.0E+06	1.1E-01
197	6.88357	1.70E-02	1.2E-01	3.46E-04	4.04E-05	2.47E-02	1.57E-01	1.57E-07	1.0E+06	1.6E-01
198	0.16286	1.70E-02	2.8E-03	3.46E-04	9.57E-07	2.47E-02	1.57E-01	3.71E-09	1.0E+06	3.7E-03
199	0.1793	1.70E-02	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.08E-09	1.0E+06	4.1E-03
200	0.19824	1.70E-02	3.4E-03	3.46E-04	1.16E-06	2.47E-02	1.57E-01	4.51E-09	1.0E+06	4.5E-03
201	0.22447	1.70E-02	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
202	0.26663	1.70E-02	4.5E-03	3.46E-04	1.57E-06	2.47E-02	1.57E-01	6.07E-09	1.0E+06	6.1E-03
203	0.30715	1.70E-02	5.2E-03	3.46E-04	1.80E-06	2.47E-02	1.57E-01	6.99E-09	1.0E+06	7.0E-03
204	0.35579	1.70E-02	6.0E-03	3.46E-04	2.09E-06	2.47E-02	1.57E-01	8.10E-09	1.0E+06	8.1E-03
205	0.41191	1.70E-02	7.0E-03	3.46E-04	2.42E-06	2.47E-02	1.57E-01	9.38E-09	1.0E+06	9.4E-03
206	0.48026	1.70E-02	8.1E-03	3.46E-04	2.82E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
207	0.56684	1.70E-02	9.6E-03	3.46E-04	3.33E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
208	0.67745	1.70E-02	1.1E-02	3.46E-04	3.98E-06	2.47E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
209	0.82589	1.70E-02	1.4E-02	3.46E-04	4.85E-06	2.47E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
210	1.02976	1.70E-02	1.7E-02	3.46E-04	6.05E-06	2.47E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
211	1.32605	1.70E-02	2.3E-02	3.46E-04	7.79E-06	2.47E-02	1.57E-01	3.02E-08	1.0E+06	3.0E-02
212	1.76927	1.70E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.03E-08	1.0E+06	4.0E-02
213	2.46994	1.70E-02	4.2E-02	3.46E-04	1.45E-05	2.47E-02	1.57E-01	5.62E-08	1.0E+06	5.6E-02
214	3.63615	1.70E-02	6.2E-02	3.46E-04	2.14E-05	2.47E-02	1.57E-01	8.28E-08	1.0E+06	8.3E-02
215	7.55748	1.70E-02	1.3E-01	3.46E-04	4.44E-05	2.47E-02	1.57E-01	1.72E-07	1.0E+06	1.7E-01
216	0.15431	1.70E-02	2.6E-03	3.46E-04	9.06E-07	2.47E-02	1.57E-01	3.51E-09	1.0E+06	3.5E-03
217	0.16879	1.70E-02	2.9E-03	3.46E-04	9.92E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.26E-09	1.0E+06	4.3E-03
219	0.21079	1.70E-02	3.6E-03	3.46E-04	1.24E-06	2.47E-02	1.57E-01	4.80E-09	1.0E+06	4.8E-03
220	0.24803	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.65E-09	1.0E+06	5.6E-03
221	0.28481	1.70E-02	4.8E-03	3.46E-04	1.67E-06	2.47E-02	1.57E-01	6.48E-09	1.0E+06	6.5E-03
222	0.33289	1.70E-02	5.6E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.58E-09	1.0E+06	7.6E-03
223	0.3875	1.70E-02	6.6E-03	3.46E-04	2.28E-06	2.47E-02	1.57E-01	8.82E-09	1.0E+06	8.8E-03
224	0.45352	1.70E-02	7.7E-03	3.46E-04	2.66E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
225	0.53452	1.70E-02	9.1E-03	3.46E-04	3.14E-06	2.47E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
226	0.64348	1.70E-02	1.1E-02	3.46E-04	3.78E-06	2.47E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
227	0.7871	1.70E-02	1.3E-02	3.46E-04	4.62E-06	2.47E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
228	0.98789	1.70E-02	1.7E-02	3.46E-04	5.80E-06	2.47E-02	1.57E-01	2.25E-08	1.0E+06	2.2E-02
229	1.28832	1.70E-02	2.2E-02	3.46E-04	7.57E-06	2.47E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
230	1.75514	1.70E-02	3.0E-02	3.46E-04	1.03E-05	2.47E-02	1.57E-01	3.99E-08	1.0E+06	4.0E-02
231	2.58583	1.70E-02	4.4E-02	3.46E-04	1.52E-05	2.47E-02	1.57E-01	5.89E-08	1.0E+06	5.9E-02
232	4.28751	1.70E-02	7.3E-02	3.46E-04	2.52E-05	2.47E-02	1.57E-01	9.76E-08	1.0E+06	9.8E-02
233	10.76445	1.70E-02	1.8E-01	3.46E-04	6.32E-05	2.47E-02	1.57E-01	2.45E-07	1.0E+06	2.5E-01
234	0.14796	1.70E-02	2.5E-03	3.46E-04	8.69E-07	2.47E-02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
235	0.16076	1.70E-02	2.7E-03	3.46E-04	9.44E-07	2.47E-02	1.57E-01	3.66E-09	1.0E+06	3.7E-03
236	0.17816	1.70E-02	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
237	0.20142	1.70E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.58E-09	1.0E+06	4.6E-03
238	0.2321	1.70E-02	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.28E-09	1.0E+06	5.3E-03
239	0.26575	1.70E-02	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.05E-09	1.0E+06	6.0E-03
240	0.30828	1.70E-02	5.2E-03	3.46E-04	1.81E-06	2.47E-02	1.57E-01	7.02E-09	1.0E+06	7.0E-03
241	0.35891	1.70E-02	6.1E-03	3.46E-04	2.11E-06	2.47E-02	1.57E-01	8.17E-09	1.0E+06	8.2E-03
242	0.4204	1.70E-02	7.1E-03	3.46E-04	2.47E-06	2.47E-02	1.57E-01	9.57E-09	1.0E+06	9.6E-03
243	0.49614	1.70E-02	8.4E-03	3.46E-04	2.91E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
244	0.59817	1.70E-02	1.0E-02	3.46E-04	3.51E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
245	0.7334	1.70E-02	1.2E-02	3.46E-04	4.31E-06	2.47E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
246	0.92041	1.70E-02	1.6E-02	3.46E-04	5.41E-06	2.47E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
247	1.19215	1.70E-02	2.0E-02	3.46E-04	7.00E-06	2.47E-02	1.57E-01	2.71E-08	1.0E+06	2.7E-02
248	1.61854	1.70E-02	2.7E-02	3.46E-04	9.51E-06	2.47E-02	1.57E-01	3.68E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	1.70E-02	4.0E-02	3.46E-04	1.38E-05	2.47E-02	1.57E-01	5.36E-08	1.0E+06	5.4E-02
250	3.88245	1.70E-02	6.6E-02	3.46E-04	2.28E-05	2.47E-02	1.57E-01	8.84E-08	1.0E+06	8.8E-02
251	9.548	1.70E-02	1.6E-01	3.46E-04	5.61E-05	2.47E-02	1.57E-01	2.17E-07	1.0E+06	2.2E-01
252	0.14244	1.70E-02	2.4E-03	3.46E-04	8.37E-07	2.47E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
253	0.15391	1.70E-02	2.6E-03	3.46E-04	9.04E-07	2.47E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03
254	0.16905	1.70E-02	2.9E-03	3.46E-04	9.93E-07	2.47E-02	1.57E-01	3.85E-09	1.0E+06	3.8E-03
255	0.1882	1.70E-02	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.28E-09	1.0E+06	4.3E-03
256	0.22038	1.70E-02	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	5.02E-09	1.0E+06	5.0E-03
257	0.24395	1.70E-02	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.55E-09	1.0E+06	5.6E-03
258	0.27703	1.70E-02	4.7E-03	3.46E-04	1.63E-06	2.47E-02	1.57E-01	6.31E-09	1.0E+06	6.3E-03
259	0.31726	1.70E-02	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.22E-09	1.0E+06	7.2E-03
260	0.37532	1.70E-02	6.4E-03	3.46E-04	2.20E-06	2.47E-02	1.57E-01	8.54E-09	1.0E+06	8.5E-03
261	0.45282	1.70E-02	7.7E-03	3.46E-04	2.66E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
262	0.54991	1.70E-02	9.3E-03	3.46E-04	3.23E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
263	0.6689	1.70E-02	1.1E-02	3.46E-04	3.93E-06	2.47E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
264	0.83769	1.70E-02	1.4E-02	3.46E-04	4.92E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
265	1.069	1.70E-02	1.8E-02	3.46E-04	6.28E-06	2.47E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
266	1.42172	1.70E-02	2.4E-02	3.46E-04	8.35E-06	2.47E-02	1.57E-01	3.24E-08	1.0E+06	3.2E-02
267	1.98481	1.70E-02	3.4E-02	3.46E-04	1.17E-05	2.47E-02	1.57E-01	4.52E-08	1.0E+06	4.5E-02
268	3.00508	1.70E-02	5.1E-02	3.46E-04	1.77E-05	2.47E-02	1.57E-01	6.84E-08	1.0E+06	6.8E-02
269	6.11415	1.70E-02	1.0E-01	3.46E-04	3.59E-05	2.47E-02	1.57E-01	1.39E-07	1.0E+06	1.4E-01
270	0.13852	1.70E-02	2.4E-03	3.46E-04	8.14E-07	2.47E-02	1.57E-01	3.15E-09	1.0E+06	3.2E-03
271	0.15026	1.70E-02	2.5E-03	3.46E-04	8.83E-07	2.47E-02	1.57E-01	3.42E-09	1.0E+06	3.4E-03
272	0.16484	1.70E-02	2.8E-03	3.46E-04	9.68E-07	2.47E-02	1.57E-01	3.75E-09	1.0E+06	3.8E-03
273	0.18199	1.70E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
274	0.21436	1.70E-02	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
275	0.24454	1.70E-02	4.1E-03	3.46E-04	1.44E-06	2.47E-02	1.57E-01	5.57E-09	1.0E+06	5.6E-03
276	0.26087	1.70E-02	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
277	0.29564	1.70E-02	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.73E-09	1.0E+06	6.7E-03
278	0.34216	1.70E-02	5.8E-03	3.46E-04	2.01E-06	2.47E-02	1.57E-01	7.79E-09	1.0E+06	7.8E-03
279	0.40447	1.70E-02	6.9E-03	3.46E-04	2.38E-06	2.47E-02	1.57E-01	9.21E-09	1.0E+06	9.2E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	1.70E-02	8.4E-03	3.46E-04	2.91E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
281	0.61075	1.70E-02	1.0E-02	3.46E-04	3.59E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
282	0.76016	1.70E-02	1.3E-02	3.46E-04	4.47E-06	2.47E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
283	0.9592	1.70E-02	1.6E-02	3.46E-04	5.63E-06	2.47E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
284	1.23907	1.70E-02	2.1E-02	3.46E-04	7.28E-06	2.47E-02	1.57E-01	2.82E-08	1.0E+06	2.8E-02
285	1.6354	1.70E-02	2.8E-02	3.46E-04	9.61E-06	2.47E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
286	2.29875	1.70E-02	3.9E-02	3.46E-04	1.35E-05	2.47E-02	1.57E-01	5.23E-08	1.0E+06	5.2E-02
287	4.0984	1.70E-02	7.0E-02	3.46E-04	2.41E-05	2.47E-02	1.57E-01	9.33E-08	1.0E+06	9.3E-02
288	0.13632	1.70E-02	2.3E-03	3.46E-04	8.01E-07	2.47E-02	1.57E-01	3.10E-09	1.0E+06	3.1E-03
289	0.14679	1.70E-02	2.5E-03	3.46E-04	8.62E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
290	0.16392	1.70E-02	2.8E-03	3.46E-04	9.63E-07	2.47E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
291	0.1821	1.70E-02	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
292	0.22152	1.70E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.04E-09	1.0E+06	5.0E-03
293	0.241	1.70E-02	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.49E-09	1.0E+06	5.5E-03
294	0.24821	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.65E-09	1.0E+06	5.6E-03
295	0.28165	1.70E-02	4.8E-03	3.46E-04	1.65E-06	2.47E-02	1.57E-01	6.41E-09	1.0E+06	6.4E-03
296	0.32446	1.70E-02	5.5E-03	3.46E-04	1.91E-06	2.47E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
297	0.37299	1.70E-02	6.3E-03	3.46E-04	2.19E-06	2.47E-02	1.57E-01	8.49E-09	1.0E+06	8.5E-03
298	0.44378	1.70E-02	7.5E-03	3.46E-04	2.61E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
299	0.54938	1.70E-02	9.3E-03	3.46E-04	3.23E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
300	0.67014	1.70E-02	1.1E-02	3.46E-04	3.94E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
301	0.83889	1.70E-02	1.4E-02	3.46E-04	4.93E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
302	1.05754	1.70E-02	1.8E-02	3.46E-04	6.21E-06	2.47E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
303	1.36095	1.70E-02	2.3E-02	3.46E-04	7.99E-06	2.47E-02	1.57E-01	3.10E-08	1.0E+06	3.1E-02
304	1.82968	1.70E-02	3.1E-02	3.46E-04	1.07E-05	2.47E-02	1.57E-01	4.16E-08	1.0E+06	4.2E-02
305	2.94941	1.70E-02	5.0E-02	3.46E-04	1.73E-05	2.47E-02	1.57E-01	6.71E-08	1.0E+06	6.7E-02
306	0.14102	1.70E-02	2.4E-03	3.46E-04	8.28E-07	2.47E-02	1.57E-01	3.21E-09	1.0E+06	3.2E-03
307	0.14805	1.70E-02	2.5E-03	3.46E-04	8.70E-07	2.47E-02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
308	0.16104	1.70E-02	2.7E-03	3.46E-04	9.46E-07	2.47E-02	1.57E-01	3.67E-09	1.0E+06	3.7E-03
309	0.1881	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.28E-09	1.0E+06	4.3E-03
310	0.21623	1.70E-02	3.7E-03	3.46E-04	1.27E-06	2.47E-02	1.57E-01	4.92E-09	1.0E+06	4.9E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	1.70E-02	4.0E-03	3.46E-04	1.37E-06	2.47E-02	1.57E-01	5.32E-09	1.0E+06	5.3E-03
312	0.23582	1.70E-02	4.0E-03	3.46E-04	1.39E-06	2.47E-02	1.57E-01	5.37E-09	1.0E+06	5.4E-03
313	0.2662	1.70E-02	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.06E-09	1.0E+06	6.1E-03
314	0.30482	1.70E-02	5.2E-03	3.46E-04	1.79E-06	2.47E-02	1.57E-01	6.94E-09	1.0E+06	6.9E-03
315	0.36238	1.70E-02	6.1E-03	3.46E-04	2.13E-06	2.47E-02	1.57E-01	8.25E-09	1.0E+06	8.2E-03
316	0.41173	1.70E-02	7.0E-03	3.46E-04	2.42E-06	2.47E-02	1.57E-01	9.37E-09	1.0E+06	9.4E-03
317	0.48329	1.70E-02	8.2E-03	3.46E-04	2.84E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
318	0.58024	1.70E-02	9.8E-03	3.46E-04	3.41E-06	2.47E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
319	0.71842	1.70E-02	1.2E-02	3.46E-04	4.22E-06	2.47E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
320	0.91725	1.70E-02	1.6E-02	3.46E-04	5.39E-06	2.47E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
321	1.14351	1.70E-02	1.9E-02	3.46E-04	6.72E-06	2.47E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
322	1.47884	1.70E-02	2.5E-02	3.46E-04	8.69E-06	2.47E-02	1.57E-01	3.37E-08	1.0E+06	3.4E-02
323	2.2049	1.70E-02	3.7E-02	3.46E-04	1.30E-05	2.47E-02	1.57E-01	5.02E-08	1.0E+06	5.0E-02
324	0.13829	1.70E-02	2.3E-03	3.46E-04	8.12E-07	2.47E-02	1.57E-01	3.15E-09	1.0E+06	3.1E-03
325	0.15341	1.70E-02	2.6E-03	3.46E-04	9.01E-07	2.47E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
326	0.16525	1.70E-02	2.8E-03	3.46E-04	9.71E-07	2.47E-02	1.57E-01	3.76E-09	1.0E+06	3.8E-03
327	0.17597	1.70E-02	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
328	0.21285	1.70E-02	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.84E-09	1.0E+06	4.8E-03
329	0.22617	1.70E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.15E-09	1.0E+06	5.1E-03
330	0.229	1.70E-02	3.9E-03	3.46E-04	1.35E-06	2.47E-02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
331	0.25812	1.70E-02	4.4E-03	3.46E-04	1.52E-06	2.47E-02	1.57E-01	5.88E-09	1.0E+06	5.9E-03
332	0.29444	1.70E-02	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.70E-09	1.0E+06	6.7E-03
333	0.34735	1.70E-02	5.9E-03	3.46E-04	2.04E-06	2.47E-02	1.57E-01	7.91E-09	1.0E+06	7.9E-03
334	0.39929	1.70E-02	6.8E-03	3.46E-04	2.35E-06	2.47E-02	1.57E-01	9.09E-09	1.0E+06	9.1E-03
335	0.46251	1.70E-02	7.8E-03	3.46E-04	2.72E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
336	1.34926	1.70E-02	2.3E-02	3.46E-04	7.93E-06	2.47E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
337	1.42098	1.70E-02	2.4E-02	3.46E-04	8.35E-06	2.47E-02	1.57E-01	3.23E-08	1.0E+06	3.2E-02
338	0.15741	1.70E-02	2.7E-03	3.46E-04	9.25E-07	2.47E-02	1.57E-01	3.58E-09	1.0E+06	3.6E-03
339	0.16826	1.70E-02	2.9E-03	3.46E-04	9.88E-07	2.47E-02	1.57E-01	3.83E-09	1.0E+06	3.8E-03
340	0.19168	1.70E-02	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.36E-09	1.0E+06	4.4E-03
341	0.20395	1.70E-02	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.64E-09	1.0E+06	4.6E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	1.70E-02	3.6E-03	3.46E-04	1.24E-06	2.47E-02	1.57E-01	4.80E-09	1.0E+06	4.8E-03
343	0.22111	1.70E-02	3.8E-03	3.46E-04	1.30E-06	2.47E-02	1.57E-01	5.03E-09	1.0E+06	5.0E-03
344	0.22429	1.70E-02	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
345	0.22606	1.70E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.15E-09	1.0E+06	5.1E-03
346	0.22606	1.70E-02	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.15E-09	1.0E+06	5.1E-03
347	0.17036	1.70E-02	2.9E-03	3.46E-04	1.00E-06	2.47E-02	1.57E-01	3.88E-09	1.0E+06	3.9E-03
348	0.18661	1.70E-02	3.2E-03	3.46E-04	1.10E-06	2.47E-02	1.57E-01	4.25E-09	1.0E+06	4.2E-03
349	0.21873	1.70E-02	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
350	0.22806	1.70E-02	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.19E-09	1.0E+06	5.2E-03
351	0.23577	1.70E-02	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.37E-09	1.0E+06	5.4E-03
352	0.24893	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.67E-09	1.0E+06	5.7E-03
353	0.25277	1.70E-02	4.3E-03	3.46E-04	1.48E-06	2.47E-02	1.57E-01	5.75E-09	1.0E+06	5.8E-03
354	0.25385	1.70E-02	4.3E-03	3.46E-04	1.49E-06	2.47E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
355	0.25415	1.70E-02	4.3E-03	3.46E-04	1.49E-06	2.47E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
356	0.18604	1.70E-02	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
357	0.20039	1.70E-02	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.56E-09	1.0E+06	4.6E-03
358	0.21891	1.70E-02	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
359	0.24942	1.70E-02	4.2E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.68E-09	1.0E+06	5.7E-03
360	0.26595	1.70E-02	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.05E-09	1.0E+06	6.1E-03
361	0.28268	1.70E-02	4.8E-03	3.46E-04	1.66E-06	2.47E-02	1.57E-01	6.43E-09	1.0E+06	6.4E-03
362	0.28748	1.70E-02	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.54E-09	1.0E+06	6.5E-03
363	0.28847	1.70E-02	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.57E-09	1.0E+06	6.6E-03
364	0.20678	1.70E-02	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
365	0.21895	1.70E-02	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
366	0.24185	1.70E-02	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.50E-09	1.0E+06	5.5E-03
367	0.28223	1.70E-02	4.8E-03	3.46E-04	1.66E-06	2.47E-02	1.57E-01	6.42E-09	1.0E+06	6.4E-03
368	0.30287	1.70E-02	5.1E-03	3.46E-04	1.78E-06	2.47E-02	1.57E-01	6.89E-09	1.0E+06	6.9E-03
369	0.32466	1.70E-02	5.5E-03	3.46E-04	1.91E-06	2.47E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
370	0.33362	1.70E-02	5.7E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.59E-09	1.0E+06	7.6E-03
371	0.33293	1.70E-02	5.6E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.58E-09	1.0E+06	7.6E-03
372	0.23425	1.70E-02	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.33E-09	1.0E+06	5.3E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	1.70E-02	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.64E-09	1.0E+06	5.6E-03
374	0.2758	1.70E-02	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
375	0.3231	1.70E-02	5.5E-03	3.46E-04	1.90E-06	2.47E-02	1.57E-01	7.35E-09	1.0E+06	7.4E-03
376	0.34946	1.70E-02	5.9E-03	3.46E-04	2.05E-06	2.47E-02	1.57E-01	7.95E-09	1.0E+06	8.0E-03
377	0.36592	1.70E-02	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.33E-09	1.0E+06	8.3E-03
378	0.37782	1.70E-02	6.4E-03	3.46E-04	2.22E-06	2.47E-02	1.57E-01	8.60E-09	1.0E+06	8.6E-03
379	0.38907	1.70E-02	6.6E-03	3.46E-04	2.29E-06	2.47E-02	1.57E-01	8.86E-09	1.0E+06	8.9E-03
380	0.389	1.70E-02	6.6E-03	3.46E-04	2.29E-06	2.47E-02	1.57E-01	8.85E-09	1.0E+06	8.9E-03
381	0.38496	1.70E-02	6.5E-03	3.46E-04	2.26E-06	2.47E-02	1.57E-01	8.76E-09	1.0E+06	8.8E-03
382	0.27352	1.70E-02	4.6E-03	3.46E-04	1.61E-06	2.47E-02	1.57E-01	6.23E-09	1.0E+06	6.2E-03
383	0.29685	1.70E-02	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.76E-09	1.0E+06	6.8E-03
384	0.32129	1.70E-02	5.5E-03	3.46E-04	1.89E-06	2.47E-02	1.57E-01	7.31E-09	1.0E+06	7.3E-03
385	0.3848	1.70E-02	6.5E-03	3.46E-04	2.26E-06	2.47E-02	1.57E-01	8.76E-09	1.0E+06	8.8E-03
386	0.40823	1.70E-02	6.9E-03	3.46E-04	2.40E-06	2.47E-02	1.57E-01	9.29E-09	1.0E+06	9.3E-03
387	0.43009	1.70E-02	7.3E-03	3.46E-04	2.53E-06	2.47E-02	1.57E-01	9.79E-09	1.0E+06	9.8E-03
388	0.44587	1.70E-02	7.6E-03	3.46E-04	2.62E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
389	0.46018	1.70E-02	7.8E-03	3.46E-04	2.70E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
390	0.45888	1.70E-02	7.8E-03	3.46E-04	2.70E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
391	0.45337	1.70E-02	7.7E-03	3.46E-04	2.66E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
392	0.43787	1.70E-02	7.4E-03	3.46E-04	2.57E-06	2.47E-02	1.57E-01	9.97E-09	1.0E+06	1.0E-02
393	0.32603	1.70E-02	5.5E-03	3.46E-04	1.92E-06	2.47E-02	1.57E-01	7.42E-09	1.0E+06	7.4E-03
394	0.38853	1.70E-02	6.6E-03	3.46E-04	2.28E-06	2.47E-02	1.57E-01	8.84E-09	1.0E+06	8.8E-03
395	0.43296	1.70E-02	7.3E-03	3.46E-04	2.54E-06	2.47E-02	1.57E-01	9.85E-09	1.0E+06	9.9E-03
396	0.4654	1.70E-02	7.9E-03	3.46E-04	2.73E-06	2.47E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
397	0.4979	1.70E-02	8.4E-03	3.46E-04	2.92E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
398	0.51462	1.70E-02	8.7E-03	3.46E-04	3.02E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
399	0.52048	1.70E-02	8.8E-03	3.46E-04	3.06E-06	2.47E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
400	0.55457	1.70E-02	9.4E-03	3.46E-04	3.26E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
401	0.55208	1.70E-02	9.4E-03	3.46E-04	3.24E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
402	0.51974	1.70E-02	8.8E-03	3.46E-04	3.05E-06	2.47E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
403	0.67545	1.70E-02	1.1E-02	3.46E-04	3.97E-06	2.47E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	1.70E-02	1.1E-02	3.46E-04	3.73E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
405	0.59648	1.70E-02	1.0E-02	3.46E-04	3.50E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
406	0.8541	1.70E-02	1.4E-02	3.46E-04	5.02E-06	2.47E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
407	0.72119	1.70E-02	1.2E-02	3.46E-04	4.24E-06	2.47E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
408	1.11899	1.70E-02	1.9E-02	3.46E-04	6.57E-06	2.47E-02	1.57E-01	2.55E-08	1.0E+06	2.5E-02
409	0.88286	1.70E-02	1.5E-02	3.46E-04	5.19E-06	2.47E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
410	1.53458	1.70E-02	2.6E-02	3.46E-04	9.01E-06	2.47E-02	1.57E-01	3.49E-08	1.0E+06	3.5E-02
411	1.24788	1.70E-02	2.1E-02	3.46E-04	7.33E-06	2.47E-02	1.57E-01	2.84E-08	1.0E+06	2.8E-02
412	1.10769	1.70E-02	1.9E-02	3.46E-04	6.51E-06	2.47E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
413	2.24007	1.70E-02	3.8E-02	3.46E-04	1.32E-05	2.47E-02	1.57E-01	5.10E-08	1.0E+06	5.1E-02
414	1.85905	1.70E-02	3.2E-02	3.46E-04	1.09E-05	2.47E-02	1.57E-01	4.23E-08	1.0E+06	4.2E-02
415	1.59815	1.70E-02	2.7E-02	3.46E-04	9.39E-06	2.47E-02	1.57E-01	3.64E-08	1.0E+06	3.6E-02
416	1.34652	1.70E-02	2.3E-02	3.46E-04	7.91E-06	2.47E-02	1.57E-01	3.06E-08	1.0E+06	3.1E-02
417	3.57218	1.70E-02	6.1E-02	3.46E-04	2.10E-05	2.47E-02	1.57E-01	8.13E-08	1.0E+06	8.1E-02
418	2.01893	1.70E-02	3.4E-02	3.46E-04	1.19E-05	2.47E-02	1.57E-01	4.60E-08	1.0E+06	4.6E-02
419	1.58987	1.70E-02	2.7E-02	3.46E-04	9.34E-06	2.47E-02	1.57E-01	3.62E-08	1.0E+06	3.6E-02
420	1.2521	1.70E-02	2.1E-02	3.46E-04	7.36E-06	2.47E-02	1.57E-01	2.85E-08	1.0E+06	2.8E-02
421	6.42312	1.70E-02	1.1E-01	3.46E-04	3.77E-05	2.47E-02	1.57E-01	1.46E-07	1.0E+06	1.5E-01
422	1.77737	1.70E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.05E-08	1.0E+06	4.0E-02
423	1.33662	1.70E-02	2.3E-02	3.46E-04	7.85E-06	2.47E-02	1.57E-01	3.04E-08	1.0E+06	3.0E-02
424	12.91388	1.70E-02	2.2E-01	3.46E-04	7.59E-05	2.47E-02	1.57E-01	2.94E-07	1.0E+06	2.9E-01
425	1.34203	1.70E-02	2.3E-02	3.46E-04	7.88E-06	2.47E-02	1.57E-01	3.05E-08	1.0E+06	3.1E-02
426	1.01676	1.70E-02	1.7E-02	3.46E-04	5.97E-06	2.47E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
427	22.75271	1.70E-02	3.9E-01	3.46E-04	1.34E-04	2.47E-02	1.57E-01	5.18E-07	1.0E+06	5.2E-01
428	1.27773	1.70E-02	2.2E-02	3.46E-04	7.51E-06	2.47E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
429	0.96908	1.70E-02	1.6E-02	3.46E-04	5.69E-06	2.47E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
430	21.09262	1.70E-02	3.6E-01	3.46E-04	1.24E-04	2.47E-02	1.57E-01	4.80E-07	1.0E+06	4.8E-01
431	0.90443	1.70E-02	1.5E-02	3.46E-04	5.31E-06	2.47E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
432	0.71229	1.70E-02	1.2E-02	3.46E-04	4.18E-06	2.47E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
433	13.11622	1.70E-02	2.2E-01	3.46E-04	7.70E-05	2.47E-02	1.57E-01	2.99E-07	1.0E+06	3.0E-01
434	0.83575	1.70E-02	1.4E-02	3.46E-04	4.91E-06	2.47E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	1.70E-02	1.1E-02	3.46E-04	3.94E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
436	8.0879	1.70E-02	1.4E-01	3.46E-04	4.75E-05	2.47E-02	1.57E-01	1.84E-07	1.0E+06	1.8E-01
437	0.97518	1.70E-02	1.7E-02	3.46E-04	5.73E-06	2.47E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
438	0.76912	1.70E-02	1.3E-02	3.46E-04	4.52E-06	2.47E-02	1.57E-01	1.75E-08	1.0E+06	1.8E-02
439	0.6239	1.70E-02	1.1E-02	3.46E-04	3.66E-06	2.47E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
440	5.21196	1.70E-02	8.8E-02	3.46E-04	3.06E-05	2.47E-02	1.57E-01	1.19E-07	1.0E+06	1.2E-01
441	1.57338	1.70E-02	2.7E-02	3.46E-04	9.24E-06	2.47E-02	1.57E-01	3.58E-08	1.0E+06	3.6E-02
442	1.14958	1.70E-02	2.0E-02	3.46E-04	6.75E-06	2.47E-02	1.57E-01	2.62E-08	1.0E+06	2.6E-02
443	0.88407	1.70E-02	1.5E-02	3.46E-04	5.19E-06	2.47E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
444	0.70507	1.70E-02	1.2E-02	3.46E-04	4.14E-06	2.47E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
445	3.55393	1.70E-02	6.0E-02	3.46E-04	2.09E-05	2.47E-02	1.57E-01	8.09E-08	1.0E+06	8.1E-02
446	1.95063	1.70E-02	3.3E-02	3.46E-04	1.15E-05	2.47E-02	1.57E-01	4.44E-08	1.0E+06	4.4E-02
447	1.38871	1.70E-02	2.4E-02	3.46E-04	8.16E-06	2.47E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
448	1.03194	1.70E-02	1.8E-02	3.46E-04	6.06E-06	2.47E-02	1.57E-01	2.35E-08	1.0E+06	2.3E-02
449	2.54704	1.70E-02	4.3E-02	3.46E-04	1.50E-05	2.47E-02	1.57E-01	5.80E-08	1.0E+06	5.8E-02
450	2.13244	1.70E-02	3.6E-02	3.46E-04	1.25E-05	2.47E-02	1.57E-01	4.85E-08	1.0E+06	4.9E-02
451	1.63606	1.70E-02	2.8E-02	3.46E-04	9.61E-06	2.47E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
452	1.90224	1.70E-02	3.2E-02	3.46E-04	1.12E-05	2.47E-02	1.57E-01	4.33E-08	1.0E+06	4.3E-02
453	1.68146	1.70E-02	2.9E-02	3.46E-04	9.88E-06	2.47E-02	1.57E-01	3.83E-08	1.0E+06	3.8E-02
454	0.45602	1.70E-02	7.7E-03	3.46E-04	2.68E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
455	0.39292	1.70E-02	6.7E-03	3.46E-04	2.31E-06	2.47E-02	1.57E-01	8.94E-09	1.0E+06	8.9E-03
456	1.46911	1.70E-02	2.5E-02	3.46E-04	8.63E-06	2.47E-02	1.57E-01	3.34E-08	1.0E+06	3.3E-02
457	1.34798	1.70E-02	2.3E-02	3.46E-04	7.92E-06	2.47E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
458	1.14854	1.70E-02	1.9E-02	3.46E-04	6.75E-06	2.47E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
459	0.60959	1.70E-02	1.0E-02	3.46E-04	3.58E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
460	0.50521	1.70E-02	8.6E-03	3.46E-04	2.97E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.1E-02
461	0.42667	1.70E-02	7.2E-03	3.46E-04	2.51E-06	2.47E-02	1.57E-01	9.71E-09	1.0E+06	9.7E-03
462	0.36664	1.70E-02	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.35E-09	1.0E+06	8.3E-03
463	1.56366	1.70E-02	2.7E-02	3.46E-04	9.19E-06	2.47E-02	1.57E-01	3.56E-08	1.0E+06	3.6E-02
464	1.67908	1.70E-02	2.8E-02	3.46E-04	9.86E-06	2.47E-02	1.57E-01	3.82E-08	1.0E+06	3.8E-02
465	2.37925	1.70E-02	4.0E-02	3.46E-04	1.40E-05	2.47E-02	1.57E-01	5.42E-08	1.0E+06	5.4E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	1.70E-02	4.9E-02	3.46E-04	1.71E-05	2.47E-02	1.57E-01	6.61E-08	1.0E+06	6.6E-02
467	4.03499	1.70E-02	6.8E-02	3.46E-04	2.37E-05	2.47E-02	1.57E-01	9.18E-08	1.0E+06	9.2E-02
468	8.35246	1.70E-02	1.4E-01	3.46E-04	4.91E-05	2.47E-02	1.57E-01	1.90E-07	1.0E+06	1.9E-01
469	28.13292	1.70E-02	4.8E-01	3.46E-04	1.65E-04	2.47E-02	1.57E-01	6.40E-07	1.0E+06	6.4E-01
470	20.35286	1.70E-02	3.5E-01	3.46E-04	1.20E-04	2.47E-02	1.57E-01	4.63E-07	1.0E+06	4.6E-01
471	34.54288	1.70E-02	5.9E-01	3.46E-04	2.03E-04	2.47E-02	1.57E-01	7.86E-07	1.0E+06	7.9E-01
472	27.90221	1.70E-02	4.7E-01	3.46E-04	1.64E-04	2.47E-02	1.57E-01	6.35E-07	1.0E+06	6.4E-01
473	29.67594	1.70E-02	5.0E-01	3.46E-04	1.74E-04	2.47E-02	1.57E-01	6.75E-07	1.0E+06	6.8E-01
474	13.04296	1.70E-02	2.2E-01	3.46E-04	7.66E-05	2.47E-02	1.57E-01	2.97E-07	1.0E+06	3.0E-01
475	22.08892	1.70E-02	3.7E-01	3.46E-04	1.30E-04	2.47E-02	1.57E-01	5.03E-07	1.0E+06	5.0E-01
476	6.99817	1.70E-02	1.2E-01	3.46E-04	4.11E-05	2.47E-02	1.57E-01	1.59E-07	1.0E+06	1.6E-01
477	9.76012	1.70E-02	1.7E-01	3.46E-04	5.73E-05	2.47E-02	1.57E-01	2.22E-07	1.0E+06	2.2E-01
478	4.29281	1.70E-02	7.3E-02	3.46E-04	2.52E-05	2.47E-02	1.57E-01	9.77E-08	1.0E+06	9.8E-02
479	5.44714	1.70E-02	9.2E-02	3.46E-04	3.20E-05	2.47E-02	1.57E-01	1.24E-07	1.0E+06	1.2E-01
480	5.4004	1.70E-02	9.2E-02	3.46E-04	3.17E-05	2.47E-02	1.57E-01	1.23E-07	1.0E+06	1.2E-01
481	2.88653	1.70E-02	4.9E-02	3.46E-04	1.70E-05	2.47E-02	1.57E-01	6.57E-08	1.0E+06	6.6E-02
482	3.54717	1.70E-02	6.0E-02	3.46E-04	2.08E-05	2.47E-02	1.57E-01	8.07E-08	1.0E+06	8.1E-02
483	2.40679	1.70E-02	4.1E-02	3.46E-04	1.41E-05	2.47E-02	1.57E-01	5.48E-08	1.0E+06	5.5E-02
484	2.49271	1.70E-02	4.2E-02	3.46E-04	1.46E-05	2.47E-02	1.57E-01	5.67E-08	1.0E+06	5.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	0.07258	4.83528E-06	3.5E-07	3.46E-04	1.21E-10	2.47E-02	1.57E-01	4.71E-13	1.0E+06	4.7E-07
2	2	0.07361	4.83528E-06	3.6E-07	3.46E-04	1.23E-10	2.47E-02	1.57E-01	4.77E-13	1.0E+06	4.8E-07
3	3	0.07465	4.83528E-06	3.6E-07	3.46E-04	1.25E-10	2.47E-02	1.57E-01	4.84E-13	1.0E+06	4.8E-07
4	4	0.07594	4.83528E-06	3.7E-07	3.46E-04	1.27E-10	2.47E-02	1.57E-01	4.93E-13	1.0E+06	4.9E-07
5	5	0.07736	4.83528E-06	3.7E-07	3.46E-04	1.29E-10	2.47E-02	1.57E-01	5.02E-13	1.0E+06	5.0E-07
6	6	0.07976	4.83528E-06	3.9E-07	3.46E-04	1.34E-10	2.47E-02	1.57E-01	5.17E-13	1.0E+06	5.2E-07
7	7	0.08261	4.83528E-06	4.0E-07	3.46E-04	1.38E-10	2.47E-02	1.57E-01	5.36E-13	1.0E+06	5.4E-07
8	8	0.08576	4.83528E-06	4.1E-07	3.46E-04	1.44E-10	2.47E-02	1.57E-01	5.56E-13	1.0E+06	5.6E-07
9	9	0.08923	4.83528E-06	4.3E-07	3.46E-04	1.49E-10	2.47E-02	1.57E-01	5.79E-13	1.0E+06	5.8E-07
10	10	0.09348	4.83528E-06	4.5E-07	3.46E-04	1.56E-10	2.47E-02	1.57E-01	6.06E-13	1.0E+06	6.1E-07
11	11	0.09887	4.83528E-06	4.8E-07	3.46E-04	1.65E-10	2.47E-02	1.57E-01	6.41E-13	1.0E+06	6.4E-07
12	12	0.1046	4.83528E-06	5.1E-07	3.46E-04	1.75E-10	2.47E-02	1.57E-01	6.78E-13	1.0E+06	6.8E-07
13	13	0.11086	4.83528E-06	5.4E-07	3.46E-04	1.86E-10	2.47E-02	1.57E-01	7.19E-13	1.0E+06	7.2E-07
14	14	0.15272	4.83528E-06	7.4E-07	3.46E-04	2.56E-10	2.47E-02	1.57E-01	9.90E-13	1.0E+06	9.9E-07
15	15	0.07987	4.83528E-06	3.9E-07	3.46E-04	1.34E-10	2.47E-02	1.57E-01	5.18E-13	1.0E+06	5.2E-07
16	16	0.08047	4.83528E-06	3.9E-07	3.46E-04	1.35E-10	2.47E-02	1.57E-01	5.22E-13	1.0E+06	5.2E-07
17	17	0.08186	4.83528E-06	4.0E-07	3.46E-04	1.37E-10	2.47E-02	1.57E-01	5.31E-13	1.0E+06	5.3E-07
18	18	0.08282	4.83528E-06	4.0E-07	3.46E-04	1.39E-10	2.47E-02	1.57E-01	5.37E-13	1.0E+06	5.4E-07
19	19	0.08387	4.83528E-06	4.1E-07	3.46E-04	1.40E-10	2.47E-02	1.57E-01	5.44E-13	1.0E+06	5.4E-07
20	20	0.08576	4.83528E-06	4.1E-07	3.46E-04	1.44E-10	2.47E-02	1.57E-01	5.56E-13	1.0E+06	5.6E-07
21	21	0.0882	4.83528E-06	4.3E-07	3.46E-04	1.48E-10	2.47E-02	1.57E-01	5.72E-13	1.0E+06	5.7E-07
22	22	0.09097	4.83528E-06	4.4E-07	3.46E-04	1.52E-10	2.47E-02	1.57E-01	5.90E-13	1.0E+06	5.9E-07
23	23	0.09536	4.83528E-06	4.6E-07	3.46E-04	1.60E-10	2.47E-02	1.57E-01	6.18E-13	1.0E+06	6.2E-07
24	24	0.09927	4.83528E-06	4.8E-07	3.46E-04	1.66E-10	2.47E-02	1.57E-01	6.44E-13	1.0E+06	6.4E-07
25	25	0.10562	4.83528E-06	5.1E-07	3.46E-04	1.77E-10	2.47E-02	1.57E-01	6.85E-13	1.0E+06	6.9E-07
26	26	0.11246	4.83528E-06	5.4E-07	3.46E-04	1.88E-10	2.47E-02	1.57E-01	7.29E-13	1.0E+06	7.3E-07
27	27	0.11826	4.83528E-06	5.7E-07	3.46E-04	1.98E-10	2.47E-02	1.57E-01	7.67E-13	1.0E+06	7.7E-07
28	28	0.16766	4.83528E-06	8.1E-07	3.46E-04	2.81E-10	2.47E-02	1.57E-01	1.09E-12	1.0E+06	1.1E-06
29	29	0.08809	4.83528E-06	4.3E-07	3.46E-04	1.47E-10	2.47E-02	1.57E-01	5.71E-13	1.0E+06	5.7E-07
30	30	0.08938	4.83528E-06	4.3E-07	3.46E-04	1.50E-10	2.47E-02	1.57E-01	5.80E-13	1.0E+06	5.8E-07
31	31	0.09119	4.83528E-06	4.4E-07	3.46E-04	1.53E-10	2.47E-02	1.57E-01	5.91E-13	1.0E+06	5.9E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.09231	4.83528E-06	4.5E-07	3.46E-04	1.55E-10	2.47E-02	1.57E-01	5.99E-13	1.0E+06	6.0E-07
33	33	0.092	4.83528E-06	4.4E-07	3.46E-04	1.54E-10	2.47E-02	1.57E-01	5.97E-13	1.0E+06	6.0E-07
34	34	0.09359	4.83528E-06	4.5E-07	3.46E-04	1.57E-10	2.47E-02	1.57E-01	6.07E-13	1.0E+06	6.1E-07
35	35	0.0954	4.83528E-06	4.6E-07	3.46E-04	1.60E-10	2.47E-02	1.57E-01	6.19E-13	1.0E+06	6.2E-07
36	36	0.09822	4.83528E-06	4.7E-07	3.46E-04	1.64E-10	2.47E-02	1.57E-01	6.37E-13	1.0E+06	6.4E-07
37	37	0.10214	4.83528E-06	4.9E-07	3.46E-04	1.71E-10	2.47E-02	1.57E-01	6.62E-13	1.0E+06	6.6E-07
38	38	0.10706	4.83528E-06	5.2E-07	3.46E-04	1.79E-10	2.47E-02	1.57E-01	6.94E-13	1.0E+06	6.9E-07
39	39	0.11315	4.83528E-06	5.5E-07	3.46E-04	1.89E-10	2.47E-02	1.57E-01	7.34E-13	1.0E+06	7.3E-07
40	40	0.11972	4.83528E-06	5.8E-07	3.46E-04	2.00E-10	2.47E-02	1.57E-01	7.76E-13	1.0E+06	7.8E-07
41	41	0.12639	4.83528E-06	6.1E-07	3.46E-04	2.12E-10	2.47E-02	1.57E-01	8.20E-13	1.0E+06	8.2E-07
42	42	0.18137	4.83528E-06	8.8E-07	3.46E-04	3.04E-10	2.47E-02	1.57E-01	1.18E-12	1.0E+06	1.2E-06
43	43	0.09692	4.83528E-06	4.7E-07	3.46E-04	1.62E-10	2.47E-02	1.57E-01	6.29E-13	1.0E+06	6.3E-07
44	44	0.0991	4.83528E-06	4.8E-07	3.46E-04	1.66E-10	2.47E-02	1.57E-01	6.43E-13	1.0E+06	6.4E-07
45	45	0.10072	4.83528E-06	4.9E-07	3.46E-04	1.69E-10	2.47E-02	1.57E-01	6.53E-13	1.0E+06	6.5E-07
46	46	0.10136	4.83528E-06	4.9E-07	3.46E-04	1.70E-10	2.47E-02	1.57E-01	6.57E-13	1.0E+06	6.6E-07
47	47	0.10168	4.83528E-06	4.9E-07	3.46E-04	1.70E-10	2.47E-02	1.57E-01	6.59E-13	1.0E+06	6.6E-07
48	48	0.10272	4.83528E-06	5.0E-07	3.46E-04	1.72E-10	2.47E-02	1.57E-01	6.66E-13	1.0E+06	6.7E-07
49	49	0.10387	4.83528E-06	5.0E-07	3.46E-04	1.74E-10	2.47E-02	1.57E-01	6.74E-13	1.0E+06	6.7E-07
50	50	0.10559	4.83528E-06	5.1E-07	3.46E-04	1.77E-10	2.47E-02	1.57E-01	6.85E-13	1.0E+06	6.8E-07
51	51	0.11059	4.83528E-06	5.3E-07	3.46E-04	1.85E-10	2.47E-02	1.57E-01	7.17E-13	1.0E+06	7.2E-07
52	52	0.11541	4.83528E-06	5.6E-07	3.46E-04	1.93E-10	2.47E-02	1.57E-01	7.48E-13	1.0E+06	7.5E-07
53	53	0.12207	4.83528E-06	5.9E-07	3.46E-04	2.04E-10	2.47E-02	1.57E-01	7.92E-13	1.0E+06	7.9E-07
54	54	0.12964	4.83528E-06	6.3E-07	3.46E-04	2.17E-10	2.47E-02	1.57E-01	8.41E-13	1.0E+06	8.4E-07
55	55	0.13798	4.83528E-06	6.7E-07	3.46E-04	2.31E-10	2.47E-02	1.57E-01	8.95E-13	1.0E+06	8.9E-07
56	56	0.20336	4.83528E-06	9.8E-07	3.46E-04	3.40E-10	2.47E-02	1.57E-01	1.32E-12	1.0E+06	1.3E-06
57	57	0.10602	4.83528E-06	5.1E-07	3.46E-04	1.77E-10	2.47E-02	1.57E-01	6.88E-13	1.0E+06	6.9E-07
58	58	0.10826	4.83528E-06	5.2E-07	3.46E-04	1.81E-10	2.47E-02	1.57E-01	7.02E-13	1.0E+06	7.0E-07
59	59	0.11015	4.83528E-06	5.3E-07	3.46E-04	1.84E-10	2.47E-02	1.57E-01	7.14E-13	1.0E+06	7.1E-07
60	60	0.11187	4.83528E-06	5.4E-07	3.46E-04	1.87E-10	2.47E-02	1.57E-01	7.26E-13	1.0E+06	7.3E-07
61	61	0.11317	4.83528E-06	5.5E-07	3.46E-04	1.89E-10	2.47E-02	1.57E-01	7.34E-13	1.0E+06	7.3E-07
62	62	0.11442	4.83528E-06	5.5E-07	3.46E-04	1.92E-10	2.47E-02	1.57E-01	7.42E-13	1.0E+06	7.4E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.11714	4.83528E-06	5.7E-07	3.46E-04	1.96E-10	2.47E-02	1.57E-01	7.60E-13	1.0E+06	7.6E-07
64	64	0.11648	4.83528E-06	5.6E-07	3.46E-04	1.95E-10	2.47E-02	1.57E-01	7.55E-13	1.0E+06	7.6E-07
65	65	0.12089	4.83528E-06	5.8E-07	3.46E-04	2.02E-10	2.47E-02	1.57E-01	7.84E-13	1.0E+06	7.8E-07
66	66	0.12645	4.83528E-06	6.1E-07	3.46E-04	2.12E-10	2.47E-02	1.57E-01	8.20E-13	1.0E+06	8.2E-07
67	67	0.13207	4.83528E-06	6.4E-07	3.46E-04	2.21E-10	2.47E-02	1.57E-01	8.57E-13	1.0E+06	8.6E-07
68	68	0.14191	4.83528E-06	6.9E-07	3.46E-04	2.38E-10	2.47E-02	1.57E-01	9.20E-13	1.0E+06	9.2E-07
69	69	0.15278	4.83528E-06	7.4E-07	3.46E-04	2.56E-10	2.47E-02	1.57E-01	9.91E-13	1.0E+06	9.9E-07
70	70	0.11505	4.83528E-06	5.6E-07	3.46E-04	1.93E-10	2.47E-02	1.57E-01	7.46E-13	1.0E+06	7.5E-07
71	71	0.11795	4.83528E-06	5.7E-07	3.46E-04	1.97E-10	2.47E-02	1.57E-01	7.65E-13	1.0E+06	7.6E-07
72	72	0.12035	4.83528E-06	5.8E-07	3.46E-04	2.01E-10	2.47E-02	1.57E-01	7.81E-13	1.0E+06	7.8E-07
73	73	0.12307	4.83528E-06	6.0E-07	3.46E-04	2.06E-10	2.47E-02	1.57E-01	7.98E-13	1.0E+06	8.0E-07
74	74	0.12482	4.83528E-06	6.0E-07	3.46E-04	2.09E-10	2.47E-02	1.57E-01	8.10E-13	1.0E+06	8.1E-07
75	75	0.12893	4.83528E-06	6.2E-07	3.46E-04	2.16E-10	2.47E-02	1.57E-01	8.36E-13	1.0E+06	8.4E-07
76	76	0.1318	4.83528E-06	6.4E-07	3.46E-04	2.21E-10	2.47E-02	1.57E-01	8.55E-13	1.0E+06	8.5E-07
77	77	0.13237	4.83528E-06	6.4E-07	3.46E-04	2.22E-10	2.47E-02	1.57E-01	8.58E-13	1.0E+06	8.6E-07
78	78	0.13671	4.83528E-06	6.6E-07	3.46E-04	2.29E-10	2.47E-02	1.57E-01	8.87E-13	1.0E+06	8.9E-07
79	79	0.14673	4.83528E-06	7.1E-07	3.46E-04	2.46E-10	2.47E-02	1.57E-01	9.52E-13	1.0E+06	9.5E-07
80	80	0.15027	4.83528E-06	7.3E-07	3.46E-04	2.52E-10	2.47E-02	1.57E-01	9.75E-13	1.0E+06	9.7E-07
81	81	0.16391	4.83528E-06	7.9E-07	3.46E-04	2.74E-10	2.47E-02	1.57E-01	1.06E-12	1.0E+06	1.1E-06
82	82	0.17293	4.83528E-06	8.4E-07	3.46E-04	2.89E-10	2.47E-02	1.57E-01	1.12E-12	1.0E+06	1.1E-06
83	83	0.12453	4.83528E-06	6.0E-07	3.46E-04	2.08E-10	2.47E-02	1.57E-01	8.08E-13	1.0E+06	8.1E-07
84	84	0.1273	4.83528E-06	6.2E-07	3.46E-04	2.13E-10	2.47E-02	1.57E-01	8.26E-13	1.0E+06	8.3E-07
85	85	0.12929	4.83528E-06	6.3E-07	3.46E-04	2.16E-10	2.47E-02	1.57E-01	8.39E-13	1.0E+06	8.4E-07
86	86	0.13537	4.83528E-06	6.5E-07	3.46E-04	2.27E-10	2.47E-02	1.57E-01	8.78E-13	1.0E+06	8.8E-07
87	87	0.13951	4.83528E-06	6.7E-07	3.46E-04	2.34E-10	2.47E-02	1.57E-01	9.05E-13	1.0E+06	9.0E-07
88	88	0.14441	4.83528E-06	7.0E-07	3.46E-04	2.42E-10	2.47E-02	1.57E-01	9.37E-13	1.0E+06	9.4E-07
89	89	0.14954	4.83528E-06	7.2E-07	3.46E-04	2.50E-10	2.47E-02	1.57E-01	9.70E-13	1.0E+06	9.7E-07
90	90	0.1551	4.83528E-06	7.5E-07	3.46E-04	2.60E-10	2.47E-02	1.57E-01	1.01E-12	1.0E+06	1.0E-06
91	91	0.1614	4.83528E-06	7.8E-07	3.46E-04	2.70E-10	2.47E-02	1.57E-01	1.05E-12	1.0E+06	1.0E-06
92	92	0.16922	4.83528E-06	8.2E-07	3.46E-04	2.83E-10	2.47E-02	1.57E-01	1.10E-12	1.0E+06	1.1E-06
93	93	0.17767	4.83528E-06	8.6E-07	3.46E-04	2.97E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.2E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.1881	4.83528E-06	9.1E-07	3.46E-04	3.15E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
95	95	0.2005	4.83528E-06	9.7E-07	3.46E-04	3.36E-10	2.47E-02	1.57E-01	1.30E-12	1.0E+06	1.3E-06
96	96	0.13351	4.83528E-06	6.5E-07	3.46E-04	2.23E-10	2.47E-02	1.57E-01	8.66E-13	1.0E+06	8.7E-07
97	97	0.13568	4.83528E-06	6.6E-07	3.46E-04	2.27E-10	2.47E-02	1.57E-01	8.80E-13	1.0E+06	8.8E-07
98	98	0.13911	4.83528E-06	6.7E-07	3.46E-04	2.33E-10	2.47E-02	1.57E-01	9.02E-13	1.0E+06	9.0E-07
99	99	0.14529	4.83528E-06	7.0E-07	3.46E-04	2.43E-10	2.47E-02	1.57E-01	9.42E-13	1.0E+06	9.4E-07
100	100	0.15343	4.83528E-06	7.4E-07	3.46E-04	2.57E-10	2.47E-02	1.57E-01	9.95E-13	1.0E+06	1.0E-06
101	101	0.15942	4.83528E-06	7.7E-07	3.46E-04	2.67E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
102	102	0.16573	4.83528E-06	8.0E-07	3.46E-04	2.77E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
103	103	0.17311	4.83528E-06	8.4E-07	3.46E-04	2.90E-10	2.47E-02	1.57E-01	1.12E-12	1.0E+06	1.1E-06
104	104	0.18054	4.83528E-06	8.7E-07	3.46E-04	3.02E-10	2.47E-02	1.57E-01	1.17E-12	1.0E+06	1.2E-06
105	105	0.18829	4.83528E-06	9.1E-07	3.46E-04	3.15E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
106	106	0.19854	4.83528E-06	9.6E-07	3.46E-04	3.32E-10	2.47E-02	1.57E-01	1.29E-12	1.0E+06	1.3E-06
107	107	0.21075	4.83528E-06	1.0E-06	3.46E-04	3.53E-10	2.47E-02	1.57E-01	1.37E-12	1.0E+06	1.4E-06
108	108	0.22488	4.83528E-06	1.1E-06	3.46E-04	3.76E-10	2.47E-02	1.57E-01	1.46E-12	1.0E+06	1.5E-06
109	109	0.14127	4.83528E-06	6.8E-07	3.46E-04	2.36E-10	2.47E-02	1.57E-01	9.16E-13	1.0E+06	9.2E-07
110	110	0.14754	4.83528E-06	7.1E-07	3.46E-04	2.47E-10	2.47E-02	1.57E-01	9.57E-13	1.0E+06	9.6E-07
111	111	0.15415	4.83528E-06	7.5E-07	3.46E-04	2.58E-10	2.47E-02	1.57E-01	1.00E-12	1.0E+06	1.0E-06
112	112	0.16102	4.83528E-06	7.8E-07	3.46E-04	2.70E-10	2.47E-02	1.57E-01	1.04E-12	1.0E+06	1.0E-06
113	113	0.16815	4.83528E-06	8.1E-07	3.46E-04	2.81E-10	2.47E-02	1.57E-01	1.09E-12	1.0E+06	1.1E-06
114	114	0.17546	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
115	115	0.18278	4.83528E-06	8.8E-07	3.46E-04	3.06E-10	2.47E-02	1.57E-01	1.19E-12	1.0E+06	1.2E-06
116	116	0.19116	4.83528E-06	9.2E-07	3.46E-04	3.20E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
117	117	0.20122	4.83528E-06	9.7E-07	3.46E-04	3.37E-10	2.47E-02	1.57E-01	1.31E-12	1.0E+06	1.3E-06
118	118	0.20761	4.83528E-06	1.0E-06	3.46E-04	3.47E-10	2.47E-02	1.57E-01	1.35E-12	1.0E+06	1.3E-06
119	119	0.22024	4.83528E-06	1.1E-06	3.46E-04	3.69E-10	2.47E-02	1.57E-01	1.43E-12	1.0E+06	1.4E-06
120	120	0.23312	4.83528E-06	1.1E-06	3.46E-04	3.90E-10	2.47E-02	1.57E-01	1.51E-12	1.0E+06	1.5E-06
121	121	0.24724	4.83528E-06	1.2E-06	3.46E-04	4.14E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
122	122	0.14912	4.83528E-06	7.2E-07	3.46E-04	2.50E-10	2.47E-02	1.57E-01	9.67E-13	1.0E+06	9.7E-07
123	123	0.15721	4.83528E-06	7.6E-07	3.46E-04	2.63E-10	2.47E-02	1.57E-01	1.02E-12	1.0E+06	1.0E-06
124	124	0.16662	4.83528E-06	8.1E-07	3.46E-04	2.79E-10	2.47E-02	1.57E-01	1.08E-12	1.0E+06	1.1E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.17521	4.83528E-06	8.5E-07	3.46E-04	2.93E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
126	126	0.1835	4.83528E-06	8.9E-07	3.46E-04	3.07E-10	2.47E-02	1.57E-01	1.19E-12	1.0E+06	1.2E-06
127	127	0.19137	4.83528E-06	9.3E-07	3.46E-04	3.20E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
128	128	0.19335	4.83528E-06	9.3E-07	3.46E-04	3.24E-10	2.47E-02	1.57E-01	1.25E-12	1.0E+06	1.3E-06
129	129	0.20267	4.83528E-06	9.8E-07	3.46E-04	3.39E-10	2.47E-02	1.57E-01	1.31E-12	1.0E+06	1.3E-06
130	130	0.21849	4.83528E-06	1.1E-06	3.46E-04	3.66E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
131	131	0.54025	4.83528E-06	2.6E-06	3.46E-04	9.04E-10	2.47E-02	1.57E-01	3.50E-12	1.0E+06	3.5E-06
132	132	0.56203	4.83528E-06	2.7E-06	3.46E-04	9.41E-10	2.47E-02	1.57E-01	3.65E-12	1.0E+06	3.6E-06
133	133	0.15509	4.83528E-06	7.5E-07	3.46E-04	2.60E-10	2.47E-02	1.57E-01	1.01E-12	1.0E+06	1.0E-06
134	134	0.16662	4.83528E-06	8.1E-07	3.46E-04	2.79E-10	2.47E-02	1.57E-01	1.08E-12	1.0E+06	1.1E-06
135	135	0.17787	4.83528E-06	8.6E-07	3.46E-04	2.98E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.2E-06
136	136	0.1884	4.83528E-06	9.1E-07	3.46E-04	3.15E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
137	137	0.19902	4.83528E-06	9.6E-07	3.46E-04	3.33E-10	2.47E-02	1.57E-01	1.29E-12	1.0E+06	1.3E-06
138	138	0.20832	4.83528E-06	1.0E-06	3.46E-04	3.49E-10	2.47E-02	1.57E-01	1.35E-12	1.0E+06	1.4E-06
139	139	0.21529	4.83528E-06	1.0E-06	3.46E-04	3.60E-10	2.47E-02	1.57E-01	1.40E-12	1.0E+06	1.4E-06
140	140	0.23239	4.83528E-06	1.1E-06	3.46E-04	3.89E-10	2.47E-02	1.57E-01	1.51E-12	1.0E+06	1.5E-06
141	141	0.24657	4.83528E-06	1.2E-06	3.46E-04	4.13E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
142	142	0.26114	4.83528E-06	1.3E-06	3.46E-04	4.37E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
143	143	0.27932	4.83528E-06	1.4E-06	3.46E-04	4.68E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
144	144	0.30388	4.83528E-06	1.5E-06	3.46E-04	5.09E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
145	145	0.32771	4.83528E-06	1.6E-06	3.46E-04	5.49E-10	2.47E-02	1.57E-01	2.13E-12	1.0E+06	2.1E-06
146	146	0.66658	4.83528E-06	3.2E-06	3.46E-04	1.12E-09	2.47E-02	1.57E-01	4.32E-12	1.0E+06	4.3E-06
147	147	0.15987	4.83528E-06	7.7E-07	3.46E-04	2.68E-10	2.47E-02	1.57E-01	1.04E-12	1.0E+06	1.0E-06
148	148	0.17249	4.83528E-06	8.3E-07	3.46E-04	2.89E-10	2.47E-02	1.57E-01	1.12E-12	1.0E+06	1.1E-06
149	149	0.18609	4.83528E-06	9.0E-07	3.46E-04	3.11E-10	2.47E-02	1.57E-01	1.21E-12	1.0E+06	1.2E-06
150	150	0.19907	4.83528E-06	9.6E-07	3.46E-04	3.33E-10	2.47E-02	1.57E-01	1.29E-12	1.0E+06	1.3E-06
151	151	0.21346	4.83528E-06	1.0E-06	3.46E-04	3.57E-10	2.47E-02	1.57E-01	1.38E-12	1.0E+06	1.4E-06
152	152	0.22549	4.83528E-06	1.1E-06	3.46E-04	3.77E-10	2.47E-02	1.57E-01	1.46E-12	1.0E+06	1.5E-06
153	153	0.23783	4.83528E-06	1.1E-06	3.46E-04	3.98E-10	2.47E-02	1.57E-01	1.54E-12	1.0E+06	1.5E-06
154	154	0.25329	4.83528E-06	1.2E-06	3.46E-04	4.24E-10	2.47E-02	1.57E-01	1.64E-12	1.0E+06	1.6E-06
155	155	0.27164	4.83528E-06	1.3E-06	3.46E-04	4.55E-10	2.47E-02	1.57E-01	1.76E-12	1.0E+06	1.8E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.29103	4.83528E-06	1.4E-06	3.46E-04	4.87E-10	2.47E-02	1.57E-01	1.89E-12	1.0E+06	1.9E-06
157	157	0.31108	4.83528E-06	1.5E-06	3.46E-04	5.21E-10	2.47E-02	1.57E-01	2.02E-12	1.0E+06	2.0E-06
158	158	0.33231	4.83528E-06	1.6E-06	3.46E-04	5.56E-10	2.47E-02	1.57E-01	2.16E-12	1.0E+06	2.2E-06
159	159	0.3745	4.83528E-06	1.8E-06	3.46E-04	6.27E-10	2.47E-02	1.57E-01	2.43E-12	1.0E+06	2.4E-06
160	160	0.1652	4.83528E-06	8.0E-07	3.46E-04	2.77E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
161	161	0.17702	4.83528E-06	8.6E-07	3.46E-04	2.96E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.1E-06
162	162	0.18798	4.83528E-06	9.1E-07	3.46E-04	3.15E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
163	163	0.20556	4.83528E-06	9.9E-07	3.46E-04	3.44E-10	2.47E-02	1.57E-01	1.33E-12	1.0E+06	1.3E-06
164	164	0.2256	4.83528E-06	1.1E-06	3.46E-04	3.78E-10	2.47E-02	1.57E-01	1.46E-12	1.0E+06	1.5E-06
165	165	0.24183	4.83528E-06	1.2E-06	3.46E-04	4.05E-10	2.47E-02	1.57E-01	1.57E-12	1.0E+06	1.6E-06
166	166	0.26025	4.83528E-06	1.3E-06	3.46E-04	4.36E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
167	167	0.28039	4.83528E-06	1.4E-06	3.46E-04	4.69E-10	2.47E-02	1.57E-01	1.82E-12	1.0E+06	1.8E-06
168	168	0.30308	4.83528E-06	1.5E-06	3.46E-04	5.07E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
169	169	0.32837	4.83528E-06	1.6E-06	3.46E-04	5.50E-10	2.47E-02	1.57E-01	2.13E-12	1.0E+06	2.1E-06
170	170	0.35596	4.83528E-06	1.7E-06	3.46E-04	5.96E-10	2.47E-02	1.57E-01	2.31E-12	1.0E+06	2.3E-06
171	171	0.38722	4.83528E-06	1.9E-06	3.46E-04	6.48E-10	2.47E-02	1.57E-01	2.51E-12	1.0E+06	2.5E-06
172	172	0.43207	4.83528E-06	2.1E-06	3.46E-04	7.23E-10	2.47E-02	1.57E-01	2.80E-12	1.0E+06	2.8E-06
173	173	0.49265	4.83528E-06	2.4E-06	3.46E-04	8.25E-10	2.47E-02	1.57E-01	3.20E-12	1.0E+06	3.2E-06
174	174	0.57625	4.83528E-06	2.8E-06	3.46E-04	9.65E-10	2.47E-02	1.57E-01	3.74E-12	1.0E+06	3.7E-06
175	175	0.67856	4.83528E-06	3.3E-06	3.46E-04	1.14E-09	2.47E-02	1.57E-01	4.40E-12	1.0E+06	4.4E-06
176	176	0.79898	4.83528E-06	3.9E-06	3.46E-04	1.34E-09	2.47E-02	1.57E-01	5.18E-12	1.0E+06	5.2E-06
177	177	1.01134	4.83528E-06	4.9E-06	3.46E-04	1.69E-09	2.47E-02	1.57E-01	6.56E-12	1.0E+06	6.6E-06
178	178	1.19863	4.83528E-06	5.8E-06	3.46E-04	2.01E-09	2.47E-02	1.57E-01	7.77E-12	1.0E+06	7.8E-06
179	179	0.16466	4.83528E-06	8.0E-07	3.46E-04	2.76E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
180	180	0.17624	4.83528E-06	8.5E-07	3.46E-04	2.95E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
181	181	0.18643	4.83528E-06	9.0E-07	3.46E-04	3.12E-10	2.47E-02	1.57E-01	1.21E-12	1.0E+06	1.2E-06
182	182	0.20908	4.83528E-06	1.0E-06	3.46E-04	3.50E-10	2.47E-02	1.57E-01	1.36E-12	1.0E+06	1.4E-06
183	183	0.23689	4.83528E-06	1.1E-06	3.46E-04	3.97E-10	2.47E-02	1.57E-01	1.54E-12	1.0E+06	1.5E-06
184	184	0.25771	4.83528E-06	1.2E-06	3.46E-04	4.31E-10	2.47E-02	1.57E-01	1.67E-12	1.0E+06	1.7E-06
185	185	0.28174	4.83528E-06	1.4E-06	3.46E-04	4.72E-10	2.47E-02	1.57E-01	1.83E-12	1.0E+06	1.8E-06
186	186	0.30715	4.83528E-06	1.5E-06	3.46E-04	5.14E-10	2.47E-02	1.57E-01	1.99E-12	1.0E+06	2.0E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.33461	4.83528E-06	1.6E-06	3.46E-04	5.60E-10	2.47E-02	1.57E-01	2.17E-12	1.0E+06	2.2E-06
188	188	0.36672	4.83528E-06	1.8E-06	3.46E-04	6.14E-10	2.47E-02	1.57E-01	2.38E-12	1.0E+06	2.4E-06
189	189	0.40207	4.83528E-06	1.9E-06	3.46E-04	6.73E-10	2.47E-02	1.57E-01	2.61E-12	1.0E+06	2.6E-06
190	190	0.44452	4.83528E-06	2.1E-06	3.46E-04	7.44E-10	2.47E-02	1.57E-01	2.88E-12	1.0E+06	2.9E-06
191	191	0.49448	4.83528E-06	2.4E-06	3.46E-04	8.28E-10	2.47E-02	1.57E-01	3.21E-12	1.0E+06	3.2E-06
192	192	0.56449	4.83528E-06	2.7E-06	3.46E-04	9.45E-10	2.47E-02	1.57E-01	3.66E-12	1.0E+06	3.7E-06
193	193	0.65574	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.25E-12	1.0E+06	4.3E-06
194	194	0.79818	4.83528E-06	3.9E-06	3.46E-04	1.34E-09	2.47E-02	1.57E-01	5.18E-12	1.0E+06	5.2E-06
195	195	1.02294	4.83528E-06	4.9E-06	3.46E-04	1.71E-09	2.47E-02	1.57E-01	6.63E-12	1.0E+06	6.6E-06
196	196	1.36656	4.83528E-06	6.6E-06	3.46E-04	2.29E-09	2.47E-02	1.57E-01	8.86E-12	1.0E+06	8.9E-06
197	197	1.78741	4.83528E-06	8.6E-06	3.46E-04	2.99E-09	2.47E-02	1.57E-01	1.16E-11	1.0E+06	1.2E-05
198	198	0.16538	4.83528E-06	8.0E-07	3.46E-04	2.77E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
199	199	0.17864	4.83528E-06	8.6E-07	3.46E-04	2.99E-10	2.47E-02	1.57E-01	1.16E-12	1.0E+06	1.2E-06
200	200	0.19319	4.83528E-06	9.3E-07	3.46E-04	3.23E-10	2.47E-02	1.57E-01	1.25E-12	1.0E+06	1.3E-06
201	201	0.21276	4.83528E-06	1.0E-06	3.46E-04	3.56E-10	2.47E-02	1.57E-01	1.38E-12	1.0E+06	1.4E-06
202	202	0.2435	4.83528E-06	1.2E-06	3.46E-04	4.08E-10	2.47E-02	1.57E-01	1.58E-12	1.0E+06	1.6E-06
203	203	0.27002	4.83528E-06	1.3E-06	3.46E-04	4.52E-10	2.47E-02	1.57E-01	1.75E-12	1.0E+06	1.8E-06
204	204	0.29949	4.83528E-06	1.4E-06	3.46E-04	5.01E-10	2.47E-02	1.57E-01	1.94E-12	1.0E+06	1.9E-06
205	205	0.33029	4.83528E-06	1.6E-06	3.46E-04	5.53E-10	2.47E-02	1.57E-01	2.14E-12	1.0E+06	2.1E-06
206	206	0.36426	4.83528E-06	1.8E-06	3.46E-04	6.10E-10	2.47E-02	1.57E-01	2.36E-12	1.0E+06	2.4E-06
207	207	0.40322	4.83528E-06	1.9E-06	3.46E-04	6.75E-10	2.47E-02	1.57E-01	2.62E-12	1.0E+06	2.6E-06
208	208	0.44759	4.83528E-06	2.2E-06	3.46E-04	7.49E-10	2.47E-02	1.57E-01	2.90E-12	1.0E+06	2.9E-06
209	209	0.50106	4.83528E-06	2.4E-06	3.46E-04	8.39E-10	2.47E-02	1.57E-01	3.25E-12	1.0E+06	3.2E-06
210	210	0.56599	4.83528E-06	2.7E-06	3.46E-04	9.47E-10	2.47E-02	1.57E-01	3.67E-12	1.0E+06	3.7E-06
211	211	0.64944	4.83528E-06	3.1E-06	3.46E-04	1.09E-09	2.47E-02	1.57E-01	4.21E-12	1.0E+06	4.2E-06
212	212	0.75631	4.83528E-06	3.7E-06	3.46E-04	1.27E-09	2.47E-02	1.57E-01	4.91E-12	1.0E+06	4.9E-06
213	213	0.89878	4.83528E-06	4.3E-06	3.46E-04	1.50E-09	2.47E-02	1.57E-01	5.83E-12	1.0E+06	5.8E-06
214	214	1.09629	4.83528E-06	5.3E-06	3.46E-04	1.83E-09	2.47E-02	1.57E-01	7.11E-12	1.0E+06	7.1E-06
215	215	1.73736	4.83528E-06	8.4E-06	3.46E-04	2.91E-09	2.47E-02	1.57E-01	1.13E-11	1.0E+06	1.1E-05
216	216	0.16693	4.83528E-06	8.1E-07	3.46E-04	2.79E-10	2.47E-02	1.57E-01	1.08E-12	1.0E+06	1.1E-06
217	217	0.18028	4.83528E-06	8.7E-07	3.46E-04	3.02E-10	2.47E-02	1.57E-01	1.17E-12	1.0E+06	1.2E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1967	4.83528E-06	9.5E-07	3.46E-04	3.29E-10	2.47E-02	1.57E-01	1.28E-12	1.0E+06	1.3E-06
219	219	0.21689	4.83528E-06	1.0E-06	3.46E-04	3.63E-10	2.47E-02	1.57E-01	1.41E-12	1.0E+06	1.4E-06
220	220	0.24745	4.83528E-06	1.2E-06	3.46E-04	4.14E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
221	221	0.27558	4.83528E-06	1.3E-06	3.46E-04	4.61E-10	2.47E-02	1.57E-01	1.79E-12	1.0E+06	1.8E-06
222	222	0.31005	4.83528E-06	1.5E-06	3.46E-04	5.19E-10	2.47E-02	1.57E-01	2.01E-12	1.0E+06	2.0E-06
223	223	0.34616	4.83528E-06	1.7E-06	3.46E-04	5.79E-10	2.47E-02	1.57E-01	2.25E-12	1.0E+06	2.2E-06
224	224	0.3862	4.83528E-06	1.9E-06	3.46E-04	6.46E-10	2.47E-02	1.57E-01	2.50E-12	1.0E+06	2.5E-06
225	225	0.43074	4.83528E-06	2.1E-06	3.46E-04	7.21E-10	2.47E-02	1.57E-01	2.79E-12	1.0E+06	2.8E-06
226	226	0.48528	4.83528E-06	2.3E-06	3.46E-04	8.12E-10	2.47E-02	1.57E-01	3.15E-12	1.0E+06	3.1E-06
227	227	0.54921	4.83528E-06	2.7E-06	3.46E-04	9.19E-10	2.47E-02	1.57E-01	3.56E-12	1.0E+06	3.6E-06
228	228	0.62818	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.07E-12	1.0E+06	4.1E-06
229	229	0.73144	4.83528E-06	3.5E-06	3.46E-04	1.22E-09	2.47E-02	1.57E-01	4.74E-12	1.0E+06	4.7E-06
230	230	0.86555	4.83528E-06	4.2E-06	3.46E-04	1.45E-09	2.47E-02	1.57E-01	5.61E-12	1.0E+06	5.6E-06
231	231	1.06106	4.83528E-06	5.1E-06	3.46E-04	1.78E-09	2.47E-02	1.57E-01	6.88E-12	1.0E+06	6.9E-06
232	232	1.36584	4.83528E-06	6.6E-06	3.46E-04	2.29E-09	2.47E-02	1.57E-01	8.86E-12	1.0E+06	8.9E-06
233	233	2.21729	4.83528E-06	1.1E-05	3.46E-04	3.71E-09	2.47E-02	1.57E-01	1.44E-11	1.0E+06	1.4E-05
234	234	0.16735	4.83528E-06	8.1E-07	3.46E-04	2.80E-10	2.47E-02	1.57E-01	1.09E-12	1.0E+06	1.1E-06
235	235	0.18065	4.83528E-06	8.7E-07	3.46E-04	3.02E-10	2.47E-02	1.57E-01	1.17E-12	1.0E+06	1.2E-06
236	236	0.19807	4.83528E-06	9.6E-07	3.46E-04	3.32E-10	2.47E-02	1.57E-01	1.28E-12	1.0E+06	1.3E-06
237	237	0.22052	4.83528E-06	1.1E-06	3.46E-04	3.69E-10	2.47E-02	1.57E-01	1.43E-12	1.0E+06	1.4E-06
238	238	0.24892	4.83528E-06	1.2E-06	3.46E-04	4.17E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
239	239	0.27883	4.83528E-06	1.3E-06	3.46E-04	4.67E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
240	240	0.31465	4.83528E-06	1.5E-06	3.46E-04	5.27E-10	2.47E-02	1.57E-01	2.04E-12	1.0E+06	2.0E-06
241	241	0.35485	4.83528E-06	1.7E-06	3.46E-04	5.94E-10	2.47E-02	1.57E-01	2.30E-12	1.0E+06	2.3E-06
242	242	0.40054	4.83528E-06	1.9E-06	3.46E-04	6.70E-10	2.47E-02	1.57E-01	2.60E-12	1.0E+06	2.6E-06
243	243	0.45265	4.83528E-06	2.2E-06	3.46E-04	7.58E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06
244	244	0.51721	4.83528E-06	2.5E-06	3.46E-04	8.66E-10	2.47E-02	1.57E-01	3.35E-12	1.0E+06	3.4E-06
245	245	0.59496	4.83528E-06	2.9E-06	3.46E-04	9.96E-10	2.47E-02	1.57E-01	3.86E-12	1.0E+06	3.9E-06
246	246	0.69163	4.83528E-06	3.3E-06	3.46E-04	1.16E-09	2.47E-02	1.57E-01	4.49E-12	1.0E+06	4.5E-06
247	247	0.81591	4.83528E-06	3.9E-06	3.46E-04	1.37E-09	2.47E-02	1.57E-01	5.29E-12	1.0E+06	5.3E-06
248	248	0.98489	4.83528E-06	4.8E-06	3.46E-04	1.65E-09	2.47E-02	1.57E-01	6.39E-12	1.0E+06	6.4E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.22885	4.83528E-06	5.9E-06	3.46E-04	2.06E-09	2.47E-02	1.57E-01	7.97E-12	1.0E+06	8.0E-06
250	250	1.63505	4.83528E-06	7.9E-06	3.46E-04	2.74E-09	2.47E-02	1.57E-01	1.06E-11	1.0E+06	1.1E-05
251	251	2.71786	4.83528E-06	1.3E-05	3.46E-04	4.55E-09	2.47E-02	1.57E-01	1.76E-11	1.0E+06	1.8E-05
252	252	0.16495	4.83528E-06	8.0E-07	3.46E-04	2.76E-10	2.47E-02	1.57E-01	1.07E-12	1.0E+06	1.1E-06
253	253	0.17799	4.83528E-06	8.6E-07	3.46E-04	2.98E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.2E-06
254	254	0.19466	4.83528E-06	9.4E-07	3.46E-04	3.26E-10	2.47E-02	1.57E-01	1.26E-12	1.0E+06	1.3E-06
255	255	0.21521	4.83528E-06	1.0E-06	3.46E-04	3.60E-10	2.47E-02	1.57E-01	1.40E-12	1.0E+06	1.4E-06
256	256	0.2481	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
257	257	0.2724	4.83528E-06	1.3E-06	3.46E-04	4.56E-10	2.47E-02	1.57E-01	1.77E-12	1.0E+06	1.8E-06
258	258	0.30508	4.83528E-06	1.5E-06	3.46E-04	5.11E-10	2.47E-02	1.57E-01	1.98E-12	1.0E+06	2.0E-06
259	259	0.34335	4.83528E-06	1.7E-06	3.46E-04	5.75E-10	2.47E-02	1.57E-01	2.23E-12	1.0E+06	2.2E-06
260	260	0.39576	4.83528E-06	1.9E-06	3.46E-04	6.62E-10	2.47E-02	1.57E-01	2.57E-12	1.0E+06	2.6E-06
261	261	0.46173	4.83528E-06	2.2E-06	3.46E-04	7.73E-10	2.47E-02	1.57E-01	2.99E-12	1.0E+06	3.0E-06
262	262	0.53894	4.83528E-06	2.6E-06	3.46E-04	9.02E-10	2.47E-02	1.57E-01	3.50E-12	1.0E+06	3.5E-06
263	263	0.62661	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.06E-12	1.0E+06	4.1E-06
264	264	0.74151	4.83528E-06	3.6E-06	3.46E-04	1.24E-09	2.47E-02	1.57E-01	4.81E-12	1.0E+06	4.8E-06
265	265	0.88511	4.83528E-06	4.3E-06	3.46E-04	1.48E-09	2.47E-02	1.57E-01	5.74E-12	1.0E+06	5.7E-06
266	266	1.0844	4.83528E-06	5.2E-06	3.46E-04	1.82E-09	2.47E-02	1.57E-01	7.03E-12	1.0E+06	7.0E-06
267	267	1.37129	4.83528E-06	6.6E-06	3.46E-04	2.30E-09	2.47E-02	1.57E-01	8.89E-12	1.0E+06	8.9E-06
268	268	1.83918	4.83528E-06	8.9E-06	3.46E-04	3.08E-09	2.47E-02	1.57E-01	1.19E-11	1.0E+06	1.2E-05
269	269	3.05125	4.83528E-06	1.5E-05	3.46E-04	5.11E-09	2.47E-02	1.57E-01	1.98E-11	1.0E+06	2.0E-05
270	270	0.16103	4.83528E-06	7.8E-07	3.46E-04	2.70E-10	2.47E-02	1.57E-01	1.04E-12	1.0E+06	1.0E-06
271	271	0.17495	4.83528E-06	8.5E-07	3.46E-04	2.93E-10	2.47E-02	1.57E-01	1.13E-12	1.0E+06	1.1E-06
272	272	0.192	4.83528E-06	9.3E-07	3.46E-04	3.21E-10	2.47E-02	1.57E-01	1.25E-12	1.0E+06	1.2E-06
273	273	0.21189	4.83528E-06	1.0E-06	3.46E-04	3.55E-10	2.47E-02	1.57E-01	1.37E-12	1.0E+06	1.4E-06
274	274	0.24767	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
275	275	0.2812	4.83528E-06	1.4E-06	3.46E-04	4.71E-10	2.47E-02	1.57E-01	1.82E-12	1.0E+06	1.8E-06
276	276	0.30081	4.83528E-06	1.5E-06	3.46E-04	5.03E-10	2.47E-02	1.57E-01	1.95E-12	1.0E+06	2.0E-06
277	277	0.33911	4.83528E-06	1.6E-06	3.46E-04	5.68E-10	2.47E-02	1.57E-01	2.20E-12	1.0E+06	2.2E-06
278	278	0.38885	4.83528E-06	1.9E-06	3.46E-04	6.51E-10	2.47E-02	1.57E-01	2.52E-12	1.0E+06	2.5E-06
279	279	0.45312	4.83528E-06	2.2E-06	3.46E-04	7.58E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.54249	4.83528E-06	2.6E-06	3.46E-04	9.08E-10	2.47E-02	1.57E-01	3.52E-12	1.0E+06	3.5E-06
281	281	0.65054	4.83528E-06	3.1E-06	3.46E-04	1.09E-09	2.47E-02	1.57E-01	4.22E-12	1.0E+06	4.2E-06
282	282	0.78392	4.83528E-06	3.8E-06	3.46E-04	1.31E-09	2.47E-02	1.57E-01	5.08E-12	1.0E+06	5.1E-06
283	283	0.95468	4.83528E-06	4.6E-06	3.46E-04	1.60E-09	2.47E-02	1.57E-01	6.19E-12	1.0E+06	6.2E-06
284	284	1.18854	4.83528E-06	5.7E-06	3.46E-04	1.99E-09	2.47E-02	1.57E-01	7.71E-12	1.0E+06	7.7E-06
285	285	1.51941	4.83528E-06	7.3E-06	3.46E-04	2.54E-09	2.47E-02	1.57E-01	9.85E-12	1.0E+06	9.9E-06
286	286	2.06851	4.83528E-06	1.0E-05	3.46E-04	3.46E-09	2.47E-02	1.57E-01	1.34E-11	1.0E+06	1.3E-05
287	287	3.4619	4.83528E-06	1.7E-05	3.46E-04	5.79E-09	2.47E-02	1.57E-01	2.25E-11	1.0E+06	2.2E-05
288	288	0.1571	4.83528E-06	7.6E-07	3.46E-04	2.63E-10	2.47E-02	1.57E-01	1.02E-12	1.0E+06	1.0E-06
289	289	0.17007	4.83528E-06	8.2E-07	3.46E-04	2.85E-10	2.47E-02	1.57E-01	1.10E-12	1.0E+06	1.1E-06
290	290	0.19064	4.83528E-06	9.2E-07	3.46E-04	3.19E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
291	291	0.21276	4.83528E-06	1.0E-06	3.46E-04	3.56E-10	2.47E-02	1.57E-01	1.38E-12	1.0E+06	1.4E-06
292	292	0.2583	4.83528E-06	1.2E-06	3.46E-04	4.32E-10	2.47E-02	1.57E-01	1.68E-12	1.0E+06	1.7E-06
293	293	0.28294	4.83528E-06	1.4E-06	3.46E-04	4.74E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
294	294	0.29501	4.83528E-06	1.4E-06	3.46E-04	4.94E-10	2.47E-02	1.57E-01	1.91E-12	1.0E+06	1.9E-06
295	295	0.33636	4.83528E-06	1.6E-06	3.46E-04	5.63E-10	2.47E-02	1.57E-01	2.18E-12	1.0E+06	2.2E-06
296	296	0.38881	4.83528E-06	1.9E-06	3.46E-04	6.51E-10	2.47E-02	1.57E-01	2.52E-12	1.0E+06	2.5E-06
297	297	0.44873	4.83528E-06	2.2E-06	3.46E-04	7.51E-10	2.47E-02	1.57E-01	2.91E-12	1.0E+06	2.9E-06
298	298	0.53391	4.83528E-06	2.6E-06	3.46E-04	8.94E-10	2.47E-02	1.57E-01	3.46E-12	1.0E+06	3.5E-06
299	299	0.6575	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.26E-12	1.0E+06	4.3E-06
300	300	0.80178	4.83528E-06	3.9E-06	3.46E-04	1.34E-09	2.47E-02	1.57E-01	5.20E-12	1.0E+06	5.2E-06
301	301	1.00633	4.83528E-06	4.9E-06	3.46E-04	1.68E-09	2.47E-02	1.57E-01	6.53E-12	1.0E+06	6.5E-06
302	302	1.28625	4.83528E-06	6.2E-06	3.46E-04	2.15E-09	2.47E-02	1.57E-01	8.34E-12	1.0E+06	8.3E-06
303	303	1.70188	4.83528E-06	8.2E-06	3.46E-04	2.85E-09	2.47E-02	1.57E-01	1.10E-11	1.0E+06	1.1E-05
304	304	2.37779	4.83528E-06	1.1E-05	3.46E-04	3.98E-09	2.47E-02	1.57E-01	1.54E-11	1.0E+06	1.5E-05
305	305	4.11223	4.83528E-06	2.0E-05	3.46E-04	6.88E-09	2.47E-02	1.57E-01	2.67E-11	1.0E+06	2.7E-05
306	306	0.1608	4.83528E-06	7.8E-07	3.46E-04	2.69E-10	2.47E-02	1.57E-01	1.04E-12	1.0E+06	1.0E-06
307	307	0.17008	4.83528E-06	8.2E-07	3.46E-04	2.85E-10	2.47E-02	1.57E-01	1.10E-12	1.0E+06	1.1E-06
308	308	0.1866	4.83528E-06	9.0E-07	3.46E-04	3.12E-10	2.47E-02	1.57E-01	1.21E-12	1.0E+06	1.2E-06
309	309	0.21966	4.83528E-06	1.1E-06	3.46E-04	3.68E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
310	310	0.25427	4.83528E-06	1.2E-06	3.46E-04	4.26E-10	2.47E-02	1.57E-01	1.65E-12	1.0E+06	1.6E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.27818	4.83528E-06	1.3E-06	3.46E-04	4.66E-10	2.47E-02	1.57E-01	1.80E-12	1.0E+06	1.8E-06
312	312	0.28562	4.83528E-06	1.4E-06	3.46E-04	4.78E-10	2.47E-02	1.57E-01	1.85E-12	1.0E+06	1.9E-06
313	313	0.32671	4.83528E-06	1.6E-06	3.46E-04	5.47E-10	2.47E-02	1.57E-01	2.12E-12	1.0E+06	2.1E-06
314	314	0.37946	4.83528E-06	1.8E-06	3.46E-04	6.35E-10	2.47E-02	1.57E-01	2.46E-12	1.0E+06	2.5E-06
315	315	0.45718	4.83528E-06	2.2E-06	3.46E-04	7.65E-10	2.47E-02	1.57E-01	2.97E-12	1.0E+06	3.0E-06
316	316	0.53191	4.83528E-06	2.6E-06	3.46E-04	8.90E-10	2.47E-02	1.57E-01	3.45E-12	1.0E+06	3.4E-06
317	317	0.64187	4.83528E-06	3.1E-06	3.46E-04	1.07E-09	2.47E-02	1.57E-01	4.16E-12	1.0E+06	4.2E-06
318	318	0.79835	4.83528E-06	3.9E-06	3.46E-04	1.34E-09	2.47E-02	1.57E-01	5.18E-12	1.0E+06	5.2E-06
319	319	1.03385	4.83528E-06	5.0E-06	3.46E-04	1.73E-09	2.47E-02	1.57E-01	6.71E-12	1.0E+06	6.7E-06
320	320	1.39716	4.83528E-06	6.8E-06	3.46E-04	2.34E-09	2.47E-02	1.57E-01	9.06E-12	1.0E+06	9.1E-06
321	321	1.89262	4.83528E-06	9.2E-06	3.46E-04	3.17E-09	2.47E-02	1.57E-01	1.23E-11	1.0E+06	1.2E-05
322	322	2.72766	4.83528E-06	1.3E-05	3.46E-04	4.57E-09	2.47E-02	1.57E-01	1.77E-11	1.0E+06	1.8E-05
323	323	5.06474	4.83528E-06	2.4E-05	3.46E-04	8.48E-09	2.47E-02	1.57E-01	3.28E-11	1.0E+06	3.3E-05
324	324	0.15673	4.83528E-06	7.6E-07	3.46E-04	2.62E-10	2.47E-02	1.57E-01	1.02E-12	1.0E+06	1.0E-06
325	325	0.17554	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
326	326	0.19085	4.83528E-06	9.2E-07	3.46E-04	3.19E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
327	327	0.20541	4.83528E-06	9.9E-07	3.46E-04	3.44E-10	2.47E-02	1.57E-01	1.33E-12	1.0E+06	1.3E-06
328	328	0.25052	4.83528E-06	1.2E-06	3.46E-04	4.19E-10	2.47E-02	1.57E-01	1.62E-12	1.0E+06	1.6E-06
329	329	0.2702	4.83528E-06	1.3E-06	3.46E-04	4.52E-10	2.47E-02	1.57E-01	1.75E-12	1.0E+06	1.8E-06
330	330	0.27908	4.83528E-06	1.3E-06	3.46E-04	4.67E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
331	331	0.3205	4.83528E-06	1.5E-06	3.46E-04	5.36E-10	2.47E-02	1.57E-01	2.08E-12	1.0E+06	2.1E-06
332	332	0.37406	4.83528E-06	1.8E-06	3.46E-04	6.26E-10	2.47E-02	1.57E-01	2.43E-12	1.0E+06	2.4E-06
333	333	0.45331	4.83528E-06	2.2E-06	3.46E-04	7.59E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06
334	334	0.54185	4.83528E-06	2.6E-06	3.46E-04	9.07E-10	2.47E-02	1.57E-01	3.51E-12	1.0E+06	3.5E-06
335	335	0.66128	4.83528E-06	3.2E-06	3.46E-04	1.11E-09	2.47E-02	1.57E-01	4.29E-12	1.0E+06	4.3E-06
336	336	0.6189	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.01E-12	1.0E+06	4.0E-06
337	337	0.65562	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.25E-12	1.0E+06	4.3E-06
338	338	0.11176	4.83528E-06	5.4E-07	3.46E-04	1.87E-10	2.47E-02	1.57E-01	7.25E-13	1.0E+06	7.2E-07
339	339	0.11819	4.83528E-06	5.7E-07	3.46E-04	1.98E-10	2.47E-02	1.57E-01	7.67E-13	1.0E+06	7.7E-07
340	340	0.12484	4.83528E-06	6.0E-07	3.46E-04	2.09E-10	2.47E-02	1.57E-01	8.10E-13	1.0E+06	8.1E-07
341	341	0.14128	4.83528E-06	6.8E-07	3.46E-04	2.36E-10	2.47E-02	1.57E-01	9.16E-13	1.0E+06	9.2E-07

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.14866	4.83528E-06	7.2E-07	3.46E-04	2.49E-10	2.47E-02	1.57E-01	9.64E-13	1.0E+06	9.6E-07
343	343	0.15525	4.83528E-06	7.5E-07	3.46E-04	2.60E-10	2.47E-02	1.57E-01	1.01E-12	1.0E+06	1.0E-06
344	344	0.15747	4.83528E-06	7.6E-07	3.46E-04	2.64E-10	2.47E-02	1.57E-01	1.02E-12	1.0E+06	1.0E-06
345	345	0.15896	4.83528E-06	7.7E-07	3.46E-04	2.66E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
346	346	0.15957	4.83528E-06	7.7E-07	3.46E-04	2.67E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
347	347	0.11921	4.83528E-06	5.8E-07	3.46E-04	2.00E-10	2.47E-02	1.57E-01	7.73E-13	1.0E+06	7.7E-07
348	348	0.12876	4.83528E-06	6.2E-07	3.46E-04	2.16E-10	2.47E-02	1.57E-01	8.35E-13	1.0E+06	8.4E-07
349	349	0.13956	4.83528E-06	6.7E-07	3.46E-04	2.34E-10	2.47E-02	1.57E-01	9.05E-13	1.0E+06	9.1E-07
350	350	0.15863	4.83528E-06	7.7E-07	3.46E-04	2.66E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
351	351	0.16216	4.83528E-06	7.8E-07	3.46E-04	2.71E-10	2.47E-02	1.57E-01	1.05E-12	1.0E+06	1.1E-06
352	352	0.17101	4.83528E-06	8.3E-07	3.46E-04	2.86E-10	2.47E-02	1.57E-01	1.11E-12	1.0E+06	1.1E-06
353	353	0.17367	4.83528E-06	8.4E-07	3.46E-04	2.91E-10	2.47E-02	1.57E-01	1.13E-12	1.0E+06	1.1E-06
354	354	0.17503	4.83528E-06	8.5E-07	3.46E-04	2.93E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
355	355	0.17587	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
356	356	0.12802	4.83528E-06	6.2E-07	3.46E-04	2.14E-10	2.47E-02	1.57E-01	8.30E-13	1.0E+06	8.3E-07
357	357	0.13627	4.83528E-06	6.6E-07	3.46E-04	2.28E-10	2.47E-02	1.57E-01	8.84E-13	1.0E+06	8.8E-07
358	358	0.14674	4.83528E-06	7.1E-07	3.46E-04	2.46E-10	2.47E-02	1.57E-01	9.52E-13	1.0E+06	9.5E-07
359	359	0.15544	4.83528E-06	7.5E-07	3.46E-04	2.60E-10	2.47E-02	1.57E-01	1.01E-12	1.0E+06	1.0E-06
360	360	0.17573	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
361	361	0.18967	4.83528E-06	9.2E-07	3.46E-04	3.17E-10	2.47E-02	1.57E-01	1.23E-12	1.0E+06	1.2E-06
362	362	0.19284	4.83528E-06	9.3E-07	3.46E-04	3.23E-10	2.47E-02	1.57E-01	1.25E-12	1.0E+06	1.3E-06
363	363	0.19434	4.83528E-06	9.4E-07	3.46E-04	3.25E-10	2.47E-02	1.57E-01	1.26E-12	1.0E+06	1.3E-06
364	364	0.13949	4.83528E-06	6.7E-07	3.46E-04	2.33E-10	2.47E-02	1.57E-01	9.05E-13	1.0E+06	9.0E-07
365	365	0.14615	4.83528E-06	7.1E-07	3.46E-04	2.45E-10	2.47E-02	1.57E-01	9.48E-13	1.0E+06	9.5E-07
366	366	0.15889	4.83528E-06	7.7E-07	3.46E-04	2.66E-10	2.47E-02	1.57E-01	1.03E-12	1.0E+06	1.0E-06
367	367	0.17084	4.83528E-06	8.3E-07	3.46E-04	2.86E-10	2.47E-02	1.57E-01	1.11E-12	1.0E+06	1.1E-06
368	368	0.19065	4.83528E-06	9.2E-07	3.46E-04	3.19E-10	2.47E-02	1.57E-01	1.24E-12	1.0E+06	1.2E-06
369	369	0.21192	4.83528E-06	1.0E-06	3.46E-04	3.55E-10	2.47E-02	1.57E-01	1.37E-12	1.0E+06	1.4E-06
370	370	0.21837	4.83528E-06	1.1E-06	3.46E-04	3.66E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
371	371	0.21926	4.83528E-06	1.1E-06	3.46E-04	3.67E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
372	372	0.15445	4.83528E-06	7.5E-07	3.46E-04	2.59E-10	2.47E-02	1.57E-01	1.00E-12	1.0E+06	1.0E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.16153	4.83528E-06	7.8E-07	3.46E-04	2.70E-10	2.47E-02	1.57E-01	1.05E-12	1.0E+06	1.0E-06
374	374	0.17658	4.83528E-06	8.5E-07	3.46E-04	2.96E-10	2.47E-02	1.57E-01	1.15E-12	1.0E+06	1.1E-06
375	375	0.19007	4.83528E-06	9.2E-07	3.46E-04	3.18E-10	2.47E-02	1.57E-01	1.23E-12	1.0E+06	1.2E-06
376	376	0.21875	4.83528E-06	1.1E-06	3.46E-04	3.66E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
377	377	0.23178	4.83528E-06	1.1E-06	3.46E-04	3.88E-10	2.47E-02	1.57E-01	1.50E-12	1.0E+06	1.5E-06
378	378	0.23861	4.83528E-06	1.2E-06	3.46E-04	3.99E-10	2.47E-02	1.57E-01	1.55E-12	1.0E+06	1.5E-06
379	379	0.24698	4.83528E-06	1.2E-06	3.46E-04	4.13E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
380	380	0.24845	4.83528E-06	1.2E-06	3.46E-04	4.16E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
381	381	0.24807	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
382	382	0.17571	4.83528E-06	8.5E-07	3.46E-04	2.94E-10	2.47E-02	1.57E-01	1.14E-12	1.0E+06	1.1E-06
383	383	0.18762	4.83528E-06	9.1E-07	3.46E-04	3.14E-10	2.47E-02	1.57E-01	1.22E-12	1.0E+06	1.2E-06
384	384	0.19954	4.83528E-06	9.6E-07	3.46E-04	3.34E-10	2.47E-02	1.57E-01	1.29E-12	1.0E+06	1.3E-06
385	385	0.22033	4.83528E-06	1.1E-06	3.46E-04	3.69E-10	2.47E-02	1.57E-01	1.43E-12	1.0E+06	1.4E-06
386	386	0.25125	4.83528E-06	1.2E-06	3.46E-04	4.21E-10	2.47E-02	1.57E-01	1.63E-12	1.0E+06	1.6E-06
387	387	0.26303	4.83528E-06	1.3E-06	3.46E-04	4.40E-10	2.47E-02	1.57E-01	1.71E-12	1.0E+06	1.7E-06
388	388	0.27155	4.83528E-06	1.3E-06	3.46E-04	4.55E-10	2.47E-02	1.57E-01	1.76E-12	1.0E+06	1.8E-06
389	389	0.28226	4.83528E-06	1.4E-06	3.46E-04	4.72E-10	2.47E-02	1.57E-01	1.83E-12	1.0E+06	1.8E-06
390	390	0.28378	4.83528E-06	1.4E-06	3.46E-04	4.75E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
391	391	0.28322	4.83528E-06	1.4E-06	3.46E-04	4.74E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
392	392	0.27819	4.83528E-06	1.3E-06	3.46E-04	4.66E-10	2.47E-02	1.57E-01	1.80E-12	1.0E+06	1.8E-06
393	393	0.20198	4.83528E-06	9.8E-07	3.46E-04	3.38E-10	2.47E-02	1.57E-01	1.31E-12	1.0E+06	1.3E-06
394	394	0.2242	4.83528E-06	1.1E-06	3.46E-04	3.75E-10	2.47E-02	1.57E-01	1.45E-12	1.0E+06	1.5E-06
395	395	0.2503	4.83528E-06	1.2E-06	3.46E-04	4.19E-10	2.47E-02	1.57E-01	1.62E-12	1.0E+06	1.6E-06
396	396	0.27819	4.83528E-06	1.3E-06	3.46E-04	4.66E-10	2.47E-02	1.57E-01	1.80E-12	1.0E+06	1.8E-06
397	397	0.29449	4.83528E-06	1.4E-06	3.46E-04	4.93E-10	2.47E-02	1.57E-01	1.91E-12	1.0E+06	1.9E-06
398	398	0.30344	4.83528E-06	1.5E-06	3.46E-04	5.08E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
399	399	0.30844	4.83528E-06	1.5E-06	3.46E-04	5.16E-10	2.47E-02	1.57E-01	2.00E-12	1.0E+06	2.0E-06
400	400	0.32686	4.83528E-06	1.6E-06	3.46E-04	5.47E-10	2.47E-02	1.57E-01	2.12E-12	1.0E+06	2.1E-06
401	401	0.3287	4.83528E-06	1.6E-06	3.46E-04	5.50E-10	2.47E-02	1.57E-01	2.13E-12	1.0E+06	2.1E-06
402	402	0.32017	4.83528E-06	1.5E-06	3.46E-04	5.36E-10	2.47E-02	1.57E-01	2.08E-12	1.0E+06	2.1E-06
403	403	0.38088	4.83528E-06	1.8E-06	3.46E-04	6.38E-10	2.47E-02	1.57E-01	2.47E-12	1.0E+06	2.5E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.37568	4.83528E-06	1.8E-06	3.46E-04	6.29E-10	2.47E-02	1.57E-01	2.44E-12	1.0E+06	2.4E-06
405	405	0.36293	4.83528E-06	1.8E-06	3.46E-04	6.07E-10	2.47E-02	1.57E-01	2.35E-12	1.0E+06	2.4E-06
406	406	0.45644	4.83528E-06	2.2E-06	3.46E-04	7.64E-10	2.47E-02	1.57E-01	2.96E-12	1.0E+06	3.0E-06
407	407	0.42693	4.83528E-06	2.1E-06	3.46E-04	7.15E-10	2.47E-02	1.57E-01	2.77E-12	1.0E+06	2.8E-06
408	408	0.56093	4.83528E-06	2.7E-06	3.46E-04	9.39E-10	2.47E-02	1.57E-01	3.64E-12	1.0E+06	3.6E-06
409	409	0.51063	4.83528E-06	2.5E-06	3.46E-04	8.55E-10	2.47E-02	1.57E-01	3.31E-12	1.0E+06	3.3E-06
410	410	0.71333	4.83528E-06	3.4E-06	3.46E-04	1.19E-09	2.47E-02	1.57E-01	4.63E-12	1.0E+06	4.6E-06
411	411	0.66599	4.83528E-06	3.2E-06	3.46E-04	1.11E-09	2.47E-02	1.57E-01	4.32E-12	1.0E+06	4.3E-06
412	412	0.6284	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.08E-12	1.0E+06	4.1E-06
413	413	0.95291	4.83528E-06	4.6E-06	3.46E-04	1.59E-09	2.47E-02	1.57E-01	6.18E-12	1.0E+06	6.2E-06
414	414	0.90293	4.83528E-06	4.4E-06	3.46E-04	1.51E-09	2.47E-02	1.57E-01	5.86E-12	1.0E+06	5.9E-06
415	415	0.84163	4.83528E-06	4.1E-06	3.46E-04	1.41E-09	2.47E-02	1.57E-01	5.46E-12	1.0E+06	5.5E-06
416	416	0.77138	4.83528E-06	3.7E-06	3.46E-04	1.29E-09	2.47E-02	1.57E-01	5.00E-12	1.0E+06	5.0E-06
417	417	1.3753	4.83528E-06	6.6E-06	3.46E-04	2.30E-09	2.47E-02	1.57E-01	8.92E-12	1.0E+06	8.9E-06
418	418	1.08271	4.83528E-06	5.2E-06	3.46E-04	1.81E-09	2.47E-02	1.57E-01	7.02E-12	1.0E+06	7.0E-06
419	419	0.94962	4.83528E-06	4.6E-06	3.46E-04	1.59E-09	2.47E-02	1.57E-01	6.16E-12	1.0E+06	6.2E-06
420	420	0.82685	4.83528E-06	4.0E-06	3.46E-04	1.38E-09	2.47E-02	1.57E-01	5.36E-12	1.0E+06	5.4E-06
421	421	2.28247	4.83528E-06	1.1E-05	3.46E-04	3.82E-09	2.47E-02	1.57E-01	1.48E-11	1.0E+06	1.5E-05
422	422	1.15445	4.83528E-06	5.6E-06	3.46E-04	1.93E-09	2.47E-02	1.57E-01	7.49E-12	1.0E+06	7.5E-06
423	423	0.96506	4.83528E-06	4.7E-06	3.46E-04	1.62E-09	2.47E-02	1.57E-01	6.26E-12	1.0E+06	6.3E-06
424	424	5.04745	4.83528E-06	2.4E-05	3.46E-04	8.45E-09	2.47E-02	1.57E-01	3.27E-11	1.0E+06	3.3E-05
425	425	1.09324	4.83528E-06	5.3E-06	3.46E-04	1.83E-09	2.47E-02	1.57E-01	7.09E-12	1.0E+06	7.1E-06
426	426	0.89433	4.83528E-06	4.3E-06	3.46E-04	1.50E-09	2.47E-02	1.57E-01	5.80E-12	1.0E+06	5.8E-06
427	427	6.20101	4.83528E-06	3.0E-05	3.46E-04	1.04E-08	2.47E-02	1.57E-01	4.02E-11	1.0E+06	4.0E-05
428	428	1.1954	4.83528E-06	5.8E-06	3.46E-04	2.00E-09	2.47E-02	1.57E-01	7.75E-12	1.0E+06	7.8E-06
429	429	0.95535	4.83528E-06	4.6E-06	3.46E-04	1.60E-09	2.47E-02	1.57E-01	6.20E-12	1.0E+06	6.2E-06
430	430	11.54302	4.83528E-06	5.6E-05	3.46E-04	1.93E-08	2.47E-02	1.57E-01	7.49E-11	1.0E+06	7.5E-05
431	431	0.99064	4.83528E-06	4.8E-06	3.46E-04	1.66E-09	2.47E-02	1.57E-01	6.42E-12	1.0E+06	6.4E-06
432	432	0.79362	4.83528E-06	3.8E-06	3.46E-04	1.33E-09	2.47E-02	1.57E-01	5.15E-12	1.0E+06	5.1E-06
433	433	8.5274	4.83528E-06	4.1E-05	3.46E-04	1.43E-08	2.47E-02	1.57E-01	5.53E-11	1.0E+06	5.5E-05
434	434	0.99888	4.83528E-06	4.8E-06	3.46E-04	1.67E-09	2.47E-02	1.57E-01	6.48E-12	1.0E+06	6.5E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.79674	4.83528E-06	3.9E-06	3.46E-04	1.33E-09	2.47E-02	1.57E-01	5.17E-12	1.0E+06	5.2E-06
436	436	15.01618	4.83528E-06	7.3E-05	3.46E-04	2.51E-08	2.47E-02	1.57E-01	9.74E-11	1.0E+06	9.7E-05
437	437	1.27715	4.83528E-06	6.2E-06	3.46E-04	2.14E-09	2.47E-02	1.57E-01	8.28E-12	1.0E+06	8.3E-06
438	438	0.98302	4.83528E-06	4.8E-06	3.46E-04	1.65E-09	2.47E-02	1.57E-01	6.38E-12	1.0E+06	6.4E-06
439	439	0.78064	4.83528E-06	3.8E-06	3.46E-04	1.31E-09	2.47E-02	1.57E-01	5.06E-12	1.0E+06	5.1E-06
440	440	18.45016	4.83528E-06	8.9E-05	3.46E-04	3.09E-08	2.47E-02	1.57E-01	1.20E-10	1.0E+06	1.2E-04
441	441	2.39204	4.83528E-06	1.2E-05	3.46E-04	4.00E-09	2.47E-02	1.57E-01	1.55E-11	1.0E+06	1.6E-05
442	442	1.67555	4.83528E-06	8.1E-06	3.46E-04	2.80E-09	2.47E-02	1.57E-01	1.09E-11	1.0E+06	1.1E-05
443	443	1.23172	4.83528E-06	6.0E-06	3.46E-04	2.06E-09	2.47E-02	1.57E-01	7.99E-12	1.0E+06	8.0E-06
444	444	0.94597	4.83528E-06	4.6E-06	3.46E-04	1.58E-09	2.47E-02	1.57E-01	6.14E-12	1.0E+06	6.1E-06
445	445	13.30967	4.83528E-06	6.4E-05	3.46E-04	2.23E-08	2.47E-02	1.57E-01	8.63E-11	1.0E+06	8.6E-05
446	446	3.54629	4.83528E-06	1.7E-05	3.46E-04	5.94E-09	2.47E-02	1.57E-01	2.30E-11	1.0E+06	2.3E-05
447	447	2.26566	4.83528E-06	1.1E-05	3.46E-04	3.79E-09	2.47E-02	1.57E-01	1.47E-11	1.0E+06	1.5E-05
448	448	1.57428	4.83528E-06	7.6E-06	3.46E-04	2.64E-09	2.47E-02	1.57E-01	1.02E-11	1.0E+06	1.0E-05
449	449	9.76539	4.83528E-06	4.7E-05	3.46E-04	1.63E-08	2.47E-02	1.57E-01	6.33E-11	1.0E+06	6.3E-05
450	450	5.20744	4.83528E-06	2.5E-05	3.46E-04	8.72E-09	2.47E-02	1.57E-01	3.38E-11	1.0E+06	3.4E-05
451	451	3.13404	4.83528E-06	1.5E-05	3.46E-04	5.25E-09	2.47E-02	1.57E-01	2.03E-11	1.0E+06	2.0E-05
452	452	7.24942	4.83528E-06	3.5E-05	3.46E-04	1.21E-08	2.47E-02	1.57E-01	4.70E-11	1.0E+06	4.7E-05
453	453	4.22012	4.83528E-06	2.0E-05	3.46E-04	7.06E-09	2.47E-02	1.57E-01	2.74E-11	1.0E+06	2.7E-05
454	454	0.62227	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.04E-12	1.0E+06	4.0E-06
455	455	0.51862	4.83528E-06	2.5E-06	3.46E-04	8.68E-10	2.47E-02	1.57E-01	3.36E-12	1.0E+06	3.4E-06
456	456	5.32173	4.83528E-06	2.6E-05	3.46E-04	8.91E-09	2.47E-02	1.57E-01	3.45E-11	1.0E+06	3.5E-05
457	457	3.35476	4.83528E-06	1.6E-05	3.46E-04	5.62E-09	2.47E-02	1.57E-01	2.18E-11	1.0E+06	2.2E-05
458	458	2.25817	4.83528E-06	1.1E-05	3.46E-04	3.78E-09	2.47E-02	1.57E-01	1.46E-11	1.0E+06	1.5E-05
459	459	0.89995	4.83528E-06	4.4E-06	3.46E-04	1.51E-09	2.47E-02	1.57E-01	5.84E-12	1.0E+06	5.8E-06
460	460	0.71561	4.83528E-06	3.5E-06	3.46E-04	1.20E-09	2.47E-02	1.57E-01	4.64E-12	1.0E+06	4.6E-06
461	461	0.58362	4.83528E-06	2.8E-06	3.46E-04	9.77E-10	2.47E-02	1.57E-01	3.79E-12	1.0E+06	3.8E-06
462	462	0.4864	4.83528E-06	2.4E-06	3.46E-04	8.14E-10	2.47E-02	1.57E-01	3.15E-12	1.0E+06	3.2E-06
463	463	0.68728	4.83528E-06	3.3E-06	3.46E-04	1.15E-09	2.47E-02	1.57E-01	4.46E-12	1.0E+06	4.5E-06
464	464	0.74037	4.83528E-06	3.6E-06	3.46E-04	1.24E-09	2.47E-02	1.57E-01	4.80E-12	1.0E+06	4.8E-06
465	465	0.91889	4.83528E-06	4.4E-06	3.46E-04	1.54E-09	2.47E-02	1.57E-01	5.96E-12	1.0E+06	6.0E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	1.09813	4.83528E-06	5.3E-06	3.46E-04	1.84E-09	2.47E-02	1.57E-01	7.12E-12	1.0E+06	7.1E-06
467	467	1.34535	4.83528E-06	6.5E-06	3.46E-04	2.25E-09	2.47E-02	1.57E-01	8.73E-12	1.0E+06	8.7E-06
468	468	2.1815	4.83528E-06	1.1E-05	3.46E-04	3.65E-09	2.47E-02	1.57E-01	1.41E-11	1.0E+06	1.4E-05
469	469	4.48594	4.83528E-06	2.2E-05	3.46E-04	7.51E-09	2.47E-02	1.57E-01	2.91E-11	1.0E+06	2.9E-05
470	470	3.76196	4.83528E-06	1.8E-05	3.46E-04	6.30E-09	2.47E-02	1.57E-01	2.44E-11	1.0E+06	2.4E-05
471	471	6.62671	4.83528E-06	3.2E-05	3.46E-04	1.11E-08	2.47E-02	1.57E-01	4.30E-11	1.0E+06	4.3E-05
472	472	4.69648	4.83528E-06	2.3E-05	3.46E-04	7.86E-09	2.47E-02	1.57E-01	3.05E-11	1.0E+06	3.0E-05
473	473	12.12882	4.83528E-06	5.9E-05	3.46E-04	2.03E-08	2.47E-02	1.57E-01	7.87E-11	1.0E+06	7.9E-05
474	474	5.50006	4.83528E-06	2.7E-05	3.46E-04	9.21E-09	2.47E-02	1.57E-01	3.57E-11	1.0E+06	3.6E-05
475	475	13.32507	4.83528E-06	6.4E-05	3.46E-04	2.23E-08	2.47E-02	1.57E-01	8.64E-11	1.0E+06	8.6E-05
476	476	6.35566	4.83528E-06	3.1E-05	3.46E-04	1.06E-08	2.47E-02	1.57E-01	4.12E-11	1.0E+06	4.1E-05
477	477	14.88752	4.83528E-06	7.2E-05	3.46E-04	2.49E-08	2.47E-02	1.57E-01	9.66E-11	1.0E+06	9.7E-05
478	478	7.83866	4.83528E-06	3.8E-05	3.46E-04	1.31E-08	2.47E-02	1.57E-01	5.08E-11	1.0E+06	5.1E-05
479	479	8.84278	4.83528E-06	4.3E-05	3.46E-04	1.48E-08	2.47E-02	1.57E-01	5.74E-11	1.0E+06	5.7E-05
480	480	17.46115	4.83528E-06	8.4E-05	3.46E-04	2.92E-08	2.47E-02	1.57E-01	1.13E-10	1.0E+06	1.1E-04
481	481	10.57872	4.83528E-06	5.1E-05	3.46E-04	1.77E-08	2.47E-02	1.57E-01	6.86E-11	1.0E+06	6.9E-05
482	482	14.19131	4.83528E-06	6.9E-05	3.46E-04	2.38E-08	2.47E-02	1.57E-01	9.20E-11	1.0E+06	9.2E-05
483	483	10.87525	4.83528E-06	5.3E-05	3.46E-04	1.82E-08	2.47E-02	1.57E-01	7.05E-11	1.0E+06	7.1E-05
484	484	13.85496	4.83528E-06	6.7E-05	3.46E-04	2.32E-08	2.47E-02	1.57E-01	8.99E-11	1.0E+06	9.0E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Receptor #	Max Cancer Risk Cancer Risk: Receptor #	Max Cancer Risk Cancer Risk: Total Risk/ Million	Chronic Non Cancer Risk: REL	Chronic Non Cancer Risk: HI
485	485	2.3E-03	5	3.39E-04
2	2	2.3E-03	5	3.43E-04
3	3	2.3E-03	5	3.47E-04
4	4	2.4E-03	5	3.51E-04
5	5	2.4E-03	5	3.56E-04
6	6	2.5E-03	5	3.65E-04
7	7	2.5E-03	5	3.77E-04
8	8	2.6E-03	5	3.92E-04
9	9	2.7E-03	5	4.10E-04
10	10	2.9E-03	5	4.33E-04
11	11	3.1E-03	5	4.62E-04
12	12	3.3E-03	5	4.94E-04
13	13	3.5E-03	5	5.29E-04
14	14	5.0E-03	5	7.39E-04
15	15	2.5E-03	5	3.77E-04
16	16	2.6E-03	5	3.81E-04
17	17	2.6E-03	5	3.87E-04
18	18	2.6E-03	5	3.91E-04
19	19	2.6E-03	5	3.94E-04
20	20	2.7E-03	5	4.01E-04
21	21	2.8E-03	5	4.11E-04
22	22	2.8E-03	5	4.23E-04
23	23	3.0E-03	5	4.44E-04
24	24	3.1E-03	5	4.66E-04
25	25	3.4E-03	5	5.01E-04
26	26	3.6E-03	5	5.39E-04
27	27	3.8E-03	5	5.73E-04
28	28	5.6E-03	5	8.29E-04
29	29	2.8E-03	5	4.18E-04
30	30	2.9E-03	5	4.27E-04
31	31	2.9E-03	5	4.36E-04

Max Cancer Risk Cancer Risk: Max	Max Cancer Risk Cancer Risk: Receptor #
0.786	471

Chronic Non Cancer Risk: Max	Chronic Non Cancer Risk: Receptor #	
0.117	471	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	3.0E-03	5	4.42E-04
33	33	3.0E-03	5	4.42E-04
34	34	3.0E-03	5	4.48E-04
35	35	3.1E-03	5	4.55E-04
36	36	3.1E-03	5	4.67E-04
37	37	3.3E-03	5	4.85E-04
38	38	3.4E-03	5	5.11E-04
39	39	3.7E-03	5	5.45E-04
40	40	3.9E-03	5	5.83E-04
41	41	4.2E-03	5	6.22E-04
42	42	6.3E-03	5	9.37E-04
43	43	3.1E-03	5	4.59E-04
44	44	3.2E-03	5	4.72E-04
45	45	3.2E-03	5	4.84E-04
46	46	3.3E-03	5	4.93E-04
47	47	3.3E-03	5	4.99E-04
48	48	3.4E-03	5	5.04E-04
49	49	3.4E-03	5	5.09E-04
50	50	3.5E-03	5	5.15E-04
51	51	3.6E-03	5	5.37E-04
52	52	3.8E-03	5	5.62E-04
53	53	4.0E-03	5	5.99E-04
54	54	4.3E-03	5	6.43E-04
55	55	4.6E-03	5	6.93E-04
56	56	7.2E-03	5	1.07E-03
57	57	3.3E-03	5	4.99E-04
58	58	3.5E-03	5	5.17E-04
59	59	3.6E-03	5	5.35E-04
60	60	3.7E-03	5	5.50E-04
61	61	3.8E-03	5	5.63E-04
62	62	3.8E-03	5	5.73E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	3.9E-03	5	5.87E-04
64	64	3.9E-03	5	5.84E-04
65	65	4.1E-03	5	6.04E-04
66	66	4.2E-03	5	6.31E-04
67	67	4.4E-03	5	6.62E-04
68	68	4.8E-03	5	7.19E-04
69	69	5.3E-03	5	7.85E-04
70	70	3.6E-03	5	5.40E-04
71	71	3.8E-03	5	5.64E-04
72	72	3.9E-03	5	5.87E-04
73	73	4.1E-03	5	6.10E-04
74	74	4.2E-03	5	6.30E-04
75	75	4.4E-03	5	6.54E-04
76	76	4.5E-03	5	6.73E-04
77	77	4.6E-03	5	6.82E-04
78	78	4.7E-03	5	7.04E-04
79	79	5.1E-03	5	7.53E-04
80	80	5.2E-03	5	7.76E-04
81	81	5.7E-03	5	8.53E-04
82	82	6.1E-03	5	9.12E-04
83	83	3.9E-03	5	5.81E-04
84	84	4.1E-03	5	6.10E-04
85	85	4.3E-03	5	6.37E-04
86	86	4.5E-03	5	6.73E-04
87	87	4.7E-03	5	7.05E-04
88	88	4.9E-03	5	7.38E-04
89	89	5.2E-03	5	7.71E-04
90	90	5.4E-03	5	8.05E-04
91	91	5.7E-03	5	8.42E-04
92	92	5.9E-03	5	8.87E-04
93	93	6.3E-03	5	9.38E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	6.7E-03	5	1.00E-03
95	95	7.3E-03	5	1.09E-03
96	96	4.2E-03	5	6.19E-04
97	97	4.3E-03	5	6.48E-04
98	98	4.6E-03	5	6.82E-04
99	99	4.9E-03	5	7.28E-04
100	100	5.2E-03	5	7.79E-04
101	101	5.5E-03	5	8.24E-04
102	102	5.8E-03	5	8.70E-04
103	103	6.2E-03	5	9.17E-04
104	104	6.5E-03	5	9.67E-04
105	105	6.8E-03	5	1.02E-03
106	106	7.3E-03	5	1.08E-03
107	107	7.8E-03	5	1.16E-03
108	108	8.4E-03	5	1.26E-03
109	109	4.3E-03	5	6.46E-04
110	110	4.6E-03	5	6.92E-04
111	111	5.0E-03	5	7.41E-04
112	112	5.3E-03	5	7.95E-04
113	113	5.7E-03	5	8.52E-04
114	114	6.1E-03	5	9.12E-04
115	115	6.5E-03	5	9.74E-04
116	116	7.0E-03	5	1.04E-03
117	117	7.4E-03	5	1.11E-03
118	118	7.7E-03	5	1.15E-03
119	119	8.3E-03	5	1.23E-03
120	120	8.8E-03	5	1.32E-03
121	121	9.5E-03	5	1.42E-03
122	122	4.5E-03	5	6.64E-04
123	123	4.8E-03	5	7.20E-04
124	124	5.3E-03	5	7.84E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	5.7E-03	5	8.49E-04
126	126	6.2E-03	5	9.18E-04
127	127	6.6E-03	5	9.90E-04
128	128	7.0E-03	5	1.04E-03
129	129	7.6E-03	5	1.13E-03
130	130	8.4E-03	5	1.24E-03
131	131	2.5E-02	5	3.79E-03
132	132	2.6E-02	5	3.93E-03
133	133	4.5E-03	5	6.67E-04
134	134	4.9E-03	5	7.37E-04
135	135	5.4E-03	5	8.10E-04
136	136	5.9E-03	5	8.86E-04
137	137	6.5E-03	5	9.70E-04
138	138	7.1E-03	5	1.06E-03
139	139	7.6E-03	5	1.14E-03
140	140	8.6E-03	5	1.28E-03
141	141	9.5E-03	5	1.41E-03
142	142	1.0E-02	5	1.55E-03
143	143	1.2E-02	5	1.72E-03
144	144	1.3E-02	5	1.92E-03
145	145	1.4E-02	5	2.12E-03
146	146	3.4E-02	5	5.12E-03
147	147	4.4E-03	5	6.55E-04
148	148	4.9E-03	5	7.28E-04
149	149	5.4E-03	5	8.10E-04
150	150	6.0E-03	5	8.97E-04
151	151	6.7E-03	5	9.98E-04
152	152	7.4E-03	5	1.10E-03
153	153	8.1E-03	5	1.21E-03
154	154	9.1E-03	5	1.36E-03
155	155	1.0E-02	5	1.53E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	1.2E-02	5	1.72E-03
157	157	1.3E-02	5	1.93E-03
158	158	1.5E-02	5	2.16E-03
159	159	1.7E-02	5	2.53E-03
160	160	4.3E-03	5	6.37E-04
161	161	4.7E-03	5	7.02E-04
162	162	5.2E-03	5	7.69E-04
163	163	5.8E-03	5	8.71E-04
164	164	6.7E-03	5	9.93E-04
165	165	7.5E-03	5	1.11E-03
166	166	8.4E-03	5	1.25E-03
167	167	9.5E-03	5	1.42E-03
168	168	1.1E-02	5	1.62E-03
169	169	1.3E-02	5	1.87E-03
170	170	1.4E-02	5	2.16E-03
171	171	1.7E-02	5	2.51E-03
172	172	2.0E-02	5	2.98E-03
173	173	2.4E-02	5	3.61E-03
174	174	3.0E-02	5	4.46E-03
175	175	3.8E-02	5	5.59E-03
176	176	5.0E-02	5	7.45E-03
177	177	6.5E-02	5	9.70E-03
178	178	8.2E-02	5	1.22E-02
179	179	4.0E-03	5	5.92E-04
180	180	4.4E-03	5	6.49E-04
181	181	4.7E-03	5	7.05E-04
182	182	5.5E-03	5	8.18E-04
183	183	6.5E-03	5	9.63E-04
184	184	7.3E-03	5	1.09E-03
185	185	8.4E-03	5	1.25E-03
186	186	9.6E-03	5	1.44E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	1.1E-02	5	1.66E-03
188	188	1.3E-02	5	1.94E-03
189	189	1.5E-02	5	2.29E-03
190	190	1.8E-02	5	2.75E-03
191	191	2.2E-02	5	3.34E-03
192	192	2.8E-02	5	4.18E-03
193	193	3.6E-02	5	5.37E-03
194	194	4.9E-02	5	7.24E-03
195	195	7.1E-02	5	1.05E-02
196	196	1.1E-01	5	1.59E-02
197	197	1.6E-01	5	2.34E-02
198	198	3.7E-03	5	5.53E-04
199	199	4.1E-03	5	6.09E-04
200	200	4.5E-03	5	6.73E-04
201	201	5.1E-03	5	7.62E-04
202	202	6.1E-03	5	9.05E-04
203	203	7.0E-03	5	1.04E-03
204	204	8.1E-03	5	1.21E-03
205	205	9.4E-03	5	1.40E-03
206	206	1.1E-02	5	1.63E-03
207	207	1.3E-02	5	1.92E-03
208	208	1.5E-02	5	2.30E-03
209	209	1.9E-02	5	2.80E-03
210	210	2.3E-02	5	3.49E-03
211	211	3.0E-02	5	4.50E-03
212	212	4.0E-02	5	6.00E-03
213	213	5.6E-02	5	8.38E-03
214	214	8.3E-02	5	1.23E-02
215	215	1.7E-01	5	2.56E-02
216	216	3.5E-03	5	5.24E-04
217	217	3.8E-03	5	5.73E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	4.3E-03	5	6.35E-04
219	219	4.8E-03	5	7.15E-04
220	220	5.6E-03	5	8.42E-04
221	221	6.5E-03	5	9.67E-04
222	222	7.6E-03	5	1.13E-03
223	223	8.8E-03	5	1.32E-03
224	224	1.0E-02	5	1.54E-03
225	225	1.2E-02	5	1.81E-03
226	226	1.5E-02	5	2.18E-03
227	227	1.8E-02	5	2.67E-03
228	228	2.2E-02	5	3.35E-03
229	229	2.9E-02	5	4.37E-03
230	230	4.0E-02	5	5.96E-03
231	231	5.9E-02	5	8.78E-03
232	232	9.8E-02	5	1.46E-02
233	233	2.5E-01	5	3.65E-02
234	234	3.4E-03	5	5.02E-04
235	235	3.7E-03	5	5.46E-04
236	236	4.1E-03	5	6.05E-04
237	237	4.6E-03	5	6.84E-04
238	238	5.3E-03	5	7.88E-04
239	239	6.1E-03	5	9.02E-04
240	240	7.0E-03	5	1.05E-03
241	241	8.2E-03	5	1.22E-03
242	242	9.6E-03	5	1.43E-03
243	243	1.1E-02	5	1.68E-03
244	244	1.4E-02	5	2.03E-03
245	245	1.7E-02	5	2.49E-03
246	246	2.1E-02	5	3.12E-03
247	247	2.7E-02	5	4.05E-03
248	248	3.7E-02	5	5.49E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	5.4E-02	5	7.99E-03
250	250	8.8E-02	5	1.32E-02
251	251	2.2E-01	5	3.24E-02
252	252	3.2E-03	5	4.83E-04
253	253	3.5E-03	5	5.22E-04
254	254	3.8E-03	5	5.74E-04
255	255	4.3E-03	5	6.39E-04
256	256	5.0E-03	5	7.48E-04
257	257	5.6E-03	5	8.28E-04
258	258	6.3E-03	5	9.40E-04
259	259	7.2E-03	5	1.08E-03
260	260	8.5E-03	5	1.27E-03
261	261	1.0E-02	5	1.54E-03
262	262	1.3E-02	5	1.87E-03
263	263	1.5E-02	5	2.27E-03
264	264	1.9E-02	5	2.84E-03
265	265	2.4E-02	5	3.63E-03
266	266	3.2E-02	5	4.83E-03
267	267	4.5E-02	5	6.74E-03
268	268	6.8E-02	5	1.02E-02
269	269	1.4E-01	5	2.08E-02
270	270	3.2E-03	5	4.70E-04
271	271	3.4E-03	5	5.10E-04
272	272	3.8E-03	5	5.59E-04
273	273	4.1E-03	5	6.18E-04
274	274	4.9E-03	5	7.28E-04
275	275	5.6E-03	5	8.30E-04
276	276	5.9E-03	5	8.85E-04
277	277	6.7E-03	5	1.00E-03
278	278	7.8E-03	5	1.16E-03
279	279	9.2E-03	5	1.37E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	1.1E-02	5	1.68E-03
281	281	1.4E-02	5	2.07E-03
282	282	1.7E-02	5	2.58E-03
283	283	2.2E-02	5	3.26E-03
284	284	2.8E-02	5	4.21E-03
285	285	3.7E-02	5	5.55E-03
286	286	5.2E-02	5	7.80E-03
287	287	9.3E-02	5	1.39E-02
288	288	3.1E-03	5	4.63E-04
289	289	3.3E-03	5	4.98E-04
290	290	3.7E-03	5	5.56E-04
291	291	4.1E-03	5	6.18E-04
292	292	5.0E-03	5	7.52E-04
293	293	5.5E-03	5	8.18E-04
294	294	5.7E-03	5	8.42E-04
295	295	6.4E-03	5	9.56E-04
296	296	7.4E-03	5	1.10E-03
297	297	8.5E-03	5	1.27E-03
298	298	1.0E-02	5	1.51E-03
299	299	1.3E-02	5	1.86E-03
300	300	1.5E-02	5	2.27E-03
301	301	1.9E-02	5	2.85E-03
302	302	2.4E-02	5	3.59E-03
303	303	3.1E-02	5	4.62E-03
304	304	4.2E-02	5	6.21E-03
305	305	6.7E-02	5	1.00E-02
306	306	3.2E-03	5	4.79E-04
307	307	3.4E-03	5	5.02E-04
308	308	3.7E-03	5	5.47E-04
309	309	4.3E-03	5	6.38E-04
310	310	4.9E-03	5	7.34E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	5.3E-03	5	7.94E-04
312	312	5.4E-03	5	8.00E-04
313	313	6.1E-03	5	9.03E-04
314	314	6.9E-03	5	1.03E-03
315	315	8.3E-03	5	1.23E-03
316	316	9.4E-03	5	1.40E-03
317	317	1.1E-02	5	1.64E-03
318	318	1.3E-02	5	1.97E-03
319	319	1.6E-02	5	2.44E-03
320	320	2.1E-02	5	3.11E-03
321	321	2.6E-02	5	3.88E-03
322	322	3.4E-02	5	5.02E-03
323	323	5.0E-02	5	7.48E-03
324	324	3.1E-03	5	4.69E-04
325	325	3.5E-03	5	5.21E-04
326	326	3.8E-03	5	5.61E-04
327	327	4.0E-03	5	5.97E-04
328	328	4.8E-03	5	7.22E-04
329	329	5.1E-03	5	7.68E-04
330	330	5.2E-03	5	7.77E-04
331	331	5.9E-03	5	8.76E-04
332	332	6.7E-03	5	9.99E-04
333	333	7.9E-03	5	1.18E-03
334	334	9.1E-03	5	1.36E-03
335	335	1.1E-02	5	1.57E-03
336	336	3.1E-02	5	4.58E-03
337	337	3.2E-02	5	4.82E-03
338	338	3.6E-03	5	5.34E-04
339	339	3.8E-03	5	5.71E-04
340	340	4.4E-03	5	6.51E-04
341	341	4.6E-03	5	6.92E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	4.8E-03	5	7.15E-04
343	343	5.0E-03	5	7.50E-04
344	344	5.1E-03	5	7.61E-04
345	345	5.1E-03	5	7.67E-04
346	346	5.1E-03	5	7.67E-04
347	347	3.9E-03	5	5.78E-04
348	348	4.2E-03	5	6.33E-04
349	349	5.0E-03	5	7.42E-04
350	350	5.2E-03	5	7.74E-04
351	351	5.4E-03	5	8.00E-04
352	352	5.7E-03	5	8.45E-04
353	353	5.8E-03	5	8.58E-04
354	354	5.8E-03	5	8.62E-04
355	355	5.8E-03	5	8.63E-04
356	356	4.2E-03	5	6.31E-04
357	357	4.6E-03	5	6.80E-04
358	358	5.0E-03	5	7.43E-04
359	359	5.7E-03	5	8.47E-04
360	360	6.1E-03	5	9.03E-04
361	361	6.4E-03	5	9.59E-04
362	362	6.5E-03	5	9.76E-04
363	363	6.6E-03	5	9.79E-04
364	364	4.7E-03	5	7.02E-04
365	365	5.0E-03	5	7.43E-04
366	366	5.5E-03	5	8.21E-04
367	367	6.4E-03	5	9.58E-04
368	368	6.9E-03	5	1.03E-03
369	369	7.4E-03	5	1.10E-03
370	370	7.6E-03	5	1.13E-03
371	371	7.6E-03	5	1.13E-03
372	372	5.3E-03	5	7.95E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	5.6E-03	5	8.41E-04
374	374	6.3E-03	5	9.36E-04
375	375	7.4E-03	5	1.10E-03
376	376	8.0E-03	5	1.19E-03
377	377	8.3E-03	5	1.24E-03
378	378	8.6E-03	5	1.28E-03
379	379	8.9E-03	5	1.32E-03
380	380	8.9E-03	5	1.32E-03
381	381	8.8E-03	5	1.31E-03
382	382	6.2E-03	5	9.28E-04
383	383	6.8E-03	5	1.01E-03
384	384	7.3E-03	5	1.09E-03
385	385	8.8E-03	5	1.31E-03
386	386	9.3E-03	5	1.39E-03
387	387	9.8E-03	5	1.46E-03
388	388	1.0E-02	5	1.51E-03
389	389	1.0E-02	5	1.56E-03
390	390	1.0E-02	5	1.56E-03
391	391	1.0E-02	5	1.54E-03
392	392	1.0E-02	5	1.49E-03
393	393	7.4E-03	5	1.11E-03
394	394	8.8E-03	5	1.32E-03
395	395	9.9E-03	5	1.47E-03
396	396	1.1E-02	5	1.58E-03
397	397	1.1E-02	5	1.69E-03
398	398	1.2E-02	5	1.75E-03
399	399	1.2E-02	5	1.77E-03
400	400	1.3E-02	5	1.88E-03
401	401	1.3E-02	5	1.87E-03
402	402	1.2E-02	5	1.76E-03
403	403	1.5E-02	5	2.29E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	1.4E-02	5	2.16E-03
405	405	1.4E-02	5	2.02E-03
406	406	1.9E-02	5	2.90E-03
407	407	1.6E-02	5	2.45E-03
408	408	2.5E-02	5	3.80E-03
409	409	2.0E-02	5	3.00E-03
410	410	3.5E-02	5	5.21E-03
411	411	2.8E-02	5	4.24E-03
412	412	2.5E-02	5	3.76E-03
413	413	5.1E-02	5	7.60E-03
414	414	4.2E-02	5	6.31E-03
415	415	3.6E-02	5	5.42E-03
416	416	3.1E-02	5	4.57E-03
417	417	8.1E-02	5	1.21E-02
418	418	4.6E-02	5	6.85E-03
419	419	3.6E-02	5	5.40E-03
420	420	2.9E-02	5	4.25E-03
421	421	1.5E-01	5	2.18E-02
422	422	4.0E-02	5	6.03E-03
423	423	3.0E-02	5	4.54E-03
424	424	2.9E-01	5	4.38E-02
425	425	3.1E-02	5	4.55E-03
426	426	2.3E-02	5	3.45E-03
427	427	5.2E-01	5	7.72E-02
428	428	2.9E-02	5	4.34E-03
429	429	2.2E-02	5	3.29E-03
430	430	4.8E-01	5	7.16E-02
431	431	2.1E-02	5	3.07E-03
432	432	1.6E-02	5	2.42E-03
433	433	3.0E-01	5	4.45E-02
434	434	1.9E-02	5	2.84E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	1.5E-02	5	2.27E-03
436	436	1.8E-01	5	2.74E-02
437	437	2.2E-02	5	3.31E-03
438	438	1.8E-02	5	2.61E-03
439	439	1.4E-02	5	2.12E-03
440	440	1.2E-01	5	1.77E-02
441	441	3.6E-02	5	5.34E-03
442	442	2.6E-02	5	3.90E-03
443	443	2.0E-02	5	3.00E-03
444	444	1.6E-02	5	2.39E-03
445	445	8.1E-02	5	1.21E-02
446	446	4.4E-02	5	6.62E-03
447	447	3.2E-02	5	4.71E-03
448	448	2.3E-02	5	3.50E-03
449	449	5.8E-02	5	8.64E-03
450	450	4.9E-02	5	7.24E-03
451	451	3.7E-02	5	5.55E-03
452	452	4.3E-02	5	6.46E-03
453	453	3.8E-02	5	5.71E-03
454	454	1.0E-02	5	1.55E-03
455	455	8.9E-03	5	1.33E-03
456	456	3.3E-02	5	4.99E-03
457	457	3.1E-02	5	4.57E-03
458	458	2.6E-02	5	3.90E-03
459	459	1.4E-02	5	2.07E-03
460	460	1.2E-02	5	1.71E-03
461	461	9.7E-03	5	1.45E-03
462	462	8.3E-03	5	1.24E-03
463	463	3.6E-02	5	5.31E-03
464	464	3.8E-02	5	5.70E-03
465	465	5.4E-02	5	8.07E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
466	466	6.6E-02	5	9.85E-03
467	467	9.2E-02	5	1.37E-02
468	468	1.9E-01	5	2.83E-02
469	469	6.4E-01	5	9.55E-02
470	470	4.6E-01	5	6.91E-02
471	471	7.9E-01	5	1.17E-01
472	472	6.4E-01	5	9.47E-02
473	473	6.8E-01	5	1.01E-01
474	474	3.0E-01	5	4.43E-02
475	475	5.0E-01	5	7.50E-02
476	476	1.6E-01	5	2.38E-02
477	477	2.2E-01	5	3.31E-02
478	478	9.8E-02	5	1.46E-02
479	479	1.2E-01	5	1.85E-02
480	480	1.2E-01	5	1.83E-02
481	481	6.6E-02	5	9.80E-03
482	482	8.1E-02	5	1.20E-02
483	483	5.5E-02	5	8.17E-03
484	484	5.7E-02	5	8.46E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

					Cancer Risk from 3rd Trimester					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	0.09997	1.36E-02	1.4E-03	3.46E-04	4.72E-07	1.37E-02	1.57E-01	1.02E-09	1.0E+06	1.0E-03
2	0.10116	1.36E-02	1.4E-03	3.46E-04	4.78E-07	1.37E-02	1.57E-01	1.03E-09	1.0E+06	1.0E-03
3	0.10225	1.36E-02	1.4E-03	3.46E-04	4.83E-07	1.37E-02	1.57E-01	1.04E-09	1.0E+06	1.0E-03
4	0.10353	1.36E-02	1.4E-03	3.46E-04	4.89E-07	1.37E-02	1.57E-01	1.05E-09	1.0E+06	1.1E-03
5	0.1049	1.36E-02	1.4E-03	3.46E-04	4.95E-07	1.37E-02	1.57E-01	1.07E-09	1.0E+06	1.1E-03
6	0.10762	1.36E-02	1.5E-03	3.46E-04	5.08E-07	1.37E-02	1.57E-01	1.09E-09	1.0E+06	1.1E-03
7	0.11114	1.36E-02	1.5E-03	3.46E-04	5.25E-07	1.37E-02	1.57E-01	1.13E-09	1.0E+06	1.1E-03
8	0.11544	1.36E-02	1.6E-03	3.46E-04	5.45E-07	1.37E-02	1.57E-01	1.17E-09	1.0E+06	1.2E-03
9	0.12067	1.36E-02	1.6E-03	3.46E-04	5.70E-07	1.37E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
10	0.12749	1.36E-02	1.7E-03	3.46E-04	6.02E-07	1.37E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03
11	0.13627	1.36E-02	1.9E-03	3.46E-04	6.43E-07	1.37E-02	1.57E-01	1.38E-09	1.0E+06	1.4E-03
12	0.1456	1.36E-02	2.0E-03	3.46E-04	6.87E-07	1.37E-02	1.57E-01	1.48E-09	1.0E+06	1.5E-03
13	0.15591	1.36E-02	2.1E-03	3.46E-04	7.36E-07	1.37E-02	1.57E-01	1.58E-09	1.0E+06	1.6E-03
14	0.21775	1.36E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
15	0.11116	1.36E-02	1.5E-03	3.46E-04	5.25E-07	1.37E-02	1.57E-01	1.13E-09	1.0E+06	1.1E-03
16	0.11231	1.36E-02	1.5E-03	3.46E-04	5.30E-07	1.37E-02	1.57E-01	1.14E-09	1.0E+06	1.1E-03
17	0.11409	1.36E-02	1.6E-03	3.46E-04	5.39E-07	1.37E-02	1.57E-01	1.16E-09	1.0E+06	1.2E-03
18	0.1152	1.36E-02	1.6E-03	3.46E-04	5.44E-07	1.37E-02	1.57E-01	1.17E-09	1.0E+06	1.2E-03
19	0.11623	1.36E-02	1.6E-03	3.46E-04	5.49E-07	1.37E-02	1.57E-01	1.18E-09	1.0E+06	1.2E-03
20	0.11825	1.36E-02	1.6E-03	3.46E-04	5.58E-07	1.37E-02	1.57E-01	1.20E-09	1.0E+06	1.2E-03
21	0.12106	1.36E-02	1.7E-03	3.46E-04	5.72E-07	1.37E-02	1.57E-01	1.23E-09	1.0E+06	1.2E-03
22	0.12456	1.36E-02	1.7E-03	3.46E-04	5.88E-07	1.37E-02	1.57E-01	1.27E-09	1.0E+06	1.3E-03
23	0.13094	1.36E-02	1.8E-03	3.46E-04	6.18E-07	1.37E-02	1.57E-01	1.33E-09	1.0E+06	1.3E-03
24	0.13716	1.36E-02	1.9E-03	3.46E-04	6.48E-07	1.37E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
25	0.14759	1.36E-02	2.0E-03	3.46E-04	6.97E-07	1.37E-02	1.57E-01	1.50E-09	1.0E+06	1.5E-03
26	0.15892	1.36E-02	2.2E-03	3.46E-04	7.50E-07	1.37E-02	1.57E-01	1.62E-09	1.0E+06	1.6E-03
27	0.16875	1.36E-02	2.3E-03	3.46E-04	7.97E-07	1.37E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
28	0.24418	1.36E-02	3.3E-03	3.46E-04	1.15E-06	1.37E-02	1.57E-01	2.48E-09	1.0E+06	2.5E-03
29	0.12315	1.36E-02	1.7E-03	3.46E-04	5.81E-07	1.37E-02	1.57E-01	1.25E-09	1.0E+06	1.3E-03
30	0.12567	1.36E-02	1.7E-03	3.46E-04	5.93E-07	1.37E-02	1.57E-01	1.28E-09	1.0E+06	1.3E-03
31	0.12837	1.36E-02	1.8E-03	3.46E-04	6.06E-07	1.37E-02	1.57E-01	1.30E-09	1.0E+06	1.3E-03

	Max	Receptor #
Res	0.351	471

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	1.36E-02	1.8E-03	3.46E-04	6.15E-07	1.37E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
33	0.13031	1.36E-02	1.8E-03	3.46E-04	6.15E-07	1.37E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
34	0.13211	1.36E-02	1.8E-03	3.46E-04	6.24E-07	1.37E-02	1.57E-01	1.34E-09	1.0E+06	1.3E-03
35	0.13406	1.36E-02	1.8E-03	3.46E-04	6.33E-07	1.37E-02	1.57E-01	1.36E-09	1.0E+06	1.4E-03
36	0.13747	1.36E-02	1.9E-03	3.46E-04	6.49E-07	1.37E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
37	0.14288	1.36E-02	1.9E-03	3.46E-04	6.75E-07	1.37E-02	1.57E-01	1.45E-09	1.0E+06	1.5E-03
38	0.15048	1.36E-02	2.1E-03	3.46E-04	7.10E-07	1.37E-02	1.57E-01	1.53E-09	1.0E+06	1.5E-03
39	0.16057	1.36E-02	2.2E-03	3.46E-04	7.58E-07	1.37E-02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
40	0.17181	1.36E-02	2.3E-03	3.46E-04	8.11E-07	1.37E-02	1.57E-01	1.75E-09	1.0E+06	1.7E-03
41	0.18337	1.36E-02	2.5E-03	3.46E-04	8.66E-07	1.37E-02	1.57E-01	1.86E-09	1.0E+06	1.9E-03
42	0.27606	1.36E-02	3.8E-03	3.46E-04	1.30E-06	1.37E-02	1.57E-01	2.81E-09	1.0E+06	2.8E-03
43	0.13523	1.36E-02	1.8E-03	3.46E-04	6.38E-07	1.37E-02	1.57E-01	1.37E-09	1.0E+06	1.4E-03
44	0.13913	1.36E-02	1.9E-03	3.46E-04	6.57E-07	1.37E-02	1.57E-01	1.41E-09	1.0E+06	1.4E-03
45	0.14273	1.36E-02	1.9E-03	3.46E-04	6.74E-07	1.37E-02	1.57E-01	1.45E-09	1.0E+06	1.5E-03
46	0.14534	1.36E-02	2.0E-03	3.46E-04	6.86E-07	1.37E-02	1.57E-01	1.48E-09	1.0E+06	1.5E-03
47	0.14689	1.36E-02	2.0E-03	3.46E-04	6.94E-07	1.37E-02	1.57E-01	1.49E-09	1.0E+06	1.5E-03
48	0.14854	1.36E-02	2.0E-03	3.46E-04	7.01E-07	1.37E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
49	0.14984	1.36E-02	2.0E-03	3.46E-04	7.07E-07	1.37E-02	1.57E-01	1.52E-09	1.0E+06	1.5E-03
50	0.15161	1.36E-02	2.1E-03	3.46E-04	7.16E-07	1.37E-02	1.57E-01	1.54E-09	1.0E+06	1.5E-03
51	0.15836	1.36E-02	2.2E-03	3.46E-04	7.48E-07	1.37E-02	1.57E-01	1.61E-09	1.0E+06	1.6E-03
52	0.16548	1.36E-02	2.3E-03	3.46E-04	7.81E-07	1.37E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03
53	0.17641	1.36E-02	2.4E-03	3.46E-04	8.33E-07	1.37E-02	1.57E-01	1.79E-09	1.0E+06	1.8E-03
54	0.18951	1.36E-02	2.6E-03	3.46E-04	8.95E-07	1.37E-02	1.57E-01	1.93E-09	1.0E+06	1.9E-03
55	0.20421	1.36E-02	2.8E-03	3.46E-04	9.64E-07	1.37E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
56	0.31605	1.36E-02	4.3E-03	3.46E-04	1.49E-06	1.37E-02	1.57E-01	3.21E-09	1.0E+06	3.2E-03
57	0.14708	1.36E-02	2.0E-03	3.46E-04	6.94E-07	1.37E-02	1.57E-01	1.49E-09	1.0E+06	1.5E-03
58	0.15242	1.36E-02	2.1E-03	3.46E-04	7.20E-07	1.37E-02	1.57E-01	1.55E-09	1.0E+06	1.5E-03
59	0.15749	1.36E-02	2.1E-03	3.46E-04	7.44E-07	1.37E-02	1.57E-01	1.60E-09	1.0E+06	1.6E-03
60	0.16209	1.36E-02	2.2E-03	3.46E-04	7.65E-07	1.37E-02	1.57E-01	1.65E-09	1.0E+06	1.6E-03
61	0.16587	1.36E-02	2.3E-03	3.46E-04	7.83E-07	1.37E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
62	0.1689	1.36E-02	2.3E-03	3.46E-04	7.97E-07	1.37E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	1.36E-02	2.4E-03	3.46E-04	8.17E-07	1.37E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
64	0.17221	1.36E-02	2.3E-03	3.46E-04	8.13E-07	1.37E-02	1.57E-01	1.75E-09	1.0E+06	1.8E-03
65	0.17802	1.36E-02	2.4E-03	3.46E-04	8.41E-07	1.37E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
66	0.18602	1.36E-02	2.5E-03	3.46E-04	8.78E-07	1.37E-02	1.57E-01	1.89E-09	1.0E+06	1.9E-03
67	0.19503	1.36E-02	2.7E-03	3.46E-04	9.21E-07	1.37E-02	1.57E-01	1.98E-09	1.0E+06	2.0E-03
68	0.21198	1.36E-02	2.9E-03	3.46E-04	1.00E-06	1.37E-02	1.57E-01	2.15E-09	1.0E+06	2.2E-03
69	0.23133	1.36E-02	3.2E-03	3.46E-04	1.09E-06	1.37E-02	1.57E-01	2.35E-09	1.0E+06	2.4E-03
70	0.15915	1.36E-02	2.2E-03	3.46E-04	7.51E-07	1.37E-02	1.57E-01	1.62E-09	1.0E+06	1.6E-03
71	0.16615	1.36E-02	2.3E-03	3.46E-04	7.84E-07	1.37E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
72	0.17306	1.36E-02	2.4E-03	3.46E-04	8.17E-07	1.37E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
73	0.17979	1.36E-02	2.5E-03	3.46E-04	8.49E-07	1.37E-02	1.57E-01	1.83E-09	1.0E+06	1.8E-03
74	0.1856	1.36E-02	2.5E-03	3.46E-04	8.76E-07	1.37E-02	1.57E-01	1.89E-09	1.0E+06	1.9E-03
75	0.19262	1.36E-02	2.6E-03	3.46E-04	9.09E-07	1.37E-02	1.57E-01	1.96E-09	1.0E+06	2.0E-03
76	0.19839	1.36E-02	2.7E-03	3.46E-04	9.37E-07	1.37E-02	1.57E-01	2.02E-09	1.0E+06	2.0E-03
77	0.20099	1.36E-02	2.7E-03	3.46E-04	9.49E-07	1.37E-02	1.57E-01	2.04E-09	1.0E+06	2.0E-03
78	0.20736	1.36E-02	2.8E-03	3.46E-04	9.79E-07	1.37E-02	1.57E-01	2.11E-09	1.0E+06	2.1E-03
79	0.22199	1.36E-02	3.0E-03	3.46E-04	1.05E-06	1.37E-02	1.57E-01	2.26E-09	1.0E+06	2.3E-03
80	0.22851	1.36E-02	3.1E-03	3.46E-04	1.08E-06	1.37E-02	1.57E-01	2.32E-09	1.0E+06	2.3E-03
81	0.25141	1.36E-02	3.4E-03	3.46E-04	1.19E-06	1.37E-02	1.57E-01	2.56E-09	1.0E+06	2.6E-03
82	0.26864	1.36E-02	3.7E-03	3.46E-04	1.27E-06	1.37E-02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
83	0.17123	1.36E-02	2.3E-03	3.46E-04	8.08E-07	1.37E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
84	0.17986	1.36E-02	2.5E-03	3.46E-04	8.49E-07	1.37E-02	1.57E-01	1.83E-09	1.0E+06	1.8E-03
85	0.18766	1.36E-02	2.6E-03	3.46E-04	8.86E-07	1.37E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
86	0.19836	1.36E-02	2.7E-03	3.46E-04	9.37E-07	1.37E-02	1.57E-01	2.02E-09	1.0E+06	2.0E-03
87	0.20777	1.36E-02	2.8E-03	3.46E-04	9.81E-07	1.37E-02	1.57E-01	2.11E-09	1.0E+06	2.1E-03
88	0.21743	1.36E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
89	0.22714	1.36E-02	3.1E-03	3.46E-04	1.07E-06	1.37E-02	1.57E-01	2.31E-09	1.0E+06	2.3E-03
90	0.23725	1.36E-02	3.2E-03	3.46E-04	1.12E-06	1.37E-02	1.57E-01	2.41E-09	1.0E+06	2.4E-03
91	0.24821	1.36E-02	3.4E-03	3.46E-04	1.17E-06	1.37E-02	1.57E-01	2.52E-09	1.0E+06	2.5E-03
92	0.26127	1.36E-02	3.6E-03	3.46E-04	1.23E-06	1.37E-02	1.57E-01	2.66E-09	1.0E+06	2.7E-03
93	0.27635	1.36E-02	3.8E-03	3.46E-04	1.30E-06	1.37E-02	1.57E-01	2.81E-09	1.0E+06	2.8E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	1.36E-02	4.0E-03	3.46E-04	1.40E-06	1.37E-02	1.57E-01	3.01E-09	1.0E+06	3.0E-03
95	0.31999	1.36E-02	4.4E-03	3.46E-04	1.51E-06	1.37E-02	1.57E-01	3.25E-09	1.0E+06	3.3E-03
96	0.18233	1.36E-02	2.5E-03	3.46E-04	8.61E-07	1.37E-02	1.57E-01	1.85E-09	1.0E+06	1.9E-03
97	0.19094	1.36E-02	2.6E-03	3.46E-04	9.02E-07	1.37E-02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
98	0.20103	1.36E-02	2.7E-03	3.46E-04	9.49E-07	1.37E-02	1.57E-01	2.04E-09	1.0E+06	2.0E-03
99	0.21464	1.36E-02	2.9E-03	3.46E-04	1.01E-06	1.37E-02	1.57E-01	2.18E-09	1.0E+06	2.2E-03
100	0.22959	1.36E-02	3.1E-03	3.46E-04	1.08E-06	1.37E-02	1.57E-01	2.33E-09	1.0E+06	2.3E-03
101	0.24284	1.36E-02	3.3E-03	3.46E-04	1.15E-06	1.37E-02	1.57E-01	2.47E-09	1.0E+06	2.5E-03
102	0.25629	1.36E-02	3.5E-03	3.46E-04	1.21E-06	1.37E-02	1.57E-01	2.60E-09	1.0E+06	2.6E-03
103	0.27027	1.36E-02	3.7E-03	3.46E-04	1.28E-06	1.37E-02	1.57E-01	2.75E-09	1.0E+06	2.7E-03
104	0.28488	1.36E-02	3.9E-03	3.46E-04	1.35E-06	1.37E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
105	0.3003	1.36E-02	4.1E-03	3.46E-04	1.42E-06	1.37E-02	1.57E-01	3.05E-09	1.0E+06	3.1E-03
106	0.3189	1.36E-02	4.3E-03	3.46E-04	1.51E-06	1.37E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
107	0.34186	1.36E-02	4.7E-03	3.46E-04	1.61E-06	1.37E-02	1.57E-01	3.47E-09	1.0E+06	3.5E-03
108	0.37026	1.36E-02	5.1E-03	3.46E-04	1.75E-06	1.37E-02	1.57E-01	3.76E-09	1.0E+06	3.8E-03
109	0.19023	1.36E-02	2.6E-03	3.46E-04	8.98E-07	1.37E-02	1.57E-01	1.93E-09	1.0E+06	1.9E-03
110	0.20375	1.36E-02	2.8E-03	3.46E-04	9.62E-07	1.37E-02	1.57E-01	2.07E-09	1.0E+06	2.1E-03
111	0.21846	1.36E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.22E-09	1.0E+06	2.2E-03
112	0.23423	1.36E-02	3.2E-03	3.46E-04	1.11E-06	1.37E-02	1.57E-01	2.38E-09	1.0E+06	2.4E-03
113	0.25102	1.36E-02	3.4E-03	3.46E-04	1.19E-06	1.37E-02	1.57E-01	2.55E-09	1.0E+06	2.6E-03
114	0.2686	1.36E-02	3.7E-03	3.46E-04	1.27E-06	1.37E-02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
115	0.28686	1.36E-02	3.9E-03	3.46E-04	1.35E-06	1.37E-02	1.57E-01	2.92E-09	1.0E+06	2.9E-03
116	0.30627	1.36E-02	4.2E-03	3.46E-04	1.45E-06	1.37E-02	1.57E-01	3.11E-09	1.0E+06	3.1E-03
117	0.32686	1.36E-02	4.5E-03	3.46E-04	1.54E-06	1.37E-02	1.57E-01	3.32E-09	1.0E+06	3.3E-03
118	0.33858	1.36E-02	4.6E-03	3.46E-04	1.60E-06	1.37E-02	1.57E-01	3.44E-09	1.0E+06	3.4E-03
119	0.36311	1.36E-02	5.0E-03	3.46E-04	1.71E-06	1.37E-02	1.57E-01	3.69E-09	1.0E+06	3.7E-03
120	0.38851	1.36E-02	5.3E-03	3.46E-04	1.83E-06	1.37E-02	1.57E-01	3.95E-09	1.0E+06	3.9E-03
121	0.4178	1.36E-02	5.7E-03	3.46E-04	1.97E-06	1.37E-02	1.57E-01	4.25E-09	1.0E+06	4.2E-03
122	0.19578	1.36E-02	2.7E-03	3.46E-04	9.24E-07	1.37E-02	1.57E-01	1.99E-09	1.0E+06	2.0E-03
123	0.21204	1.36E-02	2.9E-03	3.46E-04	1.00E-06	1.37E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
124	0.23086	1.36E-02	3.1E-03	3.46E-04	1.09E-06	1.37E-02	1.57E-01	2.35E-09	1.0E+06	2.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	1.36E-02	3.4E-03	3.46E-04	1.18E-06	1.37E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
126	0.27035	1.36E-02	3.7E-03	3.46E-04	1.28E-06	1.37E-02	1.57E-01	2.75E-09	1.0E+06	2.7E-03
127	0.29177	1.36E-02	4.0E-03	3.46E-04	1.38E-06	1.37E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
128	0.30724	1.36E-02	4.2E-03	3.46E-04	1.45E-06	1.37E-02	1.57E-01	3.12E-09	1.0E+06	3.1E-03
129	0.33259	1.36E-02	4.5E-03	3.46E-04	1.57E-06	1.37E-02	1.57E-01	3.38E-09	1.0E+06	3.4E-03
130	0.36682	1.36E-02	5.0E-03	3.46E-04	1.73E-06	1.37E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
131	1.11688	1.36E-02	1.5E-02	3.46E-04	5.27E-06	1.37E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
132	1.15875	1.36E-02	1.6E-02	3.46E-04	5.47E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
133	0.19656	1.36E-02	2.7E-03	3.46E-04	9.28E-07	1.37E-02	1.57E-01	2.00E-09	1.0E+06	2.0E-03
134	0.21704	1.36E-02	3.0E-03	3.46E-04	1.02E-06	1.37E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
135	0.23863	1.36E-02	3.3E-03	3.46E-04	1.13E-06	1.37E-02	1.57E-01	2.43E-09	1.0E+06	2.4E-03
136	0.26108	1.36E-02	3.6E-03	3.46E-04	1.23E-06	1.37E-02	1.57E-01	2.65E-09	1.0E+06	2.7E-03
137	0.28567	1.36E-02	3.9E-03	3.46E-04	1.35E-06	1.37E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
138	0.31112	1.36E-02	4.2E-03	3.46E-04	1.47E-06	1.37E-02	1.57E-01	3.16E-09	1.0E+06	3.2E-03
139	0.33575	1.36E-02	4.6E-03	3.46E-04	1.59E-06	1.37E-02	1.57E-01	3.41E-09	1.0E+06	3.4E-03
140	0.37628	1.36E-02	5.1E-03	3.46E-04	1.78E-06	1.37E-02	1.57E-01	3.82E-09	1.0E+06	3.8E-03
141	0.41535	1.36E-02	5.7E-03	3.46E-04	1.96E-06	1.37E-02	1.57E-01	4.22E-09	1.0E+06	4.2E-03
142	0.45747	1.36E-02	6.2E-03	3.46E-04	2.16E-06	1.37E-02	1.57E-01	4.65E-09	1.0E+06	4.6E-03
143	0.5063	1.36E-02	6.9E-03	3.46E-04	2.39E-06	1.37E-02	1.57E-01	5.15E-09	1.0E+06	5.1E-03
144	0.56507	1.36E-02	7.7E-03	3.46E-04	2.67E-06	1.37E-02	1.57E-01	5.74E-09	1.0E+06	5.7E-03
145	0.62491	1.36E-02	8.5E-03	3.46E-04	2.95E-06	1.37E-02	1.57E-01	6.35E-09	1.0E+06	6.4E-03
146	1.50759	1.36E-02	2.1E-02	3.46E-04	7.12E-06	1.37E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
147	0.1931	1.36E-02	2.6E-03	3.46E-04	9.12E-07	1.37E-02	1.57E-01	1.96E-09	1.0E+06	2.0E-03
148	0.21437	1.36E-02	2.9E-03	3.46E-04	1.01E-06	1.37E-02	1.57E-01	2.18E-09	1.0E+06	2.2E-03
149	0.23858	1.36E-02	3.3E-03	3.46E-04	1.13E-06	1.37E-02	1.57E-01	2.42E-09	1.0E+06	2.4E-03
150	0.26418	1.36E-02	3.6E-03	3.46E-04	1.25E-06	1.37E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
151	0.29392	1.36E-02	4.0E-03	3.46E-04	1.39E-06	1.37E-02	1.57E-01	2.99E-09	1.0E+06	3.0E-03
152	0.32394	1.36E-02	4.4E-03	3.46E-04	1.53E-06	1.37E-02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
153	0.3577	1.36E-02	4.9E-03	3.46E-04	1.69E-06	1.37E-02	1.57E-01	3.64E-09	1.0E+06	3.6E-03
154	0.39941	1.36E-02	5.4E-03	3.46E-04	1.89E-06	1.37E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
155	0.44952	1.36E-02	6.1E-03	3.46E-04	2.12E-06	1.37E-02	1.57E-01	4.57E-09	1.0E+06	4.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	1.36E-02	6.9E-03	3.46E-04	2.39E-06	1.37E-02	1.57E-01	5.14E-09	1.0E+06	5.1E-03
157	0.56864	1.36E-02	7.8E-03	3.46E-04	2.68E-06	1.37E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
158	0.63716	1.36E-02	8.7E-03	3.46E-04	3.01E-06	1.37E-02	1.57E-01	6.48E-09	1.0E+06	6.5E-03
159	0.74488	1.36E-02	1.0E-02	3.46E-04	3.52E-06	1.37E-02	1.57E-01	7.57E-09	1.0E+06	7.6E-03
160	0.18782	1.36E-02	2.6E-03	3.46E-04	8.87E-07	1.37E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
161	0.20685	1.36E-02	2.8E-03	3.46E-04	9.77E-07	1.37E-02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
162	0.22653	1.36E-02	3.1E-03	3.46E-04	1.07E-06	1.37E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
163	0.25651	1.36E-02	3.5E-03	3.46E-04	1.21E-06	1.37E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
164	0.29246	1.36E-02	4.0E-03	3.46E-04	1.38E-06	1.37E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
165	0.32725	1.36E-02	4.5E-03	3.46E-04	1.55E-06	1.37E-02	1.57E-01	3.33E-09	1.0E+06	3.3E-03
166	0.36919	1.36E-02	5.0E-03	3.46E-04	1.74E-06	1.37E-02	1.57E-01	3.75E-09	1.0E+06	3.8E-03
167	0.41887	1.36E-02	5.7E-03	3.46E-04	1.98E-06	1.37E-02	1.57E-01	4.26E-09	1.0E+06	4.3E-03
168	0.47877	1.36E-02	6.5E-03	3.46E-04	2.26E-06	1.37E-02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
169	0.55074	1.36E-02	7.5E-03	3.46E-04	2.60E-06	1.37E-02	1.57E-01	5.60E-09	1.0E+06	5.6E-03
170	0.63634	1.36E-02	8.7E-03	3.46E-04	3.00E-06	1.37E-02	1.57E-01	6.47E-09	1.0E+06	6.5E-03
171	0.73945	1.36E-02	1.0E-02	3.46E-04	3.49E-06	1.37E-02	1.57E-01	7.52E-09	1.0E+06	7.5E-03
172	0.87948	1.36E-02	1.2E-02	3.46E-04	4.15E-06	1.37E-02	1.57E-01	8.94E-09	1.0E+06	8.9E-03
173	1.06486	1.36E-02	1.5E-02	3.46E-04	5.03E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
174	1.31351	1.36E-02	1.8E-02	3.46E-04	6.20E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
175	1.6474	1.36E-02	2.2E-02	3.46E-04	7.78E-06	1.37E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
176	2.19565	1.36E-02	3.0E-02	3.46E-04	1.04E-05	1.37E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
177	2.85894	1.36E-02	3.9E-02	3.46E-04	1.35E-05	1.37E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
178	3.59716	1.36E-02	4.9E-02	3.46E-04	1.70E-05	1.37E-02	1.57E-01	3.66E-08	1.0E+06	3.7E-02
179	0.17443	1.36E-02	2.4E-03	3.46E-04	8.24E-07	1.37E-02	1.57E-01	1.77E-09	1.0E+06	1.8E-03
180	0.19117	1.36E-02	2.6E-03	3.46E-04	9.03E-07	1.37E-02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
181	0.20765	1.36E-02	2.8E-03	3.46E-04	9.80E-07	1.37E-02	1.57E-01	2.11E-09	1.0E+06	2.1E-03
182	0.24097	1.36E-02	3.3E-03	3.46E-04	1.14E-06	1.37E-02	1.57E-01	2.45E-09	1.0E+06	2.4E-03
183	0.28383	1.36E-02	3.9E-03	3.46E-04	1.34E-06	1.37E-02	1.57E-01	2.88E-09	1.0E+06	2.9E-03
184	0.32178	1.36E-02	4.4E-03	3.46E-04	1.52E-06	1.37E-02	1.57E-01	3.27E-09	1.0E+06	3.3E-03
185	0.36853	1.36E-02	5.0E-03	3.46E-04	1.74E-06	1.37E-02	1.57E-01	3.75E-09	1.0E+06	3.7E-03
186	0.42331	1.36E-02	5.8E-03	3.46E-04	2.00E-06	1.37E-02	1.57E-01	4.30E-09	1.0E+06	4.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	1.36E-02	6.7E-03	3.46E-04	2.31E-06	1.37E-02	1.57E-01	4.97E-09	1.0E+06	5.0E-03
188	0.57244	1.36E-02	7.8E-03	3.46E-04	2.70E-06	1.37E-02	1.57E-01	5.82E-09	1.0E+06	5.8E-03
189	0.67537	1.36E-02	9.2E-03	3.46E-04	3.19E-06	1.37E-02	1.57E-01	6.86E-09	1.0E+06	6.9E-03
190	0.80933	1.36E-02	1.1E-02	3.46E-04	3.82E-06	1.37E-02	1.57E-01	8.23E-09	1.0E+06	8.2E-03
191	0.98328	1.36E-02	1.3E-02	3.46E-04	4.64E-06	1.37E-02	1.57E-01	9.99E-09	1.0E+06	1.0E-02
192	1.23304	1.36E-02	1.7E-02	3.46E-04	5.82E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
193	1.58271	1.36E-02	2.2E-02	3.46E-04	7.47E-06	1.37E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
194	2.13464	1.36E-02	2.9E-02	3.46E-04	1.01E-05	1.37E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
195	3.0975	1.36E-02	4.2E-02	3.46E-04	1.46E-05	1.37E-02	1.57E-01	3.15E-08	1.0E+06	3.1E-02
196	4.69284	1.36E-02	6.4E-02	3.46E-04	2.22E-05	1.37E-02	1.57E-01	4.77E-08	1.0E+06	4.8E-02
197	6.88357	1.36E-02	9.4E-02	3.46E-04	3.25E-05	1.37E-02	1.57E-01	7.00E-08	1.0E+06	7.0E-02
198	0.16286	1.36E-02	2.2E-03	3.46E-04	7.69E-07	1.37E-02	1.57E-01	1.66E-09	1.0E+06	1.7E-03
199	0.1793	1.36E-02	2.4E-03	3.46E-04	8.47E-07	1.37E-02	1.57E-01	1.82E-09	1.0E+06	1.8E-03
200	0.19824	1.36E-02	2.7E-03	3.46E-04	9.36E-07	1.37E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
201	0.22447	1.36E-02	3.1E-03	3.46E-04	1.06E-06	1.37E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03
202	0.26663	1.36E-02	3.6E-03	3.46E-04	1.26E-06	1.37E-02	1.57E-01	2.71E-09	1.0E+06	2.7E-03
203	0.30715	1.36E-02	4.2E-03	3.46E-04	1.45E-06	1.37E-02	1.57E-01	3.12E-09	1.0E+06	3.1E-03
204	0.35579	1.36E-02	4.9E-03	3.46E-04	1.68E-06	1.37E-02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
205	0.41191	1.36E-02	5.6E-03	3.46E-04	1.94E-06	1.37E-02	1.57E-01	4.19E-09	1.0E+06	4.2E-03
206	0.48026	1.36E-02	6.6E-03	3.46E-04	2.27E-06	1.37E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
207	0.56684	1.36E-02	7.7E-03	3.46E-04	2.68E-06	1.37E-02	1.57E-01	5.76E-09	1.0E+06	5.8E-03
208	0.67745	1.36E-02	9.2E-03	3.46E-04	3.20E-06	1.37E-02	1.57E-01	6.89E-09	1.0E+06	6.9E-03
209	0.82589	1.36E-02	1.1E-02	3.46E-04	3.90E-06	1.37E-02	1.57E-01	8.39E-09	1.0E+06	8.4E-03
210	1.02976	1.36E-02	1.4E-02	3.46E-04	4.86E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
211	1.32605	1.36E-02	1.8E-02	3.46E-04	6.26E-06	1.37E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
212	1.76927	1.36E-02	2.4E-02	3.46E-04	8.35E-06	1.37E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
213	2.46994	1.36E-02	3.4E-02	3.46E-04	1.17E-05	1.37E-02	1.57E-01	2.51E-08	1.0E+06	2.5E-02
214	3.63615	1.36E-02	5.0E-02	3.46E-04	1.72E-05	1.37E-02	1.57E-01	3.70E-08	1.0E+06	3.7E-02
215	7.55748	1.36E-02	1.0E-01	3.46E-04	3.57E-05	1.37E-02	1.57E-01	7.68E-08	1.0E+06	7.7E-02
216	0.15431	1.36E-02	2.1E-03	3.46E-04	7.29E-07	1.37E-02	1.57E-01	1.57E-09	1.0E+06	1.6E-03
217	0.16879	1.36E-02	2.3E-03	3.46E-04	7.97E-07	1.37E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	1.36E-02	2.6E-03	3.46E-04	8.84E-07	1.37E-02	1.57E-01	1.90E-09	1.0E+06	1.9E-03
219	0.21079	1.36E-02	2.9E-03	3.46E-04	9.95E-07	1.37E-02	1.57E-01	2.14E-09	1.0E+06	2.1E-03
220	0.24803	1.36E-02	3.4E-03	3.46E-04	1.17E-06	1.37E-02	1.57E-01	2.52E-09	1.0E+06	2.5E-03
221	0.28481	1.36E-02	3.9E-03	3.46E-04	1.34E-06	1.37E-02	1.57E-01	2.89E-09	1.0E+06	2.9E-03
222	0.33289	1.36E-02	4.5E-03	3.46E-04	1.57E-06	1.37E-02	1.57E-01	3.38E-09	1.0E+06	3.4E-03
223	0.3875	1.36E-02	5.3E-03	3.46E-04	1.83E-06	1.37E-02	1.57E-01	3.94E-09	1.0E+06	3.9E-03
224	0.45352	1.36E-02	6.2E-03	3.46E-04	2.14E-06	1.37E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
225	0.53452	1.36E-02	7.3E-03	3.46E-04	2.52E-06	1.37E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
226	0.64348	1.36E-02	8.8E-03	3.46E-04	3.04E-06	1.37E-02	1.57E-01	6.54E-09	1.0E+06	6.5E-03
227	0.7871	1.36E-02	1.1E-02	3.46E-04	3.72E-06	1.37E-02	1.57E-01	8.00E-09	1.0E+06	8.0E-03
228	0.98789	1.36E-02	1.3E-02	3.46E-04	4.66E-06	1.37E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
229	1.28832	1.36E-02	1.8E-02	3.46E-04	6.08E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
230	1.75514	1.36E-02	2.4E-02	3.46E-04	8.29E-06	1.37E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
231	2.58583	1.36E-02	3.5E-02	3.46E-04	1.22E-05	1.37E-02	1.57E-01	2.63E-08	1.0E+06	2.6E-02
232	4.28751	1.36E-02	5.8E-02	3.46E-04	2.02E-05	1.37E-02	1.57E-01	4.36E-08	1.0E+06	4.4E-02
233	10.76445	1.36E-02	1.5E-01	3.46E-04	5.08E-05	1.37E-02	1.57E-01	1.09E-07	1.0E+06	1.1E-01
234	0.14796	1.36E-02	2.0E-03	3.46E-04	6.99E-07	1.37E-02	1.57E-01	1.50E-09	1.0E+06	1.5E-03
235	0.16076	1.36E-02	2.2E-03	3.46E-04	7.59E-07	1.37E-02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
236	0.17816	1.36E-02	2.4E-03	3.46E-04	8.41E-07	1.37E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
237	0.20142	1.36E-02	2.7E-03	3.46E-04	9.51E-07	1.37E-02	1.57E-01	2.05E-09	1.0E+06	2.0E-03
238	0.2321	1.36E-02	3.2E-03	3.46E-04	1.10E-06	1.37E-02	1.57E-01	2.36E-09	1.0E+06	2.4E-03
239	0.26575	1.36E-02	3.6E-03	3.46E-04	1.25E-06	1.37E-02	1.57E-01	2.70E-09	1.0E+06	2.7E-03
240	0.30828	1.36E-02	4.2E-03	3.46E-04	1.46E-06	1.37E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
241	0.35891	1.36E-02	4.9E-03	3.46E-04	1.69E-06	1.37E-02	1.57E-01	3.65E-09	1.0E+06	3.6E-03
242	0.4204	1.36E-02	5.7E-03	3.46E-04	1.98E-06	1.37E-02	1.57E-01	4.27E-09	1.0E+06	4.3E-03
243	0.49614	1.36E-02	6.8E-03	3.46E-04	2.34E-06	1.37E-02	1.57E-01	5.04E-09	1.0E+06	5.0E-03
244	0.59817	1.36E-02	8.2E-03	3.46E-04	2.82E-06	1.37E-02	1.57E-01	6.08E-09	1.0E+06	6.1E-03
245	0.7334	1.36E-02	1.0E-02	3.46E-04	3.46E-06	1.37E-02	1.57E-01	7.45E-09	1.0E+06	7.5E-03
246	0.92041	1.36E-02	1.3E-02	3.46E-04	4.35E-06	1.37E-02	1.57E-01	9.35E-09	1.0E+06	9.4E-03
247	1.19215	1.36E-02	1.6E-02	3.46E-04	5.63E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
248	1.61854	1.36E-02	2.2E-02	3.46E-04	7.64E-06	1.37E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	1.36E-02	3.2E-02	3.46E-04	1.11E-05	1.37E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
250	3.88245	1.36E-02	5.3E-02	3.46E-04	1.83E-05	1.37E-02	1.57E-01	3.95E-08	1.0E+06	3.9E-02
251	9.548	1.36E-02	1.3E-01	3.46E-04	4.51E-05	1.37E-02	1.57E-01	9.70E-08	1.0E+06	9.7E-02
252	0.14244	1.36E-02	1.9E-03	3.46E-04	6.73E-07	1.37E-02	1.57E-01	1.45E-09	1.0E+06	1.4E-03
253	0.15391	1.36E-02	2.1E-03	3.46E-04	7.27E-07	1.37E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
254	0.16905	1.36E-02	2.3E-03	3.46E-04	7.98E-07	1.37E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
255	0.1882	1.36E-02	2.6E-03	3.46E-04	8.89E-07	1.37E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
256	0.22038	1.36E-02	3.0E-03	3.46E-04	1.04E-06	1.37E-02	1.57E-01	2.24E-09	1.0E+06	2.2E-03
257	0.24395	1.36E-02	3.3E-03	3.46E-04	1.15E-06	1.37E-02	1.57E-01	2.48E-09	1.0E+06	2.5E-03
258	0.27703	1.36E-02	3.8E-03	3.46E-04	1.31E-06	1.37E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
259	0.31726	1.36E-02	4.3E-03	3.46E-04	1.50E-06	1.37E-02	1.57E-01	3.22E-09	1.0E+06	3.2E-03
260	0.37532	1.36E-02	5.1E-03	3.46E-04	1.77E-06	1.37E-02	1.57E-01	3.81E-09	1.0E+06	3.8E-03
261	0.45282	1.36E-02	6.2E-03	3.46E-04	2.14E-06	1.37E-02	1.57E-01	4.60E-09	1.0E+06	4.6E-03
262	0.54991	1.36E-02	7.5E-03	3.46E-04	2.60E-06	1.37E-02	1.57E-01	5.59E-09	1.0E+06	5.6E-03
263	0.6689	1.36E-02	9.1E-03	3.46E-04	3.16E-06	1.37E-02	1.57E-01	6.80E-09	1.0E+06	6.8E-03
264	0.83769	1.36E-02	1.1E-02	3.46E-04	3.96E-06	1.37E-02	1.57E-01	8.51E-09	1.0E+06	8.5E-03
265	1.069	1.36E-02	1.5E-02	3.46E-04	5.05E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
266	1.42172	1.36E-02	1.9E-02	3.46E-04	6.71E-06	1.37E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
267	1.98481	1.36E-02	2.7E-02	3.46E-04	9.37E-06	1.37E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
268	3.00508	1.36E-02	4.1E-02	3.46E-04	1.42E-05	1.37E-02	1.57E-01	3.05E-08	1.0E+06	3.1E-02
269	6.11415	1.36E-02	8.3E-02	3.46E-04	2.89E-05	1.37E-02	1.57E-01	6.21E-08	1.0E+06	6.2E-02
270	0.13852	1.36E-02	1.9E-03	3.46E-04	6.54E-07	1.37E-02	1.57E-01	1.41E-09	1.0E+06	1.4E-03
271	0.15026	1.36E-02	2.0E-03	3.46E-04	7.09E-07	1.37E-02	1.57E-01	1.53E-09	1.0E+06	1.5E-03
272	0.16484	1.36E-02	2.2E-03	3.46E-04	7.78E-07	1.37E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03
273	0.18199	1.36E-02	2.5E-03	3.46E-04	8.59E-07	1.37E-02	1.57E-01	1.85E-09	1.0E+06	1.8E-03
274	0.21436	1.36E-02	2.9E-03	3.46E-04	1.01E-06	1.37E-02	1.57E-01	2.18E-09	1.0E+06	2.2E-03
275	0.24454	1.36E-02	3.3E-03	3.46E-04	1.15E-06	1.37E-02	1.57E-01	2.49E-09	1.0E+06	2.5E-03
276	0.26087	1.36E-02	3.6E-03	3.46E-04	1.23E-06	1.37E-02	1.57E-01	2.65E-09	1.0E+06	2.7E-03
277	0.29564	1.36E-02	4.0E-03	3.46E-04	1.40E-06	1.37E-02	1.57E-01	3.00E-09	1.0E+06	3.0E-03
278	0.34216	1.36E-02	4.7E-03	3.46E-04	1.62E-06	1.37E-02	1.57E-01	3.48E-09	1.0E+06	3.5E-03
279	0.40447	1.36E-02	5.5E-03	3.46E-04	1.91E-06	1.37E-02	1.57E-01	4.11E-09	1.0E+06	4.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	1.36E-02	6.8E-03	3.46E-04	2.34E-06	1.37E-02	1.57E-01	5.03E-09	1.0E+06	5.0E-03
281	0.61075	1.36E-02	8.3E-03	3.46E-04	2.88E-06	1.37E-02	1.57E-01	6.21E-09	1.0E+06	6.2E-03
282	0.76016	1.36E-02	1.0E-02	3.46E-04	3.59E-06	1.37E-02	1.57E-01	7.73E-09	1.0E+06	7.7E-03
283	0.9592	1.36E-02	1.3E-02	3.46E-04	4.53E-06	1.37E-02	1.57E-01	9.75E-09	1.0E+06	9.7E-03
284	1.23907	1.36E-02	1.7E-02	3.46E-04	5.85E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
285	1.6354	1.36E-02	2.2E-02	3.46E-04	7.72E-06	1.37E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
286	2.29875	1.36E-02	3.1E-02	3.46E-04	1.09E-05	1.37E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
287	4.0984	1.36E-02	5.6E-02	3.46E-04	1.94E-05	1.37E-02	1.57E-01	4.17E-08	1.0E+06	4.2E-02
288	0.13632	1.36E-02	1.9E-03	3.46E-04	6.44E-07	1.37E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
289	0.14679	1.36E-02	2.0E-03	3.46E-04	6.93E-07	1.37E-02	1.57E-01	1.49E-09	1.0E+06	1.5E-03
290	0.16392	1.36E-02	2.2E-03	3.46E-04	7.74E-07	1.37E-02	1.57E-01	1.67E-09	1.0E+06	1.7E-03
291	0.1821	1.36E-02	2.5E-03	3.46E-04	8.60E-07	1.37E-02	1.57E-01	1.85E-09	1.0E+06	1.9E-03
292	0.22152	1.36E-02	3.0E-03	3.46E-04	1.05E-06	1.37E-02	1.57E-01	2.25E-09	1.0E+06	2.3E-03
293	0.241	1.36E-02	3.3E-03	3.46E-04	1.14E-06	1.37E-02	1.57E-01	2.45E-09	1.0E+06	2.4E-03
294	0.24821	1.36E-02	3.4E-03	3.46E-04	1.17E-06	1.37E-02	1.57E-01	2.52E-09	1.0E+06	2.5E-03
295	0.28165	1.36E-02	3.8E-03	3.46E-04	1.33E-06	1.37E-02	1.57E-01	2.86E-09	1.0E+06	2.9E-03
296	0.32446	1.36E-02	4.4E-03	3.46E-04	1.53E-06	1.37E-02	1.57E-01	3.30E-09	1.0E+06	3.3E-03
297	0.37299	1.36E-02	5.1E-03	3.46E-04	1.76E-06	1.37E-02	1.57E-01	3.79E-09	1.0E+06	3.8E-03
298	0.44378	1.36E-02	6.1E-03	3.46E-04	2.10E-06	1.37E-02	1.57E-01	4.51E-09	1.0E+06	4.5E-03
299	0.54938	1.36E-02	7.5E-03	3.46E-04	2.59E-06	1.37E-02	1.57E-01	5.58E-09	1.0E+06	5.6E-03
300	0.67014	1.36E-02	9.1E-03	3.46E-04	3.16E-06	1.37E-02	1.57E-01	6.81E-09	1.0E+06	6.8E-03
301	0.83889	1.36E-02	1.1E-02	3.46E-04	3.96E-06	1.37E-02	1.57E-01	8.53E-09	1.0E+06	8.5E-03
302	1.05754	1.36E-02	1.4E-02	3.46E-04	4.99E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
303	1.36095	1.36E-02	1.9E-02	3.46E-04	6.43E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
304	1.82968	1.36E-02	2.5E-02	3.46E-04	8.64E-06	1.37E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
305	2.94941	1.36E-02	4.0E-02	3.46E-04	1.39E-05	1.37E-02	1.57E-01	3.00E-08	1.0E+06	3.0E-02
306	0.14102	1.36E-02	1.9E-03	3.46E-04	6.66E-07	1.37E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
307	0.14805	1.36E-02	2.0E-03	3.46E-04	6.99E-07	1.37E-02	1.57E-01	1.50E-09	1.0E+06	1.5E-03
308	0.16104	1.36E-02	2.2E-03	3.46E-04	7.60E-07	1.37E-02	1.57E-01	1.64E-09	1.0E+06	1.6E-03
309	0.1881	1.36E-02	2.6E-03	3.46E-04	8.88E-07	1.37E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
310	0.21623	1.36E-02	2.9E-03	3.46E-04	1.02E-06	1.37E-02	1.57E-01	2.20E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

					Cancer Risk from 3rd Trimester					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	1.36E-02	3.2E-03	3.46E-04	1.10E-06	1.37E-02	1.57E-01	2.38E-09	1.0E+06	2.4E-03
312	0.23582	1.36E-02	3.2E-03	3.46E-04	1.11E-06	1.37E-02	1.57E-01	2.40E-09	1.0E+06	2.4E-03
313	0.2662	1.36E-02	3.6E-03	3.46E-04	1.26E-06	1.37E-02	1.57E-01	2.71E-09	1.0E+06	2.7E-03
314	0.30482	1.36E-02	4.2E-03	3.46E-04	1.44E-06	1.37E-02	1.57E-01	3.10E-09	1.0E+06	3.1E-03
315	0.36238	1.36E-02	4.9E-03	3.46E-04	1.71E-06	1.37E-02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
316	0.41173	1.36E-02	5.6E-03	3.46E-04	1.94E-06	1.37E-02	1.57E-01	4.18E-09	1.0E+06	4.2E-03
317	0.48329	1.36E-02	6.6E-03	3.46E-04	2.28E-06	1.37E-02	1.57E-01	4.91E-09	1.0E+06	4.9E-03
318	0.58024	1.36E-02	7.9E-03	3.46E-04	2.74E-06	1.37E-02	1.57E-01	5.90E-09	1.0E+06	5.9E-03
319	0.71842	1.36E-02	9.8E-03	3.46E-04	3.39E-06	1.37E-02	1.57E-01	7.30E-09	1.0E+06	7.3E-03
320	0.91725	1.36E-02	1.3E-02	3.46E-04	4.33E-06	1.37E-02	1.57E-01	9.32E-09	1.0E+06	9.3E-03
321	1.14351	1.36E-02	1.6E-02	3.46E-04	5.40E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
322	1.47884	1.36E-02	2.0E-02	3.46E-04	6.98E-06	1.37E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
323	2.2049	1.36E-02	3.0E-02	3.46E-04	1.04E-05	1.37E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
324	0.13829	1.36E-02	1.9E-03	3.46E-04	6.53E-07	1.37E-02	1.57E-01	1.41E-09	1.0E+06	1.4E-03
325	0.15341	1.36E-02	2.1E-03	3.46E-04	7.24E-07	1.37E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
326	0.16525	1.36E-02	2.3E-03	3.46E-04	7.80E-07	1.37E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03
327	0.17597	1.36E-02	2.4E-03	3.46E-04	8.31E-07	1.37E-02	1.57E-01	1.79E-09	1.0E+06	1.8E-03
328	0.21285	1.36E-02	2.9E-03	3.46E-04	1.00E-06	1.37E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
329	0.22617	1.36E-02	3.1E-03	3.46E-04	1.07E-06	1.37E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
330	0.229	1.36E-02	3.1E-03	3.46E-04	1.08E-06	1.37E-02	1.57E-01	2.33E-09	1.0E+06	2.3E-03
331	0.25812	1.36E-02	3.5E-03	3.46E-04	1.22E-06	1.37E-02	1.57E-01	2.62E-09	1.0E+06	2.6E-03
332	0.29444	1.36E-02	4.0E-03	3.46E-04	1.39E-06	1.37E-02	1.57E-01	2.99E-09	1.0E+06	3.0E-03
333	0.34735	1.36E-02	4.7E-03	3.46E-04	1.64E-06	1.37E-02	1.57E-01	3.53E-09	1.0E+06	3.5E-03
334	0.39929	1.36E-02	5.4E-03	3.46E-04	1.89E-06	1.37E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
335	0.46251	1.36E-02	6.3E-03	3.46E-04	2.18E-06	1.37E-02	1.57E-01	4.70E-09	1.0E+06	4.7E-03
336	1.34926	1.36E-02	1.8E-02	3.46E-04	6.37E-06	1.37E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
337	1.42098	1.36E-02	1.9E-02	3.46E-04	6.71E-06	1.37E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
338	0.15741	1.36E-02	2.1E-03	3.46E-04	7.43E-07	1.37E-02	1.57E-01	1.60E-09	1.0E+06	1.6E-03
339	0.16826	1.36E-02	2.3E-03	3.46E-04	7.94E-07	1.37E-02	1.57E-01	1.71E-09	1.0E+06	1.7E-03
340	0.19168	1.36E-02	2.6E-03	3.46E-04	9.05E-07	1.37E-02	1.57E-01	1.95E-09	1.0E+06	1.9E-03
341	0.20395	1.36E-02	2.8E-03	3.46E-04	9.63E-07	1.37E-02	1.57E-01	2.07E-09	1.0E+06	2.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	1.36E-02	2.9E-03	3.46E-04	9.95E-07	1.37E-02	1.57E-01	2.14E-09	1.0E+06	2.1E-03
343	0.22111	1.36E-02	3.0E-03	3.46E-04	1.04E-06	1.37E-02	1.57E-01	2.25E-09	1.0E+06	2.2E-03
344	0.22429	1.36E-02	3.1E-03	3.46E-04	1.06E-06	1.37E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03
345	0.22606	1.36E-02	3.1E-03	3.46E-04	1.07E-06	1.37E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
346	0.22606	1.36E-02	3.1E-03	3.46E-04	1.07E-06	1.37E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
347	0.17036	1.36E-02	2.3E-03	3.46E-04	8.04E-07	1.37E-02	1.57E-01	1.73E-09	1.0E+06	1.7E-03
348	0.18661	1.36E-02	2.5E-03	3.46E-04	8.81E-07	1.37E-02	1.57E-01	1.90E-09	1.0E+06	1.9E-03
349	0.21873	1.36E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.22E-09	1.0E+06	2.2E-03
350	0.22806	1.36E-02	3.1E-03	3.46E-04	1.08E-06	1.37E-02	1.57E-01	2.32E-09	1.0E+06	2.3E-03
351	0.23577	1.36E-02	3.2E-03	3.46E-04	1.11E-06	1.37E-02	1.57E-01	2.40E-09	1.0E+06	2.4E-03
352	0.24893	1.36E-02	3.4E-03	3.46E-04	1.18E-06	1.37E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
353	0.25277	1.36E-02	3.4E-03	3.46E-04	1.19E-06	1.37E-02	1.57E-01	2.57E-09	1.0E+06	2.6E-03
354	0.25385	1.36E-02	3.5E-03	3.46E-04	1.20E-06	1.37E-02	1.57E-01	2.58E-09	1.0E+06	2.6E-03
355	0.25415	1.36E-02	3.5E-03	3.46E-04	1.20E-06	1.37E-02	1.57E-01	2.58E-09	1.0E+06	2.6E-03
356	0.18604	1.36E-02	2.5E-03	3.46E-04	8.78E-07	1.37E-02	1.57E-01	1.89E-09	1.0E+06	1.9E-03
357	0.20039	1.36E-02	2.7E-03	3.46E-04	9.46E-07	1.37E-02	1.57E-01	2.04E-09	1.0E+06	2.0E-03
358	0.21891	1.36E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.22E-09	1.0E+06	2.2E-03
359	0.24942	1.36E-02	3.4E-03	3.46E-04	1.18E-06	1.37E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
360	0.26595	1.36E-02	3.6E-03	3.46E-04	1.26E-06	1.37E-02	1.57E-01	2.70E-09	1.0E+06	2.7E-03
361	0.28268	1.36E-02	3.9E-03	3.46E-04	1.33E-06	1.37E-02	1.57E-01	2.87E-09	1.0E+06	2.9E-03
362	0.28748	1.36E-02	3.9E-03	3.46E-04	1.36E-06	1.37E-02	1.57E-01	2.92E-09	1.0E+06	2.9E-03
363	0.28847	1.36E-02	3.9E-03	3.46E-04	1.36E-06	1.37E-02	1.57E-01	2.93E-09	1.0E+06	2.9E-03
364	0.20678	1.36E-02	2.8E-03	3.46E-04	9.76E-07	1.37E-02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
365	0.21895	1.36E-02	3.0E-03	3.46E-04	1.03E-06	1.37E-02	1.57E-01	2.23E-09	1.0E+06	2.2E-03
366	0.24185	1.36E-02	3.3E-03	3.46E-04	1.14E-06	1.37E-02	1.57E-01	2.46E-09	1.0E+06	2.5E-03
367	0.28223	1.36E-02	3.8E-03	3.46E-04	1.33E-06	1.37E-02	1.57E-01	2.87E-09	1.0E+06	2.9E-03
368	0.30287	1.36E-02	4.1E-03	3.46E-04	1.43E-06	1.37E-02	1.57E-01	3.08E-09	1.0E+06	3.1E-03
369	0.32466	1.36E-02	4.4E-03	3.46E-04	1.53E-06	1.37E-02	1.57E-01	3.30E-09	1.0E+06	3.3E-03
370	0.33362	1.36E-02	4.6E-03	3.46E-04	1.58E-06	1.37E-02	1.57E-01	3.39E-09	1.0E+06	3.4E-03
371	0.33293	1.36E-02	4.5E-03	3.46E-04	1.57E-06	1.37E-02	1.57E-01	3.38E-09	1.0E+06	3.4E-03
372	0.23425	1.36E-02	3.2E-03	3.46E-04	1.11E-06	1.37E-02	1.57E-01	2.38E-09	1.0E+06	2.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	1.36E-02	3.4E-03	3.46E-04	1.17E-06	1.37E-02	1.57E-01	2.52E-09	1.0E+06	2.5E-03
374	0.2758	1.36E-02	3.8E-03	3.46E-04	1.30E-06	1.37E-02	1.57E-01	2.80E-09	1.0E+06	2.8E-03
375	0.3231	1.36E-02	4.4E-03	3.46E-04	1.53E-06	1.37E-02	1.57E-01	3.28E-09	1.0E+06	3.3E-03
376	0.34946	1.36E-02	4.8E-03	3.46E-04	1.65E-06	1.37E-02	1.57E-01	3.55E-09	1.0E+06	3.6E-03
377	0.36592	1.36E-02	5.0E-03	3.46E-04	1.73E-06	1.37E-02	1.57E-01	3.72E-09	1.0E+06	3.7E-03
378	0.37782	1.36E-02	5.2E-03	3.46E-04	1.78E-06	1.37E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03
379	0.38907	1.36E-02	5.3E-03	3.46E-04	1.84E-06	1.37E-02	1.57E-01	3.95E-09	1.0E+06	4.0E-03
380	0.389	1.36E-02	5.3E-03	3.46E-04	1.84E-06	1.37E-02	1.57E-01	3.95E-09	1.0E+06	4.0E-03
381	0.38496	1.36E-02	5.3E-03	3.46E-04	1.82E-06	1.37E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
382	0.27352	1.36E-02	3.7E-03	3.46E-04	1.29E-06	1.37E-02	1.57E-01	2.78E-09	1.0E+06	2.8E-03
383	0.29685	1.36E-02	4.0E-03	3.46E-04	1.40E-06	1.37E-02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
384	0.32129	1.36E-02	4.4E-03	3.46E-04	1.52E-06	1.37E-02	1.57E-01	3.27E-09	1.0E+06	3.3E-03
385	0.3848	1.36E-02	5.2E-03	3.46E-04	1.82E-06	1.37E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
386	0.40823	1.36E-02	5.6E-03	3.46E-04	1.93E-06	1.37E-02	1.57E-01	4.15E-09	1.0E+06	4.1E-03
387	0.43009	1.36E-02	5.9E-03	3.46E-04	2.03E-06	1.37E-02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
388	0.44587	1.36E-02	6.1E-03	3.46E-04	2.11E-06	1.37E-02	1.57E-01	4.53E-09	1.0E+06	4.5E-03
389	0.46018	1.36E-02	6.3E-03	3.46E-04	2.17E-06	1.37E-02	1.57E-01	4.68E-09	1.0E+06	4.7E-03
390	0.45888	1.36E-02	6.3E-03	3.46E-04	2.17E-06	1.37E-02	1.57E-01	4.66E-09	1.0E+06	4.7E-03
391	0.45337	1.36E-02	6.2E-03	3.46E-04	2.14E-06	1.37E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
392	0.43787	1.36E-02	6.0E-03	3.46E-04	2.07E-06	1.37E-02	1.57E-01	4.45E-09	1.0E+06	4.5E-03
393	0.32603	1.36E-02	4.4E-03	3.46E-04	1.54E-06	1.37E-02	1.57E-01	3.31E-09	1.0E+06	3.3E-03
394	0.38853	1.36E-02	5.3E-03	3.46E-04	1.83E-06	1.37E-02	1.57E-01	3.95E-09	1.0E+06	3.9E-03
395	0.43296	1.36E-02	5.9E-03	3.46E-04	2.04E-06	1.37E-02	1.57E-01	4.40E-09	1.0E+06	4.4E-03
396	0.4654	1.36E-02	6.3E-03	3.46E-04	2.20E-06	1.37E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
397	0.4979	1.36E-02	6.8E-03	3.46E-04	2.35E-06	1.37E-02	1.57E-01	5.06E-09	1.0E+06	5.1E-03
398	0.51462	1.36E-02	7.0E-03	3.46E-04	2.43E-06	1.37E-02	1.57E-01	5.23E-09	1.0E+06	5.2E-03
399	0.52048	1.36E-02	7.1E-03	3.46E-04	2.46E-06	1.37E-02	1.57E-01	5.29E-09	1.0E+06	5.3E-03
400	0.55457	1.36E-02	7.6E-03	3.46E-04	2.62E-06	1.37E-02	1.57E-01	5.64E-09	1.0E+06	5.6E-03
401	0.55208	1.36E-02	7.5E-03	3.46E-04	2.61E-06	1.37E-02	1.57E-01	5.61E-09	1.0E+06	5.6E-03
402	0.51974	1.36E-02	7.1E-03	3.46E-04	2.45E-06	1.37E-02	1.57E-01	5.28E-09	1.0E+06	5.3E-03
403	0.67545	1.36E-02	9.2E-03	3.46E-04	3.19E-06	1.37E-02	1.57E-01	6.86E-09	1.0E+06	6.9E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	1.36E-02	8.7E-03	3.46E-04	3.00E-06	1.37E-02	1.57E-01	6.46E-09	1.0E+06	6.5E-03
405	0.59648	1.36E-02	8.1E-03	3.46E-04	2.82E-06	1.37E-02	1.57E-01	6.06E-09	1.0E+06	6.1E-03
406	0.8541	1.36E-02	1.2E-02	3.46E-04	4.03E-06	1.37E-02	1.57E-01	8.68E-09	1.0E+06	8.7E-03
407	0.72119	1.36E-02	9.8E-03	3.46E-04	3.41E-06	1.37E-02	1.57E-01	7.33E-09	1.0E+06	7.3E-03
408	1.11899	1.36E-02	1.5E-02	3.46E-04	5.28E-06	1.37E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
409	0.88286	1.36E-02	1.2E-02	3.46E-04	4.17E-06	1.37E-02	1.57E-01	8.97E-09	1.0E+06	9.0E-03
410	1.53458	1.36E-02	2.1E-02	3.46E-04	7.25E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
411	1.24788	1.36E-02	1.7E-02	3.46E-04	5.89E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
412	1.10769	1.36E-02	1.5E-02	3.46E-04	5.23E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
413	2.24007	1.36E-02	3.1E-02	3.46E-04	1.06E-05	1.37E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
414	1.85905	1.36E-02	2.5E-02	3.46E-04	8.78E-06	1.37E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
415	1.59815	1.36E-02	2.2E-02	3.46E-04	7.55E-06	1.37E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
416	1.34652	1.36E-02	1.8E-02	3.46E-04	6.36E-06	1.37E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
417	3.57218	1.36E-02	4.9E-02	3.46E-04	1.69E-05	1.37E-02	1.57E-01	3.63E-08	1.0E+06	3.6E-02
418	2.01893	1.36E-02	2.8E-02	3.46E-04	9.53E-06	1.37E-02	1.57E-01	2.05E-08	1.0E+06	2.1E-02
419	1.58987	1.36E-02	2.2E-02	3.46E-04	7.51E-06	1.37E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
420	1.2521	1.36E-02	1.7E-02	3.46E-04	5.91E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
421	6.42312	1.36E-02	8.8E-02	3.46E-04	3.03E-05	1.37E-02	1.57E-01	6.53E-08	1.0E+06	6.5E-02
422	1.77737	1.36E-02	2.4E-02	3.46E-04	8.39E-06	1.37E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
423	1.33662	1.36E-02	1.8E-02	3.46E-04	6.31E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
424	12.91388	1.36E-02	1.8E-01	3.46E-04	6.10E-05	1.37E-02	1.57E-01	1.31E-07	1.0E+06	1.3E-01
425	1.34203	1.36E-02	1.8E-02	3.46E-04	6.34E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
426	1.01676	1.36E-02	1.4E-02	3.46E-04	4.80E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
427	22.75271	1.36E-02	3.1E-01	3.46E-04	1.07E-04	1.37E-02	1.57E-01	2.31E-07	1.0E+06	2.3E-01
428	1.27773	1.36E-02	1.7E-02	3.46E-04	6.03E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
429	0.96908	1.36E-02	1.3E-02	3.46E-04	4.58E-06	1.37E-02	1.57E-01	9.85E-09	1.0E+06	9.8E-03
430	21.09262	1.36E-02	2.9E-01	3.46E-04	9.96E-05	1.37E-02	1.57E-01	2.14E-07	1.0E+06	2.1E-01
431	0.90443	1.36E-02	1.2E-02	3.46E-04	4.27E-06	1.37E-02	1.57E-01	9.19E-09	1.0E+06	9.2E-03
432	0.71229	1.36E-02	9.7E-03	3.46E-04	3.36E-06	1.37E-02	1.57E-01	7.24E-09	1.0E+06	7.2E-03
433	13.11622	1.36E-02	1.8E-01	3.46E-04	6.19E-05	1.37E-02	1.57E-01	1.33E-07	1.0E+06	1.3E-01
434	0.83575	1.36E-02	1.1E-02	3.46E-04	3.95E-06	1.37E-02	1.57E-01	8.49E-09	1.0E+06	8.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	1.36E-02	9.1E-03	3.46E-04	3.16E-06	1.37E-02	1.57E-01	6.81E-09	1.0E+06	6.8E-03
436	8.0879	1.36E-02	1.1E-01	3.46E-04	3.82E-05	1.37E-02	1.57E-01	8.22E-08	1.0E+06	8.2E-02
437	0.97518	1.36E-02	1.3E-02	3.46E-04	4.60E-06	1.37E-02	1.57E-01	9.91E-09	1.0E+06	9.9E-03
438	0.76912	1.36E-02	1.0E-02	3.46E-04	3.63E-06	1.37E-02	1.57E-01	7.82E-09	1.0E+06	7.8E-03
439	0.6239	1.36E-02	8.5E-03	3.46E-04	2.95E-06	1.37E-02	1.57E-01	6.34E-09	1.0E+06	6.3E-03
440	5.21196	1.36E-02	7.1E-02	3.46E-04	2.46E-05	1.37E-02	1.57E-01	5.30E-08	1.0E+06	5.3E-02
441	1.57338	1.36E-02	2.1E-02	3.46E-04	7.43E-06	1.37E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
442	1.14958	1.36E-02	1.6E-02	3.46E-04	5.43E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
443	0.88407	1.36E-02	1.2E-02	3.46E-04	4.17E-06	1.37E-02	1.57E-01	8.99E-09	1.0E+06	9.0E-03
444	0.70507	1.36E-02	9.6E-03	3.46E-04	3.33E-06	1.37E-02	1.57E-01	7.17E-09	1.0E+06	7.2E-03
445	3.55393	1.36E-02	4.8E-02	3.46E-04	1.68E-05	1.37E-02	1.57E-01	3.61E-08	1.0E+06	3.6E-02
446	1.95063	1.36E-02	2.7E-02	3.46E-04	9.21E-06	1.37E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
447	1.38871	1.36E-02	1.9E-02	3.46E-04	6.56E-06	1.37E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
448	1.03194	1.36E-02	1.4E-02	3.46E-04	4.87E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
449	2.54704	1.36E-02	3.5E-02	3.46E-04	1.20E-05	1.37E-02	1.57E-01	2.59E-08	1.0E+06	2.6E-02
450	2.13244	1.36E-02	2.9E-02	3.46E-04	1.01E-05	1.37E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
451	1.63606	1.36E-02	2.2E-02	3.46E-04	7.72E-06	1.37E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
452	1.90224	1.36E-02	2.6E-02	3.46E-04	8.98E-06	1.37E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
453	1.68146	1.36E-02	2.3E-02	3.46E-04	7.94E-06	1.37E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
454	0.45602	1.36E-02	6.2E-03	3.46E-04	2.15E-06	1.37E-02	1.57E-01	4.63E-09	1.0E+06	4.6E-03
455	0.39292	1.36E-02	5.4E-03	3.46E-04	1.86E-06	1.37E-02	1.57E-01	3.99E-09	1.0E+06	4.0E-03
456	1.46911	1.36E-02	2.0E-02	3.46E-04	6.94E-06	1.37E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
457	1.34798	1.36E-02	1.8E-02	3.46E-04	6.36E-06	1.37E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
458	1.14854	1.36E-02	1.6E-02	3.46E-04	5.42E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
459	0.60959	1.36E-02	8.3E-03	3.46E-04	2.88E-06	1.37E-02	1.57E-01	6.20E-09	1.0E+06	6.2E-03
460	0.50521	1.36E-02	6.9E-03	3.46E-04	2.39E-06	1.37E-02	1.57E-01	5.13E-09	1.0E+06	5.1E-03
461	0.42667	1.36E-02	5.8E-03	3.46E-04	2.01E-06	1.37E-02	1.57E-01	4.34E-09	1.0E+06	4.3E-03
462	0.36664	1.36E-02	5.0E-03	3.46E-04	1.73E-06	1.37E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
463	1.56366	1.36E-02	2.1E-02	3.46E-04	7.38E-06	1.37E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
464	1.67908	1.36E-02	2.3E-02	3.46E-04	7.93E-06	1.37E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
465	2.37925	1.36E-02	3.2E-02	3.46E-04	1.12E-05	1.37E-02	1.57E-01	2.42E-08	1.0E+06	2.4E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	1.36E-02	4.0E-02	3.46E-04	1.37E-05	1.37E-02	1.57E-01	2.95E-08	1.0E+06	3.0E-02
467	4.03499	1.36E-02	5.5E-02	3.46E-04	1.91E-05	1.37E-02	1.57E-01	4.10E-08	1.0E+06	4.1E-02
468	8.35246	1.36E-02	1.1E-01	3.46E-04	3.94E-05	1.37E-02	1.57E-01	8.49E-08	1.0E+06	8.5E-02
469	28.13292	1.36E-02	3.8E-01	3.46E-04	1.33E-04	1.37E-02	1.57E-01	2.86E-07	1.0E+06	2.9E-01
470	20.35286	1.36E-02	2.8E-01	3.46E-04	9.61E-05	1.37E-02	1.57E-01	2.07E-07	1.0E+06	2.1E-01
471	34.54288	1.36E-02	4.7E-01	3.46E-04	1.63E-04	1.37E-02	1.57E-01	3.51E-07	1.0E+06	3.5E-01
472	27.90221	1.36E-02	3.8E-01	3.46E-04	1.32E-04	1.37E-02	1.57E-01	2.84E-07	1.0E+06	2.8E-01
473	29.67594	1.36E-02	4.0E-01	3.46E-04	1.40E-04	1.37E-02	1.57E-01	3.02E-07	1.0E+06	3.0E-01
474	13.04296	1.36E-02	1.8E-01	3.46E-04	6.16E-05	1.37E-02	1.57E-01	1.33E-07	1.0E+06	1.3E-01
475	22.08892	1.36E-02	3.0E-01	3.46E-04	1.04E-04	1.37E-02	1.57E-01	2.25E-07	1.0E+06	2.2E-01
476	6.99817	1.36E-02	9.5E-02	3.46E-04	3.30E-05	1.37E-02	1.57E-01	7.11E-08	1.0E+06	7.1E-02
477	9.76012	1.36E-02	1.3E-01	3.46E-04	4.61E-05	1.37E-02	1.57E-01	9.92E-08	1.0E+06	9.9E-02
478	4.29281	1.36E-02	5.9E-02	3.46E-04	2.03E-05	1.37E-02	1.57E-01	4.36E-08	1.0E+06	4.4E-02
479	5.44714	1.36E-02	7.4E-02	3.46E-04	2.57E-05	1.37E-02	1.57E-01	5.54E-08	1.0E+06	5.5E-02
480	5.4004	1.36E-02	7.4E-02	3.46E-04	2.55E-05	1.37E-02	1.57E-01	5.49E-08	1.0E+06	5.5E-02
481	2.88653	1.36E-02	3.9E-02	3.46E-04	1.36E-05	1.37E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
482	3.54717	1.36E-02	4.8E-02	3.46E-04	1.67E-05	1.37E-02	1.57E-01	3.61E-08	1.0E+06	3.6E-02
483	2.40679	1.36E-02	3.3E-02	3.46E-04	1.14E-05	1.37E-02	1.57E-01	2.45E-08	1.0E+06	2.4E-02
484	2.49271	1.36E-02	3.4E-02	3.46E-04	1.18E-05	1.37E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	2.73E-04
2	5	2.76E-04
3	5	2.79E-04
4	5	2.82E-04
5	5	2.86E-04
6	5	2.94E-04
7	5	3.03E-04
8	5	3.15E-04
9	5	3.29E-04
10	5	3.48E-04
11	5	3.72E-04
12	5	3.97E-04
13	5	4.25E-04
14	5	5.94E-04
15	5	3.03E-04
16	5	3.06E-04
17	5	3.11E-04
18	5	3.14E-04
19	5	3.17E-04
20	5	3.23E-04
21	5	3.30E-04
22	5	3.40E-04
23	5	3.57E-04
24	5	3.74E-04
25	5	4.03E-04
26	5	4.34E-04
27	5	4.60E-04
28	5	6.66E-04
29	5	3.36E-04
30	5	3.43E-04
31	5	3.50E-04

Max	Receptor #	
0.094	471	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	3.55E-04
33	5	3.55E-04
34	5	3.60E-04
35	5	3.66E-04
36	5	3.75E-04
37	5	3.90E-04
38	5	4.10E-04
39	5	4.38E-04
40	5	4.69E-04
41	5	5.00E-04
42	5	7.53E-04
43	5	3.69E-04
44	5	3.80E-04
45	5	3.89E-04
46	5	3.96E-04
47	5	4.01E-04
48	5	4.05E-04
49	5	4.09E-04
50	5	4.14E-04
51	5	4.32E-04
52	5	4.51E-04
53	5	4.81E-04
54	5	5.17E-04
55	5	5.57E-04
56	5	8.62E-04
57	5	4.01E-04
58	5	4.16E-04
59	5	4.30E-04
60	5	4.42E-04
61	5	4.52E-04
62	5	4.61E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	4.72E-04
64	5	4.70E-04
65	5	4.86E-04
66	5	5.07E-04
67	5	5.32E-04
68	5	5.78E-04
69	5	6.31E-04
70	5	4.34E-04
71	5	4.53E-04
72	5	4.72E-04
73	5	4.90E-04
74	5	5.06E-04
75	5	5.25E-04
76	5	5.41E-04
77	5	5.48E-04
78	5	5.66E-04
79	5	6.06E-04
80	5	6.23E-04
81	5	6.86E-04
82	5	7.33E-04
83	5	4.67E-04
84	5	4.91E-04
85	5	5.12E-04
86	5	5.41E-04
87	5	5.67E-04
88	5	5.93E-04
89	5	6.20E-04
90	5	6.47E-04
91	5	6.77E-04
92	5	7.13E-04
93	5	7.54E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	8.07E-04
95	5	8.73E-04
96	5	4.97E-04
97	5	5.21E-04
98	5	5.48E-04
99	5	5.86E-04
100	5	6.26E-04
101	5	6.62E-04
102	5	6.99E-04
103	5	7.37E-04
104	5	7.77E-04
105	5	8.19E-04
106	5	8.70E-04
107	5	9.33E-04
108	5	1.01E-03
109	5	5.19E-04
110	5	5.56E-04
111	5	5.96E-04
112	5	6.39E-04
113	5	6.85E-04
114	5	7.33E-04
115	5	7.83E-04
116	5	8.35E-04
117	5	8.92E-04
118	5	9.24E-04
119	5	9.91E-04
120	5	1.06E-03
121	5	1.14E-03
122	5	5.34E-04
123	5	5.78E-04
124	5	6.30E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	6.82E-04
126	5	7.37E-04
127	5	7.96E-04
128	5	8.38E-04
129	5	9.07E-04
130	5	1.00E-03
131	5	3.05E-03
132	5	3.16E-03
133	5	5.36E-04
134	5	5.92E-04
135	5	6.51E-04
136	5	7.12E-04
137	5	7.79E-04
138	5	8.49E-04
139	5	9.16E-04
140	5	1.03E-03
141	5	1.13E-03
142	5	1.25E-03
143	5	1.38E-03
144	5	1.54E-03
145	5	1.70E-03
146	5	4.11E-03
147	5	5.27E-04
148	5	5.85E-04
149	5	6.51E-04
150	5	7.21E-04
151	5	8.02E-04
152	5	8.84E-04
153	5	9.76E-04
154	5	1.09E-03
155	5	1.23E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.38E-03
157	5	1.55E-03
158	5	1.74E-03
159	5	2.03E-03
160	5	5.12E-04
161	5	5.64E-04
162	5	6.18E-04
163	5	7.00E-04
164	5	7.98E-04
165	5	8.93E-04
166	5	1.01E-03
167	5	1.14E-03
168	5	1.31E-03
169	5	1.50E-03
170	5	1.74E-03
171	5	2.02E-03
172	5	2.40E-03
173	5	2.90E-03
174	5	3.58E-03
175	5	4.49E-03
176	5	5.99E-03
177	5	7.80E-03
178	5	9.81E-03
179	5	4.76E-04
180	5	5.21E-04
181	5	5.66E-04
182	5	6.57E-04
183	5	7.74E-04
184	5	8.78E-04
185	5	1.01E-03
186	5	1.15E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.33E-03
188	5	1.56E-03
189	5	1.84E-03
190	5	2.21E-03
191	5	2.68E-03
192	5	3.36E-03
193	5	4.32E-03
194	5	5.82E-03
195	5	8.45E-03
196	5	1.28E-02
197	5	1.88E-02
198	5	4.44E-04
199	5	4.89E-04
200	5	5.41E-04
201	5	6.12E-04
202	5	7.27E-04
203	5	8.38E-04
204	5	9.71E-04
205	5	1.12E-03
206	5	1.31E-03
207	5	1.55E-03
208	5	1.85E-03
209	5	2.25E-03
210	5	2.81E-03
211	5	3.62E-03
212	5	4.83E-03
213	5	6.74E-03
214	5	9.92E-03
215	5	2.06E-02
216	5	4.21E-04
217	5	4.60E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	5.11E-04
219	5	5.75E-04
220	5	6.77E-04
221	5	7.77E-04
222	5	9.08E-04
223	5	1.06E-03
224	5	1.24E-03
225	5	1.46E-03
226	5	1.76E-03
227	5	2.15E-03
228	5	2.69E-03
229	5	3.51E-03
230	5	4.79E-03
231	5	7.05E-03
232	5	1.17E-02
233	5	2.94E-02
234	5	4.04E-04
235	5	4.39E-04
236	5	4.86E-04
237	5	5.49E-04
238	5	6.33E-04
239	5	7.25E-04
240	5	8.41E-04
241	5	9.79E-04
242	5	1.15E-03
243	5	1.35E-03
244	5	1.63E-03
245	5	2.00E-03
246	5	2.51E-03
247	5	3.25E-03
248	5	4.42E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	6.42E-03
250	5	1.06E-02
251	5	2.60E-02
252	5	3.89E-04
253	5	4.20E-04
254	5	4.61E-04
255	5	5.13E-04
256	5	6.01E-04
257	5	6.65E-04
258	5	7.56E-04
259	5	8.65E-04
260	5	1.02E-03
261	5	1.24E-03
262	5	1.50E-03
263	5	1.82E-03
264	5	2.29E-03
265	5	2.92E-03
266	5	3.88E-03
267	5	5.41E-03
268	5	8.20E-03
269	5	1.67E-02
270	5	3.78E-04
271	5	4.10E-04
272	5	4.50E-04
273	5	4.96E-04
274	5	5.85E-04
275	5	6.67E-04
276	5	7.12E-04
277	5	8.06E-04
278	5	9.33E-04
279	5	1.10E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.35E-03
281	5	1.67E-03
282	5	2.07E-03
283	5	2.62E-03
284	5	3.38E-03
285	5	4.46E-03
286	5	6.27E-03
287	5	1.12E-02
288	5	3.72E-04
289	5	4.00E-04
290	5	4.47E-04
291	5	4.97E-04
292	5	6.04E-04
293	5	6.57E-04
294	5	6.77E-04
295	5	7.68E-04
296	5	8.85E-04
297	5	1.02E-03
298	5	1.21E-03
299	5	1.50E-03
300	5	1.83E-03
301	5	2.29E-03
302	5	2.88E-03
303	5	3.71E-03
304	5	4.99E-03
305	5	8.05E-03
306	5	3.85E-04
307	5	4.04E-04
308	5	4.39E-04
309	5	5.13E-04
310	5	5.90E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	6.38E-04
312	5	6.43E-04
313	5	7.26E-04
314	5	8.32E-04
315	5	9.89E-04
316	5	1.12E-03
317	5	1.32E-03
318	5	1.58E-03
319	5	1.96E-03
320	5	2.50E-03
321	5	3.12E-03
322	5	4.03E-03
323	5	6.01E-03
324	5	3.77E-04
325	5	4.18E-04
326	5	4.51E-04
327	5	4.80E-04
328	5	5.81E-04
329	5	6.17E-04
330	5	6.25E-04
331	5	7.04E-04
332	5	8.03E-04
333	5	9.48E-04
334	5	1.09E-03
335	5	1.26E-03
336	5	3.68E-03
337	5	3.88E-03
338	5	4.29E-04
339	5	4.59E-04
340	5	5.23E-04
341	5	5.56E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	5.75E-04
343	5	6.03E-04
344	5	6.12E-04
345	5	6.17E-04
346	5	6.17E-04
347	5	4.65E-04
348	5	5.09E-04
349	5	5.97E-04
350	5	6.22E-04
351	5	6.43E-04
352	5	6.79E-04
353	5	6.90E-04
354	5	6.92E-04
355	5	6.93E-04
356	5	5.07E-04
357	5	5.47E-04
358	5	5.97E-04
359	5	6.80E-04
360	5	7.25E-04
361	5	7.71E-04
362	5	7.84E-04
363	5	7.87E-04
364	5	5.64E-04
365	5	5.97E-04
366	5	6.60E-04
367	5	7.70E-04
368	5	8.26E-04
369	5	8.86E-04
370	5	9.10E-04
371	5	9.08E-04
372	5	6.39E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	6.76E-04
374	5	7.52E-04
375	5	8.81E-04
376	5	9.53E-04
377	5	9.98E-04
378	5	1.03E-03
379	5	1.06E-03
380	5	1.06E-03
381	5	1.05E-03
382	5	7.46E-04
383	5	8.10E-04
384	5	8.76E-04
385	5	1.05E-03
386	5	1.11E-03
387	5	1.17E-03
388	5	1.22E-03
389	5	1.26E-03
390	5	1.25E-03
391	5	1.24E-03
392	5	1.19E-03
393	5	8.89E-04
394	5	1.06E-03
395	5	1.18E-03
396	5	1.27E-03
397	5	1.36E-03
398	5	1.40E-03
399	5	1.42E-03
400	5	1.51E-03
401	5	1.51E-03
402	5	1.42E-03
403	5	1.84E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.73E-03
405	5	1.63E-03
406	5	2.33E-03
407	5	1.97E-03
408	5	3.05E-03
409	5	2.41E-03
410	5	4.19E-03
411	5	3.40E-03
412	5	3.02E-03
413	5	6.11E-03
414	5	5.07E-03
415	5	4.36E-03
416	5	3.67E-03
417	5	9.74E-03
418	5	5.51E-03
419	5	4.34E-03
420	5	3.42E-03
421	5	1.75E-02
422	5	4.85E-03
423	5	3.65E-03
424	5	3.52E-02
425	5	3.66E-03
426	5	2.77E-03
427	5	6.21E-02
428	5	3.49E-03
429	5	2.64E-03
430	5	5.75E-02
431	5	2.47E-03
432	5	1.94E-03
433	5	3.58E-02
434	5	2.28E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.83E-03
436	5	2.21E-02
437	5	2.66E-03
438	5	2.10E-03
439	5	1.70E-03
440	5	1.42E-02
441	5	4.29E-03
442	5	3.14E-03
443	5	2.41E-03
444	5	1.92E-03
445	5	9.69E-03
446	5	5.32E-03
447	5	3.79E-03
448	5	2.81E-03
449	5	6.95E-03
450	5	5.82E-03
451	5	4.46E-03
452	5	5.19E-03
453	5	4.59E-03
454	5	1.24E-03
455	5	1.07E-03
456	5	4.01E-03
457	5	3.68E-03
458	5	3.13E-03
459	5	1.66E-03
460	5	1.38E-03
461	5	1.16E-03
462	5	1.00E-03
463	5	4.27E-03
464	5	4.58E-03
465	5	6.49E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	7.92E-03
467	5	1.10E-02
468	5	2.28E-02
469	5	7.67E-02
470	5	5.55E-02
471	5	9.42E-02
472	5	7.61E-02
473	5	8.10E-02
474	5	3.56E-02
475	5	6.03E-02
476	5	1.91E-02
477	5	2.66E-02
478	5	1.17E-02
479	5	1.49E-02
480	5	1.47E-02
481	5	7.87E-03
482	5	9.68E-03
483	5	6.57E-03
484	5	6.80E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

							Cancer Risk from 3rd Trimester			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	0.09997	1.36E-02	1.4E-03	1.05E-03	1.43E-06	1.10E-02	1.57E-01	2.45E-09	1.0E+06	2.5E-03
2	0.10116	1.36E-02	1.4E-03	1.05E-03	1.44E-06	1.10E-02	1.57E-01	2.48E-09	1.0E+06	2.5E-03
3	0.10225	1.36E-02	1.4E-03	1.05E-03	1.46E-06	1.10E-02	1.57E-01	2.51E-09	1.0E+06	2.5E-03
4	0.10353	1.36E-02	1.4E-03	1.05E-03	1.48E-06	1.10E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
5	0.1049	1.36E-02	1.4E-03	1.05E-03	1.50E-06	1.10E-02	1.57E-01	2.58E-09	1.0E+06	2.6E-03
6	0.10762	1.36E-02	1.5E-03	1.05E-03	1.53E-06	1.10E-02	1.57E-01	2.64E-09	1.0E+06	2.6E-03
7	0.11114	1.36E-02	1.5E-03	1.05E-03	1.58E-06	1.10E-02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
8	0.11544	1.36E-02	1.6E-03	1.05E-03	1.65E-06	1.10E-02	1.57E-01	2.83E-09	1.0E+06	2.8E-03
9	0.12067	1.36E-02	1.6E-03	1.05E-03	1.72E-06	1.10E-02	1.57E-01	2.96E-09	1.0E+06	3.0E-03
10	0.12749	1.36E-02	1.7E-03	1.05E-03	1.82E-06	1.10E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
11	0.13627	1.36E-02	1.9E-03	1.05E-03	1.94E-06	1.10E-02	1.57E-01	3.35E-09	1.0E+06	3.3E-03
12	0.1456	1.36E-02	2.0E-03	1.05E-03	2.08E-06	1.10E-02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
13	0.15591	1.36E-02	2.1E-03	1.05E-03	2.22E-06	1.10E-02	1.57E-01	3.83E-09	1.0E+06	3.8E-03
14	0.21775	1.36E-02	3.0E-03	1.05E-03	3.10E-06	1.10E-02	1.57E-01	5.35E-09	1.0E+06	5.3E-03
15	0.11116	1.36E-02	1.5E-03	1.05E-03	1.58E-06	1.10E-02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
16	0.11231	1.36E-02	1.5E-03	1.05E-03	1.60E-06	1.10E-02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
17	0.11409	1.36E-02	1.6E-03	1.05E-03	1.63E-06	1.10E-02	1.57E-01	2.80E-09	1.0E+06	2.8E-03
18	0.1152	1.36E-02	1.6E-03	1.05E-03	1.64E-06	1.10E-02	1.57E-01	2.83E-09	1.0E+06	2.8E-03
19	0.11623	1.36E-02	1.6E-03	1.05E-03	1.66E-06	1.10E-02	1.57E-01	2.85E-09	1.0E+06	2.9E-03
20	0.11825	1.36E-02	1.6E-03	1.05E-03	1.69E-06	1.10E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
21	0.12106	1.36E-02	1.7E-03	1.05E-03	1.73E-06	1.10E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
22	0.12456	1.36E-02	1.7E-03	1.05E-03	1.78E-06	1.10E-02	1.57E-01	3.06E-09	1.0E+06	3.1E-03
23	0.13094	1.36E-02	1.8E-03	1.05E-03	1.87E-06	1.10E-02	1.57E-01	3.21E-09	1.0E+06	3.2E-03
24	0.13716	1.36E-02	1.9E-03	1.05E-03	1.96E-06	1.10E-02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
25	0.14759	1.36E-02	2.0E-03	1.05E-03	2.10E-06	1.10E-02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
26	0.15892	1.36E-02	2.2E-03	1.05E-03	2.27E-06	1.10E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
27	0.16875	1.36E-02	2.3E-03	1.05E-03	2.41E-06	1.10E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
28	0.24418	1.36E-02	3.3E-03	1.05E-03	3.48E-06	1.10E-02	1.57E-01	5.99E-09	1.0E+06	6.0E-03
29	0.12315	1.36E-02	1.7E-03	1.05E-03	1.76E-06	1.10E-02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
30	0.12567	1.36E-02	1.7E-03	1.05E-03	1.79E-06	1.10E-02	1.57E-01	3.09E-09	1.0E+06	3.1E-03
31	0.12837	1.36E-02	1.8E-03	1.05E-03	1.83E-06	1.10E-02	1.57E-01	3.15E-09	1.0E+06	3.2E-03

	Max	Receptor #
Res	0.848	471

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	1.36E-02	1.8E-03	1.05E-03	1.86E-06	1.10E-02	1.57E-01	3.20E-09	1.0E+06	3.2E-03
33	0.13031	1.36E-02	1.8E-03	1.05E-03	1.86E-06	1.10E-02	1.57E-01	3.20E-09	1.0E+06	3.2E-03
34	0.13211	1.36E-02	1.8E-03	1.05E-03	1.88E-06	1.10E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
35	0.13406	1.36E-02	1.8E-03	1.05E-03	1.91E-06	1.10E-02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
36	0.13747	1.36E-02	1.9E-03	1.05E-03	1.96E-06	1.10E-02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
37	0.14288	1.36E-02	1.9E-03	1.05E-03	2.04E-06	1.10E-02	1.57E-01	3.51E-09	1.0E+06	3.5E-03
38	0.15048	1.36E-02	2.1E-03	1.05E-03	2.15E-06	1.10E-02	1.57E-01	3.69E-09	1.0E+06	3.7E-03
39	0.16057	1.36E-02	2.2E-03	1.05E-03	2.29E-06	1.10E-02	1.57E-01	3.94E-09	1.0E+06	3.9E-03
40	0.17181	1.36E-02	2.3E-03	1.05E-03	2.45E-06	1.10E-02	1.57E-01	4.22E-09	1.0E+06	4.2E-03
41	0.18337	1.36E-02	2.5E-03	1.05E-03	2.61E-06	1.10E-02	1.57E-01	4.50E-09	1.0E+06	4.5E-03
42	0.27606	1.36E-02	3.8E-03	1.05E-03	3.94E-06	1.10E-02	1.57E-01	6.78E-09	1.0E+06	6.8E-03
43	0.13523	1.36E-02	1.8E-03	1.05E-03	1.93E-06	1.10E-02	1.57E-01	3.32E-09	1.0E+06	3.3E-03
44	0.13913	1.36E-02	1.9E-03	1.05E-03	1.98E-06	1.10E-02	1.57E-01	3.42E-09	1.0E+06	3.4E-03
45	0.14273	1.36E-02	1.9E-03	1.05E-03	2.03E-06	1.10E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03
46	0.14534	1.36E-02	2.0E-03	1.05E-03	2.07E-06	1.10E-02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
47	0.14689	1.36E-02	2.0E-03	1.05E-03	2.09E-06	1.10E-02	1.57E-01	3.61E-09	1.0E+06	3.6E-03
48	0.14854	1.36E-02	2.0E-03	1.05E-03	2.12E-06	1.10E-02	1.57E-01	3.65E-09	1.0E+06	3.6E-03
49	0.14984	1.36E-02	2.0E-03	1.05E-03	2.14E-06	1.10E-02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
50	0.15161	1.36E-02	2.1E-03	1.05E-03	2.16E-06	1.10E-02	1.57E-01	3.72E-09	1.0E+06	3.7E-03
51	0.15836	1.36E-02	2.2E-03	1.05E-03	2.26E-06	1.10E-02	1.57E-01	3.89E-09	1.0E+06	3.9E-03
52	0.16548	1.36E-02	2.3E-03	1.05E-03	2.36E-06	1.10E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
53	0.17641	1.36E-02	2.4E-03	1.05E-03	2.51E-06	1.10E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
54	0.18951	1.36E-02	2.6E-03	1.05E-03	2.70E-06	1.10E-02	1.57E-01	4.65E-09	1.0E+06	4.7E-03
55	0.20421	1.36E-02	2.8E-03	1.05E-03	2.91E-06	1.10E-02	1.57E-01	5.01E-09	1.0E+06	5.0E-03
56	0.31605	1.36E-02	4.3E-03	1.05E-03	4.51E-06	1.10E-02	1.57E-01	7.76E-09	1.0E+06	7.8E-03
57	0.14708	1.36E-02	2.0E-03	1.05E-03	2.10E-06	1.10E-02	1.57E-01	3.61E-09	1.0E+06	3.6E-03
58	0.15242	1.36E-02	2.1E-03	1.05E-03	2.17E-06	1.10E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
59	0.15749	1.36E-02	2.1E-03	1.05E-03	2.25E-06	1.10E-02	1.57E-01	3.87E-09	1.0E+06	3.9E-03
60	0.16209	1.36E-02	2.2E-03	1.05E-03	2.31E-06	1.10E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03
61	0.16587	1.36E-02	2.3E-03	1.05E-03	2.36E-06	1.10E-02	1.57E-01	4.07E-09	1.0E+06	4.1E-03
62	0.1689	1.36E-02	2.3E-03	1.05E-03	2.41E-06	1.10E-02	1.57E-01	4.15E-09	1.0E+06	4.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	1.36E-02	2.4E-03	1.05E-03	2.47E-06	1.10E-02	1.57E-01	4.25E-09	1.0E+06	4.2E-03
64	0.17221	1.36E-02	2.3E-03	1.05E-03	2.45E-06	1.10E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
65	0.17802	1.36E-02	2.4E-03	1.05E-03	2.54E-06	1.10E-02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
66	0.18602	1.36E-02	2.5E-03	1.05E-03	2.65E-06	1.10E-02	1.57E-01	4.57E-09	1.0E+06	4.6E-03
67	0.19503	1.36E-02	2.7E-03	1.05E-03	2.78E-06	1.10E-02	1.57E-01	4.79E-09	1.0E+06	4.8E-03
68	0.21198	1.36E-02	2.9E-03	1.05E-03	3.02E-06	1.10E-02	1.57E-01	5.20E-09	1.0E+06	5.2E-03
69	0.23133	1.36E-02	3.2E-03	1.05E-03	3.30E-06	1.10E-02	1.57E-01	5.68E-09	1.0E+06	5.7E-03
70	0.15915	1.36E-02	2.2E-03	1.05E-03	2.27E-06	1.10E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
71	0.16615	1.36E-02	2.3E-03	1.05E-03	2.37E-06	1.10E-02	1.57E-01	4.08E-09	1.0E+06	4.1E-03
72	0.17306	1.36E-02	2.4E-03	1.05E-03	2.47E-06	1.10E-02	1.57E-01	4.25E-09	1.0E+06	4.2E-03
73	0.17979	1.36E-02	2.5E-03	1.05E-03	2.56E-06	1.10E-02	1.57E-01	4.41E-09	1.0E+06	4.4E-03
74	0.1856	1.36E-02	2.5E-03	1.05E-03	2.65E-06	1.10E-02	1.57E-01	4.56E-09	1.0E+06	4.6E-03
75	0.19262	1.36E-02	2.6E-03	1.05E-03	2.75E-06	1.10E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
76	0.19839	1.36E-02	2.7E-03	1.05E-03	2.83E-06	1.10E-02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
77	0.20099	1.36E-02	2.7E-03	1.05E-03	2.87E-06	1.10E-02	1.57E-01	4.93E-09	1.0E+06	4.9E-03
78	0.20736	1.36E-02	2.8E-03	1.05E-03	2.96E-06	1.10E-02	1.57E-01	5.09E-09	1.0E+06	5.1E-03
79	0.22199	1.36E-02	3.0E-03	1.05E-03	3.16E-06	1.10E-02	1.57E-01	5.45E-09	1.0E+06	5.4E-03
80	0.22851	1.36E-02	3.1E-03	1.05E-03	3.26E-06	1.10E-02	1.57E-01	5.61E-09	1.0E+06	5.6E-03
81	0.25141	1.36E-02	3.4E-03	1.05E-03	3.58E-06	1.10E-02	1.57E-01	6.17E-09	1.0E+06	6.2E-03
82	0.26864	1.36E-02	3.7E-03	1.05E-03	3.83E-06	1.10E-02	1.57E-01	6.60E-09	1.0E+06	6.6E-03
83	0.17123	1.36E-02	2.3E-03	1.05E-03	2.44E-06	1.10E-02	1.57E-01	4.20E-09	1.0E+06	4.2E-03
84	0.17986	1.36E-02	2.5E-03	1.05E-03	2.56E-06	1.10E-02	1.57E-01	4.42E-09	1.0E+06	4.4E-03
85	0.18766	1.36E-02	2.6E-03	1.05E-03	2.68E-06	1.10E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
86	0.19836	1.36E-02	2.7E-03	1.05E-03	2.83E-06	1.10E-02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
87	0.20777	1.36E-02	2.8E-03	1.05E-03	2.96E-06	1.10E-02	1.57E-01	5.10E-09	1.0E+06	5.1E-03
88	0.21743	1.36E-02	3.0E-03	1.05E-03	3.10E-06	1.10E-02	1.57E-01	5.34E-09	1.0E+06	5.3E-03
89	0.22714	1.36E-02	3.1E-03	1.05E-03	3.24E-06	1.10E-02	1.57E-01	5.58E-09	1.0E+06	5.6E-03
90	0.23725	1.36E-02	3.2E-03	1.05E-03	3.38E-06	1.10E-02	1.57E-01	5.82E-09	1.0E+06	5.8E-03
91	0.24821	1.36E-02	3.4E-03	1.05E-03	3.54E-06	1.10E-02	1.57E-01	6.09E-09	1.0E+06	6.1E-03
92	0.26127	1.36E-02	3.6E-03	1.05E-03	3.72E-06	1.10E-02	1.57E-01	6.41E-09	1.0E+06	6.4E-03
93	0.27635	1.36E-02	3.8E-03	1.05E-03	3.94E-06	1.10E-02	1.57E-01	6.78E-09	1.0E+06	6.8E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	1.36E-02	4.0E-03	1.05E-03	4.22E-06	1.10E-02	1.57E-01	7.26E-09	1.0E+06	7.3E-03
95	0.31999	1.36E-02	4.4E-03	1.05E-03	4.56E-06	1.10E-02	1.57E-01	7.86E-09	1.0E+06	7.9E-03
96	0.18233	1.36E-02	2.5E-03	1.05E-03	2.60E-06	1.10E-02	1.57E-01	4.48E-09	1.0E+06	4.5E-03
97	0.19094	1.36E-02	2.6E-03	1.05E-03	2.72E-06	1.10E-02	1.57E-01	4.69E-09	1.0E+06	4.7E-03
98	0.20103	1.36E-02	2.7E-03	1.05E-03	2.87E-06	1.10E-02	1.57E-01	4.94E-09	1.0E+06	4.9E-03
99	0.21464	1.36E-02	2.9E-03	1.05E-03	3.06E-06	1.10E-02	1.57E-01	5.27E-09	1.0E+06	5.3E-03
100	0.22959	1.36E-02	3.1E-03	1.05E-03	3.27E-06	1.10E-02	1.57E-01	5.64E-09	1.0E+06	5.6E-03
101	0.24284	1.36E-02	3.3E-03	1.05E-03	3.46E-06	1.10E-02	1.57E-01	5.96E-09	1.0E+06	6.0E-03
102	0.25629	1.36E-02	3.5E-03	1.05E-03	3.65E-06	1.10E-02	1.57E-01	6.29E-09	1.0E+06	6.3E-03
103	0.27027	1.36E-02	3.7E-03	1.05E-03	3.85E-06	1.10E-02	1.57E-01	6.64E-09	1.0E+06	6.6E-03
104	0.28488	1.36E-02	3.9E-03	1.05E-03	4.06E-06	1.10E-02	1.57E-01	6.99E-09	1.0E+06	7.0E-03
105	0.3003	1.36E-02	4.1E-03	1.05E-03	4.28E-06	1.10E-02	1.57E-01	7.37E-09	1.0E+06	7.4E-03
106	0.3189	1.36E-02	4.3E-03	1.05E-03	4.55E-06	1.10E-02	1.57E-01	7.83E-09	1.0E+06	7.8E-03
107	0.34186	1.36E-02	4.7E-03	1.05E-03	4.87E-06	1.10E-02	1.57E-01	8.39E-09	1.0E+06	8.4E-03
108	0.37026	1.36E-02	5.1E-03	1.05E-03	5.28E-06	1.10E-02	1.57E-01	9.09E-09	1.0E+06	9.1E-03
109	0.19023	1.36E-02	2.6E-03	1.05E-03	2.71E-06	1.10E-02	1.57E-01	4.67E-09	1.0E+06	4.7E-03
110	0.20375	1.36E-02	2.8E-03	1.05E-03	2.90E-06	1.10E-02	1.57E-01	5.00E-09	1.0E+06	5.0E-03
111	0.21846	1.36E-02	3.0E-03	1.05E-03	3.11E-06	1.10E-02	1.57E-01	5.36E-09	1.0E+06	5.4E-03
112	0.23423	1.36E-02	3.2E-03	1.05E-03	3.34E-06	1.10E-02	1.57E-01	5.75E-09	1.0E+06	5.8E-03
113	0.25102	1.36E-02	3.4E-03	1.05E-03	3.58E-06	1.10E-02	1.57E-01	6.16E-09	1.0E+06	6.2E-03
114	0.2686	1.36E-02	3.7E-03	1.05E-03	3.83E-06	1.10E-02	1.57E-01	6.59E-09	1.0E+06	6.6E-03
115	0.28686	1.36E-02	3.9E-03	1.05E-03	4.09E-06	1.10E-02	1.57E-01	7.04E-09	1.0E+06	7.0E-03
116	0.30627	1.36E-02	4.2E-03	1.05E-03	4.37E-06	1.10E-02	1.57E-01	7.52E-09	1.0E+06	7.5E-03
117	0.32686	1.36E-02	4.5E-03	1.05E-03	4.66E-06	1.10E-02	1.57E-01	8.02E-09	1.0E+06	8.0E-03
118	0.33858	1.36E-02	4.6E-03	1.05E-03	4.83E-06	1.10E-02	1.57E-01	8.31E-09	1.0E+06	8.3E-03
119	0.36311	1.36E-02	5.0E-03	1.05E-03	5.18E-06	1.10E-02	1.57E-01	8.91E-09	1.0E+06	8.9E-03
120	0.38851	1.36E-02	5.3E-03	1.05E-03	5.54E-06	1.10E-02	1.57E-01	9.54E-09	1.0E+06	9.5E-03
121	0.4178	1.36E-02	5.7E-03	1.05E-03	5.96E-06	1.10E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
122	0.19578	1.36E-02	2.7E-03	1.05E-03	2.79E-06	1.10E-02	1.57E-01	4.81E-09	1.0E+06	4.8E-03
123	0.21204	1.36E-02	2.9E-03	1.05E-03	3.02E-06	1.10E-02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
124	0.23086	1.36E-02	3.1E-03	1.05E-03	3.29E-06	1.10E-02	1.57E-01	5.67E-09	1.0E+06	5.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	1.36E-02	3.4E-03	1.05E-03	3.56E-06	1.10E-02	1.57E-01	6.14E-09	1.0E+06	6.1E-03
126	0.27035	1.36E-02	3.7E-03	1.05E-03	3.85E-06	1.10E-02	1.57E-01	6.64E-09	1.0E+06	6.6E-03
127	0.29177	1.36E-02	4.0E-03	1.05E-03	4.16E-06	1.10E-02	1.57E-01	7.16E-09	1.0E+06	7.2E-03
128	0.30724	1.36E-02	4.2E-03	1.05E-03	4.38E-06	1.10E-02	1.57E-01	7.54E-09	1.0E+06	7.5E-03
129	0.33259	1.36E-02	4.5E-03	1.05E-03	4.74E-06	1.10E-02	1.57E-01	8.17E-09	1.0E+06	8.2E-03
130	0.36682	1.36E-02	5.0E-03	1.05E-03	5.23E-06	1.10E-02	1.57E-01	9.01E-09	1.0E+06	9.0E-03
131	1.11688	1.36E-02	1.5E-02	1.05E-03	1.59E-05	1.10E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
132	1.15875	1.36E-02	1.6E-02	1.05E-03	1.65E-05	1.10E-02	1.57E-01	2.84E-08	1.0E+06	2.8E-02
133	0.19656	1.36E-02	2.7E-03	1.05E-03	2.80E-06	1.10E-02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
134	0.21704	1.36E-02	3.0E-03	1.05E-03	3.09E-06	1.10E-02	1.57E-01	5.33E-09	1.0E+06	5.3E-03
135	0.23863	1.36E-02	3.3E-03	1.05E-03	3.40E-06	1.10E-02	1.57E-01	5.86E-09	1.0E+06	5.9E-03
136	0.26108	1.36E-02	3.6E-03	1.05E-03	3.72E-06	1.10E-02	1.57E-01	6.41E-09	1.0E+06	6.4E-03
137	0.28567	1.36E-02	3.9E-03	1.05E-03	4.07E-06	1.10E-02	1.57E-01	7.01E-09	1.0E+06	7.0E-03
138	0.31112	1.36E-02	4.2E-03	1.05E-03	4.44E-06	1.10E-02	1.57E-01	7.64E-09	1.0E+06	7.6E-03
139	0.33575	1.36E-02	4.6E-03	1.05E-03	4.79E-06	1.10E-02	1.57E-01	8.24E-09	1.0E+06	8.2E-03
140	0.37628	1.36E-02	5.1E-03	1.05E-03	5.36E-06	1.10E-02	1.57E-01	9.24E-09	1.0E+06	9.2E-03
141	0.41535	1.36E-02	5.7E-03	1.05E-03	5.92E-06	1.10E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
142	0.45747	1.36E-02	6.2E-03	1.05E-03	6.52E-06	1.10E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
143	0.5063	1.36E-02	6.9E-03	1.05E-03	7.22E-06	1.10E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
144	0.56507	1.36E-02	7.7E-03	1.05E-03	8.06E-06	1.10E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
145	0.62491	1.36E-02	8.5E-03	1.05E-03	8.91E-06	1.10E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
146	1.50759	1.36E-02	2.1E-02	1.05E-03	2.15E-05	1.10E-02	1.57E-01	3.70E-08	1.0E+06	3.7E-02
147	0.1931	1.36E-02	2.6E-03	1.05E-03	2.75E-06	1.10E-02	1.57E-01	4.74E-09	1.0E+06	4.7E-03
148	0.21437	1.36E-02	2.9E-03	1.05E-03	3.06E-06	1.10E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
149	0.23858	1.36E-02	3.3E-03	1.05E-03	3.40E-06	1.10E-02	1.57E-01	5.86E-09	1.0E+06	5.9E-03
150	0.26418	1.36E-02	3.6E-03	1.05E-03	3.77E-06	1.10E-02	1.57E-01	6.49E-09	1.0E+06	6.5E-03
151	0.29392	1.36E-02	4.0E-03	1.05E-03	4.19E-06	1.10E-02	1.57E-01	7.22E-09	1.0E+06	7.2E-03
152	0.32394	1.36E-02	4.4E-03	1.05E-03	4.62E-06	1.10E-02	1.57E-01	7.95E-09	1.0E+06	8.0E-03
153	0.3577	1.36E-02	4.9E-03	1.05E-03	5.10E-06	1.10E-02	1.57E-01	8.78E-09	1.0E+06	8.8E-03
154	0.39941	1.36E-02	5.4E-03	1.05E-03	5.69E-06	1.10E-02	1.57E-01	9.81E-09	1.0E+06	9.8E-03
155	0.44952	1.36E-02	6.1E-03	1.05E-03	6.41E-06	1.10E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	1.36E-02	6.9E-03	1.05E-03	7.21E-06	1.10E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
157	0.56864	1.36E-02	7.8E-03	1.05E-03	8.11E-06	1.10E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
158	0.63716	1.36E-02	8.7E-03	1.05E-03	9.08E-06	1.10E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
159	0.74488	1.36E-02	1.0E-02	1.05E-03	1.06E-05	1.10E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
160	0.18782	1.36E-02	2.6E-03	1.05E-03	2.68E-06	1.10E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
161	0.20685	1.36E-02	2.8E-03	1.05E-03	2.95E-06	1.10E-02	1.57E-01	5.08E-09	1.0E+06	5.1E-03
162	0.22653	1.36E-02	3.1E-03	1.05E-03	3.23E-06	1.10E-02	1.57E-01	5.56E-09	1.0E+06	5.6E-03
163	0.25651	1.36E-02	3.5E-03	1.05E-03	3.66E-06	1.10E-02	1.57E-01	6.30E-09	1.0E+06	6.3E-03
164	0.29246	1.36E-02	4.0E-03	1.05E-03	4.17E-06	1.10E-02	1.57E-01	7.18E-09	1.0E+06	7.2E-03
165	0.32725	1.36E-02	4.5E-03	1.05E-03	4.67E-06	1.10E-02	1.57E-01	8.03E-09	1.0E+06	8.0E-03
166	0.36919	1.36E-02	5.0E-03	1.05E-03	5.26E-06	1.10E-02	1.57E-01	9.06E-09	1.0E+06	9.1E-03
167	0.41887	1.36E-02	5.7E-03	1.05E-03	5.97E-06	1.10E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
168	0.47877	1.36E-02	6.5E-03	1.05E-03	6.83E-06	1.10E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
169	0.55074	1.36E-02	7.5E-03	1.05E-03	7.85E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
170	0.63634	1.36E-02	8.7E-03	1.05E-03	9.07E-06	1.10E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
171	0.73945	1.36E-02	1.0E-02	1.05E-03	1.05E-05	1.10E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
172	0.87948	1.36E-02	1.2E-02	1.05E-03	1.25E-05	1.10E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
173	1.06486	1.36E-02	1.5E-02	1.05E-03	1.52E-05	1.10E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
174	1.31351	1.36E-02	1.8E-02	1.05E-03	1.87E-05	1.10E-02	1.57E-01	3.22E-08	1.0E+06	3.2E-02
175	1.6474	1.36E-02	2.2E-02	1.05E-03	2.35E-05	1.10E-02	1.57E-01	4.04E-08	1.0E+06	4.0E-02
176	2.19565	1.36E-02	3.0E-02	1.05E-03	3.13E-05	1.10E-02	1.57E-01	5.39E-08	1.0E+06	5.4E-02
177	2.85894	1.36E-02	3.9E-02	1.05E-03	4.08E-05	1.10E-02	1.57E-01	7.02E-08	1.0E+06	7.0E-02
178	3.59716	1.36E-02	4.9E-02	1.05E-03	5.13E-05	1.10E-02	1.57E-01	8.83E-08	1.0E+06	8.8E-02
179	0.17443	1.36E-02	2.4E-03	1.05E-03	2.49E-06	1.10E-02	1.57E-01	4.28E-09	1.0E+06	4.3E-03
180	0.19117	1.36E-02	2.6E-03	1.05E-03	2.73E-06	1.10E-02	1.57E-01	4.69E-09	1.0E+06	4.7E-03
181	0.20765	1.36E-02	2.8E-03	1.05E-03	2.96E-06	1.10E-02	1.57E-01	5.10E-09	1.0E+06	5.1E-03
182	0.24097	1.36E-02	3.3E-03	1.05E-03	3.44E-06	1.10E-02	1.57E-01	5.92E-09	1.0E+06	5.9E-03
183	0.28383	1.36E-02	3.9E-03	1.05E-03	4.05E-06	1.10E-02	1.57E-01	6.97E-09	1.0E+06	7.0E-03
184	0.32178	1.36E-02	4.4E-03	1.05E-03	4.59E-06	1.10E-02	1.57E-01	7.90E-09	1.0E+06	7.9E-03
185	0.36853	1.36E-02	5.0E-03	1.05E-03	5.25E-06	1.10E-02	1.57E-01	9.05E-09	1.0E+06	9.0E-03
186	0.42331	1.36E-02	5.8E-03	1.05E-03	6.03E-06	1.10E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	1.36E-02	6.7E-03	1.05E-03	6.97E-06	1.10E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
188	0.57244	1.36E-02	7.8E-03	1.05E-03	8.16E-06	1.10E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
189	0.67537	1.36E-02	9.2E-03	1.05E-03	9.63E-06	1.10E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
190	0.80933	1.36E-02	1.1E-02	1.05E-03	1.15E-05	1.10E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02
191	0.98328	1.36E-02	1.3E-02	1.05E-03	1.40E-05	1.10E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
192	1.23304	1.36E-02	1.7E-02	1.05E-03	1.76E-05	1.10E-02	1.57E-01	3.03E-08	1.0E+06	3.0E-02
193	1.58271	1.36E-02	2.2E-02	1.05E-03	2.26E-05	1.10E-02	1.57E-01	3.89E-08	1.0E+06	3.9E-02
194	2.13464	1.36E-02	2.9E-02	1.05E-03	3.04E-05	1.10E-02	1.57E-01	5.24E-08	1.0E+06	5.2E-02
195	3.0975	1.36E-02	4.2E-02	1.05E-03	4.42E-05	1.10E-02	1.57E-01	7.60E-08	1.0E+06	7.6E-02
196	4.69284	1.36E-02	6.4E-02	1.05E-03	6.69E-05	1.10E-02	1.57E-01	1.15E-07	1.0E+06	1.2E-01
197	6.88357	1.36E-02	9.4E-02	1.05E-03	9.81E-05	1.10E-02	1.57E-01	1.69E-07	1.0E+06	1.7E-01
198	0.16286	1.36E-02	2.2E-03	1.05E-03	2.32E-06	1.10E-02	1.57E-01	4.00E-09	1.0E+06	4.0E-03
199	0.1793	1.36E-02	2.4E-03	1.05E-03	2.56E-06	1.10E-02	1.57E-01	4.40E-09	1.0E+06	4.4E-03
200	0.19824	1.36E-02	2.7E-03	1.05E-03	2.83E-06	1.10E-02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
201	0.22447	1.36E-02	3.1E-03	1.05E-03	3.20E-06	1.10E-02	1.57E-01	5.51E-09	1.0E+06	5.5E-03
202	0.26663	1.36E-02	3.6E-03	1.05E-03	3.80E-06	1.10E-02	1.57E-01	6.55E-09	1.0E+06	6.5E-03
203	0.30715	1.36E-02	4.2E-03	1.05E-03	4.38E-06	1.10E-02	1.57E-01	7.54E-09	1.0E+06	7.5E-03
204	0.35579	1.36E-02	4.9E-03	1.05E-03	5.07E-06	1.10E-02	1.57E-01	8.73E-09	1.0E+06	8.7E-03
205	0.41191	1.36E-02	5.6E-03	1.05E-03	5.87E-06	1.10E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
206	0.48026	1.36E-02	6.6E-03	1.05E-03	6.85E-06	1.10E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
207	0.56684	1.36E-02	7.7E-03	1.05E-03	8.08E-06	1.10E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
208	0.67745	1.36E-02	9.2E-03	1.05E-03	9.66E-06	1.10E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
209	0.82589	1.36E-02	1.1E-02	1.05E-03	1.18E-05	1.10E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
210	1.02976	1.36E-02	1.4E-02	1.05E-03	1.47E-05	1.10E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
211	1.32605	1.36E-02	1.8E-02	1.05E-03	1.89E-05	1.10E-02	1.57E-01	3.26E-08	1.0E+06	3.3E-02
212	1.76927	1.36E-02	2.4E-02	1.05E-03	2.52E-05	1.10E-02	1.57E-01	4.34E-08	1.0E+06	4.3E-02
213	2.46994	1.36E-02	3.4E-02	1.05E-03	3.52E-05	1.10E-02	1.57E-01	6.06E-08	1.0E+06	6.1E-02
214	3.63615	1.36E-02	5.0E-02	1.05E-03	5.18E-05	1.10E-02	1.57E-01	8.93E-08	1.0E+06	8.9E-02
215	7.55748	1.36E-02	1.0E-01	1.05E-03	1.08E-04	1.10E-02	1.57E-01	1.86E-07	1.0E+06	1.9E-01
216	0.15431	1.36E-02	2.1E-03	1.05E-03	2.20E-06	1.10E-02	1.57E-01	3.79E-09	1.0E+06	3.8E-03
217	0.16879	1.36E-02	2.3E-03	1.05E-03	2.41E-06	1.10E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	1.36E-02	2.6E-03	1.05E-03	2.67E-06	1.10E-02	1.57E-01	4.60E-09	1.0E+06	4.6E-03
219	0.21079	1.36E-02	2.9E-03	1.05E-03	3.00E-06	1.10E-02	1.57E-01	5.17E-09	1.0E+06	5.2E-03
220	0.24803	1.36E-02	3.4E-03	1.05E-03	3.54E-06	1.10E-02	1.57E-01	6.09E-09	1.0E+06	6.1E-03
221	0.28481	1.36E-02	3.9E-03	1.05E-03	4.06E-06	1.10E-02	1.57E-01	6.99E-09	1.0E+06	7.0E-03
222	0.33289	1.36E-02	4.5E-03	1.05E-03	4.75E-06	1.10E-02	1.57E-01	8.17E-09	1.0E+06	8.2E-03
223	0.3875	1.36E-02	5.3E-03	1.05E-03	5.52E-06	1.10E-02	1.57E-01	9.51E-09	1.0E+06	9.5E-03
224	0.45352	1.36E-02	6.2E-03	1.05E-03	6.47E-06	1.10E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
225	0.53452	1.36E-02	7.3E-03	1.05E-03	7.62E-06	1.10E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
226	0.64348	1.36E-02	8.8E-03	1.05E-03	9.17E-06	1.10E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
227	0.7871	1.36E-02	1.1E-02	1.05E-03	1.12E-05	1.10E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
228	0.98789	1.36E-02	1.3E-02	1.05E-03	1.41E-05	1.10E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
229	1.28832	1.36E-02	1.8E-02	1.05E-03	1.84E-05	1.10E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
230	1.75514	1.36E-02	2.4E-02	1.05E-03	2.50E-05	1.10E-02	1.57E-01	4.31E-08	1.0E+06	4.3E-02
231	2.58583	1.36E-02	3.5E-02	1.05E-03	3.69E-05	1.10E-02	1.57E-01	6.35E-08	1.0E+06	6.3E-02
232	4.28751	1.36E-02	5.8E-02	1.05E-03	6.11E-05	1.10E-02	1.57E-01	1.05E-07	1.0E+06	1.1E-01
233	10.76445	1.36E-02	1.5E-01	1.05E-03	1.53E-04	1.10E-02	1.57E-01	2.64E-07	1.0E+06	2.6E-01
234	0.14796	1.36E-02	2.0E-03	1.05E-03	2.11E-06	1.10E-02	1.57E-01	3.63E-09	1.0E+06	3.6E-03
235	0.16076	1.36E-02	2.2E-03	1.05E-03	2.29E-06	1.10E-02	1.57E-01	3.95E-09	1.0E+06	3.9E-03
236	0.17816	1.36E-02	2.4E-03	1.05E-03	2.54E-06	1.10E-02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
237	0.20142	1.36E-02	2.7E-03	1.05E-03	2.87E-06	1.10E-02	1.57E-01	4.94E-09	1.0E+06	4.9E-03
238	0.2321	1.36E-02	3.2E-03	1.05E-03	3.31E-06	1.10E-02	1.57E-01	5.70E-09	1.0E+06	5.7E-03
239	0.26575	1.36E-02	3.6E-03	1.05E-03	3.79E-06	1.10E-02	1.57E-01	6.52E-09	1.0E+06	6.5E-03
240	0.30828	1.36E-02	4.2E-03	1.05E-03	4.39E-06	1.10E-02	1.57E-01	7.57E-09	1.0E+06	7.6E-03
241	0.35891	1.36E-02	4.9E-03	1.05E-03	5.12E-06	1.10E-02	1.57E-01	8.81E-09	1.0E+06	8.8E-03
242	0.4204	1.36E-02	5.7E-03	1.05E-03	5.99E-06	1.10E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
243	0.49614	1.36E-02	6.8E-03	1.05E-03	7.07E-06	1.10E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
244	0.59817	1.36E-02	8.2E-03	1.05E-03	8.53E-06	1.10E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
245	0.7334	1.36E-02	1.0E-02	1.05E-03	1.05E-05	1.10E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
246	0.92041	1.36E-02	1.3E-02	1.05E-03	1.31E-05	1.10E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
247	1.19215	1.36E-02	1.6E-02	1.05E-03	1.70E-05	1.10E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
248	1.61854	1.36E-02	2.2E-02	1.05E-03	2.31E-05	1.10E-02	1.57E-01	3.97E-08	1.0E+06	4.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	1.36E-02	3.2E-02	1.05E-03	3.36E-05	1.10E-02	1.57E-01	5.78E-08	1.0E+06	5.8E-02
250	3.88245	1.36E-02	5.3E-02	1.05E-03	5.53E-05	1.10E-02	1.57E-01	9.53E-08	1.0E+06	9.5E-02
251	9.548	1.36E-02	1.3E-01	1.05E-03	1.36E-04	1.10E-02	1.57E-01	2.34E-07	1.0E+06	2.3E-01
252	0.14244	1.36E-02	1.9E-03	1.05E-03	2.03E-06	1.10E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03
253	0.15391	1.36E-02	2.1E-03	1.05E-03	2.19E-06	1.10E-02	1.57E-01	3.78E-09	1.0E+06	3.8E-03
254	0.16905	1.36E-02	2.3E-03	1.05E-03	2.41E-06	1.10E-02	1.57E-01	4.15E-09	1.0E+06	4.2E-03
255	0.1882	1.36E-02	2.6E-03	1.05E-03	2.68E-06	1.10E-02	1.57E-01	4.62E-09	1.0E+06	4.6E-03
256	0.22038	1.36E-02	3.0E-03	1.05E-03	3.14E-06	1.10E-02	1.57E-01	5.41E-09	1.0E+06	5.4E-03
257	0.24395	1.36E-02	3.3E-03	1.05E-03	3.48E-06	1.10E-02	1.57E-01	5.99E-09	1.0E+06	6.0E-03
258	0.27703	1.36E-02	3.8E-03	1.05E-03	3.95E-06	1.10E-02	1.57E-01	6.80E-09	1.0E+06	6.8E-03
259	0.31726	1.36E-02	4.3E-03	1.05E-03	4.52E-06	1.10E-02	1.57E-01	7.79E-09	1.0E+06	7.8E-03
260	0.37532	1.36E-02	5.1E-03	1.05E-03	5.35E-06	1.10E-02	1.57E-01	9.21E-09	1.0E+06	9.2E-03
261	0.45282	1.36E-02	6.2E-03	1.05E-03	6.46E-06	1.10E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
262	0.54991	1.36E-02	7.5E-03	1.05E-03	7.84E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
263	0.6689	1.36E-02	9.1E-03	1.05E-03	9.54E-06	1.10E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
264	0.83769	1.36E-02	1.1E-02	1.05E-03	1.19E-05	1.10E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
265	1.069	1.36E-02	1.5E-02	1.05E-03	1.52E-05	1.10E-02	1.57E-01	2.62E-08	1.0E+06	2.6E-02
266	1.42172	1.36E-02	1.9E-02	1.05E-03	2.03E-05	1.10E-02	1.57E-01	3.49E-08	1.0E+06	3.5E-02
267	1.98481	1.36E-02	2.7E-02	1.05E-03	2.83E-05	1.10E-02	1.57E-01	4.87E-08	1.0E+06	4.9E-02
268	3.00508	1.36E-02	4.1E-02	1.05E-03	4.28E-05	1.10E-02	1.57E-01	7.38E-08	1.0E+06	7.4E-02
269	6.11415	1.36E-02	8.3E-02	1.05E-03	8.72E-05	1.10E-02	1.57E-01	1.50E-07	1.0E+06	1.5E-01
270	0.13852	1.36E-02	1.9E-03	1.05E-03	1.97E-06	1.10E-02	1.57E-01	3.40E-09	1.0E+06	3.4E-03
271	0.15026	1.36E-02	2.0E-03	1.05E-03	2.14E-06	1.10E-02	1.57E-01	3.69E-09	1.0E+06	3.7E-03
272	0.16484	1.36E-02	2.2E-03	1.05E-03	2.35E-06	1.10E-02	1.57E-01	4.05E-09	1.0E+06	4.0E-03
273	0.18199	1.36E-02	2.5E-03	1.05E-03	2.59E-06	1.10E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
274	0.21436	1.36E-02	2.9E-03	1.05E-03	3.06E-06	1.10E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
275	0.24454	1.36E-02	3.3E-03	1.05E-03	3.49E-06	1.10E-02	1.57E-01	6.00E-09	1.0E+06	6.0E-03
276	0.26087	1.36E-02	3.6E-03	1.05E-03	3.72E-06	1.10E-02	1.57E-01	6.40E-09	1.0E+06	6.4E-03
277	0.29564	1.36E-02	4.0E-03	1.05E-03	4.21E-06	1.10E-02	1.57E-01	7.26E-09	1.0E+06	7.3E-03
278	0.34216	1.36E-02	4.7E-03	1.05E-03	4.88E-06	1.10E-02	1.57E-01	8.40E-09	1.0E+06	8.4E-03
279	0.40447	1.36E-02	5.5E-03	1.05E-03	5.77E-06	1.10E-02	1.57E-01	9.93E-09	1.0E+06	9.9E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	1.36E-02	6.8E-03	1.05E-03	7.06E-06	1.10E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
281	0.61075	1.36E-02	8.3E-03	1.05E-03	8.71E-06	1.10E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
282	0.76016	1.36E-02	1.0E-02	1.05E-03	1.08E-05	1.10E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02
283	0.9592	1.36E-02	1.3E-02	1.05E-03	1.37E-05	1.10E-02	1.57E-01	2.35E-08	1.0E+06	2.4E-02
284	1.23907	1.36E-02	1.7E-02	1.05E-03	1.77E-05	1.10E-02	1.57E-01	3.04E-08	1.0E+06	3.0E-02
285	1.6354	1.36E-02	2.2E-02	1.05E-03	2.33E-05	1.10E-02	1.57E-01	4.01E-08	1.0E+06	4.0E-02
286	2.29875	1.36E-02	3.1E-02	1.05E-03	3.28E-05	1.10E-02	1.57E-01	5.64E-08	1.0E+06	5.6E-02
287	4.0984	1.36E-02	5.6E-02	1.05E-03	5.84E-05	1.10E-02	1.57E-01	1.01E-07	1.0E+06	1.0E-01
288	0.13632	1.36E-02	1.9E-03	1.05E-03	1.94E-06	1.10E-02	1.57E-01	3.35E-09	1.0E+06	3.3E-03
289	0.14679	1.36E-02	2.0E-03	1.05E-03	2.09E-06	1.10E-02	1.57E-01	3.60E-09	1.0E+06	3.6E-03
290	0.16392	1.36E-02	2.2E-03	1.05E-03	2.34E-06	1.10E-02	1.57E-01	4.02E-09	1.0E+06	4.0E-03
291	0.1821	1.36E-02	2.5E-03	1.05E-03	2.60E-06	1.10E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
292	0.22152	1.36E-02	3.0E-03	1.05E-03	3.16E-06	1.10E-02	1.57E-01	5.44E-09	1.0E+06	5.4E-03
293	0.241	1.36E-02	3.3E-03	1.05E-03	3.44E-06	1.10E-02	1.57E-01	5.92E-09	1.0E+06	5.9E-03
294	0.24821	1.36E-02	3.4E-03	1.05E-03	3.54E-06	1.10E-02	1.57E-01	6.09E-09	1.0E+06	6.1E-03
295	0.28165	1.36E-02	3.8E-03	1.05E-03	4.02E-06	1.10E-02	1.57E-01	6.91E-09	1.0E+06	6.9E-03
296	0.32446	1.36E-02	4.4E-03	1.05E-03	4.63E-06	1.10E-02	1.57E-01	7.97E-09	1.0E+06	8.0E-03
297	0.37299	1.36E-02	5.1E-03	1.05E-03	5.32E-06	1.10E-02	1.57E-01	9.16E-09	1.0E+06	9.2E-03
298	0.44378	1.36E-02	6.1E-03	1.05E-03	6.33E-06	1.10E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
299	0.54938	1.36E-02	7.5E-03	1.05E-03	7.83E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
300	0.67014	1.36E-02	9.1E-03	1.05E-03	9.55E-06	1.10E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
301	0.83889	1.36E-02	1.1E-02	1.05E-03	1.20E-05	1.10E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
302	1.05754	1.36E-02	1.4E-02	1.05E-03	1.51E-05	1.10E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
303	1.36095	1.36E-02	1.9E-02	1.05E-03	1.94E-05	1.10E-02	1.57E-01	3.34E-08	1.0E+06	3.3E-02
304	1.82968	1.36E-02	2.5E-02	1.05E-03	2.61E-05	1.10E-02	1.57E-01	4.49E-08	1.0E+06	4.5E-02
305	2.94941	1.36E-02	4.0E-02	1.05E-03	4.20E-05	1.10E-02	1.57E-01	7.24E-08	1.0E+06	7.2E-02
306	0.14102	1.36E-02	1.9E-03	1.05E-03	2.01E-06	1.10E-02	1.57E-01	3.46E-09	1.0E+06	3.5E-03
307	0.14805	1.36E-02	2.0E-03	1.05E-03	2.11E-06	1.10E-02	1.57E-01	3.63E-09	1.0E+06	3.6E-03
308	0.16104	1.36E-02	2.2E-03	1.05E-03	2.30E-06	1.10E-02	1.57E-01	3.95E-09	1.0E+06	4.0E-03
309	0.1881	1.36E-02	2.6E-03	1.05E-03	2.68E-06	1.10E-02	1.57E-01	4.62E-09	1.0E+06	4.6E-03
310	0.21623	1.36E-02	2.9E-03	1.05E-03	3.08E-06	1.10E-02	1.57E-01	5.31E-09	1.0E+06	5.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	1.36E-02	3.2E-03	1.05E-03	3.33E-06	1.10E-02	1.57E-01	5.74E-09	1.0E+06	5.7E-03
312	0.23582	1.36E-02	3.2E-03	1.05E-03	3.36E-06	1.10E-02	1.57E-01	5.79E-09	1.0E+06	5.8E-03
313	0.2662	1.36E-02	3.6E-03	1.05E-03	3.79E-06	1.10E-02	1.57E-01	6.54E-09	1.0E+06	6.5E-03
314	0.30482	1.36E-02	4.2E-03	1.05E-03	4.35E-06	1.10E-02	1.57E-01	7.48E-09	1.0E+06	7.5E-03
315	0.36238	1.36E-02	4.9E-03	1.05E-03	5.17E-06	1.10E-02	1.57E-01	8.90E-09	1.0E+06	8.9E-03
316	0.41173	1.36E-02	5.6E-03	1.05E-03	5.87E-06	1.10E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
317	0.48329	1.36E-02	6.6E-03	1.05E-03	6.89E-06	1.10E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
318	0.58024	1.36E-02	7.9E-03	1.05E-03	8.27E-06	1.10E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
319	0.71842	1.36E-02	9.8E-03	1.05E-03	1.02E-05	1.10E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02
320	0.91725	1.36E-02	1.3E-02	1.05E-03	1.31E-05	1.10E-02	1.57E-01	2.25E-08	1.0E+06	2.3E-02
321	1.14351	1.36E-02	1.6E-02	1.05E-03	1.63E-05	1.10E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
322	1.47884	1.36E-02	2.0E-02	1.05E-03	2.11E-05	1.10E-02	1.57E-01	3.63E-08	1.0E+06	3.6E-02
323	2.2049	1.36E-02	3.0E-02	1.05E-03	3.14E-05	1.10E-02	1.57E-01	5.41E-08	1.0E+06	5.4E-02
324	0.13829	1.36E-02	1.9E-03	1.05E-03	1.97E-06	1.10E-02	1.57E-01	3.40E-09	1.0E+06	3.4E-03
325	0.15341	1.36E-02	2.1E-03	1.05E-03	2.19E-06	1.10E-02	1.57E-01	3.77E-09	1.0E+06	3.8E-03
326	0.16525	1.36E-02	2.3E-03	1.05E-03	2.36E-06	1.10E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
327	0.17597	1.36E-02	2.4E-03	1.05E-03	2.51E-06	1.10E-02	1.57E-01	4.32E-09	1.0E+06	4.3E-03
328	0.21285	1.36E-02	2.9E-03	1.05E-03	3.03E-06	1.10E-02	1.57E-01	5.23E-09	1.0E+06	5.2E-03
329	0.22617	1.36E-02	3.1E-03	1.05E-03	3.22E-06	1.10E-02	1.57E-01	5.55E-09	1.0E+06	5.6E-03
330	0.229	1.36E-02	3.1E-03	1.05E-03	3.26E-06	1.10E-02	1.57E-01	5.62E-09	1.0E+06	5.6E-03
331	0.25812	1.36E-02	3.5E-03	1.05E-03	3.68E-06	1.10E-02	1.57E-01	6.34E-09	1.0E+06	6.3E-03
332	0.29444	1.36E-02	4.0E-03	1.05E-03	4.20E-06	1.10E-02	1.57E-01	7.23E-09	1.0E+06	7.2E-03
333	0.34735	1.36E-02	4.7E-03	1.05E-03	4.95E-06	1.10E-02	1.57E-01	8.53E-09	1.0E+06	8.5E-03
334	0.39929	1.36E-02	5.4E-03	1.05E-03	5.69E-06	1.10E-02	1.57E-01	9.80E-09	1.0E+06	9.8E-03
335	0.46251	1.36E-02	6.3E-03	1.05E-03	6.59E-06	1.10E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
336	1.34926	1.36E-02	1.8E-02	1.05E-03	1.92E-05	1.10E-02	1.57E-01	3.31E-08	1.0E+06	3.3E-02
337	1.42098	1.36E-02	1.9E-02	1.05E-03	2.03E-05	1.10E-02	1.57E-01	3.49E-08	1.0E+06	3.5E-02
338	0.15741	1.36E-02	2.1E-03	1.05E-03	2.24E-06	1.10E-02	1.57E-01	3.86E-09	1.0E+06	3.9E-03
339	0.16826	1.36E-02	2.3E-03	1.05E-03	2.40E-06	1.10E-02	1.57E-01	4.13E-09	1.0E+06	4.1E-03
340	0.19168	1.36E-02	2.6E-03	1.05E-03	2.73E-06	1.10E-02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
341	0.20395	1.36E-02	2.8E-03	1.05E-03	2.91E-06	1.10E-02	1.57E-01	5.01E-09	1.0E+06	5.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	1.36E-02	2.9E-03	1.05E-03	3.00E-06	1.10E-02	1.57E-01	5.17E-09	1.0E+06	5.2E-03
343	0.22111	1.36E-02	3.0E-03	1.05E-03	3.15E-06	1.10E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
344	0.22429	1.36E-02	3.1E-03	1.05E-03	3.20E-06	1.10E-02	1.57E-01	5.51E-09	1.0E+06	5.5E-03
345	0.22606	1.36E-02	3.1E-03	1.05E-03	3.22E-06	1.10E-02	1.57E-01	5.55E-09	1.0E+06	5.5E-03
346	0.22606	1.36E-02	3.1E-03	1.05E-03	3.22E-06	1.10E-02	1.57E-01	5.55E-09	1.0E+06	5.5E-03
347	0.17036	1.36E-02	2.3E-03	1.05E-03	2.43E-06	1.10E-02	1.57E-01	4.18E-09	1.0E+06	4.2E-03
348	0.18661	1.36E-02	2.5E-03	1.05E-03	2.66E-06	1.10E-02	1.57E-01	4.58E-09	1.0E+06	4.6E-03
349	0.21873	1.36E-02	3.0E-03	1.05E-03	3.12E-06	1.10E-02	1.57E-01	5.37E-09	1.0E+06	5.4E-03
350	0.22806	1.36E-02	3.1E-03	1.05E-03	3.25E-06	1.10E-02	1.57E-01	5.60E-09	1.0E+06	5.6E-03
351	0.23577	1.36E-02	3.2E-03	1.05E-03	3.36E-06	1.10E-02	1.57E-01	5.79E-09	1.0E+06	5.8E-03
352	0.24893	1.36E-02	3.4E-03	1.05E-03	3.55E-06	1.10E-02	1.57E-01	6.11E-09	1.0E+06	6.1E-03
353	0.25277	1.36E-02	3.4E-03	1.05E-03	3.60E-06	1.10E-02	1.57E-01	6.21E-09	1.0E+06	6.2E-03
354	0.25385	1.36E-02	3.5E-03	1.05E-03	3.62E-06	1.10E-02	1.57E-01	6.23E-09	1.0E+06	6.2E-03
355	0.25415	1.36E-02	3.5E-03	1.05E-03	3.62E-06	1.10E-02	1.57E-01	6.24E-09	1.0E+06	6.2E-03
356	0.18604	1.36E-02	2.5E-03	1.05E-03	2.65E-06	1.10E-02	1.57E-01	4.57E-09	1.0E+06	4.6E-03
357	0.20039	1.36E-02	2.7E-03	1.05E-03	2.86E-06	1.10E-02	1.57E-01	4.92E-09	1.0E+06	4.9E-03
358	0.21891	1.36E-02	3.0E-03	1.05E-03	3.12E-06	1.10E-02	1.57E-01	5.37E-09	1.0E+06	5.4E-03
359	0.24942	1.36E-02	3.4E-03	1.05E-03	3.56E-06	1.10E-02	1.57E-01	6.12E-09	1.0E+06	6.1E-03
360	0.26595	1.36E-02	3.6E-03	1.05E-03	3.79E-06	1.10E-02	1.57E-01	6.53E-09	1.0E+06	6.5E-03
361	0.28268	1.36E-02	3.9E-03	1.05E-03	4.03E-06	1.10E-02	1.57E-01	6.94E-09	1.0E+06	6.9E-03
362	0.28748	1.36E-02	3.9E-03	1.05E-03	4.10E-06	1.10E-02	1.57E-01	7.06E-09	1.0E+06	7.1E-03
363	0.28847	1.36E-02	3.9E-03	1.05E-03	4.11E-06	1.10E-02	1.57E-01	7.08E-09	1.0E+06	7.1E-03
364	0.20678	1.36E-02	2.8E-03	1.05E-03	2.95E-06	1.10E-02	1.57E-01	5.08E-09	1.0E+06	5.1E-03
365	0.21895	1.36E-02	3.0E-03	1.05E-03	3.12E-06	1.10E-02	1.57E-01	5.38E-09	1.0E+06	5.4E-03
366	0.24185	1.36E-02	3.3E-03	1.05E-03	3.45E-06	1.10E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
367	0.28223	1.36E-02	3.8E-03	1.05E-03	4.02E-06	1.10E-02	1.57E-01	6.93E-09	1.0E+06	6.9E-03
368	0.30287	1.36E-02	4.1E-03	1.05E-03	4.32E-06	1.10E-02	1.57E-01	7.44E-09	1.0E+06	7.4E-03
369	0.32466	1.36E-02	4.4E-03	1.05E-03	4.63E-06	1.10E-02	1.57E-01	7.97E-09	1.0E+06	8.0E-03
370	0.33362	1.36E-02	4.6E-03	1.05E-03	4.76E-06	1.10E-02	1.57E-01	8.19E-09	1.0E+06	8.2E-03
371	0.33293	1.36E-02	4.5E-03	1.05E-03	4.75E-06	1.10E-02	1.57E-01	8.17E-09	1.0E+06	8.2E-03
372	0.23425	1.36E-02	3.2E-03	1.05E-03	3.34E-06	1.10E-02	1.57E-01	5.75E-09	1.0E+06	5.8E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	1.36E-02	3.4E-03	1.05E-03	3.53E-06	1.10E-02	1.57E-01	6.09E-09	1.0E+06	6.1E-03
374	0.2758	1.36E-02	3.8E-03	1.05E-03	3.93E-06	1.10E-02	1.57E-01	6.77E-09	1.0E+06	6.8E-03
375	0.3231	1.36E-02	4.4E-03	1.05E-03	4.61E-06	1.10E-02	1.57E-01	7.93E-09	1.0E+06	7.9E-03
376	0.34946	1.36E-02	4.8E-03	1.05E-03	4.98E-06	1.10E-02	1.57E-01	8.58E-09	1.0E+06	8.6E-03
377	0.36592	1.36E-02	5.0E-03	1.05E-03	5.22E-06	1.10E-02	1.57E-01	8.98E-09	1.0E+06	9.0E-03
378	0.37782	1.36E-02	5.2E-03	1.05E-03	5.39E-06	1.10E-02	1.57E-01	9.28E-09	1.0E+06	9.3E-03
379	0.38907	1.36E-02	5.3E-03	1.05E-03	5.55E-06	1.10E-02	1.57E-01	9.55E-09	1.0E+06	9.6E-03
380	0.389	1.36E-02	5.3E-03	1.05E-03	5.55E-06	1.10E-02	1.57E-01	9.55E-09	1.0E+06	9.6E-03
381	0.38496	1.36E-02	5.3E-03	1.05E-03	5.49E-06	1.10E-02	1.57E-01	9.45E-09	1.0E+06	9.5E-03
382	0.27352	1.36E-02	3.7E-03	1.05E-03	3.90E-06	1.10E-02	1.57E-01	6.71E-09	1.0E+06	6.7E-03
383	0.29685	1.36E-02	4.0E-03	1.05E-03	4.23E-06	1.10E-02	1.57E-01	7.29E-09	1.0E+06	7.3E-03
384	0.32129	1.36E-02	4.4E-03	1.05E-03	4.58E-06	1.10E-02	1.57E-01	7.89E-09	1.0E+06	7.9E-03
385	0.3848	1.36E-02	5.2E-03	1.05E-03	5.49E-06	1.10E-02	1.57E-01	9.45E-09	1.0E+06	9.4E-03
386	0.40823	1.36E-02	5.6E-03	1.05E-03	5.82E-06	1.10E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
387	0.43009	1.36E-02	5.9E-03	1.05E-03	6.13E-06	1.10E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
388	0.44587	1.36E-02	6.1E-03	1.05E-03	6.36E-06	1.10E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
389	0.46018	1.36E-02	6.3E-03	1.05E-03	6.56E-06	1.10E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
390	0.45888	1.36E-02	6.3E-03	1.05E-03	6.54E-06	1.10E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
391	0.45337	1.36E-02	6.2E-03	1.05E-03	6.46E-06	1.10E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
392	0.43787	1.36E-02	6.0E-03	1.05E-03	6.24E-06	1.10E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
393	0.32603	1.36E-02	4.4E-03	1.05E-03	4.65E-06	1.10E-02	1.57E-01	8.00E-09	1.0E+06	8.0E-03
394	0.38853	1.36E-02	5.3E-03	1.05E-03	5.54E-06	1.10E-02	1.57E-01	9.54E-09	1.0E+06	9.5E-03
395	0.43296	1.36E-02	5.9E-03	1.05E-03	6.17E-06	1.10E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
396	0.4654	1.36E-02	6.3E-03	1.05E-03	6.63E-06	1.10E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
397	0.4979	1.36E-02	6.8E-03	1.05E-03	7.10E-06	1.10E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
398	0.51462	1.36E-02	7.0E-03	1.05E-03	7.34E-06	1.10E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
399	0.52048	1.36E-02	7.1E-03	1.05E-03	7.42E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
400	0.55457	1.36E-02	7.6E-03	1.05E-03	7.91E-06	1.10E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
401	0.55208	1.36E-02	7.5E-03	1.05E-03	7.87E-06	1.10E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
402	0.51974	1.36E-02	7.1E-03	1.05E-03	7.41E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
403	0.67545	1.36E-02	9.2E-03	1.05E-03	9.63E-06	1.10E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	1.36E-02	8.7E-03	1.05E-03	9.06E-06	1.10E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
405	0.59648	1.36E-02	8.1E-03	1.05E-03	8.50E-06	1.10E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
406	0.8541	1.36E-02	1.2E-02	1.05E-03	1.22E-05	1.10E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
407	0.72119	1.36E-02	9.8E-03	1.05E-03	1.03E-05	1.10E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
408	1.11899	1.36E-02	1.5E-02	1.05E-03	1.60E-05	1.10E-02	1.57E-01	2.75E-08	1.0E+06	2.7E-02
409	0.88286	1.36E-02	1.2E-02	1.05E-03	1.26E-05	1.10E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
410	1.53458	1.36E-02	2.1E-02	1.05E-03	2.19E-05	1.10E-02	1.57E-01	3.77E-08	1.0E+06	3.8E-02
411	1.24788	1.36E-02	1.7E-02	1.05E-03	1.78E-05	1.10E-02	1.57E-01	3.06E-08	1.0E+06	3.1E-02
412	1.10769	1.36E-02	1.5E-02	1.05E-03	1.58E-05	1.10E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
413	2.24007	1.36E-02	3.1E-02	1.05E-03	3.19E-05	1.10E-02	1.57E-01	5.50E-08	1.0E+06	5.5E-02
414	1.85905	1.36E-02	2.5E-02	1.05E-03	2.65E-05	1.10E-02	1.57E-01	4.56E-08	1.0E+06	4.6E-02
415	1.59815	1.36E-02	2.2E-02	1.05E-03	2.28E-05	1.10E-02	1.57E-01	3.92E-08	1.0E+06	3.9E-02
416	1.34652	1.36E-02	1.8E-02	1.05E-03	1.92E-05	1.10E-02	1.57E-01	3.31E-08	1.0E+06	3.3E-02
417	3.57218	1.36E-02	4.9E-02	1.05E-03	5.09E-05	1.10E-02	1.57E-01	8.77E-08	1.0E+06	8.8E-02
418	2.01893	1.36E-02	2.8E-02	1.05E-03	2.88E-05	1.10E-02	1.57E-01	4.96E-08	1.0E+06	5.0E-02
419	1.58987	1.36E-02	2.2E-02	1.05E-03	2.27E-05	1.10E-02	1.57E-01	3.90E-08	1.0E+06	3.9E-02
420	1.2521	1.36E-02	1.7E-02	1.05E-03	1.78E-05	1.10E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
421	6.42312	1.36E-02	8.8E-02	1.05E-03	9.16E-05	1.10E-02	1.57E-01	1.58E-07	1.0E+06	1.6E-01
422	1.77737	1.36E-02	2.4E-02	1.05E-03	2.53E-05	1.10E-02	1.57E-01	4.36E-08	1.0E+06	4.4E-02
423	1.33662	1.36E-02	1.8E-02	1.05E-03	1.91E-05	1.10E-02	1.57E-01	3.28E-08	1.0E+06	3.3E-02
424	12.91388	1.36E-02	1.8E-01	1.05E-03	1.84E-04	1.10E-02	1.57E-01	3.17E-07	1.0E+06	3.2E-01
425	1.34203	1.36E-02	1.8E-02	1.05E-03	1.91E-05	1.10E-02	1.57E-01	3.29E-08	1.0E+06	3.3E-02
426	1.01676	1.36E-02	1.4E-02	1.05E-03	1.45E-05	1.10E-02	1.57E-01	2.50E-08	1.0E+06	2.5E-02
427	22.75271	1.36E-02	3.1E-01	1.05E-03	3.24E-04	1.10E-02	1.57E-01	5.59E-07	1.0E+06	5.6E-01
428	1.27773	1.36E-02	1.7E-02	1.05E-03	1.82E-05	1.10E-02	1.57E-01	3.14E-08	1.0E+06	3.1E-02
429	0.96908	1.36E-02	1.3E-02	1.05E-03	1.38E-05	1.10E-02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
430	21.09262	1.36E-02	2.9E-01	1.05E-03	3.01E-04	1.10E-02	1.57E-01	5.18E-07	1.0E+06	5.2E-01
431	0.90443	1.36E-02	1.2E-02	1.05E-03	1.29E-05	1.10E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
432	0.71229	1.36E-02	9.7E-03	1.05E-03	1.02E-05	1.10E-02	1.57E-01	1.75E-08	1.0E+06	1.7E-02
433	13.11622	1.36E-02	1.8E-01	1.05E-03	1.87E-04	1.10E-02	1.57E-01	3.22E-07	1.0E+06	3.2E-01
434	0.83575	1.36E-02	1.1E-02	1.05E-03	1.19E-05	1.10E-02	1.57E-01	2.05E-08	1.0E+06	2.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	1.36E-02	9.1E-03	1.05E-03	9.55E-06	1.10E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
436	8.0879	1.36E-02	1.1E-01	1.05E-03	1.15E-04	1.10E-02	1.57E-01	1.99E-07	1.0E+06	2.0E-01
437	0.97518	1.36E-02	1.3E-02	1.05E-03	1.39E-05	1.10E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
438	0.76912	1.36E-02	1.0E-02	1.05E-03	1.10E-05	1.10E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
439	0.6239	1.36E-02	8.5E-03	1.05E-03	8.89E-06	1.10E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
440	5.21196	1.36E-02	7.1E-02	1.05E-03	7.43E-05	1.10E-02	1.57E-01	1.28E-07	1.0E+06	1.3E-01
441	1.57338	1.36E-02	2.1E-02	1.05E-03	2.24E-05	1.10E-02	1.57E-01	3.86E-08	1.0E+06	3.9E-02
442	1.14958	1.36E-02	1.6E-02	1.05E-03	1.64E-05	1.10E-02	1.57E-01	2.82E-08	1.0E+06	2.8E-02
443	0.88407	1.36E-02	1.2E-02	1.05E-03	1.26E-05	1.10E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
444	0.70507	1.36E-02	9.6E-03	1.05E-03	1.01E-05	1.10E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
445	3.55393	1.36E-02	4.8E-02	1.05E-03	5.07E-05	1.10E-02	1.57E-01	8.72E-08	1.0E+06	8.7E-02
446	1.95063	1.36E-02	2.7E-02	1.05E-03	2.78E-05	1.10E-02	1.57E-01	4.79E-08	1.0E+06	4.8E-02
447	1.38871	1.36E-02	1.9E-02	1.05E-03	1.98E-05	1.10E-02	1.57E-01	3.41E-08	1.0E+06	3.4E-02
448	1.03194	1.36E-02	1.4E-02	1.05E-03	1.47E-05	1.10E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
449	2.54704	1.36E-02	3.5E-02	1.05E-03	3.63E-05	1.10E-02	1.57E-01	6.25E-08	1.0E+06	6.3E-02
450	2.13244	1.36E-02	2.9E-02	1.05E-03	3.04E-05	1.10E-02	1.57E-01	5.24E-08	1.0E+06	5.2E-02
451	1.63606	1.36E-02	2.2E-02	1.05E-03	2.33E-05	1.10E-02	1.57E-01	4.02E-08	1.0E+06	4.0E-02
452	1.90224	1.36E-02	2.6E-02	1.05E-03	2.71E-05	1.10E-02	1.57E-01	4.67E-08	1.0E+06	4.7E-02
453	1.68146	1.36E-02	2.3E-02	1.05E-03	2.40E-05	1.10E-02	1.57E-01	4.13E-08	1.0E+06	4.1E-02
454	0.45602	1.36E-02	6.2E-03	1.05E-03	6.50E-06	1.10E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
455	0.39292	1.36E-02	5.4E-03	1.05E-03	5.60E-06	1.10E-02	1.57E-01	9.65E-09	1.0E+06	9.6E-03
456	1.46911	1.36E-02	2.0E-02	1.05E-03	2.09E-05	1.10E-02	1.57E-01	3.61E-08	1.0E+06	3.6E-02
457	1.34798	1.36E-02	1.8E-02	1.05E-03	1.92E-05	1.10E-02	1.57E-01	3.31E-08	1.0E+06	3.3E-02
458	1.14854	1.36E-02	1.6E-02	1.05E-03	1.64E-05	1.10E-02	1.57E-01	2.82E-08	1.0E+06	2.8E-02
459	0.60959	1.36E-02	8.3E-03	1.05E-03	8.69E-06	1.10E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
460	0.50521	1.36E-02	6.9E-03	1.05E-03	7.20E-06	1.10E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
461	0.42667	1.36E-02	5.8E-03	1.05E-03	6.08E-06	1.10E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
462	0.36664	1.36E-02	5.0E-03	1.05E-03	5.23E-06	1.10E-02	1.57E-01	9.00E-09	1.0E+06	9.0E-03
463	1.56366	1.36E-02	2.1E-02	1.05E-03	2.23E-05	1.10E-02	1.57E-01	3.84E-08	1.0E+06	3.8E-02
464	1.67908	1.36E-02	2.3E-02	1.05E-03	2.39E-05	1.10E-02	1.57E-01	4.12E-08	1.0E+06	4.1E-02
465	2.37925	1.36E-02	3.2E-02	1.05E-03	3.39E-05	1.10E-02	1.57E-01	5.84E-08	1.0E+06	5.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	1.36E-02	4.0E-02	1.05E-03	4.14E-05	1.10E-02	1.57E-01	7.13E-08	1.0E+06	7.1E-02
467	4.03499	1.36E-02	5.5E-02	1.05E-03	5.75E-05	1.10E-02	1.57E-01	9.91E-08	1.0E+06	9.9E-02
468	8.35246	1.36E-02	1.1E-01	1.05E-03	1.19E-04	1.10E-02	1.57E-01	2.05E-07	1.0E+06	2.1E-01
469	28.13292	1.36E-02	3.8E-01	1.05E-03	4.01E-04	1.10E-02	1.57E-01	6.91E-07	1.0E+06	6.9E-01
470	20.35286	1.36E-02	2.8E-01	1.05E-03	2.90E-04	1.10E-02	1.57E-01	5.00E-07	1.0E+06	5.0E-01
471	34.54288	1.36E-02	4.7E-01	1.05E-03	4.92E-04	1.10E-02	1.57E-01	8.48E-07	1.0E+06	8.5E-01
472	27.90221	1.36E-02	3.8E-01	1.05E-03	3.98E-04	1.10E-02	1.57E-01	6.85E-07	1.0E+06	6.9E-01
473	29.67594	1.36E-02	4.0E-01	1.05E-03	4.23E-04	1.10E-02	1.57E-01	7.29E-07	1.0E+06	7.3E-01
474	13.04296	1.36E-02	1.8E-01	1.05E-03	1.86E-04	1.10E-02	1.57E-01	3.20E-07	1.0E+06	3.2E-01
475	22.08892	1.36E-02	3.0E-01	1.05E-03	3.15E-04	1.10E-02	1.57E-01	5.42E-07	1.0E+06	5.4E-01
476	6.99817	1.36E-02	9.5E-02	1.05E-03	9.98E-05	1.10E-02	1.57E-01	1.72E-07	1.0E+06	1.7E-01
477	9.76012	1.36E-02	1.3E-01	1.05E-03	1.39E-04	1.10E-02	1.57E-01	2.40E-07	1.0E+06	2.4E-01
478	4.29281	1.36E-02	5.9E-02	1.05E-03	6.12E-05	1.10E-02	1.57E-01	1.05E-07	1.0E+06	1.1E-01
479	5.44714	1.36E-02	7.4E-02	1.05E-03	7.77E-05	1.10E-02	1.57E-01	1.34E-07	1.0E+06	1.3E-01
480	5.4004	1.36E-02	7.4E-02	1.05E-03	7.70E-05	1.10E-02	1.57E-01	1.33E-07	1.0E+06	1.3E-01
481	2.88653	1.36E-02	3.9E-02	1.05E-03	4.11E-05	1.10E-02	1.57E-01	7.09E-08	1.0E+06	7.1E-02
482	3.54717	1.36E-02	4.8E-02	1.05E-03	5.06E-05	1.10E-02	1.57E-01	8.71E-08	1.0E+06	8.7E-02
483	2.40679	1.36E-02	3.3E-02	1.05E-03	3.43E-05	1.10E-02	1.57E-01	5.91E-08	1.0E+06	5.9E-02
484	2.49271	1.36E-02	3.4E-02	1.05E-03	3.55E-05	1.10E-02	1.57E-01	6.12E-08	1.0E+06	6.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	2.73E-04
2	5	2.76E-04
3	5	2.79E-04
4	5	2.82E-04
5	5	2.86E-04
6	5	2.94E-04
7	5	3.03E-04
8	5	3.15E-04
9	5	3.29E-04
10	5	3.48E-04
11	5	3.72E-04
12	5	3.97E-04
13	5	4.25E-04
14	5	5.94E-04
15	5	3.03E-04
16	5	3.06E-04
17	5	3.11E-04
18	5	3.14E-04
19	5	3.17E-04
20	5	3.23E-04
21	5	3.30E-04
22	5	3.40E-04
23	5	3.57E-04
24	5	3.74E-04
25	5	4.03E-04
26	5	4.34E-04
27	5	4.60E-04
28	5	6.66E-04
29	5	3.36E-04
30	5	3.43E-04
31	5	3.50E-04

Max	Receptor #	
0.094	471	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	3.55E-04
33	5	3.55E-04
34	5	3.60E-04
35	5	3.66E-04
36	5	3.75E-04
37	5	3.90E-04
38	5	4.10E-04
39	5	4.38E-04
40	5	4.69E-04
41	5	5.00E-04
42	5	7.53E-04
43	5	3.69E-04
44	5	3.80E-04
45	5	3.89E-04
46	5	3.96E-04
47	5	4.01E-04
48	5	4.05E-04
49	5	4.09E-04
50	5	4.14E-04
51	5	4.32E-04
52	5	4.51E-04
53	5	4.81E-04
54	5	5.17E-04
55	5	5.57E-04
56	5	8.62E-04
57	5	4.01E-04
58	5	4.16E-04
59	5	4.30E-04
60	5	4.42E-04
61	5	4.52E-04
62	5	4.61E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	4.72E-04
64	5	4.70E-04
65	5	4.86E-04
66	5	5.07E-04
67	5	5.32E-04
68	5	5.78E-04
69	5	6.31E-04
70	5	4.34E-04
71	5	4.53E-04
72	5	4.72E-04
73	5	4.90E-04
74	5	5.06E-04
75	5	5.25E-04
76	5	5.41E-04
77	5	5.48E-04
78	5	5.66E-04
79	5	6.06E-04
80	5	6.23E-04
81	5	6.86E-04
82	5	7.33E-04
83	5	4.67E-04
84	5	4.91E-04
85	5	5.12E-04
86	5	5.41E-04
87	5	5.67E-04
88	5	5.93E-04
89	5	6.20E-04
90	5	6.47E-04
91	5	6.77E-04
92	5	7.13E-04
93	5	7.54E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	8.07E-04
95	5	8.73E-04
96	5	4.97E-04
97	5	5.21E-04
98	5	5.48E-04
99	5	5.86E-04
100	5	6.26E-04
101	5	6.62E-04
102	5	6.99E-04
103	5	7.37E-04
104	5	7.77E-04
105	5	8.19E-04
106	5	8.70E-04
107	5	9.33E-04
108	5	1.01E-03
109	5	5.19E-04
110	5	5.56E-04
111	5	5.96E-04
112	5	6.39E-04
113	5	6.85E-04
114	5	7.33E-04
115	5	7.83E-04
116	5	8.35E-04
117	5	8.92E-04
118	5	9.24E-04
119	5	9.91E-04
120	5	1.06E-03
121	5	1.14E-03
122	5	5.34E-04
123	5	5.78E-04
124	5	6.30E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	6.82E-04
126	5	7.37E-04
127	5	7.96E-04
128	5	8.38E-04
129	5	9.07E-04
130	5	1.00E-03
131	5	3.05E-03
132	5	3.16E-03
133	5	5.36E-04
134	5	5.92E-04
135	5	6.51E-04
136	5	7.12E-04
137	5	7.79E-04
138	5	8.49E-04
139	5	9.16E-04
140	5	1.03E-03
141	5	1.13E-03
142	5	1.25E-03
143	5	1.38E-03
144	5	1.54E-03
145	5	1.70E-03
146	5	4.11E-03
147	5	5.27E-04
148	5	5.85E-04
149	5	6.51E-04
150	5	7.21E-04
151	5	8.02E-04
152	5	8.84E-04
153	5	9.76E-04
154	5	1.09E-03
155	5	1.23E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.38E-03
157	5	1.55E-03
158	5	1.74E-03
159	5	2.03E-03
160	5	5.12E-04
161	5	5.64E-04
162	5	6.18E-04
163	5	7.00E-04
164	5	7.98E-04
165	5	8.93E-04
166	5	1.01E-03
167	5	1.14E-03
168	5	1.31E-03
169	5	1.50E-03
170	5	1.74E-03
171	5	2.02E-03
172	5	2.40E-03
173	5	2.90E-03
174	5	3.58E-03
175	5	4.49E-03
176	5	5.99E-03
177	5	7.80E-03
178	5	9.81E-03
179	5	4.76E-04
180	5	5.21E-04
181	5	5.66E-04
182	5	6.57E-04
183	5	7.74E-04
184	5	8.78E-04
185	5	1.01E-03
186	5	1.15E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.33E-03
188	5	1.56E-03
189	5	1.84E-03
190	5	2.21E-03
191	5	2.68E-03
192	5	3.36E-03
193	5	4.32E-03
194	5	5.82E-03
195	5	8.45E-03
196	5	1.28E-02
197	5	1.88E-02
198	5	4.44E-04
199	5	4.89E-04
200	5	5.41E-04
201	5	6.12E-04
202	5	7.27E-04
203	5	8.38E-04
204	5	9.71E-04
205	5	1.12E-03
206	5	1.31E-03
207	5	1.55E-03
208	5	1.85E-03
209	5	2.25E-03
210	5	2.81E-03
211	5	3.62E-03
212	5	4.83E-03
213	5	6.74E-03
214	5	9.92E-03
215	5	2.06E-02
216	5	4.21E-04
217	5	4.60E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	5.11E-04
219	5	5.75E-04
220	5	6.77E-04
221	5	7.77E-04
222	5	9.08E-04
223	5	1.06E-03
224	5	1.24E-03
225	5	1.46E-03
226	5	1.76E-03
227	5	2.15E-03
228	5	2.69E-03
229	5	3.51E-03
230	5	4.79E-03
231	5	7.05E-03
232	5	1.17E-02
233	5	2.94E-02
234	5	4.04E-04
235	5	4.39E-04
236	5	4.86E-04
237	5	5.49E-04
238	5	6.33E-04
239	5	7.25E-04
240	5	8.41E-04
241	5	9.79E-04
242	5	1.15E-03
243	5	1.35E-03
244	5	1.63E-03
245	5	2.00E-03
246	5	2.51E-03
247	5	3.25E-03
248	5	4.42E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	6.42E-03
250	5	1.06E-02
251	5	2.60E-02
252	5	3.89E-04
253	5	4.20E-04
254	5	4.61E-04
255	5	5.13E-04
256	5	6.01E-04
257	5	6.65E-04
258	5	7.56E-04
259	5	8.65E-04
260	5	1.02E-03
261	5	1.24E-03
262	5	1.50E-03
263	5	1.82E-03
264	5	2.29E-03
265	5	2.92E-03
266	5	3.88E-03
267	5	5.41E-03
268	5	8.20E-03
269	5	1.67E-02
270	5	3.78E-04
271	5	4.10E-04
272	5	4.50E-04
273	5	4.96E-04
274	5	5.85E-04
275	5	6.67E-04
276	5	7.12E-04
277	5	8.06E-04
278	5	9.33E-04
279	5	1.10E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.35E-03
281	5	1.67E-03
282	5	2.07E-03
283	5	2.62E-03
284	5	3.38E-03
285	5	4.46E-03
286	5	6.27E-03
287	5	1.12E-02
288	5	3.72E-04
289	5	4.00E-04
290	5	4.47E-04
291	5	4.97E-04
292	5	6.04E-04
293	5	6.57E-04
294	5	6.77E-04
295	5	7.68E-04
296	5	8.85E-04
297	5	1.02E-03
298	5	1.21E-03
299	5	1.50E-03
300	5	1.83E-03
301	5	2.29E-03
302	5	2.88E-03
303	5	3.71E-03
304	5	4.99E-03
305	5	8.05E-03
306	5	3.85E-04
307	5	4.04E-04
308	5	4.39E-04
309	5	5.13E-04
310	5	5.90E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	6.38E-04
312	5	6.43E-04
313	5	7.26E-04
314	5	8.32E-04
315	5	9.89E-04
316	5	1.12E-03
317	5	1.32E-03
318	5	1.58E-03
319	5	1.96E-03
320	5	2.50E-03
321	5	3.12E-03
322	5	4.03E-03
323	5	6.01E-03
324	5	3.77E-04
325	5	4.18E-04
326	5	4.51E-04
327	5	4.80E-04
328	5	5.81E-04
329	5	6.17E-04
330	5	6.25E-04
331	5	7.04E-04
332	5	8.03E-04
333	5	9.48E-04
334	5	1.09E-03
335	5	1.26E-03
336	5	3.68E-03
337	5	3.88E-03
338	5	4.29E-04
339	5	4.59E-04
340	5	5.23E-04
341	5	5.56E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	5.75E-04
343	5	6.03E-04
344	5	6.12E-04
345	5	6.17E-04
346	5	6.17E-04
347	5	4.65E-04
348	5	5.09E-04
349	5	5.97E-04
350	5	6.22E-04
351	5	6.43E-04
352	5	6.79E-04
353	5	6.90E-04
354	5	6.92E-04
355	5	6.93E-04
356	5	5.07E-04
357	5	5.47E-04
358	5	5.97E-04
359	5	6.80E-04
360	5	7.25E-04
361	5	7.71E-04
362	5	7.84E-04
363	5	7.87E-04
364	5	5.64E-04
365	5	5.97E-04
366	5	6.60E-04
367	5	7.70E-04
368	5	8.26E-04
369	5	8.86E-04
370	5	9.10E-04
371	5	9.08E-04
372	5	6.39E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	6.76E-04
374	5	7.52E-04
375	5	8.81E-04
376	5	9.53E-04
377	5	9.98E-04
378	5	1.03E-03
379	5	1.06E-03
380	5	1.06E-03
381	5	1.05E-03
382	5	7.46E-04
383	5	8.10E-04
384	5	8.76E-04
385	5	1.05E-03
386	5	1.11E-03
387	5	1.17E-03
388	5	1.22E-03
389	5	1.26E-03
390	5	1.25E-03
391	5	1.24E-03
392	5	1.19E-03
393	5	8.89E-04
394	5	1.06E-03
395	5	1.18E-03
396	5	1.27E-03
397	5	1.36E-03
398	5	1.40E-03
399	5	1.42E-03
400	5	1.51E-03
401	5	1.51E-03
402	5	1.42E-03
403	5	1.84E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.73E-03
405	5	1.63E-03
406	5	2.33E-03
407	5	1.97E-03
408	5	3.05E-03
409	5	2.41E-03
410	5	4.19E-03
411	5	3.40E-03
412	5	3.02E-03
413	5	6.11E-03
414	5	5.07E-03
415	5	4.36E-03
416	5	3.67E-03
417	5	9.74E-03
418	5	5.51E-03
419	5	4.34E-03
420	5	3.42E-03
421	5	1.75E-02
422	5	4.85E-03
423	5	3.65E-03
424	5	3.52E-02
425	5	3.66E-03
426	5	2.77E-03
427	5	6.21E-02
428	5	3.49E-03
429	5	2.64E-03
430	5	5.75E-02
431	5	2.47E-03
432	5	1.94E-03
433	5	3.58E-02
434	5	2.28E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.83E-03
436	5	2.21E-02
437	5	2.66E-03
438	5	2.10E-03
439	5	1.70E-03
440	5	1.42E-02
441	5	4.29E-03
442	5	3.14E-03
443	5	2.41E-03
444	5	1.92E-03
445	5	9.69E-03
446	5	5.32E-03
447	5	3.79E-03
448	5	2.81E-03
449	5	6.95E-03
450	5	5.82E-03
451	5	4.46E-03
452	5	5.19E-03
453	5	4.59E-03
454	5	1.24E-03
455	5	1.07E-03
456	5	4.01E-03
457	5	3.68E-03
458	5	3.13E-03
459	5	1.66E-03
460	5	1.38E-03
461	5	1.16E-03
462	5	1.00E-03
463	5	4.27E-03
464	5	4.58E-03
465	5	6.49E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	7.92E-03
467	5	1.10E-02
468	5	2.28E-02
469	5	7.67E-02
470	5	5.55E-02
471	5	9.42E-02
472	5	7.61E-02
473	5	8.10E-02
474	5	3.56E-02
475	5	6.03E-02
476	5	1.91E-02
477	5	2.66E-02
478	5	1.17E-02
479	5	1.49E-02
480	5	1.47E-02
481	5	7.87E-03
482	5	9.68E-03
483	5	6.57E-03
484	5	6.80E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	0.09997	2.56E-03	2.6E-04	1.05E-03	2.67E-07	5.26E-01	1.57E-01	2.21E-08	1.0E+06	2.2E-02
2	0.10116	2.56E-03	2.6E-04	1.05E-03	2.71E-07	5.26E-01	1.57E-01	2.24E-08	1.0E+06	2.2E-02
3	0.10225	2.56E-03	2.6E-04	1.05E-03	2.73E-07	5.26E-01	1.57E-01	2.26E-08	1.0E+06	2.3E-02
4	0.10353	2.56E-03	2.6E-04	1.05E-03	2.77E-07	5.26E-01	1.57E-01	2.29E-08	1.0E+06	2.3E-02
5	0.1049	2.56E-03	2.7E-04	1.05E-03	2.81E-07	5.26E-01	1.57E-01	2.32E-08	1.0E+06	2.3E-02
6	0.10762	2.56E-03	2.8E-04	1.05E-03	2.88E-07	5.26E-01	1.57E-01	2.38E-08	1.0E+06	2.4E-02
7	0.11114	2.56E-03	2.8E-04	1.05E-03	2.97E-07	5.26E-01	1.57E-01	2.46E-08	1.0E+06	2.5E-02
8	0.11544	2.56E-03	3.0E-04	1.05E-03	3.09E-07	5.26E-01	1.57E-01	2.55E-08	1.0E+06	2.6E-02
9	0.12067	2.56E-03	3.1E-04	1.05E-03	3.23E-07	5.26E-01	1.57E-01	2.67E-08	1.0E+06	2.7E-02
10	0.12749	2.56E-03	3.3E-04	1.05E-03	3.41E-07	5.26E-01	1.57E-01	2.82E-08	1.0E+06	2.8E-02
11	0.13627	2.56E-03	3.5E-04	1.05E-03	3.64E-07	5.26E-01	1.57E-01	3.01E-08	1.0E+06	3.0E-02
12	0.1456	2.56E-03	3.7E-04	1.05E-03	3.89E-07	5.26E-01	1.57E-01	3.22E-08	1.0E+06	3.2E-02
13	0.15591	2.56E-03	4.0E-04	1.05E-03	4.17E-07	5.26E-01	1.57E-01	3.45E-08	1.0E+06	3.4E-02
14	0.21775	2.56E-03	5.6E-04	1.05E-03	5.82E-07	5.26E-01	1.57E-01	4.81E-08	1.0E+06	4.8E-02
15	0.11116	2.56E-03	2.8E-04	1.05E-03	2.97E-07	5.26E-01	1.57E-01	2.46E-08	1.0E+06	2.5E-02
16	0.11231	2.56E-03	2.9E-04	1.05E-03	3.00E-07	5.26E-01	1.57E-01	2.48E-08	1.0E+06	2.5E-02
17	0.11409	2.56E-03	2.9E-04	1.05E-03	3.05E-07	5.26E-01	1.57E-01	2.52E-08	1.0E+06	2.5E-02
18	0.1152	2.56E-03	2.9E-04	1.05E-03	3.08E-07	5.26E-01	1.57E-01	2.55E-08	1.0E+06	2.5E-02
19	0.11623	2.56E-03	3.0E-04	1.05E-03	3.11E-07	5.26E-01	1.57E-01	2.57E-08	1.0E+06	2.6E-02
20	0.11825	2.56E-03	3.0E-04	1.05E-03	3.16E-07	5.26E-01	1.57E-01	2.61E-08	1.0E+06	2.6E-02
21	0.12106	2.56E-03	3.1E-04	1.05E-03	3.24E-07	5.26E-01	1.57E-01	2.68E-08	1.0E+06	2.7E-02
22	0.12456	2.56E-03	3.2E-04	1.05E-03	3.33E-07	5.26E-01	1.57E-01	2.75E-08	1.0E+06	2.8E-02
23	0.13094	2.56E-03	3.4E-04	1.05E-03	3.50E-07	5.26E-01	1.57E-01	2.90E-08	1.0E+06	2.9E-02
24	0.13716	2.56E-03	3.5E-04	1.05E-03	3.67E-07	5.26E-01	1.57E-01	3.03E-08	1.0E+06	3.0E-02
25	0.14759	2.56E-03	3.8E-04	1.05E-03	3.95E-07	5.26E-01	1.57E-01	3.26E-08	1.0E+06	3.3E-02
26	0.15892	2.56E-03	4.1E-04	1.05E-03	4.25E-07	5.26E-01	1.57E-01	3.51E-08	1.0E+06	3.5E-02
27	0.16875	2.56E-03	4.3E-04	1.05E-03	4.51E-07	5.26E-01	1.57E-01	3.73E-08	1.0E+06	3.7E-02
28	0.24418	2.56E-03	6.2E-04	1.05E-03	6.53E-07	5.26E-01	1.57E-01	5.40E-08	1.0E+06	5.4E-02
29	0.12315	2.56E-03	3.2E-04	1.05E-03	3.29E-07	5.26E-01	1.57E-01	2.72E-08	1.0E+06	2.7E-02
30	0.12567	2.56E-03	3.2E-04	1.05E-03	3.36E-07	5.26E-01	1.57E-01	2.78E-08	1.0E+06	2.8E-02
31	0.12837	2.56E-03	3.3E-04	1.05E-03	3.43E-07	5.26E-01	1.57E-01	2.84E-08	1.0E+06	2.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	2.56E-03	3.3E-04	1.05E-03	3.49E-07	5.26E-01	1.57E-01	2.88E-08	1.0E+06	2.9E-02
33	0.13031	2.56E-03	3.3E-04	1.05E-03	3.49E-07	5.26E-01	1.57E-01	2.88E-08	1.0E+06	2.9E-02
34	0.13211	2.56E-03	3.4E-04	1.05E-03	3.53E-07	5.26E-01	1.57E-01	2.92E-08	1.0E+06	2.9E-02
35	0.13406	2.56E-03	3.4E-04	1.05E-03	3.59E-07	5.26E-01	1.57E-01	2.96E-08	1.0E+06	3.0E-02
36	0.13747	2.56E-03	3.5E-04	1.05E-03	3.68E-07	5.26E-01	1.57E-01	3.04E-08	1.0E+06	3.0E-02
37	0.14288	2.56E-03	3.7E-04	1.05E-03	3.82E-07	5.26E-01	1.57E-01	3.16E-08	1.0E+06	3.2E-02
38	0.15048	2.56E-03	3.9E-04	1.05E-03	4.02E-07	5.26E-01	1.57E-01	3.33E-08	1.0E+06	3.3E-02
39	0.16057	2.56E-03	4.1E-04	1.05E-03	4.29E-07	5.26E-01	1.57E-01	3.55E-08	1.0E+06	3.6E-02
40	0.17181	2.56E-03	4.4E-04	1.05E-03	4.60E-07	5.26E-01	1.57E-01	3.80E-08	1.0E+06	3.8E-02
41	0.18337	2.56E-03	4.7E-04	1.05E-03	4.90E-07	5.26E-01	1.57E-01	4.05E-08	1.0E+06	4.1E-02
42	0.27606	2.56E-03	7.1E-04	1.05E-03	7.38E-07	5.26E-01	1.57E-01	6.10E-08	1.0E+06	6.1E-02
43	0.13523	2.56E-03	3.5E-04	1.05E-03	3.62E-07	5.26E-01	1.57E-01	2.99E-08	1.0E+06	3.0E-02
44	0.13913	2.56E-03	3.6E-04	1.05E-03	3.72E-07	5.26E-01	1.57E-01	3.08E-08	1.0E+06	3.1E-02
45	0.14273	2.56E-03	3.7E-04	1.05E-03	3.82E-07	5.26E-01	1.57E-01	3.16E-08	1.0E+06	3.2E-02
46	0.14534	2.56E-03	3.7E-04	1.05E-03	3.89E-07	5.26E-01	1.57E-01	3.21E-08	1.0E+06	3.2E-02
47	0.14689	2.56E-03	3.8E-04	1.05E-03	3.93E-07	5.26E-01	1.57E-01	3.25E-08	1.0E+06	3.2E-02
48	0.14854	2.56E-03	3.8E-04	1.05E-03	3.97E-07	5.26E-01	1.57E-01	3.28E-08	1.0E+06	3.3E-02
49	0.14984	2.56E-03	3.8E-04	1.05E-03	4.01E-07	5.26E-01	1.57E-01	3.31E-08	1.0E+06	3.3E-02
50	0.15161	2.56E-03	3.9E-04	1.05E-03	4.06E-07	5.26E-01	1.57E-01	3.35E-08	1.0E+06	3.4E-02
51	0.15836	2.56E-03	4.1E-04	1.05E-03	4.24E-07	5.26E-01	1.57E-01	3.50E-08	1.0E+06	3.5E-02
52	0.16548	2.56E-03	4.2E-04	1.05E-03	4.43E-07	5.26E-01	1.57E-01	3.66E-08	1.0E+06	3.7E-02
53	0.17641	2.56E-03	4.5E-04	1.05E-03	4.72E-07	5.26E-01	1.57E-01	3.90E-08	1.0E+06	3.9E-02
54	0.18951	2.56E-03	4.8E-04	1.05E-03	5.07E-07	5.26E-01	1.57E-01	4.19E-08	1.0E+06	4.2E-02
55	0.20421	2.56E-03	5.2E-04	1.05E-03	5.46E-07	5.26E-01	1.57E-01	4.51E-08	1.0E+06	4.5E-02
56	0.31605	2.56E-03	8.1E-04	1.05E-03	8.45E-07	5.26E-01	1.57E-01	6.99E-08	1.0E+06	7.0E-02
57	0.14708	2.56E-03	3.8E-04	1.05E-03	3.93E-07	5.26E-01	1.57E-01	3.25E-08	1.0E+06	3.3E-02
58	0.15242	2.56E-03	3.9E-04	1.05E-03	4.08E-07	5.26E-01	1.57E-01	3.37E-08	1.0E+06	3.4E-02
59	0.15749	2.56E-03	4.0E-04	1.05E-03	4.21E-07	5.26E-01	1.57E-01	3.48E-08	1.0E+06	3.5E-02
60	0.16209	2.56E-03	4.1E-04	1.05E-03	4.34E-07	5.26E-01	1.57E-01	3.58E-08	1.0E+06	3.6E-02
61	0.16587	2.56E-03	4.2E-04	1.05E-03	4.44E-07	5.26E-01	1.57E-01	3.67E-08	1.0E+06	3.7E-02
62	0.1689	2.56E-03	4.3E-04	1.05E-03	4.52E-07	5.26E-01	1.57E-01	3.73E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	2.56E-03	4.4E-04	1.05E-03	4.63E-07	5.26E-01	1.57E-01	3.82E-08	1.0E+06	3.8E-02
64	0.17221	2.56E-03	4.4E-04	1.05E-03	4.61E-07	5.26E-01	1.57E-01	3.81E-08	1.0E+06	3.8E-02
65	0.17802	2.56E-03	4.6E-04	1.05E-03	4.76E-07	5.26E-01	1.57E-01	3.94E-08	1.0E+06	3.9E-02
66	0.18602	2.56E-03	4.8E-04	1.05E-03	4.98E-07	5.26E-01	1.57E-01	4.11E-08	1.0E+06	4.1E-02
67	0.19503	2.56E-03	5.0E-04	1.05E-03	5.22E-07	5.26E-01	1.57E-01	4.31E-08	1.0E+06	4.3E-02
68	0.21198	2.56E-03	5.4E-04	1.05E-03	5.67E-07	5.26E-01	1.57E-01	4.69E-08	1.0E+06	4.7E-02
69	0.23133	2.56E-03	5.9E-04	1.05E-03	6.19E-07	5.26E-01	1.57E-01	5.11E-08	1.0E+06	5.1E-02
70	0.15915	2.56E-03	4.1E-04	1.05E-03	4.26E-07	5.26E-01	1.57E-01	3.52E-08	1.0E+06	3.5E-02
71	0.16615	2.56E-03	4.3E-04	1.05E-03	4.44E-07	5.26E-01	1.57E-01	3.67E-08	1.0E+06	3.7E-02
72	0.17306	2.56E-03	4.4E-04	1.05E-03	4.63E-07	5.26E-01	1.57E-01	3.83E-08	1.0E+06	3.8E-02
73	0.17979	2.56E-03	4.6E-04	1.05E-03	4.81E-07	5.26E-01	1.57E-01	3.98E-08	1.0E+06	4.0E-02
74	0.1856	2.56E-03	4.7E-04	1.05E-03	4.96E-07	5.26E-01	1.57E-01	4.10E-08	1.0E+06	4.1E-02
75	0.19262	2.56E-03	4.9E-04	1.05E-03	5.15E-07	5.26E-01	1.57E-01	4.26E-08	1.0E+06	4.3E-02
76	0.19839	2.56E-03	5.1E-04	1.05E-03	5.31E-07	5.26E-01	1.57E-01	4.39E-08	1.0E+06	4.4E-02
77	0.20099	2.56E-03	5.1E-04	1.05E-03	5.38E-07	5.26E-01	1.57E-01	4.44E-08	1.0E+06	4.4E-02
78	0.20736	2.56E-03	5.3E-04	1.05E-03	5.55E-07	5.26E-01	1.57E-01	4.58E-08	1.0E+06	4.6E-02
79	0.22199	2.56E-03	5.7E-04	1.05E-03	5.94E-07	5.26E-01	1.57E-01	4.91E-08	1.0E+06	4.9E-02
80	0.22851	2.56E-03	5.8E-04	1.05E-03	6.11E-07	5.26E-01	1.57E-01	5.05E-08	1.0E+06	5.1E-02
81	0.25141	2.56E-03	6.4E-04	1.05E-03	6.72E-07	5.26E-01	1.57E-01	5.56E-08	1.0E+06	5.6E-02
82	0.26864	2.56E-03	6.9E-04	1.05E-03	7.19E-07	5.26E-01	1.57E-01	5.94E-08	1.0E+06	5.9E-02
83	0.17123	2.56E-03	4.4E-04	1.05E-03	4.58E-07	5.26E-01	1.57E-01	3.79E-08	1.0E+06	3.8E-02
84	0.17986	2.56E-03	4.6E-04	1.05E-03	4.81E-07	5.26E-01	1.57E-01	3.98E-08	1.0E+06	4.0E-02
85	0.18766	2.56E-03	4.8E-04	1.05E-03	5.02E-07	5.26E-01	1.57E-01	4.15E-08	1.0E+06	4.1E-02
86	0.19836	2.56E-03	5.1E-04	1.05E-03	5.31E-07	5.26E-01	1.57E-01	4.39E-08	1.0E+06	4.4E-02
87	0.20777	2.56E-03	5.3E-04	1.05E-03	5.56E-07	5.26E-01	1.57E-01	4.59E-08	1.0E+06	4.6E-02
88	0.21743	2.56E-03	5.6E-04	1.05E-03	5.82E-07	5.26E-01	1.57E-01	4.81E-08	1.0E+06	4.8E-02
89	0.22714	2.56E-03	5.8E-04	1.05E-03	6.08E-07	5.26E-01	1.57E-01	5.02E-08	1.0E+06	5.0E-02
90	0.23725	2.56E-03	6.1E-04	1.05E-03	6.35E-07	5.26E-01	1.57E-01	5.25E-08	1.0E+06	5.2E-02
91	0.24821	2.56E-03	6.4E-04	1.05E-03	6.64E-07	5.26E-01	1.57E-01	5.49E-08	1.0E+06	5.5E-02
92	0.26127	2.56E-03	6.7E-04	1.05E-03	6.99E-07	5.26E-01	1.57E-01	5.78E-08	1.0E+06	5.8E-02
93	0.27635	2.56E-03	7.1E-04	1.05E-03	7.39E-07	5.26E-01	1.57E-01	6.11E-08	1.0E+06	6.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	2.56E-03	7.6E-04	1.05E-03	7.91E-07	5.26E-01	1.57E-01	6.54E-08	1.0E+06	6.5E-02
95	0.31999	2.56E-03	8.2E-04	1.05E-03	8.56E-07	5.26E-01	1.57E-01	7.07E-08	1.0E+06	7.1E-02
96	0.18233	2.56E-03	4.7E-04	1.05E-03	4.88E-07	5.26E-01	1.57E-01	4.03E-08	1.0E+06	4.0E-02
97	0.19094	2.56E-03	4.9E-04	1.05E-03	5.11E-07	5.26E-01	1.57E-01	4.22E-08	1.0E+06	4.2E-02
98	0.20103	2.56E-03	5.1E-04	1.05E-03	5.38E-07	5.26E-01	1.57E-01	4.44E-08	1.0E+06	4.4E-02
99	0.21464	2.56E-03	5.5E-04	1.05E-03	5.74E-07	5.26E-01	1.57E-01	4.75E-08	1.0E+06	4.7E-02
100	0.22959	2.56E-03	5.9E-04	1.05E-03	6.14E-07	5.26E-01	1.57E-01	5.08E-08	1.0E+06	5.1E-02
101	0.24284	2.56E-03	6.2E-04	1.05E-03	6.50E-07	5.26E-01	1.57E-01	5.37E-08	1.0E+06	5.4E-02
102	0.25629	2.56E-03	6.6E-04	1.05E-03	6.85E-07	5.26E-01	1.57E-01	5.67E-08	1.0E+06	5.7E-02
103	0.27027	2.56E-03	6.9E-04	1.05E-03	7.23E-07	5.26E-01	1.57E-01	5.98E-08	1.0E+06	6.0E-02
104	0.28488	2.56E-03	7.3E-04	1.05E-03	7.62E-07	5.26E-01	1.57E-01	6.30E-08	1.0E+06	6.3E-02
105	0.3003	2.56E-03	7.7E-04	1.05E-03	8.03E-07	5.26E-01	1.57E-01	6.64E-08	1.0E+06	6.6E-02
106	0.3189	2.56E-03	8.2E-04	1.05E-03	8.53E-07	5.26E-01	1.57E-01	7.05E-08	1.0E+06	7.1E-02
107	0.34186	2.56E-03	8.7E-04	1.05E-03	9.14E-07	5.26E-01	1.57E-01	7.56E-08	1.0E+06	7.6E-02
108	0.37026	2.56E-03	9.5E-04	1.05E-03	9.90E-07	5.26E-01	1.57E-01	8.19E-08	1.0E+06	8.2E-02
109	0.19023	2.56E-03	4.9E-04	1.05E-03	5.09E-07	5.26E-01	1.57E-01	4.21E-08	1.0E+06	4.2E-02
110	0.20375	2.56E-03	5.2E-04	1.05E-03	5.45E-07	5.26E-01	1.57E-01	4.50E-08	1.0E+06	4.5E-02
111	0.21846	2.56E-03	5.6E-04	1.05E-03	5.84E-07	5.26E-01	1.57E-01	4.83E-08	1.0E+06	4.8E-02
112	0.23423	2.56E-03	6.0E-04	1.05E-03	6.26E-07	5.26E-01	1.57E-01	5.18E-08	1.0E+06	5.2E-02
113	0.25102	2.56E-03	6.4E-04	1.05E-03	6.71E-07	5.26E-01	1.57E-01	5.55E-08	1.0E+06	5.5E-02
114	0.2686	2.56E-03	6.9E-04	1.05E-03	7.18E-07	5.26E-01	1.57E-01	5.94E-08	1.0E+06	5.9E-02
115	0.28686	2.56E-03	7.3E-04	1.05E-03	7.67E-07	5.26E-01	1.57E-01	6.34E-08	1.0E+06	6.3E-02
116	0.30627	2.56E-03	7.8E-04	1.05E-03	8.19E-07	5.26E-01	1.57E-01	6.77E-08	1.0E+06	6.8E-02
117	0.32686	2.56E-03	8.4E-04	1.05E-03	8.74E-07	5.26E-01	1.57E-01	7.23E-08	1.0E+06	7.2E-02
118	0.33858	2.56E-03	8.7E-04	1.05E-03	9.06E-07	5.26E-01	1.57E-01	7.49E-08	1.0E+06	7.5E-02
119	0.36311	2.56E-03	9.3E-04	1.05E-03	9.71E-07	5.26E-01	1.57E-01	8.03E-08	1.0E+06	8.0E-02
120	0.38851	2.56E-03	9.9E-04	1.05E-03	1.04E-06	5.26E-01	1.57E-01	8.59E-08	1.0E+06	8.6E-02
121	0.4178	2.56E-03	1.1E-03	1.05E-03	1.12E-06	5.26E-01	1.57E-01	9.24E-08	1.0E+06	9.2E-02
122	0.19578	2.56E-03	5.0E-04	1.05E-03	5.24E-07	5.26E-01	1.57E-01	4.33E-08	1.0E+06	4.3E-02
123	0.21204	2.56E-03	5.4E-04	1.05E-03	5.67E-07	5.26E-01	1.57E-01	4.69E-08	1.0E+06	4.7E-02
124	0.23086	2.56E-03	5.9E-04	1.05E-03	6.17E-07	5.26E-01	1.57E-01	5.10E-08	1.0E+06	5.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	2.56E-03	6.4E-04	1.05E-03	6.69E-07	5.26E-01	1.57E-01	5.53E-08	1.0E+06	5.5E-02
126	0.27035	2.56E-03	6.9E-04	1.05E-03	7.23E-07	5.26E-01	1.57E-01	5.98E-08	1.0E+06	6.0E-02
127	0.29177	2.56E-03	7.5E-04	1.05E-03	7.80E-07	5.26E-01	1.57E-01	6.45E-08	1.0E+06	6.5E-02
128	0.30724	2.56E-03	7.9E-04	1.05E-03	8.22E-07	5.26E-01	1.57E-01	6.79E-08	1.0E+06	6.8E-02
129	0.33259	2.56E-03	8.5E-04	1.05E-03	8.90E-07	5.26E-01	1.57E-01	7.35E-08	1.0E+06	7.4E-02
130	0.36682	2.56E-03	9.4E-04	1.05E-03	9.81E-07	5.26E-01	1.57E-01	8.11E-08	1.0E+06	8.1E-02
131	1.11688	2.56E-03	2.9E-03	1.05E-03	2.99E-06	5.26E-01	1.57E-01	2.47E-07	1.0E+06	2.5E-01
132	1.15875	2.56E-03	3.0E-03	1.05E-03	3.10E-06	5.26E-01	1.57E-01	2.56E-07	1.0E+06	2.6E-01
133	0.19656	2.56E-03	5.0E-04	1.05E-03	5.26E-07	5.26E-01	1.57E-01	4.35E-08	1.0E+06	4.3E-02
134	0.21704	2.56E-03	5.6E-04	1.05E-03	5.81E-07	5.26E-01	1.57E-01	4.80E-08	1.0E+06	4.8E-02
135	0.23863	2.56E-03	6.1E-04	1.05E-03	6.38E-07	5.26E-01	1.57E-01	5.28E-08	1.0E+06	5.3E-02
136	0.26108	2.56E-03	6.7E-04	1.05E-03	6.98E-07	5.26E-01	1.57E-01	5.77E-08	1.0E+06	5.8E-02
137	0.28567	2.56E-03	7.3E-04	1.05E-03	7.64E-07	5.26E-01	1.57E-01	6.32E-08	1.0E+06	6.3E-02
138	0.31112	2.56E-03	8.0E-04	1.05E-03	8.32E-07	5.26E-01	1.57E-01	6.88E-08	1.0E+06	6.9E-02
139	0.33575	2.56E-03	8.6E-04	1.05E-03	8.98E-07	5.26E-01	1.57E-01	7.42E-08	1.0E+06	7.4E-02
140	0.37628	2.56E-03	9.6E-04	1.05E-03	1.01E-06	5.26E-01	1.57E-01	8.32E-08	1.0E+06	8.3E-02
141	0.41535	2.56E-03	1.1E-03	1.05E-03	1.11E-06	5.26E-01	1.57E-01	9.18E-08	1.0E+06	9.2E-02
142	0.45747	2.56E-03	1.2E-03	1.05E-03	1.22E-06	5.26E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
143	0.5063	2.56E-03	1.3E-03	1.05E-03	1.35E-06	5.26E-01	1.57E-01	1.12E-07	1.0E+06	1.1E-01
144	0.56507	2.56E-03	1.4E-03	1.05E-03	1.51E-06	5.26E-01	1.57E-01	1.25E-07	1.0E+06	1.2E-01
145	0.62491	2.56E-03	1.6E-03	1.05E-03	1.67E-06	5.26E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
146	1.50759	2.56E-03	3.9E-03	1.05E-03	4.03E-06	5.26E-01	1.57E-01	3.33E-07	1.0E+06	3.3E-01
147	0.1931	2.56E-03	4.9E-04	1.05E-03	5.16E-07	5.26E-01	1.57E-01	4.27E-08	1.0E+06	4.3E-02
148	0.21437	2.56E-03	5.5E-04	1.05E-03	5.73E-07	5.26E-01	1.57E-01	4.74E-08	1.0E+06	4.7E-02
149	0.23858	2.56E-03	6.1E-04	1.05E-03	6.38E-07	5.26E-01	1.57E-01	5.27E-08	1.0E+06	5.3E-02
150	0.26418	2.56E-03	6.8E-04	1.05E-03	7.07E-07	5.26E-01	1.57E-01	5.84E-08	1.0E+06	5.8E-02
151	0.29392	2.56E-03	7.5E-04	1.05E-03	7.86E-07	5.26E-01	1.57E-01	6.50E-08	1.0E+06	6.5E-02
152	0.32394	2.56E-03	8.3E-04	1.05E-03	8.66E-07	5.26E-01	1.57E-01	7.16E-08	1.0E+06	7.2E-02
153	0.3577	2.56E-03	9.2E-04	1.05E-03	9.57E-07	5.26E-01	1.57E-01	7.91E-08	1.0E+06	7.9E-02
154	0.39941	2.56E-03	1.0E-03	1.05E-03	1.07E-06	5.26E-01	1.57E-01	8.83E-08	1.0E+06	8.8E-02
155	0.44952	2.56E-03	1.2E-03	1.05E-03	1.20E-06	5.26E-01	1.57E-01	9.94E-08	1.0E+06	9.9E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	2.56E-03	1.3E-03	1.05E-03	1.35E-06	5.26E-01	1.57E-01	1.12E-07	1.0E+06	1.1E-01
157	0.56864	2.56E-03	1.5E-03	1.05E-03	1.52E-06	5.26E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
158	0.63716	2.56E-03	1.6E-03	1.05E-03	1.70E-06	5.26E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
159	0.74488	2.56E-03	1.9E-03	1.05E-03	1.99E-06	5.26E-01	1.57E-01	1.65E-07	1.0E+06	1.6E-01
160	0.18782	2.56E-03	4.8E-04	1.05E-03	5.02E-07	5.26E-01	1.57E-01	4.15E-08	1.0E+06	4.2E-02
161	0.20685	2.56E-03	5.3E-04	1.05E-03	5.53E-07	5.26E-01	1.57E-01	4.57E-08	1.0E+06	4.6E-02
162	0.22653	2.56E-03	5.8E-04	1.05E-03	6.06E-07	5.26E-01	1.57E-01	5.01E-08	1.0E+06	5.0E-02
163	0.25651	2.56E-03	6.6E-04	1.05E-03	6.86E-07	5.26E-01	1.57E-01	5.67E-08	1.0E+06	5.7E-02
164	0.29246	2.56E-03	7.5E-04	1.05E-03	7.82E-07	5.26E-01	1.57E-01	6.47E-08	1.0E+06	6.5E-02
165	0.32725	2.56E-03	8.4E-04	1.05E-03	8.75E-07	5.26E-01	1.57E-01	7.24E-08	1.0E+06	7.2E-02
166	0.36919	2.56E-03	9.4E-04	1.05E-03	9.87E-07	5.26E-01	1.57E-01	8.16E-08	1.0E+06	8.2E-02
167	0.41887	2.56E-03	1.1E-03	1.05E-03	1.12E-06	5.26E-01	1.57E-01	9.26E-08	1.0E+06	9.3E-02
168	0.47877	2.56E-03	1.2E-03	1.05E-03	1.28E-06	5.26E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
169	0.55074	2.56E-03	1.4E-03	1.05E-03	1.47E-06	5.26E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
170	0.63634	2.56E-03	1.6E-03	1.05E-03	1.70E-06	5.26E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
171	0.73945	2.56E-03	1.9E-03	1.05E-03	1.98E-06	5.26E-01	1.57E-01	1.63E-07	1.0E+06	1.6E-01
172	0.87948	2.56E-03	2.3E-03	1.05E-03	2.35E-06	5.26E-01	1.57E-01	1.94E-07	1.0E+06	1.9E-01
173	1.06486	2.56E-03	2.7E-03	1.05E-03	2.85E-06	5.26E-01	1.57E-01	2.35E-07	1.0E+06	2.4E-01
174	1.31351	2.56E-03	3.4E-03	1.05E-03	3.51E-06	5.26E-01	1.57E-01	2.90E-07	1.0E+06	2.9E-01
175	1.6474	2.56E-03	4.2E-03	1.05E-03	4.41E-06	5.26E-01	1.57E-01	3.64E-07	1.0E+06	3.6E-01
176	2.19565	2.56E-03	5.6E-03	1.05E-03	5.87E-06	5.26E-01	1.57E-01	4.85E-07	1.0E+06	4.9E-01
177	2.85894	2.56E-03	7.3E-03	1.05E-03	7.65E-06	5.26E-01	1.57E-01	6.32E-07	1.0E+06	6.3E-01
178	3.59716	2.56E-03	9.2E-03	1.05E-03	9.62E-06	5.26E-01	1.57E-01	7.95E-07	1.0E+06	8.0E-01
179	0.17443	2.56E-03	4.5E-04	1.05E-03	4.67E-07	5.26E-01	1.57E-01	3.86E-08	1.0E+06	3.9E-02
180	0.19117	2.56E-03	4.9E-04	1.05E-03	5.11E-07	5.26E-01	1.57E-01	4.23E-08	1.0E+06	4.2E-02
181	0.20765	2.56E-03	5.3E-04	1.05E-03	5.55E-07	5.26E-01	1.57E-01	4.59E-08	1.0E+06	4.6E-02
182	0.24097	2.56E-03	6.2E-04	1.05E-03	6.45E-07	5.26E-01	1.57E-01	5.33E-08	1.0E+06	5.3E-02
183	0.28383	2.56E-03	7.3E-04	1.05E-03	7.59E-07	5.26E-01	1.57E-01	6.28E-08	1.0E+06	6.3E-02
184	0.32178	2.56E-03	8.2E-04	1.05E-03	8.61E-07	5.26E-01	1.57E-01	7.11E-08	1.0E+06	7.1E-02
185	0.36853	2.56E-03	9.4E-04	1.05E-03	9.86E-07	5.26E-01	1.57E-01	8.15E-08	1.0E+06	8.1E-02
186	0.42331	2.56E-03	1.1E-03	1.05E-03	1.13E-06	5.26E-01	1.57E-01	9.36E-08	1.0E+06	9.4E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	2.56E-03	1.3E-03	1.05E-03	1.31E-06	5.26E-01	1.57E-01	1.08E-07	1.0E+06	1.1E-01
188	0.57244	2.56E-03	1.5E-03	1.05E-03	1.53E-06	5.26E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
189	0.67537	2.56E-03	1.7E-03	1.05E-03	1.81E-06	5.26E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
190	0.80933	2.56E-03	2.1E-03	1.05E-03	2.16E-06	5.26E-01	1.57E-01	1.79E-07	1.0E+06	1.8E-01
191	0.98328	2.56E-03	2.5E-03	1.05E-03	2.63E-06	5.26E-01	1.57E-01	2.17E-07	1.0E+06	2.2E-01
192	1.23304	2.56E-03	3.2E-03	1.05E-03	3.30E-06	5.26E-01	1.57E-01	2.73E-07	1.0E+06	2.7E-01
193	1.58271	2.56E-03	4.1E-03	1.05E-03	4.23E-06	5.26E-01	1.57E-01	3.50E-07	1.0E+06	3.5E-01
194	2.13464	2.56E-03	5.5E-03	1.05E-03	5.71E-06	5.26E-01	1.57E-01	4.72E-07	1.0E+06	4.7E-01
195	3.0975	2.56E-03	7.9E-03	1.05E-03	8.28E-06	5.26E-01	1.57E-01	6.85E-07	1.0E+06	6.8E-01
196	4.69284	2.56E-03	1.2E-02	1.05E-03	1.26E-05	5.26E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
197	6.88357	2.56E-03	1.8E-02	1.05E-03	1.84E-05	5.26E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
198	0.16286	2.56E-03	4.2E-04	1.05E-03	4.36E-07	5.26E-01	1.57E-01	3.60E-08	1.0E+06	3.6E-02
199	0.1793	2.56E-03	4.6E-04	1.05E-03	4.80E-07	5.26E-01	1.57E-01	3.96E-08	1.0E+06	4.0E-02
200	0.19824	2.56E-03	5.1E-04	1.05E-03	5.30E-07	5.26E-01	1.57E-01	4.38E-08	1.0E+06	4.4E-02
201	0.22447	2.56E-03	5.7E-04	1.05E-03	6.00E-07	5.26E-01	1.57E-01	4.96E-08	1.0E+06	5.0E-02
202	0.26663	2.56E-03	6.8E-04	1.05E-03	7.13E-07	5.26E-01	1.57E-01	5.90E-08	1.0E+06	5.9E-02
203	0.30715	2.56E-03	7.9E-04	1.05E-03	8.22E-07	5.26E-01	1.57E-01	6.79E-08	1.0E+06	6.8E-02
204	0.35579	2.56E-03	9.1E-04	1.05E-03	9.52E-07	5.26E-01	1.57E-01	7.87E-08	1.0E+06	7.9E-02
205	0.41191	2.56E-03	1.1E-03	1.05E-03	1.10E-06	5.26E-01	1.57E-01	9.11E-08	1.0E+06	9.1E-02
206	0.48026	2.56E-03	1.2E-03	1.05E-03	1.28E-06	5.26E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
207	0.56684	2.56E-03	1.5E-03	1.05E-03	1.52E-06	5.26E-01	1.57E-01	1.25E-07	1.0E+06	1.3E-01
208	0.67745	2.56E-03	1.7E-03	1.05E-03	1.81E-06	5.26E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
209	0.82589	2.56E-03	2.1E-03	1.05E-03	2.21E-06	5.26E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
210	1.02976	2.56E-03	2.6E-03	1.05E-03	2.75E-06	5.26E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
211	1.32605	2.56E-03	3.4E-03	1.05E-03	3.55E-06	5.26E-01	1.57E-01	2.93E-07	1.0E+06	2.9E-01
212	1.76927	2.56E-03	4.5E-03	1.05E-03	4.73E-06	5.26E-01	1.57E-01	3.91E-07	1.0E+06	3.9E-01
213	2.46994	2.56E-03	6.3E-03	1.05E-03	6.61E-06	5.26E-01	1.57E-01	5.46E-07	1.0E+06	5.5E-01
214	3.63615	2.56E-03	9.3E-03	1.05E-03	9.73E-06	5.26E-01	1.57E-01	8.04E-07	1.0E+06	8.0E-01
215	7.55748	2.56E-03	1.9E-02	1.05E-03	2.02E-05	5.26E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
216	0.15431	2.56E-03	3.9E-04	1.05E-03	4.13E-07	5.26E-01	1.57E-01	3.41E-08	1.0E+06	3.4E-02
217	0.16879	2.56E-03	4.3E-04	1.05E-03	4.51E-07	5.26E-01	1.57E-01	3.73E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	2.56E-03	4.8E-04	1.05E-03	5.01E-07	5.26E-01	1.57E-01	4.14E-08	1.0E+06	4.1E-02
219	0.21079	2.56E-03	5.4E-04	1.05E-03	5.64E-07	5.26E-01	1.57E-01	4.66E-08	1.0E+06	4.7E-02
220	0.24803	2.56E-03	6.3E-04	1.05E-03	6.63E-07	5.26E-01	1.57E-01	5.48E-08	1.0E+06	5.5E-02
221	0.28481	2.56E-03	7.3E-04	1.05E-03	7.62E-07	5.26E-01	1.57E-01	6.30E-08	1.0E+06	6.3E-02
222	0.33289	2.56E-03	8.5E-04	1.05E-03	8.90E-07	5.26E-01	1.57E-01	7.36E-08	1.0E+06	7.4E-02
223	0.3875	2.56E-03	9.9E-04	1.05E-03	1.04E-06	5.26E-01	1.57E-01	8.57E-08	1.0E+06	8.6E-02
224	0.45352	2.56E-03	1.2E-03	1.05E-03	1.21E-06	5.26E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
225	0.53452	2.56E-03	1.4E-03	1.05E-03	1.43E-06	5.26E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
226	0.64348	2.56E-03	1.6E-03	1.05E-03	1.72E-06	5.26E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
227	0.7871	2.56E-03	2.0E-03	1.05E-03	2.11E-06	5.26E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
228	0.98789	2.56E-03	2.5E-03	1.05E-03	2.64E-06	5.26E-01	1.57E-01	2.18E-07	1.0E+06	2.2E-01
229	1.28832	2.56E-03	3.3E-03	1.05E-03	3.45E-06	5.26E-01	1.57E-01	2.85E-07	1.0E+06	2.8E-01
230	1.75514	2.56E-03	4.5E-03	1.05E-03	4.69E-06	5.26E-01	1.57E-01	3.88E-07	1.0E+06	3.9E-01
231	2.58583	2.56E-03	6.6E-03	1.05E-03	6.92E-06	5.26E-01	1.57E-01	5.72E-07	1.0E+06	5.7E-01
232	4.28751	2.56E-03	1.1E-02	1.05E-03	1.15E-05	5.26E-01	1.57E-01	9.48E-07	1.0E+06	9.5E-01
233	10.76445	2.56E-03	2.8E-02	1.05E-03	2.88E-05	5.26E-01	1.57E-01	2.38E-06	1.0E+06	2.4E+00
234	0.14796	2.56E-03	3.8E-04	1.05E-03	3.96E-07	5.26E-01	1.57E-01	3.27E-08	1.0E+06	3.3E-02
235	0.16076	2.56E-03	4.1E-04	1.05E-03	4.30E-07	5.26E-01	1.57E-01	3.55E-08	1.0E+06	3.6E-02
236	0.17816	2.56E-03	4.6E-04	1.05E-03	4.77E-07	5.26E-01	1.57E-01	3.94E-08	1.0E+06	3.9E-02
237	0.20142	2.56E-03	5.2E-04	1.05E-03	5.39E-07	5.26E-01	1.57E-01	4.45E-08	1.0E+06	4.5E-02
238	0.2321	2.56E-03	5.9E-04	1.05E-03	6.21E-07	5.26E-01	1.57E-01	5.13E-08	1.0E+06	5.1E-02
239	0.26575	2.56E-03	6.8E-04	1.05E-03	7.11E-07	5.26E-01	1.57E-01	5.88E-08	1.0E+06	5.9E-02
240	0.30828	2.56E-03	7.9E-04	1.05E-03	8.25E-07	5.26E-01	1.57E-01	6.82E-08	1.0E+06	6.8E-02
241	0.35891	2.56E-03	9.2E-04	1.05E-03	9.60E-07	5.26E-01	1.57E-01	7.94E-08	1.0E+06	7.9E-02
242	0.4204	2.56E-03	1.1E-03	1.05E-03	1.12E-06	5.26E-01	1.57E-01	9.29E-08	1.0E+06	9.3E-02
243	0.49614	2.56E-03	1.3E-03	1.05E-03	1.33E-06	5.26E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
244	0.59817	2.56E-03	1.5E-03	1.05E-03	1.60E-06	5.26E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
245	0.7334	2.56E-03	1.9E-03	1.05E-03	1.96E-06	5.26E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
246	0.92041	2.56E-03	2.4E-03	1.05E-03	2.46E-06	5.26E-01	1.57E-01	2.03E-07	1.0E+06	2.0E-01
247	1.19215	2.56E-03	3.1E-03	1.05E-03	3.19E-06	5.26E-01	1.57E-01	2.64E-07	1.0E+06	2.6E-01
248	1.61854	2.56E-03	4.1E-03	1.05E-03	4.33E-06	5.26E-01	1.57E-01	3.58E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	2.56E-03	6.0E-03	1.05E-03	6.30E-06	5.26E-01	1.57E-01	5.21E-07	1.0E+06	5.2E-01
250	3.88245	2.56E-03	9.9E-03	1.05E-03	1.04E-05	5.26E-01	1.57E-01	8.58E-07	1.0E+06	8.6E-01
251	9.548	2.56E-03	2.4E-02	1.05E-03	2.55E-05	5.26E-01	1.57E-01	2.11E-06	1.0E+06	2.1E+00
252	0.14244	2.56E-03	3.6E-04	1.05E-03	3.81E-07	5.26E-01	1.57E-01	3.15E-08	1.0E+06	3.1E-02
253	0.15391	2.56E-03	3.9E-04	1.05E-03	4.12E-07	5.26E-01	1.57E-01	3.40E-08	1.0E+06	3.4E-02
254	0.16905	2.56E-03	4.3E-04	1.05E-03	4.52E-07	5.26E-01	1.57E-01	3.74E-08	1.0E+06	3.7E-02
255	0.1882	2.56E-03	4.8E-04	1.05E-03	5.03E-07	5.26E-01	1.57E-01	4.16E-08	1.0E+06	4.2E-02
256	0.22038	2.56E-03	5.6E-04	1.05E-03	5.89E-07	5.26E-01	1.57E-01	4.87E-08	1.0E+06	4.9E-02
257	0.24395	2.56E-03	6.2E-04	1.05E-03	6.52E-07	5.26E-01	1.57E-01	5.39E-08	1.0E+06	5.4E-02
258	0.27703	2.56E-03	7.1E-04	1.05E-03	7.41E-07	5.26E-01	1.57E-01	6.12E-08	1.0E+06	6.1E-02
259	0.31726	2.56E-03	8.1E-04	1.05E-03	8.49E-07	5.26E-01	1.57E-01	7.01E-08	1.0E+06	7.0E-02
260	0.37532	2.56E-03	9.6E-04	1.05E-03	1.00E-06	5.26E-01	1.57E-01	8.30E-08	1.0E+06	8.3E-02
261	0.45282	2.56E-03	1.2E-03	1.05E-03	1.21E-06	5.26E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
262	0.54991	2.56E-03	1.4E-03	1.05E-03	1.47E-06	5.26E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
263	0.6689	2.56E-03	1.7E-03	1.05E-03	1.79E-06	5.26E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
264	0.83769	2.56E-03	2.1E-03	1.05E-03	2.24E-06	5.26E-01	1.57E-01	1.85E-07	1.0E+06	1.9E-01
265	1.069	2.56E-03	2.7E-03	1.05E-03	2.86E-06	5.26E-01	1.57E-01	2.36E-07	1.0E+06	2.4E-01
266	1.42172	2.56E-03	3.6E-03	1.05E-03	3.80E-06	5.26E-01	1.57E-01	3.14E-07	1.0E+06	3.1E-01
267	1.98481	2.56E-03	5.1E-03	1.05E-03	5.31E-06	5.26E-01	1.57E-01	4.39E-07	1.0E+06	4.4E-01
268	3.00508	2.56E-03	7.7E-03	1.05E-03	8.04E-06	5.26E-01	1.57E-01	6.64E-07	1.0E+06	6.6E-01
269	6.11415	2.56E-03	1.6E-02	1.05E-03	1.64E-05	5.26E-01	1.57E-01	1.35E-06	1.0E+06	1.4E+00
270	0.13852	2.56E-03	3.5E-04	1.05E-03	3.70E-07	5.26E-01	1.57E-01	3.06E-08	1.0E+06	3.1E-02
271	0.15026	2.56E-03	3.8E-04	1.05E-03	4.02E-07	5.26E-01	1.57E-01	3.32E-08	1.0E+06	3.3E-02
272	0.16484	2.56E-03	4.2E-04	1.05E-03	4.41E-07	5.26E-01	1.57E-01	3.64E-08	1.0E+06	3.6E-02
273	0.18199	2.56E-03	4.7E-04	1.05E-03	4.87E-07	5.26E-01	1.57E-01	4.02E-08	1.0E+06	4.0E-02
274	0.21436	2.56E-03	5.5E-04	1.05E-03	5.73E-07	5.26E-01	1.57E-01	4.74E-08	1.0E+06	4.7E-02
275	0.24454	2.56E-03	6.3E-04	1.05E-03	6.54E-07	5.26E-01	1.57E-01	5.41E-08	1.0E+06	5.4E-02
276	0.26087	2.56E-03	6.7E-04	1.05E-03	6.98E-07	5.26E-01	1.57E-01	5.77E-08	1.0E+06	5.8E-02
277	0.29564	2.56E-03	7.6E-04	1.05E-03	7.91E-07	5.26E-01	1.57E-01	6.54E-08	1.0E+06	6.5E-02
278	0.34216	2.56E-03	8.8E-04	1.05E-03	9.15E-07	5.26E-01	1.57E-01	7.56E-08	1.0E+06	7.6E-02
279	0.40447	2.56E-03	1.0E-03	1.05E-03	1.08E-06	5.26E-01	1.57E-01	8.94E-08	1.0E+06	8.9E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	2.56E-03	1.3E-03	1.05E-03	1.32E-06	5.26E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
281	0.61075	2.56E-03	1.6E-03	1.05E-03	1.63E-06	5.26E-01	1.57E-01	1.35E-07	1.0E+06	1.4E-01
282	0.76016	2.56E-03	1.9E-03	1.05E-03	2.03E-06	5.26E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
283	0.9592	2.56E-03	2.5E-03	1.05E-03	2.57E-06	5.26E-01	1.57E-01	2.12E-07	1.0E+06	2.1E-01
284	1.23907	2.56E-03	3.2E-03	1.05E-03	3.31E-06	5.26E-01	1.57E-01	2.74E-07	1.0E+06	2.7E-01
285	1.6354	2.56E-03	4.2E-03	1.05E-03	4.37E-06	5.26E-01	1.57E-01	3.62E-07	1.0E+06	3.6E-01
286	2.29875	2.56E-03	5.9E-03	1.05E-03	6.15E-06	5.26E-01	1.57E-01	5.08E-07	1.0E+06	5.1E-01
287	4.0984	2.56E-03	1.0E-02	1.05E-03	1.10E-05	5.26E-01	1.57E-01	9.06E-07	1.0E+06	9.1E-01
288	0.13632	2.56E-03	3.5E-04	1.05E-03	3.65E-07	5.26E-01	1.57E-01	3.01E-08	1.0E+06	3.0E-02
289	0.14679	2.56E-03	3.8E-04	1.05E-03	3.93E-07	5.26E-01	1.57E-01	3.25E-08	1.0E+06	3.2E-02
290	0.16392	2.56E-03	4.2E-04	1.05E-03	4.38E-07	5.26E-01	1.57E-01	3.62E-08	1.0E+06	3.6E-02
291	0.1821	2.56E-03	4.7E-04	1.05E-03	4.87E-07	5.26E-01	1.57E-01	4.03E-08	1.0E+06	4.0E-02
292	0.22152	2.56E-03	5.7E-04	1.05E-03	5.92E-07	5.26E-01	1.57E-01	4.90E-08	1.0E+06	4.9E-02
293	0.241	2.56E-03	6.2E-04	1.05E-03	6.45E-07	5.26E-01	1.57E-01	5.33E-08	1.0E+06	5.3E-02
294	0.24821	2.56E-03	6.4E-04	1.05E-03	6.64E-07	5.26E-01	1.57E-01	5.49E-08	1.0E+06	5.5E-02
295	0.28165	2.56E-03	7.2E-04	1.05E-03	7.53E-07	5.26E-01	1.57E-01	6.23E-08	1.0E+06	6.2E-02
296	0.32446	2.56E-03	8.3E-04	1.05E-03	8.68E-07	5.26E-01	1.57E-01	7.17E-08	1.0E+06	7.2E-02
297	0.37299	2.56E-03	9.5E-04	1.05E-03	9.98E-07	5.26E-01	1.57E-01	8.25E-08	1.0E+06	8.2E-02
298	0.44378	2.56E-03	1.1E-03	1.05E-03	1.19E-06	5.26E-01	1.57E-01	9.81E-08	1.0E+06	9.8E-02
299	0.54938	2.56E-03	1.4E-03	1.05E-03	1.47E-06	5.26E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
300	0.67014	2.56E-03	1.7E-03	1.05E-03	1.79E-06	5.26E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
301	0.83889	2.56E-03	2.1E-03	1.05E-03	2.24E-06	5.26E-01	1.57E-01	1.85E-07	1.0E+06	1.9E-01
302	1.05754	2.56E-03	2.7E-03	1.05E-03	2.83E-06	5.26E-01	1.57E-01	2.34E-07	1.0E+06	2.3E-01
303	1.36095	2.56E-03	3.5E-03	1.05E-03	3.64E-06	5.26E-01	1.57E-01	3.01E-07	1.0E+06	3.0E-01
304	1.82968	2.56E-03	4.7E-03	1.05E-03	4.89E-06	5.26E-01	1.57E-01	4.05E-07	1.0E+06	4.0E-01
305	2.94941	2.56E-03	7.5E-03	1.05E-03	7.89E-06	5.26E-01	1.57E-01	6.52E-07	1.0E+06	6.5E-01
306	0.14102	2.56E-03	3.6E-04	1.05E-03	3.77E-07	5.26E-01	1.57E-01	3.12E-08	1.0E+06	3.1E-02
307	0.14805	2.56E-03	3.8E-04	1.05E-03	3.96E-07	5.26E-01	1.57E-01	3.27E-08	1.0E+06	3.3E-02
308	0.16104	2.56E-03	4.1E-04	1.05E-03	4.31E-07	5.26E-01	1.57E-01	3.56E-08	1.0E+06	3.6E-02
309	0.1881	2.56E-03	4.8E-04	1.05E-03	5.03E-07	5.26E-01	1.57E-01	4.16E-08	1.0E+06	4.2E-02
310	0.21623	2.56E-03	5.5E-04	1.05E-03	5.78E-07	5.26E-01	1.57E-01	4.78E-08	1.0E+06	4.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	2.56E-03	6.0E-04	1.05E-03	6.26E-07	5.26E-01	1.57E-01	5.17E-08	1.0E+06	5.2E-02
312	0.23582	2.56E-03	6.0E-04	1.05E-03	6.31E-07	5.26E-01	1.57E-01	5.21E-08	1.0E+06	5.2E-02
313	0.2662	2.56E-03	6.8E-04	1.05E-03	7.12E-07	5.26E-01	1.57E-01	5.89E-08	1.0E+06	5.9E-02
314	0.30482	2.56E-03	7.8E-04	1.05E-03	8.15E-07	5.26E-01	1.57E-01	6.74E-08	1.0E+06	6.7E-02
315	0.36238	2.56E-03	9.3E-04	1.05E-03	9.69E-07	5.26E-01	1.57E-01	8.01E-08	1.0E+06	8.0E-02
316	0.41173	2.56E-03	1.1E-03	1.05E-03	1.10E-06	5.26E-01	1.57E-01	9.10E-08	1.0E+06	9.1E-02
317	0.48329	2.56E-03	1.2E-03	1.05E-03	1.29E-06	5.26E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
318	0.58024	2.56E-03	1.5E-03	1.05E-03	1.55E-06	5.26E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
319	0.71842	2.56E-03	1.8E-03	1.05E-03	1.92E-06	5.26E-01	1.57E-01	1.59E-07	1.0E+06	1.6E-01
320	0.91725	2.56E-03	2.3E-03	1.05E-03	2.45E-06	5.26E-01	1.57E-01	2.03E-07	1.0E+06	2.0E-01
321	1.14351	2.56E-03	2.9E-03	1.05E-03	3.06E-06	5.26E-01	1.57E-01	2.53E-07	1.0E+06	2.5E-01
322	1.47884	2.56E-03	3.8E-03	1.05E-03	3.96E-06	5.26E-01	1.57E-01	3.27E-07	1.0E+06	3.3E-01
323	2.2049	2.56E-03	5.6E-03	1.05E-03	5.90E-06	5.26E-01	1.57E-01	4.87E-07	1.0E+06	4.9E-01
324	0.13829	2.56E-03	3.5E-04	1.05E-03	3.70E-07	5.26E-01	1.57E-01	3.06E-08	1.0E+06	3.1E-02
325	0.15341	2.56E-03	3.9E-04	1.05E-03	4.10E-07	5.26E-01	1.57E-01	3.39E-08	1.0E+06	3.4E-02
326	0.16525	2.56E-03	4.2E-04	1.05E-03	4.42E-07	5.26E-01	1.57E-01	3.65E-08	1.0E+06	3.7E-02
327	0.17597	2.56E-03	4.5E-04	1.05E-03	4.71E-07	5.26E-01	1.57E-01	3.89E-08	1.0E+06	3.9E-02
328	0.21285	2.56E-03	5.4E-04	1.05E-03	5.69E-07	5.26E-01	1.57E-01	4.71E-08	1.0E+06	4.7E-02
329	0.22617	2.56E-03	5.8E-04	1.05E-03	6.05E-07	5.26E-01	1.57E-01	5.00E-08	1.0E+06	5.0E-02
330	0.229	2.56E-03	5.9E-04	1.05E-03	6.13E-07	5.26E-01	1.57E-01	5.06E-08	1.0E+06	5.1E-02
331	0.25812	2.56E-03	6.6E-04	1.05E-03	6.90E-07	5.26E-01	1.57E-01	5.71E-08	1.0E+06	5.7E-02
332	0.29444	2.56E-03	7.5E-04	1.05E-03	7.88E-07	5.26E-01	1.57E-01	6.51E-08	1.0E+06	6.5E-02
333	0.34735	2.56E-03	8.9E-04	1.05E-03	9.29E-07	5.26E-01	1.57E-01	7.68E-08	1.0E+06	7.7E-02
334	0.39929	2.56E-03	1.0E-03	1.05E-03	1.07E-06	5.26E-01	1.57E-01	8.83E-08	1.0E+06	8.8E-02
335	0.46251	2.56E-03	1.2E-03	1.05E-03	1.24E-06	5.26E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
336	1.34926	2.56E-03	3.5E-03	1.05E-03	3.61E-06	5.26E-01	1.57E-01	2.98E-07	1.0E+06	3.0E-01
337	1.42098	2.56E-03	3.6E-03	1.05E-03	3.80E-06	5.26E-01	1.57E-01	3.14E-07	1.0E+06	3.1E-01
338	0.15741	2.56E-03	4.0E-04	1.05E-03	4.21E-07	5.26E-01	1.57E-01	3.48E-08	1.0E+06	3.5E-02
339	0.16826	2.56E-03	4.3E-04	1.05E-03	4.50E-07	5.26E-01	1.57E-01	3.72E-08	1.0E+06	3.7E-02
340	0.19168	2.56E-03	4.9E-04	1.05E-03	5.13E-07	5.26E-01	1.57E-01	4.24E-08	1.0E+06	4.2E-02
341	0.20395	2.56E-03	5.2E-04	1.05E-03	5.46E-07	5.26E-01	1.57E-01	4.51E-08	1.0E+06	4.5E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	2.56E-03	5.4E-04	1.05E-03	5.64E-07	5.26E-01	1.57E-01	4.66E-08	1.0E+06	4.7E-02
343	0.22111	2.56E-03	5.7E-04	1.05E-03	5.91E-07	5.26E-01	1.57E-01	4.89E-08	1.0E+06	4.9E-02
344	0.22429	2.56E-03	5.7E-04	1.05E-03	6.00E-07	5.26E-01	1.57E-01	4.96E-08	1.0E+06	5.0E-02
345	0.22606	2.56E-03	5.8E-04	1.05E-03	6.05E-07	5.26E-01	1.57E-01	5.00E-08	1.0E+06	5.0E-02
346	0.22606	2.56E-03	5.8E-04	1.05E-03	6.05E-07	5.26E-01	1.57E-01	5.00E-08	1.0E+06	5.0E-02
347	0.17036	2.56E-03	4.4E-04	1.05E-03	4.56E-07	5.26E-01	1.57E-01	3.77E-08	1.0E+06	3.8E-02
348	0.18661	2.56E-03	4.8E-04	1.05E-03	4.99E-07	5.26E-01	1.57E-01	4.13E-08	1.0E+06	4.1E-02
349	0.21873	2.56E-03	5.6E-04	1.05E-03	5.85E-07	5.26E-01	1.57E-01	4.84E-08	1.0E+06	4.8E-02
350	0.22806	2.56E-03	5.8E-04	1.05E-03	6.10E-07	5.26E-01	1.57E-01	5.04E-08	1.0E+06	5.0E-02
351	0.23577	2.56E-03	6.0E-04	1.05E-03	6.31E-07	5.26E-01	1.57E-01	5.21E-08	1.0E+06	5.2E-02
352	0.24893	2.56E-03	6.4E-04	1.05E-03	6.66E-07	5.26E-01	1.57E-01	5.50E-08	1.0E+06	5.5E-02
353	0.25277	2.56E-03	6.5E-04	1.05E-03	6.76E-07	5.26E-01	1.57E-01	5.59E-08	1.0E+06	5.6E-02
354	0.25385	2.56E-03	6.5E-04	1.05E-03	6.79E-07	5.26E-01	1.57E-01	5.61E-08	1.0E+06	5.6E-02
355	0.25415	2.56E-03	6.5E-04	1.05E-03	6.80E-07	5.26E-01	1.57E-01	5.62E-08	1.0E+06	5.6E-02
356	0.18604	2.56E-03	4.8E-04	1.05E-03	4.98E-07	5.26E-01	1.57E-01	4.11E-08	1.0E+06	4.1E-02
357	0.20039	2.56E-03	5.1E-04	1.05E-03	5.36E-07	5.26E-01	1.57E-01	4.43E-08	1.0E+06	4.4E-02
358	0.21891	2.56E-03	5.6E-04	1.05E-03	5.86E-07	5.26E-01	1.57E-01	4.84E-08	1.0E+06	4.8E-02
359	0.24942	2.56E-03	6.4E-04	1.05E-03	6.67E-07	5.26E-01	1.57E-01	5.51E-08	1.0E+06	5.5E-02
360	0.26595	2.56E-03	6.8E-04	1.05E-03	7.11E-07	5.26E-01	1.57E-01	5.88E-08	1.0E+06	5.9E-02
361	0.28268	2.56E-03	7.2E-04	1.05E-03	7.56E-07	5.26E-01	1.57E-01	6.25E-08	1.0E+06	6.2E-02
362	0.28748	2.56E-03	7.4E-04	1.05E-03	7.69E-07	5.26E-01	1.57E-01	6.36E-08	1.0E+06	6.4E-02
363	0.28847	2.56E-03	7.4E-04	1.05E-03	7.72E-07	5.26E-01	1.57E-01	6.38E-08	1.0E+06	6.4E-02
364	0.20678	2.56E-03	5.3E-04	1.05E-03	5.53E-07	5.26E-01	1.57E-01	4.57E-08	1.0E+06	4.6E-02
365	0.21895	2.56E-03	5.6E-04	1.05E-03	5.86E-07	5.26E-01	1.57E-01	4.84E-08	1.0E+06	4.8E-02
366	0.24185	2.56E-03	6.2E-04	1.05E-03	6.47E-07	5.26E-01	1.57E-01	5.35E-08	1.0E+06	5.3E-02
367	0.28223	2.56E-03	7.2E-04	1.05E-03	7.55E-07	5.26E-01	1.57E-01	6.24E-08	1.0E+06	6.2E-02
368	0.30287	2.56E-03	7.8E-04	1.05E-03	8.10E-07	5.26E-01	1.57E-01	6.70E-08	1.0E+06	6.7E-02
369	0.32466	2.56E-03	8.3E-04	1.05E-03	8.68E-07	5.26E-01	1.57E-01	7.18E-08	1.0E+06	7.2E-02
370	0.33362	2.56E-03	8.5E-04	1.05E-03	8.92E-07	5.26E-01	1.57E-01	7.38E-08	1.0E+06	7.4E-02
371	0.33293	2.56E-03	8.5E-04	1.05E-03	8.90E-07	5.26E-01	1.57E-01	7.36E-08	1.0E+06	7.4E-02
372	0.23425	2.56E-03	6.0E-04	1.05E-03	6.27E-07	5.26E-01	1.57E-01	5.18E-08	1.0E+06	5.2E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	2.56E-03	6.3E-04	1.05E-03	6.63E-07	5.26E-01	1.57E-01	5.48E-08	1.0E+06	5.5E-02
374	0.2758	2.56E-03	7.1E-04	1.05E-03	7.38E-07	5.26E-01	1.57E-01	6.10E-08	1.0E+06	6.1E-02
375	0.3231	2.56E-03	8.3E-04	1.05E-03	8.64E-07	5.26E-01	1.57E-01	7.14E-08	1.0E+06	7.1E-02
376	0.34946	2.56E-03	8.9E-04	1.05E-03	9.35E-07	5.26E-01	1.57E-01	7.73E-08	1.0E+06	7.7E-02
377	0.36592	2.56E-03	9.4E-04	1.05E-03	9.79E-07	5.26E-01	1.57E-01	8.09E-08	1.0E+06	8.1E-02
378	0.37782	2.56E-03	9.7E-04	1.05E-03	1.01E-06	5.26E-01	1.57E-01	8.35E-08	1.0E+06	8.4E-02
379	0.38907	2.56E-03	1.0E-03	1.05E-03	1.04E-06	5.26E-01	1.57E-01	8.60E-08	1.0E+06	8.6E-02
380	0.389	2.56E-03	1.0E-03	1.05E-03	1.04E-06	5.26E-01	1.57E-01	8.60E-08	1.0E+06	8.6E-02
381	0.38496	2.56E-03	9.9E-04	1.05E-03	1.03E-06	5.26E-01	1.57E-01	8.51E-08	1.0E+06	8.5E-02
382	0.27352	2.56E-03	7.0E-04	1.05E-03	7.32E-07	5.26E-01	1.57E-01	6.05E-08	1.0E+06	6.0E-02
383	0.29685	2.56E-03	7.6E-04	1.05E-03	7.94E-07	5.26E-01	1.57E-01	6.56E-08	1.0E+06	6.6E-02
384	0.32129	2.56E-03	8.2E-04	1.05E-03	8.59E-07	5.26E-01	1.57E-01	7.10E-08	1.0E+06	7.1E-02
385	0.3848	2.56E-03	9.8E-04	1.05E-03	1.03E-06	5.26E-01	1.57E-01	8.51E-08	1.0E+06	8.5E-02
386	0.40823	2.56E-03	1.0E-03	1.05E-03	1.09E-06	5.26E-01	1.57E-01	9.03E-08	1.0E+06	9.0E-02
387	0.43009	2.56E-03	1.1E-03	1.05E-03	1.15E-06	5.26E-01	1.57E-01	9.51E-08	1.0E+06	9.5E-02
388	0.44587	2.56E-03	1.1E-03	1.05E-03	1.19E-06	5.26E-01	1.57E-01	9.86E-08	1.0E+06	9.9E-02
389	0.46018	2.56E-03	1.2E-03	1.05E-03	1.23E-06	5.26E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
390	0.45888	2.56E-03	1.2E-03	1.05E-03	1.23E-06	5.26E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
391	0.45337	2.56E-03	1.2E-03	1.05E-03	1.21E-06	5.26E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
392	0.43787	2.56E-03	1.1E-03	1.05E-03	1.17E-06	5.26E-01	1.57E-01	9.68E-08	1.0E+06	9.7E-02
393	0.32603	2.56E-03	8.3E-04	1.05E-03	8.72E-07	5.26E-01	1.57E-01	7.21E-08	1.0E+06	7.2E-02
394	0.38853	2.56E-03	9.9E-04	1.05E-03	1.04E-06	5.26E-01	1.57E-01	8.59E-08	1.0E+06	8.6E-02
395	0.43296	2.56E-03	1.1E-03	1.05E-03	1.16E-06	5.26E-01	1.57E-01	9.57E-08	1.0E+06	9.6E-02
396	0.4654	2.56E-03	1.2E-03	1.05E-03	1.24E-06	5.26E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
397	0.4979	2.56E-03	1.3E-03	1.05E-03	1.33E-06	5.26E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
398	0.51462	2.56E-03	1.3E-03	1.05E-03	1.38E-06	5.26E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
399	0.52048	2.56E-03	1.3E-03	1.05E-03	1.39E-06	5.26E-01	1.57E-01	1.15E-07	1.0E+06	1.2E-01
400	0.55457	2.56E-03	1.4E-03	1.05E-03	1.48E-06	5.26E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
401	0.55208	2.56E-03	1.4E-03	1.05E-03	1.48E-06	5.26E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
402	0.51974	2.56E-03	1.3E-03	1.05E-03	1.39E-06	5.26E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
403	0.67545	2.56E-03	1.7E-03	1.05E-03	1.81E-06	5.26E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	2.56E-03	1.6E-03	1.05E-03	1.70E-06	5.26E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
405	0.59648	2.56E-03	1.5E-03	1.05E-03	1.60E-06	5.26E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
406	0.8541	2.56E-03	2.2E-03	1.05E-03	2.28E-06	5.26E-01	1.57E-01	1.89E-07	1.0E+06	1.9E-01
407	0.72119	2.56E-03	1.8E-03	1.05E-03	1.93E-06	5.26E-01	1.57E-01	1.59E-07	1.0E+06	1.6E-01
408	1.11899	2.56E-03	2.9E-03	1.05E-03	2.99E-06	5.26E-01	1.57E-01	2.47E-07	1.0E+06	2.5E-01
409	0.88286	2.56E-03	2.3E-03	1.05E-03	2.36E-06	5.26E-01	1.57E-01	1.95E-07	1.0E+06	2.0E-01
410	1.53458	2.56E-03	3.9E-03	1.05E-03	4.10E-06	5.26E-01	1.57E-01	3.39E-07	1.0E+06	3.4E-01
411	1.24788	2.56E-03	3.2E-03	1.05E-03	3.34E-06	5.26E-01	1.57E-01	2.76E-07	1.0E+06	2.8E-01
412	1.10769	2.56E-03	2.8E-03	1.05E-03	2.96E-06	5.26E-01	1.57E-01	2.45E-07	1.0E+06	2.4E-01
413	2.24007	2.56E-03	5.7E-03	1.05E-03	5.99E-06	5.26E-01	1.57E-01	4.95E-07	1.0E+06	5.0E-01
414	1.85905	2.56E-03	4.8E-03	1.05E-03	4.97E-06	5.26E-01	1.57E-01	4.11E-07	1.0E+06	4.1E-01
415	1.59815	2.56E-03	4.1E-03	1.05E-03	4.27E-06	5.26E-01	1.57E-01	3.53E-07	1.0E+06	3.5E-01
416	1.34652	2.56E-03	3.4E-03	1.05E-03	3.60E-06	5.26E-01	1.57E-01	2.98E-07	1.0E+06	3.0E-01
417	3.57218	2.56E-03	9.1E-03	1.05E-03	9.55E-06	5.26E-01	1.57E-01	7.90E-07	1.0E+06	7.9E-01
418	2.01893	2.56E-03	5.2E-03	1.05E-03	5.40E-06	5.26E-01	1.57E-01	4.46E-07	1.0E+06	4.5E-01
419	1.58987	2.56E-03	4.1E-03	1.05E-03	4.25E-06	5.26E-01	1.57E-01	3.52E-07	1.0E+06	3.5E-01
420	1.2521	2.56E-03	3.2E-03	1.05E-03	3.35E-06	5.26E-01	1.57E-01	2.77E-07	1.0E+06	2.8E-01
421	6.42312	2.56E-03	1.6E-02	1.05E-03	1.72E-05	5.26E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
422	1.77737	2.56E-03	4.5E-03	1.05E-03	4.75E-06	5.26E-01	1.57E-01	3.93E-07	1.0E+06	3.9E-01
423	1.33662	2.56E-03	3.4E-03	1.05E-03	3.58E-06	5.26E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01
424	12.91388	2.56E-03	3.3E-02	1.05E-03	3.45E-05	5.26E-01	1.57E-01	2.86E-06	1.0E+06	2.9E+00
425	1.34203	2.56E-03	3.4E-03	1.05E-03	3.59E-06	5.26E-01	1.57E-01	2.97E-07	1.0E+06	3.0E-01
426	1.01676	2.56E-03	2.6E-03	1.05E-03	2.72E-06	5.26E-01	1.57E-01	2.25E-07	1.0E+06	2.2E-01
427	22.75271	2.56E-03	5.8E-02	1.05E-03	6.09E-05	5.26E-01	1.57E-01	5.03E-06	1.0E+06	5.0E+00
428	1.27773	2.56E-03	3.3E-03	1.05E-03	3.42E-06	5.26E-01	1.57E-01	2.82E-07	1.0E+06	2.8E-01
429	0.96908	2.56E-03	2.5E-03	1.05E-03	2.59E-06	5.26E-01	1.57E-01	2.14E-07	1.0E+06	2.1E-01
430	21.09262	2.56E-03	5.4E-02	1.05E-03	5.64E-05	5.26E-01	1.57E-01	4.66E-06	1.0E+06	4.7E+00
431	0.90443	2.56E-03	2.3E-03	1.05E-03	2.42E-06	5.26E-01	1.57E-01	2.00E-07	1.0E+06	2.0E-01
432	0.71229	2.56E-03	1.8E-03	1.05E-03	1.91E-06	5.26E-01	1.57E-01	1.57E-07	1.0E+06	1.6E-01
433	13.11622	2.56E-03	3.4E-02	1.05E-03	3.51E-05	5.26E-01	1.57E-01	2.90E-06	1.0E+06	2.9E+00
434	0.83575	2.56E-03	2.1E-03	1.05E-03	2.24E-06	5.26E-01	1.57E-01	1.85E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	2.56E-03	1.7E-03	1.05E-03	1.79E-06	5.26E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
436	8.0879	2.56E-03	2.1E-02	1.05E-03	2.16E-05	5.26E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
437	0.97518	2.56E-03	2.5E-03	1.05E-03	2.61E-06	5.26E-01	1.57E-01	2.16E-07	1.0E+06	2.2E-01
438	0.76912	2.56E-03	2.0E-03	1.05E-03	2.06E-06	5.26E-01	1.57E-01	1.70E-07	1.0E+06	1.7E-01
439	0.6239	2.56E-03	1.6E-03	1.05E-03	1.67E-06	5.26E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
440	5.21196	2.56E-03	1.3E-02	1.05E-03	1.39E-05	5.26E-01	1.57E-01	1.15E-06	1.0E+06	1.2E+00
441	1.57338	2.56E-03	4.0E-03	1.05E-03	4.21E-06	5.26E-01	1.57E-01	3.48E-07	1.0E+06	3.5E-01
442	1.14958	2.56E-03	2.9E-03	1.05E-03	3.07E-06	5.26E-01	1.57E-01	2.54E-07	1.0E+06	2.5E-01
443	0.88407	2.56E-03	2.3E-03	1.05E-03	2.36E-06	5.26E-01	1.57E-01	1.95E-07	1.0E+06	2.0E-01
444	0.70507	2.56E-03	1.8E-03	1.05E-03	1.89E-06	5.26E-01	1.57E-01	1.56E-07	1.0E+06	1.6E-01
445	3.55393	2.56E-03	9.1E-03	1.05E-03	9.51E-06	5.26E-01	1.57E-01	7.86E-07	1.0E+06	7.9E-01
446	1.95063	2.56E-03	5.0E-03	1.05E-03	5.22E-06	5.26E-01	1.57E-01	4.31E-07	1.0E+06	4.3E-01
447	1.38871	2.56E-03	3.6E-03	1.05E-03	3.71E-06	5.26E-01	1.57E-01	3.07E-07	1.0E+06	3.1E-01
448	1.03194	2.56E-03	2.6E-03	1.05E-03	2.76E-06	5.26E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
449	2.54704	2.56E-03	6.5E-03	1.05E-03	6.81E-06	5.26E-01	1.57E-01	5.63E-07	1.0E+06	5.6E-01
450	2.13244	2.56E-03	5.5E-03	1.05E-03	5.70E-06	5.26E-01	1.57E-01	4.71E-07	1.0E+06	4.7E-01
451	1.63606	2.56E-03	4.2E-03	1.05E-03	4.38E-06	5.26E-01	1.57E-01	3.62E-07	1.0E+06	3.6E-01
452	1.90224	2.56E-03	4.9E-03	1.05E-03	5.09E-06	5.26E-01	1.57E-01	4.21E-07	1.0E+06	4.2E-01
453	1.68146	2.56E-03	4.3E-03	1.05E-03	4.50E-06	5.26E-01	1.57E-01	3.72E-07	1.0E+06	3.7E-01
454	0.45602	2.56E-03	1.2E-03	1.05E-03	1.22E-06	5.26E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
455	0.39292	2.56E-03	1.0E-03	1.05E-03	1.05E-06	5.26E-01	1.57E-01	8.69E-08	1.0E+06	8.7E-02
456	1.46911	2.56E-03	3.8E-03	1.05E-03	3.93E-06	5.26E-01	1.57E-01	3.25E-07	1.0E+06	3.2E-01
457	1.34798	2.56E-03	3.4E-03	1.05E-03	3.61E-06	5.26E-01	1.57E-01	2.98E-07	1.0E+06	3.0E-01
458	1.14854	2.56E-03	2.9E-03	1.05E-03	3.07E-06	5.26E-01	1.57E-01	2.54E-07	1.0E+06	2.5E-01
459	0.60959	2.56E-03	1.6E-03	1.05E-03	1.63E-06	5.26E-01	1.57E-01	1.35E-07	1.0E+06	1.3E-01
460	0.50521	2.56E-03	1.3E-03	1.05E-03	1.35E-06	5.26E-01	1.57E-01	1.12E-07	1.0E+06	1.1E-01
461	0.42667	2.56E-03	1.1E-03	1.05E-03	1.14E-06	5.26E-01	1.57E-01	9.43E-08	1.0E+06	9.4E-02
462	0.36664	2.56E-03	9.4E-04	1.05E-03	9.81E-07	5.26E-01	1.57E-01	8.11E-08	1.0E+06	8.1E-02
463	1.56366	2.56E-03	4.0E-03	1.05E-03	4.18E-06	5.26E-01	1.57E-01	3.46E-07	1.0E+06	3.5E-01
464	1.67908	2.56E-03	4.3E-03	1.05E-03	4.49E-06	5.26E-01	1.57E-01	3.71E-07	1.0E+06	3.7E-01
465	2.37925	2.56E-03	6.1E-03	1.05E-03	6.36E-06	5.26E-01	1.57E-01	5.26E-07	1.0E+06	5.3E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	2.56E-03	7.4E-03	1.05E-03	7.76E-06	5.26E-01	1.57E-01	6.42E-07	1.0E+06	6.4E-01
467	4.03499	2.56E-03	1.0E-02	1.05E-03	1.08E-05	5.26E-01	1.57E-01	8.92E-07	1.0E+06	8.9E-01
468	8.35246	2.56E-03	2.1E-02	1.05E-03	2.23E-05	5.26E-01	1.57E-01	1.85E-06	1.0E+06	1.8E+00
469	28.13292	2.56E-03	7.2E-02	1.05E-03	7.52E-05	5.26E-01	1.57E-01	6.22E-06	1.0E+06	6.2E+00
470	20.35286	2.56E-03	5.2E-02	1.05E-03	5.44E-05	5.26E-01	1.57E-01	4.50E-06	1.0E+06	4.5E+00
471	34.54288	2.56E-03	8.8E-02	1.05E-03	9.24E-05	5.26E-01	1.57E-01	7.64E-06	1.0E+06	7.6E+00
472	27.90221	2.56E-03	7.1E-02	1.05E-03	7.46E-05	5.26E-01	1.57E-01	6.17E-06	1.0E+06	6.2E+00
473	29.67594	2.56E-03	7.6E-02	1.05E-03	7.94E-05	5.26E-01	1.57E-01	6.56E-06	1.0E+06	6.6E+00
474	13.04296	2.56E-03	3.3E-02	1.05E-03	3.49E-05	5.26E-01	1.57E-01	2.88E-06	1.0E+06	2.9E+00
475	22.08892	2.56E-03	5.7E-02	1.05E-03	5.91E-05	5.26E-01	1.57E-01	4.88E-06	1.0E+06	4.9E+00
476	6.99817	2.56E-03	1.8E-02	1.05E-03	1.87E-05	5.26E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
477	9.76012	2.56E-03	2.5E-02	1.05E-03	2.61E-05	5.26E-01	1.57E-01	2.16E-06	1.0E+06	2.2E+00
478	4.29281	2.56E-03	1.1E-02	1.05E-03	1.15E-05	5.26E-01	1.57E-01	9.49E-07	1.0E+06	9.5E-01
479	5.44714	2.56E-03	1.4E-02	1.05E-03	1.46E-05	5.26E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
480	5.4004	2.56E-03	1.4E-02	1.05E-03	1.44E-05	5.26E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
481	2.88653	2.56E-03	7.4E-03	1.05E-03	7.72E-06	5.26E-01	1.57E-01	6.38E-07	1.0E+06	6.4E-01
482	3.54717	2.56E-03	9.1E-03	1.05E-03	9.49E-06	5.26E-01	1.57E-01	7.84E-07	1.0E+06	7.8E-01
483	2.40679	2.56E-03	6.2E-03	1.05E-03	6.44E-06	5.26E-01	1.57E-01	5.32E-07	1.0E+06	5.3E-01
484	2.49271	2.56E-03	6.4E-03	1.05E-03	6.67E-06	5.26E-01	1.57E-01	5.51E-07	1.0E+06	5.5E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	0.07258	4.83528E-06	3.5E-07	1.05E-03	3.67E-10	5.26E-01	1.57E-01	3.03E-11	1.0E+06	3.0E-05
2	2	0.07361	4.83528E-06	3.6E-07	1.05E-03	3.72E-10	5.26E-01	1.57E-01	3.08E-11	1.0E+06	3.1E-05
3	3	0.07465	4.83528E-06	3.6E-07	1.05E-03	3.77E-10	5.26E-01	1.57E-01	3.12E-11	1.0E+06	3.1E-05
4	4	0.07594	4.83528E-06	3.7E-07	1.05E-03	3.84E-10	5.26E-01	1.57E-01	3.17E-11	1.0E+06	3.2E-05
5	5	0.07736	4.83528E-06	3.7E-07	1.05E-03	3.91E-10	5.26E-01	1.57E-01	3.23E-11	1.0E+06	3.2E-05
6	6	0.07976	4.83528E-06	3.9E-07	1.05E-03	4.03E-10	5.26E-01	1.57E-01	3.33E-11	1.0E+06	3.3E-05
7	7	0.08261	4.83528E-06	4.0E-07	1.05E-03	4.17E-10	5.26E-01	1.57E-01	3.45E-11	1.0E+06	3.5E-05
8	8	0.08576	4.83528E-06	4.1E-07	1.05E-03	4.33E-10	5.26E-01	1.57E-01	3.58E-11	1.0E+06	3.6E-05
9	9	0.08923	4.83528E-06	4.3E-07	1.05E-03	4.51E-10	5.26E-01	1.57E-01	3.73E-11	1.0E+06	3.7E-05
10	10	0.09348	4.83528E-06	4.5E-07	1.05E-03	4.72E-10	5.26E-01	1.57E-01	3.91E-11	1.0E+06	3.9E-05
11	11	0.09887	4.83528E-06	4.8E-07	1.05E-03	5.00E-10	5.26E-01	1.57E-01	4.13E-11	1.0E+06	4.1E-05
12	12	0.1046	4.83528E-06	5.1E-07	1.05E-03	5.29E-10	5.26E-01	1.57E-01	4.37E-11	1.0E+06	4.4E-05
13	13	0.11086	4.83528E-06	5.4E-07	1.05E-03	5.60E-10	5.26E-01	1.57E-01	4.63E-11	1.0E+06	4.6E-05
14	14	0.15272	4.83528E-06	7.4E-07	1.05E-03	7.72E-10	5.26E-01	1.57E-01	6.38E-11	1.0E+06	6.4E-05
15	15	0.07987	4.83528E-06	3.9E-07	1.05E-03	4.04E-10	5.26E-01	1.57E-01	3.34E-11	1.0E+06	3.3E-05
16	16	0.08047	4.83528E-06	3.9E-07	1.05E-03	4.07E-10	5.26E-01	1.57E-01	3.36E-11	1.0E+06	3.4E-05
17	17	0.08186	4.83528E-06	4.0E-07	1.05E-03	4.14E-10	5.26E-01	1.57E-01	3.42E-11	1.0E+06	3.4E-05
18	18	0.08282	4.83528E-06	4.0E-07	1.05E-03	4.19E-10	5.26E-01	1.57E-01	3.46E-11	1.0E+06	3.5E-05
19	19	0.08387	4.83528E-06	4.1E-07	1.05E-03	4.24E-10	5.26E-01	1.57E-01	3.50E-11	1.0E+06	3.5E-05
20	20	0.08576	4.83528E-06	4.1E-07	1.05E-03	4.33E-10	5.26E-01	1.57E-01	3.58E-11	1.0E+06	3.6E-05
21	21	0.0882	4.83528E-06	4.3E-07	1.05E-03	4.46E-10	5.26E-01	1.57E-01	3.68E-11	1.0E+06	3.7E-05
22	22	0.09097	4.83528E-06	4.4E-07	1.05E-03	4.60E-10	5.26E-01	1.57E-01	3.80E-11	1.0E+06	3.8E-05
23	23	0.09536	4.83528E-06	4.6E-07	1.05E-03	4.82E-10	5.26E-01	1.57E-01	3.98E-11	1.0E+06	4.0E-05
24	24	0.09927	4.83528E-06	4.8E-07	1.05E-03	5.02E-10	5.26E-01	1.57E-01	4.15E-11	1.0E+06	4.1E-05
25	25	0.10562	4.83528E-06	5.1E-07	1.05E-03	5.34E-10	5.26E-01	1.57E-01	4.41E-11	1.0E+06	4.4E-05
26	26	0.11246	4.83528E-06	5.4E-07	1.05E-03	5.68E-10	5.26E-01	1.57E-01	4.70E-11	1.0E+06	4.7E-05
27	27	0.11826	4.83528E-06	5.7E-07	1.05E-03	5.98E-10	5.26E-01	1.57E-01	4.94E-11	1.0E+06	4.9E-05
28	28	0.16766	4.83528E-06	8.1E-07	1.05E-03	8.47E-10	5.26E-01	1.57E-01	7.00E-11	1.0E+06	7.0E-05
29	29	0.08809	4.83528E-06	4.3E-07	1.05E-03	4.45E-10	5.26E-01	1.57E-01	3.68E-11	1.0E+06	3.7E-05
30	30	0.08938	4.83528E-06	4.3E-07	1.05E-03	4.52E-10	5.26E-01	1.57E-01	3.73E-11	1.0E+06	3.7E-05
31	31	0.09119	4.83528E-06	4.4E-07	1.05E-03	4.61E-10	5.26E-01	1.57E-01	3.81E-11	1.0E+06	3.8E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	32	0.09231	4.83528E-06	4.5E-07	1.05E-03	4.67E-10	5.26E-01	1.57E-01	3.86E-11	1.0E+06	3.9E-05
33	33	0.092	4.83528E-06	4.4E-07	1.05E-03	4.65E-10	5.26E-01	1.57E-01	3.84E-11	1.0E+06	3.8E-05
34	34	0.09359	4.83528E-06	4.5E-07	1.05E-03	4.73E-10	5.26E-01	1.57E-01	3.91E-11	1.0E+06	3.9E-05
35	35	0.0954	4.83528E-06	4.6E-07	1.05E-03	4.82E-10	5.26E-01	1.57E-01	3.99E-11	1.0E+06	4.0E-05
36	36	0.09822	4.83528E-06	4.7E-07	1.05E-03	4.96E-10	5.26E-01	1.57E-01	4.10E-11	1.0E+06	4.1E-05
37	37	0.10214	4.83528E-06	4.9E-07	1.05E-03	5.16E-10	5.26E-01	1.57E-01	4.27E-11	1.0E+06	4.3E-05
38	38	0.10706	4.83528E-06	5.2E-07	1.05E-03	5.41E-10	5.26E-01	1.57E-01	4.47E-11	1.0E+06	4.5E-05
39	39	0.11315	4.83528E-06	5.5E-07	1.05E-03	5.72E-10	5.26E-01	1.57E-01	4.73E-11	1.0E+06	4.7E-05
40	40	0.11972	4.83528E-06	5.8E-07	1.05E-03	6.05E-10	5.26E-01	1.57E-01	5.00E-11	1.0E+06	5.0E-05
41	41	0.12639	4.83528E-06	6.1E-07	1.05E-03	6.39E-10	5.26E-01	1.57E-01	5.28E-11	1.0E+06	5.3E-05
42	42	0.18137	4.83528E-06	8.8E-07	1.05E-03	9.17E-10	5.26E-01	1.57E-01	7.58E-11	1.0E+06	7.6E-05
43	43	0.09692	4.83528E-06	4.7E-07	1.05E-03	4.90E-10	5.26E-01	1.57E-01	4.05E-11	1.0E+06	4.0E-05
44	44	0.0991	4.83528E-06	4.8E-07	1.05E-03	5.01E-10	5.26E-01	1.57E-01	4.14E-11	1.0E+06	4.1E-05
45	45	0.10072	4.83528E-06	4.9E-07	1.05E-03	5.09E-10	5.26E-01	1.57E-01	4.21E-11	1.0E+06	4.2E-05
46	46	0.10136	4.83528E-06	4.9E-07	1.05E-03	5.12E-10	5.26E-01	1.57E-01	4.23E-11	1.0E+06	4.2E-05
47	47	0.10168	4.83528E-06	4.9E-07	1.05E-03	5.14E-10	5.26E-01	1.57E-01	4.25E-11	1.0E+06	4.2E-05
48	48	0.10272	4.83528E-06	5.0E-07	1.05E-03	5.19E-10	5.26E-01	1.57E-01	4.29E-11	1.0E+06	4.3E-05
49	49	0.10387	4.83528E-06	5.0E-07	1.05E-03	5.25E-10	5.26E-01	1.57E-01	4.34E-11	1.0E+06	4.3E-05
50	50	0.10559	4.83528E-06	5.1E-07	1.05E-03	5.34E-10	5.26E-01	1.57E-01	4.41E-11	1.0E+06	4.4E-05
51	51	0.11059	4.83528E-06	5.3E-07	1.05E-03	5.59E-10	5.26E-01	1.57E-01	4.62E-11	1.0E+06	4.6E-05
52	52	0.11541	4.83528E-06	5.6E-07	1.05E-03	5.83E-10	5.26E-01	1.57E-01	4.82E-11	1.0E+06	4.8E-05
53	53	0.12207	4.83528E-06	5.9E-07	1.05E-03	6.17E-10	5.26E-01	1.57E-01	5.10E-11	1.0E+06	5.1E-05
54	54	0.12964	4.83528E-06	6.3E-07	1.05E-03	6.55E-10	5.26E-01	1.57E-01	5.42E-11	1.0E+06	5.4E-05
55	55	0.13798	4.83528E-06	6.7E-07	1.05E-03	6.97E-10	5.26E-01	1.57E-01	5.76E-11	1.0E+06	5.8E-05
56	56	0.20336	4.83528E-06	9.8E-07	1.05E-03	1.03E-09	5.26E-01	1.57E-01	8.50E-11	1.0E+06	8.5E-05
57	57	0.10602	4.83528E-06	5.1E-07	1.05E-03	5.36E-10	5.26E-01	1.57E-01	4.43E-11	1.0E+06	4.4E-05
58	58	0.10826	4.83528E-06	5.2E-07	1.05E-03	5.47E-10	5.26E-01	1.57E-01	4.52E-11	1.0E+06	4.5E-05
59	59	0.11015	4.83528E-06	5.3E-07	1.05E-03	5.57E-10	5.26E-01	1.57E-01	4.60E-11	1.0E+06	4.6E-05
60	60	0.11187	4.83528E-06	5.4E-07	1.05E-03	5.65E-10	5.26E-01	1.57E-01	4.67E-11	1.0E+06	4.7E-05
61	61	0.11317	4.83528E-06	5.5E-07	1.05E-03	5.72E-10	5.26E-01	1.57E-01	4.73E-11	1.0E+06	4.7E-05
62	62	0.11442	4.83528E-06	5.5E-07	1.05E-03	5.78E-10	5.26E-01	1.57E-01	4.78E-11	1.0E+06	4.8E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	63	0.11714	4.83528E-06	5.7E-07	1.05E-03	5.92E-10	5.26E-01	1.57E-01	4.89E-11	1.0E+06	4.9E-05
64	64	0.11648	4.83528E-06	5.6E-07	1.05E-03	5.89E-10	5.26E-01	1.57E-01	4.87E-11	1.0E+06	4.9E-05
65	65	0.12089	4.83528E-06	5.8E-07	1.05E-03	6.11E-10	5.26E-01	1.57E-01	5.05E-11	1.0E+06	5.1E-05
66	66	0.12645	4.83528E-06	6.1E-07	1.05E-03	6.39E-10	5.26E-01	1.57E-01	5.28E-11	1.0E+06	5.3E-05
67	67	0.13207	4.83528E-06	6.4E-07	1.05E-03	6.67E-10	5.26E-01	1.57E-01	5.52E-11	1.0E+06	5.5E-05
68	68	0.14191	4.83528E-06	6.9E-07	1.05E-03	7.17E-10	5.26E-01	1.57E-01	5.93E-11	1.0E+06	5.9E-05
69	69	0.15278	4.83528E-06	7.4E-07	1.05E-03	7.72E-10	5.26E-01	1.57E-01	6.38E-11	1.0E+06	6.4E-05
70	70	0.11505	4.83528E-06	5.6E-07	1.05E-03	5.81E-10	5.26E-01	1.57E-01	4.81E-11	1.0E+06	4.8E-05
71	71	0.11795	4.83528E-06	5.7E-07	1.05E-03	5.96E-10	5.26E-01	1.57E-01	4.93E-11	1.0E+06	4.9E-05
72	72	0.12035	4.83528E-06	5.8E-07	1.05E-03	6.08E-10	5.26E-01	1.57E-01	5.03E-11	1.0E+06	5.0E-05
73	73	0.12307	4.83528E-06	6.0E-07	1.05E-03	6.22E-10	5.26E-01	1.57E-01	5.14E-11	1.0E+06	5.1E-05
74	74	0.12482	4.83528E-06	6.0E-07	1.05E-03	6.31E-10	5.26E-01	1.57E-01	5.21E-11	1.0E+06	5.2E-05
75	75	0.12893	4.83528E-06	6.2E-07	1.05E-03	6.52E-10	5.26E-01	1.57E-01	5.39E-11	1.0E+06	5.4E-05
76	76	0.1318	4.83528E-06	6.4E-07	1.05E-03	6.66E-10	5.26E-01	1.57E-01	5.51E-11	1.0E+06	5.5E-05
77	77	0.13237	4.83528E-06	6.4E-07	1.05E-03	6.69E-10	5.26E-01	1.57E-01	5.53E-11	1.0E+06	5.5E-05
78	78	0.13671	4.83528E-06	6.6E-07	1.05E-03	6.91E-10	5.26E-01	1.57E-01	5.71E-11	1.0E+06	5.7E-05
79	79	0.14673	4.83528E-06	7.1E-07	1.05E-03	7.42E-10	5.26E-01	1.57E-01	6.13E-11	1.0E+06	6.1E-05
80	80	0.15027	4.83528E-06	7.3E-07	1.05E-03	7.59E-10	5.26E-01	1.57E-01	6.28E-11	1.0E+06	6.3E-05
81	81	0.16391	4.83528E-06	7.9E-07	1.05E-03	8.28E-10	5.26E-01	1.57E-01	6.85E-11	1.0E+06	6.8E-05
82	82	0.17293	4.83528E-06	8.4E-07	1.05E-03	8.74E-10	5.26E-01	1.57E-01	7.22E-11	1.0E+06	7.2E-05
83	83	0.12453	4.83528E-06	6.0E-07	1.05E-03	6.29E-10	5.26E-01	1.57E-01	5.20E-11	1.0E+06	5.2E-05
84	84	0.1273	4.83528E-06	6.2E-07	1.05E-03	6.43E-10	5.26E-01	1.57E-01	5.32E-11	1.0E+06	5.3E-05
85	85	0.12929	4.83528E-06	6.3E-07	1.05E-03	6.53E-10	5.26E-01	1.57E-01	5.40E-11	1.0E+06	5.4E-05
86	86	0.13537	4.83528E-06	6.5E-07	1.05E-03	6.84E-10	5.26E-01	1.57E-01	5.66E-11	1.0E+06	5.7E-05
87	87	0.13951	4.83528E-06	6.7E-07	1.05E-03	7.05E-10	5.26E-01	1.57E-01	5.83E-11	1.0E+06	5.8E-05
88	88	0.14441	4.83528E-06	7.0E-07	1.05E-03	7.30E-10	5.26E-01	1.57E-01	6.03E-11	1.0E+06	6.0E-05
89	89	0.14954	4.83528E-06	7.2E-07	1.05E-03	7.56E-10	5.26E-01	1.57E-01	6.25E-11	1.0E+06	6.2E-05
90	90	0.1551	4.83528E-06	7.5E-07	1.05E-03	7.84E-10	5.26E-01	1.57E-01	6.48E-11	1.0E+06	6.5E-05
91	91	0.1614	4.83528E-06	7.8E-07	1.05E-03	8.16E-10	5.26E-01	1.57E-01	6.74E-11	1.0E+06	6.7E-05
92	92	0.16922	4.83528E-06	8.2E-07	1.05E-03	8.55E-10	5.26E-01	1.57E-01	7.07E-11	1.0E+06	7.1E-05
93	93	0.17767	4.83528E-06	8.6E-07	1.05E-03	8.98E-10	5.26E-01	1.57E-01	7.42E-11	1.0E+06	7.4E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	94	0.1881	4.83528E-06	9.1E-07	1.05E-03	9.51E-10	5.26E-01	1.57E-01	7.86E-11	1.0E+06	7.9E-05
95	95	0.2005	4.83528E-06	9.7E-07	1.05E-03	1.01E-09	5.26E-01	1.57E-01	8.38E-11	1.0E+06	8.4E-05
96	96	0.13351	4.83528E-06	6.5E-07	1.05E-03	6.75E-10	5.26E-01	1.57E-01	5.58E-11	1.0E+06	5.6E-05
97	97	0.13568	4.83528E-06	6.6E-07	1.05E-03	6.86E-10	5.26E-01	1.57E-01	5.67E-11	1.0E+06	5.7E-05
98	98	0.13911	4.83528E-06	6.7E-07	1.05E-03	7.03E-10	5.26E-01	1.57E-01	5.81E-11	1.0E+06	5.8E-05
99	99	0.14529	4.83528E-06	7.0E-07	1.05E-03	7.34E-10	5.26E-01	1.57E-01	6.07E-11	1.0E+06	6.1E-05
100	100	0.15343	4.83528E-06	7.4E-07	1.05E-03	7.75E-10	5.26E-01	1.57E-01	6.41E-11	1.0E+06	6.4E-05
101	101	0.15942	4.83528E-06	7.7E-07	1.05E-03	8.06E-10	5.26E-01	1.57E-01	6.66E-11	1.0E+06	6.7E-05
102	102	0.16573	4.83528E-06	8.0E-07	1.05E-03	8.38E-10	5.26E-01	1.57E-01	6.92E-11	1.0E+06	6.9E-05
103	103	0.17311	4.83528E-06	8.4E-07	1.05E-03	8.75E-10	5.26E-01	1.57E-01	7.23E-11	1.0E+06	7.2E-05
104	104	0.18054	4.83528E-06	8.7E-07	1.05E-03	9.12E-10	5.26E-01	1.57E-01	7.54E-11	1.0E+06	7.5E-05
105	105	0.18829	4.83528E-06	9.1E-07	1.05E-03	9.52E-10	5.26E-01	1.57E-01	7.87E-11	1.0E+06	7.9E-05
106	106	0.19854	4.83528E-06	9.6E-07	1.05E-03	1.00E-09	5.26E-01	1.57E-01	8.29E-11	1.0E+06	8.3E-05
107	107	0.21075	4.83528E-06	1.0E-06	1.05E-03	1.07E-09	5.26E-01	1.57E-01	8.80E-11	1.0E+06	8.8E-05
108	108	0.22488	4.83528E-06	1.1E-06	1.05E-03	1.14E-09	5.26E-01	1.57E-01	9.39E-11	1.0E+06	9.4E-05
109	109	0.14127	4.83528E-06	6.8E-07	1.05E-03	7.14E-10	5.26E-01	1.57E-01	5.90E-11	1.0E+06	5.9E-05
110	110	0.14754	4.83528E-06	7.1E-07	1.05E-03	7.46E-10	5.26E-01	1.57E-01	6.16E-11	1.0E+06	6.2E-05
111	111	0.15415	4.83528E-06	7.5E-07	1.05E-03	7.79E-10	5.26E-01	1.57E-01	6.44E-11	1.0E+06	6.4E-05
112	112	0.16102	4.83528E-06	7.8E-07	1.05E-03	8.14E-10	5.26E-01	1.57E-01	6.73E-11	1.0E+06	6.7E-05
113	113	0.16815	4.83528E-06	8.1E-07	1.05E-03	8.50E-10	5.26E-01	1.57E-01	7.02E-11	1.0E+06	7.0E-05
114	114	0.17546	4.83528E-06	8.5E-07	1.05E-03	8.87E-10	5.26E-01	1.57E-01	7.33E-11	1.0E+06	7.3E-05
115	115	0.18278	4.83528E-06	8.8E-07	1.05E-03	9.24E-10	5.26E-01	1.57E-01	7.64E-11	1.0E+06	7.6E-05
116	116	0.19116	4.83528E-06	9.2E-07	1.05E-03	9.66E-10	5.26E-01	1.57E-01	7.99E-11	1.0E+06	8.0E-05
117	117	0.20122	4.83528E-06	9.7E-07	1.05E-03	1.02E-09	5.26E-01	1.57E-01	8.41E-11	1.0E+06	8.4E-05
118	118	0.20761	4.83528E-06	1.0E-06	1.05E-03	1.05E-09	5.26E-01	1.57E-01	8.67E-11	1.0E+06	8.7E-05
119	119	0.22024	4.83528E-06	1.1E-06	1.05E-03	1.11E-09	5.26E-01	1.57E-01	9.20E-11	1.0E+06	9.2E-05
120	120	0.23312	4.83528E-06	1.1E-06	1.05E-03	1.18E-09	5.26E-01	1.57E-01	9.74E-11	1.0E+06	9.7E-05
121	121	0.24724	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	5.26E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
122	122	0.14912	4.83528E-06	7.2E-07	1.05E-03	7.54E-10	5.26E-01	1.57E-01	6.23E-11	1.0E+06	6.2E-05
123	123	0.15721	4.83528E-06	7.6E-07	1.05E-03	7.95E-10	5.26E-01	1.57E-01	6.57E-11	1.0E+06	6.6E-05
124	124	0.16662	4.83528E-06	8.1E-07	1.05E-03	8.42E-10	5.26E-01	1.57E-01	6.96E-11	1.0E+06	7.0E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	125	0.17521	4.83528E-06	8.5E-07	1.05E-03	8.85E-10	5.26E-01	1.57E-01	7.32E-11	1.0E+06	7.3E-05
126	126	0.1835	4.83528E-06	8.9E-07	1.05E-03	9.27E-10	5.26E-01	1.57E-01	7.67E-11	1.0E+06	7.7E-05
127	127	0.19137	4.83528E-06	9.3E-07	1.05E-03	9.67E-10	5.26E-01	1.57E-01	7.99E-11	1.0E+06	8.0E-05
128	128	0.19335	4.83528E-06	9.3E-07	1.05E-03	9.77E-10	5.26E-01	1.57E-01	8.08E-11	1.0E+06	8.1E-05
129	129	0.20267	4.83528E-06	9.8E-07	1.05E-03	1.02E-09	5.26E-01	1.57E-01	8.47E-11	1.0E+06	8.5E-05
130	130	0.21849	4.83528E-06	1.1E-06	1.05E-03	1.10E-09	5.26E-01	1.57E-01	9.13E-11	1.0E+06	9.1E-05
131	131	0.54025	4.83528E-06	2.6E-06	1.05E-03	2.73E-09	5.26E-01	1.57E-01	2.26E-10	1.0E+06	2.3E-04
132	132	0.56203	4.83528E-06	2.7E-06	1.05E-03	2.84E-09	5.26E-01	1.57E-01	2.35E-10	1.0E+06	2.3E-04
133	133	0.15509	4.83528E-06	7.5E-07	1.05E-03	7.84E-10	5.26E-01	1.57E-01	6.48E-11	1.0E+06	6.5E-05
134	134	0.16662	4.83528E-06	8.1E-07	1.05E-03	8.42E-10	5.26E-01	1.57E-01	6.96E-11	1.0E+06	7.0E-05
135	135	0.17787	4.83528E-06	8.6E-07	1.05E-03	8.99E-10	5.26E-01	1.57E-01	7.43E-11	1.0E+06	7.4E-05
136	136	0.1884	4.83528E-06	9.1E-07	1.05E-03	9.52E-10	5.26E-01	1.57E-01	7.87E-11	1.0E+06	7.9E-05
137	137	0.19902	4.83528E-06	9.6E-07	1.05E-03	1.01E-09	5.26E-01	1.57E-01	8.31E-11	1.0E+06	8.3E-05
138	138	0.20832	4.83528E-06	1.0E-06	1.05E-03	1.05E-09	5.26E-01	1.57E-01	8.70E-11	1.0E+06	8.7E-05
139	139	0.21529	4.83528E-06	1.0E-06	1.05E-03	1.09E-09	5.26E-01	1.57E-01	8.99E-11	1.0E+06	9.0E-05
140	140	0.23239	4.83528E-06	1.1E-06	1.05E-03	1.17E-09	5.26E-01	1.57E-01	9.71E-11	1.0E+06	9.7E-05
141	141	0.24657	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	5.26E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
142	142	0.26114	4.83528E-06	1.3E-06	1.05E-03	1.32E-09	5.26E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
143	143	0.27932	4.83528E-06	1.4E-06	1.05E-03	1.41E-09	5.26E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
144	144	0.30388	4.83528E-06	1.5E-06	1.05E-03	1.54E-09	5.26E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
145	145	0.32771	4.83528E-06	1.6E-06	1.05E-03	1.66E-09	5.26E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
146	146	0.66658	4.83528E-06	3.2E-06	1.05E-03	3.37E-09	5.26E-01	1.57E-01	2.78E-10	1.0E+06	2.8E-04
147	147	0.15987	4.83528E-06	7.7E-07	1.05E-03	8.08E-10	5.26E-01	1.57E-01	6.68E-11	1.0E+06	6.7E-05
148	148	0.17249	4.83528E-06	8.3E-07	1.05E-03	8.72E-10	5.26E-01	1.57E-01	7.21E-11	1.0E+06	7.2E-05
149	149	0.18609	4.83528E-06	9.0E-07	1.05E-03	9.40E-10	5.26E-01	1.57E-01	7.77E-11	1.0E+06	7.8E-05
150	150	0.19907	4.83528E-06	9.6E-07	1.05E-03	1.01E-09	5.26E-01	1.57E-01	8.32E-11	1.0E+06	8.3E-05
151	151	0.21346	4.83528E-06	1.0E-06	1.05E-03	1.08E-09	5.26E-01	1.57E-01	8.92E-11	1.0E+06	8.9E-05
152	152	0.22549	4.83528E-06	1.1E-06	1.05E-03	1.14E-09	5.26E-01	1.57E-01	9.42E-11	1.0E+06	9.4E-05
153	153	0.23783	4.83528E-06	1.1E-06	1.05E-03	1.20E-09	5.26E-01	1.57E-01	9.94E-11	1.0E+06	9.9E-05
154	154	0.25329	4.83528E-06	1.2E-06	1.05E-03	1.28E-09	5.26E-01	1.57E-01	1.06E-10	1.0E+06	1.1E-04
155	155	0.27164	4.83528E-06	1.3E-06	1.05E-03	1.37E-09	5.26E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	156	0.29103	4.83528E-06	1.4E-06	1.05E-03	1.47E-09	5.26E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
157	157	0.31108	4.83528E-06	1.5E-06	1.05E-03	1.57E-09	5.26E-01	1.57E-01	1.30E-10	1.0E+06	1.3E-04
158	158	0.33231	4.83528E-06	1.6E-06	1.05E-03	1.68E-09	5.26E-01	1.57E-01	1.39E-10	1.0E+06	1.4E-04
159	159	0.3745	4.83528E-06	1.8E-06	1.05E-03	1.89E-09	5.26E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
160	160	0.1652	4.83528E-06	8.0E-07	1.05E-03	8.35E-10	5.26E-01	1.57E-01	6.90E-11	1.0E+06	6.9E-05
161	161	0.17702	4.83528E-06	8.6E-07	1.05E-03	8.95E-10	5.26E-01	1.57E-01	7.40E-11	1.0E+06	7.4E-05
162	162	0.18798	4.83528E-06	9.1E-07	1.05E-03	9.50E-10	5.26E-01	1.57E-01	7.85E-11	1.0E+06	7.9E-05
163	163	0.20556	4.83528E-06	9.9E-07	1.05E-03	1.04E-09	5.26E-01	1.57E-01	8.59E-11	1.0E+06	8.6E-05
164	164	0.2256	4.83528E-06	1.1E-06	1.05E-03	1.14E-09	5.26E-01	1.57E-01	9.42E-11	1.0E+06	9.4E-05
165	165	0.24183	4.83528E-06	1.2E-06	1.05E-03	1.22E-09	5.26E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
166	166	0.26025	4.83528E-06	1.3E-06	1.05E-03	1.32E-09	5.26E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
167	167	0.28039	4.83528E-06	1.4E-06	1.05E-03	1.42E-09	5.26E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
168	168	0.30308	4.83528E-06	1.5E-06	1.05E-03	1.53E-09	5.26E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
169	169	0.32837	4.83528E-06	1.6E-06	1.05E-03	1.66E-09	5.26E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
170	170	0.35596	4.83528E-06	1.7E-06	1.05E-03	1.80E-09	5.26E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
171	171	0.38722	4.83528E-06	1.9E-06	1.05E-03	1.96E-09	5.26E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
172	172	0.43207	4.83528E-06	2.1E-06	1.05E-03	2.18E-09	5.26E-01	1.57E-01	1.81E-10	1.0E+06	1.8E-04
173	173	0.49265	4.83528E-06	2.4E-06	1.05E-03	2.49E-09	5.26E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
174	174	0.57625	4.83528E-06	2.8E-06	1.05E-03	2.91E-09	5.26E-01	1.57E-01	2.41E-10	1.0E+06	2.4E-04
175	175	0.67856	4.83528E-06	3.3E-06	1.05E-03	3.43E-09	5.26E-01	1.57E-01	2.83E-10	1.0E+06	2.8E-04
176	176	0.79898	4.83528E-06	3.9E-06	1.05E-03	4.04E-09	5.26E-01	1.57E-01	3.34E-10	1.0E+06	3.3E-04
177	177	1.01134	4.83528E-06	4.9E-06	1.05E-03	5.11E-09	5.26E-01	1.57E-01	4.22E-10	1.0E+06	4.2E-04
178	178	1.19863	4.83528E-06	5.8E-06	1.05E-03	6.06E-09	5.26E-01	1.57E-01	5.01E-10	1.0E+06	5.0E-04
179	179	0.16466	4.83528E-06	8.0E-07	1.05E-03	8.32E-10	5.26E-01	1.57E-01	6.88E-11	1.0E+06	6.9E-05
180	180	0.17624	4.83528E-06	8.5E-07	1.05E-03	8.91E-10	5.26E-01	1.57E-01	7.36E-11	1.0E+06	7.4E-05
181	181	0.18643	4.83528E-06	9.0E-07	1.05E-03	9.42E-10	5.26E-01	1.57E-01	7.79E-11	1.0E+06	7.8E-05
182	182	0.20908	4.83528E-06	1.0E-06	1.05E-03	1.06E-09	5.26E-01	1.57E-01	8.73E-11	1.0E+06	8.7E-05
183	183	0.23689	4.83528E-06	1.1E-06	1.05E-03	1.20E-09	5.26E-01	1.57E-01	9.90E-11	1.0E+06	9.9E-05
184	184	0.25771	4.83528E-06	1.2E-06	1.05E-03	1.30E-09	5.26E-01	1.57E-01	1.08E-10	1.0E+06	1.1E-04
185	185	0.28174	4.83528E-06	1.4E-06	1.05E-03	1.42E-09	5.26E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
186	186	0.30715	4.83528E-06	1.5E-06	1.05E-03	1.55E-09	5.26E-01	1.57E-01	1.28E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	187	0.33461	4.83528E-06	1.6E-06	1.05E-03	1.69E-09	5.26E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
188	188	0.36672	4.83528E-06	1.8E-06	1.05E-03	1.85E-09	5.26E-01	1.57E-01	1.53E-10	1.0E+06	1.5E-04
189	189	0.40207	4.83528E-06	1.9E-06	1.05E-03	2.03E-09	5.26E-01	1.57E-01	1.68E-10	1.0E+06	1.7E-04
190	190	0.44452	4.83528E-06	2.1E-06	1.05E-03	2.25E-09	5.26E-01	1.57E-01	1.86E-10	1.0E+06	1.9E-04
191	191	0.49448	4.83528E-06	2.4E-06	1.05E-03	2.50E-09	5.26E-01	1.57E-01	2.07E-10	1.0E+06	2.1E-04
192	192	0.56449	4.83528E-06	2.7E-06	1.05E-03	2.85E-09	5.26E-01	1.57E-01	2.36E-10	1.0E+06	2.4E-04
193	193	0.65574	4.83528E-06	3.2E-06	1.05E-03	3.31E-09	5.26E-01	1.57E-01	2.74E-10	1.0E+06	2.7E-04
194	194	0.79818	4.83528E-06	3.9E-06	1.05E-03	4.03E-09	5.26E-01	1.57E-01	3.33E-10	1.0E+06	3.3E-04
195	195	1.02294	4.83528E-06	4.9E-06	1.05E-03	5.17E-09	5.26E-01	1.57E-01	4.27E-10	1.0E+06	4.3E-04
196	196	1.36656	4.83528E-06	6.6E-06	1.05E-03	6.91E-09	5.26E-01	1.57E-01	5.71E-10	1.0E+06	5.7E-04
197	197	1.78741	4.83528E-06	8.6E-06	1.05E-03	9.03E-09	5.26E-01	1.57E-01	7.47E-10	1.0E+06	7.5E-04
198	198	0.16538	4.83528E-06	8.0E-07	1.05E-03	8.36E-10	5.26E-01	1.57E-01	6.91E-11	1.0E+06	6.9E-05
199	199	0.17864	4.83528E-06	8.6E-07	1.05E-03	9.03E-10	5.26E-01	1.57E-01	7.46E-11	1.0E+06	7.5E-05
200	200	0.19319	4.83528E-06	9.3E-07	1.05E-03	9.76E-10	5.26E-01	1.57E-01	8.07E-11	1.0E+06	8.1E-05
201	201	0.21276	4.83528E-06	1.0E-06	1.05E-03	1.08E-09	5.26E-01	1.57E-01	8.89E-11	1.0E+06	8.9E-05
202	202	0.2435	4.83528E-06	1.2E-06	1.05E-03	1.23E-09	5.26E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
203	203	0.27002	4.83528E-06	1.3E-06	1.05E-03	1.36E-09	5.26E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
204	204	0.29949	4.83528E-06	1.4E-06	1.05E-03	1.51E-09	5.26E-01	1.57E-01	1.25E-10	1.0E+06	1.3E-04
205	205	0.33029	4.83528E-06	1.6E-06	1.05E-03	1.67E-09	5.26E-01	1.57E-01	1.38E-10	1.0E+06	1.4E-04
206	206	0.36426	4.83528E-06	1.8E-06	1.05E-03	1.84E-09	5.26E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
207	207	0.40322	4.83528E-06	1.9E-06	1.05E-03	2.04E-09	5.26E-01	1.57E-01	1.68E-10	1.0E+06	1.7E-04
208	208	0.44759	4.83528E-06	2.2E-06	1.05E-03	2.26E-09	5.26E-01	1.57E-01	1.87E-10	1.0E+06	1.9E-04
209	209	0.50106	4.83528E-06	2.4E-06	1.05E-03	2.53E-09	5.26E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
210	210	0.56599	4.83528E-06	2.7E-06	1.05E-03	2.86E-09	5.26E-01	1.57E-01	2.36E-10	1.0E+06	2.4E-04
211	211	0.64944	4.83528E-06	3.1E-06	1.05E-03	3.28E-09	5.26E-01	1.57E-01	2.71E-10	1.0E+06	2.7E-04
212	212	0.75631	4.83528E-06	3.7E-06	1.05E-03	3.82E-09	5.26E-01	1.57E-01	3.16E-10	1.0E+06	3.2E-04
213	213	0.89878	4.83528E-06	4.3E-06	1.05E-03	4.54E-09	5.26E-01	1.57E-01	3.75E-10	1.0E+06	3.8E-04
214	214	1.09629	4.83528E-06	5.3E-06	1.05E-03	5.54E-09	5.26E-01	1.57E-01	4.58E-10	1.0E+06	4.6E-04
215	215	1.73736	4.83528E-06	8.4E-06	1.05E-03	8.78E-09	5.26E-01	1.57E-01	7.26E-10	1.0E+06	7.3E-04
216	216	0.16693	4.83528E-06	8.1E-07	1.05E-03	8.44E-10	5.26E-01	1.57E-01	6.97E-11	1.0E+06	7.0E-05
217	217	0.18028	4.83528E-06	8.7E-07	1.05E-03	9.11E-10	5.26E-01	1.57E-01	7.53E-11	1.0E+06	7.5E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	218	0.1967	4.83528E-06	9.5E-07	1.05E-03	9.94E-10	5.26E-01	1.57E-01	8.22E-11	1.0E+06	8.2E-05
219	219	0.21689	4.83528E-06	1.0E-06	1.05E-03	1.10E-09	5.26E-01	1.57E-01	9.06E-11	1.0E+06	9.1E-05
220	220	0.24745	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	5.26E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
221	221	0.27558	4.83528E-06	1.3E-06	1.05E-03	1.39E-09	5.26E-01	1.57E-01	1.15E-10	1.0E+06	1.2E-04
222	222	0.31005	4.83528E-06	1.5E-06	1.05E-03	1.57E-09	5.26E-01	1.57E-01	1.30E-10	1.0E+06	1.3E-04
223	223	0.34616	4.83528E-06	1.7E-06	1.05E-03	1.75E-09	5.26E-01	1.57E-01	1.45E-10	1.0E+06	1.4E-04
224	224	0.3862	4.83528E-06	1.9E-06	1.05E-03	1.95E-09	5.26E-01	1.57E-01	1.61E-10	1.0E+06	1.6E-04
225	225	0.43074	4.83528E-06	2.1E-06	1.05E-03	2.18E-09	5.26E-01	1.57E-01	1.80E-10	1.0E+06	1.8E-04
226	226	0.48528	4.83528E-06	2.3E-06	1.05E-03	2.45E-09	5.26E-01	1.57E-01	2.03E-10	1.0E+06	2.0E-04
227	227	0.54921	4.83528E-06	2.7E-06	1.05E-03	2.78E-09	5.26E-01	1.57E-01	2.29E-10	1.0E+06	2.3E-04
228	228	0.62818	4.83528E-06	3.0E-06	1.05E-03	3.17E-09	5.26E-01	1.57E-01	2.62E-10	1.0E+06	2.6E-04
229	229	0.73144	4.83528E-06	3.5E-06	1.05E-03	3.70E-09	5.26E-01	1.57E-01	3.06E-10	1.0E+06	3.1E-04
230	230	0.86555	4.83528E-06	4.2E-06	1.05E-03	4.37E-09	5.26E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
231	231	1.06106	4.83528E-06	5.1E-06	1.05E-03	5.36E-09	5.26E-01	1.57E-01	4.43E-10	1.0E+06	4.4E-04
232	232	1.36584	4.83528E-06	6.6E-06	1.05E-03	6.90E-09	5.26E-01	1.57E-01	5.71E-10	1.0E+06	5.7E-04
233	233	2.21729	4.83528E-06	1.1E-05	1.05E-03	1.12E-08	5.26E-01	1.57E-01	9.26E-10	1.0E+06	9.3E-04
234	234	0.16735	4.83528E-06	8.1E-07	1.05E-03	8.46E-10	5.26E-01	1.57E-01	6.99E-11	1.0E+06	7.0E-05
235	235	0.18065	4.83528E-06	8.7E-07	1.05E-03	9.13E-10	5.26E-01	1.57E-01	7.55E-11	1.0E+06	7.5E-05
236	236	0.19807	4.83528E-06	9.6E-07	1.05E-03	1.00E-09	5.26E-01	1.57E-01	8.27E-11	1.0E+06	8.3E-05
237	237	0.22052	4.83528E-06	1.1E-06	1.05E-03	1.11E-09	5.26E-01	1.57E-01	9.21E-11	1.0E+06	9.2E-05
238	238	0.24892	4.83528E-06	1.2E-06	1.05E-03	1.26E-09	5.26E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
239	239	0.27883	4.83528E-06	1.3E-06	1.05E-03	1.41E-09	5.26E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
240	240	0.31465	4.83528E-06	1.5E-06	1.05E-03	1.59E-09	5.26E-01	1.57E-01	1.31E-10	1.0E+06	1.3E-04
241	241	0.35485	4.83528E-06	1.7E-06	1.05E-03	1.79E-09	5.26E-01	1.57E-01	1.48E-10	1.0E+06	1.5E-04
242	242	0.40054	4.83528E-06	1.9E-06	1.05E-03	2.02E-09	5.26E-01	1.57E-01	1.67E-10	1.0E+06	1.7E-04
243	243	0.45265	4.83528E-06	2.2E-06	1.05E-03	2.29E-09	5.26E-01	1.57E-01	1.89E-10	1.0E+06	1.9E-04
244	244	0.51721	4.83528E-06	2.5E-06	1.05E-03	2.61E-09	5.26E-01	1.57E-01	2.16E-10	1.0E+06	2.2E-04
245	245	0.59496	4.83528E-06	2.9E-06	1.05E-03	3.01E-09	5.26E-01	1.57E-01	2.49E-10	1.0E+06	2.5E-04
246	246	0.69163	4.83528E-06	3.3E-06	1.05E-03	3.50E-09	5.26E-01	1.57E-01	2.89E-10	1.0E+06	2.9E-04
247	247	0.81591	4.83528E-06	3.9E-06	1.05E-03	4.12E-09	5.26E-01	1.57E-01	3.41E-10	1.0E+06	3.4E-04
248	248	0.98489	4.83528E-06	4.8E-06	1.05E-03	4.98E-09	5.26E-01	1.57E-01	4.11E-10	1.0E+06	4.1E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	249	1.22885	4.83528E-06	5.9E-06	1.05E-03	6.21E-09	5.26E-01	1.57E-01	5.13E-10	1.0E+06	5.1E-04
250	250	1.63505	4.83528E-06	7.9E-06	1.05E-03	8.26E-09	5.26E-01	1.57E-01	6.83E-10	1.0E+06	6.8E-04
251	251	2.71786	4.83528E-06	1.3E-05	1.05E-03	1.37E-08	5.26E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
252	252	0.16495	4.83528E-06	8.0E-07	1.05E-03	8.34E-10	5.26E-01	1.57E-01	6.89E-11	1.0E+06	6.9E-05
253	253	0.17799	4.83528E-06	8.6E-07	1.05E-03	9.00E-10	5.26E-01	1.57E-01	7.44E-11	1.0E+06	7.4E-05
254	254	0.19466	4.83528E-06	9.4E-07	1.05E-03	9.84E-10	5.26E-01	1.57E-01	8.13E-11	1.0E+06	8.1E-05
255	255	0.21521	4.83528E-06	1.0E-06	1.05E-03	1.09E-09	5.26E-01	1.57E-01	8.99E-11	1.0E+06	9.0E-05
256	256	0.2481	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	5.26E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
257	257	0.2724	4.83528E-06	1.3E-06	1.05E-03	1.38E-09	5.26E-01	1.57E-01	1.14E-10	1.0E+06	1.1E-04
258	258	0.30508	4.83528E-06	1.5E-06	1.05E-03	1.54E-09	5.26E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
259	259	0.34335	4.83528E-06	1.7E-06	1.05E-03	1.74E-09	5.26E-01	1.57E-01	1.43E-10	1.0E+06	1.4E-04
260	260	0.39576	4.83528E-06	1.9E-06	1.05E-03	2.00E-09	5.26E-01	1.57E-01	1.65E-10	1.0E+06	1.7E-04
261	261	0.46173	4.83528E-06	2.2E-06	1.05E-03	2.33E-09	5.26E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
262	262	0.53894	4.83528E-06	2.6E-06	1.05E-03	2.72E-09	5.26E-01	1.57E-01	2.25E-10	1.0E+06	2.3E-04
263	263	0.62661	4.83528E-06	3.0E-06	1.05E-03	3.17E-09	5.26E-01	1.57E-01	2.62E-10	1.0E+06	2.6E-04
264	264	0.74151	4.83528E-06	3.6E-06	1.05E-03	3.75E-09	5.26E-01	1.57E-01	3.10E-10	1.0E+06	3.1E-04
265	265	0.88511	4.83528E-06	4.3E-06	1.05E-03	4.47E-09	5.26E-01	1.57E-01	3.70E-10	1.0E+06	3.7E-04
266	266	1.0844	4.83528E-06	5.2E-06	1.05E-03	5.48E-09	5.26E-01	1.57E-01	4.53E-10	1.0E+06	4.5E-04
267	267	1.37129	4.83528E-06	6.6E-06	1.05E-03	6.93E-09	5.26E-01	1.57E-01	5.73E-10	1.0E+06	5.7E-04
268	268	1.83918	4.83528E-06	8.9E-06	1.05E-03	9.29E-09	5.26E-01	1.57E-01	7.68E-10	1.0E+06	7.7E-04
269	269	3.05125	4.83528E-06	1.5E-05	1.05E-03	1.54E-08	5.26E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
270	270	0.16103	4.83528E-06	7.8E-07	1.05E-03	8.14E-10	5.26E-01	1.57E-01	6.73E-11	1.0E+06	6.7E-05
271	271	0.17495	4.83528E-06	8.5E-07	1.05E-03	8.84E-10	5.26E-01	1.57E-01	7.31E-11	1.0E+06	7.3E-05
272	272	0.192	4.83528E-06	9.3E-07	1.05E-03	9.70E-10	5.26E-01	1.57E-01	8.02E-11	1.0E+06	8.0E-05
273	273	0.21189	4.83528E-06	1.0E-06	1.05E-03	1.07E-09	5.26E-01	1.57E-01	8.85E-11	1.0E+06	8.9E-05
274	274	0.24767	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	5.26E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
275	275	0.2812	4.83528E-06	1.4E-06	1.05E-03	1.42E-09	5.26E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
276	276	0.30081	4.83528E-06	1.5E-06	1.05E-03	1.52E-09	5.26E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04
277	277	0.33911	4.83528E-06	1.6E-06	1.05E-03	1.71E-09	5.26E-01	1.57E-01	1.42E-10	1.0E+06	1.4E-04
278	278	0.38885	4.83528E-06	1.9E-06	1.05E-03	1.97E-09	5.26E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
279	279	0.45312	4.83528E-06	2.2E-06	1.05E-03	2.29E-09	5.26E-01	1.57E-01	1.89E-10	1.0E+06	1.9E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	280	0.54249	4.83528E-06	2.6E-06	1.05E-03	2.74E-09	5.26E-01	1.57E-01	2.27E-10	1.0E+06	2.3E-04
281	281	0.65054	4.83528E-06	3.1E-06	1.05E-03	3.29E-09	5.26E-01	1.57E-01	2.72E-10	1.0E+06	2.7E-04
282	282	0.78392	4.83528E-06	3.8E-06	1.05E-03	3.96E-09	5.26E-01	1.57E-01	3.27E-10	1.0E+06	3.3E-04
283	283	0.95468	4.83528E-06	4.6E-06	1.05E-03	4.82E-09	5.26E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
284	284	1.18854	4.83528E-06	5.7E-06	1.05E-03	6.01E-09	5.26E-01	1.57E-01	4.97E-10	1.0E+06	5.0E-04
285	285	1.51941	4.83528E-06	7.3E-06	1.05E-03	7.68E-09	5.26E-01	1.57E-01	6.35E-10	1.0E+06	6.3E-04
286	286	2.06851	4.83528E-06	1.0E-05	1.05E-03	1.05E-08	5.26E-01	1.57E-01	8.64E-10	1.0E+06	8.6E-04
287	287	3.4619	4.83528E-06	1.7E-05	1.05E-03	1.75E-08	5.26E-01	1.57E-01	1.45E-09	1.0E+06	1.4E-03
288	288	0.1571	4.83528E-06	7.6E-07	1.05E-03	7.94E-10	5.26E-01	1.57E-01	6.56E-11	1.0E+06	6.6E-05
289	289	0.17007	4.83528E-06	8.2E-07	1.05E-03	8.60E-10	5.26E-01	1.57E-01	7.10E-11	1.0E+06	7.1E-05
290	290	0.19064	4.83528E-06	9.2E-07	1.05E-03	9.63E-10	5.26E-01	1.57E-01	7.96E-11	1.0E+06	8.0E-05
291	291	0.21276	4.83528E-06	1.0E-06	1.05E-03	1.08E-09	5.26E-01	1.57E-01	8.89E-11	1.0E+06	8.9E-05
292	292	0.2583	4.83528E-06	1.2E-06	1.05E-03	1.31E-09	5.26E-01	1.57E-01	1.08E-10	1.0E+06	1.1E-04
293	293	0.28294	4.83528E-06	1.4E-06	1.05E-03	1.43E-09	5.26E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
294	294	0.29501	4.83528E-06	1.4E-06	1.05E-03	1.49E-09	5.26E-01	1.57E-01	1.23E-10	1.0E+06	1.2E-04
295	295	0.33636	4.83528E-06	1.6E-06	1.05E-03	1.70E-09	5.26E-01	1.57E-01	1.41E-10	1.0E+06	1.4E-04
296	296	0.38881	4.83528E-06	1.9E-06	1.05E-03	1.96E-09	5.26E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
297	297	0.44873	4.83528E-06	2.2E-06	1.05E-03	2.27E-09	5.26E-01	1.57E-01	1.87E-10	1.0E+06	1.9E-04
298	298	0.53391	4.83528E-06	2.6E-06	1.05E-03	2.70E-09	5.26E-01	1.57E-01	2.23E-10	1.0E+06	2.2E-04
299	299	0.6575	4.83528E-06	3.2E-06	1.05E-03	3.32E-09	5.26E-01	1.57E-01	2.75E-10	1.0E+06	2.7E-04
300	300	0.80178	4.83528E-06	3.9E-06	1.05E-03	4.05E-09	5.26E-01	1.57E-01	3.35E-10	1.0E+06	3.3E-04
301	301	1.00633	4.83528E-06	4.9E-06	1.05E-03	5.09E-09	5.26E-01	1.57E-01	4.20E-10	1.0E+06	4.2E-04
302	302	1.28625	4.83528E-06	6.2E-06	1.05E-03	6.50E-09	5.26E-01	1.57E-01	5.37E-10	1.0E+06	5.4E-04
303	303	1.70188	4.83528E-06	8.2E-06	1.05E-03	8.60E-09	5.26E-01	1.57E-01	7.11E-10	1.0E+06	7.1E-04
304	304	2.37779	4.83528E-06	1.1E-05	1.05E-03	1.20E-08	5.26E-01	1.57E-01	9.93E-10	1.0E+06	9.9E-04
305	305	4.11223	4.83528E-06	2.0E-05	1.05E-03	2.08E-08	5.26E-01	1.57E-01	1.72E-09	1.0E+06	1.7E-03
306	306	0.1608	4.83528E-06	7.8E-07	1.05E-03	8.13E-10	5.26E-01	1.57E-01	6.72E-11	1.0E+06	6.7E-05
307	307	0.17008	4.83528E-06	8.2E-07	1.05E-03	8.60E-10	5.26E-01	1.57E-01	7.11E-11	1.0E+06	7.1E-05
308	308	0.1866	4.83528E-06	9.0E-07	1.05E-03	9.43E-10	5.26E-01	1.57E-01	7.80E-11	1.0E+06	7.8E-05
309	309	0.21966	4.83528E-06	1.1E-06	1.05E-03	1.11E-09	5.26E-01	1.57E-01	9.18E-11	1.0E+06	9.2E-05
310	310	0.25427	4.83528E-06	1.2E-06	1.05E-03	1.29E-09	5.26E-01	1.57E-01	1.06E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	311	0.27818	4.83528E-06	1.3E-06	1.05E-03	1.41E-09	5.26E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
312	312	0.28562	4.83528E-06	1.4E-06	1.05E-03	1.44E-09	5.26E-01	1.57E-01	1.19E-10	1.0E+06	1.2E-04
313	313	0.32671	4.83528E-06	1.6E-06	1.05E-03	1.65E-09	5.26E-01	1.57E-01	1.36E-10	1.0E+06	1.4E-04
314	314	0.37946	4.83528E-06	1.8E-06	1.05E-03	1.92E-09	5.26E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
315	315	0.45718	4.83528E-06	2.2E-06	1.05E-03	2.31E-09	5.26E-01	1.57E-01	1.91E-10	1.0E+06	1.9E-04
316	316	0.53191	4.83528E-06	2.6E-06	1.05E-03	2.69E-09	5.26E-01	1.57E-01	2.22E-10	1.0E+06	2.2E-04
317	317	0.64187	4.83528E-06	3.1E-06	1.05E-03	3.24E-09	5.26E-01	1.57E-01	2.68E-10	1.0E+06	2.7E-04
318	318	0.79835	4.83528E-06	3.9E-06	1.05E-03	4.03E-09	5.26E-01	1.57E-01	3.34E-10	1.0E+06	3.3E-04
319	319	1.03385	4.83528E-06	5.0E-06	1.05E-03	5.22E-09	5.26E-01	1.57E-01	4.32E-10	1.0E+06	4.3E-04
320	320	1.39716	4.83528E-06	6.8E-06	1.05E-03	7.06E-09	5.26E-01	1.57E-01	5.84E-10	1.0E+06	5.8E-04
321	321	1.89262	4.83528E-06	9.2E-06	1.05E-03	9.57E-09	5.26E-01	1.57E-01	7.91E-10	1.0E+06	7.9E-04
322	322	2.72766	4.83528E-06	1.3E-05	1.05E-03	1.38E-08	5.26E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
323	323	5.06474	4.83528E-06	2.4E-05	1.05E-03	2.56E-08	5.26E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
324	324	0.15673	4.83528E-06	7.6E-07	1.05E-03	7.92E-10	5.26E-01	1.57E-01	6.55E-11	1.0E+06	6.5E-05
325	325	0.17554	4.83528E-06	8.5E-07	1.05E-03	8.87E-10	5.26E-01	1.57E-01	7.33E-11	1.0E+06	7.3E-05
326	326	0.19085	4.83528E-06	9.2E-07	1.05E-03	9.65E-10	5.26E-01	1.57E-01	7.97E-11	1.0E+06	8.0E-05
327	327	0.20541	4.83528E-06	9.9E-07	1.05E-03	1.04E-09	5.26E-01	1.57E-01	8.58E-11	1.0E+06	8.6E-05
328	328	0.25052	4.83528E-06	1.2E-06	1.05E-03	1.27E-09	5.26E-01	1.57E-01	1.05E-10	1.0E+06	1.0E-04
329	329	0.2702	4.83528E-06	1.3E-06	1.05E-03	1.37E-09	5.26E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
330	330	0.27908	4.83528E-06	1.3E-06	1.05E-03	1.41E-09	5.26E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
331	331	0.3205	4.83528E-06	1.5E-06	1.05E-03	1.62E-09	5.26E-01	1.57E-01	1.34E-10	1.0E+06	1.3E-04
332	332	0.37406	4.83528E-06	1.8E-06	1.05E-03	1.89E-09	5.26E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
333	333	0.45331	4.83528E-06	2.2E-06	1.05E-03	2.29E-09	5.26E-01	1.57E-01	1.89E-10	1.0E+06	1.9E-04
334	334	0.54185	4.83528E-06	2.6E-06	1.05E-03	2.74E-09	5.26E-01	1.57E-01	2.26E-10	1.0E+06	2.3E-04
335	335	0.66128	4.83528E-06	3.2E-06	1.05E-03	3.34E-09	5.26E-01	1.57E-01	2.76E-10	1.0E+06	2.8E-04
336	336	0.6189	4.83528E-06	3.0E-06	1.05E-03	3.13E-09	5.26E-01	1.57E-01	2.59E-10	1.0E+06	2.6E-04
337	337	0.65562	4.83528E-06	3.2E-06	1.05E-03	3.31E-09	5.26E-01	1.57E-01	2.74E-10	1.0E+06	2.7E-04
338	338	0.11176	4.83528E-06	5.4E-07	1.05E-03	5.65E-10	5.26E-01	1.57E-01	4.67E-11	1.0E+06	4.7E-05
339	339	0.11819	4.83528E-06	5.7E-07	1.05E-03	5.97E-10	5.26E-01	1.57E-01	4.94E-11	1.0E+06	4.9E-05
340	340	0.12484	4.83528E-06	6.0E-07	1.05E-03	6.31E-10	5.26E-01	1.57E-01	5.22E-11	1.0E+06	5.2E-05
341	341	0.14128	4.83528E-06	6.8E-07	1.05E-03	7.14E-10	5.26E-01	1.57E-01	5.90E-11	1.0E+06	5.9E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	342	0.14866	4.83528E-06	7.2E-07	1.05E-03	7.51E-10	5.26E-01	1.57E-01	6.21E-11	1.0E+06	6.2E-05
343	343	0.15525	4.83528E-06	7.5E-07	1.05E-03	7.85E-10	5.26E-01	1.57E-01	6.49E-11	1.0E+06	6.5E-05
344	344	0.15747	4.83528E-06	7.6E-07	1.05E-03	7.96E-10	5.26E-01	1.57E-01	6.58E-11	1.0E+06	6.6E-05
345	345	0.15896	4.83528E-06	7.7E-07	1.05E-03	8.03E-10	5.26E-01	1.57E-01	6.64E-11	1.0E+06	6.6E-05
346	346	0.15957	4.83528E-06	7.7E-07	1.05E-03	8.06E-10	5.26E-01	1.57E-01	6.67E-11	1.0E+06	6.7E-05
347	347	0.11921	4.83528E-06	5.8E-07	1.05E-03	6.02E-10	5.26E-01	1.57E-01	4.98E-11	1.0E+06	5.0E-05
348	348	0.12876	4.83528E-06	6.2E-07	1.05E-03	6.51E-10	5.26E-01	1.57E-01	5.38E-11	1.0E+06	5.4E-05
349	349	0.13956	4.83528E-06	6.7E-07	1.05E-03	7.05E-10	5.26E-01	1.57E-01	5.83E-11	1.0E+06	5.8E-05
350	350	0.15863	4.83528E-06	7.7E-07	1.05E-03	8.02E-10	5.26E-01	1.57E-01	6.63E-11	1.0E+06	6.6E-05
351	351	0.16216	4.83528E-06	7.8E-07	1.05E-03	8.20E-10	5.26E-01	1.57E-01	6.77E-11	1.0E+06	6.8E-05
352	352	0.17101	4.83528E-06	8.3E-07	1.05E-03	8.64E-10	5.26E-01	1.57E-01	7.14E-11	1.0E+06	7.1E-05
353	353	0.17367	4.83528E-06	8.4E-07	1.05E-03	8.78E-10	5.26E-01	1.57E-01	7.26E-11	1.0E+06	7.3E-05
354	354	0.17503	4.83528E-06	8.5E-07	1.05E-03	8.85E-10	5.26E-01	1.57E-01	7.31E-11	1.0E+06	7.3E-05
355	355	0.17587	4.83528E-06	8.5E-07	1.05E-03	8.89E-10	5.26E-01	1.57E-01	7.35E-11	1.0E+06	7.3E-05
356	356	0.12802	4.83528E-06	6.2E-07	1.05E-03	6.47E-10	5.26E-01	1.57E-01	5.35E-11	1.0E+06	5.3E-05
357	357	0.13627	4.83528E-06	6.6E-07	1.05E-03	6.89E-10	5.26E-01	1.57E-01	5.69E-11	1.0E+06	5.7E-05
358	358	0.14674	4.83528E-06	7.1E-07	1.05E-03	7.42E-10	5.26E-01	1.57E-01	6.13E-11	1.0E+06	6.1E-05
359	359	0.15544	4.83528E-06	7.5E-07	1.05E-03	7.86E-10	5.26E-01	1.57E-01	6.49E-11	1.0E+06	6.5E-05
360	360	0.17573	4.83528E-06	8.5E-07	1.05E-03	8.88E-10	5.26E-01	1.57E-01	7.34E-11	1.0E+06	7.3E-05
361	361	0.18967	4.83528E-06	9.2E-07	1.05E-03	9.59E-10	5.26E-01	1.57E-01	7.92E-11	1.0E+06	7.9E-05
362	362	0.19284	4.83528E-06	9.3E-07	1.05E-03	9.75E-10	5.26E-01	1.57E-01	8.06E-11	1.0E+06	8.1E-05
363	363	0.19434	4.83528E-06	9.4E-07	1.05E-03	9.82E-10	5.26E-01	1.57E-01	8.12E-11	1.0E+06	8.1E-05
364	364	0.13949	4.83528E-06	6.7E-07	1.05E-03	7.05E-10	5.26E-01	1.57E-01	5.83E-11	1.0E+06	5.8E-05
365	365	0.14615	4.83528E-06	7.1E-07	1.05E-03	7.39E-10	5.26E-01	1.57E-01	6.11E-11	1.0E+06	6.1E-05
366	366	0.15889	4.83528E-06	7.7E-07	1.05E-03	8.03E-10	5.26E-01	1.57E-01	6.64E-11	1.0E+06	6.6E-05
367	367	0.17084	4.83528E-06	8.3E-07	1.05E-03	8.63E-10	5.26E-01	1.57E-01	7.14E-11	1.0E+06	7.1E-05
368	368	0.19065	4.83528E-06	9.2E-07	1.05E-03	9.64E-10	5.26E-01	1.57E-01	7.96E-11	1.0E+06	8.0E-05
369	369	0.21192	4.83528E-06	1.0E-06	1.05E-03	1.07E-09	5.26E-01	1.57E-01	8.85E-11	1.0E+06	8.9E-05
370	370	0.21837	4.83528E-06	1.1E-06	1.05E-03	1.10E-09	5.26E-01	1.57E-01	9.12E-11	1.0E+06	9.1E-05
371	371	0.21926	4.83528E-06	1.1E-06	1.05E-03	1.11E-09	5.26E-01	1.57E-01	9.16E-11	1.0E+06	9.2E-05
372	372	0.15445	4.83528E-06	7.5E-07	1.05E-03	7.81E-10	5.26E-01	1.57E-01	6.45E-11	1.0E+06	6.5E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	373	0.16153	4.83528E-06	7.8E-07	1.05E-03	8.16E-10	5.26E-01	1.57E-01	6.75E-11	1.0E+06	6.7E-05
374	374	0.17658	4.83528E-06	8.5E-07	1.05E-03	8.92E-10	5.26E-01	1.57E-01	7.38E-11	1.0E+06	7.4E-05
375	375	0.19007	4.83528E-06	9.2E-07	1.05E-03	9.61E-10	5.26E-01	1.57E-01	7.94E-11	1.0E+06	7.9E-05
376	376	0.21875	4.83528E-06	1.1E-06	1.05E-03	1.11E-09	5.26E-01	1.57E-01	9.14E-11	1.0E+06	9.1E-05
377	377	0.23178	4.83528E-06	1.1E-06	1.05E-03	1.17E-09	5.26E-01	1.57E-01	9.68E-11	1.0E+06	9.7E-05
378	378	0.23861	4.83528E-06	1.2E-06	1.05E-03	1.21E-09	5.26E-01	1.57E-01	9.97E-11	1.0E+06	1.0E-04
379	379	0.24698	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	5.26E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
380	380	0.24845	4.83528E-06	1.2E-06	1.05E-03	1.26E-09	5.26E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
381	381	0.24807	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	5.26E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
382	382	0.17571	4.83528E-06	8.5E-07	1.05E-03	8.88E-10	5.26E-01	1.57E-01	7.34E-11	1.0E+06	7.3E-05
383	383	0.18762	4.83528E-06	9.1E-07	1.05E-03	9.48E-10	5.26E-01	1.57E-01	7.84E-11	1.0E+06	7.8E-05
384	384	0.19954	4.83528E-06	9.6E-07	1.05E-03	1.01E-09	5.26E-01	1.57E-01	8.34E-11	1.0E+06	8.3E-05
385	385	0.22033	4.83528E-06	1.1E-06	1.05E-03	1.11E-09	5.26E-01	1.57E-01	9.20E-11	1.0E+06	9.2E-05
386	386	0.25125	4.83528E-06	1.2E-06	1.05E-03	1.27E-09	5.26E-01	1.57E-01	1.05E-10	1.0E+06	1.0E-04
387	387	0.26303	4.83528E-06	1.3E-06	1.05E-03	1.33E-09	5.26E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
388	388	0.27155	4.83528E-06	1.3E-06	1.05E-03	1.37E-09	5.26E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
389	389	0.28226	4.83528E-06	1.4E-06	1.05E-03	1.43E-09	5.26E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
390	390	0.28378	4.83528E-06	1.4E-06	1.05E-03	1.43E-09	5.26E-01	1.57E-01	1.19E-10	1.0E+06	1.2E-04
391	391	0.28322	4.83528E-06	1.4E-06	1.05E-03	1.43E-09	5.26E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
392	392	0.27819	4.83528E-06	1.3E-06	1.05E-03	1.41E-09	5.26E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
393	393	0.20198	4.83528E-06	9.8E-07	1.05E-03	1.02E-09	5.26E-01	1.57E-01	8.44E-11	1.0E+06	8.4E-05
394	394	0.2242	4.83528E-06	1.1E-06	1.05E-03	1.13E-09	5.26E-01	1.57E-01	9.37E-11	1.0E+06	9.4E-05
395	395	0.2503	4.83528E-06	1.2E-06	1.05E-03	1.26E-09	5.26E-01	1.57E-01	1.05E-10	1.0E+06	1.0E-04
396	396	0.27819	4.83528E-06	1.3E-06	1.05E-03	1.41E-09	5.26E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
397	397	0.29449	4.83528E-06	1.4E-06	1.05E-03	1.49E-09	5.26E-01	1.57E-01	1.23E-10	1.0E+06	1.2E-04
398	398	0.30344	4.83528E-06	1.5E-06	1.05E-03	1.53E-09	5.26E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
399	399	0.30844	4.83528E-06	1.5E-06	1.05E-03	1.56E-09	5.26E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
400	400	0.32686	4.83528E-06	1.6E-06	1.05E-03	1.65E-09	5.26E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
401	401	0.3287	4.83528E-06	1.6E-06	1.05E-03	1.66E-09	5.26E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
402	402	0.32017	4.83528E-06	1.5E-06	1.05E-03	1.62E-09	5.26E-01	1.57E-01	1.34E-10	1.0E+06	1.3E-04
403	403	0.38088	4.83528E-06	1.8E-06	1.05E-03	1.92E-09	5.26E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	404	0.37568	4.83528E-06	1.8E-06	1.05E-03	1.90E-09	5.26E-01	1.57E-01	1.57E-10	1.0E+06	1.6E-04
405	405	0.36293	4.83528E-06	1.8E-06	1.05E-03	1.83E-09	5.26E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
406	406	0.45644	4.83528E-06	2.2E-06	1.05E-03	2.31E-09	5.26E-01	1.57E-01	1.91E-10	1.0E+06	1.9E-04
407	407	0.42693	4.83528E-06	2.1E-06	1.05E-03	2.16E-09	5.26E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
408	408	0.56093	4.83528E-06	2.7E-06	1.05E-03	2.83E-09	5.26E-01	1.57E-01	2.34E-10	1.0E+06	2.3E-04
409	409	0.51063	4.83528E-06	2.5E-06	1.05E-03	2.58E-09	5.26E-01	1.57E-01	2.13E-10	1.0E+06	2.1E-04
410	410	0.71333	4.83528E-06	3.4E-06	1.05E-03	3.61E-09	5.26E-01	1.57E-01	2.98E-10	1.0E+06	3.0E-04
411	411	0.66599	4.83528E-06	3.2E-06	1.05E-03	3.37E-09	5.26E-01	1.57E-01	2.78E-10	1.0E+06	2.8E-04
412	412	0.6284	4.83528E-06	3.0E-06	1.05E-03	3.18E-09	5.26E-01	1.57E-01	2.63E-10	1.0E+06	2.6E-04
413	413	0.95291	4.83528E-06	4.6E-06	1.05E-03	4.82E-09	5.26E-01	1.57E-01	3.98E-10	1.0E+06	4.0E-04
414	414	0.90293	4.83528E-06	4.4E-06	1.05E-03	4.56E-09	5.26E-01	1.57E-01	3.77E-10	1.0E+06	3.8E-04
415	415	0.84163	4.83528E-06	4.1E-06	1.05E-03	4.25E-09	5.26E-01	1.57E-01	3.52E-10	1.0E+06	3.5E-04
416	416	0.77138	4.83528E-06	3.7E-06	1.05E-03	3.90E-09	5.26E-01	1.57E-01	3.22E-10	1.0E+06	3.2E-04
417	417	1.3753	4.83528E-06	6.6E-06	1.05E-03	6.95E-09	5.26E-01	1.57E-01	5.75E-10	1.0E+06	5.7E-04
418	418	1.08271	4.83528E-06	5.2E-06	1.05E-03	5.47E-09	5.26E-01	1.57E-01	4.52E-10	1.0E+06	4.5E-04
419	419	0.94962	4.83528E-06	4.6E-06	1.05E-03	4.80E-09	5.26E-01	1.57E-01	3.97E-10	1.0E+06	4.0E-04
420	420	0.82685	4.83528E-06	4.0E-06	1.05E-03	4.18E-09	5.26E-01	1.57E-01	3.45E-10	1.0E+06	3.5E-04
421	421	2.28247	4.83528E-06	1.1E-05	1.05E-03	1.15E-08	5.26E-01	1.57E-01	9.54E-10	1.0E+06	9.5E-04
422	422	1.15445	4.83528E-06	5.6E-06	1.05E-03	5.83E-09	5.26E-01	1.57E-01	4.82E-10	1.0E+06	4.8E-04
423	423	0.96506	4.83528E-06	4.7E-06	1.05E-03	4.88E-09	5.26E-01	1.57E-01	4.03E-10	1.0E+06	4.0E-04
424	424	5.04745	4.83528E-06	2.4E-05	1.05E-03	2.55E-08	5.26E-01	1.57E-01	2.11E-09	1.0E+06	2.1E-03
425	425	1.09324	4.83528E-06	5.3E-06	1.05E-03	5.53E-09	5.26E-01	1.57E-01	4.57E-10	1.0E+06	4.6E-04
426	426	0.89433	4.83528E-06	4.3E-06	1.05E-03	4.52E-09	5.26E-01	1.57E-01	3.74E-10	1.0E+06	3.7E-04
427	427	6.20101	4.83528E-06	3.0E-05	1.05E-03	3.13E-08	5.26E-01	1.57E-01	2.59E-09	1.0E+06	2.6E-03
428	428	1.1954	4.83528E-06	5.8E-06	1.05E-03	6.04E-09	5.26E-01	1.57E-01	4.99E-10	1.0E+06	5.0E-04
429	429	0.95535	4.83528E-06	4.6E-06	1.05E-03	4.83E-09	5.26E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
430	430	11.54302	4.83528E-06	5.6E-05	1.05E-03	5.83E-08	5.26E-01	1.57E-01	4.82E-09	1.0E+06	4.8E-03
431	431	0.99064	4.83528E-06	4.8E-06	1.05E-03	5.01E-09	5.26E-01	1.57E-01	4.14E-10	1.0E+06	4.1E-04
432	432	0.79362	4.83528E-06	3.8E-06	1.05E-03	4.01E-09	5.26E-01	1.57E-01	3.32E-10	1.0E+06	3.3E-04
433	433	8.5274	4.83528E-06	4.1E-05	1.05E-03	4.31E-08	5.26E-01	1.57E-01	3.56E-09	1.0E+06	3.6E-03
434	434	0.99888	4.83528E-06	4.8E-06	1.05E-03	5.05E-09	5.26E-01	1.57E-01	4.17E-10	1.0E+06	4.2E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	435	0.79674	4.83528E-06	3.9E-06	1.05E-03	4.03E-09	5.26E-01	1.57E-01	3.33E-10	1.0E+06	3.3E-04
436	436	15.01618	4.83528E-06	7.3E-05	1.05E-03	7.59E-08	5.26E-01	1.57E-01	6.27E-09	1.0E+06	6.3E-03
437	437	1.27715	4.83528E-06	6.2E-06	1.05E-03	6.45E-09	5.26E-01	1.57E-01	5.34E-10	1.0E+06	5.3E-04
438	438	0.98302	4.83528E-06	4.8E-06	1.05E-03	4.97E-09	5.26E-01	1.57E-01	4.11E-10	1.0E+06	4.1E-04
439	439	0.78064	4.83528E-06	3.8E-06	1.05E-03	3.95E-09	5.26E-01	1.57E-01	3.26E-10	1.0E+06	3.3E-04
440	440	18.45016	4.83528E-06	8.9E-05	1.05E-03	9.32E-08	5.26E-01	1.57E-01	7.71E-09	1.0E+06	7.7E-03
441	441	2.39204	4.83528E-06	1.2E-05	1.05E-03	1.21E-08	5.26E-01	1.57E-01	9.99E-10	1.0E+06	1.0E-03
442	442	1.67555	4.83528E-06	8.1E-06	1.05E-03	8.47E-09	5.26E-01	1.57E-01	7.00E-10	1.0E+06	7.0E-04
443	443	1.23172	4.83528E-06	6.0E-06	1.05E-03	6.22E-09	5.26E-01	1.57E-01	5.15E-10	1.0E+06	5.1E-04
444	444	0.94597	4.83528E-06	4.6E-06	1.05E-03	4.78E-09	5.26E-01	1.57E-01	3.95E-10	1.0E+06	4.0E-04
445	445	13.30967	4.83528E-06	6.4E-05	1.05E-03	6.73E-08	5.26E-01	1.57E-01	5.56E-09	1.0E+06	5.6E-03
446	446	3.54629	4.83528E-06	1.7E-05	1.05E-03	1.79E-08	5.26E-01	1.57E-01	1.48E-09	1.0E+06	1.5E-03
447	447	2.26566	4.83528E-06	1.1E-05	1.05E-03	1.15E-08	5.26E-01	1.57E-01	9.47E-10	1.0E+06	9.5E-04
448	448	1.57428	4.83528E-06	7.6E-06	1.05E-03	7.96E-09	5.26E-01	1.57E-01	6.58E-10	1.0E+06	6.6E-04
449	449	9.76539	4.83528E-06	4.7E-05	1.05E-03	4.94E-08	5.26E-01	1.57E-01	4.08E-09	1.0E+06	4.1E-03
450	450	5.20744	4.83528E-06	2.5E-05	1.05E-03	2.63E-08	5.26E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
451	451	3.13404	4.83528E-06	1.5E-05	1.05E-03	1.58E-08	5.26E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
452	452	7.24942	4.83528E-06	3.5E-05	1.05E-03	3.66E-08	5.26E-01	1.57E-01	3.03E-09	1.0E+06	3.0E-03
453	453	4.22012	4.83528E-06	2.0E-05	1.05E-03	2.13E-08	5.26E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
454	454	0.62227	4.83528E-06	3.0E-06	1.05E-03	3.14E-09	5.26E-01	1.57E-01	2.60E-10	1.0E+06	2.6E-04
455	455	0.51862	4.83528E-06	2.5E-06	1.05E-03	2.62E-09	5.26E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
456	456	5.32173	4.83528E-06	2.6E-05	1.05E-03	2.69E-08	5.26E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
457	457	3.35476	4.83528E-06	1.6E-05	1.05E-03	1.70E-08	5.26E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
458	458	2.25817	4.83528E-06	1.1E-05	1.05E-03	1.14E-08	5.26E-01	1.57E-01	9.43E-10	1.0E+06	9.4E-04
459	459	0.89995	4.83528E-06	4.4E-06	1.05E-03	4.55E-09	5.26E-01	1.57E-01	3.76E-10	1.0E+06	3.8E-04
460	460	0.71561	4.83528E-06	3.5E-06	1.05E-03	3.62E-09	5.26E-01	1.57E-01	2.99E-10	1.0E+06	3.0E-04
461	461	0.58362	4.83528E-06	2.8E-06	1.05E-03	2.95E-09	5.26E-01	1.57E-01	2.44E-10	1.0E+06	2.4E-04
462	462	0.4864	4.83528E-06	2.4E-06	1.05E-03	2.46E-09	5.26E-01	1.57E-01	2.03E-10	1.0E+06	2.0E-04
463	463	0.68728	4.83528E-06	3.3E-06	1.05E-03	3.47E-09	5.26E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
464	464	0.74037	4.83528E-06	3.6E-06	1.05E-03	3.74E-09	5.26E-01	1.57E-01	3.09E-10	1.0E+06	3.1E-04
465	465	0.91889	4.83528E-06	4.4E-06	1.05E-03	4.64E-09	5.26E-01	1.57E-01	3.84E-10	1.0E+06	3.8E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	466	1.09813	4.83528E-06	5.3E-06	1.05E-03	5.55E-09	5.26E-01	1.57E-01	4.59E-10	1.0E+06	4.6E-04
467	467	1.34535	4.83528E-06	6.5E-06	1.05E-03	6.80E-09	5.26E-01	1.57E-01	5.62E-10	1.0E+06	5.6E-04
468	468	2.1815	4.83528E-06	1.1E-05	1.05E-03	1.10E-08	5.26E-01	1.57E-01	9.11E-10	1.0E+06	9.1E-04
469	469	4.48594	4.83528E-06	2.2E-05	1.05E-03	2.27E-08	5.26E-01	1.57E-01	1.87E-09	1.0E+06	1.9E-03
470	470	3.76196	4.83528E-06	1.8E-05	1.05E-03	1.90E-08	5.26E-01	1.57E-01	1.57E-09	1.0E+06	1.6E-03
471	471	6.62671	4.83528E-06	3.2E-05	1.05E-03	3.35E-08	5.26E-01	1.57E-01	2.77E-09	1.0E+06	2.8E-03
472	472	4.69648	4.83528E-06	2.3E-05	1.05E-03	2.37E-08	5.26E-01	1.57E-01	1.96E-09	1.0E+06	2.0E-03
473	473	12.12882	4.83528E-06	5.9E-05	1.05E-03	6.13E-08	5.26E-01	1.57E-01	5.07E-09	1.0E+06	5.1E-03
474	474	5.50006	4.83528E-06	2.7E-05	1.05E-03	2.78E-08	5.26E-01	1.57E-01	2.30E-09	1.0E+06	2.3E-03
475	475	13.32507	4.83528E-06	6.4E-05	1.05E-03	6.73E-08	5.26E-01	1.57E-01	5.57E-09	1.0E+06	5.6E-03
476	476	6.35566	4.83528E-06	3.1E-05	1.05E-03	3.21E-08	5.26E-01	1.57E-01	2.66E-09	1.0E+06	2.7E-03
477	477	14.88752	4.83528E-06	7.2E-05	1.05E-03	7.52E-08	5.26E-01	1.57E-01	6.22E-09	1.0E+06	6.2E-03
478	478	7.83866	4.83528E-06	3.8E-05	1.05E-03	3.96E-08	5.26E-01	1.57E-01	3.27E-09	1.0E+06	3.3E-03
479	479	8.84278	4.83528E-06	4.3E-05	1.05E-03	4.47E-08	5.26E-01	1.57E-01	3.69E-09	1.0E+06	3.7E-03
480	480	17.46115	4.83528E-06	8.4E-05	1.05E-03	8.82E-08	5.26E-01	1.57E-01	7.29E-09	1.0E+06	7.3E-03
481	481	10.57872	4.83528E-06	5.1E-05	1.05E-03	5.35E-08	5.26E-01	1.57E-01	4.42E-09	1.0E+06	4.4E-03
482	482	14.19131	4.83528E-06	6.9E-05	1.05E-03	7.17E-08	5.26E-01	1.57E-01	5.93E-09	1.0E+06	5.9E-03
483	483	10.87525	4.83528E-06	5.3E-05	1.05E-03	5.50E-08	5.26E-01	1.57E-01	4.54E-09	1.0E+06	4.5E-03
484	484	13.85496	4.83528E-06	6.7E-05	1.05E-03	7.00E-08	5.26E-01	1.57E-01	5.79E-09	1.0E+06	5.8E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
485	485	2.2E-02	Max	Receptor #	5	5.12E-05	Max	Receptor #	
2	2	2.2E-02	7.640	471	5	5.18E-05	0.018	471	Res
3	3	2.3E-02			5	5.23E-05			
4	4	2.3E-02			5	5.30E-05			
5	5	2.3E-02			5	5.37E-05			
6	6	2.4E-02			5	5.51E-05			
7	7	2.5E-02			5	5.69E-05			
8	8	2.6E-02			5	5.91E-05			
9	9	2.7E-02			5	6.18E-05			
10	10	2.8E-02			5	6.52E-05			
11	11	3.0E-02			5	6.97E-05			
12	12	3.2E-02			5	7.45E-05			
13	13	3.5E-02			5	7.98E-05			
14	14	4.8E-02			5	1.11E-04			
15	15	2.5E-02			5	5.69E-05			
16	16	2.5E-02			5	5.75E-05			
17	17	2.5E-02			5	5.84E-05			
18	18	2.6E-02			5	5.90E-05			
19	19	2.6E-02			5	5.95E-05			
20	20	2.6E-02			5	6.05E-05			
21	21	2.7E-02			5	6.20E-05			
22	22	2.8E-02			5	6.38E-05			
23	23	2.9E-02			5	6.70E-05			
24	24	3.0E-02			5	7.02E-05			
25	25	3.3E-02			5	7.55E-05			
26	26	3.5E-02			5	8.13E-05			
27	27	3.7E-02			5	8.64E-05			
28	28	5.4E-02			5	1.25E-04			
29	29	2.7E-02			5	6.30E-05			
30	30	2.8E-02			5	6.43E-05			
31	31	2.8E-02			5	6.57E-05			

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
32	32	2.9E-02	5	6.67E-05
33	33	2.9E-02	5	6.67E-05
34	34	2.9E-02	5	6.76E-05
35	35	3.0E-02	5	6.86E-05
36	36	3.0E-02	5	7.04E-05
37	37	3.2E-02	5	7.31E-05
38	38	3.3E-02	5	7.70E-05
39	39	3.6E-02	5	8.22E-05
40	40	3.8E-02	5	8.79E-05
41	41	4.1E-02	5	9.38E-05
42	42	6.1E-02	5	1.41E-04
43	43	3.0E-02	5	6.92E-05
44	44	3.1E-02	5	7.12E-05
45	45	3.2E-02	5	7.30E-05
46	46	3.2E-02	5	7.44E-05
47	47	3.3E-02	5	7.52E-05
48	48	3.3E-02	5	7.60E-05
49	49	3.3E-02	5	7.67E-05
50	50	3.4E-02	5	7.76E-05
51	51	3.5E-02	5	8.10E-05
52	52	3.7E-02	5	8.47E-05
53	53	3.9E-02	5	9.03E-05
54	54	4.2E-02	5	9.70E-05
55	55	4.5E-02	5	1.05E-04
56	56	7.0E-02	5	1.62E-04
57	57	3.3E-02	5	7.53E-05
58	58	3.4E-02	5	7.80E-05
59	59	3.5E-02	5	8.06E-05
60	60	3.6E-02	5	8.30E-05
61	61	3.7E-02	5	8.49E-05
62	62	3.7E-02	5	8.64E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
63	63	3.8E-02	5	8.85E-05
64	64	3.8E-02	5	8.81E-05
65	65	3.9E-02	5	9.11E-05
66	66	4.1E-02	5	9.52E-05
67	67	4.3E-02	5	9.98E-05
68	68	4.7E-02	5	1.08E-04
69	69	5.1E-02	5	1.18E-04
70	70	3.5E-02	5	8.15E-05
71	71	3.7E-02	5	8.50E-05
72	72	3.8E-02	5	8.86E-05
73	73	4.0E-02	5	9.20E-05
74	74	4.1E-02	5	9.50E-05
75	75	4.3E-02	5	9.86E-05
76	76	4.4E-02	5	1.02E-04
77	77	4.4E-02	5	1.03E-04
78	78	4.6E-02	5	1.06E-04
79	79	4.9E-02	5	1.14E-04
80	80	5.1E-02	5	1.17E-04
81	81	5.6E-02	5	1.29E-04
82	82	5.9E-02	5	1.37E-04
83	83	3.8E-02	5	8.76E-05
84	84	4.0E-02	5	9.21E-05
85	85	4.2E-02	5	9.60E-05
86	86	4.4E-02	5	1.02E-04
87	87	4.6E-02	5	1.06E-04
88	88	4.8E-02	5	1.11E-04
89	89	5.0E-02	5	1.16E-04
90	90	5.3E-02	5	1.21E-04
91	91	5.5E-02	5	1.27E-04
92	92	5.8E-02	5	1.34E-04
93	93	6.1E-02	5	1.41E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
94	94	6.5E-02	5	1.51E-04
95	95	7.1E-02	5	1.64E-04
96	96	4.0E-02	5	9.33E-05
97	97	4.2E-02	5	9.77E-05
98	98	4.5E-02	5	1.03E-04
99	99	4.8E-02	5	1.10E-04
100	100	5.1E-02	5	1.18E-04
101	101	5.4E-02	5	1.24E-04
102	102	5.7E-02	5	1.31E-04
103	103	6.0E-02	5	1.38E-04
104	104	6.3E-02	5	1.46E-04
105	105	6.6E-02	5	1.54E-04
106	106	7.1E-02	5	1.63E-04
107	107	7.6E-02	5	1.75E-04
108	108	8.2E-02	5	1.90E-04
109	109	4.2E-02	5	9.74E-05
110	110	4.5E-02	5	1.04E-04
111	111	4.8E-02	5	1.12E-04
112	112	5.2E-02	5	1.20E-04
113	113	5.6E-02	5	1.28E-04
114	114	5.9E-02	5	1.37E-04
115	115	6.3E-02	5	1.47E-04
116	116	6.8E-02	5	1.57E-04
117	117	7.2E-02	5	1.67E-04
118	118	7.5E-02	5	1.73E-04
119	119	8.0E-02	5	1.86E-04
120	120	8.6E-02	5	1.99E-04
121	121	9.2E-02	5	2.14E-04
122	122	4.3E-02	5	1.00E-04
123	123	4.7E-02	5	1.09E-04
124	124	5.1E-02	5	1.18E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
125	125	5.5E-02	5	1.28E-04
126	126	6.0E-02	5	1.38E-04
127	127	6.5E-02	5	1.49E-04
128	128	6.8E-02	5	1.57E-04
129	129	7.4E-02	5	1.70E-04
130	130	8.1E-02	5	1.88E-04
131	131	2.5E-01	5	5.72E-04
132	132	2.6E-01	5	5.93E-04
133	133	4.4E-02	5	1.01E-04
134	134	4.8E-02	5	1.11E-04
135	135	5.3E-02	5	1.22E-04
136	136	5.8E-02	5	1.34E-04
137	137	6.3E-02	5	1.46E-04
138	138	6.9E-02	5	1.59E-04
139	139	7.4E-02	5	1.72E-04
140	140	8.3E-02	5	1.93E-04
141	141	9.2E-02	5	2.13E-04
142	142	1.0E-01	5	2.34E-04
143	143	1.1E-01	5	2.59E-04
144	144	1.3E-01	5	2.89E-04
145	145	1.4E-01	5	3.20E-04
146	146	3.3E-01	5	7.72E-04
147	147	4.3E-02	5	9.88E-05
148	148	4.7E-02	5	1.10E-04
149	149	5.3E-02	5	1.22E-04
150	150	5.8E-02	5	1.35E-04
151	151	6.5E-02	5	1.50E-04
152	152	7.2E-02	5	1.66E-04
153	153	7.9E-02	5	1.83E-04
154	154	8.8E-02	5	2.04E-04
155	155	9.9E-02	5	2.30E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
156	156	1.1E-01	5	2.59E-04
157	157	1.3E-01	5	2.91E-04
158	158	1.4E-01	5	3.26E-04
159	159	1.6E-01	5	3.81E-04
160	160	4.2E-02	5	9.61E-05
161	161	4.6E-02	5	1.06E-04
162	162	5.0E-02	5	1.16E-04
163	163	5.7E-02	5	1.31E-04
164	164	6.5E-02	5	1.50E-04
165	165	7.2E-02	5	1.67E-04
166	166	8.2E-02	5	1.89E-04
167	167	9.3E-02	5	2.14E-04
168	168	1.1E-01	5	2.45E-04
169	169	1.2E-01	5	2.82E-04
170	170	1.4E-01	5	3.26E-04
171	171	1.6E-01	5	3.78E-04
172	172	1.9E-01	5	4.50E-04
173	173	2.4E-01	5	5.45E-04
174	174	2.9E-01	5	6.72E-04
175	175	3.6E-01	5	8.43E-04
176	176	4.9E-01	5	1.12E-03
177	177	6.3E-01	5	1.46E-03
178	178	8.0E-01	5	1.84E-03
179	179	3.9E-02	5	8.93E-05
180	180	4.2E-02	5	9.78E-05
181	181	4.6E-02	5	1.06E-04
182	182	5.3E-02	5	1.23E-04
183	183	6.3E-02	5	1.45E-04
184	184	7.1E-02	5	1.65E-04
185	185	8.2E-02	5	1.89E-04
186	186	9.4E-02	5	2.17E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
187	187	1.1E-01	5	2.50E-04
188	188	1.3E-01	5	2.93E-04
189	189	1.5E-01	5	3.46E-04
190	190	1.8E-01	5	4.14E-04
191	191	2.2E-01	5	5.03E-04
192	192	2.7E-01	5	6.31E-04
193	193	3.5E-01	5	8.10E-04
194	194	4.7E-01	5	1.09E-03
195	195	6.9E-01	5	1.59E-03
196	196	1.0E+00	5	2.40E-03
197	197	1.5E+00	5	3.52E-03
198	198	3.6E-02	5	8.34E-05
199	199	4.0E-02	5	9.18E-05
200	200	4.4E-02	5	1.01E-04
201	201	5.0E-02	5	1.15E-04
202	202	5.9E-02	5	1.36E-04
203	203	6.8E-02	5	1.57E-04
204	204	7.9E-02	5	1.82E-04
205	205	9.1E-02	5	2.11E-04
206	206	1.1E-01	5	2.46E-04
207	207	1.3E-01	5	2.90E-04
208	208	1.5E-01	5	3.47E-04
209	209	1.8E-01	5	4.23E-04
210	210	2.3E-01	5	5.27E-04
211	211	2.9E-01	5	6.79E-04
212	212	3.9E-01	5	9.06E-04
213	213	5.5E-01	5	1.26E-03
214	214	8.0E-01	5	1.86E-03
215	215	1.7E+00	5	3.87E-03
216	216	3.4E-02	5	7.90E-05
217	217	3.7E-02	5	8.64E-05

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
218	218	4.1E-02	5	9.58E-05
219	219	4.7E-02	5	1.08E-04
220	220	5.5E-02	5	1.27E-04
221	221	6.3E-02	5	1.46E-04
222	222	7.4E-02	5	1.70E-04
223	223	8.6E-02	5	1.98E-04
224	224	1.0E-01	5	2.32E-04
225	225	1.2E-01	5	2.74E-04
226	226	1.4E-01	5	3.29E-04
227	227	1.7E-01	5	4.03E-04
228	228	2.2E-01	5	5.06E-04
229	229	2.9E-01	5	6.59E-04
230	230	3.9E-01	5	8.98E-04
231	231	5.7E-01	5	1.32E-03
232	232	9.5E-01	5	2.19E-03
233	233	2.4E+00	5	5.51E-03
234	234	3.3E-02	5	7.57E-05
235	235	3.6E-02	5	8.23E-05
236	236	3.9E-02	5	9.12E-05
237	237	4.5E-02	5	1.03E-04
238	238	5.1E-02	5	1.19E-04
239	239	5.9E-02	5	1.36E-04
240	240	6.8E-02	5	1.58E-04
241	241	8.0E-02	5	1.84E-04
242	242	9.3E-02	5	2.15E-04
243	243	1.1E-01	5	2.54E-04
244	244	1.3E-01	5	3.06E-04
245	245	1.6E-01	5	3.75E-04
246	246	2.0E-01	5	4.71E-04
247	247	2.6E-01	5	6.10E-04
248	248	3.6E-01	5	8.28E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
249	249	5.2E-01	5	1.20E-03
250	250	8.6E-01	5	1.99E-03
251	251	2.1E+00	5	4.89E-03
252	252	3.2E-02	5	7.29E-05
253	253	3.4E-02	5	7.88E-05
254	254	3.7E-02	5	8.65E-05
255	255	4.2E-02	5	9.63E-05
256	256	4.9E-02	5	1.13E-04
257	257	5.4E-02	5	1.25E-04
258	258	6.1E-02	5	1.42E-04
259	259	7.0E-02	5	1.62E-04
260	260	8.3E-02	5	1.92E-04
261	261	1.0E-01	5	2.32E-04
262	262	1.2E-01	5	2.81E-04
263	263	1.5E-01	5	3.42E-04
264	264	1.9E-01	5	4.29E-04
265	265	2.4E-01	5	5.47E-04
266	266	3.1E-01	5	7.28E-04
267	267	4.4E-01	5	1.02E-03
268	268	6.7E-01	5	1.54E-03
269	269	1.4E+00	5	3.13E-03
270	270	3.1E-02	5	7.09E-05
271	271	3.3E-02	5	7.69E-05
272	272	3.7E-02	5	8.44E-05
273	273	4.0E-02	5	9.31E-05
274	274	4.7E-02	5	1.10E-04
275	275	5.4E-02	5	1.25E-04
276	276	5.8E-02	5	1.34E-04
277	277	6.6E-02	5	1.51E-04
278	278	7.6E-02	5	1.75E-04
279	279	9.0E-02	5	2.07E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
280	280	1.1E-01	5	2.54E-04
281	281	1.4E-01	5	3.13E-04
282	282	1.7E-01	5	3.89E-04
283	283	2.1E-01	5	4.91E-04
284	284	2.7E-01	5	6.34E-04
285	285	3.6E-01	5	8.37E-04
286	286	5.1E-01	5	1.18E-03
287	287	9.1E-01	5	2.10E-03
288	288	3.0E-02	5	6.98E-05
289	289	3.3E-02	5	7.51E-05
290	290	3.6E-02	5	8.39E-05
291	291	4.0E-02	5	9.32E-05
292	292	4.9E-02	5	1.13E-04
293	293	5.3E-02	5	1.23E-04
294	294	5.5E-02	5	1.27E-04
295	295	6.2E-02	5	1.44E-04
296	296	7.2E-02	5	1.66E-04
297	297	8.3E-02	5	1.91E-04
298	298	9.8E-02	5	2.27E-04
299	299	1.2E-01	5	2.81E-04
300	300	1.5E-01	5	3.43E-04
301	301	1.9E-01	5	4.29E-04
302	302	2.3E-01	5	5.41E-04
303	303	3.0E-01	5	6.97E-04
304	304	4.1E-01	5	9.36E-04
305	305	6.5E-01	5	1.51E-03
306	306	3.1E-02	5	7.22E-05
307	307	3.3E-02	5	7.58E-05
308	308	3.6E-02	5	8.24E-05
309	309	4.2E-02	5	9.63E-05
310	310	4.8E-02	5	1.11E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
311	311	5.2E-02	5	1.20E-04
312	312	5.2E-02	5	1.21E-04
313	313	5.9E-02	5	1.36E-04
314	314	6.8E-02	5	1.56E-04
315	315	8.0E-02	5	1.85E-04
316	316	9.1E-02	5	2.11E-04
317	317	1.1E-01	5	2.47E-04
318	318	1.3E-01	5	2.97E-04
319	319	1.6E-01	5	3.68E-04
320	320	2.0E-01	5	4.69E-04
321	321	2.5E-01	5	5.85E-04
322	322	3.3E-01	5	7.57E-04
323	323	4.9E-01	5	1.13E-03
324	324	3.1E-02	5	7.08E-05
325	325	3.4E-02	5	7.85E-05
326	326	3.7E-02	5	8.46E-05
327	327	3.9E-02	5	9.01E-05
328	328	4.7E-02	5	1.09E-04
329	329	5.0E-02	5	1.16E-04
330	330	5.1E-02	5	1.17E-04
331	331	5.7E-02	5	1.32E-04
332	332	6.5E-02	5	1.51E-04
333	333	7.7E-02	5	1.78E-04
334	334	8.9E-02	5	2.04E-04
335	335	1.0E-01	5	2.37E-04
336	336	3.0E-01	5	6.91E-04
337	337	3.1E-01	5	7.27E-04
338	338	3.5E-02	5	8.06E-05
339	339	3.7E-02	5	8.61E-05
340	340	4.2E-02	5	9.81E-05
341	341	4.5E-02	5	1.04E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
342	342	4.7E-02	5	1.08E-04
343	343	4.9E-02	5	1.13E-04
344	344	5.0E-02	5	1.15E-04
345	345	5.0E-02	5	1.16E-04
346	346	5.0E-02	5	1.16E-04
347	347	3.8E-02	5	8.72E-05
348	348	4.1E-02	5	9.55E-05
349	349	4.8E-02	5	1.12E-04
350	350	5.0E-02	5	1.17E-04
351	351	5.2E-02	5	1.21E-04
352	352	5.5E-02	5	1.27E-04
353	353	5.6E-02	5	1.29E-04
354	354	5.6E-02	5	1.30E-04
355	355	5.6E-02	5	1.30E-04
356	356	4.1E-02	5	9.52E-05
357	357	4.4E-02	5	1.03E-04
358	358	4.8E-02	5	1.12E-04
359	359	5.5E-02	5	1.28E-04
360	360	5.9E-02	5	1.36E-04
361	361	6.3E-02	5	1.45E-04
362	362	6.4E-02	5	1.47E-04
363	363	6.4E-02	5	1.48E-04
364	364	4.6E-02	5	1.06E-04
365	365	4.8E-02	5	1.12E-04
366	366	5.4E-02	5	1.24E-04
367	367	6.2E-02	5	1.44E-04
368	368	6.7E-02	5	1.55E-04
369	369	7.2E-02	5	1.66E-04
370	370	7.4E-02	5	1.71E-04
371	371	7.4E-02	5	1.70E-04
372	372	5.2E-02	5	1.20E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
373	373	5.5E-02	5	1.27E-04
374	374	6.1E-02	5	1.41E-04
375	375	7.2E-02	5	1.65E-04
376	376	7.7E-02	5	1.79E-04
377	377	8.1E-02	5	1.87E-04
378	378	8.4E-02	5	1.93E-04
379	379	8.6E-02	5	1.99E-04
380	380	8.6E-02	5	1.99E-04
381	381	8.5E-02	5	1.97E-04
382	382	6.1E-02	5	1.40E-04
383	383	6.6E-02	5	1.52E-04
384	384	7.1E-02	5	1.64E-04
385	385	8.5E-02	5	1.97E-04
386	386	9.0E-02	5	2.09E-04
387	387	9.5E-02	5	2.20E-04
388	388	9.9E-02	5	2.28E-04
389	389	1.0E-01	5	2.36E-04
390	390	1.0E-01	5	2.35E-04
391	391	1.0E-01	5	2.32E-04
392	392	9.7E-02	5	2.24E-04
393	393	7.2E-02	5	1.67E-04
394	394	8.6E-02	5	1.99E-04
395	395	9.6E-02	5	2.22E-04
396	396	1.0E-01	5	2.38E-04
397	397	1.1E-01	5	2.55E-04
398	398	1.1E-01	5	2.63E-04
399	399	1.2E-01	5	2.66E-04
400	400	1.2E-01	5	2.84E-04
401	401	1.2E-01	5	2.83E-04
402	402	1.2E-01	5	2.66E-04
403	403	1.5E-01	5	3.46E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
404	404	1.4E-01	5	3.25E-04
405	405	1.3E-01	5	3.05E-04
406	406	1.9E-01	5	4.37E-04
407	407	1.6E-01	5	3.69E-04
408	408	2.5E-01	5	5.73E-04
409	409	2.0E-01	5	4.52E-04
410	410	3.4E-01	5	7.85E-04
411	411	2.8E-01	5	6.39E-04
412	412	2.5E-01	5	5.67E-04
413	413	5.0E-01	5	1.15E-03
414	414	4.1E-01	5	9.51E-04
415	415	3.5E-01	5	8.18E-04
416	416	3.0E-01	5	6.89E-04
417	417	7.9E-01	5	1.83E-03
418	418	4.5E-01	5	1.03E-03
419	419	3.5E-01	5	8.14E-04
420	420	2.8E-01	5	6.41E-04
421	421	1.4E+00	5	3.29E-03
422	422	3.9E-01	5	9.10E-04
423	423	3.0E-01	5	6.84E-04
424	424	2.9E+00	5	6.61E-03
425	425	3.0E-01	5	6.87E-04
426	426	2.3E-01	5	5.20E-04
427	427	5.0E+00	5	1.16E-02
428	428	2.8E-01	5	6.54E-04
429	429	2.1E-01	5	4.96E-04
430	430	4.7E+00	5	1.08E-02
431	431	2.0E-01	5	4.63E-04
432	432	1.6E-01	5	3.65E-04
433	433	2.9E+00	5	6.71E-03
434	434	1.9E-01	5	4.28E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
435	435	1.5E-01	5	3.43E-04
436	436	1.8E+00	5	4.14E-03
437	437	2.2E-01	5	4.99E-04
438	438	1.7E-01	5	3.94E-04
439	439	1.4E-01	5	3.19E-04
440	440	1.2E+00	5	2.67E-03
441	441	3.5E-01	5	8.05E-04
442	442	2.5E-01	5	5.88E-04
443	443	2.0E-01	5	4.52E-04
444	444	1.6E-01	5	3.61E-04
445	445	7.9E-01	5	1.82E-03
446	446	4.3E-01	5	9.98E-04
447	447	3.1E-01	5	7.11E-04
448	448	2.3E-01	5	5.28E-04
449	449	5.7E-01	5	1.30E-03
450	450	4.7E-01	5	1.09E-03
451	451	3.6E-01	5	8.37E-04
452	452	4.2E-01	5	9.74E-04
453	453	3.7E-01	5	8.61E-04
454	454	1.0E-01	5	2.33E-04
455	455	8.7E-02	5	2.01E-04
456	456	3.3E-01	5	7.52E-04
457	457	3.0E-01	5	6.90E-04
458	458	2.5E-01	5	5.88E-04
459	459	1.4E-01	5	3.12E-04
460	460	1.1E-01	5	2.59E-04
461	461	9.5E-02	5	2.18E-04
462	462	8.1E-02	5	1.88E-04
463	463	3.5E-01	5	8.00E-04
464	464	3.7E-01	5	8.59E-04
465	465	5.3E-01	5	1.22E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
466	466	6.4E-01	5	1.49E-03
467	467	8.9E-01	5	2.07E-03
468	468	1.8E+00	5	4.27E-03
469	469	6.2E+00	5	1.44E-02
470	470	4.5E+00	5	1.04E-02
471	471	7.6E+00	5	1.77E-02
472	472	6.2E+00	5	1.43E-02
473	473	6.6E+00	5	1.52E-02
474	474	2.9E+00	5	6.68E-03
475	475	4.9E+00	5	1.13E-02
476	476	1.5E+00	5	3.58E-03
477	477	2.2E+00	5	5.00E-03
478	478	9.5E-01	5	2.20E-03
479	479	1.2E+00	5	2.79E-03
480	480	1.2E+00	5	2.76E-03
481	481	6.4E-01	5	1.48E-03
482	482	7.9E-01	5	1.82E-03
483	483	5.4E-01	5	1.23E-03
484	484	5.6E-01	5	1.28E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

					Cancer Risk from 3rd Trimester						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	0.09997	1.03E-02	1.0E-03	1.05E-03	1.08E-06	1.37E-02	1.57E-01	2.32E-09	1.0E+06	2.3E-03	
2	0.10116	1.03E-02	1.0E-03	1.05E-03	1.09E-06	1.37E-02	1.57E-01	2.35E-09	1.0E+06	2.4E-03	
3	0.10225	1.03E-02	1.1E-03	1.05E-03	1.10E-06	1.37E-02	1.57E-01	2.38E-09	1.0E+06	2.4E-03	
4	0.10353	1.03E-02	1.1E-03	1.05E-03	1.12E-06	1.37E-02	1.57E-01	2.41E-09	1.0E+06	2.4E-03	
5	0.1049	1.03E-02	1.1E-03	1.05E-03	1.13E-06	1.37E-02	1.57E-01	2.44E-09	1.0E+06	2.4E-03	
6	0.10762	1.03E-02	1.1E-03	1.05E-03	1.16E-06	1.37E-02	1.57E-01	2.50E-09	1.0E+06	2.5E-03	
7	0.11114	1.03E-02	1.1E-03	1.05E-03	1.20E-06	1.37E-02	1.57E-01	2.58E-09	1.0E+06	2.6E-03	
8	0.11544	1.03E-02	1.2E-03	1.05E-03	1.25E-06	1.37E-02	1.57E-01	2.68E-09	1.0E+06	2.7E-03	
9	0.12067	1.03E-02	1.2E-03	1.05E-03	1.30E-06	1.37E-02	1.57E-01	2.81E-09	1.0E+06	2.8E-03	
10	0.12749	1.03E-02	1.3E-03	1.05E-03	1.38E-06	1.37E-02	1.57E-01	2.96E-09	1.0E+06	3.0E-03	
11	0.13627	1.03E-02	1.4E-03	1.05E-03	1.47E-06	1.37E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03	
12	0.1456	1.03E-02	1.5E-03	1.05E-03	1.57E-06	1.37E-02	1.57E-01	3.39E-09	1.0E+06	3.4E-03	
13	0.15591	1.03E-02	1.6E-03	1.05E-03	1.68E-06	1.37E-02	1.57E-01	3.63E-09	1.0E+06	3.6E-03	
14	0.21775	1.03E-02	2.3E-03	1.05E-03	2.35E-06	1.37E-02	1.57E-01	5.06E-09	1.0E+06	5.1E-03	
15	0.11116	1.03E-02	1.1E-03	1.05E-03	1.20E-06	1.37E-02	1.57E-01	2.58E-09	1.0E+06	2.6E-03	
16	0.11231	1.03E-02	1.2E-03	1.05E-03	1.21E-06	1.37E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03	
17	0.11409	1.03E-02	1.2E-03	1.05E-03	1.23E-06	1.37E-02	1.57E-01	2.65E-09	1.0E+06	2.7E-03	
18	0.1152	1.03E-02	1.2E-03	1.05E-03	1.24E-06	1.37E-02	1.57E-01	2.68E-09	1.0E+06	2.7E-03	
19	0.11623	1.03E-02	1.2E-03	1.05E-03	1.26E-06	1.37E-02	1.57E-01	2.70E-09	1.0E+06	2.7E-03	
20	0.11825	1.03E-02	1.2E-03	1.05E-03	1.28E-06	1.37E-02	1.57E-01	2.75E-09	1.0E+06	2.7E-03	
21	0.12106	1.03E-02	1.3E-03	1.05E-03	1.31E-06	1.37E-02	1.57E-01	2.81E-09	1.0E+06	2.8E-03	
22	0.12456	1.03E-02	1.3E-03	1.05E-03	1.35E-06	1.37E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03	
23	0.13094	1.03E-02	1.4E-03	1.05E-03	1.41E-06	1.37E-02	1.57E-01	3.04E-09	1.0E+06	3.0E-03	
24	0.13716	1.03E-02	1.4E-03	1.05E-03	1.48E-06	1.37E-02	1.57E-01	3.19E-09	1.0E+06	3.2E-03	
25	0.14759	1.03E-02	1.5E-03	1.05E-03	1.59E-06	1.37E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03	
26	0.15892	1.03E-02	1.6E-03	1.05E-03	1.72E-06	1.37E-02	1.57E-01	3.70E-09	1.0E+06	3.7E-03	
27	0.16875	1.03E-02	1.7E-03	1.05E-03	1.82E-06	1.37E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03	
28	0.24418	1.03E-02	2.5E-03	1.05E-03	2.64E-06	1.37E-02	1.57E-01	5.68E-09	1.0E+06	5.7E-03	
29	0.12315	1.03E-02	1.3E-03	1.05E-03	1.33E-06	1.37E-02	1.57E-01	2.86E-09	1.0E+06	2.9E-03	
30	0.12567	1.03E-02	1.3E-03	1.05E-03	1.36E-06	1.37E-02	1.57E-01	2.92E-09	1.0E+06	2.9E-03	
31	0.12837	1.03E-02	1.3E-03	1.05E-03	1.39E-06	1.37E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03	

	Max	Receptor #
Res	0.803	471

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
32	0.13031	1.03E-02	1.3E-03	1.05E-03	1.41E-06	1.37E-02	1.57E-01	3.03E-09	1.0E+06	3.0E-03
33	0.13031	1.03E-02	1.3E-03	1.05E-03	1.41E-06	1.37E-02	1.57E-01	3.03E-09	1.0E+06	3.0E-03
34	0.13211	1.03E-02	1.4E-03	1.05E-03	1.43E-06	1.37E-02	1.57E-01	3.07E-09	1.0E+06	3.1E-03
35	0.13406	1.03E-02	1.4E-03	1.05E-03	1.45E-06	1.37E-02	1.57E-01	3.12E-09	1.0E+06	3.1E-03
36	0.13747	1.03E-02	1.4E-03	1.05E-03	1.48E-06	1.37E-02	1.57E-01	3.20E-09	1.0E+06	3.2E-03
37	0.14288	1.03E-02	1.5E-03	1.05E-03	1.54E-06	1.37E-02	1.57E-01	3.32E-09	1.0E+06	3.3E-03
38	0.15048	1.03E-02	1.6E-03	1.05E-03	1.63E-06	1.37E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03
39	0.16057	1.03E-02	1.7E-03	1.05E-03	1.73E-06	1.37E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
40	0.17181	1.03E-02	1.8E-03	1.05E-03	1.86E-06	1.37E-02	1.57E-01	3.99E-09	1.0E+06	4.0E-03
41	0.18337	1.03E-02	1.9E-03	1.05E-03	1.98E-06	1.37E-02	1.57E-01	4.26E-09	1.0E+06	4.3E-03
42	0.27606	1.03E-02	2.9E-03	1.05E-03	2.98E-06	1.37E-02	1.57E-01	6.42E-09	1.0E+06	6.4E-03
43	0.13523	1.03E-02	1.4E-03	1.05E-03	1.46E-06	1.37E-02	1.57E-01	3.14E-09	1.0E+06	3.1E-03
44	0.13913	1.03E-02	1.4E-03	1.05E-03	1.50E-06	1.37E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
45	0.14273	1.03E-02	1.5E-03	1.05E-03	1.54E-06	1.37E-02	1.57E-01	3.32E-09	1.0E+06	3.3E-03
46	0.14534	1.03E-02	1.5E-03	1.05E-03	1.57E-06	1.37E-02	1.57E-01	3.38E-09	1.0E+06	3.4E-03
47	0.14689	1.03E-02	1.5E-03	1.05E-03	1.59E-06	1.37E-02	1.57E-01	3.42E-09	1.0E+06	3.4E-03
48	0.14854	1.03E-02	1.5E-03	1.05E-03	1.60E-06	1.37E-02	1.57E-01	3.45E-09	1.0E+06	3.5E-03
49	0.14984	1.03E-02	1.5E-03	1.05E-03	1.62E-06	1.37E-02	1.57E-01	3.48E-09	1.0E+06	3.5E-03
50	0.15161	1.03E-02	1.6E-03	1.05E-03	1.64E-06	1.37E-02	1.57E-01	3.53E-09	1.0E+06	3.5E-03
51	0.15836	1.03E-02	1.6E-03	1.05E-03	1.71E-06	1.37E-02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
52	0.16548	1.03E-02	1.7E-03	1.05E-03	1.79E-06	1.37E-02	1.57E-01	3.85E-09	1.0E+06	3.8E-03
53	0.17641	1.03E-02	1.8E-03	1.05E-03	1.91E-06	1.37E-02	1.57E-01	4.10E-09	1.0E+06	4.1E-03
54	0.18951	1.03E-02	2.0E-03	1.05E-03	2.05E-06	1.37E-02	1.57E-01	4.41E-09	1.0E+06	4.4E-03
55	0.20421	1.03E-02	2.1E-03	1.05E-03	2.21E-06	1.37E-02	1.57E-01	4.75E-09	1.0E+06	4.7E-03
56	0.31605	1.03E-02	3.3E-03	1.05E-03	3.41E-06	1.37E-02	1.57E-01	7.35E-09	1.0E+06	7.3E-03
57	0.14708	1.03E-02	1.5E-03	1.05E-03	1.59E-06	1.37E-02	1.57E-01	3.42E-09	1.0E+06	3.4E-03
58	0.15242	1.03E-02	1.6E-03	1.05E-03	1.65E-06	1.37E-02	1.57E-01	3.54E-09	1.0E+06	3.5E-03
59	0.15749	1.03E-02	1.6E-03	1.05E-03	1.70E-06	1.37E-02	1.57E-01	3.66E-09	1.0E+06	3.7E-03
60	0.16209	1.03E-02	1.7E-03	1.05E-03	1.75E-06	1.37E-02	1.57E-01	3.77E-09	1.0E+06	3.8E-03
61	0.16587	1.03E-02	1.7E-03	1.05E-03	1.79E-06	1.37E-02	1.57E-01	3.86E-09	1.0E+06	3.9E-03
62	0.1689	1.03E-02	1.7E-03	1.05E-03	1.82E-06	1.37E-02	1.57E-01	3.93E-09	1.0E+06	3.9E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
63	0.17296	1.03E-02	1.8E-03	1.05E-03	1.87E-06	1.37E-02	1.57E-01	4.02E-09	1.0E+06	4.0E-03
64	0.17221	1.03E-02	1.8E-03	1.05E-03	1.86E-06	1.37E-02	1.57E-01	4.00E-09	1.0E+06	4.0E-03
65	0.17802	1.03E-02	1.8E-03	1.05E-03	1.92E-06	1.37E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
66	0.18602	1.03E-02	1.9E-03	1.05E-03	2.01E-06	1.37E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
67	0.19503	1.03E-02	2.0E-03	1.05E-03	2.11E-06	1.37E-02	1.57E-01	4.53E-09	1.0E+06	4.5E-03
68	0.21198	1.03E-02	2.2E-03	1.05E-03	2.29E-06	1.37E-02	1.57E-01	4.93E-09	1.0E+06	4.9E-03
69	0.23133	1.03E-02	2.4E-03	1.05E-03	2.50E-06	1.37E-02	1.57E-01	5.38E-09	1.0E+06	5.4E-03
70	0.15915	1.03E-02	1.6E-03	1.05E-03	1.72E-06	1.37E-02	1.57E-01	3.70E-09	1.0E+06	3.7E-03
71	0.16615	1.03E-02	1.7E-03	1.05E-03	1.79E-06	1.37E-02	1.57E-01	3.86E-09	1.0E+06	3.9E-03
72	0.17306	1.03E-02	1.8E-03	1.05E-03	1.87E-06	1.37E-02	1.57E-01	4.02E-09	1.0E+06	4.0E-03
73	0.17979	1.03E-02	1.9E-03	1.05E-03	1.94E-06	1.37E-02	1.57E-01	4.18E-09	1.0E+06	4.2E-03
74	0.1856	1.03E-02	1.9E-03	1.05E-03	2.00E-06	1.37E-02	1.57E-01	4.32E-09	1.0E+06	4.3E-03
75	0.19262	1.03E-02	2.0E-03	1.05E-03	2.08E-06	1.37E-02	1.57E-01	4.48E-09	1.0E+06	4.5E-03
76	0.19839	1.03E-02	2.1E-03	1.05E-03	2.14E-06	1.37E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
77	0.20099	1.03E-02	2.1E-03	1.05E-03	2.17E-06	1.37E-02	1.57E-01	4.67E-09	1.0E+06	4.7E-03
78	0.20736	1.03E-02	2.1E-03	1.05E-03	2.24E-06	1.37E-02	1.57E-01	4.82E-09	1.0E+06	4.8E-03
79	0.22199	1.03E-02	2.3E-03	1.05E-03	2.40E-06	1.37E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
80	0.22851	1.03E-02	2.4E-03	1.05E-03	2.47E-06	1.37E-02	1.57E-01	5.31E-09	1.0E+06	5.3E-03
81	0.25141	1.03E-02	2.6E-03	1.05E-03	2.72E-06	1.37E-02	1.57E-01	5.85E-09	1.0E+06	5.8E-03
82	0.26864	1.03E-02	2.8E-03	1.05E-03	2.90E-06	1.37E-02	1.57E-01	6.25E-09	1.0E+06	6.2E-03
83	0.17123	1.03E-02	1.8E-03	1.05E-03	1.85E-06	1.37E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03
84	0.17986	1.03E-02	1.9E-03	1.05E-03	1.94E-06	1.37E-02	1.57E-01	4.18E-09	1.0E+06	4.2E-03
85	0.18766	1.03E-02	1.9E-03	1.05E-03	2.03E-06	1.37E-02	1.57E-01	4.36E-09	1.0E+06	4.4E-03
86	0.19836	1.03E-02	2.0E-03	1.05E-03	2.14E-06	1.37E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
87	0.20777	1.03E-02	2.1E-03	1.05E-03	2.24E-06	1.37E-02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
88	0.21743	1.03E-02	2.2E-03	1.05E-03	2.35E-06	1.37E-02	1.57E-01	5.06E-09	1.0E+06	5.1E-03
89	0.22714	1.03E-02	2.3E-03	1.05E-03	2.45E-06	1.37E-02	1.57E-01	5.28E-09	1.0E+06	5.3E-03
90	0.23725	1.03E-02	2.5E-03	1.05E-03	2.56E-06	1.37E-02	1.57E-01	5.52E-09	1.0E+06	5.5E-03
91	0.24821	1.03E-02	2.6E-03	1.05E-03	2.68E-06	1.37E-02	1.57E-01	5.77E-09	1.0E+06	5.8E-03
92	0.26127	1.03E-02	2.7E-03	1.05E-03	2.82E-06	1.37E-02	1.57E-01	6.07E-09	1.0E+06	6.1E-03
93	0.27635	1.03E-02	2.9E-03	1.05E-03	2.98E-06	1.37E-02	1.57E-01	6.43E-09	1.0E+06	6.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
94	0.29575	1.03E-02	3.1E-03	1.05E-03	3.19E-06	1.37E-02	1.57E-01	6.88E-09	1.0E+06	6.9E-03
95	0.31999	1.03E-02	3.3E-03	1.05E-03	3.46E-06	1.37E-02	1.57E-01	7.44E-09	1.0E+06	7.4E-03
96	0.18233	1.03E-02	1.9E-03	1.05E-03	1.97E-06	1.37E-02	1.57E-01	4.24E-09	1.0E+06	4.2E-03
97	0.19094	1.03E-02	2.0E-03	1.05E-03	2.06E-06	1.37E-02	1.57E-01	4.44E-09	1.0E+06	4.4E-03
98	0.20103	1.03E-02	2.1E-03	1.05E-03	2.17E-06	1.37E-02	1.57E-01	4.67E-09	1.0E+06	4.7E-03
99	0.21464	1.03E-02	2.2E-03	1.05E-03	2.32E-06	1.37E-02	1.57E-01	4.99E-09	1.0E+06	5.0E-03
100	0.22959	1.03E-02	2.4E-03	1.05E-03	2.48E-06	1.37E-02	1.57E-01	5.34E-09	1.0E+06	5.3E-03
101	0.24284	1.03E-02	2.5E-03	1.05E-03	2.62E-06	1.37E-02	1.57E-01	5.65E-09	1.0E+06	5.6E-03
102	0.25629	1.03E-02	2.6E-03	1.05E-03	2.77E-06	1.37E-02	1.57E-01	5.96E-09	1.0E+06	6.0E-03
103	0.27027	1.03E-02	2.8E-03	1.05E-03	2.92E-06	1.37E-02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
104	0.28488	1.03E-02	2.9E-03	1.05E-03	3.08E-06	1.37E-02	1.57E-01	6.62E-09	1.0E+06	6.6E-03
105	0.3003	1.03E-02	3.1E-03	1.05E-03	3.24E-06	1.37E-02	1.57E-01	6.98E-09	1.0E+06	7.0E-03
106	0.3189	1.03E-02	3.3E-03	1.05E-03	3.44E-06	1.37E-02	1.57E-01	7.41E-09	1.0E+06	7.4E-03
107	0.34186	1.03E-02	3.5E-03	1.05E-03	3.69E-06	1.37E-02	1.57E-01	7.95E-09	1.0E+06	7.9E-03
108	0.37026	1.03E-02	3.8E-03	1.05E-03	4.00E-06	1.37E-02	1.57E-01	8.61E-09	1.0E+06	8.6E-03
109	0.19023	1.03E-02	2.0E-03	1.05E-03	2.05E-06	1.37E-02	1.57E-01	4.42E-09	1.0E+06	4.4E-03
110	0.20375	1.03E-02	2.1E-03	1.05E-03	2.20E-06	1.37E-02	1.57E-01	4.74E-09	1.0E+06	4.7E-03
111	0.21846	1.03E-02	2.3E-03	1.05E-03	2.36E-06	1.37E-02	1.57E-01	5.08E-09	1.0E+06	5.1E-03
112	0.23423	1.03E-02	2.4E-03	1.05E-03	2.53E-06	1.37E-02	1.57E-01	5.45E-09	1.0E+06	5.4E-03
113	0.25102	1.03E-02	2.6E-03	1.05E-03	2.71E-06	1.37E-02	1.57E-01	5.84E-09	1.0E+06	5.8E-03
114	0.2686	1.03E-02	2.8E-03	1.05E-03	2.90E-06	1.37E-02	1.57E-01	6.25E-09	1.0E+06	6.2E-03
115	0.28686	1.03E-02	3.0E-03	1.05E-03	3.10E-06	1.37E-02	1.57E-01	6.67E-09	1.0E+06	6.7E-03
116	0.30627	1.03E-02	3.2E-03	1.05E-03	3.31E-06	1.37E-02	1.57E-01	7.12E-09	1.0E+06	7.1E-03
117	0.32686	1.03E-02	3.4E-03	1.05E-03	3.53E-06	1.37E-02	1.57E-01	7.60E-09	1.0E+06	7.6E-03
118	0.33858	1.03E-02	3.5E-03	1.05E-03	3.66E-06	1.37E-02	1.57E-01	7.87E-09	1.0E+06	7.9E-03
119	0.36311	1.03E-02	3.8E-03	1.05E-03	3.92E-06	1.37E-02	1.57E-01	8.44E-09	1.0E+06	8.4E-03
120	0.38851	1.03E-02	4.0E-03	1.05E-03	4.20E-06	1.37E-02	1.57E-01	9.03E-09	1.0E+06	9.0E-03
121	0.4178	1.03E-02	4.3E-03	1.05E-03	4.51E-06	1.37E-02	1.57E-01	9.71E-09	1.0E+06	9.7E-03
122	0.19578	1.03E-02	2.0E-03	1.05E-03	2.11E-06	1.37E-02	1.57E-01	4.55E-09	1.0E+06	4.6E-03
123	0.21204	1.03E-02	2.2E-03	1.05E-03	2.29E-06	1.37E-02	1.57E-01	4.93E-09	1.0E+06	4.9E-03
124	0.23086	1.03E-02	2.4E-03	1.05E-03	2.49E-06	1.37E-02	1.57E-01	5.37E-09	1.0E+06	5.4E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
125	0.25002	1.03E-02	2.6E-03	1.05E-03	2.70E-06	1.37E-02	1.57E-01	5.81E-09	1.0E+06	5.8E-03
126	0.27035	1.03E-02	2.8E-03	1.05E-03	2.92E-06	1.37E-02	1.57E-01	6.29E-09	1.0E+06	6.3E-03
127	0.29177	1.03E-02	3.0E-03	1.05E-03	3.15E-06	1.37E-02	1.57E-01	6.78E-09	1.0E+06	6.8E-03
128	0.30724	1.03E-02	3.2E-03	1.05E-03	3.32E-06	1.37E-02	1.57E-01	7.14E-09	1.0E+06	7.1E-03
129	0.33259	1.03E-02	3.4E-03	1.05E-03	3.59E-06	1.37E-02	1.57E-01	7.73E-09	1.0E+06	7.7E-03
130	0.36682	1.03E-02	3.8E-03	1.05E-03	3.96E-06	1.37E-02	1.57E-01	8.53E-09	1.0E+06	8.5E-03
131	1.11688	1.03E-02	1.2E-02	1.05E-03	1.21E-05	1.37E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
132	1.15875	1.03E-02	1.2E-02	1.05E-03	1.25E-05	1.37E-02	1.57E-01	2.69E-08	1.0E+06	2.7E-02
133	0.19656	1.03E-02	2.0E-03	1.05E-03	2.12E-06	1.37E-02	1.57E-01	4.57E-09	1.0E+06	4.6E-03
134	0.21704	1.03E-02	2.2E-03	1.05E-03	2.34E-06	1.37E-02	1.57E-01	5.05E-09	1.0E+06	5.0E-03
135	0.23863	1.03E-02	2.5E-03	1.05E-03	2.58E-06	1.37E-02	1.57E-01	5.55E-09	1.0E+06	5.5E-03
136	0.26108	1.03E-02	2.7E-03	1.05E-03	2.82E-06	1.37E-02	1.57E-01	6.07E-09	1.0E+06	6.1E-03
137	0.28567	1.03E-02	3.0E-03	1.05E-03	3.09E-06	1.37E-02	1.57E-01	6.64E-09	1.0E+06	6.6E-03
138	0.31112	1.03E-02	3.2E-03	1.05E-03	3.36E-06	1.37E-02	1.57E-01	7.23E-09	1.0E+06	7.2E-03
139	0.33575	1.03E-02	3.5E-03	1.05E-03	3.63E-06	1.37E-02	1.57E-01	7.81E-09	1.0E+06	7.8E-03
140	0.37628	1.03E-02	3.9E-03	1.05E-03	4.06E-06	1.37E-02	1.57E-01	8.75E-09	1.0E+06	8.7E-03
141	0.41535	1.03E-02	4.3E-03	1.05E-03	4.49E-06	1.37E-02	1.57E-01	9.66E-09	1.0E+06	9.7E-03
142	0.45747	1.03E-02	4.7E-03	1.05E-03	4.94E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
143	0.5063	1.03E-02	5.2E-03	1.05E-03	5.47E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
144	0.56507	1.03E-02	5.8E-03	1.05E-03	6.10E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
145	0.62491	1.03E-02	6.5E-03	1.05E-03	6.75E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
146	1.50759	1.03E-02	1.6E-02	1.05E-03	1.63E-05	1.37E-02	1.57E-01	3.51E-08	1.0E+06	3.5E-02
147	0.1931	1.03E-02	2.0E-03	1.05E-03	2.09E-06	1.37E-02	1.57E-01	4.49E-09	1.0E+06	4.5E-03
148	0.21437	1.03E-02	2.2E-03	1.05E-03	2.32E-06	1.37E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
149	0.23858	1.03E-02	2.5E-03	1.05E-03	2.58E-06	1.37E-02	1.57E-01	5.55E-09	1.0E+06	5.5E-03
150	0.26418	1.03E-02	2.7E-03	1.05E-03	2.85E-06	1.37E-02	1.57E-01	6.14E-09	1.0E+06	6.1E-03
151	0.29392	1.03E-02	3.0E-03	1.05E-03	3.17E-06	1.37E-02	1.57E-01	6.83E-09	1.0E+06	6.8E-03
152	0.32394	1.03E-02	3.3E-03	1.05E-03	3.50E-06	1.37E-02	1.57E-01	7.53E-09	1.0E+06	7.5E-03
153	0.3577	1.03E-02	3.7E-03	1.05E-03	3.86E-06	1.37E-02	1.57E-01	8.32E-09	1.0E+06	8.3E-03
154	0.39941	1.03E-02	4.1E-03	1.05E-03	4.31E-06	1.37E-02	1.57E-01	9.29E-09	1.0E+06	9.3E-03
155	0.44952	1.03E-02	4.6E-03	1.05E-03	4.86E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
156	0.50609	1.03E-02	5.2E-03	1.05E-03	5.47E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
157	0.56864	1.03E-02	5.9E-03	1.05E-03	6.14E-06	1.37E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
158	0.63716	1.03E-02	6.6E-03	1.05E-03	6.88E-06	1.37E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
159	0.74488	1.03E-02	7.7E-03	1.05E-03	8.05E-06	1.37E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
160	0.18782	1.03E-02	1.9E-03	1.05E-03	2.03E-06	1.37E-02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
161	0.20685	1.03E-02	2.1E-03	1.05E-03	2.23E-06	1.37E-02	1.57E-01	4.81E-09	1.0E+06	4.8E-03
162	0.22653	1.03E-02	2.3E-03	1.05E-03	2.45E-06	1.37E-02	1.57E-01	5.27E-09	1.0E+06	5.3E-03
163	0.25651	1.03E-02	2.7E-03	1.05E-03	2.77E-06	1.37E-02	1.57E-01	5.96E-09	1.0E+06	6.0E-03
164	0.29246	1.03E-02	3.0E-03	1.05E-03	3.16E-06	1.37E-02	1.57E-01	6.80E-09	1.0E+06	6.8E-03
165	0.32725	1.03E-02	3.4E-03	1.05E-03	3.53E-06	1.37E-02	1.57E-01	7.61E-09	1.0E+06	7.6E-03
166	0.36919	1.03E-02	3.8E-03	1.05E-03	3.99E-06	1.37E-02	1.57E-01	8.58E-09	1.0E+06	8.6E-03
167	0.41887	1.03E-02	4.3E-03	1.05E-03	4.52E-06	1.37E-02	1.57E-01	9.74E-09	1.0E+06	9.7E-03
168	0.47877	1.03E-02	4.9E-03	1.05E-03	5.17E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
169	0.55074	1.03E-02	5.7E-03	1.05E-03	5.95E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
170	0.63634	1.03E-02	6.6E-03	1.05E-03	6.87E-06	1.37E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
171	0.73945	1.03E-02	7.6E-03	1.05E-03	7.99E-06	1.37E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02
172	0.87948	1.03E-02	9.1E-03	1.05E-03	9.50E-06	1.37E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
173	1.06486	1.03E-02	1.1E-02	1.05E-03	1.15E-05	1.37E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
174	1.31351	1.03E-02	1.4E-02	1.05E-03	1.42E-05	1.37E-02	1.57E-01	3.05E-08	1.0E+06	3.1E-02
175	1.6474	1.03E-02	1.7E-02	1.05E-03	1.78E-05	1.37E-02	1.57E-01	3.83E-08	1.0E+06	3.8E-02
176	2.19565	1.03E-02	2.3E-02	1.05E-03	2.37E-05	1.37E-02	1.57E-01	5.11E-08	1.0E+06	5.1E-02
177	2.85894	1.03E-02	3.0E-02	1.05E-03	3.09E-05	1.37E-02	1.57E-01	6.65E-08	1.0E+06	6.6E-02
178	3.59716	1.03E-02	3.7E-02	1.05E-03	3.89E-05	1.37E-02	1.57E-01	8.36E-08	1.0E+06	8.4E-02
179	0.17443	1.03E-02	1.8E-03	1.05E-03	1.88E-06	1.37E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
180	0.19117	1.03E-02	2.0E-03	1.05E-03	2.06E-06	1.37E-02	1.57E-01	4.45E-09	1.0E+06	4.4E-03
181	0.20765	1.03E-02	2.1E-03	1.05E-03	2.24E-06	1.37E-02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
182	0.24097	1.03E-02	2.5E-03	1.05E-03	2.60E-06	1.37E-02	1.57E-01	5.60E-09	1.0E+06	5.6E-03
183	0.28383	1.03E-02	2.9E-03	1.05E-03	3.07E-06	1.37E-02	1.57E-01	6.60E-09	1.0E+06	6.6E-03
184	0.32178	1.03E-02	3.3E-03	1.05E-03	3.48E-06	1.37E-02	1.57E-01	7.48E-09	1.0E+06	7.5E-03
185	0.36853	1.03E-02	3.8E-03	1.05E-03	3.98E-06	1.37E-02	1.57E-01	8.57E-09	1.0E+06	8.6E-03
186	0.42331	1.03E-02	4.4E-03	1.05E-03	4.57E-06	1.37E-02	1.57E-01	9.84E-09	1.0E+06	9.8E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
187	0.48914	1.03E-02	5.1E-03	1.05E-03	5.28E-06	1.37E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
188	0.57244	1.03E-02	5.9E-03	1.05E-03	6.18E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
189	0.67537	1.03E-02	7.0E-03	1.05E-03	7.30E-06	1.37E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
190	0.80933	1.03E-02	8.4E-03	1.05E-03	8.74E-06	1.37E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
191	0.98328	1.03E-02	1.0E-02	1.05E-03	1.06E-05	1.37E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
192	1.23304	1.03E-02	1.3E-02	1.05E-03	1.33E-05	1.37E-02	1.57E-01	2.87E-08	1.0E+06	2.9E-02
193	1.58271	1.03E-02	1.6E-02	1.05E-03	1.71E-05	1.37E-02	1.57E-01	3.68E-08	1.0E+06	3.7E-02
194	2.13464	1.03E-02	2.2E-02	1.05E-03	2.31E-05	1.37E-02	1.57E-01	4.96E-08	1.0E+06	5.0E-02
195	3.0975	1.03E-02	3.2E-02	1.05E-03	3.35E-05	1.37E-02	1.57E-01	7.20E-08	1.0E+06	7.2E-02
196	4.69284	1.03E-02	4.8E-02	1.05E-03	5.07E-05	1.37E-02	1.57E-01	1.09E-07	1.0E+06	1.1E-01
197	6.88357	1.03E-02	7.1E-02	1.05E-03	7.44E-05	1.37E-02	1.57E-01	1.60E-07	1.0E+06	1.6E-01
198	0.16286	1.03E-02	1.7E-03	1.05E-03	1.76E-06	1.37E-02	1.57E-01	3.79E-09	1.0E+06	3.8E-03
199	0.1793	1.03E-02	1.9E-03	1.05E-03	1.94E-06	1.37E-02	1.57E-01	4.17E-09	1.0E+06	4.2E-03
200	0.19824	1.03E-02	2.0E-03	1.05E-03	2.14E-06	1.37E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
201	0.22447	1.03E-02	2.3E-03	1.05E-03	2.42E-06	1.37E-02	1.57E-01	5.22E-09	1.0E+06	5.2E-03
202	0.26663	1.03E-02	2.8E-03	1.05E-03	2.88E-06	1.37E-02	1.57E-01	6.20E-09	1.0E+06	6.2E-03
203	0.30715	1.03E-02	3.2E-03	1.05E-03	3.32E-06	1.37E-02	1.57E-01	7.14E-09	1.0E+06	7.1E-03
204	0.35579	1.03E-02	3.7E-03	1.05E-03	3.84E-06	1.37E-02	1.57E-01	8.27E-09	1.0E+06	8.3E-03
205	0.41191	1.03E-02	4.3E-03	1.05E-03	4.45E-06	1.37E-02	1.57E-01	9.58E-09	1.0E+06	9.6E-03
206	0.48026	1.03E-02	5.0E-03	1.05E-03	5.19E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
207	0.56684	1.03E-02	5.9E-03	1.05E-03	6.12E-06	1.37E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
208	0.67745	1.03E-02	7.0E-03	1.05E-03	7.32E-06	1.37E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
209	0.82589	1.03E-02	8.5E-03	1.05E-03	8.92E-06	1.37E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
210	1.02976	1.03E-02	1.1E-02	1.05E-03	1.11E-05	1.37E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
211	1.32605	1.03E-02	1.4E-02	1.05E-03	1.43E-05	1.37E-02	1.57E-01	3.08E-08	1.0E+06	3.1E-02
212	1.76927	1.03E-02	1.8E-02	1.05E-03	1.91E-05	1.37E-02	1.57E-01	4.11E-08	1.0E+06	4.1E-02
213	2.46994	1.03E-02	2.6E-02	1.05E-03	2.67E-05	1.37E-02	1.57E-01	5.74E-08	1.0E+06	5.7E-02
214	3.63615	1.03E-02	3.8E-02	1.05E-03	3.93E-05	1.37E-02	1.57E-01	8.45E-08	1.0E+06	8.5E-02
215	7.55748	1.03E-02	7.8E-02	1.05E-03	8.16E-05	1.37E-02	1.57E-01	1.76E-07	1.0E+06	1.8E-01
216	0.15431	1.03E-02	1.6E-03	1.05E-03	1.67E-06	1.37E-02	1.57E-01	3.59E-09	1.0E+06	3.6E-03
217	0.16879	1.03E-02	1.7E-03	1.05E-03	1.82E-06	1.37E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
218	0.18722	1.03E-02	1.9E-03	1.05E-03	2.02E-06	1.37E-02	1.57E-01	4.35E-09	1.0E+06	4.4E-03
219	0.21079	1.03E-02	2.2E-03	1.05E-03	2.28E-06	1.37E-02	1.57E-01	4.90E-09	1.0E+06	4.9E-03
220	0.24803	1.03E-02	2.6E-03	1.05E-03	2.68E-06	1.37E-02	1.57E-01	5.77E-09	1.0E+06	5.8E-03
221	0.28481	1.03E-02	2.9E-03	1.05E-03	3.08E-06	1.37E-02	1.57E-01	6.62E-09	1.0E+06	6.6E-03
222	0.33289	1.03E-02	3.4E-03	1.05E-03	3.60E-06	1.37E-02	1.57E-01	7.74E-09	1.0E+06	7.7E-03
223	0.3875	1.03E-02	4.0E-03	1.05E-03	4.19E-06	1.37E-02	1.57E-01	9.01E-09	1.0E+06	9.0E-03
224	0.45352	1.03E-02	4.7E-03	1.05E-03	4.90E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
225	0.53452	1.03E-02	5.5E-03	1.05E-03	5.77E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
226	0.64348	1.03E-02	6.6E-03	1.05E-03	6.95E-06	1.37E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
227	0.7871	1.03E-02	8.1E-03	1.05E-03	8.50E-06	1.37E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
228	0.98789	1.03E-02	1.0E-02	1.05E-03	1.07E-05	1.37E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
229	1.28832	1.03E-02	1.3E-02	1.05E-03	1.39E-05	1.37E-02	1.57E-01	3.00E-08	1.0E+06	3.0E-02
230	1.75514	1.03E-02	1.8E-02	1.05E-03	1.90E-05	1.37E-02	1.57E-01	4.08E-08	1.0E+06	4.1E-02
231	2.58583	1.03E-02	2.7E-02	1.05E-03	2.79E-05	1.37E-02	1.57E-01	6.01E-08	1.0E+06	6.0E-02
232	4.28751	1.03E-02	4.4E-02	1.05E-03	4.63E-05	1.37E-02	1.57E-01	9.97E-08	1.0E+06	1.0E-01
233	10.76445	1.03E-02	1.1E-01	1.05E-03	1.16E-04	1.37E-02	1.57E-01	2.50E-07	1.0E+06	2.5E-01
234	0.14796	1.03E-02	1.5E-03	1.05E-03	1.60E-06	1.37E-02	1.57E-01	3.44E-09	1.0E+06	3.4E-03
235	0.16076	1.03E-02	1.7E-03	1.05E-03	1.74E-06	1.37E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
236	0.17816	1.03E-02	1.8E-03	1.05E-03	1.92E-06	1.37E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
237	0.20142	1.03E-02	2.1E-03	1.05E-03	2.18E-06	1.37E-02	1.57E-01	4.68E-09	1.0E+06	4.7E-03
238	0.2321	1.03E-02	2.4E-03	1.05E-03	2.51E-06	1.37E-02	1.57E-01	5.40E-09	1.0E+06	5.4E-03
239	0.26575	1.03E-02	2.7E-03	1.05E-03	2.87E-06	1.37E-02	1.57E-01	6.18E-09	1.0E+06	6.2E-03
240	0.30828	1.03E-02	3.2E-03	1.05E-03	3.33E-06	1.37E-02	1.57E-01	7.17E-09	1.0E+06	7.2E-03
241	0.35891	1.03E-02	3.7E-03	1.05E-03	3.88E-06	1.37E-02	1.57E-01	8.35E-09	1.0E+06	8.3E-03
242	0.4204	1.03E-02	4.3E-03	1.05E-03	4.54E-06	1.37E-02	1.57E-01	9.78E-09	1.0E+06	9.8E-03
243	0.49614	1.03E-02	5.1E-03	1.05E-03	5.36E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
244	0.59817	1.03E-02	6.2E-03	1.05E-03	6.46E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
245	0.7334	1.03E-02	7.6E-03	1.05E-03	7.92E-06	1.37E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
246	0.92041	1.03E-02	9.5E-03	1.05E-03	9.94E-06	1.37E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
247	1.19215	1.03E-02	1.2E-02	1.05E-03	1.29E-05	1.37E-02	1.57E-01	2.77E-08	1.0E+06	2.8E-02
248	1.61854	1.03E-02	1.7E-02	1.05E-03	1.75E-05	1.37E-02	1.57E-01	3.76E-08	1.0E+06	3.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
249	2.35423	1.03E-02	2.4E-02	1.05E-03	2.54E-05	1.37E-02	1.57E-01	5.47E-08	1.0E+06	5.5E-02
250	3.88245	1.03E-02	4.0E-02	1.05E-03	4.19E-05	1.37E-02	1.57E-01	9.03E-08	1.0E+06	9.0E-02
251	9.548	1.03E-02	9.9E-02	1.05E-03	1.03E-04	1.37E-02	1.57E-01	2.22E-07	1.0E+06	2.2E-01
252	0.14244	1.03E-02	1.5E-03	1.05E-03	1.54E-06	1.37E-02	1.57E-01	3.31E-09	1.0E+06	3.3E-03
253	0.15391	1.03E-02	1.6E-03	1.05E-03	1.66E-06	1.37E-02	1.57E-01	3.58E-09	1.0E+06	3.6E-03
254	0.16905	1.03E-02	1.7E-03	1.05E-03	1.83E-06	1.37E-02	1.57E-01	3.93E-09	1.0E+06	3.9E-03
255	0.1882	1.03E-02	1.9E-03	1.05E-03	2.03E-06	1.37E-02	1.57E-01	4.38E-09	1.0E+06	4.4E-03
256	0.22038	1.03E-02	2.3E-03	1.05E-03	2.38E-06	1.37E-02	1.57E-01	5.12E-09	1.0E+06	5.1E-03
257	0.24395	1.03E-02	2.5E-03	1.05E-03	2.64E-06	1.37E-02	1.57E-01	5.67E-09	1.0E+06	5.7E-03
258	0.27703	1.03E-02	2.9E-03	1.05E-03	2.99E-06	1.37E-02	1.57E-01	6.44E-09	1.0E+06	6.4E-03
259	0.31726	1.03E-02	3.3E-03	1.05E-03	3.43E-06	1.37E-02	1.57E-01	7.38E-09	1.0E+06	7.4E-03
260	0.37532	1.03E-02	3.9E-03	1.05E-03	4.05E-06	1.37E-02	1.57E-01	8.73E-09	1.0E+06	8.7E-03
261	0.45282	1.03E-02	4.7E-03	1.05E-03	4.89E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
262	0.54991	1.03E-02	5.7E-03	1.05E-03	5.94E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
263	0.6689	1.03E-02	6.9E-03	1.05E-03	7.23E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
264	0.83769	1.03E-02	8.7E-03	1.05E-03	9.05E-06	1.37E-02	1.57E-01	1.95E-08	1.0E+06	1.9E-02
265	1.069	1.03E-02	1.1E-02	1.05E-03	1.15E-05	1.37E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
266	1.42172	1.03E-02	1.5E-02	1.05E-03	1.54E-05	1.37E-02	1.57E-01	3.31E-08	1.0E+06	3.3E-02
267	1.98481	1.03E-02	2.1E-02	1.05E-03	2.14E-05	1.37E-02	1.57E-01	4.62E-08	1.0E+06	4.6E-02
268	3.00508	1.03E-02	3.1E-02	1.05E-03	3.25E-05	1.37E-02	1.57E-01	6.99E-08	1.0E+06	7.0E-02
269	6.11415	1.03E-02	6.3E-02	1.05E-03	6.60E-05	1.37E-02	1.57E-01	1.42E-07	1.0E+06	1.4E-01
270	0.13852	1.03E-02	1.4E-03	1.05E-03	1.50E-06	1.37E-02	1.57E-01	3.22E-09	1.0E+06	3.2E-03
271	0.15026	1.03E-02	1.6E-03	1.05E-03	1.62E-06	1.37E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
272	0.16484	1.03E-02	1.7E-03	1.05E-03	1.78E-06	1.37E-02	1.57E-01	3.83E-09	1.0E+06	3.8E-03
273	0.18199	1.03E-02	1.9E-03	1.05E-03	1.97E-06	1.37E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
274	0.21436	1.03E-02	2.2E-03	1.05E-03	2.32E-06	1.37E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
275	0.24454	1.03E-02	2.5E-03	1.05E-03	2.64E-06	1.37E-02	1.57E-01	5.69E-09	1.0E+06	5.7E-03
276	0.26087	1.03E-02	2.7E-03	1.05E-03	2.82E-06	1.37E-02	1.57E-01	6.07E-09	1.0E+06	6.1E-03
277	0.29564	1.03E-02	3.1E-03	1.05E-03	3.19E-06	1.37E-02	1.57E-01	6.87E-09	1.0E+06	6.9E-03
278	0.34216	1.03E-02	3.5E-03	1.05E-03	3.70E-06	1.37E-02	1.57E-01	7.96E-09	1.0E+06	8.0E-03
279	0.40447	1.03E-02	4.2E-03	1.05E-03	4.37E-06	1.37E-02	1.57E-01	9.40E-09	1.0E+06	9.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
280	0.49532	1.03E-02	5.1E-03	1.05E-03	5.35E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
281	0.61075	1.03E-02	6.3E-03	1.05E-03	6.60E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
282	0.76016	1.03E-02	7.9E-03	1.05E-03	8.21E-06	1.37E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
283	0.9592	1.03E-02	9.9E-03	1.05E-03	1.04E-05	1.37E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
284	1.23907	1.03E-02	1.3E-02	1.05E-03	1.34E-05	1.37E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02
285	1.6354	1.03E-02	1.7E-02	1.05E-03	1.77E-05	1.37E-02	1.57E-01	3.80E-08	1.0E+06	3.8E-02
286	2.29875	1.03E-02	2.4E-02	1.05E-03	2.48E-05	1.37E-02	1.57E-01	5.35E-08	1.0E+06	5.3E-02
287	4.0984	1.03E-02	4.2E-02	1.05E-03	4.43E-05	1.37E-02	1.57E-01	9.53E-08	1.0E+06	9.5E-02
288	0.13632	1.03E-02	1.4E-03	1.05E-03	1.47E-06	1.37E-02	1.57E-01	3.17E-09	1.0E+06	3.2E-03
289	0.14679	1.03E-02	1.5E-03	1.05E-03	1.59E-06	1.37E-02	1.57E-01	3.41E-09	1.0E+06	3.4E-03
290	0.16392	1.03E-02	1.7E-03	1.05E-03	1.77E-06	1.37E-02	1.57E-01	3.81E-09	1.0E+06	3.8E-03
291	0.1821	1.03E-02	1.9E-03	1.05E-03	1.97E-06	1.37E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
292	0.22152	1.03E-02	2.3E-03	1.05E-03	2.39E-06	1.37E-02	1.57E-01	5.15E-09	1.0E+06	5.2E-03
293	0.241	1.03E-02	2.5E-03	1.05E-03	2.60E-06	1.37E-02	1.57E-01	5.60E-09	1.0E+06	5.6E-03
294	0.24821	1.03E-02	2.6E-03	1.05E-03	2.68E-06	1.37E-02	1.57E-01	5.77E-09	1.0E+06	5.8E-03
295	0.28165	1.03E-02	2.9E-03	1.05E-03	3.04E-06	1.37E-02	1.57E-01	6.55E-09	1.0E+06	6.5E-03
296	0.32446	1.03E-02	3.4E-03	1.05E-03	3.50E-06	1.37E-02	1.57E-01	7.54E-09	1.0E+06	7.5E-03
297	0.37299	1.03E-02	3.9E-03	1.05E-03	4.03E-06	1.37E-02	1.57E-01	8.67E-09	1.0E+06	8.7E-03
298	0.44378	1.03E-02	4.6E-03	1.05E-03	4.79E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
299	0.54938	1.03E-02	5.7E-03	1.05E-03	5.93E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
300	0.67014	1.03E-02	6.9E-03	1.05E-03	7.24E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
301	0.83889	1.03E-02	8.7E-03	1.05E-03	9.06E-06	1.37E-02	1.57E-01	1.95E-08	1.0E+06	2.0E-02
302	1.05754	1.03E-02	1.1E-02	1.05E-03	1.14E-05	1.37E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02
303	1.36095	1.03E-02	1.4E-02	1.05E-03	1.47E-05	1.37E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
304	1.82968	1.03E-02	1.9E-02	1.05E-03	1.98E-05	1.37E-02	1.57E-01	4.25E-08	1.0E+06	4.3E-02
305	2.94941	1.03E-02	3.0E-02	1.05E-03	3.19E-05	1.37E-02	1.57E-01	6.86E-08	1.0E+06	6.9E-02
306	0.14102	1.03E-02	1.5E-03	1.05E-03	1.52E-06	1.37E-02	1.57E-01	3.28E-09	1.0E+06	3.3E-03
307	0.14805	1.03E-02	1.5E-03	1.05E-03	1.60E-06	1.37E-02	1.57E-01	3.44E-09	1.0E+06	3.4E-03
308	0.16104	1.03E-02	1.7E-03	1.05E-03	1.74E-06	1.37E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
309	0.1881	1.03E-02	1.9E-03	1.05E-03	2.03E-06	1.37E-02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
310	0.21623	1.03E-02	2.2E-03	1.05E-03	2.34E-06	1.37E-02	1.57E-01	5.03E-09	1.0E+06	5.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
311	0.2339	1.03E-02	2.4E-03	1.05E-03	2.53E-06	1.37E-02	1.57E-01	5.44E-09	1.0E+06	5.4E-03
312	0.23582	1.03E-02	2.4E-03	1.05E-03	2.55E-06	1.37E-02	1.57E-01	5.48E-09	1.0E+06	5.5E-03
313	0.2662	1.03E-02	2.8E-03	1.05E-03	2.88E-06	1.37E-02	1.57E-01	6.19E-09	1.0E+06	6.2E-03
314	0.30482	1.03E-02	3.2E-03	1.05E-03	3.29E-06	1.37E-02	1.57E-01	7.09E-09	1.0E+06	7.1E-03
315	0.36238	1.03E-02	3.7E-03	1.05E-03	3.91E-06	1.37E-02	1.57E-01	8.43E-09	1.0E+06	8.4E-03
316	0.41173	1.03E-02	4.3E-03	1.05E-03	4.45E-06	1.37E-02	1.57E-01	9.57E-09	1.0E+06	9.6E-03
317	0.48329	1.03E-02	5.0E-03	1.05E-03	5.22E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
318	0.58024	1.03E-02	6.0E-03	1.05E-03	6.27E-06	1.37E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
319	0.71842	1.03E-02	7.4E-03	1.05E-03	7.76E-06	1.37E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
320	0.91725	1.03E-02	9.5E-03	1.05E-03	9.91E-06	1.37E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
321	1.14351	1.03E-02	1.2E-02	1.05E-03	1.24E-05	1.37E-02	1.57E-01	2.66E-08	1.0E+06	2.7E-02
322	1.47884	1.03E-02	1.5E-02	1.05E-03	1.60E-05	1.37E-02	1.57E-01	3.44E-08	1.0E+06	3.4E-02
323	2.2049	1.03E-02	2.3E-02	1.05E-03	2.38E-05	1.37E-02	1.57E-01	5.13E-08	1.0E+06	5.1E-02
324	0.13829	1.03E-02	1.4E-03	1.05E-03	1.49E-06	1.37E-02	1.57E-01	3.22E-09	1.0E+06	3.2E-03
325	0.15341	1.03E-02	1.6E-03	1.05E-03	1.66E-06	1.37E-02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
326	0.16525	1.03E-02	1.7E-03	1.05E-03	1.78E-06	1.37E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03
327	0.17597	1.03E-02	1.8E-03	1.05E-03	1.90E-06	1.37E-02	1.57E-01	4.09E-09	1.0E+06	4.1E-03
328	0.21285	1.03E-02	2.2E-03	1.05E-03	2.30E-06	1.37E-02	1.57E-01	4.95E-09	1.0E+06	4.9E-03
329	0.22617	1.03E-02	2.3E-03	1.05E-03	2.44E-06	1.37E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
330	0.229	1.03E-02	2.4E-03	1.05E-03	2.47E-06	1.37E-02	1.57E-01	5.32E-09	1.0E+06	5.3E-03
331	0.25812	1.03E-02	2.7E-03	1.05E-03	2.79E-06	1.37E-02	1.57E-01	6.00E-09	1.0E+06	6.0E-03
332	0.29444	1.03E-02	3.0E-03	1.05E-03	3.18E-06	1.37E-02	1.57E-01	6.85E-09	1.0E+06	6.8E-03
333	0.34735	1.03E-02	3.6E-03	1.05E-03	3.75E-06	1.37E-02	1.57E-01	8.08E-09	1.0E+06	8.1E-03
334	0.39929	1.03E-02	4.1E-03	1.05E-03	4.31E-06	1.37E-02	1.57E-01	9.28E-09	1.0E+06	9.3E-03
335	0.46251	1.03E-02	4.8E-03	1.05E-03	5.00E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
336	1.34926	1.03E-02	1.4E-02	1.05E-03	1.46E-05	1.37E-02	1.57E-01	3.14E-08	1.0E+06	3.1E-02
337	1.42098	1.03E-02	1.5E-02	1.05E-03	1.53E-05	1.37E-02	1.57E-01	3.30E-08	1.0E+06	3.3E-02
338	0.15741	1.03E-02	1.6E-03	1.05E-03	1.70E-06	1.37E-02	1.57E-01	3.66E-09	1.0E+06	3.7E-03
339	0.16826	1.03E-02	1.7E-03	1.05E-03	1.82E-06	1.37E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
340	0.19168	1.03E-02	2.0E-03	1.05E-03	2.07E-06	1.37E-02	1.57E-01	4.46E-09	1.0E+06	4.5E-03
341	0.20395	1.03E-02	2.1E-03	1.05E-03	2.20E-06	1.37E-02	1.57E-01	4.74E-09	1.0E+06	4.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
342	0.21078	1.03E-02	2.2E-03	1.05E-03	2.28E-06	1.37E-02	1.57E-01	4.90E-09	1.0E+06	4.9E-03
343	0.22111	1.03E-02	2.3E-03	1.05E-03	2.39E-06	1.37E-02	1.57E-01	5.14E-09	1.0E+06	5.1E-03
344	0.22429	1.03E-02	2.3E-03	1.05E-03	2.42E-06	1.37E-02	1.57E-01	5.22E-09	1.0E+06	5.2E-03
345	0.22606	1.03E-02	2.3E-03	1.05E-03	2.44E-06	1.37E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
346	0.22606	1.03E-02	2.3E-03	1.05E-03	2.44E-06	1.37E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
347	0.17036	1.03E-02	1.8E-03	1.05E-03	1.84E-06	1.37E-02	1.57E-01	3.96E-09	1.0E+06	4.0E-03
348	0.18661	1.03E-02	1.9E-03	1.05E-03	2.02E-06	1.37E-02	1.57E-01	4.34E-09	1.0E+06	4.3E-03
349	0.21873	1.03E-02	2.3E-03	1.05E-03	2.36E-06	1.37E-02	1.57E-01	5.09E-09	1.0E+06	5.1E-03
350	0.22806	1.03E-02	2.4E-03	1.05E-03	2.46E-06	1.37E-02	1.57E-01	5.30E-09	1.0E+06	5.3E-03
351	0.23577	1.03E-02	2.4E-03	1.05E-03	2.55E-06	1.37E-02	1.57E-01	5.48E-09	1.0E+06	5.5E-03
352	0.24893	1.03E-02	2.6E-03	1.05E-03	2.69E-06	1.37E-02	1.57E-01	5.79E-09	1.0E+06	5.8E-03
353	0.25277	1.03E-02	2.6E-03	1.05E-03	2.73E-06	1.37E-02	1.57E-01	5.88E-09	1.0E+06	5.9E-03
354	0.25385	1.03E-02	2.6E-03	1.05E-03	2.74E-06	1.37E-02	1.57E-01	5.90E-09	1.0E+06	5.9E-03
355	0.25415	1.03E-02	2.6E-03	1.05E-03	2.75E-06	1.37E-02	1.57E-01	5.91E-09	1.0E+06	5.9E-03
356	0.18604	1.03E-02	1.9E-03	1.05E-03	2.01E-06	1.37E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
357	0.20039	1.03E-02	2.1E-03	1.05E-03	2.16E-06	1.37E-02	1.57E-01	4.66E-09	1.0E+06	4.7E-03
358	0.21891	1.03E-02	2.3E-03	1.05E-03	2.36E-06	1.37E-02	1.57E-01	5.09E-09	1.0E+06	5.1E-03
359	0.24942	1.03E-02	2.6E-03	1.05E-03	2.69E-06	1.37E-02	1.57E-01	5.80E-09	1.0E+06	5.8E-03
360	0.26595	1.03E-02	2.7E-03	1.05E-03	2.87E-06	1.37E-02	1.57E-01	6.18E-09	1.0E+06	6.2E-03
361	0.28268	1.03E-02	2.9E-03	1.05E-03	3.05E-06	1.37E-02	1.57E-01	6.57E-09	1.0E+06	6.6E-03
362	0.28748	1.03E-02	3.0E-03	1.05E-03	3.11E-06	1.37E-02	1.57E-01	6.68E-09	1.0E+06	6.7E-03
363	0.28847	1.03E-02	3.0E-03	1.05E-03	3.12E-06	1.37E-02	1.57E-01	6.71E-09	1.0E+06	6.7E-03
364	0.20678	1.03E-02	2.1E-03	1.05E-03	2.23E-06	1.37E-02	1.57E-01	4.81E-09	1.0E+06	4.8E-03
365	0.21895	1.03E-02	2.3E-03	1.05E-03	2.36E-06	1.37E-02	1.57E-01	5.09E-09	1.0E+06	5.1E-03
366	0.24185	1.03E-02	2.5E-03	1.05E-03	2.61E-06	1.37E-02	1.57E-01	5.62E-09	1.0E+06	5.6E-03
367	0.28223	1.03E-02	2.9E-03	1.05E-03	3.05E-06	1.37E-02	1.57E-01	6.56E-09	1.0E+06	6.6E-03
368	0.30287	1.03E-02	3.1E-03	1.05E-03	3.27E-06	1.37E-02	1.57E-01	7.04E-09	1.0E+06	7.0E-03
369	0.32466	1.03E-02	3.4E-03	1.05E-03	3.51E-06	1.37E-02	1.57E-01	7.55E-09	1.0E+06	7.5E-03
370	0.33362	1.03E-02	3.4E-03	1.05E-03	3.60E-06	1.37E-02	1.57E-01	7.76E-09	1.0E+06	7.8E-03
371	0.33293	1.03E-02	3.4E-03	1.05E-03	3.60E-06	1.37E-02	1.57E-01	7.74E-09	1.0E+06	7.7E-03
372	0.23425	1.03E-02	2.4E-03	1.05E-03	2.53E-06	1.37E-02	1.57E-01	5.45E-09	1.0E+06	5.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
373	0.2479	1.03E-02	2.6E-03	1.05E-03	2.68E-06	1.37E-02	1.57E-01	5.76E-09	1.0E+06	5.8E-03
374	0.2758	1.03E-02	2.9E-03	1.05E-03	2.98E-06	1.37E-02	1.57E-01	6.41E-09	1.0E+06	6.4E-03
375	0.3231	1.03E-02	3.3E-03	1.05E-03	3.49E-06	1.37E-02	1.57E-01	7.51E-09	1.0E+06	7.5E-03
376	0.34946	1.03E-02	3.6E-03	1.05E-03	3.77E-06	1.37E-02	1.57E-01	8.13E-09	1.0E+06	8.1E-03
377	0.36592	1.03E-02	3.8E-03	1.05E-03	3.95E-06	1.37E-02	1.57E-01	8.51E-09	1.0E+06	8.5E-03
378	0.37782	1.03E-02	3.9E-03	1.05E-03	4.08E-06	1.37E-02	1.57E-01	8.78E-09	1.0E+06	8.8E-03
379	0.38907	1.03E-02	4.0E-03	1.05E-03	4.20E-06	1.37E-02	1.57E-01	9.05E-09	1.0E+06	9.0E-03
380	0.389	1.03E-02	4.0E-03	1.05E-03	4.20E-06	1.37E-02	1.57E-01	9.04E-09	1.0E+06	9.0E-03
381	0.38496	1.03E-02	4.0E-03	1.05E-03	4.16E-06	1.37E-02	1.57E-01	8.95E-09	1.0E+06	9.0E-03
382	0.27352	1.03E-02	2.8E-03	1.05E-03	2.95E-06	1.37E-02	1.57E-01	6.36E-09	1.0E+06	6.4E-03
383	0.29685	1.03E-02	3.1E-03	1.05E-03	3.21E-06	1.37E-02	1.57E-01	6.90E-09	1.0E+06	6.9E-03
384	0.32129	1.03E-02	3.3E-03	1.05E-03	3.47E-06	1.37E-02	1.57E-01	7.47E-09	1.0E+06	7.5E-03
385	0.3848	1.03E-02	4.0E-03	1.05E-03	4.16E-06	1.37E-02	1.57E-01	8.95E-09	1.0E+06	8.9E-03
386	0.40823	1.03E-02	4.2E-03	1.05E-03	4.41E-06	1.37E-02	1.57E-01	9.49E-09	1.0E+06	9.5E-03
387	0.43009	1.03E-02	4.4E-03	1.05E-03	4.65E-06	1.37E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
388	0.44587	1.03E-02	4.6E-03	1.05E-03	4.82E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
389	0.46018	1.03E-02	4.8E-03	1.05E-03	4.97E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
390	0.45888	1.03E-02	4.7E-03	1.05E-03	4.96E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
391	0.45337	1.03E-02	4.7E-03	1.05E-03	4.90E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
392	0.43787	1.03E-02	4.5E-03	1.05E-03	4.73E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
393	0.32603	1.03E-02	3.4E-03	1.05E-03	3.52E-06	1.37E-02	1.57E-01	7.58E-09	1.0E+06	7.6E-03
394	0.38853	1.03E-02	4.0E-03	1.05E-03	4.20E-06	1.37E-02	1.57E-01	9.03E-09	1.0E+06	9.0E-03
395	0.43296	1.03E-02	4.5E-03	1.05E-03	4.68E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
396	0.4654	1.03E-02	4.8E-03	1.05E-03	5.03E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
397	0.4979	1.03E-02	5.1E-03	1.05E-03	5.38E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
398	0.51462	1.03E-02	5.3E-03	1.05E-03	5.56E-06	1.37E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
399	0.52048	1.03E-02	5.4E-03	1.05E-03	5.62E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
400	0.55457	1.03E-02	5.7E-03	1.05E-03	5.99E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
401	0.55208	1.03E-02	5.7E-03	1.05E-03	5.96E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
402	0.51974	1.03E-02	5.4E-03	1.05E-03	5.61E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
403	0.67545	1.03E-02	7.0E-03	1.05E-03	7.30E-06	1.37E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
404	0.63538	1.03E-02	6.6E-03	1.05E-03	6.86E-06	1.37E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
405	0.59648	1.03E-02	6.2E-03	1.05E-03	6.44E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
406	0.8541	1.03E-02	8.8E-03	1.05E-03	9.23E-06	1.37E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02
407	0.72119	1.03E-02	7.5E-03	1.05E-03	7.79E-06	1.37E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
408	1.11899	1.03E-02	1.2E-02	1.05E-03	1.21E-05	1.37E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
409	0.88286	1.03E-02	9.1E-03	1.05E-03	9.54E-06	1.37E-02	1.57E-01	2.05E-08	1.0E+06	2.1E-02
410	1.53458	1.03E-02	1.6E-02	1.05E-03	1.66E-05	1.37E-02	1.57E-01	3.57E-08	1.0E+06	3.6E-02
411	1.24788	1.03E-02	1.3E-02	1.05E-03	1.35E-05	1.37E-02	1.57E-01	2.90E-08	1.0E+06	2.9E-02
412	1.10769	1.03E-02	1.1E-02	1.05E-03	1.20E-05	1.37E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02
413	2.24007	1.03E-02	2.3E-02	1.05E-03	2.42E-05	1.37E-02	1.57E-01	5.21E-08	1.0E+06	5.2E-02
414	1.85905	1.03E-02	1.9E-02	1.05E-03	2.01E-05	1.37E-02	1.57E-01	4.32E-08	1.0E+06	4.3E-02
415	1.59815	1.03E-02	1.7E-02	1.05E-03	1.73E-05	1.37E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
416	1.34652	1.03E-02	1.4E-02	1.05E-03	1.45E-05	1.37E-02	1.57E-01	3.13E-08	1.0E+06	3.1E-02
417	3.57218	1.03E-02	3.7E-02	1.05E-03	3.86E-05	1.37E-02	1.57E-01	8.31E-08	1.0E+06	8.3E-02
418	2.01893	1.03E-02	2.1E-02	1.05E-03	2.18E-05	1.37E-02	1.57E-01	4.69E-08	1.0E+06	4.7E-02
419	1.58987	1.03E-02	1.6E-02	1.05E-03	1.72E-05	1.37E-02	1.57E-01	3.70E-08	1.0E+06	3.7E-02
420	1.2521	1.03E-02	1.3E-02	1.05E-03	1.35E-05	1.37E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
421	6.42312	1.03E-02	6.6E-02	1.05E-03	6.94E-05	1.37E-02	1.57E-01	1.49E-07	1.0E+06	1.5E-01
422	1.77737	1.03E-02	1.8E-02	1.05E-03	1.92E-05	1.37E-02	1.57E-01	4.13E-08	1.0E+06	4.1E-02
423	1.33662	1.03E-02	1.4E-02	1.05E-03	1.44E-05	1.37E-02	1.57E-01	3.11E-08	1.0E+06	3.1E-02
424	12.91388	1.03E-02	1.3E-01	1.05E-03	1.39E-04	1.37E-02	1.57E-01	3.00E-07	1.0E+06	3.0E-01
425	1.34203	1.03E-02	1.4E-02	1.05E-03	1.45E-05	1.37E-02	1.57E-01	3.12E-08	1.0E+06	3.1E-02
426	1.01676	1.03E-02	1.1E-02	1.05E-03	1.10E-05	1.37E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
427	22.75271	1.03E-02	2.4E-01	1.05E-03	2.46E-04	1.37E-02	1.57E-01	5.29E-07	1.0E+06	5.3E-01
428	1.27773	1.03E-02	1.3E-02	1.05E-03	1.38E-05	1.37E-02	1.57E-01	2.97E-08	1.0E+06	3.0E-02
429	0.96908	1.03E-02	1.0E-02	1.05E-03	1.05E-05	1.37E-02	1.57E-01	2.25E-08	1.0E+06	2.3E-02
430	21.09262	1.03E-02	2.2E-01	1.05E-03	2.28E-04	1.37E-02	1.57E-01	4.90E-07	1.0E+06	4.9E-01
431	0.90443	1.03E-02	9.3E-03	1.05E-03	9.77E-06	1.37E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
432	0.71229	1.03E-02	7.4E-03	1.05E-03	7.69E-06	1.37E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
433	13.11622	1.03E-02	1.4E-01	1.05E-03	1.42E-04	1.37E-02	1.57E-01	3.05E-07	1.0E+06	3.0E-01
434	0.83575	1.03E-02	8.6E-03	1.05E-03	9.03E-06	1.37E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
435	0.67007	1.03E-02	6.9E-03	1.05E-03	7.24E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
436	8.0879	1.03E-02	8.4E-02	1.05E-03	8.74E-05	1.37E-02	1.57E-01	1.88E-07	1.0E+06	1.9E-01
437	0.97518	1.03E-02	1.0E-02	1.05E-03	1.05E-05	1.37E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
438	0.76912	1.03E-02	7.9E-03	1.05E-03	8.31E-06	1.37E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
439	0.6239	1.03E-02	6.4E-03	1.05E-03	6.74E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
440	5.21196	1.03E-02	5.4E-02	1.05E-03	5.63E-05	1.37E-02	1.57E-01	1.21E-07	1.0E+06	1.2E-01
441	1.57338	1.03E-02	1.6E-02	1.05E-03	1.70E-05	1.37E-02	1.57E-01	3.66E-08	1.0E+06	3.7E-02
442	1.14958	1.03E-02	1.2E-02	1.05E-03	1.24E-05	1.37E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
443	0.88407	1.03E-02	9.1E-03	1.05E-03	9.55E-06	1.37E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
444	0.70507	1.03E-02	7.3E-03	1.05E-03	7.62E-06	1.37E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
445	3.55393	1.03E-02	3.7E-02	1.05E-03	3.84E-05	1.37E-02	1.57E-01	8.26E-08	1.0E+06	8.3E-02
446	1.95063	1.03E-02	2.0E-02	1.05E-03	2.11E-05	1.37E-02	1.57E-01	4.54E-08	1.0E+06	4.5E-02
447	1.38871	1.03E-02	1.4E-02	1.05E-03	1.50E-05	1.37E-02	1.57E-01	3.23E-08	1.0E+06	3.2E-02
448	1.03194	1.03E-02	1.1E-02	1.05E-03	1.11E-05	1.37E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
449	2.54704	1.03E-02	2.6E-02	1.05E-03	2.75E-05	1.37E-02	1.57E-01	5.92E-08	1.0E+06	5.9E-02
450	2.13244	1.03E-02	2.2E-02	1.05E-03	2.30E-05	1.37E-02	1.57E-01	4.96E-08	1.0E+06	5.0E-02
451	1.63606	1.03E-02	1.7E-02	1.05E-03	1.77E-05	1.37E-02	1.57E-01	3.80E-08	1.0E+06	3.8E-02
452	1.90224	1.03E-02	2.0E-02	1.05E-03	2.05E-05	1.37E-02	1.57E-01	4.42E-08	1.0E+06	4.4E-02
453	1.68146	1.03E-02	1.7E-02	1.05E-03	1.82E-05	1.37E-02	1.57E-01	3.91E-08	1.0E+06	3.9E-02
454	0.45602	1.03E-02	4.7E-03	1.05E-03	4.93E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
455	0.39292	1.03E-02	4.1E-03	1.05E-03	4.24E-06	1.37E-02	1.57E-01	9.14E-09	1.0E+06	9.1E-03
456	1.46911	1.03E-02	1.5E-02	1.05E-03	1.59E-05	1.37E-02	1.57E-01	3.42E-08	1.0E+06	3.4E-02
457	1.34798	1.03E-02	1.4E-02	1.05E-03	1.46E-05	1.37E-02	1.57E-01	3.13E-08	1.0E+06	3.1E-02
458	1.14854	1.03E-02	1.2E-02	1.05E-03	1.24E-05	1.37E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
459	0.60959	1.03E-02	6.3E-03	1.05E-03	6.58E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
460	0.50521	1.03E-02	5.2E-03	1.05E-03	5.46E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
461	0.42667	1.03E-02	4.4E-03	1.05E-03	4.61E-06	1.37E-02	1.57E-01	9.92E-09	1.0E+06	9.9E-03
462	0.36664	1.03E-02	3.8E-03	1.05E-03	3.96E-06	1.37E-02	1.57E-01	8.53E-09	1.0E+06	8.5E-03
463	1.56366	1.03E-02	1.6E-02	1.05E-03	1.69E-05	1.37E-02	1.57E-01	3.64E-08	1.0E+06	3.6E-02
464	1.67908	1.03E-02	1.7E-02	1.05E-03	1.81E-05	1.37E-02	1.57E-01	3.90E-08	1.0E+06	3.9E-02
465	2.37925	1.03E-02	2.5E-02	1.05E-03	2.57E-05	1.37E-02	1.57E-01	5.53E-08	1.0E+06	5.5E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
466	2.9026	1.03E-02	3.0E-02	1.05E-03	3.14E-05	1.37E-02	1.57E-01	6.75E-08	1.0E+06	6.7E-02
467	4.03499	1.03E-02	4.2E-02	1.05E-03	4.36E-05	1.37E-02	1.57E-01	9.38E-08	1.0E+06	9.4E-02
468	8.35246	1.03E-02	8.6E-02	1.05E-03	9.02E-05	1.37E-02	1.57E-01	1.94E-07	1.0E+06	1.9E-01
469	28.13292	1.03E-02	2.9E-01	1.05E-03	3.04E-04	1.37E-02	1.57E-01	6.54E-07	1.0E+06	6.5E-01
470	20.35286	1.03E-02	2.1E-01	1.05E-03	2.20E-04	1.37E-02	1.57E-01	4.73E-07	1.0E+06	4.7E-01
471	34.54288	1.03E-02	3.6E-01	1.05E-03	3.73E-04	1.37E-02	1.57E-01	8.03E-07	1.0E+06	8.0E-01
472	27.90221	1.03E-02	2.9E-01	1.05E-03	3.01E-04	1.37E-02	1.57E-01	6.49E-07	1.0E+06	6.5E-01
473	29.67594	1.03E-02	3.1E-01	1.05E-03	3.21E-04	1.37E-02	1.57E-01	6.90E-07	1.0E+06	6.9E-01
474	13.04296	1.03E-02	1.3E-01	1.05E-03	1.41E-04	1.37E-02	1.57E-01	3.03E-07	1.0E+06	3.0E-01
475	22.08892	1.03E-02	2.3E-01	1.05E-03	2.39E-04	1.37E-02	1.57E-01	5.14E-07	1.0E+06	5.1E-01
476	6.99817	1.03E-02	7.2E-02	1.05E-03	7.56E-05	1.37E-02	1.57E-01	1.63E-07	1.0E+06	1.6E-01
477	9.76012	1.03E-02	1.0E-01	1.05E-03	1.05E-04	1.37E-02	1.57E-01	2.27E-07	1.0E+06	2.3E-01
478	4.29281	1.03E-02	4.4E-02	1.05E-03	4.64E-05	1.37E-02	1.57E-01	9.98E-08	1.0E+06	1.0E-01
479	5.44714	1.03E-02	5.6E-02	1.05E-03	5.88E-05	1.37E-02	1.57E-01	1.27E-07	1.0E+06	1.3E-01
480	5.4004	1.03E-02	5.6E-02	1.05E-03	5.83E-05	1.37E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
481	2.88653	1.03E-02	3.0E-02	1.05E-03	3.12E-05	1.37E-02	1.57E-01	6.71E-08	1.0E+06	6.7E-02
482	3.54717	1.03E-02	3.7E-02	1.05E-03	3.83E-05	1.37E-02	1.57E-01	8.25E-08	1.0E+06	8.2E-02
483	2.40679	1.03E-02	2.5E-02	1.05E-03	2.60E-05	1.37E-02	1.57E-01	5.60E-08	1.0E+06	5.6E-02
484	2.49271	1.03E-02	2.6E-02	1.05E-03	2.69E-05	1.37E-02	1.57E-01	5.80E-08	1.0E+06	5.8E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	2.07E-04
2	5	2.09E-04
3	5	2.11E-04
4	5	2.14E-04
5	5	2.17E-04
6	5	2.22E-04
7	5	2.30E-04
8	5	2.39E-04
9	5	2.49E-04
10	5	2.64E-04
11	5	2.82E-04
12	5	3.01E-04
13	5	3.22E-04
14	5	4.50E-04
15	5	2.30E-04
16	5	2.32E-04
17	5	2.36E-04
18	5	2.38E-04
19	5	2.40E-04
20	5	2.44E-04
21	5	2.50E-04
22	5	2.57E-04
23	5	2.71E-04
24	5	2.83E-04
25	5	3.05E-04
26	5	3.28E-04
27	5	3.49E-04
28	5	5.05E-04
29	5	2.55E-04
30	5	2.60E-04
31	5	2.65E-04

Max	Receptor #	
0.071	471	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
32	5	2.69E-04
33	5	2.69E-04
34	5	2.73E-04
35	5	2.77E-04
36	5	2.84E-04
37	5	2.95E-04
38	5	3.11E-04
39	5	3.32E-04
40	5	3.55E-04
41	5	3.79E-04
42	5	5.71E-04
43	5	2.80E-04
44	5	2.88E-04
45	5	2.95E-04
46	5	3.00E-04
47	5	3.04E-04
48	5	3.07E-04
49	5	3.10E-04
50	5	3.13E-04
51	5	3.27E-04
52	5	3.42E-04
53	5	3.65E-04
54	5	3.92E-04
55	5	4.22E-04
56	5	6.53E-04
57	5	3.04E-04
58	5	3.15E-04
59	5	3.26E-04
60	5	3.35E-04
61	5	3.43E-04
62	5	3.49E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
63	5	3.57E-04
64	5	3.56E-04
65	5	3.68E-04
66	5	3.84E-04
67	5	4.03E-04
68	5	4.38E-04
69	5	4.78E-04
70	5	3.29E-04
71	5	3.43E-04
72	5	3.58E-04
73	5	3.72E-04
74	5	3.84E-04
75	5	3.98E-04
76	5	4.10E-04
77	5	4.15E-04
78	5	4.29E-04
79	5	4.59E-04
80	5	4.72E-04
81	5	5.20E-04
82	5	5.55E-04
83	5	3.54E-04
84	5	3.72E-04
85	5	3.88E-04
86	5	4.10E-04
87	5	4.29E-04
88	5	4.49E-04
89	5	4.69E-04
90	5	4.90E-04
91	5	5.13E-04
92	5	5.40E-04
93	5	5.71E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
94	5	6.11E-04
95	5	6.61E-04
96	5	3.77E-04
97	5	3.95E-04
98	5	4.16E-04
99	5	4.44E-04
100	5	4.75E-04
101	5	5.02E-04
102	5	5.30E-04
103	5	5.59E-04
104	5	5.89E-04
105	5	6.21E-04
106	5	6.59E-04
107	5	7.07E-04
108	5	7.65E-04
109	5	3.93E-04
110	5	4.21E-04
111	5	4.52E-04
112	5	4.84E-04
113	5	5.19E-04
114	5	5.55E-04
115	5	5.93E-04
116	5	6.33E-04
117	5	6.76E-04
118	5	7.00E-04
119	5	7.51E-04
120	5	8.03E-04
121	5	8.64E-04
122	5	4.05E-04
123	5	4.38E-04
124	5	4.77E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
125	5	5.17E-04
126	5	5.59E-04
127	5	6.03E-04
128	5	6.35E-04
129	5	6.87E-04
130	5	7.58E-04
131	5	2.31E-03
132	5	2.39E-03
133	5	4.06E-04
134	5	4.49E-04
135	5	4.93E-04
136	5	5.40E-04
137	5	5.90E-04
138	5	6.43E-04
139	5	6.94E-04
140	5	7.78E-04
141	5	8.58E-04
142	5	9.46E-04
143	5	1.05E-03
144	5	1.17E-03
145	5	1.29E-03
146	5	3.12E-03
147	5	3.99E-04
148	5	4.43E-04
149	5	4.93E-04
150	5	5.46E-04
151	5	6.07E-04
152	5	6.70E-04
153	5	7.39E-04
154	5	8.26E-04
155	5	9.29E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
156	5	1.05E-03
157	5	1.18E-03
158	5	1.32E-03
159	5	1.54E-03
160	5	3.88E-04
161	5	4.28E-04
162	5	4.68E-04
163	5	5.30E-04
164	5	6.04E-04
165	5	6.76E-04
166	5	7.63E-04
167	5	8.66E-04
168	5	9.90E-04
169	5	1.14E-03
170	5	1.32E-03
171	5	1.53E-03
172	5	1.82E-03
173	5	2.20E-03
174	5	2.71E-03
175	5	3.40E-03
176	5	4.54E-03
177	5	5.91E-03
178	5	7.43E-03
179	5	3.61E-04
180	5	3.95E-04
181	5	4.29E-04
182	5	4.98E-04
183	5	5.87E-04
184	5	6.65E-04
185	5	7.62E-04
186	5	8.75E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
187	5	1.01E-03
188	5	1.18E-03
189	5	1.40E-03
190	5	1.67E-03
191	5	2.03E-03
192	5	2.55E-03
193	5	3.27E-03
194	5	4.41E-03
195	5	6.40E-03
196	5	9.70E-03
197	5	1.42E-02
198	5	3.37E-04
199	5	3.71E-04
200	5	4.10E-04
201	5	4.64E-04
202	5	5.51E-04
203	5	6.35E-04
204	5	7.35E-04
205	5	8.51E-04
206	5	9.93E-04
207	5	1.17E-03
208	5	1.40E-03
209	5	1.71E-03
210	5	2.13E-03
211	5	2.74E-03
212	5	3.66E-03
213	5	5.11E-03
214	5	7.52E-03
215	5	1.56E-02
216	5	3.19E-04
217	5	3.49E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
218	5	3.87E-04
219	5	4.36E-04
220	5	5.13E-04
221	5	5.89E-04
222	5	6.88E-04
223	5	8.01E-04
224	5	9.37E-04
225	5	1.10E-03
226	5	1.33E-03
227	5	1.63E-03
228	5	2.04E-03
229	5	2.66E-03
230	5	3.63E-03
231	5	5.34E-03
232	5	8.86E-03
233	5	2.22E-02
234	5	3.06E-04
235	5	3.32E-04
236	5	3.68E-04
237	5	4.16E-04
238	5	4.80E-04
239	5	5.49E-04
240	5	6.37E-04
241	5	7.42E-04
242	5	8.69E-04
243	5	1.03E-03
244	5	1.24E-03
245	5	1.52E-03
246	5	1.90E-03
247	5	2.46E-03
248	5	3.35E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
249	5	4.87E-03
250	5	8.02E-03
251	5	1.97E-02
252	5	2.94E-04
253	5	3.18E-04
254	5	3.49E-04
255	5	3.89E-04
256	5	4.55E-04
257	5	5.04E-04
258	5	5.73E-04
259	5	6.56E-04
260	5	7.76E-04
261	5	9.36E-04
262	5	1.14E-03
263	5	1.38E-03
264	5	1.73E-03
265	5	2.21E-03
266	5	2.94E-03
267	5	4.10E-03
268	5	6.21E-03
269	5	1.26E-02
270	5	2.86E-04
271	5	3.11E-04
272	5	3.41E-04
273	5	3.76E-04
274	5	4.43E-04
275	5	5.05E-04
276	5	5.39E-04
277	5	6.11E-04
278	5	7.07E-04
279	5	8.36E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
280	5	1.02E-03
281	5	1.26E-03
282	5	1.57E-03
283	5	1.98E-03
284	5	2.56E-03
285	5	3.38E-03
286	5	4.75E-03
287	5	8.47E-03
288	5	2.82E-04
289	5	3.03E-04
290	5	3.39E-04
291	5	3.76E-04
292	5	4.58E-04
293	5	4.98E-04
294	5	5.13E-04
295	5	5.82E-04
296	5	6.71E-04
297	5	7.71E-04
298	5	9.17E-04
299	5	1.14E-03
300	5	1.39E-03
301	5	1.73E-03
302	5	2.19E-03
303	5	2.81E-03
304	5	3.78E-03
305	5	6.10E-03
306	5	2.91E-04
307	5	3.06E-04
308	5	3.33E-04
309	5	3.89E-04
310	5	4.47E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
311	5	4.83E-04
312	5	4.87E-04
313	5	5.50E-04
314	5	6.30E-04
315	5	7.49E-04
316	5	8.51E-04
317	5	9.99E-04
318	5	1.20E-03
319	5	1.48E-03
320	5	1.90E-03
321	5	2.36E-03
322	5	3.06E-03
323	5	4.56E-03
324	5	2.86E-04
325	5	3.17E-04
326	5	3.42E-04
327	5	3.64E-04
328	5	4.40E-04
329	5	4.67E-04
330	5	4.73E-04
331	5	5.34E-04
332	5	6.09E-04
333	5	7.18E-04
334	5	8.25E-04
335	5	9.56E-04
336	5	2.79E-03
337	5	2.94E-03
338	5	3.25E-04
339	5	3.48E-04
340	5	3.96E-04
341	5	4.22E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
342	5	4.36E-04
343	5	4.57E-04
344	5	4.64E-04
345	5	4.67E-04
346	5	4.67E-04
347	5	3.52E-04
348	5	3.86E-04
349	5	4.52E-04
350	5	4.71E-04
351	5	4.87E-04
352	5	5.15E-04
353	5	5.22E-04
354	5	5.25E-04
355	5	5.25E-04
356	5	3.85E-04
357	5	4.14E-04
358	5	4.52E-04
359	5	5.16E-04
360	5	5.50E-04
361	5	5.84E-04
362	5	5.94E-04
363	5	5.96E-04
364	5	4.27E-04
365	5	4.53E-04
366	5	5.00E-04
367	5	5.83E-04
368	5	6.26E-04
369	5	6.71E-04
370	5	6.90E-04
371	5	6.88E-04
372	5	4.84E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
373	5	5.12E-04
374	5	5.70E-04
375	5	6.68E-04
376	5	7.22E-04
377	5	7.56E-04
378	5	7.81E-04
379	5	8.04E-04
380	5	8.04E-04
381	5	7.96E-04
382	5	5.65E-04
383	5	6.14E-04
384	5	6.64E-04
385	5	7.95E-04
386	5	8.44E-04
387	5	8.89E-04
388	5	9.22E-04
389	5	9.51E-04
390	5	9.48E-04
391	5	9.37E-04
392	5	9.05E-04
393	5	6.74E-04
394	5	8.03E-04
395	5	8.95E-04
396	5	9.62E-04
397	5	1.03E-03
398	5	1.06E-03
399	5	1.08E-03
400	5	1.15E-03
401	5	1.14E-03
402	5	1.07E-03
403	5	1.40E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
404	5	1.31E-03
405	5	1.23E-03
406	5	1.77E-03
407	5	1.49E-03
408	5	2.31E-03
409	5	1.82E-03
410	5	3.17E-03
411	5	2.58E-03
412	5	2.29E-03
413	5	4.63E-03
414	5	3.84E-03
415	5	3.30E-03
416	5	2.78E-03
417	5	7.38E-03
418	5	4.17E-03
419	5	3.29E-03
420	5	2.59E-03
421	5	1.33E-02
422	5	3.67E-03
423	5	2.76E-03
424	5	2.67E-02
425	5	2.77E-03
426	5	2.10E-03
427	5	4.70E-02
428	5	2.64E-03
429	5	2.00E-03
430	5	4.36E-02
431	5	1.87E-03
432	5	1.47E-03
433	5	2.71E-02
434	5	1.73E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
435	5	1.38E-03
436	5	1.67E-02
437	5	2.02E-03
438	5	1.59E-03
439	5	1.29E-03
440	5	1.08E-02
441	5	3.25E-03
442	5	2.38E-03
443	5	1.83E-03
444	5	1.46E-03
445	5	7.35E-03
446	5	4.03E-03
447	5	2.87E-03
448	5	2.13E-03
449	5	5.26E-03
450	5	4.41E-03
451	5	3.38E-03
452	5	3.93E-03
453	5	3.48E-03
454	5	9.43E-04
455	5	8.12E-04
456	5	3.04E-03
457	5	2.79E-03
458	5	2.37E-03
459	5	1.26E-03
460	5	1.04E-03
461	5	8.82E-04
462	5	7.58E-04
463	5	3.23E-03
464	5	3.47E-03
465	5	4.92E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
466	5	6.00E-03
467	5	8.34E-03
468	5	1.73E-02
469	5	5.81E-02
470	5	4.21E-02
471	5	7.14E-02
472	5	5.77E-02
473	5	6.13E-02
474	5	2.70E-02
475	5	4.57E-02
476	5	1.45E-02
477	5	2.02E-02
478	5	8.87E-03
479	5	1.13E-02
480	5	1.12E-02
481	5	5.97E-03
482	5	7.33E-03
483	5	4.97E-03
484	5	5.15E-03

Air Quality Appendix
AQ-7 Health Risk Analysis
A Unmitigated
4 Existing Onsite PA2

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	
1181	88.8	0.59	88.44	0.00	0.00	
		1213	1181	892	892	Receptor
892	2.098E+01	3.51E-01	20.63	0.00	0.00	
893	2.015E+01	3.56E-01	19.80	0.00	0.00	
894	1.930E+01	3.60E-01	18.94	0.00	0.00	
895	1.845E+01	3.64E-01	18.08	0.00	0.00	
896	1.760E+01	3.69E-01	17.23	0.00	0.00	
897	1.677E+01	3.73E-01	16.40	0.00	0.00	
898	1.596E+01	3.76E-01	15.58	0.00	0.00	
899	1.519E+01	3.80E-01	14.81	0.00	0.00	
900	1.445E+01	3.83E-01	14.07	0.00	0.00	
901	1.375E+01	3.86E-01	13.36	0.00	0.00	
902	1.306E+01	3.89E-01	12.67	0.00	0.00	
903	1.239E+01	3.92E-01	12.00	0.00	0.00	
904	1.176E+01	3.94E-01	11.37	0.00	0.00	
905	1.117E+01	3.96E-01	10.78	0.00	0.00	
906	1.061E+01	3.98E-01	10.21	0.00	0.00	
907	1.011E+01	3.99E-01	9.71	0.00	0.00	
908	3.119E+01	2.46E-01	30.95	0.00	0.00	
909	3.131E+01	2.50E-01	31.06	0.00	0.00	
910	3.136E+01	2.55E-01	31.11	0.00	0.00	
911	3.137E+01	2.60E-01	31.11	0.00	0.00	
912	3.132E+01	2.70E-01	31.05	0.00	0.00	
913	3.121E+01	2.75E-01	30.93	0.00	0.00	
914	3.104E+01	2.86E-01	30.75	0.00	0.00	
915	3.081E+01	2.98E-01	30.51	0.00	0.00	
916	3.051E+01	3.03E-01	30.20	0.00	0.00	
917	3.014E+01	3.07E-01	29.83	0.00	0.00	
918	2.970E+01	3.13E-01	29.39	0.00	0.00	
919	2.920E+01	3.24E-01	28.87	0.00	0.00	
920	2.862E+01	3.29E-01	28.29	0.00	0.00	

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
921	2.797E+01	3.34E-01	27.64	0.00	0.00
922	2.725E+01	3.39E-01	26.91	0.00	0.00
923	2.645E+01	3.44E-01	26.11	0.00	0.00
924	2.560E+01	3.49E-01	25.25	0.00	0.00
925	2.470E+01	3.54E-01	24.35	0.00	0.00
926	2.376E+01	3.59E-01	23.40	0.00	0.00
927	2.279E+01	3.64E-01	22.43	0.00	0.00
928	2.180E+01	3.69E-01	21.43	0.00	0.00
929	2.079E+01	3.73E-01	20.42	0.00	0.00
930	1.978E+01	3.78E-01	19.41	0.00	0.00
931	1.879E+01	3.83E-01	18.41	0.00	0.00
932	1.783E+01	3.87E-01	17.45	0.00	0.00
933	1.690E+01	3.91E-01	16.51	0.00	0.00
934	1.602E+01	3.95E-01	15.62	0.00	0.00
935	1.517E+01	3.98E-01	14.77	0.00	0.00
936	1.437E+01	4.02E-01	13.97	0.00	0.00
937	1.359E+01	4.05E-01	13.19	0.00	0.00
938	1.286E+01	4.08E-01	12.45	0.00	0.00
939	1.217E+01	4.10E-01	11.76	0.00	0.00
940	1.153E+01	4.12E-01	11.11	0.00	0.00
941	1.092E+01	4.14E-01	10.51	0.00	0.00
942	3.498E+01	2.53E-01	34.73	0.00	0.00
943	3.510E+01	2.58E-01	34.84	0.00	0.00
944	3.516E+01	2.63E-01	34.89	0.00	0.00
945	3.516E+01	2.67E-01	34.89	0.00	0.00
946	3.510E+01	2.79E-01	34.82	0.00	0.00
947	3.496E+01	2.84E-01	34.67	0.00	0.00
948	3.475E+01	2.95E-01	34.46	0.00	0.00
949	3.447E+01	3.07E-01	34.16	0.00	0.00
950	3.411E+01	3.12E-01	33.80	0.00	0.00
951	3.369E+01	3.18E-01	33.38	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
952	3.319E+01	3.23E-01	32.86	0.00	0.00
953	3.260E+01	3.28E-01	32.27	0.00	0.00
954	3.193E+01	3.40E-01	31.59	0.00	0.00
955	3.116E+01	3.46E-01	30.82	0.00	0.00
956	3.028E+01	3.51E-01	29.93	0.00	0.00
957	2.931E+01	3.56E-01	28.96	0.00	0.00
958	2.828E+01	3.62E-01	27.92	0.00	0.00
959	2.721E+01	3.67E-01	26.84	0.00	0.00
960	2.607E+01	3.72E-01	25.70	0.00	0.00
961	2.490E+01	3.77E-01	24.52	0.00	0.00
962	2.370E+01	3.83E-01	23.31	0.00	0.00
963	2.249E+01	3.88E-01	22.10	0.00	0.00
964	2.129E+01	3.92E-01	20.89	0.00	0.00
965	2.011E+01	3.97E-01	19.71	0.00	0.00
966	1.898E+01	4.02E-01	18.58	0.00	0.00
967	1.791E+01	4.06E-01	17.50	0.00	0.00
968	1.688E+01	4.10E-01	16.47	0.00	0.00
969	1.591E+01	4.14E-01	15.50	0.00	0.00
970	1.499E+01	4.18E-01	14.58	0.00	0.00
971	1.414E+01	4.21E-01	13.71	0.00	0.00
972	1.333E+01	4.24E-01	12.91	0.00	0.00
973	1.258E+01	4.27E-01	12.16	0.00	0.00
974	1.189E+01	4.29E-01	11.46	0.00	0.00
975	1.124E+01	4.31E-01	10.81	0.00	0.00
976	3.952E+01	2.61E-01	39.26	0.00	0.00
977	3.964E+01	2.66E-01	39.38	0.00	0.00
978	3.970E+01	2.71E-01	39.43	0.00	0.00
979	3.970E+01	2.76E-01	39.42	0.00	0.00
980	3.961E+01	2.81E-01	39.33	0.00	0.00
981	3.946E+01	2.93E-01	39.17	0.00	0.00
982	3.921E+01	3.05E-01	38.91	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
983	3.887E+01	3.17E-01	38.56	0.00	0.00
984	3.845E+01	3.23E-01	38.13	0.00	0.00
985	3.797E+01	3.28E-01	37.65	0.00	0.00
986	3.739E+01	3.33E-01	37.06	0.00	0.00
987	3.671E+01	3.39E-01	36.37	0.00	0.00
988	3.591E+01	3.45E-01	35.57	0.00	0.00
989	3.501E+01	3.57E-01	34.66	0.00	0.00
990	3.395E+01	3.63E-01	33.58	0.00	0.00
991	3.275E+01	3.69E-01	32.38	0.00	0.00
992	3.149E+01	3.75E-01	31.12	0.00	0.00
993	3.018E+01	3.81E-01	29.80	0.00	0.00
994	2.880E+01	3.86E-01	28.41	0.00	0.00
995	2.735E+01	3.92E-01	26.96	0.00	0.00
996	2.588E+01	3.97E-01	25.48	0.00	0.00
997	2.441E+01	4.02E-01	24.00	0.00	0.00
998	2.296E+01	4.08E-01	22.55	0.00	0.00
999	2.155E+01	4.13E-01	21.14	0.00	0.00
1000	2.023E+01	4.18E-01	19.81	0.00	0.00
1001	1.897E+01	4.22E-01	18.55	0.00	0.00
1002	1.779E+01	4.27E-01	17.36	0.00	0.00
1003	1.667E+01	4.31E-01	16.24	0.00	0.00
1004	1.563E+01	4.35E-01	15.19	0.00	0.00
1005	1.467E+01	4.39E-01	14.23	0.00	0.00
1006	1.380E+01	4.42E-01	13.36	0.00	0.00
1007	1.299E+01	4.45E-01	12.54	0.00	0.00
1008	1.224E+01	4.47E-01	11.79	0.00	0.00
1009	1.154E+01	4.50E-01	11.09	0.00	0.00
1010	4.503E+01	2.69E-01	44.76	0.00	0.00
1011	4.517E+01	2.74E-01	44.90	0.00	0.00
1012	4.524E+01	2.79E-01	44.96	0.00	0.00
1013	4.522E+01	2.84E-01	44.94	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1014	4.514E+01	2.90E-01	44.85	0.00	0.00
1015	4.496E+01	3.02E-01	44.66	0.00	0.00
1016	4.466E+01	3.15E-01	44.35	0.00	0.00
1017	4.426E+01	3.27E-01	43.93	0.00	0.00
1018	4.377E+01	3.33E-01	43.44	0.00	0.00
1019	4.323E+01	3.39E-01	42.89	0.00	0.00
1020	4.256E+01	3.45E-01	42.21	0.00	0.00
1021	4.176E+01	3.51E-01	41.41	0.00	0.00
1022	4.082E+01	3.56E-01	40.47	0.00	0.00
1023	3.974E+01	3.70E-01	39.37	0.00	0.00
1024	3.844E+01	3.76E-01	38.06	0.00	0.00
1025	3.697E+01	3.83E-01	36.58	0.00	0.00
1026	3.541E+01	3.89E-01	35.02	0.00	0.00
1027	3.378E+01	3.95E-01	33.38	0.00	0.00
1028	3.205E+01	4.01E-01	31.65	0.00	0.00
1029	3.024E+01	4.07E-01	29.83	0.00	0.00
1030	2.841E+01	4.13E-01	27.99	0.00	0.00
1031	2.659E+01	4.18E-01	26.17	0.00	0.00
1032	2.482E+01	4.24E-01	24.39	0.00	0.00
1033	2.313E+01	4.29E-01	22.70	0.00	0.00
1034	2.156E+01	4.35E-01	21.12	0.00	0.00
1035	2.009E+01	4.40E-01	19.65	0.00	0.00
1036	1.872E+01	4.45E-01	18.27	0.00	0.00
1037	1.743E+01	4.49E-01	16.99	0.00	0.00
1038	1.626E+01	4.54E-01	15.80	0.00	0.00
1039	1.520E+01	4.57E-01	14.74	0.00	0.00
1040	1.424E+01	4.61E-01	13.78	0.00	0.00
1041	1.336E+01	4.64E-01	12.90	0.00	0.00
1042	1.255E+01	4.67E-01	12.08	0.00	0.00
1043	1.181E+01	4.69E-01	11.34	0.00	0.00
1044	5.187E+01	2.77E-01	51.60	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1045	5.203E+01	2.82E-01	51.75	0.00	0.00
1046	5.211E+01	2.88E-01	51.82	0.00	0.00
1047	5.210E+01	2.93E-01	51.81	0.00	0.00
1048	5.202E+01	2.99E-01	51.72	0.00	0.00
1049	5.182E+01	3.12E-01	51.51	0.00	0.00
1050	5.147E+01	3.18E-01	51.15	0.00	0.00
1051	5.101E+01	3.38E-01	50.67	0.00	0.00
1052	5.045E+01	3.45E-01	50.11	0.00	0.00
1053	4.982E+01	3.51E-01	49.47	0.00	0.00
1054	4.904E+01	3.57E-01	48.68	0.00	0.00
1055	4.809E+01	3.63E-01	47.73	0.00	0.00
1056	4.697E+01	3.69E-01	46.60	0.00	0.00
1057	4.566E+01	3.83E-01	45.28	0.00	0.00
1058	4.408E+01	3.90E-01	43.69	0.00	0.00
1059	4.227E+01	3.97E-01	41.87	0.00	0.00
1060	4.031E+01	4.04E-01	39.91	0.00	0.00
1061	3.823E+01	4.10E-01	37.82	0.00	0.00
1062	3.601E+01	4.16E-01	35.59	0.00	0.00
1063	3.369E+01	4.23E-01	33.27	0.00	0.00
1064	3.136E+01	4.29E-01	30.93	0.00	0.00
1065	2.908E+01	4.35E-01	28.65	0.00	0.00
1066	2.689E+01	4.41E-01	26.45	0.00	0.00
1067	2.485E+01	4.47E-01	24.40	0.00	0.00
1068	2.297E+01	4.53E-01	22.51	0.00	0.00
1069	2.124E+01	4.58E-01	20.78	0.00	0.00
1070	1.966E+01	4.64E-01	19.19	0.00	0.00
1071	1.820E+01	4.69E-01	17.73	0.00	0.00
1072	1.687E+01	4.73E-01	16.40	0.00	0.00
1073	1.570E+01	4.77E-01	15.22	0.00	0.00
1074	1.465E+01	4.81E-01	14.17	0.00	0.00
1075	1.369E+01	4.84E-01	13.21	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1076	1.282E+01	4.87E-01	12.33	0.00	0.00
1077	1.203E+01	4.90E-01	11.54	0.00	0.00
1078	6.055E+01	2.86E-01	60.26	0.00	0.00
1079	6.074E+01	2.91E-01	60.45	0.00	0.00
1080	6.083E+01	2.97E-01	60.53	0.00	0.00
1081	6.084E+01	3.03E-01	60.54	0.00	0.00
1082	6.078E+01	3.09E-01	60.47	0.00	0.00
1083	6.058E+01	3.22E-01	60.26	0.00	0.00
1084	6.019E+01	3.29E-01	59.86	0.00	0.00
1085	5.965E+01	3.50E-01	59.30	0.00	0.00
1086	5.901E+01	3.56E-01	58.65	0.00	0.00
1087	5.829E+01	3.63E-01	57.93	0.00	0.00
1088	5.739E+01	3.70E-01	57.02	0.00	0.00
1089	5.627E+01	3.76E-01	55.90	0.00	0.00
1090	5.495E+01	3.91E-01	54.56	0.00	0.00
1091	5.334E+01	3.98E-01	52.94	0.00	0.00
1092	5.139E+01	4.05E-01	50.98	0.00	0.00
1093	4.914E+01	4.12E-01	48.73	0.00	0.00
1094	4.666E+01	4.19E-01	46.24	0.00	0.00
1095	4.394E+01	4.26E-01	43.51	0.00	0.00
1096	4.098E+01	4.33E-01	40.54	0.00	0.00
1097	3.790E+01	4.40E-01	37.47	0.00	0.00
1098	3.486E+01	4.46E-01	34.41	0.00	0.00
1099	3.193E+01	4.53E-01	31.48	0.00	0.00
1100	2.920E+01	4.60E-01	28.74	0.00	0.00
1101	2.670E+01	4.66E-01	26.24	0.00	0.00
1102	2.444E+01	4.72E-01	23.97	0.00	0.00
1103	2.241E+01	4.78E-01	21.94	0.00	0.00
1104	2.059E+01	4.84E-01	20.11	0.00	0.00
1105	1.894E+01	4.89E-01	18.45	0.00	0.00
1106	1.746E+01	4.94E-01	16.97	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1107	1.617E+01	4.99E-01	15.67	0.00	0.00
1108	1.502E+01	5.03E-01	14.52	0.00	0.00
1109	1.399E+01	5.06E-01	13.49	0.00	0.00
1110	1.306E+01	5.10E-01	12.55	0.00	0.00
1111	1.222E+01	5.12E-01	11.71	0.00	0.00
1112	7.186E+01	2.95E-01	71.57	0.00	0.00
1113	7.209E+01	3.01E-01	71.79	0.00	0.00
1114	7.221E+01	3.07E-01	71.90	0.00	0.00
1115	7.229E+01	3.13E-01	71.98	0.00	0.00
1116	7.229E+01	3.19E-01	71.98	0.00	0.00
1117	7.210E+01	3.25E-01	71.78	0.00	0.00
1118	7.165E+01	3.40E-01	71.31	0.00	0.00
1119	7.107E+01	3.62E-01	70.70	0.00	0.00
1120	7.037E+01	3.69E-01	70.00	0.00	0.00
1121	6.955E+01	3.76E-01	69.17	0.00	0.00
1122	6.848E+01	3.83E-01	68.09	0.00	0.00
1123	6.721E+01	3.90E-01	66.82	0.00	0.00
1124	6.567E+01	4.05E-01	65.26	0.00	0.00
1125	6.366E+01	4.13E-01	63.25	0.00	0.00
1126	6.120E+01	4.20E-01	60.78	0.00	0.00
1127	5.842E+01	4.28E-01	57.99	0.00	0.00
1128	5.525E+01	4.36E-01	54.81	0.00	0.00
1129	5.157E+01	4.43E-01	51.13	0.00	0.00
1130	4.742E+01	4.51E-01	46.97	0.00	0.00
1131	4.314E+01	4.58E-01	42.68	0.00	0.00
1132	3.901E+01	4.65E-01	38.54	0.00	0.00
1133	3.517E+01	4.72E-01	34.70	0.00	0.00
1134	3.172E+01	4.79E-01	31.24	0.00	0.00
1135	2.865E+01	4.86E-01	28.17	0.00	0.00
1136	2.595E+01	4.93E-01	25.46	0.00	0.00
1137	2.358E+01	4.99E-01	23.08	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1138	2.149E+01	5.05E-01	20.98	0.00	0.00
1139	1.964E+01	5.11E-01	19.12	0.00	0.00
1140	1.801E+01	5.17E-01	17.49	0.00	0.00
1141	1.659E+01	5.22E-01	16.07	0.00	0.00
1142	1.535E+01	5.26E-01	14.83	0.00	0.00
1143	1.425E+01	5.30E-01	13.72	0.00	0.00
1144	1.326E+01	5.33E-01	12.73	0.00	0.00
1145	1.237E+01	5.36E-01	11.84	0.00	0.00
1146	7.432E+01	3.05E-01	74.02	0.00	0.00
1147	7.473E+01	3.11E-01	74.42	0.00	0.00
1148	8.751E+01	3.17E-01	87.19	0.00	0.00
1149	7.566E+01	3.23E-01	75.34	0.00	0.00
1150	7.455E+01	3.30E-01	74.22	0.00	0.00
1151	7.449E+01	3.36E-01	74.16	0.00	0.00
1152	7.539E+01	3.51E-01	75.04	0.00	0.00
1153	7.419E+01	3.66E-01	73.82	0.00	0.00
1154	7.226E+01	3.82E-01	71.88	0.00	0.00
1155	7.142E+01	3.89E-01	71.03	0.00	0.00
1156	7.154E+01	3.97E-01	71.14	0.00	0.00
1157	6.929E+01	4.04E-01	68.88	0.00	0.00
1158	6.601E+01	4.20E-01	65.59	0.00	0.00
1159	6.360E+01	4.28E-01	63.17	0.00	0.00
1160	5.120E+01	4.37E-01	50.76	0.00	0.00
1161	5.787E+01	4.45E-01	57.43	0.00	0.00
1162	5.236E+01	4.53E-01	51.91	0.00	0.00
1163	4.744E+01	4.61E-01	46.98	0.00	0.00
1164	4.302E+01	4.69E-01	42.55	0.00	0.00
1165	4.974E+01	4.77E-01	49.27	0.00	0.00
1166	4.392E+01	4.85E-01	43.44	0.00	0.00
1167	3.880E+01	4.93E-01	38.31	0.00	0.00
1168	3.439E+01	5.00E-01	33.89	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1169	3.064E+01	5.08E-01	30.13	0.00	0.00
1170	2.743E+01	5.15E-01	26.91	0.00	0.00
1171	2.468E+01	5.22E-01	24.16	0.00	0.00
1172	2.232E+01	5.29E-01	21.79	0.00	0.00
1173	2.027E+01	5.35E-01	19.73	0.00	0.00
1174	1.849E+01	5.41E-01	17.95	0.00	0.00
1175	1.696E+01	5.46E-01	16.41	0.00	0.00
1176	1.562E+01	5.51E-01	15.07	0.00	0.00
1177	1.445E+01	5.55E-01	13.89	0.00	0.00
1178	1.341E+01	5.59E-01	12.85	0.00	0.00
1179	1.248E+01	5.62E-01	11.92	0.00	0.00
1180	8.793E+01	3.15E-01	87.61	0.00	0.00
1181	8.876E+01	3.21E-01	88.44	0.00	0.00
1182	7.738E+01	3.27E-01	77.06	0.00	0.00
1183	7.742E+01	3.34E-01	77.09	0.00	0.00
1184	8.837E+01	3.41E-01	88.03	0.00	0.00
1185	8.868E+01	3.48E-01	88.33	0.00	0.00
1186	7.637E+01	3.63E-01	76.01	0.00	0.00
1187	7.567E+01	3.71E-01	75.29	0.00	0.00
1188	8.600E+01	3.95E-01	85.61	0.00	0.00
1189	7.448E+01	4.03E-01	74.07	0.00	0.00
1190	7.168E+01	4.11E-01	71.27	0.00	0.00
1191	6.955E+01	4.20E-01	69.13	0.00	0.00
1192	7.836E+01	4.37E-01	77.93	0.00	0.00
1193	6.446E+01	4.45E-01	64.01	0.00	0.00
1194	5.922E+01	4.54E-01	58.76	0.00	0.00
1195	5.458E+01	4.63E-01	54.12	0.00	0.00
1196	6.083E+01	4.72E-01	60.36	0.00	0.00
1197	5.431E+01	4.80E-01	53.83	0.00	0.00
1198	4.863E+01	4.89E-01	48.14	0.00	0.00
1199	4.356E+01	4.98E-01	43.07	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1200	4.961E+01	5.06E-01	49.10	0.00	0.00
1201	4.275E+01	5.15E-01	42.24	0.00	0.00
1202	3.716E+01	5.23E-01	36.64	0.00	0.00
1203	3.260E+01	5.31E-01	32.07	0.00	0.00
1204	2.883E+01	5.39E-01	28.29	0.00	0.00
1205	2.569E+01	5.47E-01	25.15	0.00	0.00
1206	2.305E+01	5.54E-01	22.50	0.00	0.00
1207	2.081E+01	5.61E-01	20.25	0.00	0.00
1208	1.889E+01	5.67E-01	18.32	0.00	0.00
1209	1.725E+01	5.73E-01	16.67	0.00	0.00
1210	1.583E+01	5.78E-01	15.25	0.00	0.00
1211	1.459E+01	5.82E-01	14.01	0.00	0.00
1212	1.350E+01	5.86E-01	12.92	0.00	0.00
1213	1.254E+01	5.90E-01	11.95	0.00	0.00
0	0.000E+00	0.00E+00	0.00	0.00	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1181	1181	0.358	0.008	0.228	0.000	0.000	0.000	0.000	0.000
		Receptor	1213	1181	892	892	892	892	892
892	**892**	8.36E-02	4.75E-03	5.35E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
893	**893**	8.02E-02	4.81E-03	5.14E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
894	**894**	7.68E-02	4.87E-03	4.92E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
895	**895**	7.33E-02	4.92E-03	4.70E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
896	**896**	6.98E-02	4.98E-03	4.48E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
897	**897**	6.65E-02	5.04E-03	4.26E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
898	**898**	6.32E-02	5.09E-03	4.05E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
899	**899**	6.00E-02	5.14E-03	3.85E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
900	**900**	5.71E-02	5.18E-03	3.66E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
901	**901**	5.42E-02	5.22E-03	3.48E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
902	**902**	5.14E-02	5.26E-03	3.30E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
903	**903**	4.87E-02	5.30E-03	3.13E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
904	**904**	4.61E-02	5.33E-03	2.97E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
905	**905**	4.37E-02	5.35E-03	2.82E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
906	**906**	4.15E-02	5.38E-03	2.67E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
907	**907**	3.94E-02	5.40E-03	2.54E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
908	**908**	1.25E-01	3.32E-03	8.00E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
909	**909**	1.26E-01	3.38E-03	8.03E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
910	**910**	1.26E-01	3.44E-03	8.04E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
911	**911**	1.26E-01	3.51E-03	8.04E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
912	**912**	1.26E-01	3.65E-03	8.03E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
913	**913**	1.25E-01	3.72E-03	8.00E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
914	**914**	1.25E-01	3.87E-03	7.95E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
915	**915**	1.24E-01	4.02E-03	7.89E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
916	**916**	1.22E-01	4.09E-03	7.81E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
917	**917**	1.21E-01	4.16E-03	7.72E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
918	**918**	1.19E-01	4.22E-03	7.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
919	**919**	1.17E-01	4.38E-03	7.47E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
920	**920**	1.15E-01	4.45E-03	7.32E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
921	**921**	1.12E-01	4.52E-03	7.16E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
922	**922**	1.09E-01	4.59E-03	6.97E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
923	**923**	1.06E-01	4.65E-03	6.76E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
924	**924**	1.02E-01	4.72E-03	6.54E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
925	**925**	9.87E-02	4.79E-03	6.31E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
926	**926**	9.48E-02	4.85E-03	6.07E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
927	**927**	9.09E-02	4.92E-03	5.82E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
928	**928**	8.68E-02	4.98E-03	5.56E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
929	**929**	8.28E-02	5.05E-03	5.30E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
930	**930**	7.87E-02	5.11E-03	5.04E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
931	**931**	7.46E-02	5.17E-03	4.78E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
932	**932**	7.07E-02	5.23E-03	4.53E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
933	**933**	6.69E-02	5.28E-03	4.29E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
934	**934**	6.33E-02	5.33E-03	4.07E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
935	**935**	5.99E-02	5.38E-03	3.85E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
936	**936**	5.66E-02	5.43E-03	3.64E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
937	**937**	5.35E-02	5.47E-03	3.44E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
938	**938**	5.05E-02	5.51E-03	3.25E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
939	**939**	4.77E-02	5.54E-03	3.07E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
940	**940**	4.51E-02	5.57E-03	2.91E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
941	**941**	4.27E-02	5.59E-03	2.75E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
942	**942**	1.41E-01	3.42E-03	8.97E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
943	**943**	1.41E-01	3.48E-03	9.00E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
944	**944**	1.41E-01	3.55E-03	9.02E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
945	**945**	1.41E-01	3.61E-03	9.02E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
946	**946**	1.41E-01	3.76E-03	9.00E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
947	**947**	1.40E-01	3.83E-03	8.96E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
948	**948**	1.40E-01	3.99E-03	8.91E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
949	**949**	1.38E-01	4.15E-03	8.83E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
950	**950**	1.37E-01	4.22E-03	8.74E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
951	**951**	1.35E-01	4.29E-03	8.63E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
952	**952**	1.33E-01	4.36E-03	8.50E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
953	**953**	1.31E-01	4.43E-03	8.35E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
954	**954**	1.28E-01	4.60E-03	8.17E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
955	**955**	1.25E-01	4.67E-03	7.98E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
956	**956**	1.21E-01	4.74E-03	7.75E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
957	**957**	1.17E-01	4.82E-03	7.50E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
958	**958**	1.13E-01	4.89E-03	7.23E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
959	**959**	1.09E-01	4.96E-03	6.95E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
960	**960**	1.04E-01	5.03E-03	6.66E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
961	**961**	9.93E-02	5.10E-03	6.36E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
962	**962**	9.45E-02	5.17E-03	6.05E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
963	**963**	8.96E-02	5.24E-03	5.73E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
964	**964**	8.47E-02	5.30E-03	5.42E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
965	**965**	7.99E-02	5.37E-03	5.12E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
966	**966**	7.53E-02	5.43E-03	4.83E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
967	**967**	7.10E-02	5.49E-03	4.55E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
968	**968**	6.68E-02	5.55E-03	4.29E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
969	**969**	6.28E-02	5.60E-03	4.03E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
970	**970**	5.91E-02	5.65E-03	3.80E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
971	**971**	5.56E-02	5.69E-03	3.58E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
972	**972**	5.24E-02	5.73E-03	3.37E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
973	**973**	4.93E-02	5.77E-03	3.18E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
974	**974**	4.65E-02	5.80E-03	3.00E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
975	**975**	4.39E-02	5.83E-03	2.83E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
976	**976**	1.59E-01	3.52E-03	1.01E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
977	**977**	1.59E-01	3.59E-03	1.02E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
978	**978**	1.60E-01	3.66E-03	1.02E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
979	**979**	1.60E-01	3.73E-03	1.02E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
980	**980**	1.59E-01	3.80E-03	1.02E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
981	**981**	1.59E-01	3.95E-03	1.01E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
982	**982**	1.58E-01	4.12E-03	1.01E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
983	**983**	1.56E-01	4.28E-03	9.97E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
984	**984**	1.54E-01	4.36E-03	9.86E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
985	**985**	1.52E-01	4.43E-03	9.73E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
986	**986**	1.50E-01	4.51E-03	9.58E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
987	**987**	1.47E-01	4.58E-03	9.41E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
988	**988**	1.44E-01	4.66E-03	9.20E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
989	**989**	1.40E-01	4.83E-03	8.97E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
990	**990**	1.36E-01	4.91E-03	8.69E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
991	**991**	1.31E-01	4.99E-03	8.38E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
992	**992**	1.26E-01	5.07E-03	8.06E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
993	**993**	1.21E-01	5.14E-03	7.72E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
994	**994**	1.15E-01	5.22E-03	7.36E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
995	**995**	1.09E-01	5.29E-03	6.99E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
996	**996**	1.03E-01	5.37E-03	6.61E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
997	**997**	9.73E-02	5.44E-03	6.23E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
998	**998**	9.14E-02	5.51E-03	5.85E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
999	**999**	8.57E-02	5.58E-03	5.49E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1000	**1000**	8.03E-02	5.64E-03	5.15E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1001	**1001**	7.52E-02	5.71E-03	4.82E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1002	**1002**	7.04E-02	5.77E-03	4.52E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1003	**1003**	6.58E-02	5.83E-03	4.23E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1004	**1004**	6.16E-02	5.88E-03	3.96E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1005	**1005**	5.77E-02	5.93E-03	3.71E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1006	**1006**	5.42E-02	5.97E-03	3.49E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1007	**1007**	5.09E-02	6.01E-03	3.28E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1008	**1008**	4.78E-02	6.05E-03	3.08E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1009	**1009**	4.50E-02	6.08E-03	2.90E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1010	**1010**	1.81E-01	3.63E-03	1.16E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1011	**1011**	1.82E-01	3.70E-03	1.16E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1012	**1012**	1.82E-01	3.77E-03	1.16E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1013	**1013**	1.82E-01	3.84E-03	1.16E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1014	**1014**	1.82E-01	3.92E-03	1.16E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1015	**1015**	1.81E-01	4.08E-03	1.15E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1016	**1016**	1.80E-01	4.25E-03	1.15E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1017	**1017**	1.78E-01	4.43E-03	1.14E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1018	**1018**	1.76E-01	4.51E-03	1.12E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1019	**1019**	1.74E-01	4.58E-03	1.11E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1020	**1020**	1.71E-01	4.66E-03	1.09E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1021	**1021**	1.68E-01	4.74E-03	1.07E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1022	**1022**	1.64E-01	4.82E-03	1.05E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1023	**1023**	1.59E-01	5.00E-03	1.02E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1024	**1024**	1.54E-01	5.09E-03	9.85E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1025	**1025**	1.48E-01	5.17E-03	9.47E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1026	**1026**	1.42E-01	5.26E-03	9.06E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1027	**1027**	1.35E-01	5.34E-03	8.64E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1028	**1028**	1.28E-01	5.42E-03	8.20E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1029	**1029**	1.21E-01	5.50E-03	7.73E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1030	**1030**	1.13E-01	5.57E-03	7.26E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1031	**1031**	1.06E-01	5.65E-03	6.79E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1032	**1032**	9.88E-02	5.73E-03	6.33E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1033	**1033**	9.20E-02	5.80E-03	5.89E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1034	**1034**	8.56E-02	5.87E-03	5.49E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1035	**1035**	7.96E-02	5.94E-03	5.11E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1036	**1036**	7.41E-02	6.01E-03	4.75E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1037	**1037**	6.89E-02	6.07E-03	4.42E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1038	**1038**	6.41E-02	6.13E-03	4.12E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1039	**1039**	5.98E-02	6.18E-03	3.84E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1040	**1040**	5.59E-02	6.23E-03	3.60E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1041	**1041**	5.23E-02	6.27E-03	3.37E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1042	**1042**	4.90E-02	6.31E-03	3.16E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1043	**1043**	4.60E-02	6.34E-03	2.97E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1044	**1044**	2.09E-01	3.74E-03	1.33E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1045	**1045**	2.10E-01	3.81E-03	1.34E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1046	**1046**	2.10E-01	3.89E-03	1.34E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1047	**1047**	2.10E-01	3.96E-03	1.34E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1048	**1048**	2.09E-01	4.04E-03	1.34E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1049	**1049**	2.09E-01	4.21E-03	1.33E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1050	**1050**	2.07E-01	4.30E-03	1.32E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1051	**1051**	2.05E-01	4.57E-03	1.31E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1052	**1052**	2.03E-01	4.66E-03	1.29E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1053	**1053**	2.00E-01	4.74E-03	1.28E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1054	**1054**	1.97E-01	4.82E-03	1.26E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1055	**1055**	1.93E-01	4.91E-03	1.23E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1056	**1056**	1.89E-01	4.99E-03	1.20E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1057	**1057**	1.83E-01	5.18E-03	1.17E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1058	**1058**	1.77E-01	5.27E-03	1.13E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1059	**1059**	1.70E-01	5.36E-03	1.08E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1060	**1060**	1.62E-01	5.45E-03	1.03E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1061	**1061**	1.53E-01	5.54E-03	9.79E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1062	**1062**	1.44E-01	5.63E-03	9.21E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1063	**1063**	1.35E-01	5.71E-03	8.62E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1064	**1064**	1.25E-01	5.80E-03	8.01E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1065	**1065**	1.16E-01	5.88E-03	7.43E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1066	**1066**	1.07E-01	5.96E-03	6.86E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1067	**1067**	9.89E-02	6.04E-03	6.33E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1068	**1068**	9.12E-02	6.12E-03	5.85E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1069	**1069**	8.42E-02	6.19E-03	5.40E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1070	**1070**	7.78E-02	6.26E-03	4.99E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1071	**1071**	7.19E-02	6.33E-03	4.62E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1072	**1072**	6.65E-02	6.40E-03	4.27E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1073	**1073**	6.18E-02	6.45E-03	3.97E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1074	**1074**	5.75E-02	6.50E-03	3.70E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1075	**1075**	5.36E-02	6.55E-03	3.45E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1076	**1076**	5.01E-02	6.59E-03	3.23E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1077	**1077**	4.68E-02	6.62E-03	3.02E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1078	**1078**	2.44E-01	3.86E-03	1.56E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1079	**1079**	2.45E-01	3.94E-03	1.56E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1080	**1080**	2.45E-01	4.01E-03	1.56E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1081	**1081**	2.45E-01	4.09E-03	1.56E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1082	**1082**	2.45E-01	4.17E-03	1.56E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1083	**1083**	2.44E-01	4.35E-03	1.56E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1084	**1084**	2.42E-01	4.44E-03	1.55E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1085	**1085**	2.40E-01	4.73E-03	1.53E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1086	**1086**	2.37E-01	4.82E-03	1.52E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1087	**1087**	2.35E-01	4.91E-03	1.50E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1088	**1088**	2.31E-01	4.99E-03	1.47E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1089	**1089**	2.26E-01	5.08E-03	1.44E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1090	**1090**	2.21E-01	5.28E-03	1.41E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1091	**1091**	2.14E-01	5.37E-03	1.37E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1092	**1092**	2.06E-01	5.47E-03	1.32E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1093	**1093**	1.97E-01	5.57E-03	1.26E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1094	**1094**	1.87E-01	5.66E-03	1.20E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1095	**1095**	1.76E-01	5.76E-03	1.13E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1096	**1096**	1.64E-01	5.85E-03	1.05E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1097	**1097**	1.52E-01	5.94E-03	9.70E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1098	**1098**	1.39E-01	6.03E-03	8.91E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1099	**1099**	1.28E-01	6.12E-03	8.16E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1100	**1100**	1.16E-01	6.21E-03	7.45E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1101	**1101**	1.06E-01	6.30E-03	6.81E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1102	**1102**	9.71E-02	6.38E-03	6.22E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1103	**1103**	8.89E-02	6.46E-03	5.70E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1104	**1104**	8.15E-02	6.54E-03	5.23E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1105	**1105**	7.48E-02	6.61E-03	4.80E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1106	**1106**	6.88E-02	6.68E-03	4.42E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1107	**1107**	6.36E-02	6.74E-03	4.09E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1108	**1108**	5.89E-02	6.79E-03	3.79E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1109	**1109**	5.47E-02	6.84E-03	3.53E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1110	**1110**	5.09E-02	6.89E-03	3.29E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1111	**1111**	4.75E-02	6.92E-03	3.07E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1112	**1112**	2.90E-01	3.99E-03	1.85E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1113	**1113**	2.91E-01	4.06E-03	1.85E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1114	**1114**	2.91E-01	4.14E-03	1.86E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1115	**1115**	2.91E-01	4.23E-03	1.86E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1116	**1116**	2.91E-01	4.31E-03	1.86E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1117	**1117**	2.91E-01	4.39E-03	1.85E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1118	**1118**	2.89E-01	4.59E-03	1.84E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1119	**1119**	2.86E-01	4.89E-03	1.83E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1120	**1120**	2.83E-01	4.98E-03	1.81E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1121	**1121**	2.80E-01	5.08E-03	1.79E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1122	**1122**	2.76E-01	5.17E-03	1.76E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1123	**1123**	2.71E-01	5.27E-03	1.73E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1124	**1124**	2.64E-01	5.48E-03	1.69E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1125	**1125**	2.56E-01	5.58E-03	1.63E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1126	**1126**	2.46E-01	5.68E-03	1.57E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1127	**1127**	2.35E-01	5.79E-03	1.50E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1128	**1128**	2.22E-01	5.89E-03	1.42E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1129	**1129**	2.07E-01	5.99E-03	1.32E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1130	**1130**	1.90E-01	6.09E-03	1.21E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1131	**1131**	1.73E-01	6.19E-03	1.10E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1132	**1132**	1.56E-01	6.29E-03	9.98E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1133	**1133**	1.41E-01	6.38E-03	8.99E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1134	**1134**	1.27E-01	6.48E-03	8.10E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1135	**1135**	1.14E-01	6.57E-03	7.31E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1136	**1136**	1.03E-01	6.66E-03	6.61E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1137	**1137**	9.35E-02	6.75E-03	6.00E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1138	**1138**	8.51E-02	6.83E-03	5.46E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1139	**1139**	7.75E-02	6.91E-03	4.98E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1140	**1140**	7.09E-02	6.98E-03	4.56E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1141	**1141**	6.52E-02	7.05E-03	4.19E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1142	**1142**	6.02E-02	7.11E-03	3.87E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1143	**1143**	5.57E-02	7.16E-03	3.59E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1144	**1144**	5.17E-02	7.21E-03	3.33E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1145	**1145**	4.81E-02	7.25E-03	3.10E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1146	**1146**	3.00E-01	4.12E-03	1.91E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1147	**1147**	3.01E-01	4.20E-03	1.92E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1148	**1148**	3.53E-01	4.28E-03	2.25E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1149	**1149**	3.05E-01	4.37E-03	1.94E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1150	**1150**	3.00E-01	4.45E-03	1.92E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1151	**1151**	3.00E-01	4.54E-03	1.91E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1152	**1152**	3.04E-01	4.74E-03	1.94E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1153	**1153**	2.99E-01	4.95E-03	1.91E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1154	**1154**	2.91E-01	5.16E-03	1.86E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1155	**1155**	2.88E-01	5.26E-03	1.83E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1156	**1156**	2.88E-01	5.36E-03	1.84E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1157	**1157**	2.79E-01	5.47E-03	1.78E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1158	**1158**	2.66E-01	5.68E-03	1.69E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1159	**1159**	2.56E-01	5.79E-03	1.63E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1160	**1160**	2.06E-01	5.90E-03	1.31E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1161	**1161**	2.33E-01	6.01E-03	1.48E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1162	**1162**	2.10E-01	6.12E-03	1.34E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1163	**1163**	1.90E-01	6.23E-03	1.22E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1164	**1164**	1.72E-01	6.34E-03	1.10E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1165	**1165**	2.00E-01	6.45E-03	1.27E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1166	**1166**	1.76E-01	6.55E-03	1.12E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1167	**1167**	1.55E-01	6.66E-03	9.92E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1168	**1168**	1.37E-01	6.76E-03	8.78E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1169	**1169**	1.22E-01	6.86E-03	7.81E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1170	**1170**	1.09E-01	6.96E-03	6.99E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1171	**1171**	9.79E-02	7.06E-03	6.28E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1172	**1172**	8.83E-02	7.15E-03	5.67E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1173	**1173**	8.00E-02	7.23E-03	5.14E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1174	**1174**	7.28E-02	7.31E-03	4.68E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1175	**1175**	6.66E-02	7.38E-03	4.28E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1176	**1176**	6.12E-02	7.44E-03	3.94E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1177	**1177**	5.64E-02	7.50E-03	3.64E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1178	**1178**	5.21E-02	7.55E-03	3.37E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1179	**1179**	4.84E-02	7.60E-03	3.13E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1180	**1180**	3.55E-01	4.26E-03	2.26E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1181	**1181**	3.58E-01	4.34E-03	2.28E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1182	**1182**	3.12E-01	4.42E-03	1.99E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1183	**1183**	3.12E-01	4.51E-03	1.99E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1184	**1184**	3.56E-01	4.61E-03	2.27E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1185	**1185**	3.58E-01	4.70E-03	2.28E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1186	**1186**	3.08E-01	4.91E-03	1.96E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1187	**1187**	3.05E-01	5.02E-03	1.94E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1188	**1188**	3.47E-01	5.34E-03	2.21E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1189	**1189**	3.00E-01	5.45E-03	1.91E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1190	**1190**	2.89E-01	5.56E-03	1.84E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1191	**1191**	2.80E-01	5.67E-03	1.79E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1192	**1192**	3.16E-01	5.90E-03	2.01E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1193	**1193**	2.59E-01	6.02E-03	1.65E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1194	**1194**	2.38E-01	6.14E-03	1.52E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1195	**1195**	2.19E-01	6.26E-03	1.40E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1196	**1196**	2.44E-01	6.37E-03	1.56E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1197	**1197**	2.18E-01	6.49E-03	1.39E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1198	**1198**	1.95E-01	6.61E-03	1.25E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1199	**1199**	1.74E-01	6.73E-03	1.11E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1200	**1200**	1.99E-01	6.84E-03	1.27E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1201	**1201**	1.71E-01	6.95E-03	1.09E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1202	**1202**	1.48E-01	7.07E-03	9.49E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1203	**1203**	1.30E-01	7.18E-03	8.32E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1204	**1204**	1.15E-01	7.28E-03	7.34E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1205	**1205**	1.02E-01	7.39E-03	6.53E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1206	**1206**	9.12E-02	7.49E-03	5.85E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1207	**1207**	8.21E-02	7.58E-03	5.27E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1208	**1208**	7.43E-02	7.66E-03	4.78E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1209	**1209**	6.76E-02	7.74E-03	4.35E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1210	**1210**	6.19E-02	7.81E-03	3.99E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1211	**1211**	5.69E-02	7.87E-03	3.67E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1212	**1212**	5.24E-02	7.92E-03	3.39E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
1213	**1213**	4.85E-02	7.97E-03	3.14E-02	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
0	**0**	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

					Cancer Risk from 3rd Trimester					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	0.47816	2.83E-03	1.4E-03	3.46E-04	4.68E-07	2.47E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
893	0.48418	2.83E-03	1.4E-03	3.46E-04	4.74E-07	2.47E-02	1.57E-01	1.84E-09	1.0E+06	1.8E-03
894	0.49016	2.83E-03	1.4E-03	3.46E-04	4.80E-07	2.47E-02	1.57E-01	1.86E-09	1.0E+06	1.9E-03
895	0.49606	2.83E-03	1.4E-03	3.46E-04	4.85E-07	2.47E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03
896	0.5018	2.83E-03	1.4E-03	3.46E-04	4.91E-07	2.47E-02	1.57E-01	1.90E-09	1.0E+06	1.9E-03
897	0.50732	2.83E-03	1.4E-03	3.46E-04	4.96E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
898	0.51254	2.83E-03	1.4E-03	3.46E-04	5.01E-07	2.47E-02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
899	0.51744	2.83E-03	1.5E-03	3.46E-04	5.06E-07	2.47E-02	1.57E-01	1.96E-09	1.0E+06	2.0E-03
900	0.52192	2.83E-03	1.5E-03	3.46E-04	5.11E-07	2.47E-02	1.57E-01	1.98E-09	1.0E+06	2.0E-03
901	0.52609	2.83E-03	1.5E-03	3.46E-04	5.15E-07	2.47E-02	1.57E-01	1.99E-09	1.0E+06	2.0E-03
902	0.53001	2.83E-03	1.5E-03	3.46E-04	5.19E-07	2.47E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
903	0.53358	2.83E-03	1.5E-03	3.46E-04	5.22E-07	2.47E-02	1.57E-01	2.02E-09	1.0E+06	2.0E-03
904	0.53665	2.83E-03	1.5E-03	3.46E-04	5.25E-07	2.47E-02	1.57E-01	2.03E-09	1.0E+06	2.0E-03
905	0.53934	2.83E-03	1.5E-03	3.46E-04	5.28E-07	2.47E-02	1.57E-01	2.04E-09	1.0E+06	2.0E-03
906	0.54163	2.83E-03	1.5E-03	3.46E-04	5.30E-07	2.47E-02	1.57E-01	2.05E-09	1.0E+06	2.1E-03
907	0.54379	2.83E-03	1.5E-03	3.46E-04	5.32E-07	2.47E-02	1.57E-01	2.06E-09	1.0E+06	2.1E-03
908	0.3344	2.83E-03	9.5E-04	3.46E-04	3.27E-07	2.47E-02	1.57E-01	1.27E-09	1.0E+06	1.3E-03
909	0.34053	2.83E-03	9.6E-04	3.46E-04	3.33E-07	2.47E-02	1.57E-01	1.29E-09	1.0E+06	1.3E-03
910	0.34697	2.83E-03	9.8E-04	3.46E-04	3.39E-07	2.47E-02	1.57E-01	1.32E-09	1.0E+06	1.3E-03
911	0.35331	2.83E-03	1.0E-03	3.46E-04	3.46E-07	2.47E-02	1.57E-01	1.34E-09	1.0E+06	1.3E-03
912	0.36798	2.83E-03	1.0E-03	3.46E-04	3.60E-07	2.47E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
913	0.37452	2.83E-03	1.1E-03	3.46E-04	3.66E-07	2.47E-02	1.57E-01	1.42E-09	1.0E+06	1.4E-03
914	0.38952	2.83E-03	1.1E-03	3.46E-04	3.81E-07	2.47E-02	1.57E-01	1.48E-09	1.0E+06	1.5E-03
915	0.40512	2.83E-03	1.1E-03	3.46E-04	3.96E-07	2.47E-02	1.57E-01	1.54E-09	1.0E+06	1.5E-03
916	0.41185	2.83E-03	1.2E-03	3.46E-04	4.03E-07	2.47E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
917	0.41862	2.83E-03	1.2E-03	3.46E-04	4.10E-07	2.47E-02	1.57E-01	1.59E-09	1.0E+06	1.6E-03
918	0.42545	2.83E-03	1.2E-03	3.46E-04	4.16E-07	2.47E-02	1.57E-01	1.61E-09	1.0E+06	1.6E-03
919	0.44137	2.83E-03	1.2E-03	3.46E-04	4.32E-07	2.47E-02	1.57E-01	1.67E-09	1.0E+06	1.7E-03
920	0.44821	2.83E-03	1.3E-03	3.46E-04	4.38E-07	2.47E-02	1.57E-01	1.70E-09	1.0E+06	1.7E-03
921	0.45507	2.83E-03	1.3E-03	3.46E-04	4.45E-07	2.47E-02	1.57E-01	1.73E-09	1.0E+06	1.7E-03
922	0.46197	2.83E-03	1.3E-03	3.46E-04	4.52E-07	2.47E-02	1.57E-01	1.75E-09	1.0E+06	1.8E-03

	Max	Receptor #
Res	3.043E-03	1213

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	0.46884	2.83E-03	1.3E-03	3.46E-04	4.59E-07	2.47E-02	1.57E-01	1.78E-09	1.0E+06	1.8E-03
924	0.47565	2.83E-03	1.3E-03	3.46E-04	4.65E-07	2.47E-02	1.57E-01	1.80E-09	1.0E+06	1.8E-03
925	0.48238	2.83E-03	1.4E-03	3.46E-04	4.72E-07	2.47E-02	1.57E-01	1.83E-09	1.0E+06	1.8E-03
926	0.48903	2.83E-03	1.4E-03	3.46E-04	4.78E-07	2.47E-02	1.57E-01	1.85E-09	1.0E+06	1.9E-03
927	0.49557	2.83E-03	1.4E-03	3.46E-04	4.85E-07	2.47E-02	1.57E-01	1.88E-09	1.0E+06	1.9E-03
928	0.50201	2.83E-03	1.4E-03	3.46E-04	4.91E-07	2.47E-02	1.57E-01	1.90E-09	1.0E+06	1.9E-03
929	0.50838	2.83E-03	1.4E-03	3.46E-04	4.97E-07	2.47E-02	1.57E-01	1.93E-09	1.0E+06	1.9E-03
930	0.51466	2.83E-03	1.5E-03	3.46E-04	5.03E-07	2.47E-02	1.57E-01	1.95E-09	1.0E+06	2.0E-03
931	0.52076	2.83E-03	1.5E-03	3.46E-04	5.09E-07	2.47E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03
932	0.52659	2.83E-03	1.5E-03	3.46E-04	5.15E-07	2.47E-02	1.57E-01	2.00E-09	1.0E+06	2.0E-03
933	0.53214	2.83E-03	1.5E-03	3.46E-04	5.21E-07	2.47E-02	1.57E-01	2.02E-09	1.0E+06	2.0E-03
934	0.53738	2.83E-03	1.5E-03	3.46E-04	5.26E-07	2.47E-02	1.57E-01	2.04E-09	1.0E+06	2.0E-03
935	0.5423	2.83E-03	1.5E-03	3.46E-04	5.31E-07	2.47E-02	1.57E-01	2.06E-09	1.0E+06	2.1E-03
936	0.54682	2.83E-03	1.5E-03	3.46E-04	5.35E-07	2.47E-02	1.57E-01	2.07E-09	1.0E+06	2.1E-03
937	0.55102	2.83E-03	1.6E-03	3.46E-04	5.39E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03
938	0.55484	2.83E-03	1.6E-03	3.46E-04	5.43E-07	2.47E-02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
939	0.55818	2.83E-03	1.6E-03	3.46E-04	5.46E-07	2.47E-02	1.57E-01	2.12E-09	1.0E+06	2.1E-03
940	0.5611	2.83E-03	1.6E-03	3.46E-04	5.49E-07	2.47E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03
941	0.56361	2.83E-03	1.6E-03	3.46E-04	5.51E-07	2.47E-02	1.57E-01	2.14E-09	1.0E+06	2.1E-03
942	0.3444	2.83E-03	9.7E-04	3.46E-04	3.37E-07	2.47E-02	1.57E-01	1.31E-09	1.0E+06	1.3E-03
943	0.35077	2.83E-03	9.9E-04	3.46E-04	3.43E-07	2.47E-02	1.57E-01	1.33E-09	1.0E+06	1.3E-03
944	0.35736	2.83E-03	1.0E-03	3.46E-04	3.50E-07	2.47E-02	1.57E-01	1.35E-09	1.0E+06	1.4E-03
945	0.36405	2.83E-03	1.0E-03	3.46E-04	3.56E-07	2.47E-02	1.57E-01	1.38E-09	1.0E+06	1.4E-03
946	0.37922	2.83E-03	1.1E-03	3.46E-04	3.71E-07	2.47E-02	1.57E-01	1.44E-09	1.0E+06	1.4E-03
947	0.38608	2.83E-03	1.1E-03	3.46E-04	3.78E-07	2.47E-02	1.57E-01	1.46E-09	1.0E+06	1.5E-03
948	0.40182	2.83E-03	1.1E-03	3.46E-04	3.93E-07	2.47E-02	1.57E-01	1.52E-09	1.0E+06	1.5E-03
949	0.41805	2.83E-03	1.2E-03	3.46E-04	4.09E-07	2.47E-02	1.57E-01	1.58E-09	1.0E+06	1.6E-03
950	0.42523	2.83E-03	1.2E-03	3.46E-04	4.16E-07	2.47E-02	1.57E-01	1.61E-09	1.0E+06	1.6E-03
951	0.43226	2.83E-03	1.2E-03	3.46E-04	4.23E-07	2.47E-02	1.57E-01	1.64E-09	1.0E+06	1.6E-03
952	0.43939	2.83E-03	1.2E-03	3.46E-04	4.30E-07	2.47E-02	1.57E-01	1.67E-09	1.0E+06	1.7E-03
953	0.44657	2.83E-03	1.3E-03	3.46E-04	4.37E-07	2.47E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	0.46315	2.83E-03	1.3E-03	3.46E-04	4.53E-07	2.47E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
955	0.4704	2.83E-03	1.3E-03	3.46E-04	4.60E-07	2.47E-02	1.57E-01	1.78E-09	1.0E+06	1.8E-03
956	0.47786	2.83E-03	1.4E-03	3.46E-04	4.67E-07	2.47E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
957	0.48531	2.83E-03	1.4E-03	3.46E-04	4.75E-07	2.47E-02	1.57E-01	1.84E-09	1.0E+06	1.8E-03
958	0.4926	2.83E-03	1.4E-03	3.46E-04	4.82E-07	2.47E-02	1.57E-01	1.87E-09	1.0E+06	1.9E-03
959	0.49974	2.83E-03	1.4E-03	3.46E-04	4.89E-07	2.47E-02	1.57E-01	1.89E-09	1.0E+06	1.9E-03
960	0.50682	2.83E-03	1.4E-03	3.46E-04	4.96E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
961	0.51382	2.83E-03	1.5E-03	3.46E-04	5.03E-07	2.47E-02	1.57E-01	1.95E-09	1.0E+06	1.9E-03
962	0.52073	2.83E-03	1.5E-03	3.46E-04	5.09E-07	2.47E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03
963	0.52754	2.83E-03	1.5E-03	3.46E-04	5.16E-07	2.47E-02	1.57E-01	2.00E-09	1.0E+06	2.0E-03
964	0.53424	2.83E-03	1.5E-03	3.46E-04	5.23E-07	2.47E-02	1.57E-01	2.03E-09	1.0E+06	2.0E-03
965	0.54078	2.83E-03	1.5E-03	3.46E-04	5.29E-07	2.47E-02	1.57E-01	2.05E-09	1.0E+06	2.0E-03
966	0.547	2.83E-03	1.5E-03	3.46E-04	5.35E-07	2.47E-02	1.57E-01	2.07E-09	1.0E+06	2.1E-03
967	0.55296	2.83E-03	1.6E-03	3.46E-04	5.41E-07	2.47E-02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
968	0.5586	2.83E-03	1.6E-03	3.46E-04	5.46E-07	2.47E-02	1.57E-01	2.12E-09	1.0E+06	2.1E-03
969	0.56399	2.83E-03	1.6E-03	3.46E-04	5.52E-07	2.47E-02	1.57E-01	2.14E-09	1.0E+06	2.1E-03
970	0.56889	2.83E-03	1.6E-03	3.46E-04	5.57E-07	2.47E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
971	0.57338	2.83E-03	1.6E-03	3.46E-04	5.61E-07	2.47E-02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
972	0.57748	2.83E-03	1.6E-03	3.46E-04	5.65E-07	2.47E-02	1.57E-01	2.19E-09	1.0E+06	2.2E-03
973	0.58117	2.83E-03	1.6E-03	3.46E-04	5.69E-07	2.47E-02	1.57E-01	2.20E-09	1.0E+06	2.2E-03
974	0.58437	2.83E-03	1.7E-03	3.46E-04	5.72E-07	2.47E-02	1.57E-01	2.22E-09	1.0E+06	2.2E-03
975	0.58718	2.83E-03	1.7E-03	3.46E-04	5.74E-07	2.47E-02	1.57E-01	2.23E-09	1.0E+06	2.2E-03
976	0.35484	2.83E-03	1.0E-03	3.46E-04	3.47E-07	2.47E-02	1.57E-01	1.35E-09	1.0E+06	1.3E-03
977	0.36146	2.83E-03	1.0E-03	3.46E-04	3.54E-07	2.47E-02	1.57E-01	1.37E-09	1.0E+06	1.4E-03
978	0.36833	2.83E-03	1.0E-03	3.46E-04	3.60E-07	2.47E-02	1.57E-01	1.40E-09	1.0E+06	1.4E-03
979	0.37531	2.83E-03	1.1E-03	3.46E-04	3.67E-07	2.47E-02	1.57E-01	1.42E-09	1.0E+06	1.4E-03
980	0.3824	2.83E-03	1.1E-03	3.46E-04	3.74E-07	2.47E-02	1.57E-01	1.45E-09	1.0E+06	1.4E-03
981	0.39827	2.83E-03	1.1E-03	3.46E-04	3.90E-07	2.47E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
982	0.41472	2.83E-03	1.2E-03	3.46E-04	4.06E-07	2.47E-02	1.57E-01	1.57E-09	1.0E+06	1.6E-03
983	0.43164	2.83E-03	1.2E-03	3.46E-04	4.22E-07	2.47E-02	1.57E-01	1.64E-09	1.0E+06	1.6E-03
984	0.43928	2.83E-03	1.2E-03	3.46E-04	4.30E-07	2.47E-02	1.57E-01	1.67E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	0.44662	2.83E-03	1.3E-03	3.46E-04	4.37E-07	2.47E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
986	0.45403	2.83E-03	1.3E-03	3.46E-04	4.44E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
987	0.46153	2.83E-03	1.3E-03	3.46E-04	4.52E-07	2.47E-02	1.57E-01	1.75E-09	1.0E+06	1.7E-03
988	0.46907	2.83E-03	1.3E-03	3.46E-04	4.59E-07	2.47E-02	1.57E-01	1.78E-09	1.0E+06	1.8E-03
989	0.48654	2.83E-03	1.4E-03	3.46E-04	4.76E-07	2.47E-02	1.57E-01	1.84E-09	1.0E+06	1.8E-03
990	0.49461	2.83E-03	1.4E-03	3.46E-04	4.84E-07	2.47E-02	1.57E-01	1.87E-09	1.0E+06	1.9E-03
991	0.50269	2.83E-03	1.4E-03	3.46E-04	4.92E-07	2.47E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
992	0.51051	2.83E-03	1.4E-03	3.46E-04	4.99E-07	2.47E-02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
993	0.51811	2.83E-03	1.5E-03	3.46E-04	5.07E-07	2.47E-02	1.57E-01	1.96E-09	1.0E+06	2.0E-03
994	0.52562	2.83E-03	1.5E-03	3.46E-04	5.14E-07	2.47E-02	1.57E-01	1.99E-09	1.0E+06	2.0E-03
995	0.53314	2.83E-03	1.5E-03	3.46E-04	5.22E-07	2.47E-02	1.57E-01	2.02E-09	1.0E+06	2.0E-03
996	0.54054	2.83E-03	1.5E-03	3.46E-04	5.29E-07	2.47E-02	1.57E-01	2.05E-09	1.0E+06	2.0E-03
997	0.54784	2.83E-03	1.5E-03	3.46E-04	5.36E-07	2.47E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
998	0.55503	2.83E-03	1.6E-03	3.46E-04	5.43E-07	2.47E-02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
999	0.56203	2.83E-03	1.6E-03	3.46E-04	5.50E-07	2.47E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1000	0.56867	2.83E-03	1.6E-03	3.46E-04	5.56E-07	2.47E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
1001	0.57507	2.83E-03	1.6E-03	3.46E-04	5.63E-07	2.47E-02	1.57E-01	2.18E-09	1.0E+06	2.2E-03
1002	0.58116	2.83E-03	1.6E-03	3.46E-04	5.69E-07	2.47E-02	1.57E-01	2.20E-09	1.0E+06	2.2E-03
1003	0.58709	2.83E-03	1.7E-03	3.46E-04	5.74E-07	2.47E-02	1.57E-01	2.23E-09	1.0E+06	2.2E-03
1004	0.5924	2.83E-03	1.7E-03	3.46E-04	5.80E-07	2.47E-02	1.57E-01	2.25E-09	1.0E+06	2.2E-03
1005	0.59721	2.83E-03	1.7E-03	3.46E-04	5.84E-07	2.47E-02	1.57E-01	2.26E-09	1.0E+06	2.3E-03
1006	0.6016	2.83E-03	1.7E-03	3.46E-04	5.89E-07	2.47E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03
1007	0.60559	2.83E-03	1.7E-03	3.46E-04	5.92E-07	2.47E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
1008	0.60916	2.83E-03	1.7E-03	3.46E-04	5.96E-07	2.47E-02	1.57E-01	2.31E-09	1.0E+06	2.3E-03
1009	0.61223	2.83E-03	1.7E-03	3.46E-04	5.99E-07	2.47E-02	1.57E-01	2.32E-09	1.0E+06	2.3E-03
1010	0.3658	2.83E-03	1.0E-03	3.46E-04	3.58E-07	2.47E-02	1.57E-01	1.39E-09	1.0E+06	1.4E-03
1011	0.37263	2.83E-03	1.1E-03	3.46E-04	3.65E-07	2.47E-02	1.57E-01	1.41E-09	1.0E+06	1.4E-03
1012	0.37979	2.83E-03	1.1E-03	3.46E-04	3.72E-07	2.47E-02	1.57E-01	1.44E-09	1.0E+06	1.4E-03
1013	0.38714	2.83E-03	1.1E-03	3.46E-04	3.79E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
1014	0.39449	2.83E-03	1.1E-03	3.46E-04	3.86E-07	2.47E-02	1.57E-01	1.50E-09	1.0E+06	1.5E-03
1015	0.411	2.83E-03	1.2E-03	3.46E-04	4.02E-07	2.47E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	0.42822	2.83E-03	1.2E-03	3.46E-04	4.19E-07	2.47E-02	1.57E-01	1.62E-09	1.0E+06	1.6E-03
1017	0.44584	2.83E-03	1.3E-03	3.46E-04	4.36E-07	2.47E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
1018	0.45398	2.83E-03	1.3E-03	3.46E-04	4.44E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
1019	0.46169	2.83E-03	1.3E-03	3.46E-04	4.52E-07	2.47E-02	1.57E-01	1.75E-09	1.0E+06	1.8E-03
1020	0.4695	2.83E-03	1.3E-03	3.46E-04	4.59E-07	2.47E-02	1.57E-01	1.78E-09	1.0E+06	1.8E-03
1021	0.47734	2.83E-03	1.3E-03	3.46E-04	4.67E-07	2.47E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
1022	0.48526	2.83E-03	1.4E-03	3.46E-04	4.75E-07	2.47E-02	1.57E-01	1.84E-09	1.0E+06	1.8E-03
1023	0.50361	2.83E-03	1.4E-03	3.46E-04	4.93E-07	2.47E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1024	0.51233	2.83E-03	1.4E-03	3.46E-04	5.01E-07	2.47E-02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
1025	0.52104	2.83E-03	1.5E-03	3.46E-04	5.10E-07	2.47E-02	1.57E-01	1.98E-09	1.0E+06	2.0E-03
1026	0.52943	2.83E-03	1.5E-03	3.46E-04	5.18E-07	2.47E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
1027	0.53756	2.83E-03	1.5E-03	3.46E-04	5.26E-07	2.47E-02	1.57E-01	2.04E-09	1.0E+06	2.0E-03
1028	0.5456	2.83E-03	1.5E-03	3.46E-04	5.34E-07	2.47E-02	1.57E-01	2.07E-09	1.0E+06	2.1E-03
1029	0.55365	2.83E-03	1.6E-03	3.46E-04	5.42E-07	2.47E-02	1.57E-01	2.10E-09	1.0E+06	2.1E-03
1030	0.56158	2.83E-03	1.6E-03	3.46E-04	5.49E-07	2.47E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1031	0.56942	2.83E-03	1.6E-03	3.46E-04	5.57E-07	2.47E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
1032	0.57713	2.83E-03	1.6E-03	3.46E-04	5.65E-07	2.47E-02	1.57E-01	2.19E-09	1.0E+06	2.2E-03
1033	0.58462	2.83E-03	1.7E-03	3.46E-04	5.72E-07	2.47E-02	1.57E-01	2.22E-09	1.0E+06	2.2E-03
1034	0.59176	2.83E-03	1.7E-03	3.46E-04	5.79E-07	2.47E-02	1.57E-01	2.24E-09	1.0E+06	2.2E-03
1035	0.59862	2.83E-03	1.7E-03	3.46E-04	5.86E-07	2.47E-02	1.57E-01	2.27E-09	1.0E+06	2.3E-03
1036	0.60526	2.83E-03	1.7E-03	3.46E-04	5.92E-07	2.47E-02	1.57E-01	2.29E-09	1.0E+06	2.3E-03
1037	0.6117	2.83E-03	1.7E-03	3.46E-04	5.98E-07	2.47E-02	1.57E-01	2.32E-09	1.0E+06	2.3E-03
1038	0.61747	2.83E-03	1.7E-03	3.46E-04	6.04E-07	2.47E-02	1.57E-01	2.34E-09	1.0E+06	2.3E-03
1039	0.62263	2.83E-03	1.8E-03	3.46E-04	6.09E-07	2.47E-02	1.57E-01	2.36E-09	1.0E+06	2.4E-03
1040	0.62735	2.83E-03	1.8E-03	3.46E-04	6.14E-07	2.47E-02	1.57E-01	2.38E-09	1.0E+06	2.4E-03
1041	0.63163	2.83E-03	1.8E-03	3.46E-04	6.18E-07	2.47E-02	1.57E-01	2.39E-09	1.0E+06	2.4E-03
1042	0.63547	2.83E-03	1.8E-03	3.46E-04	6.22E-07	2.47E-02	1.57E-01	2.41E-09	1.0E+06	2.4E-03
1043	0.63885	2.83E-03	1.8E-03	3.46E-04	6.25E-07	2.47E-02	1.57E-01	2.42E-09	1.0E+06	2.4E-03
1044	0.37716	2.83E-03	1.1E-03	3.46E-04	3.69E-07	2.47E-02	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1045	0.38426	2.83E-03	1.1E-03	3.46E-04	3.76E-07	2.47E-02	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1046	0.39171	2.83E-03	1.1E-03	3.46E-04	3.83E-07	2.47E-02	1.57E-01	1.48E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	0.39932	2.83E-03	1.1E-03	3.46E-04	3.91E-07	2.47E-02	1.57E-01	1.51E-09	1.0E+06	1.5E-03
1048	0.40699	2.83E-03	1.2E-03	3.46E-04	3.98E-07	2.47E-02	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1049	0.4241	2.83E-03	1.2E-03	3.46E-04	4.15E-07	2.47E-02	1.57E-01	1.61E-09	1.0E+06	1.6E-03
1050	0.43296	2.83E-03	1.2E-03	3.46E-04	4.24E-07	2.47E-02	1.57E-01	1.64E-09	1.0E+06	1.6E-03
1051	0.46055	2.83E-03	1.3E-03	3.46E-04	4.51E-07	2.47E-02	1.57E-01	1.75E-09	1.0E+06	1.7E-03
1052	0.46924	2.83E-03	1.3E-03	3.46E-04	4.59E-07	2.47E-02	1.57E-01	1.78E-09	1.0E+06	1.8E-03
1053	0.4775	2.83E-03	1.3E-03	3.46E-04	4.67E-07	2.47E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
1054	0.48586	2.83E-03	1.4E-03	3.46E-04	4.75E-07	2.47E-02	1.57E-01	1.84E-09	1.0E+06	1.8E-03
1055	0.49429	2.83E-03	1.4E-03	3.46E-04	4.84E-07	2.47E-02	1.57E-01	1.87E-09	1.0E+06	1.9E-03
1056	0.50278	2.83E-03	1.4E-03	3.46E-04	4.92E-07	2.47E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1057	0.52191	2.83E-03	1.5E-03	3.46E-04	5.11E-07	2.47E-02	1.57E-01	1.98E-09	1.0E+06	2.0E-03
1058	0.53117	2.83E-03	1.5E-03	3.46E-04	5.20E-07	2.47E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
1059	0.54046	2.83E-03	1.5E-03	3.46E-04	5.29E-07	2.47E-02	1.57E-01	2.05E-09	1.0E+06	2.0E-03
1060	0.54947	2.83E-03	1.6E-03	3.46E-04	5.38E-07	2.47E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
1061	0.55822	2.83E-03	1.6E-03	3.46E-04	5.46E-07	2.47E-02	1.57E-01	2.12E-09	1.0E+06	2.1E-03
1062	0.56688	2.83E-03	1.6E-03	3.46E-04	5.55E-07	2.47E-02	1.57E-01	2.15E-09	1.0E+06	2.1E-03
1063	0.57549	2.83E-03	1.6E-03	3.46E-04	5.63E-07	2.47E-02	1.57E-01	2.18E-09	1.0E+06	2.2E-03
1064	0.58398	2.83E-03	1.7E-03	3.46E-04	5.71E-07	2.47E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
1065	0.59236	2.83E-03	1.7E-03	3.46E-04	5.80E-07	2.47E-02	1.57E-01	2.25E-09	1.0E+06	2.2E-03
1066	0.60063	2.83E-03	1.7E-03	3.46E-04	5.88E-07	2.47E-02	1.57E-01	2.28E-09	1.0E+06	2.3E-03
1067	0.60868	2.83E-03	1.7E-03	3.46E-04	5.95E-07	2.47E-02	1.57E-01	2.31E-09	1.0E+06	2.3E-03
1068	0.6164	2.83E-03	1.7E-03	3.46E-04	6.03E-07	2.47E-02	1.57E-01	2.34E-09	1.0E+06	2.3E-03
1069	0.62385	2.83E-03	1.8E-03	3.46E-04	6.10E-07	2.47E-02	1.57E-01	2.36E-09	1.0E+06	2.4E-03
1070	0.63105	2.83E-03	1.8E-03	3.46E-04	6.17E-07	2.47E-02	1.57E-01	2.39E-09	1.0E+06	2.4E-03
1071	0.63802	2.83E-03	1.8E-03	3.46E-04	6.24E-07	2.47E-02	1.57E-01	2.42E-09	1.0E+06	2.4E-03
1072	0.64425	2.83E-03	1.8E-03	3.46E-04	6.30E-07	2.47E-02	1.57E-01	2.44E-09	1.0E+06	2.4E-03
1073	0.64981	2.83E-03	1.8E-03	3.46E-04	6.36E-07	2.47E-02	1.57E-01	2.46E-09	1.0E+06	2.5E-03
1074	0.65489	2.83E-03	1.9E-03	3.46E-04	6.41E-07	2.47E-02	1.57E-01	2.48E-09	1.0E+06	2.5E-03
1075	0.65949	2.83E-03	1.9E-03	3.46E-04	6.45E-07	2.47E-02	1.57E-01	2.50E-09	1.0E+06	2.5E-03
1076	0.6636	2.83E-03	1.9E-03	3.46E-04	6.49E-07	2.47E-02	1.57E-01	2.52E-09	1.0E+06	2.5E-03
1077	0.66721	2.83E-03	1.9E-03	3.46E-04	6.53E-07	2.47E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	0.38907	2.83E-03	1.1E-03	3.46E-04	3.81E-07	2.47E-02	1.57E-01	1.47E-09	1.0E+06	1.5E-03
1079	0.39644	2.83E-03	1.1E-03	3.46E-04	3.88E-07	2.47E-02	1.57E-01	1.50E-09	1.0E+06	1.5E-03
1080	0.40418	2.83E-03	1.1E-03	3.46E-04	3.95E-07	2.47E-02	1.57E-01	1.53E-09	1.0E+06	1.5E-03
1081	0.41213	2.83E-03	1.2E-03	3.46E-04	4.03E-07	2.47E-02	1.57E-01	1.56E-09	1.0E+06	1.6E-03
1082	0.42008	2.83E-03	1.2E-03	3.46E-04	4.11E-07	2.47E-02	1.57E-01	1.59E-09	1.0E+06	1.6E-03
1083	0.43788	2.83E-03	1.2E-03	3.46E-04	4.28E-07	2.47E-02	1.57E-01	1.66E-09	1.0E+06	1.7E-03
1084	0.44723	2.83E-03	1.3E-03	3.46E-04	4.38E-07	2.47E-02	1.57E-01	1.70E-09	1.0E+06	1.7E-03
1085	0.476	2.83E-03	1.3E-03	3.46E-04	4.66E-07	2.47E-02	1.57E-01	1.80E-09	1.0E+06	1.8E-03
1086	0.48532	2.83E-03	1.4E-03	3.46E-04	4.75E-07	2.47E-02	1.57E-01	1.84E-09	1.0E+06	1.8E-03
1087	0.49415	2.83E-03	1.4E-03	3.46E-04	4.83E-07	2.47E-02	1.57E-01	1.87E-09	1.0E+06	1.9E-03
1088	0.50309	2.83E-03	1.4E-03	3.46E-04	4.92E-07	2.47E-02	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1089	0.51216	2.83E-03	1.4E-03	3.46E-04	5.01E-07	2.47E-02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
1090	0.53186	2.83E-03	1.5E-03	3.46E-04	5.20E-07	2.47E-02	1.57E-01	2.02E-09	1.0E+06	2.0E-03
1091	0.54123	2.83E-03	1.5E-03	3.46E-04	5.29E-07	2.47E-02	1.57E-01	2.05E-09	1.0E+06	2.1E-03
1092	0.55112	2.83E-03	1.6E-03	3.46E-04	5.39E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03
1093	0.56103	2.83E-03	1.6E-03	3.46E-04	5.49E-07	2.47E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1094	0.57068	2.83E-03	1.6E-03	3.46E-04	5.58E-07	2.47E-02	1.57E-01	2.16E-09	1.0E+06	2.2E-03
1095	0.58013	2.83E-03	1.6E-03	3.46E-04	5.68E-07	2.47E-02	1.57E-01	2.20E-09	1.0E+06	2.2E-03
1096	0.58949	2.83E-03	1.7E-03	3.46E-04	5.77E-07	2.47E-02	1.57E-01	2.23E-09	1.0E+06	2.2E-03
1097	0.59872	2.83E-03	1.7E-03	3.46E-04	5.86E-07	2.47E-02	1.57E-01	2.27E-09	1.0E+06	2.3E-03
1098	0.6078	2.83E-03	1.7E-03	3.46E-04	5.95E-07	2.47E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
1099	0.61678	2.83E-03	1.7E-03	3.46E-04	6.03E-07	2.47E-02	1.57E-01	2.34E-09	1.0E+06	2.3E-03
1100	0.62566	2.83E-03	1.8E-03	3.46E-04	6.12E-07	2.47E-02	1.57E-01	2.37E-09	1.0E+06	2.4E-03
1101	0.63429	2.83E-03	1.8E-03	3.46E-04	6.21E-07	2.47E-02	1.57E-01	2.40E-09	1.0E+06	2.4E-03
1102	0.64269	2.83E-03	1.8E-03	3.46E-04	6.29E-07	2.47E-02	1.57E-01	2.44E-09	1.0E+06	2.4E-03
1103	0.65078	2.83E-03	1.8E-03	3.46E-04	6.37E-07	2.47E-02	1.57E-01	2.47E-09	1.0E+06	2.5E-03
1104	0.65861	2.83E-03	1.9E-03	3.46E-04	6.44E-07	2.47E-02	1.57E-01	2.50E-09	1.0E+06	2.5E-03
1105	0.66617	2.83E-03	1.9E-03	3.46E-04	6.52E-07	2.47E-02	1.57E-01	2.53E-09	1.0E+06	2.5E-03
1106	0.6729	2.83E-03	1.9E-03	3.46E-04	6.58E-07	2.47E-02	1.57E-01	2.55E-09	1.0E+06	2.6E-03
1107	0.6789	2.83E-03	1.9E-03	3.46E-04	6.64E-07	2.47E-02	1.57E-01	2.57E-09	1.0E+06	2.6E-03
1108	0.68438	2.83E-03	1.9E-03	3.46E-04	6.70E-07	2.47E-02	1.57E-01	2.59E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	0.68932	2.83E-03	1.9E-03	3.46E-04	6.74E-07	2.47E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
1110	0.69374	2.83E-03	2.0E-03	3.46E-04	6.79E-07	2.47E-02	1.57E-01	2.63E-09	1.0E+06	2.6E-03
1111	0.6976	2.83E-03	2.0E-03	3.46E-04	6.82E-07	2.47E-02	1.57E-01	2.64E-09	1.0E+06	2.6E-03
1112	0.40168	2.83E-03	1.1E-03	3.46E-04	3.93E-07	2.47E-02	1.57E-01	1.52E-09	1.0E+06	1.5E-03
1113	0.40928	2.83E-03	1.2E-03	3.46E-04	4.00E-07	2.47E-02	1.57E-01	1.55E-09	1.0E+06	1.6E-03
1114	0.41734	2.83E-03	1.2E-03	3.46E-04	4.08E-07	2.47E-02	1.57E-01	1.58E-09	1.0E+06	1.6E-03
1115	0.42564	2.83E-03	1.2E-03	3.46E-04	4.16E-07	2.47E-02	1.57E-01	1.61E-09	1.0E+06	1.6E-03
1116	0.43396	2.83E-03	1.2E-03	3.46E-04	4.25E-07	2.47E-02	1.57E-01	1.65E-09	1.0E+06	1.6E-03
1117	0.44259	2.83E-03	1.3E-03	3.46E-04	4.33E-07	2.47E-02	1.57E-01	1.68E-09	1.0E+06	1.7E-03
1118	0.46226	2.83E-03	1.3E-03	3.46E-04	4.52E-07	2.47E-02	1.57E-01	1.75E-09	1.0E+06	1.8E-03
1119	0.49221	2.83E-03	1.4E-03	3.46E-04	4.82E-07	2.47E-02	1.57E-01	1.87E-09	1.0E+06	1.9E-03
1120	0.50218	2.83E-03	1.4E-03	3.46E-04	4.91E-07	2.47E-02	1.57E-01	1.90E-09	1.0E+06	1.9E-03
1121	0.51162	2.83E-03	1.4E-03	3.46E-04	5.01E-07	2.47E-02	1.57E-01	1.94E-09	1.0E+06	1.9E-03
1122	0.52123	2.83E-03	1.5E-03	3.46E-04	5.10E-07	2.47E-02	1.57E-01	1.98E-09	1.0E+06	2.0E-03
1123	0.53099	2.83E-03	1.5E-03	3.46E-04	5.19E-07	2.47E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
1124	0.55158	2.83E-03	1.6E-03	3.46E-04	5.40E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03
1125	0.56164	2.83E-03	1.6E-03	3.46E-04	5.49E-07	2.47E-02	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1126	0.5722	2.83E-03	1.6E-03	3.46E-04	5.60E-07	2.47E-02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
1127	0.58278	2.83E-03	1.6E-03	3.46E-04	5.70E-07	2.47E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
1128	0.59318	2.83E-03	1.7E-03	3.46E-04	5.80E-07	2.47E-02	1.57E-01	2.25E-09	1.0E+06	2.2E-03
1129	0.60334	2.83E-03	1.7E-03	3.46E-04	5.90E-07	2.47E-02	1.57E-01	2.29E-09	1.0E+06	2.3E-03
1130	0.61347	2.83E-03	1.7E-03	3.46E-04	6.00E-07	2.47E-02	1.57E-01	2.33E-09	1.0E+06	2.3E-03
1131	0.6234	2.83E-03	1.8E-03	3.46E-04	6.10E-07	2.47E-02	1.57E-01	2.36E-09	1.0E+06	2.4E-03
1132	0.63318	2.83E-03	1.8E-03	3.46E-04	6.19E-07	2.47E-02	1.57E-01	2.40E-09	1.0E+06	2.4E-03
1133	0.64286	2.83E-03	1.8E-03	3.46E-04	6.29E-07	2.47E-02	1.57E-01	2.44E-09	1.0E+06	2.4E-03
1134	0.65241	2.83E-03	1.8E-03	3.46E-04	6.38E-07	2.47E-02	1.57E-01	2.47E-09	1.0E+06	2.5E-03
1135	0.66174	2.83E-03	1.9E-03	3.46E-04	6.47E-07	2.47E-02	1.57E-01	2.51E-09	1.0E+06	2.5E-03
1136	0.67087	2.83E-03	1.9E-03	3.46E-04	6.56E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
1137	0.67969	2.83E-03	1.9E-03	3.46E-04	6.65E-07	2.47E-02	1.57E-01	2.58E-09	1.0E+06	2.6E-03
1138	0.68818	2.83E-03	1.9E-03	3.46E-04	6.73E-07	2.47E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
1139	0.69636	2.83E-03	2.0E-03	3.46E-04	6.81E-07	2.47E-02	1.57E-01	2.64E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	0.70361	2.83E-03	2.0E-03	3.46E-04	6.88E-07	2.47E-02	1.57E-01	2.67E-09	1.0E+06	2.7E-03
1141	0.7101	2.83E-03	2.0E-03	3.46E-04	6.95E-07	2.47E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
1142	0.71601	2.83E-03	2.0E-03	3.46E-04	7.00E-07	2.47E-02	1.57E-01	2.71E-09	1.0E+06	2.7E-03
1143	0.72134	2.83E-03	2.0E-03	3.46E-04	7.06E-07	2.47E-02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
1144	0.72609	2.83E-03	2.1E-03	3.46E-04	7.10E-07	2.47E-02	1.57E-01	2.75E-09	1.0E+06	2.8E-03
1145	0.73018	2.83E-03	2.1E-03	3.46E-04	7.14E-07	2.47E-02	1.57E-01	2.77E-09	1.0E+06	2.8E-03
1146	0.41497	2.83E-03	1.2E-03	3.46E-04	4.06E-07	2.47E-02	1.57E-01	1.57E-09	1.0E+06	1.6E-03
1147	0.42283	2.83E-03	1.2E-03	3.46E-04	4.14E-07	2.47E-02	1.57E-01	1.60E-09	1.0E+06	1.6E-03
1148	0.43115	2.83E-03	1.2E-03	3.46E-04	4.22E-07	2.47E-02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1149	0.43975	2.83E-03	1.2E-03	3.46E-04	4.30E-07	2.47E-02	1.57E-01	1.67E-09	1.0E+06	1.7E-03
1150	0.44861	2.83E-03	1.3E-03	3.46E-04	4.39E-07	2.47E-02	1.57E-01	1.70E-09	1.0E+06	1.7E-03
1151	0.45773	2.83E-03	1.3E-03	3.46E-04	4.48E-07	2.47E-02	1.57E-01	1.74E-09	1.0E+06	1.7E-03
1152	0.47797	2.83E-03	1.4E-03	3.46E-04	4.68E-07	2.47E-02	1.57E-01	1.81E-09	1.0E+06	1.8E-03
1153	0.49863	2.83E-03	1.4E-03	3.46E-04	4.88E-07	2.47E-02	1.57E-01	1.89E-09	1.0E+06	1.9E-03
1154	0.51951	2.83E-03	1.5E-03	3.46E-04	5.08E-07	2.47E-02	1.57E-01	1.97E-09	1.0E+06	2.0E-03
1155	0.52974	2.83E-03	1.5E-03	3.46E-04	5.18E-07	2.47E-02	1.57E-01	2.01E-09	1.0E+06	2.0E-03
1156	0.54014	2.83E-03	1.5E-03	3.46E-04	5.28E-07	2.47E-02	1.57E-01	2.05E-09	1.0E+06	2.0E-03
1157	0.55068	2.83E-03	1.6E-03	3.46E-04	5.39E-07	2.47E-02	1.57E-01	2.09E-09	1.0E+06	2.1E-03
1158	0.57238	2.83E-03	1.6E-03	3.46E-04	5.60E-07	2.47E-02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
1159	0.58325	2.83E-03	1.6E-03	3.46E-04	5.71E-07	2.47E-02	1.57E-01	2.21E-09	1.0E+06	2.2E-03
1160	0.59449	2.83E-03	1.7E-03	3.46E-04	5.82E-07	2.47E-02	1.57E-01	2.25E-09	1.0E+06	2.3E-03
1161	0.60576	2.83E-03	1.7E-03	3.46E-04	5.93E-07	2.47E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
1162	0.61693	2.83E-03	1.7E-03	3.46E-04	6.04E-07	2.47E-02	1.57E-01	2.34E-09	1.0E+06	2.3E-03
1163	0.62794	2.83E-03	1.8E-03	3.46E-04	6.14E-07	2.47E-02	1.57E-01	2.38E-09	1.0E+06	2.4E-03
1164	0.63889	2.83E-03	1.8E-03	3.46E-04	6.25E-07	2.47E-02	1.57E-01	2.42E-09	1.0E+06	2.4E-03
1165	0.64964	2.83E-03	1.8E-03	3.46E-04	6.36E-07	2.47E-02	1.57E-01	2.46E-09	1.0E+06	2.5E-03
1166	0.66024	2.83E-03	1.9E-03	3.46E-04	6.46E-07	2.47E-02	1.57E-01	2.50E-09	1.0E+06	2.5E-03
1167	0.67074	2.83E-03	1.9E-03	3.46E-04	6.56E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
1168	0.68114	2.83E-03	1.9E-03	3.46E-04	6.66E-07	2.47E-02	1.57E-01	2.58E-09	1.0E+06	2.6E-03
1169	0.69131	2.83E-03	2.0E-03	3.46E-04	6.76E-07	2.47E-02	1.57E-01	2.62E-09	1.0E+06	2.6E-03
1170	0.70124	2.83E-03	2.0E-03	3.46E-04	6.86E-07	2.47E-02	1.57E-01	2.66E-09	1.0E+06	2.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	0.71084	2.83E-03	2.0E-03	3.46E-04	6.95E-07	2.47E-02	1.57E-01	2.69E-09	1.0E+06	2.7E-03
1172	0.72003	2.83E-03	2.0E-03	3.46E-04	7.04E-07	2.47E-02	1.57E-01	2.73E-09	1.0E+06	2.7E-03
1173	0.72878	2.83E-03	2.1E-03	3.46E-04	7.13E-07	2.47E-02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
1174	0.73658	2.83E-03	2.1E-03	3.46E-04	7.21E-07	2.47E-02	1.57E-01	2.79E-09	1.0E+06	2.8E-03
1175	0.74362	2.83E-03	2.1E-03	3.46E-04	7.27E-07	2.47E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
1176	0.75	2.83E-03	2.1E-03	3.46E-04	7.34E-07	2.47E-02	1.57E-01	2.84E-09	1.0E+06	2.8E-03
1177	0.75576	2.83E-03	2.1E-03	3.46E-04	7.39E-07	2.47E-02	1.57E-01	2.86E-09	1.0E+06	2.9E-03
1178	0.76079	2.83E-03	2.2E-03	3.46E-04	7.44E-07	2.47E-02	1.57E-01	2.88E-09	1.0E+06	2.9E-03
1179	0.76512	2.83E-03	2.2E-03	3.46E-04	7.49E-07	2.47E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
1180	0.42895	2.83E-03	1.2E-03	3.46E-04	4.20E-07	2.47E-02	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1181	0.43714	2.83E-03	1.2E-03	3.46E-04	4.28E-07	2.47E-02	1.57E-01	1.66E-09	1.0E+06	1.7E-03
1182	0.44575	2.83E-03	1.3E-03	3.46E-04	4.36E-07	2.47E-02	1.57E-01	1.69E-09	1.0E+06	1.7E-03
1183	0.45472	2.83E-03	1.3E-03	3.46E-04	4.45E-07	2.47E-02	1.57E-01	1.72E-09	1.0E+06	1.7E-03
1184	0.46409	2.83E-03	1.3E-03	3.46E-04	4.54E-07	2.47E-02	1.57E-01	1.76E-09	1.0E+06	1.8E-03
1185	0.47381	2.83E-03	1.3E-03	3.46E-04	4.64E-07	2.47E-02	1.57E-01	1.80E-09	1.0E+06	1.8E-03
1186	0.49463	2.83E-03	1.4E-03	3.46E-04	4.84E-07	2.47E-02	1.57E-01	1.87E-09	1.0E+06	1.9E-03
1187	0.50561	2.83E-03	1.4E-03	3.46E-04	4.95E-07	2.47E-02	1.57E-01	1.92E-09	1.0E+06	1.9E-03
1188	0.53776	2.83E-03	1.5E-03	3.46E-04	5.26E-07	2.47E-02	1.57E-01	2.04E-09	1.0E+06	2.0E-03
1189	0.54882	2.83E-03	1.6E-03	3.46E-04	5.37E-07	2.47E-02	1.57E-01	2.08E-09	1.0E+06	2.1E-03
1190	0.56007	2.83E-03	1.6E-03	3.46E-04	5.48E-07	2.47E-02	1.57E-01	2.12E-09	1.0E+06	2.1E-03
1191	0.5715	2.83E-03	1.6E-03	3.46E-04	5.59E-07	2.47E-02	1.57E-01	2.17E-09	1.0E+06	2.2E-03
1192	0.59439	2.83E-03	1.7E-03	3.46E-04	5.81E-07	2.47E-02	1.57E-01	2.25E-09	1.0E+06	2.3E-03
1193	0.60613	2.83E-03	1.7E-03	3.46E-04	5.93E-07	2.47E-02	1.57E-01	2.30E-09	1.0E+06	2.3E-03
1194	0.6181	2.83E-03	1.7E-03	3.46E-04	6.05E-07	2.47E-02	1.57E-01	2.34E-09	1.0E+06	2.3E-03
1195	0.63016	2.83E-03	1.8E-03	3.46E-04	6.16E-07	2.47E-02	1.57E-01	2.39E-09	1.0E+06	2.4E-03
1196	0.64215	2.83E-03	1.8E-03	3.46E-04	6.28E-07	2.47E-02	1.57E-01	2.43E-09	1.0E+06	2.4E-03
1197	0.65407	2.83E-03	1.8E-03	3.46E-04	6.40E-07	2.47E-02	1.57E-01	2.48E-09	1.0E+06	2.5E-03
1198	0.66596	2.83E-03	1.9E-03	3.46E-04	6.52E-07	2.47E-02	1.57E-01	2.52E-09	1.0E+06	2.5E-03
1199	0.67762	2.83E-03	1.9E-03	3.46E-04	6.63E-07	2.47E-02	1.57E-01	2.57E-09	1.0E+06	2.6E-03
1200	0.68916	2.83E-03	1.9E-03	3.46E-04	6.74E-07	2.47E-02	1.57E-01	2.61E-09	1.0E+06	2.6E-03
1201	0.70057	2.83E-03	2.0E-03	3.46E-04	6.85E-07	2.47E-02	1.57E-01	2.66E-09	1.0E+06	2.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	0.71191	2.83E-03	2.0E-03	3.46E-04	6.96E-07	2.47E-02	1.57E-01	2.70E-09	1.0E+06	2.7E-03
1203	0.72296	2.83E-03	2.0E-03	3.46E-04	7.07E-07	2.47E-02	1.57E-01	2.74E-09	1.0E+06	2.7E-03
1204	0.73382	2.83E-03	2.1E-03	3.46E-04	7.18E-07	2.47E-02	1.57E-01	2.78E-09	1.0E+06	2.8E-03
1205	0.74432	2.83E-03	2.1E-03	3.46E-04	7.28E-07	2.47E-02	1.57E-01	2.82E-09	1.0E+06	2.8E-03
1206	0.75425	2.83E-03	2.1E-03	3.46E-04	7.38E-07	2.47E-02	1.57E-01	2.86E-09	1.0E+06	2.9E-03
1207	0.76364	2.83E-03	2.2E-03	3.46E-04	7.47E-07	2.47E-02	1.57E-01	2.89E-09	1.0E+06	2.9E-03
1208	0.77204	2.83E-03	2.2E-03	3.46E-04	7.55E-07	2.47E-02	1.57E-01	2.93E-09	1.0E+06	2.9E-03
1209	0.77968	2.83E-03	2.2E-03	3.46E-04	7.63E-07	2.47E-02	1.57E-01	2.96E-09	1.0E+06	3.0E-03
1210	0.7866	2.83E-03	2.2E-03	3.46E-04	7.70E-07	2.47E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
1211	0.7928	2.83E-03	2.2E-03	3.46E-04	7.76E-07	2.47E-02	1.57E-01	3.01E-09	1.0E+06	3.0E-03
1212	0.79815	2.83E-03	2.3E-03	3.46E-04	7.81E-07	2.47E-02	1.57E-01	3.03E-09	1.0E+06	3.0E-03
1213	0.80274	2.83E-03	2.3E-03	3.46E-04	7.85E-07	2.47E-02	1.57E-01	3.04E-09	1.0E+06	3.0E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	2.70E-04
893	5	2.74E-04
894	5	2.77E-04
895	5	2.80E-04
896	5	2.84E-04
897	5	2.87E-04
898	5	2.90E-04
899	5	2.92E-04
900	5	2.95E-04
901	5	2.97E-04
902	5	3.00E-04
903	5	3.02E-04
904	5	3.03E-04
905	5	3.05E-04
906	5	3.06E-04
907	5	3.07E-04
908	5	1.89E-04
909	5	1.92E-04
910	5	1.96E-04
911	5	2.00E-04
912	5	2.08E-04
913	5	2.12E-04
914	5	2.20E-04
915	5	2.29E-04
916	5	2.33E-04
917	5	2.37E-04
918	5	2.40E-04
919	5	2.49E-04
920	5	2.53E-04
921	5	2.57E-04
922	5	2.61E-04

Max	Receptor #	
4.537E-04	1213	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	2.65E-04
924	5	2.69E-04
925	5	2.73E-04
926	5	2.76E-04
927	5	2.80E-04
928	5	2.84E-04
929	5	2.87E-04
930	5	2.91E-04
931	5	2.94E-04
932	5	2.98E-04
933	5	3.01E-04
934	5	3.04E-04
935	5	3.07E-04
936	5	3.09E-04
937	5	3.11E-04
938	5	3.14E-04
939	5	3.15E-04
940	5	3.17E-04
941	5	3.19E-04
942	5	1.95E-04
943	5	1.98E-04
944	5	2.02E-04
945	5	2.06E-04
946	5	2.14E-04
947	5	2.18E-04
948	5	2.27E-04
949	5	2.36E-04
950	5	2.40E-04
951	5	2.44E-04
952	5	2.48E-04
953	5	2.52E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	2.62E-04
955	5	2.66E-04
956	5	2.70E-04
957	5	2.74E-04
958	5	2.78E-04
959	5	2.82E-04
960	5	2.86E-04
961	5	2.90E-04
962	5	2.94E-04
963	5	2.98E-04
964	5	3.02E-04
965	5	3.06E-04
966	5	3.09E-04
967	5	3.13E-04
968	5	3.16E-04
969	5	3.19E-04
970	5	3.22E-04
971	5	3.24E-04
972	5	3.26E-04
973	5	3.28E-04
974	5	3.30E-04
975	5	3.32E-04
976	5	2.01E-04
977	5	2.04E-04
978	5	2.08E-04
979	5	2.12E-04
980	5	2.16E-04
981	5	2.25E-04
982	5	2.34E-04
983	5	2.44E-04
984	5	2.48E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	2.52E-04
986	5	2.57E-04
987	5	2.61E-04
988	5	2.65E-04
989	5	2.75E-04
990	5	2.80E-04
991	5	2.84E-04
992	5	2.89E-04
993	5	2.93E-04
994	5	2.97E-04
995	5	3.01E-04
996	5	3.06E-04
997	5	3.10E-04
998	5	3.14E-04
999	5	3.18E-04
1000	5	3.21E-04
1001	5	3.25E-04
1002	5	3.28E-04
1003	5	3.32E-04
1004	5	3.35E-04
1005	5	3.38E-04
1006	5	3.40E-04
1007	5	3.42E-04
1008	5	3.44E-04
1009	5	3.46E-04
1010	5	2.07E-04
1011	5	2.11E-04
1012	5	2.15E-04
1013	5	2.19E-04
1014	5	2.23E-04
1015	5	2.32E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	2.42E-04
1017	5	2.52E-04
1018	5	2.57E-04
1019	5	2.61E-04
1020	5	2.65E-04
1021	5	2.70E-04
1022	5	2.74E-04
1023	5	2.85E-04
1024	5	2.90E-04
1025	5	2.95E-04
1026	5	2.99E-04
1027	5	3.04E-04
1028	5	3.08E-04
1029	5	3.13E-04
1030	5	3.17E-04
1031	5	3.22E-04
1032	5	3.26E-04
1033	5	3.30E-04
1034	5	3.34E-04
1035	5	3.38E-04
1036	5	3.42E-04
1037	5	3.46E-04
1038	5	3.49E-04
1039	5	3.52E-04
1040	5	3.55E-04
1041	5	3.57E-04
1042	5	3.59E-04
1043	5	3.61E-04
1044	5	2.13E-04
1045	5	2.17E-04
1046	5	2.21E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	2.26E-04
1048	5	2.30E-04
1049	5	2.40E-04
1050	5	2.45E-04
1051	5	2.60E-04
1052	5	2.65E-04
1053	5	2.70E-04
1054	5	2.75E-04
1055	5	2.79E-04
1056	5	2.84E-04
1057	5	2.95E-04
1058	5	3.00E-04
1059	5	3.05E-04
1060	5	3.11E-04
1061	5	3.16E-04
1062	5	3.20E-04
1063	5	3.25E-04
1064	5	3.30E-04
1065	5	3.35E-04
1066	5	3.39E-04
1067	5	3.44E-04
1068	5	3.48E-04
1069	5	3.53E-04
1070	5	3.57E-04
1071	5	3.61E-04
1072	5	3.64E-04
1073	5	3.67E-04
1074	5	3.70E-04
1075	5	3.73E-04
1076	5	3.75E-04
1077	5	3.77E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	2.20E-04
1079	5	2.24E-04
1080	5	2.28E-04
1081	5	2.33E-04
1082	5	2.37E-04
1083	5	2.48E-04
1084	5	2.53E-04
1085	5	2.69E-04
1086	5	2.74E-04
1087	5	2.79E-04
1088	5	2.84E-04
1089	5	2.89E-04
1090	5	3.01E-04
1091	5	3.06E-04
1092	5	3.12E-04
1093	5	3.17E-04
1094	5	3.23E-04
1095	5	3.28E-04
1096	5	3.33E-04
1097	5	3.38E-04
1098	5	3.44E-04
1099	5	3.49E-04
1100	5	3.54E-04
1101	5	3.59E-04
1102	5	3.63E-04
1103	5	3.68E-04
1104	5	3.72E-04
1105	5	3.77E-04
1106	5	3.80E-04
1107	5	3.84E-04
1108	5	3.87E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	3.90E-04
1110	5	3.92E-04
1111	5	3.94E-04
1112	5	2.27E-04
1113	5	2.31E-04
1114	5	2.36E-04
1115	5	2.41E-04
1116	5	2.45E-04
1117	5	2.50E-04
1118	5	2.61E-04
1119	5	2.78E-04
1120	5	2.84E-04
1121	5	2.89E-04
1122	5	2.95E-04
1123	5	3.00E-04
1124	5	3.12E-04
1125	5	3.17E-04
1126	5	3.23E-04
1127	5	3.29E-04
1128	5	3.35E-04
1129	5	3.41E-04
1130	5	3.47E-04
1131	5	3.52E-04
1132	5	3.58E-04
1133	5	3.63E-04
1134	5	3.69E-04
1135	5	3.74E-04
1136	5	3.79E-04
1137	5	3.84E-04
1138	5	3.89E-04
1139	5	3.94E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	3.98E-04
1141	5	4.01E-04
1142	5	4.05E-04
1143	5	4.08E-04
1144	5	4.10E-04
1145	5	4.13E-04
1146	5	2.35E-04
1147	5	2.39E-04
1148	5	2.44E-04
1149	5	2.49E-04
1150	5	2.54E-04
1151	5	2.59E-04
1152	5	2.70E-04
1153	5	2.82E-04
1154	5	2.94E-04
1155	5	2.99E-04
1156	5	3.05E-04
1157	5	3.11E-04
1158	5	3.24E-04
1159	5	3.30E-04
1160	5	3.36E-04
1161	5	3.42E-04
1162	5	3.49E-04
1163	5	3.55E-04
1164	5	3.61E-04
1165	5	3.67E-04
1166	5	3.73E-04
1167	5	3.79E-04
1168	5	3.85E-04
1169	5	3.91E-04
1170	5	3.96E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	4.02E-04
1172	5	4.07E-04
1173	5	4.12E-04
1174	5	4.16E-04
1175	5	4.20E-04
1176	5	4.24E-04
1177	5	4.27E-04
1178	5	4.30E-04
1179	5	4.32E-04
1180	5	2.42E-04
1181	5	2.47E-04
1182	5	2.52E-04
1183	5	2.57E-04
1184	5	2.62E-04
1185	5	2.68E-04
1186	5	2.80E-04
1187	5	2.86E-04
1188	5	3.04E-04
1189	5	3.10E-04
1190	5	3.17E-04
1191	5	3.23E-04
1192	5	3.36E-04
1193	5	3.43E-04
1194	5	3.49E-04
1195	5	3.56E-04
1196	5	3.63E-04
1197	5	3.70E-04
1198	5	3.76E-04
1199	5	3.83E-04
1200	5	3.90E-04
1201	5	3.96E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	4.02E-04
1203	5	4.09E-04
1204	5	4.15E-04
1205	5	4.21E-04
1206	5	4.26E-04
1207	5	4.32E-04
1208	5	4.36E-04
1209	5	4.41E-04
1210	5	4.45E-04
1211	5	4.48E-04
1212	5	4.51E-04
1213	5	4.54E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	0.47816	1.70E-02	8.1E-03	3.46E-04	2.81E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
893	0.48418	1.70E-02	8.2E-03	3.46E-04	2.84E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
894	0.49016	1.70E-02	8.3E-03	3.46E-04	2.88E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
895	0.49606	1.70E-02	8.4E-03	3.46E-04	2.91E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
896	0.5018	1.70E-02	8.5E-03	3.46E-04	2.95E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
897	0.50732	1.70E-02	8.6E-03	3.46E-04	2.98E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
898	0.51254	1.70E-02	8.7E-03	3.46E-04	3.01E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
899	0.51744	1.70E-02	8.8E-03	3.46E-04	3.04E-06	2.47E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
900	0.52192	1.70E-02	8.9E-03	3.46E-04	3.07E-06	2.47E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
901	0.52609	1.70E-02	8.9E-03	3.46E-04	3.09E-06	2.47E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
902	0.53001	1.70E-02	9.0E-03	3.46E-04	3.11E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
903	0.53358	1.70E-02	9.1E-03	3.46E-04	3.13E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
904	0.53665	1.70E-02	9.1E-03	3.46E-04	3.15E-06	2.47E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
905	0.53934	1.70E-02	9.2E-03	3.46E-04	3.17E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
906	0.54163	1.70E-02	9.2E-03	3.46E-04	3.18E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
907	0.54379	1.70E-02	9.2E-03	3.46E-04	3.19E-06	2.47E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
908	0.3344	1.70E-02	5.7E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.61E-09	1.0E+06	7.6E-03
909	0.34053	1.70E-02	5.8E-03	3.46E-04	2.00E-06	2.47E-02	1.57E-01	7.75E-09	1.0E+06	7.8E-03
910	0.34697	1.70E-02	5.9E-03	3.46E-04	2.04E-06	2.47E-02	1.57E-01	7.90E-09	1.0E+06	7.9E-03
911	0.35331	1.70E-02	6.0E-03	3.46E-04	2.08E-06	2.47E-02	1.57E-01	8.04E-09	1.0E+06	8.0E-03
912	0.36798	1.70E-02	6.2E-03	3.46E-04	2.16E-06	2.47E-02	1.57E-01	8.38E-09	1.0E+06	8.4E-03
913	0.37452	1.70E-02	6.4E-03	3.46E-04	2.20E-06	2.47E-02	1.57E-01	8.52E-09	1.0E+06	8.5E-03
914	0.38952	1.70E-02	6.6E-03	3.46E-04	2.29E-06	2.47E-02	1.57E-01	8.87E-09	1.0E+06	8.9E-03
915	0.40512	1.70E-02	6.9E-03	3.46E-04	2.38E-06	2.47E-02	1.57E-01	9.22E-09	1.0E+06	9.2E-03
916	0.41185	1.70E-02	7.0E-03	3.46E-04	2.42E-06	2.47E-02	1.57E-01	9.37E-09	1.0E+06	9.4E-03
917	0.41862	1.70E-02	7.1E-03	3.46E-04	2.46E-06	2.47E-02	1.57E-01	9.53E-09	1.0E+06	9.5E-03
918	0.42545	1.70E-02	7.2E-03	3.46E-04	2.50E-06	2.47E-02	1.57E-01	9.68E-09	1.0E+06	9.7E-03
919	0.44137	1.70E-02	7.5E-03	3.46E-04	2.59E-06	2.47E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
920	0.44821	1.70E-02	7.6E-03	3.46E-04	2.63E-06	2.47E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
921	0.45507	1.70E-02	7.7E-03	3.46E-04	2.67E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
922	0.46197	1.70E-02	7.8E-03	3.46E-04	2.71E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	0.46884	1.70E-02	8.0E-03	3.46E-04	2.75E-06	2.47E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
924	0.47565	1.70E-02	8.1E-03	3.46E-04	2.79E-06	2.47E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
925	0.48238	1.70E-02	8.2E-03	3.46E-04	2.83E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
926	0.48903	1.70E-02	8.3E-03	3.46E-04	2.87E-06	2.47E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
927	0.49557	1.70E-02	8.4E-03	3.46E-04	2.91E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
928	0.50201	1.70E-02	8.5E-03	3.46E-04	2.95E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
929	0.50838	1.70E-02	8.6E-03	3.46E-04	2.99E-06	2.47E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
930	0.51466	1.70E-02	8.7E-03	3.46E-04	3.02E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
931	0.52076	1.70E-02	8.8E-03	3.46E-04	3.06E-06	2.47E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
932	0.52659	1.70E-02	8.9E-03	3.46E-04	3.09E-06	2.47E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
933	0.53214	1.70E-02	9.0E-03	3.46E-04	3.13E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
934	0.53738	1.70E-02	9.1E-03	3.46E-04	3.16E-06	2.47E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
935	0.5423	1.70E-02	9.2E-03	3.46E-04	3.19E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
936	0.54682	1.70E-02	9.3E-03	3.46E-04	3.21E-06	2.47E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
937	0.55102	1.70E-02	9.4E-03	3.46E-04	3.24E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
938	0.55484	1.70E-02	9.4E-03	3.46E-04	3.26E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
939	0.55818	1.70E-02	9.5E-03	3.46E-04	3.28E-06	2.47E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
940	0.5611	1.70E-02	9.5E-03	3.46E-04	3.30E-06	2.47E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
941	0.56361	1.70E-02	9.6E-03	3.46E-04	3.31E-06	2.47E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
942	0.3444	1.70E-02	5.8E-03	3.46E-04	2.02E-06	2.47E-02	1.57E-01	7.84E-09	1.0E+06	7.8E-03
943	0.35077	1.70E-02	6.0E-03	3.46E-04	2.06E-06	2.47E-02	1.57E-01	7.98E-09	1.0E+06	8.0E-03
944	0.35736	1.70E-02	6.1E-03	3.46E-04	2.10E-06	2.47E-02	1.57E-01	8.13E-09	1.0E+06	8.1E-03
945	0.36405	1.70E-02	6.2E-03	3.46E-04	2.14E-06	2.47E-02	1.57E-01	8.29E-09	1.0E+06	8.3E-03
946	0.37922	1.70E-02	6.4E-03	3.46E-04	2.23E-06	2.47E-02	1.57E-01	8.63E-09	1.0E+06	8.6E-03
947	0.38608	1.70E-02	6.6E-03	3.46E-04	2.27E-06	2.47E-02	1.57E-01	8.79E-09	1.0E+06	8.8E-03
948	0.40182	1.70E-02	6.8E-03	3.46E-04	2.36E-06	2.47E-02	1.57E-01	9.15E-09	1.0E+06	9.1E-03
949	0.41805	1.70E-02	7.1E-03	3.46E-04	2.46E-06	2.47E-02	1.57E-01	9.52E-09	1.0E+06	9.5E-03
950	0.42523	1.70E-02	7.2E-03	3.46E-04	2.50E-06	2.47E-02	1.57E-01	9.68E-09	1.0E+06	9.7E-03
951	0.43226	1.70E-02	7.3E-03	3.46E-04	2.54E-06	2.47E-02	1.57E-01	9.84E-09	1.0E+06	9.8E-03
952	0.43939	1.70E-02	7.5E-03	3.46E-04	2.58E-06	2.47E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
953	0.44657	1.70E-02	7.6E-03	3.46E-04	2.62E-06	2.47E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	0.46315	1.70E-02	7.9E-03	3.46E-04	2.72E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
955	0.4704	1.70E-02	8.0E-03	3.46E-04	2.76E-06	2.47E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
956	0.47786	1.70E-02	8.1E-03	3.46E-04	2.81E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
957	0.48531	1.70E-02	8.2E-03	3.46E-04	2.85E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
958	0.4926	1.70E-02	8.4E-03	3.46E-04	2.89E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
959	0.49974	1.70E-02	8.5E-03	3.46E-04	2.94E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
960	0.50682	1.70E-02	8.6E-03	3.46E-04	2.98E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
961	0.51382	1.70E-02	8.7E-03	3.46E-04	3.02E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
962	0.52073	1.70E-02	8.8E-03	3.46E-04	3.06E-06	2.47E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
963	0.52754	1.70E-02	9.0E-03	3.46E-04	3.10E-06	2.47E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
964	0.53424	1.70E-02	9.1E-03	3.46E-04	3.14E-06	2.47E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
965	0.54078	1.70E-02	9.2E-03	3.46E-04	3.18E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
966	0.547	1.70E-02	9.3E-03	3.46E-04	3.21E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
967	0.55296	1.70E-02	9.4E-03	3.46E-04	3.25E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
968	0.5586	1.70E-02	9.5E-03	3.46E-04	3.28E-06	2.47E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
969	0.56399	1.70E-02	9.6E-03	3.46E-04	3.31E-06	2.47E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
970	0.56889	1.70E-02	9.7E-03	3.46E-04	3.34E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
971	0.57338	1.70E-02	9.7E-03	3.46E-04	3.37E-06	2.47E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
972	0.57748	1.70E-02	9.8E-03	3.46E-04	3.39E-06	2.47E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
973	0.58117	1.70E-02	9.9E-03	3.46E-04	3.41E-06	2.47E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
974	0.58437	1.70E-02	9.9E-03	3.46E-04	3.43E-06	2.47E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
975	0.58718	1.70E-02	1.0E-02	3.46E-04	3.45E-06	2.47E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
976	0.35484	1.70E-02	6.0E-03	3.46E-04	2.08E-06	2.47E-02	1.57E-01	8.08E-09	1.0E+06	8.1E-03
977	0.36146	1.70E-02	6.1E-03	3.46E-04	2.12E-06	2.47E-02	1.57E-01	8.23E-09	1.0E+06	8.2E-03
978	0.36833	1.70E-02	6.3E-03	3.46E-04	2.16E-06	2.47E-02	1.57E-01	8.38E-09	1.0E+06	8.4E-03
979	0.37531	1.70E-02	6.4E-03	3.46E-04	2.20E-06	2.47E-02	1.57E-01	8.54E-09	1.0E+06	8.5E-03
980	0.3824	1.70E-02	6.5E-03	3.46E-04	2.25E-06	2.47E-02	1.57E-01	8.70E-09	1.0E+06	8.7E-03
981	0.39827	1.70E-02	6.8E-03	3.46E-04	2.34E-06	2.47E-02	1.57E-01	9.07E-09	1.0E+06	9.1E-03
982	0.41472	1.70E-02	7.0E-03	3.46E-04	2.44E-06	2.47E-02	1.57E-01	9.44E-09	1.0E+06	9.4E-03
983	0.43164	1.70E-02	7.3E-03	3.46E-04	2.54E-06	2.47E-02	1.57E-01	9.82E-09	1.0E+06	9.8E-03
984	0.43928	1.70E-02	7.5E-03	3.46E-04	2.58E-06	2.47E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	0.44662	1.70E-02	7.6E-03	3.46E-04	2.62E-06	2.47E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
986	0.45403	1.70E-02	7.7E-03	3.46E-04	2.67E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
987	0.46153	1.70E-02	7.8E-03	3.46E-04	2.71E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
988	0.46907	1.70E-02	8.0E-03	3.46E-04	2.76E-06	2.47E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
989	0.48654	1.70E-02	8.3E-03	3.46E-04	2.86E-06	2.47E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
990	0.49461	1.70E-02	8.4E-03	3.46E-04	2.91E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
991	0.50269	1.70E-02	8.5E-03	3.46E-04	2.95E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
992	0.51051	1.70E-02	8.7E-03	3.46E-04	3.00E-06	2.47E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
993	0.51811	1.70E-02	8.8E-03	3.46E-04	3.04E-06	2.47E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
994	0.52562	1.70E-02	8.9E-03	3.46E-04	3.09E-06	2.47E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
995	0.53314	1.70E-02	9.0E-03	3.46E-04	3.13E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
996	0.54054	1.70E-02	9.2E-03	3.46E-04	3.18E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
997	0.54784	1.70E-02	9.3E-03	3.46E-04	3.22E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
998	0.55503	1.70E-02	9.4E-03	3.46E-04	3.26E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
999	0.56203	1.70E-02	9.5E-03	3.46E-04	3.30E-06	2.47E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1000	0.56867	1.70E-02	9.6E-03	3.46E-04	3.34E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
1001	0.57507	1.70E-02	9.8E-03	3.46E-04	3.38E-06	2.47E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1002	0.58116	1.70E-02	9.9E-03	3.46E-04	3.41E-06	2.47E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1003	0.58709	1.70E-02	1.0E-02	3.46E-04	3.45E-06	2.47E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1004	0.5924	1.70E-02	1.0E-02	3.46E-04	3.48E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
1005	0.59721	1.70E-02	1.0E-02	3.46E-04	3.51E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1006	0.6016	1.70E-02	1.0E-02	3.46E-04	3.53E-06	2.47E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1007	0.60559	1.70E-02	1.0E-02	3.46E-04	3.56E-06	2.47E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1008	0.60916	1.70E-02	1.0E-02	3.46E-04	3.58E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1009	0.61223	1.70E-02	1.0E-02	3.46E-04	3.60E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1010	0.3658	1.70E-02	6.2E-03	3.46E-04	2.15E-06	2.47E-02	1.57E-01	8.33E-09	1.0E+06	8.3E-03
1011	0.37263	1.70E-02	6.3E-03	3.46E-04	2.19E-06	2.47E-02	1.57E-01	8.48E-09	1.0E+06	8.5E-03
1012	0.37979	1.70E-02	6.4E-03	3.46E-04	2.23E-06	2.47E-02	1.57E-01	8.64E-09	1.0E+06	8.6E-03
1013	0.38714	1.70E-02	6.6E-03	3.46E-04	2.27E-06	2.47E-02	1.57E-01	8.81E-09	1.0E+06	8.8E-03
1014	0.39449	1.70E-02	6.7E-03	3.46E-04	2.32E-06	2.47E-02	1.57E-01	8.98E-09	1.0E+06	9.0E-03
1015	0.411	1.70E-02	7.0E-03	3.46E-04	2.41E-06	2.47E-02	1.57E-01	9.35E-09	1.0E+06	9.4E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	0.42822	1.70E-02	7.3E-03	3.46E-04	2.52E-06	2.47E-02	1.57E-01	9.75E-09	1.0E+06	9.7E-03
1017	0.44584	1.70E-02	7.6E-03	3.46E-04	2.62E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1018	0.45398	1.70E-02	7.7E-03	3.46E-04	2.67E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1019	0.46169	1.70E-02	7.8E-03	3.46E-04	2.71E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
1020	0.4695	1.70E-02	8.0E-03	3.46E-04	2.76E-06	2.47E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1021	0.47734	1.70E-02	8.1E-03	3.46E-04	2.80E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1022	0.48526	1.70E-02	8.2E-03	3.46E-04	2.85E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1023	0.50361	1.70E-02	8.5E-03	3.46E-04	2.96E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.1E-02
1024	0.51233	1.70E-02	8.7E-03	3.46E-04	3.01E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1025	0.52104	1.70E-02	8.8E-03	3.46E-04	3.06E-06	2.47E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1026	0.52943	1.70E-02	9.0E-03	3.46E-04	3.11E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1027	0.53756	1.70E-02	9.1E-03	3.46E-04	3.16E-06	2.47E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
1028	0.5456	1.70E-02	9.3E-03	3.46E-04	3.20E-06	2.47E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1029	0.55365	1.70E-02	9.4E-03	3.46E-04	3.25E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1030	0.56158	1.70E-02	9.5E-03	3.46E-04	3.30E-06	2.47E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1031	0.56942	1.70E-02	9.7E-03	3.46E-04	3.34E-06	2.47E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1032	0.57713	1.70E-02	9.8E-03	3.46E-04	3.39E-06	2.47E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1033	0.58462	1.70E-02	9.9E-03	3.46E-04	3.43E-06	2.47E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1034	0.59176	1.70E-02	1.0E-02	3.46E-04	3.48E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
1035	0.59862	1.70E-02	1.0E-02	3.46E-04	3.52E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1036	0.60526	1.70E-02	1.0E-02	3.46E-04	3.56E-06	2.47E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1037	0.6117	1.70E-02	1.0E-02	3.46E-04	3.59E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1038	0.61747	1.70E-02	1.0E-02	3.46E-04	3.63E-06	2.47E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1039	0.62263	1.70E-02	1.1E-02	3.46E-04	3.66E-06	2.47E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1040	0.62735	1.70E-02	1.1E-02	3.46E-04	3.69E-06	2.47E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1041	0.63163	1.70E-02	1.1E-02	3.46E-04	3.71E-06	2.47E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1042	0.63547	1.70E-02	1.1E-02	3.46E-04	3.73E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
1043	0.63885	1.70E-02	1.1E-02	3.46E-04	3.75E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1044	0.37716	1.70E-02	6.4E-03	3.46E-04	2.22E-06	2.47E-02	1.57E-01	8.58E-09	1.0E+06	8.6E-03
1045	0.38426	1.70E-02	6.5E-03	3.46E-04	2.26E-06	2.47E-02	1.57E-01	8.75E-09	1.0E+06	8.7E-03
1046	0.39171	1.70E-02	6.6E-03	3.46E-04	2.30E-06	2.47E-02	1.57E-01	8.92E-09	1.0E+06	8.9E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	0.39932	1.70E-02	6.8E-03	3.46E-04	2.35E-06	2.47E-02	1.57E-01	9.09E-09	1.0E+06	9.1E-03
1048	0.40699	1.70E-02	6.9E-03	3.46E-04	2.39E-06	2.47E-02	1.57E-01	9.26E-09	1.0E+06	9.3E-03
1049	0.4241	1.70E-02	7.2E-03	3.46E-04	2.49E-06	2.47E-02	1.57E-01	9.65E-09	1.0E+06	9.7E-03
1050	0.43296	1.70E-02	7.3E-03	3.46E-04	2.54E-06	2.47E-02	1.57E-01	9.85E-09	1.0E+06	9.9E-03
1051	0.46055	1.70E-02	7.8E-03	3.46E-04	2.71E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
1052	0.46924	1.70E-02	8.0E-03	3.46E-04	2.76E-06	2.47E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1053	0.4775	1.70E-02	8.1E-03	3.46E-04	2.80E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1054	0.48586	1.70E-02	8.2E-03	3.46E-04	2.85E-06	2.47E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1055	0.49429	1.70E-02	8.4E-03	3.46E-04	2.90E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1056	0.50278	1.70E-02	8.5E-03	3.46E-04	2.95E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
1057	0.52191	1.70E-02	8.9E-03	3.46E-04	3.07E-06	2.47E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1058	0.53117	1.70E-02	9.0E-03	3.46E-04	3.12E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1059	0.54046	1.70E-02	9.2E-03	3.46E-04	3.17E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1060	0.54947	1.70E-02	9.3E-03	3.46E-04	3.23E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
1061	0.55822	1.70E-02	9.5E-03	3.46E-04	3.28E-06	2.47E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
1062	0.56688	1.70E-02	9.6E-03	3.46E-04	3.33E-06	2.47E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
1063	0.57549	1.70E-02	9.8E-03	3.46E-04	3.38E-06	2.47E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1064	0.58398	1.70E-02	9.9E-03	3.46E-04	3.43E-06	2.47E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1065	0.59236	1.70E-02	1.0E-02	3.46E-04	3.48E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
1066	0.60063	1.70E-02	1.0E-02	3.46E-04	3.53E-06	2.47E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1067	0.60868	1.70E-02	1.0E-02	3.46E-04	3.58E-06	2.47E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1068	0.6164	1.70E-02	1.0E-02	3.46E-04	3.62E-06	2.47E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1069	0.62385	1.70E-02	1.1E-02	3.46E-04	3.66E-06	2.47E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1070	0.63105	1.70E-02	1.1E-02	3.46E-04	3.71E-06	2.47E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1071	0.63802	1.70E-02	1.1E-02	3.46E-04	3.75E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1072	0.64425	1.70E-02	1.1E-02	3.46E-04	3.78E-06	2.47E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1073	0.64981	1.70E-02	1.1E-02	3.46E-04	3.82E-06	2.47E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1074	0.65489	1.70E-02	1.1E-02	3.46E-04	3.85E-06	2.47E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1075	0.65949	1.70E-02	1.1E-02	3.46E-04	3.87E-06	2.47E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1076	0.6636	1.70E-02	1.1E-02	3.46E-04	3.90E-06	2.47E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1077	0.66721	1.70E-02	1.1E-02	3.46E-04	3.92E-06	2.47E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	0.38907	1.70E-02	6.6E-03	3.46E-04	2.29E-06	2.47E-02	1.57E-01	8.86E-09	1.0E+06	8.9E-03
1079	0.39644	1.70E-02	6.7E-03	3.46E-04	2.33E-06	2.47E-02	1.57E-01	9.02E-09	1.0E+06	9.0E-03
1080	0.40418	1.70E-02	6.9E-03	3.46E-04	2.37E-06	2.47E-02	1.57E-01	9.20E-09	1.0E+06	9.2E-03
1081	0.41213	1.70E-02	7.0E-03	3.46E-04	2.42E-06	2.47E-02	1.57E-01	9.38E-09	1.0E+06	9.4E-03
1082	0.42008	1.70E-02	7.1E-03	3.46E-04	2.47E-06	2.47E-02	1.57E-01	9.56E-09	1.0E+06	9.6E-03
1083	0.43788	1.70E-02	7.4E-03	3.46E-04	2.57E-06	2.47E-02	1.57E-01	9.97E-09	1.0E+06	1.0E-02
1084	0.44723	1.70E-02	7.6E-03	3.46E-04	2.63E-06	2.47E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1085	0.476	1.70E-02	8.1E-03	3.46E-04	2.80E-06	2.47E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1086	0.48532	1.70E-02	8.2E-03	3.46E-04	2.85E-06	2.47E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1087	0.49415	1.70E-02	8.4E-03	3.46E-04	2.90E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1088	0.50309	1.70E-02	8.5E-03	3.46E-04	2.96E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.1E-02
1089	0.51216	1.70E-02	8.7E-03	3.46E-04	3.01E-06	2.47E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1090	0.53186	1.70E-02	9.0E-03	3.46E-04	3.12E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1091	0.54123	1.70E-02	9.2E-03	3.46E-04	3.18E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1092	0.55112	1.70E-02	9.4E-03	3.46E-04	3.24E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
1093	0.56103	1.70E-02	9.5E-03	3.46E-04	3.30E-06	2.47E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1094	0.57068	1.70E-02	9.7E-03	3.46E-04	3.35E-06	2.47E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1095	0.58013	1.70E-02	9.8E-03	3.46E-04	3.41E-06	2.47E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1096	0.58949	1.70E-02	1.0E-02	3.46E-04	3.46E-06	2.47E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1097	0.59872	1.70E-02	1.0E-02	3.46E-04	3.52E-06	2.47E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1098	0.6078	1.70E-02	1.0E-02	3.46E-04	3.57E-06	2.47E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1099	0.61678	1.70E-02	1.0E-02	3.46E-04	3.62E-06	2.47E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1100	0.62566	1.70E-02	1.1E-02	3.46E-04	3.68E-06	2.47E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1101	0.63429	1.70E-02	1.1E-02	3.46E-04	3.73E-06	2.47E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1102	0.64269	1.70E-02	1.1E-02	3.46E-04	3.78E-06	2.47E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1103	0.65078	1.70E-02	1.1E-02	3.46E-04	3.82E-06	2.47E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1104	0.65861	1.70E-02	1.1E-02	3.46E-04	3.87E-06	2.47E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1105	0.66617	1.70E-02	1.1E-02	3.46E-04	3.91E-06	2.47E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1106	0.6729	1.70E-02	1.1E-02	3.46E-04	3.95E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1107	0.6789	1.70E-02	1.2E-02	3.46E-04	3.99E-06	2.47E-02	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1108	0.68438	1.70E-02	1.2E-02	3.46E-04	4.02E-06	2.47E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	0.68932	1.70E-02	1.2E-02	3.46E-04	4.05E-06	2.47E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1110	0.69374	1.70E-02	1.2E-02	3.46E-04	4.08E-06	2.47E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1111	0.6976	1.70E-02	1.2E-02	3.46E-04	4.10E-06	2.47E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
1112	0.40168	1.70E-02	6.8E-03	3.46E-04	2.36E-06	2.47E-02	1.57E-01	9.14E-09	1.0E+06	9.1E-03
1113	0.40928	1.70E-02	6.9E-03	3.46E-04	2.40E-06	2.47E-02	1.57E-01	9.32E-09	1.0E+06	9.3E-03
1114	0.41734	1.70E-02	7.1E-03	3.46E-04	2.45E-06	2.47E-02	1.57E-01	9.50E-09	1.0E+06	9.5E-03
1115	0.42564	1.70E-02	7.2E-03	3.46E-04	2.50E-06	2.47E-02	1.57E-01	9.69E-09	1.0E+06	9.7E-03
1116	0.43396	1.70E-02	7.4E-03	3.46E-04	2.55E-06	2.47E-02	1.57E-01	9.88E-09	1.0E+06	9.9E-03
1117	0.44259	1.70E-02	7.5E-03	3.46E-04	2.60E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1118	0.46226	1.70E-02	7.8E-03	3.46E-04	2.72E-06	2.47E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
1119	0.49221	1.70E-02	8.4E-03	3.46E-04	2.89E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1120	0.50218	1.70E-02	8.5E-03	3.46E-04	2.95E-06	2.47E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
1121	0.51162	1.70E-02	8.7E-03	3.46E-04	3.01E-06	2.47E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1122	0.52123	1.70E-02	8.8E-03	3.46E-04	3.06E-06	2.47E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1123	0.53099	1.70E-02	9.0E-03	3.46E-04	3.12E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1124	0.55158	1.70E-02	9.4E-03	3.46E-04	3.24E-06	2.47E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1125	0.56164	1.70E-02	9.5E-03	3.46E-04	3.30E-06	2.47E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1126	0.5722	1.70E-02	9.7E-03	3.46E-04	3.36E-06	2.47E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1127	0.58278	1.70E-02	9.9E-03	3.46E-04	3.42E-06	2.47E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1128	0.59318	1.70E-02	1.0E-02	3.46E-04	3.48E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1129	0.60334	1.70E-02	1.0E-02	3.46E-04	3.54E-06	2.47E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1130	0.61347	1.70E-02	1.0E-02	3.46E-04	3.60E-06	2.47E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1131	0.6234	1.70E-02	1.1E-02	3.46E-04	3.66E-06	2.47E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1132	0.63318	1.70E-02	1.1E-02	3.46E-04	3.72E-06	2.47E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1133	0.64286	1.70E-02	1.1E-02	3.46E-04	3.78E-06	2.47E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1134	0.65241	1.70E-02	1.1E-02	3.46E-04	3.83E-06	2.47E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1135	0.66174	1.70E-02	1.1E-02	3.46E-04	3.89E-06	2.47E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1136	0.67087	1.70E-02	1.1E-02	3.46E-04	3.94E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1137	0.67969	1.70E-02	1.2E-02	3.46E-04	3.99E-06	2.47E-02	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1138	0.68818	1.70E-02	1.2E-02	3.46E-04	4.04E-06	2.47E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1139	0.69636	1.70E-02	1.2E-02	3.46E-04	4.09E-06	2.47E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	0.70361	1.70E-02	1.2E-02	3.46E-04	4.13E-06	2.47E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1141	0.7101	1.70E-02	1.2E-02	3.46E-04	4.17E-06	2.47E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1142	0.71601	1.70E-02	1.2E-02	3.46E-04	4.21E-06	2.47E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1143	0.72134	1.70E-02	1.2E-02	3.46E-04	4.24E-06	2.47E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
1144	0.72609	1.70E-02	1.2E-02	3.46E-04	4.27E-06	2.47E-02	1.57E-01	1.65E-08	1.0E+06	1.7E-02
1145	0.73018	1.70E-02	1.2E-02	3.46E-04	4.29E-06	2.47E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1146	0.41497	1.70E-02	7.0E-03	3.46E-04	2.44E-06	2.47E-02	1.57E-01	9.45E-09	1.0E+06	9.4E-03
1147	0.42283	1.70E-02	7.2E-03	3.46E-04	2.48E-06	2.47E-02	1.57E-01	9.62E-09	1.0E+06	9.6E-03
1148	0.43115	1.70E-02	7.3E-03	3.46E-04	2.53E-06	2.47E-02	1.57E-01	9.81E-09	1.0E+06	9.8E-03
1149	0.43975	1.70E-02	7.5E-03	3.46E-04	2.58E-06	2.47E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1150	0.44861	1.70E-02	7.6E-03	3.46E-04	2.64E-06	2.47E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1151	0.45773	1.70E-02	7.8E-03	3.46E-04	2.69E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1152	0.47797	1.70E-02	8.1E-03	3.46E-04	2.81E-06	2.47E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1153	0.49863	1.70E-02	8.5E-03	3.46E-04	2.93E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1154	0.51951	1.70E-02	8.8E-03	3.46E-04	3.05E-06	2.47E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1155	0.52974	1.70E-02	9.0E-03	3.46E-04	3.11E-06	2.47E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1156	0.54014	1.70E-02	9.2E-03	3.46E-04	3.17E-06	2.47E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1157	0.55068	1.70E-02	9.3E-03	3.46E-04	3.23E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
1158	0.57238	1.70E-02	9.7E-03	3.46E-04	3.36E-06	2.47E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1159	0.58325	1.70E-02	9.9E-03	3.46E-04	3.43E-06	2.47E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1160	0.59449	1.70E-02	1.0E-02	3.46E-04	3.49E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1161	0.60576	1.70E-02	1.0E-02	3.46E-04	3.56E-06	2.47E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1162	0.61693	1.70E-02	1.0E-02	3.46E-04	3.62E-06	2.47E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1163	0.62794	1.70E-02	1.1E-02	3.46E-04	3.69E-06	2.47E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1164	0.63889	1.70E-02	1.1E-02	3.46E-04	3.75E-06	2.47E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1165	0.64964	1.70E-02	1.1E-02	3.46E-04	3.82E-06	2.47E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1166	0.66024	1.70E-02	1.1E-02	3.46E-04	3.88E-06	2.47E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1167	0.67074	1.70E-02	1.1E-02	3.46E-04	3.94E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1168	0.68114	1.70E-02	1.2E-02	3.46E-04	4.00E-06	2.47E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1169	0.69131	1.70E-02	1.2E-02	3.46E-04	4.06E-06	2.47E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1170	0.70124	1.70E-02	1.2E-02	3.46E-04	4.12E-06	2.47E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	0.71084	1.70E-02	1.2E-02	3.46E-04	4.18E-06	2.47E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1172	0.72003	1.70E-02	1.2E-02	3.46E-04	4.23E-06	2.47E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
1173	0.72878	1.70E-02	1.2E-02	3.46E-04	4.28E-06	2.47E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1174	0.73658	1.70E-02	1.2E-02	3.46E-04	4.33E-06	2.47E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1175	0.74362	1.70E-02	1.3E-02	3.46E-04	4.37E-06	2.47E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1176	0.75	1.70E-02	1.3E-02	3.46E-04	4.41E-06	2.47E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1177	0.75576	1.70E-02	1.3E-02	3.46E-04	4.44E-06	2.47E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1178	0.76079	1.70E-02	1.3E-02	3.46E-04	4.47E-06	2.47E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1179	0.76512	1.70E-02	1.3E-02	3.46E-04	4.49E-06	2.47E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1180	0.42895	1.70E-02	7.3E-03	3.46E-04	2.52E-06	2.47E-02	1.57E-01	9.76E-09	1.0E+06	9.8E-03
1181	0.43714	1.70E-02	7.4E-03	3.46E-04	2.57E-06	2.47E-02	1.57E-01	9.95E-09	1.0E+06	9.9E-03
1182	0.44575	1.70E-02	7.6E-03	3.46E-04	2.62E-06	2.47E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1183	0.45472	1.70E-02	7.7E-03	3.46E-04	2.67E-06	2.47E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1184	0.46409	1.70E-02	7.9E-03	3.46E-04	2.73E-06	2.47E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1185	0.47381	1.70E-02	8.0E-03	3.46E-04	2.78E-06	2.47E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1186	0.49463	1.70E-02	8.4E-03	3.46E-04	2.91E-06	2.47E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1187	0.50561	1.70E-02	8.6E-03	3.46E-04	2.97E-06	2.47E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
1188	0.53776	1.70E-02	9.1E-03	3.46E-04	3.16E-06	2.47E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
1189	0.54882	1.70E-02	9.3E-03	3.46E-04	3.22E-06	2.47E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
1190	0.56007	1.70E-02	9.5E-03	3.46E-04	3.29E-06	2.47E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
1191	0.5715	1.70E-02	9.7E-03	3.46E-04	3.36E-06	2.47E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1192	0.59439	1.70E-02	1.0E-02	3.46E-04	3.49E-06	2.47E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1193	0.60613	1.70E-02	1.0E-02	3.46E-04	3.56E-06	2.47E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1194	0.6181	1.70E-02	1.0E-02	3.46E-04	3.63E-06	2.47E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1195	0.63016	1.70E-02	1.1E-02	3.46E-04	3.70E-06	2.47E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1196	0.64215	1.70E-02	1.1E-02	3.46E-04	3.77E-06	2.47E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1197	0.65407	1.70E-02	1.1E-02	3.46E-04	3.84E-06	2.47E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1198	0.66596	1.70E-02	1.1E-02	3.46E-04	3.91E-06	2.47E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1199	0.67762	1.70E-02	1.1E-02	3.46E-04	3.98E-06	2.47E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1200	0.68916	1.70E-02	1.2E-02	3.46E-04	4.05E-06	2.47E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1201	0.70057	1.70E-02	1.2E-02	3.46E-04	4.12E-06	2.47E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	0.71191	1.70E-02	1.2E-02	3.46E-04	4.18E-06	2.47E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1203	0.72296	1.70E-02	1.2E-02	3.46E-04	4.25E-06	2.47E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
1204	0.73382	1.70E-02	1.2E-02	3.46E-04	4.31E-06	2.47E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1205	0.74432	1.70E-02	1.3E-02	3.46E-04	4.37E-06	2.47E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1206	0.75425	1.70E-02	1.3E-02	3.46E-04	4.43E-06	2.47E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1207	0.76364	1.70E-02	1.3E-02	3.46E-04	4.49E-06	2.47E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1208	0.77204	1.70E-02	1.3E-02	3.46E-04	4.54E-06	2.47E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02
1209	0.77968	1.70E-02	1.3E-02	3.46E-04	4.58E-06	2.47E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1210	0.7866	1.70E-02	1.3E-02	3.46E-04	4.62E-06	2.47E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1211	0.7928	1.70E-02	1.3E-02	3.46E-04	4.66E-06	2.47E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1212	0.79815	1.70E-02	1.4E-02	3.46E-04	4.69E-06	2.47E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
1213	0.80274	1.70E-02	1.4E-02	3.46E-04	4.72E-06	2.47E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.28407	4.83528E-06	1.4E-06	3.46E-04	4.75E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
893	893	0.288	4.83528E-06	1.4E-06	3.46E-04	4.82E-10	2.47E-02	1.57E-01	1.87E-12	1.0E+06	1.9E-06
894	894	0.29073	4.83528E-06	1.4E-06	3.46E-04	4.87E-10	2.47E-02	1.57E-01	1.89E-12	1.0E+06	1.9E-06
895	895	0.29343	4.83528E-06	1.4E-06	3.46E-04	4.91E-10	2.47E-02	1.57E-01	1.90E-12	1.0E+06	1.9E-06
896	896	0.29609	4.83528E-06	1.4E-06	3.46E-04	4.96E-10	2.47E-02	1.57E-01	1.92E-12	1.0E+06	1.9E-06
897	897	0.29866	4.83528E-06	1.4E-06	3.46E-04	5.00E-10	2.47E-02	1.57E-01	1.94E-12	1.0E+06	1.9E-06
898	898	0.30117	4.83528E-06	1.5E-06	3.46E-04	5.04E-10	2.47E-02	1.57E-01	1.95E-12	1.0E+06	2.0E-06
899	899	0.30356	4.83528E-06	1.5E-06	3.46E-04	5.08E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
900	900	0.3058	4.83528E-06	1.5E-06	3.46E-04	5.12E-10	2.47E-02	1.57E-01	1.98E-12	1.0E+06	2.0E-06
901	901	0.30796	4.83528E-06	1.5E-06	3.46E-04	5.15E-10	2.47E-02	1.57E-01	2.00E-12	1.0E+06	2.0E-06
902	902	0.31017	4.83528E-06	1.5E-06	3.46E-04	5.19E-10	2.47E-02	1.57E-01	2.01E-12	1.0E+06	2.0E-06
903	903	0.31234	4.83528E-06	1.5E-06	3.46E-04	5.23E-10	2.47E-02	1.57E-01	2.03E-12	1.0E+06	2.0E-06
904	904	0.31438	4.83528E-06	1.5E-06	3.46E-04	5.26E-10	2.47E-02	1.57E-01	2.04E-12	1.0E+06	2.0E-06
905	905	0.31618	4.83528E-06	1.5E-06	3.46E-04	5.29E-10	2.47E-02	1.57E-01	2.05E-12	1.0E+06	2.1E-06
906	906	0.3178	4.83528E-06	1.5E-06	3.46E-04	5.32E-10	2.47E-02	1.57E-01	2.06E-12	1.0E+06	2.1E-06
907	907	0.31923	4.83528E-06	1.5E-06	3.46E-04	5.34E-10	2.47E-02	1.57E-01	2.07E-12	1.0E+06	2.1E-06
908	908	0.20742	4.83528E-06	1.0E-06	3.46E-04	3.47E-10	2.47E-02	1.57E-01	1.35E-12	1.0E+06	1.3E-06
909	909	0.2103	4.83528E-06	1.0E-06	3.46E-04	3.52E-10	2.47E-02	1.57E-01	1.36E-12	1.0E+06	1.4E-06
910	910	0.21332	4.83528E-06	1.0E-06	3.46E-04	3.57E-10	2.47E-02	1.57E-01	1.38E-12	1.0E+06	1.4E-06
911	911	0.21629	4.83528E-06	1.0E-06	3.46E-04	3.62E-10	2.47E-02	1.57E-01	1.40E-12	1.0E+06	1.4E-06
912	912	0.21928	4.83528E-06	1.1E-06	3.46E-04	3.67E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
913	913	0.22236	4.83528E-06	1.1E-06	3.46E-04	3.72E-10	2.47E-02	1.57E-01	1.44E-12	1.0E+06	1.4E-06
914	914	0.22549	4.83528E-06	1.1E-06	3.46E-04	3.77E-10	2.47E-02	1.57E-01	1.46E-12	1.0E+06	1.5E-06
915	915	0.22875	4.83528E-06	1.1E-06	3.46E-04	3.83E-10	2.47E-02	1.57E-01	1.48E-12	1.0E+06	1.5E-06
916	916	0.23202	4.83528E-06	1.1E-06	3.46E-04	3.88E-10	2.47E-02	1.57E-01	1.50E-12	1.0E+06	1.5E-06
917	917	0.2353	4.83528E-06	1.1E-06	3.46E-04	3.94E-10	2.47E-02	1.57E-01	1.53E-12	1.0E+06	1.5E-06
918	918	0.23864	4.83528E-06	1.2E-06	3.46E-04	3.99E-10	2.47E-02	1.57E-01	1.55E-12	1.0E+06	1.5E-06
919	919	0.24209	4.83528E-06	1.2E-06	3.46E-04	4.05E-10	2.47E-02	1.57E-01	1.57E-12	1.0E+06	1.6E-06
920	920	0.24866	4.83528E-06	1.2E-06	3.46E-04	4.16E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
921	921	0.25763	4.83528E-06	1.2E-06	3.46E-04	4.31E-10	2.47E-02	1.57E-01	1.67E-12	1.0E+06	1.7E-06
922	922	0.26356	4.83528E-06	1.3E-06	3.46E-04	4.41E-10	2.47E-02	1.57E-01	1.71E-12	1.0E+06	1.7E-06

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.27132	4.83528E-06	1.3E-06	3.46E-04	4.54E-10	2.47E-02	1.57E-01	1.76E-12	1.0E+06	1.8E-06
924	924	0.27833	4.83528E-06	1.3E-06	3.46E-04	4.66E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
925	925	0.28313	4.83528E-06	1.4E-06	3.46E-04	4.74E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
926	926	0.28903	4.83528E-06	1.4E-06	3.46E-04	4.84E-10	2.47E-02	1.57E-01	1.87E-12	1.0E+06	1.9E-06
927	927	0.29201	4.83528E-06	1.4E-06	3.46E-04	4.89E-10	2.47E-02	1.57E-01	1.89E-12	1.0E+06	1.9E-06
928	928	0.2961	4.83528E-06	1.4E-06	3.46E-04	4.96E-10	2.47E-02	1.57E-01	1.92E-12	1.0E+06	1.9E-06
929	929	0.29897	4.83528E-06	1.4E-06	3.46E-04	5.00E-10	2.47E-02	1.57E-01	1.94E-12	1.0E+06	1.9E-06
930	930	0.30183	4.83528E-06	1.5E-06	3.46E-04	5.05E-10	2.47E-02	1.57E-01	1.96E-12	1.0E+06	2.0E-06
931	931	0.30461	4.83528E-06	1.5E-06	3.46E-04	5.10E-10	2.47E-02	1.57E-01	1.98E-12	1.0E+06	2.0E-06
932	932	0.30731	4.83528E-06	1.5E-06	3.46E-04	5.14E-10	2.47E-02	1.57E-01	1.99E-12	1.0E+06	2.0E-06
933	933	0.30992	4.83528E-06	1.5E-06	3.46E-04	5.19E-10	2.47E-02	1.57E-01	2.01E-12	1.0E+06	2.0E-06
934	934	0.31245	4.83528E-06	1.5E-06	3.46E-04	5.23E-10	2.47E-02	1.57E-01	2.03E-12	1.0E+06	2.0E-06
935	935	0.31487	4.83528E-06	1.5E-06	3.46E-04	5.27E-10	2.47E-02	1.57E-01	2.04E-12	1.0E+06	2.0E-06
936	936	0.3172	4.83528E-06	1.5E-06	3.46E-04	5.31E-10	2.47E-02	1.57E-01	2.06E-12	1.0E+06	2.1E-06
937	937	0.31953	4.83528E-06	1.5E-06	3.46E-04	5.35E-10	2.47E-02	1.57E-01	2.07E-12	1.0E+06	2.1E-06
938	938	0.3218	4.83528E-06	1.6E-06	3.46E-04	5.39E-10	2.47E-02	1.57E-01	2.09E-12	1.0E+06	2.1E-06
939	939	0.32396	4.83528E-06	1.6E-06	3.46E-04	5.42E-10	2.47E-02	1.57E-01	2.10E-12	1.0E+06	2.1E-06
940	940	0.32588	4.83528E-06	1.6E-06	3.46E-04	5.45E-10	2.47E-02	1.57E-01	2.11E-12	1.0E+06	2.1E-06
941	941	0.32762	4.83528E-06	1.6E-06	3.46E-04	5.48E-10	2.47E-02	1.57E-01	2.12E-12	1.0E+06	2.1E-06
942	942	0.21236	4.83528E-06	1.0E-06	3.46E-04	3.55E-10	2.47E-02	1.57E-01	1.38E-12	1.0E+06	1.4E-06
943	943	0.21534	4.83528E-06	1.0E-06	3.46E-04	3.60E-10	2.47E-02	1.57E-01	1.40E-12	1.0E+06	1.4E-06
944	944	0.2184	4.83528E-06	1.1E-06	3.46E-04	3.66E-10	2.47E-02	1.57E-01	1.42E-12	1.0E+06	1.4E-06
945	945	0.2215	4.83528E-06	1.1E-06	3.46E-04	3.71E-10	2.47E-02	1.57E-01	1.44E-12	1.0E+06	1.4E-06
946	946	0.22459	4.83528E-06	1.1E-06	3.46E-04	3.76E-10	2.47E-02	1.57E-01	1.46E-12	1.0E+06	1.5E-06
947	947	0.22778	4.83528E-06	1.1E-06	3.46E-04	3.81E-10	2.47E-02	1.57E-01	1.48E-12	1.0E+06	1.5E-06
948	948	0.2312	4.83528E-06	1.1E-06	3.46E-04	3.87E-10	2.47E-02	1.57E-01	1.50E-12	1.0E+06	1.5E-06
949	949	0.23471	4.83528E-06	1.1E-06	3.46E-04	3.93E-10	2.47E-02	1.57E-01	1.52E-12	1.0E+06	1.5E-06
950	950	0.23821	4.83528E-06	1.2E-06	3.46E-04	3.99E-10	2.47E-02	1.57E-01	1.54E-12	1.0E+06	1.5E-06
951	951	0.24141	4.83528E-06	1.2E-06	3.46E-04	4.04E-10	2.47E-02	1.57E-01	1.57E-12	1.0E+06	1.6E-06
952	952	0.24471	4.83528E-06	1.2E-06	3.46E-04	4.10E-10	2.47E-02	1.57E-01	1.59E-12	1.0E+06	1.6E-06
953	953	0.24806	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.25151	4.83528E-06	1.2E-06	3.46E-04	4.21E-10	2.47E-02	1.57E-01	1.63E-12	1.0E+06	1.6E-06
955	955	0.25831	4.83528E-06	1.2E-06	3.46E-04	4.32E-10	2.47E-02	1.57E-01	1.68E-12	1.0E+06	1.7E-06
956	956	0.27042	4.83528E-06	1.3E-06	3.46E-04	4.53E-10	2.47E-02	1.57E-01	1.75E-12	1.0E+06	1.8E-06
957	957	0.27868	4.83528E-06	1.3E-06	3.46E-04	4.66E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
958	958	0.28597	4.83528E-06	1.4E-06	3.46E-04	4.79E-10	2.47E-02	1.57E-01	1.85E-12	1.0E+06	1.9E-06
959	959	0.29095	4.83528E-06	1.4E-06	3.46E-04	4.87E-10	2.47E-02	1.57E-01	1.89E-12	1.0E+06	1.9E-06
960	960	0.2957	4.83528E-06	1.4E-06	3.46E-04	4.95E-10	2.47E-02	1.57E-01	1.92E-12	1.0E+06	1.9E-06
961	961	0.30021	4.83528E-06	1.5E-06	3.46E-04	5.02E-10	2.47E-02	1.57E-01	1.95E-12	1.0E+06	1.9E-06
962	962	0.30452	4.83528E-06	1.5E-06	3.46E-04	5.10E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
963	963	0.30755	4.83528E-06	1.5E-06	3.46E-04	5.15E-10	2.47E-02	1.57E-01	1.99E-12	1.0E+06	2.0E-06
964	964	0.31056	4.83528E-06	1.5E-06	3.46E-04	5.20E-10	2.47E-02	1.57E-01	2.01E-12	1.0E+06	2.0E-06
965	965	0.31351	4.83528E-06	1.5E-06	3.46E-04	5.25E-10	2.47E-02	1.57E-01	2.03E-12	1.0E+06	2.0E-06
966	966	0.31635	4.83528E-06	1.5E-06	3.46E-04	5.30E-10	2.47E-02	1.57E-01	2.05E-12	1.0E+06	2.1E-06
967	967	0.31911	4.83528E-06	1.5E-06	3.46E-04	5.34E-10	2.47E-02	1.57E-01	2.07E-12	1.0E+06	2.1E-06
968	968	0.32179	4.83528E-06	1.6E-06	3.46E-04	5.39E-10	2.47E-02	1.57E-01	2.09E-12	1.0E+06	2.1E-06
969	969	0.32442	4.83528E-06	1.6E-06	3.46E-04	5.43E-10	2.47E-02	1.57E-01	2.10E-12	1.0E+06	2.1E-06
970	970	0.32695	4.83528E-06	1.6E-06	3.46E-04	5.47E-10	2.47E-02	1.57E-01	2.12E-12	1.0E+06	2.1E-06
971	971	0.32938	4.83528E-06	1.6E-06	3.46E-04	5.51E-10	2.47E-02	1.57E-01	2.14E-12	1.0E+06	2.1E-06
972	972	0.33171	4.83528E-06	1.6E-06	3.46E-04	5.55E-10	2.47E-02	1.57E-01	2.15E-12	1.0E+06	2.2E-06
973	973	0.33392	4.83528E-06	1.6E-06	3.46E-04	5.59E-10	2.47E-02	1.57E-01	2.17E-12	1.0E+06	2.2E-06
974	974	0.336	4.83528E-06	1.6E-06	3.46E-04	5.62E-10	2.47E-02	1.57E-01	2.18E-12	1.0E+06	2.2E-06
975	975	0.33787	4.83528E-06	1.6E-06	3.46E-04	5.66E-10	2.47E-02	1.57E-01	2.19E-12	1.0E+06	2.2E-06
976	976	0.21748	4.83528E-06	1.1E-06	3.46E-04	3.64E-10	2.47E-02	1.57E-01	1.41E-12	1.0E+06	1.4E-06
977	977	0.22055	4.83528E-06	1.1E-06	3.46E-04	3.69E-10	2.47E-02	1.57E-01	1.43E-12	1.0E+06	1.4E-06
978	978	0.22371	4.83528E-06	1.1E-06	3.46E-04	3.74E-10	2.47E-02	1.57E-01	1.45E-12	1.0E+06	1.5E-06
979	979	0.22692	4.83528E-06	1.1E-06	3.46E-04	3.80E-10	2.47E-02	1.57E-01	1.47E-12	1.0E+06	1.5E-06
980	980	0.23016	4.83528E-06	1.1E-06	3.46E-04	3.85E-10	2.47E-02	1.57E-01	1.49E-12	1.0E+06	1.5E-06
981	981	0.23347	4.83528E-06	1.1E-06	3.46E-04	3.91E-10	2.47E-02	1.57E-01	1.51E-12	1.0E+06	1.5E-06
982	982	0.23714	4.83528E-06	1.1E-06	3.46E-04	3.97E-10	2.47E-02	1.57E-01	1.54E-12	1.0E+06	1.5E-06
983	983	0.24096	4.83528E-06	1.2E-06	3.46E-04	4.03E-10	2.47E-02	1.57E-01	1.56E-12	1.0E+06	1.6E-06
984	984	0.24466	4.83528E-06	1.2E-06	3.46E-04	4.10E-10	2.47E-02	1.57E-01	1.59E-12	1.0E+06	1.6E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.24783	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
986	986	0.25104	4.83528E-06	1.2E-06	3.46E-04	4.20E-10	2.47E-02	1.57E-01	1.63E-12	1.0E+06	1.6E-06
987	987	0.25434	4.83528E-06	1.2E-06	3.46E-04	4.26E-10	2.47E-02	1.57E-01	1.65E-12	1.0E+06	1.6E-06
988	988	0.25769	4.83528E-06	1.2E-06	3.46E-04	4.31E-10	2.47E-02	1.57E-01	1.67E-12	1.0E+06	1.7E-06
989	989	0.26128	4.83528E-06	1.3E-06	3.46E-04	4.37E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
990	990	0.27759	4.83528E-06	1.3E-06	3.46E-04	4.65E-10	2.47E-02	1.57E-01	1.80E-12	1.0E+06	1.8E-06
991	991	0.28636	4.83528E-06	1.4E-06	3.46E-04	4.79E-10	2.47E-02	1.57E-01	1.86E-12	1.0E+06	1.9E-06
992	992	0.29396	4.83528E-06	1.4E-06	3.46E-04	4.92E-10	2.47E-02	1.57E-01	1.91E-12	1.0E+06	1.9E-06
993	993	0.29912	4.83528E-06	1.4E-06	3.46E-04	5.01E-10	2.47E-02	1.57E-01	1.94E-12	1.0E+06	1.9E-06
994	994	0.30405	4.83528E-06	1.5E-06	3.46E-04	5.09E-10	2.47E-02	1.57E-01	1.97E-12	1.0E+06	2.0E-06
995	995	0.3088	4.83528E-06	1.5E-06	3.46E-04	5.17E-10	2.47E-02	1.57E-01	2.00E-12	1.0E+06	2.0E-06
996	996	0.31332	4.83528E-06	1.5E-06	3.46E-04	5.24E-10	2.47E-02	1.57E-01	2.03E-12	1.0E+06	2.0E-06
997	997	0.31653	4.83528E-06	1.5E-06	3.46E-04	5.30E-10	2.47E-02	1.57E-01	2.05E-12	1.0E+06	2.1E-06
998	998	0.31972	4.83528E-06	1.5E-06	3.46E-04	5.35E-10	2.47E-02	1.57E-01	2.07E-12	1.0E+06	2.1E-06
999	999	0.32284	4.83528E-06	1.6E-06	3.46E-04	5.40E-10	2.47E-02	1.57E-01	2.09E-12	1.0E+06	2.1E-06
1000	1000	0.32584	4.83528E-06	1.6E-06	3.46E-04	5.45E-10	2.47E-02	1.57E-01	2.11E-12	1.0E+06	2.1E-06
1001	1001	0.32876	4.83528E-06	1.6E-06	3.46E-04	5.50E-10	2.47E-02	1.57E-01	2.13E-12	1.0E+06	2.1E-06
1002	1002	0.33161	4.83528E-06	1.6E-06	3.46E-04	5.55E-10	2.47E-02	1.57E-01	2.15E-12	1.0E+06	2.2E-06
1003	1003	0.33446	4.83528E-06	1.6E-06	3.46E-04	5.60E-10	2.47E-02	1.57E-01	2.17E-12	1.0E+06	2.2E-06
1004	1004	0.3372	4.83528E-06	1.6E-06	3.46E-04	5.64E-10	2.47E-02	1.57E-01	2.19E-12	1.0E+06	2.2E-06
1005	1005	0.33975	4.83528E-06	1.6E-06	3.46E-04	5.69E-10	2.47E-02	1.57E-01	2.20E-12	1.0E+06	2.2E-06
1006	1006	0.34214	4.83528E-06	1.7E-06	3.46E-04	5.73E-10	2.47E-02	1.57E-01	2.22E-12	1.0E+06	2.2E-06
1007	1007	0.3444	4.83528E-06	1.7E-06	3.46E-04	5.76E-10	2.47E-02	1.57E-01	2.23E-12	1.0E+06	2.2E-06
1008	1008	0.34655	4.83528E-06	1.7E-06	3.46E-04	5.80E-10	2.47E-02	1.57E-01	2.25E-12	1.0E+06	2.2E-06
1009	1009	0.34856	4.83528E-06	1.7E-06	3.46E-04	5.83E-10	2.47E-02	1.57E-01	2.26E-12	1.0E+06	2.3E-06
1010	1010	0.22281	4.83528E-06	1.1E-06	3.46E-04	3.73E-10	2.47E-02	1.57E-01	1.45E-12	1.0E+06	1.4E-06
1011	1011	0.22595	4.83528E-06	1.1E-06	3.46E-04	3.78E-10	2.47E-02	1.57E-01	1.47E-12	1.0E+06	1.5E-06
1012	1012	0.22921	4.83528E-06	1.1E-06	3.46E-04	3.84E-10	2.47E-02	1.57E-01	1.49E-12	1.0E+06	1.5E-06
1013	1013	0.23256	4.83528E-06	1.1E-06	3.46E-04	3.89E-10	2.47E-02	1.57E-01	1.51E-12	1.0E+06	1.5E-06
1014	1014	0.23588	4.83528E-06	1.1E-06	3.46E-04	3.95E-10	2.47E-02	1.57E-01	1.53E-12	1.0E+06	1.5E-06
1015	1015	0.23935	4.83528E-06	1.2E-06	3.46E-04	4.01E-10	2.47E-02	1.57E-01	1.55E-12	1.0E+06	1.6E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.24328	4.83528E-06	1.2E-06	3.46E-04	4.07E-10	2.47E-02	1.57E-01	1.58E-12	1.0E+06	1.6E-06
1017	1017	0.24739	4.83528E-06	1.2E-06	3.46E-04	4.14E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
1018	1018	0.25129	4.83528E-06	1.2E-06	3.46E-04	4.21E-10	2.47E-02	1.57E-01	1.63E-12	1.0E+06	1.6E-06
1019	1019	0.25447	4.83528E-06	1.2E-06	3.46E-04	4.26E-10	2.47E-02	1.57E-01	1.65E-12	1.0E+06	1.7E-06
1020	1020	0.25773	4.83528E-06	1.2E-06	3.46E-04	4.31E-10	2.47E-02	1.57E-01	1.67E-12	1.0E+06	1.7E-06
1021	1021	0.261	4.83528E-06	1.3E-06	3.46E-04	4.37E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
1022	1022	0.26434	4.83528E-06	1.3E-06	3.46E-04	4.42E-10	2.47E-02	1.57E-01	1.71E-12	1.0E+06	1.7E-06
1023	1023	0.26799	4.83528E-06	1.3E-06	3.46E-04	4.49E-10	2.47E-02	1.57E-01	1.74E-12	1.0E+06	1.7E-06
1024	1024	0.28516	4.83528E-06	1.4E-06	3.46E-04	4.77E-10	2.47E-02	1.57E-01	1.85E-12	1.0E+06	1.8E-06
1025	1025	0.29218	4.83528E-06	1.4E-06	3.46E-04	4.89E-10	2.47E-02	1.57E-01	1.89E-12	1.0E+06	1.9E-06
1026	1026	0.30231	4.83528E-06	1.5E-06	3.46E-04	5.06E-10	2.47E-02	1.57E-01	1.96E-12	1.0E+06	2.0E-06
1027	1027	0.30769	4.83528E-06	1.5E-06	3.46E-04	5.15E-10	2.47E-02	1.57E-01	2.00E-12	1.0E+06	2.0E-06
1028	1028	0.31128	4.83528E-06	1.5E-06	3.46E-04	5.21E-10	2.47E-02	1.57E-01	2.02E-12	1.0E+06	2.0E-06
1029	1029	0.31781	4.83528E-06	1.5E-06	3.46E-04	5.32E-10	2.47E-02	1.57E-01	2.06E-12	1.0E+06	2.1E-06
1030	1030	0.32255	4.83528E-06	1.6E-06	3.46E-04	5.40E-10	2.47E-02	1.57E-01	2.09E-12	1.0E+06	2.1E-06
1031	1031	0.32596	4.83528E-06	1.6E-06	3.46E-04	5.46E-10	2.47E-02	1.57E-01	2.11E-12	1.0E+06	2.1E-06
1032	1032	0.32933	4.83528E-06	1.6E-06	3.46E-04	5.51E-10	2.47E-02	1.57E-01	2.14E-12	1.0E+06	2.1E-06
1033	1033	0.33263	4.83528E-06	1.6E-06	3.46E-04	5.57E-10	2.47E-02	1.57E-01	2.16E-12	1.0E+06	2.2E-06
1034	1034	0.33582	4.83528E-06	1.6E-06	3.46E-04	5.62E-10	2.47E-02	1.57E-01	2.18E-12	1.0E+06	2.2E-06
1035	1035	0.33891	4.83528E-06	1.6E-06	3.46E-04	5.67E-10	2.47E-02	1.57E-01	2.20E-12	1.0E+06	2.2E-06
1036	1036	0.34196	4.83528E-06	1.7E-06	3.46E-04	5.72E-10	2.47E-02	1.57E-01	2.22E-12	1.0E+06	2.2E-06
1037	1037	0.34502	4.83528E-06	1.7E-06	3.46E-04	5.77E-10	2.47E-02	1.57E-01	2.24E-12	1.0E+06	2.2E-06
1038	1038	0.34799	4.83528E-06	1.7E-06	3.46E-04	5.82E-10	2.47E-02	1.57E-01	2.26E-12	1.0E+06	2.3E-06
1039	1039	0.35068	4.83528E-06	1.7E-06	3.46E-04	5.87E-10	2.47E-02	1.57E-01	2.27E-12	1.0E+06	2.3E-06
1040	1040	0.35317	4.83528E-06	1.7E-06	3.46E-04	5.91E-10	2.47E-02	1.57E-01	2.29E-12	1.0E+06	2.3E-06
1041	1041	0.35554	4.83528E-06	1.7E-06	3.46E-04	5.95E-10	2.47E-02	1.57E-01	2.31E-12	1.0E+06	2.3E-06
1042	1042	0.35779	4.83528E-06	1.7E-06	3.46E-04	5.99E-10	2.47E-02	1.57E-01	2.32E-12	1.0E+06	2.3E-06
1043	1043	0.35988	4.83528E-06	1.7E-06	3.46E-04	6.02E-10	2.47E-02	1.57E-01	2.33E-12	1.0E+06	2.3E-06
1044	1044	0.22826	4.83528E-06	1.1E-06	3.46E-04	3.82E-10	2.47E-02	1.57E-01	1.48E-12	1.0E+06	1.5E-06
1045	1045	0.23151	4.83528E-06	1.1E-06	3.46E-04	3.88E-10	2.47E-02	1.57E-01	1.50E-12	1.0E+06	1.5E-06
1046	1046	0.23488	4.83528E-06	1.1E-06	3.46E-04	3.93E-10	2.47E-02	1.57E-01	1.52E-12	1.0E+06	1.5E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.2383	4.83528E-06	1.2E-06	3.46E-04	3.99E-10	2.47E-02	1.57E-01	1.55E-12	1.0E+06	1.5E-06
1048	1048	0.24174	4.83528E-06	1.2E-06	3.46E-04	4.05E-10	2.47E-02	1.57E-01	1.57E-12	1.0E+06	1.6E-06
1049	1049	0.24528	4.83528E-06	1.2E-06	3.46E-04	4.11E-10	2.47E-02	1.57E-01	1.59E-12	1.0E+06	1.6E-06
1050	1050	0.24942	4.83528E-06	1.2E-06	3.46E-04	4.17E-10	2.47E-02	1.57E-01	1.62E-12	1.0E+06	1.6E-06
1051	1051	0.25378	4.83528E-06	1.2E-06	3.46E-04	4.25E-10	2.47E-02	1.57E-01	1.65E-12	1.0E+06	1.6E-06
1052	1052	0.25792	4.83528E-06	1.2E-06	3.46E-04	4.32E-10	2.47E-02	1.57E-01	1.67E-12	1.0E+06	1.7E-06
1053	1053	0.26135	4.83528E-06	1.3E-06	3.46E-04	4.37E-10	2.47E-02	1.57E-01	1.70E-12	1.0E+06	1.7E-06
1054	1054	0.26482	4.83528E-06	1.3E-06	3.46E-04	4.43E-10	2.47E-02	1.57E-01	1.72E-12	1.0E+06	1.7E-06
1055	1055	0.26834	4.83528E-06	1.3E-06	3.46E-04	4.49E-10	2.47E-02	1.57E-01	1.74E-12	1.0E+06	1.7E-06
1056	1056	0.27191	4.83528E-06	1.3E-06	3.46E-04	4.55E-10	2.47E-02	1.57E-01	1.76E-12	1.0E+06	1.8E-06
1057	1057	0.2758	4.83528E-06	1.3E-06	3.46E-04	4.62E-10	2.47E-02	1.57E-01	1.79E-12	1.0E+06	1.8E-06
1058	1058	0.2933	4.83528E-06	1.4E-06	3.46E-04	4.91E-10	2.47E-02	1.57E-01	1.90E-12	1.0E+06	1.9E-06
1059	1059	0.30055	4.83528E-06	1.5E-06	3.46E-04	5.03E-10	2.47E-02	1.57E-01	1.95E-12	1.0E+06	1.9E-06
1060	1060	0.31106	4.83528E-06	1.5E-06	3.46E-04	5.21E-10	2.47E-02	1.57E-01	2.02E-12	1.0E+06	2.0E-06
1061	1061	0.31671	4.83528E-06	1.5E-06	3.46E-04	5.30E-10	2.47E-02	1.57E-01	2.05E-12	1.0E+06	2.1E-06
1062	1062	0.32212	4.83528E-06	1.6E-06	3.46E-04	5.39E-10	2.47E-02	1.57E-01	2.09E-12	1.0E+06	2.1E-06
1063	1063	0.3273	4.83528E-06	1.6E-06	3.46E-04	5.48E-10	2.47E-02	1.57E-01	2.12E-12	1.0E+06	2.1E-06
1064	1064	0.33226	4.83528E-06	1.6E-06	3.46E-04	5.56E-10	2.47E-02	1.57E-01	2.15E-12	1.0E+06	2.2E-06
1065	1065	0.33585	4.83528E-06	1.6E-06	3.46E-04	5.62E-10	2.47E-02	1.57E-01	2.18E-12	1.0E+06	2.2E-06
1066	1066	0.33942	4.83528E-06	1.6E-06	3.46E-04	5.68E-10	2.47E-02	1.57E-01	2.20E-12	1.0E+06	2.2E-06
1067	1067	0.34292	4.83528E-06	1.7E-06	3.46E-04	5.74E-10	2.47E-02	1.57E-01	2.22E-12	1.0E+06	2.2E-06
1068	1068	0.34632	4.83528E-06	1.7E-06	3.46E-04	5.80E-10	2.47E-02	1.57E-01	2.25E-12	1.0E+06	2.2E-06
1069	1069	0.34964	4.83528E-06	1.7E-06	3.46E-04	5.85E-10	2.47E-02	1.57E-01	2.27E-12	1.0E+06	2.3E-06
1070	1070	0.3529	4.83528E-06	1.7E-06	3.46E-04	5.91E-10	2.47E-02	1.57E-01	2.29E-12	1.0E+06	2.3E-06
1071	1071	0.35618	4.83528E-06	1.7E-06	3.46E-04	5.96E-10	2.47E-02	1.57E-01	2.31E-12	1.0E+06	2.3E-06
1072	1072	0.35935	4.83528E-06	1.7E-06	3.46E-04	6.01E-10	2.47E-02	1.57E-01	2.33E-12	1.0E+06	2.3E-06
1073	1073	0.36223	4.83528E-06	1.8E-06	3.46E-04	6.06E-10	2.47E-02	1.57E-01	2.35E-12	1.0E+06	2.3E-06
1074	1074	0.36489	4.83528E-06	1.8E-06	3.46E-04	6.11E-10	2.47E-02	1.57E-01	2.37E-12	1.0E+06	2.4E-06
1075	1075	0.36742	4.83528E-06	1.8E-06	3.46E-04	6.15E-10	2.47E-02	1.57E-01	2.38E-12	1.0E+06	2.4E-06
1076	1076	0.36981	4.83528E-06	1.8E-06	3.46E-04	6.19E-10	2.47E-02	1.57E-01	2.40E-12	1.0E+06	2.4E-06
1077	1077	0.37203	4.83528E-06	1.8E-06	3.46E-04	6.23E-10	2.47E-02	1.57E-01	2.41E-12	1.0E+06	2.4E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.23393	4.83528E-06	1.1E-06	3.46E-04	3.92E-10	2.47E-02	1.57E-01	1.52E-12	1.0E+06	1.5E-06
1079	1079	0.23728	4.83528E-06	1.1E-06	3.46E-04	3.97E-10	2.47E-02	1.57E-01	1.54E-12	1.0E+06	1.5E-06
1080	1080	0.24076	4.83528E-06	1.2E-06	3.46E-04	4.03E-10	2.47E-02	1.57E-01	1.56E-12	1.0E+06	1.6E-06
1081	1081	0.2443	4.83528E-06	1.2E-06	3.46E-04	4.09E-10	2.47E-02	1.57E-01	1.58E-12	1.0E+06	1.6E-06
1082	1082	0.24781	4.83528E-06	1.2E-06	3.46E-04	4.15E-10	2.47E-02	1.57E-01	1.61E-12	1.0E+06	1.6E-06
1083	1083	0.25148	4.83528E-06	1.2E-06	3.46E-04	4.21E-10	2.47E-02	1.57E-01	1.63E-12	1.0E+06	1.6E-06
1084	1084	0.25579	4.83528E-06	1.2E-06	3.46E-04	4.28E-10	2.47E-02	1.57E-01	1.66E-12	1.0E+06	1.7E-06
1085	1085	0.26044	4.83528E-06	1.3E-06	3.46E-04	4.36E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
1086	1086	0.2649	4.83528E-06	1.3E-06	3.46E-04	4.43E-10	2.47E-02	1.57E-01	1.72E-12	1.0E+06	1.7E-06
1087	1087	0.26853	4.83528E-06	1.3E-06	3.46E-04	4.49E-10	2.47E-02	1.57E-01	1.74E-12	1.0E+06	1.7E-06
1088	1088	0.27223	4.83528E-06	1.3E-06	3.46E-04	4.56E-10	2.47E-02	1.57E-01	1.77E-12	1.0E+06	1.8E-06
1089	1089	0.27602	4.83528E-06	1.3E-06	3.46E-04	4.62E-10	2.47E-02	1.57E-01	1.79E-12	1.0E+06	1.8E-06
1090	1090	0.27988	4.83528E-06	1.4E-06	3.46E-04	4.68E-10	2.47E-02	1.57E-01	1.82E-12	1.0E+06	1.8E-06
1091	1091	0.28396	4.83528E-06	1.4E-06	3.46E-04	4.75E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
1092	1092	0.30184	4.83528E-06	1.5E-06	3.46E-04	5.05E-10	2.47E-02	1.57E-01	1.96E-12	1.0E+06	2.0E-06
1093	1093	0.31165	4.83528E-06	1.5E-06	3.46E-04	5.22E-10	2.47E-02	1.57E-01	2.02E-12	1.0E+06	2.0E-06
1094	1094	0.32021	4.83528E-06	1.5E-06	3.46E-04	5.36E-10	2.47E-02	1.57E-01	2.08E-12	1.0E+06	2.1E-06
1095	1095	0.32616	4.83528E-06	1.6E-06	3.46E-04	5.46E-10	2.47E-02	1.57E-01	2.12E-12	1.0E+06	2.1E-06
1096	1096	0.33185	4.83528E-06	1.6E-06	3.46E-04	5.55E-10	2.47E-02	1.57E-01	2.15E-12	1.0E+06	2.2E-06
1097	1097	0.33726	4.83528E-06	1.6E-06	3.46E-04	5.65E-10	2.47E-02	1.57E-01	2.19E-12	1.0E+06	2.2E-06
1098	1098	0.34245	4.83528E-06	1.7E-06	3.46E-04	5.73E-10	2.47E-02	1.57E-01	2.22E-12	1.0E+06	2.2E-06
1099	1099	0.34624	4.83528E-06	1.7E-06	3.46E-04	5.80E-10	2.47E-02	1.57E-01	2.25E-12	1.0E+06	2.2E-06
1100	1100	0.35003	4.83528E-06	1.7E-06	3.46E-04	5.86E-10	2.47E-02	1.57E-01	2.27E-12	1.0E+06	2.3E-06
1101	1101	0.35373	4.83528E-06	1.7E-06	3.46E-04	5.92E-10	2.47E-02	1.57E-01	2.29E-12	1.0E+06	2.3E-06
1102	1102	0.35738	4.83528E-06	1.7E-06	3.46E-04	5.98E-10	2.47E-02	1.57E-01	2.32E-12	1.0E+06	2.3E-06
1103	1103	0.36093	4.83528E-06	1.7E-06	3.46E-04	6.04E-10	2.47E-02	1.57E-01	2.34E-12	1.0E+06	2.3E-06
1104	1104	0.36443	4.83528E-06	1.8E-06	3.46E-04	6.10E-10	2.47E-02	1.57E-01	2.36E-12	1.0E+06	2.4E-06
1105	1105	0.36794	4.83528E-06	1.8E-06	3.46E-04	6.16E-10	2.47E-02	1.57E-01	2.39E-12	1.0E+06	2.4E-06
1106	1106	0.37133	4.83528E-06	1.8E-06	3.46E-04	6.22E-10	2.47E-02	1.57E-01	2.41E-12	1.0E+06	2.4E-06
1107	1107	0.37442	4.83528E-06	1.8E-06	3.46E-04	6.27E-10	2.47E-02	1.57E-01	2.43E-12	1.0E+06	2.4E-06
1108	1108	0.37727	4.83528E-06	1.8E-06	3.46E-04	6.31E-10	2.47E-02	1.57E-01	2.45E-12	1.0E+06	2.4E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.37996	4.83528E-06	1.8E-06	3.46E-04	6.36E-10	2.47E-02	1.57E-01	2.46E-12	1.0E+06	2.5E-06
1110	1110	0.38251	4.83528E-06	1.8E-06	3.46E-04	6.40E-10	2.47E-02	1.57E-01	2.48E-12	1.0E+06	2.5E-06
1111	1111	0.38487	4.83528E-06	1.9E-06	3.46E-04	6.44E-10	2.47E-02	1.57E-01	2.50E-12	1.0E+06	2.5E-06
1112	1112	0.23987	4.83528E-06	1.2E-06	3.46E-04	4.01E-10	2.47E-02	1.57E-01	1.56E-12	1.0E+06	1.6E-06
1113	1113	0.24331	4.83528E-06	1.2E-06	3.46E-04	4.07E-10	2.47E-02	1.57E-01	1.58E-12	1.0E+06	1.6E-06
1114	1114	0.2469	4.83528E-06	1.2E-06	3.46E-04	4.13E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
1115	1115	0.25055	4.83528E-06	1.2E-06	3.46E-04	4.19E-10	2.47E-02	1.57E-01	1.62E-12	1.0E+06	1.6E-06
1116	1116	0.25419	4.83528E-06	1.2E-06	3.46E-04	4.25E-10	2.47E-02	1.57E-01	1.65E-12	1.0E+06	1.6E-06
1117	1117	0.25795	4.83528E-06	1.2E-06	3.46E-04	4.32E-10	2.47E-02	1.57E-01	1.67E-12	1.0E+06	1.7E-06
1118	1118	0.26245	4.83528E-06	1.3E-06	3.46E-04	4.39E-10	2.47E-02	1.57E-01	1.70E-12	1.0E+06	1.7E-06
1119	1119	0.26735	4.83528E-06	1.3E-06	3.46E-04	4.47E-10	2.47E-02	1.57E-01	1.73E-12	1.0E+06	1.7E-06
1120	1120	0.27209	4.83528E-06	1.3E-06	3.46E-04	4.55E-10	2.47E-02	1.57E-01	1.76E-12	1.0E+06	1.8E-06
1121	1121	0.27594	4.83528E-06	1.3E-06	3.46E-04	4.62E-10	2.47E-02	1.57E-01	1.79E-12	1.0E+06	1.8E-06
1122	1122	0.27991	4.83528E-06	1.4E-06	3.46E-04	4.69E-10	2.47E-02	1.57E-01	1.82E-12	1.0E+06	1.8E-06
1123	1123	0.28401	4.83528E-06	1.4E-06	3.46E-04	4.75E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
1124	1124	0.28812	4.83528E-06	1.4E-06	3.46E-04	4.82E-10	2.47E-02	1.57E-01	1.87E-12	1.0E+06	1.9E-06
1125	1125	0.29613	4.83528E-06	1.4E-06	3.46E-04	4.96E-10	2.47E-02	1.57E-01	1.92E-12	1.0E+06	1.9E-06
1126	1126	0.31075	4.83528E-06	1.5E-06	3.46E-04	5.20E-10	2.47E-02	1.57E-01	2.02E-12	1.0E+06	2.0E-06
1127	1127	0.31846	4.83528E-06	1.5E-06	3.46E-04	5.33E-10	2.47E-02	1.57E-01	2.07E-12	1.0E+06	2.1E-06
1128	1128	0.32978	4.83528E-06	1.6E-06	3.46E-04	5.52E-10	2.47E-02	1.57E-01	2.14E-12	1.0E+06	2.1E-06
1129	1129	0.33603	4.83528E-06	1.6E-06	3.46E-04	5.62E-10	2.47E-02	1.57E-01	2.18E-12	1.0E+06	2.2E-06
1130	1130	0.34204	4.83528E-06	1.7E-06	3.46E-04	5.73E-10	2.47E-02	1.57E-01	2.22E-12	1.0E+06	2.2E-06
1131	1131	0.34771	4.83528E-06	1.7E-06	3.46E-04	5.82E-10	2.47E-02	1.57E-01	2.26E-12	1.0E+06	2.3E-06
1132	1132	0.35316	4.83528E-06	1.7E-06	3.46E-04	5.91E-10	2.47E-02	1.57E-01	2.29E-12	1.0E+06	2.3E-06
1133	1133	0.35719	4.83528E-06	1.7E-06	3.46E-04	5.98E-10	2.47E-02	1.57E-01	2.32E-12	1.0E+06	2.3E-06
1134	1134	0.3612	4.83528E-06	1.7E-06	3.46E-04	6.05E-10	2.47E-02	1.57E-01	2.34E-12	1.0E+06	2.3E-06
1135	1135	0.36515	4.83528E-06	1.8E-06	3.46E-04	6.11E-10	2.47E-02	1.57E-01	2.37E-12	1.0E+06	2.4E-06
1136	1136	0.36906	4.83528E-06	1.8E-06	3.46E-04	6.18E-10	2.47E-02	1.57E-01	2.39E-12	1.0E+06	2.4E-06
1137	1137	0.37288	4.83528E-06	1.8E-06	3.46E-04	6.24E-10	2.47E-02	1.57E-01	2.42E-12	1.0E+06	2.4E-06
1138	1138	0.37663	4.83528E-06	1.8E-06	3.46E-04	6.30E-10	2.47E-02	1.57E-01	2.44E-12	1.0E+06	2.4E-06
1139	1139	0.38038	4.83528E-06	1.8E-06	3.46E-04	6.37E-10	2.47E-02	1.57E-01	2.47E-12	1.0E+06	2.5E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.38399	4.83528E-06	1.9E-06	3.46E-04	6.43E-10	2.47E-02	1.57E-01	2.49E-12	1.0E+06	2.5E-06
1141	1141	0.3873	4.83528E-06	1.9E-06	3.46E-04	6.48E-10	2.47E-02	1.57E-01	2.51E-12	1.0E+06	2.5E-06
1142	1142	0.39037	4.83528E-06	1.9E-06	3.46E-04	6.53E-10	2.47E-02	1.57E-01	2.53E-12	1.0E+06	2.5E-06
1143	1143	0.39328	4.83528E-06	1.9E-06	3.46E-04	6.58E-10	2.47E-02	1.57E-01	2.55E-12	1.0E+06	2.6E-06
1144	1144	0.396	4.83528E-06	1.9E-06	3.46E-04	6.63E-10	2.47E-02	1.57E-01	2.57E-12	1.0E+06	2.6E-06
1145	1145	0.39854	4.83528E-06	1.9E-06	3.46E-04	6.67E-10	2.47E-02	1.57E-01	2.58E-12	1.0E+06	2.6E-06
1146	1146	0.24607	4.83528E-06	1.2E-06	3.46E-04	4.12E-10	2.47E-02	1.57E-01	1.60E-12	1.0E+06	1.6E-06
1147	1147	0.2496	4.83528E-06	1.2E-06	3.46E-04	4.18E-10	2.47E-02	1.57E-01	1.62E-12	1.0E+06	1.6E-06
1148	1148	0.25328	4.83528E-06	1.2E-06	3.46E-04	4.24E-10	2.47E-02	1.57E-01	1.64E-12	1.0E+06	1.6E-06
1149	1149	0.25702	4.83528E-06	1.2E-06	3.46E-04	4.30E-10	2.47E-02	1.57E-01	1.67E-12	1.0E+06	1.7E-06
1150	1150	0.26087	4.83528E-06	1.3E-06	3.46E-04	4.37E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
1151	1151	0.26481	4.83528E-06	1.3E-06	3.46E-04	4.43E-10	2.47E-02	1.57E-01	1.72E-12	1.0E+06	1.7E-06
1152	1152	0.26932	4.83528E-06	1.3E-06	3.46E-04	4.51E-10	2.47E-02	1.57E-01	1.75E-12	1.0E+06	1.7E-06
1153	1153	0.27419	4.83528E-06	1.3E-06	3.46E-04	4.59E-10	2.47E-02	1.57E-01	1.78E-12	1.0E+06	1.8E-06
1154	1154	0.279	4.83528E-06	1.3E-06	3.46E-04	4.67E-10	2.47E-02	1.57E-01	1.81E-12	1.0E+06	1.8E-06
1155	1155	0.28327	4.83528E-06	1.4E-06	3.46E-04	4.74E-10	2.47E-02	1.57E-01	1.84E-12	1.0E+06	1.8E-06
1156	1156	0.28764	4.83528E-06	1.4E-06	3.46E-04	4.81E-10	2.47E-02	1.57E-01	1.87E-12	1.0E+06	1.9E-06
1157	1157	0.29209	4.83528E-06	1.4E-06	3.46E-04	4.89E-10	2.47E-02	1.57E-01	1.89E-12	1.0E+06	1.9E-06
1158	1158	0.29662	4.83528E-06	1.4E-06	3.46E-04	4.96E-10	2.47E-02	1.57E-01	1.92E-12	1.0E+06	1.9E-06
1159	1159	0.30509	4.83528E-06	1.5E-06	3.46E-04	5.11E-10	2.47E-02	1.57E-01	1.98E-12	1.0E+06	2.0E-06
1160	1160	0.32001	4.83528E-06	1.5E-06	3.46E-04	5.36E-10	2.47E-02	1.57E-01	2.08E-12	1.0E+06	2.1E-06
1161	1161	0.32793	4.83528E-06	1.6E-06	3.46E-04	5.49E-10	2.47E-02	1.57E-01	2.13E-12	1.0E+06	2.1E-06
1162	1162	0.33972	4.83528E-06	1.6E-06	3.46E-04	5.69E-10	2.47E-02	1.57E-01	2.20E-12	1.0E+06	2.2E-06
1163	1163	0.34632	4.83528E-06	1.7E-06	3.46E-04	5.80E-10	2.47E-02	1.57E-01	2.25E-12	1.0E+06	2.2E-06
1164	1164	0.35267	4.83528E-06	1.7E-06	3.46E-04	5.90E-10	2.47E-02	1.57E-01	2.29E-12	1.0E+06	2.3E-06
1165	1165	0.35866	4.83528E-06	1.7E-06	3.46E-04	6.00E-10	2.47E-02	1.57E-01	2.33E-12	1.0E+06	2.3E-06
1166	1166	0.36442	4.83528E-06	1.8E-06	3.46E-04	6.10E-10	2.47E-02	1.57E-01	2.36E-12	1.0E+06	2.4E-06
1167	1167	0.36873	4.83528E-06	1.8E-06	3.46E-04	6.17E-10	2.47E-02	1.57E-01	2.39E-12	1.0E+06	2.4E-06
1168	1168	0.37303	4.83528E-06	1.8E-06	3.46E-04	6.24E-10	2.47E-02	1.57E-01	2.42E-12	1.0E+06	2.4E-06
1169	1169	0.37728	4.83528E-06	1.8E-06	3.46E-04	6.31E-10	2.47E-02	1.57E-01	2.45E-12	1.0E+06	2.4E-06
1170	1170	0.38146	4.83528E-06	1.8E-06	3.46E-04	6.38E-10	2.47E-02	1.57E-01	2.47E-12	1.0E+06	2.5E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.38556	4.83528E-06	1.9E-06	3.46E-04	6.45E-10	2.47E-02	1.57E-01	2.50E-12	1.0E+06	2.5E-06
1172	1172	0.38958	4.83528E-06	1.9E-06	3.46E-04	6.52E-10	2.47E-02	1.57E-01	2.53E-12	1.0E+06	2.5E-06
1173	1173	0.39355	4.83528E-06	1.9E-06	3.46E-04	6.59E-10	2.47E-02	1.57E-01	2.55E-12	1.0E+06	2.6E-06
1174	1174	0.39739	4.83528E-06	1.9E-06	3.46E-04	6.65E-10	2.47E-02	1.57E-01	2.58E-12	1.0E+06	2.6E-06
1175	1175	0.40095	4.83528E-06	1.9E-06	3.46E-04	6.71E-10	2.47E-02	1.57E-01	2.60E-12	1.0E+06	2.6E-06
1176	1176	0.40428	4.83528E-06	2.0E-06	3.46E-04	6.77E-10	2.47E-02	1.57E-01	2.62E-12	1.0E+06	2.6E-06
1177	1177	0.40743	4.83528E-06	2.0E-06	3.46E-04	6.82E-10	2.47E-02	1.57E-01	2.64E-12	1.0E+06	2.6E-06
1178	1178	0.4104	4.83528E-06	2.0E-06	3.46E-04	6.87E-10	2.47E-02	1.57E-01	2.66E-12	1.0E+06	2.7E-06
1179	1179	0.41313	4.83528E-06	2.0E-06	3.46E-04	6.91E-10	2.47E-02	1.57E-01	2.68E-12	1.0E+06	2.7E-06
1180	1180	0.25252	4.83528E-06	1.2E-06	3.46E-04	4.23E-10	2.47E-02	1.57E-01	1.64E-12	1.0E+06	1.6E-06
1181	1181	0.25617	4.83528E-06	1.2E-06	3.46E-04	4.29E-10	2.47E-02	1.57E-01	1.66E-12	1.0E+06	1.7E-06
1182	1182	0.25995	4.83528E-06	1.3E-06	3.46E-04	4.35E-10	2.47E-02	1.57E-01	1.69E-12	1.0E+06	1.7E-06
1183	1183	0.26383	4.83528E-06	1.3E-06	3.46E-04	4.42E-10	2.47E-02	1.57E-01	1.71E-12	1.0E+06	1.7E-06
1184	1184	0.26785	4.83528E-06	1.3E-06	3.46E-04	4.48E-10	2.47E-02	1.57E-01	1.74E-12	1.0E+06	1.7E-06
1185	1185	0.27202	4.83528E-06	1.3E-06	3.46E-04	4.55E-10	2.47E-02	1.57E-01	1.76E-12	1.0E+06	1.8E-06
1186	1186	0.27656	4.83528E-06	1.3E-06	3.46E-04	4.63E-10	2.47E-02	1.57E-01	1.79E-12	1.0E+06	1.8E-06
1187	1187	0.28135	4.83528E-06	1.4E-06	3.46E-04	4.71E-10	2.47E-02	1.57E-01	1.82E-12	1.0E+06	1.8E-06
1188	1188	0.28623	4.83528E-06	1.4E-06	3.46E-04	4.79E-10	2.47E-02	1.57E-01	1.86E-12	1.0E+06	1.9E-06
1189	1189	0.29089	4.83528E-06	1.4E-06	3.46E-04	4.87E-10	2.47E-02	1.57E-01	1.89E-12	1.0E+06	1.9E-06
1190	1190	0.29567	4.83528E-06	1.4E-06	3.46E-04	4.95E-10	2.47E-02	1.57E-01	1.92E-12	1.0E+06	1.9E-06
1191	1191	0.30055	4.83528E-06	1.5E-06	3.46E-04	5.03E-10	2.47E-02	1.57E-01	1.95E-12	1.0E+06	1.9E-06
1192	1192	0.30554	4.83528E-06	1.5E-06	3.46E-04	5.11E-10	2.47E-02	1.57E-01	1.98E-12	1.0E+06	2.0E-06
1193	1193	0.31447	4.83528E-06	1.5E-06	3.46E-04	5.26E-10	2.47E-02	1.57E-01	2.04E-12	1.0E+06	2.0E-06
1194	1194	0.32967	4.83528E-06	1.6E-06	3.46E-04	5.52E-10	2.47E-02	1.57E-01	2.14E-12	1.0E+06	2.1E-06
1195	1195	0.33785	4.83528E-06	1.6E-06	3.46E-04	5.65E-10	2.47E-02	1.57E-01	2.19E-12	1.0E+06	2.2E-06
1196	1196	0.34797	4.83528E-06	1.7E-06	3.46E-04	5.82E-10	2.47E-02	1.57E-01	2.26E-12	1.0E+06	2.3E-06
1197	1197	0.35711	4.83528E-06	1.7E-06	3.46E-04	5.98E-10	2.47E-02	1.57E-01	2.32E-12	1.0E+06	2.3E-06
1198	1198	0.36384	4.83528E-06	1.8E-06	3.46E-04	6.09E-10	2.47E-02	1.57E-01	2.36E-12	1.0E+06	2.4E-06
1199	1199	0.37018	4.83528E-06	1.8E-06	3.46E-04	6.20E-10	2.47E-02	1.57E-01	2.40E-12	1.0E+06	2.4E-06
1200	1200	0.37628	4.83528E-06	1.8E-06	3.46E-04	6.30E-10	2.47E-02	1.57E-01	2.44E-12	1.0E+06	2.4E-06
1201	1201	0.3809	4.83528E-06	1.8E-06	3.46E-04	6.38E-10	2.47E-02	1.57E-01	2.47E-12	1.0E+06	2.5E-06

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.38552	4.83528E-06	1.9E-06	3.46E-04	6.45E-10	2.47E-02	1.57E-01	2.50E-12	1.0E+06	2.5E-06
1203	1203	0.39006	4.83528E-06	1.9E-06	3.46E-04	6.53E-10	2.47E-02	1.57E-01	2.53E-12	1.0E+06	2.5E-06
1204	1204	0.39456	4.83528E-06	1.9E-06	3.46E-04	6.60E-10	2.47E-02	1.57E-01	2.56E-12	1.0E+06	2.6E-06
1205	1205	0.39897	4.83528E-06	1.9E-06	3.46E-04	6.68E-10	2.47E-02	1.57E-01	2.59E-12	1.0E+06	2.6E-06
1206	1206	0.40329	4.83528E-06	2.0E-06	3.46E-04	6.75E-10	2.47E-02	1.57E-01	2.62E-12	1.0E+06	2.6E-06
1207	1207	0.4075	4.83528E-06	2.0E-06	3.46E-04	6.82E-10	2.47E-02	1.57E-01	2.64E-12	1.0E+06	2.6E-06
1208	1208	0.41159	4.83528E-06	2.0E-06	3.46E-04	6.89E-10	2.47E-02	1.57E-01	2.67E-12	1.0E+06	2.7E-06
1209	1209	0.41542	4.83528E-06	2.0E-06	3.46E-04	6.95E-10	2.47E-02	1.57E-01	2.69E-12	1.0E+06	2.7E-06
1210	1210	0.41903	4.83528E-06	2.0E-06	3.46E-04	7.01E-10	2.47E-02	1.57E-01	2.72E-12	1.0E+06	2.7E-06
1211	1211	0.42245	4.83528E-06	2.0E-06	3.46E-04	7.07E-10	2.47E-02	1.57E-01	2.74E-12	1.0E+06	2.7E-06
1212	1212	0.42566	4.83528E-06	2.1E-06	3.46E-04	7.12E-10	2.47E-02	1.57E-01	2.76E-12	1.0E+06	2.8E-06
1213	1213	0.42858	4.83528E-06	2.1E-06	3.46E-04	7.17E-10	2.47E-02	1.57E-01	2.78E-12	1.0E+06	2.8E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
892	892	1.1E-02	Max	Receptor #	5	1.62E-03	Max	Receptor #	
893	893	1.1E-02	0.018	1213	5	1.64E-03	0.003	1213	Res
894	894	1.1E-02			5	1.66E-03			
895	895	1.1E-02			5	1.68E-03			
896	896	1.1E-02			5	1.70E-03			
897	897	1.2E-02			5	1.72E-03			
898	898	1.2E-02			5	1.74E-03			
899	899	1.2E-02			5	1.76E-03			
900	900	1.2E-02			5	1.77E-03			
901	901	1.2E-02			5	1.79E-03			
902	902	1.2E-02			5	1.80E-03			
903	903	1.2E-02			5	1.81E-03			
904	904	1.2E-02			5	1.82E-03			
905	905	1.2E-02			5	1.83E-03			
906	906	1.2E-02			5	1.84E-03			
907	907	1.2E-02			5	1.85E-03			
908	908	7.6E-03			5	1.13E-03			
909	909	7.8E-03			5	1.16E-03			
910	910	7.9E-03			5	1.18E-03			
911	911	8.0E-03			5	1.20E-03			
912	912	8.4E-03			5	1.25E-03			
913	913	8.5E-03			5	1.27E-03			
914	914	8.9E-03			5	1.32E-03			
915	915	9.2E-03			5	1.37E-03			
916	916	9.4E-03			5	1.40E-03			
917	917	9.5E-03			5	1.42E-03			
918	918	9.7E-03			5	1.44E-03			
919	919	1.0E-02			5	1.50E-03			
920	920	1.0E-02			5	1.52E-03			
921	921	1.0E-02			5	1.54E-03			
922	922	1.1E-02			5	1.57E-03			

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	1.1E-02	5	1.59E-03
924	924	1.1E-02	5	1.61E-03
925	925	1.1E-02	5	1.64E-03
926	926	1.1E-02	5	1.66E-03
927	927	1.1E-02	5	1.68E-03
928	928	1.1E-02	5	1.70E-03
929	929	1.2E-02	5	1.73E-03
930	930	1.2E-02	5	1.75E-03
931	931	1.2E-02	5	1.77E-03
932	932	1.2E-02	5	1.79E-03
933	933	1.2E-02	5	1.81E-03
934	934	1.2E-02	5	1.82E-03
935	935	1.2E-02	5	1.84E-03
936	936	1.2E-02	5	1.86E-03
937	937	1.3E-02	5	1.87E-03
938	938	1.3E-02	5	1.88E-03
939	939	1.3E-02	5	1.89E-03
940	940	1.3E-02	5	1.90E-03
941	941	1.3E-02	5	1.91E-03
942	942	7.8E-03	5	1.17E-03
943	943	8.0E-03	5	1.19E-03
944	944	8.1E-03	5	1.21E-03
945	945	8.3E-03	5	1.24E-03
946	946	8.6E-03	5	1.29E-03
947	947	8.8E-03	5	1.31E-03
948	948	9.1E-03	5	1.36E-03
949	949	9.5E-03	5	1.42E-03
950	950	9.7E-03	5	1.44E-03
951	951	9.8E-03	5	1.47E-03
952	952	1.0E-02	5	1.49E-03
953	953	1.0E-02	5	1.52E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	1.1E-02	5	1.57E-03
955	955	1.1E-02	5	1.60E-03
956	956	1.1E-02	5	1.62E-03
957	957	1.1E-02	5	1.65E-03
958	958	1.1E-02	5	1.67E-03
959	959	1.1E-02	5	1.70E-03
960	960	1.2E-02	5	1.72E-03
961	961	1.2E-02	5	1.74E-03
962	962	1.2E-02	5	1.77E-03
963	963	1.2E-02	5	1.79E-03
964	964	1.2E-02	5	1.81E-03
965	965	1.2E-02	5	1.84E-03
966	966	1.2E-02	5	1.86E-03
967	967	1.3E-02	5	1.88E-03
968	968	1.3E-02	5	1.90E-03
969	969	1.3E-02	5	1.91E-03
970	970	1.3E-02	5	1.93E-03
971	971	1.3E-02	5	1.95E-03
972	972	1.3E-02	5	1.96E-03
973	973	1.3E-02	5	1.97E-03
974	974	1.3E-02	5	1.98E-03
975	975	1.3E-02	5	1.99E-03
976	976	8.1E-03	5	1.20E-03
977	977	8.2E-03	5	1.23E-03
978	978	8.4E-03	5	1.25E-03
979	979	8.5E-03	5	1.27E-03
980	980	8.7E-03	5	1.30E-03
981	981	9.1E-03	5	1.35E-03
982	982	9.4E-03	5	1.41E-03
983	983	9.8E-03	5	1.46E-03
984	984	1.0E-02	5	1.49E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	1.0E-02	5	1.52E-03
986	986	1.0E-02	5	1.54E-03
987	987	1.1E-02	5	1.57E-03
988	988	1.1E-02	5	1.59E-03
989	989	1.1E-02	5	1.65E-03
990	990	1.1E-02	5	1.68E-03
991	991	1.1E-02	5	1.71E-03
992	992	1.2E-02	5	1.73E-03
993	993	1.2E-02	5	1.76E-03
994	994	1.2E-02	5	1.78E-03
995	995	1.2E-02	5	1.81E-03
996	996	1.2E-02	5	1.83E-03
997	997	1.2E-02	5	1.86E-03
998	998	1.3E-02	5	1.88E-03
999	999	1.3E-02	5	1.91E-03
1000	1000	1.3E-02	5	1.93E-03
1001	1001	1.3E-02	5	1.95E-03
1002	1002	1.3E-02	5	1.97E-03
1003	1003	1.3E-02	5	1.99E-03
1004	1004	1.3E-02	5	2.01E-03
1005	1005	1.4E-02	5	2.03E-03
1006	1006	1.4E-02	5	2.04E-03
1007	1007	1.4E-02	5	2.06E-03
1008	1008	1.4E-02	5	2.07E-03
1009	1009	1.4E-02	5	2.08E-03
1010	1010	8.3E-03	5	1.24E-03
1011	1011	8.5E-03	5	1.26E-03
1012	1012	8.6E-03	5	1.29E-03
1013	1013	8.8E-03	5	1.31E-03
1014	1014	9.0E-03	5	1.34E-03
1015	1015	9.4E-03	5	1.39E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	9.7E-03	5	1.45E-03
1017	1017	1.0E-02	5	1.51E-03
1018	1018	1.0E-02	5	1.54E-03
1019	1019	1.1E-02	5	1.57E-03
1020	1020	1.1E-02	5	1.59E-03
1021	1021	1.1E-02	5	1.62E-03
1022	1022	1.1E-02	5	1.65E-03
1023	1023	1.1E-02	5	1.71E-03
1024	1024	1.2E-02	5	1.74E-03
1025	1025	1.2E-02	5	1.77E-03
1026	1026	1.2E-02	5	1.80E-03
1027	1027	1.2E-02	5	1.82E-03
1028	1028	1.2E-02	5	1.85E-03
1029	1029	1.3E-02	5	1.88E-03
1030	1030	1.3E-02	5	1.91E-03
1031	1031	1.3E-02	5	1.93E-03
1032	1032	1.3E-02	5	1.96E-03
1033	1033	1.3E-02	5	1.98E-03
1034	1034	1.3E-02	5	2.01E-03
1035	1035	1.4E-02	5	2.03E-03
1036	1036	1.4E-02	5	2.05E-03
1037	1037	1.4E-02	5	2.08E-03
1038	1038	1.4E-02	5	2.10E-03
1039	1039	1.4E-02	5	2.11E-03
1040	1040	1.4E-02	5	2.13E-03
1041	1041	1.4E-02	5	2.14E-03
1042	1042	1.4E-02	5	2.16E-03
1043	1043	1.5E-02	5	2.17E-03
1044	1044	8.6E-03	5	1.28E-03
1045	1045	8.7E-03	5	1.30E-03
1046	1046	8.9E-03	5	1.33E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	9.1E-03	5	1.36E-03
1048	1048	9.3E-03	5	1.38E-03
1049	1049	9.7E-03	5	1.44E-03
1050	1050	9.9E-03	5	1.47E-03
1051	1051	1.0E-02	5	1.56E-03
1052	1052	1.1E-02	5	1.59E-03
1053	1053	1.1E-02	5	1.62E-03
1054	1054	1.1E-02	5	1.65E-03
1055	1055	1.1E-02	5	1.68E-03
1056	1056	1.1E-02	5	1.71E-03
1057	1057	1.2E-02	5	1.77E-03
1058	1058	1.2E-02	5	1.80E-03
1059	1059	1.2E-02	5	1.83E-03
1060	1060	1.3E-02	5	1.86E-03
1061	1061	1.3E-02	5	1.89E-03
1062	1062	1.3E-02	5	1.92E-03
1063	1063	1.3E-02	5	1.95E-03
1064	1064	1.3E-02	5	1.98E-03
1065	1065	1.3E-02	5	2.01E-03
1066	1066	1.4E-02	5	2.04E-03
1067	1067	1.4E-02	5	2.07E-03
1068	1068	1.4E-02	5	2.09E-03
1069	1069	1.4E-02	5	2.12E-03
1070	1070	1.4E-02	5	2.14E-03
1071	1071	1.5E-02	5	2.17E-03
1072	1072	1.5E-02	5	2.19E-03
1073	1073	1.5E-02	5	2.21E-03
1074	1074	1.5E-02	5	2.22E-03
1075	1075	1.5E-02	5	2.24E-03
1076	1076	1.5E-02	5	2.25E-03
1077	1077	1.5E-02	5	2.26E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	8.9E-03	5	1.32E-03
1079	1079	9.0E-03	5	1.35E-03
1080	1080	9.2E-03	5	1.37E-03
1081	1081	9.4E-03	5	1.40E-03
1082	1082	9.6E-03	5	1.43E-03
1083	1083	1.0E-02	5	1.49E-03
1084	1084	1.0E-02	5	1.52E-03
1085	1085	1.1E-02	5	1.62E-03
1086	1086	1.1E-02	5	1.65E-03
1087	1087	1.1E-02	5	1.68E-03
1088	1088	1.1E-02	5	1.71E-03
1089	1089	1.2E-02	5	1.74E-03
1090	1090	1.2E-02	5	1.81E-03
1091	1091	1.2E-02	5	1.84E-03
1092	1092	1.3E-02	5	1.87E-03
1093	1093	1.3E-02	5	1.90E-03
1094	1094	1.3E-02	5	1.94E-03
1095	1095	1.3E-02	5	1.97E-03
1096	1096	1.3E-02	5	2.00E-03
1097	1097	1.4E-02	5	2.03E-03
1098	1098	1.4E-02	5	2.06E-03
1099	1099	1.4E-02	5	2.09E-03
1100	1100	1.4E-02	5	2.12E-03
1101	1101	1.4E-02	5	2.15E-03
1102	1102	1.5E-02	5	2.18E-03
1103	1103	1.5E-02	5	2.21E-03
1104	1104	1.5E-02	5	2.24E-03
1105	1105	1.5E-02	5	2.26E-03
1106	1106	1.5E-02	5	2.28E-03
1107	1107	1.5E-02	5	2.30E-03
1108	1108	1.6E-02	5	2.32E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	1.6E-02	5	2.34E-03
1110	1110	1.6E-02	5	2.35E-03
1111	1111	1.6E-02	5	2.37E-03
1112	1112	9.1E-03	5	1.36E-03
1113	1113	9.3E-03	5	1.39E-03
1114	1114	9.5E-03	5	1.42E-03
1115	1115	9.7E-03	5	1.44E-03
1116	1116	9.9E-03	5	1.47E-03
1117	1117	1.0E-02	5	1.50E-03
1118	1118	1.1E-02	5	1.57E-03
1119	1119	1.1E-02	5	1.67E-03
1120	1120	1.1E-02	5	1.70E-03
1121	1121	1.2E-02	5	1.74E-03
1122	1122	1.2E-02	5	1.77E-03
1123	1123	1.2E-02	5	1.80E-03
1124	1124	1.3E-02	5	1.87E-03
1125	1125	1.3E-02	5	1.91E-03
1126	1126	1.3E-02	5	1.94E-03
1127	1127	1.3E-02	5	1.98E-03
1128	1128	1.4E-02	5	2.01E-03
1129	1129	1.4E-02	5	2.05E-03
1130	1130	1.4E-02	5	2.08E-03
1131	1131	1.4E-02	5	2.12E-03
1132	1132	1.4E-02	5	2.15E-03
1133	1133	1.5E-02	5	2.18E-03
1134	1134	1.5E-02	5	2.21E-03
1135	1135	1.5E-02	5	2.25E-03
1136	1136	1.5E-02	5	2.28E-03
1137	1137	1.5E-02	5	2.31E-03
1138	1138	1.6E-02	5	2.34E-03
1139	1139	1.6E-02	5	2.36E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	1.6E-02	5	2.39E-03
1141	1141	1.6E-02	5	2.41E-03
1142	1142	1.6E-02	5	2.43E-03
1143	1143	1.6E-02	5	2.45E-03
1144	1144	1.7E-02	5	2.46E-03
1145	1145	1.7E-02	5	2.48E-03
1146	1146	9.4E-03	5	1.41E-03
1147	1147	9.6E-03	5	1.44E-03
1148	1148	9.8E-03	5	1.46E-03
1149	1149	1.0E-02	5	1.49E-03
1150	1150	1.0E-02	5	1.52E-03
1151	1151	1.0E-02	5	1.55E-03
1152	1152	1.1E-02	5	1.62E-03
1153	1153	1.1E-02	5	1.69E-03
1154	1154	1.2E-02	5	1.76E-03
1155	1155	1.2E-02	5	1.80E-03
1156	1156	1.2E-02	5	1.83E-03
1157	1157	1.3E-02	5	1.87E-03
1158	1158	1.3E-02	5	1.94E-03
1159	1159	1.3E-02	5	1.98E-03
1160	1160	1.4E-02	5	2.02E-03
1161	1161	1.4E-02	5	2.06E-03
1162	1162	1.4E-02	5	2.09E-03
1163	1163	1.4E-02	5	2.13E-03
1164	1164	1.5E-02	5	2.17E-03
1165	1165	1.5E-02	5	2.20E-03
1166	1166	1.5E-02	5	2.24E-03
1167	1167	1.5E-02	5	2.28E-03
1168	1168	1.6E-02	5	2.31E-03
1169	1169	1.6E-02	5	2.35E-03
1170	1170	1.6E-02	5	2.38E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	1.6E-02	5	2.41E-03
1172	1172	1.6E-02	5	2.44E-03
1173	1173	1.7E-02	5	2.47E-03
1174	1174	1.7E-02	5	2.50E-03
1175	1175	1.7E-02	5	2.52E-03
1176	1176	1.7E-02	5	2.55E-03
1177	1177	1.7E-02	5	2.56E-03
1178	1178	1.7E-02	5	2.58E-03
1179	1179	1.7E-02	5	2.60E-03
1180	1180	9.8E-03	5	1.46E-03
1181	1181	1.0E-02	5	1.48E-03
1182	1182	1.0E-02	5	1.51E-03
1183	1183	1.0E-02	5	1.54E-03
1184	1184	1.1E-02	5	1.58E-03
1185	1185	1.1E-02	5	1.61E-03
1186	1186	1.1E-02	5	1.68E-03
1187	1187	1.2E-02	5	1.72E-03
1188	1188	1.2E-02	5	1.83E-03
1189	1189	1.2E-02	5	1.86E-03
1190	1190	1.3E-02	5	1.90E-03
1191	1191	1.3E-02	5	1.94E-03
1192	1192	1.4E-02	5	2.02E-03
1193	1193	1.4E-02	5	2.06E-03
1194	1194	1.4E-02	5	2.10E-03
1195	1195	1.4E-02	5	2.14E-03
1196	1196	1.5E-02	5	2.18E-03
1197	1197	1.5E-02	5	2.22E-03
1198	1198	1.5E-02	5	2.26E-03
1199	1199	1.5E-02	5	2.30E-03
1200	1200	1.6E-02	5	2.34E-03
1201	1201	1.6E-02	5	2.38E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1202	1202	1.6E-02	5	2.42E-03
1203	1203	1.6E-02	5	2.45E-03
1204	1204	1.7E-02	5	2.49E-03
1205	1205	1.7E-02	5	2.53E-03
1206	1206	1.7E-02	5	2.56E-03
1207	1207	1.7E-02	5	2.59E-03
1208	1208	1.8E-02	5	2.62E-03
1209	1209	1.8E-02	5	2.65E-03
1210	1210	1.8E-02	5	2.67E-03
1211	1211	1.8E-02	5	2.69E-03
1212	1212	1.8E-02	5	2.71E-03
1213	1213	1.8E-02	5	2.72E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	0.47816	1.36E-02	6.5E-03	3.46E-04	2.26E-06	1.37E-02	1.57E-01	4.86E-09	1.0E+06	4.9E-03
893	0.48418	1.36E-02	6.6E-03	3.46E-04	2.29E-06	1.37E-02	1.57E-01	4.92E-09	1.0E+06	4.9E-03
894	0.49016	1.36E-02	6.7E-03	3.46E-04	2.31E-06	1.37E-02	1.57E-01	4.98E-09	1.0E+06	5.0E-03
895	0.49606	1.36E-02	6.8E-03	3.46E-04	2.34E-06	1.37E-02	1.57E-01	5.04E-09	1.0E+06	5.0E-03
896	0.5018	1.36E-02	6.8E-03	3.46E-04	2.37E-06	1.37E-02	1.57E-01	5.10E-09	1.0E+06	5.1E-03
897	0.50732	1.36E-02	6.9E-03	3.46E-04	2.40E-06	1.37E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
898	0.51254	1.36E-02	7.0E-03	3.46E-04	2.42E-06	1.37E-02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
899	0.51744	1.36E-02	7.1E-03	3.46E-04	2.44E-06	1.37E-02	1.57E-01	5.26E-09	1.0E+06	5.3E-03
900	0.52192	1.36E-02	7.1E-03	3.46E-04	2.46E-06	1.37E-02	1.57E-01	5.30E-09	1.0E+06	5.3E-03
901	0.52609	1.36E-02	7.2E-03	3.46E-04	2.48E-06	1.37E-02	1.57E-01	5.35E-09	1.0E+06	5.3E-03
902	0.53001	1.36E-02	7.2E-03	3.46E-04	2.50E-06	1.37E-02	1.57E-01	5.39E-09	1.0E+06	5.4E-03
903	0.53358	1.36E-02	7.3E-03	3.46E-04	2.52E-06	1.37E-02	1.57E-01	5.42E-09	1.0E+06	5.4E-03
904	0.53665	1.36E-02	7.3E-03	3.46E-04	2.53E-06	1.37E-02	1.57E-01	5.45E-09	1.0E+06	5.5E-03
905	0.53934	1.36E-02	7.4E-03	3.46E-04	2.55E-06	1.37E-02	1.57E-01	5.48E-09	1.0E+06	5.5E-03
906	0.54163	1.36E-02	7.4E-03	3.46E-04	2.56E-06	1.37E-02	1.57E-01	5.50E-09	1.0E+06	5.5E-03
907	0.54379	1.36E-02	7.4E-03	3.46E-04	2.57E-06	1.37E-02	1.57E-01	5.53E-09	1.0E+06	5.5E-03
908	0.3344	1.36E-02	4.6E-03	3.46E-04	1.58E-06	1.37E-02	1.57E-01	3.40E-09	1.0E+06	3.4E-03
909	0.34053	1.36E-02	4.6E-03	3.46E-04	1.61E-06	1.37E-02	1.57E-01	3.46E-09	1.0E+06	3.5E-03
910	0.34697	1.36E-02	4.7E-03	3.46E-04	1.64E-06	1.37E-02	1.57E-01	3.53E-09	1.0E+06	3.5E-03
911	0.35331	1.36E-02	4.8E-03	3.46E-04	1.67E-06	1.37E-02	1.57E-01	3.59E-09	1.0E+06	3.6E-03
912	0.36798	1.36E-02	5.0E-03	3.46E-04	1.74E-06	1.37E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
913	0.37452	1.36E-02	5.1E-03	3.46E-04	1.77E-06	1.37E-02	1.57E-01	3.81E-09	1.0E+06	3.8E-03
914	0.38952	1.36E-02	5.3E-03	3.46E-04	1.84E-06	1.37E-02	1.57E-01	3.96E-09	1.0E+06	4.0E-03
915	0.40512	1.36E-02	5.5E-03	3.46E-04	1.91E-06	1.37E-02	1.57E-01	4.12E-09	1.0E+06	4.1E-03
916	0.41185	1.36E-02	5.6E-03	3.46E-04	1.94E-06	1.37E-02	1.57E-01	4.19E-09	1.0E+06	4.2E-03
917	0.41862	1.36E-02	5.7E-03	3.46E-04	1.98E-06	1.37E-02	1.57E-01	4.25E-09	1.0E+06	4.3E-03
918	0.42545	1.36E-02	5.8E-03	3.46E-04	2.01E-06	1.37E-02	1.57E-01	4.32E-09	1.0E+06	4.3E-03
919	0.44137	1.36E-02	6.0E-03	3.46E-04	2.08E-06	1.37E-02	1.57E-01	4.49E-09	1.0E+06	4.5E-03
920	0.44821	1.36E-02	6.1E-03	3.46E-04	2.12E-06	1.37E-02	1.57E-01	4.56E-09	1.0E+06	4.6E-03
921	0.45507	1.36E-02	6.2E-03	3.46E-04	2.15E-06	1.37E-02	1.57E-01	4.63E-09	1.0E+06	4.6E-03
922	0.46197	1.36E-02	6.3E-03	3.46E-04	2.18E-06	1.37E-02	1.57E-01	4.70E-09	1.0E+06	4.7E-03

	Max	Receptor #
Res	0.008	1213

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	0.46884	1.36E-02	6.4E-03	3.46E-04	2.21E-06	1.37E-02	1.57E-01	4.77E-09	1.0E+06	4.8E-03
924	0.47565	1.36E-02	6.5E-03	3.46E-04	2.25E-06	1.37E-02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
925	0.48238	1.36E-02	6.6E-03	3.46E-04	2.28E-06	1.37E-02	1.57E-01	4.90E-09	1.0E+06	4.9E-03
926	0.48903	1.36E-02	6.7E-03	3.46E-04	2.31E-06	1.37E-02	1.57E-01	4.97E-09	1.0E+06	5.0E-03
927	0.49557	1.36E-02	6.8E-03	3.46E-04	2.34E-06	1.37E-02	1.57E-01	5.04E-09	1.0E+06	5.0E-03
928	0.50201	1.36E-02	6.8E-03	3.46E-04	2.37E-06	1.37E-02	1.57E-01	5.10E-09	1.0E+06	5.1E-03
929	0.50838	1.36E-02	6.9E-03	3.46E-04	2.40E-06	1.37E-02	1.57E-01	5.17E-09	1.0E+06	5.2E-03
930	0.51466	1.36E-02	7.0E-03	3.46E-04	2.43E-06	1.37E-02	1.57E-01	5.23E-09	1.0E+06	5.2E-03
931	0.52076	1.36E-02	7.1E-03	3.46E-04	2.46E-06	1.37E-02	1.57E-01	5.29E-09	1.0E+06	5.3E-03
932	0.52659	1.36E-02	7.2E-03	3.46E-04	2.49E-06	1.37E-02	1.57E-01	5.35E-09	1.0E+06	5.4E-03
933	0.53214	1.36E-02	7.3E-03	3.46E-04	2.51E-06	1.37E-02	1.57E-01	5.41E-09	1.0E+06	5.4E-03
934	0.53738	1.36E-02	7.3E-03	3.46E-04	2.54E-06	1.37E-02	1.57E-01	5.46E-09	1.0E+06	5.5E-03
935	0.5423	1.36E-02	7.4E-03	3.46E-04	2.56E-06	1.37E-02	1.57E-01	5.51E-09	1.0E+06	5.5E-03
936	0.54682	1.36E-02	7.5E-03	3.46E-04	2.58E-06	1.37E-02	1.57E-01	5.56E-09	1.0E+06	5.6E-03
937	0.55102	1.36E-02	7.5E-03	3.46E-04	2.60E-06	1.37E-02	1.57E-01	5.60E-09	1.0E+06	5.6E-03
938	0.55484	1.36E-02	7.6E-03	3.46E-04	2.62E-06	1.37E-02	1.57E-01	5.64E-09	1.0E+06	5.6E-03
939	0.55818	1.36E-02	7.6E-03	3.46E-04	2.64E-06	1.37E-02	1.57E-01	5.67E-09	1.0E+06	5.7E-03
940	0.5611	1.36E-02	7.7E-03	3.46E-04	2.65E-06	1.37E-02	1.57E-01	5.70E-09	1.0E+06	5.7E-03
941	0.56361	1.36E-02	7.7E-03	3.46E-04	2.66E-06	1.37E-02	1.57E-01	5.73E-09	1.0E+06	5.7E-03
942	0.3444	1.36E-02	4.7E-03	3.46E-04	1.63E-06	1.37E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03
943	0.35077	1.36E-02	4.8E-03	3.46E-04	1.66E-06	1.37E-02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
944	0.35736	1.36E-02	4.9E-03	3.46E-04	1.69E-06	1.37E-02	1.57E-01	3.63E-09	1.0E+06	3.6E-03
945	0.36405	1.36E-02	5.0E-03	3.46E-04	1.72E-06	1.37E-02	1.57E-01	3.70E-09	1.0E+06	3.7E-03
946	0.37922	1.36E-02	5.2E-03	3.46E-04	1.79E-06	1.37E-02	1.57E-01	3.85E-09	1.0E+06	3.9E-03
947	0.38608	1.36E-02	5.3E-03	3.46E-04	1.82E-06	1.37E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03
948	0.40182	1.36E-02	5.5E-03	3.46E-04	1.90E-06	1.37E-02	1.57E-01	4.08E-09	1.0E+06	4.1E-03
949	0.41805	1.36E-02	5.7E-03	3.46E-04	1.97E-06	1.37E-02	1.57E-01	4.25E-09	1.0E+06	4.2E-03
950	0.42523	1.36E-02	5.8E-03	3.46E-04	2.01E-06	1.37E-02	1.57E-01	4.32E-09	1.0E+06	4.3E-03
951	0.43226	1.36E-02	5.9E-03	3.46E-04	2.04E-06	1.37E-02	1.57E-01	4.39E-09	1.0E+06	4.4E-03
952	0.43939	1.36E-02	6.0E-03	3.46E-04	2.07E-06	1.37E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
953	0.44657	1.36E-02	6.1E-03	3.46E-04	2.11E-06	1.37E-02	1.57E-01	4.54E-09	1.0E+06	4.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	0.46315	1.36E-02	6.3E-03	3.46E-04	2.19E-06	1.37E-02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
955	0.4704	1.36E-02	6.4E-03	3.46E-04	2.22E-06	1.37E-02	1.57E-01	4.78E-09	1.0E+06	4.8E-03
956	0.47786	1.36E-02	6.5E-03	3.46E-04	2.26E-06	1.37E-02	1.57E-01	4.86E-09	1.0E+06	4.9E-03
957	0.48531	1.36E-02	6.6E-03	3.46E-04	2.29E-06	1.37E-02	1.57E-01	4.93E-09	1.0E+06	4.9E-03
958	0.4926	1.36E-02	6.7E-03	3.46E-04	2.33E-06	1.37E-02	1.57E-01	5.01E-09	1.0E+06	5.0E-03
959	0.49974	1.36E-02	6.8E-03	3.46E-04	2.36E-06	1.37E-02	1.57E-01	5.08E-09	1.0E+06	5.1E-03
960	0.50682	1.36E-02	6.9E-03	3.46E-04	2.39E-06	1.37E-02	1.57E-01	5.15E-09	1.0E+06	5.2E-03
961	0.51382	1.36E-02	7.0E-03	3.46E-04	2.43E-06	1.37E-02	1.57E-01	5.22E-09	1.0E+06	5.2E-03
962	0.52073	1.36E-02	7.1E-03	3.46E-04	2.46E-06	1.37E-02	1.57E-01	5.29E-09	1.0E+06	5.3E-03
963	0.52754	1.36E-02	7.2E-03	3.46E-04	2.49E-06	1.37E-02	1.57E-01	5.36E-09	1.0E+06	5.4E-03
964	0.53424	1.36E-02	7.3E-03	3.46E-04	2.52E-06	1.37E-02	1.57E-01	5.43E-09	1.0E+06	5.4E-03
965	0.54078	1.36E-02	7.4E-03	3.46E-04	2.55E-06	1.37E-02	1.57E-01	5.50E-09	1.0E+06	5.5E-03
966	0.547	1.36E-02	7.5E-03	3.46E-04	2.58E-06	1.37E-02	1.57E-01	5.56E-09	1.0E+06	5.6E-03
967	0.55296	1.36E-02	7.5E-03	3.46E-04	2.61E-06	1.37E-02	1.57E-01	5.62E-09	1.0E+06	5.6E-03
968	0.5586	1.36E-02	7.6E-03	3.46E-04	2.64E-06	1.37E-02	1.57E-01	5.68E-09	1.0E+06	5.7E-03
969	0.56399	1.36E-02	7.7E-03	3.46E-04	2.66E-06	1.37E-02	1.57E-01	5.73E-09	1.0E+06	5.7E-03
970	0.56889	1.36E-02	7.8E-03	3.46E-04	2.69E-06	1.37E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
971	0.57338	1.36E-02	7.8E-03	3.46E-04	2.71E-06	1.37E-02	1.57E-01	5.83E-09	1.0E+06	5.8E-03
972	0.57748	1.36E-02	7.9E-03	3.46E-04	2.73E-06	1.37E-02	1.57E-01	5.87E-09	1.0E+06	5.9E-03
973	0.58117	1.36E-02	7.9E-03	3.46E-04	2.74E-06	1.37E-02	1.57E-01	5.91E-09	1.0E+06	5.9E-03
974	0.58437	1.36E-02	8.0E-03	3.46E-04	2.76E-06	1.37E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
975	0.58718	1.36E-02	8.0E-03	3.46E-04	2.77E-06	1.37E-02	1.57E-01	5.97E-09	1.0E+06	6.0E-03
976	0.35484	1.36E-02	4.8E-03	3.46E-04	1.68E-06	1.37E-02	1.57E-01	3.61E-09	1.0E+06	3.6E-03
977	0.36146	1.36E-02	4.9E-03	3.46E-04	1.71E-06	1.37E-02	1.57E-01	3.67E-09	1.0E+06	3.7E-03
978	0.36833	1.36E-02	5.0E-03	3.46E-04	1.74E-06	1.37E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
979	0.37531	1.36E-02	5.1E-03	3.46E-04	1.77E-06	1.37E-02	1.57E-01	3.81E-09	1.0E+06	3.8E-03
980	0.3824	1.36E-02	5.2E-03	3.46E-04	1.81E-06	1.37E-02	1.57E-01	3.89E-09	1.0E+06	3.9E-03
981	0.39827	1.36E-02	5.4E-03	3.46E-04	1.88E-06	1.37E-02	1.57E-01	4.05E-09	1.0E+06	4.0E-03
982	0.41472	1.36E-02	5.7E-03	3.46E-04	1.96E-06	1.37E-02	1.57E-01	4.22E-09	1.0E+06	4.2E-03
983	0.43164	1.36E-02	5.9E-03	3.46E-04	2.04E-06	1.37E-02	1.57E-01	4.39E-09	1.0E+06	4.4E-03
984	0.43928	1.36E-02	6.0E-03	3.46E-04	2.07E-06	1.37E-02	1.57E-01	4.46E-09	1.0E+06	4.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	0.44662	1.36E-02	6.1E-03	3.46E-04	2.11E-06	1.37E-02	1.57E-01	4.54E-09	1.0E+06	4.5E-03
986	0.45403	1.36E-02	6.2E-03	3.46E-04	2.14E-06	1.37E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
987	0.46153	1.36E-02	6.3E-03	3.46E-04	2.18E-06	1.37E-02	1.57E-01	4.69E-09	1.0E+06	4.7E-03
988	0.46907	1.36E-02	6.4E-03	3.46E-04	2.21E-06	1.37E-02	1.57E-01	4.77E-09	1.0E+06	4.8E-03
989	0.48654	1.36E-02	6.6E-03	3.46E-04	2.30E-06	1.37E-02	1.57E-01	4.94E-09	1.0E+06	4.9E-03
990	0.49461	1.36E-02	6.7E-03	3.46E-04	2.34E-06	1.37E-02	1.57E-01	5.03E-09	1.0E+06	5.0E-03
991	0.50269	1.36E-02	6.9E-03	3.46E-04	2.37E-06	1.37E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
992	0.51051	1.36E-02	7.0E-03	3.46E-04	2.41E-06	1.37E-02	1.57E-01	5.19E-09	1.0E+06	5.2E-03
993	0.51811	1.36E-02	7.1E-03	3.46E-04	2.45E-06	1.37E-02	1.57E-01	5.27E-09	1.0E+06	5.3E-03
994	0.52562	1.36E-02	7.2E-03	3.46E-04	2.48E-06	1.37E-02	1.57E-01	5.34E-09	1.0E+06	5.3E-03
995	0.53314	1.36E-02	7.3E-03	3.46E-04	2.52E-06	1.37E-02	1.57E-01	5.42E-09	1.0E+06	5.4E-03
996	0.54054	1.36E-02	7.4E-03	3.46E-04	2.55E-06	1.37E-02	1.57E-01	5.49E-09	1.0E+06	5.5E-03
997	0.54784	1.36E-02	7.5E-03	3.46E-04	2.59E-06	1.37E-02	1.57E-01	5.57E-09	1.0E+06	5.6E-03
998	0.55503	1.36E-02	7.6E-03	3.46E-04	2.62E-06	1.37E-02	1.57E-01	5.64E-09	1.0E+06	5.6E-03
999	0.56203	1.36E-02	7.7E-03	3.46E-04	2.65E-06	1.37E-02	1.57E-01	5.71E-09	1.0E+06	5.7E-03
1000	0.56867	1.36E-02	7.8E-03	3.46E-04	2.68E-06	1.37E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
1001	0.57507	1.36E-02	7.8E-03	3.46E-04	2.72E-06	1.37E-02	1.57E-01	5.84E-09	1.0E+06	5.8E-03
1002	0.58116	1.36E-02	7.9E-03	3.46E-04	2.74E-06	1.37E-02	1.57E-01	5.91E-09	1.0E+06	5.9E-03
1003	0.58709	1.36E-02	8.0E-03	3.46E-04	2.77E-06	1.37E-02	1.57E-01	5.97E-09	1.0E+06	6.0E-03
1004	0.5924	1.36E-02	8.1E-03	3.46E-04	2.80E-06	1.37E-02	1.57E-01	6.02E-09	1.0E+06	6.0E-03
1005	0.59721	1.36E-02	8.1E-03	3.46E-04	2.82E-06	1.37E-02	1.57E-01	6.07E-09	1.0E+06	6.1E-03
1006	0.6016	1.36E-02	8.2E-03	3.46E-04	2.84E-06	1.37E-02	1.57E-01	6.11E-09	1.0E+06	6.1E-03
1007	0.60559	1.36E-02	8.3E-03	3.46E-04	2.86E-06	1.37E-02	1.57E-01	6.15E-09	1.0E+06	6.2E-03
1008	0.60916	1.36E-02	8.3E-03	3.46E-04	2.88E-06	1.37E-02	1.57E-01	6.19E-09	1.0E+06	6.2E-03
1009	0.61223	1.36E-02	8.4E-03	3.46E-04	2.89E-06	1.37E-02	1.57E-01	6.22E-09	1.0E+06	6.2E-03
1010	0.3658	1.36E-02	5.0E-03	3.46E-04	1.73E-06	1.37E-02	1.57E-01	3.72E-09	1.0E+06	3.7E-03
1011	0.37263	1.36E-02	5.1E-03	3.46E-04	1.76E-06	1.37E-02	1.57E-01	3.79E-09	1.0E+06	3.8E-03
1012	0.37979	1.36E-02	5.2E-03	3.46E-04	1.79E-06	1.37E-02	1.57E-01	3.86E-09	1.0E+06	3.9E-03
1013	0.38714	1.36E-02	5.3E-03	3.46E-04	1.83E-06	1.37E-02	1.57E-01	3.93E-09	1.0E+06	3.9E-03
1014	0.39449	1.36E-02	5.4E-03	3.46E-04	1.86E-06	1.37E-02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
1015	0.411	1.36E-02	5.6E-03	3.46E-04	1.94E-06	1.37E-02	1.57E-01	4.18E-09	1.0E+06	4.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	0.42822	1.36E-02	5.8E-03	3.46E-04	2.02E-06	1.37E-02	1.57E-01	4.35E-09	1.0E+06	4.4E-03
1017	0.44584	1.36E-02	6.1E-03	3.46E-04	2.11E-06	1.37E-02	1.57E-01	4.53E-09	1.0E+06	4.5E-03
1018	0.45398	1.36E-02	6.2E-03	3.46E-04	2.14E-06	1.37E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
1019	0.46169	1.36E-02	6.3E-03	3.46E-04	2.18E-06	1.37E-02	1.57E-01	4.69E-09	1.0E+06	4.7E-03
1020	0.4695	1.36E-02	6.4E-03	3.46E-04	2.22E-06	1.37E-02	1.57E-01	4.77E-09	1.0E+06	4.8E-03
1021	0.47734	1.36E-02	6.5E-03	3.46E-04	2.25E-06	1.37E-02	1.57E-01	4.85E-09	1.0E+06	4.9E-03
1022	0.48526	1.36E-02	6.6E-03	3.46E-04	2.29E-06	1.37E-02	1.57E-01	4.93E-09	1.0E+06	4.9E-03
1023	0.50361	1.36E-02	6.9E-03	3.46E-04	2.38E-06	1.37E-02	1.57E-01	5.12E-09	1.0E+06	5.1E-03
1024	0.51233	1.36E-02	7.0E-03	3.46E-04	2.42E-06	1.37E-02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
1025	0.52104	1.36E-02	7.1E-03	3.46E-04	2.46E-06	1.37E-02	1.57E-01	5.30E-09	1.0E+06	5.3E-03
1026	0.52943	1.36E-02	7.2E-03	3.46E-04	2.50E-06	1.37E-02	1.57E-01	5.38E-09	1.0E+06	5.4E-03
1027	0.53756	1.36E-02	7.3E-03	3.46E-04	2.54E-06	1.37E-02	1.57E-01	5.46E-09	1.0E+06	5.5E-03
1028	0.5456	1.36E-02	7.4E-03	3.46E-04	2.58E-06	1.37E-02	1.57E-01	5.55E-09	1.0E+06	5.5E-03
1029	0.55365	1.36E-02	7.6E-03	3.46E-04	2.61E-06	1.37E-02	1.57E-01	5.63E-09	1.0E+06	5.6E-03
1030	0.56158	1.36E-02	7.7E-03	3.46E-04	2.65E-06	1.37E-02	1.57E-01	5.71E-09	1.0E+06	5.7E-03
1031	0.56942	1.36E-02	7.8E-03	3.46E-04	2.69E-06	1.37E-02	1.57E-01	5.79E-09	1.0E+06	5.8E-03
1032	0.57713	1.36E-02	7.9E-03	3.46E-04	2.72E-06	1.37E-02	1.57E-01	5.87E-09	1.0E+06	5.9E-03
1033	0.58462	1.36E-02	8.0E-03	3.46E-04	2.76E-06	1.37E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
1034	0.59176	1.36E-02	8.1E-03	3.46E-04	2.79E-06	1.37E-02	1.57E-01	6.01E-09	1.0E+06	6.0E-03
1035	0.59862	1.36E-02	8.2E-03	3.46E-04	2.83E-06	1.37E-02	1.57E-01	6.08E-09	1.0E+06	6.1E-03
1036	0.60526	1.36E-02	8.3E-03	3.46E-04	2.86E-06	1.37E-02	1.57E-01	6.15E-09	1.0E+06	6.2E-03
1037	0.6117	1.36E-02	8.3E-03	3.46E-04	2.89E-06	1.37E-02	1.57E-01	6.22E-09	1.0E+06	6.2E-03
1038	0.61747	1.36E-02	8.4E-03	3.46E-04	2.92E-06	1.37E-02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
1039	0.62263	1.36E-02	8.5E-03	3.46E-04	2.94E-06	1.37E-02	1.57E-01	6.33E-09	1.0E+06	6.3E-03
1040	0.62735	1.36E-02	8.6E-03	3.46E-04	2.96E-06	1.37E-02	1.57E-01	6.38E-09	1.0E+06	6.4E-03
1041	0.63163	1.36E-02	8.6E-03	3.46E-04	2.98E-06	1.37E-02	1.57E-01	6.42E-09	1.0E+06	6.4E-03
1042	0.63547	1.36E-02	8.7E-03	3.46E-04	3.00E-06	1.37E-02	1.57E-01	6.46E-09	1.0E+06	6.5E-03
1043	0.63885	1.36E-02	8.7E-03	3.46E-04	3.02E-06	1.37E-02	1.57E-01	6.49E-09	1.0E+06	6.5E-03
1044	0.37716	1.36E-02	5.1E-03	3.46E-04	1.78E-06	1.37E-02	1.57E-01	3.83E-09	1.0E+06	3.8E-03
1045	0.38426	1.36E-02	5.2E-03	3.46E-04	1.81E-06	1.37E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
1046	0.39171	1.36E-02	5.3E-03	3.46E-04	1.85E-06	1.37E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	0.39932	1.36E-02	5.4E-03	3.46E-04	1.89E-06	1.37E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
1048	0.40699	1.36E-02	5.6E-03	3.46E-04	1.92E-06	1.37E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
1049	0.4241	1.36E-02	5.8E-03	3.46E-04	2.00E-06	1.37E-02	1.57E-01	4.31E-09	1.0E+06	4.3E-03
1050	0.43296	1.36E-02	5.9E-03	3.46E-04	2.04E-06	1.37E-02	1.57E-01	4.40E-09	1.0E+06	4.4E-03
1051	0.46055	1.36E-02	6.3E-03	3.46E-04	2.17E-06	1.37E-02	1.57E-01	4.68E-09	1.0E+06	4.7E-03
1052	0.46924	1.36E-02	6.4E-03	3.46E-04	2.22E-06	1.37E-02	1.57E-01	4.77E-09	1.0E+06	4.8E-03
1053	0.4775	1.36E-02	6.5E-03	3.46E-04	2.25E-06	1.37E-02	1.57E-01	4.85E-09	1.0E+06	4.9E-03
1054	0.48586	1.36E-02	6.6E-03	3.46E-04	2.29E-06	1.37E-02	1.57E-01	4.94E-09	1.0E+06	4.9E-03
1055	0.49429	1.36E-02	6.7E-03	3.46E-04	2.33E-06	1.37E-02	1.57E-01	5.02E-09	1.0E+06	5.0E-03
1056	0.50278	1.36E-02	6.9E-03	3.46E-04	2.37E-06	1.37E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
1057	0.52191	1.36E-02	7.1E-03	3.46E-04	2.46E-06	1.37E-02	1.57E-01	5.30E-09	1.0E+06	5.3E-03
1058	0.53117	1.36E-02	7.2E-03	3.46E-04	2.51E-06	1.37E-02	1.57E-01	5.40E-09	1.0E+06	5.4E-03
1059	0.54046	1.36E-02	7.4E-03	3.46E-04	2.55E-06	1.37E-02	1.57E-01	5.49E-09	1.0E+06	5.5E-03
1060	0.54947	1.36E-02	7.5E-03	3.46E-04	2.59E-06	1.37E-02	1.57E-01	5.58E-09	1.0E+06	5.6E-03
1061	0.55822	1.36E-02	7.6E-03	3.46E-04	2.64E-06	1.37E-02	1.57E-01	5.67E-09	1.0E+06	5.7E-03
1062	0.56688	1.36E-02	7.7E-03	3.46E-04	2.68E-06	1.37E-02	1.57E-01	5.76E-09	1.0E+06	5.8E-03
1063	0.57549	1.36E-02	7.8E-03	3.46E-04	2.72E-06	1.37E-02	1.57E-01	5.85E-09	1.0E+06	5.8E-03
1064	0.58398	1.36E-02	8.0E-03	3.46E-04	2.76E-06	1.37E-02	1.57E-01	5.94E-09	1.0E+06	5.9E-03
1065	0.59236	1.36E-02	8.1E-03	3.46E-04	2.80E-06	1.37E-02	1.57E-01	6.02E-09	1.0E+06	6.0E-03
1066	0.60063	1.36E-02	8.2E-03	3.46E-04	2.84E-06	1.37E-02	1.57E-01	6.10E-09	1.0E+06	6.1E-03
1067	0.60868	1.36E-02	8.3E-03	3.46E-04	2.87E-06	1.37E-02	1.57E-01	6.19E-09	1.0E+06	6.2E-03
1068	0.6164	1.36E-02	8.4E-03	3.46E-04	2.91E-06	1.37E-02	1.57E-01	6.26E-09	1.0E+06	6.3E-03
1069	0.62385	1.36E-02	8.5E-03	3.46E-04	2.95E-06	1.37E-02	1.57E-01	6.34E-09	1.0E+06	6.3E-03
1070	0.63105	1.36E-02	8.6E-03	3.46E-04	2.98E-06	1.37E-02	1.57E-01	6.41E-09	1.0E+06	6.4E-03
1071	0.63802	1.36E-02	8.7E-03	3.46E-04	3.01E-06	1.37E-02	1.57E-01	6.48E-09	1.0E+06	6.5E-03
1072	0.64425	1.36E-02	8.8E-03	3.46E-04	3.04E-06	1.37E-02	1.57E-01	6.55E-09	1.0E+06	6.5E-03
1073	0.64981	1.36E-02	8.9E-03	3.46E-04	3.07E-06	1.37E-02	1.57E-01	6.60E-09	1.0E+06	6.6E-03
1074	0.65489	1.36E-02	8.9E-03	3.46E-04	3.09E-06	1.37E-02	1.57E-01	6.66E-09	1.0E+06	6.7E-03
1075	0.65949	1.36E-02	9.0E-03	3.46E-04	3.11E-06	1.37E-02	1.57E-01	6.70E-09	1.0E+06	6.7E-03
1076	0.6636	1.36E-02	9.1E-03	3.46E-04	3.13E-06	1.37E-02	1.57E-01	6.74E-09	1.0E+06	6.7E-03
1077	0.66721	1.36E-02	9.1E-03	3.46E-04	3.15E-06	1.37E-02	1.57E-01	6.78E-09	1.0E+06	6.8E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	0.38907	1.36E-02	5.3E-03	3.46E-04	1.84E-06	1.37E-02	1.57E-01	3.95E-09	1.0E+06	4.0E-03
1079	0.39644	1.36E-02	5.4E-03	3.46E-04	1.87E-06	1.37E-02	1.57E-01	4.03E-09	1.0E+06	4.0E-03
1080	0.40418	1.36E-02	5.5E-03	3.46E-04	1.91E-06	1.37E-02	1.57E-01	4.11E-09	1.0E+06	4.1E-03
1081	0.41213	1.36E-02	5.6E-03	3.46E-04	1.95E-06	1.37E-02	1.57E-01	4.19E-09	1.0E+06	4.2E-03
1082	0.42008	1.36E-02	5.7E-03	3.46E-04	1.98E-06	1.37E-02	1.57E-01	4.27E-09	1.0E+06	4.3E-03
1083	0.43788	1.36E-02	6.0E-03	3.46E-04	2.07E-06	1.37E-02	1.57E-01	4.45E-09	1.0E+06	4.5E-03
1084	0.44723	1.36E-02	6.1E-03	3.46E-04	2.11E-06	1.37E-02	1.57E-01	4.55E-09	1.0E+06	4.5E-03
1085	0.476	1.36E-02	6.5E-03	3.46E-04	2.25E-06	1.37E-02	1.57E-01	4.84E-09	1.0E+06	4.8E-03
1086	0.48532	1.36E-02	6.6E-03	3.46E-04	2.29E-06	1.37E-02	1.57E-01	4.93E-09	1.0E+06	4.9E-03
1087	0.49415	1.36E-02	6.7E-03	3.46E-04	2.33E-06	1.37E-02	1.57E-01	5.02E-09	1.0E+06	5.0E-03
1088	0.50309	1.36E-02	6.9E-03	3.46E-04	2.38E-06	1.37E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
1089	0.51216	1.36E-02	7.0E-03	3.46E-04	2.42E-06	1.37E-02	1.57E-01	5.21E-09	1.0E+06	5.2E-03
1090	0.53186	1.36E-02	7.3E-03	3.46E-04	2.51E-06	1.37E-02	1.57E-01	5.41E-09	1.0E+06	5.4E-03
1091	0.54123	1.36E-02	7.4E-03	3.46E-04	2.56E-06	1.37E-02	1.57E-01	5.50E-09	1.0E+06	5.5E-03
1092	0.55112	1.36E-02	7.5E-03	3.46E-04	2.60E-06	1.37E-02	1.57E-01	5.60E-09	1.0E+06	5.6E-03
1093	0.56103	1.36E-02	7.7E-03	3.46E-04	2.65E-06	1.37E-02	1.57E-01	5.70E-09	1.0E+06	5.7E-03
1094	0.57068	1.36E-02	7.8E-03	3.46E-04	2.69E-06	1.37E-02	1.57E-01	5.80E-09	1.0E+06	5.8E-03
1095	0.58013	1.36E-02	7.9E-03	3.46E-04	2.74E-06	1.37E-02	1.57E-01	5.90E-09	1.0E+06	5.9E-03
1096	0.58949	1.36E-02	8.0E-03	3.46E-04	2.78E-06	1.37E-02	1.57E-01	5.99E-09	1.0E+06	6.0E-03
1097	0.59872	1.36E-02	8.2E-03	3.46E-04	2.83E-06	1.37E-02	1.57E-01	6.09E-09	1.0E+06	6.1E-03
1098	0.6078	1.36E-02	8.3E-03	3.46E-04	2.87E-06	1.37E-02	1.57E-01	6.18E-09	1.0E+06	6.2E-03
1099	0.61678	1.36E-02	8.4E-03	3.46E-04	2.91E-06	1.37E-02	1.57E-01	6.27E-09	1.0E+06	6.3E-03
1100	0.62566	1.36E-02	8.5E-03	3.46E-04	2.95E-06	1.37E-02	1.57E-01	6.36E-09	1.0E+06	6.4E-03
1101	0.63429	1.36E-02	8.7E-03	3.46E-04	2.99E-06	1.37E-02	1.57E-01	6.45E-09	1.0E+06	6.4E-03
1102	0.64269	1.36E-02	8.8E-03	3.46E-04	3.03E-06	1.37E-02	1.57E-01	6.53E-09	1.0E+06	6.5E-03
1103	0.65078	1.36E-02	8.9E-03	3.46E-04	3.07E-06	1.37E-02	1.57E-01	6.61E-09	1.0E+06	6.6E-03
1104	0.65861	1.36E-02	9.0E-03	3.46E-04	3.11E-06	1.37E-02	1.57E-01	6.69E-09	1.0E+06	6.7E-03
1105	0.66617	1.36E-02	9.1E-03	3.46E-04	3.15E-06	1.37E-02	1.57E-01	6.77E-09	1.0E+06	6.8E-03
1106	0.6729	1.36E-02	9.2E-03	3.46E-04	3.18E-06	1.37E-02	1.57E-01	6.84E-09	1.0E+06	6.8E-03
1107	0.6789	1.36E-02	9.3E-03	3.46E-04	3.21E-06	1.37E-02	1.57E-01	6.90E-09	1.0E+06	6.9E-03
1108	0.68438	1.36E-02	9.3E-03	3.46E-04	3.23E-06	1.37E-02	1.57E-01	6.96E-09	1.0E+06	7.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	0.68932	1.36E-02	9.4E-03	3.46E-04	3.25E-06	1.37E-02	1.57E-01	7.01E-09	1.0E+06	7.0E-03
1110	0.69374	1.36E-02	9.5E-03	3.46E-04	3.28E-06	1.37E-02	1.57E-01	7.05E-09	1.0E+06	7.1E-03
1111	0.6976	1.36E-02	9.5E-03	3.46E-04	3.29E-06	1.37E-02	1.57E-01	7.09E-09	1.0E+06	7.1E-03
1112	0.40168	1.36E-02	5.5E-03	3.46E-04	1.90E-06	1.37E-02	1.57E-01	4.08E-09	1.0E+06	4.1E-03
1113	0.40928	1.36E-02	5.6E-03	3.46E-04	1.93E-06	1.37E-02	1.57E-01	4.16E-09	1.0E+06	4.2E-03
1114	0.41734	1.36E-02	5.7E-03	3.46E-04	1.97E-06	1.37E-02	1.57E-01	4.24E-09	1.0E+06	4.2E-03
1115	0.42564	1.36E-02	5.8E-03	3.46E-04	2.01E-06	1.37E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
1116	0.43396	1.36E-02	5.9E-03	3.46E-04	2.05E-06	1.37E-02	1.57E-01	4.41E-09	1.0E+06	4.4E-03
1117	0.44259	1.36E-02	6.0E-03	3.46E-04	2.09E-06	1.37E-02	1.57E-01	4.50E-09	1.0E+06	4.5E-03
1118	0.46226	1.36E-02	6.3E-03	3.46E-04	2.18E-06	1.37E-02	1.57E-01	4.70E-09	1.0E+06	4.7E-03
1119	0.49221	1.36E-02	6.7E-03	3.46E-04	2.32E-06	1.37E-02	1.57E-01	5.00E-09	1.0E+06	5.0E-03
1120	0.50218	1.36E-02	6.8E-03	3.46E-04	2.37E-06	1.37E-02	1.57E-01	5.10E-09	1.0E+06	5.1E-03
1121	0.51162	1.36E-02	7.0E-03	3.46E-04	2.42E-06	1.37E-02	1.57E-01	5.20E-09	1.0E+06	5.2E-03
1122	0.52123	1.36E-02	7.1E-03	3.46E-04	2.46E-06	1.37E-02	1.57E-01	5.30E-09	1.0E+06	5.3E-03
1123	0.53099	1.36E-02	7.2E-03	3.46E-04	2.51E-06	1.37E-02	1.57E-01	5.40E-09	1.0E+06	5.4E-03
1124	0.55158	1.36E-02	7.5E-03	3.46E-04	2.60E-06	1.37E-02	1.57E-01	5.61E-09	1.0E+06	5.6E-03
1125	0.56164	1.36E-02	7.7E-03	3.46E-04	2.65E-06	1.37E-02	1.57E-01	5.71E-09	1.0E+06	5.7E-03
1126	0.5722	1.36E-02	7.8E-03	3.46E-04	2.70E-06	1.37E-02	1.57E-01	5.82E-09	1.0E+06	5.8E-03
1127	0.58278	1.36E-02	7.9E-03	3.46E-04	2.75E-06	1.37E-02	1.57E-01	5.92E-09	1.0E+06	5.9E-03
1128	0.59318	1.36E-02	8.1E-03	3.46E-04	2.80E-06	1.37E-02	1.57E-01	6.03E-09	1.0E+06	6.0E-03
1129	0.60334	1.36E-02	8.2E-03	3.46E-04	2.85E-06	1.37E-02	1.57E-01	6.13E-09	1.0E+06	6.1E-03
1130	0.61347	1.36E-02	8.4E-03	3.46E-04	2.90E-06	1.37E-02	1.57E-01	6.24E-09	1.0E+06	6.2E-03
1131	0.6234	1.36E-02	8.5E-03	3.46E-04	2.94E-06	1.37E-02	1.57E-01	6.34E-09	1.0E+06	6.3E-03
1132	0.63318	1.36E-02	8.6E-03	3.46E-04	2.99E-06	1.37E-02	1.57E-01	6.44E-09	1.0E+06	6.4E-03
1133	0.64286	1.36E-02	8.8E-03	3.46E-04	3.04E-06	1.37E-02	1.57E-01	6.53E-09	1.0E+06	6.5E-03
1134	0.65241	1.36E-02	8.9E-03	3.46E-04	3.08E-06	1.37E-02	1.57E-01	6.63E-09	1.0E+06	6.6E-03
1135	0.66174	1.36E-02	9.0E-03	3.46E-04	3.12E-06	1.37E-02	1.57E-01	6.73E-09	1.0E+06	6.7E-03
1136	0.67087	1.36E-02	9.2E-03	3.46E-04	3.17E-06	1.37E-02	1.57E-01	6.82E-09	1.0E+06	6.8E-03
1137	0.67969	1.36E-02	9.3E-03	3.46E-04	3.21E-06	1.37E-02	1.57E-01	6.91E-09	1.0E+06	6.9E-03
1138	0.68818	1.36E-02	9.4E-03	3.46E-04	3.25E-06	1.37E-02	1.57E-01	6.99E-09	1.0E+06	7.0E-03
1139	0.69636	1.36E-02	9.5E-03	3.46E-04	3.29E-06	1.37E-02	1.57E-01	7.08E-09	1.0E+06	7.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	0.70361	1.36E-02	9.6E-03	3.46E-04	3.32E-06	1.37E-02	1.57E-01	7.15E-09	1.0E+06	7.2E-03
1141	0.7101	1.36E-02	9.7E-03	3.46E-04	3.35E-06	1.37E-02	1.57E-01	7.22E-09	1.0E+06	7.2E-03
1142	0.71601	1.36E-02	9.8E-03	3.46E-04	3.38E-06	1.37E-02	1.57E-01	7.28E-09	1.0E+06	7.3E-03
1143	0.72134	1.36E-02	9.8E-03	3.46E-04	3.41E-06	1.37E-02	1.57E-01	7.33E-09	1.0E+06	7.3E-03
1144	0.72609	1.36E-02	9.9E-03	3.46E-04	3.43E-06	1.37E-02	1.57E-01	7.38E-09	1.0E+06	7.4E-03
1145	0.73018	1.36E-02	1.0E-02	3.46E-04	3.45E-06	1.37E-02	1.57E-01	7.42E-09	1.0E+06	7.4E-03
1146	0.41497	1.36E-02	5.7E-03	3.46E-04	1.96E-06	1.37E-02	1.57E-01	4.22E-09	1.0E+06	4.2E-03
1147	0.42283	1.36E-02	5.8E-03	3.46E-04	2.00E-06	1.37E-02	1.57E-01	4.30E-09	1.0E+06	4.3E-03
1148	0.43115	1.36E-02	5.9E-03	3.46E-04	2.04E-06	1.37E-02	1.57E-01	4.38E-09	1.0E+06	4.4E-03
1149	0.43975	1.36E-02	6.0E-03	3.46E-04	2.08E-06	1.37E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
1150	0.44861	1.36E-02	6.1E-03	3.46E-04	2.12E-06	1.37E-02	1.57E-01	4.56E-09	1.0E+06	4.6E-03
1151	0.45773	1.36E-02	6.2E-03	3.46E-04	2.16E-06	1.37E-02	1.57E-01	4.65E-09	1.0E+06	4.7E-03
1152	0.47797	1.36E-02	6.5E-03	3.46E-04	2.26E-06	1.37E-02	1.57E-01	4.86E-09	1.0E+06	4.9E-03
1153	0.49863	1.36E-02	6.8E-03	3.46E-04	2.35E-06	1.37E-02	1.57E-01	5.07E-09	1.0E+06	5.1E-03
1154	0.51951	1.36E-02	7.1E-03	3.46E-04	2.45E-06	1.37E-02	1.57E-01	5.28E-09	1.0E+06	5.3E-03
1155	0.52974	1.36E-02	7.2E-03	3.46E-04	2.50E-06	1.37E-02	1.57E-01	5.38E-09	1.0E+06	5.4E-03
1156	0.54014	1.36E-02	7.4E-03	3.46E-04	2.55E-06	1.37E-02	1.57E-01	5.49E-09	1.0E+06	5.5E-03
1157	0.55068	1.36E-02	7.5E-03	3.46E-04	2.60E-06	1.37E-02	1.57E-01	5.60E-09	1.0E+06	5.6E-03
1158	0.57238	1.36E-02	7.8E-03	3.46E-04	2.70E-06	1.37E-02	1.57E-01	5.82E-09	1.0E+06	5.8E-03
1159	0.58325	1.36E-02	8.0E-03	3.46E-04	2.75E-06	1.37E-02	1.57E-01	5.93E-09	1.0E+06	5.9E-03
1160	0.59449	1.36E-02	8.1E-03	3.46E-04	2.81E-06	1.37E-02	1.57E-01	6.04E-09	1.0E+06	6.0E-03
1161	0.60576	1.36E-02	8.3E-03	3.46E-04	2.86E-06	1.37E-02	1.57E-01	6.16E-09	1.0E+06	6.2E-03
1162	0.61693	1.36E-02	8.4E-03	3.46E-04	2.91E-06	1.37E-02	1.57E-01	6.27E-09	1.0E+06	6.3E-03
1163	0.62794	1.36E-02	8.6E-03	3.46E-04	2.96E-06	1.37E-02	1.57E-01	6.38E-09	1.0E+06	6.4E-03
1164	0.63889	1.36E-02	8.7E-03	3.46E-04	3.02E-06	1.37E-02	1.57E-01	6.49E-09	1.0E+06	6.5E-03
1165	0.64964	1.36E-02	8.9E-03	3.46E-04	3.07E-06	1.37E-02	1.57E-01	6.60E-09	1.0E+06	6.6E-03
1166	0.66024	1.36E-02	9.0E-03	3.46E-04	3.12E-06	1.37E-02	1.57E-01	6.71E-09	1.0E+06	6.7E-03
1167	0.67074	1.36E-02	9.1E-03	3.46E-04	3.17E-06	1.37E-02	1.57E-01	6.82E-09	1.0E+06	6.8E-03
1168	0.68114	1.36E-02	9.3E-03	3.46E-04	3.22E-06	1.37E-02	1.57E-01	6.92E-09	1.0E+06	6.9E-03
1169	0.69131	1.36E-02	9.4E-03	3.46E-04	3.26E-06	1.37E-02	1.57E-01	7.03E-09	1.0E+06	7.0E-03
1170	0.70124	1.36E-02	9.6E-03	3.46E-04	3.31E-06	1.37E-02	1.57E-01	7.13E-09	1.0E+06	7.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	0.71084	1.36E-02	9.7E-03	3.46E-04	3.36E-06	1.37E-02	1.57E-01	7.22E-09	1.0E+06	7.2E-03
1172	0.72003	1.36E-02	9.8E-03	3.46E-04	3.40E-06	1.37E-02	1.57E-01	7.32E-09	1.0E+06	7.3E-03
1173	0.72878	1.36E-02	9.9E-03	3.46E-04	3.44E-06	1.37E-02	1.57E-01	7.41E-09	1.0E+06	7.4E-03
1174	0.73658	1.36E-02	1.0E-02	3.46E-04	3.48E-06	1.37E-02	1.57E-01	7.49E-09	1.0E+06	7.5E-03
1175	0.74362	1.36E-02	1.0E-02	3.46E-04	3.51E-06	1.37E-02	1.57E-01	7.56E-09	1.0E+06	7.6E-03
1176	0.75	1.36E-02	1.0E-02	3.46E-04	3.54E-06	1.37E-02	1.57E-01	7.62E-09	1.0E+06	7.6E-03
1177	0.75576	1.36E-02	1.0E-02	3.46E-04	3.57E-06	1.37E-02	1.57E-01	7.68E-09	1.0E+06	7.7E-03
1178	0.76079	1.36E-02	1.0E-02	3.46E-04	3.59E-06	1.37E-02	1.57E-01	7.73E-09	1.0E+06	7.7E-03
1179	0.76512	1.36E-02	1.0E-02	3.46E-04	3.61E-06	1.37E-02	1.57E-01	7.78E-09	1.0E+06	7.8E-03
1180	0.42895	1.36E-02	5.9E-03	3.46E-04	2.03E-06	1.37E-02	1.57E-01	4.36E-09	1.0E+06	4.4E-03
1181	0.43714	1.36E-02	6.0E-03	3.46E-04	2.06E-06	1.37E-02	1.57E-01	4.44E-09	1.0E+06	4.4E-03
1182	0.44575	1.36E-02	6.1E-03	3.46E-04	2.10E-06	1.37E-02	1.57E-01	4.53E-09	1.0E+06	4.5E-03
1183	0.45472	1.36E-02	6.2E-03	3.46E-04	2.15E-06	1.37E-02	1.57E-01	4.62E-09	1.0E+06	4.6E-03
1184	0.46409	1.36E-02	6.3E-03	3.46E-04	2.19E-06	1.37E-02	1.57E-01	4.72E-09	1.0E+06	4.7E-03
1185	0.47381	1.36E-02	6.5E-03	3.46E-04	2.24E-06	1.37E-02	1.57E-01	4.82E-09	1.0E+06	4.8E-03
1186	0.49463	1.36E-02	6.7E-03	3.46E-04	2.34E-06	1.37E-02	1.57E-01	5.03E-09	1.0E+06	5.0E-03
1187	0.50561	1.36E-02	6.9E-03	3.46E-04	2.39E-06	1.37E-02	1.57E-01	5.14E-09	1.0E+06	5.1E-03
1188	0.53776	1.36E-02	7.3E-03	3.46E-04	2.54E-06	1.37E-02	1.57E-01	5.47E-09	1.0E+06	5.5E-03
1189	0.54882	1.36E-02	7.5E-03	3.46E-04	2.59E-06	1.37E-02	1.57E-01	5.58E-09	1.0E+06	5.6E-03
1190	0.56007	1.36E-02	7.6E-03	3.46E-04	2.64E-06	1.37E-02	1.57E-01	5.69E-09	1.0E+06	5.7E-03
1191	0.5715	1.36E-02	7.8E-03	3.46E-04	2.70E-06	1.37E-02	1.57E-01	5.81E-09	1.0E+06	5.8E-03
1192	0.59439	1.36E-02	8.1E-03	3.46E-04	2.81E-06	1.37E-02	1.57E-01	6.04E-09	1.0E+06	6.0E-03
1193	0.60613	1.36E-02	8.3E-03	3.46E-04	2.86E-06	1.37E-02	1.57E-01	6.16E-09	1.0E+06	6.2E-03
1194	0.6181	1.36E-02	8.4E-03	3.46E-04	2.92E-06	1.37E-02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
1195	0.63016	1.36E-02	8.6E-03	3.46E-04	2.98E-06	1.37E-02	1.57E-01	6.40E-09	1.0E+06	6.4E-03
1196	0.64215	1.36E-02	8.8E-03	3.46E-04	3.03E-06	1.37E-02	1.57E-01	6.53E-09	1.0E+06	6.5E-03
1197	0.65407	1.36E-02	8.9E-03	3.46E-04	3.09E-06	1.37E-02	1.57E-01	6.65E-09	1.0E+06	6.6E-03
1198	0.66596	1.36E-02	9.1E-03	3.46E-04	3.14E-06	1.37E-02	1.57E-01	6.77E-09	1.0E+06	6.8E-03
1199	0.67762	1.36E-02	9.2E-03	3.46E-04	3.20E-06	1.37E-02	1.57E-01	6.89E-09	1.0E+06	6.9E-03
1200	0.68916	1.36E-02	9.4E-03	3.46E-04	3.25E-06	1.37E-02	1.57E-01	7.00E-09	1.0E+06	7.0E-03
1201	0.70057	1.36E-02	9.6E-03	3.46E-04	3.31E-06	1.37E-02	1.57E-01	7.12E-09	1.0E+06	7.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	0.71191	1.36E-02	9.7E-03	3.46E-04	3.36E-06	1.37E-02	1.57E-01	7.24E-09	1.0E+06	7.2E-03
1203	0.72296	1.36E-02	9.9E-03	3.46E-04	3.41E-06	1.37E-02	1.57E-01	7.35E-09	1.0E+06	7.3E-03
1204	0.73382	1.36E-02	1.0E-02	3.46E-04	3.46E-06	1.37E-02	1.57E-01	7.46E-09	1.0E+06	7.5E-03
1205	0.74432	1.36E-02	1.0E-02	3.46E-04	3.51E-06	1.37E-02	1.57E-01	7.56E-09	1.0E+06	7.6E-03
1206	0.75425	1.36E-02	1.0E-02	3.46E-04	3.56E-06	1.37E-02	1.57E-01	7.67E-09	1.0E+06	7.7E-03
1207	0.76364	1.36E-02	1.0E-02	3.46E-04	3.61E-06	1.37E-02	1.57E-01	7.76E-09	1.0E+06	7.8E-03
1208	0.77204	1.36E-02	1.1E-02	3.46E-04	3.65E-06	1.37E-02	1.57E-01	7.85E-09	1.0E+06	7.8E-03
1209	0.77968	1.36E-02	1.1E-02	3.46E-04	3.68E-06	1.37E-02	1.57E-01	7.92E-09	1.0E+06	7.9E-03
1210	0.7866	1.36E-02	1.1E-02	3.46E-04	3.71E-06	1.37E-02	1.57E-01	7.99E-09	1.0E+06	8.0E-03
1211	0.7928	1.36E-02	1.1E-02	3.46E-04	3.74E-06	1.37E-02	1.57E-01	8.06E-09	1.0E+06	8.1E-03
1212	0.79815	1.36E-02	1.1E-02	3.46E-04	3.77E-06	1.37E-02	1.57E-01	8.11E-09	1.0E+06	8.1E-03
1213	0.80274	1.36E-02	1.1E-02	3.46E-04	3.79E-06	1.37E-02	1.57E-01	8.16E-09	1.0E+06	8.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	1.30E-03
893	5	1.32E-03
894	5	1.34E-03
895	5	1.35E-03
896	5	1.37E-03
897	5	1.38E-03
898	5	1.40E-03
899	5	1.41E-03
900	5	1.42E-03
901	5	1.44E-03
902	5	1.45E-03
903	5	1.46E-03
904	5	1.46E-03
905	5	1.47E-03
906	5	1.48E-03
907	5	1.48E-03
908	5	9.12E-04
909	5	9.29E-04
910	5	9.46E-04
911	5	9.64E-04
912	5	1.00E-03
913	5	1.02E-03
914	5	1.06E-03
915	5	1.11E-03
916	5	1.12E-03
917	5	1.14E-03
918	5	1.16E-03
919	5	1.20E-03
920	5	1.22E-03
921	5	1.24E-03
922	5	1.26E-03

Max	Receptor #	
0.002	1213	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	1.28E-03
924	5	1.30E-03
925	5	1.32E-03
926	5	1.33E-03
927	5	1.35E-03
928	5	1.37E-03
929	5	1.39E-03
930	5	1.40E-03
931	5	1.42E-03
932	5	1.44E-03
933	5	1.45E-03
934	5	1.47E-03
935	5	1.48E-03
936	5	1.49E-03
937	5	1.50E-03
938	5	1.51E-03
939	5	1.52E-03
940	5	1.53E-03
941	5	1.54E-03
942	5	9.39E-04
943	5	9.57E-04
944	5	9.75E-04
945	5	9.93E-04
946	5	1.03E-03
947	5	1.05E-03
948	5	1.10E-03
949	5	1.14E-03
950	5	1.16E-03
951	5	1.18E-03
952	5	1.20E-03
953	5	1.22E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	1.26E-03
955	5	1.28E-03
956	5	1.30E-03
957	5	1.32E-03
958	5	1.34E-03
959	5	1.36E-03
960	5	1.38E-03
961	5	1.40E-03
962	5	1.42E-03
963	5	1.44E-03
964	5	1.46E-03
965	5	1.48E-03
966	5	1.49E-03
967	5	1.51E-03
968	5	1.52E-03
969	5	1.54E-03
970	5	1.55E-03
971	5	1.56E-03
972	5	1.58E-03
973	5	1.59E-03
974	5	1.59E-03
975	5	1.60E-03
976	5	9.68E-04
977	5	9.86E-04
978	5	1.00E-03
979	5	1.02E-03
980	5	1.04E-03
981	5	1.09E-03
982	5	1.13E-03
983	5	1.18E-03
984	5	1.20E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	1.22E-03
986	5	1.24E-03
987	5	1.26E-03
988	5	1.28E-03
989	5	1.33E-03
990	5	1.35E-03
991	5	1.37E-03
992	5	1.39E-03
993	5	1.41E-03
994	5	1.43E-03
995	5	1.45E-03
996	5	1.47E-03
997	5	1.49E-03
998	5	1.51E-03
999	5	1.53E-03
1000	5	1.55E-03
1001	5	1.57E-03
1002	5	1.59E-03
1003	5	1.60E-03
1004	5	1.62E-03
1005	5	1.63E-03
1006	5	1.64E-03
1007	5	1.65E-03
1008	5	1.66E-03
1009	5	1.67E-03
1010	5	9.98E-04
1011	5	1.02E-03
1012	5	1.04E-03
1013	5	1.06E-03
1014	5	1.08E-03
1015	5	1.12E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	1.17E-03
1017	5	1.22E-03
1018	5	1.24E-03
1019	5	1.26E-03
1020	5	1.28E-03
1021	5	1.30E-03
1022	5	1.32E-03
1023	5	1.37E-03
1024	5	1.40E-03
1025	5	1.42E-03
1026	5	1.44E-03
1027	5	1.47E-03
1028	5	1.49E-03
1029	5	1.51E-03
1030	5	1.53E-03
1031	5	1.55E-03
1032	5	1.57E-03
1033	5	1.59E-03
1034	5	1.61E-03
1035	5	1.63E-03
1036	5	1.65E-03
1037	5	1.67E-03
1038	5	1.68E-03
1039	5	1.70E-03
1040	5	1.71E-03
1041	5	1.72E-03
1042	5	1.73E-03
1043	5	1.74E-03
1044	5	1.03E-03
1045	5	1.05E-03
1046	5	1.07E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	1.09E-03
1048	5	1.11E-03
1049	5	1.16E-03
1050	5	1.18E-03
1051	5	1.26E-03
1052	5	1.28E-03
1053	5	1.30E-03
1054	5	1.33E-03
1055	5	1.35E-03
1056	5	1.37E-03
1057	5	1.42E-03
1058	5	1.45E-03
1059	5	1.47E-03
1060	5	1.50E-03
1061	5	1.52E-03
1062	5	1.55E-03
1063	5	1.57E-03
1064	5	1.59E-03
1065	5	1.62E-03
1066	5	1.64E-03
1067	5	1.66E-03
1068	5	1.68E-03
1069	5	1.70E-03
1070	5	1.72E-03
1071	5	1.74E-03
1072	5	1.76E-03
1073	5	1.77E-03
1074	5	1.79E-03
1075	5	1.80E-03
1076	5	1.81E-03
1077	5	1.82E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	1.06E-03
1079	5	1.08E-03
1080	5	1.10E-03
1081	5	1.12E-03
1082	5	1.15E-03
1083	5	1.19E-03
1084	5	1.22E-03
1085	5	1.30E-03
1086	5	1.32E-03
1087	5	1.35E-03
1088	5	1.37E-03
1089	5	1.40E-03
1090	5	1.45E-03
1091	5	1.48E-03
1092	5	1.50E-03
1093	5	1.53E-03
1094	5	1.56E-03
1095	5	1.58E-03
1096	5	1.61E-03
1097	5	1.63E-03
1098	5	1.66E-03
1099	5	1.68E-03
1100	5	1.71E-03
1101	5	1.73E-03
1102	5	1.75E-03
1103	5	1.78E-03
1104	5	1.80E-03
1105	5	1.82E-03
1106	5	1.84E-03
1107	5	1.85E-03
1108	5	1.87E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.88E-03
1110	5	1.89E-03
1111	5	1.90E-03
1112	5	1.10E-03
1113	5	1.12E-03
1114	5	1.14E-03
1115	5	1.16E-03
1116	5	1.18E-03
1117	5	1.21E-03
1118	5	1.26E-03
1119	5	1.34E-03
1120	5	1.37E-03
1121	5	1.40E-03
1122	5	1.42E-03
1123	5	1.45E-03
1124	5	1.50E-03
1125	5	1.53E-03
1126	5	1.56E-03
1127	5	1.59E-03
1128	5	1.62E-03
1129	5	1.65E-03
1130	5	1.67E-03
1131	5	1.70E-03
1132	5	1.73E-03
1133	5	1.75E-03
1134	5	1.78E-03
1135	5	1.81E-03
1136	5	1.83E-03
1137	5	1.85E-03
1138	5	1.88E-03
1139	5	1.90E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	1.92E-03
1141	5	1.94E-03
1142	5	1.95E-03
1143	5	1.97E-03
1144	5	1.98E-03
1145	5	1.99E-03
1146	5	1.13E-03
1147	5	1.15E-03
1148	5	1.18E-03
1149	5	1.20E-03
1150	5	1.22E-03
1151	5	1.25E-03
1152	5	1.30E-03
1153	5	1.36E-03
1154	5	1.42E-03
1155	5	1.45E-03
1156	5	1.47E-03
1157	5	1.50E-03
1158	5	1.56E-03
1159	5	1.59E-03
1160	5	1.62E-03
1161	5	1.65E-03
1162	5	1.68E-03
1163	5	1.71E-03
1164	5	1.74E-03
1165	5	1.77E-03
1166	5	1.80E-03
1167	5	1.83E-03
1168	5	1.86E-03
1169	5	1.89E-03
1170	5	1.91E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	1.94E-03
1172	5	1.96E-03
1173	5	1.99E-03
1174	5	2.01E-03
1175	5	2.03E-03
1176	5	2.05E-03
1177	5	2.06E-03
1178	5	2.08E-03
1179	5	2.09E-03
1180	5	1.17E-03
1181	5	1.19E-03
1182	5	1.22E-03
1183	5	1.24E-03
1184	5	1.27E-03
1185	5	1.29E-03
1186	5	1.35E-03
1187	5	1.38E-03
1188	5	1.47E-03
1189	5	1.50E-03
1190	5	1.53E-03
1191	5	1.56E-03
1192	5	1.62E-03
1193	5	1.65E-03
1194	5	1.69E-03
1195	5	1.72E-03
1196	5	1.75E-03
1197	5	1.78E-03
1198	5	1.82E-03
1199	5	1.85E-03
1200	5	1.88E-03
1201	5	1.91E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	1.94E-03
1203	5	1.97E-03
1204	5	2.00E-03
1205	5	2.03E-03
1206	5	2.06E-03
1207	5	2.08E-03
1208	5	2.11E-03
1209	5	2.13E-03
1210	5	2.15E-03
1211	5	2.16E-03
1212	5	2.18E-03
1213	5	2.19E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	0.47816	1.36E-02	6.5E-03	1.05E-03	6.82E-06	1.10E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
893	0.48418	1.36E-02	6.6E-03	1.05E-03	6.90E-06	1.10E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
894	0.49016	1.36E-02	6.7E-03	1.05E-03	6.99E-06	1.10E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
895	0.49606	1.36E-02	6.8E-03	1.05E-03	7.07E-06	1.10E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
896	0.5018	1.36E-02	6.8E-03	1.05E-03	7.15E-06	1.10E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
897	0.50732	1.36E-02	6.9E-03	1.05E-03	7.23E-06	1.10E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
898	0.51254	1.36E-02	7.0E-03	1.05E-03	7.31E-06	1.10E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
899	0.51744	1.36E-02	7.1E-03	1.05E-03	7.38E-06	1.10E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
900	0.52192	1.36E-02	7.1E-03	1.05E-03	7.44E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
901	0.52609	1.36E-02	7.2E-03	1.05E-03	7.50E-06	1.10E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
902	0.53001	1.36E-02	7.2E-03	1.05E-03	7.56E-06	1.10E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
903	0.53358	1.36E-02	7.3E-03	1.05E-03	7.61E-06	1.10E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
904	0.53665	1.36E-02	7.3E-03	1.05E-03	7.65E-06	1.10E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
905	0.53934	1.36E-02	7.4E-03	1.05E-03	7.69E-06	1.10E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
906	0.54163	1.36E-02	7.4E-03	1.05E-03	7.72E-06	1.10E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
907	0.54379	1.36E-02	7.4E-03	1.05E-03	7.75E-06	1.10E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
908	0.3344	1.36E-02	4.6E-03	1.05E-03	4.77E-06	1.10E-02	1.57E-01	8.21E-09	1.0E+06	8.2E-03
909	0.34053	1.36E-02	4.6E-03	1.05E-03	4.85E-06	1.10E-02	1.57E-01	8.36E-09	1.0E+06	8.4E-03
910	0.34697	1.36E-02	4.7E-03	1.05E-03	4.95E-06	1.10E-02	1.57E-01	8.52E-09	1.0E+06	8.5E-03
911	0.35331	1.36E-02	4.8E-03	1.05E-03	5.04E-06	1.10E-02	1.57E-01	8.67E-09	1.0E+06	8.7E-03
912	0.36798	1.36E-02	5.0E-03	1.05E-03	5.25E-06	1.10E-02	1.57E-01	9.03E-09	1.0E+06	9.0E-03
913	0.37452	1.36E-02	5.1E-03	1.05E-03	5.34E-06	1.10E-02	1.57E-01	9.19E-09	1.0E+06	9.2E-03
914	0.38952	1.36E-02	5.3E-03	1.05E-03	5.55E-06	1.10E-02	1.57E-01	9.56E-09	1.0E+06	9.6E-03
915	0.40512	1.36E-02	5.5E-03	1.05E-03	5.78E-06	1.10E-02	1.57E-01	9.95E-09	1.0E+06	9.9E-03
916	0.41185	1.36E-02	5.6E-03	1.05E-03	5.87E-06	1.10E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
917	0.41862	1.36E-02	5.7E-03	1.05E-03	5.97E-06	1.10E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
918	0.42545	1.36E-02	5.8E-03	1.05E-03	6.07E-06	1.10E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
919	0.44137	1.36E-02	6.0E-03	1.05E-03	6.29E-06	1.10E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
920	0.44821	1.36E-02	6.1E-03	1.05E-03	6.39E-06	1.10E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
921	0.45507	1.36E-02	6.2E-03	1.05E-03	6.49E-06	1.10E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
922	0.46197	1.36E-02	6.3E-03	1.05E-03	6.59E-06	1.10E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02

	Max	Receptor #
Res	0.020	1213

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	0.46884	1.36E-02	6.4E-03	1.05E-03	6.68E-06	1.10E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
924	0.47565	1.36E-02	6.5E-03	1.05E-03	6.78E-06	1.10E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
925	0.48238	1.36E-02	6.6E-03	1.05E-03	6.88E-06	1.10E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
926	0.48903	1.36E-02	6.7E-03	1.05E-03	6.97E-06	1.10E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
927	0.49557	1.36E-02	6.8E-03	1.05E-03	7.06E-06	1.10E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
928	0.50201	1.36E-02	6.8E-03	1.05E-03	7.16E-06	1.10E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
929	0.50838	1.36E-02	6.9E-03	1.05E-03	7.25E-06	1.10E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
930	0.51466	1.36E-02	7.0E-03	1.05E-03	7.34E-06	1.10E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
931	0.52076	1.36E-02	7.1E-03	1.05E-03	7.42E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
932	0.52659	1.36E-02	7.2E-03	1.05E-03	7.51E-06	1.10E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
933	0.53214	1.36E-02	7.3E-03	1.05E-03	7.59E-06	1.10E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
934	0.53738	1.36E-02	7.3E-03	1.05E-03	7.66E-06	1.10E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
935	0.5423	1.36E-02	7.4E-03	1.05E-03	7.73E-06	1.10E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
936	0.54682	1.36E-02	7.5E-03	1.05E-03	7.80E-06	1.10E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
937	0.55102	1.36E-02	7.5E-03	1.05E-03	7.86E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
938	0.55484	1.36E-02	7.6E-03	1.05E-03	7.91E-06	1.10E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
939	0.55818	1.36E-02	7.6E-03	1.05E-03	7.96E-06	1.10E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
940	0.5611	1.36E-02	7.7E-03	1.05E-03	8.00E-06	1.10E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
941	0.56361	1.36E-02	7.7E-03	1.05E-03	8.03E-06	1.10E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
942	0.3444	1.36E-02	4.7E-03	1.05E-03	4.91E-06	1.10E-02	1.57E-01	8.46E-09	1.0E+06	8.5E-03
943	0.35077	1.36E-02	4.8E-03	1.05E-03	5.00E-06	1.10E-02	1.57E-01	8.61E-09	1.0E+06	8.6E-03
944	0.35736	1.36E-02	4.9E-03	1.05E-03	5.09E-06	1.10E-02	1.57E-01	8.77E-09	1.0E+06	8.8E-03
945	0.36405	1.36E-02	5.0E-03	1.05E-03	5.19E-06	1.10E-02	1.57E-01	8.94E-09	1.0E+06	8.9E-03
946	0.37922	1.36E-02	5.2E-03	1.05E-03	5.41E-06	1.10E-02	1.57E-01	9.31E-09	1.0E+06	9.3E-03
947	0.38608	1.36E-02	5.3E-03	1.05E-03	5.50E-06	1.10E-02	1.57E-01	9.48E-09	1.0E+06	9.5E-03
948	0.40182	1.36E-02	5.5E-03	1.05E-03	5.73E-06	1.10E-02	1.57E-01	9.86E-09	1.0E+06	9.9E-03
949	0.41805	1.36E-02	5.7E-03	1.05E-03	5.96E-06	1.10E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
950	0.42523	1.36E-02	5.8E-03	1.05E-03	6.06E-06	1.10E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
951	0.43226	1.36E-02	5.9E-03	1.05E-03	6.16E-06	1.10E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
952	0.43939	1.36E-02	6.0E-03	1.05E-03	6.26E-06	1.10E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
953	0.44657	1.36E-02	6.1E-03	1.05E-03	6.37E-06	1.10E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	0.46315	1.36E-02	6.3E-03	1.05E-03	6.60E-06	1.10E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
955	0.4704	1.36E-02	6.4E-03	1.05E-03	6.71E-06	1.10E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
956	0.47786	1.36E-02	6.5E-03	1.05E-03	6.81E-06	1.10E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
957	0.48531	1.36E-02	6.6E-03	1.05E-03	6.92E-06	1.10E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
958	0.4926	1.36E-02	6.7E-03	1.05E-03	7.02E-06	1.10E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
959	0.49974	1.36E-02	6.8E-03	1.05E-03	7.12E-06	1.10E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
960	0.50682	1.36E-02	6.9E-03	1.05E-03	7.23E-06	1.10E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
961	0.51382	1.36E-02	7.0E-03	1.05E-03	7.32E-06	1.10E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
962	0.52073	1.36E-02	7.1E-03	1.05E-03	7.42E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
963	0.52754	1.36E-02	7.2E-03	1.05E-03	7.52E-06	1.10E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
964	0.53424	1.36E-02	7.3E-03	1.05E-03	7.62E-06	1.10E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
965	0.54078	1.36E-02	7.4E-03	1.05E-03	7.71E-06	1.10E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
966	0.547	1.36E-02	7.5E-03	1.05E-03	7.80E-06	1.10E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
967	0.55296	1.36E-02	7.5E-03	1.05E-03	7.88E-06	1.10E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
968	0.5586	1.36E-02	7.6E-03	1.05E-03	7.96E-06	1.10E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
969	0.56399	1.36E-02	7.7E-03	1.05E-03	8.04E-06	1.10E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
970	0.56889	1.36E-02	7.8E-03	1.05E-03	8.11E-06	1.10E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
971	0.57338	1.36E-02	7.8E-03	1.05E-03	8.17E-06	1.10E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
972	0.57748	1.36E-02	7.9E-03	1.05E-03	8.23E-06	1.10E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
973	0.58117	1.36E-02	7.9E-03	1.05E-03	8.29E-06	1.10E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
974	0.58437	1.36E-02	8.0E-03	1.05E-03	8.33E-06	1.10E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
975	0.58718	1.36E-02	8.0E-03	1.05E-03	8.37E-06	1.10E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
976	0.35484	1.36E-02	4.8E-03	1.05E-03	5.06E-06	1.10E-02	1.57E-01	8.71E-09	1.0E+06	8.7E-03
977	0.36146	1.36E-02	4.9E-03	1.05E-03	5.15E-06	1.10E-02	1.57E-01	8.87E-09	1.0E+06	8.9E-03
978	0.36833	1.36E-02	5.0E-03	1.05E-03	5.25E-06	1.10E-02	1.57E-01	9.04E-09	1.0E+06	9.0E-03
979	0.37531	1.36E-02	5.1E-03	1.05E-03	5.35E-06	1.10E-02	1.57E-01	9.21E-09	1.0E+06	9.2E-03
980	0.3824	1.36E-02	5.2E-03	1.05E-03	5.45E-06	1.10E-02	1.57E-01	9.39E-09	1.0E+06	9.4E-03
981	0.39827	1.36E-02	5.4E-03	1.05E-03	5.68E-06	1.10E-02	1.57E-01	9.78E-09	1.0E+06	9.8E-03
982	0.41472	1.36E-02	5.7E-03	1.05E-03	5.91E-06	1.10E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
983	0.43164	1.36E-02	5.9E-03	1.05E-03	6.15E-06	1.10E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
984	0.43928	1.36E-02	6.0E-03	1.05E-03	6.26E-06	1.10E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	0.44662	1.36E-02	6.1E-03	1.05E-03	6.37E-06	1.10E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
986	0.45403	1.36E-02	6.2E-03	1.05E-03	6.47E-06	1.10E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
987	0.46153	1.36E-02	6.3E-03	1.05E-03	6.58E-06	1.10E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
988	0.46907	1.36E-02	6.4E-03	1.05E-03	6.69E-06	1.10E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
989	0.48654	1.36E-02	6.6E-03	1.05E-03	6.94E-06	1.10E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
990	0.49461	1.36E-02	6.7E-03	1.05E-03	7.05E-06	1.10E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
991	0.50269	1.36E-02	6.9E-03	1.05E-03	7.17E-06	1.10E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
992	0.51051	1.36E-02	7.0E-03	1.05E-03	7.28E-06	1.10E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
993	0.51811	1.36E-02	7.1E-03	1.05E-03	7.39E-06	1.10E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
994	0.52562	1.36E-02	7.2E-03	1.05E-03	7.49E-06	1.10E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
995	0.53314	1.36E-02	7.3E-03	1.05E-03	7.60E-06	1.10E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
996	0.54054	1.36E-02	7.4E-03	1.05E-03	7.71E-06	1.10E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
997	0.54784	1.36E-02	7.5E-03	1.05E-03	7.81E-06	1.10E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
998	0.55503	1.36E-02	7.6E-03	1.05E-03	7.91E-06	1.10E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
999	0.56203	1.36E-02	7.7E-03	1.05E-03	8.01E-06	1.10E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1000	0.56867	1.36E-02	7.8E-03	1.05E-03	8.11E-06	1.10E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1001	0.57507	1.36E-02	7.8E-03	1.05E-03	8.20E-06	1.10E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1002	0.58116	1.36E-02	7.9E-03	1.05E-03	8.28E-06	1.10E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1003	0.58709	1.36E-02	8.0E-03	1.05E-03	8.37E-06	1.10E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1004	0.5924	1.36E-02	8.1E-03	1.05E-03	8.45E-06	1.10E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1005	0.59721	1.36E-02	8.1E-03	1.05E-03	8.51E-06	1.10E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1006	0.6016	1.36E-02	8.2E-03	1.05E-03	8.58E-06	1.10E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1007	0.60559	1.36E-02	8.3E-03	1.05E-03	8.63E-06	1.10E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1008	0.60916	1.36E-02	8.3E-03	1.05E-03	8.68E-06	1.10E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1009	0.61223	1.36E-02	8.4E-03	1.05E-03	8.73E-06	1.10E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1010	0.3658	1.36E-02	5.0E-03	1.05E-03	5.21E-06	1.10E-02	1.57E-01	8.98E-09	1.0E+06	9.0E-03
1011	0.37263	1.36E-02	5.1E-03	1.05E-03	5.31E-06	1.10E-02	1.57E-01	9.15E-09	1.0E+06	9.1E-03
1012	0.37979	1.36E-02	5.2E-03	1.05E-03	5.41E-06	1.10E-02	1.57E-01	9.32E-09	1.0E+06	9.3E-03
1013	0.38714	1.36E-02	5.3E-03	1.05E-03	5.52E-06	1.10E-02	1.57E-01	9.50E-09	1.0E+06	9.5E-03
1014	0.39449	1.36E-02	5.4E-03	1.05E-03	5.62E-06	1.10E-02	1.57E-01	9.68E-09	1.0E+06	9.7E-03
1015	0.411	1.36E-02	5.6E-03	1.05E-03	5.86E-06	1.10E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	0.42822	1.36E-02	5.8E-03	1.05E-03	6.10E-06	1.10E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
1017	0.44584	1.36E-02	6.1E-03	1.05E-03	6.36E-06	1.10E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1018	0.45398	1.36E-02	6.2E-03	1.05E-03	6.47E-06	1.10E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1019	0.46169	1.36E-02	6.3E-03	1.05E-03	6.58E-06	1.10E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1020	0.4695	1.36E-02	6.4E-03	1.05E-03	6.69E-06	1.10E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
1021	0.47734	1.36E-02	6.5E-03	1.05E-03	6.80E-06	1.10E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1022	0.48526	1.36E-02	6.6E-03	1.05E-03	6.92E-06	1.10E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1023	0.50361	1.36E-02	6.9E-03	1.05E-03	7.18E-06	1.10E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1024	0.51233	1.36E-02	7.0E-03	1.05E-03	7.30E-06	1.10E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1025	0.52104	1.36E-02	7.1E-03	1.05E-03	7.43E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1026	0.52943	1.36E-02	7.2E-03	1.05E-03	7.55E-06	1.10E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1027	0.53756	1.36E-02	7.3E-03	1.05E-03	7.66E-06	1.10E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1028	0.5456	1.36E-02	7.4E-03	1.05E-03	7.78E-06	1.10E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1029	0.55365	1.36E-02	7.6E-03	1.05E-03	7.89E-06	1.10E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1030	0.56158	1.36E-02	7.7E-03	1.05E-03	8.01E-06	1.10E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1031	0.56942	1.36E-02	7.8E-03	1.05E-03	8.12E-06	1.10E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1032	0.57713	1.36E-02	7.9E-03	1.05E-03	8.23E-06	1.10E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1033	0.58462	1.36E-02	8.0E-03	1.05E-03	8.33E-06	1.10E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1034	0.59176	1.36E-02	8.1E-03	1.05E-03	8.44E-06	1.10E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1035	0.59862	1.36E-02	8.2E-03	1.05E-03	8.53E-06	1.10E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1036	0.60526	1.36E-02	8.3E-03	1.05E-03	8.63E-06	1.10E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1037	0.6117	1.36E-02	8.3E-03	1.05E-03	8.72E-06	1.10E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1038	0.61747	1.36E-02	8.4E-03	1.05E-03	8.80E-06	1.10E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1039	0.62263	1.36E-02	8.5E-03	1.05E-03	8.88E-06	1.10E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1040	0.62735	1.36E-02	8.6E-03	1.05E-03	8.94E-06	1.10E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1041	0.63163	1.36E-02	8.6E-03	1.05E-03	9.00E-06	1.10E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1042	0.63547	1.36E-02	8.7E-03	1.05E-03	9.06E-06	1.10E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1043	0.63885	1.36E-02	8.7E-03	1.05E-03	9.11E-06	1.10E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1044	0.37716	1.36E-02	5.1E-03	1.05E-03	5.38E-06	1.10E-02	1.57E-01	9.26E-09	1.0E+06	9.3E-03
1045	0.38426	1.36E-02	5.2E-03	1.05E-03	5.48E-06	1.10E-02	1.57E-01	9.43E-09	1.0E+06	9.4E-03
1046	0.39171	1.36E-02	5.3E-03	1.05E-03	5.58E-06	1.10E-02	1.57E-01	9.62E-09	1.0E+06	9.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	0.39932	1.36E-02	5.4E-03	1.05E-03	5.69E-06	1.10E-02	1.57E-01	9.80E-09	1.0E+06	9.8E-03
1048	0.40699	1.36E-02	5.6E-03	1.05E-03	5.80E-06	1.10E-02	1.57E-01	9.99E-09	1.0E+06	1.0E-02
1049	0.4241	1.36E-02	5.8E-03	1.05E-03	6.05E-06	1.10E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1050	0.43296	1.36E-02	5.9E-03	1.05E-03	6.17E-06	1.10E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1051	0.46055	1.36E-02	6.3E-03	1.05E-03	6.57E-06	1.10E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1052	0.46924	1.36E-02	6.4E-03	1.05E-03	6.69E-06	1.10E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
1053	0.4775	1.36E-02	6.5E-03	1.05E-03	6.81E-06	1.10E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1054	0.48586	1.36E-02	6.6E-03	1.05E-03	6.93E-06	1.10E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1055	0.49429	1.36E-02	6.7E-03	1.05E-03	7.05E-06	1.10E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1056	0.50278	1.36E-02	6.9E-03	1.05E-03	7.17E-06	1.10E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1057	0.52191	1.36E-02	7.1E-03	1.05E-03	7.44E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1058	0.53117	1.36E-02	7.2E-03	1.05E-03	7.57E-06	1.10E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1059	0.54046	1.36E-02	7.4E-03	1.05E-03	7.70E-06	1.10E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1060	0.54947	1.36E-02	7.5E-03	1.05E-03	7.83E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
1061	0.55822	1.36E-02	7.6E-03	1.05E-03	7.96E-06	1.10E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1062	0.56688	1.36E-02	7.7E-03	1.05E-03	8.08E-06	1.10E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1063	0.57549	1.36E-02	7.8E-03	1.05E-03	8.20E-06	1.10E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1064	0.58398	1.36E-02	8.0E-03	1.05E-03	8.33E-06	1.10E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1065	0.59236	1.36E-02	8.1E-03	1.05E-03	8.44E-06	1.10E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1066	0.60063	1.36E-02	8.2E-03	1.05E-03	8.56E-06	1.10E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1067	0.60868	1.36E-02	8.3E-03	1.05E-03	8.68E-06	1.10E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1068	0.6164	1.36E-02	8.4E-03	1.05E-03	8.79E-06	1.10E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1069	0.62385	1.36E-02	8.5E-03	1.05E-03	8.89E-06	1.10E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1070	0.63105	1.36E-02	8.6E-03	1.05E-03	9.00E-06	1.10E-02	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1071	0.63802	1.36E-02	8.7E-03	1.05E-03	9.10E-06	1.10E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1072	0.64425	1.36E-02	8.8E-03	1.05E-03	9.18E-06	1.10E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1073	0.64981	1.36E-02	8.9E-03	1.05E-03	9.26E-06	1.10E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1074	0.65489	1.36E-02	8.9E-03	1.05E-03	9.34E-06	1.10E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
1075	0.65949	1.36E-02	9.0E-03	1.05E-03	9.40E-06	1.10E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1076	0.6636	1.36E-02	9.1E-03	1.05E-03	9.46E-06	1.10E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1077	0.66721	1.36E-02	9.1E-03	1.05E-03	9.51E-06	1.10E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	0.38907	1.36E-02	5.3E-03	1.05E-03	5.55E-06	1.10E-02	1.57E-01	9.55E-09	1.0E+06	9.6E-03
1079	0.39644	1.36E-02	5.4E-03	1.05E-03	5.65E-06	1.10E-02	1.57E-01	9.73E-09	1.0E+06	9.7E-03
1080	0.40418	1.36E-02	5.5E-03	1.05E-03	5.76E-06	1.10E-02	1.57E-01	9.92E-09	1.0E+06	9.9E-03
1081	0.41213	1.36E-02	5.6E-03	1.05E-03	5.88E-06	1.10E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1082	0.42008	1.36E-02	5.7E-03	1.05E-03	5.99E-06	1.10E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1083	0.43788	1.36E-02	6.0E-03	1.05E-03	6.24E-06	1.10E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1084	0.44723	1.36E-02	6.1E-03	1.05E-03	6.38E-06	1.10E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1085	0.476	1.36E-02	6.5E-03	1.05E-03	6.79E-06	1.10E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1086	0.48532	1.36E-02	6.6E-03	1.05E-03	6.92E-06	1.10E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1087	0.49415	1.36E-02	6.7E-03	1.05E-03	7.04E-06	1.10E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1088	0.50309	1.36E-02	6.9E-03	1.05E-03	7.17E-06	1.10E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1089	0.51216	1.36E-02	7.0E-03	1.05E-03	7.30E-06	1.10E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1090	0.53186	1.36E-02	7.3E-03	1.05E-03	7.58E-06	1.10E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1091	0.54123	1.36E-02	7.4E-03	1.05E-03	7.72E-06	1.10E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1092	0.55112	1.36E-02	7.5E-03	1.05E-03	7.86E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1093	0.56103	1.36E-02	7.7E-03	1.05E-03	8.00E-06	1.10E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1094	0.57068	1.36E-02	7.8E-03	1.05E-03	8.14E-06	1.10E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1095	0.58013	1.36E-02	7.9E-03	1.05E-03	8.27E-06	1.10E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1096	0.58949	1.36E-02	8.0E-03	1.05E-03	8.40E-06	1.10E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
1097	0.59872	1.36E-02	8.2E-03	1.05E-03	8.54E-06	1.10E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1098	0.6078	1.36E-02	8.3E-03	1.05E-03	8.66E-06	1.10E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1099	0.61678	1.36E-02	8.4E-03	1.05E-03	8.79E-06	1.10E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1100	0.62566	1.36E-02	8.5E-03	1.05E-03	8.92E-06	1.10E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1101	0.63429	1.36E-02	8.7E-03	1.05E-03	9.04E-06	1.10E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1102	0.64269	1.36E-02	8.8E-03	1.05E-03	9.16E-06	1.10E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1103	0.65078	1.36E-02	8.9E-03	1.05E-03	9.28E-06	1.10E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1104	0.65861	1.36E-02	9.0E-03	1.05E-03	9.39E-06	1.10E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1105	0.66617	1.36E-02	9.1E-03	1.05E-03	9.50E-06	1.10E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
1106	0.6729	1.36E-02	9.2E-03	1.05E-03	9.59E-06	1.10E-02	1.57E-01	1.65E-08	1.0E+06	1.7E-02
1107	0.6789	1.36E-02	9.3E-03	1.05E-03	9.68E-06	1.10E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1108	0.68438	1.36E-02	9.3E-03	1.05E-03	9.76E-06	1.10E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	0.68932	1.36E-02	9.4E-03	1.05E-03	9.83E-06	1.10E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1110	0.69374	1.36E-02	9.5E-03	1.05E-03	9.89E-06	1.10E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
1111	0.6976	1.36E-02	9.5E-03	1.05E-03	9.94E-06	1.10E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1112	0.40168	1.36E-02	5.5E-03	1.05E-03	5.73E-06	1.10E-02	1.57E-01	9.86E-09	1.0E+06	9.9E-03
1113	0.40928	1.36E-02	5.6E-03	1.05E-03	5.83E-06	1.10E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1114	0.41734	1.36E-02	5.7E-03	1.05E-03	5.95E-06	1.10E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1115	0.42564	1.36E-02	5.8E-03	1.05E-03	6.07E-06	1.10E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1116	0.43396	1.36E-02	5.9E-03	1.05E-03	6.19E-06	1.10E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1117	0.44259	1.36E-02	6.0E-03	1.05E-03	6.31E-06	1.10E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1118	0.46226	1.36E-02	6.3E-03	1.05E-03	6.59E-06	1.10E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1119	0.49221	1.36E-02	6.7E-03	1.05E-03	7.02E-06	1.10E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1120	0.50218	1.36E-02	6.8E-03	1.05E-03	7.16E-06	1.10E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1121	0.51162	1.36E-02	7.0E-03	1.05E-03	7.29E-06	1.10E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1122	0.52123	1.36E-02	7.1E-03	1.05E-03	7.43E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1123	0.53099	1.36E-02	7.2E-03	1.05E-03	7.57E-06	1.10E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1124	0.55158	1.36E-02	7.5E-03	1.05E-03	7.86E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1125	0.56164	1.36E-02	7.7E-03	1.05E-03	8.01E-06	1.10E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1126	0.5722	1.36E-02	7.8E-03	1.05E-03	8.16E-06	1.10E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1127	0.58278	1.36E-02	7.9E-03	1.05E-03	8.31E-06	1.10E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1128	0.59318	1.36E-02	8.1E-03	1.05E-03	8.46E-06	1.10E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1129	0.60334	1.36E-02	8.2E-03	1.05E-03	8.60E-06	1.10E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1130	0.61347	1.36E-02	8.4E-03	1.05E-03	8.75E-06	1.10E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1131	0.6234	1.36E-02	8.5E-03	1.05E-03	8.89E-06	1.10E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1132	0.63318	1.36E-02	8.6E-03	1.05E-03	9.03E-06	1.10E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1133	0.64286	1.36E-02	8.8E-03	1.05E-03	9.16E-06	1.10E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1134	0.65241	1.36E-02	8.9E-03	1.05E-03	9.30E-06	1.10E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1135	0.66174	1.36E-02	9.0E-03	1.05E-03	9.43E-06	1.10E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1136	0.67087	1.36E-02	9.2E-03	1.05E-03	9.56E-06	1.10E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
1137	0.67969	1.36E-02	9.3E-03	1.05E-03	9.69E-06	1.10E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1138	0.68818	1.36E-02	9.4E-03	1.05E-03	9.81E-06	1.10E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1139	0.69636	1.36E-02	9.5E-03	1.05E-03	9.93E-06	1.10E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	0.70361	1.36E-02	9.6E-03	1.05E-03	1.00E-05	1.10E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1141	0.7101	1.36E-02	9.7E-03	1.05E-03	1.01E-05	1.10E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1142	0.71601	1.36E-02	9.8E-03	1.05E-03	1.02E-05	1.10E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02
1143	0.72134	1.36E-02	9.8E-03	1.05E-03	1.03E-05	1.10E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1144	0.72609	1.36E-02	9.9E-03	1.05E-03	1.04E-05	1.10E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1145	0.73018	1.36E-02	1.0E-02	1.05E-03	1.04E-05	1.10E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1146	0.41497	1.36E-02	5.7E-03	1.05E-03	5.92E-06	1.10E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1147	0.42283	1.36E-02	5.8E-03	1.05E-03	6.03E-06	1.10E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1148	0.43115	1.36E-02	5.9E-03	1.05E-03	6.15E-06	1.10E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1149	0.43975	1.36E-02	6.0E-03	1.05E-03	6.27E-06	1.10E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1150	0.44861	1.36E-02	6.1E-03	1.05E-03	6.40E-06	1.10E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1151	0.45773	1.36E-02	6.2E-03	1.05E-03	6.53E-06	1.10E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1152	0.47797	1.36E-02	6.5E-03	1.05E-03	6.81E-06	1.10E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1153	0.49863	1.36E-02	6.8E-03	1.05E-03	7.11E-06	1.10E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
1154	0.51951	1.36E-02	7.1E-03	1.05E-03	7.41E-06	1.10E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1155	0.52974	1.36E-02	7.2E-03	1.05E-03	7.55E-06	1.10E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1156	0.54014	1.36E-02	7.4E-03	1.05E-03	7.70E-06	1.10E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1157	0.55068	1.36E-02	7.5E-03	1.05E-03	7.85E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1158	0.57238	1.36E-02	7.8E-03	1.05E-03	8.16E-06	1.10E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1159	0.58325	1.36E-02	8.0E-03	1.05E-03	8.31E-06	1.10E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1160	0.59449	1.36E-02	8.1E-03	1.05E-03	8.47E-06	1.10E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1161	0.60576	1.36E-02	8.3E-03	1.05E-03	8.64E-06	1.10E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1162	0.61693	1.36E-02	8.4E-03	1.05E-03	8.79E-06	1.10E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1163	0.62794	1.36E-02	8.6E-03	1.05E-03	8.95E-06	1.10E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1164	0.63889	1.36E-02	8.7E-03	1.05E-03	9.11E-06	1.10E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1165	0.64964	1.36E-02	8.9E-03	1.05E-03	9.26E-06	1.10E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
1166	0.66024	1.36E-02	9.0E-03	1.05E-03	9.41E-06	1.10E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1167	0.67074	1.36E-02	9.1E-03	1.05E-03	9.56E-06	1.10E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
1168	0.68114	1.36E-02	9.3E-03	1.05E-03	9.71E-06	1.10E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1169	0.69131	1.36E-02	9.4E-03	1.05E-03	9.86E-06	1.10E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
1170	0.70124	1.36E-02	9.6E-03	1.05E-03	1.00E-05	1.10E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	0.71084	1.36E-02	9.7E-03	1.05E-03	1.01E-05	1.10E-02	1.57E-01	1.75E-08	1.0E+06	1.7E-02
1172	0.72003	1.36E-02	9.8E-03	1.05E-03	1.03E-05	1.10E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1173	0.72878	1.36E-02	9.9E-03	1.05E-03	1.04E-05	1.10E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1174	0.73658	1.36E-02	1.0E-02	1.05E-03	1.05E-05	1.10E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1175	0.74362	1.36E-02	1.0E-02	1.05E-03	1.06E-05	1.10E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
1176	0.75	1.36E-02	1.0E-02	1.05E-03	1.07E-05	1.10E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1177	0.75576	1.36E-02	1.0E-02	1.05E-03	1.08E-05	1.10E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1178	0.76079	1.36E-02	1.0E-02	1.05E-03	1.08E-05	1.10E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02
1179	0.76512	1.36E-02	1.0E-02	1.05E-03	1.09E-05	1.10E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
1180	0.42895	1.36E-02	5.9E-03	1.05E-03	6.12E-06	1.10E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
1181	0.43714	1.36E-02	6.0E-03	1.05E-03	6.23E-06	1.10E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1182	0.44575	1.36E-02	6.1E-03	1.05E-03	6.35E-06	1.10E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1183	0.45472	1.36E-02	6.2E-03	1.05E-03	6.48E-06	1.10E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1184	0.46409	1.36E-02	6.3E-03	1.05E-03	6.62E-06	1.10E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
1185	0.47381	1.36E-02	6.5E-03	1.05E-03	6.75E-06	1.10E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1186	0.49463	1.36E-02	6.7E-03	1.05E-03	7.05E-06	1.10E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1187	0.50561	1.36E-02	6.9E-03	1.05E-03	7.21E-06	1.10E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1188	0.53776	1.36E-02	7.3E-03	1.05E-03	7.67E-06	1.10E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1189	0.54882	1.36E-02	7.5E-03	1.05E-03	7.82E-06	1.10E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
1190	0.56007	1.36E-02	7.6E-03	1.05E-03	7.98E-06	1.10E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1191	0.5715	1.36E-02	7.8E-03	1.05E-03	8.15E-06	1.10E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1192	0.59439	1.36E-02	8.1E-03	1.05E-03	8.47E-06	1.10E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1193	0.60613	1.36E-02	8.3E-03	1.05E-03	8.64E-06	1.10E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1194	0.6181	1.36E-02	8.4E-03	1.05E-03	8.81E-06	1.10E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1195	0.63016	1.36E-02	8.6E-03	1.05E-03	8.98E-06	1.10E-02	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1196	0.64215	1.36E-02	8.8E-03	1.05E-03	9.15E-06	1.10E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1197	0.65407	1.36E-02	8.9E-03	1.05E-03	9.32E-06	1.10E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
1198	0.66596	1.36E-02	9.1E-03	1.05E-03	9.49E-06	1.10E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1199	0.67762	1.36E-02	9.2E-03	1.05E-03	9.66E-06	1.10E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1200	0.68916	1.36E-02	9.4E-03	1.05E-03	9.82E-06	1.10E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1201	0.70057	1.36E-02	9.6E-03	1.05E-03	9.99E-06	1.10E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	0.71191	1.36E-02	9.7E-03	1.05E-03	1.01E-05	1.10E-02	1.57E-01	1.75E-08	1.0E+06	1.7E-02
1203	0.72296	1.36E-02	9.9E-03	1.05E-03	1.03E-05	1.10E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1204	0.73382	1.36E-02	1.0E-02	1.05E-03	1.05E-05	1.10E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1205	0.74432	1.36E-02	1.0E-02	1.05E-03	1.06E-05	1.10E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
1206	0.75425	1.36E-02	1.0E-02	1.05E-03	1.08E-05	1.10E-02	1.57E-01	1.85E-08	1.0E+06	1.9E-02
1207	0.76364	1.36E-02	1.0E-02	1.05E-03	1.09E-05	1.10E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02
1208	0.77204	1.36E-02	1.1E-02	1.05E-03	1.10E-05	1.10E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02
1209	0.77968	1.36E-02	1.1E-02	1.05E-03	1.11E-05	1.10E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1210	0.7866	1.36E-02	1.1E-02	1.05E-03	1.12E-05	1.10E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
1211	0.7928	1.36E-02	1.1E-02	1.05E-03	1.13E-05	1.10E-02	1.57E-01	1.95E-08	1.0E+06	1.9E-02
1212	0.79815	1.36E-02	1.1E-02	1.05E-03	1.14E-05	1.10E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02
1213	0.80274	1.36E-02	1.1E-02	1.05E-03	1.14E-05	1.10E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	1.30E-03
893	5	1.32E-03
894	5	1.34E-03
895	5	1.35E-03
896	5	1.37E-03
897	5	1.38E-03
898	5	1.40E-03
899	5	1.41E-03
900	5	1.42E-03
901	5	1.44E-03
902	5	1.45E-03
903	5	1.46E-03
904	5	1.46E-03
905	5	1.47E-03
906	5	1.48E-03
907	5	1.48E-03
908	5	9.12E-04
909	5	9.29E-04
910	5	9.46E-04
911	5	9.64E-04
912	5	1.00E-03
913	5	1.02E-03
914	5	1.06E-03
915	5	1.11E-03
916	5	1.12E-03
917	5	1.14E-03
918	5	1.16E-03
919	5	1.20E-03
920	5	1.22E-03
921	5	1.24E-03
922	5	1.26E-03

Max	Receptor #	
0.002	1213	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	1.28E-03
924	5	1.30E-03
925	5	1.32E-03
926	5	1.33E-03
927	5	1.35E-03
928	5	1.37E-03
929	5	1.39E-03
930	5	1.40E-03
931	5	1.42E-03
932	5	1.44E-03
933	5	1.45E-03
934	5	1.47E-03
935	5	1.48E-03
936	5	1.49E-03
937	5	1.50E-03
938	5	1.51E-03
939	5	1.52E-03
940	5	1.53E-03
941	5	1.54E-03
942	5	9.39E-04
943	5	9.57E-04
944	5	9.75E-04
945	5	9.93E-04
946	5	1.03E-03
947	5	1.05E-03
948	5	1.10E-03
949	5	1.14E-03
950	5	1.16E-03
951	5	1.18E-03
952	5	1.20E-03
953	5	1.22E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	1.26E-03
955	5	1.28E-03
956	5	1.30E-03
957	5	1.32E-03
958	5	1.34E-03
959	5	1.36E-03
960	5	1.38E-03
961	5	1.40E-03
962	5	1.42E-03
963	5	1.44E-03
964	5	1.46E-03
965	5	1.48E-03
966	5	1.49E-03
967	5	1.51E-03
968	5	1.52E-03
969	5	1.54E-03
970	5	1.55E-03
971	5	1.56E-03
972	5	1.58E-03
973	5	1.59E-03
974	5	1.59E-03
975	5	1.60E-03
976	5	9.68E-04
977	5	9.86E-04
978	5	1.00E-03
979	5	1.02E-03
980	5	1.04E-03
981	5	1.09E-03
982	5	1.13E-03
983	5	1.18E-03
984	5	1.20E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	1.22E-03
986	5	1.24E-03
987	5	1.26E-03
988	5	1.28E-03
989	5	1.33E-03
990	5	1.35E-03
991	5	1.37E-03
992	5	1.39E-03
993	5	1.41E-03
994	5	1.43E-03
995	5	1.45E-03
996	5	1.47E-03
997	5	1.49E-03
998	5	1.51E-03
999	5	1.53E-03
1000	5	1.55E-03
1001	5	1.57E-03
1002	5	1.59E-03
1003	5	1.60E-03
1004	5	1.62E-03
1005	5	1.63E-03
1006	5	1.64E-03
1007	5	1.65E-03
1008	5	1.66E-03
1009	5	1.67E-03
1010	5	9.98E-04
1011	5	1.02E-03
1012	5	1.04E-03
1013	5	1.06E-03
1014	5	1.08E-03
1015	5	1.12E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	1.17E-03
1017	5	1.22E-03
1018	5	1.24E-03
1019	5	1.26E-03
1020	5	1.28E-03
1021	5	1.30E-03
1022	5	1.32E-03
1023	5	1.37E-03
1024	5	1.40E-03
1025	5	1.42E-03
1026	5	1.44E-03
1027	5	1.47E-03
1028	5	1.49E-03
1029	5	1.51E-03
1030	5	1.53E-03
1031	5	1.55E-03
1032	5	1.57E-03
1033	5	1.59E-03
1034	5	1.61E-03
1035	5	1.63E-03
1036	5	1.65E-03
1037	5	1.67E-03
1038	5	1.68E-03
1039	5	1.70E-03
1040	5	1.71E-03
1041	5	1.72E-03
1042	5	1.73E-03
1043	5	1.74E-03
1044	5	1.03E-03
1045	5	1.05E-03
1046	5	1.07E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	1.09E-03
1048	5	1.11E-03
1049	5	1.16E-03
1050	5	1.18E-03
1051	5	1.26E-03
1052	5	1.28E-03
1053	5	1.30E-03
1054	5	1.33E-03
1055	5	1.35E-03
1056	5	1.37E-03
1057	5	1.42E-03
1058	5	1.45E-03
1059	5	1.47E-03
1060	5	1.50E-03
1061	5	1.52E-03
1062	5	1.55E-03
1063	5	1.57E-03
1064	5	1.59E-03
1065	5	1.62E-03
1066	5	1.64E-03
1067	5	1.66E-03
1068	5	1.68E-03
1069	5	1.70E-03
1070	5	1.72E-03
1071	5	1.74E-03
1072	5	1.76E-03
1073	5	1.77E-03
1074	5	1.79E-03
1075	5	1.80E-03
1076	5	1.81E-03
1077	5	1.82E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	1.06E-03
1079	5	1.08E-03
1080	5	1.10E-03
1081	5	1.12E-03
1082	5	1.15E-03
1083	5	1.19E-03
1084	5	1.22E-03
1085	5	1.30E-03
1086	5	1.32E-03
1087	5	1.35E-03
1088	5	1.37E-03
1089	5	1.40E-03
1090	5	1.45E-03
1091	5	1.48E-03
1092	5	1.50E-03
1093	5	1.53E-03
1094	5	1.56E-03
1095	5	1.58E-03
1096	5	1.61E-03
1097	5	1.63E-03
1098	5	1.66E-03
1099	5	1.68E-03
1100	5	1.71E-03
1101	5	1.73E-03
1102	5	1.75E-03
1103	5	1.78E-03
1104	5	1.80E-03
1105	5	1.82E-03
1106	5	1.84E-03
1107	5	1.85E-03
1108	5	1.87E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.88E-03
1110	5	1.89E-03
1111	5	1.90E-03
1112	5	1.10E-03
1113	5	1.12E-03
1114	5	1.14E-03
1115	5	1.16E-03
1116	5	1.18E-03
1117	5	1.21E-03
1118	5	1.26E-03
1119	5	1.34E-03
1120	5	1.37E-03
1121	5	1.40E-03
1122	5	1.42E-03
1123	5	1.45E-03
1124	5	1.50E-03
1125	5	1.53E-03
1126	5	1.56E-03
1127	5	1.59E-03
1128	5	1.62E-03
1129	5	1.65E-03
1130	5	1.67E-03
1131	5	1.70E-03
1132	5	1.73E-03
1133	5	1.75E-03
1134	5	1.78E-03
1135	5	1.81E-03
1136	5	1.83E-03
1137	5	1.85E-03
1138	5	1.88E-03
1139	5	1.90E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	1.92E-03
1141	5	1.94E-03
1142	5	1.95E-03
1143	5	1.97E-03
1144	5	1.98E-03
1145	5	1.99E-03
1146	5	1.13E-03
1147	5	1.15E-03
1148	5	1.18E-03
1149	5	1.20E-03
1150	5	1.22E-03
1151	5	1.25E-03
1152	5	1.30E-03
1153	5	1.36E-03
1154	5	1.42E-03
1155	5	1.45E-03
1156	5	1.47E-03
1157	5	1.50E-03
1158	5	1.56E-03
1159	5	1.59E-03
1160	5	1.62E-03
1161	5	1.65E-03
1162	5	1.68E-03
1163	5	1.71E-03
1164	5	1.74E-03
1165	5	1.77E-03
1166	5	1.80E-03
1167	5	1.83E-03
1168	5	1.86E-03
1169	5	1.89E-03
1170	5	1.91E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	1.94E-03
1172	5	1.96E-03
1173	5	1.99E-03
1174	5	2.01E-03
1175	5	2.03E-03
1176	5	2.05E-03
1177	5	2.06E-03
1178	5	2.08E-03
1179	5	2.09E-03
1180	5	1.17E-03
1181	5	1.19E-03
1182	5	1.22E-03
1183	5	1.24E-03
1184	5	1.27E-03
1185	5	1.29E-03
1186	5	1.35E-03
1187	5	1.38E-03
1188	5	1.47E-03
1189	5	1.50E-03
1190	5	1.53E-03
1191	5	1.56E-03
1192	5	1.62E-03
1193	5	1.65E-03
1194	5	1.69E-03
1195	5	1.72E-03
1196	5	1.75E-03
1197	5	1.78E-03
1198	5	1.82E-03
1199	5	1.85E-03
1200	5	1.88E-03
1201	5	1.91E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	1.94E-03
1203	5	1.97E-03
1204	5	2.00E-03
1205	5	2.03E-03
1206	5	2.06E-03
1207	5	2.08E-03
1208	5	2.11E-03
1209	5	2.13E-03
1210	5	2.15E-03
1211	5	2.16E-03
1212	5	2.18E-03
1213	5	2.19E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	0.47816	2.56E-03	1.2E-03	1.05E-03	1.28E-06	1.24E+00	1.57E-01	2.48E-07	1.0E+06	2.5E-01
893	0.48418	2.56E-03	1.2E-03	1.05E-03	1.30E-06	1.24E+00	1.57E-01	2.51E-07	1.0E+06	2.5E-01
894	0.49016	2.56E-03	1.3E-03	1.05E-03	1.31E-06	1.24E+00	1.57E-01	2.55E-07	1.0E+06	2.5E-01
895	0.49606	2.56E-03	1.3E-03	1.05E-03	1.33E-06	1.24E+00	1.57E-01	2.58E-07	1.0E+06	2.6E-01
896	0.5018	2.56E-03	1.3E-03	1.05E-03	1.34E-06	1.24E+00	1.57E-01	2.61E-07	1.0E+06	2.6E-01
897	0.50732	2.56E-03	1.3E-03	1.05E-03	1.36E-06	1.24E+00	1.57E-01	2.63E-07	1.0E+06	2.6E-01
898	0.51254	2.56E-03	1.3E-03	1.05E-03	1.37E-06	1.24E+00	1.57E-01	2.66E-07	1.0E+06	2.7E-01
899	0.51744	2.56E-03	1.3E-03	1.05E-03	1.38E-06	1.24E+00	1.57E-01	2.69E-07	1.0E+06	2.7E-01
900	0.52192	2.56E-03	1.3E-03	1.05E-03	1.40E-06	1.24E+00	1.57E-01	2.71E-07	1.0E+06	2.7E-01
901	0.52609	2.56E-03	1.3E-03	1.05E-03	1.41E-06	1.24E+00	1.57E-01	2.73E-07	1.0E+06	2.7E-01
902	0.53001	2.56E-03	1.4E-03	1.05E-03	1.42E-06	1.24E+00	1.57E-01	2.75E-07	1.0E+06	2.8E-01
903	0.53358	2.56E-03	1.4E-03	1.05E-03	1.43E-06	1.24E+00	1.57E-01	2.77E-07	1.0E+06	2.8E-01
904	0.53665	2.56E-03	1.4E-03	1.05E-03	1.44E-06	1.24E+00	1.57E-01	2.79E-07	1.0E+06	2.8E-01
905	0.53934	2.56E-03	1.4E-03	1.05E-03	1.44E-06	1.24E+00	1.57E-01	2.80E-07	1.0E+06	2.8E-01
906	0.54163	2.56E-03	1.4E-03	1.05E-03	1.45E-06	1.24E+00	1.57E-01	2.81E-07	1.0E+06	2.8E-01
907	0.54379	2.56E-03	1.4E-03	1.05E-03	1.45E-06	1.24E+00	1.57E-01	2.82E-07	1.0E+06	2.8E-01
908	0.3344	2.56E-03	8.6E-04	1.05E-03	8.94E-07	1.24E+00	1.57E-01	1.74E-07	1.0E+06	1.7E-01
909	0.34053	2.56E-03	8.7E-04	1.05E-03	9.11E-07	1.24E+00	1.57E-01	1.77E-07	1.0E+06	1.8E-01
910	0.34697	2.56E-03	8.9E-04	1.05E-03	9.28E-07	1.24E+00	1.57E-01	1.80E-07	1.0E+06	1.8E-01
911	0.35331	2.56E-03	9.0E-04	1.05E-03	9.45E-07	1.24E+00	1.57E-01	1.83E-07	1.0E+06	1.8E-01
912	0.36798	2.56E-03	9.4E-04	1.05E-03	9.84E-07	1.24E+00	1.57E-01	1.91E-07	1.0E+06	1.9E-01
913	0.37452	2.56E-03	9.6E-04	1.05E-03	1.00E-06	1.24E+00	1.57E-01	1.95E-07	1.0E+06	1.9E-01
914	0.38952	2.56E-03	1.0E-03	1.05E-03	1.04E-06	1.24E+00	1.57E-01	2.02E-07	1.0E+06	2.0E-01
915	0.40512	2.56E-03	1.0E-03	1.05E-03	1.08E-06	1.24E+00	1.57E-01	2.10E-07	1.0E+06	2.1E-01
916	0.41185	2.56E-03	1.1E-03	1.05E-03	1.10E-06	1.24E+00	1.57E-01	2.14E-07	1.0E+06	2.1E-01
917	0.41862	2.56E-03	1.1E-03	1.05E-03	1.12E-06	1.24E+00	1.57E-01	2.17E-07	1.0E+06	2.2E-01
918	0.42545	2.56E-03	1.1E-03	1.05E-03	1.14E-06	1.24E+00	1.57E-01	2.21E-07	1.0E+06	2.2E-01
919	0.44137	2.56E-03	1.1E-03	1.05E-03	1.18E-06	1.24E+00	1.57E-01	2.29E-07	1.0E+06	2.3E-01
920	0.44821	2.56E-03	1.1E-03	1.05E-03	1.20E-06	1.24E+00	1.57E-01	2.33E-07	1.0E+06	2.3E-01
921	0.45507	2.56E-03	1.2E-03	1.05E-03	1.22E-06	1.24E+00	1.57E-01	2.36E-07	1.0E+06	2.4E-01
922	0.46197	2.56E-03	1.2E-03	1.05E-03	1.24E-06	1.24E+00	1.57E-01	2.40E-07	1.0E+06	2.4E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	0.46884	2.56E-03	1.2E-03	1.05E-03	1.25E-06	1.24E+00	1.57E-01	2.43E-07	1.0E+06	2.4E-01
924	0.47565	2.56E-03	1.2E-03	1.05E-03	1.27E-06	1.24E+00	1.57E-01	2.47E-07	1.0E+06	2.5E-01
925	0.48238	2.56E-03	1.2E-03	1.05E-03	1.29E-06	1.24E+00	1.57E-01	2.51E-07	1.0E+06	2.5E-01
926	0.48903	2.56E-03	1.3E-03	1.05E-03	1.31E-06	1.24E+00	1.57E-01	2.54E-07	1.0E+06	2.5E-01
927	0.49557	2.56E-03	1.3E-03	1.05E-03	1.33E-06	1.24E+00	1.57E-01	2.57E-07	1.0E+06	2.6E-01
928	0.50201	2.56E-03	1.3E-03	1.05E-03	1.34E-06	1.24E+00	1.57E-01	2.61E-07	1.0E+06	2.6E-01
929	0.50838	2.56E-03	1.3E-03	1.05E-03	1.36E-06	1.24E+00	1.57E-01	2.64E-07	1.0E+06	2.6E-01
930	0.51466	2.56E-03	1.3E-03	1.05E-03	1.38E-06	1.24E+00	1.57E-01	2.67E-07	1.0E+06	2.7E-01
931	0.52076	2.56E-03	1.3E-03	1.05E-03	1.39E-06	1.24E+00	1.57E-01	2.70E-07	1.0E+06	2.7E-01
932	0.52659	2.56E-03	1.3E-03	1.05E-03	1.41E-06	1.24E+00	1.57E-01	2.73E-07	1.0E+06	2.7E-01
933	0.53214	2.56E-03	1.4E-03	1.05E-03	1.42E-06	1.24E+00	1.57E-01	2.76E-07	1.0E+06	2.8E-01
934	0.53738	2.56E-03	1.4E-03	1.05E-03	1.44E-06	1.24E+00	1.57E-01	2.79E-07	1.0E+06	2.8E-01
935	0.5423	2.56E-03	1.4E-03	1.05E-03	1.45E-06	1.24E+00	1.57E-01	2.82E-07	1.0E+06	2.8E-01
936	0.54682	2.56E-03	1.4E-03	1.05E-03	1.46E-06	1.24E+00	1.57E-01	2.84E-07	1.0E+06	2.8E-01
937	0.55102	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.24E+00	1.57E-01	2.86E-07	1.0E+06	2.9E-01
938	0.55484	2.56E-03	1.4E-03	1.05E-03	1.48E-06	1.24E+00	1.57E-01	2.88E-07	1.0E+06	2.9E-01
939	0.55818	2.56E-03	1.4E-03	1.05E-03	1.49E-06	1.24E+00	1.57E-01	2.90E-07	1.0E+06	2.9E-01
940	0.5611	2.56E-03	1.4E-03	1.05E-03	1.50E-06	1.24E+00	1.57E-01	2.91E-07	1.0E+06	2.9E-01
941	0.56361	2.56E-03	1.4E-03	1.05E-03	1.51E-06	1.24E+00	1.57E-01	2.93E-07	1.0E+06	2.9E-01
942	0.3444	2.56E-03	8.8E-04	1.05E-03	9.21E-07	1.24E+00	1.57E-01	1.79E-07	1.0E+06	1.8E-01
943	0.35077	2.56E-03	9.0E-04	1.05E-03	9.38E-07	1.24E+00	1.57E-01	1.82E-07	1.0E+06	1.8E-01
944	0.35736	2.56E-03	9.1E-04	1.05E-03	9.56E-07	1.24E+00	1.57E-01	1.86E-07	1.0E+06	1.9E-01
945	0.36405	2.56E-03	9.3E-04	1.05E-03	9.74E-07	1.24E+00	1.57E-01	1.89E-07	1.0E+06	1.9E-01
946	0.37922	2.56E-03	9.7E-04	1.05E-03	1.01E-06	1.24E+00	1.57E-01	1.97E-07	1.0E+06	2.0E-01
947	0.38608	2.56E-03	9.9E-04	1.05E-03	1.03E-06	1.24E+00	1.57E-01	2.01E-07	1.0E+06	2.0E-01
948	0.40182	2.56E-03	1.0E-03	1.05E-03	1.07E-06	1.24E+00	1.57E-01	2.09E-07	1.0E+06	2.1E-01
949	0.41805	2.56E-03	1.1E-03	1.05E-03	1.12E-06	1.24E+00	1.57E-01	2.17E-07	1.0E+06	2.2E-01
950	0.42523	2.56E-03	1.1E-03	1.05E-03	1.14E-06	1.24E+00	1.57E-01	2.21E-07	1.0E+06	2.2E-01
951	0.43226	2.56E-03	1.1E-03	1.05E-03	1.16E-06	1.24E+00	1.57E-01	2.24E-07	1.0E+06	2.2E-01
952	0.43939	2.56E-03	1.1E-03	1.05E-03	1.18E-06	1.24E+00	1.57E-01	2.28E-07	1.0E+06	2.3E-01
953	0.44657	2.56E-03	1.1E-03	1.05E-03	1.19E-06	1.24E+00	1.57E-01	2.32E-07	1.0E+06	2.3E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	0.46315	2.56E-03	1.2E-03	1.05E-03	1.24E-06	1.24E+00	1.57E-01	2.41E-07	1.0E+06	2.4E-01
955	0.4704	2.56E-03	1.2E-03	1.05E-03	1.26E-06	1.24E+00	1.57E-01	2.44E-07	1.0E+06	2.4E-01
956	0.47786	2.56E-03	1.2E-03	1.05E-03	1.28E-06	1.24E+00	1.57E-01	2.48E-07	1.0E+06	2.5E-01
957	0.48531	2.56E-03	1.2E-03	1.05E-03	1.30E-06	1.24E+00	1.57E-01	2.52E-07	1.0E+06	2.5E-01
958	0.4926	2.56E-03	1.3E-03	1.05E-03	1.32E-06	1.24E+00	1.57E-01	2.56E-07	1.0E+06	2.6E-01
959	0.49974	2.56E-03	1.3E-03	1.05E-03	1.34E-06	1.24E+00	1.57E-01	2.60E-07	1.0E+06	2.6E-01
960	0.50682	2.56E-03	1.3E-03	1.05E-03	1.36E-06	1.24E+00	1.57E-01	2.63E-07	1.0E+06	2.6E-01
961	0.51382	2.56E-03	1.3E-03	1.05E-03	1.37E-06	1.24E+00	1.57E-01	2.67E-07	1.0E+06	2.7E-01
962	0.52073	2.56E-03	1.3E-03	1.05E-03	1.39E-06	1.24E+00	1.57E-01	2.70E-07	1.0E+06	2.7E-01
963	0.52754	2.56E-03	1.3E-03	1.05E-03	1.41E-06	1.24E+00	1.57E-01	2.74E-07	1.0E+06	2.7E-01
964	0.53424	2.56E-03	1.4E-03	1.05E-03	1.43E-06	1.24E+00	1.57E-01	2.77E-07	1.0E+06	2.8E-01
965	0.54078	2.56E-03	1.4E-03	1.05E-03	1.45E-06	1.24E+00	1.57E-01	2.81E-07	1.0E+06	2.8E-01
966	0.547	2.56E-03	1.4E-03	1.05E-03	1.46E-06	1.24E+00	1.57E-01	2.84E-07	1.0E+06	2.8E-01
967	0.55296	2.56E-03	1.4E-03	1.05E-03	1.48E-06	1.24E+00	1.57E-01	2.87E-07	1.0E+06	2.9E-01
968	0.5586	2.56E-03	1.4E-03	1.05E-03	1.49E-06	1.24E+00	1.57E-01	2.90E-07	1.0E+06	2.9E-01
969	0.56399	2.56E-03	1.4E-03	1.05E-03	1.51E-06	1.24E+00	1.57E-01	2.93E-07	1.0E+06	2.9E-01
970	0.56889	2.56E-03	1.5E-03	1.05E-03	1.52E-06	1.24E+00	1.57E-01	2.95E-07	1.0E+06	3.0E-01
971	0.57338	2.56E-03	1.5E-03	1.05E-03	1.53E-06	1.24E+00	1.57E-01	2.98E-07	1.0E+06	3.0E-01
972	0.57748	2.56E-03	1.5E-03	1.05E-03	1.54E-06	1.24E+00	1.57E-01	3.00E-07	1.0E+06	3.0E-01
973	0.58117	2.56E-03	1.5E-03	1.05E-03	1.55E-06	1.24E+00	1.57E-01	3.02E-07	1.0E+06	3.0E-01
974	0.58437	2.56E-03	1.5E-03	1.05E-03	1.56E-06	1.24E+00	1.57E-01	3.03E-07	1.0E+06	3.0E-01
975	0.58718	2.56E-03	1.5E-03	1.05E-03	1.57E-06	1.24E+00	1.57E-01	3.05E-07	1.0E+06	3.0E-01
976	0.35484	2.56E-03	9.1E-04	1.05E-03	9.49E-07	1.24E+00	1.57E-01	1.84E-07	1.0E+06	1.8E-01
977	0.36146	2.56E-03	9.2E-04	1.05E-03	9.67E-07	1.24E+00	1.57E-01	1.88E-07	1.0E+06	1.9E-01
978	0.36833	2.56E-03	9.4E-04	1.05E-03	9.85E-07	1.24E+00	1.57E-01	1.91E-07	1.0E+06	1.9E-01
979	0.37531	2.56E-03	9.6E-04	1.05E-03	1.00E-06	1.24E+00	1.57E-01	1.95E-07	1.0E+06	1.9E-01
980	0.3824	2.56E-03	9.8E-04	1.05E-03	1.02E-06	1.24E+00	1.57E-01	1.99E-07	1.0E+06	2.0E-01
981	0.39827	2.56E-03	1.0E-03	1.05E-03	1.07E-06	1.24E+00	1.57E-01	2.07E-07	1.0E+06	2.1E-01
982	0.41472	2.56E-03	1.1E-03	1.05E-03	1.11E-06	1.24E+00	1.57E-01	2.15E-07	1.0E+06	2.2E-01
983	0.43164	2.56E-03	1.1E-03	1.05E-03	1.15E-06	1.24E+00	1.57E-01	2.24E-07	1.0E+06	2.2E-01
984	0.43928	2.56E-03	1.1E-03	1.05E-03	1.17E-06	1.24E+00	1.57E-01	2.28E-07	1.0E+06	2.3E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	0.44662	2.56E-03	1.1E-03	1.05E-03	1.19E-06	1.24E+00	1.57E-01	2.32E-07	1.0E+06	2.3E-01
986	0.45403	2.56E-03	1.2E-03	1.05E-03	1.21E-06	1.24E+00	1.57E-01	2.36E-07	1.0E+06	2.4E-01
987	0.46153	2.56E-03	1.2E-03	1.05E-03	1.23E-06	1.24E+00	1.57E-01	2.40E-07	1.0E+06	2.4E-01
988	0.46907	2.56E-03	1.2E-03	1.05E-03	1.25E-06	1.24E+00	1.57E-01	2.44E-07	1.0E+06	2.4E-01
989	0.48654	2.56E-03	1.2E-03	1.05E-03	1.30E-06	1.24E+00	1.57E-01	2.53E-07	1.0E+06	2.5E-01
990	0.49461	2.56E-03	1.3E-03	1.05E-03	1.32E-06	1.24E+00	1.57E-01	2.57E-07	1.0E+06	2.6E-01
991	0.50269	2.56E-03	1.3E-03	1.05E-03	1.34E-06	1.24E+00	1.57E-01	2.61E-07	1.0E+06	2.6E-01
992	0.51051	2.56E-03	1.3E-03	1.05E-03	1.37E-06	1.24E+00	1.57E-01	2.65E-07	1.0E+06	2.7E-01
993	0.51811	2.56E-03	1.3E-03	1.05E-03	1.39E-06	1.24E+00	1.57E-01	2.69E-07	1.0E+06	2.7E-01
994	0.52562	2.56E-03	1.3E-03	1.05E-03	1.41E-06	1.24E+00	1.57E-01	2.73E-07	1.0E+06	2.7E-01
995	0.53314	2.56E-03	1.4E-03	1.05E-03	1.43E-06	1.24E+00	1.57E-01	2.77E-07	1.0E+06	2.8E-01
996	0.54054	2.56E-03	1.4E-03	1.05E-03	1.45E-06	1.24E+00	1.57E-01	2.81E-07	1.0E+06	2.8E-01
997	0.54784	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.24E+00	1.57E-01	2.85E-07	1.0E+06	2.8E-01
998	0.55503	2.56E-03	1.4E-03	1.05E-03	1.48E-06	1.24E+00	1.57E-01	2.88E-07	1.0E+06	2.9E-01
999	0.56203	2.56E-03	1.4E-03	1.05E-03	1.50E-06	1.24E+00	1.57E-01	2.92E-07	1.0E+06	2.9E-01
1000	0.56867	2.56E-03	1.5E-03	1.05E-03	1.52E-06	1.24E+00	1.57E-01	2.95E-07	1.0E+06	3.0E-01
1001	0.57507	2.56E-03	1.5E-03	1.05E-03	1.54E-06	1.24E+00	1.57E-01	2.99E-07	1.0E+06	3.0E-01
1002	0.58116	2.56E-03	1.5E-03	1.05E-03	1.55E-06	1.24E+00	1.57E-01	3.02E-07	1.0E+06	3.0E-01
1003	0.58709	2.56E-03	1.5E-03	1.05E-03	1.57E-06	1.24E+00	1.57E-01	3.05E-07	1.0E+06	3.0E-01
1004	0.5924	2.56E-03	1.5E-03	1.05E-03	1.58E-06	1.24E+00	1.57E-01	3.08E-07	1.0E+06	3.1E-01
1005	0.59721	2.56E-03	1.5E-03	1.05E-03	1.60E-06	1.24E+00	1.57E-01	3.10E-07	1.0E+06	3.1E-01
1006	0.6016	2.56E-03	1.5E-03	1.05E-03	1.61E-06	1.24E+00	1.57E-01	3.12E-07	1.0E+06	3.1E-01
1007	0.60559	2.56E-03	1.5E-03	1.05E-03	1.62E-06	1.24E+00	1.57E-01	3.15E-07	1.0E+06	3.1E-01
1008	0.60916	2.56E-03	1.6E-03	1.05E-03	1.63E-06	1.24E+00	1.57E-01	3.16E-07	1.0E+06	3.2E-01
1009	0.61223	2.56E-03	1.6E-03	1.05E-03	1.64E-06	1.24E+00	1.57E-01	3.18E-07	1.0E+06	3.2E-01
1010	0.3658	2.56E-03	9.4E-04	1.05E-03	9.78E-07	1.24E+00	1.57E-01	1.90E-07	1.0E+06	1.9E-01
1011	0.37263	2.56E-03	9.5E-04	1.05E-03	9.97E-07	1.24E+00	1.57E-01	1.94E-07	1.0E+06	1.9E-01
1012	0.37979	2.56E-03	9.7E-04	1.05E-03	1.02E-06	1.24E+00	1.57E-01	1.97E-07	1.0E+06	2.0E-01
1013	0.38714	2.56E-03	9.9E-04	1.05E-03	1.04E-06	1.24E+00	1.57E-01	2.01E-07	1.0E+06	2.0E-01
1014	0.39449	2.56E-03	1.0E-03	1.05E-03	1.06E-06	1.24E+00	1.57E-01	2.05E-07	1.0E+06	2.0E-01
1015	0.411	2.56E-03	1.1E-03	1.05E-03	1.10E-06	1.24E+00	1.57E-01	2.13E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	0.42822	2.56E-03	1.1E-03	1.05E-03	1.15E-06	1.24E+00	1.57E-01	2.22E-07	1.0E+06	2.2E-01
1017	0.44584	2.56E-03	1.1E-03	1.05E-03	1.19E-06	1.24E+00	1.57E-01	2.32E-07	1.0E+06	2.3E-01
1018	0.45398	2.56E-03	1.2E-03	1.05E-03	1.21E-06	1.24E+00	1.57E-01	2.36E-07	1.0E+06	2.4E-01
1019	0.46169	2.56E-03	1.2E-03	1.05E-03	1.23E-06	1.24E+00	1.57E-01	2.40E-07	1.0E+06	2.4E-01
1020	0.4695	2.56E-03	1.2E-03	1.05E-03	1.26E-06	1.24E+00	1.57E-01	2.44E-07	1.0E+06	2.4E-01
1021	0.47734	2.56E-03	1.2E-03	1.05E-03	1.28E-06	1.24E+00	1.57E-01	2.48E-07	1.0E+06	2.5E-01
1022	0.48526	2.56E-03	1.2E-03	1.05E-03	1.30E-06	1.24E+00	1.57E-01	2.52E-07	1.0E+06	2.5E-01
1023	0.50361	2.56E-03	1.3E-03	1.05E-03	1.35E-06	1.24E+00	1.57E-01	2.62E-07	1.0E+06	2.6E-01
1024	0.51233	2.56E-03	1.3E-03	1.05E-03	1.37E-06	1.24E+00	1.57E-01	2.66E-07	1.0E+06	2.7E-01
1025	0.52104	2.56E-03	1.3E-03	1.05E-03	1.39E-06	1.24E+00	1.57E-01	2.71E-07	1.0E+06	2.7E-01
1026	0.52943	2.56E-03	1.4E-03	1.05E-03	1.42E-06	1.24E+00	1.57E-01	2.75E-07	1.0E+06	2.7E-01
1027	0.53756	2.56E-03	1.4E-03	1.05E-03	1.44E-06	1.24E+00	1.57E-01	2.79E-07	1.0E+06	2.8E-01
1028	0.5456	2.56E-03	1.4E-03	1.05E-03	1.46E-06	1.24E+00	1.57E-01	2.83E-07	1.0E+06	2.8E-01
1029	0.55365	2.56E-03	1.4E-03	1.05E-03	1.48E-06	1.24E+00	1.57E-01	2.88E-07	1.0E+06	2.9E-01
1030	0.56158	2.56E-03	1.4E-03	1.05E-03	1.50E-06	1.24E+00	1.57E-01	2.92E-07	1.0E+06	2.9E-01
1031	0.56942	2.56E-03	1.5E-03	1.05E-03	1.52E-06	1.24E+00	1.57E-01	2.96E-07	1.0E+06	3.0E-01
1032	0.57713	2.56E-03	1.5E-03	1.05E-03	1.54E-06	1.24E+00	1.57E-01	3.00E-07	1.0E+06	3.0E-01
1033	0.58462	2.56E-03	1.5E-03	1.05E-03	1.56E-06	1.24E+00	1.57E-01	3.04E-07	1.0E+06	3.0E-01
1034	0.59176	2.56E-03	1.5E-03	1.05E-03	1.58E-06	1.24E+00	1.57E-01	3.07E-07	1.0E+06	3.1E-01
1035	0.59862	2.56E-03	1.5E-03	1.05E-03	1.60E-06	1.24E+00	1.57E-01	3.11E-07	1.0E+06	3.1E-01
1036	0.60526	2.56E-03	1.5E-03	1.05E-03	1.62E-06	1.24E+00	1.57E-01	3.14E-07	1.0E+06	3.1E-01
1037	0.6117	2.56E-03	1.6E-03	1.05E-03	1.64E-06	1.24E+00	1.57E-01	3.18E-07	1.0E+06	3.2E-01
1038	0.61747	2.56E-03	1.6E-03	1.05E-03	1.65E-06	1.24E+00	1.57E-01	3.21E-07	1.0E+06	3.2E-01
1039	0.62263	2.56E-03	1.6E-03	1.05E-03	1.67E-06	1.24E+00	1.57E-01	3.23E-07	1.0E+06	3.2E-01
1040	0.62735	2.56E-03	1.6E-03	1.05E-03	1.68E-06	1.24E+00	1.57E-01	3.26E-07	1.0E+06	3.3E-01
1041	0.63163	2.56E-03	1.6E-03	1.05E-03	1.69E-06	1.24E+00	1.57E-01	3.28E-07	1.0E+06	3.3E-01
1042	0.63547	2.56E-03	1.6E-03	1.05E-03	1.70E-06	1.24E+00	1.57E-01	3.30E-07	1.0E+06	3.3E-01
1043	0.63885	2.56E-03	1.6E-03	1.05E-03	1.71E-06	1.24E+00	1.57E-01	3.32E-07	1.0E+06	3.3E-01
1044	0.37716	2.56E-03	9.7E-04	1.05E-03	1.01E-06	1.24E+00	1.57E-01	1.96E-07	1.0E+06	2.0E-01
1045	0.38426	2.56E-03	9.8E-04	1.05E-03	1.03E-06	1.24E+00	1.57E-01	2.00E-07	1.0E+06	2.0E-01
1046	0.39171	2.56E-03	1.0E-03	1.05E-03	1.05E-06	1.24E+00	1.57E-01	2.03E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	0.39932	2.56E-03	1.0E-03	1.05E-03	1.07E-06	1.24E+00	1.57E-01	2.07E-07	1.0E+06	2.1E-01
1048	0.40699	2.56E-03	1.0E-03	1.05E-03	1.09E-06	1.24E+00	1.57E-01	2.11E-07	1.0E+06	2.1E-01
1049	0.4241	2.56E-03	1.1E-03	1.05E-03	1.13E-06	1.24E+00	1.57E-01	2.20E-07	1.0E+06	2.2E-01
1050	0.43296	2.56E-03	1.1E-03	1.05E-03	1.16E-06	1.24E+00	1.57E-01	2.25E-07	1.0E+06	2.2E-01
1051	0.46055	2.56E-03	1.2E-03	1.05E-03	1.23E-06	1.24E+00	1.57E-01	2.39E-07	1.0E+06	2.4E-01
1052	0.46924	2.56E-03	1.2E-03	1.05E-03	1.26E-06	1.24E+00	1.57E-01	2.44E-07	1.0E+06	2.4E-01
1053	0.4775	2.56E-03	1.2E-03	1.05E-03	1.28E-06	1.24E+00	1.57E-01	2.48E-07	1.0E+06	2.5E-01
1054	0.48586	2.56E-03	1.2E-03	1.05E-03	1.30E-06	1.24E+00	1.57E-01	2.52E-07	1.0E+06	2.5E-01
1055	0.49429	2.56E-03	1.3E-03	1.05E-03	1.32E-06	1.24E+00	1.57E-01	2.57E-07	1.0E+06	2.6E-01
1056	0.50278	2.56E-03	1.3E-03	1.05E-03	1.34E-06	1.24E+00	1.57E-01	2.61E-07	1.0E+06	2.6E-01
1057	0.52191	2.56E-03	1.3E-03	1.05E-03	1.40E-06	1.24E+00	1.57E-01	2.71E-07	1.0E+06	2.7E-01
1058	0.53117	2.56E-03	1.4E-03	1.05E-03	1.42E-06	1.24E+00	1.57E-01	2.76E-07	1.0E+06	2.8E-01
1059	0.54046	2.56E-03	1.4E-03	1.05E-03	1.45E-06	1.24E+00	1.57E-01	2.81E-07	1.0E+06	2.8E-01
1060	0.54947	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.24E+00	1.57E-01	2.85E-07	1.0E+06	2.9E-01
1061	0.55822	2.56E-03	1.4E-03	1.05E-03	1.49E-06	1.24E+00	1.57E-01	2.90E-07	1.0E+06	2.9E-01
1062	0.56688	2.56E-03	1.5E-03	1.05E-03	1.52E-06	1.24E+00	1.57E-01	2.94E-07	1.0E+06	2.9E-01
1063	0.57549	2.56E-03	1.5E-03	1.05E-03	1.54E-06	1.24E+00	1.57E-01	2.99E-07	1.0E+06	3.0E-01
1064	0.58398	2.56E-03	1.5E-03	1.05E-03	1.56E-06	1.24E+00	1.57E-01	3.03E-07	1.0E+06	3.0E-01
1065	0.59236	2.56E-03	1.5E-03	1.05E-03	1.58E-06	1.24E+00	1.57E-01	3.08E-07	1.0E+06	3.1E-01
1066	0.60063	2.56E-03	1.5E-03	1.05E-03	1.61E-06	1.24E+00	1.57E-01	3.12E-07	1.0E+06	3.1E-01
1067	0.60868	2.56E-03	1.6E-03	1.05E-03	1.63E-06	1.24E+00	1.57E-01	3.16E-07	1.0E+06	3.2E-01
1068	0.6164	2.56E-03	1.6E-03	1.05E-03	1.65E-06	1.24E+00	1.57E-01	3.20E-07	1.0E+06	3.2E-01
1069	0.62385	2.56E-03	1.6E-03	1.05E-03	1.67E-06	1.24E+00	1.57E-01	3.24E-07	1.0E+06	3.2E-01
1070	0.63105	2.56E-03	1.6E-03	1.05E-03	1.69E-06	1.24E+00	1.57E-01	3.28E-07	1.0E+06	3.3E-01
1071	0.63802	2.56E-03	1.6E-03	1.05E-03	1.71E-06	1.24E+00	1.57E-01	3.31E-07	1.0E+06	3.3E-01
1072	0.64425	2.56E-03	1.6E-03	1.05E-03	1.72E-06	1.24E+00	1.57E-01	3.35E-07	1.0E+06	3.3E-01
1073	0.64981	2.56E-03	1.7E-03	1.05E-03	1.74E-06	1.24E+00	1.57E-01	3.37E-07	1.0E+06	3.4E-01
1074	0.65489	2.56E-03	1.7E-03	1.05E-03	1.75E-06	1.24E+00	1.57E-01	3.40E-07	1.0E+06	3.4E-01
1075	0.65949	2.56E-03	1.7E-03	1.05E-03	1.76E-06	1.24E+00	1.57E-01	3.43E-07	1.0E+06	3.4E-01
1076	0.6636	2.56E-03	1.7E-03	1.05E-03	1.77E-06	1.24E+00	1.57E-01	3.45E-07	1.0E+06	3.4E-01
1077	0.66721	2.56E-03	1.7E-03	1.05E-03	1.78E-06	1.24E+00	1.57E-01	3.47E-07	1.0E+06	3.5E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	0.38907	2.56E-03	1.0E-03	1.05E-03	1.04E-06	1.24E+00	1.57E-01	2.02E-07	1.0E+06	2.0E-01
1079	0.39644	2.56E-03	1.0E-03	1.05E-03	1.06E-06	1.24E+00	1.57E-01	2.06E-07	1.0E+06	2.1E-01
1080	0.40418	2.56E-03	1.0E-03	1.05E-03	1.08E-06	1.24E+00	1.57E-01	2.10E-07	1.0E+06	2.1E-01
1081	0.41213	2.56E-03	1.1E-03	1.05E-03	1.10E-06	1.24E+00	1.57E-01	2.14E-07	1.0E+06	2.1E-01
1082	0.42008	2.56E-03	1.1E-03	1.05E-03	1.12E-06	1.24E+00	1.57E-01	2.18E-07	1.0E+06	2.2E-01
1083	0.43788	2.56E-03	1.1E-03	1.05E-03	1.17E-06	1.24E+00	1.57E-01	2.27E-07	1.0E+06	2.3E-01
1084	0.44723	2.56E-03	1.1E-03	1.05E-03	1.20E-06	1.24E+00	1.57E-01	2.32E-07	1.0E+06	2.3E-01
1085	0.476	2.56E-03	1.2E-03	1.05E-03	1.27E-06	1.24E+00	1.57E-01	2.47E-07	1.0E+06	2.5E-01
1086	0.48532	2.56E-03	1.2E-03	1.05E-03	1.30E-06	1.24E+00	1.57E-01	2.52E-07	1.0E+06	2.5E-01
1087	0.49415	2.56E-03	1.3E-03	1.05E-03	1.32E-06	1.24E+00	1.57E-01	2.57E-07	1.0E+06	2.6E-01
1088	0.50309	2.56E-03	1.3E-03	1.05E-03	1.35E-06	1.24E+00	1.57E-01	2.61E-07	1.0E+06	2.6E-01
1089	0.51216	2.56E-03	1.3E-03	1.05E-03	1.37E-06	1.24E+00	1.57E-01	2.66E-07	1.0E+06	2.7E-01
1090	0.53186	2.56E-03	1.4E-03	1.05E-03	1.42E-06	1.24E+00	1.57E-01	2.76E-07	1.0E+06	2.8E-01
1091	0.54123	2.56E-03	1.4E-03	1.05E-03	1.45E-06	1.24E+00	1.57E-01	2.81E-07	1.0E+06	2.8E-01
1092	0.55112	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.24E+00	1.57E-01	2.86E-07	1.0E+06	2.9E-01
1093	0.56103	2.56E-03	1.4E-03	1.05E-03	1.50E-06	1.24E+00	1.57E-01	2.91E-07	1.0E+06	2.9E-01
1094	0.57068	2.56E-03	1.5E-03	1.05E-03	1.53E-06	1.24E+00	1.57E-01	2.96E-07	1.0E+06	3.0E-01
1095	0.58013	2.56E-03	1.5E-03	1.05E-03	1.55E-06	1.24E+00	1.57E-01	3.01E-07	1.0E+06	3.0E-01
1096	0.58949	2.56E-03	1.5E-03	1.05E-03	1.58E-06	1.24E+00	1.57E-01	3.06E-07	1.0E+06	3.1E-01
1097	0.59872	2.56E-03	1.5E-03	1.05E-03	1.60E-06	1.24E+00	1.57E-01	3.11E-07	1.0E+06	3.1E-01
1098	0.6078	2.56E-03	1.6E-03	1.05E-03	1.63E-06	1.24E+00	1.57E-01	3.16E-07	1.0E+06	3.2E-01
1099	0.61678	2.56E-03	1.6E-03	1.05E-03	1.65E-06	1.24E+00	1.57E-01	3.20E-07	1.0E+06	3.2E-01
1100	0.62566	2.56E-03	1.6E-03	1.05E-03	1.67E-06	1.24E+00	1.57E-01	3.25E-07	1.0E+06	3.2E-01
1101	0.63429	2.56E-03	1.6E-03	1.05E-03	1.70E-06	1.24E+00	1.57E-01	3.29E-07	1.0E+06	3.3E-01
1102	0.64269	2.56E-03	1.6E-03	1.05E-03	1.72E-06	1.24E+00	1.57E-01	3.34E-07	1.0E+06	3.3E-01
1103	0.65078	2.56E-03	1.7E-03	1.05E-03	1.74E-06	1.24E+00	1.57E-01	3.38E-07	1.0E+06	3.4E-01
1104	0.65861	2.56E-03	1.7E-03	1.05E-03	1.76E-06	1.24E+00	1.57E-01	3.42E-07	1.0E+06	3.4E-01
1105	0.66617	2.56E-03	1.7E-03	1.05E-03	1.78E-06	1.24E+00	1.57E-01	3.46E-07	1.0E+06	3.5E-01
1106	0.6729	2.56E-03	1.7E-03	1.05E-03	1.80E-06	1.24E+00	1.57E-01	3.49E-07	1.0E+06	3.5E-01
1107	0.6789	2.56E-03	1.7E-03	1.05E-03	1.82E-06	1.24E+00	1.57E-01	3.53E-07	1.0E+06	3.5E-01
1108	0.68438	2.56E-03	1.8E-03	1.05E-03	1.83E-06	1.24E+00	1.57E-01	3.55E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	0.68932	2.56E-03	1.8E-03	1.05E-03	1.84E-06	1.24E+00	1.57E-01	3.58E-07	1.0E+06	3.6E-01
1110	0.69374	2.56E-03	1.8E-03	1.05E-03	1.86E-06	1.24E+00	1.57E-01	3.60E-07	1.0E+06	3.6E-01
1111	0.6976	2.56E-03	1.8E-03	1.05E-03	1.87E-06	1.24E+00	1.57E-01	3.62E-07	1.0E+06	3.6E-01
1112	0.40168	2.56E-03	1.0E-03	1.05E-03	1.07E-06	1.24E+00	1.57E-01	2.09E-07	1.0E+06	2.1E-01
1113	0.40928	2.56E-03	1.0E-03	1.05E-03	1.09E-06	1.24E+00	1.57E-01	2.13E-07	1.0E+06	2.1E-01
1114	0.41734	2.56E-03	1.1E-03	1.05E-03	1.12E-06	1.24E+00	1.57E-01	2.17E-07	1.0E+06	2.2E-01
1115	0.42564	2.56E-03	1.1E-03	1.05E-03	1.14E-06	1.24E+00	1.57E-01	2.21E-07	1.0E+06	2.2E-01
1116	0.43396	2.56E-03	1.1E-03	1.05E-03	1.16E-06	1.24E+00	1.57E-01	2.25E-07	1.0E+06	2.3E-01
1117	0.44259	2.56E-03	1.1E-03	1.05E-03	1.18E-06	1.24E+00	1.57E-01	2.30E-07	1.0E+06	2.3E-01
1118	0.46226	2.56E-03	1.2E-03	1.05E-03	1.24E-06	1.24E+00	1.57E-01	2.40E-07	1.0E+06	2.4E-01
1119	0.49221	2.56E-03	1.3E-03	1.05E-03	1.32E-06	1.24E+00	1.57E-01	2.56E-07	1.0E+06	2.6E-01
1120	0.50218	2.56E-03	1.3E-03	1.05E-03	1.34E-06	1.24E+00	1.57E-01	2.61E-07	1.0E+06	2.6E-01
1121	0.51162	2.56E-03	1.3E-03	1.05E-03	1.37E-06	1.24E+00	1.57E-01	2.66E-07	1.0E+06	2.7E-01
1122	0.52123	2.56E-03	1.3E-03	1.05E-03	1.39E-06	1.24E+00	1.57E-01	2.71E-07	1.0E+06	2.7E-01
1123	0.53099	2.56E-03	1.4E-03	1.05E-03	1.42E-06	1.24E+00	1.57E-01	2.76E-07	1.0E+06	2.8E-01
1124	0.55158	2.56E-03	1.4E-03	1.05E-03	1.48E-06	1.24E+00	1.57E-01	2.86E-07	1.0E+06	2.9E-01
1125	0.56164	2.56E-03	1.4E-03	1.05E-03	1.50E-06	1.24E+00	1.57E-01	2.92E-07	1.0E+06	2.9E-01
1126	0.5722	2.56E-03	1.5E-03	1.05E-03	1.53E-06	1.24E+00	1.57E-01	2.97E-07	1.0E+06	3.0E-01
1127	0.58278	2.56E-03	1.5E-03	1.05E-03	1.56E-06	1.24E+00	1.57E-01	3.03E-07	1.0E+06	3.0E-01
1128	0.59318	2.56E-03	1.5E-03	1.05E-03	1.59E-06	1.24E+00	1.57E-01	3.08E-07	1.0E+06	3.1E-01
1129	0.60334	2.56E-03	1.5E-03	1.05E-03	1.61E-06	1.24E+00	1.57E-01	3.13E-07	1.0E+06	3.1E-01
1130	0.61347	2.56E-03	1.6E-03	1.05E-03	1.64E-06	1.24E+00	1.57E-01	3.19E-07	1.0E+06	3.2E-01
1131	0.6234	2.56E-03	1.6E-03	1.05E-03	1.67E-06	1.24E+00	1.57E-01	3.24E-07	1.0E+06	3.2E-01
1132	0.63318	2.56E-03	1.6E-03	1.05E-03	1.69E-06	1.24E+00	1.57E-01	3.29E-07	1.0E+06	3.3E-01
1133	0.64286	2.56E-03	1.6E-03	1.05E-03	1.72E-06	1.24E+00	1.57E-01	3.34E-07	1.0E+06	3.3E-01
1134	0.65241	2.56E-03	1.7E-03	1.05E-03	1.75E-06	1.24E+00	1.57E-01	3.39E-07	1.0E+06	3.4E-01
1135	0.66174	2.56E-03	1.7E-03	1.05E-03	1.77E-06	1.24E+00	1.57E-01	3.44E-07	1.0E+06	3.4E-01
1136	0.67087	2.56E-03	1.7E-03	1.05E-03	1.79E-06	1.24E+00	1.57E-01	3.48E-07	1.0E+06	3.5E-01
1137	0.67969	2.56E-03	1.7E-03	1.05E-03	1.82E-06	1.24E+00	1.57E-01	3.53E-07	1.0E+06	3.5E-01
1138	0.68818	2.56E-03	1.8E-03	1.05E-03	1.84E-06	1.24E+00	1.57E-01	3.57E-07	1.0E+06	3.6E-01
1139	0.69636	2.56E-03	1.8E-03	1.05E-03	1.86E-06	1.24E+00	1.57E-01	3.62E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	0.70361	2.56E-03	1.8E-03	1.05E-03	1.88E-06	1.24E+00	1.57E-01	3.65E-07	1.0E+06	3.7E-01
1141	0.7101	2.56E-03	1.8E-03	1.05E-03	1.90E-06	1.24E+00	1.57E-01	3.69E-07	1.0E+06	3.7E-01
1142	0.71601	2.56E-03	1.8E-03	1.05E-03	1.92E-06	1.24E+00	1.57E-01	3.72E-07	1.0E+06	3.7E-01
1143	0.72134	2.56E-03	1.8E-03	1.05E-03	1.93E-06	1.24E+00	1.57E-01	3.75E-07	1.0E+06	3.7E-01
1144	0.72609	2.56E-03	1.9E-03	1.05E-03	1.94E-06	1.24E+00	1.57E-01	3.77E-07	1.0E+06	3.8E-01
1145	0.73018	2.56E-03	1.9E-03	1.05E-03	1.95E-06	1.24E+00	1.57E-01	3.79E-07	1.0E+06	3.8E-01
1146	0.41497	2.56E-03	1.1E-03	1.05E-03	1.11E-06	1.24E+00	1.57E-01	2.16E-07	1.0E+06	2.2E-01
1147	0.42283	2.56E-03	1.1E-03	1.05E-03	1.13E-06	1.24E+00	1.57E-01	2.20E-07	1.0E+06	2.2E-01
1148	0.43115	2.56E-03	1.1E-03	1.05E-03	1.15E-06	1.24E+00	1.57E-01	2.24E-07	1.0E+06	2.2E-01
1149	0.43975	2.56E-03	1.1E-03	1.05E-03	1.18E-06	1.24E+00	1.57E-01	2.28E-07	1.0E+06	2.3E-01
1150	0.44861	2.56E-03	1.1E-03	1.05E-03	1.20E-06	1.24E+00	1.57E-01	2.33E-07	1.0E+06	2.3E-01
1151	0.45773	2.56E-03	1.2E-03	1.05E-03	1.22E-06	1.24E+00	1.57E-01	2.38E-07	1.0E+06	2.4E-01
1152	0.47797	2.56E-03	1.2E-03	1.05E-03	1.28E-06	1.24E+00	1.57E-01	2.48E-07	1.0E+06	2.5E-01
1153	0.49863	2.56E-03	1.3E-03	1.05E-03	1.33E-06	1.24E+00	1.57E-01	2.59E-07	1.0E+06	2.6E-01
1154	0.51951	2.56E-03	1.3E-03	1.05E-03	1.39E-06	1.24E+00	1.57E-01	2.70E-07	1.0E+06	2.7E-01
1155	0.52974	2.56E-03	1.4E-03	1.05E-03	1.42E-06	1.24E+00	1.57E-01	2.75E-07	1.0E+06	2.8E-01
1156	0.54014	2.56E-03	1.4E-03	1.05E-03	1.44E-06	1.24E+00	1.57E-01	2.81E-07	1.0E+06	2.8E-01
1157	0.55068	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.24E+00	1.57E-01	2.86E-07	1.0E+06	2.9E-01
1158	0.57238	2.56E-03	1.5E-03	1.05E-03	1.53E-06	1.24E+00	1.57E-01	2.97E-07	1.0E+06	3.0E-01
1159	0.58325	2.56E-03	1.5E-03	1.05E-03	1.56E-06	1.24E+00	1.57E-01	3.03E-07	1.0E+06	3.0E-01
1160	0.59449	2.56E-03	1.5E-03	1.05E-03	1.59E-06	1.24E+00	1.57E-01	3.09E-07	1.0E+06	3.1E-01
1161	0.60576	2.56E-03	1.6E-03	1.05E-03	1.62E-06	1.24E+00	1.57E-01	3.15E-07	1.0E+06	3.1E-01
1162	0.61693	2.56E-03	1.6E-03	1.05E-03	1.65E-06	1.24E+00	1.57E-01	3.20E-07	1.0E+06	3.2E-01
1163	0.62794	2.56E-03	1.6E-03	1.05E-03	1.68E-06	1.24E+00	1.57E-01	3.26E-07	1.0E+06	3.3E-01
1164	0.63889	2.56E-03	1.6E-03	1.05E-03	1.71E-06	1.24E+00	1.57E-01	3.32E-07	1.0E+06	3.3E-01
1165	0.64964	2.56E-03	1.7E-03	1.05E-03	1.74E-06	1.24E+00	1.57E-01	3.37E-07	1.0E+06	3.4E-01
1166	0.66024	2.56E-03	1.7E-03	1.05E-03	1.77E-06	1.24E+00	1.57E-01	3.43E-07	1.0E+06	3.4E-01
1167	0.67074	2.56E-03	1.7E-03	1.05E-03	1.79E-06	1.24E+00	1.57E-01	3.48E-07	1.0E+06	3.5E-01
1168	0.68114	2.56E-03	1.7E-03	1.05E-03	1.82E-06	1.24E+00	1.57E-01	3.54E-07	1.0E+06	3.5E-01
1169	0.69131	2.56E-03	1.8E-03	1.05E-03	1.85E-06	1.24E+00	1.57E-01	3.59E-07	1.0E+06	3.6E-01
1170	0.70124	2.56E-03	1.8E-03	1.05E-03	1.88E-06	1.24E+00	1.57E-01	3.64E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	0.71084	2.56E-03	1.8E-03	1.05E-03	1.90E-06	1.24E+00	1.57E-01	3.69E-07	1.0E+06	3.7E-01
1172	0.72003	2.56E-03	1.8E-03	1.05E-03	1.93E-06	1.24E+00	1.57E-01	3.74E-07	1.0E+06	3.7E-01
1173	0.72878	2.56E-03	1.9E-03	1.05E-03	1.95E-06	1.24E+00	1.57E-01	3.78E-07	1.0E+06	3.8E-01
1174	0.73658	2.56E-03	1.9E-03	1.05E-03	1.97E-06	1.24E+00	1.57E-01	3.83E-07	1.0E+06	3.8E-01
1175	0.74362	2.56E-03	1.9E-03	1.05E-03	1.99E-06	1.24E+00	1.57E-01	3.86E-07	1.0E+06	3.9E-01
1176	0.75	2.56E-03	1.9E-03	1.05E-03	2.01E-06	1.24E+00	1.57E-01	3.90E-07	1.0E+06	3.9E-01
1177	0.75576	2.56E-03	1.9E-03	1.05E-03	2.02E-06	1.24E+00	1.57E-01	3.92E-07	1.0E+06	3.9E-01
1178	0.76079	2.56E-03	1.9E-03	1.05E-03	2.03E-06	1.24E+00	1.57E-01	3.95E-07	1.0E+06	4.0E-01
1179	0.76512	2.56E-03	2.0E-03	1.05E-03	2.05E-06	1.24E+00	1.57E-01	3.97E-07	1.0E+06	4.0E-01
1180	0.42895	2.56E-03	1.1E-03	1.05E-03	1.15E-06	1.24E+00	1.57E-01	2.23E-07	1.0E+06	2.2E-01
1181	0.43714	2.56E-03	1.1E-03	1.05E-03	1.17E-06	1.24E+00	1.57E-01	2.27E-07	1.0E+06	2.3E-01
1182	0.44575	2.56E-03	1.1E-03	1.05E-03	1.19E-06	1.24E+00	1.57E-01	2.31E-07	1.0E+06	2.3E-01
1183	0.45472	2.56E-03	1.2E-03	1.05E-03	1.22E-06	1.24E+00	1.57E-01	2.36E-07	1.0E+06	2.4E-01
1184	0.46409	2.56E-03	1.2E-03	1.05E-03	1.24E-06	1.24E+00	1.57E-01	2.41E-07	1.0E+06	2.4E-01
1185	0.47381	2.56E-03	1.2E-03	1.05E-03	1.27E-06	1.24E+00	1.57E-01	2.46E-07	1.0E+06	2.5E-01
1186	0.49463	2.56E-03	1.3E-03	1.05E-03	1.32E-06	1.24E+00	1.57E-01	2.57E-07	1.0E+06	2.6E-01
1187	0.50561	2.56E-03	1.3E-03	1.05E-03	1.35E-06	1.24E+00	1.57E-01	2.63E-07	1.0E+06	2.6E-01
1188	0.53776	2.56E-03	1.4E-03	1.05E-03	1.44E-06	1.24E+00	1.57E-01	2.79E-07	1.0E+06	2.8E-01
1189	0.54882	2.56E-03	1.4E-03	1.05E-03	1.47E-06	1.24E+00	1.57E-01	2.85E-07	1.0E+06	2.9E-01
1190	0.56007	2.56E-03	1.4E-03	1.05E-03	1.50E-06	1.24E+00	1.57E-01	2.91E-07	1.0E+06	2.9E-01
1191	0.5715	2.56E-03	1.5E-03	1.05E-03	1.53E-06	1.24E+00	1.57E-01	2.97E-07	1.0E+06	3.0E-01
1192	0.59439	2.56E-03	1.5E-03	1.05E-03	1.59E-06	1.24E+00	1.57E-01	3.09E-07	1.0E+06	3.1E-01
1193	0.60613	2.56E-03	1.6E-03	1.05E-03	1.62E-06	1.24E+00	1.57E-01	3.15E-07	1.0E+06	3.1E-01
1194	0.6181	2.56E-03	1.6E-03	1.05E-03	1.65E-06	1.24E+00	1.57E-01	3.21E-07	1.0E+06	3.2E-01
1195	0.63016	2.56E-03	1.6E-03	1.05E-03	1.69E-06	1.24E+00	1.57E-01	3.27E-07	1.0E+06	3.3E-01
1196	0.64215	2.56E-03	1.6E-03	1.05E-03	1.72E-06	1.24E+00	1.57E-01	3.33E-07	1.0E+06	3.3E-01
1197	0.65407	2.56E-03	1.7E-03	1.05E-03	1.75E-06	1.24E+00	1.57E-01	3.40E-07	1.0E+06	3.4E-01
1198	0.66596	2.56E-03	1.7E-03	1.05E-03	1.78E-06	1.24E+00	1.57E-01	3.46E-07	1.0E+06	3.5E-01
1199	0.67762	2.56E-03	1.7E-03	1.05E-03	1.81E-06	1.24E+00	1.57E-01	3.52E-07	1.0E+06	3.5E-01
1200	0.68916	2.56E-03	1.8E-03	1.05E-03	1.84E-06	1.24E+00	1.57E-01	3.58E-07	1.0E+06	3.6E-01
1201	0.70057	2.56E-03	1.8E-03	1.05E-03	1.87E-06	1.24E+00	1.57E-01	3.64E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	0.71191	2.56E-03	1.8E-03	1.05E-03	1.90E-06	1.24E+00	1.57E-01	3.70E-07	1.0E+06	3.7E-01
1203	0.72296	2.56E-03	1.9E-03	1.05E-03	1.93E-06	1.24E+00	1.57E-01	3.75E-07	1.0E+06	3.8E-01
1204	0.73382	2.56E-03	1.9E-03	1.05E-03	1.96E-06	1.24E+00	1.57E-01	3.81E-07	1.0E+06	3.8E-01
1205	0.74432	2.56E-03	1.9E-03	1.05E-03	1.99E-06	1.24E+00	1.57E-01	3.87E-07	1.0E+06	3.9E-01
1206	0.75425	2.56E-03	1.9E-03	1.05E-03	2.02E-06	1.24E+00	1.57E-01	3.92E-07	1.0E+06	3.9E-01
1207	0.76364	2.56E-03	2.0E-03	1.05E-03	2.04E-06	1.24E+00	1.57E-01	3.97E-07	1.0E+06	4.0E-01
1208	0.77204	2.56E-03	2.0E-03	1.05E-03	2.06E-06	1.24E+00	1.57E-01	4.01E-07	1.0E+06	4.0E-01
1209	0.77968	2.56E-03	2.0E-03	1.05E-03	2.09E-06	1.24E+00	1.57E-01	4.05E-07	1.0E+06	4.0E-01
1210	0.7866	2.56E-03	2.0E-03	1.05E-03	2.10E-06	1.24E+00	1.57E-01	4.09E-07	1.0E+06	4.1E-01
1211	0.7928	2.56E-03	2.0E-03	1.05E-03	2.12E-06	1.24E+00	1.57E-01	4.12E-07	1.0E+06	4.1E-01
1212	0.79815	2.56E-03	2.0E-03	1.05E-03	2.13E-06	1.24E+00	1.57E-01	4.15E-07	1.0E+06	4.1E-01
1213	0.80274	2.56E-03	2.1E-03	1.05E-03	2.15E-06	1.24E+00	1.57E-01	4.17E-07	1.0E+06	4.2E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.28407	4.83528E-06	1.4E-06	1.05E-03	1.44E-09	1.24E+00	1.57E-01	2.79E-10	1.0E+06	2.8E-04
893	893	0.288	4.83528E-06	1.4E-06	1.05E-03	1.46E-09	1.24E+00	1.57E-01	2.83E-10	1.0E+06	2.8E-04
894	894	0.29073	4.83528E-06	1.4E-06	1.05E-03	1.47E-09	1.24E+00	1.57E-01	2.85E-10	1.0E+06	2.9E-04
895	895	0.29343	4.83528E-06	1.4E-06	1.05E-03	1.48E-09	1.24E+00	1.57E-01	2.88E-10	1.0E+06	2.9E-04
896	896	0.29609	4.83528E-06	1.4E-06	1.05E-03	1.50E-09	1.24E+00	1.57E-01	2.91E-10	1.0E+06	2.9E-04
897	897	0.29866	4.83528E-06	1.4E-06	1.05E-03	1.51E-09	1.24E+00	1.57E-01	2.93E-10	1.0E+06	2.9E-04
898	898	0.30117	4.83528E-06	1.5E-06	1.05E-03	1.52E-09	1.24E+00	1.57E-01	2.96E-10	1.0E+06	3.0E-04
899	899	0.30356	4.83528E-06	1.5E-06	1.05E-03	1.53E-09	1.24E+00	1.57E-01	2.98E-10	1.0E+06	3.0E-04
900	900	0.3058	4.83528E-06	1.5E-06	1.05E-03	1.55E-09	1.24E+00	1.57E-01	3.00E-10	1.0E+06	3.0E-04
901	901	0.30796	4.83528E-06	1.5E-06	1.05E-03	1.56E-09	1.24E+00	1.57E-01	3.02E-10	1.0E+06	3.0E-04
902	902	0.31017	4.83528E-06	1.5E-06	1.05E-03	1.57E-09	1.24E+00	1.57E-01	3.04E-10	1.0E+06	3.0E-04
903	903	0.31234	4.83528E-06	1.5E-06	1.05E-03	1.58E-09	1.24E+00	1.57E-01	3.06E-10	1.0E+06	3.1E-04
904	904	0.31438	4.83528E-06	1.5E-06	1.05E-03	1.59E-09	1.24E+00	1.57E-01	3.09E-10	1.0E+06	3.1E-04
905	905	0.31618	4.83528E-06	1.5E-06	1.05E-03	1.60E-09	1.24E+00	1.57E-01	3.10E-10	1.0E+06	3.1E-04
906	906	0.3178	4.83528E-06	1.5E-06	1.05E-03	1.61E-09	1.24E+00	1.57E-01	3.12E-10	1.0E+06	3.1E-04
907	907	0.31923	4.83528E-06	1.5E-06	1.05E-03	1.61E-09	1.24E+00	1.57E-01	3.13E-10	1.0E+06	3.1E-04
908	908	0.20742	4.83528E-06	1.0E-06	1.05E-03	1.05E-09	1.24E+00	1.57E-01	2.04E-10	1.0E+06	2.0E-04
909	909	0.2103	4.83528E-06	1.0E-06	1.05E-03	1.06E-09	1.24E+00	1.57E-01	2.06E-10	1.0E+06	2.1E-04
910	910	0.21332	4.83528E-06	1.0E-06	1.05E-03	1.08E-09	1.24E+00	1.57E-01	2.09E-10	1.0E+06	2.1E-04
911	911	0.21629	4.83528E-06	1.0E-06	1.05E-03	1.09E-09	1.24E+00	1.57E-01	2.12E-10	1.0E+06	2.1E-04
912	912	0.21928	4.83528E-06	1.1E-06	1.05E-03	1.11E-09	1.24E+00	1.57E-01	2.15E-10	1.0E+06	2.2E-04
913	913	0.22236	4.83528E-06	1.1E-06	1.05E-03	1.12E-09	1.24E+00	1.57E-01	2.18E-10	1.0E+06	2.2E-04
914	914	0.22549	4.83528E-06	1.1E-06	1.05E-03	1.14E-09	1.24E+00	1.57E-01	2.21E-10	1.0E+06	2.2E-04
915	915	0.22875	4.83528E-06	1.1E-06	1.05E-03	1.16E-09	1.24E+00	1.57E-01	2.24E-10	1.0E+06	2.2E-04
916	916	0.23202	4.83528E-06	1.1E-06	1.05E-03	1.17E-09	1.24E+00	1.57E-01	2.28E-10	1.0E+06	2.3E-04
917	917	0.2353	4.83528E-06	1.1E-06	1.05E-03	1.19E-09	1.24E+00	1.57E-01	2.31E-10	1.0E+06	2.3E-04
918	918	0.23864	4.83528E-06	1.2E-06	1.05E-03	1.21E-09	1.24E+00	1.57E-01	2.34E-10	1.0E+06	2.3E-04
919	919	0.24209	4.83528E-06	1.2E-06	1.05E-03	1.22E-09	1.24E+00	1.57E-01	2.38E-10	1.0E+06	2.4E-04
920	920	0.24866	4.83528E-06	1.2E-06	1.05E-03	1.26E-09	1.24E+00	1.57E-01	2.44E-10	1.0E+06	2.4E-04
921	921	0.25763	4.83528E-06	1.2E-06	1.05E-03	1.30E-09	1.24E+00	1.57E-01	2.53E-10	1.0E+06	2.5E-04
922	922	0.26356	4.83528E-06	1.3E-06	1.05E-03	1.33E-09	1.24E+00	1.57E-01	2.59E-10	1.0E+06	2.6E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.27132	4.83528E-06	1.3E-06	1.05E-03	1.37E-09	1.24E+00	1.57E-01	2.66E-10	1.0E+06	2.7E-04
924	924	0.27833	4.83528E-06	1.3E-06	1.05E-03	1.41E-09	1.24E+00	1.57E-01	2.73E-10	1.0E+06	2.7E-04
925	925	0.28313	4.83528E-06	1.4E-06	1.05E-03	1.43E-09	1.24E+00	1.57E-01	2.78E-10	1.0E+06	2.8E-04
926	926	0.28903	4.83528E-06	1.4E-06	1.05E-03	1.46E-09	1.24E+00	1.57E-01	2.84E-10	1.0E+06	2.8E-04
927	927	0.29201	4.83528E-06	1.4E-06	1.05E-03	1.48E-09	1.24E+00	1.57E-01	2.87E-10	1.0E+06	2.9E-04
928	928	0.2961	4.83528E-06	1.4E-06	1.05E-03	1.50E-09	1.24E+00	1.57E-01	2.91E-10	1.0E+06	2.9E-04
929	929	0.29897	4.83528E-06	1.4E-06	1.05E-03	1.51E-09	1.24E+00	1.57E-01	2.93E-10	1.0E+06	2.9E-04
930	930	0.30183	4.83528E-06	1.5E-06	1.05E-03	1.53E-09	1.24E+00	1.57E-01	2.96E-10	1.0E+06	3.0E-04
931	931	0.30461	4.83528E-06	1.5E-06	1.05E-03	1.54E-09	1.24E+00	1.57E-01	2.99E-10	1.0E+06	3.0E-04
932	932	0.30731	4.83528E-06	1.5E-06	1.05E-03	1.55E-09	1.24E+00	1.57E-01	3.02E-10	1.0E+06	3.0E-04
933	933	0.30992	4.83528E-06	1.5E-06	1.05E-03	1.57E-09	1.24E+00	1.57E-01	3.04E-10	1.0E+06	3.0E-04
934	934	0.31245	4.83528E-06	1.5E-06	1.05E-03	1.58E-09	1.24E+00	1.57E-01	3.07E-10	1.0E+06	3.1E-04
935	935	0.31487	4.83528E-06	1.5E-06	1.05E-03	1.59E-09	1.24E+00	1.57E-01	3.09E-10	1.0E+06	3.1E-04
936	936	0.3172	4.83528E-06	1.5E-06	1.05E-03	1.60E-09	1.24E+00	1.57E-01	3.11E-10	1.0E+06	3.1E-04
937	937	0.31953	4.83528E-06	1.5E-06	1.05E-03	1.61E-09	1.24E+00	1.57E-01	3.14E-10	1.0E+06	3.1E-04
938	938	0.3218	4.83528E-06	1.6E-06	1.05E-03	1.63E-09	1.24E+00	1.57E-01	3.16E-10	1.0E+06	3.2E-04
939	939	0.32396	4.83528E-06	1.6E-06	1.05E-03	1.64E-09	1.24E+00	1.57E-01	3.18E-10	1.0E+06	3.2E-04
940	940	0.32588	4.83528E-06	1.6E-06	1.05E-03	1.65E-09	1.24E+00	1.57E-01	3.20E-10	1.0E+06	3.2E-04
941	941	0.32762	4.83528E-06	1.6E-06	1.05E-03	1.66E-09	1.24E+00	1.57E-01	3.21E-10	1.0E+06	3.2E-04
942	942	0.21236	4.83528E-06	1.0E-06	1.05E-03	1.07E-09	1.24E+00	1.57E-01	2.08E-10	1.0E+06	2.1E-04
943	943	0.21534	4.83528E-06	1.0E-06	1.05E-03	1.09E-09	1.24E+00	1.57E-01	2.11E-10	1.0E+06	2.1E-04
944	944	0.2184	4.83528E-06	1.1E-06	1.05E-03	1.10E-09	1.24E+00	1.57E-01	2.14E-10	1.0E+06	2.1E-04
945	945	0.2215	4.83528E-06	1.1E-06	1.05E-03	1.12E-09	1.24E+00	1.57E-01	2.17E-10	1.0E+06	2.2E-04
946	946	0.22459	4.83528E-06	1.1E-06	1.05E-03	1.14E-09	1.24E+00	1.57E-01	2.20E-10	1.0E+06	2.2E-04
947	947	0.22778	4.83528E-06	1.1E-06	1.05E-03	1.15E-09	1.24E+00	1.57E-01	2.24E-10	1.0E+06	2.2E-04
948	948	0.2312	4.83528E-06	1.1E-06	1.05E-03	1.17E-09	1.24E+00	1.57E-01	2.27E-10	1.0E+06	2.3E-04
949	949	0.23471	4.83528E-06	1.1E-06	1.05E-03	1.19E-09	1.24E+00	1.57E-01	2.30E-10	1.0E+06	2.3E-04
950	950	0.23821	4.83528E-06	1.2E-06	1.05E-03	1.20E-09	1.24E+00	1.57E-01	2.34E-10	1.0E+06	2.3E-04
951	951	0.24141	4.83528E-06	1.2E-06	1.05E-03	1.22E-09	1.24E+00	1.57E-01	2.37E-10	1.0E+06	2.4E-04
952	952	0.24471	4.83528E-06	1.2E-06	1.05E-03	1.24E-09	1.24E+00	1.57E-01	2.40E-10	1.0E+06	2.4E-04
953	953	0.24806	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	1.24E+00	1.57E-01	2.43E-10	1.0E+06	2.4E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.25151	4.83528E-06	1.2E-06	1.05E-03	1.27E-09	1.24E+00	1.57E-01	2.47E-10	1.0E+06	2.5E-04
955	955	0.25831	4.83528E-06	1.2E-06	1.05E-03	1.31E-09	1.24E+00	1.57E-01	2.53E-10	1.0E+06	2.5E-04
956	956	0.27042	4.83528E-06	1.3E-06	1.05E-03	1.37E-09	1.24E+00	1.57E-01	2.65E-10	1.0E+06	2.7E-04
957	957	0.27868	4.83528E-06	1.3E-06	1.05E-03	1.41E-09	1.24E+00	1.57E-01	2.73E-10	1.0E+06	2.7E-04
958	958	0.28597	4.83528E-06	1.4E-06	1.05E-03	1.45E-09	1.24E+00	1.57E-01	2.81E-10	1.0E+06	2.8E-04
959	959	0.29095	4.83528E-06	1.4E-06	1.05E-03	1.47E-09	1.24E+00	1.57E-01	2.86E-10	1.0E+06	2.9E-04
960	960	0.2957	4.83528E-06	1.4E-06	1.05E-03	1.49E-09	1.24E+00	1.57E-01	2.90E-10	1.0E+06	2.9E-04
961	961	0.30021	4.83528E-06	1.5E-06	1.05E-03	1.52E-09	1.24E+00	1.57E-01	2.95E-10	1.0E+06	2.9E-04
962	962	0.30452	4.83528E-06	1.5E-06	1.05E-03	1.54E-09	1.24E+00	1.57E-01	2.99E-10	1.0E+06	3.0E-04
963	963	0.30755	4.83528E-06	1.5E-06	1.05E-03	1.55E-09	1.24E+00	1.57E-01	3.02E-10	1.0E+06	3.0E-04
964	964	0.31056	4.83528E-06	1.5E-06	1.05E-03	1.57E-09	1.24E+00	1.57E-01	3.05E-10	1.0E+06	3.0E-04
965	965	0.31351	4.83528E-06	1.5E-06	1.05E-03	1.58E-09	1.24E+00	1.57E-01	3.08E-10	1.0E+06	3.1E-04
966	966	0.31635	4.83528E-06	1.5E-06	1.05E-03	1.60E-09	1.24E+00	1.57E-01	3.10E-10	1.0E+06	3.1E-04
967	967	0.31911	4.83528E-06	1.5E-06	1.05E-03	1.61E-09	1.24E+00	1.57E-01	3.13E-10	1.0E+06	3.1E-04
968	968	0.32179	4.83528E-06	1.6E-06	1.05E-03	1.63E-09	1.24E+00	1.57E-01	3.16E-10	1.0E+06	3.2E-04
969	969	0.32442	4.83528E-06	1.6E-06	1.05E-03	1.64E-09	1.24E+00	1.57E-01	3.18E-10	1.0E+06	3.2E-04
970	970	0.32695	4.83528E-06	1.6E-06	1.05E-03	1.65E-09	1.24E+00	1.57E-01	3.21E-10	1.0E+06	3.2E-04
971	971	0.32938	4.83528E-06	1.6E-06	1.05E-03	1.66E-09	1.24E+00	1.57E-01	3.23E-10	1.0E+06	3.2E-04
972	972	0.33171	4.83528E-06	1.6E-06	1.05E-03	1.68E-09	1.24E+00	1.57E-01	3.26E-10	1.0E+06	3.3E-04
973	973	0.33392	4.83528E-06	1.6E-06	1.05E-03	1.69E-09	1.24E+00	1.57E-01	3.28E-10	1.0E+06	3.3E-04
974	974	0.336	4.83528E-06	1.6E-06	1.05E-03	1.70E-09	1.24E+00	1.57E-01	3.30E-10	1.0E+06	3.3E-04
975	975	0.33787	4.83528E-06	1.6E-06	1.05E-03	1.71E-09	1.24E+00	1.57E-01	3.32E-10	1.0E+06	3.3E-04
976	976	0.21748	4.83528E-06	1.1E-06	1.05E-03	1.10E-09	1.24E+00	1.57E-01	2.13E-10	1.0E+06	2.1E-04
977	977	0.22055	4.83528E-06	1.1E-06	1.05E-03	1.11E-09	1.24E+00	1.57E-01	2.16E-10	1.0E+06	2.2E-04
978	978	0.22371	4.83528E-06	1.1E-06	1.05E-03	1.13E-09	1.24E+00	1.57E-01	2.20E-10	1.0E+06	2.2E-04
979	979	0.22692	4.83528E-06	1.1E-06	1.05E-03	1.15E-09	1.24E+00	1.57E-01	2.23E-10	1.0E+06	2.2E-04
980	980	0.23016	4.83528E-06	1.1E-06	1.05E-03	1.16E-09	1.24E+00	1.57E-01	2.26E-10	1.0E+06	2.3E-04
981	981	0.23347	4.83528E-06	1.1E-06	1.05E-03	1.18E-09	1.24E+00	1.57E-01	2.29E-10	1.0E+06	2.3E-04
982	982	0.23714	4.83528E-06	1.1E-06	1.05E-03	1.20E-09	1.24E+00	1.57E-01	2.33E-10	1.0E+06	2.3E-04
983	983	0.24096	4.83528E-06	1.2E-06	1.05E-03	1.22E-09	1.24E+00	1.57E-01	2.36E-10	1.0E+06	2.4E-04
984	984	0.24466	4.83528E-06	1.2E-06	1.05E-03	1.24E-09	1.24E+00	1.57E-01	2.40E-10	1.0E+06	2.4E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.24783	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	1.24E+00	1.57E-01	2.43E-10	1.0E+06	2.4E-04
986	986	0.25104	4.83528E-06	1.2E-06	1.05E-03	1.27E-09	1.24E+00	1.57E-01	2.46E-10	1.0E+06	2.5E-04
987	987	0.25434	4.83528E-06	1.2E-06	1.05E-03	1.29E-09	1.24E+00	1.57E-01	2.50E-10	1.0E+06	2.5E-04
988	988	0.25769	4.83528E-06	1.2E-06	1.05E-03	1.30E-09	1.24E+00	1.57E-01	2.53E-10	1.0E+06	2.5E-04
989	989	0.26128	4.83528E-06	1.3E-06	1.05E-03	1.32E-09	1.24E+00	1.57E-01	2.56E-10	1.0E+06	2.6E-04
990	990	0.27759	4.83528E-06	1.3E-06	1.05E-03	1.40E-09	1.24E+00	1.57E-01	2.72E-10	1.0E+06	2.7E-04
991	991	0.28636	4.83528E-06	1.4E-06	1.05E-03	1.45E-09	1.24E+00	1.57E-01	2.81E-10	1.0E+06	2.8E-04
992	992	0.29396	4.83528E-06	1.4E-06	1.05E-03	1.49E-09	1.24E+00	1.57E-01	2.88E-10	1.0E+06	2.9E-04
993	993	0.29912	4.83528E-06	1.4E-06	1.05E-03	1.51E-09	1.24E+00	1.57E-01	2.94E-10	1.0E+06	2.9E-04
994	994	0.30405	4.83528E-06	1.5E-06	1.05E-03	1.54E-09	1.24E+00	1.57E-01	2.98E-10	1.0E+06	3.0E-04
995	995	0.3088	4.83528E-06	1.5E-06	1.05E-03	1.56E-09	1.24E+00	1.57E-01	3.03E-10	1.0E+06	3.0E-04
996	996	0.31332	4.83528E-06	1.5E-06	1.05E-03	1.58E-09	1.24E+00	1.57E-01	3.07E-10	1.0E+06	3.1E-04
997	997	0.31653	4.83528E-06	1.5E-06	1.05E-03	1.60E-09	1.24E+00	1.57E-01	3.11E-10	1.0E+06	3.1E-04
998	998	0.31972	4.83528E-06	1.5E-06	1.05E-03	1.62E-09	1.24E+00	1.57E-01	3.14E-10	1.0E+06	3.1E-04
999	999	0.32284	4.83528E-06	1.6E-06	1.05E-03	1.63E-09	1.24E+00	1.57E-01	3.17E-10	1.0E+06	3.2E-04
1000	1000	0.32584	4.83528E-06	1.6E-06	1.05E-03	1.65E-09	1.24E+00	1.57E-01	3.20E-10	1.0E+06	3.2E-04
1001	1001	0.32876	4.83528E-06	1.6E-06	1.05E-03	1.66E-09	1.24E+00	1.57E-01	3.23E-10	1.0E+06	3.2E-04
1002	1002	0.33161	4.83528E-06	1.6E-06	1.05E-03	1.68E-09	1.24E+00	1.57E-01	3.25E-10	1.0E+06	3.3E-04
1003	1003	0.33446	4.83528E-06	1.6E-06	1.05E-03	1.69E-09	1.24E+00	1.57E-01	3.28E-10	1.0E+06	3.3E-04
1004	1004	0.3372	4.83528E-06	1.6E-06	1.05E-03	1.70E-09	1.24E+00	1.57E-01	3.31E-10	1.0E+06	3.3E-04
1005	1005	0.33975	4.83528E-06	1.6E-06	1.05E-03	1.72E-09	1.24E+00	1.57E-01	3.33E-10	1.0E+06	3.3E-04
1006	1006	0.34214	4.83528E-06	1.7E-06	1.05E-03	1.73E-09	1.24E+00	1.57E-01	3.36E-10	1.0E+06	3.4E-04
1007	1007	0.3444	4.83528E-06	1.7E-06	1.05E-03	1.74E-09	1.24E+00	1.57E-01	3.38E-10	1.0E+06	3.4E-04
1008	1008	0.34655	4.83528E-06	1.7E-06	1.05E-03	1.75E-09	1.24E+00	1.57E-01	3.40E-10	1.0E+06	3.4E-04
1009	1009	0.34856	4.83528E-06	1.7E-06	1.05E-03	1.76E-09	1.24E+00	1.57E-01	3.42E-10	1.0E+06	3.4E-04
1010	1010	0.22281	4.83528E-06	1.1E-06	1.05E-03	1.13E-09	1.24E+00	1.57E-01	2.19E-10	1.0E+06	2.2E-04
1011	1011	0.22595	4.83528E-06	1.1E-06	1.05E-03	1.14E-09	1.24E+00	1.57E-01	2.22E-10	1.0E+06	2.2E-04
1012	1012	0.22921	4.83528E-06	1.1E-06	1.05E-03	1.16E-09	1.24E+00	1.57E-01	2.25E-10	1.0E+06	2.2E-04
1013	1013	0.23256	4.83528E-06	1.1E-06	1.05E-03	1.18E-09	1.24E+00	1.57E-01	2.28E-10	1.0E+06	2.3E-04
1014	1014	0.23588	4.83528E-06	1.1E-06	1.05E-03	1.19E-09	1.24E+00	1.57E-01	2.31E-10	1.0E+06	2.3E-04
1015	1015	0.23935	4.83528E-06	1.2E-06	1.05E-03	1.21E-09	1.24E+00	1.57E-01	2.35E-10	1.0E+06	2.3E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.24328	4.83528E-06	1.2E-06	1.05E-03	1.23E-09	1.24E+00	1.57E-01	2.39E-10	1.0E+06	2.4E-04
1017	1017	0.24739	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	1.24E+00	1.57E-01	2.43E-10	1.0E+06	2.4E-04
1018	1018	0.25129	4.83528E-06	1.2E-06	1.05E-03	1.27E-09	1.24E+00	1.57E-01	2.47E-10	1.0E+06	2.5E-04
1019	1019	0.25447	4.83528E-06	1.2E-06	1.05E-03	1.29E-09	1.24E+00	1.57E-01	2.50E-10	1.0E+06	2.5E-04
1020	1020	0.25773	4.83528E-06	1.2E-06	1.05E-03	1.30E-09	1.24E+00	1.57E-01	2.53E-10	1.0E+06	2.5E-04
1021	1021	0.261	4.83528E-06	1.3E-06	1.05E-03	1.32E-09	1.24E+00	1.57E-01	2.56E-10	1.0E+06	2.6E-04
1022	1022	0.26434	4.83528E-06	1.3E-06	1.05E-03	1.34E-09	1.24E+00	1.57E-01	2.59E-10	1.0E+06	2.6E-04
1023	1023	0.26799	4.83528E-06	1.3E-06	1.05E-03	1.35E-09	1.24E+00	1.57E-01	2.63E-10	1.0E+06	2.6E-04
1024	1024	0.28516	4.83528E-06	1.4E-06	1.05E-03	1.44E-09	1.24E+00	1.57E-01	2.80E-10	1.0E+06	2.8E-04
1025	1025	0.29218	4.83528E-06	1.4E-06	1.05E-03	1.48E-09	1.24E+00	1.57E-01	2.87E-10	1.0E+06	2.9E-04
1026	1026	0.30231	4.83528E-06	1.5E-06	1.05E-03	1.53E-09	1.24E+00	1.57E-01	2.97E-10	1.0E+06	3.0E-04
1027	1027	0.30769	4.83528E-06	1.5E-06	1.05E-03	1.56E-09	1.24E+00	1.57E-01	3.02E-10	1.0E+06	3.0E-04
1028	1028	0.31128	4.83528E-06	1.5E-06	1.05E-03	1.57E-09	1.24E+00	1.57E-01	3.05E-10	1.0E+06	3.1E-04
1029	1029	0.31781	4.83528E-06	1.5E-06	1.05E-03	1.61E-09	1.24E+00	1.57E-01	3.12E-10	1.0E+06	3.1E-04
1030	1030	0.32255	4.83528E-06	1.6E-06	1.05E-03	1.63E-09	1.24E+00	1.57E-01	3.17E-10	1.0E+06	3.2E-04
1031	1031	0.32596	4.83528E-06	1.6E-06	1.05E-03	1.65E-09	1.24E+00	1.57E-01	3.20E-10	1.0E+06	3.2E-04
1032	1032	0.32933	4.83528E-06	1.6E-06	1.05E-03	1.66E-09	1.24E+00	1.57E-01	3.23E-10	1.0E+06	3.2E-04
1033	1033	0.33263	4.83528E-06	1.6E-06	1.05E-03	1.68E-09	1.24E+00	1.57E-01	3.26E-10	1.0E+06	3.3E-04
1034	1034	0.33582	4.83528E-06	1.6E-06	1.05E-03	1.70E-09	1.24E+00	1.57E-01	3.30E-10	1.0E+06	3.3E-04
1035	1035	0.33891	4.83528E-06	1.6E-06	1.05E-03	1.71E-09	1.24E+00	1.57E-01	3.33E-10	1.0E+06	3.3E-04
1036	1036	0.34196	4.83528E-06	1.7E-06	1.05E-03	1.73E-09	1.24E+00	1.57E-01	3.36E-10	1.0E+06	3.4E-04
1037	1037	0.34502	4.83528E-06	1.7E-06	1.05E-03	1.74E-09	1.24E+00	1.57E-01	3.39E-10	1.0E+06	3.4E-04
1038	1038	0.34799	4.83528E-06	1.7E-06	1.05E-03	1.76E-09	1.24E+00	1.57E-01	3.41E-10	1.0E+06	3.4E-04
1039	1039	0.35068	4.83528E-06	1.7E-06	1.05E-03	1.77E-09	1.24E+00	1.57E-01	3.44E-10	1.0E+06	3.4E-04
1040	1040	0.35317	4.83528E-06	1.7E-06	1.05E-03	1.78E-09	1.24E+00	1.57E-01	3.47E-10	1.0E+06	3.5E-04
1041	1041	0.35554	4.83528E-06	1.7E-06	1.05E-03	1.80E-09	1.24E+00	1.57E-01	3.49E-10	1.0E+06	3.5E-04
1042	1042	0.35779	4.83528E-06	1.7E-06	1.05E-03	1.81E-09	1.24E+00	1.57E-01	3.51E-10	1.0E+06	3.5E-04
1043	1043	0.35988	4.83528E-06	1.7E-06	1.05E-03	1.82E-09	1.24E+00	1.57E-01	3.53E-10	1.0E+06	3.5E-04
1044	1044	0.22826	4.83528E-06	1.1E-06	1.05E-03	1.15E-09	1.24E+00	1.57E-01	2.24E-10	1.0E+06	2.2E-04
1045	1045	0.23151	4.83528E-06	1.1E-06	1.05E-03	1.17E-09	1.24E+00	1.57E-01	2.27E-10	1.0E+06	2.3E-04
1046	1046	0.23488	4.83528E-06	1.1E-06	1.05E-03	1.19E-09	1.24E+00	1.57E-01	2.30E-10	1.0E+06	2.3E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.2383	4.83528E-06	1.2E-06	1.05E-03	1.20E-09	1.24E+00	1.57E-01	2.34E-10	1.0E+06	2.3E-04
1048	1048	0.24174	4.83528E-06	1.2E-06	1.05E-03	1.22E-09	1.24E+00	1.57E-01	2.37E-10	1.0E+06	2.4E-04
1049	1049	0.24528	4.83528E-06	1.2E-06	1.05E-03	1.24E-09	1.24E+00	1.57E-01	2.41E-10	1.0E+06	2.4E-04
1050	1050	0.24942	4.83528E-06	1.2E-06	1.05E-03	1.26E-09	1.24E+00	1.57E-01	2.45E-10	1.0E+06	2.4E-04
1051	1051	0.25378	4.83528E-06	1.2E-06	1.05E-03	1.28E-09	1.24E+00	1.57E-01	2.49E-10	1.0E+06	2.5E-04
1052	1052	0.25792	4.83528E-06	1.2E-06	1.05E-03	1.30E-09	1.24E+00	1.57E-01	2.53E-10	1.0E+06	2.5E-04
1053	1053	0.26135	4.83528E-06	1.3E-06	1.05E-03	1.32E-09	1.24E+00	1.57E-01	2.56E-10	1.0E+06	2.6E-04
1054	1054	0.26482	4.83528E-06	1.3E-06	1.05E-03	1.34E-09	1.24E+00	1.57E-01	2.60E-10	1.0E+06	2.6E-04
1055	1055	0.26834	4.83528E-06	1.3E-06	1.05E-03	1.36E-09	1.24E+00	1.57E-01	2.63E-10	1.0E+06	2.6E-04
1056	1056	0.27191	4.83528E-06	1.3E-06	1.05E-03	1.37E-09	1.24E+00	1.57E-01	2.67E-10	1.0E+06	2.7E-04
1057	1057	0.2758	4.83528E-06	1.3E-06	1.05E-03	1.39E-09	1.24E+00	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1058	1058	0.2933	4.83528E-06	1.4E-06	1.05E-03	1.48E-09	1.24E+00	1.57E-01	2.88E-10	1.0E+06	2.9E-04
1059	1059	0.30055	4.83528E-06	1.5E-06	1.05E-03	1.52E-09	1.24E+00	1.57E-01	2.95E-10	1.0E+06	2.9E-04
1060	1060	0.31106	4.83528E-06	1.5E-06	1.05E-03	1.57E-09	1.24E+00	1.57E-01	3.05E-10	1.0E+06	3.1E-04
1061	1061	0.31671	4.83528E-06	1.5E-06	1.05E-03	1.60E-09	1.24E+00	1.57E-01	3.11E-10	1.0E+06	3.1E-04
1062	1062	0.32212	4.83528E-06	1.6E-06	1.05E-03	1.63E-09	1.24E+00	1.57E-01	3.16E-10	1.0E+06	3.2E-04
1063	1063	0.3273	4.83528E-06	1.6E-06	1.05E-03	1.65E-09	1.24E+00	1.57E-01	3.21E-10	1.0E+06	3.2E-04
1064	1064	0.33226	4.83528E-06	1.6E-06	1.05E-03	1.68E-09	1.24E+00	1.57E-01	3.26E-10	1.0E+06	3.3E-04
1065	1065	0.33585	4.83528E-06	1.6E-06	1.05E-03	1.70E-09	1.24E+00	1.57E-01	3.30E-10	1.0E+06	3.3E-04
1066	1066	0.33942	4.83528E-06	1.6E-06	1.05E-03	1.72E-09	1.24E+00	1.57E-01	3.33E-10	1.0E+06	3.3E-04
1067	1067	0.34292	4.83528E-06	1.7E-06	1.05E-03	1.73E-09	1.24E+00	1.57E-01	3.37E-10	1.0E+06	3.4E-04
1068	1068	0.34632	4.83528E-06	1.7E-06	1.05E-03	1.75E-09	1.24E+00	1.57E-01	3.40E-10	1.0E+06	3.4E-04
1069	1069	0.34964	4.83528E-06	1.7E-06	1.05E-03	1.77E-09	1.24E+00	1.57E-01	3.43E-10	1.0E+06	3.4E-04
1070	1070	0.3529	4.83528E-06	1.7E-06	1.05E-03	1.78E-09	1.24E+00	1.57E-01	3.46E-10	1.0E+06	3.5E-04
1071	1071	0.35618	4.83528E-06	1.7E-06	1.05E-03	1.80E-09	1.24E+00	1.57E-01	3.50E-10	1.0E+06	3.5E-04
1072	1072	0.35935	4.83528E-06	1.7E-06	1.05E-03	1.82E-09	1.24E+00	1.57E-01	3.53E-10	1.0E+06	3.5E-04
1073	1073	0.36223	4.83528E-06	1.8E-06	1.05E-03	1.83E-09	1.24E+00	1.57E-01	3.55E-10	1.0E+06	3.6E-04
1074	1074	0.36489	4.83528E-06	1.8E-06	1.05E-03	1.84E-09	1.24E+00	1.57E-01	3.58E-10	1.0E+06	3.6E-04
1075	1075	0.36742	4.83528E-06	1.8E-06	1.05E-03	1.86E-09	1.24E+00	1.57E-01	3.61E-10	1.0E+06	3.6E-04
1076	1076	0.36981	4.83528E-06	1.8E-06	1.05E-03	1.87E-09	1.24E+00	1.57E-01	3.63E-10	1.0E+06	3.6E-04
1077	1077	0.37203	4.83528E-06	1.8E-06	1.05E-03	1.88E-09	1.24E+00	1.57E-01	3.65E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.23393	4.83528E-06	1.1E-06	1.05E-03	1.18E-09	1.24E+00	1.57E-01	2.30E-10	1.0E+06	2.3E-04
1079	1079	0.23728	4.83528E-06	1.1E-06	1.05E-03	1.20E-09	1.24E+00	1.57E-01	2.33E-10	1.0E+06	2.3E-04
1080	1080	0.24076	4.83528E-06	1.2E-06	1.05E-03	1.22E-09	1.24E+00	1.57E-01	2.36E-10	1.0E+06	2.4E-04
1081	1081	0.2443	4.83528E-06	1.2E-06	1.05E-03	1.23E-09	1.24E+00	1.57E-01	2.40E-10	1.0E+06	2.4E-04
1082	1082	0.24781	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	1.24E+00	1.57E-01	2.43E-10	1.0E+06	2.4E-04
1083	1083	0.25148	4.83528E-06	1.2E-06	1.05E-03	1.27E-09	1.24E+00	1.57E-01	2.47E-10	1.0E+06	2.5E-04
1084	1084	0.25579	4.83528E-06	1.2E-06	1.05E-03	1.29E-09	1.24E+00	1.57E-01	2.51E-10	1.0E+06	2.5E-04
1085	1085	0.26044	4.83528E-06	1.3E-06	1.05E-03	1.32E-09	1.24E+00	1.57E-01	2.56E-10	1.0E+06	2.6E-04
1086	1086	0.2649	4.83528E-06	1.3E-06	1.05E-03	1.34E-09	1.24E+00	1.57E-01	2.60E-10	1.0E+06	2.6E-04
1087	1087	0.26853	4.83528E-06	1.3E-06	1.05E-03	1.36E-09	1.24E+00	1.57E-01	2.64E-10	1.0E+06	2.6E-04
1088	1088	0.27223	4.83528E-06	1.3E-06	1.05E-03	1.38E-09	1.24E+00	1.57E-01	2.67E-10	1.0E+06	2.7E-04
1089	1089	0.27602	4.83528E-06	1.3E-06	1.05E-03	1.39E-09	1.24E+00	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1090	1090	0.27988	4.83528E-06	1.4E-06	1.05E-03	1.41E-09	1.24E+00	1.57E-01	2.75E-10	1.0E+06	2.7E-04
1091	1091	0.28396	4.83528E-06	1.4E-06	1.05E-03	1.44E-09	1.24E+00	1.57E-01	2.79E-10	1.0E+06	2.8E-04
1092	1092	0.30184	4.83528E-06	1.5E-06	1.05E-03	1.53E-09	1.24E+00	1.57E-01	2.96E-10	1.0E+06	3.0E-04
1093	1093	0.31165	4.83528E-06	1.5E-06	1.05E-03	1.58E-09	1.24E+00	1.57E-01	3.06E-10	1.0E+06	3.1E-04
1094	1094	0.32021	4.83528E-06	1.5E-06	1.05E-03	1.62E-09	1.24E+00	1.57E-01	3.14E-10	1.0E+06	3.1E-04
1095	1095	0.32616	4.83528E-06	1.6E-06	1.05E-03	1.65E-09	1.24E+00	1.57E-01	3.20E-10	1.0E+06	3.2E-04
1096	1096	0.33185	4.83528E-06	1.6E-06	1.05E-03	1.68E-09	1.24E+00	1.57E-01	3.26E-10	1.0E+06	3.3E-04
1097	1097	0.33726	4.83528E-06	1.6E-06	1.05E-03	1.70E-09	1.24E+00	1.57E-01	3.31E-10	1.0E+06	3.3E-04
1098	1098	0.34245	4.83528E-06	1.7E-06	1.05E-03	1.73E-09	1.24E+00	1.57E-01	3.36E-10	1.0E+06	3.4E-04
1099	1099	0.34624	4.83528E-06	1.7E-06	1.05E-03	1.75E-09	1.24E+00	1.57E-01	3.40E-10	1.0E+06	3.4E-04
1100	1100	0.35003	4.83528E-06	1.7E-06	1.05E-03	1.77E-09	1.24E+00	1.57E-01	3.43E-10	1.0E+06	3.4E-04
1101	1101	0.35373	4.83528E-06	1.7E-06	1.05E-03	1.79E-09	1.24E+00	1.57E-01	3.47E-10	1.0E+06	3.5E-04
1102	1102	0.35738	4.83528E-06	1.7E-06	1.05E-03	1.81E-09	1.24E+00	1.57E-01	3.51E-10	1.0E+06	3.5E-04
1103	1103	0.36093	4.83528E-06	1.7E-06	1.05E-03	1.82E-09	1.24E+00	1.57E-01	3.54E-10	1.0E+06	3.5E-04
1104	1104	0.36443	4.83528E-06	1.8E-06	1.05E-03	1.84E-09	1.24E+00	1.57E-01	3.58E-10	1.0E+06	3.6E-04
1105	1105	0.36794	4.83528E-06	1.8E-06	1.05E-03	1.86E-09	1.24E+00	1.57E-01	3.61E-10	1.0E+06	3.6E-04
1106	1106	0.37133	4.83528E-06	1.8E-06	1.05E-03	1.88E-09	1.24E+00	1.57E-01	3.64E-10	1.0E+06	3.6E-04
1107	1107	0.37442	4.83528E-06	1.8E-06	1.05E-03	1.89E-09	1.24E+00	1.57E-01	3.67E-10	1.0E+06	3.7E-04
1108	1108	0.37727	4.83528E-06	1.8E-06	1.05E-03	1.91E-09	1.24E+00	1.57E-01	3.70E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.37996	4.83528E-06	1.8E-06	1.05E-03	1.92E-09	1.24E+00	1.57E-01	3.73E-10	1.0E+06	3.7E-04
1110	1110	0.38251	4.83528E-06	1.8E-06	1.05E-03	1.93E-09	1.24E+00	1.57E-01	3.75E-10	1.0E+06	3.8E-04
1111	1111	0.38487	4.83528E-06	1.9E-06	1.05E-03	1.95E-09	1.24E+00	1.57E-01	3.78E-10	1.0E+06	3.8E-04
1112	1112	0.23987	4.83528E-06	1.2E-06	1.05E-03	1.21E-09	1.24E+00	1.57E-01	2.35E-10	1.0E+06	2.4E-04
1113	1113	0.24331	4.83528E-06	1.2E-06	1.05E-03	1.23E-09	1.24E+00	1.57E-01	2.39E-10	1.0E+06	2.4E-04
1114	1114	0.2469	4.83528E-06	1.2E-06	1.05E-03	1.25E-09	1.24E+00	1.57E-01	2.42E-10	1.0E+06	2.4E-04
1115	1115	0.25055	4.83528E-06	1.2E-06	1.05E-03	1.27E-09	1.24E+00	1.57E-01	2.46E-10	1.0E+06	2.5E-04
1116	1116	0.25419	4.83528E-06	1.2E-06	1.05E-03	1.28E-09	1.24E+00	1.57E-01	2.49E-10	1.0E+06	2.5E-04
1117	1117	0.25795	4.83528E-06	1.2E-06	1.05E-03	1.30E-09	1.24E+00	1.57E-01	2.53E-10	1.0E+06	2.5E-04
1118	1118	0.26245	4.83528E-06	1.3E-06	1.05E-03	1.33E-09	1.24E+00	1.57E-01	2.58E-10	1.0E+06	2.6E-04
1119	1119	0.26735	4.83528E-06	1.3E-06	1.05E-03	1.35E-09	1.24E+00	1.57E-01	2.62E-10	1.0E+06	2.6E-04
1120	1120	0.27209	4.83528E-06	1.3E-06	1.05E-03	1.38E-09	1.24E+00	1.57E-01	2.67E-10	1.0E+06	2.7E-04
1121	1121	0.27594	4.83528E-06	1.3E-06	1.05E-03	1.39E-09	1.24E+00	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1122	1122	0.27991	4.83528E-06	1.4E-06	1.05E-03	1.41E-09	1.24E+00	1.57E-01	2.75E-10	1.0E+06	2.7E-04
1123	1123	0.28401	4.83528E-06	1.4E-06	1.05E-03	1.44E-09	1.24E+00	1.57E-01	2.79E-10	1.0E+06	2.8E-04
1124	1124	0.28812	4.83528E-06	1.4E-06	1.05E-03	1.46E-09	1.24E+00	1.57E-01	2.83E-10	1.0E+06	2.8E-04
1125	1125	0.29613	4.83528E-06	1.4E-06	1.05E-03	1.50E-09	1.24E+00	1.57E-01	2.91E-10	1.0E+06	2.9E-04
1126	1126	0.31075	4.83528E-06	1.5E-06	1.05E-03	1.57E-09	1.24E+00	1.57E-01	3.05E-10	1.0E+06	3.0E-04
1127	1127	0.31846	4.83528E-06	1.5E-06	1.05E-03	1.61E-09	1.24E+00	1.57E-01	3.13E-10	1.0E+06	3.1E-04
1128	1128	0.32978	4.83528E-06	1.6E-06	1.05E-03	1.67E-09	1.24E+00	1.57E-01	3.24E-10	1.0E+06	3.2E-04
1129	1129	0.33603	4.83528E-06	1.6E-06	1.05E-03	1.70E-09	1.24E+00	1.57E-01	3.30E-10	1.0E+06	3.3E-04
1130	1130	0.34204	4.83528E-06	1.7E-06	1.05E-03	1.73E-09	1.24E+00	1.57E-01	3.36E-10	1.0E+06	3.4E-04
1131	1131	0.34771	4.83528E-06	1.7E-06	1.05E-03	1.76E-09	1.24E+00	1.57E-01	3.41E-10	1.0E+06	3.4E-04
1132	1132	0.35316	4.83528E-06	1.7E-06	1.05E-03	1.78E-09	1.24E+00	1.57E-01	3.47E-10	1.0E+06	3.5E-04
1133	1133	0.35719	4.83528E-06	1.7E-06	1.05E-03	1.81E-09	1.24E+00	1.57E-01	3.51E-10	1.0E+06	3.5E-04
1134	1134	0.3612	4.83528E-06	1.7E-06	1.05E-03	1.83E-09	1.24E+00	1.57E-01	3.54E-10	1.0E+06	3.5E-04
1135	1135	0.36515	4.83528E-06	1.8E-06	1.05E-03	1.85E-09	1.24E+00	1.57E-01	3.58E-10	1.0E+06	3.6E-04
1136	1136	0.36906	4.83528E-06	1.8E-06	1.05E-03	1.87E-09	1.24E+00	1.57E-01	3.62E-10	1.0E+06	3.6E-04
1137	1137	0.37288	4.83528E-06	1.8E-06	1.05E-03	1.88E-09	1.24E+00	1.57E-01	3.66E-10	1.0E+06	3.7E-04
1138	1138	0.37663	4.83528E-06	1.8E-06	1.05E-03	1.90E-09	1.24E+00	1.57E-01	3.70E-10	1.0E+06	3.7E-04
1139	1139	0.38038	4.83528E-06	1.8E-06	1.05E-03	1.92E-09	1.24E+00	1.57E-01	3.73E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.38399	4.83528E-06	1.9E-06	1.05E-03	1.94E-09	1.24E+00	1.57E-01	3.77E-10	1.0E+06	3.8E-04
1141	1141	0.3873	4.83528E-06	1.9E-06	1.05E-03	1.96E-09	1.24E+00	1.57E-01	3.80E-10	1.0E+06	3.8E-04
1142	1142	0.39037	4.83528E-06	1.9E-06	1.05E-03	1.97E-09	1.24E+00	1.57E-01	3.83E-10	1.0E+06	3.8E-04
1143	1143	0.39328	4.83528E-06	1.9E-06	1.05E-03	1.99E-09	1.24E+00	1.57E-01	3.86E-10	1.0E+06	3.9E-04
1144	1144	0.396	4.83528E-06	1.9E-06	1.05E-03	2.00E-09	1.24E+00	1.57E-01	3.89E-10	1.0E+06	3.9E-04
1145	1145	0.39854	4.83528E-06	1.9E-06	1.05E-03	2.01E-09	1.24E+00	1.57E-01	3.91E-10	1.0E+06	3.9E-04
1146	1146	0.24607	4.83528E-06	1.2E-06	1.05E-03	1.24E-09	1.24E+00	1.57E-01	2.41E-10	1.0E+06	2.4E-04
1147	1147	0.2496	4.83528E-06	1.2E-06	1.05E-03	1.26E-09	1.24E+00	1.57E-01	2.45E-10	1.0E+06	2.4E-04
1148	1148	0.25328	4.83528E-06	1.2E-06	1.05E-03	1.28E-09	1.24E+00	1.57E-01	2.49E-10	1.0E+06	2.5E-04
1149	1149	0.25702	4.83528E-06	1.2E-06	1.05E-03	1.30E-09	1.24E+00	1.57E-01	2.52E-10	1.0E+06	2.5E-04
1150	1150	0.26087	4.83528E-06	1.3E-06	1.05E-03	1.32E-09	1.24E+00	1.57E-01	2.56E-10	1.0E+06	2.6E-04
1151	1151	0.26481	4.83528E-06	1.3E-06	1.05E-03	1.34E-09	1.24E+00	1.57E-01	2.60E-10	1.0E+06	2.6E-04
1152	1152	0.26932	4.83528E-06	1.3E-06	1.05E-03	1.36E-09	1.24E+00	1.57E-01	2.64E-10	1.0E+06	2.6E-04
1153	1153	0.27419	4.83528E-06	1.3E-06	1.05E-03	1.39E-09	1.24E+00	1.57E-01	2.69E-10	1.0E+06	2.7E-04
1154	1154	0.279	4.83528E-06	1.3E-06	1.05E-03	1.41E-09	1.24E+00	1.57E-01	2.74E-10	1.0E+06	2.7E-04
1155	1155	0.28327	4.83528E-06	1.4E-06	1.05E-03	1.43E-09	1.24E+00	1.57E-01	2.78E-10	1.0E+06	2.8E-04
1156	1156	0.28764	4.83528E-06	1.4E-06	1.05E-03	1.45E-09	1.24E+00	1.57E-01	2.82E-10	1.0E+06	2.8E-04
1157	1157	0.29209	4.83528E-06	1.4E-06	1.05E-03	1.48E-09	1.24E+00	1.57E-01	2.87E-10	1.0E+06	2.9E-04
1158	1158	0.29662	4.83528E-06	1.4E-06	1.05E-03	1.50E-09	1.24E+00	1.57E-01	2.91E-10	1.0E+06	2.9E-04
1159	1159	0.30509	4.83528E-06	1.5E-06	1.05E-03	1.54E-09	1.24E+00	1.57E-01	2.99E-10	1.0E+06	3.0E-04
1160	1160	0.32001	4.83528E-06	1.5E-06	1.05E-03	1.62E-09	1.24E+00	1.57E-01	3.14E-10	1.0E+06	3.1E-04
1161	1161	0.32793	4.83528E-06	1.6E-06	1.05E-03	1.66E-09	1.24E+00	1.57E-01	3.22E-10	1.0E+06	3.2E-04
1162	1162	0.33972	4.83528E-06	1.6E-06	1.05E-03	1.72E-09	1.24E+00	1.57E-01	3.33E-10	1.0E+06	3.3E-04
1163	1163	0.34632	4.83528E-06	1.7E-06	1.05E-03	1.75E-09	1.24E+00	1.57E-01	3.40E-10	1.0E+06	3.4E-04
1164	1164	0.35267	4.83528E-06	1.7E-06	1.05E-03	1.78E-09	1.24E+00	1.57E-01	3.46E-10	1.0E+06	3.5E-04
1165	1165	0.35866	4.83528E-06	1.7E-06	1.05E-03	1.81E-09	1.24E+00	1.57E-01	3.52E-10	1.0E+06	3.5E-04
1166	1166	0.36442	4.83528E-06	1.8E-06	1.05E-03	1.84E-09	1.24E+00	1.57E-01	3.58E-10	1.0E+06	3.6E-04
1167	1167	0.36873	4.83528E-06	1.8E-06	1.05E-03	1.86E-09	1.24E+00	1.57E-01	3.62E-10	1.0E+06	3.6E-04
1168	1168	0.37303	4.83528E-06	1.8E-06	1.05E-03	1.89E-09	1.24E+00	1.57E-01	3.66E-10	1.0E+06	3.7E-04
1169	1169	0.37728	4.83528E-06	1.8E-06	1.05E-03	1.91E-09	1.24E+00	1.57E-01	3.70E-10	1.0E+06	3.7E-04
1170	1170	0.38146	4.83528E-06	1.8E-06	1.05E-03	1.93E-09	1.24E+00	1.57E-01	3.74E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.38556	4.83528E-06	1.9E-06	1.05E-03	1.95E-09	1.24E+00	1.57E-01	3.78E-10	1.0E+06	3.8E-04
1172	1172	0.38958	4.83528E-06	1.9E-06	1.05E-03	1.97E-09	1.24E+00	1.57E-01	3.82E-10	1.0E+06	3.8E-04
1173	1173	0.39355	4.83528E-06	1.9E-06	1.05E-03	1.99E-09	1.24E+00	1.57E-01	3.86E-10	1.0E+06	3.9E-04
1174	1174	0.39739	4.83528E-06	1.9E-06	1.05E-03	2.01E-09	1.24E+00	1.57E-01	3.90E-10	1.0E+06	3.9E-04
1175	1175	0.40095	4.83528E-06	1.9E-06	1.05E-03	2.03E-09	1.24E+00	1.57E-01	3.93E-10	1.0E+06	3.9E-04
1176	1176	0.40428	4.83528E-06	2.0E-06	1.05E-03	2.04E-09	1.24E+00	1.57E-01	3.97E-10	1.0E+06	4.0E-04
1177	1177	0.40743	4.83528E-06	2.0E-06	1.05E-03	2.06E-09	1.24E+00	1.57E-01	4.00E-10	1.0E+06	4.0E-04
1178	1178	0.4104	4.83528E-06	2.0E-06	1.05E-03	2.07E-09	1.24E+00	1.57E-01	4.03E-10	1.0E+06	4.0E-04
1179	1179	0.41313	4.83528E-06	2.0E-06	1.05E-03	2.09E-09	1.24E+00	1.57E-01	4.05E-10	1.0E+06	4.1E-04
1180	1180	0.25252	4.83528E-06	1.2E-06	1.05E-03	1.28E-09	1.24E+00	1.57E-01	2.48E-10	1.0E+06	2.5E-04
1181	1181	0.25617	4.83528E-06	1.2E-06	1.05E-03	1.29E-09	1.24E+00	1.57E-01	2.51E-10	1.0E+06	2.5E-04
1182	1182	0.25995	4.83528E-06	1.3E-06	1.05E-03	1.31E-09	1.24E+00	1.57E-01	2.55E-10	1.0E+06	2.6E-04
1183	1183	0.26383	4.83528E-06	1.3E-06	1.05E-03	1.33E-09	1.24E+00	1.57E-01	2.59E-10	1.0E+06	2.6E-04
1184	1184	0.26785	4.83528E-06	1.3E-06	1.05E-03	1.35E-09	1.24E+00	1.57E-01	2.63E-10	1.0E+06	2.6E-04
1185	1185	0.27202	4.83528E-06	1.3E-06	1.05E-03	1.37E-09	1.24E+00	1.57E-01	2.67E-10	1.0E+06	2.7E-04
1186	1186	0.27656	4.83528E-06	1.3E-06	1.05E-03	1.40E-09	1.24E+00	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1187	1187	0.28135	4.83528E-06	1.4E-06	1.05E-03	1.42E-09	1.24E+00	1.57E-01	2.76E-10	1.0E+06	2.8E-04
1188	1188	0.28623	4.83528E-06	1.4E-06	1.05E-03	1.45E-09	1.24E+00	1.57E-01	2.81E-10	1.0E+06	2.8E-04
1189	1189	0.29089	4.83528E-06	1.4E-06	1.05E-03	1.47E-09	1.24E+00	1.57E-01	2.85E-10	1.0E+06	2.9E-04
1190	1190	0.29567	4.83528E-06	1.4E-06	1.05E-03	1.49E-09	1.24E+00	1.57E-01	2.90E-10	1.0E+06	2.9E-04
1191	1191	0.30055	4.83528E-06	1.5E-06	1.05E-03	1.52E-09	1.24E+00	1.57E-01	2.95E-10	1.0E+06	2.9E-04
1192	1192	0.30554	4.83528E-06	1.5E-06	1.05E-03	1.54E-09	1.24E+00	1.57E-01	3.00E-10	1.0E+06	3.0E-04
1193	1193	0.31447	4.83528E-06	1.5E-06	1.05E-03	1.59E-09	1.24E+00	1.57E-01	3.09E-10	1.0E+06	3.1E-04
1194	1194	0.32967	4.83528E-06	1.6E-06	1.05E-03	1.67E-09	1.24E+00	1.57E-01	3.24E-10	1.0E+06	3.2E-04
1195	1195	0.33785	4.83528E-06	1.6E-06	1.05E-03	1.71E-09	1.24E+00	1.57E-01	3.32E-10	1.0E+06	3.3E-04
1196	1196	0.34797	4.83528E-06	1.7E-06	1.05E-03	1.76E-09	1.24E+00	1.57E-01	3.41E-10	1.0E+06	3.4E-04
1197	1197	0.35711	4.83528E-06	1.7E-06	1.05E-03	1.80E-09	1.24E+00	1.57E-01	3.50E-10	1.0E+06	3.5E-04
1198	1198	0.36384	4.83528E-06	1.8E-06	1.05E-03	1.84E-09	1.24E+00	1.57E-01	3.57E-10	1.0E+06	3.6E-04
1199	1199	0.37018	4.83528E-06	1.8E-06	1.05E-03	1.87E-09	1.24E+00	1.57E-01	3.63E-10	1.0E+06	3.6E-04
1200	1200	0.37628	4.83528E-06	1.8E-06	1.05E-03	1.90E-09	1.24E+00	1.57E-01	3.69E-10	1.0E+06	3.7E-04
1201	1201	0.3809	4.83528E-06	1.8E-06	1.05E-03	1.93E-09	1.24E+00	1.57E-01	3.74E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.38552	4.83528E-06	1.9E-06	1.05E-03	1.95E-09	1.24E+00	1.57E-01	3.78E-10	1.0E+06	3.8E-04
1203	1203	0.39006	4.83528E-06	1.9E-06	1.05E-03	1.97E-09	1.24E+00	1.57E-01	3.83E-10	1.0E+06	3.8E-04
1204	1204	0.39456	4.83528E-06	1.9E-06	1.05E-03	1.99E-09	1.24E+00	1.57E-01	3.87E-10	1.0E+06	3.9E-04
1205	1205	0.39897	4.83528E-06	1.9E-06	1.05E-03	2.02E-09	1.24E+00	1.57E-01	3.92E-10	1.0E+06	3.9E-04
1206	1206	0.40329	4.83528E-06	2.0E-06	1.05E-03	2.04E-09	1.24E+00	1.57E-01	3.96E-10	1.0E+06	4.0E-04
1207	1207	0.4075	4.83528E-06	2.0E-06	1.05E-03	2.06E-09	1.24E+00	1.57E-01	4.00E-10	1.0E+06	4.0E-04
1208	1208	0.41159	4.83528E-06	2.0E-06	1.05E-03	2.08E-09	1.24E+00	1.57E-01	4.04E-10	1.0E+06	4.0E-04
1209	1209	0.41542	4.83528E-06	2.0E-06	1.05E-03	2.10E-09	1.24E+00	1.57E-01	4.08E-10	1.0E+06	4.1E-04
1210	1210	0.41903	4.83528E-06	2.0E-06	1.05E-03	2.12E-09	1.24E+00	1.57E-01	4.11E-10	1.0E+06	4.1E-04
1211	1211	0.42245	4.83528E-06	2.0E-06	1.05E-03	2.14E-09	1.24E+00	1.57E-01	4.15E-10	1.0E+06	4.1E-04
1212	1212	0.42566	4.83528E-06	2.1E-06	1.05E-03	2.15E-09	1.24E+00	1.57E-01	4.18E-10	1.0E+06	4.2E-04
1213	1213	0.42858	4.83528E-06	2.1E-06	1.05E-03	2.17E-09	1.24E+00	1.57E-01	4.21E-10	1.0E+06	4.2E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Receptor #	Max Cancer Risk Cancer Risk: Receptor #	Max Cancer Risk Cancer Risk: Total Risk/ Million	Chronic Non Cancer Risk: REL	Chronic Non Cancer Risk: HI
892	892	2.5E-01	5	2.45E-04
893	893	2.5E-01	5	2.48E-04
894	894	2.5E-01	5	2.51E-04
895	895	2.6E-01	5	2.54E-04
896	896	2.6E-01	5	2.57E-04
897	897	2.6E-01	5	2.60E-04
898	898	2.7E-01	5	2.62E-04
899	899	2.7E-01	5	2.65E-04
900	900	2.7E-01	5	2.67E-04
901	901	2.7E-01	5	2.69E-04
902	902	2.8E-01	5	2.71E-04
903	903	2.8E-01	5	2.73E-04
904	904	2.8E-01	5	2.75E-04
905	905	2.8E-01	5	2.76E-04
906	906	2.8E-01	5	2.77E-04
907	907	2.8E-01	5	2.78E-04
908	908	1.7E-01	5	1.71E-04
909	909	1.8E-01	5	1.74E-04
910	910	1.8E-01	5	1.78E-04
911	911	1.8E-01	5	1.81E-04
912	912	1.9E-01	5	1.88E-04
913	913	1.9E-01	5	1.92E-04
914	914	2.0E-01	5	1.99E-04
915	915	2.1E-01	5	2.07E-04
916	916	2.1E-01	5	2.11E-04
917	917	2.2E-01	5	2.14E-04
918	918	2.2E-01	5	2.18E-04
919	919	2.3E-01	5	2.26E-04
920	920	2.3E-01	5	2.29E-04
921	921	2.4E-01	5	2.33E-04
922	922	2.4E-01	5	2.36E-04

Max	Receptor #
0.417	1213

Max	Receptor #	
0.000	1213	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	2.4E-01	5	2.40E-04
924	924	2.5E-01	5	2.43E-04
925	925	2.5E-01	5	2.47E-04
926	926	2.5E-01	5	2.50E-04
927	927	2.6E-01	5	2.54E-04
928	928	2.6E-01	5	2.57E-04
929	929	2.6E-01	5	2.60E-04
930	930	2.7E-01	5	2.63E-04
931	931	2.7E-01	5	2.67E-04
932	932	2.7E-01	5	2.70E-04
933	933	2.8E-01	5	2.72E-04
934	934	2.8E-01	5	2.75E-04
935	935	2.8E-01	5	2.78E-04
936	936	2.8E-01	5	2.80E-04
937	937	2.9E-01	5	2.82E-04
938	938	2.9E-01	5	2.84E-04
939	939	2.9E-01	5	2.86E-04
940	940	2.9E-01	5	2.87E-04
941	941	2.9E-01	5	2.88E-04
942	942	1.8E-01	5	1.76E-04
943	943	1.8E-01	5	1.80E-04
944	944	1.9E-01	5	1.83E-04
945	945	1.9E-01	5	1.86E-04
946	946	2.0E-01	5	1.94E-04
947	947	2.0E-01	5	1.98E-04
948	948	2.1E-01	5	2.06E-04
949	949	2.2E-01	5	2.14E-04
950	950	2.2E-01	5	2.18E-04
951	951	2.2E-01	5	2.21E-04
952	952	2.3E-01	5	2.25E-04
953	953	2.3E-01	5	2.29E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	2.4E-01	5	2.37E-04
955	955	2.4E-01	5	2.41E-04
956	956	2.5E-01	5	2.45E-04
957	957	2.5E-01	5	2.48E-04
958	958	2.6E-01	5	2.52E-04
959	959	2.6E-01	5	2.56E-04
960	960	2.6E-01	5	2.59E-04
961	961	2.7E-01	5	2.63E-04
962	962	2.7E-01	5	2.67E-04
963	963	2.7E-01	5	2.70E-04
964	964	2.8E-01	5	2.73E-04
965	965	2.8E-01	5	2.77E-04
966	966	2.8E-01	5	2.80E-04
967	967	2.9E-01	5	2.83E-04
968	968	2.9E-01	5	2.86E-04
969	969	2.9E-01	5	2.89E-04
970	970	3.0E-01	5	2.91E-04
971	971	3.0E-01	5	2.93E-04
972	972	3.0E-01	5	2.96E-04
973	973	3.0E-01	5	2.97E-04
974	974	3.0E-01	5	2.99E-04
975	975	3.1E-01	5	3.01E-04
976	976	1.8E-01	5	1.82E-04
977	977	1.9E-01	5	1.85E-04
978	978	1.9E-01	5	1.89E-04
979	979	2.0E-01	5	1.92E-04
980	980	2.0E-01	5	1.96E-04
981	981	2.1E-01	5	2.04E-04
982	982	2.2E-01	5	2.12E-04
983	983	2.2E-01	5	2.21E-04
984	984	2.3E-01	5	2.25E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	2.3E-01	5	2.29E-04
986	986	2.4E-01	5	2.32E-04
987	987	2.4E-01	5	2.36E-04
988	988	2.4E-01	5	2.40E-04
989	989	2.5E-01	5	2.49E-04
990	990	2.6E-01	5	2.53E-04
991	991	2.6E-01	5	2.57E-04
992	992	2.7E-01	5	2.61E-04
993	993	2.7E-01	5	2.65E-04
994	994	2.7E-01	5	2.69E-04
995	995	2.8E-01	5	2.73E-04
996	996	2.8E-01	5	2.77E-04
997	997	2.8E-01	5	2.80E-04
998	998	2.9E-01	5	2.84E-04
999	999	2.9E-01	5	2.88E-04
1000	1000	3.0E-01	5	2.91E-04
1001	1001	3.0E-01	5	2.94E-04
1002	1002	3.0E-01	5	2.97E-04
1003	1003	3.1E-01	5	3.00E-04
1004	1004	3.1E-01	5	3.03E-04
1005	1005	3.1E-01	5	3.06E-04
1006	1006	3.1E-01	5	3.08E-04
1007	1007	3.1E-01	5	3.10E-04
1008	1008	3.2E-01	5	3.12E-04
1009	1009	3.2E-01	5	3.13E-04
1010	1010	1.9E-01	5	1.87E-04
1011	1011	1.9E-01	5	1.91E-04
1012	1012	2.0E-01	5	1.94E-04
1013	1013	2.0E-01	5	1.98E-04
1014	1014	2.1E-01	5	2.02E-04
1015	1015	2.1E-01	5	2.10E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	2.2E-01	5	2.19E-04
1017	1017	2.3E-01	5	2.28E-04
1018	1018	2.4E-01	5	2.32E-04
1019	1019	2.4E-01	5	2.36E-04
1020	1020	2.4E-01	5	2.40E-04
1021	1021	2.5E-01	5	2.44E-04
1022	1022	2.5E-01	5	2.48E-04
1023	1023	2.6E-01	5	2.58E-04
1024	1024	2.7E-01	5	2.62E-04
1025	1025	2.7E-01	5	2.67E-04
1026	1026	2.8E-01	5	2.71E-04
1027	1027	2.8E-01	5	2.75E-04
1028	1028	2.8E-01	5	2.79E-04
1029	1029	2.9E-01	5	2.83E-04
1030	1030	2.9E-01	5	2.87E-04
1031	1031	3.0E-01	5	2.91E-04
1032	1032	3.0E-01	5	2.95E-04
1033	1033	3.0E-01	5	2.99E-04
1034	1034	3.1E-01	5	3.03E-04
1035	1035	3.1E-01	5	3.06E-04
1036	1036	3.1E-01	5	3.10E-04
1037	1037	3.2E-01	5	3.13E-04
1038	1038	3.2E-01	5	3.16E-04
1039	1039	3.2E-01	5	3.19E-04
1040	1040	3.3E-01	5	3.21E-04
1041	1041	3.3E-01	5	3.23E-04
1042	1042	3.3E-01	5	3.25E-04
1043	1043	3.3E-01	5	3.27E-04
1044	1044	2.0E-01	5	1.93E-04
1045	1045	2.0E-01	5	1.97E-04
1046	1046	2.0E-01	5	2.00E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	2.1E-01	5	2.04E-04
1048	1048	2.1E-01	5	2.08E-04
1049	1049	2.2E-01	5	2.17E-04
1050	1050	2.3E-01	5	2.22E-04
1051	1051	2.4E-01	5	2.36E-04
1052	1052	2.4E-01	5	2.40E-04
1053	1053	2.5E-01	5	2.44E-04
1054	1054	2.5E-01	5	2.49E-04
1055	1055	2.6E-01	5	2.53E-04
1056	1056	2.6E-01	5	2.57E-04
1057	1057	2.7E-01	5	2.67E-04
1058	1058	2.8E-01	5	2.72E-04
1059	1059	2.8E-01	5	2.77E-04
1060	1060	2.9E-01	5	2.81E-04
1061	1061	2.9E-01	5	2.86E-04
1062	1062	2.9E-01	5	2.90E-04
1063	1063	3.0E-01	5	2.95E-04
1064	1064	3.0E-01	5	2.99E-04
1065	1065	3.1E-01	5	3.03E-04
1066	1066	3.1E-01	5	3.07E-04
1067	1067	3.2E-01	5	3.12E-04
1068	1068	3.2E-01	5	3.15E-04
1069	1069	3.2E-01	5	3.19E-04
1070	1070	3.3E-01	5	3.23E-04
1071	1071	3.3E-01	5	3.27E-04
1072	1072	3.3E-01	5	3.30E-04
1073	1073	3.4E-01	5	3.33E-04
1074	1074	3.4E-01	5	3.35E-04
1075	1075	3.4E-01	5	3.38E-04
1076	1076	3.4E-01	5	3.40E-04
1077	1077	3.5E-01	5	3.41E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	2.0E-01	5	1.99E-04
1079	1079	2.1E-01	5	2.03E-04
1080	1080	2.1E-01	5	2.07E-04
1081	1081	2.1E-01	5	2.11E-04
1082	1082	2.2E-01	5	2.15E-04
1083	1083	2.3E-01	5	2.24E-04
1084	1084	2.3E-01	5	2.29E-04
1085	1085	2.5E-01	5	2.44E-04
1086	1086	2.5E-01	5	2.48E-04
1087	1087	2.6E-01	5	2.53E-04
1088	1088	2.6E-01	5	2.57E-04
1089	1089	2.7E-01	5	2.62E-04
1090	1090	2.8E-01	5	2.72E-04
1091	1091	2.8E-01	5	2.77E-04
1092	1092	2.9E-01	5	2.82E-04
1093	1093	2.9E-01	5	2.87E-04
1094	1094	3.0E-01	5	2.92E-04
1095	1095	3.0E-01	5	2.97E-04
1096	1096	3.1E-01	5	3.02E-04
1097	1097	3.1E-01	5	3.06E-04
1098	1098	3.2E-01	5	3.11E-04
1099	1099	3.2E-01	5	3.16E-04
1100	1100	3.3E-01	5	3.20E-04
1101	1101	3.3E-01	5	3.25E-04
1102	1102	3.3E-01	5	3.29E-04
1103	1103	3.4E-01	5	3.33E-04
1104	1104	3.4E-01	5	3.37E-04
1105	1105	3.5E-01	5	3.41E-04
1106	1106	3.5E-01	5	3.44E-04
1107	1107	3.5E-01	5	3.47E-04
1108	1108	3.6E-01	5	3.50E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	3.6E-01	5	3.53E-04
1110	1110	3.6E-01	5	3.55E-04
1111	1111	3.6E-01	5	3.57E-04
1112	1112	2.1E-01	5	2.06E-04
1113	1113	2.1E-01	5	2.09E-04
1114	1114	2.2E-01	5	2.14E-04
1115	1115	2.2E-01	5	2.18E-04
1116	1116	2.3E-01	5	2.22E-04
1117	1117	2.3E-01	5	2.27E-04
1118	1118	2.4E-01	5	2.37E-04
1119	1119	2.6E-01	5	2.52E-04
1120	1120	2.6E-01	5	2.57E-04
1121	1121	2.7E-01	5	2.62E-04
1122	1122	2.7E-01	5	2.67E-04
1123	1123	2.8E-01	5	2.72E-04
1124	1124	2.9E-01	5	2.82E-04
1125	1125	2.9E-01	5	2.87E-04
1126	1126	3.0E-01	5	2.93E-04
1127	1127	3.0E-01	5	2.98E-04
1128	1128	3.1E-01	5	3.04E-04
1129	1129	3.1E-01	5	3.09E-04
1130	1130	3.2E-01	5	3.14E-04
1131	1131	3.2E-01	5	3.19E-04
1132	1132	3.3E-01	5	3.24E-04
1133	1133	3.3E-01	5	3.29E-04
1134	1134	3.4E-01	5	3.34E-04
1135	1135	3.4E-01	5	3.39E-04
1136	1136	3.5E-01	5	3.43E-04
1137	1137	3.5E-01	5	3.48E-04
1138	1138	3.6E-01	5	3.52E-04
1139	1139	3.6E-01	5	3.56E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	3.7E-01	5	3.60E-04
1141	1141	3.7E-01	5	3.63E-04
1142	1142	3.7E-01	5	3.66E-04
1143	1143	3.8E-01	5	3.69E-04
1144	1144	3.8E-01	5	3.72E-04
1145	1145	3.8E-01	5	3.74E-04
1146	1146	2.2E-01	5	2.12E-04
1147	1147	2.2E-01	5	2.16E-04
1148	1148	2.2E-01	5	2.21E-04
1149	1149	2.3E-01	5	2.25E-04
1150	1150	2.3E-01	5	2.30E-04
1151	1151	2.4E-01	5	2.34E-04
1152	1152	2.5E-01	5	2.45E-04
1153	1153	2.6E-01	5	2.55E-04
1154	1154	2.7E-01	5	2.66E-04
1155	1155	2.8E-01	5	2.71E-04
1156	1156	2.8E-01	5	2.76E-04
1157	1157	2.9E-01	5	2.82E-04
1158	1158	3.0E-01	5	2.93E-04
1159	1159	3.0E-01	5	2.99E-04
1160	1160	3.1E-01	5	3.04E-04
1161	1161	3.1E-01	5	3.10E-04
1162	1162	3.2E-01	5	3.16E-04
1163	1163	3.3E-01	5	3.21E-04
1164	1164	3.3E-01	5	3.27E-04
1165	1165	3.4E-01	5	3.32E-04
1166	1166	3.4E-01	5	3.38E-04
1167	1167	3.5E-01	5	3.43E-04
1168	1168	3.5E-01	5	3.49E-04
1169	1169	3.6E-01	5	3.54E-04
1170	1170	3.6E-01	5	3.59E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	3.7E-01	5	3.64E-04
1172	1172	3.7E-01	5	3.69E-04
1173	1173	3.8E-01	5	3.73E-04
1174	1174	3.8E-01	5	3.77E-04
1175	1175	3.9E-01	5	3.81E-04
1176	1176	3.9E-01	5	3.84E-04
1177	1177	3.9E-01	5	3.87E-04
1178	1178	4.0E-01	5	3.89E-04
1179	1179	4.0E-01	5	3.92E-04
1180	1180	2.2E-01	5	2.20E-04
1181	1181	2.3E-01	5	2.24E-04
1182	1182	2.3E-01	5	2.28E-04
1183	1183	2.4E-01	5	2.33E-04
1184	1184	2.4E-01	5	2.38E-04
1185	1185	2.5E-01	5	2.42E-04
1186	1186	2.6E-01	5	2.53E-04
1187	1187	2.6E-01	5	2.59E-04
1188	1188	2.8E-01	5	2.75E-04
1189	1189	2.9E-01	5	2.81E-04
1190	1190	2.9E-01	5	2.87E-04
1191	1191	3.0E-01	5	2.92E-04
1192	1192	3.1E-01	5	3.04E-04
1193	1193	3.2E-01	5	3.10E-04
1194	1194	3.2E-01	5	3.16E-04
1195	1195	3.3E-01	5	3.23E-04
1196	1196	3.3E-01	5	3.29E-04
1197	1197	3.4E-01	5	3.35E-04
1198	1198	3.5E-01	5	3.41E-04
1199	1199	3.5E-01	5	3.47E-04
1200	1200	3.6E-01	5	3.53E-04
1201	1201	3.6E-01	5	3.59E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1202	1202	3.7E-01	5	3.64E-04
1203	1203	3.8E-01	5	3.70E-04
1204	1204	3.8E-01	5	3.76E-04
1205	1205	3.9E-01	5	3.81E-04
1206	1206	3.9E-01	5	3.86E-04
1207	1207	4.0E-01	5	3.91E-04
1208	1208	4.0E-01	5	3.95E-04
1209	1209	4.1E-01	5	3.99E-04
1210	1210	4.1E-01	5	4.03E-04
1211	1211	4.1E-01	5	4.06E-04
1212	1212	4.1E-01	5	4.08E-04
1213	1213	4.2E-01	5	4.11E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million		
892	0.47816	1.03E-02	4.9E-03	1.05E-03	5.16E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02		
893	0.48418	1.03E-02	5.0E-03	1.05E-03	5.23E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02	Res	
894	0.49016	1.03E-02	5.1E-03	1.05E-03	5.29E-06	1.37E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02		
895	0.49606	1.03E-02	5.1E-03	1.05E-03	5.36E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02		
896	0.5018	1.03E-02	5.2E-03	1.05E-03	5.42E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02		
897	0.50732	1.03E-02	5.2E-03	1.05E-03	5.48E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02		
898	0.51254	1.03E-02	5.3E-03	1.05E-03	5.54E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02		
899	0.51744	1.03E-02	5.3E-03	1.05E-03	5.59E-06	1.37E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02		
900	0.52192	1.03E-02	5.4E-03	1.05E-03	5.64E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02		
901	0.52609	1.03E-02	5.4E-03	1.05E-03	5.68E-06	1.37E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02		
902	0.53001	1.03E-02	5.5E-03	1.05E-03	5.72E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02		
903	0.53358	1.03E-02	5.5E-03	1.05E-03	5.76E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02		
904	0.53665	1.03E-02	5.5E-03	1.05E-03	5.80E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02		
905	0.53934	1.03E-02	5.6E-03	1.05E-03	5.83E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02		
906	0.54163	1.03E-02	5.6E-03	1.05E-03	5.85E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02		
907	0.54379	1.03E-02	5.6E-03	1.05E-03	5.87E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02		
908	0.3344	1.03E-02	3.5E-03	1.05E-03	3.61E-06	1.37E-02	1.57E-01	7.78E-09	1.0E+06	7.8E-03		
909	0.34053	1.03E-02	3.5E-03	1.05E-03	3.68E-06	1.37E-02	1.57E-01	7.92E-09	1.0E+06	7.9E-03		
910	0.34697	1.03E-02	3.6E-03	1.05E-03	3.75E-06	1.37E-02	1.57E-01	8.07E-09	1.0E+06	8.1E-03		
911	0.35331	1.03E-02	3.7E-03	1.05E-03	3.82E-06	1.37E-02	1.57E-01	8.22E-09	1.0E+06	8.2E-03		
912	0.36798	1.03E-02	3.8E-03	1.05E-03	3.97E-06	1.37E-02	1.57E-01	8.56E-09	1.0E+06	8.6E-03		
913	0.37452	1.03E-02	3.9E-03	1.05E-03	4.05E-06	1.37E-02	1.57E-01	8.71E-09	1.0E+06	8.7E-03		
914	0.38952	1.03E-02	4.0E-03	1.05E-03	4.21E-06	1.37E-02	1.57E-01	9.06E-09	1.0E+06	9.1E-03		
915	0.40512	1.03E-02	4.2E-03	1.05E-03	4.38E-06	1.37E-02	1.57E-01	9.42E-09	1.0E+06	9.4E-03		
916	0.41185	1.03E-02	4.3E-03	1.05E-03	4.45E-06	1.37E-02	1.57E-01	9.58E-09	1.0E+06	9.6E-03		
917	0.41862	1.03E-02	4.3E-03	1.05E-03	4.52E-06	1.37E-02	1.57E-01	9.73E-09	1.0E+06	9.7E-03		
918	0.42545	1.03E-02	4.4E-03	1.05E-03	4.60E-06	1.37E-02	1.57E-01	9.89E-09	1.0E+06	9.9E-03		
919	0.44137	1.03E-02	4.6E-03	1.05E-03	4.77E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02		
920	0.44821	1.03E-02	4.6E-03	1.05E-03	4.84E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02		
921	0.45507	1.03E-02	4.7E-03	1.05E-03	4.92E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02		
922	0.46197	1.03E-02	4.8E-03	1.05E-03	4.99E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02		

Max	Receptor #
0.019	1213

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	0.46884	1.03E-02	4.8E-03	1.05E-03	5.06E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
924	0.47565	1.03E-02	4.9E-03	1.05E-03	5.14E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
925	0.48238	1.03E-02	5.0E-03	1.05E-03	5.21E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
926	0.48903	1.03E-02	5.1E-03	1.05E-03	5.28E-06	1.37E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
927	0.49557	1.03E-02	5.1E-03	1.05E-03	5.35E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
928	0.50201	1.03E-02	5.2E-03	1.05E-03	5.42E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
929	0.50838	1.03E-02	5.3E-03	1.05E-03	5.49E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
930	0.51466	1.03E-02	5.3E-03	1.05E-03	5.56E-06	1.37E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
931	0.52076	1.03E-02	5.4E-03	1.05E-03	5.62E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
932	0.52659	1.03E-02	5.4E-03	1.05E-03	5.69E-06	1.37E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
933	0.53214	1.03E-02	5.5E-03	1.05E-03	5.75E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
934	0.53738	1.03E-02	5.6E-03	1.05E-03	5.80E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
935	0.5423	1.03E-02	5.6E-03	1.05E-03	5.86E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
936	0.54682	1.03E-02	5.7E-03	1.05E-03	5.91E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
937	0.55102	1.03E-02	5.7E-03	1.05E-03	5.95E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
938	0.55484	1.03E-02	5.7E-03	1.05E-03	5.99E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
939	0.55818	1.03E-02	5.8E-03	1.05E-03	6.03E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
940	0.5611	1.03E-02	5.8E-03	1.05E-03	6.06E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
941	0.56361	1.03E-02	5.8E-03	1.05E-03	6.09E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
942	0.3444	1.03E-02	3.6E-03	1.05E-03	3.72E-06	1.37E-02	1.57E-01	8.01E-09	1.0E+06	8.0E-03
943	0.35077	1.03E-02	3.6E-03	1.05E-03	3.79E-06	1.37E-02	1.57E-01	8.16E-09	1.0E+06	8.2E-03
944	0.35736	1.03E-02	3.7E-03	1.05E-03	3.86E-06	1.37E-02	1.57E-01	8.31E-09	1.0E+06	8.3E-03
945	0.36405	1.03E-02	3.8E-03	1.05E-03	3.93E-06	1.37E-02	1.57E-01	8.46E-09	1.0E+06	8.5E-03
946	0.37922	1.03E-02	3.9E-03	1.05E-03	4.10E-06	1.37E-02	1.57E-01	8.82E-09	1.0E+06	8.8E-03
947	0.38608	1.03E-02	4.0E-03	1.05E-03	4.17E-06	1.37E-02	1.57E-01	8.98E-09	1.0E+06	9.0E-03
948	0.40182	1.03E-02	4.2E-03	1.05E-03	4.34E-06	1.37E-02	1.57E-01	9.34E-09	1.0E+06	9.3E-03
949	0.41805	1.03E-02	4.3E-03	1.05E-03	4.52E-06	1.37E-02	1.57E-01	9.72E-09	1.0E+06	9.7E-03
950	0.42523	1.03E-02	4.4E-03	1.05E-03	4.59E-06	1.37E-02	1.57E-01	9.89E-09	1.0E+06	9.9E-03
951	0.43226	1.03E-02	4.5E-03	1.05E-03	4.67E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
952	0.43939	1.03E-02	4.5E-03	1.05E-03	4.75E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
953	0.44657	1.03E-02	4.6E-03	1.05E-03	4.82E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	0.46315	1.03E-02	4.8E-03	1.05E-03	5.00E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
955	0.4704	1.03E-02	4.9E-03	1.05E-03	5.08E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
956	0.47786	1.03E-02	4.9E-03	1.05E-03	5.16E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
957	0.48531	1.03E-02	5.0E-03	1.05E-03	5.24E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
958	0.4926	1.03E-02	5.1E-03	1.05E-03	5.32E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.1E-02
959	0.49974	1.03E-02	5.2E-03	1.05E-03	5.40E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
960	0.50682	1.03E-02	5.2E-03	1.05E-03	5.47E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
961	0.51382	1.03E-02	5.3E-03	1.05E-03	5.55E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
962	0.52073	1.03E-02	5.4E-03	1.05E-03	5.62E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
963	0.52754	1.03E-02	5.5E-03	1.05E-03	5.70E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
964	0.53424	1.03E-02	5.5E-03	1.05E-03	5.77E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
965	0.54078	1.03E-02	5.6E-03	1.05E-03	5.84E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
966	0.547	1.03E-02	5.7E-03	1.05E-03	5.91E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
967	0.55296	1.03E-02	5.7E-03	1.05E-03	5.97E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
968	0.5586	1.03E-02	5.8E-03	1.05E-03	6.03E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
969	0.56399	1.03E-02	5.8E-03	1.05E-03	6.09E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
970	0.56889	1.03E-02	5.9E-03	1.05E-03	6.14E-06	1.37E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
971	0.57338	1.03E-02	5.9E-03	1.05E-03	6.19E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
972	0.57748	1.03E-02	6.0E-03	1.05E-03	6.24E-06	1.37E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
973	0.58117	1.03E-02	6.0E-03	1.05E-03	6.28E-06	1.37E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
974	0.58437	1.03E-02	6.0E-03	1.05E-03	6.31E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
975	0.58718	1.03E-02	6.1E-03	1.05E-03	6.34E-06	1.37E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
976	0.35484	1.03E-02	3.7E-03	1.05E-03	3.83E-06	1.37E-02	1.57E-01	8.25E-09	1.0E+06	8.3E-03
977	0.36146	1.03E-02	3.7E-03	1.05E-03	3.90E-06	1.37E-02	1.57E-01	8.40E-09	1.0E+06	8.4E-03
978	0.36833	1.03E-02	3.8E-03	1.05E-03	3.98E-06	1.37E-02	1.57E-01	8.56E-09	1.0E+06	8.6E-03
979	0.37531	1.03E-02	3.9E-03	1.05E-03	4.05E-06	1.37E-02	1.57E-01	8.73E-09	1.0E+06	8.7E-03
980	0.3824	1.03E-02	4.0E-03	1.05E-03	4.13E-06	1.37E-02	1.57E-01	8.89E-09	1.0E+06	8.9E-03
981	0.39827	1.03E-02	4.1E-03	1.05E-03	4.30E-06	1.37E-02	1.57E-01	9.26E-09	1.0E+06	9.3E-03
982	0.41472	1.03E-02	4.3E-03	1.05E-03	4.48E-06	1.37E-02	1.57E-01	9.64E-09	1.0E+06	9.6E-03
983	0.43164	1.03E-02	4.5E-03	1.05E-03	4.66E-06	1.37E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
984	0.43928	1.03E-02	4.5E-03	1.05E-03	4.74E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	0.44662	1.03E-02	4.6E-03	1.05E-03	4.82E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
986	0.45403	1.03E-02	4.7E-03	1.05E-03	4.90E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
987	0.46153	1.03E-02	4.8E-03	1.05E-03	4.99E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
988	0.46907	1.03E-02	4.8E-03	1.05E-03	5.07E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
989	0.48654	1.03E-02	5.0E-03	1.05E-03	5.26E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
990	0.49461	1.03E-02	5.1E-03	1.05E-03	5.34E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
991	0.50269	1.03E-02	5.2E-03	1.05E-03	5.43E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
992	0.51051	1.03E-02	5.3E-03	1.05E-03	5.51E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
993	0.51811	1.03E-02	5.4E-03	1.05E-03	5.60E-06	1.37E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
994	0.52562	1.03E-02	5.4E-03	1.05E-03	5.68E-06	1.37E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
995	0.53314	1.03E-02	5.5E-03	1.05E-03	5.76E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
996	0.54054	1.03E-02	5.6E-03	1.05E-03	5.84E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
997	0.54784	1.03E-02	5.7E-03	1.05E-03	5.92E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
998	0.55503	1.03E-02	5.7E-03	1.05E-03	6.00E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
999	0.56203	1.03E-02	5.8E-03	1.05E-03	6.07E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1000	0.56867	1.03E-02	5.9E-03	1.05E-03	6.14E-06	1.37E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1001	0.57507	1.03E-02	5.9E-03	1.05E-03	6.21E-06	1.37E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1002	0.58116	1.03E-02	6.0E-03	1.05E-03	6.28E-06	1.37E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1003	0.58709	1.03E-02	6.1E-03	1.05E-03	6.34E-06	1.37E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1004	0.5924	1.03E-02	6.1E-03	1.05E-03	6.40E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1005	0.59721	1.03E-02	6.2E-03	1.05E-03	6.45E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1006	0.6016	1.03E-02	6.2E-03	1.05E-03	6.50E-06	1.37E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1007	0.60559	1.03E-02	6.3E-03	1.05E-03	6.54E-06	1.37E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1008	0.60916	1.03E-02	6.3E-03	1.05E-03	6.58E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1009	0.61223	1.03E-02	6.3E-03	1.05E-03	6.61E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1010	0.3658	1.03E-02	3.8E-03	1.05E-03	3.95E-06	1.37E-02	1.57E-01	8.51E-09	1.0E+06	8.5E-03
1011	0.37263	1.03E-02	3.9E-03	1.05E-03	4.02E-06	1.37E-02	1.57E-01	8.66E-09	1.0E+06	8.7E-03
1012	0.37979	1.03E-02	3.9E-03	1.05E-03	4.10E-06	1.37E-02	1.57E-01	8.83E-09	1.0E+06	8.8E-03
1013	0.38714	1.03E-02	4.0E-03	1.05E-03	4.18E-06	1.37E-02	1.57E-01	9.00E-09	1.0E+06	9.0E-03
1014	0.39449	1.03E-02	4.1E-03	1.05E-03	4.26E-06	1.37E-02	1.57E-01	9.17E-09	1.0E+06	9.2E-03
1015	0.411	1.03E-02	4.2E-03	1.05E-03	4.44E-06	1.37E-02	1.57E-01	9.56E-09	1.0E+06	9.6E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	0.42822	1.03E-02	4.4E-03	1.05E-03	4.63E-06	1.37E-02	1.57E-01	9.96E-09	1.0E+06	1.0E-02
1017	0.44584	1.03E-02	4.6E-03	1.05E-03	4.82E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1018	0.45398	1.03E-02	4.7E-03	1.05E-03	4.90E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1019	0.46169	1.03E-02	4.8E-03	1.05E-03	4.99E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1020	0.4695	1.03E-02	4.9E-03	1.05E-03	5.07E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1021	0.47734	1.03E-02	4.9E-03	1.05E-03	5.16E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1022	0.48526	1.03E-02	5.0E-03	1.05E-03	5.24E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1023	0.50361	1.03E-02	5.2E-03	1.05E-03	5.44E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1024	0.51233	1.03E-02	5.3E-03	1.05E-03	5.53E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1025	0.52104	1.03E-02	5.4E-03	1.05E-03	5.63E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1026	0.52943	1.03E-02	5.5E-03	1.05E-03	5.72E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1027	0.53756	1.03E-02	5.6E-03	1.05E-03	5.81E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
1028	0.5456	1.03E-02	5.6E-03	1.05E-03	5.89E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
1029	0.55365	1.03E-02	5.7E-03	1.05E-03	5.98E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
1030	0.56158	1.03E-02	5.8E-03	1.05E-03	6.07E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1031	0.56942	1.03E-02	5.9E-03	1.05E-03	6.15E-06	1.37E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1032	0.57713	1.03E-02	6.0E-03	1.05E-03	6.23E-06	1.37E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1033	0.58462	1.03E-02	6.0E-03	1.05E-03	6.31E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1034	0.59176	1.03E-02	6.1E-03	1.05E-03	6.39E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1035	0.59862	1.03E-02	6.2E-03	1.05E-03	6.47E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1036	0.60526	1.03E-02	6.3E-03	1.05E-03	6.54E-06	1.37E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1037	0.6117	1.03E-02	6.3E-03	1.05E-03	6.61E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1038	0.61747	1.03E-02	6.4E-03	1.05E-03	6.67E-06	1.37E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1039	0.62263	1.03E-02	6.4E-03	1.05E-03	6.73E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
1040	0.62735	1.03E-02	6.5E-03	1.05E-03	6.78E-06	1.37E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1041	0.63163	1.03E-02	6.5E-03	1.05E-03	6.82E-06	1.37E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1042	0.63547	1.03E-02	6.6E-03	1.05E-03	6.86E-06	1.37E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1043	0.63885	1.03E-02	6.6E-03	1.05E-03	6.90E-06	1.37E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1044	0.37716	1.03E-02	3.9E-03	1.05E-03	4.07E-06	1.37E-02	1.57E-01	8.77E-09	1.0E+06	8.8E-03
1045	0.38426	1.03E-02	4.0E-03	1.05E-03	4.15E-06	1.37E-02	1.57E-01	8.93E-09	1.0E+06	8.9E-03
1046	0.39171	1.03E-02	4.0E-03	1.05E-03	4.23E-06	1.37E-02	1.57E-01	9.11E-09	1.0E+06	9.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	0.39932	1.03E-02	4.1E-03	1.05E-03	4.31E-06	1.37E-02	1.57E-01	9.28E-09	1.0E+06	9.3E-03
1048	0.40699	1.03E-02	4.2E-03	1.05E-03	4.40E-06	1.37E-02	1.57E-01	9.46E-09	1.0E+06	9.5E-03
1049	0.4241	1.03E-02	4.4E-03	1.05E-03	4.58E-06	1.37E-02	1.57E-01	9.86E-09	1.0E+06	9.9E-03
1050	0.43296	1.03E-02	4.5E-03	1.05E-03	4.68E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1051	0.46055	1.03E-02	4.8E-03	1.05E-03	4.97E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1052	0.46924	1.03E-02	4.8E-03	1.05E-03	5.07E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1053	0.4775	1.03E-02	4.9E-03	1.05E-03	5.16E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1054	0.48586	1.03E-02	5.0E-03	1.05E-03	5.25E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1055	0.49429	1.03E-02	5.1E-03	1.05E-03	5.34E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.1E-02
1056	0.50278	1.03E-02	5.2E-03	1.05E-03	5.43E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1057	0.52191	1.03E-02	5.4E-03	1.05E-03	5.64E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1058	0.53117	1.03E-02	5.5E-03	1.05E-03	5.74E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1059	0.54046	1.03E-02	5.6E-03	1.05E-03	5.84E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1060	0.54947	1.03E-02	5.7E-03	1.05E-03	5.94E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1061	0.55822	1.03E-02	5.8E-03	1.05E-03	6.03E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1062	0.56688	1.03E-02	5.9E-03	1.05E-03	6.12E-06	1.37E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1063	0.57549	1.03E-02	5.9E-03	1.05E-03	6.22E-06	1.37E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1064	0.58398	1.03E-02	6.0E-03	1.05E-03	6.31E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1065	0.59236	1.03E-02	6.1E-03	1.05E-03	6.40E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1066	0.60063	1.03E-02	6.2E-03	1.05E-03	6.49E-06	1.37E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1067	0.60868	1.03E-02	6.3E-03	1.05E-03	6.57E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1068	0.6164	1.03E-02	6.4E-03	1.05E-03	6.66E-06	1.37E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1069	0.62385	1.03E-02	6.4E-03	1.05E-03	6.74E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1070	0.63105	1.03E-02	6.5E-03	1.05E-03	6.82E-06	1.37E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1071	0.63802	1.03E-02	6.6E-03	1.05E-03	6.89E-06	1.37E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1072	0.64425	1.03E-02	6.7E-03	1.05E-03	6.96E-06	1.37E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1073	0.64981	1.03E-02	6.7E-03	1.05E-03	7.02E-06	1.37E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1074	0.65489	1.03E-02	6.8E-03	1.05E-03	7.07E-06	1.37E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1075	0.65949	1.03E-02	6.8E-03	1.05E-03	7.12E-06	1.37E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1076	0.6636	1.03E-02	6.9E-03	1.05E-03	7.17E-06	1.37E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1077	0.66721	1.03E-02	6.9E-03	1.05E-03	7.21E-06	1.37E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	0.38907	1.03E-02	4.0E-03	1.05E-03	4.20E-06	1.37E-02	1.57E-01	9.05E-09	1.0E+06	9.0E-03
1079	0.39644	1.03E-02	4.1E-03	1.05E-03	4.28E-06	1.37E-02	1.57E-01	9.22E-09	1.0E+06	9.2E-03
1080	0.40418	1.03E-02	4.2E-03	1.05E-03	4.37E-06	1.37E-02	1.57E-01	9.40E-09	1.0E+06	9.4E-03
1081	0.41213	1.03E-02	4.3E-03	1.05E-03	4.45E-06	1.37E-02	1.57E-01	9.58E-09	1.0E+06	9.6E-03
1082	0.42008	1.03E-02	4.3E-03	1.05E-03	4.54E-06	1.37E-02	1.57E-01	9.77E-09	1.0E+06	9.8E-03
1083	0.43788	1.03E-02	4.5E-03	1.05E-03	4.73E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1084	0.44723	1.03E-02	4.6E-03	1.05E-03	4.83E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1085	0.476	1.03E-02	4.9E-03	1.05E-03	5.14E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1086	0.48532	1.03E-02	5.0E-03	1.05E-03	5.24E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1087	0.49415	1.03E-02	5.1E-03	1.05E-03	5.34E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.1E-02
1088	0.50309	1.03E-02	5.2E-03	1.05E-03	5.43E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1089	0.51216	1.03E-02	5.3E-03	1.05E-03	5.53E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1090	0.53186	1.03E-02	5.5E-03	1.05E-03	5.74E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1091	0.54123	1.03E-02	5.6E-03	1.05E-03	5.85E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1092	0.55112	1.03E-02	5.7E-03	1.05E-03	5.95E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1093	0.56103	1.03E-02	5.8E-03	1.05E-03	6.06E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1094	0.57068	1.03E-02	5.9E-03	1.05E-03	6.16E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1095	0.58013	1.03E-02	6.0E-03	1.05E-03	6.27E-06	1.37E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
1096	0.58949	1.03E-02	6.1E-03	1.05E-03	6.37E-06	1.37E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1097	0.59872	1.03E-02	6.2E-03	1.05E-03	6.47E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1098	0.6078	1.03E-02	6.3E-03	1.05E-03	6.57E-06	1.37E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1099	0.61678	1.03E-02	6.4E-03	1.05E-03	6.66E-06	1.37E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1100	0.62566	1.03E-02	6.5E-03	1.05E-03	6.76E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1101	0.63429	1.03E-02	6.6E-03	1.05E-03	6.85E-06	1.37E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1102	0.64269	1.03E-02	6.6E-03	1.05E-03	6.94E-06	1.37E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1103	0.65078	1.03E-02	6.7E-03	1.05E-03	7.03E-06	1.37E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1104	0.65861	1.03E-02	6.8E-03	1.05E-03	7.11E-06	1.37E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1105	0.66617	1.03E-02	6.9E-03	1.05E-03	7.20E-06	1.37E-02	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1106	0.6729	1.03E-02	7.0E-03	1.05E-03	7.27E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1107	0.6789	1.03E-02	7.0E-03	1.05E-03	7.33E-06	1.37E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1108	0.68438	1.03E-02	7.1E-03	1.05E-03	7.39E-06	1.37E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	0.68932	1.03E-02	7.1E-03	1.05E-03	7.45E-06	1.37E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1110	0.69374	1.03E-02	7.2E-03	1.05E-03	7.49E-06	1.37E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
1111	0.6976	1.03E-02	7.2E-03	1.05E-03	7.54E-06	1.37E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1112	0.40168	1.03E-02	4.2E-03	1.05E-03	4.34E-06	1.37E-02	1.57E-01	9.34E-09	1.0E+06	9.3E-03
1113	0.40928	1.03E-02	4.2E-03	1.05E-03	4.42E-06	1.37E-02	1.57E-01	9.52E-09	1.0E+06	9.5E-03
1114	0.41734	1.03E-02	4.3E-03	1.05E-03	4.51E-06	1.37E-02	1.57E-01	9.70E-09	1.0E+06	9.7E-03
1115	0.42564	1.03E-02	4.4E-03	1.05E-03	4.60E-06	1.37E-02	1.57E-01	9.90E-09	1.0E+06	9.9E-03
1116	0.43396	1.03E-02	4.5E-03	1.05E-03	4.69E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1117	0.44259	1.03E-02	4.6E-03	1.05E-03	4.78E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1118	0.46226	1.03E-02	4.8E-03	1.05E-03	4.99E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1119	0.49221	1.03E-02	5.1E-03	1.05E-03	5.32E-06	1.37E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
1120	0.50218	1.03E-02	5.2E-03	1.05E-03	5.42E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1121	0.51162	1.03E-02	5.3E-03	1.05E-03	5.53E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1122	0.52123	1.03E-02	5.4E-03	1.05E-03	5.63E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1123	0.53099	1.03E-02	5.5E-03	1.05E-03	5.74E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1124	0.55158	1.03E-02	5.7E-03	1.05E-03	5.96E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1125	0.56164	1.03E-02	5.8E-03	1.05E-03	6.07E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1126	0.5722	1.03E-02	5.9E-03	1.05E-03	6.18E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1127	0.58278	1.03E-02	6.0E-03	1.05E-03	6.29E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1128	0.59318	1.03E-02	6.1E-03	1.05E-03	6.41E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1129	0.60334	1.03E-02	6.2E-03	1.05E-03	6.52E-06	1.37E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1130	0.61347	1.03E-02	6.3E-03	1.05E-03	6.63E-06	1.37E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1131	0.6234	1.03E-02	6.4E-03	1.05E-03	6.73E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
1132	0.63318	1.03E-02	6.5E-03	1.05E-03	6.84E-06	1.37E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1133	0.64286	1.03E-02	6.6E-03	1.05E-03	6.94E-06	1.37E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1134	0.65241	1.03E-02	6.7E-03	1.05E-03	7.05E-06	1.37E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1135	0.66174	1.03E-02	6.8E-03	1.05E-03	7.15E-06	1.37E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1136	0.67087	1.03E-02	6.9E-03	1.05E-03	7.25E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1137	0.67969	1.03E-02	7.0E-03	1.05E-03	7.34E-06	1.37E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1138	0.68818	1.03E-02	7.1E-03	1.05E-03	7.43E-06	1.37E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1139	0.69636	1.03E-02	7.2E-03	1.05E-03	7.52E-06	1.37E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	0.70361	1.03E-02	7.3E-03	1.05E-03	7.60E-06	1.37E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
1141	0.7101	1.03E-02	7.3E-03	1.05E-03	7.67E-06	1.37E-02	1.57E-01	1.65E-08	1.0E+06	1.7E-02
1142	0.71601	1.03E-02	7.4E-03	1.05E-03	7.73E-06	1.37E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1143	0.72134	1.03E-02	7.5E-03	1.05E-03	7.79E-06	1.37E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1144	0.72609	1.03E-02	7.5E-03	1.05E-03	7.84E-06	1.37E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1145	0.73018	1.03E-02	7.5E-03	1.05E-03	7.89E-06	1.37E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
1146	0.41497	1.03E-02	4.3E-03	1.05E-03	4.48E-06	1.37E-02	1.57E-01	9.65E-09	1.0E+06	9.6E-03
1147	0.42283	1.03E-02	4.4E-03	1.05E-03	4.57E-06	1.37E-02	1.57E-01	9.83E-09	1.0E+06	9.8E-03
1148	0.43115	1.03E-02	4.5E-03	1.05E-03	4.66E-06	1.37E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1149	0.43975	1.03E-02	4.5E-03	1.05E-03	4.75E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1150	0.44861	1.03E-02	4.6E-03	1.05E-03	4.85E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1151	0.45773	1.03E-02	4.7E-03	1.05E-03	4.94E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1152	0.47797	1.03E-02	4.9E-03	1.05E-03	5.16E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1153	0.49863	1.03E-02	5.2E-03	1.05E-03	5.39E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1154	0.51951	1.03E-02	5.4E-03	1.05E-03	5.61E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1155	0.52974	1.03E-02	5.5E-03	1.05E-03	5.72E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1156	0.54014	1.03E-02	5.6E-03	1.05E-03	5.83E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1157	0.55068	1.03E-02	5.7E-03	1.05E-03	5.95E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1158	0.57238	1.03E-02	5.9E-03	1.05E-03	6.18E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1159	0.58325	1.03E-02	6.0E-03	1.05E-03	6.30E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1160	0.59449	1.03E-02	6.1E-03	1.05E-03	6.42E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1161	0.60576	1.03E-02	6.3E-03	1.05E-03	6.54E-06	1.37E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1162	0.61693	1.03E-02	6.4E-03	1.05E-03	6.66E-06	1.37E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1163	0.62794	1.03E-02	6.5E-03	1.05E-03	6.78E-06	1.37E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1164	0.63889	1.03E-02	6.6E-03	1.05E-03	6.90E-06	1.37E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1165	0.64964	1.03E-02	6.7E-03	1.05E-03	7.02E-06	1.37E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1166	0.66024	1.03E-02	6.8E-03	1.05E-03	7.13E-06	1.37E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1167	0.67074	1.03E-02	6.9E-03	1.05E-03	7.25E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1168	0.68114	1.03E-02	7.0E-03	1.05E-03	7.36E-06	1.37E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1169	0.69131	1.03E-02	7.1E-03	1.05E-03	7.47E-06	1.37E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
1170	0.70124	1.03E-02	7.2E-03	1.05E-03	7.57E-06	1.37E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	0.71084	1.03E-02	7.3E-03	1.05E-03	7.68E-06	1.37E-02	1.57E-01	1.65E-08	1.0E+06	1.7E-02
1172	0.72003	1.03E-02	7.4E-03	1.05E-03	7.78E-06	1.37E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1173	0.72878	1.03E-02	7.5E-03	1.05E-03	7.87E-06	1.37E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1174	0.73658	1.03E-02	7.6E-03	1.05E-03	7.96E-06	1.37E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1175	0.74362	1.03E-02	7.7E-03	1.05E-03	8.03E-06	1.37E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1176	0.75	1.03E-02	7.8E-03	1.05E-03	8.10E-06	1.37E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1177	0.75576	1.03E-02	7.8E-03	1.05E-03	8.16E-06	1.37E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02
1178	0.76079	1.03E-02	7.9E-03	1.05E-03	8.22E-06	1.37E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1179	0.76512	1.03E-02	7.9E-03	1.05E-03	8.26E-06	1.37E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1180	0.42895	1.03E-02	4.4E-03	1.05E-03	4.63E-06	1.37E-02	1.57E-01	9.97E-09	1.0E+06	1.0E-02
1181	0.43714	1.03E-02	4.5E-03	1.05E-03	4.72E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1182	0.44575	1.03E-02	4.6E-03	1.05E-03	4.81E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1183	0.45472	1.03E-02	4.7E-03	1.05E-03	4.91E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1184	0.46409	1.03E-02	4.8E-03	1.05E-03	5.01E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1185	0.47381	1.03E-02	4.9E-03	1.05E-03	5.12E-06	1.37E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1186	0.49463	1.03E-02	5.1E-03	1.05E-03	5.34E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
1187	0.50561	1.03E-02	5.2E-03	1.05E-03	5.46E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1188	0.53776	1.03E-02	5.6E-03	1.05E-03	5.81E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
1189	0.54882	1.03E-02	5.7E-03	1.05E-03	5.93E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1190	0.56007	1.03E-02	5.8E-03	1.05E-03	6.05E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1191	0.5715	1.03E-02	5.9E-03	1.05E-03	6.17E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1192	0.59439	1.03E-02	6.1E-03	1.05E-03	6.42E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1193	0.60613	1.03E-02	6.3E-03	1.05E-03	6.55E-06	1.37E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1194	0.6181	1.03E-02	6.4E-03	1.05E-03	6.68E-06	1.37E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1195	0.63016	1.03E-02	6.5E-03	1.05E-03	6.81E-06	1.37E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1196	0.64215	1.03E-02	6.6E-03	1.05E-03	6.94E-06	1.37E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1197	0.65407	1.03E-02	6.8E-03	1.05E-03	7.06E-06	1.37E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1198	0.66596	1.03E-02	6.9E-03	1.05E-03	7.19E-06	1.37E-02	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1199	0.67762	1.03E-02	7.0E-03	1.05E-03	7.32E-06	1.37E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1200	0.68916	1.03E-02	7.1E-03	1.05E-03	7.44E-06	1.37E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1201	0.70057	1.03E-02	7.2E-03	1.05E-03	7.57E-06	1.37E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	0.71191	1.03E-02	7.4E-03	1.05E-03	7.69E-06	1.37E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1203	0.72296	1.03E-02	7.5E-03	1.05E-03	7.81E-06	1.37E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1204	0.73382	1.03E-02	7.6E-03	1.05E-03	7.93E-06	1.37E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1205	0.74432	1.03E-02	7.7E-03	1.05E-03	8.04E-06	1.37E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1206	0.75425	1.03E-02	7.8E-03	1.05E-03	8.15E-06	1.37E-02	1.57E-01	1.75E-08	1.0E+06	1.8E-02
1207	0.76364	1.03E-02	7.9E-03	1.05E-03	8.25E-06	1.37E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1208	0.77204	1.03E-02	8.0E-03	1.05E-03	8.34E-06	1.37E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1209	0.77968	1.03E-02	8.1E-03	1.05E-03	8.42E-06	1.37E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1210	0.7866	1.03E-02	8.1E-03	1.05E-03	8.50E-06	1.37E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
1211	0.7928	1.03E-02	8.2E-03	1.05E-03	8.56E-06	1.37E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1212	0.79815	1.03E-02	8.2E-03	1.05E-03	8.62E-06	1.37E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1213	0.80274	1.03E-02	8.3E-03	1.05E-03	8.67E-06	1.37E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	9.88E-04
893	5	1.00E-03
894	5	1.01E-03
895	5	1.03E-03
896	5	1.04E-03
897	5	1.05E-03
898	5	1.06E-03
899	5	1.07E-03
900	5	1.08E-03
901	5	1.09E-03
902	5	1.10E-03
903	5	1.10E-03
904	5	1.11E-03
905	5	1.11E-03
906	5	1.12E-03
907	5	1.12E-03
908	5	6.91E-04
909	5	7.04E-04
910	5	7.17E-04
911	5	7.30E-04
912	5	7.61E-04
913	5	7.74E-04
914	5	8.05E-04
915	5	8.37E-04
916	5	8.51E-04
917	5	8.65E-04
918	5	8.79E-04
919	5	9.12E-04
920	5	9.26E-04
921	5	9.41E-04
922	5	9.55E-04

Max	Receptor #	
0.002	1213	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	9.69E-04
924	5	9.83E-04
925	5	9.97E-04
926	5	1.01E-03
927	5	1.02E-03
928	5	1.04E-03
929	5	1.05E-03
930	5	1.06E-03
931	5	1.08E-03
932	5	1.09E-03
933	5	1.10E-03
934	5	1.11E-03
935	5	1.12E-03
936	5	1.13E-03
937	5	1.14E-03
938	5	1.15E-03
939	5	1.15E-03
940	5	1.16E-03
941	5	1.16E-03
942	5	7.12E-04
943	5	7.25E-04
944	5	7.39E-04
945	5	7.52E-04
946	5	7.84E-04
947	5	7.98E-04
948	5	8.31E-04
949	5	8.64E-04
950	5	8.79E-04
951	5	8.93E-04
952	5	9.08E-04
953	5	9.23E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	9.57E-04
955	5	9.72E-04
956	5	9.88E-04
957	5	1.00E-03
958	5	1.02E-03
959	5	1.03E-03
960	5	1.05E-03
961	5	1.06E-03
962	5	1.08E-03
963	5	1.09E-03
964	5	1.10E-03
965	5	1.12E-03
966	5	1.13E-03
967	5	1.14E-03
968	5	1.15E-03
969	5	1.17E-03
970	5	1.18E-03
971	5	1.19E-03
972	5	1.19E-03
973	5	1.20E-03
974	5	1.21E-03
975	5	1.21E-03
976	5	7.33E-04
977	5	7.47E-04
978	5	7.61E-04
979	5	7.76E-04
980	5	7.90E-04
981	5	8.23E-04
982	5	8.57E-04
983	5	8.92E-04
984	5	9.08E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	9.23E-04
986	5	9.38E-04
987	5	9.54E-04
988	5	9.70E-04
989	5	1.01E-03
990	5	1.02E-03
991	5	1.04E-03
992	5	1.06E-03
993	5	1.07E-03
994	5	1.09E-03
995	5	1.10E-03
996	5	1.12E-03
997	5	1.13E-03
998	5	1.15E-03
999	5	1.16E-03
1000	5	1.18E-03
1001	5	1.19E-03
1002	5	1.20E-03
1003	5	1.21E-03
1004	5	1.22E-03
1005	5	1.23E-03
1006	5	1.24E-03
1007	5	1.25E-03
1008	5	1.26E-03
1009	5	1.27E-03
1010	5	7.56E-04
1011	5	7.70E-04
1012	5	7.85E-04
1013	5	8.00E-04
1014	5	8.15E-04
1015	5	8.49E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	8.85E-04
1017	5	9.21E-04
1018	5	9.38E-04
1019	5	9.54E-04
1020	5	9.70E-04
1021	5	9.87E-04
1022	5	1.00E-03
1023	5	1.04E-03
1024	5	1.06E-03
1025	5	1.08E-03
1026	5	1.09E-03
1027	5	1.11E-03
1028	5	1.13E-03
1029	5	1.14E-03
1030	5	1.16E-03
1031	5	1.18E-03
1032	5	1.19E-03
1033	5	1.21E-03
1034	5	1.22E-03
1035	5	1.24E-03
1036	5	1.25E-03
1037	5	1.26E-03
1038	5	1.28E-03
1039	5	1.29E-03
1040	5	1.30E-03
1041	5	1.31E-03
1042	5	1.31E-03
1043	5	1.32E-03
1044	5	7.80E-04
1045	5	7.94E-04
1046	5	8.10E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	8.25E-04
1048	5	8.41E-04
1049	5	8.77E-04
1050	5	8.95E-04
1051	5	9.52E-04
1052	5	9.70E-04
1053	5	9.87E-04
1054	5	1.00E-03
1055	5	1.02E-03
1056	5	1.04E-03
1057	5	1.08E-03
1058	5	1.10E-03
1059	5	1.12E-03
1060	5	1.14E-03
1061	5	1.15E-03
1062	5	1.17E-03
1063	5	1.19E-03
1064	5	1.21E-03
1065	5	1.22E-03
1066	5	1.24E-03
1067	5	1.26E-03
1068	5	1.27E-03
1069	5	1.29E-03
1070	5	1.30E-03
1071	5	1.32E-03
1072	5	1.33E-03
1073	5	1.34E-03
1074	5	1.35E-03
1075	5	1.36E-03
1076	5	1.37E-03
1077	5	1.38E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	8.04E-04
1079	5	8.19E-04
1080	5	8.35E-04
1081	5	8.52E-04
1082	5	8.68E-04
1083	5	9.05E-04
1084	5	9.24E-04
1085	5	9.84E-04
1086	5	1.00E-03
1087	5	1.02E-03
1088	5	1.04E-03
1089	5	1.06E-03
1090	5	1.10E-03
1091	5	1.12E-03
1092	5	1.14E-03
1093	5	1.16E-03
1094	5	1.18E-03
1095	5	1.20E-03
1096	5	1.22E-03
1097	5	1.24E-03
1098	5	1.26E-03
1099	5	1.27E-03
1100	5	1.29E-03
1101	5	1.31E-03
1102	5	1.33E-03
1103	5	1.35E-03
1104	5	1.36E-03
1105	5	1.38E-03
1106	5	1.39E-03
1107	5	1.40E-03
1108	5	1.41E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.42E-03
1110	5	1.43E-03
1111	5	1.44E-03
1112	5	8.30E-04
1113	5	8.46E-04
1114	5	8.63E-04
1115	5	8.80E-04
1116	5	8.97E-04
1117	5	9.15E-04
1118	5	9.55E-04
1119	5	1.02E-03
1120	5	1.04E-03
1121	5	1.06E-03
1122	5	1.08E-03
1123	5	1.10E-03
1124	5	1.14E-03
1125	5	1.16E-03
1126	5	1.18E-03
1127	5	1.20E-03
1128	5	1.23E-03
1129	5	1.25E-03
1130	5	1.27E-03
1131	5	1.29E-03
1132	5	1.31E-03
1133	5	1.33E-03
1134	5	1.35E-03
1135	5	1.37E-03
1136	5	1.39E-03
1137	5	1.40E-03
1138	5	1.42E-03
1139	5	1.44E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	1.45E-03
1141	5	1.47E-03
1142	5	1.48E-03
1143	5	1.49E-03
1144	5	1.50E-03
1145	5	1.51E-03
1146	5	8.58E-04
1147	5	8.74E-04
1148	5	8.91E-04
1149	5	9.09E-04
1150	5	9.27E-04
1151	5	9.46E-04
1152	5	9.88E-04
1153	5	1.03E-03
1154	5	1.07E-03
1155	5	1.09E-03
1156	5	1.12E-03
1157	5	1.14E-03
1158	5	1.18E-03
1159	5	1.21E-03
1160	5	1.23E-03
1161	5	1.25E-03
1162	5	1.28E-03
1163	5	1.30E-03
1164	5	1.32E-03
1165	5	1.34E-03
1166	5	1.36E-03
1167	5	1.39E-03
1168	5	1.41E-03
1169	5	1.43E-03
1170	5	1.45E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	1.47E-03
1172	5	1.49E-03
1173	5	1.51E-03
1174	5	1.52E-03
1175	5	1.54E-03
1176	5	1.55E-03
1177	5	1.56E-03
1178	5	1.57E-03
1179	5	1.58E-03
1180	5	8.87E-04
1181	5	9.04E-04
1182	5	9.21E-04
1183	5	9.40E-04
1184	5	9.59E-04
1185	5	9.79E-04
1186	5	1.02E-03
1187	5	1.05E-03
1188	5	1.11E-03
1189	5	1.13E-03
1190	5	1.16E-03
1191	5	1.18E-03
1192	5	1.23E-03
1193	5	1.25E-03
1194	5	1.28E-03
1195	5	1.30E-03
1196	5	1.33E-03
1197	5	1.35E-03
1198	5	1.38E-03
1199	5	1.40E-03
1200	5	1.42E-03
1201	5	1.45E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	1.47E-03
1203	5	1.49E-03
1204	5	1.52E-03
1205	5	1.54E-03
1206	5	1.56E-03
1207	5	1.58E-03
1208	5	1.60E-03
1209	5	1.61E-03
1210	5	1.63E-03
1211	5	1.64E-03
1212	5	1.65E-03
1213	5	1.66E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	0.47816	1.29E-03	6.1E-04	1.05E-03	6.42E-07	6.16E-01	1.57E-01	6.22E-08	1.0E+06	6.2E-02
893	0.48418	1.29E-03	6.2E-04	1.05E-03	6.50E-07	6.16E-01	1.57E-01	6.30E-08	1.0E+06	6.3E-02
894	0.49016	1.29E-03	6.3E-04	1.05E-03	6.58E-07	6.16E-01	1.57E-01	6.38E-08	1.0E+06	6.4E-02
895	0.49606	1.29E-03	6.4E-04	1.05E-03	6.66E-07	6.16E-01	1.57E-01	6.45E-08	1.0E+06	6.5E-02
896	0.5018	1.29E-03	6.4E-04	1.05E-03	6.74E-07	6.16E-01	1.57E-01	6.53E-08	1.0E+06	6.5E-02
897	0.50732	1.29E-03	6.5E-04	1.05E-03	6.81E-07	6.16E-01	1.57E-01	6.60E-08	1.0E+06	6.6E-02
898	0.51254	1.29E-03	6.6E-04	1.05E-03	6.88E-07	6.16E-01	1.57E-01	6.67E-08	1.0E+06	6.7E-02
899	0.51744	1.29E-03	6.7E-04	1.05E-03	6.95E-07	6.16E-01	1.57E-01	6.73E-08	1.0E+06	6.7E-02
900	0.52192	1.29E-03	6.7E-04	1.05E-03	7.01E-07	6.16E-01	1.57E-01	6.79E-08	1.0E+06	6.8E-02
901	0.52609	1.29E-03	6.8E-04	1.05E-03	7.07E-07	6.16E-01	1.57E-01	6.85E-08	1.0E+06	6.8E-02
902	0.53001	1.29E-03	6.8E-04	1.05E-03	7.12E-07	6.16E-01	1.57E-01	6.90E-08	1.0E+06	6.9E-02
903	0.53358	1.29E-03	6.9E-04	1.05E-03	7.17E-07	6.16E-01	1.57E-01	6.94E-08	1.0E+06	6.9E-02
904	0.53665	1.29E-03	6.9E-04	1.05E-03	7.21E-07	6.16E-01	1.57E-01	6.98E-08	1.0E+06	7.0E-02
905	0.53934	1.29E-03	6.9E-04	1.05E-03	7.24E-07	6.16E-01	1.57E-01	7.02E-08	1.0E+06	7.0E-02
906	0.54163	1.29E-03	7.0E-04	1.05E-03	7.28E-07	6.16E-01	1.57E-01	7.05E-08	1.0E+06	7.0E-02
907	0.54379	1.29E-03	7.0E-04	1.05E-03	7.30E-07	6.16E-01	1.57E-01	7.08E-08	1.0E+06	7.1E-02
908	0.3344	1.29E-03	4.3E-04	1.05E-03	4.49E-07	6.16E-01	1.57E-01	4.35E-08	1.0E+06	4.4E-02
909	0.34053	1.29E-03	4.4E-04	1.05E-03	4.57E-07	6.16E-01	1.57E-01	4.43E-08	1.0E+06	4.4E-02
910	0.34697	1.29E-03	4.5E-04	1.05E-03	4.66E-07	6.16E-01	1.57E-01	4.51E-08	1.0E+06	4.5E-02
911	0.35331	1.29E-03	4.5E-04	1.05E-03	4.75E-07	6.16E-01	1.57E-01	4.60E-08	1.0E+06	4.6E-02
912	0.36798	1.29E-03	4.7E-04	1.05E-03	4.94E-07	6.16E-01	1.57E-01	4.79E-08	1.0E+06	4.8E-02
913	0.37452	1.29E-03	4.8E-04	1.05E-03	5.03E-07	6.16E-01	1.57E-01	4.87E-08	1.0E+06	4.9E-02
914	0.38952	1.29E-03	5.0E-04	1.05E-03	5.23E-07	6.16E-01	1.57E-01	5.07E-08	1.0E+06	5.1E-02
915	0.40512	1.29E-03	5.2E-04	1.05E-03	5.44E-07	6.16E-01	1.57E-01	5.27E-08	1.0E+06	5.3E-02
916	0.41185	1.29E-03	5.3E-04	1.05E-03	5.53E-07	6.16E-01	1.57E-01	5.36E-08	1.0E+06	5.4E-02
917	0.41862	1.29E-03	5.4E-04	1.05E-03	5.62E-07	6.16E-01	1.57E-01	5.45E-08	1.0E+06	5.4E-02
918	0.42545	1.29E-03	5.5E-04	1.05E-03	5.71E-07	6.16E-01	1.57E-01	5.54E-08	1.0E+06	5.5E-02
919	0.44137	1.29E-03	5.7E-04	1.05E-03	5.93E-07	6.16E-01	1.57E-01	5.74E-08	1.0E+06	5.7E-02
920	0.44821	1.29E-03	5.8E-04	1.05E-03	6.02E-07	6.16E-01	1.57E-01	5.83E-08	1.0E+06	5.8E-02
921	0.45507	1.29E-03	5.8E-04	1.05E-03	6.11E-07	6.16E-01	1.57E-01	5.92E-08	1.0E+06	5.9E-02
922	0.46197	1.29E-03	5.9E-04	1.05E-03	6.21E-07	6.16E-01	1.57E-01	6.01E-08	1.0E+06	6.0E-02

	Max	Receptor #
Res	0.104	1213

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	0.46884	1.29E-03	6.0E-04	1.05E-03	6.30E-07	6.16E-01	1.57E-01	6.10E-08	1.0E+06	6.1E-02
924	0.47565	1.29E-03	6.1E-04	1.05E-03	6.39E-07	6.16E-01	1.57E-01	6.19E-08	1.0E+06	6.2E-02
925	0.48238	1.29E-03	6.2E-04	1.05E-03	6.48E-07	6.16E-01	1.57E-01	6.28E-08	1.0E+06	6.3E-02
926	0.48903	1.29E-03	6.3E-04	1.05E-03	6.57E-07	6.16E-01	1.57E-01	6.36E-08	1.0E+06	6.4E-02
927	0.49557	1.29E-03	6.4E-04	1.05E-03	6.66E-07	6.16E-01	1.57E-01	6.45E-08	1.0E+06	6.4E-02
928	0.50201	1.29E-03	6.5E-04	1.05E-03	6.74E-07	6.16E-01	1.57E-01	6.53E-08	1.0E+06	6.5E-02
929	0.50838	1.29E-03	6.5E-04	1.05E-03	6.83E-07	6.16E-01	1.57E-01	6.62E-08	1.0E+06	6.6E-02
930	0.51466	1.29E-03	6.6E-04	1.05E-03	6.91E-07	6.16E-01	1.57E-01	6.70E-08	1.0E+06	6.7E-02
931	0.52076	1.29E-03	6.7E-04	1.05E-03	7.00E-07	6.16E-01	1.57E-01	6.78E-08	1.0E+06	6.8E-02
932	0.52659	1.29E-03	6.8E-04	1.05E-03	7.07E-07	6.16E-01	1.57E-01	6.85E-08	1.0E+06	6.9E-02
933	0.53214	1.29E-03	6.8E-04	1.05E-03	7.15E-07	6.16E-01	1.57E-01	6.92E-08	1.0E+06	6.9E-02
934	0.53738	1.29E-03	6.9E-04	1.05E-03	7.22E-07	6.16E-01	1.57E-01	6.99E-08	1.0E+06	7.0E-02
935	0.5423	1.29E-03	7.0E-04	1.05E-03	7.28E-07	6.16E-01	1.57E-01	7.06E-08	1.0E+06	7.1E-02
936	0.54682	1.29E-03	7.0E-04	1.05E-03	7.35E-07	6.16E-01	1.57E-01	7.12E-08	1.0E+06	7.1E-02
937	0.55102	1.29E-03	7.1E-04	1.05E-03	7.40E-07	6.16E-01	1.57E-01	7.17E-08	1.0E+06	7.2E-02
938	0.55484	1.29E-03	7.1E-04	1.05E-03	7.45E-07	6.16E-01	1.57E-01	7.22E-08	1.0E+06	7.2E-02
939	0.55818	1.29E-03	7.2E-04	1.05E-03	7.50E-07	6.16E-01	1.57E-01	7.26E-08	1.0E+06	7.3E-02
940	0.5611	1.29E-03	7.2E-04	1.05E-03	7.54E-07	6.16E-01	1.57E-01	7.30E-08	1.0E+06	7.3E-02
941	0.56361	1.29E-03	7.2E-04	1.05E-03	7.57E-07	6.16E-01	1.57E-01	7.33E-08	1.0E+06	7.3E-02
942	0.3444	1.29E-03	4.4E-04	1.05E-03	4.63E-07	6.16E-01	1.57E-01	4.48E-08	1.0E+06	4.5E-02
943	0.35077	1.29E-03	4.5E-04	1.05E-03	4.71E-07	6.16E-01	1.57E-01	4.56E-08	1.0E+06	4.6E-02
944	0.35736	1.29E-03	4.6E-04	1.05E-03	4.80E-07	6.16E-01	1.57E-01	4.65E-08	1.0E+06	4.7E-02
945	0.36405	1.29E-03	4.7E-04	1.05E-03	4.89E-07	6.16E-01	1.57E-01	4.74E-08	1.0E+06	4.7E-02
946	0.37922	1.29E-03	4.9E-04	1.05E-03	5.09E-07	6.16E-01	1.57E-01	4.93E-08	1.0E+06	4.9E-02
947	0.38608	1.29E-03	5.0E-04	1.05E-03	5.19E-07	6.16E-01	1.57E-01	5.02E-08	1.0E+06	5.0E-02
948	0.40182	1.29E-03	5.2E-04	1.05E-03	5.40E-07	6.16E-01	1.57E-01	5.23E-08	1.0E+06	5.2E-02
949	0.41805	1.29E-03	5.4E-04	1.05E-03	5.62E-07	6.16E-01	1.57E-01	5.44E-08	1.0E+06	5.4E-02
950	0.42523	1.29E-03	5.5E-04	1.05E-03	5.71E-07	6.16E-01	1.57E-01	5.53E-08	1.0E+06	5.5E-02
951	0.43226	1.29E-03	5.6E-04	1.05E-03	5.81E-07	6.16E-01	1.57E-01	5.62E-08	1.0E+06	5.6E-02
952	0.43939	1.29E-03	5.6E-04	1.05E-03	5.90E-07	6.16E-01	1.57E-01	5.72E-08	1.0E+06	5.7E-02
953	0.44657	1.29E-03	5.7E-04	1.05E-03	6.00E-07	6.16E-01	1.57E-01	5.81E-08	1.0E+06	5.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	0.46315	1.29E-03	6.0E-04	1.05E-03	6.22E-07	6.16E-01	1.57E-01	6.03E-08	1.0E+06	6.0E-02
955	0.4704	1.29E-03	6.0E-04	1.05E-03	6.32E-07	6.16E-01	1.57E-01	6.12E-08	1.0E+06	6.1E-02
956	0.47786	1.29E-03	6.1E-04	1.05E-03	6.42E-07	6.16E-01	1.57E-01	6.22E-08	1.0E+06	6.2E-02
957	0.48531	1.29E-03	6.2E-04	1.05E-03	6.52E-07	6.16E-01	1.57E-01	6.31E-08	1.0E+06	6.3E-02
958	0.4926	1.29E-03	6.3E-04	1.05E-03	6.62E-07	6.16E-01	1.57E-01	6.41E-08	1.0E+06	6.4E-02
959	0.49974	1.29E-03	6.4E-04	1.05E-03	6.71E-07	6.16E-01	1.57E-01	6.50E-08	1.0E+06	6.5E-02
960	0.50682	1.29E-03	6.5E-04	1.05E-03	6.81E-07	6.16E-01	1.57E-01	6.59E-08	1.0E+06	6.6E-02
961	0.51382	1.29E-03	6.6E-04	1.05E-03	6.90E-07	6.16E-01	1.57E-01	6.69E-08	1.0E+06	6.7E-02
962	0.52073	1.29E-03	6.7E-04	1.05E-03	6.99E-07	6.16E-01	1.57E-01	6.78E-08	1.0E+06	6.8E-02
963	0.52754	1.29E-03	6.8E-04	1.05E-03	7.09E-07	6.16E-01	1.57E-01	6.86E-08	1.0E+06	6.9E-02
964	0.53424	1.29E-03	6.9E-04	1.05E-03	7.18E-07	6.16E-01	1.57E-01	6.95E-08	1.0E+06	7.0E-02
965	0.54078	1.29E-03	6.9E-04	1.05E-03	7.26E-07	6.16E-01	1.57E-01	7.04E-08	1.0E+06	7.0E-02
966	0.547	1.29E-03	7.0E-04	1.05E-03	7.35E-07	6.16E-01	1.57E-01	7.12E-08	1.0E+06	7.1E-02
967	0.55296	1.29E-03	7.1E-04	1.05E-03	7.43E-07	6.16E-01	1.57E-01	7.20E-08	1.0E+06	7.2E-02
968	0.5586	1.29E-03	7.2E-04	1.05E-03	7.50E-07	6.16E-01	1.57E-01	7.27E-08	1.0E+06	7.3E-02
969	0.56399	1.29E-03	7.2E-04	1.05E-03	7.58E-07	6.16E-01	1.57E-01	7.34E-08	1.0E+06	7.3E-02
970	0.56889	1.29E-03	7.3E-04	1.05E-03	7.64E-07	6.16E-01	1.57E-01	7.40E-08	1.0E+06	7.4E-02
971	0.57338	1.29E-03	7.4E-04	1.05E-03	7.70E-07	6.16E-01	1.57E-01	7.46E-08	1.0E+06	7.5E-02
972	0.57748	1.29E-03	7.4E-04	1.05E-03	7.76E-07	6.16E-01	1.57E-01	7.51E-08	1.0E+06	7.5E-02
973	0.58117	1.29E-03	7.5E-04	1.05E-03	7.81E-07	6.16E-01	1.57E-01	7.56E-08	1.0E+06	7.6E-02
974	0.58437	1.29E-03	7.5E-04	1.05E-03	7.85E-07	6.16E-01	1.57E-01	7.60E-08	1.0E+06	7.6E-02
975	0.58718	1.29E-03	7.5E-04	1.05E-03	7.89E-07	6.16E-01	1.57E-01	7.64E-08	1.0E+06	7.6E-02
976	0.35484	1.29E-03	4.6E-04	1.05E-03	4.77E-07	6.16E-01	1.57E-01	4.62E-08	1.0E+06	4.6E-02
977	0.36146	1.29E-03	4.6E-04	1.05E-03	4.86E-07	6.16E-01	1.57E-01	4.70E-08	1.0E+06	4.7E-02
978	0.36833	1.29E-03	4.7E-04	1.05E-03	4.95E-07	6.16E-01	1.57E-01	4.79E-08	1.0E+06	4.8E-02
979	0.37531	1.29E-03	4.8E-04	1.05E-03	5.04E-07	6.16E-01	1.57E-01	4.88E-08	1.0E+06	4.9E-02
980	0.3824	1.29E-03	4.9E-04	1.05E-03	5.14E-07	6.16E-01	1.57E-01	4.98E-08	1.0E+06	5.0E-02
981	0.39827	1.29E-03	5.1E-04	1.05E-03	5.35E-07	6.16E-01	1.57E-01	5.18E-08	1.0E+06	5.2E-02
982	0.41472	1.29E-03	5.3E-04	1.05E-03	5.57E-07	6.16E-01	1.57E-01	5.40E-08	1.0E+06	5.4E-02
983	0.43164	1.29E-03	5.5E-04	1.05E-03	5.80E-07	6.16E-01	1.57E-01	5.62E-08	1.0E+06	5.6E-02
984	0.43928	1.29E-03	5.6E-04	1.05E-03	5.90E-07	6.16E-01	1.57E-01	5.72E-08	1.0E+06	5.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	0.44662	1.29E-03	5.7E-04	1.05E-03	6.00E-07	6.16E-01	1.57E-01	5.81E-08	1.0E+06	5.8E-02
986	0.45403	1.29E-03	5.8E-04	1.05E-03	6.10E-07	6.16E-01	1.57E-01	5.91E-08	1.0E+06	5.9E-02
987	0.46153	1.29E-03	5.9E-04	1.05E-03	6.20E-07	6.16E-01	1.57E-01	6.01E-08	1.0E+06	6.0E-02
988	0.46907	1.29E-03	6.0E-04	1.05E-03	6.30E-07	6.16E-01	1.57E-01	6.10E-08	1.0E+06	6.1E-02
989	0.48654	1.29E-03	6.3E-04	1.05E-03	6.54E-07	6.16E-01	1.57E-01	6.33E-08	1.0E+06	6.3E-02
990	0.49461	1.29E-03	6.4E-04	1.05E-03	6.64E-07	6.16E-01	1.57E-01	6.44E-08	1.0E+06	6.4E-02
991	0.50269	1.29E-03	6.5E-04	1.05E-03	6.75E-07	6.16E-01	1.57E-01	6.54E-08	1.0E+06	6.5E-02
992	0.51051	1.29E-03	6.6E-04	1.05E-03	6.86E-07	6.16E-01	1.57E-01	6.64E-08	1.0E+06	6.6E-02
993	0.51811	1.29E-03	6.7E-04	1.05E-03	6.96E-07	6.16E-01	1.57E-01	6.74E-08	1.0E+06	6.7E-02
994	0.52562	1.29E-03	6.8E-04	1.05E-03	7.06E-07	6.16E-01	1.57E-01	6.84E-08	1.0E+06	6.8E-02
995	0.53314	1.29E-03	6.9E-04	1.05E-03	7.16E-07	6.16E-01	1.57E-01	6.94E-08	1.0E+06	6.9E-02
996	0.54054	1.29E-03	6.9E-04	1.05E-03	7.26E-07	6.16E-01	1.57E-01	7.03E-08	1.0E+06	7.0E-02
997	0.54784	1.29E-03	7.0E-04	1.05E-03	7.36E-07	6.16E-01	1.57E-01	7.13E-08	1.0E+06	7.1E-02
998	0.55503	1.29E-03	7.1E-04	1.05E-03	7.46E-07	6.16E-01	1.57E-01	7.22E-08	1.0E+06	7.2E-02
999	0.56203	1.29E-03	7.2E-04	1.05E-03	7.55E-07	6.16E-01	1.57E-01	7.31E-08	1.0E+06	7.3E-02
1000	0.56867	1.29E-03	7.3E-04	1.05E-03	7.64E-07	6.16E-01	1.57E-01	7.40E-08	1.0E+06	7.4E-02
1001	0.57507	1.29E-03	7.4E-04	1.05E-03	7.72E-07	6.16E-01	1.57E-01	7.48E-08	1.0E+06	7.5E-02
1002	0.58116	1.29E-03	7.5E-04	1.05E-03	7.81E-07	6.16E-01	1.57E-01	7.56E-08	1.0E+06	7.6E-02
1003	0.58709	1.29E-03	7.5E-04	1.05E-03	7.89E-07	6.16E-01	1.57E-01	7.64E-08	1.0E+06	7.6E-02
1004	0.5924	1.29E-03	7.6E-04	1.05E-03	7.96E-07	6.16E-01	1.57E-01	7.71E-08	1.0E+06	7.7E-02
1005	0.59721	1.29E-03	7.7E-04	1.05E-03	8.02E-07	6.16E-01	1.57E-01	7.77E-08	1.0E+06	7.8E-02
1006	0.6016	1.29E-03	7.7E-04	1.05E-03	8.08E-07	6.16E-01	1.57E-01	7.83E-08	1.0E+06	7.8E-02
1007	0.60559	1.29E-03	7.8E-04	1.05E-03	8.13E-07	6.16E-01	1.57E-01	7.88E-08	1.0E+06	7.9E-02
1008	0.60916	1.29E-03	7.8E-04	1.05E-03	8.18E-07	6.16E-01	1.57E-01	7.93E-08	1.0E+06	7.9E-02
1009	0.61223	1.29E-03	7.9E-04	1.05E-03	8.22E-07	6.16E-01	1.57E-01	7.97E-08	1.0E+06	8.0E-02
1010	0.3658	1.29E-03	4.7E-04	1.05E-03	4.91E-07	6.16E-01	1.57E-01	4.76E-08	1.0E+06	4.8E-02
1011	0.37263	1.29E-03	4.8E-04	1.05E-03	5.01E-07	6.16E-01	1.57E-01	4.85E-08	1.0E+06	4.8E-02
1012	0.37979	1.29E-03	4.9E-04	1.05E-03	5.10E-07	6.16E-01	1.57E-01	4.94E-08	1.0E+06	4.9E-02
1013	0.38714	1.29E-03	5.0E-04	1.05E-03	5.20E-07	6.16E-01	1.57E-01	5.04E-08	1.0E+06	5.0E-02
1014	0.39449	1.29E-03	5.1E-04	1.05E-03	5.30E-07	6.16E-01	1.57E-01	5.13E-08	1.0E+06	5.1E-02
1015	0.411	1.29E-03	5.3E-04	1.05E-03	5.52E-07	6.16E-01	1.57E-01	5.35E-08	1.0E+06	5.3E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	0.42822	1.29E-03	5.5E-04	1.05E-03	5.75E-07	6.16E-01	1.57E-01	5.57E-08	1.0E+06	5.6E-02
1017	0.44584	1.29E-03	5.7E-04	1.05E-03	5.99E-07	6.16E-01	1.57E-01	5.80E-08	1.0E+06	5.8E-02
1018	0.45398	1.29E-03	5.8E-04	1.05E-03	6.10E-07	6.16E-01	1.57E-01	5.91E-08	1.0E+06	5.9E-02
1019	0.46169	1.29E-03	5.9E-04	1.05E-03	6.20E-07	6.16E-01	1.57E-01	6.01E-08	1.0E+06	6.0E-02
1020	0.4695	1.29E-03	6.0E-04	1.05E-03	6.31E-07	6.16E-01	1.57E-01	6.11E-08	1.0E+06	6.1E-02
1021	0.47734	1.29E-03	6.1E-04	1.05E-03	6.41E-07	6.16E-01	1.57E-01	6.21E-08	1.0E+06	6.2E-02
1022	0.48526	1.29E-03	6.2E-04	1.05E-03	6.52E-07	6.16E-01	1.57E-01	6.31E-08	1.0E+06	6.3E-02
1023	0.50361	1.29E-03	6.5E-04	1.05E-03	6.76E-07	6.16E-01	1.57E-01	6.55E-08	1.0E+06	6.6E-02
1024	0.51233	1.29E-03	6.6E-04	1.05E-03	6.88E-07	6.16E-01	1.57E-01	6.67E-08	1.0E+06	6.7E-02
1025	0.52104	1.29E-03	6.7E-04	1.05E-03	7.00E-07	6.16E-01	1.57E-01	6.78E-08	1.0E+06	6.8E-02
1026	0.52943	1.29E-03	6.8E-04	1.05E-03	7.11E-07	6.16E-01	1.57E-01	6.89E-08	1.0E+06	6.9E-02
1027	0.53756	1.29E-03	6.9E-04	1.05E-03	7.22E-07	6.16E-01	1.57E-01	6.99E-08	1.0E+06	7.0E-02
1028	0.5456	1.29E-03	7.0E-04	1.05E-03	7.33E-07	6.16E-01	1.57E-01	7.10E-08	1.0E+06	7.1E-02
1029	0.55365	1.29E-03	7.1E-04	1.05E-03	7.44E-07	6.16E-01	1.57E-01	7.20E-08	1.0E+06	7.2E-02
1030	0.56158	1.29E-03	7.2E-04	1.05E-03	7.54E-07	6.16E-01	1.57E-01	7.31E-08	1.0E+06	7.3E-02
1031	0.56942	1.29E-03	7.3E-04	1.05E-03	7.65E-07	6.16E-01	1.57E-01	7.41E-08	1.0E+06	7.4E-02
1032	0.57713	1.29E-03	7.4E-04	1.05E-03	7.75E-07	6.16E-01	1.57E-01	7.51E-08	1.0E+06	7.5E-02
1033	0.58462	1.29E-03	7.5E-04	1.05E-03	7.85E-07	6.16E-01	1.57E-01	7.61E-08	1.0E+06	7.6E-02
1034	0.59176	1.29E-03	7.6E-04	1.05E-03	7.95E-07	6.16E-01	1.57E-01	7.70E-08	1.0E+06	7.7E-02
1035	0.59862	1.29E-03	7.7E-04	1.05E-03	8.04E-07	6.16E-01	1.57E-01	7.79E-08	1.0E+06	7.8E-02
1036	0.60526	1.29E-03	7.8E-04	1.05E-03	8.13E-07	6.16E-01	1.57E-01	7.88E-08	1.0E+06	7.9E-02
1037	0.6117	1.29E-03	7.9E-04	1.05E-03	8.22E-07	6.16E-01	1.57E-01	7.96E-08	1.0E+06	8.0E-02
1038	0.61747	1.29E-03	7.9E-04	1.05E-03	8.29E-07	6.16E-01	1.57E-01	8.03E-08	1.0E+06	8.0E-02
1039	0.62263	1.29E-03	8.0E-04	1.05E-03	8.36E-07	6.16E-01	1.57E-01	8.10E-08	1.0E+06	8.1E-02
1040	0.62735	1.29E-03	8.1E-04	1.05E-03	8.43E-07	6.16E-01	1.57E-01	8.16E-08	1.0E+06	8.2E-02
1041	0.63163	1.29E-03	8.1E-04	1.05E-03	8.48E-07	6.16E-01	1.57E-01	8.22E-08	1.0E+06	8.2E-02
1042	0.63547	1.29E-03	8.2E-04	1.05E-03	8.54E-07	6.16E-01	1.57E-01	8.27E-08	1.0E+06	8.3E-02
1043	0.63885	1.29E-03	8.2E-04	1.05E-03	8.58E-07	6.16E-01	1.57E-01	8.31E-08	1.0E+06	8.3E-02
1044	0.37716	1.29E-03	4.8E-04	1.05E-03	5.07E-07	6.16E-01	1.57E-01	4.91E-08	1.0E+06	4.9E-02
1045	0.38426	1.29E-03	4.9E-04	1.05E-03	5.16E-07	6.16E-01	1.57E-01	5.00E-08	1.0E+06	5.0E-02
1046	0.39171	1.29E-03	5.0E-04	1.05E-03	5.26E-07	6.16E-01	1.57E-01	5.10E-08	1.0E+06	5.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	0.39932	1.29E-03	5.1E-04	1.05E-03	5.36E-07	6.16E-01	1.57E-01	5.20E-08	1.0E+06	5.2E-02
1048	0.40699	1.29E-03	5.2E-04	1.05E-03	5.47E-07	6.16E-01	1.57E-01	5.30E-08	1.0E+06	5.3E-02
1049	0.4241	1.29E-03	5.5E-04	1.05E-03	5.70E-07	6.16E-01	1.57E-01	5.52E-08	1.0E+06	5.5E-02
1050	0.43296	1.29E-03	5.6E-04	1.05E-03	5.82E-07	6.16E-01	1.57E-01	5.63E-08	1.0E+06	5.6E-02
1051	0.46055	1.29E-03	5.9E-04	1.05E-03	6.19E-07	6.16E-01	1.57E-01	5.99E-08	1.0E+06	6.0E-02
1052	0.46924	1.29E-03	6.0E-04	1.05E-03	6.30E-07	6.16E-01	1.57E-01	6.11E-08	1.0E+06	6.1E-02
1053	0.4775	1.29E-03	6.1E-04	1.05E-03	6.41E-07	6.16E-01	1.57E-01	6.21E-08	1.0E+06	6.2E-02
1054	0.48586	1.29E-03	6.2E-04	1.05E-03	6.53E-07	6.16E-01	1.57E-01	6.32E-08	1.0E+06	6.3E-02
1055	0.49429	1.29E-03	6.4E-04	1.05E-03	6.64E-07	6.16E-01	1.57E-01	6.43E-08	1.0E+06	6.4E-02
1056	0.50278	1.29E-03	6.5E-04	1.05E-03	6.75E-07	6.16E-01	1.57E-01	6.54E-08	1.0E+06	6.5E-02
1057	0.52191	1.29E-03	6.7E-04	1.05E-03	7.01E-07	6.16E-01	1.57E-01	6.79E-08	1.0E+06	6.8E-02
1058	0.53117	1.29E-03	6.8E-04	1.05E-03	7.14E-07	6.16E-01	1.57E-01	6.91E-08	1.0E+06	6.9E-02
1059	0.54046	1.29E-03	6.9E-04	1.05E-03	7.26E-07	6.16E-01	1.57E-01	7.03E-08	1.0E+06	7.0E-02
1060	0.54947	1.29E-03	7.1E-04	1.05E-03	7.38E-07	6.16E-01	1.57E-01	7.15E-08	1.0E+06	7.1E-02
1061	0.55822	1.29E-03	7.2E-04	1.05E-03	7.50E-07	6.16E-01	1.57E-01	7.26E-08	1.0E+06	7.3E-02
1062	0.56688	1.29E-03	7.3E-04	1.05E-03	7.61E-07	6.16E-01	1.57E-01	7.38E-08	1.0E+06	7.4E-02
1063	0.57549	1.29E-03	7.4E-04	1.05E-03	7.73E-07	6.16E-01	1.57E-01	7.49E-08	1.0E+06	7.5E-02
1064	0.58398	1.29E-03	7.5E-04	1.05E-03	7.84E-07	6.16E-01	1.57E-01	7.60E-08	1.0E+06	7.6E-02
1065	0.59236	1.29E-03	7.6E-04	1.05E-03	7.96E-07	6.16E-01	1.57E-01	7.71E-08	1.0E+06	7.7E-02
1066	0.60063	1.29E-03	7.7E-04	1.05E-03	8.07E-07	6.16E-01	1.57E-01	7.82E-08	1.0E+06	7.8E-02
1067	0.60868	1.29E-03	7.8E-04	1.05E-03	8.18E-07	6.16E-01	1.57E-01	7.92E-08	1.0E+06	7.9E-02
1068	0.6164	1.29E-03	7.9E-04	1.05E-03	8.28E-07	6.16E-01	1.57E-01	8.02E-08	1.0E+06	8.0E-02
1069	0.62385	1.29E-03	8.0E-04	1.05E-03	8.38E-07	6.16E-01	1.57E-01	8.12E-08	1.0E+06	8.1E-02
1070	0.63105	1.29E-03	8.1E-04	1.05E-03	8.48E-07	6.16E-01	1.57E-01	8.21E-08	1.0E+06	8.2E-02
1071	0.63802	1.29E-03	8.2E-04	1.05E-03	8.57E-07	6.16E-01	1.57E-01	8.30E-08	1.0E+06	8.3E-02
1072	0.64425	1.29E-03	8.3E-04	1.05E-03	8.65E-07	6.16E-01	1.57E-01	8.38E-08	1.0E+06	8.4E-02
1073	0.64981	1.29E-03	8.4E-04	1.05E-03	8.73E-07	6.16E-01	1.57E-01	8.46E-08	1.0E+06	8.5E-02
1074	0.65489	1.29E-03	8.4E-04	1.05E-03	8.80E-07	6.16E-01	1.57E-01	8.52E-08	1.0E+06	8.5E-02
1075	0.65949	1.29E-03	8.5E-04	1.05E-03	8.86E-07	6.16E-01	1.57E-01	8.58E-08	1.0E+06	8.6E-02
1076	0.6636	1.29E-03	8.5E-04	1.05E-03	8.91E-07	6.16E-01	1.57E-01	8.63E-08	1.0E+06	8.6E-02
1077	0.66721	1.29E-03	8.6E-04	1.05E-03	8.96E-07	6.16E-01	1.57E-01	8.68E-08	1.0E+06	8.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	0.38907	1.29E-03	5.0E-04	1.05E-03	5.23E-07	6.16E-01	1.57E-01	5.06E-08	1.0E+06	5.1E-02
1079	0.39644	1.29E-03	5.1E-04	1.05E-03	5.33E-07	6.16E-01	1.57E-01	5.16E-08	1.0E+06	5.2E-02
1080	0.40418	1.29E-03	5.2E-04	1.05E-03	5.43E-07	6.16E-01	1.57E-01	5.26E-08	1.0E+06	5.3E-02
1081	0.41213	1.29E-03	5.3E-04	1.05E-03	5.54E-07	6.16E-01	1.57E-01	5.36E-08	1.0E+06	5.4E-02
1082	0.42008	1.29E-03	5.4E-04	1.05E-03	5.64E-07	6.16E-01	1.57E-01	5.47E-08	1.0E+06	5.5E-02
1083	0.43788	1.29E-03	5.6E-04	1.05E-03	5.88E-07	6.16E-01	1.57E-01	5.70E-08	1.0E+06	5.7E-02
1084	0.44723	1.29E-03	5.7E-04	1.05E-03	6.01E-07	6.16E-01	1.57E-01	5.82E-08	1.0E+06	5.8E-02
1085	0.476	1.29E-03	6.1E-04	1.05E-03	6.39E-07	6.16E-01	1.57E-01	6.19E-08	1.0E+06	6.2E-02
1086	0.48532	1.29E-03	6.2E-04	1.05E-03	6.52E-07	6.16E-01	1.57E-01	6.32E-08	1.0E+06	6.3E-02
1087	0.49415	1.29E-03	6.4E-04	1.05E-03	6.64E-07	6.16E-01	1.57E-01	6.43E-08	1.0E+06	6.4E-02
1088	0.50309	1.29E-03	6.5E-04	1.05E-03	6.76E-07	6.16E-01	1.57E-01	6.55E-08	1.0E+06	6.5E-02
1089	0.51216	1.29E-03	6.6E-04	1.05E-03	6.88E-07	6.16E-01	1.57E-01	6.66E-08	1.0E+06	6.7E-02
1090	0.53186	1.29E-03	6.8E-04	1.05E-03	7.14E-07	6.16E-01	1.57E-01	6.92E-08	1.0E+06	6.9E-02
1091	0.54123	1.29E-03	7.0E-04	1.05E-03	7.27E-07	6.16E-01	1.57E-01	7.04E-08	1.0E+06	7.0E-02
1092	0.55112	1.29E-03	7.1E-04	1.05E-03	7.40E-07	6.16E-01	1.57E-01	7.17E-08	1.0E+06	7.2E-02
1093	0.56103	1.29E-03	7.2E-04	1.05E-03	7.54E-07	6.16E-01	1.57E-01	7.30E-08	1.0E+06	7.3E-02
1094	0.57068	1.29E-03	7.3E-04	1.05E-03	7.67E-07	6.16E-01	1.57E-01	7.43E-08	1.0E+06	7.4E-02
1095	0.58013	1.29E-03	7.5E-04	1.05E-03	7.79E-07	6.16E-01	1.57E-01	7.55E-08	1.0E+06	7.5E-02
1096	0.58949	1.29E-03	7.6E-04	1.05E-03	7.92E-07	6.16E-01	1.57E-01	7.67E-08	1.0E+06	7.7E-02
1097	0.59872	1.29E-03	7.7E-04	1.05E-03	8.04E-07	6.16E-01	1.57E-01	7.79E-08	1.0E+06	7.8E-02
1098	0.6078	1.29E-03	7.8E-04	1.05E-03	8.16E-07	6.16E-01	1.57E-01	7.91E-08	1.0E+06	7.9E-02
1099	0.61678	1.29E-03	7.9E-04	1.05E-03	8.29E-07	6.16E-01	1.57E-01	8.03E-08	1.0E+06	8.0E-02
1100	0.62566	1.29E-03	8.0E-04	1.05E-03	8.40E-07	6.16E-01	1.57E-01	8.14E-08	1.0E+06	8.1E-02
1101	0.63429	1.29E-03	8.2E-04	1.05E-03	8.52E-07	6.16E-01	1.57E-01	8.25E-08	1.0E+06	8.3E-02
1102	0.64269	1.29E-03	8.3E-04	1.05E-03	8.63E-07	6.16E-01	1.57E-01	8.36E-08	1.0E+06	8.4E-02
1103	0.65078	1.29E-03	8.4E-04	1.05E-03	8.74E-07	6.16E-01	1.57E-01	8.47E-08	1.0E+06	8.5E-02
1104	0.65861	1.29E-03	8.5E-04	1.05E-03	8.85E-07	6.16E-01	1.57E-01	8.57E-08	1.0E+06	8.6E-02
1105	0.66617	1.29E-03	8.6E-04	1.05E-03	8.95E-07	6.16E-01	1.57E-01	8.67E-08	1.0E+06	8.7E-02
1106	0.6729	1.29E-03	8.6E-04	1.05E-03	9.04E-07	6.16E-01	1.57E-01	8.76E-08	1.0E+06	8.8E-02
1107	0.6789	1.29E-03	8.7E-04	1.05E-03	9.12E-07	6.16E-01	1.57E-01	8.83E-08	1.0E+06	8.8E-02
1108	0.68438	1.29E-03	8.8E-04	1.05E-03	9.19E-07	6.16E-01	1.57E-01	8.91E-08	1.0E+06	8.9E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	0.68932	1.29E-03	8.9E-04	1.05E-03	9.26E-07	6.16E-01	1.57E-01	8.97E-08	1.0E+06	9.0E-02
1110	0.69374	1.29E-03	8.9E-04	1.05E-03	9.32E-07	6.16E-01	1.57E-01	9.03E-08	1.0E+06	9.0E-02
1111	0.6976	1.29E-03	9.0E-04	1.05E-03	9.37E-07	6.16E-01	1.57E-01	9.08E-08	1.0E+06	9.1E-02
1112	0.40168	1.29E-03	5.2E-04	1.05E-03	5.40E-07	6.16E-01	1.57E-01	5.23E-08	1.0E+06	5.2E-02
1113	0.40928	1.29E-03	5.3E-04	1.05E-03	5.50E-07	6.16E-01	1.57E-01	5.33E-08	1.0E+06	5.3E-02
1114	0.41734	1.29E-03	5.4E-04	1.05E-03	5.61E-07	6.16E-01	1.57E-01	5.43E-08	1.0E+06	5.4E-02
1115	0.42564	1.29E-03	5.5E-04	1.05E-03	5.72E-07	6.16E-01	1.57E-01	5.54E-08	1.0E+06	5.5E-02
1116	0.43396	1.29E-03	5.6E-04	1.05E-03	5.83E-07	6.16E-01	1.57E-01	5.65E-08	1.0E+06	5.6E-02
1117	0.44259	1.29E-03	5.7E-04	1.05E-03	5.95E-07	6.16E-01	1.57E-01	5.76E-08	1.0E+06	5.8E-02
1118	0.46226	1.29E-03	5.9E-04	1.05E-03	6.21E-07	6.16E-01	1.57E-01	6.02E-08	1.0E+06	6.0E-02
1119	0.49221	1.29E-03	6.3E-04	1.05E-03	6.61E-07	6.16E-01	1.57E-01	6.40E-08	1.0E+06	6.4E-02
1120	0.50218	1.29E-03	6.5E-04	1.05E-03	6.75E-07	6.16E-01	1.57E-01	6.53E-08	1.0E+06	6.5E-02
1121	0.51162	1.29E-03	6.6E-04	1.05E-03	6.87E-07	6.16E-01	1.57E-01	6.66E-08	1.0E+06	6.7E-02
1122	0.52123	1.29E-03	6.7E-04	1.05E-03	7.00E-07	6.16E-01	1.57E-01	6.78E-08	1.0E+06	6.8E-02
1123	0.53099	1.29E-03	6.8E-04	1.05E-03	7.13E-07	6.16E-01	1.57E-01	6.91E-08	1.0E+06	6.9E-02
1124	0.55158	1.29E-03	7.1E-04	1.05E-03	7.41E-07	6.16E-01	1.57E-01	7.18E-08	1.0E+06	7.2E-02
1125	0.56164	1.29E-03	7.2E-04	1.05E-03	7.54E-07	6.16E-01	1.57E-01	7.31E-08	1.0E+06	7.3E-02
1126	0.5722	1.29E-03	7.4E-04	1.05E-03	7.69E-07	6.16E-01	1.57E-01	7.45E-08	1.0E+06	7.4E-02
1127	0.58278	1.29E-03	7.5E-04	1.05E-03	7.83E-07	6.16E-01	1.57E-01	7.58E-08	1.0E+06	7.6E-02
1128	0.59318	1.29E-03	7.6E-04	1.05E-03	7.97E-07	6.16E-01	1.57E-01	7.72E-08	1.0E+06	7.7E-02
1129	0.60334	1.29E-03	7.8E-04	1.05E-03	8.10E-07	6.16E-01	1.57E-01	7.85E-08	1.0E+06	7.9E-02
1130	0.61347	1.29E-03	7.9E-04	1.05E-03	8.24E-07	6.16E-01	1.57E-01	7.98E-08	1.0E+06	8.0E-02
1131	0.6234	1.29E-03	8.0E-04	1.05E-03	8.37E-07	6.16E-01	1.57E-01	8.11E-08	1.0E+06	8.1E-02
1132	0.63318	1.29E-03	8.1E-04	1.05E-03	8.51E-07	6.16E-01	1.57E-01	8.24E-08	1.0E+06	8.2E-02
1133	0.64286	1.29E-03	8.3E-04	1.05E-03	8.64E-07	6.16E-01	1.57E-01	8.36E-08	1.0E+06	8.4E-02
1134	0.65241	1.29E-03	8.4E-04	1.05E-03	8.76E-07	6.16E-01	1.57E-01	8.49E-08	1.0E+06	8.5E-02
1135	0.66174	1.29E-03	8.5E-04	1.05E-03	8.89E-07	6.16E-01	1.57E-01	8.61E-08	1.0E+06	8.6E-02
1136	0.67087	1.29E-03	8.6E-04	1.05E-03	9.01E-07	6.16E-01	1.57E-01	8.73E-08	1.0E+06	8.7E-02
1137	0.67969	1.29E-03	8.7E-04	1.05E-03	9.13E-07	6.16E-01	1.57E-01	8.84E-08	1.0E+06	8.8E-02
1138	0.68818	1.29E-03	8.8E-04	1.05E-03	9.24E-07	6.16E-01	1.57E-01	8.95E-08	1.0E+06	9.0E-02
1139	0.69636	1.29E-03	8.9E-04	1.05E-03	9.35E-07	6.16E-01	1.57E-01	9.06E-08	1.0E+06	9.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	0.70361	1.29E-03	9.0E-04	1.05E-03	9.45E-07	6.16E-01	1.57E-01	9.16E-08	1.0E+06	9.2E-02
1141	0.7101	1.29E-03	9.1E-04	1.05E-03	9.54E-07	6.16E-01	1.57E-01	9.24E-08	1.0E+06	9.2E-02
1142	0.71601	1.29E-03	9.2E-04	1.05E-03	9.62E-07	6.16E-01	1.57E-01	9.32E-08	1.0E+06	9.3E-02
1143	0.72134	1.29E-03	9.3E-04	1.05E-03	9.69E-07	6.16E-01	1.57E-01	9.39E-08	1.0E+06	9.4E-02
1144	0.72609	1.29E-03	9.3E-04	1.05E-03	9.75E-07	6.16E-01	1.57E-01	9.45E-08	1.0E+06	9.4E-02
1145	0.73018	1.29E-03	9.4E-04	1.05E-03	9.81E-07	6.16E-01	1.57E-01	9.50E-08	1.0E+06	9.5E-02
1146	0.41497	1.29E-03	5.3E-04	1.05E-03	5.57E-07	6.16E-01	1.57E-01	5.40E-08	1.0E+06	5.4E-02
1147	0.42283	1.29E-03	5.4E-04	1.05E-03	5.68E-07	6.16E-01	1.57E-01	5.50E-08	1.0E+06	5.5E-02
1148	0.43115	1.29E-03	5.5E-04	1.05E-03	5.79E-07	6.16E-01	1.57E-01	5.61E-08	1.0E+06	5.6E-02
1149	0.43975	1.29E-03	5.7E-04	1.05E-03	5.91E-07	6.16E-01	1.57E-01	5.72E-08	1.0E+06	5.7E-02
1150	0.44861	1.29E-03	5.8E-04	1.05E-03	6.03E-07	6.16E-01	1.57E-01	5.84E-08	1.0E+06	5.8E-02
1151	0.45773	1.29E-03	5.9E-04	1.05E-03	6.15E-07	6.16E-01	1.57E-01	5.96E-08	1.0E+06	6.0E-02
1152	0.47797	1.29E-03	6.1E-04	1.05E-03	6.42E-07	6.16E-01	1.57E-01	6.22E-08	1.0E+06	6.2E-02
1153	0.49863	1.29E-03	6.4E-04	1.05E-03	6.70E-07	6.16E-01	1.57E-01	6.49E-08	1.0E+06	6.5E-02
1154	0.51951	1.29E-03	6.7E-04	1.05E-03	6.98E-07	6.16E-01	1.57E-01	6.76E-08	1.0E+06	6.8E-02
1155	0.52974	1.29E-03	6.8E-04	1.05E-03	7.12E-07	6.16E-01	1.57E-01	6.89E-08	1.0E+06	6.9E-02
1156	0.54014	1.29E-03	6.9E-04	1.05E-03	7.26E-07	6.16E-01	1.57E-01	7.03E-08	1.0E+06	7.0E-02
1157	0.55068	1.29E-03	7.1E-04	1.05E-03	7.40E-07	6.16E-01	1.57E-01	7.17E-08	1.0E+06	7.2E-02
1158	0.57238	1.29E-03	7.4E-04	1.05E-03	7.69E-07	6.16E-01	1.57E-01	7.45E-08	1.0E+06	7.4E-02
1159	0.58325	1.29E-03	7.5E-04	1.05E-03	7.83E-07	6.16E-01	1.57E-01	7.59E-08	1.0E+06	7.6E-02
1160	0.59449	1.29E-03	7.6E-04	1.05E-03	7.99E-07	6.16E-01	1.57E-01	7.74E-08	1.0E+06	7.7E-02
1161	0.60576	1.29E-03	7.8E-04	1.05E-03	8.14E-07	6.16E-01	1.57E-01	7.88E-08	1.0E+06	7.9E-02
1162	0.61693	1.29E-03	7.9E-04	1.05E-03	8.29E-07	6.16E-01	1.57E-01	8.03E-08	1.0E+06	8.0E-02
1163	0.62794	1.29E-03	8.1E-04	1.05E-03	8.43E-07	6.16E-01	1.57E-01	8.17E-08	1.0E+06	8.2E-02
1164	0.63889	1.29E-03	8.2E-04	1.05E-03	8.58E-07	6.16E-01	1.57E-01	8.31E-08	1.0E+06	8.3E-02
1165	0.64964	1.29E-03	8.3E-04	1.05E-03	8.73E-07	6.16E-01	1.57E-01	8.45E-08	1.0E+06	8.5E-02
1166	0.66024	1.29E-03	8.5E-04	1.05E-03	8.87E-07	6.16E-01	1.57E-01	8.59E-08	1.0E+06	8.6E-02
1167	0.67074	1.29E-03	8.6E-04	1.05E-03	9.01E-07	6.16E-01	1.57E-01	8.73E-08	1.0E+06	8.7E-02
1168	0.68114	1.29E-03	8.8E-04	1.05E-03	9.15E-07	6.16E-01	1.57E-01	8.86E-08	1.0E+06	8.9E-02
1169	0.69131	1.29E-03	8.9E-04	1.05E-03	9.29E-07	6.16E-01	1.57E-01	9.00E-08	1.0E+06	9.0E-02
1170	0.70124	1.29E-03	9.0E-04	1.05E-03	9.42E-07	6.16E-01	1.57E-01	9.12E-08	1.0E+06	9.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	0.71084	1.29E-03	9.1E-04	1.05E-03	9.55E-07	6.16E-01	1.57E-01	9.25E-08	1.0E+06	9.2E-02
1172	0.72003	1.29E-03	9.3E-04	1.05E-03	9.67E-07	6.16E-01	1.57E-01	9.37E-08	1.0E+06	9.4E-02
1173	0.72878	1.29E-03	9.4E-04	1.05E-03	9.79E-07	6.16E-01	1.57E-01	9.48E-08	1.0E+06	9.5E-02
1174	0.73658	1.29E-03	9.5E-04	1.05E-03	9.89E-07	6.16E-01	1.57E-01	9.58E-08	1.0E+06	9.6E-02
1175	0.74362	1.29E-03	9.6E-04	1.05E-03	9.99E-07	6.16E-01	1.57E-01	9.68E-08	1.0E+06	9.7E-02
1176	0.75	1.29E-03	9.6E-04	1.05E-03	1.01E-06	6.16E-01	1.57E-01	9.76E-08	1.0E+06	9.8E-02
1177	0.75576	1.29E-03	9.7E-04	1.05E-03	1.02E-06	6.16E-01	1.57E-01	9.83E-08	1.0E+06	9.8E-02
1178	0.76079	1.29E-03	9.8E-04	1.05E-03	1.02E-06	6.16E-01	1.57E-01	9.90E-08	1.0E+06	9.9E-02
1179	0.76512	1.29E-03	9.8E-04	1.05E-03	1.03E-06	6.16E-01	1.57E-01	9.96E-08	1.0E+06	1.0E-01
1180	0.42895	1.29E-03	5.5E-04	1.05E-03	5.76E-07	6.16E-01	1.57E-01	5.58E-08	1.0E+06	5.6E-02
1181	0.43714	1.29E-03	5.6E-04	1.05E-03	5.87E-07	6.16E-01	1.57E-01	5.69E-08	1.0E+06	5.7E-02
1182	0.44575	1.29E-03	5.7E-04	1.05E-03	5.99E-07	6.16E-01	1.57E-01	5.80E-08	1.0E+06	5.8E-02
1183	0.45472	1.29E-03	5.8E-04	1.05E-03	6.11E-07	6.16E-01	1.57E-01	5.92E-08	1.0E+06	5.9E-02
1184	0.46409	1.29E-03	6.0E-04	1.05E-03	6.23E-07	6.16E-01	1.57E-01	6.04E-08	1.0E+06	6.0E-02
1185	0.47381	1.29E-03	6.1E-04	1.05E-03	6.36E-07	6.16E-01	1.57E-01	6.17E-08	1.0E+06	6.2E-02
1186	0.49463	1.29E-03	6.4E-04	1.05E-03	6.64E-07	6.16E-01	1.57E-01	6.44E-08	1.0E+06	6.4E-02
1187	0.50561	1.29E-03	6.5E-04	1.05E-03	6.79E-07	6.16E-01	1.57E-01	6.58E-08	1.0E+06	6.6E-02
1188	0.53776	1.29E-03	6.9E-04	1.05E-03	7.22E-07	6.16E-01	1.57E-01	7.00E-08	1.0E+06	7.0E-02
1189	0.54882	1.29E-03	7.1E-04	1.05E-03	7.37E-07	6.16E-01	1.57E-01	7.14E-08	1.0E+06	7.1E-02
1190	0.56007	1.29E-03	7.2E-04	1.05E-03	7.52E-07	6.16E-01	1.57E-01	7.29E-08	1.0E+06	7.3E-02
1191	0.5715	1.29E-03	7.3E-04	1.05E-03	7.68E-07	6.16E-01	1.57E-01	7.44E-08	1.0E+06	7.4E-02
1192	0.59439	1.29E-03	7.6E-04	1.05E-03	7.98E-07	6.16E-01	1.57E-01	7.73E-08	1.0E+06	7.7E-02
1193	0.60613	1.29E-03	7.8E-04	1.05E-03	8.14E-07	6.16E-01	1.57E-01	7.89E-08	1.0E+06	7.9E-02
1194	0.6181	1.29E-03	7.9E-04	1.05E-03	8.30E-07	6.16E-01	1.57E-01	8.04E-08	1.0E+06	8.0E-02
1195	0.63016	1.29E-03	8.1E-04	1.05E-03	8.46E-07	6.16E-01	1.57E-01	8.20E-08	1.0E+06	8.2E-02
1196	0.64215	1.29E-03	8.3E-04	1.05E-03	8.63E-07	6.16E-01	1.57E-01	8.36E-08	1.0E+06	8.4E-02
1197	0.65407	1.29E-03	8.4E-04	1.05E-03	8.79E-07	6.16E-01	1.57E-01	8.51E-08	1.0E+06	8.5E-02
1198	0.66596	1.29E-03	8.6E-04	1.05E-03	8.95E-07	6.16E-01	1.57E-01	8.67E-08	1.0E+06	8.7E-02
1199	0.67762	1.29E-03	8.7E-04	1.05E-03	9.10E-07	6.16E-01	1.57E-01	8.82E-08	1.0E+06	8.8E-02
1200	0.68916	1.29E-03	8.9E-04	1.05E-03	9.26E-07	6.16E-01	1.57E-01	8.97E-08	1.0E+06	9.0E-02
1201	0.70057	1.29E-03	9.0E-04	1.05E-03	9.41E-07	6.16E-01	1.57E-01	9.12E-08	1.0E+06	9.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	0.71191	1.29E-03	9.1E-04	1.05E-03	9.56E-07	6.16E-01	1.57E-01	9.26E-08	1.0E+06	9.3E-02
1203	0.72296	1.29E-03	9.3E-04	1.05E-03	9.71E-07	6.16E-01	1.57E-01	9.41E-08	1.0E+06	9.4E-02
1204	0.73382	1.29E-03	9.4E-04	1.05E-03	9.86E-07	6.16E-01	1.57E-01	9.55E-08	1.0E+06	9.5E-02
1205	0.74432	1.29E-03	9.6E-04	1.05E-03	1.00E-06	6.16E-01	1.57E-01	9.69E-08	1.0E+06	9.7E-02
1206	0.75425	1.29E-03	9.7E-04	1.05E-03	1.01E-06	6.16E-01	1.57E-01	9.81E-08	1.0E+06	9.8E-02
1207	0.76364	1.29E-03	9.8E-04	1.05E-03	1.03E-06	6.16E-01	1.57E-01	9.94E-08	1.0E+06	9.9E-02
1208	0.77204	1.29E-03	9.9E-04	1.05E-03	1.04E-06	6.16E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
1209	0.77968	1.29E-03	1.0E-03	1.05E-03	1.05E-06	6.16E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
1210	0.7866	1.29E-03	1.0E-03	1.05E-03	1.06E-06	6.16E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
1211	0.7928	1.29E-03	1.0E-03	1.05E-03	1.06E-06	6.16E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
1212	0.79815	1.29E-03	1.0E-03	1.05E-03	1.07E-06	6.16E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
1213	0.80274	1.29E-03	1.0E-03	1.05E-03	1.08E-06	6.16E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	1.23E-04
893	5	1.24E-04
894	5	1.26E-04
895	5	1.28E-04
896	5	1.29E-04
897	5	1.30E-04
898	5	1.32E-04
899	5	1.33E-04
900	5	1.34E-04
901	5	1.35E-04
902	5	1.36E-04
903	5	1.37E-04
904	5	1.38E-04
905	5	1.39E-04
906	5	1.39E-04
907	5	1.40E-04
908	5	8.60E-05
909	5	8.75E-05
910	5	8.92E-05
911	5	9.08E-05
912	5	9.46E-05
913	5	9.63E-05
914	5	1.00E-04
915	5	1.04E-04
916	5	1.06E-04
917	5	1.08E-04
918	5	1.09E-04
919	5	1.13E-04
920	5	1.15E-04
921	5	1.17E-04
922	5	1.19E-04

Max	Receptor #	
0.000	1213	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	1.21E-04
924	5	1.22E-04
925	5	1.24E-04
926	5	1.26E-04
927	5	1.27E-04
928	5	1.29E-04
929	5	1.31E-04
930	5	1.32E-04
931	5	1.34E-04
932	5	1.35E-04
933	5	1.37E-04
934	5	1.38E-04
935	5	1.39E-04
936	5	1.41E-04
937	5	1.42E-04
938	5	1.43E-04
939	5	1.43E-04
940	5	1.44E-04
941	5	1.45E-04
942	5	8.85E-05
943	5	9.02E-05
944	5	9.19E-05
945	5	9.36E-05
946	5	9.75E-05
947	5	9.92E-05
948	5	1.03E-04
949	5	1.07E-04
950	5	1.09E-04
951	5	1.11E-04
952	5	1.13E-04
953	5	1.15E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	1.19E-04
955	5	1.21E-04
956	5	1.23E-04
957	5	1.25E-04
958	5	1.27E-04
959	5	1.28E-04
960	5	1.30E-04
961	5	1.32E-04
962	5	1.34E-04
963	5	1.36E-04
964	5	1.37E-04
965	5	1.39E-04
966	5	1.41E-04
967	5	1.42E-04
968	5	1.44E-04
969	5	1.45E-04
970	5	1.46E-04
971	5	1.47E-04
972	5	1.48E-04
973	5	1.49E-04
974	5	1.50E-04
975	5	1.51E-04
976	5	9.12E-05
977	5	9.29E-05
978	5	9.47E-05
979	5	9.65E-05
980	5	9.83E-05
981	5	1.02E-04
982	5	1.07E-04
983	5	1.11E-04
984	5	1.13E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	1.15E-04
986	5	1.17E-04
987	5	1.19E-04
988	5	1.21E-04
989	5	1.25E-04
990	5	1.27E-04
991	5	1.29E-04
992	5	1.31E-04
993	5	1.33E-04
994	5	1.35E-04
995	5	1.37E-04
996	5	1.39E-04
997	5	1.41E-04
998	5	1.43E-04
999	5	1.44E-04
1000	5	1.46E-04
1001	5	1.48E-04
1002	5	1.49E-04
1003	5	1.51E-04
1004	5	1.52E-04
1005	5	1.54E-04
1006	5	1.55E-04
1007	5	1.56E-04
1008	5	1.57E-04
1009	5	1.57E-04
1010	5	9.40E-05
1011	5	9.58E-05
1012	5	9.76E-05
1013	5	9.95E-05
1014	5	1.01E-04
1015	5	1.06E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	1.10E-04
1017	5	1.15E-04
1018	5	1.17E-04
1019	5	1.19E-04
1020	5	1.21E-04
1021	5	1.23E-04
1022	5	1.25E-04
1023	5	1.29E-04
1024	5	1.32E-04
1025	5	1.34E-04
1026	5	1.36E-04
1027	5	1.38E-04
1028	5	1.40E-04
1029	5	1.42E-04
1030	5	1.44E-04
1031	5	1.46E-04
1032	5	1.48E-04
1033	5	1.50E-04
1034	5	1.52E-04
1035	5	1.54E-04
1036	5	1.56E-04
1037	5	1.57E-04
1038	5	1.59E-04
1039	5	1.60E-04
1040	5	1.61E-04
1041	5	1.62E-04
1042	5	1.63E-04
1043	5	1.64E-04
1044	5	9.69E-05
1045	5	9.88E-05
1046	5	1.01E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	1.03E-04
1048	5	1.05E-04
1049	5	1.09E-04
1050	5	1.11E-04
1051	5	1.18E-04
1052	5	1.21E-04
1053	5	1.23E-04
1054	5	1.25E-04
1055	5	1.27E-04
1056	5	1.29E-04
1057	5	1.34E-04
1058	5	1.37E-04
1059	5	1.39E-04
1060	5	1.41E-04
1061	5	1.43E-04
1062	5	1.46E-04
1063	5	1.48E-04
1064	5	1.50E-04
1065	5	1.52E-04
1066	5	1.54E-04
1067	5	1.56E-04
1068	5	1.58E-04
1069	5	1.60E-04
1070	5	1.62E-04
1071	5	1.64E-04
1072	5	1.66E-04
1073	5	1.67E-04
1074	5	1.68E-04
1075	5	1.70E-04
1076	5	1.71E-04
1077	5	1.71E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	1.00E-04
1079	5	1.02E-04
1080	5	1.04E-04
1081	5	1.06E-04
1082	5	1.08E-04
1083	5	1.13E-04
1084	5	1.15E-04
1085	5	1.22E-04
1086	5	1.25E-04
1087	5	1.27E-04
1088	5	1.29E-04
1089	5	1.32E-04
1090	5	1.37E-04
1091	5	1.39E-04
1092	5	1.42E-04
1093	5	1.44E-04
1094	5	1.47E-04
1095	5	1.49E-04
1096	5	1.52E-04
1097	5	1.54E-04
1098	5	1.56E-04
1099	5	1.59E-04
1100	5	1.61E-04
1101	5	1.63E-04
1102	5	1.65E-04
1103	5	1.67E-04
1104	5	1.69E-04
1105	5	1.71E-04
1106	5	1.73E-04
1107	5	1.75E-04
1108	5	1.76E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.77E-04
1110	5	1.78E-04
1111	5	1.79E-04
1112	5	1.03E-04
1113	5	1.05E-04
1114	5	1.07E-04
1115	5	1.09E-04
1116	5	1.12E-04
1117	5	1.14E-04
1118	5	1.19E-04
1119	5	1.27E-04
1120	5	1.29E-04
1121	5	1.32E-04
1122	5	1.34E-04
1123	5	1.36E-04
1124	5	1.42E-04
1125	5	1.44E-04
1126	5	1.47E-04
1127	5	1.50E-04
1128	5	1.52E-04
1129	5	1.55E-04
1130	5	1.58E-04
1131	5	1.60E-04
1132	5	1.63E-04
1133	5	1.65E-04
1134	5	1.68E-04
1135	5	1.70E-04
1136	5	1.72E-04
1137	5	1.75E-04
1138	5	1.77E-04
1139	5	1.79E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	1.81E-04
1141	5	1.83E-04
1142	5	1.84E-04
1143	5	1.85E-04
1144	5	1.87E-04
1145	5	1.88E-04
1146	5	1.07E-04
1147	5	1.09E-04
1148	5	1.11E-04
1149	5	1.13E-04
1150	5	1.15E-04
1151	5	1.18E-04
1152	5	1.23E-04
1153	5	1.28E-04
1154	5	1.34E-04
1155	5	1.36E-04
1156	5	1.39E-04
1157	5	1.42E-04
1158	5	1.47E-04
1159	5	1.50E-04
1160	5	1.53E-04
1161	5	1.56E-04
1162	5	1.59E-04
1163	5	1.61E-04
1164	5	1.64E-04
1165	5	1.67E-04
1166	5	1.70E-04
1167	5	1.72E-04
1168	5	1.75E-04
1169	5	1.78E-04
1170	5	1.80E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	1.83E-04
1172	5	1.85E-04
1173	5	1.87E-04
1174	5	1.89E-04
1175	5	1.91E-04
1176	5	1.93E-04
1177	5	1.94E-04
1178	5	1.96E-04
1179	5	1.97E-04
1180	5	1.10E-04
1181	5	1.12E-04
1182	5	1.15E-04
1183	5	1.17E-04
1184	5	1.19E-04
1185	5	1.22E-04
1186	5	1.27E-04
1187	5	1.30E-04
1188	5	1.38E-04
1189	5	1.41E-04
1190	5	1.44E-04
1191	5	1.47E-04
1192	5	1.53E-04
1193	5	1.56E-04
1194	5	1.59E-04
1195	5	1.62E-04
1196	5	1.65E-04
1197	5	1.68E-04
1198	5	1.71E-04
1199	5	1.74E-04
1200	5	1.77E-04
1201	5	1.80E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	1.83E-04
1203	5	1.86E-04
1204	5	1.89E-04
1205	5	1.91E-04
1206	5	1.94E-04
1207	5	1.96E-04
1208	5	1.98E-04
1209	5	2.00E-04
1210	5	2.02E-04
1211	5	2.04E-04
1212	5	2.05E-04
1213	5	2.06E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.75542	3.12E-02	8.6E-02	1.05E-03	8.99E-05	3.32E-01	1.57E-01	4.68E-06	1.0E+06	4.7E+00
893	2.64375	3.12E-02	8.3E-02	1.05E-03	8.62E-05	3.32E-01	1.57E-01	4.49E-06	1.0E+06	4.5E+00
894	2.52963	3.12E-02	7.9E-02	1.05E-03	8.25E-05	3.32E-01	1.57E-01	4.30E-06	1.0E+06	4.3E+00
895	2.41457	3.12E-02	7.5E-02	1.05E-03	7.88E-05	3.32E-01	1.57E-01	4.10E-06	1.0E+06	4.1E+00
896	2.30061	3.12E-02	7.2E-02	1.05E-03	7.51E-05	3.32E-01	1.57E-01	3.91E-06	1.0E+06	3.9E+00
897	2.18935	3.12E-02	6.8E-02	1.05E-03	7.14E-05	3.32E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
898	2.08092	3.12E-02	6.5E-02	1.05E-03	6.79E-05	3.32E-01	1.57E-01	3.54E-06	1.0E+06	3.5E+00
899	1.97707	3.12E-02	6.2E-02	1.05E-03	6.45E-05	3.32E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
900	1.87859	3.12E-02	5.9E-02	1.05E-03	6.13E-05	3.32E-01	1.57E-01	3.19E-06	1.0E+06	3.2E+00
901	1.78411	3.12E-02	5.6E-02	1.05E-03	5.82E-05	3.32E-01	1.57E-01	3.03E-06	1.0E+06	3.0E+00
902	1.69123	3.12E-02	5.3E-02	1.05E-03	5.52E-05	3.32E-01	1.57E-01	2.87E-06	1.0E+06	2.9E+00
903	1.60208	3.12E-02	5.0E-02	1.05E-03	5.23E-05	3.32E-01	1.57E-01	2.72E-06	1.0E+06	2.7E+00
904	1.51789	3.12E-02	4.7E-02	1.05E-03	4.95E-05	3.32E-01	1.57E-01	2.58E-06	1.0E+06	2.6E+00
905	1.43857	3.12E-02	4.5E-02	1.05E-03	4.69E-05	3.32E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
906	1.36373	3.12E-02	4.3E-02	1.05E-03	4.45E-05	3.32E-01	1.57E-01	2.32E-06	1.0E+06	2.3E+00
907	1.29572	3.12E-02	4.0E-02	1.05E-03	4.23E-05	3.32E-01	1.57E-01	2.20E-06	1.0E+06	2.2E+00
908	4.13343	3.12E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.02E-06	1.0E+06	7.0E+00
909	4.14798	3.12E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.05E-06	1.0E+06	7.0E+00
910	4.15467	3.12E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.06E-06	1.0E+06	7.1E+00
911	4.15515	3.12E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.06E-06	1.0E+06	7.1E+00
912	4.14723	3.12E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.05E-06	1.0E+06	7.0E+00
913	4.13132	3.12E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.02E-06	1.0E+06	7.0E+00
914	4.10746	3.12E-02	1.3E-01	1.05E-03	1.34E-04	3.32E-01	1.57E-01	6.98E-06	1.0E+06	7.0E+00
915	4.07476	3.12E-02	1.3E-01	1.05E-03	1.33E-04	3.32E-01	1.57E-01	6.92E-06	1.0E+06	6.9E+00
916	4.03399	3.12E-02	1.3E-01	1.05E-03	1.32E-04	3.32E-01	1.57E-01	6.86E-06	1.0E+06	6.9E+00
917	3.98405	3.12E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.77E-06	1.0E+06	6.8E+00
918	3.92475	3.12E-02	1.2E-01	1.05E-03	1.28E-04	3.32E-01	1.57E-01	6.67E-06	1.0E+06	6.7E+00
919	3.85612	3.12E-02	1.2E-01	1.05E-03	1.26E-04	3.32E-01	1.57E-01	6.55E-06	1.0E+06	6.6E+00
920	3.7783	3.12E-02	1.2E-01	1.05E-03	1.23E-04	3.32E-01	1.57E-01	6.42E-06	1.0E+06	6.4E+00
921	3.69128	3.12E-02	1.2E-01	1.05E-03	1.20E-04	3.32E-01	1.57E-01	6.27E-06	1.0E+06	6.3E+00
922	3.59342	3.12E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.11E-06	1.0E+06	6.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	3.48686	3.12E-02	1.1E-01	1.05E-03	1.14E-04	3.32E-01	1.57E-01	5.93E-06	1.0E+06	5.9E+00
924	3.37248	3.12E-02	1.1E-01	1.05E-03	1.10E-04	3.32E-01	1.57E-01	5.73E-06	1.0E+06	5.7E+00
925	3.25179	3.12E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.53E-06	1.0E+06	5.5E+00
926	3.12547	3.12E-02	9.8E-02	1.05E-03	1.02E-04	3.32E-01	1.57E-01	5.31E-06	1.0E+06	5.3E+00
927	2.99521	3.12E-02	9.3E-02	1.05E-03	9.77E-05	3.32E-01	1.57E-01	5.09E-06	1.0E+06	5.1E+00
928	2.86199	3.12E-02	8.9E-02	1.05E-03	9.34E-05	3.32E-01	1.57E-01	4.86E-06	1.0E+06	4.9E+00
929	2.72693	3.12E-02	8.5E-02	1.05E-03	8.90E-05	3.32E-01	1.57E-01	4.63E-06	1.0E+06	4.6E+00
930	2.59145	3.12E-02	8.1E-02	1.05E-03	8.45E-05	3.32E-01	1.57E-01	4.40E-06	1.0E+06	4.4E+00
931	2.45834	3.12E-02	7.7E-02	1.05E-03	8.02E-05	3.32E-01	1.57E-01	4.18E-06	1.0E+06	4.2E+00
932	2.32945	3.12E-02	7.3E-02	1.05E-03	7.60E-05	3.32E-01	1.57E-01	3.96E-06	1.0E+06	4.0E+00
933	2.20497	3.12E-02	6.9E-02	1.05E-03	7.19E-05	3.32E-01	1.57E-01	3.75E-06	1.0E+06	3.7E+00
934	2.08581	3.12E-02	6.5E-02	1.05E-03	6.80E-05	3.32E-01	1.57E-01	3.54E-06	1.0E+06	3.5E+00
935	1.97237	3.12E-02	6.2E-02	1.05E-03	6.43E-05	3.32E-01	1.57E-01	3.35E-06	1.0E+06	3.4E+00
936	1.86474	3.12E-02	5.8E-02	1.05E-03	6.08E-05	3.32E-01	1.57E-01	3.17E-06	1.0E+06	3.2E+00
937	1.76097	3.12E-02	5.5E-02	1.05E-03	5.74E-05	3.32E-01	1.57E-01	2.99E-06	1.0E+06	3.0E+00
938	1.6625	3.12E-02	5.2E-02	1.05E-03	5.42E-05	3.32E-01	1.57E-01	2.83E-06	1.0E+06	2.8E+00
939	1.57017	3.12E-02	4.9E-02	1.05E-03	5.12E-05	3.32E-01	1.57E-01	2.67E-06	1.0E+06	2.7E+00
940	1.48389	3.12E-02	4.6E-02	1.05E-03	4.84E-05	3.32E-01	1.57E-01	2.52E-06	1.0E+06	2.5E+00
941	1.40313	3.12E-02	4.4E-02	1.05E-03	4.58E-05	3.32E-01	1.57E-01	2.38E-06	1.0E+06	2.4E+00
942	4.63799	3.12E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.88E-06	1.0E+06	7.9E+00
943	4.65331	3.12E-02	1.5E-01	1.05E-03	1.52E-04	3.32E-01	1.57E-01	7.91E-06	1.0E+06	7.9E+00
944	4.66029	3.12E-02	1.5E-01	1.05E-03	1.52E-04	3.32E-01	1.57E-01	7.92E-06	1.0E+06	7.9E+00
945	4.65962	3.12E-02	1.5E-01	1.05E-03	1.52E-04	3.32E-01	1.57E-01	7.92E-06	1.0E+06	7.9E+00
946	4.64997	3.12E-02	1.5E-01	1.05E-03	1.52E-04	3.32E-01	1.57E-01	7.90E-06	1.0E+06	7.9E+00
947	4.63099	3.12E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.87E-06	1.0E+06	7.9E+00
948	4.60175	3.12E-02	1.4E-01	1.05E-03	1.50E-04	3.32E-01	1.57E-01	7.82E-06	1.0E+06	7.8E+00
949	4.56263	3.12E-02	1.4E-01	1.05E-03	1.49E-04	3.32E-01	1.57E-01	7.75E-06	1.0E+06	7.8E+00
950	4.51437	3.12E-02	1.4E-01	1.05E-03	1.47E-04	3.32E-01	1.57E-01	7.67E-06	1.0E+06	7.7E+00
951	4.45739	3.12E-02	1.4E-01	1.05E-03	1.45E-04	3.32E-01	1.57E-01	7.58E-06	1.0E+06	7.6E+00
952	4.389	3.12E-02	1.4E-01	1.05E-03	1.43E-04	3.32E-01	1.57E-01	7.46E-06	1.0E+06	7.5E+00
953	4.30956	3.12E-02	1.3E-01	1.05E-03	1.41E-04	3.32E-01	1.57E-01	7.32E-06	1.0E+06	7.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	4.21848	3.12E-02	1.3E-01	1.05E-03	1.38E-04	3.32E-01	1.57E-01	7.17E-06	1.0E+06	7.2E+00
955	4.11568	3.12E-02	1.3E-01	1.05E-03	1.34E-04	3.32E-01	1.57E-01	6.99E-06	1.0E+06	7.0E+00
956	3.99754	3.12E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.79E-06	1.0E+06	6.8E+00
957	3.86722	3.12E-02	1.2E-01	1.05E-03	1.26E-04	3.32E-01	1.57E-01	6.57E-06	1.0E+06	6.6E+00
958	3.72905	3.12E-02	1.2E-01	1.05E-03	1.22E-04	3.32E-01	1.57E-01	6.34E-06	1.0E+06	6.3E+00
959	3.58424	3.12E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.09E-06	1.0E+06	6.1E+00
960	3.43198	3.12E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.83E-06	1.0E+06	5.8E+00
961	3.27428	3.12E-02	1.0E-01	1.05E-03	1.07E-04	3.32E-01	1.57E-01	5.56E-06	1.0E+06	5.6E+00
962	3.11339	3.12E-02	9.7E-02	1.05E-03	1.02E-04	3.32E-01	1.57E-01	5.29E-06	1.0E+06	5.3E+00
963	2.95106	3.12E-02	9.2E-02	1.05E-03	9.63E-05	3.32E-01	1.57E-01	5.02E-06	1.0E+06	5.0E+00
964	2.78992	3.12E-02	8.7E-02	1.05E-03	9.10E-05	3.32E-01	1.57E-01	4.74E-06	1.0E+06	4.7E+00
965	2.63225	3.12E-02	8.2E-02	1.05E-03	8.59E-05	3.32E-01	1.57E-01	4.47E-06	1.0E+06	4.5E+00
966	2.48139	3.12E-02	7.7E-02	1.05E-03	8.10E-05	3.32E-01	1.57E-01	4.22E-06	1.0E+06	4.2E+00
967	2.33706	3.12E-02	7.3E-02	1.05E-03	7.62E-05	3.32E-01	1.57E-01	3.97E-06	1.0E+06	4.0E+00
968	2.19954	3.12E-02	6.9E-02	1.05E-03	7.18E-05	3.32E-01	1.57E-01	3.74E-06	1.0E+06	3.7E+00
969	2.06894	3.12E-02	6.5E-02	1.05E-03	6.75E-05	3.32E-01	1.57E-01	3.52E-06	1.0E+06	3.5E+00
970	1.94612	3.12E-02	6.1E-02	1.05E-03	6.35E-05	3.32E-01	1.57E-01	3.31E-06	1.0E+06	3.3E+00
971	1.83103	3.12E-02	5.7E-02	1.05E-03	5.97E-05	3.32E-01	1.57E-01	3.11E-06	1.0E+06	3.1E+00
972	1.72334	3.12E-02	5.4E-02	1.05E-03	5.62E-05	3.32E-01	1.57E-01	2.93E-06	1.0E+06	2.9E+00
973	1.62308	3.12E-02	5.1E-02	1.05E-03	5.29E-05	3.32E-01	1.57E-01	2.76E-06	1.0E+06	2.8E+00
974	1.52973	3.12E-02	4.8E-02	1.05E-03	4.99E-05	3.32E-01	1.57E-01	2.60E-06	1.0E+06	2.6E+00
975	1.44302	3.12E-02	4.5E-02	1.05E-03	4.71E-05	3.32E-01	1.57E-01	2.45E-06	1.0E+06	2.5E+00
976	5.243	3.12E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.91E-06	1.0E+06	8.9E+00
977	5.25934	3.12E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.94E-06	1.0E+06	8.9E+00
978	5.26636	3.12E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.95E-06	1.0E+06	9.0E+00
979	5.26489	3.12E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.95E-06	1.0E+06	8.9E+00
980	5.25326	3.12E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.93E-06	1.0E+06	8.9E+00
981	5.23115	3.12E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.89E-06	1.0E+06	8.9E+00
982	5.19613	3.12E-02	1.6E-01	1.05E-03	1.70E-04	3.32E-01	1.57E-01	8.83E-06	1.0E+06	8.8E+00
983	5.14934	3.12E-02	1.6E-01	1.05E-03	1.68E-04	3.32E-01	1.57E-01	8.75E-06	1.0E+06	8.8E+00
984	5.09275	3.12E-02	1.6E-01	1.05E-03	1.66E-04	3.32E-01	1.57E-01	8.65E-06	1.0E+06	8.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	5.02795	3.12E-02	1.6E-01	1.05E-03	1.64E-04	3.32E-01	1.57E-01	8.54E-06	1.0E+06	8.5E+00
986	4.94967	3.12E-02	1.5E-01	1.05E-03	1.61E-04	3.32E-01	1.57E-01	8.41E-06	1.0E+06	8.4E+00
987	4.85719	3.12E-02	1.5E-01	1.05E-03	1.58E-04	3.32E-01	1.57E-01	8.25E-06	1.0E+06	8.3E+00
988	4.75055	3.12E-02	1.5E-01	1.05E-03	1.55E-04	3.32E-01	1.57E-01	8.07E-06	1.0E+06	8.1E+00
989	4.62829	3.12E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.87E-06	1.0E+06	7.9E+00
990	4.48499	3.12E-02	1.4E-01	1.05E-03	1.46E-04	3.32E-01	1.57E-01	7.62E-06	1.0E+06	7.6E+00
991	4.32464	3.12E-02	1.3E-01	1.05E-03	1.41E-04	3.32E-01	1.57E-01	7.35E-06	1.0E+06	7.3E+00
992	4.15588	3.12E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.06E-06	1.0E+06	7.1E+00
993	3.97939	3.12E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.76E-06	1.0E+06	6.8E+00
994	3.794	3.12E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.45E-06	1.0E+06	6.4E+00
995	3.59983	3.12E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.12E-06	1.0E+06	6.1E+00
996	3.4027	3.12E-02	1.1E-01	1.05E-03	1.11E-04	3.32E-01	1.57E-01	5.78E-06	1.0E+06	5.8E+00
997	3.2054	3.12E-02	1.0E-01	1.05E-03	1.05E-04	3.32E-01	1.57E-01	5.45E-06	1.0E+06	5.4E+00
998	3.01092	3.12E-02	9.4E-02	1.05E-03	9.82E-05	3.32E-01	1.57E-01	5.12E-06	1.0E+06	5.1E+00
999	2.82294	3.12E-02	8.8E-02	1.05E-03	9.21E-05	3.32E-01	1.57E-01	4.80E-06	1.0E+06	4.8E+00
1000	2.64526	3.12E-02	8.3E-02	1.05E-03	8.63E-05	3.32E-01	1.57E-01	4.50E-06	1.0E+06	4.5E+00
1001	2.47694	3.12E-02	7.7E-02	1.05E-03	8.08E-05	3.32E-01	1.57E-01	4.21E-06	1.0E+06	4.2E+00
1002	2.31821	3.12E-02	7.2E-02	1.05E-03	7.56E-05	3.32E-01	1.57E-01	3.94E-06	1.0E+06	3.9E+00
1003	2.16778	3.12E-02	6.8E-02	1.05E-03	7.07E-05	3.32E-01	1.57E-01	3.68E-06	1.0E+06	3.7E+00
1004	2.02814	3.12E-02	6.3E-02	1.05E-03	6.62E-05	3.32E-01	1.57E-01	3.45E-06	1.0E+06	3.4E+00
1005	1.90048	3.12E-02	5.9E-02	1.05E-03	6.20E-05	3.32E-01	1.57E-01	3.23E-06	1.0E+06	3.2E+00
1006	1.78307	3.12E-02	5.6E-02	1.05E-03	5.82E-05	3.32E-01	1.57E-01	3.03E-06	1.0E+06	3.0E+00
1007	1.67441	3.12E-02	5.2E-02	1.05E-03	5.46E-05	3.32E-01	1.57E-01	2.85E-06	1.0E+06	2.8E+00
1008	1.57366	3.12E-02	4.9E-02	1.05E-03	5.13E-05	3.32E-01	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1009	1.4807	3.12E-02	4.6E-02	1.05E-03	4.83E-05	3.32E-01	1.57E-01	2.52E-06	1.0E+06	2.5E+00
1010	5.97868	3.12E-02	1.9E-01	1.05E-03	1.95E-04	3.32E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
1011	5.99696	3.12E-02	1.9E-01	1.05E-03	1.96E-04	3.32E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
1012	6.00444	3.12E-02	1.9E-01	1.05E-03	1.96E-04	3.32E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
1013	6.00212	3.12E-02	1.9E-01	1.05E-03	1.96E-04	3.32E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
1014	5.98983	3.12E-02	1.9E-01	1.05E-03	1.95E-04	3.32E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
1015	5.96427	3.12E-02	1.9E-01	1.05E-03	1.95E-04	3.32E-01	1.57E-01	1.01E-05	1.0E+06	1.0E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	5.92283	3.12E-02	1.8E-01	1.05E-03	1.93E-04	3.32E-01	1.57E-01	1.01E-05	1.0E+06	1.0E+01
1017	5.86765	3.12E-02	1.8E-01	1.05E-03	1.91E-04	3.32E-01	1.57E-01	9.97E-06	1.0E+06	1.0E+01
1018	5.80186	3.12E-02	1.8E-01	1.05E-03	1.89E-04	3.32E-01	1.57E-01	9.86E-06	1.0E+06	9.9E+00
1019	5.72853	3.12E-02	1.8E-01	1.05E-03	1.87E-04	3.32E-01	1.57E-01	9.74E-06	1.0E+06	9.7E+00
1020	5.63808	3.12E-02	1.8E-01	1.05E-03	1.84E-04	3.32E-01	1.57E-01	9.58E-06	1.0E+06	9.6E+00
1021	5.53055	3.12E-02	1.7E-01	1.05E-03	1.80E-04	3.32E-01	1.57E-01	9.40E-06	1.0E+06	9.4E+00
1022	5.40447	3.12E-02	1.7E-01	1.05E-03	1.76E-04	3.32E-01	1.57E-01	9.18E-06	1.0E+06	9.2E+00
1023	5.25811	3.12E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.94E-06	1.0E+06	8.9E+00
1024	5.0836	3.12E-02	1.6E-01	1.05E-03	1.66E-04	3.32E-01	1.57E-01	8.64E-06	1.0E+06	8.6E+00
1025	4.88592	3.12E-02	1.5E-01	1.05E-03	1.59E-04	3.32E-01	1.57E-01	8.30E-06	1.0E+06	8.3E+00
1026	4.67717	3.12E-02	1.5E-01	1.05E-03	1.53E-04	3.32E-01	1.57E-01	7.95E-06	1.0E+06	7.9E+00
1027	4.45807	3.12E-02	1.4E-01	1.05E-03	1.45E-04	3.32E-01	1.57E-01	7.58E-06	1.0E+06	7.6E+00
1028	4.22657	3.12E-02	1.3E-01	1.05E-03	1.38E-04	3.32E-01	1.57E-01	7.18E-06	1.0E+06	7.2E+00
1029	3.98391	3.12E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.77E-06	1.0E+06	6.8E+00
1030	3.73847	3.12E-02	1.2E-01	1.05E-03	1.22E-04	3.32E-01	1.57E-01	6.35E-06	1.0E+06	6.4E+00
1031	3.49452	3.12E-02	1.1E-01	1.05E-03	1.14E-04	3.32E-01	1.57E-01	5.94E-06	1.0E+06	5.9E+00
1032	3.25736	3.12E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.54E-06	1.0E+06	5.5E+00
1033	3.03159	3.12E-02	9.5E-02	1.05E-03	9.89E-05	3.32E-01	1.57E-01	5.15E-06	1.0E+06	5.2E+00
1034	2.82048	3.12E-02	8.8E-02	1.05E-03	9.20E-05	3.32E-01	1.57E-01	4.79E-06	1.0E+06	4.8E+00
1035	2.62362	3.12E-02	8.2E-02	1.05E-03	8.56E-05	3.32E-01	1.57E-01	4.46E-06	1.0E+06	4.5E+00
1036	2.43983	3.12E-02	7.6E-02	1.05E-03	7.96E-05	3.32E-01	1.57E-01	4.15E-06	1.0E+06	4.1E+00
1037	2.26786	3.12E-02	7.1E-02	1.05E-03	7.40E-05	3.32E-01	1.57E-01	3.85E-06	1.0E+06	3.9E+00
1038	2.10979	3.12E-02	6.6E-02	1.05E-03	6.88E-05	3.32E-01	1.57E-01	3.59E-06	1.0E+06	3.6E+00
1039	1.96818	3.12E-02	6.1E-02	1.05E-03	6.42E-05	3.32E-01	1.57E-01	3.34E-06	1.0E+06	3.3E+00
1040	1.83967	3.12E-02	5.7E-02	1.05E-03	6.00E-05	3.32E-01	1.57E-01	3.13E-06	1.0E+06	3.1E+00
1041	1.72159	3.12E-02	5.4E-02	1.05E-03	5.62E-05	3.32E-01	1.57E-01	2.93E-06	1.0E+06	2.9E+00
1042	1.61299	3.12E-02	5.0E-02	1.05E-03	5.26E-05	3.32E-01	1.57E-01	2.74E-06	1.0E+06	2.7E+00
1043	1.5135	3.12E-02	4.7E-02	1.05E-03	4.94E-05	3.32E-01	1.57E-01	2.57E-06	1.0E+06	2.6E+00
1044	6.89122	3.12E-02	2.2E-01	1.05E-03	2.25E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1045	6.91198	3.12E-02	2.2E-01	1.05E-03	2.25E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1046	6.92081	3.12E-02	2.2E-01	1.05E-03	2.26E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	6.91918	3.12E-02	2.2E-01	1.05E-03	2.26E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
1048	6.90738	3.12E-02	2.2E-01	1.05E-03	2.25E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1049	6.87983	3.12E-02	2.1E-01	1.05E-03	2.24E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1050	6.83215	3.12E-02	2.1E-01	1.05E-03	2.23E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
1051	6.76791	3.12E-02	2.1E-01	1.05E-03	2.21E-04	3.32E-01	1.57E-01	1.15E-05	1.0E+06	1.2E+01
1052	6.69199	3.12E-02	2.1E-01	1.05E-03	2.18E-04	3.32E-01	1.57E-01	1.14E-05	1.0E+06	1.1E+01
1053	6.60719	3.12E-02	2.1E-01	1.05E-03	2.16E-04	3.32E-01	1.57E-01	1.12E-05	1.0E+06	1.1E+01
1054	6.50171	3.12E-02	2.0E-01	1.05E-03	2.12E-04	3.32E-01	1.57E-01	1.10E-05	1.0E+06	1.1E+01
1055	6.37444	3.12E-02	2.0E-01	1.05E-03	2.08E-04	3.32E-01	1.57E-01	1.08E-05	1.0E+06	1.1E+01
1056	6.22415	3.12E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1057	6.04695	3.12E-02	1.9E-01	1.05E-03	1.97E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
1058	5.83483	3.12E-02	1.8E-01	1.05E-03	1.90E-04	3.32E-01	1.57E-01	9.92E-06	1.0E+06	9.9E+00
1059	5.59169	3.12E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.50E-06	1.0E+06	9.5E+00
1060	5.32962	3.12E-02	1.7E-01	1.05E-03	1.74E-04	3.32E-01	1.57E-01	9.06E-06	1.0E+06	9.1E+00
1061	5.05091	3.12E-02	1.6E-01	1.05E-03	1.65E-04	3.32E-01	1.57E-01	8.58E-06	1.0E+06	8.6E+00
1062	4.75357	3.12E-02	1.5E-01	1.05E-03	1.55E-04	3.32E-01	1.57E-01	8.08E-06	1.0E+06	8.1E+00
1063	4.44312	3.12E-02	1.4E-01	1.05E-03	1.45E-04	3.32E-01	1.57E-01	7.55E-06	1.0E+06	7.6E+00
1064	4.131	3.12E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.02E-06	1.0E+06	7.0E+00
1065	3.82531	3.12E-02	1.2E-01	1.05E-03	1.25E-04	3.32E-01	1.57E-01	6.50E-06	1.0E+06	6.5E+00
1066	3.53228	3.12E-02	1.1E-01	1.05E-03	1.15E-04	3.32E-01	1.57E-01	6.00E-06	1.0E+06	6.0E+00
1067	3.25838	3.12E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.54E-06	1.0E+06	5.5E+00
1068	3.00612	3.12E-02	9.4E-02	1.05E-03	9.81E-05	3.32E-01	1.57E-01	5.11E-06	1.0E+06	5.1E+00
1069	2.7747	3.12E-02	8.7E-02	1.05E-03	9.05E-05	3.32E-01	1.57E-01	4.72E-06	1.0E+06	4.7E+00
1070	2.56251	3.12E-02	8.0E-02	1.05E-03	8.36E-05	3.32E-01	1.57E-01	4.35E-06	1.0E+06	4.4E+00
1071	2.36681	3.12E-02	7.4E-02	1.05E-03	7.72E-05	3.32E-01	1.57E-01	4.02E-06	1.0E+06	4.0E+00
1072	2.18956	3.12E-02	6.8E-02	1.05E-03	7.14E-05	3.32E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1073	2.03252	3.12E-02	6.3E-02	1.05E-03	6.63E-05	3.32E-01	1.57E-01	3.45E-06	1.0E+06	3.5E+00
1074	1.89147	3.12E-02	5.9E-02	1.05E-03	6.17E-05	3.32E-01	1.57E-01	3.21E-06	1.0E+06	3.2E+00
1075	1.7633	3.12E-02	5.5E-02	1.05E-03	5.75E-05	3.32E-01	1.57E-01	3.00E-06	1.0E+06	3.0E+00
1076	1.64659	3.12E-02	5.1E-02	1.05E-03	5.37E-05	3.32E-01	1.57E-01	2.80E-06	1.0E+06	2.8E+00
1077	1.54033	3.12E-02	4.8E-02	1.05E-03	5.03E-05	3.32E-01	1.57E-01	2.62E-06	1.0E+06	2.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	8.04858	3.12E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1079	8.07319	3.12E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1080	8.08487	3.12E-02	2.5E-01	1.05E-03	2.64E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1081	8.08553	3.12E-02	2.5E-01	1.05E-03	2.64E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1082	8.07678	3.12E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1083	8.0487	3.12E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1084	7.9951	3.12E-02	2.5E-01	1.05E-03	2.61E-04	3.32E-01	1.57E-01	1.36E-05	1.0E+06	1.4E+01
1085	7.92061	3.12E-02	2.5E-01	1.05E-03	2.58E-04	3.32E-01	1.57E-01	1.35E-05	1.0E+06	1.3E+01
1086	7.83359	3.12E-02	2.4E-01	1.05E-03	2.56E-04	3.32E-01	1.57E-01	1.33E-05	1.0E+06	1.3E+01
1087	7.73732	3.12E-02	2.4E-01	1.05E-03	2.52E-04	3.32E-01	1.57E-01	1.31E-05	1.0E+06	1.3E+01
1088	7.615	3.12E-02	2.4E-01	1.05E-03	2.48E-04	3.32E-01	1.57E-01	1.29E-05	1.0E+06	1.3E+01
1089	7.46572	3.12E-02	2.3E-01	1.05E-03	2.44E-04	3.32E-01	1.57E-01	1.27E-05	1.0E+06	1.3E+01
1090	7.28667	3.12E-02	2.3E-01	1.05E-03	2.38E-04	3.32E-01	1.57E-01	1.24E-05	1.0E+06	1.2E+01
1091	7.07105	3.12E-02	2.2E-01	1.05E-03	2.31E-04	3.32E-01	1.57E-01	1.20E-05	1.0E+06	1.2E+01
1092	6.80928	3.12E-02	2.1E-01	1.05E-03	2.22E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
1093	6.50763	3.12E-02	2.0E-01	1.05E-03	2.12E-04	3.32E-01	1.57E-01	1.11E-05	1.0E+06	1.1E+01
1094	6.17559	3.12E-02	1.9E-01	1.05E-03	2.01E-04	3.32E-01	1.57E-01	1.05E-05	1.0E+06	1.0E+01
1095	5.81086	3.12E-02	1.8E-01	1.05E-03	1.90E-04	3.32E-01	1.57E-01	9.88E-06	1.0E+06	9.9E+00
1096	5.41469	3.12E-02	1.7E-01	1.05E-03	1.77E-04	3.32E-01	1.57E-01	9.20E-06	1.0E+06	9.2E+00
1097	5.00334	3.12E-02	1.6E-01	1.05E-03	1.63E-04	3.32E-01	1.57E-01	8.50E-06	1.0E+06	8.5E+00
1098	4.5955	3.12E-02	1.4E-01	1.05E-03	1.50E-04	3.32E-01	1.57E-01	7.81E-06	1.0E+06	7.8E+00
1099	4.20379	3.12E-02	1.3E-01	1.05E-03	1.37E-04	3.32E-01	1.57E-01	7.14E-06	1.0E+06	7.1E+00
1100	3.83746	3.12E-02	1.2E-01	1.05E-03	1.25E-04	3.32E-01	1.57E-01	6.52E-06	1.0E+06	6.5E+00
1101	3.50324	3.12E-02	1.1E-01	1.05E-03	1.14E-04	3.32E-01	1.57E-01	5.95E-06	1.0E+06	6.0E+00
1102	3.20073	3.12E-02	1.0E-01	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.44E-06	1.0E+06	5.4E+00
1103	2.92897	3.12E-02	9.1E-02	1.05E-03	9.56E-05	3.32E-01	1.57E-01	4.98E-06	1.0E+06	5.0E+00
1104	2.68445	3.12E-02	8.4E-02	1.05E-03	8.76E-05	3.32E-01	1.57E-01	4.56E-06	1.0E+06	4.6E+00
1105	2.46304	3.12E-02	7.7E-02	1.05E-03	8.04E-05	3.32E-01	1.57E-01	4.19E-06	1.0E+06	4.2E+00
1106	2.26537	3.12E-02	7.1E-02	1.05E-03	7.39E-05	3.32E-01	1.57E-01	3.85E-06	1.0E+06	3.8E+00
1107	2.09227	3.12E-02	6.5E-02	1.05E-03	6.83E-05	3.32E-01	1.57E-01	3.56E-06	1.0E+06	3.6E+00
1108	1.93866	3.12E-02	6.1E-02	1.05E-03	6.32E-05	3.32E-01	1.57E-01	3.29E-06	1.0E+06	3.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1.80042	3.12E-02	5.6E-02	1.05E-03	5.87E-05	3.32E-01	1.57E-01	3.06E-06	1.0E+06	3.1E+00
1110	1.67563	3.12E-02	5.2E-02	1.05E-03	5.47E-05	3.32E-01	1.57E-01	2.85E-06	1.0E+06	2.8E+00
1111	1.56303	3.12E-02	4.9E-02	1.05E-03	5.10E-05	3.32E-01	1.57E-01	2.66E-06	1.0E+06	2.7E+00
1112	9.55894	3.12E-02	3.0E-01	1.05E-03	3.12E-04	3.32E-01	1.57E-01	1.62E-05	1.0E+06	1.6E+01
1113	9.58896	3.12E-02	3.0E-01	1.05E-03	3.13E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1114	9.60364	3.12E-02	3.0E-01	1.05E-03	3.13E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1115	9.61345	3.12E-02	3.0E-01	1.05E-03	3.14E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1116	9.61332	3.12E-02	3.0E-01	1.05E-03	3.14E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1117	9.58702	3.12E-02	3.0E-01	1.05E-03	3.13E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1118	9.52425	3.12E-02	3.0E-01	1.05E-03	3.11E-04	3.32E-01	1.57E-01	1.62E-05	1.0E+06	1.6E+01
1119	9.4434	3.12E-02	2.9E-01	1.05E-03	3.08E-04	3.32E-01	1.57E-01	1.60E-05	1.0E+06	1.6E+01
1120	9.34884	3.12E-02	2.9E-01	1.05E-03	3.05E-04	3.32E-01	1.57E-01	1.59E-05	1.0E+06	1.6E+01
1121	9.23908	3.12E-02	2.9E-01	1.05E-03	3.01E-04	3.32E-01	1.57E-01	1.57E-05	1.0E+06	1.6E+01
1122	9.0946	3.12E-02	2.8E-01	1.05E-03	2.97E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.5E+01
1123	8.92466	3.12E-02	2.8E-01	1.05E-03	2.91E-04	3.32E-01	1.57E-01	1.52E-05	1.0E+06	1.5E+01
1124	8.71614	3.12E-02	2.7E-01	1.05E-03	2.84E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
1125	8.44765	3.12E-02	2.6E-01	1.05E-03	2.76E-04	3.32E-01	1.57E-01	1.44E-05	1.0E+06	1.4E+01
1126	8.11751	3.12E-02	2.5E-01	1.05E-03	2.65E-04	3.32E-01	1.57E-01	1.38E-05	1.0E+06	1.4E+01
1127	7.74497	3.12E-02	2.4E-01	1.05E-03	2.53E-04	3.32E-01	1.57E-01	1.32E-05	1.0E+06	1.3E+01
1128	7.32057	3.12E-02	2.3E-01	1.05E-03	2.39E-04	3.32E-01	1.57E-01	1.24E-05	1.0E+06	1.2E+01
1129	6.82847	3.12E-02	2.1E-01	1.05E-03	2.23E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
1130	6.27281	3.12E-02	2.0E-01	1.05E-03	2.05E-04	3.32E-01	1.57E-01	1.07E-05	1.0E+06	1.1E+01
1131	5.70031	3.12E-02	1.8E-01	1.05E-03	1.86E-04	3.32E-01	1.57E-01	9.69E-06	1.0E+06	9.7E+00
1132	5.1472	3.12E-02	1.6E-01	1.05E-03	1.68E-04	3.32E-01	1.57E-01	8.75E-06	1.0E+06	8.7E+00
1133	4.63412	3.12E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.88E-06	1.0E+06	7.9E+00
1134	4.17136	3.12E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.09E-06	1.0E+06	7.1E+00
1135	3.7611	3.12E-02	1.2E-01	1.05E-03	1.23E-04	3.32E-01	1.57E-01	6.39E-06	1.0E+06	6.4E+00
1136	3.399	3.12E-02	1.1E-01	1.05E-03	1.11E-04	3.32E-01	1.57E-01	5.78E-06	1.0E+06	5.8E+00
1137	3.08136	3.12E-02	9.6E-02	1.05E-03	1.01E-04	3.32E-01	1.57E-01	5.24E-06	1.0E+06	5.2E+00
1138	2.80172	3.12E-02	8.7E-02	1.05E-03	9.14E-05	3.32E-01	1.57E-01	4.76E-06	1.0E+06	4.8E+00
1139	2.55329	3.12E-02	8.0E-02	1.05E-03	8.33E-05	3.32E-01	1.57E-01	4.34E-06	1.0E+06	4.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	2.335	3.12E-02	7.3E-02	1.05E-03	7.62E-05	3.32E-01	1.57E-01	3.97E-06	1.0E+06	4.0E+00
1141	2.14568	3.12E-02	6.7E-02	1.05E-03	7.00E-05	3.32E-01	1.57E-01	3.65E-06	1.0E+06	3.6E+00
1142	1.97929	3.12E-02	6.2E-02	1.05E-03	6.46E-05	3.32E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
1143	1.83105	3.12E-02	5.7E-02	1.05E-03	5.97E-05	3.32E-01	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1144	1.69872	3.12E-02	5.3E-02	1.05E-03	5.54E-05	3.32E-01	1.57E-01	2.89E-06	1.0E+06	2.9E+00
1145	1.58005	3.12E-02	4.9E-02	1.05E-03	5.15E-05	3.32E-01	1.57E-01	2.69E-06	1.0E+06	2.7E+00
1146	9.88588	3.12E-02	3.1E-01	1.05E-03	3.23E-04	3.32E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
1147	9.9394	3.12E-02	3.1E-01	1.05E-03	3.24E-04	3.32E-01	1.57E-01	1.69E-05	1.0E+06	1.7E+01
1148	11.64574	3.12E-02	3.6E-01	1.05E-03	3.80E-04	3.32E-01	1.57E-01	1.98E-05	1.0E+06	2.0E+01
1149	10.06257	3.12E-02	3.1E-01	1.05E-03	3.28E-04	3.32E-01	1.57E-01	1.71E-05	1.0E+06	1.7E+01
1150	9.91309	3.12E-02	3.1E-01	1.05E-03	3.23E-04	3.32E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
1151	9.90461	3.12E-02	3.1E-01	1.05E-03	3.23E-04	3.32E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
1152	10.0222	3.12E-02	3.1E-01	1.05E-03	3.27E-04	3.32E-01	1.57E-01	1.70E-05	1.0E+06	1.7E+01
1153	9.85946	3.12E-02	3.1E-01	1.05E-03	3.22E-04	3.32E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
1154	9.60009	3.12E-02	3.0E-01	1.05E-03	3.13E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1155	9.48701	3.12E-02	3.0E-01	1.05E-03	3.09E-04	3.32E-01	1.57E-01	1.61E-05	1.0E+06	1.6E+01
1156	9.50126	3.12E-02	3.0E-01	1.05E-03	3.10E-04	3.32E-01	1.57E-01	1.61E-05	1.0E+06	1.6E+01
1157	9.19978	3.12E-02	2.9E-01	1.05E-03	3.00E-04	3.32E-01	1.57E-01	1.56E-05	1.0E+06	1.6E+01
1158	8.76025	3.12E-02	2.7E-01	1.05E-03	2.86E-04	3.32E-01	1.57E-01	1.49E-05	1.0E+06	1.5E+01
1159	8.43738	3.12E-02	2.6E-01	1.05E-03	2.75E-04	3.32E-01	1.57E-01	1.43E-05	1.0E+06	1.4E+01
1160	6.77907	3.12E-02	2.1E-01	1.05E-03	2.21E-04	3.32E-01	1.57E-01	1.15E-05	1.0E+06	1.2E+01
1161	7.66995	3.12E-02	2.4E-01	1.05E-03	2.50E-04	3.32E-01	1.57E-01	1.30E-05	1.0E+06	1.3E+01
1162	6.93213	3.12E-02	2.2E-01	1.05E-03	2.26E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
1163	6.27427	3.12E-02	2.0E-01	1.05E-03	2.05E-04	3.32E-01	1.57E-01	1.07E-05	1.0E+06	1.1E+01
1164	5.68263	3.12E-02	1.8E-01	1.05E-03	1.85E-04	3.32E-01	1.57E-01	9.66E-06	1.0E+06	9.7E+00
1165	6.57939	3.12E-02	2.1E-01	1.05E-03	2.15E-04	3.32E-01	1.57E-01	1.12E-05	1.0E+06	1.1E+01
1166	5.80062	3.12E-02	1.8E-01	1.05E-03	1.89E-04	3.32E-01	1.57E-01	9.86E-06	1.0E+06	9.9E+00
1167	5.11602	3.12E-02	1.6E-01	1.05E-03	1.67E-04	3.32E-01	1.57E-01	8.69E-06	1.0E+06	8.7E+00
1168	4.52614	3.12E-02	1.4E-01	1.05E-03	1.48E-04	3.32E-01	1.57E-01	7.69E-06	1.0E+06	7.7E+00
1169	4.023	3.12E-02	1.3E-01	1.05E-03	1.31E-04	3.32E-01	1.57E-01	6.84E-06	1.0E+06	6.8E+00
1170	3.59319	3.12E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.11E-06	1.0E+06	6.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	3.2257	3.12E-02	1.0E-01	1.05E-03	1.05E-04	3.32E-01	1.57E-01	5.48E-06	1.0E+06	5.5E+00
1172	2.90902	3.12E-02	9.1E-02	1.05E-03	9.49E-05	3.32E-01	1.57E-01	4.94E-06	1.0E+06	4.9E+00
1173	2.63425	3.12E-02	8.2E-02	1.05E-03	8.59E-05	3.32E-01	1.57E-01	4.48E-06	1.0E+06	4.5E+00
1174	2.39577	3.12E-02	7.5E-02	1.05E-03	7.82E-05	3.32E-01	1.57E-01	4.07E-06	1.0E+06	4.1E+00
1175	2.19069	3.12E-02	6.8E-02	1.05E-03	7.15E-05	3.32E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1176	2.01198	3.12E-02	6.3E-02	1.05E-03	6.56E-05	3.32E-01	1.57E-01	3.42E-06	1.0E+06	3.4E+00
1177	1.85432	3.12E-02	5.8E-02	1.05E-03	6.05E-05	3.32E-01	1.57E-01	3.15E-06	1.0E+06	3.2E+00
1178	1.71461	3.12E-02	5.4E-02	1.05E-03	5.59E-05	3.32E-01	1.57E-01	2.91E-06	1.0E+06	2.9E+00
1179	1.59041	3.12E-02	5.0E-02	1.05E-03	5.19E-05	3.32E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
1180	11.70193	3.12E-02	3.7E-01	1.05E-03	3.82E-04	3.32E-01	1.57E-01	1.99E-05	1.0E+06	2.0E+01
1181	11.81195	3.12E-02	3.7E-01	1.05E-03	3.85E-04	3.32E-01	1.57E-01	2.01E-05	1.0E+06	2.0E+01
1182	10.29178	3.12E-02	3.2E-01	1.05E-03	3.36E-04	3.32E-01	1.57E-01	1.75E-05	1.0E+06	1.7E+01
1183	10.29615	3.12E-02	3.2E-01	1.05E-03	3.36E-04	3.32E-01	1.57E-01	1.75E-05	1.0E+06	1.7E+01
1184	11.75729	3.12E-02	3.7E-01	1.05E-03	3.84E-04	3.32E-01	1.57E-01	2.00E-05	1.0E+06	2.0E+01
1185	11.79799	3.12E-02	3.7E-01	1.05E-03	3.85E-04	3.32E-01	1.57E-01	2.01E-05	1.0E+06	2.0E+01
1186	10.15133	3.12E-02	3.2E-01	1.05E-03	3.31E-04	3.32E-01	1.57E-01	1.73E-05	1.0E+06	1.7E+01
1187	10.05624	3.12E-02	3.1E-01	1.05E-03	3.28E-04	3.32E-01	1.57E-01	1.71E-05	1.0E+06	1.7E+01
1188	11.43424	3.12E-02	3.6E-01	1.05E-03	3.73E-04	3.32E-01	1.57E-01	1.94E-05	1.0E+06	1.9E+01
1189	9.89315	3.12E-02	3.1E-01	1.05E-03	3.23E-04	3.32E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
1190	9.51915	3.12E-02	3.0E-01	1.05E-03	3.11E-04	3.32E-01	1.57E-01	1.62E-05	1.0E+06	1.6E+01
1191	9.23324	3.12E-02	2.9E-01	1.05E-03	3.01E-04	3.32E-01	1.57E-01	1.57E-05	1.0E+06	1.6E+01
1192	10.40791	3.12E-02	3.2E-01	1.05E-03	3.40E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1193	8.54948	3.12E-02	2.7E-01	1.05E-03	2.79E-04	3.32E-01	1.57E-01	1.45E-05	1.0E+06	1.5E+01
1194	7.84778	3.12E-02	2.4E-01	1.05E-03	2.56E-04	3.32E-01	1.57E-01	1.33E-05	1.0E+06	1.3E+01
1195	7.22768	3.12E-02	2.3E-01	1.05E-03	2.36E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
1196	8.06163	3.12E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1197	7.18865	3.12E-02	2.2E-01	1.05E-03	2.35E-04	3.32E-01	1.57E-01	1.22E-05	1.0E+06	1.2E+01
1198	6.42918	3.12E-02	2.0E-01	1.05E-03	2.10E-04	3.32E-01	1.57E-01	1.09E-05	1.0E+06	1.1E+01
1199	5.75126	3.12E-02	1.8E-01	1.05E-03	1.88E-04	3.32E-01	1.57E-01	9.77E-06	1.0E+06	9.8E+00
1200	6.55755	3.12E-02	2.0E-01	1.05E-03	2.14E-04	3.32E-01	1.57E-01	1.11E-05	1.0E+06	1.1E+01
1201	5.64061	3.12E-02	1.8E-01	1.05E-03	1.84E-04	3.32E-01	1.57E-01	9.59E-06	1.0E+06	9.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	4.89267	3.12E-02	1.5E-01	1.05E-03	1.60E-04	3.32E-01	1.57E-01	8.31E-06	1.0E+06	8.3E+00
1203	4.28273	3.12E-02	1.3E-01	1.05E-03	1.40E-04	3.32E-01	1.57E-01	7.28E-06	1.0E+06	7.3E+00
1204	3.77767	3.12E-02	1.2E-01	1.05E-03	1.23E-04	3.32E-01	1.57E-01	6.42E-06	1.0E+06	6.4E+00
1205	3.35722	3.12E-02	1.0E-01	1.05E-03	1.10E-04	3.32E-01	1.57E-01	5.71E-06	1.0E+06	5.7E+00
1206	3.00341	3.12E-02	9.4E-02	1.05E-03	9.80E-05	3.32E-01	1.57E-01	5.10E-06	1.0E+06	5.1E+00
1207	2.70273	3.12E-02	8.4E-02	1.05E-03	8.82E-05	3.32E-01	1.57E-01	4.59E-06	1.0E+06	4.6E+00
1208	2.44544	3.12E-02	7.6E-02	1.05E-03	7.98E-05	3.32E-01	1.57E-01	4.16E-06	1.0E+06	4.2E+00
1209	2.22575	3.12E-02	6.9E-02	1.05E-03	7.26E-05	3.32E-01	1.57E-01	3.78E-06	1.0E+06	3.8E+00
1210	2.03585	3.12E-02	6.4E-02	1.05E-03	6.64E-05	3.32E-01	1.57E-01	3.46E-06	1.0E+06	3.5E+00
1211	1.86986	3.12E-02	5.8E-02	1.05E-03	6.10E-05	3.32E-01	1.57E-01	3.18E-06	1.0E+06	3.2E+00
1212	1.72393	3.12E-02	5.4E-02	1.05E-03	5.62E-05	3.32E-01	1.57E-01	2.93E-06	1.0E+06	2.9E+00
1213	1.59495	3.12E-02	5.0E-02	1.05E-03	5.20E-05	3.32E-01	1.57E-01	2.71E-06	1.0E+06	2.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	1.94391	1.02373E-06	2.0E-06	1.05E-03	2.08E-09	3.32E-01	1.57E-01	1.08E-10	1.0E+06	1.1E-04
893	893	1.93485	1.02373E-06	2.0E-06	1.05E-03	2.07E-09	3.32E-01	1.57E-01	1.08E-10	1.0E+06	1.1E-04
894	894	1.92361	1.02373E-06	2.0E-06	1.05E-03	2.06E-09	3.32E-01	1.57E-01	1.07E-10	1.0E+06	1.1E-04
895	895	1.9101	1.02373E-06	2.0E-06	1.05E-03	2.04E-09	3.32E-01	1.57E-01	1.06E-10	1.0E+06	1.1E-04
896	896	1.89469	1.02373E-06	1.9E-06	1.05E-03	2.03E-09	3.32E-01	1.57E-01	1.06E-10	1.0E+06	1.1E-04
897	897	1.87743	1.02373E-06	1.9E-06	1.05E-03	2.01E-09	3.32E-01	1.57E-01	1.05E-10	1.0E+06	1.0E-04
898	898	1.85813	1.02373E-06	1.9E-06	1.05E-03	1.99E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
899	899	1.83738	1.02373E-06	1.9E-06	1.05E-03	1.97E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
900	900	1.81534	1.02373E-06	1.9E-06	1.05E-03	1.94E-09	3.32E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
901	901	1.79134	1.02373E-06	1.8E-06	1.05E-03	1.92E-09	3.32E-01	1.57E-01	9.99E-11	1.0E+06	1.0E-04
902	902	1.7639	1.02373E-06	1.8E-06	1.05E-03	1.89E-09	3.32E-01	1.57E-01	9.83E-11	1.0E+06	9.8E-05
903	903	1.73359	1.02373E-06	1.8E-06	1.05E-03	1.85E-09	3.32E-01	1.57E-01	9.66E-11	1.0E+06	9.7E-05
904	904	1.70126	1.02373E-06	1.7E-06	1.05E-03	1.82E-09	3.32E-01	1.57E-01	9.48E-11	1.0E+06	9.5E-05
905	905	1.66723	1.02373E-06	1.7E-06	1.05E-03	1.78E-09	3.32E-01	1.57E-01	9.29E-11	1.0E+06	9.3E-05
906	906	1.63146	1.02373E-06	1.7E-06	1.05E-03	1.75E-09	3.32E-01	1.57E-01	9.09E-11	1.0E+06	9.1E-05
907	907	1.59675	1.02373E-06	1.6E-06	1.05E-03	1.71E-09	3.32E-01	1.57E-01	8.90E-11	1.0E+06	8.9E-05
908	908	1.92811	1.02373E-06	2.0E-06	1.05E-03	2.06E-09	3.32E-01	1.57E-01	1.07E-10	1.0E+06	1.1E-04
909	909	1.95185	1.02373E-06	2.0E-06	1.05E-03	2.09E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
910	910	1.97355	1.02373E-06	2.0E-06	1.05E-03	2.11E-09	3.32E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
911	911	1.99443	1.02373E-06	2.0E-06	1.05E-03	2.13E-09	3.32E-01	1.57E-01	1.11E-10	1.0E+06	1.1E-04
912	912	2.0135	1.02373E-06	2.1E-06	1.05E-03	2.15E-09	3.32E-01	1.57E-01	1.12E-10	1.0E+06	1.1E-04
913	913	2.0311	1.02373E-06	2.1E-06	1.05E-03	2.17E-09	3.32E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
914	914	2.0468	1.02373E-06	2.1E-06	1.05E-03	2.19E-09	3.32E-01	1.57E-01	1.14E-10	1.0E+06	1.1E-04
915	915	2.06108	1.02373E-06	2.1E-06	1.05E-03	2.21E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.1E-04
916	916	2.07346	1.02373E-06	2.1E-06	1.05E-03	2.22E-09	3.32E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
917	917	2.08439	1.02373E-06	2.1E-06	1.05E-03	2.23E-09	3.32E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
918	918	2.09334	1.02373E-06	2.1E-06	1.05E-03	2.24E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
919	919	2.10088	1.02373E-06	2.2E-06	1.05E-03	2.25E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
920	920	2.10641	1.02373E-06	2.2E-06	1.05E-03	2.25E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
921	921	2.10987	1.02373E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
922	922	2.11136	1.02373E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	2.11097	1.02373E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
924	924	2.10864	1.02373E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
925	925	2.1046	1.02373E-06	2.2E-06	1.05E-03	2.25E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
926	926	2.09849	1.02373E-06	2.1E-06	1.05E-03	2.25E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
927	927	2.09046	1.02373E-06	2.1E-06	1.05E-03	2.24E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
928	928	2.08019	1.02373E-06	2.1E-06	1.05E-03	2.23E-09	3.32E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
929	929	2.06772	1.02373E-06	2.1E-06	1.05E-03	2.21E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.2E-04
930	930	2.05271	1.02373E-06	2.1E-06	1.05E-03	2.20E-09	3.32E-01	1.57E-01	1.14E-10	1.0E+06	1.1E-04
931	931	2.03572	1.02373E-06	2.1E-06	1.05E-03	2.18E-09	3.32E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
932	932	2.01671	1.02373E-06	2.1E-06	1.05E-03	2.16E-09	3.32E-01	1.57E-01	1.12E-10	1.0E+06	1.1E-04
933	933	1.99564	1.02373E-06	2.0E-06	1.05E-03	2.14E-09	3.32E-01	1.57E-01	1.11E-10	1.0E+06	1.1E-04
934	934	1.97243	1.02373E-06	2.0E-06	1.05E-03	2.11E-09	3.32E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
935	935	1.94721	1.02373E-06	2.0E-06	1.05E-03	2.08E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
936	936	1.91976	1.02373E-06	2.0E-06	1.05E-03	2.05E-09	3.32E-01	1.57E-01	1.07E-10	1.0E+06	1.1E-04
937	937	1.88906	1.02373E-06	1.9E-06	1.05E-03	2.02E-09	3.32E-01	1.57E-01	1.05E-10	1.0E+06	1.1E-04
938	938	1.85544	1.02373E-06	1.9E-06	1.05E-03	1.99E-09	3.32E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
939	939	1.81948	1.02373E-06	1.9E-06	1.05E-03	1.95E-09	3.32E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
940	940	1.7817	1.02373E-06	1.8E-06	1.05E-03	1.91E-09	3.32E-01	1.57E-01	9.93E-11	1.0E+06	9.9E-05
941	941	1.74206	1.02373E-06	1.8E-06	1.05E-03	1.86E-09	3.32E-01	1.57E-01	9.71E-11	1.0E+06	9.7E-05
942	942	2.08403	1.02373E-06	2.1E-06	1.05E-03	2.23E-09	3.32E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
943	943	2.10965	1.02373E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
944	944	2.13348	1.02373E-06	2.2E-06	1.05E-03	2.28E-09	3.32E-01	1.57E-01	1.19E-10	1.0E+06	1.2E-04
945	945	2.15573	1.02373E-06	2.2E-06	1.05E-03	2.31E-09	3.32E-01	1.57E-01	1.20E-10	1.0E+06	1.2E-04
946	946	2.17642	1.02373E-06	2.2E-06	1.05E-03	2.33E-09	3.32E-01	1.57E-01	1.21E-10	1.0E+06	1.2E-04
947	947	2.19514	1.02373E-06	2.2E-06	1.05E-03	2.35E-09	3.32E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
948	948	2.2116	1.02373E-06	2.3E-06	1.05E-03	2.37E-09	3.32E-01	1.57E-01	1.23E-10	1.0E+06	1.2E-04
949	949	2.22645	1.02373E-06	2.3E-06	1.05E-03	2.38E-09	3.32E-01	1.57E-01	1.24E-10	1.0E+06	1.2E-04
950	950	2.2395	1.02373E-06	2.3E-06	1.05E-03	2.40E-09	3.32E-01	1.57E-01	1.25E-10	1.0E+06	1.2E-04
951	951	2.25132	1.02373E-06	2.3E-06	1.05E-03	2.41E-09	3.32E-01	1.57E-01	1.25E-10	1.0E+06	1.3E-04
952	952	2.26115	1.02373E-06	2.3E-06	1.05E-03	2.42E-09	3.32E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04
953	953	2.26915	1.02373E-06	2.3E-06	1.05E-03	2.43E-09	3.32E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	2.27514	1.02373E-06	2.3E-06	1.05E-03	2.43E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
955	955	2.27891	1.02373E-06	2.3E-06	1.05E-03	2.44E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
956	956	2.27967	1.02373E-06	2.3E-06	1.05E-03	2.44E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
957	957	2.27849	1.02373E-06	2.3E-06	1.05E-03	2.44E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
958	958	2.27558	1.02373E-06	2.3E-06	1.05E-03	2.43E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
959	959	2.2711	1.02373E-06	2.3E-06	1.05E-03	2.43E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
960	960	2.26431	1.02373E-06	2.3E-06	1.05E-03	2.42E-09	3.32E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04
961	961	2.25521	1.02373E-06	2.3E-06	1.05E-03	2.41E-09	3.32E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04
962	962	2.2437	1.02373E-06	2.3E-06	1.05E-03	2.40E-09	3.32E-01	1.57E-01	1.25E-10	1.0E+06	1.3E-04
963	963	2.22969	1.02373E-06	2.3E-06	1.05E-03	2.39E-09	3.32E-01	1.57E-01	1.24E-10	1.0E+06	1.2E-04
964	964	2.2131	1.02373E-06	2.3E-06	1.05E-03	2.37E-09	3.32E-01	1.57E-01	1.23E-10	1.0E+06	1.2E-04
965	965	2.1941	1.02373E-06	2.2E-06	1.05E-03	2.35E-09	3.32E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
966	966	2.17303	1.02373E-06	2.2E-06	1.05E-03	2.33E-09	3.32E-01	1.57E-01	1.21E-10	1.0E+06	1.2E-04
967	967	2.14964	1.02373E-06	2.2E-06	1.05E-03	2.30E-09	3.32E-01	1.57E-01	1.20E-10	1.0E+06	1.2E-04
968	968	2.12353	1.02373E-06	2.2E-06	1.05E-03	2.27E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
969	969	2.09467	1.02373E-06	2.1E-06	1.05E-03	2.24E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
970	970	2.06306	1.02373E-06	2.1E-06	1.05E-03	2.21E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.1E-04
971	971	2.02905	1.02373E-06	2.1E-06	1.05E-03	2.17E-09	3.32E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
972	972	1.99229	1.02373E-06	2.0E-06	1.05E-03	2.13E-09	3.32E-01	1.57E-01	1.11E-10	1.0E+06	1.1E-04
973	973	1.95301	1.02373E-06	2.0E-06	1.05E-03	2.09E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
974	974	1.91133	1.02373E-06	2.0E-06	1.05E-03	2.05E-09	3.32E-01	1.57E-01	1.07E-10	1.0E+06	1.1E-04
975	975	1.86759	1.02373E-06	1.9E-06	1.05E-03	2.00E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
976	976	2.2598	1.02373E-06	2.3E-06	1.05E-03	2.42E-09	3.32E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04
977	977	2.28748	1.02373E-06	2.3E-06	1.05E-03	2.45E-09	3.32E-01	1.57E-01	1.28E-10	1.0E+06	1.3E-04
978	978	2.31343	1.02373E-06	2.4E-06	1.05E-03	2.48E-09	3.32E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
979	979	2.33729	1.02373E-06	2.4E-06	1.05E-03	2.50E-09	3.32E-01	1.57E-01	1.30E-10	1.0E+06	1.3E-04
980	980	2.35962	1.02373E-06	2.4E-06	1.05E-03	2.52E-09	3.32E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
981	981	2.37956	1.02373E-06	2.4E-06	1.05E-03	2.55E-09	3.32E-01	1.57E-01	1.33E-10	1.0E+06	1.3E-04
982	982	2.39666	1.02373E-06	2.5E-06	1.05E-03	2.56E-09	3.32E-01	1.57E-01	1.34E-10	1.0E+06	1.3E-04
983	983	2.4122	1.02373E-06	2.5E-06	1.05E-03	2.58E-09	3.32E-01	1.57E-01	1.34E-10	1.0E+06	1.3E-04
984	984	2.42604	1.02373E-06	2.5E-06	1.05E-03	2.60E-09	3.32E-01	1.57E-01	1.35E-10	1.0E+06	1.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	2.43886	1.02373E-06	2.5E-06	1.05E-03	2.61E-09	3.32E-01	1.57E-01	1.36E-10	1.0E+06	1.4E-04
986	986	2.44982	1.02373E-06	2.5E-06	1.05E-03	2.62E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
987	987	2.45828	1.02373E-06	2.5E-06	1.05E-03	2.63E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
988	988	2.46491	1.02373E-06	2.5E-06	1.05E-03	2.64E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
989	989	2.46899	1.02373E-06	2.5E-06	1.05E-03	2.64E-09	3.32E-01	1.57E-01	1.38E-10	1.0E+06	1.4E-04
990	990	2.46899	1.02373E-06	2.5E-06	1.05E-03	2.64E-09	3.32E-01	1.57E-01	1.38E-10	1.0E+06	1.4E-04
991	991	2.46692	1.02373E-06	2.5E-06	1.05E-03	2.64E-09	3.32E-01	1.57E-01	1.38E-10	1.0E+06	1.4E-04
992	992	2.4634	1.02373E-06	2.5E-06	1.05E-03	2.64E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
993	993	2.4584	1.02373E-06	2.5E-06	1.05E-03	2.63E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
994	994	2.45106	1.02373E-06	2.5E-06	1.05E-03	2.62E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
995	995	2.44072	1.02373E-06	2.5E-06	1.05E-03	2.61E-09	3.32E-01	1.57E-01	1.36E-10	1.0E+06	1.4E-04
996	996	2.42786	1.02373E-06	2.5E-06	1.05E-03	2.60E-09	3.32E-01	1.57E-01	1.35E-10	1.0E+06	1.4E-04
997	997	2.41225	1.02373E-06	2.5E-06	1.05E-03	2.58E-09	3.32E-01	1.57E-01	1.34E-10	1.0E+06	1.3E-04
998	998	2.39379	1.02373E-06	2.5E-06	1.05E-03	2.56E-09	3.32E-01	1.57E-01	1.33E-10	1.0E+06	1.3E-04
999	999	2.3726	1.02373E-06	2.4E-06	1.05E-03	2.54E-09	3.32E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
1000	1000	2.34929	1.02373E-06	2.4E-06	1.05E-03	2.51E-09	3.32E-01	1.57E-01	1.31E-10	1.0E+06	1.3E-04
1001	1001	2.3231	1.02373E-06	2.4E-06	1.05E-03	2.49E-09	3.32E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
1002	1002	2.29393	1.02373E-06	2.3E-06	1.05E-03	2.45E-09	3.32E-01	1.57E-01	1.28E-10	1.0E+06	1.3E-04
1003	1003	2.26079	1.02373E-06	2.3E-06	1.05E-03	2.42E-09	3.32E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04
1004	1004	2.22454	1.02373E-06	2.3E-06	1.05E-03	2.38E-09	3.32E-01	1.57E-01	1.24E-10	1.0E+06	1.2E-04
1005	1005	2.18662	1.02373E-06	2.2E-06	1.05E-03	2.34E-09	3.32E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
1006	1006	2.14633	1.02373E-06	2.2E-06	1.05E-03	2.30E-09	3.32E-01	1.57E-01	1.20E-10	1.0E+06	1.2E-04
1007	1007	2.10315	1.02373E-06	2.2E-06	1.05E-03	2.25E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
1008	1008	2.05688	1.02373E-06	2.1E-06	1.05E-03	2.20E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.1E-04
1009	1009	2.00817	1.02373E-06	2.1E-06	1.05E-03	2.15E-09	3.32E-01	1.57E-01	1.12E-10	1.0E+06	1.1E-04
1010	1010	2.45885	1.02373E-06	2.5E-06	1.05E-03	2.63E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
1011	1011	2.48894	1.02373E-06	2.5E-06	1.05E-03	2.66E-09	3.32E-01	1.57E-01	1.39E-10	1.0E+06	1.4E-04
1012	1012	2.51719	1.02373E-06	2.6E-06	1.05E-03	2.69E-09	3.32E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
1013	1013	2.54267	1.02373E-06	2.6E-06	1.05E-03	2.72E-09	3.32E-01	1.57E-01	1.42E-10	1.0E+06	1.4E-04
1014	1014	2.56701	1.02373E-06	2.6E-06	1.05E-03	2.75E-09	3.32E-01	1.57E-01	1.43E-10	1.0E+06	1.4E-04
1015	1015	2.58819	1.02373E-06	2.6E-06	1.05E-03	2.77E-09	3.32E-01	1.57E-01	1.44E-10	1.0E+06	1.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	2.60591	1.02373E-06	2.7E-06	1.05E-03	2.79E-09	3.32E-01	1.57E-01	1.45E-10	1.0E+06	1.5E-04
1017	1017	2.62221	1.02373E-06	2.7E-06	1.05E-03	2.81E-09	3.32E-01	1.57E-01	1.46E-10	1.0E+06	1.5E-04
1018	1018	2.63693	1.02373E-06	2.7E-06	1.05E-03	2.82E-09	3.32E-01	1.57E-01	1.47E-10	1.0E+06	1.5E-04
1019	1019	2.65085	1.02373E-06	2.7E-06	1.05E-03	2.84E-09	3.32E-01	1.57E-01	1.48E-10	1.0E+06	1.5E-04
1020	1020	2.66284	1.02373E-06	2.7E-06	1.05E-03	2.85E-09	3.32E-01	1.57E-01	1.48E-10	1.0E+06	1.5E-04
1021	1021	2.67243	1.02373E-06	2.7E-06	1.05E-03	2.86E-09	3.32E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
1022	1022	2.67915	1.02373E-06	2.7E-06	1.05E-03	2.87E-09	3.32E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
1023	1023	2.68346	1.02373E-06	2.7E-06	1.05E-03	2.87E-09	3.32E-01	1.57E-01	1.50E-10	1.0E+06	1.5E-04
1024	1024	2.68286	1.02373E-06	2.7E-06	1.05E-03	2.87E-09	3.32E-01	1.57E-01	1.50E-10	1.0E+06	1.5E-04
1025	1025	2.68004	1.02373E-06	2.7E-06	1.05E-03	2.87E-09	3.32E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
1026	1026	2.67588	1.02373E-06	2.7E-06	1.05E-03	2.86E-09	3.32E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
1027	1027	2.67031	1.02373E-06	2.7E-06	1.05E-03	2.86E-09	3.32E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
1028	1028	2.66219	1.02373E-06	2.7E-06	1.05E-03	2.85E-09	3.32E-01	1.57E-01	1.48E-10	1.0E+06	1.5E-04
1029	1029	2.6507	1.02373E-06	2.7E-06	1.05E-03	2.84E-09	3.32E-01	1.57E-01	1.48E-10	1.0E+06	1.5E-04
1030	1030	2.63648	1.02373E-06	2.7E-06	1.05E-03	2.82E-09	3.32E-01	1.57E-01	1.47E-10	1.0E+06	1.5E-04
1031	1031	2.61906	1.02373E-06	2.7E-06	1.05E-03	2.80E-09	3.32E-01	1.57E-01	1.46E-10	1.0E+06	1.5E-04
1032	1032	2.59864	1.02373E-06	2.7E-06	1.05E-03	2.78E-09	3.32E-01	1.57E-01	1.45E-10	1.0E+06	1.4E-04
1033	1033	2.57511	1.02373E-06	2.6E-06	1.05E-03	2.76E-09	3.32E-01	1.57E-01	1.44E-10	1.0E+06	1.4E-04
1034	1034	2.54913	1.02373E-06	2.6E-06	1.05E-03	2.73E-09	3.32E-01	1.57E-01	1.42E-10	1.0E+06	1.4E-04
1035	1035	2.51981	1.02373E-06	2.6E-06	1.05E-03	2.70E-09	3.32E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
1036	1036	2.48692	1.02373E-06	2.5E-06	1.05E-03	2.66E-09	3.32E-01	1.57E-01	1.39E-10	1.0E+06	1.4E-04
1037	1037	2.44934	1.02373E-06	2.5E-06	1.05E-03	2.62E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
1038	1038	2.4079	1.02373E-06	2.5E-06	1.05E-03	2.58E-09	3.32E-01	1.57E-01	1.34E-10	1.0E+06	1.3E-04
1039	1039	2.36525	1.02373E-06	2.4E-06	1.05E-03	2.53E-09	3.32E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
1040	1040	2.3202	1.02373E-06	2.4E-06	1.05E-03	2.48E-09	3.32E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
1041	1041	2.27157	1.02373E-06	2.3E-06	1.05E-03	2.43E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
1042	1042	2.21952	1.02373E-06	2.3E-06	1.05E-03	2.37E-09	3.32E-01	1.57E-01	1.24E-10	1.0E+06	1.2E-04
1043	1043	2.1644	1.02373E-06	2.2E-06	1.05E-03	2.32E-09	3.32E-01	1.57E-01	1.21E-10	1.0E+06	1.2E-04
1044	1044	2.68604	1.02373E-06	2.7E-06	1.05E-03	2.87E-09	3.32E-01	1.57E-01	1.50E-10	1.0E+06	1.5E-04
1045	1045	2.71864	1.02373E-06	2.8E-06	1.05E-03	2.91E-09	3.32E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
1046	1046	2.74941	1.02373E-06	2.8E-06	1.05E-03	2.94E-09	3.32E-01	1.57E-01	1.53E-10	1.0E+06	1.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	2.77693	1.02373E-06	2.8E-06	1.05E-03	2.97E-09	3.32E-01	1.57E-01	1.55E-10	1.0E+06	1.5E-04
1048	1048	2.80334	1.02373E-06	2.9E-06	1.05E-03	3.00E-09	3.32E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
1049	1049	2.82618	1.02373E-06	2.9E-06	1.05E-03	3.02E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
1050	1050	2.84564	1.02373E-06	2.9E-06	1.05E-03	3.04E-09	3.32E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
1051	1051	2.86178	1.02373E-06	2.9E-06	1.05E-03	3.06E-09	3.32E-01	1.57E-01	1.60E-10	1.0E+06	1.6E-04
1052	1052	2.87735	1.02373E-06	2.9E-06	1.05E-03	3.08E-09	3.32E-01	1.57E-01	1.60E-10	1.0E+06	1.6E-04
1053	1053	2.89188	1.02373E-06	3.0E-06	1.05E-03	3.09E-09	3.32E-01	1.57E-01	1.61E-10	1.0E+06	1.6E-04
1054	1054	2.90475	1.02373E-06	3.0E-06	1.05E-03	3.11E-09	3.32E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
1055	1055	2.9149	1.02373E-06	3.0E-06	1.05E-03	3.12E-09	3.32E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
1056	1056	2.92173	1.02373E-06	3.0E-06	1.05E-03	3.13E-09	3.32E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
1057	1057	2.92622	1.02373E-06	3.0E-06	1.05E-03	3.13E-09	3.32E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
1058	1058	2.92556	1.02373E-06	3.0E-06	1.05E-03	3.13E-09	3.32E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
1059	1059	2.92249	1.02373E-06	3.0E-06	1.05E-03	3.13E-09	3.32E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
1060	1060	2.9177	1.02373E-06	3.0E-06	1.05E-03	3.12E-09	3.32E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
1061	1061	2.91144	1.02373E-06	3.0E-06	1.05E-03	3.12E-09	3.32E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
1062	1062	2.90232	1.02373E-06	3.0E-06	1.05E-03	3.11E-09	3.32E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
1063	1063	2.8898	1.02373E-06	3.0E-06	1.05E-03	3.09E-09	3.32E-01	1.57E-01	1.61E-10	1.0E+06	1.6E-04
1064	1064	2.87421	1.02373E-06	2.9E-06	1.05E-03	3.08E-09	3.32E-01	1.57E-01	1.60E-10	1.0E+06	1.6E-04
1065	1065	2.85513	1.02373E-06	2.9E-06	1.05E-03	3.06E-09	3.32E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
1066	1066	2.8326	1.02373E-06	2.9E-06	1.05E-03	3.03E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
1067	1067	2.80643	1.02373E-06	2.9E-06	1.05E-03	3.00E-09	3.32E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
1068	1068	2.77727	1.02373E-06	2.8E-06	1.05E-03	2.97E-09	3.32E-01	1.57E-01	1.55E-10	1.0E+06	1.5E-04
1069	1069	2.74427	1.02373E-06	2.8E-06	1.05E-03	2.94E-09	3.32E-01	1.57E-01	1.53E-10	1.0E+06	1.5E-04
1070	1070	2.70724	1.02373E-06	2.8E-06	1.05E-03	2.90E-09	3.32E-01	1.57E-01	1.51E-10	1.0E+06	1.5E-04
1071	1071	2.66469	1.02373E-06	2.7E-06	1.05E-03	2.85E-09	3.32E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
1072	1072	2.61773	1.02373E-06	2.7E-06	1.05E-03	2.80E-09	3.32E-01	1.57E-01	1.46E-10	1.0E+06	1.5E-04
1073	1073	2.56922	1.02373E-06	2.6E-06	1.05E-03	2.75E-09	3.32E-01	1.57E-01	1.43E-10	1.0E+06	1.4E-04
1074	1074	2.51772	1.02373E-06	2.6E-06	1.05E-03	2.69E-09	3.32E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
1075	1075	2.46216	1.02373E-06	2.5E-06	1.05E-03	2.63E-09	3.32E-01	1.57E-01	1.37E-10	1.0E+06	1.4E-04
1076	1076	2.40263	1.02373E-06	2.5E-06	1.05E-03	2.57E-09	3.32E-01	1.57E-01	1.34E-10	1.0E+06	1.3E-04
1077	1077	2.3393	1.02373E-06	2.4E-06	1.05E-03	2.50E-09	3.32E-01	1.57E-01	1.30E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	2.94671	1.02373E-06	3.0E-06	1.05E-03	3.15E-09	3.32E-01	1.57E-01	1.64E-10	1.0E+06	1.6E-04
1079	1079	2.98332	1.02373E-06	3.1E-06	1.05E-03	3.19E-09	3.32E-01	1.57E-01	1.66E-10	1.0E+06	1.7E-04
1080	1080	3.0156	1.02373E-06	3.1E-06	1.05E-03	3.23E-09	3.32E-01	1.57E-01	1.68E-10	1.0E+06	1.7E-04
1081	1081	3.04644	1.02373E-06	3.1E-06	1.05E-03	3.26E-09	3.32E-01	1.57E-01	1.70E-10	1.0E+06	1.7E-04
1082	1082	3.07409	1.02373E-06	3.1E-06	1.05E-03	3.29E-09	3.32E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
1083	1083	3.09989	1.02373E-06	3.2E-06	1.05E-03	3.32E-09	3.32E-01	1.57E-01	1.73E-10	1.0E+06	1.7E-04
1084	1084	3.11939	1.02373E-06	3.2E-06	1.05E-03	3.34E-09	3.32E-01	1.57E-01	1.74E-10	1.0E+06	1.7E-04
1085	1085	3.13587	1.02373E-06	3.2E-06	1.05E-03	3.36E-09	3.32E-01	1.57E-01	1.75E-10	1.0E+06	1.7E-04
1086	1086	3.15218	1.02373E-06	3.2E-06	1.05E-03	3.37E-09	3.32E-01	1.57E-01	1.76E-10	1.0E+06	1.8E-04
1087	1087	3.1676	1.02373E-06	3.2E-06	1.05E-03	3.39E-09	3.32E-01	1.57E-01	1.77E-10	1.0E+06	1.8E-04
1088	1088	3.18151	1.02373E-06	3.3E-06	1.05E-03	3.40E-09	3.32E-01	1.57E-01	1.77E-10	1.0E+06	1.8E-04
1089	1089	3.19114	1.02373E-06	3.3E-06	1.05E-03	3.41E-09	3.32E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
1090	1090	3.1993	1.02373E-06	3.3E-06	1.05E-03	3.42E-09	3.32E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
1091	1091	3.20423	1.02373E-06	3.3E-06	1.05E-03	3.43E-09	3.32E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04
1092	1092	3.2035	1.02373E-06	3.3E-06	1.05E-03	3.43E-09	3.32E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04
1093	1093	3.20025	1.02373E-06	3.3E-06	1.05E-03	3.42E-09	3.32E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
1094	1094	3.1951	1.02373E-06	3.3E-06	1.05E-03	3.42E-09	3.32E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
1095	1095	3.18809	1.02373E-06	3.3E-06	1.05E-03	3.41E-09	3.32E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
1096	1096	3.17787	1.02373E-06	3.3E-06	1.05E-03	3.40E-09	3.32E-01	1.57E-01	1.77E-10	1.0E+06	1.8E-04
1097	1097	3.16437	1.02373E-06	3.2E-06	1.05E-03	3.39E-09	3.32E-01	1.57E-01	1.76E-10	1.0E+06	1.8E-04
1098	1098	3.1475	1.02373E-06	3.2E-06	1.05E-03	3.37E-09	3.32E-01	1.57E-01	1.75E-10	1.0E+06	1.8E-04
1099	1099	3.12661	1.02373E-06	3.2E-06	1.05E-03	3.35E-09	3.32E-01	1.57E-01	1.74E-10	1.0E+06	1.7E-04
1100	1100	3.10182	1.02373E-06	3.2E-06	1.05E-03	3.32E-09	3.32E-01	1.57E-01	1.73E-10	1.0E+06	1.7E-04
1101	1101	3.07298	1.02373E-06	3.1E-06	1.05E-03	3.29E-09	3.32E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
1102	1102	3.04018	1.02373E-06	3.1E-06	1.05E-03	3.25E-09	3.32E-01	1.57E-01	1.69E-10	1.0E+06	1.7E-04
1103	1103	3.00309	1.02373E-06	3.1E-06	1.05E-03	3.21E-09	3.32E-01	1.57E-01	1.67E-10	1.0E+06	1.7E-04
1104	1104	2.96126	1.02373E-06	3.0E-06	1.05E-03	3.17E-09	3.32E-01	1.57E-01	1.65E-10	1.0E+06	1.7E-04
1105	1105	2.91319	1.02373E-06	3.0E-06	1.05E-03	3.12E-09	3.32E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
1106	1106	2.85986	1.02373E-06	2.9E-06	1.05E-03	3.06E-09	3.32E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
1107	1107	2.80451	1.02373E-06	2.9E-06	1.05E-03	3.00E-09	3.32E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
1108	1108	2.74559	1.02373E-06	2.8E-06	1.05E-03	2.94E-09	3.32E-01	1.57E-01	1.53E-10	1.0E+06	1.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	2.68182	1.02373E-06	2.7E-06	1.05E-03	2.87E-09	3.32E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
1110	1110	2.61319	1.02373E-06	2.7E-06	1.05E-03	2.80E-09	3.32E-01	1.57E-01	1.46E-10	1.0E+06	1.5E-04
1111	1111	2.54014	1.02373E-06	2.6E-06	1.05E-03	2.72E-09	3.32E-01	1.57E-01	1.42E-10	1.0E+06	1.4E-04
1112	1112	3.24754	1.02373E-06	3.3E-06	1.05E-03	3.47E-09	3.32E-01	1.57E-01	1.81E-10	1.0E+06	1.8E-04
1113	1113	3.28788	1.02373E-06	3.4E-06	1.05E-03	3.52E-09	3.32E-01	1.57E-01	1.83E-10	1.0E+06	1.8E-04
1114	1114	3.32277	1.02373E-06	3.4E-06	1.05E-03	3.56E-09	3.32E-01	1.57E-01	1.85E-10	1.0E+06	1.9E-04
1115	1115	3.35638	1.02373E-06	3.4E-06	1.05E-03	3.59E-09	3.32E-01	1.57E-01	1.87E-10	1.0E+06	1.9E-04
1116	1116	3.38618	1.02373E-06	3.5E-06	1.05E-03	3.62E-09	3.32E-01	1.57E-01	1.89E-10	1.0E+06	1.9E-04
1117	1117	3.41444	1.02373E-06	3.5E-06	1.05E-03	3.65E-09	3.32E-01	1.57E-01	1.90E-10	1.0E+06	1.9E-04
1118	1118	3.43503	1.02373E-06	3.5E-06	1.05E-03	3.68E-09	3.32E-01	1.57E-01	1.91E-10	1.0E+06	1.9E-04
1119	1119	3.45199	1.02373E-06	3.5E-06	1.05E-03	3.69E-09	3.32E-01	1.57E-01	1.92E-10	1.0E+06	1.9E-04
1120	1120	3.46929	1.02373E-06	3.6E-06	1.05E-03	3.71E-09	3.32E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
1121	1121	3.4858	1.02373E-06	3.6E-06	1.05E-03	3.73E-09	3.32E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
1122	1122	3.50075	1.02373E-06	3.6E-06	1.05E-03	3.75E-09	3.32E-01	1.57E-01	1.95E-10	1.0E+06	2.0E-04
1123	1123	3.51086	1.02373E-06	3.6E-06	1.05E-03	3.76E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1124	1124	3.51979	1.02373E-06	3.6E-06	1.05E-03	3.77E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1125	1125	3.52523	1.02373E-06	3.6E-06	1.05E-03	3.77E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1126	1126	3.52457	1.02373E-06	3.6E-06	1.05E-03	3.77E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1127	1127	3.52146	1.02373E-06	3.6E-06	1.05E-03	3.77E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1128	1128	3.5158	1.02373E-06	3.6E-06	1.05E-03	3.76E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1129	1129	3.50835	1.02373E-06	3.6E-06	1.05E-03	3.75E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1130	1130	3.49709	1.02373E-06	3.6E-06	1.05E-03	3.74E-09	3.32E-01	1.57E-01	1.95E-10	1.0E+06	1.9E-04
1131	1131	3.48259	1.02373E-06	3.6E-06	1.05E-03	3.73E-09	3.32E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
1132	1132	3.46428	1.02373E-06	3.5E-06	1.05E-03	3.71E-09	3.32E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
1133	1133	3.44143	1.02373E-06	3.5E-06	1.05E-03	3.68E-09	3.32E-01	1.57E-01	1.92E-10	1.0E+06	1.9E-04
1134	1134	3.41426	1.02373E-06	3.5E-06	1.05E-03	3.65E-09	3.32E-01	1.57E-01	1.90E-10	1.0E+06	1.9E-04
1135	1135	3.38236	1.02373E-06	3.5E-06	1.05E-03	3.62E-09	3.32E-01	1.57E-01	1.89E-10	1.0E+06	1.9E-04
1136	1136	3.34561	1.02373E-06	3.4E-06	1.05E-03	3.58E-09	3.32E-01	1.57E-01	1.86E-10	1.0E+06	1.9E-04
1137	1137	3.30392	1.02373E-06	3.4E-06	1.05E-03	3.54E-09	3.32E-01	1.57E-01	1.84E-10	1.0E+06	1.8E-04
1138	1138	3.2568	1.02373E-06	3.3E-06	1.05E-03	3.48E-09	3.32E-01	1.57E-01	1.82E-10	1.0E+06	1.8E-04
1139	1139	3.20251	1.02373E-06	3.3E-06	1.05E-03	3.43E-09	3.32E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	3.14206	1.02373E-06	3.2E-06	1.05E-03	3.36E-09	3.32E-01	1.57E-01	1.75E-10	1.0E+06	1.8E-04
1141	1141	3.07873	1.02373E-06	3.2E-06	1.05E-03	3.29E-09	3.32E-01	1.57E-01	1.72E-10	1.0E+06	1.7E-04
1142	1142	3.01066	1.02373E-06	3.1E-06	1.05E-03	3.22E-09	3.32E-01	1.57E-01	1.68E-10	1.0E+06	1.7E-04
1143	1143	2.93675	1.02373E-06	3.0E-06	1.05E-03	3.14E-09	3.32E-01	1.57E-01	1.64E-10	1.0E+06	1.6E-04
1144	1144	2.85703	1.02373E-06	2.9E-06	1.05E-03	3.06E-09	3.32E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
1145	1145	2.77181	1.02373E-06	2.8E-06	1.05E-03	2.97E-09	3.32E-01	1.57E-01	1.55E-10	1.0E+06	1.5E-04
1146	1146	3.59782	1.02373E-06	3.7E-06	1.05E-03	3.85E-09	3.32E-01	1.57E-01	2.01E-10	1.0E+06	2.0E-04
1147	1147	3.64227	1.02373E-06	3.7E-06	1.05E-03	3.90E-09	3.32E-01	1.57E-01	2.03E-10	1.0E+06	2.0E-04
1148	1148	3.68047	1.02373E-06	3.8E-06	1.05E-03	3.94E-09	3.32E-01	1.57E-01	2.05E-10	1.0E+06	2.1E-04
1149	1149	3.71742	1.02373E-06	3.8E-06	1.05E-03	3.98E-09	3.32E-01	1.57E-01	2.07E-10	1.0E+06	2.1E-04
1150	1150	3.74918	1.02373E-06	3.8E-06	1.05E-03	4.01E-09	3.32E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
1151	1151	3.77981	1.02373E-06	3.9E-06	1.05E-03	4.04E-09	3.32E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
1152	1152	3.80264	1.02373E-06	3.9E-06	1.05E-03	4.07E-09	3.32E-01	1.57E-01	2.12E-10	1.0E+06	2.1E-04
1153	1153	3.82151	1.02373E-06	3.9E-06	1.05E-03	4.09E-09	3.32E-01	1.57E-01	2.13E-10	1.0E+06	2.1E-04
1154	1154	3.84083	1.02373E-06	3.9E-06	1.05E-03	4.11E-09	3.32E-01	1.57E-01	2.14E-10	1.0E+06	2.1E-04
1155	1155	3.8597	1.02373E-06	4.0E-06	1.05E-03	4.13E-09	3.32E-01	1.57E-01	2.15E-10	1.0E+06	2.2E-04
1156	1156	3.87335	1.02373E-06	4.0E-06	1.05E-03	4.14E-09	3.32E-01	1.57E-01	2.16E-10	1.0E+06	2.2E-04
1157	1157	3.88382	1.02373E-06	4.0E-06	1.05E-03	4.16E-09	3.32E-01	1.57E-01	2.16E-10	1.0E+06	2.2E-04
1158	1158	3.89324	1.02373E-06	4.0E-06	1.05E-03	4.17E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
1159	1159	3.89912	1.02373E-06	4.0E-06	1.05E-03	4.17E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
1160	1160	3.89907	1.02373E-06	4.0E-06	1.05E-03	4.17E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
1161	1161	3.89656	1.02373E-06	4.0E-06	1.05E-03	4.17E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
1162	1162	3.89081	1.02373E-06	4.0E-06	1.05E-03	4.16E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
1163	1163	3.88275	1.02373E-06	4.0E-06	1.05E-03	4.15E-09	3.32E-01	1.57E-01	2.16E-10	1.0E+06	2.2E-04
1164	1164	3.87078	1.02373E-06	4.0E-06	1.05E-03	4.14E-09	3.32E-01	1.57E-01	2.16E-10	1.0E+06	2.2E-04
1165	1165	3.85511	1.02373E-06	3.9E-06	1.05E-03	4.12E-09	3.32E-01	1.57E-01	2.15E-10	1.0E+06	2.1E-04
1166	1166	3.83523	1.02373E-06	3.9E-06	1.05E-03	4.10E-09	3.32E-01	1.57E-01	2.14E-10	1.0E+06	2.1E-04
1167	1167	3.8102	1.02373E-06	3.9E-06	1.05E-03	4.08E-09	3.32E-01	1.57E-01	2.12E-10	1.0E+06	2.1E-04
1168	1168	3.78027	1.02373E-06	3.9E-06	1.05E-03	4.04E-09	3.32E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
1169	1169	3.74471	1.02373E-06	3.8E-06	1.05E-03	4.01E-09	3.32E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
1170	1170	3.70395	1.02373E-06	3.8E-06	1.05E-03	3.96E-09	3.32E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	3.65707	1.02373E-06	3.7E-06	1.05E-03	3.91E-09	3.32E-01	1.57E-01	2.04E-10	1.0E+06	2.0E-04
1172	1172	3.60385	1.02373E-06	3.7E-06	1.05E-03	3.86E-09	3.32E-01	1.57E-01	2.01E-10	1.0E+06	2.0E-04
1173	1173	3.54308	1.02373E-06	3.6E-06	1.05E-03	3.79E-09	3.32E-01	1.57E-01	1.97E-10	1.0E+06	2.0E-04
1174	1174	3.47454	1.02373E-06	3.6E-06	1.05E-03	3.72E-09	3.32E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
1175	1175	3.40186	1.02373E-06	3.5E-06	1.05E-03	3.64E-09	3.32E-01	1.57E-01	1.90E-10	1.0E+06	1.9E-04
1176	1176	3.32263	1.02373E-06	3.4E-06	1.05E-03	3.56E-09	3.32E-01	1.57E-01	1.85E-10	1.0E+06	1.9E-04
1177	1177	3.23604	1.02373E-06	3.3E-06	1.05E-03	3.46E-09	3.32E-01	1.57E-01	1.80E-10	1.0E+06	1.8E-04
1178	1178	3.14199	1.02373E-06	3.2E-06	1.05E-03	3.36E-09	3.32E-01	1.57E-01	1.75E-10	1.0E+06	1.8E-04
1179	1179	3.04123	1.02373E-06	3.1E-06	1.05E-03	3.25E-09	3.32E-01	1.57E-01	1.70E-10	1.0E+06	1.7E-04
1180	1180	4.01215	1.02373E-06	4.1E-06	1.05E-03	4.29E-09	3.32E-01	1.57E-01	2.24E-10	1.0E+06	2.2E-04
1181	1181	4.05874	1.02373E-06	4.2E-06	1.05E-03	4.34E-09	3.32E-01	1.57E-01	2.26E-10	1.0E+06	2.3E-04
1182	1182	4.10306	1.02373E-06	4.2E-06	1.05E-03	4.39E-09	3.32E-01	1.57E-01	2.29E-10	1.0E+06	2.3E-04
1183	1183	4.14132	1.02373E-06	4.2E-06	1.05E-03	4.43E-09	3.32E-01	1.57E-01	2.31E-10	1.0E+06	2.3E-04
1184	1184	4.17789	1.02373E-06	4.3E-06	1.05E-03	4.47E-09	3.32E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
1185	1185	4.20867	1.02373E-06	4.3E-06	1.05E-03	4.50E-09	3.32E-01	1.57E-01	2.35E-10	1.0E+06	2.3E-04
1186	1186	4.23438	1.02373E-06	4.3E-06	1.05E-03	4.53E-09	3.32E-01	1.57E-01	2.36E-10	1.0E+06	2.4E-04
1187	1187	4.25835	1.02373E-06	4.4E-06	1.05E-03	4.56E-09	3.32E-01	1.57E-01	2.37E-10	1.0E+06	2.4E-04
1188	1188	4.2776	1.02373E-06	4.4E-06	1.05E-03	4.58E-09	3.32E-01	1.57E-01	2.38E-10	1.0E+06	2.4E-04
1189	1189	4.29791	1.02373E-06	4.4E-06	1.05E-03	4.60E-09	3.32E-01	1.57E-01	2.40E-10	1.0E+06	2.4E-04
1190	1190	4.31188	1.02373E-06	4.4E-06	1.05E-03	4.61E-09	3.32E-01	1.57E-01	2.40E-10	1.0E+06	2.4E-04
1191	1191	4.32501	1.02373E-06	4.4E-06	1.05E-03	4.63E-09	3.32E-01	1.57E-01	2.41E-10	1.0E+06	2.4E-04
1192	1192	4.33275	1.02373E-06	4.4E-06	1.05E-03	4.64E-09	3.32E-01	1.57E-01	2.42E-10	1.0E+06	2.4E-04
1193	1193	4.33918	1.02373E-06	4.4E-06	1.05E-03	4.64E-09	3.32E-01	1.57E-01	2.42E-10	1.0E+06	2.4E-04
1194	1194	4.34052	1.02373E-06	4.4E-06	1.05E-03	4.64E-09	3.32E-01	1.57E-01	2.42E-10	1.0E+06	2.4E-04
1195	1195	4.33882	1.02373E-06	4.4E-06	1.05E-03	4.64E-09	3.32E-01	1.57E-01	2.42E-10	1.0E+06	2.4E-04
1196	1196	4.33359	1.02373E-06	4.4E-06	1.05E-03	4.64E-09	3.32E-01	1.57E-01	2.42E-10	1.0E+06	2.4E-04
1197	1197	4.32507	1.02373E-06	4.4E-06	1.05E-03	4.63E-09	3.32E-01	1.57E-01	2.41E-10	1.0E+06	2.4E-04
1198	1198	4.31252	1.02373E-06	4.4E-06	1.05E-03	4.61E-09	3.32E-01	1.57E-01	2.40E-10	1.0E+06	2.4E-04
1199	1199	4.29587	1.02373E-06	4.4E-06	1.05E-03	4.60E-09	3.32E-01	1.57E-01	2.39E-10	1.0E+06	2.4E-04
1200	1200	4.27444	1.02373E-06	4.4E-06	1.05E-03	4.57E-09	3.32E-01	1.57E-01	2.38E-10	1.0E+06	2.4E-04
1201	1201	4.24731	1.02373E-06	4.3E-06	1.05E-03	4.54E-09	3.32E-01	1.57E-01	2.37E-10	1.0E+06	2.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	4.21465	1.02373E-06	4.3E-06	1.05E-03	4.51E-09	3.32E-01	1.57E-01	2.35E-10	1.0E+06	2.3E-04
1203	1203	4.17543	1.02373E-06	4.3E-06	1.05E-03	4.47E-09	3.32E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
1204	1204	4.13023	1.02373E-06	4.2E-06	1.05E-03	4.42E-09	3.32E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
1205	1205	4.07753	1.02373E-06	4.2E-06	1.05E-03	4.36E-09	3.32E-01	1.57E-01	2.27E-10	1.0E+06	2.3E-04
1206	1206	4.01752	1.02373E-06	4.1E-06	1.05E-03	4.30E-09	3.32E-01	1.57E-01	2.24E-10	1.0E+06	2.2E-04
1207	1207	3.94919	1.02373E-06	4.0E-06	1.05E-03	4.23E-09	3.32E-01	1.57E-01	2.20E-10	1.0E+06	2.2E-04
1208	1208	3.87166	1.02373E-06	4.0E-06	1.05E-03	4.14E-09	3.32E-01	1.57E-01	2.16E-10	1.0E+06	2.2E-04
1209	1209	3.78783	1.02373E-06	3.9E-06	1.05E-03	4.05E-09	3.32E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
1210	1210	3.69533	1.02373E-06	3.8E-06	1.05E-03	3.95E-09	3.32E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
1211	1211	3.59309	1.02373E-06	3.7E-06	1.05E-03	3.84E-09	3.32E-01	1.57E-01	2.00E-10	1.0E+06	2.0E-04
1212	1212	3.48149	1.02373E-06	3.6E-06	1.05E-03	3.73E-09	3.32E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
1213	1213	3.36095	1.02373E-06	3.4E-06	1.05E-03	3.60E-09	3.32E-01	1.57E-01	1.87E-10	1.0E+06	1.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.4947	1.38724E-06	6.9E-07	1.05E-03	7.17E-10	3.32E-01	1.57E-01	3.74E-11	1.0E+06	3.7E-05
893	893	0.50618	1.38724E-06	7.0E-07	1.05E-03	7.34E-10	3.32E-01	1.57E-01	3.82E-11	1.0E+06	3.8E-05
894	894	0.51711	1.38724E-06	7.2E-07	1.05E-03	7.50E-10	3.32E-01	1.57E-01	3.91E-11	1.0E+06	3.9E-05
895	895	0.52827	1.38724E-06	7.3E-07	1.05E-03	7.66E-10	3.32E-01	1.57E-01	3.99E-11	1.0E+06	4.0E-05
896	896	0.53953	1.38724E-06	7.5E-07	1.05E-03	7.82E-10	3.32E-01	1.57E-01	4.08E-11	1.0E+06	4.1E-05
897	897	0.55079	1.38724E-06	7.6E-07	1.05E-03	7.99E-10	3.32E-01	1.57E-01	4.16E-11	1.0E+06	4.2E-05
898	898	0.56207	1.38724E-06	7.8E-07	1.05E-03	8.15E-10	3.32E-01	1.57E-01	4.25E-11	1.0E+06	4.2E-05
899	899	0.57315	1.38724E-06	8.0E-07	1.05E-03	8.31E-10	3.32E-01	1.57E-01	4.33E-11	1.0E+06	4.3E-05
900	900	0.58386	1.38724E-06	8.1E-07	1.05E-03	8.47E-10	3.32E-01	1.57E-01	4.41E-11	1.0E+06	4.4E-05
901	901	0.59437	1.38724E-06	8.2E-07	1.05E-03	8.62E-10	3.32E-01	1.57E-01	4.49E-11	1.0E+06	4.5E-05
902	902	0.60518	1.38724E-06	8.4E-07	1.05E-03	8.77E-10	3.32E-01	1.57E-01	4.57E-11	1.0E+06	4.6E-05
903	903	0.61563	1.38724E-06	8.5E-07	1.05E-03	8.93E-10	3.32E-01	1.57E-01	4.65E-11	1.0E+06	4.7E-05
904	904	0.62485	1.38724E-06	8.7E-07	1.05E-03	9.06E-10	3.32E-01	1.57E-01	4.72E-11	1.0E+06	4.7E-05
905	905	0.63311	1.38724E-06	8.8E-07	1.05E-03	9.18E-10	3.32E-01	1.57E-01	4.78E-11	1.0E+06	4.8E-05
906	906	0.64051	1.38724E-06	8.9E-07	1.05E-03	9.29E-10	3.32E-01	1.57E-01	4.84E-11	1.0E+06	4.8E-05
907	907	0.6473	1.38724E-06	9.0E-07	1.05E-03	9.39E-10	3.32E-01	1.57E-01	4.89E-11	1.0E+06	4.9E-05
908	908	0.32046	1.38724E-06	4.4E-07	1.05E-03	4.65E-10	3.32E-01	1.57E-01	2.42E-11	1.0E+06	2.4E-05
909	909	0.32652	1.38724E-06	4.5E-07	1.05E-03	4.73E-10	3.32E-01	1.57E-01	2.47E-11	1.0E+06	2.5E-05
910	910	0.33287	1.38724E-06	4.6E-07	1.05E-03	4.83E-10	3.32E-01	1.57E-01	2.51E-11	1.0E+06	2.5E-05
911	911	0.33938	1.38724E-06	4.7E-07	1.05E-03	4.92E-10	3.32E-01	1.57E-01	2.56E-11	1.0E+06	2.6E-05
912	912	0.34613	1.38724E-06	4.8E-07	1.05E-03	5.02E-10	3.32E-01	1.57E-01	2.61E-11	1.0E+06	2.6E-05
913	913	0.35318	1.38724E-06	4.9E-07	1.05E-03	5.12E-10	3.32E-01	1.57E-01	2.67E-11	1.0E+06	2.7E-05
914	914	0.36049	1.38724E-06	5.0E-07	1.05E-03	5.23E-10	3.32E-01	1.57E-01	2.72E-11	1.0E+06	2.7E-05
915	915	0.36813	1.38724E-06	5.1E-07	1.05E-03	5.34E-10	3.32E-01	1.57E-01	2.78E-11	1.0E+06	2.8E-05
916	916	0.37603	1.38724E-06	5.2E-07	1.05E-03	5.45E-10	3.32E-01	1.57E-01	2.84E-11	1.0E+06	2.8E-05
917	917	0.38419	1.38724E-06	5.3E-07	1.05E-03	5.57E-10	3.32E-01	1.57E-01	2.90E-11	1.0E+06	2.9E-05
918	918	0.39619	1.38724E-06	5.5E-07	1.05E-03	5.74E-10	3.32E-01	1.57E-01	2.99E-11	1.0E+06	3.0E-05
919	919	0.40857	1.38724E-06	5.7E-07	1.05E-03	5.92E-10	3.32E-01	1.57E-01	3.09E-11	1.0E+06	3.1E-05
920	920	0.42516	1.38724E-06	5.9E-07	1.05E-03	6.16E-10	3.32E-01	1.57E-01	3.21E-11	1.0E+06	3.2E-05
921	921	0.43914	1.38724E-06	6.1E-07	1.05E-03	6.37E-10	3.32E-01	1.57E-01	3.32E-11	1.0E+06	3.3E-05
922	922	0.45141	1.38724E-06	6.3E-07	1.05E-03	6.55E-10	3.32E-01	1.57E-01	3.41E-11	1.0E+06	3.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.46516	1.38724E-06	6.5E-07	1.05E-03	6.74E-10	3.32E-01	1.57E-01	3.51E-11	1.0E+06	3.5E-05
924	924	0.47867	1.38724E-06	6.6E-07	1.05E-03	6.94E-10	3.32E-01	1.57E-01	3.62E-11	1.0E+06	3.6E-05
925	925	0.49093	1.38724E-06	6.8E-07	1.05E-03	7.12E-10	3.32E-01	1.57E-01	3.71E-11	1.0E+06	3.7E-05
926	926	0.50418	1.38724E-06	7.0E-07	1.05E-03	7.31E-10	3.32E-01	1.57E-01	3.81E-11	1.0E+06	3.8E-05
927	927	0.51571	1.38724E-06	7.2E-07	1.05E-03	7.48E-10	3.32E-01	1.57E-01	3.90E-11	1.0E+06	3.9E-05
928	928	0.52825	1.38724E-06	7.3E-07	1.05E-03	7.66E-10	3.32E-01	1.57E-01	3.99E-11	1.0E+06	4.0E-05
929	929	0.54024	1.38724E-06	7.5E-07	1.05E-03	7.83E-10	3.32E-01	1.57E-01	4.08E-11	1.0E+06	4.1E-05
930	930	0.5525	1.38724E-06	7.7E-07	1.05E-03	8.01E-10	3.32E-01	1.57E-01	4.17E-11	1.0E+06	4.2E-05
931	931	0.56488	1.38724E-06	7.8E-07	1.05E-03	8.19E-10	3.32E-01	1.57E-01	4.27E-11	1.0E+06	4.3E-05
932	932	0.57725	1.38724E-06	8.0E-07	1.05E-03	8.37E-10	3.32E-01	1.57E-01	4.36E-11	1.0E+06	4.4E-05
933	933	0.58965	1.38724E-06	8.2E-07	1.05E-03	8.55E-10	3.32E-01	1.57E-01	4.45E-11	1.0E+06	4.5E-05
934	934	0.60197	1.38724E-06	8.4E-07	1.05E-03	8.73E-10	3.32E-01	1.57E-01	4.55E-11	1.0E+06	4.5E-05
935	935	0.61414	1.38724E-06	8.5E-07	1.05E-03	8.90E-10	3.32E-01	1.57E-01	4.64E-11	1.0E+06	4.6E-05
936	936	0.62608	1.38724E-06	8.7E-07	1.05E-03	9.08E-10	3.32E-01	1.57E-01	4.73E-11	1.0E+06	4.7E-05
937	937	0.63819	1.38724E-06	8.9E-07	1.05E-03	9.25E-10	3.32E-01	1.57E-01	4.82E-11	1.0E+06	4.8E-05
938	938	0.65	1.38724E-06	9.0E-07	1.05E-03	9.42E-10	3.32E-01	1.57E-01	4.91E-11	1.0E+06	4.9E-05
939	939	0.66042	1.38724E-06	9.2E-07	1.05E-03	9.58E-10	3.32E-01	1.57E-01	4.99E-11	1.0E+06	5.0E-05
940	940	0.66987	1.38724E-06	9.3E-07	1.05E-03	9.71E-10	3.32E-01	1.57E-01	5.06E-11	1.0E+06	5.1E-05
941	941	0.67832	1.38724E-06	9.4E-07	1.05E-03	9.84E-10	3.32E-01	1.57E-01	5.12E-11	1.0E+06	5.1E-05
942	942	0.33017	1.38724E-06	4.6E-07	1.05E-03	4.79E-10	3.32E-01	1.57E-01	2.49E-11	1.0E+06	2.5E-05
943	943	0.33658	1.38724E-06	4.7E-07	1.05E-03	4.88E-10	3.32E-01	1.57E-01	2.54E-11	1.0E+06	2.5E-05
944	944	0.34324	1.38724E-06	4.8E-07	1.05E-03	4.98E-10	3.32E-01	1.57E-01	2.59E-11	1.0E+06	2.6E-05
945	945	0.35016	1.38724E-06	4.9E-07	1.05E-03	5.08E-10	3.32E-01	1.57E-01	2.64E-11	1.0E+06	2.6E-05
946	946	0.35731	1.38724E-06	5.0E-07	1.05E-03	5.18E-10	3.32E-01	1.57E-01	2.70E-11	1.0E+06	2.7E-05
947	947	0.36479	1.38724E-06	5.1E-07	1.05E-03	5.29E-10	3.32E-01	1.57E-01	2.76E-11	1.0E+06	2.8E-05
948	948	0.37272	1.38724E-06	5.2E-07	1.05E-03	5.40E-10	3.32E-01	1.57E-01	2.82E-11	1.0E+06	2.8E-05
949	949	0.38099	1.38724E-06	5.3E-07	1.05E-03	5.52E-10	3.32E-01	1.57E-01	2.88E-11	1.0E+06	2.9E-05
950	950	0.38951	1.38724E-06	5.4E-07	1.05E-03	5.65E-10	3.32E-01	1.57E-01	2.94E-11	1.0E+06	2.9E-05
951	951	0.39799	1.38724E-06	5.5E-07	1.05E-03	5.77E-10	3.32E-01	1.57E-01	3.01E-11	1.0E+06	3.0E-05
952	952	0.41006	1.38724E-06	5.7E-07	1.05E-03	5.95E-10	3.32E-01	1.57E-01	3.10E-11	1.0E+06	3.1E-05
953	953	0.4225	1.38724E-06	5.9E-07	1.05E-03	6.13E-10	3.32E-01	1.57E-01	3.19E-11	1.0E+06	3.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.43774	1.38724E-06	6.1E-07	1.05E-03	6.35E-10	3.32E-01	1.57E-01	3.31E-11	1.0E+06	3.3E-05
955	955	0.45092	1.38724E-06	6.3E-07	1.05E-03	6.54E-10	3.32E-01	1.57E-01	3.41E-11	1.0E+06	3.4E-05
956	956	0.46816	1.38724E-06	6.5E-07	1.05E-03	6.79E-10	3.32E-01	1.57E-01	3.54E-11	1.0E+06	3.5E-05
957	957	0.48314	1.38724E-06	6.7E-07	1.05E-03	7.01E-10	3.32E-01	1.57E-01	3.65E-11	1.0E+06	3.6E-05
958	958	0.49772	1.38724E-06	6.9E-07	1.05E-03	7.22E-10	3.32E-01	1.57E-01	3.76E-11	1.0E+06	3.8E-05
959	959	0.51094	1.38724E-06	7.1E-07	1.05E-03	7.41E-10	3.32E-01	1.57E-01	3.86E-11	1.0E+06	3.9E-05
960	960	0.52435	1.38724E-06	7.3E-07	1.05E-03	7.60E-10	3.32E-01	1.57E-01	3.96E-11	1.0E+06	4.0E-05
961	961	0.53792	1.38724E-06	7.5E-07	1.05E-03	7.80E-10	3.32E-01	1.57E-01	4.06E-11	1.0E+06	4.1E-05
962	962	0.55166	1.38724E-06	7.7E-07	1.05E-03	8.00E-10	3.32E-01	1.57E-01	4.17E-11	1.0E+06	4.2E-05
963	963	0.56489	1.38724E-06	7.8E-07	1.05E-03	8.19E-10	3.32E-01	1.57E-01	4.27E-11	1.0E+06	4.3E-05
964	964	0.5784	1.38724E-06	8.0E-07	1.05E-03	8.39E-10	3.32E-01	1.57E-01	4.37E-11	1.0E+06	4.4E-05
965	965	0.59214	1.38724E-06	8.2E-07	1.05E-03	8.59E-10	3.32E-01	1.57E-01	4.47E-11	1.0E+06	4.5E-05
966	966	0.60586	1.38724E-06	8.4E-07	1.05E-03	8.78E-10	3.32E-01	1.57E-01	4.58E-11	1.0E+06	4.6E-05
967	967	0.61963	1.38724E-06	8.6E-07	1.05E-03	8.98E-10	3.32E-01	1.57E-01	4.68E-11	1.0E+06	4.7E-05
968	968	0.63346	1.38724E-06	8.8E-07	1.05E-03	9.18E-10	3.32E-01	1.57E-01	4.78E-11	1.0E+06	4.8E-05
969	969	0.64734	1.38724E-06	9.0E-07	1.05E-03	9.39E-10	3.32E-01	1.57E-01	4.89E-11	1.0E+06	4.9E-05
970	970	0.66107	1.38724E-06	9.2E-07	1.05E-03	9.59E-10	3.32E-01	1.57E-01	4.99E-11	1.0E+06	5.0E-05
971	971	0.67455	1.38724E-06	9.4E-07	1.05E-03	9.78E-10	3.32E-01	1.57E-01	5.10E-11	1.0E+06	5.1E-05
972	972	0.68772	1.38724E-06	9.5E-07	1.05E-03	9.97E-10	3.32E-01	1.57E-01	5.19E-11	1.0E+06	5.2E-05
973	973	0.69968	1.38724E-06	9.7E-07	1.05E-03	1.01E-09	3.32E-01	1.57E-01	5.28E-11	1.0E+06	5.3E-05
974	974	0.71062	1.38724E-06	9.9E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.37E-11	1.0E+06	5.4E-05
975	975	0.72046	1.38724E-06	1.0E-06	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.44E-11	1.0E+06	5.4E-05
976	976	0.34019	1.38724E-06	4.7E-07	1.05E-03	4.93E-10	3.32E-01	1.57E-01	2.57E-11	1.0E+06	2.6E-05
977	977	0.34697	1.38724E-06	4.8E-07	1.05E-03	5.03E-10	3.32E-01	1.57E-01	2.62E-11	1.0E+06	2.6E-05
978	978	0.35402	1.38724E-06	4.9E-07	1.05E-03	5.13E-10	3.32E-01	1.57E-01	2.67E-11	1.0E+06	2.7E-05
979	979	0.36135	1.38724E-06	5.0E-07	1.05E-03	5.24E-10	3.32E-01	1.57E-01	2.73E-11	1.0E+06	2.7E-05
980	980	0.36897	1.38724E-06	5.1E-07	1.05E-03	5.35E-10	3.32E-01	1.57E-01	2.79E-11	1.0E+06	2.8E-05
981	981	0.37692	1.38724E-06	5.2E-07	1.05E-03	5.47E-10	3.32E-01	1.57E-01	2.85E-11	1.0E+06	2.8E-05
982	982	0.38546	1.38724E-06	5.3E-07	1.05E-03	5.59E-10	3.32E-01	1.57E-01	2.91E-11	1.0E+06	2.9E-05
983	983	0.39443	1.38724E-06	5.5E-07	1.05E-03	5.72E-10	3.32E-01	1.57E-01	2.98E-11	1.0E+06	3.0E-05
984	984	0.4036	1.38724E-06	5.6E-07	1.05E-03	5.85E-10	3.32E-01	1.57E-01	3.05E-11	1.0E+06	3.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.41251	1.38724E-06	5.7E-07	1.05E-03	5.98E-10	3.32E-01	1.57E-01	3.12E-11	1.0E+06	3.1E-05
986	986	0.42175	1.38724E-06	5.9E-07	1.05E-03	6.12E-10	3.32E-01	1.57E-01	3.19E-11	1.0E+06	3.2E-05
987	987	0.43709	1.38724E-06	6.1E-07	1.05E-03	6.34E-10	3.32E-01	1.57E-01	3.30E-11	1.0E+06	3.3E-05
988	988	0.44819	1.38724E-06	6.2E-07	1.05E-03	6.50E-10	3.32E-01	1.57E-01	3.39E-11	1.0E+06	3.4E-05
989	989	0.46483	1.38724E-06	6.4E-07	1.05E-03	6.74E-10	3.32E-01	1.57E-01	3.51E-11	1.0E+06	3.5E-05
990	990	0.48579	1.38724E-06	6.7E-07	1.05E-03	7.04E-10	3.32E-01	1.57E-01	3.67E-11	1.0E+06	3.7E-05
991	991	0.5007	1.38724E-06	6.9E-07	1.05E-03	7.26E-10	3.32E-01	1.57E-01	3.78E-11	1.0E+06	3.8E-05
992	992	0.51788	1.38724E-06	7.2E-07	1.05E-03	7.51E-10	3.32E-01	1.57E-01	3.91E-11	1.0E+06	3.9E-05
993	993	0.53222	1.38724E-06	7.4E-07	1.05E-03	7.72E-10	3.32E-01	1.57E-01	4.02E-11	1.0E+06	4.0E-05
994	994	0.54674	1.38724E-06	7.6E-07	1.05E-03	7.93E-10	3.32E-01	1.57E-01	4.13E-11	1.0E+06	4.1E-05
995	995	0.56163	1.38724E-06	7.8E-07	1.05E-03	8.14E-10	3.32E-01	1.57E-01	4.24E-11	1.0E+06	4.2E-05
996	996	0.57673	1.38724E-06	8.0E-07	1.05E-03	8.36E-10	3.32E-01	1.57E-01	4.36E-11	1.0E+06	4.4E-05
997	997	0.59135	1.38724E-06	8.2E-07	1.05E-03	8.57E-10	3.32E-01	1.57E-01	4.47E-11	1.0E+06	4.5E-05
998	998	0.60636	1.38724E-06	8.4E-07	1.05E-03	8.79E-10	3.32E-01	1.57E-01	4.58E-11	1.0E+06	4.6E-05
999	999	0.62164	1.38724E-06	8.6E-07	1.05E-03	9.01E-10	3.32E-01	1.57E-01	4.70E-11	1.0E+06	4.7E-05
1000	1000	0.63691	1.38724E-06	8.8E-07	1.05E-03	9.23E-10	3.32E-01	1.57E-01	4.81E-11	1.0E+06	4.8E-05
1001	1001	0.65232	1.38724E-06	9.0E-07	1.05E-03	9.46E-10	3.32E-01	1.57E-01	4.93E-11	1.0E+06	4.9E-05
1002	1002	0.66788	1.38724E-06	9.3E-07	1.05E-03	9.68E-10	3.32E-01	1.57E-01	5.04E-11	1.0E+06	5.0E-05
1003	1003	0.68382	1.38724E-06	9.5E-07	1.05E-03	9.92E-10	3.32E-01	1.57E-01	5.17E-11	1.0E+06	5.2E-05
1004	1004	0.69963	1.38724E-06	9.7E-07	1.05E-03	1.01E-09	3.32E-01	1.57E-01	5.28E-11	1.0E+06	5.3E-05
1005	1005	0.71479	1.38724E-06	9.9E-07	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.40E-11	1.0E+06	5.4E-05
1006	1006	0.72931	1.38724E-06	1.0E-06	1.05E-03	1.06E-09	3.32E-01	1.57E-01	5.51E-11	1.0E+06	5.5E-05
1007	1007	0.74316	1.38724E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.61E-11	1.0E+06	5.6E-05
1008	1008	0.7558	1.38724E-06	1.0E-06	1.05E-03	1.10E-09	3.32E-01	1.57E-01	5.71E-11	1.0E+06	5.7E-05
1009	1009	0.76726	1.38724E-06	1.1E-06	1.05E-03	1.11E-09	3.32E-01	1.57E-01	5.80E-11	1.0E+06	5.8E-05
1010	1010	0.35052	1.38724E-06	4.9E-07	1.05E-03	5.08E-10	3.32E-01	1.57E-01	2.65E-11	1.0E+06	2.6E-05
1011	1011	0.35768	1.38724E-06	5.0E-07	1.05E-03	5.19E-10	3.32E-01	1.57E-01	2.70E-11	1.0E+06	2.7E-05
1012	1012	0.36515	1.38724E-06	5.1E-07	1.05E-03	5.29E-10	3.32E-01	1.57E-01	2.76E-11	1.0E+06	2.8E-05
1013	1013	0.37295	1.38724E-06	5.2E-07	1.05E-03	5.41E-10	3.32E-01	1.57E-01	2.82E-11	1.0E+06	2.8E-05
1014	1014	0.38101	1.38724E-06	5.3E-07	1.05E-03	5.52E-10	3.32E-01	1.57E-01	2.88E-11	1.0E+06	2.9E-05
1015	1015	0.3895	1.38724E-06	5.4E-07	1.05E-03	5.65E-10	3.32E-01	1.57E-01	2.94E-11	1.0E+06	2.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.39868	1.38724E-06	5.5E-07	1.05E-03	5.78E-10	3.32E-01	1.57E-01	3.01E-11	1.0E+06	3.0E-05
1017	1017	0.40836	1.38724E-06	5.7E-07	1.05E-03	5.92E-10	3.32E-01	1.57E-01	3.08E-11	1.0E+06	3.1E-05
1018	1018	0.4182	1.38724E-06	5.8E-07	1.05E-03	6.06E-10	3.32E-01	1.57E-01	3.16E-11	1.0E+06	3.2E-05
1019	1019	0.42766	1.38724E-06	5.9E-07	1.05E-03	6.20E-10	3.32E-01	1.57E-01	3.23E-11	1.0E+06	3.2E-05
1020	1020	0.43751	1.38724E-06	6.1E-07	1.05E-03	6.34E-10	3.32E-01	1.57E-01	3.30E-11	1.0E+06	3.3E-05
1021	1021	0.45066	1.38724E-06	6.3E-07	1.05E-03	6.53E-10	3.32E-01	1.57E-01	3.40E-11	1.0E+06	3.4E-05
1022	1022	0.46429	1.38724E-06	6.4E-07	1.05E-03	6.73E-10	3.32E-01	1.57E-01	3.51E-11	1.0E+06	3.5E-05
1023	1023	0.4794	1.38724E-06	6.7E-07	1.05E-03	6.95E-10	3.32E-01	1.57E-01	3.62E-11	1.0E+06	3.6E-05
1024	1024	0.50272	1.38724E-06	7.0E-07	1.05E-03	7.29E-10	3.32E-01	1.57E-01	3.80E-11	1.0E+06	3.8E-05
1025	1025	0.52071	1.38724E-06	7.2E-07	1.05E-03	7.55E-10	3.32E-01	1.57E-01	3.93E-11	1.0E+06	3.9E-05
1026	1026	0.53923	1.38724E-06	7.5E-07	1.05E-03	7.82E-10	3.32E-01	1.57E-01	4.07E-11	1.0E+06	4.1E-05
1027	1027	0.55483	1.38724E-06	7.7E-07	1.05E-03	8.04E-10	3.32E-01	1.57E-01	4.19E-11	1.0E+06	4.2E-05
1028	1028	0.56965	1.38724E-06	7.9E-07	1.05E-03	8.26E-10	3.32E-01	1.57E-01	4.30E-11	1.0E+06	4.3E-05
1029	1029	0.58702	1.38724E-06	8.1E-07	1.05E-03	8.51E-10	3.32E-01	1.57E-01	4.43E-11	1.0E+06	4.4E-05
1030	1030	0.60364	1.38724E-06	8.4E-07	1.05E-03	8.75E-10	3.32E-01	1.57E-01	4.56E-11	1.0E+06	4.6E-05
1031	1031	0.61988	1.38724E-06	8.6E-07	1.05E-03	8.99E-10	3.32E-01	1.57E-01	4.68E-11	1.0E+06	4.7E-05
1032	1032	0.63658	1.38724E-06	8.8E-07	1.05E-03	9.23E-10	3.32E-01	1.57E-01	4.81E-11	1.0E+06	4.8E-05
1033	1033	0.6536	1.38724E-06	9.1E-07	1.05E-03	9.48E-10	3.32E-01	1.57E-01	4.94E-11	1.0E+06	4.9E-05
1034	1034	0.67075	1.38724E-06	9.3E-07	1.05E-03	9.73E-10	3.32E-01	1.57E-01	5.07E-11	1.0E+06	5.1E-05
1035	1035	0.68809	1.38724E-06	9.5E-07	1.05E-03	9.98E-10	3.32E-01	1.57E-01	5.20E-11	1.0E+06	5.2E-05
1036	1036	0.70577	1.38724E-06	9.8E-07	1.05E-03	1.02E-09	3.32E-01	1.57E-01	5.33E-11	1.0E+06	5.3E-05
1037	1037	0.72399	1.38724E-06	1.0E-06	1.05E-03	1.05E-09	3.32E-01	1.57E-01	5.47E-11	1.0E+06	5.5E-05
1038	1038	0.74225	1.38724E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.61E-11	1.0E+06	5.6E-05
1039	1039	0.75952	1.38724E-06	1.1E-06	1.05E-03	1.10E-09	3.32E-01	1.57E-01	5.74E-11	1.0E+06	5.7E-05
1040	1040	0.77593	1.38724E-06	1.1E-06	1.05E-03	1.13E-09	3.32E-01	1.57E-01	5.86E-11	1.0E+06	5.9E-05
1041	1041	0.7917	1.38724E-06	1.1E-06	1.05E-03	1.15E-09	3.32E-01	1.57E-01	5.98E-11	1.0E+06	6.0E-05
1042	1042	0.80653	1.38724E-06	1.1E-06	1.05E-03	1.17E-09	3.32E-01	1.57E-01	6.09E-11	1.0E+06	6.1E-05
1043	1043	0.81975	1.38724E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.19E-11	1.0E+06	6.2E-05
1044	1044	0.36109	1.38724E-06	5.0E-07	1.05E-03	5.24E-10	3.32E-01	1.57E-01	2.73E-11	1.0E+06	2.7E-05
1045	1045	0.36868	1.38724E-06	5.1E-07	1.05E-03	5.35E-10	3.32E-01	1.57E-01	2.78E-11	1.0E+06	2.8E-05
1046	1046	0.3766	1.38724E-06	5.2E-07	1.05E-03	5.46E-10	3.32E-01	1.57E-01	2.84E-11	1.0E+06	2.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.38485	1.38724E-06	5.3E-07	1.05E-03	5.58E-10	3.32E-01	1.57E-01	2.91E-11	1.0E+06	2.9E-05
1048	1048	0.39341	1.38724E-06	5.5E-07	1.05E-03	5.70E-10	3.32E-01	1.57E-01	2.97E-11	1.0E+06	3.0E-05
1049	1049	0.40239	1.38724E-06	5.6E-07	1.05E-03	5.83E-10	3.32E-01	1.57E-01	3.04E-11	1.0E+06	3.0E-05
1050	1050	0.41219	1.38724E-06	5.7E-07	1.05E-03	5.98E-10	3.32E-01	1.57E-01	3.11E-11	1.0E+06	3.1E-05
1051	1051	0.42255	1.38724E-06	5.9E-07	1.05E-03	6.13E-10	3.32E-01	1.57E-01	3.19E-11	1.0E+06	3.2E-05
1052	1052	0.43314	1.38724E-06	6.0E-07	1.05E-03	6.28E-10	3.32E-01	1.57E-01	3.27E-11	1.0E+06	3.3E-05
1053	1053	0.44343	1.38724E-06	6.2E-07	1.05E-03	6.43E-10	3.32E-01	1.57E-01	3.35E-11	1.0E+06	3.3E-05
1054	1054	0.45413	1.38724E-06	6.3E-07	1.05E-03	6.58E-10	3.32E-01	1.57E-01	3.43E-11	1.0E+06	3.4E-05
1055	1055	0.46776	1.38724E-06	6.5E-07	1.05E-03	6.78E-10	3.32E-01	1.57E-01	3.53E-11	1.0E+06	3.5E-05
1056	1056	0.48186	1.38724E-06	6.7E-07	1.05E-03	6.99E-10	3.32E-01	1.57E-01	3.64E-11	1.0E+06	3.6E-05
1057	1057	0.49807	1.38724E-06	6.9E-07	1.05E-03	7.22E-10	3.32E-01	1.57E-01	3.76E-11	1.0E+06	3.8E-05
1058	1058	0.52258	1.38724E-06	7.2E-07	1.05E-03	7.58E-10	3.32E-01	1.57E-01	3.95E-11	1.0E+06	3.9E-05
1059	1059	0.54185	1.38724E-06	7.5E-07	1.05E-03	7.86E-10	3.32E-01	1.57E-01	4.09E-11	1.0E+06	4.1E-05
1060	1060	0.56185	1.38724E-06	7.8E-07	1.05E-03	8.15E-10	3.32E-01	1.57E-01	4.24E-11	1.0E+06	4.2E-05
1061	1061	0.57892	1.38724E-06	8.0E-07	1.05E-03	8.39E-10	3.32E-01	1.57E-01	4.37E-11	1.0E+06	4.4E-05
1062	1062	0.59636	1.38724E-06	8.3E-07	1.05E-03	8.65E-10	3.32E-01	1.57E-01	4.50E-11	1.0E+06	4.5E-05
1063	1063	0.61428	1.38724E-06	8.5E-07	1.05E-03	8.91E-10	3.32E-01	1.57E-01	4.64E-11	1.0E+06	4.6E-05
1064	1064	0.6326	1.38724E-06	8.8E-07	1.05E-03	9.17E-10	3.32E-01	1.57E-01	4.78E-11	1.0E+06	4.8E-05
1065	1065	0.6506	1.38724E-06	9.0E-07	1.05E-03	9.43E-10	3.32E-01	1.57E-01	4.91E-11	1.0E+06	4.9E-05
1066	1066	0.66925	1.38724E-06	9.3E-07	1.05E-03	9.70E-10	3.32E-01	1.57E-01	5.06E-11	1.0E+06	5.1E-05
1067	1067	0.68834	1.38724E-06	9.5E-07	1.05E-03	9.98E-10	3.32E-01	1.57E-01	5.20E-11	1.0E+06	5.2E-05
1068	1068	0.70773	1.38724E-06	9.8E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.35E-11	1.0E+06	5.3E-05
1069	1069	0.72746	1.38724E-06	1.0E-06	1.05E-03	1.05E-09	3.32E-01	1.57E-01	5.49E-11	1.0E+06	5.5E-05
1070	1070	0.74764	1.38724E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.65E-11	1.0E+06	5.6E-05
1071	1071	0.76856	1.38724E-06	1.1E-06	1.05E-03	1.11E-09	3.32E-01	1.57E-01	5.81E-11	1.0E+06	5.8E-05
1072	1072	0.78958	1.38724E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.96E-11	1.0E+06	6.0E-05
1073	1073	0.80957	1.38724E-06	1.1E-06	1.05E-03	1.17E-09	3.32E-01	1.57E-01	6.11E-11	1.0E+06	6.1E-05
1074	1074	0.82865	1.38724E-06	1.1E-06	1.05E-03	1.20E-09	3.32E-01	1.57E-01	6.26E-11	1.0E+06	6.3E-05
1075	1075	0.84698	1.38724E-06	1.2E-06	1.05E-03	1.23E-09	3.32E-01	1.57E-01	6.40E-11	1.0E+06	6.4E-05
1076	1076	0.86409	1.38724E-06	1.2E-06	1.05E-03	1.25E-09	3.32E-01	1.57E-01	6.53E-11	1.0E+06	6.5E-05
1077	1077	0.87944	1.38724E-06	1.2E-06	1.05E-03	1.28E-09	3.32E-01	1.57E-01	6.64E-11	1.0E+06	6.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.37193	1.38724E-06	5.2E-07	1.05E-03	5.39E-10	3.32E-01	1.57E-01	2.81E-11	1.0E+06	2.8E-05
1079	1079	0.37999	1.38724E-06	5.3E-07	1.05E-03	5.51E-10	3.32E-01	1.57E-01	2.87E-11	1.0E+06	2.9E-05
1080	1080	0.38839	1.38724E-06	5.4E-07	1.05E-03	5.63E-10	3.32E-01	1.57E-01	2.93E-11	1.0E+06	2.9E-05
1081	1081	0.39715	1.38724E-06	5.5E-07	1.05E-03	5.76E-10	3.32E-01	1.57E-01	3.00E-11	1.0E+06	3.0E-05
1082	1082	0.40622	1.38724E-06	5.6E-07	1.05E-03	5.89E-10	3.32E-01	1.57E-01	3.07E-11	1.0E+06	3.1E-05
1083	1083	0.41576	1.38724E-06	5.8E-07	1.05E-03	6.03E-10	3.32E-01	1.57E-01	3.14E-11	1.0E+06	3.1E-05
1084	1084	0.42619	1.38724E-06	5.9E-07	1.05E-03	6.18E-10	3.32E-01	1.57E-01	3.22E-11	1.0E+06	3.2E-05
1085	1085	0.43732	1.38724E-06	6.1E-07	1.05E-03	6.34E-10	3.32E-01	1.57E-01	3.30E-11	1.0E+06	3.3E-05
1086	1086	0.44875	1.38724E-06	6.2E-07	1.05E-03	6.51E-10	3.32E-01	1.57E-01	3.39E-11	1.0E+06	3.4E-05
1087	1087	0.4599	1.38724E-06	6.4E-07	1.05E-03	6.67E-10	3.32E-01	1.57E-01	3.47E-11	1.0E+06	3.5E-05
1088	1088	0.47151	1.38724E-06	6.5E-07	1.05E-03	6.84E-10	3.32E-01	1.57E-01	3.56E-11	1.0E+06	3.6E-05
1089	1089	0.48639	1.38724E-06	6.7E-07	1.05E-03	7.05E-10	3.32E-01	1.57E-01	3.67E-11	1.0E+06	3.7E-05
1090	1090	0.5003	1.38724E-06	6.9E-07	1.05E-03	7.25E-10	3.32E-01	1.57E-01	3.78E-11	1.0E+06	3.8E-05
1091	1091	0.52019	1.38724E-06	7.2E-07	1.05E-03	7.54E-10	3.32E-01	1.57E-01	3.93E-11	1.0E+06	3.9E-05
1092	1092	0.54531	1.38724E-06	7.6E-07	1.05E-03	7.91E-10	3.32E-01	1.57E-01	4.12E-11	1.0E+06	4.1E-05
1093	1093	0.56417	1.38724E-06	7.8E-07	1.05E-03	8.18E-10	3.32E-01	1.57E-01	4.26E-11	1.0E+06	4.3E-05
1094	1094	0.58573	1.38724E-06	8.1E-07	1.05E-03	8.49E-10	3.32E-01	1.57E-01	4.42E-11	1.0E+06	4.4E-05
1095	1095	0.60449	1.38724E-06	8.4E-07	1.05E-03	8.76E-10	3.32E-01	1.57E-01	4.57E-11	1.0E+06	4.6E-05
1096	1096	0.62373	1.38724E-06	8.7E-07	1.05E-03	9.04E-10	3.32E-01	1.57E-01	4.71E-11	1.0E+06	4.7E-05
1097	1097	0.64344	1.38724E-06	8.9E-07	1.05E-03	9.33E-10	3.32E-01	1.57E-01	4.86E-11	1.0E+06	4.9E-05
1098	1098	0.66366	1.38724E-06	9.2E-07	1.05E-03	9.62E-10	3.32E-01	1.57E-01	5.01E-11	1.0E+06	5.0E-05
1099	1099	0.68373	1.38724E-06	9.5E-07	1.05E-03	9.91E-10	3.32E-01	1.57E-01	5.16E-11	1.0E+06	5.2E-05
1100	1100	0.7046	1.38724E-06	9.8E-07	1.05E-03	1.02E-09	3.32E-01	1.57E-01	5.32E-11	1.0E+06	5.3E-05
1101	1101	0.72605	1.38724E-06	1.0E-06	1.05E-03	1.05E-09	3.32E-01	1.57E-01	5.48E-11	1.0E+06	5.5E-05
1102	1102	0.74813	1.38724E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.65E-11	1.0E+06	5.7E-05
1103	1103	0.77071	1.38724E-06	1.1E-06	1.05E-03	1.12E-09	3.32E-01	1.57E-01	5.82E-11	1.0E+06	5.8E-05
1104	1104	0.79391	1.38724E-06	1.1E-06	1.05E-03	1.15E-09	3.32E-01	1.57E-01	6.00E-11	1.0E+06	6.0E-05
1105	1105	0.81804	1.38724E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.18E-11	1.0E+06	6.2E-05
1106	1106	0.84242	1.38724E-06	1.2E-06	1.05E-03	1.22E-09	3.32E-01	1.57E-01	6.36E-11	1.0E+06	6.4E-05
1107	1107	0.86575	1.38724E-06	1.2E-06	1.05E-03	1.26E-09	3.32E-01	1.57E-01	6.54E-11	1.0E+06	6.5E-05
1108	1108	0.88807	1.38724E-06	1.2E-06	1.05E-03	1.29E-09	3.32E-01	1.57E-01	6.71E-11	1.0E+06	6.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.90958	1.38724E-06	1.3E-06	1.05E-03	1.32E-09	3.32E-01	1.57E-01	6.87E-11	1.0E+06	6.9E-05
1110	1110	0.92957	1.38724E-06	1.3E-06	1.05E-03	1.35E-09	3.32E-01	1.57E-01	7.02E-11	1.0E+06	7.0E-05
1111	1111	0.94759	1.38724E-06	1.3E-06	1.05E-03	1.37E-09	3.32E-01	1.57E-01	7.16E-11	1.0E+06	7.2E-05
1112	1112	0.38306	1.38724E-06	5.3E-07	1.05E-03	5.55E-10	3.32E-01	1.57E-01	2.89E-11	1.0E+06	2.9E-05
1113	1113	0.39159	1.38724E-06	5.4E-07	1.05E-03	5.68E-10	3.32E-01	1.57E-01	2.96E-11	1.0E+06	3.0E-05
1114	1114	0.40052	1.38724E-06	5.6E-07	1.05E-03	5.81E-10	3.32E-01	1.57E-01	3.03E-11	1.0E+06	3.0E-05
1115	1115	0.40981	1.38724E-06	5.7E-07	1.05E-03	5.94E-10	3.32E-01	1.57E-01	3.10E-11	1.0E+06	3.1E-05
1116	1116	0.41948	1.38724E-06	5.8E-07	1.05E-03	6.08E-10	3.32E-01	1.57E-01	3.17E-11	1.0E+06	3.2E-05
1117	1117	0.4296	1.38724E-06	6.0E-07	1.05E-03	6.23E-10	3.32E-01	1.57E-01	3.24E-11	1.0E+06	3.2E-05
1118	1118	0.4407	1.38724E-06	6.1E-07	1.05E-03	6.39E-10	3.32E-01	1.57E-01	3.33E-11	1.0E+06	3.3E-05
1119	1119	0.4526	1.38724E-06	6.3E-07	1.05E-03	6.56E-10	3.32E-01	1.57E-01	3.42E-11	1.0E+06	3.4E-05
1120	1120	0.46489	1.38724E-06	6.4E-07	1.05E-03	6.74E-10	3.32E-01	1.57E-01	3.51E-11	1.0E+06	3.5E-05
1121	1121	0.47694	1.38724E-06	6.6E-07	1.05E-03	6.92E-10	3.32E-01	1.57E-01	3.60E-11	1.0E+06	3.6E-05
1122	1122	0.48959	1.38724E-06	6.8E-07	1.05E-03	7.10E-10	3.32E-01	1.57E-01	3.70E-11	1.0E+06	3.7E-05
1123	1123	0.50436	1.38724E-06	7.0E-07	1.05E-03	7.31E-10	3.32E-01	1.57E-01	3.81E-11	1.0E+06	3.8E-05
1124	1124	0.51945	1.38724E-06	7.2E-07	1.05E-03	7.53E-10	3.32E-01	1.57E-01	3.92E-11	1.0E+06	3.9E-05
1125	1125	0.54065	1.38724E-06	7.5E-07	1.05E-03	7.84E-10	3.32E-01	1.57E-01	4.08E-11	1.0E+06	4.1E-05
1126	1126	0.56726	1.38724E-06	7.9E-07	1.05E-03	8.22E-10	3.32E-01	1.57E-01	4.28E-11	1.0E+06	4.3E-05
1127	1127	0.58757	1.38724E-06	8.2E-07	1.05E-03	8.52E-10	3.32E-01	1.57E-01	4.44E-11	1.0E+06	4.4E-05
1128	1128	0.61094	1.38724E-06	8.5E-07	1.05E-03	8.86E-10	3.32E-01	1.57E-01	4.61E-11	1.0E+06	4.6E-05
1129	1129	0.63151	1.38724E-06	8.8E-07	1.05E-03	9.16E-10	3.32E-01	1.57E-01	4.77E-11	1.0E+06	4.8E-05
1130	1130	0.65277	1.38724E-06	9.1E-07	1.05E-03	9.46E-10	3.32E-01	1.57E-01	4.93E-11	1.0E+06	4.9E-05
1131	1131	0.67456	1.38724E-06	9.4E-07	1.05E-03	9.78E-10	3.32E-01	1.57E-01	5.10E-11	1.0E+06	5.1E-05
1132	1132	0.69702	1.38724E-06	9.7E-07	1.05E-03	1.01E-09	3.32E-01	1.57E-01	5.26E-11	1.0E+06	5.3E-05
1133	1133	0.71951	1.38724E-06	1.0E-06	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.43E-11	1.0E+06	5.4E-05
1134	1134	0.74295	1.38724E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.61E-11	1.0E+06	5.6E-05
1135	1135	0.76727	1.38724E-06	1.1E-06	1.05E-03	1.11E-09	3.32E-01	1.57E-01	5.80E-11	1.0E+06	5.8E-05
1136	1136	0.79253	1.38724E-06	1.1E-06	1.05E-03	1.15E-09	3.32E-01	1.57E-01	5.99E-11	1.0E+06	6.0E-05
1137	1137	0.81853	1.38724E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.18E-11	1.0E+06	6.2E-05
1138	1138	0.84535	1.38724E-06	1.2E-06	1.05E-03	1.23E-09	3.32E-01	1.57E-01	6.39E-11	1.0E+06	6.4E-05
1139	1139	0.87333	1.38724E-06	1.2E-06	1.05E-03	1.27E-09	3.32E-01	1.57E-01	6.60E-11	1.0E+06	6.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.9017	1.38724E-06	1.3E-06	1.05E-03	1.31E-09	3.32E-01	1.57E-01	6.81E-11	1.0E+06	6.8E-05
1141	1141	0.92918	1.38724E-06	1.3E-06	1.05E-03	1.35E-09	3.32E-01	1.57E-01	7.02E-11	1.0E+06	7.0E-05
1142	1142	0.95572	1.38724E-06	1.3E-06	1.05E-03	1.39E-09	3.32E-01	1.57E-01	7.22E-11	1.0E+06	7.2E-05
1143	1143	0.98127	1.38724E-06	1.4E-06	1.05E-03	1.42E-09	3.32E-01	1.57E-01	7.41E-11	1.0E+06	7.4E-05
1144	1144	1.00479	1.38724E-06	1.4E-06	1.05E-03	1.46E-09	3.32E-01	1.57E-01	7.59E-11	1.0E+06	7.6E-05
1145	1145	1.02623	1.38724E-06	1.4E-06	1.05E-03	1.49E-09	3.32E-01	1.57E-01	7.75E-11	1.0E+06	7.8E-05
1146	1146	0.39443	1.38724E-06	5.5E-07	1.05E-03	5.72E-10	3.32E-01	1.57E-01	2.98E-11	1.0E+06	3.0E-05
1147	1147	0.40347	1.38724E-06	5.6E-07	1.05E-03	5.85E-10	3.32E-01	1.57E-01	3.05E-11	1.0E+06	3.0E-05
1148	1148	0.41293	1.38724E-06	5.7E-07	1.05E-03	5.99E-10	3.32E-01	1.57E-01	3.12E-11	1.0E+06	3.1E-05
1149	1149	0.4228	1.38724E-06	5.9E-07	1.05E-03	6.13E-10	3.32E-01	1.57E-01	3.19E-11	1.0E+06	3.2E-05
1150	1150	0.43313	1.38724E-06	6.0E-07	1.05E-03	6.28E-10	3.32E-01	1.57E-01	3.27E-11	1.0E+06	3.3E-05
1151	1151	0.44395	1.38724E-06	6.2E-07	1.05E-03	6.44E-10	3.32E-01	1.57E-01	3.35E-11	1.0E+06	3.4E-05
1152	1152	0.45565	1.38724E-06	6.3E-07	1.05E-03	6.61E-10	3.32E-01	1.57E-01	3.44E-11	1.0E+06	3.4E-05
1153	1153	0.46813	1.38724E-06	6.5E-07	1.05E-03	6.79E-10	3.32E-01	1.57E-01	3.54E-11	1.0E+06	3.5E-05
1154	1154	0.48114	1.38724E-06	6.7E-07	1.05E-03	6.98E-10	3.32E-01	1.57E-01	3.63E-11	1.0E+06	3.6E-05
1155	1155	0.4943	1.38724E-06	6.9E-07	1.05E-03	7.17E-10	3.32E-01	1.57E-01	3.73E-11	1.0E+06	3.7E-05
1156	1156	0.50811	1.38724E-06	7.0E-07	1.05E-03	7.37E-10	3.32E-01	1.57E-01	3.84E-11	1.0E+06	3.8E-05
1157	1157	0.52515	1.38724E-06	7.3E-07	1.05E-03	7.61E-10	3.32E-01	1.57E-01	3.97E-11	1.0E+06	4.0E-05
1158	1158	0.54177	1.38724E-06	7.5E-07	1.05E-03	7.86E-10	3.32E-01	1.57E-01	4.09E-11	1.0E+06	4.1E-05
1159	1159	0.5645	1.38724E-06	7.8E-07	1.05E-03	8.18E-10	3.32E-01	1.57E-01	4.26E-11	1.0E+06	4.3E-05
1160	1160	0.59015	1.38724E-06	8.2E-07	1.05E-03	8.56E-10	3.32E-01	1.57E-01	4.46E-11	1.0E+06	4.5E-05
1161	1161	0.61203	1.38724E-06	8.5E-07	1.05E-03	8.87E-10	3.32E-01	1.57E-01	4.62E-11	1.0E+06	4.6E-05
1162	1162	0.63732	1.38724E-06	8.8E-07	1.05E-03	9.24E-10	3.32E-01	1.57E-01	4.81E-11	1.0E+06	4.8E-05
1163	1163	0.65998	1.38724E-06	9.2E-07	1.05E-03	9.57E-10	3.32E-01	1.57E-01	4.99E-11	1.0E+06	5.0E-05
1164	1164	0.68348	1.38724E-06	9.5E-07	1.05E-03	9.91E-10	3.32E-01	1.57E-01	5.16E-11	1.0E+06	5.2E-05
1165	1165	0.70769	1.38724E-06	9.8E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.35E-11	1.0E+06	5.3E-05
1166	1166	0.73279	1.38724E-06	1.0E-06	1.05E-03	1.06E-09	3.32E-01	1.57E-01	5.54E-11	1.0E+06	5.5E-05
1167	1167	0.75814	1.38724E-06	1.1E-06	1.05E-03	1.10E-09	3.32E-01	1.57E-01	5.73E-11	1.0E+06	5.7E-05
1168	1168	0.78478	1.38724E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.93E-11	1.0E+06	5.9E-05
1169	1169	0.81258	1.38724E-06	1.1E-06	1.05E-03	1.18E-09	3.32E-01	1.57E-01	6.14E-11	1.0E+06	6.1E-05
1170	1170	0.84159	1.38724E-06	1.2E-06	1.05E-03	1.22E-09	3.32E-01	1.57E-01	6.36E-11	1.0E+06	6.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.87166	1.38724E-06	1.2E-06	1.05E-03	1.26E-09	3.32E-01	1.57E-01	6.58E-11	1.0E+06	6.6E-05
1172	1172	0.9029	1.38724E-06	1.3E-06	1.05E-03	1.31E-09	3.32E-01	1.57E-01	6.82E-11	1.0E+06	6.8E-05
1173	1173	0.93536	1.38724E-06	1.3E-06	1.05E-03	1.36E-09	3.32E-01	1.57E-01	7.07E-11	1.0E+06	7.1E-05
1174	1174	0.96862	1.38724E-06	1.3E-06	1.05E-03	1.40E-09	3.32E-01	1.57E-01	7.32E-11	1.0E+06	7.3E-05
1175	1175	1.00134	1.38724E-06	1.4E-06	1.05E-03	1.45E-09	3.32E-01	1.57E-01	7.56E-11	1.0E+06	7.6E-05
1176	1176	1.03337	1.38724E-06	1.4E-06	1.05E-03	1.50E-09	3.32E-01	1.57E-01	7.81E-11	1.0E+06	7.8E-05
1177	1177	1.06379	1.38724E-06	1.5E-06	1.05E-03	1.54E-09	3.32E-01	1.57E-01	8.04E-11	1.0E+06	8.0E-05
1178	1178	1.09203	1.38724E-06	1.5E-06	1.05E-03	1.58E-09	3.32E-01	1.57E-01	8.25E-11	1.0E+06	8.2E-05
1179	1179	1.11786	1.38724E-06	1.6E-06	1.05E-03	1.62E-09	3.32E-01	1.57E-01	8.44E-11	1.0E+06	8.4E-05
1180	1180	0.406	1.38724E-06	5.6E-07	1.05E-03	5.89E-10	3.32E-01	1.57E-01	3.07E-11	1.0E+06	3.1E-05
1181	1181	0.41559	1.38724E-06	5.8E-07	1.05E-03	6.03E-10	3.32E-01	1.57E-01	3.14E-11	1.0E+06	3.1E-05
1182	1182	0.42563	1.38724E-06	5.9E-07	1.05E-03	6.17E-10	3.32E-01	1.57E-01	3.21E-11	1.0E+06	3.2E-05
1183	1183	0.43612	1.38724E-06	6.1E-07	1.05E-03	6.32E-10	3.32E-01	1.57E-01	3.29E-11	1.0E+06	3.3E-05
1184	1184	0.44714	1.38724E-06	6.2E-07	1.05E-03	6.48E-10	3.32E-01	1.57E-01	3.38E-11	1.0E+06	3.4E-05
1185	1185	0.45872	1.38724E-06	6.4E-07	1.05E-03	6.65E-10	3.32E-01	1.57E-01	3.46E-11	1.0E+06	3.5E-05
1186	1186	0.47108	1.38724E-06	6.5E-07	1.05E-03	6.83E-10	3.32E-01	1.57E-01	3.56E-11	1.0E+06	3.6E-05
1187	1187	0.4842	1.38724E-06	6.7E-07	1.05E-03	7.02E-10	3.32E-01	1.57E-01	3.66E-11	1.0E+06	3.7E-05
1188	1188	0.498	1.38724E-06	6.9E-07	1.05E-03	7.22E-10	3.32E-01	1.57E-01	3.76E-11	1.0E+06	3.8E-05
1189	1189	0.51229	1.38724E-06	7.1E-07	1.05E-03	7.43E-10	3.32E-01	1.57E-01	3.87E-11	1.0E+06	3.9E-05
1190	1190	0.52733	1.38724E-06	7.3E-07	1.05E-03	7.65E-10	3.32E-01	1.57E-01	3.98E-11	1.0E+06	4.0E-05
1191	1191	0.54305	1.38724E-06	7.5E-07	1.05E-03	7.87E-10	3.32E-01	1.57E-01	4.10E-11	1.0E+06	4.1E-05
1192	1192	0.56239	1.38724E-06	7.8E-07	1.05E-03	8.15E-10	3.32E-01	1.57E-01	4.25E-11	1.0E+06	4.2E-05
1193	1193	0.58682	1.38724E-06	8.1E-07	1.05E-03	8.51E-10	3.32E-01	1.57E-01	4.43E-11	1.0E+06	4.4E-05
1194	1194	0.61403	1.38724E-06	8.5E-07	1.05E-03	8.90E-10	3.32E-01	1.57E-01	4.64E-11	1.0E+06	4.6E-05
1195	1195	0.63766	1.38724E-06	8.8E-07	1.05E-03	9.25E-10	3.32E-01	1.57E-01	4.82E-11	1.0E+06	4.8E-05
1196	1196	0.66359	1.38724E-06	9.2E-07	1.05E-03	9.62E-10	3.32E-01	1.57E-01	5.01E-11	1.0E+06	5.0E-05
1197	1197	0.69001	1.38724E-06	9.6E-07	1.05E-03	1.00E-09	3.32E-01	1.57E-01	5.21E-11	1.0E+06	5.2E-05
1198	1198	0.71605	1.38724E-06	9.9E-07	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.41E-11	1.0E+06	5.4E-05
1199	1199	0.74299	1.38724E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.61E-11	1.0E+06	5.6E-05
1200	1200	0.77113	1.38724E-06	1.1E-06	1.05E-03	1.12E-09	3.32E-01	1.57E-01	5.82E-11	1.0E+06	5.8E-05
1201	1201	0.79979	1.38724E-06	1.1E-06	1.05E-03	1.16E-09	3.32E-01	1.57E-01	6.04E-11	1.0E+06	6.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.83013	1.38724E-06	1.2E-06	1.05E-03	1.20E-09	3.32E-01	1.57E-01	6.27E-11	1.0E+06	6.3E-05
1203	1203	0.86193	1.38724E-06	1.2E-06	1.05E-03	1.25E-09	3.32E-01	1.57E-01	6.51E-11	1.0E+06	6.5E-05
1204	1204	0.89547	1.38724E-06	1.2E-06	1.05E-03	1.30E-09	3.32E-01	1.57E-01	6.76E-11	1.0E+06	6.8E-05
1205	1205	0.93051	1.38724E-06	1.3E-06	1.05E-03	1.35E-09	3.32E-01	1.57E-01	7.03E-11	1.0E+06	7.0E-05
1206	1206	0.96709	1.38724E-06	1.3E-06	1.05E-03	1.40E-09	3.32E-01	1.57E-01	7.30E-11	1.0E+06	7.3E-05
1207	1207	1.00516	1.38724E-06	1.4E-06	1.05E-03	1.46E-09	3.32E-01	1.57E-01	7.59E-11	1.0E+06	7.6E-05
1208	1208	1.04447	1.38724E-06	1.4E-06	1.05E-03	1.51E-09	3.32E-01	1.57E-01	7.89E-11	1.0E+06	7.9E-05
1209	1209	1.08386	1.38724E-06	1.5E-06	1.05E-03	1.57E-09	3.32E-01	1.57E-01	8.19E-11	1.0E+06	8.2E-05
1210	1210	1.12282	1.38724E-06	1.6E-06	1.05E-03	1.63E-09	3.32E-01	1.57E-01	8.48E-11	1.0E+06	8.5E-05
1211	1211	1.15956	1.38724E-06	1.6E-06	1.05E-03	1.68E-09	3.32E-01	1.57E-01	8.76E-11	1.0E+06	8.8E-05
1212	1212	1.19411	1.38724E-06	1.7E-06	1.05E-03	1.73E-09	3.32E-01	1.57E-01	9.02E-11	1.0E+06	9.0E-05
1213	1213	1.2256	1.38724E-06	1.7E-06	1.05E-03	1.78E-09	3.32E-01	1.57E-01	9.26E-11	1.0E+06	9.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
892	892	4.7E+00	Max	Receptor #	5	1.72E-02	Max	Receptor #	
893	893	4.5E+00	20.074	1181	5	1.65E-02	0.074	1181	Res
894	894	4.3E+00			5	1.58E-02			
895	895	4.1E+00			5	1.51E-02			
896	896	3.9E+00			5	1.44E-02			
897	897	3.7E+00			5	1.37E-02			
898	898	3.5E+00			5	1.30E-02			
899	899	3.4E+00			5	1.23E-02			
900	900	3.2E+00			5	1.17E-02			
901	901	3.0E+00			5	1.11E-02			
902	902	2.9E+00			5	1.06E-02			
903	903	2.7E+00			5	1.00E-02			
904	904	2.6E+00			5	9.48E-03			
905	905	2.4E+00			5	8.98E-03			
906	906	2.3E+00			5	8.51E-03			
907	907	2.2E+00			5	8.09E-03			
908	908	7.0E+00			5	2.58E-02			
909	909	7.0E+00			5	2.59E-02			
910	910	7.1E+00			5	2.59E-02			
911	911	7.1E+00			5	2.59E-02			
912	912	7.0E+00			5	2.59E-02			
913	913	7.0E+00			5	2.58E-02			
914	914	7.0E+00			5	2.56E-02			
915	915	6.9E+00			5	2.54E-02			
916	916	6.9E+00			5	2.52E-02			
917	917	6.8E+00			5	2.49E-02			
918	918	6.7E+00			5	2.45E-02			
919	919	6.6E+00			5	2.41E-02			
920	920	6.4E+00			5	2.36E-02			
921	921	6.3E+00			5	2.30E-02			
922	922	6.1E+00			5	2.24E-02			

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	5.9E+00	5	2.18E-02
924	924	5.7E+00	5	2.11E-02
925	925	5.5E+00	5	2.03E-02
926	926	5.3E+00	5	1.95E-02
927	927	5.1E+00	5	1.87E-02
928	928	4.9E+00	5	1.79E-02
929	929	4.6E+00	5	1.70E-02
930	930	4.4E+00	5	1.62E-02
931	931	4.2E+00	5	1.53E-02
932	932	4.0E+00	5	1.45E-02
933	933	3.7E+00	5	1.38E-02
934	934	3.5E+00	5	1.30E-02
935	935	3.4E+00	5	1.23E-02
936	936	3.2E+00	5	1.16E-02
937	937	3.0E+00	5	1.10E-02
938	938	2.8E+00	5	1.04E-02
939	939	2.7E+00	5	9.80E-03
940	940	2.5E+00	5	9.26E-03
941	941	2.4E+00	5	8.76E-03
942	942	7.9E+00	5	2.90E-02
943	943	7.9E+00	5	2.90E-02
944	944	7.9E+00	5	2.91E-02
945	945	7.9E+00	5	2.91E-02
946	946	7.9E+00	5	2.90E-02
947	947	7.9E+00	5	2.89E-02
948	948	7.8E+00	5	2.87E-02
949	949	7.8E+00	5	2.85E-02
950	950	7.7E+00	5	2.82E-02
951	951	7.6E+00	5	2.78E-02
952	952	7.5E+00	5	2.74E-02
953	953	7.3E+00	5	2.69E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	7.2E+00	5	2.63E-02
955	955	7.0E+00	5	2.57E-02
956	956	6.8E+00	5	2.50E-02
957	957	6.6E+00	5	2.41E-02
958	958	6.3E+00	5	2.33E-02
959	959	6.1E+00	5	2.24E-02
960	960	5.8E+00	5	2.14E-02
961	961	5.6E+00	5	2.04E-02
962	962	5.3E+00	5	1.94E-02
963	963	5.0E+00	5	1.84E-02
964	964	4.7E+00	5	1.74E-02
965	965	4.5E+00	5	1.64E-02
966	966	4.2E+00	5	1.55E-02
967	967	4.0E+00	5	1.46E-02
968	968	3.7E+00	5	1.37E-02
969	969	3.5E+00	5	1.29E-02
970	970	3.3E+00	5	1.21E-02
971	971	3.1E+00	5	1.14E-02
972	972	2.9E+00	5	1.08E-02
973	973	2.8E+00	5	1.01E-02
974	974	2.6E+00	5	9.55E-03
975	975	2.5E+00	5	9.01E-03
976	976	8.9E+00	5	3.27E-02
977	977	8.9E+00	5	3.28E-02
978	978	9.0E+00	5	3.29E-02
979	979	8.9E+00	5	3.29E-02
980	980	8.9E+00	5	3.28E-02
981	981	8.9E+00	5	3.27E-02
982	982	8.8E+00	5	3.24E-02
983	983	8.8E+00	5	3.21E-02
984	984	8.7E+00	5	3.18E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	8.5E+00	5	3.14E-02
986	986	8.4E+00	5	3.09E-02
987	987	8.3E+00	5	3.03E-02
988	988	8.1E+00	5	2.97E-02
989	989	7.9E+00	5	2.89E-02
990	990	7.6E+00	5	2.80E-02
991	991	7.3E+00	5	2.70E-02
992	992	7.1E+00	5	2.59E-02
993	993	6.8E+00	5	2.48E-02
994	994	6.4E+00	5	2.37E-02
995	995	6.1E+00	5	2.25E-02
996	996	5.8E+00	5	2.12E-02
997	997	5.4E+00	5	2.00E-02
998	998	5.1E+00	5	1.88E-02
999	999	4.8E+00	5	1.76E-02
1000	1000	4.5E+00	5	1.65E-02
1001	1001	4.2E+00	5	1.55E-02
1002	1002	3.9E+00	5	1.45E-02
1003	1003	3.7E+00	5	1.35E-02
1004	1004	3.4E+00	5	1.27E-02
1005	1005	3.2E+00	5	1.19E-02
1006	1006	3.0E+00	5	1.11E-02
1007	1007	2.8E+00	5	1.05E-02
1008	1008	2.7E+00	5	9.82E-03
1009	1009	2.5E+00	5	9.24E-03
1010	1010	1.0E+01	5	3.73E-02
1011	1011	1.0E+01	5	3.74E-02
1012	1012	1.0E+01	5	3.75E-02
1013	1013	1.0E+01	5	3.75E-02
1014	1014	1.0E+01	5	3.74E-02
1015	1015	1.0E+01	5	3.72E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	1.0E+01	5	3.70E-02
1017	1017	1.0E+01	5	3.66E-02
1018	1018	9.9E+00	5	3.62E-02
1019	1019	9.7E+00	5	3.58E-02
1020	1020	9.6E+00	5	3.52E-02
1021	1021	9.4E+00	5	3.45E-02
1022	1022	9.2E+00	5	3.37E-02
1023	1023	8.9E+00	5	3.28E-02
1024	1024	8.6E+00	5	3.17E-02
1025	1025	8.3E+00	5	3.05E-02
1026	1026	7.9E+00	5	2.92E-02
1027	1027	7.6E+00	5	2.78E-02
1028	1028	7.2E+00	5	2.64E-02
1029	1029	6.8E+00	5	2.49E-02
1030	1030	6.4E+00	5	2.33E-02
1031	1031	5.9E+00	5	2.18E-02
1032	1032	5.5E+00	5	2.03E-02
1033	1033	5.2E+00	5	1.89E-02
1034	1034	4.8E+00	5	1.76E-02
1035	1035	4.5E+00	5	1.64E-02
1036	1036	4.1E+00	5	1.52E-02
1037	1037	3.9E+00	5	1.42E-02
1038	1038	3.6E+00	5	1.32E-02
1039	1039	3.3E+00	5	1.23E-02
1040	1040	3.1E+00	5	1.15E-02
1041	1041	2.9E+00	5	1.07E-02
1042	1042	2.7E+00	5	1.01E-02
1043	1043	2.6E+00	5	9.45E-03
1044	1044	1.2E+01	5	4.30E-02
1045	1045	1.2E+01	5	4.31E-02
1046	1046	1.2E+01	5	4.32E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	1.2E+01	5	4.32E-02
1048	1048	1.2E+01	5	4.31E-02
1049	1049	1.2E+01	5	4.29E-02
1050	1050	1.2E+01	5	4.26E-02
1051	1051	1.2E+01	5	4.22E-02
1052	1052	1.1E+01	5	4.18E-02
1053	1053	1.1E+01	5	4.12E-02
1054	1054	1.1E+01	5	4.06E-02
1055	1055	1.1E+01	5	3.98E-02
1056	1056	1.1E+01	5	3.89E-02
1057	1057	1.0E+01	5	3.77E-02
1058	1058	9.9E+00	5	3.64E-02
1059	1059	9.5E+00	5	3.49E-02
1060	1060	9.1E+00	5	3.33E-02
1061	1061	8.6E+00	5	3.15E-02
1062	1062	8.1E+00	5	2.97E-02
1063	1063	7.6E+00	5	2.77E-02
1064	1064	7.0E+00	5	2.58E-02
1065	1065	6.5E+00	5	2.39E-02
1066	1066	6.0E+00	5	2.21E-02
1067	1067	5.5E+00	5	2.03E-02
1068	1068	5.1E+00	5	1.88E-02
1069	1069	4.7E+00	5	1.73E-02
1070	1070	4.4E+00	5	1.60E-02
1071	1071	4.0E+00	5	1.48E-02
1072	1072	3.7E+00	5	1.37E-02
1073	1073	3.5E+00	5	1.27E-02
1074	1074	3.2E+00	5	1.18E-02
1075	1075	3.0E+00	5	1.10E-02
1076	1076	2.8E+00	5	1.03E-02
1077	1077	2.6E+00	5	9.62E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	1.4E+01	5	5.02E-02
1079	1079	1.4E+01	5	5.04E-02
1080	1080	1.4E+01	5	5.05E-02
1081	1081	1.4E+01	5	5.05E-02
1082	1082	1.4E+01	5	5.04E-02
1083	1083	1.4E+01	5	5.02E-02
1084	1084	1.4E+01	5	4.99E-02
1085	1085	1.3E+01	5	4.94E-02
1086	1086	1.3E+01	5	4.89E-02
1087	1087	1.3E+01	5	4.83E-02
1088	1088	1.3E+01	5	4.75E-02
1089	1089	1.3E+01	5	4.66E-02
1090	1090	1.2E+01	5	4.55E-02
1091	1091	1.2E+01	5	4.41E-02
1092	1092	1.2E+01	5	4.25E-02
1093	1093	1.1E+01	5	4.06E-02
1094	1094	1.0E+01	5	3.86E-02
1095	1095	9.9E+00	5	3.63E-02
1096	1096	9.2E+00	5	3.38E-02
1097	1097	8.5E+00	5	3.12E-02
1098	1098	7.8E+00	5	2.87E-02
1099	1099	7.1E+00	5	2.62E-02
1100	1100	6.5E+00	5	2.40E-02
1101	1101	6.0E+00	5	2.19E-02
1102	1102	5.4E+00	5	2.00E-02
1103	1103	5.0E+00	5	1.83E-02
1104	1104	4.6E+00	5	1.68E-02
1105	1105	4.2E+00	5	1.54E-02
1106	1106	3.9E+00	5	1.41E-02
1107	1107	3.6E+00	5	1.31E-02
1108	1108	3.3E+00	5	1.21E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	3.1E+00	5	1.12E-02
1110	1110	2.8E+00	5	1.05E-02
1111	1111	2.7E+00	5	9.76E-03
1112	1112	1.6E+01	5	5.97E-02
1113	1113	1.6E+01	5	5.99E-02
1114	1114	1.6E+01	5	6.00E-02
1115	1115	1.6E+01	5	6.00E-02
1116	1116	1.6E+01	5	6.00E-02
1117	1117	1.6E+01	5	5.98E-02
1118	1118	1.6E+01	5	5.95E-02
1119	1119	1.6E+01	5	5.89E-02
1120	1120	1.6E+01	5	5.84E-02
1121	1121	1.6E+01	5	5.77E-02
1122	1122	1.5E+01	5	5.68E-02
1123	1123	1.5E+01	5	5.57E-02
1124	1124	1.5E+01	5	5.44E-02
1125	1125	1.4E+01	5	5.27E-02
1126	1126	1.4E+01	5	5.07E-02
1127	1127	1.3E+01	5	4.83E-02
1128	1128	1.2E+01	5	4.57E-02
1129	1129	1.2E+01	5	4.26E-02
1130	1130	1.1E+01	5	3.92E-02
1131	1131	9.7E+00	5	3.56E-02
1132	1132	8.7E+00	5	3.21E-02
1133	1133	7.9E+00	5	2.89E-02
1134	1134	7.1E+00	5	2.60E-02
1135	1135	6.4E+00	5	2.35E-02
1136	1136	5.8E+00	5	2.12E-02
1137	1137	5.2E+00	5	1.92E-02
1138	1138	4.8E+00	5	1.75E-02
1139	1139	4.3E+00	5	1.59E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	4.0E+00	5	1.46E-02
1141	1141	3.6E+00	5	1.34E-02
1142	1142	3.4E+00	5	1.24E-02
1143	1143	3.1E+00	5	1.14E-02
1144	1144	2.9E+00	5	1.06E-02
1145	1145	2.7E+00	5	9.86E-03
1146	1146	1.7E+01	5	6.17E-02
1147	1147	1.7E+01	5	6.20E-02
1148	1148	2.0E+01	5	7.27E-02
1149	1149	1.7E+01	5	6.28E-02
1150	1150	1.7E+01	5	6.19E-02
1151	1151	1.7E+01	5	6.18E-02
1152	1152	1.7E+01	5	6.26E-02
1153	1153	1.7E+01	5	6.15E-02
1154	1154	1.6E+01	5	5.99E-02
1155	1155	1.6E+01	5	5.92E-02
1156	1156	1.6E+01	5	5.93E-02
1157	1157	1.6E+01	5	5.74E-02
1158	1158	1.5E+01	5	5.47E-02
1159	1159	1.4E+01	5	5.27E-02
1160	1160	1.2E+01	5	4.23E-02
1161	1161	1.3E+01	5	4.79E-02
1162	1162	1.2E+01	5	4.33E-02
1163	1163	1.1E+01	5	3.92E-02
1164	1164	9.7E+00	5	3.55E-02
1165	1165	1.1E+01	5	4.11E-02
1166	1166	9.9E+00	5	3.62E-02
1167	1167	8.7E+00	5	3.19E-02
1168	1168	7.7E+00	5	2.83E-02
1169	1169	6.8E+00	5	2.51E-02
1170	1170	6.1E+00	5	2.24E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	5.5E+00	5	2.01E-02
1172	1172	4.9E+00	5	1.82E-02
1173	1173	4.5E+00	5	1.64E-02
1174	1174	4.1E+00	5	1.50E-02
1175	1175	3.7E+00	5	1.37E-02
1176	1176	3.4E+00	5	1.26E-02
1177	1177	3.2E+00	5	1.16E-02
1178	1178	2.9E+00	5	1.07E-02
1179	1179	2.7E+00	5	9.93E-03
1180	1180	2.0E+01	5	7.30E-02
1181	1181	2.0E+01	5	7.37E-02
1182	1182	1.7E+01	5	6.42E-02
1183	1183	1.7E+01	5	6.43E-02
1184	1184	2.0E+01	5	7.34E-02
1185	1185	2.0E+01	5	7.36E-02
1186	1186	1.7E+01	5	6.34E-02
1187	1187	1.7E+01	5	6.28E-02
1188	1188	1.9E+01	5	7.14E-02
1189	1189	1.7E+01	5	6.18E-02
1190	1190	1.6E+01	5	5.94E-02
1191	1191	1.6E+01	5	5.76E-02
1192	1192	1.8E+01	5	6.50E-02
1193	1193	1.5E+01	5	5.34E-02
1194	1194	1.3E+01	5	4.90E-02
1195	1195	1.2E+01	5	4.51E-02
1196	1196	1.4E+01	5	5.03E-02
1197	1197	1.2E+01	5	4.49E-02
1198	1198	1.1E+01	5	4.01E-02
1199	1199	9.8E+00	5	3.59E-02
1200	1200	1.1E+01	5	4.09E-02
1201	1201	9.6E+00	5	3.52E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1202	1202	8.3E+00	5	3.05E-02
1203	1203	7.3E+00	5	2.67E-02
1204	1204	6.4E+00	5	2.36E-02
1205	1205	5.7E+00	5	2.10E-02
1206	1206	5.1E+00	5	1.87E-02
1207	1207	4.6E+00	5	1.69E-02
1208	1208	4.2E+00	5	1.53E-02
1209	1209	3.8E+00	5	1.39E-02
1210	1210	3.5E+00	5	1.27E-02
1211	1211	3.2E+00	5	1.17E-02
1212	1212	2.9E+00	5	1.08E-02
1213	1213	2.7E+00	5	9.96E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.75542	1.10E-02	3.0E-02	1.05E-03	3.17E-05	1.67E-01	1.57E-01	8.33E-07	1.0E+06	8.3E-01
893	2.64375	1.10E-02	2.9E-02	1.05E-03	3.04E-05	1.67E-01	1.57E-01	7.99E-07	1.0E+06	8.0E-01
894	2.52963	1.10E-02	2.8E-02	1.05E-03	2.91E-05	1.67E-01	1.57E-01	7.65E-07	1.0E+06	7.6E-01
895	2.41457	1.10E-02	2.7E-02	1.05E-03	2.78E-05	1.67E-01	1.57E-01	7.30E-07	1.0E+06	7.3E-01
896	2.30061	1.10E-02	2.5E-02	1.05E-03	2.65E-05	1.67E-01	1.57E-01	6.96E-07	1.0E+06	7.0E-01
897	2.18935	1.10E-02	2.4E-02	1.05E-03	2.52E-05	1.67E-01	1.57E-01	6.62E-07	1.0E+06	6.6E-01
898	2.08092	1.10E-02	2.3E-02	1.05E-03	2.40E-05	1.67E-01	1.57E-01	6.29E-07	1.0E+06	6.3E-01
899	1.97707	1.10E-02	2.2E-02	1.05E-03	2.28E-05	1.67E-01	1.57E-01	5.98E-07	1.0E+06	6.0E-01
900	1.87859	1.10E-02	2.1E-02	1.05E-03	2.16E-05	1.67E-01	1.57E-01	5.68E-07	1.0E+06	5.7E-01
901	1.78411	1.10E-02	2.0E-02	1.05E-03	2.05E-05	1.67E-01	1.57E-01	5.39E-07	1.0E+06	5.4E-01
902	1.69123	1.10E-02	1.9E-02	1.05E-03	1.95E-05	1.67E-01	1.57E-01	5.11E-07	1.0E+06	5.1E-01
903	1.60208	1.10E-02	1.8E-02	1.05E-03	1.84E-05	1.67E-01	1.57E-01	4.84E-07	1.0E+06	4.8E-01
904	1.51789	1.10E-02	1.7E-02	1.05E-03	1.75E-05	1.67E-01	1.57E-01	4.59E-07	1.0E+06	4.6E-01
905	1.43857	1.10E-02	1.6E-02	1.05E-03	1.66E-05	1.67E-01	1.57E-01	4.35E-07	1.0E+06	4.3E-01
906	1.36373	1.10E-02	1.5E-02	1.05E-03	1.57E-05	1.67E-01	1.57E-01	4.12E-07	1.0E+06	4.1E-01
907	1.29572	1.10E-02	1.4E-02	1.05E-03	1.49E-05	1.67E-01	1.57E-01	3.92E-07	1.0E+06	3.9E-01
908	4.13343	1.10E-02	4.6E-02	1.05E-03	4.76E-05	1.67E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
909	4.14798	1.10E-02	4.6E-02	1.05E-03	4.78E-05	1.67E-01	1.57E-01	1.25E-06	1.0E+06	1.3E+00
910	4.15467	1.10E-02	4.6E-02	1.05E-03	4.78E-05	1.67E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
911	4.15515	1.10E-02	4.6E-02	1.05E-03	4.78E-05	1.67E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
912	4.14723	1.10E-02	4.6E-02	1.05E-03	4.78E-05	1.67E-01	1.57E-01	1.25E-06	1.0E+06	1.3E+00
913	4.13132	1.10E-02	4.6E-02	1.05E-03	4.76E-05	1.67E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
914	4.10746	1.10E-02	4.5E-02	1.05E-03	4.73E-05	1.67E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
915	4.07476	1.10E-02	4.5E-02	1.05E-03	4.69E-05	1.67E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
916	4.03399	1.10E-02	4.4E-02	1.05E-03	4.64E-05	1.67E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
917	3.98405	1.10E-02	4.4E-02	1.05E-03	4.59E-05	1.67E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
918	3.92475	1.10E-02	4.3E-02	1.05E-03	4.52E-05	1.67E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
919	3.85612	1.10E-02	4.2E-02	1.05E-03	4.44E-05	1.67E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
920	3.7783	1.10E-02	4.2E-02	1.05E-03	4.35E-05	1.67E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
921	3.69128	1.10E-02	4.1E-02	1.05E-03	4.25E-05	1.67E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
922	3.59342	1.10E-02	4.0E-02	1.05E-03	4.14E-05	1.67E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00

	Max	Receptor #
Res	3.572	1181

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	3.48686	1.10E-02	3.8E-02	1.05E-03	4.01E-05	1.67E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
924	3.37248	1.10E-02	3.7E-02	1.05E-03	3.88E-05	1.67E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
925	3.25179	1.10E-02	3.6E-02	1.05E-03	3.74E-05	1.67E-01	1.57E-01	9.83E-07	1.0E+06	9.8E-01
926	3.12547	1.10E-02	3.4E-02	1.05E-03	3.60E-05	1.67E-01	1.57E-01	9.45E-07	1.0E+06	9.5E-01
927	2.99521	1.10E-02	3.3E-02	1.05E-03	3.45E-05	1.67E-01	1.57E-01	9.06E-07	1.0E+06	9.1E-01
928	2.86199	1.10E-02	3.2E-02	1.05E-03	3.30E-05	1.67E-01	1.57E-01	8.65E-07	1.0E+06	8.7E-01
929	2.72693	1.10E-02	3.0E-02	1.05E-03	3.14E-05	1.67E-01	1.57E-01	8.25E-07	1.0E+06	8.2E-01
930	2.59145	1.10E-02	2.9E-02	1.05E-03	2.98E-05	1.67E-01	1.57E-01	7.84E-07	1.0E+06	7.8E-01
931	2.45834	1.10E-02	2.7E-02	1.05E-03	2.83E-05	1.67E-01	1.57E-01	7.43E-07	1.0E+06	7.4E-01
932	2.32945	1.10E-02	2.6E-02	1.05E-03	2.68E-05	1.67E-01	1.57E-01	7.04E-07	1.0E+06	7.0E-01
933	2.20497	1.10E-02	2.4E-02	1.05E-03	2.54E-05	1.67E-01	1.57E-01	6.67E-07	1.0E+06	6.7E-01
934	2.08581	1.10E-02	2.3E-02	1.05E-03	2.40E-05	1.67E-01	1.57E-01	6.31E-07	1.0E+06	6.3E-01
935	1.97237	1.10E-02	2.2E-02	1.05E-03	2.27E-05	1.67E-01	1.57E-01	5.96E-07	1.0E+06	6.0E-01
936	1.86474	1.10E-02	2.1E-02	1.05E-03	2.15E-05	1.67E-01	1.57E-01	5.64E-07	1.0E+06	5.6E-01
937	1.76097	1.10E-02	1.9E-02	1.05E-03	2.03E-05	1.67E-01	1.57E-01	5.32E-07	1.0E+06	5.3E-01
938	1.6625	1.10E-02	1.8E-02	1.05E-03	1.91E-05	1.67E-01	1.57E-01	5.03E-07	1.0E+06	5.0E-01
939	1.57017	1.10E-02	1.7E-02	1.05E-03	1.81E-05	1.67E-01	1.57E-01	4.75E-07	1.0E+06	4.7E-01
940	1.48389	1.10E-02	1.6E-02	1.05E-03	1.71E-05	1.67E-01	1.57E-01	4.49E-07	1.0E+06	4.5E-01
941	1.40313	1.10E-02	1.5E-02	1.05E-03	1.62E-05	1.67E-01	1.57E-01	4.24E-07	1.0E+06	4.2E-01
942	4.63799	1.10E-02	5.1E-02	1.05E-03	5.34E-05	1.67E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
943	4.65331	1.10E-02	5.1E-02	1.05E-03	5.36E-05	1.67E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
944	4.66029	1.10E-02	5.1E-02	1.05E-03	5.37E-05	1.67E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
945	4.65962	1.10E-02	5.1E-02	1.05E-03	5.37E-05	1.67E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
946	4.64997	1.10E-02	5.1E-02	1.05E-03	5.35E-05	1.67E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
947	4.63099	1.10E-02	5.1E-02	1.05E-03	5.33E-05	1.67E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
948	4.60175	1.10E-02	5.1E-02	1.05E-03	5.30E-05	1.67E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
949	4.56263	1.10E-02	5.0E-02	1.05E-03	5.25E-05	1.67E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
950	4.51437	1.10E-02	5.0E-02	1.05E-03	5.20E-05	1.67E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
951	4.45739	1.10E-02	4.9E-02	1.05E-03	5.13E-05	1.67E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
952	4.389	1.10E-02	4.8E-02	1.05E-03	5.05E-05	1.67E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
953	4.30956	1.10E-02	4.7E-02	1.05E-03	4.96E-05	1.67E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	4.21848	1.10E-02	4.6E-02	1.05E-03	4.86E-05	1.67E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
955	4.11568	1.10E-02	4.5E-02	1.05E-03	4.74E-05	1.67E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
956	3.99754	1.10E-02	4.4E-02	1.05E-03	4.60E-05	1.67E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
957	3.86722	1.10E-02	4.3E-02	1.05E-03	4.45E-05	1.67E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
958	3.72905	1.10E-02	4.1E-02	1.05E-03	4.29E-05	1.67E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
959	3.58424	1.10E-02	3.9E-02	1.05E-03	4.13E-05	1.67E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
960	3.43198	1.10E-02	3.8E-02	1.05E-03	3.95E-05	1.67E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
961	3.27428	1.10E-02	3.6E-02	1.05E-03	3.77E-05	1.67E-01	1.57E-01	9.90E-07	1.0E+06	9.9E-01
962	3.11339	1.10E-02	3.4E-02	1.05E-03	3.58E-05	1.67E-01	1.57E-01	9.41E-07	1.0E+06	9.4E-01
963	2.95106	1.10E-02	3.3E-02	1.05E-03	3.40E-05	1.67E-01	1.57E-01	8.92E-07	1.0E+06	8.9E-01
964	2.78992	1.10E-02	3.1E-02	1.05E-03	3.21E-05	1.67E-01	1.57E-01	8.44E-07	1.0E+06	8.4E-01
965	2.63225	1.10E-02	2.9E-02	1.05E-03	3.03E-05	1.67E-01	1.57E-01	7.96E-07	1.0E+06	8.0E-01
966	2.48139	1.10E-02	2.7E-02	1.05E-03	2.86E-05	1.67E-01	1.57E-01	7.50E-07	1.0E+06	7.5E-01
967	2.33706	1.10E-02	2.6E-02	1.05E-03	2.69E-05	1.67E-01	1.57E-01	7.07E-07	1.0E+06	7.1E-01
968	2.19954	1.10E-02	2.4E-02	1.05E-03	2.53E-05	1.67E-01	1.57E-01	6.65E-07	1.0E+06	6.7E-01
969	2.06894	1.10E-02	2.3E-02	1.05E-03	2.38E-05	1.67E-01	1.57E-01	6.26E-07	1.0E+06	6.3E-01
970	1.94612	1.10E-02	2.1E-02	1.05E-03	2.24E-05	1.67E-01	1.57E-01	5.88E-07	1.0E+06	5.9E-01
971	1.83103	1.10E-02	2.0E-02	1.05E-03	2.11E-05	1.67E-01	1.57E-01	5.54E-07	1.0E+06	5.5E-01
972	1.72334	1.10E-02	1.9E-02	1.05E-03	1.98E-05	1.67E-01	1.57E-01	5.21E-07	1.0E+06	5.2E-01
973	1.62308	1.10E-02	1.8E-02	1.05E-03	1.87E-05	1.67E-01	1.57E-01	4.91E-07	1.0E+06	4.9E-01
974	1.52973	1.10E-02	1.7E-02	1.05E-03	1.76E-05	1.67E-01	1.57E-01	4.63E-07	1.0E+06	4.6E-01
975	1.44302	1.10E-02	1.6E-02	1.05E-03	1.66E-05	1.67E-01	1.57E-01	4.36E-07	1.0E+06	4.4E-01
976	5.243	1.10E-02	5.8E-02	1.05E-03	6.04E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
977	5.25934	1.10E-02	5.8E-02	1.05E-03	6.06E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
978	5.26636	1.10E-02	5.8E-02	1.05E-03	6.06E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
979	5.26489	1.10E-02	5.8E-02	1.05E-03	6.06E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
980	5.25326	1.10E-02	5.8E-02	1.05E-03	6.05E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
981	5.23115	1.10E-02	5.8E-02	1.05E-03	6.02E-05	1.67E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
982	5.19613	1.10E-02	5.7E-02	1.05E-03	5.98E-05	1.67E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
983	5.14934	1.10E-02	5.7E-02	1.05E-03	5.93E-05	1.67E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
984	5.09275	1.10E-02	5.6E-02	1.05E-03	5.86E-05	1.67E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	5.02795	1.10E-02	5.5E-02	1.05E-03	5.79E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
986	4.94967	1.10E-02	5.5E-02	1.05E-03	5.70E-05	1.67E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
987	4.85719	1.10E-02	5.4E-02	1.05E-03	5.59E-05	1.67E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
988	4.75055	1.10E-02	5.2E-02	1.05E-03	5.47E-05	1.67E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
989	4.62829	1.10E-02	5.1E-02	1.05E-03	5.33E-05	1.67E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
990	4.48499	1.10E-02	4.9E-02	1.05E-03	5.16E-05	1.67E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
991	4.32464	1.10E-02	4.8E-02	1.05E-03	4.98E-05	1.67E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
992	4.15588	1.10E-02	4.6E-02	1.05E-03	4.79E-05	1.67E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
993	3.97939	1.10E-02	4.4E-02	1.05E-03	4.58E-05	1.67E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
994	3.794	1.10E-02	4.2E-02	1.05E-03	4.37E-05	1.67E-01	1.57E-01	1.15E-06	1.0E+06	1.1E+00
995	3.59983	1.10E-02	4.0E-02	1.05E-03	4.14E-05	1.67E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
996	3.4027	1.10E-02	3.7E-02	1.05E-03	3.92E-05	1.67E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
997	3.2054	1.10E-02	3.5E-02	1.05E-03	3.69E-05	1.67E-01	1.57E-01	9.69E-07	1.0E+06	9.7E-01
998	3.01092	1.10E-02	3.3E-02	1.05E-03	3.47E-05	1.67E-01	1.57E-01	9.10E-07	1.0E+06	9.1E-01
999	2.82294	1.10E-02	3.1E-02	1.05E-03	3.25E-05	1.67E-01	1.57E-01	8.54E-07	1.0E+06	8.5E-01
1000	2.64526	1.10E-02	2.9E-02	1.05E-03	3.05E-05	1.67E-01	1.57E-01	8.00E-07	1.0E+06	8.0E-01
1001	2.47694	1.10E-02	2.7E-02	1.05E-03	2.85E-05	1.67E-01	1.57E-01	7.49E-07	1.0E+06	7.5E-01
1002	2.31821	1.10E-02	2.6E-02	1.05E-03	2.67E-05	1.67E-01	1.57E-01	7.01E-07	1.0E+06	7.0E-01
1003	2.16778	1.10E-02	2.4E-02	1.05E-03	2.50E-05	1.67E-01	1.57E-01	6.55E-07	1.0E+06	6.6E-01
1004	2.02814	1.10E-02	2.2E-02	1.05E-03	2.34E-05	1.67E-01	1.57E-01	6.13E-07	1.0E+06	6.1E-01
1005	1.90048	1.10E-02	2.1E-02	1.05E-03	2.19E-05	1.67E-01	1.57E-01	5.75E-07	1.0E+06	5.7E-01
1006	1.78307	1.10E-02	2.0E-02	1.05E-03	2.05E-05	1.67E-01	1.57E-01	5.39E-07	1.0E+06	5.4E-01
1007	1.67441	1.10E-02	1.8E-02	1.05E-03	1.93E-05	1.67E-01	1.57E-01	5.06E-07	1.0E+06	5.1E-01
1008	1.57366	1.10E-02	1.7E-02	1.05E-03	1.81E-05	1.67E-01	1.57E-01	4.76E-07	1.0E+06	4.8E-01
1009	1.4807	1.10E-02	1.6E-02	1.05E-03	1.70E-05	1.67E-01	1.57E-01	4.48E-07	1.0E+06	4.5E-01
1010	5.97868	1.10E-02	6.6E-02	1.05E-03	6.88E-05	1.67E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1011	5.99696	1.10E-02	6.6E-02	1.05E-03	6.90E-05	1.67E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1012	6.00444	1.10E-02	6.6E-02	1.05E-03	6.91E-05	1.67E-01	1.57E-01	1.82E-06	1.0E+06	1.8E+00
1013	6.00212	1.10E-02	6.6E-02	1.05E-03	6.91E-05	1.67E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1014	5.98983	1.10E-02	6.6E-02	1.05E-03	6.90E-05	1.67E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1015	5.96427	1.10E-02	6.6E-02	1.05E-03	6.87E-05	1.67E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	5.92283	1.10E-02	6.5E-02	1.05E-03	6.82E-05	1.67E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
1017	5.86765	1.10E-02	6.5E-02	1.05E-03	6.76E-05	1.67E-01	1.57E-01	1.77E-06	1.0E+06	1.8E+00
1018	5.80186	1.10E-02	6.4E-02	1.05E-03	6.68E-05	1.67E-01	1.57E-01	1.75E-06	1.0E+06	1.8E+00
1019	5.72853	1.10E-02	6.3E-02	1.05E-03	6.60E-05	1.67E-01	1.57E-01	1.73E-06	1.0E+06	1.7E+00
1020	5.63808	1.10E-02	6.2E-02	1.05E-03	6.49E-05	1.67E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
1021	5.53055	1.10E-02	6.1E-02	1.05E-03	6.37E-05	1.67E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
1022	5.40447	1.10E-02	6.0E-02	1.05E-03	6.22E-05	1.67E-01	1.57E-01	1.63E-06	1.0E+06	1.6E+00
1023	5.25811	1.10E-02	5.8E-02	1.05E-03	6.05E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
1024	5.0836	1.10E-02	5.6E-02	1.05E-03	5.85E-05	1.67E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
1025	4.88592	1.10E-02	5.4E-02	1.05E-03	5.63E-05	1.67E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
1026	4.67717	1.10E-02	5.2E-02	1.05E-03	5.39E-05	1.67E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
1027	4.45807	1.10E-02	4.9E-02	1.05E-03	5.13E-05	1.67E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
1028	4.22657	1.10E-02	4.7E-02	1.05E-03	4.87E-05	1.67E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
1029	3.98391	1.10E-02	4.4E-02	1.05E-03	4.59E-05	1.67E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
1030	3.73847	1.10E-02	4.1E-02	1.05E-03	4.30E-05	1.67E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
1031	3.49452	1.10E-02	3.8E-02	1.05E-03	4.02E-05	1.67E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1032	3.25736	1.10E-02	3.6E-02	1.05E-03	3.75E-05	1.67E-01	1.57E-01	9.85E-07	1.0E+06	9.8E-01
1033	3.03159	1.10E-02	3.3E-02	1.05E-03	3.49E-05	1.67E-01	1.57E-01	9.17E-07	1.0E+06	9.2E-01
1034	2.82048	1.10E-02	3.1E-02	1.05E-03	3.25E-05	1.67E-01	1.57E-01	8.53E-07	1.0E+06	8.5E-01
1035	2.62362	1.10E-02	2.9E-02	1.05E-03	3.02E-05	1.67E-01	1.57E-01	7.93E-07	1.0E+06	7.9E-01
1036	2.43983	1.10E-02	2.7E-02	1.05E-03	2.81E-05	1.67E-01	1.57E-01	7.38E-07	1.0E+06	7.4E-01
1037	2.26786	1.10E-02	2.5E-02	1.05E-03	2.61E-05	1.67E-01	1.57E-01	6.86E-07	1.0E+06	6.9E-01
1038	2.10979	1.10E-02	2.3E-02	1.05E-03	2.43E-05	1.67E-01	1.57E-01	6.38E-07	1.0E+06	6.4E-01
1039	1.96818	1.10E-02	2.2E-02	1.05E-03	2.27E-05	1.67E-01	1.57E-01	5.95E-07	1.0E+06	6.0E-01
1040	1.83967	1.10E-02	2.0E-02	1.05E-03	2.12E-05	1.67E-01	1.57E-01	5.56E-07	1.0E+06	5.6E-01
1041	1.72159	1.10E-02	1.9E-02	1.05E-03	1.98E-05	1.67E-01	1.57E-01	5.21E-07	1.0E+06	5.2E-01
1042	1.61299	1.10E-02	1.8E-02	1.05E-03	1.86E-05	1.67E-01	1.57E-01	4.88E-07	1.0E+06	4.9E-01
1043	1.5135	1.10E-02	1.7E-02	1.05E-03	1.74E-05	1.67E-01	1.57E-01	4.58E-07	1.0E+06	4.6E-01
1044	6.89122	1.10E-02	7.6E-02	1.05E-03	7.93E-05	1.67E-01	1.57E-01	2.08E-06	1.0E+06	2.1E+00
1045	6.91198	1.10E-02	7.6E-02	1.05E-03	7.96E-05	1.67E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
1046	6.92081	1.10E-02	7.6E-02	1.05E-03	7.97E-05	1.67E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	6.91918	1.10E-02	7.6E-02	1.05E-03	7.97E-05	1.67E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
1048	6.90738	1.10E-02	7.6E-02	1.05E-03	7.95E-05	1.67E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
1049	6.87983	1.10E-02	7.6E-02	1.05E-03	7.92E-05	1.67E-01	1.57E-01	2.08E-06	1.0E+06	2.1E+00
1050	6.83215	1.10E-02	7.5E-02	1.05E-03	7.87E-05	1.67E-01	1.57E-01	2.07E-06	1.0E+06	2.1E+00
1051	6.76791	1.10E-02	7.5E-02	1.05E-03	7.79E-05	1.67E-01	1.57E-01	2.05E-06	1.0E+06	2.0E+00
1052	6.69199	1.10E-02	7.4E-02	1.05E-03	7.71E-05	1.67E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1053	6.60719	1.10E-02	7.3E-02	1.05E-03	7.61E-05	1.67E-01	1.57E-01	2.00E-06	1.0E+06	2.0E+00
1054	6.50171	1.10E-02	7.2E-02	1.05E-03	7.49E-05	1.67E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
1055	6.37444	1.10E-02	7.0E-02	1.05E-03	7.34E-05	1.67E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
1056	6.22415	1.10E-02	6.9E-02	1.05E-03	7.17E-05	1.67E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1057	6.04695	1.10E-02	6.7E-02	1.05E-03	6.96E-05	1.67E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
1058	5.83483	1.10E-02	6.4E-02	1.05E-03	6.72E-05	1.67E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1059	5.59169	1.10E-02	6.2E-02	1.05E-03	6.44E-05	1.67E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1060	5.32962	1.10E-02	5.9E-02	1.05E-03	6.14E-05	1.67E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
1061	5.05091	1.10E-02	5.6E-02	1.05E-03	5.82E-05	1.67E-01	1.57E-01	1.53E-06	1.0E+06	1.5E+00
1062	4.75357	1.10E-02	5.2E-02	1.05E-03	5.47E-05	1.67E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1063	4.44312	1.10E-02	4.9E-02	1.05E-03	5.12E-05	1.67E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
1064	4.131	1.10E-02	4.6E-02	1.05E-03	4.76E-05	1.67E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
1065	3.82531	1.10E-02	4.2E-02	1.05E-03	4.40E-05	1.67E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1066	3.53228	1.10E-02	3.9E-02	1.05E-03	4.07E-05	1.67E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1067	3.25838	1.10E-02	3.6E-02	1.05E-03	3.75E-05	1.67E-01	1.57E-01	9.85E-07	1.0E+06	9.9E-01
1068	3.00612	1.10E-02	3.3E-02	1.05E-03	3.46E-05	1.67E-01	1.57E-01	9.09E-07	1.0E+06	9.1E-01
1069	2.7747	1.10E-02	3.1E-02	1.05E-03	3.19E-05	1.67E-01	1.57E-01	8.39E-07	1.0E+06	8.4E-01
1070	2.56251	1.10E-02	2.8E-02	1.05E-03	2.95E-05	1.67E-01	1.57E-01	7.75E-07	1.0E+06	7.7E-01
1071	2.36681	1.10E-02	2.6E-02	1.05E-03	2.73E-05	1.67E-01	1.57E-01	7.16E-07	1.0E+06	7.2E-01
1072	2.18956	1.10E-02	2.4E-02	1.05E-03	2.52E-05	1.67E-01	1.57E-01	6.62E-07	1.0E+06	6.6E-01
1073	2.03252	1.10E-02	2.2E-02	1.05E-03	2.34E-05	1.67E-01	1.57E-01	6.15E-07	1.0E+06	6.1E-01
1074	1.89147	1.10E-02	2.1E-02	1.05E-03	2.18E-05	1.67E-01	1.57E-01	5.72E-07	1.0E+06	5.7E-01
1075	1.7633	1.10E-02	1.9E-02	1.05E-03	2.03E-05	1.67E-01	1.57E-01	5.33E-07	1.0E+06	5.3E-01
1076	1.64659	1.10E-02	1.8E-02	1.05E-03	1.90E-05	1.67E-01	1.57E-01	4.98E-07	1.0E+06	5.0E-01
1077	1.54033	1.10E-02	1.7E-02	1.05E-03	1.77E-05	1.67E-01	1.57E-01	4.66E-07	1.0E+06	4.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	8.04858	1.10E-02	8.9E-02	1.05E-03	9.27E-05	1.67E-01	1.57E-01	2.43E-06	1.0E+06	2.4E+00
1079	8.07319	1.10E-02	8.9E-02	1.05E-03	9.30E-05	1.67E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
1080	8.08487	1.10E-02	8.9E-02	1.05E-03	9.31E-05	1.67E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
1081	8.08553	1.10E-02	8.9E-02	1.05E-03	9.31E-05	1.67E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
1082	8.07678	1.10E-02	8.9E-02	1.05E-03	9.30E-05	1.67E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
1083	8.0487	1.10E-02	8.9E-02	1.05E-03	9.27E-05	1.67E-01	1.57E-01	2.43E-06	1.0E+06	2.4E+00
1084	7.9951	1.10E-02	8.8E-02	1.05E-03	9.21E-05	1.67E-01	1.57E-01	2.42E-06	1.0E+06	2.4E+00
1085	7.92061	1.10E-02	8.7E-02	1.05E-03	9.12E-05	1.67E-01	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1086	7.83359	1.10E-02	8.6E-02	1.05E-03	9.02E-05	1.67E-01	1.57E-01	2.37E-06	1.0E+06	2.4E+00
1087	7.73732	1.10E-02	8.5E-02	1.05E-03	8.91E-05	1.67E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1088	7.615	1.10E-02	8.4E-02	1.05E-03	8.77E-05	1.67E-01	1.57E-01	2.30E-06	1.0E+06	2.3E+00
1089	7.46572	1.10E-02	8.2E-02	1.05E-03	8.60E-05	1.67E-01	1.57E-01	2.26E-06	1.0E+06	2.3E+00
1090	7.28667	1.10E-02	8.0E-02	1.05E-03	8.39E-05	1.67E-01	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1091	7.07105	1.10E-02	7.8E-02	1.05E-03	8.14E-05	1.67E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
1092	6.80928	1.10E-02	7.5E-02	1.05E-03	7.84E-05	1.67E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
1093	6.50763	1.10E-02	7.2E-02	1.05E-03	7.49E-05	1.67E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
1094	6.17559	1.10E-02	6.8E-02	1.05E-03	7.11E-05	1.67E-01	1.57E-01	1.87E-06	1.0E+06	1.9E+00
1095	5.81086	1.10E-02	6.4E-02	1.05E-03	6.69E-05	1.67E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1096	5.41469	1.10E-02	6.0E-02	1.05E-03	6.23E-05	1.67E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
1097	5.00334	1.10E-02	5.5E-02	1.05E-03	5.76E-05	1.67E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
1098	4.5955	1.10E-02	5.1E-02	1.05E-03	5.29E-05	1.67E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
1099	4.20379	1.10E-02	4.6E-02	1.05E-03	4.84E-05	1.67E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
1100	3.83746	1.10E-02	4.2E-02	1.05E-03	4.42E-05	1.67E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1101	3.50324	1.10E-02	3.9E-02	1.05E-03	4.03E-05	1.67E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1102	3.20073	1.10E-02	3.5E-02	1.05E-03	3.69E-05	1.67E-01	1.57E-01	9.68E-07	1.0E+06	9.7E-01
1103	2.92897	1.10E-02	3.2E-02	1.05E-03	3.37E-05	1.67E-01	1.57E-01	8.86E-07	1.0E+06	8.9E-01
1104	2.68445	1.10E-02	3.0E-02	1.05E-03	3.09E-05	1.67E-01	1.57E-01	8.12E-07	1.0E+06	8.1E-01
1105	2.46304	1.10E-02	2.7E-02	1.05E-03	2.84E-05	1.67E-01	1.57E-01	7.45E-07	1.0E+06	7.4E-01
1106	2.26537	1.10E-02	2.5E-02	1.05E-03	2.61E-05	1.67E-01	1.57E-01	6.85E-07	1.0E+06	6.9E-01
1107	2.09227	1.10E-02	2.3E-02	1.05E-03	2.41E-05	1.67E-01	1.57E-01	6.33E-07	1.0E+06	6.3E-01
1108	1.93866	1.10E-02	2.1E-02	1.05E-03	2.23E-05	1.67E-01	1.57E-01	5.86E-07	1.0E+06	5.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1.80042	1.10E-02	2.0E-02	1.05E-03	2.07E-05	1.67E-01	1.57E-01	5.44E-07	1.0E+06	5.4E-01
1110	1.67563	1.10E-02	1.8E-02	1.05E-03	1.93E-05	1.67E-01	1.57E-01	5.07E-07	1.0E+06	5.1E-01
1111	1.56303	1.10E-02	1.7E-02	1.05E-03	1.80E-05	1.67E-01	1.57E-01	4.73E-07	1.0E+06	4.7E-01
1112	9.55894	1.10E-02	1.1E-01	1.05E-03	1.10E-04	1.67E-01	1.57E-01	2.89E-06	1.0E+06	2.9E+00
1113	9.58896	1.10E-02	1.1E-01	1.05E-03	1.10E-04	1.67E-01	1.57E-01	2.90E-06	1.0E+06	2.9E+00
1114	9.60364	1.10E-02	1.1E-01	1.05E-03	1.11E-04	1.67E-01	1.57E-01	2.90E-06	1.0E+06	2.9E+00
1115	9.61345	1.10E-02	1.1E-01	1.05E-03	1.11E-04	1.67E-01	1.57E-01	2.91E-06	1.0E+06	2.9E+00
1116	9.61332	1.10E-02	1.1E-01	1.05E-03	1.11E-04	1.67E-01	1.57E-01	2.91E-06	1.0E+06	2.9E+00
1117	9.58702	1.10E-02	1.1E-01	1.05E-03	1.10E-04	1.67E-01	1.57E-01	2.90E-06	1.0E+06	2.9E+00
1118	9.52425	1.10E-02	1.0E-01	1.05E-03	1.10E-04	1.67E-01	1.57E-01	2.88E-06	1.0E+06	2.9E+00
1119	9.4434	1.10E-02	1.0E-01	1.05E-03	1.09E-04	1.67E-01	1.57E-01	2.86E-06	1.0E+06	2.9E+00
1120	9.34884	1.10E-02	1.0E-01	1.05E-03	1.08E-04	1.67E-01	1.57E-01	2.83E-06	1.0E+06	2.8E+00
1121	9.23908	1.10E-02	1.0E-01	1.05E-03	1.06E-04	1.67E-01	1.57E-01	2.79E-06	1.0E+06	2.8E+00
1122	9.0946	1.10E-02	1.0E-01	1.05E-03	1.05E-04	1.67E-01	1.57E-01	2.75E-06	1.0E+06	2.8E+00
1123	8.92466	1.10E-02	9.8E-02	1.05E-03	1.03E-04	1.67E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
1124	8.71614	1.10E-02	9.6E-02	1.05E-03	1.00E-04	1.67E-01	1.57E-01	2.64E-06	1.0E+06	2.6E+00
1125	8.44765	1.10E-02	9.3E-02	1.05E-03	9.73E-05	1.67E-01	1.57E-01	2.55E-06	1.0E+06	2.6E+00
1126	8.11751	1.10E-02	8.9E-02	1.05E-03	9.35E-05	1.67E-01	1.57E-01	2.45E-06	1.0E+06	2.5E+00
1127	7.74497	1.10E-02	8.5E-02	1.05E-03	8.92E-05	1.67E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1128	7.32057	1.10E-02	8.1E-02	1.05E-03	8.43E-05	1.67E-01	1.57E-01	2.21E-06	1.0E+06	2.2E+00
1129	6.82847	1.10E-02	7.5E-02	1.05E-03	7.86E-05	1.67E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
1130	6.27281	1.10E-02	6.9E-02	1.05E-03	7.22E-05	1.67E-01	1.57E-01	1.90E-06	1.0E+06	1.9E+00
1131	5.70031	1.10E-02	6.3E-02	1.05E-03	6.56E-05	1.67E-01	1.57E-01	1.72E-06	1.0E+06	1.7E+00
1132	5.1472	1.10E-02	5.7E-02	1.05E-03	5.93E-05	1.67E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
1133	4.63412	1.10E-02	5.1E-02	1.05E-03	5.34E-05	1.67E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1134	4.17136	1.10E-02	4.6E-02	1.05E-03	4.80E-05	1.67E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
1135	3.7611	1.10E-02	4.1E-02	1.05E-03	4.33E-05	1.67E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1136	3.399	1.10E-02	3.7E-02	1.05E-03	3.91E-05	1.67E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1137	3.08136	1.10E-02	3.4E-02	1.05E-03	3.55E-05	1.67E-01	1.57E-01	9.32E-07	1.0E+06	9.3E-01
1138	2.80172	1.10E-02	3.1E-02	1.05E-03	3.23E-05	1.67E-01	1.57E-01	8.47E-07	1.0E+06	8.5E-01
1139	2.55329	1.10E-02	2.8E-02	1.05E-03	2.94E-05	1.67E-01	1.57E-01	7.72E-07	1.0E+06	7.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	2.335	1.10E-02	2.6E-02	1.05E-03	2.69E-05	1.67E-01	1.57E-01	7.06E-07	1.0E+06	7.1E-01
1141	2.14568	1.10E-02	2.4E-02	1.05E-03	2.47E-05	1.67E-01	1.57E-01	6.49E-07	1.0E+06	6.5E-01
1142	1.97929	1.10E-02	2.2E-02	1.05E-03	2.28E-05	1.67E-01	1.57E-01	5.99E-07	1.0E+06	6.0E-01
1143	1.83105	1.10E-02	2.0E-02	1.05E-03	2.11E-05	1.67E-01	1.57E-01	5.54E-07	1.0E+06	5.5E-01
1144	1.69872	1.10E-02	1.9E-02	1.05E-03	1.96E-05	1.67E-01	1.57E-01	5.14E-07	1.0E+06	5.1E-01
1145	1.58005	1.10E-02	1.7E-02	1.05E-03	1.82E-05	1.67E-01	1.57E-01	4.78E-07	1.0E+06	4.8E-01
1146	9.88588	1.10E-02	1.1E-01	1.05E-03	1.14E-04	1.67E-01	1.57E-01	2.99E-06	1.0E+06	3.0E+00
1147	9.9394	1.10E-02	1.1E-01	1.05E-03	1.14E-04	1.67E-01	1.57E-01	3.01E-06	1.0E+06	3.0E+00
1148	11.64574	1.10E-02	1.3E-01	1.05E-03	1.34E-04	1.67E-01	1.57E-01	3.52E-06	1.0E+06	3.5E+00
1149	10.06257	1.10E-02	1.1E-01	1.05E-03	1.16E-04	1.67E-01	1.57E-01	3.04E-06	1.0E+06	3.0E+00
1150	9.91309	1.10E-02	1.1E-01	1.05E-03	1.14E-04	1.67E-01	1.57E-01	3.00E-06	1.0E+06	3.0E+00
1151	9.90461	1.10E-02	1.1E-01	1.05E-03	1.14E-04	1.67E-01	1.57E-01	2.99E-06	1.0E+06	3.0E+00
1152	10.0222	1.10E-02	1.1E-01	1.05E-03	1.15E-04	1.67E-01	1.57E-01	3.03E-06	1.0E+06	3.0E+00
1153	9.85946	1.10E-02	1.1E-01	1.05E-03	1.14E-04	1.67E-01	1.57E-01	2.98E-06	1.0E+06	3.0E+00
1154	9.60009	1.10E-02	1.1E-01	1.05E-03	1.11E-04	1.67E-01	1.57E-01	2.90E-06	1.0E+06	2.9E+00
1155	9.48701	1.10E-02	1.0E-01	1.05E-03	1.09E-04	1.67E-01	1.57E-01	2.87E-06	1.0E+06	2.9E+00
1156	9.50126	1.10E-02	1.0E-01	1.05E-03	1.09E-04	1.67E-01	1.57E-01	2.87E-06	1.0E+06	2.9E+00
1157	9.19978	1.10E-02	1.0E-01	1.05E-03	1.06E-04	1.67E-01	1.57E-01	2.78E-06	1.0E+06	2.8E+00
1158	8.76025	1.10E-02	9.7E-02	1.05E-03	1.01E-04	1.67E-01	1.57E-01	2.65E-06	1.0E+06	2.6E+00
1159	8.43738	1.10E-02	9.3E-02	1.05E-03	9.71E-05	1.67E-01	1.57E-01	2.55E-06	1.0E+06	2.6E+00
1160	6.77907	1.10E-02	7.5E-02	1.05E-03	7.81E-05	1.67E-01	1.57E-01	2.05E-06	1.0E+06	2.0E+00
1161	7.66995	1.10E-02	8.4E-02	1.05E-03	8.83E-05	1.67E-01	1.57E-01	2.32E-06	1.0E+06	2.3E+00
1162	6.93213	1.10E-02	7.6E-02	1.05E-03	7.98E-05	1.67E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
1163	6.27427	1.10E-02	6.9E-02	1.05E-03	7.22E-05	1.67E-01	1.57E-01	1.90E-06	1.0E+06	1.9E+00
1164	5.68263	1.10E-02	6.3E-02	1.05E-03	6.54E-05	1.67E-01	1.57E-01	1.72E-06	1.0E+06	1.7E+00
1165	6.57939	1.10E-02	7.2E-02	1.05E-03	7.58E-05	1.67E-01	1.57E-01	1.99E-06	1.0E+06	2.0E+00
1166	5.80062	1.10E-02	6.4E-02	1.05E-03	6.68E-05	1.67E-01	1.57E-01	1.75E-06	1.0E+06	1.8E+00
1167	5.11602	1.10E-02	5.6E-02	1.05E-03	5.89E-05	1.67E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
1168	4.52614	1.10E-02	5.0E-02	1.05E-03	5.21E-05	1.67E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
1169	4.023	1.10E-02	4.4E-02	1.05E-03	4.63E-05	1.67E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
1170	3.59319	1.10E-02	4.0E-02	1.05E-03	4.14E-05	1.67E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	3.2257	1.10E-02	3.6E-02	1.05E-03	3.71E-05	1.67E-01	1.57E-01	9.75E-07	1.0E+06	9.8E-01
1172	2.90902	1.10E-02	3.2E-02	1.05E-03	3.35E-05	1.67E-01	1.57E-01	8.80E-07	1.0E+06	8.8E-01
1173	2.63425	1.10E-02	2.9E-02	1.05E-03	3.03E-05	1.67E-01	1.57E-01	7.97E-07	1.0E+06	8.0E-01
1174	2.39577	1.10E-02	2.6E-02	1.05E-03	2.76E-05	1.67E-01	1.57E-01	7.24E-07	1.0E+06	7.2E-01
1175	2.19069	1.10E-02	2.4E-02	1.05E-03	2.52E-05	1.67E-01	1.57E-01	6.62E-07	1.0E+06	6.6E-01
1176	2.01198	1.10E-02	2.2E-02	1.05E-03	2.32E-05	1.67E-01	1.57E-01	6.08E-07	1.0E+06	6.1E-01
1177	1.85432	1.10E-02	2.0E-02	1.05E-03	2.14E-05	1.67E-01	1.57E-01	5.61E-07	1.0E+06	5.6E-01
1178	1.71461	1.10E-02	1.9E-02	1.05E-03	1.97E-05	1.67E-01	1.57E-01	5.18E-07	1.0E+06	5.2E-01
1179	1.59041	1.10E-02	1.8E-02	1.05E-03	1.83E-05	1.67E-01	1.57E-01	4.81E-07	1.0E+06	4.8E-01
1180	11.70193	1.10E-02	1.3E-01	1.05E-03	1.35E-04	1.67E-01	1.57E-01	3.54E-06	1.0E+06	3.5E+00
1181	11.81195	1.10E-02	1.3E-01	1.05E-03	1.36E-04	1.67E-01	1.57E-01	3.57E-06	1.0E+06	3.6E+00
1182	10.29178	1.10E-02	1.1E-01	1.05E-03	1.18E-04	1.67E-01	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1183	10.29615	1.10E-02	1.1E-01	1.05E-03	1.19E-04	1.67E-01	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1184	11.75729	1.10E-02	1.3E-01	1.05E-03	1.35E-04	1.67E-01	1.57E-01	3.56E-06	1.0E+06	3.6E+00
1185	11.79799	1.10E-02	1.3E-01	1.05E-03	1.36E-04	1.67E-01	1.57E-01	3.57E-06	1.0E+06	3.6E+00
1186	10.15133	1.10E-02	1.1E-01	1.05E-03	1.17E-04	1.67E-01	1.57E-01	3.07E-06	1.0E+06	3.1E+00
1187	10.05624	1.10E-02	1.1E-01	1.05E-03	1.16E-04	1.67E-01	1.57E-01	3.04E-06	1.0E+06	3.0E+00
1188	11.43424	1.10E-02	1.3E-01	1.05E-03	1.32E-04	1.67E-01	1.57E-01	3.46E-06	1.0E+06	3.5E+00
1189	9.89315	1.10E-02	1.1E-01	1.05E-03	1.14E-04	1.67E-01	1.57E-01	2.99E-06	1.0E+06	3.0E+00
1190	9.51915	1.10E-02	1.0E-01	1.05E-03	1.10E-04	1.67E-01	1.57E-01	2.88E-06	1.0E+06	2.9E+00
1191	9.23324	1.10E-02	1.0E-01	1.05E-03	1.06E-04	1.67E-01	1.57E-01	2.79E-06	1.0E+06	2.8E+00
1192	10.40791	1.10E-02	1.1E-01	1.05E-03	1.20E-04	1.67E-01	1.57E-01	3.15E-06	1.0E+06	3.1E+00
1193	8.54948	1.10E-02	9.4E-02	1.05E-03	9.84E-05	1.67E-01	1.57E-01	2.59E-06	1.0E+06	2.6E+00
1194	7.84778	1.10E-02	8.6E-02	1.05E-03	9.04E-05	1.67E-01	1.57E-01	2.37E-06	1.0E+06	2.4E+00
1195	7.22768	1.10E-02	8.0E-02	1.05E-03	8.32E-05	1.67E-01	1.57E-01	2.19E-06	1.0E+06	2.2E+00
1196	8.06163	1.10E-02	8.9E-02	1.05E-03	9.28E-05	1.67E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
1197	7.18865	1.10E-02	7.9E-02	1.05E-03	8.28E-05	1.67E-01	1.57E-01	2.17E-06	1.0E+06	2.2E+00
1198	6.42918	1.10E-02	7.1E-02	1.05E-03	7.40E-05	1.67E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
1199	5.75126	1.10E-02	6.3E-02	1.05E-03	6.62E-05	1.67E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
1200	6.55755	1.10E-02	7.2E-02	1.05E-03	7.55E-05	1.67E-01	1.57E-01	1.98E-06	1.0E+06	2.0E+00
1201	5.64061	1.10E-02	6.2E-02	1.05E-03	6.49E-05	1.67E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

							Cancer Risk from Birth to 2 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	4.89267	1.10E-02	5.4E-02	1.05E-03	5.63E-05	1.67E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
1203	4.28273	1.10E-02	4.7E-02	1.05E-03	4.93E-05	1.67E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
1204	3.77767	1.10E-02	4.2E-02	1.05E-03	4.35E-05	1.67E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1205	3.35722	1.10E-02	3.7E-02	1.05E-03	3.87E-05	1.67E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1206	3.00341	1.10E-02	3.3E-02	1.05E-03	3.46E-05	1.67E-01	1.57E-01	9.08E-07	1.0E+06	9.1E-01
1207	2.70273	1.10E-02	3.0E-02	1.05E-03	3.11E-05	1.67E-01	1.57E-01	8.17E-07	1.0E+06	8.2E-01
1208	2.44544	1.10E-02	2.7E-02	1.05E-03	2.82E-05	1.67E-01	1.57E-01	7.39E-07	1.0E+06	7.4E-01
1209	2.22575	1.10E-02	2.5E-02	1.05E-03	2.56E-05	1.67E-01	1.57E-01	6.73E-07	1.0E+06	6.7E-01
1210	2.03585	1.10E-02	2.2E-02	1.05E-03	2.34E-05	1.67E-01	1.57E-01	6.16E-07	1.0E+06	6.2E-01
1211	1.86986	1.10E-02	2.1E-02	1.05E-03	2.15E-05	1.67E-01	1.57E-01	5.65E-07	1.0E+06	5.7E-01
1212	1.72393	1.10E-02	1.9E-02	1.05E-03	1.98E-05	1.67E-01	1.57E-01	5.21E-07	1.0E+06	5.2E-01
1213	1.59495	1.10E-02	1.8E-02	1.05E-03	1.84E-05	1.67E-01	1.57E-01	4.82E-07	1.0E+06	4.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	6.07E-03
893	5	5.82E-03
894	5	5.57E-03
895	5	5.32E-03
896	5	5.07E-03
897	5	4.82E-03
898	5	4.58E-03
899	5	4.36E-03
900	5	4.14E-03
901	5	3.93E-03
902	5	3.73E-03
903	5	3.53E-03
904	5	3.34E-03
905	5	3.17E-03
906	5	3.00E-03
907	5	2.85E-03
908	5	9.11E-03
909	5	9.14E-03
910	5	9.15E-03
911	5	9.15E-03
912	5	9.14E-03
913	5	9.10E-03
914	5	9.05E-03
915	5	8.98E-03
916	5	8.89E-03
917	5	8.78E-03
918	5	8.65E-03
919	5	8.50E-03
920	5	8.32E-03
921	5	8.13E-03
922	5	7.92E-03

Max	Receptor #	
0.026	1181	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	7.68E-03
924	5	7.43E-03
925	5	7.16E-03
926	5	6.89E-03
927	5	6.60E-03
928	5	6.31E-03
929	5	6.01E-03
930	5	5.71E-03
931	5	5.42E-03
932	5	5.13E-03
933	5	4.86E-03
934	5	4.60E-03
935	5	4.35E-03
936	5	4.11E-03
937	5	3.88E-03
938	5	3.66E-03
939	5	3.46E-03
940	5	3.27E-03
941	5	3.09E-03
942	5	1.02E-02
943	5	1.03E-02
944	5	1.03E-02
945	5	1.03E-02
946	5	1.02E-02
947	5	1.02E-02
948	5	1.01E-02
949	5	1.01E-02
950	5	9.95E-03
951	5	9.82E-03
952	5	9.67E-03
953	5	9.49E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	9.29E-03
955	5	9.07E-03
956	5	8.81E-03
957	5	8.52E-03
958	5	8.22E-03
959	5	7.90E-03
960	5	7.56E-03
961	5	7.21E-03
962	5	6.86E-03
963	5	6.50E-03
964	5	6.15E-03
965	5	5.80E-03
966	5	5.47E-03
967	5	5.15E-03
968	5	4.85E-03
969	5	4.56E-03
970	5	4.29E-03
971	5	4.03E-03
972	5	3.80E-03
973	5	3.58E-03
974	5	3.37E-03
975	5	3.18E-03
976	5	1.16E-02
977	5	1.16E-02
978	5	1.16E-02
979	5	1.16E-02
980	5	1.16E-02
981	5	1.15E-02
982	5	1.14E-02
983	5	1.13E-02
984	5	1.12E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	1.11E-02
986	5	1.09E-02
987	5	1.07E-02
988	5	1.05E-02
989	5	1.02E-02
990	5	9.88E-03
991	5	9.53E-03
992	5	9.16E-03
993	5	8.77E-03
994	5	8.36E-03
995	5	7.93E-03
996	5	7.50E-03
997	5	7.06E-03
998	5	6.63E-03
999	5	6.22E-03
1000	5	5.83E-03
1001	5	5.46E-03
1002	5	5.11E-03
1003	5	4.78E-03
1004	5	4.47E-03
1005	5	4.19E-03
1006	5	3.93E-03
1007	5	3.69E-03
1008	5	3.47E-03
1009	5	3.26E-03
1010	5	1.32E-02
1011	5	1.32E-02
1012	5	1.32E-02
1013	5	1.32E-02
1014	5	1.32E-02
1015	5	1.31E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	1.30E-02
1017	5	1.29E-02
1018	5	1.28E-02
1019	5	1.26E-02
1020	5	1.24E-02
1021	5	1.22E-02
1022	5	1.19E-02
1023	5	1.16E-02
1024	5	1.12E-02
1025	5	1.08E-02
1026	5	1.03E-02
1027	5	9.82E-03
1028	5	9.31E-03
1029	5	8.78E-03
1030	5	8.24E-03
1031	5	7.70E-03
1032	5	7.18E-03
1033	5	6.68E-03
1034	5	6.21E-03
1035	5	5.78E-03
1036	5	5.38E-03
1037	5	5.00E-03
1038	5	4.65E-03
1039	5	4.34E-03
1040	5	4.05E-03
1041	5	3.79E-03
1042	5	3.55E-03
1043	5	3.33E-03
1044	5	1.52E-02
1045	5	1.52E-02
1046	5	1.52E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	1.52E-02
1048	5	1.52E-02
1049	5	1.52E-02
1050	5	1.51E-02
1051	5	1.49E-02
1052	5	1.47E-02
1053	5	1.46E-02
1054	5	1.43E-02
1055	5	1.40E-02
1056	5	1.37E-02
1057	5	1.33E-02
1058	5	1.29E-02
1059	5	1.23E-02
1060	5	1.17E-02
1061	5	1.11E-02
1062	5	1.05E-02
1063	5	9.79E-03
1064	5	9.10E-03
1065	5	8.43E-03
1066	5	7.78E-03
1067	5	7.18E-03
1068	5	6.62E-03
1069	5	6.11E-03
1070	5	5.65E-03
1071	5	5.21E-03
1072	5	4.82E-03
1073	5	4.48E-03
1074	5	4.17E-03
1075	5	3.88E-03
1076	5	3.63E-03
1077	5	3.39E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	1.77E-02
1079	5	1.78E-02
1080	5	1.78E-02
1081	5	1.78E-02
1082	5	1.78E-02
1083	5	1.77E-02
1084	5	1.76E-02
1085	5	1.75E-02
1086	5	1.73E-02
1087	5	1.70E-02
1088	5	1.68E-02
1089	5	1.64E-02
1090	5	1.61E-02
1091	5	1.56E-02
1092	5	1.50E-02
1093	5	1.43E-02
1094	5	1.36E-02
1095	5	1.28E-02
1096	5	1.19E-02
1097	5	1.10E-02
1098	5	1.01E-02
1099	5	9.26E-03
1100	5	8.45E-03
1101	5	7.72E-03
1102	5	7.05E-03
1103	5	6.45E-03
1104	5	5.91E-03
1105	5	5.43E-03
1106	5	4.99E-03
1107	5	4.61E-03
1108	5	4.27E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	3.97E-03
1110	5	3.69E-03
1111	5	3.44E-03
1112	5	2.11E-02
1113	5	2.11E-02
1114	5	2.12E-02
1115	5	2.12E-02
1116	5	2.12E-02
1117	5	2.11E-02
1118	5	2.10E-02
1119	5	2.08E-02
1120	5	2.06E-02
1121	5	2.04E-02
1122	5	2.00E-02
1123	5	1.97E-02
1124	5	1.92E-02
1125	5	1.86E-02
1126	5	1.79E-02
1127	5	1.71E-02
1128	5	1.61E-02
1129	5	1.50E-02
1130	5	1.38E-02
1131	5	1.26E-02
1132	5	1.13E-02
1133	5	1.02E-02
1134	5	9.19E-03
1135	5	8.29E-03
1136	5	7.49E-03
1137	5	6.79E-03
1138	5	6.17E-03
1139	5	5.63E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	5.14E-03
1141	5	4.73E-03
1142	5	4.36E-03
1143	5	4.03E-03
1144	5	3.74E-03
1145	5	3.48E-03
1146	5	2.18E-02
1147	5	2.19E-02
1148	5	2.57E-02
1149	5	2.22E-02
1150	5	2.18E-02
1151	5	2.18E-02
1152	5	2.21E-02
1153	5	2.17E-02
1154	5	2.12E-02
1155	5	2.09E-02
1156	5	2.09E-02
1157	5	2.03E-02
1158	5	1.93E-02
1159	5	1.86E-02
1160	5	1.49E-02
1161	5	1.69E-02
1162	5	1.53E-02
1163	5	1.38E-02
1164	5	1.25E-02
1165	5	1.45E-02
1166	5	1.28E-02
1167	5	1.13E-02
1168	5	9.97E-03
1169	5	8.86E-03
1170	5	7.92E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	7.11E-03
1172	5	6.41E-03
1173	5	5.80E-03
1174	5	5.28E-03
1175	5	4.83E-03
1176	5	4.43E-03
1177	5	4.09E-03
1178	5	3.78E-03
1179	5	3.50E-03
1180	5	2.58E-02
1181	5	2.60E-02
1182	5	2.27E-02
1183	5	2.27E-02
1184	5	2.59E-02
1185	5	2.60E-02
1186	5	2.24E-02
1187	5	2.22E-02
1188	5	2.52E-02
1189	5	2.18E-02
1190	5	2.10E-02
1191	5	2.03E-02
1192	5	2.29E-02
1193	5	1.88E-02
1194	5	1.73E-02
1195	5	1.59E-02
1196	5	1.78E-02
1197	5	1.58E-02
1198	5	1.42E-02
1199	5	1.27E-02
1200	5	1.44E-02
1201	5	1.24E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	1.08E-02
1203	5	9.44E-03
1204	5	8.32E-03
1205	5	7.40E-03
1206	5	6.62E-03
1207	5	5.95E-03
1208	5	5.39E-03
1209	5	4.90E-03
1210	5	4.49E-03
1211	5	4.12E-03
1212	5	3.80E-03
1213	5	3.51E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.75542	5.42E-02	1.5E-01	1.05E-03	1.56E-04	3.32E-01	1.57E-01	8.14E-06	1.0E+06	8.1E+00
893	2.64375	5.42E-02	1.4E-01	1.05E-03	1.50E-04	3.32E-01	1.57E-01	7.81E-06	1.0E+06	7.8E+00
894	2.52963	5.42E-02	1.4E-01	1.05E-03	1.43E-04	3.32E-01	1.57E-01	7.47E-06	1.0E+06	7.5E+00
895	2.41457	5.42E-02	1.3E-01	1.05E-03	1.37E-04	3.32E-01	1.57E-01	7.13E-06	1.0E+06	7.1E+00
896	2.30061	5.42E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.79E-06	1.0E+06	6.8E+00
897	2.18935	5.42E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.47E-06	1.0E+06	6.5E+00
898	2.08092	5.42E-02	1.1E-01	1.05E-03	1.18E-04	3.32E-01	1.57E-01	6.14E-06	1.0E+06	6.1E+00
899	1.97707	5.42E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.84E-06	1.0E+06	5.8E+00
900	1.87859	5.42E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.55E-06	1.0E+06	5.5E+00
901	1.78411	5.42E-02	9.7E-02	1.05E-03	1.01E-04	3.32E-01	1.57E-01	5.27E-06	1.0E+06	5.3E+00
902	1.69123	5.42E-02	9.2E-02	1.05E-03	9.59E-05	3.32E-01	1.57E-01	4.99E-06	1.0E+06	5.0E+00
903	1.60208	5.42E-02	8.7E-02	1.05E-03	9.08E-05	3.32E-01	1.57E-01	4.73E-06	1.0E+06	4.7E+00
904	1.51789	5.42E-02	8.2E-02	1.05E-03	8.60E-05	3.32E-01	1.57E-01	4.48E-06	1.0E+06	4.5E+00
905	1.43857	5.42E-02	7.8E-02	1.05E-03	8.15E-05	3.32E-01	1.57E-01	4.25E-06	1.0E+06	4.2E+00
906	1.36373	5.42E-02	7.4E-02	1.05E-03	7.73E-05	3.32E-01	1.57E-01	4.03E-06	1.0E+06	4.0E+00
907	1.29572	5.42E-02	7.0E-02	1.05E-03	7.34E-05	3.32E-01	1.57E-01	3.83E-06	1.0E+06	3.8E+00
908	4.13343	5.42E-02	2.2E-01	1.05E-03	2.34E-04	3.32E-01	1.57E-01	1.22E-05	1.0E+06	1.2E+01
909	4.14798	5.42E-02	2.2E-01	1.05E-03	2.35E-04	3.32E-01	1.57E-01	1.22E-05	1.0E+06	1.2E+01
910	4.15467	5.42E-02	2.3E-01	1.05E-03	2.36E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
911	4.15515	5.42E-02	2.3E-01	1.05E-03	2.36E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
912	4.14723	5.42E-02	2.2E-01	1.05E-03	2.35E-04	3.32E-01	1.57E-01	1.22E-05	1.0E+06	1.2E+01
913	4.13132	5.42E-02	2.2E-01	1.05E-03	2.34E-04	3.32E-01	1.57E-01	1.22E-05	1.0E+06	1.2E+01
914	4.10746	5.42E-02	2.2E-01	1.05E-03	2.33E-04	3.32E-01	1.57E-01	1.21E-05	1.0E+06	1.2E+01
915	4.07476	5.42E-02	2.2E-01	1.05E-03	2.31E-04	3.32E-01	1.57E-01	1.20E-05	1.0E+06	1.2E+01
916	4.03399	5.42E-02	2.2E-01	1.05E-03	2.29E-04	3.32E-01	1.57E-01	1.19E-05	1.0E+06	1.2E+01
917	3.98405	5.42E-02	2.2E-01	1.05E-03	2.26E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
918	3.92475	5.42E-02	2.1E-01	1.05E-03	2.22E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
919	3.85612	5.42E-02	2.1E-01	1.05E-03	2.19E-04	3.32E-01	1.57E-01	1.14E-05	1.0E+06	1.1E+01
920	3.7783	5.42E-02	2.0E-01	1.05E-03	2.14E-04	3.32E-01	1.57E-01	1.12E-05	1.0E+06	1.1E+01
921	3.69128	5.42E-02	2.0E-01	1.05E-03	2.09E-04	3.32E-01	1.57E-01	1.09E-05	1.0E+06	1.1E+01
922	3.59342	5.42E-02	1.9E-01	1.05E-03	2.04E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	3.48686	5.42E-02	1.9E-01	1.05E-03	1.98E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
924	3.37248	5.42E-02	1.8E-01	1.05E-03	1.91E-04	3.32E-01	1.57E-01	9.96E-06	1.0E+06	1.0E+01
925	3.25179	5.42E-02	1.8E-01	1.05E-03	1.84E-04	3.32E-01	1.57E-01	9.60E-06	1.0E+06	9.6E+00
926	3.12547	5.42E-02	1.7E-01	1.05E-03	1.77E-04	3.32E-01	1.57E-01	9.23E-06	1.0E+06	9.2E+00
927	2.99521	5.42E-02	1.6E-01	1.05E-03	1.70E-04	3.32E-01	1.57E-01	8.84E-06	1.0E+06	8.8E+00
928	2.86199	5.42E-02	1.6E-01	1.05E-03	1.62E-04	3.32E-01	1.57E-01	8.45E-06	1.0E+06	8.5E+00
929	2.72693	5.42E-02	1.5E-01	1.05E-03	1.55E-04	3.32E-01	1.57E-01	8.05E-06	1.0E+06	8.1E+00
930	2.59145	5.42E-02	1.4E-01	1.05E-03	1.47E-04	3.32E-01	1.57E-01	7.65E-06	1.0E+06	7.7E+00
931	2.45834	5.42E-02	1.3E-01	1.05E-03	1.39E-04	3.32E-01	1.57E-01	7.26E-06	1.0E+06	7.3E+00
932	2.32945	5.42E-02	1.3E-01	1.05E-03	1.32E-04	3.32E-01	1.57E-01	6.88E-06	1.0E+06	6.9E+00
933	2.20497	5.42E-02	1.2E-01	1.05E-03	1.25E-04	3.32E-01	1.57E-01	6.51E-06	1.0E+06	6.5E+00
934	2.08581	5.42E-02	1.1E-01	1.05E-03	1.18E-04	3.32E-01	1.57E-01	6.16E-06	1.0E+06	6.2E+00
935	1.97237	5.42E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.82E-06	1.0E+06	5.8E+00
936	1.86474	5.42E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.51E-06	1.0E+06	5.5E+00
937	1.76097	5.42E-02	9.6E-02	1.05E-03	9.98E-05	3.32E-01	1.57E-01	5.20E-06	1.0E+06	5.2E+00
938	1.6625	5.42E-02	9.0E-02	1.05E-03	9.42E-05	3.32E-01	1.57E-01	4.91E-06	1.0E+06	4.9E+00
939	1.57017	5.42E-02	8.5E-02	1.05E-03	8.90E-05	3.32E-01	1.57E-01	4.64E-06	1.0E+06	4.6E+00
940	1.48389	5.42E-02	8.0E-02	1.05E-03	8.41E-05	3.32E-01	1.57E-01	4.38E-06	1.0E+06	4.4E+00
941	1.40313	5.42E-02	7.6E-02	1.05E-03	7.95E-05	3.32E-01	1.57E-01	4.14E-06	1.0E+06	4.1E+00
942	4.63799	5.42E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
943	4.65331	5.42E-02	2.5E-01	1.05E-03	2.64E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
944	4.66029	5.42E-02	2.5E-01	1.05E-03	2.64E-04	3.32E-01	1.57E-01	1.38E-05	1.0E+06	1.4E+01
945	4.65962	5.42E-02	2.5E-01	1.05E-03	2.64E-04	3.32E-01	1.57E-01	1.38E-05	1.0E+06	1.4E+01
946	4.64997	5.42E-02	2.5E-01	1.05E-03	2.64E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
947	4.63099	5.42E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
948	4.60175	5.42E-02	2.5E-01	1.05E-03	2.61E-04	3.32E-01	1.57E-01	1.36E-05	1.0E+06	1.4E+01
949	4.56263	5.42E-02	2.5E-01	1.05E-03	2.59E-04	3.32E-01	1.57E-01	1.35E-05	1.0E+06	1.3E+01
950	4.51437	5.42E-02	2.4E-01	1.05E-03	2.56E-04	3.32E-01	1.57E-01	1.33E-05	1.0E+06	1.3E+01
951	4.45739	5.42E-02	2.4E-01	1.05E-03	2.53E-04	3.32E-01	1.57E-01	1.32E-05	1.0E+06	1.3E+01
952	4.389	5.42E-02	2.4E-01	1.05E-03	2.49E-04	3.32E-01	1.57E-01	1.30E-05	1.0E+06	1.3E+01
953	4.30956	5.42E-02	2.3E-01	1.05E-03	2.44E-04	3.32E-01	1.57E-01	1.27E-05	1.0E+06	1.3E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	4.21848	5.42E-02	2.3E-01	1.05E-03	2.39E-04	3.32E-01	1.57E-01	1.25E-05	1.0E+06	1.2E+01
955	4.11568	5.42E-02	2.2E-01	1.05E-03	2.33E-04	3.32E-01	1.57E-01	1.22E-05	1.0E+06	1.2E+01
956	3.99754	5.42E-02	2.2E-01	1.05E-03	2.27E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
957	3.86722	5.42E-02	2.1E-01	1.05E-03	2.19E-04	3.32E-01	1.57E-01	1.14E-05	1.0E+06	1.1E+01
958	3.72905	5.42E-02	2.0E-01	1.05E-03	2.11E-04	3.32E-01	1.57E-01	1.10E-05	1.0E+06	1.1E+01
959	3.58424	5.42E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
960	3.43198	5.42E-02	1.9E-01	1.05E-03	1.95E-04	3.32E-01	1.57E-01	1.01E-05	1.0E+06	1.0E+01
961	3.27428	5.42E-02	1.8E-01	1.05E-03	1.86E-04	3.32E-01	1.57E-01	9.67E-06	1.0E+06	9.7E+00
962	3.11339	5.42E-02	1.7E-01	1.05E-03	1.76E-04	3.32E-01	1.57E-01	9.19E-06	1.0E+06	9.2E+00
963	2.95106	5.42E-02	1.6E-01	1.05E-03	1.67E-04	3.32E-01	1.57E-01	8.71E-06	1.0E+06	8.7E+00
964	2.78992	5.42E-02	1.5E-01	1.05E-03	1.58E-04	3.32E-01	1.57E-01	8.24E-06	1.0E+06	8.2E+00
965	2.63225	5.42E-02	1.4E-01	1.05E-03	1.49E-04	3.32E-01	1.57E-01	7.77E-06	1.0E+06	7.8E+00
966	2.48139	5.42E-02	1.3E-01	1.05E-03	1.41E-04	3.32E-01	1.57E-01	7.33E-06	1.0E+06	7.3E+00
967	2.33706	5.42E-02	1.3E-01	1.05E-03	1.32E-04	3.32E-01	1.57E-01	6.90E-06	1.0E+06	6.9E+00
968	2.19954	5.42E-02	1.2E-01	1.05E-03	1.25E-04	3.32E-01	1.57E-01	6.50E-06	1.0E+06	6.5E+00
969	2.06894	5.42E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.11E-06	1.0E+06	6.1E+00
970	1.94612	5.42E-02	1.1E-01	1.05E-03	1.10E-04	3.32E-01	1.57E-01	5.75E-06	1.0E+06	5.7E+00
971	1.83103	5.42E-02	9.9E-02	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.41E-06	1.0E+06	5.4E+00
972	1.72334	5.42E-02	9.3E-02	1.05E-03	9.77E-05	3.32E-01	1.57E-01	5.09E-06	1.0E+06	5.1E+00
973	1.62308	5.42E-02	8.8E-02	1.05E-03	9.20E-05	3.32E-01	1.57E-01	4.79E-06	1.0E+06	4.8E+00
974	1.52973	5.42E-02	8.3E-02	1.05E-03	8.67E-05	3.32E-01	1.57E-01	4.52E-06	1.0E+06	4.5E+00
975	1.44302	5.42E-02	7.8E-02	1.05E-03	8.18E-05	3.32E-01	1.57E-01	4.26E-06	1.0E+06	4.3E+00
976	5.243	5.42E-02	2.8E-01	1.05E-03	2.97E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.5E+01
977	5.25934	5.42E-02	2.9E-01	1.05E-03	2.98E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.6E+01
978	5.26636	5.42E-02	2.9E-01	1.05E-03	2.99E-04	3.32E-01	1.57E-01	1.56E-05	1.0E+06	1.6E+01
979	5.26489	5.42E-02	2.9E-01	1.05E-03	2.98E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.6E+01
980	5.25326	5.42E-02	2.8E-01	1.05E-03	2.98E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.6E+01
981	5.23115	5.42E-02	2.8E-01	1.05E-03	2.97E-04	3.32E-01	1.57E-01	1.54E-05	1.0E+06	1.5E+01
982	5.19613	5.42E-02	2.8E-01	1.05E-03	2.95E-04	3.32E-01	1.57E-01	1.53E-05	1.0E+06	1.5E+01
983	5.14934	5.42E-02	2.8E-01	1.05E-03	2.92E-04	3.32E-01	1.57E-01	1.52E-05	1.0E+06	1.5E+01
984	5.09275	5.42E-02	2.8E-01	1.05E-03	2.89E-04	3.32E-01	1.57E-01	1.50E-05	1.0E+06	1.5E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	5.02795	5.42E-02	2.7E-01	1.05E-03	2.85E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
986	4.94967	5.42E-02	2.7E-01	1.05E-03	2.81E-04	3.32E-01	1.57E-01	1.46E-05	1.0E+06	1.5E+01
987	4.85719	5.42E-02	2.6E-01	1.05E-03	2.75E-04	3.32E-01	1.57E-01	1.43E-05	1.0E+06	1.4E+01
988	4.75055	5.42E-02	2.6E-01	1.05E-03	2.69E-04	3.32E-01	1.57E-01	1.40E-05	1.0E+06	1.4E+01
989	4.62829	5.42E-02	2.5E-01	1.05E-03	2.62E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
990	4.48499	5.42E-02	2.4E-01	1.05E-03	2.54E-04	3.32E-01	1.57E-01	1.32E-05	1.0E+06	1.3E+01
991	4.32464	5.42E-02	2.3E-01	1.05E-03	2.45E-04	3.32E-01	1.57E-01	1.28E-05	1.0E+06	1.3E+01
992	4.15588	5.42E-02	2.3E-01	1.05E-03	2.36E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
993	3.97939	5.42E-02	2.2E-01	1.05E-03	2.26E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
994	3.794	5.42E-02	2.1E-01	1.05E-03	2.15E-04	3.32E-01	1.57E-01	1.12E-05	1.0E+06	1.1E+01
995	3.59983	5.42E-02	2.0E-01	1.05E-03	2.04E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
996	3.4027	5.42E-02	1.8E-01	1.05E-03	1.93E-04	3.32E-01	1.57E-01	1.00E-05	1.0E+06	1.0E+01
997	3.2054	5.42E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.47E-06	1.0E+06	9.5E+00
998	3.01092	5.42E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.89E-06	1.0E+06	8.9E+00
999	2.82294	5.42E-02	1.5E-01	1.05E-03	1.60E-04	3.32E-01	1.57E-01	8.34E-06	1.0E+06	8.3E+00
1000	2.64526	5.42E-02	1.4E-01	1.05E-03	1.50E-04	3.32E-01	1.57E-01	7.81E-06	1.0E+06	7.8E+00
1001	2.47694	5.42E-02	1.3E-01	1.05E-03	1.40E-04	3.32E-01	1.57E-01	7.31E-06	1.0E+06	7.3E+00
1002	2.31821	5.42E-02	1.3E-01	1.05E-03	1.31E-04	3.32E-01	1.57E-01	6.85E-06	1.0E+06	6.8E+00
1003	2.16778	5.42E-02	1.2E-01	1.05E-03	1.23E-04	3.32E-01	1.57E-01	6.40E-06	1.0E+06	6.4E+00
1004	2.02814	5.42E-02	1.1E-01	1.05E-03	1.15E-04	3.32E-01	1.57E-01	5.99E-06	1.0E+06	6.0E+00
1005	1.90048	5.42E-02	1.0E-01	1.05E-03	1.08E-04	3.32E-01	1.57E-01	5.61E-06	1.0E+06	5.6E+00
1006	1.78307	5.42E-02	9.7E-02	1.05E-03	1.01E-04	3.32E-01	1.57E-01	5.27E-06	1.0E+06	5.3E+00
1007	1.67441	5.42E-02	9.1E-02	1.05E-03	9.49E-05	3.32E-01	1.57E-01	4.94E-06	1.0E+06	4.9E+00
1008	1.57366	5.42E-02	8.5E-02	1.05E-03	8.92E-05	3.32E-01	1.57E-01	4.65E-06	1.0E+06	4.6E+00
1009	1.4807	5.42E-02	8.0E-02	1.05E-03	8.39E-05	3.32E-01	1.57E-01	4.37E-06	1.0E+06	4.4E+00
1010	5.97868	5.42E-02	3.2E-01	1.05E-03	3.39E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1011	5.99696	5.42E-02	3.3E-01	1.05E-03	3.40E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1012	6.00444	5.42E-02	3.3E-01	1.05E-03	3.40E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1013	6.00212	5.42E-02	3.3E-01	1.05E-03	3.40E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1014	5.98983	5.42E-02	3.2E-01	1.05E-03	3.40E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1015	5.96427	5.42E-02	3.2E-01	1.05E-03	3.38E-04	3.32E-01	1.57E-01	1.76E-05	1.0E+06	1.8E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	5.92283	5.42E-02	3.2E-01	1.05E-03	3.36E-04	3.32E-01	1.57E-01	1.75E-05	1.0E+06	1.7E+01
1017	5.86765	5.42E-02	3.2E-01	1.05E-03	3.33E-04	3.32E-01	1.57E-01	1.73E-05	1.0E+06	1.7E+01
1018	5.80186	5.42E-02	3.1E-01	1.05E-03	3.29E-04	3.32E-01	1.57E-01	1.71E-05	1.0E+06	1.7E+01
1019	5.72853	5.42E-02	3.1E-01	1.05E-03	3.25E-04	3.32E-01	1.57E-01	1.69E-05	1.0E+06	1.7E+01
1020	5.63808	5.42E-02	3.1E-01	1.05E-03	3.20E-04	3.32E-01	1.57E-01	1.66E-05	1.0E+06	1.7E+01
1021	5.53055	5.42E-02	3.0E-01	1.05E-03	3.14E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1022	5.40447	5.42E-02	2.9E-01	1.05E-03	3.06E-04	3.32E-01	1.57E-01	1.60E-05	1.0E+06	1.6E+01
1023	5.25811	5.42E-02	2.9E-01	1.05E-03	2.98E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.6E+01
1024	5.0836	5.42E-02	2.8E-01	1.05E-03	2.88E-04	3.32E-01	1.57E-01	1.50E-05	1.0E+06	1.5E+01
1025	4.88592	5.42E-02	2.6E-01	1.05E-03	2.77E-04	3.32E-01	1.57E-01	1.44E-05	1.0E+06	1.4E+01
1026	4.67717	5.42E-02	2.5E-01	1.05E-03	2.65E-04	3.32E-01	1.57E-01	1.38E-05	1.0E+06	1.4E+01
1027	4.45807	5.42E-02	2.4E-01	1.05E-03	2.53E-04	3.32E-01	1.57E-01	1.32E-05	1.0E+06	1.3E+01
1028	4.22657	5.42E-02	2.3E-01	1.05E-03	2.40E-04	3.32E-01	1.57E-01	1.25E-05	1.0E+06	1.2E+01
1029	3.98391	5.42E-02	2.2E-01	1.05E-03	2.26E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
1030	3.73847	5.42E-02	2.0E-01	1.05E-03	2.12E-04	3.32E-01	1.57E-01	1.10E-05	1.0E+06	1.1E+01
1031	3.49452	5.42E-02	1.9E-01	1.05E-03	1.98E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
1032	3.25736	5.42E-02	1.8E-01	1.05E-03	1.85E-04	3.32E-01	1.57E-01	9.62E-06	1.0E+06	9.6E+00
1033	3.03159	5.42E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.95E-06	1.0E+06	9.0E+00
1034	2.82048	5.42E-02	1.5E-01	1.05E-03	1.60E-04	3.32E-01	1.57E-01	8.33E-06	1.0E+06	8.3E+00
1035	2.62362	5.42E-02	1.4E-01	1.05E-03	1.49E-04	3.32E-01	1.57E-01	7.75E-06	1.0E+06	7.7E+00
1036	2.43983	5.42E-02	1.3E-01	1.05E-03	1.38E-04	3.32E-01	1.57E-01	7.20E-06	1.0E+06	7.2E+00
1037	2.26786	5.42E-02	1.2E-01	1.05E-03	1.29E-04	3.32E-01	1.57E-01	6.70E-06	1.0E+06	6.7E+00
1038	2.10979	5.42E-02	1.1E-01	1.05E-03	1.20E-04	3.32E-01	1.57E-01	6.23E-06	1.0E+06	6.2E+00
1039	1.96818	5.42E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.81E-06	1.0E+06	5.8E+00
1040	1.83967	5.42E-02	1.0E-01	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.43E-06	1.0E+06	5.4E+00
1041	1.72159	5.42E-02	9.3E-02	1.05E-03	9.76E-05	3.32E-01	1.57E-01	5.08E-06	1.0E+06	5.1E+00
1042	1.61299	5.42E-02	8.7E-02	1.05E-03	9.14E-05	3.32E-01	1.57E-01	4.76E-06	1.0E+06	4.8E+00
1043	1.5135	5.42E-02	8.2E-02	1.05E-03	8.58E-05	3.32E-01	1.57E-01	4.47E-06	1.0E+06	4.5E+00
1044	6.89122	5.42E-02	3.7E-01	1.05E-03	3.91E-04	3.32E-01	1.57E-01	2.03E-05	1.0E+06	2.0E+01
1045	6.91198	5.42E-02	3.7E-01	1.05E-03	3.92E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01
1046	6.92081	5.42E-02	3.8E-01	1.05E-03	3.92E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	6.91918	5.42E-02	3.8E-01	1.05E-03	3.92E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01
1048	6.90738	5.42E-02	3.7E-01	1.05E-03	3.92E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01
1049	6.87983	5.42E-02	3.7E-01	1.05E-03	3.90E-04	3.32E-01	1.57E-01	2.03E-05	1.0E+06	2.0E+01
1050	6.83215	5.42E-02	3.7E-01	1.05E-03	3.87E-04	3.32E-01	1.57E-01	2.02E-05	1.0E+06	2.0E+01
1051	6.76791	5.42E-02	3.7E-01	1.05E-03	3.84E-04	3.32E-01	1.57E-01	2.00E-05	1.0E+06	2.0E+01
1052	6.69199	5.42E-02	3.6E-01	1.05E-03	3.79E-04	3.32E-01	1.57E-01	1.98E-05	1.0E+06	2.0E+01
1053	6.60719	5.42E-02	3.6E-01	1.05E-03	3.75E-04	3.32E-01	1.57E-01	1.95E-05	1.0E+06	2.0E+01
1054	6.50171	5.42E-02	3.5E-01	1.05E-03	3.69E-04	3.32E-01	1.57E-01	1.92E-05	1.0E+06	1.9E+01
1055	6.37444	5.42E-02	3.5E-01	1.05E-03	3.61E-04	3.32E-01	1.57E-01	1.88E-05	1.0E+06	1.9E+01
1056	6.22415	5.42E-02	3.4E-01	1.05E-03	3.53E-04	3.32E-01	1.57E-01	1.84E-05	1.0E+06	1.8E+01
1057	6.04695	5.42E-02	3.3E-01	1.05E-03	3.43E-04	3.32E-01	1.57E-01	1.79E-05	1.0E+06	1.8E+01
1058	5.83483	5.42E-02	3.2E-01	1.05E-03	3.31E-04	3.32E-01	1.57E-01	1.72E-05	1.0E+06	1.7E+01
1059	5.59169	5.42E-02	3.0E-01	1.05E-03	3.17E-04	3.32E-01	1.57E-01	1.65E-05	1.0E+06	1.7E+01
1060	5.32962	5.42E-02	2.9E-01	1.05E-03	3.02E-04	3.32E-01	1.57E-01	1.57E-05	1.0E+06	1.6E+01
1061	5.05091	5.42E-02	2.7E-01	1.05E-03	2.86E-04	3.32E-01	1.57E-01	1.49E-05	1.0E+06	1.5E+01
1062	4.75357	5.42E-02	2.6E-01	1.05E-03	2.69E-04	3.32E-01	1.57E-01	1.40E-05	1.0E+06	1.4E+01
1063	4.44312	5.42E-02	2.4E-01	1.05E-03	2.52E-04	3.32E-01	1.57E-01	1.31E-05	1.0E+06	1.3E+01
1064	4.131	5.42E-02	2.2E-01	1.05E-03	2.34E-04	3.32E-01	1.57E-01	1.22E-05	1.0E+06	1.2E+01
1065	3.82531	5.42E-02	2.1E-01	1.05E-03	2.17E-04	3.32E-01	1.57E-01	1.13E-05	1.0E+06	1.1E+01
1066	3.53228	5.42E-02	1.9E-01	1.05E-03	2.00E-04	3.32E-01	1.57E-01	1.04E-05	1.0E+06	1.0E+01
1067	3.25838	5.42E-02	1.8E-01	1.05E-03	1.85E-04	3.32E-01	1.57E-01	9.62E-06	1.0E+06	9.6E+00
1068	3.00612	5.42E-02	1.6E-01	1.05E-03	1.70E-04	3.32E-01	1.57E-01	8.88E-06	1.0E+06	8.9E+00
1069	2.7747	5.42E-02	1.5E-01	1.05E-03	1.57E-04	3.32E-01	1.57E-01	8.19E-06	1.0E+06	8.2E+00
1070	2.56251	5.42E-02	1.4E-01	1.05E-03	1.45E-04	3.32E-01	1.57E-01	7.57E-06	1.0E+06	7.6E+00
1071	2.36681	5.42E-02	1.3E-01	1.05E-03	1.34E-04	3.32E-01	1.57E-01	6.99E-06	1.0E+06	7.0E+00
1072	2.18956	5.42E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.47E-06	1.0E+06	6.5E+00
1073	2.03252	5.42E-02	1.1E-01	1.05E-03	1.15E-04	3.32E-01	1.57E-01	6.00E-06	1.0E+06	6.0E+00
1074	1.89147	5.42E-02	1.0E-01	1.05E-03	1.07E-04	3.32E-01	1.57E-01	5.59E-06	1.0E+06	5.6E+00
1075	1.7633	5.42E-02	9.6E-02	1.05E-03	1.00E-04	3.32E-01	1.57E-01	5.21E-06	1.0E+06	5.2E+00
1076	1.64659	5.42E-02	8.9E-02	1.05E-03	9.33E-05	3.32E-01	1.57E-01	4.86E-06	1.0E+06	4.9E+00
1077	1.54033	5.42E-02	8.4E-02	1.05E-03	8.73E-05	3.32E-01	1.57E-01	4.55E-06	1.0E+06	4.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	8.04858	5.42E-02	4.4E-01	1.05E-03	4.56E-04	3.32E-01	1.57E-01	2.38E-05	1.0E+06	2.4E+01
1079	8.07319	5.42E-02	4.4E-01	1.05E-03	4.58E-04	3.32E-01	1.57E-01	2.38E-05	1.0E+06	2.4E+01
1080	8.08487	5.42E-02	4.4E-01	1.05E-03	4.58E-04	3.32E-01	1.57E-01	2.39E-05	1.0E+06	2.4E+01
1081	8.08553	5.42E-02	4.4E-01	1.05E-03	4.58E-04	3.32E-01	1.57E-01	2.39E-05	1.0E+06	2.4E+01
1082	8.07678	5.42E-02	4.4E-01	1.05E-03	4.58E-04	3.32E-01	1.57E-01	2.39E-05	1.0E+06	2.4E+01
1083	8.0487	5.42E-02	4.4E-01	1.05E-03	4.56E-04	3.32E-01	1.57E-01	2.38E-05	1.0E+06	2.4E+01
1084	7.9951	5.42E-02	4.3E-01	1.05E-03	4.53E-04	3.32E-01	1.57E-01	2.36E-05	1.0E+06	2.4E+01
1085	7.92061	5.42E-02	4.3E-01	1.05E-03	4.49E-04	3.32E-01	1.57E-01	2.34E-05	1.0E+06	2.3E+01
1086	7.83359	5.42E-02	4.2E-01	1.05E-03	4.44E-04	3.32E-01	1.57E-01	2.31E-05	1.0E+06	2.3E+01
1087	7.73732	5.42E-02	4.2E-01	1.05E-03	4.39E-04	3.32E-01	1.57E-01	2.28E-05	1.0E+06	2.3E+01
1088	7.615	5.42E-02	4.1E-01	1.05E-03	4.32E-04	3.32E-01	1.57E-01	2.25E-05	1.0E+06	2.2E+01
1089	7.46572	5.42E-02	4.0E-01	1.05E-03	4.23E-04	3.32E-01	1.57E-01	2.20E-05	1.0E+06	2.2E+01
1090	7.28667	5.42E-02	4.0E-01	1.05E-03	4.13E-04	3.32E-01	1.57E-01	2.15E-05	1.0E+06	2.2E+01
1091	7.07105	5.42E-02	3.8E-01	1.05E-03	4.01E-04	3.32E-01	1.57E-01	2.09E-05	1.0E+06	2.1E+01
1092	6.80928	5.42E-02	3.7E-01	1.05E-03	3.86E-04	3.32E-01	1.57E-01	2.01E-05	1.0E+06	2.0E+01
1093	6.50763	5.42E-02	3.5E-01	1.05E-03	3.69E-04	3.32E-01	1.57E-01	1.92E-05	1.0E+06	1.9E+01
1094	6.17559	5.42E-02	3.3E-01	1.05E-03	3.50E-04	3.32E-01	1.57E-01	1.82E-05	1.0E+06	1.8E+01
1095	5.81086	5.42E-02	3.2E-01	1.05E-03	3.29E-04	3.32E-01	1.57E-01	1.72E-05	1.0E+06	1.7E+01
1096	5.41469	5.42E-02	2.9E-01	1.05E-03	3.07E-04	3.32E-01	1.57E-01	1.60E-05	1.0E+06	1.6E+01
1097	5.00334	5.42E-02	2.7E-01	1.05E-03	2.84E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
1098	4.5955	5.42E-02	2.5E-01	1.05E-03	2.61E-04	3.32E-01	1.57E-01	1.36E-05	1.0E+06	1.4E+01
1099	4.20379	5.42E-02	2.3E-01	1.05E-03	2.38E-04	3.32E-01	1.57E-01	1.24E-05	1.0E+06	1.2E+01
1100	3.83746	5.42E-02	2.1E-01	1.05E-03	2.18E-04	3.32E-01	1.57E-01	1.13E-05	1.0E+06	1.1E+01
1101	3.50324	5.42E-02	1.9E-01	1.05E-03	1.99E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
1102	3.20073	5.42E-02	1.7E-01	1.05E-03	1.81E-04	3.32E-01	1.57E-01	9.45E-06	1.0E+06	9.5E+00
1103	2.92897	5.42E-02	1.6E-01	1.05E-03	1.66E-04	3.32E-01	1.57E-01	8.65E-06	1.0E+06	8.6E+00
1104	2.68445	5.42E-02	1.5E-01	1.05E-03	1.52E-04	3.32E-01	1.57E-01	7.93E-06	1.0E+06	7.9E+00
1105	2.46304	5.42E-02	1.3E-01	1.05E-03	1.40E-04	3.32E-01	1.57E-01	7.27E-06	1.0E+06	7.3E+00
1106	2.26537	5.42E-02	1.2E-01	1.05E-03	1.28E-04	3.32E-01	1.57E-01	6.69E-06	1.0E+06	6.7E+00
1107	2.09227	5.42E-02	1.1E-01	1.05E-03	1.19E-04	3.32E-01	1.57E-01	6.18E-06	1.0E+06	6.2E+00
1108	1.93866	5.42E-02	1.1E-01	1.05E-03	1.10E-04	3.32E-01	1.57E-01	5.72E-06	1.0E+06	5.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1.80042	5.42E-02	9.8E-02	1.05E-03	1.02E-04	3.32E-01	1.57E-01	5.32E-06	1.0E+06	5.3E+00
1110	1.67563	5.42E-02	9.1E-02	1.05E-03	9.50E-05	3.32E-01	1.57E-01	4.95E-06	1.0E+06	4.9E+00
1111	1.56303	5.42E-02	8.5E-02	1.05E-03	8.86E-05	3.32E-01	1.57E-01	4.62E-06	1.0E+06	4.6E+00
1112	9.55894	5.42E-02	5.2E-01	1.05E-03	5.42E-04	3.32E-01	1.57E-01	2.82E-05	1.0E+06	2.8E+01
1113	9.58896	5.42E-02	5.2E-01	1.05E-03	5.44E-04	3.32E-01	1.57E-01	2.83E-05	1.0E+06	2.8E+01
1114	9.60364	5.42E-02	5.2E-01	1.05E-03	5.44E-04	3.32E-01	1.57E-01	2.84E-05	1.0E+06	2.8E+01
1115	9.61345	5.42E-02	5.2E-01	1.05E-03	5.45E-04	3.32E-01	1.57E-01	2.84E-05	1.0E+06	2.8E+01
1116	9.61332	5.42E-02	5.2E-01	1.05E-03	5.45E-04	3.32E-01	1.57E-01	2.84E-05	1.0E+06	2.8E+01
1117	9.58702	5.42E-02	5.2E-01	1.05E-03	5.43E-04	3.32E-01	1.57E-01	2.83E-05	1.0E+06	2.8E+01
1118	9.52425	5.42E-02	5.2E-01	1.05E-03	5.40E-04	3.32E-01	1.57E-01	2.81E-05	1.0E+06	2.8E+01
1119	9.4434	5.42E-02	5.1E-01	1.05E-03	5.35E-04	3.32E-01	1.57E-01	2.79E-05	1.0E+06	2.8E+01
1120	9.34884	5.42E-02	5.1E-01	1.05E-03	5.30E-04	3.32E-01	1.57E-01	2.76E-05	1.0E+06	2.8E+01
1121	9.23908	5.42E-02	5.0E-01	1.05E-03	5.24E-04	3.32E-01	1.57E-01	2.73E-05	1.0E+06	2.7E+01
1122	9.0946	5.42E-02	4.9E-01	1.05E-03	5.16E-04	3.32E-01	1.57E-01	2.69E-05	1.0E+06	2.7E+01
1123	8.92466	5.42E-02	4.8E-01	1.05E-03	5.06E-04	3.32E-01	1.57E-01	2.64E-05	1.0E+06	2.6E+01
1124	8.71614	5.42E-02	4.7E-01	1.05E-03	4.94E-04	3.32E-01	1.57E-01	2.57E-05	1.0E+06	2.6E+01
1125	8.44765	5.42E-02	4.6E-01	1.05E-03	4.79E-04	3.32E-01	1.57E-01	2.49E-05	1.0E+06	2.5E+01
1126	8.11751	5.42E-02	4.4E-01	1.05E-03	4.60E-04	3.32E-01	1.57E-01	2.40E-05	1.0E+06	2.4E+01
1127	7.74497	5.42E-02	4.2E-01	1.05E-03	4.39E-04	3.32E-01	1.57E-01	2.29E-05	1.0E+06	2.3E+01
1128	7.32057	5.42E-02	4.0E-01	1.05E-03	4.15E-04	3.32E-01	1.57E-01	2.16E-05	1.0E+06	2.2E+01
1129	6.82847	5.42E-02	3.7E-01	1.05E-03	3.87E-04	3.32E-01	1.57E-01	2.02E-05	1.0E+06	2.0E+01
1130	6.27281	5.42E-02	3.4E-01	1.05E-03	3.56E-04	3.32E-01	1.57E-01	1.85E-05	1.0E+06	1.9E+01
1131	5.70031	5.42E-02	3.1E-01	1.05E-03	3.23E-04	3.32E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
1132	5.1472	5.42E-02	2.8E-01	1.05E-03	2.92E-04	3.32E-01	1.57E-01	1.52E-05	1.0E+06	1.5E+01
1133	4.63412	5.42E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1134	4.17136	5.42E-02	2.3E-01	1.05E-03	2.36E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
1135	3.7611	5.42E-02	2.0E-01	1.05E-03	2.13E-04	3.32E-01	1.57E-01	1.11E-05	1.0E+06	1.1E+01
1136	3.399	5.42E-02	1.8E-01	1.05E-03	1.93E-04	3.32E-01	1.57E-01	1.00E-05	1.0E+06	1.0E+01
1137	3.08136	5.42E-02	1.7E-01	1.05E-03	1.75E-04	3.32E-01	1.57E-01	9.10E-06	1.0E+06	9.1E+00
1138	2.80172	5.42E-02	1.5E-01	1.05E-03	1.59E-04	3.32E-01	1.57E-01	8.27E-06	1.0E+06	8.3E+00
1139	2.55329	5.42E-02	1.4E-01	1.05E-03	1.45E-04	3.32E-01	1.57E-01	7.54E-06	1.0E+06	7.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	2.335	5.42E-02	1.3E-01	1.05E-03	1.32E-04	3.32E-01	1.57E-01	6.90E-06	1.0E+06	6.9E+00
1141	2.14568	5.42E-02	1.2E-01	1.05E-03	1.22E-04	3.32E-01	1.57E-01	6.34E-06	1.0E+06	6.3E+00
1142	1.97929	5.42E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.84E-06	1.0E+06	5.8E+00
1143	1.83105	5.42E-02	9.9E-02	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.41E-06	1.0E+06	5.4E+00
1144	1.69872	5.42E-02	9.2E-02	1.05E-03	9.63E-05	3.32E-01	1.57E-01	5.02E-06	1.0E+06	5.0E+00
1145	1.58005	5.42E-02	8.6E-02	1.05E-03	8.96E-05	3.32E-01	1.57E-01	4.67E-06	1.0E+06	4.7E+00
1146	9.88588	5.42E-02	5.4E-01	1.05E-03	5.60E-04	3.32E-01	1.57E-01	2.92E-05	1.0E+06	2.9E+01
1147	9.9394	5.42E-02	5.4E-01	1.05E-03	5.63E-04	3.32E-01	1.57E-01	2.94E-05	1.0E+06	2.9E+01
1148	11.64574	5.42E-02	6.3E-01	1.05E-03	6.60E-04	3.32E-01	1.57E-01	3.44E-05	1.0E+06	3.4E+01
1149	10.06257	5.42E-02	5.5E-01	1.05E-03	5.70E-04	3.32E-01	1.57E-01	2.97E-05	1.0E+06	3.0E+01
1150	9.91309	5.42E-02	5.4E-01	1.05E-03	5.62E-04	3.32E-01	1.57E-01	2.93E-05	1.0E+06	2.9E+01
1151	9.90461	5.42E-02	5.4E-01	1.05E-03	5.61E-04	3.32E-01	1.57E-01	2.92E-05	1.0E+06	2.9E+01
1152	10.0222	5.42E-02	5.4E-01	1.05E-03	5.68E-04	3.32E-01	1.57E-01	2.96E-05	1.0E+06	3.0E+01
1153	9.85946	5.42E-02	5.3E-01	1.05E-03	5.59E-04	3.32E-01	1.57E-01	2.91E-05	1.0E+06	2.9E+01
1154	9.60009	5.42E-02	5.2E-01	1.05E-03	5.44E-04	3.32E-01	1.57E-01	2.83E-05	1.0E+06	2.8E+01
1155	9.48701	5.42E-02	5.1E-01	1.05E-03	5.38E-04	3.32E-01	1.57E-01	2.80E-05	1.0E+06	2.8E+01
1156	9.50126	5.42E-02	5.2E-01	1.05E-03	5.39E-04	3.32E-01	1.57E-01	2.81E-05	1.0E+06	2.8E+01
1157	9.19978	5.42E-02	5.0E-01	1.05E-03	5.22E-04	3.32E-01	1.57E-01	2.72E-05	1.0E+06	2.7E+01
1158	8.76025	5.42E-02	4.8E-01	1.05E-03	4.97E-04	3.32E-01	1.57E-01	2.59E-05	1.0E+06	2.6E+01
1159	8.43738	5.42E-02	4.6E-01	1.05E-03	4.78E-04	3.32E-01	1.57E-01	2.49E-05	1.0E+06	2.5E+01
1160	6.77907	5.42E-02	3.7E-01	1.05E-03	3.84E-04	3.32E-01	1.57E-01	2.00E-05	1.0E+06	2.0E+01
1161	7.66995	5.42E-02	4.2E-01	1.05E-03	4.35E-04	3.32E-01	1.57E-01	2.26E-05	1.0E+06	2.3E+01
1162	6.93213	5.42E-02	3.8E-01	1.05E-03	3.93E-04	3.32E-01	1.57E-01	2.05E-05	1.0E+06	2.0E+01
1163	6.27427	5.42E-02	3.4E-01	1.05E-03	3.56E-04	3.32E-01	1.57E-01	1.85E-05	1.0E+06	1.9E+01
1164	5.68263	5.42E-02	3.1E-01	1.05E-03	3.22E-04	3.32E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
1165	6.57939	5.42E-02	3.6E-01	1.05E-03	3.73E-04	3.32E-01	1.57E-01	1.94E-05	1.0E+06	1.9E+01
1166	5.80062	5.42E-02	3.1E-01	1.05E-03	3.29E-04	3.32E-01	1.57E-01	1.71E-05	1.0E+06	1.7E+01
1167	5.11602	5.42E-02	2.8E-01	1.05E-03	2.90E-04	3.32E-01	1.57E-01	1.51E-05	1.0E+06	1.5E+01
1168	4.52614	5.42E-02	2.5E-01	1.05E-03	2.57E-04	3.32E-01	1.57E-01	1.34E-05	1.0E+06	1.3E+01
1169	4.023	5.42E-02	2.2E-01	1.05E-03	2.28E-04	3.32E-01	1.57E-01	1.19E-05	1.0E+06	1.2E+01
1170	3.59319	5.42E-02	1.9E-01	1.05E-03	2.04E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	3.2257	5.42E-02	1.7E-01	1.05E-03	1.83E-04	3.32E-01	1.57E-01	9.53E-06	1.0E+06	9.5E+00
1172	2.90902	5.42E-02	1.6E-01	1.05E-03	1.65E-04	3.32E-01	1.57E-01	8.59E-06	1.0E+06	8.6E+00
1173	2.63425	5.42E-02	1.4E-01	1.05E-03	1.49E-04	3.32E-01	1.57E-01	7.78E-06	1.0E+06	7.8E+00
1174	2.39577	5.42E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.07E-06	1.0E+06	7.1E+00
1175	2.19069	5.42E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.47E-06	1.0E+06	6.5E+00
1176	2.01198	5.42E-02	1.1E-01	1.05E-03	1.14E-04	3.32E-01	1.57E-01	5.94E-06	1.0E+06	5.9E+00
1177	1.85432	5.42E-02	1.0E-01	1.05E-03	1.05E-04	3.32E-01	1.57E-01	5.48E-06	1.0E+06	5.5E+00
1178	1.71461	5.42E-02	9.3E-02	1.05E-03	9.72E-05	3.32E-01	1.57E-01	5.06E-06	1.0E+06	5.1E+00
1179	1.59041	5.42E-02	8.6E-02	1.05E-03	9.02E-05	3.32E-01	1.57E-01	4.70E-06	1.0E+06	4.7E+00
1180	11.70193	5.42E-02	6.3E-01	1.05E-03	6.63E-04	3.32E-01	1.57E-01	3.46E-05	1.0E+06	3.5E+01
1181	11.81195	5.42E-02	6.4E-01	1.05E-03	6.70E-04	3.32E-01	1.57E-01	3.49E-05	1.0E+06	3.5E+01
1182	10.29178	5.42E-02	5.6E-01	1.05E-03	5.83E-04	3.32E-01	1.57E-01	3.04E-05	1.0E+06	3.0E+01
1183	10.29615	5.42E-02	5.6E-01	1.05E-03	5.84E-04	3.32E-01	1.57E-01	3.04E-05	1.0E+06	3.0E+01
1184	11.75729	5.42E-02	6.4E-01	1.05E-03	6.66E-04	3.32E-01	1.57E-01	3.47E-05	1.0E+06	3.5E+01
1185	11.79799	5.42E-02	6.4E-01	1.05E-03	6.69E-04	3.32E-01	1.57E-01	3.48E-05	1.0E+06	3.5E+01
1186	10.15133	5.42E-02	5.5E-01	1.05E-03	5.75E-04	3.32E-01	1.57E-01	3.00E-05	1.0E+06	3.0E+01
1187	10.05624	5.42E-02	5.5E-01	1.05E-03	5.70E-04	3.32E-01	1.57E-01	2.97E-05	1.0E+06	3.0E+01
1188	11.43424	5.42E-02	6.2E-01	1.05E-03	6.48E-04	3.32E-01	1.57E-01	3.38E-05	1.0E+06	3.4E+01
1189	9.89315	5.42E-02	5.4E-01	1.05E-03	5.61E-04	3.32E-01	1.57E-01	2.92E-05	1.0E+06	2.9E+01
1190	9.51915	5.42E-02	5.2E-01	1.05E-03	5.40E-04	3.32E-01	1.57E-01	2.81E-05	1.0E+06	2.8E+01
1191	9.23324	5.42E-02	5.0E-01	1.05E-03	5.23E-04	3.32E-01	1.57E-01	2.73E-05	1.0E+06	2.7E+01
1192	10.40791	5.42E-02	5.6E-01	1.05E-03	5.90E-04	3.32E-01	1.57E-01	3.07E-05	1.0E+06	3.1E+01
1193	8.54948	5.42E-02	4.6E-01	1.05E-03	4.85E-04	3.32E-01	1.57E-01	2.52E-05	1.0E+06	2.5E+01
1194	7.84778	5.42E-02	4.3E-01	1.05E-03	4.45E-04	3.32E-01	1.57E-01	2.32E-05	1.0E+06	2.3E+01
1195	7.22768	5.42E-02	3.9E-01	1.05E-03	4.10E-04	3.32E-01	1.57E-01	2.13E-05	1.0E+06	2.1E+01
1196	8.06163	5.42E-02	4.4E-01	1.05E-03	4.57E-04	3.32E-01	1.57E-01	2.38E-05	1.0E+06	2.4E+01
1197	7.18865	5.42E-02	3.9E-01	1.05E-03	4.07E-04	3.32E-01	1.57E-01	2.12E-05	1.0E+06	2.1E+01
1198	6.42918	5.42E-02	3.5E-01	1.05E-03	3.64E-04	3.32E-01	1.57E-01	1.90E-05	1.0E+06	1.9E+01
1199	5.75126	5.42E-02	3.1E-01	1.05E-03	3.26E-04	3.32E-01	1.57E-01	1.70E-05	1.0E+06	1.7E+01
1200	6.55755	5.42E-02	3.6E-01	1.05E-03	3.72E-04	3.32E-01	1.57E-01	1.94E-05	1.0E+06	1.9E+01
1201	5.64061	5.42E-02	3.1E-01	1.05E-03	3.20E-04	3.32E-01	1.57E-01	1.67E-05	1.0E+06	1.7E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	4.89267	5.42E-02	2.7E-01	1.05E-03	2.77E-04	3.32E-01	1.57E-01	1.44E-05	1.0E+06	1.4E+01
1203	4.28273	5.42E-02	2.3E-01	1.05E-03	2.43E-04	3.32E-01	1.57E-01	1.26E-05	1.0E+06	1.3E+01
1204	3.77767	5.42E-02	2.0E-01	1.05E-03	2.14E-04	3.32E-01	1.57E-01	1.12E-05	1.0E+06	1.1E+01
1205	3.35722	5.42E-02	1.8E-01	1.05E-03	1.90E-04	3.32E-01	1.57E-01	9.91E-06	1.0E+06	9.9E+00
1206	3.00341	5.42E-02	1.6E-01	1.05E-03	1.70E-04	3.32E-01	1.57E-01	8.87E-06	1.0E+06	8.9E+00
1207	2.70273	5.42E-02	1.5E-01	1.05E-03	1.53E-04	3.32E-01	1.57E-01	7.98E-06	1.0E+06	8.0E+00
1208	2.44544	5.42E-02	1.3E-01	1.05E-03	1.39E-04	3.32E-01	1.57E-01	7.22E-06	1.0E+06	7.2E+00
1209	2.22575	5.42E-02	1.2E-01	1.05E-03	1.26E-04	3.32E-01	1.57E-01	6.57E-06	1.0E+06	6.6E+00
1210	2.03585	5.42E-02	1.1E-01	1.05E-03	1.15E-04	3.32E-01	1.57E-01	6.01E-06	1.0E+06	6.0E+00
1211	1.86986	5.42E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.52E-06	1.0E+06	5.5E+00
1212	1.72393	5.42E-02	9.3E-02	1.05E-03	9.77E-05	3.32E-01	1.57E-01	5.09E-06	1.0E+06	5.1E+00
1213	1.59495	5.42E-02	8.7E-02	1.05E-03	9.04E-05	3.32E-01	1.57E-01	4.71E-06	1.0E+06	4.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	1.94391	1.93441E-05	3.8E-05	1.05E-03	3.93E-08	3.32E-01	1.57E-01	2.05E-09	1.0E+06	2.0E-03
893	893	1.93485	1.93441E-05	3.7E-05	1.05E-03	3.91E-08	3.32E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
894	894	1.92361	1.93441E-05	3.7E-05	1.05E-03	3.89E-08	3.32E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
895	895	1.9101	1.93441E-05	3.7E-05	1.05E-03	3.86E-08	3.32E-01	1.57E-01	2.01E-09	1.0E+06	2.0E-03
896	896	1.89469	1.93441E-05	3.7E-05	1.05E-03	3.83E-08	3.32E-01	1.57E-01	2.00E-09	1.0E+06	2.0E-03
897	897	1.87743	1.93441E-05	3.6E-05	1.05E-03	3.80E-08	3.32E-01	1.57E-01	1.98E-09	1.0E+06	2.0E-03
898	898	1.85813	1.93441E-05	3.6E-05	1.05E-03	3.76E-08	3.32E-01	1.57E-01	1.96E-09	1.0E+06	2.0E-03
899	899	1.83738	1.93441E-05	3.6E-05	1.05E-03	3.71E-08	3.32E-01	1.57E-01	1.94E-09	1.0E+06	1.9E-03
900	900	1.81534	1.93441E-05	3.5E-05	1.05E-03	3.67E-08	3.32E-01	1.57E-01	1.91E-09	1.0E+06	1.9E-03
901	901	1.79134	1.93441E-05	3.5E-05	1.05E-03	3.62E-08	3.32E-01	1.57E-01	1.89E-09	1.0E+06	1.9E-03
902	902	1.7639	1.93441E-05	3.4E-05	1.05E-03	3.57E-08	3.32E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
903	903	1.73359	1.93441E-05	3.4E-05	1.05E-03	3.51E-08	3.32E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
904	904	1.70126	1.93441E-05	3.3E-05	1.05E-03	3.44E-08	3.32E-01	1.57E-01	1.79E-09	1.0E+06	1.8E-03
905	905	1.66723	1.93441E-05	3.2E-05	1.05E-03	3.37E-08	3.32E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
906	906	1.63146	1.93441E-05	3.2E-05	1.05E-03	3.30E-08	3.32E-01	1.57E-01	1.72E-09	1.0E+06	1.7E-03
907	907	1.59675	1.93441E-05	3.1E-05	1.05E-03	3.23E-08	3.32E-01	1.57E-01	1.68E-09	1.0E+06	1.7E-03
908	908	1.92811	1.93441E-05	3.7E-05	1.05E-03	3.90E-08	3.32E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
909	909	1.95185	1.93441E-05	3.8E-05	1.05E-03	3.95E-08	3.32E-01	1.57E-01	2.06E-09	1.0E+06	2.1E-03
910	910	1.97355	1.93441E-05	3.8E-05	1.05E-03	3.99E-08	3.32E-01	1.57E-01	2.08E-09	1.0E+06	2.1E-03
911	911	1.99443	1.93441E-05	3.9E-05	1.05E-03	4.03E-08	3.32E-01	1.57E-01	2.10E-09	1.0E+06	2.1E-03
912	912	2.0135	1.93441E-05	3.9E-05	1.05E-03	4.07E-08	3.32E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
913	913	2.0311	1.93441E-05	3.9E-05	1.05E-03	4.11E-08	3.32E-01	1.57E-01	2.14E-09	1.0E+06	2.1E-03
914	914	2.0468	1.93441E-05	4.0E-05	1.05E-03	4.14E-08	3.32E-01	1.57E-01	2.16E-09	1.0E+06	2.2E-03
915	915	2.06108	1.93441E-05	4.0E-05	1.05E-03	4.17E-08	3.32E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
916	916	2.07346	1.93441E-05	4.0E-05	1.05E-03	4.19E-08	3.32E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
917	917	2.08439	1.93441E-05	4.0E-05	1.05E-03	4.21E-08	3.32E-01	1.57E-01	2.20E-09	1.0E+06	2.2E-03
918	918	2.09334	1.93441E-05	4.0E-05	1.05E-03	4.23E-08	3.32E-01	1.57E-01	2.20E-09	1.0E+06	2.2E-03
919	919	2.10088	1.93441E-05	4.1E-05	1.05E-03	4.25E-08	3.32E-01	1.57E-01	2.21E-09	1.0E+06	2.2E-03
920	920	2.10641	1.93441E-05	4.1E-05	1.05E-03	4.26E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
921	921	2.10987	1.93441E-05	4.1E-05	1.05E-03	4.27E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
922	922	2.11136	1.93441E-05	4.1E-05	1.05E-03	4.27E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	2.11097	1.93441E-05	4.1E-05	1.05E-03	4.27E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
924	924	2.10864	1.93441E-05	4.1E-05	1.05E-03	4.26E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
925	925	2.1046	1.93441E-05	4.1E-05	1.05E-03	4.26E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
926	926	2.09849	1.93441E-05	4.1E-05	1.05E-03	4.24E-08	3.32E-01	1.57E-01	2.21E-09	1.0E+06	2.2E-03
927	927	2.09046	1.93441E-05	4.0E-05	1.05E-03	4.23E-08	3.32E-01	1.57E-01	2.20E-09	1.0E+06	2.2E-03
928	928	2.08019	1.93441E-05	4.0E-05	1.05E-03	4.21E-08	3.32E-01	1.57E-01	2.19E-09	1.0E+06	2.2E-03
929	929	2.06772	1.93441E-05	4.0E-05	1.05E-03	4.18E-08	3.32E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
930	930	2.05271	1.93441E-05	4.0E-05	1.05E-03	4.15E-08	3.32E-01	1.57E-01	2.16E-09	1.0E+06	2.2E-03
931	931	2.03572	1.93441E-05	3.9E-05	1.05E-03	4.12E-08	3.32E-01	1.57E-01	2.14E-09	1.0E+06	2.1E-03
932	932	2.01671	1.93441E-05	3.9E-05	1.05E-03	4.08E-08	3.32E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
933	933	1.99564	1.93441E-05	3.9E-05	1.05E-03	4.03E-08	3.32E-01	1.57E-01	2.10E-09	1.0E+06	2.1E-03
934	934	1.97243	1.93441E-05	3.8E-05	1.05E-03	3.99E-08	3.32E-01	1.57E-01	2.08E-09	1.0E+06	2.1E-03
935	935	1.94721	1.93441E-05	3.8E-05	1.05E-03	3.94E-08	3.32E-01	1.57E-01	2.05E-09	1.0E+06	2.1E-03
936	936	1.91976	1.93441E-05	3.7E-05	1.05E-03	3.88E-08	3.32E-01	1.57E-01	2.02E-09	1.0E+06	2.0E-03
937	937	1.88906	1.93441E-05	3.7E-05	1.05E-03	3.82E-08	3.32E-01	1.57E-01	1.99E-09	1.0E+06	2.0E-03
938	938	1.85544	1.93441E-05	3.6E-05	1.05E-03	3.75E-08	3.32E-01	1.57E-01	1.95E-09	1.0E+06	2.0E-03
939	939	1.81948	1.93441E-05	3.5E-05	1.05E-03	3.68E-08	3.32E-01	1.57E-01	1.92E-09	1.0E+06	1.9E-03
940	940	1.7817	1.93441E-05	3.4E-05	1.05E-03	3.60E-08	3.32E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
941	941	1.74206	1.93441E-05	3.4E-05	1.05E-03	3.52E-08	3.32E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
942	942	2.08403	1.93441E-05	4.0E-05	1.05E-03	4.21E-08	3.32E-01	1.57E-01	2.20E-09	1.0E+06	2.2E-03
943	943	2.10965	1.93441E-05	4.1E-05	1.05E-03	4.27E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
944	944	2.13348	1.93441E-05	4.1E-05	1.05E-03	4.31E-08	3.32E-01	1.57E-01	2.25E-09	1.0E+06	2.2E-03
945	945	2.15573	1.93441E-05	4.2E-05	1.05E-03	4.36E-08	3.32E-01	1.57E-01	2.27E-09	1.0E+06	2.3E-03
946	946	2.17642	1.93441E-05	4.2E-05	1.05E-03	4.40E-08	3.32E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
947	947	2.19514	1.93441E-05	4.2E-05	1.05E-03	4.44E-08	3.32E-01	1.57E-01	2.31E-09	1.0E+06	2.3E-03
948	948	2.2116	1.93441E-05	4.3E-05	1.05E-03	4.47E-08	3.32E-01	1.57E-01	2.33E-09	1.0E+06	2.3E-03
949	949	2.22645	1.93441E-05	4.3E-05	1.05E-03	4.50E-08	3.32E-01	1.57E-01	2.35E-09	1.0E+06	2.3E-03
950	950	2.2395	1.93441E-05	4.3E-05	1.05E-03	4.53E-08	3.32E-01	1.57E-01	2.36E-09	1.0E+06	2.4E-03
951	951	2.25132	1.93441E-05	4.4E-05	1.05E-03	4.55E-08	3.32E-01	1.57E-01	2.37E-09	1.0E+06	2.4E-03
952	952	2.26115	1.93441E-05	4.4E-05	1.05E-03	4.57E-08	3.32E-01	1.57E-01	2.38E-09	1.0E+06	2.4E-03
953	953	2.26915	1.93441E-05	4.4E-05	1.05E-03	4.59E-08	3.32E-01	1.57E-01	2.39E-09	1.0E+06	2.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	2.27514	1.93441E-05	4.4E-05	1.05E-03	4.60E-08	3.32E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
955	955	2.27891	1.93441E-05	4.4E-05	1.05E-03	4.61E-08	3.32E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
956	956	2.27967	1.93441E-05	4.4E-05	1.05E-03	4.61E-08	3.32E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
957	957	2.27849	1.93441E-05	4.4E-05	1.05E-03	4.61E-08	3.32E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
958	958	2.27558	1.93441E-05	4.4E-05	1.05E-03	4.60E-08	3.32E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
959	959	2.2711	1.93441E-05	4.4E-05	1.05E-03	4.59E-08	3.32E-01	1.57E-01	2.39E-09	1.0E+06	2.4E-03
960	960	2.26431	1.93441E-05	4.4E-05	1.05E-03	4.58E-08	3.32E-01	1.57E-01	2.38E-09	1.0E+06	2.4E-03
961	961	2.25521	1.93441E-05	4.4E-05	1.05E-03	4.56E-08	3.32E-01	1.57E-01	2.38E-09	1.0E+06	2.4E-03
962	962	2.2437	1.93441E-05	4.3E-05	1.05E-03	4.54E-08	3.32E-01	1.57E-01	2.36E-09	1.0E+06	2.4E-03
963	963	2.22969	1.93441E-05	4.3E-05	1.05E-03	4.51E-08	3.32E-01	1.57E-01	2.35E-09	1.0E+06	2.3E-03
964	964	2.2131	1.93441E-05	4.3E-05	1.05E-03	4.47E-08	3.32E-01	1.57E-01	2.33E-09	1.0E+06	2.3E-03
965	965	2.1941	1.93441E-05	4.2E-05	1.05E-03	4.44E-08	3.32E-01	1.57E-01	2.31E-09	1.0E+06	2.3E-03
966	966	2.17303	1.93441E-05	4.2E-05	1.05E-03	4.39E-08	3.32E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
967	967	2.14964	1.93441E-05	4.2E-05	1.05E-03	4.35E-08	3.32E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
968	968	2.12353	1.93441E-05	4.1E-05	1.05E-03	4.29E-08	3.32E-01	1.57E-01	2.24E-09	1.0E+06	2.2E-03
969	969	2.09467	1.93441E-05	4.1E-05	1.05E-03	4.24E-08	3.32E-01	1.57E-01	2.21E-09	1.0E+06	2.2E-03
970	970	2.06306	1.93441E-05	4.0E-05	1.05E-03	4.17E-08	3.32E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
971	971	2.02905	1.93441E-05	3.9E-05	1.05E-03	4.10E-08	3.32E-01	1.57E-01	2.14E-09	1.0E+06	2.1E-03
972	972	1.99229	1.93441E-05	3.9E-05	1.05E-03	4.03E-08	3.32E-01	1.57E-01	2.10E-09	1.0E+06	2.1E-03
973	973	1.95301	1.93441E-05	3.8E-05	1.05E-03	3.95E-08	3.32E-01	1.57E-01	2.06E-09	1.0E+06	2.1E-03
974	974	1.91133	1.93441E-05	3.7E-05	1.05E-03	3.86E-08	3.32E-01	1.57E-01	2.01E-09	1.0E+06	2.0E-03
975	975	1.86759	1.93441E-05	3.6E-05	1.05E-03	3.78E-08	3.32E-01	1.57E-01	1.97E-09	1.0E+06	2.0E-03
976	976	2.2598	1.93441E-05	4.4E-05	1.05E-03	4.57E-08	3.32E-01	1.57E-01	2.38E-09	1.0E+06	2.4E-03
977	977	2.28748	1.93441E-05	4.4E-05	1.05E-03	4.62E-08	3.32E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
978	978	2.31343	1.93441E-05	4.5E-05	1.05E-03	4.68E-08	3.32E-01	1.57E-01	2.44E-09	1.0E+06	2.4E-03
979	979	2.33729	1.93441E-05	4.5E-05	1.05E-03	4.73E-08	3.32E-01	1.57E-01	2.46E-09	1.0E+06	2.5E-03
980	980	2.35962	1.93441E-05	4.6E-05	1.05E-03	4.77E-08	3.32E-01	1.57E-01	2.49E-09	1.0E+06	2.5E-03
981	981	2.37956	1.93441E-05	4.6E-05	1.05E-03	4.81E-08	3.32E-01	1.57E-01	2.51E-09	1.0E+06	2.5E-03
982	982	2.39666	1.93441E-05	4.6E-05	1.05E-03	4.85E-08	3.32E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
983	983	2.4122	1.93441E-05	4.7E-05	1.05E-03	4.88E-08	3.32E-01	1.57E-01	2.54E-09	1.0E+06	2.5E-03
984	984	2.42604	1.93441E-05	4.7E-05	1.05E-03	4.91E-08	3.32E-01	1.57E-01	2.56E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	2.43886	1.93441E-05	4.7E-05	1.05E-03	4.93E-08	3.32E-01	1.57E-01	2.57E-09	1.0E+06	2.6E-03
986	986	2.44982	1.93441E-05	4.7E-05	1.05E-03	4.95E-08	3.32E-01	1.57E-01	2.58E-09	1.0E+06	2.6E-03
987	987	2.45828	1.93441E-05	4.8E-05	1.05E-03	4.97E-08	3.32E-01	1.57E-01	2.59E-09	1.0E+06	2.6E-03
988	988	2.46491	1.93441E-05	4.8E-05	1.05E-03	4.98E-08	3.32E-01	1.57E-01	2.60E-09	1.0E+06	2.6E-03
989	989	2.46899	1.93441E-05	4.8E-05	1.05E-03	4.99E-08	3.32E-01	1.57E-01	2.60E-09	1.0E+06	2.6E-03
990	990	2.46899	1.93441E-05	4.8E-05	1.05E-03	4.99E-08	3.32E-01	1.57E-01	2.60E-09	1.0E+06	2.6E-03
991	991	2.46692	1.93441E-05	4.8E-05	1.05E-03	4.99E-08	3.32E-01	1.57E-01	2.60E-09	1.0E+06	2.6E-03
992	992	2.4634	1.93441E-05	4.8E-05	1.05E-03	4.98E-08	3.32E-01	1.57E-01	2.59E-09	1.0E+06	2.6E-03
993	993	2.4584	1.93441E-05	4.8E-05	1.05E-03	4.97E-08	3.32E-01	1.57E-01	2.59E-09	1.0E+06	2.6E-03
994	994	2.45106	1.93441E-05	4.7E-05	1.05E-03	4.96E-08	3.32E-01	1.57E-01	2.58E-09	1.0E+06	2.6E-03
995	995	2.44072	1.93441E-05	4.7E-05	1.05E-03	4.93E-08	3.32E-01	1.57E-01	2.57E-09	1.0E+06	2.6E-03
996	996	2.42786	1.93441E-05	4.7E-05	1.05E-03	4.91E-08	3.32E-01	1.57E-01	2.56E-09	1.0E+06	2.6E-03
997	997	2.41225	1.93441E-05	4.7E-05	1.05E-03	4.88E-08	3.32E-01	1.57E-01	2.54E-09	1.0E+06	2.5E-03
998	998	2.39379	1.93441E-05	4.6E-05	1.05E-03	4.84E-08	3.32E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
999	999	2.3726	1.93441E-05	4.6E-05	1.05E-03	4.80E-08	3.32E-01	1.57E-01	2.50E-09	1.0E+06	2.5E-03
1000	1000	2.34929	1.93441E-05	4.5E-05	1.05E-03	4.75E-08	3.32E-01	1.57E-01	2.47E-09	1.0E+06	2.5E-03
1001	1001	2.3231	1.93441E-05	4.5E-05	1.05E-03	4.70E-08	3.32E-01	1.57E-01	2.45E-09	1.0E+06	2.4E-03
1002	1002	2.29393	1.93441E-05	4.4E-05	1.05E-03	4.64E-08	3.32E-01	1.57E-01	2.42E-09	1.0E+06	2.4E-03
1003	1003	2.26079	1.93441E-05	4.4E-05	1.05E-03	4.57E-08	3.32E-01	1.57E-01	2.38E-09	1.0E+06	2.4E-03
1004	1004	2.22454	1.93441E-05	4.3E-05	1.05E-03	4.50E-08	3.32E-01	1.57E-01	2.34E-09	1.0E+06	2.3E-03
1005	1005	2.18662	1.93441E-05	4.2E-05	1.05E-03	4.42E-08	3.32E-01	1.57E-01	2.30E-09	1.0E+06	2.3E-03
1006	1006	2.14633	1.93441E-05	4.2E-05	1.05E-03	4.34E-08	3.32E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
1007	1007	2.10315	1.93441E-05	4.1E-05	1.05E-03	4.25E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
1008	1008	2.05688	1.93441E-05	4.0E-05	1.05E-03	4.16E-08	3.32E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
1009	1009	2.00817	1.93441E-05	3.9E-05	1.05E-03	4.06E-08	3.32E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
1010	1010	2.45885	1.93441E-05	4.8E-05	1.05E-03	4.97E-08	3.32E-01	1.57E-01	2.59E-09	1.0E+06	2.6E-03
1011	1011	2.48894	1.93441E-05	4.8E-05	1.05E-03	5.03E-08	3.32E-01	1.57E-01	2.62E-09	1.0E+06	2.6E-03
1012	1012	2.51719	1.93441E-05	4.9E-05	1.05E-03	5.09E-08	3.32E-01	1.57E-01	2.65E-09	1.0E+06	2.7E-03
1013	1013	2.54267	1.93441E-05	4.9E-05	1.05E-03	5.14E-08	3.32E-01	1.57E-01	2.68E-09	1.0E+06	2.7E-03
1014	1014	2.56701	1.93441E-05	5.0E-05	1.05E-03	5.19E-08	3.32E-01	1.57E-01	2.70E-09	1.0E+06	2.7E-03
1015	1015	2.58819	1.93441E-05	5.0E-05	1.05E-03	5.23E-08	3.32E-01	1.57E-01	2.73E-09	1.0E+06	2.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	2.60591	1.93441E-05	5.0E-05	1.05E-03	5.27E-08	3.32E-01	1.57E-01	2.74E-09	1.0E+06	2.7E-03
1017	1017	2.62221	1.93441E-05	5.1E-05	1.05E-03	5.30E-08	3.32E-01	1.57E-01	2.76E-09	1.0E+06	2.8E-03
1018	1018	2.63693	1.93441E-05	5.1E-05	1.05E-03	5.33E-08	3.32E-01	1.57E-01	2.78E-09	1.0E+06	2.8E-03
1019	1019	2.65085	1.93441E-05	5.1E-05	1.05E-03	5.36E-08	3.32E-01	1.57E-01	2.79E-09	1.0E+06	2.8E-03
1020	1020	2.66284	1.93441E-05	5.2E-05	1.05E-03	5.38E-08	3.32E-01	1.57E-01	2.80E-09	1.0E+06	2.8E-03
1021	1021	2.67243	1.93441E-05	5.2E-05	1.05E-03	5.40E-08	3.32E-01	1.57E-01	2.81E-09	1.0E+06	2.8E-03
1022	1022	2.67915	1.93441E-05	5.2E-05	1.05E-03	5.42E-08	3.32E-01	1.57E-01	2.82E-09	1.0E+06	2.8E-03
1023	1023	2.68346	1.93441E-05	5.2E-05	1.05E-03	5.43E-08	3.32E-01	1.57E-01	2.83E-09	1.0E+06	2.8E-03
1024	1024	2.68286	1.93441E-05	5.2E-05	1.05E-03	5.42E-08	3.32E-01	1.57E-01	2.83E-09	1.0E+06	2.8E-03
1025	1025	2.68004	1.93441E-05	5.2E-05	1.05E-03	5.42E-08	3.32E-01	1.57E-01	2.82E-09	1.0E+06	2.8E-03
1026	1026	2.67588	1.93441E-05	5.2E-05	1.05E-03	5.41E-08	3.32E-01	1.57E-01	2.82E-09	1.0E+06	2.8E-03
1027	1027	2.67031	1.93441E-05	5.2E-05	1.05E-03	5.40E-08	3.32E-01	1.57E-01	2.81E-09	1.0E+06	2.8E-03
1028	1028	2.66219	1.93441E-05	5.1E-05	1.05E-03	5.38E-08	3.32E-01	1.57E-01	2.80E-09	1.0E+06	2.8E-03
1029	1029	2.6507	1.93441E-05	5.1E-05	1.05E-03	5.36E-08	3.32E-01	1.57E-01	2.79E-09	1.0E+06	2.8E-03
1030	1030	2.63648	1.93441E-05	5.1E-05	1.05E-03	5.33E-08	3.32E-01	1.57E-01	2.78E-09	1.0E+06	2.8E-03
1031	1031	2.61906	1.93441E-05	5.1E-05	1.05E-03	5.30E-08	3.32E-01	1.57E-01	2.76E-09	1.0E+06	2.8E-03
1032	1032	2.59864	1.93441E-05	5.0E-05	1.05E-03	5.25E-08	3.32E-01	1.57E-01	2.74E-09	1.0E+06	2.7E-03
1033	1033	2.57511	1.93441E-05	5.0E-05	1.05E-03	5.21E-08	3.32E-01	1.57E-01	2.71E-09	1.0E+06	2.7E-03
1034	1034	2.54913	1.93441E-05	4.9E-05	1.05E-03	5.15E-08	3.32E-01	1.57E-01	2.68E-09	1.0E+06	2.7E-03
1035	1035	2.51981	1.93441E-05	4.9E-05	1.05E-03	5.09E-08	3.32E-01	1.57E-01	2.65E-09	1.0E+06	2.7E-03
1036	1036	2.48692	1.93441E-05	4.8E-05	1.05E-03	5.03E-08	3.32E-01	1.57E-01	2.62E-09	1.0E+06	2.6E-03
1037	1037	2.44934	1.93441E-05	4.7E-05	1.05E-03	4.95E-08	3.32E-01	1.57E-01	2.58E-09	1.0E+06	2.6E-03
1038	1038	2.4079	1.93441E-05	4.7E-05	1.05E-03	4.87E-08	3.32E-01	1.57E-01	2.54E-09	1.0E+06	2.5E-03
1039	1039	2.36525	1.93441E-05	4.6E-05	1.05E-03	4.78E-08	3.32E-01	1.57E-01	2.49E-09	1.0E+06	2.5E-03
1040	1040	2.3202	1.93441E-05	4.5E-05	1.05E-03	4.69E-08	3.32E-01	1.57E-01	2.44E-09	1.0E+06	2.4E-03
1041	1041	2.27157	1.93441E-05	4.4E-05	1.05E-03	4.59E-08	3.32E-01	1.57E-01	2.39E-09	1.0E+06	2.4E-03
1042	1042	2.21952	1.93441E-05	4.3E-05	1.05E-03	4.49E-08	3.32E-01	1.57E-01	2.34E-09	1.0E+06	2.3E-03
1043	1043	2.1644	1.93441E-05	4.2E-05	1.05E-03	4.38E-08	3.32E-01	1.57E-01	2.28E-09	1.0E+06	2.3E-03
1044	1044	2.68604	1.93441E-05	5.2E-05	1.05E-03	5.43E-08	3.32E-01	1.57E-01	2.83E-09	1.0E+06	2.8E-03
1045	1045	2.71864	1.93441E-05	5.3E-05	1.05E-03	5.50E-08	3.32E-01	1.57E-01	2.86E-09	1.0E+06	2.9E-03
1046	1046	2.74941	1.93441E-05	5.3E-05	1.05E-03	5.56E-08	3.32E-01	1.57E-01	2.90E-09	1.0E+06	2.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	2.77693	1.93441E-05	5.4E-05	1.05E-03	5.61E-08	3.32E-01	1.57E-01	2.92E-09	1.0E+06	2.9E-03
1048	1048	2.80334	1.93441E-05	5.4E-05	1.05E-03	5.67E-08	3.32E-01	1.57E-01	2.95E-09	1.0E+06	3.0E-03
1049	1049	2.82618	1.93441E-05	5.5E-05	1.05E-03	5.71E-08	3.32E-01	1.57E-01	2.98E-09	1.0E+06	3.0E-03
1050	1050	2.84564	1.93441E-05	5.5E-05	1.05E-03	5.75E-08	3.32E-01	1.57E-01	3.00E-09	1.0E+06	3.0E-03
1051	1051	2.86178	1.93441E-05	5.5E-05	1.05E-03	5.79E-08	3.32E-01	1.57E-01	3.01E-09	1.0E+06	3.0E-03
1052	1052	2.87735	1.93441E-05	5.6E-05	1.05E-03	5.82E-08	3.32E-01	1.57E-01	3.03E-09	1.0E+06	3.0E-03
1053	1053	2.89188	1.93441E-05	5.6E-05	1.05E-03	5.85E-08	3.32E-01	1.57E-01	3.05E-09	1.0E+06	3.0E-03
1054	1054	2.90475	1.93441E-05	5.6E-05	1.05E-03	5.87E-08	3.32E-01	1.57E-01	3.06E-09	1.0E+06	3.1E-03
1055	1055	2.9149	1.93441E-05	5.6E-05	1.05E-03	5.89E-08	3.32E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
1056	1056	2.92173	1.93441E-05	5.7E-05	1.05E-03	5.91E-08	3.32E-01	1.57E-01	3.08E-09	1.0E+06	3.1E-03
1057	1057	2.92622	1.93441E-05	5.7E-05	1.05E-03	5.92E-08	3.32E-01	1.57E-01	3.08E-09	1.0E+06	3.1E-03
1058	1058	2.92556	1.93441E-05	5.7E-05	1.05E-03	5.92E-08	3.32E-01	1.57E-01	3.08E-09	1.0E+06	3.1E-03
1059	1059	2.92249	1.93441E-05	5.7E-05	1.05E-03	5.91E-08	3.32E-01	1.57E-01	3.08E-09	1.0E+06	3.1E-03
1060	1060	2.9177	1.93441E-05	5.6E-05	1.05E-03	5.90E-08	3.32E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
1061	1061	2.91144	1.93441E-05	5.6E-05	1.05E-03	5.89E-08	3.32E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
1062	1062	2.90232	1.93441E-05	5.6E-05	1.05E-03	5.87E-08	3.32E-01	1.57E-01	3.06E-09	1.0E+06	3.1E-03
1063	1063	2.8898	1.93441E-05	5.6E-05	1.05E-03	5.84E-08	3.32E-01	1.57E-01	3.04E-09	1.0E+06	3.0E-03
1064	1064	2.87421	1.93441E-05	5.6E-05	1.05E-03	5.81E-08	3.32E-01	1.57E-01	3.03E-09	1.0E+06	3.0E-03
1065	1065	2.85513	1.93441E-05	5.5E-05	1.05E-03	5.77E-08	3.32E-01	1.57E-01	3.01E-09	1.0E+06	3.0E-03
1066	1066	2.8326	1.93441E-05	5.5E-05	1.05E-03	5.73E-08	3.32E-01	1.57E-01	2.98E-09	1.0E+06	3.0E-03
1067	1067	2.80643	1.93441E-05	5.4E-05	1.05E-03	5.67E-08	3.32E-01	1.57E-01	2.96E-09	1.0E+06	3.0E-03
1068	1068	2.77727	1.93441E-05	5.4E-05	1.05E-03	5.62E-08	3.32E-01	1.57E-01	2.93E-09	1.0E+06	2.9E-03
1069	1069	2.74427	1.93441E-05	5.3E-05	1.05E-03	5.55E-08	3.32E-01	1.57E-01	2.89E-09	1.0E+06	2.9E-03
1070	1070	2.70724	1.93441E-05	5.2E-05	1.05E-03	5.47E-08	3.32E-01	1.57E-01	2.85E-09	1.0E+06	2.9E-03
1071	1071	2.66469	1.93441E-05	5.2E-05	1.05E-03	5.39E-08	3.32E-01	1.57E-01	2.81E-09	1.0E+06	2.8E-03
1072	1072	2.61773	1.93441E-05	5.1E-05	1.05E-03	5.29E-08	3.32E-01	1.57E-01	2.76E-09	1.0E+06	2.8E-03
1073	1073	2.56922	1.93441E-05	5.0E-05	1.05E-03	5.19E-08	3.32E-01	1.57E-01	2.71E-09	1.0E+06	2.7E-03
1074	1074	2.51772	1.93441E-05	4.9E-05	1.05E-03	5.09E-08	3.32E-01	1.57E-01	2.65E-09	1.0E+06	2.7E-03
1075	1075	2.46216	1.93441E-05	4.8E-05	1.05E-03	4.98E-08	3.32E-01	1.57E-01	2.59E-09	1.0E+06	2.6E-03
1076	1076	2.40263	1.93441E-05	4.6E-05	1.05E-03	4.86E-08	3.32E-01	1.57E-01	2.53E-09	1.0E+06	2.5E-03
1077	1077	2.3393	1.93441E-05	4.5E-05	1.05E-03	4.73E-08	3.32E-01	1.57E-01	2.46E-09	1.0E+06	2.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	2.94671	1.93441E-05	5.7E-05	1.05E-03	5.96E-08	3.32E-01	1.57E-01	3.10E-09	1.0E+06	3.1E-03
1079	1079	2.98332	1.93441E-05	5.8E-05	1.05E-03	6.03E-08	3.32E-01	1.57E-01	3.14E-09	1.0E+06	3.1E-03
1080	1080	3.0156	1.93441E-05	5.8E-05	1.05E-03	6.10E-08	3.32E-01	1.57E-01	3.18E-09	1.0E+06	3.2E-03
1081	1081	3.04644	1.93441E-05	5.9E-05	1.05E-03	6.16E-08	3.32E-01	1.57E-01	3.21E-09	1.0E+06	3.2E-03
1082	1082	3.07409	1.93441E-05	5.9E-05	1.05E-03	6.22E-08	3.32E-01	1.57E-01	3.24E-09	1.0E+06	3.2E-03
1083	1083	3.09989	1.93441E-05	6.0E-05	1.05E-03	6.27E-08	3.32E-01	1.57E-01	3.26E-09	1.0E+06	3.3E-03
1084	1084	3.11939	1.93441E-05	6.0E-05	1.05E-03	6.31E-08	3.32E-01	1.57E-01	3.29E-09	1.0E+06	3.3E-03
1085	1085	3.13587	1.93441E-05	6.1E-05	1.05E-03	6.34E-08	3.32E-01	1.57E-01	3.30E-09	1.0E+06	3.3E-03
1086	1086	3.15218	1.93441E-05	6.1E-05	1.05E-03	6.37E-08	3.32E-01	1.57E-01	3.32E-09	1.0E+06	3.3E-03
1087	1087	3.1676	1.93441E-05	6.1E-05	1.05E-03	6.40E-08	3.32E-01	1.57E-01	3.34E-09	1.0E+06	3.3E-03
1088	1088	3.18151	1.93441E-05	6.2E-05	1.05E-03	6.43E-08	3.32E-01	1.57E-01	3.35E-09	1.0E+06	3.4E-03
1089	1089	3.19114	1.93441E-05	6.2E-05	1.05E-03	6.45E-08	3.32E-01	1.57E-01	3.36E-09	1.0E+06	3.4E-03
1090	1090	3.1993	1.93441E-05	6.2E-05	1.05E-03	6.47E-08	3.32E-01	1.57E-01	3.37E-09	1.0E+06	3.4E-03
1091	1091	3.20423	1.93441E-05	6.2E-05	1.05E-03	6.48E-08	3.32E-01	1.57E-01	3.37E-09	1.0E+06	3.4E-03
1092	1092	3.2035	1.93441E-05	6.2E-05	1.05E-03	6.48E-08	3.32E-01	1.57E-01	3.37E-09	1.0E+06	3.4E-03
1093	1093	3.20025	1.93441E-05	6.2E-05	1.05E-03	6.47E-08	3.32E-01	1.57E-01	3.37E-09	1.0E+06	3.4E-03
1094	1094	3.1951	1.93441E-05	6.2E-05	1.05E-03	6.46E-08	3.32E-01	1.57E-01	3.37E-09	1.0E+06	3.4E-03
1095	1095	3.18809	1.93441E-05	6.2E-05	1.05E-03	6.45E-08	3.32E-01	1.57E-01	3.36E-09	1.0E+06	3.4E-03
1096	1096	3.17787	1.93441E-05	6.1E-05	1.05E-03	6.43E-08	3.32E-01	1.57E-01	3.35E-09	1.0E+06	3.3E-03
1097	1097	3.16437	1.93441E-05	6.1E-05	1.05E-03	6.40E-08	3.32E-01	1.57E-01	3.33E-09	1.0E+06	3.3E-03
1098	1098	3.1475	1.93441E-05	6.1E-05	1.05E-03	6.36E-08	3.32E-01	1.57E-01	3.32E-09	1.0E+06	3.3E-03
1099	1099	3.12661	1.93441E-05	6.0E-05	1.05E-03	6.32E-08	3.32E-01	1.57E-01	3.29E-09	1.0E+06	3.3E-03
1100	1100	3.10182	1.93441E-05	6.0E-05	1.05E-03	6.27E-08	3.32E-01	1.57E-01	3.27E-09	1.0E+06	3.3E-03
1101	1101	3.07298	1.93441E-05	5.9E-05	1.05E-03	6.21E-08	3.32E-01	1.57E-01	3.24E-09	1.0E+06	3.2E-03
1102	1102	3.04018	1.93441E-05	5.9E-05	1.05E-03	6.15E-08	3.32E-01	1.57E-01	3.20E-09	1.0E+06	3.2E-03
1103	1103	3.00309	1.93441E-05	5.8E-05	1.05E-03	6.07E-08	3.32E-01	1.57E-01	3.16E-09	1.0E+06	3.2E-03
1104	1104	2.96126	1.93441E-05	5.7E-05	1.05E-03	5.99E-08	3.32E-01	1.57E-01	3.12E-09	1.0E+06	3.1E-03
1105	1105	2.91319	1.93441E-05	5.6E-05	1.05E-03	5.89E-08	3.32E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
1106	1106	2.85986	1.93441E-05	5.5E-05	1.05E-03	5.78E-08	3.32E-01	1.57E-01	3.01E-09	1.0E+06	3.0E-03
1107	1107	2.80451	1.93441E-05	5.4E-05	1.05E-03	5.67E-08	3.32E-01	1.57E-01	2.95E-09	1.0E+06	3.0E-03
1108	1108	2.74559	1.93441E-05	5.3E-05	1.05E-03	5.55E-08	3.32E-01	1.57E-01	2.89E-09	1.0E+06	2.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	2.68182	1.93441E-05	5.2E-05	1.05E-03	5.42E-08	3.32E-01	1.57E-01	2.82E-09	1.0E+06	2.8E-03
1110	1110	2.61319	1.93441E-05	5.1E-05	1.05E-03	5.28E-08	3.32E-01	1.57E-01	2.75E-09	1.0E+06	2.8E-03
1111	1111	2.54014	1.93441E-05	4.9E-05	1.05E-03	5.14E-08	3.32E-01	1.57E-01	2.68E-09	1.0E+06	2.7E-03
1112	1112	3.24754	1.93441E-05	6.3E-05	1.05E-03	6.57E-08	3.32E-01	1.57E-01	3.42E-09	1.0E+06	3.4E-03
1113	1113	3.28788	1.93441E-05	6.4E-05	1.05E-03	6.65E-08	3.32E-01	1.57E-01	3.46E-09	1.0E+06	3.5E-03
1114	1114	3.32277	1.93441E-05	6.4E-05	1.05E-03	6.72E-08	3.32E-01	1.57E-01	3.50E-09	1.0E+06	3.5E-03
1115	1115	3.35638	1.93441E-05	6.5E-05	1.05E-03	6.79E-08	3.32E-01	1.57E-01	3.54E-09	1.0E+06	3.5E-03
1116	1116	3.38618	1.93441E-05	6.6E-05	1.05E-03	6.85E-08	3.32E-01	1.57E-01	3.57E-09	1.0E+06	3.6E-03
1117	1117	3.41444	1.93441E-05	6.6E-05	1.05E-03	6.90E-08	3.32E-01	1.57E-01	3.60E-09	1.0E+06	3.6E-03
1118	1118	3.43503	1.93441E-05	6.6E-05	1.05E-03	6.95E-08	3.32E-01	1.57E-01	3.62E-09	1.0E+06	3.6E-03
1119	1119	3.45199	1.93441E-05	6.7E-05	1.05E-03	6.98E-08	3.32E-01	1.57E-01	3.64E-09	1.0E+06	3.6E-03
1120	1120	3.46929	1.93441E-05	6.7E-05	1.05E-03	7.01E-08	3.32E-01	1.57E-01	3.65E-09	1.0E+06	3.7E-03
1121	1121	3.4858	1.93441E-05	6.7E-05	1.05E-03	7.05E-08	3.32E-01	1.57E-01	3.67E-09	1.0E+06	3.7E-03
1122	1122	3.50075	1.93441E-05	6.8E-05	1.05E-03	7.08E-08	3.32E-01	1.57E-01	3.69E-09	1.0E+06	3.7E-03
1123	1123	3.51086	1.93441E-05	6.8E-05	1.05E-03	7.10E-08	3.32E-01	1.57E-01	3.70E-09	1.0E+06	3.7E-03
1124	1124	3.51979	1.93441E-05	6.8E-05	1.05E-03	7.12E-08	3.32E-01	1.57E-01	3.71E-09	1.0E+06	3.7E-03
1125	1125	3.52523	1.93441E-05	6.8E-05	1.05E-03	7.13E-08	3.32E-01	1.57E-01	3.71E-09	1.0E+06	3.7E-03
1126	1126	3.52457	1.93441E-05	6.8E-05	1.05E-03	7.13E-08	3.32E-01	1.57E-01	3.71E-09	1.0E+06	3.7E-03
1127	1127	3.52146	1.93441E-05	6.8E-05	1.05E-03	7.12E-08	3.32E-01	1.57E-01	3.71E-09	1.0E+06	3.7E-03
1128	1128	3.5158	1.93441E-05	6.8E-05	1.05E-03	7.11E-08	3.32E-01	1.57E-01	3.70E-09	1.0E+06	3.7E-03
1129	1129	3.50835	1.93441E-05	6.8E-05	1.05E-03	7.09E-08	3.32E-01	1.57E-01	3.70E-09	1.0E+06	3.7E-03
1130	1130	3.49709	1.93441E-05	6.8E-05	1.05E-03	7.07E-08	3.32E-01	1.57E-01	3.68E-09	1.0E+06	3.7E-03
1131	1131	3.48259	1.93441E-05	6.7E-05	1.05E-03	7.04E-08	3.32E-01	1.57E-01	3.67E-09	1.0E+06	3.7E-03
1132	1132	3.46428	1.93441E-05	6.7E-05	1.05E-03	7.00E-08	3.32E-01	1.57E-01	3.65E-09	1.0E+06	3.6E-03
1133	1133	3.44143	1.93441E-05	6.7E-05	1.05E-03	6.96E-08	3.32E-01	1.57E-01	3.62E-09	1.0E+06	3.6E-03
1134	1134	3.41426	1.93441E-05	6.6E-05	1.05E-03	6.90E-08	3.32E-01	1.57E-01	3.60E-09	1.0E+06	3.6E-03
1135	1135	3.38236	1.93441E-05	6.5E-05	1.05E-03	6.84E-08	3.32E-01	1.57E-01	3.56E-09	1.0E+06	3.6E-03
1136	1136	3.34561	1.93441E-05	6.5E-05	1.05E-03	6.76E-08	3.32E-01	1.57E-01	3.52E-09	1.0E+06	3.5E-03
1137	1137	3.30392	1.93441E-05	6.4E-05	1.05E-03	6.68E-08	3.32E-01	1.57E-01	3.48E-09	1.0E+06	3.5E-03
1138	1138	3.2568	1.93441E-05	6.3E-05	1.05E-03	6.58E-08	3.32E-01	1.57E-01	3.43E-09	1.0E+06	3.4E-03
1139	1139	3.20251	1.93441E-05	6.2E-05	1.05E-03	6.48E-08	3.32E-01	1.57E-01	3.37E-09	1.0E+06	3.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	3.14206	1.93441E-05	6.1E-05	1.05E-03	6.35E-08	3.32E-01	1.57E-01	3.31E-09	1.0E+06	3.3E-03
1141	1141	3.07873	1.93441E-05	6.0E-05	1.05E-03	6.22E-08	3.32E-01	1.57E-01	3.24E-09	1.0E+06	3.2E-03
1142	1142	3.01066	1.93441E-05	5.8E-05	1.05E-03	6.09E-08	3.32E-01	1.57E-01	3.17E-09	1.0E+06	3.2E-03
1143	1143	2.93675	1.93441E-05	5.7E-05	1.05E-03	5.94E-08	3.32E-01	1.57E-01	3.09E-09	1.0E+06	3.1E-03
1144	1144	2.85703	1.93441E-05	5.5E-05	1.05E-03	5.78E-08	3.32E-01	1.57E-01	3.01E-09	1.0E+06	3.0E-03
1145	1145	2.77181	1.93441E-05	5.4E-05	1.05E-03	5.60E-08	3.32E-01	1.57E-01	2.92E-09	1.0E+06	2.9E-03
1146	1146	3.59782	1.93441E-05	7.0E-05	1.05E-03	7.27E-08	3.32E-01	1.57E-01	3.79E-09	1.0E+06	3.8E-03
1147	1147	3.64227	1.93441E-05	7.0E-05	1.05E-03	7.36E-08	3.32E-01	1.57E-01	3.84E-09	1.0E+06	3.8E-03
1148	1148	3.68047	1.93441E-05	7.1E-05	1.05E-03	7.44E-08	3.32E-01	1.57E-01	3.88E-09	1.0E+06	3.9E-03
1149	1149	3.71742	1.93441E-05	7.2E-05	1.05E-03	7.52E-08	3.32E-01	1.57E-01	3.92E-09	1.0E+06	3.9E-03
1150	1150	3.74918	1.93441E-05	7.3E-05	1.05E-03	7.58E-08	3.32E-01	1.57E-01	3.95E-09	1.0E+06	3.9E-03
1151	1151	3.77981	1.93441E-05	7.3E-05	1.05E-03	7.64E-08	3.32E-01	1.57E-01	3.98E-09	1.0E+06	4.0E-03
1152	1152	3.80264	1.93441E-05	7.4E-05	1.05E-03	7.69E-08	3.32E-01	1.57E-01	4.01E-09	1.0E+06	4.0E-03
1153	1153	3.82151	1.93441E-05	7.4E-05	1.05E-03	7.73E-08	3.32E-01	1.57E-01	4.03E-09	1.0E+06	4.0E-03
1154	1154	3.84083	1.93441E-05	7.4E-05	1.05E-03	7.77E-08	3.32E-01	1.57E-01	4.05E-09	1.0E+06	4.0E-03
1155	1155	3.8597	1.93441E-05	7.5E-05	1.05E-03	7.80E-08	3.32E-01	1.57E-01	4.07E-09	1.0E+06	4.1E-03
1156	1156	3.87335	1.93441E-05	7.5E-05	1.05E-03	7.83E-08	3.32E-01	1.57E-01	4.08E-09	1.0E+06	4.1E-03
1157	1157	3.88382	1.93441E-05	7.5E-05	1.05E-03	7.85E-08	3.32E-01	1.57E-01	4.09E-09	1.0E+06	4.1E-03
1158	1158	3.89324	1.93441E-05	7.5E-05	1.05E-03	7.87E-08	3.32E-01	1.57E-01	4.10E-09	1.0E+06	4.1E-03
1159	1159	3.89912	1.93441E-05	7.5E-05	1.05E-03	7.88E-08	3.32E-01	1.57E-01	4.11E-09	1.0E+06	4.1E-03
1160	1160	3.89907	1.93441E-05	7.5E-05	1.05E-03	7.88E-08	3.32E-01	1.57E-01	4.11E-09	1.0E+06	4.1E-03
1161	1161	3.89656	1.93441E-05	7.5E-05	1.05E-03	7.88E-08	3.32E-01	1.57E-01	4.10E-09	1.0E+06	4.1E-03
1162	1162	3.89081	1.93441E-05	7.5E-05	1.05E-03	7.87E-08	3.32E-01	1.57E-01	4.10E-09	1.0E+06	4.1E-03
1163	1163	3.88275	1.93441E-05	7.5E-05	1.05E-03	7.85E-08	3.32E-01	1.57E-01	4.09E-09	1.0E+06	4.1E-03
1164	1164	3.87078	1.93441E-05	7.5E-05	1.05E-03	7.83E-08	3.32E-01	1.57E-01	4.08E-09	1.0E+06	4.1E-03
1165	1165	3.85511	1.93441E-05	7.5E-05	1.05E-03	7.79E-08	3.32E-01	1.57E-01	4.06E-09	1.0E+06	4.1E-03
1166	1166	3.83523	1.93441E-05	7.4E-05	1.05E-03	7.75E-08	3.32E-01	1.57E-01	4.04E-09	1.0E+06	4.0E-03
1167	1167	3.8102	1.93441E-05	7.4E-05	1.05E-03	7.70E-08	3.32E-01	1.57E-01	4.01E-09	1.0E+06	4.0E-03
1168	1168	3.78027	1.93441E-05	7.3E-05	1.05E-03	7.64E-08	3.32E-01	1.57E-01	3.98E-09	1.0E+06	4.0E-03
1169	1169	3.74471	1.93441E-05	7.2E-05	1.05E-03	7.57E-08	3.32E-01	1.57E-01	3.94E-09	1.0E+06	3.9E-03
1170	1170	3.70395	1.93441E-05	7.2E-05	1.05E-03	7.49E-08	3.32E-01	1.57E-01	3.90E-09	1.0E+06	3.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	3.65707	1.93441E-05	7.1E-05	1.05E-03	7.39E-08	3.32E-01	1.57E-01	3.85E-09	1.0E+06	3.9E-03
1172	1172	3.60385	1.93441E-05	7.0E-05	1.05E-03	7.29E-08	3.32E-01	1.57E-01	3.80E-09	1.0E+06	3.8E-03
1173	1173	3.54308	1.93441E-05	6.9E-05	1.05E-03	7.16E-08	3.32E-01	1.57E-01	3.73E-09	1.0E+06	3.7E-03
1174	1174	3.47454	1.93441E-05	6.7E-05	1.05E-03	7.03E-08	3.32E-01	1.57E-01	3.66E-09	1.0E+06	3.7E-03
1175	1175	3.40186	1.93441E-05	6.6E-05	1.05E-03	6.88E-08	3.32E-01	1.57E-01	3.58E-09	1.0E+06	3.6E-03
1176	1176	3.32263	1.93441E-05	6.4E-05	1.05E-03	6.72E-08	3.32E-01	1.57E-01	3.50E-09	1.0E+06	3.5E-03
1177	1177	3.23604	1.93441E-05	6.3E-05	1.05E-03	6.54E-08	3.32E-01	1.57E-01	3.41E-09	1.0E+06	3.4E-03
1178	1178	3.14199	1.93441E-05	6.1E-05	1.05E-03	6.35E-08	3.32E-01	1.57E-01	3.31E-09	1.0E+06	3.3E-03
1179	1179	3.04123	1.93441E-05	5.9E-05	1.05E-03	6.15E-08	3.32E-01	1.57E-01	3.20E-09	1.0E+06	3.2E-03
1180	1180	4.01215	1.93441E-05	7.8E-05	1.05E-03	8.11E-08	3.32E-01	1.57E-01	4.23E-09	1.0E+06	4.2E-03
1181	1181	4.05874	1.93441E-05	7.9E-05	1.05E-03	8.21E-08	3.32E-01	1.57E-01	4.27E-09	1.0E+06	4.3E-03
1182	1182	4.10306	1.93441E-05	7.9E-05	1.05E-03	8.30E-08	3.32E-01	1.57E-01	4.32E-09	1.0E+06	4.3E-03
1183	1183	4.14132	1.93441E-05	8.0E-05	1.05E-03	8.37E-08	3.32E-01	1.57E-01	4.36E-09	1.0E+06	4.4E-03
1184	1184	4.17789	1.93441E-05	8.1E-05	1.05E-03	8.45E-08	3.32E-01	1.57E-01	4.40E-09	1.0E+06	4.4E-03
1185	1185	4.20867	1.93441E-05	8.1E-05	1.05E-03	8.51E-08	3.32E-01	1.57E-01	4.43E-09	1.0E+06	4.4E-03
1186	1186	4.23438	1.93441E-05	8.2E-05	1.05E-03	8.56E-08	3.32E-01	1.57E-01	4.46E-09	1.0E+06	4.5E-03
1187	1187	4.25835	1.93441E-05	8.2E-05	1.05E-03	8.61E-08	3.32E-01	1.57E-01	4.49E-09	1.0E+06	4.5E-03
1188	1188	4.2776	1.93441E-05	8.3E-05	1.05E-03	8.65E-08	3.32E-01	1.57E-01	4.51E-09	1.0E+06	4.5E-03
1189	1189	4.29791	1.93441E-05	8.3E-05	1.05E-03	8.69E-08	3.32E-01	1.57E-01	4.53E-09	1.0E+06	4.5E-03
1190	1190	4.31188	1.93441E-05	8.3E-05	1.05E-03	8.72E-08	3.32E-01	1.57E-01	4.54E-09	1.0E+06	4.5E-03
1191	1191	4.32501	1.93441E-05	8.4E-05	1.05E-03	8.74E-08	3.32E-01	1.57E-01	4.56E-09	1.0E+06	4.6E-03
1192	1192	4.33275	1.93441E-05	8.4E-05	1.05E-03	8.76E-08	3.32E-01	1.57E-01	4.56E-09	1.0E+06	4.6E-03
1193	1193	4.33918	1.93441E-05	8.4E-05	1.05E-03	8.77E-08	3.32E-01	1.57E-01	4.57E-09	1.0E+06	4.6E-03
1194	1194	4.34052	1.93441E-05	8.4E-05	1.05E-03	8.78E-08	3.32E-01	1.57E-01	4.57E-09	1.0E+06	4.6E-03
1195	1195	4.33882	1.93441E-05	8.4E-05	1.05E-03	8.77E-08	3.32E-01	1.57E-01	4.57E-09	1.0E+06	4.6E-03
1196	1196	4.33359	1.93441E-05	8.4E-05	1.05E-03	8.76E-08	3.32E-01	1.57E-01	4.56E-09	1.0E+06	4.6E-03
1197	1197	4.32507	1.93441E-05	8.4E-05	1.05E-03	8.74E-08	3.32E-01	1.57E-01	4.56E-09	1.0E+06	4.6E-03
1198	1198	4.31252	1.93441E-05	8.3E-05	1.05E-03	8.72E-08	3.32E-01	1.57E-01	4.54E-09	1.0E+06	4.5E-03
1199	1199	4.29587	1.93441E-05	8.3E-05	1.05E-03	8.69E-08	3.32E-01	1.57E-01	4.52E-09	1.0E+06	4.5E-03
1200	1200	4.27444	1.93441E-05	8.3E-05	1.05E-03	8.64E-08	3.32E-01	1.57E-01	4.50E-09	1.0E+06	4.5E-03
1201	1201	4.24731	1.93441E-05	8.2E-05	1.05E-03	8.59E-08	3.32E-01	1.57E-01	4.47E-09	1.0E+06	4.5E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	4.21465	1.93441E-05	8.2E-05	1.05E-03	8.52E-08	3.32E-01	1.57E-01	4.44E-09	1.0E+06	4.4E-03
1203	1203	4.17543	1.93441E-05	8.1E-05	1.05E-03	8.44E-08	3.32E-01	1.57E-01	4.40E-09	1.0E+06	4.4E-03
1204	1204	4.13023	1.93441E-05	8.0E-05	1.05E-03	8.35E-08	3.32E-01	1.57E-01	4.35E-09	1.0E+06	4.4E-03
1205	1205	4.07753	1.93441E-05	7.9E-05	1.05E-03	8.24E-08	3.32E-01	1.57E-01	4.29E-09	1.0E+06	4.3E-03
1206	1206	4.01752	1.93441E-05	7.8E-05	1.05E-03	8.12E-08	3.32E-01	1.57E-01	4.23E-09	1.0E+06	4.2E-03
1207	1207	3.94919	1.93441E-05	7.6E-05	1.05E-03	7.98E-08	3.32E-01	1.57E-01	4.16E-09	1.0E+06	4.2E-03
1208	1208	3.87166	1.93441E-05	7.5E-05	1.05E-03	7.83E-08	3.32E-01	1.57E-01	4.08E-09	1.0E+06	4.1E-03
1209	1209	3.78783	1.93441E-05	7.3E-05	1.05E-03	7.66E-08	3.32E-01	1.57E-01	3.99E-09	1.0E+06	4.0E-03
1210	1210	3.69533	1.93441E-05	7.1E-05	1.05E-03	7.47E-08	3.32E-01	1.57E-01	3.89E-09	1.0E+06	3.9E-03
1211	1211	3.59309	1.93441E-05	7.0E-05	1.05E-03	7.26E-08	3.32E-01	1.57E-01	3.78E-09	1.0E+06	3.8E-03
1212	1212	3.48149	1.93441E-05	6.7E-05	1.05E-03	7.04E-08	3.32E-01	1.57E-01	3.67E-09	1.0E+06	3.7E-03
1213	1213	3.36095	1.93441E-05	6.5E-05	1.05E-03	6.80E-08	3.32E-01	1.57E-01	3.54E-09	1.0E+06	3.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.4947	2.62129E-05	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.06E-10	1.0E+06	7.1E-04
893	893	0.50618	2.62129E-05	1.3E-05	1.05E-03	1.39E-08	3.32E-01	1.57E-01	7.22E-10	1.0E+06	7.2E-04
894	894	0.51711	2.62129E-05	1.4E-05	1.05E-03	1.42E-08	3.32E-01	1.57E-01	7.38E-10	1.0E+06	7.4E-04
895	895	0.52827	2.62129E-05	1.4E-05	1.05E-03	1.45E-08	3.32E-01	1.57E-01	7.54E-10	1.0E+06	7.5E-04
896	896	0.53953	2.62129E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.70E-10	1.0E+06	7.7E-04
897	897	0.55079	2.62129E-05	1.4E-05	1.05E-03	1.51E-08	3.32E-01	1.57E-01	7.86E-10	1.0E+06	7.9E-04
898	898	0.56207	2.62129E-05	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.02E-10	1.0E+06	8.0E-04
899	899	0.57315	2.62129E-05	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.18E-10	1.0E+06	8.2E-04
900	900	0.58386	2.62129E-05	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
901	901	0.59437	2.62129E-05	1.6E-05	1.05E-03	1.63E-08	3.32E-01	1.57E-01	8.48E-10	1.0E+06	8.5E-04
902	902	0.60518	2.62129E-05	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.64E-10	1.0E+06	8.6E-04
903	903	0.61563	2.62129E-05	1.6E-05	1.05E-03	1.69E-08	3.32E-01	1.57E-01	8.79E-10	1.0E+06	8.8E-04
904	904	0.62485	2.62129E-05	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.92E-10	1.0E+06	8.9E-04
905	905	0.63311	2.62129E-05	1.7E-05	1.05E-03	1.73E-08	3.32E-01	1.57E-01	9.04E-10	1.0E+06	9.0E-04
906	906	0.64051	2.62129E-05	1.7E-05	1.05E-03	1.75E-08	3.32E-01	1.57E-01	9.14E-10	1.0E+06	9.1E-04
907	907	0.6473	2.62129E-05	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.24E-10	1.0E+06	9.2E-04
908	908	0.32046	2.62129E-05	8.4E-06	1.05E-03	8.78E-09	3.32E-01	1.57E-01	4.57E-10	1.0E+06	4.6E-04
909	909	0.32652	2.62129E-05	8.6E-06	1.05E-03	8.95E-09	3.32E-01	1.57E-01	4.66E-10	1.0E+06	4.7E-04
910	910	0.33287	2.62129E-05	8.7E-06	1.05E-03	9.12E-09	3.32E-01	1.57E-01	4.75E-10	1.0E+06	4.8E-04
911	911	0.33938	2.62129E-05	8.9E-06	1.05E-03	9.30E-09	3.32E-01	1.57E-01	4.84E-10	1.0E+06	4.8E-04
912	912	0.34613	2.62129E-05	9.1E-06	1.05E-03	9.48E-09	3.32E-01	1.57E-01	4.94E-10	1.0E+06	4.9E-04
913	913	0.35318	2.62129E-05	9.3E-06	1.05E-03	9.68E-09	3.32E-01	1.57E-01	5.04E-10	1.0E+06	5.0E-04
914	914	0.36049	2.62129E-05	9.4E-06	1.05E-03	9.88E-09	3.32E-01	1.57E-01	5.15E-10	1.0E+06	5.1E-04
915	915	0.36813	2.62129E-05	9.6E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.25E-10	1.0E+06	5.3E-04
916	916	0.37603	2.62129E-05	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.37E-10	1.0E+06	5.4E-04
917	917	0.38419	2.62129E-05	1.0E-05	1.05E-03	1.05E-08	3.32E-01	1.57E-01	5.48E-10	1.0E+06	5.5E-04
918	918	0.39619	2.62129E-05	1.0E-05	1.05E-03	1.09E-08	3.32E-01	1.57E-01	5.65E-10	1.0E+06	5.7E-04
919	919	0.40857	2.62129E-05	1.1E-05	1.05E-03	1.12E-08	3.32E-01	1.57E-01	5.83E-10	1.0E+06	5.8E-04
920	920	0.42516	2.62129E-05	1.1E-05	1.05E-03	1.16E-08	3.32E-01	1.57E-01	6.07E-10	1.0E+06	6.1E-04
921	921	0.43914	2.62129E-05	1.2E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.27E-10	1.0E+06	6.3E-04
922	922	0.45141	2.62129E-05	1.2E-05	1.05E-03	1.24E-08	3.32E-01	1.57E-01	6.44E-10	1.0E+06	6.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.46516	2.62129E-05	1.2E-05	1.05E-03	1.27E-08	3.32E-01	1.57E-01	6.64E-10	1.0E+06	6.6E-04
924	924	0.47867	2.62129E-05	1.3E-05	1.05E-03	1.31E-08	3.32E-01	1.57E-01	6.83E-10	1.0E+06	6.8E-04
925	925	0.49093	2.62129E-05	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.01E-10	1.0E+06	7.0E-04
926	926	0.50418	2.62129E-05	1.3E-05	1.05E-03	1.38E-08	3.32E-01	1.57E-01	7.20E-10	1.0E+06	7.2E-04
927	927	0.51571	2.62129E-05	1.4E-05	1.05E-03	1.41E-08	3.32E-01	1.57E-01	7.36E-10	1.0E+06	7.4E-04
928	928	0.52825	2.62129E-05	1.4E-05	1.05E-03	1.45E-08	3.32E-01	1.57E-01	7.54E-10	1.0E+06	7.5E-04
929	929	0.54024	2.62129E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.71E-10	1.0E+06	7.7E-04
930	930	0.5525	2.62129E-05	1.4E-05	1.05E-03	1.51E-08	3.32E-01	1.57E-01	7.89E-10	1.0E+06	7.9E-04
931	931	0.56488	2.62129E-05	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.06E-10	1.0E+06	8.1E-04
932	932	0.57725	2.62129E-05	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.24E-10	1.0E+06	8.2E-04
933	933	0.58965	2.62129E-05	1.5E-05	1.05E-03	1.62E-08	3.32E-01	1.57E-01	8.42E-10	1.0E+06	8.4E-04
934	934	0.60197	2.62129E-05	1.6E-05	1.05E-03	1.65E-08	3.32E-01	1.57E-01	8.59E-10	1.0E+06	8.6E-04
935	935	0.61414	2.62129E-05	1.6E-05	1.05E-03	1.68E-08	3.32E-01	1.57E-01	8.77E-10	1.0E+06	8.8E-04
936	936	0.62608	2.62129E-05	1.6E-05	1.05E-03	1.72E-08	3.32E-01	1.57E-01	8.94E-10	1.0E+06	8.9E-04
937	937	0.63819	2.62129E-05	1.7E-05	1.05E-03	1.75E-08	3.32E-01	1.57E-01	9.11E-10	1.0E+06	9.1E-04
938	938	0.65	2.62129E-05	1.7E-05	1.05E-03	1.78E-08	3.32E-01	1.57E-01	9.28E-10	1.0E+06	9.3E-04
939	939	0.66042	2.62129E-05	1.7E-05	1.05E-03	1.81E-08	3.32E-01	1.57E-01	9.43E-10	1.0E+06	9.4E-04
940	940	0.66987	2.62129E-05	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.56E-10	1.0E+06	9.6E-04
941	941	0.67832	2.62129E-05	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.68E-10	1.0E+06	9.7E-04
942	942	0.33017	2.62129E-05	8.7E-06	1.05E-03	9.05E-09	3.32E-01	1.57E-01	4.71E-10	1.0E+06	4.7E-04
943	943	0.33658	2.62129E-05	8.8E-06	1.05E-03	9.22E-09	3.32E-01	1.57E-01	4.80E-10	1.0E+06	4.8E-04
944	944	0.34324	2.62129E-05	9.0E-06	1.05E-03	9.40E-09	3.32E-01	1.57E-01	4.90E-10	1.0E+06	4.9E-04
945	945	0.35016	2.62129E-05	9.2E-06	1.05E-03	9.59E-09	3.32E-01	1.57E-01	5.00E-10	1.0E+06	5.0E-04
946	946	0.35731	2.62129E-05	9.4E-06	1.05E-03	9.79E-09	3.32E-01	1.57E-01	5.10E-10	1.0E+06	5.1E-04
947	947	0.36479	2.62129E-05	9.6E-06	1.05E-03	9.99E-09	3.32E-01	1.57E-01	5.21E-10	1.0E+06	5.2E-04
948	948	0.37272	2.62129E-05	9.8E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.32E-10	1.0E+06	5.3E-04
949	949	0.38099	2.62129E-05	1.0E-05	1.05E-03	1.04E-08	3.32E-01	1.57E-01	5.44E-10	1.0E+06	5.4E-04
950	950	0.38951	2.62129E-05	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.56E-10	1.0E+06	5.6E-04
951	951	0.39799	2.62129E-05	1.0E-05	1.05E-03	1.09E-08	3.32E-01	1.57E-01	5.68E-10	1.0E+06	5.7E-04
952	952	0.41006	2.62129E-05	1.1E-05	1.05E-03	1.12E-08	3.32E-01	1.57E-01	5.85E-10	1.0E+06	5.9E-04
953	953	0.4225	2.62129E-05	1.1E-05	1.05E-03	1.16E-08	3.32E-01	1.57E-01	6.03E-10	1.0E+06	6.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.43774	2.62129E-05	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.25E-10	1.0E+06	6.2E-04
955	955	0.45092	2.62129E-05	1.2E-05	1.05E-03	1.24E-08	3.32E-01	1.57E-01	6.44E-10	1.0E+06	6.4E-04
956	956	0.46816	2.62129E-05	1.2E-05	1.05E-03	1.28E-08	3.32E-01	1.57E-01	6.68E-10	1.0E+06	6.7E-04
957	957	0.48314	2.62129E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.90E-10	1.0E+06	6.9E-04
958	958	0.49772	2.62129E-05	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.10E-10	1.0E+06	7.1E-04
959	959	0.51094	2.62129E-05	1.3E-05	1.05E-03	1.40E-08	3.32E-01	1.57E-01	7.29E-10	1.0E+06	7.3E-04
960	960	0.52435	2.62129E-05	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.48E-10	1.0E+06	7.5E-04
961	961	0.53792	2.62129E-05	1.4E-05	1.05E-03	1.47E-08	3.32E-01	1.57E-01	7.68E-10	1.0E+06	7.7E-04
962	962	0.55166	2.62129E-05	1.4E-05	1.05E-03	1.51E-08	3.32E-01	1.57E-01	7.87E-10	1.0E+06	7.9E-04
963	963	0.56489	2.62129E-05	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.06E-10	1.0E+06	8.1E-04
964	964	0.5784	2.62129E-05	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.26E-10	1.0E+06	8.3E-04
965	965	0.59214	2.62129E-05	1.6E-05	1.05E-03	1.62E-08	3.32E-01	1.57E-01	8.45E-10	1.0E+06	8.5E-04
966	966	0.60586	2.62129E-05	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.65E-10	1.0E+06	8.6E-04
967	967	0.61963	2.62129E-05	1.6E-05	1.05E-03	1.70E-08	3.32E-01	1.57E-01	8.84E-10	1.0E+06	8.8E-04
968	968	0.63346	2.62129E-05	1.7E-05	1.05E-03	1.74E-08	3.32E-01	1.57E-01	9.04E-10	1.0E+06	9.0E-04
969	969	0.64734	2.62129E-05	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.24E-10	1.0E+06	9.2E-04
970	970	0.66107	2.62129E-05	1.7E-05	1.05E-03	1.81E-08	3.32E-01	1.57E-01	9.44E-10	1.0E+06	9.4E-04
971	971	0.67455	2.62129E-05	1.8E-05	1.05E-03	1.85E-08	3.32E-01	1.57E-01	9.63E-10	1.0E+06	9.6E-04
972	972	0.68772	2.62129E-05	1.8E-05	1.05E-03	1.88E-08	3.32E-01	1.57E-01	9.82E-10	1.0E+06	9.8E-04
973	973	0.69968	2.62129E-05	1.8E-05	1.05E-03	1.92E-08	3.32E-01	1.57E-01	9.99E-10	1.0E+06	1.0E-03
974	974	0.71062	2.62129E-05	1.9E-05	1.05E-03	1.95E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
975	975	0.72046	2.62129E-05	1.9E-05	1.05E-03	1.97E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
976	976	0.34019	2.62129E-05	8.9E-06	1.05E-03	9.32E-09	3.32E-01	1.57E-01	4.86E-10	1.0E+06	4.9E-04
977	977	0.34697	2.62129E-05	9.1E-06	1.05E-03	9.51E-09	3.32E-01	1.57E-01	4.95E-10	1.0E+06	5.0E-04
978	978	0.35402	2.62129E-05	9.3E-06	1.05E-03	9.70E-09	3.32E-01	1.57E-01	5.05E-10	1.0E+06	5.1E-04
979	979	0.36135	2.62129E-05	9.5E-06	1.05E-03	9.90E-09	3.32E-01	1.57E-01	5.16E-10	1.0E+06	5.2E-04
980	980	0.36897	2.62129E-05	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.27E-10	1.0E+06	5.3E-04
981	981	0.37692	2.62129E-05	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.38E-10	1.0E+06	5.4E-04
982	982	0.38546	2.62129E-05	1.0E-05	1.05E-03	1.06E-08	3.32E-01	1.57E-01	5.50E-10	1.0E+06	5.5E-04
983	983	0.39443	2.62129E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
984	984	0.4036	2.62129E-05	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.76E-10	1.0E+06	5.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.41251	2.62129E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.89E-10	1.0E+06	5.9E-04
986	986	0.42175	2.62129E-05	1.1E-05	1.05E-03	1.16E-08	3.32E-01	1.57E-01	6.02E-10	1.0E+06	6.0E-04
987	987	0.43709	2.62129E-05	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
988	988	0.44819	2.62129E-05	1.2E-05	1.05E-03	1.23E-08	3.32E-01	1.57E-01	6.40E-10	1.0E+06	6.4E-04
989	989	0.46483	2.62129E-05	1.2E-05	1.05E-03	1.27E-08	3.32E-01	1.57E-01	6.63E-10	1.0E+06	6.6E-04
990	990	0.48579	2.62129E-05	1.3E-05	1.05E-03	1.33E-08	3.32E-01	1.57E-01	6.93E-10	1.0E+06	6.9E-04
991	991	0.5007	2.62129E-05	1.3E-05	1.05E-03	1.37E-08	3.32E-01	1.57E-01	7.15E-10	1.0E+06	7.1E-04
992	992	0.51788	2.62129E-05	1.4E-05	1.05E-03	1.42E-08	3.32E-01	1.57E-01	7.39E-10	1.0E+06	7.4E-04
993	993	0.53222	2.62129E-05	1.4E-05	1.05E-03	1.46E-08	3.32E-01	1.57E-01	7.60E-10	1.0E+06	7.6E-04
994	994	0.54674	2.62129E-05	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.80E-10	1.0E+06	7.8E-04
995	995	0.56163	2.62129E-05	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.02E-10	1.0E+06	8.0E-04
996	996	0.57673	2.62129E-05	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.23E-10	1.0E+06	8.2E-04
997	997	0.59135	2.62129E-05	1.6E-05	1.05E-03	1.62E-08	3.32E-01	1.57E-01	8.44E-10	1.0E+06	8.4E-04
998	998	0.60636	2.62129E-05	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.65E-10	1.0E+06	8.7E-04
999	999	0.62164	2.62129E-05	1.6E-05	1.05E-03	1.70E-08	3.32E-01	1.57E-01	8.87E-10	1.0E+06	8.9E-04
1000	1000	0.63691	2.62129E-05	1.7E-05	1.05E-03	1.74E-08	3.32E-01	1.57E-01	9.09E-10	1.0E+06	9.1E-04
1001	1001	0.65232	2.62129E-05	1.7E-05	1.05E-03	1.79E-08	3.32E-01	1.57E-01	9.31E-10	1.0E+06	9.3E-04
1002	1002	0.66788	2.62129E-05	1.8E-05	1.05E-03	1.83E-08	3.32E-01	1.57E-01	9.53E-10	1.0E+06	9.5E-04
1003	1003	0.68382	2.62129E-05	1.8E-05	1.05E-03	1.87E-08	3.32E-01	1.57E-01	9.76E-10	1.0E+06	9.8E-04
1004	1004	0.69963	2.62129E-05	1.8E-05	1.05E-03	1.92E-08	3.32E-01	1.57E-01	9.99E-10	1.0E+06	1.0E-03
1005	1005	0.71479	2.62129E-05	1.9E-05	1.05E-03	1.96E-08	3.32E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1006	1006	0.72931	2.62129E-05	1.9E-05	1.05E-03	2.00E-08	3.32E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
1007	1007	0.74316	2.62129E-05	1.9E-05	1.05E-03	2.04E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1008	1008	0.7558	2.62129E-05	2.0E-05	1.05E-03	2.07E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
1009	1009	0.76726	2.62129E-05	2.0E-05	1.05E-03	2.10E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1010	1010	0.35052	2.62129E-05	9.2E-06	1.05E-03	9.60E-09	3.32E-01	1.57E-01	5.00E-10	1.0E+06	5.0E-04
1011	1011	0.35768	2.62129E-05	9.4E-06	1.05E-03	9.80E-09	3.32E-01	1.57E-01	5.11E-10	1.0E+06	5.1E-04
1012	1012	0.36515	2.62129E-05	9.6E-06	1.05E-03	1.00E-08	3.32E-01	1.57E-01	5.21E-10	1.0E+06	5.2E-04
1013	1013	0.37295	2.62129E-05	9.8E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.32E-10	1.0E+06	5.3E-04
1014	1014	0.38101	2.62129E-05	1.0E-05	1.05E-03	1.04E-08	3.32E-01	1.57E-01	5.44E-10	1.0E+06	5.4E-04
1015	1015	0.3895	2.62129E-05	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.56E-10	1.0E+06	5.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.39868	2.62129E-05	1.0E-05	1.05E-03	1.09E-08	3.32E-01	1.57E-01	5.69E-10	1.0E+06	5.7E-04
1017	1017	0.40836	2.62129E-05	1.1E-05	1.05E-03	1.12E-08	3.32E-01	1.57E-01	5.83E-10	1.0E+06	5.8E-04
1018	1018	0.4182	2.62129E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	5.97E-10	1.0E+06	6.0E-04
1019	1019	0.42766	2.62129E-05	1.1E-05	1.05E-03	1.17E-08	3.32E-01	1.57E-01	6.10E-10	1.0E+06	6.1E-04
1020	1020	0.43751	2.62129E-05	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
1021	1021	0.45066	2.62129E-05	1.2E-05	1.05E-03	1.23E-08	3.32E-01	1.57E-01	6.43E-10	1.0E+06	6.4E-04
1022	1022	0.46429	2.62129E-05	1.2E-05	1.05E-03	1.27E-08	3.32E-01	1.57E-01	6.63E-10	1.0E+06	6.6E-04
1023	1023	0.4794	2.62129E-05	1.3E-05	1.05E-03	1.31E-08	3.32E-01	1.57E-01	6.84E-10	1.0E+06	6.8E-04
1024	1024	0.50272	2.62129E-05	1.3E-05	1.05E-03	1.38E-08	3.32E-01	1.57E-01	7.18E-10	1.0E+06	7.2E-04
1025	1025	0.52071	2.62129E-05	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.43E-10	1.0E+06	7.4E-04
1026	1026	0.53923	2.62129E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.70E-10	1.0E+06	7.7E-04
1027	1027	0.55483	2.62129E-05	1.5E-05	1.05E-03	1.52E-08	3.32E-01	1.57E-01	7.92E-10	1.0E+06	7.9E-04
1028	1028	0.56965	2.62129E-05	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.13E-10	1.0E+06	8.1E-04
1029	1029	0.58702	2.62129E-05	1.5E-05	1.05E-03	1.61E-08	3.32E-01	1.57E-01	8.38E-10	1.0E+06	8.4E-04
1030	1030	0.60364	2.62129E-05	1.6E-05	1.05E-03	1.65E-08	3.32E-01	1.57E-01	8.62E-10	1.0E+06	8.6E-04
1031	1031	0.61988	2.62129E-05	1.6E-05	1.05E-03	1.70E-08	3.32E-01	1.57E-01	8.85E-10	1.0E+06	8.8E-04
1032	1032	0.63658	2.62129E-05	1.7E-05	1.05E-03	1.74E-08	3.32E-01	1.57E-01	9.09E-10	1.0E+06	9.1E-04
1033	1033	0.6536	2.62129E-05	1.7E-05	1.05E-03	1.79E-08	3.32E-01	1.57E-01	9.33E-10	1.0E+06	9.3E-04
1034	1034	0.67075	2.62129E-05	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.57E-10	1.0E+06	9.6E-04
1035	1035	0.68809	2.62129E-05	1.8E-05	1.05E-03	1.89E-08	3.32E-01	1.57E-01	9.82E-10	1.0E+06	9.8E-04
1036	1036	0.70577	2.62129E-05	1.9E-05	1.05E-03	1.93E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1037	1037	0.72399	2.62129E-05	1.9E-05	1.05E-03	1.98E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1038	1038	0.74225	2.62129E-05	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1039	1039	0.75952	2.62129E-05	2.0E-05	1.05E-03	2.08E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
1040	1040	0.77593	2.62129E-05	2.0E-05	1.05E-03	2.13E-08	3.32E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
1041	1041	0.7917	2.62129E-05	2.1E-05	1.05E-03	2.17E-08	3.32E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
1042	1042	0.80653	2.62129E-05	2.1E-05	1.05E-03	2.21E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
1043	1043	0.81975	2.62129E-05	2.1E-05	1.05E-03	2.25E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1044	1044	0.36109	2.62129E-05	9.5E-06	1.05E-03	9.89E-09	3.32E-01	1.57E-01	5.15E-10	1.0E+06	5.2E-04
1045	1045	0.36868	2.62129E-05	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.26E-10	1.0E+06	5.3E-04
1046	1046	0.3766	2.62129E-05	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.38E-10	1.0E+06	5.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.38485	2.62129E-05	1.0E-05	1.05E-03	1.05E-08	3.32E-01	1.57E-01	5.49E-10	1.0E+06	5.5E-04
1048	1048	0.39341	2.62129E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.61E-10	1.0E+06	5.6E-04
1049	1049	0.40239	2.62129E-05	1.1E-05	1.05E-03	1.10E-08	3.32E-01	1.57E-01	5.74E-10	1.0E+06	5.7E-04
1050	1050	0.41219	2.62129E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.88E-10	1.0E+06	5.9E-04
1051	1051	0.42255	2.62129E-05	1.1E-05	1.05E-03	1.16E-08	3.32E-01	1.57E-01	6.03E-10	1.0E+06	6.0E-04
1052	1052	0.43314	2.62129E-05	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.18E-10	1.0E+06	6.2E-04
1053	1053	0.44343	2.62129E-05	1.2E-05	1.05E-03	1.21E-08	3.32E-01	1.57E-01	6.33E-10	1.0E+06	6.3E-04
1054	1054	0.45413	2.62129E-05	1.2E-05	1.05E-03	1.24E-08	3.32E-01	1.57E-01	6.48E-10	1.0E+06	6.5E-04
1055	1055	0.46776	2.62129E-05	1.2E-05	1.05E-03	1.28E-08	3.32E-01	1.57E-01	6.68E-10	1.0E+06	6.7E-04
1056	1056	0.48186	2.62129E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.88E-10	1.0E+06	6.9E-04
1057	1057	0.49807	2.62129E-05	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.11E-10	1.0E+06	7.1E-04
1058	1058	0.52258	2.62129E-05	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.46E-10	1.0E+06	7.5E-04
1059	1059	0.54185	2.62129E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.73E-10	1.0E+06	7.7E-04
1060	1060	0.56185	2.62129E-05	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.02E-10	1.0E+06	8.0E-04
1061	1061	0.57892	2.62129E-05	1.5E-05	1.05E-03	1.59E-08	3.32E-01	1.57E-01	8.26E-10	1.0E+06	8.3E-04
1062	1062	0.59636	2.62129E-05	1.6E-05	1.05E-03	1.63E-08	3.32E-01	1.57E-01	8.51E-10	1.0E+06	8.5E-04
1063	1063	0.61428	2.62129E-05	1.6E-05	1.05E-03	1.68E-08	3.32E-01	1.57E-01	8.77E-10	1.0E+06	8.8E-04
1064	1064	0.6326	2.62129E-05	1.7E-05	1.05E-03	1.73E-08	3.32E-01	1.57E-01	9.03E-10	1.0E+06	9.0E-04
1065	1065	0.6506	2.62129E-05	1.7E-05	1.05E-03	1.78E-08	3.32E-01	1.57E-01	9.29E-10	1.0E+06	9.3E-04
1066	1066	0.66925	2.62129E-05	1.8E-05	1.05E-03	1.83E-08	3.32E-01	1.57E-01	9.55E-10	1.0E+06	9.6E-04
1067	1067	0.68834	2.62129E-05	1.8E-05	1.05E-03	1.89E-08	3.32E-01	1.57E-01	9.82E-10	1.0E+06	9.8E-04
1068	1068	0.70773	2.62129E-05	1.9E-05	1.05E-03	1.94E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1069	1069	0.72746	2.62129E-05	1.9E-05	1.05E-03	1.99E-08	3.32E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
1070	1070	0.74764	2.62129E-05	2.0E-05	1.05E-03	2.05E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1071	1071	0.76856	2.62129E-05	2.0E-05	1.05E-03	2.11E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1072	1072	0.78958	2.62129E-05	2.1E-05	1.05E-03	2.16E-08	3.32E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
1073	1073	0.80957	2.62129E-05	2.1E-05	1.05E-03	2.22E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1074	1074	0.82865	2.62129E-05	2.2E-05	1.05E-03	2.27E-08	3.32E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
1075	1075	0.84698	2.62129E-05	2.2E-05	1.05E-03	2.32E-08	3.32E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
1076	1076	0.86409	2.62129E-05	2.3E-05	1.05E-03	2.37E-08	3.32E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
1077	1077	0.87944	2.62129E-05	2.3E-05	1.05E-03	2.41E-08	3.32E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.37193	2.62129E-05	9.7E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.31E-10	1.0E+06	5.3E-04
1079	1079	0.37999	2.62129E-05	1.0E-05	1.05E-03	1.04E-08	3.32E-01	1.57E-01	5.42E-10	1.0E+06	5.4E-04
1080	1080	0.38839	2.62129E-05	1.0E-05	1.05E-03	1.06E-08	3.32E-01	1.57E-01	5.54E-10	1.0E+06	5.5E-04
1081	1081	0.39715	2.62129E-05	1.0E-05	1.05E-03	1.09E-08	3.32E-01	1.57E-01	5.67E-10	1.0E+06	5.7E-04
1082	1082	0.40622	2.62129E-05	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.80E-10	1.0E+06	5.8E-04
1083	1083	0.41576	2.62129E-05	1.1E-05	1.05E-03	1.14E-08	3.32E-01	1.57E-01	5.93E-10	1.0E+06	5.9E-04
1084	1084	0.42619	2.62129E-05	1.1E-05	1.05E-03	1.17E-08	3.32E-01	1.57E-01	6.08E-10	1.0E+06	6.1E-04
1085	1085	0.43732	2.62129E-05	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
1086	1086	0.44875	2.62129E-05	1.2E-05	1.05E-03	1.23E-08	3.32E-01	1.57E-01	6.40E-10	1.0E+06	6.4E-04
1087	1087	0.4599	2.62129E-05	1.2E-05	1.05E-03	1.26E-08	3.32E-01	1.57E-01	6.56E-10	1.0E+06	6.6E-04
1088	1088	0.47151	2.62129E-05	1.2E-05	1.05E-03	1.29E-08	3.32E-01	1.57E-01	6.73E-10	1.0E+06	6.7E-04
1089	1089	0.48639	2.62129E-05	1.3E-05	1.05E-03	1.33E-08	3.32E-01	1.57E-01	6.94E-10	1.0E+06	6.9E-04
1090	1090	0.5003	2.62129E-05	1.3E-05	1.05E-03	1.37E-08	3.32E-01	1.57E-01	7.14E-10	1.0E+06	7.1E-04
1091	1091	0.52019	2.62129E-05	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.42E-10	1.0E+06	7.4E-04
1092	1092	0.54531	2.62129E-05	1.4E-05	1.05E-03	1.49E-08	3.32E-01	1.57E-01	7.78E-10	1.0E+06	7.8E-04
1093	1093	0.56417	2.62129E-05	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.05E-10	1.0E+06	8.1E-04
1094	1094	0.58573	2.62129E-05	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.36E-10	1.0E+06	8.4E-04
1095	1095	0.60449	2.62129E-05	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.63E-10	1.0E+06	8.6E-04
1096	1096	0.62373	2.62129E-05	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.90E-10	1.0E+06	8.9E-04
1097	1097	0.64344	2.62129E-05	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.18E-10	1.0E+06	9.2E-04
1098	1098	0.66366	2.62129E-05	1.7E-05	1.05E-03	1.82E-08	3.32E-01	1.57E-01	9.47E-10	1.0E+06	9.5E-04
1099	1099	0.68373	2.62129E-05	1.8E-05	1.05E-03	1.87E-08	3.32E-01	1.57E-01	9.76E-10	1.0E+06	9.8E-04
1100	1100	0.7046	2.62129E-05	1.8E-05	1.05E-03	1.93E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1101	1101	0.72605	2.62129E-05	1.9E-05	1.05E-03	1.99E-08	3.32E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
1102	1102	0.74813	2.62129E-05	2.0E-05	1.05E-03	2.05E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1103	1103	0.77071	2.62129E-05	2.0E-05	1.05E-03	2.11E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1104	1104	0.79391	2.62129E-05	2.1E-05	1.05E-03	2.18E-08	3.32E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
1105	1105	0.81804	2.62129E-05	2.1E-05	1.05E-03	2.24E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1106	1106	0.84242	2.62129E-05	2.2E-05	1.05E-03	2.31E-08	3.32E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
1107	1107	0.86575	2.62129E-05	2.3E-05	1.05E-03	2.37E-08	3.32E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
1108	1108	0.88807	2.62129E-05	2.3E-05	1.05E-03	2.43E-08	3.32E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.90958	2.62129E-05	2.4E-05	1.05E-03	2.49E-08	3.32E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
1110	1110	0.92957	2.62129E-05	2.4E-05	1.05E-03	2.55E-08	3.32E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
1111	1111	0.94759	2.62129E-05	2.5E-05	1.05E-03	2.60E-08	3.32E-01	1.57E-01	1.35E-09	1.0E+06	1.4E-03
1112	1112	0.38306	2.62129E-05	1.0E-05	1.05E-03	1.05E-08	3.32E-01	1.57E-01	5.47E-10	1.0E+06	5.5E-04
1113	1113	0.39159	2.62129E-05	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.59E-10	1.0E+06	5.6E-04
1114	1114	0.40052	2.62129E-05	1.0E-05	1.05E-03	1.10E-08	3.32E-01	1.57E-01	5.72E-10	1.0E+06	5.7E-04
1115	1115	0.40981	2.62129E-05	1.1E-05	1.05E-03	1.12E-08	3.32E-01	1.57E-01	5.85E-10	1.0E+06	5.8E-04
1116	1116	0.41948	2.62129E-05	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	5.99E-10	1.0E+06	6.0E-04
1117	1117	0.4296	2.62129E-05	1.1E-05	1.05E-03	1.18E-08	3.32E-01	1.57E-01	6.13E-10	1.0E+06	6.1E-04
1118	1118	0.4407	2.62129E-05	1.2E-05	1.05E-03	1.21E-08	3.32E-01	1.57E-01	6.29E-10	1.0E+06	6.3E-04
1119	1119	0.4526	2.62129E-05	1.2E-05	1.05E-03	1.24E-08	3.32E-01	1.57E-01	6.46E-10	1.0E+06	6.5E-04
1120	1120	0.46489	2.62129E-05	1.2E-05	1.05E-03	1.27E-08	3.32E-01	1.57E-01	6.64E-10	1.0E+06	6.6E-04
1121	1121	0.47694	2.62129E-05	1.3E-05	1.05E-03	1.31E-08	3.32E-01	1.57E-01	6.81E-10	1.0E+06	6.8E-04
1122	1122	0.48959	2.62129E-05	1.3E-05	1.05E-03	1.34E-08	3.32E-01	1.57E-01	6.99E-10	1.0E+06	7.0E-04
1123	1123	0.50436	2.62129E-05	1.3E-05	1.05E-03	1.38E-08	3.32E-01	1.57E-01	7.20E-10	1.0E+06	7.2E-04
1124	1124	0.51945	2.62129E-05	1.4E-05	1.05E-03	1.42E-08	3.32E-01	1.57E-01	7.41E-10	1.0E+06	7.4E-04
1125	1125	0.54065	2.62129E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.72E-10	1.0E+06	7.7E-04
1126	1126	0.56726	2.62129E-05	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.10E-10	1.0E+06	8.1E-04
1127	1127	0.58757	2.62129E-05	1.5E-05	1.05E-03	1.61E-08	3.32E-01	1.57E-01	8.39E-10	1.0E+06	8.4E-04
1128	1128	0.61094	2.62129E-05	1.6E-05	1.05E-03	1.67E-08	3.32E-01	1.57E-01	8.72E-10	1.0E+06	8.7E-04
1129	1129	0.63151	2.62129E-05	1.7E-05	1.05E-03	1.73E-08	3.32E-01	1.57E-01	9.01E-10	1.0E+06	9.0E-04
1130	1130	0.65277	2.62129E-05	1.7E-05	1.05E-03	1.79E-08	3.32E-01	1.57E-01	9.32E-10	1.0E+06	9.3E-04
1131	1131	0.67456	2.62129E-05	1.8E-05	1.05E-03	1.85E-08	3.32E-01	1.57E-01	9.63E-10	1.0E+06	9.6E-04
1132	1132	0.69702	2.62129E-05	1.8E-05	1.05E-03	1.91E-08	3.32E-01	1.57E-01	9.95E-10	1.0E+06	9.9E-04
1133	1133	0.71951	2.62129E-05	1.9E-05	1.05E-03	1.97E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1134	1134	0.74295	2.62129E-05	1.9E-05	1.05E-03	2.04E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1135	1135	0.76727	2.62129E-05	2.0E-05	1.05E-03	2.10E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1136	1136	0.79253	2.62129E-05	2.1E-05	1.05E-03	2.17E-08	3.32E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
1137	1137	0.81853	2.62129E-05	2.1E-05	1.05E-03	2.24E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1138	1138	0.84535	2.62129E-05	2.2E-05	1.05E-03	2.32E-08	3.32E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
1139	1139	0.87333	2.62129E-05	2.3E-05	1.05E-03	2.39E-08	3.32E-01	1.57E-01	1.25E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.9017	2.62129E-05	2.4E-05	1.05E-03	2.47E-08	3.32E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
1141	1141	0.92918	2.62129E-05	2.4E-05	1.05E-03	2.55E-08	3.32E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
1142	1142	0.95572	2.62129E-05	2.5E-05	1.05E-03	2.62E-08	3.32E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
1143	1143	0.98127	2.62129E-05	2.6E-05	1.05E-03	2.69E-08	3.32E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
1144	1144	1.00479	2.62129E-05	2.6E-05	1.05E-03	2.75E-08	3.32E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1145	1145	1.02623	2.62129E-05	2.7E-05	1.05E-03	2.81E-08	3.32E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1146	1146	0.39443	2.62129E-05	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
1147	1147	0.40347	2.62129E-05	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.76E-10	1.0E+06	5.8E-04
1148	1148	0.41293	2.62129E-05	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.89E-10	1.0E+06	5.9E-04
1149	1149	0.4228	2.62129E-05	1.1E-05	1.05E-03	1.16E-08	3.32E-01	1.57E-01	6.03E-10	1.0E+06	6.0E-04
1150	1150	0.43313	2.62129E-05	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.18E-10	1.0E+06	6.2E-04
1151	1151	0.44395	2.62129E-05	1.2E-05	1.05E-03	1.22E-08	3.32E-01	1.57E-01	6.34E-10	1.0E+06	6.3E-04
1152	1152	0.45565	2.62129E-05	1.2E-05	1.05E-03	1.25E-08	3.32E-01	1.57E-01	6.50E-10	1.0E+06	6.5E-04
1153	1153	0.46813	2.62129E-05	1.2E-05	1.05E-03	1.28E-08	3.32E-01	1.57E-01	6.68E-10	1.0E+06	6.7E-04
1154	1154	0.48114	2.62129E-05	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.87E-10	1.0E+06	6.9E-04
1155	1155	0.4943	2.62129E-05	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.05E-10	1.0E+06	7.1E-04
1156	1156	0.50811	2.62129E-05	1.3E-05	1.05E-03	1.39E-08	3.32E-01	1.57E-01	7.25E-10	1.0E+06	7.3E-04
1157	1157	0.52515	2.62129E-05	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.50E-10	1.0E+06	7.5E-04
1158	1158	0.54177	2.62129E-05	1.4E-05	1.05E-03	1.48E-08	3.32E-01	1.57E-01	7.73E-10	1.0E+06	7.7E-04
1159	1159	0.5645	2.62129E-05	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.06E-10	1.0E+06	8.1E-04
1160	1160	0.59015	2.62129E-05	1.5E-05	1.05E-03	1.62E-08	3.32E-01	1.57E-01	8.42E-10	1.0E+06	8.4E-04
1161	1161	0.61203	2.62129E-05	1.6E-05	1.05E-03	1.68E-08	3.32E-01	1.57E-01	8.74E-10	1.0E+06	8.7E-04
1162	1162	0.63732	2.62129E-05	1.7E-05	1.05E-03	1.75E-08	3.32E-01	1.57E-01	9.10E-10	1.0E+06	9.1E-04
1163	1163	0.65998	2.62129E-05	1.7E-05	1.05E-03	1.81E-08	3.32E-01	1.57E-01	9.42E-10	1.0E+06	9.4E-04
1164	1164	0.68348	2.62129E-05	1.8E-05	1.05E-03	1.87E-08	3.32E-01	1.57E-01	9.76E-10	1.0E+06	9.8E-04
1165	1165	0.70769	2.62129E-05	1.9E-05	1.05E-03	1.94E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1166	1166	0.73279	2.62129E-05	1.9E-05	1.05E-03	2.01E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
1167	1167	0.75814	2.62129E-05	2.0E-05	1.05E-03	2.08E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
1168	1168	0.78478	2.62129E-05	2.1E-05	1.05E-03	2.15E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
1169	1169	0.81258	2.62129E-05	2.1E-05	1.05E-03	2.23E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1170	1170	0.84159	2.62129E-05	2.2E-05	1.05E-03	2.31E-08	3.32E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.87166	2.62129E-05	2.3E-05	1.05E-03	2.39E-08	3.32E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
1172	1172	0.9029	2.62129E-05	2.4E-05	1.05E-03	2.47E-08	3.32E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
1173	1173	0.93536	2.62129E-05	2.5E-05	1.05E-03	2.56E-08	3.32E-01	1.57E-01	1.34E-09	1.0E+06	1.3E-03
1174	1174	0.96862	2.62129E-05	2.5E-05	1.05E-03	2.65E-08	3.32E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
1175	1175	1.00134	2.62129E-05	2.6E-05	1.05E-03	2.74E-08	3.32E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1176	1176	1.03337	2.62129E-05	2.7E-05	1.05E-03	2.83E-08	3.32E-01	1.57E-01	1.47E-09	1.0E+06	1.5E-03
1177	1177	1.06379	2.62129E-05	2.8E-05	1.05E-03	2.91E-08	3.32E-01	1.57E-01	1.52E-09	1.0E+06	1.5E-03
1178	1178	1.09203	2.62129E-05	2.9E-05	1.05E-03	2.99E-08	3.32E-01	1.57E-01	1.56E-09	1.0E+06	1.6E-03
1179	1179	1.11786	2.62129E-05	2.9E-05	1.05E-03	3.06E-08	3.32E-01	1.57E-01	1.60E-09	1.0E+06	1.6E-03
1180	1180	0.406	2.62129E-05	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.79E-10	1.0E+06	5.8E-04
1181	1181	0.41559	2.62129E-05	1.1E-05	1.05E-03	1.14E-08	3.32E-01	1.57E-01	5.93E-10	1.0E+06	5.9E-04
1182	1182	0.42563	2.62129E-05	1.1E-05	1.05E-03	1.17E-08	3.32E-01	1.57E-01	6.07E-10	1.0E+06	6.1E-04
1183	1183	0.43612	2.62129E-05	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.22E-10	1.0E+06	6.2E-04
1184	1184	0.44714	2.62129E-05	1.2E-05	1.05E-03	1.23E-08	3.32E-01	1.57E-01	6.38E-10	1.0E+06	6.4E-04
1185	1185	0.45872	2.62129E-05	1.2E-05	1.05E-03	1.26E-08	3.32E-01	1.57E-01	6.55E-10	1.0E+06	6.5E-04
1186	1186	0.47108	2.62129E-05	1.2E-05	1.05E-03	1.29E-08	3.32E-01	1.57E-01	6.72E-10	1.0E+06	6.7E-04
1187	1187	0.4842	2.62129E-05	1.3E-05	1.05E-03	1.33E-08	3.32E-01	1.57E-01	6.91E-10	1.0E+06	6.9E-04
1188	1188	0.498	2.62129E-05	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.11E-10	1.0E+06	7.1E-04
1189	1189	0.51229	2.62129E-05	1.3E-05	1.05E-03	1.40E-08	3.32E-01	1.57E-01	7.31E-10	1.0E+06	7.3E-04
1190	1190	0.52733	2.62129E-05	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.53E-10	1.0E+06	7.5E-04
1191	1191	0.54305	2.62129E-05	1.4E-05	1.05E-03	1.49E-08	3.32E-01	1.57E-01	7.75E-10	1.0E+06	7.8E-04
1192	1192	0.56239	2.62129E-05	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.03E-10	1.0E+06	8.0E-04
1193	1193	0.58682	2.62129E-05	1.5E-05	1.05E-03	1.61E-08	3.32E-01	1.57E-01	8.38E-10	1.0E+06	8.4E-04
1194	1194	0.61403	2.62129E-05	1.6E-05	1.05E-03	1.68E-08	3.32E-01	1.57E-01	8.76E-10	1.0E+06	8.8E-04
1195	1195	0.63766	2.62129E-05	1.7E-05	1.05E-03	1.75E-08	3.32E-01	1.57E-01	9.10E-10	1.0E+06	9.1E-04
1196	1196	0.66359	2.62129E-05	1.7E-05	1.05E-03	1.82E-08	3.32E-01	1.57E-01	9.47E-10	1.0E+06	9.5E-04
1197	1197	0.69001	2.62129E-05	1.8E-05	1.05E-03	1.89E-08	3.32E-01	1.57E-01	9.85E-10	1.0E+06	9.8E-04
1198	1198	0.71605	2.62129E-05	1.9E-05	1.05E-03	1.96E-08	3.32E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1199	1199	0.74299	2.62129E-05	1.9E-05	1.05E-03	2.04E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1200	1200	0.77113	2.62129E-05	2.0E-05	1.05E-03	2.11E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1201	1201	0.79979	2.62129E-05	2.1E-05	1.05E-03	2.19E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.83013	2.62129E-05	2.2E-05	1.05E-03	2.27E-08	3.32E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
1203	1203	0.86193	2.62129E-05	2.3E-05	1.05E-03	2.36E-08	3.32E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
1204	1204	0.89547	2.62129E-05	2.3E-05	1.05E-03	2.45E-08	3.32E-01	1.57E-01	1.28E-09	1.0E+06	1.3E-03
1205	1205	0.93051	2.62129E-05	2.4E-05	1.05E-03	2.55E-08	3.32E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
1206	1206	0.96709	2.62129E-05	2.5E-05	1.05E-03	2.65E-08	3.32E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
1207	1207	1.00516	2.62129E-05	2.6E-05	1.05E-03	2.75E-08	3.32E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1208	1208	1.04447	2.62129E-05	2.7E-05	1.05E-03	2.86E-08	3.32E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
1209	1209	1.08386	2.62129E-05	2.8E-05	1.05E-03	2.97E-08	3.32E-01	1.57E-01	1.55E-09	1.0E+06	1.5E-03
1210	1210	1.12282	2.62129E-05	2.9E-05	1.05E-03	3.08E-08	3.32E-01	1.57E-01	1.60E-09	1.0E+06	1.6E-03
1211	1211	1.15956	2.62129E-05	3.0E-05	1.05E-03	3.18E-08	3.32E-01	1.57E-01	1.65E-09	1.0E+06	1.7E-03
1212	1212	1.19411	2.62129E-05	3.1E-05	1.05E-03	3.27E-08	3.32E-01	1.57E-01	1.70E-09	1.0E+06	1.7E-03
1213	1213	1.2256	2.62129E-05	3.2E-05	1.05E-03	3.36E-08	3.32E-01	1.57E-01	1.75E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million
892	892	8.1E+00
893	893	7.8E+00
894	894	7.5E+00
895	895	7.1E+00
896	896	6.8E+00
897	897	6.5E+00
898	898	6.1E+00
899	899	5.8E+00
900	900	5.6E+00
901	901	5.3E+00
902	902	5.0E+00
903	903	4.7E+00
904	904	4.5E+00
905	905	4.3E+00
906	906	4.0E+00
907	907	3.8E+00
908	908	1.2E+01
909	909	1.2E+01
910	910	1.2E+01
911	911	1.2E+01
912	912	1.2E+01
913	913	1.2E+01
914	914	1.2E+01
915	915	1.2E+01
916	916	1.2E+01
917	917	1.2E+01
918	918	1.2E+01
919	919	1.1E+01
920	920	1.1E+01
921	921	1.1E+01
922	922	1.1E+01

Max	Receptor #
34.886	1181

Chronic Non Cancer Risk	
REL	HI
5	2.99E-02
5	2.87E-02
5	2.74E-02
5	2.62E-02
5	2.50E-02
5	2.37E-02
5	2.26E-02
5	2.14E-02
5	2.04E-02
5	1.94E-02
5	1.83E-02
5	1.74E-02
5	1.65E-02
5	1.56E-02
5	1.48E-02
5	1.41E-02
5	4.48E-02
5	4.50E-02
5	4.51E-02
5	4.51E-02
5	4.50E-02
5	4.48E-02
5	4.46E-02
5	4.42E-02
5	4.38E-02
5	4.32E-02
5	4.26E-02
5	4.18E-02
5	4.10E-02
5	4.00E-02
5	3.90E-02

Max	Receptor #	
0.128	1181	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	1.0E+01	5	3.78E-02
924	924	1.0E+01	5	3.66E-02
925	925	9.6E+00	5	3.53E-02
926	926	9.2E+00	5	3.39E-02
927	927	8.8E+00	5	3.25E-02
928	928	8.5E+00	5	3.10E-02
929	929	8.1E+00	5	2.96E-02
930	930	7.7E+00	5	2.81E-02
931	931	7.3E+00	5	2.67E-02
932	932	6.9E+00	5	2.53E-02
933	933	6.5E+00	5	2.39E-02
934	934	6.2E+00	5	2.26E-02
935	935	5.8E+00	5	2.14E-02
936	936	5.5E+00	5	2.02E-02
937	937	5.2E+00	5	1.91E-02
938	938	4.9E+00	5	1.80E-02
939	939	4.6E+00	5	1.70E-02
940	940	4.4E+00	5	1.61E-02
941	941	4.1E+00	5	1.52E-02
942	942	1.4E+01	5	5.03E-02
943	943	1.4E+01	5	5.05E-02
944	944	1.4E+01	5	5.05E-02
945	945	1.4E+01	5	5.05E-02
946	946	1.4E+01	5	5.04E-02
947	947	1.4E+01	5	5.02E-02
948	948	1.4E+01	5	4.99E-02
949	949	1.3E+01	5	4.95E-02
950	950	1.3E+01	5	4.90E-02
951	951	1.3E+01	5	4.83E-02
952	952	1.3E+01	5	4.76E-02
953	953	1.3E+01	5	4.67E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	1.2E+01	5	4.58E-02
955	955	1.2E+01	5	4.46E-02
956	956	1.2E+01	5	4.34E-02
957	957	1.1E+01	5	4.19E-02
958	958	1.1E+01	5	4.04E-02
959	959	1.1E+01	5	3.89E-02
960	960	1.0E+01	5	3.72E-02
961	961	9.7E+00	5	3.55E-02
962	962	9.2E+00	5	3.38E-02
963	963	8.7E+00	5	3.20E-02
964	964	8.2E+00	5	3.03E-02
965	965	7.8E+00	5	2.86E-02
966	966	7.3E+00	5	2.69E-02
967	967	6.9E+00	5	2.53E-02
968	968	6.5E+00	5	2.39E-02
969	969	6.1E+00	5	2.24E-02
970	970	5.8E+00	5	2.11E-02
971	971	5.4E+00	5	1.99E-02
972	972	5.1E+00	5	1.87E-02
973	973	4.8E+00	5	1.76E-02
974	974	4.5E+00	5	1.66E-02
975	975	4.3E+00	5	1.57E-02
976	976	1.5E+01	5	5.69E-02
977	977	1.6E+01	5	5.70E-02
978	978	1.6E+01	5	5.71E-02
979	979	1.6E+01	5	5.71E-02
980	980	1.6E+01	5	5.70E-02
981	981	1.5E+01	5	5.67E-02
982	982	1.5E+01	5	5.64E-02
983	983	1.5E+01	5	5.59E-02
984	984	1.5E+01	5	5.52E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	1.5E+01	5	5.45E-02
986	986	1.5E+01	5	5.37E-02
987	987	1.4E+01	5	5.27E-02
988	988	1.4E+01	5	5.15E-02
989	989	1.4E+01	5	5.02E-02
990	990	1.3E+01	5	4.86E-02
991	991	1.3E+01	5	4.69E-02
992	992	1.2E+01	5	4.51E-02
993	993	1.2E+01	5	4.32E-02
994	994	1.1E+01	5	4.12E-02
995	995	1.1E+01	5	3.90E-02
996	996	1.0E+01	5	3.69E-02
997	997	9.5E+00	5	3.48E-02
998	998	8.9E+00	5	3.27E-02
999	999	8.3E+00	5	3.06E-02
1000	1000	7.8E+00	5	2.87E-02
1001	1001	7.3E+00	5	2.69E-02
1002	1002	6.8E+00	5	2.51E-02
1003	1003	6.4E+00	5	2.35E-02
1004	1004	6.0E+00	5	2.20E-02
1005	1005	5.6E+00	5	2.06E-02
1006	1006	5.3E+00	5	1.93E-02
1007	1007	4.9E+00	5	1.82E-02
1008	1008	4.7E+00	5	1.71E-02
1009	1009	4.4E+00	5	1.61E-02
1010	1010	1.8E+01	5	6.49E-02
1011	1011	1.8E+01	5	6.50E-02
1012	1012	1.8E+01	5	6.51E-02
1013	1013	1.8E+01	5	6.51E-02
1014	1014	1.8E+01	5	6.50E-02
1015	1015	1.8E+01	5	6.47E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	1.7E+01	5	6.42E-02
1017	1017	1.7E+01	5	6.36E-02
1018	1018	1.7E+01	5	6.29E-02
1019	1019	1.7E+01	5	6.21E-02
1020	1020	1.7E+01	5	6.12E-02
1021	1021	1.6E+01	5	6.00E-02
1022	1022	1.6E+01	5	5.86E-02
1023	1023	1.6E+01	5	5.70E-02
1024	1024	1.5E+01	5	5.51E-02
1025	1025	1.4E+01	5	5.30E-02
1026	1026	1.4E+01	5	5.07E-02
1027	1027	1.3E+01	5	4.84E-02
1028	1028	1.2E+01	5	4.58E-02
1029	1029	1.2E+01	5	4.32E-02
1030	1030	1.1E+01	5	4.06E-02
1031	1031	1.0E+01	5	3.79E-02
1032	1032	9.6E+00	5	3.53E-02
1033	1033	9.0E+00	5	3.29E-02
1034	1034	8.3E+00	5	3.06E-02
1035	1035	7.8E+00	5	2.85E-02
1036	1036	7.2E+00	5	2.65E-02
1037	1037	6.7E+00	5	2.46E-02
1038	1038	6.2E+00	5	2.29E-02
1039	1039	5.8E+00	5	2.13E-02
1040	1040	5.4E+00	5	2.00E-02
1041	1041	5.1E+00	5	1.87E-02
1042	1042	4.8E+00	5	1.75E-02
1043	1043	4.5E+00	5	1.64E-02
1044	1044	2.0E+01	5	7.47E-02
1045	1045	2.0E+01	5	7.50E-02
1046	1046	2.0E+01	5	7.51E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	2.0E+01	5	7.51E-02
1048	1048	2.0E+01	5	7.49E-02
1049	1049	2.0E+01	5	7.46E-02
1050	1050	2.0E+01	5	7.41E-02
1051	1051	2.0E+01	5	7.34E-02
1052	1052	2.0E+01	5	7.26E-02
1053	1053	2.0E+01	5	7.17E-02
1054	1054	1.9E+01	5	7.05E-02
1055	1055	1.9E+01	5	6.91E-02
1056	1056	1.8E+01	5	6.75E-02
1057	1057	1.8E+01	5	6.56E-02
1058	1058	1.7E+01	5	6.33E-02
1059	1059	1.7E+01	5	6.07E-02
1060	1060	1.6E+01	5	5.78E-02
1061	1061	1.5E+01	5	5.48E-02
1062	1062	1.4E+01	5	5.16E-02
1063	1063	1.3E+01	5	4.82E-02
1064	1064	1.2E+01	5	4.48E-02
1065	1065	1.1E+01	5	4.15E-02
1066	1066	1.0E+01	5	3.83E-02
1067	1067	9.6E+00	5	3.53E-02
1068	1068	8.9E+00	5	3.26E-02
1069	1069	8.2E+00	5	3.01E-02
1070	1070	7.6E+00	5	2.78E-02
1071	1071	7.0E+00	5	2.57E-02
1072	1072	6.5E+00	5	2.37E-02
1073	1073	6.0E+00	5	2.20E-02
1074	1074	5.6E+00	5	2.05E-02
1075	1075	5.2E+00	5	1.91E-02
1076	1076	4.9E+00	5	1.79E-02
1077	1077	4.6E+00	5	1.67E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	2.4E+01	5	8.73E-02
1079	1079	2.4E+01	5	8.76E-02
1080	1080	2.4E+01	5	8.77E-02
1081	1081	2.4E+01	5	8.77E-02
1082	1082	2.4E+01	5	8.76E-02
1083	1083	2.4E+01	5	8.73E-02
1084	1084	2.4E+01	5	8.67E-02
1085	1085	2.3E+01	5	8.59E-02
1086	1086	2.3E+01	5	8.50E-02
1087	1087	2.3E+01	5	8.39E-02
1088	1088	2.2E+01	5	8.26E-02
1089	1089	2.2E+01	5	8.10E-02
1090	1090	2.2E+01	5	7.90E-02
1091	1091	2.1E+01	5	7.67E-02
1092	1092	2.0E+01	5	7.39E-02
1093	1093	1.9E+01	5	7.06E-02
1094	1094	1.8E+01	5	6.70E-02
1095	1095	1.7E+01	5	6.30E-02
1096	1096	1.6E+01	5	5.87E-02
1097	1097	1.5E+01	5	5.43E-02
1098	1098	1.4E+01	5	4.98E-02
1099	1099	1.2E+01	5	4.56E-02
1100	1100	1.1E+01	5	4.16E-02
1101	1101	1.0E+01	5	3.80E-02
1102	1102	9.5E+00	5	3.47E-02
1103	1103	8.7E+00	5	3.18E-02
1104	1104	7.9E+00	5	2.91E-02
1105	1105	7.3E+00	5	2.67E-02
1106	1106	6.7E+00	5	2.46E-02
1107	1107	6.2E+00	5	2.27E-02
1108	1108	5.7E+00	5	2.10E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	5.3E+00	5	1.95E-02
1110	1110	5.0E+00	5	1.82E-02
1111	1111	4.6E+00	5	1.70E-02
1112	1112	2.8E+01	5	1.04E-01
1113	1113	2.8E+01	5	1.04E-01
1114	1114	2.8E+01	5	1.04E-01
1115	1115	2.8E+01	5	1.04E-01
1116	1116	2.8E+01	5	1.04E-01
1117	1117	2.8E+01	5	1.04E-01
1118	1118	2.8E+01	5	1.03E-01
1119	1119	2.8E+01	5	1.02E-01
1120	1120	2.8E+01	5	1.01E-01
1121	1121	2.7E+01	5	1.00E-01
1122	1122	2.7E+01	5	9.86E-02
1123	1123	2.6E+01	5	9.68E-02
1124	1124	2.6E+01	5	9.45E-02
1125	1125	2.5E+01	5	9.16E-02
1126	1126	2.4E+01	5	8.80E-02
1127	1127	2.3E+01	5	8.40E-02
1128	1128	2.2E+01	5	7.94E-02
1129	1129	2.0E+01	5	7.41E-02
1130	1130	1.9E+01	5	6.80E-02
1131	1131	1.7E+01	5	6.18E-02
1132	1132	1.5E+01	5	5.58E-02
1133	1133	1.4E+01	5	5.03E-02
1134	1134	1.2E+01	5	4.52E-02
1135	1135	1.1E+01	5	4.08E-02
1136	1136	1.0E+01	5	3.69E-02
1137	1137	9.1E+00	5	3.34E-02
1138	1138	8.3E+00	5	3.04E-02
1139	1139	7.5E+00	5	2.77E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	6.9E+00	5	2.53E-02
1141	1141	6.3E+00	5	2.33E-02
1142	1142	5.8E+00	5	2.15E-02
1143	1143	5.4E+00	5	1.99E-02
1144	1144	5.0E+00	5	1.84E-02
1145	1145	4.7E+00	5	1.71E-02
1146	1146	2.9E+01	5	1.07E-01
1147	1147	2.9E+01	5	1.08E-01
1148	1148	3.4E+01	5	1.26E-01
1149	1149	3.0E+01	5	1.09E-01
1150	1150	2.9E+01	5	1.08E-01
1151	1151	2.9E+01	5	1.07E-01
1152	1152	3.0E+01	5	1.09E-01
1153	1153	2.9E+01	5	1.07E-01
1154	1154	2.8E+01	5	1.04E-01
1155	1155	2.8E+01	5	1.03E-01
1156	1156	2.8E+01	5	1.03E-01
1157	1157	2.7E+01	5	9.98E-02
1158	1158	2.6E+01	5	9.50E-02
1159	1159	2.5E+01	5	9.15E-02
1160	1160	2.0E+01	5	7.35E-02
1161	1161	2.3E+01	5	8.32E-02
1162	1162	2.0E+01	5	7.52E-02
1163	1163	1.9E+01	5	6.81E-02
1164	1164	1.7E+01	5	6.16E-02
1165	1165	1.9E+01	5	7.14E-02
1166	1166	1.7E+01	5	6.29E-02
1167	1167	1.5E+01	5	5.55E-02
1168	1168	1.3E+01	5	4.91E-02
1169	1169	1.2E+01	5	4.36E-02
1170	1170	1.1E+01	5	3.90E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	9.5E+00	5	3.50E-02
1172	1172	8.6E+00	5	3.16E-02
1173	1173	7.8E+00	5	2.86E-02
1174	1174	7.1E+00	5	2.60E-02
1175	1175	6.5E+00	5	2.38E-02
1176	1176	5.9E+00	5	2.18E-02
1177	1177	5.5E+00	5	2.01E-02
1178	1178	5.1E+00	5	1.86E-02
1179	1179	4.7E+00	5	1.73E-02
1180	1180	3.5E+01	5	1.27E-01
1181	1181	3.5E+01	5	1.28E-01
1182	1182	3.0E+01	5	1.12E-01
1183	1183	3.0E+01	5	1.12E-01
1184	1184	3.5E+01	5	1.28E-01
1185	1185	3.5E+01	5	1.28E-01
1186	1186	3.0E+01	5	1.10E-01
1187	1187	3.0E+01	5	1.09E-01
1188	1188	3.4E+01	5	1.24E-01
1189	1189	2.9E+01	5	1.07E-01
1190	1190	2.8E+01	5	1.03E-01
1191	1191	2.7E+01	5	1.00E-01
1192	1192	3.1E+01	5	1.13E-01
1193	1193	2.5E+01	5	9.27E-02
1194	1194	2.3E+01	5	8.51E-02
1195	1195	2.1E+01	5	7.84E-02
1196	1196	2.4E+01	5	8.74E-02
1197	1197	2.1E+01	5	7.80E-02
1198	1198	1.9E+01	5	6.97E-02
1199	1199	1.7E+01	5	6.24E-02
1200	1200	1.9E+01	5	7.11E-02
1201	1201	1.7E+01	5	6.12E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1202	1202	1.4E+01	5	5.31E-02
1203	1203	1.3E+01	5	4.65E-02
1204	1204	1.1E+01	5	4.10E-02
1205	1205	9.9E+00	5	3.64E-02
1206	1206	8.9E+00	5	3.26E-02
1207	1207	8.0E+00	5	2.93E-02
1208	1208	7.2E+00	5	2.65E-02
1209	1209	6.6E+00	5	2.41E-02
1210	1210	6.0E+00	5	2.21E-02
1211	1211	5.5E+00	5	2.03E-02
1212	1212	5.1E+00	5	1.87E-02
1213	1213	4.7E+00	5	1.73E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.75542	4.16E-02	1.1E-01	1.05E-03	1.20E-04	6.30E-02	1.57E-01	1.19E-06	1.0E+06	1.2E+00
893	2.64375	4.16E-02	1.1E-01	1.05E-03	1.15E-04	6.30E-02	1.57E-01	1.14E-06	1.0E+06	1.1E+00
894	2.52963	4.16E-02	1.1E-01	1.05E-03	1.10E-04	6.30E-02	1.57E-01	1.09E-06	1.0E+06	1.1E+00
895	2.41457	4.16E-02	1.0E-01	1.05E-03	1.05E-04	6.30E-02	1.57E-01	1.04E-06	1.0E+06	1.0E+00
896	2.30061	4.16E-02	9.6E-02	1.05E-03	1.00E-04	6.30E-02	1.57E-01	9.90E-07	1.0E+06	9.9E-01
897	2.18935	4.16E-02	9.1E-02	1.05E-03	9.52E-05	6.30E-02	1.57E-01	9.43E-07	1.0E+06	9.4E-01
898	2.08092	4.16E-02	8.7E-02	1.05E-03	9.05E-05	6.30E-02	1.57E-01	8.96E-07	1.0E+06	9.0E-01
899	1.97707	4.16E-02	8.2E-02	1.05E-03	8.60E-05	6.30E-02	1.57E-01	8.51E-07	1.0E+06	8.5E-01
900	1.87859	4.16E-02	7.8E-02	1.05E-03	8.17E-05	6.30E-02	1.57E-01	8.09E-07	1.0E+06	8.1E-01
901	1.78411	4.16E-02	7.4E-02	1.05E-03	7.76E-05	6.30E-02	1.57E-01	7.68E-07	1.0E+06	7.7E-01
902	1.69123	4.16E-02	7.0E-02	1.05E-03	7.35E-05	6.30E-02	1.57E-01	7.28E-07	1.0E+06	7.3E-01
903	1.60208	4.16E-02	6.7E-02	1.05E-03	6.97E-05	6.30E-02	1.57E-01	6.90E-07	1.0E+06	6.9E-01
904	1.51789	4.16E-02	6.3E-02	1.05E-03	6.60E-05	6.30E-02	1.57E-01	6.53E-07	1.0E+06	6.5E-01
905	1.43857	4.16E-02	6.0E-02	1.05E-03	6.25E-05	6.30E-02	1.57E-01	6.19E-07	1.0E+06	6.2E-01
906	1.36373	4.16E-02	5.7E-02	1.05E-03	5.93E-05	6.30E-02	1.57E-01	5.87E-07	1.0E+06	5.9E-01
907	1.29572	4.16E-02	5.4E-02	1.05E-03	5.63E-05	6.30E-02	1.57E-01	5.58E-07	1.0E+06	5.6E-01
908	4.13343	4.16E-02	1.7E-01	1.05E-03	1.80E-04	6.30E-02	1.57E-01	1.78E-06	1.0E+06	1.8E+00
909	4.14798	4.16E-02	1.7E-01	1.05E-03	1.80E-04	6.30E-02	1.57E-01	1.79E-06	1.0E+06	1.8E+00
910	4.15467	4.16E-02	1.7E-01	1.05E-03	1.81E-04	6.30E-02	1.57E-01	1.79E-06	1.0E+06	1.8E+00
911	4.15515	4.16E-02	1.7E-01	1.05E-03	1.81E-04	6.30E-02	1.57E-01	1.79E-06	1.0E+06	1.8E+00
912	4.14723	4.16E-02	1.7E-01	1.05E-03	1.80E-04	6.30E-02	1.57E-01	1.79E-06	1.0E+06	1.8E+00
913	4.13132	4.16E-02	1.7E-01	1.05E-03	1.80E-04	6.30E-02	1.57E-01	1.78E-06	1.0E+06	1.8E+00
914	4.10746	4.16E-02	1.7E-01	1.05E-03	1.79E-04	6.30E-02	1.57E-01	1.77E-06	1.0E+06	1.8E+00
915	4.07476	4.16E-02	1.7E-01	1.05E-03	1.77E-04	6.30E-02	1.57E-01	1.75E-06	1.0E+06	1.8E+00
916	4.03399	4.16E-02	1.7E-01	1.05E-03	1.75E-04	6.30E-02	1.57E-01	1.74E-06	1.0E+06	1.7E+00
917	3.98405	4.16E-02	1.7E-01	1.05E-03	1.73E-04	6.30E-02	1.57E-01	1.72E-06	1.0E+06	1.7E+00
918	3.92475	4.16E-02	1.6E-01	1.05E-03	1.71E-04	6.30E-02	1.57E-01	1.69E-06	1.0E+06	1.7E+00
919	3.85612	4.16E-02	1.6E-01	1.05E-03	1.68E-04	6.30E-02	1.57E-01	1.66E-06	1.0E+06	1.7E+00
920	3.7783	4.16E-02	1.6E-01	1.05E-03	1.64E-04	6.30E-02	1.57E-01	1.63E-06	1.0E+06	1.6E+00
921	3.69128	4.16E-02	1.5E-01	1.05E-03	1.60E-04	6.30E-02	1.57E-01	1.59E-06	1.0E+06	1.6E+00
922	3.59342	4.16E-02	1.5E-01	1.05E-03	1.56E-04	6.30E-02	1.57E-01	1.55E-06	1.0E+06	1.5E+00

	Max	Receptor #
Res	5.085	1181

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	3.48686	4.16E-02	1.5E-01	1.05E-03	1.52E-04	6.30E-02	1.57E-01	1.50E-06	1.0E+06	1.5E+00
924	3.37248	4.16E-02	1.4E-01	1.05E-03	1.47E-04	6.30E-02	1.57E-01	1.45E-06	1.0E+06	1.5E+00
925	3.25179	4.16E-02	1.4E-01	1.05E-03	1.41E-04	6.30E-02	1.57E-01	1.40E-06	1.0E+06	1.4E+00
926	3.12547	4.16E-02	1.3E-01	1.05E-03	1.36E-04	6.30E-02	1.57E-01	1.35E-06	1.0E+06	1.3E+00
927	2.99521	4.16E-02	1.2E-01	1.05E-03	1.30E-04	6.30E-02	1.57E-01	1.29E-06	1.0E+06	1.3E+00
928	2.86199	4.16E-02	1.2E-01	1.05E-03	1.24E-04	6.30E-02	1.57E-01	1.23E-06	1.0E+06	1.2E+00
929	2.72693	4.16E-02	1.1E-01	1.05E-03	1.19E-04	6.30E-02	1.57E-01	1.17E-06	1.0E+06	1.2E+00
930	2.59145	4.16E-02	1.1E-01	1.05E-03	1.13E-04	6.30E-02	1.57E-01	1.12E-06	1.0E+06	1.1E+00
931	2.45834	4.16E-02	1.0E-01	1.05E-03	1.07E-04	6.30E-02	1.57E-01	1.06E-06	1.0E+06	1.1E+00
932	2.32945	4.16E-02	9.7E-02	1.05E-03	1.01E-04	6.30E-02	1.57E-01	1.00E-06	1.0E+06	1.0E+00
933	2.20497	4.16E-02	9.2E-02	1.05E-03	9.59E-05	6.30E-02	1.57E-01	9.49E-07	1.0E+06	9.5E-01
934	2.08581	4.16E-02	8.7E-02	1.05E-03	9.07E-05	6.30E-02	1.57E-01	8.98E-07	1.0E+06	9.0E-01
935	1.97237	4.16E-02	8.2E-02	1.05E-03	8.58E-05	6.30E-02	1.57E-01	8.49E-07	1.0E+06	8.5E-01
936	1.86474	4.16E-02	7.8E-02	1.05E-03	8.11E-05	6.30E-02	1.57E-01	8.03E-07	1.0E+06	8.0E-01
937	1.76097	4.16E-02	7.3E-02	1.05E-03	7.66E-05	6.30E-02	1.57E-01	7.58E-07	1.0E+06	7.6E-01
938	1.6625	4.16E-02	6.9E-02	1.05E-03	7.23E-05	6.30E-02	1.57E-01	7.16E-07	1.0E+06	7.2E-01
939	1.57017	4.16E-02	6.5E-02	1.05E-03	6.83E-05	6.30E-02	1.57E-01	6.76E-07	1.0E+06	6.8E-01
940	1.48389	4.16E-02	6.2E-02	1.05E-03	6.45E-05	6.30E-02	1.57E-01	6.39E-07	1.0E+06	6.4E-01
941	1.40313	4.16E-02	5.8E-02	1.05E-03	6.10E-05	6.30E-02	1.57E-01	6.04E-07	1.0E+06	6.0E-01
942	4.63799	4.16E-02	1.9E-01	1.05E-03	2.02E-04	6.30E-02	1.57E-01	2.00E-06	1.0E+06	2.0E+00
943	4.65331	4.16E-02	1.9E-01	1.05E-03	2.02E-04	6.30E-02	1.57E-01	2.00E-06	1.0E+06	2.0E+00
944	4.66029	4.16E-02	1.9E-01	1.05E-03	2.03E-04	6.30E-02	1.57E-01	2.01E-06	1.0E+06	2.0E+00
945	4.65962	4.16E-02	1.9E-01	1.05E-03	2.03E-04	6.30E-02	1.57E-01	2.01E-06	1.0E+06	2.0E+00
946	4.64997	4.16E-02	1.9E-01	1.05E-03	2.02E-04	6.30E-02	1.57E-01	2.00E-06	1.0E+06	2.0E+00
947	4.63099	4.16E-02	1.9E-01	1.05E-03	2.01E-04	6.30E-02	1.57E-01	1.99E-06	1.0E+06	2.0E+00
948	4.60175	4.16E-02	1.9E-01	1.05E-03	2.00E-04	6.30E-02	1.57E-01	1.98E-06	1.0E+06	2.0E+00
949	4.56263	4.16E-02	1.9E-01	1.05E-03	1.98E-04	6.30E-02	1.57E-01	1.96E-06	1.0E+06	2.0E+00
950	4.51437	4.16E-02	1.9E-01	1.05E-03	1.96E-04	6.30E-02	1.57E-01	1.94E-06	1.0E+06	1.9E+00
951	4.45739	4.16E-02	1.9E-01	1.05E-03	1.94E-04	6.30E-02	1.57E-01	1.92E-06	1.0E+06	1.9E+00
952	4.389	4.16E-02	1.8E-01	1.05E-03	1.91E-04	6.30E-02	1.57E-01	1.89E-06	1.0E+06	1.9E+00
953	4.30956	4.16E-02	1.8E-01	1.05E-03	1.87E-04	6.30E-02	1.57E-01	1.86E-06	1.0E+06	1.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	4.21848	4.16E-02	1.8E-01	1.05E-03	1.83E-04	6.30E-02	1.57E-01	1.82E-06	1.0E+06	1.8E+00
955	4.11568	4.16E-02	1.7E-01	1.05E-03	1.79E-04	6.30E-02	1.57E-01	1.77E-06	1.0E+06	1.8E+00
956	3.99754	4.16E-02	1.7E-01	1.05E-03	1.74E-04	6.30E-02	1.57E-01	1.72E-06	1.0E+06	1.7E+00
957	3.86722	4.16E-02	1.6E-01	1.05E-03	1.68E-04	6.30E-02	1.57E-01	1.66E-06	1.0E+06	1.7E+00
958	3.72905	4.16E-02	1.6E-01	1.05E-03	1.62E-04	6.30E-02	1.57E-01	1.61E-06	1.0E+06	1.6E+00
959	3.58424	4.16E-02	1.5E-01	1.05E-03	1.56E-04	6.30E-02	1.57E-01	1.54E-06	1.0E+06	1.5E+00
960	3.43198	4.16E-02	1.4E-01	1.05E-03	1.49E-04	6.30E-02	1.57E-01	1.48E-06	1.0E+06	1.5E+00
961	3.27428	4.16E-02	1.4E-01	1.05E-03	1.42E-04	6.30E-02	1.57E-01	1.41E-06	1.0E+06	1.4E+00
962	3.11339	4.16E-02	1.3E-01	1.05E-03	1.35E-04	6.30E-02	1.57E-01	1.34E-06	1.0E+06	1.3E+00
963	2.95106	4.16E-02	1.2E-01	1.05E-03	1.28E-04	6.30E-02	1.57E-01	1.27E-06	1.0E+06	1.3E+00
964	2.78992	4.16E-02	1.2E-01	1.05E-03	1.21E-04	6.30E-02	1.57E-01	1.20E-06	1.0E+06	1.2E+00
965	2.63225	4.16E-02	1.1E-01	1.05E-03	1.14E-04	6.30E-02	1.57E-01	1.13E-06	1.0E+06	1.1E+00
966	2.48139	4.16E-02	1.0E-01	1.05E-03	1.08E-04	6.30E-02	1.57E-01	1.07E-06	1.0E+06	1.1E+00
967	2.33706	4.16E-02	9.7E-02	1.05E-03	1.02E-04	6.30E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
968	2.19954	4.16E-02	9.1E-02	1.05E-03	9.56E-05	6.30E-02	1.57E-01	9.47E-07	1.0E+06	9.5E-01
969	2.06894	4.16E-02	8.6E-02	1.05E-03	8.99E-05	6.30E-02	1.57E-01	8.91E-07	1.0E+06	8.9E-01
970	1.94612	4.16E-02	8.1E-02	1.05E-03	8.46E-05	6.30E-02	1.57E-01	8.38E-07	1.0E+06	8.4E-01
971	1.83103	4.16E-02	7.6E-02	1.05E-03	7.96E-05	6.30E-02	1.57E-01	7.88E-07	1.0E+06	7.9E-01
972	1.72334	4.16E-02	7.2E-02	1.05E-03	7.49E-05	6.30E-02	1.57E-01	7.42E-07	1.0E+06	7.4E-01
973	1.62308	4.16E-02	6.8E-02	1.05E-03	7.06E-05	6.30E-02	1.57E-01	6.99E-07	1.0E+06	7.0E-01
974	1.52973	4.16E-02	6.4E-02	1.05E-03	6.65E-05	6.30E-02	1.57E-01	6.59E-07	1.0E+06	6.6E-01
975	1.44302	4.16E-02	6.0E-02	1.05E-03	6.27E-05	6.30E-02	1.57E-01	6.21E-07	1.0E+06	6.2E-01
976	5.243	4.16E-02	2.2E-01	1.05E-03	2.28E-04	6.30E-02	1.57E-01	2.26E-06	1.0E+06	2.3E+00
977	5.25934	4.16E-02	2.2E-01	1.05E-03	2.29E-04	6.30E-02	1.57E-01	2.26E-06	1.0E+06	2.3E+00
978	5.26636	4.16E-02	2.2E-01	1.05E-03	2.29E-04	6.30E-02	1.57E-01	2.27E-06	1.0E+06	2.3E+00
979	5.26489	4.16E-02	2.2E-01	1.05E-03	2.29E-04	6.30E-02	1.57E-01	2.27E-06	1.0E+06	2.3E+00
980	5.25326	4.16E-02	2.2E-01	1.05E-03	2.28E-04	6.30E-02	1.57E-01	2.26E-06	1.0E+06	2.3E+00
981	5.23115	4.16E-02	2.2E-01	1.05E-03	2.27E-04	6.30E-02	1.57E-01	2.25E-06	1.0E+06	2.3E+00
982	5.19613	4.16E-02	2.2E-01	1.05E-03	2.26E-04	6.30E-02	1.57E-01	2.24E-06	1.0E+06	2.2E+00
983	5.14934	4.16E-02	2.1E-01	1.05E-03	2.24E-04	6.30E-02	1.57E-01	2.22E-06	1.0E+06	2.2E+00
984	5.09275	4.16E-02	2.1E-01	1.05E-03	2.21E-04	6.30E-02	1.57E-01	2.19E-06	1.0E+06	2.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	5.02795	4.16E-02	2.1E-01	1.05E-03	2.19E-04	6.30E-02	1.57E-01	2.16E-06	1.0E+06	2.2E+00
986	4.94967	4.16E-02	2.1E-01	1.05E-03	2.15E-04	6.30E-02	1.57E-01	2.13E-06	1.0E+06	2.1E+00
987	4.85719	4.16E-02	2.0E-01	1.05E-03	2.11E-04	6.30E-02	1.57E-01	2.09E-06	1.0E+06	2.1E+00
988	4.75055	4.16E-02	2.0E-01	1.05E-03	2.07E-04	6.30E-02	1.57E-01	2.05E-06	1.0E+06	2.0E+00
989	4.62829	4.16E-02	1.9E-01	1.05E-03	2.01E-04	6.30E-02	1.57E-01	1.99E-06	1.0E+06	2.0E+00
990	4.48499	4.16E-02	1.9E-01	1.05E-03	1.95E-04	6.30E-02	1.57E-01	1.93E-06	1.0E+06	1.9E+00
991	4.32464	4.16E-02	1.8E-01	1.05E-03	1.88E-04	6.30E-02	1.57E-01	1.86E-06	1.0E+06	1.9E+00
992	4.15588	4.16E-02	1.7E-01	1.05E-03	1.81E-04	6.30E-02	1.57E-01	1.79E-06	1.0E+06	1.8E+00
993	3.97939	4.16E-02	1.7E-01	1.05E-03	1.73E-04	6.30E-02	1.57E-01	1.71E-06	1.0E+06	1.7E+00
994	3.794	4.16E-02	1.6E-01	1.05E-03	1.65E-04	6.30E-02	1.57E-01	1.63E-06	1.0E+06	1.6E+00
995	3.59983	4.16E-02	1.5E-01	1.05E-03	1.57E-04	6.30E-02	1.57E-01	1.55E-06	1.0E+06	1.5E+00
996	3.4027	4.16E-02	1.4E-01	1.05E-03	1.48E-04	6.30E-02	1.57E-01	1.46E-06	1.0E+06	1.5E+00
997	3.2054	4.16E-02	1.3E-01	1.05E-03	1.39E-04	6.30E-02	1.57E-01	1.38E-06	1.0E+06	1.4E+00
998	3.01092	4.16E-02	1.3E-01	1.05E-03	1.31E-04	6.30E-02	1.57E-01	1.30E-06	1.0E+06	1.3E+00
999	2.82294	4.16E-02	1.2E-01	1.05E-03	1.23E-04	6.30E-02	1.57E-01	1.22E-06	1.0E+06	1.2E+00
1000	2.64526	4.16E-02	1.1E-01	1.05E-03	1.15E-04	6.30E-02	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1001	2.47694	4.16E-02	1.0E-01	1.05E-03	1.08E-04	6.30E-02	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1002	2.31821	4.16E-02	9.6E-02	1.05E-03	1.01E-04	6.30E-02	1.57E-01	9.98E-07	1.0E+06	1.0E+00
1003	2.16778	4.16E-02	9.0E-02	1.05E-03	9.42E-05	6.30E-02	1.57E-01	9.33E-07	1.0E+06	9.3E-01
1004	2.02814	4.16E-02	8.4E-02	1.05E-03	8.82E-05	6.30E-02	1.57E-01	8.73E-07	1.0E+06	8.7E-01
1005	1.90048	4.16E-02	7.9E-02	1.05E-03	8.26E-05	6.30E-02	1.57E-01	8.18E-07	1.0E+06	8.2E-01
1006	1.78307	4.16E-02	7.4E-02	1.05E-03	7.75E-05	6.30E-02	1.57E-01	7.68E-07	1.0E+06	7.7E-01
1007	1.67441	4.16E-02	7.0E-02	1.05E-03	7.28E-05	6.30E-02	1.57E-01	7.21E-07	1.0E+06	7.2E-01
1008	1.57366	4.16E-02	6.5E-02	1.05E-03	6.84E-05	6.30E-02	1.57E-01	6.77E-07	1.0E+06	6.8E-01
1009	1.4807	4.16E-02	6.2E-02	1.05E-03	6.44E-05	6.30E-02	1.57E-01	6.37E-07	1.0E+06	6.4E-01
1010	5.97868	4.16E-02	2.5E-01	1.05E-03	2.60E-04	6.30E-02	1.57E-01	2.57E-06	1.0E+06	2.6E+00
1011	5.99696	4.16E-02	2.5E-01	1.05E-03	2.61E-04	6.30E-02	1.57E-01	2.58E-06	1.0E+06	2.6E+00
1012	6.00444	4.16E-02	2.5E-01	1.05E-03	2.61E-04	6.30E-02	1.57E-01	2.58E-06	1.0E+06	2.6E+00
1013	6.00212	4.16E-02	2.5E-01	1.05E-03	2.61E-04	6.30E-02	1.57E-01	2.58E-06	1.0E+06	2.6E+00
1014	5.98983	4.16E-02	2.5E-01	1.05E-03	2.60E-04	6.30E-02	1.57E-01	2.58E-06	1.0E+06	2.6E+00
1015	5.96427	4.16E-02	2.5E-01	1.05E-03	2.59E-04	6.30E-02	1.57E-01	2.57E-06	1.0E+06	2.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	5.92283	4.16E-02	2.5E-01	1.05E-03	2.58E-04	6.30E-02	1.57E-01	2.55E-06	1.0E+06	2.5E+00
1017	5.86765	4.16E-02	2.4E-01	1.05E-03	2.55E-04	6.30E-02	1.57E-01	2.53E-06	1.0E+06	2.5E+00
1018	5.80186	4.16E-02	2.4E-01	1.05E-03	2.52E-04	6.30E-02	1.57E-01	2.50E-06	1.0E+06	2.5E+00
1019	5.72853	4.16E-02	2.4E-01	1.05E-03	2.49E-04	6.30E-02	1.57E-01	2.47E-06	1.0E+06	2.5E+00
1020	5.63808	4.16E-02	2.3E-01	1.05E-03	2.45E-04	6.30E-02	1.57E-01	2.43E-06	1.0E+06	2.4E+00
1021	5.53055	4.16E-02	2.3E-01	1.05E-03	2.40E-04	6.30E-02	1.57E-01	2.38E-06	1.0E+06	2.4E+00
1022	5.40447	4.16E-02	2.2E-01	1.05E-03	2.35E-04	6.30E-02	1.57E-01	2.33E-06	1.0E+06	2.3E+00
1023	5.25811	4.16E-02	2.2E-01	1.05E-03	2.29E-04	6.30E-02	1.57E-01	2.26E-06	1.0E+06	2.3E+00
1024	5.0836	4.16E-02	2.1E-01	1.05E-03	2.21E-04	6.30E-02	1.57E-01	2.19E-06	1.0E+06	2.2E+00
1025	4.88592	4.16E-02	2.0E-01	1.05E-03	2.12E-04	6.30E-02	1.57E-01	2.10E-06	1.0E+06	2.1E+00
1026	4.67717	4.16E-02	1.9E-01	1.05E-03	2.03E-04	6.30E-02	1.57E-01	2.01E-06	1.0E+06	2.0E+00
1027	4.45807	4.16E-02	1.9E-01	1.05E-03	1.94E-04	6.30E-02	1.57E-01	1.92E-06	1.0E+06	1.9E+00
1028	4.22657	4.16E-02	1.8E-01	1.05E-03	1.84E-04	6.30E-02	1.57E-01	1.82E-06	1.0E+06	1.8E+00
1029	3.98391	4.16E-02	1.7E-01	1.05E-03	1.73E-04	6.30E-02	1.57E-01	1.72E-06	1.0E+06	1.7E+00
1030	3.73847	4.16E-02	1.6E-01	1.05E-03	1.63E-04	6.30E-02	1.57E-01	1.61E-06	1.0E+06	1.6E+00
1031	3.49452	4.16E-02	1.5E-01	1.05E-03	1.52E-04	6.30E-02	1.57E-01	1.50E-06	1.0E+06	1.5E+00
1032	3.25736	4.16E-02	1.4E-01	1.05E-03	1.42E-04	6.30E-02	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1033	3.03159	4.16E-02	1.3E-01	1.05E-03	1.32E-04	6.30E-02	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1034	2.82048	4.16E-02	1.2E-01	1.05E-03	1.23E-04	6.30E-02	1.57E-01	1.21E-06	1.0E+06	1.2E+00
1035	2.62362	4.16E-02	1.1E-01	1.05E-03	1.14E-04	6.30E-02	1.57E-01	1.13E-06	1.0E+06	1.1E+00
1036	2.43983	4.16E-02	1.0E-01	1.05E-03	1.06E-04	6.30E-02	1.57E-01	1.05E-06	1.0E+06	1.1E+00
1037	2.26786	4.16E-02	9.4E-02	1.05E-03	9.86E-05	6.30E-02	1.57E-01	9.76E-07	1.0E+06	9.8E-01
1038	2.10979	4.16E-02	8.8E-02	1.05E-03	9.17E-05	6.30E-02	1.57E-01	9.08E-07	1.0E+06	9.1E-01
1039	1.96818	4.16E-02	8.2E-02	1.05E-03	8.56E-05	6.30E-02	1.57E-01	8.47E-07	1.0E+06	8.5E-01
1040	1.83967	4.16E-02	7.7E-02	1.05E-03	8.00E-05	6.30E-02	1.57E-01	7.92E-07	1.0E+06	7.9E-01
1041	1.72159	4.16E-02	7.2E-02	1.05E-03	7.48E-05	6.30E-02	1.57E-01	7.41E-07	1.0E+06	7.4E-01
1042	1.61299	4.16E-02	6.7E-02	1.05E-03	7.01E-05	6.30E-02	1.57E-01	6.94E-07	1.0E+06	6.9E-01
1043	1.5135	4.16E-02	6.3E-02	1.05E-03	6.58E-05	6.30E-02	1.57E-01	6.52E-07	1.0E+06	6.5E-01
1044	6.89122	4.16E-02	2.9E-01	1.05E-03	3.00E-04	6.30E-02	1.57E-01	2.97E-06	1.0E+06	3.0E+00
1045	6.91198	4.16E-02	2.9E-01	1.05E-03	3.01E-04	6.30E-02	1.57E-01	2.98E-06	1.0E+06	3.0E+00
1046	6.92081	4.16E-02	2.9E-01	1.05E-03	3.01E-04	6.30E-02	1.57E-01	2.98E-06	1.0E+06	3.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	6.91918	4.16E-02	2.9E-01	1.05E-03	3.01E-04	6.30E-02	1.57E-01	2.98E-06	1.0E+06	3.0E+00
1048	6.90738	4.16E-02	2.9E-01	1.05E-03	3.00E-04	6.30E-02	1.57E-01	2.97E-06	1.0E+06	3.0E+00
1049	6.87983	4.16E-02	2.9E-01	1.05E-03	2.99E-04	6.30E-02	1.57E-01	2.96E-06	1.0E+06	3.0E+00
1050	6.83215	4.16E-02	2.8E-01	1.05E-03	2.97E-04	6.30E-02	1.57E-01	2.94E-06	1.0E+06	2.9E+00
1051	6.76791	4.16E-02	2.8E-01	1.05E-03	2.94E-04	6.30E-02	1.57E-01	2.91E-06	1.0E+06	2.9E+00
1052	6.69199	4.16E-02	2.8E-01	1.05E-03	2.91E-04	6.30E-02	1.57E-01	2.88E-06	1.0E+06	2.9E+00
1053	6.60719	4.16E-02	2.7E-01	1.05E-03	2.87E-04	6.30E-02	1.57E-01	2.84E-06	1.0E+06	2.8E+00
1054	6.50171	4.16E-02	2.7E-01	1.05E-03	2.83E-04	6.30E-02	1.57E-01	2.80E-06	1.0E+06	2.8E+00
1055	6.37444	4.16E-02	2.7E-01	1.05E-03	2.77E-04	6.30E-02	1.57E-01	2.74E-06	1.0E+06	2.7E+00
1056	6.22415	4.16E-02	2.6E-01	1.05E-03	2.71E-04	6.30E-02	1.57E-01	2.68E-06	1.0E+06	2.7E+00
1057	6.04695	4.16E-02	2.5E-01	1.05E-03	2.63E-04	6.30E-02	1.57E-01	2.60E-06	1.0E+06	2.6E+00
1058	5.83483	4.16E-02	2.4E-01	1.05E-03	2.54E-04	6.30E-02	1.57E-01	2.51E-06	1.0E+06	2.5E+00
1059	5.59169	4.16E-02	2.3E-01	1.05E-03	2.43E-04	6.30E-02	1.57E-01	2.41E-06	1.0E+06	2.4E+00
1060	5.32962	4.16E-02	2.2E-01	1.05E-03	2.32E-04	6.30E-02	1.57E-01	2.29E-06	1.0E+06	2.3E+00
1061	5.05091	4.16E-02	2.1E-01	1.05E-03	2.20E-04	6.30E-02	1.57E-01	2.17E-06	1.0E+06	2.2E+00
1062	4.75357	4.16E-02	2.0E-01	1.05E-03	2.07E-04	6.30E-02	1.57E-01	2.05E-06	1.0E+06	2.0E+00
1063	4.44312	4.16E-02	1.8E-01	1.05E-03	1.93E-04	6.30E-02	1.57E-01	1.91E-06	1.0E+06	1.9E+00
1064	4.131	4.16E-02	1.7E-01	1.05E-03	1.80E-04	6.30E-02	1.57E-01	1.78E-06	1.0E+06	1.8E+00
1065	3.82531	4.16E-02	1.6E-01	1.05E-03	1.66E-04	6.30E-02	1.57E-01	1.65E-06	1.0E+06	1.6E+00
1066	3.53228	4.16E-02	1.5E-01	1.05E-03	1.54E-04	6.30E-02	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1067	3.25838	4.16E-02	1.4E-01	1.05E-03	1.42E-04	6.30E-02	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1068	3.00612	4.16E-02	1.3E-01	1.05E-03	1.31E-04	6.30E-02	1.57E-01	1.29E-06	1.0E+06	1.3E+00
1069	2.7747	4.16E-02	1.2E-01	1.05E-03	1.21E-04	6.30E-02	1.57E-01	1.19E-06	1.0E+06	1.2E+00
1070	2.56251	4.16E-02	1.1E-01	1.05E-03	1.11E-04	6.30E-02	1.57E-01	1.10E-06	1.0E+06	1.1E+00
1071	2.36681	4.16E-02	9.8E-02	1.05E-03	1.03E-04	6.30E-02	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1072	2.18956	4.16E-02	9.1E-02	1.05E-03	9.52E-05	6.30E-02	1.57E-01	9.43E-07	1.0E+06	9.4E-01
1073	2.03252	4.16E-02	8.5E-02	1.05E-03	8.84E-05	6.30E-02	1.57E-01	8.75E-07	1.0E+06	8.8E-01
1074	1.89147	4.16E-02	7.9E-02	1.05E-03	8.22E-05	6.30E-02	1.57E-01	8.14E-07	1.0E+06	8.1E-01
1075	1.7633	4.16E-02	7.3E-02	1.05E-03	7.67E-05	6.30E-02	1.57E-01	7.59E-07	1.0E+06	7.6E-01
1076	1.64659	4.16E-02	6.8E-02	1.05E-03	7.16E-05	6.30E-02	1.57E-01	7.09E-07	1.0E+06	7.1E-01
1077	1.54033	4.16E-02	6.4E-02	1.05E-03	6.70E-05	6.30E-02	1.57E-01	6.63E-07	1.0E+06	6.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	8.04858	4.16E-02	3.3E-01	1.05E-03	3.50E-04	6.30E-02	1.57E-01	3.46E-06	1.0E+06	3.5E+00
1079	8.07319	4.16E-02	3.4E-01	1.05E-03	3.51E-04	6.30E-02	1.57E-01	3.48E-06	1.0E+06	3.5E+00
1080	8.08487	4.16E-02	3.4E-01	1.05E-03	3.51E-04	6.30E-02	1.57E-01	3.48E-06	1.0E+06	3.5E+00
1081	8.08553	4.16E-02	3.4E-01	1.05E-03	3.52E-04	6.30E-02	1.57E-01	3.48E-06	1.0E+06	3.5E+00
1082	8.07678	4.16E-02	3.4E-01	1.05E-03	3.51E-04	6.30E-02	1.57E-01	3.48E-06	1.0E+06	3.5E+00
1083	8.0487	4.16E-02	3.3E-01	1.05E-03	3.50E-04	6.30E-02	1.57E-01	3.47E-06	1.0E+06	3.5E+00
1084	7.9951	4.16E-02	3.3E-01	1.05E-03	3.48E-04	6.30E-02	1.57E-01	3.44E-06	1.0E+06	3.4E+00
1085	7.92061	4.16E-02	3.3E-01	1.05E-03	3.44E-04	6.30E-02	1.57E-01	3.41E-06	1.0E+06	3.4E+00
1086	7.83359	4.16E-02	3.3E-01	1.05E-03	3.41E-04	6.30E-02	1.57E-01	3.37E-06	1.0E+06	3.4E+00
1087	7.73732	4.16E-02	3.2E-01	1.05E-03	3.36E-04	6.30E-02	1.57E-01	3.33E-06	1.0E+06	3.3E+00
1088	7.615	4.16E-02	3.2E-01	1.05E-03	3.31E-04	6.30E-02	1.57E-01	3.28E-06	1.0E+06	3.3E+00
1089	7.46572	4.16E-02	3.1E-01	1.05E-03	3.25E-04	6.30E-02	1.57E-01	3.21E-06	1.0E+06	3.2E+00
1090	7.28667	4.16E-02	3.0E-01	1.05E-03	3.17E-04	6.30E-02	1.57E-01	3.14E-06	1.0E+06	3.1E+00
1091	7.07105	4.16E-02	2.9E-01	1.05E-03	3.07E-04	6.30E-02	1.57E-01	3.04E-06	1.0E+06	3.0E+00
1092	6.80928	4.16E-02	2.8E-01	1.05E-03	2.96E-04	6.30E-02	1.57E-01	2.93E-06	1.0E+06	2.9E+00
1093	6.50763	4.16E-02	2.7E-01	1.05E-03	2.83E-04	6.30E-02	1.57E-01	2.80E-06	1.0E+06	2.8E+00
1094	6.17559	4.16E-02	2.6E-01	1.05E-03	2.68E-04	6.30E-02	1.57E-01	2.66E-06	1.0E+06	2.7E+00
1095	5.81086	4.16E-02	2.4E-01	1.05E-03	2.53E-04	6.30E-02	1.57E-01	2.50E-06	1.0E+06	2.5E+00
1096	5.41469	4.16E-02	2.3E-01	1.05E-03	2.35E-04	6.30E-02	1.57E-01	2.33E-06	1.0E+06	2.3E+00
1097	5.00334	4.16E-02	2.1E-01	1.05E-03	2.18E-04	6.30E-02	1.57E-01	2.15E-06	1.0E+06	2.2E+00
1098	4.5955	4.16E-02	1.9E-01	1.05E-03	2.00E-04	6.30E-02	1.57E-01	1.98E-06	1.0E+06	2.0E+00
1099	4.20379	4.16E-02	1.7E-01	1.05E-03	1.83E-04	6.30E-02	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1100	3.83746	4.16E-02	1.6E-01	1.05E-03	1.67E-04	6.30E-02	1.57E-01	1.65E-06	1.0E+06	1.7E+00
1101	3.50324	4.16E-02	1.5E-01	1.05E-03	1.52E-04	6.30E-02	1.57E-01	1.51E-06	1.0E+06	1.5E+00
1102	3.20073	4.16E-02	1.3E-01	1.05E-03	1.39E-04	6.30E-02	1.57E-01	1.38E-06	1.0E+06	1.4E+00
1103	2.92897	4.16E-02	1.2E-01	1.05E-03	1.27E-04	6.30E-02	1.57E-01	1.26E-06	1.0E+06	1.3E+00
1104	2.68445	4.16E-02	1.1E-01	1.05E-03	1.17E-04	6.30E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1105	2.46304	4.16E-02	1.0E-01	1.05E-03	1.07E-04	6.30E-02	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1106	2.26537	4.16E-02	9.4E-02	1.05E-03	9.85E-05	6.30E-02	1.57E-01	9.75E-07	1.0E+06	9.8E-01
1107	2.09227	4.16E-02	8.7E-02	1.05E-03	9.10E-05	6.30E-02	1.57E-01	9.01E-07	1.0E+06	9.0E-01
1108	1.93866	4.16E-02	8.1E-02	1.05E-03	8.43E-05	6.30E-02	1.57E-01	8.35E-07	1.0E+06	8.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1.80042	4.16E-02	7.5E-02	1.05E-03	7.83E-05	6.30E-02	1.57E-01	7.75E-07	1.0E+06	7.8E-01
1110	1.67563	4.16E-02	7.0E-02	1.05E-03	7.28E-05	6.30E-02	1.57E-01	7.21E-07	1.0E+06	7.2E-01
1111	1.56303	4.16E-02	6.5E-02	1.05E-03	6.80E-05	6.30E-02	1.57E-01	6.73E-07	1.0E+06	6.7E-01
1112	9.55894	4.16E-02	4.0E-01	1.05E-03	4.16E-04	6.30E-02	1.57E-01	4.12E-06	1.0E+06	4.1E+00
1113	9.58896	4.16E-02	4.0E-01	1.05E-03	4.17E-04	6.30E-02	1.57E-01	4.13E-06	1.0E+06	4.1E+00
1114	9.60364	4.16E-02	4.0E-01	1.05E-03	4.18E-04	6.30E-02	1.57E-01	4.13E-06	1.0E+06	4.1E+00
1115	9.61345	4.16E-02	4.0E-01	1.05E-03	4.18E-04	6.30E-02	1.57E-01	4.14E-06	1.0E+06	4.1E+00
1116	9.61332	4.16E-02	4.0E-01	1.05E-03	4.18E-04	6.30E-02	1.57E-01	4.14E-06	1.0E+06	4.1E+00
1117	9.58702	4.16E-02	4.0E-01	1.05E-03	4.17E-04	6.30E-02	1.57E-01	4.13E-06	1.0E+06	4.1E+00
1118	9.52425	4.16E-02	4.0E-01	1.05E-03	4.14E-04	6.30E-02	1.57E-01	4.10E-06	1.0E+06	4.1E+00
1119	9.4434	4.16E-02	3.9E-01	1.05E-03	4.11E-04	6.30E-02	1.57E-01	4.07E-06	1.0E+06	4.1E+00
1120	9.34884	4.16E-02	3.9E-01	1.05E-03	4.06E-04	6.30E-02	1.57E-01	4.02E-06	1.0E+06	4.0E+00
1121	9.23908	4.16E-02	3.8E-01	1.05E-03	4.02E-04	6.30E-02	1.57E-01	3.98E-06	1.0E+06	4.0E+00
1122	9.0946	4.16E-02	3.8E-01	1.05E-03	3.95E-04	6.30E-02	1.57E-01	3.92E-06	1.0E+06	3.9E+00
1123	8.92466	4.16E-02	3.7E-01	1.05E-03	3.88E-04	6.30E-02	1.57E-01	3.84E-06	1.0E+06	3.8E+00
1124	8.71614	4.16E-02	3.6E-01	1.05E-03	3.79E-04	6.30E-02	1.57E-01	3.75E-06	1.0E+06	3.8E+00
1125	8.44765	4.16E-02	3.5E-01	1.05E-03	3.67E-04	6.30E-02	1.57E-01	3.64E-06	1.0E+06	3.6E+00
1126	8.11751	4.16E-02	3.4E-01	1.05E-03	3.53E-04	6.30E-02	1.57E-01	3.49E-06	1.0E+06	3.5E+00
1127	7.74497	4.16E-02	3.2E-01	1.05E-03	3.37E-04	6.30E-02	1.57E-01	3.33E-06	1.0E+06	3.3E+00
1128	7.32057	4.16E-02	3.0E-01	1.05E-03	3.18E-04	6.30E-02	1.57E-01	3.15E-06	1.0E+06	3.2E+00
1129	6.82847	4.16E-02	2.8E-01	1.05E-03	2.97E-04	6.30E-02	1.57E-01	2.94E-06	1.0E+06	2.9E+00
1130	6.27281	4.16E-02	2.6E-01	1.05E-03	2.73E-04	6.30E-02	1.57E-01	2.70E-06	1.0E+06	2.7E+00
1131	5.70031	4.16E-02	2.4E-01	1.05E-03	2.48E-04	6.30E-02	1.57E-01	2.45E-06	1.0E+06	2.5E+00
1132	5.1472	4.16E-02	2.1E-01	1.05E-03	2.24E-04	6.30E-02	1.57E-01	2.22E-06	1.0E+06	2.2E+00
1133	4.63412	4.16E-02	1.9E-01	1.05E-03	2.01E-04	6.30E-02	1.57E-01	2.00E-06	1.0E+06	2.0E+00
1134	4.17136	4.16E-02	1.7E-01	1.05E-03	1.81E-04	6.30E-02	1.57E-01	1.80E-06	1.0E+06	1.8E+00
1135	3.7611	4.16E-02	1.6E-01	1.05E-03	1.64E-04	6.30E-02	1.57E-01	1.62E-06	1.0E+06	1.6E+00
1136	3.399	4.16E-02	1.4E-01	1.05E-03	1.48E-04	6.30E-02	1.57E-01	1.46E-06	1.0E+06	1.5E+00
1137	3.08136	4.16E-02	1.3E-01	1.05E-03	1.34E-04	6.30E-02	1.57E-01	1.33E-06	1.0E+06	1.3E+00
1138	2.80172	4.16E-02	1.2E-01	1.05E-03	1.22E-04	6.30E-02	1.57E-01	1.21E-06	1.0E+06	1.2E+00
1139	2.55329	4.16E-02	1.1E-01	1.05E-03	1.11E-04	6.30E-02	1.57E-01	1.10E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	2.335	4.16E-02	9.7E-02	1.05E-03	1.02E-04	6.30E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1141	2.14568	4.16E-02	8.9E-02	1.05E-03	9.33E-05	6.30E-02	1.57E-01	9.24E-07	1.0E+06	9.2E-01
1142	1.97929	4.16E-02	8.2E-02	1.05E-03	8.61E-05	6.30E-02	1.57E-01	8.52E-07	1.0E+06	8.5E-01
1143	1.83105	4.16E-02	7.6E-02	1.05E-03	7.96E-05	6.30E-02	1.57E-01	7.88E-07	1.0E+06	7.9E-01
1144	1.69872	4.16E-02	7.1E-02	1.05E-03	7.39E-05	6.30E-02	1.57E-01	7.31E-07	1.0E+06	7.3E-01
1145	1.58005	4.16E-02	6.6E-02	1.05E-03	6.87E-05	6.30E-02	1.57E-01	6.80E-07	1.0E+06	6.8E-01
1146	9.88588	4.16E-02	4.1E-01	1.05E-03	4.30E-04	6.30E-02	1.57E-01	4.26E-06	1.0E+06	4.3E+00
1147	9.9394	4.16E-02	4.1E-01	1.05E-03	4.32E-04	6.30E-02	1.57E-01	4.28E-06	1.0E+06	4.3E+00
1148	11.64574	4.16E-02	4.8E-01	1.05E-03	5.06E-04	6.30E-02	1.57E-01	5.01E-06	1.0E+06	5.0E+00
1149	10.06257	4.16E-02	4.2E-01	1.05E-03	4.37E-04	6.30E-02	1.57E-01	4.33E-06	1.0E+06	4.3E+00
1150	9.91309	4.16E-02	4.1E-01	1.05E-03	4.31E-04	6.30E-02	1.57E-01	4.27E-06	1.0E+06	4.3E+00
1151	9.90461	4.16E-02	4.1E-01	1.05E-03	4.31E-04	6.30E-02	1.57E-01	4.26E-06	1.0E+06	4.3E+00
1152	10.0222	4.16E-02	4.2E-01	1.05E-03	4.36E-04	6.30E-02	1.57E-01	4.31E-06	1.0E+06	4.3E+00
1153	9.85946	4.16E-02	4.1E-01	1.05E-03	4.29E-04	6.30E-02	1.57E-01	4.24E-06	1.0E+06	4.2E+00
1154	9.60009	4.16E-02	4.0E-01	1.05E-03	4.17E-04	6.30E-02	1.57E-01	4.13E-06	1.0E+06	4.1E+00
1155	9.48701	4.16E-02	3.9E-01	1.05E-03	4.12E-04	6.30E-02	1.57E-01	4.08E-06	1.0E+06	4.1E+00
1156	9.50126	4.16E-02	4.0E-01	1.05E-03	4.13E-04	6.30E-02	1.57E-01	4.09E-06	1.0E+06	4.1E+00
1157	9.19978	4.16E-02	3.8E-01	1.05E-03	4.00E-04	6.30E-02	1.57E-01	3.96E-06	1.0E+06	4.0E+00
1158	8.76025	4.16E-02	3.6E-01	1.05E-03	3.81E-04	6.30E-02	1.57E-01	3.77E-06	1.0E+06	3.8E+00
1159	8.43738	4.16E-02	3.5E-01	1.05E-03	3.67E-04	6.30E-02	1.57E-01	3.63E-06	1.0E+06	3.6E+00
1160	6.77907	4.16E-02	2.8E-01	1.05E-03	2.95E-04	6.30E-02	1.57E-01	2.92E-06	1.0E+06	2.9E+00
1161	7.66995	4.16E-02	3.2E-01	1.05E-03	3.33E-04	6.30E-02	1.57E-01	3.30E-06	1.0E+06	3.3E+00
1162	6.93213	4.16E-02	2.9E-01	1.05E-03	3.01E-04	6.30E-02	1.57E-01	2.98E-06	1.0E+06	3.0E+00
1163	6.27427	4.16E-02	2.6E-01	1.05E-03	2.73E-04	6.30E-02	1.57E-01	2.70E-06	1.0E+06	2.7E+00
1164	5.68263	4.16E-02	2.4E-01	1.05E-03	2.47E-04	6.30E-02	1.57E-01	2.45E-06	1.0E+06	2.4E+00
1165	6.57939	4.16E-02	2.7E-01	1.05E-03	2.86E-04	6.30E-02	1.57E-01	2.83E-06	1.0E+06	2.8E+00
1166	5.80062	4.16E-02	2.4E-01	1.05E-03	2.52E-04	6.30E-02	1.57E-01	2.50E-06	1.0E+06	2.5E+00
1167	5.11602	4.16E-02	2.1E-01	1.05E-03	2.22E-04	6.30E-02	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1168	4.52614	4.16E-02	1.9E-01	1.05E-03	1.97E-04	6.30E-02	1.57E-01	1.95E-06	1.0E+06	1.9E+00
1169	4.023	4.16E-02	1.7E-01	1.05E-03	1.75E-04	6.30E-02	1.57E-01	1.73E-06	1.0E+06	1.7E+00
1170	3.59319	4.16E-02	1.5E-01	1.05E-03	1.56E-04	6.30E-02	1.57E-01	1.55E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	3.2257	4.16E-02	1.3E-01	1.05E-03	1.40E-04	6.30E-02	1.57E-01	1.39E-06	1.0E+06	1.4E+00
1172	2.90902	4.16E-02	1.2E-01	1.05E-03	1.26E-04	6.30E-02	1.57E-01	1.25E-06	1.0E+06	1.3E+00
1173	2.63425	4.16E-02	1.1E-01	1.05E-03	1.15E-04	6.30E-02	1.57E-01	1.13E-06	1.0E+06	1.1E+00
1174	2.39577	4.16E-02	1.0E-01	1.05E-03	1.04E-04	6.30E-02	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1175	2.19069	4.16E-02	9.1E-02	1.05E-03	9.52E-05	6.30E-02	1.57E-01	9.43E-07	1.0E+06	9.4E-01
1176	2.01198	4.16E-02	8.4E-02	1.05E-03	8.75E-05	6.30E-02	1.57E-01	8.66E-07	1.0E+06	8.7E-01
1177	1.85432	4.16E-02	7.7E-02	1.05E-03	8.06E-05	6.30E-02	1.57E-01	7.98E-07	1.0E+06	8.0E-01
1178	1.71461	4.16E-02	7.1E-02	1.05E-03	7.45E-05	6.30E-02	1.57E-01	7.38E-07	1.0E+06	7.4E-01
1179	1.59041	4.16E-02	6.6E-02	1.05E-03	6.91E-05	6.30E-02	1.57E-01	6.85E-07	1.0E+06	6.8E-01
1180	11.70193	4.16E-02	4.9E-01	1.05E-03	5.09E-04	6.30E-02	1.57E-01	5.04E-06	1.0E+06	5.0E+00
1181	11.81195	4.16E-02	4.9E-01	1.05E-03	5.14E-04	6.30E-02	1.57E-01	5.09E-06	1.0E+06	5.1E+00
1182	10.29178	4.16E-02	4.3E-01	1.05E-03	4.47E-04	6.30E-02	1.57E-01	4.43E-06	1.0E+06	4.4E+00
1183	10.29615	4.16E-02	4.3E-01	1.05E-03	4.48E-04	6.30E-02	1.57E-01	4.43E-06	1.0E+06	4.4E+00
1184	11.75729	4.16E-02	4.9E-01	1.05E-03	5.11E-04	6.30E-02	1.57E-01	5.06E-06	1.0E+06	5.1E+00
1185	11.79799	4.16E-02	4.9E-01	1.05E-03	5.13E-04	6.30E-02	1.57E-01	5.08E-06	1.0E+06	5.1E+00
1186	10.15133	4.16E-02	4.2E-01	1.05E-03	4.41E-04	6.30E-02	1.57E-01	4.37E-06	1.0E+06	4.4E+00
1187	10.05624	4.16E-02	4.2E-01	1.05E-03	4.37E-04	6.30E-02	1.57E-01	4.33E-06	1.0E+06	4.3E+00
1188	11.43424	4.16E-02	4.8E-01	1.05E-03	4.97E-04	6.30E-02	1.57E-01	4.92E-06	1.0E+06	4.9E+00
1189	9.89315	4.16E-02	4.1E-01	1.05E-03	4.30E-04	6.30E-02	1.57E-01	4.26E-06	1.0E+06	4.3E+00
1190	9.51915	4.16E-02	4.0E-01	1.05E-03	4.14E-04	6.30E-02	1.57E-01	4.10E-06	1.0E+06	4.1E+00
1191	9.23324	4.16E-02	3.8E-01	1.05E-03	4.01E-04	6.30E-02	1.57E-01	3.97E-06	1.0E+06	4.0E+00
1192	10.40791	4.16E-02	4.3E-01	1.05E-03	4.52E-04	6.30E-02	1.57E-01	4.48E-06	1.0E+06	4.5E+00
1193	8.54948	4.16E-02	3.6E-01	1.05E-03	3.72E-04	6.30E-02	1.57E-01	3.68E-06	1.0E+06	3.7E+00
1194	7.84778	4.16E-02	3.3E-01	1.05E-03	3.41E-04	6.30E-02	1.57E-01	3.38E-06	1.0E+06	3.4E+00
1195	7.22768	4.16E-02	3.0E-01	1.05E-03	3.14E-04	6.30E-02	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1196	8.06163	4.16E-02	3.4E-01	1.05E-03	3.50E-04	6.30E-02	1.57E-01	3.47E-06	1.0E+06	3.5E+00
1197	7.18865	4.16E-02	3.0E-01	1.05E-03	3.13E-04	6.30E-02	1.57E-01	3.09E-06	1.0E+06	3.1E+00
1198	6.42918	4.16E-02	2.7E-01	1.05E-03	2.80E-04	6.30E-02	1.57E-01	2.77E-06	1.0E+06	2.8E+00
1199	5.75126	4.16E-02	2.4E-01	1.05E-03	2.50E-04	6.30E-02	1.57E-01	2.48E-06	1.0E+06	2.5E+00
1200	6.55755	4.16E-02	2.7E-01	1.05E-03	2.85E-04	6.30E-02	1.57E-01	2.82E-06	1.0E+06	2.8E+00
1201	5.64061	4.16E-02	2.3E-01	1.05E-03	2.45E-04	6.30E-02	1.57E-01	2.43E-06	1.0E+06	2.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	4.89267	4.16E-02	2.0E-01	1.05E-03	2.13E-04	6.30E-02	1.57E-01	2.11E-06	1.0E+06	2.1E+00
1203	4.28273	4.16E-02	1.8E-01	1.05E-03	1.86E-04	6.30E-02	1.57E-01	1.84E-06	1.0E+06	1.8E+00
1204	3.77767	4.16E-02	1.6E-01	1.05E-03	1.64E-04	6.30E-02	1.57E-01	1.63E-06	1.0E+06	1.6E+00
1205	3.35722	4.16E-02	1.4E-01	1.05E-03	1.46E-04	6.30E-02	1.57E-01	1.45E-06	1.0E+06	1.4E+00
1206	3.00341	4.16E-02	1.2E-01	1.05E-03	1.31E-04	6.30E-02	1.57E-01	1.29E-06	1.0E+06	1.3E+00
1207	2.70273	4.16E-02	1.1E-01	1.05E-03	1.18E-04	6.30E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1208	2.44544	4.16E-02	1.0E-01	1.05E-03	1.06E-04	6.30E-02	1.57E-01	1.05E-06	1.0E+06	1.1E+00
1209	2.22575	4.16E-02	9.3E-02	1.05E-03	9.68E-05	6.30E-02	1.57E-01	9.58E-07	1.0E+06	9.6E-01
1210	2.03585	4.16E-02	8.5E-02	1.05E-03	8.85E-05	6.30E-02	1.57E-01	8.76E-07	1.0E+06	8.8E-01
1211	1.86986	4.16E-02	7.8E-02	1.05E-03	8.13E-05	6.30E-02	1.57E-01	8.05E-07	1.0E+06	8.0E-01
1212	1.72393	4.16E-02	7.2E-02	1.05E-03	7.49E-05	6.30E-02	1.57E-01	7.42E-07	1.0E+06	7.4E-01
1213	1.59495	4.16E-02	6.6E-02	1.05E-03	6.93E-05	6.30E-02	1.57E-01	6.87E-07	1.0E+06	6.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	2.29E-02
893	5	2.20E-02
894	5	2.10E-02
895	5	2.01E-02
896	5	1.91E-02
897	5	1.82E-02
898	5	1.73E-02
899	5	1.64E-02
900	5	1.56E-02
901	5	1.48E-02
902	5	1.41E-02
903	5	1.33E-02
904	5	1.26E-02
905	5	1.20E-02
906	5	1.13E-02
907	5	1.08E-02
908	5	3.44E-02
909	5	3.45E-02
910	5	3.46E-02
911	5	3.46E-02
912	5	3.45E-02
913	5	3.44E-02
914	5	3.42E-02
915	5	3.39E-02
916	5	3.36E-02
917	5	3.31E-02
918	5	3.27E-02
919	5	3.21E-02
920	5	3.14E-02
921	5	3.07E-02
922	5	2.99E-02

Max	Receptor #	
0.098	1181	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	2.90E-02
924	5	2.81E-02
925	5	2.71E-02
926	5	2.60E-02
927	5	2.49E-02
928	5	2.38E-02
929	5	2.27E-02
930	5	2.16E-02
931	5	2.05E-02
932	5	1.94E-02
933	5	1.83E-02
934	5	1.74E-02
935	5	1.64E-02
936	5	1.55E-02
937	5	1.46E-02
938	5	1.38E-02
939	5	1.31E-02
940	5	1.23E-02
941	5	1.17E-02
942	5	3.86E-02
943	5	3.87E-02
944	5	3.88E-02
945	5	3.88E-02
946	5	3.87E-02
947	5	3.85E-02
948	5	3.83E-02
949	5	3.80E-02
950	5	3.76E-02
951	5	3.71E-02
952	5	3.65E-02
953	5	3.59E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	3.51E-02
955	5	3.42E-02
956	5	3.33E-02
957	5	3.22E-02
958	5	3.10E-02
959	5	2.98E-02
960	5	2.86E-02
961	5	2.72E-02
962	5	2.59E-02
963	5	2.46E-02
964	5	2.32E-02
965	5	2.19E-02
966	5	2.06E-02
967	5	1.94E-02
968	5	1.83E-02
969	5	1.72E-02
970	5	1.62E-02
971	5	1.52E-02
972	5	1.43E-02
973	5	1.35E-02
974	5	1.27E-02
975	5	1.20E-02
976	5	4.36E-02
977	5	4.38E-02
978	5	4.38E-02
979	5	4.38E-02
980	5	4.37E-02
981	5	4.35E-02
982	5	4.32E-02
983	5	4.28E-02
984	5	4.24E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	4.18E-02
986	5	4.12E-02
987	5	4.04E-02
988	5	3.95E-02
989	5	3.85E-02
990	5	3.73E-02
991	5	3.60E-02
992	5	3.46E-02
993	5	3.31E-02
994	5	3.16E-02
995	5	2.99E-02
996	5	2.83E-02
997	5	2.67E-02
998	5	2.50E-02
999	5	2.35E-02
1000	5	2.20E-02
1001	5	2.06E-02
1002	5	1.93E-02
1003	5	1.80E-02
1004	5	1.69E-02
1005	5	1.58E-02
1006	5	1.48E-02
1007	5	1.39E-02
1008	5	1.31E-02
1009	5	1.23E-02
1010	5	4.97E-02
1011	5	4.99E-02
1012	5	5.00E-02
1013	5	4.99E-02
1014	5	4.98E-02
1015	5	4.96E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	4.93E-02
1017	5	4.88E-02
1018	5	4.83E-02
1019	5	4.77E-02
1020	5	4.69E-02
1021	5	4.60E-02
1022	5	4.50E-02
1023	5	4.37E-02
1024	5	4.23E-02
1025	5	4.06E-02
1026	5	3.89E-02
1027	5	3.71E-02
1028	5	3.52E-02
1029	5	3.31E-02
1030	5	3.11E-02
1031	5	2.91E-02
1032	5	2.71E-02
1033	5	2.52E-02
1034	5	2.35E-02
1035	5	2.18E-02
1036	5	2.03E-02
1037	5	1.89E-02
1038	5	1.76E-02
1039	5	1.64E-02
1040	5	1.53E-02
1041	5	1.43E-02
1042	5	1.34E-02
1043	5	1.26E-02
1044	5	5.73E-02
1045	5	5.75E-02
1046	5	5.76E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	5.76E-02
1048	5	5.75E-02
1049	5	5.72E-02
1050	5	5.68E-02
1051	5	5.63E-02
1052	5	5.57E-02
1053	5	5.50E-02
1054	5	5.41E-02
1055	5	5.30E-02
1056	5	5.18E-02
1057	5	5.03E-02
1058	5	4.85E-02
1059	5	4.65E-02
1060	5	4.43E-02
1061	5	4.20E-02
1062	5	3.95E-02
1063	5	3.70E-02
1064	5	3.44E-02
1065	5	3.18E-02
1066	5	2.94E-02
1067	5	2.71E-02
1068	5	2.50E-02
1069	5	2.31E-02
1070	5	2.13E-02
1071	5	1.97E-02
1072	5	1.82E-02
1073	5	1.69E-02
1074	5	1.57E-02
1075	5	1.47E-02
1076	5	1.37E-02
1077	5	1.28E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	6.70E-02
1079	5	6.72E-02
1080	5	6.73E-02
1081	5	6.73E-02
1082	5	6.72E-02
1083	5	6.70E-02
1084	5	6.65E-02
1085	5	6.59E-02
1086	5	6.52E-02
1087	5	6.44E-02
1088	5	6.34E-02
1089	5	6.21E-02
1090	5	6.06E-02
1091	5	5.88E-02
1092	5	5.66E-02
1093	5	5.41E-02
1094	5	5.14E-02
1095	5	4.83E-02
1096	5	4.50E-02
1097	5	4.16E-02
1098	5	3.82E-02
1099	5	3.50E-02
1100	5	3.19E-02
1101	5	2.91E-02
1102	5	2.66E-02
1103	5	2.44E-02
1104	5	2.23E-02
1105	5	2.05E-02
1106	5	1.88E-02
1107	5	1.74E-02
1108	5	1.61E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.50E-02
1110	5	1.39E-02
1111	5	1.30E-02
1112	5	7.95E-02
1113	5	7.98E-02
1114	5	7.99E-02
1115	5	8.00E-02
1116	5	8.00E-02
1117	5	7.98E-02
1118	5	7.92E-02
1119	5	7.86E-02
1120	5	7.78E-02
1121	5	7.69E-02
1122	5	7.57E-02
1123	5	7.42E-02
1124	5	7.25E-02
1125	5	7.03E-02
1126	5	6.75E-02
1127	5	6.44E-02
1128	5	6.09E-02
1129	5	5.68E-02
1130	5	5.22E-02
1131	5	4.74E-02
1132	5	4.28E-02
1133	5	3.86E-02
1134	5	3.47E-02
1135	5	3.13E-02
1136	5	2.83E-02
1137	5	2.56E-02
1138	5	2.33E-02
1139	5	2.12E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	1.94E-02
1141	5	1.79E-02
1142	5	1.65E-02
1143	5	1.52E-02
1144	5	1.41E-02
1145	5	1.31E-02
1146	5	8.22E-02
1147	5	8.27E-02
1148	5	9.69E-02
1149	5	8.37E-02
1150	5	8.25E-02
1151	5	8.24E-02
1152	5	8.34E-02
1153	5	8.20E-02
1154	5	7.99E-02
1155	5	7.89E-02
1156	5	7.90E-02
1157	5	7.65E-02
1158	5	7.29E-02
1159	5	7.02E-02
1160	5	5.64E-02
1161	5	6.38E-02
1162	5	5.77E-02
1163	5	5.22E-02
1164	5	4.73E-02
1165	5	5.47E-02
1166	5	4.83E-02
1167	5	4.26E-02
1168	5	3.77E-02
1169	5	3.35E-02
1170	5	2.99E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	2.68E-02
1172	5	2.42E-02
1173	5	2.19E-02
1174	5	1.99E-02
1175	5	1.82E-02
1176	5	1.67E-02
1177	5	1.54E-02
1178	5	1.43E-02
1179	5	1.32E-02
1180	5	9.73E-02
1181	5	9.83E-02
1182	5	8.56E-02
1183	5	8.57E-02
1184	5	9.78E-02
1185	5	9.81E-02
1186	5	8.45E-02
1187	5	8.37E-02
1188	5	9.51E-02
1189	5	8.23E-02
1190	5	7.92E-02
1191	5	7.68E-02
1192	5	8.66E-02
1193	5	7.11E-02
1194	5	6.53E-02
1195	5	6.01E-02
1196	5	6.71E-02
1197	5	5.98E-02
1198	5	5.35E-02
1199	5	4.78E-02
1200	5	5.46E-02
1201	5	4.69E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	4.07E-02
1203	5	3.56E-02
1204	5	3.14E-02
1205	5	2.79E-02
1206	5	2.50E-02
1207	5	2.25E-02
1208	5	2.03E-02
1209	5	1.85E-02
1210	5	1.69E-02
1211	5	1.56E-02
1212	5	1.43E-02
1213	5	1.33E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.75542	4.16E-02	1.1E-01	6.05E-04	6.93E-05	2.68E-01	4.71E-02	8.78E-07	1.0E+06	8.8E-01
893	2.64375	4.16E-02	1.1E-01	6.05E-04	6.65E-05	2.68E-01	4.71E-02	8.42E-07	1.0E+06	8.4E-01
894	2.52963	4.16E-02	1.1E-01	6.05E-04	6.37E-05	2.68E-01	4.71E-02	8.06E-07	1.0E+06	8.1E-01
895	2.41457	4.16E-02	1.0E-01	6.05E-04	6.08E-05	2.68E-01	4.71E-02	7.69E-07	1.0E+06	7.7E-01
896	2.30061	4.16E-02	9.6E-02	6.05E-04	5.79E-05	2.68E-01	4.71E-02	7.33E-07	1.0E+06	7.3E-01
897	2.18935	4.16E-02	9.1E-02	6.05E-04	5.51E-05	2.68E-01	4.71E-02	6.97E-07	1.0E+06	7.0E-01
898	2.08092	4.16E-02	8.7E-02	6.05E-04	5.24E-05	2.68E-01	4.71E-02	6.63E-07	1.0E+06	6.6E-01
899	1.97707	4.16E-02	8.2E-02	6.05E-04	4.98E-05	2.68E-01	4.71E-02	6.30E-07	1.0E+06	6.3E-01
900	1.87859	4.16E-02	7.8E-02	6.05E-04	4.73E-05	2.68E-01	4.71E-02	5.98E-07	1.0E+06	6.0E-01
901	1.78411	4.16E-02	7.4E-02	6.05E-04	4.49E-05	2.68E-01	4.71E-02	5.68E-07	1.0E+06	5.7E-01
902	1.69123	4.16E-02	7.0E-02	6.05E-04	4.26E-05	2.68E-01	4.71E-02	5.39E-07	1.0E+06	5.4E-01
903	1.60208	4.16E-02	6.7E-02	6.05E-04	4.03E-05	2.68E-01	4.71E-02	5.10E-07	1.0E+06	5.1E-01
904	1.51789	4.16E-02	6.3E-02	6.05E-04	3.82E-05	2.68E-01	4.71E-02	4.84E-07	1.0E+06	4.8E-01
905	1.43857	4.16E-02	6.0E-02	6.05E-04	3.62E-05	2.68E-01	4.71E-02	4.58E-07	1.0E+06	4.6E-01
906	1.36373	4.16E-02	5.7E-02	6.05E-04	3.43E-05	2.68E-01	4.71E-02	4.34E-07	1.0E+06	4.3E-01
907	1.29572	4.16E-02	5.4E-02	6.05E-04	3.26E-05	2.68E-01	4.71E-02	4.13E-07	1.0E+06	4.1E-01
908	4.13343	4.16E-02	1.7E-01	6.05E-04	1.04E-04	2.68E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
909	4.14798	4.16E-02	1.7E-01	6.05E-04	1.04E-04	2.68E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
910	4.15467	4.16E-02	1.7E-01	6.05E-04	1.05E-04	2.68E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
911	4.15515	4.16E-02	1.7E-01	6.05E-04	1.05E-04	2.68E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
912	4.14723	4.16E-02	1.7E-01	6.05E-04	1.04E-04	2.68E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
913	4.13132	4.16E-02	1.7E-01	6.05E-04	1.04E-04	2.68E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
914	4.10746	4.16E-02	1.7E-01	6.05E-04	1.03E-04	2.68E-01	4.71E-02	1.31E-06	1.0E+06	1.3E+00
915	4.07476	4.16E-02	1.7E-01	6.05E-04	1.03E-04	2.68E-01	4.71E-02	1.30E-06	1.0E+06	1.3E+00
916	4.03399	4.16E-02	1.7E-01	6.05E-04	1.02E-04	2.68E-01	4.71E-02	1.29E-06	1.0E+06	1.3E+00
917	3.98405	4.16E-02	1.7E-01	6.05E-04	1.00E-04	2.68E-01	4.71E-02	1.27E-06	1.0E+06	1.3E+00
918	3.92475	4.16E-02	1.6E-01	6.05E-04	9.88E-05	2.68E-01	4.71E-02	1.25E-06	1.0E+06	1.3E+00
919	3.85612	4.16E-02	1.6E-01	6.05E-04	9.71E-05	2.68E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
920	3.7783	4.16E-02	1.6E-01	6.05E-04	9.51E-05	2.68E-01	4.71E-02	1.20E-06	1.0E+06	1.2E+00
921	3.69128	4.16E-02	1.5E-01	6.05E-04	9.29E-05	2.68E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
922	3.59342	4.16E-02	1.5E-01	6.05E-04	9.04E-05	2.68E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00

	Max	Receptor #
Res	3.763	1181

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	3.48686	4.16E-02	1.5E-01	6.05E-04	8.78E-05	2.68E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
924	3.37248	4.16E-02	1.4E-01	6.05E-04	8.49E-05	2.68E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
925	3.25179	4.16E-02	1.4E-01	6.05E-04	8.18E-05	2.68E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
926	3.12547	4.16E-02	1.3E-01	6.05E-04	7.87E-05	2.68E-01	4.71E-02	9.96E-07	1.0E+06	1.0E+00
927	2.99521	4.16E-02	1.2E-01	6.05E-04	7.54E-05	2.68E-01	4.71E-02	9.54E-07	1.0E+06	9.5E-01
928	2.86199	4.16E-02	1.2E-01	6.05E-04	7.20E-05	2.68E-01	4.71E-02	9.12E-07	1.0E+06	9.1E-01
929	2.72693	4.16E-02	1.1E-01	6.05E-04	6.86E-05	2.68E-01	4.71E-02	8.69E-07	1.0E+06	8.7E-01
930	2.59145	4.16E-02	1.1E-01	6.05E-04	6.52E-05	2.68E-01	4.71E-02	8.26E-07	1.0E+06	8.3E-01
931	2.45834	4.16E-02	1.0E-01	6.05E-04	6.19E-05	2.68E-01	4.71E-02	7.83E-07	1.0E+06	7.8E-01
932	2.32945	4.16E-02	9.7E-02	6.05E-04	5.86E-05	2.68E-01	4.71E-02	7.42E-07	1.0E+06	7.4E-01
933	2.20497	4.16E-02	9.2E-02	6.05E-04	5.55E-05	2.68E-01	4.71E-02	7.02E-07	1.0E+06	7.0E-01
934	2.08581	4.16E-02	8.7E-02	6.05E-04	5.25E-05	2.68E-01	4.71E-02	6.64E-07	1.0E+06	6.6E-01
935	1.97237	4.16E-02	8.2E-02	6.05E-04	4.96E-05	2.68E-01	4.71E-02	6.28E-07	1.0E+06	6.3E-01
936	1.86474	4.16E-02	7.8E-02	6.05E-04	4.69E-05	2.68E-01	4.71E-02	5.94E-07	1.0E+06	5.9E-01
937	1.76097	4.16E-02	7.3E-02	6.05E-04	4.43E-05	2.68E-01	4.71E-02	5.61E-07	1.0E+06	5.6E-01
938	1.6625	4.16E-02	6.9E-02	6.05E-04	4.18E-05	2.68E-01	4.71E-02	5.30E-07	1.0E+06	5.3E-01
939	1.57017	4.16E-02	6.5E-02	6.05E-04	3.95E-05	2.68E-01	4.71E-02	5.00E-07	1.0E+06	5.0E-01
940	1.48389	4.16E-02	6.2E-02	6.05E-04	3.73E-05	2.68E-01	4.71E-02	4.73E-07	1.0E+06	4.7E-01
941	1.40313	4.16E-02	5.8E-02	6.05E-04	3.53E-05	2.68E-01	4.71E-02	4.47E-07	1.0E+06	4.5E-01
942	4.63799	4.16E-02	1.9E-01	6.05E-04	1.17E-04	2.68E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
943	4.65331	4.16E-02	1.9E-01	6.05E-04	1.17E-04	2.68E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
944	4.66029	4.16E-02	1.9E-01	6.05E-04	1.17E-04	2.68E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
945	4.65962	4.16E-02	1.9E-01	6.05E-04	1.17E-04	2.68E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
946	4.64997	4.16E-02	1.9E-01	6.05E-04	1.17E-04	2.68E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
947	4.63099	4.16E-02	1.9E-01	6.05E-04	1.17E-04	2.68E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
948	4.60175	4.16E-02	1.9E-01	6.05E-04	1.16E-04	2.68E-01	4.71E-02	1.47E-06	1.0E+06	1.5E+00
949	4.56263	4.16E-02	1.9E-01	6.05E-04	1.15E-04	2.68E-01	4.71E-02	1.45E-06	1.0E+06	1.5E+00
950	4.51437	4.16E-02	1.9E-01	6.05E-04	1.14E-04	2.68E-01	4.71E-02	1.44E-06	1.0E+06	1.4E+00
951	4.45739	4.16E-02	1.9E-01	6.05E-04	1.12E-04	2.68E-01	4.71E-02	1.42E-06	1.0E+06	1.4E+00
952	4.389	4.16E-02	1.8E-01	6.05E-04	1.10E-04	2.68E-01	4.71E-02	1.40E-06	1.0E+06	1.4E+00
953	4.30956	4.16E-02	1.8E-01	6.05E-04	1.08E-04	2.68E-01	4.71E-02	1.37E-06	1.0E+06	1.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	4.21848	4.16E-02	1.8E-01	6.05E-04	1.06E-04	2.68E-01	4.71E-02	1.34E-06	1.0E+06	1.3E+00
955	4.11568	4.16E-02	1.7E-01	6.05E-04	1.04E-04	2.68E-01	4.71E-02	1.31E-06	1.0E+06	1.3E+00
956	3.99754	4.16E-02	1.7E-01	6.05E-04	1.01E-04	2.68E-01	4.71E-02	1.27E-06	1.0E+06	1.3E+00
957	3.86722	4.16E-02	1.6E-01	6.05E-04	9.73E-05	2.68E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
958	3.72905	4.16E-02	1.6E-01	6.05E-04	9.39E-05	2.68E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
959	3.58424	4.16E-02	1.5E-01	6.05E-04	9.02E-05	2.68E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
960	3.43198	4.16E-02	1.4E-01	6.05E-04	8.64E-05	2.68E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00
961	3.27428	4.16E-02	1.4E-01	6.05E-04	8.24E-05	2.68E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
962	3.11339	4.16E-02	1.3E-01	6.05E-04	7.84E-05	2.68E-01	4.71E-02	9.92E-07	1.0E+06	9.9E-01
963	2.95106	4.16E-02	1.2E-01	6.05E-04	7.43E-05	2.68E-01	4.71E-02	9.40E-07	1.0E+06	9.4E-01
964	2.78992	4.16E-02	1.2E-01	6.05E-04	7.02E-05	2.68E-01	4.71E-02	8.89E-07	1.0E+06	8.9E-01
965	2.63225	4.16E-02	1.1E-01	6.05E-04	6.62E-05	2.68E-01	4.71E-02	8.39E-07	1.0E+06	8.4E-01
966	2.48139	4.16E-02	1.0E-01	6.05E-04	6.25E-05	2.68E-01	4.71E-02	7.90E-07	1.0E+06	7.9E-01
967	2.33706	4.16E-02	9.7E-02	6.05E-04	5.88E-05	2.68E-01	4.71E-02	7.45E-07	1.0E+06	7.4E-01
968	2.19954	4.16E-02	9.1E-02	6.05E-04	5.54E-05	2.68E-01	4.71E-02	7.01E-07	1.0E+06	7.0E-01
969	2.06894	4.16E-02	8.6E-02	6.05E-04	5.21E-05	2.68E-01	4.71E-02	6.59E-07	1.0E+06	6.6E-01
970	1.94612	4.16E-02	8.1E-02	6.05E-04	4.90E-05	2.68E-01	4.71E-02	6.20E-07	1.0E+06	6.2E-01
971	1.83103	4.16E-02	7.6E-02	6.05E-04	4.61E-05	2.68E-01	4.71E-02	5.83E-07	1.0E+06	5.8E-01
972	1.72334	4.16E-02	7.2E-02	6.05E-04	4.34E-05	2.68E-01	4.71E-02	5.49E-07	1.0E+06	5.5E-01
973	1.62308	4.16E-02	6.8E-02	6.05E-04	4.09E-05	2.68E-01	4.71E-02	5.17E-07	1.0E+06	5.2E-01
974	1.52973	4.16E-02	6.4E-02	6.05E-04	3.85E-05	2.68E-01	4.71E-02	4.87E-07	1.0E+06	4.9E-01
975	1.44302	4.16E-02	6.0E-02	6.05E-04	3.63E-05	2.68E-01	4.71E-02	4.60E-07	1.0E+06	4.6E-01
976	5.243	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.67E-06	1.0E+06	1.7E+00
977	5.25934	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.68E-06	1.0E+06	1.7E+00
978	5.26636	4.16E-02	2.2E-01	6.05E-04	1.33E-04	2.68E-01	4.71E-02	1.68E-06	1.0E+06	1.7E+00
979	5.26489	4.16E-02	2.2E-01	6.05E-04	1.33E-04	2.68E-01	4.71E-02	1.68E-06	1.0E+06	1.7E+00
980	5.25326	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.67E-06	1.0E+06	1.7E+00
981	5.23115	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.67E-06	1.0E+06	1.7E+00
982	5.19613	4.16E-02	2.2E-01	6.05E-04	1.31E-04	2.68E-01	4.71E-02	1.66E-06	1.0E+06	1.7E+00
983	5.14934	4.16E-02	2.1E-01	6.05E-04	1.30E-04	2.68E-01	4.71E-02	1.64E-06	1.0E+06	1.6E+00
984	5.09275	4.16E-02	2.1E-01	6.05E-04	1.28E-04	2.68E-01	4.71E-02	1.62E-06	1.0E+06	1.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	5.02795	4.16E-02	2.1E-01	6.05E-04	1.27E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
986	4.94967	4.16E-02	2.1E-01	6.05E-04	1.25E-04	2.68E-01	4.71E-02	1.58E-06	1.0E+06	1.6E+00
987	4.85719	4.16E-02	2.0E-01	6.05E-04	1.22E-04	2.68E-01	4.71E-02	1.55E-06	1.0E+06	1.5E+00
988	4.75055	4.16E-02	2.0E-01	6.05E-04	1.20E-04	2.68E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
989	4.62829	4.16E-02	1.9E-01	6.05E-04	1.16E-04	2.68E-01	4.71E-02	1.47E-06	1.0E+06	1.5E+00
990	4.48499	4.16E-02	1.9E-01	6.05E-04	1.13E-04	2.68E-01	4.71E-02	1.43E-06	1.0E+06	1.4E+00
991	4.32464	4.16E-02	1.8E-01	6.05E-04	1.09E-04	2.68E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
992	4.15588	4.16E-02	1.7E-01	6.05E-04	1.05E-04	2.68E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
993	3.97939	4.16E-02	1.7E-01	6.05E-04	1.00E-04	2.68E-01	4.71E-02	1.27E-06	1.0E+06	1.3E+00
994	3.794	4.16E-02	1.6E-01	6.05E-04	9.55E-05	2.68E-01	4.71E-02	1.21E-06	1.0E+06	1.2E+00
995	3.59983	4.16E-02	1.5E-01	6.05E-04	9.06E-05	2.68E-01	4.71E-02	1.15E-06	1.0E+06	1.1E+00
996	3.4027	4.16E-02	1.4E-01	6.05E-04	8.56E-05	2.68E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
997	3.2054	4.16E-02	1.3E-01	6.05E-04	8.07E-05	2.68E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
998	3.01092	4.16E-02	1.3E-01	6.05E-04	7.58E-05	2.68E-01	4.71E-02	9.59E-07	1.0E+06	9.6E-01
999	2.82294	4.16E-02	1.2E-01	6.05E-04	7.10E-05	2.68E-01	4.71E-02	8.99E-07	1.0E+06	9.0E-01
1000	2.64526	4.16E-02	1.1E-01	6.05E-04	6.66E-05	2.68E-01	4.71E-02	8.43E-07	1.0E+06	8.4E-01
1001	2.47694	4.16E-02	1.0E-01	6.05E-04	6.23E-05	2.68E-01	4.71E-02	7.89E-07	1.0E+06	7.9E-01
1002	2.31821	4.16E-02	9.6E-02	6.05E-04	5.83E-05	2.68E-01	4.71E-02	7.39E-07	1.0E+06	7.4E-01
1003	2.16778	4.16E-02	9.0E-02	6.05E-04	5.46E-05	2.68E-01	4.71E-02	6.91E-07	1.0E+06	6.9E-01
1004	2.02814	4.16E-02	8.4E-02	6.05E-04	5.10E-05	2.68E-01	4.71E-02	6.46E-07	1.0E+06	6.5E-01
1005	1.90048	4.16E-02	7.9E-02	6.05E-04	4.78E-05	2.68E-01	4.71E-02	6.05E-07	1.0E+06	6.1E-01
1006	1.78307	4.16E-02	7.4E-02	6.05E-04	4.49E-05	2.68E-01	4.71E-02	5.68E-07	1.0E+06	5.7E-01
1007	1.67441	4.16E-02	7.0E-02	6.05E-04	4.21E-05	2.68E-01	4.71E-02	5.33E-07	1.0E+06	5.3E-01
1008	1.57366	4.16E-02	6.5E-02	6.05E-04	3.96E-05	2.68E-01	4.71E-02	5.01E-07	1.0E+06	5.0E-01
1009	1.4807	4.16E-02	6.2E-02	6.05E-04	3.73E-05	2.68E-01	4.71E-02	4.72E-07	1.0E+06	4.7E-01
1010	5.97868	4.16E-02	2.5E-01	6.05E-04	1.50E-04	2.68E-01	4.71E-02	1.90E-06	1.0E+06	1.9E+00
1011	5.99696	4.16E-02	2.5E-01	6.05E-04	1.51E-04	2.68E-01	4.71E-02	1.91E-06	1.0E+06	1.9E+00
1012	6.00444	4.16E-02	2.5E-01	6.05E-04	1.51E-04	2.68E-01	4.71E-02	1.91E-06	1.0E+06	1.9E+00
1013	6.00212	4.16E-02	2.5E-01	6.05E-04	1.51E-04	2.68E-01	4.71E-02	1.91E-06	1.0E+06	1.9E+00
1014	5.98983	4.16E-02	2.5E-01	6.05E-04	1.51E-04	2.68E-01	4.71E-02	1.91E-06	1.0E+06	1.9E+00
1015	5.96427	4.16E-02	2.5E-01	6.05E-04	1.50E-04	2.68E-01	4.71E-02	1.90E-06	1.0E+06	1.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	5.92283	4.16E-02	2.5E-01	6.05E-04	1.49E-04	2.68E-01	4.71E-02	1.89E-06	1.0E+06	1.9E+00
1017	5.86765	4.16E-02	2.4E-01	6.05E-04	1.48E-04	2.68E-01	4.71E-02	1.87E-06	1.0E+06	1.9E+00
1018	5.80186	4.16E-02	2.4E-01	6.05E-04	1.46E-04	2.68E-01	4.71E-02	1.85E-06	1.0E+06	1.8E+00
1019	5.72853	4.16E-02	2.4E-01	6.05E-04	1.44E-04	2.68E-01	4.71E-02	1.82E-06	1.0E+06	1.8E+00
1020	5.63808	4.16E-02	2.3E-01	6.05E-04	1.42E-04	2.68E-01	4.71E-02	1.80E-06	1.0E+06	1.8E+00
1021	5.53055	4.16E-02	2.3E-01	6.05E-04	1.39E-04	2.68E-01	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1022	5.40447	4.16E-02	2.2E-01	6.05E-04	1.36E-04	2.68E-01	4.71E-02	1.72E-06	1.0E+06	1.7E+00
1023	5.25811	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.68E-06	1.0E+06	1.7E+00
1024	5.0836	4.16E-02	2.1E-01	6.05E-04	1.28E-04	2.68E-01	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1025	4.88592	4.16E-02	2.0E-01	6.05E-04	1.23E-04	2.68E-01	4.71E-02	1.56E-06	1.0E+06	1.6E+00
1026	4.67717	4.16E-02	1.9E-01	6.05E-04	1.18E-04	2.68E-01	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1027	4.45807	4.16E-02	1.9E-01	6.05E-04	1.12E-04	2.68E-01	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1028	4.22657	4.16E-02	1.8E-01	6.05E-04	1.06E-04	2.68E-01	4.71E-02	1.35E-06	1.0E+06	1.3E+00
1029	3.98391	4.16E-02	1.7E-01	6.05E-04	1.00E-04	2.68E-01	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1030	3.73847	4.16E-02	1.6E-01	6.05E-04	9.41E-05	2.68E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1031	3.49452	4.16E-02	1.5E-01	6.05E-04	8.80E-05	2.68E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1032	3.25736	4.16E-02	1.4E-01	6.05E-04	8.20E-05	2.68E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1033	3.03159	4.16E-02	1.3E-01	6.05E-04	7.63E-05	2.68E-01	4.71E-02	9.66E-07	1.0E+06	9.7E-01
1034	2.82048	4.16E-02	1.2E-01	6.05E-04	7.10E-05	2.68E-01	4.71E-02	8.99E-07	1.0E+06	9.0E-01
1035	2.62362	4.16E-02	1.1E-01	6.05E-04	6.60E-05	2.68E-01	4.71E-02	8.36E-07	1.0E+06	8.4E-01
1036	2.43983	4.16E-02	1.0E-01	6.05E-04	6.14E-05	2.68E-01	4.71E-02	7.77E-07	1.0E+06	7.8E-01
1037	2.26786	4.16E-02	9.4E-02	6.05E-04	5.71E-05	2.68E-01	4.71E-02	7.22E-07	1.0E+06	7.2E-01
1038	2.10979	4.16E-02	8.8E-02	6.05E-04	5.31E-05	2.68E-01	4.71E-02	6.72E-07	1.0E+06	6.7E-01
1039	1.96818	4.16E-02	8.2E-02	6.05E-04	4.95E-05	2.68E-01	4.71E-02	6.27E-07	1.0E+06	6.3E-01
1040	1.83967	4.16E-02	7.7E-02	6.05E-04	4.63E-05	2.68E-01	4.71E-02	5.86E-07	1.0E+06	5.9E-01
1041	1.72159	4.16E-02	7.2E-02	6.05E-04	4.33E-05	2.68E-01	4.71E-02	5.48E-07	1.0E+06	5.5E-01
1042	1.61299	4.16E-02	6.7E-02	6.05E-04	4.06E-05	2.68E-01	4.71E-02	5.14E-07	1.0E+06	5.1E-01
1043	1.5135	4.16E-02	6.3E-02	6.05E-04	3.81E-05	2.68E-01	4.71E-02	4.82E-07	1.0E+06	4.8E-01
1044	6.89122	4.16E-02	2.9E-01	6.05E-04	1.73E-04	2.68E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1045	6.91198	4.16E-02	2.9E-01	6.05E-04	1.74E-04	2.68E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1046	6.92081	4.16E-02	2.9E-01	6.05E-04	1.74E-04	2.68E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	6.91918	4.16E-02	2.9E-01	6.05E-04	1.74E-04	2.68E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1048	6.90738	4.16E-02	2.9E-01	6.05E-04	1.74E-04	2.68E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1049	6.87983	4.16E-02	2.9E-01	6.05E-04	1.73E-04	2.68E-01	4.71E-02	2.19E-06	1.0E+06	2.2E+00
1050	6.83215	4.16E-02	2.8E-01	6.05E-04	1.72E-04	2.68E-01	4.71E-02	2.18E-06	1.0E+06	2.2E+00
1051	6.76791	4.16E-02	2.8E-01	6.05E-04	1.70E-04	2.68E-01	4.71E-02	2.16E-06	1.0E+06	2.2E+00
1052	6.69199	4.16E-02	2.8E-01	6.05E-04	1.68E-04	2.68E-01	4.71E-02	2.13E-06	1.0E+06	2.1E+00
1053	6.60719	4.16E-02	2.7E-01	6.05E-04	1.66E-04	2.68E-01	4.71E-02	2.10E-06	1.0E+06	2.1E+00
1054	6.50171	4.16E-02	2.7E-01	6.05E-04	1.64E-04	2.68E-01	4.71E-02	2.07E-06	1.0E+06	2.1E+00
1055	6.37444	4.16E-02	2.7E-01	6.05E-04	1.60E-04	2.68E-01	4.71E-02	2.03E-06	1.0E+06	2.0E+00
1056	6.22415	4.16E-02	2.6E-01	6.05E-04	1.57E-04	2.68E-01	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1057	6.04695	4.16E-02	2.5E-01	6.05E-04	1.52E-04	2.68E-01	4.71E-02	1.93E-06	1.0E+06	1.9E+00
1058	5.83483	4.16E-02	2.4E-01	6.05E-04	1.47E-04	2.68E-01	4.71E-02	1.86E-06	1.0E+06	1.9E+00
1059	5.59169	4.16E-02	2.3E-01	6.05E-04	1.41E-04	2.68E-01	4.71E-02	1.78E-06	1.0E+06	1.8E+00
1060	5.32962	4.16E-02	2.2E-01	6.05E-04	1.34E-04	2.68E-01	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1061	5.05091	4.16E-02	2.1E-01	6.05E-04	1.27E-04	2.68E-01	4.71E-02	1.61E-06	1.0E+06	1.6E+00
1062	4.75357	4.16E-02	2.0E-01	6.05E-04	1.20E-04	2.68E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1063	4.44312	4.16E-02	1.8E-01	6.05E-04	1.12E-04	2.68E-01	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1064	4.131	4.16E-02	1.7E-01	6.05E-04	1.04E-04	2.68E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
1065	3.82531	4.16E-02	1.6E-01	6.05E-04	9.63E-05	2.68E-01	4.71E-02	1.22E-06	1.0E+06	1.2E+00
1066	3.53228	4.16E-02	1.5E-01	6.05E-04	8.89E-05	2.68E-01	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1067	3.25838	4.16E-02	1.4E-01	6.05E-04	8.20E-05	2.68E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1068	3.00612	4.16E-02	1.3E-01	6.05E-04	7.57E-05	2.68E-01	4.71E-02	9.58E-07	1.0E+06	9.6E-01
1069	2.7747	4.16E-02	1.2E-01	6.05E-04	6.98E-05	2.68E-01	4.71E-02	8.84E-07	1.0E+06	8.8E-01
1070	2.56251	4.16E-02	1.1E-01	6.05E-04	6.45E-05	2.68E-01	4.71E-02	8.16E-07	1.0E+06	8.2E-01
1071	2.36681	4.16E-02	9.8E-02	6.05E-04	5.96E-05	2.68E-01	4.71E-02	7.54E-07	1.0E+06	7.5E-01
1072	2.18956	4.16E-02	9.1E-02	6.05E-04	5.51E-05	2.68E-01	4.71E-02	6.98E-07	1.0E+06	7.0E-01
1073	2.03252	4.16E-02	8.5E-02	6.05E-04	5.12E-05	2.68E-01	4.71E-02	6.47E-07	1.0E+06	6.5E-01
1074	1.89147	4.16E-02	7.9E-02	6.05E-04	4.76E-05	2.68E-01	4.71E-02	6.03E-07	1.0E+06	6.0E-01
1075	1.7633	4.16E-02	7.3E-02	6.05E-04	4.44E-05	2.68E-01	4.71E-02	5.62E-07	1.0E+06	5.6E-01
1076	1.64659	4.16E-02	6.8E-02	6.05E-04	4.14E-05	2.68E-01	4.71E-02	5.25E-07	1.0E+06	5.2E-01
1077	1.54033	4.16E-02	6.4E-02	6.05E-04	3.88E-05	2.68E-01	4.71E-02	4.91E-07	1.0E+06	4.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	8.04858	4.16E-02	3.3E-01	6.05E-04	2.03E-04	2.68E-01	4.71E-02	2.56E-06	1.0E+06	2.6E+00
1079	8.07319	4.16E-02	3.4E-01	6.05E-04	2.03E-04	2.68E-01	4.71E-02	2.57E-06	1.0E+06	2.6E+00
1080	8.08487	4.16E-02	3.4E-01	6.05E-04	2.03E-04	2.68E-01	4.71E-02	2.58E-06	1.0E+06	2.6E+00
1081	8.08553	4.16E-02	3.4E-01	6.05E-04	2.03E-04	2.68E-01	4.71E-02	2.58E-06	1.0E+06	2.6E+00
1082	8.07678	4.16E-02	3.4E-01	6.05E-04	2.03E-04	2.68E-01	4.71E-02	2.57E-06	1.0E+06	2.6E+00
1083	8.0487	4.16E-02	3.3E-01	6.05E-04	2.03E-04	2.68E-01	4.71E-02	2.56E-06	1.0E+06	2.6E+00
1084	7.9951	4.16E-02	3.3E-01	6.05E-04	2.01E-04	2.68E-01	4.71E-02	2.55E-06	1.0E+06	2.5E+00
1085	7.92061	4.16E-02	3.3E-01	6.05E-04	1.99E-04	2.68E-01	4.71E-02	2.52E-06	1.0E+06	2.5E+00
1086	7.83359	4.16E-02	3.3E-01	6.05E-04	1.97E-04	2.68E-01	4.71E-02	2.50E-06	1.0E+06	2.5E+00
1087	7.73732	4.16E-02	3.2E-01	6.05E-04	1.95E-04	2.68E-01	4.71E-02	2.46E-06	1.0E+06	2.5E+00
1088	7.615	4.16E-02	3.2E-01	6.05E-04	1.92E-04	2.68E-01	4.71E-02	2.43E-06	1.0E+06	2.4E+00
1089	7.46572	4.16E-02	3.1E-01	6.05E-04	1.88E-04	2.68E-01	4.71E-02	2.38E-06	1.0E+06	2.4E+00
1090	7.28667	4.16E-02	3.0E-01	6.05E-04	1.83E-04	2.68E-01	4.71E-02	2.32E-06	1.0E+06	2.3E+00
1091	7.07105	4.16E-02	2.9E-01	6.05E-04	1.78E-04	2.68E-01	4.71E-02	2.25E-06	1.0E+06	2.3E+00
1092	6.80928	4.16E-02	2.8E-01	6.05E-04	1.71E-04	2.68E-01	4.71E-02	2.17E-06	1.0E+06	2.2E+00
1093	6.50763	4.16E-02	2.7E-01	6.05E-04	1.64E-04	2.68E-01	4.71E-02	2.07E-06	1.0E+06	2.1E+00
1094	6.17559	4.16E-02	2.6E-01	6.05E-04	1.55E-04	2.68E-01	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1095	5.81086	4.16E-02	2.4E-01	6.05E-04	1.46E-04	2.68E-01	4.71E-02	1.85E-06	1.0E+06	1.9E+00
1096	5.41469	4.16E-02	2.3E-01	6.05E-04	1.36E-04	2.68E-01	4.71E-02	1.72E-06	1.0E+06	1.7E+00
1097	5.00334	4.16E-02	2.1E-01	6.05E-04	1.26E-04	2.68E-01	4.71E-02	1.59E-06	1.0E+06	1.6E+00
1098	4.5955	4.16E-02	1.9E-01	6.05E-04	1.16E-04	2.68E-01	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1099	4.20379	4.16E-02	1.7E-01	6.05E-04	1.06E-04	2.68E-01	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1100	3.83746	4.16E-02	1.6E-01	6.05E-04	9.66E-05	2.68E-01	4.71E-02	1.22E-06	1.0E+06	1.2E+00
1101	3.50324	4.16E-02	1.5E-01	6.05E-04	8.82E-05	2.68E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1102	3.20073	4.16E-02	1.3E-01	6.05E-04	8.06E-05	2.68E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1103	2.92897	4.16E-02	1.2E-01	6.05E-04	7.37E-05	2.68E-01	4.71E-02	9.33E-07	1.0E+06	9.3E-01
1104	2.68445	4.16E-02	1.1E-01	6.05E-04	6.76E-05	2.68E-01	4.71E-02	8.55E-07	1.0E+06	8.6E-01
1105	2.46304	4.16E-02	1.0E-01	6.05E-04	6.20E-05	2.68E-01	4.71E-02	7.85E-07	1.0E+06	7.8E-01
1106	2.26537	4.16E-02	9.4E-02	6.05E-04	5.70E-05	2.68E-01	4.71E-02	7.22E-07	1.0E+06	7.2E-01
1107	2.09227	4.16E-02	8.7E-02	6.05E-04	5.27E-05	2.68E-01	4.71E-02	6.67E-07	1.0E+06	6.7E-01
1108	1.93866	4.16E-02	8.1E-02	6.05E-04	4.88E-05	2.68E-01	4.71E-02	6.18E-07	1.0E+06	6.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1.80042	4.16E-02	7.5E-02	6.05E-04	4.53E-05	2.68E-01	4.71E-02	5.74E-07	1.0E+06	5.7E-01
1110	1.67563	4.16E-02	7.0E-02	6.05E-04	4.22E-05	2.68E-01	4.71E-02	5.34E-07	1.0E+06	5.3E-01
1111	1.56303	4.16E-02	6.5E-02	6.05E-04	3.93E-05	2.68E-01	4.71E-02	4.98E-07	1.0E+06	5.0E-01
1112	9.55894	4.16E-02	4.0E-01	6.05E-04	2.41E-04	2.68E-01	4.71E-02	3.05E-06	1.0E+06	3.0E+00
1113	9.58896	4.16E-02	4.0E-01	6.05E-04	2.41E-04	2.68E-01	4.71E-02	3.05E-06	1.0E+06	3.1E+00
1114	9.60364	4.16E-02	4.0E-01	6.05E-04	2.42E-04	2.68E-01	4.71E-02	3.06E-06	1.0E+06	3.1E+00
1115	9.61345	4.16E-02	4.0E-01	6.05E-04	2.42E-04	2.68E-01	4.71E-02	3.06E-06	1.0E+06	3.1E+00
1116	9.61332	4.16E-02	4.0E-01	6.05E-04	2.42E-04	2.68E-01	4.71E-02	3.06E-06	1.0E+06	3.1E+00
1117	9.58702	4.16E-02	4.0E-01	6.05E-04	2.41E-04	2.68E-01	4.71E-02	3.05E-06	1.0E+06	3.1E+00
1118	9.52425	4.16E-02	4.0E-01	6.05E-04	2.40E-04	2.68E-01	4.71E-02	3.03E-06	1.0E+06	3.0E+00
1119	9.4434	4.16E-02	3.9E-01	6.05E-04	2.38E-04	2.68E-01	4.71E-02	3.01E-06	1.0E+06	3.0E+00
1120	9.34884	4.16E-02	3.9E-01	6.05E-04	2.35E-04	2.68E-01	4.71E-02	2.98E-06	1.0E+06	3.0E+00
1121	9.23908	4.16E-02	3.8E-01	6.05E-04	2.33E-04	2.68E-01	4.71E-02	2.94E-06	1.0E+06	2.9E+00
1122	9.0946	4.16E-02	3.8E-01	6.05E-04	2.29E-04	2.68E-01	4.71E-02	2.90E-06	1.0E+06	2.9E+00
1123	8.92466	4.16E-02	3.7E-01	6.05E-04	2.25E-04	2.68E-01	4.71E-02	2.84E-06	1.0E+06	2.8E+00
1124	8.71614	4.16E-02	3.6E-01	6.05E-04	2.19E-04	2.68E-01	4.71E-02	2.78E-06	1.0E+06	2.8E+00
1125	8.44765	4.16E-02	3.5E-01	6.05E-04	2.13E-04	2.68E-01	4.71E-02	2.69E-06	1.0E+06	2.7E+00
1126	8.11751	4.16E-02	3.4E-01	6.05E-04	2.04E-04	2.68E-01	4.71E-02	2.59E-06	1.0E+06	2.6E+00
1127	7.74497	4.16E-02	3.2E-01	6.05E-04	1.95E-04	2.68E-01	4.71E-02	2.47E-06	1.0E+06	2.5E+00
1128	7.32057	4.16E-02	3.0E-01	6.05E-04	1.84E-04	2.68E-01	4.71E-02	2.33E-06	1.0E+06	2.3E+00
1129	6.82847	4.16E-02	2.8E-01	6.05E-04	1.72E-04	2.68E-01	4.71E-02	2.18E-06	1.0E+06	2.2E+00
1130	6.27281	4.16E-02	2.6E-01	6.05E-04	1.58E-04	2.68E-01	4.71E-02	2.00E-06	1.0E+06	2.0E+00
1131	5.70031	4.16E-02	2.4E-01	6.05E-04	1.43E-04	2.68E-01	4.71E-02	1.82E-06	1.0E+06	1.8E+00
1132	5.1472	4.16E-02	2.1E-01	6.05E-04	1.30E-04	2.68E-01	4.71E-02	1.64E-06	1.0E+06	1.6E+00
1133	4.63412	4.16E-02	1.9E-01	6.05E-04	1.17E-04	2.68E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1134	4.17136	4.16E-02	1.7E-01	6.05E-04	1.05E-04	2.68E-01	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1135	3.7611	4.16E-02	1.6E-01	6.05E-04	9.47E-05	2.68E-01	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1136	3.399	4.16E-02	1.4E-01	6.05E-04	8.55E-05	2.68E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1137	3.08136	4.16E-02	1.3E-01	6.05E-04	7.76E-05	2.68E-01	4.71E-02	9.82E-07	1.0E+06	9.8E-01
1138	2.80172	4.16E-02	1.2E-01	6.05E-04	7.05E-05	2.68E-01	4.71E-02	8.93E-07	1.0E+06	8.9E-01
1139	2.55329	4.16E-02	1.1E-01	6.05E-04	6.43E-05	2.68E-01	4.71E-02	8.13E-07	1.0E+06	8.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	2.335	4.16E-02	9.7E-02	6.05E-04	5.88E-05	2.68E-01	4.71E-02	7.44E-07	1.0E+06	7.4E-01
1141	2.14568	4.16E-02	8.9E-02	6.05E-04	5.40E-05	2.68E-01	4.71E-02	6.84E-07	1.0E+06	6.8E-01
1142	1.97929	4.16E-02	8.2E-02	6.05E-04	4.98E-05	2.68E-01	4.71E-02	6.31E-07	1.0E+06	6.3E-01
1143	1.83105	4.16E-02	7.6E-02	6.05E-04	4.61E-05	2.68E-01	4.71E-02	5.83E-07	1.0E+06	5.8E-01
1144	1.69872	4.16E-02	7.1E-02	6.05E-04	4.28E-05	2.68E-01	4.71E-02	5.41E-07	1.0E+06	5.4E-01
1145	1.58005	4.16E-02	6.6E-02	6.05E-04	3.98E-05	2.68E-01	4.71E-02	5.03E-07	1.0E+06	5.0E-01
1146	9.88588	4.16E-02	4.1E-01	6.05E-04	2.49E-04	2.68E-01	4.71E-02	3.15E-06	1.0E+06	3.1E+00
1147	9.9394	4.16E-02	4.1E-01	6.05E-04	2.50E-04	2.68E-01	4.71E-02	3.17E-06	1.0E+06	3.2E+00
1148	11.64574	4.16E-02	4.8E-01	6.05E-04	2.93E-04	2.68E-01	4.71E-02	3.71E-06	1.0E+06	3.7E+00
1149	10.06257	4.16E-02	4.2E-01	6.05E-04	2.53E-04	2.68E-01	4.71E-02	3.21E-06	1.0E+06	3.2E+00
1150	9.91309	4.16E-02	4.1E-01	6.05E-04	2.49E-04	2.68E-01	4.71E-02	3.16E-06	1.0E+06	3.2E+00
1151	9.90461	4.16E-02	4.1E-01	6.05E-04	2.49E-04	2.68E-01	4.71E-02	3.16E-06	1.0E+06	3.2E+00
1152	10.0222	4.16E-02	4.2E-01	6.05E-04	2.52E-04	2.68E-01	4.71E-02	3.19E-06	1.0E+06	3.2E+00
1153	9.85946	4.16E-02	4.1E-01	6.05E-04	2.48E-04	2.68E-01	4.71E-02	3.14E-06	1.0E+06	3.1E+00
1154	9.60009	4.16E-02	4.0E-01	6.05E-04	2.42E-04	2.68E-01	4.71E-02	3.06E-06	1.0E+06	3.1E+00
1155	9.48701	4.16E-02	3.9E-01	6.05E-04	2.39E-04	2.68E-01	4.71E-02	3.02E-06	1.0E+06	3.0E+00
1156	9.50126	4.16E-02	4.0E-01	6.05E-04	2.39E-04	2.68E-01	4.71E-02	3.03E-06	1.0E+06	3.0E+00
1157	9.19978	4.16E-02	3.8E-01	6.05E-04	2.32E-04	2.68E-01	4.71E-02	2.93E-06	1.0E+06	2.9E+00
1158	8.76025	4.16E-02	3.6E-01	6.05E-04	2.20E-04	2.68E-01	4.71E-02	2.79E-06	1.0E+06	2.8E+00
1159	8.43738	4.16E-02	3.5E-01	6.05E-04	2.12E-04	2.68E-01	4.71E-02	2.69E-06	1.0E+06	2.7E+00
1160	6.77907	4.16E-02	2.8E-01	6.05E-04	1.71E-04	2.68E-01	4.71E-02	2.16E-06	1.0E+06	2.2E+00
1161	7.66995	4.16E-02	3.2E-01	6.05E-04	1.93E-04	2.68E-01	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1162	6.93213	4.16E-02	2.9E-01	6.05E-04	1.74E-04	2.68E-01	4.71E-02	2.21E-06	1.0E+06	2.2E+00
1163	6.27427	4.16E-02	2.6E-01	6.05E-04	1.58E-04	2.68E-01	4.71E-02	2.00E-06	1.0E+06	2.0E+00
1164	5.68263	4.16E-02	2.4E-01	6.05E-04	1.43E-04	2.68E-01	4.71E-02	1.81E-06	1.0E+06	1.8E+00
1165	6.57939	4.16E-02	2.7E-01	6.05E-04	1.66E-04	2.68E-01	4.71E-02	2.10E-06	1.0E+06	2.1E+00
1166	5.80062	4.16E-02	2.4E-01	6.05E-04	1.46E-04	2.68E-01	4.71E-02	1.85E-06	1.0E+06	1.8E+00
1167	5.11602	4.16E-02	2.1E-01	6.05E-04	1.29E-04	2.68E-01	4.71E-02	1.63E-06	1.0E+06	1.6E+00
1168	4.52614	4.16E-02	1.9E-01	6.05E-04	1.14E-04	2.68E-01	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1169	4.023	4.16E-02	1.7E-01	6.05E-04	1.01E-04	2.68E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1170	3.59319	4.16E-02	1.5E-01	6.05E-04	9.04E-05	2.68E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	3.2257	4.16E-02	1.3E-01	6.05E-04	8.12E-05	2.68E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1172	2.90902	4.16E-02	1.2E-01	6.05E-04	7.32E-05	2.68E-01	4.71E-02	9.27E-07	1.0E+06	9.3E-01
1173	2.63425	4.16E-02	1.1E-01	6.05E-04	6.63E-05	2.68E-01	4.71E-02	8.39E-07	1.0E+06	8.4E-01
1174	2.39577	4.16E-02	1.0E-01	6.05E-04	6.03E-05	2.68E-01	4.71E-02	7.63E-07	1.0E+06	7.6E-01
1175	2.19069	4.16E-02	9.1E-02	6.05E-04	5.51E-05	2.68E-01	4.71E-02	6.98E-07	1.0E+06	7.0E-01
1176	2.01198	4.16E-02	8.4E-02	6.05E-04	5.06E-05	2.68E-01	4.71E-02	6.41E-07	1.0E+06	6.4E-01
1177	1.85432	4.16E-02	7.7E-02	6.05E-04	4.67E-05	2.68E-01	4.71E-02	5.91E-07	1.0E+06	5.9E-01
1178	1.71461	4.16E-02	7.1E-02	6.05E-04	4.32E-05	2.68E-01	4.71E-02	5.46E-07	1.0E+06	5.5E-01
1179	1.59041	4.16E-02	6.6E-02	6.05E-04	4.00E-05	2.68E-01	4.71E-02	5.07E-07	1.0E+06	5.1E-01
1180	11.70193	4.16E-02	4.9E-01	6.05E-04	2.95E-04	2.68E-01	4.71E-02	3.73E-06	1.0E+06	3.7E+00
1181	11.81195	4.16E-02	4.9E-01	6.05E-04	2.97E-04	2.68E-01	4.71E-02	3.76E-06	1.0E+06	3.8E+00
1182	10.29178	4.16E-02	4.3E-01	6.05E-04	2.59E-04	2.68E-01	4.71E-02	3.28E-06	1.0E+06	3.3E+00
1183	10.29615	4.16E-02	4.3E-01	6.05E-04	2.59E-04	2.68E-01	4.71E-02	3.28E-06	1.0E+06	3.3E+00
1184	11.75729	4.16E-02	4.9E-01	6.05E-04	2.96E-04	2.68E-01	4.71E-02	3.75E-06	1.0E+06	3.7E+00
1185	11.79799	4.16E-02	4.9E-01	6.05E-04	2.97E-04	2.68E-01	4.71E-02	3.76E-06	1.0E+06	3.8E+00
1186	10.15133	4.16E-02	4.2E-01	6.05E-04	2.55E-04	2.68E-01	4.71E-02	3.23E-06	1.0E+06	3.2E+00
1187	10.05624	4.16E-02	4.2E-01	6.05E-04	2.53E-04	2.68E-01	4.71E-02	3.20E-06	1.0E+06	3.2E+00
1188	11.43424	4.16E-02	4.8E-01	6.05E-04	2.88E-04	2.68E-01	4.71E-02	3.64E-06	1.0E+06	3.6E+00
1189	9.89315	4.16E-02	4.1E-01	6.05E-04	2.49E-04	2.68E-01	4.71E-02	3.15E-06	1.0E+06	3.2E+00
1190	9.51915	4.16E-02	4.0E-01	6.05E-04	2.40E-04	2.68E-01	4.71E-02	3.03E-06	1.0E+06	3.0E+00
1191	9.23324	4.16E-02	3.8E-01	6.05E-04	2.32E-04	2.68E-01	4.71E-02	2.94E-06	1.0E+06	2.9E+00
1192	10.40791	4.16E-02	4.3E-01	6.05E-04	2.62E-04	2.68E-01	4.71E-02	3.32E-06	1.0E+06	3.3E+00
1193	8.54948	4.16E-02	3.6E-01	6.05E-04	2.15E-04	2.68E-01	4.71E-02	2.72E-06	1.0E+06	2.7E+00
1194	7.84778	4.16E-02	3.3E-01	6.05E-04	1.98E-04	2.68E-01	4.71E-02	2.50E-06	1.0E+06	2.5E+00
1195	7.22768	4.16E-02	3.0E-01	6.05E-04	1.82E-04	2.68E-01	4.71E-02	2.30E-06	1.0E+06	2.3E+00
1196	8.06163	4.16E-02	3.4E-01	6.05E-04	2.03E-04	2.68E-01	4.71E-02	2.57E-06	1.0E+06	2.6E+00
1197	7.18865	4.16E-02	3.0E-01	6.05E-04	1.81E-04	2.68E-01	4.71E-02	2.29E-06	1.0E+06	2.3E+00
1198	6.42918	4.16E-02	2.7E-01	6.05E-04	1.62E-04	2.68E-01	4.71E-02	2.05E-06	1.0E+06	2.0E+00
1199	5.75126	4.16E-02	2.4E-01	6.05E-04	1.45E-04	2.68E-01	4.71E-02	1.83E-06	1.0E+06	1.8E+00
1200	6.55755	4.16E-02	2.7E-01	6.05E-04	1.65E-04	2.68E-01	4.71E-02	2.09E-06	1.0E+06	2.1E+00
1201	5.64061	4.16E-02	2.3E-01	6.05E-04	1.42E-04	2.68E-01	4.71E-02	1.80E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	4.89267	4.16E-02	2.0E-01	6.05E-04	1.23E-04	2.68E-01	4.71E-02	1.56E-06	1.0E+06	1.6E+00
1203	4.28273	4.16E-02	1.8E-01	6.05E-04	1.08E-04	2.68E-01	4.71E-02	1.36E-06	1.0E+06	1.4E+00
1204	3.77767	4.16E-02	1.6E-01	6.05E-04	9.51E-05	2.68E-01	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1205	3.35722	4.16E-02	1.4E-01	6.05E-04	8.45E-05	2.68E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1206	3.00341	4.16E-02	1.2E-01	6.05E-04	7.56E-05	2.68E-01	4.71E-02	9.57E-07	1.0E+06	9.6E-01
1207	2.70273	4.16E-02	1.1E-01	6.05E-04	6.80E-05	2.68E-01	4.71E-02	8.61E-07	1.0E+06	8.6E-01
1208	2.44544	4.16E-02	1.0E-01	6.05E-04	6.15E-05	2.68E-01	4.71E-02	7.79E-07	1.0E+06	7.8E-01
1209	2.22575	4.16E-02	9.3E-02	6.05E-04	5.60E-05	2.68E-01	4.71E-02	7.09E-07	1.0E+06	7.1E-01
1210	2.03585	4.16E-02	8.5E-02	6.05E-04	5.12E-05	2.68E-01	4.71E-02	6.49E-07	1.0E+06	6.5E-01
1211	1.86986	4.16E-02	7.8E-02	6.05E-04	4.71E-05	2.68E-01	4.71E-02	5.96E-07	1.0E+06	6.0E-01
1212	1.72393	4.16E-02	7.2E-02	6.05E-04	4.34E-05	2.68E-01	4.71E-02	5.49E-07	1.0E+06	5.5E-01
1213	1.59495	4.16E-02	6.6E-02	6.05E-04	4.01E-05	2.68E-01	4.71E-02	5.08E-07	1.0E+06	5.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	2.29E-02
893	5	2.20E-02
894	5	2.10E-02
895	5	2.01E-02
896	5	1.91E-02
897	5	1.82E-02
898	5	1.73E-02
899	5	1.64E-02
900	5	1.56E-02
901	5	1.48E-02
902	5	1.41E-02
903	5	1.33E-02
904	5	1.26E-02
905	5	1.20E-02
906	5	1.13E-02
907	5	1.08E-02
908	5	3.44E-02
909	5	3.45E-02
910	5	3.46E-02
911	5	3.46E-02
912	5	3.45E-02
913	5	3.44E-02
914	5	3.42E-02
915	5	3.39E-02
916	5	3.36E-02
917	5	3.31E-02
918	5	3.27E-02
919	5	3.21E-02
920	5	3.14E-02
921	5	3.07E-02
922	5	2.99E-02

Max	Receptor #	
0.098	1181	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	2.90E-02
924	5	2.81E-02
925	5	2.71E-02
926	5	2.60E-02
927	5	2.49E-02
928	5	2.38E-02
929	5	2.27E-02
930	5	2.16E-02
931	5	2.05E-02
932	5	1.94E-02
933	5	1.83E-02
934	5	1.74E-02
935	5	1.64E-02
936	5	1.55E-02
937	5	1.46E-02
938	5	1.38E-02
939	5	1.31E-02
940	5	1.23E-02
941	5	1.17E-02
942	5	3.86E-02
943	5	3.87E-02
944	5	3.88E-02
945	5	3.88E-02
946	5	3.87E-02
947	5	3.85E-02
948	5	3.83E-02
949	5	3.80E-02
950	5	3.76E-02
951	5	3.71E-02
952	5	3.65E-02
953	5	3.59E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	3.51E-02
955	5	3.42E-02
956	5	3.33E-02
957	5	3.22E-02
958	5	3.10E-02
959	5	2.98E-02
960	5	2.86E-02
961	5	2.72E-02
962	5	2.59E-02
963	5	2.46E-02
964	5	2.32E-02
965	5	2.19E-02
966	5	2.06E-02
967	5	1.94E-02
968	5	1.83E-02
969	5	1.72E-02
970	5	1.62E-02
971	5	1.52E-02
972	5	1.43E-02
973	5	1.35E-02
974	5	1.27E-02
975	5	1.20E-02
976	5	4.36E-02
977	5	4.38E-02
978	5	4.38E-02
979	5	4.38E-02
980	5	4.37E-02
981	5	4.35E-02
982	5	4.32E-02
983	5	4.28E-02
984	5	4.24E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	4.18E-02
986	5	4.12E-02
987	5	4.04E-02
988	5	3.95E-02
989	5	3.85E-02
990	5	3.73E-02
991	5	3.60E-02
992	5	3.46E-02
993	5	3.31E-02
994	5	3.16E-02
995	5	2.99E-02
996	5	2.83E-02
997	5	2.67E-02
998	5	2.50E-02
999	5	2.35E-02
1000	5	2.20E-02
1001	5	2.06E-02
1002	5	1.93E-02
1003	5	1.80E-02
1004	5	1.69E-02
1005	5	1.58E-02
1006	5	1.48E-02
1007	5	1.39E-02
1008	5	1.31E-02
1009	5	1.23E-02
1010	5	4.97E-02
1011	5	4.99E-02
1012	5	5.00E-02
1013	5	4.99E-02
1014	5	4.98E-02
1015	5	4.96E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	4.93E-02
1017	5	4.88E-02
1018	5	4.83E-02
1019	5	4.77E-02
1020	5	4.69E-02
1021	5	4.60E-02
1022	5	4.50E-02
1023	5	4.37E-02
1024	5	4.23E-02
1025	5	4.06E-02
1026	5	3.89E-02
1027	5	3.71E-02
1028	5	3.52E-02
1029	5	3.31E-02
1030	5	3.11E-02
1031	5	2.91E-02
1032	5	2.71E-02
1033	5	2.52E-02
1034	5	2.35E-02
1035	5	2.18E-02
1036	5	2.03E-02
1037	5	1.89E-02
1038	5	1.76E-02
1039	5	1.64E-02
1040	5	1.53E-02
1041	5	1.43E-02
1042	5	1.34E-02
1043	5	1.26E-02
1044	5	5.73E-02
1045	5	5.75E-02
1046	5	5.76E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	5.76E-02
1048	5	5.75E-02
1049	5	5.72E-02
1050	5	5.68E-02
1051	5	5.63E-02
1052	5	5.57E-02
1053	5	5.50E-02
1054	5	5.41E-02
1055	5	5.30E-02
1056	5	5.18E-02
1057	5	5.03E-02
1058	5	4.85E-02
1059	5	4.65E-02
1060	5	4.43E-02
1061	5	4.20E-02
1062	5	3.95E-02
1063	5	3.70E-02
1064	5	3.44E-02
1065	5	3.18E-02
1066	5	2.94E-02
1067	5	2.71E-02
1068	5	2.50E-02
1069	5	2.31E-02
1070	5	2.13E-02
1071	5	1.97E-02
1072	5	1.82E-02
1073	5	1.69E-02
1074	5	1.57E-02
1075	5	1.47E-02
1076	5	1.37E-02
1077	5	1.28E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	6.70E-02
1079	5	6.72E-02
1080	5	6.73E-02
1081	5	6.73E-02
1082	5	6.72E-02
1083	5	6.70E-02
1084	5	6.65E-02
1085	5	6.59E-02
1086	5	6.52E-02
1087	5	6.44E-02
1088	5	6.34E-02
1089	5	6.21E-02
1090	5	6.06E-02
1091	5	5.88E-02
1092	5	5.66E-02
1093	5	5.41E-02
1094	5	5.14E-02
1095	5	4.83E-02
1096	5	4.50E-02
1097	5	4.16E-02
1098	5	3.82E-02
1099	5	3.50E-02
1100	5	3.19E-02
1101	5	2.91E-02
1102	5	2.66E-02
1103	5	2.44E-02
1104	5	2.23E-02
1105	5	2.05E-02
1106	5	1.88E-02
1107	5	1.74E-02
1108	5	1.61E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.50E-02
1110	5	1.39E-02
1111	5	1.30E-02
1112	5	7.95E-02
1113	5	7.98E-02
1114	5	7.99E-02
1115	5	8.00E-02
1116	5	8.00E-02
1117	5	7.98E-02
1118	5	7.92E-02
1119	5	7.86E-02
1120	5	7.78E-02
1121	5	7.69E-02
1122	5	7.57E-02
1123	5	7.42E-02
1124	5	7.25E-02
1125	5	7.03E-02
1126	5	6.75E-02
1127	5	6.44E-02
1128	5	6.09E-02
1129	5	5.68E-02
1130	5	5.22E-02
1131	5	4.74E-02
1132	5	4.28E-02
1133	5	3.86E-02
1134	5	3.47E-02
1135	5	3.13E-02
1136	5	2.83E-02
1137	5	2.56E-02
1138	5	2.33E-02
1139	5	2.12E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	1.94E-02
1141	5	1.79E-02
1142	5	1.65E-02
1143	5	1.52E-02
1144	5	1.41E-02
1145	5	1.31E-02
1146	5	8.22E-02
1147	5	8.27E-02
1148	5	9.69E-02
1149	5	8.37E-02
1150	5	8.25E-02
1151	5	8.24E-02
1152	5	8.34E-02
1153	5	8.20E-02
1154	5	7.99E-02
1155	5	7.89E-02
1156	5	7.90E-02
1157	5	7.65E-02
1158	5	7.29E-02
1159	5	7.02E-02
1160	5	5.64E-02
1161	5	6.38E-02
1162	5	5.77E-02
1163	5	5.22E-02
1164	5	4.73E-02
1165	5	5.47E-02
1166	5	4.83E-02
1167	5	4.26E-02
1168	5	3.77E-02
1169	5	3.35E-02
1170	5	2.99E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	2.68E-02
1172	5	2.42E-02
1173	5	2.19E-02
1174	5	1.99E-02
1175	5	1.82E-02
1176	5	1.67E-02
1177	5	1.54E-02
1178	5	1.43E-02
1179	5	1.32E-02
1180	5	9.73E-02
1181	5	9.83E-02
1182	5	8.56E-02
1183	5	8.57E-02
1184	5	9.78E-02
1185	5	9.81E-02
1186	5	8.45E-02
1187	5	8.37E-02
1188	5	9.51E-02
1189	5	8.23E-02
1190	5	7.92E-02
1191	5	7.68E-02
1192	5	8.66E-02
1193	5	7.11E-02
1194	5	6.53E-02
1195	5	6.01E-02
1196	5	6.71E-02
1197	5	5.98E-02
1198	5	5.35E-02
1199	5	4.78E-02
1200	5	5.46E-02
1201	5	4.69E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	4.07E-02
1203	5	3.56E-02
1204	5	3.14E-02
1205	5	2.79E-02
1206	5	2.50E-02
1207	5	2.25E-02
1208	5	2.03E-02
1209	5	1.85E-02
1210	5	1.69E-02
1211	5	1.56E-02
1212	5	1.43E-02
1213	5	1.33E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.75542	1.40E-02	3.9E-02	6.05E-04	2.34E-05	3.82E+00	4.71E-02	4.21E-06	1.0E+06	4.2E+00
893	2.64375	1.40E-02	3.7E-02	6.05E-04	2.24E-05	3.82E+00	4.71E-02	4.04E-06	1.0E+06	4.0E+00
894	2.52963	1.40E-02	3.5E-02	6.05E-04	2.15E-05	3.82E+00	4.71E-02	3.87E-06	1.0E+06	3.9E+00
895	2.41457	1.40E-02	3.4E-02	6.05E-04	2.05E-05	3.82E+00	4.71E-02	3.69E-06	1.0E+06	3.7E+00
896	2.30061	1.40E-02	3.2E-02	6.05E-04	1.95E-05	3.82E+00	4.71E-02	3.52E-06	1.0E+06	3.5E+00
897	2.18935	1.40E-02	3.1E-02	6.05E-04	1.86E-05	3.82E+00	4.71E-02	3.35E-06	1.0E+06	3.3E+00
898	2.08092	1.40E-02	2.9E-02	6.05E-04	1.76E-05	3.82E+00	4.71E-02	3.18E-06	1.0E+06	3.2E+00
899	1.97707	1.40E-02	2.8E-02	6.05E-04	1.68E-05	3.82E+00	4.71E-02	3.02E-06	1.0E+06	3.0E+00
900	1.87859	1.40E-02	2.6E-02	6.05E-04	1.59E-05	3.82E+00	4.71E-02	2.87E-06	1.0E+06	2.9E+00
901	1.78411	1.40E-02	2.5E-02	6.05E-04	1.51E-05	3.82E+00	4.71E-02	2.73E-06	1.0E+06	2.7E+00
902	1.69123	1.40E-02	2.4E-02	6.05E-04	1.43E-05	3.82E+00	4.71E-02	2.58E-06	1.0E+06	2.6E+00
903	1.60208	1.40E-02	2.2E-02	6.05E-04	1.36E-05	3.82E+00	4.71E-02	2.45E-06	1.0E+06	2.4E+00
904	1.51789	1.40E-02	2.1E-02	6.05E-04	1.29E-05	3.82E+00	4.71E-02	2.32E-06	1.0E+06	2.3E+00
905	1.43857	1.40E-02	2.0E-02	6.05E-04	1.22E-05	3.82E+00	4.71E-02	2.20E-06	1.0E+06	2.2E+00
906	1.36373	1.40E-02	1.9E-02	6.05E-04	1.16E-05	3.82E+00	4.71E-02	2.08E-06	1.0E+06	2.1E+00
907	1.29572	1.40E-02	1.8E-02	6.05E-04	1.10E-05	3.82E+00	4.71E-02	1.98E-06	1.0E+06	2.0E+00
908	4.13343	1.40E-02	5.8E-02	6.05E-04	3.51E-05	3.82E+00	4.71E-02	6.32E-06	1.0E+06	6.3E+00
909	4.14798	1.40E-02	5.8E-02	6.05E-04	3.52E-05	3.82E+00	4.71E-02	6.34E-06	1.0E+06	6.3E+00
910	4.15467	1.40E-02	5.8E-02	6.05E-04	3.52E-05	3.82E+00	4.71E-02	6.35E-06	1.0E+06	6.3E+00
911	4.15515	1.40E-02	5.8E-02	6.05E-04	3.52E-05	3.82E+00	4.71E-02	6.35E-06	1.0E+06	6.3E+00
912	4.14723	1.40E-02	5.8E-02	6.05E-04	3.52E-05	3.82E+00	4.71E-02	6.34E-06	1.0E+06	6.3E+00
913	4.13132	1.40E-02	5.8E-02	6.05E-04	3.50E-05	3.82E+00	4.71E-02	6.31E-06	1.0E+06	6.3E+00
914	4.10746	1.40E-02	5.8E-02	6.05E-04	3.48E-05	3.82E+00	4.71E-02	6.28E-06	1.0E+06	6.3E+00
915	4.07476	1.40E-02	5.7E-02	6.05E-04	3.46E-05	3.82E+00	4.71E-02	6.23E-06	1.0E+06	6.2E+00
916	4.03399	1.40E-02	5.7E-02	6.05E-04	3.42E-05	3.82E+00	4.71E-02	6.16E-06	1.0E+06	6.2E+00
917	3.98405	1.40E-02	5.6E-02	6.05E-04	3.38E-05	3.82E+00	4.71E-02	6.09E-06	1.0E+06	6.1E+00
918	3.92475	1.40E-02	5.5E-02	6.05E-04	3.33E-05	3.82E+00	4.71E-02	6.00E-06	1.0E+06	6.0E+00
919	3.85612	1.40E-02	5.4E-02	6.05E-04	3.27E-05	3.82E+00	4.71E-02	5.89E-06	1.0E+06	5.9E+00
920	3.7783	1.40E-02	5.3E-02	6.05E-04	3.20E-05	3.82E+00	4.71E-02	5.77E-06	1.0E+06	5.8E+00
921	3.69128	1.40E-02	5.2E-02	6.05E-04	3.13E-05	3.82E+00	4.71E-02	5.64E-06	1.0E+06	5.6E+00
922	3.59342	1.40E-02	5.0E-02	6.05E-04	3.05E-05	3.82E+00	4.71E-02	5.49E-06	1.0E+06	5.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	3.48686	1.40E-02	4.9E-02	6.05E-04	2.96E-05	3.82E+00	4.71E-02	5.33E-06	1.0E+06	5.3E+00
924	3.37248	1.40E-02	4.7E-02	6.05E-04	2.86E-05	3.82E+00	4.71E-02	5.15E-06	1.0E+06	5.2E+00
925	3.25179	1.40E-02	4.6E-02	6.05E-04	2.76E-05	3.82E+00	4.71E-02	4.97E-06	1.0E+06	5.0E+00
926	3.12547	1.40E-02	4.4E-02	6.05E-04	2.65E-05	3.82E+00	4.71E-02	4.78E-06	1.0E+06	4.8E+00
927	2.99521	1.40E-02	4.2E-02	6.05E-04	2.54E-05	3.82E+00	4.71E-02	4.58E-06	1.0E+06	4.6E+00
928	2.86199	1.40E-02	4.0E-02	6.05E-04	2.43E-05	3.82E+00	4.71E-02	4.37E-06	1.0E+06	4.4E+00
929	2.72693	1.40E-02	3.8E-02	6.05E-04	2.31E-05	3.82E+00	4.71E-02	4.17E-06	1.0E+06	4.2E+00
930	2.59145	1.40E-02	3.6E-02	6.05E-04	2.20E-05	3.82E+00	4.71E-02	3.96E-06	1.0E+06	4.0E+00
931	2.45834	1.40E-02	3.4E-02	6.05E-04	2.09E-05	3.82E+00	4.71E-02	3.76E-06	1.0E+06	3.8E+00
932	2.32945	1.40E-02	3.3E-02	6.05E-04	1.98E-05	3.82E+00	4.71E-02	3.56E-06	1.0E+06	3.6E+00
933	2.20497	1.40E-02	3.1E-02	6.05E-04	1.87E-05	3.82E+00	4.71E-02	3.37E-06	1.0E+06	3.4E+00
934	2.08581	1.40E-02	2.9E-02	6.05E-04	1.77E-05	3.82E+00	4.71E-02	3.19E-06	1.0E+06	3.2E+00
935	1.97237	1.40E-02	2.8E-02	6.05E-04	1.67E-05	3.82E+00	4.71E-02	3.01E-06	1.0E+06	3.0E+00
936	1.86474	1.40E-02	2.6E-02	6.05E-04	1.58E-05	3.82E+00	4.71E-02	2.85E-06	1.0E+06	2.8E+00
937	1.76097	1.40E-02	2.5E-02	6.05E-04	1.49E-05	3.82E+00	4.71E-02	2.69E-06	1.0E+06	2.7E+00
938	1.6625	1.40E-02	2.3E-02	6.05E-04	1.41E-05	3.82E+00	4.71E-02	2.54E-06	1.0E+06	2.5E+00
939	1.57017	1.40E-02	2.2E-02	6.05E-04	1.33E-05	3.82E+00	4.71E-02	2.40E-06	1.0E+06	2.4E+00
940	1.48389	1.40E-02	2.1E-02	6.05E-04	1.26E-05	3.82E+00	4.71E-02	2.27E-06	1.0E+06	2.3E+00
941	1.40313	1.40E-02	2.0E-02	6.05E-04	1.19E-05	3.82E+00	4.71E-02	2.14E-06	1.0E+06	2.1E+00
942	4.63799	1.40E-02	6.5E-02	6.05E-04	3.93E-05	3.82E+00	4.71E-02	7.09E-06	1.0E+06	7.1E+00
943	4.65331	1.40E-02	6.5E-02	6.05E-04	3.95E-05	3.82E+00	4.71E-02	7.11E-06	1.0E+06	7.1E+00
944	4.66029	1.40E-02	6.5E-02	6.05E-04	3.95E-05	3.82E+00	4.71E-02	7.12E-06	1.0E+06	7.1E+00
945	4.65962	1.40E-02	6.5E-02	6.05E-04	3.95E-05	3.82E+00	4.71E-02	7.12E-06	1.0E+06	7.1E+00
946	4.64997	1.40E-02	6.5E-02	6.05E-04	3.94E-05	3.82E+00	4.71E-02	7.11E-06	1.0E+06	7.1E+00
947	4.63099	1.40E-02	6.5E-02	6.05E-04	3.93E-05	3.82E+00	4.71E-02	7.08E-06	1.0E+06	7.1E+00
948	4.60175	1.40E-02	6.5E-02	6.05E-04	3.90E-05	3.82E+00	4.71E-02	7.03E-06	1.0E+06	7.0E+00
949	4.56263	1.40E-02	6.4E-02	6.05E-04	3.87E-05	3.82E+00	4.71E-02	6.97E-06	1.0E+06	7.0E+00
950	4.51437	1.40E-02	6.3E-02	6.05E-04	3.83E-05	3.82E+00	4.71E-02	6.90E-06	1.0E+06	6.9E+00
951	4.45739	1.40E-02	6.2E-02	6.05E-04	3.78E-05	3.82E+00	4.71E-02	6.81E-06	1.0E+06	6.8E+00
952	4.389	1.40E-02	6.2E-02	6.05E-04	3.72E-05	3.82E+00	4.71E-02	6.71E-06	1.0E+06	6.7E+00
953	4.30956	1.40E-02	6.0E-02	6.05E-04	3.66E-05	3.82E+00	4.71E-02	6.59E-06	1.0E+06	6.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	4.21848	1.40E-02	5.9E-02	6.05E-04	3.58E-05	3.82E+00	4.71E-02	6.45E-06	1.0E+06	6.4E+00
955	4.11568	1.40E-02	5.8E-02	6.05E-04	3.49E-05	3.82E+00	4.71E-02	6.29E-06	1.0E+06	6.3E+00
956	3.99754	1.40E-02	5.6E-02	6.05E-04	3.39E-05	3.82E+00	4.71E-02	6.11E-06	1.0E+06	6.1E+00
957	3.86722	1.40E-02	5.4E-02	6.05E-04	3.28E-05	3.82E+00	4.71E-02	5.91E-06	1.0E+06	5.9E+00
958	3.72905	1.40E-02	5.2E-02	6.05E-04	3.16E-05	3.82E+00	4.71E-02	5.70E-06	1.0E+06	5.7E+00
959	3.58424	1.40E-02	5.0E-02	6.05E-04	3.04E-05	3.82E+00	4.71E-02	5.48E-06	1.0E+06	5.5E+00
960	3.43198	1.40E-02	4.8E-02	6.05E-04	2.91E-05	3.82E+00	4.71E-02	5.24E-06	1.0E+06	5.2E+00
961	3.27428	1.40E-02	4.6E-02	6.05E-04	2.78E-05	3.82E+00	4.71E-02	5.00E-06	1.0E+06	5.0E+00
962	3.11339	1.40E-02	4.4E-02	6.05E-04	2.64E-05	3.82E+00	4.71E-02	4.76E-06	1.0E+06	4.8E+00
963	2.95106	1.40E-02	4.1E-02	6.05E-04	2.50E-05	3.82E+00	4.71E-02	4.51E-06	1.0E+06	4.5E+00
964	2.78992	1.40E-02	3.9E-02	6.05E-04	2.37E-05	3.82E+00	4.71E-02	4.26E-06	1.0E+06	4.3E+00
965	2.63225	1.40E-02	3.7E-02	6.05E-04	2.23E-05	3.82E+00	4.71E-02	4.02E-06	1.0E+06	4.0E+00
966	2.48139	1.40E-02	3.5E-02	6.05E-04	2.10E-05	3.82E+00	4.71E-02	3.79E-06	1.0E+06	3.8E+00
967	2.33706	1.40E-02	3.3E-02	6.05E-04	1.98E-05	3.82E+00	4.71E-02	3.57E-06	1.0E+06	3.6E+00
968	2.19954	1.40E-02	3.1E-02	6.05E-04	1.87E-05	3.82E+00	4.71E-02	3.36E-06	1.0E+06	3.4E+00
969	2.06894	1.40E-02	2.9E-02	6.05E-04	1.75E-05	3.82E+00	4.71E-02	3.16E-06	1.0E+06	3.2E+00
970	1.94612	1.40E-02	2.7E-02	6.05E-04	1.65E-05	3.82E+00	4.71E-02	2.97E-06	1.0E+06	3.0E+00
971	1.83103	1.40E-02	2.6E-02	6.05E-04	1.55E-05	3.82E+00	4.71E-02	2.80E-06	1.0E+06	2.8E+00
972	1.72334	1.40E-02	2.4E-02	6.05E-04	1.46E-05	3.82E+00	4.71E-02	2.63E-06	1.0E+06	2.6E+00
973	1.62308	1.40E-02	2.3E-02	6.05E-04	1.38E-05	3.82E+00	4.71E-02	2.48E-06	1.0E+06	2.5E+00
974	1.52973	1.40E-02	2.1E-02	6.05E-04	1.30E-05	3.82E+00	4.71E-02	2.34E-06	1.0E+06	2.3E+00
975	1.44302	1.40E-02	2.0E-02	6.05E-04	1.22E-05	3.82E+00	4.71E-02	2.21E-06	1.0E+06	2.2E+00
976	5.243	1.40E-02	7.3E-02	6.05E-04	4.45E-05	3.82E+00	4.71E-02	8.01E-06	1.0E+06	8.0E+00
977	5.25934	1.40E-02	7.4E-02	6.05E-04	4.46E-05	3.82E+00	4.71E-02	8.04E-06	1.0E+06	8.0E+00
978	5.26636	1.40E-02	7.4E-02	6.05E-04	4.47E-05	3.82E+00	4.71E-02	8.05E-06	1.0E+06	8.0E+00
979	5.26489	1.40E-02	7.4E-02	6.05E-04	4.47E-05	3.82E+00	4.71E-02	8.05E-06	1.0E+06	8.0E+00
980	5.25326	1.40E-02	7.4E-02	6.05E-04	4.46E-05	3.82E+00	4.71E-02	8.03E-06	1.0E+06	8.0E+00
981	5.23115	1.40E-02	7.3E-02	6.05E-04	4.44E-05	3.82E+00	4.71E-02	7.99E-06	1.0E+06	8.0E+00
982	5.19613	1.40E-02	7.3E-02	6.05E-04	4.41E-05	3.82E+00	4.71E-02	7.94E-06	1.0E+06	7.9E+00
983	5.14934	1.40E-02	7.2E-02	6.05E-04	4.37E-05	3.82E+00	4.71E-02	7.87E-06	1.0E+06	7.9E+00
984	5.09275	1.40E-02	7.1E-02	6.05E-04	4.32E-05	3.82E+00	4.71E-02	7.78E-06	1.0E+06	7.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	5.02795	1.40E-02	7.0E-02	6.05E-04	4.26E-05	3.82E+00	4.71E-02	7.68E-06	1.0E+06	7.7E+00
986	4.94967	1.40E-02	6.9E-02	6.05E-04	4.20E-05	3.82E+00	4.71E-02	7.56E-06	1.0E+06	7.6E+00
987	4.85719	1.40E-02	6.8E-02	6.05E-04	4.12E-05	3.82E+00	4.71E-02	7.42E-06	1.0E+06	7.4E+00
988	4.75055	1.40E-02	6.7E-02	6.05E-04	4.03E-05	3.82E+00	4.71E-02	7.26E-06	1.0E+06	7.3E+00
989	4.62829	1.40E-02	6.5E-02	6.05E-04	3.93E-05	3.82E+00	4.71E-02	7.07E-06	1.0E+06	7.1E+00
990	4.48499	1.40E-02	6.3E-02	6.05E-04	3.80E-05	3.82E+00	4.71E-02	6.85E-06	1.0E+06	6.9E+00
991	4.32464	1.40E-02	6.1E-02	6.05E-04	3.67E-05	3.82E+00	4.71E-02	6.61E-06	1.0E+06	6.6E+00
992	4.15588	1.40E-02	5.8E-02	6.05E-04	3.52E-05	3.82E+00	4.71E-02	6.35E-06	1.0E+06	6.4E+00
993	3.97939	1.40E-02	5.6E-02	6.05E-04	3.38E-05	3.82E+00	4.71E-02	6.08E-06	1.0E+06	6.1E+00
994	3.794	1.40E-02	5.3E-02	6.05E-04	3.22E-05	3.82E+00	4.71E-02	5.80E-06	1.0E+06	5.8E+00
995	3.59983	1.40E-02	5.0E-02	6.05E-04	3.05E-05	3.82E+00	4.71E-02	5.50E-06	1.0E+06	5.5E+00
996	3.4027	1.40E-02	4.8E-02	6.05E-04	2.89E-05	3.82E+00	4.71E-02	5.20E-06	1.0E+06	5.2E+00
997	3.2054	1.40E-02	4.5E-02	6.05E-04	2.72E-05	3.82E+00	4.71E-02	4.90E-06	1.0E+06	4.9E+00
998	3.01092	1.40E-02	4.2E-02	6.05E-04	2.55E-05	3.82E+00	4.71E-02	4.60E-06	1.0E+06	4.6E+00
999	2.82294	1.40E-02	4.0E-02	6.05E-04	2.39E-05	3.82E+00	4.71E-02	4.31E-06	1.0E+06	4.3E+00
1000	2.64526	1.40E-02	3.7E-02	6.05E-04	2.24E-05	3.82E+00	4.71E-02	4.04E-06	1.0E+06	4.0E+00
1001	2.47694	1.40E-02	3.5E-02	6.05E-04	2.10E-05	3.82E+00	4.71E-02	3.79E-06	1.0E+06	3.8E+00
1002	2.31821	1.40E-02	3.2E-02	6.05E-04	1.97E-05	3.82E+00	4.71E-02	3.54E-06	1.0E+06	3.5E+00
1003	2.16778	1.40E-02	3.0E-02	6.05E-04	1.84E-05	3.82E+00	4.71E-02	3.31E-06	1.0E+06	3.3E+00
1004	2.02814	1.40E-02	2.8E-02	6.05E-04	1.72E-05	3.82E+00	4.71E-02	3.10E-06	1.0E+06	3.1E+00
1005	1.90048	1.40E-02	2.7E-02	6.05E-04	1.61E-05	3.82E+00	4.71E-02	2.90E-06	1.0E+06	2.9E+00
1006	1.78307	1.40E-02	2.5E-02	6.05E-04	1.51E-05	3.82E+00	4.71E-02	2.72E-06	1.0E+06	2.7E+00
1007	1.67441	1.40E-02	2.3E-02	6.05E-04	1.42E-05	3.82E+00	4.71E-02	2.56E-06	1.0E+06	2.6E+00
1008	1.57366	1.40E-02	2.2E-02	6.05E-04	1.33E-05	3.82E+00	4.71E-02	2.40E-06	1.0E+06	2.4E+00
1009	1.4807	1.40E-02	2.1E-02	6.05E-04	1.26E-05	3.82E+00	4.71E-02	2.26E-06	1.0E+06	2.3E+00
1010	5.97868	1.40E-02	8.4E-02	6.05E-04	5.07E-05	3.82E+00	4.71E-02	9.14E-06	1.0E+06	9.1E+00
1011	5.99696	1.40E-02	8.4E-02	6.05E-04	5.09E-05	3.82E+00	4.71E-02	9.16E-06	1.0E+06	9.2E+00
1012	6.00444	1.40E-02	8.4E-02	6.05E-04	5.09E-05	3.82E+00	4.71E-02	9.18E-06	1.0E+06	9.2E+00
1013	6.00212	1.40E-02	8.4E-02	6.05E-04	5.09E-05	3.82E+00	4.71E-02	9.17E-06	1.0E+06	9.2E+00
1014	5.98983	1.40E-02	8.4E-02	6.05E-04	5.08E-05	3.82E+00	4.71E-02	9.15E-06	1.0E+06	9.2E+00
1015	5.96427	1.40E-02	8.4E-02	6.05E-04	5.06E-05	3.82E+00	4.71E-02	9.11E-06	1.0E+06	9.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	5.92283	1.40E-02	8.3E-02	6.05E-04	5.02E-05	3.82E+00	4.71E-02	9.05E-06	1.0E+06	9.1E+00
1017	5.86765	1.40E-02	8.2E-02	6.05E-04	4.98E-05	3.82E+00	4.71E-02	8.97E-06	1.0E+06	9.0E+00
1018	5.80186	1.40E-02	8.1E-02	6.05E-04	4.92E-05	3.82E+00	4.71E-02	8.87E-06	1.0E+06	8.9E+00
1019	5.72853	1.40E-02	8.0E-02	6.05E-04	4.86E-05	3.82E+00	4.71E-02	8.75E-06	1.0E+06	8.8E+00
1020	5.63808	1.40E-02	7.9E-02	6.05E-04	4.78E-05	3.82E+00	4.71E-02	8.62E-06	1.0E+06	8.6E+00
1021	5.53055	1.40E-02	7.8E-02	6.05E-04	4.69E-05	3.82E+00	4.71E-02	8.45E-06	1.0E+06	8.5E+00
1022	5.40447	1.40E-02	7.6E-02	6.05E-04	4.58E-05	3.82E+00	4.71E-02	8.26E-06	1.0E+06	8.3E+00
1023	5.25811	1.40E-02	7.4E-02	6.05E-04	4.46E-05	3.82E+00	4.71E-02	8.04E-06	1.0E+06	8.0E+00
1024	5.0836	1.40E-02	7.1E-02	6.05E-04	4.31E-05	3.82E+00	4.71E-02	7.77E-06	1.0E+06	7.8E+00
1025	4.88592	1.40E-02	6.8E-02	6.05E-04	4.14E-05	3.82E+00	4.71E-02	7.47E-06	1.0E+06	7.5E+00
1026	4.67717	1.40E-02	6.6E-02	6.05E-04	3.97E-05	3.82E+00	4.71E-02	7.15E-06	1.0E+06	7.1E+00
1027	4.45807	1.40E-02	6.2E-02	6.05E-04	3.78E-05	3.82E+00	4.71E-02	6.81E-06	1.0E+06	6.8E+00
1028	4.22657	1.40E-02	5.9E-02	6.05E-04	3.58E-05	3.82E+00	4.71E-02	6.46E-06	1.0E+06	6.5E+00
1029	3.98391	1.40E-02	5.6E-02	6.05E-04	3.38E-05	3.82E+00	4.71E-02	6.09E-06	1.0E+06	6.1E+00
1030	3.73847	1.40E-02	5.2E-02	6.05E-04	3.17E-05	3.82E+00	4.71E-02	5.71E-06	1.0E+06	5.7E+00
1031	3.49452	1.40E-02	4.9E-02	6.05E-04	2.96E-05	3.82E+00	4.71E-02	5.34E-06	1.0E+06	5.3E+00
1032	3.25736	1.40E-02	4.6E-02	6.05E-04	2.76E-05	3.82E+00	4.71E-02	4.98E-06	1.0E+06	5.0E+00
1033	3.03159	1.40E-02	4.2E-02	6.05E-04	2.57E-05	3.82E+00	4.71E-02	4.63E-06	1.0E+06	4.6E+00
1034	2.82048	1.40E-02	4.0E-02	6.05E-04	2.39E-05	3.82E+00	4.71E-02	4.31E-06	1.0E+06	4.3E+00
1035	2.62362	1.40E-02	3.7E-02	6.05E-04	2.23E-05	3.82E+00	4.71E-02	4.01E-06	1.0E+06	4.0E+00
1036	2.43983	1.40E-02	3.4E-02	6.05E-04	2.07E-05	3.82E+00	4.71E-02	3.73E-06	1.0E+06	3.7E+00
1037	2.26786	1.40E-02	3.2E-02	6.05E-04	1.92E-05	3.82E+00	4.71E-02	3.47E-06	1.0E+06	3.5E+00
1038	2.10979	1.40E-02	3.0E-02	6.05E-04	1.79E-05	3.82E+00	4.71E-02	3.22E-06	1.0E+06	3.2E+00
1039	1.96818	1.40E-02	2.8E-02	6.05E-04	1.67E-05	3.82E+00	4.71E-02	3.01E-06	1.0E+06	3.0E+00
1040	1.83967	1.40E-02	2.6E-02	6.05E-04	1.56E-05	3.82E+00	4.71E-02	2.81E-06	1.0E+06	2.8E+00
1041	1.72159	1.40E-02	2.4E-02	6.05E-04	1.46E-05	3.82E+00	4.71E-02	2.63E-06	1.0E+06	2.6E+00
1042	1.61299	1.40E-02	2.3E-02	6.05E-04	1.37E-05	3.82E+00	4.71E-02	2.46E-06	1.0E+06	2.5E+00
1043	1.5135	1.40E-02	2.1E-02	6.05E-04	1.28E-05	3.82E+00	4.71E-02	2.31E-06	1.0E+06	2.3E+00
1044	6.89122	1.40E-02	9.7E-02	6.05E-04	5.84E-05	3.82E+00	4.71E-02	1.05E-05	1.0E+06	1.1E+01
1045	6.91198	1.40E-02	9.7E-02	6.05E-04	5.86E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01
1046	6.92081	1.40E-02	9.7E-02	6.05E-04	5.87E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	6.91918	1.40E-02	9.7E-02	6.05E-04	5.87E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01
1048	6.90738	1.40E-02	9.7E-02	6.05E-04	5.86E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01
1049	6.87983	1.40E-02	9.6E-02	6.05E-04	5.84E-05	3.82E+00	4.71E-02	1.05E-05	1.0E+06	1.1E+01
1050	6.83215	1.40E-02	9.6E-02	6.05E-04	5.79E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01
1051	6.76791	1.40E-02	9.5E-02	6.05E-04	5.74E-05	3.82E+00	4.71E-02	1.03E-05	1.0E+06	1.0E+01
1052	6.69199	1.40E-02	9.4E-02	6.05E-04	5.68E-05	3.82E+00	4.71E-02	1.02E-05	1.0E+06	1.0E+01
1053	6.60719	1.40E-02	9.3E-02	6.05E-04	5.60E-05	3.82E+00	4.71E-02	1.01E-05	1.0E+06	1.0E+01
1054	6.50171	1.40E-02	9.1E-02	6.05E-04	5.51E-05	3.82E+00	4.71E-02	9.94E-06	1.0E+06	9.9E+00
1055	6.37444	1.40E-02	8.9E-02	6.05E-04	5.41E-05	3.82E+00	4.71E-02	9.74E-06	1.0E+06	9.7E+00
1056	6.22415	1.40E-02	8.7E-02	6.05E-04	5.28E-05	3.82E+00	4.71E-02	9.51E-06	1.0E+06	9.5E+00
1057	6.04695	1.40E-02	8.5E-02	6.05E-04	5.13E-05	3.82E+00	4.71E-02	9.24E-06	1.0E+06	9.2E+00
1058	5.83483	1.40E-02	8.2E-02	6.05E-04	4.95E-05	3.82E+00	4.71E-02	8.92E-06	1.0E+06	8.9E+00
1059	5.59169	1.40E-02	7.8E-02	6.05E-04	4.74E-05	3.82E+00	4.71E-02	8.54E-06	1.0E+06	8.5E+00
1060	5.32962	1.40E-02	7.5E-02	6.05E-04	4.52E-05	3.82E+00	4.71E-02	8.14E-06	1.0E+06	8.1E+00
1061	5.05091	1.40E-02	7.1E-02	6.05E-04	4.28E-05	3.82E+00	4.71E-02	7.72E-06	1.0E+06	7.7E+00
1062	4.75357	1.40E-02	6.7E-02	6.05E-04	4.03E-05	3.82E+00	4.71E-02	7.26E-06	1.0E+06	7.3E+00
1063	4.44312	1.40E-02	6.2E-02	6.05E-04	3.77E-05	3.82E+00	4.71E-02	6.79E-06	1.0E+06	6.8E+00
1064	4.131	1.40E-02	5.8E-02	6.05E-04	3.50E-05	3.82E+00	4.71E-02	6.31E-06	1.0E+06	6.3E+00
1065	3.82531	1.40E-02	5.4E-02	6.05E-04	3.24E-05	3.82E+00	4.71E-02	5.85E-06	1.0E+06	5.8E+00
1066	3.53228	1.40E-02	5.0E-02	6.05E-04	3.00E-05	3.82E+00	4.71E-02	5.40E-06	1.0E+06	5.4E+00
1067	3.25838	1.40E-02	4.6E-02	6.05E-04	2.76E-05	3.82E+00	4.71E-02	4.98E-06	1.0E+06	5.0E+00
1068	3.00612	1.40E-02	4.2E-02	6.05E-04	2.55E-05	3.82E+00	4.71E-02	4.59E-06	1.0E+06	4.6E+00
1069	2.7747	1.40E-02	3.9E-02	6.05E-04	2.35E-05	3.82E+00	4.71E-02	4.24E-06	1.0E+06	4.2E+00
1070	2.56251	1.40E-02	3.6E-02	6.05E-04	2.17E-05	3.82E+00	4.71E-02	3.92E-06	1.0E+06	3.9E+00
1071	2.36681	1.40E-02	3.3E-02	6.05E-04	2.01E-05	3.82E+00	4.71E-02	3.62E-06	1.0E+06	3.6E+00
1072	2.18956	1.40E-02	3.1E-02	6.05E-04	1.86E-05	3.82E+00	4.71E-02	3.35E-06	1.0E+06	3.3E+00
1073	2.03252	1.40E-02	2.8E-02	6.05E-04	1.72E-05	3.82E+00	4.71E-02	3.11E-06	1.0E+06	3.1E+00
1074	1.89147	1.40E-02	2.7E-02	6.05E-04	1.60E-05	3.82E+00	4.71E-02	2.89E-06	1.0E+06	2.9E+00
1075	1.7633	1.40E-02	2.5E-02	6.05E-04	1.50E-05	3.82E+00	4.71E-02	2.69E-06	1.0E+06	2.7E+00
1076	1.64659	1.40E-02	2.3E-02	6.05E-04	1.40E-05	3.82E+00	4.71E-02	2.52E-06	1.0E+06	2.5E+00
1077	1.54033	1.40E-02	2.2E-02	6.05E-04	1.31E-05	3.82E+00	4.71E-02	2.35E-06	1.0E+06	2.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	8.04858	1.40E-02	1.1E-01	6.05E-04	6.83E-05	3.82E+00	4.71E-02	1.23E-05	1.0E+06	1.2E+01
1079	8.07319	1.40E-02	1.1E-01	6.05E-04	6.85E-05	3.82E+00	4.71E-02	1.23E-05	1.0E+06	1.2E+01
1080	8.08487	1.40E-02	1.1E-01	6.05E-04	6.86E-05	3.82E+00	4.71E-02	1.24E-05	1.0E+06	1.2E+01
1081	8.08553	1.40E-02	1.1E-01	6.05E-04	6.86E-05	3.82E+00	4.71E-02	1.24E-05	1.0E+06	1.2E+01
1082	8.07678	1.40E-02	1.1E-01	6.05E-04	6.85E-05	3.82E+00	4.71E-02	1.23E-05	1.0E+06	1.2E+01
1083	8.0487	1.40E-02	1.1E-01	6.05E-04	6.83E-05	3.82E+00	4.71E-02	1.23E-05	1.0E+06	1.2E+01
1084	7.9951	1.40E-02	1.1E-01	6.05E-04	6.78E-05	3.82E+00	4.71E-02	1.22E-05	1.0E+06	1.2E+01
1085	7.92061	1.40E-02	1.1E-01	6.05E-04	6.72E-05	3.82E+00	4.71E-02	1.21E-05	1.0E+06	1.2E+01
1086	7.83359	1.40E-02	1.1E-01	6.05E-04	6.64E-05	3.82E+00	4.71E-02	1.20E-05	1.0E+06	1.2E+01
1087	7.73732	1.40E-02	1.1E-01	6.05E-04	6.56E-05	3.82E+00	4.71E-02	1.18E-05	1.0E+06	1.2E+01
1088	7.615	1.40E-02	1.1E-01	6.05E-04	6.46E-05	3.82E+00	4.71E-02	1.16E-05	1.0E+06	1.2E+01
1089	7.46572	1.40E-02	1.0E-01	6.05E-04	6.33E-05	3.82E+00	4.71E-02	1.14E-05	1.0E+06	1.1E+01
1090	7.28667	1.40E-02	1.0E-01	6.05E-04	6.18E-05	3.82E+00	4.71E-02	1.11E-05	1.0E+06	1.1E+01
1091	7.07105	1.40E-02	9.9E-02	6.05E-04	6.00E-05	3.82E+00	4.71E-02	1.08E-05	1.0E+06	1.1E+01
1092	6.80928	1.40E-02	9.5E-02	6.05E-04	5.78E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01
1093	6.50763	1.40E-02	9.1E-02	6.05E-04	5.52E-05	3.82E+00	4.71E-02	9.94E-06	1.0E+06	9.9E+00
1094	6.17559	1.40E-02	8.7E-02	6.05E-04	5.24E-05	3.82E+00	4.71E-02	9.44E-06	1.0E+06	9.4E+00
1095	5.81086	1.40E-02	8.1E-02	6.05E-04	4.93E-05	3.82E+00	4.71E-02	8.88E-06	1.0E+06	8.9E+00
1096	5.41469	1.40E-02	7.6E-02	6.05E-04	4.59E-05	3.82E+00	4.71E-02	8.27E-06	1.0E+06	8.3E+00
1097	5.00334	1.40E-02	7.0E-02	6.05E-04	4.24E-05	3.82E+00	4.71E-02	7.65E-06	1.0E+06	7.6E+00
1098	4.5955	1.40E-02	6.4E-02	6.05E-04	3.90E-05	3.82E+00	4.71E-02	7.02E-06	1.0E+06	7.0E+00
1099	4.20379	1.40E-02	5.9E-02	6.05E-04	3.57E-05	3.82E+00	4.71E-02	6.42E-06	1.0E+06	6.4E+00
1100	3.83746	1.40E-02	5.4E-02	6.05E-04	3.25E-05	3.82E+00	4.71E-02	5.86E-06	1.0E+06	5.9E+00
1101	3.50324	1.40E-02	4.9E-02	6.05E-04	2.97E-05	3.82E+00	4.71E-02	5.35E-06	1.0E+06	5.4E+00
1102	3.20073	1.40E-02	4.5E-02	6.05E-04	2.71E-05	3.82E+00	4.71E-02	4.89E-06	1.0E+06	4.9E+00
1103	2.92897	1.40E-02	4.1E-02	6.05E-04	2.48E-05	3.82E+00	4.71E-02	4.48E-06	1.0E+06	4.5E+00
1104	2.68445	1.40E-02	3.8E-02	6.05E-04	2.28E-05	3.82E+00	4.71E-02	4.10E-06	1.0E+06	4.1E+00
1105	2.46304	1.40E-02	3.5E-02	6.05E-04	2.09E-05	3.82E+00	4.71E-02	3.76E-06	1.0E+06	3.8E+00
1106	2.26537	1.40E-02	3.2E-02	6.05E-04	1.92E-05	3.82E+00	4.71E-02	3.46E-06	1.0E+06	3.5E+00
1107	2.09227	1.40E-02	2.9E-02	6.05E-04	1.77E-05	3.82E+00	4.71E-02	3.20E-06	1.0E+06	3.2E+00
1108	1.93866	1.40E-02	2.7E-02	6.05E-04	1.64E-05	3.82E+00	4.71E-02	2.96E-06	1.0E+06	3.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1.80042	1.40E-02	2.5E-02	6.05E-04	1.53E-05	3.82E+00	4.71E-02	2.75E-06	1.0E+06	2.8E+00
1110	1.67563	1.40E-02	2.3E-02	6.05E-04	1.42E-05	3.82E+00	4.71E-02	2.56E-06	1.0E+06	2.6E+00
1111	1.56303	1.40E-02	2.2E-02	6.05E-04	1.33E-05	3.82E+00	4.71E-02	2.39E-06	1.0E+06	2.4E+00
1112	9.55894	1.40E-02	1.3E-01	6.05E-04	8.11E-05	3.82E+00	4.71E-02	1.46E-05	1.0E+06	1.5E+01
1113	9.58896	1.40E-02	1.3E-01	6.05E-04	8.13E-05	3.82E+00	4.71E-02	1.47E-05	1.0E+06	1.5E+01
1114	9.60364	1.40E-02	1.3E-01	6.05E-04	8.15E-05	3.82E+00	4.71E-02	1.47E-05	1.0E+06	1.5E+01
1115	9.61345	1.40E-02	1.3E-01	6.05E-04	8.15E-05	3.82E+00	4.71E-02	1.47E-05	1.0E+06	1.5E+01
1116	9.61332	1.40E-02	1.3E-01	6.05E-04	8.15E-05	3.82E+00	4.71E-02	1.47E-05	1.0E+06	1.5E+01
1117	9.58702	1.40E-02	1.3E-01	6.05E-04	8.13E-05	3.82E+00	4.71E-02	1.47E-05	1.0E+06	1.5E+01
1118	9.52425	1.40E-02	1.3E-01	6.05E-04	8.08E-05	3.82E+00	4.71E-02	1.46E-05	1.0E+06	1.5E+01
1119	9.4434	1.40E-02	1.3E-01	6.05E-04	8.01E-05	3.82E+00	4.71E-02	1.44E-05	1.0E+06	1.4E+01
1120	9.34884	1.40E-02	1.3E-01	6.05E-04	7.93E-05	3.82E+00	4.71E-02	1.43E-05	1.0E+06	1.4E+01
1121	9.23908	1.40E-02	1.3E-01	6.05E-04	7.84E-05	3.82E+00	4.71E-02	1.41E-05	1.0E+06	1.4E+01
1122	9.0946	1.40E-02	1.3E-01	6.05E-04	7.71E-05	3.82E+00	4.71E-02	1.39E-05	1.0E+06	1.4E+01
1123	8.92466	1.40E-02	1.3E-01	6.05E-04	7.57E-05	3.82E+00	4.71E-02	1.36E-05	1.0E+06	1.4E+01
1124	8.71614	1.40E-02	1.2E-01	6.05E-04	7.39E-05	3.82E+00	4.71E-02	1.33E-05	1.0E+06	1.3E+01
1125	8.44765	1.40E-02	1.2E-01	6.05E-04	7.16E-05	3.82E+00	4.71E-02	1.29E-05	1.0E+06	1.3E+01
1126	8.11751	1.40E-02	1.1E-01	6.05E-04	6.88E-05	3.82E+00	4.71E-02	1.24E-05	1.0E+06	1.2E+01
1127	7.74497	1.40E-02	1.1E-01	6.05E-04	6.57E-05	3.82E+00	4.71E-02	1.18E-05	1.0E+06	1.2E+01
1128	7.32057	1.40E-02	1.0E-01	6.05E-04	6.21E-05	3.82E+00	4.71E-02	1.12E-05	1.0E+06	1.1E+01
1129	6.82847	1.40E-02	9.6E-02	6.05E-04	5.79E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01
1130	6.27281	1.40E-02	8.8E-02	6.05E-04	5.32E-05	3.82E+00	4.71E-02	9.59E-06	1.0E+06	9.6E+00
1131	5.70031	1.40E-02	8.0E-02	6.05E-04	4.83E-05	3.82E+00	4.71E-02	8.71E-06	1.0E+06	8.7E+00
1132	5.1472	1.40E-02	7.2E-02	6.05E-04	4.37E-05	3.82E+00	4.71E-02	7.87E-06	1.0E+06	7.9E+00
1133	4.63412	1.40E-02	6.5E-02	6.05E-04	3.93E-05	3.82E+00	4.71E-02	7.08E-06	1.0E+06	7.1E+00
1134	4.17136	1.40E-02	5.8E-02	6.05E-04	3.54E-05	3.82E+00	4.71E-02	6.37E-06	1.0E+06	6.4E+00
1135	3.7611	1.40E-02	5.3E-02	6.05E-04	3.19E-05	3.82E+00	4.71E-02	5.75E-06	1.0E+06	5.7E+00
1136	3.399	1.40E-02	4.8E-02	6.05E-04	2.88E-05	3.82E+00	4.71E-02	5.19E-06	1.0E+06	5.2E+00
1137	3.08136	1.40E-02	4.3E-02	6.05E-04	2.61E-05	3.82E+00	4.71E-02	4.71E-06	1.0E+06	4.7E+00
1138	2.80172	1.40E-02	3.9E-02	6.05E-04	2.38E-05	3.82E+00	4.71E-02	4.28E-06	1.0E+06	4.3E+00
1139	2.55329	1.40E-02	3.6E-02	6.05E-04	2.17E-05	3.82E+00	4.71E-02	3.90E-06	1.0E+06	3.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	2.335	1.40E-02	3.3E-02	6.05E-04	1.98E-05	3.82E+00	4.71E-02	3.57E-06	1.0E+06	3.6E+00
1141	2.14568	1.40E-02	3.0E-02	6.05E-04	1.82E-05	3.82E+00	4.71E-02	3.28E-06	1.0E+06	3.3E+00
1142	1.97929	1.40E-02	2.8E-02	6.05E-04	1.68E-05	3.82E+00	4.71E-02	3.02E-06	1.0E+06	3.0E+00
1143	1.83105	1.40E-02	2.6E-02	6.05E-04	1.55E-05	3.82E+00	4.71E-02	2.80E-06	1.0E+06	2.8E+00
1144	1.69872	1.40E-02	2.4E-02	6.05E-04	1.44E-05	3.82E+00	4.71E-02	2.60E-06	1.0E+06	2.6E+00
1145	1.58005	1.40E-02	2.2E-02	6.05E-04	1.34E-05	3.82E+00	4.71E-02	2.41E-06	1.0E+06	2.4E+00
1146	9.88588	1.40E-02	1.4E-01	6.05E-04	8.38E-05	3.82E+00	4.71E-02	1.51E-05	1.0E+06	1.5E+01
1147	9.9394	1.40E-02	1.4E-01	6.05E-04	8.43E-05	3.82E+00	4.71E-02	1.52E-05	1.0E+06	1.5E+01
1148	11.64574	1.40E-02	1.6E-01	6.05E-04	9.88E-05	3.82E+00	4.71E-02	1.78E-05	1.0E+06	1.8E+01
1149	10.06257	1.40E-02	1.4E-01	6.05E-04	8.53E-05	3.82E+00	4.71E-02	1.54E-05	1.0E+06	1.5E+01
1150	9.91309	1.40E-02	1.4E-01	6.05E-04	8.41E-05	3.82E+00	4.71E-02	1.51E-05	1.0E+06	1.5E+01
1151	9.90461	1.40E-02	1.4E-01	6.05E-04	8.40E-05	3.82E+00	4.71E-02	1.51E-05	1.0E+06	1.5E+01
1152	10.0222	1.40E-02	1.4E-01	6.05E-04	8.50E-05	3.82E+00	4.71E-02	1.53E-05	1.0E+06	1.5E+01
1153	9.85946	1.40E-02	1.4E-01	6.05E-04	8.36E-05	3.82E+00	4.71E-02	1.51E-05	1.0E+06	1.5E+01
1154	9.60009	1.40E-02	1.3E-01	6.05E-04	8.14E-05	3.82E+00	4.71E-02	1.47E-05	1.0E+06	1.5E+01
1155	9.48701	1.40E-02	1.3E-01	6.05E-04	8.05E-05	3.82E+00	4.71E-02	1.45E-05	1.0E+06	1.4E+01
1156	9.50126	1.40E-02	1.3E-01	6.05E-04	8.06E-05	3.82E+00	4.71E-02	1.45E-05	1.0E+06	1.5E+01
1157	9.19978	1.40E-02	1.3E-01	6.05E-04	7.80E-05	3.82E+00	4.71E-02	1.41E-05	1.0E+06	1.4E+01
1158	8.76025	1.40E-02	1.2E-01	6.05E-04	7.43E-05	3.82E+00	4.71E-02	1.34E-05	1.0E+06	1.3E+01
1159	8.43738	1.40E-02	1.2E-01	6.05E-04	7.16E-05	3.82E+00	4.71E-02	1.29E-05	1.0E+06	1.3E+01
1160	6.77907	1.40E-02	9.5E-02	6.05E-04	5.75E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01
1161	7.66995	1.40E-02	1.1E-01	6.05E-04	6.51E-05	3.82E+00	4.71E-02	1.17E-05	1.0E+06	1.2E+01
1162	6.93213	1.40E-02	9.7E-02	6.05E-04	5.88E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01
1163	6.27427	1.40E-02	8.8E-02	6.05E-04	5.32E-05	3.82E+00	4.71E-02	9.59E-06	1.0E+06	9.6E+00
1164	5.68263	1.40E-02	8.0E-02	6.05E-04	4.82E-05	3.82E+00	4.71E-02	8.68E-06	1.0E+06	8.7E+00
1165	6.57939	1.40E-02	9.2E-02	6.05E-04	5.58E-05	3.82E+00	4.71E-02	1.01E-05	1.0E+06	1.0E+01
1166	5.80062	1.40E-02	8.1E-02	6.05E-04	4.92E-05	3.82E+00	4.71E-02	8.86E-06	1.0E+06	8.9E+00
1167	5.11602	1.40E-02	7.2E-02	6.05E-04	4.34E-05	3.82E+00	4.71E-02	7.82E-06	1.0E+06	7.8E+00
1168	4.52614	1.40E-02	6.3E-02	6.05E-04	3.84E-05	3.82E+00	4.71E-02	6.92E-06	1.0E+06	6.9E+00
1169	4.023	1.40E-02	5.6E-02	6.05E-04	3.41E-05	3.82E+00	4.71E-02	6.15E-06	1.0E+06	6.1E+00
1170	3.59319	1.40E-02	5.0E-02	6.05E-04	3.05E-05	3.82E+00	4.71E-02	5.49E-06	1.0E+06	5.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	3.2257	1.40E-02	4.5E-02	6.05E-04	2.74E-05	3.82E+00	4.71E-02	4.93E-06	1.0E+06	4.9E+00
1172	2.90902	1.40E-02	4.1E-02	6.05E-04	2.47E-05	3.82E+00	4.71E-02	4.45E-06	1.0E+06	4.4E+00
1173	2.63425	1.40E-02	3.7E-02	6.05E-04	2.23E-05	3.82E+00	4.71E-02	4.03E-06	1.0E+06	4.0E+00
1174	2.39577	1.40E-02	3.4E-02	6.05E-04	2.03E-05	3.82E+00	4.71E-02	3.66E-06	1.0E+06	3.7E+00
1175	2.19069	1.40E-02	3.1E-02	6.05E-04	1.86E-05	3.82E+00	4.71E-02	3.35E-06	1.0E+06	3.3E+00
1176	2.01198	1.40E-02	2.8E-02	6.05E-04	1.71E-05	3.82E+00	4.71E-02	3.07E-06	1.0E+06	3.1E+00
1177	1.85432	1.40E-02	2.6E-02	6.05E-04	1.57E-05	3.82E+00	4.71E-02	2.83E-06	1.0E+06	2.8E+00
1178	1.71461	1.40E-02	2.4E-02	6.05E-04	1.45E-05	3.82E+00	4.71E-02	2.62E-06	1.0E+06	2.6E+00
1179	1.59041	1.40E-02	2.2E-02	6.05E-04	1.35E-05	3.82E+00	4.71E-02	2.43E-06	1.0E+06	2.4E+00
1180	11.70193	1.40E-02	1.6E-01	6.05E-04	9.92E-05	3.82E+00	4.71E-02	1.79E-05	1.0E+06	1.8E+01
1181	11.81195	1.40E-02	1.7E-01	6.05E-04	1.00E-04	3.82E+00	4.71E-02	1.81E-05	1.0E+06	1.8E+01
1182	10.29178	1.40E-02	1.4E-01	6.05E-04	8.73E-05	3.82E+00	4.71E-02	1.57E-05	1.0E+06	1.6E+01
1183	10.29615	1.40E-02	1.4E-01	6.05E-04	8.73E-05	3.82E+00	4.71E-02	1.57E-05	1.0E+06	1.6E+01
1184	11.75729	1.40E-02	1.6E-01	6.05E-04	9.97E-05	3.82E+00	4.71E-02	1.80E-05	1.0E+06	1.8E+01
1185	11.79799	1.40E-02	1.7E-01	6.05E-04	1.00E-04	3.82E+00	4.71E-02	1.80E-05	1.0E+06	1.8E+01
1186	10.15133	1.40E-02	1.4E-01	6.05E-04	8.61E-05	3.82E+00	4.71E-02	1.55E-05	1.0E+06	1.6E+01
1187	10.05624	1.40E-02	1.4E-01	6.05E-04	8.53E-05	3.82E+00	4.71E-02	1.54E-05	1.0E+06	1.5E+01
1188	11.43424	1.40E-02	1.6E-01	6.05E-04	9.70E-05	3.82E+00	4.71E-02	1.75E-05	1.0E+06	1.7E+01
1189	9.89315	1.40E-02	1.4E-01	6.05E-04	8.39E-05	3.82E+00	4.71E-02	1.51E-05	1.0E+06	1.5E+01
1190	9.51915	1.40E-02	1.3E-01	6.05E-04	8.07E-05	3.82E+00	4.71E-02	1.45E-05	1.0E+06	1.5E+01
1191	9.23324	1.40E-02	1.3E-01	6.05E-04	7.83E-05	3.82E+00	4.71E-02	1.41E-05	1.0E+06	1.4E+01
1192	10.40791	1.40E-02	1.5E-01	6.05E-04	8.83E-05	3.82E+00	4.71E-02	1.59E-05	1.0E+06	1.6E+01
1193	8.54948	1.40E-02	1.2E-01	6.05E-04	7.25E-05	3.82E+00	4.71E-02	1.31E-05	1.0E+06	1.3E+01
1194	7.84778	1.40E-02	1.1E-01	6.05E-04	6.66E-05	3.82E+00	4.71E-02	1.20E-05	1.0E+06	1.2E+01
1195	7.22768	1.40E-02	1.0E-01	6.05E-04	6.13E-05	3.82E+00	4.71E-02	1.10E-05	1.0E+06	1.1E+01
1196	8.06163	1.40E-02	1.1E-01	6.05E-04	6.84E-05	3.82E+00	4.71E-02	1.23E-05	1.0E+06	1.2E+01
1197	7.18865	1.40E-02	1.0E-01	6.05E-04	6.10E-05	3.82E+00	4.71E-02	1.10E-05	1.0E+06	1.1E+01
1198	6.42918	1.40E-02	9.0E-02	6.05E-04	5.45E-05	3.82E+00	4.71E-02	9.82E-06	1.0E+06	9.8E+00
1199	5.75126	1.40E-02	8.1E-02	6.05E-04	4.88E-05	3.82E+00	4.71E-02	8.79E-06	1.0E+06	8.8E+00
1200	6.55755	1.40E-02	9.2E-02	6.05E-04	5.56E-05	3.82E+00	4.71E-02	1.00E-05	1.0E+06	1.0E+01
1201	5.64061	1.40E-02	7.9E-02	6.05E-04	4.78E-05	3.82E+00	4.71E-02	8.62E-06	1.0E+06	8.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	4.89267	1.40E-02	6.9E-02	6.05E-04	4.15E-05	3.82E+00	4.71E-02	7.48E-06	1.0E+06	7.5E+00
1203	4.28273	1.40E-02	6.0E-02	6.05E-04	3.63E-05	3.82E+00	4.71E-02	6.54E-06	1.0E+06	6.5E+00
1204	3.77767	1.40E-02	5.3E-02	6.05E-04	3.20E-05	3.82E+00	4.71E-02	5.77E-06	1.0E+06	5.8E+00
1205	3.35722	1.40E-02	4.7E-02	6.05E-04	2.85E-05	3.82E+00	4.71E-02	5.13E-06	1.0E+06	5.1E+00
1206	3.00341	1.40E-02	4.2E-02	6.05E-04	2.55E-05	3.82E+00	4.71E-02	4.59E-06	1.0E+06	4.6E+00
1207	2.70273	1.40E-02	3.8E-02	6.05E-04	2.29E-05	3.82E+00	4.71E-02	4.13E-06	1.0E+06	4.1E+00
1208	2.44544	1.40E-02	3.4E-02	6.05E-04	2.07E-05	3.82E+00	4.71E-02	3.74E-06	1.0E+06	3.7E+00
1209	2.22575	1.40E-02	3.1E-02	6.05E-04	1.89E-05	3.82E+00	4.71E-02	3.40E-06	1.0E+06	3.4E+00
1210	2.03585	1.40E-02	2.9E-02	6.05E-04	1.73E-05	3.82E+00	4.71E-02	3.11E-06	1.0E+06	3.1E+00
1211	1.86986	1.40E-02	2.6E-02	6.05E-04	1.59E-05	3.82E+00	4.71E-02	2.86E-06	1.0E+06	2.9E+00
1212	1.72393	1.40E-02	2.4E-02	6.05E-04	1.46E-05	3.82E+00	4.71E-02	2.63E-06	1.0E+06	2.6E+00
1213	1.59495	1.40E-02	2.2E-02	6.05E-04	1.35E-05	3.82E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	1.94391	1.12868E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.39E-09	1.0E+06	2.4E-03
893	893	1.93485	1.12868E-05	2.2E-05	6.05E-04	1.32E-08	3.82E+00	4.71E-02	2.38E-09	1.0E+06	2.4E-03
894	894	1.92361	1.12868E-05	2.2E-05	6.05E-04	1.31E-08	3.82E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
895	895	1.9101	1.12868E-05	2.2E-05	6.05E-04	1.30E-08	3.82E+00	4.71E-02	2.35E-09	1.0E+06	2.4E-03
896	896	1.89469	1.12868E-05	2.1E-05	6.05E-04	1.29E-08	3.82E+00	4.71E-02	2.33E-09	1.0E+06	2.3E-03
897	897	1.87743	1.12868E-05	2.1E-05	6.05E-04	1.28E-08	3.82E+00	4.71E-02	2.31E-09	1.0E+06	2.3E-03
898	898	1.85813	1.12868E-05	2.1E-05	6.05E-04	1.27E-08	3.82E+00	4.71E-02	2.29E-09	1.0E+06	2.3E-03
899	899	1.83738	1.12868E-05	2.1E-05	6.05E-04	1.25E-08	3.82E+00	4.71E-02	2.26E-09	1.0E+06	2.3E-03
900	900	1.81534	1.12868E-05	2.0E-05	6.05E-04	1.24E-08	3.82E+00	4.71E-02	2.23E-09	1.0E+06	2.2E-03
901	901	1.79134	1.12868E-05	2.0E-05	6.05E-04	1.22E-08	3.82E+00	4.71E-02	2.20E-09	1.0E+06	2.2E-03
902	902	1.7639	1.12868E-05	2.0E-05	6.05E-04	1.20E-08	3.82E+00	4.71E-02	2.17E-09	1.0E+06	2.2E-03
903	903	1.73359	1.12868E-05	2.0E-05	6.05E-04	1.18E-08	3.82E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
904	904	1.70126	1.12868E-05	1.9E-05	6.05E-04	1.16E-08	3.82E+00	4.71E-02	2.09E-09	1.0E+06	2.1E-03
905	905	1.66723	1.12868E-05	1.9E-05	6.05E-04	1.14E-08	3.82E+00	4.71E-02	2.05E-09	1.0E+06	2.1E-03
906	906	1.63146	1.12868E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	2.01E-09	1.0E+06	2.0E-03
907	907	1.59675	1.12868E-05	1.8E-05	6.05E-04	1.09E-08	3.82E+00	4.71E-02	1.96E-09	1.0E+06	2.0E-03
908	908	1.92811	1.12868E-05	2.2E-05	6.05E-04	1.32E-08	3.82E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
909	909	1.95185	1.12868E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
910	910	1.97355	1.12868E-05	2.2E-05	6.05E-04	1.35E-08	3.82E+00	4.71E-02	2.43E-09	1.0E+06	2.4E-03
911	911	1.99443	1.12868E-05	2.3E-05	6.05E-04	1.36E-08	3.82E+00	4.71E-02	2.45E-09	1.0E+06	2.5E-03
912	912	2.0135	1.12868E-05	2.3E-05	6.05E-04	1.38E-08	3.82E+00	4.71E-02	2.48E-09	1.0E+06	2.5E-03
913	913	2.0311	1.12868E-05	2.3E-05	6.05E-04	1.39E-08	3.82E+00	4.71E-02	2.50E-09	1.0E+06	2.5E-03
914	914	2.0468	1.12868E-05	2.3E-05	6.05E-04	1.40E-08	3.82E+00	4.71E-02	2.52E-09	1.0E+06	2.5E-03
915	915	2.06108	1.12868E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
916	916	2.07346	1.12868E-05	2.3E-05	6.05E-04	1.42E-08	3.82E+00	4.71E-02	2.55E-09	1.0E+06	2.6E-03
917	917	2.08439	1.12868E-05	2.4E-05	6.05E-04	1.42E-08	3.82E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
918	918	2.09334	1.12868E-05	2.4E-05	6.05E-04	1.43E-08	3.82E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03
919	919	2.10088	1.12868E-05	2.4E-05	6.05E-04	1.43E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
920	920	2.10641	1.12868E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
921	921	2.10987	1.12868E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.60E-09	1.0E+06	2.6E-03
922	922	2.11136	1.12868E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.60E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	2.11097	1.12868E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.60E-09	1.0E+06	2.6E-03
924	924	2.10864	1.12868E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
925	925	2.1046	1.12868E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
926	926	2.09849	1.12868E-05	2.4E-05	6.05E-04	1.43E-08	3.82E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03
927	927	2.09046	1.12868E-05	2.4E-05	6.05E-04	1.43E-08	3.82E+00	4.71E-02	2.57E-09	1.0E+06	2.6E-03
928	928	2.08019	1.12868E-05	2.3E-05	6.05E-04	1.42E-08	3.82E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
929	929	2.06772	1.12868E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
930	930	2.05271	1.12868E-05	2.3E-05	6.05E-04	1.40E-08	3.82E+00	4.71E-02	2.53E-09	1.0E+06	2.5E-03
931	931	2.03572	1.12868E-05	2.3E-05	6.05E-04	1.39E-08	3.82E+00	4.71E-02	2.50E-09	1.0E+06	2.5E-03
932	932	2.01671	1.12868E-05	2.3E-05	6.05E-04	1.38E-08	3.82E+00	4.71E-02	2.48E-09	1.0E+06	2.5E-03
933	933	1.99564	1.12868E-05	2.3E-05	6.05E-04	1.36E-08	3.82E+00	4.71E-02	2.46E-09	1.0E+06	2.5E-03
934	934	1.97243	1.12868E-05	2.2E-05	6.05E-04	1.35E-08	3.82E+00	4.71E-02	2.43E-09	1.0E+06	2.4E-03
935	935	1.94721	1.12868E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
936	936	1.91976	1.12868E-05	2.2E-05	6.05E-04	1.31E-08	3.82E+00	4.71E-02	2.36E-09	1.0E+06	2.4E-03
937	937	1.88906	1.12868E-05	2.1E-05	6.05E-04	1.29E-08	3.82E+00	4.71E-02	2.32E-09	1.0E+06	2.3E-03
938	938	1.85544	1.12868E-05	2.1E-05	6.05E-04	1.27E-08	3.82E+00	4.71E-02	2.28E-09	1.0E+06	2.3E-03
939	939	1.81948	1.12868E-05	2.1E-05	6.05E-04	1.24E-08	3.82E+00	4.71E-02	2.24E-09	1.0E+06	2.2E-03
940	940	1.7817	1.12868E-05	2.0E-05	6.05E-04	1.22E-08	3.82E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03
941	941	1.74206	1.12868E-05	2.0E-05	6.05E-04	1.19E-08	3.82E+00	4.71E-02	2.14E-09	1.0E+06	2.1E-03
942	942	2.08403	1.12868E-05	2.4E-05	6.05E-04	1.42E-08	3.82E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
943	943	2.10965	1.12868E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.60E-09	1.0E+06	2.6E-03
944	944	2.13348	1.12868E-05	2.4E-05	6.05E-04	1.46E-08	3.82E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
945	945	2.15573	1.12868E-05	2.4E-05	6.05E-04	1.47E-08	3.82E+00	4.71E-02	2.65E-09	1.0E+06	2.7E-03
946	946	2.17642	1.12868E-05	2.5E-05	6.05E-04	1.49E-08	3.82E+00	4.71E-02	2.68E-09	1.0E+06	2.7E-03
947	947	2.19514	1.12868E-05	2.5E-05	6.05E-04	1.50E-08	3.82E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
948	948	2.2116	1.12868E-05	2.5E-05	6.05E-04	1.51E-08	3.82E+00	4.71E-02	2.72E-09	1.0E+06	2.7E-03
949	949	2.22645	1.12868E-05	2.5E-05	6.05E-04	1.52E-08	3.82E+00	4.71E-02	2.74E-09	1.0E+06	2.7E-03
950	950	2.2395	1.12868E-05	2.5E-05	6.05E-04	1.53E-08	3.82E+00	4.71E-02	2.76E-09	1.0E+06	2.8E-03
951	951	2.25132	1.12868E-05	2.5E-05	6.05E-04	1.54E-08	3.82E+00	4.71E-02	2.77E-09	1.0E+06	2.8E-03
952	952	2.26115	1.12868E-05	2.6E-05	6.05E-04	1.54E-08	3.82E+00	4.71E-02	2.78E-09	1.0E+06	2.8E-03
953	953	2.26915	1.12868E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	2.27514	1.12868E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.80E-09	1.0E+06	2.8E-03
955	955	2.27891	1.12868E-05	2.6E-05	6.05E-04	1.56E-08	3.82E+00	4.71E-02	2.80E-09	1.0E+06	2.8E-03
956	956	2.27967	1.12868E-05	2.6E-05	6.05E-04	1.56E-08	3.82E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03
957	957	2.27849	1.12868E-05	2.6E-05	6.05E-04	1.56E-08	3.82E+00	4.71E-02	2.80E-09	1.0E+06	2.8E-03
958	958	2.27558	1.12868E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.80E-09	1.0E+06	2.8E-03
959	959	2.2711	1.12868E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
960	960	2.26431	1.12868E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
961	961	2.25521	1.12868E-05	2.5E-05	6.05E-04	1.54E-08	3.82E+00	4.71E-02	2.77E-09	1.0E+06	2.8E-03
962	962	2.2437	1.12868E-05	2.5E-05	6.05E-04	1.53E-08	3.82E+00	4.71E-02	2.76E-09	1.0E+06	2.8E-03
963	963	2.22969	1.12868E-05	2.5E-05	6.05E-04	1.52E-08	3.82E+00	4.71E-02	2.74E-09	1.0E+06	2.7E-03
964	964	2.2131	1.12868E-05	2.5E-05	6.05E-04	1.51E-08	3.82E+00	4.71E-02	2.72E-09	1.0E+06	2.7E-03
965	965	2.1941	1.12868E-05	2.5E-05	6.05E-04	1.50E-08	3.82E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
966	966	2.17303	1.12868E-05	2.5E-05	6.05E-04	1.48E-08	3.82E+00	4.71E-02	2.67E-09	1.0E+06	2.7E-03
967	967	2.14964	1.12868E-05	2.4E-05	6.05E-04	1.47E-08	3.82E+00	4.71E-02	2.65E-09	1.0E+06	2.6E-03
968	968	2.12353	1.12868E-05	2.4E-05	6.05E-04	1.45E-08	3.82E+00	4.71E-02	2.61E-09	1.0E+06	2.6E-03
969	969	2.09467	1.12868E-05	2.4E-05	6.05E-04	1.43E-08	3.82E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03
970	970	2.06306	1.12868E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
971	971	2.02905	1.12868E-05	2.3E-05	6.05E-04	1.39E-08	3.82E+00	4.71E-02	2.50E-09	1.0E+06	2.5E-03
972	972	1.99229	1.12868E-05	2.2E-05	6.05E-04	1.36E-08	3.82E+00	4.71E-02	2.45E-09	1.0E+06	2.5E-03
973	973	1.95301	1.12868E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
974	974	1.91133	1.12868E-05	2.2E-05	6.05E-04	1.31E-08	3.82E+00	4.71E-02	2.35E-09	1.0E+06	2.4E-03
975	975	1.86759	1.12868E-05	2.1E-05	6.05E-04	1.28E-08	3.82E+00	4.71E-02	2.30E-09	1.0E+06	2.3E-03
976	976	2.2598	1.12868E-05	2.6E-05	6.05E-04	1.54E-08	3.82E+00	4.71E-02	2.78E-09	1.0E+06	2.8E-03
977	977	2.28748	1.12868E-05	2.6E-05	6.05E-04	1.56E-08	3.82E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03
978	978	2.31343	1.12868E-05	2.6E-05	6.05E-04	1.58E-08	3.82E+00	4.71E-02	2.85E-09	1.0E+06	2.8E-03
979	979	2.33729	1.12868E-05	2.6E-05	6.05E-04	1.60E-08	3.82E+00	4.71E-02	2.88E-09	1.0E+06	2.9E-03
980	980	2.35962	1.12868E-05	2.7E-05	6.05E-04	1.61E-08	3.82E+00	4.71E-02	2.90E-09	1.0E+06	2.9E-03
981	981	2.37956	1.12868E-05	2.7E-05	6.05E-04	1.63E-08	3.82E+00	4.71E-02	2.93E-09	1.0E+06	2.9E-03
982	982	2.39666	1.12868E-05	2.7E-05	6.05E-04	1.64E-08	3.82E+00	4.71E-02	2.95E-09	1.0E+06	2.9E-03
983	983	2.4122	1.12868E-05	2.7E-05	6.05E-04	1.65E-08	3.82E+00	4.71E-02	2.97E-09	1.0E+06	3.0E-03
984	984	2.42604	1.12868E-05	2.7E-05	6.05E-04	1.66E-08	3.82E+00	4.71E-02	2.99E-09	1.0E+06	3.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	2.43886	1.12868E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.00E-09	1.0E+06	3.0E-03
986	986	2.44982	1.12868E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
987	987	2.45828	1.12868E-05	2.8E-05	6.05E-04	1.68E-08	3.82E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
988	988	2.46491	1.12868E-05	2.8E-05	6.05E-04	1.68E-08	3.82E+00	4.71E-02	3.03E-09	1.0E+06	3.0E-03
989	989	2.46899	1.12868E-05	2.8E-05	6.05E-04	1.69E-08	3.82E+00	4.71E-02	3.04E-09	1.0E+06	3.0E-03
990	990	2.46899	1.12868E-05	2.8E-05	6.05E-04	1.69E-08	3.82E+00	4.71E-02	3.04E-09	1.0E+06	3.0E-03
991	991	2.46692	1.12868E-05	2.8E-05	6.05E-04	1.68E-08	3.82E+00	4.71E-02	3.04E-09	1.0E+06	3.0E-03
992	992	2.4634	1.12868E-05	2.8E-05	6.05E-04	1.68E-08	3.82E+00	4.71E-02	3.03E-09	1.0E+06	3.0E-03
993	993	2.4584	1.12868E-05	2.8E-05	6.05E-04	1.68E-08	3.82E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
994	994	2.45106	1.12868E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
995	995	2.44072	1.12868E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.00E-09	1.0E+06	3.0E-03
996	996	2.42786	1.12868E-05	2.7E-05	6.05E-04	1.66E-08	3.82E+00	4.71E-02	2.99E-09	1.0E+06	3.0E-03
997	997	2.41225	1.12868E-05	2.7E-05	6.05E-04	1.65E-08	3.82E+00	4.71E-02	2.97E-09	1.0E+06	3.0E-03
998	998	2.39379	1.12868E-05	2.7E-05	6.05E-04	1.63E-08	3.82E+00	4.71E-02	2.95E-09	1.0E+06	2.9E-03
999	999	2.3726	1.12868E-05	2.7E-05	6.05E-04	1.62E-08	3.82E+00	4.71E-02	2.92E-09	1.0E+06	2.9E-03
1000	1000	2.34929	1.12868E-05	2.7E-05	6.05E-04	1.60E-08	3.82E+00	4.71E-02	2.89E-09	1.0E+06	2.9E-03
1001	1001	2.3231	1.12868E-05	2.6E-05	6.05E-04	1.59E-08	3.82E+00	4.71E-02	2.86E-09	1.0E+06	2.9E-03
1002	1002	2.29393	1.12868E-05	2.6E-05	6.05E-04	1.57E-08	3.82E+00	4.71E-02	2.82E-09	1.0E+06	2.8E-03
1003	1003	2.26079	1.12868E-05	2.6E-05	6.05E-04	1.54E-08	3.82E+00	4.71E-02	2.78E-09	1.0E+06	2.8E-03
1004	1004	2.22454	1.12868E-05	2.5E-05	6.05E-04	1.52E-08	3.82E+00	4.71E-02	2.74E-09	1.0E+06	2.7E-03
1005	1005	2.18662	1.12868E-05	2.5E-05	6.05E-04	1.49E-08	3.82E+00	4.71E-02	2.69E-09	1.0E+06	2.7E-03
1006	1006	2.14633	1.12868E-05	2.4E-05	6.05E-04	1.47E-08	3.82E+00	4.71E-02	2.64E-09	1.0E+06	2.6E-03
1007	1007	2.10315	1.12868E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
1008	1008	2.05688	1.12868E-05	2.3E-05	6.05E-04	1.40E-08	3.82E+00	4.71E-02	2.53E-09	1.0E+06	2.5E-03
1009	1009	2.00817	1.12868E-05	2.3E-05	6.05E-04	1.37E-08	3.82E+00	4.71E-02	2.47E-09	1.0E+06	2.5E-03
1010	1010	2.45885	1.12868E-05	2.8E-05	6.05E-04	1.68E-08	3.82E+00	4.71E-02	3.03E-09	1.0E+06	3.0E-03
1011	1011	2.48894	1.12868E-05	2.8E-05	6.05E-04	1.70E-08	3.82E+00	4.71E-02	3.06E-09	1.0E+06	3.1E-03
1012	1012	2.51719	1.12868E-05	2.8E-05	6.05E-04	1.72E-08	3.82E+00	4.71E-02	3.10E-09	1.0E+06	3.1E-03
1013	1013	2.54267	1.12868E-05	2.9E-05	6.05E-04	1.74E-08	3.82E+00	4.71E-02	3.13E-09	1.0E+06	3.1E-03
1014	1014	2.56701	1.12868E-05	2.9E-05	6.05E-04	1.75E-08	3.82E+00	4.71E-02	3.16E-09	1.0E+06	3.2E-03
1015	1015	2.58819	1.12868E-05	2.9E-05	6.05E-04	1.77E-08	3.82E+00	4.71E-02	3.18E-09	1.0E+06	3.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	2.60591	1.12868E-05	2.9E-05	6.05E-04	1.78E-08	3.82E+00	4.71E-02	3.21E-09	1.0E+06	3.2E-03
1017	1017	2.62221	1.12868E-05	3.0E-05	6.05E-04	1.79E-08	3.82E+00	4.71E-02	3.23E-09	1.0E+06	3.2E-03
1018	1018	2.63693	1.12868E-05	3.0E-05	6.05E-04	1.80E-08	3.82E+00	4.71E-02	3.24E-09	1.0E+06	3.2E-03
1019	1019	2.65085	1.12868E-05	3.0E-05	6.05E-04	1.81E-08	3.82E+00	4.71E-02	3.26E-09	1.0E+06	3.3E-03
1020	1020	2.66284	1.12868E-05	3.0E-05	6.05E-04	1.82E-08	3.82E+00	4.71E-02	3.28E-09	1.0E+06	3.3E-03
1021	1021	2.67243	1.12868E-05	3.0E-05	6.05E-04	1.83E-08	3.82E+00	4.71E-02	3.29E-09	1.0E+06	3.3E-03
1022	1022	2.67915	1.12868E-05	3.0E-05	6.05E-04	1.83E-08	3.82E+00	4.71E-02	3.30E-09	1.0E+06	3.3E-03
1023	1023	2.68346	1.12868E-05	3.0E-05	6.05E-04	1.83E-08	3.82E+00	4.71E-02	3.30E-09	1.0E+06	3.3E-03
1024	1024	2.68286	1.12868E-05	3.0E-05	6.05E-04	1.83E-08	3.82E+00	4.71E-02	3.30E-09	1.0E+06	3.3E-03
1025	1025	2.68004	1.12868E-05	3.0E-05	6.05E-04	1.83E-08	3.82E+00	4.71E-02	3.30E-09	1.0E+06	3.3E-03
1026	1026	2.67588	1.12868E-05	3.0E-05	6.05E-04	1.83E-08	3.82E+00	4.71E-02	3.29E-09	1.0E+06	3.3E-03
1027	1027	2.67031	1.12868E-05	3.0E-05	6.05E-04	1.82E-08	3.82E+00	4.71E-02	3.29E-09	1.0E+06	3.3E-03
1028	1028	2.66219	1.12868E-05	3.0E-05	6.05E-04	1.82E-08	3.82E+00	4.71E-02	3.28E-09	1.0E+06	3.3E-03
1029	1029	2.6507	1.12868E-05	3.0E-05	6.05E-04	1.81E-08	3.82E+00	4.71E-02	3.26E-09	1.0E+06	3.3E-03
1030	1030	2.63648	1.12868E-05	3.0E-05	6.05E-04	1.80E-08	3.82E+00	4.71E-02	3.24E-09	1.0E+06	3.2E-03
1031	1031	2.61906	1.12868E-05	3.0E-05	6.05E-04	1.79E-08	3.82E+00	4.71E-02	3.22E-09	1.0E+06	3.2E-03
1032	1032	2.59864	1.12868E-05	2.9E-05	6.05E-04	1.77E-08	3.82E+00	4.71E-02	3.20E-09	1.0E+06	3.2E-03
1033	1033	2.57511	1.12868E-05	2.9E-05	6.05E-04	1.76E-08	3.82E+00	4.71E-02	3.17E-09	1.0E+06	3.2E-03
1034	1034	2.54913	1.12868E-05	2.9E-05	6.05E-04	1.74E-08	3.82E+00	4.71E-02	3.14E-09	1.0E+06	3.1E-03
1035	1035	2.51981	1.12868E-05	2.8E-05	6.05E-04	1.72E-08	3.82E+00	4.71E-02	3.10E-09	1.0E+06	3.1E-03
1036	1036	2.48692	1.12868E-05	2.8E-05	6.05E-04	1.70E-08	3.82E+00	4.71E-02	3.06E-09	1.0E+06	3.1E-03
1037	1037	2.44934	1.12868E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
1038	1038	2.4079	1.12868E-05	2.7E-05	6.05E-04	1.64E-08	3.82E+00	4.71E-02	2.96E-09	1.0E+06	3.0E-03
1039	1039	2.36525	1.12868E-05	2.7E-05	6.05E-04	1.62E-08	3.82E+00	4.71E-02	2.91E-09	1.0E+06	2.9E-03
1040	1040	2.3202	1.12868E-05	2.6E-05	6.05E-04	1.58E-08	3.82E+00	4.71E-02	2.85E-09	1.0E+06	2.9E-03
1041	1041	2.27157	1.12868E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.80E-09	1.0E+06	2.8E-03
1042	1042	2.21952	1.12868E-05	2.5E-05	6.05E-04	1.52E-08	3.82E+00	4.71E-02	2.73E-09	1.0E+06	2.7E-03
1043	1043	2.1644	1.12868E-05	2.4E-05	6.05E-04	1.48E-08	3.82E+00	4.71E-02	2.66E-09	1.0E+06	2.7E-03
1044	1044	2.68604	1.12868E-05	3.0E-05	6.05E-04	1.83E-08	3.82E+00	4.71E-02	3.31E-09	1.0E+06	3.3E-03
1045	1045	2.71864	1.12868E-05	3.1E-05	6.05E-04	1.86E-08	3.82E+00	4.71E-02	3.35E-09	1.0E+06	3.3E-03
1046	1046	2.74941	1.12868E-05	3.1E-05	6.05E-04	1.88E-08	3.82E+00	4.71E-02	3.38E-09	1.0E+06	3.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	2.77693	1.12868E-05	3.1E-05	6.05E-04	1.90E-08	3.82E+00	4.71E-02	3.42E-09	1.0E+06	3.4E-03
1048	1048	2.80334	1.12868E-05	3.2E-05	6.05E-04	1.91E-08	3.82E+00	4.71E-02	3.45E-09	1.0E+06	3.4E-03
1049	1049	2.82618	1.12868E-05	3.2E-05	6.05E-04	1.93E-08	3.82E+00	4.71E-02	3.48E-09	1.0E+06	3.5E-03
1050	1050	2.84564	1.12868E-05	3.2E-05	6.05E-04	1.94E-08	3.82E+00	4.71E-02	3.50E-09	1.0E+06	3.5E-03
1051	1051	2.86178	1.12868E-05	3.2E-05	6.05E-04	1.95E-08	3.82E+00	4.71E-02	3.52E-09	1.0E+06	3.5E-03
1052	1052	2.87735	1.12868E-05	3.2E-05	6.05E-04	1.97E-08	3.82E+00	4.71E-02	3.54E-09	1.0E+06	3.5E-03
1053	1053	2.89188	1.12868E-05	3.3E-05	6.05E-04	1.97E-08	3.82E+00	4.71E-02	3.56E-09	1.0E+06	3.6E-03
1054	1054	2.90475	1.12868E-05	3.3E-05	6.05E-04	1.98E-08	3.82E+00	4.71E-02	3.57E-09	1.0E+06	3.6E-03
1055	1055	2.9149	1.12868E-05	3.3E-05	6.05E-04	1.99E-08	3.82E+00	4.71E-02	3.59E-09	1.0E+06	3.6E-03
1056	1056	2.92173	1.12868E-05	3.3E-05	6.05E-04	2.00E-08	3.82E+00	4.71E-02	3.60E-09	1.0E+06	3.6E-03
1057	1057	2.92622	1.12868E-05	3.3E-05	6.05E-04	2.00E-08	3.82E+00	4.71E-02	3.60E-09	1.0E+06	3.6E-03
1058	1058	2.92556	1.12868E-05	3.3E-05	6.05E-04	2.00E-08	3.82E+00	4.71E-02	3.60E-09	1.0E+06	3.6E-03
1059	1059	2.92249	1.12868E-05	3.3E-05	6.05E-04	2.00E-08	3.82E+00	4.71E-02	3.60E-09	1.0E+06	3.6E-03
1060	1060	2.9177	1.12868E-05	3.3E-05	6.05E-04	1.99E-08	3.82E+00	4.71E-02	3.59E-09	1.0E+06	3.6E-03
1061	1061	2.91144	1.12868E-05	3.3E-05	6.05E-04	1.99E-08	3.82E+00	4.71E-02	3.58E-09	1.0E+06	3.6E-03
1062	1062	2.90232	1.12868E-05	3.3E-05	6.05E-04	1.98E-08	3.82E+00	4.71E-02	3.57E-09	1.0E+06	3.6E-03
1063	1063	2.8898	1.12868E-05	3.3E-05	6.05E-04	1.97E-08	3.82E+00	4.71E-02	3.56E-09	1.0E+06	3.6E-03
1064	1064	2.87421	1.12868E-05	3.2E-05	6.05E-04	1.96E-08	3.82E+00	4.71E-02	3.54E-09	1.0E+06	3.5E-03
1065	1065	2.85513	1.12868E-05	3.2E-05	6.05E-04	1.95E-08	3.82E+00	4.71E-02	3.51E-09	1.0E+06	3.5E-03
1066	1066	2.8326	1.12868E-05	3.2E-05	6.05E-04	1.93E-08	3.82E+00	4.71E-02	3.49E-09	1.0E+06	3.5E-03
1067	1067	2.80643	1.12868E-05	3.2E-05	6.05E-04	1.92E-08	3.82E+00	4.71E-02	3.45E-09	1.0E+06	3.5E-03
1068	1068	2.77727	1.12868E-05	3.1E-05	6.05E-04	1.90E-08	3.82E+00	4.71E-02	3.42E-09	1.0E+06	3.4E-03
1069	1069	2.74427	1.12868E-05	3.1E-05	6.05E-04	1.87E-08	3.82E+00	4.71E-02	3.38E-09	1.0E+06	3.4E-03
1070	1070	2.70724	1.12868E-05	3.1E-05	6.05E-04	1.85E-08	3.82E+00	4.71E-02	3.33E-09	1.0E+06	3.3E-03
1071	1071	2.66469	1.12868E-05	3.0E-05	6.05E-04	1.82E-08	3.82E+00	4.71E-02	3.28E-09	1.0E+06	3.3E-03
1072	1072	2.61773	1.12868E-05	3.0E-05	6.05E-04	1.79E-08	3.82E+00	4.71E-02	3.22E-09	1.0E+06	3.2E-03
1073	1073	2.56922	1.12868E-05	2.9E-05	6.05E-04	1.75E-08	3.82E+00	4.71E-02	3.16E-09	1.0E+06	3.2E-03
1074	1074	2.51772	1.12868E-05	2.8E-05	6.05E-04	1.72E-08	3.82E+00	4.71E-02	3.10E-09	1.0E+06	3.1E-03
1075	1075	2.46216	1.12868E-05	2.8E-05	6.05E-04	1.68E-08	3.82E+00	4.71E-02	3.03E-09	1.0E+06	3.0E-03
1076	1076	2.40263	1.12868E-05	2.7E-05	6.05E-04	1.64E-08	3.82E+00	4.71E-02	2.96E-09	1.0E+06	3.0E-03
1077	1077	2.3393	1.12868E-05	2.6E-05	6.05E-04	1.60E-08	3.82E+00	4.71E-02	2.88E-09	1.0E+06	2.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	2.94671	1.12868E-05	3.3E-05	6.05E-04	2.01E-08	3.82E+00	4.71E-02	3.63E-09	1.0E+06	3.6E-03
1079	1079	2.98332	1.12868E-05	3.4E-05	6.05E-04	2.04E-08	3.82E+00	4.71E-02	3.67E-09	1.0E+06	3.7E-03
1080	1080	3.0156	1.12868E-05	3.4E-05	6.05E-04	2.06E-08	3.82E+00	4.71E-02	3.71E-09	1.0E+06	3.7E-03
1081	1081	3.04644	1.12868E-05	3.4E-05	6.05E-04	2.08E-08	3.82E+00	4.71E-02	3.75E-09	1.0E+06	3.7E-03
1082	1082	3.07409	1.12868E-05	3.5E-05	6.05E-04	2.10E-08	3.82E+00	4.71E-02	3.78E-09	1.0E+06	3.8E-03
1083	1083	3.09989	1.12868E-05	3.5E-05	6.05E-04	2.12E-08	3.82E+00	4.71E-02	3.81E-09	1.0E+06	3.8E-03
1084	1084	3.11939	1.12868E-05	3.5E-05	6.05E-04	2.13E-08	3.82E+00	4.71E-02	3.84E-09	1.0E+06	3.8E-03
1085	1085	3.13587	1.12868E-05	3.5E-05	6.05E-04	2.14E-08	3.82E+00	4.71E-02	3.86E-09	1.0E+06	3.9E-03
1086	1086	3.15218	1.12868E-05	3.6E-05	6.05E-04	2.15E-08	3.82E+00	4.71E-02	3.88E-09	1.0E+06	3.9E-03
1087	1087	3.1676	1.12868E-05	3.6E-05	6.05E-04	2.16E-08	3.82E+00	4.71E-02	3.90E-09	1.0E+06	3.9E-03
1088	1088	3.18151	1.12868E-05	3.6E-05	6.05E-04	2.17E-08	3.82E+00	4.71E-02	3.91E-09	1.0E+06	3.9E-03
1089	1089	3.19114	1.12868E-05	3.6E-05	6.05E-04	2.18E-08	3.82E+00	4.71E-02	3.93E-09	1.0E+06	3.9E-03
1090	1090	3.1993	1.12868E-05	3.6E-05	6.05E-04	2.18E-08	3.82E+00	4.71E-02	3.94E-09	1.0E+06	3.9E-03
1091	1091	3.20423	1.12868E-05	3.6E-05	6.05E-04	2.19E-08	3.82E+00	4.71E-02	3.94E-09	1.0E+06	3.9E-03
1092	1092	3.2035	1.12868E-05	3.6E-05	6.05E-04	2.19E-08	3.82E+00	4.71E-02	3.94E-09	1.0E+06	3.9E-03
1093	1093	3.20025	1.12868E-05	3.6E-05	6.05E-04	2.19E-08	3.82E+00	4.71E-02	3.94E-09	1.0E+06	3.9E-03
1094	1094	3.1951	1.12868E-05	3.6E-05	6.05E-04	2.18E-08	3.82E+00	4.71E-02	3.93E-09	1.0E+06	3.9E-03
1095	1095	3.18809	1.12868E-05	3.6E-05	6.05E-04	2.18E-08	3.82E+00	4.71E-02	3.92E-09	1.0E+06	3.9E-03
1096	1096	3.17787	1.12868E-05	3.6E-05	6.05E-04	2.17E-08	3.82E+00	4.71E-02	3.91E-09	1.0E+06	3.9E-03
1097	1097	3.16437	1.12868E-05	3.6E-05	6.05E-04	2.16E-08	3.82E+00	4.71E-02	3.89E-09	1.0E+06	3.9E-03
1098	1098	3.1475	1.12868E-05	3.6E-05	6.05E-04	2.15E-08	3.82E+00	4.71E-02	3.87E-09	1.0E+06	3.9E-03
1099	1099	3.12661	1.12868E-05	3.5E-05	6.05E-04	2.14E-08	3.82E+00	4.71E-02	3.85E-09	1.0E+06	3.8E-03
1100	1100	3.10182	1.12868E-05	3.5E-05	6.05E-04	2.12E-08	3.82E+00	4.71E-02	3.82E-09	1.0E+06	3.8E-03
1101	1101	3.07298	1.12868E-05	3.5E-05	6.05E-04	2.10E-08	3.82E+00	4.71E-02	3.78E-09	1.0E+06	3.8E-03
1102	1102	3.04018	1.12868E-05	3.4E-05	6.05E-04	2.08E-08	3.82E+00	4.71E-02	3.74E-09	1.0E+06	3.7E-03
1103	1103	3.00309	1.12868E-05	3.4E-05	6.05E-04	2.05E-08	3.82E+00	4.71E-02	3.70E-09	1.0E+06	3.7E-03
1104	1104	2.96126	1.12868E-05	3.3E-05	6.05E-04	2.02E-08	3.82E+00	4.71E-02	3.64E-09	1.0E+06	3.6E-03
1105	1105	2.91319	1.12868E-05	3.3E-05	6.05E-04	1.99E-08	3.82E+00	4.71E-02	3.58E-09	1.0E+06	3.6E-03
1106	1106	2.85986	1.12868E-05	3.2E-05	6.05E-04	1.95E-08	3.82E+00	4.71E-02	3.52E-09	1.0E+06	3.5E-03
1107	1107	2.80451	1.12868E-05	3.2E-05	6.05E-04	1.92E-08	3.82E+00	4.71E-02	3.45E-09	1.0E+06	3.5E-03
1108	1108	2.74559	1.12868E-05	3.1E-05	6.05E-04	1.88E-08	3.82E+00	4.71E-02	3.38E-09	1.0E+06	3.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	2.68182	1.12868E-05	3.0E-05	6.05E-04	1.83E-08	3.82E+00	4.71E-02	3.30E-09	1.0E+06	3.3E-03
1110	1110	2.61319	1.12868E-05	2.9E-05	6.05E-04	1.78E-08	3.82E+00	4.71E-02	3.22E-09	1.0E+06	3.2E-03
1111	1111	2.54014	1.12868E-05	2.9E-05	6.05E-04	1.73E-08	3.82E+00	4.71E-02	3.13E-09	1.0E+06	3.1E-03
1112	1112	3.24754	1.12868E-05	3.7E-05	6.05E-04	2.22E-08	3.82E+00	4.71E-02	4.00E-09	1.0E+06	4.0E-03
1113	1113	3.28788	1.12868E-05	3.7E-05	6.05E-04	2.25E-08	3.82E+00	4.71E-02	4.05E-09	1.0E+06	4.0E-03
1114	1114	3.32277	1.12868E-05	3.8E-05	6.05E-04	2.27E-08	3.82E+00	4.71E-02	4.09E-09	1.0E+06	4.1E-03
1115	1115	3.35638	1.12868E-05	3.8E-05	6.05E-04	2.29E-08	3.82E+00	4.71E-02	4.13E-09	1.0E+06	4.1E-03
1116	1116	3.38618	1.12868E-05	3.8E-05	6.05E-04	2.31E-08	3.82E+00	4.71E-02	4.17E-09	1.0E+06	4.2E-03
1117	1117	3.41444	1.12868E-05	3.9E-05	6.05E-04	2.33E-08	3.82E+00	4.71E-02	4.20E-09	1.0E+06	4.2E-03
1118	1118	3.43503	1.12868E-05	3.9E-05	6.05E-04	2.35E-08	3.82E+00	4.71E-02	4.23E-09	1.0E+06	4.2E-03
1119	1119	3.45199	1.12868E-05	3.9E-05	6.05E-04	2.36E-08	3.82E+00	4.71E-02	4.25E-09	1.0E+06	4.2E-03
1120	1120	3.46929	1.12868E-05	3.9E-05	6.05E-04	2.37E-08	3.82E+00	4.71E-02	4.27E-09	1.0E+06	4.3E-03
1121	1121	3.4858	1.12868E-05	3.9E-05	6.05E-04	2.38E-08	3.82E+00	4.71E-02	4.29E-09	1.0E+06	4.3E-03
1122	1122	3.50075	1.12868E-05	4.0E-05	6.05E-04	2.39E-08	3.82E+00	4.71E-02	4.31E-09	1.0E+06	4.3E-03
1123	1123	3.51086	1.12868E-05	4.0E-05	6.05E-04	2.40E-08	3.82E+00	4.71E-02	4.32E-09	1.0E+06	4.3E-03
1124	1124	3.51979	1.12868E-05	4.0E-05	6.05E-04	2.40E-08	3.82E+00	4.71E-02	4.33E-09	1.0E+06	4.3E-03
1125	1125	3.52523	1.12868E-05	4.0E-05	6.05E-04	2.41E-08	3.82E+00	4.71E-02	4.34E-09	1.0E+06	4.3E-03
1126	1126	3.52457	1.12868E-05	4.0E-05	6.05E-04	2.41E-08	3.82E+00	4.71E-02	4.34E-09	1.0E+06	4.3E-03
1127	1127	3.52146	1.12868E-05	4.0E-05	6.05E-04	2.40E-08	3.82E+00	4.71E-02	4.33E-09	1.0E+06	4.3E-03
1128	1128	3.5158	1.12868E-05	4.0E-05	6.05E-04	2.40E-08	3.82E+00	4.71E-02	4.33E-09	1.0E+06	4.3E-03
1129	1129	3.50835	1.12868E-05	4.0E-05	6.05E-04	2.40E-08	3.82E+00	4.71E-02	4.32E-09	1.0E+06	4.3E-03
1130	1130	3.49709	1.12868E-05	3.9E-05	6.05E-04	2.39E-08	3.82E+00	4.71E-02	4.30E-09	1.0E+06	4.3E-03
1131	1131	3.48259	1.12868E-05	3.9E-05	6.05E-04	2.38E-08	3.82E+00	4.71E-02	4.29E-09	1.0E+06	4.3E-03
1132	1132	3.46428	1.12868E-05	3.9E-05	6.05E-04	2.37E-08	3.82E+00	4.71E-02	4.26E-09	1.0E+06	4.3E-03
1133	1133	3.44143	1.12868E-05	3.9E-05	6.05E-04	2.35E-08	3.82E+00	4.71E-02	4.23E-09	1.0E+06	4.2E-03
1134	1134	3.41426	1.12868E-05	3.9E-05	6.05E-04	2.33E-08	3.82E+00	4.71E-02	4.20E-09	1.0E+06	4.2E-03
1135	1135	3.38236	1.12868E-05	3.8E-05	6.05E-04	2.31E-08	3.82E+00	4.71E-02	4.16E-09	1.0E+06	4.2E-03
1136	1136	3.34561	1.12868E-05	3.8E-05	6.05E-04	2.28E-08	3.82E+00	4.71E-02	4.12E-09	1.0E+06	4.1E-03
1137	1137	3.30392	1.12868E-05	3.7E-05	6.05E-04	2.26E-08	3.82E+00	4.71E-02	4.07E-09	1.0E+06	4.1E-03
1138	1138	3.2568	1.12868E-05	3.7E-05	6.05E-04	2.22E-08	3.82E+00	4.71E-02	4.01E-09	1.0E+06	4.0E-03
1139	1139	3.20251	1.12868E-05	3.6E-05	6.05E-04	2.19E-08	3.82E+00	4.71E-02	3.94E-09	1.0E+06	3.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	3.14206	1.12868E-05	3.5E-05	6.05E-04	2.15E-08	3.82E+00	4.71E-02	3.87E-09	1.0E+06	3.9E-03
1141	1141	3.07873	1.12868E-05	3.5E-05	6.05E-04	2.10E-08	3.82E+00	4.71E-02	3.79E-09	1.0E+06	3.8E-03
1142	1142	3.01066	1.12868E-05	3.4E-05	6.05E-04	2.06E-08	3.82E+00	4.71E-02	3.70E-09	1.0E+06	3.7E-03
1143	1143	2.93675	1.12868E-05	3.3E-05	6.05E-04	2.01E-08	3.82E+00	4.71E-02	3.61E-09	1.0E+06	3.6E-03
1144	1144	2.85703	1.12868E-05	3.2E-05	6.05E-04	1.95E-08	3.82E+00	4.71E-02	3.52E-09	1.0E+06	3.5E-03
1145	1145	2.77181	1.12868E-05	3.1E-05	6.05E-04	1.89E-08	3.82E+00	4.71E-02	3.41E-09	1.0E+06	3.4E-03
1146	1146	3.59782	1.12868E-05	4.1E-05	6.05E-04	2.46E-08	3.82E+00	4.71E-02	4.43E-09	1.0E+06	4.4E-03
1147	1147	3.64227	1.12868E-05	4.1E-05	6.05E-04	2.49E-08	3.82E+00	4.71E-02	4.48E-09	1.0E+06	4.5E-03
1148	1148	3.68047	1.12868E-05	4.2E-05	6.05E-04	2.51E-08	3.82E+00	4.71E-02	4.53E-09	1.0E+06	4.5E-03
1149	1149	3.71742	1.12868E-05	4.2E-05	6.05E-04	2.54E-08	3.82E+00	4.71E-02	4.57E-09	1.0E+06	4.6E-03
1150	1150	3.74918	1.12868E-05	4.2E-05	6.05E-04	2.56E-08	3.82E+00	4.71E-02	4.61E-09	1.0E+06	4.6E-03
1151	1151	3.77981	1.12868E-05	4.3E-05	6.05E-04	2.58E-08	3.82E+00	4.71E-02	4.65E-09	1.0E+06	4.7E-03
1152	1152	3.80264	1.12868E-05	4.3E-05	6.05E-04	2.60E-08	3.82E+00	4.71E-02	4.68E-09	1.0E+06	4.7E-03
1153	1153	3.82151	1.12868E-05	4.3E-05	6.05E-04	2.61E-08	3.82E+00	4.71E-02	4.70E-09	1.0E+06	4.7E-03
1154	1154	3.84083	1.12868E-05	4.3E-05	6.05E-04	2.62E-08	3.82E+00	4.71E-02	4.73E-09	1.0E+06	4.7E-03
1155	1155	3.8597	1.12868E-05	4.4E-05	6.05E-04	2.64E-08	3.82E+00	4.71E-02	4.75E-09	1.0E+06	4.7E-03
1156	1156	3.87335	1.12868E-05	4.4E-05	6.05E-04	2.65E-08	3.82E+00	4.71E-02	4.77E-09	1.0E+06	4.8E-03
1157	1157	3.88382	1.12868E-05	4.4E-05	6.05E-04	2.65E-08	3.82E+00	4.71E-02	4.78E-09	1.0E+06	4.8E-03
1158	1158	3.89324	1.12868E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.79E-09	1.0E+06	4.8E-03
1159	1159	3.89912	1.12868E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.80E-09	1.0E+06	4.8E-03
1160	1160	3.89907	1.12868E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.80E-09	1.0E+06	4.8E-03
1161	1161	3.89656	1.12868E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.79E-09	1.0E+06	4.8E-03
1162	1162	3.89081	1.12868E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.79E-09	1.0E+06	4.8E-03
1163	1163	3.88275	1.12868E-05	4.4E-05	6.05E-04	2.65E-08	3.82E+00	4.71E-02	4.78E-09	1.0E+06	4.8E-03
1164	1164	3.87078	1.12868E-05	4.4E-05	6.05E-04	2.64E-08	3.82E+00	4.71E-02	4.76E-09	1.0E+06	4.8E-03
1165	1165	3.85511	1.12868E-05	4.4E-05	6.05E-04	2.63E-08	3.82E+00	4.71E-02	4.74E-09	1.0E+06	4.7E-03
1166	1166	3.83523	1.12868E-05	4.3E-05	6.05E-04	2.62E-08	3.82E+00	4.71E-02	4.72E-09	1.0E+06	4.7E-03
1167	1167	3.8102	1.12868E-05	4.3E-05	6.05E-04	2.60E-08	3.82E+00	4.71E-02	4.69E-09	1.0E+06	4.7E-03
1168	1168	3.78027	1.12868E-05	4.3E-05	6.05E-04	2.58E-08	3.82E+00	4.71E-02	4.65E-09	1.0E+06	4.7E-03
1169	1169	3.74471	1.12868E-05	4.2E-05	6.05E-04	2.56E-08	3.82E+00	4.71E-02	4.61E-09	1.0E+06	4.6E-03
1170	1170	3.70395	1.12868E-05	4.2E-05	6.05E-04	2.53E-08	3.82E+00	4.71E-02	4.56E-09	1.0E+06	4.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	3.65707	1.12868E-05	4.1E-05	6.05E-04	2.50E-08	3.82E+00	4.71E-02	4.50E-09	1.0E+06	4.5E-03
1172	1172	3.60385	1.12868E-05	4.1E-05	6.05E-04	2.46E-08	3.82E+00	4.71E-02	4.43E-09	1.0E+06	4.4E-03
1173	1173	3.54308	1.12868E-05	4.0E-05	6.05E-04	2.42E-08	3.82E+00	4.71E-02	4.36E-09	1.0E+06	4.4E-03
1174	1174	3.47454	1.12868E-05	3.9E-05	6.05E-04	2.37E-08	3.82E+00	4.71E-02	4.28E-09	1.0E+06	4.3E-03
1175	1175	3.40186	1.12868E-05	3.8E-05	6.05E-04	2.32E-08	3.82E+00	4.71E-02	4.19E-09	1.0E+06	4.2E-03
1176	1176	3.32263	1.12868E-05	3.8E-05	6.05E-04	2.27E-08	3.82E+00	4.71E-02	4.09E-09	1.0E+06	4.1E-03
1177	1177	3.23604	1.12868E-05	3.7E-05	6.05E-04	2.21E-08	3.82E+00	4.71E-02	3.98E-09	1.0E+06	4.0E-03
1178	1178	3.14199	1.12868E-05	3.5E-05	6.05E-04	2.15E-08	3.82E+00	4.71E-02	3.87E-09	1.0E+06	3.9E-03
1179	1179	3.04123	1.12868E-05	3.4E-05	6.05E-04	2.08E-08	3.82E+00	4.71E-02	3.74E-09	1.0E+06	3.7E-03
1180	1180	4.01215	1.12868E-05	4.5E-05	6.05E-04	2.74E-08	3.82E+00	4.71E-02	4.94E-09	1.0E+06	4.9E-03
1181	1181	4.05874	1.12868E-05	4.6E-05	6.05E-04	2.77E-08	3.82E+00	4.71E-02	4.99E-09	1.0E+06	5.0E-03
1182	1182	4.10306	1.12868E-05	4.6E-05	6.05E-04	2.80E-08	3.82E+00	4.71E-02	5.05E-09	1.0E+06	5.0E-03
1183	1183	4.14132	1.12868E-05	4.7E-05	6.05E-04	2.83E-08	3.82E+00	4.71E-02	5.10E-09	1.0E+06	5.1E-03
1184	1184	4.17789	1.12868E-05	4.7E-05	6.05E-04	2.85E-08	3.82E+00	4.71E-02	5.14E-09	1.0E+06	5.1E-03
1185	1185	4.20867	1.12868E-05	4.8E-05	6.05E-04	2.87E-08	3.82E+00	4.71E-02	5.18E-09	1.0E+06	5.2E-03
1186	1186	4.23438	1.12868E-05	4.8E-05	6.05E-04	2.89E-08	3.82E+00	4.71E-02	5.21E-09	1.0E+06	5.2E-03
1187	1187	4.25835	1.12868E-05	4.8E-05	6.05E-04	2.91E-08	3.82E+00	4.71E-02	5.24E-09	1.0E+06	5.2E-03
1188	1188	4.2776	1.12868E-05	4.8E-05	6.05E-04	2.92E-08	3.82E+00	4.71E-02	5.26E-09	1.0E+06	5.3E-03
1189	1189	4.29791	1.12868E-05	4.9E-05	6.05E-04	2.94E-08	3.82E+00	4.71E-02	5.29E-09	1.0E+06	5.3E-03
1190	1190	4.31188	1.12868E-05	4.9E-05	6.05E-04	2.94E-08	3.82E+00	4.71E-02	5.31E-09	1.0E+06	5.3E-03
1191	1191	4.32501	1.12868E-05	4.9E-05	6.05E-04	2.95E-08	3.82E+00	4.71E-02	5.32E-09	1.0E+06	5.3E-03
1192	1192	4.33275	1.12868E-05	4.9E-05	6.05E-04	2.96E-08	3.82E+00	4.71E-02	5.33E-09	1.0E+06	5.3E-03
1193	1193	4.33918	1.12868E-05	4.9E-05	6.05E-04	2.96E-08	3.82E+00	4.71E-02	5.34E-09	1.0E+06	5.3E-03
1194	1194	4.34052	1.12868E-05	4.9E-05	6.05E-04	2.96E-08	3.82E+00	4.71E-02	5.34E-09	1.0E+06	5.3E-03
1195	1195	4.33882	1.12868E-05	4.9E-05	6.05E-04	2.96E-08	3.82E+00	4.71E-02	5.34E-09	1.0E+06	5.3E-03
1196	1196	4.33359	1.12868E-05	4.9E-05	6.05E-04	2.96E-08	3.82E+00	4.71E-02	5.33E-09	1.0E+06	5.3E-03
1197	1197	4.32507	1.12868E-05	4.9E-05	6.05E-04	2.95E-08	3.82E+00	4.71E-02	5.32E-09	1.0E+06	5.3E-03
1198	1198	4.31252	1.12868E-05	4.9E-05	6.05E-04	2.95E-08	3.82E+00	4.71E-02	5.31E-09	1.0E+06	5.3E-03
1199	1199	4.29587	1.12868E-05	4.8E-05	6.05E-04	2.93E-08	3.82E+00	4.71E-02	5.29E-09	1.0E+06	5.3E-03
1200	1200	4.27444	1.12868E-05	4.8E-05	6.05E-04	2.92E-08	3.82E+00	4.71E-02	5.26E-09	1.0E+06	5.3E-03
1201	1201	4.24731	1.12868E-05	4.8E-05	6.05E-04	2.90E-08	3.82E+00	4.71E-02	5.23E-09	1.0E+06	5.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	4.21465	1.12868E-05	4.8E-05	6.05E-04	2.88E-08	3.82E+00	4.71E-02	5.19E-09	1.0E+06	5.2E-03
1203	1203	4.17543	1.12868E-05	4.7E-05	6.05E-04	2.85E-08	3.82E+00	4.71E-02	5.14E-09	1.0E+06	5.1E-03
1204	1204	4.13023	1.12868E-05	4.7E-05	6.05E-04	2.82E-08	3.82E+00	4.71E-02	5.08E-09	1.0E+06	5.1E-03
1205	1205	4.07753	1.12868E-05	4.6E-05	6.05E-04	2.78E-08	3.82E+00	4.71E-02	5.02E-09	1.0E+06	5.0E-03
1206	1206	4.01752	1.12868E-05	4.5E-05	6.05E-04	2.74E-08	3.82E+00	4.71E-02	4.94E-09	1.0E+06	4.9E-03
1207	1207	3.94919	1.12868E-05	4.5E-05	6.05E-04	2.70E-08	3.82E+00	4.71E-02	4.86E-09	1.0E+06	4.9E-03
1208	1208	3.87166	1.12868E-05	4.4E-05	6.05E-04	2.64E-08	3.82E+00	4.71E-02	4.76E-09	1.0E+06	4.8E-03
1209	1209	3.78783	1.12868E-05	4.3E-05	6.05E-04	2.59E-08	3.82E+00	4.71E-02	4.66E-09	1.0E+06	4.7E-03
1210	1210	3.69533	1.12868E-05	4.2E-05	6.05E-04	2.52E-08	3.82E+00	4.71E-02	4.55E-09	1.0E+06	4.5E-03
1211	1211	3.59309	1.12868E-05	4.1E-05	6.05E-04	2.45E-08	3.82E+00	4.71E-02	4.42E-09	1.0E+06	4.4E-03
1212	1212	3.48149	1.12868E-05	3.9E-05	6.05E-04	2.38E-08	3.82E+00	4.71E-02	4.28E-09	1.0E+06	4.3E-03
1213	1213	3.36095	1.12868E-05	3.8E-05	6.05E-04	2.30E-08	3.82E+00	4.71E-02	4.14E-09	1.0E+06	4.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.4947	1.52945E-05	7.6E-06	6.05E-04	4.58E-09	3.82E+00	4.71E-02	8.25E-10	1.0E+06	8.2E-04
893	893	0.50618	1.52945E-05	7.7E-06	6.05E-04	4.68E-09	3.82E+00	4.71E-02	8.44E-10	1.0E+06	8.4E-04
894	894	0.51711	1.52945E-05	7.9E-06	6.05E-04	4.79E-09	3.82E+00	4.71E-02	8.62E-10	1.0E+06	8.6E-04
895	895	0.52827	1.52945E-05	8.1E-06	6.05E-04	4.89E-09	3.82E+00	4.71E-02	8.81E-10	1.0E+06	8.8E-04
896	896	0.53953	1.52945E-05	8.3E-06	6.05E-04	4.99E-09	3.82E+00	4.71E-02	9.00E-10	1.0E+06	9.0E-04
897	897	0.55079	1.52945E-05	8.4E-06	6.05E-04	5.10E-09	3.82E+00	4.71E-02	9.18E-10	1.0E+06	9.2E-04
898	898	0.56207	1.52945E-05	8.6E-06	6.05E-04	5.20E-09	3.82E+00	4.71E-02	9.37E-10	1.0E+06	9.4E-04
899	899	0.57315	1.52945E-05	8.8E-06	6.05E-04	5.30E-09	3.82E+00	4.71E-02	9.56E-10	1.0E+06	9.6E-04
900	900	0.58386	1.52945E-05	8.9E-06	6.05E-04	5.40E-09	3.82E+00	4.71E-02	9.74E-10	1.0E+06	9.7E-04
901	901	0.59437	1.52945E-05	9.1E-06	6.05E-04	5.50E-09	3.82E+00	4.71E-02	9.91E-10	1.0E+06	9.9E-04
902	902	0.60518	1.52945E-05	9.3E-06	6.05E-04	5.60E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
903	903	0.61563	1.52945E-05	9.4E-06	6.05E-04	5.70E-09	3.82E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
904	904	0.62485	1.52945E-05	9.6E-06	6.05E-04	5.78E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
905	905	0.63311	1.52945E-05	9.7E-06	6.05E-04	5.86E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
906	906	0.64051	1.52945E-05	9.8E-06	6.05E-04	5.93E-09	3.82E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
907	907	0.6473	1.52945E-05	9.9E-06	6.05E-04	5.99E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
908	908	0.32046	1.52945E-05	4.9E-06	6.05E-04	2.97E-09	3.82E+00	4.71E-02	5.34E-10	1.0E+06	5.3E-04
909	909	0.32652	1.52945E-05	5.0E-06	6.05E-04	3.02E-09	3.82E+00	4.71E-02	5.44E-10	1.0E+06	5.4E-04
910	910	0.33287	1.52945E-05	5.1E-06	6.05E-04	3.08E-09	3.82E+00	4.71E-02	5.55E-10	1.0E+06	5.6E-04
911	911	0.33938	1.52945E-05	5.2E-06	6.05E-04	3.14E-09	3.82E+00	4.71E-02	5.66E-10	1.0E+06	5.7E-04
912	912	0.34613	1.52945E-05	5.3E-06	6.05E-04	3.20E-09	3.82E+00	4.71E-02	5.77E-10	1.0E+06	5.8E-04
913	913	0.35318	1.52945E-05	5.4E-06	6.05E-04	3.27E-09	3.82E+00	4.71E-02	5.89E-10	1.0E+06	5.9E-04
914	914	0.36049	1.52945E-05	5.5E-06	6.05E-04	3.34E-09	3.82E+00	4.71E-02	6.01E-10	1.0E+06	6.0E-04
915	915	0.36813	1.52945E-05	5.6E-06	6.05E-04	3.41E-09	3.82E+00	4.71E-02	6.14E-10	1.0E+06	6.1E-04
916	916	0.37603	1.52945E-05	5.8E-06	6.05E-04	3.48E-09	3.82E+00	4.71E-02	6.27E-10	1.0E+06	6.3E-04
917	917	0.38419	1.52945E-05	5.9E-06	6.05E-04	3.56E-09	3.82E+00	4.71E-02	6.41E-10	1.0E+06	6.4E-04
918	918	0.39619	1.52945E-05	6.1E-06	6.05E-04	3.67E-09	3.82E+00	4.71E-02	6.61E-10	1.0E+06	6.6E-04
919	919	0.40857	1.52945E-05	6.2E-06	6.05E-04	3.78E-09	3.82E+00	4.71E-02	6.81E-10	1.0E+06	6.8E-04
920	920	0.42516	1.52945E-05	6.5E-06	6.05E-04	3.93E-09	3.82E+00	4.71E-02	7.09E-10	1.0E+06	7.1E-04
921	921	0.43914	1.52945E-05	6.7E-06	6.05E-04	4.06E-09	3.82E+00	4.71E-02	7.32E-10	1.0E+06	7.3E-04
922	922	0.45141	1.52945E-05	6.9E-06	6.05E-04	4.18E-09	3.82E+00	4.71E-02	7.53E-10	1.0E+06	7.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.46516	1.52945E-05	7.1E-06	6.05E-04	4.30E-09	3.82E+00	4.71E-02	7.76E-10	1.0E+06	7.8E-04
924	924	0.47867	1.52945E-05	7.3E-06	6.05E-04	4.43E-09	3.82E+00	4.71E-02	7.98E-10	1.0E+06	8.0E-04
925	925	0.49093	1.52945E-05	7.5E-06	6.05E-04	4.54E-09	3.82E+00	4.71E-02	8.19E-10	1.0E+06	8.2E-04
926	926	0.50418	1.52945E-05	7.7E-06	6.05E-04	4.67E-09	3.82E+00	4.71E-02	8.41E-10	1.0E+06	8.4E-04
927	927	0.51571	1.52945E-05	7.9E-06	6.05E-04	4.77E-09	3.82E+00	4.71E-02	8.60E-10	1.0E+06	8.6E-04
928	928	0.52825	1.52945E-05	8.1E-06	6.05E-04	4.89E-09	3.82E+00	4.71E-02	8.81E-10	1.0E+06	8.8E-04
929	929	0.54024	1.52945E-05	8.3E-06	6.05E-04	5.00E-09	3.82E+00	4.71E-02	9.01E-10	1.0E+06	9.0E-04
930	930	0.5525	1.52945E-05	8.5E-06	6.05E-04	5.11E-09	3.82E+00	4.71E-02	9.21E-10	1.0E+06	9.2E-04
931	931	0.56488	1.52945E-05	8.6E-06	6.05E-04	5.23E-09	3.82E+00	4.71E-02	9.42E-10	1.0E+06	9.4E-04
932	932	0.57725	1.52945E-05	8.8E-06	6.05E-04	5.34E-09	3.82E+00	4.71E-02	9.63E-10	1.0E+06	9.6E-04
933	933	0.58965	1.52945E-05	9.0E-06	6.05E-04	5.46E-09	3.82E+00	4.71E-02	9.83E-10	1.0E+06	9.8E-04
934	934	0.60197	1.52945E-05	9.2E-06	6.05E-04	5.57E-09	3.82E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
935	935	0.61414	1.52945E-05	9.4E-06	6.05E-04	5.68E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
936	936	0.62608	1.52945E-05	9.6E-06	6.05E-04	5.79E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
937	937	0.63819	1.52945E-05	9.8E-06	6.05E-04	5.91E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
938	938	0.65	1.52945E-05	9.9E-06	6.05E-04	6.02E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
939	939	0.66042	1.52945E-05	1.0E-05	6.05E-04	6.11E-09	3.82E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
940	940	0.66987	1.52945E-05	1.0E-05	6.05E-04	6.20E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
941	941	0.67832	1.52945E-05	1.0E-05	6.05E-04	6.28E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
942	942	0.33017	1.52945E-05	5.0E-06	6.05E-04	3.06E-09	3.82E+00	4.71E-02	5.51E-10	1.0E+06	5.5E-04
943	943	0.33658	1.52945E-05	5.1E-06	6.05E-04	3.11E-09	3.82E+00	4.71E-02	5.61E-10	1.0E+06	5.6E-04
944	944	0.34324	1.52945E-05	5.2E-06	6.05E-04	3.18E-09	3.82E+00	4.71E-02	5.72E-10	1.0E+06	5.7E-04
945	945	0.35016	1.52945E-05	5.4E-06	6.05E-04	3.24E-09	3.82E+00	4.71E-02	5.84E-10	1.0E+06	5.8E-04
946	946	0.35731	1.52945E-05	5.5E-06	6.05E-04	3.31E-09	3.82E+00	4.71E-02	5.96E-10	1.0E+06	6.0E-04
947	947	0.36479	1.52945E-05	5.6E-06	6.05E-04	3.38E-09	3.82E+00	4.71E-02	6.08E-10	1.0E+06	6.1E-04
948	948	0.37272	1.52945E-05	5.7E-06	6.05E-04	3.45E-09	3.82E+00	4.71E-02	6.21E-10	1.0E+06	6.2E-04
949	949	0.38099	1.52945E-05	5.8E-06	6.05E-04	3.53E-09	3.82E+00	4.71E-02	6.35E-10	1.0E+06	6.4E-04
950	950	0.38951	1.52945E-05	6.0E-06	6.05E-04	3.60E-09	3.82E+00	4.71E-02	6.49E-10	1.0E+06	6.5E-04
951	951	0.39799	1.52945E-05	6.1E-06	6.05E-04	3.68E-09	3.82E+00	4.71E-02	6.64E-10	1.0E+06	6.6E-04
952	952	0.41006	1.52945E-05	6.3E-06	6.05E-04	3.79E-09	3.82E+00	4.71E-02	6.84E-10	1.0E+06	6.8E-04
953	953	0.4225	1.52945E-05	6.5E-06	6.05E-04	3.91E-09	3.82E+00	4.71E-02	7.04E-10	1.0E+06	7.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.43774	1.52945E-05	6.7E-06	6.05E-04	4.05E-09	3.82E+00	4.71E-02	7.30E-10	1.0E+06	7.3E-04
955	955	0.45092	1.52945E-05	6.9E-06	6.05E-04	4.17E-09	3.82E+00	4.71E-02	7.52E-10	1.0E+06	7.5E-04
956	956	0.46816	1.52945E-05	7.2E-06	6.05E-04	4.33E-09	3.82E+00	4.71E-02	7.81E-10	1.0E+06	7.8E-04
957	957	0.48314	1.52945E-05	7.4E-06	6.05E-04	4.47E-09	3.82E+00	4.71E-02	8.06E-10	1.0E+06	8.1E-04
958	958	0.49772	1.52945E-05	7.6E-06	6.05E-04	4.61E-09	3.82E+00	4.71E-02	8.30E-10	1.0E+06	8.3E-04
959	959	0.51094	1.52945E-05	7.8E-06	6.05E-04	4.73E-09	3.82E+00	4.71E-02	8.52E-10	1.0E+06	8.5E-04
960	960	0.52435	1.52945E-05	8.0E-06	6.05E-04	4.85E-09	3.82E+00	4.71E-02	8.74E-10	1.0E+06	8.7E-04
961	961	0.53792	1.52945E-05	8.2E-06	6.05E-04	4.98E-09	3.82E+00	4.71E-02	8.97E-10	1.0E+06	9.0E-04
962	962	0.55166	1.52945E-05	8.4E-06	6.05E-04	5.11E-09	3.82E+00	4.71E-02	9.20E-10	1.0E+06	9.2E-04
963	963	0.56489	1.52945E-05	8.6E-06	6.05E-04	5.23E-09	3.82E+00	4.71E-02	9.42E-10	1.0E+06	9.4E-04
964	964	0.5784	1.52945E-05	8.8E-06	6.05E-04	5.35E-09	3.82E+00	4.71E-02	9.64E-10	1.0E+06	9.6E-04
965	965	0.59214	1.52945E-05	9.1E-06	6.05E-04	5.48E-09	3.82E+00	4.71E-02	9.87E-10	1.0E+06	9.9E-04
966	966	0.60586	1.52945E-05	9.3E-06	6.05E-04	5.61E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
967	967	0.61963	1.52945E-05	9.5E-06	6.05E-04	5.73E-09	3.82E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
968	968	0.63346	1.52945E-05	9.7E-06	6.05E-04	5.86E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
969	969	0.64734	1.52945E-05	9.9E-06	6.05E-04	5.99E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
970	970	0.66107	1.52945E-05	1.0E-05	6.05E-04	6.12E-09	3.82E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
971	971	0.67455	1.52945E-05	1.0E-05	6.05E-04	6.24E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
972	972	0.68772	1.52945E-05	1.1E-05	6.05E-04	6.36E-09	3.82E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
973	973	0.69968	1.52945E-05	1.1E-05	6.05E-04	6.48E-09	3.82E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
974	974	0.71062	1.52945E-05	1.1E-05	6.05E-04	6.58E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
975	975	0.72046	1.52945E-05	1.1E-05	6.05E-04	6.67E-09	3.82E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
976	976	0.34019	1.52945E-05	5.2E-06	6.05E-04	3.15E-09	3.82E+00	4.71E-02	5.67E-10	1.0E+06	5.7E-04
977	977	0.34697	1.52945E-05	5.3E-06	6.05E-04	3.21E-09	3.82E+00	4.71E-02	5.79E-10	1.0E+06	5.8E-04
978	978	0.35402	1.52945E-05	5.4E-06	6.05E-04	3.28E-09	3.82E+00	4.71E-02	5.90E-10	1.0E+06	5.9E-04
979	979	0.36135	1.52945E-05	5.5E-06	6.05E-04	3.34E-09	3.82E+00	4.71E-02	6.03E-10	1.0E+06	6.0E-04
980	980	0.36897	1.52945E-05	5.6E-06	6.05E-04	3.41E-09	3.82E+00	4.71E-02	6.15E-10	1.0E+06	6.2E-04
981	981	0.37692	1.52945E-05	5.8E-06	6.05E-04	3.49E-09	3.82E+00	4.71E-02	6.28E-10	1.0E+06	6.3E-04
982	982	0.38546	1.52945E-05	5.9E-06	6.05E-04	3.57E-09	3.82E+00	4.71E-02	6.43E-10	1.0E+06	6.4E-04
983	983	0.39443	1.52945E-05	6.0E-06	6.05E-04	3.65E-09	3.82E+00	4.71E-02	6.58E-10	1.0E+06	6.6E-04
984	984	0.4036	1.52945E-05	6.2E-06	6.05E-04	3.74E-09	3.82E+00	4.71E-02	6.73E-10	1.0E+06	6.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.41251	1.52945E-05	6.3E-06	6.05E-04	3.82E-09	3.82E+00	4.71E-02	6.88E-10	1.0E+06	6.9E-04
986	986	0.42175	1.52945E-05	6.5E-06	6.05E-04	3.90E-09	3.82E+00	4.71E-02	7.03E-10	1.0E+06	7.0E-04
987	987	0.43709	1.52945E-05	6.7E-06	6.05E-04	4.04E-09	3.82E+00	4.71E-02	7.29E-10	1.0E+06	7.3E-04
988	988	0.44819	1.52945E-05	6.9E-06	6.05E-04	4.15E-09	3.82E+00	4.71E-02	7.47E-10	1.0E+06	7.5E-04
989	989	0.46483	1.52945E-05	7.1E-06	6.05E-04	4.30E-09	3.82E+00	4.71E-02	7.75E-10	1.0E+06	7.8E-04
990	990	0.48579	1.52945E-05	7.4E-06	6.05E-04	4.50E-09	3.82E+00	4.71E-02	8.10E-10	1.0E+06	8.1E-04
991	991	0.5007	1.52945E-05	7.7E-06	6.05E-04	4.63E-09	3.82E+00	4.71E-02	8.35E-10	1.0E+06	8.3E-04
992	992	0.51788	1.52945E-05	7.9E-06	6.05E-04	4.79E-09	3.82E+00	4.71E-02	8.64E-10	1.0E+06	8.6E-04
993	993	0.53222	1.52945E-05	8.1E-06	6.05E-04	4.93E-09	3.82E+00	4.71E-02	8.87E-10	1.0E+06	8.9E-04
994	994	0.54674	1.52945E-05	8.4E-06	6.05E-04	5.06E-09	3.82E+00	4.71E-02	9.12E-10	1.0E+06	9.1E-04
995	995	0.56163	1.52945E-05	8.6E-06	6.05E-04	5.20E-09	3.82E+00	4.71E-02	9.36E-10	1.0E+06	9.4E-04
996	996	0.57673	1.52945E-05	8.8E-06	6.05E-04	5.34E-09	3.82E+00	4.71E-02	9.62E-10	1.0E+06	9.6E-04
997	997	0.59135	1.52945E-05	9.0E-06	6.05E-04	5.47E-09	3.82E+00	4.71E-02	9.86E-10	1.0E+06	9.9E-04
998	998	0.60636	1.52945E-05	9.3E-06	6.05E-04	5.61E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
999	999	0.62164	1.52945E-05	9.5E-06	6.05E-04	5.75E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1000	1000	0.63691	1.52945E-05	9.7E-06	6.05E-04	5.89E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1001	1001	0.65232	1.52945E-05	1.0E-05	6.05E-04	6.04E-09	3.82E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1002	1002	0.66788	1.52945E-05	1.0E-05	6.05E-04	6.18E-09	3.82E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1003	1003	0.68382	1.52945E-05	1.0E-05	6.05E-04	6.33E-09	3.82E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
1004	1004	0.69963	1.52945E-05	1.1E-05	6.05E-04	6.47E-09	3.82E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1005	1005	0.71479	1.52945E-05	1.1E-05	6.05E-04	6.61E-09	3.82E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1006	1006	0.72931	1.52945E-05	1.1E-05	6.05E-04	6.75E-09	3.82E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1007	1007	0.74316	1.52945E-05	1.1E-05	6.05E-04	6.88E-09	3.82E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1008	1008	0.7558	1.52945E-05	1.2E-05	6.05E-04	6.99E-09	3.82E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
1009	1009	0.76726	1.52945E-05	1.2E-05	6.05E-04	7.10E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
1010	1010	0.35052	1.52945E-05	5.4E-06	6.05E-04	3.24E-09	3.82E+00	4.71E-02	5.84E-10	1.0E+06	5.8E-04
1011	1011	0.35768	1.52945E-05	5.5E-06	6.05E-04	3.31E-09	3.82E+00	4.71E-02	5.96E-10	1.0E+06	6.0E-04
1012	1012	0.36515	1.52945E-05	5.6E-06	6.05E-04	3.38E-09	3.82E+00	4.71E-02	6.09E-10	1.0E+06	6.1E-04
1013	1013	0.37295	1.52945E-05	5.7E-06	6.05E-04	3.45E-09	3.82E+00	4.71E-02	6.22E-10	1.0E+06	6.2E-04
1014	1014	0.38101	1.52945E-05	5.8E-06	6.05E-04	3.53E-09	3.82E+00	4.71E-02	6.35E-10	1.0E+06	6.4E-04
1015	1015	0.3895	1.52945E-05	6.0E-06	6.05E-04	3.60E-09	3.82E+00	4.71E-02	6.49E-10	1.0E+06	6.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.39868	1.52945E-05	6.1E-06	6.05E-04	3.69E-09	3.82E+00	4.71E-02	6.65E-10	1.0E+06	6.6E-04
1017	1017	0.40836	1.52945E-05	6.2E-06	6.05E-04	3.78E-09	3.82E+00	4.71E-02	6.81E-10	1.0E+06	6.8E-04
1018	1018	0.4182	1.52945E-05	6.4E-06	6.05E-04	3.87E-09	3.82E+00	4.71E-02	6.97E-10	1.0E+06	7.0E-04
1019	1019	0.42766	1.52945E-05	6.5E-06	6.05E-04	3.96E-09	3.82E+00	4.71E-02	7.13E-10	1.0E+06	7.1E-04
1020	1020	0.43751	1.52945E-05	6.7E-06	6.05E-04	4.05E-09	3.82E+00	4.71E-02	7.30E-10	1.0E+06	7.3E-04
1021	1021	0.45066	1.52945E-05	6.9E-06	6.05E-04	4.17E-09	3.82E+00	4.71E-02	7.51E-10	1.0E+06	7.5E-04
1022	1022	0.46429	1.52945E-05	7.1E-06	6.05E-04	4.30E-09	3.82E+00	4.71E-02	7.74E-10	1.0E+06	7.7E-04
1023	1023	0.4794	1.52945E-05	7.3E-06	6.05E-04	4.44E-09	3.82E+00	4.71E-02	7.99E-10	1.0E+06	8.0E-04
1024	1024	0.50272	1.52945E-05	7.7E-06	6.05E-04	4.65E-09	3.82E+00	4.71E-02	8.38E-10	1.0E+06	8.4E-04
1025	1025	0.52071	1.52945E-05	8.0E-06	6.05E-04	4.82E-09	3.82E+00	4.71E-02	8.68E-10	1.0E+06	8.7E-04
1026	1026	0.53923	1.52945E-05	8.2E-06	6.05E-04	4.99E-09	3.82E+00	4.71E-02	8.99E-10	1.0E+06	9.0E-04
1027	1027	0.55483	1.52945E-05	8.5E-06	6.05E-04	5.13E-09	3.82E+00	4.71E-02	9.25E-10	1.0E+06	9.3E-04
1028	1028	0.56965	1.52945E-05	8.7E-06	6.05E-04	5.27E-09	3.82E+00	4.71E-02	9.50E-10	1.0E+06	9.5E-04
1029	1029	0.58702	1.52945E-05	9.0E-06	6.05E-04	5.43E-09	3.82E+00	4.71E-02	9.79E-10	1.0E+06	9.8E-04
1030	1030	0.60364	1.52945E-05	9.2E-06	6.05E-04	5.59E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1031	1031	0.61988	1.52945E-05	9.5E-06	6.05E-04	5.74E-09	3.82E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1032	1032	0.63658	1.52945E-05	9.7E-06	6.05E-04	5.89E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1033	1033	0.6536	1.52945E-05	1.0E-05	6.05E-04	6.05E-09	3.82E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1034	1034	0.67075	1.52945E-05	1.0E-05	6.05E-04	6.21E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1035	1035	0.68809	1.52945E-05	1.1E-05	6.05E-04	6.37E-09	3.82E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
1036	1036	0.70577	1.52945E-05	1.1E-05	6.05E-04	6.53E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1037	1037	0.72399	1.52945E-05	1.1E-05	6.05E-04	6.70E-09	3.82E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1038	1038	0.74225	1.52945E-05	1.1E-05	6.05E-04	6.87E-09	3.82E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1039	1039	0.75952	1.52945E-05	1.2E-05	6.05E-04	7.03E-09	3.82E+00	4.71E-02	1.27E-09	1.0E+06	1.3E-03
1040	1040	0.77593	1.52945E-05	1.2E-05	6.05E-04	7.18E-09	3.82E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
1041	1041	0.7917	1.52945E-05	1.2E-05	6.05E-04	7.33E-09	3.82E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
1042	1042	0.80653	1.52945E-05	1.2E-05	6.05E-04	7.46E-09	3.82E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
1043	1043	0.81975	1.52945E-05	1.3E-05	6.05E-04	7.59E-09	3.82E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
1044	1044	0.36109	1.52945E-05	5.5E-06	6.05E-04	3.34E-09	3.82E+00	4.71E-02	6.02E-10	1.0E+06	6.0E-04
1045	1045	0.36868	1.52945E-05	5.6E-06	6.05E-04	3.41E-09	3.82E+00	4.71E-02	6.15E-10	1.0E+06	6.1E-04
1046	1046	0.3766	1.52945E-05	5.8E-06	6.05E-04	3.49E-09	3.82E+00	4.71E-02	6.28E-10	1.0E+06	6.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.38485	1.52945E-05	5.9E-06	6.05E-04	3.56E-09	3.82E+00	4.71E-02	6.42E-10	1.0E+06	6.4E-04
1048	1048	0.39341	1.52945E-05	6.0E-06	6.05E-04	3.64E-09	3.82E+00	4.71E-02	6.56E-10	1.0E+06	6.6E-04
1049	1049	0.40239	1.52945E-05	6.2E-06	6.05E-04	3.72E-09	3.82E+00	4.71E-02	6.71E-10	1.0E+06	6.7E-04
1050	1050	0.41219	1.52945E-05	6.3E-06	6.05E-04	3.81E-09	3.82E+00	4.71E-02	6.87E-10	1.0E+06	6.9E-04
1051	1051	0.42255	1.52945E-05	6.5E-06	6.05E-04	3.91E-09	3.82E+00	4.71E-02	7.05E-10	1.0E+06	7.0E-04
1052	1052	0.43314	1.52945E-05	6.6E-06	6.05E-04	4.01E-09	3.82E+00	4.71E-02	7.22E-10	1.0E+06	7.2E-04
1053	1053	0.44343	1.52945E-05	6.8E-06	6.05E-04	4.10E-09	3.82E+00	4.71E-02	7.39E-10	1.0E+06	7.4E-04
1054	1054	0.45413	1.52945E-05	6.9E-06	6.05E-04	4.20E-09	3.82E+00	4.71E-02	7.57E-10	1.0E+06	7.6E-04
1055	1055	0.46776	1.52945E-05	7.2E-06	6.05E-04	4.33E-09	3.82E+00	4.71E-02	7.80E-10	1.0E+06	7.8E-04
1056	1056	0.48186	1.52945E-05	7.4E-06	6.05E-04	4.46E-09	3.82E+00	4.71E-02	8.03E-10	1.0E+06	8.0E-04
1057	1057	0.49807	1.52945E-05	7.6E-06	6.05E-04	4.61E-09	3.82E+00	4.71E-02	8.30E-10	1.0E+06	8.3E-04
1058	1058	0.52258	1.52945E-05	8.0E-06	6.05E-04	4.84E-09	3.82E+00	4.71E-02	8.71E-10	1.0E+06	8.7E-04
1059	1059	0.54185	1.52945E-05	8.3E-06	6.05E-04	5.01E-09	3.82E+00	4.71E-02	9.03E-10	1.0E+06	9.0E-04
1060	1060	0.56185	1.52945E-05	8.6E-06	6.05E-04	5.20E-09	3.82E+00	4.71E-02	9.37E-10	1.0E+06	9.4E-04
1061	1061	0.57892	1.52945E-05	8.9E-06	6.05E-04	5.36E-09	3.82E+00	4.71E-02	9.65E-10	1.0E+06	9.7E-04
1062	1062	0.59636	1.52945E-05	9.1E-06	6.05E-04	5.52E-09	3.82E+00	4.71E-02	9.94E-10	1.0E+06	9.9E-04
1063	1063	0.61428	1.52945E-05	9.4E-06	6.05E-04	5.68E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1064	1064	0.6326	1.52945E-05	9.7E-06	6.05E-04	5.85E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
1065	1065	0.6506	1.52945E-05	1.0E-05	6.05E-04	6.02E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
1066	1066	0.66925	1.52945E-05	1.0E-05	6.05E-04	6.19E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1067	1067	0.68834	1.52945E-05	1.1E-05	6.05E-04	6.37E-09	3.82E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
1068	1068	0.70773	1.52945E-05	1.1E-05	6.05E-04	6.55E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1069	1069	0.72746	1.52945E-05	1.1E-05	6.05E-04	6.73E-09	3.82E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1070	1070	0.74764	1.52945E-05	1.1E-05	6.05E-04	6.92E-09	3.82E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1071	1071	0.76856	1.52945E-05	1.2E-05	6.05E-04	7.11E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
1072	1072	0.78958	1.52945E-05	1.2E-05	6.05E-04	7.31E-09	3.82E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
1073	1073	0.80957	1.52945E-05	1.2E-05	6.05E-04	7.49E-09	3.82E+00	4.71E-02	1.35E-09	1.0E+06	1.3E-03
1074	1074	0.82865	1.52945E-05	1.3E-05	6.05E-04	7.67E-09	3.82E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
1075	1075	0.84698	1.52945E-05	1.3E-05	6.05E-04	7.84E-09	3.82E+00	4.71E-02	1.41E-09	1.0E+06	1.4E-03
1076	1076	0.86409	1.52945E-05	1.3E-05	6.05E-04	8.00E-09	3.82E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03
1077	1077	0.87944	1.52945E-05	1.3E-05	6.05E-04	8.14E-09	3.82E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.37193	1.52945E-05	5.7E-06	6.05E-04	3.44E-09	3.82E+00	4.71E-02	6.20E-10	1.0E+06	6.2E-04
1079	1079	0.37999	1.52945E-05	5.8E-06	6.05E-04	3.52E-09	3.82E+00	4.71E-02	6.34E-10	1.0E+06	6.3E-04
1080	1080	0.38839	1.52945E-05	5.9E-06	6.05E-04	3.59E-09	3.82E+00	4.71E-02	6.48E-10	1.0E+06	6.5E-04
1081	1081	0.39715	1.52945E-05	6.1E-06	6.05E-04	3.68E-09	3.82E+00	4.71E-02	6.62E-10	1.0E+06	6.6E-04
1082	1082	0.40622	1.52945E-05	6.2E-06	6.05E-04	3.76E-09	3.82E+00	4.71E-02	6.77E-10	1.0E+06	6.8E-04
1083	1083	0.41576	1.52945E-05	6.4E-06	6.05E-04	3.85E-09	3.82E+00	4.71E-02	6.93E-10	1.0E+06	6.9E-04
1084	1084	0.42619	1.52945E-05	6.5E-06	6.05E-04	3.94E-09	3.82E+00	4.71E-02	7.11E-10	1.0E+06	7.1E-04
1085	1085	0.43732	1.52945E-05	6.7E-06	6.05E-04	4.05E-09	3.82E+00	4.71E-02	7.29E-10	1.0E+06	7.3E-04
1086	1086	0.44875	1.52945E-05	6.9E-06	6.05E-04	4.15E-09	3.82E+00	4.71E-02	7.48E-10	1.0E+06	7.5E-04
1087	1087	0.4599	1.52945E-05	7.0E-06	6.05E-04	4.26E-09	3.82E+00	4.71E-02	7.67E-10	1.0E+06	7.7E-04
1088	1088	0.47151	1.52945E-05	7.2E-06	6.05E-04	4.36E-09	3.82E+00	4.71E-02	7.86E-10	1.0E+06	7.9E-04
1089	1089	0.48639	1.52945E-05	7.4E-06	6.05E-04	4.50E-09	3.82E+00	4.71E-02	8.11E-10	1.0E+06	8.1E-04
1090	1090	0.5003	1.52945E-05	7.7E-06	6.05E-04	4.63E-09	3.82E+00	4.71E-02	8.34E-10	1.0E+06	8.3E-04
1091	1091	0.52019	1.52945E-05	8.0E-06	6.05E-04	4.81E-09	3.82E+00	4.71E-02	8.67E-10	1.0E+06	8.7E-04
1092	1092	0.54531	1.52945E-05	8.3E-06	6.05E-04	5.05E-09	3.82E+00	4.71E-02	9.09E-10	1.0E+06	9.1E-04
1093	1093	0.56417	1.52945E-05	8.6E-06	6.05E-04	5.22E-09	3.82E+00	4.71E-02	9.41E-10	1.0E+06	9.4E-04
1094	1094	0.58573	1.52945E-05	9.0E-06	6.05E-04	5.42E-09	3.82E+00	4.71E-02	9.77E-10	1.0E+06	9.8E-04
1095	1095	0.60449	1.52945E-05	9.2E-06	6.05E-04	5.59E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1096	1096	0.62373	1.52945E-05	9.5E-06	6.05E-04	5.77E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1097	1097	0.64344	1.52945E-05	9.8E-06	6.05E-04	5.95E-09	3.82E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
1098	1098	0.66366	1.52945E-05	1.0E-05	6.05E-04	6.14E-09	3.82E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1099	1099	0.68373	1.52945E-05	1.0E-05	6.05E-04	6.33E-09	3.82E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
1100	1100	0.7046	1.52945E-05	1.1E-05	6.05E-04	6.52E-09	3.82E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1101	1101	0.72605	1.52945E-05	1.1E-05	6.05E-04	6.72E-09	3.82E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1102	1102	0.74813	1.52945E-05	1.1E-05	6.05E-04	6.92E-09	3.82E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1103	1103	0.77071	1.52945E-05	1.2E-05	6.05E-04	7.13E-09	3.82E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
1104	1104	0.79391	1.52945E-05	1.2E-05	6.05E-04	7.35E-09	3.82E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
1105	1105	0.81804	1.52945E-05	1.3E-05	6.05E-04	7.57E-09	3.82E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
1106	1106	0.84242	1.52945E-05	1.3E-05	6.05E-04	7.80E-09	3.82E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03
1107	1107	0.86575	1.52945E-05	1.3E-05	6.05E-04	8.01E-09	3.82E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03
1108	1108	0.88807	1.52945E-05	1.4E-05	6.05E-04	8.22E-09	3.82E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.90958	1.52945E-05	1.4E-05	6.05E-04	8.42E-09	3.82E+00	4.71E-02	1.52E-09	1.0E+06	1.5E-03
1110	1110	0.92957	1.52945E-05	1.4E-05	6.05E-04	8.60E-09	3.82E+00	4.71E-02	1.55E-09	1.0E+06	1.5E-03
1111	1111	0.94759	1.52945E-05	1.4E-05	6.05E-04	8.77E-09	3.82E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
1112	1112	0.38306	1.52945E-05	5.9E-06	6.05E-04	3.54E-09	3.82E+00	4.71E-02	6.39E-10	1.0E+06	6.4E-04
1113	1113	0.39159	1.52945E-05	6.0E-06	6.05E-04	3.62E-09	3.82E+00	4.71E-02	6.53E-10	1.0E+06	6.5E-04
1114	1114	0.40052	1.52945E-05	6.1E-06	6.05E-04	3.71E-09	3.82E+00	4.71E-02	6.68E-10	1.0E+06	6.7E-04
1115	1115	0.40981	1.52945E-05	6.3E-06	6.05E-04	3.79E-09	3.82E+00	4.71E-02	6.83E-10	1.0E+06	6.8E-04
1116	1116	0.41948	1.52945E-05	6.4E-06	6.05E-04	3.88E-09	3.82E+00	4.71E-02	6.99E-10	1.0E+06	7.0E-04
1117	1117	0.4296	1.52945E-05	6.6E-06	6.05E-04	3.98E-09	3.82E+00	4.71E-02	7.16E-10	1.0E+06	7.2E-04
1118	1118	0.4407	1.52945E-05	6.7E-06	6.05E-04	4.08E-09	3.82E+00	4.71E-02	7.35E-10	1.0E+06	7.3E-04
1119	1119	0.4526	1.52945E-05	6.9E-06	6.05E-04	4.19E-09	3.82E+00	4.71E-02	7.55E-10	1.0E+06	7.5E-04
1120	1120	0.46489	1.52945E-05	7.1E-06	6.05E-04	4.30E-09	3.82E+00	4.71E-02	7.75E-10	1.0E+06	7.8E-04
1121	1121	0.47694	1.52945E-05	7.3E-06	6.05E-04	4.41E-09	3.82E+00	4.71E-02	7.95E-10	1.0E+06	8.0E-04
1122	1122	0.48959	1.52945E-05	7.5E-06	6.05E-04	4.53E-09	3.82E+00	4.71E-02	8.16E-10	1.0E+06	8.2E-04
1123	1123	0.50436	1.52945E-05	7.7E-06	6.05E-04	4.67E-09	3.82E+00	4.71E-02	8.41E-10	1.0E+06	8.4E-04
1124	1124	0.51945	1.52945E-05	7.9E-06	6.05E-04	4.81E-09	3.82E+00	4.71E-02	8.66E-10	1.0E+06	8.7E-04
1125	1125	0.54065	1.52945E-05	8.3E-06	6.05E-04	5.00E-09	3.82E+00	4.71E-02	9.01E-10	1.0E+06	9.0E-04
1126	1126	0.56726	1.52945E-05	8.7E-06	6.05E-04	5.25E-09	3.82E+00	4.71E-02	9.46E-10	1.0E+06	9.5E-04
1127	1127	0.58757	1.52945E-05	9.0E-06	6.05E-04	5.44E-09	3.82E+00	4.71E-02	9.80E-10	1.0E+06	9.8E-04
1128	1128	0.61094	1.52945E-05	9.3E-06	6.05E-04	5.65E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1129	1129	0.63151	1.52945E-05	9.7E-06	6.05E-04	5.84E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
1130	1130	0.65277	1.52945E-05	1.0E-05	6.05E-04	6.04E-09	3.82E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1131	1131	0.67456	1.52945E-05	1.0E-05	6.05E-04	6.24E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1132	1132	0.69702	1.52945E-05	1.1E-05	6.05E-04	6.45E-09	3.82E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
1133	1133	0.71951	1.52945E-05	1.1E-05	6.05E-04	6.66E-09	3.82E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1134	1134	0.74295	1.52945E-05	1.1E-05	6.05E-04	6.88E-09	3.82E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1135	1135	0.76727	1.52945E-05	1.2E-05	6.05E-04	7.10E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
1136	1136	0.79253	1.52945E-05	1.2E-05	6.05E-04	7.33E-09	3.82E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
1137	1137	0.81853	1.52945E-05	1.3E-05	6.05E-04	7.57E-09	3.82E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
1138	1138	0.84535	1.52945E-05	1.3E-05	6.05E-04	7.82E-09	3.82E+00	4.71E-02	1.41E-09	1.0E+06	1.4E-03
1139	1139	0.87333	1.52945E-05	1.3E-05	6.05E-04	8.08E-09	3.82E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.9017	1.52945E-05	1.4E-05	6.05E-04	8.34E-09	3.82E+00	4.71E-02	1.50E-09	1.0E+06	1.5E-03
1141	1141	0.92918	1.52945E-05	1.4E-05	6.05E-04	8.60E-09	3.82E+00	4.71E-02	1.55E-09	1.0E+06	1.5E-03
1142	1142	0.95572	1.52945E-05	1.5E-05	6.05E-04	8.84E-09	3.82E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
1143	1143	0.98127	1.52945E-05	1.5E-05	6.05E-04	9.08E-09	3.82E+00	4.71E-02	1.64E-09	1.0E+06	1.6E-03
1144	1144	1.00479	1.52945E-05	1.5E-05	6.05E-04	9.30E-09	3.82E+00	4.71E-02	1.68E-09	1.0E+06	1.7E-03
1145	1145	1.02623	1.52945E-05	1.6E-05	6.05E-04	9.50E-09	3.82E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
1146	1146	0.39443	1.52945E-05	6.0E-06	6.05E-04	3.65E-09	3.82E+00	4.71E-02	6.58E-10	1.0E+06	6.6E-04
1147	1147	0.40347	1.52945E-05	6.2E-06	6.05E-04	3.73E-09	3.82E+00	4.71E-02	6.73E-10	1.0E+06	6.7E-04
1148	1148	0.41293	1.52945E-05	6.3E-06	6.05E-04	3.82E-09	3.82E+00	4.71E-02	6.89E-10	1.0E+06	6.9E-04
1149	1149	0.4228	1.52945E-05	6.5E-06	6.05E-04	3.91E-09	3.82E+00	4.71E-02	7.05E-10	1.0E+06	7.0E-04
1150	1150	0.43313	1.52945E-05	6.6E-06	6.05E-04	4.01E-09	3.82E+00	4.71E-02	7.22E-10	1.0E+06	7.2E-04
1151	1151	0.44395	1.52945E-05	6.8E-06	6.05E-04	4.11E-09	3.82E+00	4.71E-02	7.40E-10	1.0E+06	7.4E-04
1152	1152	0.45565	1.52945E-05	7.0E-06	6.05E-04	4.22E-09	3.82E+00	4.71E-02	7.60E-10	1.0E+06	7.6E-04
1153	1153	0.46813	1.52945E-05	7.2E-06	6.05E-04	4.33E-09	3.82E+00	4.71E-02	7.81E-10	1.0E+06	7.8E-04
1154	1154	0.48114	1.52945E-05	7.4E-06	6.05E-04	4.45E-09	3.82E+00	4.71E-02	8.02E-10	1.0E+06	8.0E-04
1155	1155	0.4943	1.52945E-05	7.6E-06	6.05E-04	4.57E-09	3.82E+00	4.71E-02	8.24E-10	1.0E+06	8.2E-04
1156	1156	0.50811	1.52945E-05	7.8E-06	6.05E-04	4.70E-09	3.82E+00	4.71E-02	8.47E-10	1.0E+06	8.5E-04
1157	1157	0.52515	1.52945E-05	8.0E-06	6.05E-04	4.86E-09	3.82E+00	4.71E-02	8.76E-10	1.0E+06	8.8E-04
1158	1158	0.54177	1.52945E-05	8.3E-06	6.05E-04	5.01E-09	3.82E+00	4.71E-02	9.03E-10	1.0E+06	9.0E-04
1159	1159	0.5645	1.52945E-05	8.6E-06	6.05E-04	5.22E-09	3.82E+00	4.71E-02	9.41E-10	1.0E+06	9.4E-04
1160	1160	0.59015	1.52945E-05	9.0E-06	6.05E-04	5.46E-09	3.82E+00	4.71E-02	9.84E-10	1.0E+06	9.8E-04
1161	1161	0.61203	1.52945E-05	9.4E-06	6.05E-04	5.66E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1162	1162	0.63732	1.52945E-05	9.7E-06	6.05E-04	5.90E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1163	1163	0.65998	1.52945E-05	1.0E-05	6.05E-04	6.11E-09	3.82E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1164	1164	0.68348	1.52945E-05	1.0E-05	6.05E-04	6.33E-09	3.82E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
1165	1165	0.70769	1.52945E-05	1.1E-05	6.05E-04	6.55E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1166	1166	0.73279	1.52945E-05	1.1E-05	6.05E-04	6.78E-09	3.82E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1167	1167	0.75814	1.52945E-05	1.2E-05	6.05E-04	7.02E-09	3.82E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
1168	1168	0.78478	1.52945E-05	1.2E-05	6.05E-04	7.26E-09	3.82E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1169	1169	0.81258	1.52945E-05	1.2E-05	6.05E-04	7.52E-09	3.82E+00	4.71E-02	1.35E-09	1.0E+06	1.4E-03
1170	1170	0.84159	1.52945E-05	1.3E-05	6.05E-04	7.79E-09	3.82E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.87166	1.52945E-05	1.3E-05	6.05E-04	8.07E-09	3.82E+00	4.71E-02	1.45E-09	1.0E+06	1.5E-03
1172	1172	0.9029	1.52945E-05	1.4E-05	6.05E-04	8.36E-09	3.82E+00	4.71E-02	1.51E-09	1.0E+06	1.5E-03
1173	1173	0.93536	1.52945E-05	1.4E-05	6.05E-04	8.66E-09	3.82E+00	4.71E-02	1.56E-09	1.0E+06	1.6E-03
1174	1174	0.96862	1.52945E-05	1.5E-05	6.05E-04	8.96E-09	3.82E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
1175	1175	1.00134	1.52945E-05	1.5E-05	6.05E-04	9.27E-09	3.82E+00	4.71E-02	1.67E-09	1.0E+06	1.7E-03
1176	1176	1.03337	1.52945E-05	1.6E-05	6.05E-04	9.56E-09	3.82E+00	4.71E-02	1.72E-09	1.0E+06	1.7E-03
1177	1177	1.06379	1.52945E-05	1.6E-05	6.05E-04	9.84E-09	3.82E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
1178	1178	1.09203	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	3.82E+00	4.71E-02	1.82E-09	1.0E+06	1.8E-03
1179	1179	1.11786	1.52945E-05	1.7E-05	6.05E-04	1.03E-08	3.82E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
1180	1180	0.406	1.52945E-05	6.2E-06	6.05E-04	3.76E-09	3.82E+00	4.71E-02	6.77E-10	1.0E+06	6.8E-04
1181	1181	0.41559	1.52945E-05	6.4E-06	6.05E-04	3.85E-09	3.82E+00	4.71E-02	6.93E-10	1.0E+06	6.9E-04
1182	1182	0.42563	1.52945E-05	6.5E-06	6.05E-04	3.94E-09	3.82E+00	4.71E-02	7.10E-10	1.0E+06	7.1E-04
1183	1183	0.43612	1.52945E-05	6.7E-06	6.05E-04	4.04E-09	3.82E+00	4.71E-02	7.27E-10	1.0E+06	7.3E-04
1184	1184	0.44714	1.52945E-05	6.8E-06	6.05E-04	4.14E-09	3.82E+00	4.71E-02	7.46E-10	1.0E+06	7.5E-04
1185	1185	0.45872	1.52945E-05	7.0E-06	6.05E-04	4.25E-09	3.82E+00	4.71E-02	7.65E-10	1.0E+06	7.6E-04
1186	1186	0.47108	1.52945E-05	7.2E-06	6.05E-04	4.36E-09	3.82E+00	4.71E-02	7.85E-10	1.0E+06	7.9E-04
1187	1187	0.4842	1.52945E-05	7.4E-06	6.05E-04	4.48E-09	3.82E+00	4.71E-02	8.07E-10	1.0E+06	8.1E-04
1188	1188	0.498	1.52945E-05	7.6E-06	6.05E-04	4.61E-09	3.82E+00	4.71E-02	8.30E-10	1.0E+06	8.3E-04
1189	1189	0.51229	1.52945E-05	7.8E-06	6.05E-04	4.74E-09	3.82E+00	4.71E-02	8.54E-10	1.0E+06	8.5E-04
1190	1190	0.52733	1.52945E-05	8.1E-06	6.05E-04	4.88E-09	3.82E+00	4.71E-02	8.79E-10	1.0E+06	8.8E-04
1191	1191	0.54305	1.52945E-05	8.3E-06	6.05E-04	5.03E-09	3.82E+00	4.71E-02	9.05E-10	1.0E+06	9.1E-04
1192	1192	0.56239	1.52945E-05	8.6E-06	6.05E-04	5.20E-09	3.82E+00	4.71E-02	9.38E-10	1.0E+06	9.4E-04
1193	1193	0.58682	1.52945E-05	9.0E-06	6.05E-04	5.43E-09	3.82E+00	4.71E-02	9.78E-10	1.0E+06	9.8E-04
1194	1194	0.61403	1.52945E-05	9.4E-06	6.05E-04	5.68E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1195	1195	0.63766	1.52945E-05	9.8E-06	6.05E-04	5.90E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1196	1196	0.66359	1.52945E-05	1.0E-05	6.05E-04	6.14E-09	3.82E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1197	1197	0.69001	1.52945E-05	1.1E-05	6.05E-04	6.39E-09	3.82E+00	4.71E-02	1.15E-09	1.0E+06	1.2E-03
1198	1198	0.71605	1.52945E-05	1.1E-05	6.05E-04	6.63E-09	3.82E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1199	1199	0.74299	1.52945E-05	1.1E-05	6.05E-04	6.88E-09	3.82E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1200	1200	0.77113	1.52945E-05	1.2E-05	6.05E-04	7.14E-09	3.82E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
1201	1201	0.79979	1.52945E-05	1.2E-05	6.05E-04	7.40E-09	3.82E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.83013	1.52945E-05	1.3E-05	6.05E-04	7.68E-09	3.82E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
1203	1203	0.86193	1.52945E-05	1.3E-05	6.05E-04	7.98E-09	3.82E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03
1204	1204	0.89547	1.52945E-05	1.4E-05	6.05E-04	8.29E-09	3.82E+00	4.71E-02	1.49E-09	1.0E+06	1.5E-03
1205	1205	0.93051	1.52945E-05	1.4E-05	6.05E-04	8.61E-09	3.82E+00	4.71E-02	1.55E-09	1.0E+06	1.6E-03
1206	1206	0.96709	1.52945E-05	1.5E-05	6.05E-04	8.95E-09	3.82E+00	4.71E-02	1.61E-09	1.0E+06	1.6E-03
1207	1207	1.00516	1.52945E-05	1.5E-05	6.05E-04	9.30E-09	3.82E+00	4.71E-02	1.68E-09	1.0E+06	1.7E-03
1208	1208	1.04447	1.52945E-05	1.6E-05	6.05E-04	9.67E-09	3.82E+00	4.71E-02	1.74E-09	1.0E+06	1.7E-03
1209	1209	1.08386	1.52945E-05	1.7E-05	6.05E-04	1.00E-08	3.82E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
1210	1210	1.12282	1.52945E-05	1.7E-05	6.05E-04	1.04E-08	3.82E+00	4.71E-02	1.87E-09	1.0E+06	1.9E-03
1211	1211	1.15956	1.52945E-05	1.8E-05	6.05E-04	1.07E-08	3.82E+00	4.71E-02	1.93E-09	1.0E+06	1.9E-03
1212	1212	1.19411	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	1.99E-09	1.0E+06	2.0E-03
1213	1213	1.2256	1.52945E-05	1.9E-05	6.05E-04	1.13E-08	3.82E+00	4.71E-02	2.04E-09	1.0E+06	2.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
892	892	4.2E+00	Max	Receptor #	5	7.72E-03	Max	Receptor #	
893	893	4.0E+00	18.056	1181	5	7.41E-03	0.033	1181	Res
894	894	3.9E+00			5	7.09E-03			
895	895	3.7E+00			5	6.77E-03			
896	896	3.5E+00			5	6.45E-03			
897	897	3.3E+00			5	6.14E-03			
898	898	3.2E+00			5	5.83E-03			
899	899	3.0E+00			5	5.54E-03			
900	900	2.9E+00			5	5.27E-03			
901	901	2.7E+00			5	5.00E-03			
902	902	2.6E+00			5	4.74E-03			
903	903	2.5E+00			5	4.49E-03			
904	904	2.3E+00			5	4.26E-03			
905	905	2.2E+00			5	4.03E-03			
906	906	2.1E+00			5	3.82E-03			
907	907	2.0E+00			5	3.63E-03			
908	908	6.3E+00			5	1.16E-02			
909	909	6.3E+00			5	1.16E-02			
910	910	6.4E+00			5	1.16E-02			
911	911	6.4E+00			5	1.16E-02			
912	912	6.3E+00			5	1.16E-02			
913	913	6.3E+00			5	1.16E-02			
914	914	6.3E+00			5	1.15E-02			
915	915	6.2E+00			5	1.14E-02			
916	916	6.2E+00			5	1.13E-02			
917	917	6.1E+00			5	1.12E-02			
918	918	6.0E+00			5	1.10E-02			
919	919	5.9E+00			5	1.08E-02			
920	920	5.8E+00			5	1.06E-02			
921	921	5.6E+00			5	1.03E-02			
922	922	5.5E+00			5	1.01E-02			

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	5.3E+00	5	9.78E-03
924	924	5.2E+00	5	9.45E-03
925	925	5.0E+00	5	9.12E-03
926	926	4.8E+00	5	8.76E-03
927	927	4.6E+00	5	8.40E-03
928	928	4.4E+00	5	8.02E-03
929	929	4.2E+00	5	7.64E-03
930	930	4.0E+00	5	7.27E-03
931	931	3.8E+00	5	6.89E-03
932	932	3.6E+00	5	6.53E-03
933	933	3.4E+00	5	6.18E-03
934	934	3.2E+00	5	5.85E-03
935	935	3.0E+00	5	5.53E-03
936	936	2.9E+00	5	5.23E-03
937	937	2.7E+00	5	4.94E-03
938	938	2.5E+00	5	4.66E-03
939	939	2.4E+00	5	4.40E-03
940	940	2.3E+00	5	4.16E-03
941	941	2.1E+00	5	3.93E-03
942	942	7.1E+00	5	1.30E-02
943	943	7.1E+00	5	1.30E-02
944	944	7.1E+00	5	1.31E-02
945	945	7.1E+00	5	1.31E-02
946	946	7.1E+00	5	1.30E-02
947	947	7.1E+00	5	1.30E-02
948	948	7.0E+00	5	1.29E-02
949	949	7.0E+00	5	1.28E-02
950	950	6.9E+00	5	1.27E-02
951	951	6.8E+00	5	1.25E-02
952	952	6.7E+00	5	1.23E-02
953	953	6.6E+00	5	1.21E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	6.4E+00	5	1.18E-02
955	955	6.3E+00	5	1.15E-02
956	956	6.1E+00	5	1.12E-02
957	957	5.9E+00	5	1.08E-02
958	958	5.7E+00	5	1.05E-02
959	959	5.5E+00	5	1.00E-02
960	960	5.2E+00	5	9.62E-03
961	961	5.0E+00	5	9.18E-03
962	962	4.8E+00	5	8.73E-03
963	963	4.5E+00	5	8.27E-03
964	964	4.3E+00	5	7.82E-03
965	965	4.0E+00	5	7.38E-03
966	966	3.8E+00	5	6.96E-03
967	967	3.6E+00	5	6.55E-03
968	968	3.4E+00	5	6.17E-03
969	969	3.2E+00	5	5.80E-03
970	970	3.0E+00	5	5.46E-03
971	971	2.8E+00	5	5.13E-03
972	972	2.6E+00	5	4.83E-03
973	973	2.5E+00	5	4.55E-03
974	974	2.3E+00	5	4.29E-03
975	975	2.2E+00	5	4.05E-03
976	976	8.0E+00	5	1.47E-02
977	977	8.0E+00	5	1.47E-02
978	978	8.1E+00	5	1.48E-02
979	979	8.0E+00	5	1.48E-02
980	980	8.0E+00	5	1.47E-02
981	981	8.0E+00	5	1.47E-02
982	982	7.9E+00	5	1.46E-02
983	983	7.9E+00	5	1.44E-02
984	984	7.8E+00	5	1.43E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	7.7E+00	5	1.41E-02
986	986	7.6E+00	5	1.39E-02
987	987	7.4E+00	5	1.36E-02
988	988	7.3E+00	5	1.33E-02
989	989	7.1E+00	5	1.30E-02
990	990	6.9E+00	5	1.26E-02
991	991	6.6E+00	5	1.21E-02
992	992	6.4E+00	5	1.17E-02
993	993	6.1E+00	5	1.12E-02
994	994	5.8E+00	5	1.06E-02
995	995	5.5E+00	5	1.01E-02
996	996	5.2E+00	5	9.54E-03
997	997	4.9E+00	5	8.99E-03
998	998	4.6E+00	5	8.44E-03
999	999	4.3E+00	5	7.91E-03
1000	1000	4.0E+00	5	7.42E-03
1001	1001	3.8E+00	5	6.94E-03
1002	1002	3.5E+00	5	6.50E-03
1003	1003	3.3E+00	5	6.08E-03
1004	1004	3.1E+00	5	5.69E-03
1005	1005	2.9E+00	5	5.33E-03
1006	1006	2.7E+00	5	5.00E-03
1007	1007	2.6E+00	5	4.69E-03
1008	1008	2.4E+00	5	4.41E-03
1009	1009	2.3E+00	5	4.15E-03
1010	1010	9.1E+00	5	1.68E-02
1011	1011	9.2E+00	5	1.68E-02
1012	1012	9.2E+00	5	1.68E-02
1013	1013	9.2E+00	5	1.68E-02
1014	1014	9.2E+00	5	1.68E-02
1015	1015	9.1E+00	5	1.67E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	9.1E+00	5	1.66E-02
1017	1017	9.0E+00	5	1.64E-02
1018	1018	8.9E+00	5	1.63E-02
1019	1019	8.8E+00	5	1.61E-02
1020	1020	8.6E+00	5	1.58E-02
1021	1021	8.5E+00	5	1.55E-02
1022	1022	8.3E+00	5	1.52E-02
1023	1023	8.0E+00	5	1.47E-02
1024	1024	7.8E+00	5	1.43E-02
1025	1025	7.5E+00	5	1.37E-02
1026	1026	7.2E+00	5	1.31E-02
1027	1027	6.8E+00	5	1.25E-02
1028	1028	6.5E+00	5	1.18E-02
1029	1029	6.1E+00	5	1.12E-02
1030	1030	5.7E+00	5	1.05E-02
1031	1031	5.3E+00	5	9.80E-03
1032	1032	5.0E+00	5	9.13E-03
1033	1033	4.6E+00	5	8.50E-03
1034	1034	4.3E+00	5	7.91E-03
1035	1035	4.0E+00	5	7.36E-03
1036	1036	3.7E+00	5	6.84E-03
1037	1037	3.5E+00	5	6.36E-03
1038	1038	3.2E+00	5	5.91E-03
1039	1039	3.0E+00	5	5.52E-03
1040	1040	2.8E+00	5	5.16E-03
1041	1041	2.6E+00	5	4.83E-03
1042	1042	2.5E+00	5	4.52E-03
1043	1043	2.3E+00	5	4.24E-03
1044	1044	1.1E+01	5	1.93E-02
1045	1045	1.1E+01	5	1.94E-02
1046	1046	1.1E+01	5	1.94E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	1.1E+01	5	1.94E-02
1048	1048	1.1E+01	5	1.94E-02
1049	1049	1.1E+01	5	1.93E-02
1050	1050	1.0E+01	5	1.92E-02
1051	1051	1.0E+01	5	1.90E-02
1052	1052	1.0E+01	5	1.88E-02
1053	1053	1.0E+01	5	1.85E-02
1054	1054	9.9E+00	5	1.82E-02
1055	1055	9.7E+00	5	1.79E-02
1056	1056	9.5E+00	5	1.74E-02
1057	1057	9.2E+00	5	1.70E-02
1058	1058	8.9E+00	5	1.64E-02
1059	1059	8.5E+00	5	1.57E-02
1060	1060	8.1E+00	5	1.49E-02
1061	1061	7.7E+00	5	1.42E-02
1062	1062	7.3E+00	5	1.33E-02
1063	1063	6.8E+00	5	1.25E-02
1064	1064	6.3E+00	5	1.16E-02
1065	1065	5.9E+00	5	1.07E-02
1066	1066	5.4E+00	5	9.90E-03
1067	1067	5.0E+00	5	9.13E-03
1068	1068	4.6E+00	5	8.43E-03
1069	1069	4.2E+00	5	7.78E-03
1070	1070	3.9E+00	5	7.18E-03
1071	1071	3.6E+00	5	6.64E-03
1072	1072	3.4E+00	5	6.14E-03
1073	1073	3.1E+00	5	5.70E-03
1074	1074	2.9E+00	5	5.30E-03
1075	1075	2.7E+00	5	4.94E-03
1076	1076	2.5E+00	5	4.62E-03
1077	1077	2.4E+00	5	4.32E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	1.2E+01	5	2.26E-02
1079	1079	1.2E+01	5	2.26E-02
1080	1080	1.2E+01	5	2.27E-02
1081	1081	1.2E+01	5	2.27E-02
1082	1082	1.2E+01	5	2.26E-02
1083	1083	1.2E+01	5	2.26E-02
1084	1084	1.2E+01	5	2.24E-02
1085	1085	1.2E+01	5	2.22E-02
1086	1086	1.2E+01	5	2.20E-02
1087	1087	1.2E+01	5	2.17E-02
1088	1088	1.2E+01	5	2.13E-02
1089	1089	1.1E+01	5	2.09E-02
1090	1090	1.1E+01	5	2.04E-02
1091	1091	1.1E+01	5	1.98E-02
1092	1092	1.0E+01	5	1.91E-02
1093	1093	9.9E+00	5	1.82E-02
1094	1094	9.4E+00	5	1.73E-02
1095	1095	8.9E+00	5	1.63E-02
1096	1096	8.3E+00	5	1.52E-02
1097	1097	7.7E+00	5	1.40E-02
1098	1098	7.0E+00	5	1.29E-02
1099	1099	6.4E+00	5	1.18E-02
1100	1100	5.9E+00	5	1.08E-02
1101	1101	5.4E+00	5	9.82E-03
1102	1102	4.9E+00	5	8.97E-03
1103	1103	4.5E+00	5	8.21E-03
1104	1104	4.1E+00	5	7.53E-03
1105	1105	3.8E+00	5	6.91E-03
1106	1106	3.5E+00	5	6.35E-03
1107	1107	3.2E+00	5	5.87E-03
1108	1108	3.0E+00	5	5.43E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	2.8E+00	5	5.05E-03
1110	1110	2.6E+00	5	4.70E-03
1111	1111	2.4E+00	5	4.38E-03
1112	1112	1.5E+01	5	2.68E-02
1113	1113	1.5E+01	5	2.69E-02
1114	1114	1.5E+01	5	2.69E-02
1115	1115	1.5E+01	5	2.70E-02
1116	1116	1.5E+01	5	2.70E-02
1117	1117	1.5E+01	5	2.69E-02
1118	1118	1.5E+01	5	2.67E-02
1119	1119	1.4E+01	5	2.65E-02
1120	1120	1.4E+01	5	2.62E-02
1121	1121	1.4E+01	5	2.59E-02
1122	1122	1.4E+01	5	2.55E-02
1123	1123	1.4E+01	5	2.50E-02
1124	1124	1.3E+01	5	2.44E-02
1125	1125	1.3E+01	5	2.37E-02
1126	1126	1.2E+01	5	2.28E-02
1127	1127	1.2E+01	5	2.17E-02
1128	1128	1.1E+01	5	2.05E-02
1129	1129	1.0E+01	5	1.91E-02
1130	1130	9.6E+00	5	1.76E-02
1131	1131	8.7E+00	5	1.60E-02
1132	1132	7.9E+00	5	1.44E-02
1133	1133	7.1E+00	5	1.30E-02
1134	1134	6.4E+00	5	1.17E-02
1135	1135	5.8E+00	5	1.05E-02
1136	1136	5.2E+00	5	9.53E-03
1137	1137	4.7E+00	5	8.64E-03
1138	1138	4.3E+00	5	7.85E-03
1139	1139	3.9E+00	5	7.16E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	3.6E+00	5	6.55E-03
1141	1141	3.3E+00	5	6.02E-03
1142	1142	3.0E+00	5	5.55E-03
1143	1143	2.8E+00	5	5.13E-03
1144	1144	2.6E+00	5	4.76E-03
1145	1145	2.4E+00	5	4.43E-03
1146	1146	1.5E+01	5	2.77E-02
1147	1147	1.5E+01	5	2.79E-02
1148	1148	1.8E+01	5	3.26E-02
1149	1149	1.5E+01	5	2.82E-02
1150	1150	1.5E+01	5	2.78E-02
1151	1151	1.5E+01	5	2.78E-02
1152	1152	1.5E+01	5	2.81E-02
1153	1153	1.5E+01	5	2.76E-02
1154	1154	1.5E+01	5	2.69E-02
1155	1155	1.5E+01	5	2.66E-02
1156	1156	1.5E+01	5	2.66E-02
1157	1157	1.4E+01	5	2.58E-02
1158	1158	1.3E+01	5	2.46E-02
1159	1159	1.3E+01	5	2.37E-02
1160	1160	1.0E+01	5	1.90E-02
1161	1161	1.2E+01	5	2.15E-02
1162	1162	1.1E+01	5	1.94E-02
1163	1163	9.6E+00	5	1.76E-02
1164	1164	8.7E+00	5	1.59E-02
1165	1165	1.0E+01	5	1.84E-02
1166	1166	8.9E+00	5	1.63E-02
1167	1167	7.8E+00	5	1.43E-02
1168	1168	6.9E+00	5	1.27E-02
1169	1169	6.2E+00	5	1.13E-02
1170	1170	5.5E+00	5	1.01E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	4.9E+00	5	9.04E-03
1172	1172	4.5E+00	5	8.16E-03
1173	1173	4.0E+00	5	7.38E-03
1174	1174	3.7E+00	5	6.72E-03
1175	1175	3.4E+00	5	6.14E-03
1176	1176	3.1E+00	5	5.64E-03
1177	1177	2.8E+00	5	5.20E-03
1178	1178	2.6E+00	5	4.81E-03
1179	1179	2.4E+00	5	4.46E-03
1180	1180	1.8E+01	5	3.28E-02
1181	1181	1.8E+01	5	3.31E-02
1182	1182	1.6E+01	5	2.89E-02
1183	1183	1.6E+01	5	2.89E-02
1184	1184	1.8E+01	5	3.30E-02
1185	1185	1.8E+01	5	3.31E-02
1186	1186	1.6E+01	5	2.85E-02
1187	1187	1.5E+01	5	2.82E-02
1188	1188	1.7E+01	5	3.21E-02
1189	1189	1.5E+01	5	2.77E-02
1190	1190	1.5E+01	5	2.67E-02
1191	1191	1.4E+01	5	2.59E-02
1192	1192	1.6E+01	5	2.92E-02
1193	1193	1.3E+01	5	2.40E-02
1194	1194	1.2E+01	5	2.20E-02
1195	1195	1.1E+01	5	2.03E-02
1196	1196	1.2E+01	5	2.26E-02
1197	1197	1.1E+01	5	2.02E-02
1198	1198	9.8E+00	5	1.80E-02
1199	1199	8.8E+00	5	1.61E-02
1200	1200	1.0E+01	5	1.84E-02
1201	1201	8.6E+00	5	1.58E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Max Cancer Risk Cancer Risk		
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1202	1202	7.5E+00	5	1.37E-02
1203	1203	6.6E+00	5	1.20E-02
1204	1204	5.8E+00	5	1.06E-02
1205	1205	5.1E+00	5	9.41E-03
1206	1206	4.6E+00	5	8.42E-03
1207	1207	4.1E+00	5	7.58E-03
1208	1208	3.7E+00	5	6.86E-03
1209	1209	3.4E+00	5	6.24E-03
1210	1210	3.1E+00	5	5.71E-03
1211	1211	2.9E+00	5	5.24E-03
1212	1212	2.6E+00	5	4.83E-03
1213	1213	2.4E+00	5	4.47E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

							Cancer Risk from 2to16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.75542	5.41E-05	1.5E-04	6.05E-04	9.01E-08	5.48E-02	4.71E-02	2.33E-10	1.0E+06	2.3E-04
893	2.64375	5.41E-05	1.4E-04	6.05E-04	8.65E-08	5.48E-02	4.71E-02	2.23E-10	1.0E+06	2.2E-04
894	2.52963	5.41E-05	1.4E-04	6.05E-04	8.27E-08	5.48E-02	4.71E-02	2.14E-10	1.0E+06	2.1E-04
895	2.41457	5.41E-05	1.3E-04	6.05E-04	7.90E-08	5.48E-02	4.71E-02	2.04E-10	1.0E+06	2.0E-04
896	2.30061	5.41E-05	1.2E-04	6.05E-04	7.52E-08	5.48E-02	4.71E-02	1.94E-10	1.0E+06	1.9E-04
897	2.18935	5.41E-05	1.2E-04	6.05E-04	7.16E-08	5.48E-02	4.71E-02	1.85E-10	1.0E+06	1.8E-04
898	2.08092	5.41E-05	1.1E-04	6.05E-04	6.81E-08	5.48E-02	4.71E-02	1.76E-10	1.0E+06	1.8E-04
899	1.97707	5.41E-05	1.1E-04	6.05E-04	6.47E-08	5.48E-02	4.71E-02	1.67E-10	1.0E+06	1.7E-04
900	1.87859	5.41E-05	1.0E-04	6.05E-04	6.14E-08	5.48E-02	4.71E-02	1.59E-10	1.0E+06	1.6E-04
901	1.78411	5.41E-05	9.6E-05	6.05E-04	5.84E-08	5.48E-02	4.71E-02	1.51E-10	1.0E+06	1.5E-04
902	1.69123	5.41E-05	9.1E-05	6.05E-04	5.53E-08	5.48E-02	4.71E-02	1.43E-10	1.0E+06	1.4E-04
903	1.60208	5.41E-05	8.7E-05	6.05E-04	5.24E-08	5.48E-02	4.71E-02	1.35E-10	1.0E+06	1.4E-04
904	1.51789	5.41E-05	8.2E-05	6.05E-04	4.96E-08	5.48E-02	4.71E-02	1.28E-10	1.0E+06	1.3E-04
905	1.43857	5.41E-05	7.8E-05	6.05E-04	4.70E-08	5.48E-02	4.71E-02	1.22E-10	1.0E+06	1.2E-04
906	1.36373	5.41E-05	7.4E-05	6.05E-04	4.46E-08	5.48E-02	4.71E-02	1.15E-10	1.0E+06	1.2E-04
907	1.29572	5.41E-05	7.0E-05	6.05E-04	4.24E-08	5.48E-02	4.71E-02	1.09E-10	1.0E+06	1.1E-04
908	4.13343	5.41E-05	2.2E-04	6.05E-04	1.35E-07	5.48E-02	4.71E-02	3.49E-10	1.0E+06	3.5E-04
909	4.14798	5.41E-05	2.2E-04	6.05E-04	1.36E-07	5.48E-02	4.71E-02	3.50E-10	1.0E+06	3.5E-04
910	4.15467	5.41E-05	2.2E-04	6.05E-04	1.36E-07	5.48E-02	4.71E-02	3.51E-10	1.0E+06	3.5E-04
911	4.15515	5.41E-05	2.2E-04	6.05E-04	1.36E-07	5.48E-02	4.71E-02	3.51E-10	1.0E+06	3.5E-04
912	4.14723	5.41E-05	2.2E-04	6.05E-04	1.36E-07	5.48E-02	4.71E-02	3.50E-10	1.0E+06	3.5E-04
913	4.13132	5.41E-05	2.2E-04	6.05E-04	1.35E-07	5.48E-02	4.71E-02	3.49E-10	1.0E+06	3.5E-04
914	4.10746	5.41E-05	2.2E-04	6.05E-04	1.34E-07	5.48E-02	4.71E-02	3.47E-10	1.0E+06	3.5E-04
915	4.07476	5.41E-05	2.2E-04	6.05E-04	1.33E-07	5.48E-02	4.71E-02	3.44E-10	1.0E+06	3.4E-04
916	4.03399	5.41E-05	2.2E-04	6.05E-04	1.32E-07	5.48E-02	4.71E-02	3.41E-10	1.0E+06	3.4E-04
917	3.98405	5.41E-05	2.2E-04	6.05E-04	1.30E-07	5.48E-02	4.71E-02	3.37E-10	1.0E+06	3.4E-04
918	3.92475	5.41E-05	2.1E-04	6.05E-04	1.28E-07	5.48E-02	4.71E-02	3.32E-10	1.0E+06	3.3E-04
919	3.85612	5.41E-05	2.1E-04	6.05E-04	1.26E-07	5.48E-02	4.71E-02	3.26E-10	1.0E+06	3.3E-04
920	3.7783	5.41E-05	2.0E-04	6.05E-04	1.24E-07	5.48E-02	4.71E-02	3.19E-10	1.0E+06	3.2E-04
921	3.69128	5.41E-05	2.0E-04	6.05E-04	1.21E-07	5.48E-02	4.71E-02	3.12E-10	1.0E+06	3.1E-04
922	3.59342	5.41E-05	1.9E-04	6.05E-04	1.18E-07	5.48E-02	4.71E-02	3.04E-10	1.0E+06	3.0E-04

	Max	Receptor #
Res	0.001	1181

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	3.48686	5.41E-05	1.9E-04	6.05E-04	1.14E-07	5.48E-02	4.71E-02	2.95E-10	1.0E+06	2.9E-04
924	3.37248	5.41E-05	1.8E-04	6.05E-04	1.10E-07	5.48E-02	4.71E-02	2.85E-10	1.0E+06	2.8E-04
925	3.25179	5.41E-05	1.8E-04	6.05E-04	1.06E-07	5.48E-02	4.71E-02	2.75E-10	1.0E+06	2.7E-04
926	3.12547	5.41E-05	1.7E-04	6.05E-04	1.02E-07	5.48E-02	4.71E-02	2.64E-10	1.0E+06	2.6E-04
927	2.99521	5.41E-05	1.6E-04	6.05E-04	9.80E-08	5.48E-02	4.71E-02	2.53E-10	1.0E+06	2.5E-04
928	2.86199	5.41E-05	1.5E-04	6.05E-04	9.36E-08	5.48E-02	4.71E-02	2.42E-10	1.0E+06	2.4E-04
929	2.72693	5.41E-05	1.5E-04	6.05E-04	8.92E-08	5.48E-02	4.71E-02	2.30E-10	1.0E+06	2.3E-04
930	2.59145	5.41E-05	1.4E-04	6.05E-04	8.48E-08	5.48E-02	4.71E-02	2.19E-10	1.0E+06	2.2E-04
931	2.45834	5.41E-05	1.3E-04	6.05E-04	8.04E-08	5.48E-02	4.71E-02	2.08E-10	1.0E+06	2.1E-04
932	2.32945	5.41E-05	1.3E-04	6.05E-04	7.62E-08	5.48E-02	4.71E-02	1.97E-10	1.0E+06	2.0E-04
933	2.20497	5.41E-05	1.2E-04	6.05E-04	7.21E-08	5.48E-02	4.71E-02	1.86E-10	1.0E+06	1.9E-04
934	2.08581	5.41E-05	1.1E-04	6.05E-04	6.82E-08	5.48E-02	4.71E-02	1.76E-10	1.0E+06	1.8E-04
935	1.97237	5.41E-05	1.1E-04	6.05E-04	6.45E-08	5.48E-02	4.71E-02	1.67E-10	1.0E+06	1.7E-04
936	1.86474	5.41E-05	1.0E-04	6.05E-04	6.10E-08	5.48E-02	4.71E-02	1.58E-10	1.0E+06	1.6E-04
937	1.76097	5.41E-05	9.5E-05	6.05E-04	5.76E-08	5.48E-02	4.71E-02	1.49E-10	1.0E+06	1.5E-04
938	1.6625	5.41E-05	9.0E-05	6.05E-04	5.44E-08	5.48E-02	4.71E-02	1.40E-10	1.0E+06	1.4E-04
939	1.57017	5.41E-05	8.5E-05	6.05E-04	5.14E-08	5.48E-02	4.71E-02	1.33E-10	1.0E+06	1.3E-04
940	1.48389	5.41E-05	8.0E-05	6.05E-04	4.85E-08	5.48E-02	4.71E-02	1.25E-10	1.0E+06	1.3E-04
941	1.40313	5.41E-05	7.6E-05	6.05E-04	4.59E-08	5.48E-02	4.71E-02	1.19E-10	1.0E+06	1.2E-04
942	4.63799	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.92E-10	1.0E+06	3.9E-04
943	4.65331	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.93E-10	1.0E+06	3.9E-04
944	4.66029	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.94E-10	1.0E+06	3.9E-04
945	4.65962	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.94E-10	1.0E+06	3.9E-04
946	4.64997	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.93E-10	1.0E+06	3.9E-04
947	4.63099	5.41E-05	2.5E-04	6.05E-04	1.51E-07	5.48E-02	4.71E-02	3.91E-10	1.0E+06	3.9E-04
948	4.60175	5.41E-05	2.5E-04	6.05E-04	1.51E-07	5.48E-02	4.71E-02	3.89E-10	1.0E+06	3.9E-04
949	4.56263	5.41E-05	2.5E-04	6.05E-04	1.49E-07	5.48E-02	4.71E-02	3.85E-10	1.0E+06	3.9E-04
950	4.51437	5.41E-05	2.4E-04	6.05E-04	1.48E-07	5.48E-02	4.71E-02	3.81E-10	1.0E+06	3.8E-04
951	4.45739	5.41E-05	2.4E-04	6.05E-04	1.46E-07	5.48E-02	4.71E-02	3.77E-10	1.0E+06	3.8E-04
952	4.389	5.41E-05	2.4E-04	6.05E-04	1.44E-07	5.48E-02	4.71E-02	3.71E-10	1.0E+06	3.7E-04
953	4.30956	5.41E-05	2.3E-04	6.05E-04	1.41E-07	5.48E-02	4.71E-02	3.64E-10	1.0E+06	3.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	4.21848	5.41E-05	2.3E-04	6.05E-04	1.38E-07	5.48E-02	4.71E-02	3.56E-10	1.0E+06	3.6E-04
955	4.11568	5.41E-05	2.2E-04	6.05E-04	1.35E-07	5.48E-02	4.71E-02	3.48E-10	1.0E+06	3.5E-04
956	3.99754	5.41E-05	2.2E-04	6.05E-04	1.31E-07	5.48E-02	4.71E-02	3.38E-10	1.0E+06	3.4E-04
957	3.86722	5.41E-05	2.1E-04	6.05E-04	1.26E-07	5.48E-02	4.71E-02	3.27E-10	1.0E+06	3.3E-04
958	3.72905	5.41E-05	2.0E-04	6.05E-04	1.22E-07	5.48E-02	4.71E-02	3.15E-10	1.0E+06	3.2E-04
959	3.58424	5.41E-05	1.9E-04	6.05E-04	1.17E-07	5.48E-02	4.71E-02	3.03E-10	1.0E+06	3.0E-04
960	3.43198	5.41E-05	1.9E-04	6.05E-04	1.12E-07	5.48E-02	4.71E-02	2.90E-10	1.0E+06	2.9E-04
961	3.27428	5.41E-05	1.8E-04	6.05E-04	1.07E-07	5.48E-02	4.71E-02	2.77E-10	1.0E+06	2.8E-04
962	3.11339	5.41E-05	1.7E-04	6.05E-04	1.02E-07	5.48E-02	4.71E-02	2.63E-10	1.0E+06	2.6E-04
963	2.95106	5.41E-05	1.6E-04	6.05E-04	9.65E-08	5.48E-02	4.71E-02	2.49E-10	1.0E+06	2.5E-04
964	2.78992	5.41E-05	1.5E-04	6.05E-04	9.12E-08	5.48E-02	4.71E-02	2.36E-10	1.0E+06	2.4E-04
965	2.63225	5.41E-05	1.4E-04	6.05E-04	8.61E-08	5.48E-02	4.71E-02	2.22E-10	1.0E+06	2.2E-04
966	2.48139	5.41E-05	1.3E-04	6.05E-04	8.12E-08	5.48E-02	4.71E-02	2.10E-10	1.0E+06	2.1E-04
967	2.33706	5.41E-05	1.3E-04	6.05E-04	7.64E-08	5.48E-02	4.71E-02	1.97E-10	1.0E+06	2.0E-04
968	2.19954	5.41E-05	1.2E-04	6.05E-04	7.19E-08	5.48E-02	4.71E-02	1.86E-10	1.0E+06	1.9E-04
969	2.06894	5.41E-05	1.1E-04	6.05E-04	6.77E-08	5.48E-02	4.71E-02	1.75E-10	1.0E+06	1.7E-04
970	1.94612	5.41E-05	1.1E-04	6.05E-04	6.36E-08	5.48E-02	4.71E-02	1.64E-10	1.0E+06	1.6E-04
971	1.83103	5.41E-05	9.9E-05	6.05E-04	5.99E-08	5.48E-02	4.71E-02	1.55E-10	1.0E+06	1.5E-04
972	1.72334	5.41E-05	9.3E-05	6.05E-04	5.64E-08	5.48E-02	4.71E-02	1.46E-10	1.0E+06	1.5E-04
973	1.62308	5.41E-05	8.8E-05	6.05E-04	5.31E-08	5.48E-02	4.71E-02	1.37E-10	1.0E+06	1.4E-04
974	1.52973	5.41E-05	8.3E-05	6.05E-04	5.00E-08	5.48E-02	4.71E-02	1.29E-10	1.0E+06	1.3E-04
975	1.44302	5.41E-05	7.8E-05	6.05E-04	4.72E-08	5.48E-02	4.71E-02	1.22E-10	1.0E+06	1.2E-04
976	5.243	5.41E-05	2.8E-04	6.05E-04	1.71E-07	5.48E-02	4.71E-02	4.43E-10	1.0E+06	4.4E-04
977	5.25934	5.41E-05	2.8E-04	6.05E-04	1.72E-07	5.48E-02	4.71E-02	4.44E-10	1.0E+06	4.4E-04
978	5.26636	5.41E-05	2.8E-04	6.05E-04	1.72E-07	5.48E-02	4.71E-02	4.45E-10	1.0E+06	4.4E-04
979	5.26489	5.41E-05	2.8E-04	6.05E-04	1.72E-07	5.48E-02	4.71E-02	4.45E-10	1.0E+06	4.4E-04
980	5.25326	5.41E-05	2.8E-04	6.05E-04	1.72E-07	5.48E-02	4.71E-02	4.44E-10	1.0E+06	4.4E-04
981	5.23115	5.41E-05	2.8E-04	6.05E-04	1.71E-07	5.48E-02	4.71E-02	4.42E-10	1.0E+06	4.4E-04
982	5.19613	5.41E-05	2.8E-04	6.05E-04	1.70E-07	5.48E-02	4.71E-02	4.39E-10	1.0E+06	4.4E-04
983	5.14934	5.41E-05	2.8E-04	6.05E-04	1.68E-07	5.48E-02	4.71E-02	4.35E-10	1.0E+06	4.4E-04
984	5.09275	5.41E-05	2.8E-04	6.05E-04	1.67E-07	5.48E-02	4.71E-02	4.30E-10	1.0E+06	4.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	5.02795	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.25E-10	1.0E+06	4.2E-04
986	4.94967	5.41E-05	2.7E-04	6.05E-04	1.62E-07	5.48E-02	4.71E-02	4.18E-10	1.0E+06	4.2E-04
987	4.85719	5.41E-05	2.6E-04	6.05E-04	1.59E-07	5.48E-02	4.71E-02	4.10E-10	1.0E+06	4.1E-04
988	4.75055	5.41E-05	2.6E-04	6.05E-04	1.55E-07	5.48E-02	4.71E-02	4.01E-10	1.0E+06	4.0E-04
989	4.62829	5.41E-05	2.5E-04	6.05E-04	1.51E-07	5.48E-02	4.71E-02	3.91E-10	1.0E+06	3.9E-04
990	4.48499	5.41E-05	2.4E-04	6.05E-04	1.47E-07	5.48E-02	4.71E-02	3.79E-10	1.0E+06	3.8E-04
991	4.32464	5.41E-05	2.3E-04	6.05E-04	1.41E-07	5.48E-02	4.71E-02	3.65E-10	1.0E+06	3.7E-04
992	4.15588	5.41E-05	2.2E-04	6.05E-04	1.36E-07	5.48E-02	4.71E-02	3.51E-10	1.0E+06	3.5E-04
993	3.97939	5.41E-05	2.2E-04	6.05E-04	1.30E-07	5.48E-02	4.71E-02	3.36E-10	1.0E+06	3.4E-04
994	3.794	5.41E-05	2.1E-04	6.05E-04	1.24E-07	5.48E-02	4.71E-02	3.21E-10	1.0E+06	3.2E-04
995	3.59983	5.41E-05	1.9E-04	6.05E-04	1.18E-07	5.48E-02	4.71E-02	3.04E-10	1.0E+06	3.0E-04
996	3.4027	5.41E-05	1.8E-04	6.05E-04	1.11E-07	5.48E-02	4.71E-02	2.87E-10	1.0E+06	2.9E-04
997	3.2054	5.41E-05	1.7E-04	6.05E-04	1.05E-07	5.48E-02	4.71E-02	2.71E-10	1.0E+06	2.7E-04
998	3.01092	5.41E-05	1.6E-04	6.05E-04	9.85E-08	5.48E-02	4.71E-02	2.54E-10	1.0E+06	2.5E-04
999	2.82294	5.41E-05	1.5E-04	6.05E-04	9.23E-08	5.48E-02	4.71E-02	2.38E-10	1.0E+06	2.4E-04
1000	2.64526	5.41E-05	1.4E-04	6.05E-04	8.65E-08	5.48E-02	4.71E-02	2.23E-10	1.0E+06	2.2E-04
1001	2.47694	5.41E-05	1.3E-04	6.05E-04	8.10E-08	5.48E-02	4.71E-02	2.09E-10	1.0E+06	2.1E-04
1002	2.31821	5.41E-05	1.3E-04	6.05E-04	7.58E-08	5.48E-02	4.71E-02	1.96E-10	1.0E+06	2.0E-04
1003	2.16778	5.41E-05	1.2E-04	6.05E-04	7.09E-08	5.48E-02	4.71E-02	1.83E-10	1.0E+06	1.8E-04
1004	2.02814	5.41E-05	1.1E-04	6.05E-04	6.63E-08	5.48E-02	4.71E-02	1.71E-10	1.0E+06	1.7E-04
1005	1.90048	5.41E-05	1.0E-04	6.05E-04	6.22E-08	5.48E-02	4.71E-02	1.61E-10	1.0E+06	1.6E-04
1006	1.78307	5.41E-05	9.6E-05	6.05E-04	5.83E-08	5.48E-02	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1007	1.67441	5.41E-05	9.1E-05	6.05E-04	5.48E-08	5.48E-02	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1008	1.57366	5.41E-05	8.5E-05	6.05E-04	5.15E-08	5.48E-02	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1009	1.4807	5.41E-05	8.0E-05	6.05E-04	4.84E-08	5.48E-02	4.71E-02	1.25E-10	1.0E+06	1.3E-04
1010	5.97868	5.41E-05	3.2E-04	6.05E-04	1.96E-07	5.48E-02	4.71E-02	5.05E-10	1.0E+06	5.1E-04
1011	5.99696	5.41E-05	3.2E-04	6.05E-04	1.96E-07	5.48E-02	4.71E-02	5.07E-10	1.0E+06	5.1E-04
1012	6.00444	5.41E-05	3.2E-04	6.05E-04	1.96E-07	5.48E-02	4.71E-02	5.07E-10	1.0E+06	5.1E-04
1013	6.00212	5.41E-05	3.2E-04	6.05E-04	1.96E-07	5.48E-02	4.71E-02	5.07E-10	1.0E+06	5.1E-04
1014	5.98983	5.41E-05	3.2E-04	6.05E-04	1.96E-07	5.48E-02	4.71E-02	5.06E-10	1.0E+06	5.1E-04
1015	5.96427	5.41E-05	3.2E-04	6.05E-04	1.95E-07	5.48E-02	4.71E-02	5.04E-10	1.0E+06	5.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	5.92283	5.41E-05	3.2E-04	6.05E-04	1.94E-07	5.48E-02	4.71E-02	5.00E-10	1.0E+06	5.0E-04
1017	5.86765	5.41E-05	3.2E-04	6.05E-04	1.92E-07	5.48E-02	4.71E-02	4.96E-10	1.0E+06	5.0E-04
1018	5.80186	5.41E-05	3.1E-04	6.05E-04	1.90E-07	5.48E-02	4.71E-02	4.90E-10	1.0E+06	4.9E-04
1019	5.72853	5.41E-05	3.1E-04	6.05E-04	1.87E-07	5.48E-02	4.71E-02	4.84E-10	1.0E+06	4.8E-04
1020	5.63808	5.41E-05	3.0E-04	6.05E-04	1.84E-07	5.48E-02	4.71E-02	4.76E-10	1.0E+06	4.8E-04
1021	5.53055	5.41E-05	3.0E-04	6.05E-04	1.81E-07	5.48E-02	4.71E-02	4.67E-10	1.0E+06	4.7E-04
1022	5.40447	5.41E-05	2.9E-04	6.05E-04	1.77E-07	5.48E-02	4.71E-02	4.57E-10	1.0E+06	4.6E-04
1023	5.25811	5.41E-05	2.8E-04	6.05E-04	1.72E-07	5.48E-02	4.71E-02	4.44E-10	1.0E+06	4.4E-04
1024	5.0836	5.41E-05	2.7E-04	6.05E-04	1.66E-07	5.48E-02	4.71E-02	4.29E-10	1.0E+06	4.3E-04
1025	4.88592	5.41E-05	2.6E-04	6.05E-04	1.60E-07	5.48E-02	4.71E-02	4.13E-10	1.0E+06	4.1E-04
1026	4.67717	5.41E-05	2.5E-04	6.05E-04	1.53E-07	5.48E-02	4.71E-02	3.95E-10	1.0E+06	4.0E-04
1027	4.45807	5.41E-05	2.4E-04	6.05E-04	1.46E-07	5.48E-02	4.71E-02	3.77E-10	1.0E+06	3.8E-04
1028	4.22657	5.41E-05	2.3E-04	6.05E-04	1.38E-07	5.48E-02	4.71E-02	3.57E-10	1.0E+06	3.6E-04
1029	3.98391	5.41E-05	2.2E-04	6.05E-04	1.30E-07	5.48E-02	4.71E-02	3.37E-10	1.0E+06	3.4E-04
1030	3.73847	5.41E-05	2.0E-04	6.05E-04	1.22E-07	5.48E-02	4.71E-02	3.16E-10	1.0E+06	3.2E-04
1031	3.49452	5.41E-05	1.9E-04	6.05E-04	1.14E-07	5.48E-02	4.71E-02	2.95E-10	1.0E+06	3.0E-04
1032	3.25736	5.41E-05	1.8E-04	6.05E-04	1.07E-07	5.48E-02	4.71E-02	2.75E-10	1.0E+06	2.8E-04
1033	3.03159	5.41E-05	1.6E-04	6.05E-04	9.92E-08	5.48E-02	4.71E-02	2.56E-10	1.0E+06	2.6E-04
1034	2.82048	5.41E-05	1.5E-04	6.05E-04	9.22E-08	5.48E-02	4.71E-02	2.38E-10	1.0E+06	2.4E-04
1035	2.62362	5.41E-05	1.4E-04	6.05E-04	8.58E-08	5.48E-02	4.71E-02	2.22E-10	1.0E+06	2.2E-04
1036	2.43983	5.41E-05	1.3E-04	6.05E-04	7.98E-08	5.48E-02	4.71E-02	2.06E-10	1.0E+06	2.1E-04
1037	2.26786	5.41E-05	1.2E-04	6.05E-04	7.42E-08	5.48E-02	4.71E-02	1.92E-10	1.0E+06	1.9E-04
1038	2.10979	5.41E-05	1.1E-04	6.05E-04	6.90E-08	5.48E-02	4.71E-02	1.78E-10	1.0E+06	1.8E-04
1039	1.96818	5.41E-05	1.1E-04	6.05E-04	6.44E-08	5.48E-02	4.71E-02	1.66E-10	1.0E+06	1.7E-04
1040	1.83967	5.41E-05	9.9E-05	6.05E-04	6.02E-08	5.48E-02	4.71E-02	1.55E-10	1.0E+06	1.6E-04
1041	1.72159	5.41E-05	9.3E-05	6.05E-04	5.63E-08	5.48E-02	4.71E-02	1.45E-10	1.0E+06	1.5E-04
1042	1.61299	5.41E-05	8.7E-05	6.05E-04	5.28E-08	5.48E-02	4.71E-02	1.36E-10	1.0E+06	1.4E-04
1043	1.5135	5.41E-05	8.2E-05	6.05E-04	4.95E-08	5.48E-02	4.71E-02	1.28E-10	1.0E+06	1.3E-04
1044	6.89122	5.41E-05	3.7E-04	6.05E-04	2.25E-07	5.48E-02	4.71E-02	5.82E-10	1.0E+06	5.8E-04
1045	6.91198	5.41E-05	3.7E-04	6.05E-04	2.26E-07	5.48E-02	4.71E-02	5.84E-10	1.0E+06	5.8E-04
1046	6.92081	5.41E-05	3.7E-04	6.05E-04	2.26E-07	5.48E-02	4.71E-02	5.85E-10	1.0E+06	5.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	6.91918	5.41E-05	3.7E-04	6.05E-04	2.26E-07	5.48E-02	4.71E-02	5.85E-10	1.0E+06	5.8E-04
1048	6.90738	5.41E-05	3.7E-04	6.05E-04	2.26E-07	5.48E-02	4.71E-02	5.84E-10	1.0E+06	5.8E-04
1049	6.87983	5.41E-05	3.7E-04	6.05E-04	2.25E-07	5.48E-02	4.71E-02	5.81E-10	1.0E+06	5.8E-04
1050	6.83215	5.41E-05	3.7E-04	6.05E-04	2.23E-07	5.48E-02	4.71E-02	5.77E-10	1.0E+06	5.8E-04
1051	6.76791	5.41E-05	3.7E-04	6.05E-04	2.21E-07	5.48E-02	4.71E-02	5.72E-10	1.0E+06	5.7E-04
1052	6.69199	5.41E-05	3.6E-04	6.05E-04	2.19E-07	5.48E-02	4.71E-02	5.65E-10	1.0E+06	5.7E-04
1053	6.60719	5.41E-05	3.6E-04	6.05E-04	2.16E-07	5.48E-02	4.71E-02	5.58E-10	1.0E+06	5.6E-04
1054	6.50171	5.41E-05	3.5E-04	6.05E-04	2.13E-07	5.48E-02	4.71E-02	5.49E-10	1.0E+06	5.5E-04
1055	6.37444	5.41E-05	3.4E-04	6.05E-04	2.08E-07	5.48E-02	4.71E-02	5.39E-10	1.0E+06	5.4E-04
1056	6.22415	5.41E-05	3.4E-04	6.05E-04	2.04E-07	5.48E-02	4.71E-02	5.26E-10	1.0E+06	5.3E-04
1057	6.04695	5.41E-05	3.3E-04	6.05E-04	1.98E-07	5.48E-02	4.71E-02	5.11E-10	1.0E+06	5.1E-04
1058	5.83483	5.41E-05	3.2E-04	6.05E-04	1.91E-07	5.48E-02	4.71E-02	4.93E-10	1.0E+06	4.9E-04
1059	5.59169	5.41E-05	3.0E-04	6.05E-04	1.83E-07	5.48E-02	4.71E-02	4.72E-10	1.0E+06	4.7E-04
1060	5.32962	5.41E-05	2.9E-04	6.05E-04	1.74E-07	5.48E-02	4.71E-02	4.50E-10	1.0E+06	4.5E-04
1061	5.05091	5.41E-05	2.7E-04	6.05E-04	1.65E-07	5.48E-02	4.71E-02	4.27E-10	1.0E+06	4.3E-04
1062	4.75357	5.41E-05	2.6E-04	6.05E-04	1.55E-07	5.48E-02	4.71E-02	4.02E-10	1.0E+06	4.0E-04
1063	4.44312	5.41E-05	2.4E-04	6.05E-04	1.45E-07	5.48E-02	4.71E-02	3.75E-10	1.0E+06	3.8E-04
1064	4.131	5.41E-05	2.2E-04	6.05E-04	1.35E-07	5.48E-02	4.71E-02	3.49E-10	1.0E+06	3.5E-04
1065	3.82531	5.41E-05	2.1E-04	6.05E-04	1.25E-07	5.48E-02	4.71E-02	3.23E-10	1.0E+06	3.2E-04
1066	3.53228	5.41E-05	1.9E-04	6.05E-04	1.16E-07	5.48E-02	4.71E-02	2.98E-10	1.0E+06	3.0E-04
1067	3.25838	5.41E-05	1.8E-04	6.05E-04	1.07E-07	5.48E-02	4.71E-02	2.75E-10	1.0E+06	2.8E-04
1068	3.00612	5.41E-05	1.6E-04	6.05E-04	9.83E-08	5.48E-02	4.71E-02	2.54E-10	1.0E+06	2.5E-04
1069	2.7747	5.41E-05	1.5E-04	6.05E-04	9.07E-08	5.48E-02	4.71E-02	2.34E-10	1.0E+06	2.3E-04
1070	2.56251	5.41E-05	1.4E-04	6.05E-04	8.38E-08	5.48E-02	4.71E-02	2.16E-10	1.0E+06	2.2E-04
1071	2.36681	5.41E-05	1.3E-04	6.05E-04	7.74E-08	5.48E-02	4.71E-02	2.00E-10	1.0E+06	2.0E-04
1072	2.18956	5.41E-05	1.2E-04	6.05E-04	7.16E-08	5.48E-02	4.71E-02	1.85E-10	1.0E+06	1.8E-04
1073	2.03252	5.41E-05	1.1E-04	6.05E-04	6.65E-08	5.48E-02	4.71E-02	1.72E-10	1.0E+06	1.7E-04
1074	1.89147	5.41E-05	1.0E-04	6.05E-04	6.19E-08	5.48E-02	4.71E-02	1.60E-10	1.0E+06	1.6E-04
1075	1.7633	5.41E-05	9.5E-05	6.05E-04	5.77E-08	5.48E-02	4.71E-02	1.49E-10	1.0E+06	1.5E-04
1076	1.64659	5.41E-05	8.9E-05	6.05E-04	5.39E-08	5.48E-02	4.71E-02	1.39E-10	1.0E+06	1.4E-04
1077	1.54033	5.41E-05	8.3E-05	6.05E-04	5.04E-08	5.48E-02	4.71E-02	1.30E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	8.04858	5.41E-05	4.4E-04	6.05E-04	2.63E-07	5.48E-02	4.71E-02	6.80E-10	1.0E+06	6.8E-04
1079	8.07319	5.41E-05	4.4E-04	6.05E-04	2.64E-07	5.48E-02	4.71E-02	6.82E-10	1.0E+06	6.8E-04
1080	8.08487	5.41E-05	4.4E-04	6.05E-04	2.64E-07	5.48E-02	4.71E-02	6.83E-10	1.0E+06	6.8E-04
1081	8.08553	5.41E-05	4.4E-04	6.05E-04	2.64E-07	5.48E-02	4.71E-02	6.83E-10	1.0E+06	6.8E-04
1082	8.07678	5.41E-05	4.4E-04	6.05E-04	2.64E-07	5.48E-02	4.71E-02	6.82E-10	1.0E+06	6.8E-04
1083	8.0487	5.41E-05	4.4E-04	6.05E-04	2.63E-07	5.48E-02	4.71E-02	6.80E-10	1.0E+06	6.8E-04
1084	7.9951	5.41E-05	4.3E-04	6.05E-04	2.61E-07	5.48E-02	4.71E-02	6.75E-10	1.0E+06	6.8E-04
1085	7.92061	5.41E-05	4.3E-04	6.05E-04	2.59E-07	5.48E-02	4.71E-02	6.69E-10	1.0E+06	6.7E-04
1086	7.83359	5.41E-05	4.2E-04	6.05E-04	2.56E-07	5.48E-02	4.71E-02	6.62E-10	1.0E+06	6.6E-04
1087	7.73732	5.41E-05	4.2E-04	6.05E-04	2.53E-07	5.48E-02	4.71E-02	6.54E-10	1.0E+06	6.5E-04
1088	7.615	5.41E-05	4.1E-04	6.05E-04	2.49E-07	5.48E-02	4.71E-02	6.43E-10	1.0E+06	6.4E-04
1089	7.46572	5.41E-05	4.0E-04	6.05E-04	2.44E-07	5.48E-02	4.71E-02	6.31E-10	1.0E+06	6.3E-04
1090	7.28667	5.41E-05	3.9E-04	6.05E-04	2.38E-07	5.48E-02	4.71E-02	6.16E-10	1.0E+06	6.2E-04
1091	7.07105	5.41E-05	3.8E-04	6.05E-04	2.31E-07	5.48E-02	4.71E-02	5.97E-10	1.0E+06	6.0E-04
1092	6.80928	5.41E-05	3.7E-04	6.05E-04	2.23E-07	5.48E-02	4.71E-02	5.75E-10	1.0E+06	5.8E-04
1093	6.50763	5.41E-05	3.5E-04	6.05E-04	2.13E-07	5.48E-02	4.71E-02	5.50E-10	1.0E+06	5.5E-04
1094	6.17559	5.41E-05	3.3E-04	6.05E-04	2.02E-07	5.48E-02	4.71E-02	5.22E-10	1.0E+06	5.2E-04
1095	5.81086	5.41E-05	3.1E-04	6.05E-04	1.90E-07	5.48E-02	4.71E-02	4.91E-10	1.0E+06	4.9E-04
1096	5.41469	5.41E-05	2.9E-04	6.05E-04	1.77E-07	5.48E-02	4.71E-02	4.57E-10	1.0E+06	4.6E-04
1097	5.00334	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.23E-10	1.0E+06	4.2E-04
1098	4.5955	5.41E-05	2.5E-04	6.05E-04	1.50E-07	5.48E-02	4.71E-02	3.88E-10	1.0E+06	3.9E-04
1099	4.20379	5.41E-05	2.3E-04	6.05E-04	1.37E-07	5.48E-02	4.71E-02	3.55E-10	1.0E+06	3.6E-04
1100	3.83746	5.41E-05	2.1E-04	6.05E-04	1.26E-07	5.48E-02	4.71E-02	3.24E-10	1.0E+06	3.2E-04
1101	3.50324	5.41E-05	1.9E-04	6.05E-04	1.15E-07	5.48E-02	4.71E-02	2.96E-10	1.0E+06	3.0E-04
1102	3.20073	5.41E-05	1.7E-04	6.05E-04	1.05E-07	5.48E-02	4.71E-02	2.70E-10	1.0E+06	2.7E-04
1103	2.92897	5.41E-05	1.6E-04	6.05E-04	9.58E-08	5.48E-02	4.71E-02	2.47E-10	1.0E+06	2.5E-04
1104	2.68445	5.41E-05	1.5E-04	6.05E-04	8.78E-08	5.48E-02	4.71E-02	2.27E-10	1.0E+06	2.3E-04
1105	2.46304	5.41E-05	1.3E-04	6.05E-04	8.06E-08	5.48E-02	4.71E-02	2.08E-10	1.0E+06	2.1E-04
1106	2.26537	5.41E-05	1.2E-04	6.05E-04	7.41E-08	5.48E-02	4.71E-02	1.91E-10	1.0E+06	1.9E-04
1107	2.09227	5.41E-05	1.1E-04	6.05E-04	6.84E-08	5.48E-02	4.71E-02	1.77E-10	1.0E+06	1.8E-04
1108	1.93866	5.41E-05	1.0E-04	6.05E-04	6.34E-08	5.48E-02	4.71E-02	1.64E-10	1.0E+06	1.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1.80042	5.41E-05	9.7E-05	6.05E-04	5.89E-08	5.48E-02	4.71E-02	1.52E-10	1.0E+06	1.5E-04
1110	1.67563	5.41E-05	9.1E-05	6.05E-04	5.48E-08	5.48E-02	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1111	1.56303	5.41E-05	8.4E-05	6.05E-04	5.11E-08	5.48E-02	4.71E-02	1.32E-10	1.0E+06	1.3E-04
1112	9.55894	5.41E-05	5.2E-04	6.05E-04	3.13E-07	5.48E-02	4.71E-02	8.08E-10	1.0E+06	8.1E-04
1113	9.58896	5.41E-05	5.2E-04	6.05E-04	3.14E-07	5.48E-02	4.71E-02	8.10E-10	1.0E+06	8.1E-04
1114	9.60364	5.41E-05	5.2E-04	6.05E-04	3.14E-07	5.48E-02	4.71E-02	8.11E-10	1.0E+06	8.1E-04
1115	9.61345	5.41E-05	5.2E-04	6.05E-04	3.14E-07	5.48E-02	4.71E-02	8.12E-10	1.0E+06	8.1E-04
1116	9.61332	5.41E-05	5.2E-04	6.05E-04	3.14E-07	5.48E-02	4.71E-02	8.12E-10	1.0E+06	8.1E-04
1117	9.58702	5.41E-05	5.2E-04	6.05E-04	3.14E-07	5.48E-02	4.71E-02	8.10E-10	1.0E+06	8.1E-04
1118	9.52425	5.41E-05	5.1E-04	6.05E-04	3.11E-07	5.48E-02	4.71E-02	8.05E-10	1.0E+06	8.0E-04
1119	9.4434	5.41E-05	5.1E-04	6.05E-04	3.09E-07	5.48E-02	4.71E-02	7.98E-10	1.0E+06	8.0E-04
1120	9.34884	5.41E-05	5.1E-04	6.05E-04	3.06E-07	5.48E-02	4.71E-02	7.90E-10	1.0E+06	7.9E-04
1121	9.23908	5.41E-05	5.0E-04	6.05E-04	3.02E-07	5.48E-02	4.71E-02	7.81E-10	1.0E+06	7.8E-04
1122	9.0946	5.41E-05	4.9E-04	6.05E-04	2.97E-07	5.48E-02	4.71E-02	7.68E-10	1.0E+06	7.7E-04
1123	8.92466	5.41E-05	4.8E-04	6.05E-04	2.92E-07	5.48E-02	4.71E-02	7.54E-10	1.0E+06	7.5E-04
1124	8.71614	5.41E-05	4.7E-04	6.05E-04	2.85E-07	5.48E-02	4.71E-02	7.36E-10	1.0E+06	7.4E-04
1125	8.44765	5.41E-05	4.6E-04	6.05E-04	2.76E-07	5.48E-02	4.71E-02	7.14E-10	1.0E+06	7.1E-04
1126	8.11751	5.41E-05	4.4E-04	6.05E-04	2.65E-07	5.48E-02	4.71E-02	6.86E-10	1.0E+06	6.9E-04
1127	7.74497	5.41E-05	4.2E-04	6.05E-04	2.53E-07	5.48E-02	4.71E-02	6.54E-10	1.0E+06	6.5E-04
1128	7.32057	5.41E-05	4.0E-04	6.05E-04	2.39E-07	5.48E-02	4.71E-02	6.18E-10	1.0E+06	6.2E-04
1129	6.82847	5.41E-05	3.7E-04	6.05E-04	2.23E-07	5.48E-02	4.71E-02	5.77E-10	1.0E+06	5.8E-04
1130	6.27281	5.41E-05	3.4E-04	6.05E-04	2.05E-07	5.48E-02	4.71E-02	5.30E-10	1.0E+06	5.3E-04
1131	5.70031	5.41E-05	3.1E-04	6.05E-04	1.86E-07	5.48E-02	4.71E-02	4.82E-10	1.0E+06	4.8E-04
1132	5.1472	5.41E-05	2.8E-04	6.05E-04	1.68E-07	5.48E-02	4.71E-02	4.35E-10	1.0E+06	4.3E-04
1133	4.63412	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.92E-10	1.0E+06	3.9E-04
1134	4.17136	5.41E-05	2.3E-04	6.05E-04	1.36E-07	5.48E-02	4.71E-02	3.52E-10	1.0E+06	3.5E-04
1135	3.7611	5.41E-05	2.0E-04	6.05E-04	1.23E-07	5.48E-02	4.71E-02	3.18E-10	1.0E+06	3.2E-04
1136	3.399	5.41E-05	1.8E-04	6.05E-04	1.11E-07	5.48E-02	4.71E-02	2.87E-10	1.0E+06	2.9E-04
1137	3.08136	5.41E-05	1.7E-04	6.05E-04	1.01E-07	5.48E-02	4.71E-02	2.60E-10	1.0E+06	2.6E-04
1138	2.80172	5.41E-05	1.5E-04	6.05E-04	9.16E-08	5.48E-02	4.71E-02	2.37E-10	1.0E+06	2.4E-04
1139	2.55329	5.41E-05	1.4E-04	6.05E-04	8.35E-08	5.48E-02	4.71E-02	2.16E-10	1.0E+06	2.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	2.335	5.41E-05	1.3E-04	6.05E-04	7.64E-08	5.48E-02	4.71E-02	1.97E-10	1.0E+06	2.0E-04
1141	2.14568	5.41E-05	1.2E-04	6.05E-04	7.02E-08	5.48E-02	4.71E-02	1.81E-10	1.0E+06	1.8E-04
1142	1.97929	5.41E-05	1.1E-04	6.05E-04	6.47E-08	5.48E-02	4.71E-02	1.67E-10	1.0E+06	1.7E-04
1143	1.83105	5.41E-05	9.9E-05	6.05E-04	5.99E-08	5.48E-02	4.71E-02	1.55E-10	1.0E+06	1.5E-04
1144	1.69872	5.41E-05	9.2E-05	6.05E-04	5.56E-08	5.48E-02	4.71E-02	1.44E-10	1.0E+06	1.4E-04
1145	1.58005	5.41E-05	8.5E-05	6.05E-04	5.17E-08	5.48E-02	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1146	9.88588	5.41E-05	5.3E-04	6.05E-04	3.23E-07	5.48E-02	4.71E-02	8.35E-10	1.0E+06	8.4E-04
1147	9.9394	5.41E-05	5.4E-04	6.05E-04	3.25E-07	5.48E-02	4.71E-02	8.40E-10	1.0E+06	8.4E-04
1148	11.64574	5.41E-05	6.3E-04	6.05E-04	3.81E-07	5.48E-02	4.71E-02	9.84E-10	1.0E+06	9.8E-04
1149	10.06257	5.41E-05	5.4E-04	6.05E-04	3.29E-07	5.48E-02	4.71E-02	8.50E-10	1.0E+06	8.5E-04
1150	9.91309	5.41E-05	5.4E-04	6.05E-04	3.24E-07	5.48E-02	4.71E-02	8.38E-10	1.0E+06	8.4E-04
1151	9.90461	5.41E-05	5.4E-04	6.05E-04	3.24E-07	5.48E-02	4.71E-02	8.37E-10	1.0E+06	8.4E-04
1152	10.0222	5.41E-05	5.4E-04	6.05E-04	3.28E-07	5.48E-02	4.71E-02	8.47E-10	1.0E+06	8.5E-04
1153	9.85946	5.41E-05	5.3E-04	6.05E-04	3.22E-07	5.48E-02	4.71E-02	8.33E-10	1.0E+06	8.3E-04
1154	9.60009	5.41E-05	5.2E-04	6.05E-04	3.14E-07	5.48E-02	4.71E-02	8.11E-10	1.0E+06	8.1E-04
1155	9.48701	5.41E-05	5.1E-04	6.05E-04	3.10E-07	5.48E-02	4.71E-02	8.02E-10	1.0E+06	8.0E-04
1156	9.50126	5.41E-05	5.1E-04	6.05E-04	3.11E-07	5.48E-02	4.71E-02	8.03E-10	1.0E+06	8.0E-04
1157	9.19978	5.41E-05	5.0E-04	6.05E-04	3.01E-07	5.48E-02	4.71E-02	7.77E-10	1.0E+06	7.8E-04
1158	8.76025	5.41E-05	4.7E-04	6.05E-04	2.87E-07	5.48E-02	4.71E-02	7.40E-10	1.0E+06	7.4E-04
1159	8.43738	5.41E-05	4.6E-04	6.05E-04	2.76E-07	5.48E-02	4.71E-02	7.13E-10	1.0E+06	7.1E-04
1160	6.77907	5.41E-05	3.7E-04	6.05E-04	2.22E-07	5.48E-02	4.71E-02	5.73E-10	1.0E+06	5.7E-04
1161	7.66995	5.41E-05	4.1E-04	6.05E-04	2.51E-07	5.48E-02	4.71E-02	6.48E-10	1.0E+06	6.5E-04
1162	6.93213	5.41E-05	3.7E-04	6.05E-04	2.27E-07	5.48E-02	4.71E-02	5.86E-10	1.0E+06	5.9E-04
1163	6.27427	5.41E-05	3.4E-04	6.05E-04	2.05E-07	5.48E-02	4.71E-02	5.30E-10	1.0E+06	5.3E-04
1164	5.68263	5.41E-05	3.1E-04	6.05E-04	1.86E-07	5.48E-02	4.71E-02	4.80E-10	1.0E+06	4.8E-04
1165	6.57939	5.41E-05	3.6E-04	6.05E-04	2.15E-07	5.48E-02	4.71E-02	5.56E-10	1.0E+06	5.6E-04
1166	5.80062	5.41E-05	3.1E-04	6.05E-04	1.90E-07	5.48E-02	4.71E-02	4.90E-10	1.0E+06	4.9E-04
1167	5.11602	5.41E-05	2.8E-04	6.05E-04	1.67E-07	5.48E-02	4.71E-02	4.32E-10	1.0E+06	4.3E-04
1168	4.52614	5.41E-05	2.4E-04	6.05E-04	1.48E-07	5.48E-02	4.71E-02	3.82E-10	1.0E+06	3.8E-04
1169	4.023	5.41E-05	2.2E-04	6.05E-04	1.32E-07	5.48E-02	4.71E-02	3.40E-10	1.0E+06	3.4E-04
1170	3.59319	5.41E-05	1.9E-04	6.05E-04	1.18E-07	5.48E-02	4.71E-02	3.04E-10	1.0E+06	3.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	3.2257	5.41E-05	1.7E-04	6.05E-04	1.05E-07	5.48E-02	4.71E-02	2.73E-10	1.0E+06	2.7E-04
1172	2.90902	5.41E-05	1.6E-04	6.05E-04	9.51E-08	5.48E-02	4.71E-02	2.46E-10	1.0E+06	2.5E-04
1173	2.63425	5.41E-05	1.4E-04	6.05E-04	8.62E-08	5.48E-02	4.71E-02	2.23E-10	1.0E+06	2.2E-04
1174	2.39577	5.41E-05	1.3E-04	6.05E-04	7.84E-08	5.48E-02	4.71E-02	2.02E-10	1.0E+06	2.0E-04
1175	2.19069	5.41E-05	1.2E-04	6.05E-04	7.16E-08	5.48E-02	4.71E-02	1.85E-10	1.0E+06	1.9E-04
1176	2.01198	5.41E-05	1.1E-04	6.05E-04	6.58E-08	5.48E-02	4.71E-02	1.70E-10	1.0E+06	1.7E-04
1177	1.85432	5.41E-05	1.0E-04	6.05E-04	6.06E-08	5.48E-02	4.71E-02	1.57E-10	1.0E+06	1.6E-04
1178	1.71461	5.41E-05	9.3E-05	6.05E-04	5.61E-08	5.48E-02	4.71E-02	1.45E-10	1.0E+06	1.4E-04
1179	1.59041	5.41E-05	8.6E-05	6.05E-04	5.20E-08	5.48E-02	4.71E-02	1.34E-10	1.0E+06	1.3E-04
1180	11.70193	5.41E-05	6.3E-04	6.05E-04	3.83E-07	5.48E-02	4.71E-02	9.89E-10	1.0E+06	9.9E-04
1181	11.81195	5.41E-05	6.4E-04	6.05E-04	3.86E-07	5.48E-02	4.71E-02	9.98E-10	1.0E+06	1.0E-03
1182	10.29178	5.41E-05	5.6E-04	6.05E-04	3.37E-07	5.48E-02	4.71E-02	8.69E-10	1.0E+06	8.7E-04
1183	10.29615	5.41E-05	5.6E-04	6.05E-04	3.37E-07	5.48E-02	4.71E-02	8.70E-10	1.0E+06	8.7E-04
1184	11.75729	5.41E-05	6.4E-04	6.05E-04	3.85E-07	5.48E-02	4.71E-02	9.93E-10	1.0E+06	9.9E-04
1185	11.79799	5.41E-05	6.4E-04	6.05E-04	3.86E-07	5.48E-02	4.71E-02	9.97E-10	1.0E+06	1.0E-03
1186	10.15133	5.41E-05	5.5E-04	6.05E-04	3.32E-07	5.48E-02	4.71E-02	8.58E-10	1.0E+06	8.6E-04
1187	10.05624	5.41E-05	5.4E-04	6.05E-04	3.29E-07	5.48E-02	4.71E-02	8.50E-10	1.0E+06	8.5E-04
1188	11.43424	5.41E-05	6.2E-04	6.05E-04	3.74E-07	5.48E-02	4.71E-02	9.66E-10	1.0E+06	9.7E-04
1189	9.89315	5.41E-05	5.3E-04	6.05E-04	3.24E-07	5.48E-02	4.71E-02	8.36E-10	1.0E+06	8.4E-04
1190	9.51915	5.41E-05	5.1E-04	6.05E-04	3.11E-07	5.48E-02	4.71E-02	8.04E-10	1.0E+06	8.0E-04
1191	9.23324	5.41E-05	5.0E-04	6.05E-04	3.02E-07	5.48E-02	4.71E-02	7.80E-10	1.0E+06	7.8E-04
1192	10.40791	5.41E-05	5.6E-04	6.05E-04	3.40E-07	5.48E-02	4.71E-02	8.79E-10	1.0E+06	8.8E-04
1193	8.54948	5.41E-05	4.6E-04	6.05E-04	2.80E-07	5.48E-02	4.71E-02	7.22E-10	1.0E+06	7.2E-04
1194	7.84778	5.41E-05	4.2E-04	6.05E-04	2.57E-07	5.48E-02	4.71E-02	6.63E-10	1.0E+06	6.6E-04
1195	7.22768	5.41E-05	3.9E-04	6.05E-04	2.36E-07	5.48E-02	4.71E-02	6.11E-10	1.0E+06	6.1E-04
1196	8.06163	5.41E-05	4.4E-04	6.05E-04	2.64E-07	5.48E-02	4.71E-02	6.81E-10	1.0E+06	6.8E-04
1197	7.18865	5.41E-05	3.9E-04	6.05E-04	2.35E-07	5.48E-02	4.71E-02	6.07E-10	1.0E+06	6.1E-04
1198	6.42918	5.41E-05	3.5E-04	6.05E-04	2.10E-07	5.48E-02	4.71E-02	5.43E-10	1.0E+06	5.4E-04
1199	5.75126	5.41E-05	3.1E-04	6.05E-04	1.88E-07	5.48E-02	4.71E-02	4.86E-10	1.0E+06	4.9E-04
1200	6.55755	5.41E-05	3.5E-04	6.05E-04	2.14E-07	5.48E-02	4.71E-02	5.54E-10	1.0E+06	5.5E-04
1201	5.64061	5.41E-05	3.0E-04	6.05E-04	1.84E-07	5.48E-02	4.71E-02	4.77E-10	1.0E+06	4.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	4.89267	5.41E-05	2.6E-04	6.05E-04	1.60E-07	5.48E-02	4.71E-02	4.13E-10	1.0E+06	4.1E-04
1203	4.28273	5.41E-05	2.3E-04	6.05E-04	1.40E-07	5.48E-02	4.71E-02	3.62E-10	1.0E+06	3.6E-04
1204	3.77767	5.41E-05	2.0E-04	6.05E-04	1.24E-07	5.48E-02	4.71E-02	3.19E-10	1.0E+06	3.2E-04
1205	3.35722	5.41E-05	1.8E-04	6.05E-04	1.10E-07	5.48E-02	4.71E-02	2.84E-10	1.0E+06	2.8E-04
1206	3.00341	5.41E-05	1.6E-04	6.05E-04	9.82E-08	5.48E-02	4.71E-02	2.54E-10	1.0E+06	2.5E-04
1207	2.70273	5.41E-05	1.5E-04	6.05E-04	8.84E-08	5.48E-02	4.71E-02	2.28E-10	1.0E+06	2.3E-04
1208	2.44544	5.41E-05	1.3E-04	6.05E-04	8.00E-08	5.48E-02	4.71E-02	2.07E-10	1.0E+06	2.1E-04
1209	2.22575	5.41E-05	1.2E-04	6.05E-04	7.28E-08	5.48E-02	4.71E-02	1.88E-10	1.0E+06	1.9E-04
1210	2.03585	5.41E-05	1.1E-04	6.05E-04	6.66E-08	5.48E-02	4.71E-02	1.72E-10	1.0E+06	1.7E-04
1211	1.86986	5.41E-05	1.0E-04	6.05E-04	6.12E-08	5.48E-02	4.71E-02	1.58E-10	1.0E+06	1.6E-04
1212	1.72393	5.41E-05	9.3E-05	6.05E-04	5.64E-08	5.48E-02	4.71E-02	1.46E-10	1.0E+06	1.5E-04
1213	1.59495	5.41E-05	8.6E-05	6.05E-04	5.22E-08	5.48E-02	4.71E-02	1.35E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	2.98E-05
893	5	2.86E-05
894	5	2.73E-05
895	5	2.61E-05
896	5	2.49E-05
897	5	2.37E-05
898	5	2.25E-05
899	5	2.14E-05
900	5	2.03E-05
901	5	1.93E-05
902	5	1.83E-05
903	5	1.73E-05
904	5	1.64E-05
905	5	1.56E-05
906	5	1.47E-05
907	5	1.40E-05
908	5	4.47E-05
909	5	4.48E-05
910	5	4.49E-05
911	5	4.49E-05
912	5	4.48E-05
913	5	4.47E-05
914	5	4.44E-05
915	5	4.41E-05
916	5	4.36E-05
917	5	4.31E-05
918	5	4.24E-05
919	5	4.17E-05
920	5	4.08E-05
921	5	3.99E-05
922	5	3.88E-05

Max	Receptor #	
0.000	1181	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	3.77E-05
924	5	3.65E-05
925	5	3.52E-05
926	5	3.38E-05
927	5	3.24E-05
928	5	3.09E-05
929	5	2.95E-05
930	5	2.80E-05
931	5	2.66E-05
932	5	2.52E-05
933	5	2.38E-05
934	5	2.25E-05
935	5	2.13E-05
936	5	2.02E-05
937	5	1.90E-05
938	5	1.80E-05
939	5	1.70E-05
940	5	1.60E-05
941	5	1.52E-05
942	5	5.01E-05
943	5	5.03E-05
944	5	5.04E-05
945	5	5.04E-05
946	5	5.03E-05
947	5	5.01E-05
948	5	4.97E-05
949	5	4.93E-05
950	5	4.88E-05
951	5	4.82E-05
952	5	4.74E-05
953	5	4.66E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	4.56E-05
955	5	4.45E-05
956	5	4.32E-05
957	5	4.18E-05
958	5	4.03E-05
959	5	3.87E-05
960	5	3.71E-05
961	5	3.54E-05
962	5	3.37E-05
963	5	3.19E-05
964	5	3.02E-05
965	5	2.85E-05
966	5	2.68E-05
967	5	2.53E-05
968	5	2.38E-05
969	5	2.24E-05
970	5	2.10E-05
971	5	1.98E-05
972	5	1.86E-05
973	5	1.75E-05
974	5	1.65E-05
975	5	1.56E-05
976	5	5.67E-05
977	5	5.69E-05
978	5	5.69E-05
979	5	5.69E-05
980	5	5.68E-05
981	5	5.66E-05
982	5	5.62E-05
983	5	5.57E-05
984	5	5.51E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	5.44E-05
986	5	5.35E-05
987	5	5.25E-05
988	5	5.14E-05
989	5	5.00E-05
990	5	4.85E-05
991	5	4.68E-05
992	5	4.49E-05
993	5	4.30E-05
994	5	4.10E-05
995	5	3.89E-05
996	5	3.68E-05
997	5	3.47E-05
998	5	3.25E-05
999	5	3.05E-05
1000	5	2.86E-05
1001	5	2.68E-05
1002	5	2.51E-05
1003	5	2.34E-05
1004	5	2.19E-05
1005	5	2.05E-05
1006	5	1.93E-05
1007	5	1.81E-05
1008	5	1.70E-05
1009	5	1.60E-05
1010	5	6.46E-05
1011	5	6.48E-05
1012	5	6.49E-05
1013	5	6.49E-05
1014	5	6.48E-05
1015	5	6.45E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	6.40E-05
1017	5	6.34E-05
1018	5	6.27E-05
1019	5	6.19E-05
1020	5	6.10E-05
1021	5	5.98E-05
1022	5	5.84E-05
1023	5	5.68E-05
1024	5	5.50E-05
1025	5	5.28E-05
1026	5	5.06E-05
1027	5	4.82E-05
1028	5	4.57E-05
1029	5	4.31E-05
1030	5	4.04E-05
1031	5	3.78E-05
1032	5	3.52E-05
1033	5	3.28E-05
1034	5	3.05E-05
1035	5	2.84E-05
1036	5	2.64E-05
1037	5	2.45E-05
1038	5	2.28E-05
1039	5	2.13E-05
1040	5	1.99E-05
1041	5	1.86E-05
1042	5	1.74E-05
1043	5	1.64E-05
1044	5	7.45E-05
1045	5	7.47E-05
1046	5	7.48E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	7.48E-05
1048	5	7.47E-05
1049	5	7.44E-05
1050	5	7.39E-05
1051	5	7.32E-05
1052	5	7.23E-05
1053	5	7.14E-05
1054	5	7.03E-05
1055	5	6.89E-05
1056	5	6.73E-05
1057	5	6.54E-05
1058	5	6.31E-05
1059	5	6.04E-05
1060	5	5.76E-05
1061	5	5.46E-05
1062	5	5.14E-05
1063	5	4.80E-05
1064	5	4.47E-05
1065	5	4.14E-05
1066	5	3.82E-05
1067	5	3.52E-05
1068	5	3.25E-05
1069	5	3.00E-05
1070	5	2.77E-05
1071	5	2.56E-05
1072	5	2.37E-05
1073	5	2.20E-05
1074	5	2.04E-05
1075	5	1.91E-05
1076	5	1.78E-05
1077	5	1.67E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	8.70E-05
1079	5	8.73E-05
1080	5	8.74E-05
1081	5	8.74E-05
1082	5	8.73E-05
1083	5	8.70E-05
1084	5	8.64E-05
1085	5	8.56E-05
1086	5	8.47E-05
1087	5	8.36E-05
1088	5	8.23E-05
1089	5	8.07E-05
1090	5	7.88E-05
1091	5	7.64E-05
1092	5	7.36E-05
1093	5	7.04E-05
1094	5	6.68E-05
1095	5	6.28E-05
1096	5	5.85E-05
1097	5	5.41E-05
1098	5	4.97E-05
1099	5	4.54E-05
1100	5	4.15E-05
1101	5	3.79E-05
1102	5	3.46E-05
1103	5	3.17E-05
1104	5	2.90E-05
1105	5	2.66E-05
1106	5	2.45E-05
1107	5	2.26E-05
1108	5	2.10E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.95E-05
1110	5	1.81E-05
1111	5	1.69E-05
1112	5	1.03E-04
1113	5	1.04E-04
1114	5	1.04E-04
1115	5	1.04E-04
1116	5	1.04E-04
1117	5	1.04E-04
1118	5	1.03E-04
1119	5	1.02E-04
1120	5	1.01E-04
1121	5	9.99E-05
1122	5	9.83E-05
1123	5	9.65E-05
1124	5	9.42E-05
1125	5	9.13E-05
1126	5	8.78E-05
1127	5	8.37E-05
1128	5	7.91E-05
1129	5	7.38E-05
1130	5	6.78E-05
1131	5	6.16E-05
1132	5	5.56E-05
1133	5	5.01E-05
1134	5	4.51E-05
1135	5	4.07E-05
1136	5	3.67E-05
1137	5	3.33E-05
1138	5	3.03E-05
1139	5	2.76E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	2.52E-05
1141	5	2.32E-05
1142	5	2.14E-05
1143	5	1.98E-05
1144	5	1.84E-05
1145	5	1.71E-05
1146	5	1.07E-04
1147	5	1.07E-04
1148	5	1.26E-04
1149	5	1.09E-04
1150	5	1.07E-04
1151	5	1.07E-04
1152	5	1.08E-04
1153	5	1.07E-04
1154	5	1.04E-04
1155	5	1.03E-04
1156	5	1.03E-04
1157	5	9.95E-05
1158	5	9.47E-05
1159	5	9.12E-05
1160	5	7.33E-05
1161	5	8.29E-05
1162	5	7.49E-05
1163	5	6.78E-05
1164	5	6.14E-05
1165	5	7.11E-05
1166	5	6.27E-05
1167	5	5.53E-05
1168	5	4.89E-05
1169	5	4.35E-05
1170	5	3.88E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	3.49E-05
1172	5	3.14E-05
1173	5	2.85E-05
1174	5	2.59E-05
1175	5	2.37E-05
1176	5	2.18E-05
1177	5	2.00E-05
1178	5	1.85E-05
1179	5	1.72E-05
1180	5	1.27E-04
1181	5	1.28E-04
1182	5	1.11E-04
1183	5	1.11E-04
1184	5	1.27E-04
1185	5	1.28E-04
1186	5	1.10E-04
1187	5	1.09E-04
1188	5	1.24E-04
1189	5	1.07E-04
1190	5	1.03E-04
1191	5	9.98E-05
1192	5	1.13E-04
1193	5	9.24E-05
1194	5	8.48E-05
1195	5	7.81E-05
1196	5	8.72E-05
1197	5	7.77E-05
1198	5	6.95E-05
1199	5	6.22E-05
1200	5	7.09E-05
1201	5	6.10E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	5.29E-05
1203	5	4.63E-05
1204	5	4.08E-05
1205	5	3.63E-05
1206	5	3.25E-05
1207	5	2.92E-05
1208	5	2.64E-05
1209	5	2.41E-05
1210	5	2.20E-05
1211	5	2.02E-05
1212	5	1.86E-05
1213	5	1.72E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.75542	4.66E-03	1.3E-02	6.05E-04	7.76E-06	1.91E+00	4.71E-02	7.00E-07	1.0E+06	7.0E-01
893	2.64375	4.66E-03	1.2E-02	6.05E-04	7.45E-06	1.91E+00	4.71E-02	6.71E-07	1.0E+06	6.7E-01
894	2.52963	4.66E-03	1.2E-02	6.05E-04	7.13E-06	1.91E+00	4.71E-02	6.42E-07	1.0E+06	6.4E-01
895	2.41457	4.66E-03	1.1E-02	6.05E-04	6.80E-06	1.91E+00	4.71E-02	6.13E-07	1.0E+06	6.1E-01
896	2.30061	4.66E-03	1.1E-02	6.05E-04	6.48E-06	1.91E+00	4.71E-02	5.84E-07	1.0E+06	5.8E-01
897	2.18935	4.66E-03	1.0E-02	6.05E-04	6.17E-06	1.91E+00	4.71E-02	5.56E-07	1.0E+06	5.6E-01
898	2.08092	4.66E-03	9.7E-03	6.05E-04	5.86E-06	1.91E+00	4.71E-02	5.28E-07	1.0E+06	5.3E-01
899	1.97707	4.66E-03	9.2E-03	6.05E-04	5.57E-06	1.91E+00	4.71E-02	5.02E-07	1.0E+06	5.0E-01
900	1.87859	4.66E-03	8.7E-03	6.05E-04	5.29E-06	1.91E+00	4.71E-02	4.77E-07	1.0E+06	4.8E-01
901	1.78411	4.66E-03	8.3E-03	6.05E-04	5.03E-06	1.91E+00	4.71E-02	4.53E-07	1.0E+06	4.5E-01
902	1.69123	4.66E-03	7.9E-03	6.05E-04	4.76E-06	1.91E+00	4.71E-02	4.30E-07	1.0E+06	4.3E-01
903	1.60208	4.66E-03	7.5E-03	6.05E-04	4.51E-06	1.91E+00	4.71E-02	4.07E-07	1.0E+06	4.1E-01
904	1.51789	4.66E-03	7.1E-03	6.05E-04	4.28E-06	1.91E+00	4.71E-02	3.85E-07	1.0E+06	3.9E-01
905	1.43857	4.66E-03	6.7E-03	6.05E-04	4.05E-06	1.91E+00	4.71E-02	3.65E-07	1.0E+06	3.7E-01
906	1.36373	4.66E-03	6.3E-03	6.05E-04	3.84E-06	1.91E+00	4.71E-02	3.46E-07	1.0E+06	3.5E-01
907	1.29572	4.66E-03	6.0E-03	6.05E-04	3.65E-06	1.91E+00	4.71E-02	3.29E-07	1.0E+06	3.3E-01
908	4.13343	4.66E-03	1.9E-02	6.05E-04	1.16E-05	1.91E+00	4.71E-02	1.05E-06	1.0E+06	1.0E+00
909	4.14798	4.66E-03	1.9E-02	6.05E-04	1.17E-05	1.91E+00	4.71E-02	1.05E-06	1.0E+06	1.1E+00
910	4.15467	4.66E-03	1.9E-02	6.05E-04	1.17E-05	1.91E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
911	4.15515	4.66E-03	1.9E-02	6.05E-04	1.17E-05	1.91E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
912	4.14723	4.66E-03	1.9E-02	6.05E-04	1.17E-05	1.91E+00	4.71E-02	1.05E-06	1.0E+06	1.1E+00
913	4.13132	4.66E-03	1.9E-02	6.05E-04	1.16E-05	1.91E+00	4.71E-02	1.05E-06	1.0E+06	1.0E+00
914	4.10746	4.66E-03	1.9E-02	6.05E-04	1.16E-05	1.91E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
915	4.07476	4.66E-03	1.9E-02	6.05E-04	1.15E-05	1.91E+00	4.71E-02	1.03E-06	1.0E+06	1.0E+00
916	4.03399	4.66E-03	1.9E-02	6.05E-04	1.14E-05	1.91E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
917	3.98405	4.66E-03	1.9E-02	6.05E-04	1.12E-05	1.91E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
918	3.92475	4.66E-03	1.8E-02	6.05E-04	1.11E-05	1.91E+00	4.71E-02	9.97E-07	1.0E+06	1.0E+00
919	3.85612	4.66E-03	1.8E-02	6.05E-04	1.09E-05	1.91E+00	4.71E-02	9.79E-07	1.0E+06	9.8E-01
920	3.7783	4.66E-03	1.8E-02	6.05E-04	1.06E-05	1.91E+00	4.71E-02	9.60E-07	1.0E+06	9.6E-01
921	3.69128	4.66E-03	1.7E-02	6.05E-04	1.04E-05	1.91E+00	4.71E-02	9.37E-07	1.0E+06	9.4E-01
922	3.59342	4.66E-03	1.7E-02	6.05E-04	1.01E-05	1.91E+00	4.71E-02	9.13E-07	1.0E+06	9.1E-01

	Max	Receptor #
Res	3.000	1181

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	3.48686	4.66E-03	1.6E-02	6.05E-04	9.82E-06	1.91E+00	4.71E-02	8.86E-07	1.0E+06	8.9E-01
924	3.37248	4.66E-03	1.6E-02	6.05E-04	9.50E-06	1.91E+00	4.71E-02	8.56E-07	1.0E+06	8.6E-01
925	3.25179	4.66E-03	1.5E-02	6.05E-04	9.16E-06	1.91E+00	4.71E-02	8.26E-07	1.0E+06	8.3E-01
926	3.12547	4.66E-03	1.5E-02	6.05E-04	8.80E-06	1.91E+00	4.71E-02	7.94E-07	1.0E+06	7.9E-01
927	2.99521	4.66E-03	1.4E-02	6.05E-04	8.44E-06	1.91E+00	4.71E-02	7.61E-07	1.0E+06	7.6E-01
928	2.86199	4.66E-03	1.3E-02	6.05E-04	8.06E-06	1.91E+00	4.71E-02	7.27E-07	1.0E+06	7.3E-01
929	2.72693	4.66E-03	1.3E-02	6.05E-04	7.68E-06	1.91E+00	4.71E-02	6.93E-07	1.0E+06	6.9E-01
930	2.59145	4.66E-03	1.2E-02	6.05E-04	7.30E-06	1.91E+00	4.71E-02	6.58E-07	1.0E+06	6.6E-01
931	2.45834	4.66E-03	1.1E-02	6.05E-04	6.93E-06	1.91E+00	4.71E-02	6.24E-07	1.0E+06	6.2E-01
932	2.32945	4.66E-03	1.1E-02	6.05E-04	6.56E-06	1.91E+00	4.71E-02	5.92E-07	1.0E+06	5.9E-01
933	2.20497	4.66E-03	1.0E-02	6.05E-04	6.21E-06	1.91E+00	4.71E-02	5.60E-07	1.0E+06	5.6E-01
934	2.08581	4.66E-03	9.7E-03	6.05E-04	5.88E-06	1.91E+00	4.71E-02	5.30E-07	1.0E+06	5.3E-01
935	1.97237	4.66E-03	9.2E-03	6.05E-04	5.56E-06	1.91E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
936	1.86474	4.66E-03	8.7E-03	6.05E-04	5.25E-06	1.91E+00	4.71E-02	4.74E-07	1.0E+06	4.7E-01
937	1.76097	4.66E-03	8.2E-03	6.05E-04	4.96E-06	1.91E+00	4.71E-02	4.47E-07	1.0E+06	4.5E-01
938	1.6625	4.66E-03	7.7E-03	6.05E-04	4.68E-06	1.91E+00	4.71E-02	4.22E-07	1.0E+06	4.2E-01
939	1.57017	4.66E-03	7.3E-03	6.05E-04	4.42E-06	1.91E+00	4.71E-02	3.99E-07	1.0E+06	4.0E-01
940	1.48389	4.66E-03	6.9E-03	6.05E-04	4.18E-06	1.91E+00	4.71E-02	3.77E-07	1.0E+06	3.8E-01
941	1.40313	4.66E-03	6.5E-03	6.05E-04	3.95E-06	1.91E+00	4.71E-02	3.56E-07	1.0E+06	3.6E-01
942	4.63799	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
943	4.65331	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
944	4.66029	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
945	4.65962	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
946	4.64997	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
947	4.63099	4.66E-03	2.2E-02	6.05E-04	1.30E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
948	4.60175	4.66E-03	2.1E-02	6.05E-04	1.30E-05	1.91E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
949	4.56263	4.66E-03	2.1E-02	6.05E-04	1.29E-05	1.91E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
950	4.51437	4.66E-03	2.1E-02	6.05E-04	1.27E-05	1.91E+00	4.71E-02	1.15E-06	1.0E+06	1.1E+00
951	4.45739	4.66E-03	2.1E-02	6.05E-04	1.26E-05	1.91E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
952	4.389	4.66E-03	2.0E-02	6.05E-04	1.24E-05	1.91E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
953	4.30956	4.66E-03	2.0E-02	6.05E-04	1.21E-05	1.91E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	4.21848	4.66E-03	2.0E-02	6.05E-04	1.19E-05	1.91E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
955	4.11568	4.66E-03	1.9E-02	6.05E-04	1.16E-05	1.91E+00	4.71E-02	1.05E-06	1.0E+06	1.0E+00
956	3.99754	4.66E-03	1.9E-02	6.05E-04	1.13E-05	1.91E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
957	3.86722	4.66E-03	1.8E-02	6.05E-04	1.09E-05	1.91E+00	4.71E-02	9.82E-07	1.0E+06	9.8E-01
958	3.72905	4.66E-03	1.7E-02	6.05E-04	1.05E-05	1.91E+00	4.71E-02	9.47E-07	1.0E+06	9.5E-01
959	3.58424	4.66E-03	1.7E-02	6.05E-04	1.01E-05	1.91E+00	4.71E-02	9.10E-07	1.0E+06	9.1E-01
960	3.43198	4.66E-03	1.6E-02	6.05E-04	9.67E-06	1.91E+00	4.71E-02	8.72E-07	1.0E+06	8.7E-01
961	3.27428	4.66E-03	1.5E-02	6.05E-04	9.22E-06	1.91E+00	4.71E-02	8.32E-07	1.0E+06	8.3E-01
962	3.11339	4.66E-03	1.4E-02	6.05E-04	8.77E-06	1.91E+00	4.71E-02	7.91E-07	1.0E+06	7.9E-01
963	2.95106	4.66E-03	1.4E-02	6.05E-04	8.31E-06	1.91E+00	4.71E-02	7.49E-07	1.0E+06	7.5E-01
964	2.78992	4.66E-03	1.3E-02	6.05E-04	7.86E-06	1.91E+00	4.71E-02	7.09E-07	1.0E+06	7.1E-01
965	2.63225	4.66E-03	1.2E-02	6.05E-04	7.41E-06	1.91E+00	4.71E-02	6.68E-07	1.0E+06	6.7E-01
966	2.48139	4.66E-03	1.2E-02	6.05E-04	6.99E-06	1.91E+00	4.71E-02	6.30E-07	1.0E+06	6.3E-01
967	2.33706	4.66E-03	1.1E-02	6.05E-04	6.58E-06	1.91E+00	4.71E-02	5.94E-07	1.0E+06	5.9E-01
968	2.19954	4.66E-03	1.0E-02	6.05E-04	6.20E-06	1.91E+00	4.71E-02	5.59E-07	1.0E+06	5.6E-01
969	2.06894	4.66E-03	9.6E-03	6.05E-04	5.83E-06	1.91E+00	4.71E-02	5.25E-07	1.0E+06	5.3E-01
970	1.94612	4.66E-03	9.1E-03	6.05E-04	5.48E-06	1.91E+00	4.71E-02	4.94E-07	1.0E+06	4.9E-01
971	1.83103	4.66E-03	8.5E-03	6.05E-04	5.16E-06	1.91E+00	4.71E-02	4.65E-07	1.0E+06	4.7E-01
972	1.72334	4.66E-03	8.0E-03	6.05E-04	4.85E-06	1.91E+00	4.71E-02	4.38E-07	1.0E+06	4.4E-01
973	1.62308	4.66E-03	7.6E-03	6.05E-04	4.57E-06	1.91E+00	4.71E-02	4.12E-07	1.0E+06	4.1E-01
974	1.52973	4.66E-03	7.1E-03	6.05E-04	4.31E-06	1.91E+00	4.71E-02	3.88E-07	1.0E+06	3.9E-01
975	1.44302	4.66E-03	6.7E-03	6.05E-04	4.06E-06	1.91E+00	4.71E-02	3.66E-07	1.0E+06	3.7E-01
976	5.243	4.66E-03	2.4E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
977	5.25934	4.66E-03	2.4E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
978	5.26636	4.66E-03	2.5E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
979	5.26489	4.66E-03	2.5E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
980	5.25326	4.66E-03	2.4E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
981	5.23115	4.66E-03	2.4E-02	6.05E-04	1.47E-05	1.91E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
982	5.19613	4.66E-03	2.4E-02	6.05E-04	1.46E-05	1.91E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
983	5.14934	4.66E-03	2.4E-02	6.05E-04	1.45E-05	1.91E+00	4.71E-02	1.31E-06	1.0E+06	1.3E+00
984	5.09275	4.66E-03	2.4E-02	6.05E-04	1.43E-05	1.91E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	5.02795	4.66E-03	2.3E-02	6.05E-04	1.42E-05	1.91E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
986	4.94967	4.66E-03	2.3E-02	6.05E-04	1.39E-05	1.91E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
987	4.85719	4.66E-03	2.3E-02	6.05E-04	1.37E-05	1.91E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
988	4.75055	4.66E-03	2.2E-02	6.05E-04	1.34E-05	1.91E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
989	4.62829	4.66E-03	2.2E-02	6.05E-04	1.30E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
990	4.48499	4.66E-03	2.1E-02	6.05E-04	1.26E-05	1.91E+00	4.71E-02	1.14E-06	1.0E+06	1.1E+00
991	4.32464	4.66E-03	2.0E-02	6.05E-04	1.22E-05	1.91E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
992	4.15588	4.66E-03	1.9E-02	6.05E-04	1.17E-05	1.91E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
993	3.97939	4.66E-03	1.9E-02	6.05E-04	1.12E-05	1.91E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
994	3.794	4.66E-03	1.8E-02	6.05E-04	1.07E-05	1.91E+00	4.71E-02	9.64E-07	1.0E+06	9.6E-01
995	3.59983	4.66E-03	1.7E-02	6.05E-04	1.01E-05	1.91E+00	4.71E-02	9.14E-07	1.0E+06	9.1E-01
996	3.4027	4.66E-03	1.6E-02	6.05E-04	9.59E-06	1.91E+00	4.71E-02	8.64E-07	1.0E+06	8.6E-01
997	3.2054	4.66E-03	1.5E-02	6.05E-04	9.03E-06	1.91E+00	4.71E-02	8.14E-07	1.0E+06	8.1E-01
998	3.01092	4.66E-03	1.4E-02	6.05E-04	8.48E-06	1.91E+00	4.71E-02	7.65E-07	1.0E+06	7.6E-01
999	2.82294	4.66E-03	1.3E-02	6.05E-04	7.95E-06	1.91E+00	4.71E-02	7.17E-07	1.0E+06	7.2E-01
1000	2.64526	4.66E-03	1.2E-02	6.05E-04	7.45E-06	1.91E+00	4.71E-02	6.72E-07	1.0E+06	6.7E-01
1001	2.47694	4.66E-03	1.2E-02	6.05E-04	6.98E-06	1.91E+00	4.71E-02	6.29E-07	1.0E+06	6.3E-01
1002	2.31821	4.66E-03	1.1E-02	6.05E-04	6.53E-06	1.91E+00	4.71E-02	5.89E-07	1.0E+06	5.9E-01
1003	2.16778	4.66E-03	1.0E-02	6.05E-04	6.11E-06	1.91E+00	4.71E-02	5.51E-07	1.0E+06	5.5E-01
1004	2.02814	4.66E-03	9.4E-03	6.05E-04	5.71E-06	1.91E+00	4.71E-02	5.15E-07	1.0E+06	5.2E-01
1005	1.90048	4.66E-03	8.8E-03	6.05E-04	5.35E-06	1.91E+00	4.71E-02	4.83E-07	1.0E+06	4.8E-01
1006	1.78307	4.66E-03	8.3E-03	6.05E-04	5.02E-06	1.91E+00	4.71E-02	4.53E-07	1.0E+06	4.5E-01
1007	1.67441	4.66E-03	7.8E-03	6.05E-04	4.72E-06	1.91E+00	4.71E-02	4.25E-07	1.0E+06	4.3E-01
1008	1.57366	4.66E-03	7.3E-03	6.05E-04	4.43E-06	1.91E+00	4.71E-02	4.00E-07	1.0E+06	4.0E-01
1009	1.4807	4.66E-03	6.9E-03	6.05E-04	4.17E-06	1.91E+00	4.71E-02	3.76E-07	1.0E+06	3.8E-01
1010	5.97868	4.66E-03	2.8E-02	6.05E-04	1.68E-05	1.91E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1011	5.99696	4.66E-03	2.8E-02	6.05E-04	1.69E-05	1.91E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1012	6.00444	4.66E-03	2.8E-02	6.05E-04	1.69E-05	1.91E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1013	6.00212	4.66E-03	2.8E-02	6.05E-04	1.69E-05	1.91E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1014	5.98983	4.66E-03	2.8E-02	6.05E-04	1.69E-05	1.91E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1015	5.96427	4.66E-03	2.8E-02	6.05E-04	1.68E-05	1.91E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

					Cancer Risk from 2to16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	5.92283	4.66E-03	2.8E-02	6.05E-04	1.67E-05	1.91E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1017	5.86765	4.66E-03	2.7E-02	6.05E-04	1.65E-05	1.91E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1018	5.80186	4.66E-03	2.7E-02	6.05E-04	1.63E-05	1.91E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1019	5.72853	4.66E-03	2.7E-02	6.05E-04	1.61E-05	1.91E+00	4.71E-02	1.45E-06	1.0E+06	1.5E+00
1020	5.63808	4.66E-03	2.6E-02	6.05E-04	1.59E-05	1.91E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
1021	5.53055	4.66E-03	2.6E-02	6.05E-04	1.56E-05	1.91E+00	4.71E-02	1.40E-06	1.0E+06	1.4E+00
1022	5.40447	4.66E-03	2.5E-02	6.05E-04	1.52E-05	1.91E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1023	5.25811	4.66E-03	2.4E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1024	5.0836	4.66E-03	2.4E-02	6.05E-04	1.43E-05	1.91E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00
1025	4.88592	4.66E-03	2.3E-02	6.05E-04	1.38E-05	1.91E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1026	4.67717	4.66E-03	2.2E-02	6.05E-04	1.32E-05	1.91E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1027	4.45807	4.66E-03	2.1E-02	6.05E-04	1.26E-05	1.91E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1028	4.22657	4.66E-03	2.0E-02	6.05E-04	1.19E-05	1.91E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1029	3.98391	4.66E-03	1.9E-02	6.05E-04	1.12E-05	1.91E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1030	3.73847	4.66E-03	1.7E-02	6.05E-04	1.05E-05	1.91E+00	4.71E-02	9.49E-07	1.0E+06	9.5E-01
1031	3.49452	4.66E-03	1.6E-02	6.05E-04	9.84E-06	1.91E+00	4.71E-02	8.87E-07	1.0E+06	8.9E-01
1032	3.25736	4.66E-03	1.5E-02	6.05E-04	9.18E-06	1.91E+00	4.71E-02	8.27E-07	1.0E+06	8.3E-01
1033	3.03159	4.66E-03	1.4E-02	6.05E-04	8.54E-06	1.91E+00	4.71E-02	7.70E-07	1.0E+06	7.7E-01
1034	2.82048	4.66E-03	1.3E-02	6.05E-04	7.95E-06	1.91E+00	4.71E-02	7.16E-07	1.0E+06	7.2E-01
1035	2.62362	4.66E-03	1.2E-02	6.05E-04	7.39E-06	1.91E+00	4.71E-02	6.66E-07	1.0E+06	6.7E-01
1036	2.43983	4.66E-03	1.1E-02	6.05E-04	6.87E-06	1.91E+00	4.71E-02	6.20E-07	1.0E+06	6.2E-01
1037	2.26786	4.66E-03	1.1E-02	6.05E-04	6.39E-06	1.91E+00	4.71E-02	5.76E-07	1.0E+06	5.8E-01
1038	2.10979	4.66E-03	9.8E-03	6.05E-04	5.94E-06	1.91E+00	4.71E-02	5.36E-07	1.0E+06	5.4E-01
1039	1.96818	4.66E-03	9.2E-03	6.05E-04	5.54E-06	1.91E+00	4.71E-02	5.00E-07	1.0E+06	5.0E-01
1040	1.83967	4.66E-03	8.6E-03	6.05E-04	5.18E-06	1.91E+00	4.71E-02	4.67E-07	1.0E+06	4.7E-01
1041	1.72159	4.66E-03	8.0E-03	6.05E-04	4.85E-06	1.91E+00	4.71E-02	4.37E-07	1.0E+06	4.4E-01
1042	1.61299	4.66E-03	7.5E-03	6.05E-04	4.54E-06	1.91E+00	4.71E-02	4.10E-07	1.0E+06	4.1E-01
1043	1.5135	4.66E-03	7.0E-03	6.05E-04	4.26E-06	1.91E+00	4.71E-02	3.84E-07	1.0E+06	3.8E-01
1044	6.89122	4.66E-03	3.2E-02	6.05E-04	1.94E-05	1.91E+00	4.71E-02	1.75E-06	1.0E+06	1.8E+00
1045	6.91198	4.66E-03	3.2E-02	6.05E-04	1.95E-05	1.91E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1046	6.92081	4.66E-03	3.2E-02	6.05E-04	1.95E-05	1.91E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

					Cancer Risk from 2to16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	6.91918	4.66E-03	3.2E-02	6.05E-04	1.95E-05	1.91E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1048	6.90738	4.66E-03	3.2E-02	6.05E-04	1.95E-05	1.91E+00	4.71E-02	1.75E-06	1.0E+06	1.8E+00
1049	6.87983	4.66E-03	3.2E-02	6.05E-04	1.94E-05	1.91E+00	4.71E-02	1.75E-06	1.0E+06	1.7E+00
1050	6.83215	4.66E-03	3.2E-02	6.05E-04	1.92E-05	1.91E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
1051	6.76791	4.66E-03	3.2E-02	6.05E-04	1.91E-05	1.91E+00	4.71E-02	1.72E-06	1.0E+06	1.7E+00
1052	6.69199	4.66E-03	3.1E-02	6.05E-04	1.89E-05	1.91E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1053	6.60719	4.66E-03	3.1E-02	6.05E-04	1.86E-05	1.91E+00	4.71E-02	1.68E-06	1.0E+06	1.7E+00
1054	6.50171	4.66E-03	3.0E-02	6.05E-04	1.83E-05	1.91E+00	4.71E-02	1.65E-06	1.0E+06	1.7E+00
1055	6.37444	4.66E-03	3.0E-02	6.05E-04	1.80E-05	1.91E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1056	6.22415	4.66E-03	2.9E-02	6.05E-04	1.75E-05	1.91E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1057	6.04695	4.66E-03	2.8E-02	6.05E-04	1.70E-05	1.91E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
1058	5.83483	4.66E-03	2.7E-02	6.05E-04	1.64E-05	1.91E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1059	5.59169	4.66E-03	2.6E-02	6.05E-04	1.58E-05	1.91E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1060	5.32962	4.66E-03	2.5E-02	6.05E-04	1.50E-05	1.91E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
1061	5.05091	4.66E-03	2.4E-02	6.05E-04	1.42E-05	1.91E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1062	4.75357	4.66E-03	2.2E-02	6.05E-04	1.34E-05	1.91E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1063	4.44312	4.66E-03	2.1E-02	6.05E-04	1.25E-05	1.91E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1064	4.131	4.66E-03	1.9E-02	6.05E-04	1.16E-05	1.91E+00	4.71E-02	1.05E-06	1.0E+06	1.0E+00
1065	3.82531	4.66E-03	1.8E-02	6.05E-04	1.08E-05	1.91E+00	4.71E-02	9.71E-07	1.0E+06	9.7E-01
1066	3.53228	4.66E-03	1.6E-02	6.05E-04	9.95E-06	1.91E+00	4.71E-02	8.97E-07	1.0E+06	9.0E-01
1067	3.25838	4.66E-03	1.5E-02	6.05E-04	9.18E-06	1.91E+00	4.71E-02	8.27E-07	1.0E+06	8.3E-01
1068	3.00612	4.66E-03	1.4E-02	6.05E-04	8.47E-06	1.91E+00	4.71E-02	7.63E-07	1.0E+06	7.6E-01
1069	2.7747	4.66E-03	1.3E-02	6.05E-04	7.82E-06	1.91E+00	4.71E-02	7.05E-07	1.0E+06	7.0E-01
1070	2.56251	4.66E-03	1.2E-02	6.05E-04	7.22E-06	1.91E+00	4.71E-02	6.51E-07	1.0E+06	6.5E-01
1071	2.36681	4.66E-03	1.1E-02	6.05E-04	6.67E-06	1.91E+00	4.71E-02	6.01E-07	1.0E+06	6.0E-01
1072	2.18956	4.66E-03	1.0E-02	6.05E-04	6.17E-06	1.91E+00	4.71E-02	5.56E-07	1.0E+06	5.6E-01
1073	2.03252	4.66E-03	9.5E-03	6.05E-04	5.73E-06	1.91E+00	4.71E-02	5.16E-07	1.0E+06	5.2E-01
1074	1.89147	4.66E-03	8.8E-03	6.05E-04	5.33E-06	1.91E+00	4.71E-02	4.80E-07	1.0E+06	4.8E-01
1075	1.7633	4.66E-03	8.2E-03	6.05E-04	4.97E-06	1.91E+00	4.71E-02	4.48E-07	1.0E+06	4.5E-01
1076	1.64659	4.66E-03	7.7E-03	6.05E-04	4.64E-06	1.91E+00	4.71E-02	4.18E-07	1.0E+06	4.2E-01
1077	1.54033	4.66E-03	7.2E-03	6.05E-04	4.34E-06	1.91E+00	4.71E-02	3.91E-07	1.0E+06	3.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	8.04858	4.66E-03	3.7E-02	6.05E-04	2.27E-05	1.91E+00	4.71E-02	2.04E-06	1.0E+06	2.0E+00
1079	8.07319	4.66E-03	3.8E-02	6.05E-04	2.27E-05	1.91E+00	4.71E-02	2.05E-06	1.0E+06	2.1E+00
1080	8.08487	4.66E-03	3.8E-02	6.05E-04	2.28E-05	1.91E+00	4.71E-02	2.05E-06	1.0E+06	2.1E+00
1081	8.08553	4.66E-03	3.8E-02	6.05E-04	2.28E-05	1.91E+00	4.71E-02	2.05E-06	1.0E+06	2.1E+00
1082	8.07678	4.66E-03	3.8E-02	6.05E-04	2.28E-05	1.91E+00	4.71E-02	2.05E-06	1.0E+06	2.1E+00
1083	8.0487	4.66E-03	3.7E-02	6.05E-04	2.27E-05	1.91E+00	4.71E-02	2.04E-06	1.0E+06	2.0E+00
1084	7.9951	4.66E-03	3.7E-02	6.05E-04	2.25E-05	1.91E+00	4.71E-02	2.03E-06	1.0E+06	2.0E+00
1085	7.92061	4.66E-03	3.7E-02	6.05E-04	2.23E-05	1.91E+00	4.71E-02	2.01E-06	1.0E+06	2.0E+00
1086	7.83359	4.66E-03	3.6E-02	6.05E-04	2.21E-05	1.91E+00	4.71E-02	1.99E-06	1.0E+06	2.0E+00
1087	7.73732	4.66E-03	3.6E-02	6.05E-04	2.18E-05	1.91E+00	4.71E-02	1.96E-06	1.0E+06	2.0E+00
1088	7.615	4.66E-03	3.5E-02	6.05E-04	2.15E-05	1.91E+00	4.71E-02	1.93E-06	1.0E+06	1.9E+00
1089	7.46572	4.66E-03	3.5E-02	6.05E-04	2.10E-05	1.91E+00	4.71E-02	1.90E-06	1.0E+06	1.9E+00
1090	7.28667	4.66E-03	3.4E-02	6.05E-04	2.05E-05	1.91E+00	4.71E-02	1.85E-06	1.0E+06	1.9E+00
1091	7.07105	4.66E-03	3.3E-02	6.05E-04	1.99E-05	1.91E+00	4.71E-02	1.80E-06	1.0E+06	1.8E+00
1092	6.80928	4.66E-03	3.2E-02	6.05E-04	1.92E-05	1.91E+00	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1093	6.50763	4.66E-03	3.0E-02	6.05E-04	1.83E-05	1.91E+00	4.71E-02	1.65E-06	1.0E+06	1.7E+00
1094	6.17559	4.66E-03	2.9E-02	6.05E-04	1.74E-05	1.91E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1095	5.81086	4.66E-03	2.7E-02	6.05E-04	1.64E-05	1.91E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1096	5.41469	4.66E-03	2.5E-02	6.05E-04	1.53E-05	1.91E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1097	5.00334	4.66E-03	2.3E-02	6.05E-04	1.41E-05	1.91E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1098	4.5955	4.66E-03	2.1E-02	6.05E-04	1.29E-05	1.91E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1099	4.20379	4.66E-03	2.0E-02	6.05E-04	1.18E-05	1.91E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1100	3.83746	4.66E-03	1.8E-02	6.05E-04	1.08E-05	1.91E+00	4.71E-02	9.75E-07	1.0E+06	9.7E-01
1101	3.50324	4.66E-03	1.6E-02	6.05E-04	9.87E-06	1.91E+00	4.71E-02	8.90E-07	1.0E+06	8.9E-01
1102	3.20073	4.66E-03	1.5E-02	6.05E-04	9.02E-06	1.91E+00	4.71E-02	8.13E-07	1.0E+06	8.1E-01
1103	2.92897	4.66E-03	1.4E-02	6.05E-04	8.25E-06	1.91E+00	4.71E-02	7.44E-07	1.0E+06	7.4E-01
1104	2.68445	4.66E-03	1.2E-02	6.05E-04	7.56E-06	1.91E+00	4.71E-02	6.82E-07	1.0E+06	6.8E-01
1105	2.46304	4.66E-03	1.1E-02	6.05E-04	6.94E-06	1.91E+00	4.71E-02	6.26E-07	1.0E+06	6.3E-01
1106	2.26537	4.66E-03	1.1E-02	6.05E-04	6.38E-06	1.91E+00	4.71E-02	5.75E-07	1.0E+06	5.8E-01
1107	2.09227	4.66E-03	9.7E-03	6.05E-04	5.89E-06	1.91E+00	4.71E-02	5.31E-07	1.0E+06	5.3E-01
1108	1.93866	4.66E-03	9.0E-03	6.05E-04	5.46E-06	1.91E+00	4.71E-02	4.92E-07	1.0E+06	4.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1.80042	4.66E-03	8.4E-03	6.05E-04	5.07E-06	1.91E+00	4.71E-02	4.57E-07	1.0E+06	4.6E-01
1110	1.67563	4.66E-03	7.8E-03	6.05E-04	4.72E-06	1.91E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
1111	1.56303	4.66E-03	7.3E-03	6.05E-04	4.40E-06	1.91E+00	4.71E-02	3.97E-07	1.0E+06	4.0E-01
1112	9.55894	4.66E-03	4.5E-02	6.05E-04	2.69E-05	1.91E+00	4.71E-02	2.43E-06	1.0E+06	2.4E+00
1113	9.58896	4.66E-03	4.5E-02	6.05E-04	2.70E-05	1.91E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1114	9.60364	4.66E-03	4.5E-02	6.05E-04	2.71E-05	1.91E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1115	9.61345	4.66E-03	4.5E-02	6.05E-04	2.71E-05	1.91E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1116	9.61332	4.66E-03	4.5E-02	6.05E-04	2.71E-05	1.91E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1117	9.58702	4.66E-03	4.5E-02	6.05E-04	2.70E-05	1.91E+00	4.71E-02	2.43E-06	1.0E+06	2.4E+00
1118	9.52425	4.66E-03	4.4E-02	6.05E-04	2.68E-05	1.91E+00	4.71E-02	2.42E-06	1.0E+06	2.4E+00
1119	9.4434	4.66E-03	4.4E-02	6.05E-04	2.66E-05	1.91E+00	4.71E-02	2.40E-06	1.0E+06	2.4E+00
1120	9.34884	4.66E-03	4.4E-02	6.05E-04	2.63E-05	1.91E+00	4.71E-02	2.37E-06	1.0E+06	2.4E+00
1121	9.23908	4.66E-03	4.3E-02	6.05E-04	2.60E-05	1.91E+00	4.71E-02	2.35E-06	1.0E+06	2.3E+00
1122	9.0946	4.66E-03	4.2E-02	6.05E-04	2.56E-05	1.91E+00	4.71E-02	2.31E-06	1.0E+06	2.3E+00
1123	8.92466	4.66E-03	4.2E-02	6.05E-04	2.51E-05	1.91E+00	4.71E-02	2.27E-06	1.0E+06	2.3E+00
1124	8.71614	4.66E-03	4.1E-02	6.05E-04	2.46E-05	1.91E+00	4.71E-02	2.21E-06	1.0E+06	2.2E+00
1125	8.44765	4.66E-03	3.9E-02	6.05E-04	2.38E-05	1.91E+00	4.71E-02	2.15E-06	1.0E+06	2.1E+00
1126	8.11751	4.66E-03	3.8E-02	6.05E-04	2.29E-05	1.91E+00	4.71E-02	2.06E-06	1.0E+06	2.1E+00
1127	7.74497	4.66E-03	3.6E-02	6.05E-04	2.18E-05	1.91E+00	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1128	7.32057	4.66E-03	3.4E-02	6.05E-04	2.06E-05	1.91E+00	4.71E-02	1.86E-06	1.0E+06	1.9E+00
1129	6.82847	4.66E-03	3.2E-02	6.05E-04	1.92E-05	1.91E+00	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1130	6.27281	4.66E-03	2.9E-02	6.05E-04	1.77E-05	1.91E+00	4.71E-02	1.59E-06	1.0E+06	1.6E+00
1131	5.70031	4.66E-03	2.7E-02	6.05E-04	1.61E-05	1.91E+00	4.71E-02	1.45E-06	1.0E+06	1.4E+00
1132	5.1472	4.66E-03	2.4E-02	6.05E-04	1.45E-05	1.91E+00	4.71E-02	1.31E-06	1.0E+06	1.3E+00
1133	4.63412	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1134	4.17136	4.66E-03	1.9E-02	6.05E-04	1.18E-05	1.91E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1135	3.7611	4.66E-03	1.8E-02	6.05E-04	1.06E-05	1.91E+00	4.71E-02	9.55E-07	1.0E+06	9.6E-01
1136	3.399	4.66E-03	1.6E-02	6.05E-04	9.57E-06	1.91E+00	4.71E-02	8.63E-07	1.0E+06	8.6E-01
1137	3.08136	4.66E-03	1.4E-02	6.05E-04	8.68E-06	1.91E+00	4.71E-02	7.83E-07	1.0E+06	7.8E-01
1138	2.80172	4.66E-03	1.3E-02	6.05E-04	7.89E-06	1.91E+00	4.71E-02	7.12E-07	1.0E+06	7.1E-01
1139	2.55329	4.66E-03	1.2E-02	6.05E-04	7.19E-06	1.91E+00	4.71E-02	6.48E-07	1.0E+06	6.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	2.335	4.66E-03	1.1E-02	6.05E-04	6.58E-06	1.91E+00	4.71E-02	5.93E-07	1.0E+06	5.9E-01
1141	2.14568	4.66E-03	1.0E-02	6.05E-04	6.04E-06	1.91E+00	4.71E-02	5.45E-07	1.0E+06	5.4E-01
1142	1.97929	4.66E-03	9.2E-03	6.05E-04	5.58E-06	1.91E+00	4.71E-02	5.03E-07	1.0E+06	5.0E-01
1143	1.83105	4.66E-03	8.5E-03	6.05E-04	5.16E-06	1.91E+00	4.71E-02	4.65E-07	1.0E+06	4.7E-01
1144	1.69872	4.66E-03	7.9E-03	6.05E-04	4.79E-06	1.91E+00	4.71E-02	4.31E-07	1.0E+06	4.3E-01
1145	1.58005	4.66E-03	7.4E-03	6.05E-04	4.45E-06	1.91E+00	4.71E-02	4.01E-07	1.0E+06	4.0E-01
1146	9.88588	4.66E-03	4.6E-02	6.05E-04	2.78E-05	1.91E+00	4.71E-02	2.51E-06	1.0E+06	2.5E+00
1147	9.9394	4.66E-03	4.6E-02	6.05E-04	2.80E-05	1.91E+00	4.71E-02	2.52E-06	1.0E+06	2.5E+00
1148	11.64574	4.66E-03	5.4E-02	6.05E-04	3.28E-05	1.91E+00	4.71E-02	2.96E-06	1.0E+06	3.0E+00
1149	10.06257	4.66E-03	4.7E-02	6.05E-04	2.83E-05	1.91E+00	4.71E-02	2.56E-06	1.0E+06	2.6E+00
1150	9.91309	4.66E-03	4.6E-02	6.05E-04	2.79E-05	1.91E+00	4.71E-02	2.52E-06	1.0E+06	2.5E+00
1151	9.90461	4.66E-03	4.6E-02	6.05E-04	2.79E-05	1.91E+00	4.71E-02	2.52E-06	1.0E+06	2.5E+00
1152	10.0222	4.66E-03	4.7E-02	6.05E-04	2.82E-05	1.91E+00	4.71E-02	2.55E-06	1.0E+06	2.5E+00
1153	9.85946	4.66E-03	4.6E-02	6.05E-04	2.78E-05	1.91E+00	4.71E-02	2.50E-06	1.0E+06	2.5E+00
1154	9.60009	4.66E-03	4.5E-02	6.05E-04	2.70E-05	1.91E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1155	9.48701	4.66E-03	4.4E-02	6.05E-04	2.67E-05	1.91E+00	4.71E-02	2.41E-06	1.0E+06	2.4E+00
1156	9.50126	4.66E-03	4.4E-02	6.05E-04	2.68E-05	1.91E+00	4.71E-02	2.41E-06	1.0E+06	2.4E+00
1157	9.19978	4.66E-03	4.3E-02	6.05E-04	2.59E-05	1.91E+00	4.71E-02	2.34E-06	1.0E+06	2.3E+00
1158	8.76025	4.66E-03	4.1E-02	6.05E-04	2.47E-05	1.91E+00	4.71E-02	2.22E-06	1.0E+06	2.2E+00
1159	8.43738	4.66E-03	3.9E-02	6.05E-04	2.38E-05	1.91E+00	4.71E-02	2.14E-06	1.0E+06	2.1E+00
1160	6.77907	4.66E-03	3.2E-02	6.05E-04	1.91E-05	1.91E+00	4.71E-02	1.72E-06	1.0E+06	1.7E+00
1161	7.66995	4.66E-03	3.6E-02	6.05E-04	2.16E-05	1.91E+00	4.71E-02	1.95E-06	1.0E+06	1.9E+00
1162	6.93213	4.66E-03	3.2E-02	6.05E-04	1.95E-05	1.91E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1163	6.27427	4.66E-03	2.9E-02	6.05E-04	1.77E-05	1.91E+00	4.71E-02	1.59E-06	1.0E+06	1.6E+00
1164	5.68263	4.66E-03	2.6E-02	6.05E-04	1.60E-05	1.91E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1165	6.57939	4.66E-03	3.1E-02	6.05E-04	1.85E-05	1.91E+00	4.71E-02	1.67E-06	1.0E+06	1.7E+00
1166	5.80062	4.66E-03	2.7E-02	6.05E-04	1.63E-05	1.91E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1167	5.11602	4.66E-03	2.4E-02	6.05E-04	1.44E-05	1.91E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1168	4.52614	4.66E-03	2.1E-02	6.05E-04	1.28E-05	1.91E+00	4.71E-02	1.15E-06	1.0E+06	1.1E+00
1169	4.023	4.66E-03	1.9E-02	6.05E-04	1.13E-05	1.91E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1170	3.59319	4.66E-03	1.7E-02	6.05E-04	1.01E-05	1.91E+00	4.71E-02	9.13E-07	1.0E+06	9.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	3.2257	4.66E-03	1.5E-02	6.05E-04	9.09E-06	1.91E+00	4.71E-02	8.19E-07	1.0E+06	8.2E-01
1172	2.90902	4.66E-03	1.4E-02	6.05E-04	8.19E-06	1.91E+00	4.71E-02	7.39E-07	1.0E+06	7.4E-01
1173	2.63425	4.66E-03	1.2E-02	6.05E-04	7.42E-06	1.91E+00	4.71E-02	6.69E-07	1.0E+06	6.7E-01
1174	2.39577	4.66E-03	1.1E-02	6.05E-04	6.75E-06	1.91E+00	4.71E-02	6.08E-07	1.0E+06	6.1E-01
1175	2.19069	4.66E-03	1.0E-02	6.05E-04	6.17E-06	1.91E+00	4.71E-02	5.56E-07	1.0E+06	5.6E-01
1176	2.01198	4.66E-03	9.4E-03	6.05E-04	5.67E-06	1.91E+00	4.71E-02	5.11E-07	1.0E+06	5.1E-01
1177	1.85432	4.66E-03	8.6E-03	6.05E-04	5.22E-06	1.91E+00	4.71E-02	4.71E-07	1.0E+06	4.7E-01
1178	1.71461	4.66E-03	8.0E-03	6.05E-04	4.83E-06	1.91E+00	4.71E-02	4.35E-07	1.0E+06	4.4E-01
1179	1.59041	4.66E-03	7.4E-03	6.05E-04	4.48E-06	1.91E+00	4.71E-02	4.04E-07	1.0E+06	4.0E-01
1180	11.70193	4.66E-03	5.4E-02	6.05E-04	3.30E-05	1.91E+00	4.71E-02	2.97E-06	1.0E+06	3.0E+00
1181	11.81195	4.66E-03	5.5E-02	6.05E-04	3.33E-05	1.91E+00	4.71E-02	3.00E-06	1.0E+06	3.0E+00
1182	10.29178	4.66E-03	4.8E-02	6.05E-04	2.90E-05	1.91E+00	4.71E-02	2.61E-06	1.0E+06	2.6E+00
1183	10.29615	4.66E-03	4.8E-02	6.05E-04	2.90E-05	1.91E+00	4.71E-02	2.61E-06	1.0E+06	2.6E+00
1184	11.75729	4.66E-03	5.5E-02	6.05E-04	3.31E-05	1.91E+00	4.71E-02	2.99E-06	1.0E+06	3.0E+00
1185	11.79799	4.66E-03	5.5E-02	6.05E-04	3.32E-05	1.91E+00	4.71E-02	3.00E-06	1.0E+06	3.0E+00
1186	10.15133	4.66E-03	4.7E-02	6.05E-04	2.86E-05	1.91E+00	4.71E-02	2.58E-06	1.0E+06	2.6E+00
1187	10.05624	4.66E-03	4.7E-02	6.05E-04	2.83E-05	1.91E+00	4.71E-02	2.55E-06	1.0E+06	2.6E+00
1188	11.43424	4.66E-03	5.3E-02	6.05E-04	3.22E-05	1.91E+00	4.71E-02	2.90E-06	1.0E+06	2.9E+00
1189	9.89315	4.66E-03	4.6E-02	6.05E-04	2.79E-05	1.91E+00	4.71E-02	2.51E-06	1.0E+06	2.5E+00
1190	9.51915	4.66E-03	4.4E-02	6.05E-04	2.68E-05	1.91E+00	4.71E-02	2.42E-06	1.0E+06	2.4E+00
1191	9.23324	4.66E-03	4.3E-02	6.05E-04	2.60E-05	1.91E+00	4.71E-02	2.34E-06	1.0E+06	2.3E+00
1192	10.40791	4.66E-03	4.8E-02	6.05E-04	2.93E-05	1.91E+00	4.71E-02	2.64E-06	1.0E+06	2.6E+00
1193	8.54948	4.66E-03	4.0E-02	6.05E-04	2.41E-05	1.91E+00	4.71E-02	2.17E-06	1.0E+06	2.2E+00
1194	7.84778	4.66E-03	3.7E-02	6.05E-04	2.21E-05	1.91E+00	4.71E-02	1.99E-06	1.0E+06	2.0E+00
1195	7.22768	4.66E-03	3.4E-02	6.05E-04	2.04E-05	1.91E+00	4.71E-02	1.84E-06	1.0E+06	1.8E+00
1196	8.06163	4.66E-03	3.8E-02	6.05E-04	2.27E-05	1.91E+00	4.71E-02	2.05E-06	1.0E+06	2.0E+00
1197	7.18865	4.66E-03	3.3E-02	6.05E-04	2.03E-05	1.91E+00	4.71E-02	1.83E-06	1.0E+06	1.8E+00
1198	6.42918	4.66E-03	3.0E-02	6.05E-04	1.81E-05	1.91E+00	4.71E-02	1.63E-06	1.0E+06	1.6E+00
1199	5.75126	4.66E-03	2.7E-02	6.05E-04	1.62E-05	1.91E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1200	6.55755	4.66E-03	3.1E-02	6.05E-04	1.85E-05	1.91E+00	4.71E-02	1.67E-06	1.0E+06	1.7E+00
1201	5.64061	4.66E-03	2.6E-02	6.05E-04	1.59E-05	1.91E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	4.89267	4.66E-03	2.3E-02	6.05E-04	1.38E-05	1.91E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1203	4.28273	4.66E-03	2.0E-02	6.05E-04	1.21E-05	1.91E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1204	3.77767	4.66E-03	1.8E-02	6.05E-04	1.06E-05	1.91E+00	4.71E-02	9.59E-07	1.0E+06	9.6E-01
1205	3.35722	4.66E-03	1.6E-02	6.05E-04	9.46E-06	1.91E+00	4.71E-02	8.53E-07	1.0E+06	8.5E-01
1206	3.00341	4.66E-03	1.4E-02	6.05E-04	8.46E-06	1.91E+00	4.71E-02	7.63E-07	1.0E+06	7.6E-01
1207	2.70273	4.66E-03	1.3E-02	6.05E-04	7.61E-06	1.91E+00	4.71E-02	6.86E-07	1.0E+06	6.9E-01
1208	2.44544	4.66E-03	1.1E-02	6.05E-04	6.89E-06	1.91E+00	4.71E-02	6.21E-07	1.0E+06	6.2E-01
1209	2.22575	4.66E-03	1.0E-02	6.05E-04	6.27E-06	1.91E+00	4.71E-02	5.65E-07	1.0E+06	5.7E-01
1210	2.03585	4.66E-03	9.5E-03	6.05E-04	5.73E-06	1.91E+00	4.71E-02	5.17E-07	1.0E+06	5.2E-01
1211	1.86986	4.66E-03	8.7E-03	6.05E-04	5.27E-06	1.91E+00	4.71E-02	4.75E-07	1.0E+06	4.7E-01
1212	1.72393	4.66E-03	8.0E-03	6.05E-04	4.86E-06	1.91E+00	4.71E-02	4.38E-07	1.0E+06	4.4E-01
1213	1.59495	4.66E-03	7.4E-03	6.05E-04	4.49E-06	1.91E+00	4.71E-02	4.05E-07	1.0E+06	4.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	2.57E-03
893	5	2.46E-03
894	5	2.36E-03
895	5	2.25E-03
896	5	2.14E-03
897	5	2.04E-03
898	5	1.94E-03
899	5	1.84E-03
900	5	1.75E-03
901	5	1.66E-03
902	5	1.57E-03
903	5	1.49E-03
904	5	1.41E-03
905	5	1.34E-03
906	5	1.27E-03
907	5	1.21E-03
908	5	3.85E-03
909	5	3.86E-03
910	5	3.87E-03
911	5	3.87E-03
912	5	3.86E-03
913	5	3.85E-03
914	5	3.82E-03
915	5	3.79E-03
916	5	3.76E-03
917	5	3.71E-03
918	5	3.65E-03
919	5	3.59E-03
920	5	3.52E-03
921	5	3.44E-03
922	5	3.35E-03

Max	Receptor #	
0.011	1181	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	3.25E-03
924	5	3.14E-03
925	5	3.03E-03
926	5	2.91E-03
927	5	2.79E-03
928	5	2.66E-03
929	5	2.54E-03
930	5	2.41E-03
931	5	2.29E-03
932	5	2.17E-03
933	5	2.05E-03
934	5	1.94E-03
935	5	1.84E-03
936	5	1.74E-03
937	5	1.64E-03
938	5	1.55E-03
939	5	1.46E-03
940	5	1.38E-03
941	5	1.31E-03
942	5	4.32E-03
943	5	4.33E-03
944	5	4.34E-03
945	5	4.34E-03
946	5	4.33E-03
947	5	4.31E-03
948	5	4.28E-03
949	5	4.25E-03
950	5	4.20E-03
951	5	4.15E-03
952	5	4.09E-03
953	5	4.01E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	3.93E-03
955	5	3.83E-03
956	5	3.72E-03
957	5	3.60E-03
958	5	3.47E-03
959	5	3.34E-03
960	5	3.20E-03
961	5	3.05E-03
962	5	2.90E-03
963	5	2.75E-03
964	5	2.60E-03
965	5	2.45E-03
966	5	2.31E-03
967	5	2.18E-03
968	5	2.05E-03
969	5	1.93E-03
970	5	1.81E-03
971	5	1.70E-03
972	5	1.60E-03
973	5	1.51E-03
974	5	1.42E-03
975	5	1.34E-03
976	5	4.88E-03
977	5	4.90E-03
978	5	4.90E-03
979	5	4.90E-03
980	5	4.89E-03
981	5	4.87E-03
982	5	4.84E-03
983	5	4.79E-03
984	5	4.74E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	4.68E-03
986	5	4.61E-03
987	5	4.52E-03
988	5	4.42E-03
989	5	4.31E-03
990	5	4.18E-03
991	5	4.03E-03
992	5	3.87E-03
993	5	3.71E-03
994	5	3.53E-03
995	5	3.35E-03
996	5	3.17E-03
997	5	2.98E-03
998	5	2.80E-03
999	5	2.63E-03
1000	5	2.46E-03
1001	5	2.31E-03
1002	5	2.16E-03
1003	5	2.02E-03
1004	5	1.89E-03
1005	5	1.77E-03
1006	5	1.66E-03
1007	5	1.56E-03
1008	5	1.47E-03
1009	5	1.38E-03
1010	5	5.57E-03
1011	5	5.58E-03
1012	5	5.59E-03
1013	5	5.59E-03
1014	5	5.58E-03
1015	5	5.55E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	5.51E-03
1017	5	5.46E-03
1018	5	5.40E-03
1019	5	5.33E-03
1020	5	5.25E-03
1021	5	5.15E-03
1022	5	5.03E-03
1023	5	4.90E-03
1024	5	4.73E-03
1025	5	4.55E-03
1026	5	4.36E-03
1027	5	4.15E-03
1028	5	3.94E-03
1029	5	3.71E-03
1030	5	3.48E-03
1031	5	3.25E-03
1032	5	3.03E-03
1033	5	2.82E-03
1034	5	2.63E-03
1035	5	2.44E-03
1036	5	2.27E-03
1037	5	2.11E-03
1038	5	1.96E-03
1039	5	1.83E-03
1040	5	1.71E-03
1041	5	1.60E-03
1042	5	1.50E-03
1043	5	1.41E-03
1044	5	6.42E-03
1045	5	6.44E-03
1046	5	6.44E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	6.44E-03
1048	5	6.43E-03
1049	5	6.41E-03
1050	5	6.36E-03
1051	5	6.30E-03
1052	5	6.23E-03
1053	5	6.15E-03
1054	5	6.05E-03
1055	5	5.94E-03
1056	5	5.80E-03
1057	5	5.63E-03
1058	5	5.43E-03
1059	5	5.21E-03
1060	5	4.96E-03
1061	5	4.70E-03
1062	5	4.43E-03
1063	5	4.14E-03
1064	5	3.85E-03
1065	5	3.56E-03
1066	5	3.29E-03
1067	5	3.03E-03
1068	5	2.80E-03
1069	5	2.58E-03
1070	5	2.39E-03
1071	5	2.20E-03
1072	5	2.04E-03
1073	5	1.89E-03
1074	5	1.76E-03
1075	5	1.64E-03
1076	5	1.53E-03
1077	5	1.43E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	7.49E-03
1079	5	7.52E-03
1080	5	7.53E-03
1081	5	7.53E-03
1082	5	7.52E-03
1083	5	7.49E-03
1084	5	7.44E-03
1085	5	7.38E-03
1086	5	7.29E-03
1087	5	7.20E-03
1088	5	7.09E-03
1089	5	6.95E-03
1090	5	6.78E-03
1091	5	6.58E-03
1092	5	6.34E-03
1093	5	6.06E-03
1094	5	5.75E-03
1095	5	5.41E-03
1096	5	5.04E-03
1097	5	4.66E-03
1098	5	4.28E-03
1099	5	3.91E-03
1100	5	3.57E-03
1101	5	3.26E-03
1102	5	2.98E-03
1103	5	2.73E-03
1104	5	2.50E-03
1105	5	2.29E-03
1106	5	2.11E-03
1107	5	1.95E-03
1108	5	1.81E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.68E-03
1110	5	1.56E-03
1111	5	1.46E-03
1112	5	8.90E-03
1113	5	8.93E-03
1114	5	8.94E-03
1115	5	8.95E-03
1116	5	8.95E-03
1117	5	8.93E-03
1118	5	8.87E-03
1119	5	8.79E-03
1120	5	8.70E-03
1121	5	8.60E-03
1122	5	8.47E-03
1123	5	8.31E-03
1124	5	8.12E-03
1125	5	7.87E-03
1126	5	7.56E-03
1127	5	7.21E-03
1128	5	6.82E-03
1129	5	6.36E-03
1130	5	5.84E-03
1131	5	5.31E-03
1132	5	4.79E-03
1133	5	4.31E-03
1134	5	3.88E-03
1135	5	3.50E-03
1136	5	3.16E-03
1137	5	2.87E-03
1138	5	2.61E-03
1139	5	2.38E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	2.17E-03
1141	5	2.00E-03
1142	5	1.84E-03
1143	5	1.70E-03
1144	5	1.58E-03
1145	5	1.47E-03
1146	5	9.20E-03
1147	5	9.25E-03
1148	5	1.08E-02
1149	5	9.37E-03
1150	5	9.23E-03
1151	5	9.22E-03
1152	5	9.33E-03
1153	5	9.18E-03
1154	5	8.94E-03
1155	5	8.83E-03
1156	5	8.85E-03
1157	5	8.57E-03
1158	5	8.16E-03
1159	5	7.86E-03
1160	5	6.31E-03
1161	5	7.14E-03
1162	5	6.45E-03
1163	5	5.84E-03
1164	5	5.29E-03
1165	5	6.13E-03
1166	5	5.40E-03
1167	5	4.76E-03
1168	5	4.21E-03
1169	5	3.75E-03
1170	5	3.35E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	3.00E-03
1172	5	2.71E-03
1173	5	2.45E-03
1174	5	2.23E-03
1175	5	2.04E-03
1176	5	1.87E-03
1177	5	1.73E-03
1178	5	1.60E-03
1179	5	1.48E-03
1180	5	1.09E-02
1181	5	1.10E-02
1182	5	9.58E-03
1183	5	9.59E-03
1184	5	1.09E-02
1185	5	1.10E-02
1186	5	9.45E-03
1187	5	9.36E-03
1188	5	1.06E-02
1189	5	9.21E-03
1190	5	8.86E-03
1191	5	8.60E-03
1192	5	9.69E-03
1193	5	7.96E-03
1194	5	7.31E-03
1195	5	6.73E-03
1196	5	7.51E-03
1197	5	6.69E-03
1198	5	5.99E-03
1199	5	5.36E-03
1200	5	6.11E-03
1201	5	5.25E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	4.56E-03
1203	5	3.99E-03
1204	5	3.52E-03
1205	5	3.13E-03
1206	5	2.80E-03
1207	5	2.52E-03
1208	5	2.28E-03
1209	5	2.07E-03
1210	5	1.90E-03
1211	5	1.74E-03
1212	5	1.61E-03
1213	5	1.49E-03

Air Quality Appendix
AQ-7 Health Risk Analysis
A Unmitigated
5 Existing Onsite PA3

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	
1369	**112.2**	**2.18**	**108.46**	**15.76**	**0.00**	
		1589	**1369**	**1217**	**1213**	**Receptor**
1213	1.955E+01	5.90E-01	11.95	7.01	0.00	
1214	6.670E+01	5.34E-01	52.65	13.51	0.00	
1215	5.790E+01	5.43E-01	44.16	13.20	0.00	
1216	5.139E+01	5.52E-01	37.62	13.22	0.00	
1217	4.881E+01	5.61E-01	32.49	15.76	0.00	
1218	4.161E+01	5.70E-01	28.37	12.67	0.00	
1219	3.774E+01	5.78E-01	25.02	12.14	0.00	
1220	3.474E+01	5.86E-01	22.26	11.89	0.00	
1221	3.461E+01	5.93E-01	19.95	14.06	0.00	
1222	2.924E+01	6.00E-01	18.00	10.64	0.00	
1223	2.674E+01	6.06E-01	16.35	9.78	0.00	
1224	2.469E+01	6.11E-01	14.92	9.16	0.00	
1225	2.502E+01	6.16E-01	13.69	10.72	0.00	
1226	2.275E+01	6.20E-01	12.61	9.53	0.00	
1227	2.073E+01	6.23E-01	11.65	8.45	0.00	
1228	7.349E+01	5.59E-01	58.55	14.38	0.00	
1229	5.976E+01	5.69E-01	47.73	11.46	0.00	
1230	5.441E+01	5.78E-01	39.85	13.97	0.00	
1231	4.806E+01	5.88E-01	33.93	13.53	0.00	
1232	4.350E+01	5.97E-01	29.30	13.60	0.00	
1233	3.675E+01	6.07E-01	25.61	10.53	0.00	
1234	3.602E+01	6.15E-01	22.63	12.77	0.00	
1235	3.291E+01	6.23E-01	20.18	12.10	0.00	
1236	3.067E+01	6.31E-01	18.14	11.91	0.00	
1237	2.562E+01	6.37E-01	16.43	8.55	0.00	
1238	2.607E+01	6.43E-01	14.96	10.46	0.00	
1239	2.362E+01	6.48E-01	13.70	9.27	0.00	
1240	2.151E+01	6.53E-01	12.60	8.26	0.00	
1241	1.966E+01	6.57E-01	11.64	7.36	0.00	

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1242	6.561E+01	5.85E-01	49.74	15.29	0.00
1243	6.665E+01	5.96E-01	50.90	15.15	0.00
1244	5.734E+01	6.06E-01	41.72	15.01	0.00
1245	5.050E+01	6.17E-01	35.06	14.82	0.00
1246	4.515E+01	6.27E-01	29.95	14.57	0.00
1247	4.089E+01	6.38E-01	25.98	14.27	0.00
1248	3.743E+01	6.47E-01	22.83	13.95	0.00
1249	3.450E+01	6.56E-01	20.28	13.57	0.00
1250	3.191E+01	6.64E-01	18.16	13.09	0.00
1251	2.966E+01	6.71E-01	16.41	12.57	0.00
1252	2.757E+01	6.77E-01	14.93	11.96	0.00
1253	2.551E+01	6.83E-01	13.66	11.17	0.00
1254	2.341E+01	6.88E-01	12.55	10.17	0.00
1255	2.129E+01	6.92E-01	11.59	9.01	0.00
1256	6.418E+01	6.13E-01	50.72	12.84	0.00
1257	6.680E+01	6.25E-01	53.45	12.73	0.00
1258	5.635E+01	6.36E-01	43.13	12.59	0.00
1259	4.887E+01	6.48E-01	35.81	12.42	0.00
1260	4.319E+01	6.59E-01	30.31	12.22	0.00
1261	3.877E+01	6.71E-01	26.13	11.97	0.00
1262	3.522E+01	6.81E-01	22.86	11.68	0.00
1263	3.227E+01	6.91E-01	20.23	11.35	0.00
1264	2.973E+01	7.00E-01	18.07	10.96	0.00
1265	2.753E+01	7.08E-01	16.31	10.52	0.00
1266	2.553E+01	7.15E-01	14.82	9.99	0.00
1267	2.362E+01	7.21E-01	13.54	9.35	0.00
1268	2.176E+01	7.26E-01	12.44	8.59	0.00
1269	1.994E+01	7.31E-01	11.48	7.73	0.00
1270	6.282E+01	6.44E-01	51.18	10.99	0.00
1271	5.350E+01	6.57E-01	41.96	10.89	0.00
1272	5.538E+01	6.69E-01	43.95	10.76	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1273	4.744E+01	6.81E-01	36.15	10.61	0.00
1274	4.154E+01	6.94E-01	30.41	10.44	0.00
1275	3.703E+01	7.06E-01	26.10	10.23	0.00
1276	3.344E+01	7.18E-01	22.74	9.98	0.00
1277	3.049E+01	7.29E-01	20.07	9.69	0.00
1278	2.798E+01	7.39E-01	17.88	9.36	0.00
1279	2.584E+01	7.48E-01	16.12	8.98	0.00
1280	2.392E+01	7.55E-01	14.63	8.53	0.00
1281	2.214E+01	7.62E-01	13.36	8.01	0.00
1282	2.044E+01	7.68E-01	12.26	7.40	0.00
1283	1.883E+01	7.73E-01	11.31	6.74	0.00
1284	6.193E+01	6.77E-01	51.71	9.54	0.00
1285	6.569E+01	6.91E-01	55.54	9.45	0.00
1286	5.407E+01	7.04E-01	44.02	9.34	0.00
1287	4.598E+01	7.17E-01	36.06	9.21	0.00
1288	3.998E+01	7.31E-01	30.20	9.05	0.00
1289	3.546E+01	7.44E-01	25.84	8.87	0.00
1290	3.188E+01	7.58E-01	22.47	8.66	0.00
1291	2.896E+01	7.70E-01	19.78	8.41	0.00
1292	2.651E+01	7.82E-01	17.61	8.12	0.00
1293	2.444E+01	7.91E-01	15.86	7.80	0.00
1294	2.261E+01	8.00E-01	14.39	7.42	0.00
1295	2.093E+01	8.07E-01	13.13	6.99	0.00
1296	1.936E+01	8.14E-01	12.05	6.50	0.00
1297	1.790E+01	8.19E-01	11.11	5.96	0.00
1298	4.830E+01	7.13E-01	39.19	8.39	0.00
1299	6.356E+01	7.28E-01	54.53	8.31	0.00
1300	5.231E+01	7.42E-01	43.36	8.21	0.00
1301	4.433E+01	7.56E-01	35.49	8.09	0.00
1302	3.840E+01	7.72E-01	29.68	7.95	0.00
1303	3.394E+01	7.87E-01	25.36	7.79	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1304	3.045E+01	8.01E-01	22.04	7.61	0.00
1305	2.760E+01	8.15E-01	19.39	7.39	0.00
1306	5.994E+01	7.51E-01	51.74	7.45	0.00
1307	6.065E+01	7.68E-01	52.51	7.38	0.00
1308	4.997E+01	7.85E-01	41.90	7.29	0.00
1309	4.233E+01	8.01E-01	34.35	7.18	0.00
1310	3.665E+01	8.18E-01	28.77	7.06	0.00
1311	3.237E+01	8.34E-01	24.62	6.92	0.00
1312	2.903E+01	8.50E-01	21.42	6.76	0.00
1313	2.632E+01	8.65E-01	18.89	6.57	0.00
1314	5.401E+01	7.94E-01	46.55	6.67	0.00
1315	5.735E+01	8.13E-01	49.93	6.60	0.00
1316	4.732E+01	8.31E-01	39.96	6.52	0.00
1317	4.018E+01	8.50E-01	32.90	6.43	0.00
1318	3.487E+01	8.68E-01	27.68	6.32	0.00
1319	3.084E+01	8.87E-01	23.76	6.20	0.00
1320	2.769E+01	9.04E-01	20.73	6.05	0.00
1321	2.514E+01	9.20E-01	18.33	5.88	0.00
1322	4.894E+01	8.40E-01	42.10	6.01	0.00
1323	5.344E+01	8.61E-01	46.63	5.95	0.00
1324	4.445E+01	8.82E-01	37.69	5.88	0.00
1325	3.795E+01	9.03E-01	31.25	5.80	0.00
1326	3.309E+01	9.24E-01	26.46	5.70	0.00
1327	2.935E+01	9.44E-01	22.82	5.59	0.00
1328	2.641E+01	9.63E-01	19.99	5.46	0.00
1329	2.404E+01	9.81E-01	17.74	5.31	0.00
1330	4.472E+01	8.89E-01	38.38	5.45	0.00
1331	4.940E+01	9.13E-01	43.09	5.40	0.00
1332	4.167E+01	9.36E-01	35.39	5.33	0.00
1333	3.590E+01	9.60E-01	29.68	5.26	0.00
1334	3.147E+01	9.83E-01	25.31	5.17	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1335	2.802E+01	1.01E+00	21.94	5.07	0.00
1336	2.527E+01	1.03E+00	19.29	4.96	0.00
1337	2.304E+01	1.05E+00	17.16	4.83	0.00
1338	1.115E+02	4.93E-01	108.15	2.85	0.00
1339	1.103E+02	5.03E-01	106.71	3.06	0.00
1340	9.749E+01	5.15E-01	93.70	3.28	0.00
1341	9.652E+01	5.27E-01	92.49	3.51	0.00
1342	1.106E+02	5.41E-01	106.32	3.74	0.00
1343	1.091E+02	5.55E-01	104.58	3.95	0.00
1344	9.595E+01	5.71E-01	91.23	4.15	0.00
1345	9.446E+01	5.88E-01	89.54	4.34	0.00
1346	1.072E+02	6.06E-01	102.07	4.49	0.00
1347	1.044E+02	6.22E-01	99.20	4.61	0.00
1348	8.951E+01	6.39E-01	84.16	4.71	0.00
1349	8.562E+01	6.61E-01	80.16	4.81	0.00
1350	9.515E+01	6.97E-01	89.57	4.88	0.00
1351	8.897E+01	7.34E-01	83.29	4.94	0.00
1352	7.051E+01	7.72E-01	64.75	4.99	0.00
1353	6.351E+01	8.10E-01	57.69	5.02	0.00
1354	6.997E+01	8.36E-01	64.10	5.03	0.00
1355	6.072E+01	8.62E-01	54.83	5.03	0.00
1356	5.305E+01	8.89E-01	47.15	5.02	0.00
1357	4.661E+01	9.16E-01	40.70	5.00	0.00
1358	5.363E+01	9.43E-01	47.72	4.96	0.00
1359	4.538E+01	9.70E-01	39.49	4.92	0.00
1360	3.893E+01	9.96E-01	33.07	4.86	0.00
1361	3.390E+01	1.02E+00	28.08	4.80	0.00
1362	2.992E+01	1.05E+00	24.15	4.72	0.00
1363	2.676E+01	1.07E+00	21.06	4.63	0.00
1364	2.421E+01	1.10E+00	18.59	4.53	0.00
1365	2.212E+01	1.12E+00	16.58	4.41	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1366	9.572E+01	5.14E-01	92.58	2.63	0.00
1367	9.471E+01	5.25E-01	91.38	2.80	0.00
1368	9.557E+01	5.37E-01	92.05	2.99	0.00
1369	1.122E+02	5.51E-01	108.46	3.19	0.00
1370	9.472E+01	5.65E-01	90.77	3.39	0.00
1371	9.358E+01	5.81E-01	89.41	3.59	0.00
1372	1.109E+02	5.98E-01	106.49	3.77	0.00
1373	1.101E+02	6.17E-01	105.56	3.94	0.00
1374	9.171E+01	6.35E-01	87.00	4.08	0.00
1375	8.936E+01	6.52E-01	84.52	4.19	0.00
1376	1.046E+02	6.70E-01	99.64	4.27	0.00
1377	1.019E+02	6.92E-01	96.84	4.37	0.00
1378	8.167E+01	7.18E-01	76.50	4.45	0.00
1379	7.689E+01	7.59E-01	71.63	4.51	0.00
1380	8.938E+01	8.12E-01	84.01	4.55	0.00
1381	8.402E+01	8.41E-01	78.59	4.58	0.00
1382	6.161E+01	8.83E-01	56.13	4.60	0.00
1383	5.438E+01	9.12E-01	48.87	4.60	0.00
1384	6.372E+01	9.41E-01	58.18	4.59	0.00
1385	5.569E+01	9.72E-01	50.15	4.57	0.00
1386	4.817E+01	1.00E+00	42.63	4.55	0.00
1387	4.170E+01	1.03E+00	36.16	4.51	0.00
1388	3.638E+01	1.06E+00	30.87	4.46	0.00
1389	3.204E+01	1.09E+00	26.56	4.40	0.00
1390	2.850E+01	1.12E+00	23.05	4.33	0.00
1391	2.562E+01	1.15E+00	20.22	4.25	0.00
1392	2.326E+01	1.18E+00	17.93	4.16	0.00
1393	2.131E+01	1.20E+00	16.05	4.05	0.00
1394	9.541E+01	5.35E-01	92.47	2.40	0.00
1395	9.511E+01	5.48E-01	91.99	2.57	0.00
1396	9.460E+01	5.61E-01	91.31	2.73	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1397	9.420E+01	5.75E-01	90.72	2.90	0.00
1398	9.410E+01	5.91E-01	90.43	3.08	0.00
1399	9.366E+01	6.07E-01	89.81	3.25	0.00
1400	9.331E+01	6.26E-01	89.26	3.43	0.00
1401	9.276E+01	6.47E-01	88.52	3.59	0.00
1402	9.165E+01	6.67E-01	87.26	3.72	0.00
1403	9.006E+01	6.85E-01	85.55	3.83	0.00
1404	8.804E+01	7.05E-01	83.43	3.91	0.00
1405	8.576E+01	7.29E-01	81.03	4.00	0.00
1406	8.294E+01	7.56E-01	78.12	4.07	0.00
1407	7.956E+01	7.99E-01	74.63	4.13	0.00
1408	7.569E+01	8.57E-01	70.66	4.17	0.00
1409	7.133E+01	8.89E-01	66.24	4.21	0.00
1410	6.652E+01	9.34E-01	61.37	4.22	0.00
1411	6.117E+01	9.66E-01	55.98	4.22	0.00
1412	5.534E+01	9.99E-01	50.12	4.22	0.00
1413	4.933E+01	1.03E+00	44.10	4.20	0.00
1414	4.358E+01	1.07E+00	38.34	4.18	0.00
1415	3.844E+01	1.10E+00	33.19	4.14	0.00
1416	3.402E+01	1.13E+00	28.79	4.10	0.00
1417	3.030E+01	1.17E+00	25.08	4.05	0.00
1418	2.714E+01	1.20E+00	21.96	3.98	0.00
1419	2.453E+01	1.23E+00	19.38	3.91	0.00
1420	2.236E+01	1.27E+00	17.26	3.83	0.00
1421	2.053E+01	1.30E+00	15.50	3.74	0.00
1422	8.144E+01	5.58E-01	78.67	2.21	0.00
1423	8.114E+01	5.71E-01	78.21	2.35	0.00
1424	8.100E+01	5.86E-01	77.91	2.50	0.00
1425	8.071E+01	6.01E-01	77.46	2.65	0.00
1426	8.036E+01	6.17E-01	76.94	2.81	0.00
1427	8.011E+01	6.35E-01	76.51	2.96	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1428	8.002E+01	6.56E-01	76.24	3.13	0.00
1429	7.956E+01	6.79E-01	75.59	3.29	0.00
1430	7.866E+01	7.01E-01	74.54	3.42	0.00
1431	7.729E+01	7.22E-01	73.06	3.51	0.00
1432	7.560E+01	7.44E-01	71.27	3.59	0.00
1433	7.364E+01	7.69E-01	69.20	3.67	0.00
1434	7.130E+01	7.97E-01	66.76	3.74	0.00
1435	6.852E+01	8.43E-01	63.89	3.79	0.00
1436	6.536E+01	9.04E-01	60.62	3.84	0.00
1437	6.178E+01	9.40E-01	56.97	3.87	0.00
1438	5.783E+01	9.89E-01	52.95	3.89	0.00
1439	5.353E+01	1.03E+00	48.61	3.89	0.00
1440	4.894E+01	1.06E+00	43.99	3.89	0.00
1441	4.427E+01	1.10E+00	39.29	3.88	0.00
1442	3.973E+01	1.14E+00	34.73	3.86	0.00
1443	3.557E+01	1.18E+00	30.56	3.83	0.00
1444	3.188E+01	1.21E+00	26.88	3.79	0.00
1445	2.868E+01	1.25E+00	23.69	3.74	0.00
1446	2.589E+01	1.29E+00	20.92	3.68	0.00
1447	2.353E+01	1.33E+00	18.58	3.62	0.00
1448	2.153E+01	1.36E+00	16.62	3.55	0.00
1449	1.983E+01	1.40E+00	14.97	3.46	0.00
1450	7.061E+01	5.80E-01	67.99	2.04	0.00
1451	7.048E+01	5.96E-01	67.72	2.16	0.00
1452	7.017E+01	6.11E-01	67.27	2.29	0.00
1453	7.005E+01	6.28E-01	67.00	2.43	0.00
1454	6.983E+01	6.46E-01	66.63	2.56	0.00
1455	6.938E+01	6.64E-01	66.01	2.70	0.00
1456	6.955E+01	6.87E-01	66.00	2.86	0.00
1457	6.925E+01	7.13E-01	65.52	3.02	0.00
1458	6.857E+01	7.38E-01	64.70	3.14	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1459	6.739E+01	7.61E-01	63.40	3.23	0.00
1460	6.595E+01	7.85E-01	61.86	3.31	0.00
1461	6.426E+01	8.12E-01	60.07	3.38	0.00
1462	6.229E+01	8.42E-01	58.00	3.45	0.00
1463	5.996E+01	8.75E-01	55.59	3.50	0.00
1464	5.736E+01	9.56E-01	52.86	3.54	0.00
1465	5.438E+01	9.96E-01	49.80	3.58	0.00
1466	5.110E+01	1.05E+00	46.46	3.60	0.00
1467	4.760E+01	1.09E+00	42.90	3.60	0.00
1468	4.390E+01	1.13E+00	39.17	3.60	0.00
1469	4.015E+01	1.17E+00	35.39	3.59	0.00
1470	3.648E+01	1.22E+00	31.69	3.57	0.00
1471	3.305E+01	1.26E+00	28.25	3.54	0.00
1472	2.995E+01	1.30E+00	25.14	3.51	0.00
1473	2.719E+01	1.34E+00	22.39	3.46	0.00
1474	2.473E+01	1.39E+00	19.93	3.41	0.00
1475	2.260E+01	1.43E+00	17.81	3.36	0.00
1476	2.077E+01	1.47E+00	16.00	3.29	0.00
1477	1.920E+01	1.52E+00	14.46	3.22	0.00
1478	6.182E+01	6.04E-01	59.33	1.88	0.00
1479	6.187E+01	6.21E-01	59.25	2.00	0.00
1480	6.176E+01	6.38E-01	59.01	2.12	0.00
1481	6.154E+01	6.57E-01	58.65	2.24	0.00
1482	6.153E+01	6.76E-01	58.49	2.37	0.00
1483	6.124E+01	6.97E-01	58.06	2.49	0.00
1484	6.141E+01	7.22E-01	58.04	2.65	0.00
1485	6.114E+01	7.50E-01	57.60	2.79	0.00
1486	6.054E+01	7.77E-01	56.86	2.90	0.00
1487	5.952E+01	8.03E-01	55.73	2.99	0.00
1488	5.828E+01	8.30E-01	54.39	3.06	0.00
1489	5.682E+01	8.60E-01	52.83	3.13	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1490	5.514E+01	8.93E-01	51.06	3.19	0.00
1491	5.317E+01	9.29E-01	49.00	3.24	0.00
1492	5.097E+01	1.00E+00	46.69	3.28	0.00
1493	4.849E+01	1.06E+00	44.12	3.31	0.00
1494	4.578E+01	1.11E+00	41.34	3.33	0.00
1495	4.287E+01	1.16E+00	38.37	3.34	0.00
1496	3.984E+01	1.21E+00	35.29	3.34	0.00
1497	3.675E+01	1.25E+00	32.17	3.33	0.00
1498	3.371E+01	1.30E+00	29.09	3.32	0.00
1499	3.084E+01	1.35E+00	26.20	3.29	0.00
1500	2.820E+01	1.40E+00	23.54	3.26	0.00
1501	2.580E+01	1.45E+00	21.13	3.22	0.00
1502	2.363E+01	1.50E+00	18.95	3.18	0.00
1503	2.173E+01	1.55E+00	17.05	3.13	0.00
1504	2.006E+01	1.60E+00	15.40	3.07	0.00
1505	1.862E+01	1.65E+00	13.97	3.00	0.00
1506	5.465E+01	6.27E-01	52.27	1.75	0.00
1507	5.476E+01	6.46E-01	52.26	1.85	0.00
1508	5.484E+01	6.66E-01	52.21	1.96	0.00
1509	5.481E+01	6.87E-01	52.04	2.08	0.00
1510	5.485E+01	7.10E-01	51.94	2.20	0.00
1511	5.471E+01	7.33E-01	51.66	2.32	0.00
1512	5.474E+01	7.60E-01	51.53	2.45	0.00
1513	5.454E+01	7.90E-01	51.17	2.58	0.00
1514	5.401E+01	8.19E-01	50.50	2.69	0.00
1515	5.312E+01	8.48E-01	49.50	2.77	0.00
1516	5.204E+01	8.78E-01	48.32	2.84	0.00
1517	5.078E+01	9.11E-01	46.97	2.91	0.00
1518	4.934E+01	9.48E-01	45.43	2.96	0.00
1519	4.767E+01	1.00E+00	43.66	3.01	0.00
1520	4.579E+01	1.06E+00	41.68	3.05	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1521	4.370E+01	1.12E+00	39.50	3.08	0.00
1522	4.144E+01	1.18E+00	37.16	3.10	0.00
1523	3.900E+01	1.23E+00	34.66	3.11	0.00
1524	3.647E+01	1.29E+00	32.07	3.11	0.00
1525	3.389E+01	1.34E+00	29.45	3.10	0.00
1526	3.134E+01	1.40E+00	26.85	3.09	0.00
1527	2.890E+01	1.46E+00	24.38	3.07	0.00
1528	2.663E+01	1.51E+00	22.08	3.04	0.00
1529	2.454E+01	1.57E+00	19.97	3.00	0.00
1530	2.263E+01	1.63E+00	18.04	2.96	0.00
1531	2.093E+01	1.69E+00	16.32	2.92	0.00
1532	1.942E+01	1.75E+00	14.81	2.86	0.00
1533	1.810E+01	1.80E+00	13.49	2.80	0.00
1534	4.865E+01	6.51E-01	46.38	1.62	0.00
1535	4.888E+01	6.73E-01	46.49	1.72	0.00
1536	4.902E+01	6.95E-01	46.50	1.82	0.00
1537	4.922E+01	7.19E-01	46.57	1.93	0.00
1538	4.917E+01	7.44E-01	46.38	2.04	0.00
1539	4.927E+01	7.71E-01	46.34	2.16	0.00
1540	4.927E+01	8.00E-01	46.19	2.28	0.00
1541	4.908E+01	8.32E-01	45.85	2.40	0.00
1542	4.861E+01	8.64E-01	45.25	2.50	0.00
1543	4.782E+01	8.95E-01	44.36	2.57	0.00
1544	4.689E+01	9.29E-01	43.32	2.64	0.00
1545	4.580E+01	9.66E-01	42.13	2.70	0.00
1546	4.454E+01	1.01E+00	40.78	2.76	0.00
1547	4.311E+01	1.07E+00	39.24	2.80	0.00
1548	4.150E+01	1.13E+00	37.54	2.84	0.00
1549	3.973E+01	1.19E+00	35.67	2.87	0.00
1550	3.781E+01	1.25E+00	33.68	2.89	0.00
1551	3.576E+01	1.32E+00	31.55	2.89	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1552	3.362E+01	1.38E+00	29.35	2.90	0.00
1553	3.145E+01	1.44E+00	27.11	2.89	0.00
1554	2.928E+01	1.51E+00	24.90	2.88	0.00
1555	2.720E+01	1.57E+00	22.76	2.86	0.00
1556	2.523E+01	1.64E+00	20.76	2.84	0.00
1557	2.340E+01	1.70E+00	18.89	2.81	0.00
1558	2.172E+01	1.77E+00	17.17	2.77	0.00
1559	2.020E+01	1.84E+00	15.63	2.73	0.00
1560	1.885E+01	1.91E+00	14.25	2.68	0.00
1561	1.764E+01	1.98E+00	13.03	2.63	0.00
1562	4.384E+01	6.75E-01	41.65	1.51	0.00
1563	4.395E+01	6.99E-01	41.64	1.60	0.00
1564	4.410E+01	7.24E-01	41.68	1.70	0.00
1565	4.430E+01	7.50E-01	41.75	1.79	0.00
1566	4.441E+01	7.78E-01	41.74	1.90	0.00
1567	4.452E+01	8.08E-01	41.70	2.00	0.00
1568	4.457E+01	8.40E-01	41.61	2.11	0.00
1569	4.439E+01	8.74E-01	41.29	2.23	0.00
1570	4.398E+01	9.10E-01	40.76	2.32	0.00
1571	4.336E+01	9.45E-01	40.03	2.39	0.00
1572	4.256E+01	9.82E-01	39.12	2.46	0.00
1573	4.161E+01	1.02E+00	38.07	2.52	0.00
1574	4.053E+01	1.07E+00	36.89	2.57	0.00
1575	3.929E+01	1.13E+00	35.54	2.62	0.00
1576	3.791E+01	1.20E+00	34.06	2.65	0.00
1577	3.640E+01	1.27E+00	32.45	2.68	0.00
1578	3.475E+01	1.33E+00	30.73	2.69	0.00
1579	3.302E+01	1.41E+00	28.91	2.70	0.00
1580	3.120E+01	1.48E+00	27.02	2.71	0.00
1581	2.935E+01	1.55E+00	25.09	2.70	0.00
1582	2.750E+01	1.62E+00	23.18	2.70	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Cancer Risk			
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3
1583	2.571E+01	1.70E+00	21.33	2.68	0.00
1584	2.400E+01	1.78E+00	19.56	2.66	0.00
1585	2.240E+01	1.86E+00	17.91	2.63	0.00
1586	2.092E+01	1.94E+00	16.38	2.60	0.00
1587	1.956E+01	2.02E+00	14.98	2.56	0.00
1588	1.834E+01	2.10E+00	13.72	2.52	0.00
1589	1.724E+01	2.18E+00	12.59	2.47	0.00
1590	3.983E+01	7.01E-01	37.71	1.42	0.00
1591	3.986E+01	7.26E-01	37.64	1.50	0.00
1592	3.990E+01	7.52E-01	37.57	1.58	0.00
1593	3.998E+01	7.81E-01	37.53	1.67	0.00
1594	4.024E+01	8.12E-01	37.67	1.76	0.00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1369	1369	0.439	0.029	0.280	0.016	0.027	0.027	0.000	0.000
		Receptor	1589	1369	1217	1217	1217	1213	1213
1213	**1213**	1.23E-01	7.97E-03	3.14E-02	7.19E-03	1.20E-02	1.20E-02	0.00E+00	0.00E+00
1214	**1214**	2.38E-01	7.22E-03	1.36E-01	1.39E-02	2.32E-02	2.32E-02	0.00E+00	0.00E+00
1215	**1215**	2.33E-01	7.34E-03	1.14E-01	1.36E-02	2.27E-02	2.27E-02	0.00E+00	0.00E+00
1216	**1216**	2.33E-01	7.46E-03	9.75E-02	1.36E-02	2.27E-02	2.27E-02	0.00E+00	0.00E+00
1217	**1217**	2.78E-01	7.58E-03	8.43E-02	1.62E-02	2.71E-02	2.71E-02	0.00E+00	0.00E+00
1218	**1218**	2.23E-01	7.70E-03	7.37E-02	1.30E-02	2.18E-02	2.18E-02	0.00E+00	0.00E+00
1219	**1219**	2.14E-01	7.81E-03	6.51E-02	1.25E-02	2.09E-02	2.09E-02	0.00E+00	0.00E+00
1220	**1220**	2.10E-01	7.92E-03	5.79E-02	1.22E-02	2.04E-02	2.04E-02	0.00E+00	0.00E+00
1221	**1221**	2.48E-01	8.02E-03	5.20E-02	1.44E-02	2.42E-02	2.42E-02	0.00E+00	0.00E+00
1222	**1222**	1.88E-01	8.11E-03	4.70E-02	1.09E-02	1.83E-02	1.83E-02	0.00E+00	0.00E+00
1223	**1223**	1.72E-01	8.19E-03	4.27E-02	1.00E-02	1.68E-02	1.68E-02	0.00E+00	0.00E+00
1224	**1224**	1.61E-01	8.26E-03	3.91E-02	9.40E-03	1.57E-02	1.57E-02	0.00E+00	0.00E+00
1225	**1225**	1.89E-01	8.32E-03	3.59E-02	1.10E-02	1.84E-02	1.84E-02	0.00E+00	0.00E+00
1226	**1226**	1.68E-01	8.38E-03	3.31E-02	9.78E-03	1.64E-02	1.64E-02	0.00E+00	0.00E+00
1227	**1227**	1.49E-01	8.43E-03	3.07E-02	8.68E-03	1.45E-02	1.45E-02	0.00E+00	0.00E+00
1228	**1228**	2.53E-01	7.55E-03	1.51E-01	1.48E-02	2.47E-02	2.47E-02	0.00E+00	0.00E+00
1229	**1229**	2.02E-01	7.68E-03	1.24E-01	1.18E-02	1.97E-02	1.97E-02	0.00E+00	0.00E+00
1230	**1230**	2.46E-01	7.82E-03	1.03E-01	1.44E-02	2.40E-02	2.40E-02	0.00E+00	0.00E+00
1231	**1231**	2.39E-01	7.94E-03	8.80E-02	1.39E-02	2.33E-02	2.33E-02	0.00E+00	0.00E+00
1232	**1232**	2.40E-01	8.07E-03	7.61E-02	1.40E-02	2.34E-02	2.34E-02	0.00E+00	0.00E+00
1233	**1233**	1.86E-01	8.20E-03	6.66E-02	1.08E-02	1.81E-02	1.81E-02	0.00E+00	0.00E+00
1234	**1234**	2.25E-01	8.32E-03	5.89E-02	1.31E-02	2.20E-02	2.20E-02	0.00E+00	0.00E+00
1235	**1235**	2.13E-01	8.43E-03	5.26E-02	1.24E-02	2.08E-02	2.08E-02	0.00E+00	0.00E+00
1236	**1236**	2.10E-01	8.52E-03	4.74E-02	1.22E-02	2.05E-02	2.05E-02	0.00E+00	0.00E+00
1237	**1237**	1.51E-01	8.61E-03	4.30E-02	8.78E-03	1.47E-02	1.47E-02	0.00E+00	0.00E+00
1238	**1238**	1.84E-01	8.69E-03	3.92E-02	1.07E-02	1.80E-02	1.80E-02	0.00E+00	0.00E+00
1239	**1239**	1.63E-01	8.76E-03	3.59E-02	9.51E-03	1.59E-02	1.59E-02	0.00E+00	0.00E+00
1240	**1240**	1.45E-01	8.82E-03	3.31E-02	8.48E-03	1.42E-02	1.42E-02	0.00E+00	0.00E+00
1241	**1241**	1.30E-01	8.87E-03	3.07E-02	7.56E-03	1.26E-02	1.26E-02	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1242	**1242**	2.69E-01	7.91E-03	1.29E-01	1.57E-02	2.63E-02	2.63E-02	0.00E+00	0.00E+00
1243	**1243**	2.67E-01	8.05E-03	1.32E-01	1.56E-02	2.61E-02	2.61E-02	0.00E+00	0.00E+00
1244	**1244**	2.65E-01	8.19E-03	1.08E-01	1.54E-02	2.58E-02	2.58E-02	0.00E+00	0.00E+00
1245	**1245**	2.61E-01	8.33E-03	9.09E-02	1.52E-02	2.55E-02	2.55E-02	0.00E+00	0.00E+00
1246	**1246**	2.57E-01	8.48E-03	7.78E-02	1.50E-02	2.50E-02	2.50E-02	0.00E+00	0.00E+00
1247	**1247**	2.52E-01	8.62E-03	6.76E-02	1.47E-02	2.45E-02	2.45E-02	0.00E+00	0.00E+00
1248	**1248**	2.46E-01	8.75E-03	5.95E-02	1.43E-02	2.40E-02	2.40E-02	0.00E+00	0.00E+00
1249	**1249**	2.39E-01	8.86E-03	5.29E-02	1.39E-02	2.33E-02	2.33E-02	0.00E+00	0.00E+00
1250	**1250**	2.31E-01	8.97E-03	4.74E-02	1.35E-02	2.25E-02	2.25E-02	0.00E+00	0.00E+00
1251	**1251**	2.22E-01	9.07E-03	4.30E-02	1.29E-02	2.16E-02	2.16E-02	0.00E+00	0.00E+00
1252	**1252**	2.11E-01	9.15E-03	3.91E-02	1.23E-02	2.06E-02	2.06E-02	0.00E+00	0.00E+00
1253	**1253**	1.97E-01	9.23E-03	3.59E-02	1.15E-02	1.92E-02	1.92E-02	0.00E+00	0.00E+00
1254	**1254**	1.79E-01	9.30E-03	3.30E-02	1.04E-02	1.75E-02	1.75E-02	0.00E+00	0.00E+00
1255	**1255**	1.59E-01	9.36E-03	3.05E-02	9.25E-03	1.55E-02	1.55E-02	0.00E+00	0.00E+00
1256	**1256**	2.26E-01	8.29E-03	1.31E-01	1.32E-02	2.21E-02	2.21E-02	0.00E+00	0.00E+00
1257	**1257**	2.24E-01	8.45E-03	1.38E-01	1.31E-02	2.19E-02	2.19E-02	0.00E+00	0.00E+00
1258	**1258**	2.22E-01	8.60E-03	1.12E-01	1.29E-02	2.16E-02	2.16E-02	0.00E+00	0.00E+00
1259	**1259**	2.19E-01	8.75E-03	9.29E-02	1.28E-02	2.14E-02	2.14E-02	0.00E+00	0.00E+00
1260	**1260**	2.15E-01	8.91E-03	7.88E-02	1.26E-02	2.10E-02	2.10E-02	0.00E+00	0.00E+00
1261	**1261**	2.11E-01	9.06E-03	6.80E-02	1.23E-02	2.06E-02	2.06E-02	0.00E+00	0.00E+00
1262	**1262**	2.06E-01	9.21E-03	5.96E-02	1.20E-02	2.01E-02	2.01E-02	0.00E+00	0.00E+00
1263	**1263**	2.00E-01	9.34E-03	5.28E-02	1.17E-02	1.95E-02	1.95E-02	0.00E+00	0.00E+00
1264	**1264**	1.93E-01	9.46E-03	4.73E-02	1.13E-02	1.88E-02	1.88E-02	0.00E+00	0.00E+00
1265	**1265**	1.85E-01	9.56E-03	4.27E-02	1.08E-02	1.81E-02	1.81E-02	0.00E+00	0.00E+00
1266	**1266**	1.76E-01	9.66E-03	3.89E-02	1.03E-02	1.72E-02	1.72E-02	0.00E+00	0.00E+00
1267	**1267**	1.65E-01	9.74E-03	3.56E-02	9.60E-03	1.61E-02	1.61E-02	0.00E+00	0.00E+00
1268	**1268**	1.51E-01	9.82E-03	3.28E-02	8.82E-03	1.48E-02	1.48E-02	0.00E+00	0.00E+00
1269	**1269**	1.36E-01	9.88E-03	3.03E-02	7.94E-03	1.33E-02	1.33E-02	0.00E+00	0.00E+00
1270	**1270**	2.07E-01	8.70E-03	1.33E-01	1.13E-02	1.89E-02	1.89E-02	0.00E+00	0.00E+00
1271	**1271**	1.92E-01	8.87E-03	1.09E-01	1.12E-02	1.87E-02	1.87E-02	0.00E+00	0.00E+00
1272	**1272**	1.90E-01	9.04E-03	1.14E-01	1.11E-02	1.85E-02	1.85E-02	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1273	**1273**	1.87E-01	9.20E-03	9.38E-02	1.09E-02	1.82E-02	1.82E-02	0.00E+00	0.00E+00
1274	**1274**	1.84E-01	9.38E-03	7.90E-02	1.07E-02	1.79E-02	1.79E-02	0.00E+00	0.00E+00
1275	**1275**	1.80E-01	9.54E-03	6.79E-02	1.05E-02	1.76E-02	1.76E-02	0.00E+00	0.00E+00
1276	**1276**	1.76E-01	9.70E-03	5.93E-02	1.03E-02	1.72E-02	1.72E-02	0.00E+00	0.00E+00
1277	**1277**	1.71E-01	9.85E-03	5.24E-02	9.96E-03	1.67E-02	1.67E-02	0.00E+00	0.00E+00
1278	**1278**	1.65E-01	9.99E-03	4.68E-02	9.61E-03	1.61E-02	1.61E-02	0.00E+00	0.00E+00
1279	**1279**	1.58E-01	1.01E-02	4.23E-02	9.22E-03	1.54E-02	1.54E-02	0.00E+00	0.00E+00
1280	**1280**	1.50E-01	1.02E-02	3.84E-02	8.76E-03	1.47E-02	1.47E-02	0.00E+00	0.00E+00
1281	**1281**	1.41E-01	1.03E-02	3.52E-02	8.22E-03	1.38E-02	1.38E-02	0.00E+00	0.00E+00
1282	**1282**	1.30E-01	1.04E-02	3.23E-02	7.60E-03	1.27E-02	1.27E-02	0.00E+00	0.00E+00
1283	**1283**	1.19E-01	1.04E-02	2.99E-02	6.92E-03	1.16E-02	1.16E-02	0.00E+00	0.00E+00
1284	**1284**	2.09E-01	9.15E-03	1.34E-01	9.81E-03	1.64E-02	1.64E-02	0.00E+00	0.00E+00
1285	**1285**	2.25E-01	9.33E-03	1.44E-01	9.71E-03	1.63E-02	1.63E-02	0.00E+00	0.00E+00
1286	**1286**	1.78E-01	9.51E-03	1.14E-01	9.60E-03	1.61E-02	1.61E-02	0.00E+00	0.00E+00
1287	**1287**	1.62E-01	9.69E-03	9.36E-02	9.46E-03	1.58E-02	1.58E-02	0.00E+00	0.00E+00
1288	**1288**	1.60E-01	9.88E-03	7.85E-02	9.30E-03	1.56E-02	1.56E-02	0.00E+00	0.00E+00
1289	**1289**	1.56E-01	1.01E-02	6.73E-02	9.12E-03	1.53E-02	1.53E-02	0.00E+00	0.00E+00
1290	**1290**	1.53E-01	1.02E-02	5.86E-02	8.90E-03	1.49E-02	1.49E-02	0.00E+00	0.00E+00
1291	**1291**	1.48E-01	1.04E-02	5.17E-02	8.64E-03	1.45E-02	1.45E-02	0.00E+00	0.00E+00
1292	**1292**	1.43E-01	1.06E-02	4.61E-02	8.34E-03	1.40E-02	1.40E-02	0.00E+00	0.00E+00
1293	**1293**	1.37E-01	1.07E-02	4.16E-02	8.01E-03	1.34E-02	1.34E-02	0.00E+00	0.00E+00
1294	**1294**	1.31E-01	1.08E-02	3.78E-02	7.62E-03	1.27E-02	1.27E-02	0.00E+00	0.00E+00
1295	**1295**	1.23E-01	1.09E-02	3.46E-02	7.17E-03	1.20E-02	1.20E-02	0.00E+00	0.00E+00
1296	**1296**	1.14E-01	1.10E-02	3.18E-02	6.67E-03	1.12E-02	1.12E-02	0.00E+00	0.00E+00
1297	**1297**	1.05E-01	1.11E-02	2.94E-02	6.12E-03	1.02E-02	1.02E-02	0.00E+00	0.00E+00
1298	**1298**	1.59E-01	9.63E-03	1.02E-01	8.62E-03	1.44E-02	1.44E-02	0.00E+00	0.00E+00
1299	**1299**	2.21E-01	9.83E-03	1.41E-01	8.54E-03	1.43E-02	1.43E-02	0.00E+00	0.00E+00
1300	**1300**	1.76E-01	1.00E-02	1.12E-01	8.43E-03	1.41E-02	1.41E-02	0.00E+00	0.00E+00
1301	**1301**	1.44E-01	1.02E-02	9.22E-02	8.31E-03	1.39E-02	1.39E-02	0.00E+00	0.00E+00
1302	**1302**	1.40E-01	1.04E-02	7.72E-02	8.17E-03	1.37E-02	1.37E-02	0.00E+00	0.00E+00
1303	**1303**	1.37E-01	1.06E-02	6.61E-02	8.01E-03	1.34E-02	1.34E-02	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1304	**1304**	1.34E-01	1.08E-02	5.75E-02	7.82E-03	1.31E-02	1.31E-02	0.00E+00	0.00E+00
1305	**1305**	1.30E-01	1.10E-02	5.07E-02	7.59E-03	1.27E-02	1.27E-02	0.00E+00	0.00E+00
1306	**1306**	2.10E-01	1.02E-02	1.34E-01	7.65E-03	1.28E-02	1.28E-02	0.00E+00	0.00E+00
1307	**1307**	2.13E-01	1.04E-02	1.36E-01	7.58E-03	1.27E-02	1.27E-02	0.00E+00	0.00E+00
1308	**1308**	1.70E-01	1.06E-02	1.09E-01	7.49E-03	1.25E-02	1.25E-02	0.00E+00	0.00E+00
1309	**1309**	1.39E-01	1.08E-02	8.92E-02	7.38E-03	1.23E-02	1.23E-02	0.00E+00	0.00E+00
1310	**1310**	1.24E-01	1.11E-02	7.49E-02	7.25E-03	1.21E-02	1.21E-02	0.00E+00	0.00E+00
1311	**1311**	1.22E-01	1.13E-02	6.42E-02	7.11E-03	1.19E-02	1.19E-02	0.00E+00	0.00E+00
1312	**1312**	1.19E-01	1.15E-02	5.60E-02	6.94E-03	1.16E-02	1.16E-02	0.00E+00	0.00E+00
1313	**1313**	1.16E-01	1.17E-02	4.95E-02	6.74E-03	1.13E-02	1.13E-02	0.00E+00	0.00E+00
1314	**1314**	1.89E-01	1.07E-02	1.21E-01	6.85E-03	1.15E-02	1.15E-02	0.00E+00	0.00E+00
1315	**1315**	2.02E-01	1.10E-02	1.29E-01	6.78E-03	1.13E-02	1.13E-02	0.00E+00	0.00E+00
1316	**1316**	1.62E-01	1.12E-02	1.04E-01	6.70E-03	1.12E-02	1.12E-02	0.00E+00	0.00E+00
1317	**1317**	1.33E-01	1.15E-02	8.56E-02	6.61E-03	1.11E-02	1.11E-02	0.00E+00	0.00E+00
1318	**1318**	1.12E-01	1.17E-02	7.21E-02	6.49E-03	1.09E-02	1.09E-02	0.00E+00	0.00E+00
1319	**1319**	1.09E-01	1.20E-02	6.20E-02	6.36E-03	1.06E-02	1.06E-02	0.00E+00	0.00E+00
1320	**1320**	1.07E-01	1.22E-02	5.43E-02	6.21E-03	1.04E-02	1.04E-02	0.00E+00	0.00E+00
1321	**1321**	1.04E-01	1.24E-02	4.81E-02	6.04E-03	1.01E-02	1.01E-02	0.00E+00	0.00E+00
1322	**1322**	1.71E-01	1.13E-02	1.09E-01	6.17E-03	1.03E-02	1.03E-02	0.00E+00	0.00E+00
1323	**1323**	1.89E-01	1.16E-02	1.21E-01	6.11E-03	1.02E-02	1.02E-02	0.00E+00	0.00E+00
1324	**1324**	1.53E-01	1.19E-02	9.79E-02	6.04E-03	1.01E-02	1.01E-02	0.00E+00	0.00E+00
1325	**1325**	1.27E-01	1.22E-02	8.14E-02	5.96E-03	9.97E-03	9.97E-03	0.00E+00	0.00E+00
1326	**1326**	1.07E-01	1.25E-02	6.91E-02	5.86E-03	9.80E-03	9.80E-03	0.00E+00	0.00E+00
1327	**1327**	9.85E-02	1.28E-02	5.97E-02	5.74E-03	9.60E-03	9.60E-03	0.00E+00	0.00E+00
1328	**1328**	9.62E-02	1.30E-02	5.24E-02	5.61E-03	9.38E-03	9.38E-03	0.00E+00	0.00E+00
1329	**1329**	9.36E-02	1.33E-02	4.66E-02	5.45E-03	9.13E-03	9.13E-03	0.00E+00	0.00E+00
1330	**1330**	1.56E-01	1.20E-02	9.97E-02	5.60E-03	9.36E-03	9.36E-03	0.00E+00	0.00E+00
1331	**1331**	1.75E-01	1.23E-02	1.12E-01	5.54E-03	9.28E-03	9.28E-03	0.00E+00	0.00E+00
1332	**1332**	1.43E-01	1.27E-02	9.21E-02	5.48E-03	9.17E-03	9.17E-03	0.00E+00	0.00E+00
1333	**1333**	1.20E-01	1.30E-02	7.74E-02	5.40E-03	9.04E-03	9.04E-03	0.00E+00	0.00E+00
1334	**1334**	1.03E-01	1.33E-02	6.62E-02	5.31E-03	8.89E-03	8.89E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1335	**1335**	8.94E-02	1.36E-02	5.75E-02	5.21E-03	8.72E-03	8.72E-03	0.00E+00	0.00E+00
1336	**1336**	8.73E-02	1.39E-02	5.07E-02	5.09E-03	8.52E-03	8.52E-03	0.00E+00	0.00E+00
1337	**1337**	8.50E-02	1.42E-02	4.52E-02	4.96E-03	8.29E-03	8.29E-03	0.00E+00	0.00E+00
1338	**1338**	4.38E-01	6.66E-03	2.79E-01	2.93E-03	4.90E-03	4.90E-03	0.00E+00	0.00E+00
1339	**1339**	4.32E-01	6.80E-03	2.75E-01	3.15E-03	5.27E-03	5.27E-03	0.00E+00	0.00E+00
1340	**1340**	3.79E-01	6.96E-03	2.42E-01	3.37E-03	5.63E-03	5.63E-03	0.00E+00	0.00E+00
1341	**1341**	3.74E-01	7.12E-03	2.39E-01	3.60E-03	6.03E-03	6.03E-03	0.00E+00	0.00E+00
1342	**1342**	4.30E-01	7.31E-03	2.74E-01	3.84E-03	6.43E-03	6.43E-03	0.00E+00	0.00E+00
1343	**1343**	4.23E-01	7.50E-03	2.70E-01	4.06E-03	6.79E-03	6.79E-03	0.00E+00	0.00E+00
1344	**1344**	3.69E-01	7.72E-03	2.36E-01	4.26E-03	7.14E-03	7.14E-03	0.00E+00	0.00E+00
1345	**1345**	3.62E-01	7.95E-03	2.31E-01	4.45E-03	7.45E-03	7.45E-03	0.00E+00	0.00E+00
1346	**1346**	4.13E-01	8.18E-03	2.64E-01	4.61E-03	7.71E-03	7.71E-03	0.00E+00	0.00E+00
1347	**1347**	4.02E-01	8.41E-03	2.56E-01	4.73E-03	7.92E-03	7.92E-03	0.00E+00	0.00E+00
1348	**1348**	3.41E-01	8.64E-03	2.17E-01	4.84E-03	8.10E-03	8.10E-03	0.00E+00	0.00E+00
1349	**1349**	3.25E-01	8.93E-03	2.07E-01	4.94E-03	8.26E-03	8.26E-03	0.00E+00	0.00E+00
1350	**1350**	3.63E-01	9.42E-03	2.31E-01	5.02E-03	8.40E-03	8.40E-03	0.00E+00	0.00E+00
1351	**1351**	3.37E-01	9.92E-03	2.15E-01	5.08E-03	8.50E-03	8.50E-03	0.00E+00	0.00E+00
1352	**1352**	2.62E-01	1.04E-02	1.68E-01	5.12E-03	8.57E-03	8.57E-03	0.00E+00	0.00E+00
1353	**1353**	2.34E-01	1.09E-02	1.49E-01	5.15E-03	8.62E-03	8.62E-03	0.00E+00	0.00E+00
1354	**1354**	2.60E-01	1.13E-02	1.66E-01	5.17E-03	8.65E-03	8.65E-03	0.00E+00	0.00E+00
1355	**1355**	2.22E-01	1.17E-02	1.42E-01	5.17E-03	8.65E-03	8.65E-03	0.00E+00	0.00E+00
1356	**1356**	1.91E-01	1.20E-02	1.22E-01	5.16E-03	8.63E-03	8.63E-03	0.00E+00	0.00E+00
1357	**1357**	1.65E-01	1.24E-02	1.06E-01	5.13E-03	8.59E-03	8.59E-03	0.00E+00	0.00E+00
1358	**1358**	1.93E-01	1.27E-02	1.24E-01	5.10E-03	8.53E-03	8.53E-03	0.00E+00	0.00E+00
1359	**1359**	1.60E-01	1.31E-02	1.03E-01	5.05E-03	8.46E-03	8.46E-03	0.00E+00	0.00E+00
1360	**1360**	1.34E-01	1.35E-02	8.62E-02	5.00E-03	8.36E-03	8.36E-03	0.00E+00	0.00E+00
1361	**1361**	1.14E-01	1.38E-02	7.33E-02	4.93E-03	8.25E-03	8.25E-03	0.00E+00	0.00E+00
1362	**1362**	9.80E-02	1.42E-02	6.32E-02	4.85E-03	8.11E-03	8.11E-03	0.00E+00	0.00E+00
1363	**1363**	8.54E-02	1.45E-02	5.53E-02	4.76E-03	7.96E-03	7.96E-03	0.00E+00	0.00E+00
1364	**1364**	7.98E-02	1.49E-02	4.89E-02	4.65E-03	7.78E-03	7.78E-03	0.00E+00	0.00E+00
1365	**1365**	7.77E-02	1.52E-02	4.38E-02	4.53E-03	7.58E-03	7.58E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1366	**1366**	3.75E-01	6.94E-03	2.39E-01	2.70E-03	4.51E-03	4.51E-03	0.00E+00	0.00E+00
1367	**1367**	3.70E-01	7.10E-03	2.36E-01	2.88E-03	4.82E-03	4.82E-03	0.00E+00	0.00E+00
1368	**1368**	3.73E-01	7.26E-03	2.38E-01	3.07E-03	5.14E-03	5.14E-03	0.00E+00	0.00E+00
1369	**1369**	4.39E-01	7.44E-03	2.80E-01	3.28E-03	5.49E-03	5.49E-03	0.00E+00	0.00E+00
1370	**1370**	3.67E-01	7.64E-03	2.34E-01	3.48E-03	5.83E-03	5.83E-03	0.00E+00	0.00E+00
1371	**1371**	3.62E-01	7.85E-03	2.31E-01	3.68E-03	6.17E-03	6.17E-03	0.00E+00	0.00E+00
1372	**1372**	4.31E-01	8.08E-03	2.75E-01	3.88E-03	6.49E-03	6.49E-03	0.00E+00	0.00E+00
1373	**1373**	4.27E-01	8.34E-03	2.73E-01	4.05E-03	6.77E-03	6.77E-03	0.00E+00	0.00E+00
1374	**1374**	3.52E-01	8.58E-03	2.25E-01	4.19E-03	7.01E-03	7.01E-03	0.00E+00	0.00E+00
1375	**1375**	3.42E-01	8.81E-03	2.18E-01	4.30E-03	7.20E-03	7.20E-03	0.00E+00	0.00E+00
1376	**1376**	4.03E-01	9.05E-03	2.57E-01	4.39E-03	7.35E-03	7.35E-03	0.00E+00	0.00E+00
1377	**1377**	3.92E-01	9.36E-03	2.50E-01	4.49E-03	7.51E-03	7.51E-03	0.00E+00	0.00E+00
1378	**1378**	3.10E-01	9.70E-03	1.98E-01	4.57E-03	7.65E-03	7.65E-03	0.00E+00	0.00E+00
1379	**1379**	2.90E-01	1.03E-02	1.85E-01	4.63E-03	7.75E-03	7.75E-03	0.00E+00	0.00E+00
1380	**1380**	3.40E-01	1.10E-02	2.17E-01	4.68E-03	7.83E-03	7.83E-03	0.00E+00	0.00E+00
1381	**1381**	3.18E-01	1.14E-02	2.03E-01	4.71E-03	7.88E-03	7.88E-03	0.00E+00	0.00E+00
1382	**1382**	2.27E-01	1.19E-02	1.45E-01	4.72E-03	7.90E-03	7.90E-03	0.00E+00	0.00E+00
1383	**1383**	1.98E-01	1.23E-02	1.27E-01	4.73E-03	7.91E-03	7.91E-03	0.00E+00	0.00E+00
1384	**1384**	2.36E-01	1.27E-02	1.51E-01	4.72E-03	7.89E-03	7.89E-03	0.00E+00	0.00E+00
1385	**1385**	2.03E-01	1.31E-02	1.30E-01	4.70E-03	7.86E-03	7.86E-03	0.00E+00	0.00E+00
1386	**1386**	1.73E-01	1.35E-02	1.11E-01	4.67E-03	7.81E-03	7.81E-03	0.00E+00	0.00E+00
1387	**1387**	1.47E-01	1.40E-02	9.41E-02	4.63E-03	7.74E-03	7.74E-03	0.00E+00	0.00E+00
1388	**1388**	1.25E-01	1.43E-02	8.05E-02	4.58E-03	7.66E-03	7.66E-03	0.00E+00	0.00E+00
1389	**1389**	1.08E-01	1.47E-02	6.94E-02	4.52E-03	7.56E-03	7.56E-03	0.00E+00	0.00E+00
1390	**1390**	9.34E-02	1.51E-02	6.04E-02	4.44E-03	7.44E-03	7.44E-03	0.00E+00	0.00E+00
1391	**1391**	8.20E-02	1.55E-02	5.31E-02	4.36E-03	7.30E-03	7.30E-03	0.00E+00	0.00E+00
1392	**1392**	7.32E-02	1.59E-02	4.73E-02	4.27E-03	7.14E-03	7.14E-03	0.00E+00	0.00E+00
1393	**1393**	7.13E-02	1.63E-02	4.24E-02	4.16E-03	6.96E-03	6.96E-03	0.00E+00	0.00E+00
1394	**1394**	3.74E-01	7.24E-03	2.39E-01	2.47E-03	4.13E-03	4.13E-03	0.00E+00	0.00E+00
1395	**1395**	3.72E-01	7.41E-03	2.38E-01	2.64E-03	4.41E-03	4.41E-03	0.00E+00	0.00E+00
1396	**1396**	3.70E-01	7.58E-03	2.36E-01	2.81E-03	4.70E-03	4.70E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1397	**1397**	3.67E-01	7.77E-03	2.34E-01	2.98E-03	4.99E-03	4.99E-03	0.00E+00	0.00E+00
1398	**1398**	3.66E-01	7.98E-03	2.34E-01	3.17E-03	5.30E-03	5.30E-03	0.00E+00	0.00E+00
1399	**1399**	3.63E-01	8.20E-03	2.32E-01	3.34E-03	5.59E-03	5.59E-03	0.00E+00	0.00E+00
1400	**1400**	3.61E-01	8.46E-03	2.31E-01	3.52E-03	5.89E-03	5.89E-03	0.00E+00	0.00E+00
1401	**1401**	3.58E-01	8.74E-03	2.29E-01	3.69E-03	6.17E-03	6.17E-03	0.00E+00	0.00E+00
1402	**1402**	3.53E-01	9.01E-03	2.25E-01	3.83E-03	6.40E-03	6.40E-03	0.00E+00	0.00E+00
1403	**1403**	3.46E-01	9.26E-03	2.21E-01	3.93E-03	6.58E-03	6.58E-03	0.00E+00	0.00E+00
1404	**1404**	3.38E-01	9.53E-03	2.16E-01	4.02E-03	6.72E-03	6.72E-03	0.00E+00	0.00E+00
1405	**1405**	3.28E-01	9.85E-03	2.09E-01	4.11E-03	6.87E-03	6.87E-03	0.00E+00	0.00E+00
1406	**1406**	3.16E-01	1.02E-02	2.02E-01	4.18E-03	6.99E-03	6.99E-03	0.00E+00	0.00E+00
1407	**1407**	3.02E-01	1.08E-02	1.93E-01	4.24E-03	7.10E-03	7.10E-03	0.00E+00	0.00E+00
1408	**1408**	2.86E-01	1.16E-02	1.83E-01	4.29E-03	7.17E-03	7.17E-03	0.00E+00	0.00E+00
1409	**1409**	2.68E-01	1.20E-02	1.72E-01	4.32E-03	7.23E-03	7.23E-03	0.00E+00	0.00E+00
1410	**1410**	2.48E-01	1.26E-02	1.59E-01	4.34E-03	7.26E-03	7.26E-03	0.00E+00	0.00E+00
1411	**1411**	2.27E-01	1.31E-02	1.45E-01	4.34E-03	7.26E-03	7.26E-03	0.00E+00	0.00E+00
1412	**1412**	2.03E-01	1.35E-02	1.30E-01	4.33E-03	7.25E-03	7.25E-03	0.00E+00	0.00E+00
1413	**1413**	1.79E-01	1.40E-02	1.15E-01	4.32E-03	7.22E-03	7.22E-03	0.00E+00	0.00E+00
1414	**1414**	1.55E-01	1.44E-02	9.98E-02	4.29E-03	7.18E-03	7.18E-03	0.00E+00	0.00E+00
1415	**1415**	1.35E-01	1.49E-02	8.66E-02	4.26E-03	7.12E-03	7.12E-03	0.00E+00	0.00E+00
1416	**1416**	1.17E-01	1.53E-02	7.52E-02	4.21E-03	7.05E-03	7.05E-03	0.00E+00	0.00E+00
1417	**1417**	1.02E-01	1.58E-02	6.57E-02	4.16E-03	6.95E-03	6.95E-03	0.00E+00	0.00E+00
1418	**1418**	8.91E-02	1.62E-02	5.77E-02	4.09E-03	6.85E-03	6.85E-03	0.00E+00	0.00E+00
1419	**1419**	7.87E-02	1.67E-02	5.11E-02	4.02E-03	6.72E-03	6.72E-03	0.00E+00	0.00E+00
1420	**1420**	7.01E-02	1.71E-02	4.57E-02	3.93E-03	6.58E-03	6.58E-03	0.00E+00	0.00E+00
1421	**1421**	6.58E-02	1.75E-02	4.12E-02	3.84E-03	6.42E-03	6.42E-03	0.00E+00	0.00E+00
1422	**1422**	3.18E-01	7.53E-03	2.03E-01	2.27E-03	3.79E-03	3.79E-03	0.00E+00	0.00E+00
1423	**1423**	3.17E-01	7.72E-03	2.02E-01	2.42E-03	4.05E-03	4.05E-03	0.00E+00	0.00E+00
1424	**1424**	3.15E-01	7.91E-03	2.01E-01	2.57E-03	4.30E-03	4.30E-03	0.00E+00	0.00E+00
1425	**1425**	3.14E-01	8.12E-03	2.00E-01	2.72E-03	4.55E-03	4.55E-03	0.00E+00	0.00E+00
1426	**1426**	3.11E-01	8.34E-03	1.99E-01	2.88E-03	4.83E-03	4.83E-03	0.00E+00	0.00E+00
1427	**1427**	3.10E-01	8.58E-03	1.98E-01	3.04E-03	5.09E-03	5.09E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1428	**1428**	3.09E-01	8.86E-03	1.97E-01	3.22E-03	5.38E-03	5.38E-03	0.00E+00	0.00E+00
1429	**1429**	3.06E-01	9.17E-03	1.95E-01	3.38E-03	5.65E-03	5.65E-03	0.00E+00	0.00E+00
1430	**1430**	3.02E-01	9.48E-03	1.93E-01	3.51E-03	5.87E-03	5.87E-03	0.00E+00	0.00E+00
1431	**1431**	2.96E-01	9.76E-03	1.89E-01	3.60E-03	6.03E-03	6.03E-03	0.00E+00	0.00E+00
1432	**1432**	2.89E-01	1.00E-02	1.84E-01	3.69E-03	6.17E-03	6.17E-03	0.00E+00	0.00E+00
1433	**1433**	2.80E-01	1.04E-02	1.79E-01	3.77E-03	6.31E-03	6.31E-03	0.00E+00	0.00E+00
1434	**1434**	2.70E-01	1.08E-02	1.73E-01	3.84E-03	6.43E-03	6.43E-03	0.00E+00	0.00E+00
1435	**1435**	2.59E-01	1.14E-02	1.65E-01	3.90E-03	6.52E-03	6.52E-03	0.00E+00	0.00E+00
1436	**1436**	2.46E-01	1.22E-02	1.57E-01	3.94E-03	6.60E-03	6.60E-03	0.00E+00	0.00E+00
1437	**1437**	2.31E-01	1.27E-02	1.48E-01	3.98E-03	6.66E-03	6.66E-03	0.00E+00	0.00E+00
1438	**1438**	2.14E-01	1.34E-02	1.37E-01	4.00E-03	6.68E-03	6.68E-03	0.00E+00	0.00E+00
1439	**1439**	1.97E-01	1.39E-02	1.26E-01	4.00E-03	6.69E-03	6.69E-03	0.00E+00	0.00E+00
1440	**1440**	1.78E-01	1.44E-02	1.14E-01	4.00E-03	6.69E-03	6.69E-03	0.00E+00	0.00E+00
1441	**1441**	1.59E-01	1.49E-02	1.02E-01	3.98E-03	6.66E-03	6.66E-03	0.00E+00	0.00E+00
1442	**1442**	1.41E-01	1.54E-02	9.06E-02	3.96E-03	6.63E-03	6.63E-03	0.00E+00	0.00E+00
1443	**1443**	1.24E-01	1.59E-02	7.99E-02	3.93E-03	6.57E-03	6.57E-03	0.00E+00	0.00E+00
1444	**1444**	1.09E-01	1.64E-02	7.04E-02	3.89E-03	6.51E-03	6.51E-03	0.00E+00	0.00E+00
1445	**1445**	9.62E-02	1.69E-02	6.23E-02	3.84E-03	6.42E-03	6.42E-03	0.00E+00	0.00E+00
1446	**1446**	8.49E-02	1.74E-02	5.51E-02	3.78E-03	6.33E-03	6.33E-03	0.00E+00	0.00E+00
1447	**1447**	7.55E-02	1.79E-02	4.92E-02	3.71E-03	6.22E-03	6.22E-03	0.00E+00	0.00E+00
1448	**1448**	6.76E-02	1.84E-02	4.41E-02	3.64E-03	6.09E-03	6.09E-03	0.00E+00	0.00E+00
1449	**1449**	6.09E-02	1.89E-02	3.99E-02	3.55E-03	5.94E-03	5.94E-03	0.00E+00	0.00E+00
1450	**1450**	2.75E-01	7.84E-03	1.76E-01	2.09E-03	3.50E-03	3.50E-03	0.00E+00	0.00E+00
1451	**1451**	2.74E-01	8.05E-03	1.75E-01	2.22E-03	3.72E-03	3.72E-03	0.00E+00	0.00E+00
1452	**1452**	2.72E-01	8.26E-03	1.74E-01	2.35E-03	3.94E-03	3.94E-03	0.00E+00	0.00E+00
1453	**1453**	2.71E-01	8.49E-03	1.73E-01	2.49E-03	4.17E-03	4.17E-03	0.00E+00	0.00E+00
1454	**1454**	2.70E-01	8.72E-03	1.72E-01	2.63E-03	4.41E-03	4.41E-03	0.00E+00	0.00E+00
1455	**1455**	2.67E-01	8.97E-03	1.71E-01	2.77E-03	4.64E-03	4.64E-03	0.00E+00	0.00E+00
1456	**1456**	2.67E-01	9.29E-03	1.71E-01	2.94E-03	4.92E-03	4.92E-03	0.00E+00	0.00E+00
1457	**1457**	2.65E-01	9.63E-03	1.70E-01	3.10E-03	5.19E-03	5.19E-03	0.00E+00	0.00E+00
1458	**1458**	2.62E-01	9.97E-03	1.67E-01	3.23E-03	5.40E-03	5.40E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1459	**1459**	2.57E-01	1.03E-02	1.64E-01	3.32E-03	5.56E-03	5.56E-03	0.00E+00	0.00E+00
1460	**1460**	2.51E-01	1.06E-02	1.60E-01	3.40E-03	5.69E-03	5.69E-03	0.00E+00	0.00E+00
1461	**1461**	2.43E-01	1.10E-02	1.56E-01	3.48E-03	5.82E-03	5.82E-03	0.00E+00	0.00E+00
1462	**1462**	2.35E-01	1.14E-02	1.50E-01	3.54E-03	5.92E-03	5.92E-03	0.00E+00	0.00E+00
1463	**1463**	2.25E-01	1.18E-02	1.44E-01	3.59E-03	6.01E-03	6.01E-03	0.00E+00	0.00E+00
1464	**1464**	2.14E-01	1.29E-02	1.37E-01	3.64E-03	6.09E-03	6.09E-03	0.00E+00	0.00E+00
1465	**1465**	2.02E-01	1.35E-02	1.29E-01	3.68E-03	6.15E-03	6.15E-03	0.00E+00	0.00E+00
1466	**1466**	1.88E-01	1.42E-02	1.21E-01	3.69E-03	6.18E-03	6.18E-03	0.00E+00	0.00E+00
1467	**1467**	1.74E-01	1.47E-02	1.12E-01	3.70E-03	6.19E-03	6.19E-03	0.00E+00	0.00E+00
1468	**1468**	1.59E-01	1.53E-02	1.02E-01	3.70E-03	6.19E-03	6.19E-03	0.00E+00	0.00E+00
1469	**1469**	1.43E-01	1.59E-02	9.23E-02	3.69E-03	6.17E-03	6.17E-03	0.00E+00	0.00E+00
1470	**1470**	1.29E-01	1.65E-02	8.29E-02	3.67E-03	6.14E-03	6.14E-03	0.00E+00	0.00E+00
1471	**1471**	1.15E-01	1.70E-02	7.40E-02	3.64E-03	6.09E-03	6.09E-03	0.00E+00	0.00E+00
1472	**1472**	1.02E-01	1.76E-02	6.61E-02	3.60E-03	6.03E-03	6.03E-03	0.00E+00	0.00E+00
1473	**1473**	9.09E-02	1.81E-02	5.90E-02	3.56E-03	5.95E-03	5.95E-03	0.00E+00	0.00E+00
1474	**1474**	8.10E-02	1.87E-02	5.27E-02	3.51E-03	5.87E-03	5.87E-03	0.00E+00	0.00E+00
1475	**1475**	7.24E-02	1.93E-02	4.73E-02	3.45E-03	5.77E-03	5.77E-03	0.00E+00	0.00E+00
1476	**1476**	6.51E-02	1.99E-02	4.27E-02	3.38E-03	5.65E-03	5.65E-03	0.00E+00	0.00E+00
1477	**1477**	5.89E-02	2.05E-02	3.88E-02	3.30E-03	5.52E-03	5.52E-03	0.00E+00	0.00E+00
1478	**1478**	2.40E-01	8.16E-03	1.53E-01	1.94E-03	3.24E-03	3.24E-03	0.00E+00	0.00E+00
1479	**1479**	2.40E-01	8.39E-03	1.53E-01	2.05E-03	3.44E-03	3.44E-03	0.00E+00	0.00E+00
1480	**1480**	2.39E-01	8.63E-03	1.53E-01	2.17E-03	3.64E-03	3.64E-03	0.00E+00	0.00E+00
1481	**1481**	2.37E-01	8.88E-03	1.52E-01	2.30E-03	3.85E-03	3.85E-03	0.00E+00	0.00E+00
1482	**1482**	2.37E-01	9.14E-03	1.51E-01	2.43E-03	4.07E-03	4.07E-03	0.00E+00	0.00E+00
1483	**1483**	2.35E-01	9.42E-03	1.50E-01	2.56E-03	4.28E-03	4.28E-03	0.00E+00	0.00E+00
1484	**1484**	2.35E-01	9.76E-03	1.50E-01	2.72E-03	4.55E-03	4.55E-03	0.00E+00	0.00E+00
1485	**1485**	2.33E-01	1.01E-02	1.49E-01	2.86E-03	4.79E-03	4.79E-03	0.00E+00	0.00E+00
1486	**1486**	2.30E-01	1.05E-02	1.47E-01	2.98E-03	4.98E-03	4.98E-03	0.00E+00	0.00E+00
1487	**1487**	2.26E-01	1.08E-02	1.44E-01	3.07E-03	5.13E-03	5.13E-03	0.00E+00	0.00E+00
1488	**1488**	2.20E-01	1.12E-02	1.41E-01	3.14E-03	5.26E-03	5.26E-03	0.00E+00	0.00E+00
1489	**1489**	2.14E-01	1.16E-02	1.37E-01	3.22E-03	5.38E-03	5.38E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1490	**1490**	2.07E-01	1.21E-02	1.32E-01	3.28E-03	5.48E-03	5.48E-03	0.00E+00	0.00E+00
1491	**1491**	1.99E-01	1.26E-02	1.27E-01	3.33E-03	5.57E-03	5.57E-03	0.00E+00	0.00E+00
1492	**1492**	1.89E-01	1.35E-02	1.21E-01	3.37E-03	5.64E-03	5.64E-03	0.00E+00	0.00E+00
1493	**1493**	1.79E-01	1.43E-02	1.15E-01	3.40E-03	5.70E-03	5.70E-03	0.00E+00	0.00E+00
1494	**1494**	1.68E-01	1.51E-02	1.08E-01	3.42E-03	5.73E-03	5.73E-03	0.00E+00	0.00E+00
1495	**1495**	1.56E-01	1.57E-02	1.00E-01	3.43E-03	5.74E-03	5.74E-03	0.00E+00	0.00E+00
1496	**1496**	1.43E-01	1.63E-02	9.21E-02	3.43E-03	5.74E-03	5.74E-03	0.00E+00	0.00E+00
1497	**1497**	1.31E-01	1.70E-02	8.41E-02	3.42E-03	5.72E-03	5.72E-03	0.00E+00	0.00E+00
1498	**1498**	1.18E-01	1.76E-02	7.63E-02	3.40E-03	5.70E-03	5.70E-03	0.00E+00	0.00E+00
1499	**1499**	1.06E-01	1.83E-02	6.88E-02	3.38E-03	5.66E-03	5.66E-03	0.00E+00	0.00E+00
1500	**1500**	9.56E-02	1.89E-02	6.20E-02	3.35E-03	5.60E-03	5.60E-03	0.00E+00	0.00E+00
1501	**1501**	8.59E-02	1.96E-02	5.59E-02	3.31E-03	5.53E-03	5.53E-03	0.00E+00	0.00E+00
1502	**1502**	7.71E-02	2.03E-02	5.03E-02	3.26E-03	5.46E-03	5.46E-03	0.00E+00	0.00E+00
1503	**1503**	6.94E-02	2.10E-02	4.55E-02	3.21E-03	5.37E-03	5.37E-03	0.00E+00	0.00E+00
1504	**1504**	6.27E-02	2.16E-02	4.13E-02	3.15E-03	5.26E-03	5.26E-03	0.00E+00	0.00E+00
1505	**1505**	5.70E-02	2.23E-02	3.76E-02	3.08E-03	5.15E-03	5.15E-03	0.00E+00	0.00E+00
1506	**1506**	2.12E-01	8.48E-03	1.35E-01	1.79E-03	3.00E-03	3.00E-03	0.00E+00	0.00E+00
1507	**1507**	2.12E-01	8.74E-03	1.35E-01	1.90E-03	3.19E-03	3.19E-03	0.00E+00	0.00E+00
1508	**1508**	2.11E-01	9.01E-03	1.35E-01	2.02E-03	3.37E-03	3.37E-03	0.00E+00	0.00E+00
1509	**1509**	2.11E-01	9.29E-03	1.35E-01	2.13E-03	3.57E-03	3.57E-03	0.00E+00	0.00E+00
1510	**1510**	2.10E-01	9.59E-03	1.35E-01	2.26E-03	3.77E-03	3.77E-03	0.00E+00	0.00E+00
1511	**1511**	2.09E-01	9.91E-03	1.34E-01	2.38E-03	3.98E-03	3.98E-03	0.00E+00	0.00E+00
1512	**1512**	2.09E-01	1.03E-02	1.34E-01	2.52E-03	4.22E-03	4.22E-03	0.00E+00	0.00E+00
1513	**1513**	2.07E-01	1.07E-02	1.33E-01	2.65E-03	4.44E-03	4.44E-03	0.00E+00	0.00E+00
1514	**1514**	2.05E-01	1.11E-02	1.31E-01	2.76E-03	4.62E-03	4.62E-03	0.00E+00	0.00E+00
1515	**1515**	2.01E-01	1.15E-02	1.28E-01	2.85E-03	4.76E-03	4.76E-03	0.00E+00	0.00E+00
1516	**1516**	1.96E-01	1.19E-02	1.25E-01	2.92E-03	4.88E-03	4.88E-03	0.00E+00	0.00E+00
1517	**1517**	1.90E-01	1.23E-02	1.22E-01	2.99E-03	5.00E-03	5.00E-03	0.00E+00	0.00E+00
1518	**1518**	1.84E-01	1.28E-02	1.18E-01	3.04E-03	5.09E-03	5.09E-03	0.00E+00	0.00E+00
1519	**1519**	1.77E-01	1.36E-02	1.13E-01	3.09E-03	5.17E-03	5.17E-03	0.00E+00	0.00E+00
1520	**1520**	1.69E-01	1.43E-02	1.08E-01	3.13E-03	5.24E-03	5.24E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1521	**1521**	1.60E-01	1.52E-02	1.03E-01	3.16E-03	5.29E-03	5.29E-03	0.00E+00	0.00E+00
1522	**1522**	1.51E-01	1.60E-02	9.69E-02	3.18E-03	5.32E-03	5.32E-03	0.00E+00	0.00E+00
1523	**1523**	1.41E-01	1.67E-02	9.05E-02	3.19E-03	5.34E-03	5.34E-03	0.00E+00	0.00E+00
1524	**1524**	1.30E-01	1.74E-02	8.39E-02	3.19E-03	5.34E-03	5.34E-03	0.00E+00	0.00E+00
1525	**1525**	1.20E-01	1.82E-02	7.72E-02	3.18E-03	5.33E-03	5.33E-03	0.00E+00	0.00E+00
1526	**1526**	1.09E-01	1.89E-02	7.06E-02	3.17E-03	5.30E-03	5.30E-03	0.00E+00	0.00E+00
1527	**1527**	9.91E-02	1.97E-02	6.43E-02	3.15E-03	5.27E-03	5.27E-03	0.00E+00	0.00E+00
1528	**1528**	8.98E-02	2.04E-02	5.84E-02	3.12E-03	5.22E-03	5.22E-03	0.00E+00	0.00E+00
1529	**1529**	8.12E-02	2.12E-02	5.30E-02	3.08E-03	5.16E-03	5.16E-03	0.00E+00	0.00E+00
1530	**1530**	7.35E-02	2.20E-02	4.81E-02	3.04E-03	5.09E-03	5.09E-03	0.00E+00	0.00E+00
1531	**1531**	6.65E-02	2.28E-02	4.38E-02	2.99E-03	5.01E-03	5.01E-03	0.00E+00	0.00E+00
1532	**1532**	6.04E-02	2.36E-02	3.99E-02	2.94E-03	4.92E-03	4.92E-03	0.00E+00	0.00E+00
1533	**1533**	5.51E-02	2.44E-02	3.66E-02	2.88E-03	4.81E-03	4.81E-03	0.00E+00	0.00E+00
1534	**1534**	1.88E-01	8.80E-03	1.20E-01	1.67E-03	2.79E-03	2.79E-03	0.00E+00	0.00E+00
1535	**1535**	1.88E-01	9.09E-03	1.20E-01	1.77E-03	2.96E-03	2.96E-03	0.00E+00	0.00E+00
1536	**1536**	1.88E-01	9.40E-03	1.21E-01	1.87E-03	3.14E-03	3.14E-03	0.00E+00	0.00E+00
1537	**1537**	1.89E-01	9.72E-03	1.21E-01	1.98E-03	3.32E-03	3.32E-03	0.00E+00	0.00E+00
1538	**1538**	1.88E-01	1.01E-02	1.20E-01	2.10E-03	3.51E-03	3.51E-03	0.00E+00	0.00E+00
1539	**1539**	1.88E-01	1.04E-02	1.20E-01	2.22E-03	3.71E-03	3.71E-03	0.00E+00	0.00E+00
1540	**1540**	1.87E-01	1.08E-02	1.20E-01	2.35E-03	3.92E-03	3.92E-03	0.00E+00	0.00E+00
1541	**1541**	1.86E-01	1.12E-02	1.19E-01	2.47E-03	4.13E-03	4.13E-03	0.00E+00	0.00E+00
1542	**1542**	1.83E-01	1.17E-02	1.17E-01	2.57E-03	4.30E-03	4.30E-03	0.00E+00	0.00E+00
1543	**1543**	1.80E-01	1.21E-02	1.15E-01	2.64E-03	4.42E-03	4.42E-03	0.00E+00	0.00E+00
1544	**1544**	1.76E-01	1.26E-02	1.13E-01	2.71E-03	4.54E-03	4.54E-03	0.00E+00	0.00E+00
1545	**1545**	1.71E-01	1.31E-02	1.10E-01	2.78E-03	4.65E-03	4.65E-03	0.00E+00	0.00E+00
1546	**1546**	1.65E-01	1.36E-02	1.06E-01	2.83E-03	4.74E-03	4.74E-03	0.00E+00	0.00E+00
1547	**1547**	1.59E-01	1.44E-02	1.02E-01	2.88E-03	4.82E-03	4.82E-03	0.00E+00	0.00E+00
1548	**1548**	1.52E-01	1.52E-02	9.79E-02	2.92E-03	4.88E-03	4.88E-03	0.00E+00	0.00E+00
1549	**1549**	1.45E-01	1.61E-02	9.31E-02	2.94E-03	4.93E-03	4.93E-03	0.00E+00	0.00E+00
1550	**1550**	1.37E-01	1.68E-02	8.80E-02	2.96E-03	4.96E-03	4.96E-03	0.00E+00	0.00E+00
1551	**1551**	1.28E-01	1.78E-02	8.26E-02	2.97E-03	4.97E-03	4.97E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1552	**1552**	1.19E-01	1.86E-02	7.70E-02	2.97E-03	4.98E-03	4.98E-03	0.00E+00	0.00E+00
1553	**1553**	1.10E-01	1.95E-02	7.13E-02	2.97E-03	4.97E-03	4.97E-03	0.00E+00	0.00E+00
1554	**1554**	1.01E-01	2.04E-02	6.57E-02	2.96E-03	4.95E-03	4.95E-03	0.00E+00	0.00E+00
1555	**1555**	9.26E-02	2.13E-02	6.02E-02	2.94E-03	4.92E-03	4.92E-03	0.00E+00	0.00E+00
1556	**1556**	8.45E-02	2.21E-02	5.51E-02	2.92E-03	4.88E-03	4.88E-03	0.00E+00	0.00E+00
1557	**1557**	7.70E-02	2.30E-02	5.04E-02	2.88E-03	4.82E-03	4.82E-03	0.00E+00	0.00E+00
1558	**1558**	7.00E-02	2.40E-02	4.61E-02	2.85E-03	4.76E-03	4.76E-03	0.00E+00	0.00E+00
1559	**1559**	6.38E-02	2.49E-02	4.21E-02	2.80E-03	4.69E-03	4.69E-03	0.00E+00	0.00E+00
1560	**1560**	5.82E-02	2.58E-02	3.87E-02	2.75E-03	4.60E-03	4.60E-03	0.00E+00	0.00E+00
1561	**1561**	5.33E-02	2.67E-02	3.56E-02	2.69E-03	4.51E-03	4.51E-03	0.00E+00	0.00E+00
1562	**1562**	1.69E-01	9.13E-03	1.08E-01	1.56E-03	2.60E-03	2.60E-03	0.00E+00	0.00E+00
1563	**1563**	1.69E-01	9.45E-03	1.08E-01	1.65E-03	2.76E-03	2.76E-03	0.00E+00	0.00E+00
1564	**1564**	1.69E-01	9.78E-03	1.08E-01	1.74E-03	2.92E-03	2.92E-03	0.00E+00	0.00E+00
1565	**1565**	1.69E-01	1.01E-02	1.08E-01	1.84E-03	3.08E-03	3.08E-03	0.00E+00	0.00E+00
1566	**1566**	1.69E-01	1.05E-02	1.08E-01	1.95E-03	3.26E-03	3.26E-03	0.00E+00	0.00E+00
1567	**1567**	1.69E-01	1.09E-02	1.08E-01	2.06E-03	3.44E-03	3.44E-03	0.00E+00	0.00E+00
1568	**1568**	1.69E-01	1.14E-02	1.08E-01	2.17E-03	3.63E-03	3.63E-03	0.00E+00	0.00E+00
1569	**1569**	1.67E-01	1.18E-02	1.07E-01	2.29E-03	3.83E-03	3.83E-03	0.00E+00	0.00E+00
1570	**1570**	1.65E-01	1.23E-02	1.06E-01	2.38E-03	3.99E-03	3.99E-03	0.00E+00	0.00E+00
1571	**1571**	1.62E-01	1.28E-02	1.04E-01	2.45E-03	4.11E-03	4.11E-03	0.00E+00	0.00E+00
1572	**1572**	1.59E-01	1.33E-02	1.02E-01	2.52E-03	4.22E-03	4.22E-03	0.00E+00	0.00E+00
1573	**1573**	1.54E-01	1.38E-02	9.91E-02	2.59E-03	4.33E-03	4.33E-03	0.00E+00	0.00E+00
1574	**1574**	1.50E-01	1.45E-02	9.61E-02	2.64E-03	4.42E-03	4.42E-03	0.00E+00	0.00E+00
1575	**1575**	1.44E-01	1.53E-02	9.27E-02	2.69E-03	4.50E-03	4.50E-03	0.00E+00	0.00E+00
1576	**1576**	1.38E-01	1.62E-02	8.90E-02	2.72E-03	4.55E-03	4.55E-03	0.00E+00	0.00E+00
1577	**1577**	1.32E-01	1.71E-02	8.49E-02	2.75E-03	4.60E-03	4.60E-03	0.00E+00	0.00E+00
1578	**1578**	1.25E-01	1.80E-02	8.05E-02	2.77E-03	4.63E-03	4.63E-03	0.00E+00	0.00E+00
1579	**1579**	1.17E-01	1.90E-02	7.59E-02	2.78E-03	4.65E-03	4.65E-03	0.00E+00	0.00E+00
1580	**1580**	1.10E-01	2.00E-02	7.11E-02	2.78E-03	4.65E-03	4.65E-03	0.00E+00	0.00E+00
1581	**1581**	1.02E-01	2.09E-02	6.62E-02	2.78E-03	4.65E-03	4.65E-03	0.00E+00	0.00E+00
1582	**1582**	9.43E-02	2.20E-02	6.14E-02	2.77E-03	4.63E-03	4.63E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Existing Onsite - Planning Area 3 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2023	2024	2033	2034	2035	2036	2037
1583	**1583**	8.68E-02	2.30E-02	5.67E-02	2.75E-03	4.61E-03	4.61E-03	0.00E+00	0.00E+00
1584	**1584**	7.97E-02	2.40E-02	5.22E-02	2.73E-03	4.57E-03	4.57E-03	0.00E+00	0.00E+00
1585	**1585**	7.30E-02	2.51E-02	4.80E-02	2.70E-03	4.52E-03	4.52E-03	0.00E+00	0.00E+00
1586	**1586**	6.69E-02	2.62E-02	4.42E-02	2.67E-03	4.46E-03	4.46E-03	0.00E+00	0.00E+00
1587	**1587**	6.12E-02	2.73E-02	4.07E-02	2.63E-03	4.40E-03	4.40E-03	0.00E+00	0.00E+00
1588	**1588**	5.62E-02	2.84E-02	3.75E-02	2.58E-03	4.32E-03	4.32E-03	0.00E+00	0.00E+00
1589	**1589**	5.16E-02	2.94E-02	3.47E-02	2.53E-03	4.23E-03	4.23E-03	0.00E+00	0.00E+00
1590	**1590**	1.53E-01	9.47E-03	9.79E-02	1.46E-03	2.44E-03	2.44E-03	0.00E+00	0.00E+00
1591	**1591**	1.53E-01	9.81E-03	9.77E-02	1.54E-03	2.58E-03	2.58E-03	0.00E+00	0.00E+00
1592	**1592**	1.52E-01	1.02E-02	9.76E-02	1.62E-03	2.71E-03	2.71E-03	0.00E+00	0.00E+00
1593	**1593**	1.52E-01	1.06E-02	9.75E-02	1.71E-03	2.86E-03	2.86E-03	0.00E+00	0.00E+00
1594	**1594**	1.53E-01	1.10E-02	9.79E-02	1.81E-03	3.02E-03	3.02E-03	0.00E+00	0.00E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	0.80274	2.83E-03	2.3E-03	3.46E-04	7.85E-07	2.47E-02	1.57E-01	3.04E-09	1.0E+06	3.0E-03
1214	0.72702	2.83E-03	2.1E-03	3.46E-04	7.11E-07	2.47E-02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
1215	0.73953	2.83E-03	2.1E-03	3.46E-04	7.23E-07	2.47E-02	1.57E-01	2.80E-09	1.0E+06	2.8E-03
1216	0.75186	2.83E-03	2.1E-03	3.46E-04	7.36E-07	2.47E-02	1.57E-01	2.85E-09	1.0E+06	2.9E-03
1217	0.76393	2.83E-03	2.2E-03	3.46E-04	7.47E-07	2.47E-02	1.57E-01	2.90E-09	1.0E+06	2.9E-03
1218	0.77579	2.83E-03	2.2E-03	3.46E-04	7.59E-07	2.47E-02	1.57E-01	2.94E-09	1.0E+06	2.9E-03
1219	0.78718	2.83E-03	2.2E-03	3.46E-04	7.70E-07	2.47E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
1220	0.7979	2.83E-03	2.3E-03	3.46E-04	7.81E-07	2.47E-02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
1221	0.80779	2.83E-03	2.3E-03	3.46E-04	7.90E-07	2.47E-02	1.57E-01	3.06E-09	1.0E+06	3.1E-03
1222	0.81668	2.83E-03	2.3E-03	3.46E-04	7.99E-07	2.47E-02	1.57E-01	3.10E-09	1.0E+06	3.1E-03
1223	0.82479	2.83E-03	2.3E-03	3.46E-04	8.07E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
1224	0.83211	2.83E-03	2.4E-03	3.46E-04	8.14E-07	2.47E-02	1.57E-01	3.15E-09	1.0E+06	3.2E-03
1225	0.83857	2.83E-03	2.4E-03	3.46E-04	8.20E-07	2.47E-02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
1226	0.84413	2.83E-03	2.4E-03	3.46E-04	8.26E-07	2.47E-02	1.57E-01	3.20E-09	1.0E+06	3.2E-03
1227	0.84884	2.83E-03	2.4E-03	3.46E-04	8.30E-07	2.47E-02	1.57E-01	3.22E-09	1.0E+06	3.2E-03
1228	0.76049	2.83E-03	2.1E-03	3.46E-04	7.44E-07	2.47E-02	1.57E-01	2.88E-09	1.0E+06	2.9E-03
1229	0.774	2.83E-03	2.2E-03	3.46E-04	7.57E-07	2.47E-02	1.57E-01	2.93E-09	1.0E+06	2.9E-03
1230	0.78733	2.83E-03	2.2E-03	3.46E-04	7.70E-07	2.47E-02	1.57E-01	2.98E-09	1.0E+06	3.0E-03
1231	0.80037	2.83E-03	2.3E-03	3.46E-04	7.83E-07	2.47E-02	1.57E-01	3.03E-09	1.0E+06	3.0E-03
1232	0.81344	2.83E-03	2.3E-03	3.46E-04	7.96E-07	2.47E-02	1.57E-01	3.08E-09	1.0E+06	3.1E-03
1233	0.82608	2.83E-03	2.3E-03	3.46E-04	8.08E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
1234	0.83782	2.83E-03	2.4E-03	3.46E-04	8.20E-07	2.47E-02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
1235	0.84873	2.83E-03	2.4E-03	3.46E-04	8.30E-07	2.47E-02	1.57E-01	3.22E-09	1.0E+06	3.2E-03
1236	0.85846	2.83E-03	2.4E-03	3.46E-04	8.40E-07	2.47E-02	1.57E-01	3.25E-09	1.0E+06	3.3E-03
1237	0.86731	2.83E-03	2.5E-03	3.46E-04	8.48E-07	2.47E-02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
1238	0.87532	2.83E-03	2.5E-03	3.46E-04	8.56E-07	2.47E-02	1.57E-01	3.32E-09	1.0E+06	3.3E-03
1239	0.88245	2.83E-03	2.5E-03	3.46E-04	8.63E-07	2.47E-02	1.57E-01	3.35E-09	1.0E+06	3.3E-03
1240	0.88866	2.83E-03	2.5E-03	3.46E-04	8.69E-07	2.47E-02	1.57E-01	3.37E-09	1.0E+06	3.4E-03
1241	0.89386	2.83E-03	2.5E-03	3.46E-04	8.74E-07	2.47E-02	1.57E-01	3.39E-09	1.0E+06	3.4E-03
1242	0.79635	2.83E-03	2.3E-03	3.46E-04	7.79E-07	2.47E-02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
1243	0.81102	2.83E-03	2.3E-03	3.46E-04	7.93E-07	2.47E-02	1.57E-01	3.07E-09	1.0E+06	3.1E-03

	Max	Receptor #
Res	1.124E-02	1589

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	0.82549	2.83E-03	2.3E-03	3.46E-04	8.08E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
1245	0.83961	2.83E-03	2.4E-03	3.46E-04	8.21E-07	2.47E-02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
1246	0.85402	2.83E-03	2.4E-03	3.46E-04	8.35E-07	2.47E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
1247	0.86802	2.83E-03	2.5E-03	3.46E-04	8.49E-07	2.47E-02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
1248	0.88097	2.83E-03	2.5E-03	3.46E-04	8.62E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
1249	0.89297	2.83E-03	2.5E-03	3.46E-04	8.74E-07	2.47E-02	1.57E-01	3.38E-09	1.0E+06	3.4E-03
1250	0.90368	2.83E-03	2.6E-03	3.46E-04	8.84E-07	2.47E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
1251	0.91336	2.83E-03	2.6E-03	3.46E-04	8.94E-07	2.47E-02	1.57E-01	3.46E-09	1.0E+06	3.5E-03
1252	0.92212	2.83E-03	2.6E-03	3.46E-04	9.02E-07	2.47E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03
1253	0.92993	2.83E-03	2.6E-03	3.46E-04	9.10E-07	2.47E-02	1.57E-01	3.53E-09	1.0E+06	3.5E-03
1254	0.93673	2.83E-03	2.6E-03	3.46E-04	9.16E-07	2.47E-02	1.57E-01	3.55E-09	1.0E+06	3.6E-03
1255	0.94252	2.83E-03	2.7E-03	3.46E-04	9.22E-07	2.47E-02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
1256	0.83492	2.83E-03	2.4E-03	3.46E-04	8.17E-07	2.47E-02	1.57E-01	3.16E-09	1.0E+06	3.2E-03
1257	0.85087	2.83E-03	2.4E-03	3.46E-04	8.32E-07	2.47E-02	1.57E-01	3.23E-09	1.0E+06	3.2E-03
1258	0.86649	2.83E-03	2.4E-03	3.46E-04	8.48E-07	2.47E-02	1.57E-01	3.28E-09	1.0E+06	3.3E-03
1259	0.88183	2.83E-03	2.5E-03	3.46E-04	8.63E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
1260	0.89773	2.83E-03	2.5E-03	3.46E-04	8.78E-07	2.47E-02	1.57E-01	3.40E-09	1.0E+06	3.4E-03
1261	0.91311	2.83E-03	2.6E-03	3.46E-04	8.93E-07	2.47E-02	1.57E-01	3.46E-09	1.0E+06	3.5E-03
1262	0.92752	2.83E-03	2.6E-03	3.46E-04	9.07E-07	2.47E-02	1.57E-01	3.52E-09	1.0E+06	3.5E-03
1263	0.94085	2.83E-03	2.7E-03	3.46E-04	9.20E-07	2.47E-02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
1264	0.95274	2.83E-03	2.7E-03	3.46E-04	9.32E-07	2.47E-02	1.57E-01	3.61E-09	1.0E+06	3.6E-03
1265	0.96334	2.83E-03	2.7E-03	3.46E-04	9.42E-07	2.47E-02	1.57E-01	3.65E-09	1.0E+06	3.7E-03
1266	0.97295	2.83E-03	2.7E-03	3.46E-04	9.52E-07	2.47E-02	1.57E-01	3.69E-09	1.0E+06	3.7E-03
1267	0.98149	2.83E-03	2.8E-03	3.46E-04	9.60E-07	2.47E-02	1.57E-01	3.72E-09	1.0E+06	3.7E-03
1268	0.98892	2.83E-03	2.8E-03	3.46E-04	9.67E-07	2.47E-02	1.57E-01	3.75E-09	1.0E+06	3.7E-03
1269	0.99521	2.83E-03	2.8E-03	3.46E-04	9.74E-07	2.47E-02	1.57E-01	3.77E-09	1.0E+06	3.8E-03
1270	0.8766	2.83E-03	2.5E-03	3.46E-04	8.58E-07	2.47E-02	1.57E-01	3.32E-09	1.0E+06	3.3E-03
1271	0.89386	2.83E-03	2.5E-03	3.46E-04	8.74E-07	2.47E-02	1.57E-01	3.39E-09	1.0E+06	3.4E-03
1272	0.91068	2.83E-03	2.6E-03	3.46E-04	8.91E-07	2.47E-02	1.57E-01	3.45E-09	1.0E+06	3.5E-03
1273	0.9272	2.83E-03	2.6E-03	3.46E-04	9.07E-07	2.47E-02	1.57E-01	3.51E-09	1.0E+06	3.5E-03
1274	0.9445	2.83E-03	2.7E-03	3.46E-04	9.24E-07	2.47E-02	1.57E-01	3.58E-09	1.0E+06	3.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	0.96132	2.83E-03	2.7E-03	3.46E-04	9.40E-07	2.47E-02	1.57E-01	3.64E-09	1.0E+06	3.6E-03
1276	0.97751	2.83E-03	2.8E-03	3.46E-04	9.56E-07	2.47E-02	1.57E-01	3.71E-09	1.0E+06	3.7E-03
1277	0.99254	2.83E-03	2.8E-03	3.46E-04	9.71E-07	2.47E-02	1.57E-01	3.76E-09	1.0E+06	3.8E-03
1278	1.00608	2.83E-03	2.8E-03	3.46E-04	9.84E-07	2.47E-02	1.57E-01	3.81E-09	1.0E+06	3.8E-03
1279	1.01778	2.83E-03	2.9E-03	3.46E-04	9.96E-07	2.47E-02	1.57E-01	3.86E-09	1.0E+06	3.9E-03
1280	1.02835	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
1281	1.03772	2.83E-03	2.9E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.93E-09	1.0E+06	3.9E-03
1282	1.04582	2.83E-03	3.0E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.96E-09	1.0E+06	4.0E-03
1283	1.05262	2.83E-03	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	3.99E-09	1.0E+06	4.0E-03
1284	0.92155	2.83E-03	2.6E-03	3.46E-04	9.02E-07	2.47E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
1285	0.94032	2.83E-03	2.7E-03	3.46E-04	9.20E-07	2.47E-02	1.57E-01	3.56E-09	1.0E+06	3.6E-03
1286	0.95848	2.83E-03	2.7E-03	3.46E-04	9.38E-07	2.47E-02	1.57E-01	3.63E-09	1.0E+06	3.6E-03
1287	0.97621	2.83E-03	2.8E-03	3.46E-04	9.55E-07	2.47E-02	1.57E-01	3.70E-09	1.0E+06	3.7E-03
1288	0.9952	2.83E-03	2.8E-03	3.46E-04	9.74E-07	2.47E-02	1.57E-01	3.77E-09	1.0E+06	3.8E-03
1289	1.01361	2.83E-03	2.9E-03	3.46E-04	9.92E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03
1290	1.03159	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.91E-09	1.0E+06	3.9E-03
1291	1.04873	2.83E-03	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03
1292	1.06423	2.83E-03	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.03E-09	1.0E+06	4.0E-03
1293	1.07719	2.83E-03	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.08E-09	1.0E+06	4.1E-03
1294	1.08886	2.83E-03	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.13E-09	1.0E+06	4.1E-03
1295	1.09917	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.17E-09	1.0E+06	4.2E-03
1296	1.108	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.20E-09	1.0E+06	4.2E-03
1297	1.11525	2.83E-03	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
1298	0.97018	2.83E-03	2.7E-03	3.46E-04	9.49E-07	2.47E-02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
1299	0.9907	2.83E-03	2.8E-03	3.46E-04	9.69E-07	2.47E-02	1.57E-01	3.76E-09	1.0E+06	3.8E-03
1300	1.01042	2.83E-03	2.9E-03	3.46E-04	9.89E-07	2.47E-02	1.57E-01	3.83E-09	1.0E+06	3.8E-03
1301	1.02977	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
1302	1.05063	2.83E-03	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03
1303	1.07091	2.83E-03	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.06E-09	1.0E+06	4.1E-03
1304	1.09084	2.83E-03	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
1305	1.11024	2.83E-03	3.1E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.21E-09	1.0E+06	4.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1.0231	2.83E-03	2.9E-03	3.46E-04	1.00E-06	2.47E-02	1.57E-01	3.88E-09	1.0E+06	3.9E-03
1307	1.04619	2.83E-03	3.0E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.97E-09	1.0E+06	4.0E-03
1308	1.0685	2.83E-03	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.05E-09	1.0E+06	4.1E-03
1309	1.09047	2.83E-03	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.13E-09	1.0E+06	4.1E-03
1310	1.11351	2.83E-03	3.1E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.22E-09	1.0E+06	4.2E-03
1311	1.13593	2.83E-03	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.31E-09	1.0E+06	4.3E-03
1312	1.15766	2.83E-03	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.39E-09	1.0E+06	4.4E-03
1313	1.1784	2.83E-03	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.47E-09	1.0E+06	4.5E-03
1314	1.08055	2.83E-03	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.10E-09	1.0E+06	4.1E-03
1315	1.10651	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.19E-09	1.0E+06	4.2E-03
1316	1.13195	2.83E-03	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.29E-09	1.0E+06	4.3E-03
1317	1.15694	2.83E-03	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.39E-09	1.0E+06	4.4E-03
1318	1.1825	2.83E-03	3.3E-03	3.46E-04	1.16E-06	2.47E-02	1.57E-01	4.48E-09	1.0E+06	4.5E-03
1319	1.20726	2.83E-03	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.58E-09	1.0E+06	4.6E-03
1320	1.2311	2.83E-03	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.67E-09	1.0E+06	4.7E-03
1321	1.25331	2.83E-03	3.5E-03	3.46E-04	1.23E-06	2.47E-02	1.57E-01	4.75E-09	1.0E+06	4.8E-03
1322	1.14304	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.33E-09	1.0E+06	4.3E-03
1323	1.17231	2.83E-03	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.44E-09	1.0E+06	4.4E-03
1324	1.20116	2.83E-03	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.55E-09	1.0E+06	4.6E-03
1325	1.22968	2.83E-03	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.66E-09	1.0E+06	4.7E-03
1326	1.25806	2.83E-03	3.6E-03	3.46E-04	1.23E-06	2.47E-02	1.57E-01	4.77E-09	1.0E+06	4.8E-03
1327	1.28575	2.83E-03	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
1328	1.31176	2.83E-03	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.97E-09	1.0E+06	5.0E-03
1329	1.33584	2.83E-03	3.8E-03	3.46E-04	1.31E-06	2.47E-02	1.57E-01	5.06E-09	1.0E+06	5.1E-03
1330	1.21044	2.83E-03	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.59E-09	1.0E+06	4.6E-03
1331	1.24305	2.83E-03	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
1332	1.27509	2.83E-03	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.83E-09	1.0E+06	4.8E-03
1333	1.30665	2.83E-03	3.7E-03	3.46E-04	1.28E-06	2.47E-02	1.57E-01	4.95E-09	1.0E+06	5.0E-03
1334	1.33858	2.83E-03	3.8E-03	3.46E-04	1.31E-06	2.47E-02	1.57E-01	5.07E-09	1.0E+06	5.1E-03
1335	1.36971	2.83E-03	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.19E-09	1.0E+06	5.2E-03
1336	1.39925	2.83E-03	4.0E-03	3.46E-04	1.37E-06	2.47E-02	1.57E-01	5.30E-09	1.0E+06	5.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1.42662	2.83E-03	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.41E-09	1.0E+06	5.4E-03
1338	0.6706	2.83E-03	1.9E-03	3.46E-04	6.56E-07	2.47E-02	1.57E-01	2.54E-09	1.0E+06	2.5E-03
1339	0.68542	2.83E-03	1.9E-03	3.46E-04	6.71E-07	2.47E-02	1.57E-01	2.60E-09	1.0E+06	2.6E-03
1340	0.70086	2.83E-03	2.0E-03	3.46E-04	6.86E-07	2.47E-02	1.57E-01	2.66E-09	1.0E+06	2.7E-03
1341	0.71776	2.83E-03	2.0E-03	3.46E-04	7.02E-07	2.47E-02	1.57E-01	2.72E-09	1.0E+06	2.7E-03
1342	0.73629	2.83E-03	2.1E-03	3.46E-04	7.20E-07	2.47E-02	1.57E-01	2.79E-09	1.0E+06	2.8E-03
1343	0.75603	2.83E-03	2.1E-03	3.46E-04	7.40E-07	2.47E-02	1.57E-01	2.87E-09	1.0E+06	2.9E-03
1344	0.77782	2.83E-03	2.2E-03	3.46E-04	7.61E-07	2.47E-02	1.57E-01	2.95E-09	1.0E+06	2.9E-03
1345	0.80106	2.83E-03	2.3E-03	3.46E-04	7.84E-07	2.47E-02	1.57E-01	3.04E-09	1.0E+06	3.0E-03
1346	0.82446	2.83E-03	2.3E-03	3.46E-04	8.07E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
1347	0.84688	2.83E-03	2.4E-03	3.46E-04	8.29E-07	2.47E-02	1.57E-01	3.21E-09	1.0E+06	3.2E-03
1348	0.8705	2.83E-03	2.5E-03	3.46E-04	8.52E-07	2.47E-02	1.57E-01	3.30E-09	1.0E+06	3.3E-03
1349	0.89941	2.83E-03	2.5E-03	3.46E-04	8.80E-07	2.47E-02	1.57E-01	3.41E-09	1.0E+06	3.4E-03
1350	0.94927	2.83E-03	2.7E-03	3.46E-04	9.29E-07	2.47E-02	1.57E-01	3.60E-09	1.0E+06	3.6E-03
1351	0.99983	2.83E-03	2.8E-03	3.46E-04	9.78E-07	2.47E-02	1.57E-01	3.79E-09	1.0E+06	3.8E-03
1352	1.05084	2.83E-03	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03
1353	1.10285	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.18E-09	1.0E+06	4.2E-03
1354	1.1382	2.83E-03	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.31E-09	1.0E+06	4.3E-03
1355	1.17402	2.83E-03	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.45E-09	1.0E+06	4.5E-03
1356	1.21041	2.83E-03	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.59E-09	1.0E+06	4.6E-03
1357	1.24708	2.83E-03	3.5E-03	3.46E-04	1.22E-06	2.47E-02	1.57E-01	4.73E-09	1.0E+06	4.7E-03
1358	1.28402	2.83E-03	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.87E-09	1.0E+06	4.9E-03
1359	1.32046	2.83E-03	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	5.01E-09	1.0E+06	5.0E-03
1360	1.35609	2.83E-03	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.14E-09	1.0E+06	5.1E-03
1361	1.39133	2.83E-03	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.27E-09	1.0E+06	5.3E-03
1362	1.42721	2.83E-03	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.41E-09	1.0E+06	5.4E-03
1363	1.46234	2.83E-03	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.54E-09	1.0E+06	5.5E-03
1364	1.49609	2.83E-03	4.2E-03	3.46E-04	1.46E-06	2.47E-02	1.57E-01	5.67E-09	1.0E+06	5.7E-03
1365	1.52725	2.83E-03	4.3E-03	3.46E-04	1.49E-06	2.47E-02	1.57E-01	5.79E-09	1.0E+06	5.8E-03
1366	0.6996	2.83E-03	2.0E-03	3.46E-04	6.84E-07	2.47E-02	1.57E-01	2.65E-09	1.0E+06	2.7E-03
1367	0.71537	2.83E-03	2.0E-03	3.46E-04	7.00E-07	2.47E-02	1.57E-01	2.71E-09	1.0E+06	2.7E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

					Cancer Risk from 3rd Trimester					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	0.73162	2.83E-03	2.1E-03	3.46E-04	7.16E-07	2.47E-02	1.57E-01	2.77E-09	1.0E+06	2.8E-03
1369	0.74964	2.83E-03	2.1E-03	3.46E-04	7.33E-07	2.47E-02	1.57E-01	2.84E-09	1.0E+06	2.8E-03
1370	0.76958	2.83E-03	2.2E-03	3.46E-04	7.53E-07	2.47E-02	1.57E-01	2.92E-09	1.0E+06	2.9E-03
1371	0.79071	2.83E-03	2.2E-03	3.46E-04	7.74E-07	2.47E-02	1.57E-01	3.00E-09	1.0E+06	3.0E-03
1372	0.81443	2.83E-03	2.3E-03	3.46E-04	7.97E-07	2.47E-02	1.57E-01	3.09E-09	1.0E+06	3.1E-03
1373	0.83974	2.83E-03	2.4E-03	3.46E-04	8.22E-07	2.47E-02	1.57E-01	3.18E-09	1.0E+06	3.2E-03
1374	0.86472	2.83E-03	2.4E-03	3.46E-04	8.46E-07	2.47E-02	1.57E-01	3.28E-09	1.0E+06	3.3E-03
1375	0.88767	2.83E-03	2.5E-03	3.46E-04	8.68E-07	2.47E-02	1.57E-01	3.36E-09	1.0E+06	3.4E-03
1376	0.91158	2.83E-03	2.6E-03	3.46E-04	8.92E-07	2.47E-02	1.57E-01	3.46E-09	1.0E+06	3.5E-03
1377	0.94258	2.83E-03	2.7E-03	3.46E-04	9.22E-07	2.47E-02	1.57E-01	3.57E-09	1.0E+06	3.6E-03
1378	0.97741	2.83E-03	2.8E-03	3.46E-04	9.56E-07	2.47E-02	1.57E-01	3.71E-09	1.0E+06	3.7E-03
1379	1.03323	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03
1380	1.10627	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.19E-09	1.0E+06	4.2E-03
1381	1.14484	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.34E-09	1.0E+06	4.3E-03
1382	1.20168	2.83E-03	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.56E-09	1.0E+06	4.6E-03
1383	1.24135	2.83E-03	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.71E-09	1.0E+06	4.7E-03
1384	1.28189	2.83E-03	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.86E-09	1.0E+06	4.9E-03
1385	1.32295	2.83E-03	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	5.01E-09	1.0E+06	5.0E-03
1386	1.36452	2.83E-03	3.9E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.17E-09	1.0E+06	5.2E-03
1387	1.40539	2.83E-03	4.0E-03	3.46E-04	1.37E-06	2.47E-02	1.57E-01	5.33E-09	1.0E+06	5.3E-03
1388	1.44518	2.83E-03	4.1E-03	3.46E-04	1.41E-06	2.47E-02	1.57E-01	5.48E-09	1.0E+06	5.5E-03
1389	1.48468	2.83E-03	4.2E-03	3.46E-04	1.45E-06	2.47E-02	1.57E-01	5.63E-09	1.0E+06	5.6E-03
1390	1.52527	2.83E-03	4.3E-03	3.46E-04	1.49E-06	2.47E-02	1.57E-01	5.78E-09	1.0E+06	5.8E-03
1391	1.56509	2.83E-03	4.4E-03	3.46E-04	1.53E-06	2.47E-02	1.57E-01	5.93E-09	1.0E+06	5.9E-03
1392	1.60353	2.83E-03	4.5E-03	3.46E-04	1.57E-06	2.47E-02	1.57E-01	6.08E-09	1.0E+06	6.1E-03
1393	1.63942	2.83E-03	4.6E-03	3.46E-04	1.60E-06	2.47E-02	1.57E-01	6.21E-09	1.0E+06	6.2E-03
1394	0.72895	2.83E-03	2.1E-03	3.46E-04	7.13E-07	2.47E-02	1.57E-01	2.76E-09	1.0E+06	2.8E-03
1395	0.74605	2.83E-03	2.1E-03	3.46E-04	7.30E-07	2.47E-02	1.57E-01	2.83E-09	1.0E+06	2.8E-03
1396	0.76371	2.83E-03	2.2E-03	3.46E-04	7.47E-07	2.47E-02	1.57E-01	2.89E-09	1.0E+06	2.9E-03
1397	0.78298	2.83E-03	2.2E-03	3.46E-04	7.66E-07	2.47E-02	1.57E-01	2.97E-09	1.0E+06	3.0E-03
1398	0.80407	2.83E-03	2.3E-03	3.46E-04	7.87E-07	2.47E-02	1.57E-01	3.05E-09	1.0E+06	3.0E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	0.82627	2.83E-03	2.3E-03	3.46E-04	8.08E-07	2.47E-02	1.57E-01	3.13E-09	1.0E+06	3.1E-03
1400	0.85246	2.83E-03	2.4E-03	3.46E-04	8.34E-07	2.47E-02	1.57E-01	3.23E-09	1.0E+06	3.2E-03
1401	0.88041	2.83E-03	2.5E-03	3.46E-04	8.61E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
1402	0.9081	2.83E-03	2.6E-03	3.46E-04	8.88E-07	2.47E-02	1.57E-01	3.44E-09	1.0E+06	3.4E-03
1403	0.93334	2.83E-03	2.6E-03	3.46E-04	9.13E-07	2.47E-02	1.57E-01	3.54E-09	1.0E+06	3.5E-03
1404	0.95972	2.83E-03	2.7E-03	3.46E-04	9.39E-07	2.47E-02	1.57E-01	3.64E-09	1.0E+06	3.6E-03
1405	0.9925	2.83E-03	2.8E-03	3.46E-04	9.71E-07	2.47E-02	1.57E-01	3.76E-09	1.0E+06	3.8E-03
1406	1.02915	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.90E-09	1.0E+06	3.9E-03
1407	1.08816	2.83E-03	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.12E-09	1.0E+06	4.1E-03
1408	1.1665	2.83E-03	3.3E-03	3.46E-04	1.14E-06	2.47E-02	1.57E-01	4.42E-09	1.0E+06	4.4E-03
1409	1.20983	2.83E-03	3.4E-03	3.46E-04	1.18E-06	2.47E-02	1.57E-01	4.59E-09	1.0E+06	4.6E-03
1410	1.27125	2.83E-03	3.6E-03	3.46E-04	1.24E-06	2.47E-02	1.57E-01	4.82E-09	1.0E+06	4.8E-03
1411	1.31543	2.83E-03	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	4.99E-09	1.0E+06	5.0E-03
1412	1.36063	2.83E-03	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
1413	1.40643	2.83E-03	4.0E-03	3.46E-04	1.38E-06	2.47E-02	1.57E-01	5.33E-09	1.0E+06	5.3E-03
1414	1.45291	2.83E-03	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.51E-09	1.0E+06	5.5E-03
1415	1.49861	2.83E-03	4.2E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.68E-09	1.0E+06	5.7E-03
1416	1.543	2.83E-03	4.4E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.85E-09	1.0E+06	5.8E-03
1417	1.58691	2.83E-03	4.5E-03	3.46E-04	1.55E-06	2.47E-02	1.57E-01	6.02E-09	1.0E+06	6.0E-03
1418	1.63333	2.83E-03	4.6E-03	3.46E-04	1.60E-06	2.47E-02	1.57E-01	6.19E-09	1.0E+06	6.2E-03
1419	1.679	2.83E-03	4.7E-03	3.46E-04	1.64E-06	2.47E-02	1.57E-01	6.36E-09	1.0E+06	6.4E-03
1420	1.72323	2.83E-03	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.53E-09	1.0E+06	6.5E-03
1421	1.76477	2.83E-03	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.69E-09	1.0E+06	6.7E-03
1422	0.75905	2.83E-03	2.1E-03	3.46E-04	7.43E-07	2.47E-02	1.57E-01	2.88E-09	1.0E+06	2.9E-03
1423	0.77781	2.83E-03	2.2E-03	3.46E-04	7.61E-07	2.47E-02	1.57E-01	2.95E-09	1.0E+06	2.9E-03
1424	0.79723	2.83E-03	2.3E-03	3.46E-04	7.80E-07	2.47E-02	1.57E-01	3.02E-09	1.0E+06	3.0E-03
1425	0.81808	2.83E-03	2.3E-03	3.46E-04	8.00E-07	2.47E-02	1.57E-01	3.10E-09	1.0E+06	3.1E-03
1426	0.84045	2.83E-03	2.4E-03	3.46E-04	8.22E-07	2.47E-02	1.57E-01	3.19E-09	1.0E+06	3.2E-03
1427	0.86391	2.83E-03	2.4E-03	3.46E-04	8.45E-07	2.47E-02	1.57E-01	3.27E-09	1.0E+06	3.3E-03
1428	0.89272	2.83E-03	2.5E-03	3.46E-04	8.73E-07	2.47E-02	1.57E-01	3.38E-09	1.0E+06	3.4E-03
1429	0.92387	2.83E-03	2.6E-03	3.46E-04	9.04E-07	2.47E-02	1.57E-01	3.50E-09	1.0E+06	3.5E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	0.9546	2.83E-03	2.7E-03	3.46E-04	9.34E-07	2.47E-02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
1431	0.98283	2.83E-03	2.8E-03	3.46E-04	9.62E-07	2.47E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
1432	1.01241	2.83E-03	2.9E-03	3.46E-04	9.90E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03
1433	1.04711	2.83E-03	3.0E-03	3.46E-04	1.02E-06	2.47E-02	1.57E-01	3.97E-09	1.0E+06	4.0E-03
1434	1.08541	2.83E-03	3.1E-03	3.46E-04	1.06E-06	2.47E-02	1.57E-01	4.11E-09	1.0E+06	4.1E-03
1435	1.14768	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.35E-09	1.0E+06	4.4E-03
1436	1.23146	2.83E-03	3.5E-03	3.46E-04	1.20E-06	2.47E-02	1.57E-01	4.67E-09	1.0E+06	4.7E-03
1437	1.28019	2.83E-03	3.6E-03	3.46E-04	1.25E-06	2.47E-02	1.57E-01	4.85E-09	1.0E+06	4.9E-03
1438	1.34679	2.83E-03	3.8E-03	3.46E-04	1.32E-06	2.47E-02	1.57E-01	5.11E-09	1.0E+06	5.1E-03
1439	1.39617	2.83E-03	3.9E-03	3.46E-04	1.37E-06	2.47E-02	1.57E-01	5.29E-09	1.0E+06	5.3E-03
1440	1.44674	2.83E-03	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.48E-09	1.0E+06	5.5E-03
1441	1.49791	2.83E-03	4.2E-03	3.46E-04	1.47E-06	2.47E-02	1.57E-01	5.68E-09	1.0E+06	5.7E-03
1442	1.55008	2.83E-03	4.4E-03	3.46E-04	1.52E-06	2.47E-02	1.57E-01	5.88E-09	1.0E+06	5.9E-03
1443	1.60131	2.83E-03	4.5E-03	3.46E-04	1.57E-06	2.47E-02	1.57E-01	6.07E-09	1.0E+06	6.1E-03
1444	1.65105	2.83E-03	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.26E-09	1.0E+06	6.3E-03
1445	1.70034	2.83E-03	4.8E-03	3.46E-04	1.66E-06	2.47E-02	1.57E-01	6.45E-09	1.0E+06	6.4E-03
1446	1.7534	2.83E-03	5.0E-03	3.46E-04	1.72E-06	2.47E-02	1.57E-01	6.65E-09	1.0E+06	6.6E-03
1447	1.80601	2.83E-03	5.1E-03	3.46E-04	1.77E-06	2.47E-02	1.57E-01	6.85E-09	1.0E+06	6.8E-03
1448	1.85712	2.83E-03	5.2E-03	3.46E-04	1.82E-06	2.47E-02	1.57E-01	7.04E-09	1.0E+06	7.0E-03
1449	1.90559	2.83E-03	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.22E-09	1.0E+06	7.2E-03
1450	0.79021	2.83E-03	2.2E-03	3.46E-04	7.73E-07	2.47E-02	1.57E-01	3.00E-09	1.0E+06	3.0E-03
1451	0.81091	2.83E-03	2.3E-03	3.46E-04	7.93E-07	2.47E-02	1.57E-01	3.07E-09	1.0E+06	3.1E-03
1452	0.83227	2.83E-03	2.4E-03	3.46E-04	8.14E-07	2.47E-02	1.57E-01	3.15E-09	1.0E+06	3.2E-03
1453	0.85487	2.83E-03	2.4E-03	3.46E-04	8.36E-07	2.47E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
1454	0.8789	2.83E-03	2.5E-03	3.46E-04	8.60E-07	2.47E-02	1.57E-01	3.33E-09	1.0E+06	3.3E-03
1455	0.90387	2.83E-03	2.6E-03	3.46E-04	8.84E-07	2.47E-02	1.57E-01	3.43E-09	1.0E+06	3.4E-03
1456	0.93569	2.83E-03	2.6E-03	3.46E-04	9.15E-07	2.47E-02	1.57E-01	3.55E-09	1.0E+06	3.5E-03
1457	0.97038	2.83E-03	2.7E-03	3.46E-04	9.49E-07	2.47E-02	1.57E-01	3.68E-09	1.0E+06	3.7E-03
1458	1.00454	2.83E-03	2.8E-03	3.46E-04	9.83E-07	2.47E-02	1.57E-01	3.81E-09	1.0E+06	3.8E-03
1459	1.0359	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.93E-09	1.0E+06	3.9E-03
1460	1.06914	2.83E-03	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.05E-09	1.0E+06	4.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1.10614	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.19E-09	1.0E+06	4.2E-03
1462	1.14658	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.35E-09	1.0E+06	4.3E-03
1463	1.1909	2.83E-03	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.51E-09	1.0E+06	4.5E-03
1464	1.30156	2.83E-03	3.7E-03	3.46E-04	1.27E-06	2.47E-02	1.57E-01	4.93E-09	1.0E+06	4.9E-03
1465	1.35654	2.83E-03	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.14E-09	1.0E+06	5.1E-03
1466	1.4289	2.83E-03	4.0E-03	3.46E-04	1.40E-06	2.47E-02	1.57E-01	5.42E-09	1.0E+06	5.4E-03
1467	1.48409	2.83E-03	4.2E-03	3.46E-04	1.45E-06	2.47E-02	1.57E-01	5.63E-09	1.0E+06	5.6E-03
1468	1.54085	2.83E-03	4.4E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.84E-09	1.0E+06	5.8E-03
1469	1.59849	2.83E-03	4.5E-03	3.46E-04	1.56E-06	2.47E-02	1.57E-01	6.06E-09	1.0E+06	6.1E-03
1470	1.65719	2.83E-03	4.7E-03	3.46E-04	1.62E-06	2.47E-02	1.57E-01	6.28E-09	1.0E+06	6.3E-03
1471	1.71487	2.83E-03	4.8E-03	3.46E-04	1.68E-06	2.47E-02	1.57E-01	6.50E-09	1.0E+06	6.5E-03
1472	1.77089	2.83E-03	5.0E-03	3.46E-04	1.73E-06	2.47E-02	1.57E-01	6.71E-09	1.0E+06	6.7E-03
1473	1.82649	2.83E-03	5.2E-03	3.46E-04	1.79E-06	2.47E-02	1.57E-01	6.92E-09	1.0E+06	6.9E-03
1474	1.88758	2.83E-03	5.3E-03	3.46E-04	1.85E-06	2.47E-02	1.57E-01	7.16E-09	1.0E+06	7.2E-03
1475	1.94833	2.83E-03	5.5E-03	3.46E-04	1.91E-06	2.47E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
1476	2.00788	2.83E-03	5.7E-03	3.46E-04	1.96E-06	2.47E-02	1.57E-01	7.61E-09	1.0E+06	7.6E-03
1477	2.06454	2.83E-03	5.8E-03	3.46E-04	2.02E-06	2.47E-02	1.57E-01	7.83E-09	1.0E+06	7.8E-03
1478	0.82198	2.83E-03	2.3E-03	3.46E-04	8.04E-07	2.47E-02	1.57E-01	3.12E-09	1.0E+06	3.1E-03
1479	0.84509	2.83E-03	2.4E-03	3.46E-04	8.27E-07	2.47E-02	1.57E-01	3.20E-09	1.0E+06	3.2E-03
1480	0.86906	2.83E-03	2.5E-03	3.46E-04	8.50E-07	2.47E-02	1.57E-01	3.29E-09	1.0E+06	3.3E-03
1481	0.89437	2.83E-03	2.5E-03	3.46E-04	8.75E-07	2.47E-02	1.57E-01	3.39E-09	1.0E+06	3.4E-03
1482	0.92108	2.83E-03	2.6E-03	3.46E-04	9.01E-07	2.47E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
1483	0.94908	2.83E-03	2.7E-03	3.46E-04	9.28E-07	2.47E-02	1.57E-01	3.60E-09	1.0E+06	3.6E-03
1484	0.98357	2.83E-03	2.8E-03	3.46E-04	9.62E-07	2.47E-02	1.57E-01	3.73E-09	1.0E+06	3.7E-03
1485	1.02091	2.83E-03	2.9E-03	3.46E-04	9.99E-07	2.47E-02	1.57E-01	3.87E-09	1.0E+06	3.9E-03
1486	1.05816	2.83E-03	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.01E-09	1.0E+06	4.0E-03
1487	1.09296	2.83E-03	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.14E-09	1.0E+06	4.1E-03
1488	1.1299	2.83E-03	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.28E-09	1.0E+06	4.3E-03
1489	1.17079	2.83E-03	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.44E-09	1.0E+06	4.4E-03
1490	1.21553	2.83E-03	3.4E-03	3.46E-04	1.19E-06	2.47E-02	1.57E-01	4.61E-09	1.0E+06	4.6E-03
1491	1.26442	2.83E-03	3.6E-03	3.46E-04	1.24E-06	2.47E-02	1.57E-01	4.79E-09	1.0E+06	4.8E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1.361	2.83E-03	3.8E-03	3.46E-04	1.33E-06	2.47E-02	1.57E-01	5.16E-09	1.0E+06	5.2E-03
1493	1.43817	2.83E-03	4.1E-03	3.46E-04	1.41E-06	2.47E-02	1.57E-01	5.45E-09	1.0E+06	5.5E-03
1494	1.51658	2.83E-03	4.3E-03	3.46E-04	1.48E-06	2.47E-02	1.57E-01	5.75E-09	1.0E+06	5.7E-03
1495	1.57869	2.83E-03	4.5E-03	3.46E-04	1.54E-06	2.47E-02	1.57E-01	5.98E-09	1.0E+06	6.0E-03
1496	1.6427	2.83E-03	4.6E-03	3.46E-04	1.61E-06	2.47E-02	1.57E-01	6.23E-09	1.0E+06	6.2E-03
1497	1.70818	2.83E-03	4.8E-03	3.46E-04	1.67E-06	2.47E-02	1.57E-01	6.48E-09	1.0E+06	6.5E-03
1498	1.77539	2.83E-03	5.0E-03	3.46E-04	1.74E-06	2.47E-02	1.57E-01	6.73E-09	1.0E+06	6.7E-03
1499	1.84179	2.83E-03	5.2E-03	3.46E-04	1.80E-06	2.47E-02	1.57E-01	6.98E-09	1.0E+06	7.0E-03
1500	1.90691	2.83E-03	5.4E-03	3.46E-04	1.87E-06	2.47E-02	1.57E-01	7.23E-09	1.0E+06	7.2E-03
1501	1.97185	2.83E-03	5.6E-03	3.46E-04	1.93E-06	2.47E-02	1.57E-01	7.47E-09	1.0E+06	7.5E-03
1502	2.04197	2.83E-03	5.8E-03	3.46E-04	2.00E-06	2.47E-02	1.57E-01	7.74E-09	1.0E+06	7.7E-03
1503	2.11188	2.83E-03	6.0E-03	3.46E-04	2.07E-06	2.47E-02	1.57E-01	8.01E-09	1.0E+06	8.0E-03
1504	2.18036	2.83E-03	6.2E-03	3.46E-04	2.13E-06	2.47E-02	1.57E-01	8.27E-09	1.0E+06	8.3E-03
1505	2.24581	2.83E-03	6.3E-03	3.46E-04	2.20E-06	2.47E-02	1.57E-01	8.51E-09	1.0E+06	8.5E-03
1506	0.8541	2.83E-03	2.4E-03	3.46E-04	8.36E-07	2.47E-02	1.57E-01	3.24E-09	1.0E+06	3.2E-03
1507	0.8802	2.83E-03	2.5E-03	3.46E-04	8.61E-07	2.47E-02	1.57E-01	3.34E-09	1.0E+06	3.3E-03
1508	0.90729	2.83E-03	2.6E-03	3.46E-04	8.88E-07	2.47E-02	1.57E-01	3.44E-09	1.0E+06	3.4E-03
1509	0.93593	2.83E-03	2.6E-03	3.46E-04	9.16E-07	2.47E-02	1.57E-01	3.55E-09	1.0E+06	3.5E-03
1510	0.96633	2.83E-03	2.7E-03	3.46E-04	9.45E-07	2.47E-02	1.57E-01	3.66E-09	1.0E+06	3.7E-03
1511	0.99804	2.83E-03	2.8E-03	3.46E-04	9.76E-07	2.47E-02	1.57E-01	3.78E-09	1.0E+06	3.8E-03
1512	1.03523	2.83E-03	2.9E-03	3.46E-04	1.01E-06	2.47E-02	1.57E-01	3.92E-09	1.0E+06	3.9E-03
1513	1.07514	2.83E-03	3.0E-03	3.46E-04	1.05E-06	2.47E-02	1.57E-01	4.08E-09	1.0E+06	4.1E-03
1514	1.11546	2.83E-03	3.2E-03	3.46E-04	1.09E-06	2.47E-02	1.57E-01	4.23E-09	1.0E+06	4.2E-03
1515	1.15414	2.83E-03	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.37E-09	1.0E+06	4.4E-03
1516	1.19503	2.83E-03	3.4E-03	3.46E-04	1.17E-06	2.47E-02	1.57E-01	4.53E-09	1.0E+06	4.5E-03
1517	1.24071	2.83E-03	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.70E-09	1.0E+06	4.7E-03
1518	1.29106	2.83E-03	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.89E-09	1.0E+06	4.9E-03
1519	1.36574	2.83E-03	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.18E-09	1.0E+06	5.2E-03
1520	1.44482	2.83E-03	4.1E-03	3.46E-04	1.41E-06	2.47E-02	1.57E-01	5.48E-09	1.0E+06	5.5E-03
1521	1.52623	2.83E-03	4.3E-03	3.46E-04	1.49E-06	2.47E-02	1.57E-01	5.79E-09	1.0E+06	5.8E-03
1522	1.6115	2.83E-03	4.6E-03	3.46E-04	1.58E-06	2.47E-02	1.57E-01	6.11E-09	1.0E+06	6.1E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1.68139	2.83E-03	4.8E-03	3.46E-04	1.64E-06	2.47E-02	1.57E-01	6.37E-09	1.0E+06	6.4E-03
1524	1.75393	2.83E-03	5.0E-03	3.46E-04	1.72E-06	2.47E-02	1.57E-01	6.65E-09	1.0E+06	6.6E-03
1525	1.82886	2.83E-03	5.2E-03	3.46E-04	1.79E-06	2.47E-02	1.57E-01	6.93E-09	1.0E+06	6.9E-03
1526	1.90598	2.83E-03	5.4E-03	3.46E-04	1.86E-06	2.47E-02	1.57E-01	7.22E-09	1.0E+06	7.2E-03
1527	1.98321	2.83E-03	5.6E-03	3.46E-04	1.94E-06	2.47E-02	1.57E-01	7.52E-09	1.0E+06	7.5E-03
1528	2.05946	2.83E-03	5.8E-03	3.46E-04	2.01E-06	2.47E-02	1.57E-01	7.81E-09	1.0E+06	7.8E-03
1529	2.1359	2.83E-03	6.0E-03	3.46E-04	2.09E-06	2.47E-02	1.57E-01	8.10E-09	1.0E+06	8.1E-03
1530	2.21693	2.83E-03	6.3E-03	3.46E-04	2.17E-06	2.47E-02	1.57E-01	8.40E-09	1.0E+06	8.4E-03
1531	2.29776	2.83E-03	6.5E-03	3.46E-04	2.25E-06	2.47E-02	1.57E-01	8.71E-09	1.0E+06	8.7E-03
1532	2.3771	2.83E-03	6.7E-03	3.46E-04	2.33E-06	2.47E-02	1.57E-01	9.01E-09	1.0E+06	9.0E-03
1533	2.45301	2.83E-03	6.9E-03	3.46E-04	2.40E-06	2.47E-02	1.57E-01	9.30E-09	1.0E+06	9.3E-03
1534	0.88625	2.83E-03	2.5E-03	3.46E-04	8.67E-07	2.47E-02	1.57E-01	3.36E-09	1.0E+06	3.4E-03
1535	0.91582	2.83E-03	2.6E-03	3.46E-04	8.96E-07	2.47E-02	1.57E-01	3.47E-09	1.0E+06	3.5E-03
1536	0.94649	2.83E-03	2.7E-03	3.46E-04	9.26E-07	2.47E-02	1.57E-01	3.59E-09	1.0E+06	3.6E-03
1537	0.97896	2.83E-03	2.8E-03	3.46E-04	9.58E-07	2.47E-02	1.57E-01	3.71E-09	1.0E+06	3.7E-03
1538	1.01336	2.83E-03	2.9E-03	3.46E-04	9.91E-07	2.47E-02	1.57E-01	3.84E-09	1.0E+06	3.8E-03
1539	1.04934	2.83E-03	3.0E-03	3.46E-04	1.03E-06	2.47E-02	1.57E-01	3.98E-09	1.0E+06	4.0E-03
1540	1.08948	2.83E-03	3.1E-03	3.46E-04	1.07E-06	2.47E-02	1.57E-01	4.13E-09	1.0E+06	4.1E-03
1541	1.13251	2.83E-03	3.2E-03	3.46E-04	1.11E-06	2.47E-02	1.57E-01	4.29E-09	1.0E+06	4.3E-03
1542	1.17645	2.83E-03	3.3E-03	3.46E-04	1.15E-06	2.47E-02	1.57E-01	4.46E-09	1.0E+06	4.5E-03
1543	1.21928	2.83E-03	3.4E-03	3.46E-04	1.19E-06	2.47E-02	1.57E-01	4.62E-09	1.0E+06	4.6E-03
1544	1.26478	2.83E-03	3.6E-03	3.46E-04	1.24E-06	2.47E-02	1.57E-01	4.79E-09	1.0E+06	4.8E-03
1545	1.31584	2.83E-03	3.7E-03	3.46E-04	1.29E-06	2.47E-02	1.57E-01	4.99E-09	1.0E+06	5.0E-03
1546	1.3722	2.83E-03	3.9E-03	3.46E-04	1.34E-06	2.47E-02	1.57E-01	5.20E-09	1.0E+06	5.2E-03
1547	1.45238	2.83E-03	4.1E-03	3.46E-04	1.42E-06	2.47E-02	1.57E-01	5.51E-09	1.0E+06	5.5E-03
1548	1.53567	2.83E-03	4.3E-03	3.46E-04	1.50E-06	2.47E-02	1.57E-01	5.82E-09	1.0E+06	5.8E-03
1549	1.62189	2.83E-03	4.6E-03	3.46E-04	1.59E-06	2.47E-02	1.57E-01	6.15E-09	1.0E+06	6.1E-03
1550	1.69641	2.83E-03	4.8E-03	3.46E-04	1.66E-06	2.47E-02	1.57E-01	6.43E-09	1.0E+06	6.4E-03
1551	1.79353	2.83E-03	5.1E-03	3.46E-04	1.75E-06	2.47E-02	1.57E-01	6.80E-09	1.0E+06	6.8E-03
1552	1.87592	2.83E-03	5.3E-03	3.46E-04	1.84E-06	2.47E-02	1.57E-01	7.11E-09	1.0E+06	7.1E-03
1553	1.96201	2.83E-03	5.5E-03	3.46E-04	1.92E-06	2.47E-02	1.57E-01	7.44E-09	1.0E+06	7.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.05105	2.83E-03	5.8E-03	3.46E-04	2.01E-06	2.47E-02	1.57E-01	7.77E-09	1.0E+06	7.8E-03
1555	2.14093	2.83E-03	6.1E-03	3.46E-04	2.09E-06	2.47E-02	1.57E-01	8.12E-09	1.0E+06	8.1E-03
1556	2.23061	2.83E-03	6.3E-03	3.46E-04	2.18E-06	2.47E-02	1.57E-01	8.46E-09	1.0E+06	8.5E-03
1557	2.32148	2.83E-03	6.6E-03	3.46E-04	2.27E-06	2.47E-02	1.57E-01	8.80E-09	1.0E+06	8.8E-03
1558	2.41558	2.83E-03	6.8E-03	3.46E-04	2.36E-06	2.47E-02	1.57E-01	9.16E-09	1.0E+06	9.2E-03
1559	2.50973	2.83E-03	7.1E-03	3.46E-04	2.46E-06	2.47E-02	1.57E-01	9.51E-09	1.0E+06	9.5E-03
1560	2.60239	2.83E-03	7.4E-03	3.46E-04	2.55E-06	2.47E-02	1.57E-01	9.86E-09	1.0E+06	9.9E-03
1561	2.69114	2.83E-03	7.6E-03	3.46E-04	2.63E-06	2.47E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1562	0.91971	2.83E-03	2.6E-03	3.46E-04	9.00E-07	2.47E-02	1.57E-01	3.49E-09	1.0E+06	3.5E-03
1563	0.952	2.83E-03	2.7E-03	3.46E-04	9.31E-07	2.47E-02	1.57E-01	3.61E-09	1.0E+06	3.6E-03
1564	0.98558	2.83E-03	2.8E-03	3.46E-04	9.64E-07	2.47E-02	1.57E-01	3.74E-09	1.0E+06	3.7E-03
1565	1.02141	2.83E-03	2.9E-03	3.46E-04	9.99E-07	2.47E-02	1.57E-01	3.87E-09	1.0E+06	3.9E-03
1566	1.05997	2.83E-03	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.02E-09	1.0E+06	4.0E-03
1567	1.10025	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.17E-09	1.0E+06	4.2E-03
1568	1.14403	2.83E-03	3.2E-03	3.46E-04	1.12E-06	2.47E-02	1.57E-01	4.34E-09	1.0E+06	4.3E-03
1569	1.19044	2.83E-03	3.4E-03	3.46E-04	1.16E-06	2.47E-02	1.57E-01	4.51E-09	1.0E+06	4.5E-03
1570	1.23858	2.83E-03	3.5E-03	3.46E-04	1.21E-06	2.47E-02	1.57E-01	4.70E-09	1.0E+06	4.7E-03
1571	1.28646	2.83E-03	3.6E-03	3.46E-04	1.26E-06	2.47E-02	1.57E-01	4.88E-09	1.0E+06	4.9E-03
1572	1.33769	2.83E-03	3.8E-03	3.46E-04	1.31E-06	2.47E-02	1.57E-01	5.07E-09	1.0E+06	5.1E-03
1573	1.39468	2.83E-03	3.9E-03	3.46E-04	1.36E-06	2.47E-02	1.57E-01	5.29E-09	1.0E+06	5.3E-03
1574	1.45778	2.83E-03	4.1E-03	3.46E-04	1.43E-06	2.47E-02	1.57E-01	5.53E-09	1.0E+06	5.5E-03
1575	1.54434	2.83E-03	4.4E-03	3.46E-04	1.51E-06	2.47E-02	1.57E-01	5.85E-09	1.0E+06	5.9E-03
1576	1.63349	2.83E-03	4.6E-03	3.46E-04	1.60E-06	2.47E-02	1.57E-01	6.19E-09	1.0E+06	6.2E-03
1577	1.72571	2.83E-03	4.9E-03	3.46E-04	1.69E-06	2.47E-02	1.57E-01	6.54E-09	1.0E+06	6.5E-03
1578	1.80944	2.83E-03	5.1E-03	3.46E-04	1.77E-06	2.47E-02	1.57E-01	6.86E-09	1.0E+06	6.9E-03
1579	1.91632	2.83E-03	5.4E-03	3.46E-04	1.87E-06	2.47E-02	1.57E-01	7.26E-09	1.0E+06	7.3E-03
1580	2.00996	2.83E-03	5.7E-03	3.46E-04	1.97E-06	2.47E-02	1.57E-01	7.62E-09	1.0E+06	7.6E-03
1581	2.10875	2.83E-03	6.0E-03	3.46E-04	2.06E-06	2.47E-02	1.57E-01	7.99E-09	1.0E+06	8.0E-03
1582	2.21124	2.83E-03	6.2E-03	3.46E-04	2.16E-06	2.47E-02	1.57E-01	8.38E-09	1.0E+06	8.4E-03
1583	2.31586	2.83E-03	6.5E-03	3.46E-04	2.27E-06	2.47E-02	1.57E-01	8.78E-09	1.0E+06	8.8E-03
1584	2.42156	2.83E-03	6.8E-03	3.46E-04	2.37E-06	2.47E-02	1.57E-01	9.18E-09	1.0E+06	9.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.52885	2.83E-03	7.1E-03	3.46E-04	2.47E-06	2.47E-02	1.57E-01	9.59E-09	1.0E+06	9.6E-03
1586	2.63947	2.83E-03	7.5E-03	3.46E-04	2.58E-06	2.47E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1587	2.75064	2.83E-03	7.8E-03	3.46E-04	2.69E-06	2.47E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1588	2.86047	2.83E-03	8.1E-03	3.46E-04	2.80E-06	2.47E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1589	2.96568	2.83E-03	8.4E-03	3.46E-04	2.90E-06	2.47E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1590	0.95399	2.83E-03	2.7E-03	3.46E-04	9.33E-07	2.47E-02	1.57E-01	3.62E-09	1.0E+06	3.6E-03
1591	0.98829	2.83E-03	2.8E-03	3.46E-04	9.67E-07	2.47E-02	1.57E-01	3.75E-09	1.0E+06	3.7E-03
1592	1.02397	2.83E-03	2.9E-03	3.46E-04	1.00E-06	2.47E-02	1.57E-01	3.88E-09	1.0E+06	3.9E-03
1593	1.06306	2.83E-03	3.0E-03	3.46E-04	1.04E-06	2.47E-02	1.57E-01	4.03E-09	1.0E+06	4.0E-03
1594	1.10602	2.83E-03	3.1E-03	3.46E-04	1.08E-06	2.47E-02	1.57E-01	4.19E-09	1.0E+06	4.2E-03
1595	1.15103	2.83E-03	3.3E-03	3.46E-04	1.13E-06	2.47E-02	1.57E-01	4.36E-09	1.0E+06	4.4E-03
0	0	2.83E-03	0.0E+00	3.46E-04	0.00E+00	2.47E-02	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	4.54E-04
1214	5	4.11E-04
1215	5	4.18E-04
1216	5	4.25E-04
1217	5	4.32E-04
1218	5	4.38E-04
1219	5	4.45E-04
1220	5	4.51E-04
1221	5	4.57E-04
1222	5	4.62E-04
1223	5	4.66E-04
1224	5	4.70E-04
1225	5	4.74E-04
1226	5	4.77E-04
1227	5	4.80E-04
1228	5	4.30E-04
1229	5	4.37E-04
1230	5	4.45E-04
1231	5	4.52E-04
1232	5	4.60E-04
1233	5	4.67E-04
1234	5	4.74E-04
1235	5	4.80E-04
1236	5	4.85E-04
1237	5	4.90E-04
1238	5	4.95E-04
1239	5	4.99E-04
1240	5	5.02E-04
1241	5	5.05E-04
1242	5	4.50E-04
1243	5	4.58E-04

Max	Receptor #	
1.676E-03	1589	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	4.67E-04
1245	5	4.75E-04
1246	5	4.83E-04
1247	5	4.91E-04
1248	5	4.98E-04
1249	5	5.05E-04
1250	5	5.11E-04
1251	5	5.16E-04
1252	5	5.21E-04
1253	5	5.26E-04
1254	5	5.29E-04
1255	5	5.33E-04
1256	5	4.72E-04
1257	5	4.81E-04
1258	5	4.90E-04
1259	5	4.98E-04
1260	5	5.07E-04
1261	5	5.16E-04
1262	5	5.24E-04
1263	5	5.32E-04
1264	5	5.39E-04
1265	5	5.45E-04
1266	5	5.50E-04
1267	5	5.55E-04
1268	5	5.59E-04
1269	5	5.63E-04
1270	5	4.95E-04
1271	5	5.05E-04
1272	5	5.15E-04
1273	5	5.24E-04
1274	5	5.34E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	5.43E-04
1276	5	5.53E-04
1277	5	5.61E-04
1278	5	5.69E-04
1279	5	5.75E-04
1280	5	5.81E-04
1281	5	5.87E-04
1282	5	5.91E-04
1283	5	5.95E-04
1284	5	5.21E-04
1285	5	5.31E-04
1286	5	5.42E-04
1287	5	5.52E-04
1288	5	5.63E-04
1289	5	5.73E-04
1290	5	5.83E-04
1291	5	5.93E-04
1292	5	6.02E-04
1293	5	6.09E-04
1294	5	6.15E-04
1295	5	6.21E-04
1296	5	6.26E-04
1297	5	6.30E-04
1298	5	5.48E-04
1299	5	5.60E-04
1300	5	5.71E-04
1301	5	5.82E-04
1302	5	5.94E-04
1303	5	6.05E-04
1304	5	6.17E-04
1305	5	6.28E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	5.78E-04
1307	5	5.91E-04
1308	5	6.04E-04
1309	5	6.16E-04
1310	5	6.29E-04
1311	5	6.42E-04
1312	5	6.54E-04
1313	5	6.66E-04
1314	5	6.11E-04
1315	5	6.25E-04
1316	5	6.40E-04
1317	5	6.54E-04
1318	5	6.68E-04
1319	5	6.82E-04
1320	5	6.96E-04
1321	5	7.08E-04
1322	5	6.46E-04
1323	5	6.63E-04
1324	5	6.79E-04
1325	5	6.95E-04
1326	5	7.11E-04
1327	5	7.27E-04
1328	5	7.41E-04
1329	5	7.55E-04
1330	5	6.84E-04
1331	5	7.03E-04
1332	5	7.21E-04
1333	5	7.39E-04
1334	5	7.57E-04
1335	5	7.74E-04
1336	5	7.91E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	8.06E-04
1338	5	3.79E-04
1339	5	3.87E-04
1340	5	3.96E-04
1341	5	4.06E-04
1342	5	4.16E-04
1343	5	4.27E-04
1344	5	4.40E-04
1345	5	4.53E-04
1346	5	4.66E-04
1347	5	4.79E-04
1348	5	4.92E-04
1349	5	5.08E-04
1350	5	5.37E-04
1351	5	5.65E-04
1352	5	5.94E-04
1353	5	6.23E-04
1354	5	6.43E-04
1355	5	6.64E-04
1356	5	6.84E-04
1357	5	7.05E-04
1358	5	7.26E-04
1359	5	7.46E-04
1360	5	7.66E-04
1361	5	7.86E-04
1362	5	8.07E-04
1363	5	8.27E-04
1364	5	8.46E-04
1365	5	8.63E-04
1366	5	3.95E-04
1367	5	4.04E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	4.14E-04
1369	5	4.24E-04
1370	5	4.35E-04
1371	5	4.47E-04
1372	5	4.60E-04
1373	5	4.75E-04
1374	5	4.89E-04
1375	5	5.02E-04
1376	5	5.15E-04
1377	5	5.33E-04
1378	5	5.52E-04
1379	5	5.84E-04
1380	5	6.25E-04
1381	5	6.47E-04
1382	5	6.79E-04
1383	5	7.02E-04
1384	5	7.25E-04
1385	5	7.48E-04
1386	5	7.71E-04
1387	5	7.94E-04
1388	5	8.17E-04
1389	5	8.39E-04
1390	5	8.62E-04
1391	5	8.85E-04
1392	5	9.06E-04
1393	5	9.27E-04
1394	5	4.12E-04
1395	5	4.22E-04
1396	5	4.32E-04
1397	5	4.43E-04
1398	5	4.54E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	4.67E-04
1400	5	4.82E-04
1401	5	4.98E-04
1402	5	5.13E-04
1403	5	5.28E-04
1404	5	5.42E-04
1405	5	5.61E-04
1406	5	5.82E-04
1407	5	6.15E-04
1408	5	6.59E-04
1409	5	6.84E-04
1410	5	7.19E-04
1411	5	7.44E-04
1412	5	7.69E-04
1413	5	7.95E-04
1414	5	8.21E-04
1415	5	8.47E-04
1416	5	8.72E-04
1417	5	8.97E-04
1418	5	9.23E-04
1419	5	9.49E-04
1420	5	9.74E-04
1421	5	9.97E-04
1422	5	4.29E-04
1423	5	4.40E-04
1424	5	4.51E-04
1425	5	4.62E-04
1426	5	4.75E-04
1427	5	4.88E-04
1428	5	5.05E-04
1429	5	5.22E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	5.40E-04
1431	5	5.56E-04
1432	5	5.72E-04
1433	5	5.92E-04
1434	5	6.14E-04
1435	5	6.49E-04
1436	5	6.96E-04
1437	5	7.24E-04
1438	5	7.61E-04
1439	5	7.89E-04
1440	5	8.18E-04
1441	5	8.47E-04
1442	5	8.76E-04
1443	5	9.05E-04
1444	5	9.33E-04
1445	5	9.61E-04
1446	5	9.91E-04
1447	5	1.02E-03
1448	5	1.05E-03
1449	5	1.08E-03
1450	5	4.47E-04
1451	5	4.58E-04
1452	5	4.70E-04
1453	5	4.83E-04
1454	5	4.97E-04
1455	5	5.11E-04
1456	5	5.29E-04
1457	5	5.48E-04
1458	5	5.68E-04
1459	5	5.86E-04
1460	5	6.04E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	6.25E-04
1462	5	6.48E-04
1463	5	6.73E-04
1464	5	7.36E-04
1465	5	7.67E-04
1466	5	8.08E-04
1467	5	8.39E-04
1468	5	8.71E-04
1469	5	9.04E-04
1470	5	9.37E-04
1471	5	9.69E-04
1472	5	1.00E-03
1473	5	1.03E-03
1474	5	1.07E-03
1475	5	1.10E-03
1476	5	1.13E-03
1477	5	1.17E-03
1478	5	4.65E-04
1479	5	4.78E-04
1480	5	4.91E-04
1481	5	5.06E-04
1482	5	5.21E-04
1483	5	5.36E-04
1484	5	5.56E-04
1485	5	5.77E-04
1486	5	5.98E-04
1487	5	6.18E-04
1488	5	6.39E-04
1489	5	6.62E-04
1490	5	6.87E-04
1491	5	7.15E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	7.69E-04
1493	5	8.13E-04
1494	5	8.57E-04
1495	5	8.92E-04
1496	5	9.28E-04
1497	5	9.66E-04
1498	5	1.00E-03
1499	5	1.04E-03
1500	5	1.08E-03
1501	5	1.11E-03
1502	5	1.15E-03
1503	5	1.19E-03
1504	5	1.23E-03
1505	5	1.27E-03
1506	5	4.83E-04
1507	5	4.98E-04
1508	5	5.13E-04
1509	5	5.29E-04
1510	5	5.46E-04
1511	5	5.64E-04
1512	5	5.85E-04
1513	5	6.08E-04
1514	5	6.30E-04
1515	5	6.52E-04
1516	5	6.75E-04
1517	5	7.01E-04
1518	5	7.30E-04
1519	5	7.72E-04
1520	5	8.17E-04
1521	5	8.63E-04
1522	5	9.11E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	9.50E-04
1524	5	9.91E-04
1525	5	1.03E-03
1526	5	1.08E-03
1527	5	1.12E-03
1528	5	1.16E-03
1529	5	1.21E-03
1530	5	1.25E-03
1531	5	1.30E-03
1532	5	1.34E-03
1533	5	1.39E-03
1534	5	5.01E-04
1535	5	5.18E-04
1536	5	5.35E-04
1537	5	5.53E-04
1538	5	5.73E-04
1539	5	5.93E-04
1540	5	6.16E-04
1541	5	6.40E-04
1542	5	6.65E-04
1543	5	6.89E-04
1544	5	7.15E-04
1545	5	7.44E-04
1546	5	7.76E-04
1547	5	8.21E-04
1548	5	8.68E-04
1549	5	9.17E-04
1550	5	9.59E-04
1551	5	1.01E-03
1552	5	1.06E-03
1553	5	1.11E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	1.16E-03
1555	5	1.21E-03
1556	5	1.26E-03
1557	5	1.31E-03
1558	5	1.37E-03
1559	5	1.42E-03
1560	5	1.47E-03
1561	5	1.52E-03
1562	5	5.20E-04
1563	5	5.38E-04
1564	5	5.57E-04
1565	5	5.77E-04
1566	5	5.99E-04
1567	5	6.22E-04
1568	5	6.47E-04
1569	5	6.73E-04
1570	5	7.00E-04
1571	5	7.27E-04
1572	5	7.56E-04
1573	5	7.88E-04
1574	5	8.24E-04
1575	5	8.73E-04
1576	5	9.23E-04
1577	5	9.75E-04
1578	5	1.02E-03
1579	5	1.08E-03
1580	5	1.14E-03
1581	5	1.19E-03
1582	5	1.25E-03
1583	5	1.31E-03
1584	5	1.37E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	1.43E-03
1586	5	1.49E-03
1587	5	1.55E-03
1588	5	1.62E-03
1589	5	1.68E-03
1590	5	5.39E-04
1591	5	5.59E-04
1592	5	5.79E-04
1593	5	6.01E-04
1594	5	6.25E-04
1595	5	6.51E-04
0	5	0.00E+00

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	0.80274	1.70E-02	1.4E-02	3.46E-04	4.72E-06	2.47E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
1214	0.72702	1.70E-02	1.2E-02	3.46E-04	4.27E-06	2.47E-02	1.57E-01	1.65E-08	1.0E+06	1.7E-02
1215	0.73953	1.70E-02	1.3E-02	3.46E-04	4.34E-06	2.47E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1216	0.75186	1.70E-02	1.3E-02	3.46E-04	4.42E-06	2.47E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1217	0.76393	1.70E-02	1.3E-02	3.46E-04	4.49E-06	2.47E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1218	0.77579	1.70E-02	1.3E-02	3.46E-04	4.56E-06	2.47E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1219	0.78718	1.70E-02	1.3E-02	3.46E-04	4.62E-06	2.47E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1220	0.7979	1.70E-02	1.4E-02	3.46E-04	4.69E-06	2.47E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
1221	0.80779	1.70E-02	1.4E-02	3.46E-04	4.75E-06	2.47E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1222	0.81668	1.70E-02	1.4E-02	3.46E-04	4.80E-06	2.47E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1223	0.82479	1.70E-02	1.4E-02	3.46E-04	4.84E-06	2.47E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
1224	0.83211	1.70E-02	1.4E-02	3.46E-04	4.89E-06	2.47E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
1225	0.83857	1.70E-02	1.4E-02	3.46E-04	4.93E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1226	0.84413	1.70E-02	1.4E-02	3.46E-04	4.96E-06	2.47E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
1227	0.84884	1.70E-02	1.4E-02	3.46E-04	4.99E-06	2.47E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
1228	0.76049	1.70E-02	1.3E-02	3.46E-04	4.47E-06	2.47E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1229	0.774	1.70E-02	1.3E-02	3.46E-04	4.55E-06	2.47E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02
1230	0.78733	1.70E-02	1.3E-02	3.46E-04	4.62E-06	2.47E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1231	0.80037	1.70E-02	1.4E-02	3.46E-04	4.70E-06	2.47E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
1232	0.81344	1.70E-02	1.4E-02	3.46E-04	4.78E-06	2.47E-02	1.57E-01	1.85E-08	1.0E+06	1.9E-02
1233	0.82608	1.70E-02	1.4E-02	3.46E-04	4.85E-06	2.47E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
1234	0.83782	1.70E-02	1.4E-02	3.46E-04	4.92E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1235	0.84873	1.70E-02	1.4E-02	3.46E-04	4.99E-06	2.47E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
1236	0.85846	1.70E-02	1.5E-02	3.46E-04	5.04E-06	2.47E-02	1.57E-01	1.95E-08	1.0E+06	2.0E-02
1237	0.86731	1.70E-02	1.5E-02	3.46E-04	5.09E-06	2.47E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1238	0.87532	1.70E-02	1.5E-02	3.46E-04	5.14E-06	2.47E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02
1239	0.88245	1.70E-02	1.5E-02	3.46E-04	5.18E-06	2.47E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1240	0.88866	1.70E-02	1.5E-02	3.46E-04	5.22E-06	2.47E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1241	0.89386	1.70E-02	1.5E-02	3.46E-04	5.25E-06	2.47E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1242	0.79635	1.70E-02	1.4E-02	3.46E-04	4.68E-06	2.47E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1243	0.81102	1.70E-02	1.4E-02	3.46E-04	4.76E-06	2.47E-02	1.57E-01	1.85E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	0.82549	1.70E-02	1.4E-02	3.46E-04	4.85E-06	2.47E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
1245	0.83961	1.70E-02	1.4E-02	3.46E-04	4.93E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1246	0.85402	1.70E-02	1.4E-02	3.46E-04	5.02E-06	2.47E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1247	0.86802	1.70E-02	1.5E-02	3.46E-04	5.10E-06	2.47E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1248	0.88097	1.70E-02	1.5E-02	3.46E-04	5.17E-06	2.47E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1249	0.89297	1.70E-02	1.5E-02	3.46E-04	5.25E-06	2.47E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1250	0.90368	1.70E-02	1.5E-02	3.46E-04	5.31E-06	2.47E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1251	0.91336	1.70E-02	1.5E-02	3.46E-04	5.37E-06	2.47E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1252	0.92212	1.70E-02	1.6E-02	3.46E-04	5.42E-06	2.47E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1253	0.92993	1.70E-02	1.6E-02	3.46E-04	5.46E-06	2.47E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1254	0.93673	1.70E-02	1.6E-02	3.46E-04	5.50E-06	2.47E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1255	0.94252	1.70E-02	1.6E-02	3.46E-04	5.54E-06	2.47E-02	1.57E-01	2.15E-08	1.0E+06	2.1E-02
1256	0.83492	1.70E-02	1.4E-02	3.46E-04	4.90E-06	2.47E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02
1257	0.85087	1.70E-02	1.4E-02	3.46E-04	5.00E-06	2.47E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1258	0.86649	1.70E-02	1.5E-02	3.46E-04	5.09E-06	2.47E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1259	0.88183	1.70E-02	1.5E-02	3.46E-04	5.18E-06	2.47E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1260	0.89773	1.70E-02	1.5E-02	3.46E-04	5.27E-06	2.47E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1261	0.91311	1.70E-02	1.5E-02	3.46E-04	5.36E-06	2.47E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1262	0.92752	1.70E-02	1.6E-02	3.46E-04	5.45E-06	2.47E-02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1263	0.94085	1.70E-02	1.6E-02	3.46E-04	5.53E-06	2.47E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1264	0.95274	1.70E-02	1.6E-02	3.46E-04	5.60E-06	2.47E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1265	0.96334	1.70E-02	1.6E-02	3.46E-04	5.66E-06	2.47E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1266	0.97295	1.70E-02	1.7E-02	3.46E-04	5.72E-06	2.47E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1267	0.98149	1.70E-02	1.7E-02	3.46E-04	5.77E-06	2.47E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
1268	0.98892	1.70E-02	1.7E-02	3.46E-04	5.81E-06	2.47E-02	1.57E-01	2.25E-08	1.0E+06	2.3E-02
1269	0.99521	1.70E-02	1.7E-02	3.46E-04	5.85E-06	2.47E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
1270	0.8766	1.70E-02	1.5E-02	3.46E-04	5.15E-06	2.47E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1271	0.89386	1.70E-02	1.5E-02	3.46E-04	5.25E-06	2.47E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1272	0.91068	1.70E-02	1.5E-02	3.46E-04	5.35E-06	2.47E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02
1273	0.9272	1.70E-02	1.6E-02	3.46E-04	5.45E-06	2.47E-02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1274	0.9445	1.70E-02	1.6E-02	3.46E-04	5.55E-06	2.47E-02	1.57E-01	2.15E-08	1.0E+06	2.1E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	0.96132	1.70E-02	1.6E-02	3.46E-04	5.65E-06	2.47E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1276	0.97751	1.70E-02	1.7E-02	3.46E-04	5.74E-06	2.47E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1277	0.99254	1.70E-02	1.7E-02	3.46E-04	5.83E-06	2.47E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1278	1.00608	1.70E-02	1.7E-02	3.46E-04	5.91E-06	2.47E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
1279	1.01778	1.70E-02	1.7E-02	3.46E-04	5.98E-06	2.47E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
1280	1.02835	1.70E-02	1.7E-02	3.46E-04	6.04E-06	2.47E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1281	1.03772	1.70E-02	1.8E-02	3.46E-04	6.10E-06	2.47E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1282	1.04582	1.70E-02	1.8E-02	3.46E-04	6.14E-06	2.47E-02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
1283	1.05262	1.70E-02	1.8E-02	3.46E-04	6.18E-06	2.47E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
1284	0.92155	1.70E-02	1.6E-02	3.46E-04	5.41E-06	2.47E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1285	0.94032	1.70E-02	1.6E-02	3.46E-04	5.52E-06	2.47E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1286	0.95848	1.70E-02	1.6E-02	3.46E-04	5.63E-06	2.47E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1287	0.97621	1.70E-02	1.7E-02	3.46E-04	5.73E-06	2.47E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1288	0.9952	1.70E-02	1.7E-02	3.46E-04	5.85E-06	2.47E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
1289	1.01361	1.70E-02	1.7E-02	3.46E-04	5.95E-06	2.47E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1290	1.03159	1.70E-02	1.8E-02	3.46E-04	6.06E-06	2.47E-02	1.57E-01	2.35E-08	1.0E+06	2.3E-02
1291	1.04873	1.70E-02	1.8E-02	3.46E-04	6.16E-06	2.47E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1292	1.06423	1.70E-02	1.8E-02	3.46E-04	6.25E-06	2.47E-02	1.57E-01	2.42E-08	1.0E+06	2.4E-02
1293	1.07719	1.70E-02	1.8E-02	3.46E-04	6.33E-06	2.47E-02	1.57E-01	2.45E-08	1.0E+06	2.5E-02
1294	1.08886	1.70E-02	1.8E-02	3.46E-04	6.40E-06	2.47E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
1295	1.09917	1.70E-02	1.9E-02	3.46E-04	6.46E-06	2.47E-02	1.57E-01	2.50E-08	1.0E+06	2.5E-02
1296	1.108	1.70E-02	1.9E-02	3.46E-04	6.51E-06	2.47E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
1297	1.11525	1.70E-02	1.9E-02	3.46E-04	6.55E-06	2.47E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
1298	0.97018	1.70E-02	1.6E-02	3.46E-04	5.70E-06	2.47E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1299	0.9907	1.70E-02	1.7E-02	3.46E-04	5.82E-06	2.47E-02	1.57E-01	2.25E-08	1.0E+06	2.3E-02
1300	1.01042	1.70E-02	1.7E-02	3.46E-04	5.94E-06	2.47E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
1301	1.02977	1.70E-02	1.7E-02	3.46E-04	6.05E-06	2.47E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1302	1.05063	1.70E-02	1.8E-02	3.46E-04	6.17E-06	2.47E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1303	1.07091	1.70E-02	1.8E-02	3.46E-04	6.29E-06	2.47E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1304	1.09084	1.70E-02	1.9E-02	3.46E-04	6.41E-06	2.47E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
1305	1.11024	1.70E-02	1.9E-02	3.46E-04	6.52E-06	2.47E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1.0231	1.70E-02	1.7E-02	3.46E-04	6.01E-06	2.47E-02	1.57E-01	2.33E-08	1.0E+06	2.3E-02
1307	1.04619	1.70E-02	1.8E-02	3.46E-04	6.15E-06	2.47E-02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
1308	1.0685	1.70E-02	1.8E-02	3.46E-04	6.28E-06	2.47E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
1309	1.09047	1.70E-02	1.9E-02	3.46E-04	6.41E-06	2.47E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
1310	1.11351	1.70E-02	1.9E-02	3.46E-04	6.54E-06	2.47E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
1311	1.13593	1.70E-02	1.9E-02	3.46E-04	6.67E-06	2.47E-02	1.57E-01	2.59E-08	1.0E+06	2.6E-02
1312	1.15766	1.70E-02	2.0E-02	3.46E-04	6.80E-06	2.47E-02	1.57E-01	2.63E-08	1.0E+06	2.6E-02
1313	1.1784	1.70E-02	2.0E-02	3.46E-04	6.92E-06	2.47E-02	1.57E-01	2.68E-08	1.0E+06	2.7E-02
1314	1.08055	1.70E-02	1.8E-02	3.46E-04	6.35E-06	2.47E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02
1315	1.10651	1.70E-02	1.9E-02	3.46E-04	6.50E-06	2.47E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
1316	1.13195	1.70E-02	1.9E-02	3.46E-04	6.65E-06	2.47E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02
1317	1.15694	1.70E-02	2.0E-02	3.46E-04	6.80E-06	2.47E-02	1.57E-01	2.63E-08	1.0E+06	2.6E-02
1318	1.1825	1.70E-02	2.0E-02	3.46E-04	6.95E-06	2.47E-02	1.57E-01	2.69E-08	1.0E+06	2.7E-02
1319	1.20726	1.70E-02	2.0E-02	3.46E-04	7.09E-06	2.47E-02	1.57E-01	2.75E-08	1.0E+06	2.7E-02
1320	1.2311	1.70E-02	2.1E-02	3.46E-04	7.23E-06	2.47E-02	1.57E-01	2.80E-08	1.0E+06	2.8E-02
1321	1.25331	1.70E-02	2.1E-02	3.46E-04	7.36E-06	2.47E-02	1.57E-01	2.85E-08	1.0E+06	2.9E-02
1322	1.14304	1.70E-02	1.9E-02	3.46E-04	6.71E-06	2.47E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
1323	1.17231	1.70E-02	2.0E-02	3.46E-04	6.89E-06	2.47E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
1324	1.20116	1.70E-02	2.0E-02	3.46E-04	7.06E-06	2.47E-02	1.57E-01	2.73E-08	1.0E+06	2.7E-02
1325	1.22968	1.70E-02	2.1E-02	3.46E-04	7.22E-06	2.47E-02	1.57E-01	2.80E-08	1.0E+06	2.8E-02
1326	1.25806	1.70E-02	2.1E-02	3.46E-04	7.39E-06	2.47E-02	1.57E-01	2.86E-08	1.0E+06	2.9E-02
1327	1.28575	1.70E-02	2.2E-02	3.46E-04	7.55E-06	2.47E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
1328	1.31176	1.70E-02	2.2E-02	3.46E-04	7.71E-06	2.47E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
1329	1.33584	1.70E-02	2.3E-02	3.46E-04	7.85E-06	2.47E-02	1.57E-01	3.04E-08	1.0E+06	3.0E-02
1330	1.21044	1.70E-02	2.1E-02	3.46E-04	7.11E-06	2.47E-02	1.57E-01	2.76E-08	1.0E+06	2.8E-02
1331	1.24305	1.70E-02	2.1E-02	3.46E-04	7.30E-06	2.47E-02	1.57E-01	2.83E-08	1.0E+06	2.8E-02
1332	1.27509	1.70E-02	2.2E-02	3.46E-04	7.49E-06	2.47E-02	1.57E-01	2.90E-08	1.0E+06	2.9E-02
1333	1.30665	1.70E-02	2.2E-02	3.46E-04	7.68E-06	2.47E-02	1.57E-01	2.97E-08	1.0E+06	3.0E-02
1334	1.33858	1.70E-02	2.3E-02	3.46E-04	7.86E-06	2.47E-02	1.57E-01	3.05E-08	1.0E+06	3.0E-02
1335	1.36971	1.70E-02	2.3E-02	3.46E-04	8.05E-06	2.47E-02	1.57E-01	3.12E-08	1.0E+06	3.1E-02
1336	1.39925	1.70E-02	2.4E-02	3.46E-04	8.22E-06	2.47E-02	1.57E-01	3.18E-08	1.0E+06	3.2E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1.42662	1.70E-02	2.4E-02	3.46E-04	8.38E-06	2.47E-02	1.57E-01	3.25E-08	1.0E+06	3.2E-02
1338	0.6706	1.70E-02	1.1E-02	3.46E-04	3.94E-06	2.47E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1339	0.68542	1.70E-02	1.2E-02	3.46E-04	4.03E-06	2.47E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1340	0.70086	1.70E-02	1.2E-02	3.46E-04	4.12E-06	2.47E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1341	0.71776	1.70E-02	1.2E-02	3.46E-04	4.22E-06	2.47E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1342	0.73629	1.70E-02	1.2E-02	3.46E-04	4.33E-06	2.47E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1343	0.75603	1.70E-02	1.3E-02	3.46E-04	4.44E-06	2.47E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1344	0.77782	1.70E-02	1.3E-02	3.46E-04	4.57E-06	2.47E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1345	0.80106	1.70E-02	1.4E-02	3.46E-04	4.71E-06	2.47E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
1346	0.82446	1.70E-02	1.4E-02	3.46E-04	4.84E-06	2.47E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
1347	0.84688	1.70E-02	1.4E-02	3.46E-04	4.97E-06	2.47E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
1348	0.8705	1.70E-02	1.5E-02	3.46E-04	5.11E-06	2.47E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1349	0.89941	1.70E-02	1.5E-02	3.46E-04	5.28E-06	2.47E-02	1.57E-01	2.05E-08	1.0E+06	2.0E-02
1350	0.94927	1.70E-02	1.6E-02	3.46E-04	5.58E-06	2.47E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1351	0.99983	1.70E-02	1.7E-02	3.46E-04	5.87E-06	2.47E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
1352	1.05084	1.70E-02	1.8E-02	3.46E-04	6.17E-06	2.47E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1353	1.10285	1.70E-02	1.9E-02	3.46E-04	6.48E-06	2.47E-02	1.57E-01	2.51E-08	1.0E+06	2.5E-02
1354	1.1382	1.70E-02	1.9E-02	3.46E-04	6.69E-06	2.47E-02	1.57E-01	2.59E-08	1.0E+06	2.6E-02
1355	1.17402	1.70E-02	2.0E-02	3.46E-04	6.90E-06	2.47E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
1356	1.21041	1.70E-02	2.1E-02	3.46E-04	7.11E-06	2.47E-02	1.57E-01	2.76E-08	1.0E+06	2.8E-02
1357	1.24708	1.70E-02	2.1E-02	3.46E-04	7.33E-06	2.47E-02	1.57E-01	2.84E-08	1.0E+06	2.8E-02
1358	1.28402	1.70E-02	2.2E-02	3.46E-04	7.54E-06	2.47E-02	1.57E-01	2.92E-08	1.0E+06	2.9E-02
1359	1.32046	1.70E-02	2.2E-02	3.46E-04	7.76E-06	2.47E-02	1.57E-01	3.01E-08	1.0E+06	3.0E-02
1360	1.35609	1.70E-02	2.3E-02	3.46E-04	7.97E-06	2.47E-02	1.57E-01	3.09E-08	1.0E+06	3.1E-02
1361	1.39133	1.70E-02	2.4E-02	3.46E-04	8.17E-06	2.47E-02	1.57E-01	3.17E-08	1.0E+06	3.2E-02
1362	1.42721	1.70E-02	2.4E-02	3.46E-04	8.38E-06	2.47E-02	1.57E-01	3.25E-08	1.0E+06	3.2E-02
1363	1.46234	1.70E-02	2.5E-02	3.46E-04	8.59E-06	2.47E-02	1.57E-01	3.33E-08	1.0E+06	3.3E-02
1364	1.49609	1.70E-02	2.5E-02	3.46E-04	8.79E-06	2.47E-02	1.57E-01	3.41E-08	1.0E+06	3.4E-02
1365	1.52725	1.70E-02	2.6E-02	3.46E-04	8.97E-06	2.47E-02	1.57E-01	3.48E-08	1.0E+06	3.5E-02
1366	0.6996	1.70E-02	1.2E-02	3.46E-04	4.11E-06	2.47E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
1367	0.71537	1.70E-02	1.2E-02	3.46E-04	4.20E-06	2.47E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	0.73162	1.70E-02	1.2E-02	3.46E-04	4.30E-06	2.47E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1369	0.74964	1.70E-02	1.3E-02	3.46E-04	4.40E-06	2.47E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1370	0.76958	1.70E-02	1.3E-02	3.46E-04	4.52E-06	2.47E-02	1.57E-01	1.75E-08	1.0E+06	1.8E-02
1371	0.79071	1.70E-02	1.3E-02	3.46E-04	4.64E-06	2.47E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1372	0.81443	1.70E-02	1.4E-02	3.46E-04	4.78E-06	2.47E-02	1.57E-01	1.85E-08	1.0E+06	1.9E-02
1373	0.83974	1.70E-02	1.4E-02	3.46E-04	4.93E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1374	0.86472	1.70E-02	1.5E-02	3.46E-04	5.08E-06	2.47E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1375	0.88767	1.70E-02	1.5E-02	3.46E-04	5.21E-06	2.47E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1376	0.91158	1.70E-02	1.5E-02	3.46E-04	5.35E-06	2.47E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02
1377	0.94258	1.70E-02	1.6E-02	3.46E-04	5.54E-06	2.47E-02	1.57E-01	2.15E-08	1.0E+06	2.1E-02
1378	0.97741	1.70E-02	1.7E-02	3.46E-04	5.74E-06	2.47E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1379	1.03323	1.70E-02	1.8E-02	3.46E-04	6.07E-06	2.47E-02	1.57E-01	2.35E-08	1.0E+06	2.4E-02
1380	1.10627	1.70E-02	1.9E-02	3.46E-04	6.50E-06	2.47E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
1381	1.14484	1.70E-02	1.9E-02	3.46E-04	6.73E-06	2.47E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
1382	1.20168	1.70E-02	2.0E-02	3.46E-04	7.06E-06	2.47E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
1383	1.24135	1.70E-02	2.1E-02	3.46E-04	7.29E-06	2.47E-02	1.57E-01	2.83E-08	1.0E+06	2.8E-02
1384	1.28189	1.70E-02	2.2E-02	3.46E-04	7.53E-06	2.47E-02	1.57E-01	2.92E-08	1.0E+06	2.9E-02
1385	1.32295	1.70E-02	2.2E-02	3.46E-04	7.77E-06	2.47E-02	1.57E-01	3.01E-08	1.0E+06	3.0E-02
1386	1.36452	1.70E-02	2.3E-02	3.46E-04	8.02E-06	2.47E-02	1.57E-01	3.11E-08	1.0E+06	3.1E-02
1387	1.40539	1.70E-02	2.4E-02	3.46E-04	8.26E-06	2.47E-02	1.57E-01	3.20E-08	1.0E+06	3.2E-02
1388	1.44518	1.70E-02	2.5E-02	3.46E-04	8.49E-06	2.47E-02	1.57E-01	3.29E-08	1.0E+06	3.3E-02
1389	1.48468	1.70E-02	2.5E-02	3.46E-04	8.72E-06	2.47E-02	1.57E-01	3.38E-08	1.0E+06	3.4E-02
1390	1.52527	1.70E-02	2.6E-02	3.46E-04	8.96E-06	2.47E-02	1.57E-01	3.47E-08	1.0E+06	3.5E-02
1391	1.56509	1.70E-02	2.7E-02	3.46E-04	9.19E-06	2.47E-02	1.57E-01	3.56E-08	1.0E+06	3.6E-02
1392	1.60353	1.70E-02	2.7E-02	3.46E-04	9.42E-06	2.47E-02	1.57E-01	3.65E-08	1.0E+06	3.6E-02
1393	1.63942	1.70E-02	2.8E-02	3.46E-04	9.63E-06	2.47E-02	1.57E-01	3.73E-08	1.0E+06	3.7E-02
1394	0.72895	1.70E-02	1.2E-02	3.46E-04	4.28E-06	2.47E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1395	0.74605	1.70E-02	1.3E-02	3.46E-04	4.38E-06	2.47E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
1396	0.76371	1.70E-02	1.3E-02	3.46E-04	4.49E-06	2.47E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1397	0.78298	1.70E-02	1.3E-02	3.46E-04	4.60E-06	2.47E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1398	0.80407	1.70E-02	1.4E-02	3.46E-04	4.72E-06	2.47E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	0.82627	1.70E-02	1.4E-02	3.46E-04	4.85E-06	2.47E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
1400	0.85246	1.70E-02	1.4E-02	3.46E-04	5.01E-06	2.47E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1401	0.88041	1.70E-02	1.5E-02	3.46E-04	5.17E-06	2.47E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1402	0.9081	1.70E-02	1.5E-02	3.46E-04	5.33E-06	2.47E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02
1403	0.93334	1.70E-02	1.6E-02	3.46E-04	5.48E-06	2.47E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1404	0.95972	1.70E-02	1.6E-02	3.46E-04	5.64E-06	2.47E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1405	0.9925	1.70E-02	1.7E-02	3.46E-04	5.83E-06	2.47E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1406	1.02915	1.70E-02	1.7E-02	3.46E-04	6.05E-06	2.47E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1407	1.08816	1.70E-02	1.8E-02	3.46E-04	6.39E-06	2.47E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
1408	1.1665	1.70E-02	2.0E-02	3.46E-04	6.85E-06	2.47E-02	1.57E-01	2.66E-08	1.0E+06	2.7E-02
1409	1.20983	1.70E-02	2.1E-02	3.46E-04	7.11E-06	2.47E-02	1.57E-01	2.75E-08	1.0E+06	2.8E-02
1410	1.27125	1.70E-02	2.2E-02	3.46E-04	7.47E-06	2.47E-02	1.57E-01	2.89E-08	1.0E+06	2.9E-02
1411	1.31543	1.70E-02	2.2E-02	3.46E-04	7.73E-06	2.47E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
1412	1.36063	1.70E-02	2.3E-02	3.46E-04	7.99E-06	2.47E-02	1.57E-01	3.10E-08	1.0E+06	3.1E-02
1413	1.40643	1.70E-02	2.4E-02	3.46E-04	8.26E-06	2.47E-02	1.57E-01	3.20E-08	1.0E+06	3.2E-02
1414	1.45291	1.70E-02	2.5E-02	3.46E-04	8.53E-06	2.47E-02	1.57E-01	3.31E-08	1.0E+06	3.3E-02
1415	1.49861	1.70E-02	2.5E-02	3.46E-04	8.80E-06	2.47E-02	1.57E-01	3.41E-08	1.0E+06	3.4E-02
1416	1.543	1.70E-02	2.6E-02	3.46E-04	9.06E-06	2.47E-02	1.57E-01	3.51E-08	1.0E+06	3.5E-02
1417	1.58691	1.70E-02	2.7E-02	3.46E-04	9.32E-06	2.47E-02	1.57E-01	3.61E-08	1.0E+06	3.6E-02
1418	1.63333	1.70E-02	2.8E-02	3.46E-04	9.59E-06	2.47E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
1419	1.679	1.70E-02	2.8E-02	3.46E-04	9.86E-06	2.47E-02	1.57E-01	3.82E-08	1.0E+06	3.8E-02
1420	1.72323	1.70E-02	2.9E-02	3.46E-04	1.01E-05	2.47E-02	1.57E-01	3.92E-08	1.0E+06	3.9E-02
1421	1.76477	1.70E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.02E-08	1.0E+06	4.0E-02
1422	0.75905	1.70E-02	1.3E-02	3.46E-04	4.46E-06	2.47E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1423	0.77781	1.70E-02	1.3E-02	3.46E-04	4.57E-06	2.47E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1424	0.79723	1.70E-02	1.4E-02	3.46E-04	4.68E-06	2.47E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1425	0.81808	1.70E-02	1.4E-02	3.46E-04	4.81E-06	2.47E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1426	0.84045	1.70E-02	1.4E-02	3.46E-04	4.94E-06	2.47E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1427	0.86391	1.70E-02	1.5E-02	3.46E-04	5.07E-06	2.47E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1428	0.89272	1.70E-02	1.5E-02	3.46E-04	5.24E-06	2.47E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1429	0.92387	1.70E-02	1.6E-02	3.46E-04	5.43E-06	2.47E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	0.9546	1.70E-02	1.6E-02	3.46E-04	5.61E-06	2.47E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1431	0.98283	1.70E-02	1.7E-02	3.46E-04	5.77E-06	2.47E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1432	1.01241	1.70E-02	1.7E-02	3.46E-04	5.95E-06	2.47E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
1433	1.04711	1.70E-02	1.8E-02	3.46E-04	6.15E-06	2.47E-02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
1434	1.08541	1.70E-02	1.8E-02	3.46E-04	6.38E-06	2.47E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
1435	1.14768	1.70E-02	1.9E-02	3.46E-04	6.74E-06	2.47E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
1436	1.23146	1.70E-02	2.1E-02	3.46E-04	7.23E-06	2.47E-02	1.57E-01	2.80E-08	1.0E+06	2.8E-02
1437	1.28019	1.70E-02	2.2E-02	3.46E-04	7.52E-06	2.47E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
1438	1.34679	1.70E-02	2.3E-02	3.46E-04	7.91E-06	2.47E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
1439	1.39617	1.70E-02	2.4E-02	3.46E-04	8.20E-06	2.47E-02	1.57E-01	3.18E-08	1.0E+06	3.2E-02
1440	1.44674	1.70E-02	2.5E-02	3.46E-04	8.50E-06	2.47E-02	1.57E-01	3.29E-08	1.0E+06	3.3E-02
1441	1.49791	1.70E-02	2.5E-02	3.46E-04	8.80E-06	2.47E-02	1.57E-01	3.41E-08	1.0E+06	3.4E-02
1442	1.55008	1.70E-02	2.6E-02	3.46E-04	9.11E-06	2.47E-02	1.57E-01	3.53E-08	1.0E+06	3.5E-02
1443	1.60131	1.70E-02	2.7E-02	3.46E-04	9.41E-06	2.47E-02	1.57E-01	3.64E-08	1.0E+06	3.6E-02
1444	1.65105	1.70E-02	2.8E-02	3.46E-04	9.70E-06	2.47E-02	1.57E-01	3.76E-08	1.0E+06	3.8E-02
1445	1.70034	1.70E-02	2.9E-02	3.46E-04	9.99E-06	2.47E-02	1.57E-01	3.87E-08	1.0E+06	3.9E-02
1446	1.7534	1.70E-02	3.0E-02	3.46E-04	1.03E-05	2.47E-02	1.57E-01	3.99E-08	1.0E+06	4.0E-02
1447	1.80601	1.70E-02	3.1E-02	3.46E-04	1.06E-05	2.47E-02	1.57E-01	4.11E-08	1.0E+06	4.1E-02
1448	1.85712	1.70E-02	3.2E-02	3.46E-04	1.09E-05	2.47E-02	1.57E-01	4.23E-08	1.0E+06	4.2E-02
1449	1.90559	1.70E-02	3.2E-02	3.46E-04	1.12E-05	2.47E-02	1.57E-01	4.34E-08	1.0E+06	4.3E-02
1450	0.79021	1.70E-02	1.3E-02	3.46E-04	4.64E-06	2.47E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1451	0.81091	1.70E-02	1.4E-02	3.46E-04	4.76E-06	2.47E-02	1.57E-01	1.85E-08	1.0E+06	1.8E-02
1452	0.83227	1.70E-02	1.4E-02	3.46E-04	4.89E-06	2.47E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
1453	0.85487	1.70E-02	1.5E-02	3.46E-04	5.02E-06	2.47E-02	1.57E-01	1.95E-08	1.0E+06	1.9E-02
1454	0.8789	1.70E-02	1.5E-02	3.46E-04	5.16E-06	2.47E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1455	0.90387	1.70E-02	1.5E-02	3.46E-04	5.31E-06	2.47E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1456	0.93569	1.70E-02	1.6E-02	3.46E-04	5.50E-06	2.47E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1457	0.97038	1.70E-02	1.6E-02	3.46E-04	5.70E-06	2.47E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1458	1.00454	1.70E-02	1.7E-02	3.46E-04	5.90E-06	2.47E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
1459	1.0359	1.70E-02	1.8E-02	3.46E-04	6.09E-06	2.47E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1460	1.06914	1.70E-02	1.8E-02	3.46E-04	6.28E-06	2.47E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1.10614	1.70E-02	1.9E-02	3.46E-04	6.50E-06	2.47E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
1462	1.14658	1.70E-02	1.9E-02	3.46E-04	6.74E-06	2.47E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
1463	1.1909	1.70E-02	2.0E-02	3.46E-04	7.00E-06	2.47E-02	1.57E-01	2.71E-08	1.0E+06	2.7E-02
1464	1.30156	1.70E-02	2.2E-02	3.46E-04	7.65E-06	2.47E-02	1.57E-01	2.96E-08	1.0E+06	3.0E-02
1465	1.35654	1.70E-02	2.3E-02	3.46E-04	7.97E-06	2.47E-02	1.57E-01	3.09E-08	1.0E+06	3.1E-02
1466	1.4289	1.70E-02	2.4E-02	3.46E-04	8.39E-06	2.47E-02	1.57E-01	3.25E-08	1.0E+06	3.3E-02
1467	1.48409	1.70E-02	2.5E-02	3.46E-04	8.72E-06	2.47E-02	1.57E-01	3.38E-08	1.0E+06	3.4E-02
1468	1.54085	1.70E-02	2.6E-02	3.46E-04	9.05E-06	2.47E-02	1.57E-01	3.51E-08	1.0E+06	3.5E-02
1469	1.59849	1.70E-02	2.7E-02	3.46E-04	9.39E-06	2.47E-02	1.57E-01	3.64E-08	1.0E+06	3.6E-02
1470	1.65719	1.70E-02	2.8E-02	3.46E-04	9.73E-06	2.47E-02	1.57E-01	3.77E-08	1.0E+06	3.8E-02
1471	1.71487	1.70E-02	2.9E-02	3.46E-04	1.01E-05	2.47E-02	1.57E-01	3.90E-08	1.0E+06	3.9E-02
1472	1.77089	1.70E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.03E-08	1.0E+06	4.0E-02
1473	1.82649	1.70E-02	3.1E-02	3.46E-04	1.07E-05	2.47E-02	1.57E-01	4.16E-08	1.0E+06	4.2E-02
1474	1.88758	1.70E-02	3.2E-02	3.46E-04	1.11E-05	2.47E-02	1.57E-01	4.30E-08	1.0E+06	4.3E-02
1475	1.94833	1.70E-02	3.3E-02	3.46E-04	1.14E-05	2.47E-02	1.57E-01	4.43E-08	1.0E+06	4.4E-02
1476	2.00788	1.70E-02	3.4E-02	3.46E-04	1.18E-05	2.47E-02	1.57E-01	4.57E-08	1.0E+06	4.6E-02
1477	2.06454	1.70E-02	3.5E-02	3.46E-04	1.21E-05	2.47E-02	1.57E-01	4.70E-08	1.0E+06	4.7E-02
1478	0.82198	1.70E-02	1.4E-02	3.46E-04	4.83E-06	2.47E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02
1479	0.84509	1.70E-02	1.4E-02	3.46E-04	4.96E-06	2.47E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
1480	0.86906	1.70E-02	1.5E-02	3.46E-04	5.11E-06	2.47E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1481	0.89437	1.70E-02	1.5E-02	3.46E-04	5.25E-06	2.47E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1482	0.92108	1.70E-02	1.6E-02	3.46E-04	5.41E-06	2.47E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1483	0.94908	1.70E-02	1.6E-02	3.46E-04	5.58E-06	2.47E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1484	0.98357	1.70E-02	1.7E-02	3.46E-04	5.78E-06	2.47E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1485	1.02091	1.70E-02	1.7E-02	3.46E-04	6.00E-06	2.47E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
1486	1.05816	1.70E-02	1.8E-02	3.46E-04	6.22E-06	2.47E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1487	1.09296	1.70E-02	1.9E-02	3.46E-04	6.42E-06	2.47E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
1488	1.1299	1.70E-02	1.9E-02	3.46E-04	6.64E-06	2.47E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1489	1.17079	1.70E-02	2.0E-02	3.46E-04	6.88E-06	2.47E-02	1.57E-01	2.66E-08	1.0E+06	2.7E-02
1490	1.21553	1.70E-02	2.1E-02	3.46E-04	7.14E-06	2.47E-02	1.57E-01	2.77E-08	1.0E+06	2.8E-02
1491	1.26442	1.70E-02	2.1E-02	3.46E-04	7.43E-06	2.47E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1.361	1.70E-02	2.3E-02	3.46E-04	7.99E-06	2.47E-02	1.57E-01	3.10E-08	1.0E+06	3.1E-02
1493	1.43817	1.70E-02	2.4E-02	3.46E-04	8.45E-06	2.47E-02	1.57E-01	3.27E-08	1.0E+06	3.3E-02
1494	1.51658	1.70E-02	2.6E-02	3.46E-04	8.91E-06	2.47E-02	1.57E-01	3.45E-08	1.0E+06	3.5E-02
1495	1.57869	1.70E-02	2.7E-02	3.46E-04	9.27E-06	2.47E-02	1.57E-01	3.59E-08	1.0E+06	3.6E-02
1496	1.6427	1.70E-02	2.8E-02	3.46E-04	9.65E-06	2.47E-02	1.57E-01	3.74E-08	1.0E+06	3.7E-02
1497	1.70818	1.70E-02	2.9E-02	3.46E-04	1.00E-05	2.47E-02	1.57E-01	3.89E-08	1.0E+06	3.9E-02
1498	1.77539	1.70E-02	3.0E-02	3.46E-04	1.04E-05	2.47E-02	1.57E-01	4.04E-08	1.0E+06	4.0E-02
1499	1.84179	1.70E-02	3.1E-02	3.46E-04	1.08E-05	2.47E-02	1.57E-01	4.19E-08	1.0E+06	4.2E-02
1500	1.90691	1.70E-02	3.2E-02	3.46E-04	1.12E-05	2.47E-02	1.57E-01	4.34E-08	1.0E+06	4.3E-02
1501	1.97185	1.70E-02	3.3E-02	3.46E-04	1.16E-05	2.47E-02	1.57E-01	4.49E-08	1.0E+06	4.5E-02
1502	2.04197	1.70E-02	3.5E-02	3.46E-04	1.20E-05	2.47E-02	1.57E-01	4.65E-08	1.0E+06	4.6E-02
1503	2.11188	1.70E-02	3.6E-02	3.46E-04	1.24E-05	2.47E-02	1.57E-01	4.81E-08	1.0E+06	4.8E-02
1504	2.18036	1.70E-02	3.7E-02	3.46E-04	1.28E-05	2.47E-02	1.57E-01	4.96E-08	1.0E+06	5.0E-02
1505	2.24581	1.70E-02	3.8E-02	3.46E-04	1.32E-05	2.47E-02	1.57E-01	5.11E-08	1.0E+06	5.1E-02
1506	0.8541	1.70E-02	1.4E-02	3.46E-04	5.02E-06	2.47E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1507	0.8802	1.70E-02	1.5E-02	3.46E-04	5.17E-06	2.47E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1508	0.90729	1.70E-02	1.5E-02	3.46E-04	5.33E-06	2.47E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02
1509	0.93593	1.70E-02	1.6E-02	3.46E-04	5.50E-06	2.47E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1510	0.96633	1.70E-02	1.6E-02	3.46E-04	5.68E-06	2.47E-02	1.57E-01	2.20E-08	1.0E+06	2.2E-02
1511	0.99804	1.70E-02	1.7E-02	3.46E-04	5.86E-06	2.47E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
1512	1.03523	1.70E-02	1.8E-02	3.46E-04	6.08E-06	2.47E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1513	1.07514	1.70E-02	1.8E-02	3.46E-04	6.32E-06	2.47E-02	1.57E-01	2.45E-08	1.0E+06	2.4E-02
1514	1.11546	1.70E-02	1.9E-02	3.46E-04	6.55E-06	2.47E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
1515	1.15414	1.70E-02	2.0E-02	3.46E-04	6.78E-06	2.47E-02	1.57E-01	2.63E-08	1.0E+06	2.6E-02
1516	1.19503	1.70E-02	2.0E-02	3.46E-04	7.02E-06	2.47E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1517	1.24071	1.70E-02	2.1E-02	3.46E-04	7.29E-06	2.47E-02	1.57E-01	2.82E-08	1.0E+06	2.8E-02
1518	1.29106	1.70E-02	2.2E-02	3.46E-04	7.58E-06	2.47E-02	1.57E-01	2.94E-08	1.0E+06	2.9E-02
1519	1.36574	1.70E-02	2.3E-02	3.46E-04	8.02E-06	2.47E-02	1.57E-01	3.11E-08	1.0E+06	3.1E-02
1520	1.44482	1.70E-02	2.5E-02	3.46E-04	8.49E-06	2.47E-02	1.57E-01	3.29E-08	1.0E+06	3.3E-02
1521	1.52623	1.70E-02	2.6E-02	3.46E-04	8.97E-06	2.47E-02	1.57E-01	3.47E-08	1.0E+06	3.5E-02
1522	1.6115	1.70E-02	2.7E-02	3.46E-04	9.47E-06	2.47E-02	1.57E-01	3.67E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1.68139	1.70E-02	2.9E-02	3.46E-04	9.88E-06	2.47E-02	1.57E-01	3.83E-08	1.0E+06	3.8E-02
1524	1.75393	1.70E-02	3.0E-02	3.46E-04	1.03E-05	2.47E-02	1.57E-01	3.99E-08	1.0E+06	4.0E-02
1525	1.82886	1.70E-02	3.1E-02	3.46E-04	1.07E-05	2.47E-02	1.57E-01	4.16E-08	1.0E+06	4.2E-02
1526	1.90598	1.70E-02	3.2E-02	3.46E-04	1.12E-05	2.47E-02	1.57E-01	4.34E-08	1.0E+06	4.3E-02
1527	1.98321	1.70E-02	3.4E-02	3.46E-04	1.16E-05	2.47E-02	1.57E-01	4.51E-08	1.0E+06	4.5E-02
1528	2.05946	1.70E-02	3.5E-02	3.46E-04	1.21E-05	2.47E-02	1.57E-01	4.69E-08	1.0E+06	4.7E-02
1529	2.1359	1.70E-02	3.6E-02	3.46E-04	1.25E-05	2.47E-02	1.57E-01	4.86E-08	1.0E+06	4.9E-02
1530	2.21693	1.70E-02	3.8E-02	3.46E-04	1.30E-05	2.47E-02	1.57E-01	5.05E-08	1.0E+06	5.0E-02
1531	2.29776	1.70E-02	3.9E-02	3.46E-04	1.35E-05	2.47E-02	1.57E-01	5.23E-08	1.0E+06	5.2E-02
1532	2.3771	1.70E-02	4.0E-02	3.46E-04	1.40E-05	2.47E-02	1.57E-01	5.41E-08	1.0E+06	5.4E-02
1533	2.45301	1.70E-02	4.2E-02	3.46E-04	1.44E-05	2.47E-02	1.57E-01	5.58E-08	1.0E+06	5.6E-02
1534	0.88625	1.70E-02	1.5E-02	3.46E-04	5.21E-06	2.47E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1535	0.91582	1.70E-02	1.6E-02	3.46E-04	5.38E-06	2.47E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1536	0.94649	1.70E-02	1.6E-02	3.46E-04	5.56E-06	2.47E-02	1.57E-01	2.15E-08	1.0E+06	2.2E-02
1537	0.97896	1.70E-02	1.7E-02	3.46E-04	5.75E-06	2.47E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
1538	1.01336	1.70E-02	1.7E-02	3.46E-04	5.95E-06	2.47E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1539	1.04934	1.70E-02	1.8E-02	3.46E-04	6.16E-06	2.47E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1540	1.08948	1.70E-02	1.8E-02	3.46E-04	6.40E-06	2.47E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
1541	1.13251	1.70E-02	1.9E-02	3.46E-04	6.65E-06	2.47E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02
1542	1.17645	1.70E-02	2.0E-02	3.46E-04	6.91E-06	2.47E-02	1.57E-01	2.68E-08	1.0E+06	2.7E-02
1543	1.21928	1.70E-02	2.1E-02	3.46E-04	7.16E-06	2.47E-02	1.57E-01	2.78E-08	1.0E+06	2.8E-02
1544	1.26478	1.70E-02	2.1E-02	3.46E-04	7.43E-06	2.47E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02
1545	1.31584	1.70E-02	2.2E-02	3.46E-04	7.73E-06	2.47E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
1546	1.3722	1.70E-02	2.3E-02	3.46E-04	8.06E-06	2.47E-02	1.57E-01	3.12E-08	1.0E+06	3.1E-02
1547	1.45238	1.70E-02	2.5E-02	3.46E-04	8.53E-06	2.47E-02	1.57E-01	3.31E-08	1.0E+06	3.3E-02
1548	1.53567	1.70E-02	2.6E-02	3.46E-04	9.02E-06	2.47E-02	1.57E-01	3.50E-08	1.0E+06	3.5E-02
1549	1.62189	1.70E-02	2.8E-02	3.46E-04	9.53E-06	2.47E-02	1.57E-01	3.69E-08	1.0E+06	3.7E-02
1550	1.69641	1.70E-02	2.9E-02	3.46E-04	9.97E-06	2.47E-02	1.57E-01	3.86E-08	1.0E+06	3.9E-02
1551	1.79353	1.70E-02	3.0E-02	3.46E-04	1.05E-05	2.47E-02	1.57E-01	4.08E-08	1.0E+06	4.1E-02
1552	1.87592	1.70E-02	3.2E-02	3.46E-04	1.10E-05	2.47E-02	1.57E-01	4.27E-08	1.0E+06	4.3E-02
1553	1.96201	1.70E-02	3.3E-02	3.46E-04	1.15E-05	2.47E-02	1.57E-01	4.47E-08	1.0E+06	4.5E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.05105	1.70E-02	3.5E-02	3.46E-04	1.20E-05	2.47E-02	1.57E-01	4.67E-08	1.0E+06	4.7E-02
1555	2.14093	1.70E-02	3.6E-02	3.46E-04	1.26E-05	2.47E-02	1.57E-01	4.87E-08	1.0E+06	4.9E-02
1556	2.23061	1.70E-02	3.8E-02	3.46E-04	1.31E-05	2.47E-02	1.57E-01	5.08E-08	1.0E+06	5.1E-02
1557	2.32148	1.70E-02	3.9E-02	3.46E-04	1.36E-05	2.47E-02	1.57E-01	5.28E-08	1.0E+06	5.3E-02
1558	2.41558	1.70E-02	4.1E-02	3.46E-04	1.42E-05	2.47E-02	1.57E-01	5.50E-08	1.0E+06	5.5E-02
1559	2.50973	1.70E-02	4.3E-02	3.46E-04	1.47E-05	2.47E-02	1.57E-01	5.71E-08	1.0E+06	5.7E-02
1560	2.60239	1.70E-02	4.4E-02	3.46E-04	1.53E-05	2.47E-02	1.57E-01	5.92E-08	1.0E+06	5.9E-02
1561	2.69114	1.70E-02	4.6E-02	3.46E-04	1.58E-05	2.47E-02	1.57E-01	6.13E-08	1.0E+06	6.1E-02
1562	0.91971	1.70E-02	1.6E-02	3.46E-04	5.40E-06	2.47E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
1563	0.952	1.70E-02	1.6E-02	3.46E-04	5.59E-06	2.47E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1564	0.98558	1.70E-02	1.7E-02	3.46E-04	5.79E-06	2.47E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1565	1.02141	1.70E-02	1.7E-02	3.46E-04	6.00E-06	2.47E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
1566	1.05997	1.70E-02	1.8E-02	3.46E-04	6.23E-06	2.47E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1567	1.10025	1.70E-02	1.9E-02	3.46E-04	6.46E-06	2.47E-02	1.57E-01	2.50E-08	1.0E+06	2.5E-02
1568	1.14403	1.70E-02	1.9E-02	3.46E-04	6.72E-06	2.47E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
1569	1.19044	1.70E-02	2.0E-02	3.46E-04	6.99E-06	2.47E-02	1.57E-01	2.71E-08	1.0E+06	2.7E-02
1570	1.23858	1.70E-02	2.1E-02	3.46E-04	7.28E-06	2.47E-02	1.57E-01	2.82E-08	1.0E+06	2.8E-02
1571	1.28646	1.70E-02	2.2E-02	3.46E-04	7.56E-06	2.47E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
1572	1.33769	1.70E-02	2.3E-02	3.46E-04	7.86E-06	2.47E-02	1.57E-01	3.04E-08	1.0E+06	3.0E-02
1573	1.39468	1.70E-02	2.4E-02	3.46E-04	8.19E-06	2.47E-02	1.57E-01	3.17E-08	1.0E+06	3.2E-02
1574	1.45778	1.70E-02	2.5E-02	3.46E-04	8.56E-06	2.47E-02	1.57E-01	3.32E-08	1.0E+06	3.3E-02
1575	1.54434	1.70E-02	2.6E-02	3.46E-04	9.07E-06	2.47E-02	1.57E-01	3.52E-08	1.0E+06	3.5E-02
1576	1.63349	1.70E-02	2.8E-02	3.46E-04	9.60E-06	2.47E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
1577	1.72571	1.70E-02	2.9E-02	3.46E-04	1.01E-05	2.47E-02	1.57E-01	3.93E-08	1.0E+06	3.9E-02
1578	1.80944	1.70E-02	3.1E-02	3.46E-04	1.06E-05	2.47E-02	1.57E-01	4.12E-08	1.0E+06	4.1E-02
1579	1.91632	1.70E-02	3.3E-02	3.46E-04	1.13E-05	2.47E-02	1.57E-01	4.36E-08	1.0E+06	4.4E-02
1580	2.00996	1.70E-02	3.4E-02	3.46E-04	1.18E-05	2.47E-02	1.57E-01	4.57E-08	1.0E+06	4.6E-02
1581	2.10875	1.70E-02	3.6E-02	3.46E-04	1.24E-05	2.47E-02	1.57E-01	4.80E-08	1.0E+06	4.8E-02
1582	2.21124	1.70E-02	3.8E-02	3.46E-04	1.30E-05	2.47E-02	1.57E-01	5.03E-08	1.0E+06	5.0E-02
1583	2.31586	1.70E-02	3.9E-02	3.46E-04	1.36E-05	2.47E-02	1.57E-01	5.27E-08	1.0E+06	5.3E-02
1584	2.42156	1.70E-02	4.1E-02	3.46E-04	1.42E-05	2.47E-02	1.57E-01	5.51E-08	1.0E+06	5.5E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.52885	1.70E-02	4.3E-02	3.46E-04	1.49E-05	2.47E-02	1.57E-01	5.76E-08	1.0E+06	5.8E-02
1586	2.63947	1.70E-02	4.5E-02	3.46E-04	1.55E-05	2.47E-02	1.57E-01	6.01E-08	1.0E+06	6.0E-02
1587	2.75064	1.70E-02	4.7E-02	3.46E-04	1.62E-05	2.47E-02	1.57E-01	6.26E-08	1.0E+06	6.3E-02
1588	2.86047	1.70E-02	4.9E-02	3.46E-04	1.68E-05	2.47E-02	1.57E-01	6.51E-08	1.0E+06	6.5E-02
1589	2.96568	1.70E-02	5.0E-02	3.46E-04	1.74E-05	2.47E-02	1.57E-01	6.75E-08	1.0E+06	6.8E-02
1590	0.95399	1.70E-02	1.6E-02	3.46E-04	5.60E-06	2.47E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1591	0.98829	1.70E-02	1.7E-02	3.46E-04	5.81E-06	2.47E-02	1.57E-01	2.25E-08	1.0E+06	2.2E-02
1592	1.02397	1.70E-02	1.7E-02	3.46E-04	6.02E-06	2.47E-02	1.57E-01	2.33E-08	1.0E+06	2.3E-02
1593	1.06306	1.70E-02	1.8E-02	3.46E-04	6.24E-06	2.47E-02	1.57E-01	2.42E-08	1.0E+06	2.4E-02
1594	1.10602	1.70E-02	1.9E-02	3.46E-04	6.50E-06	2.47E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
1595	1.15103	1.70E-02	2.0E-02	3.46E-04	6.76E-06	2.47E-02	1.57E-01	2.62E-08	1.0E+06	2.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	0.42858	4.83528E-06	2.1E-06	3.46E-04	7.17E-10	2.47E-02	1.57E-01	2.78E-12	1.0E+06	2.8E-06
1214	1214	0.39154	4.83528E-06	1.9E-06	3.46E-04	6.55E-10	2.47E-02	1.57E-01	2.54E-12	1.0E+06	2.5E-06
1215	1215	0.39653	4.83528E-06	1.9E-06	3.46E-04	6.64E-10	2.47E-02	1.57E-01	2.57E-12	1.0E+06	2.6E-06
1216	1216	0.40148	4.83528E-06	1.9E-06	3.46E-04	6.72E-10	2.47E-02	1.57E-01	2.60E-12	1.0E+06	2.6E-06
1217	1217	0.40637	4.83528E-06	2.0E-06	3.46E-04	6.80E-10	2.47E-02	1.57E-01	2.64E-12	1.0E+06	2.6E-06
1218	1218	0.41123	4.83528E-06	2.0E-06	3.46E-04	6.88E-10	2.47E-02	1.57E-01	2.67E-12	1.0E+06	2.7E-06
1219	1219	0.41598	4.83528E-06	2.0E-06	3.46E-04	6.96E-10	2.47E-02	1.57E-01	2.70E-12	1.0E+06	2.7E-06
1220	1220	0.42061	4.83528E-06	2.0E-06	3.46E-04	7.04E-10	2.47E-02	1.57E-01	2.73E-12	1.0E+06	2.7E-06
1221	1221	0.42509	4.83528E-06	2.1E-06	3.46E-04	7.12E-10	2.47E-02	1.57E-01	2.76E-12	1.0E+06	2.8E-06
1222	1222	0.42942	4.83528E-06	2.1E-06	3.46E-04	7.19E-10	2.47E-02	1.57E-01	2.79E-12	1.0E+06	2.8E-06
1223	1223	0.43345	4.83528E-06	2.1E-06	3.46E-04	7.26E-10	2.47E-02	1.57E-01	2.81E-12	1.0E+06	2.8E-06
1224	1224	0.4373	4.83528E-06	2.1E-06	3.46E-04	7.32E-10	2.47E-02	1.57E-01	2.84E-12	1.0E+06	2.8E-06
1225	1225	0.44093	4.83528E-06	2.1E-06	3.46E-04	7.38E-10	2.47E-02	1.57E-01	2.86E-12	1.0E+06	2.9E-06
1226	1226	0.4443	4.83528E-06	2.1E-06	3.46E-04	7.44E-10	2.47E-02	1.57E-01	2.88E-12	1.0E+06	2.9E-06
1227	1227	0.44735	4.83528E-06	2.2E-06	3.46E-04	7.49E-10	2.47E-02	1.57E-01	2.90E-12	1.0E+06	2.9E-06
1228	1228	0.40482	4.83528E-06	2.0E-06	3.46E-04	6.78E-10	2.47E-02	1.57E-01	2.63E-12	1.0E+06	2.6E-06
1229	1229	0.41012	4.83528E-06	2.0E-06	3.46E-04	6.86E-10	2.47E-02	1.57E-01	2.66E-12	1.0E+06	2.7E-06
1230	1230	0.41538	4.83528E-06	2.0E-06	3.46E-04	6.95E-10	2.47E-02	1.57E-01	2.69E-12	1.0E+06	2.7E-06
1231	1231	0.42059	4.83528E-06	2.0E-06	3.46E-04	7.04E-10	2.47E-02	1.57E-01	2.73E-12	1.0E+06	2.7E-06
1232	1232	0.42586	4.83528E-06	2.1E-06	3.46E-04	7.13E-10	2.47E-02	1.57E-01	2.76E-12	1.0E+06	2.8E-06
1233	1233	0.43102	4.83528E-06	2.1E-06	3.46E-04	7.21E-10	2.47E-02	1.57E-01	2.80E-12	1.0E+06	2.8E-06
1234	1234	0.43601	4.83528E-06	2.1E-06	3.46E-04	7.30E-10	2.47E-02	1.57E-01	2.83E-12	1.0E+06	2.8E-06
1235	1235	0.44083	4.83528E-06	2.1E-06	3.46E-04	7.38E-10	2.47E-02	1.57E-01	2.86E-12	1.0E+06	2.9E-06
1236	1236	0.44549	4.83528E-06	2.2E-06	3.46E-04	7.46E-10	2.47E-02	1.57E-01	2.89E-12	1.0E+06	2.9E-06
1237	1237	0.44979	4.83528E-06	2.2E-06	3.46E-04	7.53E-10	2.47E-02	1.57E-01	2.92E-12	1.0E+06	2.9E-06
1238	1238	0.45384	4.83528E-06	2.2E-06	3.46E-04	7.60E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06
1239	1239	0.45768	4.83528E-06	2.2E-06	3.46E-04	7.66E-10	2.47E-02	1.57E-01	2.97E-12	1.0E+06	3.0E-06
1240	1240	0.46125	4.83528E-06	2.2E-06	3.46E-04	7.72E-10	2.47E-02	1.57E-01	2.99E-12	1.0E+06	3.0E-06
1241	1241	0.46457	4.83528E-06	2.2E-06	3.46E-04	7.78E-10	2.47E-02	1.57E-01	3.01E-12	1.0E+06	3.0E-06
1242	1242	0.4173	4.83528E-06	2.0E-06	3.46E-04	6.98E-10	2.47E-02	1.57E-01	2.71E-12	1.0E+06	2.7E-06
1243	1243	0.42447	4.83528E-06	2.1E-06	3.46E-04	7.10E-10	2.47E-02	1.57E-01	2.75E-12	1.0E+06	2.8E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	0.4301	4.83528E-06	2.1E-06	3.46E-04	7.20E-10	2.47E-02	1.57E-01	2.79E-12	1.0E+06	2.8E-06
1245	1245	0.43565	4.83528E-06	2.1E-06	3.46E-04	7.29E-10	2.47E-02	1.57E-01	2.83E-12	1.0E+06	2.8E-06
1246	1246	0.44136	4.83528E-06	2.1E-06	3.46E-04	7.39E-10	2.47E-02	1.57E-01	2.86E-12	1.0E+06	2.9E-06
1247	1247	0.44697	4.83528E-06	2.2E-06	3.46E-04	7.48E-10	2.47E-02	1.57E-01	2.90E-12	1.0E+06	2.9E-06
1248	1248	0.45238	4.83528E-06	2.2E-06	3.46E-04	7.57E-10	2.47E-02	1.57E-01	2.93E-12	1.0E+06	2.9E-06
1249	1249	0.45758	4.83528E-06	2.2E-06	3.46E-04	7.66E-10	2.47E-02	1.57E-01	2.97E-12	1.0E+06	3.0E-06
1250	1250	0.46261	4.83528E-06	2.2E-06	3.46E-04	7.74E-10	2.47E-02	1.57E-01	3.00E-12	1.0E+06	3.0E-06
1251	1251	0.46716	4.83528E-06	2.3E-06	3.46E-04	7.82E-10	2.47E-02	1.57E-01	3.03E-12	1.0E+06	3.0E-06
1252	1252	0.47146	4.83528E-06	2.3E-06	3.46E-04	7.89E-10	2.47E-02	1.57E-01	3.06E-12	1.0E+06	3.1E-06
1253	1253	0.47551	4.83528E-06	2.3E-06	3.46E-04	7.96E-10	2.47E-02	1.57E-01	3.08E-12	1.0E+06	3.1E-06
1254	1254	0.47926	4.83528E-06	2.3E-06	3.46E-04	8.02E-10	2.47E-02	1.57E-01	3.11E-12	1.0E+06	3.1E-06
1255	1255	0.48273	4.83528E-06	2.3E-06	3.46E-04	8.08E-10	2.47E-02	1.57E-01	3.13E-12	1.0E+06	3.1E-06
1256	1256	0.43206	4.83528E-06	2.1E-06	3.46E-04	7.23E-10	2.47E-02	1.57E-01	2.80E-12	1.0E+06	2.8E-06
1257	1257	0.43967	4.83528E-06	2.1E-06	3.46E-04	7.36E-10	2.47E-02	1.57E-01	2.85E-12	1.0E+06	2.9E-06
1258	1258	0.44564	4.83528E-06	2.2E-06	3.46E-04	7.46E-10	2.47E-02	1.57E-01	2.89E-12	1.0E+06	2.9E-06
1259	1259	0.45157	4.83528E-06	2.2E-06	3.46E-04	7.56E-10	2.47E-02	1.57E-01	2.93E-12	1.0E+06	2.9E-06
1260	1260	0.45776	4.83528E-06	2.2E-06	3.46E-04	7.66E-10	2.47E-02	1.57E-01	2.97E-12	1.0E+06	3.0E-06
1261	1261	0.46384	4.83528E-06	2.2E-06	3.46E-04	7.76E-10	2.47E-02	1.57E-01	3.01E-12	1.0E+06	3.0E-06
1262	1262	0.46971	4.83528E-06	2.3E-06	3.46E-04	7.86E-10	2.47E-02	1.57E-01	3.05E-12	1.0E+06	3.0E-06
1263	1263	0.47536	4.83528E-06	2.3E-06	3.46E-04	7.96E-10	2.47E-02	1.57E-01	3.08E-12	1.0E+06	3.1E-06
1264	1264	0.48082	4.83528E-06	2.3E-06	3.46E-04	8.05E-10	2.47E-02	1.57E-01	3.12E-12	1.0E+06	3.1E-06
1265	1265	0.48572	4.83528E-06	2.3E-06	3.46E-04	8.13E-10	2.47E-02	1.57E-01	3.15E-12	1.0E+06	3.2E-06
1266	1266	0.49033	4.83528E-06	2.4E-06	3.46E-04	8.21E-10	2.47E-02	1.57E-01	3.18E-12	1.0E+06	3.2E-06
1267	1267	0.49468	4.83528E-06	2.4E-06	3.46E-04	8.28E-10	2.47E-02	1.57E-01	3.21E-12	1.0E+06	3.2E-06
1268	1268	0.49872	4.83528E-06	2.4E-06	3.46E-04	8.35E-10	2.47E-02	1.57E-01	3.23E-12	1.0E+06	3.2E-06
1269	1269	0.50245	4.83528E-06	2.4E-06	3.46E-04	8.41E-10	2.47E-02	1.57E-01	3.26E-12	1.0E+06	3.3E-06
1270	1270	0.44775	4.83528E-06	2.2E-06	3.46E-04	7.49E-10	2.47E-02	1.57E-01	2.90E-12	1.0E+06	2.9E-06
1271	1271	0.45423	4.83528E-06	2.2E-06	3.46E-04	7.60E-10	2.47E-02	1.57E-01	2.95E-12	1.0E+06	2.9E-06
1272	1272	0.46209	4.83528E-06	2.2E-06	3.46E-04	7.73E-10	2.47E-02	1.57E-01	3.00E-12	1.0E+06	3.0E-06
1273	1273	0.46836	4.83528E-06	2.3E-06	3.46E-04	7.84E-10	2.47E-02	1.57E-01	3.04E-12	1.0E+06	3.0E-06
1274	1274	0.475	4.83528E-06	2.3E-06	3.46E-04	7.95E-10	2.47E-02	1.57E-01	3.08E-12	1.0E+06	3.1E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	0.48154	4.83528E-06	2.3E-06	3.46E-04	8.06E-10	2.47E-02	1.57E-01	3.12E-12	1.0E+06	3.1E-06
1276	1276	0.48794	4.83528E-06	2.4E-06	3.46E-04	8.17E-10	2.47E-02	1.57E-01	3.16E-12	1.0E+06	3.2E-06
1277	1277	0.49418	4.83528E-06	2.4E-06	3.46E-04	8.27E-10	2.47E-02	1.57E-01	3.21E-12	1.0E+06	3.2E-06
1278	1278	0.50024	4.83528E-06	2.4E-06	3.46E-04	8.37E-10	2.47E-02	1.57E-01	3.24E-12	1.0E+06	3.2E-06
1279	1279	0.50562	4.83528E-06	2.4E-06	3.46E-04	8.46E-10	2.47E-02	1.57E-01	3.28E-12	1.0E+06	3.3E-06
1280	1280	0.51069	4.83528E-06	2.5E-06	3.46E-04	8.55E-10	2.47E-02	1.57E-01	3.31E-12	1.0E+06	3.3E-06
1281	1281	0.51548	4.83528E-06	2.5E-06	3.46E-04	8.63E-10	2.47E-02	1.57E-01	3.34E-12	1.0E+06	3.3E-06
1282	1282	0.52	4.83528E-06	2.5E-06	3.46E-04	8.70E-10	2.47E-02	1.57E-01	3.37E-12	1.0E+06	3.4E-06
1283	1283	0.52416	4.83528E-06	2.5E-06	3.46E-04	8.77E-10	2.47E-02	1.57E-01	3.40E-12	1.0E+06	3.4E-06
1284	1284	0.46437	4.83528E-06	2.2E-06	3.46E-04	7.77E-10	2.47E-02	1.57E-01	3.01E-12	1.0E+06	3.0E-06
1285	1285	0.47127	4.83528E-06	2.3E-06	3.46E-04	7.89E-10	2.47E-02	1.57E-01	3.06E-12	1.0E+06	3.1E-06
1286	1286	0.478	4.83528E-06	2.3E-06	3.46E-04	8.00E-10	2.47E-02	1.57E-01	3.10E-12	1.0E+06	3.1E-06
1287	1287	0.48464	4.83528E-06	2.3E-06	3.46E-04	8.11E-10	2.47E-02	1.57E-01	3.14E-12	1.0E+06	3.1E-06
1288	1288	0.49333	4.83528E-06	2.4E-06	3.46E-04	8.26E-10	2.47E-02	1.57E-01	3.20E-12	1.0E+06	3.2E-06
1289	1289	0.50037	4.83528E-06	2.4E-06	3.46E-04	8.38E-10	2.47E-02	1.57E-01	3.25E-12	1.0E+06	3.2E-06
1290	1290	0.50736	4.83528E-06	2.5E-06	3.46E-04	8.49E-10	2.47E-02	1.57E-01	3.29E-12	1.0E+06	3.3E-06
1291	1291	0.51426	4.83528E-06	2.5E-06	3.46E-04	8.61E-10	2.47E-02	1.57E-01	3.34E-12	1.0E+06	3.3E-06
1292	1292	0.52097	4.83528E-06	2.5E-06	3.46E-04	8.72E-10	2.47E-02	1.57E-01	3.38E-12	1.0E+06	3.4E-06
1293	1293	0.52691	4.83528E-06	2.5E-06	3.46E-04	8.82E-10	2.47E-02	1.57E-01	3.42E-12	1.0E+06	3.4E-06
1294	1294	0.5325	4.83528E-06	2.6E-06	3.46E-04	8.91E-10	2.47E-02	1.57E-01	3.45E-12	1.0E+06	3.5E-06
1295	1295	0.53781	4.83528E-06	2.6E-06	3.46E-04	9.00E-10	2.47E-02	1.57E-01	3.49E-12	1.0E+06	3.5E-06
1296	1296	0.54285	4.83528E-06	2.6E-06	3.46E-04	9.09E-10	2.47E-02	1.57E-01	3.52E-12	1.0E+06	3.5E-06
1297	1297	0.5475	4.83528E-06	2.6E-06	3.46E-04	9.16E-10	2.47E-02	1.57E-01	3.55E-12	1.0E+06	3.6E-06
1298	1298	0.48202	4.83528E-06	2.3E-06	3.46E-04	8.07E-10	2.47E-02	1.57E-01	3.13E-12	1.0E+06	3.1E-06
1299	1299	0.48941	4.83528E-06	2.4E-06	3.46E-04	8.19E-10	2.47E-02	1.57E-01	3.17E-12	1.0E+06	3.2E-06
1300	1300	0.49656	4.83528E-06	2.4E-06	3.46E-04	8.31E-10	2.47E-02	1.57E-01	3.22E-12	1.0E+06	3.2E-06
1301	1301	0.50366	4.83528E-06	2.4E-06	3.46E-04	8.43E-10	2.47E-02	1.57E-01	3.27E-12	1.0E+06	3.3E-06
1302	1302	0.51298	4.83528E-06	2.5E-06	3.46E-04	8.59E-10	2.47E-02	1.57E-01	3.33E-12	1.0E+06	3.3E-06
1303	1303	0.52059	4.83528E-06	2.5E-06	3.46E-04	8.71E-10	2.47E-02	1.57E-01	3.38E-12	1.0E+06	3.4E-06
1304	1304	0.52821	4.83528E-06	2.6E-06	3.46E-04	8.84E-10	2.47E-02	1.57E-01	3.43E-12	1.0E+06	3.4E-06
1305	1305	0.5358	4.83528E-06	2.6E-06	3.46E-04	8.97E-10	2.47E-02	1.57E-01	3.47E-12	1.0E+06	3.5E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	0.50088	4.83528E-06	2.4E-06	3.46E-04	8.38E-10	2.47E-02	1.57E-01	3.25E-12	1.0E+06	3.2E-06
1307	1307	0.5107	4.83528E-06	2.5E-06	3.46E-04	8.55E-10	2.47E-02	1.57E-01	3.31E-12	1.0E+06	3.3E-06
1308	1308	0.5186	4.83528E-06	2.5E-06	3.46E-04	8.68E-10	2.47E-02	1.57E-01	3.36E-12	1.0E+06	3.4E-06
1309	1309	0.52647	4.83528E-06	2.5E-06	3.46E-04	8.81E-10	2.47E-02	1.57E-01	3.41E-12	1.0E+06	3.4E-06
1310	1310	0.53481	4.83528E-06	2.6E-06	3.46E-04	8.95E-10	2.47E-02	1.57E-01	3.47E-12	1.0E+06	3.5E-06
1311	1311	0.54306	4.83528E-06	2.6E-06	3.46E-04	9.09E-10	2.47E-02	1.57E-01	3.52E-12	1.0E+06	3.5E-06
1312	1312	0.5512	4.83528E-06	2.7E-06	3.46E-04	9.23E-10	2.47E-02	1.57E-01	3.57E-12	1.0E+06	3.6E-06
1313	1313	0.55925	4.83528E-06	2.7E-06	3.46E-04	9.36E-10	2.47E-02	1.57E-01	3.63E-12	1.0E+06	3.6E-06
1314	1314	0.52094	4.83528E-06	2.5E-06	3.46E-04	8.72E-10	2.47E-02	1.57E-01	3.38E-12	1.0E+06	3.4E-06
1315	1315	0.5316	4.83528E-06	2.6E-06	3.46E-04	8.90E-10	2.47E-02	1.57E-01	3.45E-12	1.0E+06	3.4E-06
1316	1316	0.54042	4.83528E-06	2.6E-06	3.46E-04	9.05E-10	2.47E-02	1.57E-01	3.50E-12	1.0E+06	3.5E-06
1317	1317	0.54917	4.83528E-06	2.7E-06	3.46E-04	9.19E-10	2.47E-02	1.57E-01	3.56E-12	1.0E+06	3.6E-06
1318	1318	0.55823	4.83528E-06	2.7E-06	3.46E-04	9.34E-10	2.47E-02	1.57E-01	3.62E-12	1.0E+06	3.6E-06
1319	1319	0.56714	4.83528E-06	2.7E-06	3.46E-04	9.49E-10	2.47E-02	1.57E-01	3.68E-12	1.0E+06	3.7E-06
1320	1320	0.5759	4.83528E-06	2.8E-06	3.46E-04	9.64E-10	2.47E-02	1.57E-01	3.74E-12	1.0E+06	3.7E-06
1321	1321	0.58444	4.83528E-06	2.8E-06	3.46E-04	9.78E-10	2.47E-02	1.57E-01	3.79E-12	1.0E+06	3.8E-06
1322	1322	0.54407	4.83528E-06	2.6E-06	3.46E-04	9.11E-10	2.47E-02	1.57E-01	3.53E-12	1.0E+06	3.5E-06
1323	1323	0.55392	4.83528E-06	2.7E-06	3.46E-04	9.27E-10	2.47E-02	1.57E-01	3.59E-12	1.0E+06	3.6E-06
1324	1324	0.56369	4.83528E-06	2.7E-06	3.46E-04	9.44E-10	2.47E-02	1.57E-01	3.66E-12	1.0E+06	3.7E-06
1325	1325	0.57344	4.83528E-06	2.8E-06	3.46E-04	9.60E-10	2.47E-02	1.57E-01	3.72E-12	1.0E+06	3.7E-06
1326	1326	0.58327	4.83528E-06	2.8E-06	3.46E-04	9.76E-10	2.47E-02	1.57E-01	3.78E-12	1.0E+06	3.8E-06
1327	1327	0.59301	4.83528E-06	2.9E-06	3.46E-04	9.93E-10	2.47E-02	1.57E-01	3.85E-12	1.0E+06	3.8E-06
1328	1328	0.60246	4.83528E-06	2.9E-06	3.46E-04	1.01E-09	2.47E-02	1.57E-01	3.91E-12	1.0E+06	3.9E-06
1329	1329	0.61154	4.83528E-06	3.0E-06	3.46E-04	1.02E-09	2.47E-02	1.57E-01	3.97E-12	1.0E+06	4.0E-06
1330	1330	0.56482	4.83528E-06	2.7E-06	3.46E-04	9.45E-10	2.47E-02	1.57E-01	3.66E-12	1.0E+06	3.7E-06
1331	1331	0.57737	4.83528E-06	2.8E-06	3.46E-04	9.66E-10	2.47E-02	1.57E-01	3.74E-12	1.0E+06	3.7E-06
1332	1332	0.58798	4.83528E-06	2.8E-06	3.46E-04	9.84E-10	2.47E-02	1.57E-01	3.81E-12	1.0E+06	3.8E-06
1333	1333	0.59854	4.83528E-06	2.9E-06	3.46E-04	1.00E-09	2.47E-02	1.57E-01	3.88E-12	1.0E+06	3.9E-06
1334	1334	0.60934	4.83528E-06	2.9E-06	3.46E-04	1.02E-09	2.47E-02	1.57E-01	3.95E-12	1.0E+06	4.0E-06
1335	1335	0.62005	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.02E-12	1.0E+06	4.0E-06
1336	1336	0.63049	4.83528E-06	3.0E-06	3.46E-04	1.06E-09	2.47E-02	1.57E-01	4.09E-12	1.0E+06	4.1E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	0.6406	4.83528E-06	3.1E-06	3.46E-04	1.07E-09	2.47E-02	1.57E-01	4.15E-12	1.0E+06	4.2E-06
1338	1338	0.35052	4.83528E-06	1.7E-06	3.46E-04	5.87E-10	2.47E-02	1.57E-01	2.27E-12	1.0E+06	2.3E-06
1339	1339	0.35636	4.83528E-06	1.7E-06	3.46E-04	5.96E-10	2.47E-02	1.57E-01	2.31E-12	1.0E+06	2.3E-06
1340	1340	0.36243	4.83528E-06	1.8E-06	3.46E-04	6.07E-10	2.47E-02	1.57E-01	2.35E-12	1.0E+06	2.4E-06
1341	1341	0.36925	4.83528E-06	1.8E-06	3.46E-04	6.18E-10	2.47E-02	1.57E-01	2.39E-12	1.0E+06	2.4E-06
1342	1342	0.37678	4.83528E-06	1.8E-06	3.46E-04	6.31E-10	2.47E-02	1.57E-01	2.44E-12	1.0E+06	2.4E-06
1343	1343	0.38467	4.83528E-06	1.9E-06	3.46E-04	6.44E-10	2.47E-02	1.57E-01	2.49E-12	1.0E+06	2.5E-06
1344	1344	0.39346	4.83528E-06	1.9E-06	3.46E-04	6.59E-10	2.47E-02	1.57E-01	2.55E-12	1.0E+06	2.6E-06
1345	1345	0.40278	4.83528E-06	1.9E-06	3.46E-04	6.74E-10	2.47E-02	1.57E-01	2.61E-12	1.0E+06	2.6E-06
1346	1346	0.41169	4.83528E-06	2.0E-06	3.46E-04	6.89E-10	2.47E-02	1.57E-01	2.67E-12	1.0E+06	2.7E-06
1347	1347	0.41965	4.83528E-06	2.0E-06	3.46E-04	7.02E-10	2.47E-02	1.57E-01	2.72E-12	1.0E+06	2.7E-06
1348	1348	0.4279	4.83528E-06	2.1E-06	3.46E-04	7.16E-10	2.47E-02	1.57E-01	2.78E-12	1.0E+06	2.8E-06
1349	1349	0.4382	4.83528E-06	2.1E-06	3.46E-04	7.33E-10	2.47E-02	1.57E-01	2.84E-12	1.0E+06	2.8E-06
1350	1350	0.44949	4.83528E-06	2.2E-06	3.46E-04	7.52E-10	2.47E-02	1.57E-01	2.92E-12	1.0E+06	2.9E-06
1351	1351	0.46144	4.83528E-06	2.2E-06	3.46E-04	7.72E-10	2.47E-02	1.57E-01	2.99E-12	1.0E+06	3.0E-06
1352	1352	0.47352	4.83528E-06	2.3E-06	3.46E-04	7.93E-10	2.47E-02	1.57E-01	3.07E-12	1.0E+06	3.1E-06
1353	1353	0.48605	4.83528E-06	2.4E-06	3.46E-04	8.14E-10	2.47E-02	1.57E-01	3.15E-12	1.0E+06	3.2E-06
1354	1354	0.51371	4.83528E-06	2.5E-06	3.46E-04	8.60E-10	2.47E-02	1.57E-01	3.33E-12	1.0E+06	3.3E-06
1355	1355	0.53476	4.83528E-06	2.6E-06	3.46E-04	8.95E-10	2.47E-02	1.57E-01	3.47E-12	1.0E+06	3.5E-06
1356	1356	0.55738	4.83528E-06	2.7E-06	3.46E-04	9.33E-10	2.47E-02	1.57E-01	3.61E-12	1.0E+06	3.6E-06
1357	1357	0.5723	4.83528E-06	2.8E-06	3.46E-04	9.58E-10	2.47E-02	1.57E-01	3.71E-12	1.0E+06	3.7E-06
1358	1358	0.58885	4.83528E-06	2.8E-06	3.46E-04	9.86E-10	2.47E-02	1.57E-01	3.82E-12	1.0E+06	3.8E-06
1359	1359	0.60245	4.83528E-06	2.9E-06	3.46E-04	1.01E-09	2.47E-02	1.57E-01	3.91E-12	1.0E+06	3.9E-06
1360	1360	0.61397	4.83528E-06	3.0E-06	3.46E-04	1.03E-09	2.47E-02	1.57E-01	3.98E-12	1.0E+06	4.0E-06
1361	1361	0.62548	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.06E-12	1.0E+06	4.1E-06
1362	1362	0.63734	4.83528E-06	3.1E-06	3.46E-04	1.07E-09	2.47E-02	1.57E-01	4.13E-12	1.0E+06	4.1E-06
1363	1363	0.64914	4.83528E-06	3.1E-06	3.46E-04	1.09E-09	2.47E-02	1.57E-01	4.21E-12	1.0E+06	4.2E-06
1364	1364	0.66073	4.83528E-06	3.2E-06	3.46E-04	1.11E-09	2.47E-02	1.57E-01	4.29E-12	1.0E+06	4.3E-06
1365	1365	0.67199	4.83528E-06	3.2E-06	3.46E-04	1.12E-09	2.47E-02	1.57E-01	4.36E-12	1.0E+06	4.4E-06
1366	1366	0.36178	4.83528E-06	1.7E-06	3.46E-04	6.06E-10	2.47E-02	1.57E-01	2.35E-12	1.0E+06	2.3E-06
1367	1367	0.36774	4.83528E-06	1.8E-06	3.46E-04	6.16E-10	2.47E-02	1.57E-01	2.39E-12	1.0E+06	2.4E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	0.37383	4.83528E-06	1.8E-06	3.46E-04	6.26E-10	2.47E-02	1.57E-01	2.42E-12	1.0E+06	2.4E-06
1369	1369	0.38095	4.83528E-06	1.8E-06	3.46E-04	6.38E-10	2.47E-02	1.57E-01	2.47E-12	1.0E+06	2.5E-06
1370	1370	0.38901	4.83528E-06	1.9E-06	3.46E-04	6.51E-10	2.47E-02	1.57E-01	2.52E-12	1.0E+06	2.5E-06
1371	1371	0.39733	4.83528E-06	1.9E-06	3.46E-04	6.65E-10	2.47E-02	1.57E-01	2.58E-12	1.0E+06	2.6E-06
1372	1372	0.40681	4.83528E-06	2.0E-06	3.46E-04	6.81E-10	2.47E-02	1.57E-01	2.64E-12	1.0E+06	2.6E-06
1373	1373	0.41691	4.83528E-06	2.0E-06	3.46E-04	6.98E-10	2.47E-02	1.57E-01	2.70E-12	1.0E+06	2.7E-06
1374	1374	0.4263	4.83528E-06	2.1E-06	3.46E-04	7.14E-10	2.47E-02	1.57E-01	2.76E-12	1.0E+06	2.8E-06
1375	1375	0.43414	4.83528E-06	2.1E-06	3.46E-04	7.27E-10	2.47E-02	1.57E-01	2.82E-12	1.0E+06	2.8E-06
1376	1376	0.44223	4.83528E-06	2.1E-06	3.46E-04	7.40E-10	2.47E-02	1.57E-01	2.87E-12	1.0E+06	2.9E-06
1377	1377	0.45324	4.83528E-06	2.2E-06	3.46E-04	7.59E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06
1378	1378	0.46546	4.83528E-06	2.3E-06	3.46E-04	7.79E-10	2.47E-02	1.57E-01	3.02E-12	1.0E+06	3.0E-06
1379	1379	0.47844	4.83528E-06	2.3E-06	3.46E-04	8.01E-10	2.47E-02	1.57E-01	3.10E-12	1.0E+06	3.1E-06
1380	1380	0.49142	4.83528E-06	2.4E-06	3.46E-04	8.23E-10	2.47E-02	1.57E-01	3.19E-12	1.0E+06	3.2E-06
1381	1381	0.50504	4.83528E-06	2.4E-06	3.46E-04	8.45E-10	2.47E-02	1.57E-01	3.28E-12	1.0E+06	3.3E-06
1382	1382	0.52882	4.83528E-06	2.6E-06	3.46E-04	8.85E-10	2.47E-02	1.57E-01	3.43E-12	1.0E+06	3.4E-06
1383	1383	0.55202	4.83528E-06	2.7E-06	3.46E-04	9.24E-10	2.47E-02	1.57E-01	3.58E-12	1.0E+06	3.6E-06
1384	1384	0.57377	4.83528E-06	2.8E-06	3.46E-04	9.60E-10	2.47E-02	1.57E-01	3.72E-12	1.0E+06	3.7E-06
1385	1385	0.59659	4.83528E-06	2.9E-06	3.46E-04	9.99E-10	2.47E-02	1.57E-01	3.87E-12	1.0E+06	3.9E-06
1386	1386	0.61452	4.83528E-06	3.0E-06	3.46E-04	1.03E-09	2.47E-02	1.57E-01	3.99E-12	1.0E+06	4.0E-06
1387	1387	0.62929	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.08E-12	1.0E+06	4.1E-06
1388	1388	0.64184	4.83528E-06	3.1E-06	3.46E-04	1.07E-09	2.47E-02	1.57E-01	4.16E-12	1.0E+06	4.2E-06
1389	1389	0.65443	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.24E-12	1.0E+06	4.2E-06
1390	1390	0.66751	4.83528E-06	3.2E-06	3.46E-04	1.12E-09	2.47E-02	1.57E-01	4.33E-12	1.0E+06	4.3E-06
1391	1391	0.68056	4.83528E-06	3.3E-06	3.46E-04	1.14E-09	2.47E-02	1.57E-01	4.41E-12	1.0E+06	4.4E-06
1392	1392	0.69344	4.83528E-06	3.4E-06	3.46E-04	1.16E-09	2.47E-02	1.57E-01	4.50E-12	1.0E+06	4.5E-06
1393	1393	0.70605	4.83528E-06	3.4E-06	3.46E-04	1.18E-09	2.47E-02	1.57E-01	4.58E-12	1.0E+06	4.6E-06
1394	1394	0.3727	4.83528E-06	1.8E-06	3.46E-04	6.24E-10	2.47E-02	1.57E-01	2.42E-12	1.0E+06	2.4E-06
1395	1395	0.37898	4.83528E-06	1.8E-06	3.46E-04	6.34E-10	2.47E-02	1.57E-01	2.46E-12	1.0E+06	2.5E-06
1396	1396	0.38545	4.83528E-06	1.9E-06	3.46E-04	6.45E-10	2.47E-02	1.57E-01	2.50E-12	1.0E+06	2.5E-06
1397	1397	0.39285	4.83528E-06	1.9E-06	3.46E-04	6.58E-10	2.47E-02	1.57E-01	2.55E-12	1.0E+06	2.5E-06
1398	1398	0.40117	4.83528E-06	1.9E-06	3.46E-04	6.71E-10	2.47E-02	1.57E-01	2.60E-12	1.0E+06	2.6E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	0.40977	4.83528E-06	2.0E-06	3.46E-04	6.86E-10	2.47E-02	1.57E-01	2.66E-12	1.0E+06	2.7E-06
1400	1400	0.42026	4.83528E-06	2.0E-06	3.46E-04	7.03E-10	2.47E-02	1.57E-01	2.73E-12	1.0E+06	2.7E-06
1401	1401	0.43135	4.83528E-06	2.1E-06	3.46E-04	7.22E-10	2.47E-02	1.57E-01	2.80E-12	1.0E+06	2.8E-06
1402	1402	0.44179	4.83528E-06	2.1E-06	3.46E-04	7.39E-10	2.47E-02	1.57E-01	2.87E-12	1.0E+06	2.9E-06
1403	1403	0.45034	4.83528E-06	2.2E-06	3.46E-04	7.54E-10	2.47E-02	1.57E-01	2.92E-12	1.0E+06	2.9E-06
1404	1404	0.45916	4.83528E-06	2.2E-06	3.46E-04	7.69E-10	2.47E-02	1.57E-01	2.98E-12	1.0E+06	3.0E-06
1405	1405	0.47059	4.83528E-06	2.3E-06	3.46E-04	7.88E-10	2.47E-02	1.57E-01	3.05E-12	1.0E+06	3.1E-06
1406	1406	0.48315	4.83528E-06	2.3E-06	3.46E-04	8.09E-10	2.47E-02	1.57E-01	3.13E-12	1.0E+06	3.1E-06
1407	1407	0.49657	4.83528E-06	2.4E-06	3.46E-04	8.31E-10	2.47E-02	1.57E-01	3.22E-12	1.0E+06	3.2E-06
1408	1408	0.51094	4.83528E-06	2.5E-06	3.46E-04	8.55E-10	2.47E-02	1.57E-01	3.31E-12	1.0E+06	3.3E-06
1409	1409	0.52613	4.83528E-06	2.5E-06	3.46E-04	8.81E-10	2.47E-02	1.57E-01	3.41E-12	1.0E+06	3.4E-06
1410	1410	0.55088	4.83528E-06	2.7E-06	3.46E-04	9.22E-10	2.47E-02	1.57E-01	3.57E-12	1.0E+06	3.6E-06
1411	1411	0.5754	4.83528E-06	2.8E-06	3.46E-04	9.63E-10	2.47E-02	1.57E-01	3.73E-12	1.0E+06	3.7E-06
1412	1412	0.59851	4.83528E-06	2.9E-06	3.46E-04	1.00E-09	2.47E-02	1.57E-01	3.88E-12	1.0E+06	3.9E-06
1413	1413	0.62276	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.04E-12	1.0E+06	4.0E-06
1414	1414	0.64202	4.83528E-06	3.1E-06	3.46E-04	1.07E-09	2.47E-02	1.57E-01	4.16E-12	1.0E+06	4.2E-06
1415	1415	0.65801	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.27E-12	1.0E+06	4.3E-06
1416	1416	0.67165	4.83528E-06	3.2E-06	3.46E-04	1.12E-09	2.47E-02	1.57E-01	4.36E-12	1.0E+06	4.4E-06
1417	1417	0.68529	4.83528E-06	3.3E-06	3.46E-04	1.15E-09	2.47E-02	1.57E-01	4.44E-12	1.0E+06	4.4E-06
1418	1418	0.69986	4.83528E-06	3.4E-06	3.46E-04	1.17E-09	2.47E-02	1.57E-01	4.54E-12	1.0E+06	4.5E-06
1419	1419	0.71443	4.83528E-06	3.5E-06	3.46E-04	1.20E-09	2.47E-02	1.57E-01	4.63E-12	1.0E+06	4.6E-06
1420	1420	0.72887	4.83528E-06	3.5E-06	3.46E-04	1.22E-09	2.47E-02	1.57E-01	4.73E-12	1.0E+06	4.7E-06
1421	1421	0.74303	4.83528E-06	3.6E-06	3.46E-04	1.24E-09	2.47E-02	1.57E-01	4.82E-12	1.0E+06	4.8E-06
1422	1422	0.38361	4.83528E-06	1.9E-06	3.46E-04	6.42E-10	2.47E-02	1.57E-01	2.49E-12	1.0E+06	2.5E-06
1423	1423	0.39042	4.83528E-06	1.9E-06	3.46E-04	6.53E-10	2.47E-02	1.57E-01	2.53E-12	1.0E+06	2.5E-06
1424	1424	0.39744	4.83528E-06	1.9E-06	3.46E-04	6.65E-10	2.47E-02	1.57E-01	2.58E-12	1.0E+06	2.6E-06
1425	1425	0.4052	4.83528E-06	2.0E-06	3.46E-04	6.78E-10	2.47E-02	1.57E-01	2.63E-12	1.0E+06	2.6E-06
1426	1426	0.41371	4.83528E-06	2.0E-06	3.46E-04	6.92E-10	2.47E-02	1.57E-01	2.68E-12	1.0E+06	2.7E-06
1427	1427	0.42256	4.83528E-06	2.0E-06	3.46E-04	7.07E-10	2.47E-02	1.57E-01	2.74E-12	1.0E+06	2.7E-06
1428	1428	0.43418	4.83528E-06	2.1E-06	3.46E-04	7.27E-10	2.47E-02	1.57E-01	2.82E-12	1.0E+06	2.8E-06
1429	1429	0.44651	4.83528E-06	2.2E-06	3.46E-04	7.47E-10	2.47E-02	1.57E-01	2.90E-12	1.0E+06	2.9E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	0.45811	4.83528E-06	2.2E-06	3.46E-04	7.67E-10	2.47E-02	1.57E-01	2.97E-12	1.0E+06	3.0E-06
1431	1431	0.46766	4.83528E-06	2.3E-06	3.46E-04	7.83E-10	2.47E-02	1.57E-01	3.03E-12	1.0E+06	3.0E-06
1432	1432	0.47748	4.83528E-06	2.3E-06	3.46E-04	7.99E-10	2.47E-02	1.57E-01	3.10E-12	1.0E+06	3.1E-06
1433	1433	0.48928	4.83528E-06	2.4E-06	3.46E-04	8.19E-10	2.47E-02	1.57E-01	3.17E-12	1.0E+06	3.2E-06
1434	1434	0.50204	4.83528E-06	2.4E-06	3.46E-04	8.40E-10	2.47E-02	1.57E-01	3.26E-12	1.0E+06	3.3E-06
1435	1435	0.51592	4.83528E-06	2.5E-06	3.46E-04	8.64E-10	2.47E-02	1.57E-01	3.35E-12	1.0E+06	3.3E-06
1436	1436	0.53174	4.83528E-06	2.6E-06	3.46E-04	8.90E-10	2.47E-02	1.57E-01	3.45E-12	1.0E+06	3.4E-06
1437	1437	0.54862	4.83528E-06	2.7E-06	3.46E-04	9.18E-10	2.47E-02	1.57E-01	3.56E-12	1.0E+06	3.6E-06
1438	1438	0.57442	4.83528E-06	2.8E-06	3.46E-04	9.61E-10	2.47E-02	1.57E-01	3.73E-12	1.0E+06	3.7E-06
1439	1439	0.60037	4.83528E-06	2.9E-06	3.46E-04	1.00E-09	2.47E-02	1.57E-01	3.89E-12	1.0E+06	3.9E-06
1440	1440	0.62866	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.08E-12	1.0E+06	4.1E-06
1441	1441	0.65073	4.83528E-06	3.1E-06	3.46E-04	1.09E-09	2.47E-02	1.57E-01	4.22E-12	1.0E+06	4.2E-06
1442	1442	0.67147	4.83528E-06	3.2E-06	3.46E-04	1.12E-09	2.47E-02	1.57E-01	4.35E-12	1.0E+06	4.4E-06
1443	1443	0.68679	4.83528E-06	3.3E-06	3.46E-04	1.15E-09	2.47E-02	1.57E-01	4.45E-12	1.0E+06	4.5E-06
1444	1444	0.70171	4.83528E-06	3.4E-06	3.46E-04	1.17E-09	2.47E-02	1.57E-01	4.55E-12	1.0E+06	4.6E-06
1445	1445	0.71665	4.83528E-06	3.5E-06	3.46E-04	1.20E-09	2.47E-02	1.57E-01	4.65E-12	1.0E+06	4.6E-06
1446	1446	0.73478	4.83528E-06	3.6E-06	3.46E-04	1.23E-09	2.47E-02	1.57E-01	4.77E-12	1.0E+06	4.8E-06
1447	1447	0.7511	4.83528E-06	3.6E-06	3.46E-04	1.26E-09	2.47E-02	1.57E-01	4.87E-12	1.0E+06	4.9E-06
1448	1448	0.76733	4.83528E-06	3.7E-06	3.46E-04	1.28E-09	2.47E-02	1.57E-01	4.98E-12	1.0E+06	5.0E-06
1449	1449	0.78335	4.83528E-06	3.8E-06	3.46E-04	1.31E-09	2.47E-02	1.57E-01	5.08E-12	1.0E+06	5.1E-06
1450	1450	0.39487	4.83528E-06	1.9E-06	3.46E-04	6.61E-10	2.47E-02	1.57E-01	2.56E-12	1.0E+06	2.6E-06
1451	1451	0.40229	4.83528E-06	1.9E-06	3.46E-04	6.73E-10	2.47E-02	1.57E-01	2.61E-12	1.0E+06	2.6E-06
1452	1452	0.40989	4.83528E-06	2.0E-06	3.46E-04	6.86E-10	2.47E-02	1.57E-01	2.66E-12	1.0E+06	2.7E-06
1453	1453	0.41804	4.83528E-06	2.0E-06	3.46E-04	7.00E-10	2.47E-02	1.57E-01	2.71E-12	1.0E+06	2.7E-06
1454	1454	0.42682	4.83528E-06	2.1E-06	3.46E-04	7.14E-10	2.47E-02	1.57E-01	2.77E-12	1.0E+06	2.8E-06
1455	1455	0.43589	4.83528E-06	2.1E-06	3.46E-04	7.30E-10	2.47E-02	1.57E-01	2.83E-12	1.0E+06	2.8E-06
1456	1456	0.44883	4.83528E-06	2.2E-06	3.46E-04	7.51E-10	2.47E-02	1.57E-01	2.91E-12	1.0E+06	2.9E-06
1457	1457	0.46253	4.83528E-06	2.2E-06	3.46E-04	7.74E-10	2.47E-02	1.57E-01	3.00E-12	1.0E+06	3.0E-06
1458	1458	0.47541	4.83528E-06	2.3E-06	3.46E-04	7.96E-10	2.47E-02	1.57E-01	3.08E-12	1.0E+06	3.1E-06
1459	1459	0.48591	4.83528E-06	2.3E-06	3.46E-04	8.13E-10	2.47E-02	1.57E-01	3.15E-12	1.0E+06	3.2E-06
1460	1460	0.49689	4.83528E-06	2.4E-06	3.46E-04	8.32E-10	2.47E-02	1.57E-01	3.22E-12	1.0E+06	3.2E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	0.50912	4.83528E-06	2.5E-06	3.46E-04	8.52E-10	2.47E-02	1.57E-01	3.30E-12	1.0E+06	3.3E-06
1462	1462	0.52224	4.83528E-06	2.5E-06	3.46E-04	8.74E-10	2.47E-02	1.57E-01	3.39E-12	1.0E+06	3.4E-06
1463	1463	0.5365	4.83528E-06	2.6E-06	3.46E-04	8.98E-10	2.47E-02	1.57E-01	3.48E-12	1.0E+06	3.5E-06
1464	1464	0.55391	4.83528E-06	2.7E-06	3.46E-04	9.27E-10	2.47E-02	1.57E-01	3.59E-12	1.0E+06	3.6E-06
1465	1465	0.5727	4.83528E-06	2.8E-06	3.46E-04	9.59E-10	2.47E-02	1.57E-01	3.71E-12	1.0E+06	3.7E-06
1466	1466	0.60478	4.83528E-06	2.9E-06	3.46E-04	1.01E-09	2.47E-02	1.57E-01	3.92E-12	1.0E+06	3.9E-06
1467	1467	0.62689	4.83528E-06	3.0E-06	3.46E-04	1.05E-09	2.47E-02	1.57E-01	4.07E-12	1.0E+06	4.1E-06
1468	1468	0.65696	4.83528E-06	3.2E-06	3.46E-04	1.10E-09	2.47E-02	1.57E-01	4.26E-12	1.0E+06	4.3E-06
1469	1469	0.6807	4.83528E-06	3.3E-06	3.46E-04	1.14E-09	2.47E-02	1.57E-01	4.41E-12	1.0E+06	4.4E-06
1470	1470	0.70306	4.83528E-06	3.4E-06	3.46E-04	1.18E-09	2.47E-02	1.57E-01	4.56E-12	1.0E+06	4.6E-06
1471	1471	0.7198	4.83528E-06	3.5E-06	3.46E-04	1.20E-09	2.47E-02	1.57E-01	4.67E-12	1.0E+06	4.7E-06
1472	1472	0.73611	4.83528E-06	3.6E-06	3.46E-04	1.23E-09	2.47E-02	1.57E-01	4.77E-12	1.0E+06	4.8E-06
1473	1473	0.75247	4.83528E-06	3.6E-06	3.46E-04	1.26E-09	2.47E-02	1.57E-01	4.88E-12	1.0E+06	4.9E-06
1474	1474	0.77262	4.83528E-06	3.7E-06	3.46E-04	1.29E-09	2.47E-02	1.57E-01	5.01E-12	1.0E+06	5.0E-06
1475	1475	0.79094	4.83528E-06	3.8E-06	3.46E-04	1.32E-09	2.47E-02	1.57E-01	5.13E-12	1.0E+06	5.1E-06
1476	1476	0.80929	4.83528E-06	3.9E-06	3.46E-04	1.35E-09	2.47E-02	1.57E-01	5.25E-12	1.0E+06	5.2E-06
1477	1477	0.82743	4.83528E-06	4.0E-06	3.46E-04	1.38E-09	2.47E-02	1.57E-01	5.37E-12	1.0E+06	5.4E-06
1478	1478	0.40626	4.83528E-06	2.0E-06	3.46E-04	6.80E-10	2.47E-02	1.57E-01	2.63E-12	1.0E+06	2.6E-06
1479	1479	0.41449	4.83528E-06	2.0E-06	3.46E-04	6.94E-10	2.47E-02	1.57E-01	2.69E-12	1.0E+06	2.7E-06
1480	1480	0.423	4.83528E-06	2.0E-06	3.46E-04	7.08E-10	2.47E-02	1.57E-01	2.74E-12	1.0E+06	2.7E-06
1481	1481	0.43207	4.83528E-06	2.1E-06	3.46E-04	7.23E-10	2.47E-02	1.57E-01	2.80E-12	1.0E+06	2.8E-06
1482	1482	0.44168	4.83528E-06	2.1E-06	3.46E-04	7.39E-10	2.47E-02	1.57E-01	2.86E-12	1.0E+06	2.9E-06
1483	1483	0.45173	4.83528E-06	2.2E-06	3.46E-04	7.56E-10	2.47E-02	1.57E-01	2.93E-12	1.0E+06	2.9E-06
1484	1484	0.4655	4.83528E-06	2.3E-06	3.46E-04	7.79E-10	2.47E-02	1.57E-01	3.02E-12	1.0E+06	3.0E-06
1485	1485	0.48	4.83528E-06	2.3E-06	3.46E-04	8.03E-10	2.47E-02	1.57E-01	3.11E-12	1.0E+06	3.1E-06
1486	1486	0.49378	4.83528E-06	2.4E-06	3.46E-04	8.26E-10	2.47E-02	1.57E-01	3.20E-12	1.0E+06	3.2E-06
1487	1487	0.50526	4.83528E-06	2.4E-06	3.46E-04	8.46E-10	2.47E-02	1.57E-01	3.28E-12	1.0E+06	3.3E-06
1488	1488	0.5173	4.83528E-06	2.5E-06	3.46E-04	8.66E-10	2.47E-02	1.57E-01	3.35E-12	1.0E+06	3.4E-06
1489	1489	0.53059	4.83528E-06	2.6E-06	3.46E-04	8.88E-10	2.47E-02	1.57E-01	3.44E-12	1.0E+06	3.4E-06
1490	1490	0.54483	4.83528E-06	2.6E-06	3.46E-04	9.12E-10	2.47E-02	1.57E-01	3.53E-12	1.0E+06	3.5E-06
1491	1491	0.56025	4.83528E-06	2.7E-06	3.46E-04	9.38E-10	2.47E-02	1.57E-01	3.63E-12	1.0E+06	3.6E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	0.57823	4.83528E-06	2.8E-06	3.46E-04	9.68E-10	2.47E-02	1.57E-01	3.75E-12	1.0E+06	3.8E-06
1493	1493	0.5975	4.83528E-06	2.9E-06	3.46E-04	1.00E-09	2.47E-02	1.57E-01	3.88E-12	1.0E+06	3.9E-06
1494	1494	0.61967	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.02E-12	1.0E+06	4.0E-06
1495	1495	0.65419	4.83528E-06	3.2E-06	3.46E-04	1.09E-09	2.47E-02	1.57E-01	4.24E-12	1.0E+06	4.2E-06
1496	1496	0.68248	4.83528E-06	3.3E-06	3.46E-04	1.14E-09	2.47E-02	1.57E-01	4.43E-12	1.0E+06	4.4E-06
1497	1497	0.7092	4.83528E-06	3.4E-06	3.46E-04	1.19E-09	2.47E-02	1.57E-01	4.60E-12	1.0E+06	4.6E-06
1498	1498	0.73446	4.83528E-06	3.6E-06	3.46E-04	1.23E-09	2.47E-02	1.57E-01	4.76E-12	1.0E+06	4.8E-06
1499	1499	0.75563	4.83528E-06	3.7E-06	3.46E-04	1.26E-09	2.47E-02	1.57E-01	4.90E-12	1.0E+06	4.9E-06
1500	1500	0.77403	4.83528E-06	3.7E-06	3.46E-04	1.30E-09	2.47E-02	1.57E-01	5.02E-12	1.0E+06	5.0E-06
1501	1501	0.79256	4.83528E-06	3.8E-06	3.46E-04	1.33E-09	2.47E-02	1.57E-01	5.14E-12	1.0E+06	5.1E-06
1502	1502	0.81477	4.83528E-06	3.9E-06	3.46E-04	1.36E-09	2.47E-02	1.57E-01	5.28E-12	1.0E+06	5.3E-06
1503	1503	0.8352	4.83528E-06	4.0E-06	3.46E-04	1.40E-09	2.47E-02	1.57E-01	5.42E-12	1.0E+06	5.4E-06
1504	1504	0.85568	4.83528E-06	4.1E-06	3.46E-04	1.43E-09	2.47E-02	1.57E-01	5.55E-12	1.0E+06	5.5E-06
1505	1505	0.87608	4.83528E-06	4.2E-06	3.46E-04	1.47E-09	2.47E-02	1.57E-01	5.68E-12	1.0E+06	5.7E-06
1506	1506	0.41782	4.83528E-06	2.0E-06	3.46E-04	6.99E-10	2.47E-02	1.57E-01	2.71E-12	1.0E+06	2.7E-06
1507	1507	0.42707	4.83528E-06	2.1E-06	3.46E-04	7.15E-10	2.47E-02	1.57E-01	2.77E-12	1.0E+06	2.8E-06
1508	1508	0.43667	4.83528E-06	2.1E-06	3.46E-04	7.31E-10	2.47E-02	1.57E-01	2.83E-12	1.0E+06	2.8E-06
1509	1509	0.44693	4.83528E-06	2.2E-06	3.46E-04	7.48E-10	2.47E-02	1.57E-01	2.90E-12	1.0E+06	2.9E-06
1510	1510	0.45787	4.83528E-06	2.2E-06	3.46E-04	7.66E-10	2.47E-02	1.57E-01	2.97E-12	1.0E+06	3.0E-06
1511	1511	0.46919	4.83528E-06	2.3E-06	3.46E-04	7.85E-10	2.47E-02	1.57E-01	3.04E-12	1.0E+06	3.0E-06
1512	1512	0.48363	4.83528E-06	2.3E-06	3.46E-04	8.10E-10	2.47E-02	1.57E-01	3.14E-12	1.0E+06	3.1E-06
1513	1513	0.49872	4.83528E-06	2.4E-06	3.46E-04	8.35E-10	2.47E-02	1.57E-01	3.23E-12	1.0E+06	3.2E-06
1514	1514	0.51321	4.83528E-06	2.5E-06	3.46E-04	8.59E-10	2.47E-02	1.57E-01	3.33E-12	1.0E+06	3.3E-06
1515	1515	0.52575	4.83528E-06	2.5E-06	3.46E-04	8.80E-10	2.47E-02	1.57E-01	3.41E-12	1.0E+06	3.4E-06
1516	1516	0.53882	4.83528E-06	2.6E-06	3.46E-04	9.02E-10	2.47E-02	1.57E-01	3.49E-12	1.0E+06	3.5E-06
1517	1517	0.55346	4.83528E-06	2.7E-06	3.46E-04	9.26E-10	2.47E-02	1.57E-01	3.59E-12	1.0E+06	3.6E-06
1518	1518	0.56925	4.83528E-06	2.8E-06	3.46E-04	9.53E-10	2.47E-02	1.57E-01	3.69E-12	1.0E+06	3.7E-06
1519	1519	0.58607	4.83528E-06	2.8E-06	3.46E-04	9.81E-10	2.47E-02	1.57E-01	3.80E-12	1.0E+06	3.8E-06
1520	1520	0.60424	4.83528E-06	2.9E-06	3.46E-04	1.01E-09	2.47E-02	1.57E-01	3.92E-12	1.0E+06	3.9E-06
1521	1521	0.62369	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.04E-12	1.0E+06	4.0E-06
1522	1522	0.64291	4.83528E-06	3.1E-06	3.46E-04	1.08E-09	2.47E-02	1.57E-01	4.17E-12	1.0E+06	4.2E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	0.67756	4.83528E-06	3.3E-06	3.46E-04	1.13E-09	2.47E-02	1.57E-01	4.39E-12	1.0E+06	4.4E-06
1524	1524	0.70898	4.83528E-06	3.4E-06	3.46E-04	1.19E-09	2.47E-02	1.57E-01	4.60E-12	1.0E+06	4.6E-06
1525	1525	0.74292	4.83528E-06	3.6E-06	3.46E-04	1.24E-09	2.47E-02	1.57E-01	4.82E-12	1.0E+06	4.8E-06
1526	1526	0.76776	4.83528E-06	3.7E-06	3.46E-04	1.29E-09	2.47E-02	1.57E-01	4.98E-12	1.0E+06	5.0E-06
1527	1527	0.79431	4.83528E-06	3.8E-06	3.46E-04	1.33E-09	2.47E-02	1.57E-01	5.15E-12	1.0E+06	5.2E-06
1528	1528	0.81518	4.83528E-06	3.9E-06	3.46E-04	1.36E-09	2.47E-02	1.57E-01	5.29E-12	1.0E+06	5.3E-06
1529	1529	0.83836	4.83528E-06	4.1E-06	3.46E-04	1.40E-09	2.47E-02	1.57E-01	5.44E-12	1.0E+06	5.4E-06
1530	1530	0.86087	4.83528E-06	4.2E-06	3.46E-04	1.44E-09	2.47E-02	1.57E-01	5.58E-12	1.0E+06	5.6E-06
1531	1531	0.88373	4.83528E-06	4.3E-06	3.46E-04	1.48E-09	2.47E-02	1.57E-01	5.73E-12	1.0E+06	5.7E-06
1532	1532	0.9067	4.83528E-06	4.4E-06	3.46E-04	1.52E-09	2.47E-02	1.57E-01	5.88E-12	1.0E+06	5.9E-06
1533	1533	0.92971	4.83528E-06	4.5E-06	3.46E-04	1.56E-09	2.47E-02	1.57E-01	6.03E-12	1.0E+06	6.0E-06
1534	1534	0.4295	4.83528E-06	2.1E-06	3.46E-04	7.19E-10	2.47E-02	1.57E-01	2.79E-12	1.0E+06	2.8E-06
1535	1535	0.43996	4.83528E-06	2.1E-06	3.46E-04	7.36E-10	2.47E-02	1.57E-01	2.85E-12	1.0E+06	2.9E-06
1536	1536	0.45075	4.83528E-06	2.2E-06	3.46E-04	7.54E-10	2.47E-02	1.57E-01	2.92E-12	1.0E+06	2.9E-06
1537	1537	0.46234	4.83528E-06	2.2E-06	3.46E-04	7.74E-10	2.47E-02	1.57E-01	3.00E-12	1.0E+06	3.0E-06
1538	1538	0.47469	4.83528E-06	2.3E-06	3.46E-04	7.95E-10	2.47E-02	1.57E-01	3.08E-12	1.0E+06	3.1E-06
1539	1539	0.48749	4.83528E-06	2.4E-06	3.46E-04	8.16E-10	2.47E-02	1.57E-01	3.16E-12	1.0E+06	3.2E-06
1540	1540	0.50255	4.83528E-06	2.4E-06	3.46E-04	8.41E-10	2.47E-02	1.57E-01	3.26E-12	1.0E+06	3.3E-06
1541	1541	0.51835	4.83528E-06	2.5E-06	3.46E-04	8.68E-10	2.47E-02	1.57E-01	3.36E-12	1.0E+06	3.4E-06
1542	1542	0.53371	4.83528E-06	2.6E-06	3.46E-04	8.93E-10	2.47E-02	1.57E-01	3.46E-12	1.0E+06	3.5E-06
1543	1543	0.54728	4.83528E-06	2.6E-06	3.46E-04	9.16E-10	2.47E-02	1.57E-01	3.55E-12	1.0E+06	3.5E-06
1544	1544	0.56153	4.83528E-06	2.7E-06	3.46E-04	9.40E-10	2.47E-02	1.57E-01	3.64E-12	1.0E+06	3.6E-06
1545	1545	0.57765	4.83528E-06	2.8E-06	3.46E-04	9.67E-10	2.47E-02	1.57E-01	3.75E-12	1.0E+06	3.7E-06
1546	1546	0.59504	4.83528E-06	2.9E-06	3.46E-04	9.96E-10	2.47E-02	1.57E-01	3.86E-12	1.0E+06	3.9E-06
1547	1547	0.61346	4.83528E-06	3.0E-06	3.46E-04	1.03E-09	2.47E-02	1.57E-01	3.98E-12	1.0E+06	4.0E-06
1548	1548	0.63203	4.83528E-06	3.1E-06	3.46E-04	1.06E-09	2.47E-02	1.57E-01	4.10E-12	1.0E+06	4.1E-06
1549	1549	0.65189	4.83528E-06	3.2E-06	3.46E-04	1.09E-09	2.47E-02	1.57E-01	4.23E-12	1.0E+06	4.2E-06
1550	1550	0.67201	4.83528E-06	3.2E-06	3.46E-04	1.12E-09	2.47E-02	1.57E-01	4.36E-12	1.0E+06	4.4E-06
1551	1551	0.69656	4.83528E-06	3.4E-06	3.46E-04	1.17E-09	2.47E-02	1.57E-01	4.52E-12	1.0E+06	4.5E-06
1552	1552	0.73669	4.83528E-06	3.6E-06	3.46E-04	1.23E-09	2.47E-02	1.57E-01	4.78E-12	1.0E+06	4.8E-06
1553	1553	0.77079	4.83528E-06	3.7E-06	3.46E-04	1.29E-09	2.47E-02	1.57E-01	5.00E-12	1.0E+06	5.0E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	0.80659	4.83528E-06	3.9E-06	3.46E-04	1.35E-09	2.47E-02	1.57E-01	5.23E-12	1.0E+06	5.2E-06
1555	1555	0.83601	4.83528E-06	4.0E-06	3.46E-04	1.40E-09	2.47E-02	1.57E-01	5.42E-12	1.0E+06	5.4E-06
1556	1556	0.86192	4.83528E-06	4.2E-06	3.46E-04	1.44E-09	2.47E-02	1.57E-01	5.59E-12	1.0E+06	5.6E-06
1557	1557	0.88603	4.83528E-06	4.3E-06	3.46E-04	1.48E-09	2.47E-02	1.57E-01	5.75E-12	1.0E+06	5.7E-06
1558	1558	0.91127	4.83528E-06	4.4E-06	3.46E-04	1.53E-09	2.47E-02	1.57E-01	5.91E-12	1.0E+06	5.9E-06
1559	1559	0.93697	4.83528E-06	4.5E-06	3.46E-04	1.57E-09	2.47E-02	1.57E-01	6.08E-12	1.0E+06	6.1E-06
1560	1560	0.96289	4.83528E-06	4.7E-06	3.46E-04	1.61E-09	2.47E-02	1.57E-01	6.24E-12	1.0E+06	6.2E-06
1561	1561	0.989	4.83528E-06	4.8E-06	3.46E-04	1.66E-09	2.47E-02	1.57E-01	6.41E-12	1.0E+06	6.4E-06
1562	1562	0.44228	4.83528E-06	2.1E-06	3.46E-04	7.40E-10	2.47E-02	1.57E-01	2.87E-12	1.0E+06	2.9E-06
1563	1563	0.45334	4.83528E-06	2.2E-06	3.46E-04	7.59E-10	2.47E-02	1.57E-01	2.94E-12	1.0E+06	2.9E-06
1564	1564	0.46474	4.83528E-06	2.2E-06	3.46E-04	7.78E-10	2.47E-02	1.57E-01	3.01E-12	1.0E+06	3.0E-06
1565	1565	0.47712	4.83528E-06	2.3E-06	3.46E-04	7.99E-10	2.47E-02	1.57E-01	3.09E-12	1.0E+06	3.1E-06
1566	1566	0.49078	4.83528E-06	2.4E-06	3.46E-04	8.21E-10	2.47E-02	1.57E-01	3.18E-12	1.0E+06	3.2E-06
1567	1567	0.50488	4.83528E-06	2.4E-06	3.46E-04	8.45E-10	2.47E-02	1.57E-01	3.27E-12	1.0E+06	3.3E-06
1568	1568	0.52072	4.83528E-06	2.5E-06	3.46E-04	8.72E-10	2.47E-02	1.57E-01	3.38E-12	1.0E+06	3.4E-06
1569	1569	0.53727	4.83528E-06	2.6E-06	3.46E-04	8.99E-10	2.47E-02	1.57E-01	3.48E-12	1.0E+06	3.5E-06
1570	1570	0.55355	4.83528E-06	2.7E-06	3.46E-04	9.27E-10	2.47E-02	1.57E-01	3.59E-12	1.0E+06	3.6E-06
1571	1571	0.56856	4.83528E-06	2.7E-06	3.46E-04	9.52E-10	2.47E-02	1.57E-01	3.69E-12	1.0E+06	3.7E-06
1572	1572	0.5845	4.83528E-06	2.8E-06	3.46E-04	9.78E-10	2.47E-02	1.57E-01	3.79E-12	1.0E+06	3.8E-06
1573	1573	0.60236	4.83528E-06	2.9E-06	3.46E-04	1.01E-09	2.47E-02	1.57E-01	3.91E-12	1.0E+06	3.9E-06
1574	1574	0.62157	4.83528E-06	3.0E-06	3.46E-04	1.04E-09	2.47E-02	1.57E-01	4.03E-12	1.0E+06	4.0E-06
1575	1575	0.64182	4.83528E-06	3.1E-06	3.46E-04	1.07E-09	2.47E-02	1.57E-01	4.16E-12	1.0E+06	4.2E-06
1576	1576	0.6614	4.83528E-06	3.2E-06	3.46E-04	1.11E-09	2.47E-02	1.57E-01	4.29E-12	1.0E+06	4.3E-06
1577	1577	0.68221	4.83528E-06	3.3E-06	3.46E-04	1.14E-09	2.47E-02	1.57E-01	4.42E-12	1.0E+06	4.4E-06
1578	1578	0.70375	4.83528E-06	3.4E-06	3.46E-04	1.18E-09	2.47E-02	1.57E-01	4.56E-12	1.0E+06	4.6E-06
1579	1579	0.72928	4.83528E-06	3.5E-06	3.46E-04	1.22E-09	2.47E-02	1.57E-01	4.73E-12	1.0E+06	4.7E-06
1580	1580	0.77164	4.83528E-06	3.7E-06	3.46E-04	1.29E-09	2.47E-02	1.57E-01	5.00E-12	1.0E+06	5.0E-06
1581	1581	0.80885	4.83528E-06	3.9E-06	3.46E-04	1.35E-09	2.47E-02	1.57E-01	5.25E-12	1.0E+06	5.2E-06
1582	1582	0.84797	4.83528E-06	4.1E-06	3.46E-04	1.42E-09	2.47E-02	1.57E-01	5.50E-12	1.0E+06	5.5E-06
1583	1583	0.88063	4.83528E-06	4.3E-06	3.46E-04	1.47E-09	2.47E-02	1.57E-01	5.71E-12	1.0E+06	5.7E-06
1584	1584	0.90758	4.83528E-06	4.4E-06	3.46E-04	1.52E-09	2.47E-02	1.57E-01	5.89E-12	1.0E+06	5.9E-06

One San Pedro Specific Plan
Unmitigated - Harbor Site - Grading Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	0.93725	4.83528E-06	4.5E-06	3.46E-04	1.57E-09	2.47E-02	1.57E-01	6.08E-12	1.0E+06	6.1E-06
1586	1586	0.96582	4.83528E-06	4.7E-06	3.46E-04	1.62E-09	2.47E-02	1.57E-01	6.26E-12	1.0E+06	6.3E-06
1587	1587	0.99503	4.83528E-06	4.8E-06	3.46E-04	1.67E-09	2.47E-02	1.57E-01	6.45E-12	1.0E+06	6.5E-06
1588	1588	1.02464	4.83528E-06	5.0E-06	3.46E-04	1.72E-09	2.47E-02	1.57E-01	6.65E-12	1.0E+06	6.6E-06
1589	1589	1.05452	4.83528E-06	5.1E-06	3.46E-04	1.77E-09	2.47E-02	1.57E-01	6.84E-12	1.0E+06	6.8E-06
1590	1590	0.45603	4.83528E-06	2.2E-06	3.46E-04	7.63E-10	2.47E-02	1.57E-01	2.96E-12	1.0E+06	3.0E-06
1591	1591	0.46712	4.83528E-06	2.3E-06	3.46E-04	7.82E-10	2.47E-02	1.57E-01	3.03E-12	1.0E+06	3.0E-06
1592	1592	0.47853	4.83528E-06	2.3E-06	3.46E-04	8.01E-10	2.47E-02	1.57E-01	3.10E-12	1.0E+06	3.1E-06
1593	1593	0.4915	4.83528E-06	2.4E-06	3.46E-04	8.23E-10	2.47E-02	1.57E-01	3.19E-12	1.0E+06	3.2E-06
1594	1594	0.50631	4.83528E-06	2.4E-06	3.46E-04	8.47E-10	2.47E-02	1.57E-01	3.28E-12	1.0E+06	3.3E-06
1595	1595	0.52178	4.83528E-06	2.5E-06	3.46E-04	8.73E-10	2.47E-02	1.57E-01	3.38E-12	1.0E+06	3.4E-06

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1213	1213	1.8E-02	Max	Receptor #	5	2.72E-03	Max	Receptor #	
1214	1214	1.7E-02	0.068	1589	5	2.47E-03	0.010	1589	Res
1215	1215	1.7E-02			5	2.51E-03			
1216	1216	1.7E-02			5	2.55E-03			
1217	1217	1.7E-02			5	2.59E-03			
1218	1218	1.8E-02			5	2.63E-03			
1219	1219	1.8E-02			5	2.67E-03			
1220	1220	1.8E-02			5	2.71E-03			
1221	1221	1.8E-02			5	2.74E-03			
1222	1222	1.9E-02			5	2.77E-03			
1223	1223	1.9E-02			5	2.80E-03			
1224	1224	1.9E-02			5	2.82E-03			
1225	1225	1.9E-02			5	2.85E-03			
1226	1226	1.9E-02			5	2.86E-03			
1227	1227	1.9E-02			5	2.88E-03			
1228	1228	1.7E-02			5	2.58E-03			
1229	1229	1.8E-02			5	2.63E-03			
1230	1230	1.8E-02			5	2.67E-03			
1231	1231	1.8E-02			5	2.72E-03			
1232	1232	1.9E-02			5	2.76E-03			
1233	1233	1.9E-02			5	2.80E-03			
1234	1234	1.9E-02			5	2.84E-03			
1235	1235	1.9E-02			5	2.88E-03			
1236	1236	2.0E-02			5	2.91E-03			
1237	1237	2.0E-02			5	2.94E-03			
1238	1238	2.0E-02			5	2.97E-03			
1239	1239	2.0E-02			5	2.99E-03			
1240	1240	2.0E-02			5	3.02E-03			
1241	1241	2.0E-02			5	3.03E-03			
1242	1242	1.8E-02			5	2.70E-03			
1243	1243	1.8E-02			5	2.75E-03			

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1244	1244	1.9E-02	5	2.80E-03
1245	1245	1.9E-02	5	2.85E-03
1246	1246	1.9E-02	5	2.90E-03
1247	1247	2.0E-02	5	2.95E-03
1248	1248	2.0E-02	5	2.99E-03
1249	1249	2.0E-02	5	3.03E-03
1250	1250	2.1E-02	5	3.07E-03
1251	1251	2.1E-02	5	3.10E-03
1252	1252	2.1E-02	5	3.13E-03
1253	1253	2.1E-02	5	3.16E-03
1254	1254	2.1E-02	5	3.18E-03
1255	1255	2.1E-02	5	3.20E-03
1256	1256	1.9E-02	5	2.83E-03
1257	1257	1.9E-02	5	2.89E-03
1258	1258	2.0E-02	5	2.94E-03
1259	1259	2.0E-02	5	2.99E-03
1260	1260	2.0E-02	5	3.05E-03
1261	1261	2.1E-02	5	3.10E-03
1262	1262	2.1E-02	5	3.15E-03
1263	1263	2.1E-02	5	3.19E-03
1264	1264	2.2E-02	5	3.23E-03
1265	1265	2.2E-02	5	3.27E-03
1266	1266	2.2E-02	5	3.30E-03
1267	1267	2.2E-02	5	3.33E-03
1268	1268	2.3E-02	5	3.36E-03
1269	1269	2.3E-02	5	3.38E-03
1270	1270	2.0E-02	5	2.98E-03
1271	1271	2.0E-02	5	3.03E-03
1272	1272	2.1E-02	5	3.09E-03
1273	1273	2.1E-02	5	3.15E-03
1274	1274	2.2E-02	5	3.21E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1275	1275	2.2E-02	5	3.26E-03
1276	1276	2.2E-02	5	3.32E-03
1277	1277	2.3E-02	5	3.37E-03
1278	1278	2.3E-02	5	3.41E-03
1279	1279	2.3E-02	5	3.45E-03
1280	1280	2.3E-02	5	3.49E-03
1281	1281	2.4E-02	5	3.52E-03
1282	1282	2.4E-02	5	3.55E-03
1283	1283	2.4E-02	5	3.57E-03
1284	1284	2.1E-02	5	3.13E-03
1285	1285	2.1E-02	5	3.19E-03
1286	1286	2.2E-02	5	3.25E-03
1287	1287	2.2E-02	5	3.31E-03
1288	1288	2.3E-02	5	3.38E-03
1289	1289	2.3E-02	5	3.44E-03
1290	1290	2.3E-02	5	3.50E-03
1291	1291	2.4E-02	5	3.56E-03
1292	1292	2.4E-02	5	3.61E-03
1293	1293	2.5E-02	5	3.66E-03
1294	1294	2.5E-02	5	3.70E-03
1295	1295	2.5E-02	5	3.73E-03
1296	1296	2.5E-02	5	3.76E-03
1297	1297	2.5E-02	5	3.79E-03
1298	1298	2.2E-02	5	3.29E-03
1299	1299	2.3E-02	5	3.36E-03
1300	1300	2.3E-02	5	3.43E-03
1301	1301	2.3E-02	5	3.49E-03
1302	1302	2.4E-02	5	3.57E-03
1303	1303	2.4E-02	5	3.63E-03
1304	1304	2.5E-02	5	3.70E-03
1305	1305	2.5E-02	5	3.77E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1306	1306	2.3E-02	5	3.47E-03
1307	1307	2.4E-02	5	3.55E-03
1308	1308	2.4E-02	5	3.63E-03
1309	1309	2.5E-02	5	3.70E-03
1310	1310	2.5E-02	5	3.78E-03
1311	1311	2.6E-02	5	3.86E-03
1312	1312	2.6E-02	5	3.93E-03
1313	1313	2.7E-02	5	4.00E-03
1314	1314	2.5E-02	5	3.67E-03
1315	1315	2.5E-02	5	3.76E-03
1316	1316	2.6E-02	5	3.84E-03
1317	1317	2.6E-02	5	3.93E-03
1318	1318	2.7E-02	5	4.01E-03
1319	1319	2.7E-02	5	4.10E-03
1320	1320	2.8E-02	5	4.18E-03
1321	1321	2.9E-02	5	4.25E-03
1322	1322	2.6E-02	5	3.88E-03
1323	1323	2.7E-02	5	3.98E-03
1324	1324	2.7E-02	5	4.08E-03
1325	1325	2.8E-02	5	4.17E-03
1326	1326	2.9E-02	5	4.27E-03
1327	1327	2.9E-02	5	4.36E-03
1328	1328	3.0E-02	5	4.45E-03
1329	1329	3.0E-02	5	4.53E-03
1330	1330	2.8E-02	5	4.11E-03
1331	1331	2.8E-02	5	4.22E-03
1332	1332	2.9E-02	5	4.33E-03
1333	1333	3.0E-02	5	4.43E-03
1334	1334	3.0E-02	5	4.54E-03
1335	1335	3.1E-02	5	4.65E-03
1336	1336	3.2E-02	5	4.75E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1337	1337	3.2E-02	5	4.84E-03
1338	1338	1.5E-02	5	2.28E-03
1339	1339	1.6E-02	5	2.33E-03
1340	1340	1.6E-02	5	2.38E-03
1341	1341	1.6E-02	5	2.44E-03
1342	1342	1.7E-02	5	2.50E-03
1343	1343	1.7E-02	5	2.57E-03
1344	1344	1.8E-02	5	2.64E-03
1345	1345	1.8E-02	5	2.72E-03
1346	1346	1.9E-02	5	2.80E-03
1347	1347	1.9E-02	5	2.87E-03
1348	1348	2.0E-02	5	2.95E-03
1349	1349	2.0E-02	5	3.05E-03
1350	1350	2.2E-02	5	3.22E-03
1351	1351	2.3E-02	5	3.39E-03
1352	1352	2.4E-02	5	3.57E-03
1353	1353	2.5E-02	5	3.74E-03
1354	1354	2.6E-02	5	3.86E-03
1355	1355	2.7E-02	5	3.98E-03
1356	1356	2.8E-02	5	4.11E-03
1357	1357	2.8E-02	5	4.23E-03
1358	1358	2.9E-02	5	4.36E-03
1359	1359	3.0E-02	5	4.48E-03
1360	1360	3.1E-02	5	4.60E-03
1361	1361	3.2E-02	5	4.72E-03
1362	1362	3.2E-02	5	4.84E-03
1363	1363	3.3E-02	5	4.96E-03
1364	1364	3.4E-02	5	5.08E-03
1365	1365	3.5E-02	5	5.18E-03
1366	1366	1.6E-02	5	2.37E-03
1367	1367	1.6E-02	5	2.43E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1368	1368	1.7E-02	5	2.48E-03
1369	1369	1.7E-02	5	2.54E-03
1370	1370	1.8E-02	5	2.61E-03
1371	1371	1.8E-02	5	2.68E-03
1372	1372	1.9E-02	5	2.76E-03
1373	1373	1.9E-02	5	2.85E-03
1374	1374	2.0E-02	5	2.93E-03
1375	1375	2.0E-02	5	3.01E-03
1376	1376	2.1E-02	5	3.09E-03
1377	1377	2.1E-02	5	3.20E-03
1378	1378	2.2E-02	5	3.32E-03
1379	1379	2.4E-02	5	3.51E-03
1380	1380	2.5E-02	5	3.75E-03
1381	1381	2.6E-02	5	3.89E-03
1382	1382	2.7E-02	5	4.08E-03
1383	1383	2.8E-02	5	4.21E-03
1384	1384	2.9E-02	5	4.35E-03
1385	1385	3.0E-02	5	4.49E-03
1386	1386	3.1E-02	5	4.63E-03
1387	1387	3.2E-02	5	4.77E-03
1388	1388	3.3E-02	5	4.90E-03
1389	1389	3.4E-02	5	5.04E-03
1390	1390	3.5E-02	5	5.18E-03
1391	1391	3.6E-02	5	5.31E-03
1392	1392	3.7E-02	5	5.44E-03
1393	1393	3.7E-02	5	5.56E-03
1394	1394	1.7E-02	5	2.47E-03
1395	1395	1.7E-02	5	2.53E-03
1396	1396	1.7E-02	5	2.59E-03
1397	1397	1.8E-02	5	2.66E-03
1398	1398	1.8E-02	5	2.73E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1399	1399	1.9E-02	5	2.80E-03
1400	1400	1.9E-02	5	2.89E-03
1401	1401	2.0E-02	5	2.99E-03
1402	1402	2.1E-02	5	3.08E-03
1403	1403	2.1E-02	5	3.17E-03
1404	1404	2.2E-02	5	3.26E-03
1405	1405	2.3E-02	5	3.37E-03
1406	1406	2.3E-02	5	3.49E-03
1407	1407	2.5E-02	5	3.69E-03
1408	1408	2.7E-02	5	3.96E-03
1409	1409	2.8E-02	5	4.11E-03
1410	1410	2.9E-02	5	4.31E-03
1411	1411	3.0E-02	5	4.46E-03
1412	1412	3.1E-02	5	4.62E-03
1413	1413	3.2E-02	5	4.77E-03
1414	1414	3.3E-02	5	4.93E-03
1415	1415	3.4E-02	5	5.09E-03
1416	1416	3.5E-02	5	5.24E-03
1417	1417	3.6E-02	5	5.39E-03
1418	1418	3.7E-02	5	5.54E-03
1419	1419	3.8E-02	5	5.70E-03
1420	1420	3.9E-02	5	5.85E-03
1421	1421	4.0E-02	5	5.99E-03
1422	1422	1.7E-02	5	2.58E-03
1423	1423	1.8E-02	5	2.64E-03
1424	1424	1.8E-02	5	2.71E-03
1425	1425	1.9E-02	5	2.78E-03
1426	1426	1.9E-02	5	2.85E-03
1427	1427	2.0E-02	5	2.93E-03
1428	1428	2.0E-02	5	3.03E-03
1429	1429	2.1E-02	5	3.14E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1430	1430	2.2E-02	5	3.24E-03
1431	1431	2.2E-02	5	3.34E-03
1432	1432	2.3E-02	5	3.44E-03
1433	1433	2.4E-02	5	3.55E-03
1434	1434	2.5E-02	5	3.68E-03
1435	1435	2.6E-02	5	3.90E-03
1436	1436	2.8E-02	5	4.18E-03
1437	1437	2.9E-02	5	4.34E-03
1438	1438	3.1E-02	5	4.57E-03
1439	1439	3.2E-02	5	4.74E-03
1440	1440	3.3E-02	5	4.91E-03
1441	1441	3.4E-02	5	5.08E-03
1442	1442	3.5E-02	5	5.26E-03
1443	1443	3.6E-02	5	5.43E-03
1444	1444	3.8E-02	5	5.60E-03
1445	1445	3.9E-02	5	5.77E-03
1446	1446	4.0E-02	5	5.95E-03
1447	1447	4.1E-02	5	6.13E-03
1448	1448	4.2E-02	5	6.30E-03
1449	1449	4.3E-02	5	6.47E-03
1450	1450	1.8E-02	5	2.68E-03
1451	1451	1.8E-02	5	2.75E-03
1452	1452	1.9E-02	5	2.82E-03
1453	1453	1.9E-02	5	2.90E-03
1454	1454	2.0E-02	5	2.98E-03
1455	1455	2.1E-02	5	3.07E-03
1456	1456	2.1E-02	5	3.18E-03
1457	1457	2.2E-02	5	3.29E-03
1458	1458	2.3E-02	5	3.41E-03
1459	1459	2.4E-02	5	3.52E-03
1460	1460	2.4E-02	5	3.63E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1461	1461	2.5E-02	5	3.75E-03
1462	1462	2.6E-02	5	3.89E-03
1463	1463	2.7E-02	5	4.04E-03
1464	1464	3.0E-02	5	4.42E-03
1465	1465	3.1E-02	5	4.60E-03
1466	1466	3.3E-02	5	4.85E-03
1467	1467	3.4E-02	5	5.04E-03
1468	1468	3.5E-02	5	5.23E-03
1469	1469	3.6E-02	5	5.43E-03
1470	1470	3.8E-02	5	5.62E-03
1471	1471	3.9E-02	5	5.82E-03
1472	1472	4.0E-02	5	6.01E-03
1473	1473	4.2E-02	5	6.20E-03
1474	1474	4.3E-02	5	6.41E-03
1475	1475	4.4E-02	5	6.61E-03
1476	1476	4.6E-02	5	6.81E-03
1477	1477	4.7E-02	5	7.01E-03
1478	1478	1.9E-02	5	2.79E-03
1479	1479	1.9E-02	5	2.87E-03
1480	1480	2.0E-02	5	2.95E-03
1481	1481	2.0E-02	5	3.04E-03
1482	1482	2.1E-02	5	3.13E-03
1483	1483	2.2E-02	5	3.22E-03
1484	1484	2.2E-02	5	3.34E-03
1485	1485	2.3E-02	5	3.46E-03
1486	1486	2.4E-02	5	3.59E-03
1487	1487	2.5E-02	5	3.71E-03
1488	1488	2.6E-02	5	3.83E-03
1489	1489	2.7E-02	5	3.97E-03
1490	1490	2.8E-02	5	4.13E-03
1491	1491	2.9E-02	5	4.29E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1492	1492	3.1E-02	5	4.62E-03
1493	1493	3.3E-02	5	4.88E-03
1494	1494	3.5E-02	5	5.15E-03
1495	1495	3.6E-02	5	5.36E-03
1496	1496	3.7E-02	5	5.58E-03
1497	1497	3.9E-02	5	5.80E-03
1498	1498	4.0E-02	5	6.03E-03
1499	1499	4.2E-02	5	6.25E-03
1500	1500	4.3E-02	5	6.47E-03
1501	1501	4.5E-02	5	6.69E-03
1502	1502	4.6E-02	5	6.93E-03
1503	1503	4.8E-02	5	7.17E-03
1504	1504	5.0E-02	5	7.40E-03
1505	1505	5.1E-02	5	7.62E-03
1506	1506	1.9E-02	5	2.90E-03
1507	1507	2.0E-02	5	2.99E-03
1508	1508	2.1E-02	5	3.08E-03
1509	1509	2.1E-02	5	3.18E-03
1510	1510	2.2E-02	5	3.28E-03
1511	1511	2.3E-02	5	3.39E-03
1512	1512	2.4E-02	5	3.51E-03
1513	1513	2.4E-02	5	3.65E-03
1514	1514	2.5E-02	5	3.79E-03
1515	1515	2.6E-02	5	3.92E-03
1516	1516	2.7E-02	5	4.06E-03
1517	1517	2.8E-02	5	4.21E-03
1518	1518	2.9E-02	5	4.38E-03
1519	1519	3.1E-02	5	4.64E-03
1520	1520	3.3E-02	5	4.90E-03
1521	1521	3.5E-02	5	5.18E-03
1522	1522	3.7E-02	5	5.47E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1523	1523	3.8E-02	5	5.71E-03
1524	1524	4.0E-02	5	5.95E-03
1525	1525	4.2E-02	5	6.21E-03
1526	1526	4.3E-02	5	6.47E-03
1527	1527	4.5E-02	5	6.73E-03
1528	1528	4.7E-02	5	6.99E-03
1529	1529	4.9E-02	5	7.25E-03
1530	1530	5.0E-02	5	7.52E-03
1531	1531	5.2E-02	5	7.80E-03
1532	1532	5.4E-02	5	8.07E-03
1533	1533	5.6E-02	5	8.33E-03
1534	1534	2.0E-02	5	3.01E-03
1535	1535	2.1E-02	5	3.11E-03
1536	1536	2.2E-02	5	3.21E-03
1537	1537	2.2E-02	5	3.32E-03
1538	1538	2.3E-02	5	3.44E-03
1539	1539	2.4E-02	5	3.56E-03
1540	1540	2.5E-02	5	3.70E-03
1541	1541	2.6E-02	5	3.84E-03
1542	1542	2.7E-02	5	3.99E-03
1543	1543	2.8E-02	5	4.14E-03
1544	1544	2.9E-02	5	4.29E-03
1545	1545	3.0E-02	5	4.47E-03
1546	1546	3.1E-02	5	4.66E-03
1547	1547	3.3E-02	5	4.93E-03
1548	1548	3.5E-02	5	5.21E-03
1549	1549	3.7E-02	5	5.50E-03
1550	1550	3.9E-02	5	5.76E-03
1551	1551	4.1E-02	5	6.09E-03
1552	1552	4.3E-02	5	6.37E-03
1553	1553	4.5E-02	5	6.66E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1554	1554	4.7E-02	5	6.96E-03
1555	1555	4.9E-02	5	7.27E-03
1556	1556	5.1E-02	5	7.57E-03
1557	1557	5.3E-02	5	7.88E-03
1558	1558	5.5E-02	5	8.20E-03
1559	1559	5.7E-02	5	8.52E-03
1560	1560	5.9E-02	5	8.83E-03
1561	1561	6.1E-02	5	9.13E-03
1562	1562	2.1E-02	5	3.12E-03
1563	1563	2.2E-02	5	3.23E-03
1564	1564	2.2E-02	5	3.34E-03
1565	1565	2.3E-02	5	3.47E-03
1566	1566	2.4E-02	5	3.60E-03
1567	1567	2.5E-02	5	3.73E-03
1568	1568	2.6E-02	5	3.88E-03
1569	1569	2.7E-02	5	4.04E-03
1570	1570	2.8E-02	5	4.20E-03
1571	1571	2.9E-02	5	4.37E-03
1572	1572	3.0E-02	5	4.54E-03
1573	1573	3.2E-02	5	4.73E-03
1574	1574	3.3E-02	5	4.95E-03
1575	1575	3.5E-02	5	5.24E-03
1576	1576	3.7E-02	5	5.54E-03
1577	1577	3.9E-02	5	5.86E-03
1578	1578	4.1E-02	5	6.14E-03
1579	1579	4.4E-02	5	6.50E-03
1580	1580	4.6E-02	5	6.82E-03
1581	1581	4.8E-02	5	7.16E-03
1582	1582	5.0E-02	5	7.50E-03
1583	1583	5.3E-02	5	7.86E-03
1584	1584	5.5E-02	5	8.22E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1585	1585	5.8E-02	5	8.58E-03
1586	1586	6.0E-02	5	8.96E-03
1587	1587	6.3E-02	5	9.34E-03
1588	1588	6.5E-02	5	9.71E-03
1589	1589	6.8E-02	5	1.01E-02
1590	1590	2.2E-02	5	3.24E-03
1591	1591	2.2E-02	5	3.35E-03
1592	1592	2.3E-02	5	3.48E-03
1593	1593	2.4E-02	5	3.61E-03
1594	1594	2.5E-02	5	3.75E-03
1595	1595	2.6E-02	5	3.91E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	0.80274	1.36E-02	1.1E-02	3.46E-04	3.79E-06	1.37E-02	1.57E-01	8.16E-09	1.0E+06	8.2E-03
1214	0.72702	1.36E-02	9.9E-03	3.46E-04	3.43E-06	1.37E-02	1.57E-01	7.39E-09	1.0E+06	7.4E-03
1215	0.73953	1.36E-02	1.0E-02	3.46E-04	3.49E-06	1.37E-02	1.57E-01	7.52E-09	1.0E+06	7.5E-03
1216	0.75186	1.36E-02	1.0E-02	3.46E-04	3.55E-06	1.37E-02	1.57E-01	7.64E-09	1.0E+06	7.6E-03
1217	0.76393	1.36E-02	1.0E-02	3.46E-04	3.61E-06	1.37E-02	1.57E-01	7.76E-09	1.0E+06	7.8E-03
1218	0.77579	1.36E-02	1.1E-02	3.46E-04	3.66E-06	1.37E-02	1.57E-01	7.88E-09	1.0E+06	7.9E-03
1219	0.78718	1.36E-02	1.1E-02	3.46E-04	3.72E-06	1.37E-02	1.57E-01	8.00E-09	1.0E+06	8.0E-03
1220	0.7979	1.36E-02	1.1E-02	3.46E-04	3.77E-06	1.37E-02	1.57E-01	8.11E-09	1.0E+06	8.1E-03
1221	0.80779	1.36E-02	1.1E-02	3.46E-04	3.81E-06	1.37E-02	1.57E-01	8.21E-09	1.0E+06	8.2E-03
1222	0.81668	1.36E-02	1.1E-02	3.46E-04	3.86E-06	1.37E-02	1.57E-01	8.30E-09	1.0E+06	8.3E-03
1223	0.82479	1.36E-02	1.1E-02	3.46E-04	3.89E-06	1.37E-02	1.57E-01	8.38E-09	1.0E+06	8.4E-03
1224	0.83211	1.36E-02	1.1E-02	3.46E-04	3.93E-06	1.37E-02	1.57E-01	8.46E-09	1.0E+06	8.5E-03
1225	0.83857	1.36E-02	1.1E-02	3.46E-04	3.96E-06	1.37E-02	1.57E-01	8.52E-09	1.0E+06	8.5E-03
1226	0.84413	1.36E-02	1.2E-02	3.46E-04	3.99E-06	1.37E-02	1.57E-01	8.58E-09	1.0E+06	8.6E-03
1227	0.84884	1.36E-02	1.2E-02	3.46E-04	4.01E-06	1.37E-02	1.57E-01	8.63E-09	1.0E+06	8.6E-03
1228	0.76049	1.36E-02	1.0E-02	3.46E-04	3.59E-06	1.37E-02	1.57E-01	7.73E-09	1.0E+06	7.7E-03
1229	0.774	1.36E-02	1.1E-02	3.46E-04	3.65E-06	1.37E-02	1.57E-01	7.87E-09	1.0E+06	7.9E-03
1230	0.78733	1.36E-02	1.1E-02	3.46E-04	3.72E-06	1.37E-02	1.57E-01	8.00E-09	1.0E+06	8.0E-03
1231	0.80037	1.36E-02	1.1E-02	3.46E-04	3.78E-06	1.37E-02	1.57E-01	8.13E-09	1.0E+06	8.1E-03
1232	0.81344	1.36E-02	1.1E-02	3.46E-04	3.84E-06	1.37E-02	1.57E-01	8.27E-09	1.0E+06	8.3E-03
1233	0.82608	1.36E-02	1.1E-02	3.46E-04	3.90E-06	1.37E-02	1.57E-01	8.40E-09	1.0E+06	8.4E-03
1234	0.83782	1.36E-02	1.1E-02	3.46E-04	3.96E-06	1.37E-02	1.57E-01	8.52E-09	1.0E+06	8.5E-03
1235	0.84873	1.36E-02	1.2E-02	3.46E-04	4.01E-06	1.37E-02	1.57E-01	8.63E-09	1.0E+06	8.6E-03
1236	0.85846	1.36E-02	1.2E-02	3.46E-04	4.05E-06	1.37E-02	1.57E-01	8.72E-09	1.0E+06	8.7E-03
1237	0.86731	1.36E-02	1.2E-02	3.46E-04	4.09E-06	1.37E-02	1.57E-01	8.81E-09	1.0E+06	8.8E-03
1238	0.87532	1.36E-02	1.2E-02	3.46E-04	4.13E-06	1.37E-02	1.57E-01	8.90E-09	1.0E+06	8.9E-03
1239	0.88245	1.36E-02	1.2E-02	3.46E-04	4.17E-06	1.37E-02	1.57E-01	8.97E-09	1.0E+06	9.0E-03
1240	0.88866	1.36E-02	1.2E-02	3.46E-04	4.20E-06	1.37E-02	1.57E-01	9.03E-09	1.0E+06	9.0E-03
1241	0.89386	1.36E-02	1.2E-02	3.46E-04	4.22E-06	1.37E-02	1.57E-01	9.08E-09	1.0E+06	9.1E-03
1242	0.79635	1.36E-02	1.1E-02	3.46E-04	3.76E-06	1.37E-02	1.57E-01	8.09E-09	1.0E+06	8.1E-03
1243	0.81102	1.36E-02	1.1E-02	3.46E-04	3.83E-06	1.37E-02	1.57E-01	8.24E-09	1.0E+06	8.2E-03

	Max	Receptor #
Res	0.030	1589

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	0.82549	1.36E-02	1.1E-02	3.46E-04	3.90E-06	1.37E-02	1.57E-01	8.39E-09	1.0E+06	8.4E-03
1245	0.83961	1.36E-02	1.1E-02	3.46E-04	3.96E-06	1.37E-02	1.57E-01	8.53E-09	1.0E+06	8.5E-03
1246	0.85402	1.36E-02	1.2E-02	3.46E-04	4.03E-06	1.37E-02	1.57E-01	8.68E-09	1.0E+06	8.7E-03
1247	0.86802	1.36E-02	1.2E-02	3.46E-04	4.10E-06	1.37E-02	1.57E-01	8.82E-09	1.0E+06	8.8E-03
1248	0.88097	1.36E-02	1.2E-02	3.46E-04	4.16E-06	1.37E-02	1.57E-01	8.95E-09	1.0E+06	9.0E-03
1249	0.89297	1.36E-02	1.2E-02	3.46E-04	4.22E-06	1.37E-02	1.57E-01	9.08E-09	1.0E+06	9.1E-03
1250	0.90368	1.36E-02	1.2E-02	3.46E-04	4.27E-06	1.37E-02	1.57E-01	9.18E-09	1.0E+06	9.2E-03
1251	0.91336	1.36E-02	1.2E-02	3.46E-04	4.31E-06	1.37E-02	1.57E-01	9.28E-09	1.0E+06	9.3E-03
1252	0.92212	1.36E-02	1.3E-02	3.46E-04	4.35E-06	1.37E-02	1.57E-01	9.37E-09	1.0E+06	9.4E-03
1253	0.92993	1.36E-02	1.3E-02	3.46E-04	4.39E-06	1.37E-02	1.57E-01	9.45E-09	1.0E+06	9.5E-03
1254	0.93673	1.36E-02	1.3E-02	3.46E-04	4.42E-06	1.37E-02	1.57E-01	9.52E-09	1.0E+06	9.5E-03
1255	0.94252	1.36E-02	1.3E-02	3.46E-04	4.45E-06	1.37E-02	1.57E-01	9.58E-09	1.0E+06	9.6E-03
1256	0.83492	1.36E-02	1.1E-02	3.46E-04	3.94E-06	1.37E-02	1.57E-01	8.49E-09	1.0E+06	8.5E-03
1257	0.85087	1.36E-02	1.2E-02	3.46E-04	4.02E-06	1.37E-02	1.57E-01	8.65E-09	1.0E+06	8.6E-03
1258	0.86649	1.36E-02	1.2E-02	3.46E-04	4.09E-06	1.37E-02	1.57E-01	8.81E-09	1.0E+06	8.8E-03
1259	0.88183	1.36E-02	1.2E-02	3.46E-04	4.16E-06	1.37E-02	1.57E-01	8.96E-09	1.0E+06	9.0E-03
1260	0.89773	1.36E-02	1.2E-02	3.46E-04	4.24E-06	1.37E-02	1.57E-01	9.12E-09	1.0E+06	9.1E-03
1261	0.91311	1.36E-02	1.2E-02	3.46E-04	4.31E-06	1.37E-02	1.57E-01	9.28E-09	1.0E+06	9.3E-03
1262	0.92752	1.36E-02	1.3E-02	3.46E-04	4.38E-06	1.37E-02	1.57E-01	9.43E-09	1.0E+06	9.4E-03
1263	0.94085	1.36E-02	1.3E-02	3.46E-04	4.44E-06	1.37E-02	1.57E-01	9.56E-09	1.0E+06	9.6E-03
1264	0.95274	1.36E-02	1.3E-02	3.46E-04	4.50E-06	1.37E-02	1.57E-01	9.68E-09	1.0E+06	9.7E-03
1265	0.96334	1.36E-02	1.3E-02	3.46E-04	4.55E-06	1.37E-02	1.57E-01	9.79E-09	1.0E+06	9.8E-03
1266	0.97295	1.36E-02	1.3E-02	3.46E-04	4.59E-06	1.37E-02	1.57E-01	9.89E-09	1.0E+06	9.9E-03
1267	0.98149	1.36E-02	1.3E-02	3.46E-04	4.63E-06	1.37E-02	1.57E-01	9.98E-09	1.0E+06	1.0E-02
1268	0.98892	1.36E-02	1.3E-02	3.46E-04	4.67E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1269	0.99521	1.36E-02	1.4E-02	3.46E-04	4.70E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1270	0.8766	1.36E-02	1.2E-02	3.46E-04	4.14E-06	1.37E-02	1.57E-01	8.91E-09	1.0E+06	8.9E-03
1271	0.89386	1.36E-02	1.2E-02	3.46E-04	4.22E-06	1.37E-02	1.57E-01	9.08E-09	1.0E+06	9.1E-03
1272	0.91068	1.36E-02	1.2E-02	3.46E-04	4.30E-06	1.37E-02	1.57E-01	9.26E-09	1.0E+06	9.3E-03
1273	0.9272	1.36E-02	1.3E-02	3.46E-04	4.38E-06	1.37E-02	1.57E-01	9.42E-09	1.0E+06	9.4E-03
1274	0.9445	1.36E-02	1.3E-02	3.46E-04	4.46E-06	1.37E-02	1.57E-01	9.60E-09	1.0E+06	9.6E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	0.96132	1.36E-02	1.3E-02	3.46E-04	4.54E-06	1.37E-02	1.57E-01	9.77E-09	1.0E+06	9.8E-03
1276	0.97751	1.36E-02	1.3E-02	3.46E-04	4.62E-06	1.37E-02	1.57E-01	9.93E-09	1.0E+06	9.9E-03
1277	0.99254	1.36E-02	1.4E-02	3.46E-04	4.69E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1278	1.00608	1.36E-02	1.4E-02	3.46E-04	4.75E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1279	1.01778	1.36E-02	1.4E-02	3.46E-04	4.81E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1280	1.02835	1.36E-02	1.4E-02	3.46E-04	4.86E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
1281	1.03772	1.36E-02	1.4E-02	3.46E-04	4.90E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
1282	1.04582	1.36E-02	1.4E-02	3.46E-04	4.94E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1283	1.05262	1.36E-02	1.4E-02	3.46E-04	4.97E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1284	0.92155	1.36E-02	1.3E-02	3.46E-04	4.35E-06	1.37E-02	1.57E-01	9.37E-09	1.0E+06	9.4E-03
1285	0.94032	1.36E-02	1.3E-02	3.46E-04	4.44E-06	1.37E-02	1.57E-01	9.56E-09	1.0E+06	9.6E-03
1286	0.95848	1.36E-02	1.3E-02	3.46E-04	4.53E-06	1.37E-02	1.57E-01	9.74E-09	1.0E+06	9.7E-03
1287	0.97621	1.36E-02	1.3E-02	3.46E-04	4.61E-06	1.37E-02	1.57E-01	9.92E-09	1.0E+06	9.9E-03
1288	0.9952	1.36E-02	1.4E-02	3.46E-04	4.70E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1289	1.01361	1.36E-02	1.4E-02	3.46E-04	4.79E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1290	1.03159	1.36E-02	1.4E-02	3.46E-04	4.87E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
1291	1.04873	1.36E-02	1.4E-02	3.46E-04	4.95E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1292	1.06423	1.36E-02	1.5E-02	3.46E-04	5.02E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1293	1.07719	1.36E-02	1.5E-02	3.46E-04	5.09E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1294	1.08886	1.36E-02	1.5E-02	3.46E-04	5.14E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1295	1.09917	1.36E-02	1.5E-02	3.46E-04	5.19E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1296	1.108	1.36E-02	1.5E-02	3.46E-04	5.23E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1297	1.11525	1.36E-02	1.5E-02	3.46E-04	5.27E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1298	0.97018	1.36E-02	1.3E-02	3.46E-04	4.58E-06	1.37E-02	1.57E-01	9.86E-09	1.0E+06	9.9E-03
1299	0.9907	1.36E-02	1.4E-02	3.46E-04	4.68E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1300	1.01042	1.36E-02	1.4E-02	3.46E-04	4.77E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1301	1.02977	1.36E-02	1.4E-02	3.46E-04	4.86E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
1302	1.05063	1.36E-02	1.4E-02	3.46E-04	4.96E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1303	1.07091	1.36E-02	1.5E-02	3.46E-04	5.06E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1304	1.09084	1.36E-02	1.5E-02	3.46E-04	5.15E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1305	1.11024	1.36E-02	1.5E-02	3.46E-04	5.24E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1.0231	1.36E-02	1.4E-02	3.46E-04	4.83E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1307	1.04619	1.36E-02	1.4E-02	3.46E-04	4.94E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1308	1.0685	1.36E-02	1.5E-02	3.46E-04	5.04E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1309	1.09047	1.36E-02	1.5E-02	3.46E-04	5.15E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1310	1.11351	1.36E-02	1.5E-02	3.46E-04	5.26E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1311	1.13593	1.36E-02	1.5E-02	3.46E-04	5.36E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
1312	1.15766	1.36E-02	1.6E-02	3.46E-04	5.47E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1313	1.1784	1.36E-02	1.6E-02	3.46E-04	5.56E-06	1.37E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
1314	1.08055	1.36E-02	1.5E-02	3.46E-04	5.10E-06	1.37E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1315	1.10651	1.36E-02	1.5E-02	3.46E-04	5.22E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1316	1.13195	1.36E-02	1.5E-02	3.46E-04	5.34E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
1317	1.15694	1.36E-02	1.6E-02	3.46E-04	5.46E-06	1.37E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1318	1.1825	1.36E-02	1.6E-02	3.46E-04	5.58E-06	1.37E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
1319	1.20726	1.36E-02	1.6E-02	3.46E-04	5.70E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1320	1.2311	1.36E-02	1.7E-02	3.46E-04	5.81E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
1321	1.25331	1.36E-02	1.7E-02	3.46E-04	5.92E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
1322	1.14304	1.36E-02	1.6E-02	3.46E-04	5.40E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1323	1.17231	1.36E-02	1.6E-02	3.46E-04	5.53E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1324	1.20116	1.36E-02	1.6E-02	3.46E-04	5.67E-06	1.37E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
1325	1.22968	1.36E-02	1.7E-02	3.46E-04	5.81E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
1326	1.25806	1.36E-02	1.7E-02	3.46E-04	5.94E-06	1.37E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1327	1.28575	1.36E-02	1.8E-02	3.46E-04	6.07E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1328	1.31176	1.36E-02	1.8E-02	3.46E-04	6.19E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1329	1.33584	1.36E-02	1.8E-02	3.46E-04	6.31E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1330	1.21044	1.36E-02	1.7E-02	3.46E-04	5.72E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1331	1.24305	1.36E-02	1.7E-02	3.46E-04	5.87E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1332	1.27509	1.36E-02	1.7E-02	3.46E-04	6.02E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1333	1.30665	1.36E-02	1.8E-02	3.46E-04	6.17E-06	1.37E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1334	1.33858	1.36E-02	1.8E-02	3.46E-04	6.32E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1335	1.36971	1.36E-02	1.9E-02	3.46E-04	6.47E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1336	1.39925	1.36E-02	1.9E-02	3.46E-04	6.61E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1.42662	1.36E-02	1.9E-02	3.46E-04	6.74E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.4E-02
1338	0.6706	1.36E-02	9.1E-03	3.46E-04	3.17E-06	1.37E-02	1.57E-01	6.82E-09	1.0E+06	6.8E-03
1339	0.68542	1.36E-02	9.3E-03	3.46E-04	3.24E-06	1.37E-02	1.57E-01	6.97E-09	1.0E+06	7.0E-03
1340	0.70086	1.36E-02	9.6E-03	3.46E-04	3.31E-06	1.37E-02	1.57E-01	7.12E-09	1.0E+06	7.1E-03
1341	0.71776	1.36E-02	9.8E-03	3.46E-04	3.39E-06	1.37E-02	1.57E-01	7.29E-09	1.0E+06	7.3E-03
1342	0.73629	1.36E-02	1.0E-02	3.46E-04	3.48E-06	1.37E-02	1.57E-01	7.48E-09	1.0E+06	7.5E-03
1343	0.75603	1.36E-02	1.0E-02	3.46E-04	3.57E-06	1.37E-02	1.57E-01	7.68E-09	1.0E+06	7.7E-03
1344	0.77782	1.36E-02	1.1E-02	3.46E-04	3.67E-06	1.37E-02	1.57E-01	7.91E-09	1.0E+06	7.9E-03
1345	0.80106	1.36E-02	1.1E-02	3.46E-04	3.78E-06	1.37E-02	1.57E-01	8.14E-09	1.0E+06	8.1E-03
1346	0.82446	1.36E-02	1.1E-02	3.46E-04	3.89E-06	1.37E-02	1.57E-01	8.38E-09	1.0E+06	8.4E-03
1347	0.84688	1.36E-02	1.2E-02	3.46E-04	4.00E-06	1.37E-02	1.57E-01	8.61E-09	1.0E+06	8.6E-03
1348	0.8705	1.36E-02	1.2E-02	3.46E-04	4.11E-06	1.37E-02	1.57E-01	8.85E-09	1.0E+06	8.8E-03
1349	0.89941	1.36E-02	1.2E-02	3.46E-04	4.25E-06	1.37E-02	1.57E-01	9.14E-09	1.0E+06	9.1E-03
1350	0.94927	1.36E-02	1.3E-02	3.46E-04	4.48E-06	1.37E-02	1.57E-01	9.65E-09	1.0E+06	9.6E-03
1351	0.99983	1.36E-02	1.4E-02	3.46E-04	4.72E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1352	1.05084	1.36E-02	1.4E-02	3.46E-04	4.96E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1353	1.10285	1.36E-02	1.5E-02	3.46E-04	5.21E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1354	1.1382	1.36E-02	1.6E-02	3.46E-04	5.37E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1355	1.17402	1.36E-02	1.6E-02	3.46E-04	5.54E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1356	1.21041	1.36E-02	1.7E-02	3.46E-04	5.71E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1357	1.24708	1.36E-02	1.7E-02	3.46E-04	5.89E-06	1.37E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
1358	1.28402	1.36E-02	1.8E-02	3.46E-04	6.06E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1359	1.32046	1.36E-02	1.8E-02	3.46E-04	6.23E-06	1.37E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1360	1.35609	1.36E-02	1.8E-02	3.46E-04	6.40E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1361	1.39133	1.36E-02	1.9E-02	3.46E-04	6.57E-06	1.37E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1362	1.42721	1.36E-02	1.9E-02	3.46E-04	6.74E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1363	1.46234	1.36E-02	2.0E-02	3.46E-04	6.90E-06	1.37E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1364	1.49609	1.36E-02	2.0E-02	3.46E-04	7.06E-06	1.37E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1365	1.52725	1.36E-02	2.1E-02	3.46E-04	7.21E-06	1.37E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1366	0.6996	1.36E-02	9.5E-03	3.46E-04	3.30E-06	1.37E-02	1.57E-01	7.11E-09	1.0E+06	7.1E-03
1367	0.71537	1.36E-02	9.8E-03	3.46E-04	3.38E-06	1.37E-02	1.57E-01	7.27E-09	1.0E+06	7.3E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

					Cancer Risk from 3rd Trimester					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	0.73162	1.36E-02	1.0E-02	3.46E-04	3.45E-06	1.37E-02	1.57E-01	7.44E-09	1.0E+06	7.4E-03
1369	0.74964	1.36E-02	1.0E-02	3.46E-04	3.54E-06	1.37E-02	1.57E-01	7.62E-09	1.0E+06	7.6E-03
1370	0.76958	1.36E-02	1.0E-02	3.46E-04	3.63E-06	1.37E-02	1.57E-01	7.82E-09	1.0E+06	7.8E-03
1371	0.79071	1.36E-02	1.1E-02	3.46E-04	3.73E-06	1.37E-02	1.57E-01	8.04E-09	1.0E+06	8.0E-03
1372	0.81443	1.36E-02	1.1E-02	3.46E-04	3.85E-06	1.37E-02	1.57E-01	8.28E-09	1.0E+06	8.3E-03
1373	0.83974	1.36E-02	1.1E-02	3.46E-04	3.96E-06	1.37E-02	1.57E-01	8.53E-09	1.0E+06	8.5E-03
1374	0.86472	1.36E-02	1.2E-02	3.46E-04	4.08E-06	1.37E-02	1.57E-01	8.79E-09	1.0E+06	8.8E-03
1375	0.88767	1.36E-02	1.2E-02	3.46E-04	4.19E-06	1.37E-02	1.57E-01	9.02E-09	1.0E+06	9.0E-03
1376	0.91158	1.36E-02	1.2E-02	3.46E-04	4.30E-06	1.37E-02	1.57E-01	9.26E-09	1.0E+06	9.3E-03
1377	0.94258	1.36E-02	1.3E-02	3.46E-04	4.45E-06	1.37E-02	1.57E-01	9.58E-09	1.0E+06	9.6E-03
1378	0.97741	1.36E-02	1.3E-02	3.46E-04	4.61E-06	1.37E-02	1.57E-01	9.93E-09	1.0E+06	9.9E-03
1379	1.03323	1.36E-02	1.4E-02	3.46E-04	4.88E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
1380	1.10627	1.36E-02	1.5E-02	3.46E-04	5.22E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1381	1.14484	1.36E-02	1.6E-02	3.46E-04	5.41E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1382	1.20168	1.36E-02	1.6E-02	3.46E-04	5.67E-06	1.37E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
1383	1.24135	1.36E-02	1.7E-02	3.46E-04	5.86E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1384	1.28189	1.36E-02	1.7E-02	3.46E-04	6.05E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1385	1.32295	1.36E-02	1.8E-02	3.46E-04	6.25E-06	1.37E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1386	1.36452	1.36E-02	1.9E-02	3.46E-04	6.44E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1387	1.40539	1.36E-02	1.9E-02	3.46E-04	6.64E-06	1.37E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1388	1.44518	1.36E-02	2.0E-02	3.46E-04	6.82E-06	1.37E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1389	1.48468	1.36E-02	2.0E-02	3.46E-04	7.01E-06	1.37E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1390	1.52527	1.36E-02	2.1E-02	3.46E-04	7.20E-06	1.37E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1391	1.56509	1.36E-02	2.1E-02	3.46E-04	7.39E-06	1.37E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
1392	1.60353	1.36E-02	2.2E-02	3.46E-04	7.57E-06	1.37E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1393	1.63942	1.36E-02	2.2E-02	3.46E-04	7.74E-06	1.37E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1394	0.72895	1.36E-02	9.9E-03	3.46E-04	3.44E-06	1.37E-02	1.57E-01	7.41E-09	1.0E+06	7.4E-03
1395	0.74605	1.36E-02	1.0E-02	3.46E-04	3.52E-06	1.37E-02	1.57E-01	7.58E-09	1.0E+06	7.6E-03
1396	0.76371	1.36E-02	1.0E-02	3.46E-04	3.61E-06	1.37E-02	1.57E-01	7.76E-09	1.0E+06	7.8E-03
1397	0.78298	1.36E-02	1.1E-02	3.46E-04	3.70E-06	1.37E-02	1.57E-01	7.96E-09	1.0E+06	8.0E-03
1398	0.80407	1.36E-02	1.1E-02	3.46E-04	3.80E-06	1.37E-02	1.57E-01	8.17E-09	1.0E+06	8.2E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	0.82627	1.36E-02	1.1E-02	3.46E-04	3.90E-06	1.37E-02	1.57E-01	8.40E-09	1.0E+06	8.4E-03
1400	0.85246	1.36E-02	1.2E-02	3.46E-04	4.02E-06	1.37E-02	1.57E-01	8.66E-09	1.0E+06	8.7E-03
1401	0.88041	1.36E-02	1.2E-02	3.46E-04	4.16E-06	1.37E-02	1.57E-01	8.95E-09	1.0E+06	8.9E-03
1402	0.9081	1.36E-02	1.2E-02	3.46E-04	4.29E-06	1.37E-02	1.57E-01	9.23E-09	1.0E+06	9.2E-03
1403	0.93334	1.36E-02	1.3E-02	3.46E-04	4.41E-06	1.37E-02	1.57E-01	9.49E-09	1.0E+06	9.5E-03
1404	0.95972	1.36E-02	1.3E-02	3.46E-04	4.53E-06	1.37E-02	1.57E-01	9.75E-09	1.0E+06	9.8E-03
1405	0.9925	1.36E-02	1.4E-02	3.46E-04	4.69E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1406	1.02915	1.36E-02	1.4E-02	3.46E-04	4.86E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.0E-02
1407	1.08816	1.36E-02	1.5E-02	3.46E-04	5.14E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1408	1.1665	1.36E-02	1.6E-02	3.46E-04	5.51E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1409	1.20983	1.36E-02	1.7E-02	3.46E-04	5.71E-06	1.37E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1410	1.27125	1.36E-02	1.7E-02	3.46E-04	6.00E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
1411	1.31543	1.36E-02	1.8E-02	3.46E-04	6.21E-06	1.37E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1412	1.36063	1.36E-02	1.9E-02	3.46E-04	6.42E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1413	1.40643	1.36E-02	1.9E-02	3.46E-04	6.64E-06	1.37E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
1414	1.45291	1.36E-02	2.0E-02	3.46E-04	6.86E-06	1.37E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1415	1.49861	1.36E-02	2.0E-02	3.46E-04	7.08E-06	1.37E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1416	1.543	1.36E-02	2.1E-02	3.46E-04	7.29E-06	1.37E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1417	1.58691	1.36E-02	2.2E-02	3.46E-04	7.49E-06	1.37E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
1418	1.63333	1.36E-02	2.2E-02	3.46E-04	7.71E-06	1.37E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1419	1.679	1.36E-02	2.3E-02	3.46E-04	7.93E-06	1.37E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1420	1.72323	1.36E-02	2.4E-02	3.46E-04	8.14E-06	1.37E-02	1.57E-01	1.75E-08	1.0E+06	1.8E-02
1421	1.76477	1.36E-02	2.4E-02	3.46E-04	8.33E-06	1.37E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1422	0.75905	1.36E-02	1.0E-02	3.46E-04	3.58E-06	1.37E-02	1.57E-01	7.71E-09	1.0E+06	7.7E-03
1423	0.77781	1.36E-02	1.1E-02	3.46E-04	3.67E-06	1.37E-02	1.57E-01	7.91E-09	1.0E+06	7.9E-03
1424	0.79723	1.36E-02	1.1E-02	3.46E-04	3.76E-06	1.37E-02	1.57E-01	8.10E-09	1.0E+06	8.1E-03
1425	0.81808	1.36E-02	1.1E-02	3.46E-04	3.86E-06	1.37E-02	1.57E-01	8.31E-09	1.0E+06	8.3E-03
1426	0.84045	1.36E-02	1.1E-02	3.46E-04	3.97E-06	1.37E-02	1.57E-01	8.54E-09	1.0E+06	8.5E-03
1427	0.86391	1.36E-02	1.2E-02	3.46E-04	4.08E-06	1.37E-02	1.57E-01	8.78E-09	1.0E+06	8.8E-03
1428	0.89272	1.36E-02	1.2E-02	3.46E-04	4.21E-06	1.37E-02	1.57E-01	9.07E-09	1.0E+06	9.1E-03
1429	0.92387	1.36E-02	1.3E-02	3.46E-04	4.36E-06	1.37E-02	1.57E-01	9.39E-09	1.0E+06	9.4E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	0.9546	1.36E-02	1.3E-02	3.46E-04	4.51E-06	1.37E-02	1.57E-01	9.70E-09	1.0E+06	9.7E-03
1431	0.98283	1.36E-02	1.3E-02	3.46E-04	4.64E-06	1.37E-02	1.57E-01	9.99E-09	1.0E+06	1.0E-02
1432	1.01241	1.36E-02	1.4E-02	3.46E-04	4.78E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1433	1.04711	1.36E-02	1.4E-02	3.46E-04	4.94E-06	1.37E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1434	1.08541	1.36E-02	1.5E-02	3.46E-04	5.12E-06	1.37E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1435	1.14768	1.36E-02	1.6E-02	3.46E-04	5.42E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1436	1.23146	1.36E-02	1.7E-02	3.46E-04	5.81E-06	1.37E-02	1.57E-01	1.25E-08	1.0E+06	1.3E-02
1437	1.28019	1.36E-02	1.7E-02	3.46E-04	6.04E-06	1.37E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1438	1.34679	1.36E-02	1.8E-02	3.46E-04	6.36E-06	1.37E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1439	1.39617	1.36E-02	1.9E-02	3.46E-04	6.59E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1440	1.44674	1.36E-02	2.0E-02	3.46E-04	6.83E-06	1.37E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1441	1.49791	1.36E-02	2.0E-02	3.46E-04	7.07E-06	1.37E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1442	1.55008	1.36E-02	2.1E-02	3.46E-04	7.32E-06	1.37E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1443	1.60131	1.36E-02	2.2E-02	3.46E-04	7.56E-06	1.37E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1444	1.65105	1.36E-02	2.3E-02	3.46E-04	7.80E-06	1.37E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1445	1.70034	1.36E-02	2.3E-02	3.46E-04	8.03E-06	1.37E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1446	1.7534	1.36E-02	2.4E-02	3.46E-04	8.28E-06	1.37E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1447	1.80601	1.36E-02	2.5E-02	3.46E-04	8.53E-06	1.37E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1448	1.85712	1.36E-02	2.5E-02	3.46E-04	8.77E-06	1.37E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
1449	1.90559	1.36E-02	2.6E-02	3.46E-04	9.00E-06	1.37E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1450	0.79021	1.36E-02	1.1E-02	3.46E-04	3.73E-06	1.37E-02	1.57E-01	8.03E-09	1.0E+06	8.0E-03
1451	0.81091	1.36E-02	1.1E-02	3.46E-04	3.83E-06	1.37E-02	1.57E-01	8.24E-09	1.0E+06	8.2E-03
1452	0.83227	1.36E-02	1.1E-02	3.46E-04	3.93E-06	1.37E-02	1.57E-01	8.46E-09	1.0E+06	8.5E-03
1453	0.85487	1.36E-02	1.2E-02	3.46E-04	4.04E-06	1.37E-02	1.57E-01	8.69E-09	1.0E+06	8.7E-03
1454	0.8789	1.36E-02	1.2E-02	3.46E-04	4.15E-06	1.37E-02	1.57E-01	8.93E-09	1.0E+06	8.9E-03
1455	0.90387	1.36E-02	1.2E-02	3.46E-04	4.27E-06	1.37E-02	1.57E-01	9.19E-09	1.0E+06	9.2E-03
1456	0.93569	1.36E-02	1.3E-02	3.46E-04	4.42E-06	1.37E-02	1.57E-01	9.51E-09	1.0E+06	9.5E-03
1457	0.97038	1.36E-02	1.3E-02	3.46E-04	4.58E-06	1.37E-02	1.57E-01	9.86E-09	1.0E+06	9.9E-03
1458	1.00454	1.36E-02	1.4E-02	3.46E-04	4.74E-06	1.37E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1459	1.0359	1.36E-02	1.4E-02	3.46E-04	4.89E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
1460	1.06914	1.36E-02	1.5E-02	3.46E-04	5.05E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1.10614	1.36E-02	1.5E-02	3.46E-04	5.22E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1462	1.14658	1.36E-02	1.6E-02	3.46E-04	5.41E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1463	1.1909	1.36E-02	1.6E-02	3.46E-04	5.62E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1464	1.30156	1.36E-02	1.8E-02	3.46E-04	6.15E-06	1.37E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1465	1.35654	1.36E-02	1.9E-02	3.46E-04	6.40E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1466	1.4289	1.36E-02	1.9E-02	3.46E-04	6.75E-06	1.37E-02	1.57E-01	1.45E-08	1.0E+06	1.5E-02
1467	1.48409	1.36E-02	2.0E-02	3.46E-04	7.01E-06	1.37E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1468	1.54085	1.36E-02	2.1E-02	3.46E-04	7.28E-06	1.37E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1469	1.59849	1.36E-02	2.2E-02	3.46E-04	7.55E-06	1.37E-02	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1470	1.65719	1.36E-02	2.3E-02	3.46E-04	7.82E-06	1.37E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1471	1.71487	1.36E-02	2.3E-02	3.46E-04	8.10E-06	1.37E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1472	1.77089	1.36E-02	2.4E-02	3.46E-04	8.36E-06	1.37E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1473	1.82649	1.36E-02	2.5E-02	3.46E-04	8.62E-06	1.37E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1474	1.88758	1.36E-02	2.6E-02	3.46E-04	8.91E-06	1.37E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
1475	1.94833	1.36E-02	2.7E-02	3.46E-04	9.20E-06	1.37E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1476	2.00788	1.36E-02	2.7E-02	3.46E-04	9.48E-06	1.37E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1477	2.06454	1.36E-02	2.8E-02	3.46E-04	9.75E-06	1.37E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1478	0.82198	1.36E-02	1.1E-02	3.46E-04	3.88E-06	1.37E-02	1.57E-01	8.35E-09	1.0E+06	8.4E-03
1479	0.84509	1.36E-02	1.2E-02	3.46E-04	3.99E-06	1.37E-02	1.57E-01	8.59E-09	1.0E+06	8.6E-03
1480	0.86906	1.36E-02	1.2E-02	3.46E-04	4.10E-06	1.37E-02	1.57E-01	8.83E-09	1.0E+06	8.8E-03
1481	0.89437	1.36E-02	1.2E-02	3.46E-04	4.22E-06	1.37E-02	1.57E-01	9.09E-09	1.0E+06	9.1E-03
1482	0.92108	1.36E-02	1.3E-02	3.46E-04	4.35E-06	1.37E-02	1.57E-01	9.36E-09	1.0E+06	9.4E-03
1483	0.94908	1.36E-02	1.3E-02	3.46E-04	4.48E-06	1.37E-02	1.57E-01	9.65E-09	1.0E+06	9.6E-03
1484	0.98357	1.36E-02	1.3E-02	3.46E-04	4.64E-06	1.37E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1485	1.02091	1.36E-02	1.4E-02	3.46E-04	4.82E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1486	1.05816	1.36E-02	1.4E-02	3.46E-04	5.00E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1487	1.09296	1.36E-02	1.5E-02	3.46E-04	5.16E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1488	1.1299	1.36E-02	1.5E-02	3.46E-04	5.33E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.1E-02
1489	1.17079	1.36E-02	1.6E-02	3.46E-04	5.53E-06	1.37E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1490	1.21553	1.36E-02	1.7E-02	3.46E-04	5.74E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1491	1.26442	1.36E-02	1.7E-02	3.46E-04	5.97E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1.361	1.36E-02	1.9E-02	3.46E-04	6.43E-06	1.37E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1493	1.43817	1.36E-02	2.0E-02	3.46E-04	6.79E-06	1.37E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1494	1.51658	1.36E-02	2.1E-02	3.46E-04	7.16E-06	1.37E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1495	1.57869	1.36E-02	2.2E-02	3.46E-04	7.45E-06	1.37E-02	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1496	1.6427	1.36E-02	2.2E-02	3.46E-04	7.76E-06	1.37E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1497	1.70818	1.36E-02	2.3E-02	3.46E-04	8.07E-06	1.37E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1498	1.77539	1.36E-02	2.4E-02	3.46E-04	8.38E-06	1.37E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1499	1.84179	1.36E-02	2.5E-02	3.46E-04	8.70E-06	1.37E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02
1500	1.90691	1.36E-02	2.6E-02	3.46E-04	9.00E-06	1.37E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1501	1.97185	1.36E-02	2.7E-02	3.46E-04	9.31E-06	1.37E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1502	2.04197	1.36E-02	2.8E-02	3.46E-04	9.64E-06	1.37E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1503	2.11188	1.36E-02	2.9E-02	3.46E-04	9.97E-06	1.37E-02	1.57E-01	2.15E-08	1.0E+06	2.1E-02
1504	2.18036	1.36E-02	3.0E-02	3.46E-04	1.03E-05	1.37E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1505	2.24581	1.36E-02	3.1E-02	3.46E-04	1.06E-05	1.37E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
1506	0.8541	1.36E-02	1.2E-02	3.46E-04	4.03E-06	1.37E-02	1.57E-01	8.68E-09	1.0E+06	8.7E-03
1507	0.8802	1.36E-02	1.2E-02	3.46E-04	4.16E-06	1.37E-02	1.57E-01	8.95E-09	1.0E+06	8.9E-03
1508	0.90729	1.36E-02	1.2E-02	3.46E-04	4.28E-06	1.37E-02	1.57E-01	9.22E-09	1.0E+06	9.2E-03
1509	0.93593	1.36E-02	1.3E-02	3.46E-04	4.42E-06	1.37E-02	1.57E-01	9.51E-09	1.0E+06	9.5E-03
1510	0.96633	1.36E-02	1.3E-02	3.46E-04	4.56E-06	1.37E-02	1.57E-01	9.82E-09	1.0E+06	9.8E-03
1511	0.99804	1.36E-02	1.4E-02	3.46E-04	4.71E-06	1.37E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1512	1.03523	1.36E-02	1.4E-02	3.46E-04	4.89E-06	1.37E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02
1513	1.07514	1.36E-02	1.5E-02	3.46E-04	5.08E-06	1.37E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1514	1.11546	1.36E-02	1.5E-02	3.46E-04	5.27E-06	1.37E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1515	1.15414	1.36E-02	1.6E-02	3.46E-04	5.45E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1516	1.19503	1.36E-02	1.6E-02	3.46E-04	5.64E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1517	1.24071	1.36E-02	1.7E-02	3.46E-04	5.86E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1518	1.29106	1.36E-02	1.8E-02	3.46E-04	6.10E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1519	1.36574	1.36E-02	1.9E-02	3.46E-04	6.45E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1520	1.44482	1.36E-02	2.0E-02	3.46E-04	6.82E-06	1.37E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1521	1.52623	1.36E-02	2.1E-02	3.46E-04	7.21E-06	1.37E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1522	1.6115	1.36E-02	2.2E-02	3.46E-04	7.61E-06	1.37E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1.68139	1.36E-02	2.3E-02	3.46E-04	7.94E-06	1.37E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1524	1.75393	1.36E-02	2.4E-02	3.46E-04	8.28E-06	1.37E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1525	1.82886	1.36E-02	2.5E-02	3.46E-04	8.63E-06	1.37E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1526	1.90598	1.36E-02	2.6E-02	3.46E-04	9.00E-06	1.37E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1527	1.98321	1.36E-02	2.7E-02	3.46E-04	9.36E-06	1.37E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1528	2.05946	1.36E-02	2.8E-02	3.46E-04	9.72E-06	1.37E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
1529	2.1359	1.36E-02	2.9E-02	3.46E-04	1.01E-05	1.37E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1530	2.21693	1.36E-02	3.0E-02	3.46E-04	1.05E-05	1.37E-02	1.57E-01	2.25E-08	1.0E+06	2.3E-02
1531	2.29776	1.36E-02	3.1E-02	3.46E-04	1.08E-05	1.37E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1532	2.3771	1.36E-02	3.2E-02	3.46E-04	1.12E-05	1.37E-02	1.57E-01	2.42E-08	1.0E+06	2.4E-02
1533	2.45301	1.36E-02	3.3E-02	3.46E-04	1.16E-05	1.37E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
1534	0.88625	1.36E-02	1.2E-02	3.46E-04	4.18E-06	1.37E-02	1.57E-01	9.01E-09	1.0E+06	9.0E-03
1535	0.91582	1.36E-02	1.2E-02	3.46E-04	4.32E-06	1.37E-02	1.57E-01	9.31E-09	1.0E+06	9.3E-03
1536	0.94649	1.36E-02	1.3E-02	3.46E-04	4.47E-06	1.37E-02	1.57E-01	9.62E-09	1.0E+06	9.6E-03
1537	0.97896	1.36E-02	1.3E-02	3.46E-04	4.62E-06	1.37E-02	1.57E-01	9.95E-09	1.0E+06	9.9E-03
1538	1.01336	1.36E-02	1.4E-02	3.46E-04	4.78E-06	1.37E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
1539	1.04934	1.36E-02	1.4E-02	3.46E-04	4.95E-06	1.37E-02	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1540	1.08948	1.36E-02	1.5E-02	3.46E-04	5.14E-06	1.37E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1541	1.13251	1.36E-02	1.5E-02	3.46E-04	5.35E-06	1.37E-02	1.57E-01	1.15E-08	1.0E+06	1.2E-02
1542	1.17645	1.36E-02	1.6E-02	3.46E-04	5.55E-06	1.37E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
1543	1.21928	1.36E-02	1.7E-02	3.46E-04	5.76E-06	1.37E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1544	1.26478	1.36E-02	1.7E-02	3.46E-04	5.97E-06	1.37E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
1545	1.31584	1.36E-02	1.8E-02	3.46E-04	6.21E-06	1.37E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1546	1.3722	1.36E-02	1.9E-02	3.46E-04	6.48E-06	1.37E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1547	1.45238	1.36E-02	2.0E-02	3.46E-04	6.86E-06	1.37E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1548	1.53567	1.36E-02	2.1E-02	3.46E-04	7.25E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1549	1.62189	1.36E-02	2.2E-02	3.46E-04	7.66E-06	1.37E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
1550	1.69641	1.36E-02	2.3E-02	3.46E-04	8.01E-06	1.37E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1551	1.79353	1.36E-02	2.4E-02	3.46E-04	8.47E-06	1.37E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
1552	1.87592	1.36E-02	2.6E-02	3.46E-04	8.86E-06	1.37E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1553	1.96201	1.36E-02	2.7E-02	3.46E-04	9.26E-06	1.37E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.05105	1.36E-02	2.8E-02	3.46E-04	9.68E-06	1.37E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1555	2.14093	1.36E-02	2.9E-02	3.46E-04	1.01E-05	1.37E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1556	2.23061	1.36E-02	3.0E-02	3.46E-04	1.05E-05	1.37E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
1557	2.32148	1.36E-02	3.2E-02	3.46E-04	1.10E-05	1.37E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1558	2.41558	1.36E-02	3.3E-02	3.46E-04	1.14E-05	1.37E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02
1559	2.50973	1.36E-02	3.4E-02	3.46E-04	1.18E-05	1.37E-02	1.57E-01	2.55E-08	1.0E+06	2.6E-02
1560	2.60239	1.36E-02	3.5E-02	3.46E-04	1.23E-05	1.37E-02	1.57E-01	2.64E-08	1.0E+06	2.6E-02
1561	2.69114	1.36E-02	3.7E-02	3.46E-04	1.27E-05	1.37E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
1562	0.91971	1.36E-02	1.3E-02	3.46E-04	4.34E-06	1.37E-02	1.57E-01	9.35E-09	1.0E+06	9.3E-03
1563	0.952	1.36E-02	1.3E-02	3.46E-04	4.49E-06	1.37E-02	1.57E-01	9.68E-09	1.0E+06	9.7E-03
1564	0.98558	1.36E-02	1.3E-02	3.46E-04	4.65E-06	1.37E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1565	1.02141	1.36E-02	1.4E-02	3.46E-04	4.82E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1566	1.05997	1.36E-02	1.4E-02	3.46E-04	5.00E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1567	1.10025	1.36E-02	1.5E-02	3.46E-04	5.19E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1568	1.14403	1.36E-02	1.6E-02	3.46E-04	5.40E-06	1.37E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1569	1.19044	1.36E-02	1.6E-02	3.46E-04	5.62E-06	1.37E-02	1.57E-01	1.21E-08	1.0E+06	1.2E-02
1570	1.23858	1.36E-02	1.7E-02	3.46E-04	5.85E-06	1.37E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1571	1.28646	1.36E-02	1.8E-02	3.46E-04	6.07E-06	1.37E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1572	1.33769	1.36E-02	1.8E-02	3.46E-04	6.32E-06	1.37E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1573	1.39468	1.36E-02	1.9E-02	3.46E-04	6.58E-06	1.37E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1574	1.45778	1.36E-02	2.0E-02	3.46E-04	6.88E-06	1.37E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1575	1.54434	1.36E-02	2.1E-02	3.46E-04	7.29E-06	1.37E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1576	1.63349	1.36E-02	2.2E-02	3.46E-04	7.71E-06	1.37E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1577	1.72571	1.36E-02	2.4E-02	3.46E-04	8.15E-06	1.37E-02	1.57E-01	1.75E-08	1.0E+06	1.8E-02
1578	1.80944	1.36E-02	2.5E-02	3.46E-04	8.54E-06	1.37E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1579	1.91632	1.36E-02	2.6E-02	3.46E-04	9.05E-06	1.37E-02	1.57E-01	1.95E-08	1.0E+06	1.9E-02
1580	2.00996	1.36E-02	2.7E-02	3.46E-04	9.49E-06	1.37E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1581	2.10875	1.36E-02	2.9E-02	3.46E-04	9.96E-06	1.37E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1582	2.21124	1.36E-02	3.0E-02	3.46E-04	1.04E-05	1.37E-02	1.57E-01	2.25E-08	1.0E+06	2.2E-02
1583	2.31586	1.36E-02	3.2E-02	3.46E-04	1.09E-05	1.37E-02	1.57E-01	2.35E-08	1.0E+06	2.4E-02
1584	2.42156	1.36E-02	3.3E-02	3.46E-04	1.14E-05	1.37E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.52885	1.36E-02	3.4E-02	3.46E-04	1.19E-05	1.37E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1586	2.63947	1.36E-02	3.6E-02	3.46E-04	1.25E-05	1.37E-02	1.57E-01	2.68E-08	1.0E+06	2.7E-02
1587	2.75064	1.36E-02	3.8E-02	3.46E-04	1.30E-05	1.37E-02	1.57E-01	2.80E-08	1.0E+06	2.8E-02
1588	2.86047	1.36E-02	3.9E-02	3.46E-04	1.35E-05	1.37E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
1589	2.96568	1.36E-02	4.0E-02	3.46E-04	1.40E-05	1.37E-02	1.57E-01	3.01E-08	1.0E+06	3.0E-02
1590	0.95399	1.36E-02	1.3E-02	3.46E-04	4.50E-06	1.37E-02	1.57E-01	9.70E-09	1.0E+06	9.7E-03
1591	0.98829	1.36E-02	1.3E-02	3.46E-04	4.67E-06	1.37E-02	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1592	1.02397	1.36E-02	1.4E-02	3.46E-04	4.83E-06	1.37E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1593	1.06306	1.36E-02	1.4E-02	3.46E-04	5.02E-06	1.37E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1594	1.10602	1.36E-02	1.5E-02	3.46E-04	5.22E-06	1.37E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1595	1.15103	1.36E-02	1.6E-02	3.46E-04	5.43E-06	1.37E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
0	0	1.36E-02	0.0E+00	3.46E-04	0.00E+00	1.37E-02	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	2.19E-03
1214	5	1.98E-03
1215	5	2.02E-03
1216	5	2.05E-03
1217	5	2.08E-03
1218	5	2.12E-03
1219	5	2.15E-03
1220	5	2.18E-03
1221	5	2.20E-03
1222	5	2.23E-03
1223	5	2.25E-03
1224	5	2.27E-03
1225	5	2.29E-03
1226	5	2.30E-03
1227	5	2.32E-03
1228	5	2.07E-03
1229	5	2.11E-03
1230	5	2.15E-03
1231	5	2.18E-03
1232	5	2.22E-03
1233	5	2.25E-03
1234	5	2.29E-03
1235	5	2.32E-03
1236	5	2.34E-03
1237	5	2.37E-03
1238	5	2.39E-03
1239	5	2.41E-03
1240	5	2.42E-03
1241	5	2.44E-03
1242	5	2.17E-03
1243	5	2.21E-03

Max	Receptor #	
0.008	1589	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	2.25E-03
1245	5	2.29E-03
1246	5	2.33E-03
1247	5	2.37E-03
1248	5	2.40E-03
1249	5	2.44E-03
1250	5	2.47E-03
1251	5	2.49E-03
1252	5	2.52E-03
1253	5	2.54E-03
1254	5	2.56E-03
1255	5	2.57E-03
1256	5	2.28E-03
1257	5	2.32E-03
1258	5	2.36E-03
1259	5	2.41E-03
1260	5	2.45E-03
1261	5	2.49E-03
1262	5	2.53E-03
1263	5	2.57E-03
1264	5	2.60E-03
1265	5	2.63E-03
1266	5	2.65E-03
1267	5	2.68E-03
1268	5	2.70E-03
1269	5	2.71E-03
1270	5	2.39E-03
1271	5	2.44E-03
1272	5	2.48E-03
1273	5	2.53E-03
1274	5	2.58E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	2.62E-03
1276	5	2.67E-03
1277	5	2.71E-03
1278	5	2.74E-03
1279	5	2.78E-03
1280	5	2.81E-03
1281	5	2.83E-03
1282	5	2.85E-03
1283	5	2.87E-03
1284	5	2.51E-03
1285	5	2.57E-03
1286	5	2.61E-03
1287	5	2.66E-03
1288	5	2.71E-03
1289	5	2.76E-03
1290	5	2.81E-03
1291	5	2.86E-03
1292	5	2.90E-03
1293	5	2.94E-03
1294	5	2.97E-03
1295	5	3.00E-03
1296	5	3.02E-03
1297	5	3.04E-03
1298	5	2.65E-03
1299	5	2.70E-03
1300	5	2.76E-03
1301	5	2.81E-03
1302	5	2.87E-03
1303	5	2.92E-03
1304	5	2.98E-03
1305	5	3.03E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	2.79E-03
1307	5	2.85E-03
1308	5	2.91E-03
1309	5	2.97E-03
1310	5	3.04E-03
1311	5	3.10E-03
1312	5	3.16E-03
1313	5	3.21E-03
1314	5	2.95E-03
1315	5	3.02E-03
1316	5	3.09E-03
1317	5	3.16E-03
1318	5	3.23E-03
1319	5	3.29E-03
1320	5	3.36E-03
1321	5	3.42E-03
1322	5	3.12E-03
1323	5	3.20E-03
1324	5	3.28E-03
1325	5	3.35E-03
1326	5	3.43E-03
1327	5	3.51E-03
1328	5	3.58E-03
1329	5	3.64E-03
1330	5	3.30E-03
1331	5	3.39E-03
1332	5	3.48E-03
1333	5	3.56E-03
1334	5	3.65E-03
1335	5	3.74E-03
1336	5	3.82E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	3.89E-03
1338	5	1.83E-03
1339	5	1.87E-03
1340	5	1.91E-03
1341	5	1.96E-03
1342	5	2.01E-03
1343	5	2.06E-03
1344	5	2.12E-03
1345	5	2.19E-03
1346	5	2.25E-03
1347	5	2.31E-03
1348	5	2.37E-03
1349	5	2.45E-03
1350	5	2.59E-03
1351	5	2.73E-03
1352	5	2.87E-03
1353	5	3.01E-03
1354	5	3.10E-03
1355	5	3.20E-03
1356	5	3.30E-03
1357	5	3.40E-03
1358	5	3.50E-03
1359	5	3.60E-03
1360	5	3.70E-03
1361	5	3.80E-03
1362	5	3.89E-03
1363	5	3.99E-03
1364	5	4.08E-03
1365	5	4.17E-03
1366	5	1.91E-03
1367	5	1.95E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	2.00E-03
1369	5	2.04E-03
1370	5	2.10E-03
1371	5	2.16E-03
1372	5	2.22E-03
1373	5	2.29E-03
1374	5	2.36E-03
1375	5	2.42E-03
1376	5	2.49E-03
1377	5	2.57E-03
1378	5	2.67E-03
1379	5	2.82E-03
1380	5	3.02E-03
1381	5	3.12E-03
1382	5	3.28E-03
1383	5	3.39E-03
1384	5	3.50E-03
1385	5	3.61E-03
1386	5	3.72E-03
1387	5	3.83E-03
1388	5	3.94E-03
1389	5	4.05E-03
1390	5	4.16E-03
1391	5	4.27E-03
1392	5	4.37E-03
1393	5	4.47E-03
1394	5	1.99E-03
1395	5	2.04E-03
1396	5	2.08E-03
1397	5	2.14E-03
1398	5	2.19E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	2.25E-03
1400	5	2.33E-03
1401	5	2.40E-03
1402	5	2.48E-03
1403	5	2.55E-03
1404	5	2.62E-03
1405	5	2.71E-03
1406	5	2.81E-03
1407	5	2.97E-03
1408	5	3.18E-03
1409	5	3.30E-03
1410	5	3.47E-03
1411	5	3.59E-03
1412	5	3.71E-03
1413	5	3.84E-03
1414	5	3.96E-03
1415	5	4.09E-03
1416	5	4.21E-03
1417	5	4.33E-03
1418	5	4.46E-03
1419	5	4.58E-03
1420	5	4.70E-03
1421	5	4.81E-03
1422	5	2.07E-03
1423	5	2.12E-03
1424	5	2.17E-03
1425	5	2.23E-03
1426	5	2.29E-03
1427	5	2.36E-03
1428	5	2.44E-03
1429	5	2.52E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	2.60E-03
1431	5	2.68E-03
1432	5	2.76E-03
1433	5	2.86E-03
1434	5	2.96E-03
1435	5	3.13E-03
1436	5	3.36E-03
1437	5	3.49E-03
1438	5	3.67E-03
1439	5	3.81E-03
1440	5	3.95E-03
1441	5	4.09E-03
1442	5	4.23E-03
1443	5	4.37E-03
1444	5	4.50E-03
1445	5	4.64E-03
1446	5	4.78E-03
1447	5	4.93E-03
1448	5	5.07E-03
1449	5	5.20E-03
1450	5	2.16E-03
1451	5	2.21E-03
1452	5	2.27E-03
1453	5	2.33E-03
1454	5	2.40E-03
1455	5	2.47E-03
1456	5	2.55E-03
1457	5	2.65E-03
1458	5	2.74E-03
1459	5	2.83E-03
1460	5	2.92E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	3.02E-03
1462	5	3.13E-03
1463	5	3.25E-03
1464	5	3.55E-03
1465	5	3.70E-03
1466	5	3.90E-03
1467	5	4.05E-03
1468	5	4.20E-03
1469	5	4.36E-03
1470	5	4.52E-03
1471	5	4.68E-03
1472	5	4.83E-03
1473	5	4.98E-03
1474	5	5.15E-03
1475	5	5.31E-03
1476	5	5.48E-03
1477	5	5.63E-03
1478	5	2.24E-03
1479	5	2.31E-03
1480	5	2.37E-03
1481	5	2.44E-03
1482	5	2.51E-03
1483	5	2.59E-03
1484	5	2.68E-03
1485	5	2.78E-03
1486	5	2.89E-03
1487	5	2.98E-03
1488	5	3.08E-03
1489	5	3.19E-03
1490	5	3.32E-03
1491	5	3.45E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	3.71E-03
1493	5	3.92E-03
1494	5	4.14E-03
1495	5	4.31E-03
1496	5	4.48E-03
1497	5	4.66E-03
1498	5	4.84E-03
1499	5	5.02E-03
1500	5	5.20E-03
1501	5	5.38E-03
1502	5	5.57E-03
1503	5	5.76E-03
1504	5	5.95E-03
1505	5	6.13E-03
1506	5	2.33E-03
1507	5	2.40E-03
1508	5	2.47E-03
1509	5	2.55E-03
1510	5	2.64E-03
1511	5	2.72E-03
1512	5	2.82E-03
1513	5	2.93E-03
1514	5	3.04E-03
1515	5	3.15E-03
1516	5	3.26E-03
1517	5	3.38E-03
1518	5	3.52E-03
1519	5	3.73E-03
1520	5	3.94E-03
1521	5	4.16E-03
1522	5	4.40E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	4.59E-03
1524	5	4.78E-03
1525	5	4.99E-03
1526	5	5.20E-03
1527	5	5.41E-03
1528	5	5.62E-03
1529	5	5.83E-03
1530	5	6.05E-03
1531	5	6.27E-03
1532	5	6.48E-03
1533	5	6.69E-03
1534	5	2.42E-03
1535	5	2.50E-03
1536	5	2.58E-03
1537	5	2.67E-03
1538	5	2.76E-03
1539	5	2.86E-03
1540	5	2.97E-03
1541	5	3.09E-03
1542	5	3.21E-03
1543	5	3.33E-03
1544	5	3.45E-03
1545	5	3.59E-03
1546	5	3.74E-03
1547	5	3.96E-03
1548	5	4.19E-03
1549	5	4.42E-03
1550	5	4.63E-03
1551	5	4.89E-03
1552	5	5.12E-03
1553	5	5.35E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	5.59E-03
1555	5	5.84E-03
1556	5	6.08E-03
1557	5	6.33E-03
1558	5	6.59E-03
1559	5	6.85E-03
1560	5	7.10E-03
1561	5	7.34E-03
1562	5	2.51E-03
1563	5	2.60E-03
1564	5	2.69E-03
1565	5	2.79E-03
1566	5	2.89E-03
1567	5	3.00E-03
1568	5	3.12E-03
1569	5	3.25E-03
1570	5	3.38E-03
1571	5	3.51E-03
1572	5	3.65E-03
1573	5	3.80E-03
1574	5	3.98E-03
1575	5	4.21E-03
1576	5	4.46E-03
1577	5	4.71E-03
1578	5	4.94E-03
1579	5	5.23E-03
1580	5	5.48E-03
1581	5	5.75E-03
1582	5	6.03E-03
1583	5	6.32E-03
1584	5	6.61E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	6.90E-03
1586	5	7.20E-03
1587	5	7.50E-03
1588	5	7.80E-03
1589	5	8.09E-03
1590	5	2.60E-03
1591	5	2.70E-03
1592	5	2.79E-03
1593	5	2.90E-03
1594	5	3.02E-03
1595	5	3.14E-03
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	0.80274	1.36E-02	1.1E-02	1.05E-03	1.14E-05	1.10E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1214	0.72702	1.36E-02	9.9E-03	1.05E-03	1.04E-05	1.10E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1215	0.73953	1.36E-02	1.0E-02	1.05E-03	1.05E-05	1.10E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
1216	0.75186	1.36E-02	1.0E-02	1.05E-03	1.07E-05	1.10E-02	1.57E-01	1.85E-08	1.0E+06	1.8E-02
1217	0.76393	1.36E-02	1.0E-02	1.05E-03	1.09E-05	1.10E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02
1218	0.77579	1.36E-02	1.1E-02	1.05E-03	1.11E-05	1.10E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02
1219	0.78718	1.36E-02	1.1E-02	1.05E-03	1.12E-05	1.10E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
1220	0.7979	1.36E-02	1.1E-02	1.05E-03	1.14E-05	1.10E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02
1221	0.80779	1.36E-02	1.1E-02	1.05E-03	1.15E-05	1.10E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1222	0.81668	1.36E-02	1.1E-02	1.05E-03	1.16E-05	1.10E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1223	0.82479	1.36E-02	1.1E-02	1.05E-03	1.18E-05	1.10E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1224	0.83211	1.36E-02	1.1E-02	1.05E-03	1.19E-05	1.10E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1225	0.83857	1.36E-02	1.1E-02	1.05E-03	1.20E-05	1.10E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1226	0.84413	1.36E-02	1.2E-02	1.05E-03	1.20E-05	1.10E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02
1227	0.84884	1.36E-02	1.2E-02	1.05E-03	1.21E-05	1.10E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1228	0.76049	1.36E-02	1.0E-02	1.05E-03	1.08E-05	1.10E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02
1229	0.774	1.36E-02	1.1E-02	1.05E-03	1.10E-05	1.10E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02
1230	0.78733	1.36E-02	1.1E-02	1.05E-03	1.12E-05	1.10E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
1231	0.80037	1.36E-02	1.1E-02	1.05E-03	1.14E-05	1.10E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02
1232	0.81344	1.36E-02	1.1E-02	1.05E-03	1.16E-05	1.10E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1233	0.82608	1.36E-02	1.1E-02	1.05E-03	1.18E-05	1.10E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1234	0.83782	1.36E-02	1.1E-02	1.05E-03	1.19E-05	1.10E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1235	0.84873	1.36E-02	1.2E-02	1.05E-03	1.21E-05	1.10E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1236	0.85846	1.36E-02	1.2E-02	1.05E-03	1.22E-05	1.10E-02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1237	0.86731	1.36E-02	1.2E-02	1.05E-03	1.24E-05	1.10E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1238	0.87532	1.36E-02	1.2E-02	1.05E-03	1.25E-05	1.10E-02	1.57E-01	2.15E-08	1.0E+06	2.1E-02
1239	0.88245	1.36E-02	1.2E-02	1.05E-03	1.26E-05	1.10E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1240	0.88866	1.36E-02	1.2E-02	1.05E-03	1.27E-05	1.10E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1241	0.89386	1.36E-02	1.2E-02	1.05E-03	1.27E-05	1.10E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1242	0.79635	1.36E-02	1.1E-02	1.05E-03	1.14E-05	1.10E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02
1243	0.81102	1.36E-02	1.1E-02	1.05E-03	1.16E-05	1.10E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02

	Max	Receptor #
Res	0.073	1589

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	0.82549	1.36E-02	1.1E-02	1.05E-03	1.18E-05	1.10E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1245	0.83961	1.36E-02	1.1E-02	1.05E-03	1.20E-05	1.10E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1246	0.85402	1.36E-02	1.2E-02	1.05E-03	1.22E-05	1.10E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1247	0.86802	1.36E-02	1.2E-02	1.05E-03	1.24E-05	1.10E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1248	0.88097	1.36E-02	1.2E-02	1.05E-03	1.26E-05	1.10E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1249	0.89297	1.36E-02	1.2E-02	1.05E-03	1.27E-05	1.10E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1250	0.90368	1.36E-02	1.2E-02	1.05E-03	1.29E-05	1.10E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1251	0.91336	1.36E-02	1.2E-02	1.05E-03	1.30E-05	1.10E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1252	0.92212	1.36E-02	1.3E-02	1.05E-03	1.31E-05	1.10E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1253	0.92993	1.36E-02	1.3E-02	1.05E-03	1.33E-05	1.10E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
1254	0.93673	1.36E-02	1.3E-02	1.05E-03	1.34E-05	1.10E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
1255	0.94252	1.36E-02	1.3E-02	1.05E-03	1.34E-05	1.10E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1256	0.83492	1.36E-02	1.1E-02	1.05E-03	1.19E-05	1.10E-02	1.57E-01	2.05E-08	1.0E+06	2.0E-02
1257	0.85087	1.36E-02	1.2E-02	1.05E-03	1.21E-05	1.10E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
1258	0.86649	1.36E-02	1.2E-02	1.05E-03	1.24E-05	1.10E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1259	0.88183	1.36E-02	1.2E-02	1.05E-03	1.26E-05	1.10E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1260	0.89773	1.36E-02	1.2E-02	1.05E-03	1.28E-05	1.10E-02	1.57E-01	2.20E-08	1.0E+06	2.2E-02
1261	0.91311	1.36E-02	1.2E-02	1.05E-03	1.30E-05	1.10E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1262	0.92752	1.36E-02	1.3E-02	1.05E-03	1.32E-05	1.10E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
1263	0.94085	1.36E-02	1.3E-02	1.05E-03	1.34E-05	1.10E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1264	0.95274	1.36E-02	1.3E-02	1.05E-03	1.36E-05	1.10E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1265	0.96334	1.36E-02	1.3E-02	1.05E-03	1.37E-05	1.10E-02	1.57E-01	2.37E-08	1.0E+06	2.4E-02
1266	0.97295	1.36E-02	1.3E-02	1.05E-03	1.39E-05	1.10E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1267	0.98149	1.36E-02	1.3E-02	1.05E-03	1.40E-05	1.10E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1268	0.98892	1.36E-02	1.3E-02	1.05E-03	1.41E-05	1.10E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
1269	0.99521	1.36E-02	1.4E-02	1.05E-03	1.42E-05	1.10E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1270	0.8766	1.36E-02	1.2E-02	1.05E-03	1.25E-05	1.10E-02	1.57E-01	2.15E-08	1.0E+06	2.2E-02
1271	0.89386	1.36E-02	1.2E-02	1.05E-03	1.27E-05	1.10E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1272	0.91068	1.36E-02	1.2E-02	1.05E-03	1.30E-05	1.10E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1273	0.9272	1.36E-02	1.3E-02	1.05E-03	1.32E-05	1.10E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
1274	0.9445	1.36E-02	1.3E-02	1.05E-03	1.35E-05	1.10E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	0.96132	1.36E-02	1.3E-02	1.05E-03	1.37E-05	1.10E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1276	0.97751	1.36E-02	1.3E-02	1.05E-03	1.39E-05	1.10E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
1277	0.99254	1.36E-02	1.4E-02	1.05E-03	1.41E-05	1.10E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1278	1.00608	1.36E-02	1.4E-02	1.05E-03	1.43E-05	1.10E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
1279	1.01778	1.36E-02	1.4E-02	1.05E-03	1.45E-05	1.10E-02	1.57E-01	2.50E-08	1.0E+06	2.5E-02
1280	1.02835	1.36E-02	1.4E-02	1.05E-03	1.47E-05	1.10E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
1281	1.03772	1.36E-02	1.4E-02	1.05E-03	1.48E-05	1.10E-02	1.57E-01	2.55E-08	1.0E+06	2.5E-02
1282	1.04582	1.36E-02	1.4E-02	1.05E-03	1.49E-05	1.10E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1283	1.05262	1.36E-02	1.4E-02	1.05E-03	1.50E-05	1.10E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02
1284	0.92155	1.36E-02	1.3E-02	1.05E-03	1.31E-05	1.10E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1285	0.94032	1.36E-02	1.3E-02	1.05E-03	1.34E-05	1.10E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1286	0.95848	1.36E-02	1.3E-02	1.05E-03	1.37E-05	1.10E-02	1.57E-01	2.35E-08	1.0E+06	2.4E-02
1287	0.97621	1.36E-02	1.3E-02	1.05E-03	1.39E-05	1.10E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
1288	0.9952	1.36E-02	1.4E-02	1.05E-03	1.42E-05	1.10E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1289	1.01361	1.36E-02	1.4E-02	1.05E-03	1.44E-05	1.10E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
1290	1.03159	1.36E-02	1.4E-02	1.05E-03	1.47E-05	1.10E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
1291	1.04873	1.36E-02	1.4E-02	1.05E-03	1.50E-05	1.10E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1292	1.06423	1.36E-02	1.5E-02	1.05E-03	1.52E-05	1.10E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
1293	1.07719	1.36E-02	1.5E-02	1.05E-03	1.54E-05	1.10E-02	1.57E-01	2.64E-08	1.0E+06	2.6E-02
1294	1.08886	1.36E-02	1.5E-02	1.05E-03	1.55E-05	1.10E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
1295	1.09917	1.36E-02	1.5E-02	1.05E-03	1.57E-05	1.10E-02	1.57E-01	2.70E-08	1.0E+06	2.7E-02
1296	1.108	1.36E-02	1.5E-02	1.05E-03	1.58E-05	1.10E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1297	1.11525	1.36E-02	1.5E-02	1.05E-03	1.59E-05	1.10E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
1298	0.97018	1.36E-02	1.3E-02	1.05E-03	1.38E-05	1.10E-02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
1299	0.9907	1.36E-02	1.4E-02	1.05E-03	1.41E-05	1.10E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
1300	1.01042	1.36E-02	1.4E-02	1.05E-03	1.44E-05	1.10E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
1301	1.02977	1.36E-02	1.4E-02	1.05E-03	1.47E-05	1.10E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
1302	1.05063	1.36E-02	1.4E-02	1.05E-03	1.50E-05	1.10E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02
1303	1.07091	1.36E-02	1.5E-02	1.05E-03	1.53E-05	1.10E-02	1.57E-01	2.63E-08	1.0E+06	2.6E-02
1304	1.09084	1.36E-02	1.5E-02	1.05E-03	1.56E-05	1.10E-02	1.57E-01	2.68E-08	1.0E+06	2.7E-02
1305	1.11024	1.36E-02	1.5E-02	1.05E-03	1.58E-05	1.10E-02	1.57E-01	2.73E-08	1.0E+06	2.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1.0231	1.36E-02	1.4E-02	1.05E-03	1.46E-05	1.10E-02	1.57E-01	2.51E-08	1.0E+06	2.5E-02
1307	1.04619	1.36E-02	1.4E-02	1.05E-03	1.49E-05	1.10E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1308	1.0685	1.36E-02	1.5E-02	1.05E-03	1.52E-05	1.10E-02	1.57E-01	2.62E-08	1.0E+06	2.6E-02
1309	1.09047	1.36E-02	1.5E-02	1.05E-03	1.55E-05	1.10E-02	1.57E-01	2.68E-08	1.0E+06	2.7E-02
1310	1.11351	1.36E-02	1.5E-02	1.05E-03	1.59E-05	1.10E-02	1.57E-01	2.73E-08	1.0E+06	2.7E-02
1311	1.13593	1.36E-02	1.5E-02	1.05E-03	1.62E-05	1.10E-02	1.57E-01	2.79E-08	1.0E+06	2.8E-02
1312	1.15766	1.36E-02	1.6E-02	1.05E-03	1.65E-05	1.10E-02	1.57E-01	2.84E-08	1.0E+06	2.8E-02
1313	1.1784	1.36E-02	1.6E-02	1.05E-03	1.68E-05	1.10E-02	1.57E-01	2.89E-08	1.0E+06	2.9E-02
1314	1.08055	1.36E-02	1.5E-02	1.05E-03	1.54E-05	1.10E-02	1.57E-01	2.65E-08	1.0E+06	2.7E-02
1315	1.10651	1.36E-02	1.5E-02	1.05E-03	1.58E-05	1.10E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1316	1.13195	1.36E-02	1.5E-02	1.05E-03	1.61E-05	1.10E-02	1.57E-01	2.78E-08	1.0E+06	2.8E-02
1317	1.15694	1.36E-02	1.6E-02	1.05E-03	1.65E-05	1.10E-02	1.57E-01	2.84E-08	1.0E+06	2.8E-02
1318	1.1825	1.36E-02	1.6E-02	1.05E-03	1.69E-05	1.10E-02	1.57E-01	2.90E-08	1.0E+06	2.9E-02
1319	1.20726	1.36E-02	1.6E-02	1.05E-03	1.72E-05	1.10E-02	1.57E-01	2.96E-08	1.0E+06	3.0E-02
1320	1.2311	1.36E-02	1.7E-02	1.05E-03	1.76E-05	1.10E-02	1.57E-01	3.02E-08	1.0E+06	3.0E-02
1321	1.25331	1.36E-02	1.7E-02	1.05E-03	1.79E-05	1.10E-02	1.57E-01	3.08E-08	1.0E+06	3.1E-02
1322	1.14304	1.36E-02	1.6E-02	1.05E-03	1.63E-05	1.10E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1323	1.17231	1.36E-02	1.6E-02	1.05E-03	1.67E-05	1.10E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02
1324	1.20116	1.36E-02	1.6E-02	1.05E-03	1.71E-05	1.10E-02	1.57E-01	2.95E-08	1.0E+06	2.9E-02
1325	1.22968	1.36E-02	1.7E-02	1.05E-03	1.75E-05	1.10E-02	1.57E-01	3.02E-08	1.0E+06	3.0E-02
1326	1.25806	1.36E-02	1.7E-02	1.05E-03	1.79E-05	1.10E-02	1.57E-01	3.09E-08	1.0E+06	3.1E-02
1327	1.28575	1.36E-02	1.8E-02	1.05E-03	1.83E-05	1.10E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
1328	1.31176	1.36E-02	1.8E-02	1.05E-03	1.87E-05	1.10E-02	1.57E-01	3.22E-08	1.0E+06	3.2E-02
1329	1.33584	1.36E-02	1.8E-02	1.05E-03	1.90E-05	1.10E-02	1.57E-01	3.28E-08	1.0E+06	3.3E-02
1330	1.21044	1.36E-02	1.7E-02	1.05E-03	1.73E-05	1.10E-02	1.57E-01	2.97E-08	1.0E+06	3.0E-02
1331	1.24305	1.36E-02	1.7E-02	1.05E-03	1.77E-05	1.10E-02	1.57E-01	3.05E-08	1.0E+06	3.1E-02
1332	1.27509	1.36E-02	1.7E-02	1.05E-03	1.82E-05	1.10E-02	1.57E-01	3.13E-08	1.0E+06	3.1E-02
1333	1.30665	1.36E-02	1.8E-02	1.05E-03	1.86E-05	1.10E-02	1.57E-01	3.21E-08	1.0E+06	3.2E-02
1334	1.33858	1.36E-02	1.8E-02	1.05E-03	1.91E-05	1.10E-02	1.57E-01	3.29E-08	1.0E+06	3.3E-02
1335	1.36971	1.36E-02	1.9E-02	1.05E-03	1.95E-05	1.10E-02	1.57E-01	3.36E-08	1.0E+06	3.4E-02
1336	1.39925	1.36E-02	1.9E-02	1.05E-03	1.99E-05	1.10E-02	1.57E-01	3.44E-08	1.0E+06	3.4E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1.42662	1.36E-02	1.9E-02	1.05E-03	2.03E-05	1.10E-02	1.57E-01	3.50E-08	1.0E+06	3.5E-02
1338	0.6706	1.36E-02	9.1E-03	1.05E-03	9.56E-06	1.10E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
1339	0.68542	1.36E-02	9.3E-03	1.05E-03	9.77E-06	1.10E-02	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1340	0.70086	1.36E-02	9.6E-03	1.05E-03	9.99E-06	1.10E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1341	0.71776	1.36E-02	9.8E-03	1.05E-03	1.02E-05	1.10E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02
1342	0.73629	1.36E-02	1.0E-02	1.05E-03	1.05E-05	1.10E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1343	0.75603	1.36E-02	1.0E-02	1.05E-03	1.08E-05	1.10E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1344	0.77782	1.36E-02	1.1E-02	1.05E-03	1.11E-05	1.10E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1345	0.80106	1.36E-02	1.1E-02	1.05E-03	1.14E-05	1.10E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1346	0.82446	1.36E-02	1.1E-02	1.05E-03	1.18E-05	1.10E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1347	0.84688	1.36E-02	1.2E-02	1.05E-03	1.21E-05	1.10E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1348	0.8705	1.36E-02	1.2E-02	1.05E-03	1.24E-05	1.10E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1349	0.89941	1.36E-02	1.2E-02	1.05E-03	1.28E-05	1.10E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1350	0.94927	1.36E-02	1.3E-02	1.05E-03	1.35E-05	1.10E-02	1.57E-01	2.33E-08	1.0E+06	2.3E-02
1351	0.99983	1.36E-02	1.4E-02	1.05E-03	1.43E-05	1.10E-02	1.57E-01	2.45E-08	1.0E+06	2.5E-02
1352	1.05084	1.36E-02	1.4E-02	1.05E-03	1.50E-05	1.10E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02
1353	1.10285	1.36E-02	1.5E-02	1.05E-03	1.57E-05	1.10E-02	1.57E-01	2.71E-08	1.0E+06	2.7E-02
1354	1.1382	1.36E-02	1.6E-02	1.05E-03	1.62E-05	1.10E-02	1.57E-01	2.79E-08	1.0E+06	2.8E-02
1355	1.17402	1.36E-02	1.6E-02	1.05E-03	1.67E-05	1.10E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02
1356	1.21041	1.36E-02	1.7E-02	1.05E-03	1.73E-05	1.10E-02	1.57E-01	2.97E-08	1.0E+06	3.0E-02
1357	1.24708	1.36E-02	1.7E-02	1.05E-03	1.78E-05	1.10E-02	1.57E-01	3.06E-08	1.0E+06	3.1E-02
1358	1.28402	1.36E-02	1.8E-02	1.05E-03	1.83E-05	1.10E-02	1.57E-01	3.15E-08	1.0E+06	3.2E-02
1359	1.32046	1.36E-02	1.8E-02	1.05E-03	1.88E-05	1.10E-02	1.57E-01	3.24E-08	1.0E+06	3.2E-02
1360	1.35609	1.36E-02	1.8E-02	1.05E-03	1.93E-05	1.10E-02	1.57E-01	3.33E-08	1.0E+06	3.3E-02
1361	1.39133	1.36E-02	1.9E-02	1.05E-03	1.98E-05	1.10E-02	1.57E-01	3.42E-08	1.0E+06	3.4E-02
1362	1.42721	1.36E-02	1.9E-02	1.05E-03	2.03E-05	1.10E-02	1.57E-01	3.50E-08	1.0E+06	3.5E-02
1363	1.46234	1.36E-02	2.0E-02	1.05E-03	2.08E-05	1.10E-02	1.57E-01	3.59E-08	1.0E+06	3.6E-02
1364	1.49609	1.36E-02	2.0E-02	1.05E-03	2.13E-05	1.10E-02	1.57E-01	3.67E-08	1.0E+06	3.7E-02
1365	1.52725	1.36E-02	2.1E-02	1.05E-03	2.18E-05	1.10E-02	1.57E-01	3.75E-08	1.0E+06	3.7E-02
1366	0.6996	1.36E-02	9.5E-03	1.05E-03	9.97E-06	1.10E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1367	0.71537	1.36E-02	9.8E-03	1.05E-03	1.02E-05	1.10E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	0.73162	1.36E-02	1.0E-02	1.05E-03	1.04E-05	1.10E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1369	0.74964	1.36E-02	1.0E-02	1.05E-03	1.07E-05	1.10E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1370	0.76958	1.36E-02	1.0E-02	1.05E-03	1.10E-05	1.10E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
1371	0.79071	1.36E-02	1.1E-02	1.05E-03	1.13E-05	1.10E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1372	0.81443	1.36E-02	1.1E-02	1.05E-03	1.16E-05	1.10E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1373	0.83974	1.36E-02	1.1E-02	1.05E-03	1.20E-05	1.10E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1374	0.86472	1.36E-02	1.2E-02	1.05E-03	1.23E-05	1.10E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1375	0.88767	1.36E-02	1.2E-02	1.05E-03	1.27E-05	1.10E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1376	0.91158	1.36E-02	1.2E-02	1.05E-03	1.30E-05	1.10E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1377	0.94258	1.36E-02	1.3E-02	1.05E-03	1.34E-05	1.10E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1378	0.97741	1.36E-02	1.3E-02	1.05E-03	1.39E-05	1.10E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
1379	1.03323	1.36E-02	1.4E-02	1.05E-03	1.47E-05	1.10E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
1380	1.10627	1.36E-02	1.5E-02	1.05E-03	1.58E-05	1.10E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1381	1.14484	1.36E-02	1.6E-02	1.05E-03	1.63E-05	1.10E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1382	1.20168	1.36E-02	1.6E-02	1.05E-03	1.71E-05	1.10E-02	1.57E-01	2.95E-08	1.0E+06	3.0E-02
1383	1.24135	1.36E-02	1.7E-02	1.05E-03	1.77E-05	1.10E-02	1.57E-01	3.05E-08	1.0E+06	3.0E-02
1384	1.28189	1.36E-02	1.7E-02	1.05E-03	1.83E-05	1.10E-02	1.57E-01	3.15E-08	1.0E+06	3.1E-02
1385	1.32295	1.36E-02	1.8E-02	1.05E-03	1.89E-05	1.10E-02	1.57E-01	3.25E-08	1.0E+06	3.2E-02
1386	1.36452	1.36E-02	1.9E-02	1.05E-03	1.95E-05	1.10E-02	1.57E-01	3.35E-08	1.0E+06	3.3E-02
1387	1.40539	1.36E-02	1.9E-02	1.05E-03	2.00E-05	1.10E-02	1.57E-01	3.45E-08	1.0E+06	3.5E-02
1388	1.44518	1.36E-02	2.0E-02	1.05E-03	2.06E-05	1.10E-02	1.57E-01	3.55E-08	1.0E+06	3.5E-02
1389	1.48468	1.36E-02	2.0E-02	1.05E-03	2.12E-05	1.10E-02	1.57E-01	3.64E-08	1.0E+06	3.6E-02
1390	1.52527	1.36E-02	2.1E-02	1.05E-03	2.17E-05	1.10E-02	1.57E-01	3.74E-08	1.0E+06	3.7E-02
1391	1.56509	1.36E-02	2.1E-02	1.05E-03	2.23E-05	1.10E-02	1.57E-01	3.84E-08	1.0E+06	3.8E-02
1392	1.60353	1.36E-02	2.2E-02	1.05E-03	2.29E-05	1.10E-02	1.57E-01	3.94E-08	1.0E+06	3.9E-02
1393	1.63942	1.36E-02	2.2E-02	1.05E-03	2.34E-05	1.10E-02	1.57E-01	4.02E-08	1.0E+06	4.0E-02
1394	0.72895	1.36E-02	9.9E-03	1.05E-03	1.04E-05	1.10E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1395	0.74605	1.36E-02	1.0E-02	1.05E-03	1.06E-05	1.10E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
1396	0.76371	1.36E-02	1.0E-02	1.05E-03	1.09E-05	1.10E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02
1397	0.78298	1.36E-02	1.1E-02	1.05E-03	1.12E-05	1.10E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
1398	0.80407	1.36E-02	1.1E-02	1.05E-03	1.15E-05	1.10E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	0.82627	1.36E-02	1.1E-02	1.05E-03	1.18E-05	1.10E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1400	0.85246	1.36E-02	1.2E-02	1.05E-03	1.22E-05	1.10E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
1401	0.88041	1.36E-02	1.2E-02	1.05E-03	1.26E-05	1.10E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1402	0.9081	1.36E-02	1.2E-02	1.05E-03	1.29E-05	1.10E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
1403	0.93334	1.36E-02	1.3E-02	1.05E-03	1.33E-05	1.10E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
1404	0.95972	1.36E-02	1.3E-02	1.05E-03	1.37E-05	1.10E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1405	0.9925	1.36E-02	1.4E-02	1.05E-03	1.41E-05	1.10E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1406	1.02915	1.36E-02	1.4E-02	1.05E-03	1.47E-05	1.10E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
1407	1.08816	1.36E-02	1.5E-02	1.05E-03	1.55E-05	1.10E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
1408	1.1665	1.36E-02	1.6E-02	1.05E-03	1.66E-05	1.10E-02	1.57E-01	2.86E-08	1.0E+06	2.9E-02
1409	1.20983	1.36E-02	1.7E-02	1.05E-03	1.72E-05	1.10E-02	1.57E-01	2.97E-08	1.0E+06	3.0E-02
1410	1.27125	1.36E-02	1.7E-02	1.05E-03	1.81E-05	1.10E-02	1.57E-01	3.12E-08	1.0E+06	3.1E-02
1411	1.31543	1.36E-02	1.8E-02	1.05E-03	1.88E-05	1.10E-02	1.57E-01	3.23E-08	1.0E+06	3.2E-02
1412	1.36063	1.36E-02	1.9E-02	1.05E-03	1.94E-05	1.10E-02	1.57E-01	3.34E-08	1.0E+06	3.3E-02
1413	1.40643	1.36E-02	1.9E-02	1.05E-03	2.00E-05	1.10E-02	1.57E-01	3.45E-08	1.0E+06	3.5E-02
1414	1.45291	1.36E-02	2.0E-02	1.05E-03	2.07E-05	1.10E-02	1.57E-01	3.57E-08	1.0E+06	3.6E-02
1415	1.49861	1.36E-02	2.0E-02	1.05E-03	2.14E-05	1.10E-02	1.57E-01	3.68E-08	1.0E+06	3.7E-02
1416	1.543	1.36E-02	2.1E-02	1.05E-03	2.20E-05	1.10E-02	1.57E-01	3.79E-08	1.0E+06	3.8E-02
1417	1.58691	1.36E-02	2.2E-02	1.05E-03	2.26E-05	1.10E-02	1.57E-01	3.90E-08	1.0E+06	3.9E-02
1418	1.63333	1.36E-02	2.2E-02	1.05E-03	2.33E-05	1.10E-02	1.57E-01	4.01E-08	1.0E+06	4.0E-02
1419	1.679	1.36E-02	2.3E-02	1.05E-03	2.39E-05	1.10E-02	1.57E-01	4.12E-08	1.0E+06	4.1E-02
1420	1.72323	1.36E-02	2.4E-02	1.05E-03	2.46E-05	1.10E-02	1.57E-01	4.23E-08	1.0E+06	4.2E-02
1421	1.76477	1.36E-02	2.4E-02	1.05E-03	2.52E-05	1.10E-02	1.57E-01	4.33E-08	1.0E+06	4.3E-02
1422	0.75905	1.36E-02	1.0E-02	1.05E-03	1.08E-05	1.10E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1423	0.77781	1.36E-02	1.1E-02	1.05E-03	1.11E-05	1.10E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1424	0.79723	1.36E-02	1.1E-02	1.05E-03	1.14E-05	1.10E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02
1425	0.81808	1.36E-02	1.1E-02	1.05E-03	1.17E-05	1.10E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1426	0.84045	1.36E-02	1.1E-02	1.05E-03	1.20E-05	1.10E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1427	0.86391	1.36E-02	1.2E-02	1.05E-03	1.23E-05	1.10E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1428	0.89272	1.36E-02	1.2E-02	1.05E-03	1.27E-05	1.10E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1429	0.92387	1.36E-02	1.3E-02	1.05E-03	1.32E-05	1.10E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	0.9546	1.36E-02	1.3E-02	1.05E-03	1.36E-05	1.10E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1431	0.98283	1.36E-02	1.3E-02	1.05E-03	1.40E-05	1.10E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1432	1.01241	1.36E-02	1.4E-02	1.05E-03	1.44E-05	1.10E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
1433	1.04711	1.36E-02	1.4E-02	1.05E-03	1.49E-05	1.10E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1434	1.08541	1.36E-02	1.5E-02	1.05E-03	1.55E-05	1.10E-02	1.57E-01	2.66E-08	1.0E+06	2.7E-02
1435	1.14768	1.36E-02	1.6E-02	1.05E-03	1.64E-05	1.10E-02	1.57E-01	2.82E-08	1.0E+06	2.8E-02
1436	1.23146	1.36E-02	1.7E-02	1.05E-03	1.76E-05	1.10E-02	1.57E-01	3.02E-08	1.0E+06	3.0E-02
1437	1.28019	1.36E-02	1.7E-02	1.05E-03	1.83E-05	1.10E-02	1.57E-01	3.14E-08	1.0E+06	3.1E-02
1438	1.34679	1.36E-02	1.8E-02	1.05E-03	1.92E-05	1.10E-02	1.57E-01	3.31E-08	1.0E+06	3.3E-02
1439	1.39617	1.36E-02	1.9E-02	1.05E-03	1.99E-05	1.10E-02	1.57E-01	3.43E-08	1.0E+06	3.4E-02
1440	1.44674	1.36E-02	2.0E-02	1.05E-03	2.06E-05	1.10E-02	1.57E-01	3.55E-08	1.0E+06	3.6E-02
1441	1.49791	1.36E-02	2.0E-02	1.05E-03	2.14E-05	1.10E-02	1.57E-01	3.68E-08	1.0E+06	3.7E-02
1442	1.55008	1.36E-02	2.1E-02	1.05E-03	2.21E-05	1.10E-02	1.57E-01	3.81E-08	1.0E+06	3.8E-02
1443	1.60131	1.36E-02	2.2E-02	1.05E-03	2.28E-05	1.10E-02	1.57E-01	3.93E-08	1.0E+06	3.9E-02
1444	1.65105	1.36E-02	2.3E-02	1.05E-03	2.35E-05	1.10E-02	1.57E-01	4.05E-08	1.0E+06	4.1E-02
1445	1.70034	1.36E-02	2.3E-02	1.05E-03	2.42E-05	1.10E-02	1.57E-01	4.17E-08	1.0E+06	4.2E-02
1446	1.7534	1.36E-02	2.4E-02	1.05E-03	2.50E-05	1.10E-02	1.57E-01	4.30E-08	1.0E+06	4.3E-02
1447	1.80601	1.36E-02	2.5E-02	1.05E-03	2.57E-05	1.10E-02	1.57E-01	4.43E-08	1.0E+06	4.4E-02
1448	1.85712	1.36E-02	2.5E-02	1.05E-03	2.65E-05	1.10E-02	1.57E-01	4.56E-08	1.0E+06	4.6E-02
1449	1.90559	1.36E-02	2.6E-02	1.05E-03	2.72E-05	1.10E-02	1.57E-01	4.68E-08	1.0E+06	4.7E-02
1450	0.79021	1.36E-02	1.1E-02	1.05E-03	1.13E-05	1.10E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1451	0.81091	1.36E-02	1.1E-02	1.05E-03	1.16E-05	1.10E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02
1452	0.83227	1.36E-02	1.1E-02	1.05E-03	1.19E-05	1.10E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1453	0.85487	1.36E-02	1.2E-02	1.05E-03	1.22E-05	1.10E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1454	0.8789	1.36E-02	1.2E-02	1.05E-03	1.25E-05	1.10E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1455	0.90387	1.36E-02	1.2E-02	1.05E-03	1.29E-05	1.10E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1456	0.93569	1.36E-02	1.3E-02	1.05E-03	1.33E-05	1.10E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
1457	0.97038	1.36E-02	1.3E-02	1.05E-03	1.38E-05	1.10E-02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
1458	1.00454	1.36E-02	1.4E-02	1.05E-03	1.43E-05	1.10E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
1459	1.0359	1.36E-02	1.4E-02	1.05E-03	1.48E-05	1.10E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
1460	1.06914	1.36E-02	1.5E-02	1.05E-03	1.52E-05	1.10E-02	1.57E-01	2.62E-08	1.0E+06	2.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1.10614	1.36E-02	1.5E-02	1.05E-03	1.58E-05	1.10E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1462	1.14658	1.36E-02	1.6E-02	1.05E-03	1.63E-05	1.10E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1463	1.1909	1.36E-02	1.6E-02	1.05E-03	1.70E-05	1.10E-02	1.57E-01	2.92E-08	1.0E+06	2.9E-02
1464	1.30156	1.36E-02	1.8E-02	1.05E-03	1.86E-05	1.10E-02	1.57E-01	3.20E-08	1.0E+06	3.2E-02
1465	1.35654	1.36E-02	1.9E-02	1.05E-03	1.93E-05	1.10E-02	1.57E-01	3.33E-08	1.0E+06	3.3E-02
1466	1.4289	1.36E-02	1.9E-02	1.05E-03	2.04E-05	1.10E-02	1.57E-01	3.51E-08	1.0E+06	3.5E-02
1467	1.48409	1.36E-02	2.0E-02	1.05E-03	2.12E-05	1.10E-02	1.57E-01	3.64E-08	1.0E+06	3.6E-02
1468	1.54085	1.36E-02	2.1E-02	1.05E-03	2.20E-05	1.10E-02	1.57E-01	3.78E-08	1.0E+06	3.8E-02
1469	1.59849	1.36E-02	2.2E-02	1.05E-03	2.28E-05	1.10E-02	1.57E-01	3.92E-08	1.0E+06	3.9E-02
1470	1.65719	1.36E-02	2.3E-02	1.05E-03	2.36E-05	1.10E-02	1.57E-01	4.07E-08	1.0E+06	4.1E-02
1471	1.71487	1.36E-02	2.3E-02	1.05E-03	2.44E-05	1.10E-02	1.57E-01	4.21E-08	1.0E+06	4.2E-02
1472	1.77089	1.36E-02	2.4E-02	1.05E-03	2.52E-05	1.10E-02	1.57E-01	4.35E-08	1.0E+06	4.3E-02
1473	1.82649	1.36E-02	2.5E-02	1.05E-03	2.60E-05	1.10E-02	1.57E-01	4.48E-08	1.0E+06	4.5E-02
1474	1.88758	1.36E-02	2.6E-02	1.05E-03	2.69E-05	1.10E-02	1.57E-01	4.63E-08	1.0E+06	4.6E-02
1475	1.94833	1.36E-02	2.7E-02	1.05E-03	2.78E-05	1.10E-02	1.57E-01	4.78E-08	1.0E+06	4.8E-02
1476	2.00788	1.36E-02	2.7E-02	1.05E-03	2.86E-05	1.10E-02	1.57E-01	4.93E-08	1.0E+06	4.9E-02
1477	2.06454	1.36E-02	2.8E-02	1.05E-03	2.94E-05	1.10E-02	1.57E-01	5.07E-08	1.0E+06	5.1E-02
1478	0.82198	1.36E-02	1.1E-02	1.05E-03	1.17E-05	1.10E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1479	0.84509	1.36E-02	1.2E-02	1.05E-03	1.20E-05	1.10E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02
1480	0.86906	1.36E-02	1.2E-02	1.05E-03	1.24E-05	1.10E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1481	0.89437	1.36E-02	1.2E-02	1.05E-03	1.27E-05	1.10E-02	1.57E-01	2.20E-08	1.0E+06	2.2E-02
1482	0.92108	1.36E-02	1.3E-02	1.05E-03	1.31E-05	1.10E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1483	0.94908	1.36E-02	1.3E-02	1.05E-03	1.35E-05	1.10E-02	1.57E-01	2.33E-08	1.0E+06	2.3E-02
1484	0.98357	1.36E-02	1.3E-02	1.05E-03	1.40E-05	1.10E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1485	1.02091	1.36E-02	1.4E-02	1.05E-03	1.46E-05	1.10E-02	1.57E-01	2.51E-08	1.0E+06	2.5E-02
1486	1.05816	1.36E-02	1.4E-02	1.05E-03	1.51E-05	1.10E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
1487	1.09296	1.36E-02	1.5E-02	1.05E-03	1.56E-05	1.10E-02	1.57E-01	2.68E-08	1.0E+06	2.7E-02
1488	1.1299	1.36E-02	1.5E-02	1.05E-03	1.61E-05	1.10E-02	1.57E-01	2.77E-08	1.0E+06	2.8E-02
1489	1.17079	1.36E-02	1.6E-02	1.05E-03	1.67E-05	1.10E-02	1.57E-01	2.87E-08	1.0E+06	2.9E-02
1490	1.21553	1.36E-02	1.7E-02	1.05E-03	1.73E-05	1.10E-02	1.57E-01	2.98E-08	1.0E+06	3.0E-02
1491	1.26442	1.36E-02	1.7E-02	1.05E-03	1.80E-05	1.10E-02	1.57E-01	3.10E-08	1.0E+06	3.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

					Cancer Risk from 3rd Trimester					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1.361	1.36E-02	1.9E-02	1.05E-03	1.94E-05	1.10E-02	1.57E-01	3.34E-08	1.0E+06	3.3E-02
1493	1.43817	1.36E-02	2.0E-02	1.05E-03	2.05E-05	1.10E-02	1.57E-01	3.53E-08	1.0E+06	3.5E-02
1494	1.51658	1.36E-02	2.1E-02	1.05E-03	2.16E-05	1.10E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
1495	1.57869	1.36E-02	2.2E-02	1.05E-03	2.25E-05	1.10E-02	1.57E-01	3.88E-08	1.0E+06	3.9E-02
1496	1.6427	1.36E-02	2.2E-02	1.05E-03	2.34E-05	1.10E-02	1.57E-01	4.03E-08	1.0E+06	4.0E-02
1497	1.70818	1.36E-02	2.3E-02	1.05E-03	2.44E-05	1.10E-02	1.57E-01	4.19E-08	1.0E+06	4.2E-02
1498	1.77539	1.36E-02	2.4E-02	1.05E-03	2.53E-05	1.10E-02	1.57E-01	4.36E-08	1.0E+06	4.4E-02
1499	1.84179	1.36E-02	2.5E-02	1.05E-03	2.63E-05	1.10E-02	1.57E-01	4.52E-08	1.0E+06	4.5E-02
1500	1.90691	1.36E-02	2.6E-02	1.05E-03	2.72E-05	1.10E-02	1.57E-01	4.68E-08	1.0E+06	4.7E-02
1501	1.97185	1.36E-02	2.7E-02	1.05E-03	2.81E-05	1.10E-02	1.57E-01	4.84E-08	1.0E+06	4.8E-02
1502	2.04197	1.36E-02	2.8E-02	1.05E-03	2.91E-05	1.10E-02	1.57E-01	5.01E-08	1.0E+06	5.0E-02
1503	2.11188	1.36E-02	2.9E-02	1.05E-03	3.01E-05	1.10E-02	1.57E-01	5.18E-08	1.0E+06	5.2E-02
1504	2.18036	1.36E-02	3.0E-02	1.05E-03	3.11E-05	1.10E-02	1.57E-01	5.35E-08	1.0E+06	5.4E-02
1505	2.24581	1.36E-02	3.1E-02	1.05E-03	3.20E-05	1.10E-02	1.57E-01	5.51E-08	1.0E+06	5.5E-02
1506	0.8541	1.36E-02	1.2E-02	1.05E-03	1.22E-05	1.10E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1507	0.8802	1.36E-02	1.2E-02	1.05E-03	1.25E-05	1.10E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1508	0.90729	1.36E-02	1.2E-02	1.05E-03	1.29E-05	1.10E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
1509	0.93593	1.36E-02	1.3E-02	1.05E-03	1.33E-05	1.10E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
1510	0.96633	1.36E-02	1.3E-02	1.05E-03	1.38E-05	1.10E-02	1.57E-01	2.37E-08	1.0E+06	2.4E-02
1511	0.99804	1.36E-02	1.4E-02	1.05E-03	1.42E-05	1.10E-02	1.57E-01	2.45E-08	1.0E+06	2.5E-02
1512	1.03523	1.36E-02	1.4E-02	1.05E-03	1.48E-05	1.10E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
1513	1.07514	1.36E-02	1.5E-02	1.05E-03	1.53E-05	1.10E-02	1.57E-01	2.64E-08	1.0E+06	2.6E-02
1514	1.11546	1.36E-02	1.5E-02	1.05E-03	1.59E-05	1.10E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
1515	1.15414	1.36E-02	1.6E-02	1.05E-03	1.65E-05	1.10E-02	1.57E-01	2.83E-08	1.0E+06	2.8E-02
1516	1.19503	1.36E-02	1.6E-02	1.05E-03	1.70E-05	1.10E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
1517	1.24071	1.36E-02	1.7E-02	1.05E-03	1.77E-05	1.10E-02	1.57E-01	3.05E-08	1.0E+06	3.0E-02
1518	1.29106	1.36E-02	1.8E-02	1.05E-03	1.84E-05	1.10E-02	1.57E-01	3.17E-08	1.0E+06	3.2E-02
1519	1.36574	1.36E-02	1.9E-02	1.05E-03	1.95E-05	1.10E-02	1.57E-01	3.35E-08	1.0E+06	3.4E-02
1520	1.44482	1.36E-02	2.0E-02	1.05E-03	2.06E-05	1.10E-02	1.57E-01	3.55E-08	1.0E+06	3.5E-02
1521	1.52623	1.36E-02	2.1E-02	1.05E-03	2.18E-05	1.10E-02	1.57E-01	3.75E-08	1.0E+06	3.7E-02
1522	1.6115	1.36E-02	2.2E-02	1.05E-03	2.30E-05	1.10E-02	1.57E-01	3.96E-08	1.0E+06	4.0E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

							Cancer Risk from 3rd Trimester			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1.68139	1.36E-02	2.3E-02	1.05E-03	2.40E-05	1.10E-02	1.57E-01	4.13E-08	1.0E+06	4.1E-02
1524	1.75393	1.36E-02	2.4E-02	1.05E-03	2.50E-05	1.10E-02	1.57E-01	4.31E-08	1.0E+06	4.3E-02
1525	1.82886	1.36E-02	2.5E-02	1.05E-03	2.61E-05	1.10E-02	1.57E-01	4.49E-08	1.0E+06	4.5E-02
1526	1.90598	1.36E-02	2.6E-02	1.05E-03	2.72E-05	1.10E-02	1.57E-01	4.68E-08	1.0E+06	4.7E-02
1527	1.98321	1.36E-02	2.7E-02	1.05E-03	2.83E-05	1.10E-02	1.57E-01	4.87E-08	1.0E+06	4.9E-02
1528	2.05946	1.36E-02	2.8E-02	1.05E-03	2.94E-05	1.10E-02	1.57E-01	5.06E-08	1.0E+06	5.1E-02
1529	2.1359	1.36E-02	2.9E-02	1.05E-03	3.04E-05	1.10E-02	1.57E-01	5.24E-08	1.0E+06	5.2E-02
1530	2.21693	1.36E-02	3.0E-02	1.05E-03	3.16E-05	1.10E-02	1.57E-01	5.44E-08	1.0E+06	5.4E-02
1531	2.29776	1.36E-02	3.1E-02	1.05E-03	3.28E-05	1.10E-02	1.57E-01	5.64E-08	1.0E+06	5.6E-02
1532	2.3771	1.36E-02	3.2E-02	1.05E-03	3.39E-05	1.10E-02	1.57E-01	5.84E-08	1.0E+06	5.8E-02
1533	2.45301	1.36E-02	3.3E-02	1.05E-03	3.50E-05	1.10E-02	1.57E-01	6.02E-08	1.0E+06	6.0E-02
1534	0.88625	1.36E-02	1.2E-02	1.05E-03	1.26E-05	1.10E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1535	0.91582	1.36E-02	1.2E-02	1.05E-03	1.31E-05	1.10E-02	1.57E-01	2.25E-08	1.0E+06	2.2E-02
1536	0.94649	1.36E-02	1.3E-02	1.05E-03	1.35E-05	1.10E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
1537	0.97896	1.36E-02	1.3E-02	1.05E-03	1.40E-05	1.10E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
1538	1.01336	1.36E-02	1.4E-02	1.05E-03	1.44E-05	1.10E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
1539	1.04934	1.36E-02	1.4E-02	1.05E-03	1.50E-05	1.10E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02
1540	1.08948	1.36E-02	1.5E-02	1.05E-03	1.55E-05	1.10E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
1541	1.13251	1.36E-02	1.5E-02	1.05E-03	1.61E-05	1.10E-02	1.57E-01	2.78E-08	1.0E+06	2.8E-02
1542	1.17645	1.36E-02	1.6E-02	1.05E-03	1.68E-05	1.10E-02	1.57E-01	2.89E-08	1.0E+06	2.9E-02
1543	1.21928	1.36E-02	1.7E-02	1.05E-03	1.74E-05	1.10E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
1544	1.26478	1.36E-02	1.7E-02	1.05E-03	1.80E-05	1.10E-02	1.57E-01	3.11E-08	1.0E+06	3.1E-02
1545	1.31584	1.36E-02	1.8E-02	1.05E-03	1.88E-05	1.10E-02	1.57E-01	3.23E-08	1.0E+06	3.2E-02
1546	1.3722	1.36E-02	1.9E-02	1.05E-03	1.96E-05	1.10E-02	1.57E-01	3.37E-08	1.0E+06	3.4E-02
1547	1.45238	1.36E-02	2.0E-02	1.05E-03	2.07E-05	1.10E-02	1.57E-01	3.57E-08	1.0E+06	3.6E-02
1548	1.53567	1.36E-02	2.1E-02	1.05E-03	2.19E-05	1.10E-02	1.57E-01	3.77E-08	1.0E+06	3.8E-02
1549	1.62189	1.36E-02	2.2E-02	1.05E-03	2.31E-05	1.10E-02	1.57E-01	3.98E-08	1.0E+06	4.0E-02
1550	1.69641	1.36E-02	2.3E-02	1.05E-03	2.42E-05	1.10E-02	1.57E-01	4.16E-08	1.0E+06	4.2E-02
1551	1.79353	1.36E-02	2.4E-02	1.05E-03	2.56E-05	1.10E-02	1.57E-01	4.40E-08	1.0E+06	4.4E-02
1552	1.87592	1.36E-02	2.6E-02	1.05E-03	2.67E-05	1.10E-02	1.57E-01	4.61E-08	1.0E+06	4.6E-02
1553	1.96201	1.36E-02	2.7E-02	1.05E-03	2.80E-05	1.10E-02	1.57E-01	4.82E-08	1.0E+06	4.8E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.05105	1.36E-02	2.8E-02	1.05E-03	2.92E-05	1.10E-02	1.57E-01	5.04E-08	1.0E+06	5.0E-02
1555	2.14093	1.36E-02	2.9E-02	1.05E-03	3.05E-05	1.10E-02	1.57E-01	5.26E-08	1.0E+06	5.3E-02
1556	2.23061	1.36E-02	3.0E-02	1.05E-03	3.18E-05	1.10E-02	1.57E-01	5.48E-08	1.0E+06	5.5E-02
1557	2.32148	1.36E-02	3.2E-02	1.05E-03	3.31E-05	1.10E-02	1.57E-01	5.70E-08	1.0E+06	5.7E-02
1558	2.41558	1.36E-02	3.3E-02	1.05E-03	3.44E-05	1.10E-02	1.57E-01	5.93E-08	1.0E+06	5.9E-02
1559	2.50973	1.36E-02	3.4E-02	1.05E-03	3.58E-05	1.10E-02	1.57E-01	6.16E-08	1.0E+06	6.2E-02
1560	2.60239	1.36E-02	3.5E-02	1.05E-03	3.71E-05	1.10E-02	1.57E-01	6.39E-08	1.0E+06	6.4E-02
1561	2.69114	1.36E-02	3.7E-02	1.05E-03	3.84E-05	1.10E-02	1.57E-01	6.61E-08	1.0E+06	6.6E-02
1562	0.91971	1.36E-02	1.3E-02	1.05E-03	1.31E-05	1.10E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1563	0.952	1.36E-02	1.3E-02	1.05E-03	1.36E-05	1.10E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1564	0.98558	1.36E-02	1.3E-02	1.05E-03	1.41E-05	1.10E-02	1.57E-01	2.42E-08	1.0E+06	2.4E-02
1565	1.02141	1.36E-02	1.4E-02	1.05E-03	1.46E-05	1.10E-02	1.57E-01	2.51E-08	1.0E+06	2.5E-02
1566	1.05997	1.36E-02	1.4E-02	1.05E-03	1.51E-05	1.10E-02	1.57E-01	2.60E-08	1.0E+06	2.6E-02
1567	1.10025	1.36E-02	1.5E-02	1.05E-03	1.57E-05	1.10E-02	1.57E-01	2.70E-08	1.0E+06	2.7E-02
1568	1.14403	1.36E-02	1.6E-02	1.05E-03	1.63E-05	1.10E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1569	1.19044	1.36E-02	1.6E-02	1.05E-03	1.70E-05	1.10E-02	1.57E-01	2.92E-08	1.0E+06	2.9E-02
1570	1.23858	1.36E-02	1.7E-02	1.05E-03	1.77E-05	1.10E-02	1.57E-01	3.04E-08	1.0E+06	3.0E-02
1571	1.28646	1.36E-02	1.8E-02	1.05E-03	1.83E-05	1.10E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
1572	1.33769	1.36E-02	1.8E-02	1.05E-03	1.91E-05	1.10E-02	1.57E-01	3.28E-08	1.0E+06	3.3E-02
1573	1.39468	1.36E-02	1.9E-02	1.05E-03	1.99E-05	1.10E-02	1.57E-01	3.42E-08	1.0E+06	3.4E-02
1574	1.45778	1.36E-02	2.0E-02	1.05E-03	2.08E-05	1.10E-02	1.57E-01	3.58E-08	1.0E+06	3.6E-02
1575	1.54434	1.36E-02	2.1E-02	1.05E-03	2.20E-05	1.10E-02	1.57E-01	3.79E-08	1.0E+06	3.8E-02
1576	1.63349	1.36E-02	2.2E-02	1.05E-03	2.33E-05	1.10E-02	1.57E-01	4.01E-08	1.0E+06	4.0E-02
1577	1.72571	1.36E-02	2.4E-02	1.05E-03	2.46E-05	1.10E-02	1.57E-01	4.24E-08	1.0E+06	4.2E-02
1578	1.80944	1.36E-02	2.5E-02	1.05E-03	2.58E-05	1.10E-02	1.57E-01	4.44E-08	1.0E+06	4.4E-02
1579	1.91632	1.36E-02	2.6E-02	1.05E-03	2.73E-05	1.10E-02	1.57E-01	4.70E-08	1.0E+06	4.7E-02
1580	2.00996	1.36E-02	2.7E-02	1.05E-03	2.87E-05	1.10E-02	1.57E-01	4.93E-08	1.0E+06	4.9E-02
1581	2.10875	1.36E-02	2.9E-02	1.05E-03	3.01E-05	1.10E-02	1.57E-01	5.18E-08	1.0E+06	5.2E-02
1582	2.21124	1.36E-02	3.0E-02	1.05E-03	3.15E-05	1.10E-02	1.57E-01	5.43E-08	1.0E+06	5.4E-02
1583	2.31586	1.36E-02	3.2E-02	1.05E-03	3.30E-05	1.10E-02	1.57E-01	5.69E-08	1.0E+06	5.7E-02
1584	2.42156	1.36E-02	3.3E-02	1.05E-03	3.45E-05	1.10E-02	1.57E-01	5.94E-08	1.0E+06	5.9E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.52885	1.36E-02	3.4E-02	1.05E-03	3.61E-05	1.10E-02	1.57E-01	6.21E-08	1.0E+06	6.2E-02
1586	2.63947	1.36E-02	3.6E-02	1.05E-03	3.76E-05	1.10E-02	1.57E-01	6.48E-08	1.0E+06	6.5E-02
1587	2.75064	1.36E-02	3.8E-02	1.05E-03	3.92E-05	1.10E-02	1.57E-01	6.75E-08	1.0E+06	6.8E-02
1588	2.86047	1.36E-02	3.9E-02	1.05E-03	4.08E-05	1.10E-02	1.57E-01	7.02E-08	1.0E+06	7.0E-02
1589	2.96568	1.36E-02	4.0E-02	1.05E-03	4.23E-05	1.10E-02	1.57E-01	7.28E-08	1.0E+06	7.3E-02
1590	0.95399	1.36E-02	1.3E-02	1.05E-03	1.36E-05	1.10E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1591	0.98829	1.36E-02	1.3E-02	1.05E-03	1.41E-05	1.10E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
1592	1.02397	1.36E-02	1.4E-02	1.05E-03	1.46E-05	1.10E-02	1.57E-01	2.51E-08	1.0E+06	2.5E-02
1593	1.06306	1.36E-02	1.4E-02	1.05E-03	1.52E-05	1.10E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
1594	1.10602	1.36E-02	1.5E-02	1.05E-03	1.58E-05	1.10E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1595	1.15103	1.36E-02	1.6E-02	1.05E-03	1.64E-05	1.10E-02	1.57E-01	2.83E-08	1.0E+06	2.8E-02
0	0	1.36E-02	0.0E+00	1.05E-03	0.00E+00	1.10E-02	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	2.19E-03
1214	5	1.98E-03
1215	5	2.02E-03
1216	5	2.05E-03
1217	5	2.08E-03
1218	5	2.12E-03
1219	5	2.15E-03
1220	5	2.18E-03
1221	5	2.20E-03
1222	5	2.23E-03
1223	5	2.25E-03
1224	5	2.27E-03
1225	5	2.29E-03
1226	5	2.30E-03
1227	5	2.32E-03
1228	5	2.07E-03
1229	5	2.11E-03
1230	5	2.15E-03
1231	5	2.18E-03
1232	5	2.22E-03
1233	5	2.25E-03
1234	5	2.29E-03
1235	5	2.32E-03
1236	5	2.34E-03
1237	5	2.37E-03
1238	5	2.39E-03
1239	5	2.41E-03
1240	5	2.42E-03
1241	5	2.44E-03
1242	5	2.17E-03
1243	5	2.21E-03

Max	Receptor #	
0.008	1589	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	2.25E-03
1245	5	2.29E-03
1246	5	2.33E-03
1247	5	2.37E-03
1248	5	2.40E-03
1249	5	2.44E-03
1250	5	2.47E-03
1251	5	2.49E-03
1252	5	2.52E-03
1253	5	2.54E-03
1254	5	2.56E-03
1255	5	2.57E-03
1256	5	2.28E-03
1257	5	2.32E-03
1258	5	2.36E-03
1259	5	2.41E-03
1260	5	2.45E-03
1261	5	2.49E-03
1262	5	2.53E-03
1263	5	2.57E-03
1264	5	2.60E-03
1265	5	2.63E-03
1266	5	2.65E-03
1267	5	2.68E-03
1268	5	2.70E-03
1269	5	2.71E-03
1270	5	2.39E-03
1271	5	2.44E-03
1272	5	2.48E-03
1273	5	2.53E-03
1274	5	2.58E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	2.62E-03
1276	5	2.67E-03
1277	5	2.71E-03
1278	5	2.74E-03
1279	5	2.78E-03
1280	5	2.81E-03
1281	5	2.83E-03
1282	5	2.85E-03
1283	5	2.87E-03
1284	5	2.51E-03
1285	5	2.57E-03
1286	5	2.61E-03
1287	5	2.66E-03
1288	5	2.71E-03
1289	5	2.76E-03
1290	5	2.81E-03
1291	5	2.86E-03
1292	5	2.90E-03
1293	5	2.94E-03
1294	5	2.97E-03
1295	5	3.00E-03
1296	5	3.02E-03
1297	5	3.04E-03
1298	5	2.65E-03
1299	5	2.70E-03
1300	5	2.76E-03
1301	5	2.81E-03
1302	5	2.87E-03
1303	5	2.92E-03
1304	5	2.98E-03
1305	5	3.03E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	2.79E-03
1307	5	2.85E-03
1308	5	2.91E-03
1309	5	2.97E-03
1310	5	3.04E-03
1311	5	3.10E-03
1312	5	3.16E-03
1313	5	3.21E-03
1314	5	2.95E-03
1315	5	3.02E-03
1316	5	3.09E-03
1317	5	3.16E-03
1318	5	3.23E-03
1319	5	3.29E-03
1320	5	3.36E-03
1321	5	3.42E-03
1322	5	3.12E-03
1323	5	3.20E-03
1324	5	3.28E-03
1325	5	3.35E-03
1326	5	3.43E-03
1327	5	3.51E-03
1328	5	3.58E-03
1329	5	3.64E-03
1330	5	3.30E-03
1331	5	3.39E-03
1332	5	3.48E-03
1333	5	3.56E-03
1334	5	3.65E-03
1335	5	3.74E-03
1336	5	3.82E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	3.89E-03
1338	5	1.83E-03
1339	5	1.87E-03
1340	5	1.91E-03
1341	5	1.96E-03
1342	5	2.01E-03
1343	5	2.06E-03
1344	5	2.12E-03
1345	5	2.19E-03
1346	5	2.25E-03
1347	5	2.31E-03
1348	5	2.37E-03
1349	5	2.45E-03
1350	5	2.59E-03
1351	5	2.73E-03
1352	5	2.87E-03
1353	5	3.01E-03
1354	5	3.10E-03
1355	5	3.20E-03
1356	5	3.30E-03
1357	5	3.40E-03
1358	5	3.50E-03
1359	5	3.60E-03
1360	5	3.70E-03
1361	5	3.80E-03
1362	5	3.89E-03
1363	5	3.99E-03
1364	5	4.08E-03
1365	5	4.17E-03
1366	5	1.91E-03
1367	5	1.95E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	2.00E-03
1369	5	2.04E-03
1370	5	2.10E-03
1371	5	2.16E-03
1372	5	2.22E-03
1373	5	2.29E-03
1374	5	2.36E-03
1375	5	2.42E-03
1376	5	2.49E-03
1377	5	2.57E-03
1378	5	2.67E-03
1379	5	2.82E-03
1380	5	3.02E-03
1381	5	3.12E-03
1382	5	3.28E-03
1383	5	3.39E-03
1384	5	3.50E-03
1385	5	3.61E-03
1386	5	3.72E-03
1387	5	3.83E-03
1388	5	3.94E-03
1389	5	4.05E-03
1390	5	4.16E-03
1391	5	4.27E-03
1392	5	4.37E-03
1393	5	4.47E-03
1394	5	1.99E-03
1395	5	2.04E-03
1396	5	2.08E-03
1397	5	2.14E-03
1398	5	2.19E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	2.25E-03
1400	5	2.33E-03
1401	5	2.40E-03
1402	5	2.48E-03
1403	5	2.55E-03
1404	5	2.62E-03
1405	5	2.71E-03
1406	5	2.81E-03
1407	5	2.97E-03
1408	5	3.18E-03
1409	5	3.30E-03
1410	5	3.47E-03
1411	5	3.59E-03
1412	5	3.71E-03
1413	5	3.84E-03
1414	5	3.96E-03
1415	5	4.09E-03
1416	5	4.21E-03
1417	5	4.33E-03
1418	5	4.46E-03
1419	5	4.58E-03
1420	5	4.70E-03
1421	5	4.81E-03
1422	5	2.07E-03
1423	5	2.12E-03
1424	5	2.17E-03
1425	5	2.23E-03
1426	5	2.29E-03
1427	5	2.36E-03
1428	5	2.44E-03
1429	5	2.52E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	2.60E-03
1431	5	2.68E-03
1432	5	2.76E-03
1433	5	2.86E-03
1434	5	2.96E-03
1435	5	3.13E-03
1436	5	3.36E-03
1437	5	3.49E-03
1438	5	3.67E-03
1439	5	3.81E-03
1440	5	3.95E-03
1441	5	4.09E-03
1442	5	4.23E-03
1443	5	4.37E-03
1444	5	4.50E-03
1445	5	4.64E-03
1446	5	4.78E-03
1447	5	4.93E-03
1448	5	5.07E-03
1449	5	5.20E-03
1450	5	2.16E-03
1451	5	2.21E-03
1452	5	2.27E-03
1453	5	2.33E-03
1454	5	2.40E-03
1455	5	2.47E-03
1456	5	2.55E-03
1457	5	2.65E-03
1458	5	2.74E-03
1459	5	2.83E-03
1460	5	2.92E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	3.02E-03
1462	5	3.13E-03
1463	5	3.25E-03
1464	5	3.55E-03
1465	5	3.70E-03
1466	5	3.90E-03
1467	5	4.05E-03
1468	5	4.20E-03
1469	5	4.36E-03
1470	5	4.52E-03
1471	5	4.68E-03
1472	5	4.83E-03
1473	5	4.98E-03
1474	5	5.15E-03
1475	5	5.31E-03
1476	5	5.48E-03
1477	5	5.63E-03
1478	5	2.24E-03
1479	5	2.31E-03
1480	5	2.37E-03
1481	5	2.44E-03
1482	5	2.51E-03
1483	5	2.59E-03
1484	5	2.68E-03
1485	5	2.78E-03
1486	5	2.89E-03
1487	5	2.98E-03
1488	5	3.08E-03
1489	5	3.19E-03
1490	5	3.32E-03
1491	5	3.45E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	3.71E-03
1493	5	3.92E-03
1494	5	4.14E-03
1495	5	4.31E-03
1496	5	4.48E-03
1497	5	4.66E-03
1498	5	4.84E-03
1499	5	5.02E-03
1500	5	5.20E-03
1501	5	5.38E-03
1502	5	5.57E-03
1503	5	5.76E-03
1504	5	5.95E-03
1505	5	6.13E-03
1506	5	2.33E-03
1507	5	2.40E-03
1508	5	2.47E-03
1509	5	2.55E-03
1510	5	2.64E-03
1511	5	2.72E-03
1512	5	2.82E-03
1513	5	2.93E-03
1514	5	3.04E-03
1515	5	3.15E-03
1516	5	3.26E-03
1517	5	3.38E-03
1518	5	3.52E-03
1519	5	3.73E-03
1520	5	3.94E-03
1521	5	4.16E-03
1522	5	4.40E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	4.59E-03
1524	5	4.78E-03
1525	5	4.99E-03
1526	5	5.20E-03
1527	5	5.41E-03
1528	5	5.62E-03
1529	5	5.83E-03
1530	5	6.05E-03
1531	5	6.27E-03
1532	5	6.48E-03
1533	5	6.69E-03
1534	5	2.42E-03
1535	5	2.50E-03
1536	5	2.58E-03
1537	5	2.67E-03
1538	5	2.76E-03
1539	5	2.86E-03
1540	5	2.97E-03
1541	5	3.09E-03
1542	5	3.21E-03
1543	5	3.33E-03
1544	5	3.45E-03
1545	5	3.59E-03
1546	5	3.74E-03
1547	5	3.96E-03
1548	5	4.19E-03
1549	5	4.42E-03
1550	5	4.63E-03
1551	5	4.89E-03
1552	5	5.12E-03
1553	5	5.35E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	5.59E-03
1555	5	5.84E-03
1556	5	6.08E-03
1557	5	6.33E-03
1558	5	6.59E-03
1559	5	6.85E-03
1560	5	7.10E-03
1561	5	7.34E-03
1562	5	2.51E-03
1563	5	2.60E-03
1564	5	2.69E-03
1565	5	2.79E-03
1566	5	2.89E-03
1567	5	3.00E-03
1568	5	3.12E-03
1569	5	3.25E-03
1570	5	3.38E-03
1571	5	3.51E-03
1572	5	3.65E-03
1573	5	3.80E-03
1574	5	3.98E-03
1575	5	4.21E-03
1576	5	4.46E-03
1577	5	4.71E-03
1578	5	4.94E-03
1579	5	5.23E-03
1580	5	5.48E-03
1581	5	5.75E-03
1582	5	6.03E-03
1583	5	6.32E-03
1584	5	6.61E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	6.90E-03
1586	5	7.20E-03
1587	5	7.50E-03
1588	5	7.80E-03
1589	5	8.09E-03
1590	5	2.60E-03
1591	5	2.70E-03
1592	5	2.79E-03
1593	5	2.90E-03
1594	5	3.02E-03
1595	5	3.14E-03
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	0.80274	2.56E-03	2.1E-03	1.05E-03	2.15E-06	1.24E+00	1.57E-01	4.17E-07	1.0E+06	4.2E-01
1214	0.72702	2.56E-03	1.9E-03	1.05E-03	1.94E-06	1.24E+00	1.57E-01	3.78E-07	1.0E+06	3.8E-01
1215	0.73953	2.56E-03	1.9E-03	1.05E-03	1.98E-06	1.24E+00	1.57E-01	3.84E-07	1.0E+06	3.8E-01
1216	0.75186	2.56E-03	1.9E-03	1.05E-03	2.01E-06	1.24E+00	1.57E-01	3.90E-07	1.0E+06	3.9E-01
1217	0.76393	2.56E-03	2.0E-03	1.05E-03	2.04E-06	1.24E+00	1.57E-01	3.97E-07	1.0E+06	4.0E-01
1218	0.77579	2.56E-03	2.0E-03	1.05E-03	2.08E-06	1.24E+00	1.57E-01	4.03E-07	1.0E+06	4.0E-01
1219	0.78718	2.56E-03	2.0E-03	1.05E-03	2.11E-06	1.24E+00	1.57E-01	4.09E-07	1.0E+06	4.1E-01
1220	0.7979	2.56E-03	2.0E-03	1.05E-03	2.13E-06	1.24E+00	1.57E-01	4.14E-07	1.0E+06	4.1E-01
1221	0.80779	2.56E-03	2.1E-03	1.05E-03	2.16E-06	1.24E+00	1.57E-01	4.20E-07	1.0E+06	4.2E-01
1222	0.81668	2.56E-03	2.1E-03	1.05E-03	2.18E-06	1.24E+00	1.57E-01	4.24E-07	1.0E+06	4.2E-01
1223	0.82479	2.56E-03	2.1E-03	1.05E-03	2.21E-06	1.24E+00	1.57E-01	4.28E-07	1.0E+06	4.3E-01
1224	0.83211	2.56E-03	2.1E-03	1.05E-03	2.23E-06	1.24E+00	1.57E-01	4.32E-07	1.0E+06	4.3E-01
1225	0.83857	2.56E-03	2.1E-03	1.05E-03	2.24E-06	1.24E+00	1.57E-01	4.36E-07	1.0E+06	4.4E-01
1226	0.84413	2.56E-03	2.2E-03	1.05E-03	2.26E-06	1.24E+00	1.57E-01	4.38E-07	1.0E+06	4.4E-01
1227	0.84884	2.56E-03	2.2E-03	1.05E-03	2.27E-06	1.24E+00	1.57E-01	4.41E-07	1.0E+06	4.4E-01
1228	0.76049	2.56E-03	1.9E-03	1.05E-03	2.03E-06	1.24E+00	1.57E-01	3.95E-07	1.0E+06	3.9E-01
1229	0.774	2.56E-03	2.0E-03	1.05E-03	2.07E-06	1.24E+00	1.57E-01	4.02E-07	1.0E+06	4.0E-01
1230	0.78733	2.56E-03	2.0E-03	1.05E-03	2.11E-06	1.24E+00	1.57E-01	4.09E-07	1.0E+06	4.1E-01
1231	0.80037	2.56E-03	2.0E-03	1.05E-03	2.14E-06	1.24E+00	1.57E-01	4.16E-07	1.0E+06	4.2E-01
1232	0.81344	2.56E-03	2.1E-03	1.05E-03	2.18E-06	1.24E+00	1.57E-01	4.22E-07	1.0E+06	4.2E-01
1233	0.82608	2.56E-03	2.1E-03	1.05E-03	2.21E-06	1.24E+00	1.57E-01	4.29E-07	1.0E+06	4.3E-01
1234	0.83782	2.56E-03	2.1E-03	1.05E-03	2.24E-06	1.24E+00	1.57E-01	4.35E-07	1.0E+06	4.4E-01
1235	0.84873	2.56E-03	2.2E-03	1.05E-03	2.27E-06	1.24E+00	1.57E-01	4.41E-07	1.0E+06	4.4E-01
1236	0.85846	2.56E-03	2.2E-03	1.05E-03	2.30E-06	1.24E+00	1.57E-01	4.46E-07	1.0E+06	4.5E-01
1237	0.86731	2.56E-03	2.2E-03	1.05E-03	2.32E-06	1.24E+00	1.57E-01	4.50E-07	1.0E+06	4.5E-01
1238	0.87532	2.56E-03	2.2E-03	1.05E-03	2.34E-06	1.24E+00	1.57E-01	4.55E-07	1.0E+06	4.5E-01
1239	0.88245	2.56E-03	2.3E-03	1.05E-03	2.36E-06	1.24E+00	1.57E-01	4.58E-07	1.0E+06	4.6E-01
1240	0.88866	2.56E-03	2.3E-03	1.05E-03	2.38E-06	1.24E+00	1.57E-01	4.62E-07	1.0E+06	4.6E-01
1241	0.89386	2.56E-03	2.3E-03	1.05E-03	2.39E-06	1.24E+00	1.57E-01	4.64E-07	1.0E+06	4.6E-01
1242	0.79635	2.56E-03	2.0E-03	1.05E-03	2.13E-06	1.24E+00	1.57E-01	4.14E-07	1.0E+06	4.1E-01
1243	0.81102	2.56E-03	2.1E-03	1.05E-03	2.17E-06	1.24E+00	1.57E-01	4.21E-07	1.0E+06	4.2E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	0.82549	2.56E-03	2.1E-03	1.05E-03	2.21E-06	1.24E+00	1.57E-01	4.29E-07	1.0E+06	4.3E-01
1245	0.83961	2.56E-03	2.1E-03	1.05E-03	2.25E-06	1.24E+00	1.57E-01	4.36E-07	1.0E+06	4.4E-01
1246	0.85402	2.56E-03	2.2E-03	1.05E-03	2.28E-06	1.24E+00	1.57E-01	4.44E-07	1.0E+06	4.4E-01
1247	0.86802	2.56E-03	2.2E-03	1.05E-03	2.32E-06	1.24E+00	1.57E-01	4.51E-07	1.0E+06	4.5E-01
1248	0.88097	2.56E-03	2.3E-03	1.05E-03	2.36E-06	1.24E+00	1.57E-01	4.58E-07	1.0E+06	4.6E-01
1249	0.89297	2.56E-03	2.3E-03	1.05E-03	2.39E-06	1.24E+00	1.57E-01	4.64E-07	1.0E+06	4.6E-01
1250	0.90368	2.56E-03	2.3E-03	1.05E-03	2.42E-06	1.24E+00	1.57E-01	4.69E-07	1.0E+06	4.7E-01
1251	0.91336	2.56E-03	2.3E-03	1.05E-03	2.44E-06	1.24E+00	1.57E-01	4.74E-07	1.0E+06	4.7E-01
1252	0.92212	2.56E-03	2.4E-03	1.05E-03	2.47E-06	1.24E+00	1.57E-01	4.79E-07	1.0E+06	4.8E-01
1253	0.92993	2.56E-03	2.4E-03	1.05E-03	2.49E-06	1.24E+00	1.57E-01	4.83E-07	1.0E+06	4.8E-01
1254	0.93673	2.56E-03	2.4E-03	1.05E-03	2.51E-06	1.24E+00	1.57E-01	4.86E-07	1.0E+06	4.9E-01
1255	0.94252	2.56E-03	2.4E-03	1.05E-03	2.52E-06	1.24E+00	1.57E-01	4.89E-07	1.0E+06	4.9E-01
1256	0.83492	2.56E-03	2.1E-03	1.05E-03	2.23E-06	1.24E+00	1.57E-01	4.34E-07	1.0E+06	4.3E-01
1257	0.85087	2.56E-03	2.2E-03	1.05E-03	2.28E-06	1.24E+00	1.57E-01	4.42E-07	1.0E+06	4.4E-01
1258	0.86649	2.56E-03	2.2E-03	1.05E-03	2.32E-06	1.24E+00	1.57E-01	4.50E-07	1.0E+06	4.5E-01
1259	0.88183	2.56E-03	2.3E-03	1.05E-03	2.36E-06	1.24E+00	1.57E-01	4.58E-07	1.0E+06	4.6E-01
1260	0.89773	2.56E-03	2.3E-03	1.05E-03	2.40E-06	1.24E+00	1.57E-01	4.66E-07	1.0E+06	4.7E-01
1261	0.91311	2.56E-03	2.3E-03	1.05E-03	2.44E-06	1.24E+00	1.57E-01	4.74E-07	1.0E+06	4.7E-01
1262	0.92752	2.56E-03	2.4E-03	1.05E-03	2.48E-06	1.24E+00	1.57E-01	4.82E-07	1.0E+06	4.8E-01
1263	0.94085	2.56E-03	2.4E-03	1.05E-03	2.52E-06	1.24E+00	1.57E-01	4.89E-07	1.0E+06	4.9E-01
1264	0.95274	2.56E-03	2.4E-03	1.05E-03	2.55E-06	1.24E+00	1.57E-01	4.95E-07	1.0E+06	4.9E-01
1265	0.96334	2.56E-03	2.5E-03	1.05E-03	2.58E-06	1.24E+00	1.57E-01	5.00E-07	1.0E+06	5.0E-01
1266	0.97295	2.56E-03	2.5E-03	1.05E-03	2.60E-06	1.24E+00	1.57E-01	5.05E-07	1.0E+06	5.1E-01
1267	0.98149	2.56E-03	2.5E-03	1.05E-03	2.63E-06	1.24E+00	1.57E-01	5.10E-07	1.0E+06	5.1E-01
1268	0.98892	2.56E-03	2.5E-03	1.05E-03	2.65E-06	1.24E+00	1.57E-01	5.14E-07	1.0E+06	5.1E-01
1269	0.99521	2.56E-03	2.5E-03	1.05E-03	2.66E-06	1.24E+00	1.57E-01	5.17E-07	1.0E+06	5.2E-01
1270	0.8766	2.56E-03	2.2E-03	1.05E-03	2.34E-06	1.24E+00	1.57E-01	4.55E-07	1.0E+06	4.6E-01
1271	0.89386	2.56E-03	2.3E-03	1.05E-03	2.39E-06	1.24E+00	1.57E-01	4.64E-07	1.0E+06	4.6E-01
1272	0.91068	2.56E-03	2.3E-03	1.05E-03	2.44E-06	1.24E+00	1.57E-01	4.73E-07	1.0E+06	4.7E-01
1273	0.9272	2.56E-03	2.4E-03	1.05E-03	2.48E-06	1.24E+00	1.57E-01	4.82E-07	1.0E+06	4.8E-01
1274	0.9445	2.56E-03	2.4E-03	1.05E-03	2.53E-06	1.24E+00	1.57E-01	4.91E-07	1.0E+06	4.9E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	0.96132	2.56E-03	2.5E-03	1.05E-03	2.57E-06	1.24E+00	1.57E-01	4.99E-07	1.0E+06	5.0E-01
1276	0.97751	2.56E-03	2.5E-03	1.05E-03	2.61E-06	1.24E+00	1.57E-01	5.08E-07	1.0E+06	5.1E-01
1277	0.99254	2.56E-03	2.5E-03	1.05E-03	2.65E-06	1.24E+00	1.57E-01	5.15E-07	1.0E+06	5.2E-01
1278	1.00608	2.56E-03	2.6E-03	1.05E-03	2.69E-06	1.24E+00	1.57E-01	5.22E-07	1.0E+06	5.2E-01
1279	1.01778	2.56E-03	2.6E-03	1.05E-03	2.72E-06	1.24E+00	1.57E-01	5.29E-07	1.0E+06	5.3E-01
1280	1.02835	2.56E-03	2.6E-03	1.05E-03	2.75E-06	1.24E+00	1.57E-01	5.34E-07	1.0E+06	5.3E-01
1281	1.03772	2.56E-03	2.7E-03	1.05E-03	2.78E-06	1.24E+00	1.57E-01	5.39E-07	1.0E+06	5.4E-01
1282	1.04582	2.56E-03	2.7E-03	1.05E-03	2.80E-06	1.24E+00	1.57E-01	5.43E-07	1.0E+06	5.4E-01
1283	1.05262	2.56E-03	2.7E-03	1.05E-03	2.82E-06	1.24E+00	1.57E-01	5.47E-07	1.0E+06	5.5E-01
1284	0.92155	2.56E-03	2.4E-03	1.05E-03	2.46E-06	1.24E+00	1.57E-01	4.79E-07	1.0E+06	4.8E-01
1285	0.94032	2.56E-03	2.4E-03	1.05E-03	2.52E-06	1.24E+00	1.57E-01	4.88E-07	1.0E+06	4.9E-01
1286	0.95848	2.56E-03	2.5E-03	1.05E-03	2.56E-06	1.24E+00	1.57E-01	4.98E-07	1.0E+06	5.0E-01
1287	0.97621	2.56E-03	2.5E-03	1.05E-03	2.61E-06	1.24E+00	1.57E-01	5.07E-07	1.0E+06	5.1E-01
1288	0.9952	2.56E-03	2.5E-03	1.05E-03	2.66E-06	1.24E+00	1.57E-01	5.17E-07	1.0E+06	5.2E-01
1289	1.01361	2.56E-03	2.6E-03	1.05E-03	2.71E-06	1.24E+00	1.57E-01	5.26E-07	1.0E+06	5.3E-01
1290	1.03159	2.56E-03	2.6E-03	1.05E-03	2.76E-06	1.24E+00	1.57E-01	5.36E-07	1.0E+06	5.4E-01
1291	1.04873	2.56E-03	2.7E-03	1.05E-03	2.81E-06	1.24E+00	1.57E-01	5.45E-07	1.0E+06	5.4E-01
1292	1.06423	2.56E-03	2.7E-03	1.05E-03	2.85E-06	1.24E+00	1.57E-01	5.53E-07	1.0E+06	5.5E-01
1293	1.07719	2.56E-03	2.8E-03	1.05E-03	2.88E-06	1.24E+00	1.57E-01	5.59E-07	1.0E+06	5.6E-01
1294	1.08886	2.56E-03	2.8E-03	1.05E-03	2.91E-06	1.24E+00	1.57E-01	5.65E-07	1.0E+06	5.7E-01
1295	1.09917	2.56E-03	2.8E-03	1.05E-03	2.94E-06	1.24E+00	1.57E-01	5.71E-07	1.0E+06	5.7E-01
1296	1.108	2.56E-03	2.8E-03	1.05E-03	2.96E-06	1.24E+00	1.57E-01	5.75E-07	1.0E+06	5.8E-01
1297	1.11525	2.56E-03	2.9E-03	1.05E-03	2.98E-06	1.24E+00	1.57E-01	5.79E-07	1.0E+06	5.8E-01
1298	0.97018	2.56E-03	2.5E-03	1.05E-03	2.59E-06	1.24E+00	1.57E-01	5.04E-07	1.0E+06	5.0E-01
1299	0.9907	2.56E-03	2.5E-03	1.05E-03	2.65E-06	1.24E+00	1.57E-01	5.15E-07	1.0E+06	5.1E-01
1300	1.01042	2.56E-03	2.6E-03	1.05E-03	2.70E-06	1.24E+00	1.57E-01	5.25E-07	1.0E+06	5.2E-01
1301	1.02977	2.56E-03	2.6E-03	1.05E-03	2.75E-06	1.24E+00	1.57E-01	5.35E-07	1.0E+06	5.3E-01
1302	1.05063	2.56E-03	2.7E-03	1.05E-03	2.81E-06	1.24E+00	1.57E-01	5.46E-07	1.0E+06	5.5E-01
1303	1.07091	2.56E-03	2.7E-03	1.05E-03	2.86E-06	1.24E+00	1.57E-01	5.56E-07	1.0E+06	5.6E-01
1304	1.09084	2.56E-03	2.8E-03	1.05E-03	2.92E-06	1.24E+00	1.57E-01	5.67E-07	1.0E+06	5.7E-01
1305	1.11024	2.56E-03	2.8E-03	1.05E-03	2.97E-06	1.24E+00	1.57E-01	5.77E-07	1.0E+06	5.8E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1.0231	2.56E-03	2.6E-03	1.05E-03	2.74E-06	1.24E+00	1.57E-01	5.31E-07	1.0E+06	5.3E-01
1307	1.04619	2.56E-03	2.7E-03	1.05E-03	2.80E-06	1.24E+00	1.57E-01	5.43E-07	1.0E+06	5.4E-01
1308	1.0685	2.56E-03	2.7E-03	1.05E-03	2.86E-06	1.24E+00	1.57E-01	5.55E-07	1.0E+06	5.5E-01
1309	1.09047	2.56E-03	2.8E-03	1.05E-03	2.92E-06	1.24E+00	1.57E-01	5.66E-07	1.0E+06	5.7E-01
1310	1.11351	2.56E-03	2.8E-03	1.05E-03	2.98E-06	1.24E+00	1.57E-01	5.78E-07	1.0E+06	5.8E-01
1311	1.13593	2.56E-03	2.9E-03	1.05E-03	3.04E-06	1.24E+00	1.57E-01	5.90E-07	1.0E+06	5.9E-01
1312	1.15766	2.56E-03	3.0E-03	1.05E-03	3.10E-06	1.24E+00	1.57E-01	6.01E-07	1.0E+06	6.0E-01
1313	1.1784	2.56E-03	3.0E-03	1.05E-03	3.15E-06	1.24E+00	1.57E-01	6.12E-07	1.0E+06	6.1E-01
1314	1.08055	2.56E-03	2.8E-03	1.05E-03	2.89E-06	1.24E+00	1.57E-01	5.61E-07	1.0E+06	5.6E-01
1315	1.10651	2.56E-03	2.8E-03	1.05E-03	2.96E-06	1.24E+00	1.57E-01	5.75E-07	1.0E+06	5.7E-01
1316	1.13195	2.56E-03	2.9E-03	1.05E-03	3.03E-06	1.24E+00	1.57E-01	5.88E-07	1.0E+06	5.9E-01
1317	1.15694	2.56E-03	3.0E-03	1.05E-03	3.09E-06	1.24E+00	1.57E-01	6.01E-07	1.0E+06	6.0E-01
1318	1.1825	2.56E-03	3.0E-03	1.05E-03	3.16E-06	1.24E+00	1.57E-01	6.14E-07	1.0E+06	6.1E-01
1319	1.20726	2.56E-03	3.1E-03	1.05E-03	3.23E-06	1.24E+00	1.57E-01	6.27E-07	1.0E+06	6.3E-01
1320	1.2311	2.56E-03	3.2E-03	1.05E-03	3.29E-06	1.24E+00	1.57E-01	6.39E-07	1.0E+06	6.4E-01
1321	1.25331	2.56E-03	3.2E-03	1.05E-03	3.35E-06	1.24E+00	1.57E-01	6.51E-07	1.0E+06	6.5E-01
1322	1.14304	2.56E-03	2.9E-03	1.05E-03	3.06E-06	1.24E+00	1.57E-01	5.94E-07	1.0E+06	5.9E-01
1323	1.17231	2.56E-03	3.0E-03	1.05E-03	3.14E-06	1.24E+00	1.57E-01	6.09E-07	1.0E+06	6.1E-01
1324	1.20116	2.56E-03	3.1E-03	1.05E-03	3.21E-06	1.24E+00	1.57E-01	6.24E-07	1.0E+06	6.2E-01
1325	1.22968	2.56E-03	3.1E-03	1.05E-03	3.29E-06	1.24E+00	1.57E-01	6.39E-07	1.0E+06	6.4E-01
1326	1.25806	2.56E-03	3.2E-03	1.05E-03	3.36E-06	1.24E+00	1.57E-01	6.53E-07	1.0E+06	6.5E-01
1327	1.28575	2.56E-03	3.3E-03	1.05E-03	3.44E-06	1.24E+00	1.57E-01	6.68E-07	1.0E+06	6.7E-01
1328	1.31176	2.56E-03	3.4E-03	1.05E-03	3.51E-06	1.24E+00	1.57E-01	6.81E-07	1.0E+06	6.8E-01
1329	1.33584	2.56E-03	3.4E-03	1.05E-03	3.57E-06	1.24E+00	1.57E-01	6.94E-07	1.0E+06	6.9E-01
1330	1.21044	2.56E-03	3.1E-03	1.05E-03	3.24E-06	1.24E+00	1.57E-01	6.29E-07	1.0E+06	6.3E-01
1331	1.24305	2.56E-03	3.2E-03	1.05E-03	3.32E-06	1.24E+00	1.57E-01	6.46E-07	1.0E+06	6.5E-01
1332	1.27509	2.56E-03	3.3E-03	1.05E-03	3.41E-06	1.24E+00	1.57E-01	6.62E-07	1.0E+06	6.6E-01
1333	1.30665	2.56E-03	3.3E-03	1.05E-03	3.49E-06	1.24E+00	1.57E-01	6.79E-07	1.0E+06	6.8E-01
1334	1.33858	2.56E-03	3.4E-03	1.05E-03	3.58E-06	1.24E+00	1.57E-01	6.95E-07	1.0E+06	7.0E-01
1335	1.36971	2.56E-03	3.5E-03	1.05E-03	3.66E-06	1.24E+00	1.57E-01	7.11E-07	1.0E+06	7.1E-01
1336	1.39925	2.56E-03	3.6E-03	1.05E-03	3.74E-06	1.24E+00	1.57E-01	7.27E-07	1.0E+06	7.3E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1.42662	2.56E-03	3.7E-03	1.05E-03	3.82E-06	1.24E+00	1.57E-01	7.41E-07	1.0E+06	7.4E-01
1338	0.6706	2.56E-03	1.7E-03	1.05E-03	1.79E-06	1.24E+00	1.57E-01	3.48E-07	1.0E+06	3.5E-01
1339	0.68542	2.56E-03	1.8E-03	1.05E-03	1.83E-06	1.24E+00	1.57E-01	3.56E-07	1.0E+06	3.6E-01
1340	0.70086	2.56E-03	1.8E-03	1.05E-03	1.87E-06	1.24E+00	1.57E-01	3.64E-07	1.0E+06	3.6E-01
1341	0.71776	2.56E-03	1.8E-03	1.05E-03	1.92E-06	1.24E+00	1.57E-01	3.73E-07	1.0E+06	3.7E-01
1342	0.73629	2.56E-03	1.9E-03	1.05E-03	1.97E-06	1.24E+00	1.57E-01	3.82E-07	1.0E+06	3.8E-01
1343	0.75603	2.56E-03	1.9E-03	1.05E-03	2.02E-06	1.24E+00	1.57E-01	3.93E-07	1.0E+06	3.9E-01
1344	0.77782	2.56E-03	2.0E-03	1.05E-03	2.08E-06	1.24E+00	1.57E-01	4.04E-07	1.0E+06	4.0E-01
1345	0.80106	2.56E-03	2.0E-03	1.05E-03	2.14E-06	1.24E+00	1.57E-01	4.16E-07	1.0E+06	4.2E-01
1346	0.82446	2.56E-03	2.1E-03	1.05E-03	2.21E-06	1.24E+00	1.57E-01	4.28E-07	1.0E+06	4.3E-01
1347	0.84688	2.56E-03	2.2E-03	1.05E-03	2.27E-06	1.24E+00	1.57E-01	4.40E-07	1.0E+06	4.4E-01
1348	0.8705	2.56E-03	2.2E-03	1.05E-03	2.33E-06	1.24E+00	1.57E-01	4.52E-07	1.0E+06	4.5E-01
1349	0.89941	2.56E-03	2.3E-03	1.05E-03	2.41E-06	1.24E+00	1.57E-01	4.67E-07	1.0E+06	4.7E-01
1350	0.94927	2.56E-03	2.4E-03	1.05E-03	2.54E-06	1.24E+00	1.57E-01	4.93E-07	1.0E+06	4.9E-01
1351	0.99983	2.56E-03	2.6E-03	1.05E-03	2.67E-06	1.24E+00	1.57E-01	5.19E-07	1.0E+06	5.2E-01
1352	1.05084	2.56E-03	2.7E-03	1.05E-03	2.81E-06	1.24E+00	1.57E-01	5.46E-07	1.0E+06	5.5E-01
1353	1.10285	2.56E-03	2.8E-03	1.05E-03	2.95E-06	1.24E+00	1.57E-01	5.73E-07	1.0E+06	5.7E-01
1354	1.1382	2.56E-03	2.9E-03	1.05E-03	3.04E-06	1.24E+00	1.57E-01	5.91E-07	1.0E+06	5.9E-01
1355	1.17402	2.56E-03	3.0E-03	1.05E-03	3.14E-06	1.24E+00	1.57E-01	6.10E-07	1.0E+06	6.1E-01
1356	1.21041	2.56E-03	3.1E-03	1.05E-03	3.24E-06	1.24E+00	1.57E-01	6.29E-07	1.0E+06	6.3E-01
1357	1.24708	2.56E-03	3.2E-03	1.05E-03	3.34E-06	1.24E+00	1.57E-01	6.48E-07	1.0E+06	6.5E-01
1358	1.28402	2.56E-03	3.3E-03	1.05E-03	3.43E-06	1.24E+00	1.57E-01	6.67E-07	1.0E+06	6.7E-01
1359	1.32046	2.56E-03	3.4E-03	1.05E-03	3.53E-06	1.24E+00	1.57E-01	6.86E-07	1.0E+06	6.9E-01
1360	1.35609	2.56E-03	3.5E-03	1.05E-03	3.63E-06	1.24E+00	1.57E-01	7.04E-07	1.0E+06	7.0E-01
1361	1.39133	2.56E-03	3.6E-03	1.05E-03	3.72E-06	1.24E+00	1.57E-01	7.23E-07	1.0E+06	7.2E-01
1362	1.42721	2.56E-03	3.7E-03	1.05E-03	3.82E-06	1.24E+00	1.57E-01	7.41E-07	1.0E+06	7.4E-01
1363	1.46234	2.56E-03	3.7E-03	1.05E-03	3.91E-06	1.24E+00	1.57E-01	7.59E-07	1.0E+06	7.6E-01
1364	1.49609	2.56E-03	3.8E-03	1.05E-03	4.00E-06	1.24E+00	1.57E-01	7.77E-07	1.0E+06	7.8E-01
1365	1.52725	2.56E-03	3.9E-03	1.05E-03	4.08E-06	1.24E+00	1.57E-01	7.93E-07	1.0E+06	7.9E-01
1366	0.6996	2.56E-03	1.8E-03	1.05E-03	1.87E-06	1.24E+00	1.57E-01	3.63E-07	1.0E+06	3.6E-01
1367	0.71537	2.56E-03	1.8E-03	1.05E-03	1.91E-06	1.24E+00	1.57E-01	3.72E-07	1.0E+06	3.7E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	0.73162	2.56E-03	1.9E-03	1.05E-03	1.96E-06	1.24E+00	1.57E-01	3.80E-07	1.0E+06	3.8E-01
1369	0.74964	2.56E-03	1.9E-03	1.05E-03	2.01E-06	1.24E+00	1.57E-01	3.89E-07	1.0E+06	3.9E-01
1370	0.76958	2.56E-03	2.0E-03	1.05E-03	2.06E-06	1.24E+00	1.57E-01	4.00E-07	1.0E+06	4.0E-01
1371	0.79071	2.56E-03	2.0E-03	1.05E-03	2.11E-06	1.24E+00	1.57E-01	4.11E-07	1.0E+06	4.1E-01
1372	0.81443	2.56E-03	2.1E-03	1.05E-03	2.18E-06	1.24E+00	1.57E-01	4.23E-07	1.0E+06	4.2E-01
1373	0.83974	2.56E-03	2.1E-03	1.05E-03	2.25E-06	1.24E+00	1.57E-01	4.36E-07	1.0E+06	4.4E-01
1374	0.86472	2.56E-03	2.2E-03	1.05E-03	2.31E-06	1.24E+00	1.57E-01	4.49E-07	1.0E+06	4.5E-01
1375	0.88767	2.56E-03	2.3E-03	1.05E-03	2.37E-06	1.24E+00	1.57E-01	4.61E-07	1.0E+06	4.6E-01
1376	0.91158	2.56E-03	2.3E-03	1.05E-03	2.44E-06	1.24E+00	1.57E-01	4.73E-07	1.0E+06	4.7E-01
1377	0.94258	2.56E-03	2.4E-03	1.05E-03	2.52E-06	1.24E+00	1.57E-01	4.90E-07	1.0E+06	4.9E-01
1378	0.97741	2.56E-03	2.5E-03	1.05E-03	2.61E-06	1.24E+00	1.57E-01	5.08E-07	1.0E+06	5.1E-01
1379	1.03323	2.56E-03	2.6E-03	1.05E-03	2.76E-06	1.24E+00	1.57E-01	5.37E-07	1.0E+06	5.4E-01
1380	1.10627	2.56E-03	2.8E-03	1.05E-03	2.96E-06	1.24E+00	1.57E-01	5.75E-07	1.0E+06	5.7E-01
1381	1.14484	2.56E-03	2.9E-03	1.05E-03	3.06E-06	1.24E+00	1.57E-01	5.95E-07	1.0E+06	5.9E-01
1382	1.20168	2.56E-03	3.1E-03	1.05E-03	3.21E-06	1.24E+00	1.57E-01	6.24E-07	1.0E+06	6.2E-01
1383	1.24135	2.56E-03	3.2E-03	1.05E-03	3.32E-06	1.24E+00	1.57E-01	6.45E-07	1.0E+06	6.4E-01
1384	1.28189	2.56E-03	3.3E-03	1.05E-03	3.43E-06	1.24E+00	1.57E-01	6.66E-07	1.0E+06	6.7E-01
1385	1.32295	2.56E-03	3.4E-03	1.05E-03	3.54E-06	1.24E+00	1.57E-01	6.87E-07	1.0E+06	6.9E-01
1386	1.36452	2.56E-03	3.5E-03	1.05E-03	3.65E-06	1.24E+00	1.57E-01	7.09E-07	1.0E+06	7.1E-01
1387	1.40539	2.56E-03	3.6E-03	1.05E-03	3.76E-06	1.24E+00	1.57E-01	7.30E-07	1.0E+06	7.3E-01
1388	1.44518	2.56E-03	3.7E-03	1.05E-03	3.87E-06	1.24E+00	1.57E-01	7.51E-07	1.0E+06	7.5E-01
1389	1.48468	2.56E-03	3.8E-03	1.05E-03	3.97E-06	1.24E+00	1.57E-01	7.71E-07	1.0E+06	7.7E-01
1390	1.52527	2.56E-03	3.9E-03	1.05E-03	4.08E-06	1.24E+00	1.57E-01	7.92E-07	1.0E+06	7.9E-01
1391	1.56509	2.56E-03	4.0E-03	1.05E-03	4.19E-06	1.24E+00	1.57E-01	8.13E-07	1.0E+06	8.1E-01
1392	1.60353	2.56E-03	4.1E-03	1.05E-03	4.29E-06	1.24E+00	1.57E-01	8.33E-07	1.0E+06	8.3E-01
1393	1.63942	2.56E-03	4.2E-03	1.05E-03	4.38E-06	1.24E+00	1.57E-01	8.51E-07	1.0E+06	8.5E-01
1394	0.72895	2.56E-03	1.9E-03	1.05E-03	1.95E-06	1.24E+00	1.57E-01	3.79E-07	1.0E+06	3.8E-01
1395	0.74605	2.56E-03	1.9E-03	1.05E-03	2.00E-06	1.24E+00	1.57E-01	3.87E-07	1.0E+06	3.9E-01
1396	0.76371	2.56E-03	2.0E-03	1.05E-03	2.04E-06	1.24E+00	1.57E-01	3.97E-07	1.0E+06	4.0E-01
1397	0.78298	2.56E-03	2.0E-03	1.05E-03	2.09E-06	1.24E+00	1.57E-01	4.07E-07	1.0E+06	4.1E-01
1398	0.80407	2.56E-03	2.1E-03	1.05E-03	2.15E-06	1.24E+00	1.57E-01	4.18E-07	1.0E+06	4.2E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	0.82627	2.56E-03	2.1E-03	1.05E-03	2.21E-06	1.24E+00	1.57E-01	4.29E-07	1.0E+06	4.3E-01
1400	0.85246	2.56E-03	2.2E-03	1.05E-03	2.28E-06	1.24E+00	1.57E-01	4.43E-07	1.0E+06	4.4E-01
1401	0.88041	2.56E-03	2.3E-03	1.05E-03	2.35E-06	1.24E+00	1.57E-01	4.57E-07	1.0E+06	4.6E-01
1402	0.9081	2.56E-03	2.3E-03	1.05E-03	2.43E-06	1.24E+00	1.57E-01	4.72E-07	1.0E+06	4.7E-01
1403	0.93334	2.56E-03	2.4E-03	1.05E-03	2.50E-06	1.24E+00	1.57E-01	4.85E-07	1.0E+06	4.8E-01
1404	0.95972	2.56E-03	2.5E-03	1.05E-03	2.57E-06	1.24E+00	1.57E-01	4.98E-07	1.0E+06	5.0E-01
1405	0.9925	2.56E-03	2.5E-03	1.05E-03	2.65E-06	1.24E+00	1.57E-01	5.15E-07	1.0E+06	5.2E-01
1406	1.02915	2.56E-03	2.6E-03	1.05E-03	2.75E-06	1.24E+00	1.57E-01	5.34E-07	1.0E+06	5.3E-01
1407	1.08816	2.56E-03	2.8E-03	1.05E-03	2.91E-06	1.24E+00	1.57E-01	5.65E-07	1.0E+06	5.7E-01
1408	1.1665	2.56E-03	3.0E-03	1.05E-03	3.12E-06	1.24E+00	1.57E-01	6.06E-07	1.0E+06	6.1E-01
1409	1.20983	2.56E-03	3.1E-03	1.05E-03	3.24E-06	1.24E+00	1.57E-01	6.28E-07	1.0E+06	6.3E-01
1410	1.27125	2.56E-03	3.3E-03	1.05E-03	3.40E-06	1.24E+00	1.57E-01	6.60E-07	1.0E+06	6.6E-01
1411	1.31543	2.56E-03	3.4E-03	1.05E-03	3.52E-06	1.24E+00	1.57E-01	6.83E-07	1.0E+06	6.8E-01
1412	1.36063	2.56E-03	3.5E-03	1.05E-03	3.64E-06	1.24E+00	1.57E-01	7.07E-07	1.0E+06	7.1E-01
1413	1.40643	2.56E-03	3.6E-03	1.05E-03	3.76E-06	1.24E+00	1.57E-01	7.30E-07	1.0E+06	7.3E-01
1414	1.45291	2.56E-03	3.7E-03	1.05E-03	3.89E-06	1.24E+00	1.57E-01	7.55E-07	1.0E+06	7.5E-01
1415	1.49861	2.56E-03	3.8E-03	1.05E-03	4.01E-06	1.24E+00	1.57E-01	7.78E-07	1.0E+06	7.8E-01
1416	1.543	2.56E-03	3.9E-03	1.05E-03	4.13E-06	1.24E+00	1.57E-01	8.01E-07	1.0E+06	8.0E-01
1417	1.58691	2.56E-03	4.1E-03	1.05E-03	4.24E-06	1.24E+00	1.57E-01	8.24E-07	1.0E+06	8.2E-01
1418	1.63333	2.56E-03	4.2E-03	1.05E-03	4.37E-06	1.24E+00	1.57E-01	8.48E-07	1.0E+06	8.5E-01
1419	1.679	2.56E-03	4.3E-03	1.05E-03	4.49E-06	1.24E+00	1.57E-01	8.72E-07	1.0E+06	8.7E-01
1420	1.72323	2.56E-03	4.4E-03	1.05E-03	4.61E-06	1.24E+00	1.57E-01	8.95E-07	1.0E+06	8.9E-01
1421	1.76477	2.56E-03	4.5E-03	1.05E-03	4.72E-06	1.24E+00	1.57E-01	9.17E-07	1.0E+06	9.2E-01
1422	0.75905	2.56E-03	1.9E-03	1.05E-03	2.03E-06	1.24E+00	1.57E-01	3.94E-07	1.0E+06	3.9E-01
1423	0.77781	2.56E-03	2.0E-03	1.05E-03	2.08E-06	1.24E+00	1.57E-01	4.04E-07	1.0E+06	4.0E-01
1424	0.79723	2.56E-03	2.0E-03	1.05E-03	2.13E-06	1.24E+00	1.57E-01	4.14E-07	1.0E+06	4.1E-01
1425	0.81808	2.56E-03	2.1E-03	1.05E-03	2.19E-06	1.24E+00	1.57E-01	4.25E-07	1.0E+06	4.2E-01
1426	0.84045	2.56E-03	2.2E-03	1.05E-03	2.25E-06	1.24E+00	1.57E-01	4.36E-07	1.0E+06	4.4E-01
1427	0.86391	2.56E-03	2.2E-03	1.05E-03	2.31E-06	1.24E+00	1.57E-01	4.49E-07	1.0E+06	4.5E-01
1428	0.89272	2.56E-03	2.3E-03	1.05E-03	2.39E-06	1.24E+00	1.57E-01	4.64E-07	1.0E+06	4.6E-01
1429	0.92387	2.56E-03	2.4E-03	1.05E-03	2.47E-06	1.24E+00	1.57E-01	4.80E-07	1.0E+06	4.8E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	0.9546	2.56E-03	2.4E-03	1.05E-03	2.55E-06	1.24E+00	1.57E-01	4.96E-07	1.0E+06	5.0E-01
1431	0.98283	2.56E-03	2.5E-03	1.05E-03	2.63E-06	1.24E+00	1.57E-01	5.10E-07	1.0E+06	5.1E-01
1432	1.01241	2.56E-03	2.6E-03	1.05E-03	2.71E-06	1.24E+00	1.57E-01	5.26E-07	1.0E+06	5.3E-01
1433	1.04711	2.56E-03	2.7E-03	1.05E-03	2.80E-06	1.24E+00	1.57E-01	5.44E-07	1.0E+06	5.4E-01
1434	1.08541	2.56E-03	2.8E-03	1.05E-03	2.90E-06	1.24E+00	1.57E-01	5.64E-07	1.0E+06	5.6E-01
1435	1.14768	2.56E-03	2.9E-03	1.05E-03	3.07E-06	1.24E+00	1.57E-01	5.96E-07	1.0E+06	6.0E-01
1436	1.23146	2.56E-03	3.2E-03	1.05E-03	3.29E-06	1.24E+00	1.57E-01	6.40E-07	1.0E+06	6.4E-01
1437	1.28019	2.56E-03	3.3E-03	1.05E-03	3.42E-06	1.24E+00	1.57E-01	6.65E-07	1.0E+06	6.6E-01
1438	1.34679	2.56E-03	3.4E-03	1.05E-03	3.60E-06	1.24E+00	1.57E-01	6.99E-07	1.0E+06	7.0E-01
1439	1.39617	2.56E-03	3.6E-03	1.05E-03	3.73E-06	1.24E+00	1.57E-01	7.25E-07	1.0E+06	7.3E-01
1440	1.44674	2.56E-03	3.7E-03	1.05E-03	3.87E-06	1.24E+00	1.57E-01	7.51E-07	1.0E+06	7.5E-01
1441	1.49791	2.56E-03	3.8E-03	1.05E-03	4.01E-06	1.24E+00	1.57E-01	7.78E-07	1.0E+06	7.8E-01
1442	1.55008	2.56E-03	4.0E-03	1.05E-03	4.15E-06	1.24E+00	1.57E-01	8.05E-07	1.0E+06	8.1E-01
1443	1.60131	2.56E-03	4.1E-03	1.05E-03	4.28E-06	1.24E+00	1.57E-01	8.32E-07	1.0E+06	8.3E-01
1444	1.65105	2.56E-03	4.2E-03	1.05E-03	4.42E-06	1.24E+00	1.57E-01	8.57E-07	1.0E+06	8.6E-01
1445	1.70034	2.56E-03	4.4E-03	1.05E-03	4.55E-06	1.24E+00	1.57E-01	8.83E-07	1.0E+06	8.8E-01
1446	1.7534	2.56E-03	4.5E-03	1.05E-03	4.69E-06	1.24E+00	1.57E-01	9.11E-07	1.0E+06	9.1E-01
1447	1.80601	2.56E-03	4.6E-03	1.05E-03	4.83E-06	1.24E+00	1.57E-01	9.38E-07	1.0E+06	9.4E-01
1448	1.85712	2.56E-03	4.8E-03	1.05E-03	4.97E-06	1.24E+00	1.57E-01	9.64E-07	1.0E+06	9.6E-01
1449	1.90559	2.56E-03	4.9E-03	1.05E-03	5.10E-06	1.24E+00	1.57E-01	9.90E-07	1.0E+06	9.9E-01
1450	0.79021	2.56E-03	2.0E-03	1.05E-03	2.11E-06	1.24E+00	1.57E-01	4.10E-07	1.0E+06	4.1E-01
1451	0.81091	2.56E-03	2.1E-03	1.05E-03	2.17E-06	1.24E+00	1.57E-01	4.21E-07	1.0E+06	4.2E-01
1452	0.83227	2.56E-03	2.1E-03	1.05E-03	2.23E-06	1.24E+00	1.57E-01	4.32E-07	1.0E+06	4.3E-01
1453	0.85487	2.56E-03	2.2E-03	1.05E-03	2.29E-06	1.24E+00	1.57E-01	4.44E-07	1.0E+06	4.4E-01
1454	0.8789	2.56E-03	2.2E-03	1.05E-03	2.35E-06	1.24E+00	1.57E-01	4.56E-07	1.0E+06	4.6E-01
1455	0.90387	2.56E-03	2.3E-03	1.05E-03	2.42E-06	1.24E+00	1.57E-01	4.69E-07	1.0E+06	4.7E-01
1456	0.93569	2.56E-03	2.4E-03	1.05E-03	2.50E-06	1.24E+00	1.57E-01	4.86E-07	1.0E+06	4.9E-01
1457	0.97038	2.56E-03	2.5E-03	1.05E-03	2.60E-06	1.24E+00	1.57E-01	5.04E-07	1.0E+06	5.0E-01
1458	1.00454	2.56E-03	2.6E-03	1.05E-03	2.69E-06	1.24E+00	1.57E-01	5.22E-07	1.0E+06	5.2E-01
1459	1.0359	2.56E-03	2.7E-03	1.05E-03	2.77E-06	1.24E+00	1.57E-01	5.38E-07	1.0E+06	5.4E-01
1460	1.06914	2.56E-03	2.7E-03	1.05E-03	2.86E-06	1.24E+00	1.57E-01	5.55E-07	1.0E+06	5.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1.10614	2.56E-03	2.8E-03	1.05E-03	2.96E-06	1.24E+00	1.57E-01	5.74E-07	1.0E+06	5.7E-01
1462	1.14658	2.56E-03	2.9E-03	1.05E-03	3.07E-06	1.24E+00	1.57E-01	5.95E-07	1.0E+06	6.0E-01
1463	1.1909	2.56E-03	3.0E-03	1.05E-03	3.19E-06	1.24E+00	1.57E-01	6.18E-07	1.0E+06	6.2E-01
1464	1.30156	2.56E-03	3.3E-03	1.05E-03	3.48E-06	1.24E+00	1.57E-01	6.76E-07	1.0E+06	6.8E-01
1465	1.35654	2.56E-03	3.5E-03	1.05E-03	3.63E-06	1.24E+00	1.57E-01	7.05E-07	1.0E+06	7.0E-01
1466	1.4289	2.56E-03	3.7E-03	1.05E-03	3.82E-06	1.24E+00	1.57E-01	7.42E-07	1.0E+06	7.4E-01
1467	1.48409	2.56E-03	3.8E-03	1.05E-03	3.97E-06	1.24E+00	1.57E-01	7.71E-07	1.0E+06	7.7E-01
1468	1.54085	2.56E-03	3.9E-03	1.05E-03	4.12E-06	1.24E+00	1.57E-01	8.00E-07	1.0E+06	8.0E-01
1469	1.59849	2.56E-03	4.1E-03	1.05E-03	4.28E-06	1.24E+00	1.57E-01	8.30E-07	1.0E+06	8.3E-01
1470	1.65719	2.56E-03	4.2E-03	1.05E-03	4.43E-06	1.24E+00	1.57E-01	8.61E-07	1.0E+06	8.6E-01
1471	1.71487	2.56E-03	4.4E-03	1.05E-03	4.59E-06	1.24E+00	1.57E-01	8.91E-07	1.0E+06	8.9E-01
1472	1.77089	2.56E-03	4.5E-03	1.05E-03	4.74E-06	1.24E+00	1.57E-01	9.20E-07	1.0E+06	9.2E-01
1473	1.82649	2.56E-03	4.7E-03	1.05E-03	4.89E-06	1.24E+00	1.57E-01	9.49E-07	1.0E+06	9.5E-01
1474	1.88758	2.56E-03	4.8E-03	1.05E-03	5.05E-06	1.24E+00	1.57E-01	9.80E-07	1.0E+06	9.8E-01
1475	1.94833	2.56E-03	5.0E-03	1.05E-03	5.21E-06	1.24E+00	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1476	2.00788	2.56E-03	5.1E-03	1.05E-03	5.37E-06	1.24E+00	1.57E-01	1.04E-06	1.0E+06	1.0E+00
1477	2.06454	2.56E-03	5.3E-03	1.05E-03	5.52E-06	1.24E+00	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1478	0.82198	2.56E-03	2.1E-03	1.05E-03	2.20E-06	1.24E+00	1.57E-01	4.27E-07	1.0E+06	4.3E-01
1479	0.84509	2.56E-03	2.2E-03	1.05E-03	2.26E-06	1.24E+00	1.57E-01	4.39E-07	1.0E+06	4.4E-01
1480	0.86906	2.56E-03	2.2E-03	1.05E-03	2.32E-06	1.24E+00	1.57E-01	4.51E-07	1.0E+06	4.5E-01
1481	0.89437	2.56E-03	2.3E-03	1.05E-03	2.39E-06	1.24E+00	1.57E-01	4.64E-07	1.0E+06	4.6E-01
1482	0.92108	2.56E-03	2.4E-03	1.05E-03	2.46E-06	1.24E+00	1.57E-01	4.78E-07	1.0E+06	4.8E-01
1483	0.94908	2.56E-03	2.4E-03	1.05E-03	2.54E-06	1.24E+00	1.57E-01	4.93E-07	1.0E+06	4.9E-01
1484	0.98357	2.56E-03	2.5E-03	1.05E-03	2.63E-06	1.24E+00	1.57E-01	5.11E-07	1.0E+06	5.1E-01
1485	1.02091	2.56E-03	2.6E-03	1.05E-03	2.73E-06	1.24E+00	1.57E-01	5.30E-07	1.0E+06	5.3E-01
1486	1.05816	2.56E-03	2.7E-03	1.05E-03	2.83E-06	1.24E+00	1.57E-01	5.50E-07	1.0E+06	5.5E-01
1487	1.09296	2.56E-03	2.8E-03	1.05E-03	2.92E-06	1.24E+00	1.57E-01	5.68E-07	1.0E+06	5.7E-01
1488	1.1299	2.56E-03	2.9E-03	1.05E-03	3.02E-06	1.24E+00	1.57E-01	5.87E-07	1.0E+06	5.9E-01
1489	1.17079	2.56E-03	3.0E-03	1.05E-03	3.13E-06	1.24E+00	1.57E-01	6.08E-07	1.0E+06	6.1E-01
1490	1.21553	2.56E-03	3.1E-03	1.05E-03	3.25E-06	1.24E+00	1.57E-01	6.31E-07	1.0E+06	6.3E-01
1491	1.26442	2.56E-03	3.2E-03	1.05E-03	3.38E-06	1.24E+00	1.57E-01	6.57E-07	1.0E+06	6.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1.361	2.56E-03	3.5E-03	1.05E-03	3.64E-06	1.24E+00	1.57E-01	7.07E-07	1.0E+06	7.1E-01
1493	1.43817	2.56E-03	3.7E-03	1.05E-03	3.85E-06	1.24E+00	1.57E-01	7.47E-07	1.0E+06	7.5E-01
1494	1.51658	2.56E-03	3.9E-03	1.05E-03	4.06E-06	1.24E+00	1.57E-01	7.88E-07	1.0E+06	7.9E-01
1495	1.57869	2.56E-03	4.0E-03	1.05E-03	4.22E-06	1.24E+00	1.57E-01	8.20E-07	1.0E+06	8.2E-01
1496	1.6427	2.56E-03	4.2E-03	1.05E-03	4.39E-06	1.24E+00	1.57E-01	8.53E-07	1.0E+06	8.5E-01
1497	1.70818	2.56E-03	4.4E-03	1.05E-03	4.57E-06	1.24E+00	1.57E-01	8.87E-07	1.0E+06	8.9E-01
1498	1.77539	2.56E-03	4.5E-03	1.05E-03	4.75E-06	1.24E+00	1.57E-01	9.22E-07	1.0E+06	9.2E-01
1499	1.84179	2.56E-03	4.7E-03	1.05E-03	4.93E-06	1.24E+00	1.57E-01	9.57E-07	1.0E+06	9.6E-01
1500	1.90691	2.56E-03	4.9E-03	1.05E-03	5.10E-06	1.24E+00	1.57E-01	9.90E-07	1.0E+06	9.9E-01
1501	1.97185	2.56E-03	5.0E-03	1.05E-03	5.27E-06	1.24E+00	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1502	2.04197	2.56E-03	5.2E-03	1.05E-03	5.46E-06	1.24E+00	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1503	2.11188	2.56E-03	5.4E-03	1.05E-03	5.65E-06	1.24E+00	1.57E-01	1.10E-06	1.0E+06	1.1E+00
1504	2.18036	2.56E-03	5.6E-03	1.05E-03	5.83E-06	1.24E+00	1.57E-01	1.13E-06	1.0E+06	1.1E+00
1505	2.24581	2.56E-03	5.7E-03	1.05E-03	6.01E-06	1.24E+00	1.57E-01	1.17E-06	1.0E+06	1.2E+00
1506	0.8541	2.56E-03	2.2E-03	1.05E-03	2.28E-06	1.24E+00	1.57E-01	4.44E-07	1.0E+06	4.4E-01
1507	0.8802	2.56E-03	2.3E-03	1.05E-03	2.35E-06	1.24E+00	1.57E-01	4.57E-07	1.0E+06	4.6E-01
1508	0.90729	2.56E-03	2.3E-03	1.05E-03	2.43E-06	1.24E+00	1.57E-01	4.71E-07	1.0E+06	4.7E-01
1509	0.93593	2.56E-03	2.4E-03	1.05E-03	2.50E-06	1.24E+00	1.57E-01	4.86E-07	1.0E+06	4.9E-01
1510	0.96633	2.56E-03	2.5E-03	1.05E-03	2.58E-06	1.24E+00	1.57E-01	5.02E-07	1.0E+06	5.0E-01
1511	0.99804	2.56E-03	2.6E-03	1.05E-03	2.67E-06	1.24E+00	1.57E-01	5.18E-07	1.0E+06	5.2E-01
1512	1.03523	2.56E-03	2.6E-03	1.05E-03	2.77E-06	1.24E+00	1.57E-01	5.38E-07	1.0E+06	5.4E-01
1513	1.07514	2.56E-03	2.8E-03	1.05E-03	2.88E-06	1.24E+00	1.57E-01	5.58E-07	1.0E+06	5.6E-01
1514	1.11546	2.56E-03	2.9E-03	1.05E-03	2.98E-06	1.24E+00	1.57E-01	5.79E-07	1.0E+06	5.8E-01
1515	1.15414	2.56E-03	3.0E-03	1.05E-03	3.09E-06	1.24E+00	1.57E-01	5.99E-07	1.0E+06	6.0E-01
1516	1.19503	2.56E-03	3.1E-03	1.05E-03	3.20E-06	1.24E+00	1.57E-01	6.21E-07	1.0E+06	6.2E-01
1517	1.24071	2.56E-03	3.2E-03	1.05E-03	3.32E-06	1.24E+00	1.57E-01	6.44E-07	1.0E+06	6.4E-01
1518	1.29106	2.56E-03	3.3E-03	1.05E-03	3.45E-06	1.24E+00	1.57E-01	6.71E-07	1.0E+06	6.7E-01
1519	1.36574	2.56E-03	3.5E-03	1.05E-03	3.65E-06	1.24E+00	1.57E-01	7.09E-07	1.0E+06	7.1E-01
1520	1.44482	2.56E-03	3.7E-03	1.05E-03	3.86E-06	1.24E+00	1.57E-01	7.50E-07	1.0E+06	7.5E-01
1521	1.52623	2.56E-03	3.9E-03	1.05E-03	4.08E-06	1.24E+00	1.57E-01	7.93E-07	1.0E+06	7.9E-01
1522	1.6115	2.56E-03	4.1E-03	1.05E-03	4.31E-06	1.24E+00	1.57E-01	8.37E-07	1.0E+06	8.4E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1.68139	2.56E-03	4.3E-03	1.05E-03	4.50E-06	1.24E+00	1.57E-01	8.73E-07	1.0E+06	8.7E-01
1524	1.75393	2.56E-03	4.5E-03	1.05E-03	4.69E-06	1.24E+00	1.57E-01	9.11E-07	1.0E+06	9.1E-01
1525	1.82886	2.56E-03	4.7E-03	1.05E-03	4.89E-06	1.24E+00	1.57E-01	9.50E-07	1.0E+06	9.5E-01
1526	1.90598	2.56E-03	4.9E-03	1.05E-03	5.10E-06	1.24E+00	1.57E-01	9.90E-07	1.0E+06	9.9E-01
1527	1.98321	2.56E-03	5.1E-03	1.05E-03	5.30E-06	1.24E+00	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1528	2.05946	2.56E-03	5.3E-03	1.05E-03	5.51E-06	1.24E+00	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1529	2.1359	2.56E-03	5.5E-03	1.05E-03	5.71E-06	1.24E+00	1.57E-01	1.11E-06	1.0E+06	1.1E+00
1530	2.21693	2.56E-03	5.7E-03	1.05E-03	5.93E-06	1.24E+00	1.57E-01	1.15E-06	1.0E+06	1.2E+00
1531	2.29776	2.56E-03	5.9E-03	1.05E-03	6.15E-06	1.24E+00	1.57E-01	1.19E-06	1.0E+06	1.2E+00
1532	2.3771	2.56E-03	6.1E-03	1.05E-03	6.36E-06	1.24E+00	1.57E-01	1.23E-06	1.0E+06	1.2E+00
1533	2.45301	2.56E-03	6.3E-03	1.05E-03	6.56E-06	1.24E+00	1.57E-01	1.27E-06	1.0E+06	1.3E+00
1534	0.88625	2.56E-03	2.3E-03	1.05E-03	2.37E-06	1.24E+00	1.57E-01	4.60E-07	1.0E+06	4.6E-01
1535	0.91582	2.56E-03	2.3E-03	1.05E-03	2.45E-06	1.24E+00	1.57E-01	4.76E-07	1.0E+06	4.8E-01
1536	0.94649	2.56E-03	2.4E-03	1.05E-03	2.53E-06	1.24E+00	1.57E-01	4.92E-07	1.0E+06	4.9E-01
1537	0.97896	2.56E-03	2.5E-03	1.05E-03	2.62E-06	1.24E+00	1.57E-01	5.08E-07	1.0E+06	5.1E-01
1538	1.01336	2.56E-03	2.6E-03	1.05E-03	2.71E-06	1.24E+00	1.57E-01	5.26E-07	1.0E+06	5.3E-01
1539	1.04934	2.56E-03	2.7E-03	1.05E-03	2.81E-06	1.24E+00	1.57E-01	5.45E-07	1.0E+06	5.4E-01
1540	1.08948	2.56E-03	2.8E-03	1.05E-03	2.91E-06	1.24E+00	1.57E-01	5.66E-07	1.0E+06	5.7E-01
1541	1.13251	2.56E-03	2.9E-03	1.05E-03	3.03E-06	1.24E+00	1.57E-01	5.88E-07	1.0E+06	5.9E-01
1542	1.17645	2.56E-03	3.0E-03	1.05E-03	3.15E-06	1.24E+00	1.57E-01	6.11E-07	1.0E+06	6.1E-01
1543	1.21928	2.56E-03	3.1E-03	1.05E-03	3.26E-06	1.24E+00	1.57E-01	6.33E-07	1.0E+06	6.3E-01
1544	1.26478	2.56E-03	3.2E-03	1.05E-03	3.38E-06	1.24E+00	1.57E-01	6.57E-07	1.0E+06	6.6E-01
1545	1.31584	2.56E-03	3.4E-03	1.05E-03	3.52E-06	1.24E+00	1.57E-01	6.83E-07	1.0E+06	6.8E-01
1546	1.3722	2.56E-03	3.5E-03	1.05E-03	3.67E-06	1.24E+00	1.57E-01	7.13E-07	1.0E+06	7.1E-01
1547	1.45238	2.56E-03	3.7E-03	1.05E-03	3.88E-06	1.24E+00	1.57E-01	7.54E-07	1.0E+06	7.5E-01
1548	1.53567	2.56E-03	3.9E-03	1.05E-03	4.11E-06	1.24E+00	1.57E-01	7.98E-07	1.0E+06	8.0E-01
1549	1.62189	2.56E-03	4.2E-03	1.05E-03	4.34E-06	1.24E+00	1.57E-01	8.42E-07	1.0E+06	8.4E-01
1550	1.69641	2.56E-03	4.3E-03	1.05E-03	4.54E-06	1.24E+00	1.57E-01	8.81E-07	1.0E+06	8.8E-01
1551	1.79353	2.56E-03	4.6E-03	1.05E-03	4.80E-06	1.24E+00	1.57E-01	9.31E-07	1.0E+06	9.3E-01
1552	1.87592	2.56E-03	4.8E-03	1.05E-03	5.02E-06	1.24E+00	1.57E-01	9.74E-07	1.0E+06	9.7E-01
1553	1.96201	2.56E-03	5.0E-03	1.05E-03	5.25E-06	1.24E+00	1.57E-01	1.02E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.05105	2.56E-03	5.2E-03	1.05E-03	5.49E-06	1.24E+00	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1555	2.14093	2.56E-03	5.5E-03	1.05E-03	5.73E-06	1.24E+00	1.57E-01	1.11E-06	1.0E+06	1.1E+00
1556	2.23061	2.56E-03	5.7E-03	1.05E-03	5.97E-06	1.24E+00	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1557	2.32148	2.56E-03	5.9E-03	1.05E-03	6.21E-06	1.24E+00	1.57E-01	1.21E-06	1.0E+06	1.2E+00
1558	2.41558	2.56E-03	6.2E-03	1.05E-03	6.46E-06	1.24E+00	1.57E-01	1.25E-06	1.0E+06	1.3E+00
1559	2.50973	2.56E-03	6.4E-03	1.05E-03	6.71E-06	1.24E+00	1.57E-01	1.30E-06	1.0E+06	1.3E+00
1560	2.60239	2.56E-03	6.7E-03	1.05E-03	6.96E-06	1.24E+00	1.57E-01	1.35E-06	1.0E+06	1.4E+00
1561	2.69114	2.56E-03	6.9E-03	1.05E-03	7.20E-06	1.24E+00	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1562	0.91971	2.56E-03	2.4E-03	1.05E-03	2.46E-06	1.24E+00	1.57E-01	4.78E-07	1.0E+06	4.8E-01
1563	0.952	2.56E-03	2.4E-03	1.05E-03	2.55E-06	1.24E+00	1.57E-01	4.94E-07	1.0E+06	4.9E-01
1564	0.98558	2.56E-03	2.5E-03	1.05E-03	2.64E-06	1.24E+00	1.57E-01	5.12E-07	1.0E+06	5.1E-01
1565	1.02141	2.56E-03	2.6E-03	1.05E-03	2.73E-06	1.24E+00	1.57E-01	5.30E-07	1.0E+06	5.3E-01
1566	1.05997	2.56E-03	2.7E-03	1.05E-03	2.84E-06	1.24E+00	1.57E-01	5.50E-07	1.0E+06	5.5E-01
1567	1.10025	2.56E-03	2.8E-03	1.05E-03	2.94E-06	1.24E+00	1.57E-01	5.71E-07	1.0E+06	5.7E-01
1568	1.14403	2.56E-03	2.9E-03	1.05E-03	3.06E-06	1.24E+00	1.57E-01	5.94E-07	1.0E+06	5.9E-01
1569	1.19044	2.56E-03	3.0E-03	1.05E-03	3.18E-06	1.24E+00	1.57E-01	6.18E-07	1.0E+06	6.2E-01
1570	1.23858	2.56E-03	3.2E-03	1.05E-03	3.31E-06	1.24E+00	1.57E-01	6.43E-07	1.0E+06	6.4E-01
1571	1.28646	2.56E-03	3.3E-03	1.05E-03	3.44E-06	1.24E+00	1.57E-01	6.68E-07	1.0E+06	6.7E-01
1572	1.33769	2.56E-03	3.4E-03	1.05E-03	3.58E-06	1.24E+00	1.57E-01	6.95E-07	1.0E+06	6.9E-01
1573	1.39468	2.56E-03	3.6E-03	1.05E-03	3.73E-06	1.24E+00	1.57E-01	7.24E-07	1.0E+06	7.2E-01
1574	1.45778	2.56E-03	3.7E-03	1.05E-03	3.90E-06	1.24E+00	1.57E-01	7.57E-07	1.0E+06	7.6E-01
1575	1.54434	2.56E-03	4.0E-03	1.05E-03	4.13E-06	1.24E+00	1.57E-01	8.02E-07	1.0E+06	8.0E-01
1576	1.63349	2.56E-03	4.2E-03	1.05E-03	4.37E-06	1.24E+00	1.57E-01	8.48E-07	1.0E+06	8.5E-01
1577	1.72571	2.56E-03	4.4E-03	1.05E-03	4.62E-06	1.24E+00	1.57E-01	8.96E-07	1.0E+06	9.0E-01
1578	1.80944	2.56E-03	4.6E-03	1.05E-03	4.84E-06	1.24E+00	1.57E-01	9.40E-07	1.0E+06	9.4E-01
1579	1.91632	2.56E-03	4.9E-03	1.05E-03	5.13E-06	1.24E+00	1.57E-01	9.95E-07	1.0E+06	1.0E+00
1580	2.00996	2.56E-03	5.1E-03	1.05E-03	5.38E-06	1.24E+00	1.57E-01	1.04E-06	1.0E+06	1.0E+00
1581	2.10875	2.56E-03	5.4E-03	1.05E-03	5.64E-06	1.24E+00	1.57E-01	1.10E-06	1.0E+06	1.1E+00
1582	2.21124	2.56E-03	5.7E-03	1.05E-03	5.91E-06	1.24E+00	1.57E-01	1.15E-06	1.0E+06	1.1E+00
1583	2.31586	2.56E-03	5.9E-03	1.05E-03	6.19E-06	1.24E+00	1.57E-01	1.20E-06	1.0E+06	1.2E+00
1584	2.42156	2.56E-03	6.2E-03	1.05E-03	6.48E-06	1.24E+00	1.57E-01	1.26E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.52885	2.56E-03	6.5E-03	1.05E-03	6.76E-06	1.24E+00	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1586	2.63947	2.56E-03	6.8E-03	1.05E-03	7.06E-06	1.24E+00	1.57E-01	1.37E-06	1.0E+06	1.4E+00
1587	2.75064	2.56E-03	7.0E-03	1.05E-03	7.36E-06	1.24E+00	1.57E-01	1.43E-06	1.0E+06	1.4E+00
1588	2.86047	2.56E-03	7.3E-03	1.05E-03	7.65E-06	1.24E+00	1.57E-01	1.49E-06	1.0E+06	1.5E+00
1589	2.96568	2.56E-03	7.6E-03	1.05E-03	7.93E-06	1.24E+00	1.57E-01	1.54E-06	1.0E+06	1.5E+00
1590	0.95399	2.56E-03	2.4E-03	1.05E-03	2.55E-06	1.24E+00	1.57E-01	4.95E-07	1.0E+06	5.0E-01
1591	0.98829	2.56E-03	2.5E-03	1.05E-03	2.64E-06	1.24E+00	1.57E-01	5.13E-07	1.0E+06	5.1E-01
1592	1.02397	2.56E-03	2.6E-03	1.05E-03	2.74E-06	1.24E+00	1.57E-01	5.32E-07	1.0E+06	5.3E-01
1593	1.06306	2.56E-03	2.7E-03	1.05E-03	2.84E-06	1.24E+00	1.57E-01	5.52E-07	1.0E+06	5.5E-01
1594	1.10602	2.56E-03	2.8E-03	1.05E-03	2.96E-06	1.24E+00	1.57E-01	5.74E-07	1.0E+06	5.7E-01
1595	1.15103	2.56E-03	2.9E-03	1.05E-03	3.08E-06	1.24E+00	1.57E-01	5.98E-07	1.0E+06	6.0E-01
0	0	2.56E-03	0.0E+00	1.05E-03	0.00E+00	1.24E+00	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	0.42858	4.83528E-06	2.1E-06	1.05E-03	2.17E-09	1.24E+00	1.57E-01	4.21E-10	1.0E+06	4.2E-04
1214	1214	0.39154	4.83528E-06	1.9E-06	1.05E-03	1.98E-09	1.24E+00	1.57E-01	3.84E-10	1.0E+06	3.8E-04
1215	1215	0.39653	4.83528E-06	1.9E-06	1.05E-03	2.00E-09	1.24E+00	1.57E-01	3.89E-10	1.0E+06	3.9E-04
1216	1216	0.40148	4.83528E-06	1.9E-06	1.05E-03	2.03E-09	1.24E+00	1.57E-01	3.94E-10	1.0E+06	3.9E-04
1217	1217	0.40637	4.83528E-06	2.0E-06	1.05E-03	2.05E-09	1.24E+00	1.57E-01	3.99E-10	1.0E+06	4.0E-04
1218	1218	0.41123	4.83528E-06	2.0E-06	1.05E-03	2.08E-09	1.24E+00	1.57E-01	4.04E-10	1.0E+06	4.0E-04
1219	1219	0.41598	4.83528E-06	2.0E-06	1.05E-03	2.10E-09	1.24E+00	1.57E-01	4.08E-10	1.0E+06	4.1E-04
1220	1220	0.42061	4.83528E-06	2.0E-06	1.05E-03	2.13E-09	1.24E+00	1.57E-01	4.13E-10	1.0E+06	4.1E-04
1221	1221	0.42509	4.83528E-06	2.1E-06	1.05E-03	2.15E-09	1.24E+00	1.57E-01	4.17E-10	1.0E+06	4.2E-04
1222	1222	0.42942	4.83528E-06	2.1E-06	1.05E-03	2.17E-09	1.24E+00	1.57E-01	4.21E-10	1.0E+06	4.2E-04
1223	1223	0.43345	4.83528E-06	2.1E-06	1.05E-03	2.19E-09	1.24E+00	1.57E-01	4.25E-10	1.0E+06	4.3E-04
1224	1224	0.4373	4.83528E-06	2.1E-06	1.05E-03	2.21E-09	1.24E+00	1.57E-01	4.29E-10	1.0E+06	4.3E-04
1225	1225	0.44093	4.83528E-06	2.1E-06	1.05E-03	2.23E-09	1.24E+00	1.57E-01	4.33E-10	1.0E+06	4.3E-04
1226	1226	0.4443	4.83528E-06	2.1E-06	1.05E-03	2.25E-09	1.24E+00	1.57E-01	4.36E-10	1.0E+06	4.4E-04
1227	1227	0.44735	4.83528E-06	2.2E-06	1.05E-03	2.26E-09	1.24E+00	1.57E-01	4.39E-10	1.0E+06	4.4E-04
1228	1228	0.40482	4.83528E-06	2.0E-06	1.05E-03	2.05E-09	1.24E+00	1.57E-01	3.97E-10	1.0E+06	4.0E-04
1229	1229	0.41012	4.83528E-06	2.0E-06	1.05E-03	2.07E-09	1.24E+00	1.57E-01	4.02E-10	1.0E+06	4.0E-04
1230	1230	0.41538	4.83528E-06	2.0E-06	1.05E-03	2.10E-09	1.24E+00	1.57E-01	4.08E-10	1.0E+06	4.1E-04
1231	1231	0.42059	4.83528E-06	2.0E-06	1.05E-03	2.13E-09	1.24E+00	1.57E-01	4.13E-10	1.0E+06	4.1E-04
1232	1232	0.42586	4.83528E-06	2.1E-06	1.05E-03	2.15E-09	1.24E+00	1.57E-01	4.18E-10	1.0E+06	4.2E-04
1233	1233	0.43102	4.83528E-06	2.1E-06	1.05E-03	2.18E-09	1.24E+00	1.57E-01	4.23E-10	1.0E+06	4.2E-04
1234	1234	0.43601	4.83528E-06	2.1E-06	1.05E-03	2.20E-09	1.24E+00	1.57E-01	4.28E-10	1.0E+06	4.3E-04
1235	1235	0.44083	4.83528E-06	2.1E-06	1.05E-03	2.23E-09	1.24E+00	1.57E-01	4.33E-10	1.0E+06	4.3E-04
1236	1236	0.44549	4.83528E-06	2.2E-06	1.05E-03	2.25E-09	1.24E+00	1.57E-01	4.37E-10	1.0E+06	4.4E-04
1237	1237	0.44979	4.83528E-06	2.2E-06	1.05E-03	2.27E-09	1.24E+00	1.57E-01	4.41E-10	1.0E+06	4.4E-04
1238	1238	0.45384	4.83528E-06	2.2E-06	1.05E-03	2.29E-09	1.24E+00	1.57E-01	4.45E-10	1.0E+06	4.5E-04
1239	1239	0.45768	4.83528E-06	2.2E-06	1.05E-03	2.31E-09	1.24E+00	1.57E-01	4.49E-10	1.0E+06	4.5E-04
1240	1240	0.46125	4.83528E-06	2.2E-06	1.05E-03	2.33E-09	1.24E+00	1.57E-01	4.53E-10	1.0E+06	4.5E-04
1241	1241	0.46457	4.83528E-06	2.2E-06	1.05E-03	2.35E-09	1.24E+00	1.57E-01	4.56E-10	1.0E+06	4.6E-04
1242	1242	0.4173	4.83528E-06	2.0E-06	1.05E-03	2.11E-09	1.24E+00	1.57E-01	4.09E-10	1.0E+06	4.1E-04
1243	1243	0.42447	4.83528E-06	2.1E-06	1.05E-03	2.15E-09	1.24E+00	1.57E-01	4.17E-10	1.0E+06	4.2E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	0.4301	4.83528E-06	2.1E-06	1.05E-03	2.17E-09	1.24E+00	1.57E-01	4.22E-10	1.0E+06	4.2E-04
1245	1245	0.43565	4.83528E-06	2.1E-06	1.05E-03	2.20E-09	1.24E+00	1.57E-01	4.28E-10	1.0E+06	4.3E-04
1246	1246	0.44136	4.83528E-06	2.1E-06	1.05E-03	2.23E-09	1.24E+00	1.57E-01	4.33E-10	1.0E+06	4.3E-04
1247	1247	0.44697	4.83528E-06	2.2E-06	1.05E-03	2.26E-09	1.24E+00	1.57E-01	4.39E-10	1.0E+06	4.4E-04
1248	1248	0.45238	4.83528E-06	2.2E-06	1.05E-03	2.29E-09	1.24E+00	1.57E-01	4.44E-10	1.0E+06	4.4E-04
1249	1249	0.45758	4.83528E-06	2.2E-06	1.05E-03	2.31E-09	1.24E+00	1.57E-01	4.49E-10	1.0E+06	4.5E-04
1250	1250	0.46261	4.83528E-06	2.2E-06	1.05E-03	2.34E-09	1.24E+00	1.57E-01	4.54E-10	1.0E+06	4.5E-04
1251	1251	0.46716	4.83528E-06	2.3E-06	1.05E-03	2.36E-09	1.24E+00	1.57E-01	4.58E-10	1.0E+06	4.6E-04
1252	1252	0.47146	4.83528E-06	2.3E-06	1.05E-03	2.38E-09	1.24E+00	1.57E-01	4.63E-10	1.0E+06	4.6E-04
1253	1253	0.47551	4.83528E-06	2.3E-06	1.05E-03	2.40E-09	1.24E+00	1.57E-01	4.67E-10	1.0E+06	4.7E-04
1254	1254	0.47926	4.83528E-06	2.3E-06	1.05E-03	2.42E-09	1.24E+00	1.57E-01	4.70E-10	1.0E+06	4.7E-04
1255	1255	0.48273	4.83528E-06	2.3E-06	1.05E-03	2.44E-09	1.24E+00	1.57E-01	4.74E-10	1.0E+06	4.7E-04
1256	1256	0.43206	4.83528E-06	2.1E-06	1.05E-03	2.18E-09	1.24E+00	1.57E-01	4.24E-10	1.0E+06	4.2E-04
1257	1257	0.43967	4.83528E-06	2.1E-06	1.05E-03	2.22E-09	1.24E+00	1.57E-01	4.31E-10	1.0E+06	4.3E-04
1258	1258	0.44564	4.83528E-06	2.2E-06	1.05E-03	2.25E-09	1.24E+00	1.57E-01	4.37E-10	1.0E+06	4.4E-04
1259	1259	0.45157	4.83528E-06	2.2E-06	1.05E-03	2.28E-09	1.24E+00	1.57E-01	4.43E-10	1.0E+06	4.4E-04
1260	1260	0.45776	4.83528E-06	2.2E-06	1.05E-03	2.31E-09	1.24E+00	1.57E-01	4.49E-10	1.0E+06	4.5E-04
1261	1261	0.46384	4.83528E-06	2.2E-06	1.05E-03	2.34E-09	1.24E+00	1.57E-01	4.55E-10	1.0E+06	4.6E-04
1262	1262	0.46971	4.83528E-06	2.3E-06	1.05E-03	2.37E-09	1.24E+00	1.57E-01	4.61E-10	1.0E+06	4.6E-04
1263	1263	0.47536	4.83528E-06	2.3E-06	1.05E-03	2.40E-09	1.24E+00	1.57E-01	4.66E-10	1.0E+06	4.7E-04
1264	1264	0.48082	4.83528E-06	2.3E-06	1.05E-03	2.43E-09	1.24E+00	1.57E-01	4.72E-10	1.0E+06	4.7E-04
1265	1265	0.48572	4.83528E-06	2.3E-06	1.05E-03	2.45E-09	1.24E+00	1.57E-01	4.77E-10	1.0E+06	4.8E-04
1266	1266	0.49033	4.83528E-06	2.4E-06	1.05E-03	2.48E-09	1.24E+00	1.57E-01	4.81E-10	1.0E+06	4.8E-04
1267	1267	0.49468	4.83528E-06	2.4E-06	1.05E-03	2.50E-09	1.24E+00	1.57E-01	4.85E-10	1.0E+06	4.9E-04
1268	1268	0.49872	4.83528E-06	2.4E-06	1.05E-03	2.52E-09	1.24E+00	1.57E-01	4.89E-10	1.0E+06	4.9E-04
1269	1269	0.50245	4.83528E-06	2.4E-06	1.05E-03	2.54E-09	1.24E+00	1.57E-01	4.93E-10	1.0E+06	4.9E-04
1270	1270	0.44775	4.83528E-06	2.2E-06	1.05E-03	2.26E-09	1.24E+00	1.57E-01	4.39E-10	1.0E+06	4.4E-04
1271	1271	0.45423	4.83528E-06	2.2E-06	1.05E-03	2.30E-09	1.24E+00	1.57E-01	4.46E-10	1.0E+06	4.5E-04
1272	1272	0.46209	4.83528E-06	2.2E-06	1.05E-03	2.34E-09	1.24E+00	1.57E-01	4.53E-10	1.0E+06	4.5E-04
1273	1273	0.46836	4.83528E-06	2.3E-06	1.05E-03	2.37E-09	1.24E+00	1.57E-01	4.60E-10	1.0E+06	4.6E-04
1274	1274	0.475	4.83528E-06	2.3E-06	1.05E-03	2.40E-09	1.24E+00	1.57E-01	4.66E-10	1.0E+06	4.7E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	0.48154	4.83528E-06	2.3E-06	1.05E-03	2.43E-09	1.24E+00	1.57E-01	4.73E-10	1.0E+06	4.7E-04
1276	1276	0.48794	4.83528E-06	2.4E-06	1.05E-03	2.47E-09	1.24E+00	1.57E-01	4.79E-10	1.0E+06	4.8E-04
1277	1277	0.49418	4.83528E-06	2.4E-06	1.05E-03	2.50E-09	1.24E+00	1.57E-01	4.85E-10	1.0E+06	4.8E-04
1278	1278	0.50024	4.83528E-06	2.4E-06	1.05E-03	2.53E-09	1.24E+00	1.57E-01	4.91E-10	1.0E+06	4.9E-04
1279	1279	0.50562	4.83528E-06	2.4E-06	1.05E-03	2.56E-09	1.24E+00	1.57E-01	4.96E-10	1.0E+06	5.0E-04
1280	1280	0.51069	4.83528E-06	2.5E-06	1.05E-03	2.58E-09	1.24E+00	1.57E-01	5.01E-10	1.0E+06	5.0E-04
1281	1281	0.51548	4.83528E-06	2.5E-06	1.05E-03	2.61E-09	1.24E+00	1.57E-01	5.06E-10	1.0E+06	5.1E-04
1282	1282	0.52	4.83528E-06	2.5E-06	1.05E-03	2.63E-09	1.24E+00	1.57E-01	5.10E-10	1.0E+06	5.1E-04
1283	1283	0.52416	4.83528E-06	2.5E-06	1.05E-03	2.65E-09	1.24E+00	1.57E-01	5.14E-10	1.0E+06	5.1E-04
1284	1284	0.46437	4.83528E-06	2.2E-06	1.05E-03	2.35E-09	1.24E+00	1.57E-01	4.56E-10	1.0E+06	4.6E-04
1285	1285	0.47127	4.83528E-06	2.3E-06	1.05E-03	2.38E-09	1.24E+00	1.57E-01	4.62E-10	1.0E+06	4.6E-04
1286	1286	0.478	4.83528E-06	2.3E-06	1.05E-03	2.42E-09	1.24E+00	1.57E-01	4.69E-10	1.0E+06	4.7E-04
1287	1287	0.48464	4.83528E-06	2.3E-06	1.05E-03	2.45E-09	1.24E+00	1.57E-01	4.76E-10	1.0E+06	4.8E-04
1288	1288	0.49333	4.83528E-06	2.4E-06	1.05E-03	2.49E-09	1.24E+00	1.57E-01	4.84E-10	1.0E+06	4.8E-04
1289	1289	0.50037	4.83528E-06	2.4E-06	1.05E-03	2.53E-09	1.24E+00	1.57E-01	4.91E-10	1.0E+06	4.9E-04
1290	1290	0.50736	4.83528E-06	2.5E-06	1.05E-03	2.56E-09	1.24E+00	1.57E-01	4.98E-10	1.0E+06	5.0E-04
1291	1291	0.51426	4.83528E-06	2.5E-06	1.05E-03	2.60E-09	1.24E+00	1.57E-01	5.05E-10	1.0E+06	5.0E-04
1292	1292	0.52097	4.83528E-06	2.5E-06	1.05E-03	2.63E-09	1.24E+00	1.57E-01	5.11E-10	1.0E+06	5.1E-04
1293	1293	0.52691	4.83528E-06	2.5E-06	1.05E-03	2.66E-09	1.24E+00	1.57E-01	5.17E-10	1.0E+06	5.2E-04
1294	1294	0.5325	4.83528E-06	2.6E-06	1.05E-03	2.69E-09	1.24E+00	1.57E-01	5.23E-10	1.0E+06	5.2E-04
1295	1295	0.53781	4.83528E-06	2.6E-06	1.05E-03	2.72E-09	1.24E+00	1.57E-01	5.28E-10	1.0E+06	5.3E-04
1296	1296	0.54285	4.83528E-06	2.6E-06	1.05E-03	2.74E-09	1.24E+00	1.57E-01	5.33E-10	1.0E+06	5.3E-04
1297	1297	0.5475	4.83528E-06	2.6E-06	1.05E-03	2.77E-09	1.24E+00	1.57E-01	5.37E-10	1.0E+06	5.4E-04
1298	1298	0.48202	4.83528E-06	2.3E-06	1.05E-03	2.44E-09	1.24E+00	1.57E-01	4.73E-10	1.0E+06	4.7E-04
1299	1299	0.48941	4.83528E-06	2.4E-06	1.05E-03	2.47E-09	1.24E+00	1.57E-01	4.80E-10	1.0E+06	4.8E-04
1300	1300	0.49656	4.83528E-06	2.4E-06	1.05E-03	2.51E-09	1.24E+00	1.57E-01	4.87E-10	1.0E+06	4.9E-04
1301	1301	0.50366	4.83528E-06	2.4E-06	1.05E-03	2.55E-09	1.24E+00	1.57E-01	4.94E-10	1.0E+06	4.9E-04
1302	1302	0.51298	4.83528E-06	2.5E-06	1.05E-03	2.59E-09	1.24E+00	1.57E-01	5.03E-10	1.0E+06	5.0E-04
1303	1303	0.52059	4.83528E-06	2.5E-06	1.05E-03	2.63E-09	1.24E+00	1.57E-01	5.11E-10	1.0E+06	5.1E-04
1304	1304	0.52821	4.83528E-06	2.6E-06	1.05E-03	2.67E-09	1.24E+00	1.57E-01	5.18E-10	1.0E+06	5.2E-04
1305	1305	0.5358	4.83528E-06	2.6E-06	1.05E-03	2.71E-09	1.24E+00	1.57E-01	5.26E-10	1.0E+06	5.3E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	0.50088	4.83528E-06	2.4E-06	1.05E-03	2.53E-09	1.24E+00	1.57E-01	4.92E-10	1.0E+06	4.9E-04
1307	1307	0.5107	4.83528E-06	2.5E-06	1.05E-03	2.58E-09	1.24E+00	1.57E-01	5.01E-10	1.0E+06	5.0E-04
1308	1308	0.5186	4.83528E-06	2.5E-06	1.05E-03	2.62E-09	1.24E+00	1.57E-01	5.09E-10	1.0E+06	5.1E-04
1309	1309	0.52647	4.83528E-06	2.5E-06	1.05E-03	2.66E-09	1.24E+00	1.57E-01	5.17E-10	1.0E+06	5.2E-04
1310	1310	0.53481	4.83528E-06	2.6E-06	1.05E-03	2.70E-09	1.24E+00	1.57E-01	5.25E-10	1.0E+06	5.2E-04
1311	1311	0.54306	4.83528E-06	2.6E-06	1.05E-03	2.74E-09	1.24E+00	1.57E-01	5.33E-10	1.0E+06	5.3E-04
1312	1312	0.5512	4.83528E-06	2.7E-06	1.05E-03	2.79E-09	1.24E+00	1.57E-01	5.41E-10	1.0E+06	5.4E-04
1313	1313	0.55925	4.83528E-06	2.7E-06	1.05E-03	2.83E-09	1.24E+00	1.57E-01	5.49E-10	1.0E+06	5.5E-04
1314	1314	0.52094	4.83528E-06	2.5E-06	1.05E-03	2.63E-09	1.24E+00	1.57E-01	5.11E-10	1.0E+06	5.1E-04
1315	1315	0.5316	4.83528E-06	2.6E-06	1.05E-03	2.69E-09	1.24E+00	1.57E-01	5.22E-10	1.0E+06	5.2E-04
1316	1316	0.54042	4.83528E-06	2.6E-06	1.05E-03	2.73E-09	1.24E+00	1.57E-01	5.30E-10	1.0E+06	5.3E-04
1317	1317	0.54917	4.83528E-06	2.7E-06	1.05E-03	2.78E-09	1.24E+00	1.57E-01	5.39E-10	1.0E+06	5.4E-04
1318	1318	0.55823	4.83528E-06	2.7E-06	1.05E-03	2.82E-09	1.24E+00	1.57E-01	5.48E-10	1.0E+06	5.5E-04
1319	1319	0.56714	4.83528E-06	2.7E-06	1.05E-03	2.87E-09	1.24E+00	1.57E-01	5.57E-10	1.0E+06	5.6E-04
1320	1320	0.5759	4.83528E-06	2.8E-06	1.05E-03	2.91E-09	1.24E+00	1.57E-01	5.65E-10	1.0E+06	5.7E-04
1321	1321	0.58444	4.83528E-06	2.8E-06	1.05E-03	2.95E-09	1.24E+00	1.57E-01	5.74E-10	1.0E+06	5.7E-04
1322	1322	0.54407	4.83528E-06	2.6E-06	1.05E-03	2.75E-09	1.24E+00	1.57E-01	5.34E-10	1.0E+06	5.3E-04
1323	1323	0.55392	4.83528E-06	2.7E-06	1.05E-03	2.80E-09	1.24E+00	1.57E-01	5.44E-10	1.0E+06	5.4E-04
1324	1324	0.56369	4.83528E-06	2.7E-06	1.05E-03	2.85E-09	1.24E+00	1.57E-01	5.53E-10	1.0E+06	5.5E-04
1325	1325	0.57344	4.83528E-06	2.8E-06	1.05E-03	2.90E-09	1.24E+00	1.57E-01	5.63E-10	1.0E+06	5.6E-04
1326	1326	0.58327	4.83528E-06	2.8E-06	1.05E-03	2.95E-09	1.24E+00	1.57E-01	5.72E-10	1.0E+06	5.7E-04
1327	1327	0.59301	4.83528E-06	2.9E-06	1.05E-03	3.00E-09	1.24E+00	1.57E-01	5.82E-10	1.0E+06	5.8E-04
1328	1328	0.60246	4.83528E-06	2.9E-06	1.05E-03	3.04E-09	1.24E+00	1.57E-01	5.91E-10	1.0E+06	5.9E-04
1329	1329	0.61154	4.83528E-06	3.0E-06	1.05E-03	3.09E-09	1.24E+00	1.57E-01	6.00E-10	1.0E+06	6.0E-04
1330	1330	0.56482	4.83528E-06	2.7E-06	1.05E-03	2.85E-09	1.24E+00	1.57E-01	5.54E-10	1.0E+06	5.5E-04
1331	1331	0.57737	4.83528E-06	2.8E-06	1.05E-03	2.92E-09	1.24E+00	1.57E-01	5.67E-10	1.0E+06	5.7E-04
1332	1332	0.58798	4.83528E-06	2.8E-06	1.05E-03	2.97E-09	1.24E+00	1.57E-01	5.77E-10	1.0E+06	5.8E-04
1333	1333	0.59854	4.83528E-06	2.9E-06	1.05E-03	3.02E-09	1.24E+00	1.57E-01	5.87E-10	1.0E+06	5.9E-04
1334	1334	0.60934	4.83528E-06	2.9E-06	1.05E-03	3.08E-09	1.24E+00	1.57E-01	5.98E-10	1.0E+06	6.0E-04
1335	1335	0.62005	4.83528E-06	3.0E-06	1.05E-03	3.13E-09	1.24E+00	1.57E-01	6.08E-10	1.0E+06	6.1E-04
1336	1336	0.63049	4.83528E-06	3.0E-06	1.05E-03	3.19E-09	1.24E+00	1.57E-01	6.19E-10	1.0E+06	6.2E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	0.6406	4.83528E-06	3.1E-06	1.05E-03	3.24E-09	1.24E+00	1.57E-01	6.29E-10	1.0E+06	6.3E-04
1338	1338	0.35052	4.83528E-06	1.7E-06	1.05E-03	1.77E-09	1.24E+00	1.57E-01	3.44E-10	1.0E+06	3.4E-04
1339	1339	0.35636	4.83528E-06	1.7E-06	1.05E-03	1.80E-09	1.24E+00	1.57E-01	3.50E-10	1.0E+06	3.5E-04
1340	1340	0.36243	4.83528E-06	1.8E-06	1.05E-03	1.83E-09	1.24E+00	1.57E-01	3.56E-10	1.0E+06	3.6E-04
1341	1341	0.36925	4.83528E-06	1.8E-06	1.05E-03	1.87E-09	1.24E+00	1.57E-01	3.62E-10	1.0E+06	3.6E-04
1342	1342	0.37678	4.83528E-06	1.8E-06	1.05E-03	1.90E-09	1.24E+00	1.57E-01	3.70E-10	1.0E+06	3.7E-04
1343	1343	0.38467	4.83528E-06	1.9E-06	1.05E-03	1.94E-09	1.24E+00	1.57E-01	3.77E-10	1.0E+06	3.8E-04
1344	1344	0.39346	4.83528E-06	1.9E-06	1.05E-03	1.99E-09	1.24E+00	1.57E-01	3.86E-10	1.0E+06	3.9E-04
1345	1345	0.40278	4.83528E-06	1.9E-06	1.05E-03	2.04E-09	1.24E+00	1.57E-01	3.95E-10	1.0E+06	4.0E-04
1346	1346	0.41169	4.83528E-06	2.0E-06	1.05E-03	2.08E-09	1.24E+00	1.57E-01	4.04E-10	1.0E+06	4.0E-04
1347	1347	0.41965	4.83528E-06	2.0E-06	1.05E-03	2.12E-09	1.24E+00	1.57E-01	4.12E-10	1.0E+06	4.1E-04
1348	1348	0.4279	4.83528E-06	2.1E-06	1.05E-03	2.16E-09	1.24E+00	1.57E-01	4.20E-10	1.0E+06	4.2E-04
1349	1349	0.4382	4.83528E-06	2.1E-06	1.05E-03	2.21E-09	1.24E+00	1.57E-01	4.30E-10	1.0E+06	4.3E-04
1350	1350	0.44949	4.83528E-06	2.2E-06	1.05E-03	2.27E-09	1.24E+00	1.57E-01	4.41E-10	1.0E+06	4.4E-04
1351	1351	0.46144	4.83528E-06	2.2E-06	1.05E-03	2.33E-09	1.24E+00	1.57E-01	4.53E-10	1.0E+06	4.5E-04
1352	1352	0.47352	4.83528E-06	2.3E-06	1.05E-03	2.39E-09	1.24E+00	1.57E-01	4.65E-10	1.0E+06	4.6E-04
1353	1353	0.48605	4.83528E-06	2.4E-06	1.05E-03	2.46E-09	1.24E+00	1.57E-01	4.77E-10	1.0E+06	4.8E-04
1354	1354	0.51371	4.83528E-06	2.5E-06	1.05E-03	2.60E-09	1.24E+00	1.57E-01	5.04E-10	1.0E+06	5.0E-04
1355	1355	0.53476	4.83528E-06	2.6E-06	1.05E-03	2.70E-09	1.24E+00	1.57E-01	5.25E-10	1.0E+06	5.2E-04
1356	1356	0.55738	4.83528E-06	2.7E-06	1.05E-03	2.82E-09	1.24E+00	1.57E-01	5.47E-10	1.0E+06	5.5E-04
1357	1357	0.5723	4.83528E-06	2.8E-06	1.05E-03	2.89E-09	1.24E+00	1.57E-01	5.62E-10	1.0E+06	5.6E-04
1358	1358	0.58885	4.83528E-06	2.8E-06	1.05E-03	2.98E-09	1.24E+00	1.57E-01	5.78E-10	1.0E+06	5.8E-04
1359	1359	0.60245	4.83528E-06	2.9E-06	1.05E-03	3.04E-09	1.24E+00	1.57E-01	5.91E-10	1.0E+06	5.9E-04
1360	1360	0.61397	4.83528E-06	3.0E-06	1.05E-03	3.10E-09	1.24E+00	1.57E-01	6.02E-10	1.0E+06	6.0E-04
1361	1361	0.62548	4.83528E-06	3.0E-06	1.05E-03	3.16E-09	1.24E+00	1.57E-01	6.14E-10	1.0E+06	6.1E-04
1362	1362	0.63734	4.83528E-06	3.1E-06	1.05E-03	3.22E-09	1.24E+00	1.57E-01	6.25E-10	1.0E+06	6.3E-04
1363	1363	0.64914	4.83528E-06	3.1E-06	1.05E-03	3.28E-09	1.24E+00	1.57E-01	6.37E-10	1.0E+06	6.4E-04
1364	1364	0.66073	4.83528E-06	3.2E-06	1.05E-03	3.34E-09	1.24E+00	1.57E-01	6.48E-10	1.0E+06	6.5E-04
1365	1365	0.67199	4.83528E-06	3.2E-06	1.05E-03	3.40E-09	1.24E+00	1.57E-01	6.59E-10	1.0E+06	6.6E-04
1366	1366	0.36178	4.83528E-06	1.7E-06	1.05E-03	1.83E-09	1.24E+00	1.57E-01	3.55E-10	1.0E+06	3.6E-04
1367	1367	0.36774	4.83528E-06	1.8E-06	1.05E-03	1.86E-09	1.24E+00	1.57E-01	3.61E-10	1.0E+06	3.6E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	0.37383	4.83528E-06	1.8E-06	1.05E-03	1.89E-09	1.24E+00	1.57E-01	3.67E-10	1.0E+06	3.7E-04
1369	1369	0.38095	4.83528E-06	1.8E-06	1.05E-03	1.93E-09	1.24E+00	1.57E-01	3.74E-10	1.0E+06	3.7E-04
1370	1370	0.38901	4.83528E-06	1.9E-06	1.05E-03	1.97E-09	1.24E+00	1.57E-01	3.82E-10	1.0E+06	3.8E-04
1371	1371	0.39733	4.83528E-06	1.9E-06	1.05E-03	2.01E-09	1.24E+00	1.57E-01	3.90E-10	1.0E+06	3.9E-04
1372	1372	0.40681	4.83528E-06	2.0E-06	1.05E-03	2.06E-09	1.24E+00	1.57E-01	3.99E-10	1.0E+06	4.0E-04
1373	1373	0.41691	4.83528E-06	2.0E-06	1.05E-03	2.11E-09	1.24E+00	1.57E-01	4.09E-10	1.0E+06	4.1E-04
1374	1374	0.4263	4.83528E-06	2.1E-06	1.05E-03	2.15E-09	1.24E+00	1.57E-01	4.18E-10	1.0E+06	4.2E-04
1375	1375	0.43414	4.83528E-06	2.1E-06	1.05E-03	2.19E-09	1.24E+00	1.57E-01	4.26E-10	1.0E+06	4.3E-04
1376	1376	0.44223	4.83528E-06	2.1E-06	1.05E-03	2.23E-09	1.24E+00	1.57E-01	4.34E-10	1.0E+06	4.3E-04
1377	1377	0.45324	4.83528E-06	2.2E-06	1.05E-03	2.29E-09	1.24E+00	1.57E-01	4.45E-10	1.0E+06	4.4E-04
1378	1378	0.46546	4.83528E-06	2.3E-06	1.05E-03	2.35E-09	1.24E+00	1.57E-01	4.57E-10	1.0E+06	4.6E-04
1379	1379	0.47844	4.83528E-06	2.3E-06	1.05E-03	2.42E-09	1.24E+00	1.57E-01	4.69E-10	1.0E+06	4.7E-04
1380	1380	0.49142	4.83528E-06	2.4E-06	1.05E-03	2.48E-09	1.24E+00	1.57E-01	4.82E-10	1.0E+06	4.8E-04
1381	1381	0.50504	4.83528E-06	2.4E-06	1.05E-03	2.55E-09	1.24E+00	1.57E-01	4.96E-10	1.0E+06	5.0E-04
1382	1382	0.52882	4.83528E-06	2.6E-06	1.05E-03	2.67E-09	1.24E+00	1.57E-01	5.19E-10	1.0E+06	5.2E-04
1383	1383	0.55202	4.83528E-06	2.7E-06	1.05E-03	2.79E-09	1.24E+00	1.57E-01	5.42E-10	1.0E+06	5.4E-04
1384	1384	0.57377	4.83528E-06	2.8E-06	1.05E-03	2.90E-09	1.24E+00	1.57E-01	5.63E-10	1.0E+06	5.6E-04
1385	1385	0.59659	4.83528E-06	2.9E-06	1.05E-03	3.02E-09	1.24E+00	1.57E-01	5.85E-10	1.0E+06	5.9E-04
1386	1386	0.61452	4.83528E-06	3.0E-06	1.05E-03	3.11E-09	1.24E+00	1.57E-01	6.03E-10	1.0E+06	6.0E-04
1387	1387	0.62929	4.83528E-06	3.0E-06	1.05E-03	3.18E-09	1.24E+00	1.57E-01	6.18E-10	1.0E+06	6.2E-04
1388	1388	0.64184	4.83528E-06	3.1E-06	1.05E-03	3.24E-09	1.24E+00	1.57E-01	6.30E-10	1.0E+06	6.3E-04
1389	1389	0.65443	4.83528E-06	3.2E-06	1.05E-03	3.31E-09	1.24E+00	1.57E-01	6.42E-10	1.0E+06	6.4E-04
1390	1390	0.66751	4.83528E-06	3.2E-06	1.05E-03	3.37E-09	1.24E+00	1.57E-01	6.55E-10	1.0E+06	6.6E-04
1391	1391	0.68056	4.83528E-06	3.3E-06	1.05E-03	3.44E-09	1.24E+00	1.57E-01	6.68E-10	1.0E+06	6.7E-04
1392	1392	0.69344	4.83528E-06	3.4E-06	1.05E-03	3.50E-09	1.24E+00	1.57E-01	6.80E-10	1.0E+06	6.8E-04
1393	1393	0.70605	4.83528E-06	3.4E-06	1.05E-03	3.57E-09	1.24E+00	1.57E-01	6.93E-10	1.0E+06	6.9E-04
1394	1394	0.3727	4.83528E-06	1.8E-06	1.05E-03	1.88E-09	1.24E+00	1.57E-01	3.66E-10	1.0E+06	3.7E-04
1395	1395	0.37898	4.83528E-06	1.8E-06	1.05E-03	1.92E-09	1.24E+00	1.57E-01	3.72E-10	1.0E+06	3.7E-04
1396	1396	0.38545	4.83528E-06	1.9E-06	1.05E-03	1.95E-09	1.24E+00	1.57E-01	3.78E-10	1.0E+06	3.8E-04
1397	1397	0.39285	4.83528E-06	1.9E-06	1.05E-03	1.99E-09	1.24E+00	1.57E-01	3.86E-10	1.0E+06	3.9E-04
1398	1398	0.40117	4.83528E-06	1.9E-06	1.05E-03	2.03E-09	1.24E+00	1.57E-01	3.94E-10	1.0E+06	3.9E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	0.40977	4.83528E-06	2.0E-06	1.05E-03	2.07E-09	1.24E+00	1.57E-01	4.02E-10	1.0E+06	4.0E-04
1400	1400	0.42026	4.83528E-06	2.0E-06	1.05E-03	2.12E-09	1.24E+00	1.57E-01	4.12E-10	1.0E+06	4.1E-04
1401	1401	0.43135	4.83528E-06	2.1E-06	1.05E-03	2.18E-09	1.24E+00	1.57E-01	4.23E-10	1.0E+06	4.2E-04
1402	1402	0.44179	4.83528E-06	2.1E-06	1.05E-03	2.23E-09	1.24E+00	1.57E-01	4.34E-10	1.0E+06	4.3E-04
1403	1403	0.45034	4.83528E-06	2.2E-06	1.05E-03	2.28E-09	1.24E+00	1.57E-01	4.42E-10	1.0E+06	4.4E-04
1404	1404	0.45916	4.83528E-06	2.2E-06	1.05E-03	2.32E-09	1.24E+00	1.57E-01	4.51E-10	1.0E+06	4.5E-04
1405	1405	0.47059	4.83528E-06	2.3E-06	1.05E-03	2.38E-09	1.24E+00	1.57E-01	4.62E-10	1.0E+06	4.6E-04
1406	1406	0.48315	4.83528E-06	2.3E-06	1.05E-03	2.44E-09	1.24E+00	1.57E-01	4.74E-10	1.0E+06	4.7E-04
1407	1407	0.49657	4.83528E-06	2.4E-06	1.05E-03	2.51E-09	1.24E+00	1.57E-01	4.87E-10	1.0E+06	4.9E-04
1408	1408	0.51094	4.83528E-06	2.5E-06	1.05E-03	2.58E-09	1.24E+00	1.57E-01	5.01E-10	1.0E+06	5.0E-04
1409	1409	0.52613	4.83528E-06	2.5E-06	1.05E-03	2.66E-09	1.24E+00	1.57E-01	5.16E-10	1.0E+06	5.2E-04
1410	1410	0.55088	4.83528E-06	2.7E-06	1.05E-03	2.78E-09	1.24E+00	1.57E-01	5.41E-10	1.0E+06	5.4E-04
1411	1411	0.5754	4.83528E-06	2.8E-06	1.05E-03	2.91E-09	1.24E+00	1.57E-01	5.65E-10	1.0E+06	5.6E-04
1412	1412	0.59851	4.83528E-06	2.9E-06	1.05E-03	3.02E-09	1.24E+00	1.57E-01	5.87E-10	1.0E+06	5.9E-04
1413	1413	0.62276	4.83528E-06	3.0E-06	1.05E-03	3.15E-09	1.24E+00	1.57E-01	6.11E-10	1.0E+06	6.1E-04
1414	1414	0.64202	4.83528E-06	3.1E-06	1.05E-03	3.24E-09	1.24E+00	1.57E-01	6.30E-10	1.0E+06	6.3E-04
1415	1415	0.65801	4.83528E-06	3.2E-06	1.05E-03	3.33E-09	1.24E+00	1.57E-01	6.46E-10	1.0E+06	6.5E-04
1416	1416	0.67165	4.83528E-06	3.2E-06	1.05E-03	3.39E-09	1.24E+00	1.57E-01	6.59E-10	1.0E+06	6.6E-04
1417	1417	0.68529	4.83528E-06	3.3E-06	1.05E-03	3.46E-09	1.24E+00	1.57E-01	6.72E-10	1.0E+06	6.7E-04
1418	1418	0.69986	4.83528E-06	3.4E-06	1.05E-03	3.54E-09	1.24E+00	1.57E-01	6.87E-10	1.0E+06	6.9E-04
1419	1419	0.71443	4.83528E-06	3.5E-06	1.05E-03	3.61E-09	1.24E+00	1.57E-01	7.01E-10	1.0E+06	7.0E-04
1420	1420	0.72887	4.83528E-06	3.5E-06	1.05E-03	3.68E-09	1.24E+00	1.57E-01	7.15E-10	1.0E+06	7.2E-04
1421	1421	0.74303	4.83528E-06	3.6E-06	1.05E-03	3.76E-09	1.24E+00	1.57E-01	7.29E-10	1.0E+06	7.3E-04
1422	1422	0.38361	4.83528E-06	1.9E-06	1.05E-03	1.94E-09	1.24E+00	1.57E-01	3.76E-10	1.0E+06	3.8E-04
1423	1423	0.39042	4.83528E-06	1.9E-06	1.05E-03	1.97E-09	1.24E+00	1.57E-01	3.83E-10	1.0E+06	3.8E-04
1424	1424	0.39744	4.83528E-06	1.9E-06	1.05E-03	2.01E-09	1.24E+00	1.57E-01	3.90E-10	1.0E+06	3.9E-04
1425	1425	0.4052	4.83528E-06	2.0E-06	1.05E-03	2.05E-09	1.24E+00	1.57E-01	3.98E-10	1.0E+06	4.0E-04
1426	1426	0.41371	4.83528E-06	2.0E-06	1.05E-03	2.09E-09	1.24E+00	1.57E-01	4.06E-10	1.0E+06	4.1E-04
1427	1427	0.42256	4.83528E-06	2.0E-06	1.05E-03	2.14E-09	1.24E+00	1.57E-01	4.15E-10	1.0E+06	4.1E-04
1428	1428	0.43418	4.83528E-06	2.1E-06	1.05E-03	2.19E-09	1.24E+00	1.57E-01	4.26E-10	1.0E+06	4.3E-04
1429	1429	0.44651	4.83528E-06	2.2E-06	1.05E-03	2.26E-09	1.24E+00	1.57E-01	4.38E-10	1.0E+06	4.4E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	0.45811	4.83528E-06	2.2E-06	1.05E-03	2.32E-09	1.24E+00	1.57E-01	4.50E-10	1.0E+06	4.5E-04
1431	1431	0.46766	4.83528E-06	2.3E-06	1.05E-03	2.36E-09	1.24E+00	1.57E-01	4.59E-10	1.0E+06	4.6E-04
1432	1432	0.47748	4.83528E-06	2.3E-06	1.05E-03	2.41E-09	1.24E+00	1.57E-01	4.69E-10	1.0E+06	4.7E-04
1433	1433	0.48928	4.83528E-06	2.4E-06	1.05E-03	2.47E-09	1.24E+00	1.57E-01	4.80E-10	1.0E+06	4.8E-04
1434	1434	0.50204	4.83528E-06	2.4E-06	1.05E-03	2.54E-09	1.24E+00	1.57E-01	4.93E-10	1.0E+06	4.9E-04
1435	1435	0.51592	4.83528E-06	2.5E-06	1.05E-03	2.61E-09	1.24E+00	1.57E-01	5.06E-10	1.0E+06	5.1E-04
1436	1436	0.53174	4.83528E-06	2.6E-06	1.05E-03	2.69E-09	1.24E+00	1.57E-01	5.22E-10	1.0E+06	5.2E-04
1437	1437	0.54862	4.83528E-06	2.7E-06	1.05E-03	2.77E-09	1.24E+00	1.57E-01	5.38E-10	1.0E+06	5.4E-04
1438	1438	0.57442	4.83528E-06	2.8E-06	1.05E-03	2.90E-09	1.24E+00	1.57E-01	5.64E-10	1.0E+06	5.6E-04
1439	1439	0.60037	4.83528E-06	2.9E-06	1.05E-03	3.03E-09	1.24E+00	1.57E-01	5.89E-10	1.0E+06	5.9E-04
1440	1440	0.62866	4.83528E-06	3.0E-06	1.05E-03	3.18E-09	1.24E+00	1.57E-01	6.17E-10	1.0E+06	6.2E-04
1441	1441	0.65073	4.83528E-06	3.1E-06	1.05E-03	3.29E-09	1.24E+00	1.57E-01	6.39E-10	1.0E+06	6.4E-04
1442	1442	0.67147	4.83528E-06	3.2E-06	1.05E-03	3.39E-09	1.24E+00	1.57E-01	6.59E-10	1.0E+06	6.6E-04
1443	1443	0.68679	4.83528E-06	3.3E-06	1.05E-03	3.47E-09	1.24E+00	1.57E-01	6.74E-10	1.0E+06	6.7E-04
1444	1444	0.70171	4.83528E-06	3.4E-06	1.05E-03	3.55E-09	1.24E+00	1.57E-01	6.89E-10	1.0E+06	6.9E-04
1445	1445	0.71665	4.83528E-06	3.5E-06	1.05E-03	3.62E-09	1.24E+00	1.57E-01	7.03E-10	1.0E+06	7.0E-04
1446	1446	0.73478	4.83528E-06	3.6E-06	1.05E-03	3.71E-09	1.24E+00	1.57E-01	7.21E-10	1.0E+06	7.2E-04
1447	1447	0.7511	4.83528E-06	3.6E-06	1.05E-03	3.80E-09	1.24E+00	1.57E-01	7.37E-10	1.0E+06	7.4E-04
1448	1448	0.76733	4.83528E-06	3.7E-06	1.05E-03	3.88E-09	1.24E+00	1.57E-01	7.53E-10	1.0E+06	7.5E-04
1449	1449	0.78335	4.83528E-06	3.8E-06	1.05E-03	3.96E-09	1.24E+00	1.57E-01	7.69E-10	1.0E+06	7.7E-04
1450	1450	0.39487	4.83528E-06	1.9E-06	1.05E-03	2.00E-09	1.24E+00	1.57E-01	3.87E-10	1.0E+06	3.9E-04
1451	1451	0.40229	4.83528E-06	1.9E-06	1.05E-03	2.03E-09	1.24E+00	1.57E-01	3.95E-10	1.0E+06	3.9E-04
1452	1452	0.40989	4.83528E-06	2.0E-06	1.05E-03	2.07E-09	1.24E+00	1.57E-01	4.02E-10	1.0E+06	4.0E-04
1453	1453	0.41804	4.83528E-06	2.0E-06	1.05E-03	2.11E-09	1.24E+00	1.57E-01	4.10E-10	1.0E+06	4.1E-04
1454	1454	0.42682	4.83528E-06	2.1E-06	1.05E-03	2.16E-09	1.24E+00	1.57E-01	4.19E-10	1.0E+06	4.2E-04
1455	1455	0.43589	4.83528E-06	2.1E-06	1.05E-03	2.20E-09	1.24E+00	1.57E-01	4.28E-10	1.0E+06	4.3E-04
1456	1456	0.44883	4.83528E-06	2.2E-06	1.05E-03	2.27E-09	1.24E+00	1.57E-01	4.40E-10	1.0E+06	4.4E-04
1457	1457	0.46253	4.83528E-06	2.2E-06	1.05E-03	2.34E-09	1.24E+00	1.57E-01	4.54E-10	1.0E+06	4.5E-04
1458	1458	0.47541	4.83528E-06	2.3E-06	1.05E-03	2.40E-09	1.24E+00	1.57E-01	4.67E-10	1.0E+06	4.7E-04
1459	1459	0.48591	4.83528E-06	2.3E-06	1.05E-03	2.46E-09	1.24E+00	1.57E-01	4.77E-10	1.0E+06	4.8E-04
1460	1460	0.49689	4.83528E-06	2.4E-06	1.05E-03	2.51E-09	1.24E+00	1.57E-01	4.88E-10	1.0E+06	4.9E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	0.50912	4.83528E-06	2.5E-06	1.05E-03	2.57E-09	1.24E+00	1.57E-01	5.00E-10	1.0E+06	5.0E-04
1462	1462	0.52224	4.83528E-06	2.5E-06	1.05E-03	2.64E-09	1.24E+00	1.57E-01	5.12E-10	1.0E+06	5.1E-04
1463	1463	0.5365	4.83528E-06	2.6E-06	1.05E-03	2.71E-09	1.24E+00	1.57E-01	5.26E-10	1.0E+06	5.3E-04
1464	1464	0.55391	4.83528E-06	2.7E-06	1.05E-03	2.80E-09	1.24E+00	1.57E-01	5.44E-10	1.0E+06	5.4E-04
1465	1465	0.5727	4.83528E-06	2.8E-06	1.05E-03	2.89E-09	1.24E+00	1.57E-01	5.62E-10	1.0E+06	5.6E-04
1466	1466	0.60478	4.83528E-06	2.9E-06	1.05E-03	3.06E-09	1.24E+00	1.57E-01	5.93E-10	1.0E+06	5.9E-04
1467	1467	0.62689	4.83528E-06	3.0E-06	1.05E-03	3.17E-09	1.24E+00	1.57E-01	6.15E-10	1.0E+06	6.2E-04
1468	1468	0.65696	4.83528E-06	3.2E-06	1.05E-03	3.32E-09	1.24E+00	1.57E-01	6.45E-10	1.0E+06	6.4E-04
1469	1469	0.6807	4.83528E-06	3.3E-06	1.05E-03	3.44E-09	1.24E+00	1.57E-01	6.68E-10	1.0E+06	6.7E-04
1470	1470	0.70306	4.83528E-06	3.4E-06	1.05E-03	3.55E-09	1.24E+00	1.57E-01	6.90E-10	1.0E+06	6.9E-04
1471	1471	0.7198	4.83528E-06	3.5E-06	1.05E-03	3.64E-09	1.24E+00	1.57E-01	7.06E-10	1.0E+06	7.1E-04
1472	1472	0.73611	4.83528E-06	3.6E-06	1.05E-03	3.72E-09	1.24E+00	1.57E-01	7.22E-10	1.0E+06	7.2E-04
1473	1473	0.75247	4.83528E-06	3.6E-06	1.05E-03	3.80E-09	1.24E+00	1.57E-01	7.38E-10	1.0E+06	7.4E-04
1474	1474	0.77262	4.83528E-06	3.7E-06	1.05E-03	3.90E-09	1.24E+00	1.57E-01	7.58E-10	1.0E+06	7.6E-04
1475	1475	0.79094	4.83528E-06	3.8E-06	1.05E-03	4.00E-09	1.24E+00	1.57E-01	7.76E-10	1.0E+06	7.8E-04
1476	1476	0.80929	4.83528E-06	3.9E-06	1.05E-03	4.09E-09	1.24E+00	1.57E-01	7.94E-10	1.0E+06	7.9E-04
1477	1477	0.82743	4.83528E-06	4.0E-06	1.05E-03	4.18E-09	1.24E+00	1.57E-01	8.12E-10	1.0E+06	8.1E-04
1478	1478	0.40626	4.83528E-06	2.0E-06	1.05E-03	2.05E-09	1.24E+00	1.57E-01	3.99E-10	1.0E+06	4.0E-04
1479	1479	0.41449	4.83528E-06	2.0E-06	1.05E-03	2.09E-09	1.24E+00	1.57E-01	4.07E-10	1.0E+06	4.1E-04
1480	1480	0.423	4.83528E-06	2.0E-06	1.05E-03	2.14E-09	1.24E+00	1.57E-01	4.15E-10	1.0E+06	4.2E-04
1481	1481	0.43207	4.83528E-06	2.1E-06	1.05E-03	2.18E-09	1.24E+00	1.57E-01	4.24E-10	1.0E+06	4.2E-04
1482	1482	0.44168	4.83528E-06	2.1E-06	1.05E-03	2.23E-09	1.24E+00	1.57E-01	4.33E-10	1.0E+06	4.3E-04
1483	1483	0.45173	4.83528E-06	2.2E-06	1.05E-03	2.28E-09	1.24E+00	1.57E-01	4.43E-10	1.0E+06	4.4E-04
1484	1484	0.4655	4.83528E-06	2.3E-06	1.05E-03	2.35E-09	1.24E+00	1.57E-01	4.57E-10	1.0E+06	4.6E-04
1485	1485	0.48	4.83528E-06	2.3E-06	1.05E-03	2.43E-09	1.24E+00	1.57E-01	4.71E-10	1.0E+06	4.7E-04
1486	1486	0.49378	4.83528E-06	2.4E-06	1.05E-03	2.50E-09	1.24E+00	1.57E-01	4.85E-10	1.0E+06	4.8E-04
1487	1487	0.50526	4.83528E-06	2.4E-06	1.05E-03	2.55E-09	1.24E+00	1.57E-01	4.96E-10	1.0E+06	5.0E-04
1488	1488	0.5173	4.83528E-06	2.5E-06	1.05E-03	2.61E-09	1.24E+00	1.57E-01	5.08E-10	1.0E+06	5.1E-04
1489	1489	0.53059	4.83528E-06	2.6E-06	1.05E-03	2.68E-09	1.24E+00	1.57E-01	5.21E-10	1.0E+06	5.2E-04
1490	1490	0.54483	4.83528E-06	2.6E-06	1.05E-03	2.75E-09	1.24E+00	1.57E-01	5.35E-10	1.0E+06	5.3E-04
1491	1491	0.56025	4.83528E-06	2.7E-06	1.05E-03	2.83E-09	1.24E+00	1.57E-01	5.50E-10	1.0E+06	5.5E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	0.57823	4.83528E-06	2.8E-06	1.05E-03	2.92E-09	1.24E+00	1.57E-01	5.67E-10	1.0E+06	5.7E-04
1493	1493	0.5975	4.83528E-06	2.9E-06	1.05E-03	3.02E-09	1.24E+00	1.57E-01	5.86E-10	1.0E+06	5.9E-04
1494	1494	0.61967	4.83528E-06	3.0E-06	1.05E-03	3.13E-09	1.24E+00	1.57E-01	6.08E-10	1.0E+06	6.1E-04
1495	1495	0.65419	4.83528E-06	3.2E-06	1.05E-03	3.31E-09	1.24E+00	1.57E-01	6.42E-10	1.0E+06	6.4E-04
1496	1496	0.68248	4.83528E-06	3.3E-06	1.05E-03	3.45E-09	1.24E+00	1.57E-01	6.70E-10	1.0E+06	6.7E-04
1497	1497	0.7092	4.83528E-06	3.4E-06	1.05E-03	3.58E-09	1.24E+00	1.57E-01	6.96E-10	1.0E+06	7.0E-04
1498	1498	0.73446	4.83528E-06	3.6E-06	1.05E-03	3.71E-09	1.24E+00	1.57E-01	7.21E-10	1.0E+06	7.2E-04
1499	1499	0.75563	4.83528E-06	3.7E-06	1.05E-03	3.82E-09	1.24E+00	1.57E-01	7.41E-10	1.0E+06	7.4E-04
1500	1500	0.77403	4.83528E-06	3.7E-06	1.05E-03	3.91E-09	1.24E+00	1.57E-01	7.60E-10	1.0E+06	7.6E-04
1501	1501	0.79256	4.83528E-06	3.8E-06	1.05E-03	4.01E-09	1.24E+00	1.57E-01	7.78E-10	1.0E+06	7.8E-04
1502	1502	0.81477	4.83528E-06	3.9E-06	1.05E-03	4.12E-09	1.24E+00	1.57E-01	8.00E-10	1.0E+06	8.0E-04
1503	1503	0.8352	4.83528E-06	4.0E-06	1.05E-03	4.22E-09	1.24E+00	1.57E-01	8.20E-10	1.0E+06	8.2E-04
1504	1504	0.85568	4.83528E-06	4.1E-06	1.05E-03	4.32E-09	1.24E+00	1.57E-01	8.40E-10	1.0E+06	8.4E-04
1505	1505	0.87608	4.83528E-06	4.2E-06	1.05E-03	4.43E-09	1.24E+00	1.57E-01	8.60E-10	1.0E+06	8.6E-04
1506	1506	0.41782	4.83528E-06	2.0E-06	1.05E-03	2.11E-09	1.24E+00	1.57E-01	4.10E-10	1.0E+06	4.1E-04
1507	1507	0.42707	4.83528E-06	2.1E-06	1.05E-03	2.16E-09	1.24E+00	1.57E-01	4.19E-10	1.0E+06	4.2E-04
1508	1508	0.43667	4.83528E-06	2.1E-06	1.05E-03	2.21E-09	1.24E+00	1.57E-01	4.29E-10	1.0E+06	4.3E-04
1509	1509	0.44693	4.83528E-06	2.2E-06	1.05E-03	2.26E-09	1.24E+00	1.57E-01	4.39E-10	1.0E+06	4.4E-04
1510	1510	0.45787	4.83528E-06	2.2E-06	1.05E-03	2.31E-09	1.24E+00	1.57E-01	4.49E-10	1.0E+06	4.5E-04
1511	1511	0.46919	4.83528E-06	2.3E-06	1.05E-03	2.37E-09	1.24E+00	1.57E-01	4.60E-10	1.0E+06	4.6E-04
1512	1512	0.48363	4.83528E-06	2.3E-06	1.05E-03	2.44E-09	1.24E+00	1.57E-01	4.75E-10	1.0E+06	4.7E-04
1513	1513	0.49872	4.83528E-06	2.4E-06	1.05E-03	2.52E-09	1.24E+00	1.57E-01	4.89E-10	1.0E+06	4.9E-04
1514	1514	0.51321	4.83528E-06	2.5E-06	1.05E-03	2.59E-09	1.24E+00	1.57E-01	5.04E-10	1.0E+06	5.0E-04
1515	1515	0.52575	4.83528E-06	2.5E-06	1.05E-03	2.66E-09	1.24E+00	1.57E-01	5.16E-10	1.0E+06	5.2E-04
1516	1516	0.53882	4.83528E-06	2.6E-06	1.05E-03	2.72E-09	1.24E+00	1.57E-01	5.29E-10	1.0E+06	5.3E-04
1517	1517	0.55346	4.83528E-06	2.7E-06	1.05E-03	2.80E-09	1.24E+00	1.57E-01	5.43E-10	1.0E+06	5.4E-04
1518	1518	0.56925	4.83528E-06	2.8E-06	1.05E-03	2.88E-09	1.24E+00	1.57E-01	5.59E-10	1.0E+06	5.6E-04
1519	1519	0.58607	4.83528E-06	2.8E-06	1.05E-03	2.96E-09	1.24E+00	1.57E-01	5.75E-10	1.0E+06	5.8E-04
1520	1520	0.60424	4.83528E-06	2.9E-06	1.05E-03	3.05E-09	1.24E+00	1.57E-01	5.93E-10	1.0E+06	5.9E-04
1521	1521	0.62369	4.83528E-06	3.0E-06	1.05E-03	3.15E-09	1.24E+00	1.57E-01	6.12E-10	1.0E+06	6.1E-04
1522	1522	0.64291	4.83528E-06	3.1E-06	1.05E-03	3.25E-09	1.24E+00	1.57E-01	6.31E-10	1.0E+06	6.3E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	0.67756	4.83528E-06	3.3E-06	1.05E-03	3.42E-09	1.24E+00	1.57E-01	6.65E-10	1.0E+06	6.6E-04
1524	1524	0.70898	4.83528E-06	3.4E-06	1.05E-03	3.58E-09	1.24E+00	1.57E-01	6.96E-10	1.0E+06	7.0E-04
1525	1525	0.74292	4.83528E-06	3.6E-06	1.05E-03	3.75E-09	1.24E+00	1.57E-01	7.29E-10	1.0E+06	7.3E-04
1526	1526	0.76776	4.83528E-06	3.7E-06	1.05E-03	3.88E-09	1.24E+00	1.57E-01	7.53E-10	1.0E+06	7.5E-04
1527	1527	0.79431	4.83528E-06	3.8E-06	1.05E-03	4.01E-09	1.24E+00	1.57E-01	7.79E-10	1.0E+06	7.8E-04
1528	1528	0.81518	4.83528E-06	3.9E-06	1.05E-03	4.12E-09	1.24E+00	1.57E-01	8.00E-10	1.0E+06	8.0E-04
1529	1529	0.83836	4.83528E-06	4.1E-06	1.05E-03	4.24E-09	1.24E+00	1.57E-01	8.23E-10	1.0E+06	8.2E-04
1530	1530	0.86087	4.83528E-06	4.2E-06	1.05E-03	4.35E-09	1.24E+00	1.57E-01	8.45E-10	1.0E+06	8.4E-04
1531	1531	0.88373	4.83528E-06	4.3E-06	1.05E-03	4.47E-09	1.24E+00	1.57E-01	8.67E-10	1.0E+06	8.7E-04
1532	1532	0.9067	4.83528E-06	4.4E-06	1.05E-03	4.58E-09	1.24E+00	1.57E-01	8.90E-10	1.0E+06	8.9E-04
1533	1533	0.92971	4.83528E-06	4.5E-06	1.05E-03	4.70E-09	1.24E+00	1.57E-01	9.12E-10	1.0E+06	9.1E-04
1534	1534	0.4295	4.83528E-06	2.1E-06	1.05E-03	2.17E-09	1.24E+00	1.57E-01	4.21E-10	1.0E+06	4.2E-04
1535	1535	0.43996	4.83528E-06	2.1E-06	1.05E-03	2.22E-09	1.24E+00	1.57E-01	4.32E-10	1.0E+06	4.3E-04
1536	1536	0.45075	4.83528E-06	2.2E-06	1.05E-03	2.28E-09	1.24E+00	1.57E-01	4.42E-10	1.0E+06	4.4E-04
1537	1537	0.46234	4.83528E-06	2.2E-06	1.05E-03	2.34E-09	1.24E+00	1.57E-01	4.54E-10	1.0E+06	4.5E-04
1538	1538	0.47469	4.83528E-06	2.3E-06	1.05E-03	2.40E-09	1.24E+00	1.57E-01	4.66E-10	1.0E+06	4.7E-04
1539	1539	0.48749	4.83528E-06	2.4E-06	1.05E-03	2.46E-09	1.24E+00	1.57E-01	4.78E-10	1.0E+06	4.8E-04
1540	1540	0.50255	4.83528E-06	2.4E-06	1.05E-03	2.54E-09	1.24E+00	1.57E-01	4.93E-10	1.0E+06	4.9E-04
1541	1541	0.51835	4.83528E-06	2.5E-06	1.05E-03	2.62E-09	1.24E+00	1.57E-01	5.09E-10	1.0E+06	5.1E-04
1542	1542	0.53371	4.83528E-06	2.6E-06	1.05E-03	2.70E-09	1.24E+00	1.57E-01	5.24E-10	1.0E+06	5.2E-04
1543	1543	0.54728	4.83528E-06	2.6E-06	1.05E-03	2.77E-09	1.24E+00	1.57E-01	5.37E-10	1.0E+06	5.4E-04
1544	1544	0.56153	4.83528E-06	2.7E-06	1.05E-03	2.84E-09	1.24E+00	1.57E-01	5.51E-10	1.0E+06	5.5E-04
1545	1545	0.57765	4.83528E-06	2.8E-06	1.05E-03	2.92E-09	1.24E+00	1.57E-01	5.67E-10	1.0E+06	5.7E-04
1546	1546	0.59504	4.83528E-06	2.9E-06	1.05E-03	3.01E-09	1.24E+00	1.57E-01	5.84E-10	1.0E+06	5.8E-04
1547	1547	0.61346	4.83528E-06	3.0E-06	1.05E-03	3.10E-09	1.24E+00	1.57E-01	6.02E-10	1.0E+06	6.0E-04
1548	1548	0.63203	4.83528E-06	3.1E-06	1.05E-03	3.19E-09	1.24E+00	1.57E-01	6.20E-10	1.0E+06	6.2E-04
1549	1549	0.65189	4.83528E-06	3.2E-06	1.05E-03	3.29E-09	1.24E+00	1.57E-01	6.40E-10	1.0E+06	6.4E-04
1550	1550	0.67201	4.83528E-06	3.2E-06	1.05E-03	3.40E-09	1.24E+00	1.57E-01	6.59E-10	1.0E+06	6.6E-04
1551	1551	0.69656	4.83528E-06	3.4E-06	1.05E-03	3.52E-09	1.24E+00	1.57E-01	6.84E-10	1.0E+06	6.8E-04
1552	1552	0.73669	4.83528E-06	3.6E-06	1.05E-03	3.72E-09	1.24E+00	1.57E-01	7.23E-10	1.0E+06	7.2E-04
1553	1553	0.77079	4.83528E-06	3.7E-06	1.05E-03	3.90E-09	1.24E+00	1.57E-01	7.56E-10	1.0E+06	7.6E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	0.80659	4.83528E-06	3.9E-06	1.05E-03	4.08E-09	1.24E+00	1.57E-01	7.92E-10	1.0E+06	7.9E-04
1555	1555	0.83601	4.83528E-06	4.0E-06	1.05E-03	4.23E-09	1.24E+00	1.57E-01	8.20E-10	1.0E+06	8.2E-04
1556	1556	0.86192	4.83528E-06	4.2E-06	1.05E-03	4.36E-09	1.24E+00	1.57E-01	8.46E-10	1.0E+06	8.5E-04
1557	1557	0.88603	4.83528E-06	4.3E-06	1.05E-03	4.48E-09	1.24E+00	1.57E-01	8.69E-10	1.0E+06	8.7E-04
1558	1558	0.91127	4.83528E-06	4.4E-06	1.05E-03	4.61E-09	1.24E+00	1.57E-01	8.94E-10	1.0E+06	8.9E-04
1559	1559	0.93697	4.83528E-06	4.5E-06	1.05E-03	4.74E-09	1.24E+00	1.57E-01	9.19E-10	1.0E+06	9.2E-04
1560	1560	0.96289	4.83528E-06	4.7E-06	1.05E-03	4.87E-09	1.24E+00	1.57E-01	9.45E-10	1.0E+06	9.4E-04
1561	1561	0.989	4.83528E-06	4.8E-06	1.05E-03	5.00E-09	1.24E+00	1.57E-01	9.71E-10	1.0E+06	9.7E-04
1562	1562	0.44228	4.83528E-06	2.1E-06	1.05E-03	2.24E-09	1.24E+00	1.57E-01	4.34E-10	1.0E+06	4.3E-04
1563	1563	0.45334	4.83528E-06	2.2E-06	1.05E-03	2.29E-09	1.24E+00	1.57E-01	4.45E-10	1.0E+06	4.4E-04
1564	1564	0.46474	4.83528E-06	2.2E-06	1.05E-03	2.35E-09	1.24E+00	1.57E-01	4.56E-10	1.0E+06	4.6E-04
1565	1565	0.47712	4.83528E-06	2.3E-06	1.05E-03	2.41E-09	1.24E+00	1.57E-01	4.68E-10	1.0E+06	4.7E-04
1566	1566	0.49078	4.83528E-06	2.4E-06	1.05E-03	2.48E-09	1.24E+00	1.57E-01	4.82E-10	1.0E+06	4.8E-04
1567	1567	0.50488	4.83528E-06	2.4E-06	1.05E-03	2.55E-09	1.24E+00	1.57E-01	4.95E-10	1.0E+06	5.0E-04
1568	1568	0.52072	4.83528E-06	2.5E-06	1.05E-03	2.63E-09	1.24E+00	1.57E-01	5.11E-10	1.0E+06	5.1E-04
1569	1569	0.53727	4.83528E-06	2.6E-06	1.05E-03	2.72E-09	1.24E+00	1.57E-01	5.27E-10	1.0E+06	5.3E-04
1570	1570	0.55355	4.83528E-06	2.7E-06	1.05E-03	2.80E-09	1.24E+00	1.57E-01	5.43E-10	1.0E+06	5.4E-04
1571	1571	0.56856	4.83528E-06	2.7E-06	1.05E-03	2.87E-09	1.24E+00	1.57E-01	5.58E-10	1.0E+06	5.6E-04
1572	1572	0.5845	4.83528E-06	2.8E-06	1.05E-03	2.95E-09	1.24E+00	1.57E-01	5.74E-10	1.0E+06	5.7E-04
1573	1573	0.60236	4.83528E-06	2.9E-06	1.05E-03	3.04E-09	1.24E+00	1.57E-01	5.91E-10	1.0E+06	5.9E-04
1574	1574	0.62157	4.83528E-06	3.0E-06	1.05E-03	3.14E-09	1.24E+00	1.57E-01	6.10E-10	1.0E+06	6.1E-04
1575	1575	0.64182	4.83528E-06	3.1E-06	1.05E-03	3.24E-09	1.24E+00	1.57E-01	6.30E-10	1.0E+06	6.3E-04
1576	1576	0.6614	4.83528E-06	3.2E-06	1.05E-03	3.34E-09	1.24E+00	1.57E-01	6.49E-10	1.0E+06	6.5E-04
1577	1577	0.68221	4.83528E-06	3.3E-06	1.05E-03	3.45E-09	1.24E+00	1.57E-01	6.69E-10	1.0E+06	6.7E-04
1578	1578	0.70375	4.83528E-06	3.4E-06	1.05E-03	3.56E-09	1.24E+00	1.57E-01	6.91E-10	1.0E+06	6.9E-04
1579	1579	0.72928	4.83528E-06	3.5E-06	1.05E-03	3.69E-09	1.24E+00	1.57E-01	7.16E-10	1.0E+06	7.2E-04
1580	1580	0.77164	4.83528E-06	3.7E-06	1.05E-03	3.90E-09	1.24E+00	1.57E-01	7.57E-10	1.0E+06	7.6E-04
1581	1581	0.80885	4.83528E-06	3.9E-06	1.05E-03	4.09E-09	1.24E+00	1.57E-01	7.94E-10	1.0E+06	7.9E-04
1582	1582	0.84797	4.83528E-06	4.1E-06	1.05E-03	4.29E-09	1.24E+00	1.57E-01	8.32E-10	1.0E+06	8.3E-04
1583	1583	0.88063	4.83528E-06	4.3E-06	1.05E-03	4.45E-09	1.24E+00	1.57E-01	8.64E-10	1.0E+06	8.6E-04
1584	1584	0.90758	4.83528E-06	4.4E-06	1.05E-03	4.59E-09	1.24E+00	1.57E-01	8.91E-10	1.0E+06	8.9E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	0.93725	4.83528E-06	4.5E-06	1.05E-03	4.74E-09	1.24E+00	1.57E-01	9.20E-10	1.0E+06	9.2E-04
1586	1586	0.96582	4.83528E-06	4.7E-06	1.05E-03	4.88E-09	1.24E+00	1.57E-01	9.48E-10	1.0E+06	9.5E-04
1587	1587	0.99503	4.83528E-06	4.8E-06	1.05E-03	5.03E-09	1.24E+00	1.57E-01	9.76E-10	1.0E+06	9.8E-04
1588	1588	1.02464	4.83528E-06	5.0E-06	1.05E-03	5.18E-09	1.24E+00	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1589	1589	1.05452	4.83528E-06	5.1E-06	1.05E-03	5.33E-09	1.24E+00	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1590	1590	0.45603	4.83528E-06	2.2E-06	1.05E-03	2.30E-09	1.24E+00	1.57E-01	4.48E-10	1.0E+06	4.5E-04
1591	1591	0.46712	4.83528E-06	2.3E-06	1.05E-03	2.36E-09	1.24E+00	1.57E-01	4.58E-10	1.0E+06	4.6E-04
1592	1592	0.47853	4.83528E-06	2.3E-06	1.05E-03	2.42E-09	1.24E+00	1.57E-01	4.70E-10	1.0E+06	4.7E-04
1593	1593	0.4915	4.83528E-06	2.4E-06	1.05E-03	2.48E-09	1.24E+00	1.57E-01	4.82E-10	1.0E+06	4.8E-04
1594	1594	0.50631	4.83528E-06	2.4E-06	1.05E-03	2.56E-09	1.24E+00	1.57E-01	4.97E-10	1.0E+06	5.0E-04
1595	1595	0.52178	4.83528E-06	2.5E-06	1.05E-03	2.64E-09	1.24E+00	1.57E-01	5.12E-10	1.0E+06	5.1E-04
0	0	0.19954	4.83528E-06	9.6E-07	1.05E-03	1.01E-09	1.24E+00	1.57E-01	1.96E-10	1.0E+06	2.0E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1213	1213	4.2E-01	Max	Receptor #	5	4.11E-04	Max	Receptor #	
1214	1214	3.8E-01	1.541	1589	5	3.72E-04	0.002	1589	Res
1215	1215	3.8E-01			5	3.78E-04			
1216	1216	3.9E-01			5	3.85E-04			
1217	1217	4.0E-01			5	3.91E-04			
1218	1218	4.0E-01			5	3.97E-04			
1219	1219	4.1E-01			5	4.03E-04			
1220	1220	4.1E-01			5	4.08E-04			
1221	1221	4.2E-01			5	4.13E-04			
1222	1222	4.2E-01			5	4.18E-04			
1223	1223	4.3E-01			5	4.22E-04			
1224	1224	4.3E-01			5	4.26E-04			
1225	1225	4.4E-01			5	4.29E-04			
1226	1226	4.4E-01			5	4.32E-04			
1227	1227	4.4E-01			5	4.34E-04			
1228	1228	4.0E-01			5	3.89E-04			
1229	1229	4.0E-01			5	3.96E-04			
1230	1230	4.1E-01			5	4.03E-04			
1231	1231	4.2E-01			5	4.10E-04			
1232	1232	4.2E-01			5	4.16E-04			
1233	1233	4.3E-01			5	4.23E-04			
1234	1234	4.4E-01			5	4.29E-04			
1235	1235	4.4E-01			5	4.34E-04			
1236	1236	4.5E-01			5	4.39E-04			
1237	1237	4.5E-01			5	4.44E-04			
1238	1238	4.6E-01			5	4.48E-04			
1239	1239	4.6E-01			5	4.52E-04			
1240	1240	4.6E-01			5	4.55E-04			
1241	1241	4.6E-01			5	4.57E-04			
1242	1242	4.1E-01			5	4.08E-04			
1243	1243	4.2E-01			5	4.15E-04			

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1244	1244	4.3E-01	5	4.22E-04
1245	1245	4.4E-01	5	4.30E-04
1246	1246	4.4E-01	5	4.37E-04
1247	1247	4.5E-01	5	4.44E-04
1248	1248	4.6E-01	5	4.51E-04
1249	1249	4.6E-01	5	4.57E-04
1250	1250	4.7E-01	5	4.63E-04
1251	1251	4.7E-01	5	4.67E-04
1252	1252	4.8E-01	5	4.72E-04
1253	1253	4.8E-01	5	4.76E-04
1254	1254	4.9E-01	5	4.79E-04
1255	1255	4.9E-01	5	4.82E-04
1256	1256	4.3E-01	5	4.27E-04
1257	1257	4.4E-01	5	4.35E-04
1258	1258	4.5E-01	5	4.43E-04
1259	1259	4.6E-01	5	4.51E-04
1260	1260	4.7E-01	5	4.59E-04
1261	1261	4.7E-01	5	4.67E-04
1262	1262	4.8E-01	5	4.75E-04
1263	1263	4.9E-01	5	4.82E-04
1264	1264	5.0E-01	5	4.88E-04
1265	1265	5.0E-01	5	4.93E-04
1266	1266	5.1E-01	5	4.98E-04
1267	1267	5.1E-01	5	5.02E-04
1268	1268	5.1E-01	5	5.06E-04
1269	1269	5.2E-01	5	5.09E-04
1270	1270	4.6E-01	5	4.49E-04
1271	1271	4.6E-01	5	4.57E-04
1272	1272	4.7E-01	5	4.66E-04
1273	1273	4.8E-01	5	4.75E-04
1274	1274	4.9E-01	5	4.83E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1275	1275	5.0E-01	5	4.92E-04
1276	1276	5.1E-01	5	5.00E-04
1277	1277	5.2E-01	5	5.08E-04
1278	1278	5.2E-01	5	5.15E-04
1279	1279	5.3E-01	5	5.21E-04
1280	1280	5.3E-01	5	5.26E-04
1281	1281	5.4E-01	5	5.31E-04
1282	1282	5.4E-01	5	5.35E-04
1283	1283	5.5E-01	5	5.39E-04
1284	1284	4.8E-01	5	4.72E-04
1285	1285	4.9E-01	5	4.81E-04
1286	1286	5.0E-01	5	4.91E-04
1287	1287	5.1E-01	5	5.00E-04
1288	1288	5.2E-01	5	5.09E-04
1289	1289	5.3E-01	5	5.19E-04
1290	1290	5.4E-01	5	5.28E-04
1291	1291	5.5E-01	5	5.37E-04
1292	1292	5.5E-01	5	5.45E-04
1293	1293	5.6E-01	5	5.51E-04
1294	1294	5.7E-01	5	5.57E-04
1295	1295	5.7E-01	5	5.63E-04
1296	1296	5.8E-01	5	5.67E-04
1297	1297	5.8E-01	5	5.71E-04
1298	1298	5.0E-01	5	4.97E-04
1299	1299	5.1E-01	5	5.07E-04
1300	1300	5.3E-01	5	5.17E-04
1301	1301	5.4E-01	5	5.27E-04
1302	1302	5.5E-01	5	5.38E-04
1303	1303	5.6E-01	5	5.48E-04
1304	1304	5.7E-01	5	5.58E-04
1305	1305	5.8E-01	5	5.68E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1306	1306	5.3E-01	5	5.24E-04
1307	1307	5.4E-01	5	5.35E-04
1308	1308	5.6E-01	5	5.47E-04
1309	1309	5.7E-01	5	5.58E-04
1310	1310	5.8E-01	5	5.70E-04
1311	1311	5.9E-01	5	5.81E-04
1312	1312	6.0E-01	5	5.92E-04
1313	1313	6.1E-01	5	6.03E-04
1314	1314	5.6E-01	5	5.53E-04
1315	1315	5.8E-01	5	5.66E-04
1316	1316	5.9E-01	5	5.79E-04
1317	1317	6.0E-01	5	5.92E-04
1318	1318	6.1E-01	5	6.05E-04
1319	1319	6.3E-01	5	6.18E-04
1320	1320	6.4E-01	5	6.30E-04
1321	1321	6.5E-01	5	6.41E-04
1322	1322	5.9E-01	5	5.85E-04
1323	1323	6.1E-01	5	6.00E-04
1324	1324	6.2E-01	5	6.15E-04
1325	1325	6.4E-01	5	6.29E-04
1326	1326	6.5E-01	5	6.44E-04
1327	1327	6.7E-01	5	6.58E-04
1328	1328	6.8E-01	5	6.71E-04
1329	1329	6.9E-01	5	6.84E-04
1330	1330	6.3E-01	5	6.20E-04
1331	1331	6.5E-01	5	6.36E-04
1332	1332	6.6E-01	5	6.53E-04
1333	1333	6.8E-01	5	6.69E-04
1334	1334	7.0E-01	5	6.85E-04
1335	1335	7.1E-01	5	7.01E-04
1336	1336	7.3E-01	5	7.16E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1337	1337	7.4E-01	5	7.30E-04
1338	1338	3.5E-01	5	3.43E-04
1339	1339	3.6E-01	5	3.51E-04
1340	1340	3.6E-01	5	3.59E-04
1341	1341	3.7E-01	5	3.67E-04
1342	1342	3.8E-01	5	3.77E-04
1343	1343	3.9E-01	5	3.87E-04
1344	1344	4.0E-01	5	3.98E-04
1345	1345	4.2E-01	5	4.10E-04
1346	1346	4.3E-01	5	4.22E-04
1347	1347	4.4E-01	5	4.33E-04
1348	1348	4.5E-01	5	4.46E-04
1349	1349	4.7E-01	5	4.60E-04
1350	1350	4.9E-01	5	4.86E-04
1351	1351	5.2E-01	5	5.12E-04
1352	1352	5.5E-01	5	5.38E-04
1353	1353	5.7E-01	5	5.64E-04
1354	1354	5.9E-01	5	5.83E-04
1355	1355	6.1E-01	5	6.01E-04
1356	1356	6.3E-01	5	6.19E-04
1357	1357	6.5E-01	5	6.38E-04
1358	1358	6.7E-01	5	6.57E-04
1359	1359	6.9E-01	5	6.76E-04
1360	1360	7.0E-01	5	6.94E-04
1361	1361	7.2E-01	5	7.12E-04
1362	1362	7.4E-01	5	7.30E-04
1363	1363	7.6E-01	5	7.48E-04
1364	1364	7.8E-01	5	7.66E-04
1365	1365	7.9E-01	5	7.82E-04
1366	1366	3.6E-01	5	3.58E-04
1367	1367	3.7E-01	5	3.66E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1368	1368	3.8E-01	5	3.74E-04
1369	1369	3.9E-01	5	3.84E-04
1370	1370	4.0E-01	5	3.94E-04
1371	1371	4.1E-01	5	4.05E-04
1372	1372	4.2E-01	5	4.17E-04
1373	1373	4.4E-01	5	4.30E-04
1374	1374	4.5E-01	5	4.43E-04
1375	1375	4.6E-01	5	4.54E-04
1376	1376	4.7E-01	5	4.67E-04
1377	1377	4.9E-01	5	4.82E-04
1378	1378	5.1E-01	5	5.00E-04
1379	1379	5.4E-01	5	5.29E-04
1380	1380	5.8E-01	5	5.66E-04
1381	1381	6.0E-01	5	5.86E-04
1382	1382	6.2E-01	5	6.15E-04
1383	1383	6.5E-01	5	6.35E-04
1384	1384	6.7E-01	5	6.56E-04
1385	1385	6.9E-01	5	6.77E-04
1386	1386	7.1E-01	5	6.98E-04
1387	1387	7.3E-01	5	7.19E-04
1388	1388	7.5E-01	5	7.40E-04
1389	1389	7.7E-01	5	7.60E-04
1390	1390	7.9E-01	5	7.81E-04
1391	1391	8.1E-01	5	8.01E-04
1392	1392	8.3E-01	5	8.21E-04
1393	1393	8.5E-01	5	8.39E-04
1394	1394	3.8E-01	5	3.73E-04
1395	1395	3.9E-01	5	3.82E-04
1396	1396	4.0E-01	5	3.91E-04
1397	1397	4.1E-01	5	4.01E-04
1398	1398	4.2E-01	5	4.12E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1399	1399	4.3E-01	5	4.23E-04
1400	1400	4.4E-01	5	4.36E-04
1401	1401	4.6E-01	5	4.51E-04
1402	1402	4.7E-01	5	4.65E-04
1403	1403	4.9E-01	5	4.78E-04
1404	1404	5.0E-01	5	4.91E-04
1405	1405	5.2E-01	5	5.08E-04
1406	1406	5.3E-01	5	5.27E-04
1407	1407	5.7E-01	5	5.57E-04
1408	1408	6.1E-01	5	5.97E-04
1409	1409	6.3E-01	5	6.19E-04
1410	1410	6.6E-01	5	6.51E-04
1411	1411	6.8E-01	5	6.73E-04
1412	1412	7.1E-01	5	6.96E-04
1413	1413	7.3E-01	5	7.20E-04
1414	1414	7.6E-01	5	7.44E-04
1415	1415	7.8E-01	5	7.67E-04
1416	1416	8.0E-01	5	7.90E-04
1417	1417	8.2E-01	5	8.12E-04
1418	1418	8.5E-01	5	8.36E-04
1419	1419	8.7E-01	5	8.59E-04
1420	1420	9.0E-01	5	8.82E-04
1421	1421	9.2E-01	5	9.03E-04
1422	1422	3.9E-01	5	3.88E-04
1423	1423	4.0E-01	5	3.98E-04
1424	1424	4.1E-01	5	4.08E-04
1425	1425	4.3E-01	5	4.19E-04
1426	1426	4.4E-01	5	4.30E-04
1427	1427	4.5E-01	5	4.42E-04
1428	1428	4.6E-01	5	4.57E-04
1429	1429	4.8E-01	5	4.73E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1430	1430	5.0E-01	5	4.89E-04
1431	1431	5.1E-01	5	5.03E-04
1432	1432	5.3E-01	5	5.18E-04
1433	1433	5.4E-01	5	5.36E-04
1434	1434	5.6E-01	5	5.56E-04
1435	1435	6.0E-01	5	5.87E-04
1436	1436	6.4E-01	5	6.30E-04
1437	1437	6.7E-01	5	6.55E-04
1438	1438	7.0E-01	5	6.89E-04
1439	1439	7.3E-01	5	7.15E-04
1440	1440	7.5E-01	5	7.40E-04
1441	1441	7.8E-01	5	7.67E-04
1442	1442	8.1E-01	5	7.93E-04
1443	1443	8.3E-01	5	8.20E-04
1444	1444	8.6E-01	5	8.45E-04
1445	1445	8.8E-01	5	8.70E-04
1446	1446	9.1E-01	5	8.97E-04
1447	1447	9.4E-01	5	9.24E-04
1448	1448	9.7E-01	5	9.50E-04
1449	1449	9.9E-01	5	9.75E-04
1450	1450	4.1E-01	5	4.04E-04
1451	1451	4.2E-01	5	4.15E-04
1452	1452	4.3E-01	5	4.26E-04
1453	1453	4.4E-01	5	4.38E-04
1454	1454	4.6E-01	5	4.50E-04
1455	1455	4.7E-01	5	4.63E-04
1456	1456	4.9E-01	5	4.79E-04
1457	1457	5.0E-01	5	4.97E-04
1458	1458	5.2E-01	5	5.14E-04
1459	1459	5.4E-01	5	5.30E-04
1460	1460	5.6E-01	5	5.47E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1461	1461	5.7E-01	5	5.66E-04
1462	1462	6.0E-01	5	5.87E-04
1463	1463	6.2E-01	5	6.10E-04
1464	1464	6.8E-01	5	6.66E-04
1465	1465	7.1E-01	5	6.94E-04
1466	1466	7.4E-01	5	7.31E-04
1467	1467	7.7E-01	5	7.60E-04
1468	1468	8.0E-01	5	7.89E-04
1469	1469	8.3E-01	5	8.18E-04
1470	1470	8.6E-01	5	8.48E-04
1471	1471	8.9E-01	5	8.78E-04
1472	1472	9.2E-01	5	9.06E-04
1473	1473	9.5E-01	5	9.35E-04
1474	1474	9.8E-01	5	9.66E-04
1475	1475	1.0E+00	5	9.97E-04
1476	1476	1.0E+00	5	1.03E-03
1477	1477	1.1E+00	5	1.06E-03
1478	1478	4.3E-01	5	4.21E-04
1479	1479	4.4E-01	5	4.33E-04
1480	1480	4.5E-01	5	4.45E-04
1481	1481	4.6E-01	5	4.58E-04
1482	1482	4.8E-01	5	4.71E-04
1483	1483	4.9E-01	5	4.86E-04
1484	1484	5.1E-01	5	5.03E-04
1485	1485	5.3E-01	5	5.23E-04
1486	1486	5.5E-01	5	5.42E-04
1487	1487	5.7E-01	5	5.59E-04
1488	1488	5.9E-01	5	5.78E-04
1489	1489	6.1E-01	5	5.99E-04
1490	1490	6.3E-01	5	6.22E-04
1491	1491	6.6E-01	5	6.47E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1492	1492	7.1E-01	5	6.97E-04
1493	1493	7.5E-01	5	7.36E-04
1494	1494	7.9E-01	5	7.76E-04
1495	1495	8.2E-01	5	8.08E-04
1496	1496	8.5E-01	5	8.41E-04
1497	1497	8.9E-01	5	8.74E-04
1498	1498	9.2E-01	5	9.09E-04
1499	1499	9.6E-01	5	9.43E-04
1500	1500	9.9E-01	5	9.76E-04
1501	1501	1.0E+00	5	1.01E-03
1502	1502	1.1E+00	5	1.05E-03
1503	1503	1.1E+00	5	1.08E-03
1504	1504	1.1E+00	5	1.12E-03
1505	1505	1.2E+00	5	1.15E-03
1506	1506	4.4E-01	5	4.37E-04
1507	1507	4.6E-01	5	4.50E-04
1508	1508	4.7E-01	5	4.64E-04
1509	1509	4.9E-01	5	4.79E-04
1510	1510	5.0E-01	5	4.95E-04
1511	1511	5.2E-01	5	5.11E-04
1512	1512	5.4E-01	5	5.30E-04
1513	1513	5.6E-01	5	5.50E-04
1514	1514	5.8E-01	5	5.71E-04
1515	1515	6.0E-01	5	5.91E-04
1516	1516	6.2E-01	5	6.12E-04
1517	1517	6.4E-01	5	6.35E-04
1518	1518	6.7E-01	5	6.61E-04
1519	1519	7.1E-01	5	6.99E-04
1520	1520	7.5E-01	5	7.39E-04
1521	1521	7.9E-01	5	7.81E-04
1522	1522	8.4E-01	5	8.25E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1523	1523	8.7E-01	5	8.61E-04
1524	1524	9.1E-01	5	8.98E-04
1525	1525	9.5E-01	5	9.36E-04
1526	1526	9.9E-01	5	9.75E-04
1527	1527	1.0E+00	5	1.02E-03
1528	1528	1.1E+00	5	1.05E-03
1529	1529	1.1E+00	5	1.09E-03
1530	1530	1.2E+00	5	1.13E-03
1531	1531	1.2E+00	5	1.18E-03
1532	1532	1.2E+00	5	1.22E-03
1533	1533	1.3E+00	5	1.26E-03
1534	1534	4.6E-01	5	4.54E-04
1535	1535	4.8E-01	5	4.69E-04
1536	1536	4.9E-01	5	4.84E-04
1537	1537	5.1E-01	5	5.01E-04
1538	1538	5.3E-01	5	5.19E-04
1539	1539	5.5E-01	5	5.37E-04
1540	1540	5.7E-01	5	5.58E-04
1541	1541	5.9E-01	5	5.80E-04
1542	1542	6.1E-01	5	6.02E-04
1543	1543	6.3E-01	5	6.24E-04
1544	1544	6.6E-01	5	6.47E-04
1545	1545	6.8E-01	5	6.73E-04
1546	1546	7.1E-01	5	7.02E-04
1547	1547	7.5E-01	5	7.43E-04
1548	1548	8.0E-01	5	7.86E-04
1549	1549	8.4E-01	5	8.30E-04
1550	1550	8.8E-01	5	8.68E-04
1551	1551	9.3E-01	5	9.18E-04
1552	1552	9.7E-01	5	9.60E-04
1553	1553	1.0E+00	5	1.00E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1554	1554	1.1E+00	5	1.05E-03
1555	1555	1.1E+00	5	1.10E-03
1556	1556	1.2E+00	5	1.14E-03
1557	1557	1.2E+00	5	1.19E-03
1558	1558	1.3E+00	5	1.24E-03
1559	1559	1.3E+00	5	1.28E-03
1560	1560	1.4E+00	5	1.33E-03
1561	1561	1.4E+00	5	1.38E-03
1562	1562	4.8E-01	5	4.71E-04
1563	1563	4.9E-01	5	4.87E-04
1564	1564	5.1E-01	5	5.04E-04
1565	1565	5.3E-01	5	5.23E-04
1566	1566	5.5E-01	5	5.42E-04
1567	1567	5.7E-01	5	5.63E-04
1568	1568	5.9E-01	5	5.86E-04
1569	1569	6.2E-01	5	6.09E-04
1570	1570	6.4E-01	5	6.34E-04
1571	1571	6.7E-01	5	6.58E-04
1572	1572	7.0E-01	5	6.85E-04
1573	1573	7.2E-01	5	7.14E-04
1574	1574	7.6E-01	5	7.46E-04
1575	1575	8.0E-01	5	7.90E-04
1576	1576	8.5E-01	5	8.36E-04
1577	1577	9.0E-01	5	8.83E-04
1578	1578	9.4E-01	5	9.26E-04
1579	1579	1.0E+00	5	9.81E-04
1580	1580	1.0E+00	5	1.03E-03
1581	1581	1.1E+00	5	1.08E-03
1582	1582	1.1E+00	5	1.13E-03
1583	1583	1.2E+00	5	1.19E-03
1584	1584	1.3E+00	5	1.24E-03

One San Pedro Specific Plan

Unmitigated - Harbor Site - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1585	1585	1.3E+00	5	1.29E-03
1586	1586	1.4E+00	5	1.35E-03
1587	1587	1.4E+00	5	1.41E-03
1588	1588	1.5E+00	5	1.46E-03
1589	1589	1.5E+00	5	1.52E-03
1590	1590	5.0E-01	5	4.88E-04
1591	1591	5.1E-01	5	5.06E-04
1592	1592	5.3E-01	5	5.24E-04
1593	1593	5.5E-01	5	5.44E-04
1594	1594	5.7E-01	5	5.66E-04
1595	1595	6.0E-01	5	5.89E-04
0	0	2.0E-04	5	0.00E+00

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million		
1213	0.80274	1.03E-02	8.3E-03	1.05E-03	8.67E-06	1.37E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02		
1214	0.72702	1.03E-02	7.5E-03	1.05E-03	7.85E-06	1.37E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02	Res	
1215	0.73953	1.03E-02	7.6E-03	1.05E-03	7.99E-06	1.37E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02		
1216	0.75186	1.03E-02	7.8E-03	1.05E-03	8.12E-06	1.37E-02	1.57E-01	1.75E-08	1.0E+06	1.7E-02		
1217	0.76393	1.03E-02	7.9E-03	1.05E-03	8.25E-06	1.37E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02		
1218	0.77579	1.03E-02	8.0E-03	1.05E-03	8.38E-06	1.37E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02		
1219	0.78718	1.03E-02	8.1E-03	1.05E-03	8.50E-06	1.37E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02		
1220	0.7979	1.03E-02	8.2E-03	1.05E-03	8.62E-06	1.37E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02		
1221	0.80779	1.03E-02	8.3E-03	1.05E-03	8.73E-06	1.37E-02	1.57E-01	1.88E-08	1.0E+06	1.9E-02		
1222	0.81668	1.03E-02	8.4E-03	1.05E-03	8.82E-06	1.37E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02		
1223	0.82479	1.03E-02	8.5E-03	1.05E-03	8.91E-06	1.37E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02		
1224	0.83211	1.03E-02	8.6E-03	1.05E-03	8.99E-06	1.37E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02		
1225	0.83857	1.03E-02	8.7E-03	1.05E-03	9.06E-06	1.37E-02	1.57E-01	1.95E-08	1.0E+06	1.9E-02		
1226	0.84413	1.03E-02	8.7E-03	1.05E-03	9.12E-06	1.37E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02		
1227	0.84884	1.03E-02	8.8E-03	1.05E-03	9.17E-06	1.37E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02		
1228	0.76049	1.03E-02	7.9E-03	1.05E-03	8.21E-06	1.37E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02		
1229	0.774	1.03E-02	8.0E-03	1.05E-03	8.36E-06	1.37E-02	1.57E-01	1.80E-08	1.0E+06	1.8E-02		
1230	0.78733	1.03E-02	8.1E-03	1.05E-03	8.50E-06	1.37E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02		
1231	0.80037	1.03E-02	8.3E-03	1.05E-03	8.65E-06	1.37E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02		
1232	0.81344	1.03E-02	8.4E-03	1.05E-03	8.79E-06	1.37E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02		
1233	0.82608	1.03E-02	8.5E-03	1.05E-03	8.92E-06	1.37E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02		
1234	0.83782	1.03E-02	8.7E-03	1.05E-03	9.05E-06	1.37E-02	1.57E-01	1.95E-08	1.0E+06	1.9E-02		
1235	0.84873	1.03E-02	8.8E-03	1.05E-03	9.17E-06	1.37E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02		
1236	0.85846	1.03E-02	8.9E-03	1.05E-03	9.27E-06	1.37E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02		
1237	0.86731	1.03E-02	9.0E-03	1.05E-03	9.37E-06	1.37E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02		
1238	0.87532	1.03E-02	9.0E-03	1.05E-03	9.45E-06	1.37E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02		
1239	0.88245	1.03E-02	9.1E-03	1.05E-03	9.53E-06	1.37E-02	1.57E-01	2.05E-08	1.0E+06	2.1E-02		
1240	0.88866	1.03E-02	9.2E-03	1.05E-03	9.60E-06	1.37E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02		
1241	0.89386	1.03E-02	9.2E-03	1.05E-03	9.66E-06	1.37E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02		
1242	0.79635	1.03E-02	8.2E-03	1.05E-03	8.60E-06	1.37E-02	1.57E-01	1.85E-08	1.0E+06	1.9E-02		
1243	0.81102	1.03E-02	8.4E-03	1.05E-03	8.76E-06	1.37E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02		

	Max	Receptor #
Res	0.069	1589

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

					Cancer Risk from 3rd Trimester					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	0.82549	1.03E-02	8.5E-03	1.05E-03	8.92E-06	1.37E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
1245	0.83961	1.03E-02	8.7E-03	1.05E-03	9.07E-06	1.37E-02	1.57E-01	1.95E-08	1.0E+06	2.0E-02
1246	0.85402	1.03E-02	8.8E-03	1.05E-03	9.22E-06	1.37E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02
1247	0.86802	1.03E-02	9.0E-03	1.05E-03	9.38E-06	1.37E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1248	0.88097	1.03E-02	9.1E-03	1.05E-03	9.52E-06	1.37E-02	1.57E-01	2.05E-08	1.0E+06	2.0E-02
1249	0.89297	1.03E-02	9.2E-03	1.05E-03	9.65E-06	1.37E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1250	0.90368	1.03E-02	9.3E-03	1.05E-03	9.76E-06	1.37E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1251	0.91336	1.03E-02	9.4E-03	1.05E-03	9.87E-06	1.37E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1252	0.92212	1.03E-02	9.5E-03	1.05E-03	9.96E-06	1.37E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1253	0.92993	1.03E-02	9.6E-03	1.05E-03	1.00E-05	1.37E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1254	0.93673	1.03E-02	9.7E-03	1.05E-03	1.01E-05	1.37E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1255	0.94252	1.03E-02	9.7E-03	1.05E-03	1.02E-05	1.37E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1256	0.83492	1.03E-02	8.6E-03	1.05E-03	9.02E-06	1.37E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1257	0.85087	1.03E-02	8.8E-03	1.05E-03	9.19E-06	1.37E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1258	0.86649	1.03E-02	9.0E-03	1.05E-03	9.36E-06	1.37E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1259	0.88183	1.03E-02	9.1E-03	1.05E-03	9.53E-06	1.37E-02	1.57E-01	2.05E-08	1.0E+06	2.1E-02
1260	0.89773	1.03E-02	9.3E-03	1.05E-03	9.70E-06	1.37E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
1261	0.91311	1.03E-02	9.4E-03	1.05E-03	9.86E-06	1.37E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1262	0.92752	1.03E-02	9.6E-03	1.05E-03	1.00E-05	1.37E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1263	0.94085	1.03E-02	9.7E-03	1.05E-03	1.02E-05	1.37E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1264	0.95274	1.03E-02	9.8E-03	1.05E-03	1.03E-05	1.37E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1265	0.96334	1.03E-02	1.0E-02	1.05E-03	1.04E-05	1.37E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1266	0.97295	1.03E-02	1.0E-02	1.05E-03	1.05E-05	1.37E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1267	0.98149	1.03E-02	1.0E-02	1.05E-03	1.06E-05	1.37E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
1268	0.98892	1.03E-02	1.0E-02	1.05E-03	1.07E-05	1.37E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
1269	0.99521	1.03E-02	1.0E-02	1.05E-03	1.07E-05	1.37E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1270	0.8766	1.03E-02	9.1E-03	1.05E-03	9.47E-06	1.37E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1271	0.89386	1.03E-02	9.2E-03	1.05E-03	9.66E-06	1.37E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1272	0.91068	1.03E-02	9.4E-03	1.05E-03	9.84E-06	1.37E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1273	0.9272	1.03E-02	9.6E-03	1.05E-03	1.00E-05	1.37E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1274	0.9445	1.03E-02	9.8E-03	1.05E-03	1.02E-05	1.37E-02	1.57E-01	2.20E-08	1.0E+06	2.2E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	0.96132	1.03E-02	9.9E-03	1.05E-03	1.04E-05	1.37E-02	1.57E-01	2.24E-08	1.0E+06	2.2E-02
1276	0.97751	1.03E-02	1.0E-02	1.05E-03	1.06E-05	1.37E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
1277	0.99254	1.03E-02	1.0E-02	1.05E-03	1.07E-05	1.37E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1278	1.00608	1.03E-02	1.0E-02	1.05E-03	1.09E-05	1.37E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1279	1.01778	1.03E-02	1.1E-02	1.05E-03	1.10E-05	1.37E-02	1.57E-01	2.37E-08	1.0E+06	2.4E-02
1280	1.02835	1.03E-02	1.1E-02	1.05E-03	1.11E-05	1.37E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1281	1.03772	1.03E-02	1.1E-02	1.05E-03	1.12E-05	1.37E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1282	1.04582	1.03E-02	1.1E-02	1.05E-03	1.13E-05	1.37E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
1283	1.05262	1.03E-02	1.1E-02	1.05E-03	1.14E-05	1.37E-02	1.57E-01	2.45E-08	1.0E+06	2.4E-02
1284	0.92155	1.03E-02	9.5E-03	1.05E-03	9.95E-06	1.37E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1285	0.94032	1.03E-02	9.7E-03	1.05E-03	1.02E-05	1.37E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1286	0.95848	1.03E-02	9.9E-03	1.05E-03	1.04E-05	1.37E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
1287	0.97621	1.03E-02	1.0E-02	1.05E-03	1.05E-05	1.37E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
1288	0.9952	1.03E-02	1.0E-02	1.05E-03	1.07E-05	1.37E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1289	1.01361	1.03E-02	1.0E-02	1.05E-03	1.09E-05	1.37E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1290	1.03159	1.03E-02	1.1E-02	1.05E-03	1.11E-05	1.37E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
1291	1.04873	1.03E-02	1.1E-02	1.05E-03	1.13E-05	1.37E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1292	1.06423	1.03E-02	1.1E-02	1.05E-03	1.15E-05	1.37E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
1293	1.07719	1.03E-02	1.1E-02	1.05E-03	1.16E-05	1.37E-02	1.57E-01	2.50E-08	1.0E+06	2.5E-02
1294	1.08886	1.03E-02	1.1E-02	1.05E-03	1.18E-05	1.37E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
1295	1.09917	1.03E-02	1.1E-02	1.05E-03	1.19E-05	1.37E-02	1.57E-01	2.56E-08	1.0E+06	2.6E-02
1296	1.108	1.03E-02	1.1E-02	1.05E-03	1.20E-05	1.37E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02
1297	1.11525	1.03E-02	1.2E-02	1.05E-03	1.20E-05	1.37E-02	1.57E-01	2.59E-08	1.0E+06	2.6E-02
1298	0.97018	1.03E-02	1.0E-02	1.05E-03	1.05E-05	1.37E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1299	0.9907	1.03E-02	1.0E-02	1.05E-03	1.07E-05	1.37E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
1300	1.01042	1.03E-02	1.0E-02	1.05E-03	1.09E-05	1.37E-02	1.57E-01	2.35E-08	1.0E+06	2.3E-02
1301	1.02977	1.03E-02	1.1E-02	1.05E-03	1.11E-05	1.37E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1302	1.05063	1.03E-02	1.1E-02	1.05E-03	1.13E-05	1.37E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1303	1.07091	1.03E-02	1.1E-02	1.05E-03	1.16E-05	1.37E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
1304	1.09084	1.03E-02	1.1E-02	1.05E-03	1.18E-05	1.37E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
1305	1.11024	1.03E-02	1.1E-02	1.05E-03	1.20E-05	1.37E-02	1.57E-01	2.58E-08	1.0E+06	2.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1.0231	1.03E-02	1.1E-02	1.05E-03	1.11E-05	1.37E-02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
1307	1.04619	1.03E-02	1.1E-02	1.05E-03	1.13E-05	1.37E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
1308	1.0685	1.03E-02	1.1E-02	1.05E-03	1.15E-05	1.37E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
1309	1.09047	1.03E-02	1.1E-02	1.05E-03	1.18E-05	1.37E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
1310	1.11351	1.03E-02	1.2E-02	1.05E-03	1.20E-05	1.37E-02	1.57E-01	2.59E-08	1.0E+06	2.6E-02
1311	1.13593	1.03E-02	1.2E-02	1.05E-03	1.23E-05	1.37E-02	1.57E-01	2.64E-08	1.0E+06	2.6E-02
1312	1.15766	1.03E-02	1.2E-02	1.05E-03	1.25E-05	1.37E-02	1.57E-01	2.69E-08	1.0E+06	2.7E-02
1313	1.1784	1.03E-02	1.2E-02	1.05E-03	1.27E-05	1.37E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
1314	1.08055	1.03E-02	1.1E-02	1.05E-03	1.17E-05	1.37E-02	1.57E-01	2.51E-08	1.0E+06	2.5E-02
1315	1.10651	1.03E-02	1.1E-02	1.05E-03	1.20E-05	1.37E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1316	1.13195	1.03E-02	1.2E-02	1.05E-03	1.22E-05	1.37E-02	1.57E-01	2.63E-08	1.0E+06	2.6E-02
1317	1.15694	1.03E-02	1.2E-02	1.05E-03	1.25E-05	1.37E-02	1.57E-01	2.69E-08	1.0E+06	2.7E-02
1318	1.1825	1.03E-02	1.2E-02	1.05E-03	1.28E-05	1.37E-02	1.57E-01	2.75E-08	1.0E+06	2.7E-02
1319	1.20726	1.03E-02	1.2E-02	1.05E-03	1.30E-05	1.37E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1320	1.2311	1.03E-02	1.3E-02	1.05E-03	1.33E-05	1.37E-02	1.57E-01	2.86E-08	1.0E+06	2.9E-02
1321	1.25331	1.03E-02	1.3E-02	1.05E-03	1.35E-05	1.37E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
1322	1.14304	1.03E-02	1.2E-02	1.05E-03	1.23E-05	1.37E-02	1.57E-01	2.66E-08	1.0E+06	2.7E-02
1323	1.17231	1.03E-02	1.2E-02	1.05E-03	1.27E-05	1.37E-02	1.57E-01	2.73E-08	1.0E+06	2.7E-02
1324	1.20116	1.03E-02	1.2E-02	1.05E-03	1.30E-05	1.37E-02	1.57E-01	2.79E-08	1.0E+06	2.8E-02
1325	1.22968	1.03E-02	1.3E-02	1.05E-03	1.33E-05	1.37E-02	1.57E-01	2.86E-08	1.0E+06	2.9E-02
1326	1.25806	1.03E-02	1.3E-02	1.05E-03	1.36E-05	1.37E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
1327	1.28575	1.03E-02	1.3E-02	1.05E-03	1.39E-05	1.37E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
1328	1.31176	1.03E-02	1.4E-02	1.05E-03	1.42E-05	1.37E-02	1.57E-01	3.05E-08	1.0E+06	3.1E-02
1329	1.33584	1.03E-02	1.4E-02	1.05E-03	1.44E-05	1.37E-02	1.57E-01	3.11E-08	1.0E+06	3.1E-02
1330	1.21044	1.03E-02	1.3E-02	1.05E-03	1.31E-05	1.37E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1331	1.24305	1.03E-02	1.3E-02	1.05E-03	1.34E-05	1.37E-02	1.57E-01	2.89E-08	1.0E+06	2.9E-02
1332	1.27509	1.03E-02	1.3E-02	1.05E-03	1.38E-05	1.37E-02	1.57E-01	2.96E-08	1.0E+06	3.0E-02
1333	1.30665	1.03E-02	1.4E-02	1.05E-03	1.41E-05	1.37E-02	1.57E-01	3.04E-08	1.0E+06	3.0E-02
1334	1.33858	1.03E-02	1.4E-02	1.05E-03	1.45E-05	1.37E-02	1.57E-01	3.11E-08	1.0E+06	3.1E-02
1335	1.36971	1.03E-02	1.4E-02	1.05E-03	1.48E-05	1.37E-02	1.57E-01	3.18E-08	1.0E+06	3.2E-02
1336	1.39925	1.03E-02	1.4E-02	1.05E-03	1.51E-05	1.37E-02	1.57E-01	3.25E-08	1.0E+06	3.3E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1.42662	1.03E-02	1.5E-02	1.05E-03	1.54E-05	1.37E-02	1.57E-01	3.32E-08	1.0E+06	3.3E-02
1338	0.6706	1.03E-02	6.9E-03	1.05E-03	7.24E-06	1.37E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1339	0.68542	1.03E-02	7.1E-03	1.05E-03	7.40E-06	1.37E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
1340	0.70086	1.03E-02	7.2E-03	1.05E-03	7.57E-06	1.37E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1341	0.71776	1.03E-02	7.4E-03	1.05E-03	7.75E-06	1.37E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1342	0.73629	1.03E-02	7.6E-03	1.05E-03	7.95E-06	1.37E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1343	0.75603	1.03E-02	7.8E-03	1.05E-03	8.17E-06	1.37E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02
1344	0.77782	1.03E-02	8.0E-03	1.05E-03	8.40E-06	1.37E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1345	0.80106	1.03E-02	8.3E-03	1.05E-03	8.65E-06	1.37E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1346	0.82446	1.03E-02	8.5E-03	1.05E-03	8.91E-06	1.37E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
1347	0.84688	1.03E-02	8.8E-03	1.05E-03	9.15E-06	1.37E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1348	0.8705	1.03E-02	9.0E-03	1.05E-03	9.40E-06	1.37E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1349	0.89941	1.03E-02	9.3E-03	1.05E-03	9.71E-06	1.37E-02	1.57E-01	2.09E-08	1.0E+06	2.1E-02
1350	0.94927	1.03E-02	9.8E-03	1.05E-03	1.03E-05	1.37E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1351	0.99983	1.03E-02	1.0E-02	1.05E-03	1.08E-05	1.37E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
1352	1.05084	1.03E-02	1.1E-02	1.05E-03	1.14E-05	1.37E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1353	1.10285	1.03E-02	1.1E-02	1.05E-03	1.19E-05	1.37E-02	1.57E-01	2.56E-08	1.0E+06	2.6E-02
1354	1.1382	1.03E-02	1.2E-02	1.05E-03	1.23E-05	1.37E-02	1.57E-01	2.65E-08	1.0E+06	2.6E-02
1355	1.17402	1.03E-02	1.2E-02	1.05E-03	1.27E-05	1.37E-02	1.57E-01	2.73E-08	1.0E+06	2.7E-02
1356	1.21041	1.03E-02	1.3E-02	1.05E-03	1.31E-05	1.37E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1357	1.24708	1.03E-02	1.3E-02	1.05E-03	1.35E-05	1.37E-02	1.57E-01	2.90E-08	1.0E+06	2.9E-02
1358	1.28402	1.03E-02	1.3E-02	1.05E-03	1.39E-05	1.37E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
1359	1.32046	1.03E-02	1.4E-02	1.05E-03	1.43E-05	1.37E-02	1.57E-01	3.07E-08	1.0E+06	3.1E-02
1360	1.35609	1.03E-02	1.4E-02	1.05E-03	1.46E-05	1.37E-02	1.57E-01	3.15E-08	1.0E+06	3.2E-02
1361	1.39133	1.03E-02	1.4E-02	1.05E-03	1.50E-05	1.37E-02	1.57E-01	3.24E-08	1.0E+06	3.2E-02
1362	1.42721	1.03E-02	1.5E-02	1.05E-03	1.54E-05	1.37E-02	1.57E-01	3.32E-08	1.0E+06	3.3E-02
1363	1.46234	1.03E-02	1.5E-02	1.05E-03	1.58E-05	1.37E-02	1.57E-01	3.40E-08	1.0E+06	3.4E-02
1364	1.49609	1.03E-02	1.5E-02	1.05E-03	1.62E-05	1.37E-02	1.57E-01	3.48E-08	1.0E+06	3.5E-02
1365	1.52725	1.03E-02	1.6E-02	1.05E-03	1.65E-05	1.37E-02	1.57E-01	3.55E-08	1.0E+06	3.6E-02
1366	0.6996	1.03E-02	7.2E-03	1.05E-03	7.56E-06	1.37E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1367	0.71537	1.03E-02	7.4E-03	1.05E-03	7.73E-06	1.37E-02	1.57E-01	1.66E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	0.73162	1.03E-02	7.6E-03	1.05E-03	7.90E-06	1.37E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
1369	0.74964	1.03E-02	7.7E-03	1.05E-03	8.10E-06	1.37E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1370	0.76958	1.03E-02	8.0E-03	1.05E-03	8.31E-06	1.37E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1371	0.79071	1.03E-02	8.2E-03	1.05E-03	8.54E-06	1.37E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1372	0.81443	1.03E-02	8.4E-03	1.05E-03	8.80E-06	1.37E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
1373	0.83974	1.03E-02	8.7E-03	1.05E-03	9.07E-06	1.37E-02	1.57E-01	1.95E-08	1.0E+06	2.0E-02
1374	0.86472	1.03E-02	8.9E-03	1.05E-03	9.34E-06	1.37E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1375	0.88767	1.03E-02	9.2E-03	1.05E-03	9.59E-06	1.37E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1376	0.91158	1.03E-02	9.4E-03	1.05E-03	9.85E-06	1.37E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1377	0.94258	1.03E-02	9.7E-03	1.05E-03	1.02E-05	1.37E-02	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1378	0.97741	1.03E-02	1.0E-02	1.05E-03	1.06E-05	1.37E-02	1.57E-01	2.27E-08	1.0E+06	2.3E-02
1379	1.03323	1.03E-02	1.1E-02	1.05E-03	1.12E-05	1.37E-02	1.57E-01	2.40E-08	1.0E+06	2.4E-02
1380	1.10627	1.03E-02	1.1E-02	1.05E-03	1.19E-05	1.37E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1381	1.14484	1.03E-02	1.2E-02	1.05E-03	1.24E-05	1.37E-02	1.57E-01	2.66E-08	1.0E+06	2.7E-02
1382	1.20168	1.03E-02	1.2E-02	1.05E-03	1.30E-05	1.37E-02	1.57E-01	2.79E-08	1.0E+06	2.8E-02
1383	1.24135	1.03E-02	1.3E-02	1.05E-03	1.34E-05	1.37E-02	1.57E-01	2.89E-08	1.0E+06	2.9E-02
1384	1.28189	1.03E-02	1.3E-02	1.05E-03	1.38E-05	1.37E-02	1.57E-01	2.98E-08	1.0E+06	3.0E-02
1385	1.32295	1.03E-02	1.4E-02	1.05E-03	1.43E-05	1.37E-02	1.57E-01	3.08E-08	1.0E+06	3.1E-02
1386	1.36452	1.03E-02	1.4E-02	1.05E-03	1.47E-05	1.37E-02	1.57E-01	3.17E-08	1.0E+06	3.2E-02
1387	1.40539	1.03E-02	1.5E-02	1.05E-03	1.52E-05	1.37E-02	1.57E-01	3.27E-08	1.0E+06	3.3E-02
1388	1.44518	1.03E-02	1.5E-02	1.05E-03	1.56E-05	1.37E-02	1.57E-01	3.36E-08	1.0E+06	3.4E-02
1389	1.48468	1.03E-02	1.5E-02	1.05E-03	1.60E-05	1.37E-02	1.57E-01	3.45E-08	1.0E+06	3.5E-02
1390	1.52527	1.03E-02	1.6E-02	1.05E-03	1.65E-05	1.37E-02	1.57E-01	3.55E-08	1.0E+06	3.5E-02
1391	1.56509	1.03E-02	1.6E-02	1.05E-03	1.69E-05	1.37E-02	1.57E-01	3.64E-08	1.0E+06	3.6E-02
1392	1.60353	1.03E-02	1.7E-02	1.05E-03	1.73E-05	1.37E-02	1.57E-01	3.73E-08	1.0E+06	3.7E-02
1393	1.63942	1.03E-02	1.7E-02	1.05E-03	1.77E-05	1.37E-02	1.57E-01	3.81E-08	1.0E+06	3.8E-02
1394	0.72895	1.03E-02	7.5E-03	1.05E-03	7.87E-06	1.37E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1395	0.74605	1.03E-02	7.7E-03	1.05E-03	8.06E-06	1.37E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1396	0.76371	1.03E-02	7.9E-03	1.05E-03	8.25E-06	1.37E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1397	0.78298	1.03E-02	8.1E-03	1.05E-03	8.46E-06	1.37E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
1398	0.80407	1.03E-02	8.3E-03	1.05E-03	8.69E-06	1.37E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	0.82627	1.03E-02	8.5E-03	1.05E-03	8.92E-06	1.37E-02	1.57E-01	1.92E-08	1.0E+06	1.9E-02
1400	0.85246	1.03E-02	8.8E-03	1.05E-03	9.21E-06	1.37E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1401	0.88041	1.03E-02	9.1E-03	1.05E-03	9.51E-06	1.37E-02	1.57E-01	2.05E-08	1.0E+06	2.0E-02
1402	0.9081	1.03E-02	9.4E-03	1.05E-03	9.81E-06	1.37E-02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1403	0.93334	1.03E-02	9.6E-03	1.05E-03	1.01E-05	1.37E-02	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1404	0.95972	1.03E-02	9.9E-03	1.05E-03	1.04E-05	1.37E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
1405	0.9925	1.03E-02	1.0E-02	1.05E-03	1.07E-05	1.37E-02	1.57E-01	2.31E-08	1.0E+06	2.3E-02
1406	1.02915	1.03E-02	1.1E-02	1.05E-03	1.11E-05	1.37E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1407	1.08816	1.03E-02	1.1E-02	1.05E-03	1.18E-05	1.37E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
1408	1.1665	1.03E-02	1.2E-02	1.05E-03	1.26E-05	1.37E-02	1.57E-01	2.71E-08	1.0E+06	2.7E-02
1409	1.20983	1.03E-02	1.3E-02	1.05E-03	1.31E-05	1.37E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1410	1.27125	1.03E-02	1.3E-02	1.05E-03	1.37E-05	1.37E-02	1.57E-01	2.96E-08	1.0E+06	3.0E-02
1411	1.31543	1.03E-02	1.4E-02	1.05E-03	1.42E-05	1.37E-02	1.57E-01	3.06E-08	1.0E+06	3.1E-02
1412	1.36063	1.03E-02	1.4E-02	1.05E-03	1.47E-05	1.37E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
1413	1.40643	1.03E-02	1.5E-02	1.05E-03	1.52E-05	1.37E-02	1.57E-01	3.27E-08	1.0E+06	3.3E-02
1414	1.45291	1.03E-02	1.5E-02	1.05E-03	1.57E-05	1.37E-02	1.57E-01	3.38E-08	1.0E+06	3.4E-02
1415	1.49861	1.03E-02	1.5E-02	1.05E-03	1.62E-05	1.37E-02	1.57E-01	3.48E-08	1.0E+06	3.5E-02
1416	1.543	1.03E-02	1.6E-02	1.05E-03	1.67E-05	1.37E-02	1.57E-01	3.59E-08	1.0E+06	3.6E-02
1417	1.58691	1.03E-02	1.6E-02	1.05E-03	1.71E-05	1.37E-02	1.57E-01	3.69E-08	1.0E+06	3.7E-02
1418	1.63333	1.03E-02	1.7E-02	1.05E-03	1.76E-05	1.37E-02	1.57E-01	3.80E-08	1.0E+06	3.8E-02
1419	1.679	1.03E-02	1.7E-02	1.05E-03	1.81E-05	1.37E-02	1.57E-01	3.90E-08	1.0E+06	3.9E-02
1420	1.72323	1.03E-02	1.8E-02	1.05E-03	1.86E-05	1.37E-02	1.57E-01	4.01E-08	1.0E+06	4.0E-02
1421	1.76477	1.03E-02	1.8E-02	1.05E-03	1.91E-05	1.37E-02	1.57E-01	4.10E-08	1.0E+06	4.1E-02
1422	0.75905	1.03E-02	7.8E-03	1.05E-03	8.20E-06	1.37E-02	1.57E-01	1.76E-08	1.0E+06	1.8E-02
1423	0.77781	1.03E-02	8.0E-03	1.05E-03	8.40E-06	1.37E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1424	0.79723	1.03E-02	8.2E-03	1.05E-03	8.61E-06	1.37E-02	1.57E-01	1.85E-08	1.0E+06	1.9E-02
1425	0.81808	1.03E-02	8.5E-03	1.05E-03	8.84E-06	1.37E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02
1426	0.84045	1.03E-02	8.7E-03	1.05E-03	9.08E-06	1.37E-02	1.57E-01	1.95E-08	1.0E+06	2.0E-02
1427	0.86391	1.03E-02	8.9E-03	1.05E-03	9.33E-06	1.37E-02	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1428	0.89272	1.03E-02	9.2E-03	1.05E-03	9.64E-06	1.37E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1429	0.92387	1.03E-02	9.5E-03	1.05E-03	9.98E-06	1.37E-02	1.57E-01	2.15E-08	1.0E+06	2.1E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	0.9546	1.03E-02	9.9E-03	1.05E-03	1.03E-05	1.37E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1431	0.98283	1.03E-02	1.0E-02	1.05E-03	1.06E-05	1.37E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
1432	1.01241	1.03E-02	1.0E-02	1.05E-03	1.09E-05	1.37E-02	1.57E-01	2.35E-08	1.0E+06	2.4E-02
1433	1.04711	1.03E-02	1.1E-02	1.05E-03	1.13E-05	1.37E-02	1.57E-01	2.43E-08	1.0E+06	2.4E-02
1434	1.08541	1.03E-02	1.1E-02	1.05E-03	1.17E-05	1.37E-02	1.57E-01	2.52E-08	1.0E+06	2.5E-02
1435	1.14768	1.03E-02	1.2E-02	1.05E-03	1.24E-05	1.37E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
1436	1.23146	1.03E-02	1.3E-02	1.05E-03	1.33E-05	1.37E-02	1.57E-01	2.86E-08	1.0E+06	2.9E-02
1437	1.28019	1.03E-02	1.3E-02	1.05E-03	1.38E-05	1.37E-02	1.57E-01	2.98E-08	1.0E+06	3.0E-02
1438	1.34679	1.03E-02	1.4E-02	1.05E-03	1.45E-05	1.37E-02	1.57E-01	3.13E-08	1.0E+06	3.1E-02
1439	1.39617	1.03E-02	1.4E-02	1.05E-03	1.51E-05	1.37E-02	1.57E-01	3.25E-08	1.0E+06	3.2E-02
1440	1.44674	1.03E-02	1.5E-02	1.05E-03	1.56E-05	1.37E-02	1.57E-01	3.36E-08	1.0E+06	3.4E-02
1441	1.49791	1.03E-02	1.5E-02	1.05E-03	1.62E-05	1.37E-02	1.57E-01	3.48E-08	1.0E+06	3.5E-02
1442	1.55008	1.03E-02	1.6E-02	1.05E-03	1.67E-05	1.37E-02	1.57E-01	3.60E-08	1.0E+06	3.6E-02
1443	1.60131	1.03E-02	1.7E-02	1.05E-03	1.73E-05	1.37E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
1444	1.65105	1.03E-02	1.7E-02	1.05E-03	1.78E-05	1.37E-02	1.57E-01	3.84E-08	1.0E+06	3.8E-02
1445	1.70034	1.03E-02	1.8E-02	1.05E-03	1.84E-05	1.37E-02	1.57E-01	3.95E-08	1.0E+06	4.0E-02
1446	1.7534	1.03E-02	1.8E-02	1.05E-03	1.89E-05	1.37E-02	1.57E-01	4.08E-08	1.0E+06	4.1E-02
1447	1.80601	1.03E-02	1.9E-02	1.05E-03	1.95E-05	1.37E-02	1.57E-01	4.20E-08	1.0E+06	4.2E-02
1448	1.85712	1.03E-02	1.9E-02	1.05E-03	2.01E-05	1.37E-02	1.57E-01	4.32E-08	1.0E+06	4.3E-02
1449	1.90559	1.03E-02	2.0E-02	1.05E-03	2.06E-05	1.37E-02	1.57E-01	4.43E-08	1.0E+06	4.4E-02
1450	0.79021	1.03E-02	8.2E-03	1.05E-03	8.54E-06	1.37E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1451	0.81091	1.03E-02	8.4E-03	1.05E-03	8.76E-06	1.37E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
1452	0.83227	1.03E-02	8.6E-03	1.05E-03	8.99E-06	1.37E-02	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1453	0.85487	1.03E-02	8.8E-03	1.05E-03	9.23E-06	1.37E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02
1454	0.8789	1.03E-02	9.1E-03	1.05E-03	9.49E-06	1.37E-02	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1455	0.90387	1.03E-02	9.3E-03	1.05E-03	9.76E-06	1.37E-02	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1456	0.93569	1.03E-02	9.7E-03	1.05E-03	1.01E-05	1.37E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1457	0.97038	1.03E-02	1.0E-02	1.05E-03	1.05E-05	1.37E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1458	1.00454	1.03E-02	1.0E-02	1.05E-03	1.09E-05	1.37E-02	1.57E-01	2.34E-08	1.0E+06	2.3E-02
1459	1.0359	1.03E-02	1.1E-02	1.05E-03	1.12E-05	1.37E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1460	1.06914	1.03E-02	1.1E-02	1.05E-03	1.15E-05	1.37E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

						Cancer Risk from 3rd Trimester				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1.10614	1.03E-02	1.1E-02	1.05E-03	1.19E-05	1.37E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1462	1.14658	1.03E-02	1.2E-02	1.05E-03	1.24E-05	1.37E-02	1.57E-01	2.67E-08	1.0E+06	2.7E-02
1463	1.1909	1.03E-02	1.2E-02	1.05E-03	1.29E-05	1.37E-02	1.57E-01	2.77E-08	1.0E+06	2.8E-02
1464	1.30156	1.03E-02	1.3E-02	1.05E-03	1.41E-05	1.37E-02	1.57E-01	3.03E-08	1.0E+06	3.0E-02
1465	1.35654	1.03E-02	1.4E-02	1.05E-03	1.47E-05	1.37E-02	1.57E-01	3.15E-08	1.0E+06	3.2E-02
1466	1.4289	1.03E-02	1.5E-02	1.05E-03	1.54E-05	1.37E-02	1.57E-01	3.32E-08	1.0E+06	3.3E-02
1467	1.48409	1.03E-02	1.5E-02	1.05E-03	1.60E-05	1.37E-02	1.57E-01	3.45E-08	1.0E+06	3.5E-02
1468	1.54085	1.03E-02	1.6E-02	1.05E-03	1.66E-05	1.37E-02	1.57E-01	3.58E-08	1.0E+06	3.6E-02
1469	1.59849	1.03E-02	1.7E-02	1.05E-03	1.73E-05	1.37E-02	1.57E-01	3.72E-08	1.0E+06	3.7E-02
1470	1.65719	1.03E-02	1.7E-02	1.05E-03	1.79E-05	1.37E-02	1.57E-01	3.85E-08	1.0E+06	3.9E-02
1471	1.71487	1.03E-02	1.8E-02	1.05E-03	1.85E-05	1.37E-02	1.57E-01	3.99E-08	1.0E+06	4.0E-02
1472	1.77089	1.03E-02	1.8E-02	1.05E-03	1.91E-05	1.37E-02	1.57E-01	4.12E-08	1.0E+06	4.1E-02
1473	1.82649	1.03E-02	1.9E-02	1.05E-03	1.97E-05	1.37E-02	1.57E-01	4.25E-08	1.0E+06	4.2E-02
1474	1.88758	1.03E-02	2.0E-02	1.05E-03	2.04E-05	1.37E-02	1.57E-01	4.39E-08	1.0E+06	4.4E-02
1475	1.94833	1.03E-02	2.0E-02	1.05E-03	2.10E-05	1.37E-02	1.57E-01	4.53E-08	1.0E+06	4.5E-02
1476	2.00788	1.03E-02	2.1E-02	1.05E-03	2.17E-05	1.37E-02	1.57E-01	4.67E-08	1.0E+06	4.7E-02
1477	2.06454	1.03E-02	2.1E-02	1.05E-03	2.23E-05	1.37E-02	1.57E-01	4.80E-08	1.0E+06	4.8E-02
1478	0.82198	1.03E-02	8.5E-03	1.05E-03	8.88E-06	1.37E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1479	0.84509	1.03E-02	8.7E-03	1.05E-03	9.13E-06	1.37E-02	1.57E-01	1.96E-08	1.0E+06	2.0E-02
1480	0.86906	1.03E-02	9.0E-03	1.05E-03	9.39E-06	1.37E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1481	0.89437	1.03E-02	9.2E-03	1.05E-03	9.66E-06	1.37E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1482	0.92108	1.03E-02	9.5E-03	1.05E-03	9.95E-06	1.37E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1483	0.94908	1.03E-02	9.8E-03	1.05E-03	1.03E-05	1.37E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1484	0.98357	1.03E-02	1.0E-02	1.05E-03	1.06E-05	1.37E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
1485	1.02091	1.03E-02	1.1E-02	1.05E-03	1.10E-05	1.37E-02	1.57E-01	2.37E-08	1.0E+06	2.4E-02
1486	1.05816	1.03E-02	1.1E-02	1.05E-03	1.14E-05	1.37E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02
1487	1.09296	1.03E-02	1.1E-02	1.05E-03	1.18E-05	1.37E-02	1.57E-01	2.54E-08	1.0E+06	2.5E-02
1488	1.1299	1.03E-02	1.2E-02	1.05E-03	1.22E-05	1.37E-02	1.57E-01	2.63E-08	1.0E+06	2.6E-02
1489	1.17079	1.03E-02	1.2E-02	1.05E-03	1.26E-05	1.37E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1490	1.21553	1.03E-02	1.3E-02	1.05E-03	1.31E-05	1.37E-02	1.57E-01	2.83E-08	1.0E+06	2.8E-02
1491	1.26442	1.03E-02	1.3E-02	1.05E-03	1.37E-05	1.37E-02	1.57E-01	2.94E-08	1.0E+06	2.9E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1.361	1.03E-02	1.4E-02	1.05E-03	1.47E-05	1.37E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
1493	1.43817	1.03E-02	1.5E-02	1.05E-03	1.55E-05	1.37E-02	1.57E-01	3.34E-08	1.0E+06	3.3E-02
1494	1.51658	1.03E-02	1.6E-02	1.05E-03	1.64E-05	1.37E-02	1.57E-01	3.53E-08	1.0E+06	3.5E-02
1495	1.57869	1.03E-02	1.6E-02	1.05E-03	1.71E-05	1.37E-02	1.57E-01	3.67E-08	1.0E+06	3.7E-02
1496	1.6427	1.03E-02	1.7E-02	1.05E-03	1.77E-05	1.37E-02	1.57E-01	3.82E-08	1.0E+06	3.8E-02
1497	1.70818	1.03E-02	1.8E-02	1.05E-03	1.85E-05	1.37E-02	1.57E-01	3.97E-08	1.0E+06	4.0E-02
1498	1.77539	1.03E-02	1.8E-02	1.05E-03	1.92E-05	1.37E-02	1.57E-01	4.13E-08	1.0E+06	4.1E-02
1499	1.84179	1.03E-02	1.9E-02	1.05E-03	1.99E-05	1.37E-02	1.57E-01	4.28E-08	1.0E+06	4.3E-02
1500	1.90691	1.03E-02	2.0E-02	1.05E-03	2.06E-05	1.37E-02	1.57E-01	4.43E-08	1.0E+06	4.4E-02
1501	1.97185	1.03E-02	2.0E-02	1.05E-03	2.13E-05	1.37E-02	1.57E-01	4.58E-08	1.0E+06	4.6E-02
1502	2.04197	1.03E-02	2.1E-02	1.05E-03	2.21E-05	1.37E-02	1.57E-01	4.75E-08	1.0E+06	4.7E-02
1503	2.11188	1.03E-02	2.2E-02	1.05E-03	2.28E-05	1.37E-02	1.57E-01	4.91E-08	1.0E+06	4.9E-02
1504	2.18036	1.03E-02	2.3E-02	1.05E-03	2.36E-05	1.37E-02	1.57E-01	5.07E-08	1.0E+06	5.1E-02
1505	2.24581	1.03E-02	2.3E-02	1.05E-03	2.43E-05	1.37E-02	1.57E-01	5.22E-08	1.0E+06	5.2E-02
1506	0.8541	1.03E-02	8.8E-03	1.05E-03	9.23E-06	1.37E-02	1.57E-01	1.99E-08	1.0E+06	2.0E-02
1507	0.8802	1.03E-02	9.1E-03	1.05E-03	9.51E-06	1.37E-02	1.57E-01	2.05E-08	1.0E+06	2.0E-02
1508	0.90729	1.03E-02	9.4E-03	1.05E-03	9.80E-06	1.37E-02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1509	0.93593	1.03E-02	9.7E-03	1.05E-03	1.01E-05	1.37E-02	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1510	0.96633	1.03E-02	1.0E-02	1.05E-03	1.04E-05	1.37E-02	1.57E-01	2.25E-08	1.0E+06	2.2E-02
1511	0.99804	1.03E-02	1.0E-02	1.05E-03	1.08E-05	1.37E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
1512	1.03523	1.03E-02	1.1E-02	1.05E-03	1.12E-05	1.37E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1513	1.07514	1.03E-02	1.1E-02	1.05E-03	1.16E-05	1.37E-02	1.57E-01	2.50E-08	1.0E+06	2.5E-02
1514	1.11546	1.03E-02	1.2E-02	1.05E-03	1.20E-05	1.37E-02	1.57E-01	2.59E-08	1.0E+06	2.6E-02
1515	1.15414	1.03E-02	1.2E-02	1.05E-03	1.25E-05	1.37E-02	1.57E-01	2.68E-08	1.0E+06	2.7E-02
1516	1.19503	1.03E-02	1.2E-02	1.05E-03	1.29E-05	1.37E-02	1.57E-01	2.78E-08	1.0E+06	2.8E-02
1517	1.24071	1.03E-02	1.3E-02	1.05E-03	1.34E-05	1.37E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02
1518	1.29106	1.03E-02	1.3E-02	1.05E-03	1.39E-05	1.37E-02	1.57E-01	3.00E-08	1.0E+06	3.0E-02
1519	1.36574	1.03E-02	1.4E-02	1.05E-03	1.48E-05	1.37E-02	1.57E-01	3.18E-08	1.0E+06	3.2E-02
1520	1.44482	1.03E-02	1.5E-02	1.05E-03	1.56E-05	1.37E-02	1.57E-01	3.36E-08	1.0E+06	3.4E-02
1521	1.52623	1.03E-02	1.6E-02	1.05E-03	1.65E-05	1.37E-02	1.57E-01	3.55E-08	1.0E+06	3.5E-02
1522	1.6115	1.03E-02	1.7E-02	1.05E-03	1.74E-05	1.37E-02	1.57E-01	3.75E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1.68139	1.03E-02	1.7E-02	1.05E-03	1.82E-05	1.37E-02	1.57E-01	3.91E-08	1.0E+06	3.9E-02
1524	1.75393	1.03E-02	1.8E-02	1.05E-03	1.89E-05	1.37E-02	1.57E-01	4.08E-08	1.0E+06	4.1E-02
1525	1.82886	1.03E-02	1.9E-02	1.05E-03	1.98E-05	1.37E-02	1.57E-01	4.25E-08	1.0E+06	4.3E-02
1526	1.90598	1.03E-02	2.0E-02	1.05E-03	2.06E-05	1.37E-02	1.57E-01	4.43E-08	1.0E+06	4.4E-02
1527	1.98321	1.03E-02	2.0E-02	1.05E-03	2.14E-05	1.37E-02	1.57E-01	4.61E-08	1.0E+06	4.6E-02
1528	2.05946	1.03E-02	2.1E-02	1.05E-03	2.22E-05	1.37E-02	1.57E-01	4.79E-08	1.0E+06	4.8E-02
1529	2.1359	1.03E-02	2.2E-02	1.05E-03	2.31E-05	1.37E-02	1.57E-01	4.97E-08	1.0E+06	5.0E-02
1530	2.21693	1.03E-02	2.3E-02	1.05E-03	2.39E-05	1.37E-02	1.57E-01	5.15E-08	1.0E+06	5.2E-02
1531	2.29776	1.03E-02	2.4E-02	1.05E-03	2.48E-05	1.37E-02	1.57E-01	5.34E-08	1.0E+06	5.3E-02
1532	2.3771	1.03E-02	2.5E-02	1.05E-03	2.57E-05	1.37E-02	1.57E-01	5.53E-08	1.0E+06	5.5E-02
1533	2.45301	1.03E-02	2.5E-02	1.05E-03	2.65E-05	1.37E-02	1.57E-01	5.70E-08	1.0E+06	5.7E-02
1534	0.88625	1.03E-02	9.2E-03	1.05E-03	9.57E-06	1.37E-02	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1535	0.91582	1.03E-02	9.5E-03	1.05E-03	9.89E-06	1.37E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1536	0.94649	1.03E-02	9.8E-03	1.05E-03	1.02E-05	1.37E-02	1.57E-01	2.20E-08	1.0E+06	2.2E-02
1537	0.97896	1.03E-02	1.0E-02	1.05E-03	1.06E-05	1.37E-02	1.57E-01	2.28E-08	1.0E+06	2.3E-02
1538	1.01336	1.03E-02	1.0E-02	1.05E-03	1.09E-05	1.37E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1539	1.04934	1.03E-02	1.1E-02	1.05E-03	1.13E-05	1.37E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1540	1.08948	1.03E-02	1.1E-02	1.05E-03	1.18E-05	1.37E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
1541	1.13251	1.03E-02	1.2E-02	1.05E-03	1.22E-05	1.37E-02	1.57E-01	2.63E-08	1.0E+06	2.6E-02
1542	1.17645	1.03E-02	1.2E-02	1.05E-03	1.27E-05	1.37E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
1543	1.21928	1.03E-02	1.3E-02	1.05E-03	1.32E-05	1.37E-02	1.57E-01	2.84E-08	1.0E+06	2.8E-02
1544	1.26478	1.03E-02	1.3E-02	1.05E-03	1.37E-05	1.37E-02	1.57E-01	2.94E-08	1.0E+06	2.9E-02
1545	1.31584	1.03E-02	1.4E-02	1.05E-03	1.42E-05	1.37E-02	1.57E-01	3.06E-08	1.0E+06	3.1E-02
1546	1.3722	1.03E-02	1.4E-02	1.05E-03	1.48E-05	1.37E-02	1.57E-01	3.19E-08	1.0E+06	3.2E-02
1547	1.45238	1.03E-02	1.5E-02	1.05E-03	1.57E-05	1.37E-02	1.57E-01	3.38E-08	1.0E+06	3.4E-02
1548	1.53567	1.03E-02	1.6E-02	1.05E-03	1.66E-05	1.37E-02	1.57E-01	3.57E-08	1.0E+06	3.6E-02
1549	1.62189	1.03E-02	1.7E-02	1.05E-03	1.75E-05	1.37E-02	1.57E-01	3.77E-08	1.0E+06	3.8E-02
1550	1.69641	1.03E-02	1.8E-02	1.05E-03	1.83E-05	1.37E-02	1.57E-01	3.94E-08	1.0E+06	3.9E-02
1551	1.79353	1.03E-02	1.9E-02	1.05E-03	1.94E-05	1.37E-02	1.57E-01	4.17E-08	1.0E+06	4.2E-02
1552	1.87592	1.03E-02	1.9E-02	1.05E-03	2.03E-05	1.37E-02	1.57E-01	4.36E-08	1.0E+06	4.4E-02
1553	1.96201	1.03E-02	2.0E-02	1.05E-03	2.12E-05	1.37E-02	1.57E-01	4.56E-08	1.0E+06	4.6E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.05105	1.03E-02	2.1E-02	1.05E-03	2.22E-05	1.37E-02	1.57E-01	4.77E-08	1.0E+06	4.8E-02
1555	2.14093	1.03E-02	2.2E-02	1.05E-03	2.31E-05	1.37E-02	1.57E-01	4.98E-08	1.0E+06	5.0E-02
1556	2.23061	1.03E-02	2.3E-02	1.05E-03	2.41E-05	1.37E-02	1.57E-01	5.19E-08	1.0E+06	5.2E-02
1557	2.32148	1.03E-02	2.4E-02	1.05E-03	2.51E-05	1.37E-02	1.57E-01	5.40E-08	1.0E+06	5.4E-02
1558	2.41558	1.03E-02	2.5E-02	1.05E-03	2.61E-05	1.37E-02	1.57E-01	5.62E-08	1.0E+06	5.6E-02
1559	2.50973	1.03E-02	2.6E-02	1.05E-03	2.71E-05	1.37E-02	1.57E-01	5.84E-08	1.0E+06	5.8E-02
1560	2.60239	1.03E-02	2.7E-02	1.05E-03	2.81E-05	1.37E-02	1.57E-01	6.05E-08	1.0E+06	6.1E-02
1561	2.69114	1.03E-02	2.8E-02	1.05E-03	2.91E-05	1.37E-02	1.57E-01	6.26E-08	1.0E+06	6.3E-02
1562	0.91971	1.03E-02	9.5E-03	1.05E-03	9.93E-06	1.37E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1563	0.952	1.03E-02	9.8E-03	1.05E-03	1.03E-05	1.37E-02	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1564	0.98558	1.03E-02	1.0E-02	1.05E-03	1.06E-05	1.37E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
1565	1.02141	1.03E-02	1.1E-02	1.05E-03	1.10E-05	1.37E-02	1.57E-01	2.37E-08	1.0E+06	2.4E-02
1566	1.05997	1.03E-02	1.1E-02	1.05E-03	1.14E-05	1.37E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02
1567	1.10025	1.03E-02	1.1E-02	1.05E-03	1.19E-05	1.37E-02	1.57E-01	2.56E-08	1.0E+06	2.6E-02
1568	1.14403	1.03E-02	1.2E-02	1.05E-03	1.24E-05	1.37E-02	1.57E-01	2.66E-08	1.0E+06	2.7E-02
1569	1.19044	1.03E-02	1.2E-02	1.05E-03	1.29E-05	1.37E-02	1.57E-01	2.77E-08	1.0E+06	2.8E-02
1570	1.23858	1.03E-02	1.3E-02	1.05E-03	1.34E-05	1.37E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02
1571	1.28646	1.03E-02	1.3E-02	1.05E-03	1.39E-05	1.37E-02	1.57E-01	2.99E-08	1.0E+06	3.0E-02
1572	1.33769	1.03E-02	1.4E-02	1.05E-03	1.44E-05	1.37E-02	1.57E-01	3.11E-08	1.0E+06	3.1E-02
1573	1.39468	1.03E-02	1.4E-02	1.05E-03	1.51E-05	1.37E-02	1.57E-01	3.24E-08	1.0E+06	3.2E-02
1574	1.45778	1.03E-02	1.5E-02	1.05E-03	1.57E-05	1.37E-02	1.57E-01	3.39E-08	1.0E+06	3.4E-02
1575	1.54434	1.03E-02	1.6E-02	1.05E-03	1.67E-05	1.37E-02	1.57E-01	3.59E-08	1.0E+06	3.6E-02
1576	1.63349	1.03E-02	1.7E-02	1.05E-03	1.76E-05	1.37E-02	1.57E-01	3.80E-08	1.0E+06	3.8E-02
1577	1.72571	1.03E-02	1.8E-02	1.05E-03	1.86E-05	1.37E-02	1.57E-01	4.01E-08	1.0E+06	4.0E-02
1578	1.80944	1.03E-02	1.9E-02	1.05E-03	1.95E-05	1.37E-02	1.57E-01	4.21E-08	1.0E+06	4.2E-02
1579	1.91632	1.03E-02	2.0E-02	1.05E-03	2.07E-05	1.37E-02	1.57E-01	4.46E-08	1.0E+06	4.5E-02
1580	2.00996	1.03E-02	2.1E-02	1.05E-03	2.17E-05	1.37E-02	1.57E-01	4.67E-08	1.0E+06	4.7E-02
1581	2.10875	1.03E-02	2.2E-02	1.05E-03	2.28E-05	1.37E-02	1.57E-01	4.90E-08	1.0E+06	4.9E-02
1582	2.21124	1.03E-02	2.3E-02	1.05E-03	2.39E-05	1.37E-02	1.57E-01	5.14E-08	1.0E+06	5.1E-02
1583	2.31586	1.03E-02	2.4E-02	1.05E-03	2.50E-05	1.37E-02	1.57E-01	5.38E-08	1.0E+06	5.4E-02
1584	2.42156	1.03E-02	2.5E-02	1.05E-03	2.62E-05	1.37E-02	1.57E-01	5.63E-08	1.0E+06	5.6E-02

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.52885	1.03E-02	2.6E-02	1.05E-03	2.73E-05	1.37E-02	1.57E-01	5.88E-08	1.0E+06	5.9E-02
1586	2.63947	1.03E-02	2.7E-02	1.05E-03	2.85E-05	1.37E-02	1.57E-01	6.14E-08	1.0E+06	6.1E-02
1587	2.75064	1.03E-02	2.8E-02	1.05E-03	2.97E-05	1.37E-02	1.57E-01	6.40E-08	1.0E+06	6.4E-02
1588	2.86047	1.03E-02	3.0E-02	1.05E-03	3.09E-05	1.37E-02	1.57E-01	6.65E-08	1.0E+06	6.7E-02
1589	2.96568	1.03E-02	3.1E-02	1.05E-03	3.20E-05	1.37E-02	1.57E-01	6.90E-08	1.0E+06	6.9E-02
1590	0.95399	1.03E-02	9.9E-03	1.05E-03	1.03E-05	1.37E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1591	0.98829	1.03E-02	1.0E-02	1.05E-03	1.07E-05	1.37E-02	1.57E-01	2.30E-08	1.0E+06	2.3E-02
1592	1.02397	1.03E-02	1.1E-02	1.05E-03	1.11E-05	1.37E-02	1.57E-01	2.38E-08	1.0E+06	2.4E-02
1593	1.06306	1.03E-02	1.1E-02	1.05E-03	1.15E-05	1.37E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
1594	1.10602	1.03E-02	1.1E-02	1.05E-03	1.19E-05	1.37E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1595	1.15103	1.03E-02	1.2E-02	1.05E-03	1.24E-05	1.37E-02	1.57E-01	2.68E-08	1.0E+06	2.7E-02
0	0	1.03E-02	0.0E+00	1.05E-03	0.00E+00	1.37E-02	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	1.66E-03
1214	5	1.50E-03
1215	5	1.53E-03
1216	5	1.55E-03
1217	5	1.58E-03
1218	5	1.60E-03
1219	5	1.63E-03
1220	5	1.65E-03
1221	5	1.67E-03
1222	5	1.69E-03
1223	5	1.70E-03
1224	5	1.72E-03
1225	5	1.73E-03
1226	5	1.74E-03
1227	5	1.75E-03
1228	5	1.57E-03
1229	5	1.60E-03
1230	5	1.63E-03
1231	5	1.65E-03
1232	5	1.68E-03
1233	5	1.71E-03
1234	5	1.73E-03
1235	5	1.75E-03
1236	5	1.77E-03
1237	5	1.79E-03
1238	5	1.81E-03
1239	5	1.82E-03
1240	5	1.84E-03
1241	5	1.85E-03
1242	5	1.65E-03
1243	5	1.68E-03

Max	Receptor #	
0.006	1589	Res

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	1.71E-03
1245	5	1.74E-03
1246	5	1.77E-03
1247	5	1.79E-03
1248	5	1.82E-03
1249	5	1.85E-03
1250	5	1.87E-03
1251	5	1.89E-03
1252	5	1.91E-03
1253	5	1.92E-03
1254	5	1.94E-03
1255	5	1.95E-03
1256	5	1.73E-03
1257	5	1.76E-03
1258	5	1.79E-03
1259	5	1.82E-03
1260	5	1.86E-03
1261	5	1.89E-03
1262	5	1.92E-03
1263	5	1.94E-03
1264	5	1.97E-03
1265	5	1.99E-03
1266	5	2.01E-03
1267	5	2.03E-03
1268	5	2.04E-03
1269	5	2.06E-03
1270	5	1.81E-03
1271	5	1.85E-03
1272	5	1.88E-03
1273	5	1.92E-03
1274	5	1.95E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	1.99E-03
1276	5	2.02E-03
1277	5	2.05E-03
1278	5	2.08E-03
1279	5	2.10E-03
1280	5	2.13E-03
1281	5	2.14E-03
1282	5	2.16E-03
1283	5	2.18E-03
1284	5	1.90E-03
1285	5	1.94E-03
1286	5	1.98E-03
1287	5	2.02E-03
1288	5	2.06E-03
1289	5	2.09E-03
1290	5	2.13E-03
1291	5	2.17E-03
1292	5	2.20E-03
1293	5	2.23E-03
1294	5	2.25E-03
1295	5	2.27E-03
1296	5	2.29E-03
1297	5	2.31E-03
1298	5	2.01E-03
1299	5	2.05E-03
1300	5	2.09E-03
1301	5	2.13E-03
1302	5	2.17E-03
1303	5	2.21E-03
1304	5	2.25E-03
1305	5	2.29E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	2.11E-03
1307	5	2.16E-03
1308	5	2.21E-03
1309	5	2.25E-03
1310	5	2.30E-03
1311	5	2.35E-03
1312	5	2.39E-03
1313	5	2.44E-03
1314	5	2.23E-03
1315	5	2.29E-03
1316	5	2.34E-03
1317	5	2.39E-03
1318	5	2.44E-03
1319	5	2.50E-03
1320	5	2.54E-03
1321	5	2.59E-03
1322	5	2.36E-03
1323	5	2.42E-03
1324	5	2.48E-03
1325	5	2.54E-03
1326	5	2.60E-03
1327	5	2.66E-03
1328	5	2.71E-03
1329	5	2.76E-03
1330	5	2.50E-03
1331	5	2.57E-03
1332	5	2.64E-03
1333	5	2.70E-03
1334	5	2.77E-03
1335	5	2.83E-03
1336	5	2.89E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	2.95E-03
1338	5	1.39E-03
1339	5	1.42E-03
1340	5	1.45E-03
1341	5	1.48E-03
1342	5	1.52E-03
1343	5	1.56E-03
1344	5	1.61E-03
1345	5	1.66E-03
1346	5	1.70E-03
1347	5	1.75E-03
1348	5	1.80E-03
1349	5	1.86E-03
1350	5	1.96E-03
1351	5	2.07E-03
1352	5	2.17E-03
1353	5	2.28E-03
1354	5	2.35E-03
1355	5	2.43E-03
1356	5	2.50E-03
1357	5	2.58E-03
1358	5	2.65E-03
1359	5	2.73E-03
1360	5	2.80E-03
1361	5	2.88E-03
1362	5	2.95E-03
1363	5	3.02E-03
1364	5	3.09E-03
1365	5	3.16E-03
1366	5	1.45E-03
1367	5	1.48E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	1.51E-03
1369	5	1.55E-03
1370	5	1.59E-03
1371	5	1.63E-03
1372	5	1.68E-03
1373	5	1.74E-03
1374	5	1.79E-03
1375	5	1.83E-03
1376	5	1.88E-03
1377	5	1.95E-03
1378	5	2.02E-03
1379	5	2.14E-03
1380	5	2.29E-03
1381	5	2.37E-03
1382	5	2.48E-03
1383	5	2.57E-03
1384	5	2.65E-03
1385	5	2.73E-03
1386	5	2.82E-03
1387	5	2.90E-03
1388	5	2.99E-03
1389	5	3.07E-03
1390	5	3.15E-03
1391	5	3.23E-03
1392	5	3.31E-03
1393	5	3.39E-03
1394	5	1.51E-03
1395	5	1.54E-03
1396	5	1.58E-03
1397	5	1.62E-03
1398	5	1.66E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	1.71E-03
1400	5	1.76E-03
1401	5	1.82E-03
1402	5	1.88E-03
1403	5	1.93E-03
1404	5	1.98E-03
1405	5	2.05E-03
1406	5	2.13E-03
1407	5	2.25E-03
1408	5	2.41E-03
1409	5	2.50E-03
1410	5	2.63E-03
1411	5	2.72E-03
1412	5	2.81E-03
1413	5	2.91E-03
1414	5	3.00E-03
1415	5	3.10E-03
1416	5	3.19E-03
1417	5	3.28E-03
1418	5	3.38E-03
1419	5	3.47E-03
1420	5	3.56E-03
1421	5	3.65E-03
1422	5	1.57E-03
1423	5	1.61E-03
1424	5	1.65E-03
1425	5	1.69E-03
1426	5	1.74E-03
1427	5	1.79E-03
1428	5	1.85E-03
1429	5	1.91E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	1.97E-03
1431	5	2.03E-03
1432	5	2.09E-03
1433	5	2.16E-03
1434	5	2.24E-03
1435	5	2.37E-03
1436	5	2.55E-03
1437	5	2.65E-03
1438	5	2.78E-03
1439	5	2.89E-03
1440	5	2.99E-03
1441	5	3.10E-03
1442	5	3.20E-03
1443	5	3.31E-03
1444	5	3.41E-03
1445	5	3.51E-03
1446	5	3.62E-03
1447	5	3.73E-03
1448	5	3.84E-03
1449	5	3.94E-03
1450	5	1.63E-03
1451	5	1.68E-03
1452	5	1.72E-03
1453	5	1.77E-03
1454	5	1.82E-03
1455	5	1.87E-03
1456	5	1.93E-03
1457	5	2.01E-03
1458	5	2.08E-03
1459	5	2.14E-03
1460	5	2.21E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	2.29E-03
1462	5	2.37E-03
1463	5	2.46E-03
1464	5	2.69E-03
1465	5	2.80E-03
1466	5	2.95E-03
1467	5	3.07E-03
1468	5	3.18E-03
1469	5	3.30E-03
1470	5	3.43E-03
1471	5	3.54E-03
1472	5	3.66E-03
1473	5	3.78E-03
1474	5	3.90E-03
1475	5	4.03E-03
1476	5	4.15E-03
1477	5	4.27E-03
1478	5	1.70E-03
1479	5	1.75E-03
1480	5	1.80E-03
1481	5	1.85E-03
1482	5	1.90E-03
1483	5	1.96E-03
1484	5	2.03E-03
1485	5	2.11E-03
1486	5	2.19E-03
1487	5	2.26E-03
1488	5	2.34E-03
1489	5	2.42E-03
1490	5	2.51E-03
1491	5	2.61E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	2.81E-03
1493	5	2.97E-03
1494	5	3.13E-03
1495	5	3.26E-03
1496	5	3.40E-03
1497	5	3.53E-03
1498	5	3.67E-03
1499	5	3.81E-03
1500	5	3.94E-03
1501	5	4.08E-03
1502	5	4.22E-03
1503	5	4.36E-03
1504	5	4.51E-03
1505	5	4.64E-03
1506	5	1.77E-03
1507	5	1.82E-03
1508	5	1.88E-03
1509	5	1.93E-03
1510	5	2.00E-03
1511	5	2.06E-03
1512	5	2.14E-03
1513	5	2.22E-03
1514	5	2.31E-03
1515	5	2.39E-03
1516	5	2.47E-03
1517	5	2.56E-03
1518	5	2.67E-03
1519	5	2.82E-03
1520	5	2.99E-03
1521	5	3.15E-03
1522	5	3.33E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	3.48E-03
1524	5	3.63E-03
1525	5	3.78E-03
1526	5	3.94E-03
1527	5	4.10E-03
1528	5	4.26E-03
1529	5	4.41E-03
1530	5	4.58E-03
1531	5	4.75E-03
1532	5	4.91E-03
1533	5	5.07E-03
1534	5	1.83E-03
1535	5	1.89E-03
1536	5	1.96E-03
1537	5	2.02E-03
1538	5	2.09E-03
1539	5	2.17E-03
1540	5	2.25E-03
1541	5	2.34E-03
1542	5	2.43E-03
1543	5	2.52E-03
1544	5	2.61E-03
1545	5	2.72E-03
1546	5	2.84E-03
1547	5	3.00E-03
1548	5	3.17E-03
1549	5	3.35E-03
1550	5	3.51E-03
1551	5	3.71E-03
1552	5	3.88E-03
1553	5	4.06E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	4.24E-03
1555	5	4.43E-03
1556	5	4.61E-03
1557	5	4.80E-03
1558	5	4.99E-03
1559	5	5.19E-03
1560	5	5.38E-03
1561	5	5.56E-03
1562	5	1.90E-03
1563	5	1.97E-03
1564	5	2.04E-03
1565	5	2.11E-03
1566	5	2.19E-03
1567	5	2.27E-03
1568	5	2.36E-03
1569	5	2.46E-03
1570	5	2.56E-03
1571	5	2.66E-03
1572	5	2.76E-03
1573	5	2.88E-03
1574	5	3.01E-03
1575	5	3.19E-03
1576	5	3.38E-03
1577	5	3.57E-03
1578	5	3.74E-03
1579	5	3.96E-03
1580	5	4.15E-03
1581	5	4.36E-03
1582	5	4.57E-03
1583	5	4.79E-03
1584	5	5.01E-03

One San Pedro Specific Plan
Unmitigated - Harbor Site - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	5.23E-03
1586	5	5.46E-03
1587	5	5.69E-03
1588	5	5.91E-03
1589	5	6.13E-03
1590	5	1.97E-03
1591	5	2.04E-03
1592	5	2.12E-03
1593	5	2.20E-03
1594	5	2.29E-03
1595	5	2.38E-03
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	0.80274	1.29E-03	1.0E-03	1.05E-03	1.08E-06	6.16E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
1214	0.72702	1.29E-03	9.3E-04	1.05E-03	9.77E-07	6.16E-01	1.57E-01	9.46E-08	1.0E+06	9.5E-02
1215	0.73953	1.29E-03	9.5E-04	1.05E-03	9.93E-07	6.16E-01	1.57E-01	9.62E-08	1.0E+06	9.6E-02
1216	0.75186	1.29E-03	9.7E-04	1.05E-03	1.01E-06	6.16E-01	1.57E-01	9.78E-08	1.0E+06	9.8E-02
1217	0.76393	1.29E-03	9.8E-04	1.05E-03	1.03E-06	6.16E-01	1.57E-01	9.94E-08	1.0E+06	9.9E-02
1218	0.77579	1.29E-03	1.0E-03	1.05E-03	1.04E-06	6.16E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
1219	0.78718	1.29E-03	1.0E-03	1.05E-03	1.06E-06	6.16E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
1220	0.7979	1.29E-03	1.0E-03	1.05E-03	1.07E-06	6.16E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
1221	0.80779	1.29E-03	1.0E-03	1.05E-03	1.09E-06	6.16E-01	1.57E-01	1.05E-07	1.0E+06	1.1E-01
1222	0.81668	1.29E-03	1.0E-03	1.05E-03	1.10E-06	6.16E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
1223	0.82479	1.29E-03	1.1E-03	1.05E-03	1.11E-06	6.16E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
1224	0.83211	1.29E-03	1.1E-03	1.05E-03	1.12E-06	6.16E-01	1.57E-01	1.08E-07	1.0E+06	1.1E-01
1225	0.83857	1.29E-03	1.1E-03	1.05E-03	1.13E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
1226	0.84413	1.29E-03	1.1E-03	1.05E-03	1.13E-06	6.16E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
1227	0.84884	1.29E-03	1.1E-03	1.05E-03	1.14E-06	6.16E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
1228	0.76049	1.29E-03	9.8E-04	1.05E-03	1.02E-06	6.16E-01	1.57E-01	9.90E-08	1.0E+06	9.9E-02
1229	0.774	1.29E-03	9.9E-04	1.05E-03	1.04E-06	6.16E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
1230	0.78733	1.29E-03	1.0E-03	1.05E-03	1.06E-06	6.16E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
1231	0.80037	1.29E-03	1.0E-03	1.05E-03	1.08E-06	6.16E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
1232	0.81344	1.29E-03	1.0E-03	1.05E-03	1.09E-06	6.16E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
1233	0.82608	1.29E-03	1.1E-03	1.05E-03	1.11E-06	6.16E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
1234	0.83782	1.29E-03	1.1E-03	1.05E-03	1.13E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
1235	0.84873	1.29E-03	1.1E-03	1.05E-03	1.14E-06	6.16E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
1236	0.85846	1.29E-03	1.1E-03	1.05E-03	1.15E-06	6.16E-01	1.57E-01	1.12E-07	1.0E+06	1.1E-01
1237	0.86731	1.29E-03	1.1E-03	1.05E-03	1.17E-06	6.16E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
1238	0.87532	1.29E-03	1.1E-03	1.05E-03	1.18E-06	6.16E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
1239	0.88245	1.29E-03	1.1E-03	1.05E-03	1.19E-06	6.16E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
1240	0.88866	1.29E-03	1.1E-03	1.05E-03	1.19E-06	6.16E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
1241	0.89386	1.29E-03	1.1E-03	1.05E-03	1.20E-06	6.16E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
1242	0.79635	1.29E-03	1.0E-03	1.05E-03	1.07E-06	6.16E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
1243	0.81102	1.29E-03	1.0E-03	1.05E-03	1.09E-06	6.16E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01

	Max	Receptor #
Res	0.386	1589

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	0.82549	1.29E-03	1.1E-03	1.05E-03	1.11E-06	6.16E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
1245	0.83961	1.29E-03	1.1E-03	1.05E-03	1.13E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
1246	0.85402	1.29E-03	1.1E-03	1.05E-03	1.15E-06	6.16E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01
1247	0.86802	1.29E-03	1.1E-03	1.05E-03	1.17E-06	6.16E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
1248	0.88097	1.29E-03	1.1E-03	1.05E-03	1.18E-06	6.16E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
1249	0.89297	1.29E-03	1.1E-03	1.05E-03	1.20E-06	6.16E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
1250	0.90368	1.29E-03	1.2E-03	1.05E-03	1.21E-06	6.16E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
1251	0.91336	1.29E-03	1.2E-03	1.05E-03	1.23E-06	6.16E-01	1.57E-01	1.19E-07	1.0E+06	1.2E-01
1252	0.92212	1.29E-03	1.2E-03	1.05E-03	1.24E-06	6.16E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
1253	0.92993	1.29E-03	1.2E-03	1.05E-03	1.25E-06	6.16E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
1254	0.93673	1.29E-03	1.2E-03	1.05E-03	1.26E-06	6.16E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
1255	0.94252	1.29E-03	1.2E-03	1.05E-03	1.27E-06	6.16E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
1256	0.83492	1.29E-03	1.1E-03	1.05E-03	1.12E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
1257	0.85087	1.29E-03	1.1E-03	1.05E-03	1.14E-06	6.16E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01
1258	0.86649	1.29E-03	1.1E-03	1.05E-03	1.16E-06	6.16E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
1259	0.88183	1.29E-03	1.1E-03	1.05E-03	1.18E-06	6.16E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
1260	0.89773	1.29E-03	1.2E-03	1.05E-03	1.21E-06	6.16E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
1261	0.91311	1.29E-03	1.2E-03	1.05E-03	1.23E-06	6.16E-01	1.57E-01	1.19E-07	1.0E+06	1.2E-01
1262	0.92752	1.29E-03	1.2E-03	1.05E-03	1.25E-06	6.16E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
1263	0.94085	1.29E-03	1.2E-03	1.05E-03	1.26E-06	6.16E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
1264	0.95274	1.29E-03	1.2E-03	1.05E-03	1.28E-06	6.16E-01	1.57E-01	1.24E-07	1.0E+06	1.2E-01
1265	0.96334	1.29E-03	1.2E-03	1.05E-03	1.29E-06	6.16E-01	1.57E-01	1.25E-07	1.0E+06	1.3E-01
1266	0.97295	1.29E-03	1.3E-03	1.05E-03	1.31E-06	6.16E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
1267	0.98149	1.29E-03	1.3E-03	1.05E-03	1.32E-06	6.16E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
1268	0.98892	1.29E-03	1.3E-03	1.05E-03	1.33E-06	6.16E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
1269	0.99521	1.29E-03	1.3E-03	1.05E-03	1.34E-06	6.16E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
1270	0.8766	1.29E-03	1.1E-03	1.05E-03	1.18E-06	6.16E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
1271	0.89386	1.29E-03	1.1E-03	1.05E-03	1.20E-06	6.16E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
1272	0.91068	1.29E-03	1.2E-03	1.05E-03	1.22E-06	6.16E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
1273	0.9272	1.29E-03	1.2E-03	1.05E-03	1.25E-06	6.16E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
1274	0.9445	1.29E-03	1.2E-03	1.05E-03	1.27E-06	6.16E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	0.96132	1.29E-03	1.2E-03	1.05E-03	1.29E-06	6.16E-01	1.57E-01	1.25E-07	1.0E+06	1.3E-01
1276	0.97751	1.29E-03	1.3E-03	1.05E-03	1.31E-06	6.16E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
1277	0.99254	1.29E-03	1.3E-03	1.05E-03	1.33E-06	6.16E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
1278	1.00608	1.29E-03	1.3E-03	1.05E-03	1.35E-06	6.16E-01	1.57E-01	1.31E-07	1.0E+06	1.3E-01
1279	1.01778	1.29E-03	1.3E-03	1.05E-03	1.37E-06	6.16E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
1280	1.02835	1.29E-03	1.3E-03	1.05E-03	1.38E-06	6.16E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
1281	1.03772	1.29E-03	1.3E-03	1.05E-03	1.39E-06	6.16E-01	1.57E-01	1.35E-07	1.0E+06	1.4E-01
1282	1.04582	1.29E-03	1.3E-03	1.05E-03	1.40E-06	6.16E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
1283	1.05262	1.29E-03	1.4E-03	1.05E-03	1.41E-06	6.16E-01	1.57E-01	1.37E-07	1.0E+06	1.4E-01
1284	0.92155	1.29E-03	1.2E-03	1.05E-03	1.24E-06	6.16E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
1285	0.94032	1.29E-03	1.2E-03	1.05E-03	1.26E-06	6.16E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
1286	0.95848	1.29E-03	1.2E-03	1.05E-03	1.29E-06	6.16E-01	1.57E-01	1.25E-07	1.0E+06	1.2E-01
1287	0.97621	1.29E-03	1.3E-03	1.05E-03	1.31E-06	6.16E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
1288	0.9952	1.29E-03	1.3E-03	1.05E-03	1.34E-06	6.16E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
1289	1.01361	1.29E-03	1.3E-03	1.05E-03	1.36E-06	6.16E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
1290	1.03159	1.29E-03	1.3E-03	1.05E-03	1.39E-06	6.16E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
1291	1.04873	1.29E-03	1.3E-03	1.05E-03	1.41E-06	6.16E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
1292	1.06423	1.29E-03	1.4E-03	1.05E-03	1.43E-06	6.16E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
1293	1.07719	1.29E-03	1.4E-03	1.05E-03	1.45E-06	6.16E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
1294	1.08886	1.29E-03	1.4E-03	1.05E-03	1.46E-06	6.16E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
1295	1.09917	1.29E-03	1.4E-03	1.05E-03	1.48E-06	6.16E-01	1.57E-01	1.43E-07	1.0E+06	1.4E-01
1296	1.108	1.29E-03	1.4E-03	1.05E-03	1.49E-06	6.16E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
1297	1.11525	1.29E-03	1.4E-03	1.05E-03	1.50E-06	6.16E-01	1.57E-01	1.45E-07	1.0E+06	1.5E-01
1298	0.97018	1.29E-03	1.2E-03	1.05E-03	1.30E-06	6.16E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
1299	0.9907	1.29E-03	1.3E-03	1.05E-03	1.33E-06	6.16E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
1300	1.01042	1.29E-03	1.3E-03	1.05E-03	1.36E-06	6.16E-01	1.57E-01	1.31E-07	1.0E+06	1.3E-01
1301	1.02977	1.29E-03	1.3E-03	1.05E-03	1.38E-06	6.16E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
1302	1.05063	1.29E-03	1.4E-03	1.05E-03	1.41E-06	6.16E-01	1.57E-01	1.37E-07	1.0E+06	1.4E-01
1303	1.07091	1.29E-03	1.4E-03	1.05E-03	1.44E-06	6.16E-01	1.57E-01	1.39E-07	1.0E+06	1.4E-01
1304	1.09084	1.29E-03	1.4E-03	1.05E-03	1.47E-06	6.16E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
1305	1.11024	1.29E-03	1.4E-03	1.05E-03	1.49E-06	6.16E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1.0231	1.29E-03	1.3E-03	1.05E-03	1.37E-06	6.16E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
1307	1.04619	1.29E-03	1.3E-03	1.05E-03	1.41E-06	6.16E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
1308	1.0685	1.29E-03	1.4E-03	1.05E-03	1.44E-06	6.16E-01	1.57E-01	1.39E-07	1.0E+06	1.4E-01
1309	1.09047	1.29E-03	1.4E-03	1.05E-03	1.46E-06	6.16E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
1310	1.11351	1.29E-03	1.4E-03	1.05E-03	1.50E-06	6.16E-01	1.57E-01	1.45E-07	1.0E+06	1.4E-01
1311	1.13593	1.29E-03	1.5E-03	1.05E-03	1.53E-06	6.16E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
1312	1.15766	1.29E-03	1.5E-03	1.05E-03	1.56E-06	6.16E-01	1.57E-01	1.51E-07	1.0E+06	1.5E-01
1313	1.1784	1.29E-03	1.5E-03	1.05E-03	1.58E-06	6.16E-01	1.57E-01	1.53E-07	1.0E+06	1.5E-01
1314	1.08055	1.29E-03	1.4E-03	1.05E-03	1.45E-06	6.16E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
1315	1.10651	1.29E-03	1.4E-03	1.05E-03	1.49E-06	6.16E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
1316	1.13195	1.29E-03	1.5E-03	1.05E-03	1.52E-06	6.16E-01	1.57E-01	1.47E-07	1.0E+06	1.5E-01
1317	1.15694	1.29E-03	1.5E-03	1.05E-03	1.55E-06	6.16E-01	1.57E-01	1.51E-07	1.0E+06	1.5E-01
1318	1.1825	1.29E-03	1.5E-03	1.05E-03	1.59E-06	6.16E-01	1.57E-01	1.54E-07	1.0E+06	1.5E-01
1319	1.20726	1.29E-03	1.6E-03	1.05E-03	1.62E-06	6.16E-01	1.57E-01	1.57E-07	1.0E+06	1.6E-01
1320	1.2311	1.29E-03	1.6E-03	1.05E-03	1.65E-06	6.16E-01	1.57E-01	1.60E-07	1.0E+06	1.6E-01
1321	1.25331	1.29E-03	1.6E-03	1.05E-03	1.68E-06	6.16E-01	1.57E-01	1.63E-07	1.0E+06	1.6E-01
1322	1.14304	1.29E-03	1.5E-03	1.05E-03	1.54E-06	6.16E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
1323	1.17231	1.29E-03	1.5E-03	1.05E-03	1.57E-06	6.16E-01	1.57E-01	1.53E-07	1.0E+06	1.5E-01
1324	1.20116	1.29E-03	1.5E-03	1.05E-03	1.61E-06	6.16E-01	1.57E-01	1.56E-07	1.0E+06	1.6E-01
1325	1.22968	1.29E-03	1.6E-03	1.05E-03	1.65E-06	6.16E-01	1.57E-01	1.60E-07	1.0E+06	1.6E-01
1326	1.25806	1.29E-03	1.6E-03	1.05E-03	1.69E-06	6.16E-01	1.57E-01	1.64E-07	1.0E+06	1.6E-01
1327	1.28575	1.29E-03	1.7E-03	1.05E-03	1.73E-06	6.16E-01	1.57E-01	1.67E-07	1.0E+06	1.7E-01
1328	1.31176	1.29E-03	1.7E-03	1.05E-03	1.76E-06	6.16E-01	1.57E-01	1.71E-07	1.0E+06	1.7E-01
1329	1.33584	1.29E-03	1.7E-03	1.05E-03	1.79E-06	6.16E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
1330	1.21044	1.29E-03	1.6E-03	1.05E-03	1.63E-06	6.16E-01	1.57E-01	1.58E-07	1.0E+06	1.6E-01
1331	1.24305	1.29E-03	1.6E-03	1.05E-03	1.67E-06	6.16E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
1332	1.27509	1.29E-03	1.6E-03	1.05E-03	1.71E-06	6.16E-01	1.57E-01	1.66E-07	1.0E+06	1.7E-01
1333	1.30665	1.29E-03	1.7E-03	1.05E-03	1.76E-06	6.16E-01	1.57E-01	1.70E-07	1.0E+06	1.7E-01
1334	1.33858	1.29E-03	1.7E-03	1.05E-03	1.80E-06	6.16E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
1335	1.36971	1.29E-03	1.8E-03	1.05E-03	1.84E-06	6.16E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
1336	1.39925	1.29E-03	1.8E-03	1.05E-03	1.88E-06	6.16E-01	1.57E-01	1.82E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1.42662	1.29E-03	1.8E-03	1.05E-03	1.92E-06	6.16E-01	1.57E-01	1.86E-07	1.0E+06	1.9E-01
1338	0.6706	1.29E-03	8.6E-04	1.05E-03	9.01E-07	6.16E-01	1.57E-01	8.73E-08	1.0E+06	8.7E-02
1339	0.68542	1.29E-03	8.8E-04	1.05E-03	9.21E-07	6.16E-01	1.57E-01	8.92E-08	1.0E+06	8.9E-02
1340	0.70086	1.29E-03	9.0E-04	1.05E-03	9.41E-07	6.16E-01	1.57E-01	9.12E-08	1.0E+06	9.1E-02
1341	0.71776	1.29E-03	9.2E-04	1.05E-03	9.64E-07	6.16E-01	1.57E-01	9.34E-08	1.0E+06	9.3E-02
1342	0.73629	1.29E-03	9.5E-04	1.05E-03	9.89E-07	6.16E-01	1.57E-01	9.58E-08	1.0E+06	9.6E-02
1343	0.75603	1.29E-03	9.7E-04	1.05E-03	1.02E-06	6.16E-01	1.57E-01	9.84E-08	1.0E+06	9.8E-02
1344	0.77782	1.29E-03	1.0E-03	1.05E-03	1.04E-06	6.16E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
1345	0.80106	1.29E-03	1.0E-03	1.05E-03	1.08E-06	6.16E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
1346	0.82446	1.29E-03	1.1E-03	1.05E-03	1.11E-06	6.16E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
1347	0.84688	1.29E-03	1.1E-03	1.05E-03	1.14E-06	6.16E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
1348	0.8705	1.29E-03	1.1E-03	1.05E-03	1.17E-06	6.16E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
1349	0.89941	1.29E-03	1.2E-03	1.05E-03	1.21E-06	6.16E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
1350	0.94927	1.29E-03	1.2E-03	1.05E-03	1.28E-06	6.16E-01	1.57E-01	1.24E-07	1.0E+06	1.2E-01
1351	0.99983	1.29E-03	1.3E-03	1.05E-03	1.34E-06	6.16E-01	1.57E-01	1.30E-07	1.0E+06	1.3E-01
1352	1.05084	1.29E-03	1.4E-03	1.05E-03	1.41E-06	6.16E-01	1.57E-01	1.37E-07	1.0E+06	1.4E-01
1353	1.10285	1.29E-03	1.4E-03	1.05E-03	1.48E-06	6.16E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
1354	1.1382	1.29E-03	1.5E-03	1.05E-03	1.53E-06	6.16E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
1355	1.17402	1.29E-03	1.5E-03	1.05E-03	1.58E-06	6.16E-01	1.57E-01	1.53E-07	1.0E+06	1.5E-01
1356	1.21041	1.29E-03	1.6E-03	1.05E-03	1.63E-06	6.16E-01	1.57E-01	1.58E-07	1.0E+06	1.6E-01
1357	1.24708	1.29E-03	1.6E-03	1.05E-03	1.68E-06	6.16E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
1358	1.28402	1.29E-03	1.7E-03	1.05E-03	1.72E-06	6.16E-01	1.57E-01	1.67E-07	1.0E+06	1.7E-01
1359	1.32046	1.29E-03	1.7E-03	1.05E-03	1.77E-06	6.16E-01	1.57E-01	1.72E-07	1.0E+06	1.7E-01
1360	1.35609	1.29E-03	1.7E-03	1.05E-03	1.82E-06	6.16E-01	1.57E-01	1.76E-07	1.0E+06	1.8E-01
1361	1.39133	1.29E-03	1.8E-03	1.05E-03	1.87E-06	6.16E-01	1.57E-01	1.81E-07	1.0E+06	1.8E-01
1362	1.42721	1.29E-03	1.8E-03	1.05E-03	1.92E-06	6.16E-01	1.57E-01	1.86E-07	1.0E+06	1.9E-01
1363	1.46234	1.29E-03	1.9E-03	1.05E-03	1.96E-06	6.16E-01	1.57E-01	1.90E-07	1.0E+06	1.9E-01
1364	1.49609	1.29E-03	1.9E-03	1.05E-03	2.01E-06	6.16E-01	1.57E-01	1.95E-07	1.0E+06	1.9E-01
1365	1.52725	1.29E-03	2.0E-03	1.05E-03	2.05E-06	6.16E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
1366	0.6996	1.29E-03	9.0E-04	1.05E-03	9.40E-07	6.16E-01	1.57E-01	9.10E-08	1.0E+06	9.1E-02
1367	0.71537	1.29E-03	9.2E-04	1.05E-03	9.61E-07	6.16E-01	1.57E-01	9.31E-08	1.0E+06	9.3E-02

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	0.73162	1.29E-03	9.4E-04	1.05E-03	9.83E-07	6.16E-01	1.57E-01	9.52E-08	1.0E+06	9.5E-02
1369	0.74964	1.29E-03	9.6E-04	1.05E-03	1.01E-06	6.16E-01	1.57E-01	9.75E-08	1.0E+06	9.8E-02
1370	0.76958	1.29E-03	9.9E-04	1.05E-03	1.03E-06	6.16E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
1371	0.79071	1.29E-03	1.0E-03	1.05E-03	1.06E-06	6.16E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
1372	0.81443	1.29E-03	1.0E-03	1.05E-03	1.09E-06	6.16E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
1373	0.83974	1.29E-03	1.1E-03	1.05E-03	1.13E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
1374	0.86472	1.29E-03	1.1E-03	1.05E-03	1.16E-06	6.16E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
1375	0.88767	1.29E-03	1.1E-03	1.05E-03	1.19E-06	6.16E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
1376	0.91158	1.29E-03	1.2E-03	1.05E-03	1.22E-06	6.16E-01	1.57E-01	1.19E-07	1.0E+06	1.2E-01
1377	0.94258	1.29E-03	1.2E-03	1.05E-03	1.27E-06	6.16E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
1378	0.97741	1.29E-03	1.3E-03	1.05E-03	1.31E-06	6.16E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
1379	1.03323	1.29E-03	1.3E-03	1.05E-03	1.39E-06	6.16E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
1380	1.10627	1.29E-03	1.4E-03	1.05E-03	1.49E-06	6.16E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
1381	1.14484	1.29E-03	1.5E-03	1.05E-03	1.54E-06	6.16E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
1382	1.20168	1.29E-03	1.5E-03	1.05E-03	1.61E-06	6.16E-01	1.57E-01	1.56E-07	1.0E+06	1.6E-01
1383	1.24135	1.29E-03	1.6E-03	1.05E-03	1.67E-06	6.16E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
1384	1.28189	1.29E-03	1.6E-03	1.05E-03	1.72E-06	6.16E-01	1.57E-01	1.67E-07	1.0E+06	1.7E-01
1385	1.32295	1.29E-03	1.7E-03	1.05E-03	1.78E-06	6.16E-01	1.57E-01	1.72E-07	1.0E+06	1.7E-01
1386	1.36452	1.29E-03	1.8E-03	1.05E-03	1.83E-06	6.16E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
1387	1.40539	1.29E-03	1.8E-03	1.05E-03	1.89E-06	6.16E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
1388	1.44518	1.29E-03	1.9E-03	1.05E-03	1.94E-06	6.16E-01	1.57E-01	1.88E-07	1.0E+06	1.9E-01
1389	1.48468	1.29E-03	1.9E-03	1.05E-03	1.99E-06	6.16E-01	1.57E-01	1.93E-07	1.0E+06	1.9E-01
1390	1.52527	1.29E-03	2.0E-03	1.05E-03	2.05E-06	6.16E-01	1.57E-01	1.98E-07	1.0E+06	2.0E-01
1391	1.56509	1.29E-03	2.0E-03	1.05E-03	2.10E-06	6.16E-01	1.57E-01	2.04E-07	1.0E+06	2.0E-01
1392	1.60353	1.29E-03	2.1E-03	1.05E-03	2.15E-06	6.16E-01	1.57E-01	2.09E-07	1.0E+06	2.1E-01
1393	1.63942	1.29E-03	2.1E-03	1.05E-03	2.20E-06	6.16E-01	1.57E-01	2.13E-07	1.0E+06	2.1E-01
1394	0.72895	1.29E-03	9.4E-04	1.05E-03	9.79E-07	6.16E-01	1.57E-01	9.49E-08	1.0E+06	9.5E-02
1395	0.74605	1.29E-03	9.6E-04	1.05E-03	1.00E-06	6.16E-01	1.57E-01	9.71E-08	1.0E+06	9.7E-02
1396	0.76371	1.29E-03	9.8E-04	1.05E-03	1.03E-06	6.16E-01	1.57E-01	9.94E-08	1.0E+06	9.9E-02
1397	0.78298	1.29E-03	1.0E-03	1.05E-03	1.05E-06	6.16E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
1398	0.80407	1.29E-03	1.0E-03	1.05E-03	1.08E-06	6.16E-01	1.57E-01	1.05E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	0.82627	1.29E-03	1.1E-03	1.05E-03	1.11E-06	6.16E-01	1.57E-01	1.08E-07	1.0E+06	1.1E-01
1400	0.85246	1.29E-03	1.1E-03	1.05E-03	1.15E-06	6.16E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01
1401	0.88041	1.29E-03	1.1E-03	1.05E-03	1.18E-06	6.16E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
1402	0.9081	1.29E-03	1.2E-03	1.05E-03	1.22E-06	6.16E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
1403	0.93334	1.29E-03	1.2E-03	1.05E-03	1.25E-06	6.16E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
1404	0.95972	1.29E-03	1.2E-03	1.05E-03	1.29E-06	6.16E-01	1.57E-01	1.25E-07	1.0E+06	1.2E-01
1405	0.9925	1.29E-03	1.3E-03	1.05E-03	1.33E-06	6.16E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
1406	1.02915	1.29E-03	1.3E-03	1.05E-03	1.38E-06	6.16E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
1407	1.08816	1.29E-03	1.4E-03	1.05E-03	1.46E-06	6.16E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
1408	1.1665	1.29E-03	1.5E-03	1.05E-03	1.57E-06	6.16E-01	1.57E-01	1.52E-07	1.0E+06	1.5E-01
1409	1.20983	1.29E-03	1.6E-03	1.05E-03	1.63E-06	6.16E-01	1.57E-01	1.57E-07	1.0E+06	1.6E-01
1410	1.27125	1.29E-03	1.6E-03	1.05E-03	1.71E-06	6.16E-01	1.57E-01	1.65E-07	1.0E+06	1.7E-01
1411	1.31543	1.29E-03	1.7E-03	1.05E-03	1.77E-06	6.16E-01	1.57E-01	1.71E-07	1.0E+06	1.7E-01
1412	1.36063	1.29E-03	1.7E-03	1.05E-03	1.83E-06	6.16E-01	1.57E-01	1.77E-07	1.0E+06	1.8E-01
1413	1.40643	1.29E-03	1.8E-03	1.05E-03	1.89E-06	6.16E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
1414	1.45291	1.29E-03	1.9E-03	1.05E-03	1.95E-06	6.16E-01	1.57E-01	1.89E-07	1.0E+06	1.9E-01
1415	1.49861	1.29E-03	1.9E-03	1.05E-03	2.01E-06	6.16E-01	1.57E-01	1.95E-07	1.0E+06	2.0E-01
1416	1.543	1.29E-03	2.0E-03	1.05E-03	2.07E-06	6.16E-01	1.57E-01	2.01E-07	1.0E+06	2.0E-01
1417	1.58691	1.29E-03	2.0E-03	1.05E-03	2.13E-06	6.16E-01	1.57E-01	2.06E-07	1.0E+06	2.1E-01
1418	1.63333	1.29E-03	2.1E-03	1.05E-03	2.19E-06	6.16E-01	1.57E-01	2.13E-07	1.0E+06	2.1E-01
1419	1.679	1.29E-03	2.2E-03	1.05E-03	2.26E-06	6.16E-01	1.57E-01	2.18E-07	1.0E+06	2.2E-01
1420	1.72323	1.29E-03	2.2E-03	1.05E-03	2.31E-06	6.16E-01	1.57E-01	2.24E-07	1.0E+06	2.2E-01
1421	1.76477	1.29E-03	2.3E-03	1.05E-03	2.37E-06	6.16E-01	1.57E-01	2.30E-07	1.0E+06	2.3E-01
1422	0.75905	1.29E-03	9.8E-04	1.05E-03	1.02E-06	6.16E-01	1.57E-01	9.88E-08	1.0E+06	9.9E-02
1423	0.77781	1.29E-03	1.0E-03	1.05E-03	1.04E-06	6.16E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
1424	0.79723	1.29E-03	1.0E-03	1.05E-03	1.07E-06	6.16E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
1425	0.81808	1.29E-03	1.1E-03	1.05E-03	1.10E-06	6.16E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
1426	0.84045	1.29E-03	1.1E-03	1.05E-03	1.13E-06	6.16E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
1427	0.86391	1.29E-03	1.1E-03	1.05E-03	1.16E-06	6.16E-01	1.57E-01	1.12E-07	1.0E+06	1.1E-01
1428	0.89272	1.29E-03	1.1E-03	1.05E-03	1.20E-06	6.16E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
1429	0.92387	1.29E-03	1.2E-03	1.05E-03	1.24E-06	6.16E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	0.9546	1.29E-03	1.2E-03	1.05E-03	1.28E-06	6.16E-01	1.57E-01	1.24E-07	1.0E+06	1.2E-01
1431	0.98283	1.29E-03	1.3E-03	1.05E-03	1.32E-06	6.16E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
1432	1.01241	1.29E-03	1.3E-03	1.05E-03	1.36E-06	6.16E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
1433	1.04711	1.29E-03	1.3E-03	1.05E-03	1.41E-06	6.16E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
1434	1.08541	1.29E-03	1.4E-03	1.05E-03	1.46E-06	6.16E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
1435	1.14768	1.29E-03	1.5E-03	1.05E-03	1.54E-06	6.16E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
1436	1.23146	1.29E-03	1.6E-03	1.05E-03	1.65E-06	6.16E-01	1.57E-01	1.60E-07	1.0E+06	1.6E-01
1437	1.28019	1.29E-03	1.6E-03	1.05E-03	1.72E-06	6.16E-01	1.57E-01	1.67E-07	1.0E+06	1.7E-01
1438	1.34679	1.29E-03	1.7E-03	1.05E-03	1.81E-06	6.16E-01	1.57E-01	1.75E-07	1.0E+06	1.8E-01
1439	1.39617	1.29E-03	1.8E-03	1.05E-03	1.88E-06	6.16E-01	1.57E-01	1.82E-07	1.0E+06	1.8E-01
1440	1.44674	1.29E-03	1.9E-03	1.05E-03	1.94E-06	6.16E-01	1.57E-01	1.88E-07	1.0E+06	1.9E-01
1441	1.49791	1.29E-03	1.9E-03	1.05E-03	2.01E-06	6.16E-01	1.57E-01	1.95E-07	1.0E+06	1.9E-01
1442	1.55008	1.29E-03	2.0E-03	1.05E-03	2.08E-06	6.16E-01	1.57E-01	2.02E-07	1.0E+06	2.0E-01
1443	1.60131	1.29E-03	2.1E-03	1.05E-03	2.15E-06	6.16E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01
1444	1.65105	1.29E-03	2.1E-03	1.05E-03	2.22E-06	6.16E-01	1.57E-01	2.15E-07	1.0E+06	2.1E-01
1445	1.70034	1.29E-03	2.2E-03	1.05E-03	2.28E-06	6.16E-01	1.57E-01	2.21E-07	1.0E+06	2.2E-01
1446	1.7534	1.29E-03	2.3E-03	1.05E-03	2.36E-06	6.16E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
1447	1.80601	1.29E-03	2.3E-03	1.05E-03	2.43E-06	6.16E-01	1.57E-01	2.35E-07	1.0E+06	2.4E-01
1448	1.85712	1.29E-03	2.4E-03	1.05E-03	2.49E-06	6.16E-01	1.57E-01	2.42E-07	1.0E+06	2.4E-01
1449	1.90559	1.29E-03	2.4E-03	1.05E-03	2.56E-06	6.16E-01	1.57E-01	2.48E-07	1.0E+06	2.5E-01
1450	0.79021	1.29E-03	1.0E-03	1.05E-03	1.06E-06	6.16E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
1451	0.81091	1.29E-03	1.0E-03	1.05E-03	1.09E-06	6.16E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
1452	0.83227	1.29E-03	1.1E-03	1.05E-03	1.12E-06	6.16E-01	1.57E-01	1.08E-07	1.0E+06	1.1E-01
1453	0.85487	1.29E-03	1.1E-03	1.05E-03	1.15E-06	6.16E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01
1454	0.8789	1.29E-03	1.1E-03	1.05E-03	1.18E-06	6.16E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
1455	0.90387	1.29E-03	1.2E-03	1.05E-03	1.21E-06	6.16E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
1456	0.93569	1.29E-03	1.2E-03	1.05E-03	1.26E-06	6.16E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
1457	0.97038	1.29E-03	1.2E-03	1.05E-03	1.30E-06	6.16E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
1458	1.00454	1.29E-03	1.3E-03	1.05E-03	1.35E-06	6.16E-01	1.57E-01	1.31E-07	1.0E+06	1.3E-01
1459	1.0359	1.29E-03	1.3E-03	1.05E-03	1.39E-06	6.16E-01	1.57E-01	1.35E-07	1.0E+06	1.3E-01
1460	1.06914	1.29E-03	1.4E-03	1.05E-03	1.44E-06	6.16E-01	1.57E-01	1.39E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1.10614	1.29E-03	1.4E-03	1.05E-03	1.49E-06	6.16E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
1462	1.14658	1.29E-03	1.5E-03	1.05E-03	1.54E-06	6.16E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
1463	1.1909	1.29E-03	1.5E-03	1.05E-03	1.60E-06	6.16E-01	1.57E-01	1.55E-07	1.0E+06	1.5E-01
1464	1.30156	1.29E-03	1.7E-03	1.05E-03	1.75E-06	6.16E-01	1.57E-01	1.69E-07	1.0E+06	1.7E-01
1465	1.35654	1.29E-03	1.7E-03	1.05E-03	1.82E-06	6.16E-01	1.57E-01	1.77E-07	1.0E+06	1.8E-01
1466	1.4289	1.29E-03	1.8E-03	1.05E-03	1.92E-06	6.16E-01	1.57E-01	1.86E-07	1.0E+06	1.9E-01
1467	1.48409	1.29E-03	1.9E-03	1.05E-03	1.99E-06	6.16E-01	1.57E-01	1.93E-07	1.0E+06	1.9E-01
1468	1.54085	1.29E-03	2.0E-03	1.05E-03	2.07E-06	6.16E-01	1.57E-01	2.00E-07	1.0E+06	2.0E-01
1469	1.59849	1.29E-03	2.1E-03	1.05E-03	2.15E-06	6.16E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01
1470	1.65719	1.29E-03	2.1E-03	1.05E-03	2.23E-06	6.16E-01	1.57E-01	2.16E-07	1.0E+06	2.2E-01
1471	1.71487	1.29E-03	2.2E-03	1.05E-03	2.30E-06	6.16E-01	1.57E-01	2.23E-07	1.0E+06	2.2E-01
1472	1.77089	1.29E-03	2.3E-03	1.05E-03	2.38E-06	6.16E-01	1.57E-01	2.30E-07	1.0E+06	2.3E-01
1473	1.82649	1.29E-03	2.3E-03	1.05E-03	2.45E-06	6.16E-01	1.57E-01	2.38E-07	1.0E+06	2.4E-01
1474	1.88758	1.29E-03	2.4E-03	1.05E-03	2.54E-06	6.16E-01	1.57E-01	2.46E-07	1.0E+06	2.5E-01
1475	1.94833	1.29E-03	2.5E-03	1.05E-03	2.62E-06	6.16E-01	1.57E-01	2.54E-07	1.0E+06	2.5E-01
1476	2.00788	1.29E-03	2.6E-03	1.05E-03	2.70E-06	6.16E-01	1.57E-01	2.61E-07	1.0E+06	2.6E-01
1477	2.06454	1.29E-03	2.7E-03	1.05E-03	2.77E-06	6.16E-01	1.57E-01	2.69E-07	1.0E+06	2.7E-01
1478	0.82198	1.29E-03	1.1E-03	1.05E-03	1.10E-06	6.16E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
1479	0.84509	1.29E-03	1.1E-03	1.05E-03	1.14E-06	6.16E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
1480	0.86906	1.29E-03	1.1E-03	1.05E-03	1.17E-06	6.16E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
1481	0.89437	1.29E-03	1.1E-03	1.05E-03	1.20E-06	6.16E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
1482	0.92108	1.29E-03	1.2E-03	1.05E-03	1.24E-06	6.16E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
1483	0.94908	1.29E-03	1.2E-03	1.05E-03	1.27E-06	6.16E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
1484	0.98357	1.29E-03	1.3E-03	1.05E-03	1.32E-06	6.16E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
1485	1.02091	1.29E-03	1.3E-03	1.05E-03	1.37E-06	6.16E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
1486	1.05816	1.29E-03	1.4E-03	1.05E-03	1.42E-06	6.16E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
1487	1.09296	1.29E-03	1.4E-03	1.05E-03	1.47E-06	6.16E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
1488	1.1299	1.29E-03	1.5E-03	1.05E-03	1.52E-06	6.16E-01	1.57E-01	1.47E-07	1.0E+06	1.5E-01
1489	1.17079	1.29E-03	1.5E-03	1.05E-03	1.57E-06	6.16E-01	1.57E-01	1.52E-07	1.0E+06	1.5E-01
1490	1.21553	1.29E-03	1.6E-03	1.05E-03	1.63E-06	6.16E-01	1.57E-01	1.58E-07	1.0E+06	1.6E-01
1491	1.26442	1.29E-03	1.6E-03	1.05E-03	1.70E-06	6.16E-01	1.57E-01	1.65E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1.361	1.29E-03	1.7E-03	1.05E-03	1.83E-06	6.16E-01	1.57E-01	1.77E-07	1.0E+06	1.8E-01
1493	1.43817	1.29E-03	1.8E-03	1.05E-03	1.93E-06	6.16E-01	1.57E-01	1.87E-07	1.0E+06	1.9E-01
1494	1.51658	1.29E-03	1.9E-03	1.05E-03	2.04E-06	6.16E-01	1.57E-01	1.97E-07	1.0E+06	2.0E-01
1495	1.57869	1.29E-03	2.0E-03	1.05E-03	2.12E-06	6.16E-01	1.57E-01	2.05E-07	1.0E+06	2.1E-01
1496	1.6427	1.29E-03	2.1E-03	1.05E-03	2.21E-06	6.16E-01	1.57E-01	2.14E-07	1.0E+06	2.1E-01
1497	1.70818	1.29E-03	2.2E-03	1.05E-03	2.29E-06	6.16E-01	1.57E-01	2.22E-07	1.0E+06	2.2E-01
1498	1.77539	1.29E-03	2.3E-03	1.05E-03	2.38E-06	6.16E-01	1.57E-01	2.31E-07	1.0E+06	2.3E-01
1499	1.84179	1.29E-03	2.4E-03	1.05E-03	2.47E-06	6.16E-01	1.57E-01	2.40E-07	1.0E+06	2.4E-01
1500	1.90691	1.29E-03	2.5E-03	1.05E-03	2.56E-06	6.16E-01	1.57E-01	2.48E-07	1.0E+06	2.5E-01
1501	1.97185	1.29E-03	2.5E-03	1.05E-03	2.65E-06	6.16E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01
1502	2.04197	1.29E-03	2.6E-03	1.05E-03	2.74E-06	6.16E-01	1.57E-01	2.66E-07	1.0E+06	2.7E-01
1503	2.11188	1.29E-03	2.7E-03	1.05E-03	2.84E-06	6.16E-01	1.57E-01	2.75E-07	1.0E+06	2.7E-01
1504	2.18036	1.29E-03	2.8E-03	1.05E-03	2.93E-06	6.16E-01	1.57E-01	2.84E-07	1.0E+06	2.8E-01
1505	2.24581	1.29E-03	2.9E-03	1.05E-03	3.02E-06	6.16E-01	1.57E-01	2.92E-07	1.0E+06	2.9E-01
1506	0.8541	1.29E-03	1.1E-03	1.05E-03	1.15E-06	6.16E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01
1507	0.8802	1.29E-03	1.1E-03	1.05E-03	1.18E-06	6.16E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
1508	0.90729	1.29E-03	1.2E-03	1.05E-03	1.22E-06	6.16E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
1509	0.93593	1.29E-03	1.2E-03	1.05E-03	1.26E-06	6.16E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
1510	0.96633	1.29E-03	1.2E-03	1.05E-03	1.30E-06	6.16E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
1511	0.99804	1.29E-03	1.3E-03	1.05E-03	1.34E-06	6.16E-01	1.57E-01	1.30E-07	1.0E+06	1.3E-01
1512	1.03523	1.29E-03	1.3E-03	1.05E-03	1.39E-06	6.16E-01	1.57E-01	1.35E-07	1.0E+06	1.3E-01
1513	1.07514	1.29E-03	1.4E-03	1.05E-03	1.44E-06	6.16E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
1514	1.11546	1.29E-03	1.4E-03	1.05E-03	1.50E-06	6.16E-01	1.57E-01	1.45E-07	1.0E+06	1.5E-01
1515	1.15414	1.29E-03	1.5E-03	1.05E-03	1.55E-06	6.16E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
1516	1.19503	1.29E-03	1.5E-03	1.05E-03	1.61E-06	6.16E-01	1.57E-01	1.55E-07	1.0E+06	1.6E-01
1517	1.24071	1.29E-03	1.6E-03	1.05E-03	1.67E-06	6.16E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
1518	1.29106	1.29E-03	1.7E-03	1.05E-03	1.73E-06	6.16E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
1519	1.36574	1.29E-03	1.8E-03	1.05E-03	1.83E-06	6.16E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
1520	1.44482	1.29E-03	1.9E-03	1.05E-03	1.94E-06	6.16E-01	1.57E-01	1.88E-07	1.0E+06	1.9E-01
1521	1.52623	1.29E-03	2.0E-03	1.05E-03	2.05E-06	6.16E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
1522	1.6115	1.29E-03	2.1E-03	1.05E-03	2.16E-06	6.16E-01	1.57E-01	2.10E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1.68139	1.29E-03	2.2E-03	1.05E-03	2.26E-06	6.16E-01	1.57E-01	2.19E-07	1.0E+06	2.2E-01
1524	1.75393	1.29E-03	2.3E-03	1.05E-03	2.36E-06	6.16E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
1525	1.82886	1.29E-03	2.4E-03	1.05E-03	2.46E-06	6.16E-01	1.57E-01	2.38E-07	1.0E+06	2.4E-01
1526	1.90598	1.29E-03	2.4E-03	1.05E-03	2.56E-06	6.16E-01	1.57E-01	2.48E-07	1.0E+06	2.5E-01
1527	1.98321	1.29E-03	2.5E-03	1.05E-03	2.66E-06	6.16E-01	1.57E-01	2.58E-07	1.0E+06	2.6E-01
1528	2.05946	1.29E-03	2.6E-03	1.05E-03	2.77E-06	6.16E-01	1.57E-01	2.68E-07	1.0E+06	2.7E-01
1529	2.1359	1.29E-03	2.7E-03	1.05E-03	2.87E-06	6.16E-01	1.57E-01	2.78E-07	1.0E+06	2.8E-01
1530	2.21693	1.29E-03	2.8E-03	1.05E-03	2.98E-06	6.16E-01	1.57E-01	2.88E-07	1.0E+06	2.9E-01
1531	2.29776	1.29E-03	3.0E-03	1.05E-03	3.09E-06	6.16E-01	1.57E-01	2.99E-07	1.0E+06	3.0E-01
1532	2.3771	1.29E-03	3.1E-03	1.05E-03	3.19E-06	6.16E-01	1.57E-01	3.09E-07	1.0E+06	3.1E-01
1533	2.45301	1.29E-03	3.2E-03	1.05E-03	3.30E-06	6.16E-01	1.57E-01	3.19E-07	1.0E+06	3.2E-01
1534	0.88625	1.29E-03	1.1E-03	1.05E-03	1.19E-06	6.16E-01	1.57E-01	1.15E-07	1.0E+06	1.2E-01
1535	0.91582	1.29E-03	1.2E-03	1.05E-03	1.23E-06	6.16E-01	1.57E-01	1.19E-07	1.0E+06	1.2E-01
1536	0.94649	1.29E-03	1.2E-03	1.05E-03	1.27E-06	6.16E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
1537	0.97896	1.29E-03	1.3E-03	1.05E-03	1.32E-06	6.16E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
1538	1.01336	1.29E-03	1.3E-03	1.05E-03	1.36E-06	6.16E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
1539	1.04934	1.29E-03	1.3E-03	1.05E-03	1.41E-06	6.16E-01	1.57E-01	1.37E-07	1.0E+06	1.4E-01
1540	1.08948	1.29E-03	1.4E-03	1.05E-03	1.46E-06	6.16E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
1541	1.13251	1.29E-03	1.5E-03	1.05E-03	1.52E-06	6.16E-01	1.57E-01	1.47E-07	1.0E+06	1.5E-01
1542	1.17645	1.29E-03	1.5E-03	1.05E-03	1.58E-06	6.16E-01	1.57E-01	1.53E-07	1.0E+06	1.5E-01
1543	1.21928	1.29E-03	1.6E-03	1.05E-03	1.64E-06	6.16E-01	1.57E-01	1.59E-07	1.0E+06	1.6E-01
1544	1.26478	1.29E-03	1.6E-03	1.05E-03	1.70E-06	6.16E-01	1.57E-01	1.65E-07	1.0E+06	1.6E-01
1545	1.31584	1.29E-03	1.7E-03	1.05E-03	1.77E-06	6.16E-01	1.57E-01	1.71E-07	1.0E+06	1.7E-01
1546	1.3722	1.29E-03	1.8E-03	1.05E-03	1.84E-06	6.16E-01	1.57E-01	1.79E-07	1.0E+06	1.8E-01
1547	1.45238	1.29E-03	1.9E-03	1.05E-03	1.95E-06	6.16E-01	1.57E-01	1.89E-07	1.0E+06	1.9E-01
1548	1.53567	1.29E-03	2.0E-03	1.05E-03	2.06E-06	6.16E-01	1.57E-01	2.00E-07	1.0E+06	2.0E-01
1549	1.62189	1.29E-03	2.1E-03	1.05E-03	2.18E-06	6.16E-01	1.57E-01	2.11E-07	1.0E+06	2.1E-01
1550	1.69641	1.29E-03	2.2E-03	1.05E-03	2.28E-06	6.16E-01	1.57E-01	2.21E-07	1.0E+06	2.2E-01
1551	1.79353	1.29E-03	2.3E-03	1.05E-03	2.41E-06	6.16E-01	1.57E-01	2.33E-07	1.0E+06	2.3E-01
1552	1.87592	1.29E-03	2.4E-03	1.05E-03	2.52E-06	6.16E-01	1.57E-01	2.44E-07	1.0E+06	2.4E-01
1553	1.96201	1.29E-03	2.5E-03	1.05E-03	2.64E-06	6.16E-01	1.57E-01	2.55E-07	1.0E+06	2.6E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.05105	1.29E-03	2.6E-03	1.05E-03	2.76E-06	6.16E-01	1.57E-01	2.67E-07	1.0E+06	2.7E-01
1555	2.14093	1.29E-03	2.8E-03	1.05E-03	2.88E-06	6.16E-01	1.57E-01	2.79E-07	1.0E+06	2.8E-01
1556	2.23061	1.29E-03	2.9E-03	1.05E-03	3.00E-06	6.16E-01	1.57E-01	2.90E-07	1.0E+06	2.9E-01
1557	2.32148	1.29E-03	3.0E-03	1.05E-03	3.12E-06	6.16E-01	1.57E-01	3.02E-07	1.0E+06	3.0E-01
1558	2.41558	1.29E-03	3.1E-03	1.05E-03	3.24E-06	6.16E-01	1.57E-01	3.14E-07	1.0E+06	3.1E-01
1559	2.50973	1.29E-03	3.2E-03	1.05E-03	3.37E-06	6.16E-01	1.57E-01	3.27E-07	1.0E+06	3.3E-01
1560	2.60239	1.29E-03	3.3E-03	1.05E-03	3.50E-06	6.16E-01	1.57E-01	3.39E-07	1.0E+06	3.4E-01
1561	2.69114	1.29E-03	3.5E-03	1.05E-03	3.61E-06	6.16E-01	1.57E-01	3.50E-07	1.0E+06	3.5E-01
1562	0.91971	1.29E-03	1.2E-03	1.05E-03	1.24E-06	6.16E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
1563	0.952	1.29E-03	1.2E-03	1.05E-03	1.28E-06	6.16E-01	1.57E-01	1.24E-07	1.0E+06	1.2E-01
1564	0.98558	1.29E-03	1.3E-03	1.05E-03	1.32E-06	6.16E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
1565	1.02141	1.29E-03	1.3E-03	1.05E-03	1.37E-06	6.16E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
1566	1.05997	1.29E-03	1.4E-03	1.05E-03	1.42E-06	6.16E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
1567	1.10025	1.29E-03	1.4E-03	1.05E-03	1.48E-06	6.16E-01	1.57E-01	1.43E-07	1.0E+06	1.4E-01
1568	1.14403	1.29E-03	1.5E-03	1.05E-03	1.54E-06	6.16E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
1569	1.19044	1.29E-03	1.5E-03	1.05E-03	1.60E-06	6.16E-01	1.57E-01	1.55E-07	1.0E+06	1.5E-01
1570	1.23858	1.29E-03	1.6E-03	1.05E-03	1.66E-06	6.16E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
1571	1.28646	1.29E-03	1.7E-03	1.05E-03	1.73E-06	6.16E-01	1.57E-01	1.67E-07	1.0E+06	1.7E-01
1572	1.33769	1.29E-03	1.7E-03	1.05E-03	1.80E-06	6.16E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
1573	1.39468	1.29E-03	1.8E-03	1.05E-03	1.87E-06	6.16E-01	1.57E-01	1.81E-07	1.0E+06	1.8E-01
1574	1.45778	1.29E-03	1.9E-03	1.05E-03	1.96E-06	6.16E-01	1.57E-01	1.90E-07	1.0E+06	1.9E-01
1575	1.54434	1.29E-03	2.0E-03	1.05E-03	2.07E-06	6.16E-01	1.57E-01	2.01E-07	1.0E+06	2.0E-01
1576	1.63349	1.29E-03	2.1E-03	1.05E-03	2.19E-06	6.16E-01	1.57E-01	2.13E-07	1.0E+06	2.1E-01
1577	1.72571	1.29E-03	2.2E-03	1.05E-03	2.32E-06	6.16E-01	1.57E-01	2.25E-07	1.0E+06	2.2E-01
1578	1.80944	1.29E-03	2.3E-03	1.05E-03	2.43E-06	6.16E-01	1.57E-01	2.35E-07	1.0E+06	2.4E-01
1579	1.91632	1.29E-03	2.5E-03	1.05E-03	2.57E-06	6.16E-01	1.57E-01	2.49E-07	1.0E+06	2.5E-01
1580	2.00996	1.29E-03	2.6E-03	1.05E-03	2.70E-06	6.16E-01	1.57E-01	2.62E-07	1.0E+06	2.6E-01
1581	2.10875	1.29E-03	2.7E-03	1.05E-03	2.83E-06	6.16E-01	1.57E-01	2.74E-07	1.0E+06	2.7E-01
1582	2.21124	1.29E-03	2.8E-03	1.05E-03	2.97E-06	6.16E-01	1.57E-01	2.88E-07	1.0E+06	2.9E-01
1583	2.31586	1.29E-03	3.0E-03	1.05E-03	3.11E-06	6.16E-01	1.57E-01	3.01E-07	1.0E+06	3.0E-01
1584	2.42156	1.29E-03	3.1E-03	1.05E-03	3.25E-06	6.16E-01	1.57E-01	3.15E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.52885	1.29E-03	3.3E-03	1.05E-03	3.40E-06	6.16E-01	1.57E-01	3.29E-07	1.0E+06	3.3E-01
1586	2.63947	1.29E-03	3.4E-03	1.05E-03	3.55E-06	6.16E-01	1.57E-01	3.43E-07	1.0E+06	3.4E-01
1587	2.75064	1.29E-03	3.5E-03	1.05E-03	3.69E-06	6.16E-01	1.57E-01	3.58E-07	1.0E+06	3.6E-01
1588	2.86047	1.29E-03	3.7E-03	1.05E-03	3.84E-06	6.16E-01	1.57E-01	3.72E-07	1.0E+06	3.7E-01
1589	2.96568	1.29E-03	3.8E-03	1.05E-03	3.98E-06	6.16E-01	1.57E-01	3.86E-07	1.0E+06	3.9E-01
1590	0.95399	1.29E-03	1.2E-03	1.05E-03	1.28E-06	6.16E-01	1.57E-01	1.24E-07	1.0E+06	1.2E-01
1591	0.98829	1.29E-03	1.3E-03	1.05E-03	1.33E-06	6.16E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
1592	1.02397	1.29E-03	1.3E-03	1.05E-03	1.38E-06	6.16E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
1593	1.06306	1.29E-03	1.4E-03	1.05E-03	1.43E-06	6.16E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
1594	1.10602	1.29E-03	1.4E-03	1.05E-03	1.49E-06	6.16E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
1595	1.15103	1.29E-03	1.5E-03	1.05E-03	1.55E-06	6.16E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
0	0	1.29E-03	0.0E+00	1.05E-03	0.00E+00	6.16E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	2.06E-04
1214	5	1.87E-04
1215	5	1.90E-04
1216	5	1.93E-04
1217	5	1.96E-04
1218	5	1.99E-04
1219	5	2.02E-04
1220	5	2.05E-04
1221	5	2.08E-04
1222	5	2.10E-04
1223	5	2.12E-04
1224	5	2.14E-04
1225	5	2.16E-04
1226	5	2.17E-04
1227	5	2.18E-04
1228	5	1.95E-04
1229	5	1.99E-04
1230	5	2.02E-04
1231	5	2.06E-04
1232	5	2.09E-04
1233	5	2.12E-04
1234	5	2.15E-04
1235	5	2.18E-04
1236	5	2.21E-04
1237	5	2.23E-04
1238	5	2.25E-04
1239	5	2.27E-04
1240	5	2.28E-04
1241	5	2.30E-04
1242	5	2.05E-04
1243	5	2.08E-04

Max	Receptor #	
0.001	1589	Res

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	2.12E-04
1245	5	2.16E-04
1246	5	2.20E-04
1247	5	2.23E-04
1248	5	2.26E-04
1249	5	2.30E-04
1250	5	2.32E-04
1251	5	2.35E-04
1252	5	2.37E-04
1253	5	2.39E-04
1254	5	2.41E-04
1255	5	2.42E-04
1256	5	2.15E-04
1257	5	2.19E-04
1258	5	2.23E-04
1259	5	2.27E-04
1260	5	2.31E-04
1261	5	2.35E-04
1262	5	2.38E-04
1263	5	2.42E-04
1264	5	2.45E-04
1265	5	2.48E-04
1266	5	2.50E-04
1267	5	2.52E-04
1268	5	2.54E-04
1269	5	2.56E-04
1270	5	2.25E-04
1271	5	2.30E-04
1272	5	2.34E-04
1273	5	2.38E-04
1274	5	2.43E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	2.47E-04
1276	5	2.51E-04
1277	5	2.55E-04
1278	5	2.59E-04
1279	5	2.62E-04
1280	5	2.64E-04
1281	5	2.67E-04
1282	5	2.69E-04
1283	5	2.71E-04
1284	5	2.37E-04
1285	5	2.42E-04
1286	5	2.46E-04
1287	5	2.51E-04
1288	5	2.56E-04
1289	5	2.61E-04
1290	5	2.65E-04
1291	5	2.70E-04
1292	5	2.74E-04
1293	5	2.77E-04
1294	5	2.80E-04
1295	5	2.83E-04
1296	5	2.85E-04
1297	5	2.87E-04
1298	5	2.49E-04
1299	5	2.55E-04
1300	5	2.60E-04
1301	5	2.65E-04
1302	5	2.70E-04
1303	5	2.75E-04
1304	5	2.80E-04
1305	5	2.85E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	2.63E-04
1307	5	2.69E-04
1308	5	2.75E-04
1309	5	2.80E-04
1310	5	2.86E-04
1311	5	2.92E-04
1312	5	2.98E-04
1313	5	3.03E-04
1314	5	2.78E-04
1315	5	2.84E-04
1316	5	2.91E-04
1317	5	2.97E-04
1318	5	3.04E-04
1319	5	3.10E-04
1320	5	3.16E-04
1321	5	3.22E-04
1322	5	2.94E-04
1323	5	3.01E-04
1324	5	3.09E-04
1325	5	3.16E-04
1326	5	3.23E-04
1327	5	3.30E-04
1328	5	3.37E-04
1329	5	3.43E-04
1330	5	3.11E-04
1331	5	3.20E-04
1332	5	3.28E-04
1333	5	3.36E-04
1334	5	3.44E-04
1335	5	3.52E-04
1336	5	3.60E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	3.67E-04
1338	5	1.72E-04
1339	5	1.76E-04
1340	5	1.80E-04
1341	5	1.84E-04
1342	5	1.89E-04
1343	5	1.94E-04
1344	5	2.00E-04
1345	5	2.06E-04
1346	5	2.12E-04
1347	5	2.18E-04
1348	5	2.24E-04
1349	5	2.31E-04
1350	5	2.44E-04
1351	5	2.57E-04
1352	5	2.70E-04
1353	5	2.83E-04
1354	5	2.93E-04
1355	5	3.02E-04
1356	5	3.11E-04
1357	5	3.21E-04
1358	5	3.30E-04
1359	5	3.39E-04
1360	5	3.49E-04
1361	5	3.58E-04
1362	5	3.67E-04
1363	5	3.76E-04
1364	5	3.85E-04
1365	5	3.93E-04
1366	5	1.80E-04
1367	5	1.84E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	1.88E-04
1369	5	1.93E-04
1370	5	1.98E-04
1371	5	2.03E-04
1372	5	2.09E-04
1373	5	2.16E-04
1374	5	2.22E-04
1375	5	2.28E-04
1376	5	2.34E-04
1377	5	2.42E-04
1378	5	2.51E-04
1379	5	2.66E-04
1380	5	2.84E-04
1381	5	2.94E-04
1382	5	3.09E-04
1383	5	3.19E-04
1384	5	3.29E-04
1385	5	3.40E-04
1386	5	3.51E-04
1387	5	3.61E-04
1388	5	3.71E-04
1389	5	3.82E-04
1390	5	3.92E-04
1391	5	4.02E-04
1392	5	4.12E-04
1393	5	4.21E-04
1394	5	1.87E-04
1395	5	1.92E-04
1396	5	1.96E-04
1397	5	2.01E-04
1398	5	2.07E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	2.12E-04
1400	5	2.19E-04
1401	5	2.26E-04
1402	5	2.33E-04
1403	5	2.40E-04
1404	5	2.47E-04
1405	5	2.55E-04
1406	5	2.65E-04
1407	5	2.80E-04
1408	5	3.00E-04
1409	5	3.11E-04
1410	5	3.27E-04
1411	5	3.38E-04
1412	5	3.50E-04
1413	5	3.62E-04
1414	5	3.73E-04
1415	5	3.85E-04
1416	5	3.97E-04
1417	5	4.08E-04
1418	5	4.20E-04
1419	5	4.32E-04
1420	5	4.43E-04
1421	5	4.54E-04
1422	5	1.95E-04
1423	5	2.00E-04
1424	5	2.05E-04
1425	5	2.10E-04
1426	5	2.16E-04
1427	5	2.22E-04
1428	5	2.29E-04
1429	5	2.37E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	2.45E-04
1431	5	2.53E-04
1432	5	2.60E-04
1433	5	2.69E-04
1434	5	2.79E-04
1435	5	2.95E-04
1436	5	3.17E-04
1437	5	3.29E-04
1438	5	3.46E-04
1439	5	3.59E-04
1440	5	3.72E-04
1441	5	3.85E-04
1442	5	3.98E-04
1443	5	4.12E-04
1444	5	4.24E-04
1445	5	4.37E-04
1446	5	4.51E-04
1447	5	4.64E-04
1448	5	4.77E-04
1449	5	4.90E-04
1450	5	2.03E-04
1451	5	2.08E-04
1452	5	2.14E-04
1453	5	2.20E-04
1454	5	2.26E-04
1455	5	2.32E-04
1456	5	2.41E-04
1457	5	2.49E-04
1458	5	2.58E-04
1459	5	2.66E-04
1460	5	2.75E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	2.84E-04
1462	5	2.95E-04
1463	5	3.06E-04
1464	5	3.35E-04
1465	5	3.49E-04
1466	5	3.67E-04
1467	5	3.81E-04
1468	5	3.96E-04
1469	5	4.11E-04
1470	5	4.26E-04
1471	5	4.41E-04
1472	5	4.55E-04
1473	5	4.69E-04
1474	5	4.85E-04
1475	5	5.01E-04
1476	5	5.16E-04
1477	5	5.31E-04
1478	5	2.11E-04
1479	5	2.17E-04
1480	5	2.23E-04
1481	5	2.30E-04
1482	5	2.37E-04
1483	5	2.44E-04
1484	5	2.53E-04
1485	5	2.62E-04
1486	5	2.72E-04
1487	5	2.81E-04
1488	5	2.90E-04
1489	5	3.01E-04
1490	5	3.12E-04
1491	5	3.25E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	3.50E-04
1493	5	3.70E-04
1494	5	3.90E-04
1495	5	4.06E-04
1496	5	4.22E-04
1497	5	4.39E-04
1498	5	4.56E-04
1499	5	4.73E-04
1500	5	4.90E-04
1501	5	5.07E-04
1502	5	5.25E-04
1503	5	5.43E-04
1504	5	5.60E-04
1505	5	5.77E-04
1506	5	2.20E-04
1507	5	2.26E-04
1508	5	2.33E-04
1509	5	2.41E-04
1510	5	2.48E-04
1511	5	2.57E-04
1512	5	2.66E-04
1513	5	2.76E-04
1514	5	2.87E-04
1515	5	2.97E-04
1516	5	3.07E-04
1517	5	3.19E-04
1518	5	3.32E-04
1519	5	3.51E-04
1520	5	3.71E-04
1521	5	3.92E-04
1522	5	4.14E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	4.32E-04
1524	5	4.51E-04
1525	5	4.70E-04
1526	5	4.90E-04
1527	5	5.10E-04
1528	5	5.29E-04
1529	5	5.49E-04
1530	5	5.70E-04
1531	5	5.91E-04
1532	5	6.11E-04
1533	5	6.31E-04
1534	5	2.28E-04
1535	5	2.35E-04
1536	5	2.43E-04
1537	5	2.52E-04
1538	5	2.60E-04
1539	5	2.70E-04
1540	5	2.80E-04
1541	5	2.91E-04
1542	5	3.02E-04
1543	5	3.13E-04
1544	5	3.25E-04
1545	5	3.38E-04
1546	5	3.53E-04
1547	5	3.73E-04
1548	5	3.95E-04
1549	5	4.17E-04
1550	5	4.36E-04
1551	5	4.61E-04
1552	5	4.82E-04
1553	5	5.04E-04

One San Pedro Specific Plan

Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	5.27E-04
1555	5	5.50E-04
1556	5	5.73E-04
1557	5	5.97E-04
1558	5	6.21E-04
1559	5	6.45E-04
1560	5	6.69E-04
1561	5	6.92E-04
1562	5	2.36E-04
1563	5	2.45E-04
1564	5	2.53E-04
1565	5	2.63E-04
1566	5	2.72E-04
1567	5	2.83E-04
1568	5	2.94E-04
1569	5	3.06E-04
1570	5	3.18E-04
1571	5	3.31E-04
1572	5	3.44E-04
1573	5	3.58E-04
1574	5	3.75E-04
1575	5	3.97E-04
1576	5	4.20E-04
1577	5	4.44E-04
1578	5	4.65E-04
1579	5	4.93E-04
1580	5	5.17E-04
1581	5	5.42E-04
1582	5	5.68E-04
1583	5	5.95E-04
1584	5	6.22E-04

One San Pedro Specific Plan
Unmitigated - Harbor Site - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	6.50E-04
1586	5	6.78E-04
1587	5	7.07E-04
1588	5	7.35E-04
1589	5	7.62E-04
1590	5	2.45E-04
1591	5	2.54E-04
1592	5	2.63E-04
1593	5	2.73E-04
1594	5	2.84E-04
1595	5	2.96E-04
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1.59495	3.12E-02	5.0E-02	1.05E-03	5.20E-05	3.32E-01	1.57E-01	2.71E-06	1.0E+06	2.7E+00
1214	7.03161	3.12E-02	2.2E-01	1.05E-03	2.29E-04	3.32E-01	1.57E-01	1.20E-05	1.0E+06	1.2E+01
1215	5.89693	3.12E-02	1.8E-01	1.05E-03	1.92E-04	3.32E-01	1.57E-01	1.00E-05	1.0E+06	1.0E+01
1216	5.02303	3.12E-02	1.6E-01	1.05E-03	1.64E-04	3.32E-01	1.57E-01	8.54E-06	1.0E+06	8.5E+00
1217	4.33808	3.12E-02	1.4E-01	1.05E-03	1.42E-04	3.32E-01	1.57E-01	7.37E-06	1.0E+06	7.4E+00
1218	3.7882	3.12E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.44E-06	1.0E+06	6.4E+00
1219	3.34097	3.12E-02	1.0E-01	1.05E-03	1.09E-04	3.32E-01	1.57E-01	5.68E-06	1.0E+06	5.7E+00
1220	2.97174	3.12E-02	9.3E-02	1.05E-03	9.69E-05	3.32E-01	1.57E-01	5.05E-06	1.0E+06	5.1E+00
1221	2.66332	3.12E-02	8.3E-02	1.05E-03	8.69E-05	3.32E-01	1.57E-01	4.53E-06	1.0E+06	4.5E+00
1222	2.40255	3.12E-02	7.5E-02	1.05E-03	7.84E-05	3.32E-01	1.57E-01	4.08E-06	1.0E+06	4.1E+00
1223	2.18201	3.12E-02	6.8E-02	1.05E-03	7.12E-05	3.32E-01	1.57E-01	3.71E-06	1.0E+06	3.7E+00
1224	1.99166	3.12E-02	6.2E-02	1.05E-03	6.50E-05	3.32E-01	1.57E-01	3.38E-06	1.0E+06	3.4E+00
1225	1.82652	3.12E-02	5.7E-02	1.05E-03	5.96E-05	3.32E-01	1.57E-01	3.10E-06	1.0E+06	3.1E+00
1226	1.68223	3.12E-02	5.3E-02	1.05E-03	5.49E-05	3.32E-01	1.57E-01	2.86E-06	1.0E+06	2.9E+00
1227	1.55508	3.12E-02	4.9E-02	1.05E-03	5.07E-05	3.32E-01	1.57E-01	2.64E-06	1.0E+06	2.6E+00
1228	7.81928	3.12E-02	2.4E-01	1.05E-03	2.55E-04	3.32E-01	1.57E-01	1.33E-05	1.0E+06	1.3E+01
1229	6.37384	3.12E-02	2.0E-01	1.05E-03	2.08E-04	3.32E-01	1.57E-01	1.08E-05	1.0E+06	1.1E+01
1230	5.32173	3.12E-02	1.7E-01	1.05E-03	1.74E-04	3.32E-01	1.57E-01	9.04E-06	1.0E+06	9.0E+00
1231	4.53088	3.12E-02	1.4E-01	1.05E-03	1.48E-04	3.32E-01	1.57E-01	7.70E-06	1.0E+06	7.7E+00
1232	3.91123	3.12E-02	1.2E-01	1.05E-03	1.28E-04	3.32E-01	1.57E-01	6.65E-06	1.0E+06	6.6E+00
1233	3.41912	3.12E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.81E-06	1.0E+06	5.8E+00
1234	3.02139	3.12E-02	9.4E-02	1.05E-03	9.86E-05	3.32E-01	1.57E-01	5.13E-06	1.0E+06	5.1E+00
1235	2.69416	3.12E-02	8.4E-02	1.05E-03	8.79E-05	3.32E-01	1.57E-01	4.58E-06	1.0E+06	4.6E+00
1236	2.42062	3.12E-02	7.6E-02	1.05E-03	7.90E-05	3.32E-01	1.57E-01	4.11E-06	1.0E+06	4.1E+00
1237	2.19205	3.12E-02	6.8E-02	1.05E-03	7.15E-05	3.32E-01	1.57E-01	3.73E-06	1.0E+06	3.7E+00
1238	1.99681	3.12E-02	6.2E-02	1.05E-03	6.51E-05	3.32E-01	1.57E-01	3.39E-06	1.0E+06	3.4E+00
1239	1.8282	3.12E-02	5.7E-02	1.05E-03	5.96E-05	3.32E-01	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1240	1.6816	3.12E-02	5.2E-02	1.05E-03	5.49E-05	3.32E-01	1.57E-01	2.86E-06	1.0E+06	2.9E+00
1241	1.55308	3.12E-02	4.8E-02	1.05E-03	5.07E-05	3.32E-01	1.57E-01	2.64E-06	1.0E+06	2.6E+00
1242	6.64204	3.12E-02	2.1E-01	1.05E-03	2.17E-04	3.32E-01	1.57E-01	1.13E-05	1.0E+06	1.1E+01
1243	6.7965	3.12E-02	2.1E-01	1.05E-03	2.22E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	5.57115	3.12E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.47E-06	1.0E+06	9.5E+00
1245	4.68059	3.12E-02	1.5E-01	1.05E-03	1.53E-04	3.32E-01	1.57E-01	7.95E-06	1.0E+06	8.0E+00
1246	3.99862	3.12E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.80E-06	1.0E+06	6.8E+00
1247	3.46821	3.12E-02	1.1E-01	1.05E-03	1.13E-04	3.32E-01	1.57E-01	5.89E-06	1.0E+06	5.9E+00
1248	3.04732	3.12E-02	9.5E-02	1.05E-03	9.94E-05	3.32E-01	1.57E-01	5.18E-06	1.0E+06	5.2E+00
1249	2.70598	3.12E-02	8.4E-02	1.05E-03	8.83E-05	3.32E-01	1.57E-01	4.60E-06	1.0E+06	4.6E+00
1250	2.42339	3.12E-02	7.6E-02	1.05E-03	7.91E-05	3.32E-01	1.57E-01	4.12E-06	1.0E+06	4.1E+00
1251	2.19019	3.12E-02	6.8E-02	1.05E-03	7.15E-05	3.32E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1252	1.99211	3.12E-02	6.2E-02	1.05E-03	6.50E-05	3.32E-01	1.57E-01	3.39E-06	1.0E+06	3.4E+00
1253	1.82183	3.12E-02	5.7E-02	1.05E-03	5.94E-05	3.32E-01	1.57E-01	3.10E-06	1.0E+06	3.1E+00
1254	1.67448	3.12E-02	5.2E-02	1.05E-03	5.46E-05	3.32E-01	1.57E-01	2.85E-06	1.0E+06	2.8E+00
1255	1.5457	3.12E-02	4.8E-02	1.05E-03	5.04E-05	3.32E-01	1.57E-01	2.63E-06	1.0E+06	2.6E+00
1256	6.77302	3.12E-02	2.1E-01	1.05E-03	2.21E-04	3.32E-01	1.57E-01	1.15E-05	1.0E+06	1.2E+01
1257	7.1365	3.12E-02	2.2E-01	1.05E-03	2.33E-04	3.32E-01	1.57E-01	1.21E-05	1.0E+06	1.2E+01
1258	5.7585	3.12E-02	1.8E-01	1.05E-03	1.88E-04	3.32E-01	1.57E-01	9.79E-06	1.0E+06	9.8E+00
1259	4.78032	3.12E-02	1.5E-01	1.05E-03	1.56E-04	3.32E-01	1.57E-01	8.12E-06	1.0E+06	8.1E+00
1260	4.04669	3.12E-02	1.3E-01	1.05E-03	1.32E-04	3.32E-01	1.57E-01	6.88E-06	1.0E+06	6.9E+00
1261	3.48821	3.12E-02	1.1E-01	1.05E-03	1.14E-04	3.32E-01	1.57E-01	5.93E-06	1.0E+06	5.9E+00
1262	3.05075	3.12E-02	9.5E-02	1.05E-03	9.95E-05	3.32E-01	1.57E-01	5.18E-06	1.0E+06	5.2E+00
1263	2.6997	3.12E-02	8.4E-02	1.05E-03	8.81E-05	3.32E-01	1.57E-01	4.59E-06	1.0E+06	4.6E+00
1264	2.41147	3.12E-02	7.5E-02	1.05E-03	7.87E-05	3.32E-01	1.57E-01	4.10E-06	1.0E+06	4.1E+00
1265	2.176	3.12E-02	6.8E-02	1.05E-03	7.10E-05	3.32E-01	1.57E-01	3.70E-06	1.0E+06	3.7E+00
1266	1.97693	3.12E-02	6.2E-02	1.05E-03	6.45E-05	3.32E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
1267	1.80644	3.12E-02	5.6E-02	1.05E-03	5.89E-05	3.32E-01	1.57E-01	3.07E-06	1.0E+06	3.1E+00
1268	1.65921	3.12E-02	5.2E-02	1.05E-03	5.41E-05	3.32E-01	1.57E-01	2.82E-06	1.0E+06	2.8E+00
1269	1.53087	3.12E-02	4.8E-02	1.05E-03	4.99E-05	3.32E-01	1.57E-01	2.60E-06	1.0E+06	2.6E+00
1270	6.83387	3.12E-02	2.1E-01	1.05E-03	2.23E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
1271	5.60152	3.12E-02	1.7E-01	1.05E-03	1.83E-04	3.32E-01	1.57E-01	9.52E-06	1.0E+06	9.5E+00
1272	5.86816	3.12E-02	1.8E-01	1.05E-03	1.91E-04	3.32E-01	1.57E-01	9.97E-06	1.0E+06	1.0E+01
1273	4.82621	3.12E-02	1.5E-01	1.05E-03	1.57E-04	3.32E-01	1.57E-01	8.20E-06	1.0E+06	8.2E+00
1274	4.05897	3.12E-02	1.3E-01	1.05E-03	1.32E-04	3.32E-01	1.57E-01	6.90E-06	1.0E+06	6.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	3.48275	3.12E-02	1.1E-01	1.05E-03	1.14E-04	3.32E-01	1.57E-01	5.92E-06	1.0E+06	5.9E+00
1276	3.03491	3.12E-02	9.5E-02	1.05E-03	9.90E-05	3.32E-01	1.57E-01	5.16E-06	1.0E+06	5.2E+00
1277	2.67743	3.12E-02	8.4E-02	1.05E-03	8.73E-05	3.32E-01	1.57E-01	4.55E-06	1.0E+06	4.6E+00
1278	2.3858	3.12E-02	7.4E-02	1.05E-03	7.78E-05	3.32E-01	1.57E-01	4.05E-06	1.0E+06	4.1E+00
1279	2.14971	3.12E-02	6.7E-02	1.05E-03	7.01E-05	3.32E-01	1.57E-01	3.65E-06	1.0E+06	3.7E+00
1280	1.95117	3.12E-02	6.1E-02	1.05E-03	6.37E-05	3.32E-01	1.57E-01	3.32E-06	1.0E+06	3.3E+00
1281	1.78152	3.12E-02	5.6E-02	1.05E-03	5.81E-05	3.32E-01	1.57E-01	3.03E-06	1.0E+06	3.0E+00
1282	1.63497	3.12E-02	5.1E-02	1.05E-03	5.33E-05	3.32E-01	1.57E-01	2.78E-06	1.0E+06	2.8E+00
1283	1.50767	3.12E-02	4.7E-02	1.05E-03	4.92E-05	3.32E-01	1.57E-01	2.56E-06	1.0E+06	2.6E+00
1284	6.90368	3.12E-02	2.2E-01	1.05E-03	2.25E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1285	7.4155	3.12E-02	2.3E-01	1.05E-03	2.42E-04	3.32E-01	1.57E-01	1.26E-05	1.0E+06	1.3E+01
1286	5.87683	3.12E-02	1.8E-01	1.05E-03	1.92E-04	3.32E-01	1.57E-01	9.99E-06	1.0E+06	1.0E+01
1287	4.81258	3.12E-02	1.5E-01	1.05E-03	1.57E-04	3.32E-01	1.57E-01	8.18E-06	1.0E+06	8.2E+00
1288	4.02974	3.12E-02	1.3E-01	1.05E-03	1.31E-04	3.32E-01	1.57E-01	6.85E-06	1.0E+06	6.8E+00
1289	3.44772	3.12E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.86E-06	1.0E+06	5.9E+00
1290	2.99723	3.12E-02	9.4E-02	1.05E-03	9.78E-05	3.32E-01	1.57E-01	5.09E-06	1.0E+06	5.1E+00
1291	2.63885	3.12E-02	8.2E-02	1.05E-03	8.61E-05	3.32E-01	1.57E-01	4.48E-06	1.0E+06	4.5E+00
1292	2.34806	3.12E-02	7.3E-02	1.05E-03	7.66E-05	3.32E-01	1.57E-01	3.99E-06	1.0E+06	4.0E+00
1293	2.11415	3.12E-02	6.6E-02	1.05E-03	6.90E-05	3.32E-01	1.57E-01	3.59E-06	1.0E+06	3.6E+00
1294	1.91802	3.12E-02	6.0E-02	1.05E-03	6.26E-05	3.32E-01	1.57E-01	3.26E-06	1.0E+06	3.3E+00
1295	1.75064	3.12E-02	5.5E-02	1.05E-03	5.71E-05	3.32E-01	1.57E-01	2.98E-06	1.0E+06	3.0E+00
1296	1.60618	3.12E-02	5.0E-02	1.05E-03	5.24E-05	3.32E-01	1.57E-01	2.73E-06	1.0E+06	2.7E+00
1297	1.48086	3.12E-02	4.6E-02	1.05E-03	4.83E-05	3.32E-01	1.57E-01	2.52E-06	1.0E+06	2.5E+00
1298	5.23101	3.12E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.89E-06	1.0E+06	8.9E+00
1299	7.27933	3.12E-02	2.3E-01	1.05E-03	2.37E-04	3.32E-01	1.57E-01	1.24E-05	1.0E+06	1.2E+01
1300	5.78741	3.12E-02	1.8E-01	1.05E-03	1.89E-04	3.32E-01	1.57E-01	9.84E-06	1.0E+06	9.8E+00
1301	4.73601	3.12E-02	1.5E-01	1.05E-03	1.55E-04	3.32E-01	1.57E-01	8.05E-06	1.0E+06	8.0E+00
1302	3.95968	3.12E-02	1.2E-01	1.05E-03	1.29E-04	3.32E-01	1.57E-01	6.73E-06	1.0E+06	6.7E+00
1303	3.38355	3.12E-02	1.1E-01	1.05E-03	1.10E-04	3.32E-01	1.57E-01	5.75E-06	1.0E+06	5.8E+00
1304	2.93894	3.12E-02	9.2E-02	1.05E-03	9.59E-05	3.32E-01	1.57E-01	4.99E-06	1.0E+06	5.0E+00
1305	2.58555	3.12E-02	8.1E-02	1.05E-03	8.43E-05	3.32E-01	1.57E-01	4.39E-06	1.0E+06	4.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	6.90601	3.12E-02	2.2E-01	1.05E-03	2.25E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1307	7.00836	3.12E-02	2.2E-01	1.05E-03	2.29E-04	3.32E-01	1.57E-01	1.19E-05	1.0E+06	1.2E+01
1308	5.59054	3.12E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.50E-06	1.0E+06	9.5E+00
1309	4.58256	3.12E-02	1.4E-01	1.05E-03	1.49E-04	3.32E-01	1.57E-01	7.79E-06	1.0E+06	7.8E+00
1310	3.83771	3.12E-02	1.2E-01	1.05E-03	1.25E-04	3.32E-01	1.57E-01	6.52E-06	1.0E+06	6.5E+00
1311	3.28282	3.12E-02	1.0E-01	1.05E-03	1.07E-04	3.32E-01	1.57E-01	5.58E-06	1.0E+06	5.6E+00
1312	2.85586	3.12E-02	8.9E-02	1.05E-03	9.32E-05	3.32E-01	1.57E-01	4.85E-06	1.0E+06	4.9E+00
1313	2.51755	3.12E-02	7.9E-02	1.05E-03	8.21E-05	3.32E-01	1.57E-01	4.28E-06	1.0E+06	4.3E+00
1314	6.21209	3.12E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1315	6.66398	3.12E-02	2.1E-01	1.05E-03	2.17E-04	3.32E-01	1.57E-01	1.13E-05	1.0E+06	1.1E+01
1316	5.33194	3.12E-02	1.7E-01	1.05E-03	1.74E-04	3.32E-01	1.57E-01	9.06E-06	1.0E+06	9.1E+00
1317	4.38832	3.12E-02	1.4E-01	1.05E-03	1.43E-04	3.32E-01	1.57E-01	7.46E-06	1.0E+06	7.5E+00
1318	3.69074	3.12E-02	1.2E-01	1.05E-03	1.20E-04	3.32E-01	1.57E-01	6.27E-06	1.0E+06	6.3E+00
1319	3.16744	3.12E-02	9.9E-02	1.05E-03	1.03E-04	3.32E-01	1.57E-01	5.38E-06	1.0E+06	5.4E+00
1320	2.76307	3.12E-02	8.6E-02	1.05E-03	9.01E-05	3.32E-01	1.57E-01	4.70E-06	1.0E+06	4.7E+00
1321	2.4428	3.12E-02	7.6E-02	1.05E-03	7.97E-05	3.32E-01	1.57E-01	4.15E-06	1.0E+06	4.2E+00
1322	5.61822	3.12E-02	1.8E-01	1.05E-03	1.83E-04	3.32E-01	1.57E-01	9.55E-06	1.0E+06	9.5E+00
1323	6.22312	3.12E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1324	5.02891	3.12E-02	1.6E-01	1.05E-03	1.64E-04	3.32E-01	1.57E-01	8.55E-06	1.0E+06	8.5E+00
1325	4.1691	3.12E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.09E-06	1.0E+06	7.1E+00
1326	3.52968	3.12E-02	1.1E-01	1.05E-03	1.15E-04	3.32E-01	1.57E-01	6.00E-06	1.0E+06	6.0E+00
1327	3.04297	3.12E-02	9.5E-02	1.05E-03	9.93E-05	3.32E-01	1.57E-01	5.17E-06	1.0E+06	5.2E+00
1328	2.66486	3.12E-02	8.3E-02	1.05E-03	8.69E-05	3.32E-01	1.57E-01	4.53E-06	1.0E+06	4.5E+00
1329	2.36452	3.12E-02	7.4E-02	1.05E-03	7.71E-05	3.32E-01	1.57E-01	4.02E-06	1.0E+06	4.0E+00
1330	5.12202	3.12E-02	1.6E-01	1.05E-03	1.67E-04	3.32E-01	1.57E-01	8.70E-06	1.0E+06	8.7E+00
1331	5.74991	3.12E-02	1.8E-01	1.05E-03	1.88E-04	3.32E-01	1.57E-01	9.77E-06	1.0E+06	9.8E+00
1332	4.72255	3.12E-02	1.5E-01	1.05E-03	1.54E-04	3.32E-01	1.57E-01	8.03E-06	1.0E+06	8.0E+00
1333	3.95908	3.12E-02	1.2E-01	1.05E-03	1.29E-04	3.32E-01	1.57E-01	6.73E-06	1.0E+06	6.7E+00
1334	3.37577	3.12E-02	1.1E-01	1.05E-03	1.10E-04	3.32E-01	1.57E-01	5.74E-06	1.0E+06	5.7E+00
1335	2.92522	3.12E-02	9.1E-02	1.05E-03	9.54E-05	3.32E-01	1.57E-01	4.97E-06	1.0E+06	5.0E+00
1336	2.57089	3.12E-02	8.0E-02	1.05E-03	8.39E-05	3.32E-01	1.57E-01	4.37E-06	1.0E+06	4.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	2.28671	3.12E-02	7.1E-02	1.05E-03	7.46E-05	3.32E-01	1.57E-01	3.89E-06	1.0E+06	3.9E+00
1338	14.44226	3.12E-02	4.5E-01	1.05E-03	4.71E-04	3.32E-01	1.57E-01	2.45E-05	1.0E+06	2.5E+01
1339	14.24991	3.12E-02	4.4E-01	1.05E-03	4.65E-04	3.32E-01	1.57E-01	2.42E-05	1.0E+06	2.4E+01
1340	12.51126	3.12E-02	3.9E-01	1.05E-03	4.08E-04	3.32E-01	1.57E-01	2.13E-05	1.0E+06	2.1E+01
1341	12.34966	3.12E-02	3.9E-01	1.05E-03	4.03E-04	3.32E-01	1.57E-01	2.10E-05	1.0E+06	2.1E+01
1342	14.19703	3.12E-02	4.4E-01	1.05E-03	4.63E-04	3.32E-01	1.57E-01	2.41E-05	1.0E+06	2.4E+01
1343	13.96515	3.12E-02	4.4E-01	1.05E-03	4.56E-04	3.32E-01	1.57E-01	2.37E-05	1.0E+06	2.4E+01
1344	12.18172	3.12E-02	3.8E-01	1.05E-03	3.97E-04	3.32E-01	1.57E-01	2.07E-05	1.0E+06	2.1E+01
1345	11.95555	3.12E-02	3.7E-01	1.05E-03	3.90E-04	3.32E-01	1.57E-01	2.03E-05	1.0E+06	2.0E+01
1346	13.62952	3.12E-02	4.3E-01	1.05E-03	4.45E-04	3.32E-01	1.57E-01	2.32E-05	1.0E+06	2.3E+01
1347	13.24666	3.12E-02	4.1E-01	1.05E-03	4.32E-04	3.32E-01	1.57E-01	2.25E-05	1.0E+06	2.3E+01
1348	11.23777	3.12E-02	3.5E-01	1.05E-03	3.67E-04	3.32E-01	1.57E-01	1.91E-05	1.0E+06	1.9E+01
1349	10.70262	3.12E-02	3.3E-01	1.05E-03	3.49E-04	3.32E-01	1.57E-01	1.82E-05	1.0E+06	1.8E+01
1350	11.95984	3.12E-02	3.7E-01	1.05E-03	3.90E-04	3.32E-01	1.57E-01	2.03E-05	1.0E+06	2.0E+01
1351	11.12101	3.12E-02	3.5E-01	1.05E-03	3.63E-04	3.32E-01	1.57E-01	1.89E-05	1.0E+06	1.9E+01
1352	8.64404	3.12E-02	2.7E-01	1.05E-03	2.82E-04	3.32E-01	1.57E-01	1.47E-05	1.0E+06	1.5E+01
1353	7.70079	3.12E-02	2.4E-01	1.05E-03	2.51E-04	3.32E-01	1.57E-01	1.31E-05	1.0E+06	1.3E+01
1354	8.55757	3.12E-02	2.7E-01	1.05E-03	2.79E-04	3.32E-01	1.57E-01	1.45E-05	1.0E+06	1.5E+01
1355	7.31883	3.12E-02	2.3E-01	1.05E-03	2.39E-04	3.32E-01	1.57E-01	1.24E-05	1.0E+06	1.2E+01
1356	6.29278	3.12E-02	2.0E-01	1.05E-03	2.05E-04	3.32E-01	1.57E-01	1.07E-05	1.0E+06	1.1E+01
1357	5.43099	3.12E-02	1.7E-01	1.05E-03	1.77E-04	3.32E-01	1.57E-01	9.23E-06	1.0E+06	9.2E+00
1358	6.36921	3.12E-02	2.0E-01	1.05E-03	2.08E-04	3.32E-01	1.57E-01	1.08E-05	1.0E+06	1.1E+01
1359	5.27003	3.12E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.96E-06	1.0E+06	9.0E+00
1360	4.41219	3.12E-02	1.4E-01	1.05E-03	1.44E-04	3.32E-01	1.57E-01	7.50E-06	1.0E+06	7.5E+00
1361	3.7458	3.12E-02	1.2E-01	1.05E-03	1.22E-04	3.32E-01	1.57E-01	6.37E-06	1.0E+06	6.4E+00
1362	3.22113	3.12E-02	1.0E-01	1.05E-03	1.05E-04	3.32E-01	1.57E-01	5.47E-06	1.0E+06	5.5E+00
1363	2.80753	3.12E-02	8.8E-02	1.05E-03	9.16E-05	3.32E-01	1.57E-01	4.77E-06	1.0E+06	4.8E+00
1364	2.47727	3.12E-02	7.7E-02	1.05E-03	8.08E-05	3.32E-01	1.57E-01	4.21E-06	1.0E+06	4.2E+00
1365	2.20985	3.12E-02	6.9E-02	1.05E-03	7.21E-05	3.32E-01	1.57E-01	3.76E-06	1.0E+06	3.8E+00
1366	12.36115	3.12E-02	3.9E-01	1.05E-03	4.03E-04	3.32E-01	1.57E-01	2.10E-05	1.0E+06	2.1E+01
1367	12.2004	3.12E-02	3.8E-01	1.05E-03	3.98E-04	3.32E-01	1.57E-01	2.07E-05	1.0E+06	2.1E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	12.28915	3.12E-02	3.8E-01	1.05E-03	4.01E-04	3.32E-01	1.57E-01	2.09E-05	1.0E+06	2.1E+01
1369	14.48134	3.12E-02	4.5E-01	1.05E-03	4.72E-04	3.32E-01	1.57E-01	2.46E-05	1.0E+06	2.5E+01
1370	12.11849	3.12E-02	3.8E-01	1.05E-03	3.95E-04	3.32E-01	1.57E-01	2.06E-05	1.0E+06	2.1E+01
1371	11.93785	3.12E-02	3.7E-01	1.05E-03	3.89E-04	3.32E-01	1.57E-01	2.03E-05	1.0E+06	2.0E+01
1372	14.21824	3.12E-02	4.4E-01	1.05E-03	4.64E-04	3.32E-01	1.57E-01	2.42E-05	1.0E+06	2.4E+01
1373	14.09422	3.12E-02	4.4E-01	1.05E-03	4.60E-04	3.32E-01	1.57E-01	2.40E-05	1.0E+06	2.4E+01
1374	11.61469	3.12E-02	3.6E-01	1.05E-03	3.79E-04	3.32E-01	1.57E-01	1.97E-05	1.0E+06	2.0E+01
1375	11.28398	3.12E-02	3.5E-01	1.05E-03	3.68E-04	3.32E-01	1.57E-01	1.92E-05	1.0E+06	1.9E+01
1376	13.30315	3.12E-02	4.2E-01	1.05E-03	4.34E-04	3.32E-01	1.57E-01	2.26E-05	1.0E+06	2.3E+01
1377	12.92905	3.12E-02	4.0E-01	1.05E-03	4.22E-04	3.32E-01	1.57E-01	2.20E-05	1.0E+06	2.2E+01
1378	10.21298	3.12E-02	3.2E-01	1.05E-03	3.33E-04	3.32E-01	1.57E-01	1.74E-05	1.0E+06	1.7E+01
1379	9.56154	3.12E-02	3.0E-01	1.05E-03	3.12E-04	3.32E-01	1.57E-01	1.62E-05	1.0E+06	1.6E+01
1380	11.21617	3.12E-02	3.5E-01	1.05E-03	3.66E-04	3.32E-01	1.57E-01	1.91E-05	1.0E+06	1.9E+01
1381	10.49217	3.12E-02	3.3E-01	1.05E-03	3.42E-04	3.32E-01	1.57E-01	1.78E-05	1.0E+06	1.8E+01
1382	7.49177	3.12E-02	2.3E-01	1.05E-03	2.44E-04	3.32E-01	1.57E-01	1.27E-05	1.0E+06	1.3E+01
1383	6.52159	3.12E-02	2.0E-01	1.05E-03	2.13E-04	3.32E-01	1.57E-01	1.11E-05	1.0E+06	1.1E+01
1384	7.76548	3.12E-02	2.4E-01	1.05E-03	2.53E-04	3.32E-01	1.57E-01	1.32E-05	1.0E+06	1.3E+01
1385	6.69215	3.12E-02	2.1E-01	1.05E-03	2.18E-04	3.32E-01	1.57E-01	1.14E-05	1.0E+06	1.1E+01
1386	5.6875	3.12E-02	1.8E-01	1.05E-03	1.86E-04	3.32E-01	1.57E-01	9.67E-06	1.0E+06	9.7E+00
1387	4.82388	3.12E-02	1.5E-01	1.05E-03	1.57E-04	3.32E-01	1.57E-01	8.20E-06	1.0E+06	8.2E+00
1388	4.11419	3.12E-02	1.3E-01	1.05E-03	1.34E-04	3.32E-01	1.57E-01	6.99E-06	1.0E+06	7.0E+00
1389	3.53838	3.12E-02	1.1E-01	1.05E-03	1.15E-04	3.32E-01	1.57E-01	6.01E-06	1.0E+06	6.0E+00
1390	3.0699	3.12E-02	9.6E-02	1.05E-03	1.00E-04	3.32E-01	1.57E-01	5.22E-06	1.0E+06	5.2E+00
1391	2.69242	3.12E-02	8.4E-02	1.05E-03	8.78E-05	3.32E-01	1.57E-01	4.58E-06	1.0E+06	4.6E+00
1392	2.38607	3.12E-02	7.4E-02	1.05E-03	7.78E-05	3.32E-01	1.57E-01	4.06E-06	1.0E+06	4.1E+00
1393	2.1349	3.12E-02	6.7E-02	1.05E-03	6.96E-05	3.32E-01	1.57E-01	3.63E-06	1.0E+06	3.6E+00
1394	12.346	3.12E-02	3.9E-01	1.05E-03	4.03E-04	3.32E-01	1.57E-01	2.10E-05	1.0E+06	2.1E+01
1395	12.28184	3.12E-02	3.8E-01	1.05E-03	4.01E-04	3.32E-01	1.57E-01	2.09E-05	1.0E+06	2.1E+01
1396	12.18985	3.12E-02	3.8E-01	1.05E-03	3.98E-04	3.32E-01	1.57E-01	2.07E-05	1.0E+06	2.1E+01
1397	12.11207	3.12E-02	3.8E-01	1.05E-03	3.95E-04	3.32E-01	1.57E-01	2.06E-05	1.0E+06	2.1E+01
1398	12.07276	3.12E-02	3.8E-01	1.05E-03	3.94E-04	3.32E-01	1.57E-01	2.05E-05	1.0E+06	2.1E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	11.98967	3.12E-02	3.7E-01	1.05E-03	3.91E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01
1400	11.91635	3.12E-02	3.7E-01	1.05E-03	3.89E-04	3.32E-01	1.57E-01	2.03E-05	1.0E+06	2.0E+01
1401	11.81784	3.12E-02	3.7E-01	1.05E-03	3.86E-04	3.32E-01	1.57E-01	2.01E-05	1.0E+06	2.0E+01
1402	11.64922	3.12E-02	3.6E-01	1.05E-03	3.80E-04	3.32E-01	1.57E-01	1.98E-05	1.0E+06	2.0E+01
1403	11.4204	3.12E-02	3.6E-01	1.05E-03	3.73E-04	3.32E-01	1.57E-01	1.94E-05	1.0E+06	1.9E+01
1404	11.13768	3.12E-02	3.5E-01	1.05E-03	3.63E-04	3.32E-01	1.57E-01	1.89E-05	1.0E+06	1.9E+01
1405	10.81776	3.12E-02	3.4E-01	1.05E-03	3.53E-04	3.32E-01	1.57E-01	1.84E-05	1.0E+06	1.8E+01
1406	10.42788	3.12E-02	3.3E-01	1.05E-03	3.40E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1407	9.96195	3.12E-02	3.1E-01	1.05E-03	3.25E-04	3.32E-01	1.57E-01	1.69E-05	1.0E+06	1.7E+01
1408	9.4316	3.12E-02	2.9E-01	1.05E-03	3.08E-04	3.32E-01	1.57E-01	1.60E-05	1.0E+06	1.6E+01
1409	8.84146	3.12E-02	2.8E-01	1.05E-03	2.88E-04	3.32E-01	1.57E-01	1.50E-05	1.0E+06	1.5E+01
1410	8.19048	3.12E-02	2.6E-01	1.05E-03	2.67E-04	3.32E-01	1.57E-01	1.39E-05	1.0E+06	1.4E+01
1411	7.47061	3.12E-02	2.3E-01	1.05E-03	2.44E-04	3.32E-01	1.57E-01	1.27E-05	1.0E+06	1.3E+01
1412	6.68789	3.12E-02	2.1E-01	1.05E-03	2.18E-04	3.32E-01	1.57E-01	1.14E-05	1.0E+06	1.1E+01
1413	5.88345	3.12E-02	1.8E-01	1.05E-03	1.92E-04	3.32E-01	1.57E-01	1.00E-05	1.0E+06	1.0E+01
1414	5.11395	3.12E-02	1.6E-01	1.05E-03	1.67E-04	3.32E-01	1.57E-01	8.69E-06	1.0E+06	8.7E+00
1415	4.42675	3.12E-02	1.4E-01	1.05E-03	1.44E-04	3.32E-01	1.57E-01	7.52E-06	1.0E+06	7.5E+00
1416	3.83844	3.12E-02	1.2E-01	1.05E-03	1.25E-04	3.32E-01	1.57E-01	6.52E-06	1.0E+06	6.5E+00
1417	3.34362	3.12E-02	1.0E-01	1.05E-03	1.09E-04	3.32E-01	1.57E-01	5.68E-06	1.0E+06	5.7E+00
1418	2.92615	3.12E-02	9.1E-02	1.05E-03	9.55E-05	3.32E-01	1.57E-01	4.97E-06	1.0E+06	5.0E+00
1419	2.58213	3.12E-02	8.1E-02	1.05E-03	8.42E-05	3.32E-01	1.57E-01	4.39E-06	1.0E+06	4.4E+00
1420	2.29833	3.12E-02	7.2E-02	1.05E-03	7.50E-05	3.32E-01	1.57E-01	3.91E-06	1.0E+06	3.9E+00
1421	2.06287	3.12E-02	6.4E-02	1.05E-03	6.73E-05	3.32E-01	1.57E-01	3.51E-06	1.0E+06	3.5E+00
1422	10.50365	3.12E-02	3.3E-01	1.05E-03	3.43E-04	3.32E-01	1.57E-01	1.79E-05	1.0E+06	1.8E+01
1423	10.44226	3.12E-02	3.3E-01	1.05E-03	3.41E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1424	10.40176	3.12E-02	3.2E-01	1.05E-03	3.39E-04	3.32E-01	1.57E-01	1.77E-05	1.0E+06	1.8E+01
1425	10.34198	3.12E-02	3.2E-01	1.05E-03	3.37E-04	3.32E-01	1.57E-01	1.76E-05	1.0E+06	1.8E+01
1426	10.27209	3.12E-02	3.2E-01	1.05E-03	3.35E-04	3.32E-01	1.57E-01	1.75E-05	1.0E+06	1.7E+01
1427	10.21481	3.12E-02	3.2E-01	1.05E-03	3.33E-04	3.32E-01	1.57E-01	1.74E-05	1.0E+06	1.7E+01
1428	10.17818	3.12E-02	3.2E-01	1.05E-03	3.32E-04	3.32E-01	1.57E-01	1.73E-05	1.0E+06	1.7E+01
1429	10.09224	3.12E-02	3.2E-01	1.05E-03	3.29E-04	3.32E-01	1.57E-01	1.72E-05	1.0E+06	1.7E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	9.95224	3.12E-02	3.1E-01	1.05E-03	3.25E-04	3.32E-01	1.57E-01	1.69E-05	1.0E+06	1.7E+01
1431	9.75415	3.12E-02	3.0E-01	1.05E-03	3.18E-04	3.32E-01	1.57E-01	1.66E-05	1.0E+06	1.7E+01
1432	9.51455	3.12E-02	3.0E-01	1.05E-03	3.10E-04	3.32E-01	1.57E-01	1.62E-05	1.0E+06	1.6E+01
1433	9.23853	3.12E-02	2.9E-01	1.05E-03	3.01E-04	3.32E-01	1.57E-01	1.57E-05	1.0E+06	1.6E+01
1434	8.91293	3.12E-02	2.8E-01	1.05E-03	2.91E-04	3.32E-01	1.57E-01	1.51E-05	1.0E+06	1.5E+01
1435	8.52852	3.12E-02	2.7E-01	1.05E-03	2.78E-04	3.32E-01	1.57E-01	1.45E-05	1.0E+06	1.4E+01
1436	8.09239	3.12E-02	2.5E-01	1.05E-03	2.64E-04	3.32E-01	1.57E-01	1.38E-05	1.0E+06	1.4E+01
1437	7.60465	3.12E-02	2.4E-01	1.05E-03	2.48E-04	3.32E-01	1.57E-01	1.29E-05	1.0E+06	1.3E+01
1438	7.06747	3.12E-02	2.2E-01	1.05E-03	2.31E-04	3.32E-01	1.57E-01	1.20E-05	1.0E+06	1.2E+01
1439	6.48718	3.12E-02	2.0E-01	1.05E-03	2.12E-04	3.32E-01	1.57E-01	1.10E-05	1.0E+06	1.1E+01
1440	5.87044	3.12E-02	1.8E-01	1.05E-03	1.92E-04	3.32E-01	1.57E-01	9.98E-06	1.0E+06	1.0E+01
1441	5.24275	3.12E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.91E-06	1.0E+06	8.9E+00
1442	4.63406	3.12E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.88E-06	1.0E+06	7.9E+00
1443	4.077	3.12E-02	1.3E-01	1.05E-03	1.33E-04	3.32E-01	1.57E-01	6.93E-06	1.0E+06	6.9E+00
1444	3.58526	3.12E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.09E-06	1.0E+06	6.1E+00
1445	3.15895	3.12E-02	9.9E-02	1.05E-03	1.03E-04	3.32E-01	1.57E-01	5.37E-06	1.0E+06	5.4E+00
1446	2.78854	3.12E-02	8.7E-02	1.05E-03	9.10E-05	3.32E-01	1.57E-01	4.74E-06	1.0E+06	4.7E+00
1447	2.47615	3.12E-02	7.7E-02	1.05E-03	8.08E-05	3.32E-01	1.57E-01	4.21E-06	1.0E+06	4.2E+00
1448	2.21402	3.12E-02	6.9E-02	1.05E-03	7.22E-05	3.32E-01	1.57E-01	3.76E-06	1.0E+06	3.8E+00
1449	1.99358	3.12E-02	6.2E-02	1.05E-03	6.50E-05	3.32E-01	1.57E-01	3.39E-06	1.0E+06	3.4E+00
1450	9.07748	3.12E-02	2.8E-01	1.05E-03	2.96E-04	3.32E-01	1.57E-01	1.54E-05	1.0E+06	1.5E+01
1451	9.04116	3.12E-02	2.8E-01	1.05E-03	2.95E-04	3.32E-01	1.57E-01	1.54E-05	1.0E+06	1.5E+01
1452	8.98097	3.12E-02	2.8E-01	1.05E-03	2.93E-04	3.32E-01	1.57E-01	1.53E-05	1.0E+06	1.5E+01
1453	8.94477	3.12E-02	2.8E-01	1.05E-03	2.92E-04	3.32E-01	1.57E-01	1.52E-05	1.0E+06	1.5E+01
1454	8.89538	3.12E-02	2.8E-01	1.05E-03	2.90E-04	3.32E-01	1.57E-01	1.51E-05	1.0E+06	1.5E+01
1455	8.81344	3.12E-02	2.8E-01	1.05E-03	2.88E-04	3.32E-01	1.57E-01	1.50E-05	1.0E+06	1.5E+01
1456	8.81219	3.12E-02	2.8E-01	1.05E-03	2.87E-04	3.32E-01	1.57E-01	1.50E-05	1.0E+06	1.5E+01
1457	8.74796	3.12E-02	2.7E-01	1.05E-03	2.85E-04	3.32E-01	1.57E-01	1.49E-05	1.0E+06	1.5E+01
1458	8.63748	3.12E-02	2.7E-01	1.05E-03	2.82E-04	3.32E-01	1.57E-01	1.47E-05	1.0E+06	1.5E+01
1459	8.46454	3.12E-02	2.6E-01	1.05E-03	2.76E-04	3.32E-01	1.57E-01	1.44E-05	1.0E+06	1.4E+01
1460	8.25859	3.12E-02	2.6E-01	1.05E-03	2.69E-04	3.32E-01	1.57E-01	1.40E-05	1.0E+06	1.4E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	8.0192	3.12E-02	2.5E-01	1.05E-03	2.62E-04	3.32E-01	1.57E-01	1.36E-05	1.0E+06	1.4E+01
1462	7.74318	3.12E-02	2.4E-01	1.05E-03	2.53E-04	3.32E-01	1.57E-01	1.32E-05	1.0E+06	1.3E+01
1463	7.42093	3.12E-02	2.3E-01	1.05E-03	2.42E-04	3.32E-01	1.57E-01	1.26E-05	1.0E+06	1.3E+01
1464	7.0564	3.12E-02	2.2E-01	1.05E-03	2.30E-04	3.32E-01	1.57E-01	1.20E-05	1.0E+06	1.2E+01
1465	6.64796	3.12E-02	2.1E-01	1.05E-03	2.17E-04	3.32E-01	1.57E-01	1.13E-05	1.0E+06	1.1E+01
1466	6.20134	3.12E-02	1.9E-01	1.05E-03	2.02E-04	3.32E-01	1.57E-01	1.05E-05	1.0E+06	1.1E+01
1467	5.7265	3.12E-02	1.8E-01	1.05E-03	1.87E-04	3.32E-01	1.57E-01	9.73E-06	1.0E+06	9.7E+00
1468	5.22772	3.12E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.88E-06	1.0E+06	8.9E+00
1469	4.7222	3.12E-02	1.5E-01	1.05E-03	1.54E-04	3.32E-01	1.57E-01	8.03E-06	1.0E+06	8.0E+00
1470	4.22861	3.12E-02	1.3E-01	1.05E-03	1.38E-04	3.32E-01	1.57E-01	7.19E-06	1.0E+06	7.2E+00
1471	3.76896	3.12E-02	1.2E-01	1.05E-03	1.23E-04	3.32E-01	1.57E-01	6.41E-06	1.0E+06	6.4E+00
1472	3.35396	3.12E-02	1.0E-01	1.05E-03	1.09E-04	3.32E-01	1.57E-01	5.70E-06	1.0E+06	5.7E+00
1473	2.9854	3.12E-02	9.3E-02	1.05E-03	9.74E-05	3.32E-01	1.57E-01	5.07E-06	1.0E+06	5.1E+00
1474	2.65684	3.12E-02	8.3E-02	1.05E-03	8.67E-05	3.32E-01	1.57E-01	4.52E-06	1.0E+06	4.5E+00
1475	2.37409	3.12E-02	7.4E-02	1.05E-03	7.75E-05	3.32E-01	1.57E-01	4.03E-06	1.0E+06	4.0E+00
1476	2.13251	3.12E-02	6.7E-02	1.05E-03	6.96E-05	3.32E-01	1.57E-01	3.62E-06	1.0E+06	3.6E+00
1477	1.9268	3.12E-02	6.0E-02	1.05E-03	6.29E-05	3.32E-01	1.57E-01	3.27E-06	1.0E+06	3.3E+00
1478	7.92156	3.12E-02	2.5E-01	1.05E-03	2.58E-04	3.32E-01	1.57E-01	1.35E-05	1.0E+06	1.3E+01
1479	7.91107	3.12E-02	2.5E-01	1.05E-03	2.58E-04	3.32E-01	1.57E-01	1.34E-05	1.0E+06	1.3E+01
1480	7.87829	3.12E-02	2.5E-01	1.05E-03	2.57E-04	3.32E-01	1.57E-01	1.34E-05	1.0E+06	1.3E+01
1481	7.83014	3.12E-02	2.4E-01	1.05E-03	2.55E-04	3.32E-01	1.57E-01	1.33E-05	1.0E+06	1.3E+01
1482	7.80911	3.12E-02	2.4E-01	1.05E-03	2.55E-04	3.32E-01	1.57E-01	1.33E-05	1.0E+06	1.3E+01
1483	7.75145	3.12E-02	2.4E-01	1.05E-03	2.53E-04	3.32E-01	1.57E-01	1.32E-05	1.0E+06	1.3E+01
1484	7.7494	3.12E-02	2.4E-01	1.05E-03	2.53E-04	3.32E-01	1.57E-01	1.32E-05	1.0E+06	1.3E+01
1485	7.69066	3.12E-02	2.4E-01	1.05E-03	2.51E-04	3.32E-01	1.57E-01	1.31E-05	1.0E+06	1.3E+01
1486	7.59214	3.12E-02	2.4E-01	1.05E-03	2.48E-04	3.32E-01	1.57E-01	1.29E-05	1.0E+06	1.3E+01
1487	7.44023	3.12E-02	2.3E-01	1.05E-03	2.43E-04	3.32E-01	1.57E-01	1.26E-05	1.0E+06	1.3E+01
1488	7.26104	3.12E-02	2.3E-01	1.05E-03	2.37E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
1489	7.0533	3.12E-02	2.2E-01	1.05E-03	2.30E-04	3.32E-01	1.57E-01	1.20E-05	1.0E+06	1.2E+01
1490	6.81614	3.12E-02	2.1E-01	1.05E-03	2.22E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
1491	6.54173	3.12E-02	2.0E-01	1.05E-03	2.13E-04	3.32E-01	1.57E-01	1.11E-05	1.0E+06	1.1E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	6.23274	3.12E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1493	5.88973	3.12E-02	1.8E-01	1.05E-03	1.92E-04	3.32E-01	1.57E-01	1.00E-05	1.0E+06	1.0E+01
1494	5.51756	3.12E-02	1.7E-01	1.05E-03	1.80E-04	3.32E-01	1.57E-01	9.38E-06	1.0E+06	9.4E+00
1495	5.12162	3.12E-02	1.6E-01	1.05E-03	1.67E-04	3.32E-01	1.57E-01	8.70E-06	1.0E+06	8.7E+00
1496	4.71008	3.12E-02	1.5E-01	1.05E-03	1.54E-04	3.32E-01	1.57E-01	8.00E-06	1.0E+06	8.0E+00
1497	4.29274	3.12E-02	1.3E-01	1.05E-03	1.40E-04	3.32E-01	1.57E-01	7.30E-06	1.0E+06	7.3E+00
1498	3.88231	3.12E-02	1.2E-01	1.05E-03	1.27E-04	3.32E-01	1.57E-01	6.60E-06	1.0E+06	6.6E+00
1499	3.4953	3.12E-02	1.1E-01	1.05E-03	1.14E-04	3.32E-01	1.57E-01	5.94E-06	1.0E+06	5.9E+00
1500	3.13977	3.12E-02	9.8E-02	1.05E-03	1.02E-04	3.32E-01	1.57E-01	5.34E-06	1.0E+06	5.3E+00
1501	2.81836	3.12E-02	8.8E-02	1.05E-03	9.19E-05	3.32E-01	1.57E-01	4.79E-06	1.0E+06	4.8E+00
1502	2.52765	3.12E-02	7.9E-02	1.05E-03	8.25E-05	3.32E-01	1.57E-01	4.30E-06	1.0E+06	4.3E+00
1503	2.273	3.12E-02	7.1E-02	1.05E-03	7.42E-05	3.32E-01	1.57E-01	3.86E-06	1.0E+06	3.9E+00
1504	2.05219	3.12E-02	6.4E-02	1.05E-03	6.69E-05	3.32E-01	1.57E-01	3.49E-06	1.0E+06	3.5E+00
1505	1.86144	3.12E-02	5.8E-02	1.05E-03	6.07E-05	3.32E-01	1.57E-01	3.16E-06	1.0E+06	3.2E+00
1506	6.97938	3.12E-02	2.2E-01	1.05E-03	2.28E-04	3.32E-01	1.57E-01	1.19E-05	1.0E+06	1.2E+01
1507	6.97779	3.12E-02	2.2E-01	1.05E-03	2.28E-04	3.32E-01	1.57E-01	1.19E-05	1.0E+06	1.2E+01
1508	6.97164	3.12E-02	2.2E-01	1.05E-03	2.27E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
1509	6.94877	3.12E-02	2.2E-01	1.05E-03	2.27E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
1510	6.93496	3.12E-02	2.2E-01	1.05E-03	2.26E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
1511	6.89704	3.12E-02	2.2E-01	1.05E-03	2.25E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1512	6.87977	3.12E-02	2.1E-01	1.05E-03	2.24E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1513	6.83228	3.12E-02	2.1E-01	1.05E-03	2.23E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
1514	6.74309	3.12E-02	2.1E-01	1.05E-03	2.20E-04	3.32E-01	1.57E-01	1.15E-05	1.0E+06	1.1E+01
1515	6.60902	3.12E-02	2.1E-01	1.05E-03	2.16E-04	3.32E-01	1.57E-01	1.12E-05	1.0E+06	1.1E+01
1516	6.4518	3.12E-02	2.0E-01	1.05E-03	2.10E-04	3.32E-01	1.57E-01	1.10E-05	1.0E+06	1.1E+01
1517	6.27049	3.12E-02	2.0E-01	1.05E-03	2.05E-04	3.32E-01	1.57E-01	1.07E-05	1.0E+06	1.1E+01
1518	6.06457	3.12E-02	1.9E-01	1.05E-03	1.98E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
1519	5.8281	3.12E-02	1.8E-01	1.05E-03	1.90E-04	3.32E-01	1.57E-01	9.90E-06	1.0E+06	9.9E+00
1520	5.56394	3.12E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.46E-06	1.0E+06	9.5E+00
1521	5.2734	3.12E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.96E-06	1.0E+06	9.0E+00
1522	4.95967	3.12E-02	1.5E-01	1.05E-03	1.62E-04	3.32E-01	1.57E-01	8.43E-06	1.0E+06	8.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	4.62617	3.12E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.86E-06	1.0E+06	7.9E+00
1524	4.28049	3.12E-02	1.3E-01	1.05E-03	1.40E-04	3.32E-01	1.57E-01	7.27E-06	1.0E+06	7.3E+00
1525	3.92984	3.12E-02	1.2E-01	1.05E-03	1.28E-04	3.32E-01	1.57E-01	6.68E-06	1.0E+06	6.7E+00
1526	3.58347	3.12E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.09E-06	1.0E+06	6.1E+00
1527	3.25287	3.12E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.53E-06	1.0E+06	5.5E+00
1528	2.94536	3.12E-02	9.2E-02	1.05E-03	9.61E-05	3.32E-01	1.57E-01	5.01E-06	1.0E+06	5.0E+00
1529	2.66336	3.12E-02	8.3E-02	1.05E-03	8.69E-05	3.32E-01	1.57E-01	4.53E-06	1.0E+06	4.5E+00
1530	2.40549	3.12E-02	7.5E-02	1.05E-03	7.85E-05	3.32E-01	1.57E-01	4.09E-06	1.0E+06	4.1E+00
1531	2.17623	3.12E-02	6.8E-02	1.05E-03	7.10E-05	3.32E-01	1.57E-01	3.70E-06	1.0E+06	3.7E+00
1532	1.97461	3.12E-02	6.2E-02	1.05E-03	6.44E-05	3.32E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
1533	1.79816	3.12E-02	5.6E-02	1.05E-03	5.87E-05	3.32E-01	1.57E-01	3.06E-06	1.0E+06	3.1E+00
1534	6.19252	3.12E-02	1.9E-01	1.05E-03	2.02E-04	3.32E-01	1.57E-01	1.05E-05	1.0E+06	1.1E+01
1535	6.20686	3.12E-02	1.9E-01	1.05E-03	2.02E-04	3.32E-01	1.57E-01	1.05E-05	1.0E+06	1.1E+01
1536	6.20889	3.12E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1537	6.21746	3.12E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1538	6.19304	3.12E-02	1.9E-01	1.05E-03	2.02E-04	3.32E-01	1.57E-01	1.05E-05	1.0E+06	1.1E+01
1539	6.18733	3.12E-02	1.9E-01	1.05E-03	2.02E-04	3.32E-01	1.57E-01	1.05E-05	1.0E+06	1.1E+01
1540	6.1665	3.12E-02	1.9E-01	1.05E-03	2.01E-04	3.32E-01	1.57E-01	1.05E-05	1.0E+06	1.0E+01
1541	6.12161	3.12E-02	1.9E-01	1.05E-03	2.00E-04	3.32E-01	1.57E-01	1.04E-05	1.0E+06	1.0E+01
1542	6.04139	3.12E-02	1.9E-01	1.05E-03	1.97E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
1543	5.9223	3.12E-02	1.8E-01	1.05E-03	1.93E-04	3.32E-01	1.57E-01	1.01E-05	1.0E+06	1.0E+01
1544	5.7837	3.12E-02	1.8E-01	1.05E-03	1.89E-04	3.32E-01	1.57E-01	9.83E-06	1.0E+06	9.8E+00
1545	5.62444	3.12E-02	1.8E-01	1.05E-03	1.83E-04	3.32E-01	1.57E-01	9.56E-06	1.0E+06	9.6E+00
1546	5.44413	3.12E-02	1.7E-01	1.05E-03	1.78E-04	3.32E-01	1.57E-01	9.25E-06	1.0E+06	9.3E+00
1547	5.23841	3.12E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.90E-06	1.0E+06	8.9E+00
1548	5.01093	3.12E-02	1.6E-01	1.05E-03	1.63E-04	3.32E-01	1.57E-01	8.52E-06	1.0E+06	8.5E+00
1549	4.76229	3.12E-02	1.5E-01	1.05E-03	1.55E-04	3.32E-01	1.57E-01	8.09E-06	1.0E+06	8.1E+00
1550	4.49526	3.12E-02	1.4E-01	1.05E-03	1.47E-04	3.32E-01	1.57E-01	7.64E-06	1.0E+06	7.6E+00
1551	4.21149	3.12E-02	1.3E-01	1.05E-03	1.37E-04	3.32E-01	1.57E-01	7.16E-06	1.0E+06	7.2E+00
1552	3.91723	3.12E-02	1.2E-01	1.05E-03	1.28E-04	3.32E-01	1.57E-01	6.66E-06	1.0E+06	6.7E+00
1553	3.61864	3.12E-02	1.1E-01	1.05E-03	1.18E-04	3.32E-01	1.57E-01	6.15E-06	1.0E+06	6.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	3.32246	3.12E-02	1.0E-01	1.05E-03	1.08E-04	3.32E-01	1.57E-01	5.65E-06	1.0E+06	5.6E+00
1555	3.03738	3.12E-02	9.5E-02	1.05E-03	9.91E-05	3.32E-01	1.57E-01	5.16E-06	1.0E+06	5.2E+00
1556	2.76918	3.12E-02	8.6E-02	1.05E-03	9.03E-05	3.32E-01	1.57E-01	4.71E-06	1.0E+06	4.7E+00
1557	2.52	3.12E-02	7.9E-02	1.05E-03	8.22E-05	3.32E-01	1.57E-01	4.28E-06	1.0E+06	4.3E+00
1558	2.2907	3.12E-02	7.1E-02	1.05E-03	7.47E-05	3.32E-01	1.57E-01	3.89E-06	1.0E+06	3.9E+00
1559	2.08408	3.12E-02	6.5E-02	1.05E-03	6.80E-05	3.32E-01	1.57E-01	3.54E-06	1.0E+06	3.5E+00
1560	1.90004	3.12E-02	5.9E-02	1.05E-03	6.20E-05	3.32E-01	1.57E-01	3.23E-06	1.0E+06	3.2E+00
1561	1.737	3.12E-02	5.4E-02	1.05E-03	5.67E-05	3.32E-01	1.57E-01	2.95E-06	1.0E+06	3.0E+00
1562	5.5612	3.12E-02	1.7E-01	1.05E-03	1.81E-04	3.32E-01	1.57E-01	9.45E-06	1.0E+06	9.5E+00
1563	5.56018	3.12E-02	1.7E-01	1.05E-03	1.81E-04	3.32E-01	1.57E-01	9.45E-06	1.0E+06	9.4E+00
1564	5.56469	3.12E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.46E-06	1.0E+06	9.5E+00
1565	5.57488	3.12E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.47E-06	1.0E+06	9.5E+00
1566	5.57309	3.12E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.47E-06	1.0E+06	9.5E+00
1567	5.56834	3.12E-02	1.7E-01	1.05E-03	1.82E-04	3.32E-01	1.57E-01	9.46E-06	1.0E+06	9.5E+00
1568	5.55605	3.12E-02	1.7E-01	1.05E-03	1.81E-04	3.32E-01	1.57E-01	9.44E-06	1.0E+06	9.4E+00
1569	5.51238	3.12E-02	1.7E-01	1.05E-03	1.80E-04	3.32E-01	1.57E-01	9.37E-06	1.0E+06	9.4E+00
1570	5.44146	3.12E-02	1.7E-01	1.05E-03	1.78E-04	3.32E-01	1.57E-01	9.25E-06	1.0E+06	9.2E+00
1571	5.34424	3.12E-02	1.7E-01	1.05E-03	1.74E-04	3.32E-01	1.57E-01	9.08E-06	1.0E+06	9.1E+00
1572	5.22282	3.12E-02	1.6E-01	1.05E-03	1.70E-04	3.32E-01	1.57E-01	8.88E-06	1.0E+06	8.9E+00
1573	5.08274	3.12E-02	1.6E-01	1.05E-03	1.66E-04	3.32E-01	1.57E-01	8.64E-06	1.0E+06	8.6E+00
1574	4.92458	3.12E-02	1.5E-01	1.05E-03	1.61E-04	3.32E-01	1.57E-01	8.37E-06	1.0E+06	8.4E+00
1575	4.74447	3.12E-02	1.5E-01	1.05E-03	1.55E-04	3.32E-01	1.57E-01	8.06E-06	1.0E+06	8.1E+00
1576	4.54686	3.12E-02	1.4E-01	1.05E-03	1.48E-04	3.32E-01	1.57E-01	7.73E-06	1.0E+06	7.7E+00
1577	4.33209	3.12E-02	1.4E-01	1.05E-03	1.41E-04	3.32E-01	1.57E-01	7.36E-06	1.0E+06	7.4E+00
1578	4.10196	3.12E-02	1.3E-01	1.05E-03	1.34E-04	3.32E-01	1.57E-01	6.97E-06	1.0E+06	7.0E+00
1579	3.85856	3.12E-02	1.2E-01	1.05E-03	1.26E-04	3.32E-01	1.57E-01	6.56E-06	1.0E+06	6.6E+00
1580	3.60578	3.12E-02	1.1E-01	1.05E-03	1.18E-04	3.32E-01	1.57E-01	6.13E-06	1.0E+06	6.1E+00
1581	3.34897	3.12E-02	1.0E-01	1.05E-03	1.09E-04	3.32E-01	1.57E-01	5.69E-06	1.0E+06	5.7E+00
1582	3.09363	3.12E-02	9.7E-02	1.05E-03	1.01E-04	3.32E-01	1.57E-01	5.26E-06	1.0E+06	5.3E+00
1583	2.84582	3.12E-02	8.9E-02	1.05E-03	9.28E-05	3.32E-01	1.57E-01	4.84E-06	1.0E+06	4.8E+00
1584	2.61023	3.12E-02	8.1E-02	1.05E-03	8.52E-05	3.32E-01	1.57E-01	4.44E-06	1.0E+06	4.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.3894	3.12E-02	7.5E-02	1.05E-03	7.79E-05	3.32E-01	1.57E-01	4.06E-06	1.0E+06	4.1E+00
1586	2.18437	3.12E-02	6.8E-02	1.05E-03	7.13E-05	3.32E-01	1.57E-01	3.71E-06	1.0E+06	3.7E+00
1587	1.99744	3.12E-02	6.2E-02	1.05E-03	6.52E-05	3.32E-01	1.57E-01	3.39E-06	1.0E+06	3.4E+00
1588	1.82902	3.12E-02	5.7E-02	1.05E-03	5.97E-05	3.32E-01	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1589	1.67833	3.12E-02	5.2E-02	1.05E-03	5.48E-05	3.32E-01	1.57E-01	2.85E-06	1.0E+06	2.9E+00
1590	5.03444	3.12E-02	1.6E-01	1.05E-03	1.64E-04	3.32E-01	1.57E-01	8.56E-06	1.0E+06	8.6E+00
1591	5.02557	3.12E-02	1.6E-01	1.05E-03	1.64E-04	3.32E-01	1.57E-01	8.54E-06	1.0E+06	8.5E+00
1592	5.01615	3.12E-02	1.6E-01	1.05E-03	1.64E-04	3.32E-01	1.57E-01	8.52E-06	1.0E+06	8.5E+00
1593	5.01126	3.12E-02	1.6E-01	1.05E-03	1.63E-04	3.32E-01	1.57E-01	8.52E-06	1.0E+06	8.5E+00
1594	5.02951	3.12E-02	1.6E-01	1.05E-03	1.64E-04	3.32E-01	1.57E-01	8.55E-06	1.0E+06	8.5E+00
1595	5.01656	3.12E-02	1.6E-01	1.05E-03	1.64E-04	3.32E-01	1.57E-01	8.53E-06	1.0E+06	8.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	3.36095	1.02373E-06	3.4E-06	1.05E-03	3.60E-09	3.32E-01	1.57E-01	1.87E-10	1.0E+06	1.9E-04
1214	1214	4.84507	1.02373E-06	5.0E-06	1.05E-03	5.18E-09	3.32E-01	1.57E-01	2.70E-10	1.0E+06	2.7E-04
1215	1215	4.8136	1.02373E-06	4.9E-06	1.05E-03	5.15E-09	3.32E-01	1.57E-01	2.68E-10	1.0E+06	2.7E-04
1216	1216	4.77576	1.02373E-06	4.9E-06	1.05E-03	5.11E-09	3.32E-01	1.57E-01	2.66E-10	1.0E+06	2.7E-04
1217	1217	4.73027	1.02373E-06	4.8E-06	1.05E-03	5.06E-09	3.32E-01	1.57E-01	2.64E-10	1.0E+06	2.6E-04
1218	1218	4.6769	1.02373E-06	4.8E-06	1.05E-03	5.00E-09	3.32E-01	1.57E-01	2.61E-10	1.0E+06	2.6E-04
1219	1219	4.6151	1.02373E-06	4.7E-06	1.05E-03	4.94E-09	3.32E-01	1.57E-01	2.57E-10	1.0E+06	2.6E-04
1220	1220	4.54338	1.02373E-06	4.7E-06	1.05E-03	4.86E-09	3.32E-01	1.57E-01	2.53E-10	1.0E+06	2.5E-04
1221	1221	4.46184	1.02373E-06	4.6E-06	1.05E-03	4.77E-09	3.32E-01	1.57E-01	2.49E-10	1.0E+06	2.5E-04
1222	1222	4.36978	1.02373E-06	4.5E-06	1.05E-03	4.68E-09	3.32E-01	1.57E-01	2.44E-10	1.0E+06	2.4E-04
1223	1223	4.26895	1.02373E-06	4.4E-06	1.05E-03	4.57E-09	3.32E-01	1.57E-01	2.38E-10	1.0E+06	2.4E-04
1224	1224	4.1554	1.02373E-06	4.3E-06	1.05E-03	4.45E-09	3.32E-01	1.57E-01	2.32E-10	1.0E+06	2.3E-04
1225	1225	4.0291	1.02373E-06	4.1E-06	1.05E-03	4.31E-09	3.32E-01	1.57E-01	2.25E-10	1.0E+06	2.2E-04
1226	1226	3.89066	1.02373E-06	4.0E-06	1.05E-03	4.16E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
1227	1227	3.73985	1.02373E-06	3.8E-06	1.05E-03	4.00E-09	3.32E-01	1.57E-01	2.08E-10	1.0E+06	2.1E-04
1228	1228	5.50042	1.02373E-06	5.6E-06	1.05E-03	5.89E-09	3.32E-01	1.57E-01	3.07E-10	1.0E+06	3.1E-04
1229	1229	5.46761	1.02373E-06	5.6E-06	1.05E-03	5.85E-09	3.32E-01	1.57E-01	3.05E-10	1.0E+06	3.0E-04
1230	1230	5.42795	1.02373E-06	5.6E-06	1.05E-03	5.81E-09	3.32E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
1231	1231	5.37904	1.02373E-06	5.5E-06	1.05E-03	5.76E-09	3.32E-01	1.57E-01	3.00E-10	1.0E+06	3.0E-04
1232	1232	5.32072	1.02373E-06	5.4E-06	1.05E-03	5.69E-09	3.32E-01	1.57E-01	2.97E-10	1.0E+06	3.0E-04
1233	1233	5.25124	1.02373E-06	5.4E-06	1.05E-03	5.62E-09	3.32E-01	1.57E-01	2.93E-10	1.0E+06	2.9E-04
1234	1234	5.17085	1.02373E-06	5.3E-06	1.05E-03	5.53E-09	3.32E-01	1.57E-01	2.88E-10	1.0E+06	2.9E-04
1235	1235	5.07881	1.02373E-06	5.2E-06	1.05E-03	5.43E-09	3.32E-01	1.57E-01	2.83E-10	1.0E+06	2.8E-04
1236	1236	4.97303	1.02373E-06	5.1E-06	1.05E-03	5.32E-09	3.32E-01	1.57E-01	2.77E-10	1.0E+06	2.8E-04
1237	1237	4.85769	1.02373E-06	5.0E-06	1.05E-03	5.20E-09	3.32E-01	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1238	1238	4.72636	1.02373E-06	4.8E-06	1.05E-03	5.06E-09	3.32E-01	1.57E-01	2.63E-10	1.0E+06	2.6E-04
1239	1239	4.57878	1.02373E-06	4.7E-06	1.05E-03	4.90E-09	3.32E-01	1.57E-01	2.55E-10	1.0E+06	2.6E-04
1240	1240	4.41393	1.02373E-06	4.5E-06	1.05E-03	4.72E-09	3.32E-01	1.57E-01	2.46E-10	1.0E+06	2.5E-04
1241	1241	4.23256	1.02373E-06	4.3E-06	1.05E-03	4.53E-09	3.32E-01	1.57E-01	2.36E-10	1.0E+06	2.4E-04
1242	1242	6.31654	1.02373E-06	6.5E-06	1.05E-03	6.76E-09	3.32E-01	1.57E-01	3.52E-10	1.0E+06	3.5E-04
1243	1243	6.28291	1.02373E-06	6.4E-06	1.05E-03	6.72E-09	3.32E-01	1.57E-01	3.50E-10	1.0E+06	3.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	6.2409	1.02373E-06	6.4E-06	1.05E-03	6.68E-09	3.32E-01	1.57E-01	3.48E-10	1.0E+06	3.5E-04
1245	1245	6.19016	1.02373E-06	6.3E-06	1.05E-03	6.62E-09	3.32E-01	1.57E-01	3.45E-10	1.0E+06	3.5E-04
1246	1246	6.12613	1.02373E-06	6.3E-06	1.05E-03	6.55E-09	3.32E-01	1.57E-01	3.41E-10	1.0E+06	3.4E-04
1247	1247	6.04943	1.02373E-06	6.2E-06	1.05E-03	6.47E-09	3.32E-01	1.57E-01	3.37E-10	1.0E+06	3.4E-04
1248	1248	5.95976	1.02373E-06	6.1E-06	1.05E-03	6.38E-09	3.32E-01	1.57E-01	3.32E-10	1.0E+06	3.3E-04
1249	1249	5.85621	1.02373E-06	6.0E-06	1.05E-03	6.27E-09	3.32E-01	1.57E-01	3.26E-10	1.0E+06	3.3E-04
1250	1250	5.73466	1.02373E-06	5.9E-06	1.05E-03	6.14E-09	3.32E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
1251	1251	5.60243	1.02373E-06	5.7E-06	1.05E-03	5.99E-09	3.32E-01	1.57E-01	3.12E-10	1.0E+06	3.1E-04
1252	1252	5.45037	1.02373E-06	5.6E-06	1.05E-03	5.83E-09	3.32E-01	1.57E-01	3.04E-10	1.0E+06	3.0E-04
1253	1253	5.27473	1.02373E-06	5.4E-06	1.05E-03	5.64E-09	3.32E-01	1.57E-01	2.94E-10	1.0E+06	2.9E-04
1254	1254	5.07637	1.02373E-06	5.2E-06	1.05E-03	5.43E-09	3.32E-01	1.57E-01	2.83E-10	1.0E+06	2.8E-04
1255	1255	4.85439	1.02373E-06	5.0E-06	1.05E-03	5.19E-09	3.32E-01	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1256	1256	7.35506	1.02373E-06	7.5E-06	1.05E-03	7.87E-09	3.32E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
1257	1257	7.32251	1.02373E-06	7.5E-06	1.05E-03	7.84E-09	3.32E-01	1.57E-01	4.08E-10	1.0E+06	4.1E-04
1258	1258	7.27938	1.02373E-06	7.5E-06	1.05E-03	7.79E-09	3.32E-01	1.57E-01	4.06E-10	1.0E+06	4.1E-04
1259	1259	7.22599	1.02373E-06	7.4E-06	1.05E-03	7.73E-09	3.32E-01	1.57E-01	4.03E-10	1.0E+06	4.0E-04
1260	1260	7.15822	1.02373E-06	7.3E-06	1.05E-03	7.66E-09	3.32E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
1261	1261	7.07633	1.02373E-06	7.2E-06	1.05E-03	7.57E-09	3.32E-01	1.57E-01	3.94E-10	1.0E+06	3.9E-04
1262	1262	6.978	1.02373E-06	7.1E-06	1.05E-03	7.47E-09	3.32E-01	1.57E-01	3.89E-10	1.0E+06	3.9E-04
1263	1263	6.86151	1.02373E-06	7.0E-06	1.05E-03	7.34E-09	3.32E-01	1.57E-01	3.82E-10	1.0E+06	3.8E-04
1264	1264	6.72135	1.02373E-06	6.9E-06	1.05E-03	7.19E-09	3.32E-01	1.57E-01	3.75E-10	1.0E+06	3.7E-04
1265	1265	6.5687	1.02373E-06	6.7E-06	1.05E-03	7.03E-09	3.32E-01	1.57E-01	3.66E-10	1.0E+06	3.7E-04
1266	1266	6.38935	1.02373E-06	6.5E-06	1.05E-03	6.84E-09	3.32E-01	1.57E-01	3.56E-10	1.0E+06	3.6E-04
1267	1267	6.17873	1.02373E-06	6.3E-06	1.05E-03	6.61E-09	3.32E-01	1.57E-01	3.44E-10	1.0E+06	3.4E-04
1268	1268	5.93343	1.02373E-06	6.1E-06	1.05E-03	6.35E-09	3.32E-01	1.57E-01	3.31E-10	1.0E+06	3.3E-04
1269	1269	5.65263	1.02373E-06	5.8E-06	1.05E-03	6.05E-09	3.32E-01	1.57E-01	3.15E-10	1.0E+06	3.2E-04
1270	1270	8.71546	1.02373E-06	8.9E-06	1.05E-03	9.33E-09	3.32E-01	1.57E-01	4.86E-10	1.0E+06	4.9E-04
1271	1271	8.68671	1.02373E-06	8.9E-06	1.05E-03	9.29E-09	3.32E-01	1.57E-01	4.84E-10	1.0E+06	4.8E-04
1272	1272	8.64348	1.02373E-06	8.8E-06	1.05E-03	9.25E-09	3.32E-01	1.57E-01	4.82E-10	1.0E+06	4.8E-04
1273	1273	8.58568	1.02373E-06	8.8E-06	1.05E-03	9.19E-09	3.32E-01	1.57E-01	4.79E-10	1.0E+06	4.8E-04
1274	1274	8.52026	1.02373E-06	8.7E-06	1.05E-03	9.12E-09	3.32E-01	1.57E-01	4.75E-10	1.0E+06	4.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	8.43618	1.02373E-06	8.6E-06	1.05E-03	9.03E-09	3.32E-01	1.57E-01	4.70E-10	1.0E+06	4.7E-04
1276	1276	8.33071	1.02373E-06	8.5E-06	1.05E-03	8.91E-09	3.32E-01	1.57E-01	4.64E-10	1.0E+06	4.6E-04
1277	1277	8.2002	1.02373E-06	8.4E-06	1.05E-03	8.77E-09	3.32E-01	1.57E-01	4.57E-10	1.0E+06	4.6E-04
1278	1278	8.03838	1.02373E-06	8.2E-06	1.05E-03	8.60E-09	3.32E-01	1.57E-01	4.48E-10	1.0E+06	4.5E-04
1279	1279	7.86042	1.02373E-06	8.0E-06	1.05E-03	8.41E-09	3.32E-01	1.57E-01	4.38E-10	1.0E+06	4.4E-04
1280	1280	7.64812	1.02373E-06	7.8E-06	1.05E-03	8.18E-09	3.32E-01	1.57E-01	4.26E-10	1.0E+06	4.3E-04
1281	1281	7.39104	1.02373E-06	7.6E-06	1.05E-03	7.91E-09	3.32E-01	1.57E-01	4.12E-10	1.0E+06	4.1E-04
1282	1282	7.08159	1.02373E-06	7.2E-06	1.05E-03	7.58E-09	3.32E-01	1.57E-01	3.95E-10	1.0E+06	3.9E-04
1283	1283	6.71904	1.02373E-06	6.9E-06	1.05E-03	7.19E-09	3.32E-01	1.57E-01	3.75E-10	1.0E+06	3.7E-04
1284	1284	10.56248	1.02373E-06	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.89E-10	1.0E+06	5.9E-04
1285	1285	10.54154	1.02373E-06	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.88E-10	1.0E+06	5.9E-04
1286	1286	10.49856	1.02373E-06	1.1E-05	1.05E-03	1.12E-08	3.32E-01	1.57E-01	5.85E-10	1.0E+06	5.9E-04
1287	1287	10.43196	1.02373E-06	1.1E-05	1.05E-03	1.12E-08	3.32E-01	1.57E-01	5.81E-10	1.0E+06	5.8E-04
1288	1288	10.36901	1.02373E-06	1.1E-05	1.05E-03	1.11E-08	3.32E-01	1.57E-01	5.78E-10	1.0E+06	5.8E-04
1289	1289	10.28656	1.02373E-06	1.1E-05	1.05E-03	1.10E-08	3.32E-01	1.57E-01	5.73E-10	1.0E+06	5.7E-04
1290	1290	10.18442	1.02373E-06	1.0E-05	1.05E-03	1.09E-08	3.32E-01	1.57E-01	5.68E-10	1.0E+06	5.7E-04
1291	1291	10.04641	1.02373E-06	1.0E-05	1.05E-03	1.07E-08	3.32E-01	1.57E-01	5.60E-10	1.0E+06	5.6E-04
1292	1292	9.86188	1.02373E-06	1.0E-05	1.05E-03	1.06E-08	3.32E-01	1.57E-01	5.50E-10	1.0E+06	5.5E-04
1293	1293	9.65572	1.02373E-06	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.38E-10	1.0E+06	5.4E-04
1294	1294	9.40616	1.02373E-06	9.6E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.24E-10	1.0E+06	5.2E-04
1295	1295	9.09051	1.02373E-06	9.3E-06	1.05E-03	9.73E-09	3.32E-01	1.57E-01	5.07E-10	1.0E+06	5.1E-04
1296	1296	8.69745	1.02373E-06	8.9E-06	1.05E-03	9.31E-09	3.32E-01	1.57E-01	4.85E-10	1.0E+06	4.8E-04
1297	1297	8.21422	1.02373E-06	8.4E-06	1.05E-03	8.79E-09	3.32E-01	1.57E-01	4.58E-10	1.0E+06	4.6E-04
1298	1298	13.18638	1.02373E-06	1.3E-05	1.05E-03	1.41E-08	3.32E-01	1.57E-01	7.35E-10	1.0E+06	7.4E-04
1299	1299	13.17962	1.02373E-06	1.3E-05	1.05E-03	1.41E-08	3.32E-01	1.57E-01	7.35E-10	1.0E+06	7.3E-04
1300	1300	13.13291	1.02373E-06	1.3E-05	1.05E-03	1.41E-08	3.32E-01	1.57E-01	7.32E-10	1.0E+06	7.3E-04
1301	1301	13.05089	1.02373E-06	1.3E-05	1.05E-03	1.40E-08	3.32E-01	1.57E-01	7.27E-10	1.0E+06	7.3E-04
1302	1302	13.00142	1.02373E-06	1.3E-05	1.05E-03	1.39E-08	3.32E-01	1.57E-01	7.25E-10	1.0E+06	7.2E-04
1303	1303	12.93493	1.02373E-06	1.3E-05	1.05E-03	1.38E-08	3.32E-01	1.57E-01	7.21E-10	1.0E+06	7.2E-04
1304	1304	12.84203	1.02373E-06	1.3E-05	1.05E-03	1.37E-08	3.32E-01	1.57E-01	7.16E-10	1.0E+06	7.2E-04
1305	1305	12.70825	1.02373E-06	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.08E-10	1.0E+06	7.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	17.13896	1.02373E-06	1.8E-05	1.05E-03	1.83E-08	3.32E-01	1.57E-01	9.55E-10	1.0E+06	9.6E-04
1307	1307	17.16742	1.02373E-06	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.57E-10	1.0E+06	9.6E-04
1308	1308	17.15586	1.02373E-06	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.56E-10	1.0E+06	9.6E-04
1309	1309	17.10003	1.02373E-06	1.8E-05	1.05E-03	1.83E-08	3.32E-01	1.57E-01	9.53E-10	1.0E+06	9.5E-04
1310	1310	17.06618	1.02373E-06	1.7E-05	1.05E-03	1.83E-08	3.32E-01	1.57E-01	9.51E-10	1.0E+06	9.5E-04
1311	1311	16.98971	1.02373E-06	1.7E-05	1.05E-03	1.82E-08	3.32E-01	1.57E-01	9.47E-10	1.0E+06	9.5E-04
1312	1312	16.90268	1.02373E-06	1.7E-05	1.05E-03	1.81E-08	3.32E-01	1.57E-01	9.42E-10	1.0E+06	9.4E-04
1313	1313	16.7702	1.02373E-06	1.7E-05	1.05E-03	1.79E-08	3.32E-01	1.57E-01	9.35E-10	1.0E+06	9.3E-04
1314	1314	17.5825	1.02373E-06	1.8E-05	1.05E-03	1.88E-08	3.32E-01	1.57E-01	9.80E-10	1.0E+06	9.8E-04
1315	1315	17.40426	1.02373E-06	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.70E-10	1.0E+06	9.7E-04
1316	1316	17.62382	1.02373E-06	1.8E-05	1.05E-03	1.89E-08	3.32E-01	1.57E-01	9.82E-10	1.0E+06	9.8E-04
1317	1317	17.36084	1.02373E-06	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.68E-10	1.0E+06	9.7E-04
1318	1318	17.50664	1.02373E-06	1.8E-05	1.05E-03	1.87E-08	3.32E-01	1.57E-01	9.76E-10	1.0E+06	9.8E-04
1319	1319	17.21064	1.02373E-06	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.59E-10	1.0E+06	9.6E-04
1320	1320	17.29619	1.02373E-06	1.8E-05	1.05E-03	1.85E-08	3.32E-01	1.57E-01	9.64E-10	1.0E+06	9.6E-04
1321	1321	16.92772	1.02373E-06	1.7E-05	1.05E-03	1.81E-08	3.32E-01	1.57E-01	9.44E-10	1.0E+06	9.4E-04
1322	1322	14.50868	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.09E-10	1.0E+06	8.1E-04
1323	1323	14.6902	1.02373E-06	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.19E-10	1.0E+06	8.2E-04
1324	1324	14.43661	1.02373E-06	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.05E-10	1.0E+06	8.0E-04
1325	1325	14.60307	1.02373E-06	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.14E-10	1.0E+06	8.1E-04
1326	1326	14.27522	1.02373E-06	1.5E-05	1.05E-03	1.53E-08	3.32E-01	1.57E-01	7.96E-10	1.0E+06	8.0E-04
1327	1327	14.34927	1.02373E-06	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.00E-10	1.0E+06	8.0E-04
1328	1328	13.99002	1.02373E-06	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.80E-10	1.0E+06	7.8E-04
1329	1329	14.01603	1.02373E-06	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.81E-10	1.0E+06	7.8E-04
1330	1330	15.20586	1.02373E-06	1.6E-05	1.05E-03	1.63E-08	3.32E-01	1.57E-01	8.48E-10	1.0E+06	8.5E-04
1331	1331	15.37272	1.02373E-06	1.6E-05	1.05E-03	1.64E-08	3.32E-01	1.57E-01	8.57E-10	1.0E+06	8.6E-04
1332	1332	15.08542	1.02373E-06	1.5E-05	1.05E-03	1.61E-08	3.32E-01	1.57E-01	8.41E-10	1.0E+06	8.4E-04
1333	1333	15.27693	1.02373E-06	1.6E-05	1.05E-03	1.63E-08	3.32E-01	1.57E-01	8.52E-10	1.0E+06	8.5E-04
1334	1334	14.88567	1.02373E-06	1.5E-05	1.05E-03	1.59E-08	3.32E-01	1.57E-01	8.30E-10	1.0E+06	8.3E-04
1335	1335	14.96833	1.02373E-06	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.34E-10	1.0E+06	8.3E-04
1336	1336	14.584	1.02373E-06	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.13E-10	1.0E+06	8.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	14.58845	1.02373E-06	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.13E-10	1.0E+06	8.1E-04
1338	1338	14.35133	1.02373E-06	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.00E-10	1.0E+06	8.0E-04
1339	1339	14.53717	1.02373E-06	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.10E-10	1.0E+06	8.1E-04
1340	1340	14.39852	1.02373E-06	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.03E-10	1.0E+06	8.0E-04
1341	1341	14.78724	1.02373E-06	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.24E-10	1.0E+06	8.2E-04
1342	1342	14.47807	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.07E-10	1.0E+06	8.1E-04
1343	1343	14.75559	1.02373E-06	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.22E-10	1.0E+06	8.2E-04
1344	1344	14.50141	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.08E-10	1.0E+06	8.1E-04
1345	1345	14.70871	1.02373E-06	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.20E-10	1.0E+06	8.2E-04
1346	1346	14.54733	1.02373E-06	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.11E-10	1.0E+06	8.1E-04
1347	1347	14.80319	1.02373E-06	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.25E-10	1.0E+06	8.3E-04
1348	1348	14.51832	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.09E-10	1.0E+06	8.1E-04
1349	1349	14.84315	1.02373E-06	1.5E-05	1.05E-03	1.59E-08	3.32E-01	1.57E-01	8.27E-10	1.0E+06	8.3E-04
1350	1350	14.51321	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.09E-10	1.0E+06	8.1E-04
1351	1351	14.71958	1.02373E-06	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.20E-10	1.0E+06	8.2E-04
1352	1352	14.47865	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.07E-10	1.0E+06	8.1E-04
1353	1353	14.69639	1.02373E-06	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.19E-10	1.0E+06	8.2E-04
1354	1354	14.46448	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.06E-10	1.0E+06	8.1E-04
1355	1355	14.68649	1.02373E-06	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.19E-10	1.0E+06	8.2E-04
1356	1356	14.4423	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.05E-10	1.0E+06	8.1E-04
1357	1357	14.65774	1.02373E-06	1.5E-05	1.05E-03	1.57E-08	3.32E-01	1.57E-01	8.17E-10	1.0E+06	8.2E-04
1358	1358	14.40337	1.02373E-06	1.5E-05	1.05E-03	1.54E-08	3.32E-01	1.57E-01	8.03E-10	1.0E+06	8.0E-04
1359	1359	14.57139	1.02373E-06	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.12E-10	1.0E+06	8.1E-04
1360	1360	14.24613	1.02373E-06	1.5E-05	1.05E-03	1.52E-08	3.32E-01	1.57E-01	7.94E-10	1.0E+06	7.9E-04
1361	1361	14.44951	1.02373E-06	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.05E-10	1.0E+06	8.1E-04
1362	1362	14.01813	1.02373E-06	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.81E-10	1.0E+06	7.8E-04
1363	1363	14.12166	1.02373E-06	1.4E-05	1.05E-03	1.51E-08	3.32E-01	1.57E-01	7.87E-10	1.0E+06	7.9E-04
1364	1364	13.68881	1.02373E-06	1.4E-05	1.05E-03	1.46E-08	3.32E-01	1.57E-01	7.63E-10	1.0E+06	7.6E-04
1365	1365	13.70379	1.02373E-06	1.4E-05	1.05E-03	1.47E-08	3.32E-01	1.57E-01	7.64E-10	1.0E+06	7.6E-04
1366	1366	19.10324	1.02373E-06	2.0E-05	1.05E-03	2.04E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1367	1367	18.98313	1.02373E-06	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	19.46228	1.02373E-06	2.0E-05	1.05E-03	2.08E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
1369	1369	19.05361	1.02373E-06	2.0E-05	1.05E-03	2.04E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1370	1370	19.40237	1.02373E-06	2.0E-05	1.05E-03	2.08E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
1371	1371	18.97575	1.02373E-06	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1372	1372	19.28445	1.02373E-06	2.0E-05	1.05E-03	2.06E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1373	1373	18.95228	1.02373E-06	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1374	1374	19.2338	1.02373E-06	2.0E-05	1.05E-03	2.06E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1375	1375	18.95368	1.02373E-06	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1376	1376	19.31689	1.02373E-06	2.0E-05	1.05E-03	2.07E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
1377	1377	18.8726	1.02373E-06	1.9E-05	1.05E-03	2.02E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
1378	1378	19.15846	1.02373E-06	2.0E-05	1.05E-03	2.05E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1379	1379	18.76461	1.02373E-06	1.9E-05	1.05E-03	2.01E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
1380	1380	19.02568	1.02373E-06	1.9E-05	1.05E-03	2.04E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1381	1381	18.70252	1.02373E-06	1.9E-05	1.05E-03	2.00E-08	3.32E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
1382	1382	18.93931	1.02373E-06	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1383	1383	18.63784	1.02373E-06	1.9E-05	1.05E-03	1.99E-08	3.32E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
1384	1384	18.87044	1.02373E-06	1.9E-05	1.05E-03	2.02E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
1385	1385	18.55564	1.02373E-06	1.9E-05	1.05E-03	1.99E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1386	1386	18.75847	1.02373E-06	1.9E-05	1.05E-03	2.01E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
1387	1387	18.41056	1.02373E-06	1.9E-05	1.05E-03	1.97E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1388	1388	26.30547	1.02373E-06	2.7E-05	1.05E-03	2.81E-08	3.32E-01	1.57E-01	1.47E-09	1.0E+06	1.5E-03
1389	1389	26.12998	1.02373E-06	2.7E-05	1.05E-03	2.80E-08	3.32E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1390	1390	25.90751	1.02373E-06	2.7E-05	1.05E-03	2.77E-08	3.32E-01	1.57E-01	1.44E-09	1.0E+06	1.4E-03
1391	1391	25.69924	1.02373E-06	2.6E-05	1.05E-03	2.75E-08	3.32E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1392	1392	25.41249	1.02373E-06	2.6E-05	1.05E-03	2.72E-08	3.32E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
1393	1393	25.12113	1.02373E-06	2.6E-05	1.05E-03	2.69E-08	3.32E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
1394	1394	20.97734	1.02373E-06	2.1E-05	1.05E-03	2.24E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1395	1395	21.00889	1.02373E-06	2.2E-05	1.05E-03	2.25E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1396	1396	20.99703	1.02373E-06	2.1E-05	1.05E-03	2.25E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1397	1397	20.97064	1.02373E-06	2.1E-05	1.05E-03	2.24E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1398	1398	20.95115	1.02373E-06	2.1E-05	1.05E-03	2.24E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	20.89774	1.02373E-06	2.1E-05	1.05E-03	2.24E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1400	1400	20.90927	1.02373E-06	2.1E-05	1.05E-03	2.24E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1401	1401	20.86306	1.02373E-06	2.1E-05	1.05E-03	2.23E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1402	1402	20.83599	1.02373E-06	2.1E-05	1.05E-03	2.23E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1403	1403	20.80438	1.02373E-06	2.1E-05	1.05E-03	2.23E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1404	1404	20.74995	1.02373E-06	2.1E-05	1.05E-03	2.22E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1405	1405	20.68912	1.02373E-06	2.1E-05	1.05E-03	2.21E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
1406	1406	20.64775	1.02373E-06	2.1E-05	1.05E-03	2.21E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
1407	1407	20.57028	1.02373E-06	2.1E-05	1.05E-03	2.20E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.1E-03
1408	1408	20.51367	1.02373E-06	2.1E-05	1.05E-03	2.19E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
1409	1409	20.46182	1.02373E-06	2.1E-05	1.05E-03	2.19E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
1410	1410	20.38044	1.02373E-06	2.1E-05	1.05E-03	2.18E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
1411	1411	20.34511	1.02373E-06	2.1E-05	1.05E-03	2.18E-08	3.32E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
1412	1412	20.26033	1.02373E-06	2.1E-05	1.05E-03	2.17E-08	3.32E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
1413	1413	20.20806	1.02373E-06	2.1E-05	1.05E-03	2.16E-08	3.32E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
1414	1414	20.10827	1.02373E-06	2.1E-05	1.05E-03	2.15E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
1415	1415	20.02241	1.02373E-06	2.0E-05	1.05E-03	2.14E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
1416	1416	19.90879	1.02373E-06	2.0E-05	1.05E-03	2.13E-08	3.32E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
1417	1417	19.75631	1.02373E-06	2.0E-05	1.05E-03	2.11E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1418	1418	19.60069	1.02373E-06	2.0E-05	1.05E-03	2.10E-08	3.32E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
1419	1419	19.41046	1.02373E-06	2.0E-05	1.05E-03	2.08E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
1420	1420	19.1896	1.02373E-06	2.0E-05	1.05E-03	2.05E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1421	1421	18.94426	1.02373E-06	1.9E-05	1.05E-03	2.03E-08	3.32E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1422	1422	16.5466	1.02373E-06	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.22E-10	1.0E+06	9.2E-04
1423	1423	16.5346	1.02373E-06	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.22E-10	1.0E+06	9.2E-04
1424	1424	16.50375	1.02373E-06	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.20E-10	1.0E+06	9.2E-04
1425	1425	16.49055	1.02373E-06	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.19E-10	1.0E+06	9.2E-04
1426	1426	16.47285	1.02373E-06	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.18E-10	1.0E+06	9.2E-04
1427	1427	16.46189	1.02373E-06	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.18E-10	1.0E+06	9.2E-04
1428	1428	16.49796	1.02373E-06	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.20E-10	1.0E+06	9.2E-04
1429	1429	16.50415	1.02373E-06	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.20E-10	1.0E+06	9.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	16.50346	1.02373E-06	1.7E-05	1.05E-03	1.77E-08	3.32E-01	1.57E-01	9.20E-10	1.0E+06	9.2E-04
1431	1431	16.47104	1.02373E-06	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.18E-10	1.0E+06	9.2E-04
1432	1432	16.43412	1.02373E-06	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.16E-10	1.0E+06	9.2E-04
1433	1433	16.39572	1.02373E-06	1.7E-05	1.05E-03	1.75E-08	3.32E-01	1.57E-01	9.14E-10	1.0E+06	9.1E-04
1434	1434	16.36964	1.02373E-06	1.7E-05	1.05E-03	1.75E-08	3.32E-01	1.57E-01	9.12E-10	1.0E+06	9.1E-04
1435	1435	16.31597	1.02373E-06	1.7E-05	1.05E-03	1.75E-08	3.32E-01	1.57E-01	9.09E-10	1.0E+06	9.1E-04
1436	1436	16.28198	1.02373E-06	1.7E-05	1.05E-03	1.74E-08	3.32E-01	1.57E-01	9.08E-10	1.0E+06	9.1E-04
1437	1437	16.2345	1.02373E-06	1.7E-05	1.05E-03	1.74E-08	3.32E-01	1.57E-01	9.05E-10	1.0E+06	9.0E-04
1438	1438	16.17444	1.02373E-06	1.7E-05	1.05E-03	1.73E-08	3.32E-01	1.57E-01	9.02E-10	1.0E+06	9.0E-04
1439	1439	16.1376	1.02373E-06	1.7E-05	1.05E-03	1.73E-08	3.32E-01	1.57E-01	9.00E-10	1.0E+06	9.0E-04
1440	1440	16.07213	1.02373E-06	1.6E-05	1.05E-03	1.72E-08	3.32E-01	1.57E-01	8.96E-10	1.0E+06	9.0E-04
1441	1441	16.01925	1.02373E-06	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.93E-10	1.0E+06	8.9E-04
1442	1442	15.94013	1.02373E-06	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.89E-10	1.0E+06	8.9E-04
1443	1443	15.85851	1.02373E-06	1.6E-05	1.05E-03	1.70E-08	3.32E-01	1.57E-01	8.84E-10	1.0E+06	8.8E-04
1444	1444	15.74971	1.02373E-06	1.6E-05	1.05E-03	1.69E-08	3.32E-01	1.57E-01	8.78E-10	1.0E+06	8.8E-04
1445	1445	15.61493	1.02373E-06	1.6E-05	1.05E-03	1.67E-08	3.32E-01	1.57E-01	8.70E-10	1.0E+06	8.7E-04
1446	1446	15.48733	1.02373E-06	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.63E-10	1.0E+06	8.6E-04
1447	1447	15.32768	1.02373E-06	1.6E-05	1.05E-03	1.64E-08	3.32E-01	1.57E-01	8.54E-10	1.0E+06	8.5E-04
1448	1448	15.14211	1.02373E-06	1.6E-05	1.05E-03	1.62E-08	3.32E-01	1.57E-01	8.44E-10	1.0E+06	8.4E-04
1449	1449	14.92356	1.02373E-06	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.32E-10	1.0E+06	8.3E-04
1450	1450	13.42905	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.49E-10	1.0E+06	7.5E-04
1451	1451	13.42622	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.48E-10	1.0E+06	7.5E-04
1452	1452	13.42445	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.48E-10	1.0E+06	7.5E-04
1453	1453	13.39766	1.02373E-06	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.47E-10	1.0E+06	7.5E-04
1454	1454	13.39671	1.02373E-06	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.47E-10	1.0E+06	7.5E-04
1455	1455	13.37293	1.02373E-06	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.45E-10	1.0E+06	7.5E-04
1456	1456	13.44739	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.50E-10	1.0E+06	7.5E-04
1457	1457	13.49824	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.52E-10	1.0E+06	7.5E-04
1458	1458	13.50221	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.53E-10	1.0E+06	7.5E-04
1459	1459	13.47344	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.51E-10	1.0E+06	7.5E-04
1460	1460	13.44982	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.50E-10	1.0E+06	7.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	13.42444	1.02373E-06	1.4E-05	1.05E-03	1.44E-08	3.32E-01	1.57E-01	7.48E-10	1.0E+06	7.5E-04
1462	1462	13.39899	1.02373E-06	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.47E-10	1.0E+06	7.5E-04
1463	1463	13.36652	1.02373E-06	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.45E-10	1.0E+06	7.5E-04
1464	1464	13.34201	1.02373E-06	1.4E-05	1.05E-03	1.43E-08	3.32E-01	1.57E-01	7.44E-10	1.0E+06	7.4E-04
1465	1465	13.30094	1.02373E-06	1.4E-05	1.05E-03	1.42E-08	3.32E-01	1.57E-01	7.41E-10	1.0E+06	7.4E-04
1466	1466	13.252	1.02373E-06	1.4E-05	1.05E-03	1.42E-08	3.32E-01	1.57E-01	7.39E-10	1.0E+06	7.4E-04
1467	1467	13.21467	1.02373E-06	1.4E-05	1.05E-03	1.41E-08	3.32E-01	1.57E-01	7.37E-10	1.0E+06	7.4E-04
1468	1468	13.16001	1.02373E-06	1.3E-05	1.05E-03	1.41E-08	3.32E-01	1.57E-01	7.34E-10	1.0E+06	7.3E-04
1469	1469	13.10754	1.02373E-06	1.3E-05	1.05E-03	1.40E-08	3.32E-01	1.57E-01	7.31E-10	1.0E+06	7.3E-04
1470	1470	13.03825	1.02373E-06	1.3E-05	1.05E-03	1.40E-08	3.32E-01	1.57E-01	7.27E-10	1.0E+06	7.3E-04
1471	1471	12.96036	1.02373E-06	1.3E-05	1.05E-03	1.39E-08	3.32E-01	1.57E-01	7.22E-10	1.0E+06	7.2E-04
1472	1472	12.86208	1.02373E-06	1.3E-05	1.05E-03	1.38E-08	3.32E-01	1.57E-01	7.17E-10	1.0E+06	7.2E-04
1473	1473	12.74372	1.02373E-06	1.3E-05	1.05E-03	1.36E-08	3.32E-01	1.57E-01	7.10E-10	1.0E+06	7.1E-04
1474	1474	12.62774	1.02373E-06	1.3E-05	1.05E-03	1.35E-08	3.32E-01	1.57E-01	7.04E-10	1.0E+06	7.0E-04
1475	1475	12.48821	1.02373E-06	1.3E-05	1.05E-03	1.34E-08	3.32E-01	1.57E-01	6.96E-10	1.0E+06	7.0E-04
1476	1476	12.32536	1.02373E-06	1.3E-05	1.05E-03	1.32E-08	3.32E-01	1.57E-01	6.87E-10	1.0E+06	6.9E-04
1477	1477	12.13024	1.02373E-06	1.2E-05	1.05E-03	1.30E-08	3.32E-01	1.57E-01	6.76E-10	1.0E+06	6.8E-04
1478	1478	11.16566	1.02373E-06	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.22E-10	1.0E+06	6.2E-04
1479	1479	11.18127	1.02373E-06	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.23E-10	1.0E+06	6.2E-04
1480	1480	11.17373	1.02373E-06	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.23E-10	1.0E+06	6.2E-04
1481	1481	11.18785	1.02373E-06	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
1482	1482	11.17826	1.02373E-06	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.23E-10	1.0E+06	6.2E-04
1483	1483	11.19148	1.02373E-06	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
1484	1484	11.25992	1.02373E-06	1.2E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.28E-10	1.0E+06	6.3E-04
1485	1485	11.30244	1.02373E-06	1.2E-05	1.05E-03	1.21E-08	3.32E-01	1.57E-01	6.30E-10	1.0E+06	6.3E-04
1486	1486	11.31798	1.02373E-06	1.2E-05	1.05E-03	1.21E-08	3.32E-01	1.57E-01	6.31E-10	1.0E+06	6.3E-04
1487	1487	11.29889	1.02373E-06	1.2E-05	1.05E-03	1.21E-08	3.32E-01	1.57E-01	6.30E-10	1.0E+06	6.3E-04
1488	1488	11.28075	1.02373E-06	1.2E-05	1.05E-03	1.21E-08	3.32E-01	1.57E-01	6.29E-10	1.0E+06	6.3E-04
1489	1489	11.26375	1.02373E-06	1.2E-05	1.05E-03	1.21E-08	3.32E-01	1.57E-01	6.28E-10	1.0E+06	6.3E-04
1490	1490	11.2451	1.02373E-06	1.2E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.27E-10	1.0E+06	6.3E-04
1491	1491	11.21953	1.02373E-06	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.25E-10	1.0E+06	6.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	11.19858	1.02373E-06	1.1E-05	1.05E-03	1.20E-08	3.32E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
1493	1493	11.16415	1.02373E-06	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.22E-10	1.0E+06	6.2E-04
1494	1494	11.12524	1.02373E-06	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.20E-10	1.0E+06	6.2E-04
1495	1495	11.0869	1.02373E-06	1.1E-05	1.05E-03	1.19E-08	3.32E-01	1.57E-01	6.18E-10	1.0E+06	6.2E-04
1496	1496	11.03851	1.02373E-06	1.1E-05	1.05E-03	1.18E-08	3.32E-01	1.57E-01	6.15E-10	1.0E+06	6.2E-04
1497	1497	10.98645	1.02373E-06	1.1E-05	1.05E-03	1.18E-08	3.32E-01	1.57E-01	6.12E-10	1.0E+06	6.1E-04
1498	1498	10.92297	1.02373E-06	1.1E-05	1.05E-03	1.17E-08	3.32E-01	1.57E-01	6.09E-10	1.0E+06	6.1E-04
1499	1499	10.85005	1.02373E-06	1.1E-05	1.05E-03	1.16E-08	3.32E-01	1.57E-01	6.05E-10	1.0E+06	6.0E-04
1500	1500	10.76262	1.02373E-06	1.1E-05	1.05E-03	1.15E-08	3.32E-01	1.57E-01	6.00E-10	1.0E+06	6.0E-04
1501	1501	10.6601	1.02373E-06	1.1E-05	1.05E-03	1.14E-08	3.32E-01	1.57E-01	5.94E-10	1.0E+06	5.9E-04
1502	1502	10.55302	1.02373E-06	1.1E-05	1.05E-03	1.13E-08	3.32E-01	1.57E-01	5.88E-10	1.0E+06	5.9E-04
1503	1503	10.4256	1.02373E-06	1.1E-05	1.05E-03	1.12E-08	3.32E-01	1.57E-01	5.81E-10	1.0E+06	5.8E-04
1504	1504	10.2772	1.02373E-06	1.1E-05	1.05E-03	1.10E-08	3.32E-01	1.57E-01	5.73E-10	1.0E+06	5.7E-04
1505	1505	10.10288	1.02373E-06	1.0E-05	1.05E-03	1.08E-08	3.32E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
1506	1506	9.46453	1.02373E-06	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.28E-10	1.0E+06	5.3E-04
1507	1507	9.47366	1.02373E-06	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.28E-10	1.0E+06	5.3E-04
1508	1508	9.5007	1.02373E-06	9.7E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.30E-10	1.0E+06	5.3E-04
1509	1509	9.50774	1.02373E-06	9.7E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.30E-10	1.0E+06	5.3E-04
1510	1510	9.53847	1.02373E-06	9.8E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.32E-10	1.0E+06	5.3E-04
1511	1511	9.56265	1.02373E-06	9.8E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.33E-10	1.0E+06	5.3E-04
1512	1512	9.61822	1.02373E-06	9.8E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.36E-10	1.0E+06	5.4E-04
1513	1513	9.65526	1.02373E-06	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.38E-10	1.0E+06	5.4E-04
1514	1514	9.66538	1.02373E-06	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.39E-10	1.0E+06	5.4E-04
1515	1515	9.65945	1.02373E-06	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.38E-10	1.0E+06	5.4E-04
1516	1516	9.64556	1.02373E-06	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.38E-10	1.0E+06	5.4E-04
1517	1517	9.63411	1.02373E-06	9.9E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.37E-10	1.0E+06	5.4E-04
1518	1518	9.62114	1.02373E-06	9.8E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.36E-10	1.0E+06	5.4E-04
1519	1519	9.59857	1.02373E-06	9.8E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.35E-10	1.0E+06	5.4E-04
1520	1520	9.58004	1.02373E-06	9.8E-06	1.05E-03	1.03E-08	3.32E-01	1.57E-01	5.34E-10	1.0E+06	5.3E-04
1521	1521	9.55002	1.02373E-06	9.8E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.32E-10	1.0E+06	5.3E-04
1522	1522	9.51706	1.02373E-06	9.7E-06	1.05E-03	1.02E-08	3.32E-01	1.57E-01	5.30E-10	1.0E+06	5.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	9.47873	1.02373E-06	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.28E-10	1.0E+06	5.3E-04
1524	1524	9.43527	1.02373E-06	9.7E-06	1.05E-03	1.01E-08	3.32E-01	1.57E-01	5.26E-10	1.0E+06	5.3E-04
1525	1525	9.38455	1.02373E-06	9.6E-06	1.05E-03	1.00E-08	3.32E-01	1.57E-01	5.23E-10	1.0E+06	5.2E-04
1526	1526	9.32582	1.02373E-06	9.5E-06	1.05E-03	9.98E-09	3.32E-01	1.57E-01	5.20E-10	1.0E+06	5.2E-04
1527	1527	9.25799	1.02373E-06	9.5E-06	1.05E-03	9.91E-09	3.32E-01	1.57E-01	5.16E-10	1.0E+06	5.2E-04
1528	1528	9.17855	1.02373E-06	9.4E-06	1.05E-03	9.82E-09	3.32E-01	1.57E-01	5.12E-10	1.0E+06	5.1E-04
1529	1529	9.08815	1.02373E-06	9.3E-06	1.05E-03	9.72E-09	3.32E-01	1.57E-01	5.07E-10	1.0E+06	5.1E-04
1530	1530	8.98827	1.02373E-06	9.2E-06	1.05E-03	9.62E-09	3.32E-01	1.57E-01	5.01E-10	1.0E+06	5.0E-04
1531	1531	8.87219	1.02373E-06	9.1E-06	1.05E-03	9.49E-09	3.32E-01	1.57E-01	4.95E-10	1.0E+06	4.9E-04
1532	1532	8.73744	1.02373E-06	8.9E-06	1.05E-03	9.35E-09	3.32E-01	1.57E-01	4.87E-10	1.0E+06	4.9E-04
1533	1533	8.5809	1.02373E-06	8.8E-06	1.05E-03	9.18E-09	3.32E-01	1.57E-01	4.78E-10	1.0E+06	4.8E-04
1534	1534	8.12056	1.02373E-06	8.3E-06	1.05E-03	8.69E-09	3.32E-01	1.57E-01	4.53E-10	1.0E+06	4.5E-04
1535	1535	8.16499	1.02373E-06	8.4E-06	1.05E-03	8.74E-09	3.32E-01	1.57E-01	4.55E-10	1.0E+06	4.6E-04
1536	1536	8.18214	1.02373E-06	8.4E-06	1.05E-03	8.75E-09	3.32E-01	1.57E-01	4.56E-10	1.0E+06	4.6E-04
1537	1537	8.22341	1.02373E-06	8.4E-06	1.05E-03	8.80E-09	3.32E-01	1.57E-01	4.58E-10	1.0E+06	4.6E-04
1538	1538	8.26459	1.02373E-06	8.5E-06	1.05E-03	8.84E-09	3.32E-01	1.57E-01	4.61E-10	1.0E+06	4.6E-04
1539	1539	8.29723	1.02373E-06	8.5E-06	1.05E-03	8.88E-09	3.32E-01	1.57E-01	4.62E-10	1.0E+06	4.6E-04
1540	1540	8.3428	1.02373E-06	8.5E-06	1.05E-03	8.93E-09	3.32E-01	1.57E-01	4.65E-10	1.0E+06	4.7E-04
1541	1541	8.37619	1.02373E-06	8.6E-06	1.05E-03	8.96E-09	3.32E-01	1.57E-01	4.67E-10	1.0E+06	4.7E-04
1542	1542	8.38825	1.02373E-06	8.6E-06	1.05E-03	8.98E-09	3.32E-01	1.57E-01	4.68E-10	1.0E+06	4.7E-04
1543	1543	8.38584	1.02373E-06	8.6E-06	1.05E-03	8.97E-09	3.32E-01	1.57E-01	4.67E-10	1.0E+06	4.7E-04
1544	1544	8.37555	1.02373E-06	8.6E-06	1.05E-03	8.96E-09	3.32E-01	1.57E-01	4.67E-10	1.0E+06	4.7E-04
1545	1545	8.368	1.02373E-06	8.6E-06	1.05E-03	8.95E-09	3.32E-01	1.57E-01	4.66E-10	1.0E+06	4.7E-04
1546	1546	8.35818	1.02373E-06	8.6E-06	1.05E-03	8.94E-09	3.32E-01	1.57E-01	4.66E-10	1.0E+06	4.7E-04
1547	1547	8.342	1.02373E-06	8.5E-06	1.05E-03	8.93E-09	3.32E-01	1.57E-01	4.65E-10	1.0E+06	4.6E-04
1548	1548	8.32139	1.02373E-06	8.5E-06	1.05E-03	8.90E-09	3.32E-01	1.57E-01	4.64E-10	1.0E+06	4.6E-04
1549	1549	8.29247	1.02373E-06	8.5E-06	1.05E-03	8.87E-09	3.32E-01	1.57E-01	4.62E-10	1.0E+06	4.6E-04
1550	1550	8.26487	1.02373E-06	8.5E-06	1.05E-03	8.84E-09	3.32E-01	1.57E-01	4.61E-10	1.0E+06	4.6E-04
1551	1551	8.22735	1.02373E-06	8.4E-06	1.05E-03	8.80E-09	3.32E-01	1.57E-01	4.59E-10	1.0E+06	4.6E-04
1552	1552	8.18723	1.02373E-06	8.4E-06	1.05E-03	8.76E-09	3.32E-01	1.57E-01	4.56E-10	1.0E+06	4.6E-04
1553	1553	8.13913	1.02373E-06	8.3E-06	1.05E-03	8.71E-09	3.32E-01	1.57E-01	4.54E-10	1.0E+06	4.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	8.08487	1.02373E-06	8.3E-06	1.05E-03	8.65E-09	3.32E-01	1.57E-01	4.51E-10	1.0E+06	4.5E-04
1555	1555	8.02172	1.02373E-06	8.2E-06	1.05E-03	8.58E-09	3.32E-01	1.57E-01	4.47E-10	1.0E+06	4.5E-04
1556	1556	7.94928	1.02373E-06	8.1E-06	1.05E-03	8.51E-09	3.32E-01	1.57E-01	4.43E-10	1.0E+06	4.4E-04
1557	1557	7.86768	1.02373E-06	8.1E-06	1.05E-03	8.42E-09	3.32E-01	1.57E-01	4.39E-10	1.0E+06	4.4E-04
1558	1558	7.77456	1.02373E-06	8.0E-06	1.05E-03	8.32E-09	3.32E-01	1.57E-01	4.33E-10	1.0E+06	4.3E-04
1559	1559	7.66879	1.02373E-06	7.9E-06	1.05E-03	8.21E-09	3.32E-01	1.57E-01	4.27E-10	1.0E+06	4.3E-04
1560	1560	7.54669	1.02373E-06	7.7E-06	1.05E-03	8.08E-09	3.32E-01	1.57E-01	4.21E-10	1.0E+06	4.2E-04
1561	1561	7.40591	1.02373E-06	7.6E-06	1.05E-03	7.92E-09	3.32E-01	1.57E-01	4.13E-10	1.0E+06	4.1E-04
1562	1562	7.08681	1.02373E-06	7.3E-06	1.05E-03	7.58E-09	3.32E-01	1.57E-01	3.95E-10	1.0E+06	4.0E-04
1563	1563	7.12931	1.02373E-06	7.3E-06	1.05E-03	7.63E-09	3.32E-01	1.57E-01	3.97E-10	1.0E+06	4.0E-04
1564	1564	7.14624	1.02373E-06	7.3E-06	1.05E-03	7.65E-09	3.32E-01	1.57E-01	3.98E-10	1.0E+06	4.0E-04
1565	1565	7.1883	1.02373E-06	7.4E-06	1.05E-03	7.69E-09	3.32E-01	1.57E-01	4.01E-10	1.0E+06	4.0E-04
1566	1566	7.21621	1.02373E-06	7.4E-06	1.05E-03	7.72E-09	3.32E-01	1.57E-01	4.02E-10	1.0E+06	4.0E-04
1567	1567	7.27276	1.02373E-06	7.4E-06	1.05E-03	7.78E-09	3.32E-01	1.57E-01	4.05E-10	1.0E+06	4.1E-04
1568	1568	7.3145	1.02373E-06	7.5E-06	1.05E-03	7.83E-09	3.32E-01	1.57E-01	4.08E-10	1.0E+06	4.1E-04
1569	1569	7.34703	1.02373E-06	7.5E-06	1.05E-03	7.86E-09	3.32E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
1570	1570	7.36526	1.02373E-06	7.5E-06	1.05E-03	7.88E-09	3.32E-01	1.57E-01	4.11E-10	1.0E+06	4.1E-04
1571	1571	7.35821	1.02373E-06	7.5E-06	1.05E-03	7.87E-09	3.32E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
1572	1572	7.35587	1.02373E-06	7.5E-06	1.05E-03	7.87E-09	3.32E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
1573	1573	7.35824	1.02373E-06	7.5E-06	1.05E-03	7.87E-09	3.32E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
1574	1574	7.35068	1.02373E-06	7.5E-06	1.05E-03	7.87E-09	3.32E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
1575	1575	7.33793	1.02373E-06	7.5E-06	1.05E-03	7.85E-09	3.32E-01	1.57E-01	4.09E-10	1.0E+06	4.1E-04
1576	1576	7.31844	1.02373E-06	7.5E-06	1.05E-03	7.83E-09	3.32E-01	1.57E-01	4.08E-10	1.0E+06	4.1E-04
1577	1577	7.29141	1.02373E-06	7.5E-06	1.05E-03	7.80E-09	3.32E-01	1.57E-01	4.06E-10	1.0E+06	4.1E-04
1578	1578	7.26579	1.02373E-06	7.4E-06	1.05E-03	7.77E-09	3.32E-01	1.57E-01	4.05E-10	1.0E+06	4.1E-04
1579	1579	7.23036	1.02373E-06	7.4E-06	1.05E-03	7.74E-09	3.32E-01	1.57E-01	4.03E-10	1.0E+06	4.0E-04
1580	1580	7.19237	1.02373E-06	7.4E-06	1.05E-03	7.70E-09	3.32E-01	1.57E-01	4.01E-10	1.0E+06	4.0E-04
1581	1581	7.14733	1.02373E-06	7.3E-06	1.05E-03	7.65E-09	3.32E-01	1.57E-01	3.98E-10	1.0E+06	4.0E-04
1582	1582	7.09723	1.02373E-06	7.3E-06	1.05E-03	7.59E-09	3.32E-01	1.57E-01	3.96E-10	1.0E+06	4.0E-04
1583	1583	7.03835	1.02373E-06	7.2E-06	1.05E-03	7.53E-09	3.32E-01	1.57E-01	3.92E-10	1.0E+06	3.9E-04
1584	1584	6.97144	1.02373E-06	7.1E-06	1.05E-03	7.46E-09	3.32E-01	1.57E-01	3.89E-10	1.0E+06	3.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	6.8965	1.02373E-06	7.1E-06	1.05E-03	7.38E-09	3.32E-01	1.57E-01	3.84E-10	1.0E+06	3.8E-04
1586	1586	6.81117	1.02373E-06	7.0E-06	1.05E-03	7.29E-09	3.32E-01	1.57E-01	3.80E-10	1.0E+06	3.8E-04
1587	1587	6.71467	1.02373E-06	6.9E-06	1.05E-03	7.18E-09	3.32E-01	1.57E-01	3.74E-10	1.0E+06	3.7E-04
1588	1588	6.60406	1.02373E-06	6.8E-06	1.05E-03	7.07E-09	3.32E-01	1.57E-01	3.68E-10	1.0E+06	3.7E-04
1589	1589	6.47742	1.02373E-06	6.6E-06	1.05E-03	6.93E-09	3.32E-01	1.57E-01	3.61E-10	1.0E+06	3.6E-04
1590	1590	6.25986	1.02373E-06	6.4E-06	1.05E-03	6.70E-09	3.32E-01	1.57E-01	3.49E-10	1.0E+06	3.5E-04
1591	1591	6.27285	1.02373E-06	6.4E-06	1.05E-03	6.71E-09	3.32E-01	1.57E-01	3.50E-10	1.0E+06	3.5E-04
1592	1592	6.30018	1.02373E-06	6.4E-06	1.05E-03	6.74E-09	3.32E-01	1.57E-01	3.51E-10	1.0E+06	3.5E-04
1593	1593	6.31921	1.02373E-06	6.5E-06	1.05E-03	6.76E-09	3.32E-01	1.57E-01	3.52E-10	1.0E+06	3.5E-04
1594	1594	6.36983	1.02373E-06	6.5E-06	1.05E-03	6.82E-09	3.32E-01	1.57E-01	3.55E-10	1.0E+06	3.6E-04
1595	1595	6.41484	1.02373E-06	6.6E-06	1.05E-03	6.86E-09	3.32E-01	1.57E-01	3.58E-10	1.0E+06	3.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	1.2256	1.38724E-06	1.7E-06	1.05E-03	1.78E-09	3.32E-01	1.57E-01	9.26E-11	1.0E+06	9.3E-05
1214	1214	0.82645	1.38724E-06	1.1E-06	1.05E-03	1.20E-09	3.32E-01	1.57E-01	6.24E-11	1.0E+06	6.2E-05
1215	1215	0.85998	1.38724E-06	1.2E-06	1.05E-03	1.25E-09	3.32E-01	1.57E-01	6.50E-11	1.0E+06	6.5E-05
1216	1216	0.89559	1.38724E-06	1.2E-06	1.05E-03	1.30E-09	3.32E-01	1.57E-01	6.76E-11	1.0E+06	6.8E-05
1217	1217	0.93334	1.38724E-06	1.3E-06	1.05E-03	1.35E-09	3.32E-01	1.57E-01	7.05E-11	1.0E+06	7.0E-05
1218	1218	0.97348	1.38724E-06	1.4E-06	1.05E-03	1.41E-09	3.32E-01	1.57E-01	7.35E-11	1.0E+06	7.4E-05
1219	1219	1.01583	1.38724E-06	1.4E-06	1.05E-03	1.47E-09	3.32E-01	1.57E-01	7.67E-11	1.0E+06	7.7E-05
1220	1220	1.06038	1.38724E-06	1.5E-06	1.05E-03	1.54E-09	3.32E-01	1.57E-01	8.01E-11	1.0E+06	8.0E-05
1221	1221	1.10688	1.38724E-06	1.5E-06	1.05E-03	1.60E-09	3.32E-01	1.57E-01	8.36E-11	1.0E+06	8.4E-05
1222	1222	1.15516	1.38724E-06	1.6E-06	1.05E-03	1.67E-09	3.32E-01	1.57E-01	8.73E-11	1.0E+06	8.7E-05
1223	1223	1.20372	1.38724E-06	1.7E-06	1.05E-03	1.75E-09	3.32E-01	1.57E-01	9.09E-11	1.0E+06	9.1E-05
1224	1224	1.25217	1.38724E-06	1.7E-06	1.05E-03	1.82E-09	3.32E-01	1.57E-01	9.46E-11	1.0E+06	9.5E-05
1225	1225	1.29779	1.38724E-06	1.8E-06	1.05E-03	1.88E-09	3.32E-01	1.57E-01	9.80E-11	1.0E+06	9.8E-05
1226	1226	1.34078	1.38724E-06	1.9E-06	1.05E-03	1.94E-09	3.32E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
1227	1227	1.37939	1.38724E-06	1.9E-06	1.05E-03	2.00E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
1228	1228	0.87143	1.38724E-06	1.2E-06	1.05E-03	1.26E-09	3.32E-01	1.57E-01	6.58E-11	1.0E+06	6.6E-05
1229	1229	0.90927	1.38724E-06	1.3E-06	1.05E-03	1.32E-09	3.32E-01	1.57E-01	6.87E-11	1.0E+06	6.9E-05
1230	1230	0.94977	1.38724E-06	1.3E-06	1.05E-03	1.38E-09	3.32E-01	1.57E-01	7.17E-11	1.0E+06	7.2E-05
1231	1231	0.99304	1.38724E-06	1.4E-06	1.05E-03	1.44E-09	3.32E-01	1.57E-01	7.50E-11	1.0E+06	7.5E-05
1232	1232	1.04	1.38724E-06	1.4E-06	1.05E-03	1.51E-09	3.32E-01	1.57E-01	7.86E-11	1.0E+06	7.9E-05
1233	1233	1.09009	1.38724E-06	1.5E-06	1.05E-03	1.58E-09	3.32E-01	1.57E-01	8.23E-11	1.0E+06	8.2E-05
1234	1234	1.14314	1.38724E-06	1.6E-06	1.05E-03	1.66E-09	3.32E-01	1.57E-01	8.63E-11	1.0E+06	8.6E-05
1235	1235	1.1991	1.38724E-06	1.7E-06	1.05E-03	1.74E-09	3.32E-01	1.57E-01	9.06E-11	1.0E+06	9.1E-05
1236	1236	1.25792	1.38724E-06	1.7E-06	1.05E-03	1.82E-09	3.32E-01	1.57E-01	9.50E-11	1.0E+06	9.5E-05
1237	1237	1.31745	1.38724E-06	1.8E-06	1.05E-03	1.91E-09	3.32E-01	1.57E-01	9.95E-11	1.0E+06	1.0E-04
1238	1238	1.3778	1.38724E-06	1.9E-06	1.05E-03	2.00E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
1239	1239	1.43695	1.38724E-06	2.0E-06	1.05E-03	2.08E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
1240	1240	1.49213	1.38724E-06	2.1E-06	1.05E-03	2.16E-09	3.32E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
1241	1241	1.54241	1.38724E-06	2.1E-06	1.05E-03	2.24E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
1242	1242	0.91818	1.38724E-06	1.3E-06	1.05E-03	1.33E-09	3.32E-01	1.57E-01	6.94E-11	1.0E+06	6.9E-05
1243	1243	0.96199	1.38724E-06	1.3E-06	1.05E-03	1.39E-09	3.32E-01	1.57E-01	7.27E-11	1.0E+06	7.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	1.00817	1.38724E-06	1.4E-06	1.05E-03	1.46E-09	3.32E-01	1.57E-01	7.62E-11	1.0E+06	7.6E-05
1245	1245	1.0579	1.38724E-06	1.5E-06	1.05E-03	1.53E-09	3.32E-01	1.57E-01	7.99E-11	1.0E+06	8.0E-05
1246	1246	1.1129	1.38724E-06	1.5E-06	1.05E-03	1.61E-09	3.32E-01	1.57E-01	8.41E-11	1.0E+06	8.4E-05
1247	1247	1.17237	1.38724E-06	1.6E-06	1.05E-03	1.70E-09	3.32E-01	1.57E-01	8.86E-11	1.0E+06	8.9E-05
1248	1248	1.23604	1.38724E-06	1.7E-06	1.05E-03	1.79E-09	3.32E-01	1.57E-01	9.34E-11	1.0E+06	9.3E-05
1249	1249	1.30398	1.38724E-06	1.8E-06	1.05E-03	1.89E-09	3.32E-01	1.57E-01	9.85E-11	1.0E+06	9.8E-05
1250	1250	1.37648	1.38724E-06	1.9E-06	1.05E-03	2.00E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
1251	1251	1.45029	1.38724E-06	2.0E-06	1.05E-03	2.10E-09	3.32E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
1252	1252	1.52609	1.38724E-06	2.1E-06	1.05E-03	2.21E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.2E-04
1253	1253	1.6024	1.38724E-06	2.2E-06	1.05E-03	2.32E-09	3.32E-01	1.57E-01	1.21E-10	1.0E+06	1.2E-04
1254	1254	1.6761	1.38724E-06	2.3E-06	1.05E-03	2.43E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
1255	1255	1.74378	1.38724E-06	2.4E-06	1.05E-03	2.53E-09	3.32E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
1256	1256	0.96874	1.38724E-06	1.3E-06	1.05E-03	1.40E-09	3.32E-01	1.57E-01	7.32E-11	1.0E+06	7.3E-05
1257	1257	1.01818	1.38724E-06	1.4E-06	1.05E-03	1.48E-09	3.32E-01	1.57E-01	7.69E-11	1.0E+06	7.7E-05
1258	1258	1.07063	1.38724E-06	1.5E-06	1.05E-03	1.55E-09	3.32E-01	1.57E-01	8.09E-11	1.0E+06	8.1E-05
1259	1259	1.12783	1.38724E-06	1.6E-06	1.05E-03	1.64E-09	3.32E-01	1.57E-01	8.52E-11	1.0E+06	8.5E-05
1260	1260	1.1923	1.38724E-06	1.7E-06	1.05E-03	1.73E-09	3.32E-01	1.57E-01	9.01E-11	1.0E+06	9.0E-05
1261	1261	1.26274	1.38724E-06	1.8E-06	1.05E-03	1.83E-09	3.32E-01	1.57E-01	9.54E-11	1.0E+06	9.5E-05
1262	1262	1.33942	1.38724E-06	1.9E-06	1.05E-03	1.94E-09	3.32E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
1263	1263	1.42269	1.38724E-06	2.0E-06	1.05E-03	2.06E-09	3.32E-01	1.57E-01	1.07E-10	1.0E+06	1.1E-04
1264	1264	1.51329	1.38724E-06	2.1E-06	1.05E-03	2.19E-09	3.32E-01	1.57E-01	1.14E-10	1.0E+06	1.1E-04
1265	1265	1.60687	1.38724E-06	2.2E-06	1.05E-03	2.33E-09	3.32E-01	1.57E-01	1.21E-10	1.0E+06	1.2E-04
1266	1266	1.70496	1.38724E-06	2.4E-06	1.05E-03	2.47E-09	3.32E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
1267	1267	1.80565	1.38724E-06	2.5E-06	1.05E-03	2.62E-09	3.32E-01	1.57E-01	1.36E-10	1.0E+06	1.4E-04
1268	1268	1.90497	1.38724E-06	2.6E-06	1.05E-03	2.76E-09	3.32E-01	1.57E-01	1.44E-10	1.0E+06	1.4E-04
1269	1269	1.99794	1.38724E-06	2.8E-06	1.05E-03	2.90E-09	3.32E-01	1.57E-01	1.51E-10	1.0E+06	1.5E-04
1270	1270	1.02222	1.38724E-06	1.4E-06	1.05E-03	1.48E-09	3.32E-01	1.57E-01	7.72E-11	1.0E+06	7.7E-05
1271	1271	1.07669	1.38724E-06	1.5E-06	1.05E-03	1.56E-09	3.32E-01	1.57E-01	8.13E-11	1.0E+06	8.1E-05
1272	1272	1.13708	1.38724E-06	1.6E-06	1.05E-03	1.65E-09	3.32E-01	1.57E-01	8.59E-11	1.0E+06	8.6E-05
1273	1273	1.20243	1.38724E-06	1.7E-06	1.05E-03	1.74E-09	3.32E-01	1.57E-01	9.08E-11	1.0E+06	9.1E-05
1274	1274	1.27727	1.38724E-06	1.8E-06	1.05E-03	1.85E-09	3.32E-01	1.57E-01	9.65E-11	1.0E+06	9.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	1.36041	1.38724E-06	1.9E-06	1.05E-03	1.97E-09	3.32E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
1276	1276	1.45287	1.38724E-06	2.0E-06	1.05E-03	2.11E-09	3.32E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
1277	1277	1.55596	1.38724E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
1278	1278	1.67107	1.38724E-06	2.3E-06	1.05E-03	2.42E-09	3.32E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04
1279	1279	1.79284	1.38724E-06	2.5E-06	1.05E-03	2.60E-09	3.32E-01	1.57E-01	1.35E-10	1.0E+06	1.4E-04
1280	1280	1.92409	1.38724E-06	2.7E-06	1.05E-03	2.79E-09	3.32E-01	1.57E-01	1.45E-10	1.0E+06	1.5E-04
1281	1281	2.06342	1.38724E-06	2.9E-06	1.05E-03	2.99E-09	3.32E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
1282	1282	2.2064	1.38724E-06	3.1E-06	1.05E-03	3.20E-09	3.32E-01	1.57E-01	1.67E-10	1.0E+06	1.7E-04
1283	1283	2.34148	1.38724E-06	3.2E-06	1.05E-03	3.40E-09	3.32E-01	1.57E-01	1.77E-10	1.0E+06	1.8E-04
1284	1284	1.07814	1.38724E-06	1.5E-06	1.05E-03	1.56E-09	3.32E-01	1.57E-01	8.14E-11	1.0E+06	8.1E-05
1285	1285	1.13931	1.38724E-06	1.6E-06	1.05E-03	1.65E-09	3.32E-01	1.57E-01	8.61E-11	1.0E+06	8.6E-05
1286	1286	1.20635	1.38724E-06	1.7E-06	1.05E-03	1.75E-09	3.32E-01	1.57E-01	9.11E-11	1.0E+06	9.1E-05
1287	1287	1.28068	1.38724E-06	1.8E-06	1.05E-03	1.86E-09	3.32E-01	1.57E-01	9.67E-11	1.0E+06	9.7E-05
1288	1288	1.36864	1.38724E-06	1.9E-06	1.05E-03	1.98E-09	3.32E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
1289	1289	1.46652	1.38724E-06	2.0E-06	1.05E-03	2.13E-09	3.32E-01	1.57E-01	1.11E-10	1.0E+06	1.1E-04
1290	1290	1.57803	1.38724E-06	2.2E-06	1.05E-03	2.29E-09	3.32E-01	1.57E-01	1.19E-10	1.0E+06	1.2E-04
1291	1291	1.70572	1.38724E-06	2.4E-06	1.05E-03	2.47E-09	3.32E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
1292	1292	1.85221	1.38724E-06	2.6E-06	1.05E-03	2.69E-09	3.32E-01	1.57E-01	1.40E-10	1.0E+06	1.4E-04
1293	1293	2.01207	1.38724E-06	2.8E-06	1.05E-03	2.92E-09	3.32E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
1294	1294	2.19095	1.38724E-06	3.0E-06	1.05E-03	3.18E-09	3.32E-01	1.57E-01	1.65E-10	1.0E+06	1.7E-04
1295	1295	2.38941	1.38724E-06	3.3E-06	1.05E-03	3.46E-09	3.32E-01	1.57E-01	1.80E-10	1.0E+06	1.8E-04
1296	1296	2.60053	1.38724E-06	3.6E-06	1.05E-03	3.77E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1297	1297	2.80236	1.38724E-06	3.9E-06	1.05E-03	4.06E-09	3.32E-01	1.57E-01	2.12E-10	1.0E+06	2.1E-04
1298	1298	1.13624	1.38724E-06	1.6E-06	1.05E-03	1.65E-09	3.32E-01	1.57E-01	8.58E-11	1.0E+06	8.6E-05
1299	1299	1.20476	1.38724E-06	1.7E-06	1.05E-03	1.75E-09	3.32E-01	1.57E-01	9.10E-11	1.0E+06	9.1E-05
1300	1300	1.28025	1.38724E-06	1.8E-06	1.05E-03	1.86E-09	3.32E-01	1.57E-01	9.67E-11	1.0E+06	9.7E-05
1301	1301	1.36504	1.38724E-06	1.9E-06	1.05E-03	1.98E-09	3.32E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
1302	1302	1.46665	1.38724E-06	2.0E-06	1.05E-03	2.13E-09	3.32E-01	1.57E-01	1.11E-10	1.0E+06	1.1E-04
1303	1303	1.58171	1.38724E-06	2.2E-06	1.05E-03	2.29E-09	3.32E-01	1.57E-01	1.19E-10	1.0E+06	1.2E-04
1304	1304	1.71552	1.38724E-06	2.4E-06	1.05E-03	2.49E-09	3.32E-01	1.57E-01	1.30E-10	1.0E+06	1.3E-04
1305	1305	1.87297	1.38724E-06	2.6E-06	1.05E-03	2.72E-09	3.32E-01	1.57E-01	1.41E-10	1.0E+06	1.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	1.19643	1.38724E-06	1.7E-06	1.05E-03	1.73E-09	3.32E-01	1.57E-01	9.04E-11	1.0E+06	9.0E-05
1307	1307	1.27491	1.38724E-06	1.8E-06	1.05E-03	1.85E-09	3.32E-01	1.57E-01	9.63E-11	1.0E+06	9.6E-05
1308	1308	1.36122	1.38724E-06	1.9E-06	1.05E-03	1.97E-09	3.32E-01	1.57E-01	1.03E-10	1.0E+06	1.0E-04
1309	1309	1.45935	1.38724E-06	2.0E-06	1.05E-03	2.12E-09	3.32E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
1310	1310	1.5756	1.38724E-06	2.2E-06	1.05E-03	2.28E-09	3.32E-01	1.57E-01	1.19E-10	1.0E+06	1.2E-04
1311	1311	1.71069	1.38724E-06	2.4E-06	1.05E-03	2.48E-09	3.32E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
1312	1312	1.86965	1.38724E-06	2.6E-06	1.05E-03	2.71E-09	3.32E-01	1.57E-01	1.41E-10	1.0E+06	1.4E-04
1313	1313	2.05978	1.38724E-06	2.9E-06	1.05E-03	2.99E-09	3.32E-01	1.57E-01	1.56E-10	1.0E+06	1.6E-04
1314	1314	1.25779	1.38724E-06	1.7E-06	1.05E-03	1.82E-09	3.32E-01	1.57E-01	9.50E-11	1.0E+06	9.5E-05
1315	1315	1.34552	1.38724E-06	1.9E-06	1.05E-03	1.95E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
1316	1316	1.44356	1.38724E-06	2.0E-06	1.05E-03	2.09E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
1317	1317	1.55608	1.38724E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
1318	1318	1.6893	1.38724E-06	2.3E-06	1.05E-03	2.45E-09	3.32E-01	1.57E-01	1.28E-10	1.0E+06	1.3E-04
1319	1319	1.84593	1.38724E-06	2.6E-06	1.05E-03	2.68E-09	3.32E-01	1.57E-01	1.39E-10	1.0E+06	1.4E-04
1320	1320	2.03297	1.38724E-06	2.8E-06	1.05E-03	2.95E-09	3.32E-01	1.57E-01	1.54E-10	1.0E+06	1.5E-04
1321	1321	2.25993	1.38724E-06	3.1E-06	1.05E-03	3.28E-09	3.32E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
1322	1322	1.32092	1.38724E-06	1.8E-06	1.05E-03	1.92E-09	3.32E-01	1.57E-01	9.98E-11	1.0E+06	1.0E-04
1323	1323	1.41701	1.38724E-06	2.0E-06	1.05E-03	2.05E-09	3.32E-01	1.57E-01	1.07E-10	1.0E+06	1.1E-04
1324	1324	1.5269	1.38724E-06	2.1E-06	1.05E-03	2.21E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.2E-04
1325	1325	1.65442	1.38724E-06	2.3E-06	1.05E-03	2.40E-09	3.32E-01	1.57E-01	1.25E-10	1.0E+06	1.2E-04
1326	1326	1.80512	1.38724E-06	2.5E-06	1.05E-03	2.62E-09	3.32E-01	1.57E-01	1.36E-10	1.0E+06	1.4E-04
1327	1327	1.9849	1.38724E-06	2.8E-06	1.05E-03	2.88E-09	3.32E-01	1.57E-01	1.50E-10	1.0E+06	1.5E-04
1328	1328	2.20166	1.38724E-06	3.1E-06	1.05E-03	3.19E-09	3.32E-01	1.57E-01	1.66E-10	1.0E+06	1.7E-04
1329	1329	2.46782	1.38724E-06	3.4E-06	1.05E-03	3.58E-09	3.32E-01	1.57E-01	1.86E-10	1.0E+06	1.9E-04
1330	1330	1.38055	1.38724E-06	1.9E-06	1.05E-03	2.00E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
1331	1331	1.48663	1.38724E-06	2.1E-06	1.05E-03	2.16E-09	3.32E-01	1.57E-01	1.12E-10	1.0E+06	1.1E-04
1332	1332	1.60701	1.38724E-06	2.2E-06	1.05E-03	2.33E-09	3.32E-01	1.57E-01	1.21E-10	1.0E+06	1.2E-04
1333	1333	1.74733	1.38724E-06	2.4E-06	1.05E-03	2.53E-09	3.32E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
1334	1334	1.91552	1.38724E-06	2.7E-06	1.05E-03	2.78E-09	3.32E-01	1.57E-01	1.45E-10	1.0E+06	1.4E-04
1335	1335	2.11794	1.38724E-06	2.9E-06	1.05E-03	3.07E-09	3.32E-01	1.57E-01	1.60E-10	1.0E+06	1.6E-04
1336	1336	2.36524	1.38724E-06	3.3E-06	1.05E-03	3.43E-09	3.32E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	2.67425	1.38724E-06	3.7E-06	1.05E-03	3.88E-09	3.32E-01	1.57E-01	2.02E-10	1.0E+06	2.0E-04
1338	1338	0.54835	1.38724E-06	7.6E-07	1.05E-03	7.95E-10	3.32E-01	1.57E-01	4.14E-11	1.0E+06	4.1E-05
1339	1339	0.56603	1.38724E-06	7.9E-07	1.05E-03	8.21E-10	3.32E-01	1.57E-01	4.28E-11	1.0E+06	4.3E-05
1340	1340	0.58482	1.38724E-06	8.1E-07	1.05E-03	8.48E-10	3.32E-01	1.57E-01	4.42E-11	1.0E+06	4.4E-05
1341	1341	0.60532	1.38724E-06	8.4E-07	1.05E-03	8.78E-10	3.32E-01	1.57E-01	4.57E-11	1.0E+06	4.6E-05
1342	1342	0.62753	1.38724E-06	8.7E-07	1.05E-03	9.10E-10	3.32E-01	1.57E-01	4.74E-11	1.0E+06	4.7E-05
1343	1343	0.65123	1.38724E-06	9.0E-07	1.05E-03	9.44E-10	3.32E-01	1.57E-01	4.92E-11	1.0E+06	4.9E-05
1344	1344	0.67704	1.38724E-06	9.4E-07	1.05E-03	9.82E-10	3.32E-01	1.57E-01	5.11E-11	1.0E+06	5.1E-05
1345	1345	0.70491	1.38724E-06	9.8E-07	1.05E-03	1.02E-09	3.32E-01	1.57E-01	5.32E-11	1.0E+06	5.3E-05
1346	1346	0.73411	1.38724E-06	1.0E-06	1.05E-03	1.06E-09	3.32E-01	1.57E-01	5.54E-11	1.0E+06	5.5E-05
1347	1347	0.76466	1.38724E-06	1.1E-06	1.05E-03	1.11E-09	3.32E-01	1.57E-01	5.78E-11	1.0E+06	5.8E-05
1348	1348	0.79773	1.38724E-06	1.1E-06	1.05E-03	1.16E-09	3.32E-01	1.57E-01	6.03E-11	1.0E+06	6.0E-05
1349	1349	0.83503	1.38724E-06	1.2E-06	1.05E-03	1.21E-09	3.32E-01	1.57E-01	6.31E-11	1.0E+06	6.3E-05
1350	1350	0.87613	1.38724E-06	1.2E-06	1.05E-03	1.27E-09	3.32E-01	1.57E-01	6.62E-11	1.0E+06	6.6E-05
1351	1351	0.92129	1.38724E-06	1.3E-06	1.05E-03	1.34E-09	3.32E-01	1.57E-01	6.96E-11	1.0E+06	7.0E-05
1352	1352	0.97073	1.38724E-06	1.3E-06	1.05E-03	1.41E-09	3.32E-01	1.57E-01	7.33E-11	1.0E+06	7.3E-05
1353	1353	1.01197	1.38724E-06	1.4E-06	1.05E-03	1.47E-09	3.32E-01	1.57E-01	7.64E-11	1.0E+06	7.6E-05
1354	1354	1.08739	1.38724E-06	1.5E-06	1.05E-03	1.58E-09	3.32E-01	1.57E-01	8.21E-11	1.0E+06	8.2E-05
1355	1355	1.16311	1.38724E-06	1.6E-06	1.05E-03	1.69E-09	3.32E-01	1.57E-01	8.79E-11	1.0E+06	8.8E-05
1356	1356	1.24817	1.38724E-06	1.7E-06	1.05E-03	1.81E-09	3.32E-01	1.57E-01	9.43E-11	1.0E+06	9.4E-05
1357	1357	1.33784	1.38724E-06	1.9E-06	1.05E-03	1.94E-09	3.32E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
1358	1358	1.44058	1.38724E-06	2.0E-06	1.05E-03	2.09E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
1359	1359	1.55528	1.38724E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.17E-10	1.0E+06	1.2E-04
1360	1360	1.68569	1.38724E-06	2.3E-06	1.05E-03	2.44E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
1361	1361	1.83864	1.38724E-06	2.6E-06	1.05E-03	2.67E-09	3.32E-01	1.57E-01	1.39E-10	1.0E+06	1.4E-04
1362	1362	2.02341	1.38724E-06	2.8E-06	1.05E-03	2.93E-09	3.32E-01	1.57E-01	1.53E-10	1.0E+06	1.5E-04
1363	1363	2.2476	1.38724E-06	3.1E-06	1.05E-03	3.26E-09	3.32E-01	1.57E-01	1.70E-10	1.0E+06	1.7E-04
1364	1364	2.52438	1.38724E-06	3.5E-06	1.05E-03	3.66E-09	3.32E-01	1.57E-01	1.91E-10	1.0E+06	1.9E-04
1365	1365	2.87388	1.38724E-06	4.0E-06	1.05E-03	4.17E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
1366	1366	0.55873	1.38724E-06	7.8E-07	1.05E-03	8.10E-10	3.32E-01	1.57E-01	4.22E-11	1.0E+06	4.2E-05
1367	1367	0.57685	1.38724E-06	8.0E-07	1.05E-03	8.36E-10	3.32E-01	1.57E-01	4.36E-11	1.0E+06	4.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	0.59602	1.38724E-06	8.3E-07	1.05E-03	8.64E-10	3.32E-01	1.57E-01	4.50E-11	1.0E+06	4.5E-05
1369	1369	0.61729	1.38724E-06	8.6E-07	1.05E-03	8.95E-10	3.32E-01	1.57E-01	4.66E-11	1.0E+06	4.7E-05
1370	1370	0.6406	1.38724E-06	8.9E-07	1.05E-03	9.29E-10	3.32E-01	1.57E-01	4.84E-11	1.0E+06	4.8E-05
1371	1371	0.6654	1.38724E-06	9.2E-07	1.05E-03	9.65E-10	3.32E-01	1.57E-01	5.03E-11	1.0E+06	5.0E-05
1372	1372	0.6926	1.38724E-06	9.6E-07	1.05E-03	1.00E-09	3.32E-01	1.57E-01	5.23E-11	1.0E+06	5.2E-05
1373	1373	0.72197	1.38724E-06	1.0E-06	1.05E-03	1.05E-09	3.32E-01	1.57E-01	5.45E-11	1.0E+06	5.5E-05
1374	1374	0.75258	1.38724E-06	1.0E-06	1.05E-03	1.09E-09	3.32E-01	1.57E-01	5.68E-11	1.0E+06	5.7E-05
1375	1375	0.78403	1.38724E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.92E-11	1.0E+06	5.9E-05
1376	1376	0.81805	1.38724E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.18E-11	1.0E+06	6.2E-05
1377	1377	0.8574	1.38724E-06	1.2E-06	1.05E-03	1.24E-09	3.32E-01	1.57E-01	6.48E-11	1.0E+06	6.5E-05
1378	1378	0.90091	1.38724E-06	1.2E-06	1.05E-03	1.31E-09	3.32E-01	1.57E-01	6.80E-11	1.0E+06	6.8E-05
1379	1379	0.94874	1.38724E-06	1.3E-06	1.05E-03	1.38E-09	3.32E-01	1.57E-01	7.17E-11	1.0E+06	7.2E-05
1380	1380	1.00101	1.38724E-06	1.4E-06	1.05E-03	1.45E-09	3.32E-01	1.57E-01	7.56E-11	1.0E+06	7.6E-05
1381	1381	1.04436	1.38724E-06	1.4E-06	1.05E-03	1.51E-09	3.32E-01	1.57E-01	7.89E-11	1.0E+06	7.9E-05
1382	1382	1.11643	1.38724E-06	1.5E-06	1.05E-03	1.62E-09	3.32E-01	1.57E-01	8.43E-11	1.0E+06	8.4E-05
1383	1383	1.2004	1.38724E-06	1.7E-06	1.05E-03	1.74E-09	3.32E-01	1.57E-01	9.07E-11	1.0E+06	9.1E-05
1384	1384	1.28908	1.38724E-06	1.8E-06	1.05E-03	1.87E-09	3.32E-01	1.57E-01	9.74E-11	1.0E+06	9.7E-05
1385	1385	1.38922	1.38724E-06	1.9E-06	1.05E-03	2.01E-09	3.32E-01	1.57E-01	1.05E-10	1.0E+06	1.0E-04
1386	1386	1.49927	1.38724E-06	2.1E-06	1.05E-03	2.17E-09	3.32E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
1387	1387	1.62223	1.38724E-06	2.3E-06	1.05E-03	2.35E-09	3.32E-01	1.57E-01	1.23E-10	1.0E+06	1.2E-04
1388	1388	1.76212	1.38724E-06	2.4E-06	1.05E-03	2.55E-09	3.32E-01	1.57E-01	1.33E-10	1.0E+06	1.3E-04
1389	1389	1.92691	1.38724E-06	2.7E-06	1.05E-03	2.79E-09	3.32E-01	1.57E-01	1.46E-10	1.0E+06	1.5E-04
1390	1390	2.12741	1.38724E-06	3.0E-06	1.05E-03	3.08E-09	3.32E-01	1.57E-01	1.61E-10	1.0E+06	1.6E-04
1391	1391	2.37183	1.38724E-06	3.3E-06	1.05E-03	3.44E-09	3.32E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04
1392	1392	2.67543	1.38724E-06	3.7E-06	1.05E-03	3.88E-09	3.32E-01	1.57E-01	2.02E-10	1.0E+06	2.0E-04
1393	1393	3.06191	1.38724E-06	4.2E-06	1.05E-03	4.44E-09	3.32E-01	1.57E-01	2.31E-10	1.0E+06	2.3E-04
1394	1394	0.56784	1.38724E-06	7.9E-07	1.05E-03	8.23E-10	3.32E-01	1.57E-01	4.29E-11	1.0E+06	4.3E-05
1395	1395	0.58652	1.38724E-06	8.1E-07	1.05E-03	8.50E-10	3.32E-01	1.57E-01	4.43E-11	1.0E+06	4.4E-05
1396	1396	0.60636	1.38724E-06	8.4E-07	1.05E-03	8.79E-10	3.32E-01	1.57E-01	4.58E-11	1.0E+06	4.6E-05
1397	1397	0.6283	1.38724E-06	8.7E-07	1.05E-03	9.11E-10	3.32E-01	1.57E-01	4.75E-11	1.0E+06	4.7E-05
1398	1398	0.65241	1.38724E-06	9.1E-07	1.05E-03	9.46E-10	3.32E-01	1.57E-01	4.93E-11	1.0E+06	4.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	0.67808	1.38724E-06	9.4E-07	1.05E-03	9.83E-10	3.32E-01	1.57E-01	5.12E-11	1.0E+06	5.1E-05
1400	1400	0.70707	1.38724E-06	9.8E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.34E-11	1.0E+06	5.3E-05
1401	1401	0.73813	1.38724E-06	1.0E-06	1.05E-03	1.07E-09	3.32E-01	1.57E-01	5.58E-11	1.0E+06	5.6E-05
1402	1402	0.7706	1.38724E-06	1.1E-06	1.05E-03	1.12E-09	3.32E-01	1.57E-01	5.82E-11	1.0E+06	5.8E-05
1403	1403	0.80353	1.38724E-06	1.1E-06	1.05E-03	1.17E-09	3.32E-01	1.57E-01	6.07E-11	1.0E+06	6.1E-05
1404	1404	0.83921	1.38724E-06	1.2E-06	1.05E-03	1.22E-09	3.32E-01	1.57E-01	6.34E-11	1.0E+06	6.3E-05
1405	1405	0.88019	1.38724E-06	1.2E-06	1.05E-03	1.28E-09	3.32E-01	1.57E-01	6.65E-11	1.0E+06	6.6E-05
1406	1406	0.92552	1.38724E-06	1.3E-06	1.05E-03	1.34E-09	3.32E-01	1.57E-01	6.99E-11	1.0E+06	7.0E-05
1407	1407	0.97546	1.38724E-06	1.4E-06	1.05E-03	1.41E-09	3.32E-01	1.57E-01	7.37E-11	1.0E+06	7.4E-05
1408	1408	1.03085	1.38724E-06	1.4E-06	1.05E-03	1.49E-09	3.32E-01	1.57E-01	7.79E-11	1.0E+06	7.8E-05
1409	1409	1.07802	1.38724E-06	1.5E-06	1.05E-03	1.56E-09	3.32E-01	1.57E-01	8.14E-11	1.0E+06	8.1E-05
1410	1410	1.15601	1.38724E-06	1.6E-06	1.05E-03	1.68E-09	3.32E-01	1.57E-01	8.73E-11	1.0E+06	8.7E-05
1411	1411	1.24071	1.38724E-06	1.7E-06	1.05E-03	1.80E-09	3.32E-01	1.57E-01	9.37E-11	1.0E+06	9.4E-05
1412	1412	1.33418	1.38724E-06	1.9E-06	1.05E-03	1.93E-09	3.32E-01	1.57E-01	1.01E-10	1.0E+06	1.0E-04
1413	1413	1.43983	1.38724E-06	2.0E-06	1.05E-03	2.09E-09	3.32E-01	1.57E-01	1.09E-10	1.0E+06	1.1E-04
1414	1414	1.55629	1.38724E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
1415	1415	1.6866	1.38724E-06	2.3E-06	1.05E-03	2.45E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
1416	1416	1.83484	1.38724E-06	2.5E-06	1.05E-03	2.66E-09	3.32E-01	1.57E-01	1.39E-10	1.0E+06	1.4E-04
1417	1417	2.00934	1.38724E-06	2.8E-06	1.05E-03	2.91E-09	3.32E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
1418	1418	2.22457	1.38724E-06	3.1E-06	1.05E-03	3.23E-09	3.32E-01	1.57E-01	1.68E-10	1.0E+06	1.7E-04
1419	1419	2.48775	1.38724E-06	3.5E-06	1.05E-03	3.61E-09	3.32E-01	1.57E-01	1.88E-10	1.0E+06	1.9E-04
1420	1420	2.81559	1.38724E-06	3.9E-06	1.05E-03	4.08E-09	3.32E-01	1.57E-01	2.13E-10	1.0E+06	2.1E-04
1421	1421	3.23416	1.38724E-06	4.5E-06	1.05E-03	4.69E-09	3.32E-01	1.57E-01	2.44E-10	1.0E+06	2.4E-04
1422	1422	0.5759	1.38724E-06	8.0E-07	1.05E-03	8.35E-10	3.32E-01	1.57E-01	4.35E-11	1.0E+06	4.3E-05
1423	1423	0.59531	1.38724E-06	8.3E-07	1.05E-03	8.63E-10	3.32E-01	1.57E-01	4.50E-11	1.0E+06	4.5E-05
1424	1424	0.61594	1.38724E-06	8.5E-07	1.05E-03	8.93E-10	3.32E-01	1.57E-01	4.65E-11	1.0E+06	4.7E-05
1425	1425	0.63854	1.38724E-06	8.9E-07	1.05E-03	9.26E-10	3.32E-01	1.57E-01	4.82E-11	1.0E+06	4.8E-05
1426	1426	0.66322	1.38724E-06	9.2E-07	1.05E-03	9.62E-10	3.32E-01	1.57E-01	5.01E-11	1.0E+06	5.0E-05
1427	1427	0.68962	1.38724E-06	9.6E-07	1.05E-03	1.00E-09	3.32E-01	1.57E-01	5.21E-11	1.0E+06	5.2E-05
1428	1428	0.72058	1.38724E-06	1.0E-06	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.44E-11	1.0E+06	5.4E-05
1429	1429	0.75368	1.38724E-06	1.0E-06	1.05E-03	1.09E-09	3.32E-01	1.57E-01	5.69E-11	1.0E+06	5.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	0.78801	1.38724E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.95E-11	1.0E+06	6.0E-05
1431	1431	0.82265	1.38724E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.21E-11	1.0E+06	6.2E-05
1432	1432	0.86015	1.38724E-06	1.2E-06	1.05E-03	1.25E-09	3.32E-01	1.57E-01	6.50E-11	1.0E+06	6.5E-05
1433	1433	0.90259	1.38724E-06	1.3E-06	1.05E-03	1.31E-09	3.32E-01	1.57E-01	6.82E-11	1.0E+06	6.8E-05
1434	1434	0.94944	1.38724E-06	1.3E-06	1.05E-03	1.38E-09	3.32E-01	1.57E-01	7.17E-11	1.0E+06	7.2E-05
1435	1435	1.00137	1.38724E-06	1.4E-06	1.05E-03	1.45E-09	3.32E-01	1.57E-01	7.56E-11	1.0E+06	7.6E-05
1436	1436	1.05982	1.38724E-06	1.5E-06	1.05E-03	1.54E-09	3.32E-01	1.57E-01	8.01E-11	1.0E+06	8.0E-05
1437	1437	1.1111	1.38724E-06	1.5E-06	1.05E-03	1.61E-09	3.32E-01	1.57E-01	8.39E-11	1.0E+06	8.4E-05
1438	1438	1.19133	1.38724E-06	1.7E-06	1.05E-03	1.73E-09	3.32E-01	1.57E-01	9.00E-11	1.0E+06	9.0E-05
1439	1439	1.28002	1.38724E-06	1.8E-06	1.05E-03	1.86E-09	3.32E-01	1.57E-01	9.67E-11	1.0E+06	9.7E-05
1440	1440	1.38051	1.38724E-06	1.9E-06	1.05E-03	2.00E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
1441	1441	1.48873	1.38724E-06	2.1E-06	1.05E-03	2.16E-09	3.32E-01	1.57E-01	1.12E-10	1.0E+06	1.1E-04
1442	1442	1.61116	1.38724E-06	2.2E-06	1.05E-03	2.34E-09	3.32E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
1443	1443	1.7467	1.38724E-06	2.4E-06	1.05E-03	2.53E-09	3.32E-01	1.57E-01	1.32E-10	1.0E+06	1.3E-04
1444	1444	1.90241	1.38724E-06	2.6E-06	1.05E-03	2.76E-09	3.32E-01	1.57E-01	1.44E-10	1.0E+06	1.4E-04
1445	1445	2.08576	1.38724E-06	2.9E-06	1.05E-03	3.02E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
1446	1446	2.31504	1.38724E-06	3.2E-06	1.05E-03	3.36E-09	3.32E-01	1.57E-01	1.75E-10	1.0E+06	1.7E-04
1447	1447	2.59475	1.38724E-06	3.6E-06	1.05E-03	3.76E-09	3.32E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1448	1448	2.94358	1.38724E-06	4.1E-06	1.05E-03	4.27E-09	3.32E-01	1.57E-01	2.22E-10	1.0E+06	2.2E-04
1449	1449	3.38979	1.38724E-06	4.7E-06	1.05E-03	4.92E-09	3.32E-01	1.57E-01	2.56E-10	1.0E+06	2.6E-04
1450	1450	0.58327	1.38724E-06	8.1E-07	1.05E-03	8.46E-10	3.32E-01	1.57E-01	4.41E-11	1.0E+06	4.4E-05
1451	1451	0.60345	1.38724E-06	8.4E-07	1.05E-03	8.75E-10	3.32E-01	1.57E-01	4.56E-11	1.0E+06	4.6E-05
1452	1452	0.62483	1.38724E-06	8.7E-07	1.05E-03	9.06E-10	3.32E-01	1.57E-01	4.72E-11	1.0E+06	4.7E-05
1453	1453	0.64802	1.38724E-06	9.0E-07	1.05E-03	9.40E-10	3.32E-01	1.57E-01	4.89E-11	1.0E+06	4.9E-05
1454	1454	0.67322	1.38724E-06	9.3E-07	1.05E-03	9.76E-10	3.32E-01	1.57E-01	5.09E-11	1.0E+06	5.1E-05
1455	1455	0.70015	1.38724E-06	9.7E-07	1.05E-03	1.02E-09	3.32E-01	1.57E-01	5.29E-11	1.0E+06	5.3E-05
1456	1456	0.73329	1.38724E-06	1.0E-06	1.05E-03	1.06E-09	3.32E-01	1.57E-01	5.54E-11	1.0E+06	5.5E-05
1457	1457	0.76863	1.38724E-06	1.1E-06	1.05E-03	1.11E-09	3.32E-01	1.57E-01	5.81E-11	1.0E+06	5.8E-05
1458	1458	0.80489	1.38724E-06	1.1E-06	1.05E-03	1.17E-09	3.32E-01	1.57E-01	6.08E-11	1.0E+06	6.1E-05
1459	1459	0.84114	1.38724E-06	1.2E-06	1.05E-03	1.22E-09	3.32E-01	1.57E-01	6.35E-11	1.0E+06	6.4E-05
1460	1460	0.88053	1.38724E-06	1.2E-06	1.05E-03	1.28E-09	3.32E-01	1.57E-01	6.65E-11	1.0E+06	6.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	0.92433	1.38724E-06	1.3E-06	1.05E-03	1.34E-09	3.32E-01	1.57E-01	6.98E-11	1.0E+06	7.0E-05
1462	1462	0.97265	1.38724E-06	1.3E-06	1.05E-03	1.41E-09	3.32E-01	1.57E-01	7.35E-11	1.0E+06	7.3E-05
1463	1463	1.0263	1.38724E-06	1.4E-06	1.05E-03	1.49E-09	3.32E-01	1.57E-01	7.75E-11	1.0E+06	7.8E-05
1464	1464	1.08786	1.38724E-06	1.5E-06	1.05E-03	1.58E-09	3.32E-01	1.57E-01	8.22E-11	1.0E+06	8.2E-05
1465	1465	1.14361	1.38724E-06	1.6E-06	1.05E-03	1.66E-09	3.32E-01	1.57E-01	8.64E-11	1.0E+06	8.6E-05
1466	1466	1.22575	1.38724E-06	1.7E-06	1.05E-03	1.78E-09	3.32E-01	1.57E-01	9.26E-11	1.0E+06	9.3E-05
1467	1467	1.31792	1.38724E-06	1.8E-06	1.05E-03	1.91E-09	3.32E-01	1.57E-01	9.95E-11	1.0E+06	1.0E-04
1468	1468	1.42275	1.38724E-06	2.0E-06	1.05E-03	2.06E-09	3.32E-01	1.57E-01	1.07E-10	1.0E+06	1.1E-04
1469	1469	1.53584	1.38724E-06	2.1E-06	1.05E-03	2.23E-09	3.32E-01	1.57E-01	1.16E-10	1.0E+06	1.2E-04
1470	1470	1.66361	1.38724E-06	2.3E-06	1.05E-03	2.41E-09	3.32E-01	1.57E-01	1.26E-10	1.0E+06	1.3E-04
1471	1471	1.80499	1.38724E-06	2.5E-06	1.05E-03	2.62E-09	3.32E-01	1.57E-01	1.36E-10	1.0E+06	1.4E-04
1472	1472	1.96721	1.38724E-06	2.7E-06	1.05E-03	2.85E-09	3.32E-01	1.57E-01	1.49E-10	1.0E+06	1.5E-04
1473	1473	2.1581	1.38724E-06	3.0E-06	1.05E-03	3.13E-09	3.32E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
1474	1474	2.3989	1.38724E-06	3.3E-06	1.05E-03	3.48E-09	3.32E-01	1.57E-01	1.81E-10	1.0E+06	1.8E-04
1475	1475	2.69271	1.38724E-06	3.7E-06	1.05E-03	3.90E-09	3.32E-01	1.57E-01	2.03E-10	1.0E+06	2.0E-04
1476	1476	3.05989	1.38724E-06	4.2E-06	1.05E-03	4.44E-09	3.32E-01	1.57E-01	2.31E-10	1.0E+06	2.3E-04
1477	1477	3.529	1.38724E-06	4.9E-06	1.05E-03	5.12E-09	3.32E-01	1.57E-01	2.67E-10	1.0E+06	2.7E-04
1478	1478	0.58968	1.38724E-06	8.2E-07	1.05E-03	8.55E-10	3.32E-01	1.57E-01	4.45E-11	1.0E+06	4.5E-05
1479	1479	0.61083	1.38724E-06	8.5E-07	1.05E-03	8.86E-10	3.32E-01	1.57E-01	4.61E-11	1.0E+06	4.6E-05
1480	1480	0.63333	1.38724E-06	8.8E-07	1.05E-03	9.18E-10	3.32E-01	1.57E-01	4.78E-11	1.0E+06	4.8E-05
1481	1481	0.65767	1.38724E-06	9.1E-07	1.05E-03	9.54E-10	3.32E-01	1.57E-01	4.97E-11	1.0E+06	5.0E-05
1482	1482	0.68398	1.38724E-06	9.5E-07	1.05E-03	9.92E-10	3.32E-01	1.57E-01	5.17E-11	1.0E+06	5.2E-05
1483	1483	0.71225	1.38724E-06	9.9E-07	1.05E-03	1.03E-09	3.32E-01	1.57E-01	5.38E-11	1.0E+06	5.4E-05
1484	1484	0.74679	1.38724E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.64E-11	1.0E+06	5.6E-05
1485	1485	0.78358	1.38724E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.92E-11	1.0E+06	5.9E-05
1486	1486	0.82133	1.38724E-06	1.1E-06	1.05E-03	1.19E-09	3.32E-01	1.57E-01	6.20E-11	1.0E+06	6.2E-05
1487	1487	0.8591	1.38724E-06	1.2E-06	1.05E-03	1.25E-09	3.32E-01	1.57E-01	6.49E-11	1.0E+06	6.5E-05
1488	1488	0.90018	1.38724E-06	1.2E-06	1.05E-03	1.31E-09	3.32E-01	1.57E-01	6.80E-11	1.0E+06	6.8E-05
1489	1489	0.94581	1.38724E-06	1.3E-06	1.05E-03	1.37E-09	3.32E-01	1.57E-01	7.14E-11	1.0E+06	7.1E-05
1490	1490	0.99619	1.38724E-06	1.4E-06	1.05E-03	1.44E-09	3.32E-01	1.57E-01	7.52E-11	1.0E+06	7.5E-05
1491	1491	1.05209	1.38724E-06	1.5E-06	1.05E-03	1.53E-09	3.32E-01	1.57E-01	7.95E-11	1.0E+06	7.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	1.11555	1.38724E-06	1.5E-06	1.05E-03	1.62E-09	3.32E-01	1.57E-01	8.43E-11	1.0E+06	8.4E-05
1493	1493	1.17903	1.38724E-06	1.6E-06	1.05E-03	1.71E-09	3.32E-01	1.57E-01	8.91E-11	1.0E+06	8.9E-05
1494	1494	1.25368	1.38724E-06	1.7E-06	1.05E-03	1.82E-09	3.32E-01	1.57E-01	9.47E-11	1.0E+06	9.5E-05
1495	1495	1.35283	1.38724E-06	1.9E-06	1.05E-03	1.96E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
1496	1496	1.45916	1.38724E-06	2.0E-06	1.05E-03	2.12E-09	3.32E-01	1.57E-01	1.10E-10	1.0E+06	1.1E-04
1497	1497	1.57765	1.38724E-06	2.2E-06	1.05E-03	2.29E-09	3.32E-01	1.57E-01	1.19E-10	1.0E+06	1.2E-04
1498	1498	1.71168	1.38724E-06	2.4E-06	1.05E-03	2.48E-09	3.32E-01	1.57E-01	1.29E-10	1.0E+06	1.3E-04
1499	1499	1.8612	1.38724E-06	2.6E-06	1.05E-03	2.70E-09	3.32E-01	1.57E-01	1.41E-10	1.0E+06	1.4E-04
1500	1500	2.0314	1.38724E-06	2.8E-06	1.05E-03	2.95E-09	3.32E-01	1.57E-01	1.53E-10	1.0E+06	1.5E-04
1501	1501	2.23188	1.38724E-06	3.1E-06	1.05E-03	3.24E-09	3.32E-01	1.57E-01	1.69E-10	1.0E+06	1.7E-04
1502	1502	2.48254	1.38724E-06	3.4E-06	1.05E-03	3.60E-09	3.32E-01	1.57E-01	1.88E-10	1.0E+06	1.9E-04
1503	1503	2.78815	1.38724E-06	3.9E-06	1.05E-03	4.04E-09	3.32E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
1504	1504	3.16914	1.38724E-06	4.4E-06	1.05E-03	4.60E-09	3.32E-01	1.57E-01	2.39E-10	1.0E+06	2.4E-04
1505	1505	3.65599	1.38724E-06	5.1E-06	1.05E-03	5.30E-09	3.32E-01	1.57E-01	2.76E-10	1.0E+06	2.8E-04
1506	1506	0.59521	1.38724E-06	8.3E-07	1.05E-03	8.63E-10	3.32E-01	1.57E-01	4.50E-11	1.0E+06	4.5E-05
1507	1507	0.61754	1.38724E-06	8.6E-07	1.05E-03	8.95E-10	3.32E-01	1.57E-01	4.66E-11	1.0E+06	4.7E-05
1508	1508	0.64135	1.38724E-06	8.9E-07	1.05E-03	9.30E-10	3.32E-01	1.57E-01	4.84E-11	1.0E+06	4.8E-05
1509	1509	0.66714	1.38724E-06	9.3E-07	1.05E-03	9.67E-10	3.32E-01	1.57E-01	5.04E-11	1.0E+06	5.0E-05
1510	1510	0.69513	1.38724E-06	9.6E-07	1.05E-03	1.01E-09	3.32E-01	1.57E-01	5.25E-11	1.0E+06	5.3E-05
1511	1511	0.72503	1.38724E-06	1.0E-06	1.05E-03	1.05E-09	3.32E-01	1.57E-01	5.48E-11	1.0E+06	5.5E-05
1512	1512	0.76056	1.38724E-06	1.1E-06	1.05E-03	1.10E-09	3.32E-01	1.57E-01	5.74E-11	1.0E+06	5.7E-05
1513	1513	0.79837	1.38724E-06	1.1E-06	1.05E-03	1.16E-09	3.32E-01	1.57E-01	6.03E-11	1.0E+06	6.0E-05
1514	1514	0.83729	1.38724E-06	1.2E-06	1.05E-03	1.21E-09	3.32E-01	1.57E-01	6.32E-11	1.0E+06	6.3E-05
1515	1515	0.87654	1.38724E-06	1.2E-06	1.05E-03	1.27E-09	3.32E-01	1.57E-01	6.62E-11	1.0E+06	6.6E-05
1516	1516	0.91916	1.38724E-06	1.3E-06	1.05E-03	1.33E-09	3.32E-01	1.57E-01	6.94E-11	1.0E+06	6.9E-05
1517	1517	0.96679	1.38724E-06	1.3E-06	1.05E-03	1.40E-09	3.32E-01	1.57E-01	7.30E-11	1.0E+06	7.3E-05
1518	1518	1.0195	1.38724E-06	1.4E-06	1.05E-03	1.48E-09	3.32E-01	1.57E-01	7.70E-11	1.0E+06	7.7E-05
1519	1519	1.07767	1.38724E-06	1.5E-06	1.05E-03	1.56E-09	3.32E-01	1.57E-01	8.14E-11	1.0E+06	8.1E-05
1520	1520	1.14237	1.38724E-06	1.6E-06	1.05E-03	1.66E-09	3.32E-01	1.57E-01	8.63E-11	1.0E+06	8.6E-05
1521	1521	1.21468	1.38724E-06	1.7E-06	1.05E-03	1.76E-09	3.32E-01	1.57E-01	9.17E-11	1.0E+06	9.2E-05
1522	1522	1.28126	1.38724E-06	1.8E-06	1.05E-03	1.86E-09	3.32E-01	1.57E-01	9.68E-11	1.0E+06	9.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	1.38204	1.38724E-06	1.9E-06	1.05E-03	2.00E-09	3.32E-01	1.57E-01	1.04E-10	1.0E+06	1.0E-04
1524	1524	1.49274	1.38724E-06	2.1E-06	1.05E-03	2.16E-09	3.32E-01	1.57E-01	1.13E-10	1.0E+06	1.1E-04
1525	1525	1.6191	1.38724E-06	2.2E-06	1.05E-03	2.35E-09	3.32E-01	1.57E-01	1.22E-10	1.0E+06	1.2E-04
1526	1526	1.75833	1.38724E-06	2.4E-06	1.05E-03	2.55E-09	3.32E-01	1.57E-01	1.33E-10	1.0E+06	1.3E-04
1527	1527	1.91433	1.38724E-06	2.7E-06	1.05E-03	2.78E-09	3.32E-01	1.57E-01	1.45E-10	1.0E+06	1.4E-04
1528	1528	2.09203	1.38724E-06	2.9E-06	1.05E-03	3.03E-09	3.32E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
1529	1529	2.30292	1.38724E-06	3.2E-06	1.05E-03	3.34E-09	3.32E-01	1.57E-01	1.74E-10	1.0E+06	1.7E-04
1530	1530	2.56079	1.38724E-06	3.6E-06	1.05E-03	3.71E-09	3.32E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
1531	1531	2.87619	1.38724E-06	4.0E-06	1.05E-03	4.17E-09	3.32E-01	1.57E-01	2.17E-10	1.0E+06	2.2E-04
1532	1532	3.26867	1.38724E-06	4.5E-06	1.05E-03	4.74E-09	3.32E-01	1.57E-01	2.47E-10	1.0E+06	2.5E-04
1533	1533	3.76964	1.38724E-06	5.2E-06	1.05E-03	5.47E-09	3.32E-01	1.57E-01	2.85E-10	1.0E+06	2.8E-04
1534	1534	0.59985	1.38724E-06	8.3E-07	1.05E-03	8.70E-10	3.32E-01	1.57E-01	4.53E-11	1.0E+06	4.5E-05
1535	1535	0.62355	1.38724E-06	8.7E-07	1.05E-03	9.04E-10	3.32E-01	1.57E-01	4.71E-11	1.0E+06	4.7E-05
1536	1536	0.6487	1.38724E-06	9.0E-07	1.05E-03	9.41E-10	3.32E-01	1.57E-01	4.90E-11	1.0E+06	4.9E-05
1537	1537	0.67608	1.38724E-06	9.4E-07	1.05E-03	9.80E-10	3.32E-01	1.57E-01	5.11E-11	1.0E+06	5.1E-05
1538	1538	0.70577	1.38724E-06	9.8E-07	1.05E-03	1.02E-09	3.32E-01	1.57E-01	5.33E-11	1.0E+06	5.3E-05
1539	1539	0.73751	1.38724E-06	1.0E-06	1.05E-03	1.07E-09	3.32E-01	1.57E-01	5.57E-11	1.0E+06	5.6E-05
1540	1540	0.77381	1.38724E-06	1.1E-06	1.05E-03	1.12E-09	3.32E-01	1.57E-01	5.84E-11	1.0E+06	5.8E-05
1541	1541	0.81264	1.38724E-06	1.1E-06	1.05E-03	1.18E-09	3.32E-01	1.57E-01	6.14E-11	1.0E+06	6.1E-05
1542	1542	0.85279	1.38724E-06	1.2E-06	1.05E-03	1.24E-09	3.32E-01	1.57E-01	6.44E-11	1.0E+06	6.4E-05
1543	1543	0.89332	1.38724E-06	1.2E-06	1.05E-03	1.30E-09	3.32E-01	1.57E-01	6.75E-11	1.0E+06	6.7E-05
1544	1544	0.9375	1.38724E-06	1.3E-06	1.05E-03	1.36E-09	3.32E-01	1.57E-01	7.08E-11	1.0E+06	7.1E-05
1545	1545	0.98713	1.38724E-06	1.4E-06	1.05E-03	1.43E-09	3.32E-01	1.57E-01	7.46E-11	1.0E+06	7.5E-05
1546	1546	1.04203	1.38724E-06	1.4E-06	1.05E-03	1.51E-09	3.32E-01	1.57E-01	7.87E-11	1.0E+06	7.9E-05
1547	1547	1.10248	1.38724E-06	1.5E-06	1.05E-03	1.60E-09	3.32E-01	1.57E-01	8.33E-11	1.0E+06	8.3E-05
1548	1548	1.16833	1.38724E-06	1.6E-06	1.05E-03	1.69E-09	3.32E-01	1.57E-01	8.82E-11	1.0E+06	8.8E-05
1549	1549	1.24195	1.38724E-06	1.7E-06	1.05E-03	1.80E-09	3.32E-01	1.57E-01	9.38E-11	1.0E+06	9.4E-05
1550	1550	1.31466	1.38724E-06	1.8E-06	1.05E-03	1.91E-09	3.32E-01	1.57E-01	9.93E-11	1.0E+06	9.9E-05
1551	1551	1.40577	1.38724E-06	2.0E-06	1.05E-03	2.04E-09	3.32E-01	1.57E-01	1.06E-10	1.0E+06	1.1E-04
1552	1552	1.52375	1.38724E-06	2.1E-06	1.05E-03	2.21E-09	3.32E-01	1.57E-01	1.15E-10	1.0E+06	1.2E-04
1553	1553	1.65272	1.38724E-06	2.3E-06	1.05E-03	2.40E-09	3.32E-01	1.57E-01	1.25E-10	1.0E+06	1.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	1.80039	1.38724E-06	2.5E-06	1.05E-03	2.61E-09	3.32E-01	1.57E-01	1.36E-10	1.0E+06	1.4E-04
1555	1555	1.96402	1.38724E-06	2.7E-06	1.05E-03	2.85E-09	3.32E-01	1.57E-01	1.48E-10	1.0E+06	1.5E-04
1556	1556	2.15003	1.38724E-06	3.0E-06	1.05E-03	3.12E-09	3.32E-01	1.57E-01	1.62E-10	1.0E+06	1.6E-04
1557	1557	2.36809	1.38724E-06	3.3E-06	1.05E-03	3.43E-09	3.32E-01	1.57E-01	1.79E-10	1.0E+06	1.8E-04
1558	1558	2.6331	1.38724E-06	3.7E-06	1.05E-03	3.82E-09	3.32E-01	1.57E-01	1.99E-10	1.0E+06	2.0E-04
1559	1559	2.95667	1.38724E-06	4.1E-06	1.05E-03	4.29E-09	3.32E-01	1.57E-01	2.23E-10	1.0E+06	2.2E-04
1560	1560	3.35851	1.38724E-06	4.7E-06	1.05E-03	4.87E-09	3.32E-01	1.57E-01	2.54E-10	1.0E+06	2.5E-04
1561	1561	3.87073	1.38724E-06	5.4E-06	1.05E-03	5.61E-09	3.32E-01	1.57E-01	2.92E-10	1.0E+06	2.9E-04
1562	1562	0.60508	1.38724E-06	8.4E-07	1.05E-03	8.77E-10	3.32E-01	1.57E-01	4.57E-11	1.0E+06	4.6E-05
1563	1563	0.62919	1.38724E-06	8.7E-07	1.05E-03	9.12E-10	3.32E-01	1.57E-01	4.75E-11	1.0E+06	4.8E-05
1564	1564	0.65479	1.38724E-06	9.1E-07	1.05E-03	9.49E-10	3.32E-01	1.57E-01	4.95E-11	1.0E+06	4.9E-05
1565	1565	0.68288	1.38724E-06	9.5E-07	1.05E-03	9.90E-10	3.32E-01	1.57E-01	5.16E-11	1.0E+06	5.2E-05
1566	1566	0.71404	1.38724E-06	9.9E-07	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.39E-11	1.0E+06	5.4E-05
1567	1567	0.74724	1.38724E-06	1.0E-06	1.05E-03	1.08E-09	3.32E-01	1.57E-01	5.64E-11	1.0E+06	5.6E-05
1568	1568	0.78445	1.38724E-06	1.1E-06	1.05E-03	1.14E-09	3.32E-01	1.57E-01	5.93E-11	1.0E+06	5.9E-05
1569	1569	0.82427	1.38724E-06	1.1E-06	1.05E-03	1.20E-09	3.32E-01	1.57E-01	6.23E-11	1.0E+06	6.2E-05
1570	1570	0.86566	1.38724E-06	1.2E-06	1.05E-03	1.26E-09	3.32E-01	1.57E-01	6.54E-11	1.0E+06	6.5E-05
1571	1571	0.90778	1.38724E-06	1.3E-06	1.05E-03	1.32E-09	3.32E-01	1.57E-01	6.86E-11	1.0E+06	6.9E-05
1572	1572	0.95399	1.38724E-06	1.3E-06	1.05E-03	1.38E-09	3.32E-01	1.57E-01	7.21E-11	1.0E+06	7.2E-05
1573	1573	1.00579	1.38724E-06	1.4E-06	1.05E-03	1.46E-09	3.32E-01	1.57E-01	7.60E-11	1.0E+06	7.6E-05
1574	1574	1.06301	1.38724E-06	1.5E-06	1.05E-03	1.54E-09	3.32E-01	1.57E-01	8.03E-11	1.0E+06	8.0E-05
1575	1575	1.12579	1.38724E-06	1.6E-06	1.05E-03	1.63E-09	3.32E-01	1.57E-01	8.50E-11	1.0E+06	8.5E-05
1576	1576	1.1931	1.38724E-06	1.7E-06	1.05E-03	1.73E-09	3.32E-01	1.57E-01	9.01E-11	1.0E+06	9.0E-05
1577	1577	1.26821	1.38724E-06	1.8E-06	1.05E-03	1.84E-09	3.32E-01	1.57E-01	9.58E-11	1.0E+06	9.6E-05
1578	1578	1.34454	1.38724E-06	1.9E-06	1.05E-03	1.95E-09	3.32E-01	1.57E-01	1.02E-10	1.0E+06	1.0E-04
1579	1579	1.43569	1.38724E-06	2.0E-06	1.05E-03	2.08E-09	3.32E-01	1.57E-01	1.08E-10	1.0E+06	1.1E-04
1580	1580	1.55623	1.38724E-06	2.2E-06	1.05E-03	2.26E-09	3.32E-01	1.57E-01	1.18E-10	1.0E+06	1.2E-04
1581	1581	1.6856	1.38724E-06	2.3E-06	1.05E-03	2.44E-09	3.32E-01	1.57E-01	1.27E-10	1.0E+06	1.3E-04
1582	1582	1.84067	1.38724E-06	2.6E-06	1.05E-03	2.67E-09	3.32E-01	1.57E-01	1.39E-10	1.0E+06	1.4E-04
1583	1583	2.00904	1.38724E-06	2.8E-06	1.05E-03	2.91E-09	3.32E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
1584	1584	2.19935	1.38724E-06	3.1E-06	1.05E-03	3.19E-09	3.32E-01	1.57E-01	1.66E-10	1.0E+06	1.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	2.4252	1.38724E-06	3.4E-06	1.05E-03	3.52E-09	3.32E-01	1.57E-01	1.83E-10	1.0E+06	1.8E-04
1586	1586	2.69647	1.38724E-06	3.7E-06	1.05E-03	3.91E-09	3.32E-01	1.57E-01	2.04E-10	1.0E+06	2.0E-04
1587	1587	3.02721	1.38724E-06	4.2E-06	1.05E-03	4.39E-09	3.32E-01	1.57E-01	2.29E-10	1.0E+06	2.3E-04
1588	1588	3.43726	1.38724E-06	4.8E-06	1.05E-03	4.98E-09	3.32E-01	1.57E-01	2.60E-10	1.0E+06	2.6E-04
1589	1589	3.95824	1.38724E-06	5.5E-06	1.05E-03	5.74E-09	3.32E-01	1.57E-01	2.99E-10	1.0E+06	3.0E-04
1590	1590	0.61084	1.38724E-06	8.5E-07	1.05E-03	8.86E-10	3.32E-01	1.57E-01	4.61E-11	1.0E+06	4.6E-05
1591	1591	0.63446	1.38724E-06	8.8E-07	1.05E-03	9.20E-10	3.32E-01	1.57E-01	4.79E-11	1.0E+06	4.8E-05
1592	1592	0.6595	1.38724E-06	9.1E-07	1.05E-03	9.56E-10	3.32E-01	1.57E-01	4.98E-11	1.0E+06	5.0E-05
1593	1593	0.68786	1.38724E-06	9.5E-07	1.05E-03	9.97E-10	3.32E-01	1.57E-01	5.20E-11	1.0E+06	5.2E-05
1594	1594	0.72013	1.38724E-06	1.0E-06	1.05E-03	1.04E-09	3.32E-01	1.57E-01	5.44E-11	1.0E+06	5.4E-05
1595	1595	0.75474	1.38724E-06	1.0E-06	1.05E-03	1.09E-09	3.32E-01	1.57E-01	5.70E-11	1.0E+06	5.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1213	1213	2.7E+00	Max	Receptor #	5	9.96E-03	Max	Receptor #	
1214	1214	1.2E+01	24.612	1369	5	4.39E-02	0.090	1369	Res
1215	1215	1.0E+01			5	3.68E-02			
1216	1216	8.5E+00			5	3.14E-02			
1217	1217	7.4E+00			5	2.71E-02			
1218	1218	6.4E+00			5	2.36E-02			
1219	1219	5.7E+00			5	2.09E-02			
1220	1220	5.1E+00			5	1.86E-02			
1221	1221	4.5E+00			5	1.66E-02			
1222	1222	4.1E+00			5	1.50E-02			
1223	1223	3.7E+00			5	1.36E-02			
1224	1224	3.4E+00			5	1.24E-02			
1225	1225	3.1E+00			5	1.14E-02			
1226	1226	2.9E+00			5	1.05E-02			
1227	1227	2.6E+00			5	9.71E-03			
1228	1228	1.3E+01			5	4.88E-02			
1229	1229	1.1E+01			5	3.98E-02			
1230	1230	9.0E+00			5	3.32E-02			
1231	1231	7.7E+00			5	2.83E-02			
1232	1232	6.6E+00			5	2.44E-02			
1233	1233	5.8E+00			5	2.13E-02			
1234	1234	5.1E+00			5	1.89E-02			
1235	1235	4.6E+00			5	1.68E-02			
1236	1236	4.1E+00			5	1.51E-02			
1237	1237	3.7E+00			5	1.37E-02			
1238	1238	3.4E+00			5	1.25E-02			
1239	1239	3.1E+00			5	1.14E-02			
1240	1240	2.9E+00			5	1.05E-02			
1241	1241	2.6E+00			5	9.70E-03			
1242	1242	1.1E+01			5	4.15E-02			
1243	1243	1.2E+01			5	4.24E-02			

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1244	1244	9.5E+00	5	3.48E-02
1245	1245	8.0E+00	5	2.92E-02
1246	1246	6.8E+00	5	2.50E-02
1247	1247	5.9E+00	5	2.17E-02
1248	1248	5.2E+00	5	1.90E-02
1249	1249	4.6E+00	5	1.69E-02
1250	1250	4.1E+00	5	1.51E-02
1251	1251	3.7E+00	5	1.37E-02
1252	1252	3.4E+00	5	1.24E-02
1253	1253	3.1E+00	5	1.14E-02
1254	1254	2.8E+00	5	1.05E-02
1255	1255	2.6E+00	5	9.65E-03
1256	1256	1.2E+01	5	4.23E-02
1257	1257	1.2E+01	5	4.45E-02
1258	1258	9.8E+00	5	3.59E-02
1259	1259	8.1E+00	5	2.98E-02
1260	1260	6.9E+00	5	2.53E-02
1261	1261	5.9E+00	5	2.18E-02
1262	1262	5.2E+00	5	1.90E-02
1263	1263	4.6E+00	5	1.69E-02
1264	1264	4.1E+00	5	1.51E-02
1265	1265	3.7E+00	5	1.36E-02
1266	1266	3.4E+00	5	1.23E-02
1267	1267	3.1E+00	5	1.13E-02
1268	1268	2.8E+00	5	1.04E-02
1269	1269	2.6E+00	5	9.56E-03
1270	1270	1.2E+01	5	4.27E-02
1271	1271	9.5E+00	5	3.50E-02
1272	1272	1.0E+01	5	3.66E-02
1273	1273	8.2E+00	5	3.01E-02
1274	1274	6.9E+00	5	2.53E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1275	1275	5.9E+00	5	2.17E-02
1276	1276	5.2E+00	5	1.89E-02
1277	1277	4.6E+00	5	1.67E-02
1278	1278	4.1E+00	5	1.49E-02
1279	1279	3.7E+00	5	1.34E-02
1280	1280	3.3E+00	5	1.22E-02
1281	1281	3.0E+00	5	1.11E-02
1282	1282	2.8E+00	5	1.02E-02
1283	1283	2.6E+00	5	9.41E-03
1284	1284	1.2E+01	5	4.31E-02
1285	1285	1.3E+01	5	4.63E-02
1286	1286	1.0E+01	5	3.67E-02
1287	1287	8.2E+00	5	3.00E-02
1288	1288	6.8E+00	5	2.52E-02
1289	1289	5.9E+00	5	2.15E-02
1290	1290	5.1E+00	5	1.87E-02
1291	1291	4.5E+00	5	1.65E-02
1292	1292	4.0E+00	5	1.47E-02
1293	1293	3.6E+00	5	1.32E-02
1294	1294	3.3E+00	5	1.20E-02
1295	1295	3.0E+00	5	1.09E-02
1296	1296	2.7E+00	5	1.00E-02
1297	1297	2.5E+00	5	9.24E-03
1298	1298	8.9E+00	5	3.27E-02
1299	1299	1.2E+01	5	4.54E-02
1300	1300	9.8E+00	5	3.61E-02
1301	1301	8.0E+00	5	2.96E-02
1302	1302	6.7E+00	5	2.47E-02
1303	1303	5.8E+00	5	2.11E-02
1304	1304	5.0E+00	5	1.83E-02
1305	1305	4.4E+00	5	1.61E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1306	1306	1.2E+01	5	4.31E-02
1307	1307	1.2E+01	5	4.37E-02
1308	1308	9.5E+00	5	3.49E-02
1309	1309	7.8E+00	5	2.86E-02
1310	1310	6.5E+00	5	2.40E-02
1311	1311	5.6E+00	5	2.05E-02
1312	1312	4.9E+00	5	1.78E-02
1313	1313	4.3E+00	5	1.57E-02
1314	1314	1.1E+01	5	3.88E-02
1315	1315	1.1E+01	5	4.16E-02
1316	1316	9.1E+00	5	3.33E-02
1317	1317	7.5E+00	5	2.74E-02
1318	1318	6.3E+00	5	2.30E-02
1319	1319	5.4E+00	5	1.98E-02
1320	1320	4.7E+00	5	1.72E-02
1321	1321	4.2E+00	5	1.52E-02
1322	1322	9.5E+00	5	3.51E-02
1323	1323	1.1E+01	5	3.88E-02
1324	1324	8.5E+00	5	3.14E-02
1325	1325	7.1E+00	5	2.60E-02
1326	1326	6.0E+00	5	2.20E-02
1327	1327	5.2E+00	5	1.90E-02
1328	1328	4.5E+00	5	1.66E-02
1329	1329	4.0E+00	5	1.48E-02
1330	1330	8.7E+00	5	3.20E-02
1331	1331	9.8E+00	5	3.59E-02
1332	1332	8.0E+00	5	2.95E-02
1333	1333	6.7E+00	5	2.47E-02
1334	1334	5.7E+00	5	2.11E-02
1335	1335	5.0E+00	5	1.83E-02
1336	1336	4.4E+00	5	1.60E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1337	1337	3.9E+00	5	1.43E-02
1338	1338	2.5E+01	5	9.02E-02
1339	1339	2.4E+01	5	8.90E-02
1340	1340	2.1E+01	5	7.81E-02
1341	1341	2.1E+01	5	7.71E-02
1342	1342	2.4E+01	5	8.86E-02
1343	1343	2.4E+01	5	8.72E-02
1344	1344	2.1E+01	5	7.60E-02
1345	1345	2.0E+01	5	7.46E-02
1346	1346	2.3E+01	5	8.51E-02
1347	1347	2.3E+01	5	8.27E-02
1348	1348	1.9E+01	5	7.02E-02
1349	1349	1.8E+01	5	6.68E-02
1350	1350	2.0E+01	5	7.47E-02
1351	1351	1.9E+01	5	6.94E-02
1352	1352	1.5E+01	5	5.40E-02
1353	1353	1.3E+01	5	4.81E-02
1354	1354	1.5E+01	5	5.34E-02
1355	1355	1.2E+01	5	4.57E-02
1356	1356	1.1E+01	5	3.93E-02
1357	1357	9.2E+00	5	3.39E-02
1358	1358	1.1E+01	5	3.98E-02
1359	1359	9.0E+00	5	3.29E-02
1360	1360	7.5E+00	5	2.75E-02
1361	1361	6.4E+00	5	2.34E-02
1362	1362	5.5E+00	5	2.01E-02
1363	1363	4.8E+00	5	1.75E-02
1364	1364	4.2E+00	5	1.55E-02
1365	1365	3.8E+00	5	1.38E-02
1366	1366	2.1E+01	5	7.72E-02
1367	1367	2.1E+01	5	7.62E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1368	1368	2.1E+01	5	7.67E-02
1369	1369	2.5E+01	5	9.04E-02
1370	1370	2.1E+01	5	7.56E-02
1371	1371	2.0E+01	5	7.45E-02
1372	1372	2.4E+01	5	8.88E-02
1373	1373	2.4E+01	5	8.80E-02
1374	1374	2.0E+01	5	7.25E-02
1375	1375	1.9E+01	5	7.04E-02
1376	1376	2.3E+01	5	8.30E-02
1377	1377	2.2E+01	5	8.07E-02
1378	1378	1.7E+01	5	6.38E-02
1379	1379	1.6E+01	5	5.97E-02
1380	1380	1.9E+01	5	7.00E-02
1381	1381	1.8E+01	5	6.55E-02
1382	1382	1.3E+01	5	4.68E-02
1383	1383	1.1E+01	5	4.07E-02
1384	1384	1.3E+01	5	4.85E-02
1385	1385	1.1E+01	5	4.18E-02
1386	1386	9.7E+00	5	3.55E-02
1387	1387	8.2E+00	5	3.01E-02
1388	1388	7.0E+00	5	2.57E-02
1389	1389	6.0E+00	5	2.21E-02
1390	1390	5.2E+00	5	1.92E-02
1391	1391	4.6E+00	5	1.68E-02
1392	1392	4.1E+00	5	1.49E-02
1393	1393	3.6E+00	5	1.33E-02
1394	1394	2.1E+01	5	7.71E-02
1395	1395	2.1E+01	5	7.67E-02
1396	1396	2.1E+01	5	7.61E-02
1397	1397	2.1E+01	5	7.56E-02
1398	1398	2.1E+01	5	7.54E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1399	1399	2.0E+01	5	7.48E-02
1400	1400	2.0E+01	5	7.44E-02
1401	1401	2.0E+01	5	7.38E-02
1402	1402	2.0E+01	5	7.27E-02
1403	1403	1.9E+01	5	7.13E-02
1404	1404	1.9E+01	5	6.95E-02
1405	1405	1.8E+01	5	6.75E-02
1406	1406	1.8E+01	5	6.51E-02
1407	1407	1.7E+01	5	6.22E-02
1408	1408	1.6E+01	5	5.89E-02
1409	1409	1.5E+01	5	5.52E-02
1410	1410	1.4E+01	5	5.11E-02
1411	1411	1.3E+01	5	4.66E-02
1412	1412	1.1E+01	5	4.17E-02
1413	1413	1.0E+01	5	3.67E-02
1414	1414	8.7E+00	5	3.19E-02
1415	1415	7.5E+00	5	2.76E-02
1416	1416	6.5E+00	5	2.40E-02
1417	1417	5.7E+00	5	2.09E-02
1418	1418	5.0E+00	5	1.83E-02
1419	1419	4.4E+00	5	1.61E-02
1420	1420	3.9E+00	5	1.43E-02
1421	1421	3.5E+00	5	1.29E-02
1422	1422	1.8E+01	5	6.56E-02
1423	1423	1.8E+01	5	6.52E-02
1424	1424	1.8E+01	5	6.49E-02
1425	1425	1.8E+01	5	6.46E-02
1426	1426	1.7E+01	5	6.41E-02
1427	1427	1.7E+01	5	6.38E-02
1428	1428	1.7E+01	5	6.35E-02
1429	1429	1.7E+01	5	6.30E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1430	1430	1.7E+01	5	6.21E-02
1431	1431	1.7E+01	5	6.09E-02
1432	1432	1.6E+01	5	5.94E-02
1433	1433	1.6E+01	5	5.77E-02
1434	1434	1.5E+01	5	5.56E-02
1435	1435	1.4E+01	5	5.32E-02
1436	1436	1.4E+01	5	5.05E-02
1437	1437	1.3E+01	5	4.75E-02
1438	1438	1.2E+01	5	4.41E-02
1439	1439	1.1E+01	5	4.05E-02
1440	1440	1.0E+01	5	3.66E-02
1441	1441	8.9E+00	5	3.27E-02
1442	1442	7.9E+00	5	2.89E-02
1443	1443	6.9E+00	5	2.55E-02
1444	1444	6.1E+00	5	2.24E-02
1445	1445	5.4E+00	5	1.97E-02
1446	1446	4.7E+00	5	1.74E-02
1447	1447	4.2E+00	5	1.55E-02
1448	1448	3.8E+00	5	1.38E-02
1449	1449	3.4E+00	5	1.24E-02
1450	1450	1.5E+01	5	5.67E-02
1451	1451	1.5E+01	5	5.64E-02
1452	1452	1.5E+01	5	5.61E-02
1453	1453	1.5E+01	5	5.58E-02
1454	1454	1.5E+01	5	5.55E-02
1455	1455	1.5E+01	5	5.50E-02
1456	1456	1.5E+01	5	5.50E-02
1457	1457	1.5E+01	5	5.46E-02
1458	1458	1.5E+01	5	5.39E-02
1459	1459	1.4E+01	5	5.28E-02
1460	1460	1.4E+01	5	5.16E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1461	1461	1.4E+01	5	5.01E-02
1462	1462	1.3E+01	5	4.83E-02
1463	1463	1.3E+01	5	4.63E-02
1464	1464	1.2E+01	5	4.40E-02
1465	1465	1.1E+01	5	4.15E-02
1466	1466	1.1E+01	5	3.87E-02
1467	1467	9.7E+00	5	3.57E-02
1468	1468	8.9E+00	5	3.26E-02
1469	1469	8.0E+00	5	2.95E-02
1470	1470	7.2E+00	5	2.64E-02
1471	1471	6.4E+00	5	2.35E-02
1472	1472	5.7E+00	5	2.09E-02
1473	1473	5.1E+00	5	1.86E-02
1474	1474	4.5E+00	5	1.66E-02
1475	1475	4.0E+00	5	1.48E-02
1476	1476	3.6E+00	5	1.33E-02
1477	1477	3.3E+00	5	1.20E-02
1478	1478	1.3E+01	5	4.94E-02
1479	1479	1.3E+01	5	4.94E-02
1480	1480	1.3E+01	5	4.92E-02
1481	1481	1.3E+01	5	4.89E-02
1482	1482	1.3E+01	5	4.87E-02
1483	1483	1.3E+01	5	4.84E-02
1484	1484	1.3E+01	5	4.84E-02
1485	1485	1.3E+01	5	4.80E-02
1486	1486	1.3E+01	5	4.74E-02
1487	1487	1.3E+01	5	4.64E-02
1488	1488	1.2E+01	5	4.53E-02
1489	1489	1.2E+01	5	4.40E-02
1490	1490	1.2E+01	5	4.25E-02
1491	1491	1.1E+01	5	4.08E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1492	1492	1.1E+01	5	3.89E-02
1493	1493	1.0E+01	5	3.68E-02
1494	1494	9.4E+00	5	3.44E-02
1495	1495	8.7E+00	5	3.20E-02
1496	1496	8.0E+00	5	2.94E-02
1497	1497	7.3E+00	5	2.68E-02
1498	1498	6.6E+00	5	2.42E-02
1499	1499	5.9E+00	5	2.18E-02
1500	1500	5.3E+00	5	1.96E-02
1501	1501	4.8E+00	5	1.76E-02
1502	1502	4.3E+00	5	1.58E-02
1503	1503	3.9E+00	5	1.42E-02
1504	1504	3.5E+00	5	1.28E-02
1505	1505	3.2E+00	5	1.16E-02
1506	1506	1.2E+01	5	4.36E-02
1507	1507	1.2E+01	5	4.36E-02
1508	1508	1.2E+01	5	4.35E-02
1509	1509	1.2E+01	5	4.34E-02
1510	1510	1.2E+01	5	4.33E-02
1511	1511	1.2E+01	5	4.31E-02
1512	1512	1.2E+01	5	4.29E-02
1513	1513	1.2E+01	5	4.27E-02
1514	1514	1.1E+01	5	4.21E-02
1515	1515	1.1E+01	5	4.13E-02
1516	1516	1.1E+01	5	4.03E-02
1517	1517	1.1E+01	5	3.91E-02
1518	1518	1.0E+01	5	3.79E-02
1519	1519	9.9E+00	5	3.64E-02
1520	1520	9.5E+00	5	3.47E-02
1521	1521	9.0E+00	5	3.29E-02
1522	1522	8.4E+00	5	3.10E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1523	1523	7.9E+00	5	2.89E-02
1524	1524	7.3E+00	5	2.67E-02
1525	1525	6.7E+00	5	2.45E-02
1526	1526	6.1E+00	5	2.24E-02
1527	1527	5.5E+00	5	2.03E-02
1528	1528	5.0E+00	5	1.84E-02
1529	1529	4.5E+00	5	1.66E-02
1530	1530	4.1E+00	5	1.50E-02
1531	1531	3.7E+00	5	1.36E-02
1532	1532	3.4E+00	5	1.23E-02
1533	1533	3.1E+00	5	1.12E-02
1534	1534	1.1E+01	5	3.87E-02
1535	1535	1.1E+01	5	3.87E-02
1536	1536	1.1E+01	5	3.88E-02
1537	1537	1.1E+01	5	3.88E-02
1538	1538	1.1E+01	5	3.87E-02
1539	1539	1.1E+01	5	3.86E-02
1540	1540	1.0E+01	5	3.85E-02
1541	1541	1.0E+01	5	3.82E-02
1542	1542	1.0E+01	5	3.77E-02
1543	1543	1.0E+01	5	3.70E-02
1544	1544	9.8E+00	5	3.61E-02
1545	1545	9.6E+00	5	3.51E-02
1546	1546	9.3E+00	5	3.40E-02
1547	1547	8.9E+00	5	3.27E-02
1548	1548	8.5E+00	5	3.13E-02
1549	1549	8.1E+00	5	2.97E-02
1550	1550	7.6E+00	5	2.81E-02
1551	1551	7.2E+00	5	2.63E-02
1552	1552	6.7E+00	5	2.45E-02
1553	1553	6.2E+00	5	2.26E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1554	1554	5.6E+00	5	2.07E-02
1555	1555	5.2E+00	5	1.90E-02
1556	1556	4.7E+00	5	1.73E-02
1557	1557	4.3E+00	5	1.57E-02
1558	1558	3.9E+00	5	1.43E-02
1559	1559	3.5E+00	5	1.30E-02
1560	1560	3.2E+00	5	1.19E-02
1561	1561	3.0E+00	5	1.08E-02
1562	1562	9.5E+00	5	3.47E-02
1563	1563	9.4E+00	5	3.47E-02
1564	1564	9.5E+00	5	3.47E-02
1565	1565	9.5E+00	5	3.48E-02
1566	1566	9.5E+00	5	3.48E-02
1567	1567	9.5E+00	5	3.48E-02
1568	1568	9.4E+00	5	3.47E-02
1569	1569	9.4E+00	5	3.44E-02
1570	1570	9.2E+00	5	3.40E-02
1571	1571	9.1E+00	5	3.34E-02
1572	1572	8.9E+00	5	3.26E-02
1573	1573	8.6E+00	5	3.17E-02
1574	1574	8.4E+00	5	3.07E-02
1575	1575	8.1E+00	5	2.96E-02
1576	1576	7.7E+00	5	2.84E-02
1577	1577	7.4E+00	5	2.70E-02
1578	1578	7.0E+00	5	2.56E-02
1579	1579	6.6E+00	5	2.41E-02
1580	1580	6.1E+00	5	2.25E-02
1581	1581	5.7E+00	5	2.09E-02
1582	1582	5.3E+00	5	1.93E-02
1583	1583	4.8E+00	5	1.78E-02
1584	1584	4.4E+00	5	1.63E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1585	1585	4.1E+00	5	1.49E-02
1586	1586	3.7E+00	5	1.36E-02
1587	1587	3.4E+00	5	1.25E-02
1588	1588	3.1E+00	5	1.14E-02
1589	1589	2.9E+00	5	1.05E-02
1590	1590	8.6E+00	5	3.14E-02
1591	1591	8.5E+00	5	3.14E-02
1592	1592	8.5E+00	5	3.13E-02
1593	1593	8.5E+00	5	3.13E-02
1594	1594	8.5E+00	5	3.14E-02
1595	1595	8.5E+00	5	3.13E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1.59495	1.10E-02	1.8E-02	1.05E-03	1.84E-05	1.67E-01	1.57E-01	4.82E-07	1.0E+06	4.8E-01
1214	7.03161	1.10E-02	7.7E-02	1.05E-03	8.10E-05	1.67E-01	1.57E-01	2.13E-06	1.0E+06	2.1E+00
1215	5.89693	1.10E-02	6.5E-02	1.05E-03	6.79E-05	1.67E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
1216	5.02303	1.10E-02	5.5E-02	1.05E-03	5.78E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1217	4.33808	1.10E-02	4.8E-02	1.05E-03	4.99E-05	1.67E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1218	3.7882	1.10E-02	4.2E-02	1.05E-03	4.36E-05	1.67E-01	1.57E-01	1.15E-06	1.0E+06	1.1E+00
1219	3.34097	1.10E-02	3.7E-02	1.05E-03	3.85E-05	1.67E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1220	2.97174	1.10E-02	3.3E-02	1.05E-03	3.42E-05	1.67E-01	1.57E-01	8.99E-07	1.0E+06	9.0E-01
1221	2.66332	1.10E-02	2.9E-02	1.05E-03	3.07E-05	1.67E-01	1.57E-01	8.05E-07	1.0E+06	8.1E-01
1222	2.40255	1.10E-02	2.6E-02	1.05E-03	2.77E-05	1.67E-01	1.57E-01	7.26E-07	1.0E+06	7.3E-01
1223	2.18201	1.10E-02	2.4E-02	1.05E-03	2.51E-05	1.67E-01	1.57E-01	6.60E-07	1.0E+06	6.6E-01
1224	1.99166	1.10E-02	2.2E-02	1.05E-03	2.29E-05	1.67E-01	1.57E-01	6.02E-07	1.0E+06	6.0E-01
1225	1.82652	1.10E-02	2.0E-02	1.05E-03	2.10E-05	1.67E-01	1.57E-01	5.52E-07	1.0E+06	5.5E-01
1226	1.68223	1.10E-02	1.9E-02	1.05E-03	1.94E-05	1.67E-01	1.57E-01	5.09E-07	1.0E+06	5.1E-01
1227	1.55508	1.10E-02	1.7E-02	1.05E-03	1.79E-05	1.67E-01	1.57E-01	4.70E-07	1.0E+06	4.7E-01
1228	7.81928	1.10E-02	8.6E-02	1.05E-03	9.00E-05	1.67E-01	1.57E-01	2.36E-06	1.0E+06	2.4E+00
1229	6.37384	1.10E-02	7.0E-02	1.05E-03	7.34E-05	1.67E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
1230	5.32173	1.10E-02	5.9E-02	1.05E-03	6.13E-05	1.67E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
1231	4.53088	1.10E-02	5.0E-02	1.05E-03	5.22E-05	1.67E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
1232	3.91123	1.10E-02	4.3E-02	1.05E-03	4.50E-05	1.67E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
1233	3.41912	1.10E-02	3.8E-02	1.05E-03	3.94E-05	1.67E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1234	3.02139	1.10E-02	3.3E-02	1.05E-03	3.48E-05	1.67E-01	1.57E-01	9.14E-07	1.0E+06	9.1E-01
1235	2.69416	1.10E-02	3.0E-02	1.05E-03	3.10E-05	1.67E-01	1.57E-01	8.15E-07	1.0E+06	8.1E-01
1236	2.42062	1.10E-02	2.7E-02	1.05E-03	2.79E-05	1.67E-01	1.57E-01	7.32E-07	1.0E+06	7.3E-01
1237	2.19205	1.10E-02	2.4E-02	1.05E-03	2.52E-05	1.67E-01	1.57E-01	6.63E-07	1.0E+06	6.6E-01
1238	1.99681	1.10E-02	2.2E-02	1.05E-03	2.30E-05	1.67E-01	1.57E-01	6.04E-07	1.0E+06	6.0E-01
1239	1.8282	1.10E-02	2.0E-02	1.05E-03	2.10E-05	1.67E-01	1.57E-01	5.53E-07	1.0E+06	5.5E-01
1240	1.6816	1.10E-02	1.9E-02	1.05E-03	1.94E-05	1.67E-01	1.57E-01	5.08E-07	1.0E+06	5.1E-01
1241	1.55308	1.10E-02	1.7E-02	1.05E-03	1.79E-05	1.67E-01	1.57E-01	4.70E-07	1.0E+06	4.7E-01
1242	6.64204	1.10E-02	7.3E-02	1.05E-03	7.65E-05	1.67E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
1243	6.7965	1.10E-02	7.5E-02	1.05E-03	7.83E-05	1.67E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00

	Max	Receptor #
Res	4.379	1369

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	5.57115	1.10E-02	6.1E-02	1.05E-03	6.41E-05	1.67E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1245	4.68059	1.10E-02	5.2E-02	1.05E-03	5.39E-05	1.67E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
1246	3.99862	1.10E-02	4.4E-02	1.05E-03	4.60E-05	1.67E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
1247	3.46821	1.10E-02	3.8E-02	1.05E-03	3.99E-05	1.67E-01	1.57E-01	1.05E-06	1.0E+06	1.0E+00
1248	3.04732	1.10E-02	3.4E-02	1.05E-03	3.51E-05	1.67E-01	1.57E-01	9.21E-07	1.0E+06	9.2E-01
1249	2.70598	1.10E-02	3.0E-02	1.05E-03	3.12E-05	1.67E-01	1.57E-01	8.18E-07	1.0E+06	8.2E-01
1250	2.42339	1.10E-02	2.7E-02	1.05E-03	2.79E-05	1.67E-01	1.57E-01	7.33E-07	1.0E+06	7.3E-01
1251	2.19019	1.10E-02	2.4E-02	1.05E-03	2.52E-05	1.67E-01	1.57E-01	6.62E-07	1.0E+06	6.6E-01
1252	1.99211	1.10E-02	2.2E-02	1.05E-03	2.29E-05	1.67E-01	1.57E-01	6.02E-07	1.0E+06	6.0E-01
1253	1.82183	1.10E-02	2.0E-02	1.05E-03	2.10E-05	1.67E-01	1.57E-01	5.51E-07	1.0E+06	5.5E-01
1254	1.67448	1.10E-02	1.8E-02	1.05E-03	1.93E-05	1.67E-01	1.57E-01	5.06E-07	1.0E+06	5.1E-01
1255	1.5457	1.10E-02	1.7E-02	1.05E-03	1.78E-05	1.67E-01	1.57E-01	4.67E-07	1.0E+06	4.7E-01
1256	6.77302	1.10E-02	7.5E-02	1.05E-03	7.80E-05	1.67E-01	1.57E-01	2.05E-06	1.0E+06	2.0E+00
1257	7.1365	1.10E-02	7.9E-02	1.05E-03	8.22E-05	1.67E-01	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1258	5.7585	1.10E-02	6.3E-02	1.05E-03	6.63E-05	1.67E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
1259	4.78032	1.10E-02	5.3E-02	1.05E-03	5.50E-05	1.67E-01	1.57E-01	1.45E-06	1.0E+06	1.4E+00
1260	4.04669	1.10E-02	4.5E-02	1.05E-03	4.66E-05	1.67E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
1261	3.48821	1.10E-02	3.8E-02	1.05E-03	4.02E-05	1.67E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
1262	3.05075	1.10E-02	3.4E-02	1.05E-03	3.51E-05	1.67E-01	1.57E-01	9.22E-07	1.0E+06	9.2E-01
1263	2.6997	1.10E-02	3.0E-02	1.05E-03	3.11E-05	1.67E-01	1.57E-01	8.16E-07	1.0E+06	8.2E-01
1264	2.41147	1.10E-02	2.7E-02	1.05E-03	2.78E-05	1.67E-01	1.57E-01	7.29E-07	1.0E+06	7.3E-01
1265	2.176	1.10E-02	2.4E-02	1.05E-03	2.51E-05	1.67E-01	1.57E-01	6.58E-07	1.0E+06	6.6E-01
1266	1.97693	1.10E-02	2.2E-02	1.05E-03	2.28E-05	1.67E-01	1.57E-01	5.98E-07	1.0E+06	6.0E-01
1267	1.80644	1.10E-02	2.0E-02	1.05E-03	2.08E-05	1.67E-01	1.57E-01	5.46E-07	1.0E+06	5.5E-01
1268	1.65921	1.10E-02	1.8E-02	1.05E-03	1.91E-05	1.67E-01	1.57E-01	5.02E-07	1.0E+06	5.0E-01
1269	1.53087	1.10E-02	1.7E-02	1.05E-03	1.76E-05	1.67E-01	1.57E-01	4.63E-07	1.0E+06	4.6E-01
1270	6.83387	1.10E-02	7.5E-02	1.05E-03	7.87E-05	1.67E-01	1.57E-01	2.07E-06	1.0E+06	2.1E+00
1271	5.60152	1.10E-02	6.2E-02	1.05E-03	6.45E-05	1.67E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1272	5.86816	1.10E-02	6.5E-02	1.05E-03	6.76E-05	1.67E-01	1.57E-01	1.77E-06	1.0E+06	1.8E+00
1273	4.82621	1.10E-02	5.3E-02	1.05E-03	5.56E-05	1.67E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
1274	4.05897	1.10E-02	4.5E-02	1.05E-03	4.67E-05	1.67E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	3.48275	1.10E-02	3.8E-02	1.05E-03	4.01E-05	1.67E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
1276	3.03491	1.10E-02	3.3E-02	1.05E-03	3.49E-05	1.67E-01	1.57E-01	9.18E-07	1.0E+06	9.2E-01
1277	2.67743	1.10E-02	2.9E-02	1.05E-03	3.08E-05	1.67E-01	1.57E-01	8.10E-07	1.0E+06	8.1E-01
1278	2.3858	1.10E-02	2.6E-02	1.05E-03	2.75E-05	1.67E-01	1.57E-01	7.21E-07	1.0E+06	7.2E-01
1279	2.14971	1.10E-02	2.4E-02	1.05E-03	2.48E-05	1.67E-01	1.57E-01	6.50E-07	1.0E+06	6.5E-01
1280	1.95117	1.10E-02	2.1E-02	1.05E-03	2.25E-05	1.67E-01	1.57E-01	5.90E-07	1.0E+06	5.9E-01
1281	1.78152	1.10E-02	2.0E-02	1.05E-03	2.05E-05	1.67E-01	1.57E-01	5.39E-07	1.0E+06	5.4E-01
1282	1.63497	1.10E-02	1.8E-02	1.05E-03	1.88E-05	1.67E-01	1.57E-01	4.94E-07	1.0E+06	4.9E-01
1283	1.50767	1.10E-02	1.7E-02	1.05E-03	1.74E-05	1.67E-01	1.57E-01	4.56E-07	1.0E+06	4.6E-01
1284	6.90368	1.10E-02	7.6E-02	1.05E-03	7.95E-05	1.67E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
1285	7.4155	1.10E-02	8.2E-02	1.05E-03	8.54E-05	1.67E-01	1.57E-01	2.24E-06	1.0E+06	2.2E+00
1286	5.87683	1.10E-02	6.5E-02	1.05E-03	6.77E-05	1.67E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
1287	4.81258	1.10E-02	5.3E-02	1.05E-03	5.54E-05	1.67E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
1288	4.02974	1.10E-02	4.4E-02	1.05E-03	4.64E-05	1.67E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
1289	3.44772	1.10E-02	3.8E-02	1.05E-03	3.97E-05	1.67E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
1290	2.99723	1.10E-02	3.3E-02	1.05E-03	3.45E-05	1.67E-01	1.57E-01	9.06E-07	1.0E+06	9.1E-01
1291	2.63885	1.10E-02	2.9E-02	1.05E-03	3.04E-05	1.67E-01	1.57E-01	7.98E-07	1.0E+06	8.0E-01
1292	2.34806	1.10E-02	2.6E-02	1.05E-03	2.70E-05	1.67E-01	1.57E-01	7.10E-07	1.0E+06	7.1E-01
1293	2.11415	1.10E-02	2.3E-02	1.05E-03	2.43E-05	1.67E-01	1.57E-01	6.39E-07	1.0E+06	6.4E-01
1294	1.91802	1.10E-02	2.1E-02	1.05E-03	2.21E-05	1.67E-01	1.57E-01	5.80E-07	1.0E+06	5.8E-01
1295	1.75064	1.10E-02	1.9E-02	1.05E-03	2.02E-05	1.67E-01	1.57E-01	5.29E-07	1.0E+06	5.3E-01
1296	1.60618	1.10E-02	1.8E-02	1.05E-03	1.85E-05	1.67E-01	1.57E-01	4.86E-07	1.0E+06	4.9E-01
1297	1.48086	1.10E-02	1.6E-02	1.05E-03	1.71E-05	1.67E-01	1.57E-01	4.48E-07	1.0E+06	4.5E-01
1298	5.23101	1.10E-02	5.8E-02	1.05E-03	6.02E-05	1.67E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
1299	7.27933	1.10E-02	8.0E-02	1.05E-03	8.38E-05	1.67E-01	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1300	5.78741	1.10E-02	6.4E-02	1.05E-03	6.66E-05	1.67E-01	1.57E-01	1.75E-06	1.0E+06	1.8E+00
1301	4.73601	1.10E-02	5.2E-02	1.05E-03	5.45E-05	1.67E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
1302	3.95968	1.10E-02	4.4E-02	1.05E-03	4.56E-05	1.67E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
1303	3.38355	1.10E-02	3.7E-02	1.05E-03	3.90E-05	1.67E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1304	2.93894	1.10E-02	3.2E-02	1.05E-03	3.38E-05	1.67E-01	1.57E-01	8.89E-07	1.0E+06	8.9E-01
1305	2.58555	1.10E-02	2.8E-02	1.05E-03	2.98E-05	1.67E-01	1.57E-01	7.82E-07	1.0E+06	7.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	6.90601	1.10E-02	7.6E-02	1.05E-03	7.95E-05	1.67E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
1307	7.00836	1.10E-02	7.7E-02	1.05E-03	8.07E-05	1.67E-01	1.57E-01	2.12E-06	1.0E+06	2.1E+00
1308	5.59054	1.10E-02	6.2E-02	1.05E-03	6.44E-05	1.67E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1309	4.58256	1.10E-02	5.0E-02	1.05E-03	5.28E-05	1.67E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
1310	3.83771	1.10E-02	4.2E-02	1.05E-03	4.42E-05	1.67E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1311	3.28282	1.10E-02	3.6E-02	1.05E-03	3.78E-05	1.67E-01	1.57E-01	9.93E-07	1.0E+06	9.9E-01
1312	2.85586	1.10E-02	3.1E-02	1.05E-03	3.29E-05	1.67E-01	1.57E-01	8.64E-07	1.0E+06	8.6E-01
1313	2.51755	1.10E-02	2.8E-02	1.05E-03	2.90E-05	1.67E-01	1.57E-01	7.61E-07	1.0E+06	7.6E-01
1314	6.21209	1.10E-02	6.8E-02	1.05E-03	7.15E-05	1.67E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1315	6.66398	1.10E-02	7.3E-02	1.05E-03	7.67E-05	1.67E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1316	5.33194	1.10E-02	5.9E-02	1.05E-03	6.14E-05	1.67E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
1317	4.38832	1.10E-02	4.8E-02	1.05E-03	5.05E-05	1.67E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
1318	3.69074	1.10E-02	4.1E-02	1.05E-03	4.25E-05	1.67E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
1319	3.16744	1.10E-02	3.5E-02	1.05E-03	3.65E-05	1.67E-01	1.57E-01	9.58E-07	1.0E+06	9.6E-01
1320	2.76307	1.10E-02	3.0E-02	1.05E-03	3.18E-05	1.67E-01	1.57E-01	8.36E-07	1.0E+06	8.4E-01
1321	2.4428	1.10E-02	2.7E-02	1.05E-03	2.81E-05	1.67E-01	1.57E-01	7.39E-07	1.0E+06	7.4E-01
1322	5.61822	1.10E-02	6.2E-02	1.05E-03	6.47E-05	1.67E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
1323	6.22312	1.10E-02	6.9E-02	1.05E-03	7.17E-05	1.67E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1324	5.02891	1.10E-02	5.5E-02	1.05E-03	5.79E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1325	4.1691	1.10E-02	4.6E-02	1.05E-03	4.80E-05	1.67E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
1326	3.52968	1.10E-02	3.9E-02	1.05E-03	4.06E-05	1.67E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1327	3.04297	1.10E-02	3.4E-02	1.05E-03	3.50E-05	1.67E-01	1.57E-01	9.20E-07	1.0E+06	9.2E-01
1328	2.66486	1.10E-02	2.9E-02	1.05E-03	3.07E-05	1.67E-01	1.57E-01	8.06E-07	1.0E+06	8.1E-01
1329	2.36452	1.10E-02	2.6E-02	1.05E-03	2.72E-05	1.67E-01	1.57E-01	7.15E-07	1.0E+06	7.1E-01
1330	5.12202	1.10E-02	5.6E-02	1.05E-03	5.90E-05	1.67E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
1331	5.74991	1.10E-02	6.3E-02	1.05E-03	6.62E-05	1.67E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
1332	4.72255	1.10E-02	5.2E-02	1.05E-03	5.44E-05	1.67E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
1333	3.95908	1.10E-02	4.4E-02	1.05E-03	4.56E-05	1.67E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
1334	3.37577	1.10E-02	3.7E-02	1.05E-03	3.89E-05	1.67E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1335	2.92522	1.10E-02	3.2E-02	1.05E-03	3.37E-05	1.67E-01	1.57E-01	8.85E-07	1.0E+06	8.8E-01
1336	2.57089	1.10E-02	2.8E-02	1.05E-03	2.96E-05	1.67E-01	1.57E-01	7.77E-07	1.0E+06	7.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	2.28671	1.10E-02	2.5E-02	1.05E-03	2.63E-05	1.67E-01	1.57E-01	6.91E-07	1.0E+06	6.9E-01
1338	14.44226	1.10E-02	1.6E-01	1.05E-03	1.66E-04	1.67E-01	1.57E-01	4.37E-06	1.0E+06	4.4E+00
1339	14.24991	1.10E-02	1.6E-01	1.05E-03	1.64E-04	1.67E-01	1.57E-01	4.31E-06	1.0E+06	4.3E+00
1340	12.51126	1.10E-02	1.4E-01	1.05E-03	1.44E-04	1.67E-01	1.57E-01	3.78E-06	1.0E+06	3.8E+00
1341	12.34966	1.10E-02	1.4E-01	1.05E-03	1.42E-04	1.67E-01	1.57E-01	3.73E-06	1.0E+06	3.7E+00
1342	14.19703	1.10E-02	1.6E-01	1.05E-03	1.63E-04	1.67E-01	1.57E-01	4.29E-06	1.0E+06	4.3E+00
1343	13.96515	1.10E-02	1.5E-01	1.05E-03	1.61E-04	1.67E-01	1.57E-01	4.22E-06	1.0E+06	4.2E+00
1344	12.18172	1.10E-02	1.3E-01	1.05E-03	1.40E-04	1.67E-01	1.57E-01	3.68E-06	1.0E+06	3.7E+00
1345	11.95555	1.10E-02	1.3E-01	1.05E-03	1.38E-04	1.67E-01	1.57E-01	3.62E-06	1.0E+06	3.6E+00
1346	13.62952	1.10E-02	1.5E-01	1.05E-03	1.57E-04	1.67E-01	1.57E-01	4.12E-06	1.0E+06	4.1E+00
1347	13.24666	1.10E-02	1.5E-01	1.05E-03	1.53E-04	1.67E-01	1.57E-01	4.01E-06	1.0E+06	4.0E+00
1348	11.23777	1.10E-02	1.2E-01	1.05E-03	1.29E-04	1.67E-01	1.57E-01	3.40E-06	1.0E+06	3.4E+00
1349	10.70262	1.10E-02	1.2E-01	1.05E-03	1.23E-04	1.67E-01	1.57E-01	3.24E-06	1.0E+06	3.2E+00
1350	11.95984	1.10E-02	1.3E-01	1.05E-03	1.38E-04	1.67E-01	1.57E-01	3.62E-06	1.0E+06	3.6E+00
1351	11.12101	1.10E-02	1.2E-01	1.05E-03	1.28E-04	1.67E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
1352	8.64404	1.10E-02	9.5E-02	1.05E-03	9.95E-05	1.67E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
1353	7.70079	1.10E-02	8.5E-02	1.05E-03	8.87E-05	1.67E-01	1.57E-01	2.33E-06	1.0E+06	2.3E+00
1354	8.55757	1.10E-02	9.4E-02	1.05E-03	9.85E-05	1.67E-01	1.57E-01	2.59E-06	1.0E+06	2.6E+00
1355	7.31883	1.10E-02	8.1E-02	1.05E-03	8.43E-05	1.67E-01	1.57E-01	2.21E-06	1.0E+06	2.2E+00
1356	6.29278	1.10E-02	6.9E-02	1.05E-03	7.25E-05	1.67E-01	1.57E-01	1.90E-06	1.0E+06	1.9E+00
1357	5.43099	1.10E-02	6.0E-02	1.05E-03	6.25E-05	1.67E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
1358	6.36921	1.10E-02	7.0E-02	1.05E-03	7.33E-05	1.67E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
1359	5.27003	1.10E-02	5.8E-02	1.05E-03	6.07E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
1360	4.41219	1.10E-02	4.9E-02	1.05E-03	5.08E-05	1.67E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
1361	3.7458	1.10E-02	4.1E-02	1.05E-03	4.31E-05	1.67E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
1362	3.22113	1.10E-02	3.5E-02	1.05E-03	3.71E-05	1.67E-01	1.57E-01	9.74E-07	1.0E+06	9.7E-01
1363	2.80753	1.10E-02	3.1E-02	1.05E-03	3.23E-05	1.67E-01	1.57E-01	8.49E-07	1.0E+06	8.5E-01
1364	2.47727	1.10E-02	2.7E-02	1.05E-03	2.85E-05	1.67E-01	1.57E-01	7.49E-07	1.0E+06	7.5E-01
1365	2.20985	1.10E-02	2.4E-02	1.05E-03	2.54E-05	1.67E-01	1.57E-01	6.68E-07	1.0E+06	6.7E-01
1366	12.36115	1.10E-02	1.4E-01	1.05E-03	1.42E-04	1.67E-01	1.57E-01	3.74E-06	1.0E+06	3.7E+00
1367	12.2004	1.10E-02	1.3E-01	1.05E-03	1.40E-04	1.67E-01	1.57E-01	3.69E-06	1.0E+06	3.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	12.28915	1.10E-02	1.4E-01	1.05E-03	1.41E-04	1.67E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1369	14.48134	1.10E-02	1.6E-01	1.05E-03	1.67E-04	1.67E-01	1.57E-01	4.38E-06	1.0E+06	4.4E+00
1370	12.11849	1.10E-02	1.3E-01	1.05E-03	1.40E-04	1.67E-01	1.57E-01	3.66E-06	1.0E+06	3.7E+00
1371	11.93785	1.10E-02	1.3E-01	1.05E-03	1.37E-04	1.67E-01	1.57E-01	3.61E-06	1.0E+06	3.6E+00
1372	14.21824	1.10E-02	1.6E-01	1.05E-03	1.64E-04	1.67E-01	1.57E-01	4.30E-06	1.0E+06	4.3E+00
1373	14.09422	1.10E-02	1.6E-01	1.05E-03	1.62E-04	1.67E-01	1.57E-01	4.26E-06	1.0E+06	4.3E+00
1374	11.61469	1.10E-02	1.3E-01	1.05E-03	1.34E-04	1.67E-01	1.57E-01	3.51E-06	1.0E+06	3.5E+00
1375	11.28398	1.10E-02	1.2E-01	1.05E-03	1.30E-04	1.67E-01	1.57E-01	3.41E-06	1.0E+06	3.4E+00
1376	13.30315	1.10E-02	1.5E-01	1.05E-03	1.53E-04	1.67E-01	1.57E-01	4.02E-06	1.0E+06	4.0E+00
1377	12.92905	1.10E-02	1.4E-01	1.05E-03	1.49E-04	1.67E-01	1.57E-01	3.91E-06	1.0E+06	3.9E+00
1378	10.21298	1.10E-02	1.1E-01	1.05E-03	1.18E-04	1.67E-01	1.57E-01	3.09E-06	1.0E+06	3.1E+00
1379	9.56154	1.10E-02	1.1E-01	1.05E-03	1.10E-04	1.67E-01	1.57E-01	2.89E-06	1.0E+06	2.9E+00
1380	11.21617	1.10E-02	1.2E-01	1.05E-03	1.29E-04	1.67E-01	1.57E-01	3.39E-06	1.0E+06	3.4E+00
1381	10.49217	1.10E-02	1.2E-01	1.05E-03	1.21E-04	1.67E-01	1.57E-01	3.17E-06	1.0E+06	3.2E+00
1382	7.49177	1.10E-02	8.3E-02	1.05E-03	8.63E-05	1.67E-01	1.57E-01	2.27E-06	1.0E+06	2.3E+00
1383	6.52159	1.10E-02	7.2E-02	1.05E-03	7.51E-05	1.67E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
1384	7.76548	1.10E-02	8.6E-02	1.05E-03	8.94E-05	1.67E-01	1.57E-01	2.35E-06	1.0E+06	2.3E+00
1385	6.69215	1.10E-02	7.4E-02	1.05E-03	7.71E-05	1.67E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1386	5.6875	1.10E-02	6.3E-02	1.05E-03	6.55E-05	1.67E-01	1.57E-01	1.72E-06	1.0E+06	1.7E+00
1387	4.82388	1.10E-02	5.3E-02	1.05E-03	5.55E-05	1.67E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
1388	4.11419	1.10E-02	4.5E-02	1.05E-03	4.74E-05	1.67E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
1389	3.53838	1.10E-02	3.9E-02	1.05E-03	4.07E-05	1.67E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1390	3.0699	1.10E-02	3.4E-02	1.05E-03	3.53E-05	1.67E-01	1.57E-01	9.28E-07	1.0E+06	9.3E-01
1391	2.69242	1.10E-02	3.0E-02	1.05E-03	3.10E-05	1.67E-01	1.57E-01	8.14E-07	1.0E+06	8.1E-01
1392	2.38607	1.10E-02	2.6E-02	1.05E-03	2.75E-05	1.67E-01	1.57E-01	7.22E-07	1.0E+06	7.2E-01
1393	2.1349	1.10E-02	2.4E-02	1.05E-03	2.46E-05	1.67E-01	1.57E-01	6.46E-07	1.0E+06	6.5E-01
1394	12.346	1.10E-02	1.4E-01	1.05E-03	1.42E-04	1.67E-01	1.57E-01	3.73E-06	1.0E+06	3.7E+00
1395	12.28184	1.10E-02	1.4E-01	1.05E-03	1.41E-04	1.67E-01	1.57E-01	3.71E-06	1.0E+06	3.7E+00
1396	12.18985	1.10E-02	1.3E-01	1.05E-03	1.40E-04	1.67E-01	1.57E-01	3.69E-06	1.0E+06	3.7E+00
1397	12.11207	1.10E-02	1.3E-01	1.05E-03	1.39E-04	1.67E-01	1.57E-01	3.66E-06	1.0E+06	3.7E+00
1398	12.07276	1.10E-02	1.3E-01	1.05E-03	1.39E-04	1.67E-01	1.57E-01	3.65E-06	1.0E+06	3.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	11.98967	1.10E-02	1.3E-01	1.05E-03	1.38E-04	1.67E-01	1.57E-01	3.63E-06	1.0E+06	3.6E+00
1400	11.91635	1.10E-02	1.3E-01	1.05E-03	1.37E-04	1.67E-01	1.57E-01	3.60E-06	1.0E+06	3.6E+00
1401	11.81784	1.10E-02	1.3E-01	1.05E-03	1.36E-04	1.67E-01	1.57E-01	3.57E-06	1.0E+06	3.6E+00
1402	11.64922	1.10E-02	1.3E-01	1.05E-03	1.34E-04	1.67E-01	1.57E-01	3.52E-06	1.0E+06	3.5E+00
1403	11.4204	1.10E-02	1.3E-01	1.05E-03	1.31E-04	1.67E-01	1.57E-01	3.45E-06	1.0E+06	3.5E+00
1404	11.13768	1.10E-02	1.2E-01	1.05E-03	1.28E-04	1.67E-01	1.57E-01	3.37E-06	1.0E+06	3.4E+00
1405	10.81776	1.10E-02	1.2E-01	1.05E-03	1.25E-04	1.67E-01	1.57E-01	3.27E-06	1.0E+06	3.3E+00
1406	10.42788	1.10E-02	1.1E-01	1.05E-03	1.20E-04	1.67E-01	1.57E-01	3.15E-06	1.0E+06	3.2E+00
1407	9.96195	1.10E-02	1.1E-01	1.05E-03	1.15E-04	1.67E-01	1.57E-01	3.01E-06	1.0E+06	3.0E+00
1408	9.4316	1.10E-02	1.0E-01	1.05E-03	1.09E-04	1.67E-01	1.57E-01	2.85E-06	1.0E+06	2.9E+00
1409	8.84146	1.10E-02	9.7E-02	1.05E-03	1.02E-04	1.67E-01	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1410	8.19048	1.10E-02	9.0E-02	1.05E-03	9.43E-05	1.67E-01	1.57E-01	2.48E-06	1.0E+06	2.5E+00
1411	7.47061	1.10E-02	8.2E-02	1.05E-03	8.60E-05	1.67E-01	1.57E-01	2.26E-06	1.0E+06	2.3E+00
1412	6.68789	1.10E-02	7.4E-02	1.05E-03	7.70E-05	1.67E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1413	5.88345	1.10E-02	6.5E-02	1.05E-03	6.77E-05	1.67E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
1414	5.11395	1.10E-02	5.6E-02	1.05E-03	5.89E-05	1.67E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
1415	4.42675	1.10E-02	4.9E-02	1.05E-03	5.10E-05	1.67E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
1416	3.83844	1.10E-02	4.2E-02	1.05E-03	4.42E-05	1.67E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1417	3.34362	1.10E-02	3.7E-02	1.05E-03	3.85E-05	1.67E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1418	2.92615	1.10E-02	3.2E-02	1.05E-03	3.37E-05	1.67E-01	1.57E-01	8.85E-07	1.0E+06	8.8E-01
1419	2.58213	1.10E-02	2.8E-02	1.05E-03	2.97E-05	1.67E-01	1.57E-01	7.81E-07	1.0E+06	7.8E-01
1420	2.29833	1.10E-02	2.5E-02	1.05E-03	2.65E-05	1.67E-01	1.57E-01	6.95E-07	1.0E+06	6.9E-01
1421	2.06287	1.10E-02	2.3E-02	1.05E-03	2.38E-05	1.67E-01	1.57E-01	6.24E-07	1.0E+06	6.2E-01
1422	10.50365	1.10E-02	1.2E-01	1.05E-03	1.21E-04	1.67E-01	1.57E-01	3.18E-06	1.0E+06	3.2E+00
1423	10.44226	1.10E-02	1.2E-01	1.05E-03	1.20E-04	1.67E-01	1.57E-01	3.16E-06	1.0E+06	3.2E+00
1424	10.40176	1.10E-02	1.1E-01	1.05E-03	1.20E-04	1.67E-01	1.57E-01	3.15E-06	1.0E+06	3.1E+00
1425	10.34198	1.10E-02	1.1E-01	1.05E-03	1.19E-04	1.67E-01	1.57E-01	3.13E-06	1.0E+06	3.1E+00
1426	10.27209	1.10E-02	1.1E-01	1.05E-03	1.18E-04	1.67E-01	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1427	10.21481	1.10E-02	1.1E-01	1.05E-03	1.18E-04	1.67E-01	1.57E-01	3.09E-06	1.0E+06	3.1E+00
1428	10.17818	1.10E-02	1.1E-01	1.05E-03	1.17E-04	1.67E-01	1.57E-01	3.08E-06	1.0E+06	3.1E+00
1429	10.09224	1.10E-02	1.1E-01	1.05E-03	1.16E-04	1.67E-01	1.57E-01	3.05E-06	1.0E+06	3.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	9.95224	1.10E-02	1.1E-01	1.05E-03	1.15E-04	1.67E-01	1.57E-01	3.01E-06	1.0E+06	3.0E+00
1431	9.75415	1.10E-02	1.1E-01	1.05E-03	1.12E-04	1.67E-01	1.57E-01	2.95E-06	1.0E+06	2.9E+00
1432	9.51455	1.10E-02	1.0E-01	1.05E-03	1.10E-04	1.67E-01	1.57E-01	2.88E-06	1.0E+06	2.9E+00
1433	9.23853	1.10E-02	1.0E-01	1.05E-03	1.06E-04	1.67E-01	1.57E-01	2.79E-06	1.0E+06	2.8E+00
1434	8.91293	1.10E-02	9.8E-02	1.05E-03	1.03E-04	1.67E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
1435	8.52852	1.10E-02	9.4E-02	1.05E-03	9.82E-05	1.67E-01	1.57E-01	2.58E-06	1.0E+06	2.6E+00
1436	8.09239	1.10E-02	8.9E-02	1.05E-03	9.32E-05	1.67E-01	1.57E-01	2.45E-06	1.0E+06	2.4E+00
1437	7.60465	1.10E-02	8.4E-02	1.05E-03	8.76E-05	1.67E-01	1.57E-01	2.30E-06	1.0E+06	2.3E+00
1438	7.06747	1.10E-02	7.8E-02	1.05E-03	8.14E-05	1.67E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
1439	6.48718	1.10E-02	7.1E-02	1.05E-03	7.47E-05	1.67E-01	1.57E-01	1.96E-06	1.0E+06	2.0E+00
1440	5.87044	1.10E-02	6.5E-02	1.05E-03	6.76E-05	1.67E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
1441	5.24275	1.10E-02	5.8E-02	1.05E-03	6.04E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
1442	4.63406	1.10E-02	5.1E-02	1.05E-03	5.34E-05	1.67E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1443	4.077	1.10E-02	4.5E-02	1.05E-03	4.69E-05	1.67E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
1444	3.58526	1.10E-02	3.9E-02	1.05E-03	4.13E-05	1.67E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
1445	3.15895	1.10E-02	3.5E-02	1.05E-03	3.64E-05	1.67E-01	1.57E-01	9.55E-07	1.0E+06	9.6E-01
1446	2.78854	1.10E-02	3.1E-02	1.05E-03	3.21E-05	1.67E-01	1.57E-01	8.43E-07	1.0E+06	8.4E-01
1447	2.47615	1.10E-02	2.7E-02	1.05E-03	2.85E-05	1.67E-01	1.57E-01	7.49E-07	1.0E+06	7.5E-01
1448	2.21402	1.10E-02	2.4E-02	1.05E-03	2.55E-05	1.67E-01	1.57E-01	6.69E-07	1.0E+06	6.7E-01
1449	1.99358	1.10E-02	2.2E-02	1.05E-03	2.30E-05	1.67E-01	1.57E-01	6.03E-07	1.0E+06	6.0E-01
1450	9.07748	1.10E-02	1.0E-01	1.05E-03	1.05E-04	1.67E-01	1.57E-01	2.74E-06	1.0E+06	2.7E+00
1451	9.04116	1.10E-02	1.0E-01	1.05E-03	1.04E-04	1.67E-01	1.57E-01	2.73E-06	1.0E+06	2.7E+00
1452	8.98097	1.10E-02	9.9E-02	1.05E-03	1.03E-04	1.67E-01	1.57E-01	2.72E-06	1.0E+06	2.7E+00
1453	8.94477	1.10E-02	9.9E-02	1.05E-03	1.03E-04	1.67E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
1454	8.89538	1.10E-02	9.8E-02	1.05E-03	1.02E-04	1.67E-01	1.57E-01	2.69E-06	1.0E+06	2.7E+00
1455	8.81344	1.10E-02	9.7E-02	1.05E-03	1.01E-04	1.67E-01	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1456	8.81219	1.10E-02	9.7E-02	1.05E-03	1.01E-04	1.67E-01	1.57E-01	2.66E-06	1.0E+06	2.7E+00
1457	8.74796	1.10E-02	9.6E-02	1.05E-03	1.01E-04	1.67E-01	1.57E-01	2.65E-06	1.0E+06	2.6E+00
1458	8.63748	1.10E-02	9.5E-02	1.05E-03	9.95E-05	1.67E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
1459	8.46454	1.10E-02	9.3E-02	1.05E-03	9.75E-05	1.67E-01	1.57E-01	2.56E-06	1.0E+06	2.6E+00
1460	8.25859	1.10E-02	9.1E-02	1.05E-03	9.51E-05	1.67E-01	1.57E-01	2.50E-06	1.0E+06	2.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	8.0192	1.10E-02	8.8E-02	1.05E-03	9.23E-05	1.67E-01	1.57E-01	2.42E-06	1.0E+06	2.4E+00
1462	7.74318	1.10E-02	8.5E-02	1.05E-03	8.92E-05	1.67E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1463	7.42093	1.10E-02	8.2E-02	1.05E-03	8.54E-05	1.67E-01	1.57E-01	2.24E-06	1.0E+06	2.2E+00
1464	7.0564	1.10E-02	7.8E-02	1.05E-03	8.12E-05	1.67E-01	1.57E-01	2.13E-06	1.0E+06	2.1E+00
1465	6.64796	1.10E-02	7.3E-02	1.05E-03	7.65E-05	1.67E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
1466	6.20134	1.10E-02	6.8E-02	1.05E-03	7.14E-05	1.67E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1467	5.7265	1.10E-02	6.3E-02	1.05E-03	6.59E-05	1.67E-01	1.57E-01	1.73E-06	1.0E+06	1.7E+00
1468	5.22772	1.10E-02	5.8E-02	1.05E-03	6.02E-05	1.67E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
1469	4.7222	1.10E-02	5.2E-02	1.05E-03	5.44E-05	1.67E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
1470	4.22861	1.10E-02	4.7E-02	1.05E-03	4.87E-05	1.67E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
1471	3.76896	1.10E-02	4.2E-02	1.05E-03	4.34E-05	1.67E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1472	3.35396	1.10E-02	3.7E-02	1.05E-03	3.86E-05	1.67E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1473	2.9854	1.10E-02	3.3E-02	1.05E-03	3.44E-05	1.67E-01	1.57E-01	9.03E-07	1.0E+06	9.0E-01
1474	2.65684	1.10E-02	2.9E-02	1.05E-03	3.06E-05	1.67E-01	1.57E-01	8.03E-07	1.0E+06	8.0E-01
1475	2.37409	1.10E-02	2.6E-02	1.05E-03	2.73E-05	1.67E-01	1.57E-01	7.18E-07	1.0E+06	7.2E-01
1476	2.13251	1.10E-02	2.3E-02	1.05E-03	2.46E-05	1.67E-01	1.57E-01	6.45E-07	1.0E+06	6.4E-01
1477	1.9268	1.10E-02	2.1E-02	1.05E-03	2.22E-05	1.67E-01	1.57E-01	5.83E-07	1.0E+06	5.8E-01
1478	7.92156	1.10E-02	8.7E-02	1.05E-03	9.12E-05	1.67E-01	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1479	7.91107	1.10E-02	8.7E-02	1.05E-03	9.11E-05	1.67E-01	1.57E-01	2.39E-06	1.0E+06	2.4E+00
1480	7.87829	1.10E-02	8.7E-02	1.05E-03	9.07E-05	1.67E-01	1.57E-01	2.38E-06	1.0E+06	2.4E+00
1481	7.83014	1.10E-02	8.6E-02	1.05E-03	9.02E-05	1.67E-01	1.57E-01	2.37E-06	1.0E+06	2.4E+00
1482	7.80911	1.10E-02	8.6E-02	1.05E-03	8.99E-05	1.67E-01	1.57E-01	2.36E-06	1.0E+06	2.4E+00
1483	7.75145	1.10E-02	8.5E-02	1.05E-03	8.93E-05	1.67E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1484	7.7494	1.10E-02	8.5E-02	1.05E-03	8.92E-05	1.67E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1485	7.69066	1.10E-02	8.5E-02	1.05E-03	8.86E-05	1.67E-01	1.57E-01	2.33E-06	1.0E+06	2.3E+00
1486	7.59214	1.10E-02	8.4E-02	1.05E-03	8.74E-05	1.67E-01	1.57E-01	2.30E-06	1.0E+06	2.3E+00
1487	7.44023	1.10E-02	8.2E-02	1.05E-03	8.57E-05	1.67E-01	1.57E-01	2.25E-06	1.0E+06	2.2E+00
1488	7.26104	1.10E-02	8.0E-02	1.05E-03	8.36E-05	1.67E-01	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1489	7.0533	1.10E-02	7.8E-02	1.05E-03	8.12E-05	1.67E-01	1.57E-01	2.13E-06	1.0E+06	2.1E+00
1490	6.81614	1.10E-02	7.5E-02	1.05E-03	7.85E-05	1.67E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
1491	6.54173	1.10E-02	7.2E-02	1.05E-03	7.53E-05	1.67E-01	1.57E-01	1.98E-06	1.0E+06	2.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	6.23274	1.10E-02	6.9E-02	1.05E-03	7.18E-05	1.67E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1493	5.88973	1.10E-02	6.5E-02	1.05E-03	6.78E-05	1.67E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
1494	5.51756	1.10E-02	6.1E-02	1.05E-03	6.35E-05	1.67E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
1495	5.12162	1.10E-02	5.6E-02	1.05E-03	5.90E-05	1.67E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
1496	4.71008	1.10E-02	5.2E-02	1.05E-03	5.42E-05	1.67E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
1497	4.29274	1.10E-02	4.7E-02	1.05E-03	4.94E-05	1.67E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
1498	3.88231	1.10E-02	4.3E-02	1.05E-03	4.47E-05	1.67E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
1499	3.4953	1.10E-02	3.9E-02	1.05E-03	4.02E-05	1.67E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1500	3.13977	1.10E-02	3.5E-02	1.05E-03	3.62E-05	1.67E-01	1.57E-01	9.49E-07	1.0E+06	9.5E-01
1501	2.81836	1.10E-02	3.1E-02	1.05E-03	3.25E-05	1.67E-01	1.57E-01	8.52E-07	1.0E+06	8.5E-01
1502	2.52765	1.10E-02	2.8E-02	1.05E-03	2.91E-05	1.67E-01	1.57E-01	7.64E-07	1.0E+06	7.6E-01
1503	2.273	1.10E-02	2.5E-02	1.05E-03	2.62E-05	1.67E-01	1.57E-01	6.87E-07	1.0E+06	6.9E-01
1504	2.05219	1.10E-02	2.3E-02	1.05E-03	2.36E-05	1.67E-01	1.57E-01	6.21E-07	1.0E+06	6.2E-01
1505	1.86144	1.10E-02	2.1E-02	1.05E-03	2.14E-05	1.67E-01	1.57E-01	5.63E-07	1.0E+06	5.6E-01
1506	6.97938	1.10E-02	7.7E-02	1.05E-03	8.04E-05	1.67E-01	1.57E-01	2.11E-06	1.0E+06	2.1E+00
1507	6.97779	1.10E-02	7.7E-02	1.05E-03	8.03E-05	1.67E-01	1.57E-01	2.11E-06	1.0E+06	2.1E+00
1508	6.97164	1.10E-02	7.7E-02	1.05E-03	8.03E-05	1.67E-01	1.57E-01	2.11E-06	1.0E+06	2.1E+00
1509	6.94877	1.10E-02	7.7E-02	1.05E-03	8.00E-05	1.67E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
1510	6.93496	1.10E-02	7.6E-02	1.05E-03	7.98E-05	1.67E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
1511	6.89704	1.10E-02	7.6E-02	1.05E-03	7.94E-05	1.67E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
1512	6.87977	1.10E-02	7.6E-02	1.05E-03	7.92E-05	1.67E-01	1.57E-01	2.08E-06	1.0E+06	2.1E+00
1513	6.83228	1.10E-02	7.5E-02	1.05E-03	7.87E-05	1.67E-01	1.57E-01	2.07E-06	1.0E+06	2.1E+00
1514	6.74309	1.10E-02	7.4E-02	1.05E-03	7.76E-05	1.67E-01	1.57E-01	2.04E-06	1.0E+06	2.0E+00
1515	6.60902	1.10E-02	7.3E-02	1.05E-03	7.61E-05	1.67E-01	1.57E-01	2.00E-06	1.0E+06	2.0E+00
1516	6.4518	1.10E-02	7.1E-02	1.05E-03	7.43E-05	1.67E-01	1.57E-01	1.95E-06	1.0E+06	2.0E+00
1517	6.27049	1.10E-02	6.9E-02	1.05E-03	7.22E-05	1.67E-01	1.57E-01	1.90E-06	1.0E+06	1.9E+00
1518	6.06457	1.10E-02	6.7E-02	1.05E-03	6.98E-05	1.67E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
1519	5.8281	1.10E-02	6.4E-02	1.05E-03	6.71E-05	1.67E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1520	5.56394	1.10E-02	6.1E-02	1.05E-03	6.41E-05	1.67E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1521	5.2734	1.10E-02	5.8E-02	1.05E-03	6.07E-05	1.67E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
1522	4.95967	1.10E-02	5.5E-02	1.05E-03	5.71E-05	1.67E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	4.62617	1.10E-02	5.1E-02	1.05E-03	5.33E-05	1.67E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1524	4.28049	1.10E-02	4.7E-02	1.05E-03	4.93E-05	1.67E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
1525	3.92984	1.10E-02	4.3E-02	1.05E-03	4.52E-05	1.67E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
1526	3.58347	1.10E-02	3.9E-02	1.05E-03	4.13E-05	1.67E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
1527	3.25287	1.10E-02	3.6E-02	1.05E-03	3.75E-05	1.67E-01	1.57E-01	9.84E-07	1.0E+06	9.8E-01
1528	2.94536	1.10E-02	3.2E-02	1.05E-03	3.39E-05	1.67E-01	1.57E-01	8.91E-07	1.0E+06	8.9E-01
1529	2.66336	1.10E-02	2.9E-02	1.05E-03	3.07E-05	1.67E-01	1.57E-01	8.05E-07	1.0E+06	8.1E-01
1530	2.40549	1.10E-02	2.6E-02	1.05E-03	2.77E-05	1.67E-01	1.57E-01	7.27E-07	1.0E+06	7.3E-01
1531	2.17623	1.10E-02	2.4E-02	1.05E-03	2.51E-05	1.67E-01	1.57E-01	6.58E-07	1.0E+06	6.6E-01
1532	1.97461	1.10E-02	2.2E-02	1.05E-03	2.27E-05	1.67E-01	1.57E-01	5.97E-07	1.0E+06	6.0E-01
1533	1.79816	1.10E-02	2.0E-02	1.05E-03	2.07E-05	1.67E-01	1.57E-01	5.44E-07	1.0E+06	5.4E-01
1534	6.19252	1.10E-02	6.8E-02	1.05E-03	7.13E-05	1.67E-01	1.57E-01	1.87E-06	1.0E+06	1.9E+00
1535	6.20686	1.10E-02	6.8E-02	1.05E-03	7.15E-05	1.67E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1536	6.20889	1.10E-02	6.8E-02	1.05E-03	7.15E-05	1.67E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1537	6.21746	1.10E-02	6.8E-02	1.05E-03	7.16E-05	1.67E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1538	6.19304	1.10E-02	6.8E-02	1.05E-03	7.13E-05	1.67E-01	1.57E-01	1.87E-06	1.0E+06	1.9E+00
1539	6.18733	1.10E-02	6.8E-02	1.05E-03	7.12E-05	1.67E-01	1.57E-01	1.87E-06	1.0E+06	1.9E+00
1540	6.1665	1.10E-02	6.8E-02	1.05E-03	7.10E-05	1.67E-01	1.57E-01	1.86E-06	1.0E+06	1.9E+00
1541	6.12161	1.10E-02	6.7E-02	1.05E-03	7.05E-05	1.67E-01	1.57E-01	1.85E-06	1.0E+06	1.9E+00
1542	6.04139	1.10E-02	6.7E-02	1.05E-03	6.96E-05	1.67E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
1543	5.9223	1.10E-02	6.5E-02	1.05E-03	6.82E-05	1.67E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
1544	5.7837	1.10E-02	6.4E-02	1.05E-03	6.66E-05	1.67E-01	1.57E-01	1.75E-06	1.0E+06	1.7E+00
1545	5.62444	1.10E-02	6.2E-02	1.05E-03	6.48E-05	1.67E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
1546	5.44413	1.10E-02	6.0E-02	1.05E-03	6.27E-05	1.67E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
1547	5.23841	1.10E-02	5.8E-02	1.05E-03	6.03E-05	1.67E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
1548	5.01093	1.10E-02	5.5E-02	1.05E-03	5.77E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1549	4.76229	1.10E-02	5.2E-02	1.05E-03	5.48E-05	1.67E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1550	4.49526	1.10E-02	5.0E-02	1.05E-03	5.18E-05	1.67E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
1551	4.21149	1.10E-02	4.6E-02	1.05E-03	4.85E-05	1.67E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
1552	3.91723	1.10E-02	4.3E-02	1.05E-03	4.51E-05	1.67E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
1553	3.61864	1.10E-02	4.0E-02	1.05E-03	4.17E-05	1.67E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	3.32246	1.10E-02	3.7E-02	1.05E-03	3.83E-05	1.67E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
1555	3.03738	1.10E-02	3.3E-02	1.05E-03	3.50E-05	1.67E-01	1.57E-01	9.18E-07	1.0E+06	9.2E-01
1556	2.76918	1.10E-02	3.1E-02	1.05E-03	3.19E-05	1.67E-01	1.57E-01	8.37E-07	1.0E+06	8.4E-01
1557	2.52	1.10E-02	2.8E-02	1.05E-03	2.90E-05	1.67E-01	1.57E-01	7.62E-07	1.0E+06	7.6E-01
1558	2.2907	1.10E-02	2.5E-02	1.05E-03	2.64E-05	1.67E-01	1.57E-01	6.93E-07	1.0E+06	6.9E-01
1559	2.08408	1.10E-02	2.3E-02	1.05E-03	2.40E-05	1.67E-01	1.57E-01	6.30E-07	1.0E+06	6.3E-01
1560	1.90004	1.10E-02	2.1E-02	1.05E-03	2.19E-05	1.67E-01	1.57E-01	5.75E-07	1.0E+06	5.7E-01
1561	1.737	1.10E-02	1.9E-02	1.05E-03	2.00E-05	1.67E-01	1.57E-01	5.25E-07	1.0E+06	5.3E-01
1562	5.5612	1.10E-02	6.1E-02	1.05E-03	6.40E-05	1.67E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1563	5.56018	1.10E-02	6.1E-02	1.05E-03	6.40E-05	1.67E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1564	5.56469	1.10E-02	6.1E-02	1.05E-03	6.41E-05	1.67E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1565	5.57488	1.10E-02	6.1E-02	1.05E-03	6.42E-05	1.67E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1566	5.57309	1.10E-02	6.1E-02	1.05E-03	6.42E-05	1.67E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1567	5.56834	1.10E-02	6.1E-02	1.05E-03	6.41E-05	1.67E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1568	5.55605	1.10E-02	6.1E-02	1.05E-03	6.40E-05	1.67E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1569	5.51238	1.10E-02	6.1E-02	1.05E-03	6.35E-05	1.67E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
1570	5.44146	1.10E-02	6.0E-02	1.05E-03	6.27E-05	1.67E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
1571	5.34424	1.10E-02	5.9E-02	1.05E-03	6.15E-05	1.67E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
1572	5.22282	1.10E-02	5.8E-02	1.05E-03	6.01E-05	1.67E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
1573	5.08274	1.10E-02	5.6E-02	1.05E-03	5.85E-05	1.67E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
1574	4.92458	1.10E-02	5.4E-02	1.05E-03	5.67E-05	1.67E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
1575	4.74447	1.10E-02	5.2E-02	1.05E-03	5.46E-05	1.67E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
1576	4.54686	1.10E-02	5.0E-02	1.05E-03	5.24E-05	1.67E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
1577	4.33209	1.10E-02	4.8E-02	1.05E-03	4.99E-05	1.67E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1578	4.10196	1.10E-02	4.5E-02	1.05E-03	4.72E-05	1.67E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
1579	3.85856	1.10E-02	4.3E-02	1.05E-03	4.44E-05	1.67E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
1580	3.60578	1.10E-02	4.0E-02	1.05E-03	4.15E-05	1.67E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
1581	3.34897	1.10E-02	3.7E-02	1.05E-03	3.86E-05	1.67E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1582	3.09363	1.10E-02	3.4E-02	1.05E-03	3.56E-05	1.67E-01	1.57E-01	9.35E-07	1.0E+06	9.4E-01
1583	2.84582	1.10E-02	3.1E-02	1.05E-03	3.28E-05	1.67E-01	1.57E-01	8.61E-07	1.0E+06	8.6E-01
1584	2.61023	1.10E-02	2.9E-02	1.05E-03	3.01E-05	1.67E-01	1.57E-01	7.89E-07	1.0E+06	7.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.3894	1.10E-02	2.6E-02	1.05E-03	2.75E-05	1.67E-01	1.57E-01	7.23E-07	1.0E+06	7.2E-01
1586	2.18437	1.10E-02	2.4E-02	1.05E-03	2.52E-05	1.67E-01	1.57E-01	6.61E-07	1.0E+06	6.6E-01
1587	1.99744	1.10E-02	2.2E-02	1.05E-03	2.30E-05	1.67E-01	1.57E-01	6.04E-07	1.0E+06	6.0E-01
1588	1.82902	1.10E-02	2.0E-02	1.05E-03	2.11E-05	1.67E-01	1.57E-01	5.53E-07	1.0E+06	5.5E-01
1589	1.67833	1.10E-02	1.8E-02	1.05E-03	1.93E-05	1.67E-01	1.57E-01	5.07E-07	1.0E+06	5.1E-01
1590	5.03444	1.10E-02	5.5E-02	1.05E-03	5.80E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1591	5.02557	1.10E-02	5.5E-02	1.05E-03	5.79E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1592	5.01615	1.10E-02	5.5E-02	1.05E-03	5.78E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1593	5.01126	1.10E-02	5.5E-02	1.05E-03	5.77E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1594	5.02951	1.10E-02	5.5E-02	1.05E-03	5.79E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1595	5.01656	1.10E-02	5.5E-02	1.05E-03	5.78E-05	1.67E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
0	0	1.10E-02	0.0E+00	1.05E-03	0.00E+00	1.67E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	3.51E-03
1214	5	1.55E-02
1215	5	1.30E-02
1216	5	1.11E-02
1217	5	9.56E-03
1218	5	8.35E-03
1219	5	7.36E-03
1220	5	6.55E-03
1221	5	5.87E-03
1222	5	5.29E-03
1223	5	4.81E-03
1224	5	4.39E-03
1225	5	4.02E-03
1226	5	3.71E-03
1227	5	3.43E-03
1228	5	1.72E-02
1229	5	1.40E-02
1230	5	1.17E-02
1231	5	9.98E-03
1232	5	8.62E-03
1233	5	7.53E-03
1234	5	6.66E-03
1235	5	5.94E-03
1236	5	5.33E-03
1237	5	4.83E-03
1238	5	4.40E-03
1239	5	4.03E-03
1240	5	3.70E-03
1241	5	3.42E-03
1242	5	1.46E-02
1243	5	1.50E-02

Max	Receptor #	
0.032	1369	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	1.23E-02
1245	5	1.03E-02
1246	5	8.81E-03
1247	5	7.64E-03
1248	5	6.71E-03
1249	5	5.96E-03
1250	5	5.34E-03
1251	5	4.83E-03
1252	5	4.39E-03
1253	5	4.01E-03
1254	5	3.69E-03
1255	5	3.41E-03
1256	5	1.49E-02
1257	5	1.57E-02
1258	5	1.27E-02
1259	5	1.05E-02
1260	5	8.92E-03
1261	5	7.69E-03
1262	5	6.72E-03
1263	5	5.95E-03
1264	5	5.31E-03
1265	5	4.79E-03
1266	5	4.36E-03
1267	5	3.98E-03
1268	5	3.66E-03
1269	5	3.37E-03
1270	5	1.51E-02
1271	5	1.23E-02
1272	5	1.29E-02
1273	5	1.06E-02
1274	5	8.94E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	7.67E-03
1276	5	6.69E-03
1277	5	5.90E-03
1278	5	5.26E-03
1279	5	4.74E-03
1280	5	4.30E-03
1281	5	3.93E-03
1282	5	3.60E-03
1283	5	3.32E-03
1284	5	1.52E-02
1285	5	1.63E-02
1286	5	1.29E-02
1287	5	1.06E-02
1288	5	8.88E-03
1289	5	7.60E-03
1290	5	6.60E-03
1291	5	5.81E-03
1292	5	5.17E-03
1293	5	4.66E-03
1294	5	4.23E-03
1295	5	3.86E-03
1296	5	3.54E-03
1297	5	3.26E-03
1298	5	1.15E-02
1299	5	1.60E-02
1300	5	1.28E-02
1301	5	1.04E-02
1302	5	8.72E-03
1303	5	7.45E-03
1304	5	6.48E-03
1305	5	5.70E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	1.52E-02
1307	5	1.54E-02
1308	5	1.23E-02
1309	5	1.01E-02
1310	5	8.46E-03
1311	5	7.23E-03
1312	5	6.29E-03
1313	5	5.55E-03
1314	5	1.37E-02
1315	5	1.47E-02
1316	5	1.17E-02
1317	5	9.67E-03
1318	5	8.13E-03
1319	5	6.98E-03
1320	5	6.09E-03
1321	5	5.38E-03
1322	5	1.24E-02
1323	5	1.37E-02
1324	5	1.11E-02
1325	5	9.19E-03
1326	5	7.78E-03
1327	5	6.70E-03
1328	5	5.87E-03
1329	5	5.21E-03
1330	5	1.13E-02
1331	5	1.27E-02
1332	5	1.04E-02
1333	5	8.72E-03
1334	5	7.44E-03
1335	5	6.44E-03
1336	5	5.66E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	5.04E-03
1338	5	3.18E-02
1339	5	3.14E-02
1340	5	2.76E-02
1341	5	2.72E-02
1342	5	3.13E-02
1343	5	3.08E-02
1344	5	2.68E-02
1345	5	2.63E-02
1346	5	3.00E-02
1347	5	2.92E-02
1348	5	2.48E-02
1349	5	2.36E-02
1350	5	2.63E-02
1351	5	2.45E-02
1352	5	1.90E-02
1353	5	1.70E-02
1354	5	1.89E-02
1355	5	1.61E-02
1356	5	1.39E-02
1357	5	1.20E-02
1358	5	1.40E-02
1359	5	1.16E-02
1360	5	9.72E-03
1361	5	8.25E-03
1362	5	7.10E-03
1363	5	6.19E-03
1364	5	5.46E-03
1365	5	4.87E-03
1366	5	2.72E-02
1367	5	2.69E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	2.71E-02
1369	5	3.19E-02
1370	5	2.67E-02
1371	5	2.63E-02
1372	5	3.13E-02
1373	5	3.11E-02
1374	5	2.56E-02
1375	5	2.49E-02
1376	5	2.93E-02
1377	5	2.85E-02
1378	5	2.25E-02
1379	5	2.11E-02
1380	5	2.47E-02
1381	5	2.31E-02
1382	5	1.65E-02
1383	5	1.44E-02
1384	5	1.71E-02
1385	5	1.47E-02
1386	5	1.25E-02
1387	5	1.06E-02
1388	5	9.06E-03
1389	5	7.80E-03
1390	5	6.76E-03
1391	5	5.93E-03
1392	5	5.26E-03
1393	5	4.70E-03
1394	5	2.72E-02
1395	5	2.71E-02
1396	5	2.69E-02
1397	5	2.67E-02
1398	5	2.66E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	2.64E-02
1400	5	2.63E-02
1401	5	2.60E-02
1402	5	2.57E-02
1403	5	2.52E-02
1404	5	2.45E-02
1405	5	2.38E-02
1406	5	2.30E-02
1407	5	2.19E-02
1408	5	2.08E-02
1409	5	1.95E-02
1410	5	1.80E-02
1411	5	1.65E-02
1412	5	1.47E-02
1413	5	1.30E-02
1414	5	1.13E-02
1415	5	9.75E-03
1416	5	8.46E-03
1417	5	7.37E-03
1418	5	6.45E-03
1419	5	5.69E-03
1420	5	5.06E-03
1421	5	4.54E-03
1422	5	2.31E-02
1423	5	2.30E-02
1424	5	2.29E-02
1425	5	2.28E-02
1426	5	2.26E-02
1427	5	2.25E-02
1428	5	2.24E-02
1429	5	2.22E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	2.19E-02
1431	5	2.15E-02
1432	5	2.10E-02
1433	5	2.04E-02
1434	5	1.96E-02
1435	5	1.88E-02
1436	5	1.78E-02
1437	5	1.68E-02
1438	5	1.56E-02
1439	5	1.43E-02
1440	5	1.29E-02
1441	5	1.16E-02
1442	5	1.02E-02
1443	5	8.98E-03
1444	5	7.90E-03
1445	5	6.96E-03
1446	5	6.14E-03
1447	5	5.46E-03
1448	5	4.88E-03
1449	5	4.39E-03
1450	5	2.00E-02
1451	5	1.99E-02
1452	5	1.98E-02
1453	5	1.97E-02
1454	5	1.96E-02
1455	5	1.94E-02
1456	5	1.94E-02
1457	5	1.93E-02
1458	5	1.90E-02
1459	5	1.86E-02
1460	5	1.82E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	1.77E-02
1462	5	1.71E-02
1463	5	1.63E-02
1464	5	1.55E-02
1465	5	1.46E-02
1466	5	1.37E-02
1467	5	1.26E-02
1468	5	1.15E-02
1469	5	1.04E-02
1470	5	9.32E-03
1471	5	8.30E-03
1472	5	7.39E-03
1473	5	6.58E-03
1474	5	5.85E-03
1475	5	5.23E-03
1476	5	4.70E-03
1477	5	4.25E-03
1478	5	1.75E-02
1479	5	1.74E-02
1480	5	1.74E-02
1481	5	1.73E-02
1482	5	1.72E-02
1483	5	1.71E-02
1484	5	1.71E-02
1485	5	1.69E-02
1486	5	1.67E-02
1487	5	1.64E-02
1488	5	1.60E-02
1489	5	1.55E-02
1490	5	1.50E-02
1491	5	1.44E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	1.37E-02
1493	5	1.30E-02
1494	5	1.22E-02
1495	5	1.13E-02
1496	5	1.04E-02
1497	5	9.46E-03
1498	5	8.55E-03
1499	5	7.70E-03
1500	5	6.92E-03
1501	5	6.21E-03
1502	5	5.57E-03
1503	5	5.01E-03
1504	5	4.52E-03
1505	5	4.10E-03
1506	5	1.54E-02
1507	5	1.54E-02
1508	5	1.54E-02
1509	5	1.53E-02
1510	5	1.53E-02
1511	5	1.52E-02
1512	5	1.52E-02
1513	5	1.51E-02
1514	5	1.49E-02
1515	5	1.46E-02
1516	5	1.42E-02
1517	5	1.38E-02
1518	5	1.34E-02
1519	5	1.28E-02
1520	5	1.23E-02
1521	5	1.16E-02
1522	5	1.09E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	1.02E-02
1524	5	9.43E-03
1525	5	8.66E-03
1526	5	7.90E-03
1527	5	7.17E-03
1528	5	6.49E-03
1529	5	5.87E-03
1530	5	5.30E-03
1531	5	4.79E-03
1532	5	4.35E-03
1533	5	3.96E-03
1534	5	1.36E-02
1535	5	1.37E-02
1536	5	1.37E-02
1537	5	1.37E-02
1538	5	1.36E-02
1539	5	1.36E-02
1540	5	1.36E-02
1541	5	1.35E-02
1542	5	1.33E-02
1543	5	1.30E-02
1544	5	1.27E-02
1545	5	1.24E-02
1546	5	1.20E-02
1547	5	1.15E-02
1548	5	1.10E-02
1549	5	1.05E-02
1550	5	9.90E-03
1551	5	9.28E-03
1552	5	8.63E-03
1553	5	7.97E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	7.32E-03
1555	5	6.69E-03
1556	5	6.10E-03
1557	5	5.55E-03
1558	5	5.05E-03
1559	5	4.59E-03
1560	5	4.19E-03
1561	5	3.83E-03
1562	5	1.23E-02
1563	5	1.23E-02
1564	5	1.23E-02
1565	5	1.23E-02
1566	5	1.23E-02
1567	5	1.23E-02
1568	5	1.22E-02
1569	5	1.21E-02
1570	5	1.20E-02
1571	5	1.18E-02
1572	5	1.15E-02
1573	5	1.12E-02
1574	5	1.08E-02
1575	5	1.05E-02
1576	5	1.00E-02
1577	5	9.54E-03
1578	5	9.04E-03
1579	5	8.50E-03
1580	5	7.94E-03
1581	5	7.38E-03
1582	5	6.82E-03
1583	5	6.27E-03
1584	5	5.75E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	5.26E-03
1586	5	4.81E-03
1587	5	4.40E-03
1588	5	4.03E-03
1589	5	3.70E-03
1590	5	1.11E-02
1591	5	1.11E-02
1592	5	1.11E-02
1593	5	1.10E-02
1594	5	1.11E-02
1595	5	1.11E-02
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1.59495	5.42E-02	8.7E-02	1.05E-03	9.04E-05	3.32E-01	1.57E-01	4.71E-06	1.0E+06	4.7E+00
1214	7.03161	5.42E-02	3.8E-01	1.05E-03	3.99E-04	3.32E-01	1.57E-01	2.08E-05	1.0E+06	2.1E+01
1215	5.89693	5.42E-02	3.2E-01	1.05E-03	3.34E-04	3.32E-01	1.57E-01	1.74E-05	1.0E+06	1.7E+01
1216	5.02303	5.42E-02	2.7E-01	1.05E-03	2.85E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
1217	4.33808	5.42E-02	2.4E-01	1.05E-03	2.46E-04	3.32E-01	1.57E-01	1.28E-05	1.0E+06	1.3E+01
1218	3.7882	5.42E-02	2.1E-01	1.05E-03	2.15E-04	3.32E-01	1.57E-01	1.12E-05	1.0E+06	1.1E+01
1219	3.34097	5.42E-02	1.8E-01	1.05E-03	1.89E-04	3.32E-01	1.57E-01	9.87E-06	1.0E+06	9.9E+00
1220	2.97174	5.42E-02	1.6E-01	1.05E-03	1.68E-04	3.32E-01	1.57E-01	8.78E-06	1.0E+06	8.8E+00
1221	2.66332	5.42E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.86E-06	1.0E+06	7.9E+00
1222	2.40255	5.42E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.09E-06	1.0E+06	7.1E+00
1223	2.18201	5.42E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.44E-06	1.0E+06	6.4E+00
1224	1.99166	5.42E-02	1.1E-01	1.05E-03	1.13E-04	3.32E-01	1.57E-01	5.88E-06	1.0E+06	5.9E+00
1225	1.82652	5.42E-02	9.9E-02	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.39E-06	1.0E+06	5.4E+00
1226	1.68223	5.42E-02	9.1E-02	1.05E-03	9.54E-05	3.32E-01	1.57E-01	4.97E-06	1.0E+06	5.0E+00
1227	1.55508	5.42E-02	8.4E-02	1.05E-03	8.82E-05	3.32E-01	1.57E-01	4.59E-06	1.0E+06	4.6E+00
1228	7.81928	5.42E-02	4.2E-01	1.05E-03	4.43E-04	3.32E-01	1.57E-01	2.31E-05	1.0E+06	2.3E+01
1229	6.37384	5.42E-02	3.5E-01	1.05E-03	3.61E-04	3.32E-01	1.57E-01	1.88E-05	1.0E+06	1.9E+01
1230	5.32173	5.42E-02	2.9E-01	1.05E-03	3.02E-04	3.32E-01	1.57E-01	1.57E-05	1.0E+06	1.6E+01
1231	4.53088	5.42E-02	2.5E-01	1.05E-03	2.57E-04	3.32E-01	1.57E-01	1.34E-05	1.0E+06	1.3E+01
1232	3.91123	5.42E-02	2.1E-01	1.05E-03	2.22E-04	3.32E-01	1.57E-01	1.15E-05	1.0E+06	1.2E+01
1233	3.41912	5.42E-02	1.9E-01	1.05E-03	1.94E-04	3.32E-01	1.57E-01	1.01E-05	1.0E+06	1.0E+01
1234	3.02139	5.42E-02	1.6E-01	1.05E-03	1.71E-04	3.32E-01	1.57E-01	8.92E-06	1.0E+06	8.9E+00
1235	2.69416	5.42E-02	1.5E-01	1.05E-03	1.53E-04	3.32E-01	1.57E-01	7.96E-06	1.0E+06	8.0E+00
1236	2.42062	5.42E-02	1.3E-01	1.05E-03	1.37E-04	3.32E-01	1.57E-01	7.15E-06	1.0E+06	7.1E+00
1237	2.19205	5.42E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.47E-06	1.0E+06	6.5E+00
1238	1.99681	5.42E-02	1.1E-01	1.05E-03	1.13E-04	3.32E-01	1.57E-01	5.90E-06	1.0E+06	5.9E+00
1239	1.8282	5.42E-02	9.9E-02	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.40E-06	1.0E+06	5.4E+00
1240	1.6816	5.42E-02	9.1E-02	1.05E-03	9.53E-05	3.32E-01	1.57E-01	4.97E-06	1.0E+06	5.0E+00
1241	1.55308	5.42E-02	8.4E-02	1.05E-03	8.80E-05	3.32E-01	1.57E-01	4.59E-06	1.0E+06	4.6E+00
1242	6.64204	5.42E-02	3.6E-01	1.05E-03	3.77E-04	3.32E-01	1.57E-01	1.96E-05	1.0E+06	2.0E+01
1243	6.7965	5.42E-02	3.7E-01	1.05E-03	3.85E-04	3.32E-01	1.57E-01	2.01E-05	1.0E+06	2.0E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	5.57115	5.42E-02	3.0E-01	1.05E-03	3.16E-04	3.32E-01	1.57E-01	1.65E-05	1.0E+06	1.6E+01
1245	4.68059	5.42E-02	2.5E-01	1.05E-03	2.65E-04	3.32E-01	1.57E-01	1.38E-05	1.0E+06	1.4E+01
1246	3.99862	5.42E-02	2.2E-01	1.05E-03	2.27E-04	3.32E-01	1.57E-01	1.18E-05	1.0E+06	1.2E+01
1247	3.46821	5.42E-02	1.9E-01	1.05E-03	1.97E-04	3.32E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
1248	3.04732	5.42E-02	1.7E-01	1.05E-03	1.73E-04	3.32E-01	1.57E-01	9.00E-06	1.0E+06	9.0E+00
1249	2.70598	5.42E-02	1.5E-01	1.05E-03	1.53E-04	3.32E-01	1.57E-01	7.99E-06	1.0E+06	8.0E+00
1250	2.42339	5.42E-02	1.3E-01	1.05E-03	1.37E-04	3.32E-01	1.57E-01	7.16E-06	1.0E+06	7.2E+00
1251	2.19019	5.42E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.47E-06	1.0E+06	6.5E+00
1252	1.99211	5.42E-02	1.1E-01	1.05E-03	1.13E-04	3.32E-01	1.57E-01	5.88E-06	1.0E+06	5.9E+00
1253	1.82183	5.42E-02	9.9E-02	1.05E-03	1.03E-04	3.32E-01	1.57E-01	5.38E-06	1.0E+06	5.4E+00
1254	1.67448	5.42E-02	9.1E-02	1.05E-03	9.49E-05	3.32E-01	1.57E-01	4.94E-06	1.0E+06	4.9E+00
1255	1.5457	5.42E-02	8.4E-02	1.05E-03	8.76E-05	3.32E-01	1.57E-01	4.56E-06	1.0E+06	4.6E+00
1256	6.77302	5.42E-02	3.7E-01	1.05E-03	3.84E-04	3.32E-01	1.57E-01	2.00E-05	1.0E+06	2.0E+01
1257	7.1365	5.42E-02	3.9E-01	1.05E-03	4.05E-04	3.32E-01	1.57E-01	2.11E-05	1.0E+06	2.1E+01
1258	5.7585	5.42E-02	3.1E-01	1.05E-03	3.26E-04	3.32E-01	1.57E-01	1.70E-05	1.0E+06	1.7E+01
1259	4.78032	5.42E-02	2.6E-01	1.05E-03	2.71E-04	3.32E-01	1.57E-01	1.41E-05	1.0E+06	1.4E+01
1260	4.04669	5.42E-02	2.2E-01	1.05E-03	2.29E-04	3.32E-01	1.57E-01	1.19E-05	1.0E+06	1.2E+01
1261	3.48821	5.42E-02	1.9E-01	1.05E-03	1.98E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
1262	3.05075	5.42E-02	1.7E-01	1.05E-03	1.73E-04	3.32E-01	1.57E-01	9.01E-06	1.0E+06	9.0E+00
1263	2.6997	5.42E-02	1.5E-01	1.05E-03	1.53E-04	3.32E-01	1.57E-01	7.97E-06	1.0E+06	8.0E+00
1264	2.41147	5.42E-02	1.3E-01	1.05E-03	1.37E-04	3.32E-01	1.57E-01	7.12E-06	1.0E+06	7.1E+00
1265	2.176	5.42E-02	1.2E-01	1.05E-03	1.23E-04	3.32E-01	1.57E-01	6.43E-06	1.0E+06	6.4E+00
1266	1.97693	5.42E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.84E-06	1.0E+06	5.8E+00
1267	1.80644	5.42E-02	9.8E-02	1.05E-03	1.02E-04	3.32E-01	1.57E-01	5.33E-06	1.0E+06	5.3E+00
1268	1.65921	5.42E-02	9.0E-02	1.05E-03	9.41E-05	3.32E-01	1.57E-01	4.90E-06	1.0E+06	4.9E+00
1269	1.53087	5.42E-02	8.3E-02	1.05E-03	8.68E-05	3.32E-01	1.57E-01	4.52E-06	1.0E+06	4.5E+00
1270	6.83387	5.42E-02	3.7E-01	1.05E-03	3.87E-04	3.32E-01	1.57E-01	2.02E-05	1.0E+06	2.0E+01
1271	5.60152	5.42E-02	3.0E-01	1.05E-03	3.18E-04	3.32E-01	1.57E-01	1.65E-05	1.0E+06	1.7E+01
1272	5.86816	5.42E-02	3.2E-01	1.05E-03	3.33E-04	3.32E-01	1.57E-01	1.73E-05	1.0E+06	1.7E+01
1273	4.82621	5.42E-02	2.6E-01	1.05E-03	2.74E-04	3.32E-01	1.57E-01	1.43E-05	1.0E+06	1.4E+01
1274	4.05897	5.42E-02	2.2E-01	1.05E-03	2.30E-04	3.32E-01	1.57E-01	1.20E-05	1.0E+06	1.2E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	3.48275	5.42E-02	1.9E-01	1.05E-03	1.97E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
1276	3.03491	5.42E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.96E-06	1.0E+06	9.0E+00
1277	2.67743	5.42E-02	1.5E-01	1.05E-03	1.52E-04	3.32E-01	1.57E-01	7.91E-06	1.0E+06	7.9E+00
1278	2.3858	5.42E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.05E-06	1.0E+06	7.0E+00
1279	2.14971	5.42E-02	1.2E-01	1.05E-03	1.22E-04	3.32E-01	1.57E-01	6.35E-06	1.0E+06	6.3E+00
1280	1.95117	5.42E-02	1.1E-01	1.05E-03	1.11E-04	3.32E-01	1.57E-01	5.76E-06	1.0E+06	5.8E+00
1281	1.78152	5.42E-02	9.7E-02	1.05E-03	1.01E-04	3.32E-01	1.57E-01	5.26E-06	1.0E+06	5.3E+00
1282	1.63497	5.42E-02	8.9E-02	1.05E-03	9.27E-05	3.32E-01	1.57E-01	4.83E-06	1.0E+06	4.8E+00
1283	1.50767	5.42E-02	8.2E-02	1.05E-03	8.55E-05	3.32E-01	1.57E-01	4.45E-06	1.0E+06	4.5E+00
1284	6.90368	5.42E-02	3.7E-01	1.05E-03	3.91E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01
1285	7.4155	5.42E-02	4.0E-01	1.05E-03	4.20E-04	3.32E-01	1.57E-01	2.19E-05	1.0E+06	2.2E+01
1286	5.87683	5.42E-02	3.2E-01	1.05E-03	3.33E-04	3.32E-01	1.57E-01	1.74E-05	1.0E+06	1.7E+01
1287	4.81258	5.42E-02	2.6E-01	1.05E-03	2.73E-04	3.32E-01	1.57E-01	1.42E-05	1.0E+06	1.4E+01
1288	4.02974	5.42E-02	2.2E-01	1.05E-03	2.28E-04	3.32E-01	1.57E-01	1.19E-05	1.0E+06	1.2E+01
1289	3.44772	5.42E-02	1.9E-01	1.05E-03	1.95E-04	3.32E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
1290	2.99723	5.42E-02	1.6E-01	1.05E-03	1.70E-04	3.32E-01	1.57E-01	8.85E-06	1.0E+06	8.9E+00
1291	2.63885	5.42E-02	1.4E-01	1.05E-03	1.50E-04	3.32E-01	1.57E-01	7.79E-06	1.0E+06	7.8E+00
1292	2.34806	5.42E-02	1.3E-01	1.05E-03	1.33E-04	3.32E-01	1.57E-01	6.93E-06	1.0E+06	6.9E+00
1293	2.11415	5.42E-02	1.1E-01	1.05E-03	1.20E-04	3.32E-01	1.57E-01	6.24E-06	1.0E+06	6.2E+00
1294	1.91802	5.42E-02	1.0E-01	1.05E-03	1.09E-04	3.32E-01	1.57E-01	5.66E-06	1.0E+06	5.7E+00
1295	1.75064	5.42E-02	9.5E-02	1.05E-03	9.92E-05	3.32E-01	1.57E-01	5.17E-06	1.0E+06	5.2E+00
1296	1.60618	5.42E-02	8.7E-02	1.05E-03	9.10E-05	3.32E-01	1.57E-01	4.74E-06	1.0E+06	4.7E+00
1297	1.48086	5.42E-02	8.0E-02	1.05E-03	8.39E-05	3.32E-01	1.57E-01	4.37E-06	1.0E+06	4.4E+00
1298	5.23101	5.42E-02	2.8E-01	1.05E-03	2.97E-04	3.32E-01	1.57E-01	1.54E-05	1.0E+06	1.5E+01
1299	7.27933	5.42E-02	3.9E-01	1.05E-03	4.13E-04	3.32E-01	1.57E-01	2.15E-05	1.0E+06	2.1E+01
1300	5.78741	5.42E-02	3.1E-01	1.05E-03	3.28E-04	3.32E-01	1.57E-01	1.71E-05	1.0E+06	1.7E+01
1301	4.73601	5.42E-02	2.6E-01	1.05E-03	2.68E-04	3.32E-01	1.57E-01	1.40E-05	1.0E+06	1.4E+01
1302	3.95968	5.42E-02	2.1E-01	1.05E-03	2.24E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1303	3.38355	5.42E-02	1.8E-01	1.05E-03	1.92E-04	3.32E-01	1.57E-01	9.99E-06	1.0E+06	1.0E+01
1304	2.93894	5.42E-02	1.6E-01	1.05E-03	1.67E-04	3.32E-01	1.57E-01	8.68E-06	1.0E+06	8.7E+00
1305	2.58555	5.42E-02	1.4E-01	1.05E-03	1.47E-04	3.32E-01	1.57E-01	7.64E-06	1.0E+06	7.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	6.90601	5.42E-02	3.7E-01	1.05E-03	3.91E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01
1307	7.00836	5.42E-02	3.8E-01	1.05E-03	3.97E-04	3.32E-01	1.57E-01	2.07E-05	1.0E+06	2.1E+01
1308	5.59054	5.42E-02	3.0E-01	1.05E-03	3.17E-04	3.32E-01	1.57E-01	1.65E-05	1.0E+06	1.7E+01
1309	4.58256	5.42E-02	2.5E-01	1.05E-03	2.60E-04	3.32E-01	1.57E-01	1.35E-05	1.0E+06	1.4E+01
1310	3.83771	5.42E-02	2.1E-01	1.05E-03	2.18E-04	3.32E-01	1.57E-01	1.13E-05	1.0E+06	1.1E+01
1311	3.28282	5.42E-02	1.8E-01	1.05E-03	1.86E-04	3.32E-01	1.57E-01	9.69E-06	1.0E+06	9.7E+00
1312	2.85586	5.42E-02	1.5E-01	1.05E-03	1.62E-04	3.32E-01	1.57E-01	8.43E-06	1.0E+06	8.4E+00
1313	2.51755	5.42E-02	1.4E-01	1.05E-03	1.43E-04	3.32E-01	1.57E-01	7.43E-06	1.0E+06	7.4E+00
1314	6.21209	5.42E-02	3.4E-01	1.05E-03	3.52E-04	3.32E-01	1.57E-01	1.83E-05	1.0E+06	1.8E+01
1315	6.66398	5.42E-02	3.6E-01	1.05E-03	3.78E-04	3.32E-01	1.57E-01	1.97E-05	1.0E+06	2.0E+01
1316	5.33194	5.42E-02	2.9E-01	1.05E-03	3.02E-04	3.32E-01	1.57E-01	1.57E-05	1.0E+06	1.6E+01
1317	4.38832	5.42E-02	2.4E-01	1.05E-03	2.49E-04	3.32E-01	1.57E-01	1.30E-05	1.0E+06	1.3E+01
1318	3.69074	5.42E-02	2.0E-01	1.05E-03	2.09E-04	3.32E-01	1.57E-01	1.09E-05	1.0E+06	1.1E+01
1319	3.16744	5.42E-02	1.7E-01	1.05E-03	1.80E-04	3.32E-01	1.57E-01	9.35E-06	1.0E+06	9.4E+00
1320	2.76307	5.42E-02	1.5E-01	1.05E-03	1.57E-04	3.32E-01	1.57E-01	8.16E-06	1.0E+06	8.2E+00
1321	2.4428	5.42E-02	1.3E-01	1.05E-03	1.38E-04	3.32E-01	1.57E-01	7.21E-06	1.0E+06	7.2E+00
1322	5.61822	5.42E-02	3.0E-01	1.05E-03	3.18E-04	3.32E-01	1.57E-01	1.66E-05	1.0E+06	1.7E+01
1323	6.22312	5.42E-02	3.4E-01	1.05E-03	3.53E-04	3.32E-01	1.57E-01	1.84E-05	1.0E+06	1.8E+01
1324	5.02891	5.42E-02	2.7E-01	1.05E-03	2.85E-04	3.32E-01	1.57E-01	1.49E-05	1.0E+06	1.5E+01
1325	4.1691	5.42E-02	2.3E-01	1.05E-03	2.36E-04	3.32E-01	1.57E-01	1.23E-05	1.0E+06	1.2E+01
1326	3.52968	5.42E-02	1.9E-01	1.05E-03	2.00E-04	3.32E-01	1.57E-01	1.04E-05	1.0E+06	1.0E+01
1327	3.04297	5.42E-02	1.7E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.99E-06	1.0E+06	9.0E+00
1328	2.66486	5.42E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.87E-06	1.0E+06	7.9E+00
1329	2.36452	5.42E-02	1.3E-01	1.05E-03	1.34E-04	3.32E-01	1.57E-01	6.98E-06	1.0E+06	7.0E+00
1330	5.12202	5.42E-02	2.8E-01	1.05E-03	2.90E-04	3.32E-01	1.57E-01	1.51E-05	1.0E+06	1.5E+01
1331	5.74991	5.42E-02	3.1E-01	1.05E-03	3.26E-04	3.32E-01	1.57E-01	1.70E-05	1.0E+06	1.7E+01
1332	4.72255	5.42E-02	2.6E-01	1.05E-03	2.68E-04	3.32E-01	1.57E-01	1.39E-05	1.0E+06	1.4E+01
1333	3.95908	5.42E-02	2.1E-01	1.05E-03	2.24E-04	3.32E-01	1.57E-01	1.17E-05	1.0E+06	1.2E+01
1334	3.37577	5.42E-02	1.8E-01	1.05E-03	1.91E-04	3.32E-01	1.57E-01	9.97E-06	1.0E+06	1.0E+01
1335	2.92522	5.42E-02	1.6E-01	1.05E-03	1.66E-04	3.32E-01	1.57E-01	8.64E-06	1.0E+06	8.6E+00
1336	2.57089	5.42E-02	1.4E-01	1.05E-03	1.46E-04	3.32E-01	1.57E-01	7.59E-06	1.0E+06	7.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	2.28671	5.42E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.75E-06	1.0E+06	6.8E+00
1338	14.44226	5.42E-02	7.8E-01	1.05E-03	8.19E-04	3.32E-01	1.57E-01	4.26E-05	1.0E+06	4.3E+01
1339	14.24991	5.42E-02	7.7E-01	1.05E-03	8.08E-04	3.32E-01	1.57E-01	4.21E-05	1.0E+06	4.2E+01
1340	12.51126	5.42E-02	6.8E-01	1.05E-03	7.09E-04	3.32E-01	1.57E-01	3.69E-05	1.0E+06	3.7E+01
1341	12.34966	5.42E-02	6.7E-01	1.05E-03	7.00E-04	3.32E-01	1.57E-01	3.65E-05	1.0E+06	3.6E+01
1342	14.19703	5.42E-02	7.7E-01	1.05E-03	8.05E-04	3.32E-01	1.57E-01	4.19E-05	1.0E+06	4.2E+01
1343	13.96515	5.42E-02	7.6E-01	1.05E-03	7.92E-04	3.32E-01	1.57E-01	4.12E-05	1.0E+06	4.1E+01
1344	12.18172	5.42E-02	6.6E-01	1.05E-03	6.91E-04	3.32E-01	1.57E-01	3.60E-05	1.0E+06	3.6E+01
1345	11.95555	5.42E-02	6.5E-01	1.05E-03	6.78E-04	3.32E-01	1.57E-01	3.53E-05	1.0E+06	3.5E+01
1346	13.62952	5.42E-02	7.4E-01	1.05E-03	7.73E-04	3.32E-01	1.57E-01	4.02E-05	1.0E+06	4.0E+01
1347	13.24666	5.42E-02	7.2E-01	1.05E-03	7.51E-04	3.32E-01	1.57E-01	3.91E-05	1.0E+06	3.9E+01
1348	11.23777	5.42E-02	6.1E-01	1.05E-03	6.37E-04	3.32E-01	1.57E-01	3.32E-05	1.0E+06	3.3E+01
1349	10.70262	5.42E-02	5.8E-01	1.05E-03	6.07E-04	3.32E-01	1.57E-01	3.16E-05	1.0E+06	3.2E+01
1350	11.95984	5.42E-02	6.5E-01	1.05E-03	6.78E-04	3.32E-01	1.57E-01	3.53E-05	1.0E+06	3.5E+01
1351	11.12101	5.42E-02	6.0E-01	1.05E-03	6.30E-04	3.32E-01	1.57E-01	3.28E-05	1.0E+06	3.3E+01
1352	8.64404	5.42E-02	4.7E-01	1.05E-03	4.90E-04	3.32E-01	1.57E-01	2.55E-05	1.0E+06	2.6E+01
1353	7.70079	5.42E-02	4.2E-01	1.05E-03	4.37E-04	3.32E-01	1.57E-01	2.27E-05	1.0E+06	2.3E+01
1354	8.55757	5.42E-02	4.6E-01	1.05E-03	4.85E-04	3.32E-01	1.57E-01	2.53E-05	1.0E+06	2.5E+01
1355	7.31883	5.42E-02	4.0E-01	1.05E-03	4.15E-04	3.32E-01	1.57E-01	2.16E-05	1.0E+06	2.2E+01
1356	6.29278	5.42E-02	3.4E-01	1.05E-03	3.57E-04	3.32E-01	1.57E-01	1.86E-05	1.0E+06	1.9E+01
1357	5.43099	5.42E-02	2.9E-01	1.05E-03	3.08E-04	3.32E-01	1.57E-01	1.60E-05	1.0E+06	1.6E+01
1358	6.36921	5.42E-02	3.5E-01	1.05E-03	3.61E-04	3.32E-01	1.57E-01	1.88E-05	1.0E+06	1.9E+01
1359	5.27003	5.42E-02	2.9E-01	1.05E-03	2.99E-04	3.32E-01	1.57E-01	1.56E-05	1.0E+06	1.6E+01
1360	4.41219	5.42E-02	2.4E-01	1.05E-03	2.50E-04	3.32E-01	1.57E-01	1.30E-05	1.0E+06	1.3E+01
1361	3.7458	5.42E-02	2.0E-01	1.05E-03	2.12E-04	3.32E-01	1.57E-01	1.11E-05	1.0E+06	1.1E+01
1362	3.22113	5.42E-02	1.7E-01	1.05E-03	1.83E-04	3.32E-01	1.57E-01	9.51E-06	1.0E+06	9.5E+00
1363	2.80753	5.42E-02	1.5E-01	1.05E-03	1.59E-04	3.32E-01	1.57E-01	8.29E-06	1.0E+06	8.3E+00
1364	2.47727	5.42E-02	1.3E-01	1.05E-03	1.40E-04	3.32E-01	1.57E-01	7.32E-06	1.0E+06	7.3E+00
1365	2.20985	5.42E-02	1.2E-01	1.05E-03	1.25E-04	3.32E-01	1.57E-01	6.53E-06	1.0E+06	6.5E+00
1366	12.36115	5.42E-02	6.7E-01	1.05E-03	7.01E-04	3.32E-01	1.57E-01	3.65E-05	1.0E+06	3.7E+01
1367	12.2004	5.42E-02	6.6E-01	1.05E-03	6.92E-04	3.32E-01	1.57E-01	3.60E-05	1.0E+06	3.6E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	12.28915	5.42E-02	6.7E-01	1.05E-03	6.97E-04	3.32E-01	1.57E-01	3.63E-05	1.0E+06	3.6E+01
1369	14.48134	5.42E-02	7.9E-01	1.05E-03	8.21E-04	3.32E-01	1.57E-01	4.28E-05	1.0E+06	4.3E+01
1370	12.11849	5.42E-02	6.6E-01	1.05E-03	6.87E-04	3.32E-01	1.57E-01	3.58E-05	1.0E+06	3.6E+01
1371	11.93785	5.42E-02	6.5E-01	1.05E-03	6.77E-04	3.32E-01	1.57E-01	3.53E-05	1.0E+06	3.5E+01
1372	14.21824	5.42E-02	7.7E-01	1.05E-03	8.06E-04	3.32E-01	1.57E-01	4.20E-05	1.0E+06	4.2E+01
1373	14.09422	5.42E-02	7.6E-01	1.05E-03	7.99E-04	3.32E-01	1.57E-01	4.16E-05	1.0E+06	4.2E+01
1374	11.61469	5.42E-02	6.3E-01	1.05E-03	6.58E-04	3.32E-01	1.57E-01	3.43E-05	1.0E+06	3.4E+01
1375	11.28398	5.42E-02	6.1E-01	1.05E-03	6.40E-04	3.32E-01	1.57E-01	3.33E-05	1.0E+06	3.3E+01
1376	13.30315	5.42E-02	7.2E-01	1.05E-03	7.54E-04	3.32E-01	1.57E-01	3.93E-05	1.0E+06	3.9E+01
1377	12.92905	5.42E-02	7.0E-01	1.05E-03	7.33E-04	3.32E-01	1.57E-01	3.82E-05	1.0E+06	3.8E+01
1378	10.21298	5.42E-02	5.5E-01	1.05E-03	5.79E-04	3.32E-01	1.57E-01	3.02E-05	1.0E+06	3.0E+01
1379	9.56154	5.42E-02	5.2E-01	1.05E-03	5.42E-04	3.32E-01	1.57E-01	2.82E-05	1.0E+06	2.8E+01
1380	11.21617	5.42E-02	6.1E-01	1.05E-03	6.36E-04	3.32E-01	1.57E-01	3.31E-05	1.0E+06	3.3E+01
1381	10.49217	5.42E-02	5.7E-01	1.05E-03	5.95E-04	3.32E-01	1.57E-01	3.10E-05	1.0E+06	3.1E+01
1382	7.49177	5.42E-02	4.1E-01	1.05E-03	4.25E-04	3.32E-01	1.57E-01	2.21E-05	1.0E+06	2.2E+01
1383	6.52159	5.42E-02	3.5E-01	1.05E-03	3.70E-04	3.32E-01	1.57E-01	1.93E-05	1.0E+06	1.9E+01
1384	7.76548	5.42E-02	4.2E-01	1.05E-03	4.40E-04	3.32E-01	1.57E-01	2.29E-05	1.0E+06	2.3E+01
1385	6.69215	5.42E-02	3.6E-01	1.05E-03	3.79E-04	3.32E-01	1.57E-01	1.98E-05	1.0E+06	2.0E+01
1386	5.6875	5.42E-02	3.1E-01	1.05E-03	3.22E-04	3.32E-01	1.57E-01	1.68E-05	1.0E+06	1.7E+01
1387	4.82388	5.42E-02	2.6E-01	1.05E-03	2.73E-04	3.32E-01	1.57E-01	1.42E-05	1.0E+06	1.4E+01
1388	4.11419	5.42E-02	2.2E-01	1.05E-03	2.33E-04	3.32E-01	1.57E-01	1.21E-05	1.0E+06	1.2E+01
1389	3.53838	5.42E-02	1.9E-01	1.05E-03	2.01E-04	3.32E-01	1.57E-01	1.04E-05	1.0E+06	1.0E+01
1390	3.0699	5.42E-02	1.7E-01	1.05E-03	1.74E-04	3.32E-01	1.57E-01	9.07E-06	1.0E+06	9.1E+00
1391	2.69242	5.42E-02	1.5E-01	1.05E-03	1.53E-04	3.32E-01	1.57E-01	7.95E-06	1.0E+06	8.0E+00
1392	2.38607	5.42E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.05E-06	1.0E+06	7.0E+00
1393	2.1349	5.42E-02	1.2E-01	1.05E-03	1.21E-04	3.32E-01	1.57E-01	6.30E-06	1.0E+06	6.3E+00
1394	12.346	5.42E-02	6.7E-01	1.05E-03	7.00E-04	3.32E-01	1.57E-01	3.65E-05	1.0E+06	3.6E+01
1395	12.28184	5.42E-02	6.7E-01	1.05E-03	6.96E-04	3.32E-01	1.57E-01	3.63E-05	1.0E+06	3.6E+01
1396	12.18985	5.42E-02	6.6E-01	1.05E-03	6.91E-04	3.32E-01	1.57E-01	3.60E-05	1.0E+06	3.6E+01
1397	12.11207	5.42E-02	6.6E-01	1.05E-03	6.87E-04	3.32E-01	1.57E-01	3.58E-05	1.0E+06	3.6E+01
1398	12.07276	5.42E-02	6.5E-01	1.05E-03	6.84E-04	3.32E-01	1.57E-01	3.57E-05	1.0E+06	3.6E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	11.98967	5.42E-02	6.5E-01	1.05E-03	6.80E-04	3.32E-01	1.57E-01	3.54E-05	1.0E+06	3.5E+01
1400	11.91635	5.42E-02	6.5E-01	1.05E-03	6.75E-04	3.32E-01	1.57E-01	3.52E-05	1.0E+06	3.5E+01
1401	11.81784	5.42E-02	6.4E-01	1.05E-03	6.70E-04	3.32E-01	1.57E-01	3.49E-05	1.0E+06	3.5E+01
1402	11.64922	5.42E-02	6.3E-01	1.05E-03	6.60E-04	3.32E-01	1.57E-01	3.44E-05	1.0E+06	3.4E+01
1403	11.4204	5.42E-02	6.2E-01	1.05E-03	6.47E-04	3.32E-01	1.57E-01	3.37E-05	1.0E+06	3.4E+01
1404	11.13768	5.42E-02	6.0E-01	1.05E-03	6.31E-04	3.32E-01	1.57E-01	3.29E-05	1.0E+06	3.3E+01
1405	10.81776	5.42E-02	5.9E-01	1.05E-03	6.13E-04	3.32E-01	1.57E-01	3.19E-05	1.0E+06	3.2E+01
1406	10.42788	5.42E-02	5.7E-01	1.05E-03	5.91E-04	3.32E-01	1.57E-01	3.08E-05	1.0E+06	3.1E+01
1407	9.96195	5.42E-02	5.4E-01	1.05E-03	5.65E-04	3.32E-01	1.57E-01	2.94E-05	1.0E+06	2.9E+01
1408	9.4316	5.42E-02	5.1E-01	1.05E-03	5.35E-04	3.32E-01	1.57E-01	2.79E-05	1.0E+06	2.8E+01
1409	8.84146	5.42E-02	4.8E-01	1.05E-03	5.01E-04	3.32E-01	1.57E-01	2.61E-05	1.0E+06	2.6E+01
1410	8.19048	5.42E-02	4.4E-01	1.05E-03	4.64E-04	3.32E-01	1.57E-01	2.42E-05	1.0E+06	2.4E+01
1411	7.47061	5.42E-02	4.1E-01	1.05E-03	4.23E-04	3.32E-01	1.57E-01	2.21E-05	1.0E+06	2.2E+01
1412	6.68789	5.42E-02	3.6E-01	1.05E-03	3.79E-04	3.32E-01	1.57E-01	1.97E-05	1.0E+06	2.0E+01
1413	5.88345	5.42E-02	3.2E-01	1.05E-03	3.34E-04	3.32E-01	1.57E-01	1.74E-05	1.0E+06	1.7E+01
1414	5.11395	5.42E-02	2.8E-01	1.05E-03	2.90E-04	3.32E-01	1.57E-01	1.51E-05	1.0E+06	1.5E+01
1415	4.42675	5.42E-02	2.4E-01	1.05E-03	2.51E-04	3.32E-01	1.57E-01	1.31E-05	1.0E+06	1.3E+01
1416	3.83844	5.42E-02	2.1E-01	1.05E-03	2.18E-04	3.32E-01	1.57E-01	1.13E-05	1.0E+06	1.1E+01
1417	3.34362	5.42E-02	1.8E-01	1.05E-03	1.90E-04	3.32E-01	1.57E-01	9.87E-06	1.0E+06	9.9E+00
1418	2.92615	5.42E-02	1.6E-01	1.05E-03	1.66E-04	3.32E-01	1.57E-01	8.64E-06	1.0E+06	8.6E+00
1419	2.58213	5.42E-02	1.4E-01	1.05E-03	1.46E-04	3.32E-01	1.57E-01	7.63E-06	1.0E+06	7.6E+00
1420	2.29833	5.42E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.79E-06	1.0E+06	6.8E+00
1421	2.06287	5.42E-02	1.1E-01	1.05E-03	1.17E-04	3.32E-01	1.57E-01	6.09E-06	1.0E+06	6.1E+00
1422	10.50365	5.42E-02	5.7E-01	1.05E-03	5.95E-04	3.32E-01	1.57E-01	3.10E-05	1.0E+06	3.1E+01
1423	10.44226	5.42E-02	5.7E-01	1.05E-03	5.92E-04	3.32E-01	1.57E-01	3.08E-05	1.0E+06	3.1E+01
1424	10.40176	5.42E-02	5.6E-01	1.05E-03	5.90E-04	3.32E-01	1.57E-01	3.07E-05	1.0E+06	3.1E+01
1425	10.34198	5.42E-02	5.6E-01	1.05E-03	5.86E-04	3.32E-01	1.57E-01	3.05E-05	1.0E+06	3.1E+01
1426	10.27209	5.42E-02	5.6E-01	1.05E-03	5.82E-04	3.32E-01	1.57E-01	3.03E-05	1.0E+06	3.0E+01
1427	10.21481	5.42E-02	5.5E-01	1.05E-03	5.79E-04	3.32E-01	1.57E-01	3.02E-05	1.0E+06	3.0E+01
1428	10.17818	5.42E-02	5.5E-01	1.05E-03	5.77E-04	3.32E-01	1.57E-01	3.01E-05	1.0E+06	3.0E+01
1429	10.09224	5.42E-02	5.5E-01	1.05E-03	5.72E-04	3.32E-01	1.57E-01	2.98E-05	1.0E+06	3.0E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	9.95224	5.42E-02	5.4E-01	1.05E-03	5.64E-04	3.32E-01	1.57E-01	2.94E-05	1.0E+06	2.9E+01
1431	9.75415	5.42E-02	5.3E-01	1.05E-03	5.53E-04	3.32E-01	1.57E-01	2.88E-05	1.0E+06	2.9E+01
1432	9.51455	5.42E-02	5.2E-01	1.05E-03	5.39E-04	3.32E-01	1.57E-01	2.81E-05	1.0E+06	2.8E+01
1433	9.23853	5.42E-02	5.0E-01	1.05E-03	5.24E-04	3.32E-01	1.57E-01	2.73E-05	1.0E+06	2.7E+01
1434	8.91293	5.42E-02	4.8E-01	1.05E-03	5.05E-04	3.32E-01	1.57E-01	2.63E-05	1.0E+06	2.6E+01
1435	8.52852	5.42E-02	4.6E-01	1.05E-03	4.83E-04	3.32E-01	1.57E-01	2.52E-05	1.0E+06	2.5E+01
1436	8.09239	5.42E-02	4.4E-01	1.05E-03	4.59E-04	3.32E-01	1.57E-01	2.39E-05	1.0E+06	2.4E+01
1437	7.60465	5.42E-02	4.1E-01	1.05E-03	4.31E-04	3.32E-01	1.57E-01	2.25E-05	1.0E+06	2.2E+01
1438	7.06747	5.42E-02	3.8E-01	1.05E-03	4.01E-04	3.32E-01	1.57E-01	2.09E-05	1.0E+06	2.1E+01
1439	6.48718	5.42E-02	3.5E-01	1.05E-03	3.68E-04	3.32E-01	1.57E-01	1.92E-05	1.0E+06	1.9E+01
1440	5.87044	5.42E-02	3.2E-01	1.05E-03	3.33E-04	3.32E-01	1.57E-01	1.73E-05	1.0E+06	1.7E+01
1441	5.24275	5.42E-02	2.8E-01	1.05E-03	2.97E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.5E+01
1442	4.63406	5.42E-02	2.5E-01	1.05E-03	2.63E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1443	4.077	5.42E-02	2.2E-01	1.05E-03	2.31E-04	3.32E-01	1.57E-01	1.20E-05	1.0E+06	1.2E+01
1444	3.58526	5.42E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1445	3.15895	5.42E-02	1.7E-01	1.05E-03	1.79E-04	3.32E-01	1.57E-01	9.33E-06	1.0E+06	9.3E+00
1446	2.78854	5.42E-02	1.5E-01	1.05E-03	1.58E-04	3.32E-01	1.57E-01	8.23E-06	1.0E+06	8.2E+00
1447	2.47615	5.42E-02	1.3E-01	1.05E-03	1.40E-04	3.32E-01	1.57E-01	7.31E-06	1.0E+06	7.3E+00
1448	2.21402	5.42E-02	1.2E-01	1.05E-03	1.26E-04	3.32E-01	1.57E-01	6.54E-06	1.0E+06	6.5E+00
1449	1.99358	5.42E-02	1.1E-01	1.05E-03	1.13E-04	3.32E-01	1.57E-01	5.89E-06	1.0E+06	5.9E+00
1450	9.07748	5.42E-02	4.9E-01	1.05E-03	5.15E-04	3.32E-01	1.57E-01	2.68E-05	1.0E+06	2.7E+01
1451	9.04116	5.42E-02	4.9E-01	1.05E-03	5.13E-04	3.32E-01	1.57E-01	2.67E-05	1.0E+06	2.7E+01
1452	8.98097	5.42E-02	4.9E-01	1.05E-03	5.09E-04	3.32E-01	1.57E-01	2.65E-05	1.0E+06	2.7E+01
1453	8.94477	5.42E-02	4.9E-01	1.05E-03	5.07E-04	3.32E-01	1.57E-01	2.64E-05	1.0E+06	2.6E+01
1454	8.89538	5.42E-02	4.8E-01	1.05E-03	5.04E-04	3.32E-01	1.57E-01	2.63E-05	1.0E+06	2.6E+01
1455	8.81344	5.42E-02	4.8E-01	1.05E-03	5.00E-04	3.32E-01	1.57E-01	2.60E-05	1.0E+06	2.6E+01
1456	8.81219	5.42E-02	4.8E-01	1.05E-03	5.00E-04	3.32E-01	1.57E-01	2.60E-05	1.0E+06	2.6E+01
1457	8.74796	5.42E-02	4.7E-01	1.05E-03	4.96E-04	3.32E-01	1.57E-01	2.58E-05	1.0E+06	2.6E+01
1458	8.63748	5.42E-02	4.7E-01	1.05E-03	4.90E-04	3.32E-01	1.57E-01	2.55E-05	1.0E+06	2.6E+01
1459	8.46454	5.42E-02	4.6E-01	1.05E-03	4.80E-04	3.32E-01	1.57E-01	2.50E-05	1.0E+06	2.5E+01
1460	8.25859	5.42E-02	4.5E-01	1.05E-03	4.68E-04	3.32E-01	1.57E-01	2.44E-05	1.0E+06	2.4E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	8.0192	5.42E-02	4.3E-01	1.05E-03	4.55E-04	3.32E-01	1.57E-01	2.37E-05	1.0E+06	2.4E+01
1462	7.74318	5.42E-02	4.2E-01	1.05E-03	4.39E-04	3.32E-01	1.57E-01	2.29E-05	1.0E+06	2.3E+01
1463	7.42093	5.42E-02	4.0E-01	1.05E-03	4.21E-04	3.32E-01	1.57E-01	2.19E-05	1.0E+06	2.2E+01
1464	7.0564	5.42E-02	3.8E-01	1.05E-03	4.00E-04	3.32E-01	1.57E-01	2.08E-05	1.0E+06	2.1E+01
1465	6.64796	5.42E-02	3.6E-01	1.05E-03	3.77E-04	3.32E-01	1.57E-01	1.96E-05	1.0E+06	2.0E+01
1466	6.20134	5.42E-02	3.4E-01	1.05E-03	3.52E-04	3.32E-01	1.57E-01	1.83E-05	1.0E+06	1.8E+01
1467	5.7265	5.42E-02	3.1E-01	1.05E-03	3.25E-04	3.32E-01	1.57E-01	1.69E-05	1.0E+06	1.7E+01
1468	5.22772	5.42E-02	2.8E-01	1.05E-03	2.96E-04	3.32E-01	1.57E-01	1.54E-05	1.0E+06	1.5E+01
1469	4.7222	5.42E-02	2.6E-01	1.05E-03	2.68E-04	3.32E-01	1.57E-01	1.39E-05	1.0E+06	1.4E+01
1470	4.22861	5.42E-02	2.3E-01	1.05E-03	2.40E-04	3.32E-01	1.57E-01	1.25E-05	1.0E+06	1.2E+01
1471	3.76896	5.42E-02	2.0E-01	1.05E-03	2.14E-04	3.32E-01	1.57E-01	1.11E-05	1.0E+06	1.1E+01
1472	3.35396	5.42E-02	1.8E-01	1.05E-03	1.90E-04	3.32E-01	1.57E-01	9.90E-06	1.0E+06	9.9E+00
1473	2.9854	5.42E-02	1.6E-01	1.05E-03	1.69E-04	3.32E-01	1.57E-01	8.82E-06	1.0E+06	8.8E+00
1474	2.65684	5.42E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.85E-06	1.0E+06	7.8E+00
1475	2.37409	5.42E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.01E-06	1.0E+06	7.0E+00
1476	2.13251	5.42E-02	1.2E-01	1.05E-03	1.21E-04	3.32E-01	1.57E-01	6.30E-06	1.0E+06	6.3E+00
1477	1.9268	5.42E-02	1.0E-01	1.05E-03	1.09E-04	3.32E-01	1.57E-01	5.69E-06	1.0E+06	5.7E+00
1478	7.92156	5.42E-02	4.3E-01	1.05E-03	4.49E-04	3.32E-01	1.57E-01	2.34E-05	1.0E+06	2.3E+01
1479	7.91107	5.42E-02	4.3E-01	1.05E-03	4.48E-04	3.32E-01	1.57E-01	2.34E-05	1.0E+06	2.3E+01
1480	7.87829	5.42E-02	4.3E-01	1.05E-03	4.47E-04	3.32E-01	1.57E-01	2.33E-05	1.0E+06	2.3E+01
1481	7.83014	5.42E-02	4.2E-01	1.05E-03	4.44E-04	3.32E-01	1.57E-01	2.31E-05	1.0E+06	2.3E+01
1482	7.80911	5.42E-02	4.2E-01	1.05E-03	4.43E-04	3.32E-01	1.57E-01	2.31E-05	1.0E+06	2.3E+01
1483	7.75145	5.42E-02	4.2E-01	1.05E-03	4.39E-04	3.32E-01	1.57E-01	2.29E-05	1.0E+06	2.3E+01
1484	7.7494	5.42E-02	4.2E-01	1.05E-03	4.39E-04	3.32E-01	1.57E-01	2.29E-05	1.0E+06	2.3E+01
1485	7.69066	5.42E-02	4.2E-01	1.05E-03	4.36E-04	3.32E-01	1.57E-01	2.27E-05	1.0E+06	2.3E+01
1486	7.59214	5.42E-02	4.1E-01	1.05E-03	4.30E-04	3.32E-01	1.57E-01	2.24E-05	1.0E+06	2.2E+01
1487	7.44023	5.42E-02	4.0E-01	1.05E-03	4.22E-04	3.32E-01	1.57E-01	2.20E-05	1.0E+06	2.2E+01
1488	7.26104	5.42E-02	3.9E-01	1.05E-03	4.12E-04	3.32E-01	1.57E-01	2.14E-05	1.0E+06	2.1E+01
1489	7.0533	5.42E-02	3.8E-01	1.05E-03	4.00E-04	3.32E-01	1.57E-01	2.08E-05	1.0E+06	2.1E+01
1490	6.81614	5.42E-02	3.7E-01	1.05E-03	3.86E-04	3.32E-01	1.57E-01	2.01E-05	1.0E+06	2.0E+01
1491	6.54173	5.42E-02	3.5E-01	1.05E-03	3.71E-04	3.32E-01	1.57E-01	1.93E-05	1.0E+06	1.9E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	6.23274	5.42E-02	3.4E-01	1.05E-03	3.53E-04	3.32E-01	1.57E-01	1.84E-05	1.0E+06	1.8E+01
1493	5.88973	5.42E-02	3.2E-01	1.05E-03	3.34E-04	3.32E-01	1.57E-01	1.74E-05	1.0E+06	1.7E+01
1494	5.51756	5.42E-02	3.0E-01	1.05E-03	3.13E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1495	5.12162	5.42E-02	2.8E-01	1.05E-03	2.90E-04	3.32E-01	1.57E-01	1.51E-05	1.0E+06	1.5E+01
1496	4.71008	5.42E-02	2.6E-01	1.05E-03	2.67E-04	3.32E-01	1.57E-01	1.39E-05	1.0E+06	1.4E+01
1497	4.29274	5.42E-02	2.3E-01	1.05E-03	2.43E-04	3.32E-01	1.57E-01	1.27E-05	1.0E+06	1.3E+01
1498	3.88231	5.42E-02	2.1E-01	1.05E-03	2.20E-04	3.32E-01	1.57E-01	1.15E-05	1.0E+06	1.1E+01
1499	3.4953	5.42E-02	1.9E-01	1.05E-03	1.98E-04	3.32E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
1500	3.13977	5.42E-02	1.7E-01	1.05E-03	1.78E-04	3.32E-01	1.57E-01	9.27E-06	1.0E+06	9.3E+00
1501	2.81836	5.42E-02	1.5E-01	1.05E-03	1.60E-04	3.32E-01	1.57E-01	8.32E-06	1.0E+06	8.3E+00
1502	2.52765	5.42E-02	1.4E-01	1.05E-03	1.43E-04	3.32E-01	1.57E-01	7.46E-06	1.0E+06	7.5E+00
1503	2.273	5.42E-02	1.2E-01	1.05E-03	1.29E-04	3.32E-01	1.57E-01	6.71E-06	1.0E+06	6.7E+00
1504	2.05219	5.42E-02	1.1E-01	1.05E-03	1.16E-04	3.32E-01	1.57E-01	6.06E-06	1.0E+06	6.1E+00
1505	1.86144	5.42E-02	1.0E-01	1.05E-03	1.06E-04	3.32E-01	1.57E-01	5.50E-06	1.0E+06	5.5E+00
1506	6.97938	5.42E-02	3.8E-01	1.05E-03	3.96E-04	3.32E-01	1.57E-01	2.06E-05	1.0E+06	2.1E+01
1507	6.97779	5.42E-02	3.8E-01	1.05E-03	3.96E-04	3.32E-01	1.57E-01	2.06E-05	1.0E+06	2.1E+01
1508	6.97164	5.42E-02	3.8E-01	1.05E-03	3.95E-04	3.32E-01	1.57E-01	2.06E-05	1.0E+06	2.1E+01
1509	6.94877	5.42E-02	3.8E-01	1.05E-03	3.94E-04	3.32E-01	1.57E-01	2.05E-05	1.0E+06	2.1E+01
1510	6.93496	5.42E-02	3.8E-01	1.05E-03	3.93E-04	3.32E-01	1.57E-01	2.05E-05	1.0E+06	2.0E+01
1511	6.89704	5.42E-02	3.7E-01	1.05E-03	3.91E-04	3.32E-01	1.57E-01	2.04E-05	1.0E+06	2.0E+01
1512	6.87977	5.42E-02	3.7E-01	1.05E-03	3.90E-04	3.32E-01	1.57E-01	2.03E-05	1.0E+06	2.0E+01
1513	6.83228	5.42E-02	3.7E-01	1.05E-03	3.87E-04	3.32E-01	1.57E-01	2.02E-05	1.0E+06	2.0E+01
1514	6.74309	5.42E-02	3.7E-01	1.05E-03	3.82E-04	3.32E-01	1.57E-01	1.99E-05	1.0E+06	2.0E+01
1515	6.60902	5.42E-02	3.6E-01	1.05E-03	3.75E-04	3.32E-01	1.57E-01	1.95E-05	1.0E+06	2.0E+01
1516	6.4518	5.42E-02	3.5E-01	1.05E-03	3.66E-04	3.32E-01	1.57E-01	1.91E-05	1.0E+06	1.9E+01
1517	6.27049	5.42E-02	3.4E-01	1.05E-03	3.55E-04	3.32E-01	1.57E-01	1.85E-05	1.0E+06	1.9E+01
1518	6.06457	5.42E-02	3.3E-01	1.05E-03	3.44E-04	3.32E-01	1.57E-01	1.79E-05	1.0E+06	1.8E+01
1519	5.8281	5.42E-02	3.2E-01	1.05E-03	3.30E-04	3.32E-01	1.57E-01	1.72E-05	1.0E+06	1.7E+01
1520	5.56394	5.42E-02	3.0E-01	1.05E-03	3.15E-04	3.32E-01	1.57E-01	1.64E-05	1.0E+06	1.6E+01
1521	5.2734	5.42E-02	2.9E-01	1.05E-03	2.99E-04	3.32E-01	1.57E-01	1.56E-05	1.0E+06	1.6E+01
1522	4.95967	5.42E-02	2.7E-01	1.05E-03	2.81E-04	3.32E-01	1.57E-01	1.46E-05	1.0E+06	1.5E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	4.62617	5.42E-02	2.5E-01	1.05E-03	2.62E-04	3.32E-01	1.57E-01	1.37E-05	1.0E+06	1.4E+01
1524	4.28049	5.42E-02	2.3E-01	1.05E-03	2.43E-04	3.32E-01	1.57E-01	1.26E-05	1.0E+06	1.3E+01
1525	3.92984	5.42E-02	2.1E-01	1.05E-03	2.23E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
1526	3.58347	5.42E-02	1.9E-01	1.05E-03	2.03E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1527	3.25287	5.42E-02	1.8E-01	1.05E-03	1.84E-04	3.32E-01	1.57E-01	9.61E-06	1.0E+06	9.6E+00
1528	2.94536	5.42E-02	1.6E-01	1.05E-03	1.67E-04	3.32E-01	1.57E-01	8.70E-06	1.0E+06	8.7E+00
1529	2.66336	5.42E-02	1.4E-01	1.05E-03	1.51E-04	3.32E-01	1.57E-01	7.86E-06	1.0E+06	7.9E+00
1530	2.40549	5.42E-02	1.3E-01	1.05E-03	1.36E-04	3.32E-01	1.57E-01	7.10E-06	1.0E+06	7.1E+00
1531	2.17623	5.42E-02	1.2E-01	1.05E-03	1.23E-04	3.32E-01	1.57E-01	6.43E-06	1.0E+06	6.4E+00
1532	1.97461	5.42E-02	1.1E-01	1.05E-03	1.12E-04	3.32E-01	1.57E-01	5.83E-06	1.0E+06	5.8E+00
1533	1.79816	5.42E-02	9.8E-02	1.05E-03	1.02E-04	3.32E-01	1.57E-01	5.31E-06	1.0E+06	5.3E+00
1534	6.19252	5.42E-02	3.4E-01	1.05E-03	3.51E-04	3.32E-01	1.57E-01	1.83E-05	1.0E+06	1.8E+01
1535	6.20686	5.42E-02	3.4E-01	1.05E-03	3.52E-04	3.32E-01	1.57E-01	1.83E-05	1.0E+06	1.8E+01
1536	6.20889	5.42E-02	3.4E-01	1.05E-03	3.52E-04	3.32E-01	1.57E-01	1.83E-05	1.0E+06	1.8E+01
1537	6.21746	5.42E-02	3.4E-01	1.05E-03	3.52E-04	3.32E-01	1.57E-01	1.84E-05	1.0E+06	1.8E+01
1538	6.19304	5.42E-02	3.4E-01	1.05E-03	3.51E-04	3.32E-01	1.57E-01	1.83E-05	1.0E+06	1.8E+01
1539	6.18733	5.42E-02	3.4E-01	1.05E-03	3.51E-04	3.32E-01	1.57E-01	1.83E-05	1.0E+06	1.8E+01
1540	6.1665	5.42E-02	3.3E-01	1.05E-03	3.50E-04	3.32E-01	1.57E-01	1.82E-05	1.0E+06	1.8E+01
1541	6.12161	5.42E-02	3.3E-01	1.05E-03	3.47E-04	3.32E-01	1.57E-01	1.81E-05	1.0E+06	1.8E+01
1542	6.04139	5.42E-02	3.3E-01	1.05E-03	3.42E-04	3.32E-01	1.57E-01	1.78E-05	1.0E+06	1.8E+01
1543	5.9223	5.42E-02	3.2E-01	1.05E-03	3.36E-04	3.32E-01	1.57E-01	1.75E-05	1.0E+06	1.7E+01
1544	5.7837	5.42E-02	3.1E-01	1.05E-03	3.28E-04	3.32E-01	1.57E-01	1.71E-05	1.0E+06	1.7E+01
1545	5.62444	5.42E-02	3.1E-01	1.05E-03	3.19E-04	3.32E-01	1.57E-01	1.66E-05	1.0E+06	1.7E+01
1546	5.44413	5.42E-02	3.0E-01	1.05E-03	3.09E-04	3.32E-01	1.57E-01	1.61E-05	1.0E+06	1.6E+01
1547	5.23841	5.42E-02	2.8E-01	1.05E-03	2.97E-04	3.32E-01	1.57E-01	1.55E-05	1.0E+06	1.5E+01
1548	5.01093	5.42E-02	2.7E-01	1.05E-03	2.84E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
1549	4.76229	5.42E-02	2.6E-01	1.05E-03	2.70E-04	3.32E-01	1.57E-01	1.41E-05	1.0E+06	1.4E+01
1550	4.49526	5.42E-02	2.4E-01	1.05E-03	2.55E-04	3.32E-01	1.57E-01	1.33E-05	1.0E+06	1.3E+01
1551	4.21149	5.42E-02	2.3E-01	1.05E-03	2.39E-04	3.32E-01	1.57E-01	1.24E-05	1.0E+06	1.2E+01
1552	3.91723	5.42E-02	2.1E-01	1.05E-03	2.22E-04	3.32E-01	1.57E-01	1.16E-05	1.0E+06	1.2E+01
1553	3.61864	5.42E-02	2.0E-01	1.05E-03	2.05E-04	3.32E-01	1.57E-01	1.07E-05	1.0E+06	1.1E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	3.32246	5.42E-02	1.8E-01	1.05E-03	1.88E-04	3.32E-01	1.57E-01	9.81E-06	1.0E+06	9.8E+00
1555	3.03738	5.42E-02	1.6E-01	1.05E-03	1.72E-04	3.32E-01	1.57E-01	8.97E-06	1.0E+06	9.0E+00
1556	2.76918	5.42E-02	1.5E-01	1.05E-03	1.57E-04	3.32E-01	1.57E-01	8.18E-06	1.0E+06	8.2E+00
1557	2.52	5.42E-02	1.4E-01	1.05E-03	1.43E-04	3.32E-01	1.57E-01	7.44E-06	1.0E+06	7.4E+00
1558	2.2907	5.42E-02	1.2E-01	1.05E-03	1.30E-04	3.32E-01	1.57E-01	6.76E-06	1.0E+06	6.8E+00
1559	2.08408	5.42E-02	1.1E-01	1.05E-03	1.18E-04	3.32E-01	1.57E-01	6.15E-06	1.0E+06	6.2E+00
1560	1.90004	5.42E-02	1.0E-01	1.05E-03	1.08E-04	3.32E-01	1.57E-01	5.61E-06	1.0E+06	5.6E+00
1561	1.737	5.42E-02	9.4E-02	1.05E-03	9.85E-05	3.32E-01	1.57E-01	5.13E-06	1.0E+06	5.1E+00
1562	5.5612	5.42E-02	3.0E-01	1.05E-03	3.15E-04	3.32E-01	1.57E-01	1.64E-05	1.0E+06	1.6E+01
1563	5.56018	5.42E-02	3.0E-01	1.05E-03	3.15E-04	3.32E-01	1.57E-01	1.64E-05	1.0E+06	1.6E+01
1564	5.56469	5.42E-02	3.0E-01	1.05E-03	3.15E-04	3.32E-01	1.57E-01	1.64E-05	1.0E+06	1.6E+01
1565	5.57488	5.42E-02	3.0E-01	1.05E-03	3.16E-04	3.32E-01	1.57E-01	1.65E-05	1.0E+06	1.6E+01
1566	5.57309	5.42E-02	3.0E-01	1.05E-03	3.16E-04	3.32E-01	1.57E-01	1.65E-05	1.0E+06	1.6E+01
1567	5.56834	5.42E-02	3.0E-01	1.05E-03	3.16E-04	3.32E-01	1.57E-01	1.64E-05	1.0E+06	1.6E+01
1568	5.55605	5.42E-02	3.0E-01	1.05E-03	3.15E-04	3.32E-01	1.57E-01	1.64E-05	1.0E+06	1.6E+01
1569	5.51238	5.42E-02	3.0E-01	1.05E-03	3.12E-04	3.32E-01	1.57E-01	1.63E-05	1.0E+06	1.6E+01
1570	5.44146	5.42E-02	3.0E-01	1.05E-03	3.08E-04	3.32E-01	1.57E-01	1.61E-05	1.0E+06	1.6E+01
1571	5.34424	5.42E-02	2.9E-01	1.05E-03	3.03E-04	3.32E-01	1.57E-01	1.58E-05	1.0E+06	1.6E+01
1572	5.22282	5.42E-02	2.8E-01	1.05E-03	2.96E-04	3.32E-01	1.57E-01	1.54E-05	1.0E+06	1.5E+01
1573	5.08274	5.42E-02	2.8E-01	1.05E-03	2.88E-04	3.32E-01	1.57E-01	1.50E-05	1.0E+06	1.5E+01
1574	4.92458	5.42E-02	2.7E-01	1.05E-03	2.79E-04	3.32E-01	1.57E-01	1.45E-05	1.0E+06	1.5E+01
1575	4.74447	5.42E-02	2.6E-01	1.05E-03	2.69E-04	3.32E-01	1.57E-01	1.40E-05	1.0E+06	1.4E+01
1576	4.54686	5.42E-02	2.5E-01	1.05E-03	2.58E-04	3.32E-01	1.57E-01	1.34E-05	1.0E+06	1.3E+01
1577	4.33209	5.42E-02	2.3E-01	1.05E-03	2.46E-04	3.32E-01	1.57E-01	1.28E-05	1.0E+06	1.3E+01
1578	4.10196	5.42E-02	2.2E-01	1.05E-03	2.33E-04	3.32E-01	1.57E-01	1.21E-05	1.0E+06	1.2E+01
1579	3.85856	5.42E-02	2.1E-01	1.05E-03	2.19E-04	3.32E-01	1.57E-01	1.14E-05	1.0E+06	1.1E+01
1580	3.60578	5.42E-02	2.0E-01	1.05E-03	2.04E-04	3.32E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
1581	3.34897	5.42E-02	1.8E-01	1.05E-03	1.90E-04	3.32E-01	1.57E-01	9.89E-06	1.0E+06	9.9E+00
1582	3.09363	5.42E-02	1.7E-01	1.05E-03	1.75E-04	3.32E-01	1.57E-01	9.14E-06	1.0E+06	9.1E+00
1583	2.84582	5.42E-02	1.5E-01	1.05E-03	1.61E-04	3.32E-01	1.57E-01	8.40E-06	1.0E+06	8.4E+00
1584	2.61023	5.42E-02	1.4E-01	1.05E-03	1.48E-04	3.32E-01	1.57E-01	7.71E-06	1.0E+06	7.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.3894	5.42E-02	1.3E-01	1.05E-03	1.35E-04	3.32E-01	1.57E-01	7.06E-06	1.0E+06	7.1E+00
1586	2.18437	5.42E-02	1.2E-01	1.05E-03	1.24E-04	3.32E-01	1.57E-01	6.45E-06	1.0E+06	6.5E+00
1587	1.99744	5.42E-02	1.1E-01	1.05E-03	1.13E-04	3.32E-01	1.57E-01	5.90E-06	1.0E+06	5.9E+00
1588	1.82902	5.42E-02	9.9E-02	1.05E-03	1.04E-04	3.32E-01	1.57E-01	5.40E-06	1.0E+06	5.4E+00
1589	1.67833	5.42E-02	9.1E-02	1.05E-03	9.51E-05	3.32E-01	1.57E-01	4.96E-06	1.0E+06	5.0E+00
1590	5.03444	5.42E-02	2.7E-01	1.05E-03	2.85E-04	3.32E-01	1.57E-01	1.49E-05	1.0E+06	1.5E+01
1591	5.02557	5.42E-02	2.7E-01	1.05E-03	2.85E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
1592	5.01615	5.42E-02	2.7E-01	1.05E-03	2.84E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
1593	5.01126	5.42E-02	2.7E-01	1.05E-03	2.84E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
1594	5.02951	5.42E-02	2.7E-01	1.05E-03	2.85E-04	3.32E-01	1.57E-01	1.49E-05	1.0E+06	1.5E+01
1595	5.01656	5.42E-02	2.7E-01	1.05E-03	2.84E-04	3.32E-01	1.57E-01	1.48E-05	1.0E+06	1.5E+01
0	0	5.42E-02	0.0E+00	1.05E-03	0.00E+00	3.32E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	3.36095	1.93441E-05	6.5E-05	1.05E-03	6.80E-08	3.32E-01	1.57E-01	3.54E-09	1.0E+06	3.5E-03
1214	1214	4.84507	1.93441E-05	9.4E-05	1.05E-03	9.80E-08	3.32E-01	1.57E-01	5.10E-09	1.0E+06	5.1E-03
1215	1215	4.8136	1.93441E-05	9.3E-05	1.05E-03	9.73E-08	3.32E-01	1.57E-01	5.07E-09	1.0E+06	5.1E-03
1216	1216	4.77576	1.93441E-05	9.2E-05	1.05E-03	9.66E-08	3.32E-01	1.57E-01	5.03E-09	1.0E+06	5.0E-03
1217	1217	4.73027	1.93441E-05	9.2E-05	1.05E-03	9.56E-08	3.32E-01	1.57E-01	4.98E-09	1.0E+06	5.0E-03
1218	1218	4.6769	1.93441E-05	9.0E-05	1.05E-03	9.46E-08	3.32E-01	1.57E-01	4.93E-09	1.0E+06	4.9E-03
1219	1219	4.6151	1.93441E-05	8.9E-05	1.05E-03	9.33E-08	3.32E-01	1.57E-01	4.86E-09	1.0E+06	4.9E-03
1220	1220	4.54338	1.93441E-05	8.8E-05	1.05E-03	9.19E-08	3.32E-01	1.57E-01	4.79E-09	1.0E+06	4.8E-03
1221	1221	4.46184	1.93441E-05	8.6E-05	1.05E-03	9.02E-08	3.32E-01	1.57E-01	4.70E-09	1.0E+06	4.7E-03
1222	1222	4.36978	1.93441E-05	8.5E-05	1.05E-03	8.84E-08	3.32E-01	1.57E-01	4.60E-09	1.0E+06	4.6E-03
1223	1223	4.26895	1.93441E-05	8.3E-05	1.05E-03	8.63E-08	3.32E-01	1.57E-01	4.50E-09	1.0E+06	4.5E-03
1224	1224	4.1554	1.93441E-05	8.0E-05	1.05E-03	8.40E-08	3.32E-01	1.57E-01	4.38E-09	1.0E+06	4.4E-03
1225	1225	4.0291	1.93441E-05	7.8E-05	1.05E-03	8.15E-08	3.32E-01	1.57E-01	4.24E-09	1.0E+06	4.2E-03
1226	1226	3.89066	1.93441E-05	7.5E-05	1.05E-03	7.87E-08	3.32E-01	1.57E-01	4.10E-09	1.0E+06	4.1E-03
1227	1227	3.73985	1.93441E-05	7.2E-05	1.05E-03	7.56E-08	3.32E-01	1.57E-01	3.94E-09	1.0E+06	3.9E-03
1228	1228	5.50042	1.93441E-05	1.1E-04	1.05E-03	1.11E-07	3.32E-01	1.57E-01	5.79E-09	1.0E+06	5.8E-03
1229	1229	5.46761	1.93441E-05	1.1E-04	1.05E-03	1.11E-07	3.32E-01	1.57E-01	5.76E-09	1.0E+06	5.8E-03
1230	1230	5.42795	1.93441E-05	1.0E-04	1.05E-03	1.10E-07	3.32E-01	1.57E-01	5.72E-09	1.0E+06	5.7E-03
1231	1231	5.37904	1.93441E-05	1.0E-04	1.05E-03	1.09E-07	3.32E-01	1.57E-01	5.67E-09	1.0E+06	5.7E-03
1232	1232	5.32072	1.93441E-05	1.0E-04	1.05E-03	1.08E-07	3.32E-01	1.57E-01	5.60E-09	1.0E+06	5.6E-03
1233	1233	5.25124	1.93441E-05	1.0E-04	1.05E-03	1.06E-07	3.32E-01	1.57E-01	5.53E-09	1.0E+06	5.5E-03
1234	1234	5.17085	1.93441E-05	1.0E-04	1.05E-03	1.05E-07	3.32E-01	1.57E-01	5.45E-09	1.0E+06	5.4E-03
1235	1235	5.07881	1.93441E-05	9.8E-05	1.05E-03	1.03E-07	3.32E-01	1.57E-01	5.35E-09	1.0E+06	5.3E-03
1236	1236	4.97303	1.93441E-05	9.6E-05	1.05E-03	1.01E-07	3.32E-01	1.57E-01	5.24E-09	1.0E+06	5.2E-03
1237	1237	4.85769	1.93441E-05	9.4E-05	1.05E-03	9.82E-08	3.32E-01	1.57E-01	5.12E-09	1.0E+06	5.1E-03
1238	1238	4.72636	1.93441E-05	9.1E-05	1.05E-03	9.56E-08	3.32E-01	1.57E-01	4.98E-09	1.0E+06	5.0E-03
1239	1239	4.57878	1.93441E-05	8.9E-05	1.05E-03	9.26E-08	3.32E-01	1.57E-01	4.82E-09	1.0E+06	4.8E-03
1240	1240	4.41393	1.93441E-05	8.5E-05	1.05E-03	8.92E-08	3.32E-01	1.57E-01	4.65E-09	1.0E+06	4.6E-03
1241	1241	4.23256	1.93441E-05	8.2E-05	1.05E-03	8.56E-08	3.32E-01	1.57E-01	4.46E-09	1.0E+06	4.5E-03
1242	1242	6.31654	1.93441E-05	1.2E-04	1.05E-03	1.28E-07	3.32E-01	1.57E-01	6.65E-09	1.0E+06	6.7E-03
1243	1243	6.28291	1.93441E-05	1.2E-04	1.05E-03	1.27E-07	3.32E-01	1.57E-01	6.62E-09	1.0E+06	6.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	6.2409	1.93441E-05	1.2E-04	1.05E-03	1.26E-07	3.32E-01	1.57E-01	6.57E-09	1.0E+06	6.6E-03
1245	1245	6.19016	1.93441E-05	1.2E-04	1.05E-03	1.25E-07	3.32E-01	1.57E-01	6.52E-09	1.0E+06	6.5E-03
1246	1246	6.12613	1.93441E-05	1.2E-04	1.05E-03	1.24E-07	3.32E-01	1.57E-01	6.45E-09	1.0E+06	6.5E-03
1247	1247	6.04943	1.93441E-05	1.2E-04	1.05E-03	1.22E-07	3.32E-01	1.57E-01	6.37E-09	1.0E+06	6.4E-03
1248	1248	5.95976	1.93441E-05	1.2E-04	1.05E-03	1.20E-07	3.32E-01	1.57E-01	6.28E-09	1.0E+06	6.3E-03
1249	1249	5.85621	1.93441E-05	1.1E-04	1.05E-03	1.18E-07	3.32E-01	1.57E-01	6.17E-09	1.0E+06	6.2E-03
1250	1250	5.73466	1.93441E-05	1.1E-04	1.05E-03	1.16E-07	3.32E-01	1.57E-01	6.04E-09	1.0E+06	6.0E-03
1251	1251	5.60243	1.93441E-05	1.1E-04	1.05E-03	1.13E-07	3.32E-01	1.57E-01	5.90E-09	1.0E+06	5.9E-03
1252	1252	5.45037	1.93441E-05	1.1E-04	1.05E-03	1.10E-07	3.32E-01	1.57E-01	5.74E-09	1.0E+06	5.7E-03
1253	1253	5.27473	1.93441E-05	1.0E-04	1.05E-03	1.07E-07	3.32E-01	1.57E-01	5.56E-09	1.0E+06	5.6E-03
1254	1254	5.07637	1.93441E-05	9.8E-05	1.05E-03	1.03E-07	3.32E-01	1.57E-01	5.35E-09	1.0E+06	5.3E-03
1255	1255	4.85439	1.93441E-05	9.4E-05	1.05E-03	9.81E-08	3.32E-01	1.57E-01	5.11E-09	1.0E+06	5.1E-03
1256	1256	7.35506	1.93441E-05	1.4E-04	1.05E-03	1.49E-07	3.32E-01	1.57E-01	7.75E-09	1.0E+06	7.7E-03
1257	1257	7.32251	1.93441E-05	1.4E-04	1.05E-03	1.48E-07	3.32E-01	1.57E-01	7.71E-09	1.0E+06	7.7E-03
1258	1258	7.27938	1.93441E-05	1.4E-04	1.05E-03	1.47E-07	3.32E-01	1.57E-01	7.67E-09	1.0E+06	7.7E-03
1259	1259	7.22599	1.93441E-05	1.4E-04	1.05E-03	1.46E-07	3.32E-01	1.57E-01	7.61E-09	1.0E+06	7.6E-03
1260	1260	7.15822	1.93441E-05	1.4E-04	1.05E-03	1.45E-07	3.32E-01	1.57E-01	7.54E-09	1.0E+06	7.5E-03
1261	1261	7.07633	1.93441E-05	1.4E-04	1.05E-03	1.43E-07	3.32E-01	1.57E-01	7.45E-09	1.0E+06	7.5E-03
1262	1262	6.978	1.93441E-05	1.3E-04	1.05E-03	1.41E-07	3.32E-01	1.57E-01	7.35E-09	1.0E+06	7.3E-03
1263	1263	6.86151	1.93441E-05	1.3E-04	1.05E-03	1.39E-07	3.32E-01	1.57E-01	7.23E-09	1.0E+06	7.2E-03
1264	1264	6.72135	1.93441E-05	1.3E-04	1.05E-03	1.36E-07	3.32E-01	1.57E-01	7.08E-09	1.0E+06	7.1E-03
1265	1265	6.5687	1.93441E-05	1.3E-04	1.05E-03	1.33E-07	3.32E-01	1.57E-01	6.92E-09	1.0E+06	6.9E-03
1266	1266	6.38935	1.93441E-05	1.2E-04	1.05E-03	1.29E-07	3.32E-01	1.57E-01	6.73E-09	1.0E+06	6.7E-03
1267	1267	6.17873	1.93441E-05	1.2E-04	1.05E-03	1.25E-07	3.32E-01	1.57E-01	6.51E-09	1.0E+06	6.5E-03
1268	1268	5.93343	1.93441E-05	1.1E-04	1.05E-03	1.20E-07	3.32E-01	1.57E-01	6.25E-09	1.0E+06	6.2E-03
1269	1269	5.65263	1.93441E-05	1.1E-04	1.05E-03	1.14E-07	3.32E-01	1.57E-01	5.95E-09	1.0E+06	6.0E-03
1270	1270	8.71546	1.93441E-05	1.7E-04	1.05E-03	1.76E-07	3.32E-01	1.57E-01	9.18E-09	1.0E+06	9.2E-03
1271	1271	8.68671	1.93441E-05	1.7E-04	1.05E-03	1.76E-07	3.32E-01	1.57E-01	9.15E-09	1.0E+06	9.1E-03
1272	1272	8.64348	1.93441E-05	1.7E-04	1.05E-03	1.75E-07	3.32E-01	1.57E-01	9.10E-09	1.0E+06	9.1E-03
1273	1273	8.58568	1.93441E-05	1.7E-04	1.05E-03	1.74E-07	3.32E-01	1.57E-01	9.04E-09	1.0E+06	9.0E-03
1274	1274	8.52026	1.93441E-05	1.6E-04	1.05E-03	1.72E-07	3.32E-01	1.57E-01	8.97E-09	1.0E+06	9.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	8.43618	1.93441E-05	1.6E-04	1.05E-03	1.71E-07	3.32E-01	1.57E-01	8.89E-09	1.0E+06	8.9E-03
1276	1276	8.33071	1.93441E-05	1.6E-04	1.05E-03	1.68E-07	3.32E-01	1.57E-01	8.77E-09	1.0E+06	8.8E-03
1277	1277	8.2002	1.93441E-05	1.6E-04	1.05E-03	1.66E-07	3.32E-01	1.57E-01	8.64E-09	1.0E+06	8.6E-03
1278	1278	8.03838	1.93441E-05	1.6E-04	1.05E-03	1.63E-07	3.32E-01	1.57E-01	8.47E-09	1.0E+06	8.5E-03
1279	1279	7.86042	1.93441E-05	1.5E-04	1.05E-03	1.59E-07	3.32E-01	1.57E-01	8.28E-09	1.0E+06	8.3E-03
1280	1280	7.64812	1.93441E-05	1.5E-04	1.05E-03	1.55E-07	3.32E-01	1.57E-01	8.06E-09	1.0E+06	8.1E-03
1281	1281	7.39104	1.93441E-05	1.4E-04	1.05E-03	1.49E-07	3.32E-01	1.57E-01	7.78E-09	1.0E+06	7.8E-03
1282	1282	7.08159	1.93441E-05	1.4E-04	1.05E-03	1.43E-07	3.32E-01	1.57E-01	7.46E-09	1.0E+06	7.5E-03
1283	1283	6.71904	1.93441E-05	1.3E-04	1.05E-03	1.36E-07	3.32E-01	1.57E-01	7.08E-09	1.0E+06	7.1E-03
1284	1284	10.56248	1.93441E-05	2.0E-04	1.05E-03	2.14E-07	3.32E-01	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1285	1285	10.54154	1.93441E-05	2.0E-04	1.05E-03	2.13E-07	3.32E-01	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1286	1286	10.49856	1.93441E-05	2.0E-04	1.05E-03	2.12E-07	3.32E-01	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1287	1287	10.43196	1.93441E-05	2.0E-04	1.05E-03	2.11E-07	3.32E-01	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1288	1288	10.36901	1.93441E-05	2.0E-04	1.05E-03	2.10E-07	3.32E-01	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1289	1289	10.28656	1.93441E-05	2.0E-04	1.05E-03	2.08E-07	3.32E-01	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1290	1290	10.18442	1.93441E-05	2.0E-04	1.05E-03	2.06E-07	3.32E-01	1.57E-01	1.07E-08	1.0E+06	1.1E-02
1291	1291	10.04641	1.93441E-05	1.9E-04	1.05E-03	2.03E-07	3.32E-01	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1292	1292	9.86188	1.93441E-05	1.9E-04	1.05E-03	1.99E-07	3.32E-01	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1293	1293	9.65572	1.93441E-05	1.9E-04	1.05E-03	1.95E-07	3.32E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1294	1294	9.40616	1.93441E-05	1.8E-04	1.05E-03	1.90E-07	3.32E-01	1.57E-01	9.91E-09	1.0E+06	9.9E-03
1295	1295	9.09051	1.93441E-05	1.8E-04	1.05E-03	1.84E-07	3.32E-01	1.57E-01	9.57E-09	1.0E+06	9.6E-03
1296	1296	8.69745	1.93441E-05	1.7E-04	1.05E-03	1.76E-07	3.32E-01	1.57E-01	9.16E-09	1.0E+06	9.2E-03
1297	1297	8.21422	1.93441E-05	1.6E-04	1.05E-03	1.66E-07	3.32E-01	1.57E-01	8.65E-09	1.0E+06	8.7E-03
1298	1298	13.18638	1.93441E-05	2.6E-04	1.05E-03	2.67E-07	3.32E-01	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1299	1299	13.17962	1.93441E-05	2.5E-04	1.05E-03	2.66E-07	3.32E-01	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1300	1300	13.13291	1.93441E-05	2.5E-04	1.05E-03	2.66E-07	3.32E-01	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1301	1301	13.05089	1.93441E-05	2.5E-04	1.05E-03	2.64E-07	3.32E-01	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1302	1302	13.00142	1.93441E-05	2.5E-04	1.05E-03	2.63E-07	3.32E-01	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1303	1303	12.93493	1.93441E-05	2.5E-04	1.05E-03	2.62E-07	3.32E-01	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1304	1304	12.84203	1.93441E-05	2.5E-04	1.05E-03	2.60E-07	3.32E-01	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1305	1305	12.70825	1.93441E-05	2.5E-04	1.05E-03	2.57E-07	3.32E-01	1.57E-01	1.34E-08	1.0E+06	1.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	17.13896	1.93441E-05	3.3E-04	1.05E-03	3.47E-07	3.32E-01	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1307	1307	17.16742	1.93441E-05	3.3E-04	1.05E-03	3.47E-07	3.32E-01	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1308	1308	17.15586	1.93441E-05	3.3E-04	1.05E-03	3.47E-07	3.32E-01	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1309	1309	17.10003	1.93441E-05	3.3E-04	1.05E-03	3.46E-07	3.32E-01	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1310	1310	17.06618	1.93441E-05	3.3E-04	1.05E-03	3.45E-07	3.32E-01	1.57E-01	1.80E-08	1.0E+06	1.8E-02
1311	1311	16.98971	1.93441E-05	3.3E-04	1.05E-03	3.44E-07	3.32E-01	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1312	1312	16.90268	1.93441E-05	3.3E-04	1.05E-03	3.42E-07	3.32E-01	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1313	1313	16.7702	1.93441E-05	3.2E-04	1.05E-03	3.39E-07	3.32E-01	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1314	1314	17.5825	1.93441E-05	3.4E-04	1.05E-03	3.55E-07	3.32E-01	1.57E-01	1.85E-08	1.0E+06	1.9E-02
1315	1315	17.40426	1.93441E-05	3.4E-04	1.05E-03	3.52E-07	3.32E-01	1.57E-01	1.83E-08	1.0E+06	1.8E-02
1316	1316	17.62382	1.93441E-05	3.4E-04	1.05E-03	3.56E-07	3.32E-01	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1317	1317	17.36084	1.93441E-05	3.4E-04	1.05E-03	3.51E-07	3.32E-01	1.57E-01	1.83E-08	1.0E+06	1.8E-02
1318	1318	17.50664	1.93441E-05	3.4E-04	1.05E-03	3.54E-07	3.32E-01	1.57E-01	1.84E-08	1.0E+06	1.8E-02
1319	1319	17.21064	1.93441E-05	3.3E-04	1.05E-03	3.48E-07	3.32E-01	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1320	1320	17.29619	1.93441E-05	3.3E-04	1.05E-03	3.50E-07	3.32E-01	1.57E-01	1.82E-08	1.0E+06	1.8E-02
1321	1321	16.92772	1.93441E-05	3.3E-04	1.05E-03	3.42E-07	3.32E-01	1.57E-01	1.78E-08	1.0E+06	1.8E-02
1322	1322	14.50868	1.93441E-05	2.8E-04	1.05E-03	2.93E-07	3.32E-01	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1323	1323	14.6902	1.93441E-05	2.8E-04	1.05E-03	2.97E-07	3.32E-01	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1324	1324	14.43661	1.93441E-05	2.8E-04	1.05E-03	2.92E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1325	1325	14.60307	1.93441E-05	2.8E-04	1.05E-03	2.95E-07	3.32E-01	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1326	1326	14.27522	1.93441E-05	2.8E-04	1.05E-03	2.89E-07	3.32E-01	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1327	1327	14.34927	1.93441E-05	2.8E-04	1.05E-03	2.90E-07	3.32E-01	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1328	1328	13.99002	1.93441E-05	2.7E-04	1.05E-03	2.83E-07	3.32E-01	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1329	1329	14.01603	1.93441E-05	2.7E-04	1.05E-03	2.83E-07	3.32E-01	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1330	1330	15.20586	1.93441E-05	2.9E-04	1.05E-03	3.07E-07	3.32E-01	1.57E-01	1.60E-08	1.0E+06	1.6E-02
1331	1331	15.37272	1.93441E-05	3.0E-04	1.05E-03	3.11E-07	3.32E-01	1.57E-01	1.62E-08	1.0E+06	1.6E-02
1332	1332	15.08542	1.93441E-05	2.9E-04	1.05E-03	3.05E-07	3.32E-01	1.57E-01	1.59E-08	1.0E+06	1.6E-02
1333	1333	15.27693	1.93441E-05	3.0E-04	1.05E-03	3.09E-07	3.32E-01	1.57E-01	1.61E-08	1.0E+06	1.6E-02
1334	1334	14.88567	1.93441E-05	2.9E-04	1.05E-03	3.01E-07	3.32E-01	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1335	1335	14.96833	1.93441E-05	2.9E-04	1.05E-03	3.03E-07	3.32E-01	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1336	1336	14.584	1.93441E-05	2.8E-04	1.05E-03	2.95E-07	3.32E-01	1.57E-01	1.54E-08	1.0E+06	1.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	14.58845	1.93441E-05	2.8E-04	1.05E-03	2.95E-07	3.32E-01	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1338	1338	14.35133	1.93441E-05	2.8E-04	1.05E-03	2.90E-07	3.32E-01	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1339	1339	14.53717	1.93441E-05	2.8E-04	1.05E-03	2.94E-07	3.32E-01	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1340	1340	14.39852	1.93441E-05	2.8E-04	1.05E-03	2.91E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1341	1341	14.78724	1.93441E-05	2.9E-04	1.05E-03	2.99E-07	3.32E-01	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1342	1342	14.47807	1.93441E-05	2.8E-04	1.05E-03	2.93E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1343	1343	14.75559	1.93441E-05	2.9E-04	1.05E-03	2.98E-07	3.32E-01	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1344	1344	14.50141	1.93441E-05	2.8E-04	1.05E-03	2.93E-07	3.32E-01	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1345	1345	14.70871	1.93441E-05	2.8E-04	1.05E-03	2.97E-07	3.32E-01	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1346	1346	14.54733	1.93441E-05	2.8E-04	1.05E-03	2.94E-07	3.32E-01	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1347	1347	14.80319	1.93441E-05	2.9E-04	1.05E-03	2.99E-07	3.32E-01	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1348	1348	14.51832	1.93441E-05	2.8E-04	1.05E-03	2.94E-07	3.32E-01	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1349	1349	14.84315	1.93441E-05	2.9E-04	1.05E-03	3.00E-07	3.32E-01	1.57E-01	1.56E-08	1.0E+06	1.6E-02
1350	1350	14.51321	1.93441E-05	2.8E-04	1.05E-03	2.93E-07	3.32E-01	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1351	1351	14.71958	1.93441E-05	2.8E-04	1.05E-03	2.98E-07	3.32E-01	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1352	1352	14.47865	1.93441E-05	2.8E-04	1.05E-03	2.93E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1353	1353	14.69639	1.93441E-05	2.8E-04	1.05E-03	2.97E-07	3.32E-01	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1354	1354	14.46448	1.93441E-05	2.8E-04	1.05E-03	2.92E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1355	1355	14.68649	1.93441E-05	2.8E-04	1.05E-03	2.97E-07	3.32E-01	1.57E-01	1.55E-08	1.0E+06	1.5E-02
1356	1356	14.4423	1.93441E-05	2.8E-04	1.05E-03	2.92E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1357	1357	14.65774	1.93441E-05	2.8E-04	1.05E-03	2.96E-07	3.32E-01	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1358	1358	14.40337	1.93441E-05	2.8E-04	1.05E-03	2.91E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1359	1359	14.57139	1.93441E-05	2.8E-04	1.05E-03	2.95E-07	3.32E-01	1.57E-01	1.53E-08	1.0E+06	1.5E-02
1360	1360	14.24613	1.93441E-05	2.8E-04	1.05E-03	2.88E-07	3.32E-01	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1361	1361	14.44951	1.93441E-05	2.8E-04	1.05E-03	2.92E-07	3.32E-01	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1362	1362	14.01813	1.93441E-05	2.7E-04	1.05E-03	2.83E-07	3.32E-01	1.57E-01	1.48E-08	1.0E+06	1.5E-02
1363	1363	14.12166	1.93441E-05	2.7E-04	1.05E-03	2.86E-07	3.32E-01	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1364	1364	13.68881	1.93441E-05	2.6E-04	1.05E-03	2.77E-07	3.32E-01	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1365	1365	13.70379	1.93441E-05	2.7E-04	1.05E-03	2.77E-07	3.32E-01	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1366	1366	19.10324	1.93441E-05	3.7E-04	1.05E-03	3.86E-07	3.32E-01	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1367	1367	18.98313	1.93441E-05	3.7E-04	1.05E-03	3.84E-07	3.32E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	19.46228	1.93441E-05	3.8E-04	1.05E-03	3.93E-07	3.32E-01	1.57E-01	2.05E-08	1.0E+06	2.0E-02
1369	1369	19.05361	1.93441E-05	3.7E-04	1.05E-03	3.85E-07	3.32E-01	1.57E-01	2.01E-08	1.0E+06	2.0E-02
1370	1370	19.40237	1.93441E-05	3.8E-04	1.05E-03	3.92E-07	3.32E-01	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1371	1371	18.97575	1.93441E-05	3.7E-04	1.05E-03	3.84E-07	3.32E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1372	1372	19.28445	1.93441E-05	3.7E-04	1.05E-03	3.90E-07	3.32E-01	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1373	1373	18.95228	1.93441E-05	3.7E-04	1.05E-03	3.83E-07	3.32E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1374	1374	19.2338	1.93441E-05	3.7E-04	1.05E-03	3.89E-07	3.32E-01	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1375	1375	18.95368	1.93441E-05	3.7E-04	1.05E-03	3.83E-07	3.32E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1376	1376	19.31689	1.93441E-05	3.7E-04	1.05E-03	3.91E-07	3.32E-01	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1377	1377	18.8726	1.93441E-05	3.7E-04	1.05E-03	3.82E-07	3.32E-01	1.57E-01	1.99E-08	1.0E+06	2.0E-02
1378	1378	19.15846	1.93441E-05	3.7E-04	1.05E-03	3.87E-07	3.32E-01	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1379	1379	18.76461	1.93441E-05	3.6E-04	1.05E-03	3.79E-07	3.32E-01	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1380	1380	19.02568	1.93441E-05	3.7E-04	1.05E-03	3.85E-07	3.32E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1381	1381	18.70252	1.93441E-05	3.6E-04	1.05E-03	3.78E-07	3.32E-01	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1382	1382	18.93931	1.93441E-05	3.7E-04	1.05E-03	3.83E-07	3.32E-01	1.57E-01	1.99E-08	1.0E+06	2.0E-02
1383	1383	18.63784	1.93441E-05	3.6E-04	1.05E-03	3.77E-07	3.32E-01	1.57E-01	1.96E-08	1.0E+06	2.0E-02
1384	1384	18.87044	1.93441E-05	3.7E-04	1.05E-03	3.82E-07	3.32E-01	1.57E-01	1.99E-08	1.0E+06	2.0E-02
1385	1385	18.55564	1.93441E-05	3.6E-04	1.05E-03	3.75E-07	3.32E-01	1.57E-01	1.95E-08	1.0E+06	2.0E-02
1386	1386	18.75847	1.93441E-05	3.6E-04	1.05E-03	3.79E-07	3.32E-01	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1387	1387	18.41056	1.93441E-05	3.6E-04	1.05E-03	3.72E-07	3.32E-01	1.57E-01	1.94E-08	1.0E+06	1.9E-02
1388	1388	26.30547	1.93441E-05	5.1E-04	1.05E-03	5.32E-07	3.32E-01	1.57E-01	2.77E-08	1.0E+06	2.8E-02
1389	1389	26.12998	1.93441E-05	5.1E-04	1.05E-03	5.28E-07	3.32E-01	1.57E-01	2.75E-08	1.0E+06	2.8E-02
1390	1390	25.90751	1.93441E-05	5.0E-04	1.05E-03	5.24E-07	3.32E-01	1.57E-01	2.73E-08	1.0E+06	2.7E-02
1391	1391	25.69924	1.93441E-05	5.0E-04	1.05E-03	5.20E-07	3.32E-01	1.57E-01	2.71E-08	1.0E+06	2.7E-02
1392	1392	25.41249	1.93441E-05	4.9E-04	1.05E-03	5.14E-07	3.32E-01	1.57E-01	2.68E-08	1.0E+06	2.7E-02
1393	1393	25.12113	1.93441E-05	4.9E-04	1.05E-03	5.08E-07	3.32E-01	1.57E-01	2.65E-08	1.0E+06	2.6E-02
1394	1394	20.97734	1.93441E-05	4.1E-04	1.05E-03	4.24E-07	3.32E-01	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1395	1395	21.00889	1.93441E-05	4.1E-04	1.05E-03	4.25E-07	3.32E-01	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1396	1396	20.99703	1.93441E-05	4.1E-04	1.05E-03	4.25E-07	3.32E-01	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1397	1397	20.97064	1.93441E-05	4.1E-04	1.05E-03	4.24E-07	3.32E-01	1.57E-01	2.21E-08	1.0E+06	2.2E-02
1398	1398	20.95115	1.93441E-05	4.1E-04	1.05E-03	4.24E-07	3.32E-01	1.57E-01	2.21E-08	1.0E+06	2.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	20.89774	1.93441E-05	4.0E-04	1.05E-03	4.23E-07	3.32E-01	1.57E-01	2.20E-08	1.0E+06	2.2E-02
1400	1400	20.90927	1.93441E-05	4.0E-04	1.05E-03	4.23E-07	3.32E-01	1.57E-01	2.20E-08	1.0E+06	2.2E-02
1401	1401	20.86306	1.93441E-05	4.0E-04	1.05E-03	4.22E-07	3.32E-01	1.57E-01	2.20E-08	1.0E+06	2.2E-02
1402	1402	20.83599	1.93441E-05	4.0E-04	1.05E-03	4.21E-07	3.32E-01	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1403	1403	20.80438	1.93441E-05	4.0E-04	1.05E-03	4.21E-07	3.32E-01	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1404	1404	20.74995	1.93441E-05	4.0E-04	1.05E-03	4.20E-07	3.32E-01	1.57E-01	2.19E-08	1.0E+06	2.2E-02
1405	1405	20.68912	1.93441E-05	4.0E-04	1.05E-03	4.18E-07	3.32E-01	1.57E-01	2.18E-08	1.0E+06	2.2E-02
1406	1406	20.64775	1.93441E-05	4.0E-04	1.05E-03	4.17E-07	3.32E-01	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1407	1407	20.57028	1.93441E-05	4.0E-04	1.05E-03	4.16E-07	3.32E-01	1.57E-01	2.17E-08	1.0E+06	2.2E-02
1408	1408	20.51367	1.93441E-05	4.0E-04	1.05E-03	4.15E-07	3.32E-01	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1409	1409	20.46182	1.93441E-05	4.0E-04	1.05E-03	4.14E-07	3.32E-01	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1410	1410	20.38044	1.93441E-05	3.9E-04	1.05E-03	4.12E-07	3.32E-01	1.57E-01	2.15E-08	1.0E+06	2.1E-02
1411	1411	20.34511	1.93441E-05	3.9E-04	1.05E-03	4.11E-07	3.32E-01	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1412	1412	20.26033	1.93441E-05	3.9E-04	1.05E-03	4.10E-07	3.32E-01	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1413	1413	20.20806	1.93441E-05	3.9E-04	1.05E-03	4.09E-07	3.32E-01	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1414	1414	20.10827	1.93441E-05	3.9E-04	1.05E-03	4.07E-07	3.32E-01	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1415	1415	20.02241	1.93441E-05	3.9E-04	1.05E-03	4.05E-07	3.32E-01	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1416	1416	19.90879	1.93441E-05	3.9E-04	1.05E-03	4.03E-07	3.32E-01	1.57E-01	2.10E-08	1.0E+06	2.1E-02
1417	1417	19.75631	1.93441E-05	3.8E-04	1.05E-03	3.99E-07	3.32E-01	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1418	1418	19.60069	1.93441E-05	3.8E-04	1.05E-03	3.96E-07	3.32E-01	1.57E-01	2.06E-08	1.0E+06	2.1E-02
1419	1419	19.41046	1.93441E-05	3.8E-04	1.05E-03	3.92E-07	3.32E-01	1.57E-01	2.04E-08	1.0E+06	2.0E-02
1420	1420	19.1896	1.93441E-05	3.7E-04	1.05E-03	3.88E-07	3.32E-01	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1421	1421	18.94426	1.93441E-05	3.7E-04	1.05E-03	3.83E-07	3.32E-01	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1422	1422	16.5466	1.93441E-05	3.2E-04	1.05E-03	3.35E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1423	1423	16.5346	1.93441E-05	3.2E-04	1.05E-03	3.34E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1424	1424	16.50375	1.93441E-05	3.2E-04	1.05E-03	3.34E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1425	1425	16.49055	1.93441E-05	3.2E-04	1.05E-03	3.33E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1426	1426	16.47285	1.93441E-05	3.2E-04	1.05E-03	3.33E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1427	1427	16.46189	1.93441E-05	3.2E-04	1.05E-03	3.33E-07	3.32E-01	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1428	1428	16.49796	1.93441E-05	3.2E-04	1.05E-03	3.34E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1429	1429	16.50415	1.93441E-05	3.2E-04	1.05E-03	3.34E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	16.50346	1.93441E-05	3.2E-04	1.05E-03	3.34E-07	3.32E-01	1.57E-01	1.74E-08	1.0E+06	1.7E-02
1431	1431	16.47104	1.93441E-05	3.2E-04	1.05E-03	3.33E-07	3.32E-01	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1432	1432	16.43412	1.93441E-05	3.2E-04	1.05E-03	3.32E-07	3.32E-01	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1433	1433	16.39572	1.93441E-05	3.2E-04	1.05E-03	3.31E-07	3.32E-01	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1434	1434	16.36964	1.93441E-05	3.2E-04	1.05E-03	3.31E-07	3.32E-01	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1435	1435	16.31597	1.93441E-05	3.2E-04	1.05E-03	3.30E-07	3.32E-01	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1436	1436	16.28198	1.93441E-05	3.1E-04	1.05E-03	3.29E-07	3.32E-01	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1437	1437	16.2345	1.93441E-05	3.1E-04	1.05E-03	3.28E-07	3.32E-01	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1438	1438	16.17444	1.93441E-05	3.1E-04	1.05E-03	3.27E-07	3.32E-01	1.57E-01	1.70E-08	1.0E+06	1.7E-02
1439	1439	16.1376	1.93441E-05	3.1E-04	1.05E-03	3.26E-07	3.32E-01	1.57E-01	1.70E-08	1.0E+06	1.7E-02
1440	1440	16.07213	1.93441E-05	3.1E-04	1.05E-03	3.25E-07	3.32E-01	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1441	1441	16.01925	1.93441E-05	3.1E-04	1.05E-03	3.24E-07	3.32E-01	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1442	1442	15.94013	1.93441E-05	3.1E-04	1.05E-03	3.22E-07	3.32E-01	1.57E-01	1.68E-08	1.0E+06	1.7E-02
1443	1443	15.85851	1.93441E-05	3.1E-04	1.05E-03	3.21E-07	3.32E-01	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1444	1444	15.74971	1.93441E-05	3.0E-04	1.05E-03	3.18E-07	3.32E-01	1.57E-01	1.66E-08	1.0E+06	1.7E-02
1445	1445	15.61493	1.93441E-05	3.0E-04	1.05E-03	3.16E-07	3.32E-01	1.57E-01	1.64E-08	1.0E+06	1.6E-02
1446	1446	15.48733	1.93441E-05	3.0E-04	1.05E-03	3.13E-07	3.32E-01	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1447	1447	15.32768	1.93441E-05	3.0E-04	1.05E-03	3.10E-07	3.32E-01	1.57E-01	1.61E-08	1.0E+06	1.6E-02
1448	1448	15.14211	1.93441E-05	2.9E-04	1.05E-03	3.06E-07	3.32E-01	1.57E-01	1.59E-08	1.0E+06	1.6E-02
1449	1449	14.92356	1.93441E-05	2.9E-04	1.05E-03	3.02E-07	3.32E-01	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1450	1450	13.42905	1.93441E-05	2.6E-04	1.05E-03	2.72E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1451	1451	13.42622	1.93441E-05	2.6E-04	1.05E-03	2.71E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1452	1452	13.42445	1.93441E-05	2.6E-04	1.05E-03	2.71E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1453	1453	13.39766	1.93441E-05	2.6E-04	1.05E-03	2.71E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1454	1454	13.39671	1.93441E-05	2.6E-04	1.05E-03	2.71E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1455	1455	13.37293	1.93441E-05	2.6E-04	1.05E-03	2.70E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1456	1456	13.44739	1.93441E-05	2.6E-04	1.05E-03	2.72E-07	3.32E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1457	1457	13.49824	1.93441E-05	2.6E-04	1.05E-03	2.73E-07	3.32E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1458	1458	13.50221	1.93441E-05	2.6E-04	1.05E-03	2.73E-07	3.32E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1459	1459	13.47344	1.93441E-05	2.6E-04	1.05E-03	2.72E-07	3.32E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1460	1460	13.44982	1.93441E-05	2.6E-04	1.05E-03	2.72E-07	3.32E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	13.42444	1.93441E-05	2.6E-04	1.05E-03	2.71E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1462	1462	13.39899	1.93441E-05	2.6E-04	1.05E-03	2.71E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1463	1463	13.36652	1.93441E-05	2.6E-04	1.05E-03	2.70E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1464	1464	13.34201	1.93441E-05	2.6E-04	1.05E-03	2.70E-07	3.32E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1465	1465	13.30094	1.93441E-05	2.6E-04	1.05E-03	2.69E-07	3.32E-01	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1466	1466	13.252	1.93441E-05	2.6E-04	1.05E-03	2.68E-07	3.32E-01	1.57E-01	1.40E-08	1.0E+06	1.4E-02
1467	1467	13.21467	1.93441E-05	2.6E-04	1.05E-03	2.67E-07	3.32E-01	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1468	1468	13.16001	1.93441E-05	2.5E-04	1.05E-03	2.66E-07	3.32E-01	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1469	1469	13.10754	1.93441E-05	2.5E-04	1.05E-03	2.65E-07	3.32E-01	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1470	1470	13.03825	1.93441E-05	2.5E-04	1.05E-03	2.64E-07	3.32E-01	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1471	1471	12.96036	1.93441E-05	2.5E-04	1.05E-03	2.62E-07	3.32E-01	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1472	1472	12.86208	1.93441E-05	2.5E-04	1.05E-03	2.60E-07	3.32E-01	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1473	1473	12.74372	1.93441E-05	2.5E-04	1.05E-03	2.58E-07	3.32E-01	1.57E-01	1.34E-08	1.0E+06	1.3E-02
1474	1474	12.62774	1.93441E-05	2.4E-04	1.05E-03	2.55E-07	3.32E-01	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1475	1475	12.48821	1.93441E-05	2.4E-04	1.05E-03	2.52E-07	3.32E-01	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1476	1476	12.32536	1.93441E-05	2.4E-04	1.05E-03	2.49E-07	3.32E-01	1.57E-01	1.30E-08	1.0E+06	1.3E-02
1477	1477	12.13024	1.93441E-05	2.3E-04	1.05E-03	2.45E-07	3.32E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1478	1478	11.16566	1.93441E-05	2.2E-04	1.05E-03	2.26E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1479	1479	11.18127	1.93441E-05	2.2E-04	1.05E-03	2.26E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1480	1480	11.17373	1.93441E-05	2.2E-04	1.05E-03	2.26E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1481	1481	11.18785	1.93441E-05	2.2E-04	1.05E-03	2.26E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1482	1482	11.17826	1.93441E-05	2.2E-04	1.05E-03	2.26E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1483	1483	11.19148	1.93441E-05	2.2E-04	1.05E-03	2.26E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1484	1484	11.25992	1.93441E-05	2.2E-04	1.05E-03	2.28E-07	3.32E-01	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1485	1485	11.30244	1.93441E-05	2.2E-04	1.05E-03	2.29E-07	3.32E-01	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1486	1486	11.31798	1.93441E-05	2.2E-04	1.05E-03	2.29E-07	3.32E-01	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1487	1487	11.29889	1.93441E-05	2.2E-04	1.05E-03	2.28E-07	3.32E-01	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1488	1488	11.28075	1.93441E-05	2.2E-04	1.05E-03	2.28E-07	3.32E-01	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1489	1489	11.26375	1.93441E-05	2.2E-04	1.05E-03	2.28E-07	3.32E-01	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1490	1490	11.2451	1.93441E-05	2.2E-04	1.05E-03	2.27E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1491	1491	11.21953	1.93441E-05	2.2E-04	1.05E-03	2.27E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	11.19858	1.93441E-05	2.2E-04	1.05E-03	2.26E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1493	1493	11.16415	1.93441E-05	2.2E-04	1.05E-03	2.26E-07	3.32E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1494	1494	11.12524	1.93441E-05	2.2E-04	1.05E-03	2.25E-07	3.32E-01	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1495	1495	11.0869	1.93441E-05	2.1E-04	1.05E-03	2.24E-07	3.32E-01	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1496	1496	11.03851	1.93441E-05	2.1E-04	1.05E-03	2.23E-07	3.32E-01	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1497	1497	10.98645	1.93441E-05	2.1E-04	1.05E-03	2.22E-07	3.32E-01	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1498	1498	10.92297	1.93441E-05	2.1E-04	1.05E-03	2.21E-07	3.32E-01	1.57E-01	1.15E-08	1.0E+06	1.2E-02
1499	1499	10.85005	1.93441E-05	2.1E-04	1.05E-03	2.19E-07	3.32E-01	1.57E-01	1.14E-08	1.0E+06	1.1E-02
1500	1500	10.76262	1.93441E-05	2.1E-04	1.05E-03	2.18E-07	3.32E-01	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1501	1501	10.6601	1.93441E-05	2.1E-04	1.05E-03	2.16E-07	3.32E-01	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1502	1502	10.55302	1.93441E-05	2.0E-04	1.05E-03	2.13E-07	3.32E-01	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1503	1503	10.4256	1.93441E-05	2.0E-04	1.05E-03	2.11E-07	3.32E-01	1.57E-01	1.10E-08	1.0E+06	1.1E-02
1504	1504	10.2772	1.93441E-05	2.0E-04	1.05E-03	2.08E-07	3.32E-01	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1505	1505	10.10288	1.93441E-05	2.0E-04	1.05E-03	2.04E-07	3.32E-01	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1506	1506	9.46453	1.93441E-05	1.8E-04	1.05E-03	1.91E-07	3.32E-01	1.57E-01	9.97E-09	1.0E+06	1.0E-02
1507	1507	9.47366	1.93441E-05	1.8E-04	1.05E-03	1.92E-07	3.32E-01	1.57E-01	9.98E-09	1.0E+06	1.0E-02
1508	1508	9.5007	1.93441E-05	1.8E-04	1.05E-03	1.92E-07	3.32E-01	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1509	1509	9.50774	1.93441E-05	1.8E-04	1.05E-03	1.92E-07	3.32E-01	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1510	1510	9.53847	1.93441E-05	1.8E-04	1.05E-03	1.93E-07	3.32E-01	1.57E-01	1.00E-08	1.0E+06	1.0E-02
1511	1511	9.56265	1.93441E-05	1.8E-04	1.05E-03	1.93E-07	3.32E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1512	1512	9.61822	1.93441E-05	1.9E-04	1.05E-03	1.94E-07	3.32E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1513	1513	9.65526	1.93441E-05	1.9E-04	1.05E-03	1.95E-07	3.32E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1514	1514	9.66538	1.93441E-05	1.9E-04	1.05E-03	1.95E-07	3.32E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1515	1515	9.65945	1.93441E-05	1.9E-04	1.05E-03	1.95E-07	3.32E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1516	1516	9.64556	1.93441E-05	1.9E-04	1.05E-03	1.95E-07	3.32E-01	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1517	1517	9.63411	1.93441E-05	1.9E-04	1.05E-03	1.95E-07	3.32E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1518	1518	9.62114	1.93441E-05	1.9E-04	1.05E-03	1.95E-07	3.32E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1519	1519	9.59857	1.93441E-05	1.9E-04	1.05E-03	1.94E-07	3.32E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1520	1520	9.58004	1.93441E-05	1.9E-04	1.05E-03	1.94E-07	3.32E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1521	1521	9.55002	1.93441E-05	1.8E-04	1.05E-03	1.93E-07	3.32E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1522	1522	9.51706	1.93441E-05	1.8E-04	1.05E-03	1.92E-07	3.32E-01	1.57E-01	1.00E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	9.47873	1.93441E-05	1.8E-04	1.05E-03	1.92E-07	3.32E-01	1.57E-01	9.98E-09	1.0E+06	1.0E-02
1524	1524	9.43527	1.93441E-05	1.8E-04	1.05E-03	1.91E-07	3.32E-01	1.57E-01	9.94E-09	1.0E+06	9.9E-03
1525	1525	9.38455	1.93441E-05	1.8E-04	1.05E-03	1.90E-07	3.32E-01	1.57E-01	9.88E-09	1.0E+06	9.9E-03
1526	1526	9.32582	1.93441E-05	1.8E-04	1.05E-03	1.89E-07	3.32E-01	1.57E-01	9.82E-09	1.0E+06	9.8E-03
1527	1527	9.25799	1.93441E-05	1.8E-04	1.05E-03	1.87E-07	3.32E-01	1.57E-01	9.75E-09	1.0E+06	9.8E-03
1528	1528	9.17855	1.93441E-05	1.8E-04	1.05E-03	1.86E-07	3.32E-01	1.57E-01	9.67E-09	1.0E+06	9.7E-03
1529	1529	9.08815	1.93441E-05	1.8E-04	1.05E-03	1.84E-07	3.32E-01	1.57E-01	9.57E-09	1.0E+06	9.6E-03
1530	1530	8.98827	1.93441E-05	1.7E-04	1.05E-03	1.82E-07	3.32E-01	1.57E-01	9.47E-09	1.0E+06	9.5E-03
1531	1531	8.87219	1.93441E-05	1.7E-04	1.05E-03	1.79E-07	3.32E-01	1.57E-01	9.34E-09	1.0E+06	9.3E-03
1532	1532	8.73744	1.93441E-05	1.7E-04	1.05E-03	1.77E-07	3.32E-01	1.57E-01	9.20E-09	1.0E+06	9.2E-03
1533	1533	8.5809	1.93441E-05	1.7E-04	1.05E-03	1.73E-07	3.32E-01	1.57E-01	9.04E-09	1.0E+06	9.0E-03
1534	1534	8.12056	1.93441E-05	1.6E-04	1.05E-03	1.64E-07	3.32E-01	1.57E-01	8.55E-09	1.0E+06	8.6E-03
1535	1535	8.16499	1.93441E-05	1.6E-04	1.05E-03	1.65E-07	3.32E-01	1.57E-01	8.60E-09	1.0E+06	8.6E-03
1536	1536	8.18214	1.93441E-05	1.6E-04	1.05E-03	1.65E-07	3.32E-01	1.57E-01	8.62E-09	1.0E+06	8.6E-03
1537	1537	8.22341	1.93441E-05	1.6E-04	1.05E-03	1.66E-07	3.32E-01	1.57E-01	8.66E-09	1.0E+06	8.7E-03
1538	1538	8.26459	1.93441E-05	1.6E-04	1.05E-03	1.67E-07	3.32E-01	1.57E-01	8.70E-09	1.0E+06	8.7E-03
1539	1539	8.29723	1.93441E-05	1.6E-04	1.05E-03	1.68E-07	3.32E-01	1.57E-01	8.74E-09	1.0E+06	8.7E-03
1540	1540	8.3428	1.93441E-05	1.6E-04	1.05E-03	1.69E-07	3.32E-01	1.57E-01	8.79E-09	1.0E+06	8.8E-03
1541	1541	8.37619	1.93441E-05	1.6E-04	1.05E-03	1.69E-07	3.32E-01	1.57E-01	8.82E-09	1.0E+06	8.8E-03
1542	1542	8.38825	1.93441E-05	1.6E-04	1.05E-03	1.70E-07	3.32E-01	1.57E-01	8.84E-09	1.0E+06	8.8E-03
1543	1543	8.38584	1.93441E-05	1.6E-04	1.05E-03	1.70E-07	3.32E-01	1.57E-01	8.83E-09	1.0E+06	8.8E-03
1544	1544	8.37555	1.93441E-05	1.6E-04	1.05E-03	1.69E-07	3.32E-01	1.57E-01	8.82E-09	1.0E+06	8.8E-03
1545	1545	8.368	1.93441E-05	1.6E-04	1.05E-03	1.69E-07	3.32E-01	1.57E-01	8.81E-09	1.0E+06	8.8E-03
1546	1546	8.35818	1.93441E-05	1.6E-04	1.05E-03	1.69E-07	3.32E-01	1.57E-01	8.80E-09	1.0E+06	8.8E-03
1547	1547	8.342	1.93441E-05	1.6E-04	1.05E-03	1.69E-07	3.32E-01	1.57E-01	8.79E-09	1.0E+06	8.8E-03
1548	1548	8.32139	1.93441E-05	1.6E-04	1.05E-03	1.68E-07	3.32E-01	1.57E-01	8.76E-09	1.0E+06	8.8E-03
1549	1549	8.29247	1.93441E-05	1.6E-04	1.05E-03	1.68E-07	3.32E-01	1.57E-01	8.73E-09	1.0E+06	8.7E-03
1550	1550	8.26487	1.93441E-05	1.6E-04	1.05E-03	1.67E-07	3.32E-01	1.57E-01	8.71E-09	1.0E+06	8.7E-03
1551	1551	8.22735	1.93441E-05	1.6E-04	1.05E-03	1.66E-07	3.32E-01	1.57E-01	8.67E-09	1.0E+06	8.7E-03
1552	1552	8.18723	1.93441E-05	1.6E-04	1.05E-03	1.66E-07	3.32E-01	1.57E-01	8.62E-09	1.0E+06	8.6E-03
1553	1553	8.13913	1.93441E-05	1.6E-04	1.05E-03	1.65E-07	3.32E-01	1.57E-01	8.57E-09	1.0E+06	8.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	8.08487	1.93441E-05	1.6E-04	1.05E-03	1.63E-07	3.32E-01	1.57E-01	8.52E-09	1.0E+06	8.5E-03
1555	1555	8.02172	1.93441E-05	1.6E-04	1.05E-03	1.62E-07	3.32E-01	1.57E-01	8.45E-09	1.0E+06	8.4E-03
1556	1556	7.94928	1.93441E-05	1.5E-04	1.05E-03	1.61E-07	3.32E-01	1.57E-01	8.37E-09	1.0E+06	8.4E-03
1557	1557	7.86768	1.93441E-05	1.5E-04	1.05E-03	1.59E-07	3.32E-01	1.57E-01	8.29E-09	1.0E+06	8.3E-03
1558	1558	7.77456	1.93441E-05	1.5E-04	1.05E-03	1.57E-07	3.32E-01	1.57E-01	8.19E-09	1.0E+06	8.2E-03
1559	1559	7.66879	1.93441E-05	1.5E-04	1.05E-03	1.55E-07	3.32E-01	1.57E-01	8.08E-09	1.0E+06	8.1E-03
1560	1560	7.54669	1.93441E-05	1.5E-04	1.05E-03	1.53E-07	3.32E-01	1.57E-01	7.95E-09	1.0E+06	7.9E-03
1561	1561	7.40591	1.93441E-05	1.4E-04	1.05E-03	1.50E-07	3.32E-01	1.57E-01	7.80E-09	1.0E+06	7.8E-03
1562	1562	7.08681	1.93441E-05	1.4E-04	1.05E-03	1.43E-07	3.32E-01	1.57E-01	7.46E-09	1.0E+06	7.5E-03
1563	1563	7.12931	1.93441E-05	1.4E-04	1.05E-03	1.44E-07	3.32E-01	1.57E-01	7.51E-09	1.0E+06	7.5E-03
1564	1564	7.14624	1.93441E-05	1.4E-04	1.05E-03	1.44E-07	3.32E-01	1.57E-01	7.53E-09	1.0E+06	7.5E-03
1565	1565	7.1883	1.93441E-05	1.4E-04	1.05E-03	1.45E-07	3.32E-01	1.57E-01	7.57E-09	1.0E+06	7.6E-03
1566	1566	7.21621	1.93441E-05	1.4E-04	1.05E-03	1.46E-07	3.32E-01	1.57E-01	7.60E-09	1.0E+06	7.6E-03
1567	1567	7.27276	1.93441E-05	1.4E-04	1.05E-03	1.47E-07	3.32E-01	1.57E-01	7.66E-09	1.0E+06	7.7E-03
1568	1568	7.3145	1.93441E-05	1.4E-04	1.05E-03	1.48E-07	3.32E-01	1.57E-01	7.70E-09	1.0E+06	7.7E-03
1569	1569	7.34703	1.93441E-05	1.4E-04	1.05E-03	1.49E-07	3.32E-01	1.57E-01	7.74E-09	1.0E+06	7.7E-03
1570	1570	7.36526	1.93441E-05	1.4E-04	1.05E-03	1.49E-07	3.32E-01	1.57E-01	7.76E-09	1.0E+06	7.8E-03
1571	1571	7.35821	1.93441E-05	1.4E-04	1.05E-03	1.49E-07	3.32E-01	1.57E-01	7.75E-09	1.0E+06	7.8E-03
1572	1572	7.35587	1.93441E-05	1.4E-04	1.05E-03	1.49E-07	3.32E-01	1.57E-01	7.75E-09	1.0E+06	7.7E-03
1573	1573	7.35824	1.93441E-05	1.4E-04	1.05E-03	1.49E-07	3.32E-01	1.57E-01	7.75E-09	1.0E+06	7.8E-03
1574	1574	7.35068	1.93441E-05	1.4E-04	1.05E-03	1.49E-07	3.32E-01	1.57E-01	7.74E-09	1.0E+06	7.7E-03
1575	1575	7.33793	1.93441E-05	1.4E-04	1.05E-03	1.48E-07	3.32E-01	1.57E-01	7.73E-09	1.0E+06	7.7E-03
1576	1576	7.31844	1.93441E-05	1.4E-04	1.05E-03	1.48E-07	3.32E-01	1.57E-01	7.71E-09	1.0E+06	7.7E-03
1577	1577	7.29141	1.93441E-05	1.4E-04	1.05E-03	1.47E-07	3.32E-01	1.57E-01	7.68E-09	1.0E+06	7.7E-03
1578	1578	7.26579	1.93441E-05	1.4E-04	1.05E-03	1.47E-07	3.32E-01	1.57E-01	7.65E-09	1.0E+06	7.7E-03
1579	1579	7.23036	1.93441E-05	1.4E-04	1.05E-03	1.46E-07	3.32E-01	1.57E-01	7.62E-09	1.0E+06	7.6E-03
1580	1580	7.19237	1.93441E-05	1.4E-04	1.05E-03	1.45E-07	3.32E-01	1.57E-01	7.58E-09	1.0E+06	7.6E-03
1581	1581	7.14733	1.93441E-05	1.4E-04	1.05E-03	1.45E-07	3.32E-01	1.57E-01	7.53E-09	1.0E+06	7.5E-03
1582	1582	7.09723	1.93441E-05	1.4E-04	1.05E-03	1.43E-07	3.32E-01	1.57E-01	7.48E-09	1.0E+06	7.5E-03
1583	1583	7.03835	1.93441E-05	1.4E-04	1.05E-03	1.42E-07	3.32E-01	1.57E-01	7.41E-09	1.0E+06	7.4E-03
1584	1584	6.97144	1.93441E-05	1.3E-04	1.05E-03	1.41E-07	3.32E-01	1.57E-01	7.34E-09	1.0E+06	7.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	6.8965	1.93441E-05	1.3E-04	1.05E-03	1.39E-07	3.32E-01	1.57E-01	7.26E-09	1.0E+06	7.3E-03
1586	1586	6.81117	1.93441E-05	1.3E-04	1.05E-03	1.38E-07	3.32E-01	1.57E-01	7.17E-09	1.0E+06	7.2E-03
1587	1587	6.71467	1.93441E-05	1.3E-04	1.05E-03	1.36E-07	3.32E-01	1.57E-01	7.07E-09	1.0E+06	7.1E-03
1588	1588	6.60406	1.93441E-05	1.3E-04	1.05E-03	1.34E-07	3.32E-01	1.57E-01	6.96E-09	1.0E+06	7.0E-03
1589	1589	6.47742	1.93441E-05	1.3E-04	1.05E-03	1.31E-07	3.32E-01	1.57E-01	6.82E-09	1.0E+06	6.8E-03
1590	1590	6.25986	1.93441E-05	1.2E-04	1.05E-03	1.27E-07	3.32E-01	1.57E-01	6.59E-09	1.0E+06	6.6E-03
1591	1591	6.27285	1.93441E-05	1.2E-04	1.05E-03	1.27E-07	3.32E-01	1.57E-01	6.61E-09	1.0E+06	6.6E-03
1592	1592	6.30018	1.93441E-05	1.2E-04	1.05E-03	1.27E-07	3.32E-01	1.57E-01	6.64E-09	1.0E+06	6.6E-03
1593	1593	6.31921	1.93441E-05	1.2E-04	1.05E-03	1.28E-07	3.32E-01	1.57E-01	6.66E-09	1.0E+06	6.7E-03
1594	1594	6.36983	1.93441E-05	1.2E-04	1.05E-03	1.29E-07	3.32E-01	1.57E-01	6.71E-09	1.0E+06	6.7E-03
1595	1595	6.41484	1.93441E-05	1.2E-04	1.05E-03	1.30E-07	3.32E-01	1.57E-01	6.76E-09	1.0E+06	6.8E-03
0	0	0	1.93441E-05	0.0E+00	1.05E-03	0.00E+00	3.32E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	1.2256	2.62129E-05	3.2E-05	1.05E-03	3.36E-08	3.32E-01	1.57E-01	1.75E-09	1.0E+06	1.7E-03
1214	1214	0.82645	2.62129E-05	2.2E-05	1.05E-03	2.26E-08	3.32E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
1215	1215	0.85998	2.62129E-05	2.3E-05	1.05E-03	2.36E-08	3.32E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
1216	1216	0.89559	2.62129E-05	2.3E-05	1.05E-03	2.45E-08	3.32E-01	1.57E-01	1.28E-09	1.0E+06	1.3E-03
1217	1217	0.93334	2.62129E-05	2.4E-05	1.05E-03	2.56E-08	3.32E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
1218	1218	0.97348	2.62129E-05	2.6E-05	1.05E-03	2.67E-08	3.32E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
1219	1219	1.01583	2.62129E-05	2.7E-05	1.05E-03	2.78E-08	3.32E-01	1.57E-01	1.45E-09	1.0E+06	1.4E-03
1220	1220	1.06038	2.62129E-05	2.8E-05	1.05E-03	2.91E-08	3.32E-01	1.57E-01	1.51E-09	1.0E+06	1.5E-03
1221	1221	1.10688	2.62129E-05	2.9E-05	1.05E-03	3.03E-08	3.32E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
1222	1222	1.15516	2.62129E-05	3.0E-05	1.05E-03	3.16E-08	3.32E-01	1.57E-01	1.65E-09	1.0E+06	1.6E-03
1223	1223	1.20372	2.62129E-05	3.2E-05	1.05E-03	3.30E-08	3.32E-01	1.57E-01	1.72E-09	1.0E+06	1.7E-03
1224	1224	1.25217	2.62129E-05	3.3E-05	1.05E-03	3.43E-08	3.32E-01	1.57E-01	1.79E-09	1.0E+06	1.8E-03
1225	1225	1.29779	2.62129E-05	3.4E-05	1.05E-03	3.56E-08	3.32E-01	1.57E-01	1.85E-09	1.0E+06	1.9E-03
1226	1226	1.34078	2.62129E-05	3.5E-05	1.05E-03	3.67E-08	3.32E-01	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1227	1227	1.37939	2.62129E-05	3.6E-05	1.05E-03	3.78E-08	3.32E-01	1.57E-01	1.97E-09	1.0E+06	2.0E-03
1228	1228	0.87143	2.62129E-05	2.3E-05	1.05E-03	2.39E-08	3.32E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
1229	1229	0.90927	2.62129E-05	2.4E-05	1.05E-03	2.49E-08	3.32E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
1230	1230	0.94977	2.62129E-05	2.5E-05	1.05E-03	2.60E-08	3.32E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
1231	1231	0.99304	2.62129E-05	2.6E-05	1.05E-03	2.72E-08	3.32E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
1232	1232	1.04	2.62129E-05	2.7E-05	1.05E-03	2.85E-08	3.32E-01	1.57E-01	1.48E-09	1.0E+06	1.5E-03
1233	1233	1.09009	2.62129E-05	2.9E-05	1.05E-03	2.99E-08	3.32E-01	1.57E-01	1.56E-09	1.0E+06	1.6E-03
1234	1234	1.14314	2.62129E-05	3.0E-05	1.05E-03	3.13E-08	3.32E-01	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1235	1235	1.1991	2.62129E-05	3.1E-05	1.05E-03	3.29E-08	3.32E-01	1.57E-01	1.71E-09	1.0E+06	1.7E-03
1236	1236	1.25792	2.62129E-05	3.3E-05	1.05E-03	3.45E-08	3.32E-01	1.57E-01	1.80E-09	1.0E+06	1.8E-03
1237	1237	1.31745	2.62129E-05	3.5E-05	1.05E-03	3.61E-08	3.32E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
1238	1238	1.3778	2.62129E-05	3.6E-05	1.05E-03	3.77E-08	3.32E-01	1.57E-01	1.97E-09	1.0E+06	2.0E-03
1239	1239	1.43695	2.62129E-05	3.8E-05	1.05E-03	3.94E-08	3.32E-01	1.57E-01	2.05E-09	1.0E+06	2.1E-03
1240	1240	1.49213	2.62129E-05	3.9E-05	1.05E-03	4.09E-08	3.32E-01	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1241	1241	1.54241	2.62129E-05	4.0E-05	1.05E-03	4.23E-08	3.32E-01	1.57E-01	2.20E-09	1.0E+06	2.2E-03
1242	1242	0.91818	2.62129E-05	2.4E-05	1.05E-03	2.52E-08	3.32E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
1243	1243	0.96199	2.62129E-05	2.5E-05	1.05E-03	2.64E-08	3.32E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	1.00817	2.62129E-05	2.6E-05	1.05E-03	2.76E-08	3.32E-01	1.57E-01	1.44E-09	1.0E+06	1.4E-03
1245	1245	1.0579	2.62129E-05	2.8E-05	1.05E-03	2.90E-08	3.32E-01	1.57E-01	1.51E-09	1.0E+06	1.5E-03
1246	1246	1.1129	2.62129E-05	2.9E-05	1.05E-03	3.05E-08	3.32E-01	1.57E-01	1.59E-09	1.0E+06	1.6E-03
1247	1247	1.17237	2.62129E-05	3.1E-05	1.05E-03	3.21E-08	3.32E-01	1.57E-01	1.67E-09	1.0E+06	1.7E-03
1248	1248	1.23604	2.62129E-05	3.2E-05	1.05E-03	3.39E-08	3.32E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
1249	1249	1.30398	2.62129E-05	3.4E-05	1.05E-03	3.57E-08	3.32E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
1250	1250	1.37648	2.62129E-05	3.6E-05	1.05E-03	3.77E-08	3.32E-01	1.57E-01	1.96E-09	1.0E+06	2.0E-03
1251	1251	1.45029	2.62129E-05	3.8E-05	1.05E-03	3.97E-08	3.32E-01	1.57E-01	2.07E-09	1.0E+06	2.1E-03
1252	1252	1.52609	2.62129E-05	4.0E-05	1.05E-03	4.18E-08	3.32E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
1253	1253	1.6024	2.62129E-05	4.2E-05	1.05E-03	4.39E-08	3.32E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
1254	1254	1.6761	2.62129E-05	4.4E-05	1.05E-03	4.59E-08	3.32E-01	1.57E-01	2.39E-09	1.0E+06	2.4E-03
1255	1255	1.74378	2.62129E-05	4.6E-05	1.05E-03	4.78E-08	3.32E-01	1.57E-01	2.49E-09	1.0E+06	2.5E-03
1256	1256	0.96874	2.62129E-05	2.5E-05	1.05E-03	2.65E-08	3.32E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
1257	1257	1.01818	2.62129E-05	2.7E-05	1.05E-03	2.79E-08	3.32E-01	1.57E-01	1.45E-09	1.0E+06	1.5E-03
1258	1258	1.07063	2.62129E-05	2.8E-05	1.05E-03	2.93E-08	3.32E-01	1.57E-01	1.53E-09	1.0E+06	1.5E-03
1259	1259	1.12783	2.62129E-05	3.0E-05	1.05E-03	3.09E-08	3.32E-01	1.57E-01	1.61E-09	1.0E+06	1.6E-03
1260	1260	1.1923	2.62129E-05	3.1E-05	1.05E-03	3.27E-08	3.32E-01	1.57E-01	1.70E-09	1.0E+06	1.7E-03
1261	1261	1.26274	2.62129E-05	3.3E-05	1.05E-03	3.46E-08	3.32E-01	1.57E-01	1.80E-09	1.0E+06	1.8E-03
1262	1262	1.33942	2.62129E-05	3.5E-05	1.05E-03	3.67E-08	3.32E-01	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1263	1263	1.42269	2.62129E-05	3.7E-05	1.05E-03	3.90E-08	3.32E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
1264	1264	1.51329	2.62129E-05	4.0E-05	1.05E-03	4.15E-08	3.32E-01	1.57E-01	2.16E-09	1.0E+06	2.2E-03
1265	1265	1.60687	2.62129E-05	4.2E-05	1.05E-03	4.40E-08	3.32E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
1266	1266	1.70496	2.62129E-05	4.5E-05	1.05E-03	4.67E-08	3.32E-01	1.57E-01	2.43E-09	1.0E+06	2.4E-03
1267	1267	1.80565	2.62129E-05	4.7E-05	1.05E-03	4.95E-08	3.32E-01	1.57E-01	2.58E-09	1.0E+06	2.6E-03
1268	1268	1.90497	2.62129E-05	5.0E-05	1.05E-03	5.22E-08	3.32E-01	1.57E-01	2.72E-09	1.0E+06	2.7E-03
1269	1269	1.99794	2.62129E-05	5.2E-05	1.05E-03	5.47E-08	3.32E-01	1.57E-01	2.85E-09	1.0E+06	2.9E-03
1270	1270	1.02222	2.62129E-05	2.7E-05	1.05E-03	2.80E-08	3.32E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1271	1271	1.07669	2.62129E-05	2.8E-05	1.05E-03	2.95E-08	3.32E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1272	1272	1.13708	2.62129E-05	3.0E-05	1.05E-03	3.12E-08	3.32E-01	1.57E-01	1.62E-09	1.0E+06	1.6E-03
1273	1273	1.20243	2.62129E-05	3.2E-05	1.05E-03	3.29E-08	3.32E-01	1.57E-01	1.72E-09	1.0E+06	1.7E-03
1274	1274	1.27727	2.62129E-05	3.3E-05	1.05E-03	3.50E-08	3.32E-01	1.57E-01	1.82E-09	1.0E+06	1.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	1.36041	2.62129E-05	3.6E-05	1.05E-03	3.73E-08	3.32E-01	1.57E-01	1.94E-09	1.0E+06	1.9E-03
1276	1276	1.45287	2.62129E-05	3.8E-05	1.05E-03	3.98E-08	3.32E-01	1.57E-01	2.07E-09	1.0E+06	2.1E-03
1277	1277	1.55596	2.62129E-05	4.1E-05	1.05E-03	4.26E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
1278	1278	1.67107	2.62129E-05	4.4E-05	1.05E-03	4.58E-08	3.32E-01	1.57E-01	2.39E-09	1.0E+06	2.4E-03
1279	1279	1.79284	2.62129E-05	4.7E-05	1.05E-03	4.91E-08	3.32E-01	1.57E-01	2.56E-09	1.0E+06	2.6E-03
1280	1280	1.92409	2.62129E-05	5.0E-05	1.05E-03	5.27E-08	3.32E-01	1.57E-01	2.75E-09	1.0E+06	2.7E-03
1281	1281	2.06342	2.62129E-05	5.4E-05	1.05E-03	5.65E-08	3.32E-01	1.57E-01	2.95E-09	1.0E+06	2.9E-03
1282	1282	2.2064	2.62129E-05	5.8E-05	1.05E-03	6.05E-08	3.32E-01	1.57E-01	3.15E-09	1.0E+06	3.1E-03
1283	1283	2.34148	2.62129E-05	6.1E-05	1.05E-03	6.42E-08	3.32E-01	1.57E-01	3.34E-09	1.0E+06	3.3E-03
1284	1284	1.07814	2.62129E-05	2.8E-05	1.05E-03	2.95E-08	3.32E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1285	1285	1.13931	2.62129E-05	3.0E-05	1.05E-03	3.12E-08	3.32E-01	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1286	1286	1.20635	2.62129E-05	3.2E-05	1.05E-03	3.31E-08	3.32E-01	1.57E-01	1.72E-09	1.0E+06	1.7E-03
1287	1287	1.28068	2.62129E-05	3.4E-05	1.05E-03	3.51E-08	3.32E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
1288	1288	1.36864	2.62129E-05	3.6E-05	1.05E-03	3.75E-08	3.32E-01	1.57E-01	1.95E-09	1.0E+06	2.0E-03
1289	1289	1.46652	2.62129E-05	3.8E-05	1.05E-03	4.02E-08	3.32E-01	1.57E-01	2.09E-09	1.0E+06	2.1E-03
1290	1290	1.57803	2.62129E-05	4.1E-05	1.05E-03	4.32E-08	3.32E-01	1.57E-01	2.25E-09	1.0E+06	2.3E-03
1291	1291	1.70572	2.62129E-05	4.5E-05	1.05E-03	4.67E-08	3.32E-01	1.57E-01	2.43E-09	1.0E+06	2.4E-03
1292	1292	1.85221	2.62129E-05	4.9E-05	1.05E-03	5.07E-08	3.32E-01	1.57E-01	2.64E-09	1.0E+06	2.6E-03
1293	1293	2.01207	2.62129E-05	5.3E-05	1.05E-03	5.51E-08	3.32E-01	1.57E-01	2.87E-09	1.0E+06	2.9E-03
1294	1294	2.19095	2.62129E-05	5.7E-05	1.05E-03	6.00E-08	3.32E-01	1.57E-01	3.13E-09	1.0E+06	3.1E-03
1295	1295	2.38941	2.62129E-05	6.3E-05	1.05E-03	6.55E-08	3.32E-01	1.57E-01	3.41E-09	1.0E+06	3.4E-03
1296	1296	2.60053	2.62129E-05	6.8E-05	1.05E-03	7.12E-08	3.32E-01	1.57E-01	3.71E-09	1.0E+06	3.7E-03
1297	1297	2.80236	2.62129E-05	7.3E-05	1.05E-03	7.68E-08	3.32E-01	1.57E-01	4.00E-09	1.0E+06	4.0E-03
1298	1298	1.13624	2.62129E-05	3.0E-05	1.05E-03	3.11E-08	3.32E-01	1.57E-01	1.62E-09	1.0E+06	1.6E-03
1299	1299	1.20476	2.62129E-05	3.2E-05	1.05E-03	3.30E-08	3.32E-01	1.57E-01	1.72E-09	1.0E+06	1.7E-03
1300	1300	1.28025	2.62129E-05	3.4E-05	1.05E-03	3.51E-08	3.32E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
1301	1301	1.36504	2.62129E-05	3.6E-05	1.05E-03	3.74E-08	3.32E-01	1.57E-01	1.95E-09	1.0E+06	1.9E-03
1302	1302	1.46665	2.62129E-05	3.8E-05	1.05E-03	4.02E-08	3.32E-01	1.57E-01	2.09E-09	1.0E+06	2.1E-03
1303	1303	1.58171	2.62129E-05	4.1E-05	1.05E-03	4.33E-08	3.32E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
1304	1304	1.71552	2.62129E-05	4.5E-05	1.05E-03	4.70E-08	3.32E-01	1.57E-01	2.45E-09	1.0E+06	2.4E-03
1305	1305	1.87297	2.62129E-05	4.9E-05	1.05E-03	5.13E-08	3.32E-01	1.57E-01	2.67E-09	1.0E+06	2.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	1.19643	2.62129E-05	3.1E-05	1.05E-03	3.28E-08	3.32E-01	1.57E-01	1.71E-09	1.0E+06	1.7E-03
1307	1307	1.27491	2.62129E-05	3.3E-05	1.05E-03	3.49E-08	3.32E-01	1.57E-01	1.82E-09	1.0E+06	1.8E-03
1308	1308	1.36122	2.62129E-05	3.6E-05	1.05E-03	3.73E-08	3.32E-01	1.57E-01	1.94E-09	1.0E+06	1.9E-03
1309	1309	1.45935	2.62129E-05	3.8E-05	1.05E-03	4.00E-08	3.32E-01	1.57E-01	2.08E-09	1.0E+06	2.1E-03
1310	1310	1.5756	2.62129E-05	4.1E-05	1.05E-03	4.32E-08	3.32E-01	1.57E-01	2.25E-09	1.0E+06	2.2E-03
1311	1311	1.71069	2.62129E-05	4.5E-05	1.05E-03	4.69E-08	3.32E-01	1.57E-01	2.44E-09	1.0E+06	2.4E-03
1312	1312	1.86965	2.62129E-05	4.9E-05	1.05E-03	5.12E-08	3.32E-01	1.57E-01	2.67E-09	1.0E+06	2.7E-03
1313	1313	2.05978	2.62129E-05	5.4E-05	1.05E-03	5.64E-08	3.32E-01	1.57E-01	2.94E-09	1.0E+06	2.9E-03
1314	1314	1.25779	2.62129E-05	3.3E-05	1.05E-03	3.45E-08	3.32E-01	1.57E-01	1.80E-09	1.0E+06	1.8E-03
1315	1315	1.34552	2.62129E-05	3.5E-05	1.05E-03	3.69E-08	3.32E-01	1.57E-01	1.92E-09	1.0E+06	1.9E-03
1316	1316	1.44356	2.62129E-05	3.8E-05	1.05E-03	3.96E-08	3.32E-01	1.57E-01	2.06E-09	1.0E+06	2.1E-03
1317	1317	1.55608	2.62129E-05	4.1E-05	1.05E-03	4.26E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
1318	1318	1.6893	2.62129E-05	4.4E-05	1.05E-03	4.63E-08	3.32E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
1319	1319	1.84593	2.62129E-05	4.8E-05	1.05E-03	5.06E-08	3.32E-01	1.57E-01	2.63E-09	1.0E+06	2.6E-03
1320	1320	2.03297	2.62129E-05	5.3E-05	1.05E-03	5.57E-08	3.32E-01	1.57E-01	2.90E-09	1.0E+06	2.9E-03
1321	1321	2.25993	2.62129E-05	5.9E-05	1.05E-03	6.19E-08	3.32E-01	1.57E-01	3.23E-09	1.0E+06	3.2E-03
1322	1322	1.32092	2.62129E-05	3.5E-05	1.05E-03	3.62E-08	3.32E-01	1.57E-01	1.89E-09	1.0E+06	1.9E-03
1323	1323	1.41701	2.62129E-05	3.7E-05	1.05E-03	3.88E-08	3.32E-01	1.57E-01	2.02E-09	1.0E+06	2.0E-03
1324	1324	1.5269	2.62129E-05	4.0E-05	1.05E-03	4.18E-08	3.32E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
1325	1325	1.65442	2.62129E-05	4.3E-05	1.05E-03	4.53E-08	3.32E-01	1.57E-01	2.36E-09	1.0E+06	2.4E-03
1326	1326	1.80512	2.62129E-05	4.7E-05	1.05E-03	4.95E-08	3.32E-01	1.57E-01	2.58E-09	1.0E+06	2.6E-03
1327	1327	1.9849	2.62129E-05	5.2E-05	1.05E-03	5.44E-08	3.32E-01	1.57E-01	2.83E-09	1.0E+06	2.8E-03
1328	1328	2.20166	2.62129E-05	5.8E-05	1.05E-03	6.03E-08	3.32E-01	1.57E-01	3.14E-09	1.0E+06	3.1E-03
1329	1329	2.46782	2.62129E-05	6.5E-05	1.05E-03	6.76E-08	3.32E-01	1.57E-01	3.52E-09	1.0E+06	3.5E-03
1330	1330	1.38055	2.62129E-05	3.6E-05	1.05E-03	3.78E-08	3.32E-01	1.57E-01	1.97E-09	1.0E+06	2.0E-03
1331	1331	1.48663	2.62129E-05	3.9E-05	1.05E-03	4.07E-08	3.32E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
1332	1332	1.60701	2.62129E-05	4.2E-05	1.05E-03	4.40E-08	3.32E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
1333	1333	1.74733	2.62129E-05	4.6E-05	1.05E-03	4.79E-08	3.32E-01	1.57E-01	2.49E-09	1.0E+06	2.5E-03
1334	1334	1.91552	2.62129E-05	5.0E-05	1.05E-03	5.25E-08	3.32E-01	1.57E-01	2.73E-09	1.0E+06	2.7E-03
1335	1335	2.11794	2.62129E-05	5.6E-05	1.05E-03	5.80E-08	3.32E-01	1.57E-01	3.02E-09	1.0E+06	3.0E-03
1336	1336	2.36524	2.62129E-05	6.2E-05	1.05E-03	6.48E-08	3.32E-01	1.57E-01	3.38E-09	1.0E+06	3.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	2.67425	2.62129E-05	7.0E-05	1.05E-03	7.33E-08	3.32E-01	1.57E-01	3.82E-09	1.0E+06	3.8E-03
1338	1338	0.54835	2.62129E-05	1.4E-05	1.05E-03	1.50E-08	3.32E-01	1.57E-01	7.83E-10	1.0E+06	7.8E-04
1339	1339	0.56603	2.62129E-05	1.5E-05	1.05E-03	1.55E-08	3.32E-01	1.57E-01	8.08E-10	1.0E+06	8.1E-04
1340	1340	0.58482	2.62129E-05	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.35E-10	1.0E+06	8.3E-04
1341	1341	0.60532	2.62129E-05	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.64E-10	1.0E+06	8.6E-04
1342	1342	0.62753	2.62129E-05	1.6E-05	1.05E-03	1.72E-08	3.32E-01	1.57E-01	8.96E-10	1.0E+06	9.0E-04
1343	1343	0.65123	2.62129E-05	1.7E-05	1.05E-03	1.78E-08	3.32E-01	1.57E-01	9.29E-10	1.0E+06	9.3E-04
1344	1344	0.67704	2.62129E-05	1.8E-05	1.05E-03	1.85E-08	3.32E-01	1.57E-01	9.66E-10	1.0E+06	9.7E-04
1345	1345	0.70491	2.62129E-05	1.8E-05	1.05E-03	1.93E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1346	1346	0.73411	2.62129E-05	1.9E-05	1.05E-03	2.01E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
1347	1347	0.76466	2.62129E-05	2.0E-05	1.05E-03	2.10E-08	3.32E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
1348	1348	0.79773	2.62129E-05	2.1E-05	1.05E-03	2.19E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
1349	1349	0.83503	2.62129E-05	2.2E-05	1.05E-03	2.29E-08	3.32E-01	1.57E-01	1.19E-09	1.0E+06	1.2E-03
1350	1350	0.87613	2.62129E-05	2.3E-05	1.05E-03	2.40E-08	3.32E-01	1.57E-01	1.25E-09	1.0E+06	1.3E-03
1351	1351	0.92129	2.62129E-05	2.4E-05	1.05E-03	2.52E-08	3.32E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
1352	1352	0.97073	2.62129E-05	2.5E-05	1.05E-03	2.66E-08	3.32E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
1353	1353	1.01197	2.62129E-05	2.7E-05	1.05E-03	2.77E-08	3.32E-01	1.57E-01	1.44E-09	1.0E+06	1.4E-03
1354	1354	1.08739	2.62129E-05	2.9E-05	1.05E-03	2.98E-08	3.32E-01	1.57E-01	1.55E-09	1.0E+06	1.6E-03
1355	1355	1.16311	2.62129E-05	3.0E-05	1.05E-03	3.19E-08	3.32E-01	1.57E-01	1.66E-09	1.0E+06	1.7E-03
1356	1356	1.24817	2.62129E-05	3.3E-05	1.05E-03	3.42E-08	3.32E-01	1.57E-01	1.78E-09	1.0E+06	1.8E-03
1357	1357	1.33784	2.62129E-05	3.5E-05	1.05E-03	3.67E-08	3.32E-01	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1358	1358	1.44058	2.62129E-05	3.8E-05	1.05E-03	3.95E-08	3.32E-01	1.57E-01	2.06E-09	1.0E+06	2.1E-03
1359	1359	1.55528	2.62129E-05	4.1E-05	1.05E-03	4.26E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
1360	1360	1.68569	2.62129E-05	4.4E-05	1.05E-03	4.62E-08	3.32E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
1361	1361	1.83864	2.62129E-05	4.8E-05	1.05E-03	5.04E-08	3.32E-01	1.57E-01	2.62E-09	1.0E+06	2.6E-03
1362	1362	2.02341	2.62129E-05	5.3E-05	1.05E-03	5.54E-08	3.32E-01	1.57E-01	2.89E-09	1.0E+06	2.9E-03
1363	1363	2.2476	2.62129E-05	5.9E-05	1.05E-03	6.16E-08	3.32E-01	1.57E-01	3.21E-09	1.0E+06	3.2E-03
1364	1364	2.52438	2.62129E-05	6.6E-05	1.05E-03	6.92E-08	3.32E-01	1.57E-01	3.60E-09	1.0E+06	3.6E-03
1365	1365	2.87388	2.62129E-05	7.5E-05	1.05E-03	7.87E-08	3.32E-01	1.57E-01	4.10E-09	1.0E+06	4.1E-03
1366	1366	0.55873	2.62129E-05	1.5E-05	1.05E-03	1.53E-08	3.32E-01	1.57E-01	7.97E-10	1.0E+06	8.0E-04
1367	1367	0.57685	2.62129E-05	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.23E-10	1.0E+06	8.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	0.59602	2.62129E-05	1.6E-05	1.05E-03	1.63E-08	3.32E-01	1.57E-01	8.51E-10	1.0E+06	8.5E-04
1369	1369	0.61729	2.62129E-05	1.6E-05	1.05E-03	1.69E-08	3.32E-01	1.57E-01	8.81E-10	1.0E+06	8.8E-04
1370	1370	0.6406	2.62129E-05	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.14E-10	1.0E+06	9.1E-04
1371	1371	0.6654	2.62129E-05	1.7E-05	1.05E-03	1.82E-08	3.32E-01	1.57E-01	9.50E-10	1.0E+06	9.5E-04
1372	1372	0.6926	2.62129E-05	1.8E-05	1.05E-03	1.90E-08	3.32E-01	1.57E-01	9.89E-10	1.0E+06	9.9E-04
1373	1373	0.72197	2.62129E-05	1.9E-05	1.05E-03	1.98E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1374	1374	0.75258	2.62129E-05	2.0E-05	1.05E-03	2.06E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1375	1375	0.78403	2.62129E-05	2.1E-05	1.05E-03	2.15E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
1376	1376	0.81805	2.62129E-05	2.1E-05	1.05E-03	2.24E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1377	1377	0.8574	2.62129E-05	2.2E-05	1.05E-03	2.35E-08	3.32E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
1378	1378	0.90091	2.62129E-05	2.4E-05	1.05E-03	2.47E-08	3.32E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
1379	1379	0.94874	2.62129E-05	2.5E-05	1.05E-03	2.60E-08	3.32E-01	1.57E-01	1.35E-09	1.0E+06	1.4E-03
1380	1380	1.00101	2.62129E-05	2.6E-05	1.05E-03	2.74E-08	3.32E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1381	1381	1.04436	2.62129E-05	2.7E-05	1.05E-03	2.86E-08	3.32E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
1382	1382	1.11643	2.62129E-05	2.9E-05	1.05E-03	3.06E-08	3.32E-01	1.57E-01	1.59E-09	1.0E+06	1.6E-03
1383	1383	1.2004	2.62129E-05	3.1E-05	1.05E-03	3.29E-08	3.32E-01	1.57E-01	1.71E-09	1.0E+06	1.7E-03
1384	1384	1.28908	2.62129E-05	3.4E-05	1.05E-03	3.53E-08	3.32E-01	1.57E-01	1.84E-09	1.0E+06	1.8E-03
1385	1385	1.38922	2.62129E-05	3.6E-05	1.05E-03	3.81E-08	3.32E-01	1.57E-01	1.98E-09	1.0E+06	2.0E-03
1386	1386	1.49927	2.62129E-05	3.9E-05	1.05E-03	4.11E-08	3.32E-01	1.57E-01	2.14E-09	1.0E+06	2.1E-03
1387	1387	1.62223	2.62129E-05	4.3E-05	1.05E-03	4.44E-08	3.32E-01	1.57E-01	2.32E-09	1.0E+06	2.3E-03
1388	1388	1.76212	2.62129E-05	4.6E-05	1.05E-03	4.83E-08	3.32E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
1389	1389	1.92691	2.62129E-05	5.1E-05	1.05E-03	5.28E-08	3.32E-01	1.57E-01	2.75E-09	1.0E+06	2.8E-03
1390	1390	2.12741	2.62129E-05	5.6E-05	1.05E-03	5.83E-08	3.32E-01	1.57E-01	3.04E-09	1.0E+06	3.0E-03
1391	1391	2.37183	2.62129E-05	6.2E-05	1.05E-03	6.50E-08	3.32E-01	1.57E-01	3.39E-09	1.0E+06	3.4E-03
1392	1392	2.67543	2.62129E-05	7.0E-05	1.05E-03	7.33E-08	3.32E-01	1.57E-01	3.82E-09	1.0E+06	3.8E-03
1393	1393	3.06191	2.62129E-05	8.0E-05	1.05E-03	8.39E-08	3.32E-01	1.57E-01	4.37E-09	1.0E+06	4.4E-03
1394	1394	0.56784	2.62129E-05	1.5E-05	1.05E-03	1.56E-08	3.32E-01	1.57E-01	8.10E-10	1.0E+06	8.1E-04
1395	1395	0.58652	2.62129E-05	1.5E-05	1.05E-03	1.61E-08	3.32E-01	1.57E-01	8.37E-10	1.0E+06	8.4E-04
1396	1396	0.60636	2.62129E-05	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.65E-10	1.0E+06	8.7E-04
1397	1397	0.6283	2.62129E-05	1.6E-05	1.05E-03	1.72E-08	3.32E-01	1.57E-01	8.97E-10	1.0E+06	9.0E-04
1398	1398	0.65241	2.62129E-05	1.7E-05	1.05E-03	1.79E-08	3.32E-01	1.57E-01	9.31E-10	1.0E+06	9.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	0.67808	2.62129E-05	1.8E-05	1.05E-03	1.86E-08	3.32E-01	1.57E-01	9.68E-10	1.0E+06	9.7E-04
1400	1400	0.70707	2.62129E-05	1.9E-05	1.05E-03	1.94E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1401	1401	0.73813	2.62129E-05	1.9E-05	1.05E-03	2.02E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
1402	1402	0.7706	2.62129E-05	2.0E-05	1.05E-03	2.11E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1403	1403	0.80353	2.62129E-05	2.1E-05	1.05E-03	2.20E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.1E-03
1404	1404	0.83921	2.62129E-05	2.2E-05	1.05E-03	2.30E-08	3.32E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
1405	1405	0.88019	2.62129E-05	2.3E-05	1.05E-03	2.41E-08	3.32E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03
1406	1406	0.92552	2.62129E-05	2.4E-05	1.05E-03	2.54E-08	3.32E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03
1407	1407	0.97546	2.62129E-05	2.6E-05	1.05E-03	2.67E-08	3.32E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
1408	1408	1.03085	2.62129E-05	2.7E-05	1.05E-03	2.82E-08	3.32E-01	1.57E-01	1.47E-09	1.0E+06	1.5E-03
1409	1409	1.07802	2.62129E-05	2.8E-05	1.05E-03	2.95E-08	3.32E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1410	1410	1.15601	2.62129E-05	3.0E-05	1.05E-03	3.17E-08	3.32E-01	1.57E-01	1.65E-09	1.0E+06	1.6E-03
1411	1411	1.24071	2.62129E-05	3.3E-05	1.05E-03	3.40E-08	3.32E-01	1.57E-01	1.77E-09	1.0E+06	1.8E-03
1412	1412	1.33418	2.62129E-05	3.5E-05	1.05E-03	3.66E-08	3.32E-01	1.57E-01	1.90E-09	1.0E+06	1.9E-03
1413	1413	1.43983	2.62129E-05	3.8E-05	1.05E-03	3.94E-08	3.32E-01	1.57E-01	2.06E-09	1.0E+06	2.1E-03
1414	1414	1.55629	2.62129E-05	4.1E-05	1.05E-03	4.26E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
1415	1415	1.6866	2.62129E-05	4.4E-05	1.05E-03	4.62E-08	3.32E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
1416	1416	1.83484	2.62129E-05	4.8E-05	1.05E-03	5.03E-08	3.32E-01	1.57E-01	2.62E-09	1.0E+06	2.6E-03
1417	1417	2.00934	2.62129E-05	5.3E-05	1.05E-03	5.51E-08	3.32E-01	1.57E-01	2.87E-09	1.0E+06	2.9E-03
1418	1418	2.22457	2.62129E-05	5.8E-05	1.05E-03	6.09E-08	3.32E-01	1.57E-01	3.18E-09	1.0E+06	3.2E-03
1419	1419	2.48775	2.62129E-05	6.5E-05	1.05E-03	6.82E-08	3.32E-01	1.57E-01	3.55E-09	1.0E+06	3.6E-03
1420	1420	2.81559	2.62129E-05	7.4E-05	1.05E-03	7.71E-08	3.32E-01	1.57E-01	4.02E-09	1.0E+06	4.0E-03
1421	1421	3.23416	2.62129E-05	8.5E-05	1.05E-03	8.86E-08	3.32E-01	1.57E-01	4.62E-09	1.0E+06	4.6E-03
1422	1422	0.5759	2.62129E-05	1.5E-05	1.05E-03	1.58E-08	3.32E-01	1.57E-01	8.22E-10	1.0E+06	8.2E-04
1423	1423	0.59531	2.62129E-05	1.6E-05	1.05E-03	1.63E-08	3.32E-01	1.57E-01	8.50E-10	1.0E+06	8.5E-04
1424	1424	0.61594	2.62129E-05	1.6E-05	1.05E-03	1.69E-08	3.32E-01	1.57E-01	8.79E-10	1.0E+06	8.8E-04
1425	1425	0.63854	2.62129E-05	1.7E-05	1.05E-03	1.75E-08	3.32E-01	1.57E-01	9.11E-10	1.0E+06	9.1E-04
1426	1426	0.66322	2.62129E-05	1.7E-05	1.05E-03	1.82E-08	3.32E-01	1.57E-01	9.47E-10	1.0E+06	9.5E-04
1427	1427	0.68962	2.62129E-05	1.8E-05	1.05E-03	1.89E-08	3.32E-01	1.57E-01	9.84E-10	1.0E+06	9.8E-04
1428	1428	0.72058	2.62129E-05	1.9E-05	1.05E-03	1.97E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1429	1429	0.75368	2.62129E-05	2.0E-05	1.05E-03	2.06E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	0.78801	2.62129E-05	2.1E-05	1.05E-03	2.16E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
1431	1431	0.82265	2.62129E-05	2.2E-05	1.05E-03	2.25E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1432	1432	0.86015	2.62129E-05	2.3E-05	1.05E-03	2.36E-08	3.32E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
1433	1433	0.90259	2.62129E-05	2.4E-05	1.05E-03	2.47E-08	3.32E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
1434	1434	0.94944	2.62129E-05	2.5E-05	1.05E-03	2.60E-08	3.32E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
1435	1435	1.00137	2.62129E-05	2.6E-05	1.05E-03	2.74E-08	3.32E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1436	1436	1.05982	2.62129E-05	2.8E-05	1.05E-03	2.90E-08	3.32E-01	1.57E-01	1.51E-09	1.0E+06	1.5E-03
1437	1437	1.1111	2.62129E-05	2.9E-05	1.05E-03	3.04E-08	3.32E-01	1.57E-01	1.59E-09	1.0E+06	1.6E-03
1438	1438	1.19133	2.62129E-05	3.1E-05	1.05E-03	3.26E-08	3.32E-01	1.57E-01	1.70E-09	1.0E+06	1.7E-03
1439	1439	1.28002	2.62129E-05	3.4E-05	1.05E-03	3.51E-08	3.32E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
1440	1440	1.38051	2.62129E-05	3.6E-05	1.05E-03	3.78E-08	3.32E-01	1.57E-01	1.97E-09	1.0E+06	2.0E-03
1441	1441	1.48873	2.62129E-05	3.9E-05	1.05E-03	4.08E-08	3.32E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
1442	1442	1.61116	2.62129E-05	4.2E-05	1.05E-03	4.41E-08	3.32E-01	1.57E-01	2.30E-09	1.0E+06	2.3E-03
1443	1443	1.7467	2.62129E-05	4.6E-05	1.05E-03	4.79E-08	3.32E-01	1.57E-01	2.49E-09	1.0E+06	2.5E-03
1444	1444	1.90241	2.62129E-05	5.0E-05	1.05E-03	5.21E-08	3.32E-01	1.57E-01	2.72E-09	1.0E+06	2.7E-03
1445	1445	2.08576	2.62129E-05	5.5E-05	1.05E-03	5.71E-08	3.32E-01	1.57E-01	2.98E-09	1.0E+06	3.0E-03
1446	1446	2.31504	2.62129E-05	6.1E-05	1.05E-03	6.34E-08	3.32E-01	1.57E-01	3.30E-09	1.0E+06	3.3E-03
1447	1447	2.59475	2.62129E-05	6.8E-05	1.05E-03	7.11E-08	3.32E-01	1.57E-01	3.70E-09	1.0E+06	3.7E-03
1448	1448	2.94358	2.62129E-05	7.7E-05	1.05E-03	8.06E-08	3.32E-01	1.57E-01	4.20E-09	1.0E+06	4.2E-03
1449	1449	3.38979	2.62129E-05	8.9E-05	1.05E-03	9.29E-08	3.32E-01	1.57E-01	4.84E-09	1.0E+06	4.8E-03
1450	1450	0.58327	2.62129E-05	1.5E-05	1.05E-03	1.60E-08	3.32E-01	1.57E-01	8.32E-10	1.0E+06	8.3E-04
1451	1451	0.60345	2.62129E-05	1.6E-05	1.05E-03	1.65E-08	3.32E-01	1.57E-01	8.61E-10	1.0E+06	8.6E-04
1452	1452	0.62483	2.62129E-05	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.92E-10	1.0E+06	8.9E-04
1453	1453	0.64802	2.62129E-05	1.7E-05	1.05E-03	1.78E-08	3.32E-01	1.57E-01	9.25E-10	1.0E+06	9.2E-04
1454	1454	0.67322	2.62129E-05	1.8E-05	1.05E-03	1.84E-08	3.32E-01	1.57E-01	9.61E-10	1.0E+06	9.6E-04
1455	1455	0.70015	2.62129E-05	1.8E-05	1.05E-03	1.92E-08	3.32E-01	1.57E-01	9.99E-10	1.0E+06	1.0E-03
1456	1456	0.73329	2.62129E-05	1.9E-05	1.05E-03	2.01E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
1457	1457	0.76863	2.62129E-05	2.0E-05	1.05E-03	2.11E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1458	1458	0.80489	2.62129E-05	2.1E-05	1.05E-03	2.21E-08	3.32E-01	1.57E-01	1.15E-09	1.0E+06	1.1E-03
1459	1459	0.84114	2.62129E-05	2.2E-05	1.05E-03	2.30E-08	3.32E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
1460	1460	0.88053	2.62129E-05	2.3E-05	1.05E-03	2.41E-08	3.32E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	0.92433	2.62129E-05	2.4E-05	1.05E-03	2.53E-08	3.32E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03
1462	1462	0.97265	2.62129E-05	2.5E-05	1.05E-03	2.66E-08	3.32E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
1463	1463	1.0263	2.62129E-05	2.7E-05	1.05E-03	2.81E-08	3.32E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1464	1464	1.08786	2.62129E-05	2.9E-05	1.05E-03	2.98E-08	3.32E-01	1.57E-01	1.55E-09	1.0E+06	1.6E-03
1465	1465	1.14361	2.62129E-05	3.0E-05	1.05E-03	3.13E-08	3.32E-01	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1466	1466	1.22575	2.62129E-05	3.2E-05	1.05E-03	3.36E-08	3.32E-01	1.57E-01	1.75E-09	1.0E+06	1.7E-03
1467	1467	1.31792	2.62129E-05	3.5E-05	1.05E-03	3.61E-08	3.32E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
1468	1468	1.42275	2.62129E-05	3.7E-05	1.05E-03	3.90E-08	3.32E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
1469	1469	1.53584	2.62129E-05	4.0E-05	1.05E-03	4.21E-08	3.32E-01	1.57E-01	2.19E-09	1.0E+06	2.2E-03
1470	1470	1.66361	2.62129E-05	4.4E-05	1.05E-03	4.56E-08	3.32E-01	1.57E-01	2.37E-09	1.0E+06	2.4E-03
1471	1471	1.80499	2.62129E-05	4.7E-05	1.05E-03	4.95E-08	3.32E-01	1.57E-01	2.58E-09	1.0E+06	2.6E-03
1472	1472	1.96721	2.62129E-05	5.2E-05	1.05E-03	5.39E-08	3.32E-01	1.57E-01	2.81E-09	1.0E+06	2.8E-03
1473	1473	2.1581	2.62129E-05	5.7E-05	1.05E-03	5.91E-08	3.32E-01	1.57E-01	3.08E-09	1.0E+06	3.1E-03
1474	1474	2.3989	2.62129E-05	6.3E-05	1.05E-03	6.57E-08	3.32E-01	1.57E-01	3.42E-09	1.0E+06	3.4E-03
1475	1475	2.69271	2.62129E-05	7.1E-05	1.05E-03	7.38E-08	3.32E-01	1.57E-01	3.84E-09	1.0E+06	3.8E-03
1476	1476	3.05989	2.62129E-05	8.0E-05	1.05E-03	8.38E-08	3.32E-01	1.57E-01	4.37E-09	1.0E+06	4.4E-03
1477	1477	3.529	2.62129E-05	9.3E-05	1.05E-03	9.67E-08	3.32E-01	1.57E-01	5.04E-09	1.0E+06	5.0E-03
1478	1478	0.58968	2.62129E-05	1.5E-05	1.05E-03	1.62E-08	3.32E-01	1.57E-01	8.42E-10	1.0E+06	8.4E-04
1479	1479	0.61083	2.62129E-05	1.6E-05	1.05E-03	1.67E-08	3.32E-01	1.57E-01	8.72E-10	1.0E+06	8.7E-04
1480	1480	0.63333	2.62129E-05	1.7E-05	1.05E-03	1.74E-08	3.32E-01	1.57E-01	9.04E-10	1.0E+06	9.0E-04
1481	1481	0.65767	2.62129E-05	1.7E-05	1.05E-03	1.80E-08	3.32E-01	1.57E-01	9.39E-10	1.0E+06	9.4E-04
1482	1482	0.68398	2.62129E-05	1.8E-05	1.05E-03	1.87E-08	3.32E-01	1.57E-01	9.76E-10	1.0E+06	9.8E-04
1483	1483	0.71225	2.62129E-05	1.9E-05	1.05E-03	1.95E-08	3.32E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1484	1484	0.74679	2.62129E-05	2.0E-05	1.05E-03	2.05E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1485	1485	0.78358	2.62129E-05	2.1E-05	1.05E-03	2.15E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
1486	1486	0.82133	2.62129E-05	2.2E-05	1.05E-03	2.25E-08	3.32E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1487	1487	0.8591	2.62129E-05	2.3E-05	1.05E-03	2.35E-08	3.32E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
1488	1488	0.90018	2.62129E-05	2.4E-05	1.05E-03	2.47E-08	3.32E-01	1.57E-01	1.28E-09	1.0E+06	1.3E-03
1489	1489	0.94581	2.62129E-05	2.5E-05	1.05E-03	2.59E-08	3.32E-01	1.57E-01	1.35E-09	1.0E+06	1.3E-03
1490	1490	0.99619	2.62129E-05	2.6E-05	1.05E-03	2.73E-08	3.32E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
1491	1491	1.05209	2.62129E-05	2.8E-05	1.05E-03	2.88E-08	3.32E-01	1.57E-01	1.50E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	1.11555	2.62129E-05	2.9E-05	1.05E-03	3.06E-08	3.32E-01	1.57E-01	1.59E-09	1.0E+06	1.6E-03
1493	1493	1.17903	2.62129E-05	3.1E-05	1.05E-03	3.23E-08	3.32E-01	1.57E-01	1.68E-09	1.0E+06	1.7E-03
1494	1494	1.25368	2.62129E-05	3.3E-05	1.05E-03	3.43E-08	3.32E-01	1.57E-01	1.79E-09	1.0E+06	1.8E-03
1495	1495	1.35283	2.62129E-05	3.5E-05	1.05E-03	3.71E-08	3.32E-01	1.57E-01	1.93E-09	1.0E+06	1.9E-03
1496	1496	1.45916	2.62129E-05	3.8E-05	1.05E-03	4.00E-08	3.32E-01	1.57E-01	2.08E-09	1.0E+06	2.1E-03
1497	1497	1.57765	2.62129E-05	4.1E-05	1.05E-03	4.32E-08	3.32E-01	1.57E-01	2.25E-09	1.0E+06	2.3E-03
1498	1498	1.71168	2.62129E-05	4.5E-05	1.05E-03	4.69E-08	3.32E-01	1.57E-01	2.44E-09	1.0E+06	2.4E-03
1499	1499	1.8612	2.62129E-05	4.9E-05	1.05E-03	5.10E-08	3.32E-01	1.57E-01	2.66E-09	1.0E+06	2.7E-03
1500	1500	2.0314	2.62129E-05	5.3E-05	1.05E-03	5.57E-08	3.32E-01	1.57E-01	2.90E-09	1.0E+06	2.9E-03
1501	1501	2.23188	2.62129E-05	5.9E-05	1.05E-03	6.11E-08	3.32E-01	1.57E-01	3.19E-09	1.0E+06	3.2E-03
1502	1502	2.48254	2.62129E-05	6.5E-05	1.05E-03	6.80E-08	3.32E-01	1.57E-01	3.54E-09	1.0E+06	3.5E-03
1503	1503	2.78815	2.62129E-05	7.3E-05	1.05E-03	7.64E-08	3.32E-01	1.57E-01	3.98E-09	1.0E+06	4.0E-03
1504	1504	3.16914	2.62129E-05	8.3E-05	1.05E-03	8.68E-08	3.32E-01	1.57E-01	4.52E-09	1.0E+06	4.5E-03
1505	1505	3.65599	2.62129E-05	9.6E-05	1.05E-03	1.00E-07	3.32E-01	1.57E-01	5.22E-09	1.0E+06	5.2E-03
1506	1506	0.59521	2.62129E-05	1.6E-05	1.05E-03	1.63E-08	3.32E-01	1.57E-01	8.50E-10	1.0E+06	8.5E-04
1507	1507	0.61754	2.62129E-05	1.6E-05	1.05E-03	1.69E-08	3.32E-01	1.57E-01	8.81E-10	1.0E+06	8.8E-04
1508	1508	0.64135	2.62129E-05	1.7E-05	1.05E-03	1.76E-08	3.32E-01	1.57E-01	9.15E-10	1.0E+06	9.2E-04
1509	1509	0.66714	2.62129E-05	1.7E-05	1.05E-03	1.83E-08	3.32E-01	1.57E-01	9.52E-10	1.0E+06	9.5E-04
1510	1510	0.69513	2.62129E-05	1.8E-05	1.05E-03	1.90E-08	3.32E-01	1.57E-01	9.92E-10	1.0E+06	9.9E-04
1511	1511	0.72503	2.62129E-05	1.9E-05	1.05E-03	1.99E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1512	1512	0.76056	2.62129E-05	2.0E-05	1.05E-03	2.08E-08	3.32E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
1513	1513	0.79837	2.62129E-05	2.1E-05	1.05E-03	2.19E-08	3.32E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
1514	1514	0.83729	2.62129E-05	2.2E-05	1.05E-03	2.29E-08	3.32E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
1515	1515	0.87654	2.62129E-05	2.3E-05	1.05E-03	2.40E-08	3.32E-01	1.57E-01	1.25E-09	1.0E+06	1.3E-03
1516	1516	0.91916	2.62129E-05	2.4E-05	1.05E-03	2.52E-08	3.32E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
1517	1517	0.96679	2.62129E-05	2.5E-05	1.05E-03	2.65E-08	3.32E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
1518	1518	1.0195	2.62129E-05	2.7E-05	1.05E-03	2.79E-08	3.32E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1519	1519	1.07767	2.62129E-05	2.8E-05	1.05E-03	2.95E-08	3.32E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1520	1520	1.14237	2.62129E-05	3.0E-05	1.05E-03	3.13E-08	3.32E-01	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1521	1521	1.21468	2.62129E-05	3.2E-05	1.05E-03	3.33E-08	3.32E-01	1.57E-01	1.73E-09	1.0E+06	1.7E-03
1522	1522	1.28126	2.62129E-05	3.4E-05	1.05E-03	3.51E-08	3.32E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	1.38204	2.62129E-05	3.6E-05	1.05E-03	3.79E-08	3.32E-01	1.57E-01	1.97E-09	1.0E+06	2.0E-03
1524	1524	1.49274	2.62129E-05	3.9E-05	1.05E-03	4.09E-08	3.32E-01	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1525	1525	1.6191	2.62129E-05	4.2E-05	1.05E-03	4.44E-08	3.32E-01	1.57E-01	2.31E-09	1.0E+06	2.3E-03
1526	1526	1.75833	2.62129E-05	4.6E-05	1.05E-03	4.82E-08	3.32E-01	1.57E-01	2.51E-09	1.0E+06	2.5E-03
1527	1527	1.91433	2.62129E-05	5.0E-05	1.05E-03	5.24E-08	3.32E-01	1.57E-01	2.73E-09	1.0E+06	2.7E-03
1528	1528	2.09203	2.62129E-05	5.5E-05	1.05E-03	5.73E-08	3.32E-01	1.57E-01	2.99E-09	1.0E+06	3.0E-03
1529	1529	2.30292	2.62129E-05	6.0E-05	1.05E-03	6.31E-08	3.32E-01	1.57E-01	3.29E-09	1.0E+06	3.3E-03
1530	1530	2.56079	2.62129E-05	6.7E-05	1.05E-03	7.02E-08	3.32E-01	1.57E-01	3.65E-09	1.0E+06	3.7E-03
1531	1531	2.87619	2.62129E-05	7.5E-05	1.05E-03	7.88E-08	3.32E-01	1.57E-01	4.11E-09	1.0E+06	4.1E-03
1532	1532	3.26867	2.62129E-05	8.6E-05	1.05E-03	8.96E-08	3.32E-01	1.57E-01	4.67E-09	1.0E+06	4.7E-03
1533	1533	3.76964	2.62129E-05	9.9E-05	1.05E-03	1.03E-07	3.32E-01	1.57E-01	5.38E-09	1.0E+06	5.4E-03
1534	1534	0.59985	2.62129E-05	1.6E-05	1.05E-03	1.64E-08	3.32E-01	1.57E-01	8.56E-10	1.0E+06	8.6E-04
1535	1535	0.62355	2.62129E-05	1.6E-05	1.05E-03	1.71E-08	3.32E-01	1.57E-01	8.90E-10	1.0E+06	8.9E-04
1536	1536	0.6487	2.62129E-05	1.7E-05	1.05E-03	1.78E-08	3.32E-01	1.57E-01	9.26E-10	1.0E+06	9.3E-04
1537	1537	0.67608	2.62129E-05	1.8E-05	1.05E-03	1.85E-08	3.32E-01	1.57E-01	9.65E-10	1.0E+06	9.6E-04
1538	1538	0.70577	2.62129E-05	1.9E-05	1.05E-03	1.93E-08	3.32E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1539	1539	0.73751	2.62129E-05	1.9E-05	1.05E-03	2.02E-08	3.32E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
1540	1540	0.77381	2.62129E-05	2.0E-05	1.05E-03	2.12E-08	3.32E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1541	1541	0.81264	2.62129E-05	2.1E-05	1.05E-03	2.23E-08	3.32E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1542	1542	0.85279	2.62129E-05	2.2E-05	1.05E-03	2.34E-08	3.32E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
1543	1543	0.89332	2.62129E-05	2.3E-05	1.05E-03	2.45E-08	3.32E-01	1.57E-01	1.28E-09	1.0E+06	1.3E-03
1544	1544	0.9375	2.62129E-05	2.5E-05	1.05E-03	2.57E-08	3.32E-01	1.57E-01	1.34E-09	1.0E+06	1.3E-03
1545	1545	0.98713	2.62129E-05	2.6E-05	1.05E-03	2.70E-08	3.32E-01	1.57E-01	1.41E-09	1.0E+06	1.4E-03
1546	1546	1.04203	2.62129E-05	2.7E-05	1.05E-03	2.85E-08	3.32E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
1547	1547	1.10248	2.62129E-05	2.9E-05	1.05E-03	3.02E-08	3.32E-01	1.57E-01	1.57E-09	1.0E+06	1.6E-03
1548	1548	1.16833	2.62129E-05	3.1E-05	1.05E-03	3.20E-08	3.32E-01	1.57E-01	1.67E-09	1.0E+06	1.7E-03
1549	1549	1.24195	2.62129E-05	3.3E-05	1.05E-03	3.40E-08	3.32E-01	1.57E-01	1.77E-09	1.0E+06	1.8E-03
1550	1550	1.31466	2.62129E-05	3.4E-05	1.05E-03	3.60E-08	3.32E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
1551	1551	1.40577	2.62129E-05	3.7E-05	1.05E-03	3.85E-08	3.32E-01	1.57E-01	2.01E-09	1.0E+06	2.0E-03
1552	1552	1.52375	2.62129E-05	4.0E-05	1.05E-03	4.17E-08	3.32E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
1553	1553	1.65272	2.62129E-05	4.3E-05	1.05E-03	4.53E-08	3.32E-01	1.57E-01	2.36E-09	1.0E+06	2.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	1.80039	2.62129E-05	4.7E-05	1.05E-03	4.93E-08	3.32E-01	1.57E-01	2.57E-09	1.0E+06	2.6E-03
1555	1555	1.96402	2.62129E-05	5.1E-05	1.05E-03	5.38E-08	3.32E-01	1.57E-01	2.80E-09	1.0E+06	2.8E-03
1556	1556	2.15003	2.62129E-05	5.6E-05	1.05E-03	5.89E-08	3.32E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
1557	1557	2.36809	2.62129E-05	6.2E-05	1.05E-03	6.49E-08	3.32E-01	1.57E-01	3.38E-09	1.0E+06	3.4E-03
1558	1558	2.6331	2.62129E-05	6.9E-05	1.05E-03	7.21E-08	3.32E-01	1.57E-01	3.76E-09	1.0E+06	3.8E-03
1559	1559	2.95667	2.62129E-05	7.8E-05	1.05E-03	8.10E-08	3.32E-01	1.57E-01	4.22E-09	1.0E+06	4.2E-03
1560	1560	3.35851	2.62129E-05	8.8E-05	1.05E-03	9.20E-08	3.32E-01	1.57E-01	4.79E-09	1.0E+06	4.8E-03
1561	1561	3.87073	2.62129E-05	1.0E-04	1.05E-03	1.06E-07	3.32E-01	1.57E-01	5.52E-09	1.0E+06	5.5E-03
1562	1562	0.60508	2.62129E-05	1.6E-05	1.05E-03	1.66E-08	3.32E-01	1.57E-01	8.64E-10	1.0E+06	8.6E-04
1563	1563	0.62919	2.62129E-05	1.6E-05	1.05E-03	1.72E-08	3.32E-01	1.57E-01	8.98E-10	1.0E+06	9.0E-04
1564	1564	0.65479	2.62129E-05	1.7E-05	1.05E-03	1.79E-08	3.32E-01	1.57E-01	9.35E-10	1.0E+06	9.3E-04
1565	1565	0.68288	2.62129E-05	1.8E-05	1.05E-03	1.87E-08	3.32E-01	1.57E-01	9.75E-10	1.0E+06	9.7E-04
1566	1566	0.71404	2.62129E-05	1.9E-05	1.05E-03	1.96E-08	3.32E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1567	1567	0.74724	2.62129E-05	2.0E-05	1.05E-03	2.05E-08	3.32E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1568	1568	0.78445	2.62129E-05	2.1E-05	1.05E-03	2.15E-08	3.32E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
1569	1569	0.82427	2.62129E-05	2.2E-05	1.05E-03	2.26E-08	3.32E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
1570	1570	0.86566	2.62129E-05	2.3E-05	1.05E-03	2.37E-08	3.32E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
1571	1571	0.90778	2.62129E-05	2.4E-05	1.05E-03	2.49E-08	3.32E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
1572	1572	0.95399	2.62129E-05	2.5E-05	1.05E-03	2.61E-08	3.32E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
1573	1573	1.00579	2.62129E-05	2.6E-05	1.05E-03	2.76E-08	3.32E-01	1.57E-01	1.44E-09	1.0E+06	1.4E-03
1574	1574	1.06301	2.62129E-05	2.8E-05	1.05E-03	2.91E-08	3.32E-01	1.57E-01	1.52E-09	1.0E+06	1.5E-03
1575	1575	1.12579	2.62129E-05	3.0E-05	1.05E-03	3.08E-08	3.32E-01	1.57E-01	1.61E-09	1.0E+06	1.6E-03
1576	1576	1.1931	2.62129E-05	3.1E-05	1.05E-03	3.27E-08	3.32E-01	1.57E-01	1.70E-09	1.0E+06	1.7E-03
1577	1577	1.26821	2.62129E-05	3.3E-05	1.05E-03	3.47E-08	3.32E-01	1.57E-01	1.81E-09	1.0E+06	1.8E-03
1578	1578	1.34454	2.62129E-05	3.5E-05	1.05E-03	3.68E-08	3.32E-01	1.57E-01	1.92E-09	1.0E+06	1.9E-03
1579	1579	1.43569	2.62129E-05	3.8E-05	1.05E-03	3.93E-08	3.32E-01	1.57E-01	2.05E-09	1.0E+06	2.0E-03
1580	1580	1.55623	2.62129E-05	4.1E-05	1.05E-03	4.26E-08	3.32E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
1581	1581	1.6856	2.62129E-05	4.4E-05	1.05E-03	4.62E-08	3.32E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
1582	1582	1.84067	2.62129E-05	4.8E-05	1.05E-03	5.04E-08	3.32E-01	1.57E-01	2.63E-09	1.0E+06	2.6E-03
1583	1583	2.00904	2.62129E-05	5.3E-05	1.05E-03	5.50E-08	3.32E-01	1.57E-01	2.87E-09	1.0E+06	2.9E-03
1584	1584	2.19935	2.62129E-05	5.8E-05	1.05E-03	6.03E-08	3.32E-01	1.57E-01	3.14E-09	1.0E+06	3.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	2.4252	2.62129E-05	6.4E-05	1.05E-03	6.64E-08	3.32E-01	1.57E-01	3.46E-09	1.0E+06	3.5E-03
1586	1586	2.69647	2.62129E-05	7.1E-05	1.05E-03	7.39E-08	3.32E-01	1.57E-01	3.85E-09	1.0E+06	3.8E-03
1587	1587	3.02721	2.62129E-05	7.9E-05	1.05E-03	8.29E-08	3.32E-01	1.57E-01	4.32E-09	1.0E+06	4.3E-03
1588	1588	3.43726	2.62129E-05	9.0E-05	1.05E-03	9.42E-08	3.32E-01	1.57E-01	4.91E-09	1.0E+06	4.9E-03
1589	1589	3.95824	2.62129E-05	1.0E-04	1.05E-03	1.08E-07	3.32E-01	1.57E-01	5.65E-09	1.0E+06	5.6E-03
1590	1590	0.61084	2.62129E-05	1.6E-05	1.05E-03	1.67E-08	3.32E-01	1.57E-01	8.72E-10	1.0E+06	8.7E-04
1591	1591	0.63446	2.62129E-05	1.7E-05	1.05E-03	1.74E-08	3.32E-01	1.57E-01	9.06E-10	1.0E+06	9.1E-04
1592	1592	0.6595	2.62129E-05	1.7E-05	1.05E-03	1.81E-08	3.32E-01	1.57E-01	9.41E-10	1.0E+06	9.4E-04
1593	1593	0.68786	2.62129E-05	1.8E-05	1.05E-03	1.88E-08	3.32E-01	1.57E-01	9.82E-10	1.0E+06	9.8E-04
1594	1594	0.72013	2.62129E-05	1.9E-05	1.05E-03	1.97E-08	3.32E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1595	1595	0.75474	2.62129E-05	2.0E-05	1.05E-03	2.07E-08	3.32E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
0	0	0	2.62129E-05	0.0E+00	1.05E-03	0.00E+00	3.32E-01	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Receptor #	Max Cancer Risk Cancer Risk: Receptor #	Max Cancer Risk Cancer Risk: Total Risk/ Million	Chronic Non Cancer Risk: REL	Chronic Non Cancer Risk: HI
1213	1213	4.7E+00	5	1.73E-02
1214	1214	2.1E+01	5	7.63E-02
1215	1215	1.7E+01	5	6.40E-02
1216	1216	1.5E+01	5	5.45E-02
1217	1217	1.3E+01	5	4.71E-02
1218	1218	1.1E+01	5	4.11E-02
1219	1219	9.9E+00	5	3.62E-02
1220	1220	8.8E+00	5	3.22E-02
1221	1221	7.9E+00	5	2.89E-02
1222	1222	7.1E+00	5	2.61E-02
1223	1223	6.4E+00	5	2.37E-02
1224	1224	5.9E+00	5	2.16E-02
1225	1225	5.4E+00	5	1.98E-02
1226	1226	5.0E+00	5	1.82E-02
1227	1227	4.6E+00	5	1.69E-02
1228	1228	2.3E+01	5	8.48E-02
1229	1229	1.9E+01	5	6.91E-02
1230	1230	1.6E+01	5	5.77E-02
1231	1231	1.3E+01	5	4.91E-02
1232	1232	1.2E+01	5	4.24E-02
1233	1233	1.0E+01	5	3.71E-02
1234	1234	8.9E+00	5	3.28E-02
1235	1235	8.0E+00	5	2.92E-02
1236	1236	7.2E+00	5	2.63E-02
1237	1237	6.5E+00	5	2.38E-02
1238	1238	5.9E+00	5	2.17E-02
1239	1239	5.4E+00	5	1.98E-02
1240	1240	5.0E+00	5	1.82E-02
1241	1241	4.6E+00	5	1.68E-02
1242	1242	2.0E+01	5	7.20E-02
1243	1243	2.0E+01	5	7.37E-02

Max	Receptor #
42.784	1369

Max	Receptor #	
0.157	1369	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1244	1244	1.6E+01	5	6.04E-02
1245	1245	1.4E+01	5	5.08E-02
1246	1246	1.2E+01	5	4.34E-02
1247	1247	1.0E+01	5	3.76E-02
1248	1248	9.0E+00	5	3.31E-02
1249	1249	8.0E+00	5	2.94E-02
1250	1250	7.2E+00	5	2.63E-02
1251	1251	6.5E+00	5	2.38E-02
1252	1252	5.9E+00	5	2.16E-02
1253	1253	5.4E+00	5	1.98E-02
1254	1254	5.0E+00	5	1.82E-02
1255	1255	4.6E+00	5	1.68E-02
1256	1256	2.0E+01	5	7.35E-02
1257	1257	2.1E+01	5	7.74E-02
1258	1258	1.7E+01	5	6.25E-02
1259	1259	1.4E+01	5	5.19E-02
1260	1260	1.2E+01	5	4.39E-02
1261	1261	1.0E+01	5	3.78E-02
1262	1262	9.0E+00	5	3.31E-02
1263	1263	8.0E+00	5	2.93E-02
1264	1264	7.1E+00	5	2.62E-02
1265	1265	6.4E+00	5	2.36E-02
1266	1266	5.8E+00	5	2.14E-02
1267	1267	5.3E+00	5	1.96E-02
1268	1268	4.9E+00	5	1.80E-02
1269	1269	4.5E+00	5	1.66E-02
1270	1270	2.0E+01	5	7.41E-02
1271	1271	1.7E+01	5	6.08E-02
1272	1272	1.7E+01	5	6.37E-02
1273	1273	1.4E+01	5	5.23E-02
1274	1274	1.2E+01	5	4.40E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1275	1275	1.0E+01	5	3.78E-02
1276	1276	9.0E+00	5	3.29E-02
1277	1277	7.9E+00	5	2.90E-02
1278	1278	7.1E+00	5	2.59E-02
1279	1279	6.4E+00	5	2.33E-02
1280	1280	5.8E+00	5	2.12E-02
1281	1281	5.3E+00	5	1.93E-02
1282	1282	4.8E+00	5	1.77E-02
1283	1283	4.5E+00	5	1.64E-02
1284	1284	2.0E+01	5	7.49E-02
1285	1285	2.2E+01	5	8.04E-02
1286	1286	1.7E+01	5	6.37E-02
1287	1287	1.4E+01	5	5.22E-02
1288	1288	1.2E+01	5	4.37E-02
1289	1289	1.0E+01	5	3.74E-02
1290	1290	8.9E+00	5	3.25E-02
1291	1291	7.8E+00	5	2.86E-02
1292	1292	6.9E+00	5	2.55E-02
1293	1293	6.3E+00	5	2.29E-02
1294	1294	5.7E+00	5	2.08E-02
1295	1295	5.2E+00	5	1.90E-02
1296	1296	4.8E+00	5	1.74E-02
1297	1297	4.4E+00	5	1.61E-02
1298	1298	1.5E+01	5	5.67E-02
1299	1299	2.2E+01	5	7.90E-02
1300	1300	1.7E+01	5	6.28E-02
1301	1301	1.4E+01	5	5.14E-02
1302	1302	1.2E+01	5	4.30E-02
1303	1303	1.0E+01	5	3.67E-02
1304	1304	8.7E+00	5	3.19E-02
1305	1305	7.7E+00	5	2.80E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1306	1306	2.0E+01	5	7.49E-02
1307	1307	2.1E+01	5	7.60E-02
1308	1308	1.7E+01	5	6.06E-02
1309	1309	1.4E+01	5	4.97E-02
1310	1310	1.1E+01	5	4.16E-02
1311	1311	9.7E+00	5	3.56E-02
1312	1312	8.5E+00	5	3.10E-02
1313	1313	7.5E+00	5	2.73E-02
1314	1314	1.8E+01	5	6.74E-02
1315	1315	2.0E+01	5	7.23E-02
1316	1316	1.6E+01	5	5.78E-02
1317	1317	1.3E+01	5	4.76E-02
1318	1318	1.1E+01	5	4.00E-02
1319	1319	9.4E+00	5	3.44E-02
1320	1320	8.2E+00	5	3.00E-02
1321	1321	7.2E+00	5	2.65E-02
1322	1322	1.7E+01	5	6.09E-02
1323	1323	1.8E+01	5	6.75E-02
1324	1324	1.5E+01	5	5.45E-02
1325	1325	1.2E+01	5	4.52E-02
1326	1326	1.0E+01	5	3.83E-02
1327	1327	9.0E+00	5	3.30E-02
1328	1328	7.9E+00	5	2.89E-02
1329	1329	7.0E+00	5	2.56E-02
1330	1330	1.5E+01	5	5.56E-02
1331	1331	1.7E+01	5	6.24E-02
1332	1332	1.4E+01	5	5.12E-02
1333	1333	1.2E+01	5	4.29E-02
1334	1334	1.0E+01	5	3.66E-02
1335	1335	8.7E+00	5	3.17E-02
1336	1336	7.6E+00	5	2.79E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1337	1337	6.8E+00	5	2.48E-02
1338	1338	4.3E+01	5	1.57E-01
1339	1339	4.2E+01	5	1.55E-01
1340	1340	3.7E+01	5	1.36E-01
1341	1341	3.6E+01	5	1.34E-01
1342	1342	4.2E+01	5	1.54E-01
1343	1343	4.1E+01	5	1.51E-01
1344	1344	3.6E+01	5	1.32E-01
1345	1345	3.5E+01	5	1.30E-01
1346	1346	4.0E+01	5	1.48E-01
1347	1347	3.9E+01	5	1.44E-01
1348	1348	3.3E+01	5	1.22E-01
1349	1349	3.2E+01	5	1.16E-01
1350	1350	3.5E+01	5	1.30E-01
1351	1351	3.3E+01	5	1.21E-01
1352	1352	2.6E+01	5	9.38E-02
1353	1353	2.3E+01	5	8.35E-02
1354	1354	2.5E+01	5	9.28E-02
1355	1355	2.2E+01	5	7.94E-02
1356	1356	1.9E+01	5	6.83E-02
1357	1357	1.6E+01	5	5.89E-02
1358	1358	1.9E+01	5	6.91E-02
1359	1359	1.6E+01	5	5.72E-02
1360	1360	1.3E+01	5	4.79E-02
1361	1361	1.1E+01	5	4.06E-02
1362	1362	9.5E+00	5	3.49E-02
1363	1363	8.3E+00	5	3.05E-02
1364	1364	7.3E+00	5	2.69E-02
1365	1365	6.5E+00	5	2.40E-02
1366	1366	3.7E+01	5	1.34E-01
1367	1367	3.6E+01	5	1.32E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1368	1368	3.6E+01	5	1.33E-01
1369	1369	4.3E+01	5	1.57E-01
1370	1370	3.6E+01	5	1.31E-01
1371	1371	3.5E+01	5	1.29E-01
1372	1372	4.2E+01	5	1.54E-01
1373	1373	4.2E+01	5	1.53E-01
1374	1374	3.4E+01	5	1.26E-01
1375	1375	3.3E+01	5	1.22E-01
1376	1376	3.9E+01	5	1.44E-01
1377	1377	3.8E+01	5	1.40E-01
1378	1378	3.0E+01	5	1.11E-01
1379	1379	2.8E+01	5	1.04E-01
1380	1380	3.3E+01	5	1.22E-01
1381	1381	3.1E+01	5	1.14E-01
1382	1382	2.2E+01	5	8.13E-02
1383	1383	1.9E+01	5	7.07E-02
1384	1384	2.3E+01	5	8.42E-02
1385	1385	2.0E+01	5	7.26E-02
1386	1386	1.7E+01	5	6.17E-02
1387	1387	1.4E+01	5	5.23E-02
1388	1388	1.2E+01	5	4.46E-02
1389	1389	1.0E+01	5	3.84E-02
1390	1390	9.1E+00	5	3.33E-02
1391	1391	8.0E+00	5	2.92E-02
1392	1392	7.1E+00	5	2.59E-02
1393	1393	6.3E+00	5	2.32E-02
1394	1394	3.6E+01	5	1.34E-01
1395	1395	3.6E+01	5	1.33E-01
1396	1396	3.6E+01	5	1.32E-01
1397	1397	3.6E+01	5	1.31E-01
1398	1398	3.6E+01	5	1.31E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1399	1399	3.5E+01	5	1.30E-01
1400	1400	3.5E+01	5	1.29E-01
1401	1401	3.5E+01	5	1.28E-01
1402	1402	3.4E+01	5	1.26E-01
1403	1403	3.4E+01	5	1.24E-01
1404	1404	3.3E+01	5	1.21E-01
1405	1405	3.2E+01	5	1.17E-01
1406	1406	3.1E+01	5	1.13E-01
1407	1407	2.9E+01	5	1.08E-01
1408	1408	2.8E+01	5	1.02E-01
1409	1409	2.6E+01	5	9.59E-02
1410	1410	2.4E+01	5	8.88E-02
1411	1411	2.2E+01	5	8.10E-02
1412	1412	2.0E+01	5	7.25E-02
1413	1413	1.7E+01	5	6.38E-02
1414	1414	1.5E+01	5	5.55E-02
1415	1415	1.3E+01	5	4.80E-02
1416	1416	1.1E+01	5	4.16E-02
1417	1417	9.9E+00	5	3.63E-02
1418	1418	8.7E+00	5	3.17E-02
1419	1419	7.6E+00	5	2.80E-02
1420	1420	6.8E+00	5	2.49E-02
1421	1421	6.1E+00	5	2.24E-02
1422	1422	3.1E+01	5	1.14E-01
1423	1423	3.1E+01	5	1.13E-01
1424	1424	3.1E+01	5	1.13E-01
1425	1425	3.1E+01	5	1.12E-01
1426	1426	3.0E+01	5	1.11E-01
1427	1427	3.0E+01	5	1.11E-01
1428	1428	3.0E+01	5	1.10E-01
1429	1429	3.0E+01	5	1.09E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1430	1430	2.9E+01	5	1.08E-01
1431	1431	2.9E+01	5	1.06E-01
1432	1432	2.8E+01	5	1.03E-01
1433	1433	2.7E+01	5	1.00E-01
1434	1434	2.6E+01	5	9.67E-02
1435	1435	2.5E+01	5	9.25E-02
1436	1436	2.4E+01	5	8.78E-02
1437	1437	2.2E+01	5	8.25E-02
1438	1438	2.1E+01	5	7.67E-02
1439	1439	1.9E+01	5	7.04E-02
1440	1440	1.7E+01	5	6.37E-02
1441	1441	1.6E+01	5	5.69E-02
1442	1442	1.4E+01	5	5.03E-02
1443	1443	1.2E+01	5	4.42E-02
1444	1444	1.1E+01	5	3.89E-02
1445	1445	9.3E+00	5	3.43E-02
1446	1446	8.3E+00	5	3.02E-02
1447	1447	7.3E+00	5	2.69E-02
1448	1448	6.6E+00	5	2.40E-02
1449	1449	5.9E+00	5	2.16E-02
1450	1450	2.7E+01	5	9.85E-02
1451	1451	2.7E+01	5	9.81E-02
1452	1452	2.7E+01	5	9.74E-02
1453	1453	2.6E+01	5	9.70E-02
1454	1454	2.6E+01	5	9.65E-02
1455	1455	2.6E+01	5	9.56E-02
1456	1456	2.6E+01	5	9.56E-02
1457	1457	2.6E+01	5	9.49E-02
1458	1458	2.6E+01	5	9.37E-02
1459	1459	2.5E+01	5	9.18E-02
1460	1460	2.4E+01	5	8.96E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1461	1461	2.4E+01	5	8.70E-02
1462	1462	2.3E+01	5	8.40E-02
1463	1463	2.2E+01	5	8.05E-02
1464	1464	2.1E+01	5	7.65E-02
1465	1465	2.0E+01	5	7.21E-02
1466	1466	1.8E+01	5	6.73E-02
1467	1467	1.7E+01	5	6.21E-02
1468	1468	1.5E+01	5	5.67E-02
1469	1469	1.4E+01	5	5.12E-02
1470	1470	1.3E+01	5	4.59E-02
1471	1471	1.1E+01	5	4.09E-02
1472	1472	9.9E+00	5	3.64E-02
1473	1473	8.8E+00	5	3.24E-02
1474	1474	7.9E+00	5	2.88E-02
1475	1475	7.0E+00	5	2.58E-02
1476	1476	6.3E+00	5	2.31E-02
1477	1477	5.7E+00	5	2.09E-02
1478	1478	2.3E+01	5	8.59E-02
1479	1479	2.3E+01	5	8.58E-02
1480	1480	2.3E+01	5	8.55E-02
1481	1481	2.3E+01	5	8.49E-02
1482	1482	2.3E+01	5	8.47E-02
1483	1483	2.3E+01	5	8.41E-02
1484	1484	2.3E+01	5	8.41E-02
1485	1485	2.3E+01	5	8.34E-02
1486	1486	2.2E+01	5	8.24E-02
1487	1487	2.2E+01	5	8.07E-02
1488	1488	2.1E+01	5	7.88E-02
1489	1489	2.1E+01	5	7.65E-02
1490	1490	2.0E+01	5	7.39E-02
1491	1491	1.9E+01	5	7.10E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1492	1492	1.8E+01	5	6.76E-02
1493	1493	1.7E+01	5	6.39E-02
1494	1494	1.6E+01	5	5.98E-02
1495	1495	1.5E+01	5	5.56E-02
1496	1496	1.4E+01	5	5.11E-02
1497	1497	1.3E+01	5	4.66E-02
1498	1498	1.1E+01	5	4.21E-02
1499	1499	1.0E+01	5	3.79E-02
1500	1500	9.3E+00	5	3.41E-02
1501	1501	8.3E+00	5	3.06E-02
1502	1502	7.5E+00	5	2.74E-02
1503	1503	6.7E+00	5	2.47E-02
1504	1504	6.1E+00	5	2.23E-02
1505	1505	5.5E+00	5	2.02E-02
1506	1506	2.1E+01	5	7.57E-02
1507	1507	2.1E+01	5	7.57E-02
1508	1508	2.1E+01	5	7.56E-02
1509	1509	2.1E+01	5	7.54E-02
1510	1510	2.0E+01	5	7.52E-02
1511	1511	2.0E+01	5	7.48E-02
1512	1512	2.0E+01	5	7.46E-02
1513	1513	2.0E+01	5	7.41E-02
1514	1514	2.0E+01	5	7.31E-02
1515	1515	2.0E+01	5	7.17E-02
1516	1516	1.9E+01	5	7.00E-02
1517	1517	1.9E+01	5	6.80E-02
1518	1518	1.8E+01	5	6.58E-02
1519	1519	1.7E+01	5	6.32E-02
1520	1520	1.6E+01	5	6.04E-02
1521	1521	1.6E+01	5	5.72E-02
1522	1522	1.5E+01	5	5.38E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1523	1523	1.4E+01	5	5.02E-02
1524	1524	1.3E+01	5	4.64E-02
1525	1525	1.2E+01	5	4.26E-02
1526	1526	1.1E+01	5	3.89E-02
1527	1527	9.6E+00	5	3.53E-02
1528	1528	8.7E+00	5	3.19E-02
1529	1529	7.9E+00	5	2.89E-02
1530	1530	7.1E+00	5	2.61E-02
1531	1531	6.4E+00	5	2.36E-02
1532	1532	5.8E+00	5	2.14E-02
1533	1533	5.3E+00	5	1.95E-02
1534	1534	1.8E+01	5	6.72E-02
1535	1535	1.8E+01	5	6.73E-02
1536	1536	1.8E+01	5	6.73E-02
1537	1537	1.8E+01	5	6.74E-02
1538	1538	1.8E+01	5	6.72E-02
1539	1539	1.8E+01	5	6.71E-02
1540	1540	1.8E+01	5	6.69E-02
1541	1541	1.8E+01	5	6.64E-02
1542	1542	1.8E+01	5	6.55E-02
1543	1543	1.7E+01	5	6.42E-02
1544	1544	1.7E+01	5	6.27E-02
1545	1545	1.7E+01	5	6.10E-02
1546	1546	1.6E+01	5	5.91E-02
1547	1547	1.5E+01	5	5.68E-02
1548	1548	1.5E+01	5	5.44E-02
1549	1549	1.4E+01	5	5.17E-02
1550	1550	1.3E+01	5	4.88E-02
1551	1551	1.2E+01	5	4.57E-02
1552	1552	1.2E+01	5	4.25E-02
1553	1553	1.1E+01	5	3.93E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1554	1554	9.8E+00	5	3.60E-02
1555	1555	9.0E+00	5	3.29E-02
1556	1556	8.2E+00	5	3.00E-02
1557	1557	7.5E+00	5	2.73E-02
1558	1558	6.8E+00	5	2.48E-02
1559	1559	6.2E+00	5	2.26E-02
1560	1560	5.6E+00	5	2.06E-02
1561	1561	5.1E+00	5	1.88E-02
1562	1562	1.6E+01	5	6.03E-02
1563	1563	1.6E+01	5	6.03E-02
1564	1564	1.6E+01	5	6.04E-02
1565	1565	1.6E+01	5	6.05E-02
1566	1566	1.6E+01	5	6.05E-02
1567	1567	1.6E+01	5	6.04E-02
1568	1568	1.6E+01	5	6.03E-02
1569	1569	1.6E+01	5	5.98E-02
1570	1570	1.6E+01	5	5.90E-02
1571	1571	1.6E+01	5	5.80E-02
1572	1572	1.5E+01	5	5.67E-02
1573	1573	1.5E+01	5	5.51E-02
1574	1574	1.5E+01	5	5.34E-02
1575	1575	1.4E+01	5	5.15E-02
1576	1576	1.3E+01	5	4.93E-02
1577	1577	1.3E+01	5	4.70E-02
1578	1578	1.2E+01	5	4.45E-02
1579	1579	1.1E+01	5	4.19E-02
1580	1580	1.1E+01	5	3.91E-02
1581	1581	9.9E+00	5	3.63E-02
1582	1582	9.1E+00	5	3.36E-02
1583	1583	8.4E+00	5	3.09E-02
1584	1584	7.7E+00	5	2.83E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1585	1585	7.1E+00	5	2.59E-02
1586	1586	6.5E+00	5	2.37E-02
1587	1587	5.9E+00	5	2.17E-02
1588	1588	5.4E+00	5	1.98E-02
1589	1589	5.0E+00	5	1.82E-02
1590	1590	1.5E+01	5	5.46E-02
1591	1591	1.5E+01	5	5.45E-02
1592	1592	1.5E+01	5	5.44E-02
1593	1593	1.5E+01	5	5.44E-02
1594	1594	1.5E+01	5	5.46E-02
1595	1595	1.5E+01	5	5.44E-02
0	0	0.0E+00	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1.59495	4.16E-02	6.6E-02	1.05E-03	6.93E-05	6.30E-02	1.57E-01	6.87E-07	1.0E+06	6.9E-01
1214	7.03161	4.16E-02	2.9E-01	1.05E-03	3.06E-04	6.30E-02	1.57E-01	3.03E-06	1.0E+06	3.0E+00
1215	5.89693	4.16E-02	2.5E-01	1.05E-03	2.56E-04	6.30E-02	1.57E-01	2.54E-06	1.0E+06	2.5E+00
1216	5.02303	4.16E-02	2.1E-01	1.05E-03	2.18E-04	6.30E-02	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1217	4.33808	4.16E-02	1.8E-01	1.05E-03	1.89E-04	6.30E-02	1.57E-01	1.87E-06	1.0E+06	1.9E+00
1218	3.7882	4.16E-02	1.6E-01	1.05E-03	1.65E-04	6.30E-02	1.57E-01	1.63E-06	1.0E+06	1.6E+00
1219	3.34097	4.16E-02	1.4E-01	1.05E-03	1.45E-04	6.30E-02	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1220	2.97174	4.16E-02	1.2E-01	1.05E-03	1.29E-04	6.30E-02	1.57E-01	1.28E-06	1.0E+06	1.3E+00
1221	2.66332	4.16E-02	1.1E-01	1.05E-03	1.16E-04	6.30E-02	1.57E-01	1.15E-06	1.0E+06	1.1E+00
1222	2.40255	4.16E-02	1.0E-01	1.05E-03	1.04E-04	6.30E-02	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1223	2.18201	4.16E-02	9.1E-02	1.05E-03	9.49E-05	6.30E-02	1.57E-01	9.39E-07	1.0E+06	9.4E-01
1224	1.99166	4.16E-02	8.3E-02	1.05E-03	8.66E-05	6.30E-02	1.57E-01	8.57E-07	1.0E+06	8.6E-01
1225	1.82652	4.16E-02	7.6E-02	1.05E-03	7.94E-05	6.30E-02	1.57E-01	7.86E-07	1.0E+06	7.9E-01
1226	1.68223	4.16E-02	7.0E-02	1.05E-03	7.31E-05	6.30E-02	1.57E-01	7.24E-07	1.0E+06	7.2E-01
1227	1.55508	4.16E-02	6.5E-02	1.05E-03	6.76E-05	6.30E-02	1.57E-01	6.69E-07	1.0E+06	6.7E-01
1228	7.81928	4.16E-02	3.3E-01	1.05E-03	3.40E-04	6.30E-02	1.57E-01	3.37E-06	1.0E+06	3.4E+00
1229	6.37384	4.16E-02	2.7E-01	1.05E-03	2.77E-04	6.30E-02	1.57E-01	2.74E-06	1.0E+06	2.7E+00
1230	5.32173	4.16E-02	2.2E-01	1.05E-03	2.31E-04	6.30E-02	1.57E-01	2.29E-06	1.0E+06	2.3E+00
1231	4.53088	4.16E-02	1.9E-01	1.05E-03	1.97E-04	6.30E-02	1.57E-01	1.95E-06	1.0E+06	2.0E+00
1232	3.91123	4.16E-02	1.6E-01	1.05E-03	1.70E-04	6.30E-02	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1233	3.41912	4.16E-02	1.4E-01	1.05E-03	1.49E-04	6.30E-02	1.57E-01	1.47E-06	1.0E+06	1.5E+00
1234	3.02139	4.16E-02	1.3E-01	1.05E-03	1.31E-04	6.30E-02	1.57E-01	1.30E-06	1.0E+06	1.3E+00
1235	2.69416	4.16E-02	1.1E-01	1.05E-03	1.17E-04	6.30E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1236	2.42062	4.16E-02	1.0E-01	1.05E-03	1.05E-04	6.30E-02	1.57E-01	1.04E-06	1.0E+06	1.0E+00
1237	2.19205	4.16E-02	9.1E-02	1.05E-03	9.53E-05	6.30E-02	1.57E-01	9.44E-07	1.0E+06	9.4E-01
1238	1.99681	4.16E-02	8.3E-02	1.05E-03	8.68E-05	6.30E-02	1.57E-01	8.60E-07	1.0E+06	8.6E-01
1239	1.8282	4.16E-02	7.6E-02	1.05E-03	7.95E-05	6.30E-02	1.57E-01	7.87E-07	1.0E+06	7.9E-01
1240	1.6816	4.16E-02	7.0E-02	1.05E-03	7.31E-05	6.30E-02	1.57E-01	7.24E-07	1.0E+06	7.2E-01
1241	1.55308	4.16E-02	6.5E-02	1.05E-03	6.75E-05	6.30E-02	1.57E-01	6.69E-07	1.0E+06	6.7E-01
1242	6.64204	4.16E-02	2.8E-01	1.05E-03	2.89E-04	6.30E-02	1.57E-01	2.86E-06	1.0E+06	2.9E+00
1243	6.7965	4.16E-02	2.8E-01	1.05E-03	2.95E-04	6.30E-02	1.57E-01	2.93E-06	1.0E+06	2.9E+00

	Max	Receptor #
Res	6.234	1369

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	5.57115	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1245	4.68059	4.16E-02	1.9E-01	1.05E-03	2.03E-04	6.30E-02	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1246	3.99862	4.16E-02	1.7E-01	1.05E-03	1.74E-04	6.30E-02	1.57E-01	1.72E-06	1.0E+06	1.7E+00
1247	3.46821	4.16E-02	1.4E-01	1.05E-03	1.51E-04	6.30E-02	1.57E-01	1.49E-06	1.0E+06	1.5E+00
1248	3.04732	4.16E-02	1.3E-01	1.05E-03	1.32E-04	6.30E-02	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1249	2.70598	4.16E-02	1.1E-01	1.05E-03	1.18E-04	6.30E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1250	2.42339	4.16E-02	1.0E-01	1.05E-03	1.05E-04	6.30E-02	1.57E-01	1.04E-06	1.0E+06	1.0E+00
1251	2.19019	4.16E-02	9.1E-02	1.05E-03	9.52E-05	6.30E-02	1.57E-01	9.43E-07	1.0E+06	9.4E-01
1252	1.99211	4.16E-02	8.3E-02	1.05E-03	8.66E-05	6.30E-02	1.57E-01	8.58E-07	1.0E+06	8.6E-01
1253	1.82183	4.16E-02	7.6E-02	1.05E-03	7.92E-05	6.30E-02	1.57E-01	7.84E-07	1.0E+06	7.8E-01
1254	1.67448	4.16E-02	7.0E-02	1.05E-03	7.28E-05	6.30E-02	1.57E-01	7.21E-07	1.0E+06	7.2E-01
1255	1.5457	4.16E-02	6.4E-02	1.05E-03	6.72E-05	6.30E-02	1.57E-01	6.65E-07	1.0E+06	6.7E-01
1256	6.77302	4.16E-02	2.8E-01	1.05E-03	2.94E-04	6.30E-02	1.57E-01	2.92E-06	1.0E+06	2.9E+00
1257	7.1365	4.16E-02	3.0E-01	1.05E-03	3.10E-04	6.30E-02	1.57E-01	3.07E-06	1.0E+06	3.1E+00
1258	5.7585	4.16E-02	2.4E-01	1.05E-03	2.50E-04	6.30E-02	1.57E-01	2.48E-06	1.0E+06	2.5E+00
1259	4.78032	4.16E-02	2.0E-01	1.05E-03	2.08E-04	6.30E-02	1.57E-01	2.06E-06	1.0E+06	2.1E+00
1260	4.04669	4.16E-02	1.7E-01	1.05E-03	1.76E-04	6.30E-02	1.57E-01	1.74E-06	1.0E+06	1.7E+00
1261	3.48821	4.16E-02	1.5E-01	1.05E-03	1.52E-04	6.30E-02	1.57E-01	1.50E-06	1.0E+06	1.5E+00
1262	3.05075	4.16E-02	1.3E-01	1.05E-03	1.33E-04	6.30E-02	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1263	2.6997	4.16E-02	1.1E-01	1.05E-03	1.17E-04	6.30E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1264	2.41147	4.16E-02	1.0E-01	1.05E-03	1.05E-04	6.30E-02	1.57E-01	1.04E-06	1.0E+06	1.0E+00
1265	2.176	4.16E-02	9.1E-02	1.05E-03	9.46E-05	6.30E-02	1.57E-01	9.37E-07	1.0E+06	9.4E-01
1266	1.97693	4.16E-02	8.2E-02	1.05E-03	8.59E-05	6.30E-02	1.57E-01	8.51E-07	1.0E+06	8.5E-01
1267	1.80644	4.16E-02	7.5E-02	1.05E-03	7.85E-05	6.30E-02	1.57E-01	7.78E-07	1.0E+06	7.8E-01
1268	1.65921	4.16E-02	6.9E-02	1.05E-03	7.21E-05	6.30E-02	1.57E-01	7.14E-07	1.0E+06	7.1E-01
1269	1.53087	4.16E-02	6.4E-02	1.05E-03	6.66E-05	6.30E-02	1.57E-01	6.59E-07	1.0E+06	6.6E-01
1270	6.83387	4.16E-02	2.8E-01	1.05E-03	2.97E-04	6.30E-02	1.57E-01	2.94E-06	1.0E+06	2.9E+00
1271	5.60152	4.16E-02	2.3E-01	1.05E-03	2.44E-04	6.30E-02	1.57E-01	2.41E-06	1.0E+06	2.4E+00
1272	5.86816	4.16E-02	2.4E-01	1.05E-03	2.55E-04	6.30E-02	1.57E-01	2.53E-06	1.0E+06	2.5E+00
1273	4.82621	4.16E-02	2.0E-01	1.05E-03	2.10E-04	6.30E-02	1.57E-01	2.08E-06	1.0E+06	2.1E+00
1274	4.05897	4.16E-02	1.7E-01	1.05E-03	1.76E-04	6.30E-02	1.57E-01	1.75E-06	1.0E+06	1.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	3.48275	4.16E-02	1.4E-01	1.05E-03	1.51E-04	6.30E-02	1.57E-01	1.50E-06	1.0E+06	1.5E+00
1276	3.03491	4.16E-02	1.3E-01	1.05E-03	1.32E-04	6.30E-02	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1277	2.67743	4.16E-02	1.1E-01	1.05E-03	1.16E-04	6.30E-02	1.57E-01	1.15E-06	1.0E+06	1.2E+00
1278	2.3858	4.16E-02	9.9E-02	1.05E-03	1.04E-04	6.30E-02	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1279	2.14971	4.16E-02	8.9E-02	1.05E-03	9.35E-05	6.30E-02	1.57E-01	9.25E-07	1.0E+06	9.3E-01
1280	1.95117	4.16E-02	8.1E-02	1.05E-03	8.48E-05	6.30E-02	1.57E-01	8.40E-07	1.0E+06	8.4E-01
1281	1.78152	4.16E-02	7.4E-02	1.05E-03	7.75E-05	6.30E-02	1.57E-01	7.67E-07	1.0E+06	7.7E-01
1282	1.63497	4.16E-02	6.8E-02	1.05E-03	7.11E-05	6.30E-02	1.57E-01	7.04E-07	1.0E+06	7.0E-01
1283	1.50767	4.16E-02	6.3E-02	1.05E-03	6.55E-05	6.30E-02	1.57E-01	6.49E-07	1.0E+06	6.5E-01
1284	6.90368	4.16E-02	2.9E-01	1.05E-03	3.00E-04	6.30E-02	1.57E-01	2.97E-06	1.0E+06	3.0E+00
1285	7.4155	4.16E-02	3.1E-01	1.05E-03	3.22E-04	6.30E-02	1.57E-01	3.19E-06	1.0E+06	3.2E+00
1286	5.87683	4.16E-02	2.4E-01	1.05E-03	2.56E-04	6.30E-02	1.57E-01	2.53E-06	1.0E+06	2.5E+00
1287	4.81258	4.16E-02	2.0E-01	1.05E-03	2.09E-04	6.30E-02	1.57E-01	2.07E-06	1.0E+06	2.1E+00
1288	4.02974	4.16E-02	1.7E-01	1.05E-03	1.75E-04	6.30E-02	1.57E-01	1.73E-06	1.0E+06	1.7E+00
1289	3.44772	4.16E-02	1.4E-01	1.05E-03	1.50E-04	6.30E-02	1.57E-01	1.48E-06	1.0E+06	1.5E+00
1290	2.99723	4.16E-02	1.2E-01	1.05E-03	1.30E-04	6.30E-02	1.57E-01	1.29E-06	1.0E+06	1.3E+00
1291	2.63885	4.16E-02	1.1E-01	1.05E-03	1.15E-04	6.30E-02	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1292	2.34806	4.16E-02	9.8E-02	1.05E-03	1.02E-04	6.30E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1293	2.11415	4.16E-02	8.8E-02	1.05E-03	9.19E-05	6.30E-02	1.57E-01	9.10E-07	1.0E+06	9.1E-01
1294	1.91802	4.16E-02	8.0E-02	1.05E-03	8.34E-05	6.30E-02	1.57E-01	8.26E-07	1.0E+06	8.3E-01
1295	1.75064	4.16E-02	7.3E-02	1.05E-03	7.61E-05	6.30E-02	1.57E-01	7.54E-07	1.0E+06	7.5E-01
1296	1.60618	4.16E-02	6.7E-02	1.05E-03	6.98E-05	6.30E-02	1.57E-01	6.91E-07	1.0E+06	6.9E-01
1297	1.48086	4.16E-02	6.2E-02	1.05E-03	6.44E-05	6.30E-02	1.57E-01	6.38E-07	1.0E+06	6.4E-01
1298	5.23101	4.16E-02	2.2E-01	1.05E-03	2.27E-04	6.30E-02	1.57E-01	2.25E-06	1.0E+06	2.3E+00
1299	7.27933	4.16E-02	3.0E-01	1.05E-03	3.16E-04	6.30E-02	1.57E-01	3.13E-06	1.0E+06	3.1E+00
1300	5.78741	4.16E-02	2.4E-01	1.05E-03	2.52E-04	6.30E-02	1.57E-01	2.49E-06	1.0E+06	2.5E+00
1301	4.73601	4.16E-02	2.0E-01	1.05E-03	2.06E-04	6.30E-02	1.57E-01	2.04E-06	1.0E+06	2.0E+00
1302	3.95968	4.16E-02	1.6E-01	1.05E-03	1.72E-04	6.30E-02	1.57E-01	1.70E-06	1.0E+06	1.7E+00
1303	3.38355	4.16E-02	1.4E-01	1.05E-03	1.47E-04	6.30E-02	1.57E-01	1.46E-06	1.0E+06	1.5E+00
1304	2.93894	4.16E-02	1.2E-01	1.05E-03	1.28E-04	6.30E-02	1.57E-01	1.27E-06	1.0E+06	1.3E+00
1305	2.58555	4.16E-02	1.1E-01	1.05E-03	1.12E-04	6.30E-02	1.57E-01	1.11E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	6.90601	4.16E-02	2.9E-01	1.05E-03	3.00E-04	6.30E-02	1.57E-01	2.97E-06	1.0E+06	3.0E+00
1307	7.00836	4.16E-02	2.9E-01	1.05E-03	3.05E-04	6.30E-02	1.57E-01	3.02E-06	1.0E+06	3.0E+00
1308	5.59054	4.16E-02	2.3E-01	1.05E-03	2.43E-04	6.30E-02	1.57E-01	2.41E-06	1.0E+06	2.4E+00
1309	4.58256	4.16E-02	1.9E-01	1.05E-03	1.99E-04	6.30E-02	1.57E-01	1.97E-06	1.0E+06	2.0E+00
1310	3.83771	4.16E-02	1.6E-01	1.05E-03	1.67E-04	6.30E-02	1.57E-01	1.65E-06	1.0E+06	1.7E+00
1311	3.28282	4.16E-02	1.4E-01	1.05E-03	1.43E-04	6.30E-02	1.57E-01	1.41E-06	1.0E+06	1.4E+00
1312	2.85586	4.16E-02	1.2E-01	1.05E-03	1.24E-04	6.30E-02	1.57E-01	1.23E-06	1.0E+06	1.2E+00
1313	2.51755	4.16E-02	1.0E-01	1.05E-03	1.09E-04	6.30E-02	1.57E-01	1.08E-06	1.0E+06	1.1E+00
1314	6.21209	4.16E-02	2.6E-01	1.05E-03	2.70E-04	6.30E-02	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1315	6.66398	4.16E-02	2.8E-01	1.05E-03	2.90E-04	6.30E-02	1.57E-01	2.87E-06	1.0E+06	2.9E+00
1316	5.33194	4.16E-02	2.2E-01	1.05E-03	2.32E-04	6.30E-02	1.57E-01	2.30E-06	1.0E+06	2.3E+00
1317	4.38832	4.16E-02	1.8E-01	1.05E-03	1.91E-04	6.30E-02	1.57E-01	1.89E-06	1.0E+06	1.9E+00
1318	3.69074	4.16E-02	1.5E-01	1.05E-03	1.60E-04	6.30E-02	1.57E-01	1.59E-06	1.0E+06	1.6E+00
1319	3.16744	4.16E-02	1.3E-01	1.05E-03	1.38E-04	6.30E-02	1.57E-01	1.36E-06	1.0E+06	1.4E+00
1320	2.76307	4.16E-02	1.1E-01	1.05E-03	1.20E-04	6.30E-02	1.57E-01	1.19E-06	1.0E+06	1.2E+00
1321	2.4428	4.16E-02	1.0E-01	1.05E-03	1.06E-04	6.30E-02	1.57E-01	1.05E-06	1.0E+06	1.1E+00
1322	5.61822	4.16E-02	2.3E-01	1.05E-03	2.44E-04	6.30E-02	1.57E-01	2.42E-06	1.0E+06	2.4E+00
1323	6.22312	4.16E-02	2.6E-01	1.05E-03	2.71E-04	6.30E-02	1.57E-01	2.68E-06	1.0E+06	2.7E+00
1324	5.02891	4.16E-02	2.1E-01	1.05E-03	2.19E-04	6.30E-02	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1325	4.1691	4.16E-02	1.7E-01	1.05E-03	1.81E-04	6.30E-02	1.57E-01	1.79E-06	1.0E+06	1.8E+00
1326	3.52968	4.16E-02	1.5E-01	1.05E-03	1.53E-04	6.30E-02	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1327	3.04297	4.16E-02	1.3E-01	1.05E-03	1.32E-04	6.30E-02	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1328	2.66486	4.16E-02	1.1E-01	1.05E-03	1.16E-04	6.30E-02	1.57E-01	1.15E-06	1.0E+06	1.1E+00
1329	2.36452	4.16E-02	9.8E-02	1.05E-03	1.03E-04	6.30E-02	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1330	5.12202	4.16E-02	2.1E-01	1.05E-03	2.23E-04	6.30E-02	1.57E-01	2.21E-06	1.0E+06	2.2E+00
1331	5.74991	4.16E-02	2.4E-01	1.05E-03	2.50E-04	6.30E-02	1.57E-01	2.48E-06	1.0E+06	2.5E+00
1332	4.72255	4.16E-02	2.0E-01	1.05E-03	2.05E-04	6.30E-02	1.57E-01	2.03E-06	1.0E+06	2.0E+00
1333	3.95908	4.16E-02	1.6E-01	1.05E-03	1.72E-04	6.30E-02	1.57E-01	1.70E-06	1.0E+06	1.7E+00
1334	3.37577	4.16E-02	1.4E-01	1.05E-03	1.47E-04	6.30E-02	1.57E-01	1.45E-06	1.0E+06	1.5E+00
1335	2.92522	4.16E-02	1.2E-01	1.05E-03	1.27E-04	6.30E-02	1.57E-01	1.26E-06	1.0E+06	1.3E+00
1336	2.57089	4.16E-02	1.1E-01	1.05E-03	1.12E-04	6.30E-02	1.57E-01	1.11E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	2.28671	4.16E-02	9.5E-02	1.05E-03	9.94E-05	6.30E-02	1.57E-01	9.84E-07	1.0E+06	9.8E-01
1338	14.44226	4.16E-02	6.0E-01	1.05E-03	6.28E-04	6.30E-02	1.57E-01	6.22E-06	1.0E+06	6.2E+00
1339	14.24991	4.16E-02	5.9E-01	1.05E-03	6.20E-04	6.30E-02	1.57E-01	6.13E-06	1.0E+06	6.1E+00
1340	12.51126	4.16E-02	5.2E-01	1.05E-03	5.44E-04	6.30E-02	1.57E-01	5.39E-06	1.0E+06	5.4E+00
1341	12.34966	4.16E-02	5.1E-01	1.05E-03	5.37E-04	6.30E-02	1.57E-01	5.32E-06	1.0E+06	5.3E+00
1342	14.19703	4.16E-02	5.9E-01	1.05E-03	6.17E-04	6.30E-02	1.57E-01	6.11E-06	1.0E+06	6.1E+00
1343	13.96515	4.16E-02	5.8E-01	1.05E-03	6.07E-04	6.30E-02	1.57E-01	6.01E-06	1.0E+06	6.0E+00
1344	12.18172	4.16E-02	5.1E-01	1.05E-03	5.30E-04	6.30E-02	1.57E-01	5.24E-06	1.0E+06	5.2E+00
1345	11.95555	4.16E-02	5.0E-01	1.05E-03	5.20E-04	6.30E-02	1.57E-01	5.15E-06	1.0E+06	5.1E+00
1346	13.62952	4.16E-02	5.7E-01	1.05E-03	5.93E-04	6.30E-02	1.57E-01	5.87E-06	1.0E+06	5.9E+00
1347	13.24666	4.16E-02	5.5E-01	1.05E-03	5.76E-04	6.30E-02	1.57E-01	5.70E-06	1.0E+06	5.7E+00
1348	11.23777	4.16E-02	4.7E-01	1.05E-03	4.89E-04	6.30E-02	1.57E-01	4.84E-06	1.0E+06	4.8E+00
1349	10.70262	4.16E-02	4.5E-01	1.05E-03	4.65E-04	6.30E-02	1.57E-01	4.61E-06	1.0E+06	4.6E+00
1350	11.95984	4.16E-02	5.0E-01	1.05E-03	5.20E-04	6.30E-02	1.57E-01	5.15E-06	1.0E+06	5.1E+00
1351	11.12101	4.16E-02	4.6E-01	1.05E-03	4.83E-04	6.30E-02	1.57E-01	4.79E-06	1.0E+06	4.8E+00
1352	8.64404	4.16E-02	3.6E-01	1.05E-03	3.76E-04	6.30E-02	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1353	7.70079	4.16E-02	3.2E-01	1.05E-03	3.35E-04	6.30E-02	1.57E-01	3.32E-06	1.0E+06	3.3E+00
1354	8.55757	4.16E-02	3.6E-01	1.05E-03	3.72E-04	6.30E-02	1.57E-01	3.68E-06	1.0E+06	3.7E+00
1355	7.31883	4.16E-02	3.0E-01	1.05E-03	3.18E-04	6.30E-02	1.57E-01	3.15E-06	1.0E+06	3.2E+00
1356	6.29278	4.16E-02	2.6E-01	1.05E-03	2.74E-04	6.30E-02	1.57E-01	2.71E-06	1.0E+06	2.7E+00
1357	5.43099	4.16E-02	2.3E-01	1.05E-03	2.36E-04	6.30E-02	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1358	6.36921	4.16E-02	2.6E-01	1.05E-03	2.77E-04	6.30E-02	1.57E-01	2.74E-06	1.0E+06	2.7E+00
1359	5.27003	4.16E-02	2.2E-01	1.05E-03	2.29E-04	6.30E-02	1.57E-01	2.27E-06	1.0E+06	2.3E+00
1360	4.41219	4.16E-02	1.8E-01	1.05E-03	1.92E-04	6.30E-02	1.57E-01	1.90E-06	1.0E+06	1.9E+00
1361	3.7458	4.16E-02	1.6E-01	1.05E-03	1.63E-04	6.30E-02	1.57E-01	1.61E-06	1.0E+06	1.6E+00
1362	3.22113	4.16E-02	1.3E-01	1.05E-03	1.40E-04	6.30E-02	1.57E-01	1.39E-06	1.0E+06	1.4E+00
1363	2.80753	4.16E-02	1.2E-01	1.05E-03	1.22E-04	6.30E-02	1.57E-01	1.21E-06	1.0E+06	1.2E+00
1364	2.47727	4.16E-02	1.0E-01	1.05E-03	1.08E-04	6.30E-02	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1365	2.20985	4.16E-02	9.2E-02	1.05E-03	9.61E-05	6.30E-02	1.57E-01	9.51E-07	1.0E+06	9.5E-01
1366	12.36115	4.16E-02	5.1E-01	1.05E-03	5.37E-04	6.30E-02	1.57E-01	5.32E-06	1.0E+06	5.3E+00
1367	12.2004	4.16E-02	5.1E-01	1.05E-03	5.30E-04	6.30E-02	1.57E-01	5.25E-06	1.0E+06	5.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	12.28915	4.16E-02	5.1E-01	1.05E-03	5.34E-04	6.30E-02	1.57E-01	5.29E-06	1.0E+06	5.3E+00
1369	14.48134	4.16E-02	6.0E-01	1.05E-03	6.30E-04	6.30E-02	1.57E-01	6.23E-06	1.0E+06	6.2E+00
1370	12.11849	4.16E-02	5.0E-01	1.05E-03	5.27E-04	6.30E-02	1.57E-01	5.22E-06	1.0E+06	5.2E+00
1371	11.93785	4.16E-02	5.0E-01	1.05E-03	5.19E-04	6.30E-02	1.57E-01	5.14E-06	1.0E+06	5.1E+00
1372	14.21824	4.16E-02	5.9E-01	1.05E-03	6.18E-04	6.30E-02	1.57E-01	6.12E-06	1.0E+06	6.1E+00
1373	14.09422	4.16E-02	5.9E-01	1.05E-03	6.13E-04	6.30E-02	1.57E-01	6.07E-06	1.0E+06	6.1E+00
1374	11.61469	4.16E-02	4.8E-01	1.05E-03	5.05E-04	6.30E-02	1.57E-01	5.00E-06	1.0E+06	5.0E+00
1375	11.28398	4.16E-02	4.7E-01	1.05E-03	4.91E-04	6.30E-02	1.57E-01	4.86E-06	1.0E+06	4.9E+00
1376	13.30315	4.16E-02	5.5E-01	1.05E-03	5.78E-04	6.30E-02	1.57E-01	5.73E-06	1.0E+06	5.7E+00
1377	12.92905	4.16E-02	5.4E-01	1.05E-03	5.62E-04	6.30E-02	1.57E-01	5.57E-06	1.0E+06	5.6E+00
1378	10.21298	4.16E-02	4.2E-01	1.05E-03	4.44E-04	6.30E-02	1.57E-01	4.40E-06	1.0E+06	4.4E+00
1379	9.56154	4.16E-02	4.0E-01	1.05E-03	4.16E-04	6.30E-02	1.57E-01	4.12E-06	1.0E+06	4.1E+00
1380	11.21617	4.16E-02	4.7E-01	1.05E-03	4.88E-04	6.30E-02	1.57E-01	4.83E-06	1.0E+06	4.8E+00
1381	10.49217	4.16E-02	4.4E-01	1.05E-03	4.56E-04	6.30E-02	1.57E-01	4.52E-06	1.0E+06	4.5E+00
1382	7.49177	4.16E-02	3.1E-01	1.05E-03	3.26E-04	6.30E-02	1.57E-01	3.23E-06	1.0E+06	3.2E+00
1383	6.52159	4.16E-02	2.7E-01	1.05E-03	2.84E-04	6.30E-02	1.57E-01	2.81E-06	1.0E+06	2.8E+00
1384	7.76548	4.16E-02	3.2E-01	1.05E-03	3.38E-04	6.30E-02	1.57E-01	3.34E-06	1.0E+06	3.3E+00
1385	6.69215	4.16E-02	2.8E-01	1.05E-03	2.91E-04	6.30E-02	1.57E-01	2.88E-06	1.0E+06	2.9E+00
1386	5.6875	4.16E-02	2.4E-01	1.05E-03	2.47E-04	6.30E-02	1.57E-01	2.45E-06	1.0E+06	2.4E+00
1387	4.82388	4.16E-02	2.0E-01	1.05E-03	2.10E-04	6.30E-02	1.57E-01	2.08E-06	1.0E+06	2.1E+00
1388	4.11419	4.16E-02	1.7E-01	1.05E-03	1.79E-04	6.30E-02	1.57E-01	1.77E-06	1.0E+06	1.8E+00
1389	3.53838	4.16E-02	1.5E-01	1.05E-03	1.54E-04	6.30E-02	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1390	3.0699	4.16E-02	1.3E-01	1.05E-03	1.33E-04	6.30E-02	1.57E-01	1.32E-06	1.0E+06	1.3E+00
1391	2.69242	4.16E-02	1.1E-01	1.05E-03	1.17E-04	6.30E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1392	2.38607	4.16E-02	9.9E-02	1.05E-03	1.04E-04	6.30E-02	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1393	2.1349	4.16E-02	8.9E-02	1.05E-03	9.28E-05	6.30E-02	1.57E-01	9.19E-07	1.0E+06	9.2E-01
1394	12.346	4.16E-02	5.1E-01	1.05E-03	5.37E-04	6.30E-02	1.57E-01	5.32E-06	1.0E+06	5.3E+00
1395	12.28184	4.16E-02	5.1E-01	1.05E-03	5.34E-04	6.30E-02	1.57E-01	5.29E-06	1.0E+06	5.3E+00
1396	12.18985	4.16E-02	5.1E-01	1.05E-03	5.30E-04	6.30E-02	1.57E-01	5.25E-06	1.0E+06	5.2E+00
1397	12.11207	4.16E-02	5.0E-01	1.05E-03	5.27E-04	6.30E-02	1.57E-01	5.21E-06	1.0E+06	5.2E+00
1398	12.07276	4.16E-02	5.0E-01	1.05E-03	5.25E-04	6.30E-02	1.57E-01	5.20E-06	1.0E+06	5.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	11.98967	4.16E-02	5.0E-01	1.05E-03	5.21E-04	6.30E-02	1.57E-01	5.16E-06	1.0E+06	5.2E+00
1400	11.91635	4.16E-02	5.0E-01	1.05E-03	5.18E-04	6.30E-02	1.57E-01	5.13E-06	1.0E+06	5.1E+00
1401	11.81784	4.16E-02	4.9E-01	1.05E-03	5.14E-04	6.30E-02	1.57E-01	5.09E-06	1.0E+06	5.1E+00
1402	11.64922	4.16E-02	4.8E-01	1.05E-03	5.06E-04	6.30E-02	1.57E-01	5.02E-06	1.0E+06	5.0E+00
1403	11.4204	4.16E-02	4.8E-01	1.05E-03	4.97E-04	6.30E-02	1.57E-01	4.92E-06	1.0E+06	4.9E+00
1404	11.13768	4.16E-02	4.6E-01	1.05E-03	4.84E-04	6.30E-02	1.57E-01	4.79E-06	1.0E+06	4.8E+00
1405	10.81776	4.16E-02	4.5E-01	1.05E-03	4.70E-04	6.30E-02	1.57E-01	4.66E-06	1.0E+06	4.7E+00
1406	10.42788	4.16E-02	4.3E-01	1.05E-03	4.53E-04	6.30E-02	1.57E-01	4.49E-06	1.0E+06	4.5E+00
1407	9.96195	4.16E-02	4.1E-01	1.05E-03	4.33E-04	6.30E-02	1.57E-01	4.29E-06	1.0E+06	4.3E+00
1408	9.4316	4.16E-02	3.9E-01	1.05E-03	4.10E-04	6.30E-02	1.57E-01	4.06E-06	1.0E+06	4.1E+00
1409	8.84146	4.16E-02	3.7E-01	1.05E-03	3.84E-04	6.30E-02	1.57E-01	3.81E-06	1.0E+06	3.8E+00
1410	8.19048	4.16E-02	3.4E-01	1.05E-03	3.56E-04	6.30E-02	1.57E-01	3.53E-06	1.0E+06	3.5E+00
1411	7.47061	4.16E-02	3.1E-01	1.05E-03	3.25E-04	6.30E-02	1.57E-01	3.22E-06	1.0E+06	3.2E+00
1412	6.68789	4.16E-02	2.8E-01	1.05E-03	2.91E-04	6.30E-02	1.57E-01	2.88E-06	1.0E+06	2.9E+00
1413	5.88345	4.16E-02	2.4E-01	1.05E-03	2.56E-04	6.30E-02	1.57E-01	2.53E-06	1.0E+06	2.5E+00
1414	5.11395	4.16E-02	2.1E-01	1.05E-03	2.22E-04	6.30E-02	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1415	4.42675	4.16E-02	1.8E-01	1.05E-03	1.92E-04	6.30E-02	1.57E-01	1.91E-06	1.0E+06	1.9E+00
1416	3.83844	4.16E-02	1.6E-01	1.05E-03	1.67E-04	6.30E-02	1.57E-01	1.65E-06	1.0E+06	1.7E+00
1417	3.34362	4.16E-02	1.4E-01	1.05E-03	1.45E-04	6.30E-02	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1418	2.92615	4.16E-02	1.2E-01	1.05E-03	1.27E-04	6.30E-02	1.57E-01	1.26E-06	1.0E+06	1.3E+00
1419	2.58213	4.16E-02	1.1E-01	1.05E-03	1.12E-04	6.30E-02	1.57E-01	1.11E-06	1.0E+06	1.1E+00
1420	2.29833	4.16E-02	9.6E-02	1.05E-03	9.99E-05	6.30E-02	1.57E-01	9.89E-07	1.0E+06	9.9E-01
1421	2.06287	4.16E-02	8.6E-02	1.05E-03	8.97E-05	6.30E-02	1.57E-01	8.88E-07	1.0E+06	8.9E-01
1422	10.50365	4.16E-02	4.4E-01	1.05E-03	4.57E-04	6.30E-02	1.57E-01	4.52E-06	1.0E+06	4.5E+00
1423	10.44226	4.16E-02	4.3E-01	1.05E-03	4.54E-04	6.30E-02	1.57E-01	4.50E-06	1.0E+06	4.5E+00
1424	10.40176	4.16E-02	4.3E-01	1.05E-03	4.52E-04	6.30E-02	1.57E-01	4.48E-06	1.0E+06	4.5E+00
1425	10.34198	4.16E-02	4.3E-01	1.05E-03	4.50E-04	6.30E-02	1.57E-01	4.45E-06	1.0E+06	4.5E+00
1426	10.27209	4.16E-02	4.3E-01	1.05E-03	4.47E-04	6.30E-02	1.57E-01	4.42E-06	1.0E+06	4.4E+00
1427	10.21481	4.16E-02	4.2E-01	1.05E-03	4.44E-04	6.30E-02	1.57E-01	4.40E-06	1.0E+06	4.4E+00
1428	10.17818	4.16E-02	4.2E-01	1.05E-03	4.43E-04	6.30E-02	1.57E-01	4.38E-06	1.0E+06	4.4E+00
1429	10.09224	4.16E-02	4.2E-01	1.05E-03	4.39E-04	6.30E-02	1.57E-01	4.34E-06	1.0E+06	4.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	9.95224	4.16E-02	4.1E-01	1.05E-03	4.33E-04	6.30E-02	1.57E-01	4.28E-06	1.0E+06	4.3E+00
1431	9.75415	4.16E-02	4.1E-01	1.05E-03	4.24E-04	6.30E-02	1.57E-01	4.20E-06	1.0E+06	4.2E+00
1432	9.51455	4.16E-02	4.0E-01	1.05E-03	4.14E-04	6.30E-02	1.57E-01	4.10E-06	1.0E+06	4.1E+00
1433	9.23853	4.16E-02	3.8E-01	1.05E-03	4.02E-04	6.30E-02	1.57E-01	3.98E-06	1.0E+06	4.0E+00
1434	8.91293	4.16E-02	3.7E-01	1.05E-03	3.87E-04	6.30E-02	1.57E-01	3.84E-06	1.0E+06	3.8E+00
1435	8.52852	4.16E-02	3.5E-01	1.05E-03	3.71E-04	6.30E-02	1.57E-01	3.67E-06	1.0E+06	3.7E+00
1436	8.09239	4.16E-02	3.4E-01	1.05E-03	3.52E-04	6.30E-02	1.57E-01	3.48E-06	1.0E+06	3.5E+00
1437	7.60465	4.16E-02	3.2E-01	1.05E-03	3.31E-04	6.30E-02	1.57E-01	3.27E-06	1.0E+06	3.3E+00
1438	7.06747	4.16E-02	2.9E-01	1.05E-03	3.07E-04	6.30E-02	1.57E-01	3.04E-06	1.0E+06	3.0E+00
1439	6.48718	4.16E-02	2.7E-01	1.05E-03	2.82E-04	6.30E-02	1.57E-01	2.79E-06	1.0E+06	2.8E+00
1440	5.87044	4.16E-02	2.4E-01	1.05E-03	2.55E-04	6.30E-02	1.57E-01	2.53E-06	1.0E+06	2.5E+00
1441	5.24275	4.16E-02	2.2E-01	1.05E-03	2.28E-04	6.30E-02	1.57E-01	2.26E-06	1.0E+06	2.3E+00
1442	4.63406	4.16E-02	1.9E-01	1.05E-03	2.01E-04	6.30E-02	1.57E-01	1.99E-06	1.0E+06	2.0E+00
1443	4.077	4.16E-02	1.7E-01	1.05E-03	1.77E-04	6.30E-02	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1444	3.58526	4.16E-02	1.5E-01	1.05E-03	1.56E-04	6.30E-02	1.57E-01	1.54E-06	1.0E+06	1.5E+00
1445	3.15895	4.16E-02	1.3E-01	1.05E-03	1.37E-04	6.30E-02	1.57E-01	1.36E-06	1.0E+06	1.4E+00
1446	2.78854	4.16E-02	1.2E-01	1.05E-03	1.21E-04	6.30E-02	1.57E-01	1.20E-06	1.0E+06	1.2E+00
1447	2.47615	4.16E-02	1.0E-01	1.05E-03	1.08E-04	6.30E-02	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1448	2.21402	4.16E-02	9.2E-02	1.05E-03	9.63E-05	6.30E-02	1.57E-01	9.53E-07	1.0E+06	9.5E-01
1449	1.99358	4.16E-02	8.3E-02	1.05E-03	8.67E-05	6.30E-02	1.57E-01	8.58E-07	1.0E+06	8.6E-01
1450	9.07748	4.16E-02	3.8E-01	1.05E-03	3.95E-04	6.30E-02	1.57E-01	3.91E-06	1.0E+06	3.9E+00
1451	9.04116	4.16E-02	3.8E-01	1.05E-03	3.93E-04	6.30E-02	1.57E-01	3.89E-06	1.0E+06	3.9E+00
1452	8.98097	4.16E-02	3.7E-01	1.05E-03	3.90E-04	6.30E-02	1.57E-01	3.87E-06	1.0E+06	3.9E+00
1453	8.94477	4.16E-02	3.7E-01	1.05E-03	3.89E-04	6.30E-02	1.57E-01	3.85E-06	1.0E+06	3.9E+00
1454	8.89538	4.16E-02	3.7E-01	1.05E-03	3.87E-04	6.30E-02	1.57E-01	3.83E-06	1.0E+06	3.8E+00
1455	8.81344	4.16E-02	3.7E-01	1.05E-03	3.83E-04	6.30E-02	1.57E-01	3.79E-06	1.0E+06	3.8E+00
1456	8.81219	4.16E-02	3.7E-01	1.05E-03	3.83E-04	6.30E-02	1.57E-01	3.79E-06	1.0E+06	3.8E+00
1457	8.74796	4.16E-02	3.6E-01	1.05E-03	3.80E-04	6.30E-02	1.57E-01	3.77E-06	1.0E+06	3.8E+00
1458	8.63748	4.16E-02	3.6E-01	1.05E-03	3.76E-04	6.30E-02	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1459	8.46454	4.16E-02	3.5E-01	1.05E-03	3.68E-04	6.30E-02	1.57E-01	3.64E-06	1.0E+06	3.6E+00
1460	8.25859	4.16E-02	3.4E-01	1.05E-03	3.59E-04	6.30E-02	1.57E-01	3.56E-06	1.0E+06	3.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	8.0192	4.16E-02	3.3E-01	1.05E-03	3.49E-04	6.30E-02	1.57E-01	3.45E-06	1.0E+06	3.5E+00
1462	7.74318	4.16E-02	3.2E-01	1.05E-03	3.37E-04	6.30E-02	1.57E-01	3.33E-06	1.0E+06	3.3E+00
1463	7.42093	4.16E-02	3.1E-01	1.05E-03	3.23E-04	6.30E-02	1.57E-01	3.19E-06	1.0E+06	3.2E+00
1464	7.0564	4.16E-02	2.9E-01	1.05E-03	3.07E-04	6.30E-02	1.57E-01	3.04E-06	1.0E+06	3.0E+00
1465	6.64796	4.16E-02	2.8E-01	1.05E-03	2.89E-04	6.30E-02	1.57E-01	2.86E-06	1.0E+06	2.9E+00
1466	6.20134	4.16E-02	2.6E-01	1.05E-03	2.70E-04	6.30E-02	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1467	5.7265	4.16E-02	2.4E-01	1.05E-03	2.49E-04	6.30E-02	1.57E-01	2.47E-06	1.0E+06	2.5E+00
1468	5.22772	4.16E-02	2.2E-01	1.05E-03	2.27E-04	6.30E-02	1.57E-01	2.25E-06	1.0E+06	2.3E+00
1469	4.7222	4.16E-02	2.0E-01	1.05E-03	2.05E-04	6.30E-02	1.57E-01	2.03E-06	1.0E+06	2.0E+00
1470	4.22861	4.16E-02	1.8E-01	1.05E-03	1.84E-04	6.30E-02	1.57E-01	1.82E-06	1.0E+06	1.8E+00
1471	3.76896	4.16E-02	1.6E-01	1.05E-03	1.64E-04	6.30E-02	1.57E-01	1.62E-06	1.0E+06	1.6E+00
1472	3.35396	4.16E-02	1.4E-01	1.05E-03	1.46E-04	6.30E-02	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1473	2.9854	4.16E-02	1.2E-01	1.05E-03	1.30E-04	6.30E-02	1.57E-01	1.29E-06	1.0E+06	1.3E+00
1474	2.65684	4.16E-02	1.1E-01	1.05E-03	1.16E-04	6.30E-02	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1475	2.37409	4.16E-02	9.9E-02	1.05E-03	1.03E-04	6.30E-02	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1476	2.13251	4.16E-02	8.9E-02	1.05E-03	9.27E-05	6.30E-02	1.57E-01	9.18E-07	1.0E+06	9.2E-01
1477	1.9268	4.16E-02	8.0E-02	1.05E-03	8.38E-05	6.30E-02	1.57E-01	8.29E-07	1.0E+06	8.3E-01
1478	7.92156	4.16E-02	3.3E-01	1.05E-03	3.44E-04	6.30E-02	1.57E-01	3.41E-06	1.0E+06	3.4E+00
1479	7.91107	4.16E-02	3.3E-01	1.05E-03	3.44E-04	6.30E-02	1.57E-01	3.41E-06	1.0E+06	3.4E+00
1480	7.87829	4.16E-02	3.3E-01	1.05E-03	3.43E-04	6.30E-02	1.57E-01	3.39E-06	1.0E+06	3.4E+00
1481	7.83014	4.16E-02	3.3E-01	1.05E-03	3.40E-04	6.30E-02	1.57E-01	3.37E-06	1.0E+06	3.4E+00
1482	7.80911	4.16E-02	3.2E-01	1.05E-03	3.40E-04	6.30E-02	1.57E-01	3.36E-06	1.0E+06	3.4E+00
1483	7.75145	4.16E-02	3.2E-01	1.05E-03	3.37E-04	6.30E-02	1.57E-01	3.34E-06	1.0E+06	3.3E+00
1484	7.7494	4.16E-02	3.2E-01	1.05E-03	3.37E-04	6.30E-02	1.57E-01	3.34E-06	1.0E+06	3.3E+00
1485	7.69066	4.16E-02	3.2E-01	1.05E-03	3.34E-04	6.30E-02	1.57E-01	3.31E-06	1.0E+06	3.3E+00
1486	7.59214	4.16E-02	3.2E-01	1.05E-03	3.30E-04	6.30E-02	1.57E-01	3.27E-06	1.0E+06	3.3E+00
1487	7.44023	4.16E-02	3.1E-01	1.05E-03	3.23E-04	6.30E-02	1.57E-01	3.20E-06	1.0E+06	3.2E+00
1488	7.26104	4.16E-02	3.0E-01	1.05E-03	3.16E-04	6.30E-02	1.57E-01	3.13E-06	1.0E+06	3.1E+00
1489	7.0533	4.16E-02	2.9E-01	1.05E-03	3.07E-04	6.30E-02	1.57E-01	3.04E-06	1.0E+06	3.0E+00
1490	6.81614	4.16E-02	2.8E-01	1.05E-03	2.96E-04	6.30E-02	1.57E-01	2.93E-06	1.0E+06	2.9E+00
1491	6.54173	4.16E-02	2.7E-01	1.05E-03	2.84E-04	6.30E-02	1.57E-01	2.82E-06	1.0E+06	2.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	6.23274	4.16E-02	2.6E-01	1.05E-03	2.71E-04	6.30E-02	1.57E-01	2.68E-06	1.0E+06	2.7E+00
1493	5.88973	4.16E-02	2.4E-01	1.05E-03	2.56E-04	6.30E-02	1.57E-01	2.54E-06	1.0E+06	2.5E+00
1494	5.51756	4.16E-02	2.3E-01	1.05E-03	2.40E-04	6.30E-02	1.57E-01	2.38E-06	1.0E+06	2.4E+00
1495	5.12162	4.16E-02	2.1E-01	1.05E-03	2.23E-04	6.30E-02	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1496	4.71008	4.16E-02	2.0E-01	1.05E-03	2.05E-04	6.30E-02	1.57E-01	2.03E-06	1.0E+06	2.0E+00
1497	4.29274	4.16E-02	1.8E-01	1.05E-03	1.87E-04	6.30E-02	1.57E-01	1.85E-06	1.0E+06	1.8E+00
1498	3.88231	4.16E-02	1.6E-01	1.05E-03	1.69E-04	6.30E-02	1.57E-01	1.67E-06	1.0E+06	1.7E+00
1499	3.4953	4.16E-02	1.5E-01	1.05E-03	1.52E-04	6.30E-02	1.57E-01	1.50E-06	1.0E+06	1.5E+00
1500	3.13977	4.16E-02	1.3E-01	1.05E-03	1.37E-04	6.30E-02	1.57E-01	1.35E-06	1.0E+06	1.4E+00
1501	2.81836	4.16E-02	1.2E-01	1.05E-03	1.23E-04	6.30E-02	1.57E-01	1.21E-06	1.0E+06	1.2E+00
1502	2.52765	4.16E-02	1.1E-01	1.05E-03	1.10E-04	6.30E-02	1.57E-01	1.09E-06	1.0E+06	1.1E+00
1503	2.273	4.16E-02	9.5E-02	1.05E-03	9.88E-05	6.30E-02	1.57E-01	9.79E-07	1.0E+06	9.8E-01
1504	2.05219	4.16E-02	8.5E-02	1.05E-03	8.92E-05	6.30E-02	1.57E-01	8.83E-07	1.0E+06	8.8E-01
1505	1.86144	4.16E-02	7.7E-02	1.05E-03	8.09E-05	6.30E-02	1.57E-01	8.01E-07	1.0E+06	8.0E-01
1506	6.97938	4.16E-02	2.9E-01	1.05E-03	3.03E-04	6.30E-02	1.57E-01	3.00E-06	1.0E+06	3.0E+00
1507	6.97779	4.16E-02	2.9E-01	1.05E-03	3.03E-04	6.30E-02	1.57E-01	3.00E-06	1.0E+06	3.0E+00
1508	6.97164	4.16E-02	2.9E-01	1.05E-03	3.03E-04	6.30E-02	1.57E-01	3.00E-06	1.0E+06	3.0E+00
1509	6.94877	4.16E-02	2.9E-01	1.05E-03	3.02E-04	6.30E-02	1.57E-01	2.99E-06	1.0E+06	3.0E+00
1510	6.93496	4.16E-02	2.9E-01	1.05E-03	3.02E-04	6.30E-02	1.57E-01	2.99E-06	1.0E+06	3.0E+00
1511	6.89704	4.16E-02	2.9E-01	1.05E-03	3.00E-04	6.30E-02	1.57E-01	2.97E-06	1.0E+06	3.0E+00
1512	6.87977	4.16E-02	2.9E-01	1.05E-03	2.99E-04	6.30E-02	1.57E-01	2.96E-06	1.0E+06	3.0E+00
1513	6.83228	4.16E-02	2.8E-01	1.05E-03	2.97E-04	6.30E-02	1.57E-01	2.94E-06	1.0E+06	2.9E+00
1514	6.74309	4.16E-02	2.8E-01	1.05E-03	2.93E-04	6.30E-02	1.57E-01	2.90E-06	1.0E+06	2.9E+00
1515	6.60902	4.16E-02	2.7E-01	1.05E-03	2.87E-04	6.30E-02	1.57E-01	2.85E-06	1.0E+06	2.8E+00
1516	6.4518	4.16E-02	2.7E-01	1.05E-03	2.80E-04	6.30E-02	1.57E-01	2.78E-06	1.0E+06	2.8E+00
1517	6.27049	4.16E-02	2.6E-01	1.05E-03	2.73E-04	6.30E-02	1.57E-01	2.70E-06	1.0E+06	2.7E+00
1518	6.06457	4.16E-02	2.5E-01	1.05E-03	2.64E-04	6.30E-02	1.57E-01	2.61E-06	1.0E+06	2.6E+00
1519	5.8281	4.16E-02	2.4E-01	1.05E-03	2.53E-04	6.30E-02	1.57E-01	2.51E-06	1.0E+06	2.5E+00
1520	5.56394	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1521	5.2734	4.16E-02	2.2E-01	1.05E-03	2.29E-04	6.30E-02	1.57E-01	2.27E-06	1.0E+06	2.3E+00
1522	4.95967	4.16E-02	2.1E-01	1.05E-03	2.16E-04	6.30E-02	1.57E-01	2.14E-06	1.0E+06	2.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	4.62617	4.16E-02	1.9E-01	1.05E-03	2.01E-04	6.30E-02	1.57E-01	1.99E-06	1.0E+06	2.0E+00
1524	4.28049	4.16E-02	1.8E-01	1.05E-03	1.86E-04	6.30E-02	1.57E-01	1.84E-06	1.0E+06	1.8E+00
1525	3.92984	4.16E-02	1.6E-01	1.05E-03	1.71E-04	6.30E-02	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1526	3.58347	4.16E-02	1.5E-01	1.05E-03	1.56E-04	6.30E-02	1.57E-01	1.54E-06	1.0E+06	1.5E+00
1527	3.25287	4.16E-02	1.4E-01	1.05E-03	1.41E-04	6.30E-02	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1528	2.94536	4.16E-02	1.2E-01	1.05E-03	1.28E-04	6.30E-02	1.57E-01	1.27E-06	1.0E+06	1.3E+00
1529	2.66336	4.16E-02	1.1E-01	1.05E-03	1.16E-04	6.30E-02	1.57E-01	1.15E-06	1.0E+06	1.1E+00
1530	2.40549	4.16E-02	1.0E-01	1.05E-03	1.05E-04	6.30E-02	1.57E-01	1.04E-06	1.0E+06	1.0E+00
1531	2.17623	4.16E-02	9.1E-02	1.05E-03	9.46E-05	6.30E-02	1.57E-01	9.37E-07	1.0E+06	9.4E-01
1532	1.97461	4.16E-02	8.2E-02	1.05E-03	8.58E-05	6.30E-02	1.57E-01	8.50E-07	1.0E+06	8.5E-01
1533	1.79816	4.16E-02	7.5E-02	1.05E-03	7.82E-05	6.30E-02	1.57E-01	7.74E-07	1.0E+06	7.7E-01
1534	6.19252	4.16E-02	2.6E-01	1.05E-03	2.69E-04	6.30E-02	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1535	6.20686	4.16E-02	2.6E-01	1.05E-03	2.70E-04	6.30E-02	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1536	6.20889	4.16E-02	2.6E-01	1.05E-03	2.70E-04	6.30E-02	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1537	6.21746	4.16E-02	2.6E-01	1.05E-03	2.70E-04	6.30E-02	1.57E-01	2.68E-06	1.0E+06	2.7E+00
1538	6.19304	4.16E-02	2.6E-01	1.05E-03	2.69E-04	6.30E-02	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1539	6.18733	4.16E-02	2.6E-01	1.05E-03	2.69E-04	6.30E-02	1.57E-01	2.66E-06	1.0E+06	2.7E+00
1540	6.1665	4.16E-02	2.6E-01	1.05E-03	2.68E-04	6.30E-02	1.57E-01	2.65E-06	1.0E+06	2.7E+00
1541	6.12161	4.16E-02	2.5E-01	1.05E-03	2.66E-04	6.30E-02	1.57E-01	2.64E-06	1.0E+06	2.6E+00
1542	6.04139	4.16E-02	2.5E-01	1.05E-03	2.63E-04	6.30E-02	1.57E-01	2.60E-06	1.0E+06	2.6E+00
1543	5.9223	4.16E-02	2.5E-01	1.05E-03	2.57E-04	6.30E-02	1.57E-01	2.55E-06	1.0E+06	2.5E+00
1544	5.7837	4.16E-02	2.4E-01	1.05E-03	2.51E-04	6.30E-02	1.57E-01	2.49E-06	1.0E+06	2.5E+00
1545	5.62444	4.16E-02	2.3E-01	1.05E-03	2.45E-04	6.30E-02	1.57E-01	2.42E-06	1.0E+06	2.4E+00
1546	5.44413	4.16E-02	2.3E-01	1.05E-03	2.37E-04	6.30E-02	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1547	5.23841	4.16E-02	2.2E-01	1.05E-03	2.28E-04	6.30E-02	1.57E-01	2.26E-06	1.0E+06	2.3E+00
1548	5.01093	4.16E-02	2.1E-01	1.05E-03	2.18E-04	6.30E-02	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1549	4.76229	4.16E-02	2.0E-01	1.05E-03	2.07E-04	6.30E-02	1.57E-01	2.05E-06	1.0E+06	2.1E+00
1550	4.49526	4.16E-02	1.9E-01	1.05E-03	1.95E-04	6.30E-02	1.57E-01	1.94E-06	1.0E+06	1.9E+00
1551	4.21149	4.16E-02	1.8E-01	1.05E-03	1.83E-04	6.30E-02	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1552	3.91723	4.16E-02	1.6E-01	1.05E-03	1.70E-04	6.30E-02	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1553	3.61864	4.16E-02	1.5E-01	1.05E-03	1.57E-04	6.30E-02	1.57E-01	1.56E-06	1.0E+06	1.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	3.32246	4.16E-02	1.4E-01	1.05E-03	1.44E-04	6.30E-02	1.57E-01	1.43E-06	1.0E+06	1.4E+00
1555	3.03738	4.16E-02	1.3E-01	1.05E-03	1.32E-04	6.30E-02	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1556	2.76918	4.16E-02	1.2E-01	1.05E-03	1.20E-04	6.30E-02	1.57E-01	1.19E-06	1.0E+06	1.2E+00
1557	2.52	4.16E-02	1.0E-01	1.05E-03	1.10E-04	6.30E-02	1.57E-01	1.08E-06	1.0E+06	1.1E+00
1558	2.2907	4.16E-02	9.5E-02	1.05E-03	9.96E-05	6.30E-02	1.57E-01	9.86E-07	1.0E+06	9.9E-01
1559	2.08408	4.16E-02	8.7E-02	1.05E-03	9.06E-05	6.30E-02	1.57E-01	8.97E-07	1.0E+06	9.0E-01
1560	1.90004	4.16E-02	7.9E-02	1.05E-03	8.26E-05	6.30E-02	1.57E-01	8.18E-07	1.0E+06	8.2E-01
1561	1.737	4.16E-02	7.2E-02	1.05E-03	7.55E-05	6.30E-02	1.57E-01	7.48E-07	1.0E+06	7.5E-01
1562	5.5612	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.39E-06	1.0E+06	2.4E+00
1563	5.56018	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.39E-06	1.0E+06	2.4E+00
1564	5.56469	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1565	5.57488	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1566	5.57309	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1567	5.56834	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1568	5.55605	4.16E-02	2.3E-01	1.05E-03	2.42E-04	6.30E-02	1.57E-01	2.39E-06	1.0E+06	2.4E+00
1569	5.51238	4.16E-02	2.3E-01	1.05E-03	2.40E-04	6.30E-02	1.57E-01	2.37E-06	1.0E+06	2.4E+00
1570	5.44146	4.16E-02	2.3E-01	1.05E-03	2.37E-04	6.30E-02	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1571	5.34424	4.16E-02	2.2E-01	1.05E-03	2.32E-04	6.30E-02	1.57E-01	2.30E-06	1.0E+06	2.3E+00
1572	5.22282	4.16E-02	2.2E-01	1.05E-03	2.27E-04	6.30E-02	1.57E-01	2.25E-06	1.0E+06	2.2E+00
1573	5.08274	4.16E-02	2.1E-01	1.05E-03	2.21E-04	6.30E-02	1.57E-01	2.19E-06	1.0E+06	2.2E+00
1574	4.92458	4.16E-02	2.0E-01	1.05E-03	2.14E-04	6.30E-02	1.57E-01	2.12E-06	1.0E+06	2.1E+00
1575	4.74447	4.16E-02	2.0E-01	1.05E-03	2.06E-04	6.30E-02	1.57E-01	2.04E-06	1.0E+06	2.0E+00
1576	4.54686	4.16E-02	1.9E-01	1.05E-03	1.98E-04	6.30E-02	1.57E-01	1.96E-06	1.0E+06	2.0E+00
1577	4.33209	4.16E-02	1.8E-01	1.05E-03	1.88E-04	6.30E-02	1.57E-01	1.86E-06	1.0E+06	1.9E+00
1578	4.10196	4.16E-02	1.7E-01	1.05E-03	1.78E-04	6.30E-02	1.57E-01	1.77E-06	1.0E+06	1.8E+00
1579	3.85856	4.16E-02	1.6E-01	1.05E-03	1.68E-04	6.30E-02	1.57E-01	1.66E-06	1.0E+06	1.7E+00
1580	3.60578	4.16E-02	1.5E-01	1.05E-03	1.57E-04	6.30E-02	1.57E-01	1.55E-06	1.0E+06	1.6E+00
1581	3.34897	4.16E-02	1.4E-01	1.05E-03	1.46E-04	6.30E-02	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1582	3.09363	4.16E-02	1.3E-01	1.05E-03	1.34E-04	6.30E-02	1.57E-01	1.33E-06	1.0E+06	1.3E+00
1583	2.84582	4.16E-02	1.2E-01	1.05E-03	1.24E-04	6.30E-02	1.57E-01	1.23E-06	1.0E+06	1.2E+00
1584	2.61023	4.16E-02	1.1E-01	1.05E-03	1.13E-04	6.30E-02	1.57E-01	1.12E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.3894	4.16E-02	9.9E-02	1.05E-03	1.04E-04	6.30E-02	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1586	2.18437	4.16E-02	9.1E-02	1.05E-03	9.50E-05	6.30E-02	1.57E-01	9.40E-07	1.0E+06	9.4E-01
1587	1.99744	4.16E-02	8.3E-02	1.05E-03	8.68E-05	6.30E-02	1.57E-01	8.60E-07	1.0E+06	8.6E-01
1588	1.82902	4.16E-02	7.6E-02	1.05E-03	7.95E-05	6.30E-02	1.57E-01	7.87E-07	1.0E+06	7.9E-01
1589	1.67833	4.16E-02	7.0E-02	1.05E-03	7.30E-05	6.30E-02	1.57E-01	7.23E-07	1.0E+06	7.2E-01
1590	5.03444	4.16E-02	2.1E-01	1.05E-03	2.19E-04	6.30E-02	1.57E-01	2.17E-06	1.0E+06	2.2E+00
1591	5.02557	4.16E-02	2.1E-01	1.05E-03	2.18E-04	6.30E-02	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1592	5.01615	4.16E-02	2.1E-01	1.05E-03	2.18E-04	6.30E-02	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1593	5.01126	4.16E-02	2.1E-01	1.05E-03	2.18E-04	6.30E-02	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1594	5.02951	4.16E-02	2.1E-01	1.05E-03	2.19E-04	6.30E-02	1.57E-01	2.17E-06	1.0E+06	2.2E+00
1595	5.01656	4.16E-02	2.1E-01	1.05E-03	2.18E-04	6.30E-02	1.57E-01	2.16E-06	1.0E+06	2.2E+00
0	0	4.16E-02	0.0E+00	1.05E-03	0.00E+00	6.30E-02	1.57E-01	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	1.33E-02
1214	5	5.85E-02
1215	5	4.91E-02
1216	5	4.18E-02
1217	5	3.61E-02
1218	5	3.15E-02
1219	5	2.78E-02
1220	5	2.47E-02
1221	5	2.22E-02
1222	5	2.00E-02
1223	5	1.82E-02
1224	5	1.66E-02
1225	5	1.52E-02
1226	5	1.40E-02
1227	5	1.29E-02
1228	5	6.50E-02
1229	5	5.30E-02
1230	5	4.43E-02
1231	5	3.77E-02
1232	5	3.25E-02
1233	5	2.84E-02
1234	5	2.51E-02
1235	5	2.24E-02
1236	5	2.01E-02
1237	5	1.82E-02
1238	5	1.66E-02
1239	5	1.52E-02
1240	5	1.40E-02
1241	5	1.29E-02
1242	5	5.53E-02
1243	5	5.65E-02

Max	Receptor #	
0.120	1369	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	4.63E-02
1245	5	3.89E-02
1246	5	3.33E-02
1247	5	2.89E-02
1248	5	2.54E-02
1249	5	2.25E-02
1250	5	2.02E-02
1251	5	1.82E-02
1252	5	1.66E-02
1253	5	1.52E-02
1254	5	1.39E-02
1255	5	1.29E-02
1256	5	5.63E-02
1257	5	5.94E-02
1258	5	4.79E-02
1259	5	3.98E-02
1260	5	3.37E-02
1261	5	2.90E-02
1262	5	2.54E-02
1263	5	2.25E-02
1264	5	2.01E-02
1265	5	1.81E-02
1266	5	1.64E-02
1267	5	1.50E-02
1268	5	1.38E-02
1269	5	1.27E-02
1270	5	5.69E-02
1271	5	4.66E-02
1272	5	4.88E-02
1273	5	4.01E-02
1274	5	3.38E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	2.90E-02
1276	5	2.52E-02
1277	5	2.23E-02
1278	5	1.98E-02
1279	5	1.79E-02
1280	5	1.62E-02
1281	5	1.48E-02
1282	5	1.36E-02
1283	5	1.25E-02
1284	5	5.74E-02
1285	5	6.17E-02
1286	5	4.89E-02
1287	5	4.00E-02
1288	5	3.35E-02
1289	5	2.87E-02
1290	5	2.49E-02
1291	5	2.20E-02
1292	5	1.95E-02
1293	5	1.76E-02
1294	5	1.60E-02
1295	5	1.46E-02
1296	5	1.34E-02
1297	5	1.23E-02
1298	5	4.35E-02
1299	5	6.06E-02
1300	5	4.81E-02
1301	5	3.94E-02
1302	5	3.29E-02
1303	5	2.81E-02
1304	5	2.44E-02
1305	5	2.15E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	5.75E-02
1307	5	5.83E-02
1308	5	4.65E-02
1309	5	3.81E-02
1310	5	3.19E-02
1311	5	2.73E-02
1312	5	2.38E-02
1313	5	2.09E-02
1314	5	5.17E-02
1315	5	5.54E-02
1316	5	4.44E-02
1317	5	3.65E-02
1318	5	3.07E-02
1319	5	2.64E-02
1320	5	2.30E-02
1321	5	2.03E-02
1322	5	4.67E-02
1323	5	5.18E-02
1324	5	4.18E-02
1325	5	3.47E-02
1326	5	2.94E-02
1327	5	2.53E-02
1328	5	2.22E-02
1329	5	1.97E-02
1330	5	4.26E-02
1331	5	4.78E-02
1332	5	3.93E-02
1333	5	3.29E-02
1334	5	2.81E-02
1335	5	2.43E-02
1336	5	2.14E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	1.90E-02
1338	5	1.20E-01
1339	5	1.19E-01
1340	5	1.04E-01
1341	5	1.03E-01
1342	5	1.18E-01
1343	5	1.16E-01
1344	5	1.01E-01
1345	5	9.95E-02
1346	5	1.13E-01
1347	5	1.10E-01
1348	5	9.35E-02
1349	5	8.90E-02
1350	5	9.95E-02
1351	5	9.25E-02
1352	5	7.19E-02
1353	5	6.41E-02
1354	5	7.12E-02
1355	5	6.09E-02
1356	5	5.24E-02
1357	5	4.52E-02
1358	5	5.30E-02
1359	5	4.38E-02
1360	5	3.67E-02
1361	5	3.12E-02
1362	5	2.68E-02
1363	5	2.34E-02
1364	5	2.06E-02
1365	5	1.84E-02
1366	5	1.03E-01
1367	5	1.01E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	1.02E-01
1369	5	1.20E-01
1370	5	1.01E-01
1371	5	9.93E-02
1372	5	1.18E-01
1373	5	1.17E-01
1374	5	9.66E-02
1375	5	9.39E-02
1376	5	1.11E-01
1377	5	1.08E-01
1378	5	8.50E-02
1379	5	7.95E-02
1380	5	9.33E-02
1381	5	8.73E-02
1382	5	6.23E-02
1383	5	5.43E-02
1384	5	6.46E-02
1385	5	5.57E-02
1386	5	4.73E-02
1387	5	4.01E-02
1388	5	3.42E-02
1389	5	2.94E-02
1390	5	2.55E-02
1391	5	2.24E-02
1392	5	1.99E-02
1393	5	1.78E-02
1394	5	1.03E-01
1395	5	1.02E-01
1396	5	1.01E-01
1397	5	1.01E-01
1398	5	1.00E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	9.97E-02
1400	5	9.91E-02
1401	5	9.83E-02
1402	5	9.69E-02
1403	5	9.50E-02
1404	5	9.27E-02
1405	5	9.00E-02
1406	5	8.68E-02
1407	5	8.29E-02
1408	5	7.85E-02
1409	5	7.36E-02
1410	5	6.81E-02
1411	5	6.21E-02
1412	5	5.56E-02
1413	5	4.89E-02
1414	5	4.25E-02
1415	5	3.68E-02
1416	5	3.19E-02
1417	5	2.78E-02
1418	5	2.43E-02
1419	5	2.15E-02
1420	5	1.91E-02
1421	5	1.72E-02
1422	5	8.74E-02
1423	5	8.69E-02
1424	5	8.65E-02
1425	5	8.60E-02
1426	5	8.55E-02
1427	5	8.50E-02
1428	5	8.47E-02
1429	5	8.40E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	8.28E-02
1431	5	8.11E-02
1432	5	7.92E-02
1433	5	7.69E-02
1434	5	7.41E-02
1435	5	7.09E-02
1436	5	6.73E-02
1437	5	6.33E-02
1438	5	5.88E-02
1439	5	5.40E-02
1440	5	4.88E-02
1441	5	4.36E-02
1442	5	3.86E-02
1443	5	3.39E-02
1444	5	2.98E-02
1445	5	2.63E-02
1446	5	2.32E-02
1447	5	2.06E-02
1448	5	1.84E-02
1449	5	1.66E-02
1450	5	7.55E-02
1451	5	7.52E-02
1452	5	7.47E-02
1453	5	7.44E-02
1454	5	7.40E-02
1455	5	7.33E-02
1456	5	7.33E-02
1457	5	7.28E-02
1458	5	7.19E-02
1459	5	7.04E-02
1460	5	6.87E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	6.67E-02
1462	5	6.44E-02
1463	5	6.17E-02
1464	5	5.87E-02
1465	5	5.53E-02
1466	5	5.16E-02
1467	5	4.76E-02
1468	5	4.35E-02
1469	5	3.93E-02
1470	5	3.52E-02
1471	5	3.14E-02
1472	5	2.79E-02
1473	5	2.48E-02
1474	5	2.21E-02
1475	5	1.98E-02
1476	5	1.77E-02
1477	5	1.60E-02
1478	5	6.59E-02
1479	5	6.58E-02
1480	5	6.55E-02
1481	5	6.51E-02
1482	5	6.50E-02
1483	5	6.45E-02
1484	5	6.45E-02
1485	5	6.40E-02
1486	5	6.32E-02
1487	5	6.19E-02
1488	5	6.04E-02
1489	5	5.87E-02
1490	5	5.67E-02
1491	5	5.44E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	5.19E-02
1493	5	4.90E-02
1494	5	4.59E-02
1495	5	4.26E-02
1496	5	3.92E-02
1497	5	3.57E-02
1498	5	3.23E-02
1499	5	2.91E-02
1500	5	2.61E-02
1501	5	2.34E-02
1502	5	2.10E-02
1503	5	1.89E-02
1504	5	1.71E-02
1505	5	1.55E-02
1506	5	5.81E-02
1507	5	5.80E-02
1508	5	5.80E-02
1509	5	5.78E-02
1510	5	5.77E-02
1511	5	5.74E-02
1512	5	5.72E-02
1513	5	5.68E-02
1514	5	5.61E-02
1515	5	5.50E-02
1516	5	5.37E-02
1517	5	5.22E-02
1518	5	5.05E-02
1519	5	4.85E-02
1520	5	4.63E-02
1521	5	4.39E-02
1522	5	4.13E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	3.85E-02
1524	5	3.56E-02
1525	5	3.27E-02
1526	5	2.98E-02
1527	5	2.71E-02
1528	5	2.45E-02
1529	5	2.22E-02
1530	5	2.00E-02
1531	5	1.81E-02
1532	5	1.64E-02
1533	5	1.50E-02
1534	5	5.15E-02
1535	5	5.16E-02
1536	5	5.17E-02
1537	5	5.17E-02
1538	5	5.15E-02
1539	5	5.15E-02
1540	5	5.13E-02
1541	5	5.09E-02
1542	5	5.03E-02
1543	5	4.93E-02
1544	5	4.81E-02
1545	5	4.68E-02
1546	5	4.53E-02
1547	5	4.36E-02
1548	5	4.17E-02
1549	5	3.96E-02
1550	5	3.74E-02
1551	5	3.50E-02
1552	5	3.26E-02
1553	5	3.01E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	2.76E-02
1555	5	2.53E-02
1556	5	2.30E-02
1557	5	2.10E-02
1558	5	1.91E-02
1559	5	1.73E-02
1560	5	1.58E-02
1561	5	1.45E-02
1562	5	4.63E-02
1563	5	4.63E-02
1564	5	4.63E-02
1565	5	4.64E-02
1566	5	4.64E-02
1567	5	4.63E-02
1568	5	4.62E-02
1569	5	4.59E-02
1570	5	4.53E-02
1571	5	4.45E-02
1572	5	4.34E-02
1573	5	4.23E-02
1574	5	4.10E-02
1575	5	3.95E-02
1576	5	3.78E-02
1577	5	3.60E-02
1578	5	3.41E-02
1579	5	3.21E-02
1580	5	3.00E-02
1581	5	2.79E-02
1582	5	2.57E-02
1583	5	2.37E-02
1584	5	2.17E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	1.99E-02
1586	5	1.82E-02
1587	5	1.66E-02
1588	5	1.52E-02
1589	5	1.40E-02
1590	5	4.19E-02
1591	5	4.18E-02
1592	5	4.17E-02
1593	5	4.17E-02
1594	5	4.18E-02
1595	5	4.17E-02
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1.59495	4.16E-02	6.6E-02	6.05E-04	4.01E-05	2.68E-01	4.71E-02	5.08E-07	1.0E+06	5.1E-01
1214	7.03161	4.16E-02	2.9E-01	6.05E-04	1.77E-04	2.68E-01	4.71E-02	2.24E-06	1.0E+06	2.2E+00
1215	5.89693	4.16E-02	2.5E-01	6.05E-04	1.48E-04	2.68E-01	4.71E-02	1.88E-06	1.0E+06	1.9E+00
1216	5.02303	4.16E-02	2.1E-01	6.05E-04	1.26E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1217	4.33808	4.16E-02	1.8E-01	6.05E-04	1.09E-04	2.68E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1218	3.7882	4.16E-02	1.6E-01	6.05E-04	9.53E-05	2.68E-01	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1219	3.34097	4.16E-02	1.4E-01	6.05E-04	8.41E-05	2.68E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1220	2.97174	4.16E-02	1.2E-01	6.05E-04	7.48E-05	2.68E-01	4.71E-02	9.47E-07	1.0E+06	9.5E-01
1221	2.66332	4.16E-02	1.1E-01	6.05E-04	6.70E-05	2.68E-01	4.71E-02	8.48E-07	1.0E+06	8.5E-01
1222	2.40255	4.16E-02	1.0E-01	6.05E-04	6.05E-05	2.68E-01	4.71E-02	7.65E-07	1.0E+06	7.7E-01
1223	2.18201	4.16E-02	9.1E-02	6.05E-04	5.49E-05	2.68E-01	4.71E-02	6.95E-07	1.0E+06	7.0E-01
1224	1.99166	4.16E-02	8.3E-02	6.05E-04	5.01E-05	2.68E-01	4.71E-02	6.34E-07	1.0E+06	6.3E-01
1225	1.82652	4.16E-02	7.6E-02	6.05E-04	4.60E-05	2.68E-01	4.71E-02	5.82E-07	1.0E+06	5.8E-01
1226	1.68223	4.16E-02	7.0E-02	6.05E-04	4.23E-05	2.68E-01	4.71E-02	5.36E-07	1.0E+06	5.4E-01
1227	1.55508	4.16E-02	6.5E-02	6.05E-04	3.91E-05	2.68E-01	4.71E-02	4.95E-07	1.0E+06	5.0E-01
1228	7.81928	4.16E-02	3.3E-01	6.05E-04	1.97E-04	2.68E-01	4.71E-02	2.49E-06	1.0E+06	2.5E+00
1229	6.37384	4.16E-02	2.7E-01	6.05E-04	1.60E-04	2.68E-01	4.71E-02	2.03E-06	1.0E+06	2.0E+00
1230	5.32173	4.16E-02	2.2E-01	6.05E-04	1.34E-04	2.68E-01	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1231	4.53088	4.16E-02	1.9E-01	6.05E-04	1.14E-04	2.68E-01	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1232	3.91123	4.16E-02	1.6E-01	6.05E-04	9.84E-05	2.68E-01	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1233	3.41912	4.16E-02	1.4E-01	6.05E-04	8.61E-05	2.68E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1234	3.02139	4.16E-02	1.3E-01	6.05E-04	7.60E-05	2.68E-01	4.71E-02	9.63E-07	1.0E+06	9.6E-01
1235	2.69416	4.16E-02	1.1E-01	6.05E-04	6.78E-05	2.68E-01	4.71E-02	8.58E-07	1.0E+06	8.6E-01
1236	2.42062	4.16E-02	1.0E-01	6.05E-04	6.09E-05	2.68E-01	4.71E-02	7.71E-07	1.0E+06	7.7E-01
1237	2.19205	4.16E-02	9.1E-02	6.05E-04	5.52E-05	2.68E-01	4.71E-02	6.98E-07	1.0E+06	7.0E-01
1238	1.99681	4.16E-02	8.3E-02	6.05E-04	5.03E-05	2.68E-01	4.71E-02	6.36E-07	1.0E+06	6.4E-01
1239	1.8282	4.16E-02	7.6E-02	6.05E-04	4.60E-05	2.68E-01	4.71E-02	5.82E-07	1.0E+06	5.8E-01
1240	1.6816	4.16E-02	7.0E-02	6.05E-04	4.23E-05	2.68E-01	4.71E-02	5.36E-07	1.0E+06	5.4E-01
1241	1.55308	4.16E-02	6.5E-02	6.05E-04	3.91E-05	2.68E-01	4.71E-02	4.95E-07	1.0E+06	4.9E-01
1242	6.64204	4.16E-02	2.8E-01	6.05E-04	1.67E-04	2.68E-01	4.71E-02	2.12E-06	1.0E+06	2.1E+00
1243	6.7965	4.16E-02	2.8E-01	6.05E-04	1.71E-04	2.68E-01	4.71E-02	2.17E-06	1.0E+06	2.2E+00

	Max	Receptor #
Res	4.613	1369

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	5.57115	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1245	4.68059	4.16E-02	1.9E-01	6.05E-04	1.18E-04	2.68E-01	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1246	3.99862	4.16E-02	1.7E-01	6.05E-04	1.01E-04	2.68E-01	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1247	3.46821	4.16E-02	1.4E-01	6.05E-04	8.73E-05	2.68E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1248	3.04732	4.16E-02	1.3E-01	6.05E-04	7.67E-05	2.68E-01	4.71E-02	9.71E-07	1.0E+06	9.7E-01
1249	2.70598	4.16E-02	1.1E-01	6.05E-04	6.81E-05	2.68E-01	4.71E-02	8.62E-07	1.0E+06	8.6E-01
1250	2.42339	4.16E-02	1.0E-01	6.05E-04	6.10E-05	2.68E-01	4.71E-02	7.72E-07	1.0E+06	7.7E-01
1251	2.19019	4.16E-02	9.1E-02	6.05E-04	5.51E-05	2.68E-01	4.71E-02	6.98E-07	1.0E+06	7.0E-01
1252	1.99211	4.16E-02	8.3E-02	6.05E-04	5.01E-05	2.68E-01	4.71E-02	6.35E-07	1.0E+06	6.3E-01
1253	1.82183	4.16E-02	7.6E-02	6.05E-04	4.59E-05	2.68E-01	4.71E-02	5.80E-07	1.0E+06	5.8E-01
1254	1.67448	4.16E-02	7.0E-02	6.05E-04	4.21E-05	2.68E-01	4.71E-02	5.33E-07	1.0E+06	5.3E-01
1255	1.5457	4.16E-02	6.4E-02	6.05E-04	3.89E-05	2.68E-01	4.71E-02	4.92E-07	1.0E+06	4.9E-01
1256	6.77302	4.16E-02	2.8E-01	6.05E-04	1.70E-04	2.68E-01	4.71E-02	2.16E-06	1.0E+06	2.2E+00
1257	7.1365	4.16E-02	3.0E-01	6.05E-04	1.80E-04	2.68E-01	4.71E-02	2.27E-06	1.0E+06	2.3E+00
1258	5.7585	4.16E-02	2.4E-01	6.05E-04	1.45E-04	2.68E-01	4.71E-02	1.83E-06	1.0E+06	1.8E+00
1259	4.78032	4.16E-02	2.0E-01	6.05E-04	1.20E-04	2.68E-01	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1260	4.04669	4.16E-02	1.7E-01	6.05E-04	1.02E-04	2.68E-01	4.71E-02	1.29E-06	1.0E+06	1.3E+00
1261	3.48821	4.16E-02	1.5E-01	6.05E-04	8.78E-05	2.68E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1262	3.05075	4.16E-02	1.3E-01	6.05E-04	7.68E-05	2.68E-01	4.71E-02	9.72E-07	1.0E+06	9.7E-01
1263	2.6997	4.16E-02	1.1E-01	6.05E-04	6.79E-05	2.68E-01	4.71E-02	8.60E-07	1.0E+06	8.6E-01
1264	2.41147	4.16E-02	1.0E-01	6.05E-04	6.07E-05	2.68E-01	4.71E-02	7.68E-07	1.0E+06	7.7E-01
1265	2.176	4.16E-02	9.1E-02	6.05E-04	5.48E-05	2.68E-01	4.71E-02	6.93E-07	1.0E+06	6.9E-01
1266	1.97693	4.16E-02	8.2E-02	6.05E-04	4.98E-05	2.68E-01	4.71E-02	6.30E-07	1.0E+06	6.3E-01
1267	1.80644	4.16E-02	7.5E-02	6.05E-04	4.55E-05	2.68E-01	4.71E-02	5.75E-07	1.0E+06	5.8E-01
1268	1.65921	4.16E-02	6.9E-02	6.05E-04	4.18E-05	2.68E-01	4.71E-02	5.29E-07	1.0E+06	5.3E-01
1269	1.53087	4.16E-02	6.4E-02	6.05E-04	3.85E-05	2.68E-01	4.71E-02	4.88E-07	1.0E+06	4.9E-01
1270	6.83387	4.16E-02	2.8E-01	6.05E-04	1.72E-04	2.68E-01	4.71E-02	2.18E-06	1.0E+06	2.2E+00
1271	5.60152	4.16E-02	2.3E-01	6.05E-04	1.41E-04	2.68E-01	4.71E-02	1.78E-06	1.0E+06	1.8E+00
1272	5.86816	4.16E-02	2.4E-01	6.05E-04	1.48E-04	2.68E-01	4.71E-02	1.87E-06	1.0E+06	1.9E+00
1273	4.82621	4.16E-02	2.0E-01	6.05E-04	1.21E-04	2.68E-01	4.71E-02	1.54E-06	1.0E+06	1.5E+00
1274	4.05897	4.16E-02	1.7E-01	6.05E-04	1.02E-04	2.68E-01	4.71E-02	1.29E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	3.48275	4.16E-02	1.4E-01	6.05E-04	8.77E-05	2.68E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1276	3.03491	4.16E-02	1.3E-01	6.05E-04	7.64E-05	2.68E-01	4.71E-02	9.67E-07	1.0E+06	9.7E-01
1277	2.67743	4.16E-02	1.1E-01	6.05E-04	6.74E-05	2.68E-01	4.71E-02	8.53E-07	1.0E+06	8.5E-01
1278	2.3858	4.16E-02	9.9E-02	6.05E-04	6.00E-05	2.68E-01	4.71E-02	7.60E-07	1.0E+06	7.6E-01
1279	2.14971	4.16E-02	8.9E-02	6.05E-04	5.41E-05	2.68E-01	4.71E-02	6.85E-07	1.0E+06	6.8E-01
1280	1.95117	4.16E-02	8.1E-02	6.05E-04	4.91E-05	2.68E-01	4.71E-02	6.22E-07	1.0E+06	6.2E-01
1281	1.78152	4.16E-02	7.4E-02	6.05E-04	4.48E-05	2.68E-01	4.71E-02	5.68E-07	1.0E+06	5.7E-01
1282	1.63497	4.16E-02	6.8E-02	6.05E-04	4.11E-05	2.68E-01	4.71E-02	5.21E-07	1.0E+06	5.2E-01
1283	1.50767	4.16E-02	6.3E-02	6.05E-04	3.79E-05	2.68E-01	4.71E-02	4.80E-07	1.0E+06	4.8E-01
1284	6.90368	4.16E-02	2.9E-01	6.05E-04	1.74E-04	2.68E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1285	7.4155	4.16E-02	3.1E-01	6.05E-04	1.87E-04	2.68E-01	4.71E-02	2.36E-06	1.0E+06	2.4E+00
1286	5.87683	4.16E-02	2.4E-01	6.05E-04	1.48E-04	2.68E-01	4.71E-02	1.87E-06	1.0E+06	1.9E+00
1287	4.81258	4.16E-02	2.0E-01	6.05E-04	1.21E-04	2.68E-01	4.71E-02	1.53E-06	1.0E+06	1.5E+00
1288	4.02974	4.16E-02	1.7E-01	6.05E-04	1.01E-04	2.68E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1289	3.44772	4.16E-02	1.4E-01	6.05E-04	8.68E-05	2.68E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1290	2.99723	4.16E-02	1.2E-01	6.05E-04	7.54E-05	2.68E-01	4.71E-02	9.55E-07	1.0E+06	9.5E-01
1291	2.63885	4.16E-02	1.1E-01	6.05E-04	6.64E-05	2.68E-01	4.71E-02	8.41E-07	1.0E+06	8.4E-01
1292	2.34806	4.16E-02	9.8E-02	6.05E-04	5.91E-05	2.68E-01	4.71E-02	7.48E-07	1.0E+06	7.5E-01
1293	2.11415	4.16E-02	8.8E-02	6.05E-04	5.32E-05	2.68E-01	4.71E-02	6.74E-07	1.0E+06	6.7E-01
1294	1.91802	4.16E-02	8.0E-02	6.05E-04	4.83E-05	2.68E-01	4.71E-02	6.11E-07	1.0E+06	6.1E-01
1295	1.75064	4.16E-02	7.3E-02	6.05E-04	4.41E-05	2.68E-01	4.71E-02	5.58E-07	1.0E+06	5.6E-01
1296	1.60618	4.16E-02	6.7E-02	6.05E-04	4.04E-05	2.68E-01	4.71E-02	5.12E-07	1.0E+06	5.1E-01
1297	1.48086	4.16E-02	6.2E-02	6.05E-04	3.73E-05	2.68E-01	4.71E-02	4.72E-07	1.0E+06	4.7E-01
1298	5.23101	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.67E-06	1.0E+06	1.7E+00
1299	7.27933	4.16E-02	3.0E-01	6.05E-04	1.83E-04	2.68E-01	4.71E-02	2.32E-06	1.0E+06	2.3E+00
1300	5.78741	4.16E-02	2.4E-01	6.05E-04	1.46E-04	2.68E-01	4.71E-02	1.84E-06	1.0E+06	1.8E+00
1301	4.73601	4.16E-02	2.0E-01	6.05E-04	1.19E-04	2.68E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1302	3.95968	4.16E-02	1.6E-01	6.05E-04	9.97E-05	2.68E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1303	3.38355	4.16E-02	1.4E-01	6.05E-04	8.52E-05	2.68E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1304	2.93894	4.16E-02	1.2E-01	6.05E-04	7.40E-05	2.68E-01	4.71E-02	9.36E-07	1.0E+06	9.4E-01
1305	2.58555	4.16E-02	1.1E-01	6.05E-04	6.51E-05	2.68E-01	4.71E-02	8.24E-07	1.0E+06	8.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	6.90601	4.16E-02	2.9E-01	6.05E-04	1.74E-04	2.68E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1307	7.00836	4.16E-02	2.9E-01	6.05E-04	1.76E-04	2.68E-01	4.71E-02	2.23E-06	1.0E+06	2.2E+00
1308	5.59054	4.16E-02	2.3E-01	6.05E-04	1.41E-04	2.68E-01	4.71E-02	1.78E-06	1.0E+06	1.8E+00
1309	4.58256	4.16E-02	1.9E-01	6.05E-04	1.15E-04	2.68E-01	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1310	3.83771	4.16E-02	1.6E-01	6.05E-04	9.66E-05	2.68E-01	4.71E-02	1.22E-06	1.0E+06	1.2E+00
1311	3.28282	4.16E-02	1.4E-01	6.05E-04	8.26E-05	2.68E-01	4.71E-02	1.05E-06	1.0E+06	1.0E+00
1312	2.85586	4.16E-02	1.2E-01	6.05E-04	7.19E-05	2.68E-01	4.71E-02	9.10E-07	1.0E+06	9.1E-01
1313	2.51755	4.16E-02	1.0E-01	6.05E-04	6.34E-05	2.68E-01	4.71E-02	8.02E-07	1.0E+06	8.0E-01
1314	6.21209	4.16E-02	2.6E-01	6.05E-04	1.56E-04	2.68E-01	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1315	6.66398	4.16E-02	2.8E-01	6.05E-04	1.68E-04	2.68E-01	4.71E-02	2.12E-06	1.0E+06	2.1E+00
1316	5.33194	4.16E-02	2.2E-01	6.05E-04	1.34E-04	2.68E-01	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1317	4.38832	4.16E-02	1.8E-01	6.05E-04	1.10E-04	2.68E-01	4.71E-02	1.40E-06	1.0E+06	1.4E+00
1318	3.69074	4.16E-02	1.5E-01	6.05E-04	9.29E-05	2.68E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1319	3.16744	4.16E-02	1.3E-01	6.05E-04	7.97E-05	2.68E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1320	2.76307	4.16E-02	1.1E-01	6.05E-04	6.95E-05	2.68E-01	4.71E-02	8.80E-07	1.0E+06	8.8E-01
1321	2.4428	4.16E-02	1.0E-01	6.05E-04	6.15E-05	2.68E-01	4.71E-02	7.78E-07	1.0E+06	7.8E-01
1322	5.61822	4.16E-02	2.3E-01	6.05E-04	1.41E-04	2.68E-01	4.71E-02	1.79E-06	1.0E+06	1.8E+00
1323	6.22312	4.16E-02	2.6E-01	6.05E-04	1.57E-04	2.68E-01	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1324	5.02891	4.16E-02	2.1E-01	6.05E-04	1.27E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1325	4.1691	4.16E-02	1.7E-01	6.05E-04	1.05E-04	2.68E-01	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1326	3.52968	4.16E-02	1.5E-01	6.05E-04	8.88E-05	2.68E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1327	3.04297	4.16E-02	1.3E-01	6.05E-04	7.66E-05	2.68E-01	4.71E-02	9.69E-07	1.0E+06	9.7E-01
1328	2.66486	4.16E-02	1.1E-01	6.05E-04	6.71E-05	2.68E-01	4.71E-02	8.49E-07	1.0E+06	8.5E-01
1329	2.36452	4.16E-02	9.8E-02	6.05E-04	5.95E-05	2.68E-01	4.71E-02	7.53E-07	1.0E+06	7.5E-01
1330	5.12202	4.16E-02	2.1E-01	6.05E-04	1.29E-04	2.68E-01	4.71E-02	1.63E-06	1.0E+06	1.6E+00
1331	5.74991	4.16E-02	2.4E-01	6.05E-04	1.45E-04	2.68E-01	4.71E-02	1.83E-06	1.0E+06	1.8E+00
1332	4.72255	4.16E-02	2.0E-01	6.05E-04	1.19E-04	2.68E-01	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1333	3.95908	4.16E-02	1.6E-01	6.05E-04	9.96E-05	2.68E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1334	3.37577	4.16E-02	1.4E-01	6.05E-04	8.50E-05	2.68E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1335	2.92522	4.16E-02	1.2E-01	6.05E-04	7.36E-05	2.68E-01	4.71E-02	9.32E-07	1.0E+06	9.3E-01
1336	2.57089	4.16E-02	1.1E-01	6.05E-04	6.47E-05	2.68E-01	4.71E-02	8.19E-07	1.0E+06	8.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	2.28671	4.16E-02	9.5E-02	6.05E-04	5.76E-05	2.68E-01	4.71E-02	7.28E-07	1.0E+06	7.3E-01
1338	14.44226	4.16E-02	6.0E-01	6.05E-04	3.63E-04	2.68E-01	4.71E-02	4.60E-06	1.0E+06	4.6E+00
1339	14.24991	4.16E-02	5.9E-01	6.05E-04	3.59E-04	2.68E-01	4.71E-02	4.54E-06	1.0E+06	4.5E+00
1340	12.51126	4.16E-02	5.2E-01	6.05E-04	3.15E-04	2.68E-01	4.71E-02	3.99E-06	1.0E+06	4.0E+00
1341	12.34966	4.16E-02	5.1E-01	6.05E-04	3.11E-04	2.68E-01	4.71E-02	3.93E-06	1.0E+06	3.9E+00
1342	14.19703	4.16E-02	5.9E-01	6.05E-04	3.57E-04	2.68E-01	4.71E-02	4.52E-06	1.0E+06	4.5E+00
1343	13.96515	4.16E-02	5.8E-01	6.05E-04	3.51E-04	2.68E-01	4.71E-02	4.45E-06	1.0E+06	4.4E+00
1344	12.18172	4.16E-02	5.1E-01	6.05E-04	3.07E-04	2.68E-01	4.71E-02	3.88E-06	1.0E+06	3.9E+00
1345	11.95555	4.16E-02	5.0E-01	6.05E-04	3.01E-04	2.68E-01	4.71E-02	3.81E-06	1.0E+06	3.8E+00
1346	13.62952	4.16E-02	5.7E-01	6.05E-04	3.43E-04	2.68E-01	4.71E-02	4.34E-06	1.0E+06	4.3E+00
1347	13.24666	4.16E-02	5.5E-01	6.05E-04	3.33E-04	2.68E-01	4.71E-02	4.22E-06	1.0E+06	4.2E+00
1348	11.23777	4.16E-02	4.7E-01	6.05E-04	2.83E-04	2.68E-01	4.71E-02	3.58E-06	1.0E+06	3.6E+00
1349	10.70262	4.16E-02	4.5E-01	6.05E-04	2.69E-04	2.68E-01	4.71E-02	3.41E-06	1.0E+06	3.4E+00
1350	11.95984	4.16E-02	5.0E-01	6.05E-04	3.01E-04	2.68E-01	4.71E-02	3.81E-06	1.0E+06	3.8E+00
1351	11.12101	4.16E-02	4.6E-01	6.05E-04	2.80E-04	2.68E-01	4.71E-02	3.54E-06	1.0E+06	3.5E+00
1352	8.64404	4.16E-02	3.6E-01	6.05E-04	2.18E-04	2.68E-01	4.71E-02	2.75E-06	1.0E+06	2.8E+00
1353	7.70079	4.16E-02	3.2E-01	6.05E-04	1.94E-04	2.68E-01	4.71E-02	2.45E-06	1.0E+06	2.5E+00
1354	8.55757	4.16E-02	3.6E-01	6.05E-04	2.15E-04	2.68E-01	4.71E-02	2.73E-06	1.0E+06	2.7E+00
1355	7.31883	4.16E-02	3.0E-01	6.05E-04	1.84E-04	2.68E-01	4.71E-02	2.33E-06	1.0E+06	2.3E+00
1356	6.29278	4.16E-02	2.6E-01	6.05E-04	1.58E-04	2.68E-01	4.71E-02	2.00E-06	1.0E+06	2.0E+00
1357	5.43099	4.16E-02	2.3E-01	6.05E-04	1.37E-04	2.68E-01	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1358	6.36921	4.16E-02	2.6E-01	6.05E-04	1.60E-04	2.68E-01	4.71E-02	2.03E-06	1.0E+06	2.0E+00
1359	5.27003	4.16E-02	2.2E-01	6.05E-04	1.33E-04	2.68E-01	4.71E-02	1.68E-06	1.0E+06	1.7E+00
1360	4.41219	4.16E-02	1.8E-01	6.05E-04	1.11E-04	2.68E-01	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1361	3.7458	4.16E-02	1.6E-01	6.05E-04	9.43E-05	2.68E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1362	3.22113	4.16E-02	1.3E-01	6.05E-04	8.11E-05	2.68E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1363	2.80753	4.16E-02	1.2E-01	6.05E-04	7.07E-05	2.68E-01	4.71E-02	8.94E-07	1.0E+06	8.9E-01
1364	2.47727	4.16E-02	1.0E-01	6.05E-04	6.23E-05	2.68E-01	4.71E-02	7.89E-07	1.0E+06	7.9E-01
1365	2.20985	4.16E-02	9.2E-02	6.05E-04	5.56E-05	2.68E-01	4.71E-02	7.04E-07	1.0E+06	7.0E-01
1366	12.36115	4.16E-02	5.1E-01	6.05E-04	3.11E-04	2.68E-01	4.71E-02	3.94E-06	1.0E+06	3.9E+00
1367	12.2004	4.16E-02	5.1E-01	6.05E-04	3.07E-04	2.68E-01	4.71E-02	3.89E-06	1.0E+06	3.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	12.28915	4.16E-02	5.1E-01	6.05E-04	3.09E-04	2.68E-01	4.71E-02	3.91E-06	1.0E+06	3.9E+00
1369	14.48134	4.16E-02	6.0E-01	6.05E-04	3.64E-04	2.68E-01	4.71E-02	4.61E-06	1.0E+06	4.6E+00
1370	12.11849	4.16E-02	5.0E-01	6.05E-04	3.05E-04	2.68E-01	4.71E-02	3.86E-06	1.0E+06	3.9E+00
1371	11.93785	4.16E-02	5.0E-01	6.05E-04	3.00E-04	2.68E-01	4.71E-02	3.80E-06	1.0E+06	3.8E+00
1372	14.21824	4.16E-02	5.9E-01	6.05E-04	3.58E-04	2.68E-01	4.71E-02	4.53E-06	1.0E+06	4.5E+00
1373	14.09422	4.16E-02	5.9E-01	6.05E-04	3.55E-04	2.68E-01	4.71E-02	4.49E-06	1.0E+06	4.5E+00
1374	11.61469	4.16E-02	4.8E-01	6.05E-04	2.92E-04	2.68E-01	4.71E-02	3.70E-06	1.0E+06	3.7E+00
1375	11.28398	4.16E-02	4.7E-01	6.05E-04	2.84E-04	2.68E-01	4.71E-02	3.59E-06	1.0E+06	3.6E+00
1376	13.30315	4.16E-02	5.5E-01	6.05E-04	3.35E-04	2.68E-01	4.71E-02	4.24E-06	1.0E+06	4.2E+00
1377	12.92905	4.16E-02	5.4E-01	6.05E-04	3.25E-04	2.68E-01	4.71E-02	4.12E-06	1.0E+06	4.1E+00
1378	10.21298	4.16E-02	4.2E-01	6.05E-04	2.57E-04	2.68E-01	4.71E-02	3.25E-06	1.0E+06	3.3E+00
1379	9.56154	4.16E-02	4.0E-01	6.05E-04	2.41E-04	2.68E-01	4.71E-02	3.05E-06	1.0E+06	3.0E+00
1380	11.21617	4.16E-02	4.7E-01	6.05E-04	2.82E-04	2.68E-01	4.71E-02	3.57E-06	1.0E+06	3.6E+00
1381	10.49217	4.16E-02	4.4E-01	6.05E-04	2.64E-04	2.68E-01	4.71E-02	3.34E-06	1.0E+06	3.3E+00
1382	7.49177	4.16E-02	3.1E-01	6.05E-04	1.89E-04	2.68E-01	4.71E-02	2.39E-06	1.0E+06	2.4E+00
1383	6.52159	4.16E-02	2.7E-01	6.05E-04	1.64E-04	2.68E-01	4.71E-02	2.08E-06	1.0E+06	2.1E+00
1384	7.76548	4.16E-02	3.2E-01	6.05E-04	1.95E-04	2.68E-01	4.71E-02	2.47E-06	1.0E+06	2.5E+00
1385	6.69215	4.16E-02	2.8E-01	6.05E-04	1.68E-04	2.68E-01	4.71E-02	2.13E-06	1.0E+06	2.1E+00
1386	5.6875	4.16E-02	2.4E-01	6.05E-04	1.43E-04	2.68E-01	4.71E-02	1.81E-06	1.0E+06	1.8E+00
1387	4.82388	4.16E-02	2.0E-01	6.05E-04	1.21E-04	2.68E-01	4.71E-02	1.54E-06	1.0E+06	1.5E+00
1388	4.11419	4.16E-02	1.7E-01	6.05E-04	1.04E-04	2.68E-01	4.71E-02	1.31E-06	1.0E+06	1.3E+00
1389	3.53838	4.16E-02	1.5E-01	6.05E-04	8.91E-05	2.68E-01	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1390	3.0699	4.16E-02	1.3E-01	6.05E-04	7.73E-05	2.68E-01	4.71E-02	9.78E-07	1.0E+06	9.8E-01
1391	2.69242	4.16E-02	1.1E-01	6.05E-04	6.78E-05	2.68E-01	4.71E-02	8.58E-07	1.0E+06	8.6E-01
1392	2.38607	4.16E-02	9.9E-02	6.05E-04	6.01E-05	2.68E-01	4.71E-02	7.60E-07	1.0E+06	7.6E-01
1393	2.1349	4.16E-02	8.9E-02	6.05E-04	5.37E-05	2.68E-01	4.71E-02	6.80E-07	1.0E+06	6.8E-01
1394	12.346	4.16E-02	5.1E-01	6.05E-04	3.11E-04	2.68E-01	4.71E-02	3.93E-06	1.0E+06	3.9E+00
1395	12.28184	4.16E-02	5.1E-01	6.05E-04	3.09E-04	2.68E-01	4.71E-02	3.91E-06	1.0E+06	3.9E+00
1396	12.18985	4.16E-02	5.1E-01	6.05E-04	3.07E-04	2.68E-01	4.71E-02	3.88E-06	1.0E+06	3.9E+00
1397	12.11207	4.16E-02	5.0E-01	6.05E-04	3.05E-04	2.68E-01	4.71E-02	3.86E-06	1.0E+06	3.9E+00
1398	12.07276	4.16E-02	5.0E-01	6.05E-04	3.04E-04	2.68E-01	4.71E-02	3.85E-06	1.0E+06	3.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	11.98967	4.16E-02	5.0E-01	6.05E-04	3.02E-04	2.68E-01	4.71E-02	3.82E-06	1.0E+06	3.8E+00
1400	11.91635	4.16E-02	5.0E-01	6.05E-04	3.00E-04	2.68E-01	4.71E-02	3.80E-06	1.0E+06	3.8E+00
1401	11.81784	4.16E-02	4.9E-01	6.05E-04	2.97E-04	2.68E-01	4.71E-02	3.76E-06	1.0E+06	3.8E+00
1402	11.64922	4.16E-02	4.8E-01	6.05E-04	2.93E-04	2.68E-01	4.71E-02	3.71E-06	1.0E+06	3.7E+00
1403	11.4204	4.16E-02	4.8E-01	6.05E-04	2.87E-04	2.68E-01	4.71E-02	3.64E-06	1.0E+06	3.6E+00
1404	11.13768	4.16E-02	4.6E-01	6.05E-04	2.80E-04	2.68E-01	4.71E-02	3.55E-06	1.0E+06	3.5E+00
1405	10.81776	4.16E-02	4.5E-01	6.05E-04	2.72E-04	2.68E-01	4.71E-02	3.45E-06	1.0E+06	3.4E+00
1406	10.42788	4.16E-02	4.3E-01	6.05E-04	2.62E-04	2.68E-01	4.71E-02	3.32E-06	1.0E+06	3.3E+00
1407	9.96195	4.16E-02	4.1E-01	6.05E-04	2.51E-04	2.68E-01	4.71E-02	3.17E-06	1.0E+06	3.2E+00
1408	9.4316	4.16E-02	3.9E-01	6.05E-04	2.37E-04	2.68E-01	4.71E-02	3.00E-06	1.0E+06	3.0E+00
1409	8.84146	4.16E-02	3.7E-01	6.05E-04	2.23E-04	2.68E-01	4.71E-02	2.82E-06	1.0E+06	2.8E+00
1410	8.19048	4.16E-02	3.4E-01	6.05E-04	2.06E-04	2.68E-01	4.71E-02	2.61E-06	1.0E+06	2.6E+00
1411	7.47061	4.16E-02	3.1E-01	6.05E-04	1.88E-04	2.68E-01	4.71E-02	2.38E-06	1.0E+06	2.4E+00
1412	6.68789	4.16E-02	2.8E-01	6.05E-04	1.68E-04	2.68E-01	4.71E-02	2.13E-06	1.0E+06	2.1E+00
1413	5.88345	4.16E-02	2.4E-01	6.05E-04	1.48E-04	2.68E-01	4.71E-02	1.87E-06	1.0E+06	1.9E+00
1414	5.11395	4.16E-02	2.1E-01	6.05E-04	1.29E-04	2.68E-01	4.71E-02	1.63E-06	1.0E+06	1.6E+00
1415	4.42675	4.16E-02	1.8E-01	6.05E-04	1.11E-04	2.68E-01	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1416	3.83844	4.16E-02	1.6E-01	6.05E-04	9.66E-05	2.68E-01	4.71E-02	1.22E-06	1.0E+06	1.2E+00
1417	3.34362	4.16E-02	1.4E-01	6.05E-04	8.42E-05	2.68E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1418	2.92615	4.16E-02	1.2E-01	6.05E-04	7.36E-05	2.68E-01	4.71E-02	9.32E-07	1.0E+06	9.3E-01
1419	2.58213	4.16E-02	1.1E-01	6.05E-04	6.50E-05	2.68E-01	4.71E-02	8.23E-07	1.0E+06	8.2E-01
1420	2.29833	4.16E-02	9.6E-02	6.05E-04	5.78E-05	2.68E-01	4.71E-02	7.32E-07	1.0E+06	7.3E-01
1421	2.06287	4.16E-02	8.6E-02	6.05E-04	5.19E-05	2.68E-01	4.71E-02	6.57E-07	1.0E+06	6.6E-01
1422	10.50365	4.16E-02	4.4E-01	6.05E-04	2.64E-04	2.68E-01	4.71E-02	3.35E-06	1.0E+06	3.3E+00
1423	10.44226	4.16E-02	4.3E-01	6.05E-04	2.63E-04	2.68E-01	4.71E-02	3.33E-06	1.0E+06	3.3E+00
1424	10.40176	4.16E-02	4.3E-01	6.05E-04	2.62E-04	2.68E-01	4.71E-02	3.31E-06	1.0E+06	3.3E+00
1425	10.34198	4.16E-02	4.3E-01	6.05E-04	2.60E-04	2.68E-01	4.71E-02	3.29E-06	1.0E+06	3.3E+00
1426	10.27209	4.16E-02	4.3E-01	6.05E-04	2.59E-04	2.68E-01	4.71E-02	3.27E-06	1.0E+06	3.3E+00
1427	10.21481	4.16E-02	4.2E-01	6.05E-04	2.57E-04	2.68E-01	4.71E-02	3.25E-06	1.0E+06	3.3E+00
1428	10.17818	4.16E-02	4.2E-01	6.05E-04	2.56E-04	2.68E-01	4.71E-02	3.24E-06	1.0E+06	3.2E+00
1429	10.09224	4.16E-02	4.2E-01	6.05E-04	2.54E-04	2.68E-01	4.71E-02	3.22E-06	1.0E+06	3.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	9.95224	4.16E-02	4.1E-01	6.05E-04	2.50E-04	2.68E-01	4.71E-02	3.17E-06	1.0E+06	3.2E+00
1431	9.75415	4.16E-02	4.1E-01	6.05E-04	2.45E-04	2.68E-01	4.71E-02	3.11E-06	1.0E+06	3.1E+00
1432	9.51455	4.16E-02	4.0E-01	6.05E-04	2.39E-04	2.68E-01	4.71E-02	3.03E-06	1.0E+06	3.0E+00
1433	9.23853	4.16E-02	3.8E-01	6.05E-04	2.33E-04	2.68E-01	4.71E-02	2.94E-06	1.0E+06	2.9E+00
1434	8.91293	4.16E-02	3.7E-01	6.05E-04	2.24E-04	2.68E-01	4.71E-02	2.84E-06	1.0E+06	2.8E+00
1435	8.52852	4.16E-02	3.5E-01	6.05E-04	2.15E-04	2.68E-01	4.71E-02	2.72E-06	1.0E+06	2.7E+00
1436	8.09239	4.16E-02	3.4E-01	6.05E-04	2.04E-04	2.68E-01	4.71E-02	2.58E-06	1.0E+06	2.6E+00
1437	7.60465	4.16E-02	3.2E-01	6.05E-04	1.91E-04	2.68E-01	4.71E-02	2.42E-06	1.0E+06	2.4E+00
1438	7.06747	4.16E-02	2.9E-01	6.05E-04	1.78E-04	2.68E-01	4.71E-02	2.25E-06	1.0E+06	2.3E+00
1439	6.48718	4.16E-02	2.7E-01	6.05E-04	1.63E-04	2.68E-01	4.71E-02	2.07E-06	1.0E+06	2.1E+00
1440	5.87044	4.16E-02	2.4E-01	6.05E-04	1.48E-04	2.68E-01	4.71E-02	1.87E-06	1.0E+06	1.9E+00
1441	5.24275	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.67E-06	1.0E+06	1.7E+00
1442	4.63406	4.16E-02	1.9E-01	6.05E-04	1.17E-04	2.68E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1443	4.077	4.16E-02	1.7E-01	6.05E-04	1.03E-04	2.68E-01	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1444	3.58526	4.16E-02	1.5E-01	6.05E-04	9.02E-05	2.68E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
1445	3.15895	4.16E-02	1.3E-01	6.05E-04	7.95E-05	2.68E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1446	2.78854	4.16E-02	1.2E-01	6.05E-04	7.02E-05	2.68E-01	4.71E-02	8.88E-07	1.0E+06	8.9E-01
1447	2.47615	4.16E-02	1.0E-01	6.05E-04	6.23E-05	2.68E-01	4.71E-02	7.89E-07	1.0E+06	7.9E-01
1448	2.21402	4.16E-02	9.2E-02	6.05E-04	5.57E-05	2.68E-01	4.71E-02	7.05E-07	1.0E+06	7.1E-01
1449	1.99358	4.16E-02	8.3E-02	6.05E-04	5.02E-05	2.68E-01	4.71E-02	6.35E-07	1.0E+06	6.4E-01
1450	9.07748	4.16E-02	3.8E-01	6.05E-04	2.28E-04	2.68E-01	4.71E-02	2.89E-06	1.0E+06	2.9E+00
1451	9.04116	4.16E-02	3.8E-01	6.05E-04	2.28E-04	2.68E-01	4.71E-02	2.88E-06	1.0E+06	2.9E+00
1452	8.98097	4.16E-02	3.7E-01	6.05E-04	2.26E-04	2.68E-01	4.71E-02	2.86E-06	1.0E+06	2.9E+00
1453	8.94477	4.16E-02	3.7E-01	6.05E-04	2.25E-04	2.68E-01	4.71E-02	2.85E-06	1.0E+06	2.8E+00
1454	8.89538	4.16E-02	3.7E-01	6.05E-04	2.24E-04	2.68E-01	4.71E-02	2.83E-06	1.0E+06	2.8E+00
1455	8.81344	4.16E-02	3.7E-01	6.05E-04	2.22E-04	2.68E-01	4.71E-02	2.81E-06	1.0E+06	2.8E+00
1456	8.81219	4.16E-02	3.7E-01	6.05E-04	2.22E-04	2.68E-01	4.71E-02	2.81E-06	1.0E+06	2.8E+00
1457	8.74796	4.16E-02	3.6E-01	6.05E-04	2.20E-04	2.68E-01	4.71E-02	2.79E-06	1.0E+06	2.8E+00
1458	8.63748	4.16E-02	3.6E-01	6.05E-04	2.17E-04	2.68E-01	4.71E-02	2.75E-06	1.0E+06	2.8E+00
1459	8.46454	4.16E-02	3.5E-01	6.05E-04	2.13E-04	2.68E-01	4.71E-02	2.70E-06	1.0E+06	2.7E+00
1460	8.25859	4.16E-02	3.4E-01	6.05E-04	2.08E-04	2.68E-01	4.71E-02	2.63E-06	1.0E+06	2.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	8.0192	4.16E-02	3.3E-01	6.05E-04	2.02E-04	2.68E-01	4.71E-02	2.55E-06	1.0E+06	2.6E+00
1462	7.74318	4.16E-02	3.2E-01	6.05E-04	1.95E-04	2.68E-01	4.71E-02	2.47E-06	1.0E+06	2.5E+00
1463	7.42093	4.16E-02	3.1E-01	6.05E-04	1.87E-04	2.68E-01	4.71E-02	2.36E-06	1.0E+06	2.4E+00
1464	7.0564	4.16E-02	2.9E-01	6.05E-04	1.78E-04	2.68E-01	4.71E-02	2.25E-06	1.0E+06	2.2E+00
1465	6.64796	4.16E-02	2.8E-01	6.05E-04	1.67E-04	2.68E-01	4.71E-02	2.12E-06	1.0E+06	2.1E+00
1466	6.20134	4.16E-02	2.6E-01	6.05E-04	1.56E-04	2.68E-01	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1467	5.7265	4.16E-02	2.4E-01	6.05E-04	1.44E-04	2.68E-01	4.71E-02	1.82E-06	1.0E+06	1.8E+00
1468	5.22772	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.67E-06	1.0E+06	1.7E+00
1469	4.7222	4.16E-02	2.0E-01	6.05E-04	1.19E-04	2.68E-01	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1470	4.22861	4.16E-02	1.8E-01	6.05E-04	1.06E-04	2.68E-01	4.71E-02	1.35E-06	1.0E+06	1.3E+00
1471	3.76896	4.16E-02	1.6E-01	6.05E-04	9.49E-05	2.68E-01	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1472	3.35396	4.16E-02	1.4E-01	6.05E-04	8.44E-05	2.68E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1473	2.9854	4.16E-02	1.2E-01	6.05E-04	7.51E-05	2.68E-01	4.71E-02	9.51E-07	1.0E+06	9.5E-01
1474	2.65684	4.16E-02	1.1E-01	6.05E-04	6.69E-05	2.68E-01	4.71E-02	8.46E-07	1.0E+06	8.5E-01
1475	2.37409	4.16E-02	9.9E-02	6.05E-04	5.98E-05	2.68E-01	4.71E-02	7.56E-07	1.0E+06	7.6E-01
1476	2.13251	4.16E-02	8.9E-02	6.05E-04	5.37E-05	2.68E-01	4.71E-02	6.79E-07	1.0E+06	6.8E-01
1477	1.9268	4.16E-02	8.0E-02	6.05E-04	4.85E-05	2.68E-01	4.71E-02	6.14E-07	1.0E+06	6.1E-01
1478	7.92156	4.16E-02	3.3E-01	6.05E-04	1.99E-04	2.68E-01	4.71E-02	2.52E-06	1.0E+06	2.5E+00
1479	7.91107	4.16E-02	3.3E-01	6.05E-04	1.99E-04	2.68E-01	4.71E-02	2.52E-06	1.0E+06	2.5E+00
1480	7.87829	4.16E-02	3.3E-01	6.05E-04	1.98E-04	2.68E-01	4.71E-02	2.51E-06	1.0E+06	2.5E+00
1481	7.83014	4.16E-02	3.3E-01	6.05E-04	1.97E-04	2.68E-01	4.71E-02	2.49E-06	1.0E+06	2.5E+00
1482	7.80911	4.16E-02	3.2E-01	6.05E-04	1.97E-04	2.68E-01	4.71E-02	2.49E-06	1.0E+06	2.5E+00
1483	7.75145	4.16E-02	3.2E-01	6.05E-04	1.95E-04	2.68E-01	4.71E-02	2.47E-06	1.0E+06	2.5E+00
1484	7.7494	4.16E-02	3.2E-01	6.05E-04	1.95E-04	2.68E-01	4.71E-02	2.47E-06	1.0E+06	2.5E+00
1485	7.69066	4.16E-02	3.2E-01	6.05E-04	1.94E-04	2.68E-01	4.71E-02	2.45E-06	1.0E+06	2.4E+00
1486	7.59214	4.16E-02	3.2E-01	6.05E-04	1.91E-04	2.68E-01	4.71E-02	2.42E-06	1.0E+06	2.4E+00
1487	7.44023	4.16E-02	3.1E-01	6.05E-04	1.87E-04	2.68E-01	4.71E-02	2.37E-06	1.0E+06	2.4E+00
1488	7.26104	4.16E-02	3.0E-01	6.05E-04	1.83E-04	2.68E-01	4.71E-02	2.31E-06	1.0E+06	2.3E+00
1489	7.0533	4.16E-02	2.9E-01	6.05E-04	1.78E-04	2.68E-01	4.71E-02	2.25E-06	1.0E+06	2.2E+00
1490	6.81614	4.16E-02	2.8E-01	6.05E-04	1.72E-04	2.68E-01	4.71E-02	2.17E-06	1.0E+06	2.2E+00
1491	6.54173	4.16E-02	2.7E-01	6.05E-04	1.65E-04	2.68E-01	4.71E-02	2.08E-06	1.0E+06	2.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	6.23274	4.16E-02	2.6E-01	6.05E-04	1.57E-04	2.68E-01	4.71E-02	1.99E-06	1.0E+06	2.0E+00
1493	5.88973	4.16E-02	2.4E-01	6.05E-04	1.48E-04	2.68E-01	4.71E-02	1.88E-06	1.0E+06	1.9E+00
1494	5.51756	4.16E-02	2.3E-01	6.05E-04	1.39E-04	2.68E-01	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1495	5.12162	4.16E-02	2.1E-01	6.05E-04	1.29E-04	2.68E-01	4.71E-02	1.63E-06	1.0E+06	1.6E+00
1496	4.71008	4.16E-02	2.0E-01	6.05E-04	1.19E-04	2.68E-01	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1497	4.29274	4.16E-02	1.8E-01	6.05E-04	1.08E-04	2.68E-01	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1498	3.88231	4.16E-02	1.6E-01	6.05E-04	9.77E-05	2.68E-01	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1499	3.4953	4.16E-02	1.5E-01	6.05E-04	8.80E-05	2.68E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1500	3.13977	4.16E-02	1.3E-01	6.05E-04	7.90E-05	2.68E-01	4.71E-02	1.00E-06	1.0E+06	1.0E+00
1501	2.81836	4.16E-02	1.2E-01	6.05E-04	7.09E-05	2.68E-01	4.71E-02	8.98E-07	1.0E+06	9.0E-01
1502	2.52765	4.16E-02	1.1E-01	6.05E-04	6.36E-05	2.68E-01	4.71E-02	8.05E-07	1.0E+06	8.1E-01
1503	2.273	4.16E-02	9.5E-02	6.05E-04	5.72E-05	2.68E-01	4.71E-02	7.24E-07	1.0E+06	7.2E-01
1504	2.05219	4.16E-02	8.5E-02	6.05E-04	5.17E-05	2.68E-01	4.71E-02	6.54E-07	1.0E+06	6.5E-01
1505	1.86144	4.16E-02	7.7E-02	6.05E-04	4.68E-05	2.68E-01	4.71E-02	5.93E-07	1.0E+06	5.9E-01
1506	6.97938	4.16E-02	2.9E-01	6.05E-04	1.76E-04	2.68E-01	4.71E-02	2.22E-06	1.0E+06	2.2E+00
1507	6.97779	4.16E-02	2.9E-01	6.05E-04	1.76E-04	2.68E-01	4.71E-02	2.22E-06	1.0E+06	2.2E+00
1508	6.97164	4.16E-02	2.9E-01	6.05E-04	1.75E-04	2.68E-01	4.71E-02	2.22E-06	1.0E+06	2.2E+00
1509	6.94877	4.16E-02	2.9E-01	6.05E-04	1.75E-04	2.68E-01	4.71E-02	2.21E-06	1.0E+06	2.2E+00
1510	6.93496	4.16E-02	2.9E-01	6.05E-04	1.75E-04	2.68E-01	4.71E-02	2.21E-06	1.0E+06	2.2E+00
1511	6.89704	4.16E-02	2.9E-01	6.05E-04	1.74E-04	2.68E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1512	6.87977	4.16E-02	2.9E-01	6.05E-04	1.73E-04	2.68E-01	4.71E-02	2.19E-06	1.0E+06	2.2E+00
1513	6.83228	4.16E-02	2.8E-01	6.05E-04	1.72E-04	2.68E-01	4.71E-02	2.18E-06	1.0E+06	2.2E+00
1514	6.74309	4.16E-02	2.8E-01	6.05E-04	1.70E-04	2.68E-01	4.71E-02	2.15E-06	1.0E+06	2.1E+00
1515	6.60902	4.16E-02	2.7E-01	6.05E-04	1.66E-04	2.68E-01	4.71E-02	2.11E-06	1.0E+06	2.1E+00
1516	6.4518	4.16E-02	2.7E-01	6.05E-04	1.62E-04	2.68E-01	4.71E-02	2.06E-06	1.0E+06	2.1E+00
1517	6.27049	4.16E-02	2.6E-01	6.05E-04	1.58E-04	2.68E-01	4.71E-02	2.00E-06	1.0E+06	2.0E+00
1518	6.06457	4.16E-02	2.5E-01	6.05E-04	1.53E-04	2.68E-01	4.71E-02	1.93E-06	1.0E+06	1.9E+00
1519	5.8281	4.16E-02	2.4E-01	6.05E-04	1.47E-04	2.68E-01	4.71E-02	1.86E-06	1.0E+06	1.9E+00
1520	5.56394	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1521	5.2734	4.16E-02	2.2E-01	6.05E-04	1.33E-04	2.68E-01	4.71E-02	1.68E-06	1.0E+06	1.7E+00
1522	4.95967	4.16E-02	2.1E-01	6.05E-04	1.25E-04	2.68E-01	4.71E-02	1.58E-06	1.0E+06	1.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	4.62617	4.16E-02	1.9E-01	6.05E-04	1.16E-04	2.68E-01	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1524	4.28049	4.16E-02	1.8E-01	6.05E-04	1.08E-04	2.68E-01	4.71E-02	1.36E-06	1.0E+06	1.4E+00
1525	3.92984	4.16E-02	1.6E-01	6.05E-04	9.89E-05	2.68E-01	4.71E-02	1.25E-06	1.0E+06	1.3E+00
1526	3.58347	4.16E-02	1.5E-01	6.05E-04	9.02E-05	2.68E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
1527	3.25287	4.16E-02	1.4E-01	6.05E-04	8.19E-05	2.68E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1528	2.94536	4.16E-02	1.2E-01	6.05E-04	7.41E-05	2.68E-01	4.71E-02	9.38E-07	1.0E+06	9.4E-01
1529	2.66336	4.16E-02	1.1E-01	6.05E-04	6.70E-05	2.68E-01	4.71E-02	8.48E-07	1.0E+06	8.5E-01
1530	2.40549	4.16E-02	1.0E-01	6.05E-04	6.05E-05	2.68E-01	4.71E-02	7.66E-07	1.0E+06	7.7E-01
1531	2.17623	4.16E-02	9.1E-02	6.05E-04	5.48E-05	2.68E-01	4.71E-02	6.93E-07	1.0E+06	6.9E-01
1532	1.97461	4.16E-02	8.2E-02	6.05E-04	4.97E-05	2.68E-01	4.71E-02	6.29E-07	1.0E+06	6.3E-01
1533	1.79816	4.16E-02	7.5E-02	6.05E-04	4.53E-05	2.68E-01	4.71E-02	5.73E-07	1.0E+06	5.7E-01
1534	6.19252	4.16E-02	2.6E-01	6.05E-04	1.56E-04	2.68E-01	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1535	6.20686	4.16E-02	2.6E-01	6.05E-04	1.56E-04	2.68E-01	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1536	6.20889	4.16E-02	2.6E-01	6.05E-04	1.56E-04	2.68E-01	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1537	6.21746	4.16E-02	2.6E-01	6.05E-04	1.56E-04	2.68E-01	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1538	6.19304	4.16E-02	2.6E-01	6.05E-04	1.56E-04	2.68E-01	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1539	6.18733	4.16E-02	2.6E-01	6.05E-04	1.56E-04	2.68E-01	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1540	6.1665	4.16E-02	2.6E-01	6.05E-04	1.55E-04	2.68E-01	4.71E-02	1.96E-06	1.0E+06	2.0E+00
1541	6.12161	4.16E-02	2.5E-01	6.05E-04	1.54E-04	2.68E-01	4.71E-02	1.95E-06	1.0E+06	2.0E+00
1542	6.04139	4.16E-02	2.5E-01	6.05E-04	1.52E-04	2.68E-01	4.71E-02	1.92E-06	1.0E+06	1.9E+00
1543	5.9223	4.16E-02	2.5E-01	6.05E-04	1.49E-04	2.68E-01	4.71E-02	1.89E-06	1.0E+06	1.9E+00
1544	5.7837	4.16E-02	2.4E-01	6.05E-04	1.46E-04	2.68E-01	4.71E-02	1.84E-06	1.0E+06	1.8E+00
1545	5.62444	4.16E-02	2.3E-01	6.05E-04	1.42E-04	2.68E-01	4.71E-02	1.79E-06	1.0E+06	1.8E+00
1546	5.44413	4.16E-02	2.3E-01	6.05E-04	1.37E-04	2.68E-01	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1547	5.23841	4.16E-02	2.2E-01	6.05E-04	1.32E-04	2.68E-01	4.71E-02	1.67E-06	1.0E+06	1.7E+00
1548	5.01093	4.16E-02	2.1E-01	6.05E-04	1.26E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1549	4.76229	4.16E-02	2.0E-01	6.05E-04	1.20E-04	2.68E-01	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1550	4.49526	4.16E-02	1.9E-01	6.05E-04	1.13E-04	2.68E-01	4.71E-02	1.43E-06	1.0E+06	1.4E+00
1551	4.21149	4.16E-02	1.8E-01	6.05E-04	1.06E-04	2.68E-01	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1552	3.91723	4.16E-02	1.6E-01	6.05E-04	9.86E-05	2.68E-01	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1553	3.61864	4.16E-02	1.5E-01	6.05E-04	9.11E-05	2.68E-01	4.71E-02	1.15E-06	1.0E+06	1.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	3.32246	4.16E-02	1.4E-01	6.05E-04	8.36E-05	2.68E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1555	3.03738	4.16E-02	1.3E-01	6.05E-04	7.64E-05	2.68E-01	4.71E-02	9.68E-07	1.0E+06	9.7E-01
1556	2.76918	4.16E-02	1.2E-01	6.05E-04	6.97E-05	2.68E-01	4.71E-02	8.82E-07	1.0E+06	8.8E-01
1557	2.52	4.16E-02	1.0E-01	6.05E-04	6.34E-05	2.68E-01	4.71E-02	8.03E-07	1.0E+06	8.0E-01
1558	2.2907	4.16E-02	9.5E-02	6.05E-04	5.77E-05	2.68E-01	4.71E-02	7.30E-07	1.0E+06	7.3E-01
1559	2.08408	4.16E-02	8.7E-02	6.05E-04	5.25E-05	2.68E-01	4.71E-02	6.64E-07	1.0E+06	6.6E-01
1560	1.90004	4.16E-02	7.9E-02	6.05E-04	4.78E-05	2.68E-01	4.71E-02	6.05E-07	1.0E+06	6.1E-01
1561	1.737	4.16E-02	7.2E-02	6.05E-04	4.37E-05	2.68E-01	4.71E-02	5.53E-07	1.0E+06	5.5E-01
1562	5.5612	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1563	5.56018	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1564	5.56469	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1565	5.57488	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.78E-06	1.0E+06	1.8E+00
1566	5.57309	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.78E-06	1.0E+06	1.8E+00
1567	5.56834	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1568	5.55605	4.16E-02	2.3E-01	6.05E-04	1.40E-04	2.68E-01	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1569	5.51238	4.16E-02	2.3E-01	6.05E-04	1.39E-04	2.68E-01	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1570	5.44146	4.16E-02	2.3E-01	6.05E-04	1.37E-04	2.68E-01	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1571	5.34424	4.16E-02	2.2E-01	6.05E-04	1.35E-04	2.68E-01	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1572	5.22282	4.16E-02	2.2E-01	6.05E-04	1.31E-04	2.68E-01	4.71E-02	1.66E-06	1.0E+06	1.7E+00
1573	5.08274	4.16E-02	2.1E-01	6.05E-04	1.28E-04	2.68E-01	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1574	4.92458	4.16E-02	2.0E-01	6.05E-04	1.24E-04	2.68E-01	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1575	4.74447	4.16E-02	2.0E-01	6.05E-04	1.19E-04	2.68E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1576	4.54686	4.16E-02	1.9E-01	6.05E-04	1.14E-04	2.68E-01	4.71E-02	1.45E-06	1.0E+06	1.4E+00
1577	4.33209	4.16E-02	1.8E-01	6.05E-04	1.09E-04	2.68E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1578	4.10196	4.16E-02	1.7E-01	6.05E-04	1.03E-04	2.68E-01	4.71E-02	1.31E-06	1.0E+06	1.3E+00
1579	3.85856	4.16E-02	1.6E-01	6.05E-04	9.71E-05	2.68E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1580	3.60578	4.16E-02	1.5E-01	6.05E-04	9.08E-05	2.68E-01	4.71E-02	1.15E-06	1.0E+06	1.1E+00
1581	3.34897	4.16E-02	1.4E-01	6.05E-04	8.43E-05	2.68E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1582	3.09363	4.16E-02	1.3E-01	6.05E-04	7.79E-05	2.68E-01	4.71E-02	9.86E-07	1.0E+06	9.9E-01
1583	2.84582	4.16E-02	1.2E-01	6.05E-04	7.16E-05	2.68E-01	4.71E-02	9.07E-07	1.0E+06	9.1E-01
1584	2.61023	4.16E-02	1.1E-01	6.05E-04	6.57E-05	2.68E-01	4.71E-02	8.32E-07	1.0E+06	8.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.3894	4.16E-02	9.9E-02	6.05E-04	6.01E-05	2.68E-01	4.71E-02	7.61E-07	1.0E+06	7.6E-01
1586	2.18437	4.16E-02	9.1E-02	6.05E-04	5.50E-05	2.68E-01	4.71E-02	6.96E-07	1.0E+06	7.0E-01
1587	1.99744	4.16E-02	8.3E-02	6.05E-04	5.03E-05	2.68E-01	4.71E-02	6.36E-07	1.0E+06	6.4E-01
1588	1.82902	4.16E-02	7.6E-02	6.05E-04	4.60E-05	2.68E-01	4.71E-02	5.83E-07	1.0E+06	5.8E-01
1589	1.67833	4.16E-02	7.0E-02	6.05E-04	4.22E-05	2.68E-01	4.71E-02	5.35E-07	1.0E+06	5.3E-01
1590	5.03444	4.16E-02	2.1E-01	6.05E-04	1.27E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1591	5.02557	4.16E-02	2.1E-01	6.05E-04	1.26E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1592	5.01615	4.16E-02	2.1E-01	6.05E-04	1.26E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1593	5.01126	4.16E-02	2.1E-01	6.05E-04	1.26E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1594	5.02951	4.16E-02	2.1E-01	6.05E-04	1.27E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1595	5.01656	4.16E-02	2.1E-01	6.05E-04	1.26E-04	2.68E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
0	0	4.16E-02	0.0E+00	6.05E-04	0.00E+00	2.68E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	1.33E-02
1214	5	5.85E-02
1215	5	4.91E-02
1216	5	4.18E-02
1217	5	3.61E-02
1218	5	3.15E-02
1219	5	2.78E-02
1220	5	2.47E-02
1221	5	2.22E-02
1222	5	2.00E-02
1223	5	1.82E-02
1224	5	1.66E-02
1225	5	1.52E-02
1226	5	1.40E-02
1227	5	1.29E-02
1228	5	6.50E-02
1229	5	5.30E-02
1230	5	4.43E-02
1231	5	3.77E-02
1232	5	3.25E-02
1233	5	2.84E-02
1234	5	2.51E-02
1235	5	2.24E-02
1236	5	2.01E-02
1237	5	1.82E-02
1238	5	1.66E-02
1239	5	1.52E-02
1240	5	1.40E-02
1241	5	1.29E-02
1242	5	5.53E-02
1243	5	5.65E-02

Max	Receptor #	
0.120	1369	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	4.63E-02
1245	5	3.89E-02
1246	5	3.33E-02
1247	5	2.89E-02
1248	5	2.54E-02
1249	5	2.25E-02
1250	5	2.02E-02
1251	5	1.82E-02
1252	5	1.66E-02
1253	5	1.52E-02
1254	5	1.39E-02
1255	5	1.29E-02
1256	5	5.63E-02
1257	5	5.94E-02
1258	5	4.79E-02
1259	5	3.98E-02
1260	5	3.37E-02
1261	5	2.90E-02
1262	5	2.54E-02
1263	5	2.25E-02
1264	5	2.01E-02
1265	5	1.81E-02
1266	5	1.64E-02
1267	5	1.50E-02
1268	5	1.38E-02
1269	5	1.27E-02
1270	5	5.69E-02
1271	5	4.66E-02
1272	5	4.88E-02
1273	5	4.01E-02
1274	5	3.38E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	2.90E-02
1276	5	2.52E-02
1277	5	2.23E-02
1278	5	1.98E-02
1279	5	1.79E-02
1280	5	1.62E-02
1281	5	1.48E-02
1282	5	1.36E-02
1283	5	1.25E-02
1284	5	5.74E-02
1285	5	6.17E-02
1286	5	4.89E-02
1287	5	4.00E-02
1288	5	3.35E-02
1289	5	2.87E-02
1290	5	2.49E-02
1291	5	2.20E-02
1292	5	1.95E-02
1293	5	1.76E-02
1294	5	1.60E-02
1295	5	1.46E-02
1296	5	1.34E-02
1297	5	1.23E-02
1298	5	4.35E-02
1299	5	6.06E-02
1300	5	4.81E-02
1301	5	3.94E-02
1302	5	3.29E-02
1303	5	2.81E-02
1304	5	2.44E-02
1305	5	2.15E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	5.75E-02
1307	5	5.83E-02
1308	5	4.65E-02
1309	5	3.81E-02
1310	5	3.19E-02
1311	5	2.73E-02
1312	5	2.38E-02
1313	5	2.09E-02
1314	5	5.17E-02
1315	5	5.54E-02
1316	5	4.44E-02
1317	5	3.65E-02
1318	5	3.07E-02
1319	5	2.64E-02
1320	5	2.30E-02
1321	5	2.03E-02
1322	5	4.67E-02
1323	5	5.18E-02
1324	5	4.18E-02
1325	5	3.47E-02
1326	5	2.94E-02
1327	5	2.53E-02
1328	5	2.22E-02
1329	5	1.97E-02
1330	5	4.26E-02
1331	5	4.78E-02
1332	5	3.93E-02
1333	5	3.29E-02
1334	5	2.81E-02
1335	5	2.43E-02
1336	5	2.14E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	1.90E-02
1338	5	1.20E-01
1339	5	1.19E-01
1340	5	1.04E-01
1341	5	1.03E-01
1342	5	1.18E-01
1343	5	1.16E-01
1344	5	1.01E-01
1345	5	9.95E-02
1346	5	1.13E-01
1347	5	1.10E-01
1348	5	9.35E-02
1349	5	8.90E-02
1350	5	9.95E-02
1351	5	9.25E-02
1352	5	7.19E-02
1353	5	6.41E-02
1354	5	7.12E-02
1355	5	6.09E-02
1356	5	5.24E-02
1357	5	4.52E-02
1358	5	5.30E-02
1359	5	4.38E-02
1360	5	3.67E-02
1361	5	3.12E-02
1362	5	2.68E-02
1363	5	2.34E-02
1364	5	2.06E-02
1365	5	1.84E-02
1366	5	1.03E-01
1367	5	1.01E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	1.02E-01
1369	5	1.20E-01
1370	5	1.01E-01
1371	5	9.93E-02
1372	5	1.18E-01
1373	5	1.17E-01
1374	5	9.66E-02
1375	5	9.39E-02
1376	5	1.11E-01
1377	5	1.08E-01
1378	5	8.50E-02
1379	5	7.95E-02
1380	5	9.33E-02
1381	5	8.73E-02
1382	5	6.23E-02
1383	5	5.43E-02
1384	5	6.46E-02
1385	5	5.57E-02
1386	5	4.73E-02
1387	5	4.01E-02
1388	5	3.42E-02
1389	5	2.94E-02
1390	5	2.55E-02
1391	5	2.24E-02
1392	5	1.99E-02
1393	5	1.78E-02
1394	5	1.03E-01
1395	5	1.02E-01
1396	5	1.01E-01
1397	5	1.01E-01
1398	5	1.00E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	9.97E-02
1400	5	9.91E-02
1401	5	9.83E-02
1402	5	9.69E-02
1403	5	9.50E-02
1404	5	9.27E-02
1405	5	9.00E-02
1406	5	8.68E-02
1407	5	8.29E-02
1408	5	7.85E-02
1409	5	7.36E-02
1410	5	6.81E-02
1411	5	6.21E-02
1412	5	5.56E-02
1413	5	4.89E-02
1414	5	4.25E-02
1415	5	3.68E-02
1416	5	3.19E-02
1417	5	2.78E-02
1418	5	2.43E-02
1419	5	2.15E-02
1420	5	1.91E-02
1421	5	1.72E-02
1422	5	8.74E-02
1423	5	8.69E-02
1424	5	8.65E-02
1425	5	8.60E-02
1426	5	8.55E-02
1427	5	8.50E-02
1428	5	8.47E-02
1429	5	8.40E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	8.28E-02
1431	5	8.11E-02
1432	5	7.92E-02
1433	5	7.69E-02
1434	5	7.41E-02
1435	5	7.09E-02
1436	5	6.73E-02
1437	5	6.33E-02
1438	5	5.88E-02
1439	5	5.40E-02
1440	5	4.88E-02
1441	5	4.36E-02
1442	5	3.86E-02
1443	5	3.39E-02
1444	5	2.98E-02
1445	5	2.63E-02
1446	5	2.32E-02
1447	5	2.06E-02
1448	5	1.84E-02
1449	5	1.66E-02
1450	5	7.55E-02
1451	5	7.52E-02
1452	5	7.47E-02
1453	5	7.44E-02
1454	5	7.40E-02
1455	5	7.33E-02
1456	5	7.33E-02
1457	5	7.28E-02
1458	5	7.19E-02
1459	5	7.04E-02
1460	5	6.87E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	6.67E-02
1462	5	6.44E-02
1463	5	6.17E-02
1464	5	5.87E-02
1465	5	5.53E-02
1466	5	5.16E-02
1467	5	4.76E-02
1468	5	4.35E-02
1469	5	3.93E-02
1470	5	3.52E-02
1471	5	3.14E-02
1472	5	2.79E-02
1473	5	2.48E-02
1474	5	2.21E-02
1475	5	1.98E-02
1476	5	1.77E-02
1477	5	1.60E-02
1478	5	6.59E-02
1479	5	6.58E-02
1480	5	6.55E-02
1481	5	6.51E-02
1482	5	6.50E-02
1483	5	6.45E-02
1484	5	6.45E-02
1485	5	6.40E-02
1486	5	6.32E-02
1487	5	6.19E-02
1488	5	6.04E-02
1489	5	5.87E-02
1490	5	5.67E-02
1491	5	5.44E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	5.19E-02
1493	5	4.90E-02
1494	5	4.59E-02
1495	5	4.26E-02
1496	5	3.92E-02
1497	5	3.57E-02
1498	5	3.23E-02
1499	5	2.91E-02
1500	5	2.61E-02
1501	5	2.34E-02
1502	5	2.10E-02
1503	5	1.89E-02
1504	5	1.71E-02
1505	5	1.55E-02
1506	5	5.81E-02
1507	5	5.80E-02
1508	5	5.80E-02
1509	5	5.78E-02
1510	5	5.77E-02
1511	5	5.74E-02
1512	5	5.72E-02
1513	5	5.68E-02
1514	5	5.61E-02
1515	5	5.50E-02
1516	5	5.37E-02
1517	5	5.22E-02
1518	5	5.05E-02
1519	5	4.85E-02
1520	5	4.63E-02
1521	5	4.39E-02
1522	5	4.13E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	3.85E-02
1524	5	3.56E-02
1525	5	3.27E-02
1526	5	2.98E-02
1527	5	2.71E-02
1528	5	2.45E-02
1529	5	2.22E-02
1530	5	2.00E-02
1531	5	1.81E-02
1532	5	1.64E-02
1533	5	1.50E-02
1534	5	5.15E-02
1535	5	5.16E-02
1536	5	5.17E-02
1537	5	5.17E-02
1538	5	5.15E-02
1539	5	5.15E-02
1540	5	5.13E-02
1541	5	5.09E-02
1542	5	5.03E-02
1543	5	4.93E-02
1544	5	4.81E-02
1545	5	4.68E-02
1546	5	4.53E-02
1547	5	4.36E-02
1548	5	4.17E-02
1549	5	3.96E-02
1550	5	3.74E-02
1551	5	3.50E-02
1552	5	3.26E-02
1553	5	3.01E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	2.76E-02
1555	5	2.53E-02
1556	5	2.30E-02
1557	5	2.10E-02
1558	5	1.91E-02
1559	5	1.73E-02
1560	5	1.58E-02
1561	5	1.45E-02
1562	5	4.63E-02
1563	5	4.63E-02
1564	5	4.63E-02
1565	5	4.64E-02
1566	5	4.64E-02
1567	5	4.63E-02
1568	5	4.62E-02
1569	5	4.59E-02
1570	5	4.53E-02
1571	5	4.45E-02
1572	5	4.34E-02
1573	5	4.23E-02
1574	5	4.10E-02
1575	5	3.95E-02
1576	5	3.78E-02
1577	5	3.60E-02
1578	5	3.41E-02
1579	5	3.21E-02
1580	5	3.00E-02
1581	5	2.79E-02
1582	5	2.57E-02
1583	5	2.37E-02
1584	5	2.17E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	1.99E-02
1586	5	1.82E-02
1587	5	1.66E-02
1588	5	1.52E-02
1589	5	1.40E-02
1590	5	4.19E-02
1591	5	4.18E-02
1592	5	4.17E-02
1593	5	4.17E-02
1594	5	4.18E-02
1595	5	4.17E-02
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1.59495	1.40E-02	2.2E-02	6.05E-04	1.35E-05	3.82E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1214	7.03161	1.40E-02	9.9E-02	6.05E-04	5.96E-05	3.82E+00	4.71E-02	1.07E-05	1.0E+06	1.1E+01
1215	5.89693	1.40E-02	8.3E-02	6.05E-04	5.00E-05	3.82E+00	4.71E-02	9.01E-06	1.0E+06	9.0E+00
1216	5.02303	1.40E-02	7.0E-02	6.05E-04	4.26E-05	3.82E+00	4.71E-02	7.68E-06	1.0E+06	7.7E+00
1217	4.33808	1.40E-02	6.1E-02	6.05E-04	3.68E-05	3.82E+00	4.71E-02	6.63E-06	1.0E+06	6.6E+00
1218	3.7882	1.40E-02	5.3E-02	6.05E-04	3.21E-05	3.82E+00	4.71E-02	5.79E-06	1.0E+06	5.8E+00
1219	3.34097	1.40E-02	4.7E-02	6.05E-04	2.83E-05	3.82E+00	4.71E-02	5.11E-06	1.0E+06	5.1E+00
1220	2.97174	1.40E-02	4.2E-02	6.05E-04	2.52E-05	3.82E+00	4.71E-02	4.54E-06	1.0E+06	4.5E+00
1221	2.66332	1.40E-02	3.7E-02	6.05E-04	2.26E-05	3.82E+00	4.71E-02	4.07E-06	1.0E+06	4.1E+00
1222	2.40255	1.40E-02	3.4E-02	6.05E-04	2.04E-05	3.82E+00	4.71E-02	3.67E-06	1.0E+06	3.7E+00
1223	2.18201	1.40E-02	3.1E-02	6.05E-04	1.85E-05	3.82E+00	4.71E-02	3.33E-06	1.0E+06	3.3E+00
1224	1.99166	1.40E-02	2.8E-02	6.05E-04	1.69E-05	3.82E+00	4.71E-02	3.04E-06	1.0E+06	3.0E+00
1225	1.82652	1.40E-02	2.6E-02	6.05E-04	1.55E-05	3.82E+00	4.71E-02	2.79E-06	1.0E+06	2.8E+00
1226	1.68223	1.40E-02	2.4E-02	6.05E-04	1.43E-05	3.82E+00	4.71E-02	2.57E-06	1.0E+06	2.6E+00
1227	1.55508	1.40E-02	2.2E-02	6.05E-04	1.32E-05	3.82E+00	4.71E-02	2.38E-06	1.0E+06	2.4E+00
1228	7.81928	1.40E-02	1.1E-01	6.05E-04	6.63E-05	3.82E+00	4.71E-02	1.19E-05	1.0E+06	1.2E+01
1229	6.37384	1.40E-02	8.9E-02	6.05E-04	5.41E-05	3.82E+00	4.71E-02	9.74E-06	1.0E+06	9.7E+00
1230	5.32173	1.40E-02	7.5E-02	6.05E-04	4.51E-05	3.82E+00	4.71E-02	8.13E-06	1.0E+06	8.1E+00
1231	4.53088	1.40E-02	6.4E-02	6.05E-04	3.84E-05	3.82E+00	4.71E-02	6.92E-06	1.0E+06	6.9E+00
1232	3.91123	1.40E-02	5.5E-02	6.05E-04	3.32E-05	3.82E+00	4.71E-02	5.98E-06	1.0E+06	6.0E+00
1233	3.41912	1.40E-02	4.8E-02	6.05E-04	2.90E-05	3.82E+00	4.71E-02	5.22E-06	1.0E+06	5.2E+00
1234	3.02139	1.40E-02	4.2E-02	6.05E-04	2.56E-05	3.82E+00	4.71E-02	4.62E-06	1.0E+06	4.6E+00
1235	2.69416	1.40E-02	3.8E-02	6.05E-04	2.29E-05	3.82E+00	4.71E-02	4.12E-06	1.0E+06	4.1E+00
1236	2.42062	1.40E-02	3.4E-02	6.05E-04	2.05E-05	3.82E+00	4.71E-02	3.70E-06	1.0E+06	3.7E+00
1237	2.19205	1.40E-02	3.1E-02	6.05E-04	1.86E-05	3.82E+00	4.71E-02	3.35E-06	1.0E+06	3.3E+00
1238	1.99681	1.40E-02	2.8E-02	6.05E-04	1.69E-05	3.82E+00	4.71E-02	3.05E-06	1.0E+06	3.1E+00
1239	1.8282	1.40E-02	2.6E-02	6.05E-04	1.55E-05	3.82E+00	4.71E-02	2.79E-06	1.0E+06	2.8E+00
1240	1.6816	1.40E-02	2.4E-02	6.05E-04	1.43E-05	3.82E+00	4.71E-02	2.57E-06	1.0E+06	2.6E+00
1241	1.55308	1.40E-02	2.2E-02	6.05E-04	1.32E-05	3.82E+00	4.71E-02	2.37E-06	1.0E+06	2.4E+00
1242	6.64204	1.40E-02	9.3E-02	6.05E-04	5.63E-05	3.82E+00	4.71E-02	1.02E-05	1.0E+06	1.0E+01
1243	6.7965	1.40E-02	9.5E-02	6.05E-04	5.76E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	5.57115	1.40E-02	7.8E-02	6.05E-04	4.73E-05	3.82E+00	4.71E-02	8.51E-06	1.0E+06	8.5E+00
1245	4.68059	1.40E-02	6.6E-02	6.05E-04	3.97E-05	3.82E+00	4.71E-02	7.15E-06	1.0E+06	7.2E+00
1246	3.99862	1.40E-02	5.6E-02	6.05E-04	3.39E-05	3.82E+00	4.71E-02	6.11E-06	1.0E+06	6.1E+00
1247	3.46821	1.40E-02	4.9E-02	6.05E-04	2.94E-05	3.82E+00	4.71E-02	5.30E-06	1.0E+06	5.3E+00
1248	3.04732	1.40E-02	4.3E-02	6.05E-04	2.58E-05	3.82E+00	4.71E-02	4.66E-06	1.0E+06	4.7E+00
1249	2.70598	1.40E-02	3.8E-02	6.05E-04	2.30E-05	3.82E+00	4.71E-02	4.14E-06	1.0E+06	4.1E+00
1250	2.42339	1.40E-02	3.4E-02	6.05E-04	2.06E-05	3.82E+00	4.71E-02	3.70E-06	1.0E+06	3.7E+00
1251	2.19019	1.40E-02	3.1E-02	6.05E-04	1.86E-05	3.82E+00	4.71E-02	3.35E-06	1.0E+06	3.3E+00
1252	1.99211	1.40E-02	2.8E-02	6.05E-04	1.69E-05	3.82E+00	4.71E-02	3.04E-06	1.0E+06	3.0E+00
1253	1.82183	1.40E-02	2.6E-02	6.05E-04	1.55E-05	3.82E+00	4.71E-02	2.78E-06	1.0E+06	2.8E+00
1254	1.67448	1.40E-02	2.3E-02	6.05E-04	1.42E-05	3.82E+00	4.71E-02	2.56E-06	1.0E+06	2.6E+00
1255	1.5457	1.40E-02	2.2E-02	6.05E-04	1.31E-05	3.82E+00	4.71E-02	2.36E-06	1.0E+06	2.4E+00
1256	6.77302	1.40E-02	9.5E-02	6.05E-04	5.74E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01
1257	7.1365	1.40E-02	1.0E-01	6.05E-04	6.05E-05	3.82E+00	4.71E-02	1.09E-05	1.0E+06	1.1E+01
1258	5.7585	1.40E-02	8.1E-02	6.05E-04	4.88E-05	3.82E+00	4.71E-02	8.80E-06	1.0E+06	8.8E+00
1259	4.78032	1.40E-02	6.7E-02	6.05E-04	4.05E-05	3.82E+00	4.71E-02	7.31E-06	1.0E+06	7.3E+00
1260	4.04669	1.40E-02	5.7E-02	6.05E-04	3.43E-05	3.82E+00	4.71E-02	6.18E-06	1.0E+06	6.2E+00
1261	3.48821	1.40E-02	4.9E-02	6.05E-04	2.96E-05	3.82E+00	4.71E-02	5.33E-06	1.0E+06	5.3E+00
1262	3.05075	1.40E-02	4.3E-02	6.05E-04	2.59E-05	3.82E+00	4.71E-02	4.66E-06	1.0E+06	4.7E+00
1263	2.6997	1.40E-02	3.8E-02	6.05E-04	2.29E-05	3.82E+00	4.71E-02	4.13E-06	1.0E+06	4.1E+00
1264	2.41147	1.40E-02	3.4E-02	6.05E-04	2.05E-05	3.82E+00	4.71E-02	3.69E-06	1.0E+06	3.7E+00
1265	2.176	1.40E-02	3.1E-02	6.05E-04	1.85E-05	3.82E+00	4.71E-02	3.33E-06	1.0E+06	3.3E+00
1266	1.97693	1.40E-02	2.8E-02	6.05E-04	1.68E-05	3.82E+00	4.71E-02	3.02E-06	1.0E+06	3.0E+00
1267	1.80644	1.40E-02	2.5E-02	6.05E-04	1.53E-05	3.82E+00	4.71E-02	2.76E-06	1.0E+06	2.8E+00
1268	1.65921	1.40E-02	2.3E-02	6.05E-04	1.41E-05	3.82E+00	4.71E-02	2.54E-06	1.0E+06	2.5E+00
1269	1.53087	1.40E-02	2.1E-02	6.05E-04	1.30E-05	3.82E+00	4.71E-02	2.34E-06	1.0E+06	2.3E+00
1270	6.83387	1.40E-02	9.6E-02	6.05E-04	5.80E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01
1271	5.60152	1.40E-02	7.9E-02	6.05E-04	4.75E-05	3.82E+00	4.71E-02	8.56E-06	1.0E+06	8.6E+00
1272	5.86816	1.40E-02	8.2E-02	6.05E-04	4.98E-05	3.82E+00	4.71E-02	8.97E-06	1.0E+06	9.0E+00
1273	4.82621	1.40E-02	6.8E-02	6.05E-04	4.09E-05	3.82E+00	4.71E-02	7.38E-06	1.0E+06	7.4E+00
1274	4.05897	1.40E-02	5.7E-02	6.05E-04	3.44E-05	3.82E+00	4.71E-02	6.20E-06	1.0E+06	6.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	3.48275	1.40E-02	4.9E-02	6.05E-04	2.95E-05	3.82E+00	4.71E-02	5.32E-06	1.0E+06	5.3E+00
1276	3.03491	1.40E-02	4.3E-02	6.05E-04	2.57E-05	3.82E+00	4.71E-02	4.64E-06	1.0E+06	4.6E+00
1277	2.67743	1.40E-02	3.8E-02	6.05E-04	2.27E-05	3.82E+00	4.71E-02	4.09E-06	1.0E+06	4.1E+00
1278	2.3858	1.40E-02	3.3E-02	6.05E-04	2.02E-05	3.82E+00	4.71E-02	3.65E-06	1.0E+06	3.6E+00
1279	2.14971	1.40E-02	3.0E-02	6.05E-04	1.82E-05	3.82E+00	4.71E-02	3.29E-06	1.0E+06	3.3E+00
1280	1.95117	1.40E-02	2.7E-02	6.05E-04	1.65E-05	3.82E+00	4.71E-02	2.98E-06	1.0E+06	3.0E+00
1281	1.78152	1.40E-02	2.5E-02	6.05E-04	1.51E-05	3.82E+00	4.71E-02	2.72E-06	1.0E+06	2.7E+00
1282	1.63497	1.40E-02	2.3E-02	6.05E-04	1.39E-05	3.82E+00	4.71E-02	2.50E-06	1.0E+06	2.5E+00
1283	1.50767	1.40E-02	2.1E-02	6.05E-04	1.28E-05	3.82E+00	4.71E-02	2.30E-06	1.0E+06	2.3E+00
1284	6.90368	1.40E-02	9.7E-02	6.05E-04	5.86E-05	3.82E+00	4.71E-02	1.05E-05	1.0E+06	1.1E+01
1285	7.4155	1.40E-02	1.0E-01	6.05E-04	6.29E-05	3.82E+00	4.71E-02	1.13E-05	1.0E+06	1.1E+01
1286	5.87683	1.40E-02	8.2E-02	6.05E-04	4.98E-05	3.82E+00	4.71E-02	8.98E-06	1.0E+06	9.0E+00
1287	4.81258	1.40E-02	6.7E-02	6.05E-04	4.08E-05	3.82E+00	4.71E-02	7.35E-06	1.0E+06	7.4E+00
1288	4.02974	1.40E-02	5.6E-02	6.05E-04	3.42E-05	3.82E+00	4.71E-02	6.16E-06	1.0E+06	6.2E+00
1289	3.44772	1.40E-02	4.8E-02	6.05E-04	2.92E-05	3.82E+00	4.71E-02	5.27E-06	1.0E+06	5.3E+00
1290	2.99723	1.40E-02	4.2E-02	6.05E-04	2.54E-05	3.82E+00	4.71E-02	4.58E-06	1.0E+06	4.6E+00
1291	2.63885	1.40E-02	3.7E-02	6.05E-04	2.24E-05	3.82E+00	4.71E-02	4.03E-06	1.0E+06	4.0E+00
1292	2.34806	1.40E-02	3.3E-02	6.05E-04	1.99E-05	3.82E+00	4.71E-02	3.59E-06	1.0E+06	3.6E+00
1293	2.11415	1.40E-02	3.0E-02	6.05E-04	1.79E-05	3.82E+00	4.71E-02	3.23E-06	1.0E+06	3.2E+00
1294	1.91802	1.40E-02	2.7E-02	6.05E-04	1.63E-05	3.82E+00	4.71E-02	2.93E-06	1.0E+06	2.9E+00
1295	1.75064	1.40E-02	2.5E-02	6.05E-04	1.48E-05	3.82E+00	4.71E-02	2.68E-06	1.0E+06	2.7E+00
1296	1.60618	1.40E-02	2.3E-02	6.05E-04	1.36E-05	3.82E+00	4.71E-02	2.45E-06	1.0E+06	2.5E+00
1297	1.48086	1.40E-02	2.1E-02	6.05E-04	1.26E-05	3.82E+00	4.71E-02	2.26E-06	1.0E+06	2.3E+00
1298	5.23101	1.40E-02	7.3E-02	6.05E-04	4.44E-05	3.82E+00	4.71E-02	7.99E-06	1.0E+06	8.0E+00
1299	7.27933	1.40E-02	1.0E-01	6.05E-04	6.17E-05	3.82E+00	4.71E-02	1.11E-05	1.0E+06	1.1E+01
1300	5.78741	1.40E-02	8.1E-02	6.05E-04	4.91E-05	3.82E+00	4.71E-02	8.84E-06	1.0E+06	8.8E+00
1301	4.73601	1.40E-02	6.6E-02	6.05E-04	4.02E-05	3.82E+00	4.71E-02	7.24E-06	1.0E+06	7.2E+00
1302	3.95968	1.40E-02	5.6E-02	6.05E-04	3.36E-05	3.82E+00	4.71E-02	6.05E-06	1.0E+06	6.1E+00
1303	3.38355	1.40E-02	4.7E-02	6.05E-04	2.87E-05	3.82E+00	4.71E-02	5.17E-06	1.0E+06	5.2E+00
1304	2.93894	1.40E-02	4.1E-02	6.05E-04	2.49E-05	3.82E+00	4.71E-02	4.49E-06	1.0E+06	4.5E+00
1305	2.58555	1.40E-02	3.6E-02	6.05E-04	2.19E-05	3.82E+00	4.71E-02	3.95E-06	1.0E+06	4.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	6.90601	1.40E-02	9.7E-02	6.05E-04	5.86E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01
1307	7.00836	1.40E-02	9.8E-02	6.05E-04	5.94E-05	3.82E+00	4.71E-02	1.07E-05	1.0E+06	1.1E+01
1308	5.59054	1.40E-02	7.8E-02	6.05E-04	4.74E-05	3.82E+00	4.71E-02	8.54E-06	1.0E+06	8.5E+00
1309	4.58256	1.40E-02	6.4E-02	6.05E-04	3.89E-05	3.82E+00	4.71E-02	7.00E-06	1.0E+06	7.0E+00
1310	3.83771	1.40E-02	5.4E-02	6.05E-04	3.25E-05	3.82E+00	4.71E-02	5.86E-06	1.0E+06	5.9E+00
1311	3.28282	1.40E-02	4.6E-02	6.05E-04	2.78E-05	3.82E+00	4.71E-02	5.02E-06	1.0E+06	5.0E+00
1312	2.85586	1.40E-02	4.0E-02	6.05E-04	2.42E-05	3.82E+00	4.71E-02	4.36E-06	1.0E+06	4.4E+00
1313	2.51755	1.40E-02	3.5E-02	6.05E-04	2.14E-05	3.82E+00	4.71E-02	3.85E-06	1.0E+06	3.8E+00
1314	6.21209	1.40E-02	8.7E-02	6.05E-04	5.27E-05	3.82E+00	4.71E-02	9.49E-06	1.0E+06	9.5E+00
1315	6.66398	1.40E-02	9.3E-02	6.05E-04	5.65E-05	3.82E+00	4.71E-02	1.02E-05	1.0E+06	1.0E+01
1316	5.33194	1.40E-02	7.5E-02	6.05E-04	4.52E-05	3.82E+00	4.71E-02	8.15E-06	1.0E+06	8.1E+00
1317	4.38832	1.40E-02	6.2E-02	6.05E-04	3.72E-05	3.82E+00	4.71E-02	6.71E-06	1.0E+06	6.7E+00
1318	3.69074	1.40E-02	5.2E-02	6.05E-04	3.13E-05	3.82E+00	4.71E-02	5.64E-06	1.0E+06	5.6E+00
1319	3.16744	1.40E-02	4.4E-02	6.05E-04	2.69E-05	3.82E+00	4.71E-02	4.84E-06	1.0E+06	4.8E+00
1320	2.76307	1.40E-02	3.9E-02	6.05E-04	2.34E-05	3.82E+00	4.71E-02	4.22E-06	1.0E+06	4.2E+00
1321	2.4428	1.40E-02	3.4E-02	6.05E-04	2.07E-05	3.82E+00	4.71E-02	3.73E-06	1.0E+06	3.7E+00
1322	5.61822	1.40E-02	7.9E-02	6.05E-04	4.77E-05	3.82E+00	4.71E-02	8.59E-06	1.0E+06	8.6E+00
1323	6.22312	1.40E-02	8.7E-02	6.05E-04	5.28E-05	3.82E+00	4.71E-02	9.51E-06	1.0E+06	9.5E+00
1324	5.02891	1.40E-02	7.0E-02	6.05E-04	4.27E-05	3.82E+00	4.71E-02	7.68E-06	1.0E+06	7.7E+00
1325	4.1691	1.40E-02	5.8E-02	6.05E-04	3.54E-05	3.82E+00	4.71E-02	6.37E-06	1.0E+06	6.4E+00
1326	3.52968	1.40E-02	4.9E-02	6.05E-04	2.99E-05	3.82E+00	4.71E-02	5.39E-06	1.0E+06	5.4E+00
1327	3.04297	1.40E-02	4.3E-02	6.05E-04	2.58E-05	3.82E+00	4.71E-02	4.65E-06	1.0E+06	4.7E+00
1328	2.66486	1.40E-02	3.7E-02	6.05E-04	2.26E-05	3.82E+00	4.71E-02	4.07E-06	1.0E+06	4.1E+00
1329	2.36452	1.40E-02	3.3E-02	6.05E-04	2.01E-05	3.82E+00	4.71E-02	3.61E-06	1.0E+06	3.6E+00
1330	5.12202	1.40E-02	7.2E-02	6.05E-04	4.34E-05	3.82E+00	4.71E-02	7.83E-06	1.0E+06	7.8E+00
1331	5.74991	1.40E-02	8.1E-02	6.05E-04	4.88E-05	3.82E+00	4.71E-02	8.79E-06	1.0E+06	8.8E+00
1332	4.72255	1.40E-02	6.6E-02	6.05E-04	4.01E-05	3.82E+00	4.71E-02	7.22E-06	1.0E+06	7.2E+00
1333	3.95908	1.40E-02	5.5E-02	6.05E-04	3.36E-05	3.82E+00	4.71E-02	6.05E-06	1.0E+06	6.1E+00
1334	3.37577	1.40E-02	4.7E-02	6.05E-04	2.86E-05	3.82E+00	4.71E-02	5.16E-06	1.0E+06	5.2E+00
1335	2.92522	1.40E-02	4.1E-02	6.05E-04	2.48E-05	3.82E+00	4.71E-02	4.47E-06	1.0E+06	4.5E+00
1336	2.57089	1.40E-02	3.6E-02	6.05E-04	2.18E-05	3.82E+00	4.71E-02	3.93E-06	1.0E+06	3.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	2.28671	1.40E-02	3.2E-02	6.05E-04	1.94E-05	3.82E+00	4.71E-02	3.49E-06	1.0E+06	3.5E+00
1338	14.44226	1.40E-02	2.0E-01	6.05E-04	1.22E-04	3.82E+00	4.71E-02	2.21E-05	1.0E+06	2.2E+01
1339	14.24991	1.40E-02	2.0E-01	6.05E-04	1.21E-04	3.82E+00	4.71E-02	2.18E-05	1.0E+06	2.2E+01
1340	12.51126	1.40E-02	1.8E-01	6.05E-04	1.06E-04	3.82E+00	4.71E-02	1.91E-05	1.0E+06	1.9E+01
1341	12.34966	1.40E-02	1.7E-01	6.05E-04	1.05E-04	3.82E+00	4.71E-02	1.89E-05	1.0E+06	1.9E+01
1342	14.19703	1.40E-02	2.0E-01	6.05E-04	1.20E-04	3.82E+00	4.71E-02	2.17E-05	1.0E+06	2.2E+01
1343	13.96515	1.40E-02	2.0E-01	6.05E-04	1.18E-04	3.82E+00	4.71E-02	2.13E-05	1.0E+06	2.1E+01
1344	12.18172	1.40E-02	1.7E-01	6.05E-04	1.03E-04	3.82E+00	4.71E-02	1.86E-05	1.0E+06	1.9E+01
1345	11.95555	1.40E-02	1.7E-01	6.05E-04	1.01E-04	3.82E+00	4.71E-02	1.83E-05	1.0E+06	1.8E+01
1346	13.62952	1.40E-02	1.9E-01	6.05E-04	1.16E-04	3.82E+00	4.71E-02	2.08E-05	1.0E+06	2.1E+01
1347	13.24666	1.40E-02	1.9E-01	6.05E-04	1.12E-04	3.82E+00	4.71E-02	2.02E-05	1.0E+06	2.0E+01
1348	11.23777	1.40E-02	1.6E-01	6.05E-04	9.53E-05	3.82E+00	4.71E-02	1.72E-05	1.0E+06	1.7E+01
1349	10.70262	1.40E-02	1.5E-01	6.05E-04	9.08E-05	3.82E+00	4.71E-02	1.64E-05	1.0E+06	1.6E+01
1350	11.95984	1.40E-02	1.7E-01	6.05E-04	1.01E-04	3.82E+00	4.71E-02	1.83E-05	1.0E+06	1.8E+01
1351	11.12101	1.40E-02	1.6E-01	6.05E-04	9.43E-05	3.82E+00	4.71E-02	1.70E-05	1.0E+06	1.7E+01
1352	8.64404	1.40E-02	1.2E-01	6.05E-04	7.33E-05	3.82E+00	4.71E-02	1.32E-05	1.0E+06	1.3E+01
1353	7.70079	1.40E-02	1.1E-01	6.05E-04	6.53E-05	3.82E+00	4.71E-02	1.18E-05	1.0E+06	1.2E+01
1354	8.55757	1.40E-02	1.2E-01	6.05E-04	7.26E-05	3.82E+00	4.71E-02	1.31E-05	1.0E+06	1.3E+01
1355	7.31883	1.40E-02	1.0E-01	6.05E-04	6.21E-05	3.82E+00	4.71E-02	1.12E-05	1.0E+06	1.1E+01
1356	6.29278	1.40E-02	8.8E-02	6.05E-04	5.34E-05	3.82E+00	4.71E-02	9.62E-06	1.0E+06	9.6E+00
1357	5.43099	1.40E-02	7.6E-02	6.05E-04	4.61E-05	3.82E+00	4.71E-02	8.30E-06	1.0E+06	8.3E+00
1358	6.36921	1.40E-02	8.9E-02	6.05E-04	5.40E-05	3.82E+00	4.71E-02	9.73E-06	1.0E+06	9.7E+00
1359	5.27003	1.40E-02	7.4E-02	6.05E-04	4.47E-05	3.82E+00	4.71E-02	8.05E-06	1.0E+06	8.1E+00
1360	4.41219	1.40E-02	6.2E-02	6.05E-04	3.74E-05	3.82E+00	4.71E-02	6.74E-06	1.0E+06	6.7E+00
1361	3.7458	1.40E-02	5.3E-02	6.05E-04	3.18E-05	3.82E+00	4.71E-02	5.72E-06	1.0E+06	5.7E+00
1362	3.22113	1.40E-02	4.5E-02	6.05E-04	2.73E-05	3.82E+00	4.71E-02	4.92E-06	1.0E+06	4.9E+00
1363	2.80753	1.40E-02	3.9E-02	6.05E-04	2.38E-05	3.82E+00	4.71E-02	4.29E-06	1.0E+06	4.3E+00
1364	2.47727	1.40E-02	3.5E-02	6.05E-04	2.10E-05	3.82E+00	4.71E-02	3.79E-06	1.0E+06	3.8E+00
1365	2.20985	1.40E-02	3.1E-02	6.05E-04	1.87E-05	3.82E+00	4.71E-02	3.38E-06	1.0E+06	3.4E+00
1366	12.36115	1.40E-02	1.7E-01	6.05E-04	1.05E-04	3.82E+00	4.71E-02	1.89E-05	1.0E+06	1.9E+01
1367	12.2004	1.40E-02	1.7E-01	6.05E-04	1.03E-04	3.82E+00	4.71E-02	1.86E-05	1.0E+06	1.9E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	12.28915	1.40E-02	1.7E-01	6.05E-04	1.04E-04	3.82E+00	4.71E-02	1.88E-05	1.0E+06	1.9E+01
1369	14.48134	1.40E-02	2.0E-01	6.05E-04	1.23E-04	3.82E+00	4.71E-02	2.21E-05	1.0E+06	2.2E+01
1370	12.11849	1.40E-02	1.7E-01	6.05E-04	1.03E-04	3.82E+00	4.71E-02	1.85E-05	1.0E+06	1.9E+01
1371	11.93785	1.40E-02	1.7E-01	6.05E-04	1.01E-04	3.82E+00	4.71E-02	1.82E-05	1.0E+06	1.8E+01
1372	14.21824	1.40E-02	2.0E-01	6.05E-04	1.21E-04	3.82E+00	4.71E-02	2.17E-05	1.0E+06	2.2E+01
1373	14.09422	1.40E-02	2.0E-01	6.05E-04	1.20E-04	3.82E+00	4.71E-02	2.15E-05	1.0E+06	2.2E+01
1374	11.61469	1.40E-02	1.6E-01	6.05E-04	9.85E-05	3.82E+00	4.71E-02	1.77E-05	1.0E+06	1.8E+01
1375	11.28398	1.40E-02	1.6E-01	6.05E-04	9.57E-05	3.82E+00	4.71E-02	1.72E-05	1.0E+06	1.7E+01
1376	13.30315	1.40E-02	1.9E-01	6.05E-04	1.13E-04	3.82E+00	4.71E-02	2.03E-05	1.0E+06	2.0E+01
1377	12.92905	1.40E-02	1.8E-01	6.05E-04	1.10E-04	3.82E+00	4.71E-02	1.98E-05	1.0E+06	2.0E+01
1378	10.21298	1.40E-02	1.4E-01	6.05E-04	8.66E-05	3.82E+00	4.71E-02	1.56E-05	1.0E+06	1.6E+01
1379	9.56154	1.40E-02	1.3E-01	6.05E-04	8.11E-05	3.82E+00	4.71E-02	1.46E-05	1.0E+06	1.5E+01
1380	11.21617	1.40E-02	1.6E-01	6.05E-04	9.51E-05	3.82E+00	4.71E-02	1.71E-05	1.0E+06	1.7E+01
1381	10.49217	1.40E-02	1.5E-01	6.05E-04	8.90E-05	3.82E+00	4.71E-02	1.60E-05	1.0E+06	1.6E+01
1382	7.49177	1.40E-02	1.1E-01	6.05E-04	6.35E-05	3.82E+00	4.71E-02	1.14E-05	1.0E+06	1.1E+01
1383	6.52159	1.40E-02	9.1E-02	6.05E-04	5.53E-05	3.82E+00	4.71E-02	9.97E-06	1.0E+06	1.0E+01
1384	7.76548	1.40E-02	1.1E-01	6.05E-04	6.59E-05	3.82E+00	4.71E-02	1.19E-05	1.0E+06	1.2E+01
1385	6.69215	1.40E-02	9.4E-02	6.05E-04	5.68E-05	3.82E+00	4.71E-02	1.02E-05	1.0E+06	1.0E+01
1386	5.6875	1.40E-02	8.0E-02	6.05E-04	4.82E-05	3.82E+00	4.71E-02	8.69E-06	1.0E+06	8.7E+00
1387	4.82388	1.40E-02	6.8E-02	6.05E-04	4.09E-05	3.82E+00	4.71E-02	7.37E-06	1.0E+06	7.4E+00
1388	4.11419	1.40E-02	5.8E-02	6.05E-04	3.49E-05	3.82E+00	4.71E-02	6.29E-06	1.0E+06	6.3E+00
1389	3.53838	1.40E-02	5.0E-02	6.05E-04	3.00E-05	3.82E+00	4.71E-02	5.41E-06	1.0E+06	5.4E+00
1390	3.0699	1.40E-02	4.3E-02	6.05E-04	2.60E-05	3.82E+00	4.71E-02	4.69E-06	1.0E+06	4.7E+00
1391	2.69242	1.40E-02	3.8E-02	6.05E-04	2.28E-05	3.82E+00	4.71E-02	4.11E-06	1.0E+06	4.1E+00
1392	2.38607	1.40E-02	3.3E-02	6.05E-04	2.02E-05	3.82E+00	4.71E-02	3.65E-06	1.0E+06	3.6E+00
1393	2.1349	1.40E-02	3.0E-02	6.05E-04	1.81E-05	3.82E+00	4.71E-02	3.26E-06	1.0E+06	3.3E+00
1394	12.346	1.40E-02	1.7E-01	6.05E-04	1.05E-04	3.82E+00	4.71E-02	1.89E-05	1.0E+06	1.9E+01
1395	12.28184	1.40E-02	1.7E-01	6.05E-04	1.04E-04	3.82E+00	4.71E-02	1.88E-05	1.0E+06	1.9E+01
1396	12.18985	1.40E-02	1.7E-01	6.05E-04	1.03E-04	3.82E+00	4.71E-02	1.86E-05	1.0E+06	1.9E+01
1397	12.11207	1.40E-02	1.7E-01	6.05E-04	1.03E-04	3.82E+00	4.71E-02	1.85E-05	1.0E+06	1.9E+01
1398	12.07276	1.40E-02	1.7E-01	6.05E-04	1.02E-04	3.82E+00	4.71E-02	1.84E-05	1.0E+06	1.8E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	11.98967	1.40E-02	1.7E-01	6.05E-04	1.02E-04	3.82E+00	4.71E-02	1.83E-05	1.0E+06	1.8E+01
1400	11.91635	1.40E-02	1.7E-01	6.05E-04	1.01E-04	3.82E+00	4.71E-02	1.82E-05	1.0E+06	1.8E+01
1401	11.81784	1.40E-02	1.7E-01	6.05E-04	1.00E-04	3.82E+00	4.71E-02	1.81E-05	1.0E+06	1.8E+01
1402	11.64922	1.40E-02	1.6E-01	6.05E-04	9.88E-05	3.82E+00	4.71E-02	1.78E-05	1.0E+06	1.8E+01
1403	11.4204	1.40E-02	1.6E-01	6.05E-04	9.69E-05	3.82E+00	4.71E-02	1.75E-05	1.0E+06	1.7E+01
1404	11.13768	1.40E-02	1.6E-01	6.05E-04	9.45E-05	3.82E+00	4.71E-02	1.70E-05	1.0E+06	1.7E+01
1405	10.81776	1.40E-02	1.5E-01	6.05E-04	9.17E-05	3.82E+00	4.71E-02	1.65E-05	1.0E+06	1.7E+01
1406	10.42788	1.40E-02	1.5E-01	6.05E-04	8.84E-05	3.82E+00	4.71E-02	1.59E-05	1.0E+06	1.6E+01
1407	9.96195	1.40E-02	1.4E-01	6.05E-04	8.45E-05	3.82E+00	4.71E-02	1.52E-05	1.0E+06	1.5E+01
1408	9.4316	1.40E-02	1.3E-01	6.05E-04	8.00E-05	3.82E+00	4.71E-02	1.44E-05	1.0E+06	1.4E+01
1409	8.84146	1.40E-02	1.2E-01	6.05E-04	7.50E-05	3.82E+00	4.71E-02	1.35E-05	1.0E+06	1.4E+01
1410	8.19048	1.40E-02	1.1E-01	6.05E-04	6.95E-05	3.82E+00	4.71E-02	1.25E-05	1.0E+06	1.3E+01
1411	7.47061	1.40E-02	1.0E-01	6.05E-04	6.34E-05	3.82E+00	4.71E-02	1.14E-05	1.0E+06	1.1E+01
1412	6.68789	1.40E-02	9.4E-02	6.05E-04	5.67E-05	3.82E+00	4.71E-02	1.02E-05	1.0E+06	1.0E+01
1413	5.88345	1.40E-02	8.2E-02	6.05E-04	4.99E-05	3.82E+00	4.71E-02	8.99E-06	1.0E+06	9.0E+00
1414	5.11395	1.40E-02	7.2E-02	6.05E-04	4.34E-05	3.82E+00	4.71E-02	7.81E-06	1.0E+06	7.8E+00
1415	4.42675	1.40E-02	6.2E-02	6.05E-04	3.75E-05	3.82E+00	4.71E-02	6.76E-06	1.0E+06	6.8E+00
1416	3.83844	1.40E-02	5.4E-02	6.05E-04	3.26E-05	3.82E+00	4.71E-02	5.87E-06	1.0E+06	5.9E+00
1417	3.34362	1.40E-02	4.7E-02	6.05E-04	2.84E-05	3.82E+00	4.71E-02	5.11E-06	1.0E+06	5.1E+00
1418	2.92615	1.40E-02	4.1E-02	6.05E-04	2.48E-05	3.82E+00	4.71E-02	4.47E-06	1.0E+06	4.5E+00
1419	2.58213	1.40E-02	3.6E-02	6.05E-04	2.19E-05	3.82E+00	4.71E-02	3.95E-06	1.0E+06	3.9E+00
1420	2.29833	1.40E-02	3.2E-02	6.05E-04	1.95E-05	3.82E+00	4.71E-02	3.51E-06	1.0E+06	3.5E+00
1421	2.06287	1.40E-02	2.9E-02	6.05E-04	1.75E-05	3.82E+00	4.71E-02	3.15E-06	1.0E+06	3.2E+00
1422	10.50365	1.40E-02	1.5E-01	6.05E-04	8.91E-05	3.82E+00	4.71E-02	1.61E-05	1.0E+06	1.6E+01
1423	10.44226	1.40E-02	1.5E-01	6.05E-04	8.86E-05	3.82E+00	4.71E-02	1.60E-05	1.0E+06	1.6E+01
1424	10.40176	1.40E-02	1.5E-01	6.05E-04	8.82E-05	3.82E+00	4.71E-02	1.59E-05	1.0E+06	1.6E+01
1425	10.34198	1.40E-02	1.4E-01	6.05E-04	8.77E-05	3.82E+00	4.71E-02	1.58E-05	1.0E+06	1.6E+01
1426	10.27209	1.40E-02	1.4E-01	6.05E-04	8.71E-05	3.82E+00	4.71E-02	1.57E-05	1.0E+06	1.6E+01
1427	10.21481	1.40E-02	1.4E-01	6.05E-04	8.66E-05	3.82E+00	4.71E-02	1.56E-05	1.0E+06	1.6E+01
1428	10.17818	1.40E-02	1.4E-01	6.05E-04	8.63E-05	3.82E+00	4.71E-02	1.56E-05	1.0E+06	1.6E+01
1429	10.09224	1.40E-02	1.4E-01	6.05E-04	8.56E-05	3.82E+00	4.71E-02	1.54E-05	1.0E+06	1.5E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	9.95224	1.40E-02	1.4E-01	6.05E-04	8.44E-05	3.82E+00	4.71E-02	1.52E-05	1.0E+06	1.5E+01
1431	9.75415	1.40E-02	1.4E-01	6.05E-04	8.27E-05	3.82E+00	4.71E-02	1.49E-05	1.0E+06	1.5E+01
1432	9.51455	1.40E-02	1.3E-01	6.05E-04	8.07E-05	3.82E+00	4.71E-02	1.45E-05	1.0E+06	1.5E+01
1433	9.23853	1.40E-02	1.3E-01	6.05E-04	7.84E-05	3.82E+00	4.71E-02	1.41E-05	1.0E+06	1.4E+01
1434	8.91293	1.40E-02	1.2E-01	6.05E-04	7.56E-05	3.82E+00	4.71E-02	1.36E-05	1.0E+06	1.4E+01
1435	8.52852	1.40E-02	1.2E-01	6.05E-04	7.23E-05	3.82E+00	4.71E-02	1.30E-05	1.0E+06	1.3E+01
1436	8.09239	1.40E-02	1.1E-01	6.05E-04	6.86E-05	3.82E+00	4.71E-02	1.24E-05	1.0E+06	1.2E+01
1437	7.60465	1.40E-02	1.1E-01	6.05E-04	6.45E-05	3.82E+00	4.71E-02	1.16E-05	1.0E+06	1.2E+01
1438	7.06747	1.40E-02	9.9E-02	6.05E-04	5.99E-05	3.82E+00	4.71E-02	1.08E-05	1.0E+06	1.1E+01
1439	6.48718	1.40E-02	9.1E-02	6.05E-04	5.50E-05	3.82E+00	4.71E-02	9.91E-06	1.0E+06	9.9E+00
1440	5.87044	1.40E-02	8.2E-02	6.05E-04	4.98E-05	3.82E+00	4.71E-02	8.97E-06	1.0E+06	9.0E+00
1441	5.24275	1.40E-02	7.3E-02	6.05E-04	4.45E-05	3.82E+00	4.71E-02	8.01E-06	1.0E+06	8.0E+00
1442	4.63406	1.40E-02	6.5E-02	6.05E-04	3.93E-05	3.82E+00	4.71E-02	7.08E-06	1.0E+06	7.1E+00
1443	4.077	1.40E-02	5.7E-02	6.05E-04	3.46E-05	3.82E+00	4.71E-02	6.23E-06	1.0E+06	6.2E+00
1444	3.58526	1.40E-02	5.0E-02	6.05E-04	3.04E-05	3.82E+00	4.71E-02	5.48E-06	1.0E+06	5.5E+00
1445	3.15895	1.40E-02	4.4E-02	6.05E-04	2.68E-05	3.82E+00	4.71E-02	4.83E-06	1.0E+06	4.8E+00
1446	2.78854	1.40E-02	3.9E-02	6.05E-04	2.37E-05	3.82E+00	4.71E-02	4.26E-06	1.0E+06	4.3E+00
1447	2.47615	1.40E-02	3.5E-02	6.05E-04	2.10E-05	3.82E+00	4.71E-02	3.78E-06	1.0E+06	3.8E+00
1448	2.21402	1.40E-02	3.1E-02	6.05E-04	1.88E-05	3.82E+00	4.71E-02	3.38E-06	1.0E+06	3.4E+00
1449	1.99358	1.40E-02	2.8E-02	6.05E-04	1.69E-05	3.82E+00	4.71E-02	3.05E-06	1.0E+06	3.0E+00
1450	9.07748	1.40E-02	1.3E-01	6.05E-04	7.70E-05	3.82E+00	4.71E-02	1.39E-05	1.0E+06	1.4E+01
1451	9.04116	1.40E-02	1.3E-01	6.05E-04	7.67E-05	3.82E+00	4.71E-02	1.38E-05	1.0E+06	1.4E+01
1452	8.98097	1.40E-02	1.3E-01	6.05E-04	7.62E-05	3.82E+00	4.71E-02	1.37E-05	1.0E+06	1.4E+01
1453	8.94477	1.40E-02	1.3E-01	6.05E-04	7.59E-05	3.82E+00	4.71E-02	1.37E-05	1.0E+06	1.4E+01
1454	8.89538	1.40E-02	1.2E-01	6.05E-04	7.54E-05	3.82E+00	4.71E-02	1.36E-05	1.0E+06	1.4E+01
1455	8.81344	1.40E-02	1.2E-01	6.05E-04	7.48E-05	3.82E+00	4.71E-02	1.35E-05	1.0E+06	1.3E+01
1456	8.81219	1.40E-02	1.2E-01	6.05E-04	7.47E-05	3.82E+00	4.71E-02	1.35E-05	1.0E+06	1.3E+01
1457	8.74796	1.40E-02	1.2E-01	6.05E-04	7.42E-05	3.82E+00	4.71E-02	1.34E-05	1.0E+06	1.3E+01
1458	8.63748	1.40E-02	1.2E-01	6.05E-04	7.33E-05	3.82E+00	4.71E-02	1.32E-05	1.0E+06	1.3E+01
1459	8.46454	1.40E-02	1.2E-01	6.05E-04	7.18E-05	3.82E+00	4.71E-02	1.29E-05	1.0E+06	1.3E+01
1460	8.25859	1.40E-02	1.2E-01	6.05E-04	7.00E-05	3.82E+00	4.71E-02	1.26E-05	1.0E+06	1.3E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	8.0192	1.40E-02	1.1E-01	6.05E-04	6.80E-05	3.82E+00	4.71E-02	1.23E-05	1.0E+06	1.2E+01
1462	7.74318	1.40E-02	1.1E-01	6.05E-04	6.57E-05	3.82E+00	4.71E-02	1.18E-05	1.0E+06	1.2E+01
1463	7.42093	1.40E-02	1.0E-01	6.05E-04	6.29E-05	3.82E+00	4.71E-02	1.13E-05	1.0E+06	1.1E+01
1464	7.0564	1.40E-02	9.9E-02	6.05E-04	5.98E-05	3.82E+00	4.71E-02	1.08E-05	1.0E+06	1.1E+01
1465	6.64796	1.40E-02	9.3E-02	6.05E-04	5.64E-05	3.82E+00	4.71E-02	1.02E-05	1.0E+06	1.0E+01
1466	6.20134	1.40E-02	8.7E-02	6.05E-04	5.26E-05	3.82E+00	4.71E-02	9.48E-06	1.0E+06	9.5E+00
1467	5.7265	1.40E-02	8.0E-02	6.05E-04	4.86E-05	3.82E+00	4.71E-02	8.75E-06	1.0E+06	8.8E+00
1468	5.22772	1.40E-02	7.3E-02	6.05E-04	4.43E-05	3.82E+00	4.71E-02	7.99E-06	1.0E+06	8.0E+00
1469	4.7222	1.40E-02	6.6E-02	6.05E-04	4.01E-05	3.82E+00	4.71E-02	7.22E-06	1.0E+06	7.2E+00
1470	4.22861	1.40E-02	5.9E-02	6.05E-04	3.59E-05	3.82E+00	4.71E-02	6.46E-06	1.0E+06	6.5E+00
1471	3.76896	1.40E-02	5.3E-02	6.05E-04	3.20E-05	3.82E+00	4.71E-02	5.76E-06	1.0E+06	5.8E+00
1472	3.35396	1.40E-02	4.7E-02	6.05E-04	2.84E-05	3.82E+00	4.71E-02	5.13E-06	1.0E+06	5.1E+00
1473	2.9854	1.40E-02	4.2E-02	6.05E-04	2.53E-05	3.82E+00	4.71E-02	4.56E-06	1.0E+06	4.6E+00
1474	2.65684	1.40E-02	3.7E-02	6.05E-04	2.25E-05	3.82E+00	4.71E-02	4.06E-06	1.0E+06	4.1E+00
1475	2.37409	1.40E-02	3.3E-02	6.05E-04	2.01E-05	3.82E+00	4.71E-02	3.63E-06	1.0E+06	3.6E+00
1476	2.13251	1.40E-02	3.0E-02	6.05E-04	1.81E-05	3.82E+00	4.71E-02	3.26E-06	1.0E+06	3.3E+00
1477	1.9268	1.40E-02	2.7E-02	6.05E-04	1.63E-05	3.82E+00	4.71E-02	2.94E-06	1.0E+06	2.9E+00
1478	7.92156	1.40E-02	1.1E-01	6.05E-04	6.72E-05	3.82E+00	4.71E-02	1.21E-05	1.0E+06	1.2E+01
1479	7.91107	1.40E-02	1.1E-01	6.05E-04	6.71E-05	3.82E+00	4.71E-02	1.21E-05	1.0E+06	1.2E+01
1480	7.87829	1.40E-02	1.1E-01	6.05E-04	6.68E-05	3.82E+00	4.71E-02	1.20E-05	1.0E+06	1.2E+01
1481	7.83014	1.40E-02	1.1E-01	6.05E-04	6.64E-05	3.82E+00	4.71E-02	1.20E-05	1.0E+06	1.2E+01
1482	7.80911	1.40E-02	1.1E-01	6.05E-04	6.62E-05	3.82E+00	4.71E-02	1.19E-05	1.0E+06	1.2E+01
1483	7.75145	1.40E-02	1.1E-01	6.05E-04	6.57E-05	3.82E+00	4.71E-02	1.18E-05	1.0E+06	1.2E+01
1484	7.7494	1.40E-02	1.1E-01	6.05E-04	6.57E-05	3.82E+00	4.71E-02	1.18E-05	1.0E+06	1.2E+01
1485	7.69066	1.40E-02	1.1E-01	6.05E-04	6.52E-05	3.82E+00	4.71E-02	1.18E-05	1.0E+06	1.2E+01
1486	7.59214	1.40E-02	1.1E-01	6.05E-04	6.44E-05	3.82E+00	4.71E-02	1.16E-05	1.0E+06	1.2E+01
1487	7.44023	1.40E-02	1.0E-01	6.05E-04	6.31E-05	3.82E+00	4.71E-02	1.14E-05	1.0E+06	1.1E+01
1488	7.26104	1.40E-02	1.0E-01	6.05E-04	6.16E-05	3.82E+00	4.71E-02	1.11E-05	1.0E+06	1.1E+01
1489	7.0533	1.40E-02	9.9E-02	6.05E-04	5.98E-05	3.82E+00	4.71E-02	1.08E-05	1.0E+06	1.1E+01
1490	6.81614	1.40E-02	9.6E-02	6.05E-04	5.78E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01
1491	6.54173	1.40E-02	9.2E-02	6.05E-04	5.55E-05	3.82E+00	4.71E-02	1.00E-05	1.0E+06	1.0E+01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	6.23274	1.40E-02	8.7E-02	6.05E-04	5.29E-05	3.82E+00	4.71E-02	9.52E-06	1.0E+06	9.5E+00
1493	5.88973	1.40E-02	8.3E-02	6.05E-04	5.00E-05	3.82E+00	4.71E-02	9.00E-06	1.0E+06	9.0E+00
1494	5.51756	1.40E-02	7.7E-02	6.05E-04	4.68E-05	3.82E+00	4.71E-02	8.43E-06	1.0E+06	8.4E+00
1495	5.12162	1.40E-02	7.2E-02	6.05E-04	4.34E-05	3.82E+00	4.71E-02	7.83E-06	1.0E+06	7.8E+00
1496	4.71008	1.40E-02	6.6E-02	6.05E-04	3.99E-05	3.82E+00	4.71E-02	7.20E-06	1.0E+06	7.2E+00
1497	4.29274	1.40E-02	6.0E-02	6.05E-04	3.64E-05	3.82E+00	4.71E-02	6.56E-06	1.0E+06	6.6E+00
1498	3.88231	1.40E-02	5.4E-02	6.05E-04	3.29E-05	3.82E+00	4.71E-02	5.93E-06	1.0E+06	5.9E+00
1499	3.4953	1.40E-02	4.9E-02	6.05E-04	2.96E-05	3.82E+00	4.71E-02	5.34E-06	1.0E+06	5.3E+00
1500	3.13977	1.40E-02	4.4E-02	6.05E-04	2.66E-05	3.82E+00	4.71E-02	4.80E-06	1.0E+06	4.8E+00
1501	2.81836	1.40E-02	4.0E-02	6.05E-04	2.39E-05	3.82E+00	4.71E-02	4.31E-06	1.0E+06	4.3E+00
1502	2.52765	1.40E-02	3.5E-02	6.05E-04	2.14E-05	3.82E+00	4.71E-02	3.86E-06	1.0E+06	3.9E+00
1503	2.273	1.40E-02	3.2E-02	6.05E-04	1.93E-05	3.82E+00	4.71E-02	3.47E-06	1.0E+06	3.5E+00
1504	2.05219	1.40E-02	2.9E-02	6.05E-04	1.74E-05	3.82E+00	4.71E-02	3.14E-06	1.0E+06	3.1E+00
1505	1.86144	1.40E-02	2.6E-02	6.05E-04	1.58E-05	3.82E+00	4.71E-02	2.84E-06	1.0E+06	2.8E+00
1506	6.97938	1.40E-02	9.8E-02	6.05E-04	5.92E-05	3.82E+00	4.71E-02	1.07E-05	1.0E+06	1.1E+01
1507	6.97779	1.40E-02	9.8E-02	6.05E-04	5.92E-05	3.82E+00	4.71E-02	1.07E-05	1.0E+06	1.1E+01
1508	6.97164	1.40E-02	9.8E-02	6.05E-04	5.91E-05	3.82E+00	4.71E-02	1.07E-05	1.0E+06	1.1E+01
1509	6.94877	1.40E-02	9.7E-02	6.05E-04	5.89E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01
1510	6.93496	1.40E-02	9.7E-02	6.05E-04	5.88E-05	3.82E+00	4.71E-02	1.06E-05	1.0E+06	1.1E+01
1511	6.89704	1.40E-02	9.7E-02	6.05E-04	5.85E-05	3.82E+00	4.71E-02	1.05E-05	1.0E+06	1.1E+01
1512	6.87977	1.40E-02	9.6E-02	6.05E-04	5.84E-05	3.82E+00	4.71E-02	1.05E-05	1.0E+06	1.1E+01
1513	6.83228	1.40E-02	9.6E-02	6.05E-04	5.79E-05	3.82E+00	4.71E-02	1.04E-05	1.0E+06	1.0E+01
1514	6.74309	1.40E-02	9.5E-02	6.05E-04	5.72E-05	3.82E+00	4.71E-02	1.03E-05	1.0E+06	1.0E+01
1515	6.60902	1.40E-02	9.3E-02	6.05E-04	5.61E-05	3.82E+00	4.71E-02	1.01E-05	1.0E+06	1.0E+01
1516	6.4518	1.40E-02	9.0E-02	6.05E-04	5.47E-05	3.82E+00	4.71E-02	9.86E-06	1.0E+06	9.9E+00
1517	6.27049	1.40E-02	8.8E-02	6.05E-04	5.32E-05	3.82E+00	4.71E-02	9.58E-06	1.0E+06	9.6E+00
1518	6.06457	1.40E-02	8.5E-02	6.05E-04	5.14E-05	3.82E+00	4.71E-02	9.27E-06	1.0E+06	9.3E+00
1519	5.8281	1.40E-02	8.2E-02	6.05E-04	4.94E-05	3.82E+00	4.71E-02	8.91E-06	1.0E+06	8.9E+00
1520	5.56394	1.40E-02	7.8E-02	6.05E-04	4.72E-05	3.82E+00	4.71E-02	8.50E-06	1.0E+06	8.5E+00
1521	5.2734	1.40E-02	7.4E-02	6.05E-04	4.47E-05	3.82E+00	4.71E-02	8.06E-06	1.0E+06	8.1E+00
1522	4.95967	1.40E-02	7.0E-02	6.05E-04	4.21E-05	3.82E+00	4.71E-02	7.58E-06	1.0E+06	7.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	4.62617	1.40E-02	6.5E-02	6.05E-04	3.92E-05	3.82E+00	4.71E-02	7.07E-06	1.0E+06	7.1E+00
1524	4.28049	1.40E-02	6.0E-02	6.05E-04	3.63E-05	3.82E+00	4.71E-02	6.54E-06	1.0E+06	6.5E+00
1525	3.92984	1.40E-02	5.5E-02	6.05E-04	3.33E-05	3.82E+00	4.71E-02	6.01E-06	1.0E+06	6.0E+00
1526	3.58347	1.40E-02	5.0E-02	6.05E-04	3.04E-05	3.82E+00	4.71E-02	5.48E-06	1.0E+06	5.5E+00
1527	3.25287	1.40E-02	4.6E-02	6.05E-04	2.76E-05	3.82E+00	4.71E-02	4.97E-06	1.0E+06	5.0E+00
1528	2.94536	1.40E-02	4.1E-02	6.05E-04	2.50E-05	3.82E+00	4.71E-02	4.50E-06	1.0E+06	4.5E+00
1529	2.66336	1.40E-02	3.7E-02	6.05E-04	2.26E-05	3.82E+00	4.71E-02	4.07E-06	1.0E+06	4.1E+00
1530	2.40549	1.40E-02	3.4E-02	6.05E-04	2.04E-05	3.82E+00	4.71E-02	3.68E-06	1.0E+06	3.7E+00
1531	2.17623	1.40E-02	3.1E-02	6.05E-04	1.85E-05	3.82E+00	4.71E-02	3.33E-06	1.0E+06	3.3E+00
1532	1.97461	1.40E-02	2.8E-02	6.05E-04	1.67E-05	3.82E+00	4.71E-02	3.02E-06	1.0E+06	3.0E+00
1533	1.79816	1.40E-02	2.5E-02	6.05E-04	1.53E-05	3.82E+00	4.71E-02	2.75E-06	1.0E+06	2.7E+00
1534	6.19252	1.40E-02	8.7E-02	6.05E-04	5.25E-05	3.82E+00	4.71E-02	9.46E-06	1.0E+06	9.5E+00
1535	6.20686	1.40E-02	8.7E-02	6.05E-04	5.26E-05	3.82E+00	4.71E-02	9.48E-06	1.0E+06	9.5E+00
1536	6.20889	1.40E-02	8.7E-02	6.05E-04	5.27E-05	3.82E+00	4.71E-02	9.49E-06	1.0E+06	9.5E+00
1537	6.21746	1.40E-02	8.7E-02	6.05E-04	5.27E-05	3.82E+00	4.71E-02	9.50E-06	1.0E+06	9.5E+00
1538	6.19304	1.40E-02	8.7E-02	6.05E-04	5.25E-05	3.82E+00	4.71E-02	9.46E-06	1.0E+06	9.5E+00
1539	6.18733	1.40E-02	8.7E-02	6.05E-04	5.25E-05	3.82E+00	4.71E-02	9.46E-06	1.0E+06	9.5E+00
1540	6.1665	1.40E-02	8.6E-02	6.05E-04	5.23E-05	3.82E+00	4.71E-02	9.42E-06	1.0E+06	9.4E+00
1541	6.12161	1.40E-02	8.6E-02	6.05E-04	5.19E-05	3.82E+00	4.71E-02	9.35E-06	1.0E+06	9.4E+00
1542	6.04139	1.40E-02	8.5E-02	6.05E-04	5.12E-05	3.82E+00	4.71E-02	9.23E-06	1.0E+06	9.2E+00
1543	5.9223	1.40E-02	8.3E-02	6.05E-04	5.02E-05	3.82E+00	4.71E-02	9.05E-06	1.0E+06	9.1E+00
1544	5.7837	1.40E-02	8.1E-02	6.05E-04	4.91E-05	3.82E+00	4.71E-02	8.84E-06	1.0E+06	8.8E+00
1545	5.62444	1.40E-02	7.9E-02	6.05E-04	4.77E-05	3.82E+00	4.71E-02	8.59E-06	1.0E+06	8.6E+00
1546	5.44413	1.40E-02	7.6E-02	6.05E-04	4.62E-05	3.82E+00	4.71E-02	8.32E-06	1.0E+06	8.3E+00
1547	5.23841	1.40E-02	7.3E-02	6.05E-04	4.44E-05	3.82E+00	4.71E-02	8.01E-06	1.0E+06	8.0E+00
1548	5.01093	1.40E-02	7.0E-02	6.05E-04	4.25E-05	3.82E+00	4.71E-02	7.66E-06	1.0E+06	7.7E+00
1549	4.76229	1.40E-02	6.7E-02	6.05E-04	4.04E-05	3.82E+00	4.71E-02	7.28E-06	1.0E+06	7.3E+00
1550	4.49526	1.40E-02	6.3E-02	6.05E-04	3.81E-05	3.82E+00	4.71E-02	6.87E-06	1.0E+06	6.9E+00
1551	4.21149	1.40E-02	5.9E-02	6.05E-04	3.57E-05	3.82E+00	4.71E-02	6.44E-06	1.0E+06	6.4E+00
1552	3.91723	1.40E-02	5.5E-02	6.05E-04	3.32E-05	3.82E+00	4.71E-02	5.99E-06	1.0E+06	6.0E+00
1553	3.61864	1.40E-02	5.1E-02	6.05E-04	3.07E-05	3.82E+00	4.71E-02	5.53E-06	1.0E+06	5.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	3.32246	1.40E-02	4.7E-02	6.05E-04	2.82E-05	3.82E+00	4.71E-02	5.08E-06	1.0E+06	5.1E+00
1555	3.03738	1.40E-02	4.3E-02	6.05E-04	2.58E-05	3.82E+00	4.71E-02	4.64E-06	1.0E+06	4.6E+00
1556	2.76918	1.40E-02	3.9E-02	6.05E-04	2.35E-05	3.82E+00	4.71E-02	4.23E-06	1.0E+06	4.2E+00
1557	2.52	1.40E-02	3.5E-02	6.05E-04	2.14E-05	3.82E+00	4.71E-02	3.85E-06	1.0E+06	3.9E+00
1558	2.2907	1.40E-02	3.2E-02	6.05E-04	1.94E-05	3.82E+00	4.71E-02	3.50E-06	1.0E+06	3.5E+00
1559	2.08408	1.40E-02	2.9E-02	6.05E-04	1.77E-05	3.82E+00	4.71E-02	3.18E-06	1.0E+06	3.2E+00
1560	1.90004	1.40E-02	2.7E-02	6.05E-04	1.61E-05	3.82E+00	4.71E-02	2.90E-06	1.0E+06	2.9E+00
1561	1.737	1.40E-02	2.4E-02	6.05E-04	1.47E-05	3.82E+00	4.71E-02	2.65E-06	1.0E+06	2.7E+00
1562	5.5612	1.40E-02	7.8E-02	6.05E-04	4.72E-05	3.82E+00	4.71E-02	8.50E-06	1.0E+06	8.5E+00
1563	5.56018	1.40E-02	7.8E-02	6.05E-04	4.72E-05	3.82E+00	4.71E-02	8.50E-06	1.0E+06	8.5E+00
1564	5.56469	1.40E-02	7.8E-02	6.05E-04	4.72E-05	3.82E+00	4.71E-02	8.50E-06	1.0E+06	8.5E+00
1565	5.57488	1.40E-02	7.8E-02	6.05E-04	4.73E-05	3.82E+00	4.71E-02	8.52E-06	1.0E+06	8.5E+00
1566	5.57309	1.40E-02	7.8E-02	6.05E-04	4.73E-05	3.82E+00	4.71E-02	8.52E-06	1.0E+06	8.5E+00
1567	5.56834	1.40E-02	7.8E-02	6.05E-04	4.72E-05	3.82E+00	4.71E-02	8.51E-06	1.0E+06	8.5E+00
1568	5.55605	1.40E-02	7.8E-02	6.05E-04	4.71E-05	3.82E+00	4.71E-02	8.49E-06	1.0E+06	8.5E+00
1569	5.51238	1.40E-02	7.7E-02	6.05E-04	4.68E-05	3.82E+00	4.71E-02	8.42E-06	1.0E+06	8.4E+00
1570	5.44146	1.40E-02	7.6E-02	6.05E-04	4.62E-05	3.82E+00	4.71E-02	8.32E-06	1.0E+06	8.3E+00
1571	5.34424	1.40E-02	7.5E-02	6.05E-04	4.53E-05	3.82E+00	4.71E-02	8.17E-06	1.0E+06	8.2E+00
1572	5.22282	1.40E-02	7.3E-02	6.05E-04	4.43E-05	3.82E+00	4.71E-02	7.98E-06	1.0E+06	8.0E+00
1573	5.08274	1.40E-02	7.1E-02	6.05E-04	4.31E-05	3.82E+00	4.71E-02	7.77E-06	1.0E+06	7.8E+00
1574	4.92458	1.40E-02	6.9E-02	6.05E-04	4.18E-05	3.82E+00	4.71E-02	7.53E-06	1.0E+06	7.5E+00
1575	4.74447	1.40E-02	6.7E-02	6.05E-04	4.02E-05	3.82E+00	4.71E-02	7.25E-06	1.0E+06	7.3E+00
1576	4.54686	1.40E-02	6.4E-02	6.05E-04	3.86E-05	3.82E+00	4.71E-02	6.95E-06	1.0E+06	6.9E+00
1577	4.33209	1.40E-02	6.1E-02	6.05E-04	3.67E-05	3.82E+00	4.71E-02	6.62E-06	1.0E+06	6.6E+00
1578	4.10196	1.40E-02	5.7E-02	6.05E-04	3.48E-05	3.82E+00	4.71E-02	6.27E-06	1.0E+06	6.3E+00
1579	3.85856	1.40E-02	5.4E-02	6.05E-04	3.27E-05	3.82E+00	4.71E-02	5.90E-06	1.0E+06	5.9E+00
1580	3.60578	1.40E-02	5.1E-02	6.05E-04	3.06E-05	3.82E+00	4.71E-02	5.51E-06	1.0E+06	5.5E+00
1581	3.34897	1.40E-02	4.7E-02	6.05E-04	2.84E-05	3.82E+00	4.71E-02	5.12E-06	1.0E+06	5.1E+00
1582	3.09363	1.40E-02	4.3E-02	6.05E-04	2.62E-05	3.82E+00	4.71E-02	4.73E-06	1.0E+06	4.7E+00
1583	2.84582	1.40E-02	4.0E-02	6.05E-04	2.41E-05	3.82E+00	4.71E-02	4.35E-06	1.0E+06	4.3E+00
1584	2.61023	1.40E-02	3.7E-02	6.05E-04	2.21E-05	3.82E+00	4.71E-02	3.99E-06	1.0E+06	4.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.3894	1.40E-02	3.3E-02	6.05E-04	2.03E-05	3.82E+00	4.71E-02	3.65E-06	1.0E+06	3.7E+00
1586	2.18437	1.40E-02	3.1E-02	6.05E-04	1.85E-05	3.82E+00	4.71E-02	3.34E-06	1.0E+06	3.3E+00
1587	1.99744	1.40E-02	2.8E-02	6.05E-04	1.69E-05	3.82E+00	4.71E-02	3.05E-06	1.0E+06	3.1E+00
1588	1.82902	1.40E-02	2.6E-02	6.05E-04	1.55E-05	3.82E+00	4.71E-02	2.80E-06	1.0E+06	2.8E+00
1589	1.67833	1.40E-02	2.4E-02	6.05E-04	1.42E-05	3.82E+00	4.71E-02	2.56E-06	1.0E+06	2.6E+00
1590	5.03444	1.40E-02	7.1E-02	6.05E-04	4.27E-05	3.82E+00	4.71E-02	7.69E-06	1.0E+06	7.7E+00
1591	5.02557	1.40E-02	7.0E-02	6.05E-04	4.26E-05	3.82E+00	4.71E-02	7.68E-06	1.0E+06	7.7E+00
1592	5.01615	1.40E-02	7.0E-02	6.05E-04	4.25E-05	3.82E+00	4.71E-02	7.67E-06	1.0E+06	7.7E+00
1593	5.01126	1.40E-02	7.0E-02	6.05E-04	4.25E-05	3.82E+00	4.71E-02	7.66E-06	1.0E+06	7.7E+00
1594	5.02951	1.40E-02	7.0E-02	6.05E-04	4.27E-05	3.82E+00	4.71E-02	7.69E-06	1.0E+06	7.7E+00
1595	5.01656	1.40E-02	7.0E-02	6.05E-04	4.25E-05	3.82E+00	4.71E-02	7.67E-06	1.0E+06	7.7E+00
0	0	1.40E-02	0.0E+00	6.05E-04	0.00E+00	3.82E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	3.36095	1.12868E-05	3.8E-05	6.05E-04	2.30E-08	3.82E+00	4.71E-02	4.14E-09	1.0E+06	4.1E-03
1214	1214	4.84507	1.12868E-05	5.5E-05	6.05E-04	3.31E-08	3.82E+00	4.71E-02	5.96E-09	1.0E+06	6.0E-03
1215	1215	4.8136	1.12868E-05	5.4E-05	6.05E-04	3.29E-08	3.82E+00	4.71E-02	5.92E-09	1.0E+06	5.9E-03
1216	1216	4.77576	1.12868E-05	5.4E-05	6.05E-04	3.26E-08	3.82E+00	4.71E-02	5.88E-09	1.0E+06	5.9E-03
1217	1217	4.73027	1.12868E-05	5.3E-05	6.05E-04	3.23E-08	3.82E+00	4.71E-02	5.82E-09	1.0E+06	5.8E-03
1218	1218	4.6769	1.12868E-05	5.3E-05	6.05E-04	3.19E-08	3.82E+00	4.71E-02	5.75E-09	1.0E+06	5.8E-03
1219	1219	4.6151	1.12868E-05	5.2E-05	6.05E-04	3.15E-08	3.82E+00	4.71E-02	5.68E-09	1.0E+06	5.7E-03
1220	1220	4.54338	1.12868E-05	5.1E-05	6.05E-04	3.10E-08	3.82E+00	4.71E-02	5.59E-09	1.0E+06	5.6E-03
1221	1221	4.46184	1.12868E-05	5.0E-05	6.05E-04	3.05E-08	3.82E+00	4.71E-02	5.49E-09	1.0E+06	5.5E-03
1222	1222	4.36978	1.12868E-05	4.9E-05	6.05E-04	2.98E-08	3.82E+00	4.71E-02	5.38E-09	1.0E+06	5.4E-03
1223	1223	4.26895	1.12868E-05	4.8E-05	6.05E-04	2.92E-08	3.82E+00	4.71E-02	5.25E-09	1.0E+06	5.3E-03
1224	1224	4.1554	1.12868E-05	4.7E-05	6.05E-04	2.84E-08	3.82E+00	4.71E-02	5.11E-09	1.0E+06	5.1E-03
1225	1225	4.0291	1.12868E-05	4.5E-05	6.05E-04	2.75E-08	3.82E+00	4.71E-02	4.96E-09	1.0E+06	5.0E-03
1226	1226	3.89066	1.12868E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.79E-09	1.0E+06	4.8E-03
1227	1227	3.73985	1.12868E-05	4.2E-05	6.05E-04	2.55E-08	3.82E+00	4.71E-02	4.60E-09	1.0E+06	4.6E-03
1228	1228	5.50042	1.12868E-05	6.2E-05	6.05E-04	3.76E-08	3.82E+00	4.71E-02	6.77E-09	1.0E+06	6.8E-03
1229	1229	5.46761	1.12868E-05	6.2E-05	6.05E-04	3.73E-08	3.82E+00	4.71E-02	6.73E-09	1.0E+06	6.7E-03
1230	1230	5.42795	1.12868E-05	6.1E-05	6.05E-04	3.71E-08	3.82E+00	4.71E-02	6.68E-09	1.0E+06	6.7E-03
1231	1231	5.37904	1.12868E-05	6.1E-05	6.05E-04	3.67E-08	3.82E+00	4.71E-02	6.62E-09	1.0E+06	6.6E-03
1232	1232	5.32072	1.12868E-05	6.0E-05	6.05E-04	3.63E-08	3.82E+00	4.71E-02	6.55E-09	1.0E+06	6.5E-03
1233	1233	5.25124	1.12868E-05	5.9E-05	6.05E-04	3.59E-08	3.82E+00	4.71E-02	6.46E-09	1.0E+06	6.5E-03
1234	1234	5.17085	1.12868E-05	5.8E-05	6.05E-04	3.53E-08	3.82E+00	4.71E-02	6.36E-09	1.0E+06	6.4E-03
1235	1235	5.07881	1.12868E-05	5.7E-05	6.05E-04	3.47E-08	3.82E+00	4.71E-02	6.25E-09	1.0E+06	6.2E-03
1236	1236	4.97303	1.12868E-05	5.6E-05	6.05E-04	3.40E-08	3.82E+00	4.71E-02	6.12E-09	1.0E+06	6.1E-03
1237	1237	4.85769	1.12868E-05	5.5E-05	6.05E-04	3.32E-08	3.82E+00	4.71E-02	5.98E-09	1.0E+06	6.0E-03
1238	1238	4.72636	1.12868E-05	5.3E-05	6.05E-04	3.23E-08	3.82E+00	4.71E-02	5.82E-09	1.0E+06	5.8E-03
1239	1239	4.57878	1.12868E-05	5.2E-05	6.05E-04	3.13E-08	3.82E+00	4.71E-02	5.63E-09	1.0E+06	5.6E-03
1240	1240	4.41393	1.12868E-05	5.0E-05	6.05E-04	3.01E-08	3.82E+00	4.71E-02	5.43E-09	1.0E+06	5.4E-03
1241	1241	4.23256	1.12868E-05	4.8E-05	6.05E-04	2.89E-08	3.82E+00	4.71E-02	5.21E-09	1.0E+06	5.2E-03
1242	1242	6.31654	1.12868E-05	7.1E-05	6.05E-04	4.31E-08	3.82E+00	4.71E-02	7.77E-09	1.0E+06	7.8E-03
1243	1243	6.28291	1.12868E-05	7.1E-05	6.05E-04	4.29E-08	3.82E+00	4.71E-02	7.73E-09	1.0E+06	7.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	6.2409	1.12868E-05	7.0E-05	6.05E-04	4.26E-08	3.82E+00	4.71E-02	7.68E-09	1.0E+06	7.7E-03
1245	1245	6.19016	1.12868E-05	7.0E-05	6.05E-04	4.23E-08	3.82E+00	4.71E-02	7.62E-09	1.0E+06	7.6E-03
1246	1246	6.12613	1.12868E-05	6.9E-05	6.05E-04	4.18E-08	3.82E+00	4.71E-02	7.54E-09	1.0E+06	7.5E-03
1247	1247	6.04943	1.12868E-05	6.8E-05	6.05E-04	4.13E-08	3.82E+00	4.71E-02	7.44E-09	1.0E+06	7.4E-03
1248	1248	5.95976	1.12868E-05	6.7E-05	6.05E-04	4.07E-08	3.82E+00	4.71E-02	7.33E-09	1.0E+06	7.3E-03
1249	1249	5.85621	1.12868E-05	6.6E-05	6.05E-04	4.00E-08	3.82E+00	4.71E-02	7.21E-09	1.0E+06	7.2E-03
1250	1250	5.73466	1.12868E-05	6.5E-05	6.05E-04	3.92E-08	3.82E+00	4.71E-02	7.06E-09	1.0E+06	7.1E-03
1251	1251	5.60243	1.12868E-05	6.3E-05	6.05E-04	3.83E-08	3.82E+00	4.71E-02	6.89E-09	1.0E+06	6.9E-03
1252	1252	5.45037	1.12868E-05	6.2E-05	6.05E-04	3.72E-08	3.82E+00	4.71E-02	6.71E-09	1.0E+06	6.7E-03
1253	1253	5.27473	1.12868E-05	6.0E-05	6.05E-04	3.60E-08	3.82E+00	4.71E-02	6.49E-09	1.0E+06	6.5E-03
1254	1254	5.07637	1.12868E-05	5.7E-05	6.05E-04	3.47E-08	3.82E+00	4.71E-02	6.25E-09	1.0E+06	6.2E-03
1255	1255	4.85439	1.12868E-05	5.5E-05	6.05E-04	3.32E-08	3.82E+00	4.71E-02	5.97E-09	1.0E+06	6.0E-03
1256	1256	7.35506	1.12868E-05	8.3E-05	6.05E-04	5.02E-08	3.82E+00	4.71E-02	9.05E-09	1.0E+06	9.1E-03
1257	1257	7.32251	1.12868E-05	8.3E-05	6.05E-04	5.00E-08	3.82E+00	4.71E-02	9.01E-09	1.0E+06	9.0E-03
1258	1258	7.27938	1.12868E-05	8.2E-05	6.05E-04	4.97E-08	3.82E+00	4.71E-02	8.96E-09	1.0E+06	9.0E-03
1259	1259	7.22599	1.12868E-05	8.2E-05	6.05E-04	4.93E-08	3.82E+00	4.71E-02	8.89E-09	1.0E+06	8.9E-03
1260	1260	7.15822	1.12868E-05	8.1E-05	6.05E-04	4.89E-08	3.82E+00	4.71E-02	8.81E-09	1.0E+06	8.8E-03
1261	1261	7.07633	1.12868E-05	8.0E-05	6.05E-04	4.83E-08	3.82E+00	4.71E-02	8.71E-09	1.0E+06	8.7E-03
1262	1262	6.978	1.12868E-05	7.9E-05	6.05E-04	4.77E-08	3.82E+00	4.71E-02	8.59E-09	1.0E+06	8.6E-03
1263	1263	6.86151	1.12868E-05	7.7E-05	6.05E-04	4.69E-08	3.82E+00	4.71E-02	8.44E-09	1.0E+06	8.4E-03
1264	1264	6.72135	1.12868E-05	7.6E-05	6.05E-04	4.59E-08	3.82E+00	4.71E-02	8.27E-09	1.0E+06	8.3E-03
1265	1265	6.5687	1.12868E-05	7.4E-05	6.05E-04	4.49E-08	3.82E+00	4.71E-02	8.08E-09	1.0E+06	8.1E-03
1266	1266	6.38935	1.12868E-05	7.2E-05	6.05E-04	4.36E-08	3.82E+00	4.71E-02	7.86E-09	1.0E+06	7.9E-03
1267	1267	6.17873	1.12868E-05	7.0E-05	6.05E-04	4.22E-08	3.82E+00	4.71E-02	7.60E-09	1.0E+06	7.6E-03
1268	1268	5.93343	1.12868E-05	6.7E-05	6.05E-04	4.05E-08	3.82E+00	4.71E-02	7.30E-09	1.0E+06	7.3E-03
1269	1269	5.65263	1.12868E-05	6.4E-05	6.05E-04	3.86E-08	3.82E+00	4.71E-02	6.96E-09	1.0E+06	7.0E-03
1270	1270	8.71546	1.12868E-05	9.8E-05	6.05E-04	5.95E-08	3.82E+00	4.71E-02	1.07E-08	1.0E+06	1.1E-02
1271	1271	8.68671	1.12868E-05	9.8E-05	6.05E-04	5.93E-08	3.82E+00	4.71E-02	1.07E-08	1.0E+06	1.1E-02
1272	1272	8.64348	1.12868E-05	9.8E-05	6.05E-04	5.90E-08	3.82E+00	4.71E-02	1.06E-08	1.0E+06	1.1E-02
1273	1273	8.58568	1.12868E-05	9.7E-05	6.05E-04	5.86E-08	3.82E+00	4.71E-02	1.06E-08	1.0E+06	1.1E-02
1274	1274	8.52026	1.12868E-05	9.6E-05	6.05E-04	5.82E-08	3.82E+00	4.71E-02	1.05E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	8.43618	1.12868E-05	9.5E-05	6.05E-04	5.76E-08	3.82E+00	4.71E-02	1.04E-08	1.0E+06	1.0E-02
1276	1276	8.33071	1.12868E-05	9.4E-05	6.05E-04	5.69E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1277	1277	8.2002	1.12868E-05	9.3E-05	6.05E-04	5.60E-08	3.82E+00	4.71E-02	1.01E-08	1.0E+06	1.0E-02
1278	1278	8.03838	1.12868E-05	9.1E-05	6.05E-04	5.49E-08	3.82E+00	4.71E-02	9.89E-09	1.0E+06	9.9E-03
1279	1279	7.86042	1.12868E-05	8.9E-05	6.05E-04	5.37E-08	3.82E+00	4.71E-02	9.67E-09	1.0E+06	9.7E-03
1280	1280	7.64812	1.12868E-05	8.6E-05	6.05E-04	5.22E-08	3.82E+00	4.71E-02	9.41E-09	1.0E+06	9.4E-03
1281	1281	7.39104	1.12868E-05	8.3E-05	6.05E-04	5.05E-08	3.82E+00	4.71E-02	9.09E-09	1.0E+06	9.1E-03
1282	1282	7.08159	1.12868E-05	8.0E-05	6.05E-04	4.84E-08	3.82E+00	4.71E-02	8.71E-09	1.0E+06	8.7E-03
1283	1283	6.71904	1.12868E-05	7.6E-05	6.05E-04	4.59E-08	3.82E+00	4.71E-02	8.27E-09	1.0E+06	8.3E-03
1284	1284	10.56248	1.12868E-05	1.2E-04	6.05E-04	7.21E-08	3.82E+00	4.71E-02	1.30E-08	1.0E+06	1.3E-02
1285	1285	10.54154	1.12868E-05	1.2E-04	6.05E-04	7.20E-08	3.82E+00	4.71E-02	1.30E-08	1.0E+06	1.3E-02
1286	1286	10.49856	1.12868E-05	1.2E-04	6.05E-04	7.17E-08	3.82E+00	4.71E-02	1.29E-08	1.0E+06	1.3E-02
1287	1287	10.43196	1.12868E-05	1.2E-04	6.05E-04	7.12E-08	3.82E+00	4.71E-02	1.28E-08	1.0E+06	1.3E-02
1288	1288	10.36901	1.12868E-05	1.2E-04	6.05E-04	7.08E-08	3.82E+00	4.71E-02	1.28E-08	1.0E+06	1.3E-02
1289	1289	10.28656	1.12868E-05	1.2E-04	6.05E-04	7.02E-08	3.82E+00	4.71E-02	1.27E-08	1.0E+06	1.3E-02
1290	1290	10.18442	1.12868E-05	1.1E-04	6.05E-04	6.96E-08	3.82E+00	4.71E-02	1.25E-08	1.0E+06	1.3E-02
1291	1291	10.04641	1.12868E-05	1.1E-04	6.05E-04	6.86E-08	3.82E+00	4.71E-02	1.24E-08	1.0E+06	1.2E-02
1292	1292	9.86188	1.12868E-05	1.1E-04	6.05E-04	6.73E-08	3.82E+00	4.71E-02	1.21E-08	1.0E+06	1.2E-02
1293	1293	9.65572	1.12868E-05	1.1E-04	6.05E-04	6.59E-08	3.82E+00	4.71E-02	1.19E-08	1.0E+06	1.2E-02
1294	1294	9.40616	1.12868E-05	1.1E-04	6.05E-04	6.42E-08	3.82E+00	4.71E-02	1.16E-08	1.0E+06	1.2E-02
1295	1295	9.09051	1.12868E-05	1.0E-04	6.05E-04	6.21E-08	3.82E+00	4.71E-02	1.12E-08	1.0E+06	1.1E-02
1296	1296	8.69745	1.12868E-05	9.8E-05	6.05E-04	5.94E-08	3.82E+00	4.71E-02	1.07E-08	1.0E+06	1.1E-02
1297	1297	8.21422	1.12868E-05	9.3E-05	6.05E-04	5.61E-08	3.82E+00	4.71E-02	1.01E-08	1.0E+06	1.0E-02
1298	1298	13.18638	1.12868E-05	1.5E-04	6.05E-04	9.01E-08	3.82E+00	4.71E-02	1.62E-08	1.0E+06	1.6E-02
1299	1299	13.17962	1.12868E-05	1.5E-04	6.05E-04	9.00E-08	3.82E+00	4.71E-02	1.62E-08	1.0E+06	1.6E-02
1300	1300	13.13291	1.12868E-05	1.5E-04	6.05E-04	8.97E-08	3.82E+00	4.71E-02	1.62E-08	1.0E+06	1.6E-02
1301	1301	13.05089	1.12868E-05	1.5E-04	6.05E-04	8.91E-08	3.82E+00	4.71E-02	1.61E-08	1.0E+06	1.6E-02
1302	1302	13.00142	1.12868E-05	1.5E-04	6.05E-04	8.88E-08	3.82E+00	4.71E-02	1.60E-08	1.0E+06	1.6E-02
1303	1303	12.93493	1.12868E-05	1.5E-04	6.05E-04	8.83E-08	3.82E+00	4.71E-02	1.59E-08	1.0E+06	1.6E-02
1304	1304	12.84203	1.12868E-05	1.4E-04	6.05E-04	8.77E-08	3.82E+00	4.71E-02	1.58E-08	1.0E+06	1.6E-02
1305	1305	12.70825	1.12868E-05	1.4E-04	6.05E-04	8.68E-08	3.82E+00	4.71E-02	1.56E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	17.13896	1.12868E-05	1.9E-04	6.05E-04	1.17E-07	3.82E+00	4.71E-02	2.11E-08	1.0E+06	2.1E-02
1307	1307	17.16742	1.12868E-05	1.9E-04	6.05E-04	1.17E-07	3.82E+00	4.71E-02	2.11E-08	1.0E+06	2.1E-02
1308	1308	17.15586	1.12868E-05	1.9E-04	6.05E-04	1.17E-07	3.82E+00	4.71E-02	2.11E-08	1.0E+06	2.1E-02
1309	1309	17.10003	1.12868E-05	1.9E-04	6.05E-04	1.17E-07	3.82E+00	4.71E-02	2.10E-08	1.0E+06	2.1E-02
1310	1310	17.06618	1.12868E-05	1.9E-04	6.05E-04	1.17E-07	3.82E+00	4.71E-02	2.10E-08	1.0E+06	2.1E-02
1311	1311	16.98971	1.12868E-05	1.9E-04	6.05E-04	1.16E-07	3.82E+00	4.71E-02	2.09E-08	1.0E+06	2.1E-02
1312	1312	16.90268	1.12868E-05	1.9E-04	6.05E-04	1.15E-07	3.82E+00	4.71E-02	2.08E-08	1.0E+06	2.1E-02
1313	1313	16.7702	1.12868E-05	1.9E-04	6.05E-04	1.15E-07	3.82E+00	4.71E-02	2.06E-08	1.0E+06	2.1E-02
1314	1314	17.5825	1.12868E-05	2.0E-04	6.05E-04	1.20E-07	3.82E+00	4.71E-02	2.16E-08	1.0E+06	2.2E-02
1315	1315	17.40426	1.12868E-05	2.0E-04	6.05E-04	1.19E-07	3.82E+00	4.71E-02	2.14E-08	1.0E+06	2.1E-02
1316	1316	17.62382	1.12868E-05	2.0E-04	6.05E-04	1.20E-07	3.82E+00	4.71E-02	2.17E-08	1.0E+06	2.2E-02
1317	1317	17.36084	1.12868E-05	2.0E-04	6.05E-04	1.19E-07	3.82E+00	4.71E-02	2.14E-08	1.0E+06	2.1E-02
1318	1318	17.50664	1.12868E-05	2.0E-04	6.05E-04	1.20E-07	3.82E+00	4.71E-02	2.15E-08	1.0E+06	2.2E-02
1319	1319	17.21064	1.12868E-05	1.9E-04	6.05E-04	1.18E-07	3.82E+00	4.71E-02	2.12E-08	1.0E+06	2.1E-02
1320	1320	17.29619	1.12868E-05	2.0E-04	6.05E-04	1.18E-07	3.82E+00	4.71E-02	2.13E-08	1.0E+06	2.1E-02
1321	1321	16.92772	1.12868E-05	1.9E-04	6.05E-04	1.16E-07	3.82E+00	4.71E-02	2.08E-08	1.0E+06	2.1E-02
1322	1322	14.50868	1.12868E-05	1.6E-04	6.05E-04	9.91E-08	3.82E+00	4.71E-02	1.79E-08	1.0E+06	1.8E-02
1323	1323	14.6902	1.12868E-05	1.7E-04	6.05E-04	1.00E-07	3.82E+00	4.71E-02	1.81E-08	1.0E+06	1.8E-02
1324	1324	14.43661	1.12868E-05	1.6E-04	6.05E-04	9.86E-08	3.82E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
1325	1325	14.60307	1.12868E-05	1.6E-04	6.05E-04	9.97E-08	3.82E+00	4.71E-02	1.80E-08	1.0E+06	1.8E-02
1326	1326	14.27522	1.12868E-05	1.6E-04	6.05E-04	9.75E-08	3.82E+00	4.71E-02	1.76E-08	1.0E+06	1.8E-02
1327	1327	14.34927	1.12868E-05	1.6E-04	6.05E-04	9.80E-08	3.82E+00	4.71E-02	1.77E-08	1.0E+06	1.8E-02
1328	1328	13.99002	1.12868E-05	1.6E-04	6.05E-04	9.55E-08	3.82E+00	4.71E-02	1.72E-08	1.0E+06	1.7E-02
1329	1329	14.01603	1.12868E-05	1.6E-04	6.05E-04	9.57E-08	3.82E+00	4.71E-02	1.72E-08	1.0E+06	1.7E-02
1330	1330	15.20586	1.12868E-05	1.7E-04	6.05E-04	1.04E-07	3.82E+00	4.71E-02	1.87E-08	1.0E+06	1.9E-02
1331	1331	15.37272	1.12868E-05	1.7E-04	6.05E-04	1.05E-07	3.82E+00	4.71E-02	1.89E-08	1.0E+06	1.9E-02
1332	1332	15.08542	1.12868E-05	1.7E-04	6.05E-04	1.03E-07	3.82E+00	4.71E-02	1.86E-08	1.0E+06	1.9E-02
1333	1333	15.27693	1.12868E-05	1.7E-04	6.05E-04	1.04E-07	3.82E+00	4.71E-02	1.88E-08	1.0E+06	1.9E-02
1334	1334	14.88567	1.12868E-05	1.7E-04	6.05E-04	1.02E-07	3.82E+00	4.71E-02	1.83E-08	1.0E+06	1.8E-02
1335	1335	14.96833	1.12868E-05	1.7E-04	6.05E-04	1.02E-07	3.82E+00	4.71E-02	1.84E-08	1.0E+06	1.8E-02
1336	1336	14.584	1.12868E-05	1.6E-04	6.05E-04	9.96E-08	3.82E+00	4.71E-02	1.79E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	14.58845	1.12868E-05	1.6E-04	6.05E-04	9.96E-08	3.82E+00	4.71E-02	1.80E-08	1.0E+06	1.8E-02
1338	1338	14.35133	1.12868E-05	1.6E-04	6.05E-04	9.80E-08	3.82E+00	4.71E-02	1.77E-08	1.0E+06	1.8E-02
1339	1339	14.53717	1.12868E-05	1.6E-04	6.05E-04	9.93E-08	3.82E+00	4.71E-02	1.79E-08	1.0E+06	1.8E-02
1340	1340	14.39852	1.12868E-05	1.6E-04	6.05E-04	9.83E-08	3.82E+00	4.71E-02	1.77E-08	1.0E+06	1.8E-02
1341	1341	14.78724	1.12868E-05	1.7E-04	6.05E-04	1.01E-07	3.82E+00	4.71E-02	1.82E-08	1.0E+06	1.8E-02
1342	1342	14.47807	1.12868E-05	1.6E-04	6.05E-04	9.89E-08	3.82E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
1343	1343	14.75559	1.12868E-05	1.7E-04	6.05E-04	1.01E-07	3.82E+00	4.71E-02	1.82E-08	1.0E+06	1.8E-02
1344	1344	14.50141	1.12868E-05	1.6E-04	6.05E-04	9.90E-08	3.82E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
1345	1345	14.70871	1.12868E-05	1.7E-04	6.05E-04	1.00E-07	3.82E+00	4.71E-02	1.81E-08	1.0E+06	1.8E-02
1346	1346	14.54733	1.12868E-05	1.6E-04	6.05E-04	9.93E-08	3.82E+00	4.71E-02	1.79E-08	1.0E+06	1.8E-02
1347	1347	14.80319	1.12868E-05	1.7E-04	6.05E-04	1.01E-07	3.82E+00	4.71E-02	1.82E-08	1.0E+06	1.8E-02
1348	1348	14.51832	1.12868E-05	1.6E-04	6.05E-04	9.91E-08	3.82E+00	4.71E-02	1.79E-08	1.0E+06	1.8E-02
1349	1349	14.84315	1.12868E-05	1.7E-04	6.05E-04	1.01E-07	3.82E+00	4.71E-02	1.83E-08	1.0E+06	1.8E-02
1350	1350	14.51321	1.12868E-05	1.6E-04	6.05E-04	9.91E-08	3.82E+00	4.71E-02	1.79E-08	1.0E+06	1.8E-02
1351	1351	14.71958	1.12868E-05	1.7E-04	6.05E-04	1.01E-07	3.82E+00	4.71E-02	1.81E-08	1.0E+06	1.8E-02
1352	1352	14.47865	1.12868E-05	1.6E-04	6.05E-04	9.89E-08	3.82E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
1353	1353	14.69639	1.12868E-05	1.7E-04	6.05E-04	1.00E-07	3.82E+00	4.71E-02	1.81E-08	1.0E+06	1.8E-02
1354	1354	14.46448	1.12868E-05	1.6E-04	6.05E-04	9.88E-08	3.82E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
1355	1355	14.68649	1.12868E-05	1.7E-04	6.05E-04	1.00E-07	3.82E+00	4.71E-02	1.81E-08	1.0E+06	1.8E-02
1356	1356	14.4423	1.12868E-05	1.6E-04	6.05E-04	9.86E-08	3.82E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
1357	1357	14.65774	1.12868E-05	1.7E-04	6.05E-04	1.00E-07	3.82E+00	4.71E-02	1.80E-08	1.0E+06	1.8E-02
1358	1358	14.40337	1.12868E-05	1.6E-04	6.05E-04	9.84E-08	3.82E+00	4.71E-02	1.77E-08	1.0E+06	1.8E-02
1359	1359	14.57139	1.12868E-05	1.6E-04	6.05E-04	9.95E-08	3.82E+00	4.71E-02	1.79E-08	1.0E+06	1.8E-02
1360	1360	14.24613	1.12868E-05	1.6E-04	6.05E-04	9.73E-08	3.82E+00	4.71E-02	1.75E-08	1.0E+06	1.8E-02
1361	1361	14.44951	1.12868E-05	1.6E-04	6.05E-04	9.87E-08	3.82E+00	4.71E-02	1.78E-08	1.0E+06	1.8E-02
1362	1362	14.01813	1.12868E-05	1.6E-04	6.05E-04	9.57E-08	3.82E+00	4.71E-02	1.72E-08	1.0E+06	1.7E-02
1363	1363	14.12166	1.12868E-05	1.6E-04	6.05E-04	9.64E-08	3.82E+00	4.71E-02	1.74E-08	1.0E+06	1.7E-02
1364	1364	13.68881	1.12868E-05	1.5E-04	6.05E-04	9.35E-08	3.82E+00	4.71E-02	1.68E-08	1.0E+06	1.7E-02
1365	1365	13.70379	1.12868E-05	1.5E-04	6.05E-04	9.36E-08	3.82E+00	4.71E-02	1.69E-08	1.0E+06	1.7E-02
1366	1366	19.10324	1.12868E-05	2.2E-04	6.05E-04	1.30E-07	3.82E+00	4.71E-02	2.35E-08	1.0E+06	2.4E-02
1367	1367	18.98313	1.12868E-05	2.1E-04	6.05E-04	1.30E-07	3.82E+00	4.71E-02	2.34E-08	1.0E+06	2.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	19.46228	1.12868E-05	2.2E-04	6.05E-04	1.33E-07	3.82E+00	4.71E-02	2.39E-08	1.0E+06	2.4E-02
1369	1369	19.05361	1.12868E-05	2.2E-04	6.05E-04	1.30E-07	3.82E+00	4.71E-02	2.34E-08	1.0E+06	2.3E-02
1370	1370	19.40237	1.12868E-05	2.2E-04	6.05E-04	1.33E-07	3.82E+00	4.71E-02	2.39E-08	1.0E+06	2.4E-02
1371	1371	18.97575	1.12868E-05	2.1E-04	6.05E-04	1.30E-07	3.82E+00	4.71E-02	2.33E-08	1.0E+06	2.3E-02
1372	1372	19.28445	1.12868E-05	2.2E-04	6.05E-04	1.32E-07	3.82E+00	4.71E-02	2.37E-08	1.0E+06	2.4E-02
1373	1373	18.95228	1.12868E-05	2.1E-04	6.05E-04	1.29E-07	3.82E+00	4.71E-02	2.33E-08	1.0E+06	2.3E-02
1374	1374	19.2338	1.12868E-05	2.2E-04	6.05E-04	1.31E-07	3.82E+00	4.71E-02	2.37E-08	1.0E+06	2.4E-02
1375	1375	18.95368	1.12868E-05	2.1E-04	6.05E-04	1.29E-07	3.82E+00	4.71E-02	2.33E-08	1.0E+06	2.3E-02
1376	1376	19.31689	1.12868E-05	2.2E-04	6.05E-04	1.32E-07	3.82E+00	4.71E-02	2.38E-08	1.0E+06	2.4E-02
1377	1377	18.8726	1.12868E-05	2.1E-04	6.05E-04	1.29E-07	3.82E+00	4.71E-02	2.32E-08	1.0E+06	2.3E-02
1378	1378	19.15846	1.12868E-05	2.2E-04	6.05E-04	1.31E-07	3.82E+00	4.71E-02	2.36E-08	1.0E+06	2.4E-02
1379	1379	18.76461	1.12868E-05	2.1E-04	6.05E-04	1.28E-07	3.82E+00	4.71E-02	2.31E-08	1.0E+06	2.3E-02
1380	1380	19.02568	1.12868E-05	2.1E-04	6.05E-04	1.30E-07	3.82E+00	4.71E-02	2.34E-08	1.0E+06	2.3E-02
1381	1381	18.70252	1.12868E-05	2.1E-04	6.05E-04	1.28E-07	3.82E+00	4.71E-02	2.30E-08	1.0E+06	2.3E-02
1382	1382	18.93931	1.12868E-05	2.1E-04	6.05E-04	1.29E-07	3.82E+00	4.71E-02	2.33E-08	1.0E+06	2.3E-02
1383	1383	18.63784	1.12868E-05	2.1E-04	6.05E-04	1.27E-07	3.82E+00	4.71E-02	2.29E-08	1.0E+06	2.3E-02
1384	1384	18.87044	1.12868E-05	2.1E-04	6.05E-04	1.29E-07	3.82E+00	4.71E-02	2.32E-08	1.0E+06	2.3E-02
1385	1385	18.55564	1.12868E-05	2.1E-04	6.05E-04	1.27E-07	3.82E+00	4.71E-02	2.28E-08	1.0E+06	2.3E-02
1386	1386	18.75847	1.12868E-05	2.1E-04	6.05E-04	1.28E-07	3.82E+00	4.71E-02	2.31E-08	1.0E+06	2.3E-02
1387	1387	18.41056	1.12868E-05	2.1E-04	6.05E-04	1.26E-07	3.82E+00	4.71E-02	2.27E-08	1.0E+06	2.3E-02
1388	1388	26.30547	1.12868E-05	3.0E-04	6.05E-04	1.80E-07	3.82E+00	4.71E-02	3.24E-08	1.0E+06	3.2E-02
1389	1389	26.12998	1.12868E-05	2.9E-04	6.05E-04	1.78E-07	3.82E+00	4.71E-02	3.22E-08	1.0E+06	3.2E-02
1390	1390	25.90751	1.12868E-05	2.9E-04	6.05E-04	1.77E-07	3.82E+00	4.71E-02	3.19E-08	1.0E+06	3.2E-02
1391	1391	25.69924	1.12868E-05	2.9E-04	6.05E-04	1.76E-07	3.82E+00	4.71E-02	3.16E-08	1.0E+06	3.2E-02
1392	1392	25.41249	1.12868E-05	2.9E-04	6.05E-04	1.74E-07	3.82E+00	4.71E-02	3.13E-08	1.0E+06	3.1E-02
1393	1393	25.12113	1.12868E-05	2.8E-04	6.05E-04	1.72E-07	3.82E+00	4.71E-02	3.09E-08	1.0E+06	3.1E-02
1394	1394	20.97734	1.12868E-05	2.4E-04	6.05E-04	1.43E-07	3.82E+00	4.71E-02	2.58E-08	1.0E+06	2.6E-02
1395	1395	21.00889	1.12868E-05	2.4E-04	6.05E-04	1.43E-07	3.82E+00	4.71E-02	2.59E-08	1.0E+06	2.6E-02
1396	1396	20.99703	1.12868E-05	2.4E-04	6.05E-04	1.43E-07	3.82E+00	4.71E-02	2.58E-08	1.0E+06	2.6E-02
1397	1397	20.97064	1.12868E-05	2.4E-04	6.05E-04	1.43E-07	3.82E+00	4.71E-02	2.58E-08	1.0E+06	2.6E-02
1398	1398	20.95115	1.12868E-05	2.4E-04	6.05E-04	1.43E-07	3.82E+00	4.71E-02	2.58E-08	1.0E+06	2.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	20.89774	1.12868E-05	2.4E-04	6.05E-04	1.43E-07	3.82E+00	4.71E-02	2.57E-08	1.0E+06	2.6E-02
1400	1400	20.90927	1.12868E-05	2.4E-04	6.05E-04	1.43E-07	3.82E+00	4.71E-02	2.57E-08	1.0E+06	2.6E-02
1401	1401	20.86306	1.12868E-05	2.4E-04	6.05E-04	1.42E-07	3.82E+00	4.71E-02	2.57E-08	1.0E+06	2.6E-02
1402	1402	20.83599	1.12868E-05	2.4E-04	6.05E-04	1.42E-07	3.82E+00	4.71E-02	2.56E-08	1.0E+06	2.6E-02
1403	1403	20.80438	1.12868E-05	2.3E-04	6.05E-04	1.42E-07	3.82E+00	4.71E-02	2.56E-08	1.0E+06	2.6E-02
1404	1404	20.74995	1.12868E-05	2.3E-04	6.05E-04	1.42E-07	3.82E+00	4.71E-02	2.55E-08	1.0E+06	2.6E-02
1405	1405	20.68912	1.12868E-05	2.3E-04	6.05E-04	1.41E-07	3.82E+00	4.71E-02	2.55E-08	1.0E+06	2.5E-02
1406	1406	20.64775	1.12868E-05	2.3E-04	6.05E-04	1.41E-07	3.82E+00	4.71E-02	2.54E-08	1.0E+06	2.5E-02
1407	1407	20.57028	1.12868E-05	2.3E-04	6.05E-04	1.40E-07	3.82E+00	4.71E-02	2.53E-08	1.0E+06	2.5E-02
1408	1408	20.51367	1.12868E-05	2.3E-04	6.05E-04	1.40E-07	3.82E+00	4.71E-02	2.52E-08	1.0E+06	2.5E-02
1409	1409	20.46182	1.12868E-05	2.3E-04	6.05E-04	1.40E-07	3.82E+00	4.71E-02	2.52E-08	1.0E+06	2.5E-02
1410	1410	20.38044	1.12868E-05	2.3E-04	6.05E-04	1.39E-07	3.82E+00	4.71E-02	2.51E-08	1.0E+06	2.5E-02
1411	1411	20.34511	1.12868E-05	2.3E-04	6.05E-04	1.39E-07	3.82E+00	4.71E-02	2.50E-08	1.0E+06	2.5E-02
1412	1412	20.26033	1.12868E-05	2.3E-04	6.05E-04	1.38E-07	3.82E+00	4.71E-02	2.49E-08	1.0E+06	2.5E-02
1413	1413	20.20806	1.12868E-05	2.3E-04	6.05E-04	1.38E-07	3.82E+00	4.71E-02	2.49E-08	1.0E+06	2.5E-02
1414	1414	20.10827	1.12868E-05	2.3E-04	6.05E-04	1.37E-07	3.82E+00	4.71E-02	2.47E-08	1.0E+06	2.5E-02
1415	1415	20.02241	1.12868E-05	2.3E-04	6.05E-04	1.37E-07	3.82E+00	4.71E-02	2.46E-08	1.0E+06	2.5E-02
1416	1416	19.90879	1.12868E-05	2.2E-04	6.05E-04	1.36E-07	3.82E+00	4.71E-02	2.45E-08	1.0E+06	2.4E-02
1417	1417	19.75631	1.12868E-05	2.2E-04	6.05E-04	1.35E-07	3.82E+00	4.71E-02	2.43E-08	1.0E+06	2.4E-02
1418	1418	19.60069	1.12868E-05	2.2E-04	6.05E-04	1.34E-07	3.82E+00	4.71E-02	2.41E-08	1.0E+06	2.4E-02
1419	1419	19.41046	1.12868E-05	2.2E-04	6.05E-04	1.33E-07	3.82E+00	4.71E-02	2.39E-08	1.0E+06	2.4E-02
1420	1420	19.1896	1.12868E-05	2.2E-04	6.05E-04	1.31E-07	3.82E+00	4.71E-02	2.36E-08	1.0E+06	2.4E-02
1421	1421	18.94426	1.12868E-05	2.1E-04	6.05E-04	1.29E-07	3.82E+00	4.71E-02	2.33E-08	1.0E+06	2.3E-02
1422	1422	16.5466	1.12868E-05	1.9E-04	6.05E-04	1.13E-07	3.82E+00	4.71E-02	2.04E-08	1.0E+06	2.0E-02
1423	1423	16.5346	1.12868E-05	1.9E-04	6.05E-04	1.13E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
1424	1424	16.50375	1.12868E-05	1.9E-04	6.05E-04	1.13E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
1425	1425	16.49055	1.12868E-05	1.9E-04	6.05E-04	1.13E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
1426	1426	16.47285	1.12868E-05	1.9E-04	6.05E-04	1.12E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
1427	1427	16.46189	1.12868E-05	1.9E-04	6.05E-04	1.12E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
1428	1428	16.49796	1.12868E-05	1.9E-04	6.05E-04	1.13E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
1429	1429	16.50415	1.12868E-05	1.9E-04	6.05E-04	1.13E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	16.50346	1.12868E-05	1.9E-04	6.05E-04	1.13E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
1431	1431	16.47104	1.12868E-05	1.9E-04	6.05E-04	1.12E-07	3.82E+00	4.71E-02	2.03E-08	1.0E+06	2.0E-02
1432	1432	16.43412	1.12868E-05	1.9E-04	6.05E-04	1.12E-07	3.82E+00	4.71E-02	2.02E-08	1.0E+06	2.0E-02
1433	1433	16.39572	1.12868E-05	1.9E-04	6.05E-04	1.12E-07	3.82E+00	4.71E-02	2.02E-08	1.0E+06	2.0E-02
1434	1434	16.36964	1.12868E-05	1.8E-04	6.05E-04	1.12E-07	3.82E+00	4.71E-02	2.01E-08	1.0E+06	2.0E-02
1435	1435	16.31597	1.12868E-05	1.8E-04	6.05E-04	1.11E-07	3.82E+00	4.71E-02	2.01E-08	1.0E+06	2.0E-02
1436	1436	16.28198	1.12868E-05	1.8E-04	6.05E-04	1.11E-07	3.82E+00	4.71E-02	2.00E-08	1.0E+06	2.0E-02
1437	1437	16.2345	1.12868E-05	1.8E-04	6.05E-04	1.11E-07	3.82E+00	4.71E-02	2.00E-08	1.0E+06	2.0E-02
1438	1438	16.17444	1.12868E-05	1.8E-04	6.05E-04	1.10E-07	3.82E+00	4.71E-02	1.99E-08	1.0E+06	2.0E-02
1439	1439	16.1376	1.12868E-05	1.8E-04	6.05E-04	1.10E-07	3.82E+00	4.71E-02	1.99E-08	1.0E+06	2.0E-02
1440	1440	16.07213	1.12868E-05	1.8E-04	6.05E-04	1.10E-07	3.82E+00	4.71E-02	1.98E-08	1.0E+06	2.0E-02
1441	1441	16.01925	1.12868E-05	1.8E-04	6.05E-04	1.09E-07	3.82E+00	4.71E-02	1.97E-08	1.0E+06	2.0E-02
1442	1442	15.94013	1.12868E-05	1.8E-04	6.05E-04	1.09E-07	3.82E+00	4.71E-02	1.96E-08	1.0E+06	2.0E-02
1443	1443	15.85851	1.12868E-05	1.8E-04	6.05E-04	1.08E-07	3.82E+00	4.71E-02	1.95E-08	1.0E+06	2.0E-02
1444	1444	15.74971	1.12868E-05	1.8E-04	6.05E-04	1.08E-07	3.82E+00	4.71E-02	1.94E-08	1.0E+06	1.9E-02
1445	1445	15.61493	1.12868E-05	1.8E-04	6.05E-04	1.07E-07	3.82E+00	4.71E-02	1.92E-08	1.0E+06	1.9E-02
1446	1446	15.48733	1.12868E-05	1.7E-04	6.05E-04	1.06E-07	3.82E+00	4.71E-02	1.91E-08	1.0E+06	1.9E-02
1447	1447	15.32768	1.12868E-05	1.7E-04	6.05E-04	1.05E-07	3.82E+00	4.71E-02	1.89E-08	1.0E+06	1.9E-02
1448	1448	15.14211	1.12868E-05	1.7E-04	6.05E-04	1.03E-07	3.82E+00	4.71E-02	1.86E-08	1.0E+06	1.9E-02
1449	1449	14.92356	1.12868E-05	1.7E-04	6.05E-04	1.02E-07	3.82E+00	4.71E-02	1.84E-08	1.0E+06	1.8E-02
1450	1450	13.42905	1.12868E-05	1.5E-04	6.05E-04	9.17E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.7E-02
1451	1451	13.42622	1.12868E-05	1.5E-04	6.05E-04	9.17E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.7E-02
1452	1452	13.42445	1.12868E-05	1.5E-04	6.05E-04	9.17E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.7E-02
1453	1453	13.39766	1.12868E-05	1.5E-04	6.05E-04	9.15E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.6E-02
1454	1454	13.39671	1.12868E-05	1.5E-04	6.05E-04	9.15E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.6E-02
1455	1455	13.37293	1.12868E-05	1.5E-04	6.05E-04	9.13E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.6E-02
1456	1456	13.44739	1.12868E-05	1.5E-04	6.05E-04	9.18E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.7E-02
1457	1457	13.49824	1.12868E-05	1.5E-04	6.05E-04	9.22E-08	3.82E+00	4.71E-02	1.66E-08	1.0E+06	1.7E-02
1458	1458	13.50221	1.12868E-05	1.5E-04	6.05E-04	9.22E-08	3.82E+00	4.71E-02	1.66E-08	1.0E+06	1.7E-02
1459	1459	13.47344	1.12868E-05	1.5E-04	6.05E-04	9.20E-08	3.82E+00	4.71E-02	1.66E-08	1.0E+06	1.7E-02
1460	1460	13.44982	1.12868E-05	1.5E-04	6.05E-04	9.19E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	13.42444	1.12868E-05	1.5E-04	6.05E-04	9.17E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.7E-02
1462	1462	13.39899	1.12868E-05	1.5E-04	6.05E-04	9.15E-08	3.82E+00	4.71E-02	1.65E-08	1.0E+06	1.6E-02
1463	1463	13.36652	1.12868E-05	1.5E-04	6.05E-04	9.13E-08	3.82E+00	4.71E-02	1.64E-08	1.0E+06	1.6E-02
1464	1464	13.34201	1.12868E-05	1.5E-04	6.05E-04	9.11E-08	3.82E+00	4.71E-02	1.64E-08	1.0E+06	1.6E-02
1465	1465	13.30094	1.12868E-05	1.5E-04	6.05E-04	9.08E-08	3.82E+00	4.71E-02	1.64E-08	1.0E+06	1.6E-02
1466	1466	13.252	1.12868E-05	1.5E-04	6.05E-04	9.05E-08	3.82E+00	4.71E-02	1.63E-08	1.0E+06	1.6E-02
1467	1467	13.21467	1.12868E-05	1.5E-04	6.05E-04	9.02E-08	3.82E+00	4.71E-02	1.63E-08	1.0E+06	1.6E-02
1468	1468	13.16001	1.12868E-05	1.5E-04	6.05E-04	8.99E-08	3.82E+00	4.71E-02	1.62E-08	1.0E+06	1.6E-02
1469	1469	13.10754	1.12868E-05	1.5E-04	6.05E-04	8.95E-08	3.82E+00	4.71E-02	1.61E-08	1.0E+06	1.6E-02
1470	1470	13.03825	1.12868E-05	1.5E-04	6.05E-04	8.90E-08	3.82E+00	4.71E-02	1.60E-08	1.0E+06	1.6E-02
1471	1471	12.96036	1.12868E-05	1.5E-04	6.05E-04	8.85E-08	3.82E+00	4.71E-02	1.59E-08	1.0E+06	1.6E-02
1472	1472	12.86208	1.12868E-05	1.5E-04	6.05E-04	8.78E-08	3.82E+00	4.71E-02	1.58E-08	1.0E+06	1.6E-02
1473	1473	12.74372	1.12868E-05	1.4E-04	6.05E-04	8.70E-08	3.82E+00	4.71E-02	1.57E-08	1.0E+06	1.6E-02
1474	1474	12.62774	1.12868E-05	1.4E-04	6.05E-04	8.62E-08	3.82E+00	4.71E-02	1.55E-08	1.0E+06	1.6E-02
1475	1475	12.48821	1.12868E-05	1.4E-04	6.05E-04	8.53E-08	3.82E+00	4.71E-02	1.54E-08	1.0E+06	1.5E-02
1476	1476	12.32536	1.12868E-05	1.4E-04	6.05E-04	8.42E-08	3.82E+00	4.71E-02	1.52E-08	1.0E+06	1.5E-02
1477	1477	12.13024	1.12868E-05	1.4E-04	6.05E-04	8.28E-08	3.82E+00	4.71E-02	1.49E-08	1.0E+06	1.5E-02
1478	1478	11.16566	1.12868E-05	1.3E-04	6.05E-04	7.63E-08	3.82E+00	4.71E-02	1.37E-08	1.0E+06	1.4E-02
1479	1479	11.18127	1.12868E-05	1.3E-04	6.05E-04	7.64E-08	3.82E+00	4.71E-02	1.38E-08	1.0E+06	1.4E-02
1480	1480	11.17373	1.12868E-05	1.3E-04	6.05E-04	7.63E-08	3.82E+00	4.71E-02	1.37E-08	1.0E+06	1.4E-02
1481	1481	11.18785	1.12868E-05	1.3E-04	6.05E-04	7.64E-08	3.82E+00	4.71E-02	1.38E-08	1.0E+06	1.4E-02
1482	1482	11.17826	1.12868E-05	1.3E-04	6.05E-04	7.63E-08	3.82E+00	4.71E-02	1.38E-08	1.0E+06	1.4E-02
1483	1483	11.19148	1.12868E-05	1.3E-04	6.05E-04	7.64E-08	3.82E+00	4.71E-02	1.38E-08	1.0E+06	1.4E-02
1484	1484	11.25992	1.12868E-05	1.3E-04	6.05E-04	7.69E-08	3.82E+00	4.71E-02	1.39E-08	1.0E+06	1.4E-02
1485	1485	11.30244	1.12868E-05	1.3E-04	6.05E-04	7.72E-08	3.82E+00	4.71E-02	1.39E-08	1.0E+06	1.4E-02
1486	1486	11.31798	1.12868E-05	1.3E-04	6.05E-04	7.73E-08	3.82E+00	4.71E-02	1.39E-08	1.0E+06	1.4E-02
1487	1487	11.29889	1.12868E-05	1.3E-04	6.05E-04	7.72E-08	3.82E+00	4.71E-02	1.39E-08	1.0E+06	1.4E-02
1488	1488	11.28075	1.12868E-05	1.3E-04	6.05E-04	7.70E-08	3.82E+00	4.71E-02	1.39E-08	1.0E+06	1.4E-02
1489	1489	11.26375	1.12868E-05	1.3E-04	6.05E-04	7.69E-08	3.82E+00	4.71E-02	1.39E-08	1.0E+06	1.4E-02
1490	1490	11.2451	1.12868E-05	1.3E-04	6.05E-04	7.68E-08	3.82E+00	4.71E-02	1.38E-08	1.0E+06	1.4E-02
1491	1491	11.21953	1.12868E-05	1.3E-04	6.05E-04	7.66E-08	3.82E+00	4.71E-02	1.38E-08	1.0E+06	1.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	11.19858	1.12868E-05	1.3E-04	6.05E-04	7.65E-08	3.82E+00	4.71E-02	1.38E-08	1.0E+06	1.4E-02
1493	1493	11.16415	1.12868E-05	1.3E-04	6.05E-04	7.62E-08	3.82E+00	4.71E-02	1.37E-08	1.0E+06	1.4E-02
1494	1494	11.12524	1.12868E-05	1.3E-04	6.05E-04	7.60E-08	3.82E+00	4.71E-02	1.37E-08	1.0E+06	1.4E-02
1495	1495	11.0869	1.12868E-05	1.3E-04	6.05E-04	7.57E-08	3.82E+00	4.71E-02	1.36E-08	1.0E+06	1.4E-02
1496	1496	11.03851	1.12868E-05	1.2E-04	6.05E-04	7.54E-08	3.82E+00	4.71E-02	1.36E-08	1.0E+06	1.4E-02
1497	1497	10.98645	1.12868E-05	1.2E-04	6.05E-04	7.50E-08	3.82E+00	4.71E-02	1.35E-08	1.0E+06	1.4E-02
1498	1498	10.92297	1.12868E-05	1.2E-04	6.05E-04	7.46E-08	3.82E+00	4.71E-02	1.34E-08	1.0E+06	1.3E-02
1499	1499	10.85005	1.12868E-05	1.2E-04	6.05E-04	7.41E-08	3.82E+00	4.71E-02	1.34E-08	1.0E+06	1.3E-02
1500	1500	10.76262	1.12868E-05	1.2E-04	6.05E-04	7.35E-08	3.82E+00	4.71E-02	1.32E-08	1.0E+06	1.3E-02
1501	1501	10.6601	1.12868E-05	1.2E-04	6.05E-04	7.28E-08	3.82E+00	4.71E-02	1.31E-08	1.0E+06	1.3E-02
1502	1502	10.55302	1.12868E-05	1.2E-04	6.05E-04	7.21E-08	3.82E+00	4.71E-02	1.30E-08	1.0E+06	1.3E-02
1503	1503	10.4256	1.12868E-05	1.2E-04	6.05E-04	7.12E-08	3.82E+00	4.71E-02	1.28E-08	1.0E+06	1.3E-02
1504	1504	10.2772	1.12868E-05	1.2E-04	6.05E-04	7.02E-08	3.82E+00	4.71E-02	1.26E-08	1.0E+06	1.3E-02
1505	1505	10.10288	1.12868E-05	1.1E-04	6.05E-04	6.90E-08	3.82E+00	4.71E-02	1.24E-08	1.0E+06	1.2E-02
1506	1506	9.46453	1.12868E-05	1.1E-04	6.05E-04	6.46E-08	3.82E+00	4.71E-02	1.16E-08	1.0E+06	1.2E-02
1507	1507	9.47366	1.12868E-05	1.1E-04	6.05E-04	6.47E-08	3.82E+00	4.71E-02	1.17E-08	1.0E+06	1.2E-02
1508	1508	9.5007	1.12868E-05	1.1E-04	6.05E-04	6.49E-08	3.82E+00	4.71E-02	1.17E-08	1.0E+06	1.2E-02
1509	1509	9.50774	1.12868E-05	1.1E-04	6.05E-04	6.49E-08	3.82E+00	4.71E-02	1.17E-08	1.0E+06	1.2E-02
1510	1510	9.53847	1.12868E-05	1.1E-04	6.05E-04	6.51E-08	3.82E+00	4.71E-02	1.17E-08	1.0E+06	1.2E-02
1511	1511	9.56265	1.12868E-05	1.1E-04	6.05E-04	6.53E-08	3.82E+00	4.71E-02	1.18E-08	1.0E+06	1.2E-02
1512	1512	9.61822	1.12868E-05	1.1E-04	6.05E-04	6.57E-08	3.82E+00	4.71E-02	1.18E-08	1.0E+06	1.2E-02
1513	1513	9.65526	1.12868E-05	1.1E-04	6.05E-04	6.59E-08	3.82E+00	4.71E-02	1.19E-08	1.0E+06	1.2E-02
1514	1514	9.66538	1.12868E-05	1.1E-04	6.05E-04	6.60E-08	3.82E+00	4.71E-02	1.19E-08	1.0E+06	1.2E-02
1515	1515	9.65945	1.12868E-05	1.1E-04	6.05E-04	6.60E-08	3.82E+00	4.71E-02	1.19E-08	1.0E+06	1.2E-02
1516	1516	9.64556	1.12868E-05	1.1E-04	6.05E-04	6.59E-08	3.82E+00	4.71E-02	1.19E-08	1.0E+06	1.2E-02
1517	1517	9.63411	1.12868E-05	1.1E-04	6.05E-04	6.58E-08	3.82E+00	4.71E-02	1.19E-08	1.0E+06	1.2E-02
1518	1518	9.62114	1.12868E-05	1.1E-04	6.05E-04	6.57E-08	3.82E+00	4.71E-02	1.18E-08	1.0E+06	1.2E-02
1519	1519	9.59857	1.12868E-05	1.1E-04	6.05E-04	6.56E-08	3.82E+00	4.71E-02	1.18E-08	1.0E+06	1.2E-02
1520	1520	9.58004	1.12868E-05	1.1E-04	6.05E-04	6.54E-08	3.82E+00	4.71E-02	1.18E-08	1.0E+06	1.2E-02
1521	1521	9.55002	1.12868E-05	1.1E-04	6.05E-04	6.52E-08	3.82E+00	4.71E-02	1.18E-08	1.0E+06	1.2E-02
1522	1522	9.51706	1.12868E-05	1.1E-04	6.05E-04	6.50E-08	3.82E+00	4.71E-02	1.17E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	9.47873	1.12868E-05	1.1E-04	6.05E-04	6.47E-08	3.82E+00	4.71E-02	1.17E-08	1.0E+06	1.2E-02
1524	1524	9.43527	1.12868E-05	1.1E-04	6.05E-04	6.44E-08	3.82E+00	4.71E-02	1.16E-08	1.0E+06	1.2E-02
1525	1525	9.38455	1.12868E-05	1.1E-04	6.05E-04	6.41E-08	3.82E+00	4.71E-02	1.15E-08	1.0E+06	1.2E-02
1526	1526	9.32582	1.12868E-05	1.1E-04	6.05E-04	6.37E-08	3.82E+00	4.71E-02	1.15E-08	1.0E+06	1.1E-02
1527	1527	9.25799	1.12868E-05	1.0E-04	6.05E-04	6.32E-08	3.82E+00	4.71E-02	1.14E-08	1.0E+06	1.1E-02
1528	1528	9.17855	1.12868E-05	1.0E-04	6.05E-04	6.27E-08	3.82E+00	4.71E-02	1.13E-08	1.0E+06	1.1E-02
1529	1529	9.08815	1.12868E-05	1.0E-04	6.05E-04	6.21E-08	3.82E+00	4.71E-02	1.12E-08	1.0E+06	1.1E-02
1530	1530	8.98827	1.12868E-05	1.0E-04	6.05E-04	6.14E-08	3.82E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
1531	1531	8.87219	1.12868E-05	1.0E-04	6.05E-04	6.06E-08	3.82E+00	4.71E-02	1.09E-08	1.0E+06	1.1E-02
1532	1532	8.73744	1.12868E-05	9.9E-05	6.05E-04	5.97E-08	3.82E+00	4.71E-02	1.08E-08	1.0E+06	1.1E-02
1533	1533	8.5809	1.12868E-05	9.7E-05	6.05E-04	5.86E-08	3.82E+00	4.71E-02	1.06E-08	1.0E+06	1.1E-02
1534	1534	8.12056	1.12868E-05	9.2E-05	6.05E-04	5.55E-08	3.82E+00	4.71E-02	9.99E-09	1.0E+06	1.0E-02
1535	1535	8.16499	1.12868E-05	9.2E-05	6.05E-04	5.58E-08	3.82E+00	4.71E-02	1.00E-08	1.0E+06	1.0E-02
1536	1536	8.18214	1.12868E-05	9.2E-05	6.05E-04	5.59E-08	3.82E+00	4.71E-02	1.01E-08	1.0E+06	1.0E-02
1537	1537	8.22341	1.12868E-05	9.3E-05	6.05E-04	5.62E-08	3.82E+00	4.71E-02	1.01E-08	1.0E+06	1.0E-02
1538	1538	8.26459	1.12868E-05	9.3E-05	6.05E-04	5.64E-08	3.82E+00	4.71E-02	1.02E-08	1.0E+06	1.0E-02
1539	1539	8.29723	1.12868E-05	9.4E-05	6.05E-04	5.67E-08	3.82E+00	4.71E-02	1.02E-08	1.0E+06	1.0E-02
1540	1540	8.3428	1.12868E-05	9.4E-05	6.05E-04	5.70E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1541	1541	8.37619	1.12868E-05	9.5E-05	6.05E-04	5.72E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1542	1542	8.38825	1.12868E-05	9.5E-05	6.05E-04	5.73E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1543	1543	8.38584	1.12868E-05	9.5E-05	6.05E-04	5.73E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1544	1544	8.37555	1.12868E-05	9.5E-05	6.05E-04	5.72E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1545	1545	8.368	1.12868E-05	9.4E-05	6.05E-04	5.71E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1546	1546	8.35818	1.12868E-05	9.4E-05	6.05E-04	5.71E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1547	1547	8.342	1.12868E-05	9.4E-05	6.05E-04	5.70E-08	3.82E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
1548	1548	8.32139	1.12868E-05	9.4E-05	6.05E-04	5.68E-08	3.82E+00	4.71E-02	1.02E-08	1.0E+06	1.0E-02
1549	1549	8.29247	1.12868E-05	9.4E-05	6.05E-04	5.66E-08	3.82E+00	4.71E-02	1.02E-08	1.0E+06	1.0E-02
1550	1550	8.26487	1.12868E-05	9.3E-05	6.05E-04	5.64E-08	3.82E+00	4.71E-02	1.02E-08	1.0E+06	1.0E-02
1551	1551	8.22735	1.12868E-05	9.3E-05	6.05E-04	5.62E-08	3.82E+00	4.71E-02	1.01E-08	1.0E+06	1.0E-02
1552	1552	8.18723	1.12868E-05	9.2E-05	6.05E-04	5.59E-08	3.82E+00	4.71E-02	1.01E-08	1.0E+06	1.0E-02
1553	1553	8.13913	1.12868E-05	9.2E-05	6.05E-04	5.56E-08	3.82E+00	4.71E-02	1.00E-08	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	8.08487	1.12868E-05	9.1E-05	6.05E-04	5.52E-08	3.82E+00	4.71E-02	9.95E-09	1.0E+06	9.9E-03
1555	1555	8.02172	1.12868E-05	9.1E-05	6.05E-04	5.48E-08	3.82E+00	4.71E-02	9.87E-09	1.0E+06	9.9E-03
1556	1556	7.94928	1.12868E-05	9.0E-05	6.05E-04	5.43E-08	3.82E+00	4.71E-02	9.78E-09	1.0E+06	9.8E-03
1557	1557	7.86768	1.12868E-05	8.9E-05	6.05E-04	5.37E-08	3.82E+00	4.71E-02	9.68E-09	1.0E+06	9.7E-03
1558	1558	7.77456	1.12868E-05	8.8E-05	6.05E-04	5.31E-08	3.82E+00	4.71E-02	9.57E-09	1.0E+06	9.6E-03
1559	1559	7.66879	1.12868E-05	8.7E-05	6.05E-04	5.24E-08	3.82E+00	4.71E-02	9.44E-09	1.0E+06	9.4E-03
1560	1560	7.54669	1.12868E-05	8.5E-05	6.05E-04	5.15E-08	3.82E+00	4.71E-02	9.29E-09	1.0E+06	9.3E-03
1561	1561	7.40591	1.12868E-05	8.4E-05	6.05E-04	5.06E-08	3.82E+00	4.71E-02	9.11E-09	1.0E+06	9.1E-03
1562	1562	7.08681	1.12868E-05	8.0E-05	6.05E-04	4.84E-08	3.82E+00	4.71E-02	8.72E-09	1.0E+06	8.7E-03
1563	1563	7.12931	1.12868E-05	8.0E-05	6.05E-04	4.87E-08	3.82E+00	4.71E-02	8.77E-09	1.0E+06	8.8E-03
1564	1564	7.14624	1.12868E-05	8.1E-05	6.05E-04	4.88E-08	3.82E+00	4.71E-02	8.79E-09	1.0E+06	8.8E-03
1565	1565	7.1883	1.12868E-05	8.1E-05	6.05E-04	4.91E-08	3.82E+00	4.71E-02	8.84E-09	1.0E+06	8.8E-03
1566	1566	7.21621	1.12868E-05	8.1E-05	6.05E-04	4.93E-08	3.82E+00	4.71E-02	8.88E-09	1.0E+06	8.9E-03
1567	1567	7.27276	1.12868E-05	8.2E-05	6.05E-04	4.97E-08	3.82E+00	4.71E-02	8.95E-09	1.0E+06	8.9E-03
1568	1568	7.3145	1.12868E-05	8.3E-05	6.05E-04	5.00E-08	3.82E+00	4.71E-02	9.00E-09	1.0E+06	9.0E-03
1569	1569	7.34703	1.12868E-05	8.3E-05	6.05E-04	5.02E-08	3.82E+00	4.71E-02	9.04E-09	1.0E+06	9.0E-03
1570	1570	7.36526	1.12868E-05	8.3E-05	6.05E-04	5.03E-08	3.82E+00	4.71E-02	9.06E-09	1.0E+06	9.1E-03
1571	1571	7.35821	1.12868E-05	8.3E-05	6.05E-04	5.03E-08	3.82E+00	4.71E-02	9.05E-09	1.0E+06	9.1E-03
1572	1572	7.35587	1.12868E-05	8.3E-05	6.05E-04	5.02E-08	3.82E+00	4.71E-02	9.05E-09	1.0E+06	9.1E-03
1573	1573	7.35824	1.12868E-05	8.3E-05	6.05E-04	5.03E-08	3.82E+00	4.71E-02	9.05E-09	1.0E+06	9.1E-03
1574	1574	7.35068	1.12868E-05	8.3E-05	6.05E-04	5.02E-08	3.82E+00	4.71E-02	9.04E-09	1.0E+06	9.0E-03
1575	1575	7.33793	1.12868E-05	8.3E-05	6.05E-04	5.01E-08	3.82E+00	4.71E-02	9.03E-09	1.0E+06	9.0E-03
1576	1576	7.31844	1.12868E-05	8.3E-05	6.05E-04	5.00E-08	3.82E+00	4.71E-02	9.01E-09	1.0E+06	9.0E-03
1577	1577	7.29141	1.12868E-05	8.2E-05	6.05E-04	4.98E-08	3.82E+00	4.71E-02	8.97E-09	1.0E+06	9.0E-03
1578	1578	7.26579	1.12868E-05	8.2E-05	6.05E-04	4.96E-08	3.82E+00	4.71E-02	8.94E-09	1.0E+06	8.9E-03
1579	1579	7.23036	1.12868E-05	8.2E-05	6.05E-04	4.94E-08	3.82E+00	4.71E-02	8.90E-09	1.0E+06	8.9E-03
1580	1580	7.19237	1.12868E-05	8.1E-05	6.05E-04	4.91E-08	3.82E+00	4.71E-02	8.85E-09	1.0E+06	8.9E-03
1581	1581	7.14733	1.12868E-05	8.1E-05	6.05E-04	4.88E-08	3.82E+00	4.71E-02	8.79E-09	1.0E+06	8.8E-03
1582	1582	7.09723	1.12868E-05	8.0E-05	6.05E-04	4.85E-08	3.82E+00	4.71E-02	8.73E-09	1.0E+06	8.7E-03
1583	1583	7.03835	1.12868E-05	7.9E-05	6.05E-04	4.81E-08	3.82E+00	4.71E-02	8.66E-09	1.0E+06	8.7E-03
1584	1584	6.97144	1.12868E-05	7.9E-05	6.05E-04	4.76E-08	3.82E+00	4.71E-02	8.58E-09	1.0E+06	8.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	6.8965	1.12868E-05	7.8E-05	6.05E-04	4.71E-08	3.82E+00	4.71E-02	8.49E-09	1.0E+06	8.5E-03
1586	1586	6.81117	1.12868E-05	7.7E-05	6.05E-04	4.65E-08	3.82E+00	4.71E-02	8.38E-09	1.0E+06	8.4E-03
1587	1587	6.71467	1.12868E-05	7.6E-05	6.05E-04	4.59E-08	3.82E+00	4.71E-02	8.26E-09	1.0E+06	8.3E-03
1588	1588	6.60406	1.12868E-05	7.5E-05	6.05E-04	4.51E-08	3.82E+00	4.71E-02	8.13E-09	1.0E+06	8.1E-03
1589	1589	6.47742	1.12868E-05	7.3E-05	6.05E-04	4.42E-08	3.82E+00	4.71E-02	7.97E-09	1.0E+06	8.0E-03
1590	1590	6.25986	1.12868E-05	7.1E-05	6.05E-04	4.28E-08	3.82E+00	4.71E-02	7.70E-09	1.0E+06	7.7E-03
1591	1591	6.27285	1.12868E-05	7.1E-05	6.05E-04	4.28E-08	3.82E+00	4.71E-02	7.72E-09	1.0E+06	7.7E-03
1592	1592	6.30018	1.12868E-05	7.1E-05	6.05E-04	4.30E-08	3.82E+00	4.71E-02	7.75E-09	1.0E+06	7.8E-03
1593	1593	6.31921	1.12868E-05	7.1E-05	6.05E-04	4.32E-08	3.82E+00	4.71E-02	7.78E-09	1.0E+06	7.8E-03
1594	1594	6.36983	1.12868E-05	7.2E-05	6.05E-04	4.35E-08	3.82E+00	4.71E-02	7.84E-09	1.0E+06	7.8E-03
1595	1595	6.41484	1.12868E-05	7.2E-05	6.05E-04	4.38E-08	3.82E+00	4.71E-02	7.89E-09	1.0E+06	7.9E-03
0	0	0	1.12868E-05	0.0E+00	6.05E-04	0.00E+00	3.82E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	1.2256	1.52945E-05	1.9E-05	6.05E-04	1.13E-08	3.82E+00	4.71E-02	2.04E-09	1.0E+06	2.0E-03
1214	1214	0.82645	1.52945E-05	1.3E-05	6.05E-04	7.65E-09	3.82E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
1215	1215	0.85998	1.52945E-05	1.3E-05	6.05E-04	7.96E-09	3.82E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
1216	1216	0.89559	1.52945E-05	1.4E-05	6.05E-04	8.29E-09	3.82E+00	4.71E-02	1.49E-09	1.0E+06	1.5E-03
1217	1217	0.93334	1.52945E-05	1.4E-05	6.05E-04	8.64E-09	3.82E+00	4.71E-02	1.56E-09	1.0E+06	1.6E-03
1218	1218	0.97348	1.52945E-05	1.5E-05	6.05E-04	9.01E-09	3.82E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
1219	1219	1.01583	1.52945E-05	1.6E-05	6.05E-04	9.40E-09	3.82E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
1220	1220	1.06038	1.52945E-05	1.6E-05	6.05E-04	9.81E-09	3.82E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
1221	1221	1.10688	1.52945E-05	1.7E-05	6.05E-04	1.02E-08	3.82E+00	4.71E-02	1.85E-09	1.0E+06	1.8E-03
1222	1222	1.15516	1.52945E-05	1.8E-05	6.05E-04	1.07E-08	3.82E+00	4.71E-02	1.93E-09	1.0E+06	1.9E-03
1223	1223	1.20372	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	2.01E-09	1.0E+06	2.0E-03
1224	1224	1.25217	1.52945E-05	1.9E-05	6.05E-04	1.16E-08	3.82E+00	4.71E-02	2.09E-09	1.0E+06	2.1E-03
1225	1225	1.29779	1.52945E-05	2.0E-05	6.05E-04	1.20E-08	3.82E+00	4.71E-02	2.16E-09	1.0E+06	2.2E-03
1226	1226	1.34078	1.52945E-05	2.1E-05	6.05E-04	1.24E-08	3.82E+00	4.71E-02	2.24E-09	1.0E+06	2.2E-03
1227	1227	1.37939	1.52945E-05	2.1E-05	6.05E-04	1.28E-08	3.82E+00	4.71E-02	2.30E-09	1.0E+06	2.3E-03
1228	1228	0.87143	1.52945E-05	1.3E-05	6.05E-04	8.06E-09	3.82E+00	4.71E-02	1.45E-09	1.0E+06	1.5E-03
1229	1229	0.90927	1.52945E-05	1.4E-05	6.05E-04	8.41E-09	3.82E+00	4.71E-02	1.52E-09	1.0E+06	1.5E-03
1230	1230	0.94977	1.52945E-05	1.5E-05	6.05E-04	8.79E-09	3.82E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
1231	1231	0.99304	1.52945E-05	1.5E-05	6.05E-04	9.19E-09	3.82E+00	4.71E-02	1.66E-09	1.0E+06	1.7E-03
1232	1232	1.04	1.52945E-05	1.6E-05	6.05E-04	9.62E-09	3.82E+00	4.71E-02	1.73E-09	1.0E+06	1.7E-03
1233	1233	1.09009	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	3.82E+00	4.71E-02	1.82E-09	1.0E+06	1.8E-03
1234	1234	1.14314	1.52945E-05	1.7E-05	6.05E-04	1.06E-08	3.82E+00	4.71E-02	1.91E-09	1.0E+06	1.9E-03
1235	1235	1.1991	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
1236	1236	1.25792	1.52945E-05	1.9E-05	6.05E-04	1.16E-08	3.82E+00	4.71E-02	2.10E-09	1.0E+06	2.1E-03
1237	1237	1.31745	1.52945E-05	2.0E-05	6.05E-04	1.22E-08	3.82E+00	4.71E-02	2.20E-09	1.0E+06	2.2E-03
1238	1238	1.3778	1.52945E-05	2.1E-05	6.05E-04	1.28E-08	3.82E+00	4.71E-02	2.30E-09	1.0E+06	2.3E-03
1239	1239	1.43695	1.52945E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
1240	1240	1.49213	1.52945E-05	2.3E-05	6.05E-04	1.38E-08	3.82E+00	4.71E-02	2.49E-09	1.0E+06	2.5E-03
1241	1241	1.54241	1.52945E-05	2.4E-05	6.05E-04	1.43E-08	3.82E+00	4.71E-02	2.57E-09	1.0E+06	2.6E-03
1242	1242	0.91818	1.52945E-05	1.4E-05	6.05E-04	8.50E-09	3.82E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
1243	1243	0.96199	1.52945E-05	1.5E-05	6.05E-04	8.90E-09	3.82E+00	4.71E-02	1.60E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	1.00817	1.52945E-05	1.5E-05	6.05E-04	9.33E-09	3.82E+00	4.71E-02	1.68E-09	1.0E+06	1.7E-03
1245	1245	1.0579	1.52945E-05	1.6E-05	6.05E-04	9.79E-09	3.82E+00	4.71E-02	1.76E-09	1.0E+06	1.8E-03
1246	1246	1.1129	1.52945E-05	1.7E-05	6.05E-04	1.03E-08	3.82E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
1247	1247	1.17237	1.52945E-05	1.8E-05	6.05E-04	1.08E-08	3.82E+00	4.71E-02	1.95E-09	1.0E+06	2.0E-03
1248	1248	1.23604	1.52945E-05	1.9E-05	6.05E-04	1.14E-08	3.82E+00	4.71E-02	2.06E-09	1.0E+06	2.1E-03
1249	1249	1.30398	1.52945E-05	2.0E-05	6.05E-04	1.21E-08	3.82E+00	4.71E-02	2.17E-09	1.0E+06	2.2E-03
1250	1250	1.37648	1.52945E-05	2.1E-05	6.05E-04	1.27E-08	3.82E+00	4.71E-02	2.30E-09	1.0E+06	2.3E-03
1251	1251	1.45029	1.52945E-05	2.2E-05	6.05E-04	1.34E-08	3.82E+00	4.71E-02	2.42E-09	1.0E+06	2.4E-03
1252	1252	1.52609	1.52945E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
1253	1253	1.6024	1.52945E-05	2.5E-05	6.05E-04	1.48E-08	3.82E+00	4.71E-02	2.67E-09	1.0E+06	2.7E-03
1254	1254	1.6761	1.52945E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
1255	1255	1.74378	1.52945E-05	2.7E-05	6.05E-04	1.61E-08	3.82E+00	4.71E-02	2.91E-09	1.0E+06	2.9E-03
1256	1256	0.96874	1.52945E-05	1.5E-05	6.05E-04	8.96E-09	3.82E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
1257	1257	1.01818	1.52945E-05	1.6E-05	6.05E-04	9.42E-09	3.82E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
1258	1258	1.07063	1.52945E-05	1.6E-05	6.05E-04	9.91E-09	3.82E+00	4.71E-02	1.79E-09	1.0E+06	1.8E-03
1259	1259	1.12783	1.52945E-05	1.7E-05	6.05E-04	1.04E-08	3.82E+00	4.71E-02	1.88E-09	1.0E+06	1.9E-03
1260	1260	1.1923	1.52945E-05	1.8E-05	6.05E-04	1.10E-08	3.82E+00	4.71E-02	1.99E-09	1.0E+06	2.0E-03
1261	1261	1.26274	1.52945E-05	1.9E-05	6.05E-04	1.17E-08	3.82E+00	4.71E-02	2.11E-09	1.0E+06	2.1E-03
1262	1262	1.33942	1.52945E-05	2.0E-05	6.05E-04	1.24E-08	3.82E+00	4.71E-02	2.23E-09	1.0E+06	2.2E-03
1263	1263	1.42269	1.52945E-05	2.2E-05	6.05E-04	1.32E-08	3.82E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
1264	1264	1.51329	1.52945E-05	2.3E-05	6.05E-04	1.40E-08	3.82E+00	4.71E-02	2.52E-09	1.0E+06	2.5E-03
1265	1265	1.60687	1.52945E-05	2.5E-05	6.05E-04	1.49E-08	3.82E+00	4.71E-02	2.68E-09	1.0E+06	2.7E-03
1266	1266	1.70496	1.52945E-05	2.6E-05	6.05E-04	1.58E-08	3.82E+00	4.71E-02	2.84E-09	1.0E+06	2.8E-03
1267	1267	1.80565	1.52945E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
1268	1268	1.90497	1.52945E-05	2.9E-05	6.05E-04	1.76E-08	3.82E+00	4.71E-02	3.18E-09	1.0E+06	3.2E-03
1269	1269	1.99794	1.52945E-05	3.1E-05	6.05E-04	1.85E-08	3.82E+00	4.71E-02	3.33E-09	1.0E+06	3.3E-03
1270	1270	1.02222	1.52945E-05	1.6E-05	6.05E-04	9.46E-09	3.82E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
1271	1271	1.07669	1.52945E-05	1.6E-05	6.05E-04	9.96E-09	3.82E+00	4.71E-02	1.80E-09	1.0E+06	1.8E-03
1272	1272	1.13708	1.52945E-05	1.7E-05	6.05E-04	1.05E-08	3.82E+00	4.71E-02	1.90E-09	1.0E+06	1.9E-03
1273	1273	1.20243	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
1274	1274	1.27727	1.52945E-05	2.0E-05	6.05E-04	1.18E-08	3.82E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	1.36041	1.52945E-05	2.1E-05	6.05E-04	1.26E-08	3.82E+00	4.71E-02	2.27E-09	1.0E+06	2.3E-03
1276	1276	1.45287	1.52945E-05	2.2E-05	6.05E-04	1.34E-08	3.82E+00	4.71E-02	2.42E-09	1.0E+06	2.4E-03
1277	1277	1.55596	1.52945E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
1278	1278	1.67107	1.52945E-05	2.6E-05	6.05E-04	1.55E-08	3.82E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
1279	1279	1.79284	1.52945E-05	2.7E-05	6.05E-04	1.66E-08	3.82E+00	4.71E-02	2.99E-09	1.0E+06	3.0E-03
1280	1280	1.92409	1.52945E-05	2.9E-05	6.05E-04	1.78E-08	3.82E+00	4.71E-02	3.21E-09	1.0E+06	3.2E-03
1281	1281	2.06342	1.52945E-05	3.2E-05	6.05E-04	1.91E-08	3.82E+00	4.71E-02	3.44E-09	1.0E+06	3.4E-03
1282	1282	2.2064	1.52945E-05	3.4E-05	6.05E-04	2.04E-08	3.82E+00	4.71E-02	3.68E-09	1.0E+06	3.7E-03
1283	1283	2.34148	1.52945E-05	3.6E-05	6.05E-04	2.17E-08	3.82E+00	4.71E-02	3.90E-09	1.0E+06	3.9E-03
1284	1284	1.07814	1.52945E-05	1.6E-05	6.05E-04	9.98E-09	3.82E+00	4.71E-02	1.80E-09	1.0E+06	1.8E-03
1285	1285	1.13931	1.52945E-05	1.7E-05	6.05E-04	1.05E-08	3.82E+00	4.71E-02	1.90E-09	1.0E+06	1.9E-03
1286	1286	1.20635	1.52945E-05	1.8E-05	6.05E-04	1.12E-08	3.82E+00	4.71E-02	2.01E-09	1.0E+06	2.0E-03
1287	1287	1.28068	1.52945E-05	2.0E-05	6.05E-04	1.19E-08	3.82E+00	4.71E-02	2.14E-09	1.0E+06	2.1E-03
1288	1288	1.36864	1.52945E-05	2.1E-05	6.05E-04	1.27E-08	3.82E+00	4.71E-02	2.28E-09	1.0E+06	2.3E-03
1289	1289	1.46652	1.52945E-05	2.2E-05	6.05E-04	1.36E-08	3.82E+00	4.71E-02	2.45E-09	1.0E+06	2.4E-03
1290	1290	1.57803	1.52945E-05	2.4E-05	6.05E-04	1.46E-08	3.82E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
1291	1291	1.70572	1.52945E-05	2.6E-05	6.05E-04	1.58E-08	3.82E+00	4.71E-02	2.84E-09	1.0E+06	2.8E-03
1292	1292	1.85221	1.52945E-05	2.8E-05	6.05E-04	1.71E-08	3.82E+00	4.71E-02	3.09E-09	1.0E+06	3.1E-03
1293	1293	2.01207	1.52945E-05	3.1E-05	6.05E-04	1.86E-08	3.82E+00	4.71E-02	3.35E-09	1.0E+06	3.4E-03
1294	1294	2.19095	1.52945E-05	3.4E-05	6.05E-04	2.03E-08	3.82E+00	4.71E-02	3.65E-09	1.0E+06	3.7E-03
1295	1295	2.38941	1.52945E-05	3.7E-05	6.05E-04	2.21E-08	3.82E+00	4.71E-02	3.98E-09	1.0E+06	4.0E-03
1296	1296	2.60053	1.52945E-05	4.0E-05	6.05E-04	2.41E-08	3.82E+00	4.71E-02	4.34E-09	1.0E+06	4.3E-03
1297	1297	2.80236	1.52945E-05	4.3E-05	6.05E-04	2.59E-08	3.82E+00	4.71E-02	4.67E-09	1.0E+06	4.7E-03
1298	1298	1.13624	1.52945E-05	1.7E-05	6.05E-04	1.05E-08	3.82E+00	4.71E-02	1.89E-09	1.0E+06	1.9E-03
1299	1299	1.20476	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	2.01E-09	1.0E+06	2.0E-03
1300	1300	1.28025	1.52945E-05	2.0E-05	6.05E-04	1.18E-08	3.82E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
1301	1301	1.36504	1.52945E-05	2.1E-05	6.05E-04	1.26E-08	3.82E+00	4.71E-02	2.28E-09	1.0E+06	2.3E-03
1302	1302	1.46665	1.52945E-05	2.2E-05	6.05E-04	1.36E-08	3.82E+00	4.71E-02	2.45E-09	1.0E+06	2.4E-03
1303	1303	1.58171	1.52945E-05	2.4E-05	6.05E-04	1.46E-08	3.82E+00	4.71E-02	2.64E-09	1.0E+06	2.6E-03
1304	1304	1.71552	1.52945E-05	2.6E-05	6.05E-04	1.59E-08	3.82E+00	4.71E-02	2.86E-09	1.0E+06	2.9E-03
1305	1305	1.87297	1.52945E-05	2.9E-05	6.05E-04	1.73E-08	3.82E+00	4.71E-02	3.12E-09	1.0E+06	3.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	1.19643	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	1.99E-09	1.0E+06	2.0E-03
1307	1307	1.27491	1.52945E-05	1.9E-05	6.05E-04	1.18E-08	3.82E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
1308	1308	1.36122	1.52945E-05	2.1E-05	6.05E-04	1.26E-08	3.82E+00	4.71E-02	2.27E-09	1.0E+06	2.3E-03
1309	1309	1.45935	1.52945E-05	2.2E-05	6.05E-04	1.35E-08	3.82E+00	4.71E-02	2.43E-09	1.0E+06	2.4E-03
1310	1310	1.5756	1.52945E-05	2.4E-05	6.05E-04	1.46E-08	3.82E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
1311	1311	1.71069	1.52945E-05	2.6E-05	6.05E-04	1.58E-08	3.82E+00	4.71E-02	2.85E-09	1.0E+06	2.9E-03
1312	1312	1.86965	1.52945E-05	2.9E-05	6.05E-04	1.73E-08	3.82E+00	4.71E-02	3.12E-09	1.0E+06	3.1E-03
1313	1313	2.05978	1.52945E-05	3.2E-05	6.05E-04	1.91E-08	3.82E+00	4.71E-02	3.43E-09	1.0E+06	3.4E-03
1314	1314	1.25779	1.52945E-05	1.9E-05	6.05E-04	1.16E-08	3.82E+00	4.71E-02	2.10E-09	1.0E+06	2.1E-03
1315	1315	1.34552	1.52945E-05	2.1E-05	6.05E-04	1.25E-08	3.82E+00	4.71E-02	2.24E-09	1.0E+06	2.2E-03
1316	1316	1.44356	1.52945E-05	2.2E-05	6.05E-04	1.34E-08	3.82E+00	4.71E-02	2.41E-09	1.0E+06	2.4E-03
1317	1317	1.55608	1.52945E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
1318	1318	1.6893	1.52945E-05	2.6E-05	6.05E-04	1.56E-08	3.82E+00	4.71E-02	2.82E-09	1.0E+06	2.8E-03
1319	1319	1.84593	1.52945E-05	2.8E-05	6.05E-04	1.71E-08	3.82E+00	4.71E-02	3.08E-09	1.0E+06	3.1E-03
1320	1320	2.03297	1.52945E-05	3.1E-05	6.05E-04	1.88E-08	3.82E+00	4.71E-02	3.39E-09	1.0E+06	3.4E-03
1321	1321	2.25993	1.52945E-05	3.5E-05	6.05E-04	2.09E-08	3.82E+00	4.71E-02	3.77E-09	1.0E+06	3.8E-03
1322	1322	1.32092	1.52945E-05	2.0E-05	6.05E-04	1.22E-08	3.82E+00	4.71E-02	2.20E-09	1.0E+06	2.2E-03
1323	1323	1.41701	1.52945E-05	2.2E-05	6.05E-04	1.31E-08	3.82E+00	4.71E-02	2.36E-09	1.0E+06	2.4E-03
1324	1324	1.5269	1.52945E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.55E-09	1.0E+06	2.5E-03
1325	1325	1.65442	1.52945E-05	2.5E-05	6.05E-04	1.53E-08	3.82E+00	4.71E-02	2.76E-09	1.0E+06	2.8E-03
1326	1326	1.80512	1.52945E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
1327	1327	1.9849	1.52945E-05	3.0E-05	6.05E-04	1.84E-08	3.82E+00	4.71E-02	3.31E-09	1.0E+06	3.3E-03
1328	1328	2.20166	1.52945E-05	3.4E-05	6.05E-04	2.04E-08	3.82E+00	4.71E-02	3.67E-09	1.0E+06	3.7E-03
1329	1329	2.46782	1.52945E-05	3.8E-05	6.05E-04	2.28E-08	3.82E+00	4.71E-02	4.11E-09	1.0E+06	4.1E-03
1330	1330	1.38055	1.52945E-05	2.1E-05	6.05E-04	1.28E-08	3.82E+00	4.71E-02	2.30E-09	1.0E+06	2.3E-03
1331	1331	1.48663	1.52945E-05	2.3E-05	6.05E-04	1.38E-08	3.82E+00	4.71E-02	2.48E-09	1.0E+06	2.5E-03
1332	1332	1.60701	1.52945E-05	2.5E-05	6.05E-04	1.49E-08	3.82E+00	4.71E-02	2.68E-09	1.0E+06	2.7E-03
1333	1333	1.74733	1.52945E-05	2.7E-05	6.05E-04	1.62E-08	3.82E+00	4.71E-02	2.91E-09	1.0E+06	2.9E-03
1334	1334	1.91552	1.52945E-05	2.9E-05	6.05E-04	1.77E-08	3.82E+00	4.71E-02	3.19E-09	1.0E+06	3.2E-03
1335	1335	2.11794	1.52945E-05	3.2E-05	6.05E-04	1.96E-08	3.82E+00	4.71E-02	3.53E-09	1.0E+06	3.5E-03
1336	1336	2.36524	1.52945E-05	3.6E-05	6.05E-04	2.19E-08	3.82E+00	4.71E-02	3.94E-09	1.0E+06	3.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	2.67425	1.52945E-05	4.1E-05	6.05E-04	2.47E-08	3.82E+00	4.71E-02	4.46E-09	1.0E+06	4.5E-03
1338	1338	0.54835	1.52945E-05	8.4E-06	6.05E-04	5.07E-09	3.82E+00	4.71E-02	9.14E-10	1.0E+06	9.1E-04
1339	1339	0.56603	1.52945E-05	8.7E-06	6.05E-04	5.24E-09	3.82E+00	4.71E-02	9.44E-10	1.0E+06	9.4E-04
1340	1340	0.58482	1.52945E-05	8.9E-06	6.05E-04	5.41E-09	3.82E+00	4.71E-02	9.75E-10	1.0E+06	9.8E-04
1341	1341	0.60532	1.52945E-05	9.3E-06	6.05E-04	5.60E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1342	1342	0.62753	1.52945E-05	9.6E-06	6.05E-04	5.81E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
1343	1343	0.65123	1.52945E-05	1.0E-05	6.05E-04	6.03E-09	3.82E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1344	1344	0.67704	1.52945E-05	1.0E-05	6.05E-04	6.27E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1345	1345	0.70491	1.52945E-05	1.1E-05	6.05E-04	6.52E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1346	1346	0.73411	1.52945E-05	1.1E-05	6.05E-04	6.79E-09	3.82E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1347	1347	0.76466	1.52945E-05	1.2E-05	6.05E-04	7.08E-09	3.82E+00	4.71E-02	1.27E-09	1.0E+06	1.3E-03
1348	1348	0.79773	1.52945E-05	1.2E-05	6.05E-04	7.38E-09	3.82E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
1349	1349	0.83503	1.52945E-05	1.3E-05	6.05E-04	7.73E-09	3.82E+00	4.71E-02	1.39E-09	1.0E+06	1.4E-03
1350	1350	0.87613	1.52945E-05	1.3E-05	6.05E-04	8.11E-09	3.82E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03
1351	1351	0.92129	1.52945E-05	1.4E-05	6.05E-04	8.53E-09	3.82E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03
1352	1352	0.97073	1.52945E-05	1.5E-05	6.05E-04	8.98E-09	3.82E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
1353	1353	1.01197	1.52945E-05	1.5E-05	6.05E-04	9.37E-09	3.82E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
1354	1354	1.08739	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	3.82E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
1355	1355	1.16311	1.52945E-05	1.8E-05	6.05E-04	1.08E-08	3.82E+00	4.71E-02	1.94E-09	1.0E+06	1.9E-03
1356	1356	1.24817	1.52945E-05	1.9E-05	6.05E-04	1.16E-08	3.82E+00	4.71E-02	2.08E-09	1.0E+06	2.1E-03
1357	1357	1.33784	1.52945E-05	2.0E-05	6.05E-04	1.24E-08	3.82E+00	4.71E-02	2.23E-09	1.0E+06	2.2E-03
1358	1358	1.44058	1.52945E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
1359	1359	1.55528	1.52945E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
1360	1360	1.68569	1.52945E-05	2.6E-05	6.05E-04	1.56E-08	3.82E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03
1361	1361	1.83864	1.52945E-05	2.8E-05	6.05E-04	1.70E-08	3.82E+00	4.71E-02	3.07E-09	1.0E+06	3.1E-03
1362	1362	2.02341	1.52945E-05	3.1E-05	6.05E-04	1.87E-08	3.82E+00	4.71E-02	3.37E-09	1.0E+06	3.4E-03
1363	1363	2.2476	1.52945E-05	3.4E-05	6.05E-04	2.08E-08	3.82E+00	4.71E-02	3.75E-09	1.0E+06	3.7E-03
1364	1364	2.52438	1.52945E-05	3.9E-05	6.05E-04	2.34E-08	3.82E+00	4.71E-02	4.21E-09	1.0E+06	4.2E-03
1365	1365	2.87388	1.52945E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.79E-09	1.0E+06	4.8E-03
1366	1366	0.55873	1.52945E-05	8.5E-06	6.05E-04	5.17E-09	3.82E+00	4.71E-02	9.32E-10	1.0E+06	9.3E-04
1367	1367	0.57685	1.52945E-05	8.8E-06	6.05E-04	5.34E-09	3.82E+00	4.71E-02	9.62E-10	1.0E+06	9.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	0.59602	1.52945E-05	9.1E-06	6.05E-04	5.52E-09	3.82E+00	4.71E-02	9.94E-10	1.0E+06	9.9E-04
1369	1369	0.61729	1.52945E-05	9.4E-06	6.05E-04	5.71E-09	3.82E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1370	1370	0.6406	1.52945E-05	9.8E-06	6.05E-04	5.93E-09	3.82E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
1371	1371	0.6654	1.52945E-05	1.0E-05	6.05E-04	6.16E-09	3.82E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1372	1372	0.6926	1.52945E-05	1.1E-05	6.05E-04	6.41E-09	3.82E+00	4.71E-02	1.15E-09	1.0E+06	1.2E-03
1373	1373	0.72197	1.52945E-05	1.1E-05	6.05E-04	6.68E-09	3.82E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1374	1374	0.75258	1.52945E-05	1.2E-05	6.05E-04	6.96E-09	3.82E+00	4.71E-02	1.25E-09	1.0E+06	1.3E-03
1375	1375	0.78403	1.52945E-05	1.2E-05	6.05E-04	7.26E-09	3.82E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1376	1376	0.81805	1.52945E-05	1.3E-05	6.05E-04	7.57E-09	3.82E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
1377	1377	0.8574	1.52945E-05	1.3E-05	6.05E-04	7.93E-09	3.82E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
1378	1378	0.90091	1.52945E-05	1.4E-05	6.05E-04	8.34E-09	3.82E+00	4.71E-02	1.50E-09	1.0E+06	1.5E-03
1379	1379	0.94874	1.52945E-05	1.5E-05	6.05E-04	8.78E-09	3.82E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
1380	1380	1.00101	1.52945E-05	1.5E-05	6.05E-04	9.26E-09	3.82E+00	4.71E-02	1.67E-09	1.0E+06	1.7E-03
1381	1381	1.04436	1.52945E-05	1.6E-05	6.05E-04	9.66E-09	3.82E+00	4.71E-02	1.74E-09	1.0E+06	1.7E-03
1382	1382	1.11643	1.52945E-05	1.7E-05	6.05E-04	1.03E-08	3.82E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
1383	1383	1.2004	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	3.82E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
1384	1384	1.28908	1.52945E-05	2.0E-05	6.05E-04	1.19E-08	3.82E+00	4.71E-02	2.15E-09	1.0E+06	2.1E-03
1385	1385	1.38922	1.52945E-05	2.1E-05	6.05E-04	1.29E-08	3.82E+00	4.71E-02	2.32E-09	1.0E+06	2.3E-03
1386	1386	1.49927	1.52945E-05	2.3E-05	6.05E-04	1.39E-08	3.82E+00	4.71E-02	2.50E-09	1.0E+06	2.5E-03
1387	1387	1.62223	1.52945E-05	2.5E-05	6.05E-04	1.50E-08	3.82E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
1388	1388	1.76212	1.52945E-05	2.7E-05	6.05E-04	1.63E-08	3.82E+00	4.71E-02	2.94E-09	1.0E+06	2.9E-03
1389	1389	1.92691	1.52945E-05	2.9E-05	6.05E-04	1.78E-08	3.82E+00	4.71E-02	3.21E-09	1.0E+06	3.2E-03
1390	1390	2.12741	1.52945E-05	3.3E-05	6.05E-04	1.97E-08	3.82E+00	4.71E-02	3.55E-09	1.0E+06	3.5E-03
1391	1391	2.37183	1.52945E-05	3.6E-05	6.05E-04	2.19E-08	3.82E+00	4.71E-02	3.95E-09	1.0E+06	4.0E-03
1392	1392	2.67543	1.52945E-05	4.1E-05	6.05E-04	2.48E-08	3.82E+00	4.71E-02	4.46E-09	1.0E+06	4.5E-03
1393	1393	3.06191	1.52945E-05	4.7E-05	6.05E-04	2.83E-08	3.82E+00	4.71E-02	5.11E-09	1.0E+06	5.1E-03
1394	1394	0.56784	1.52945E-05	8.7E-06	6.05E-04	5.25E-09	3.82E+00	4.71E-02	9.47E-10	1.0E+06	9.5E-04
1395	1395	0.58652	1.52945E-05	9.0E-06	6.05E-04	5.43E-09	3.82E+00	4.71E-02	9.78E-10	1.0E+06	9.8E-04
1396	1396	0.60636	1.52945E-05	9.3E-06	6.05E-04	5.61E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1397	1397	0.6283	1.52945E-05	9.6E-06	6.05E-04	5.81E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
1398	1398	0.65241	1.52945E-05	1.0E-05	6.05E-04	6.04E-09	3.82E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	0.67808	1.52945E-05	1.0E-05	6.05E-04	6.28E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1400	1400	0.70707	1.52945E-05	1.1E-05	6.05E-04	6.54E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1401	1401	0.73813	1.52945E-05	1.1E-05	6.05E-04	6.83E-09	3.82E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
1402	1402	0.7706	1.52945E-05	1.2E-05	6.05E-04	7.13E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
1403	1403	0.80353	1.52945E-05	1.2E-05	6.05E-04	7.44E-09	3.82E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
1404	1404	0.83921	1.52945E-05	1.3E-05	6.05E-04	7.77E-09	3.82E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03
1405	1405	0.88019	1.52945E-05	1.3E-05	6.05E-04	8.15E-09	3.82E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03
1406	1406	0.92552	1.52945E-05	1.4E-05	6.05E-04	8.56E-09	3.82E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03
1407	1407	0.97546	1.52945E-05	1.5E-05	6.05E-04	9.03E-09	3.82E+00	4.71E-02	1.63E-09	1.0E+06	1.6E-03
1408	1408	1.03085	1.52945E-05	1.6E-05	6.05E-04	9.54E-09	3.82E+00	4.71E-02	1.72E-09	1.0E+06	1.7E-03
1409	1409	1.07802	1.52945E-05	1.6E-05	6.05E-04	9.98E-09	3.82E+00	4.71E-02	1.80E-09	1.0E+06	1.8E-03
1410	1410	1.15601	1.52945E-05	1.8E-05	6.05E-04	1.07E-08	3.82E+00	4.71E-02	1.93E-09	1.0E+06	1.9E-03
1411	1411	1.24071	1.52945E-05	1.9E-05	6.05E-04	1.15E-08	3.82E+00	4.71E-02	2.07E-09	1.0E+06	2.1E-03
1412	1412	1.33418	1.52945E-05	2.0E-05	6.05E-04	1.23E-08	3.82E+00	4.71E-02	2.22E-09	1.0E+06	2.2E-03
1413	1413	1.43983	1.52945E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
1414	1414	1.55629	1.52945E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
1415	1415	1.6866	1.52945E-05	2.6E-05	6.05E-04	1.56E-08	3.82E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03
1416	1416	1.83484	1.52945E-05	2.8E-05	6.05E-04	1.70E-08	3.82E+00	4.71E-02	3.06E-09	1.0E+06	3.1E-03
1417	1417	2.00934	1.52945E-05	3.1E-05	6.05E-04	1.86E-08	3.82E+00	4.71E-02	3.35E-09	1.0E+06	3.4E-03
1418	1418	2.22457	1.52945E-05	3.4E-05	6.05E-04	2.06E-08	3.82E+00	4.71E-02	3.71E-09	1.0E+06	3.7E-03
1419	1419	2.48775	1.52945E-05	3.8E-05	6.05E-04	2.30E-08	3.82E+00	4.71E-02	4.15E-09	1.0E+06	4.1E-03
1420	1420	2.81559	1.52945E-05	4.3E-05	6.05E-04	2.61E-08	3.82E+00	4.71E-02	4.69E-09	1.0E+06	4.7E-03
1421	1421	3.23416	1.52945E-05	4.9E-05	6.05E-04	2.99E-08	3.82E+00	4.71E-02	5.39E-09	1.0E+06	5.4E-03
1422	1422	0.5759	1.52945E-05	8.8E-06	6.05E-04	5.33E-09	3.82E+00	4.71E-02	9.60E-10	1.0E+06	9.6E-04
1423	1423	0.59531	1.52945E-05	9.1E-06	6.05E-04	5.51E-09	3.82E+00	4.71E-02	9.93E-10	1.0E+06	9.9E-04
1424	1424	0.61594	1.52945E-05	9.4E-06	6.05E-04	5.70E-09	3.82E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1425	1425	0.63854	1.52945E-05	9.8E-06	6.05E-04	5.91E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1426	1426	0.66322	1.52945E-05	1.0E-05	6.05E-04	6.14E-09	3.82E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1427	1427	0.68962	1.52945E-05	1.1E-05	6.05E-04	6.38E-09	3.82E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
1428	1428	0.72058	1.52945E-05	1.1E-05	6.05E-04	6.67E-09	3.82E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1429	1429	0.75368	1.52945E-05	1.2E-05	6.05E-04	6.97E-09	3.82E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	0.78801	1.52945E-05	1.2E-05	6.05E-04	7.29E-09	3.82E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1431	1431	0.82265	1.52945E-05	1.3E-05	6.05E-04	7.61E-09	3.82E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
1432	1432	0.86015	1.52945E-05	1.3E-05	6.05E-04	7.96E-09	3.82E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
1433	1433	0.90259	1.52945E-05	1.4E-05	6.05E-04	8.35E-09	3.82E+00	4.71E-02	1.50E-09	1.0E+06	1.5E-03
1434	1434	0.94944	1.52945E-05	1.5E-05	6.05E-04	8.79E-09	3.82E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
1435	1435	1.00137	1.52945E-05	1.5E-05	6.05E-04	9.27E-09	3.82E+00	4.71E-02	1.67E-09	1.0E+06	1.7E-03
1436	1436	1.05982	1.52945E-05	1.6E-05	6.05E-04	9.81E-09	3.82E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
1437	1437	1.1111	1.52945E-05	1.7E-05	6.05E-04	1.03E-08	3.82E+00	4.71E-02	1.85E-09	1.0E+06	1.9E-03
1438	1438	1.19133	1.52945E-05	1.8E-05	6.05E-04	1.10E-08	3.82E+00	4.71E-02	1.99E-09	1.0E+06	2.0E-03
1439	1439	1.28002	1.52945E-05	2.0E-05	6.05E-04	1.18E-08	3.82E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
1440	1440	1.38051	1.52945E-05	2.1E-05	6.05E-04	1.28E-08	3.82E+00	4.71E-02	2.30E-09	1.0E+06	2.3E-03
1441	1441	1.48873	1.52945E-05	2.3E-05	6.05E-04	1.38E-08	3.82E+00	4.71E-02	2.48E-09	1.0E+06	2.5E-03
1442	1442	1.61116	1.52945E-05	2.5E-05	6.05E-04	1.49E-08	3.82E+00	4.71E-02	2.69E-09	1.0E+06	2.7E-03
1443	1443	1.7467	1.52945E-05	2.7E-05	6.05E-04	1.62E-08	3.82E+00	4.71E-02	2.91E-09	1.0E+06	2.9E-03
1444	1444	1.90241	1.52945E-05	2.9E-05	6.05E-04	1.76E-08	3.82E+00	4.71E-02	3.17E-09	1.0E+06	3.2E-03
1445	1445	2.08576	1.52945E-05	3.2E-05	6.05E-04	1.93E-08	3.82E+00	4.71E-02	3.48E-09	1.0E+06	3.5E-03
1446	1446	2.31504	1.52945E-05	3.5E-05	6.05E-04	2.14E-08	3.82E+00	4.71E-02	3.86E-09	1.0E+06	3.9E-03
1447	1447	2.59475	1.52945E-05	4.0E-05	6.05E-04	2.40E-08	3.82E+00	4.71E-02	4.33E-09	1.0E+06	4.3E-03
1448	1448	2.94358	1.52945E-05	4.5E-05	6.05E-04	2.72E-08	3.82E+00	4.71E-02	4.91E-09	1.0E+06	4.9E-03
1449	1449	3.38979	1.52945E-05	5.2E-05	6.05E-04	3.14E-08	3.82E+00	4.71E-02	5.65E-09	1.0E+06	5.7E-03
1450	1450	0.58327	1.52945E-05	8.9E-06	6.05E-04	5.40E-09	3.82E+00	4.71E-02	9.73E-10	1.0E+06	9.7E-04
1451	1451	0.60345	1.52945E-05	9.2E-06	6.05E-04	5.58E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1452	1452	0.62483	1.52945E-05	9.6E-06	6.05E-04	5.78E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1453	1453	0.64802	1.52945E-05	9.9E-06	6.05E-04	6.00E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
1454	1454	0.67322	1.52945E-05	1.0E-05	6.05E-04	6.23E-09	3.82E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1455	1455	0.70015	1.52945E-05	1.1E-05	6.05E-04	6.48E-09	3.82E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1456	1456	0.73329	1.52945E-05	1.1E-05	6.05E-04	6.79E-09	3.82E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1457	1457	0.76863	1.52945E-05	1.2E-05	6.05E-04	7.11E-09	3.82E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
1458	1458	0.80489	1.52945E-05	1.2E-05	6.05E-04	7.45E-09	3.82E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
1459	1459	0.84114	1.52945E-05	1.3E-05	6.05E-04	7.78E-09	3.82E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03
1460	1460	0.88053	1.52945E-05	1.3E-05	6.05E-04	8.15E-09	3.82E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	0.92433	1.52945E-05	1.4E-05	6.05E-04	8.55E-09	3.82E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03
1462	1462	0.97265	1.52945E-05	1.5E-05	6.05E-04	9.00E-09	3.82E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
1463	1463	1.0263	1.52945E-05	1.6E-05	6.05E-04	9.50E-09	3.82E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
1464	1464	1.08786	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	3.82E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
1465	1465	1.14361	1.52945E-05	1.7E-05	6.05E-04	1.06E-08	3.82E+00	4.71E-02	1.91E-09	1.0E+06	1.9E-03
1466	1466	1.22575	1.52945E-05	1.9E-05	6.05E-04	1.13E-08	3.82E+00	4.71E-02	2.04E-09	1.0E+06	2.0E-03
1467	1467	1.31792	1.52945E-05	2.0E-05	6.05E-04	1.22E-08	3.82E+00	4.71E-02	2.20E-09	1.0E+06	2.2E-03
1468	1468	1.42275	1.52945E-05	2.2E-05	6.05E-04	1.32E-08	3.82E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
1469	1469	1.53584	1.52945E-05	2.3E-05	6.05E-04	1.42E-08	3.82E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
1470	1470	1.66361	1.52945E-05	2.5E-05	6.05E-04	1.54E-08	3.82E+00	4.71E-02	2.77E-09	1.0E+06	2.8E-03
1471	1471	1.80499	1.52945E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
1472	1472	1.96721	1.52945E-05	3.0E-05	6.05E-04	1.82E-08	3.82E+00	4.71E-02	3.28E-09	1.0E+06	3.3E-03
1473	1473	2.1581	1.52945E-05	3.3E-05	6.05E-04	2.00E-08	3.82E+00	4.71E-02	3.60E-09	1.0E+06	3.6E-03
1474	1474	2.3989	1.52945E-05	3.7E-05	6.05E-04	2.22E-08	3.82E+00	4.71E-02	4.00E-09	1.0E+06	4.0E-03
1475	1475	2.69271	1.52945E-05	4.1E-05	6.05E-04	2.49E-08	3.82E+00	4.71E-02	4.49E-09	1.0E+06	4.5E-03
1476	1476	3.05989	1.52945E-05	4.7E-05	6.05E-04	2.83E-08	3.82E+00	4.71E-02	5.10E-09	1.0E+06	5.1E-03
1477	1477	3.529	1.52945E-05	5.4E-05	6.05E-04	3.27E-08	3.82E+00	4.71E-02	5.88E-09	1.0E+06	5.9E-03
1478	1478	0.58968	1.52945E-05	9.0E-06	6.05E-04	5.46E-09	3.82E+00	4.71E-02	9.83E-10	1.0E+06	9.8E-04
1479	1479	0.61083	1.52945E-05	9.3E-06	6.05E-04	5.65E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1480	1480	0.63333	1.52945E-05	9.7E-06	6.05E-04	5.86E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1481	1481	0.65767	1.52945E-05	1.0E-05	6.05E-04	6.09E-09	3.82E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1482	1482	0.68398	1.52945E-05	1.0E-05	6.05E-04	6.33E-09	3.82E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
1483	1483	0.71225	1.52945E-05	1.1E-05	6.05E-04	6.59E-09	3.82E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1484	1484	0.74679	1.52945E-05	1.1E-05	6.05E-04	6.91E-09	3.82E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1485	1485	0.78358	1.52945E-05	1.2E-05	6.05E-04	7.25E-09	3.82E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1486	1486	0.82133	1.52945E-05	1.3E-05	6.05E-04	7.60E-09	3.82E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
1487	1487	0.8591	1.52945E-05	1.3E-05	6.05E-04	7.95E-09	3.82E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
1488	1488	0.90018	1.52945E-05	1.4E-05	6.05E-04	8.33E-09	3.82E+00	4.71E-02	1.50E-09	1.0E+06	1.5E-03
1489	1489	0.94581	1.52945E-05	1.4E-05	6.05E-04	8.75E-09	3.82E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
1490	1490	0.99619	1.52945E-05	1.5E-05	6.05E-04	9.22E-09	3.82E+00	4.71E-02	1.66E-09	1.0E+06	1.7E-03
1491	1491	1.05209	1.52945E-05	1.6E-05	6.05E-04	9.74E-09	3.82E+00	4.71E-02	1.75E-09	1.0E+06	1.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	1.11555	1.52945E-05	1.7E-05	6.05E-04	1.03E-08	3.82E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
1493	1493	1.17903	1.52945E-05	1.8E-05	6.05E-04	1.09E-08	3.82E+00	4.71E-02	1.97E-09	1.0E+06	2.0E-03
1494	1494	1.25368	1.52945E-05	1.9E-05	6.05E-04	1.16E-08	3.82E+00	4.71E-02	2.09E-09	1.0E+06	2.1E-03
1495	1495	1.35283	1.52945E-05	2.1E-05	6.05E-04	1.25E-08	3.82E+00	4.71E-02	2.26E-09	1.0E+06	2.3E-03
1496	1496	1.45916	1.52945E-05	2.2E-05	6.05E-04	1.35E-08	3.82E+00	4.71E-02	2.43E-09	1.0E+06	2.4E-03
1497	1497	1.57765	1.52945E-05	2.4E-05	6.05E-04	1.46E-08	3.82E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
1498	1498	1.71168	1.52945E-05	2.6E-05	6.05E-04	1.58E-08	3.82E+00	4.71E-02	2.85E-09	1.0E+06	2.9E-03
1499	1499	1.8612	1.52945E-05	2.8E-05	6.05E-04	1.72E-08	3.82E+00	4.71E-02	3.10E-09	1.0E+06	3.1E-03
1500	1500	2.0314	1.52945E-05	3.1E-05	6.05E-04	1.88E-08	3.82E+00	4.71E-02	3.39E-09	1.0E+06	3.4E-03
1501	1501	2.23188	1.52945E-05	3.4E-05	6.05E-04	2.07E-08	3.82E+00	4.71E-02	3.72E-09	1.0E+06	3.7E-03
1502	1502	2.48254	1.52945E-05	3.8E-05	6.05E-04	2.30E-08	3.82E+00	4.71E-02	4.14E-09	1.0E+06	4.1E-03
1503	1503	2.78815	1.52945E-05	4.3E-05	6.05E-04	2.58E-08	3.82E+00	4.71E-02	4.65E-09	1.0E+06	4.6E-03
1504	1504	3.16914	1.52945E-05	4.8E-05	6.05E-04	2.93E-08	3.82E+00	4.71E-02	5.28E-09	1.0E+06	5.3E-03
1505	1505	3.65599	1.52945E-05	5.6E-05	6.05E-04	3.38E-08	3.82E+00	4.71E-02	6.10E-09	1.0E+06	6.1E-03
1506	1506	0.59521	1.52945E-05	9.1E-06	6.05E-04	5.51E-09	3.82E+00	4.71E-02	9.92E-10	1.0E+06	9.9E-04
1507	1507	0.61754	1.52945E-05	9.4E-06	6.05E-04	5.71E-09	3.82E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1508	1508	0.64135	1.52945E-05	9.8E-06	6.05E-04	5.94E-09	3.82E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
1509	1509	0.66714	1.52945E-05	1.0E-05	6.05E-04	6.17E-09	3.82E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1510	1510	0.69513	1.52945E-05	1.1E-05	6.05E-04	6.43E-09	3.82E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
1511	1511	0.72503	1.52945E-05	1.1E-05	6.05E-04	6.71E-09	3.82E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1512	1512	0.76056	1.52945E-05	1.2E-05	6.05E-04	7.04E-09	3.82E+00	4.71E-02	1.27E-09	1.0E+06	1.3E-03
1513	1513	0.79837	1.52945E-05	1.2E-05	6.05E-04	7.39E-09	3.82E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
1514	1514	0.83729	1.52945E-05	1.3E-05	6.05E-04	7.75E-09	3.82E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03
1515	1515	0.87654	1.52945E-05	1.3E-05	6.05E-04	8.11E-09	3.82E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03
1516	1516	0.91916	1.52945E-05	1.4E-05	6.05E-04	8.51E-09	3.82E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
1517	1517	0.96679	1.52945E-05	1.5E-05	6.05E-04	8.95E-09	3.82E+00	4.71E-02	1.61E-09	1.0E+06	1.6E-03
1518	1518	1.0195	1.52945E-05	1.6E-05	6.05E-04	9.43E-09	3.82E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
1519	1519	1.07767	1.52945E-05	1.6E-05	6.05E-04	9.97E-09	3.82E+00	4.71E-02	1.80E-09	1.0E+06	1.8E-03
1520	1520	1.14237	1.52945E-05	1.7E-05	6.05E-04	1.06E-08	3.82E+00	4.71E-02	1.90E-09	1.0E+06	1.9E-03
1521	1521	1.21468	1.52945E-05	1.9E-05	6.05E-04	1.12E-08	3.82E+00	4.71E-02	2.03E-09	1.0E+06	2.0E-03
1522	1522	1.28126	1.52945E-05	2.0E-05	6.05E-04	1.19E-08	3.82E+00	4.71E-02	2.14E-09	1.0E+06	2.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	1.38204	1.52945E-05	2.1E-05	6.05E-04	1.28E-08	3.82E+00	4.71E-02	2.30E-09	1.0E+06	2.3E-03
1524	1524	1.49274	1.52945E-05	2.3E-05	6.05E-04	1.38E-08	3.82E+00	4.71E-02	2.49E-09	1.0E+06	2.5E-03
1525	1525	1.6191	1.52945E-05	2.5E-05	6.05E-04	1.50E-08	3.82E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
1526	1526	1.75833	1.52945E-05	2.7E-05	6.05E-04	1.63E-08	3.82E+00	4.71E-02	2.93E-09	1.0E+06	2.9E-03
1527	1527	1.91433	1.52945E-05	2.9E-05	6.05E-04	1.77E-08	3.82E+00	4.71E-02	3.19E-09	1.0E+06	3.2E-03
1528	1528	2.09203	1.52945E-05	3.2E-05	6.05E-04	1.94E-08	3.82E+00	4.71E-02	3.49E-09	1.0E+06	3.5E-03
1529	1529	2.30292	1.52945E-05	3.5E-05	6.05E-04	2.13E-08	3.82E+00	4.71E-02	3.84E-09	1.0E+06	3.8E-03
1530	1530	2.56079	1.52945E-05	3.9E-05	6.05E-04	2.37E-08	3.82E+00	4.71E-02	4.27E-09	1.0E+06	4.3E-03
1531	1531	2.87619	1.52945E-05	4.4E-05	6.05E-04	2.66E-08	3.82E+00	4.71E-02	4.80E-09	1.0E+06	4.8E-03
1532	1532	3.26867	1.52945E-05	5.0E-05	6.05E-04	3.02E-08	3.82E+00	4.71E-02	5.45E-09	1.0E+06	5.5E-03
1533	1533	3.76964	1.52945E-05	5.8E-05	6.05E-04	3.49E-08	3.82E+00	4.71E-02	6.29E-09	1.0E+06	6.3E-03
1534	1534	0.59985	1.52945E-05	9.2E-06	6.05E-04	5.55E-09	3.82E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
1535	1535	0.62355	1.52945E-05	9.5E-06	6.05E-04	5.77E-09	3.82E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1536	1536	0.6487	1.52945E-05	9.9E-06	6.05E-04	6.00E-09	3.82E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
1537	1537	0.67608	1.52945E-05	1.0E-05	6.05E-04	6.26E-09	3.82E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1538	1538	0.70577	1.52945E-05	1.1E-05	6.05E-04	6.53E-09	3.82E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1539	1539	0.73751	1.52945E-05	1.1E-05	6.05E-04	6.83E-09	3.82E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
1540	1540	0.77381	1.52945E-05	1.2E-05	6.05E-04	7.16E-09	3.82E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
1541	1541	0.81264	1.52945E-05	1.2E-05	6.05E-04	7.52E-09	3.82E+00	4.71E-02	1.35E-09	1.0E+06	1.4E-03
1542	1542	0.85279	1.52945E-05	1.3E-05	6.05E-04	7.89E-09	3.82E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
1543	1543	0.89332	1.52945E-05	1.4E-05	6.05E-04	8.27E-09	3.82E+00	4.71E-02	1.49E-09	1.0E+06	1.5E-03
1544	1544	0.9375	1.52945E-05	1.4E-05	6.05E-04	8.68E-09	3.82E+00	4.71E-02	1.56E-09	1.0E+06	1.6E-03
1545	1545	0.98713	1.52945E-05	1.5E-05	6.05E-04	9.14E-09	3.82E+00	4.71E-02	1.65E-09	1.0E+06	1.6E-03
1546	1546	1.04203	1.52945E-05	1.6E-05	6.05E-04	9.64E-09	3.82E+00	4.71E-02	1.74E-09	1.0E+06	1.7E-03
1547	1547	1.10248	1.52945E-05	1.7E-05	6.05E-04	1.02E-08	3.82E+00	4.71E-02	1.84E-09	1.0E+06	1.8E-03
1548	1548	1.16833	1.52945E-05	1.8E-05	6.05E-04	1.08E-08	3.82E+00	4.71E-02	1.95E-09	1.0E+06	1.9E-03
1549	1549	1.24195	1.52945E-05	1.9E-05	6.05E-04	1.15E-08	3.82E+00	4.71E-02	2.07E-09	1.0E+06	2.1E-03
1550	1550	1.31466	1.52945E-05	2.0E-05	6.05E-04	1.22E-08	3.82E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03
1551	1551	1.40577	1.52945E-05	2.2E-05	6.05E-04	1.30E-08	3.82E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
1552	1552	1.52375	1.52945E-05	2.3E-05	6.05E-04	1.41E-08	3.82E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
1553	1553	1.65272	1.52945E-05	2.5E-05	6.05E-04	1.53E-08	3.82E+00	4.71E-02	2.76E-09	1.0E+06	2.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	1.80039	1.52945E-05	2.8E-05	6.05E-04	1.67E-08	3.82E+00	4.71E-02	3.00E-09	1.0E+06	3.0E-03
1555	1555	1.96402	1.52945E-05	3.0E-05	6.05E-04	1.82E-08	3.82E+00	4.71E-02	3.27E-09	1.0E+06	3.3E-03
1556	1556	2.15003	1.52945E-05	3.3E-05	6.05E-04	1.99E-08	3.82E+00	4.71E-02	3.58E-09	1.0E+06	3.6E-03
1557	1557	2.36809	1.52945E-05	3.6E-05	6.05E-04	2.19E-08	3.82E+00	4.71E-02	3.95E-09	1.0E+06	3.9E-03
1558	1558	2.6331	1.52945E-05	4.0E-05	6.05E-04	2.44E-08	3.82E+00	4.71E-02	4.39E-09	1.0E+06	4.4E-03
1559	1559	2.95667	1.52945E-05	4.5E-05	6.05E-04	2.74E-08	3.82E+00	4.71E-02	4.93E-09	1.0E+06	4.9E-03
1560	1560	3.35851	1.52945E-05	5.1E-05	6.05E-04	3.11E-08	3.82E+00	4.71E-02	5.60E-09	1.0E+06	5.6E-03
1561	1561	3.87073	1.52945E-05	5.9E-05	6.05E-04	3.58E-08	3.82E+00	4.71E-02	6.45E-09	1.0E+06	6.5E-03
1562	1562	0.60508	1.52945E-05	9.3E-06	6.05E-04	5.60E-09	3.82E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1563	1563	0.62919	1.52945E-05	9.6E-06	6.05E-04	5.82E-09	3.82E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
1564	1564	0.65479	1.52945E-05	1.0E-05	6.05E-04	6.06E-09	3.82E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1565	1565	0.68288	1.52945E-05	1.0E-05	6.05E-04	6.32E-09	3.82E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
1566	1566	0.71404	1.52945E-05	1.1E-05	6.05E-04	6.61E-09	3.82E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1567	1567	0.74724	1.52945E-05	1.1E-05	6.05E-04	6.92E-09	3.82E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1568	1568	0.78445	1.52945E-05	1.2E-05	6.05E-04	7.26E-09	3.82E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1569	1569	0.82427	1.52945E-05	1.3E-05	6.05E-04	7.63E-09	3.82E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
1570	1570	0.86566	1.52945E-05	1.3E-05	6.05E-04	8.01E-09	3.82E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03
1571	1571	0.90778	1.52945E-05	1.4E-05	6.05E-04	8.40E-09	3.82E+00	4.71E-02	1.51E-09	1.0E+06	1.5E-03
1572	1572	0.95399	1.52945E-05	1.5E-05	6.05E-04	8.83E-09	3.82E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
1573	1573	1.00579	1.52945E-05	1.5E-05	6.05E-04	9.31E-09	3.82E+00	4.71E-02	1.68E-09	1.0E+06	1.7E-03
1574	1574	1.06301	1.52945E-05	1.6E-05	6.05E-04	9.84E-09	3.82E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
1575	1575	1.12579	1.52945E-05	1.7E-05	6.05E-04	1.04E-08	3.82E+00	4.71E-02	1.88E-09	1.0E+06	1.9E-03
1576	1576	1.1931	1.52945E-05	1.8E-05	6.05E-04	1.10E-08	3.82E+00	4.71E-02	1.99E-09	1.0E+06	2.0E-03
1577	1577	1.26821	1.52945E-05	1.9E-05	6.05E-04	1.17E-08	3.82E+00	4.71E-02	2.11E-09	1.0E+06	2.1E-03
1578	1578	1.34454	1.52945E-05	2.1E-05	6.05E-04	1.24E-08	3.82E+00	4.71E-02	2.24E-09	1.0E+06	2.2E-03
1579	1579	1.43569	1.52945E-05	2.2E-05	6.05E-04	1.33E-08	3.82E+00	4.71E-02	2.39E-09	1.0E+06	2.4E-03
1580	1580	1.55623	1.52945E-05	2.4E-05	6.05E-04	1.44E-08	3.82E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03
1581	1581	1.6856	1.52945E-05	2.6E-05	6.05E-04	1.56E-08	3.82E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03
1582	1582	1.84067	1.52945E-05	2.8E-05	6.05E-04	1.70E-08	3.82E+00	4.71E-02	3.07E-09	1.0E+06	3.1E-03
1583	1583	2.00904	1.52945E-05	3.1E-05	6.05E-04	1.86E-08	3.82E+00	4.71E-02	3.35E-09	1.0E+06	3.3E-03
1584	1584	2.19935	1.52945E-05	3.4E-05	6.05E-04	2.04E-08	3.82E+00	4.71E-02	3.67E-09	1.0E+06	3.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	2.4252	1.52945E-05	3.7E-05	6.05E-04	2.24E-08	3.82E+00	4.71E-02	4.04E-09	1.0E+06	4.0E-03
1586	1586	2.69647	1.52945E-05	4.1E-05	6.05E-04	2.50E-08	3.82E+00	4.71E-02	4.50E-09	1.0E+06	4.5E-03
1587	1587	3.02721	1.52945E-05	4.6E-05	6.05E-04	2.80E-08	3.82E+00	4.71E-02	5.05E-09	1.0E+06	5.0E-03
1588	1588	3.43726	1.52945E-05	5.3E-05	6.05E-04	3.18E-08	3.82E+00	4.71E-02	5.73E-09	1.0E+06	5.7E-03
1589	1589	3.95824	1.52945E-05	6.1E-05	6.05E-04	3.66E-08	3.82E+00	4.71E-02	6.60E-09	1.0E+06	6.6E-03
1590	1590	0.61084	1.52945E-05	9.3E-06	6.05E-04	5.65E-09	3.82E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1591	1591	0.63446	1.52945E-05	9.7E-06	6.05E-04	5.87E-09	3.82E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1592	1592	0.6595	1.52945E-05	1.0E-05	6.05E-04	6.10E-09	3.82E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1593	1593	0.68786	1.52945E-05	1.1E-05	6.05E-04	6.37E-09	3.82E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
1594	1594	0.72013	1.52945E-05	1.1E-05	6.05E-04	6.66E-09	3.82E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1595	1595	0.75474	1.52945E-05	1.2E-05	6.05E-04	6.98E-09	3.82E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
0	0	0	1.52945E-05	0.0E+00	6.05E-04	0.00E+00	3.82E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1213	1213	2.4E+00	Max	Receptor #	5	4.47E-03	Max	Receptor #	
1214	1214	1.1E+01	22.154	1369	5	1.97E-02	0.041	1369	Res
1215	1215	9.0E+00			5	1.65E-02			
1216	1216	7.7E+00			5	1.41E-02			
1217	1217	6.6E+00			5	1.22E-02			
1218	1218	5.8E+00			5	1.06E-02			
1219	1219	5.1E+00			5	9.37E-03			
1220	1220	4.5E+00			5	8.33E-03			
1221	1221	4.1E+00			5	7.47E-03			
1222	1222	3.7E+00			5	6.74E-03			
1223	1223	3.3E+00			5	6.12E-03			
1224	1224	3.1E+00			5	5.58E-03			
1225	1225	2.8E+00			5	5.12E-03			
1226	1226	2.6E+00			5	4.72E-03			
1227	1227	2.4E+00			5	4.36E-03			
1228	1228	1.2E+01			5	2.19E-02			
1229	1229	9.7E+00			5	1.79E-02			
1230	1230	8.1E+00			5	1.49E-02			
1231	1231	6.9E+00			5	1.27E-02			
1232	1232	6.0E+00			5	1.10E-02			
1233	1233	5.2E+00			5	9.59E-03			
1234	1234	4.6E+00			5	8.47E-03			
1235	1235	4.1E+00			5	7.55E-03			
1236	1236	3.7E+00			5	6.79E-03			
1237	1237	3.4E+00			5	6.15E-03			
1238	1238	3.1E+00			5	5.60E-03			
1239	1239	2.8E+00			5	5.13E-03			
1240	1240	2.6E+00			5	4.71E-03			
1241	1241	2.4E+00			5	4.35E-03			
1242	1242	1.0E+01			5	1.86E-02			
1243	1243	1.0E+01			5	1.91E-02			

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1244	1244	8.5E+00	5	1.56E-02
1245	1245	7.2E+00	5	1.31E-02
1246	1246	6.1E+00	5	1.12E-02
1247	1247	5.3E+00	5	9.72E-03
1248	1248	4.7E+00	5	8.54E-03
1249	1249	4.1E+00	5	7.59E-03
1250	1250	3.7E+00	5	6.79E-03
1251	1251	3.4E+00	5	6.14E-03
1252	1252	3.1E+00	5	5.58E-03
1253	1253	2.8E+00	5	5.11E-03
1254	1254	2.6E+00	5	4.69E-03
1255	1255	2.4E+00	5	4.33E-03
1256	1256	1.0E+01	5	1.90E-02
1257	1257	1.1E+01	5	2.00E-02
1258	1258	8.8E+00	5	1.61E-02
1259	1259	7.3E+00	5	1.34E-02
1260	1260	6.2E+00	5	1.13E-02
1261	1261	5.3E+00	5	9.78E-03
1262	1262	4.7E+00	5	8.55E-03
1263	1263	4.1E+00	5	7.57E-03
1264	1264	3.7E+00	5	6.76E-03
1265	1265	3.3E+00	5	6.10E-03
1266	1266	3.0E+00	5	5.54E-03
1267	1267	2.8E+00	5	5.06E-03
1268	1268	2.5E+00	5	4.65E-03
1269	1269	2.3E+00	5	4.29E-03
1270	1270	1.0E+01	5	1.92E-02
1271	1271	8.6E+00	5	1.57E-02
1272	1272	9.0E+00	5	1.65E-02
1273	1273	7.4E+00	5	1.35E-02
1274	1274	6.2E+00	5	1.14E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1275	1275	5.3E+00	5	9.76E-03
1276	1276	4.7E+00	5	8.51E-03
1277	1277	4.1E+00	5	7.51E-03
1278	1278	3.7E+00	5	6.69E-03
1279	1279	3.3E+00	5	6.03E-03
1280	1280	3.0E+00	5	5.47E-03
1281	1281	2.7E+00	5	4.99E-03
1282	1282	2.5E+00	5	4.58E-03
1283	1283	2.3E+00	5	4.23E-03
1284	1284	1.1E+01	5	1.94E-02
1285	1285	1.1E+01	5	2.08E-02
1286	1286	9.0E+00	5	1.65E-02
1287	1287	7.4E+00	5	1.35E-02
1288	1288	6.2E+00	5	1.13E-02
1289	1289	5.3E+00	5	9.67E-03
1290	1290	4.6E+00	5	8.40E-03
1291	1291	4.0E+00	5	7.40E-03
1292	1292	3.6E+00	5	6.58E-03
1293	1293	3.2E+00	5	5.93E-03
1294	1294	2.9E+00	5	5.38E-03
1295	1295	2.7E+00	5	4.91E-03
1296	1296	2.5E+00	5	4.50E-03
1297	1297	2.3E+00	5	4.15E-03
1298	1298	8.0E+00	5	1.47E-02
1299	1299	1.1E+01	5	2.04E-02
1300	1300	8.9E+00	5	1.62E-02
1301	1301	7.3E+00	5	1.33E-02
1302	1302	6.1E+00	5	1.11E-02
1303	1303	5.2E+00	5	9.49E-03
1304	1304	4.5E+00	5	8.24E-03
1305	1305	4.0E+00	5	7.25E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1306	1306	1.1E+01	5	1.94E-02
1307	1307	1.1E+01	5	1.96E-02
1308	1308	8.6E+00	5	1.57E-02
1309	1309	7.0E+00	5	1.28E-02
1310	1310	5.9E+00	5	1.08E-02
1311	1311	5.0E+00	5	9.20E-03
1312	1312	4.4E+00	5	8.01E-03
1313	1313	3.9E+00	5	7.06E-03
1314	1314	9.5E+00	5	1.74E-02
1315	1315	1.0E+01	5	1.87E-02
1316	1316	8.2E+00	5	1.49E-02
1317	1317	6.7E+00	5	1.23E-02
1318	1318	5.7E+00	5	1.03E-02
1319	1319	4.9E+00	5	8.88E-03
1320	1320	4.2E+00	5	7.75E-03
1321	1321	3.8E+00	5	6.85E-03
1322	1322	8.6E+00	5	1.58E-02
1323	1323	9.5E+00	5	1.74E-02
1324	1324	7.7E+00	5	1.41E-02
1325	1325	6.4E+00	5	1.17E-02
1326	1326	5.4E+00	5	9.90E-03
1327	1327	4.7E+00	5	8.53E-03
1328	1328	4.1E+00	5	7.47E-03
1329	1329	3.6E+00	5	6.63E-03
1330	1330	7.8E+00	5	1.44E-02
1331	1331	8.8E+00	5	1.61E-02
1332	1332	7.2E+00	5	1.32E-02
1333	1333	6.1E+00	5	1.11E-02
1334	1334	5.2E+00	5	9.46E-03
1335	1335	4.5E+00	5	8.20E-03
1336	1336	4.0E+00	5	7.21E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1337	1337	3.5E+00	5	6.41E-03
1338	1338	2.2E+01	5	4.05E-02
1339	1339	2.2E+01	5	3.99E-02
1340	1340	1.9E+01	5	3.51E-02
1341	1341	1.9E+01	5	3.46E-02
1342	1342	2.2E+01	5	3.98E-02
1343	1343	2.1E+01	5	3.92E-02
1344	1344	1.9E+01	5	3.42E-02
1345	1345	1.8E+01	5	3.35E-02
1346	1346	2.1E+01	5	3.82E-02
1347	1347	2.0E+01	5	3.71E-02
1348	1348	1.7E+01	5	3.15E-02
1349	1349	1.6E+01	5	3.00E-02
1350	1350	1.8E+01	5	3.35E-02
1351	1351	1.7E+01	5	3.12E-02
1352	1352	1.3E+01	5	2.42E-02
1353	1353	1.2E+01	5	2.16E-02
1354	1354	1.3E+01	5	2.40E-02
1355	1355	1.1E+01	5	2.05E-02
1356	1356	9.6E+00	5	1.76E-02
1357	1357	8.3E+00	5	1.52E-02
1358	1358	9.8E+00	5	1.79E-02
1359	1359	8.1E+00	5	1.48E-02
1360	1360	6.8E+00	5	1.24E-02
1361	1361	5.7E+00	5	1.05E-02
1362	1362	4.9E+00	5	9.03E-03
1363	1363	4.3E+00	5	7.87E-03
1364	1364	3.8E+00	5	6.94E-03
1365	1365	3.4E+00	5	6.20E-03
1366	1366	1.9E+01	5	3.47E-02
1367	1367	1.9E+01	5	3.42E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1368	1368	1.9E+01	5	3.45E-02
1369	1369	2.2E+01	5	4.06E-02
1370	1370	1.9E+01	5	3.40E-02
1371	1371	1.8E+01	5	3.35E-02
1372	1372	2.2E+01	5	3.99E-02
1373	1373	2.2E+01	5	3.95E-02
1374	1374	1.8E+01	5	3.26E-02
1375	1375	1.7E+01	5	3.16E-02
1376	1376	2.0E+01	5	3.73E-02
1377	1377	2.0E+01	5	3.62E-02
1378	1378	1.6E+01	5	2.86E-02
1379	1379	1.5E+01	5	2.68E-02
1380	1380	1.7E+01	5	3.14E-02
1381	1381	1.6E+01	5	2.94E-02
1382	1382	1.1E+01	5	2.10E-02
1383	1383	1.0E+01	5	1.83E-02
1384	1384	1.2E+01	5	2.18E-02
1385	1385	1.0E+01	5	1.88E-02
1386	1386	8.7E+00	5	1.59E-02
1387	1387	7.4E+00	5	1.35E-02
1388	1388	6.3E+00	5	1.15E-02
1389	1389	5.4E+00	5	9.92E-03
1390	1390	4.7E+00	5	8.61E-03
1391	1391	4.1E+00	5	7.55E-03
1392	1392	3.7E+00	5	6.69E-03
1393	1393	3.3E+00	5	5.99E-03
1394	1394	1.9E+01	5	3.46E-02
1395	1395	1.9E+01	5	3.44E-02
1396	1396	1.9E+01	5	3.42E-02
1397	1397	1.9E+01	5	3.40E-02
1398	1398	1.8E+01	5	3.38E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1399	1399	1.8E+01	5	3.36E-02
1400	1400	1.8E+01	5	3.34E-02
1401	1401	1.8E+01	5	3.31E-02
1402	1402	1.8E+01	5	3.27E-02
1403	1403	1.7E+01	5	3.20E-02
1404	1404	1.7E+01	5	3.12E-02
1405	1405	1.7E+01	5	3.03E-02
1406	1406	1.6E+01	5	2.92E-02
1407	1407	1.5E+01	5	2.79E-02
1408	1408	1.4E+01	5	2.64E-02
1409	1409	1.4E+01	5	2.48E-02
1410	1410	1.3E+01	5	2.30E-02
1411	1411	1.1E+01	5	2.09E-02
1412	1412	1.0E+01	5	1.87E-02
1413	1413	9.0E+00	5	1.65E-02
1414	1414	7.8E+00	5	1.43E-02
1415	1415	6.8E+00	5	1.24E-02
1416	1416	5.9E+00	5	1.08E-02
1417	1417	5.1E+00	5	9.37E-03
1418	1418	4.5E+00	5	8.20E-03
1419	1419	4.0E+00	5	7.24E-03
1420	1420	3.5E+00	5	6.44E-03
1421	1421	3.2E+00	5	5.78E-03
1422	1422	1.6E+01	5	2.94E-02
1423	1423	1.6E+01	5	2.93E-02
1424	1424	1.6E+01	5	2.92E-02
1425	1425	1.6E+01	5	2.90E-02
1426	1426	1.6E+01	5	2.88E-02
1427	1427	1.6E+01	5	2.86E-02
1428	1428	1.6E+01	5	2.85E-02
1429	1429	1.5E+01	5	2.83E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1430	1430	1.5E+01	5	2.79E-02
1431	1431	1.5E+01	5	2.73E-02
1432	1432	1.5E+01	5	2.67E-02
1433	1433	1.4E+01	5	2.59E-02
1434	1434	1.4E+01	5	2.50E-02
1435	1435	1.3E+01	5	2.39E-02
1436	1436	1.2E+01	5	2.27E-02
1437	1437	1.2E+01	5	2.13E-02
1438	1438	1.1E+01	5	1.98E-02
1439	1439	9.9E+00	5	1.82E-02
1440	1440	9.0E+00	5	1.65E-02
1441	1441	8.0E+00	5	1.47E-02
1442	1442	7.1E+00	5	1.30E-02
1443	1443	6.3E+00	5	1.14E-02
1444	1444	5.5E+00	5	1.01E-02
1445	1445	4.9E+00	5	8.86E-03
1446	1446	4.3E+00	5	7.82E-03
1447	1447	3.8E+00	5	6.94E-03
1448	1448	3.4E+00	5	6.21E-03
1449	1449	3.1E+00	5	5.59E-03
1450	1450	1.4E+01	5	2.54E-02
1451	1451	1.4E+01	5	2.53E-02
1452	1452	1.4E+01	5	2.52E-02
1453	1453	1.4E+01	5	2.51E-02
1454	1454	1.4E+01	5	2.49E-02
1455	1455	1.3E+01	5	2.47E-02
1456	1456	1.3E+01	5	2.47E-02
1457	1457	1.3E+01	5	2.45E-02
1458	1458	1.3E+01	5	2.42E-02
1459	1459	1.3E+01	5	2.37E-02
1460	1460	1.3E+01	5	2.32E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1461	1461	1.2E+01	5	2.25E-02
1462	1462	1.2E+01	5	2.17E-02
1463	1463	1.1E+01	5	2.08E-02
1464	1464	1.1E+01	5	1.98E-02
1465	1465	1.0E+01	5	1.86E-02
1466	1466	9.5E+00	5	1.74E-02
1467	1467	8.8E+00	5	1.61E-02
1468	1468	8.0E+00	5	1.47E-02
1469	1469	7.2E+00	5	1.32E-02
1470	1470	6.5E+00	5	1.19E-02
1471	1471	5.8E+00	5	1.06E-02
1472	1472	5.1E+00	5	9.40E-03
1473	1473	4.6E+00	5	8.37E-03
1474	1474	4.1E+00	5	7.45E-03
1475	1475	3.6E+00	5	6.66E-03
1476	1476	3.3E+00	5	5.98E-03
1477	1477	3.0E+00	5	5.40E-03
1478	1478	1.2E+01	5	2.22E-02
1479	1479	1.2E+01	5	2.22E-02
1480	1480	1.2E+01	5	2.21E-02
1481	1481	1.2E+01	5	2.20E-02
1482	1482	1.2E+01	5	2.19E-02
1483	1483	1.2E+01	5	2.17E-02
1484	1484	1.2E+01	5	2.17E-02
1485	1485	1.2E+01	5	2.16E-02
1486	1486	1.2E+01	5	2.13E-02
1487	1487	1.1E+01	5	2.09E-02
1488	1488	1.1E+01	5	2.04E-02
1489	1489	1.1E+01	5	1.98E-02
1490	1490	1.0E+01	5	1.91E-02
1491	1491	1.0E+01	5	1.83E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1492	1492	9.5E+00	5	1.75E-02
1493	1493	9.0E+00	5	1.65E-02
1494	1494	8.4E+00	5	1.55E-02
1495	1495	7.8E+00	5	1.44E-02
1496	1496	7.2E+00	5	1.32E-02
1497	1497	6.6E+00	5	1.20E-02
1498	1498	5.9E+00	5	1.09E-02
1499	1499	5.4E+00	5	9.80E-03
1500	1500	4.8E+00	5	8.80E-03
1501	1501	4.3E+00	5	7.90E-03
1502	1502	3.9E+00	5	7.09E-03
1503	1503	3.5E+00	5	6.37E-03
1504	1504	3.2E+00	5	5.75E-03
1505	1505	2.9E+00	5	5.22E-03
1506	1506	1.1E+01	5	1.96E-02
1507	1507	1.1E+01	5	1.96E-02
1508	1508	1.1E+01	5	1.95E-02
1509	1509	1.1E+01	5	1.95E-02
1510	1510	1.1E+01	5	1.94E-02
1511	1511	1.1E+01	5	1.93E-02
1512	1512	1.1E+01	5	1.93E-02
1513	1513	1.0E+01	5	1.92E-02
1514	1514	1.0E+01	5	1.89E-02
1515	1515	1.0E+01	5	1.85E-02
1516	1516	9.9E+00	5	1.81E-02
1517	1517	9.6E+00	5	1.76E-02
1518	1518	9.3E+00	5	1.70E-02
1519	1519	8.9E+00	5	1.63E-02
1520	1520	8.5E+00	5	1.56E-02
1521	1521	8.1E+00	5	1.48E-02
1522	1522	7.6E+00	5	1.39E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1523	1523	7.1E+00	5	1.30E-02
1524	1524	6.6E+00	5	1.20E-02
1525	1525	6.0E+00	5	1.10E-02
1526	1526	5.5E+00	5	1.00E-02
1527	1527	5.0E+00	5	9.12E-03
1528	1528	4.5E+00	5	8.26E-03
1529	1529	4.1E+00	5	7.47E-03
1530	1530	3.7E+00	5	6.74E-03
1531	1531	3.3E+00	5	6.10E-03
1532	1532	3.0E+00	5	5.54E-03
1533	1533	2.8E+00	5	5.04E-03
1534	1534	9.5E+00	5	1.74E-02
1535	1535	9.5E+00	5	1.74E-02
1536	1536	9.5E+00	5	1.74E-02
1537	1537	9.5E+00	5	1.74E-02
1538	1538	9.5E+00	5	1.74E-02
1539	1539	9.5E+00	5	1.73E-02
1540	1540	9.4E+00	5	1.73E-02
1541	1541	9.4E+00	5	1.72E-02
1542	1542	9.2E+00	5	1.69E-02
1543	1543	9.1E+00	5	1.66E-02
1544	1544	8.9E+00	5	1.62E-02
1545	1545	8.6E+00	5	1.58E-02
1546	1546	8.3E+00	5	1.53E-02
1547	1547	8.0E+00	5	1.47E-02
1548	1548	7.7E+00	5	1.40E-02
1549	1549	7.3E+00	5	1.34E-02
1550	1550	6.9E+00	5	1.26E-02
1551	1551	6.4E+00	5	1.18E-02
1552	1552	6.0E+00	5	1.10E-02
1553	1553	5.5E+00	5	1.01E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1554	1554	5.1E+00	5	9.31E-03
1555	1555	4.7E+00	5	8.52E-03
1556	1556	4.2E+00	5	7.76E-03
1557	1557	3.9E+00	5	7.06E-03
1558	1558	3.5E+00	5	6.42E-03
1559	1559	3.2E+00	5	5.84E-03
1560	1560	2.9E+00	5	5.33E-03
1561	1561	2.7E+00	5	4.87E-03
1562	1562	8.5E+00	5	1.56E-02
1563	1563	8.5E+00	5	1.56E-02
1564	1564	8.5E+00	5	1.56E-02
1565	1565	8.5E+00	5	1.56E-02
1566	1566	8.5E+00	5	1.56E-02
1567	1567	8.5E+00	5	1.56E-02
1568	1568	8.5E+00	5	1.56E-02
1569	1569	8.4E+00	5	1.55E-02
1570	1570	8.3E+00	5	1.53E-02
1571	1571	8.2E+00	5	1.50E-02
1572	1572	8.0E+00	5	1.46E-02
1573	1573	7.8E+00	5	1.42E-02
1574	1574	7.5E+00	5	1.38E-02
1575	1575	7.3E+00	5	1.33E-02
1576	1576	7.0E+00	5	1.27E-02
1577	1577	6.6E+00	5	1.21E-02
1578	1578	6.3E+00	5	1.15E-02
1579	1579	5.9E+00	5	1.08E-02
1580	1580	5.5E+00	5	1.01E-02
1581	1581	5.1E+00	5	9.39E-03
1582	1582	4.7E+00	5	8.67E-03
1583	1583	4.4E+00	5	7.98E-03
1584	1584	4.0E+00	5	7.32E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1585	1585	3.7E+00	5	6.70E-03
1586	1586	3.4E+00	5	6.12E-03
1587	1587	3.1E+00	5	5.60E-03
1588	1588	2.8E+00	5	5.13E-03
1589	1589	2.6E+00	5	4.71E-03
1590	1590	7.7E+00	5	1.41E-02
1591	1591	7.7E+00	5	1.41E-02
1592	1592	7.7E+00	5	1.41E-02
1593	1593	7.7E+00	5	1.40E-02
1594	1594	7.7E+00	5	1.41E-02
1595	1595	7.7E+00	5	1.41E-02
0	0	0.0E+00	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million		
1213	1.59495	5.41E-05	8.6E-05	6.05E-04	5.22E-08	5.48E-02	4.71E-02	1.35E-10	1.0E+06	1.3E-04		
1214	7.03161	5.41E-05	3.8E-04	6.05E-04	2.30E-07	5.48E-02	4.71E-02	5.94E-10	1.0E+06	5.9E-04	Res	
1215	5.89693	5.41E-05	3.2E-04	6.05E-04	1.93E-07	5.48E-02	4.71E-02	4.98E-10	1.0E+06	5.0E-04		
1216	5.02303	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.24E-10	1.0E+06	4.2E-04		
1217	4.33808	5.41E-05	2.3E-04	6.05E-04	1.42E-07	5.48E-02	4.71E-02	3.67E-10	1.0E+06	3.7E-04		
1218	3.7882	5.41E-05	2.0E-04	6.05E-04	1.24E-07	5.48E-02	4.71E-02	3.20E-10	1.0E+06	3.2E-04		
1219	3.34097	5.41E-05	1.8E-04	6.05E-04	1.09E-07	5.48E-02	4.71E-02	2.82E-10	1.0E+06	2.8E-04		
1220	2.97174	5.41E-05	1.6E-04	6.05E-04	9.72E-08	5.48E-02	4.71E-02	2.51E-10	1.0E+06	2.5E-04		
1221	2.66332	5.41E-05	1.4E-04	6.05E-04	8.71E-08	5.48E-02	4.71E-02	2.25E-10	1.0E+06	2.3E-04		
1222	2.40255	5.41E-05	1.3E-04	6.05E-04	7.86E-08	5.48E-02	4.71E-02	2.03E-10	1.0E+06	2.0E-04		
1223	2.18201	5.41E-05	1.2E-04	6.05E-04	7.14E-08	5.48E-02	4.71E-02	1.84E-10	1.0E+06	1.8E-04		
1224	1.99166	5.41E-05	1.1E-04	6.05E-04	6.51E-08	5.48E-02	4.71E-02	1.68E-10	1.0E+06	1.7E-04		
1225	1.82652	5.41E-05	9.9E-05	6.05E-04	5.97E-08	5.48E-02	4.71E-02	1.54E-10	1.0E+06	1.5E-04		
1226	1.68223	5.41E-05	9.1E-05	6.05E-04	5.50E-08	5.48E-02	4.71E-02	1.42E-10	1.0E+06	1.4E-04		
1227	1.55508	5.41E-05	8.4E-05	6.05E-04	5.09E-08	5.48E-02	4.71E-02	1.31E-10	1.0E+06	1.3E-04		
1228	7.81928	5.41E-05	4.2E-04	6.05E-04	2.56E-07	5.48E-02	4.71E-02	6.61E-10	1.0E+06	6.6E-04		
1229	6.37384	5.41E-05	3.4E-04	6.05E-04	2.08E-07	5.48E-02	4.71E-02	5.38E-10	1.0E+06	5.4E-04		
1230	5.32173	5.41E-05	2.9E-04	6.05E-04	1.74E-07	5.48E-02	4.71E-02	4.50E-10	1.0E+06	4.5E-04		
1231	4.53088	5.41E-05	2.4E-04	6.05E-04	1.48E-07	5.48E-02	4.71E-02	3.83E-10	1.0E+06	3.8E-04		
1232	3.91123	5.41E-05	2.1E-04	6.05E-04	1.28E-07	5.48E-02	4.71E-02	3.30E-10	1.0E+06	3.3E-04		
1233	3.41912	5.41E-05	1.8E-04	6.05E-04	1.12E-07	5.48E-02	4.71E-02	2.89E-10	1.0E+06	2.9E-04		
1234	3.02139	5.41E-05	1.6E-04	6.05E-04	9.88E-08	5.48E-02	4.71E-02	2.55E-10	1.0E+06	2.6E-04		
1235	2.69416	5.41E-05	1.5E-04	6.05E-04	8.81E-08	5.48E-02	4.71E-02	2.28E-10	1.0E+06	2.3E-04		
1236	2.42062	5.41E-05	1.3E-04	6.05E-04	7.92E-08	5.48E-02	4.71E-02	2.05E-10	1.0E+06	2.0E-04		
1237	2.19205	5.41E-05	1.2E-04	6.05E-04	7.17E-08	5.48E-02	4.71E-02	1.85E-10	1.0E+06	1.9E-04		
1238	1.99681	5.41E-05	1.1E-04	6.05E-04	6.53E-08	5.48E-02	4.71E-02	1.69E-10	1.0E+06	1.7E-04		
1239	1.8282	5.41E-05	9.9E-05	6.05E-04	5.98E-08	5.48E-02	4.71E-02	1.54E-10	1.0E+06	1.5E-04		
1240	1.6816	5.41E-05	9.1E-05	6.05E-04	5.50E-08	5.48E-02	4.71E-02	1.42E-10	1.0E+06	1.4E-04		
1241	1.55308	5.41E-05	8.4E-05	6.05E-04	5.08E-08	5.48E-02	4.71E-02	1.31E-10	1.0E+06	1.3E-04		
1242	6.64204	5.41E-05	3.6E-04	6.05E-04	2.17E-07	5.48E-02	4.71E-02	5.61E-10	1.0E+06	5.6E-04		
1243	6.7965	5.41E-05	3.7E-04	6.05E-04	2.22E-07	5.48E-02	4.71E-02	5.74E-10	1.0E+06	5.7E-04		

	Max	Receptor #
Res	0.001	1369

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	5.57115	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.71E-10	1.0E+06	4.7E-04
1245	4.68059	5.41E-05	2.5E-04	6.05E-04	1.53E-07	5.48E-02	4.71E-02	3.95E-10	1.0E+06	4.0E-04
1246	3.99862	5.41E-05	2.2E-04	6.05E-04	1.31E-07	5.48E-02	4.71E-02	3.38E-10	1.0E+06	3.4E-04
1247	3.46821	5.41E-05	1.9E-04	6.05E-04	1.13E-07	5.48E-02	4.71E-02	2.93E-10	1.0E+06	2.9E-04
1248	3.04732	5.41E-05	1.6E-04	6.05E-04	9.97E-08	5.48E-02	4.71E-02	2.57E-10	1.0E+06	2.6E-04
1249	2.70598	5.41E-05	1.5E-04	6.05E-04	8.85E-08	5.48E-02	4.71E-02	2.29E-10	1.0E+06	2.3E-04
1250	2.42339	5.41E-05	1.3E-04	6.05E-04	7.93E-08	5.48E-02	4.71E-02	2.05E-10	1.0E+06	2.0E-04
1251	2.19019	5.41E-05	1.2E-04	6.05E-04	7.16E-08	5.48E-02	4.71E-02	1.85E-10	1.0E+06	1.9E-04
1252	1.99211	5.41E-05	1.1E-04	6.05E-04	6.52E-08	5.48E-02	4.71E-02	1.68E-10	1.0E+06	1.7E-04
1253	1.82183	5.41E-05	9.8E-05	6.05E-04	5.96E-08	5.48E-02	4.71E-02	1.54E-10	1.0E+06	1.5E-04
1254	1.67448	5.41E-05	9.1E-05	6.05E-04	5.48E-08	5.48E-02	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1255	1.5457	5.41E-05	8.4E-05	6.05E-04	5.06E-08	5.48E-02	4.71E-02	1.31E-10	1.0E+06	1.3E-04
1256	6.77302	5.41E-05	3.7E-04	6.05E-04	2.22E-07	5.48E-02	4.71E-02	5.72E-10	1.0E+06	5.7E-04
1257	7.1365	5.41E-05	3.9E-04	6.05E-04	2.33E-07	5.48E-02	4.71E-02	6.03E-10	1.0E+06	6.0E-04
1258	5.7585	5.41E-05	3.1E-04	6.05E-04	1.88E-07	5.48E-02	4.71E-02	4.87E-10	1.0E+06	4.9E-04
1259	4.78032	5.41E-05	2.6E-04	6.05E-04	1.56E-07	5.48E-02	4.71E-02	4.04E-10	1.0E+06	4.0E-04
1260	4.04669	5.41E-05	2.2E-04	6.05E-04	1.32E-07	5.48E-02	4.71E-02	3.42E-10	1.0E+06	3.4E-04
1261	3.48821	5.41E-05	1.9E-04	6.05E-04	1.14E-07	5.48E-02	4.71E-02	2.95E-10	1.0E+06	2.9E-04
1262	3.05075	5.41E-05	1.6E-04	6.05E-04	9.98E-08	5.48E-02	4.71E-02	2.58E-10	1.0E+06	2.6E-04
1263	2.6997	5.41E-05	1.5E-04	6.05E-04	8.83E-08	5.48E-02	4.71E-02	2.28E-10	1.0E+06	2.3E-04
1264	2.41147	5.41E-05	1.3E-04	6.05E-04	7.89E-08	5.48E-02	4.71E-02	2.04E-10	1.0E+06	2.0E-04
1265	2.176	5.41E-05	1.2E-04	6.05E-04	7.12E-08	5.48E-02	4.71E-02	1.84E-10	1.0E+06	1.8E-04
1266	1.97693	5.41E-05	1.1E-04	6.05E-04	6.47E-08	5.48E-02	4.71E-02	1.67E-10	1.0E+06	1.7E-04
1267	1.80644	5.41E-05	9.8E-05	6.05E-04	5.91E-08	5.48E-02	4.71E-02	1.53E-10	1.0E+06	1.5E-04
1268	1.65921	5.41E-05	9.0E-05	6.05E-04	5.43E-08	5.48E-02	4.71E-02	1.40E-10	1.0E+06	1.4E-04
1269	1.53087	5.41E-05	8.3E-05	6.05E-04	5.01E-08	5.48E-02	4.71E-02	1.29E-10	1.0E+06	1.3E-04
1270	6.83387	5.41E-05	3.7E-04	6.05E-04	2.24E-07	5.48E-02	4.71E-02	5.77E-10	1.0E+06	5.8E-04
1271	5.60152	5.41E-05	3.0E-04	6.05E-04	1.83E-07	5.48E-02	4.71E-02	4.73E-10	1.0E+06	4.7E-04
1272	5.86816	5.41E-05	3.2E-04	6.05E-04	1.92E-07	5.48E-02	4.71E-02	4.96E-10	1.0E+06	5.0E-04
1273	4.82621	5.41E-05	2.6E-04	6.05E-04	1.58E-07	5.48E-02	4.71E-02	4.08E-10	1.0E+06	4.1E-04
1274	4.05897	5.41E-05	2.2E-04	6.05E-04	1.33E-07	5.48E-02	4.71E-02	3.43E-10	1.0E+06	3.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	3.48275	5.41E-05	1.9E-04	6.05E-04	1.14E-07	5.48E-02	4.71E-02	2.94E-10	1.0E+06	2.9E-04
1276	3.03491	5.41E-05	1.6E-04	6.05E-04	9.93E-08	5.48E-02	4.71E-02	2.56E-10	1.0E+06	2.6E-04
1277	2.67743	5.41E-05	1.4E-04	6.05E-04	8.76E-08	5.48E-02	4.71E-02	2.26E-10	1.0E+06	2.3E-04
1278	2.3858	5.41E-05	1.3E-04	6.05E-04	7.80E-08	5.48E-02	4.71E-02	2.02E-10	1.0E+06	2.0E-04
1279	2.14971	5.41E-05	1.2E-04	6.05E-04	7.03E-08	5.48E-02	4.71E-02	1.82E-10	1.0E+06	1.8E-04
1280	1.95117	5.41E-05	1.1E-04	6.05E-04	6.38E-08	5.48E-02	4.71E-02	1.65E-10	1.0E+06	1.6E-04
1281	1.78152	5.41E-05	9.6E-05	6.05E-04	5.83E-08	5.48E-02	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1282	1.63497	5.41E-05	8.8E-05	6.05E-04	5.35E-08	5.48E-02	4.71E-02	1.38E-10	1.0E+06	1.4E-04
1283	1.50767	5.41E-05	8.1E-05	6.05E-04	4.93E-08	5.48E-02	4.71E-02	1.27E-10	1.0E+06	1.3E-04
1284	6.90368	5.41E-05	3.7E-04	6.05E-04	2.26E-07	5.48E-02	4.71E-02	5.83E-10	1.0E+06	5.8E-04
1285	7.4155	5.41E-05	4.0E-04	6.05E-04	2.43E-07	5.48E-02	4.71E-02	6.26E-10	1.0E+06	6.3E-04
1286	5.87683	5.41E-05	3.2E-04	6.05E-04	1.92E-07	5.48E-02	4.71E-02	4.97E-10	1.0E+06	5.0E-04
1287	4.81258	5.41E-05	2.6E-04	6.05E-04	1.57E-07	5.48E-02	4.71E-02	4.07E-10	1.0E+06	4.1E-04
1288	4.02974	5.41E-05	2.2E-04	6.05E-04	1.32E-07	5.48E-02	4.71E-02	3.40E-10	1.0E+06	3.4E-04
1289	3.44772	5.41E-05	1.9E-04	6.05E-04	1.13E-07	5.48E-02	4.71E-02	2.91E-10	1.0E+06	2.9E-04
1290	2.99723	5.41E-05	1.6E-04	6.05E-04	9.80E-08	5.48E-02	4.71E-02	2.53E-10	1.0E+06	2.5E-04
1291	2.63885	5.41E-05	1.4E-04	6.05E-04	8.63E-08	5.48E-02	4.71E-02	2.23E-10	1.0E+06	2.2E-04
1292	2.34806	5.41E-05	1.3E-04	6.05E-04	7.68E-08	5.48E-02	4.71E-02	1.98E-10	1.0E+06	2.0E-04
1293	2.11415	5.41E-05	1.1E-04	6.05E-04	6.91E-08	5.48E-02	4.71E-02	1.79E-10	1.0E+06	1.8E-04
1294	1.91802	5.41E-05	1.0E-04	6.05E-04	6.27E-08	5.48E-02	4.71E-02	1.62E-10	1.0E+06	1.6E-04
1295	1.75064	5.41E-05	9.5E-05	6.05E-04	5.73E-08	5.48E-02	4.71E-02	1.48E-10	1.0E+06	1.5E-04
1296	1.60618	5.41E-05	8.7E-05	6.05E-04	5.25E-08	5.48E-02	4.71E-02	1.36E-10	1.0E+06	1.4E-04
1297	1.48086	5.41E-05	8.0E-05	6.05E-04	4.84E-08	5.48E-02	4.71E-02	1.25E-10	1.0E+06	1.3E-04
1298	5.23101	5.41E-05	2.8E-04	6.05E-04	1.71E-07	5.48E-02	4.71E-02	4.42E-10	1.0E+06	4.4E-04
1299	7.27933	5.41E-05	3.9E-04	6.05E-04	2.38E-07	5.48E-02	4.71E-02	6.15E-10	1.0E+06	6.1E-04
1300	5.78741	5.41E-05	3.1E-04	6.05E-04	1.89E-07	5.48E-02	4.71E-02	4.89E-10	1.0E+06	4.9E-04
1301	4.73601	5.41E-05	2.6E-04	6.05E-04	1.55E-07	5.48E-02	4.71E-02	4.00E-10	1.0E+06	4.0E-04
1302	3.95968	5.41E-05	2.1E-04	6.05E-04	1.30E-07	5.48E-02	4.71E-02	3.35E-10	1.0E+06	3.3E-04
1303	3.38355	5.41E-05	1.8E-04	6.05E-04	1.11E-07	5.48E-02	4.71E-02	2.86E-10	1.0E+06	2.9E-04
1304	2.93894	5.41E-05	1.6E-04	6.05E-04	9.61E-08	5.48E-02	4.71E-02	2.48E-10	1.0E+06	2.5E-04
1305	2.58555	5.41E-05	1.4E-04	6.05E-04	8.46E-08	5.48E-02	4.71E-02	2.18E-10	1.0E+06	2.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	6.90601	5.41E-05	3.7E-04	6.05E-04	2.26E-07	5.48E-02	4.71E-02	5.83E-10	1.0E+06	5.8E-04
1307	7.00836	5.41E-05	3.8E-04	6.05E-04	2.29E-07	5.48E-02	4.71E-02	5.92E-10	1.0E+06	5.9E-04
1308	5.59054	5.41E-05	3.0E-04	6.05E-04	1.83E-07	5.48E-02	4.71E-02	4.72E-10	1.0E+06	4.7E-04
1309	4.58256	5.41E-05	2.5E-04	6.05E-04	1.50E-07	5.48E-02	4.71E-02	3.87E-10	1.0E+06	3.9E-04
1310	3.83771	5.41E-05	2.1E-04	6.05E-04	1.26E-07	5.48E-02	4.71E-02	3.24E-10	1.0E+06	3.2E-04
1311	3.28282	5.41E-05	1.8E-04	6.05E-04	1.07E-07	5.48E-02	4.71E-02	2.77E-10	1.0E+06	2.8E-04
1312	2.85586	5.41E-05	1.5E-04	6.05E-04	9.34E-08	5.48E-02	4.71E-02	2.41E-10	1.0E+06	2.4E-04
1313	2.51755	5.41E-05	1.4E-04	6.05E-04	8.23E-08	5.48E-02	4.71E-02	2.13E-10	1.0E+06	2.1E-04
1314	6.21209	5.41E-05	3.4E-04	6.05E-04	2.03E-07	5.48E-02	4.71E-02	5.25E-10	1.0E+06	5.2E-04
1315	6.66398	5.41E-05	3.6E-04	6.05E-04	2.18E-07	5.48E-02	4.71E-02	5.63E-10	1.0E+06	5.6E-04
1316	5.33194	5.41E-05	2.9E-04	6.05E-04	1.74E-07	5.48E-02	4.71E-02	4.50E-10	1.0E+06	4.5E-04
1317	4.38832	5.41E-05	2.4E-04	6.05E-04	1.44E-07	5.48E-02	4.71E-02	3.71E-10	1.0E+06	3.7E-04
1318	3.69074	5.41E-05	2.0E-04	6.05E-04	1.21E-07	5.48E-02	4.71E-02	3.12E-10	1.0E+06	3.1E-04
1319	3.16744	5.41E-05	1.7E-04	6.05E-04	1.04E-07	5.48E-02	4.71E-02	2.68E-10	1.0E+06	2.7E-04
1320	2.76307	5.41E-05	1.5E-04	6.05E-04	9.04E-08	5.48E-02	4.71E-02	2.33E-10	1.0E+06	2.3E-04
1321	2.4428	5.41E-05	1.3E-04	6.05E-04	7.99E-08	5.48E-02	4.71E-02	2.06E-10	1.0E+06	2.1E-04
1322	5.61822	5.41E-05	3.0E-04	6.05E-04	1.84E-07	5.48E-02	4.71E-02	4.75E-10	1.0E+06	4.7E-04
1323	6.22312	5.41E-05	3.4E-04	6.05E-04	2.04E-07	5.48E-02	4.71E-02	5.26E-10	1.0E+06	5.3E-04
1324	5.02891	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.25E-10	1.0E+06	4.2E-04
1325	4.1691	5.41E-05	2.3E-04	6.05E-04	1.36E-07	5.48E-02	4.71E-02	3.52E-10	1.0E+06	3.5E-04
1326	3.52968	5.41E-05	1.9E-04	6.05E-04	1.15E-07	5.48E-02	4.71E-02	2.98E-10	1.0E+06	3.0E-04
1327	3.04297	5.41E-05	1.6E-04	6.05E-04	9.95E-08	5.48E-02	4.71E-02	2.57E-10	1.0E+06	2.6E-04
1328	2.66486	5.41E-05	1.4E-04	6.05E-04	8.72E-08	5.48E-02	4.71E-02	2.25E-10	1.0E+06	2.3E-04
1329	2.36452	5.41E-05	1.3E-04	6.05E-04	7.73E-08	5.48E-02	4.71E-02	2.00E-10	1.0E+06	2.0E-04
1330	5.12202	5.41E-05	2.8E-04	6.05E-04	1.68E-07	5.48E-02	4.71E-02	4.33E-10	1.0E+06	4.3E-04
1331	5.74991	5.41E-05	3.1E-04	6.05E-04	1.88E-07	5.48E-02	4.71E-02	4.86E-10	1.0E+06	4.9E-04
1332	4.72255	5.41E-05	2.6E-04	6.05E-04	1.54E-07	5.48E-02	4.71E-02	3.99E-10	1.0E+06	4.0E-04
1333	3.95908	5.41E-05	2.1E-04	6.05E-04	1.29E-07	5.48E-02	4.71E-02	3.34E-10	1.0E+06	3.3E-04
1334	3.37577	5.41E-05	1.8E-04	6.05E-04	1.10E-07	5.48E-02	4.71E-02	2.85E-10	1.0E+06	2.9E-04
1335	2.92522	5.41E-05	1.6E-04	6.05E-04	9.57E-08	5.48E-02	4.71E-02	2.47E-10	1.0E+06	2.5E-04
1336	2.57089	5.41E-05	1.4E-04	6.05E-04	8.41E-08	5.48E-02	4.71E-02	2.17E-10	1.0E+06	2.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	2.28671	5.41E-05	1.2E-04	6.05E-04	7.48E-08	5.48E-02	4.71E-02	1.93E-10	1.0E+06	1.9E-04
1338	14.44226	5.41E-05	7.8E-04	6.05E-04	4.72E-07	5.48E-02	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1339	14.24991	5.41E-05	7.7E-04	6.05E-04	4.66E-07	5.48E-02	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1340	12.51126	5.41E-05	6.8E-04	6.05E-04	4.09E-07	5.48E-02	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1341	12.34966	5.41E-05	6.7E-04	6.05E-04	4.04E-07	5.48E-02	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1342	14.19703	5.41E-05	7.7E-04	6.05E-04	4.64E-07	5.48E-02	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1343	13.96515	5.41E-05	7.5E-04	6.05E-04	4.57E-07	5.48E-02	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1344	12.18172	5.41E-05	6.6E-04	6.05E-04	3.98E-07	5.48E-02	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1345	11.95555	5.41E-05	6.5E-04	6.05E-04	3.91E-07	5.48E-02	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1346	13.62952	5.41E-05	7.4E-04	6.05E-04	4.46E-07	5.48E-02	4.71E-02	1.15E-09	1.0E+06	1.2E-03
1347	13.24666	5.41E-05	7.2E-04	6.05E-04	4.33E-07	5.48E-02	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1348	11.23777	5.41E-05	6.1E-04	6.05E-04	3.68E-07	5.48E-02	4.71E-02	9.49E-10	1.0E+06	9.5E-04
1349	10.70262	5.41E-05	5.8E-04	6.05E-04	3.50E-07	5.48E-02	4.71E-02	9.04E-10	1.0E+06	9.0E-04
1350	11.95984	5.41E-05	6.5E-04	6.05E-04	3.91E-07	5.48E-02	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1351	11.12101	5.41E-05	6.0E-04	6.05E-04	3.64E-07	5.48E-02	4.71E-02	9.40E-10	1.0E+06	9.4E-04
1352	8.64404	5.41E-05	4.7E-04	6.05E-04	2.83E-07	5.48E-02	4.71E-02	7.30E-10	1.0E+06	7.3E-04
1353	7.70079	5.41E-05	4.2E-04	6.05E-04	2.52E-07	5.48E-02	4.71E-02	6.51E-10	1.0E+06	6.5E-04
1354	8.55757	5.41E-05	4.6E-04	6.05E-04	2.80E-07	5.48E-02	4.71E-02	7.23E-10	1.0E+06	7.2E-04
1355	7.31883	5.41E-05	4.0E-04	6.05E-04	2.39E-07	5.48E-02	4.71E-02	6.18E-10	1.0E+06	6.2E-04
1356	6.29278	5.41E-05	3.4E-04	6.05E-04	2.06E-07	5.48E-02	4.71E-02	5.32E-10	1.0E+06	5.3E-04
1357	5.43099	5.41E-05	2.9E-04	6.05E-04	1.78E-07	5.48E-02	4.71E-02	4.59E-10	1.0E+06	4.6E-04
1358	6.36921	5.41E-05	3.4E-04	6.05E-04	2.08E-07	5.48E-02	4.71E-02	5.38E-10	1.0E+06	5.4E-04
1359	5.27003	5.41E-05	2.8E-04	6.05E-04	1.72E-07	5.48E-02	4.71E-02	4.45E-10	1.0E+06	4.5E-04
1360	4.41219	5.41E-05	2.4E-04	6.05E-04	1.44E-07	5.48E-02	4.71E-02	3.73E-10	1.0E+06	3.7E-04
1361	3.7458	5.41E-05	2.0E-04	6.05E-04	1.23E-07	5.48E-02	4.71E-02	3.16E-10	1.0E+06	3.2E-04
1362	3.22113	5.41E-05	1.7E-04	6.05E-04	1.05E-07	5.48E-02	4.71E-02	2.72E-10	1.0E+06	2.7E-04
1363	2.80753	5.41E-05	1.5E-04	6.05E-04	9.18E-08	5.48E-02	4.71E-02	2.37E-10	1.0E+06	2.4E-04
1364	2.47727	5.41E-05	1.3E-04	6.05E-04	8.10E-08	5.48E-02	4.71E-02	2.09E-10	1.0E+06	2.1E-04
1365	2.20985	5.41E-05	1.2E-04	6.05E-04	7.23E-08	5.48E-02	4.71E-02	1.87E-10	1.0E+06	1.9E-04
1366	12.36115	5.41E-05	6.7E-04	6.05E-04	4.04E-07	5.48E-02	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1367	12.2004	5.41E-05	6.6E-04	6.05E-04	3.99E-07	5.48E-02	4.71E-02	1.03E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	12.28915	5.41E-05	6.6E-04	6.05E-04	4.02E-07	5.48E-02	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1369	14.48134	5.41E-05	7.8E-04	6.05E-04	4.74E-07	5.48E-02	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1370	12.11849	5.41E-05	6.6E-04	6.05E-04	3.96E-07	5.48E-02	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1371	11.93785	5.41E-05	6.5E-04	6.05E-04	3.90E-07	5.48E-02	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1372	14.21824	5.41E-05	7.7E-04	6.05E-04	4.65E-07	5.48E-02	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1373	14.09422	5.41E-05	7.6E-04	6.05E-04	4.61E-07	5.48E-02	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1374	11.61469	5.41E-05	6.3E-04	6.05E-04	3.80E-07	5.48E-02	4.71E-02	9.81E-10	1.0E+06	9.8E-04
1375	11.28398	5.41E-05	6.1E-04	6.05E-04	3.69E-07	5.48E-02	4.71E-02	9.53E-10	1.0E+06	9.5E-04
1376	13.30315	5.41E-05	7.2E-04	6.05E-04	4.35E-07	5.48E-02	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1377	12.92905	5.41E-05	7.0E-04	6.05E-04	4.23E-07	5.48E-02	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1378	10.21298	5.41E-05	5.5E-04	6.05E-04	3.34E-07	5.48E-02	4.71E-02	8.63E-10	1.0E+06	8.6E-04
1379	9.56154	5.41E-05	5.2E-04	6.05E-04	3.13E-07	5.48E-02	4.71E-02	8.08E-10	1.0E+06	8.1E-04
1380	11.21617	5.41E-05	6.1E-04	6.05E-04	3.67E-07	5.48E-02	4.71E-02	9.48E-10	1.0E+06	9.5E-04
1381	10.49217	5.41E-05	5.7E-04	6.05E-04	3.43E-07	5.48E-02	4.71E-02	8.86E-10	1.0E+06	8.9E-04
1382	7.49177	5.41E-05	4.0E-04	6.05E-04	2.45E-07	5.48E-02	4.71E-02	6.33E-10	1.0E+06	6.3E-04
1383	6.52159	5.41E-05	3.5E-04	6.05E-04	2.13E-07	5.48E-02	4.71E-02	5.51E-10	1.0E+06	5.5E-04
1384	7.76548	5.41E-05	4.2E-04	6.05E-04	2.54E-07	5.48E-02	4.71E-02	6.56E-10	1.0E+06	6.6E-04
1385	6.69215	5.41E-05	3.6E-04	6.05E-04	2.19E-07	5.48E-02	4.71E-02	5.65E-10	1.0E+06	5.7E-04
1386	5.6875	5.41E-05	3.1E-04	6.05E-04	1.86E-07	5.48E-02	4.71E-02	4.81E-10	1.0E+06	4.8E-04
1387	4.82388	5.41E-05	2.6E-04	6.05E-04	1.58E-07	5.48E-02	4.71E-02	4.08E-10	1.0E+06	4.1E-04
1388	4.11419	5.41E-05	2.2E-04	6.05E-04	1.35E-07	5.48E-02	4.71E-02	3.48E-10	1.0E+06	3.5E-04
1389	3.53838	5.41E-05	1.9E-04	6.05E-04	1.16E-07	5.48E-02	4.71E-02	2.99E-10	1.0E+06	3.0E-04
1390	3.0699	5.41E-05	1.7E-04	6.05E-04	1.00E-07	5.48E-02	4.71E-02	2.59E-10	1.0E+06	2.6E-04
1391	2.69242	5.41E-05	1.5E-04	6.05E-04	8.81E-08	5.48E-02	4.71E-02	2.27E-10	1.0E+06	2.3E-04
1392	2.38607	5.41E-05	1.3E-04	6.05E-04	7.80E-08	5.48E-02	4.71E-02	2.02E-10	1.0E+06	2.0E-04
1393	2.1349	5.41E-05	1.2E-04	6.05E-04	6.98E-08	5.48E-02	4.71E-02	1.80E-10	1.0E+06	1.8E-04
1394	12.346	5.41E-05	6.7E-04	6.05E-04	4.04E-07	5.48E-02	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1395	12.28184	5.41E-05	6.6E-04	6.05E-04	4.02E-07	5.48E-02	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1396	12.18985	5.41E-05	6.6E-04	6.05E-04	3.99E-07	5.48E-02	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1397	12.11207	5.41E-05	6.5E-04	6.05E-04	3.96E-07	5.48E-02	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1398	12.07276	5.41E-05	6.5E-04	6.05E-04	3.95E-07	5.48E-02	4.71E-02	1.02E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	11.98967	5.41E-05	6.5E-04	6.05E-04	3.92E-07	5.48E-02	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1400	11.91635	5.41E-05	6.4E-04	6.05E-04	3.90E-07	5.48E-02	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1401	11.81784	5.41E-05	6.4E-04	6.05E-04	3.87E-07	5.48E-02	4.71E-02	9.98E-10	1.0E+06	1.0E-03
1402	11.64922	5.41E-05	6.3E-04	6.05E-04	3.81E-07	5.48E-02	4.71E-02	9.84E-10	1.0E+06	9.8E-04
1403	11.4204	5.41E-05	6.2E-04	6.05E-04	3.74E-07	5.48E-02	4.71E-02	9.65E-10	1.0E+06	9.6E-04
1404	11.13768	5.41E-05	6.0E-04	6.05E-04	3.64E-07	5.48E-02	4.71E-02	9.41E-10	1.0E+06	9.4E-04
1405	10.81776	5.41E-05	5.8E-04	6.05E-04	3.54E-07	5.48E-02	4.71E-02	9.14E-10	1.0E+06	9.1E-04
1406	10.42788	5.41E-05	5.6E-04	6.05E-04	3.41E-07	5.48E-02	4.71E-02	8.81E-10	1.0E+06	8.8E-04
1407	9.96195	5.41E-05	5.4E-04	6.05E-04	3.26E-07	5.48E-02	4.71E-02	8.42E-10	1.0E+06	8.4E-04
1408	9.4316	5.41E-05	5.1E-04	6.05E-04	3.08E-07	5.48E-02	4.71E-02	7.97E-10	1.0E+06	8.0E-04
1409	8.84146	5.41E-05	4.8E-04	6.05E-04	2.89E-07	5.48E-02	4.71E-02	7.47E-10	1.0E+06	7.5E-04
1410	8.19048	5.41E-05	4.4E-04	6.05E-04	2.68E-07	5.48E-02	4.71E-02	6.92E-10	1.0E+06	6.9E-04
1411	7.47061	5.41E-05	4.0E-04	6.05E-04	2.44E-07	5.48E-02	4.71E-02	6.31E-10	1.0E+06	6.3E-04
1412	6.68789	5.41E-05	3.6E-04	6.05E-04	2.19E-07	5.48E-02	4.71E-02	5.65E-10	1.0E+06	5.7E-04
1413	5.88345	5.41E-05	3.2E-04	6.05E-04	1.92E-07	5.48E-02	4.71E-02	4.97E-10	1.0E+06	5.0E-04
1414	5.11395	5.41E-05	2.8E-04	6.05E-04	1.67E-07	5.48E-02	4.71E-02	4.32E-10	1.0E+06	4.3E-04
1415	4.42675	5.41E-05	2.4E-04	6.05E-04	1.45E-07	5.48E-02	4.71E-02	3.74E-10	1.0E+06	3.7E-04
1416	3.83844	5.41E-05	2.1E-04	6.05E-04	1.26E-07	5.48E-02	4.71E-02	3.24E-10	1.0E+06	3.2E-04
1417	3.34362	5.41E-05	1.8E-04	6.05E-04	1.09E-07	5.48E-02	4.71E-02	2.82E-10	1.0E+06	2.8E-04
1418	2.92615	5.41E-05	1.6E-04	6.05E-04	9.57E-08	5.48E-02	4.71E-02	2.47E-10	1.0E+06	2.5E-04
1419	2.58213	5.41E-05	1.4E-04	6.05E-04	8.45E-08	5.48E-02	4.71E-02	2.18E-10	1.0E+06	2.2E-04
1420	2.29833	5.41E-05	1.2E-04	6.05E-04	7.52E-08	5.48E-02	4.71E-02	1.94E-10	1.0E+06	1.9E-04
1421	2.06287	5.41E-05	1.1E-04	6.05E-04	6.75E-08	5.48E-02	4.71E-02	1.74E-10	1.0E+06	1.7E-04
1422	10.50365	5.41E-05	5.7E-04	6.05E-04	3.44E-07	5.48E-02	4.71E-02	8.87E-10	1.0E+06	8.9E-04
1423	10.44226	5.41E-05	5.6E-04	6.05E-04	3.42E-07	5.48E-02	4.71E-02	8.82E-10	1.0E+06	8.8E-04
1424	10.40176	5.41E-05	5.6E-04	6.05E-04	3.40E-07	5.48E-02	4.71E-02	8.79E-10	1.0E+06	8.8E-04
1425	10.34198	5.41E-05	5.6E-04	6.05E-04	3.38E-07	5.48E-02	4.71E-02	8.74E-10	1.0E+06	8.7E-04
1426	10.27209	5.41E-05	5.6E-04	6.05E-04	3.36E-07	5.48E-02	4.71E-02	8.68E-10	1.0E+06	8.7E-04
1427	10.21481	5.41E-05	5.5E-04	6.05E-04	3.34E-07	5.48E-02	4.71E-02	8.63E-10	1.0E+06	8.6E-04
1428	10.17818	5.41E-05	5.5E-04	6.05E-04	3.33E-07	5.48E-02	4.71E-02	8.60E-10	1.0E+06	8.6E-04
1429	10.09224	5.41E-05	5.5E-04	6.05E-04	3.30E-07	5.48E-02	4.71E-02	8.53E-10	1.0E+06	8.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	9.95224	5.41E-05	5.4E-04	6.05E-04	3.25E-07	5.48E-02	4.71E-02	8.41E-10	1.0E+06	8.4E-04
1431	9.75415	5.41E-05	5.3E-04	6.05E-04	3.19E-07	5.48E-02	4.71E-02	8.24E-10	1.0E+06	8.2E-04
1432	9.51455	5.41E-05	5.1E-04	6.05E-04	3.11E-07	5.48E-02	4.71E-02	8.04E-10	1.0E+06	8.0E-04
1433	9.23853	5.41E-05	5.0E-04	6.05E-04	3.02E-07	5.48E-02	4.71E-02	7.81E-10	1.0E+06	7.8E-04
1434	8.91293	5.41E-05	4.8E-04	6.05E-04	2.92E-07	5.48E-02	4.71E-02	7.53E-10	1.0E+06	7.5E-04
1435	8.52852	5.41E-05	4.6E-04	6.05E-04	2.79E-07	5.48E-02	4.71E-02	7.21E-10	1.0E+06	7.2E-04
1436	8.09239	5.41E-05	4.4E-04	6.05E-04	2.65E-07	5.48E-02	4.71E-02	6.84E-10	1.0E+06	6.8E-04
1437	7.60465	5.41E-05	4.1E-04	6.05E-04	2.49E-07	5.48E-02	4.71E-02	6.42E-10	1.0E+06	6.4E-04
1438	7.06747	5.41E-05	3.8E-04	6.05E-04	2.31E-07	5.48E-02	4.71E-02	5.97E-10	1.0E+06	6.0E-04
1439	6.48718	5.41E-05	3.5E-04	6.05E-04	2.12E-07	5.48E-02	4.71E-02	5.48E-10	1.0E+06	5.5E-04
1440	5.87044	5.41E-05	3.2E-04	6.05E-04	1.92E-07	5.48E-02	4.71E-02	4.96E-10	1.0E+06	5.0E-04
1441	5.24275	5.41E-05	2.8E-04	6.05E-04	1.71E-07	5.48E-02	4.71E-02	4.43E-10	1.0E+06	4.4E-04
1442	4.63406	5.41E-05	2.5E-04	6.05E-04	1.52E-07	5.48E-02	4.71E-02	3.92E-10	1.0E+06	3.9E-04
1443	4.077	5.41E-05	2.2E-04	6.05E-04	1.33E-07	5.48E-02	4.71E-02	3.44E-10	1.0E+06	3.4E-04
1444	3.58526	5.41E-05	1.9E-04	6.05E-04	1.17E-07	5.48E-02	4.71E-02	3.03E-10	1.0E+06	3.0E-04
1445	3.15895	5.41E-05	1.7E-04	6.05E-04	1.03E-07	5.48E-02	4.71E-02	2.67E-10	1.0E+06	2.7E-04
1446	2.78854	5.41E-05	1.5E-04	6.05E-04	9.12E-08	5.48E-02	4.71E-02	2.36E-10	1.0E+06	2.4E-04
1447	2.47615	5.41E-05	1.3E-04	6.05E-04	8.10E-08	5.48E-02	4.71E-02	2.09E-10	1.0E+06	2.1E-04
1448	2.21402	5.41E-05	1.2E-04	6.05E-04	7.24E-08	5.48E-02	4.71E-02	1.87E-10	1.0E+06	1.9E-04
1449	1.99358	5.41E-05	1.1E-04	6.05E-04	6.52E-08	5.48E-02	4.71E-02	1.68E-10	1.0E+06	1.7E-04
1450	9.07748	5.41E-05	4.9E-04	6.05E-04	2.97E-07	5.48E-02	4.71E-02	7.67E-10	1.0E+06	7.7E-04
1451	9.04116	5.41E-05	4.9E-04	6.05E-04	2.96E-07	5.48E-02	4.71E-02	7.64E-10	1.0E+06	7.6E-04
1452	8.98097	5.41E-05	4.9E-04	6.05E-04	2.94E-07	5.48E-02	4.71E-02	7.59E-10	1.0E+06	7.6E-04
1453	8.94477	5.41E-05	4.8E-04	6.05E-04	2.93E-07	5.48E-02	4.71E-02	7.56E-10	1.0E+06	7.6E-04
1454	8.89538	5.41E-05	4.8E-04	6.05E-04	2.91E-07	5.48E-02	4.71E-02	7.52E-10	1.0E+06	7.5E-04
1455	8.81344	5.41E-05	4.8E-04	6.05E-04	2.88E-07	5.48E-02	4.71E-02	7.45E-10	1.0E+06	7.4E-04
1456	8.81219	5.41E-05	4.8E-04	6.05E-04	2.88E-07	5.48E-02	4.71E-02	7.44E-10	1.0E+06	7.4E-04
1457	8.74796	5.41E-05	4.7E-04	6.05E-04	2.86E-07	5.48E-02	4.71E-02	7.39E-10	1.0E+06	7.4E-04
1458	8.63748	5.41E-05	4.7E-04	6.05E-04	2.82E-07	5.48E-02	4.71E-02	7.30E-10	1.0E+06	7.3E-04
1459	8.46454	5.41E-05	4.6E-04	6.05E-04	2.77E-07	5.48E-02	4.71E-02	7.15E-10	1.0E+06	7.2E-04
1460	8.25859	5.41E-05	4.5E-04	6.05E-04	2.70E-07	5.48E-02	4.71E-02	6.98E-10	1.0E+06	7.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

					Cancer Risk from 2to16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	8.0192	5.41E-05	4.3E-04	6.05E-04	2.62E-07	5.48E-02	4.71E-02	6.77E-10	1.0E+06	6.8E-04
1462	7.74318	5.41E-05	4.2E-04	6.05E-04	2.53E-07	5.48E-02	4.71E-02	6.54E-10	1.0E+06	6.5E-04
1463	7.42093	5.41E-05	4.0E-04	6.05E-04	2.43E-07	5.48E-02	4.71E-02	6.27E-10	1.0E+06	6.3E-04
1464	7.0564	5.41E-05	3.8E-04	6.05E-04	2.31E-07	5.48E-02	4.71E-02	5.96E-10	1.0E+06	6.0E-04
1465	6.64796	5.41E-05	3.6E-04	6.05E-04	2.17E-07	5.48E-02	4.71E-02	5.62E-10	1.0E+06	5.6E-04
1466	6.20134	5.41E-05	3.4E-04	6.05E-04	2.03E-07	5.48E-02	4.71E-02	5.24E-10	1.0E+06	5.2E-04
1467	5.7265	5.41E-05	3.1E-04	6.05E-04	1.87E-07	5.48E-02	4.71E-02	4.84E-10	1.0E+06	4.8E-04
1468	5.22772	5.41E-05	2.8E-04	6.05E-04	1.71E-07	5.48E-02	4.71E-02	4.42E-10	1.0E+06	4.4E-04
1469	4.7222	5.41E-05	2.6E-04	6.05E-04	1.54E-07	5.48E-02	4.71E-02	3.99E-10	1.0E+06	4.0E-04
1470	4.22861	5.41E-05	2.3E-04	6.05E-04	1.38E-07	5.48E-02	4.71E-02	3.57E-10	1.0E+06	3.6E-04
1471	3.76896	5.41E-05	2.0E-04	6.05E-04	1.23E-07	5.48E-02	4.71E-02	3.18E-10	1.0E+06	3.2E-04
1472	3.35396	5.41E-05	1.8E-04	6.05E-04	1.10E-07	5.48E-02	4.71E-02	2.83E-10	1.0E+06	2.8E-04
1473	2.9854	5.41E-05	1.6E-04	6.05E-04	9.76E-08	5.48E-02	4.71E-02	2.52E-10	1.0E+06	2.5E-04
1474	2.65684	5.41E-05	1.4E-04	6.05E-04	8.69E-08	5.48E-02	4.71E-02	2.24E-10	1.0E+06	2.2E-04
1475	2.37409	5.41E-05	1.3E-04	6.05E-04	7.76E-08	5.48E-02	4.71E-02	2.01E-10	1.0E+06	2.0E-04
1476	2.13251	5.41E-05	1.2E-04	6.05E-04	6.97E-08	5.48E-02	4.71E-02	1.80E-10	1.0E+06	1.8E-04
1477	1.9268	5.41E-05	1.0E-04	6.05E-04	6.30E-08	5.48E-02	4.71E-02	1.63E-10	1.0E+06	1.6E-04
1478	7.92156	5.41E-05	4.3E-04	6.05E-04	2.59E-07	5.48E-02	4.71E-02	6.69E-10	1.0E+06	6.7E-04
1479	7.91107	5.41E-05	4.3E-04	6.05E-04	2.59E-07	5.48E-02	4.71E-02	6.68E-10	1.0E+06	6.7E-04
1480	7.87829	5.41E-05	4.3E-04	6.05E-04	2.58E-07	5.48E-02	4.71E-02	6.66E-10	1.0E+06	6.7E-04
1481	7.83014	5.41E-05	4.2E-04	6.05E-04	2.56E-07	5.48E-02	4.71E-02	6.62E-10	1.0E+06	6.6E-04
1482	7.80911	5.41E-05	4.2E-04	6.05E-04	2.55E-07	5.48E-02	4.71E-02	6.60E-10	1.0E+06	6.6E-04
1483	7.75145	5.41E-05	4.2E-04	6.05E-04	2.54E-07	5.48E-02	4.71E-02	6.55E-10	1.0E+06	6.5E-04
1484	7.7494	5.41E-05	4.2E-04	6.05E-04	2.53E-07	5.48E-02	4.71E-02	6.55E-10	1.0E+06	6.5E-04
1485	7.69066	5.41E-05	4.2E-04	6.05E-04	2.52E-07	5.48E-02	4.71E-02	6.50E-10	1.0E+06	6.5E-04
1486	7.59214	5.41E-05	4.1E-04	6.05E-04	2.48E-07	5.48E-02	4.71E-02	6.41E-10	1.0E+06	6.4E-04
1487	7.44023	5.41E-05	4.0E-04	6.05E-04	2.43E-07	5.48E-02	4.71E-02	6.29E-10	1.0E+06	6.3E-04
1488	7.26104	5.41E-05	3.9E-04	6.05E-04	2.37E-07	5.48E-02	4.71E-02	6.13E-10	1.0E+06	6.1E-04
1489	7.0533	5.41E-05	3.8E-04	6.05E-04	2.31E-07	5.48E-02	4.71E-02	5.96E-10	1.0E+06	6.0E-04
1490	6.81614	5.41E-05	3.7E-04	6.05E-04	2.23E-07	5.48E-02	4.71E-02	5.76E-10	1.0E+06	5.8E-04
1491	6.54173	5.41E-05	3.5E-04	6.05E-04	2.14E-07	5.48E-02	4.71E-02	5.53E-10	1.0E+06	5.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	6.23274	5.41E-05	3.4E-04	6.05E-04	2.04E-07	5.48E-02	4.71E-02	5.27E-10	1.0E+06	5.3E-04
1493	5.88973	5.41E-05	3.2E-04	6.05E-04	1.93E-07	5.48E-02	4.71E-02	4.98E-10	1.0E+06	5.0E-04
1494	5.51756	5.41E-05	3.0E-04	6.05E-04	1.80E-07	5.48E-02	4.71E-02	4.66E-10	1.0E+06	4.7E-04
1495	5.12162	5.41E-05	2.8E-04	6.05E-04	1.68E-07	5.48E-02	4.71E-02	4.33E-10	1.0E+06	4.3E-04
1496	4.71008	5.41E-05	2.5E-04	6.05E-04	1.54E-07	5.48E-02	4.71E-02	3.98E-10	1.0E+06	4.0E-04
1497	4.29274	5.41E-05	2.3E-04	6.05E-04	1.40E-07	5.48E-02	4.71E-02	3.63E-10	1.0E+06	3.6E-04
1498	3.88231	5.41E-05	2.1E-04	6.05E-04	1.27E-07	5.48E-02	4.71E-02	3.28E-10	1.0E+06	3.3E-04
1499	3.4953	5.41E-05	1.9E-04	6.05E-04	1.14E-07	5.48E-02	4.71E-02	2.95E-10	1.0E+06	3.0E-04
1500	3.13977	5.41E-05	1.7E-04	6.05E-04	1.03E-07	5.48E-02	4.71E-02	2.65E-10	1.0E+06	2.7E-04
1501	2.81836	5.41E-05	1.5E-04	6.05E-04	9.22E-08	5.48E-02	4.71E-02	2.38E-10	1.0E+06	2.4E-04
1502	2.52765	5.41E-05	1.4E-04	6.05E-04	8.27E-08	5.48E-02	4.71E-02	2.14E-10	1.0E+06	2.1E-04
1503	2.273	5.41E-05	1.2E-04	6.05E-04	7.43E-08	5.48E-02	4.71E-02	1.92E-10	1.0E+06	1.9E-04
1504	2.05219	5.41E-05	1.1E-04	6.05E-04	6.71E-08	5.48E-02	4.71E-02	1.73E-10	1.0E+06	1.7E-04
1505	1.86144	5.41E-05	1.0E-04	6.05E-04	6.09E-08	5.48E-02	4.71E-02	1.57E-10	1.0E+06	1.6E-04
1506	6.97938	5.41E-05	3.8E-04	6.05E-04	2.28E-07	5.48E-02	4.71E-02	5.90E-10	1.0E+06	5.9E-04
1507	6.97779	5.41E-05	3.8E-04	6.05E-04	2.28E-07	5.48E-02	4.71E-02	5.90E-10	1.0E+06	5.9E-04
1508	6.97164	5.41E-05	3.8E-04	6.05E-04	2.28E-07	5.48E-02	4.71E-02	5.89E-10	1.0E+06	5.9E-04
1509	6.94877	5.41E-05	3.8E-04	6.05E-04	2.27E-07	5.48E-02	4.71E-02	5.87E-10	1.0E+06	5.9E-04
1510	6.93496	5.41E-05	3.7E-04	6.05E-04	2.27E-07	5.48E-02	4.71E-02	5.86E-10	1.0E+06	5.9E-04
1511	6.89704	5.41E-05	3.7E-04	6.05E-04	2.26E-07	5.48E-02	4.71E-02	5.83E-10	1.0E+06	5.8E-04
1512	6.87977	5.41E-05	3.7E-04	6.05E-04	2.25E-07	5.48E-02	4.71E-02	5.81E-10	1.0E+06	5.8E-04
1513	6.83228	5.41E-05	3.7E-04	6.05E-04	2.23E-07	5.48E-02	4.71E-02	5.77E-10	1.0E+06	5.8E-04
1514	6.74309	5.41E-05	3.6E-04	6.05E-04	2.21E-07	5.48E-02	4.71E-02	5.70E-10	1.0E+06	5.7E-04
1515	6.60902	5.41E-05	3.6E-04	6.05E-04	2.16E-07	5.48E-02	4.71E-02	5.58E-10	1.0E+06	5.6E-04
1516	6.4518	5.41E-05	3.5E-04	6.05E-04	2.11E-07	5.48E-02	4.71E-02	5.45E-10	1.0E+06	5.5E-04
1517	6.27049	5.41E-05	3.4E-04	6.05E-04	2.05E-07	5.48E-02	4.71E-02	5.30E-10	1.0E+06	5.3E-04
1518	6.06457	5.41E-05	3.3E-04	6.05E-04	1.98E-07	5.48E-02	4.71E-02	5.12E-10	1.0E+06	5.1E-04
1519	5.8281	5.41E-05	3.2E-04	6.05E-04	1.91E-07	5.48E-02	4.71E-02	4.92E-10	1.0E+06	4.9E-04
1520	5.56394	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.70E-10	1.0E+06	4.7E-04
1521	5.2734	5.41E-05	2.9E-04	6.05E-04	1.72E-07	5.48E-02	4.71E-02	4.46E-10	1.0E+06	4.5E-04
1522	4.95967	5.41E-05	2.7E-04	6.05E-04	1.62E-07	5.48E-02	4.71E-02	4.19E-10	1.0E+06	4.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	4.62617	5.41E-05	2.5E-04	6.05E-04	1.51E-07	5.48E-02	4.71E-02	3.91E-10	1.0E+06	3.9E-04
1524	4.28049	5.41E-05	2.3E-04	6.05E-04	1.40E-07	5.48E-02	4.71E-02	3.62E-10	1.0E+06	3.6E-04
1525	3.92984	5.41E-05	2.1E-04	6.05E-04	1.29E-07	5.48E-02	4.71E-02	3.32E-10	1.0E+06	3.3E-04
1526	3.58347	5.41E-05	1.9E-04	6.05E-04	1.17E-07	5.48E-02	4.71E-02	3.03E-10	1.0E+06	3.0E-04
1527	3.25287	5.41E-05	1.8E-04	6.05E-04	1.06E-07	5.48E-02	4.71E-02	2.75E-10	1.0E+06	2.7E-04
1528	2.94536	5.41E-05	1.6E-04	6.05E-04	9.63E-08	5.48E-02	4.71E-02	2.49E-10	1.0E+06	2.5E-04
1529	2.66336	5.41E-05	1.4E-04	6.05E-04	8.71E-08	5.48E-02	4.71E-02	2.25E-10	1.0E+06	2.3E-04
1530	2.40549	5.41E-05	1.3E-04	6.05E-04	7.87E-08	5.48E-02	4.71E-02	2.03E-10	1.0E+06	2.0E-04
1531	2.17623	5.41E-05	1.2E-04	6.05E-04	7.12E-08	5.48E-02	4.71E-02	1.84E-10	1.0E+06	1.8E-04
1532	1.97461	5.41E-05	1.1E-04	6.05E-04	6.46E-08	5.48E-02	4.71E-02	1.67E-10	1.0E+06	1.7E-04
1533	1.79816	5.41E-05	9.7E-05	6.05E-04	5.88E-08	5.48E-02	4.71E-02	1.52E-10	1.0E+06	1.5E-04
1534	6.19252	5.41E-05	3.3E-04	6.05E-04	2.03E-07	5.48E-02	4.71E-02	5.23E-10	1.0E+06	5.2E-04
1535	6.20686	5.41E-05	3.4E-04	6.05E-04	2.03E-07	5.48E-02	4.71E-02	5.24E-10	1.0E+06	5.2E-04
1536	6.20889	5.41E-05	3.4E-04	6.05E-04	2.03E-07	5.48E-02	4.71E-02	5.25E-10	1.0E+06	5.2E-04
1537	6.21746	5.41E-05	3.4E-04	6.05E-04	2.03E-07	5.48E-02	4.71E-02	5.25E-10	1.0E+06	5.3E-04
1538	6.19304	5.41E-05	3.3E-04	6.05E-04	2.03E-07	5.48E-02	4.71E-02	5.23E-10	1.0E+06	5.2E-04
1539	6.18733	5.41E-05	3.3E-04	6.05E-04	2.02E-07	5.48E-02	4.71E-02	5.23E-10	1.0E+06	5.2E-04
1540	6.1665	5.41E-05	3.3E-04	6.05E-04	2.02E-07	5.48E-02	4.71E-02	5.21E-10	1.0E+06	5.2E-04
1541	6.12161	5.41E-05	3.3E-04	6.05E-04	2.00E-07	5.48E-02	4.71E-02	5.17E-10	1.0E+06	5.2E-04
1542	6.04139	5.41E-05	3.3E-04	6.05E-04	1.98E-07	5.48E-02	4.71E-02	5.10E-10	1.0E+06	5.1E-04
1543	5.9223	5.41E-05	3.2E-04	6.05E-04	1.94E-07	5.48E-02	4.71E-02	5.00E-10	1.0E+06	5.0E-04
1544	5.7837	5.41E-05	3.1E-04	6.05E-04	1.89E-07	5.48E-02	4.71E-02	4.89E-10	1.0E+06	4.9E-04
1545	5.62444	5.41E-05	3.0E-04	6.05E-04	1.84E-07	5.48E-02	4.71E-02	4.75E-10	1.0E+06	4.8E-04
1546	5.44413	5.41E-05	2.9E-04	6.05E-04	1.78E-07	5.48E-02	4.71E-02	4.60E-10	1.0E+06	4.6E-04
1547	5.23841	5.41E-05	2.8E-04	6.05E-04	1.71E-07	5.48E-02	4.71E-02	4.43E-10	1.0E+06	4.4E-04
1548	5.01093	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.23E-10	1.0E+06	4.2E-04
1549	4.76229	5.41E-05	2.6E-04	6.05E-04	1.56E-07	5.48E-02	4.71E-02	4.02E-10	1.0E+06	4.0E-04
1550	4.49526	5.41E-05	2.4E-04	6.05E-04	1.47E-07	5.48E-02	4.71E-02	3.80E-10	1.0E+06	3.8E-04
1551	4.21149	5.41E-05	2.3E-04	6.05E-04	1.38E-07	5.48E-02	4.71E-02	3.56E-10	1.0E+06	3.6E-04
1552	3.91723	5.41E-05	2.1E-04	6.05E-04	1.28E-07	5.48E-02	4.71E-02	3.31E-10	1.0E+06	3.3E-04
1553	3.61864	5.41E-05	2.0E-04	6.05E-04	1.18E-07	5.48E-02	4.71E-02	3.06E-10	1.0E+06	3.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	3.32246	5.41E-05	1.8E-04	6.05E-04	1.09E-07	5.48E-02	4.71E-02	2.81E-10	1.0E+06	2.8E-04
1555	3.03738	5.41E-05	1.6E-04	6.05E-04	9.93E-08	5.48E-02	4.71E-02	2.57E-10	1.0E+06	2.6E-04
1556	2.76918	5.41E-05	1.5E-04	6.05E-04	9.06E-08	5.48E-02	4.71E-02	2.34E-10	1.0E+06	2.3E-04
1557	2.52	5.41E-05	1.4E-04	6.05E-04	8.24E-08	5.48E-02	4.71E-02	2.13E-10	1.0E+06	2.1E-04
1558	2.2907	5.41E-05	1.2E-04	6.05E-04	7.49E-08	5.48E-02	4.71E-02	1.94E-10	1.0E+06	1.9E-04
1559	2.08408	5.41E-05	1.1E-04	6.05E-04	6.82E-08	5.48E-02	4.71E-02	1.76E-10	1.0E+06	1.8E-04
1560	1.90004	5.41E-05	1.0E-04	6.05E-04	6.21E-08	5.48E-02	4.71E-02	1.61E-10	1.0E+06	1.6E-04
1561	1.737	5.41E-05	9.4E-05	6.05E-04	5.68E-08	5.48E-02	4.71E-02	1.47E-10	1.0E+06	1.5E-04
1562	5.5612	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.70E-10	1.0E+06	4.7E-04
1563	5.56018	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.70E-10	1.0E+06	4.7E-04
1564	5.56469	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.70E-10	1.0E+06	4.7E-04
1565	5.57488	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.71E-10	1.0E+06	4.7E-04
1566	5.57309	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.71E-10	1.0E+06	4.7E-04
1567	5.56834	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.70E-10	1.0E+06	4.7E-04
1568	5.55605	5.41E-05	3.0E-04	6.05E-04	1.82E-07	5.48E-02	4.71E-02	4.69E-10	1.0E+06	4.7E-04
1569	5.51238	5.41E-05	3.0E-04	6.05E-04	1.80E-07	5.48E-02	4.71E-02	4.66E-10	1.0E+06	4.7E-04
1570	5.44146	5.41E-05	2.9E-04	6.05E-04	1.78E-07	5.48E-02	4.71E-02	4.60E-10	1.0E+06	4.6E-04
1571	5.34424	5.41E-05	2.9E-04	6.05E-04	1.75E-07	5.48E-02	4.71E-02	4.52E-10	1.0E+06	4.5E-04
1572	5.22282	5.41E-05	2.8E-04	6.05E-04	1.71E-07	5.48E-02	4.71E-02	4.41E-10	1.0E+06	4.4E-04
1573	5.08274	5.41E-05	2.7E-04	6.05E-04	1.66E-07	5.48E-02	4.71E-02	4.29E-10	1.0E+06	4.3E-04
1574	4.92458	5.41E-05	2.7E-04	6.05E-04	1.61E-07	5.48E-02	4.71E-02	4.16E-10	1.0E+06	4.2E-04
1575	4.74447	5.41E-05	2.6E-04	6.05E-04	1.55E-07	5.48E-02	4.71E-02	4.01E-10	1.0E+06	4.0E-04
1576	4.54686	5.41E-05	2.5E-04	6.05E-04	1.49E-07	5.48E-02	4.71E-02	3.84E-10	1.0E+06	3.8E-04
1577	4.33209	5.41E-05	2.3E-04	6.05E-04	1.42E-07	5.48E-02	4.71E-02	3.66E-10	1.0E+06	3.7E-04
1578	4.10196	5.41E-05	2.2E-04	6.05E-04	1.34E-07	5.48E-02	4.71E-02	3.47E-10	1.0E+06	3.5E-04
1579	3.85856	5.41E-05	2.1E-04	6.05E-04	1.26E-07	5.48E-02	4.71E-02	3.26E-10	1.0E+06	3.3E-04
1580	3.60578	5.41E-05	1.9E-04	6.05E-04	1.18E-07	5.48E-02	4.71E-02	3.05E-10	1.0E+06	3.0E-04
1581	3.34897	5.41E-05	1.8E-04	6.05E-04	1.10E-07	5.48E-02	4.71E-02	2.83E-10	1.0E+06	2.8E-04
1582	3.09363	5.41E-05	1.7E-04	6.05E-04	1.01E-07	5.48E-02	4.71E-02	2.61E-10	1.0E+06	2.6E-04
1583	2.84582	5.41E-05	1.5E-04	6.05E-04	9.31E-08	5.48E-02	4.71E-02	2.40E-10	1.0E+06	2.4E-04
1584	2.61023	5.41E-05	1.4E-04	6.05E-04	8.54E-08	5.48E-02	4.71E-02	2.21E-10	1.0E+06	2.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.3894	5.41E-05	1.3E-04	6.05E-04	7.81E-08	5.48E-02	4.71E-02	2.02E-10	1.0E+06	2.0E-04
1586	2.18437	5.41E-05	1.2E-04	6.05E-04	7.14E-08	5.48E-02	4.71E-02	1.85E-10	1.0E+06	1.8E-04
1587	1.99744	5.41E-05	1.1E-04	6.05E-04	6.53E-08	5.48E-02	4.71E-02	1.69E-10	1.0E+06	1.7E-04
1588	1.82902	5.41E-05	9.9E-05	6.05E-04	5.98E-08	5.48E-02	4.71E-02	1.55E-10	1.0E+06	1.5E-04
1589	1.67833	5.41E-05	9.1E-05	6.05E-04	5.49E-08	5.48E-02	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1590	5.03444	5.41E-05	2.7E-04	6.05E-04	1.65E-07	5.48E-02	4.71E-02	4.25E-10	1.0E+06	4.3E-04
1591	5.02557	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.25E-10	1.0E+06	4.2E-04
1592	5.01615	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.24E-10	1.0E+06	4.2E-04
1593	5.01126	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.23E-10	1.0E+06	4.2E-04
1594	5.02951	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.25E-10	1.0E+06	4.2E-04
1595	5.01656	5.41E-05	2.7E-04	6.05E-04	1.64E-07	5.48E-02	4.71E-02	4.24E-10	1.0E+06	4.2E-04
0	0	5.41E-05	0.0E+00	6.05E-04	0.00E+00	5.48E-02	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	1.72E-05
1214	5	7.60E-05
1215	5	6.37E-05
1216	5	5.43E-05
1217	5	4.69E-05
1218	5	4.10E-05
1219	5	3.61E-05
1220	5	3.21E-05
1221	5	2.88E-05
1222	5	2.60E-05
1223	5	2.36E-05
1224	5	2.15E-05
1225	5	1.97E-05
1226	5	1.82E-05
1227	5	1.68E-05
1228	5	8.45E-05
1229	5	6.89E-05
1230	5	5.75E-05
1231	5	4.90E-05
1232	5	4.23E-05
1233	5	3.70E-05
1234	5	3.27E-05
1235	5	2.91E-05
1236	5	2.62E-05
1237	5	2.37E-05
1238	5	2.16E-05
1239	5	1.98E-05
1240	5	1.82E-05
1241	5	1.68E-05
1242	5	7.18E-05
1243	5	7.35E-05

Max	Receptor #	
0.000	1369	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	6.02E-05
1245	5	5.06E-05
1246	5	4.32E-05
1247	5	3.75E-05
1248	5	3.29E-05
1249	5	2.93E-05
1250	5	2.62E-05
1251	5	2.37E-05
1252	5	2.15E-05
1253	5	1.97E-05
1254	5	1.81E-05
1255	5	1.67E-05
1256	5	7.32E-05
1257	5	7.71E-05
1258	5	6.23E-05
1259	5	5.17E-05
1260	5	4.37E-05
1261	5	3.77E-05
1262	5	3.30E-05
1263	5	2.92E-05
1264	5	2.61E-05
1265	5	2.35E-05
1266	5	2.14E-05
1267	5	1.95E-05
1268	5	1.79E-05
1269	5	1.65E-05
1270	5	7.39E-05
1271	5	6.06E-05
1272	5	6.34E-05
1273	5	5.22E-05
1274	5	4.39E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	3.77E-05
1276	5	3.28E-05
1277	5	2.89E-05
1278	5	2.58E-05
1279	5	2.32E-05
1280	5	2.11E-05
1281	5	1.93E-05
1282	5	1.77E-05
1283	5	1.63E-05
1284	5	7.46E-05
1285	5	8.02E-05
1286	5	6.35E-05
1287	5	5.20E-05
1288	5	4.36E-05
1289	5	3.73E-05
1290	5	3.24E-05
1291	5	2.85E-05
1292	5	2.54E-05
1293	5	2.29E-05
1294	5	2.07E-05
1295	5	1.89E-05
1296	5	1.74E-05
1297	5	1.60E-05
1298	5	5.66E-05
1299	5	7.87E-05
1300	5	6.26E-05
1301	5	5.12E-05
1302	5	4.28E-05
1303	5	3.66E-05
1304	5	3.18E-05
1305	5	2.80E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	7.47E-05
1307	5	7.58E-05
1308	5	6.04E-05
1309	5	4.95E-05
1310	5	4.15E-05
1311	5	3.55E-05
1312	5	3.09E-05
1313	5	2.72E-05
1314	5	6.72E-05
1315	5	7.20E-05
1316	5	5.76E-05
1317	5	4.74E-05
1318	5	3.99E-05
1319	5	3.42E-05
1320	5	2.99E-05
1321	5	2.64E-05
1322	5	6.07E-05
1323	5	6.73E-05
1324	5	5.44E-05
1325	5	4.51E-05
1326	5	3.82E-05
1327	5	3.29E-05
1328	5	2.88E-05
1329	5	2.56E-05
1330	5	5.54E-05
1331	5	6.22E-05
1332	5	5.11E-05
1333	5	4.28E-05
1334	5	3.65E-05
1335	5	3.16E-05
1336	5	2.78E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	2.47E-05
1338	5	1.56E-04
1339	5	1.54E-04
1340	5	1.35E-04
1341	5	1.34E-04
1342	5	1.53E-04
1343	5	1.51E-04
1344	5	1.32E-04
1345	5	1.29E-04
1346	5	1.47E-04
1347	5	1.43E-04
1348	5	1.21E-04
1349	5	1.16E-04
1350	5	1.29E-04
1351	5	1.20E-04
1352	5	9.34E-05
1353	5	8.33E-05
1354	5	9.25E-05
1355	5	7.91E-05
1356	5	6.80E-05
1357	5	5.87E-05
1358	5	6.89E-05
1359	5	5.70E-05
1360	5	4.77E-05
1361	5	4.05E-05
1362	5	3.48E-05
1363	5	3.04E-05
1364	5	2.68E-05
1365	5	2.39E-05
1366	5	1.34E-04
1367	5	1.32E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	1.33E-04
1369	5	1.57E-04
1370	5	1.31E-04
1371	5	1.29E-04
1372	5	1.54E-04
1373	5	1.52E-04
1374	5	1.26E-04
1375	5	1.22E-04
1376	5	1.44E-04
1377	5	1.40E-04
1378	5	1.10E-04
1379	5	1.03E-04
1380	5	1.21E-04
1381	5	1.13E-04
1382	5	8.10E-05
1383	5	7.05E-05
1384	5	8.39E-05
1385	5	7.23E-05
1386	5	6.15E-05
1387	5	5.21E-05
1388	5	4.45E-05
1389	5	3.83E-05
1390	5	3.32E-05
1391	5	2.91E-05
1392	5	2.58E-05
1393	5	2.31E-05
1394	5	1.33E-04
1395	5	1.33E-04
1396	5	1.32E-04
1397	5	1.31E-04
1398	5	1.31E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	1.30E-04
1400	5	1.29E-04
1401	5	1.28E-04
1402	5	1.26E-04
1403	5	1.23E-04
1404	5	1.20E-04
1405	5	1.17E-04
1406	5	1.13E-04
1407	5	1.08E-04
1408	5	1.02E-04
1409	5	9.56E-05
1410	5	8.85E-05
1411	5	8.08E-05
1412	5	7.23E-05
1413	5	6.36E-05
1414	5	5.53E-05
1415	5	4.79E-05
1416	5	4.15E-05
1417	5	3.61E-05
1418	5	3.16E-05
1419	5	2.79E-05
1420	5	2.48E-05
1421	5	2.23E-05
1422	5	1.14E-04
1423	5	1.13E-04
1424	5	1.12E-04
1425	5	1.12E-04
1426	5	1.11E-04
1427	5	1.10E-04
1428	5	1.10E-04
1429	5	1.09E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	1.08E-04
1431	5	1.05E-04
1432	5	1.03E-04
1433	5	9.99E-05
1434	5	9.64E-05
1435	5	9.22E-05
1436	5	8.75E-05
1437	5	8.22E-05
1438	5	7.64E-05
1439	5	7.01E-05
1440	5	6.35E-05
1441	5	5.67E-05
1442	5	5.01E-05
1443	5	4.41E-05
1444	5	3.88E-05
1445	5	3.42E-05
1446	5	3.01E-05
1447	5	2.68E-05
1448	5	2.39E-05
1449	5	2.16E-05
1450	5	9.81E-05
1451	5	9.77E-05
1452	5	9.71E-05
1453	5	9.67E-05
1454	5	9.62E-05
1455	5	9.53E-05
1456	5	9.53E-05
1457	5	9.46E-05
1458	5	9.34E-05
1459	5	9.15E-05
1460	5	8.93E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	8.67E-05
1462	5	8.37E-05
1463	5	8.02E-05
1464	5	7.63E-05
1465	5	7.19E-05
1466	5	6.70E-05
1467	5	6.19E-05
1468	5	5.65E-05
1469	5	5.10E-05
1470	5	4.57E-05
1471	5	4.07E-05
1472	5	3.63E-05
1473	5	3.23E-05
1474	5	2.87E-05
1475	5	2.57E-05
1476	5	2.31E-05
1477	5	2.08E-05
1478	5	8.56E-05
1479	5	8.55E-05
1480	5	8.52E-05
1481	5	8.46E-05
1482	5	8.44E-05
1483	5	8.38E-05
1484	5	8.38E-05
1485	5	8.31E-05
1486	5	8.21E-05
1487	5	8.04E-05
1488	5	7.85E-05
1489	5	7.63E-05
1490	5	7.37E-05
1491	5	7.07E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	6.74E-05
1493	5	6.37E-05
1494	5	5.96E-05
1495	5	5.54E-05
1496	5	5.09E-05
1497	5	4.64E-05
1498	5	4.20E-05
1499	5	3.78E-05
1500	5	3.39E-05
1501	5	3.05E-05
1502	5	2.73E-05
1503	5	2.46E-05
1504	5	2.22E-05
1505	5	2.01E-05
1506	5	7.55E-05
1507	5	7.54E-05
1508	5	7.54E-05
1509	5	7.51E-05
1510	5	7.50E-05
1511	5	7.46E-05
1512	5	7.44E-05
1513	5	7.39E-05
1514	5	7.29E-05
1515	5	7.14E-05
1516	5	6.97E-05
1517	5	6.78E-05
1518	5	6.56E-05
1519	5	6.30E-05
1520	5	6.01E-05
1521	5	5.70E-05
1522	5	5.36E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	5.00E-05
1524	5	4.63E-05
1525	5	4.25E-05
1526	5	3.87E-05
1527	5	3.52E-05
1528	5	3.18E-05
1529	5	2.88E-05
1530	5	2.60E-05
1531	5	2.35E-05
1532	5	2.13E-05
1533	5	1.94E-05
1534	5	6.69E-05
1535	5	6.71E-05
1536	5	6.71E-05
1537	5	6.72E-05
1538	5	6.70E-05
1539	5	6.69E-05
1540	5	6.67E-05
1541	5	6.62E-05
1542	5	6.53E-05
1543	5	6.40E-05
1544	5	6.25E-05
1545	5	6.08E-05
1546	5	5.89E-05
1547	5	5.66E-05
1548	5	5.42E-05
1549	5	5.15E-05
1550	5	4.86E-05
1551	5	4.55E-05
1552	5	4.23E-05
1553	5	3.91E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	3.59E-05
1555	5	3.28E-05
1556	5	2.99E-05
1557	5	2.72E-05
1558	5	2.48E-05
1559	5	2.25E-05
1560	5	2.05E-05
1561	5	1.88E-05
1562	5	6.01E-05
1563	5	6.01E-05
1564	5	6.02E-05
1565	5	6.03E-05
1566	5	6.02E-05
1567	5	6.02E-05
1568	5	6.01E-05
1569	5	5.96E-05
1570	5	5.88E-05
1571	5	5.78E-05
1572	5	5.65E-05
1573	5	5.49E-05
1574	5	5.32E-05
1575	5	5.13E-05
1576	5	4.92E-05
1577	5	4.68E-05
1578	5	4.43E-05
1579	5	4.17E-05
1580	5	3.90E-05
1581	5	3.62E-05
1582	5	3.34E-05
1583	5	3.08E-05
1584	5	2.82E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	2.58E-05
1586	5	2.36E-05
1587	5	2.16E-05
1588	5	1.98E-05
1589	5	1.81E-05
1590	5	5.44E-05
1591	5	5.43E-05
1592	5	5.42E-05
1593	5	5.42E-05
1594	5	5.44E-05
1595	5	5.42E-05
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1.59495	4.66E-03	7.4E-03	6.05E-04	4.49E-06	1.91E+00	4.71E-02	4.05E-07	1.0E+06	4.1E-01
1214	7.03161	4.66E-03	3.3E-02	6.05E-04	1.98E-05	1.91E+00	4.71E-02	1.79E-06	1.0E+06	1.8E+00
1215	5.89693	4.66E-03	2.7E-02	6.05E-04	1.66E-05	1.91E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1216	5.02303	4.66E-03	2.3E-02	6.05E-04	1.41E-05	1.91E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1217	4.33808	4.66E-03	2.0E-02	6.05E-04	1.22E-05	1.91E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1218	3.7882	4.66E-03	1.8E-02	6.05E-04	1.07E-05	1.91E+00	4.71E-02	9.62E-07	1.0E+06	9.6E-01
1219	3.34097	4.66E-03	1.6E-02	6.05E-04	9.41E-06	1.91E+00	4.71E-02	8.48E-07	1.0E+06	8.5E-01
1220	2.97174	4.66E-03	1.4E-02	6.05E-04	8.37E-06	1.91E+00	4.71E-02	7.55E-07	1.0E+06	7.5E-01
1221	2.66332	4.66E-03	1.2E-02	6.05E-04	7.50E-06	1.91E+00	4.71E-02	6.76E-07	1.0E+06	6.8E-01
1222	2.40255	4.66E-03	1.1E-02	6.05E-04	6.77E-06	1.91E+00	4.71E-02	6.10E-07	1.0E+06	6.1E-01
1223	2.18201	4.66E-03	1.0E-02	6.05E-04	6.15E-06	1.91E+00	4.71E-02	5.54E-07	1.0E+06	5.5E-01
1224	1.99166	4.66E-03	9.3E-03	6.05E-04	5.61E-06	1.91E+00	4.71E-02	5.06E-07	1.0E+06	5.1E-01
1225	1.82652	4.66E-03	8.5E-03	6.05E-04	5.15E-06	1.91E+00	4.71E-02	4.64E-07	1.0E+06	4.6E-01
1226	1.68223	4.66E-03	7.8E-03	6.05E-04	4.74E-06	1.91E+00	4.71E-02	4.27E-07	1.0E+06	4.3E-01
1227	1.55508	4.66E-03	7.2E-03	6.05E-04	4.38E-06	1.91E+00	4.71E-02	3.95E-07	1.0E+06	3.9E-01
1228	7.81928	4.66E-03	3.6E-02	6.05E-04	2.20E-05	1.91E+00	4.71E-02	1.99E-06	1.0E+06	2.0E+00
1229	6.37384	4.66E-03	3.0E-02	6.05E-04	1.80E-05	1.91E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1230	5.32173	4.66E-03	2.5E-02	6.05E-04	1.50E-05	1.91E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
1231	4.53088	4.66E-03	2.1E-02	6.05E-04	1.28E-05	1.91E+00	4.71E-02	1.15E-06	1.0E+06	1.2E+00
1232	3.91123	4.66E-03	1.8E-02	6.05E-04	1.10E-05	1.91E+00	4.71E-02	9.93E-07	1.0E+06	9.9E-01
1233	3.41912	4.66E-03	1.6E-02	6.05E-04	9.63E-06	1.91E+00	4.71E-02	8.68E-07	1.0E+06	8.7E-01
1234	3.02139	4.66E-03	1.4E-02	6.05E-04	8.51E-06	1.91E+00	4.71E-02	7.67E-07	1.0E+06	7.7E-01
1235	2.69416	4.66E-03	1.3E-02	6.05E-04	7.59E-06	1.91E+00	4.71E-02	6.84E-07	1.0E+06	6.8E-01
1236	2.42062	4.66E-03	1.1E-02	6.05E-04	6.82E-06	1.91E+00	4.71E-02	6.15E-07	1.0E+06	6.1E-01
1237	2.19205	4.66E-03	1.0E-02	6.05E-04	6.17E-06	1.91E+00	4.71E-02	5.57E-07	1.0E+06	5.6E-01
1238	1.99681	4.66E-03	9.3E-03	6.05E-04	5.62E-06	1.91E+00	4.71E-02	5.07E-07	1.0E+06	5.1E-01
1239	1.8282	4.66E-03	8.5E-03	6.05E-04	5.15E-06	1.91E+00	4.71E-02	4.64E-07	1.0E+06	4.6E-01
1240	1.6816	4.66E-03	7.8E-03	6.05E-04	4.74E-06	1.91E+00	4.71E-02	4.27E-07	1.0E+06	4.3E-01
1241	1.55308	4.66E-03	7.2E-03	6.05E-04	4.37E-06	1.91E+00	4.71E-02	3.94E-07	1.0E+06	3.9E-01
1242	6.64204	4.66E-03	3.1E-02	6.05E-04	1.87E-05	1.91E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
1243	6.7965	4.66E-03	3.2E-02	6.05E-04	1.91E-05	1.91E+00	4.71E-02	1.73E-06	1.0E+06	1.7E+00

	Max	Receptor #
Res	3.678	1369

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	5.57115	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1245	4.68059	4.66E-03	2.2E-02	6.05E-04	1.32E-05	1.91E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1246	3.99862	4.66E-03	1.9E-02	6.05E-04	1.13E-05	1.91E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1247	3.46821	4.66E-03	1.6E-02	6.05E-04	9.77E-06	1.91E+00	4.71E-02	8.81E-07	1.0E+06	8.8E-01
1248	3.04732	4.66E-03	1.4E-02	6.05E-04	8.58E-06	1.91E+00	4.71E-02	7.74E-07	1.0E+06	7.7E-01
1249	2.70598	4.66E-03	1.3E-02	6.05E-04	7.62E-06	1.91E+00	4.71E-02	6.87E-07	1.0E+06	6.9E-01
1250	2.42339	4.66E-03	1.1E-02	6.05E-04	6.83E-06	1.91E+00	4.71E-02	6.15E-07	1.0E+06	6.2E-01
1251	2.19019	4.66E-03	1.0E-02	6.05E-04	6.17E-06	1.91E+00	4.71E-02	5.56E-07	1.0E+06	5.6E-01
1252	1.99211	4.66E-03	9.3E-03	6.05E-04	5.61E-06	1.91E+00	4.71E-02	5.06E-07	1.0E+06	5.1E-01
1253	1.82183	4.66E-03	8.5E-03	6.05E-04	5.13E-06	1.91E+00	4.71E-02	4.63E-07	1.0E+06	4.6E-01
1254	1.67448	4.66E-03	7.8E-03	6.05E-04	4.72E-06	1.91E+00	4.71E-02	4.25E-07	1.0E+06	4.3E-01
1255	1.5457	4.66E-03	7.2E-03	6.05E-04	4.35E-06	1.91E+00	4.71E-02	3.93E-07	1.0E+06	3.9E-01
1256	6.77302	4.66E-03	3.2E-02	6.05E-04	1.91E-05	1.91E+00	4.71E-02	1.72E-06	1.0E+06	1.7E+00
1257	7.1365	4.66E-03	3.3E-02	6.05E-04	2.01E-05	1.91E+00	4.71E-02	1.81E-06	1.0E+06	1.8E+00
1258	5.7585	4.66E-03	2.7E-02	6.05E-04	1.62E-05	1.91E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1259	4.78032	4.66E-03	2.2E-02	6.05E-04	1.35E-05	1.91E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1260	4.04669	4.66E-03	1.9E-02	6.05E-04	1.14E-05	1.91E+00	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1261	3.48821	4.66E-03	1.6E-02	6.05E-04	9.83E-06	1.91E+00	4.71E-02	8.86E-07	1.0E+06	8.9E-01
1262	3.05075	4.66E-03	1.4E-02	6.05E-04	8.59E-06	1.91E+00	4.71E-02	7.75E-07	1.0E+06	7.7E-01
1263	2.6997	4.66E-03	1.3E-02	6.05E-04	7.60E-06	1.91E+00	4.71E-02	6.86E-07	1.0E+06	6.9E-01
1264	2.41147	4.66E-03	1.1E-02	6.05E-04	6.79E-06	1.91E+00	4.71E-02	6.12E-07	1.0E+06	6.1E-01
1265	2.176	4.66E-03	1.0E-02	6.05E-04	6.13E-06	1.91E+00	4.71E-02	5.53E-07	1.0E+06	5.5E-01
1266	1.97693	4.66E-03	9.2E-03	6.05E-04	5.57E-06	1.91E+00	4.71E-02	5.02E-07	1.0E+06	5.0E-01
1267	1.80644	4.66E-03	8.4E-03	6.05E-04	5.09E-06	1.91E+00	4.71E-02	4.59E-07	1.0E+06	4.6E-01
1268	1.65921	4.66E-03	7.7E-03	6.05E-04	4.67E-06	1.91E+00	4.71E-02	4.21E-07	1.0E+06	4.2E-01
1269	1.53087	4.66E-03	7.1E-03	6.05E-04	4.31E-06	1.91E+00	4.71E-02	3.89E-07	1.0E+06	3.9E-01
1270	6.83387	4.66E-03	3.2E-02	6.05E-04	1.93E-05	1.91E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
1271	5.60152	4.66E-03	2.6E-02	6.05E-04	1.58E-05	1.91E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1272	5.86816	4.66E-03	2.7E-02	6.05E-04	1.65E-05	1.91E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1273	4.82621	4.66E-03	2.2E-02	6.05E-04	1.36E-05	1.91E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1274	4.05897	4.66E-03	1.9E-02	6.05E-04	1.14E-05	1.91E+00	4.71E-02	1.03E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	3.48275	4.66E-03	1.6E-02	6.05E-04	9.81E-06	1.91E+00	4.71E-02	8.84E-07	1.0E+06	8.8E-01
1276	3.03491	4.66E-03	1.4E-02	6.05E-04	8.55E-06	1.91E+00	4.71E-02	7.71E-07	1.0E+06	7.7E-01
1277	2.67743	4.66E-03	1.2E-02	6.05E-04	7.54E-06	1.91E+00	4.71E-02	6.80E-07	1.0E+06	6.8E-01
1278	2.3858	4.66E-03	1.1E-02	6.05E-04	6.72E-06	1.91E+00	4.71E-02	6.06E-07	1.0E+06	6.1E-01
1279	2.14971	4.66E-03	1.0E-02	6.05E-04	6.06E-06	1.91E+00	4.71E-02	5.46E-07	1.0E+06	5.5E-01
1280	1.95117	4.66E-03	9.1E-03	6.05E-04	5.50E-06	1.91E+00	4.71E-02	4.96E-07	1.0E+06	5.0E-01
1281	1.78152	4.66E-03	8.3E-03	6.05E-04	5.02E-06	1.91E+00	4.71E-02	4.52E-07	1.0E+06	4.5E-01
1282	1.63497	4.66E-03	7.6E-03	6.05E-04	4.61E-06	1.91E+00	4.71E-02	4.15E-07	1.0E+06	4.2E-01
1283	1.50767	4.66E-03	7.0E-03	6.05E-04	4.25E-06	1.91E+00	4.71E-02	3.83E-07	1.0E+06	3.8E-01
1284	6.90368	4.66E-03	3.2E-02	6.05E-04	1.94E-05	1.91E+00	4.71E-02	1.75E-06	1.0E+06	1.8E+00
1285	7.4155	4.66E-03	3.5E-02	6.05E-04	2.09E-05	1.91E+00	4.71E-02	1.88E-06	1.0E+06	1.9E+00
1286	5.87683	4.66E-03	2.7E-02	6.05E-04	1.66E-05	1.91E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1287	4.81258	4.66E-03	2.2E-02	6.05E-04	1.36E-05	1.91E+00	4.71E-02	1.22E-06	1.0E+06	1.2E+00
1288	4.02974	4.66E-03	1.9E-02	6.05E-04	1.14E-05	1.91E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1289	3.44772	4.66E-03	1.6E-02	6.05E-04	9.71E-06	1.91E+00	4.71E-02	8.76E-07	1.0E+06	8.8E-01
1290	2.99723	4.66E-03	1.4E-02	6.05E-04	8.44E-06	1.91E+00	4.71E-02	7.61E-07	1.0E+06	7.6E-01
1291	2.63885	4.66E-03	1.2E-02	6.05E-04	7.43E-06	1.91E+00	4.71E-02	6.70E-07	1.0E+06	6.7E-01
1292	2.34806	4.66E-03	1.1E-02	6.05E-04	6.61E-06	1.91E+00	4.71E-02	5.96E-07	1.0E+06	6.0E-01
1293	2.11415	4.66E-03	9.8E-03	6.05E-04	5.96E-06	1.91E+00	4.71E-02	5.37E-07	1.0E+06	5.4E-01
1294	1.91802	4.66E-03	8.9E-03	6.05E-04	5.40E-06	1.91E+00	4.71E-02	4.87E-07	1.0E+06	4.9E-01
1295	1.75064	4.66E-03	8.2E-03	6.05E-04	4.93E-06	1.91E+00	4.71E-02	4.45E-07	1.0E+06	4.4E-01
1296	1.60618	4.66E-03	7.5E-03	6.05E-04	4.52E-06	1.91E+00	4.71E-02	4.08E-07	1.0E+06	4.1E-01
1297	1.48086	4.66E-03	6.9E-03	6.05E-04	4.17E-06	1.91E+00	4.71E-02	3.76E-07	1.0E+06	3.8E-01
1298	5.23101	4.66E-03	2.4E-02	6.05E-04	1.47E-05	1.91E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1299	7.27933	4.66E-03	3.4E-02	6.05E-04	2.05E-05	1.91E+00	4.71E-02	1.85E-06	1.0E+06	1.8E+00
1300	5.78741	4.66E-03	2.7E-02	6.05E-04	1.63E-05	1.91E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1301	4.73601	4.66E-03	2.2E-02	6.05E-04	1.33E-05	1.91E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1302	3.95968	4.66E-03	1.8E-02	6.05E-04	1.12E-05	1.91E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1303	3.38355	4.66E-03	1.6E-02	6.05E-04	9.53E-06	1.91E+00	4.71E-02	8.59E-07	1.0E+06	8.6E-01
1304	2.93894	4.66E-03	1.4E-02	6.05E-04	8.28E-06	1.91E+00	4.71E-02	7.46E-07	1.0E+06	7.5E-01
1305	2.58555	4.66E-03	1.2E-02	6.05E-04	7.28E-06	1.91E+00	4.71E-02	6.57E-07	1.0E+06	6.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	6.90601	4.66E-03	3.2E-02	6.05E-04	1.95E-05	1.91E+00	4.71E-02	1.75E-06	1.0E+06	1.8E+00
1307	7.00836	4.66E-03	3.3E-02	6.05E-04	1.97E-05	1.91E+00	4.71E-02	1.78E-06	1.0E+06	1.8E+00
1308	5.59054	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1309	4.58256	4.66E-03	2.1E-02	6.05E-04	1.29E-05	1.91E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
1310	3.83771	4.66E-03	1.8E-02	6.05E-04	1.08E-05	1.91E+00	4.71E-02	9.75E-07	1.0E+06	9.7E-01
1311	3.28282	4.66E-03	1.5E-02	6.05E-04	9.25E-06	1.91E+00	4.71E-02	8.34E-07	1.0E+06	8.3E-01
1312	2.85586	4.66E-03	1.3E-02	6.05E-04	8.04E-06	1.91E+00	4.71E-02	7.25E-07	1.0E+06	7.3E-01
1313	2.51755	4.66E-03	1.2E-02	6.05E-04	7.09E-06	1.91E+00	4.71E-02	6.39E-07	1.0E+06	6.4E-01
1314	6.21209	4.66E-03	2.9E-02	6.05E-04	1.75E-05	1.91E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1315	6.66398	4.66E-03	3.1E-02	6.05E-04	1.88E-05	1.91E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
1316	5.33194	4.66E-03	2.5E-02	6.05E-04	1.50E-05	1.91E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
1317	4.38832	4.66E-03	2.0E-02	6.05E-04	1.24E-05	1.91E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1318	3.69074	4.66E-03	1.7E-02	6.05E-04	1.04E-05	1.91E+00	4.71E-02	9.37E-07	1.0E+06	9.4E-01
1319	3.16744	4.66E-03	1.5E-02	6.05E-04	8.92E-06	1.91E+00	4.71E-02	8.04E-07	1.0E+06	8.0E-01
1320	2.76307	4.66E-03	1.3E-02	6.05E-04	7.78E-06	1.91E+00	4.71E-02	7.02E-07	1.0E+06	7.0E-01
1321	2.4428	4.66E-03	1.1E-02	6.05E-04	6.88E-06	1.91E+00	4.71E-02	6.20E-07	1.0E+06	6.2E-01
1322	5.61822	4.66E-03	2.6E-02	6.05E-04	1.58E-05	1.91E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
1323	6.22312	4.66E-03	2.9E-02	6.05E-04	1.75E-05	1.91E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1324	5.02891	4.66E-03	2.3E-02	6.05E-04	1.42E-05	1.91E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1325	4.1691	4.66E-03	1.9E-02	6.05E-04	1.17E-05	1.91E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1326	3.52968	4.66E-03	1.6E-02	6.05E-04	9.94E-06	1.91E+00	4.71E-02	8.96E-07	1.0E+06	9.0E-01
1327	3.04297	4.66E-03	1.4E-02	6.05E-04	8.57E-06	1.91E+00	4.71E-02	7.73E-07	1.0E+06	7.7E-01
1328	2.66486	4.66E-03	1.2E-02	6.05E-04	7.51E-06	1.91E+00	4.71E-02	6.77E-07	1.0E+06	6.8E-01
1329	2.36452	4.66E-03	1.1E-02	6.05E-04	6.66E-06	1.91E+00	4.71E-02	6.00E-07	1.0E+06	6.0E-01
1330	5.12202	4.66E-03	2.4E-02	6.05E-04	1.44E-05	1.91E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1331	5.74991	4.66E-03	2.7E-02	6.05E-04	1.62E-05	1.91E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1332	4.72255	4.66E-03	2.2E-02	6.05E-04	1.33E-05	1.91E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1333	3.95908	4.66E-03	1.8E-02	6.05E-04	1.12E-05	1.91E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1334	3.37577	4.66E-03	1.6E-02	6.05E-04	9.51E-06	1.91E+00	4.71E-02	8.57E-07	1.0E+06	8.6E-01
1335	2.92522	4.66E-03	1.4E-02	6.05E-04	8.24E-06	1.91E+00	4.71E-02	7.43E-07	1.0E+06	7.4E-01
1336	2.57089	4.66E-03	1.2E-02	6.05E-04	7.24E-06	1.91E+00	4.71E-02	6.53E-07	1.0E+06	6.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	2.28671	4.66E-03	1.1E-02	6.05E-04	6.44E-06	1.91E+00	4.71E-02	5.81E-07	1.0E+06	5.8E-01
1338	14.44226	4.66E-03	6.7E-02	6.05E-04	4.07E-05	1.91E+00	4.71E-02	3.67E-06	1.0E+06	3.7E+00
1339	14.24991	4.66E-03	6.6E-02	6.05E-04	4.01E-05	1.91E+00	4.71E-02	3.62E-06	1.0E+06	3.6E+00
1340	12.51126	4.66E-03	5.8E-02	6.05E-04	3.52E-05	1.91E+00	4.71E-02	3.18E-06	1.0E+06	3.2E+00
1341	12.34966	4.66E-03	5.7E-02	6.05E-04	3.48E-05	1.91E+00	4.71E-02	3.14E-06	1.0E+06	3.1E+00
1342	14.19703	4.66E-03	6.6E-02	6.05E-04	4.00E-05	1.91E+00	4.71E-02	3.61E-06	1.0E+06	3.6E+00
1343	13.96515	4.66E-03	6.5E-02	6.05E-04	3.93E-05	1.91E+00	4.71E-02	3.55E-06	1.0E+06	3.5E+00
1344	12.18172	4.66E-03	5.7E-02	6.05E-04	3.43E-05	1.91E+00	4.71E-02	3.09E-06	1.0E+06	3.1E+00
1345	11.95555	4.66E-03	5.6E-02	6.05E-04	3.37E-05	1.91E+00	4.71E-02	3.04E-06	1.0E+06	3.0E+00
1346	13.62952	4.66E-03	6.3E-02	6.05E-04	3.84E-05	1.91E+00	4.71E-02	3.46E-06	1.0E+06	3.5E+00
1347	13.24666	4.66E-03	6.2E-02	6.05E-04	3.73E-05	1.91E+00	4.71E-02	3.36E-06	1.0E+06	3.4E+00
1348	11.23777	4.66E-03	5.2E-02	6.05E-04	3.17E-05	1.91E+00	4.71E-02	2.85E-06	1.0E+06	2.9E+00
1349	10.70262	4.66E-03	5.0E-02	6.05E-04	3.01E-05	1.91E+00	4.71E-02	2.72E-06	1.0E+06	2.7E+00
1350	11.95984	4.66E-03	5.6E-02	6.05E-04	3.37E-05	1.91E+00	4.71E-02	3.04E-06	1.0E+06	3.0E+00
1351	11.12101	4.66E-03	5.2E-02	6.05E-04	3.13E-05	1.91E+00	4.71E-02	2.82E-06	1.0E+06	2.8E+00
1352	8.64404	4.66E-03	4.0E-02	6.05E-04	2.44E-05	1.91E+00	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1353	7.70079	4.66E-03	3.6E-02	6.05E-04	2.17E-05	1.91E+00	4.71E-02	1.96E-06	1.0E+06	2.0E+00
1354	8.55757	4.66E-03	4.0E-02	6.05E-04	2.41E-05	1.91E+00	4.71E-02	2.17E-06	1.0E+06	2.2E+00
1355	7.31883	4.66E-03	3.4E-02	6.05E-04	2.06E-05	1.91E+00	4.71E-02	1.86E-06	1.0E+06	1.9E+00
1356	6.29278	4.66E-03	2.9E-02	6.05E-04	1.77E-05	1.91E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1357	5.43099	4.66E-03	2.5E-02	6.05E-04	1.53E-05	1.91E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1358	6.36921	4.66E-03	3.0E-02	6.05E-04	1.79E-05	1.91E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1359	5.27003	4.66E-03	2.5E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1360	4.41219	4.66E-03	2.1E-02	6.05E-04	1.24E-05	1.91E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1361	3.7458	4.66E-03	1.7E-02	6.05E-04	1.06E-05	1.91E+00	4.71E-02	9.51E-07	1.0E+06	9.5E-01
1362	3.22113	4.66E-03	1.5E-02	6.05E-04	9.07E-06	1.91E+00	4.71E-02	8.18E-07	1.0E+06	8.2E-01
1363	2.80753	4.66E-03	1.3E-02	6.05E-04	7.91E-06	1.91E+00	4.71E-02	7.13E-07	1.0E+06	7.1E-01
1364	2.47727	4.66E-03	1.2E-02	6.05E-04	6.98E-06	1.91E+00	4.71E-02	6.29E-07	1.0E+06	6.3E-01
1365	2.20985	4.66E-03	1.0E-02	6.05E-04	6.23E-06	1.91E+00	4.71E-02	5.61E-07	1.0E+06	5.6E-01
1366	12.36115	4.66E-03	5.8E-02	6.05E-04	3.48E-05	1.91E+00	4.71E-02	3.14E-06	1.0E+06	3.1E+00
1367	12.2004	4.66E-03	5.7E-02	6.05E-04	3.44E-05	1.91E+00	4.71E-02	3.10E-06	1.0E+06	3.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	12.28915	4.66E-03	5.7E-02	6.05E-04	3.46E-05	1.91E+00	4.71E-02	3.12E-06	1.0E+06	3.1E+00
1369	14.48134	4.66E-03	6.7E-02	6.05E-04	4.08E-05	1.91E+00	4.71E-02	3.68E-06	1.0E+06	3.7E+00
1370	12.11849	4.66E-03	5.6E-02	6.05E-04	3.41E-05	1.91E+00	4.71E-02	3.08E-06	1.0E+06	3.1E+00
1371	11.93785	4.66E-03	5.6E-02	6.05E-04	3.36E-05	1.91E+00	4.71E-02	3.03E-06	1.0E+06	3.0E+00
1372	14.21824	4.66E-03	6.6E-02	6.05E-04	4.01E-05	1.91E+00	4.71E-02	3.61E-06	1.0E+06	3.6E+00
1373	14.09422	4.66E-03	6.6E-02	6.05E-04	3.97E-05	1.91E+00	4.71E-02	3.58E-06	1.0E+06	3.6E+00
1374	11.61469	4.66E-03	5.4E-02	6.05E-04	3.27E-05	1.91E+00	4.71E-02	2.95E-06	1.0E+06	2.9E+00
1375	11.28398	4.66E-03	5.3E-02	6.05E-04	3.18E-05	1.91E+00	4.71E-02	2.87E-06	1.0E+06	2.9E+00
1376	13.30315	4.66E-03	6.2E-02	6.05E-04	3.75E-05	1.91E+00	4.71E-02	3.38E-06	1.0E+06	3.4E+00
1377	12.92905	4.66E-03	6.0E-02	6.05E-04	3.64E-05	1.91E+00	4.71E-02	3.28E-06	1.0E+06	3.3E+00
1378	10.21298	4.66E-03	4.8E-02	6.05E-04	2.88E-05	1.91E+00	4.71E-02	2.59E-06	1.0E+06	2.6E+00
1379	9.56154	4.66E-03	4.5E-02	6.05E-04	2.69E-05	1.91E+00	4.71E-02	2.43E-06	1.0E+06	2.4E+00
1380	11.21617	4.66E-03	5.2E-02	6.05E-04	3.16E-05	1.91E+00	4.71E-02	2.85E-06	1.0E+06	2.8E+00
1381	10.49217	4.66E-03	4.9E-02	6.05E-04	2.96E-05	1.91E+00	4.71E-02	2.66E-06	1.0E+06	2.7E+00
1382	7.49177	4.66E-03	3.5E-02	6.05E-04	2.11E-05	1.91E+00	4.71E-02	1.90E-06	1.0E+06	1.9E+00
1383	6.52159	4.66E-03	3.0E-02	6.05E-04	1.84E-05	1.91E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
1384	7.76548	4.66E-03	3.6E-02	6.05E-04	2.19E-05	1.91E+00	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1385	6.69215	4.66E-03	3.1E-02	6.05E-04	1.89E-05	1.91E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1386	5.6875	4.66E-03	2.6E-02	6.05E-04	1.60E-05	1.91E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1387	4.82388	4.66E-03	2.2E-02	6.05E-04	1.36E-05	1.91E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1388	4.11419	4.66E-03	1.9E-02	6.05E-04	1.16E-05	1.91E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1389	3.53838	4.66E-03	1.6E-02	6.05E-04	9.97E-06	1.91E+00	4.71E-02	8.99E-07	1.0E+06	9.0E-01
1390	3.0699	4.66E-03	1.4E-02	6.05E-04	8.65E-06	1.91E+00	4.71E-02	7.80E-07	1.0E+06	7.8E-01
1391	2.69242	4.66E-03	1.3E-02	6.05E-04	7.58E-06	1.91E+00	4.71E-02	6.84E-07	1.0E+06	6.8E-01
1392	2.38607	4.66E-03	1.1E-02	6.05E-04	6.72E-06	1.91E+00	4.71E-02	6.06E-07	1.0E+06	6.1E-01
1393	2.1349	4.66E-03	9.9E-03	6.05E-04	6.01E-06	1.91E+00	4.71E-02	5.42E-07	1.0E+06	5.4E-01
1394	12.346	4.66E-03	5.7E-02	6.05E-04	3.48E-05	1.91E+00	4.71E-02	3.14E-06	1.0E+06	3.1E+00
1395	12.28184	4.66E-03	5.7E-02	6.05E-04	3.46E-05	1.91E+00	4.71E-02	3.12E-06	1.0E+06	3.1E+00
1396	12.18985	4.66E-03	5.7E-02	6.05E-04	3.43E-05	1.91E+00	4.71E-02	3.10E-06	1.0E+06	3.1E+00
1397	12.11207	4.66E-03	5.6E-02	6.05E-04	3.41E-05	1.91E+00	4.71E-02	3.08E-06	1.0E+06	3.1E+00
1398	12.07276	4.66E-03	5.6E-02	6.05E-04	3.40E-05	1.91E+00	4.71E-02	3.07E-06	1.0E+06	3.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	11.98967	4.66E-03	5.6E-02	6.05E-04	3.38E-05	1.91E+00	4.71E-02	3.04E-06	1.0E+06	3.0E+00
1400	11.91635	4.66E-03	5.5E-02	6.05E-04	3.36E-05	1.91E+00	4.71E-02	3.03E-06	1.0E+06	3.0E+00
1401	11.81784	4.66E-03	5.5E-02	6.05E-04	3.33E-05	1.91E+00	4.71E-02	3.00E-06	1.0E+06	3.0E+00
1402	11.64922	4.66E-03	5.4E-02	6.05E-04	3.28E-05	1.91E+00	4.71E-02	2.96E-06	1.0E+06	3.0E+00
1403	11.4204	4.66E-03	5.3E-02	6.05E-04	3.22E-05	1.91E+00	4.71E-02	2.90E-06	1.0E+06	2.9E+00
1404	11.13768	4.66E-03	5.2E-02	6.05E-04	3.14E-05	1.91E+00	4.71E-02	2.83E-06	1.0E+06	2.8E+00
1405	10.81776	4.66E-03	5.0E-02	6.05E-04	3.05E-05	1.91E+00	4.71E-02	2.75E-06	1.0E+06	2.7E+00
1406	10.42788	4.66E-03	4.9E-02	6.05E-04	2.94E-05	1.91E+00	4.71E-02	2.65E-06	1.0E+06	2.6E+00
1407	9.96195	4.66E-03	4.6E-02	6.05E-04	2.81E-05	1.91E+00	4.71E-02	2.53E-06	1.0E+06	2.5E+00
1408	9.4316	4.66E-03	4.4E-02	6.05E-04	2.66E-05	1.91E+00	4.71E-02	2.40E-06	1.0E+06	2.4E+00
1409	8.84146	4.66E-03	4.1E-02	6.05E-04	2.49E-05	1.91E+00	4.71E-02	2.25E-06	1.0E+06	2.2E+00
1410	8.19048	4.66E-03	3.8E-02	6.05E-04	2.31E-05	1.91E+00	4.71E-02	2.08E-06	1.0E+06	2.1E+00
1411	7.47061	4.66E-03	3.5E-02	6.05E-04	2.10E-05	1.91E+00	4.71E-02	1.90E-06	1.0E+06	1.9E+00
1412	6.68789	4.66E-03	3.1E-02	6.05E-04	1.88E-05	1.91E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1413	5.88345	4.66E-03	2.7E-02	6.05E-04	1.66E-05	1.91E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1414	5.11395	4.66E-03	2.4E-02	6.05E-04	1.44E-05	1.91E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1415	4.42675	4.66E-03	2.1E-02	6.05E-04	1.25E-05	1.91E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1416	3.83844	4.66E-03	1.8E-02	6.05E-04	1.08E-05	1.91E+00	4.71E-02	9.75E-07	1.0E+06	9.7E-01
1417	3.34362	4.66E-03	1.6E-02	6.05E-04	9.42E-06	1.91E+00	4.71E-02	8.49E-07	1.0E+06	8.5E-01
1418	2.92615	4.66E-03	1.4E-02	6.05E-04	8.24E-06	1.91E+00	4.71E-02	7.43E-07	1.0E+06	7.4E-01
1419	2.58213	4.66E-03	1.2E-02	6.05E-04	7.27E-06	1.91E+00	4.71E-02	6.56E-07	1.0E+06	6.6E-01
1420	2.29833	4.66E-03	1.1E-02	6.05E-04	6.47E-06	1.91E+00	4.71E-02	5.84E-07	1.0E+06	5.8E-01
1421	2.06287	4.66E-03	9.6E-03	6.05E-04	5.81E-06	1.91E+00	4.71E-02	5.24E-07	1.0E+06	5.2E-01
1422	10.50365	4.66E-03	4.9E-02	6.05E-04	2.96E-05	1.91E+00	4.71E-02	2.67E-06	1.0E+06	2.7E+00
1423	10.44226	4.66E-03	4.9E-02	6.05E-04	2.94E-05	1.91E+00	4.71E-02	2.65E-06	1.0E+06	2.7E+00
1424	10.40176	4.66E-03	4.8E-02	6.05E-04	2.93E-05	1.91E+00	4.71E-02	2.64E-06	1.0E+06	2.6E+00
1425	10.34198	4.66E-03	4.8E-02	6.05E-04	2.91E-05	1.91E+00	4.71E-02	2.63E-06	1.0E+06	2.6E+00
1426	10.27209	4.66E-03	4.8E-02	6.05E-04	2.89E-05	1.91E+00	4.71E-02	2.61E-06	1.0E+06	2.6E+00
1427	10.21481	4.66E-03	4.8E-02	6.05E-04	2.88E-05	1.91E+00	4.71E-02	2.59E-06	1.0E+06	2.6E+00
1428	10.17818	4.66E-03	4.7E-02	6.05E-04	2.87E-05	1.91E+00	4.71E-02	2.58E-06	1.0E+06	2.6E+00
1429	10.09224	4.66E-03	4.7E-02	6.05E-04	2.84E-05	1.91E+00	4.71E-02	2.56E-06	1.0E+06	2.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	9.95224	4.66E-03	4.6E-02	6.05E-04	2.80E-05	1.91E+00	4.71E-02	2.53E-06	1.0E+06	2.5E+00
1431	9.75415	4.66E-03	4.5E-02	6.05E-04	2.75E-05	1.91E+00	4.71E-02	2.48E-06	1.0E+06	2.5E+00
1432	9.51455	4.66E-03	4.4E-02	6.05E-04	2.68E-05	1.91E+00	4.71E-02	2.42E-06	1.0E+06	2.4E+00
1433	9.23853	4.66E-03	4.3E-02	6.05E-04	2.60E-05	1.91E+00	4.71E-02	2.35E-06	1.0E+06	2.3E+00
1434	8.91293	4.66E-03	4.1E-02	6.05E-04	2.51E-05	1.91E+00	4.71E-02	2.26E-06	1.0E+06	2.3E+00
1435	8.52852	4.66E-03	4.0E-02	6.05E-04	2.40E-05	1.91E+00	4.71E-02	2.17E-06	1.0E+06	2.2E+00
1436	8.09239	4.66E-03	3.8E-02	6.05E-04	2.28E-05	1.91E+00	4.71E-02	2.06E-06	1.0E+06	2.1E+00
1437	7.60465	4.66E-03	3.5E-02	6.05E-04	2.14E-05	1.91E+00	4.71E-02	1.93E-06	1.0E+06	1.9E+00
1438	7.06747	4.66E-03	3.3E-02	6.05E-04	1.99E-05	1.91E+00	4.71E-02	1.79E-06	1.0E+06	1.8E+00
1439	6.48718	4.66E-03	3.0E-02	6.05E-04	1.83E-05	1.91E+00	4.71E-02	1.65E-06	1.0E+06	1.6E+00
1440	5.87044	4.66E-03	2.7E-02	6.05E-04	1.65E-05	1.91E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1441	5.24275	4.66E-03	2.4E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1442	4.63406	4.66E-03	2.2E-02	6.05E-04	1.31E-05	1.91E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1443	4.077	4.66E-03	1.9E-02	6.05E-04	1.15E-05	1.91E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1444	3.58526	4.66E-03	1.7E-02	6.05E-04	1.01E-05	1.91E+00	4.71E-02	9.11E-07	1.0E+06	9.1E-01
1445	3.15895	4.66E-03	1.5E-02	6.05E-04	8.90E-06	1.91E+00	4.71E-02	8.02E-07	1.0E+06	8.0E-01
1446	2.78854	4.66E-03	1.3E-02	6.05E-04	7.86E-06	1.91E+00	4.71E-02	7.08E-07	1.0E+06	7.1E-01
1447	2.47615	4.66E-03	1.2E-02	6.05E-04	6.98E-06	1.91E+00	4.71E-02	6.29E-07	1.0E+06	6.3E-01
1448	2.21402	4.66E-03	1.0E-02	6.05E-04	6.24E-06	1.91E+00	4.71E-02	5.62E-07	1.0E+06	5.6E-01
1449	1.99358	4.66E-03	9.3E-03	6.05E-04	5.62E-06	1.91E+00	4.71E-02	5.06E-07	1.0E+06	5.1E-01
1450	9.07748	4.66E-03	4.2E-02	6.05E-04	2.56E-05	1.91E+00	4.71E-02	2.31E-06	1.0E+06	2.3E+00
1451	9.04116	4.66E-03	4.2E-02	6.05E-04	2.55E-05	1.91E+00	4.71E-02	2.30E-06	1.0E+06	2.3E+00
1452	8.98097	4.66E-03	4.2E-02	6.05E-04	2.53E-05	1.91E+00	4.71E-02	2.28E-06	1.0E+06	2.3E+00
1453	8.94477	4.66E-03	4.2E-02	6.05E-04	2.52E-05	1.91E+00	4.71E-02	2.27E-06	1.0E+06	2.3E+00
1454	8.89538	4.66E-03	4.1E-02	6.05E-04	2.51E-05	1.91E+00	4.71E-02	2.26E-06	1.0E+06	2.3E+00
1455	8.81344	4.66E-03	4.1E-02	6.05E-04	2.48E-05	1.91E+00	4.71E-02	2.24E-06	1.0E+06	2.2E+00
1456	8.81219	4.66E-03	4.1E-02	6.05E-04	2.48E-05	1.91E+00	4.71E-02	2.24E-06	1.0E+06	2.2E+00
1457	8.74796	4.66E-03	4.1E-02	6.05E-04	2.46E-05	1.91E+00	4.71E-02	2.22E-06	1.0E+06	2.2E+00
1458	8.63748	4.66E-03	4.0E-02	6.05E-04	2.43E-05	1.91E+00	4.71E-02	2.19E-06	1.0E+06	2.2E+00
1459	8.46454	4.66E-03	3.9E-02	6.05E-04	2.38E-05	1.91E+00	4.71E-02	2.15E-06	1.0E+06	2.1E+00
1460	8.25859	4.66E-03	3.8E-02	6.05E-04	2.33E-05	1.91E+00	4.71E-02	2.10E-06	1.0E+06	2.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	8.0192	4.66E-03	3.7E-02	6.05E-04	2.26E-05	1.91E+00	4.71E-02	2.04E-06	1.0E+06	2.0E+00
1462	7.74318	4.66E-03	3.6E-02	6.05E-04	2.18E-05	1.91E+00	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1463	7.42093	4.66E-03	3.5E-02	6.05E-04	2.09E-05	1.91E+00	4.71E-02	1.88E-06	1.0E+06	1.9E+00
1464	7.0564	4.66E-03	3.3E-02	6.05E-04	1.99E-05	1.91E+00	4.71E-02	1.79E-06	1.0E+06	1.8E+00
1465	6.64796	4.66E-03	3.1E-02	6.05E-04	1.87E-05	1.91E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
1466	6.20134	4.66E-03	2.9E-02	6.05E-04	1.75E-05	1.91E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1467	5.7265	4.66E-03	2.7E-02	6.05E-04	1.61E-05	1.91E+00	4.71E-02	1.45E-06	1.0E+06	1.5E+00
1468	5.22772	4.66E-03	2.4E-02	6.05E-04	1.47E-05	1.91E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1469	4.7222	4.66E-03	2.2E-02	6.05E-04	1.33E-05	1.91E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1470	4.22861	4.66E-03	2.0E-02	6.05E-04	1.19E-05	1.91E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1471	3.76896	4.66E-03	1.8E-02	6.05E-04	1.06E-05	1.91E+00	4.71E-02	9.57E-07	1.0E+06	9.6E-01
1472	3.35396	4.66E-03	1.6E-02	6.05E-04	9.45E-06	1.91E+00	4.71E-02	8.52E-07	1.0E+06	8.5E-01
1473	2.9854	4.66E-03	1.4E-02	6.05E-04	8.41E-06	1.91E+00	4.71E-02	7.58E-07	1.0E+06	7.6E-01
1474	2.65684	4.66E-03	1.2E-02	6.05E-04	7.48E-06	1.91E+00	4.71E-02	6.75E-07	1.0E+06	6.7E-01
1475	2.37409	4.66E-03	1.1E-02	6.05E-04	6.69E-06	1.91E+00	4.71E-02	6.03E-07	1.0E+06	6.0E-01
1476	2.13251	4.66E-03	9.9E-03	6.05E-04	6.01E-06	1.91E+00	4.71E-02	5.42E-07	1.0E+06	5.4E-01
1477	1.9268	4.66E-03	9.0E-03	6.05E-04	5.43E-06	1.91E+00	4.71E-02	4.89E-07	1.0E+06	4.9E-01
1478	7.92156	4.66E-03	3.7E-02	6.05E-04	2.23E-05	1.91E+00	4.71E-02	2.01E-06	1.0E+06	2.0E+00
1479	7.91107	4.66E-03	3.7E-02	6.05E-04	2.23E-05	1.91E+00	4.71E-02	2.01E-06	1.0E+06	2.0E+00
1480	7.87829	4.66E-03	3.7E-02	6.05E-04	2.22E-05	1.91E+00	4.71E-02	2.00E-06	1.0E+06	2.0E+00
1481	7.83014	4.66E-03	3.6E-02	6.05E-04	2.21E-05	1.91E+00	4.71E-02	1.99E-06	1.0E+06	2.0E+00
1482	7.80911	4.66E-03	3.6E-02	6.05E-04	2.20E-05	1.91E+00	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1483	7.75145	4.66E-03	3.6E-02	6.05E-04	2.18E-05	1.91E+00	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1484	7.7494	4.66E-03	3.6E-02	6.05E-04	2.18E-05	1.91E+00	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1485	7.69066	4.66E-03	3.6E-02	6.05E-04	2.17E-05	1.91E+00	4.71E-02	1.95E-06	1.0E+06	2.0E+00
1486	7.59214	4.66E-03	3.5E-02	6.05E-04	2.14E-05	1.91E+00	4.71E-02	1.93E-06	1.0E+06	1.9E+00
1487	7.44023	4.66E-03	3.5E-02	6.05E-04	2.10E-05	1.91E+00	4.71E-02	1.89E-06	1.0E+06	1.9E+00
1488	7.26104	4.66E-03	3.4E-02	6.05E-04	2.05E-05	1.91E+00	4.71E-02	1.84E-06	1.0E+06	1.8E+00
1489	7.0533	4.66E-03	3.3E-02	6.05E-04	1.99E-05	1.91E+00	4.71E-02	1.79E-06	1.0E+06	1.8E+00
1490	6.81614	4.66E-03	3.2E-02	6.05E-04	1.92E-05	1.91E+00	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1491	6.54173	4.66E-03	3.0E-02	6.05E-04	1.84E-05	1.91E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

						Cancer Risk from 2to16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	6.23274	4.66E-03	2.9E-02	6.05E-04	1.76E-05	1.91E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1493	5.88973	4.66E-03	2.7E-02	6.05E-04	1.66E-05	1.91E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1494	5.51756	4.66E-03	2.6E-02	6.05E-04	1.55E-05	1.91E+00	4.71E-02	1.40E-06	1.0E+06	1.4E+00
1495	5.12162	4.66E-03	2.4E-02	6.05E-04	1.44E-05	1.91E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1496	4.71008	4.66E-03	2.2E-02	6.05E-04	1.33E-05	1.91E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1497	4.29274	4.66E-03	2.0E-02	6.05E-04	1.21E-05	1.91E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1498	3.88231	4.66E-03	1.8E-02	6.05E-04	1.09E-05	1.91E+00	4.71E-02	9.86E-07	1.0E+06	9.9E-01
1499	3.4953	4.66E-03	1.6E-02	6.05E-04	9.85E-06	1.91E+00	4.71E-02	8.88E-07	1.0E+06	8.9E-01
1500	3.13977	4.66E-03	1.5E-02	6.05E-04	8.84E-06	1.91E+00	4.71E-02	7.97E-07	1.0E+06	8.0E-01
1501	2.81836	4.66E-03	1.3E-02	6.05E-04	7.94E-06	1.91E+00	4.71E-02	7.16E-07	1.0E+06	7.2E-01
1502	2.52765	4.66E-03	1.2E-02	6.05E-04	7.12E-06	1.91E+00	4.71E-02	6.42E-07	1.0E+06	6.4E-01
1503	2.273	4.66E-03	1.1E-02	6.05E-04	6.40E-06	1.91E+00	4.71E-02	5.77E-07	1.0E+06	5.8E-01
1504	2.05219	4.66E-03	9.6E-03	6.05E-04	5.78E-06	1.91E+00	4.71E-02	5.21E-07	1.0E+06	5.2E-01
1505	1.86144	4.66E-03	8.7E-03	6.05E-04	5.24E-06	1.91E+00	4.71E-02	4.73E-07	1.0E+06	4.7E-01
1506	6.97938	4.66E-03	3.2E-02	6.05E-04	1.97E-05	1.91E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1507	6.97779	4.66E-03	3.2E-02	6.05E-04	1.97E-05	1.91E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1508	6.97164	4.66E-03	3.2E-02	6.05E-04	1.96E-05	1.91E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1509	6.94877	4.66E-03	3.2E-02	6.05E-04	1.96E-05	1.91E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1510	6.93496	4.66E-03	3.2E-02	6.05E-04	1.95E-05	1.91E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1511	6.89704	4.66E-03	3.2E-02	6.05E-04	1.94E-05	1.91E+00	4.71E-02	1.75E-06	1.0E+06	1.8E+00
1512	6.87977	4.66E-03	3.2E-02	6.05E-04	1.94E-05	1.91E+00	4.71E-02	1.75E-06	1.0E+06	1.7E+00
1513	6.83228	4.66E-03	3.2E-02	6.05E-04	1.92E-05	1.91E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
1514	6.74309	4.66E-03	3.1E-02	6.05E-04	1.90E-05	1.91E+00	4.71E-02	1.71E-06	1.0E+06	1.7E+00
1515	6.60902	4.66E-03	3.1E-02	6.05E-04	1.86E-05	1.91E+00	4.71E-02	1.68E-06	1.0E+06	1.7E+00
1516	6.4518	4.66E-03	3.0E-02	6.05E-04	1.82E-05	1.91E+00	4.71E-02	1.64E-06	1.0E+06	1.6E+00
1517	6.27049	4.66E-03	2.9E-02	6.05E-04	1.77E-05	1.91E+00	4.71E-02	1.59E-06	1.0E+06	1.6E+00
1518	6.06457	4.66E-03	2.8E-02	6.05E-04	1.71E-05	1.91E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
1519	5.8281	4.66E-03	2.7E-02	6.05E-04	1.64E-05	1.91E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1520	5.56394	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1521	5.2734	4.66E-03	2.5E-02	6.05E-04	1.49E-05	1.91E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1522	4.95967	4.66E-03	2.3E-02	6.05E-04	1.40E-05	1.91E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

					Cancer Risk from 2to16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	4.62617	4.66E-03	2.2E-02	6.05E-04	1.30E-05	1.91E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1524	4.28049	4.66E-03	2.0E-02	6.05E-04	1.21E-05	1.91E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1525	3.92984	4.66E-03	1.8E-02	6.05E-04	1.11E-05	1.91E+00	4.71E-02	9.98E-07	1.0E+06	1.0E+00
1526	3.58347	4.66E-03	1.7E-02	6.05E-04	1.01E-05	1.91E+00	4.71E-02	9.10E-07	1.0E+06	9.1E-01
1527	3.25287	4.66E-03	1.5E-02	6.05E-04	9.16E-06	1.91E+00	4.71E-02	8.26E-07	1.0E+06	8.3E-01
1528	2.94536	4.66E-03	1.4E-02	6.05E-04	8.30E-06	1.91E+00	4.71E-02	7.48E-07	1.0E+06	7.5E-01
1529	2.66336	4.66E-03	1.2E-02	6.05E-04	7.50E-06	1.91E+00	4.71E-02	6.76E-07	1.0E+06	6.8E-01
1530	2.40549	4.66E-03	1.1E-02	6.05E-04	6.78E-06	1.91E+00	4.71E-02	6.11E-07	1.0E+06	6.1E-01
1531	2.17623	4.66E-03	1.0E-02	6.05E-04	6.13E-06	1.91E+00	4.71E-02	5.53E-07	1.0E+06	5.5E-01
1532	1.97461	4.66E-03	9.2E-03	6.05E-04	5.56E-06	1.91E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
1533	1.79816	4.66E-03	8.4E-03	6.05E-04	5.07E-06	1.91E+00	4.71E-02	4.57E-07	1.0E+06	4.6E-01
1534	6.19252	4.66E-03	2.9E-02	6.05E-04	1.74E-05	1.91E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1535	6.20686	4.66E-03	2.9E-02	6.05E-04	1.75E-05	1.91E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1536	6.20889	4.66E-03	2.9E-02	6.05E-04	1.75E-05	1.91E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1537	6.21746	4.66E-03	2.9E-02	6.05E-04	1.75E-05	1.91E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1538	6.19304	4.66E-03	2.9E-02	6.05E-04	1.74E-05	1.91E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1539	6.18733	4.66E-03	2.9E-02	6.05E-04	1.74E-05	1.91E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1540	6.1665	4.66E-03	2.9E-02	6.05E-04	1.74E-05	1.91E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1541	6.12161	4.66E-03	2.8E-02	6.05E-04	1.72E-05	1.91E+00	4.71E-02	1.55E-06	1.0E+06	1.6E+00
1542	6.04139	4.66E-03	2.8E-02	6.05E-04	1.70E-05	1.91E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
1543	5.9223	4.66E-03	2.8E-02	6.05E-04	1.67E-05	1.91E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1544	5.7837	4.66E-03	2.7E-02	6.05E-04	1.63E-05	1.91E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1545	5.62444	4.66E-03	2.6E-02	6.05E-04	1.58E-05	1.91E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
1546	5.44413	4.66E-03	2.5E-02	6.05E-04	1.53E-05	1.91E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1547	5.23841	4.66E-03	2.4E-02	6.05E-04	1.48E-05	1.91E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1548	5.01093	4.66E-03	2.3E-02	6.05E-04	1.41E-05	1.91E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1549	4.76229	4.66E-03	2.2E-02	6.05E-04	1.34E-05	1.91E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1550	4.49526	4.66E-03	2.1E-02	6.05E-04	1.27E-05	1.91E+00	4.71E-02	1.14E-06	1.0E+06	1.1E+00
1551	4.21149	4.66E-03	2.0E-02	6.05E-04	1.19E-05	1.91E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1552	3.91723	4.66E-03	1.8E-02	6.05E-04	1.10E-05	1.91E+00	4.71E-02	9.95E-07	1.0E+06	9.9E-01
1553	3.61864	4.66E-03	1.7E-02	6.05E-04	1.02E-05	1.91E+00	4.71E-02	9.19E-07	1.0E+06	9.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	3.32246	4.66E-03	1.5E-02	6.05E-04	9.36E-06	1.91E+00	4.71E-02	8.44E-07	1.0E+06	8.4E-01
1555	3.03738	4.66E-03	1.4E-02	6.05E-04	8.56E-06	1.91E+00	4.71E-02	7.71E-07	1.0E+06	7.7E-01
1556	2.76918	4.66E-03	1.3E-02	6.05E-04	7.80E-06	1.91E+00	4.71E-02	7.03E-07	1.0E+06	7.0E-01
1557	2.52	4.66E-03	1.2E-02	6.05E-04	7.10E-06	1.91E+00	4.71E-02	6.40E-07	1.0E+06	6.4E-01
1558	2.2907	4.66E-03	1.1E-02	6.05E-04	6.45E-06	1.91E+00	4.71E-02	5.82E-07	1.0E+06	5.8E-01
1559	2.08408	4.66E-03	9.7E-03	6.05E-04	5.87E-06	1.91E+00	4.71E-02	5.29E-07	1.0E+06	5.3E-01
1560	1.90004	4.66E-03	8.8E-03	6.05E-04	5.35E-06	1.91E+00	4.71E-02	4.83E-07	1.0E+06	4.8E-01
1561	1.737	4.66E-03	8.1E-03	6.05E-04	4.89E-06	1.91E+00	4.71E-02	4.41E-07	1.0E+06	4.4E-01
1562	5.5612	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1563	5.56018	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1564	5.56469	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1565	5.57488	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1566	5.57309	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1567	5.56834	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1568	5.55605	4.66E-03	2.6E-02	6.05E-04	1.57E-05	1.91E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1569	5.51238	4.66E-03	2.6E-02	6.05E-04	1.55E-05	1.91E+00	4.71E-02	1.40E-06	1.0E+06	1.4E+00
1570	5.44146	4.66E-03	2.5E-02	6.05E-04	1.53E-05	1.91E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1571	5.34424	4.66E-03	2.5E-02	6.05E-04	1.51E-05	1.91E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
1572	5.22282	4.66E-03	2.4E-02	6.05E-04	1.47E-05	1.91E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1573	5.08274	4.66E-03	2.4E-02	6.05E-04	1.43E-05	1.91E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00
1574	4.92458	4.66E-03	2.3E-02	6.05E-04	1.39E-05	1.91E+00	4.71E-02	1.25E-06	1.0E+06	1.3E+00
1575	4.74447	4.66E-03	2.2E-02	6.05E-04	1.34E-05	1.91E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1576	4.54686	4.66E-03	2.1E-02	6.05E-04	1.28E-05	1.91E+00	4.71E-02	1.15E-06	1.0E+06	1.2E+00
1577	4.33209	4.66E-03	2.0E-02	6.05E-04	1.22E-05	1.91E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1578	4.10196	4.66E-03	1.9E-02	6.05E-04	1.16E-05	1.91E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1579	3.85856	4.66E-03	1.8E-02	6.05E-04	1.09E-05	1.91E+00	4.71E-02	9.80E-07	1.0E+06	9.8E-01
1580	3.60578	4.66E-03	1.7E-02	6.05E-04	1.02E-05	1.91E+00	4.71E-02	9.16E-07	1.0E+06	9.2E-01
1581	3.34897	4.66E-03	1.6E-02	6.05E-04	9.43E-06	1.91E+00	4.71E-02	8.50E-07	1.0E+06	8.5E-01
1582	3.09363	4.66E-03	1.4E-02	6.05E-04	8.71E-06	1.91E+00	4.71E-02	7.86E-07	1.0E+06	7.9E-01
1583	2.84582	4.66E-03	1.3E-02	6.05E-04	8.02E-06	1.91E+00	4.71E-02	7.23E-07	1.0E+06	7.2E-01
1584	2.61023	4.66E-03	1.2E-02	6.05E-04	7.35E-06	1.91E+00	4.71E-02	6.63E-07	1.0E+06	6.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.3894	4.66E-03	1.1E-02	6.05E-04	6.73E-06	1.91E+00	4.71E-02	6.07E-07	1.0E+06	6.1E-01
1586	2.18437	4.66E-03	1.0E-02	6.05E-04	6.15E-06	1.91E+00	4.71E-02	5.55E-07	1.0E+06	5.5E-01
1587	1.99744	4.66E-03	9.3E-03	6.05E-04	5.63E-06	1.91E+00	4.71E-02	5.07E-07	1.0E+06	5.1E-01
1588	1.82902	4.66E-03	8.5E-03	6.05E-04	5.15E-06	1.91E+00	4.71E-02	4.64E-07	1.0E+06	4.6E-01
1589	1.67833	4.66E-03	7.8E-03	6.05E-04	4.73E-06	1.91E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
1590	5.03444	4.66E-03	2.3E-02	6.05E-04	1.42E-05	1.91E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1591	5.02557	4.66E-03	2.3E-02	6.05E-04	1.42E-05	1.91E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1592	5.01615	4.66E-03	2.3E-02	6.05E-04	1.41E-05	1.91E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1593	5.01126	4.66E-03	2.3E-02	6.05E-04	1.41E-05	1.91E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1594	5.02951	4.66E-03	2.3E-02	6.05E-04	1.42E-05	1.91E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1595	5.01656	4.66E-03	2.3E-02	6.05E-04	1.41E-05	1.91E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
0	0	4.66E-03	0.0E+00	6.05E-04	0.00E+00	1.91E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	1.49E-03
1214	5	6.55E-03
1215	5	5.49E-03
1216	5	4.68E-03
1217	5	4.04E-03
1218	5	3.53E-03
1219	5	3.11E-03
1220	5	2.77E-03
1221	5	2.48E-03
1222	5	2.24E-03
1223	5	2.03E-03
1224	5	1.85E-03
1225	5	1.70E-03
1226	5	1.57E-03
1227	5	1.45E-03
1228	5	7.28E-03
1229	5	5.93E-03
1230	5	4.96E-03
1231	5	4.22E-03
1232	5	3.64E-03
1233	5	3.18E-03
1234	5	2.81E-03
1235	5	2.51E-03
1236	5	2.25E-03
1237	5	2.04E-03
1238	5	1.86E-03
1239	5	1.70E-03
1240	5	1.57E-03
1241	5	1.45E-03
1242	5	6.18E-03
1243	5	6.33E-03

Max	Receptor #	
0.013	1369	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	5.19E-03
1245	5	4.36E-03
1246	5	3.72E-03
1247	5	3.23E-03
1248	5	2.84E-03
1249	5	2.52E-03
1250	5	2.26E-03
1251	5	2.04E-03
1252	5	1.85E-03
1253	5	1.70E-03
1254	5	1.56E-03
1255	5	1.44E-03
1256	5	6.31E-03
1257	5	6.64E-03
1258	5	5.36E-03
1259	5	4.45E-03
1260	5	3.77E-03
1261	5	3.25E-03
1262	5	2.84E-03
1263	5	2.51E-03
1264	5	2.25E-03
1265	5	2.03E-03
1266	5	1.84E-03
1267	5	1.68E-03
1268	5	1.54E-03
1269	5	1.43E-03
1270	5	6.36E-03
1271	5	5.22E-03
1272	5	5.46E-03
1273	5	4.49E-03
1274	5	3.78E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	3.24E-03
1276	5	2.83E-03
1277	5	2.49E-03
1278	5	2.22E-03
1279	5	2.00E-03
1280	5	1.82E-03
1281	5	1.66E-03
1282	5	1.52E-03
1283	5	1.40E-03
1284	5	6.43E-03
1285	5	6.90E-03
1286	5	5.47E-03
1287	5	4.48E-03
1288	5	3.75E-03
1289	5	3.21E-03
1290	5	2.79E-03
1291	5	2.46E-03
1292	5	2.19E-03
1293	5	1.97E-03
1294	5	1.79E-03
1295	5	1.63E-03
1296	5	1.50E-03
1297	5	1.38E-03
1298	5	4.87E-03
1299	5	6.78E-03
1300	5	5.39E-03
1301	5	4.41E-03
1302	5	3.69E-03
1303	5	3.15E-03
1304	5	2.74E-03
1305	5	2.41E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	6.43E-03
1307	5	6.53E-03
1308	5	5.21E-03
1309	5	4.27E-03
1310	5	3.57E-03
1311	5	3.06E-03
1312	5	2.66E-03
1313	5	2.34E-03
1314	5	5.78E-03
1315	5	6.20E-03
1316	5	4.96E-03
1317	5	4.09E-03
1318	5	3.44E-03
1319	5	2.95E-03
1320	5	2.57E-03
1321	5	2.27E-03
1322	5	5.23E-03
1323	5	5.79E-03
1324	5	4.68E-03
1325	5	3.88E-03
1326	5	3.29E-03
1327	5	2.83E-03
1328	5	2.48E-03
1329	5	2.20E-03
1330	5	4.77E-03
1331	5	5.35E-03
1332	5	4.40E-03
1333	5	3.69E-03
1334	5	3.14E-03
1335	5	2.72E-03
1336	5	2.39E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	2.13E-03
1338	5	1.34E-02
1339	5	1.33E-02
1340	5	1.16E-02
1341	5	1.15E-02
1342	5	1.32E-02
1343	5	1.30E-02
1344	5	1.13E-02
1345	5	1.11E-02
1346	5	1.27E-02
1347	5	1.23E-02
1348	5	1.05E-02
1349	5	9.97E-03
1350	5	1.11E-02
1351	5	1.04E-02
1352	5	8.05E-03
1353	5	7.17E-03
1354	5	7.97E-03
1355	5	6.81E-03
1356	5	5.86E-03
1357	5	5.06E-03
1358	5	5.93E-03
1359	5	4.91E-03
1360	5	4.11E-03
1361	5	3.49E-03
1362	5	3.00E-03
1363	5	2.61E-03
1364	5	2.31E-03
1365	5	2.06E-03
1366	5	1.15E-02
1367	5	1.14E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	1.14E-02
1369	5	1.35E-02
1370	5	1.13E-02
1371	5	1.11E-02
1372	5	1.32E-02
1373	5	1.31E-02
1374	5	1.08E-02
1375	5	1.05E-02
1376	5	1.24E-02
1377	5	1.20E-02
1378	5	9.51E-03
1379	5	8.90E-03
1380	5	1.04E-02
1381	5	9.77E-03
1382	5	6.98E-03
1383	5	6.07E-03
1384	5	7.23E-03
1385	5	6.23E-03
1386	5	5.30E-03
1387	5	4.49E-03
1388	5	3.83E-03
1389	5	3.29E-03
1390	5	2.86E-03
1391	5	2.51E-03
1392	5	2.22E-03
1393	5	1.99E-03
1394	5	1.15E-02
1395	5	1.14E-02
1396	5	1.14E-02
1397	5	1.13E-02
1398	5	1.12E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	1.12E-02
1400	5	1.11E-02
1401	5	1.10E-02
1402	5	1.08E-02
1403	5	1.06E-02
1404	5	1.04E-02
1405	5	1.01E-02
1406	5	9.71E-03
1407	5	9.28E-03
1408	5	8.78E-03
1409	5	8.23E-03
1410	5	7.63E-03
1411	5	6.96E-03
1412	5	6.23E-03
1413	5	5.48E-03
1414	5	4.76E-03
1415	5	4.12E-03
1416	5	3.57E-03
1417	5	3.11E-03
1418	5	2.72E-03
1419	5	2.40E-03
1420	5	2.14E-03
1421	5	1.92E-03
1422	5	9.78E-03
1423	5	9.72E-03
1424	5	9.69E-03
1425	5	9.63E-03
1426	5	9.56E-03
1427	5	9.51E-03
1428	5	9.48E-03
1429	5	9.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	9.27E-03
1431	5	9.08E-03
1432	5	8.86E-03
1433	5	8.60E-03
1434	5	8.30E-03
1435	5	7.94E-03
1436	5	7.54E-03
1437	5	7.08E-03
1438	5	6.58E-03
1439	5	6.04E-03
1440	5	5.47E-03
1441	5	4.88E-03
1442	5	4.31E-03
1443	5	3.80E-03
1444	5	3.34E-03
1445	5	2.94E-03
1446	5	2.60E-03
1447	5	2.31E-03
1448	5	2.06E-03
1449	5	1.86E-03
1450	5	8.45E-03
1451	5	8.42E-03
1452	5	8.36E-03
1453	5	8.33E-03
1454	5	8.28E-03
1455	5	8.21E-03
1456	5	8.21E-03
1457	5	8.15E-03
1458	5	8.04E-03
1459	5	7.88E-03
1460	5	7.69E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	7.47E-03
1462	5	7.21E-03
1463	5	6.91E-03
1464	5	6.57E-03
1465	5	6.19E-03
1466	5	5.77E-03
1467	5	5.33E-03
1468	5	4.87E-03
1469	5	4.40E-03
1470	5	3.94E-03
1471	5	3.51E-03
1472	5	3.12E-03
1473	5	2.78E-03
1474	5	2.47E-03
1475	5	2.21E-03
1476	5	1.99E-03
1477	5	1.79E-03
1478	5	7.38E-03
1479	5	7.37E-03
1480	5	7.34E-03
1481	5	7.29E-03
1482	5	7.27E-03
1483	5	7.22E-03
1484	5	7.22E-03
1485	5	7.16E-03
1486	5	7.07E-03
1487	5	6.93E-03
1488	5	6.76E-03
1489	5	6.57E-03
1490	5	6.35E-03
1491	5	6.09E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	5.80E-03
1493	5	5.48E-03
1494	5	5.14E-03
1495	5	4.77E-03
1496	5	4.39E-03
1497	5	4.00E-03
1498	5	3.61E-03
1499	5	3.25E-03
1500	5	2.92E-03
1501	5	2.62E-03
1502	5	2.35E-03
1503	5	2.12E-03
1504	5	1.91E-03
1505	5	1.73E-03
1506	5	6.50E-03
1507	5	6.50E-03
1508	5	6.49E-03
1509	5	6.47E-03
1510	5	6.46E-03
1511	5	6.42E-03
1512	5	6.41E-03
1513	5	6.36E-03
1514	5	6.28E-03
1515	5	6.15E-03
1516	5	6.01E-03
1517	5	5.84E-03
1518	5	5.65E-03
1519	5	5.43E-03
1520	5	5.18E-03
1521	5	4.91E-03
1522	5	4.62E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	4.31E-03
1524	5	3.99E-03
1525	5	3.66E-03
1526	5	3.34E-03
1527	5	3.03E-03
1528	5	2.74E-03
1529	5	2.48E-03
1530	5	2.24E-03
1531	5	2.03E-03
1532	5	1.84E-03
1533	5	1.67E-03
1534	5	5.77E-03
1535	5	5.78E-03
1536	5	5.78E-03
1537	5	5.79E-03
1538	5	5.77E-03
1539	5	5.76E-03
1540	5	5.74E-03
1541	5	5.70E-03
1542	5	5.63E-03
1543	5	5.51E-03
1544	5	5.39E-03
1545	5	5.24E-03
1546	5	5.07E-03
1547	5	4.88E-03
1548	5	4.67E-03
1549	5	4.43E-03
1550	5	4.19E-03
1551	5	3.92E-03
1552	5	3.65E-03
1553	5	3.37E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	3.09E-03
1555	5	2.83E-03
1556	5	2.58E-03
1557	5	2.35E-03
1558	5	2.13E-03
1559	5	1.94E-03
1560	5	1.77E-03
1561	5	1.62E-03
1562	5	5.18E-03
1563	5	5.18E-03
1564	5	5.18E-03
1565	5	5.19E-03
1566	5	5.19E-03
1567	5	5.18E-03
1568	5	5.17E-03
1569	5	5.13E-03
1570	5	5.07E-03
1571	5	4.98E-03
1572	5	4.86E-03
1573	5	4.73E-03
1574	5	4.59E-03
1575	5	4.42E-03
1576	5	4.23E-03
1577	5	4.03E-03
1578	5	3.82E-03
1579	5	3.59E-03
1580	5	3.36E-03
1581	5	3.12E-03
1582	5	2.88E-03
1583	5	2.65E-03
1584	5	2.43E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	2.22E-03
1586	5	2.03E-03
1587	5	1.86E-03
1588	5	1.70E-03
1589	5	1.56E-03
1590	5	4.69E-03
1591	5	4.68E-03
1592	5	4.67E-03
1593	5	4.67E-03
1594	5	4.68E-03
1595	5	4.67E-03
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	7.15895	1.02E-02	7.3E-02	6.05E-04	4.41E-05	2.08E-01	4.71E-02	4.32E-07	1.0E+06	4.3E-01
1214	13.81549	1.02E-02	1.4E-01	6.05E-04	8.50E-05	2.08E-01	4.71E-02	8.35E-07	1.0E+06	8.3E-01
1215	13.49237	1.02E-02	1.4E-01	6.05E-04	8.30E-05	2.08E-01	4.71E-02	8.15E-07	1.0E+06	8.2E-01
1216	13.52195	1.02E-02	1.4E-01	6.05E-04	8.32E-05	2.08E-01	4.71E-02	8.17E-07	1.0E+06	8.2E-01
1217	16.11207	1.02E-02	1.6E-01	6.05E-04	9.92E-05	2.08E-01	4.71E-02	9.73E-07	1.0E+06	9.7E-01
1218	12.95641	1.02E-02	1.3E-01	6.05E-04	7.97E-05	2.08E-01	4.71E-02	7.83E-07	1.0E+06	7.8E-01
1219	12.41041	1.02E-02	1.3E-01	6.05E-04	7.64E-05	2.08E-01	4.71E-02	7.50E-07	1.0E+06	7.5E-01
1220	12.15445	1.02E-02	1.2E-01	6.05E-04	7.48E-05	2.08E-01	4.71E-02	7.34E-07	1.0E+06	7.3E-01
1221	14.37718	1.02E-02	1.5E-01	6.05E-04	8.85E-05	2.08E-01	4.71E-02	8.68E-07	1.0E+06	8.7E-01
1222	10.87803	1.02E-02	1.1E-01	6.05E-04	6.69E-05	2.08E-01	4.71E-02	6.57E-07	1.0E+06	6.6E-01
1223	9.99783	1.02E-02	1.0E-01	6.05E-04	6.15E-05	2.08E-01	4.71E-02	6.04E-07	1.0E+06	6.0E-01
1224	9.35552	1.02E-02	9.5E-02	6.05E-04	5.76E-05	2.08E-01	4.71E-02	5.65E-07	1.0E+06	5.7E-01
1225	10.95212	1.02E-02	1.1E-01	6.05E-04	6.74E-05	2.08E-01	4.71E-02	6.62E-07	1.0E+06	6.6E-01
1226	9.73576	1.02E-02	9.9E-02	6.05E-04	5.99E-05	2.08E-01	4.71E-02	5.88E-07	1.0E+06	5.9E-01
1227	8.63577	1.02E-02	8.8E-02	6.05E-04	5.31E-05	2.08E-01	4.71E-02	5.22E-07	1.0E+06	5.2E-01
1228	14.70152	1.02E-02	1.5E-01	6.05E-04	9.05E-05	2.08E-01	4.71E-02	8.88E-07	1.0E+06	8.9E-01
1229	11.71597	1.02E-02	1.2E-01	6.05E-04	7.21E-05	2.08E-01	4.71E-02	7.08E-07	1.0E+06	7.1E-01
1230	14.28906	1.02E-02	1.5E-01	6.05E-04	8.79E-05	2.08E-01	4.71E-02	8.63E-07	1.0E+06	8.6E-01
1231	13.83858	1.02E-02	1.4E-01	6.05E-04	8.52E-05	2.08E-01	4.71E-02	8.36E-07	1.0E+06	8.4E-01
1232	13.90897	1.02E-02	1.4E-01	6.05E-04	8.56E-05	2.08E-01	4.71E-02	8.40E-07	1.0E+06	8.4E-01
1233	10.76382	1.02E-02	1.1E-01	6.05E-04	6.62E-05	2.08E-01	4.71E-02	6.50E-07	1.0E+06	6.5E-01
1234	13.0605	1.02E-02	1.3E-01	6.05E-04	8.04E-05	2.08E-01	4.71E-02	7.89E-07	1.0E+06	7.9E-01
1235	12.36856	1.02E-02	1.3E-01	6.05E-04	7.61E-05	2.08E-01	4.71E-02	7.47E-07	1.0E+06	7.5E-01
1236	12.1705	1.02E-02	1.2E-01	6.05E-04	7.49E-05	2.08E-01	4.71E-02	7.35E-07	1.0E+06	7.4E-01
1237	8.73926	1.02E-02	8.9E-02	6.05E-04	5.38E-05	2.08E-01	4.71E-02	5.28E-07	1.0E+06	5.3E-01
1238	10.68832	1.02E-02	1.1E-01	6.05E-04	6.58E-05	2.08E-01	4.71E-02	6.46E-07	1.0E+06	6.5E-01
1239	9.46584	1.02E-02	9.6E-02	6.05E-04	5.83E-05	2.08E-01	4.71E-02	5.72E-07	1.0E+06	5.7E-01
1240	8.43844	1.02E-02	8.6E-02	6.05E-04	5.19E-05	2.08E-01	4.71E-02	5.10E-07	1.0E+06	5.1E-01
1241	7.51892	1.02E-02	7.6E-02	6.05E-04	4.63E-05	2.08E-01	4.71E-02	4.54E-07	1.0E+06	4.5E-01
1242	15.63269	1.02E-02	1.6E-01	6.05E-04	9.62E-05	2.08E-01	4.71E-02	9.44E-07	1.0E+06	9.4E-01
1243	15.49646	1.02E-02	1.6E-01	6.05E-04	9.54E-05	2.08E-01	4.71E-02	9.36E-07	1.0E+06	9.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	15.35	1.02E-02	1.6E-01	6.05E-04	9.45E-05	2.08E-01	4.71E-02	9.27E-07	1.0E+06	9.3E-01
1245	15.15779	1.02E-02	1.5E-01	6.05E-04	9.33E-05	2.08E-01	4.71E-02	9.16E-07	1.0E+06	9.2E-01
1246	14.89568	1.02E-02	1.5E-01	6.05E-04	9.17E-05	2.08E-01	4.71E-02	9.00E-07	1.0E+06	9.0E-01
1247	14.59435	1.02E-02	1.5E-01	6.05E-04	8.98E-05	2.08E-01	4.71E-02	8.82E-07	1.0E+06	8.8E-01
1248	14.26608	1.02E-02	1.5E-01	6.05E-04	8.78E-05	2.08E-01	4.71E-02	8.62E-07	1.0E+06	8.6E-01
1249	13.87008	1.02E-02	1.4E-01	6.05E-04	8.54E-05	2.08E-01	4.71E-02	8.38E-07	1.0E+06	8.4E-01
1250	13.38369	1.02E-02	1.4E-01	6.05E-04	8.24E-05	2.08E-01	4.71E-02	8.08E-07	1.0E+06	8.1E-01
1251	12.85069	1.02E-02	1.3E-01	6.05E-04	7.91E-05	2.08E-01	4.71E-02	7.76E-07	1.0E+06	7.8E-01
1252	12.22595	1.02E-02	1.2E-01	6.05E-04	7.52E-05	2.08E-01	4.71E-02	7.39E-07	1.0E+06	7.4E-01
1253	11.42044	1.02E-02	1.2E-01	6.05E-04	7.03E-05	2.08E-01	4.71E-02	6.90E-07	1.0E+06	6.9E-01
1254	10.39321	1.02E-02	1.1E-01	6.05E-04	6.40E-05	2.08E-01	4.71E-02	6.28E-07	1.0E+06	6.3E-01
1255	9.20791	1.02E-02	9.4E-02	6.05E-04	5.67E-05	2.08E-01	4.71E-02	5.56E-07	1.0E+06	5.6E-01
1256	13.13208	1.02E-02	1.3E-01	6.05E-04	8.08E-05	2.08E-01	4.71E-02	7.93E-07	1.0E+06	7.9E-01
1257	13.01441	1.02E-02	1.3E-01	6.05E-04	8.01E-05	2.08E-01	4.71E-02	7.86E-07	1.0E+06	7.9E-01
1258	12.87265	1.02E-02	1.3E-01	6.05E-04	7.92E-05	2.08E-01	4.71E-02	7.78E-07	1.0E+06	7.8E-01
1259	12.69931	1.02E-02	1.3E-01	6.05E-04	7.82E-05	2.08E-01	4.71E-02	7.67E-07	1.0E+06	7.7E-01
1260	12.49121	1.02E-02	1.3E-01	6.05E-04	7.69E-05	2.08E-01	4.71E-02	7.55E-07	1.0E+06	7.5E-01
1261	12.23703	1.02E-02	1.2E-01	6.05E-04	7.53E-05	2.08E-01	4.71E-02	7.39E-07	1.0E+06	7.4E-01
1262	11.94325	1.02E-02	1.2E-01	6.05E-04	7.35E-05	2.08E-01	4.71E-02	7.21E-07	1.0E+06	7.2E-01
1263	11.60421	1.02E-02	1.2E-01	6.05E-04	7.14E-05	2.08E-01	4.71E-02	7.01E-07	1.0E+06	7.0E-01
1264	11.20248	1.02E-02	1.1E-01	6.05E-04	6.89E-05	2.08E-01	4.71E-02	6.77E-07	1.0E+06	6.8E-01
1265	10.74927	1.02E-02	1.1E-01	6.05E-04	6.61E-05	2.08E-01	4.71E-02	6.49E-07	1.0E+06	6.5E-01
1266	10.21143	1.02E-02	1.0E-01	6.05E-04	6.28E-05	2.08E-01	4.71E-02	6.17E-07	1.0E+06	6.2E-01
1267	9.55729	1.02E-02	9.7E-02	6.05E-04	5.88E-05	2.08E-01	4.71E-02	5.77E-07	1.0E+06	5.8E-01
1268	8.77599	1.02E-02	8.9E-02	6.05E-04	5.40E-05	2.08E-01	4.71E-02	5.30E-07	1.0E+06	5.3E-01
1269	7.89918	1.02E-02	8.0E-02	6.05E-04	4.86E-05	2.08E-01	4.71E-02	4.77E-07	1.0E+06	4.8E-01
1270	11.2371	1.02E-02	1.1E-01	6.05E-04	6.92E-05	2.08E-01	4.71E-02	6.79E-07	1.0E+06	6.8E-01
1271	11.13338	1.02E-02	1.1E-01	6.05E-04	6.85E-05	2.08E-01	4.71E-02	6.73E-07	1.0E+06	6.7E-01
1272	11.00483	1.02E-02	1.1E-01	6.05E-04	6.77E-05	2.08E-01	4.71E-02	6.65E-07	1.0E+06	6.6E-01
1273	10.84838	1.02E-02	1.1E-01	6.05E-04	6.68E-05	2.08E-01	4.71E-02	6.55E-07	1.0E+06	6.6E-01
1274	10.67084	1.02E-02	1.1E-01	6.05E-04	6.57E-05	2.08E-01	4.71E-02	6.45E-07	1.0E+06	6.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	10.45682	1.02E-02	1.1E-01	6.05E-04	6.44E-05	2.08E-01	4.71E-02	6.32E-07	1.0E+06	6.3E-01
1276	10.20145	1.02E-02	1.0E-01	6.05E-04	6.28E-05	2.08E-01	4.71E-02	6.16E-07	1.0E+06	6.2E-01
1277	9.90751	1.02E-02	1.0E-01	6.05E-04	6.10E-05	2.08E-01	4.71E-02	5.98E-07	1.0E+06	6.0E-01
1278	9.56641	1.02E-02	9.7E-02	6.05E-04	5.89E-05	2.08E-01	4.71E-02	5.78E-07	1.0E+06	5.8E-01
1279	9.17642	1.02E-02	9.3E-02	6.05E-04	5.65E-05	2.08E-01	4.71E-02	5.54E-07	1.0E+06	5.5E-01
1280	8.71977	1.02E-02	8.9E-02	6.05E-04	5.37E-05	2.08E-01	4.71E-02	5.27E-07	1.0E+06	5.3E-01
1281	8.18363	1.02E-02	8.3E-02	6.05E-04	5.04E-05	2.08E-01	4.71E-02	4.94E-07	1.0E+06	4.9E-01
1282	7.5666	1.02E-02	7.7E-02	6.05E-04	4.66E-05	2.08E-01	4.71E-02	4.57E-07	1.0E+06	4.6E-01
1283	6.88851	1.02E-02	7.0E-02	6.05E-04	4.24E-05	2.08E-01	4.71E-02	4.16E-07	1.0E+06	4.2E-01
1284	9.75945	1.02E-02	9.9E-02	6.05E-04	6.01E-05	2.08E-01	4.71E-02	5.90E-07	1.0E+06	5.9E-01
1285	9.66684	1.02E-02	9.8E-02	6.05E-04	5.95E-05	2.08E-01	4.71E-02	5.84E-07	1.0E+06	5.8E-01
1286	9.55206	1.02E-02	9.7E-02	6.05E-04	5.88E-05	2.08E-01	4.71E-02	5.77E-07	1.0E+06	5.8E-01
1287	9.41346	1.02E-02	9.6E-02	6.05E-04	5.79E-05	2.08E-01	4.71E-02	5.69E-07	1.0E+06	5.7E-01
1288	9.25445	1.02E-02	9.4E-02	6.05E-04	5.70E-05	2.08E-01	4.71E-02	5.59E-07	1.0E+06	5.6E-01
1289	9.07085	1.02E-02	9.2E-02	6.05E-04	5.58E-05	2.08E-01	4.71E-02	5.48E-07	1.0E+06	5.5E-01
1290	8.85142	1.02E-02	9.0E-02	6.05E-04	5.45E-05	2.08E-01	4.71E-02	5.35E-07	1.0E+06	5.3E-01
1291	8.59582	1.02E-02	8.7E-02	6.05E-04	5.29E-05	2.08E-01	4.71E-02	5.19E-07	1.0E+06	5.2E-01
1292	8.30249	1.02E-02	8.4E-02	6.05E-04	5.11E-05	2.08E-01	4.71E-02	5.02E-07	1.0E+06	5.0E-01
1293	7.96665	1.02E-02	8.1E-02	6.05E-04	4.90E-05	2.08E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
1294	7.57866	1.02E-02	7.7E-02	6.05E-04	4.66E-05	2.08E-01	4.71E-02	4.58E-07	1.0E+06	4.6E-01
1295	7.13377	1.02E-02	7.3E-02	6.05E-04	4.39E-05	2.08E-01	4.71E-02	4.31E-07	1.0E+06	4.3E-01
1296	6.6336	1.02E-02	6.7E-02	6.05E-04	4.08E-05	2.08E-01	4.71E-02	4.01E-07	1.0E+06	4.0E-01
1297	6.09085	1.02E-02	6.2E-02	6.05E-04	3.75E-05	2.08E-01	4.71E-02	3.68E-07	1.0E+06	3.7E-01
1298	8.57804	1.02E-02	8.7E-02	6.05E-04	5.28E-05	2.08E-01	4.71E-02	5.18E-07	1.0E+06	5.2E-01
1299	8.49513	1.02E-02	8.6E-02	6.05E-04	5.23E-05	2.08E-01	4.71E-02	5.13E-07	1.0E+06	5.1E-01
1300	8.39221	1.02E-02	8.5E-02	6.05E-04	5.16E-05	2.08E-01	4.71E-02	5.07E-07	1.0E+06	5.1E-01
1301	8.269	1.02E-02	8.4E-02	6.05E-04	5.09E-05	2.08E-01	4.71E-02	5.00E-07	1.0E+06	5.0E-01
1302	8.12788	1.02E-02	8.3E-02	6.05E-04	5.00E-05	2.08E-01	4.71E-02	4.91E-07	1.0E+06	4.9E-01
1303	7.96655	1.02E-02	8.1E-02	6.05E-04	4.90E-05	2.08E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
1304	7.77688	1.02E-02	7.9E-02	6.05E-04	4.79E-05	2.08E-01	4.71E-02	4.70E-07	1.0E+06	4.7E-01
1305	7.55422	1.02E-02	7.7E-02	6.05E-04	4.65E-05	2.08E-01	4.71E-02	4.56E-07	1.0E+06	4.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	7.61436	1.02E-02	7.7E-02	6.05E-04	4.69E-05	2.08E-01	4.71E-02	4.60E-07	1.0E+06	4.6E-01
1307	7.54083	1.02E-02	7.7E-02	6.05E-04	4.64E-05	2.08E-01	4.71E-02	4.56E-07	1.0E+06	4.6E-01
1308	7.44989	1.02E-02	7.6E-02	6.05E-04	4.58E-05	2.08E-01	4.71E-02	4.50E-07	1.0E+06	4.5E-01
1309	7.34135	1.02E-02	7.5E-02	6.05E-04	4.52E-05	2.08E-01	4.71E-02	4.43E-07	1.0E+06	4.4E-01
1310	7.21757	1.02E-02	7.3E-02	6.05E-04	4.44E-05	2.08E-01	4.71E-02	4.36E-07	1.0E+06	4.4E-01
1311	7.07301	1.02E-02	7.2E-02	6.05E-04	4.35E-05	2.08E-01	4.71E-02	4.27E-07	1.0E+06	4.3E-01
1312	6.90398	1.02E-02	7.0E-02	6.05E-04	4.25E-05	2.08E-01	4.71E-02	4.17E-07	1.0E+06	4.2E-01
1313	6.70915	1.02E-02	6.8E-02	6.05E-04	4.13E-05	2.08E-01	4.71E-02	4.05E-07	1.0E+06	4.1E-01
1314	6.81468	1.02E-02	6.9E-02	6.05E-04	4.19E-05	2.08E-01	4.71E-02	4.12E-07	1.0E+06	4.1E-01
1315	6.74938	1.02E-02	6.9E-02	6.05E-04	4.15E-05	2.08E-01	4.71E-02	4.08E-07	1.0E+06	4.1E-01
1316	6.66911	1.02E-02	6.8E-02	6.05E-04	4.10E-05	2.08E-01	4.71E-02	4.03E-07	1.0E+06	4.0E-01
1317	6.57364	1.02E-02	6.7E-02	6.05E-04	4.05E-05	2.08E-01	4.71E-02	3.97E-07	1.0E+06	4.0E-01
1318	6.4628	1.02E-02	6.6E-02	6.05E-04	3.98E-05	2.08E-01	4.71E-02	3.90E-07	1.0E+06	3.9E-01
1319	6.333	1.02E-02	6.4E-02	6.05E-04	3.90E-05	2.08E-01	4.71E-02	3.83E-07	1.0E+06	3.8E-01
1320	6.18275	1.02E-02	6.3E-02	6.05E-04	3.80E-05	2.08E-01	4.71E-02	3.73E-07	1.0E+06	3.7E-01
1321	6.01167	1.02E-02	6.1E-02	6.05E-04	3.70E-05	2.08E-01	4.71E-02	3.63E-07	1.0E+06	3.6E-01
1322	6.14171	1.02E-02	6.2E-02	6.05E-04	3.78E-05	2.08E-01	4.71E-02	3.71E-07	1.0E+06	3.7E-01
1323	6.08382	1.02E-02	6.2E-02	6.05E-04	3.74E-05	2.08E-01	4.71E-02	3.68E-07	1.0E+06	3.7E-01
1324	6.01269	1.02E-02	6.1E-02	6.05E-04	3.70E-05	2.08E-01	4.71E-02	3.63E-07	1.0E+06	3.6E-01
1325	5.92782	1.02E-02	6.0E-02	6.05E-04	3.65E-05	2.08E-01	4.71E-02	3.58E-07	1.0E+06	3.6E-01
1326	5.82807	1.02E-02	5.9E-02	6.05E-04	3.59E-05	2.08E-01	4.71E-02	3.52E-07	1.0E+06	3.5E-01
1327	5.71184	1.02E-02	5.8E-02	6.05E-04	3.51E-05	2.08E-01	4.71E-02	3.45E-07	1.0E+06	3.5E-01
1328	5.57841	1.02E-02	5.7E-02	6.05E-04	3.43E-05	2.08E-01	4.71E-02	3.37E-07	1.0E+06	3.4E-01
1329	5.42744	1.02E-02	5.5E-02	6.05E-04	3.34E-05	2.08E-01	4.71E-02	3.28E-07	1.0E+06	3.3E-01
1330	5.56801	1.02E-02	5.7E-02	6.05E-04	3.43E-05	2.08E-01	4.71E-02	3.36E-07	1.0E+06	3.4E-01
1331	5.51665	1.02E-02	5.6E-02	6.05E-04	3.39E-05	2.08E-01	4.71E-02	3.33E-07	1.0E+06	3.3E-01
1332	5.45306	1.02E-02	5.5E-02	6.05E-04	3.36E-05	2.08E-01	4.71E-02	3.29E-07	1.0E+06	3.3E-01
1333	5.37707	1.02E-02	5.5E-02	6.05E-04	3.31E-05	2.08E-01	4.71E-02	3.25E-07	1.0E+06	3.2E-01
1334	5.28827	1.02E-02	5.4E-02	6.05E-04	3.25E-05	2.08E-01	4.71E-02	3.19E-07	1.0E+06	3.2E-01
1335	5.1849	1.02E-02	5.3E-02	6.05E-04	3.19E-05	2.08E-01	4.71E-02	3.13E-07	1.0E+06	3.1E-01
1336	5.06618	1.02E-02	5.2E-02	6.05E-04	3.12E-05	2.08E-01	4.71E-02	3.06E-07	1.0E+06	3.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	4.93206	1.02E-02	5.0E-02	6.05E-04	3.04E-05	2.08E-01	4.71E-02	2.98E-07	1.0E+06	3.0E-01
1338	2.91471	1.02E-02	3.0E-02	6.05E-04	1.79E-05	2.08E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
1339	3.13335	1.02E-02	3.2E-02	6.05E-04	1.93E-05	2.08E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
1340	3.34931	1.02E-02	3.4E-02	6.05E-04	2.06E-05	2.08E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
1341	3.58675	1.02E-02	3.6E-02	6.05E-04	2.21E-05	2.08E-01	4.71E-02	2.17E-07	1.0E+06	2.2E-01
1342	3.82434	1.02E-02	3.9E-02	6.05E-04	2.35E-05	2.08E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
1343	4.03544	1.02E-02	4.1E-02	6.05E-04	2.48E-05	2.08E-01	4.71E-02	2.44E-07	1.0E+06	2.4E-01
1344	4.24345	1.02E-02	4.3E-02	6.05E-04	2.61E-05	2.08E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01
1345	4.43286	1.02E-02	4.5E-02	6.05E-04	2.73E-05	2.08E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
1346	4.5862	1.02E-02	4.7E-02	6.05E-04	2.82E-05	2.08E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
1347	4.71107	1.02E-02	4.8E-02	6.05E-04	2.90E-05	2.08E-01	4.71E-02	2.85E-07	1.0E+06	2.8E-01
1348	4.81697	1.02E-02	4.9E-02	6.05E-04	2.96E-05	2.08E-01	4.71E-02	2.91E-07	1.0E+06	2.9E-01
1349	4.91292	1.02E-02	5.0E-02	6.05E-04	3.02E-05	2.08E-01	4.71E-02	2.97E-07	1.0E+06	3.0E-01
1350	4.99402	1.02E-02	5.1E-02	6.05E-04	3.07E-05	2.08E-01	4.71E-02	3.02E-07	1.0E+06	3.0E-01
1351	5.05458	1.02E-02	5.1E-02	6.05E-04	3.11E-05	2.08E-01	4.71E-02	3.05E-07	1.0E+06	3.1E-01
1352	5.09921	1.02E-02	5.2E-02	6.05E-04	3.14E-05	2.08E-01	4.71E-02	3.08E-07	1.0E+06	3.1E-01
1353	5.12843	1.02E-02	5.2E-02	6.05E-04	3.16E-05	2.08E-01	4.71E-02	3.10E-07	1.0E+06	3.1E-01
1354	5.14121	1.02E-02	5.2E-02	6.05E-04	3.16E-05	2.08E-01	4.71E-02	3.11E-07	1.0E+06	3.1E-01
1355	5.14202	1.02E-02	5.2E-02	6.05E-04	3.16E-05	2.08E-01	4.71E-02	3.11E-07	1.0E+06	3.1E-01
1356	5.13064	1.02E-02	5.2E-02	6.05E-04	3.16E-05	2.08E-01	4.71E-02	3.10E-07	1.0E+06	3.1E-01
1357	5.108	1.02E-02	5.2E-02	6.05E-04	3.14E-05	2.08E-01	4.71E-02	3.09E-07	1.0E+06	3.1E-01
1358	5.07439	1.02E-02	5.2E-02	6.05E-04	3.12E-05	2.08E-01	4.71E-02	3.07E-07	1.0E+06	3.1E-01
1359	5.02888	1.02E-02	5.1E-02	6.05E-04	3.09E-05	2.08E-01	4.71E-02	3.04E-07	1.0E+06	3.0E-01
1360	4.97196	1.02E-02	5.1E-02	6.05E-04	3.06E-05	2.08E-01	4.71E-02	3.00E-07	1.0E+06	3.0E-01
1361	4.9039	1.02E-02	5.0E-02	6.05E-04	3.02E-05	2.08E-01	4.71E-02	2.96E-07	1.0E+06	3.0E-01
1362	4.82463	1.02E-02	4.9E-02	6.05E-04	2.97E-05	2.08E-01	4.71E-02	2.91E-07	1.0E+06	2.9E-01
1363	4.7325	1.02E-02	4.8E-02	6.05E-04	2.91E-05	2.08E-01	4.71E-02	2.86E-07	1.0E+06	2.9E-01
1364	4.62665	1.02E-02	4.7E-02	6.05E-04	2.85E-05	2.08E-01	4.71E-02	2.79E-07	1.0E+06	2.8E-01
1365	4.50717	1.02E-02	4.6E-02	6.05E-04	2.77E-05	2.08E-01	4.71E-02	2.72E-07	1.0E+06	2.7E-01
1366	2.68434	1.02E-02	2.7E-02	6.05E-04	1.65E-05	2.08E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
1367	2.86768	1.02E-02	2.9E-02	6.05E-04	1.76E-05	2.08E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	3.05695	1.02E-02	3.1E-02	6.05E-04	1.88E-05	2.08E-01	4.71E-02	1.85E-07	1.0E+06	1.8E-01
1369	3.26585	1.02E-02	3.3E-02	6.05E-04	2.01E-05	2.08E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
1370	3.46518	1.02E-02	3.5E-02	6.05E-04	2.13E-05	2.08E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
1371	3.66677	1.02E-02	3.7E-02	6.05E-04	2.26E-05	2.08E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
1372	3.85665	1.02E-02	3.9E-02	6.05E-04	2.37E-05	2.08E-01	4.71E-02	2.33E-07	1.0E+06	2.3E-01
1373	4.02707	1.02E-02	4.1E-02	6.05E-04	2.48E-05	2.08E-01	4.71E-02	2.43E-07	1.0E+06	2.4E-01
1374	4.17095	1.02E-02	4.2E-02	6.05E-04	2.57E-05	2.08E-01	4.71E-02	2.52E-07	1.0E+06	2.5E-01
1375	4.27896	1.02E-02	4.4E-02	6.05E-04	2.63E-05	2.08E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
1376	4.37026	1.02E-02	4.4E-02	6.05E-04	2.69E-05	2.08E-01	4.71E-02	2.64E-07	1.0E+06	2.6E-01
1377	4.46705	1.02E-02	4.5E-02	6.05E-04	2.75E-05	2.08E-01	4.71E-02	2.70E-07	1.0E+06	2.7E-01
1378	4.54761	1.02E-02	4.6E-02	6.05E-04	2.80E-05	2.08E-01	4.71E-02	2.75E-07	1.0E+06	2.7E-01
1379	4.61074	1.02E-02	4.7E-02	6.05E-04	2.84E-05	2.08E-01	4.71E-02	2.79E-07	1.0E+06	2.8E-01
1380	4.65524	1.02E-02	4.7E-02	6.05E-04	2.86E-05	2.08E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1381	4.68559	1.02E-02	4.8E-02	6.05E-04	2.88E-05	2.08E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
1382	4.69968	1.02E-02	4.8E-02	6.05E-04	2.89E-05	2.08E-01	4.71E-02	2.84E-07	1.0E+06	2.8E-01
1383	4.70227	1.02E-02	4.8E-02	6.05E-04	2.89E-05	2.08E-01	4.71E-02	2.84E-07	1.0E+06	2.8E-01
1384	4.69401	1.02E-02	4.8E-02	6.05E-04	2.89E-05	2.08E-01	4.71E-02	2.84E-07	1.0E+06	2.8E-01
1385	4.67498	1.02E-02	4.8E-02	6.05E-04	2.88E-05	2.08E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
1386	4.6459	1.02E-02	4.7E-02	6.05E-04	2.86E-05	2.08E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1387	4.60566	1.02E-02	4.7E-02	6.05E-04	2.83E-05	2.08E-01	4.71E-02	2.78E-07	1.0E+06	2.8E-01
1388	4.55468	1.02E-02	4.6E-02	6.05E-04	2.80E-05	2.08E-01	4.71E-02	2.75E-07	1.0E+06	2.8E-01
1389	4.49367	1.02E-02	4.6E-02	6.05E-04	2.77E-05	2.08E-01	4.71E-02	2.71E-07	1.0E+06	2.7E-01
1390	4.42282	1.02E-02	4.5E-02	6.05E-04	2.72E-05	2.08E-01	4.71E-02	2.67E-07	1.0E+06	2.7E-01
1391	4.34051	1.02E-02	4.4E-02	6.05E-04	2.67E-05	2.08E-01	4.71E-02	2.62E-07	1.0E+06	2.6E-01
1392	4.24597	1.02E-02	4.3E-02	6.05E-04	2.61E-05	2.08E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01
1393	4.13919	1.02E-02	4.2E-02	6.05E-04	2.55E-05	2.08E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
1394	2.4577	1.02E-02	2.5E-02	6.05E-04	1.51E-05	2.08E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
1395	2.6236	1.02E-02	2.7E-02	6.05E-04	1.61E-05	2.08E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
1396	2.79342	1.02E-02	2.8E-02	6.05E-04	1.72E-05	2.08E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
1397	2.96725	1.02E-02	3.0E-02	6.05E-04	1.83E-05	2.08E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
1398	3.15399	1.02E-02	3.2E-02	6.05E-04	1.94E-05	2.08E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	3.32191	1.02E-02	3.4E-02	6.05E-04	2.04E-05	2.08E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
1400	3.50527	1.02E-02	3.6E-02	6.05E-04	2.16E-05	2.08E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
1401	3.67179	1.02E-02	3.7E-02	6.05E-04	2.26E-05	2.08E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
1402	3.80793	1.02E-02	3.9E-02	6.05E-04	2.34E-05	2.08E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
1403	3.91085	1.02E-02	4.0E-02	6.05E-04	2.41E-05	2.08E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
1404	3.99655	1.02E-02	4.1E-02	6.05E-04	2.46E-05	2.08E-01	4.71E-02	2.41E-07	1.0E+06	2.4E-01
1405	4.0866	1.02E-02	4.2E-02	6.05E-04	2.51E-05	2.08E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
1406	4.15951	1.02E-02	4.2E-02	6.05E-04	2.56E-05	2.08E-01	4.71E-02	2.51E-07	1.0E+06	2.5E-01
1407	4.22056	1.02E-02	4.3E-02	6.05E-04	2.60E-05	2.08E-01	4.71E-02	2.55E-07	1.0E+06	2.5E-01
1408	4.26422	1.02E-02	4.3E-02	6.05E-04	2.62E-05	2.08E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
1409	4.29934	1.02E-02	4.4E-02	6.05E-04	2.65E-05	2.08E-01	4.71E-02	2.60E-07	1.0E+06	2.6E-01
1410	4.31456	1.02E-02	4.4E-02	6.05E-04	2.66E-05	2.08E-01	4.71E-02	2.61E-07	1.0E+06	2.6E-01
1411	4.31874	1.02E-02	4.4E-02	6.05E-04	2.66E-05	2.08E-01	4.71E-02	2.61E-07	1.0E+06	2.6E-01
1412	4.3127	1.02E-02	4.4E-02	6.05E-04	2.65E-05	2.08E-01	4.71E-02	2.61E-07	1.0E+06	2.6E-01
1413	4.29658	1.02E-02	4.4E-02	6.05E-04	2.64E-05	2.08E-01	4.71E-02	2.60E-07	1.0E+06	2.6E-01
1414	4.27113	1.02E-02	4.3E-02	6.05E-04	2.63E-05	2.08E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
1415	4.23544	1.02E-02	4.3E-02	6.05E-04	2.61E-05	2.08E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01
1416	4.18974	1.02E-02	4.3E-02	6.05E-04	2.58E-05	2.08E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
1417	4.13469	1.02E-02	4.2E-02	6.05E-04	2.54E-05	2.08E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
1418	4.07154	1.02E-02	4.1E-02	6.05E-04	2.51E-05	2.08E-01	4.71E-02	2.46E-07	1.0E+06	2.5E-01
1419	3.99801	1.02E-02	4.1E-02	6.05E-04	2.46E-05	2.08E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
1420	3.91347	1.02E-02	4.0E-02	6.05E-04	2.41E-05	2.08E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
1421	3.81783	1.02E-02	3.9E-02	6.05E-04	2.35E-05	2.08E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
1422	2.25556	1.02E-02	2.3E-02	6.05E-04	1.39E-05	2.08E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
1423	2.40689	1.02E-02	2.4E-02	6.05E-04	1.48E-05	2.08E-01	4.71E-02	1.45E-07	1.0E+06	1.5E-01
1424	2.55714	1.02E-02	2.6E-02	6.05E-04	1.57E-05	2.08E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
1425	2.70664	1.02E-02	2.8E-02	6.05E-04	1.67E-05	2.08E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01
1426	2.8695	1.02E-02	2.9E-02	6.05E-04	1.77E-05	2.08E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
1427	3.02842	1.02E-02	3.1E-02	6.05E-04	1.86E-05	2.08E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
1428	3.202	1.02E-02	3.3E-02	6.05E-04	1.97E-05	2.08E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
1429	3.36081	1.02E-02	3.4E-02	6.05E-04	2.07E-05	2.08E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	3.49282	1.02E-02	3.6E-02	6.05E-04	2.15E-05	2.08E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
1431	3.58681	1.02E-02	3.6E-02	6.05E-04	2.21E-05	2.08E-01	4.71E-02	2.17E-07	1.0E+06	2.2E-01
1432	3.67097	1.02E-02	3.7E-02	6.05E-04	2.26E-05	2.08E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
1433	3.75388	1.02E-02	3.8E-02	6.05E-04	2.31E-05	2.08E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
1434	3.82105	1.02E-02	3.9E-02	6.05E-04	2.35E-05	2.08E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
1435	3.87921	1.02E-02	3.9E-02	6.05E-04	2.39E-05	2.08E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
1436	3.92339	1.02E-02	4.0E-02	6.05E-04	2.41E-05	2.08E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
1437	3.95917	1.02E-02	4.0E-02	6.05E-04	2.44E-05	2.08E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
1438	3.97536	1.02E-02	4.0E-02	6.05E-04	2.45E-05	2.08E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
1439	3.9809	1.02E-02	4.0E-02	6.05E-04	2.45E-05	2.08E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
1440	3.97681	1.02E-02	4.0E-02	6.05E-04	2.45E-05	2.08E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
1441	3.96321	1.02E-02	4.0E-02	6.05E-04	2.44E-05	2.08E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
1442	3.94104	1.02E-02	4.0E-02	6.05E-04	2.43E-05	2.08E-01	4.71E-02	2.38E-07	1.0E+06	2.4E-01
1443	3.90935	1.02E-02	4.0E-02	6.05E-04	2.41E-05	2.08E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
1444	3.86842	1.02E-02	3.9E-02	6.05E-04	2.38E-05	2.08E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
1445	3.81895	1.02E-02	3.9E-02	6.05E-04	2.35E-05	2.08E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
1446	3.7623	1.02E-02	3.8E-02	6.05E-04	2.32E-05	2.08E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
1447	3.69655	1.02E-02	3.8E-02	6.05E-04	2.27E-05	2.08E-01	4.71E-02	2.23E-07	1.0E+06	2.2E-01
1448	3.62088	1.02E-02	3.7E-02	6.05E-04	2.23E-05	2.08E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
1449	3.53506	1.02E-02	3.6E-02	6.05E-04	2.18E-05	2.08E-01	4.71E-02	2.14E-07	1.0E+06	2.1E-01
1450	2.08281	1.02E-02	2.1E-02	6.05E-04	1.28E-05	2.08E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
1451	2.2117	1.02E-02	2.2E-02	6.05E-04	1.36E-05	2.08E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
1452	2.34171	1.02E-02	2.4E-02	6.05E-04	1.44E-05	2.08E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
1453	2.48212	1.02E-02	2.5E-02	6.05E-04	1.53E-05	2.08E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
1454	2.6206	1.02E-02	2.7E-02	6.05E-04	1.61E-05	2.08E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
1455	2.75993	1.02E-02	2.8E-02	6.05E-04	1.70E-05	2.08E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
1456	2.92749	1.02E-02	3.0E-02	6.05E-04	1.80E-05	2.08E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1457	3.08511	1.02E-02	3.1E-02	6.05E-04	1.90E-05	2.08E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
1458	3.2119	1.02E-02	3.3E-02	6.05E-04	1.98E-05	2.08E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
1459	3.30379	1.02E-02	3.4E-02	6.05E-04	2.03E-05	2.08E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
1460	3.38392	1.02E-02	3.4E-02	6.05E-04	2.08E-05	2.08E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	3.46024	1.02E-02	3.5E-02	6.05E-04	2.13E-05	2.08E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
1462	3.52229	1.02E-02	3.6E-02	6.05E-04	2.17E-05	2.08E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
1463	3.57442	1.02E-02	3.6E-02	6.05E-04	2.20E-05	2.08E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
1464	3.62174	1.02E-02	3.7E-02	6.05E-04	2.23E-05	2.08E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
1465	3.658	1.02E-02	3.7E-02	6.05E-04	2.25E-05	2.08E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
1466	3.6749	1.02E-02	3.7E-02	6.05E-04	2.26E-05	2.08E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
1467	3.68137	1.02E-02	3.7E-02	6.05E-04	2.27E-05	2.08E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
1468	3.67901	1.02E-02	3.7E-02	6.05E-04	2.26E-05	2.08E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
1469	3.66782	1.02E-02	3.7E-02	6.05E-04	2.26E-05	2.08E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
1470	3.64851	1.02E-02	3.7E-02	6.05E-04	2.25E-05	2.08E-01	4.71E-02	2.20E-07	1.0E+06	2.2E-01
1471	3.62038	1.02E-02	3.7E-02	6.05E-04	2.23E-05	2.08E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
1472	3.58365	1.02E-02	3.6E-02	6.05E-04	2.21E-05	2.08E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
1473	3.53909	1.02E-02	3.6E-02	6.05E-04	2.18E-05	2.08E-01	4.71E-02	2.14E-07	1.0E+06	2.1E-01
1474	3.48841	1.02E-02	3.5E-02	6.05E-04	2.15E-05	2.08E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
1475	3.42958	1.02E-02	3.5E-02	6.05E-04	2.11E-05	2.08E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01
1476	3.36171	1.02E-02	3.4E-02	6.05E-04	2.07E-05	2.08E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
1477	3.28458	1.02E-02	3.3E-02	6.05E-04	2.02E-05	2.08E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
1478	1.92647	1.02E-02	2.0E-02	6.05E-04	1.19E-05	2.08E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
1479	2.04446	1.02E-02	2.1E-02	6.05E-04	1.26E-05	2.08E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
1480	2.16426	1.02E-02	2.2E-02	6.05E-04	1.33E-05	2.08E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
1481	2.28665	1.02E-02	2.3E-02	6.05E-04	1.41E-05	2.08E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
1482	2.421	1.02E-02	2.5E-02	6.05E-04	1.49E-05	2.08E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
1483	2.54637	1.02E-02	2.6E-02	6.05E-04	1.57E-05	2.08E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
1484	2.70434	1.02E-02	2.8E-02	6.05E-04	1.66E-05	2.08E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01
1485	2.8495	1.02E-02	2.9E-02	6.05E-04	1.75E-05	2.08E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01
1486	2.96441	1.02E-02	3.0E-02	6.05E-04	1.82E-05	2.08E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
1487	3.05351	1.02E-02	3.1E-02	6.05E-04	1.88E-05	2.08E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
1488	3.12896	1.02E-02	3.2E-02	6.05E-04	1.93E-05	2.08E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
1489	3.20112	1.02E-02	3.3E-02	6.05E-04	1.97E-05	2.08E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
1490	3.26017	1.02E-02	3.3E-02	6.05E-04	2.01E-05	2.08E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
1491	3.30999	1.02E-02	3.4E-02	6.05E-04	2.04E-05	2.08E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	3.35432	1.02E-02	3.4E-02	6.05E-04	2.06E-05	2.08E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
1493	3.38719	1.02E-02	3.4E-02	6.05E-04	2.08E-05	2.08E-01	4.71E-02	2.05E-07	1.0E+06	2.0E-01
1494	3.40597	1.02E-02	3.5E-02	6.05E-04	2.10E-05	2.08E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
1495	3.41352	1.02E-02	3.5E-02	6.05E-04	2.10E-05	2.08E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
1496	3.41291	1.02E-02	3.5E-02	6.05E-04	2.10E-05	2.08E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
1497	3.40408	1.02E-02	3.5E-02	6.05E-04	2.09E-05	2.08E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
1498	3.38781	1.02E-02	3.4E-02	6.05E-04	2.08E-05	2.08E-01	4.71E-02	2.05E-07	1.0E+06	2.0E-01
1499	3.36326	1.02E-02	3.4E-02	6.05E-04	2.07E-05	2.08E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
1500	3.33081	1.02E-02	3.4E-02	6.05E-04	2.05E-05	2.08E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
1501	3.29112	1.02E-02	3.3E-02	6.05E-04	2.03E-05	2.08E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01
1502	3.24542	1.02E-02	3.3E-02	6.05E-04	2.00E-05	2.08E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
1503	3.19219	1.02E-02	3.2E-02	6.05E-04	1.96E-05	2.08E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
1504	3.13086	1.02E-02	3.2E-02	6.05E-04	1.93E-05	2.08E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
1505	3.06131	1.02E-02	3.1E-02	6.05E-04	1.88E-05	2.08E-01	4.71E-02	1.85E-07	1.0E+06	1.8E-01
1506	1.78481	1.02E-02	1.8E-02	6.05E-04	1.10E-05	2.08E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
1507	1.89487	1.02E-02	1.9E-02	6.05E-04	1.17E-05	2.08E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
1508	2.00682	1.02E-02	2.0E-02	6.05E-04	1.23E-05	2.08E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
1509	2.1216	1.02E-02	2.2E-02	6.05E-04	1.31E-05	2.08E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
1510	2.24441	1.02E-02	2.3E-02	6.05E-04	1.38E-05	2.08E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
1511	2.36704	1.02E-02	2.4E-02	6.05E-04	1.46E-05	2.08E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
1512	2.50702	1.02E-02	2.5E-02	6.05E-04	1.54E-05	2.08E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
1513	2.63857	1.02E-02	2.7E-02	6.05E-04	1.62E-05	2.08E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
1514	2.7476	1.02E-02	2.8E-02	6.05E-04	1.69E-05	2.08E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
1515	2.83109	1.02E-02	2.9E-02	6.05E-04	1.74E-05	2.08E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
1516	2.90167	1.02E-02	3.0E-02	6.05E-04	1.79E-05	2.08E-01	4.71E-02	1.75E-07	1.0E+06	1.8E-01
1517	2.97052	1.02E-02	3.0E-02	6.05E-04	1.83E-05	2.08E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
1518	3.02738	1.02E-02	3.1E-02	6.05E-04	1.86E-05	2.08E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
1519	3.07748	1.02E-02	3.1E-02	6.05E-04	1.89E-05	2.08E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
1520	3.11544	1.02E-02	3.2E-02	6.05E-04	1.92E-05	2.08E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
1521	3.14624	1.02E-02	3.2E-02	6.05E-04	1.94E-05	2.08E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
1522	3.16513	1.02E-02	3.2E-02	6.05E-04	1.95E-05	2.08E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	3.17345	1.02E-02	3.2E-02	6.05E-04	1.95E-05	2.08E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
1524	3.17442	1.02E-02	3.2E-02	6.05E-04	1.95E-05	2.08E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
1525	3.1679	1.02E-02	3.2E-02	6.05E-04	1.95E-05	2.08E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
1526	3.15426	1.02E-02	3.2E-02	6.05E-04	1.94E-05	2.08E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
1527	3.13306	1.02E-02	3.2E-02	6.05E-04	1.93E-05	2.08E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
1528	3.10447	1.02E-02	3.2E-02	6.05E-04	1.91E-05	2.08E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
1529	3.06911	1.02E-02	3.1E-02	6.05E-04	1.89E-05	2.08E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
1530	3.02787	1.02E-02	3.1E-02	6.05E-04	1.86E-05	2.08E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
1531	2.97964	1.02E-02	3.0E-02	6.05E-04	1.83E-05	2.08E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
1532	2.92412	1.02E-02	3.0E-02	6.05E-04	1.80E-05	2.08E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1533	2.86128	1.02E-02	2.9E-02	6.05E-04	1.76E-05	2.08E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
1534	1.65686	1.02E-02	1.7E-02	6.05E-04	1.02E-05	2.08E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
1535	1.76005	1.02E-02	1.8E-02	6.05E-04	1.08E-05	2.08E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
1536	1.86525	1.02E-02	1.9E-02	6.05E-04	1.15E-05	2.08E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
1537	1.97381	1.02E-02	2.0E-02	6.05E-04	1.21E-05	2.08E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
1538	2.09024	1.02E-02	2.1E-02	6.05E-04	1.29E-05	2.08E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
1539	2.207	1.02E-02	2.2E-02	6.05E-04	1.36E-05	2.08E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
1540	2.33349	1.02E-02	2.4E-02	6.05E-04	1.44E-05	2.08E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
1541	2.4535	1.02E-02	2.5E-02	6.05E-04	1.51E-05	2.08E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
1542	2.5542	1.02E-02	2.6E-02	6.05E-04	1.57E-05	2.08E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
1543	2.62853	1.02E-02	2.7E-02	6.05E-04	1.62E-05	2.08E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
1544	2.69838	1.02E-02	2.7E-02	6.05E-04	1.66E-05	2.08E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01
1545	2.76404	1.02E-02	2.8E-02	6.05E-04	1.70E-05	2.08E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
1546	2.81851	1.02E-02	2.9E-02	6.05E-04	1.73E-05	2.08E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
1547	2.86639	1.02E-02	2.9E-02	6.05E-04	1.76E-05	2.08E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
1548	2.90118	1.02E-02	3.0E-02	6.05E-04	1.79E-05	2.08E-01	4.71E-02	1.75E-07	1.0E+06	1.8E-01
1549	2.93009	1.02E-02	3.0E-02	6.05E-04	1.80E-05	2.08E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1550	2.94867	1.02E-02	3.0E-02	6.05E-04	1.81E-05	2.08E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
1551	2.95777	1.02E-02	3.0E-02	6.05E-04	1.82E-05	2.08E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
1552	2.95996	1.02E-02	3.0E-02	6.05E-04	1.82E-05	2.08E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
1553	2.9555	1.02E-02	3.0E-02	6.05E-04	1.82E-05	2.08E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.94424	1.02E-02	3.0E-02	6.05E-04	1.81E-05	2.08E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
1555	2.92594	1.02E-02	3.0E-02	6.05E-04	1.80E-05	2.08E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1556	2.90079	1.02E-02	3.0E-02	6.05E-04	1.79E-05	2.08E-01	4.71E-02	1.75E-07	1.0E+06	1.8E-01
1557	2.86934	1.02E-02	2.9E-02	6.05E-04	1.77E-05	2.08E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
1558	2.83207	1.02E-02	2.9E-02	6.05E-04	1.74E-05	2.08E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
1559	2.78837	1.02E-02	2.8E-02	6.05E-04	1.72E-05	2.08E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
1560	2.73805	1.02E-02	2.8E-02	6.05E-04	1.68E-05	2.08E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
1561	2.68118	1.02E-02	2.7E-02	6.05E-04	1.65E-05	2.08E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
1562	1.54745	1.02E-02	1.6E-02	6.05E-04	9.52E-06	2.08E-01	4.71E-02	9.35E-08	1.0E+06	9.3E-02
1563	1.64011	1.02E-02	1.7E-02	6.05E-04	1.01E-05	2.08E-01	4.71E-02	9.91E-08	1.0E+06	9.9E-02
1564	1.73457	1.02E-02	1.8E-02	6.05E-04	1.07E-05	2.08E-01	4.71E-02	1.05E-07	1.0E+06	1.0E-01
1565	1.8335	1.02E-02	1.9E-02	6.05E-04	1.13E-05	2.08E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
1566	1.93709	1.02E-02	2.0E-02	6.05E-04	1.19E-05	2.08E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
1567	2.04788	1.02E-02	2.1E-02	6.05E-04	1.26E-05	2.08E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
1568	2.16014	1.02E-02	2.2E-02	6.05E-04	1.33E-05	2.08E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
1569	2.27678	1.02E-02	2.3E-02	6.05E-04	1.40E-05	2.08E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
1570	2.3712	1.02E-02	2.4E-02	6.05E-04	1.46E-05	2.08E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
1571	2.4422	1.02E-02	2.5E-02	6.05E-04	1.50E-05	2.08E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
1572	2.51056	1.02E-02	2.6E-02	6.05E-04	1.54E-05	2.08E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
1573	2.57342	1.02E-02	2.6E-02	6.05E-04	1.58E-05	2.08E-01	4.71E-02	1.55E-07	1.0E+06	1.6E-01
1574	2.62897	1.02E-02	2.7E-02	6.05E-04	1.62E-05	2.08E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
1575	2.67523	1.02E-02	2.7E-02	6.05E-04	1.65E-05	2.08E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
1576	2.70791	1.02E-02	2.8E-02	6.05E-04	1.67E-05	2.08E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01
1577	2.73545	1.02E-02	2.8E-02	6.05E-04	1.68E-05	2.08E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
1578	2.75216	1.02E-02	2.8E-02	6.05E-04	1.69E-05	2.08E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
1579	2.76339	1.02E-02	2.8E-02	6.05E-04	1.70E-05	2.08E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
1580	2.76644	1.02E-02	2.8E-02	6.05E-04	1.70E-05	2.08E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
1581	2.7636	1.02E-02	2.8E-02	6.05E-04	1.70E-05	2.08E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
1582	2.75428	1.02E-02	2.8E-02	6.05E-04	1.69E-05	2.08E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
1583	2.73855	1.02E-02	2.8E-02	6.05E-04	1.69E-05	2.08E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
1584	2.71649	1.02E-02	2.8E-02	6.05E-04	1.67E-05	2.08E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.68846	1.02E-02	2.7E-02	6.05E-04	1.65E-05	2.08E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
1586	2.65489	1.02E-02	2.7E-02	6.05E-04	1.63E-05	2.08E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
1587	2.6154	1.02E-02	2.7E-02	6.05E-04	1.61E-05	2.08E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
1588	2.56986	1.02E-02	2.6E-02	6.05E-04	1.58E-05	2.08E-01	4.71E-02	1.55E-07	1.0E+06	1.6E-01
1589	2.51835	1.02E-02	2.6E-02	6.05E-04	1.55E-05	2.08E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
1590	1.45245	1.02E-02	1.5E-02	6.05E-04	8.94E-06	2.08E-01	4.71E-02	8.77E-08	1.0E+06	8.8E-02
1591	1.53268	1.02E-02	1.6E-02	6.05E-04	9.43E-06	2.08E-01	4.71E-02	9.26E-08	1.0E+06	9.3E-02
1592	1.61397	1.02E-02	1.6E-02	6.05E-04	9.93E-06	2.08E-01	4.71E-02	9.75E-08	1.0E+06	9.7E-02
1593	1.70242	1.02E-02	1.7E-02	6.05E-04	1.05E-05	2.08E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
1594	1.79858	1.02E-02	1.8E-02	6.05E-04	1.11E-05	2.08E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
1595	1.89401	1.02E-02	1.9E-02	6.05E-04	1.17E-05	2.08E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
0	0	1.02E-02	0.0E+00	6.05E-04	0.00E+00	2.08E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	7.1807	9.48035E-07	6.8E-06	6.05E-04	4.12E-09	2.08E-01	4.71E-02	4.04E-11	1.0E+06	4.0E-05
1214	1214	8.82849	9.48035E-07	8.4E-06	6.05E-04	5.06E-09	2.08E-01	4.71E-02	4.97E-11	1.0E+06	5.0E-05
1215	1215	8.76108	9.48035E-07	8.3E-06	6.05E-04	5.03E-09	2.08E-01	4.71E-02	4.93E-11	1.0E+06	4.9E-05
1216	1216	8.67956	9.48035E-07	8.2E-06	6.05E-04	4.98E-09	2.08E-01	4.71E-02	4.89E-11	1.0E+06	4.9E-05
1217	1217	8.58114	9.48035E-07	8.1E-06	6.05E-04	4.92E-09	2.08E-01	4.71E-02	4.83E-11	1.0E+06	4.8E-05
1218	1218	8.46625	9.48035E-07	8.0E-06	6.05E-04	4.86E-09	2.08E-01	4.71E-02	4.77E-11	1.0E+06	4.8E-05
1219	1219	8.33078	9.48035E-07	7.9E-06	6.05E-04	4.78E-09	2.08E-01	4.71E-02	4.69E-11	1.0E+06	4.7E-05
1220	1220	8.17349	9.48035E-07	7.7E-06	6.05E-04	4.69E-09	2.08E-01	4.71E-02	4.60E-11	1.0E+06	4.6E-05
1221	1221	7.99243	9.48035E-07	7.6E-06	6.05E-04	4.58E-09	2.08E-01	4.71E-02	4.50E-11	1.0E+06	4.5E-05
1222	1222	7.78276	9.48035E-07	7.4E-06	6.05E-04	4.46E-09	2.08E-01	4.71E-02	4.38E-11	1.0E+06	4.4E-05
1223	1223	7.54243	9.48035E-07	7.2E-06	6.05E-04	4.33E-09	2.08E-01	4.71E-02	4.25E-11	1.0E+06	4.2E-05
1224	1224	7.26565	9.48035E-07	6.9E-06	6.05E-04	4.17E-09	2.08E-01	4.71E-02	4.09E-11	1.0E+06	4.1E-05
1225	1225	6.94705	9.48035E-07	6.6E-06	6.05E-04	3.99E-09	2.08E-01	4.71E-02	3.91E-11	1.0E+06	3.9E-05
1226	1226	6.58559	9.48035E-07	6.2E-06	6.05E-04	3.78E-09	2.08E-01	4.71E-02	3.71E-11	1.0E+06	3.7E-05
1227	1227	6.18174	9.48035E-07	5.9E-06	6.05E-04	3.55E-09	2.08E-01	4.71E-02	3.48E-11	1.0E+06	3.5E-05
1228	1228	7.86181	9.48035E-07	7.5E-06	6.05E-04	4.51E-09	2.08E-01	4.71E-02	4.43E-11	1.0E+06	4.4E-05
1229	1229	7.80265	9.48035E-07	7.4E-06	6.05E-04	4.48E-09	2.08E-01	4.71E-02	4.39E-11	1.0E+06	4.4E-05
1230	1230	7.73051	9.48035E-07	7.3E-06	6.05E-04	4.43E-09	2.08E-01	4.71E-02	4.35E-11	1.0E+06	4.4E-05
1231	1231	7.64369	9.48035E-07	7.2E-06	6.05E-04	4.38E-09	2.08E-01	4.71E-02	4.30E-11	1.0E+06	4.3E-05
1232	1232	7.54166	9.48035E-07	7.1E-06	6.05E-04	4.33E-09	2.08E-01	4.71E-02	4.25E-11	1.0E+06	4.2E-05
1233	1233	7.42172	9.48035E-07	7.0E-06	6.05E-04	4.26E-09	2.08E-01	4.71E-02	4.18E-11	1.0E+06	4.2E-05
1234	1234	7.28218	9.48035E-07	6.9E-06	6.05E-04	4.18E-09	2.08E-01	4.71E-02	4.10E-11	1.0E+06	4.1E-05
1235	1235	7.12177	9.48035E-07	6.8E-06	6.05E-04	4.09E-09	2.08E-01	4.71E-02	4.01E-11	1.0E+06	4.0E-05
1236	1236	6.93691	9.48035E-07	6.6E-06	6.05E-04	3.98E-09	2.08E-01	4.71E-02	3.91E-11	1.0E+06	3.9E-05
1237	1237	6.72608	9.48035E-07	6.4E-06	6.05E-04	3.86E-09	2.08E-01	4.71E-02	3.79E-11	1.0E+06	3.8E-05
1238	1238	6.48562	9.48035E-07	6.1E-06	6.05E-04	3.72E-09	2.08E-01	4.71E-02	3.65E-11	1.0E+06	3.7E-05
1239	1239	6.21218	9.48035E-07	5.9E-06	6.05E-04	3.56E-09	2.08E-01	4.71E-02	3.50E-11	1.0E+06	3.5E-05
1240	1240	5.90426	9.48035E-07	5.6E-06	6.05E-04	3.39E-09	2.08E-01	4.71E-02	3.32E-11	1.0E+06	3.3E-05
1241	1241	5.56342	9.48035E-07	5.3E-06	6.05E-04	3.19E-09	2.08E-01	4.71E-02	3.13E-11	1.0E+06	3.1E-05
1242	1242	7.0511	9.48035E-07	6.7E-06	6.05E-04	4.04E-09	2.08E-01	4.71E-02	3.97E-11	1.0E+06	4.0E-05
1243	1243	6.99922	9.48035E-07	6.6E-06	6.05E-04	4.01E-09	2.08E-01	4.71E-02	3.94E-11	1.0E+06	3.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	6.93516	9.48035E-07	6.6E-06	6.05E-04	3.98E-09	2.08E-01	4.71E-02	3.91E-11	1.0E+06	3.9E-05
1245	1245	6.85803	9.48035E-07	6.5E-06	6.05E-04	3.93E-09	2.08E-01	4.71E-02	3.86E-11	1.0E+06	3.9E-05
1246	1246	6.76752	9.48035E-07	6.4E-06	6.05E-04	3.88E-09	2.08E-01	4.71E-02	3.81E-11	1.0E+06	3.8E-05
1247	1247	6.66129	9.48035E-07	6.3E-06	6.05E-04	3.82E-09	2.08E-01	4.71E-02	3.75E-11	1.0E+06	3.8E-05
1248	1248	6.53698	9.48035E-07	6.2E-06	6.05E-04	3.75E-09	2.08E-01	4.71E-02	3.68E-11	1.0E+06	3.7E-05
1249	1249	6.39434	9.48035E-07	6.1E-06	6.05E-04	3.67E-09	2.08E-01	4.71E-02	3.60E-11	1.0E+06	3.6E-05
1250	1250	6.23066	9.48035E-07	5.9E-06	6.05E-04	3.57E-09	2.08E-01	4.71E-02	3.51E-11	1.0E+06	3.5E-05
1251	1251	6.04501	9.48035E-07	5.7E-06	6.05E-04	3.47E-09	2.08E-01	4.71E-02	3.40E-11	1.0E+06	3.4E-05
1252	1252	5.83474	9.48035E-07	5.5E-06	6.05E-04	3.35E-09	2.08E-01	4.71E-02	3.29E-11	1.0E+06	3.3E-05
1253	1253	5.59789	9.48035E-07	5.3E-06	6.05E-04	3.21E-09	2.08E-01	4.71E-02	3.15E-11	1.0E+06	3.2E-05
1254	1254	5.33395	9.48035E-07	5.1E-06	6.05E-04	3.06E-09	2.08E-01	4.71E-02	3.00E-11	1.0E+06	3.0E-05
1255	1255	5.04401	9.48035E-07	4.8E-06	6.05E-04	2.89E-09	2.08E-01	4.71E-02	2.84E-11	1.0E+06	2.8E-05
1256	1256	6.36352	9.48035E-07	6.0E-06	6.05E-04	3.65E-09	2.08E-01	4.71E-02	3.58E-11	1.0E+06	3.6E-05
1257	1257	6.31806	9.48035E-07	6.0E-06	6.05E-04	3.62E-09	2.08E-01	4.71E-02	3.56E-11	1.0E+06	3.6E-05
1258	1258	6.26066	9.48035E-07	5.9E-06	6.05E-04	3.59E-09	2.08E-01	4.71E-02	3.53E-11	1.0E+06	3.5E-05
1259	1259	6.1919	9.48035E-07	5.9E-06	6.05E-04	3.55E-09	2.08E-01	4.71E-02	3.49E-11	1.0E+06	3.5E-05
1260	1260	6.11175	9.48035E-07	5.8E-06	6.05E-04	3.51E-09	2.08E-01	4.71E-02	3.44E-11	1.0E+06	3.4E-05
1261	1261	6.0174	9.48035E-07	5.7E-06	6.05E-04	3.45E-09	2.08E-01	4.71E-02	3.39E-11	1.0E+06	3.4E-05
1262	1262	5.90659	9.48035E-07	5.6E-06	6.05E-04	3.39E-09	2.08E-01	4.71E-02	3.33E-11	1.0E+06	3.3E-05
1263	1263	5.7794	9.48035E-07	5.5E-06	6.05E-04	3.32E-09	2.08E-01	4.71E-02	3.25E-11	1.0E+06	3.3E-05
1264	1264	5.634	9.48035E-07	5.3E-06	6.05E-04	3.23E-09	2.08E-01	4.71E-02	3.17E-11	1.0E+06	3.2E-05
1265	1265	5.46966	9.48035E-07	5.2E-06	6.05E-04	3.14E-09	2.08E-01	4.71E-02	3.08E-11	1.0E+06	3.1E-05
1266	1266	5.28466	9.48035E-07	5.0E-06	6.05E-04	3.03E-09	2.08E-01	4.71E-02	2.98E-11	1.0E+06	3.0E-05
1267	1267	5.07777	9.48035E-07	4.8E-06	6.05E-04	2.91E-09	2.08E-01	4.71E-02	2.86E-11	1.0E+06	2.9E-05
1268	1268	4.84885	9.48035E-07	4.6E-06	6.05E-04	2.78E-09	2.08E-01	4.71E-02	2.73E-11	1.0E+06	2.7E-05
1269	1269	4.59901	9.48035E-07	4.4E-06	6.05E-04	2.64E-09	2.08E-01	4.71E-02	2.59E-11	1.0E+06	2.6E-05
1270	1270	5.77486	9.48035E-07	5.5E-06	6.05E-04	3.31E-09	2.08E-01	4.71E-02	3.25E-11	1.0E+06	3.3E-05
1271	1271	5.73465	9.48035E-07	5.4E-06	6.05E-04	3.29E-09	2.08E-01	4.71E-02	3.23E-11	1.0E+06	3.2E-05
1272	1272	5.68327	9.48035E-07	5.4E-06	6.05E-04	3.26E-09	2.08E-01	4.71E-02	3.20E-11	1.0E+06	3.2E-05
1273	1273	5.62099	9.48035E-07	5.3E-06	6.05E-04	3.22E-09	2.08E-01	4.71E-02	3.17E-11	1.0E+06	3.2E-05
1274	1274	5.55021	9.48035E-07	5.3E-06	6.05E-04	3.18E-09	2.08E-01	4.71E-02	3.13E-11	1.0E+06	3.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	5.4659	9.48035E-07	5.2E-06	6.05E-04	3.14E-09	2.08E-01	4.71E-02	3.08E-11	1.0E+06	3.1E-05
1276	1276	5.36757	9.48035E-07	5.1E-06	6.05E-04	3.08E-09	2.08E-01	4.71E-02	3.02E-11	1.0E+06	3.0E-05
1277	1277	5.25403	9.48035E-07	5.0E-06	6.05E-04	3.01E-09	2.08E-01	4.71E-02	2.96E-11	1.0E+06	3.0E-05
1278	1278	5.12449	9.48035E-07	4.9E-06	6.05E-04	2.94E-09	2.08E-01	4.71E-02	2.89E-11	1.0E+06	2.9E-05
1279	1279	4.97831	9.48035E-07	4.7E-06	6.05E-04	2.86E-09	2.08E-01	4.71E-02	2.80E-11	1.0E+06	2.8E-05
1280	1280	4.81462	9.48035E-07	4.6E-06	6.05E-04	2.76E-09	2.08E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
1281	1281	4.63252	9.48035E-07	4.4E-06	6.05E-04	2.66E-09	2.08E-01	4.71E-02	2.61E-11	1.0E+06	2.6E-05
1282	1282	4.43189	9.48035E-07	4.2E-06	6.05E-04	2.54E-09	2.08E-01	4.71E-02	2.50E-11	1.0E+06	2.5E-05
1283	1283	4.21394	9.48035E-07	4.0E-06	6.05E-04	2.42E-09	2.08E-01	4.71E-02	2.37E-11	1.0E+06	2.4E-05
1284	1284	5.26606	9.48035E-07	5.0E-06	6.05E-04	3.02E-09	2.08E-01	4.71E-02	2.97E-11	1.0E+06	3.0E-05
1285	1285	5.23057	9.48035E-07	5.0E-06	6.05E-04	3.00E-09	2.08E-01	4.71E-02	2.95E-11	1.0E+06	2.9E-05
1286	1286	5.18451	9.48035E-07	4.9E-06	6.05E-04	2.97E-09	2.08E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
1287	1287	5.12838	9.48035E-07	4.9E-06	6.05E-04	2.94E-09	2.08E-01	4.71E-02	2.89E-11	1.0E+06	2.9E-05
1288	1288	5.06491	9.48035E-07	4.8E-06	6.05E-04	2.91E-09	2.08E-01	4.71E-02	2.85E-11	1.0E+06	2.9E-05
1289	1289	4.98985	9.48035E-07	4.7E-06	6.05E-04	2.86E-09	2.08E-01	4.71E-02	2.81E-11	1.0E+06	2.8E-05
1290	1290	4.90245	9.48035E-07	4.6E-06	6.05E-04	2.81E-09	2.08E-01	4.71E-02	2.76E-11	1.0E+06	2.8E-05
1291	1291	4.80095	9.48035E-07	4.6E-06	6.05E-04	2.75E-09	2.08E-01	4.71E-02	2.70E-11	1.0E+06	2.7E-05
1292	1292	4.68529	9.48035E-07	4.4E-06	6.05E-04	2.69E-09	2.08E-01	4.71E-02	2.64E-11	1.0E+06	2.6E-05
1293	1293	4.55491	9.48035E-07	4.3E-06	6.05E-04	2.61E-09	2.08E-01	4.71E-02	2.56E-11	1.0E+06	2.6E-05
1294	1294	4.40947	9.48035E-07	4.2E-06	6.05E-04	2.53E-09	2.08E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
1295	1295	4.24835	9.48035E-07	4.0E-06	6.05E-04	2.44E-09	2.08E-01	4.71E-02	2.39E-11	1.0E+06	2.4E-05
1296	1296	4.07144	9.48035E-07	3.9E-06	6.05E-04	2.34E-09	2.08E-01	4.71E-02	2.29E-11	1.0E+06	2.3E-05
1297	1297	3.87989	9.48035E-07	3.7E-06	6.05E-04	2.23E-09	2.08E-01	4.71E-02	2.18E-11	1.0E+06	2.2E-05
1298	1298	4.82293	9.48035E-07	4.6E-06	6.05E-04	2.77E-09	2.08E-01	4.71E-02	2.72E-11	1.0E+06	2.7E-05
1299	1299	4.79171	9.48035E-07	4.5E-06	6.05E-04	2.75E-09	2.08E-01	4.71E-02	2.70E-11	1.0E+06	2.7E-05
1300	1300	4.75041	9.48035E-07	4.5E-06	6.05E-04	2.72E-09	2.08E-01	4.71E-02	2.67E-11	1.0E+06	2.7E-05
1301	1301	4.69997	9.48035E-07	4.5E-06	6.05E-04	2.70E-09	2.08E-01	4.71E-02	2.65E-11	1.0E+06	2.6E-05
1302	1302	4.643	9.48035E-07	4.4E-06	6.05E-04	2.66E-09	2.08E-01	4.71E-02	2.61E-11	1.0E+06	2.6E-05
1303	1303	4.57604	9.48035E-07	4.3E-06	6.05E-04	2.62E-09	2.08E-01	4.71E-02	2.58E-11	1.0E+06	2.6E-05
1304	1304	4.49771	9.48035E-07	4.3E-06	6.05E-04	2.58E-09	2.08E-01	4.71E-02	2.53E-11	1.0E+06	2.5E-05
1305	1305	4.40706	9.48035E-07	4.2E-06	6.05E-04	2.53E-09	2.08E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	4.43458	9.48035E-07	4.2E-06	6.05E-04	2.54E-09	2.08E-01	4.71E-02	2.50E-11	1.0E+06	2.5E-05
1307	1307	4.40793	9.48035E-07	4.2E-06	6.05E-04	2.53E-09	2.08E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
1308	1308	4.37204	9.48035E-07	4.1E-06	6.05E-04	2.51E-09	2.08E-01	4.71E-02	2.46E-11	1.0E+06	2.5E-05
1309	1309	4.32762	9.48035E-07	4.1E-06	6.05E-04	2.48E-09	2.08E-01	4.71E-02	2.44E-11	1.0E+06	2.4E-05
1310	1310	4.27632	9.48035E-07	4.1E-06	6.05E-04	2.45E-09	2.08E-01	4.71E-02	2.41E-11	1.0E+06	2.4E-05
1311	1311	4.21519	9.48035E-07	4.0E-06	6.05E-04	2.42E-09	2.08E-01	4.71E-02	2.37E-11	1.0E+06	2.4E-05
1312	1312	4.1442	9.48035E-07	3.9E-06	6.05E-04	2.38E-09	2.08E-01	4.71E-02	2.33E-11	1.0E+06	2.3E-05
1313	1313	4.06214	9.48035E-07	3.9E-06	6.05E-04	2.33E-09	2.08E-01	4.71E-02	2.29E-11	1.0E+06	2.3E-05
1314	1314	4.09175	9.48035E-07	3.9E-06	6.05E-04	2.35E-09	2.08E-01	4.71E-02	2.30E-11	1.0E+06	2.3E-05
1315	1315	4.069	9.48035E-07	3.9E-06	6.05E-04	2.33E-09	2.08E-01	4.71E-02	2.29E-11	1.0E+06	2.3E-05
1316	1316	4.03796	9.48035E-07	3.8E-06	6.05E-04	2.32E-09	2.08E-01	4.71E-02	2.27E-11	1.0E+06	2.3E-05
1317	1317	3.99885	9.48035E-07	3.8E-06	6.05E-04	2.29E-09	2.08E-01	4.71E-02	2.25E-11	1.0E+06	2.3E-05
1318	1318	3.95222	9.48035E-07	3.7E-06	6.05E-04	2.27E-09	2.08E-01	4.71E-02	2.23E-11	1.0E+06	2.2E-05
1319	1319	3.89681	9.48035E-07	3.7E-06	6.05E-04	2.24E-09	2.08E-01	4.71E-02	2.19E-11	1.0E+06	2.2E-05
1320	1320	3.83218	9.48035E-07	3.6E-06	6.05E-04	2.20E-09	2.08E-01	4.71E-02	2.16E-11	1.0E+06	2.2E-05
1321	1321	3.75801	9.48035E-07	3.6E-06	6.05E-04	2.16E-09	2.08E-01	4.71E-02	2.12E-11	1.0E+06	2.1E-05
1322	1322	3.78741	9.48035E-07	3.6E-06	6.05E-04	2.17E-09	2.08E-01	4.71E-02	2.13E-11	1.0E+06	2.1E-05
1323	1323	3.76812	9.48035E-07	3.6E-06	6.05E-04	2.16E-09	2.08E-01	4.71E-02	2.12E-11	1.0E+06	2.1E-05
1324	1324	3.74109	9.48035E-07	3.5E-06	6.05E-04	2.15E-09	2.08E-01	4.71E-02	2.11E-11	1.0E+06	2.1E-05
1325	1325	3.70643	9.48035E-07	3.5E-06	6.05E-04	2.13E-09	2.08E-01	4.71E-02	2.09E-11	1.0E+06	2.1E-05
1326	1326	3.66421	9.48035E-07	3.5E-06	6.05E-04	2.10E-09	2.08E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
1327	1327	3.61399	9.48035E-07	3.4E-06	6.05E-04	2.07E-09	2.08E-01	4.71E-02	2.03E-11	1.0E+06	2.0E-05
1328	1328	3.55532	9.48035E-07	3.4E-06	6.05E-04	2.04E-09	2.08E-01	4.71E-02	2.00E-11	1.0E+06	2.0E-05
1329	1329	3.48823	9.48035E-07	3.3E-06	6.05E-04	2.00E-09	2.08E-01	4.71E-02	1.96E-11	1.0E+06	2.0E-05
1330	1330	3.51532	9.48035E-07	3.3E-06	6.05E-04	2.02E-09	2.08E-01	4.71E-02	1.98E-11	1.0E+06	2.0E-05
1331	1331	3.49881	9.48035E-07	3.3E-06	6.05E-04	2.01E-09	2.08E-01	4.71E-02	1.97E-11	1.0E+06	2.0E-05
1332	1332	3.47497	9.48035E-07	3.3E-06	6.05E-04	1.99E-09	2.08E-01	4.71E-02	1.96E-11	1.0E+06	2.0E-05
1333	1333	3.444	9.48035E-07	3.3E-06	6.05E-04	1.98E-09	2.08E-01	4.71E-02	1.94E-11	1.0E+06	1.9E-05
1334	1334	3.40624	9.48035E-07	3.2E-06	6.05E-04	1.95E-09	2.08E-01	4.71E-02	1.92E-11	1.0E+06	1.9E-05
1335	1335	3.36112	9.48035E-07	3.2E-06	6.05E-04	1.93E-09	2.08E-01	4.71E-02	1.89E-11	1.0E+06	1.9E-05
1336	1336	3.30821	9.48035E-07	3.1E-06	6.05E-04	1.90E-09	2.08E-01	4.71E-02	1.86E-11	1.0E+06	1.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	3.24761	9.48035E-07	3.1E-06	6.05E-04	1.86E-09	2.08E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
1338	1338	1.88451	9.48035E-07	1.8E-06	6.05E-04	1.08E-09	2.08E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
1339	1339	1.99101	9.48035E-07	1.9E-06	6.05E-04	1.14E-09	2.08E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
1340	1340	2.10005	9.48035E-07	2.0E-06	6.05E-04	1.20E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1341	1341	2.22536	9.48035E-07	2.1E-06	6.05E-04	1.28E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05
1342	1342	2.3468	9.48035E-07	2.2E-06	6.05E-04	1.35E-09	2.08E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05
1343	1343	2.46031	9.48035E-07	2.3E-06	6.05E-04	1.41E-09	2.08E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
1344	1344	2.58259	9.48035E-07	2.4E-06	6.05E-04	1.48E-09	2.08E-01	4.71E-02	1.45E-11	1.0E+06	1.5E-05
1345	1345	2.69261	9.48035E-07	2.6E-06	6.05E-04	1.54E-09	2.08E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
1346	1346	2.79053	9.48035E-07	2.6E-06	6.05E-04	1.60E-09	2.08E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
1347	1347	2.87182	9.48035E-07	2.7E-06	6.05E-04	1.65E-09	2.08E-01	4.71E-02	1.62E-11	1.0E+06	1.6E-05
1348	1348	2.94922	9.48035E-07	2.8E-06	6.05E-04	1.69E-09	2.08E-01	4.71E-02	1.66E-11	1.0E+06	1.7E-05
1349	1349	3.02399	9.48035E-07	2.9E-06	6.05E-04	1.73E-09	2.08E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
1350	1350	3.09002	9.48035E-07	2.9E-06	6.05E-04	1.77E-09	2.08E-01	4.71E-02	1.74E-11	1.0E+06	1.7E-05
1351	1351	3.14559	9.48035E-07	3.0E-06	6.05E-04	1.80E-09	2.08E-01	4.71E-02	1.77E-11	1.0E+06	1.8E-05
1352	1352	3.19081	9.48035E-07	3.0E-06	6.05E-04	1.83E-09	2.08E-01	4.71E-02	1.80E-11	1.0E+06	1.8E-05
1353	1353	3.22419	9.48035E-07	3.1E-06	6.05E-04	1.85E-09	2.08E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
1354	1354	3.25138	9.48035E-07	3.1E-06	6.05E-04	1.87E-09	2.08E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
1355	1355	3.26985	9.48035E-07	3.1E-06	6.05E-04	1.88E-09	2.08E-01	4.71E-02	1.84E-11	1.0E+06	1.8E-05
1356	1356	3.27778	9.48035E-07	3.1E-06	6.05E-04	1.88E-09	2.08E-01	4.71E-02	1.85E-11	1.0E+06	1.8E-05
1357	1357	3.27816	9.48035E-07	3.1E-06	6.05E-04	1.88E-09	2.08E-01	4.71E-02	1.85E-11	1.0E+06	1.8E-05
1358	1358	3.27146	9.48035E-07	3.1E-06	6.05E-04	1.88E-09	2.08E-01	4.71E-02	1.84E-11	1.0E+06	1.8E-05
1359	1359	3.25742	9.48035E-07	3.1E-06	6.05E-04	1.87E-09	2.08E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
1360	1360	3.23638	9.48035E-07	3.1E-06	6.05E-04	1.86E-09	2.08E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
1361	1361	3.20878	9.48035E-07	3.0E-06	6.05E-04	1.84E-09	2.08E-01	4.71E-02	1.81E-11	1.0E+06	1.8E-05
1362	1362	3.175	9.48035E-07	3.0E-06	6.05E-04	1.82E-09	2.08E-01	4.71E-02	1.79E-11	1.0E+06	1.8E-05
1363	1363	3.13443	9.48035E-07	3.0E-06	6.05E-04	1.80E-09	2.08E-01	4.71E-02	1.76E-11	1.0E+06	1.8E-05
1364	1364	3.08673	9.48035E-07	2.9E-06	6.05E-04	1.77E-09	2.08E-01	4.71E-02	1.74E-11	1.0E+06	1.7E-05
1365	1365	3.03193	9.48035E-07	2.9E-06	6.05E-04	1.74E-09	2.08E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
1366	1366	1.76764	9.48035E-07	1.7E-06	6.05E-04	1.01E-09	2.08E-01	4.71E-02	9.95E-12	1.0E+06	1.0E-05
1367	1367	1.86176	9.48035E-07	1.8E-06	6.05E-04	1.07E-09	2.08E-01	4.71E-02	1.05E-11	1.0E+06	1.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	1.95738	9.48035E-07	1.9E-06	6.05E-04	1.12E-09	2.08E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
1369	1369	2.06552	9.48035E-07	2.0E-06	6.05E-04	1.18E-09	2.08E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
1370	1370	2.17702	9.48035E-07	2.1E-06	6.05E-04	1.25E-09	2.08E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05
1371	1371	2.28562	9.48035E-07	2.2E-06	6.05E-04	1.31E-09	2.08E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
1372	1372	2.39487	9.48035E-07	2.3E-06	6.05E-04	1.37E-09	2.08E-01	4.71E-02	1.35E-11	1.0E+06	1.3E-05
1373	1373	2.50242	9.48035E-07	2.4E-06	6.05E-04	1.44E-09	2.08E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
1374	1374	2.59266	9.48035E-07	2.5E-06	6.05E-04	1.49E-09	2.08E-01	4.71E-02	1.46E-11	1.0E+06	1.5E-05
1375	1375	2.66514	9.48035E-07	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
1376	1376	2.73073	9.48035E-07	2.6E-06	6.05E-04	1.57E-09	2.08E-01	4.71E-02	1.54E-11	1.0E+06	1.5E-05
1377	1377	2.80189	9.48035E-07	2.7E-06	6.05E-04	1.61E-09	2.08E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
1378	1378	2.86634	9.48035E-07	2.7E-06	6.05E-04	1.64E-09	2.08E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
1379	1379	2.924	9.48035E-07	2.8E-06	6.05E-04	1.68E-09	2.08E-01	4.71E-02	1.65E-11	1.0E+06	1.6E-05
1380	1380	2.96785	9.48035E-07	2.8E-06	6.05E-04	1.70E-09	2.08E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
1381	1381	3.00068	9.48035E-07	2.8E-06	6.05E-04	1.72E-09	2.08E-01	4.71E-02	1.69E-11	1.0E+06	1.7E-05
1382	1382	3.02748	9.48035E-07	2.9E-06	6.05E-04	1.74E-09	2.08E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
1383	1383	3.04616	9.48035E-07	2.9E-06	6.05E-04	1.75E-09	2.08E-01	4.71E-02	1.72E-11	1.0E+06	1.7E-05
1384	1384	3.05497	9.48035E-07	2.9E-06	6.05E-04	1.75E-09	2.08E-01	4.71E-02	1.72E-11	1.0E+06	1.7E-05
1385	1385	3.0568	9.48035E-07	2.9E-06	6.05E-04	1.75E-09	2.08E-01	4.71E-02	1.72E-11	1.0E+06	1.7E-05
1386	1386	3.05198	9.48035E-07	2.9E-06	6.05E-04	1.75E-09	2.08E-01	4.71E-02	1.72E-11	1.0E+06	1.7E-05
1387	1387	3.04015	9.48035E-07	2.9E-06	6.05E-04	1.74E-09	2.08E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
1388	1388	3.0216	9.48035E-07	2.9E-06	6.05E-04	1.73E-09	2.08E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
1389	1389	2.997	9.48035E-07	2.8E-06	6.05E-04	1.72E-09	2.08E-01	4.71E-02	1.69E-11	1.0E+06	1.7E-05
1390	1390	2.96684	9.48035E-07	2.8E-06	6.05E-04	1.70E-09	2.08E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
1391	1391	2.93034	9.48035E-07	2.8E-06	6.05E-04	1.68E-09	2.08E-01	4.71E-02	1.65E-11	1.0E+06	1.6E-05
1392	1392	2.88732	9.48035E-07	2.7E-06	6.05E-04	1.66E-09	2.08E-01	4.71E-02	1.63E-11	1.0E+06	1.6E-05
1393	1393	2.83772	9.48035E-07	2.7E-06	6.05E-04	1.63E-09	2.08E-01	4.71E-02	1.60E-11	1.0E+06	1.6E-05
1394	1394	1.6497	9.48035E-07	1.6E-06	6.05E-04	9.46E-10	2.08E-01	4.71E-02	9.29E-12	1.0E+06	9.3E-06
1395	1395	1.73456	9.48035E-07	1.6E-06	6.05E-04	9.95E-10	2.08E-01	4.71E-02	9.77E-12	1.0E+06	9.8E-06
1396	1396	1.82629	9.48035E-07	1.7E-06	6.05E-04	1.05E-09	2.08E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
1397	1397	1.91835	9.48035E-07	1.8E-06	6.05E-04	1.10E-09	2.08E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05
1398	1398	2.01972	9.48035E-07	1.9E-06	6.05E-04	1.16E-09	2.08E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	2.11843	9.48035E-07	2.0E-06	6.05E-04	1.22E-09	2.08E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
1400	1400	2.22264	9.48035E-07	2.1E-06	6.05E-04	1.27E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05
1401	1401	2.32561	9.48035E-07	2.2E-06	6.05E-04	1.33E-09	2.08E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
1402	1402	2.41159	9.48035E-07	2.3E-06	6.05E-04	1.38E-09	2.08E-01	4.71E-02	1.36E-11	1.0E+06	1.4E-05
1403	1403	2.48267	9.48035E-07	2.4E-06	6.05E-04	1.42E-09	2.08E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
1404	1404	2.54398	9.48035E-07	2.4E-06	6.05E-04	1.46E-09	2.08E-01	4.71E-02	1.43E-11	1.0E+06	1.4E-05
1405	1405	2.60992	9.48035E-07	2.5E-06	6.05E-04	1.50E-09	2.08E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
1406	1406	2.66989	9.48035E-07	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
1407	1407	2.72164	9.48035E-07	2.6E-06	6.05E-04	1.56E-09	2.08E-01	4.71E-02	1.53E-11	1.0E+06	1.5E-05
1408	1408	2.76484	9.48035E-07	2.6E-06	6.05E-04	1.59E-09	2.08E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
1409	1409	2.80018	9.48035E-07	2.7E-06	6.05E-04	1.61E-09	2.08E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
1410	1410	2.82651	9.48035E-07	2.7E-06	6.05E-04	1.62E-09	2.08E-01	4.71E-02	1.59E-11	1.0E+06	1.6E-05
1411	1411	2.84515	9.48035E-07	2.7E-06	6.05E-04	1.63E-09	2.08E-01	4.71E-02	1.60E-11	1.0E+06	1.6E-05
1412	1412	2.85444	9.48035E-07	2.7E-06	6.05E-04	1.64E-09	2.08E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
1413	1413	2.85719	9.48035E-07	2.7E-06	6.05E-04	1.64E-09	2.08E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
1414	1414	2.85374	9.48035E-07	2.7E-06	6.05E-04	1.64E-09	2.08E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
1415	1415	2.84373	9.48035E-07	2.7E-06	6.05E-04	1.63E-09	2.08E-01	4.71E-02	1.60E-11	1.0E+06	1.6E-05
1416	1416	2.82733	9.48035E-07	2.7E-06	6.05E-04	1.62E-09	2.08E-01	4.71E-02	1.59E-11	1.0E+06	1.6E-05
1417	1417	2.80519	9.48035E-07	2.7E-06	6.05E-04	1.61E-09	2.08E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
1418	1418	2.77849	9.48035E-07	2.6E-06	6.05E-04	1.59E-09	2.08E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
1419	1419	2.74576	9.48035E-07	2.6E-06	6.05E-04	1.58E-09	2.08E-01	4.71E-02	1.55E-11	1.0E+06	1.5E-05
1420	1420	2.70702	9.48035E-07	2.6E-06	6.05E-04	1.55E-09	2.08E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
1421	1421	2.66211	9.48035E-07	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
1422	1422	1.53286	9.48035E-07	1.5E-06	6.05E-04	8.79E-10	2.08E-01	4.71E-02	8.63E-12	1.0E+06	8.6E-06
1423	1423	1.61651	9.48035E-07	1.5E-06	6.05E-04	9.27E-10	2.08E-01	4.71E-02	9.10E-12	1.0E+06	9.1E-06
1424	1424	1.7012	9.48035E-07	1.6E-06	6.05E-04	9.76E-10	2.08E-01	4.71E-02	9.58E-12	1.0E+06	9.6E-06
1425	1425	1.78974	9.48035E-07	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1426	1426	1.87567	9.48035E-07	1.8E-06	6.05E-04	1.08E-09	2.08E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
1427	1427	1.96554	9.48035E-07	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
1428	1428	2.07014	9.48035E-07	2.0E-06	6.05E-04	1.19E-09	2.08E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
1429	1429	2.16551	9.48035E-07	2.1E-06	6.05E-04	1.24E-09	2.08E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	2.2517	9.48035E-07	2.1E-06	6.05E-04	1.29E-09	2.08E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
1431	1431	2.31892	9.48035E-07	2.2E-06	6.05E-04	1.33E-09	2.08E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
1432	1432	2.37693	9.48035E-07	2.3E-06	6.05E-04	1.36E-09	2.08E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
1433	1433	2.43761	9.48035E-07	2.3E-06	6.05E-04	1.40E-09	2.08E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
1434	1434	2.49281	9.48035E-07	2.4E-06	6.05E-04	1.43E-09	2.08E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
1435	1435	2.54158	9.48035E-07	2.4E-06	6.05E-04	1.46E-09	2.08E-01	4.71E-02	1.43E-11	1.0E+06	1.4E-05
1436	1436	2.58398	9.48035E-07	2.4E-06	6.05E-04	1.48E-09	2.08E-01	4.71E-02	1.45E-11	1.0E+06	1.5E-05
1437	1437	2.61884	9.48035E-07	2.5E-06	6.05E-04	1.50E-09	2.08E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
1438	1438	2.64471	9.48035E-07	2.5E-06	6.05E-04	1.52E-09	2.08E-01	4.71E-02	1.49E-11	1.0E+06	1.5E-05
1439	1439	2.66317	9.48035E-07	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
1440	1440	2.67282	9.48035E-07	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
1441	1441	2.67627	9.48035E-07	2.5E-06	6.05E-04	1.54E-09	2.08E-01	4.71E-02	1.51E-11	1.0E+06	1.5E-05
1442	1442	2.67402	9.48035E-07	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.51E-11	1.0E+06	1.5E-05
1443	1443	2.66556	9.48035E-07	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
1444	1444	2.6511	9.48035E-07	2.5E-06	6.05E-04	1.52E-09	2.08E-01	4.71E-02	1.49E-11	1.0E+06	1.5E-05
1445	1445	2.63128	9.48035E-07	2.5E-06	6.05E-04	1.51E-09	2.08E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
1446	1446	2.60752	9.48035E-07	2.5E-06	6.05E-04	1.50E-09	2.08E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
1447	1447	2.57827	9.48035E-07	2.4E-06	6.05E-04	1.48E-09	2.08E-01	4.71E-02	1.45E-11	1.0E+06	1.5E-05
1448	1448	2.54337	9.48035E-07	2.4E-06	6.05E-04	1.46E-09	2.08E-01	4.71E-02	1.43E-11	1.0E+06	1.4E-05
1449	1449	2.50272	9.48035E-07	2.4E-06	6.05E-04	1.44E-09	2.08E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
1450	1450	1.43566	9.48035E-07	1.4E-06	6.05E-04	8.24E-10	2.08E-01	4.71E-02	8.08E-12	1.0E+06	8.1E-06
1451	1451	1.5079	9.48035E-07	1.4E-06	6.05E-04	8.65E-10	2.08E-01	4.71E-02	8.49E-12	1.0E+06	8.5E-06
1452	1452	1.58126	9.48035E-07	1.5E-06	6.05E-04	9.07E-10	2.08E-01	4.71E-02	8.90E-12	1.0E+06	8.9E-06
1453	1453	1.66757	9.48035E-07	1.6E-06	6.05E-04	9.57E-10	2.08E-01	4.71E-02	9.39E-12	1.0E+06	9.4E-06
1454	1454	1.74997	9.48035E-07	1.7E-06	6.05E-04	1.00E-09	2.08E-01	4.71E-02	9.85E-12	1.0E+06	9.9E-06
1455	1455	1.82597	9.48035E-07	1.7E-06	6.05E-04	1.05E-09	2.08E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
1456	1456	1.92773	9.48035E-07	1.8E-06	6.05E-04	1.11E-09	2.08E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
1457	1457	2.02448	9.48035E-07	1.9E-06	6.05E-04	1.16E-09	2.08E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
1458	1458	2.10742	9.48035E-07	2.0E-06	6.05E-04	1.21E-09	2.08E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
1459	1459	2.16724	9.48035E-07	2.1E-06	6.05E-04	1.24E-09	2.08E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
1460	1460	2.22592	9.48035E-07	2.1E-06	6.05E-04	1.28E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	2.28176	9.48035E-07	2.2E-06	6.05E-04	1.31E-09	2.08E-01	4.71E-02	1.28E-11	1.0E+06	1.3E-05
1462	1462	2.32932	9.48035E-07	2.2E-06	6.05E-04	1.34E-09	2.08E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
1463	1463	2.37513	9.48035E-07	2.3E-06	6.05E-04	1.36E-09	2.08E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
1464	1464	2.42004	9.48035E-07	2.3E-06	6.05E-04	1.39E-09	2.08E-01	4.71E-02	1.36E-11	1.0E+06	1.4E-05
1465	1465	2.45442	9.48035E-07	2.3E-06	6.05E-04	1.41E-09	2.08E-01	4.71E-02	1.38E-11	1.0E+06	1.4E-05
1466	1466	2.47972	9.48035E-07	2.4E-06	6.05E-04	1.42E-09	2.08E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
1467	1467	2.49779	9.48035E-07	2.4E-06	6.05E-04	1.43E-09	2.08E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
1468	1468	2.50768	9.48035E-07	2.4E-06	6.05E-04	1.44E-09	2.08E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
1469	1469	2.51182	9.48035E-07	2.4E-06	6.05E-04	1.44E-09	2.08E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
1470	1470	2.51055	9.48035E-07	2.4E-06	6.05E-04	1.44E-09	2.08E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
1471	1471	2.50346	9.48035E-07	2.4E-06	6.05E-04	1.44E-09	2.08E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
1472	1472	2.4907	9.48035E-07	2.4E-06	6.05E-04	1.43E-09	2.08E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
1473	1473	2.47293	9.48035E-07	2.3E-06	6.05E-04	1.42E-09	2.08E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
1474	1474	2.45188	9.48035E-07	2.3E-06	6.05E-04	1.41E-09	2.08E-01	4.71E-02	1.38E-11	1.0E+06	1.4E-05
1475	1475	2.42576	9.48035E-07	2.3E-06	6.05E-04	1.39E-09	2.08E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
1476	1476	2.39433	9.48035E-07	2.3E-06	6.05E-04	1.37E-09	2.08E-01	4.71E-02	1.35E-11	1.0E+06	1.3E-05
1477	1477	2.35752	9.48035E-07	2.2E-06	6.05E-04	1.35E-09	2.08E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
1478	1478	1.34548	9.48035E-07	1.3E-06	6.05E-04	7.72E-10	2.08E-01	4.71E-02	7.58E-12	1.0E+06	7.6E-06
1479	1479	1.4134	9.48035E-07	1.3E-06	6.05E-04	8.11E-10	2.08E-01	4.71E-02	7.96E-12	1.0E+06	8.0E-06
1480	1480	1.48276	9.48035E-07	1.4E-06	6.05E-04	8.51E-10	2.08E-01	4.71E-02	8.35E-12	1.0E+06	8.3E-06
1481	1481	1.55451	9.48035E-07	1.5E-06	6.05E-04	8.92E-10	2.08E-01	4.71E-02	8.75E-12	1.0E+06	8.8E-06
1482	1482	1.63712	9.48035E-07	1.6E-06	6.05E-04	9.39E-10	2.08E-01	4.71E-02	9.22E-12	1.0E+06	9.2E-06
1483	1483	1.71368	9.48035E-07	1.6E-06	6.05E-04	9.83E-10	2.08E-01	4.71E-02	9.65E-12	1.0E+06	9.6E-06
1484	1484	1.80867	9.48035E-07	1.7E-06	6.05E-04	1.04E-09	2.08E-01	4.71E-02	1.02E-11	1.0E+06	1.0E-05
1485	1485	1.89889	9.48035E-07	1.8E-06	6.05E-04	1.09E-09	2.08E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
1486	1486	1.9736	9.48035E-07	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
1487	1487	2.03318	9.48035E-07	1.9E-06	6.05E-04	1.17E-09	2.08E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
1488	1488	2.08861	9.48035E-07	2.0E-06	6.05E-04	1.20E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1489	1489	2.14132	9.48035E-07	2.0E-06	6.05E-04	1.23E-09	2.08E-01	4.71E-02	1.21E-11	1.0E+06	1.2E-05
1490	1490	2.18645	9.48035E-07	2.1E-06	6.05E-04	1.25E-09	2.08E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05
1491	1491	2.22991	9.48035E-07	2.1E-06	6.05E-04	1.28E-09	2.08E-01	4.71E-02	1.26E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	2.27174	9.48035E-07	2.2E-06	6.05E-04	1.30E-09	2.08E-01	4.71E-02	1.28E-11	1.0E+06	1.3E-05
1493	1493	2.30403	9.48035E-07	2.2E-06	6.05E-04	1.32E-09	2.08E-01	4.71E-02	1.30E-11	1.0E+06	1.3E-05
1494	1494	2.32842	9.48035E-07	2.2E-06	6.05E-04	1.34E-09	2.08E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
1495	1495	2.34402	9.48035E-07	2.2E-06	6.05E-04	1.34E-09	2.08E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05
1496	1496	2.35661	9.48035E-07	2.2E-06	6.05E-04	1.35E-09	2.08E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
1497	1497	2.36148	9.48035E-07	2.2E-06	6.05E-04	1.35E-09	2.08E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
1498	1498	2.36138	9.48035E-07	2.2E-06	6.05E-04	1.35E-09	2.08E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
1499	1499	2.35582	9.48035E-07	2.2E-06	6.05E-04	1.35E-09	2.08E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
1500	1500	2.345	9.48035E-07	2.2E-06	6.05E-04	1.35E-09	2.08E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05
1501	1501	2.3295	9.48035E-07	2.2E-06	6.05E-04	1.34E-09	2.08E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
1502	1502	2.31057	9.48035E-07	2.2E-06	6.05E-04	1.33E-09	2.08E-01	4.71E-02	1.30E-11	1.0E+06	1.3E-05
1503	1503	2.2869	9.48035E-07	2.2E-06	6.05E-04	1.31E-09	2.08E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
1504	1504	2.25834	9.48035E-07	2.1E-06	6.05E-04	1.30E-09	2.08E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
1505	1505	2.22486	9.48035E-07	2.1E-06	6.05E-04	1.28E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05
1506	1506	1.26191	9.48035E-07	1.2E-06	6.05E-04	7.24E-10	2.08E-01	4.71E-02	7.11E-12	1.0E+06	7.1E-06
1507	1507	1.32693	9.48035E-07	1.3E-06	6.05E-04	7.61E-10	2.08E-01	4.71E-02	7.47E-12	1.0E+06	7.5E-06
1508	1508	1.39339	9.48035E-07	1.3E-06	6.05E-04	7.99E-10	2.08E-01	4.71E-02	7.85E-12	1.0E+06	7.8E-06
1509	1509	1.46224	9.48035E-07	1.4E-06	6.05E-04	8.39E-10	2.08E-01	4.71E-02	8.23E-12	1.0E+06	8.2E-06
1510	1510	1.54225	9.48035E-07	1.5E-06	6.05E-04	8.85E-10	2.08E-01	4.71E-02	8.68E-12	1.0E+06	8.7E-06
1511	1511	1.61562	9.48035E-07	1.5E-06	6.05E-04	9.27E-10	2.08E-01	4.71E-02	9.10E-12	1.0E+06	9.1E-06
1512	1512	1.70308	9.48035E-07	1.6E-06	6.05E-04	9.77E-10	2.08E-01	4.71E-02	9.59E-12	1.0E+06	9.6E-06
1513	1513	1.78242	9.48035E-07	1.7E-06	6.05E-04	1.02E-09	2.08E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
1514	1514	1.85526	9.48035E-07	1.8E-06	6.05E-04	1.06E-09	2.08E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
1515	1515	1.91144	9.48035E-07	1.8E-06	6.05E-04	1.10E-09	2.08E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05
1516	1516	1.96353	9.48035E-07	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
1517	1517	2.0138	9.48035E-07	1.9E-06	6.05E-04	1.16E-09	2.08E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
1518	1518	2.06013	9.48035E-07	2.0E-06	6.05E-04	1.18E-09	2.08E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
1519	1519	2.10121	9.48035E-07	2.0E-06	6.05E-04	1.21E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1520	1520	2.13663	9.48035E-07	2.0E-06	6.05E-04	1.23E-09	2.08E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
1521	1521	2.16657	9.48035E-07	2.1E-06	6.05E-04	1.24E-09	2.08E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
1522	1522	2.19014	9.48035E-07	2.1E-06	6.05E-04	1.26E-09	2.08E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	2.20551	9.48035E-07	2.1E-06	6.05E-04	1.27E-09	2.08E-01	4.71E-02	1.24E-11	1.0E+06	1.2E-05
1524	1524	2.21837	9.48035E-07	2.1E-06	6.05E-04	1.27E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.2E-05
1525	1525	2.22397	9.48035E-07	2.1E-06	6.05E-04	1.28E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05
1526	1526	2.22485	9.48035E-07	2.1E-06	6.05E-04	1.28E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05
1527	1527	2.22073	9.48035E-07	2.1E-06	6.05E-04	1.27E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05
1528	1528	2.21168	9.48035E-07	2.1E-06	6.05E-04	1.27E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.2E-05
1529	1529	2.19822	9.48035E-07	2.1E-06	6.05E-04	1.26E-09	2.08E-01	4.71E-02	1.24E-11	1.0E+06	1.2E-05
1530	1530	2.1812	9.48035E-07	2.1E-06	6.05E-04	1.25E-09	2.08E-01	4.71E-02	1.23E-11	1.0E+06	1.2E-05
1531	1531	2.15972	9.48035E-07	2.0E-06	6.05E-04	1.24E-09	2.08E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
1532	1532	2.13375	9.48035E-07	2.0E-06	6.05E-04	1.22E-09	2.08E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
1533	1533	2.10327	9.48035E-07	2.0E-06	6.05E-04	1.21E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1534	1534	1.18493	9.48035E-07	1.1E-06	6.05E-04	6.80E-10	2.08E-01	4.71E-02	6.67E-12	1.0E+06	6.7E-06
1535	1535	1.24738	9.48035E-07	1.2E-06	6.05E-04	7.16E-10	2.08E-01	4.71E-02	7.02E-12	1.0E+06	7.0E-06
1536	1536	1.31129	9.48035E-07	1.2E-06	6.05E-04	7.52E-10	2.08E-01	4.71E-02	7.38E-12	1.0E+06	7.4E-06
1537	1537	1.37783	9.48035E-07	1.3E-06	6.05E-04	7.90E-10	2.08E-01	4.71E-02	7.76E-12	1.0E+06	7.8E-06
1538	1538	1.45091	9.48035E-07	1.4E-06	6.05E-04	8.32E-10	2.08E-01	4.71E-02	8.17E-12	1.0E+06	8.2E-06
1539	1539	1.52623	9.48035E-07	1.4E-06	6.05E-04	8.75E-10	2.08E-01	4.71E-02	8.59E-12	1.0E+06	8.6E-06
1540	1540	1.60273	9.48035E-07	1.5E-06	6.05E-04	9.19E-10	2.08E-01	4.71E-02	9.02E-12	1.0E+06	9.0E-06
1541	1541	1.67954	9.48035E-07	1.6E-06	6.05E-04	9.63E-10	2.08E-01	4.71E-02	9.46E-12	1.0E+06	9.5E-06
1542	1542	1.74752	9.48035E-07	1.7E-06	6.05E-04	1.00E-09	2.08E-01	4.71E-02	9.84E-12	1.0E+06	9.8E-06
1543	1543	1.80023	9.48035E-07	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1544	1544	1.84941	9.48035E-07	1.8E-06	6.05E-04	1.06E-09	2.08E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
1545	1545	1.8974	9.48035E-07	1.8E-06	6.05E-04	1.09E-09	2.08E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
1546	1546	1.94169	9.48035E-07	1.8E-06	6.05E-04	1.11E-09	2.08E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
1547	1547	1.9808	9.48035E-07	1.9E-06	6.05E-04	1.14E-09	2.08E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
1548	1548	2.0132	9.48035E-07	1.9E-06	6.05E-04	1.15E-09	2.08E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
1549	1549	2.04098	9.48035E-07	1.9E-06	6.05E-04	1.17E-09	2.08E-01	4.71E-02	1.15E-11	1.0E+06	1.1E-05
1550	1550	2.0611	9.48035E-07	2.0E-06	6.05E-04	1.18E-09	2.08E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
1551	1551	2.0787	9.48035E-07	2.0E-06	6.05E-04	1.19E-09	2.08E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
1552	1552	2.08937	9.48035E-07	2.0E-06	6.05E-04	1.20E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1553	1553	2.0979	9.48035E-07	2.0E-06	6.05E-04	1.20E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	2.09968	9.48035E-07	2.0E-06	6.05E-04	1.20E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1555	1555	2.09676	9.48035E-07	2.0E-06	6.05E-04	1.20E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1556	1556	2.08926	9.48035E-07	2.0E-06	6.05E-04	1.20E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1557	1557	2.07766	9.48035E-07	2.0E-06	6.05E-04	1.19E-09	2.08E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
1558	1558	2.06235	9.48035E-07	2.0E-06	6.05E-04	1.18E-09	2.08E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
1559	1559	2.04288	9.48035E-07	1.9E-06	6.05E-04	1.17E-09	2.08E-01	4.71E-02	1.15E-11	1.0E+06	1.2E-05
1560	1560	2.01926	9.48035E-07	1.9E-06	6.05E-04	1.16E-09	2.08E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
1561	1561	1.9915	9.48035E-07	1.9E-06	6.05E-04	1.14E-09	2.08E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
1562	1562	1.11834	9.48035E-07	1.1E-06	6.05E-04	6.42E-10	2.08E-01	4.71E-02	6.30E-12	1.0E+06	6.3E-06
1563	1563	1.17539	9.48035E-07	1.1E-06	6.05E-04	6.74E-10	2.08E-01	4.71E-02	6.62E-12	1.0E+06	6.6E-06
1564	1564	1.23375	9.48035E-07	1.2E-06	6.05E-04	7.08E-10	2.08E-01	4.71E-02	6.95E-12	1.0E+06	6.9E-06
1565	1565	1.29548	9.48035E-07	1.2E-06	6.05E-04	7.43E-10	2.08E-01	4.71E-02	7.29E-12	1.0E+06	7.3E-06
1566	1566	1.36089	9.48035E-07	1.3E-06	6.05E-04	7.81E-10	2.08E-01	4.71E-02	7.66E-12	1.0E+06	7.7E-06
1567	1567	1.43376	9.48035E-07	1.4E-06	6.05E-04	8.22E-10	2.08E-01	4.71E-02	8.07E-12	1.0E+06	8.1E-06
1568	1568	1.50479	9.48035E-07	1.4E-06	6.05E-04	8.63E-10	2.08E-01	4.71E-02	8.47E-12	1.0E+06	8.5E-06
1569	1569	1.57978	9.48035E-07	1.5E-06	6.05E-04	9.06E-10	2.08E-01	4.71E-02	8.90E-12	1.0E+06	8.9E-06
1570	1570	1.64084	9.48035E-07	1.6E-06	6.05E-04	9.41E-10	2.08E-01	4.71E-02	9.24E-12	1.0E+06	9.2E-06
1571	1571	1.69204	9.48035E-07	1.6E-06	6.05E-04	9.71E-10	2.08E-01	4.71E-02	9.53E-12	1.0E+06	9.5E-06
1572	1572	1.74004	9.48035E-07	1.6E-06	6.05E-04	9.98E-10	2.08E-01	4.71E-02	9.80E-12	1.0E+06	9.8E-06
1573	1573	1.78654	9.48035E-07	1.7E-06	6.05E-04	1.02E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1574	1574	1.83202	9.48035E-07	1.7E-06	6.05E-04	1.05E-09	2.08E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
1575	1575	1.86962	9.48035E-07	1.8E-06	6.05E-04	1.07E-09	2.08E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
1576	1576	1.89989	9.48035E-07	1.8E-06	6.05E-04	1.09E-09	2.08E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
1577	1577	1.92598	9.48035E-07	1.8E-06	6.05E-04	1.10E-09	2.08E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05
1578	1578	1.94527	9.48035E-07	1.8E-06	6.05E-04	1.12E-09	2.08E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
1579	1579	1.96245	9.48035E-07	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
1580	1580	1.97304	9.48035E-07	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
1581	1581	1.98196	9.48035E-07	1.9E-06	6.05E-04	1.14E-09	2.08E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
1582	1582	1.98437	9.48035E-07	1.9E-06	6.05E-04	1.14E-09	2.08E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
1583	1583	1.98247	9.48035E-07	1.9E-06	6.05E-04	1.14E-09	2.08E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
1584	1584	1.97635	9.48035E-07	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	1.96631	9.48035E-07	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
1586	1586	1.95266	9.48035E-07	1.9E-06	6.05E-04	1.12E-09	2.08E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
1587	1587	1.93514	9.48035E-07	1.8E-06	6.05E-04	1.11E-09	2.08E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
1588	1588	1.91374	9.48035E-07	1.8E-06	6.05E-04	1.10E-09	2.08E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05
1589	1589	1.88848	9.48035E-07	1.8E-06	6.05E-04	1.08E-09	2.08E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
1590	1590	1.05987	9.48035E-07	1.0E-06	6.05E-04	6.08E-10	2.08E-01	4.71E-02	5.97E-12	1.0E+06	6.0E-06
1591	1591	1.10988	9.48035E-07	1.1E-06	6.05E-04	6.37E-10	2.08E-01	4.71E-02	6.25E-12	1.0E+06	6.2E-06
1592	1592	1.16072	9.48035E-07	1.1E-06	6.05E-04	6.66E-10	2.08E-01	4.71E-02	6.54E-12	1.0E+06	6.5E-06
1593	1593	1.21674	9.48035E-07	1.2E-06	6.05E-04	6.98E-10	2.08E-01	4.71E-02	6.85E-12	1.0E+06	6.9E-06
1594	1594	1.27845	9.48035E-07	1.2E-06	6.05E-04	7.33E-10	2.08E-01	4.71E-02	7.20E-12	1.0E+06	7.2E-06
1595	1595	1.34447	9.48035E-07	1.3E-06	6.05E-04	7.71E-10	2.08E-01	4.71E-02	7.57E-12	1.0E+06	7.6E-06
0	0	0	9.48035E-07	0.0E+00	6.05E-04	0.00E+00	2.08E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	4.63589	2.5998E-06	1.2E-05	6.05E-04	7.29E-09	2.08E-01	4.71E-02	7.16E-11	1.0E+06	7.2E-05
1214	1214	1.55657	2.5998E-06	4.0E-06	6.05E-04	2.45E-09	2.08E-01	4.71E-02	2.40E-11	1.0E+06	2.4E-05
1215	1215	1.69617	2.5998E-06	4.4E-06	6.05E-04	2.67E-09	2.08E-01	4.71E-02	2.62E-11	1.0E+06	2.6E-05
1216	1216	1.85935	2.5998E-06	4.8E-06	6.05E-04	2.92E-09	2.08E-01	4.71E-02	2.87E-11	1.0E+06	2.9E-05
1217	1217	2.05314	2.5998E-06	5.3E-06	6.05E-04	3.23E-09	2.08E-01	4.71E-02	3.17E-11	1.0E+06	3.2E-05
1218	1218	2.28733	2.5998E-06	5.9E-06	6.05E-04	3.60E-09	2.08E-01	4.71E-02	3.53E-11	1.0E+06	3.5E-05
1219	1219	2.57406	2.5998E-06	6.7E-06	6.05E-04	4.05E-09	2.08E-01	4.71E-02	3.97E-11	1.0E+06	4.0E-05
1220	1220	2.93233	2.5998E-06	7.6E-06	6.05E-04	4.61E-09	2.08E-01	4.71E-02	4.53E-11	1.0E+06	4.5E-05
1221	1221	3.39064	2.5998E-06	8.8E-06	6.05E-04	5.33E-09	2.08E-01	4.71E-02	5.24E-11	1.0E+06	5.2E-05
1222	1222	3.9957	2.5998E-06	1.0E-05	6.05E-04	6.29E-09	2.08E-01	4.71E-02	6.17E-11	1.0E+06	6.2E-05
1223	1223	4.8171	2.5998E-06	1.3E-05	6.05E-04	7.58E-09	2.08E-01	4.71E-02	7.44E-11	1.0E+06	7.4E-05
1224	1224	5.99627	2.5998E-06	1.6E-05	6.05E-04	9.43E-09	2.08E-01	4.71E-02	9.26E-11	1.0E+06	9.3E-05
1225	1225	7.74568	2.5998E-06	2.0E-05	6.05E-04	1.22E-08	2.08E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
1226	1226	3.98462	2.5998E-06	1.0E-05	6.05E-04	6.27E-09	2.08E-01	4.71E-02	6.15E-11	1.0E+06	6.2E-05
1227	1227	4.45522	2.5998E-06	1.2E-05	6.05E-04	7.01E-09	2.08E-01	4.71E-02	6.88E-11	1.0E+06	6.9E-05
1228	1228	1.58476	2.5998E-06	4.1E-06	6.05E-04	2.49E-09	2.08E-01	4.71E-02	2.45E-11	1.0E+06	2.4E-05
1229	1229	1.72629	2.5998E-06	4.5E-06	6.05E-04	2.72E-09	2.08E-01	4.71E-02	2.67E-11	1.0E+06	2.7E-05
1230	1230	1.89148	2.5998E-06	4.9E-06	6.05E-04	2.98E-09	2.08E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
1231	1231	2.08734	2.5998E-06	5.4E-06	6.05E-04	3.28E-09	2.08E-01	4.71E-02	3.22E-11	1.0E+06	3.2E-05
1232	1232	2.32547	2.5998E-06	6.0E-06	6.05E-04	3.66E-09	2.08E-01	4.71E-02	3.59E-11	1.0E+06	3.6E-05
1233	1233	2.61678	2.5998E-06	6.8E-06	6.05E-04	4.12E-09	2.08E-01	4.71E-02	4.04E-11	1.0E+06	4.0E-05
1234	1234	2.97924	2.5998E-06	7.7E-06	6.05E-04	4.69E-09	2.08E-01	4.71E-02	4.60E-11	1.0E+06	4.6E-05
1235	1235	3.44153	2.5998E-06	8.9E-06	6.05E-04	5.41E-09	2.08E-01	4.71E-02	5.31E-11	1.0E+06	5.3E-05
1236	1236	4.05012	2.5998E-06	1.1E-05	6.05E-04	6.37E-09	2.08E-01	4.71E-02	6.25E-11	1.0E+06	6.3E-05
1237	1237	4.87021	2.5998E-06	1.3E-05	6.05E-04	7.66E-09	2.08E-01	4.71E-02	7.52E-11	1.0E+06	7.5E-05
1238	1238	6.03457	2.5998E-06	1.6E-05	6.05E-04	9.49E-09	2.08E-01	4.71E-02	9.32E-11	1.0E+06	9.3E-05
1239	1239	7.75593	2.5998E-06	2.0E-05	6.05E-04	1.22E-08	2.08E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
1240	1240	3.99935	2.5998E-06	1.0E-05	6.05E-04	6.29E-09	2.08E-01	4.71E-02	6.18E-11	1.0E+06	6.2E-05
1241	1241	4.45869	2.5998E-06	1.2E-05	6.05E-04	7.01E-09	2.08E-01	4.71E-02	6.88E-11	1.0E+06	6.9E-05
1242	1242	1.61088	2.5998E-06	4.2E-06	6.05E-04	2.53E-09	2.08E-01	4.71E-02	2.49E-11	1.0E+06	2.5E-05
1243	1243	1.75415	2.5998E-06	4.6E-06	6.05E-04	2.76E-09	2.08E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	1.92114	2.5998E-06	5.0E-06	6.05E-04	3.02E-09	2.08E-01	4.71E-02	2.97E-11	1.0E+06	3.0E-05
1245	1245	2.11863	2.5998E-06	5.5E-06	6.05E-04	3.33E-09	2.08E-01	4.71E-02	3.27E-11	1.0E+06	3.3E-05
1246	1246	2.35994	2.5998E-06	6.1E-06	6.05E-04	3.71E-09	2.08E-01	4.71E-02	3.64E-11	1.0E+06	3.6E-05
1247	1247	2.65519	2.5998E-06	6.9E-06	6.05E-04	4.18E-09	2.08E-01	4.71E-02	4.10E-11	1.0E+06	4.1E-05
1248	1248	3.0214	2.5998E-06	7.9E-06	6.05E-04	4.75E-09	2.08E-01	4.71E-02	4.67E-11	1.0E+06	4.7E-05
1249	1249	3.48674	2.5998E-06	9.1E-06	6.05E-04	5.48E-09	2.08E-01	4.71E-02	5.38E-11	1.0E+06	5.4E-05
1250	1250	4.09782	2.5998E-06	1.1E-05	6.05E-04	6.45E-09	2.08E-01	4.71E-02	6.33E-11	1.0E+06	6.3E-05
1251	1251	4.91335	2.5998E-06	1.3E-05	6.05E-04	7.73E-09	2.08E-01	4.71E-02	7.59E-11	1.0E+06	7.6E-05
1252	1252	6.0638	2.5998E-06	1.6E-05	6.05E-04	9.54E-09	2.08E-01	4.71E-02	9.36E-11	1.0E+06	9.4E-05
1253	1253	5.34535	2.5998E-06	1.4E-05	6.05E-04	8.41E-09	2.08E-01	4.71E-02	8.25E-11	1.0E+06	8.3E-05
1254	1254	6.4689	2.5998E-06	1.7E-05	6.05E-04	1.02E-08	2.08E-01	4.71E-02	9.99E-11	1.0E+06	1.0E-04
1255	1255	7.71827	2.5998E-06	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
1256	1256	1.63451	2.5998E-06	4.2E-06	6.05E-04	2.57E-09	2.08E-01	4.71E-02	2.52E-11	1.0E+06	2.5E-05
1257	1257	1.77935	2.5998E-06	4.6E-06	6.05E-04	2.80E-09	2.08E-01	4.71E-02	2.75E-11	1.0E+06	2.7E-05
1258	1258	1.94794	2.5998E-06	5.1E-06	6.05E-04	3.06E-09	2.08E-01	4.71E-02	3.01E-11	1.0E+06	3.0E-05
1259	1259	2.14657	2.5998E-06	5.6E-06	6.05E-04	3.38E-09	2.08E-01	4.71E-02	3.31E-11	1.0E+06	3.3E-05
1260	1260	2.39053	2.5998E-06	6.2E-06	6.05E-04	3.76E-09	2.08E-01	4.71E-02	3.69E-11	1.0E+06	3.7E-05
1261	1261	2.68805	2.5998E-06	7.0E-06	6.05E-04	4.23E-09	2.08E-01	4.71E-02	4.15E-11	1.0E+06	4.2E-05
1262	1262	3.05687	2.5998E-06	7.9E-06	6.05E-04	4.81E-09	2.08E-01	4.71E-02	4.72E-11	1.0E+06	4.7E-05
1263	1263	3.52477	2.5998E-06	9.2E-06	6.05E-04	5.54E-09	2.08E-01	4.71E-02	5.44E-11	1.0E+06	5.4E-05
1264	1264	4.13812	2.5998E-06	1.1E-05	6.05E-04	6.51E-09	2.08E-01	4.71E-02	6.39E-11	1.0E+06	6.4E-05
1265	1265	4.95122	2.5998E-06	1.3E-05	6.05E-04	7.79E-09	2.08E-01	4.71E-02	7.65E-11	1.0E+06	7.6E-05
1266	1266	6.09598	2.5998E-06	1.6E-05	6.05E-04	9.59E-09	2.08E-01	4.71E-02	9.41E-11	1.0E+06	9.4E-05
1267	1267	5.35421	2.5998E-06	1.4E-05	6.05E-04	8.42E-09	2.08E-01	4.71E-02	8.27E-11	1.0E+06	8.3E-05
1268	1268	6.4513	2.5998E-06	1.7E-05	6.05E-04	1.01E-08	2.08E-01	4.71E-02	9.96E-11	1.0E+06	1.0E-04
1269	1269	5.16514	2.5998E-06	1.3E-05	6.05E-04	8.13E-09	2.08E-01	4.71E-02	7.98E-11	1.0E+06	8.0E-05
1270	1270	1.65777	2.5998E-06	4.3E-06	6.05E-04	2.61E-09	2.08E-01	4.71E-02	2.56E-11	1.0E+06	2.6E-05
1271	1271	1.8034	2.5998E-06	4.7E-06	6.05E-04	2.84E-09	2.08E-01	4.71E-02	2.78E-11	1.0E+06	2.8E-05
1272	1272	1.97155	2.5998E-06	5.1E-06	6.05E-04	3.10E-09	2.08E-01	4.71E-02	3.04E-11	1.0E+06	3.0E-05
1273	1273	2.17068	2.5998E-06	5.6E-06	6.05E-04	3.41E-09	2.08E-01	4.71E-02	3.35E-11	1.0E+06	3.4E-05
1274	1274	2.415	2.5998E-06	6.3E-06	6.05E-04	3.80E-09	2.08E-01	4.71E-02	3.73E-11	1.0E+06	3.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	2.71302	2.5998E-06	7.1E-06	6.05E-04	4.27E-09	2.08E-01	4.71E-02	4.19E-11	1.0E+06	4.2E-05
1276	1276	3.08317	2.5998E-06	8.0E-06	6.05E-04	4.85E-09	2.08E-01	4.71E-02	4.76E-11	1.0E+06	4.8E-05
1277	1277	3.55407	2.5998E-06	9.2E-06	6.05E-04	5.59E-09	2.08E-01	4.71E-02	5.49E-11	1.0E+06	5.5E-05
1278	1278	4.17173	2.5998E-06	1.1E-05	6.05E-04	6.56E-09	2.08E-01	4.71E-02	6.44E-11	1.0E+06	6.4E-05
1279	1279	4.98685	2.5998E-06	1.3E-05	6.05E-04	7.84E-09	2.08E-01	4.71E-02	7.70E-11	1.0E+06	7.7E-05
1280	1280	6.1339	2.5998E-06	1.6E-05	6.05E-04	9.65E-09	2.08E-01	4.71E-02	9.47E-11	1.0E+06	9.5E-05
1281	1281	7.83023	2.5998E-06	2.0E-05	6.05E-04	1.23E-08	2.08E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
1282	1282	4.28997	2.5998E-06	1.1E-05	6.05E-04	6.75E-09	2.08E-01	4.71E-02	6.62E-11	1.0E+06	6.6E-05
1283	1283	4.79694	2.5998E-06	1.2E-05	6.05E-04	7.55E-09	2.08E-01	4.71E-02	7.41E-11	1.0E+06	7.4E-05
1284	1284	1.67942	2.5998E-06	4.4E-06	6.05E-04	2.64E-09	2.08E-01	4.71E-02	2.59E-11	1.0E+06	2.6E-05
1285	1285	1.82578	2.5998E-06	4.7E-06	6.05E-04	2.87E-09	2.08E-01	4.71E-02	2.82E-11	1.0E+06	2.8E-05
1286	1286	1.99388	2.5998E-06	5.2E-06	6.05E-04	3.14E-09	2.08E-01	4.71E-02	3.08E-11	1.0E+06	3.1E-05
1287	1287	2.19136	2.5998E-06	5.7E-06	6.05E-04	3.45E-09	2.08E-01	4.71E-02	3.38E-11	1.0E+06	3.4E-05
1288	1288	2.43689	2.5998E-06	6.3E-06	6.05E-04	3.83E-09	2.08E-01	4.71E-02	3.76E-11	1.0E+06	3.8E-05
1289	1289	2.73465	2.5998E-06	7.1E-06	6.05E-04	4.30E-09	2.08E-01	4.71E-02	4.22E-11	1.0E+06	4.2E-05
1290	1290	3.10574	2.5998E-06	8.1E-06	6.05E-04	4.89E-09	2.08E-01	4.71E-02	4.80E-11	1.0E+06	4.8E-05
1291	1291	3.57903	2.5998E-06	9.3E-06	6.05E-04	5.63E-09	2.08E-01	4.71E-02	5.53E-11	1.0E+06	5.5E-05
1292	1292	4.19941	2.5998E-06	1.1E-05	6.05E-04	6.61E-09	2.08E-01	4.71E-02	6.48E-11	1.0E+06	6.5E-05
1293	1293	5.01447	2.5998E-06	1.3E-05	6.05E-04	7.89E-09	2.08E-01	4.71E-02	7.74E-11	1.0E+06	7.7E-05
1294	1294	6.15639	2.5998E-06	1.6E-05	6.05E-04	9.68E-09	2.08E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
1295	1295	7.83128	2.5998E-06	2.0E-05	6.05E-04	1.23E-08	2.08E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
1296	1296	7.09597	2.5998E-06	1.8E-05	6.05E-04	1.12E-08	2.08E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1297	1297	4.75568	2.5998E-06	1.2E-05	6.05E-04	7.48E-09	2.08E-01	4.71E-02	7.34E-11	1.0E+06	7.3E-05
1298	1298	1.69971	2.5998E-06	4.4E-06	6.05E-04	2.67E-09	2.08E-01	4.71E-02	2.62E-11	1.0E+06	2.6E-05
1299	1299	1.84596	2.5998E-06	4.8E-06	6.05E-04	2.90E-09	2.08E-01	4.71E-02	2.85E-11	1.0E+06	2.9E-05
1300	1300	2.01403	2.5998E-06	5.2E-06	6.05E-04	3.17E-09	2.08E-01	4.71E-02	3.11E-11	1.0E+06	3.1E-05
1301	1301	2.21154	2.5998E-06	5.7E-06	6.05E-04	3.48E-09	2.08E-01	4.71E-02	3.41E-11	1.0E+06	3.4E-05
1302	1302	2.45815	2.5998E-06	6.4E-06	6.05E-04	3.87E-09	2.08E-01	4.71E-02	3.80E-11	1.0E+06	3.8E-05
1303	1303	2.75603	2.5998E-06	7.2E-06	6.05E-04	4.34E-09	2.08E-01	4.71E-02	4.26E-11	1.0E+06	4.3E-05
1304	1304	3.12744	2.5998E-06	8.1E-06	6.05E-04	4.92E-09	2.08E-01	4.71E-02	4.83E-11	1.0E+06	4.8E-05
1305	1305	3.60232	2.5998E-06	9.4E-06	6.05E-04	5.67E-09	2.08E-01	4.71E-02	5.56E-11	1.0E+06	5.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	1.72022	2.5998E-06	4.5E-06	6.05E-04	2.71E-09	2.08E-01	4.71E-02	2.66E-11	1.0E+06	2.7E-05
1307	1307	1.86883	2.5998E-06	4.9E-06	6.05E-04	2.94E-09	2.08E-01	4.71E-02	2.89E-11	1.0E+06	2.9E-05
1308	1308	2.03995	2.5998E-06	5.3E-06	6.05E-04	3.21E-09	2.08E-01	4.71E-02	3.15E-11	1.0E+06	3.1E-05
1309	1309	2.24194	2.5998E-06	5.8E-06	6.05E-04	3.53E-09	2.08E-01	4.71E-02	3.46E-11	1.0E+06	3.5E-05
1310	1310	2.48879	2.5998E-06	6.5E-06	6.05E-04	3.92E-09	2.08E-01	4.71E-02	3.84E-11	1.0E+06	3.8E-05
1311	1311	2.78852	2.5998E-06	7.2E-06	6.05E-04	4.39E-09	2.08E-01	4.71E-02	4.31E-11	1.0E+06	4.3E-05
1312	1312	3.15959	2.5998E-06	8.2E-06	6.05E-04	4.97E-09	2.08E-01	4.71E-02	4.88E-11	1.0E+06	4.9E-05
1313	1313	3.63077	2.5998E-06	9.4E-06	6.05E-04	5.71E-09	2.08E-01	4.71E-02	5.61E-11	1.0E+06	5.6E-05
1314	1314	1.73857	2.5998E-06	4.5E-06	6.05E-04	2.73E-09	2.08E-01	4.71E-02	2.68E-11	1.0E+06	2.7E-05
1315	1315	1.89002	2.5998E-06	4.9E-06	6.05E-04	2.97E-09	2.08E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
1316	1316	2.06437	2.5998E-06	5.4E-06	6.05E-04	3.25E-09	2.08E-01	4.71E-02	3.19E-11	1.0E+06	3.2E-05
1317	1317	2.26919	2.5998E-06	5.9E-06	6.05E-04	3.57E-09	2.08E-01	4.71E-02	3.50E-11	1.0E+06	3.5E-05
1318	1318	2.51765	2.5998E-06	6.5E-06	6.05E-04	3.96E-09	2.08E-01	4.71E-02	3.89E-11	1.0E+06	3.9E-05
1319	1319	2.8183	2.5998E-06	7.3E-06	6.05E-04	4.43E-09	2.08E-01	4.71E-02	4.35E-11	1.0E+06	4.4E-05
1320	1320	3.18909	2.5998E-06	8.3E-06	6.05E-04	5.02E-09	2.08E-01	4.71E-02	4.92E-11	1.0E+06	4.9E-05
1321	1321	3.65621	2.5998E-06	9.5E-06	6.05E-04	5.75E-09	2.08E-01	4.71E-02	5.65E-11	1.0E+06	5.6E-05
1322	1322	1.75571	2.5998E-06	4.6E-06	6.05E-04	2.76E-09	2.08E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
1323	1323	1.9091	2.5998E-06	5.0E-06	6.05E-04	3.00E-09	2.08E-01	4.71E-02	2.95E-11	1.0E+06	2.9E-05
1324	1324	2.08595	2.5998E-06	5.4E-06	6.05E-04	3.28E-09	2.08E-01	4.71E-02	3.22E-11	1.0E+06	3.2E-05
1325	1325	2.29403	2.5998E-06	6.0E-06	6.05E-04	3.61E-09	2.08E-01	4.71E-02	3.54E-11	1.0E+06	3.5E-05
1326	1326	2.54347	2.5998E-06	6.6E-06	6.05E-04	4.00E-09	2.08E-01	4.71E-02	3.93E-11	1.0E+06	3.9E-05
1327	1327	2.84559	2.5998E-06	7.4E-06	6.05E-04	4.48E-09	2.08E-01	4.71E-02	4.39E-11	1.0E+06	4.4E-05
1328	1328	3.21583	2.5998E-06	8.4E-06	6.05E-04	5.06E-09	2.08E-01	4.71E-02	4.97E-11	1.0E+06	5.0E-05
1329	1329	3.67839	2.5998E-06	9.6E-06	6.05E-04	5.79E-09	2.08E-01	4.71E-02	5.68E-11	1.0E+06	5.7E-05
1330	1330	1.77018	2.5998E-06	4.6E-06	6.05E-04	2.78E-09	2.08E-01	4.71E-02	2.73E-11	1.0E+06	2.7E-05
1331	1331	1.92415	2.5998E-06	5.0E-06	6.05E-04	3.03E-09	2.08E-01	4.71E-02	2.97E-11	1.0E+06	3.0E-05
1332	1332	2.10109	2.5998E-06	5.5E-06	6.05E-04	3.31E-09	2.08E-01	4.71E-02	3.24E-11	1.0E+06	3.2E-05
1333	1333	2.30857	2.5998E-06	6.0E-06	6.05E-04	3.63E-09	2.08E-01	4.71E-02	3.56E-11	1.0E+06	3.6E-05
1334	1334	2.55856	2.5998E-06	6.7E-06	6.05E-04	4.02E-09	2.08E-01	4.71E-02	3.95E-11	1.0E+06	4.0E-05
1335	1335	2.86076	2.5998E-06	7.4E-06	6.05E-04	4.50E-09	2.08E-01	4.71E-02	4.42E-11	1.0E+06	4.4E-05
1336	1336	3.23107	2.5998E-06	8.4E-06	6.05E-04	5.08E-09	2.08E-01	4.71E-02	4.99E-11	1.0E+06	5.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	3.69435	2.5998E-06	9.6E-06	6.05E-04	5.81E-09	2.08E-01	4.71E-02	5.70E-11	1.0E+06	5.7E-05
1338	1338	0.59813	2.5998E-06	1.6E-06	6.05E-04	9.41E-10	2.08E-01	4.71E-02	9.24E-12	1.0E+06	9.2E-06
1339	1339	0.62027	2.5998E-06	1.6E-06	6.05E-04	9.76E-10	2.08E-01	4.71E-02	9.58E-12	1.0E+06	9.6E-06
1340	1340	0.64395	2.5998E-06	1.7E-06	6.05E-04	1.01E-09	2.08E-01	4.71E-02	9.94E-12	1.0E+06	9.9E-06
1341	1341	0.67007	2.5998E-06	1.7E-06	6.05E-04	1.05E-09	2.08E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
1342	1342	0.69873	2.5998E-06	1.8E-06	6.05E-04	1.10E-09	2.08E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05
1343	1343	0.72952	2.5998E-06	1.9E-06	6.05E-04	1.15E-09	2.08E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
1344	1344	0.7635	2.5998E-06	2.0E-06	6.05E-04	1.20E-09	2.08E-01	4.71E-02	1.18E-11	1.0E+06	1.2E-05
1345	1345	0.80037	2.5998E-06	2.1E-06	6.05E-04	1.26E-09	2.08E-01	4.71E-02	1.24E-11	1.0E+06	1.2E-05
1346	1346	0.83898	2.5998E-06	2.2E-06	6.05E-04	1.32E-09	2.08E-01	4.71E-02	1.30E-11	1.0E+06	1.3E-05
1347	1347	0.87902	2.5998E-06	2.3E-06	6.05E-04	1.38E-09	2.08E-01	4.71E-02	1.36E-11	1.0E+06	1.4E-05
1348	1348	0.92257	2.5998E-06	2.4E-06	6.05E-04	1.45E-09	2.08E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
1349	1349	0.97267	2.5998E-06	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
1350	1350	1.02815	2.5998E-06	2.7E-06	6.05E-04	1.62E-09	2.08E-01	4.71E-02	1.59E-11	1.0E+06	1.6E-05
1351	1351	1.08914	2.5998E-06	2.8E-06	6.05E-04	1.71E-09	2.08E-01	4.71E-02	1.68E-11	1.0E+06	1.7E-05
1352	1352	1.15587	2.5998E-06	3.0E-06	6.05E-04	1.82E-09	2.08E-01	4.71E-02	1.78E-11	1.0E+06	1.8E-05
1353	1353	1.22051	2.5998E-06	3.2E-06	6.05E-04	1.92E-09	2.08E-01	4.71E-02	1.88E-11	1.0E+06	1.9E-05
1354	1354	1.31626	2.5998E-06	3.4E-06	6.05E-04	2.07E-09	2.08E-01	4.71E-02	2.03E-11	1.0E+06	2.0E-05
1355	1355	1.41575	2.5998E-06	3.7E-06	6.05E-04	2.23E-09	2.08E-01	4.71E-02	2.19E-11	1.0E+06	2.2E-05
1356	1356	1.52585	2.5998E-06	4.0E-06	6.05E-04	2.40E-09	2.08E-01	4.71E-02	2.36E-11	1.0E+06	2.4E-05
1357	1357	1.64677	2.5998E-06	4.3E-06	6.05E-04	2.59E-09	2.08E-01	4.71E-02	2.54E-11	1.0E+06	2.5E-05
1358	1358	1.78357	2.5998E-06	4.6E-06	6.05E-04	2.81E-09	2.08E-01	4.71E-02	2.75E-11	1.0E+06	2.8E-05
1359	1359	1.93802	2.5998E-06	5.0E-06	6.05E-04	3.05E-09	2.08E-01	4.71E-02	2.99E-11	1.0E+06	3.0E-05
1360	1360	2.11473	2.5998E-06	5.5E-06	6.05E-04	3.33E-09	2.08E-01	4.71E-02	3.27E-11	1.0E+06	3.3E-05
1361	1361	2.32189	2.5998E-06	6.0E-06	6.05E-04	3.65E-09	2.08E-01	4.71E-02	3.59E-11	1.0E+06	3.6E-05
1362	1362	2.57176	2.5998E-06	6.7E-06	6.05E-04	4.05E-09	2.08E-01	4.71E-02	3.97E-11	1.0E+06	4.0E-05
1363	1363	2.87382	2.5998E-06	7.5E-06	6.05E-04	4.52E-09	2.08E-01	4.71E-02	4.44E-11	1.0E+06	4.4E-05
1364	1364	3.24434	2.5998E-06	8.4E-06	6.05E-04	5.10E-09	2.08E-01	4.71E-02	5.01E-11	1.0E+06	5.0E-05
1365	1365	3.70757	2.5998E-06	9.6E-06	6.05E-04	5.83E-09	2.08E-01	4.71E-02	5.72E-11	1.0E+06	5.7E-05
1366	1366	0.60209	2.5998E-06	1.6E-06	6.05E-04	9.47E-10	2.08E-01	4.71E-02	9.30E-12	1.0E+06	9.3E-06
1367	1367	0.62408	2.5998E-06	1.6E-06	6.05E-04	9.82E-10	2.08E-01	4.71E-02	9.64E-12	1.0E+06	9.6E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	0.64745	2.5998E-06	1.7E-06	6.05E-04	1.02E-09	2.08E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
1369	1369	0.67369	2.5998E-06	1.8E-06	6.05E-04	1.06E-09	2.08E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
1370	1370	0.70285	2.5998E-06	1.8E-06	6.05E-04	1.11E-09	2.08E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
1371	1371	0.73401	2.5998E-06	1.9E-06	6.05E-04	1.15E-09	2.08E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
1372	1372	0.76871	2.5998E-06	2.0E-06	6.05E-04	1.21E-09	2.08E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
1373	1373	0.80641	2.5998E-06	2.1E-06	6.05E-04	1.27E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.2E-05
1374	1374	0.84538	2.5998E-06	2.2E-06	6.05E-04	1.33E-09	2.08E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
1375	1375	0.88479	2.5998E-06	2.3E-06	6.05E-04	1.39E-09	2.08E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
1376	1376	0.92753	2.5998E-06	2.4E-06	6.05E-04	1.46E-09	2.08E-01	4.71E-02	1.43E-11	1.0E+06	1.4E-05
1377	1377	0.97831	2.5998E-06	2.5E-06	6.05E-04	1.54E-09	2.08E-01	4.71E-02	1.51E-11	1.0E+06	1.5E-05
1378	1378	1.03482	2.5998E-06	2.7E-06	6.05E-04	1.63E-09	2.08E-01	4.71E-02	1.60E-11	1.0E+06	1.6E-05
1379	1379	1.09688	2.5998E-06	2.9E-06	6.05E-04	1.73E-09	2.08E-01	4.71E-02	1.69E-11	1.0E+06	1.7E-05
1380	1380	1.16431	2.5998E-06	3.0E-06	6.05E-04	1.83E-09	2.08E-01	4.71E-02	1.80E-11	1.0E+06	1.8E-05
1381	1381	1.22997	2.5998E-06	3.2E-06	6.05E-04	1.93E-09	2.08E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
1382	1382	1.32316	2.5998E-06	3.4E-06	6.05E-04	2.08E-09	2.08E-01	4.71E-02	2.04E-11	1.0E+06	2.0E-05
1383	1383	1.42569	2.5998E-06	3.7E-06	6.05E-04	2.24E-09	2.08E-01	4.71E-02	2.20E-11	1.0E+06	2.2E-05
1384	1384	1.53495	2.5998E-06	4.0E-06	6.05E-04	2.41E-09	2.08E-01	4.71E-02	2.37E-11	1.0E+06	2.4E-05
1385	1385	1.65697	2.5998E-06	4.3E-06	6.05E-04	2.61E-09	2.08E-01	4.71E-02	2.56E-11	1.0E+06	2.6E-05
1386	1386	1.79496	2.5998E-06	4.7E-06	6.05E-04	2.82E-09	2.08E-01	4.71E-02	2.77E-11	1.0E+06	2.8E-05
1387	1387	1.95079	2.5998E-06	5.1E-06	6.05E-04	3.07E-09	2.08E-01	4.71E-02	3.01E-11	1.0E+06	3.0E-05
1388	1388	2.12714	2.5998E-06	5.5E-06	6.05E-04	3.35E-09	2.08E-01	4.71E-02	3.28E-11	1.0E+06	3.3E-05
1389	1389	2.33386	2.5998E-06	6.1E-06	6.05E-04	3.67E-09	2.08E-01	4.71E-02	3.60E-11	1.0E+06	3.6E-05
1390	1390	2.58376	2.5998E-06	6.7E-06	6.05E-04	4.06E-09	2.08E-01	4.71E-02	3.99E-11	1.0E+06	4.0E-05
1391	1391	2.8856	2.5998E-06	7.5E-06	6.05E-04	4.54E-09	2.08E-01	4.71E-02	4.46E-11	1.0E+06	4.5E-05
1392	1392	3.25583	2.5998E-06	8.5E-06	6.05E-04	5.12E-09	2.08E-01	4.71E-02	5.03E-11	1.0E+06	5.0E-05
1393	1393	3.71937	2.5998E-06	9.7E-06	6.05E-04	5.85E-09	2.08E-01	4.71E-02	5.74E-11	1.0E+06	5.7E-05
1394	1394	0.60445	2.5998E-06	1.6E-06	6.05E-04	9.51E-10	2.08E-01	4.71E-02	9.33E-12	1.0E+06	9.3E-06
1395	1395	0.62651	2.5998E-06	1.6E-06	6.05E-04	9.86E-10	2.08E-01	4.71E-02	9.67E-12	1.0E+06	9.7E-06
1396	1396	0.65001	2.5998E-06	1.7E-06	6.05E-04	1.02E-09	2.08E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
1397	1397	0.67628	2.5998E-06	1.8E-06	6.05E-04	1.06E-09	2.08E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
1398	1398	0.70542	2.5998E-06	1.8E-06	6.05E-04	1.11E-09	2.08E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	0.7366	2.5998E-06	1.9E-06	6.05E-04	1.16E-09	2.08E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
1400	1400	0.77252	2.5998E-06	2.0E-06	6.05E-04	1.22E-09	2.08E-01	4.71E-02	1.19E-11	1.0E+06	1.2E-05
1401	1401	0.8113	2.5998E-06	2.1E-06	6.05E-04	1.28E-09	2.08E-01	4.71E-02	1.25E-11	1.0E+06	1.3E-05
1402	1402	0.85144	2.5998E-06	2.2E-06	6.05E-04	1.34E-09	2.08E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
1403	1403	0.89131	2.5998E-06	2.3E-06	6.05E-04	1.40E-09	2.08E-01	4.71E-02	1.38E-11	1.0E+06	1.4E-05
1404	1404	0.93457	2.5998E-06	2.4E-06	6.05E-04	1.47E-09	2.08E-01	4.71E-02	1.44E-11	1.0E+06	1.4E-05
1405	1405	0.98539	2.5998E-06	2.6E-06	6.05E-04	1.55E-09	2.08E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
1406	1406	1.04186	2.5998E-06	2.7E-06	6.05E-04	1.64E-09	2.08E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
1407	1407	1.10402	2.5998E-06	2.9E-06	6.05E-04	1.74E-09	2.08E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
1408	1408	1.17272	2.5998E-06	3.0E-06	6.05E-04	1.84E-09	2.08E-01	4.71E-02	1.81E-11	1.0E+06	1.8E-05
1409	1409	1.24047	2.5998E-06	3.2E-06	6.05E-04	1.95E-09	2.08E-01	4.71E-02	1.92E-11	1.0E+06	1.9E-05
1410	1410	1.33333	2.5998E-06	3.5E-06	6.05E-04	2.10E-09	2.08E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
1411	1411	1.43643	2.5998E-06	3.7E-06	6.05E-04	2.26E-09	2.08E-01	4.71E-02	2.22E-11	1.0E+06	2.2E-05
1412	1412	1.54613	2.5998E-06	4.0E-06	6.05E-04	2.43E-09	2.08E-01	4.71E-02	2.39E-11	1.0E+06	2.4E-05
1413	1413	1.66839	2.5998E-06	4.3E-06	6.05E-04	2.62E-09	2.08E-01	4.71E-02	2.58E-11	1.0E+06	2.6E-05
1414	1414	1.80654	2.5998E-06	4.7E-06	6.05E-04	2.84E-09	2.08E-01	4.71E-02	2.79E-11	1.0E+06	2.8E-05
1415	1415	1.96128	2.5998E-06	5.1E-06	6.05E-04	3.09E-09	2.08E-01	4.71E-02	3.03E-11	1.0E+06	3.0E-05
1416	1416	2.13761	2.5998E-06	5.6E-06	6.05E-04	3.36E-09	2.08E-01	4.71E-02	3.30E-11	1.0E+06	3.3E-05
1417	1417	2.34242	2.5998E-06	6.1E-06	6.05E-04	3.68E-09	2.08E-01	4.71E-02	3.62E-11	1.0E+06	3.6E-05
1418	1418	2.5927	2.5998E-06	6.7E-06	6.05E-04	4.08E-09	2.08E-01	4.71E-02	4.00E-11	1.0E+06	4.0E-05
1419	1419	2.89486	2.5998E-06	7.5E-06	6.05E-04	4.55E-09	2.08E-01	4.71E-02	4.47E-11	1.0E+06	4.5E-05
1420	1420	3.26529	2.5998E-06	8.5E-06	6.05E-04	5.14E-09	2.08E-01	4.71E-02	5.04E-11	1.0E+06	5.0E-05
1421	1421	3.72884	2.5998E-06	9.7E-06	6.05E-04	5.87E-09	2.08E-01	4.71E-02	5.76E-11	1.0E+06	5.8E-05
1422	1422	0.60569	2.5998E-06	1.6E-06	6.05E-04	9.53E-10	2.08E-01	4.71E-02	9.35E-12	1.0E+06	9.4E-06
1423	1423	0.62806	2.5998E-06	1.6E-06	6.05E-04	9.88E-10	2.08E-01	4.71E-02	9.70E-12	1.0E+06	9.7E-06
1424	1424	0.65189	2.5998E-06	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1425	1425	0.67817	2.5998E-06	1.8E-06	6.05E-04	1.07E-09	2.08E-01	4.71E-02	1.05E-11	1.0E+06	1.0E-05
1426	1426	0.70708	2.5998E-06	1.8E-06	6.05E-04	1.11E-09	2.08E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
1427	1427	0.73808	2.5998E-06	1.9E-06	6.05E-04	1.16E-09	2.08E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
1428	1428	0.77539	2.5998E-06	2.0E-06	6.05E-04	1.22E-09	2.08E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
1429	1429	0.81565	2.5998E-06	2.1E-06	6.05E-04	1.28E-09	2.08E-01	4.71E-02	1.26E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	0.85698	2.5998E-06	2.2E-06	6.05E-04	1.35E-09	2.08E-01	4.71E-02	1.32E-11	1.0E+06	1.3E-05
1431	1431	0.8977	2.5998E-06	2.3E-06	6.05E-04	1.41E-09	2.08E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
1432	1432	0.94179	2.5998E-06	2.4E-06	6.05E-04	1.48E-09	2.08E-01	4.71E-02	1.45E-11	1.0E+06	1.5E-05
1433	1433	0.99243	2.5998E-06	2.6E-06	6.05E-04	1.56E-09	2.08E-01	4.71E-02	1.53E-11	1.0E+06	1.5E-05
1434	1434	1.04848	2.5998E-06	2.7E-06	6.05E-04	1.65E-09	2.08E-01	4.71E-02	1.62E-11	1.0E+06	1.6E-05
1435	1435	1.11061	2.5998E-06	2.9E-06	6.05E-04	1.75E-09	2.08E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
1436	1436	1.18058	2.5998E-06	3.1E-06	6.05E-04	1.86E-09	2.08E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
1437	1437	1.25055	2.5998E-06	3.3E-06	6.05E-04	1.97E-09	2.08E-01	4.71E-02	1.93E-11	1.0E+06	1.9E-05
1438	1438	1.34302	2.5998E-06	3.5E-06	6.05E-04	2.11E-09	2.08E-01	4.71E-02	2.07E-11	1.0E+06	2.1E-05
1439	1439	1.44662	2.5998E-06	3.8E-06	6.05E-04	2.28E-09	2.08E-01	4.71E-02	2.23E-11	1.0E+06	2.2E-05
1440	1440	1.5567	2.5998E-06	4.0E-06	6.05E-04	2.45E-09	2.08E-01	4.71E-02	2.40E-11	1.0E+06	2.4E-05
1441	1441	1.67902	2.5998E-06	4.4E-06	6.05E-04	2.64E-09	2.08E-01	4.71E-02	2.59E-11	1.0E+06	2.6E-05
1442	1442	1.81724	2.5998E-06	4.7E-06	6.05E-04	2.86E-09	2.08E-01	4.71E-02	2.81E-11	1.0E+06	2.8E-05
1443	1443	1.97151	2.5998E-06	5.1E-06	6.05E-04	3.10E-09	2.08E-01	4.71E-02	3.04E-11	1.0E+06	3.0E-05
1444	1444	2.14591	2.5998E-06	5.6E-06	6.05E-04	3.38E-09	2.08E-01	4.71E-02	3.31E-11	1.0E+06	3.3E-05
1445	1445	2.34917	2.5998E-06	6.1E-06	6.05E-04	3.70E-09	2.08E-01	4.71E-02	3.63E-11	1.0E+06	3.6E-05
1446	1446	2.60008	2.5998E-06	6.8E-06	6.05E-04	4.09E-09	2.08E-01	4.71E-02	4.01E-11	1.0E+06	4.0E-05
1447	1447	2.90241	2.5998E-06	7.5E-06	6.05E-04	4.57E-09	2.08E-01	4.71E-02	4.48E-11	1.0E+06	4.5E-05
1448	1448	3.27286	2.5998E-06	8.5E-06	6.05E-04	5.15E-09	2.08E-01	4.71E-02	5.05E-11	1.0E+06	5.1E-05
1449	1449	3.7367	2.5998E-06	9.7E-06	6.05E-04	5.88E-09	2.08E-01	4.71E-02	5.77E-11	1.0E+06	5.8E-05
1450	1450	0.6064	2.5998E-06	1.6E-06	6.05E-04	9.54E-10	2.08E-01	4.71E-02	9.36E-12	1.0E+06	9.4E-06
1451	1451	0.62912	2.5998E-06	1.6E-06	6.05E-04	9.90E-10	2.08E-01	4.71E-02	9.71E-12	1.0E+06	9.7E-06
1452	1452	0.65322	2.5998E-06	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1453	1453	0.67946	2.5998E-06	1.8E-06	6.05E-04	1.07E-09	2.08E-01	4.71E-02	1.05E-11	1.0E+06	1.0E-05
1454	1454	0.70811	2.5998E-06	1.8E-06	6.05E-04	1.11E-09	2.08E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
1455	1455	0.73875	2.5998E-06	1.9E-06	6.05E-04	1.16E-09	2.08E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
1456	1456	0.77764	2.5998E-06	2.0E-06	6.05E-04	1.22E-09	2.08E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
1457	1457	0.81957	2.5998E-06	2.1E-06	6.05E-04	1.29E-09	2.08E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
1458	1458	0.8622	2.5998E-06	2.2E-06	6.05E-04	1.36E-09	2.08E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
1459	1459	0.90361	2.5998E-06	2.3E-06	6.05E-04	1.42E-09	2.08E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
1460	1460	0.94864	2.5998E-06	2.5E-06	6.05E-04	1.49E-09	2.08E-01	4.71E-02	1.46E-11	1.0E+06	1.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	0.99904	2.5998E-06	2.6E-06	6.05E-04	1.57E-09	2.08E-01	4.71E-02	1.54E-11	1.0E+06	1.5E-05
1462	1462	1.05472	2.5998E-06	2.7E-06	6.05E-04	1.66E-09	2.08E-01	4.71E-02	1.63E-11	1.0E+06	1.6E-05
1463	1463	1.11653	2.5998E-06	2.9E-06	6.05E-04	1.76E-09	2.08E-01	4.71E-02	1.72E-11	1.0E+06	1.7E-05
1464	1464	1.18791	2.5998E-06	3.1E-06	6.05E-04	1.87E-09	2.08E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
1465	1465	1.26039	2.5998E-06	3.3E-06	6.05E-04	1.98E-09	2.08E-01	4.71E-02	1.95E-11	1.0E+06	1.9E-05
1466	1466	1.35227	2.5998E-06	3.5E-06	6.05E-04	2.13E-09	2.08E-01	4.71E-02	2.09E-11	1.0E+06	2.1E-05
1467	1467	1.45603	2.5998E-06	3.8E-06	6.05E-04	2.29E-09	2.08E-01	4.71E-02	2.25E-11	1.0E+06	2.2E-05
1468	1468	1.56644	2.5998E-06	4.1E-06	6.05E-04	2.46E-09	2.08E-01	4.71E-02	2.42E-11	1.0E+06	2.4E-05
1469	1469	1.68904	2.5998E-06	4.4E-06	6.05E-04	2.66E-09	2.08E-01	4.71E-02	2.61E-11	1.0E+06	2.6E-05
1470	1470	1.82713	2.5998E-06	4.8E-06	6.05E-04	2.87E-09	2.08E-01	4.71E-02	2.82E-11	1.0E+06	2.8E-05
1471	1471	1.97977	2.5998E-06	5.1E-06	6.05E-04	3.11E-09	2.08E-01	4.71E-02	3.06E-11	1.0E+06	3.1E-05
1472	1472	2.15305	2.5998E-06	5.6E-06	6.05E-04	3.39E-09	2.08E-01	4.71E-02	3.32E-11	1.0E+06	3.3E-05
1473	1473	2.35463	2.5998E-06	6.1E-06	6.05E-04	3.70E-09	2.08E-01	4.71E-02	3.64E-11	1.0E+06	3.6E-05
1474	1474	2.60659	2.5998E-06	6.8E-06	6.05E-04	4.10E-09	2.08E-01	4.71E-02	4.02E-11	1.0E+06	4.0E-05
1475	1475	2.9087	2.5998E-06	7.6E-06	6.05E-04	4.58E-09	2.08E-01	4.71E-02	4.49E-11	1.0E+06	4.5E-05
1476	1476	3.2795	2.5998E-06	8.5E-06	6.05E-04	5.16E-09	2.08E-01	4.71E-02	5.06E-11	1.0E+06	5.1E-05
1477	1477	3.74307	2.5998E-06	9.7E-06	6.05E-04	5.89E-09	2.08E-01	4.71E-02	5.78E-11	1.0E+06	5.8E-05
1478	1478	0.60627	2.5998E-06	1.6E-06	6.05E-04	9.54E-10	2.08E-01	4.71E-02	9.36E-12	1.0E+06	9.4E-06
1479	1479	0.62957	2.5998E-06	1.6E-06	6.05E-04	9.90E-10	2.08E-01	4.71E-02	9.72E-12	1.0E+06	9.7E-06
1480	1480	0.65441	2.5998E-06	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1481	1481	0.68138	2.5998E-06	1.8E-06	6.05E-04	1.07E-09	2.08E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
1482	1482	0.7106	2.5998E-06	1.8E-06	6.05E-04	1.12E-09	2.08E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
1483	1483	0.74206	2.5998E-06	1.9E-06	6.05E-04	1.17E-09	2.08E-01	4.71E-02	1.15E-11	1.0E+06	1.1E-05
1484	1484	0.78153	2.5998E-06	2.0E-06	6.05E-04	1.23E-09	2.08E-01	4.71E-02	1.21E-11	1.0E+06	1.2E-05
1485	1485	0.82398	2.5998E-06	2.1E-06	6.05E-04	1.30E-09	2.08E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
1486	1486	0.86722	2.5998E-06	2.3E-06	6.05E-04	1.36E-09	2.08E-01	4.71E-02	1.34E-11	1.0E+06	1.3E-05
1487	1487	0.90924	2.5998E-06	2.4E-06	6.05E-04	1.43E-09	2.08E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
1488	1488	0.95492	2.5998E-06	2.5E-06	6.05E-04	1.50E-09	2.08E-01	4.71E-02	1.47E-11	1.0E+06	1.5E-05
1489	1489	1.00593	2.5998E-06	2.6E-06	6.05E-04	1.58E-09	2.08E-01	4.71E-02	1.55E-11	1.0E+06	1.6E-05
1490	1490	1.06227	2.5998E-06	2.8E-06	6.05E-04	1.67E-09	2.08E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
1491	1491	1.12468	2.5998E-06	2.9E-06	6.05E-04	1.77E-09	2.08E-01	4.71E-02	1.74E-11	1.0E+06	1.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	1.19566	2.5998E-06	3.1E-06	6.05E-04	1.88E-09	2.08E-01	4.71E-02	1.85E-11	1.0E+06	1.8E-05
1493	1493	1.26565	2.5998E-06	3.3E-06	6.05E-04	1.99E-09	2.08E-01	4.71E-02	1.95E-11	1.0E+06	2.0E-05
1494	1494	1.35645	2.5998E-06	3.5E-06	6.05E-04	2.13E-09	2.08E-01	4.71E-02	2.09E-11	1.0E+06	2.1E-05
1495	1495	1.45922	2.5998E-06	3.8E-06	6.05E-04	2.30E-09	2.08E-01	4.71E-02	2.25E-11	1.0E+06	2.3E-05
1496	1496	1.57197	2.5998E-06	4.1E-06	6.05E-04	2.47E-09	2.08E-01	4.71E-02	2.43E-11	1.0E+06	2.4E-05
1497	1497	1.69718	2.5998E-06	4.4E-06	6.05E-04	2.67E-09	2.08E-01	4.71E-02	2.62E-11	1.0E+06	2.6E-05
1498	1498	1.83483	2.5998E-06	4.8E-06	6.05E-04	2.89E-09	2.08E-01	4.71E-02	2.83E-11	1.0E+06	2.8E-05
1499	1499	1.98952	2.5998E-06	5.2E-06	6.05E-04	3.13E-09	2.08E-01	4.71E-02	3.07E-11	1.0E+06	3.1E-05
1500	1500	2.16412	2.5998E-06	5.6E-06	6.05E-04	3.40E-09	2.08E-01	4.71E-02	3.34E-11	1.0E+06	3.3E-05
1501	1501	2.36734	2.5998E-06	6.2E-06	6.05E-04	3.72E-09	2.08E-01	4.71E-02	3.66E-11	1.0E+06	3.7E-05
1502	1502	2.61899	2.5998E-06	6.8E-06	6.05E-04	4.12E-09	2.08E-01	4.71E-02	4.04E-11	1.0E+06	4.0E-05
1503	1503	2.92039	2.5998E-06	7.6E-06	6.05E-04	4.59E-09	2.08E-01	4.71E-02	4.51E-11	1.0E+06	4.5E-05
1504	1504	3.28946	2.5998E-06	8.6E-06	6.05E-04	5.17E-09	2.08E-01	4.71E-02	5.08E-11	1.0E+06	5.1E-05
1505	1505	3.75127	2.5998E-06	9.8E-06	6.05E-04	5.90E-09	2.08E-01	4.71E-02	5.79E-11	1.0E+06	5.8E-05
1506	1506	0.60538	2.5998E-06	1.6E-06	6.05E-04	9.52E-10	2.08E-01	4.71E-02	9.35E-12	1.0E+06	9.3E-06
1507	1507	0.62956	2.5998E-06	1.6E-06	6.05E-04	9.90E-10	2.08E-01	4.71E-02	9.72E-12	1.0E+06	9.7E-06
1508	1508	0.65535	2.5998E-06	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1509	1509	0.68338	2.5998E-06	1.8E-06	6.05E-04	1.07E-09	2.08E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
1510	1510	0.71391	2.5998E-06	1.9E-06	6.05E-04	1.12E-09	2.08E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
1511	1511	0.74655	2.5998E-06	1.9E-06	6.05E-04	1.17E-09	2.08E-01	4.71E-02	1.15E-11	1.0E+06	1.2E-05
1512	1512	0.78616	2.5998E-06	2.0E-06	6.05E-04	1.24E-09	2.08E-01	4.71E-02	1.21E-11	1.0E+06	1.2E-05
1513	1513	0.82861	2.5998E-06	2.2E-06	6.05E-04	1.30E-09	2.08E-01	4.71E-02	1.28E-11	1.0E+06	1.3E-05
1514	1514	0.87201	2.5998E-06	2.3E-06	6.05E-04	1.37E-09	2.08E-01	4.71E-02	1.35E-11	1.0E+06	1.3E-05
1515	1515	0.91461	2.5998E-06	2.4E-06	6.05E-04	1.44E-09	2.08E-01	4.71E-02	1.41E-11	1.0E+06	1.4E-05
1516	1516	0.96074	2.5998E-06	2.5E-06	6.05E-04	1.51E-09	2.08E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
1517	1517	1.0127	2.5998E-06	2.6E-06	6.05E-04	1.59E-09	2.08E-01	4.71E-02	1.56E-11	1.0E+06	1.6E-05
1518	1518	1.07017	2.5998E-06	2.8E-06	6.05E-04	1.68E-09	2.08E-01	4.71E-02	1.65E-11	1.0E+06	1.7E-05
1519	1519	1.1333	2.5998E-06	2.9E-06	6.05E-04	1.78E-09	2.08E-01	4.71E-02	1.75E-11	1.0E+06	1.7E-05
1520	1520	1.20311	2.5998E-06	3.1E-06	6.05E-04	1.89E-09	2.08E-01	4.71E-02	1.86E-11	1.0E+06	1.9E-05
1521	1521	1.28058	2.5998E-06	3.3E-06	6.05E-04	2.01E-09	2.08E-01	4.71E-02	1.98E-11	1.0E+06	2.0E-05
1522	1522	1.35783	2.5998E-06	3.5E-06	6.05E-04	2.14E-09	2.08E-01	4.71E-02	2.10E-11	1.0E+06	2.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	1.46239	2.5998E-06	3.8E-06	6.05E-04	2.30E-09	2.08E-01	4.71E-02	2.26E-11	1.0E+06	2.3E-05
1524	1524	1.57599	2.5998E-06	4.1E-06	6.05E-04	2.48E-09	2.08E-01	4.71E-02	2.43E-11	1.0E+06	2.4E-05
1525	1525	1.70279	2.5998E-06	4.4E-06	6.05E-04	2.68E-09	2.08E-01	4.71E-02	2.63E-11	1.0E+06	2.6E-05
1526	1526	1.84271	2.5998E-06	4.8E-06	6.05E-04	2.90E-09	2.08E-01	4.71E-02	2.85E-11	1.0E+06	2.8E-05
1527	1527	1.9987	2.5998E-06	5.2E-06	6.05E-04	3.14E-09	2.08E-01	4.71E-02	3.09E-11	1.0E+06	3.1E-05
1528	1528	2.1759	2.5998E-06	5.7E-06	6.05E-04	3.42E-09	2.08E-01	4.71E-02	3.36E-11	1.0E+06	3.4E-05
1529	1529	2.38096	2.5998E-06	6.2E-06	6.05E-04	3.75E-09	2.08E-01	4.71E-02	3.68E-11	1.0E+06	3.7E-05
1530	1530	2.63128	2.5998E-06	6.8E-06	6.05E-04	4.14E-09	2.08E-01	4.71E-02	4.06E-11	1.0E+06	4.1E-05
1531	1531	2.93169	2.5998E-06	7.6E-06	6.05E-04	4.61E-09	2.08E-01	4.71E-02	4.53E-11	1.0E+06	4.5E-05
1532	1532	3.2991	2.5998E-06	8.6E-06	6.05E-04	5.19E-09	2.08E-01	4.71E-02	5.09E-11	1.0E+06	5.1E-05
1533	1533	3.75873	2.5998E-06	9.8E-06	6.05E-04	5.91E-09	2.08E-01	4.71E-02	5.80E-11	1.0E+06	5.8E-05
1534	1534	0.60381	2.5998E-06	1.6E-06	6.05E-04	9.50E-10	2.08E-01	4.71E-02	9.32E-12	1.0E+06	9.3E-06
1535	1535	0.62901	2.5998E-06	1.6E-06	6.05E-04	9.89E-10	2.08E-01	4.71E-02	9.71E-12	1.0E+06	9.7E-06
1536	1536	0.65579	2.5998E-06	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1537	1537	0.68503	2.5998E-06	1.8E-06	6.05E-04	1.08E-09	2.08E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
1538	1538	0.71685	2.5998E-06	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
1539	1539	0.7509	2.5998E-06	2.0E-06	6.05E-04	1.18E-09	2.08E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
1540	1540	0.79041	2.5998E-06	2.1E-06	6.05E-04	1.24E-09	2.08E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
1541	1541	0.83292	2.5998E-06	2.2E-06	6.05E-04	1.31E-09	2.08E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
1542	1542	0.87659	2.5998E-06	2.3E-06	6.05E-04	1.38E-09	2.08E-01	4.71E-02	1.35E-11	1.0E+06	1.4E-05
1543	1543	0.91955	2.5998E-06	2.4E-06	6.05E-04	1.45E-09	2.08E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
1544	1544	0.96623	2.5998E-06	2.5E-06	6.05E-04	1.52E-09	2.08E-01	4.71E-02	1.49E-11	1.0E+06	1.5E-05
1545	1545	1.01912	2.5998E-06	2.6E-06	6.05E-04	1.60E-09	2.08E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
1546	1546	1.07761	2.5998E-06	2.8E-06	6.05E-04	1.70E-09	2.08E-01	4.71E-02	1.66E-11	1.0E+06	1.7E-05
1547	1547	1.14155	2.5998E-06	3.0E-06	6.05E-04	1.80E-09	2.08E-01	4.71E-02	1.76E-11	1.0E+06	1.8E-05
1548	1548	1.21028	2.5998E-06	3.1E-06	6.05E-04	1.90E-09	2.08E-01	4.71E-02	1.87E-11	1.0E+06	1.9E-05
1549	1549	1.28663	2.5998E-06	3.3E-06	6.05E-04	2.02E-09	2.08E-01	4.71E-02	1.99E-11	1.0E+06	2.0E-05
1550	1550	1.36437	2.5998E-06	3.5E-06	6.05E-04	2.15E-09	2.08E-01	4.71E-02	2.11E-11	1.0E+06	2.1E-05
1551	1551	1.46484	2.5998E-06	3.8E-06	6.05E-04	2.30E-09	2.08E-01	4.71E-02	2.26E-11	1.0E+06	2.3E-05
1552	1552	1.58162	2.5998E-06	4.1E-06	6.05E-04	2.49E-09	2.08E-01	4.71E-02	2.44E-11	1.0E+06	2.4E-05
1553	1553	1.70738	2.5998E-06	4.4E-06	6.05E-04	2.69E-09	2.08E-01	4.71E-02	2.64E-11	1.0E+06	2.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	1.8501	2.5998E-06	4.8E-06	6.05E-04	2.91E-09	2.08E-01	4.71E-02	2.86E-11	1.0E+06	2.9E-05
1555	1555	2.00699	2.5998E-06	5.2E-06	6.05E-04	3.16E-09	2.08E-01	4.71E-02	3.10E-11	1.0E+06	3.1E-05
1556	1556	2.18562	2.5998E-06	5.7E-06	6.05E-04	3.44E-09	2.08E-01	4.71E-02	3.37E-11	1.0E+06	3.4E-05
1557	1557	2.39387	2.5998E-06	6.2E-06	6.05E-04	3.77E-09	2.08E-01	4.71E-02	3.70E-11	1.0E+06	3.7E-05
1558	1558	2.64265	2.5998E-06	6.9E-06	6.05E-04	4.16E-09	2.08E-01	4.71E-02	4.08E-11	1.0E+06	4.1E-05
1559	1559	2.942	2.5998E-06	7.6E-06	6.05E-04	4.63E-09	2.08E-01	4.71E-02	4.54E-11	1.0E+06	4.5E-05
1560	1560	3.30767	2.5998E-06	8.6E-06	6.05E-04	5.20E-09	2.08E-01	4.71E-02	5.11E-11	1.0E+06	5.1E-05
1561	1561	3.76503	2.5998E-06	9.8E-06	6.05E-04	5.92E-09	2.08E-01	4.71E-02	5.81E-11	1.0E+06	5.8E-05
1562	1562	0.60327	2.5998E-06	1.6E-06	6.05E-04	9.49E-10	2.08E-01	4.71E-02	9.32E-12	1.0E+06	9.3E-06
1563	1563	0.62836	2.5998E-06	1.6E-06	6.05E-04	9.88E-10	2.08E-01	4.71E-02	9.70E-12	1.0E+06	9.7E-06
1564	1564	0.65505	2.5998E-06	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1565	1565	0.68443	2.5998E-06	1.8E-06	6.05E-04	1.08E-09	2.08E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
1566	1566	0.71718	2.5998E-06	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
1567	1567	0.75214	2.5998E-06	2.0E-06	6.05E-04	1.18E-09	2.08E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
1568	1568	0.79167	2.5998E-06	2.1E-06	6.05E-04	1.25E-09	2.08E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
1569	1569	0.83412	2.5998E-06	2.2E-06	6.05E-04	1.31E-09	2.08E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
1570	1570	0.87801	2.5998E-06	2.3E-06	6.05E-04	1.38E-09	2.08E-01	4.71E-02	1.36E-11	1.0E+06	1.4E-05
1571	1571	0.92184	2.5998E-06	2.4E-06	6.05E-04	1.45E-09	2.08E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
1572	1572	0.96976	2.5998E-06	2.5E-06	6.05E-04	1.53E-09	2.08E-01	4.71E-02	1.50E-11	1.0E+06	1.5E-05
1573	1573	1.02382	2.5998E-06	2.7E-06	6.05E-04	1.61E-09	2.08E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
1574	1574	1.08352	2.5998E-06	2.8E-06	6.05E-04	1.70E-09	2.08E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
1575	1575	1.14846	2.5998E-06	3.0E-06	6.05E-04	1.81E-09	2.08E-01	4.71E-02	1.77E-11	1.0E+06	1.8E-05
1576	1576	1.21679	2.5998E-06	3.2E-06	6.05E-04	1.91E-09	2.08E-01	4.71E-02	1.88E-11	1.0E+06	1.9E-05
1577	1577	1.29252	2.5998E-06	3.4E-06	6.05E-04	2.03E-09	2.08E-01	4.71E-02	2.00E-11	1.0E+06	2.0E-05
1578	1578	1.37184	2.5998E-06	3.6E-06	6.05E-04	2.16E-09	2.08E-01	4.71E-02	2.12E-11	1.0E+06	2.1E-05
1579	1579	1.46772	2.5998E-06	3.8E-06	6.05E-04	2.31E-09	2.08E-01	4.71E-02	2.27E-11	1.0E+06	2.3E-05
1580	1580	1.58244	2.5998E-06	4.1E-06	6.05E-04	2.49E-09	2.08E-01	4.71E-02	2.44E-11	1.0E+06	2.4E-05
1581	1581	1.71064	2.5998E-06	4.4E-06	6.05E-04	2.69E-09	2.08E-01	4.71E-02	2.64E-11	1.0E+06	2.6E-05
1582	1582	1.85425	2.5998E-06	4.8E-06	6.05E-04	2.92E-09	2.08E-01	4.71E-02	2.86E-11	1.0E+06	2.9E-05
1583	1583	2.01314	2.5998E-06	5.2E-06	6.05E-04	3.17E-09	2.08E-01	4.71E-02	3.11E-11	1.0E+06	3.1E-05
1584	1584	2.19275	2.5998E-06	5.7E-06	6.05E-04	3.45E-09	2.08E-01	4.71E-02	3.39E-11	1.0E+06	3.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	2.40167	2.5998E-06	6.2E-06	6.05E-04	3.78E-09	2.08E-01	4.71E-02	3.71E-11	1.0E+06	3.7E-05
1586	1586	2.65004	2.5998E-06	6.9E-06	6.05E-04	4.17E-09	2.08E-01	4.71E-02	4.09E-11	1.0E+06	4.1E-05
1587	1587	2.94868	2.5998E-06	7.7E-06	6.05E-04	4.64E-09	2.08E-01	4.71E-02	4.55E-11	1.0E+06	4.6E-05
1588	1588	3.31319	2.5998E-06	8.6E-06	6.05E-04	5.21E-09	2.08E-01	4.71E-02	5.12E-11	1.0E+06	5.1E-05
1589	1589	3.76815	2.5998E-06	9.8E-06	6.05E-04	5.93E-09	2.08E-01	4.71E-02	5.82E-11	1.0E+06	5.8E-05
1590	1590	0.60358	2.5998E-06	1.6E-06	6.05E-04	9.49E-10	2.08E-01	4.71E-02	9.32E-12	1.0E+06	9.3E-06
1591	1591	0.6276	2.5998E-06	1.6E-06	6.05E-04	9.87E-10	2.08E-01	4.71E-02	9.69E-12	1.0E+06	9.7E-06
1592	1592	0.65306	2.5998E-06	1.7E-06	6.05E-04	1.03E-09	2.08E-01	4.71E-02	1.01E-11	1.0E+06	1.0E-05
1593	1593	0.68209	2.5998E-06	1.8E-06	6.05E-04	1.07E-09	2.08E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
1594	1594	0.71537	2.5998E-06	1.9E-06	6.05E-04	1.13E-09	2.08E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
1595	1595	0.75109	2.5998E-06	2.0E-06	6.05E-04	1.18E-09	2.08E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
0	0	0	2.5998E-06	0.0E+00	6.05E-04	0.00E+00	2.08E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1213	1213	4.3E-01	Max	Receptor #	5	1.46E-02	Max	Receptor #	
1214	1214	8.3E-01	0.973	1217	5	2.81E-02	0.033	1217	Res
1215	1215	8.2E-01			5	2.74E-02			
1216	1216	8.2E-01			5	2.75E-02			
1217	1217	9.7E-01			5	3.28E-02			
1218	1218	7.8E-01			5	2.64E-02			
1219	1219	7.5E-01			5	2.52E-02			
1220	1220	7.3E-01			5	2.47E-02			
1221	1221	8.7E-01			5	2.92E-02			
1222	1222	6.6E-01			5	2.21E-02			
1223	1223	6.0E-01			5	2.03E-02			
1224	1224	5.7E-01			5	1.90E-02			
1225	1225	6.6E-01			5	2.23E-02			
1226	1226	5.9E-01			5	1.98E-02			
1227	1227	5.2E-01			5	1.76E-02			
1228	1228	8.9E-01			5	2.99E-02			
1229	1229	7.1E-01			5	2.38E-02			
1230	1230	8.6E-01			5	2.91E-02			
1231	1231	8.4E-01			5	2.81E-02			
1232	1232	8.4E-01			5	2.83E-02			
1233	1233	6.5E-01			5	2.19E-02			
1234	1234	7.9E-01			5	2.66E-02			
1235	1235	7.5E-01			5	2.52E-02			
1236	1236	7.4E-01			5	2.48E-02			
1237	1237	5.3E-01			5	1.78E-02			
1238	1238	6.5E-01			5	2.17E-02			
1239	1239	5.7E-01			5	1.93E-02			
1240	1240	5.1E-01			5	1.72E-02			
1241	1241	4.5E-01			5	1.53E-02			
1242	1242	9.4E-01			5	3.18E-02			
1243	1243	9.4E-01			5	3.15E-02			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1244	1244	9.3E-01	5	3.12E-02
1245	1245	9.2E-01	5	3.08E-02
1246	1246	9.0E-01	5	3.03E-02
1247	1247	8.8E-01	5	2.97E-02
1248	1248	8.6E-01	5	2.90E-02
1249	1249	8.4E-01	5	2.82E-02
1250	1250	8.1E-01	5	2.72E-02
1251	1251	7.8E-01	5	2.61E-02
1252	1252	7.4E-01	5	2.49E-02
1253	1253	6.9E-01	5	2.32E-02
1254	1254	6.3E-01	5	2.11E-02
1255	1255	5.6E-01	5	1.87E-02
1256	1256	7.9E-01	5	2.67E-02
1257	1257	7.9E-01	5	2.65E-02
1258	1258	7.8E-01	5	2.62E-02
1259	1259	7.7E-01	5	2.58E-02
1260	1260	7.5E-01	5	2.54E-02
1261	1261	7.4E-01	5	2.49E-02
1262	1262	7.2E-01	5	2.43E-02
1263	1263	7.0E-01	5	2.36E-02
1264	1264	6.8E-01	5	2.28E-02
1265	1265	6.5E-01	5	2.19E-02
1266	1266	6.2E-01	5	2.08E-02
1267	1267	5.8E-01	5	1.94E-02
1268	1268	5.3E-01	5	1.79E-02
1269	1269	4.8E-01	5	1.61E-02
1270	1270	6.8E-01	5	2.29E-02
1271	1271	6.7E-01	5	2.26E-02
1272	1272	6.6E-01	5	2.24E-02
1273	1273	6.6E-01	5	2.21E-02
1274	1274	6.4E-01	5	2.17E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1275	1275	6.3E-01	5	2.13E-02
1276	1276	6.2E-01	5	2.08E-02
1277	1277	6.0E-01	5	2.02E-02
1278	1278	5.8E-01	5	1.95E-02
1279	1279	5.5E-01	5	1.87E-02
1280	1280	5.3E-01	5	1.77E-02
1281	1281	4.9E-01	5	1.66E-02
1282	1282	4.6E-01	5	1.54E-02
1283	1283	4.2E-01	5	1.40E-02
1284	1284	5.9E-01	5	1.99E-02
1285	1285	5.8E-01	5	1.97E-02
1286	1286	5.8E-01	5	1.94E-02
1287	1287	5.7E-01	5	1.91E-02
1288	1288	5.6E-01	5	1.88E-02
1289	1289	5.5E-01	5	1.85E-02
1290	1290	5.3E-01	5	1.80E-02
1291	1291	5.2E-01	5	1.75E-02
1292	1292	5.0E-01	5	1.69E-02
1293	1293	4.8E-01	5	1.62E-02
1294	1294	4.6E-01	5	1.54E-02
1295	1295	4.3E-01	5	1.45E-02
1296	1296	4.0E-01	5	1.35E-02
1297	1297	3.7E-01	5	1.24E-02
1298	1298	5.2E-01	5	1.74E-02
1299	1299	5.1E-01	5	1.73E-02
1300	1300	5.1E-01	5	1.71E-02
1301	1301	5.0E-01	5	1.68E-02
1302	1302	4.9E-01	5	1.65E-02
1303	1303	4.8E-01	5	1.62E-02
1304	1304	4.7E-01	5	1.58E-02
1305	1305	4.6E-01	5	1.54E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1306	1306	4.6E-01	5	1.55E-02
1307	1307	4.6E-01	5	1.53E-02
1308	1308	4.5E-01	5	1.52E-02
1309	1309	4.4E-01	5	1.49E-02
1310	1310	4.4E-01	5	1.47E-02
1311	1311	4.3E-01	5	1.44E-02
1312	1312	4.2E-01	5	1.40E-02
1313	1313	4.1E-01	5	1.36E-02
1314	1314	4.1E-01	5	1.39E-02
1315	1315	4.1E-01	5	1.37E-02
1316	1316	4.0E-01	5	1.36E-02
1317	1317	4.0E-01	5	1.34E-02
1318	1318	3.9E-01	5	1.31E-02
1319	1319	3.8E-01	5	1.29E-02
1320	1320	3.7E-01	5	1.26E-02
1321	1321	3.6E-01	5	1.22E-02
1322	1322	3.7E-01	5	1.25E-02
1323	1323	3.7E-01	5	1.24E-02
1324	1324	3.6E-01	5	1.22E-02
1325	1325	3.6E-01	5	1.21E-02
1326	1326	3.5E-01	5	1.19E-02
1327	1327	3.5E-01	5	1.16E-02
1328	1328	3.4E-01	5	1.13E-02
1329	1329	3.3E-01	5	1.10E-02
1330	1330	3.4E-01	5	1.13E-02
1331	1331	3.3E-01	5	1.12E-02
1332	1332	3.3E-01	5	1.11E-02
1333	1333	3.2E-01	5	1.09E-02
1334	1334	3.2E-01	5	1.08E-02
1335	1335	3.1E-01	5	1.05E-02
1336	1336	3.1E-01	5	1.03E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1337	1337	3.0E-01	5	1.00E-02
1338	1338	1.8E-01	5	5.93E-03
1339	1339	1.9E-01	5	6.37E-03
1340	1340	2.0E-01	5	6.81E-03
1341	1341	2.2E-01	5	7.30E-03
1342	1342	2.3E-01	5	7.78E-03
1343	1343	2.4E-01	5	8.21E-03
1344	1344	2.6E-01	5	8.63E-03
1345	1345	2.7E-01	5	9.02E-03
1346	1346	2.8E-01	5	9.33E-03
1347	1347	2.8E-01	5	9.58E-03
1348	1348	2.9E-01	5	9.80E-03
1349	1349	3.0E-01	5	9.99E-03
1350	1350	3.0E-01	5	1.02E-02
1351	1351	3.1E-01	5	1.03E-02
1352	1352	3.1E-01	5	1.04E-02
1353	1353	3.1E-01	5	1.04E-02
1354	1354	3.1E-01	5	1.05E-02
1355	1355	3.1E-01	5	1.05E-02
1356	1356	3.1E-01	5	1.04E-02
1357	1357	3.1E-01	5	1.04E-02
1358	1358	3.1E-01	5	1.03E-02
1359	1359	3.0E-01	5	1.02E-02
1360	1360	3.0E-01	5	1.01E-02
1361	1361	3.0E-01	5	9.98E-03
1362	1362	2.9E-01	5	9.81E-03
1363	1363	2.9E-01	5	9.63E-03
1364	1364	2.8E-01	5	9.41E-03
1365	1365	2.7E-01	5	9.17E-03
1366	1366	1.6E-01	5	5.46E-03
1367	1367	1.7E-01	5	5.83E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1368	1368	1.8E-01	5	6.22E-03
1369	1369	2.0E-01	5	6.64E-03
1370	1370	2.1E-01	5	7.05E-03
1371	1371	2.2E-01	5	7.46E-03
1372	1372	2.3E-01	5	7.84E-03
1373	1373	2.4E-01	5	8.19E-03
1374	1374	2.5E-01	5	8.48E-03
1375	1375	2.6E-01	5	8.70E-03
1376	1376	2.6E-01	5	8.89E-03
1377	1377	2.7E-01	5	9.09E-03
1378	1378	2.7E-01	5	9.25E-03
1379	1379	2.8E-01	5	9.38E-03
1380	1380	2.8E-01	5	9.47E-03
1381	1381	2.8E-01	5	9.53E-03
1382	1382	2.8E-01	5	9.56E-03
1383	1383	2.8E-01	5	9.56E-03
1384	1384	2.8E-01	5	9.55E-03
1385	1385	2.8E-01	5	9.51E-03
1386	1386	2.8E-01	5	9.45E-03
1387	1387	2.8E-01	5	9.37E-03
1388	1388	2.8E-01	5	9.26E-03
1389	1389	2.7E-01	5	9.14E-03
1390	1390	2.7E-01	5	9.00E-03
1391	1391	2.6E-01	5	8.83E-03
1392	1392	2.6E-01	5	8.64E-03
1393	1393	2.5E-01	5	8.42E-03
1394	1394	1.5E-01	5	5.00E-03
1395	1395	1.6E-01	5	5.34E-03
1396	1396	1.7E-01	5	5.68E-03
1397	1397	1.8E-01	5	6.04E-03
1398	1398	1.9E-01	5	6.42E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1399	1399	2.0E-01	5	6.76E-03
1400	1400	2.1E-01	5	7.13E-03
1401	1401	2.2E-01	5	7.47E-03
1402	1402	2.3E-01	5	7.75E-03
1403	1403	2.4E-01	5	7.96E-03
1404	1404	2.4E-01	5	8.13E-03
1405	1405	2.5E-01	5	8.31E-03
1406	1406	2.5E-01	5	8.46E-03
1407	1407	2.5E-01	5	8.59E-03
1408	1408	2.6E-01	5	8.67E-03
1409	1409	2.6E-01	5	8.75E-03
1410	1410	2.6E-01	5	8.78E-03
1411	1411	2.6E-01	5	8.78E-03
1412	1412	2.6E-01	5	8.77E-03
1413	1413	2.6E-01	5	8.74E-03
1414	1414	2.6E-01	5	8.69E-03
1415	1415	2.6E-01	5	8.62E-03
1416	1416	2.5E-01	5	8.52E-03
1417	1417	2.5E-01	5	8.41E-03
1418	1418	2.5E-01	5	8.28E-03
1419	1419	2.4E-01	5	8.13E-03
1420	1420	2.4E-01	5	7.96E-03
1421	1421	2.3E-01	5	7.77E-03
1422	1422	1.4E-01	5	4.59E-03
1423	1423	1.5E-01	5	4.90E-03
1424	1424	1.5E-01	5	5.20E-03
1425	1425	1.6E-01	5	5.51E-03
1426	1426	1.7E-01	5	5.84E-03
1427	1427	1.8E-01	5	6.16E-03
1428	1428	1.9E-01	5	6.51E-03
1429	1429	2.0E-01	5	6.84E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1430	1430	2.1E-01	5	7.10E-03
1431	1431	2.2E-01	5	7.30E-03
1432	1432	2.2E-01	5	7.47E-03
1433	1433	2.3E-01	5	7.64E-03
1434	1434	2.3E-01	5	7.77E-03
1435	1435	2.3E-01	5	7.89E-03
1436	1436	2.4E-01	5	7.98E-03
1437	1437	2.4E-01	5	8.05E-03
1438	1438	2.4E-01	5	8.09E-03
1439	1439	2.4E-01	5	8.10E-03
1440	1440	2.4E-01	5	8.09E-03
1441	1441	2.4E-01	5	8.06E-03
1442	1442	2.4E-01	5	8.02E-03
1443	1443	2.4E-01	5	7.95E-03
1444	1444	2.3E-01	5	7.87E-03
1445	1445	2.3E-01	5	7.77E-03
1446	1446	2.3E-01	5	7.65E-03
1447	1447	2.2E-01	5	7.52E-03
1448	1448	2.2E-01	5	7.37E-03
1449	1449	2.1E-01	5	7.19E-03
1450	1450	1.3E-01	5	4.24E-03
1451	1451	1.3E-01	5	4.50E-03
1452	1452	1.4E-01	5	4.76E-03
1453	1453	1.5E-01	5	5.05E-03
1454	1454	1.6E-01	5	5.33E-03
1455	1455	1.7E-01	5	5.61E-03
1456	1456	1.8E-01	5	5.95E-03
1457	1457	1.9E-01	5	6.28E-03
1458	1458	1.9E-01	5	6.53E-03
1459	1459	2.0E-01	5	6.72E-03
1460	1460	2.0E-01	5	6.88E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1461	1461	2.1E-01	5	7.04E-03
1462	1462	2.1E-01	5	7.16E-03
1463	1463	2.2E-01	5	7.27E-03
1464	1464	2.2E-01	5	7.37E-03
1465	1465	2.2E-01	5	7.44E-03
1466	1466	2.2E-01	5	7.48E-03
1467	1467	2.2E-01	5	7.49E-03
1468	1468	2.2E-01	5	7.48E-03
1469	1469	2.2E-01	5	7.46E-03
1470	1470	2.2E-01	5	7.42E-03
1471	1471	2.2E-01	5	7.36E-03
1472	1472	2.2E-01	5	7.29E-03
1473	1473	2.1E-01	5	7.20E-03
1474	1474	2.1E-01	5	7.10E-03
1475	1475	2.1E-01	5	6.98E-03
1476	1476	2.0E-01	5	6.84E-03
1477	1477	2.0E-01	5	6.68E-03
1478	1478	1.2E-01	5	3.92E-03
1479	1479	1.2E-01	5	4.16E-03
1480	1480	1.3E-01	5	4.40E-03
1481	1481	1.4E-01	5	4.65E-03
1482	1482	1.5E-01	5	4.92E-03
1483	1483	1.5E-01	5	5.18E-03
1484	1484	1.6E-01	5	5.50E-03
1485	1485	1.7E-01	5	5.80E-03
1486	1486	1.8E-01	5	6.03E-03
1487	1487	1.8E-01	5	6.21E-03
1488	1488	1.9E-01	5	6.36E-03
1489	1489	1.9E-01	5	6.51E-03
1490	1490	2.0E-01	5	6.63E-03
1491	1491	2.0E-01	5	6.73E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1492	1492	2.0E-01	5	6.82E-03
1493	1493	2.0E-01	5	6.89E-03
1494	1494	2.1E-01	5	6.93E-03
1495	1495	2.1E-01	5	6.94E-03
1496	1496	2.1E-01	5	6.94E-03
1497	1497	2.1E-01	5	6.92E-03
1498	1498	2.0E-01	5	6.89E-03
1499	1499	2.0E-01	5	6.84E-03
1500	1500	2.0E-01	5	6.78E-03
1501	1501	2.0E-01	5	6.69E-03
1502	1502	2.0E-01	5	6.60E-03
1503	1503	1.9E-01	5	6.49E-03
1504	1504	1.9E-01	5	6.37E-03
1505	1505	1.8E-01	5	6.23E-03
1506	1506	1.1E-01	5	3.63E-03
1507	1507	1.1E-01	5	3.85E-03
1508	1508	1.2E-01	5	4.08E-03
1509	1509	1.3E-01	5	4.32E-03
1510	1510	1.4E-01	5	4.57E-03
1511	1511	1.4E-01	5	4.81E-03
1512	1512	1.5E-01	5	5.10E-03
1513	1513	1.6E-01	5	5.37E-03
1514	1514	1.7E-01	5	5.59E-03
1515	1515	1.7E-01	5	5.76E-03
1516	1516	1.8E-01	5	5.90E-03
1517	1517	1.8E-01	5	6.04E-03
1518	1518	1.8E-01	5	6.16E-03
1519	1519	1.9E-01	5	6.26E-03
1520	1520	1.9E-01	5	6.34E-03
1521	1521	1.9E-01	5	6.40E-03
1522	1522	1.9E-01	5	6.44E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1523	1523	1.9E-01	5	6.46E-03
1524	1524	1.9E-01	5	6.46E-03
1525	1525	1.9E-01	5	6.44E-03
1526	1526	1.9E-01	5	6.42E-03
1527	1527	1.9E-01	5	6.37E-03
1528	1528	1.9E-01	5	6.31E-03
1529	1529	1.9E-01	5	6.24E-03
1530	1530	1.8E-01	5	6.16E-03
1531	1531	1.8E-01	5	6.06E-03
1532	1532	1.8E-01	5	5.95E-03
1533	1533	1.7E-01	5	5.82E-03
1534	1534	1.0E-01	5	3.37E-03
1535	1535	1.1E-01	5	3.58E-03
1536	1536	1.1E-01	5	3.79E-03
1537	1537	1.2E-01	5	4.01E-03
1538	1538	1.3E-01	5	4.25E-03
1539	1539	1.3E-01	5	4.49E-03
1540	1540	1.4E-01	5	4.75E-03
1541	1541	1.5E-01	5	4.99E-03
1542	1542	1.5E-01	5	5.20E-03
1543	1543	1.6E-01	5	5.35E-03
1544	1544	1.6E-01	5	5.49E-03
1545	1545	1.7E-01	5	5.62E-03
1546	1546	1.7E-01	5	5.73E-03
1547	1547	1.7E-01	5	5.83E-03
1548	1548	1.8E-01	5	5.90E-03
1549	1549	1.8E-01	5	5.96E-03
1550	1550	1.8E-01	5	6.00E-03
1551	1551	1.8E-01	5	6.02E-03
1552	1552	1.8E-01	5	6.02E-03
1553	1553	1.8E-01	5	6.01E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1554	1554	1.8E-01	5	5.99E-03
1555	1555	1.8E-01	5	5.95E-03
1556	1556	1.8E-01	5	5.90E-03
1557	1557	1.7E-01	5	5.84E-03
1558	1558	1.7E-01	5	5.76E-03
1559	1559	1.7E-01	5	5.67E-03
1560	1560	1.7E-01	5	5.57E-03
1561	1561	1.6E-01	5	5.45E-03
1562	1562	9.3E-02	5	3.15E-03
1563	1563	9.9E-02	5	3.34E-03
1564	1564	1.0E-01	5	3.53E-03
1565	1565	1.1E-01	5	3.73E-03
1566	1566	1.2E-01	5	3.94E-03
1567	1567	1.2E-01	5	4.17E-03
1568	1568	1.3E-01	5	4.39E-03
1569	1569	1.4E-01	5	4.63E-03
1570	1570	1.4E-01	5	4.82E-03
1571	1571	1.5E-01	5	4.97E-03
1572	1572	1.5E-01	5	5.11E-03
1573	1573	1.6E-01	5	5.23E-03
1574	1574	1.6E-01	5	5.35E-03
1575	1575	1.6E-01	5	5.44E-03
1576	1576	1.6E-01	5	5.51E-03
1577	1577	1.7E-01	5	5.56E-03
1578	1578	1.7E-01	5	5.60E-03
1579	1579	1.7E-01	5	5.62E-03
1580	1580	1.7E-01	5	5.63E-03
1581	1581	1.7E-01	5	5.62E-03
1582	1582	1.7E-01	5	5.60E-03
1583	1583	1.7E-01	5	5.57E-03
1584	1584	1.6E-01	5	5.53E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1585	1585	1.6E-01	5	5.47E-03
1586	1586	1.6E-01	5	5.40E-03
1587	1587	1.6E-01	5	5.32E-03
1588	1588	1.6E-01	5	5.23E-03
1589	1589	1.5E-01	5	5.12E-03
1590	1590	8.8E-02	5	2.95E-03
1591	1591	9.3E-02	5	3.12E-03
1592	1592	9.8E-02	5	3.28E-03
1593	1593	1.0E-01	5	3.46E-03
1594	1594	1.1E-01	5	3.66E-03
1595	1595	1.1E-01	5	3.85E-03
0	0	0.0E+00	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	7.15895	4.58E-03	3.3E-02	6.05E-04	1.98E-05	1.04E-01	4.71E-02	9.73E-08	1.0E+06	9.7E-02
1214	13.81549	4.58E-03	6.3E-02	6.05E-04	3.83E-05	1.04E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
1215	13.49237	4.58E-03	6.2E-02	6.05E-04	3.74E-05	1.04E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
1216	13.52195	4.58E-03	6.2E-02	6.05E-04	3.74E-05	1.04E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
1217	16.11207	4.58E-03	7.4E-02	6.05E-04	4.46E-05	1.04E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
1218	12.95641	4.58E-03	5.9E-02	6.05E-04	3.59E-05	1.04E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
1219	12.41041	4.58E-03	5.7E-02	6.05E-04	3.44E-05	1.04E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
1220	12.15445	4.58E-03	5.6E-02	6.05E-04	3.37E-05	1.04E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
1221	14.37718	4.58E-03	6.6E-02	6.05E-04	3.98E-05	1.04E-01	4.71E-02	1.95E-07	1.0E+06	2.0E-01
1222	10.87803	4.58E-03	5.0E-02	6.05E-04	3.01E-05	1.04E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
1223	9.99783	4.58E-03	4.6E-02	6.05E-04	2.77E-05	1.04E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
1224	9.35552	4.58E-03	4.3E-02	6.05E-04	2.59E-05	1.04E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
1225	10.95212	4.58E-03	5.0E-02	6.05E-04	3.03E-05	1.04E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
1226	9.73576	4.58E-03	4.5E-02	6.05E-04	2.70E-05	1.04E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
1227	8.63577	4.58E-03	4.0E-02	6.05E-04	2.39E-05	1.04E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
1228	14.70152	4.58E-03	6.7E-02	6.05E-04	4.07E-05	1.04E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
1229	11.71597	4.58E-03	5.4E-02	6.05E-04	3.24E-05	1.04E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
1230	14.28906	4.58E-03	6.5E-02	6.05E-04	3.96E-05	1.04E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
1231	13.83858	4.58E-03	6.3E-02	6.05E-04	3.83E-05	1.04E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
1232	13.90897	4.58E-03	6.4E-02	6.05E-04	3.85E-05	1.04E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
1233	10.76382	4.58E-03	4.9E-02	6.05E-04	2.98E-05	1.04E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
1234	13.0605	4.58E-03	6.0E-02	6.05E-04	3.62E-05	1.04E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1235	12.36856	4.58E-03	5.7E-02	6.05E-04	3.42E-05	1.04E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
1236	12.1705	4.58E-03	5.6E-02	6.05E-04	3.37E-05	1.04E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
1237	8.73926	4.58E-03	4.0E-02	6.05E-04	2.42E-05	1.04E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
1238	10.68832	4.58E-03	4.9E-02	6.05E-04	2.96E-05	1.04E-01	4.71E-02	1.45E-07	1.0E+06	1.5E-01
1239	9.46584	4.58E-03	4.3E-02	6.05E-04	2.62E-05	1.04E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
1240	8.43844	4.58E-03	3.9E-02	6.05E-04	2.34E-05	1.04E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
1241	7.51892	4.58E-03	3.4E-02	6.05E-04	2.08E-05	1.04E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
1242	15.63269	4.58E-03	7.2E-02	6.05E-04	4.33E-05	1.04E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
1243	15.49646	4.58E-03	7.1E-02	6.05E-04	4.29E-05	1.04E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01

	Max	Receptor #
Res	0.219	1217

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	15.35	4.58E-03	7.0E-02	6.05E-04	4.25E-05	1.04E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
1245	15.15779	4.58E-03	6.9E-02	6.05E-04	4.20E-05	1.04E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
1246	14.89568	4.58E-03	6.8E-02	6.05E-04	4.12E-05	1.04E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
1247	14.59435	4.58E-03	6.7E-02	6.05E-04	4.04E-05	1.04E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
1248	14.26608	4.58E-03	6.5E-02	6.05E-04	3.95E-05	1.04E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
1249	13.87008	4.58E-03	6.3E-02	6.05E-04	3.84E-05	1.04E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
1250	13.38369	4.58E-03	6.1E-02	6.05E-04	3.71E-05	1.04E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
1251	12.85069	4.58E-03	5.9E-02	6.05E-04	3.56E-05	1.04E-01	4.71E-02	1.75E-07	1.0E+06	1.7E-01
1252	12.22595	4.58E-03	5.6E-02	6.05E-04	3.39E-05	1.04E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
1253	11.42044	4.58E-03	5.2E-02	6.05E-04	3.16E-05	1.04E-01	4.71E-02	1.55E-07	1.0E+06	1.6E-01
1254	10.39321	4.58E-03	4.8E-02	6.05E-04	2.88E-05	1.04E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
1255	9.20791	4.58E-03	4.2E-02	6.05E-04	2.55E-05	1.04E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
1256	13.13208	4.58E-03	6.0E-02	6.05E-04	3.64E-05	1.04E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
1257	13.01441	4.58E-03	6.0E-02	6.05E-04	3.60E-05	1.04E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1258	12.87265	4.58E-03	5.9E-02	6.05E-04	3.56E-05	1.04E-01	4.71E-02	1.75E-07	1.0E+06	1.7E-01
1259	12.69931	4.58E-03	5.8E-02	6.05E-04	3.52E-05	1.04E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
1260	12.49121	4.58E-03	5.7E-02	6.05E-04	3.46E-05	1.04E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
1261	12.23703	4.58E-03	5.6E-02	6.05E-04	3.39E-05	1.04E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
1262	11.94325	4.58E-03	5.5E-02	6.05E-04	3.31E-05	1.04E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
1263	11.60421	4.58E-03	5.3E-02	6.05E-04	3.21E-05	1.04E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
1264	11.20248	4.58E-03	5.1E-02	6.05E-04	3.10E-05	1.04E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
1265	10.74927	4.58E-03	4.9E-02	6.05E-04	2.98E-05	1.04E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
1266	10.21143	4.58E-03	4.7E-02	6.05E-04	2.83E-05	1.04E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
1267	9.55729	4.58E-03	4.4E-02	6.05E-04	2.65E-05	1.04E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
1268	8.77599	4.58E-03	4.0E-02	6.05E-04	2.43E-05	1.04E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
1269	7.89918	4.58E-03	3.6E-02	6.05E-04	2.19E-05	1.04E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
1270	11.2371	4.58E-03	5.1E-02	6.05E-04	3.11E-05	1.04E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
1271	11.13338	4.58E-03	5.1E-02	6.05E-04	3.08E-05	1.04E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
1272	11.00483	4.58E-03	5.0E-02	6.05E-04	3.05E-05	1.04E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
1273	10.84838	4.58E-03	5.0E-02	6.05E-04	3.00E-05	1.04E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
1274	10.67084	4.58E-03	4.9E-02	6.05E-04	2.95E-05	1.04E-01	4.71E-02	1.45E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	10.45682	4.58E-03	4.8E-02	6.05E-04	2.90E-05	1.04E-01	4.71E-02	1.42E-07	1.0E+06	1.4E-01
1276	10.20145	4.58E-03	4.7E-02	6.05E-04	2.82E-05	1.04E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
1277	9.90751	4.58E-03	4.5E-02	6.05E-04	2.74E-05	1.04E-01	4.71E-02	1.35E-07	1.0E+06	1.3E-01
1278	9.56641	4.58E-03	4.4E-02	6.05E-04	2.65E-05	1.04E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
1279	9.17642	4.58E-03	4.2E-02	6.05E-04	2.54E-05	1.04E-01	4.71E-02	1.25E-07	1.0E+06	1.2E-01
1280	8.71977	4.58E-03	4.0E-02	6.05E-04	2.41E-05	1.04E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
1281	8.18363	4.58E-03	3.7E-02	6.05E-04	2.27E-05	1.04E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
1282	7.5666	4.58E-03	3.5E-02	6.05E-04	2.10E-05	1.04E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
1283	6.88851	4.58E-03	3.2E-02	6.05E-04	1.91E-05	1.04E-01	4.71E-02	9.36E-08	1.0E+06	9.4E-02
1284	9.75945	4.58E-03	4.5E-02	6.05E-04	2.70E-05	1.04E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
1285	9.66684	4.58E-03	4.4E-02	6.05E-04	2.68E-05	1.04E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
1286	9.55206	4.58E-03	4.4E-02	6.05E-04	2.64E-05	1.04E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
1287	9.41346	4.58E-03	4.3E-02	6.05E-04	2.61E-05	1.04E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
1288	9.25445	4.58E-03	4.2E-02	6.05E-04	2.56E-05	1.04E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
1289	9.07085	4.58E-03	4.2E-02	6.05E-04	2.51E-05	1.04E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
1290	8.85142	4.58E-03	4.1E-02	6.05E-04	2.45E-05	1.04E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
1291	8.59582	4.58E-03	3.9E-02	6.05E-04	2.38E-05	1.04E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
1292	8.30249	4.58E-03	3.8E-02	6.05E-04	2.30E-05	1.04E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
1293	7.96665	4.58E-03	3.6E-02	6.05E-04	2.21E-05	1.04E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
1294	7.57866	4.58E-03	3.5E-02	6.05E-04	2.10E-05	1.04E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
1295	7.13377	4.58E-03	3.3E-02	6.05E-04	1.98E-05	1.04E-01	4.71E-02	9.69E-08	1.0E+06	9.7E-02
1296	6.6336	4.58E-03	3.0E-02	6.05E-04	1.84E-05	1.04E-01	4.71E-02	9.02E-08	1.0E+06	9.0E-02
1297	6.09085	4.58E-03	2.8E-02	6.05E-04	1.69E-05	1.04E-01	4.71E-02	8.28E-08	1.0E+06	8.3E-02
1298	8.57804	4.58E-03	3.9E-02	6.05E-04	2.38E-05	1.04E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
1299	8.49513	4.58E-03	3.9E-02	6.05E-04	2.35E-05	1.04E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
1300	8.39221	4.58E-03	3.8E-02	6.05E-04	2.32E-05	1.04E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
1301	8.269	4.58E-03	3.8E-02	6.05E-04	2.29E-05	1.04E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
1302	8.12788	4.58E-03	3.7E-02	6.05E-04	2.25E-05	1.04E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
1303	7.96655	4.58E-03	3.6E-02	6.05E-04	2.21E-05	1.04E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
1304	7.77688	4.58E-03	3.6E-02	6.05E-04	2.15E-05	1.04E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
1305	7.55422	4.58E-03	3.5E-02	6.05E-04	2.09E-05	1.04E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	7.61436	4.58E-03	3.5E-02	6.05E-04	2.11E-05	1.04E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
1307	7.54083	4.58E-03	3.5E-02	6.05E-04	2.09E-05	1.04E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
1308	7.44989	4.58E-03	3.4E-02	6.05E-04	2.06E-05	1.04E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
1309	7.34135	4.58E-03	3.4E-02	6.05E-04	2.03E-05	1.04E-01	4.71E-02	9.98E-08	1.0E+06	1.0E-01
1310	7.21757	4.58E-03	3.3E-02	6.05E-04	2.00E-05	1.04E-01	4.71E-02	9.81E-08	1.0E+06	9.8E-02
1311	7.07301	4.58E-03	3.2E-02	6.05E-04	1.96E-05	1.04E-01	4.71E-02	9.61E-08	1.0E+06	9.6E-02
1312	6.90398	4.58E-03	3.2E-02	6.05E-04	1.91E-05	1.04E-01	4.71E-02	9.38E-08	1.0E+06	9.4E-02
1313	6.70915	4.58E-03	3.1E-02	6.05E-04	1.86E-05	1.04E-01	4.71E-02	9.12E-08	1.0E+06	9.1E-02
1314	6.81468	4.58E-03	3.1E-02	6.05E-04	1.89E-05	1.04E-01	4.71E-02	9.26E-08	1.0E+06	9.3E-02
1315	6.74938	4.58E-03	3.1E-02	6.05E-04	1.87E-05	1.04E-01	4.71E-02	9.17E-08	1.0E+06	9.2E-02
1316	6.66911	4.58E-03	3.1E-02	6.05E-04	1.85E-05	1.04E-01	4.71E-02	9.06E-08	1.0E+06	9.1E-02
1317	6.57364	4.58E-03	3.0E-02	6.05E-04	1.82E-05	1.04E-01	4.71E-02	8.93E-08	1.0E+06	8.9E-02
1318	6.4628	4.58E-03	3.0E-02	6.05E-04	1.79E-05	1.04E-01	4.71E-02	8.78E-08	1.0E+06	8.8E-02
1319	6.333	4.58E-03	2.9E-02	6.05E-04	1.75E-05	1.04E-01	4.71E-02	8.61E-08	1.0E+06	8.6E-02
1320	6.18275	4.58E-03	2.8E-02	6.05E-04	1.71E-05	1.04E-01	4.71E-02	8.40E-08	1.0E+06	8.4E-02
1321	6.01167	4.58E-03	2.8E-02	6.05E-04	1.66E-05	1.04E-01	4.71E-02	8.17E-08	1.0E+06	8.2E-02
1322	6.14171	4.58E-03	2.8E-02	6.05E-04	1.70E-05	1.04E-01	4.71E-02	8.35E-08	1.0E+06	8.3E-02
1323	6.08382	4.58E-03	2.8E-02	6.05E-04	1.68E-05	1.04E-01	4.71E-02	8.27E-08	1.0E+06	8.3E-02
1324	6.01269	4.58E-03	2.8E-02	6.05E-04	1.66E-05	1.04E-01	4.71E-02	8.17E-08	1.0E+06	8.2E-02
1325	5.92782	4.58E-03	2.7E-02	6.05E-04	1.64E-05	1.04E-01	4.71E-02	8.06E-08	1.0E+06	8.1E-02
1326	5.82807	4.58E-03	2.7E-02	6.05E-04	1.61E-05	1.04E-01	4.71E-02	7.92E-08	1.0E+06	7.9E-02
1327	5.71184	4.58E-03	2.6E-02	6.05E-04	1.58E-05	1.04E-01	4.71E-02	7.76E-08	1.0E+06	7.8E-02
1328	5.57841	4.58E-03	2.6E-02	6.05E-04	1.54E-05	1.04E-01	4.71E-02	7.58E-08	1.0E+06	7.6E-02
1329	5.42744	4.58E-03	2.5E-02	6.05E-04	1.50E-05	1.04E-01	4.71E-02	7.38E-08	1.0E+06	7.4E-02
1330	5.56801	4.58E-03	2.5E-02	6.05E-04	1.54E-05	1.04E-01	4.71E-02	7.57E-08	1.0E+06	7.6E-02
1331	5.51665	4.58E-03	2.5E-02	6.05E-04	1.53E-05	1.04E-01	4.71E-02	7.50E-08	1.0E+06	7.5E-02
1332	5.45306	4.58E-03	2.5E-02	6.05E-04	1.51E-05	1.04E-01	4.71E-02	7.41E-08	1.0E+06	7.4E-02
1333	5.37707	4.58E-03	2.5E-02	6.05E-04	1.49E-05	1.04E-01	4.71E-02	7.31E-08	1.0E+06	7.3E-02
1334	5.28827	4.58E-03	2.4E-02	6.05E-04	1.46E-05	1.04E-01	4.71E-02	7.19E-08	1.0E+06	7.2E-02
1335	5.1849	4.58E-03	2.4E-02	6.05E-04	1.44E-05	1.04E-01	4.71E-02	7.05E-08	1.0E+06	7.0E-02
1336	5.06618	4.58E-03	2.3E-02	6.05E-04	1.40E-05	1.04E-01	4.71E-02	6.88E-08	1.0E+06	6.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

					Cancer Risk from 2 to 16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	4.93206	4.58E-03	2.3E-02	6.05E-04	1.37E-05	1.04E-01	4.71E-02	6.70E-08	1.0E+06	6.7E-02
1338	2.91471	4.58E-03	1.3E-02	6.05E-04	8.07E-06	1.04E-01	4.71E-02	3.96E-08	1.0E+06	4.0E-02
1339	3.13335	4.58E-03	1.4E-02	6.05E-04	8.68E-06	1.04E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
1340	3.34931	4.58E-03	1.5E-02	6.05E-04	9.27E-06	1.04E-01	4.71E-02	4.55E-08	1.0E+06	4.6E-02
1341	3.58675	4.58E-03	1.6E-02	6.05E-04	9.93E-06	1.04E-01	4.71E-02	4.87E-08	1.0E+06	4.9E-02
1342	3.82434	4.58E-03	1.8E-02	6.05E-04	1.06E-05	1.04E-01	4.71E-02	5.20E-08	1.0E+06	5.2E-02
1343	4.03544	4.58E-03	1.8E-02	6.05E-04	1.12E-05	1.04E-01	4.71E-02	5.48E-08	1.0E+06	5.5E-02
1344	4.24345	4.58E-03	1.9E-02	6.05E-04	1.17E-05	1.04E-01	4.71E-02	5.77E-08	1.0E+06	5.8E-02
1345	4.43286	4.58E-03	2.0E-02	6.05E-04	1.23E-05	1.04E-01	4.71E-02	6.02E-08	1.0E+06	6.0E-02
1346	4.5862	4.58E-03	2.1E-02	6.05E-04	1.27E-05	1.04E-01	4.71E-02	6.23E-08	1.0E+06	6.2E-02
1347	4.71107	4.58E-03	2.2E-02	6.05E-04	1.30E-05	1.04E-01	4.71E-02	6.40E-08	1.0E+06	6.4E-02
1348	4.81697	4.58E-03	2.2E-02	6.05E-04	1.33E-05	1.04E-01	4.71E-02	6.55E-08	1.0E+06	6.5E-02
1349	4.91292	4.58E-03	2.2E-02	6.05E-04	1.36E-05	1.04E-01	4.71E-02	6.68E-08	1.0E+06	6.7E-02
1350	4.99402	4.58E-03	2.3E-02	6.05E-04	1.38E-05	1.04E-01	4.71E-02	6.79E-08	1.0E+06	6.8E-02
1351	5.05458	4.58E-03	2.3E-02	6.05E-04	1.40E-05	1.04E-01	4.71E-02	6.87E-08	1.0E+06	6.9E-02
1352	5.09921	4.58E-03	2.3E-02	6.05E-04	1.41E-05	1.04E-01	4.71E-02	6.93E-08	1.0E+06	6.9E-02
1353	5.12843	4.58E-03	2.3E-02	6.05E-04	1.42E-05	1.04E-01	4.71E-02	6.97E-08	1.0E+06	7.0E-02
1354	5.14121	4.58E-03	2.4E-02	6.05E-04	1.42E-05	1.04E-01	4.71E-02	6.99E-08	1.0E+06	7.0E-02
1355	5.14202	4.58E-03	2.4E-02	6.05E-04	1.42E-05	1.04E-01	4.71E-02	6.99E-08	1.0E+06	7.0E-02
1356	5.13064	4.58E-03	2.3E-02	6.05E-04	1.42E-05	1.04E-01	4.71E-02	6.97E-08	1.0E+06	7.0E-02
1357	5.108	4.58E-03	2.3E-02	6.05E-04	1.41E-05	1.04E-01	4.71E-02	6.94E-08	1.0E+06	6.9E-02
1358	5.07439	4.58E-03	2.3E-02	6.05E-04	1.41E-05	1.04E-01	4.71E-02	6.90E-08	1.0E+06	6.9E-02
1359	5.02888	4.58E-03	2.3E-02	6.05E-04	1.39E-05	1.04E-01	4.71E-02	6.83E-08	1.0E+06	6.8E-02
1360	4.97196	4.58E-03	2.3E-02	6.05E-04	1.38E-05	1.04E-01	4.71E-02	6.76E-08	1.0E+06	6.8E-02
1361	4.9039	4.58E-03	2.2E-02	6.05E-04	1.36E-05	1.04E-01	4.71E-02	6.66E-08	1.0E+06	6.7E-02
1362	4.82463	4.58E-03	2.2E-02	6.05E-04	1.34E-05	1.04E-01	4.71E-02	6.56E-08	1.0E+06	6.6E-02
1363	4.7325	4.58E-03	2.2E-02	6.05E-04	1.31E-05	1.04E-01	4.71E-02	6.43E-08	1.0E+06	6.4E-02
1364	4.62665	4.58E-03	2.1E-02	6.05E-04	1.28E-05	1.04E-01	4.71E-02	6.29E-08	1.0E+06	6.3E-02
1365	4.50717	4.58E-03	2.1E-02	6.05E-04	1.25E-05	1.04E-01	4.71E-02	6.13E-08	1.0E+06	6.1E-02
1366	2.68434	4.58E-03	1.2E-02	6.05E-04	7.43E-06	1.04E-01	4.71E-02	3.65E-08	1.0E+06	3.6E-02
1367	2.86768	4.58E-03	1.3E-02	6.05E-04	7.94E-06	1.04E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	3.05695	4.58E-03	1.4E-02	6.05E-04	8.46E-06	1.04E-01	4.71E-02	4.15E-08	1.0E+06	4.2E-02
1369	3.26585	4.58E-03	1.5E-02	6.05E-04	9.04E-06	1.04E-01	4.71E-02	4.44E-08	1.0E+06	4.4E-02
1370	3.46518	4.58E-03	1.6E-02	6.05E-04	9.59E-06	1.04E-01	4.71E-02	4.71E-08	1.0E+06	4.7E-02
1371	3.66677	4.58E-03	1.7E-02	6.05E-04	1.02E-05	1.04E-01	4.71E-02	4.98E-08	1.0E+06	5.0E-02
1372	3.85665	4.58E-03	1.8E-02	6.05E-04	1.07E-05	1.04E-01	4.71E-02	5.24E-08	1.0E+06	5.2E-02
1373	4.02707	4.58E-03	1.8E-02	6.05E-04	1.12E-05	1.04E-01	4.71E-02	5.47E-08	1.0E+06	5.5E-02
1374	4.17095	4.58E-03	1.9E-02	6.05E-04	1.15E-05	1.04E-01	4.71E-02	5.67E-08	1.0E+06	5.7E-02
1375	4.27896	4.58E-03	2.0E-02	6.05E-04	1.18E-05	1.04E-01	4.71E-02	5.82E-08	1.0E+06	5.8E-02
1376	4.37026	4.58E-03	2.0E-02	6.05E-04	1.21E-05	1.04E-01	4.71E-02	5.94E-08	1.0E+06	5.9E-02
1377	4.46705	4.58E-03	2.0E-02	6.05E-04	1.24E-05	1.04E-01	4.71E-02	6.07E-08	1.0E+06	6.1E-02
1378	4.54761	4.58E-03	2.1E-02	6.05E-04	1.26E-05	1.04E-01	4.71E-02	6.18E-08	1.0E+06	6.2E-02
1379	4.61074	4.58E-03	2.1E-02	6.05E-04	1.28E-05	1.04E-01	4.71E-02	6.27E-08	1.0E+06	6.3E-02
1380	4.65524	4.58E-03	2.1E-02	6.05E-04	1.29E-05	1.04E-01	4.71E-02	6.33E-08	1.0E+06	6.3E-02
1381	4.68559	4.58E-03	2.1E-02	6.05E-04	1.30E-05	1.04E-01	4.71E-02	6.37E-08	1.0E+06	6.4E-02
1382	4.69968	4.58E-03	2.2E-02	6.05E-04	1.30E-05	1.04E-01	4.71E-02	6.39E-08	1.0E+06	6.4E-02
1383	4.70227	4.58E-03	2.2E-02	6.05E-04	1.30E-05	1.04E-01	4.71E-02	6.39E-08	1.0E+06	6.4E-02
1384	4.69401	4.58E-03	2.1E-02	6.05E-04	1.30E-05	1.04E-01	4.71E-02	6.38E-08	1.0E+06	6.4E-02
1385	4.67498	4.58E-03	2.1E-02	6.05E-04	1.29E-05	1.04E-01	4.71E-02	6.35E-08	1.0E+06	6.4E-02
1386	4.6459	4.58E-03	2.1E-02	6.05E-04	1.29E-05	1.04E-01	4.71E-02	6.31E-08	1.0E+06	6.3E-02
1387	4.60566	4.58E-03	2.1E-02	6.05E-04	1.28E-05	1.04E-01	4.71E-02	6.26E-08	1.0E+06	6.3E-02
1388	4.55468	4.58E-03	2.1E-02	6.05E-04	1.26E-05	1.04E-01	4.71E-02	6.19E-08	1.0E+06	6.2E-02
1389	4.49367	4.58E-03	2.1E-02	6.05E-04	1.24E-05	1.04E-01	4.71E-02	6.11E-08	1.0E+06	6.1E-02
1390	4.42282	4.58E-03	2.0E-02	6.05E-04	1.22E-05	1.04E-01	4.71E-02	6.01E-08	1.0E+06	6.0E-02
1391	4.34051	4.58E-03	2.0E-02	6.05E-04	1.20E-05	1.04E-01	4.71E-02	5.90E-08	1.0E+06	5.9E-02
1392	4.24597	4.58E-03	1.9E-02	6.05E-04	1.18E-05	1.04E-01	4.71E-02	5.77E-08	1.0E+06	5.8E-02
1393	4.13919	4.58E-03	1.9E-02	6.05E-04	1.15E-05	1.04E-01	4.71E-02	5.63E-08	1.0E+06	5.6E-02
1394	2.4577	4.58E-03	1.1E-02	6.05E-04	6.81E-06	1.04E-01	4.71E-02	3.34E-08	1.0E+06	3.3E-02
1395	2.6236	4.58E-03	1.2E-02	6.05E-04	7.26E-06	1.04E-01	4.71E-02	3.57E-08	1.0E+06	3.6E-02
1396	2.79342	4.58E-03	1.3E-02	6.05E-04	7.73E-06	1.04E-01	4.71E-02	3.80E-08	1.0E+06	3.8E-02
1397	2.96725	4.58E-03	1.4E-02	6.05E-04	8.22E-06	1.04E-01	4.71E-02	4.03E-08	1.0E+06	4.0E-02
1398	3.15399	4.58E-03	1.4E-02	6.05E-04	8.73E-06	1.04E-01	4.71E-02	4.29E-08	1.0E+06	4.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	3.32191	4.58E-03	1.5E-02	6.05E-04	9.20E-06	1.04E-01	4.71E-02	4.51E-08	1.0E+06	4.5E-02
1400	3.50527	4.58E-03	1.6E-02	6.05E-04	9.71E-06	1.04E-01	4.71E-02	4.76E-08	1.0E+06	4.8E-02
1401	3.67179	4.58E-03	1.7E-02	6.05E-04	1.02E-05	1.04E-01	4.71E-02	4.99E-08	1.0E+06	5.0E-02
1402	3.80793	4.58E-03	1.7E-02	6.05E-04	1.05E-05	1.04E-01	4.71E-02	5.17E-08	1.0E+06	5.2E-02
1403	3.91085	4.58E-03	1.8E-02	6.05E-04	1.08E-05	1.04E-01	4.71E-02	5.31E-08	1.0E+06	5.3E-02
1404	3.99655	4.58E-03	1.8E-02	6.05E-04	1.11E-05	1.04E-01	4.71E-02	5.43E-08	1.0E+06	5.4E-02
1405	4.0866	4.58E-03	1.9E-02	6.05E-04	1.13E-05	1.04E-01	4.71E-02	5.55E-08	1.0E+06	5.6E-02
1406	4.15951	4.58E-03	1.9E-02	6.05E-04	1.15E-05	1.04E-01	4.71E-02	5.65E-08	1.0E+06	5.7E-02
1407	4.22056	4.58E-03	1.9E-02	6.05E-04	1.17E-05	1.04E-01	4.71E-02	5.74E-08	1.0E+06	5.7E-02
1408	4.26422	4.58E-03	2.0E-02	6.05E-04	1.18E-05	1.04E-01	4.71E-02	5.80E-08	1.0E+06	5.8E-02
1409	4.29934	4.58E-03	2.0E-02	6.05E-04	1.19E-05	1.04E-01	4.71E-02	5.84E-08	1.0E+06	5.8E-02
1410	4.31456	4.58E-03	2.0E-02	6.05E-04	1.19E-05	1.04E-01	4.71E-02	5.86E-08	1.0E+06	5.9E-02
1411	4.31874	4.58E-03	2.0E-02	6.05E-04	1.20E-05	1.04E-01	4.71E-02	5.87E-08	1.0E+06	5.9E-02
1412	4.3127	4.58E-03	2.0E-02	6.05E-04	1.19E-05	1.04E-01	4.71E-02	5.86E-08	1.0E+06	5.9E-02
1413	4.29658	4.58E-03	2.0E-02	6.05E-04	1.19E-05	1.04E-01	4.71E-02	5.84E-08	1.0E+06	5.8E-02
1414	4.27113	4.58E-03	2.0E-02	6.05E-04	1.18E-05	1.04E-01	4.71E-02	5.80E-08	1.0E+06	5.8E-02
1415	4.23544	4.58E-03	1.9E-02	6.05E-04	1.17E-05	1.04E-01	4.71E-02	5.76E-08	1.0E+06	5.8E-02
1416	4.18974	4.58E-03	1.9E-02	6.05E-04	1.16E-05	1.04E-01	4.71E-02	5.69E-08	1.0E+06	5.7E-02
1417	4.13469	4.58E-03	1.9E-02	6.05E-04	1.14E-05	1.04E-01	4.71E-02	5.62E-08	1.0E+06	5.6E-02
1418	4.07154	4.58E-03	1.9E-02	6.05E-04	1.13E-05	1.04E-01	4.71E-02	5.53E-08	1.0E+06	5.5E-02
1419	3.99801	4.58E-03	1.8E-02	6.05E-04	1.11E-05	1.04E-01	4.71E-02	5.43E-08	1.0E+06	5.4E-02
1420	3.91347	4.58E-03	1.8E-02	6.05E-04	1.08E-05	1.04E-01	4.71E-02	5.32E-08	1.0E+06	5.3E-02
1421	3.81783	4.58E-03	1.7E-02	6.05E-04	1.06E-05	1.04E-01	4.71E-02	5.19E-08	1.0E+06	5.2E-02
1422	2.25556	4.58E-03	1.0E-02	6.05E-04	6.25E-06	1.04E-01	4.71E-02	3.07E-08	1.0E+06	3.1E-02
1423	2.40689	4.58E-03	1.1E-02	6.05E-04	6.66E-06	1.04E-01	4.71E-02	3.27E-08	1.0E+06	3.3E-02
1424	2.55714	4.58E-03	1.2E-02	6.05E-04	7.08E-06	1.04E-01	4.71E-02	3.48E-08	1.0E+06	3.5E-02
1425	2.70664	4.58E-03	1.2E-02	6.05E-04	7.49E-06	1.04E-01	4.71E-02	3.68E-08	1.0E+06	3.7E-02
1426	2.8695	4.58E-03	1.3E-02	6.05E-04	7.95E-06	1.04E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
1427	3.02842	4.58E-03	1.4E-02	6.05E-04	8.39E-06	1.04E-01	4.71E-02	4.12E-08	1.0E+06	4.1E-02
1428	3.202	4.58E-03	1.5E-02	6.05E-04	8.87E-06	1.04E-01	4.71E-02	4.35E-08	1.0E+06	4.4E-02
1429	3.36081	4.58E-03	1.5E-02	6.05E-04	9.31E-06	1.04E-01	4.71E-02	4.57E-08	1.0E+06	4.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	3.49282	4.58E-03	1.6E-02	6.05E-04	9.67E-06	1.04E-01	4.71E-02	4.75E-08	1.0E+06	4.7E-02
1431	3.58681	4.58E-03	1.6E-02	6.05E-04	9.93E-06	1.04E-01	4.71E-02	4.87E-08	1.0E+06	4.9E-02
1432	3.67097	4.58E-03	1.7E-02	6.05E-04	1.02E-05	1.04E-01	4.71E-02	4.99E-08	1.0E+06	5.0E-02
1433	3.75388	4.58E-03	1.7E-02	6.05E-04	1.04E-05	1.04E-01	4.71E-02	5.10E-08	1.0E+06	5.1E-02
1434	3.82105	4.58E-03	1.7E-02	6.05E-04	1.06E-05	1.04E-01	4.71E-02	5.19E-08	1.0E+06	5.2E-02
1435	3.87921	4.58E-03	1.8E-02	6.05E-04	1.07E-05	1.04E-01	4.71E-02	5.27E-08	1.0E+06	5.3E-02
1436	3.92339	4.58E-03	1.8E-02	6.05E-04	1.09E-05	1.04E-01	4.71E-02	5.33E-08	1.0E+06	5.3E-02
1437	3.95917	4.58E-03	1.8E-02	6.05E-04	1.10E-05	1.04E-01	4.71E-02	5.38E-08	1.0E+06	5.4E-02
1438	3.97536	4.58E-03	1.8E-02	6.05E-04	1.10E-05	1.04E-01	4.71E-02	5.40E-08	1.0E+06	5.4E-02
1439	3.9809	4.58E-03	1.8E-02	6.05E-04	1.10E-05	1.04E-01	4.71E-02	5.41E-08	1.0E+06	5.4E-02
1440	3.97681	4.58E-03	1.8E-02	6.05E-04	1.10E-05	1.04E-01	4.71E-02	5.40E-08	1.0E+06	5.4E-02
1441	3.96321	4.58E-03	1.8E-02	6.05E-04	1.10E-05	1.04E-01	4.71E-02	5.39E-08	1.0E+06	5.4E-02
1442	3.94104	4.58E-03	1.8E-02	6.05E-04	1.09E-05	1.04E-01	4.71E-02	5.36E-08	1.0E+06	5.4E-02
1443	3.90935	4.58E-03	1.8E-02	6.05E-04	1.08E-05	1.04E-01	4.71E-02	5.31E-08	1.0E+06	5.3E-02
1444	3.86842	4.58E-03	1.8E-02	6.05E-04	1.07E-05	1.04E-01	4.71E-02	5.26E-08	1.0E+06	5.3E-02
1445	3.81895	4.58E-03	1.7E-02	6.05E-04	1.06E-05	1.04E-01	4.71E-02	5.19E-08	1.0E+06	5.2E-02
1446	3.7623	4.58E-03	1.7E-02	6.05E-04	1.04E-05	1.04E-01	4.71E-02	5.11E-08	1.0E+06	5.1E-02
1447	3.69655	4.58E-03	1.7E-02	6.05E-04	1.02E-05	1.04E-01	4.71E-02	5.02E-08	1.0E+06	5.0E-02
1448	3.62088	4.58E-03	1.7E-02	6.05E-04	1.00E-05	1.04E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
1449	3.53506	4.58E-03	1.6E-02	6.05E-04	9.79E-06	1.04E-01	4.71E-02	4.80E-08	1.0E+06	4.8E-02
1450	2.08281	4.58E-03	9.5E-03	6.05E-04	5.77E-06	1.04E-01	4.71E-02	2.83E-08	1.0E+06	2.8E-02
1451	2.2117	4.58E-03	1.0E-02	6.05E-04	6.12E-06	1.04E-01	4.71E-02	3.01E-08	1.0E+06	3.0E-02
1452	2.34171	4.58E-03	1.1E-02	6.05E-04	6.48E-06	1.04E-01	4.71E-02	3.18E-08	1.0E+06	3.2E-02
1453	2.48212	4.58E-03	1.1E-02	6.05E-04	6.87E-06	1.04E-01	4.71E-02	3.37E-08	1.0E+06	3.4E-02
1454	2.6206	4.58E-03	1.2E-02	6.05E-04	7.26E-06	1.04E-01	4.71E-02	3.56E-08	1.0E+06	3.6E-02
1455	2.75993	4.58E-03	1.3E-02	6.05E-04	7.64E-06	1.04E-01	4.71E-02	3.75E-08	1.0E+06	3.8E-02
1456	2.92749	4.58E-03	1.3E-02	6.05E-04	8.11E-06	1.04E-01	4.71E-02	3.98E-08	1.0E+06	4.0E-02
1457	3.08511	4.58E-03	1.4E-02	6.05E-04	8.54E-06	1.04E-01	4.71E-02	4.19E-08	1.0E+06	4.2E-02
1458	3.2119	4.58E-03	1.5E-02	6.05E-04	8.89E-06	1.04E-01	4.71E-02	4.36E-08	1.0E+06	4.4E-02
1459	3.30379	4.58E-03	1.5E-02	6.05E-04	9.15E-06	1.04E-01	4.71E-02	4.49E-08	1.0E+06	4.5E-02
1460	3.38392	4.58E-03	1.5E-02	6.05E-04	9.37E-06	1.04E-01	4.71E-02	4.60E-08	1.0E+06	4.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	3.46024	4.58E-03	1.6E-02	6.05E-04	9.58E-06	1.04E-01	4.71E-02	4.70E-08	1.0E+06	4.7E-02
1462	3.52229	4.58E-03	1.6E-02	6.05E-04	9.75E-06	1.04E-01	4.71E-02	4.79E-08	1.0E+06	4.8E-02
1463	3.57442	4.58E-03	1.6E-02	6.05E-04	9.90E-06	1.04E-01	4.71E-02	4.86E-08	1.0E+06	4.9E-02
1464	3.62174	4.58E-03	1.7E-02	6.05E-04	1.00E-05	1.04E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
1465	3.658	4.58E-03	1.7E-02	6.05E-04	1.01E-05	1.04E-01	4.71E-02	4.97E-08	1.0E+06	5.0E-02
1466	3.6749	4.58E-03	1.7E-02	6.05E-04	1.02E-05	1.04E-01	4.71E-02	4.99E-08	1.0E+06	5.0E-02
1467	3.68137	4.58E-03	1.7E-02	6.05E-04	1.02E-05	1.04E-01	4.71E-02	5.00E-08	1.0E+06	5.0E-02
1468	3.67901	4.58E-03	1.7E-02	6.05E-04	1.02E-05	1.04E-01	4.71E-02	5.00E-08	1.0E+06	5.0E-02
1469	3.66782	4.58E-03	1.7E-02	6.05E-04	1.02E-05	1.04E-01	4.71E-02	4.98E-08	1.0E+06	5.0E-02
1470	3.64851	4.58E-03	1.7E-02	6.05E-04	1.01E-05	1.04E-01	4.71E-02	4.96E-08	1.0E+06	5.0E-02
1471	3.62038	4.58E-03	1.7E-02	6.05E-04	1.00E-05	1.04E-01	4.71E-02	4.92E-08	1.0E+06	4.9E-02
1472	3.58365	4.58E-03	1.6E-02	6.05E-04	9.92E-06	1.04E-01	4.71E-02	4.87E-08	1.0E+06	4.9E-02
1473	3.53909	4.58E-03	1.6E-02	6.05E-04	9.80E-06	1.04E-01	4.71E-02	4.81E-08	1.0E+06	4.8E-02
1474	3.48841	4.58E-03	1.6E-02	6.05E-04	9.66E-06	1.04E-01	4.71E-02	4.74E-08	1.0E+06	4.7E-02
1475	3.42958	4.58E-03	1.6E-02	6.05E-04	9.50E-06	1.04E-01	4.71E-02	4.66E-08	1.0E+06	4.7E-02
1476	3.36171	4.58E-03	1.5E-02	6.05E-04	9.31E-06	1.04E-01	4.71E-02	4.57E-08	1.0E+06	4.6E-02
1477	3.28458	4.58E-03	1.5E-02	6.05E-04	9.09E-06	1.04E-01	4.71E-02	4.46E-08	1.0E+06	4.5E-02
1478	1.92647	4.58E-03	8.8E-03	6.05E-04	5.33E-06	1.04E-01	4.71E-02	2.62E-08	1.0E+06	2.6E-02
1479	2.04446	4.58E-03	9.4E-03	6.05E-04	5.66E-06	1.04E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
1480	2.16426	4.58E-03	9.9E-03	6.05E-04	5.99E-06	1.04E-01	4.71E-02	2.94E-08	1.0E+06	2.9E-02
1481	2.28665	4.58E-03	1.0E-02	6.05E-04	6.33E-06	1.04E-01	4.71E-02	3.11E-08	1.0E+06	3.1E-02
1482	2.421	4.58E-03	1.1E-02	6.05E-04	6.70E-06	1.04E-01	4.71E-02	3.29E-08	1.0E+06	3.3E-02
1483	2.54637	4.58E-03	1.2E-02	6.05E-04	7.05E-06	1.04E-01	4.71E-02	3.46E-08	1.0E+06	3.5E-02
1484	2.70434	4.58E-03	1.2E-02	6.05E-04	7.49E-06	1.04E-01	4.71E-02	3.68E-08	1.0E+06	3.7E-02
1485	2.8495	4.58E-03	1.3E-02	6.05E-04	7.89E-06	1.04E-01	4.71E-02	3.87E-08	1.0E+06	3.9E-02
1486	2.96441	4.58E-03	1.4E-02	6.05E-04	8.21E-06	1.04E-01	4.71E-02	4.03E-08	1.0E+06	4.0E-02
1487	3.05351	4.58E-03	1.4E-02	6.05E-04	8.45E-06	1.04E-01	4.71E-02	4.15E-08	1.0E+06	4.1E-02
1488	3.12896	4.58E-03	1.4E-02	6.05E-04	8.66E-06	1.04E-01	4.71E-02	4.25E-08	1.0E+06	4.3E-02
1489	3.20112	4.58E-03	1.5E-02	6.05E-04	8.86E-06	1.04E-01	4.71E-02	4.35E-08	1.0E+06	4.4E-02
1490	3.26017	4.58E-03	1.5E-02	6.05E-04	9.03E-06	1.04E-01	4.71E-02	4.43E-08	1.0E+06	4.4E-02
1491	3.30999	4.58E-03	1.5E-02	6.05E-04	9.17E-06	1.04E-01	4.71E-02	4.50E-08	1.0E+06	4.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

					Cancer Risk from 2 to 16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	3.35432	4.58E-03	1.5E-02	6.05E-04	9.29E-06	1.04E-01	4.71E-02	4.56E-08	1.0E+06	4.6E-02
1493	3.38719	4.58E-03	1.6E-02	6.05E-04	9.38E-06	1.04E-01	4.71E-02	4.60E-08	1.0E+06	4.6E-02
1494	3.40597	4.58E-03	1.6E-02	6.05E-04	9.43E-06	1.04E-01	4.71E-02	4.63E-08	1.0E+06	4.6E-02
1495	3.41352	4.58E-03	1.6E-02	6.05E-04	9.45E-06	1.04E-01	4.71E-02	4.64E-08	1.0E+06	4.6E-02
1496	3.41291	4.58E-03	1.6E-02	6.05E-04	9.45E-06	1.04E-01	4.71E-02	4.64E-08	1.0E+06	4.6E-02
1497	3.40408	4.58E-03	1.6E-02	6.05E-04	9.43E-06	1.04E-01	4.71E-02	4.63E-08	1.0E+06	4.6E-02
1498	3.38781	4.58E-03	1.6E-02	6.05E-04	9.38E-06	1.04E-01	4.71E-02	4.60E-08	1.0E+06	4.6E-02
1499	3.36326	4.58E-03	1.5E-02	6.05E-04	9.31E-06	1.04E-01	4.71E-02	4.57E-08	1.0E+06	4.6E-02
1500	3.33081	4.58E-03	1.5E-02	6.05E-04	9.22E-06	1.04E-01	4.71E-02	4.53E-08	1.0E+06	4.5E-02
1501	3.29112	4.58E-03	1.5E-02	6.05E-04	9.11E-06	1.04E-01	4.71E-02	4.47E-08	1.0E+06	4.5E-02
1502	3.24542	4.58E-03	1.5E-02	6.05E-04	8.99E-06	1.04E-01	4.71E-02	4.41E-08	1.0E+06	4.4E-02
1503	3.19219	4.58E-03	1.5E-02	6.05E-04	8.84E-06	1.04E-01	4.71E-02	4.34E-08	1.0E+06	4.3E-02
1504	3.13086	4.58E-03	1.4E-02	6.05E-04	8.67E-06	1.04E-01	4.71E-02	4.25E-08	1.0E+06	4.3E-02
1505	3.06131	4.58E-03	1.4E-02	6.05E-04	8.48E-06	1.04E-01	4.71E-02	4.16E-08	1.0E+06	4.2E-02
1506	1.78481	4.58E-03	8.2E-03	6.05E-04	4.94E-06	1.04E-01	4.71E-02	2.43E-08	1.0E+06	2.4E-02
1507	1.89487	4.58E-03	8.7E-03	6.05E-04	5.25E-06	1.04E-01	4.71E-02	2.58E-08	1.0E+06	2.6E-02
1508	2.00682	4.58E-03	9.2E-03	6.05E-04	5.56E-06	1.04E-01	4.71E-02	2.73E-08	1.0E+06	2.7E-02
1509	2.1216	4.58E-03	9.7E-03	6.05E-04	5.87E-06	1.04E-01	4.71E-02	2.88E-08	1.0E+06	2.9E-02
1510	2.24441	4.58E-03	1.0E-02	6.05E-04	6.21E-06	1.04E-01	4.71E-02	3.05E-08	1.0E+06	3.1E-02
1511	2.36704	4.58E-03	1.1E-02	6.05E-04	6.55E-06	1.04E-01	4.71E-02	3.22E-08	1.0E+06	3.2E-02
1512	2.50702	4.58E-03	1.1E-02	6.05E-04	6.94E-06	1.04E-01	4.71E-02	3.41E-08	1.0E+06	3.4E-02
1513	2.63857	4.58E-03	1.2E-02	6.05E-04	7.31E-06	1.04E-01	4.71E-02	3.59E-08	1.0E+06	3.6E-02
1514	2.7476	4.58E-03	1.3E-02	6.05E-04	7.61E-06	1.04E-01	4.71E-02	3.73E-08	1.0E+06	3.7E-02
1515	2.83109	4.58E-03	1.3E-02	6.05E-04	7.84E-06	1.04E-01	4.71E-02	3.85E-08	1.0E+06	3.8E-02
1516	2.90167	4.58E-03	1.3E-02	6.05E-04	8.03E-06	1.04E-01	4.71E-02	3.94E-08	1.0E+06	3.9E-02
1517	2.97052	4.58E-03	1.4E-02	6.05E-04	8.23E-06	1.04E-01	4.71E-02	4.04E-08	1.0E+06	4.0E-02
1518	3.02738	4.58E-03	1.4E-02	6.05E-04	8.38E-06	1.04E-01	4.71E-02	4.11E-08	1.0E+06	4.1E-02
1519	3.07748	4.58E-03	1.4E-02	6.05E-04	8.52E-06	1.04E-01	4.71E-02	4.18E-08	1.0E+06	4.2E-02
1520	3.11544	4.58E-03	1.4E-02	6.05E-04	8.63E-06	1.04E-01	4.71E-02	4.23E-08	1.0E+06	4.2E-02
1521	3.14624	4.58E-03	1.4E-02	6.05E-04	8.71E-06	1.04E-01	4.71E-02	4.28E-08	1.0E+06	4.3E-02
1522	3.16513	4.58E-03	1.4E-02	6.05E-04	8.76E-06	1.04E-01	4.71E-02	4.30E-08	1.0E+06	4.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

					Cancer Risk from 2 to 16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	3.17345	4.58E-03	1.5E-02	6.05E-04	8.79E-06	1.04E-01	4.71E-02	4.31E-08	1.0E+06	4.3E-02
1524	3.17442	4.58E-03	1.5E-02	6.05E-04	8.79E-06	1.04E-01	4.71E-02	4.31E-08	1.0E+06	4.3E-02
1525	3.1679	4.58E-03	1.4E-02	6.05E-04	8.77E-06	1.04E-01	4.71E-02	4.31E-08	1.0E+06	4.3E-02
1526	3.15426	4.58E-03	1.4E-02	6.05E-04	8.73E-06	1.04E-01	4.71E-02	4.29E-08	1.0E+06	4.3E-02
1527	3.13306	4.58E-03	1.4E-02	6.05E-04	8.68E-06	1.04E-01	4.71E-02	4.26E-08	1.0E+06	4.3E-02
1528	3.10447	4.58E-03	1.4E-02	6.05E-04	8.60E-06	1.04E-01	4.71E-02	4.22E-08	1.0E+06	4.2E-02
1529	3.06911	4.58E-03	1.4E-02	6.05E-04	8.50E-06	1.04E-01	4.71E-02	4.17E-08	1.0E+06	4.2E-02
1530	3.02787	4.58E-03	1.4E-02	6.05E-04	8.38E-06	1.04E-01	4.71E-02	4.11E-08	1.0E+06	4.1E-02
1531	2.97964	4.58E-03	1.4E-02	6.05E-04	8.25E-06	1.04E-01	4.71E-02	4.05E-08	1.0E+06	4.0E-02
1532	2.92412	4.58E-03	1.3E-02	6.05E-04	8.10E-06	1.04E-01	4.71E-02	3.97E-08	1.0E+06	4.0E-02
1533	2.86128	4.58E-03	1.3E-02	6.05E-04	7.92E-06	1.04E-01	4.71E-02	3.89E-08	1.0E+06	3.9E-02
1534	1.65686	4.58E-03	7.6E-03	6.05E-04	4.59E-06	1.04E-01	4.71E-02	2.25E-08	1.0E+06	2.3E-02
1535	1.76005	4.58E-03	8.1E-03	6.05E-04	4.87E-06	1.04E-01	4.71E-02	2.39E-08	1.0E+06	2.4E-02
1536	1.86525	4.58E-03	8.5E-03	6.05E-04	5.16E-06	1.04E-01	4.71E-02	2.53E-08	1.0E+06	2.5E-02
1537	1.97381	4.58E-03	9.0E-03	6.05E-04	5.47E-06	1.04E-01	4.71E-02	2.68E-08	1.0E+06	2.7E-02
1538	2.09024	4.58E-03	9.6E-03	6.05E-04	5.79E-06	1.04E-01	4.71E-02	2.84E-08	1.0E+06	2.8E-02
1539	2.207	4.58E-03	1.0E-02	6.05E-04	6.11E-06	1.04E-01	4.71E-02	3.00E-08	1.0E+06	3.0E-02
1540	2.33349	4.58E-03	1.1E-02	6.05E-04	6.46E-06	1.04E-01	4.71E-02	3.17E-08	1.0E+06	3.2E-02
1541	2.4535	4.58E-03	1.1E-02	6.05E-04	6.79E-06	1.04E-01	4.71E-02	3.33E-08	1.0E+06	3.3E-02
1542	2.5542	4.58E-03	1.2E-02	6.05E-04	7.07E-06	1.04E-01	4.71E-02	3.47E-08	1.0E+06	3.5E-02
1543	2.62853	4.58E-03	1.2E-02	6.05E-04	7.28E-06	1.04E-01	4.71E-02	3.57E-08	1.0E+06	3.6E-02
1544	2.69838	4.58E-03	1.2E-02	6.05E-04	7.47E-06	1.04E-01	4.71E-02	3.67E-08	1.0E+06	3.7E-02
1545	2.76404	4.58E-03	1.3E-02	6.05E-04	7.65E-06	1.04E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02
1546	2.81851	4.58E-03	1.3E-02	6.05E-04	7.80E-06	1.04E-01	4.71E-02	3.83E-08	1.0E+06	3.8E-02
1547	2.86639	4.58E-03	1.3E-02	6.05E-04	7.94E-06	1.04E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
1548	2.90118	4.58E-03	1.3E-02	6.05E-04	8.03E-06	1.04E-01	4.71E-02	3.94E-08	1.0E+06	3.9E-02
1549	2.93009	4.58E-03	1.3E-02	6.05E-04	8.11E-06	1.04E-01	4.71E-02	3.98E-08	1.0E+06	4.0E-02
1550	2.94867	4.58E-03	1.3E-02	6.05E-04	8.16E-06	1.04E-01	4.71E-02	4.01E-08	1.0E+06	4.0E-02
1551	2.95777	4.58E-03	1.4E-02	6.05E-04	8.19E-06	1.04E-01	4.71E-02	4.02E-08	1.0E+06	4.0E-02
1552	2.95996	4.58E-03	1.4E-02	6.05E-04	8.20E-06	1.04E-01	4.71E-02	4.02E-08	1.0E+06	4.0E-02
1553	2.9555	4.58E-03	1.4E-02	6.05E-04	8.18E-06	1.04E-01	4.71E-02	4.02E-08	1.0E+06	4.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

					Cancer Risk from 2 to 16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.94424	4.58E-03	1.3E-02	6.05E-04	8.15E-06	1.04E-01	4.71E-02	4.00E-08	1.0E+06	4.0E-02
1555	2.92594	4.58E-03	1.3E-02	6.05E-04	8.10E-06	1.04E-01	4.71E-02	3.98E-08	1.0E+06	4.0E-02
1556	2.90079	4.58E-03	1.3E-02	6.05E-04	8.03E-06	1.04E-01	4.71E-02	3.94E-08	1.0E+06	3.9E-02
1557	2.86934	4.58E-03	1.3E-02	6.05E-04	7.95E-06	1.04E-01	4.71E-02	3.90E-08	1.0E+06	3.9E-02
1558	2.83207	4.58E-03	1.3E-02	6.05E-04	7.84E-06	1.04E-01	4.71E-02	3.85E-08	1.0E+06	3.8E-02
1559	2.78837	4.58E-03	1.3E-02	6.05E-04	7.72E-06	1.04E-01	4.71E-02	3.79E-08	1.0E+06	3.8E-02
1560	2.73805	4.58E-03	1.3E-02	6.05E-04	7.58E-06	1.04E-01	4.71E-02	3.72E-08	1.0E+06	3.7E-02
1561	2.68118	4.58E-03	1.2E-02	6.05E-04	7.42E-06	1.04E-01	4.71E-02	3.64E-08	1.0E+06	3.6E-02
1562	1.54745	4.58E-03	7.1E-03	6.05E-04	4.28E-06	1.04E-01	4.71E-02	2.10E-08	1.0E+06	2.1E-02
1563	1.64011	4.58E-03	7.5E-03	6.05E-04	4.54E-06	1.04E-01	4.71E-02	2.23E-08	1.0E+06	2.2E-02
1564	1.73457	4.58E-03	7.9E-03	6.05E-04	4.80E-06	1.04E-01	4.71E-02	2.36E-08	1.0E+06	2.4E-02
1565	1.8335	4.58E-03	8.4E-03	6.05E-04	5.08E-06	1.04E-01	4.71E-02	2.49E-08	1.0E+06	2.5E-02
1566	1.93709	4.58E-03	8.9E-03	6.05E-04	5.36E-06	1.04E-01	4.71E-02	2.63E-08	1.0E+06	2.6E-02
1567	2.04788	4.58E-03	9.4E-03	6.05E-04	5.67E-06	1.04E-01	4.71E-02	2.78E-08	1.0E+06	2.8E-02
1568	2.16014	4.58E-03	9.9E-03	6.05E-04	5.98E-06	1.04E-01	4.71E-02	2.94E-08	1.0E+06	2.9E-02
1569	2.27678	4.58E-03	1.0E-02	6.05E-04	6.30E-06	1.04E-01	4.71E-02	3.09E-08	1.0E+06	3.1E-02
1570	2.3712	4.58E-03	1.1E-02	6.05E-04	6.57E-06	1.04E-01	4.71E-02	3.22E-08	1.0E+06	3.2E-02
1571	2.4422	4.58E-03	1.1E-02	6.05E-04	6.76E-06	1.04E-01	4.71E-02	3.32E-08	1.0E+06	3.3E-02
1572	2.51056	4.58E-03	1.1E-02	6.05E-04	6.95E-06	1.04E-01	4.71E-02	3.41E-08	1.0E+06	3.4E-02
1573	2.57342	4.58E-03	1.2E-02	6.05E-04	7.13E-06	1.04E-01	4.71E-02	3.50E-08	1.0E+06	3.5E-02
1574	2.62897	4.58E-03	1.2E-02	6.05E-04	7.28E-06	1.04E-01	4.71E-02	3.57E-08	1.0E+06	3.6E-02
1575	2.67523	4.58E-03	1.2E-02	6.05E-04	7.41E-06	1.04E-01	4.71E-02	3.64E-08	1.0E+06	3.6E-02
1576	2.70791	4.58E-03	1.2E-02	6.05E-04	7.50E-06	1.04E-01	4.71E-02	3.68E-08	1.0E+06	3.7E-02
1577	2.73545	4.58E-03	1.3E-02	6.05E-04	7.57E-06	1.04E-01	4.71E-02	3.72E-08	1.0E+06	3.7E-02
1578	2.75216	4.58E-03	1.3E-02	6.05E-04	7.62E-06	1.04E-01	4.71E-02	3.74E-08	1.0E+06	3.7E-02
1579	2.76339	4.58E-03	1.3E-02	6.05E-04	7.65E-06	1.04E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02
1580	2.76644	4.58E-03	1.3E-02	6.05E-04	7.66E-06	1.04E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02
1581	2.7636	4.58E-03	1.3E-02	6.05E-04	7.65E-06	1.04E-01	4.71E-02	3.76E-08	1.0E+06	3.8E-02
1582	2.75428	4.58E-03	1.3E-02	6.05E-04	7.63E-06	1.04E-01	4.71E-02	3.74E-08	1.0E+06	3.7E-02
1583	2.73855	4.58E-03	1.3E-02	6.05E-04	7.58E-06	1.04E-01	4.71E-02	3.72E-08	1.0E+06	3.7E-02
1584	2.71649	4.58E-03	1.2E-02	6.05E-04	7.52E-06	1.04E-01	4.71E-02	3.69E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.68846	4.58E-03	1.2E-02	6.05E-04	7.44E-06	1.04E-01	4.71E-02	3.65E-08	1.0E+06	3.7E-02
1586	2.65489	4.58E-03	1.2E-02	6.05E-04	7.35E-06	1.04E-01	4.71E-02	3.61E-08	1.0E+06	3.6E-02
1587	2.6154	4.58E-03	1.2E-02	6.05E-04	7.24E-06	1.04E-01	4.71E-02	3.55E-08	1.0E+06	3.6E-02
1588	2.56986	4.58E-03	1.2E-02	6.05E-04	7.12E-06	1.04E-01	4.71E-02	3.49E-08	1.0E+06	3.5E-02
1589	2.51835	4.58E-03	1.2E-02	6.05E-04	6.97E-06	1.04E-01	4.71E-02	3.42E-08	1.0E+06	3.4E-02
1590	1.45245	4.58E-03	6.6E-03	6.05E-04	4.02E-06	1.04E-01	4.71E-02	1.97E-08	1.0E+06	2.0E-02
1591	1.53268	4.58E-03	7.0E-03	6.05E-04	4.24E-06	1.04E-01	4.71E-02	2.08E-08	1.0E+06	2.1E-02
1592	1.61397	4.58E-03	7.4E-03	6.05E-04	4.47E-06	1.04E-01	4.71E-02	2.19E-08	1.0E+06	2.2E-02
1593	1.70242	4.58E-03	7.8E-03	6.05E-04	4.71E-06	1.04E-01	4.71E-02	2.31E-08	1.0E+06	2.3E-02
1594	1.79858	4.58E-03	8.2E-03	6.05E-04	4.98E-06	1.04E-01	4.71E-02	2.44E-08	1.0E+06	2.4E-02
1595	1.89401	4.58E-03	8.7E-03	6.05E-04	5.24E-06	1.04E-01	4.71E-02	2.57E-08	1.0E+06	2.6E-02
0	0	4.58E-03	0.0E+00	6.05E-04	0.00E+00	1.04E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	6.55E-03
1214	5	1.26E-02
1215	5	1.23E-02
1216	5	1.24E-02
1217	5	1.47E-02
1218	5	1.19E-02
1219	5	1.14E-02
1220	5	1.11E-02
1221	5	1.32E-02
1222	5	9.96E-03
1223	5	9.15E-03
1224	5	8.56E-03
1225	5	1.00E-02
1226	5	8.91E-03
1227	5	7.90E-03
1228	5	1.35E-02
1229	5	1.07E-02
1230	5	1.31E-02
1231	5	1.27E-02
1232	5	1.27E-02
1233	5	9.85E-03
1234	5	1.20E-02
1235	5	1.13E-02
1236	5	1.11E-02
1237	5	8.00E-03
1238	5	9.78E-03
1239	5	8.66E-03
1240	5	7.72E-03
1241	5	6.88E-03
1242	5	1.43E-02
1243	5	1.42E-02

Max	Receptor #	
0.015	1217	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	1.40E-02
1245	5	1.39E-02
1246	5	1.36E-02
1247	5	1.34E-02
1248	5	1.31E-02
1249	5	1.27E-02
1250	5	1.22E-02
1251	5	1.18E-02
1252	5	1.12E-02
1253	5	1.05E-02
1254	5	9.51E-03
1255	5	8.43E-03
1256	5	1.20E-02
1257	5	1.19E-02
1258	5	1.18E-02
1259	5	1.16E-02
1260	5	1.14E-02
1261	5	1.12E-02
1262	5	1.09E-02
1263	5	1.06E-02
1264	5	1.03E-02
1265	5	9.84E-03
1266	5	9.35E-03
1267	5	8.75E-03
1268	5	8.03E-03
1269	5	7.23E-03
1270	5	1.03E-02
1271	5	1.02E-02
1272	5	1.01E-02
1273	5	9.93E-03
1274	5	9.77E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	9.57E-03
1276	5	9.34E-03
1277	5	9.07E-03
1278	5	8.76E-03
1279	5	8.40E-03
1280	5	7.98E-03
1281	5	7.49E-03
1282	5	6.93E-03
1283	5	6.30E-03
1284	5	8.93E-03
1285	5	8.85E-03
1286	5	8.74E-03
1287	5	8.62E-03
1288	5	8.47E-03
1289	5	8.30E-03
1290	5	8.10E-03
1291	5	7.87E-03
1292	5	7.60E-03
1293	5	7.29E-03
1294	5	6.94E-03
1295	5	6.53E-03
1296	5	6.07E-03
1297	5	5.57E-03
1298	5	7.85E-03
1299	5	7.78E-03
1300	5	7.68E-03
1301	5	7.57E-03
1302	5	7.44E-03
1303	5	7.29E-03
1304	5	7.12E-03
1305	5	6.91E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	6.97E-03
1307	5	6.90E-03
1308	5	6.82E-03
1309	5	6.72E-03
1310	5	6.61E-03
1311	5	6.47E-03
1312	5	6.32E-03
1313	5	6.14E-03
1314	5	6.24E-03
1315	5	6.18E-03
1316	5	6.10E-03
1317	5	6.02E-03
1318	5	5.92E-03
1319	5	5.80E-03
1320	5	5.66E-03
1321	5	5.50E-03
1322	5	5.62E-03
1323	5	5.57E-03
1324	5	5.50E-03
1325	5	5.43E-03
1326	5	5.33E-03
1327	5	5.23E-03
1328	5	5.11E-03
1329	5	4.97E-03
1330	5	5.10E-03
1331	5	5.05E-03
1332	5	4.99E-03
1333	5	4.92E-03
1334	5	4.84E-03
1335	5	4.75E-03
1336	5	4.64E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	4.51E-03
1338	5	2.67E-03
1339	5	2.87E-03
1340	5	3.07E-03
1341	5	3.28E-03
1342	5	3.50E-03
1343	5	3.69E-03
1344	5	3.88E-03
1345	5	4.06E-03
1346	5	4.20E-03
1347	5	4.31E-03
1348	5	4.41E-03
1349	5	4.50E-03
1350	5	4.57E-03
1351	5	4.63E-03
1352	5	4.67E-03
1353	5	4.69E-03
1354	5	4.71E-03
1355	5	4.71E-03
1356	5	4.70E-03
1357	5	4.68E-03
1358	5	4.64E-03
1359	5	4.60E-03
1360	5	4.55E-03
1361	5	4.49E-03
1362	5	4.42E-03
1363	5	4.33E-03
1364	5	4.23E-03
1365	5	4.13E-03
1366	5	2.46E-03
1367	5	2.62E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	2.80E-03
1369	5	2.99E-03
1370	5	3.17E-03
1371	5	3.36E-03
1372	5	3.53E-03
1373	5	3.69E-03
1374	5	3.82E-03
1375	5	3.92E-03
1376	5	4.00E-03
1377	5	4.09E-03
1378	5	4.16E-03
1379	5	4.22E-03
1380	5	4.26E-03
1381	5	4.29E-03
1382	5	4.30E-03
1383	5	4.30E-03
1384	5	4.30E-03
1385	5	4.28E-03
1386	5	4.25E-03
1387	5	4.22E-03
1388	5	4.17E-03
1389	5	4.11E-03
1390	5	4.05E-03
1391	5	3.97E-03
1392	5	3.89E-03
1393	5	3.79E-03
1394	5	2.25E-03
1395	5	2.40E-03
1396	5	2.56E-03
1397	5	2.72E-03
1398	5	2.89E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	3.04E-03
1400	5	3.21E-03
1401	5	3.36E-03
1402	5	3.49E-03
1403	5	3.58E-03
1404	5	3.66E-03
1405	5	3.74E-03
1406	5	3.81E-03
1407	5	3.86E-03
1408	5	3.90E-03
1409	5	3.93E-03
1410	5	3.95E-03
1411	5	3.95E-03
1412	5	3.95E-03
1413	5	3.93E-03
1414	5	3.91E-03
1415	5	3.88E-03
1416	5	3.83E-03
1417	5	3.78E-03
1418	5	3.73E-03
1419	5	3.66E-03
1420	5	3.58E-03
1421	5	3.49E-03
1422	5	2.06E-03
1423	5	2.20E-03
1424	5	2.34E-03
1425	5	2.48E-03
1426	5	2.63E-03
1427	5	2.77E-03
1428	5	2.93E-03
1429	5	3.08E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	3.20E-03
1431	5	3.28E-03
1432	5	3.36E-03
1433	5	3.44E-03
1434	5	3.50E-03
1435	5	3.55E-03
1436	5	3.59E-03
1437	5	3.62E-03
1438	5	3.64E-03
1439	5	3.64E-03
1440	5	3.64E-03
1441	5	3.63E-03
1442	5	3.61E-03
1443	5	3.58E-03
1444	5	3.54E-03
1445	5	3.50E-03
1446	5	3.44E-03
1447	5	3.38E-03
1448	5	3.31E-03
1449	5	3.24E-03
1450	5	1.91E-03
1451	5	2.02E-03
1452	5	2.14E-03
1453	5	2.27E-03
1454	5	2.40E-03
1455	5	2.53E-03
1456	5	2.68E-03
1457	5	2.82E-03
1458	5	2.94E-03
1459	5	3.02E-03
1460	5	3.10E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	3.17E-03
1462	5	3.22E-03
1463	5	3.27E-03
1464	5	3.31E-03
1465	5	3.35E-03
1466	5	3.36E-03
1467	5	3.37E-03
1468	5	3.37E-03
1469	5	3.36E-03
1470	5	3.34E-03
1471	5	3.31E-03
1472	5	3.28E-03
1473	5	3.24E-03
1474	5	3.19E-03
1475	5	3.14E-03
1476	5	3.08E-03
1477	5	3.01E-03
1478	5	1.76E-03
1479	5	1.87E-03
1480	5	1.98E-03
1481	5	2.09E-03
1482	5	2.22E-03
1483	5	2.33E-03
1484	5	2.48E-03
1485	5	2.61E-03
1486	5	2.71E-03
1487	5	2.79E-03
1488	5	2.86E-03
1489	5	2.93E-03
1490	5	2.98E-03
1491	5	3.03E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	3.07E-03
1493	5	3.10E-03
1494	5	3.12E-03
1495	5	3.12E-03
1496	5	3.12E-03
1497	5	3.12E-03
1498	5	3.10E-03
1499	5	3.08E-03
1500	5	3.05E-03
1501	5	3.01E-03
1502	5	2.97E-03
1503	5	2.92E-03
1504	5	2.87E-03
1505	5	2.80E-03
1506	5	1.63E-03
1507	5	1.73E-03
1508	5	1.84E-03
1509	5	1.94E-03
1510	5	2.05E-03
1511	5	2.17E-03
1512	5	2.29E-03
1513	5	2.41E-03
1514	5	2.51E-03
1515	5	2.59E-03
1516	5	2.66E-03
1517	5	2.72E-03
1518	5	2.77E-03
1519	5	2.82E-03
1520	5	2.85E-03
1521	5	2.88E-03
1522	5	2.90E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	2.90E-03
1524	5	2.91E-03
1525	5	2.90E-03
1526	5	2.89E-03
1527	5	2.87E-03
1528	5	2.84E-03
1529	5	2.81E-03
1530	5	2.77E-03
1531	5	2.73E-03
1532	5	2.68E-03
1533	5	2.62E-03
1534	5	1.52E-03
1535	5	1.61E-03
1536	5	1.71E-03
1537	5	1.81E-03
1538	5	1.91E-03
1539	5	2.02E-03
1540	5	2.14E-03
1541	5	2.25E-03
1542	5	2.34E-03
1543	5	2.41E-03
1544	5	2.47E-03
1545	5	2.53E-03
1546	5	2.58E-03
1547	5	2.62E-03
1548	5	2.66E-03
1549	5	2.68E-03
1550	5	2.70E-03
1551	5	2.71E-03
1552	5	2.71E-03
1553	5	2.71E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	2.69E-03
1555	5	2.68E-03
1556	5	2.65E-03
1557	5	2.63E-03
1558	5	2.59E-03
1559	5	2.55E-03
1560	5	2.51E-03
1561	5	2.45E-03
1562	5	1.42E-03
1563	5	1.50E-03
1564	5	1.59E-03
1565	5	1.68E-03
1566	5	1.77E-03
1567	5	1.87E-03
1568	5	1.98E-03
1569	5	2.08E-03
1570	5	2.17E-03
1571	5	2.24E-03
1572	5	2.30E-03
1573	5	2.36E-03
1574	5	2.41E-03
1575	5	2.45E-03
1576	5	2.48E-03
1577	5	2.50E-03
1578	5	2.52E-03
1579	5	2.53E-03
1580	5	2.53E-03
1581	5	2.53E-03
1582	5	2.52E-03
1583	5	2.51E-03
1584	5	2.49E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	2.46E-03
1586	5	2.43E-03
1587	5	2.39E-03
1588	5	2.35E-03
1589	5	2.30E-03
1590	5	1.33E-03
1591	5	1.40E-03
1592	5	1.48E-03
1593	5	1.56E-03
1594	5	1.65E-03
1595	5	1.73E-03
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	7.15895	5.42E-02	3.9E-01	6.05E-04	2.35E-04	2.08E-01	4.71E-02	2.31E-06	1.0E+06	2.3E+00
1214	13.81549	5.42E-02	7.5E-01	6.05E-04	4.53E-04	2.08E-01	4.71E-02	4.45E-06	1.0E+06	4.5E+00
1215	13.49237	5.42E-02	7.3E-01	6.05E-04	4.43E-04	2.08E-01	4.71E-02	4.35E-06	1.0E+06	4.3E+00
1216	13.52195	5.42E-02	7.3E-01	6.05E-04	4.44E-04	2.08E-01	4.71E-02	4.36E-06	1.0E+06	4.4E+00
1217	16.11207	5.42E-02	8.7E-01	6.05E-04	5.29E-04	2.08E-01	4.71E-02	5.19E-06	1.0E+06	5.2E+00
1218	12.95641	5.42E-02	7.0E-01	6.05E-04	4.25E-04	2.08E-01	4.71E-02	4.17E-06	1.0E+06	4.2E+00
1219	12.41041	5.42E-02	6.7E-01	6.05E-04	4.07E-04	2.08E-01	4.71E-02	4.00E-06	1.0E+06	4.0E+00
1220	12.15445	5.42E-02	6.6E-01	6.05E-04	3.99E-04	2.08E-01	4.71E-02	3.92E-06	1.0E+06	3.9E+00
1221	14.37718	5.42E-02	7.8E-01	6.05E-04	4.72E-04	2.08E-01	4.71E-02	4.63E-06	1.0E+06	4.6E+00
1222	10.87803	5.42E-02	5.9E-01	6.05E-04	3.57E-04	2.08E-01	4.71E-02	3.50E-06	1.0E+06	3.5E+00
1223	9.99783	5.42E-02	5.4E-01	6.05E-04	3.28E-04	2.08E-01	4.71E-02	3.22E-06	1.0E+06	3.2E+00
1224	9.35552	5.42E-02	5.1E-01	6.05E-04	3.07E-04	2.08E-01	4.71E-02	3.01E-06	1.0E+06	3.0E+00
1225	10.95212	5.42E-02	5.9E-01	6.05E-04	3.59E-04	2.08E-01	4.71E-02	3.53E-06	1.0E+06	3.5E+00
1226	9.73576	5.42E-02	5.3E-01	6.05E-04	3.19E-04	2.08E-01	4.71E-02	3.14E-06	1.0E+06	3.1E+00
1227	8.63577	5.42E-02	4.7E-01	6.05E-04	2.83E-04	2.08E-01	4.71E-02	2.78E-06	1.0E+06	2.8E+00
1228	14.70152	5.42E-02	8.0E-01	6.05E-04	4.82E-04	2.08E-01	4.71E-02	4.74E-06	1.0E+06	4.7E+00
1229	11.71597	5.42E-02	6.4E-01	6.05E-04	3.84E-04	2.08E-01	4.71E-02	3.77E-06	1.0E+06	3.8E+00
1230	14.28906	5.42E-02	7.7E-01	6.05E-04	4.69E-04	2.08E-01	4.71E-02	4.60E-06	1.0E+06	4.6E+00
1231	13.83858	5.42E-02	7.5E-01	6.05E-04	4.54E-04	2.08E-01	4.71E-02	4.46E-06	1.0E+06	4.5E+00
1232	13.90897	5.42E-02	7.5E-01	6.05E-04	4.56E-04	2.08E-01	4.71E-02	4.48E-06	1.0E+06	4.5E+00
1233	10.76382	5.42E-02	5.8E-01	6.05E-04	3.53E-04	2.08E-01	4.71E-02	3.47E-06	1.0E+06	3.5E+00
1234	13.0605	5.42E-02	7.1E-01	6.05E-04	4.29E-04	2.08E-01	4.71E-02	4.21E-06	1.0E+06	4.2E+00
1235	12.36856	5.42E-02	6.7E-01	6.05E-04	4.06E-04	2.08E-01	4.71E-02	3.98E-06	1.0E+06	4.0E+00
1236	12.1705	5.42E-02	6.6E-01	6.05E-04	3.99E-04	2.08E-01	4.71E-02	3.92E-06	1.0E+06	3.9E+00
1237	8.73926	5.42E-02	4.7E-01	6.05E-04	2.87E-04	2.08E-01	4.71E-02	2.82E-06	1.0E+06	2.8E+00
1238	10.68832	5.42E-02	5.8E-01	6.05E-04	3.51E-04	2.08E-01	4.71E-02	3.44E-06	1.0E+06	3.4E+00
1239	9.46584	5.42E-02	5.1E-01	6.05E-04	3.11E-04	2.08E-01	4.71E-02	3.05E-06	1.0E+06	3.0E+00
1240	8.43844	5.42E-02	4.6E-01	6.05E-04	2.77E-04	2.08E-01	4.71E-02	2.72E-06	1.0E+06	2.7E+00
1241	7.51892	5.42E-02	4.1E-01	6.05E-04	2.47E-04	2.08E-01	4.71E-02	2.42E-06	1.0E+06	2.4E+00
1242	15.63269	5.42E-02	8.5E-01	6.05E-04	5.13E-04	2.08E-01	4.71E-02	5.04E-06	1.0E+06	5.0E+00
1243	15.49646	5.42E-02	8.4E-01	6.05E-04	5.09E-04	2.08E-01	4.71E-02	4.99E-06	1.0E+06	5.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	15.35	5.42E-02	8.3E-01	6.05E-04	5.04E-04	2.08E-01	4.71E-02	4.94E-06	1.0E+06	4.9E+00
1245	15.15779	5.42E-02	8.2E-01	6.05E-04	4.97E-04	2.08E-01	4.71E-02	4.88E-06	1.0E+06	4.9E+00
1246	14.89568	5.42E-02	8.1E-01	6.05E-04	4.89E-04	2.08E-01	4.71E-02	4.80E-06	1.0E+06	4.8E+00
1247	14.59435	5.42E-02	7.9E-01	6.05E-04	4.79E-04	2.08E-01	4.71E-02	4.70E-06	1.0E+06	4.7E+00
1248	14.26608	5.42E-02	7.7E-01	6.05E-04	4.68E-04	2.08E-01	4.71E-02	4.60E-06	1.0E+06	4.6E+00
1249	13.87008	5.42E-02	7.5E-01	6.05E-04	4.55E-04	2.08E-01	4.71E-02	4.47E-06	1.0E+06	4.5E+00
1250	13.38369	5.42E-02	7.3E-01	6.05E-04	4.39E-04	2.08E-01	4.71E-02	4.31E-06	1.0E+06	4.3E+00
1251	12.85069	5.42E-02	7.0E-01	6.05E-04	4.22E-04	2.08E-01	4.71E-02	4.14E-06	1.0E+06	4.1E+00
1252	12.22595	5.42E-02	6.6E-01	6.05E-04	4.01E-04	2.08E-01	4.71E-02	3.94E-06	1.0E+06	3.9E+00
1253	11.42044	5.42E-02	6.2E-01	6.05E-04	3.75E-04	2.08E-01	4.71E-02	3.68E-06	1.0E+06	3.7E+00
1254	10.39321	5.42E-02	5.6E-01	6.05E-04	3.41E-04	2.08E-01	4.71E-02	3.35E-06	1.0E+06	3.3E+00
1255	9.20791	5.42E-02	5.0E-01	6.05E-04	3.02E-04	2.08E-01	4.71E-02	2.97E-06	1.0E+06	3.0E+00
1256	13.13208	5.42E-02	7.1E-01	6.05E-04	4.31E-04	2.08E-01	4.71E-02	4.23E-06	1.0E+06	4.2E+00
1257	13.01441	5.42E-02	7.1E-01	6.05E-04	4.27E-04	2.08E-01	4.71E-02	4.19E-06	1.0E+06	4.2E+00
1258	12.87265	5.42E-02	7.0E-01	6.05E-04	4.22E-04	2.08E-01	4.71E-02	4.15E-06	1.0E+06	4.1E+00
1259	12.69931	5.42E-02	6.9E-01	6.05E-04	4.17E-04	2.08E-01	4.71E-02	4.09E-06	1.0E+06	4.1E+00
1260	12.49121	5.42E-02	6.8E-01	6.05E-04	4.10E-04	2.08E-01	4.71E-02	4.02E-06	1.0E+06	4.0E+00
1261	12.23703	5.42E-02	6.6E-01	6.05E-04	4.02E-04	2.08E-01	4.71E-02	3.94E-06	1.0E+06	3.9E+00
1262	11.94325	5.42E-02	6.5E-01	6.05E-04	3.92E-04	2.08E-01	4.71E-02	3.85E-06	1.0E+06	3.8E+00
1263	11.60421	5.42E-02	6.3E-01	6.05E-04	3.81E-04	2.08E-01	4.71E-02	3.74E-06	1.0E+06	3.7E+00
1264	11.20248	5.42E-02	6.1E-01	6.05E-04	3.68E-04	2.08E-01	4.71E-02	3.61E-06	1.0E+06	3.6E+00
1265	10.74927	5.42E-02	5.8E-01	6.05E-04	3.53E-04	2.08E-01	4.71E-02	3.46E-06	1.0E+06	3.5E+00
1266	10.21143	5.42E-02	5.5E-01	6.05E-04	3.35E-04	2.08E-01	4.71E-02	3.29E-06	1.0E+06	3.3E+00
1267	9.55729	5.42E-02	5.2E-01	6.05E-04	3.14E-04	2.08E-01	4.71E-02	3.08E-06	1.0E+06	3.1E+00
1268	8.77599	5.42E-02	4.8E-01	6.05E-04	2.88E-04	2.08E-01	4.71E-02	2.83E-06	1.0E+06	2.8E+00
1269	7.89918	5.42E-02	4.3E-01	6.05E-04	2.59E-04	2.08E-01	4.71E-02	2.54E-06	1.0E+06	2.5E+00
1270	11.2371	5.42E-02	6.1E-01	6.05E-04	3.69E-04	2.08E-01	4.71E-02	3.62E-06	1.0E+06	3.6E+00
1271	11.13338	5.42E-02	6.0E-01	6.05E-04	3.65E-04	2.08E-01	4.71E-02	3.59E-06	1.0E+06	3.6E+00
1272	11.00483	5.42E-02	6.0E-01	6.05E-04	3.61E-04	2.08E-01	4.71E-02	3.54E-06	1.0E+06	3.5E+00
1273	10.84838	5.42E-02	5.9E-01	6.05E-04	3.56E-04	2.08E-01	4.71E-02	3.49E-06	1.0E+06	3.5E+00
1274	10.67084	5.42E-02	5.8E-01	6.05E-04	3.50E-04	2.08E-01	4.71E-02	3.44E-06	1.0E+06	3.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	10.45682	5.42E-02	5.7E-01	6.05E-04	3.43E-04	2.08E-01	4.71E-02	3.37E-06	1.0E+06	3.4E+00
1276	10.20145	5.42E-02	5.5E-01	6.05E-04	3.35E-04	2.08E-01	4.71E-02	3.29E-06	1.0E+06	3.3E+00
1277	9.90751	5.42E-02	5.4E-01	6.05E-04	3.25E-04	2.08E-01	4.71E-02	3.19E-06	1.0E+06	3.2E+00
1278	9.56641	5.42E-02	5.2E-01	6.05E-04	3.14E-04	2.08E-01	4.71E-02	3.08E-06	1.0E+06	3.1E+00
1279	9.17642	5.42E-02	5.0E-01	6.05E-04	3.01E-04	2.08E-01	4.71E-02	2.96E-06	1.0E+06	3.0E+00
1280	8.71977	5.42E-02	4.7E-01	6.05E-04	2.86E-04	2.08E-01	4.71E-02	2.81E-06	1.0E+06	2.8E+00
1281	8.18363	5.42E-02	4.4E-01	6.05E-04	2.69E-04	2.08E-01	4.71E-02	2.64E-06	1.0E+06	2.6E+00
1282	7.5666	5.42E-02	4.1E-01	6.05E-04	2.48E-04	2.08E-01	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1283	6.88851	5.42E-02	3.7E-01	6.05E-04	2.26E-04	2.08E-01	4.71E-02	2.22E-06	1.0E+06	2.2E+00
1284	9.75945	5.42E-02	5.3E-01	6.05E-04	3.20E-04	2.08E-01	4.71E-02	3.14E-06	1.0E+06	3.1E+00
1285	9.66684	5.42E-02	5.2E-01	6.05E-04	3.17E-04	2.08E-01	4.71E-02	3.11E-06	1.0E+06	3.1E+00
1286	9.55206	5.42E-02	5.2E-01	6.05E-04	3.13E-04	2.08E-01	4.71E-02	3.08E-06	1.0E+06	3.1E+00
1287	9.41346	5.42E-02	5.1E-01	6.05E-04	3.09E-04	2.08E-01	4.71E-02	3.03E-06	1.0E+06	3.0E+00
1288	9.25445	5.42E-02	5.0E-01	6.05E-04	3.04E-04	2.08E-01	4.71E-02	2.98E-06	1.0E+06	3.0E+00
1289	9.07085	5.42E-02	4.9E-01	6.05E-04	2.98E-04	2.08E-01	4.71E-02	2.92E-06	1.0E+06	2.9E+00
1290	8.85142	5.42E-02	4.8E-01	6.05E-04	2.90E-04	2.08E-01	4.71E-02	2.85E-06	1.0E+06	2.9E+00
1291	8.59582	5.42E-02	4.7E-01	6.05E-04	2.82E-04	2.08E-01	4.71E-02	2.77E-06	1.0E+06	2.8E+00
1292	8.30249	5.42E-02	4.5E-01	6.05E-04	2.72E-04	2.08E-01	4.71E-02	2.67E-06	1.0E+06	2.7E+00
1293	7.96665	5.42E-02	4.3E-01	6.05E-04	2.61E-04	2.08E-01	4.71E-02	2.57E-06	1.0E+06	2.6E+00
1294	7.57866	5.42E-02	4.1E-01	6.05E-04	2.49E-04	2.08E-01	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1295	7.13377	5.42E-02	3.9E-01	6.05E-04	2.34E-04	2.08E-01	4.71E-02	2.30E-06	1.0E+06	2.3E+00
1296	6.6336	5.42E-02	3.6E-01	6.05E-04	2.18E-04	2.08E-01	4.71E-02	2.14E-06	1.0E+06	2.1E+00
1297	6.09085	5.42E-02	3.3E-01	6.05E-04	2.00E-04	2.08E-01	4.71E-02	1.96E-06	1.0E+06	2.0E+00
1298	8.57804	5.42E-02	4.7E-01	6.05E-04	2.81E-04	2.08E-01	4.71E-02	2.76E-06	1.0E+06	2.8E+00
1299	8.49513	5.42E-02	4.6E-01	6.05E-04	2.79E-04	2.08E-01	4.71E-02	2.74E-06	1.0E+06	2.7E+00
1300	8.39221	5.42E-02	4.6E-01	6.05E-04	2.75E-04	2.08E-01	4.71E-02	2.70E-06	1.0E+06	2.7E+00
1301	8.269	5.42E-02	4.5E-01	6.05E-04	2.71E-04	2.08E-01	4.71E-02	2.66E-06	1.0E+06	2.7E+00
1302	8.12788	5.42E-02	4.4E-01	6.05E-04	2.67E-04	2.08E-01	4.71E-02	2.62E-06	1.0E+06	2.6E+00
1303	7.96655	5.42E-02	4.3E-01	6.05E-04	2.61E-04	2.08E-01	4.71E-02	2.57E-06	1.0E+06	2.6E+00
1304	7.77688	5.42E-02	4.2E-01	6.05E-04	2.55E-04	2.08E-01	4.71E-02	2.51E-06	1.0E+06	2.5E+00
1305	7.55422	5.42E-02	4.1E-01	6.05E-04	2.48E-04	2.08E-01	4.71E-02	2.43E-06	1.0E+06	2.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	7.61436	5.42E-02	4.1E-01	6.05E-04	2.50E-04	2.08E-01	4.71E-02	2.45E-06	1.0E+06	2.5E+00
1307	7.54083	5.42E-02	4.1E-01	6.05E-04	2.47E-04	2.08E-01	4.71E-02	2.43E-06	1.0E+06	2.4E+00
1308	7.44989	5.42E-02	4.0E-01	6.05E-04	2.44E-04	2.08E-01	4.71E-02	2.40E-06	1.0E+06	2.4E+00
1309	7.34135	5.42E-02	4.0E-01	6.05E-04	2.41E-04	2.08E-01	4.71E-02	2.36E-06	1.0E+06	2.4E+00
1310	7.21757	5.42E-02	3.9E-01	6.05E-04	2.37E-04	2.08E-01	4.71E-02	2.32E-06	1.0E+06	2.3E+00
1311	7.07301	5.42E-02	3.8E-01	6.05E-04	2.32E-04	2.08E-01	4.71E-02	2.28E-06	1.0E+06	2.3E+00
1312	6.90398	5.42E-02	3.7E-01	6.05E-04	2.27E-04	2.08E-01	4.71E-02	2.22E-06	1.0E+06	2.2E+00
1313	6.70915	5.42E-02	3.6E-01	6.05E-04	2.20E-04	2.08E-01	4.71E-02	2.16E-06	1.0E+06	2.2E+00
1314	6.81468	5.42E-02	3.7E-01	6.05E-04	2.24E-04	2.08E-01	4.71E-02	2.20E-06	1.0E+06	2.2E+00
1315	6.74938	5.42E-02	3.7E-01	6.05E-04	2.21E-04	2.08E-01	4.71E-02	2.17E-06	1.0E+06	2.2E+00
1316	6.66911	5.42E-02	3.6E-01	6.05E-04	2.19E-04	2.08E-01	4.71E-02	2.15E-06	1.0E+06	2.1E+00
1317	6.57364	5.42E-02	3.6E-01	6.05E-04	2.16E-04	2.08E-01	4.71E-02	2.12E-06	1.0E+06	2.1E+00
1318	6.4628	5.42E-02	3.5E-01	6.05E-04	2.12E-04	2.08E-01	4.71E-02	2.08E-06	1.0E+06	2.1E+00
1319	6.333	5.42E-02	3.4E-01	6.05E-04	2.08E-04	2.08E-01	4.71E-02	2.04E-06	1.0E+06	2.0E+00
1320	6.18275	5.42E-02	3.4E-01	6.05E-04	2.03E-04	2.08E-01	4.71E-02	1.99E-06	1.0E+06	2.0E+00
1321	6.01167	5.42E-02	3.3E-01	6.05E-04	1.97E-04	2.08E-01	4.71E-02	1.94E-06	1.0E+06	1.9E+00
1322	6.14171	5.42E-02	3.3E-01	6.05E-04	2.02E-04	2.08E-01	4.71E-02	1.98E-06	1.0E+06	2.0E+00
1323	6.08382	5.42E-02	3.3E-01	6.05E-04	2.00E-04	2.08E-01	4.71E-02	1.96E-06	1.0E+06	2.0E+00
1324	6.01269	5.42E-02	3.3E-01	6.05E-04	1.97E-04	2.08E-01	4.71E-02	1.94E-06	1.0E+06	1.9E+00
1325	5.92782	5.42E-02	3.2E-01	6.05E-04	1.95E-04	2.08E-01	4.71E-02	1.91E-06	1.0E+06	1.9E+00
1326	5.82807	5.42E-02	3.2E-01	6.05E-04	1.91E-04	2.08E-01	4.71E-02	1.88E-06	1.0E+06	1.9E+00
1327	5.71184	5.42E-02	3.1E-01	6.05E-04	1.87E-04	2.08E-01	4.71E-02	1.84E-06	1.0E+06	1.8E+00
1328	5.57841	5.42E-02	3.0E-01	6.05E-04	1.83E-04	2.08E-01	4.71E-02	1.80E-06	1.0E+06	1.8E+00
1329	5.42744	5.42E-02	2.9E-01	6.05E-04	1.78E-04	2.08E-01	4.71E-02	1.75E-06	1.0E+06	1.7E+00
1330	5.56801	5.42E-02	3.0E-01	6.05E-04	1.83E-04	2.08E-01	4.71E-02	1.79E-06	1.0E+06	1.8E+00
1331	5.51665	5.42E-02	3.0E-01	6.05E-04	1.81E-04	2.08E-01	4.71E-02	1.78E-06	1.0E+06	1.8E+00
1332	5.45306	5.42E-02	3.0E-01	6.05E-04	1.79E-04	2.08E-01	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1333	5.37707	5.42E-02	2.9E-01	6.05E-04	1.76E-04	2.08E-01	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1334	5.28827	5.42E-02	2.9E-01	6.05E-04	1.74E-04	2.08E-01	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1335	5.1849	5.42E-02	2.8E-01	6.05E-04	1.70E-04	2.08E-01	4.71E-02	1.67E-06	1.0E+06	1.7E+00
1336	5.06618	5.42E-02	2.7E-01	6.05E-04	1.66E-04	2.08E-01	4.71E-02	1.63E-06	1.0E+06	1.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	4.93206	5.42E-02	2.7E-01	6.05E-04	1.62E-04	2.08E-01	4.71E-02	1.59E-06	1.0E+06	1.6E+00
1338	2.91471	5.42E-02	1.6E-01	6.05E-04	9.56E-05	2.08E-01	4.71E-02	9.39E-07	1.0E+06	9.4E-01
1339	3.13335	5.42E-02	1.7E-01	6.05E-04	1.03E-04	2.08E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1340	3.34931	5.42E-02	1.8E-01	6.05E-04	1.10E-04	2.08E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1341	3.58675	5.42E-02	1.9E-01	6.05E-04	1.18E-04	2.08E-01	4.71E-02	1.16E-06	1.0E+06	1.2E+00
1342	3.82434	5.42E-02	2.1E-01	6.05E-04	1.25E-04	2.08E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1343	4.03544	5.42E-02	2.2E-01	6.05E-04	1.32E-04	2.08E-01	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1344	4.24345	5.42E-02	2.3E-01	6.05E-04	1.39E-04	2.08E-01	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1345	4.43286	5.42E-02	2.4E-01	6.05E-04	1.45E-04	2.08E-01	4.71E-02	1.43E-06	1.0E+06	1.4E+00
1346	4.5862	5.42E-02	2.5E-01	6.05E-04	1.50E-04	2.08E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1347	4.71107	5.42E-02	2.6E-01	6.05E-04	1.55E-04	2.08E-01	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1348	4.81697	5.42E-02	2.6E-01	6.05E-04	1.58E-04	2.08E-01	4.71E-02	1.55E-06	1.0E+06	1.6E+00
1349	4.91292	5.42E-02	2.7E-01	6.05E-04	1.61E-04	2.08E-01	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1350	4.99402	5.42E-02	2.7E-01	6.05E-04	1.64E-04	2.08E-01	4.71E-02	1.61E-06	1.0E+06	1.6E+00
1351	5.05458	5.42E-02	2.7E-01	6.05E-04	1.66E-04	2.08E-01	4.71E-02	1.63E-06	1.0E+06	1.6E+00
1352	5.09921	5.42E-02	2.8E-01	6.05E-04	1.67E-04	2.08E-01	4.71E-02	1.64E-06	1.0E+06	1.6E+00
1353	5.12843	5.42E-02	2.8E-01	6.05E-04	1.68E-04	2.08E-01	4.71E-02	1.65E-06	1.0E+06	1.7E+00
1354	5.14121	5.42E-02	2.8E-01	6.05E-04	1.69E-04	2.08E-01	4.71E-02	1.66E-06	1.0E+06	1.7E+00
1355	5.14202	5.42E-02	2.8E-01	6.05E-04	1.69E-04	2.08E-01	4.71E-02	1.66E-06	1.0E+06	1.7E+00
1356	5.13064	5.42E-02	2.8E-01	6.05E-04	1.68E-04	2.08E-01	4.71E-02	1.65E-06	1.0E+06	1.7E+00
1357	5.108	5.42E-02	2.8E-01	6.05E-04	1.68E-04	2.08E-01	4.71E-02	1.65E-06	1.0E+06	1.6E+00
1358	5.07439	5.42E-02	2.8E-01	6.05E-04	1.67E-04	2.08E-01	4.71E-02	1.63E-06	1.0E+06	1.6E+00
1359	5.02888	5.42E-02	2.7E-01	6.05E-04	1.65E-04	2.08E-01	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1360	4.97196	5.42E-02	2.7E-01	6.05E-04	1.63E-04	2.08E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1361	4.9039	5.42E-02	2.7E-01	6.05E-04	1.61E-04	2.08E-01	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1362	4.82463	5.42E-02	2.6E-01	6.05E-04	1.58E-04	2.08E-01	4.71E-02	1.55E-06	1.0E+06	1.6E+00
1363	4.7325	5.42E-02	2.6E-01	6.05E-04	1.55E-04	2.08E-01	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1364	4.62665	5.42E-02	2.5E-01	6.05E-04	1.52E-04	2.08E-01	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1365	4.50717	5.42E-02	2.4E-01	6.05E-04	1.48E-04	2.08E-01	4.71E-02	1.45E-06	1.0E+06	1.5E+00
1366	2.68434	5.42E-02	1.5E-01	6.05E-04	8.81E-05	2.08E-01	4.71E-02	8.65E-07	1.0E+06	8.6E-01
1367	2.86768	5.42E-02	1.6E-01	6.05E-04	9.41E-05	2.08E-01	4.71E-02	9.24E-07	1.0E+06	9.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	3.05695	5.42E-02	1.7E-01	6.05E-04	1.00E-04	2.08E-01	4.71E-02	9.85E-07	1.0E+06	9.8E-01
1369	3.26585	5.42E-02	1.8E-01	6.05E-04	1.07E-04	2.08E-01	4.71E-02	1.05E-06	1.0E+06	1.1E+00
1370	3.46518	5.42E-02	1.9E-01	6.05E-04	1.14E-04	2.08E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1371	3.66677	5.42E-02	2.0E-01	6.05E-04	1.20E-04	2.08E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1372	3.85665	5.42E-02	2.1E-01	6.05E-04	1.27E-04	2.08E-01	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1373	4.02707	5.42E-02	2.2E-01	6.05E-04	1.32E-04	2.08E-01	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1374	4.17095	5.42E-02	2.3E-01	6.05E-04	1.37E-04	2.08E-01	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1375	4.27896	5.42E-02	2.3E-01	6.05E-04	1.40E-04	2.08E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1376	4.37026	5.42E-02	2.4E-01	6.05E-04	1.43E-04	2.08E-01	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1377	4.46705	5.42E-02	2.4E-01	6.05E-04	1.47E-04	2.08E-01	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1378	4.54761	5.42E-02	2.5E-01	6.05E-04	1.49E-04	2.08E-01	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1379	4.61074	5.42E-02	2.5E-01	6.05E-04	1.51E-04	2.08E-01	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1380	4.65524	5.42E-02	2.5E-01	6.05E-04	1.53E-04	2.08E-01	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1381	4.68559	5.42E-02	2.5E-01	6.05E-04	1.54E-04	2.08E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1382	4.69968	5.42E-02	2.5E-01	6.05E-04	1.54E-04	2.08E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1383	4.70227	5.42E-02	2.6E-01	6.05E-04	1.54E-04	2.08E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1384	4.69401	5.42E-02	2.5E-01	6.05E-04	1.54E-04	2.08E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1385	4.67498	5.42E-02	2.5E-01	6.05E-04	1.53E-04	2.08E-01	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1386	4.6459	5.42E-02	2.5E-01	6.05E-04	1.52E-04	2.08E-01	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1387	4.60566	5.42E-02	2.5E-01	6.05E-04	1.51E-04	2.08E-01	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1388	4.55468	5.42E-02	2.5E-01	6.05E-04	1.49E-04	2.08E-01	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1389	4.49367	5.42E-02	2.4E-01	6.05E-04	1.47E-04	2.08E-01	4.71E-02	1.45E-06	1.0E+06	1.4E+00
1390	4.42282	5.42E-02	2.4E-01	6.05E-04	1.45E-04	2.08E-01	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1391	4.34051	5.42E-02	2.4E-01	6.05E-04	1.42E-04	2.08E-01	4.71E-02	1.40E-06	1.0E+06	1.4E+00
1392	4.24597	5.42E-02	2.3E-01	6.05E-04	1.39E-04	2.08E-01	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1393	4.13919	5.42E-02	2.2E-01	6.05E-04	1.36E-04	2.08E-01	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1394	2.4577	5.42E-02	1.3E-01	6.05E-04	8.07E-05	2.08E-01	4.71E-02	7.92E-07	1.0E+06	7.9E-01
1395	2.6236	5.42E-02	1.4E-01	6.05E-04	8.61E-05	2.08E-01	4.71E-02	8.45E-07	1.0E+06	8.5E-01
1396	2.79342	5.42E-02	1.5E-01	6.05E-04	9.17E-05	2.08E-01	4.71E-02	9.00E-07	1.0E+06	9.0E-01
1397	2.96725	5.42E-02	1.6E-01	6.05E-04	9.74E-05	2.08E-01	4.71E-02	9.56E-07	1.0E+06	9.6E-01
1398	3.15399	5.42E-02	1.7E-01	6.05E-04	1.04E-04	2.08E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	3.32191	5.42E-02	1.8E-01	6.05E-04	1.09E-04	2.08E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1400	3.50527	5.42E-02	1.9E-01	6.05E-04	1.15E-04	2.08E-01	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1401	3.67179	5.42E-02	2.0E-01	6.05E-04	1.20E-04	2.08E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1402	3.80793	5.42E-02	2.1E-01	6.05E-04	1.25E-04	2.08E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1403	3.91085	5.42E-02	2.1E-01	6.05E-04	1.28E-04	2.08E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1404	3.99655	5.42E-02	2.2E-01	6.05E-04	1.31E-04	2.08E-01	4.71E-02	1.29E-06	1.0E+06	1.3E+00
1405	4.0866	5.42E-02	2.2E-01	6.05E-04	1.34E-04	2.08E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
1406	4.15951	5.42E-02	2.3E-01	6.05E-04	1.36E-04	2.08E-01	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1407	4.22056	5.42E-02	2.3E-01	6.05E-04	1.39E-04	2.08E-01	4.71E-02	1.36E-06	1.0E+06	1.4E+00
1408	4.26422	5.42E-02	2.3E-01	6.05E-04	1.40E-04	2.08E-01	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1409	4.29934	5.42E-02	2.3E-01	6.05E-04	1.41E-04	2.08E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1410	4.31456	5.42E-02	2.3E-01	6.05E-04	1.42E-04	2.08E-01	4.71E-02	1.39E-06	1.0E+06	1.4E+00
1411	4.31874	5.42E-02	2.3E-01	6.05E-04	1.42E-04	2.08E-01	4.71E-02	1.39E-06	1.0E+06	1.4E+00
1412	4.3127	5.42E-02	2.3E-01	6.05E-04	1.42E-04	2.08E-01	4.71E-02	1.39E-06	1.0E+06	1.4E+00
1413	4.29658	5.42E-02	2.3E-01	6.05E-04	1.41E-04	2.08E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1414	4.27113	5.42E-02	2.3E-01	6.05E-04	1.40E-04	2.08E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1415	4.23544	5.42E-02	2.3E-01	6.05E-04	1.39E-04	2.08E-01	4.71E-02	1.36E-06	1.0E+06	1.4E+00
1416	4.18974	5.42E-02	2.3E-01	6.05E-04	1.37E-04	2.08E-01	4.71E-02	1.35E-06	1.0E+06	1.3E+00
1417	4.13469	5.42E-02	2.2E-01	6.05E-04	1.36E-04	2.08E-01	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1418	4.07154	5.42E-02	2.2E-01	6.05E-04	1.34E-04	2.08E-01	4.71E-02	1.31E-06	1.0E+06	1.3E+00
1419	3.99801	5.42E-02	2.2E-01	6.05E-04	1.31E-04	2.08E-01	4.71E-02	1.29E-06	1.0E+06	1.3E+00
1420	3.91347	5.42E-02	2.1E-01	6.05E-04	1.28E-04	2.08E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1421	3.81783	5.42E-02	2.1E-01	6.05E-04	1.25E-04	2.08E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1422	2.25556	5.42E-02	1.2E-01	6.05E-04	7.40E-05	2.08E-01	4.71E-02	7.27E-07	1.0E+06	7.3E-01
1423	2.40689	5.42E-02	1.3E-01	6.05E-04	7.90E-05	2.08E-01	4.71E-02	7.75E-07	1.0E+06	7.8E-01
1424	2.55714	5.42E-02	1.4E-01	6.05E-04	8.39E-05	2.08E-01	4.71E-02	8.24E-07	1.0E+06	8.2E-01
1425	2.70664	5.42E-02	1.5E-01	6.05E-04	8.88E-05	2.08E-01	4.71E-02	8.72E-07	1.0E+06	8.7E-01
1426	2.8695	5.42E-02	1.6E-01	6.05E-04	9.42E-05	2.08E-01	4.71E-02	9.24E-07	1.0E+06	9.2E-01
1427	3.02842	5.42E-02	1.6E-01	6.05E-04	9.94E-05	2.08E-01	4.71E-02	9.76E-07	1.0E+06	9.8E-01
1428	3.202	5.42E-02	1.7E-01	6.05E-04	1.05E-04	2.08E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1429	3.36081	5.42E-02	1.8E-01	6.05E-04	1.10E-04	2.08E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	3.49282	5.42E-02	1.9E-01	6.05E-04	1.15E-04	2.08E-01	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1431	3.58681	5.42E-02	1.9E-01	6.05E-04	1.18E-04	2.08E-01	4.71E-02	1.16E-06	1.0E+06	1.2E+00
1432	3.67097	5.42E-02	2.0E-01	6.05E-04	1.20E-04	2.08E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1433	3.75388	5.42E-02	2.0E-01	6.05E-04	1.23E-04	2.08E-01	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1434	3.82105	5.42E-02	2.1E-01	6.05E-04	1.25E-04	2.08E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1435	3.87921	5.42E-02	2.1E-01	6.05E-04	1.27E-04	2.08E-01	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1436	3.92339	5.42E-02	2.1E-01	6.05E-04	1.29E-04	2.08E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1437	3.95917	5.42E-02	2.1E-01	6.05E-04	1.30E-04	2.08E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1438	3.97536	5.42E-02	2.2E-01	6.05E-04	1.30E-04	2.08E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1439	3.9809	5.42E-02	2.2E-01	6.05E-04	1.31E-04	2.08E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1440	3.97681	5.42E-02	2.2E-01	6.05E-04	1.31E-04	2.08E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1441	3.96321	5.42E-02	2.1E-01	6.05E-04	1.30E-04	2.08E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1442	3.94104	5.42E-02	2.1E-01	6.05E-04	1.29E-04	2.08E-01	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1443	3.90935	5.42E-02	2.1E-01	6.05E-04	1.28E-04	2.08E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1444	3.86842	5.42E-02	2.1E-01	6.05E-04	1.27E-04	2.08E-01	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1445	3.81895	5.42E-02	2.1E-01	6.05E-04	1.25E-04	2.08E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1446	3.7623	5.42E-02	2.0E-01	6.05E-04	1.23E-04	2.08E-01	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1447	3.69655	5.42E-02	2.0E-01	6.05E-04	1.21E-04	2.08E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1448	3.62088	5.42E-02	2.0E-01	6.05E-04	1.19E-04	2.08E-01	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1449	3.53506	5.42E-02	1.9E-01	6.05E-04	1.16E-04	2.08E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
1450	2.08281	5.42E-02	1.1E-01	6.05E-04	6.83E-05	2.08E-01	4.71E-02	6.71E-07	1.0E+06	6.7E-01
1451	2.2117	5.42E-02	1.2E-01	6.05E-04	7.26E-05	2.08E-01	4.71E-02	7.12E-07	1.0E+06	7.1E-01
1452	2.34171	5.42E-02	1.3E-01	6.05E-04	7.68E-05	2.08E-01	4.71E-02	7.54E-07	1.0E+06	7.5E-01
1453	2.48212	5.42E-02	1.3E-01	6.05E-04	8.15E-05	2.08E-01	4.71E-02	8.00E-07	1.0E+06	8.0E-01
1454	2.6206	5.42E-02	1.4E-01	6.05E-04	8.60E-05	2.08E-01	4.71E-02	8.44E-07	1.0E+06	8.4E-01
1455	2.75993	5.42E-02	1.5E-01	6.05E-04	9.06E-05	2.08E-01	4.71E-02	8.89E-07	1.0E+06	8.9E-01
1456	2.92749	5.42E-02	1.6E-01	6.05E-04	9.61E-05	2.08E-01	4.71E-02	9.43E-07	1.0E+06	9.4E-01
1457	3.08511	5.42E-02	1.7E-01	6.05E-04	1.01E-04	2.08E-01	4.71E-02	9.94E-07	1.0E+06	9.9E-01
1458	3.2119	5.42E-02	1.7E-01	6.05E-04	1.05E-04	2.08E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1459	3.30379	5.42E-02	1.8E-01	6.05E-04	1.08E-04	2.08E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1460	3.38392	5.42E-02	1.8E-01	6.05E-04	1.11E-04	2.08E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	3.46024	5.42E-02	1.9E-01	6.05E-04	1.14E-04	2.08E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1462	3.52229	5.42E-02	1.9E-01	6.05E-04	1.16E-04	2.08E-01	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1463	3.57442	5.42E-02	1.9E-01	6.05E-04	1.17E-04	2.08E-01	4.71E-02	1.15E-06	1.0E+06	1.2E+00
1464	3.62174	5.42E-02	2.0E-01	6.05E-04	1.19E-04	2.08E-01	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1465	3.658	5.42E-02	2.0E-01	6.05E-04	1.20E-04	2.08E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1466	3.6749	5.42E-02	2.0E-01	6.05E-04	1.21E-04	2.08E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1467	3.68137	5.42E-02	2.0E-01	6.05E-04	1.21E-04	2.08E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1468	3.67901	5.42E-02	2.0E-01	6.05E-04	1.21E-04	2.08E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1469	3.66782	5.42E-02	2.0E-01	6.05E-04	1.20E-04	2.08E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1470	3.64851	5.42E-02	2.0E-01	6.05E-04	1.20E-04	2.08E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1471	3.62038	5.42E-02	2.0E-01	6.05E-04	1.19E-04	2.08E-01	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1472	3.58365	5.42E-02	1.9E-01	6.05E-04	1.18E-04	2.08E-01	4.71E-02	1.15E-06	1.0E+06	1.2E+00
1473	3.53909	5.42E-02	1.9E-01	6.05E-04	1.16E-04	2.08E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
1474	3.48841	5.42E-02	1.9E-01	6.05E-04	1.14E-04	2.08E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1475	3.42958	5.42E-02	1.9E-01	6.05E-04	1.13E-04	2.08E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1476	3.36171	5.42E-02	1.8E-01	6.05E-04	1.10E-04	2.08E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1477	3.28458	5.42E-02	1.8E-01	6.05E-04	1.08E-04	2.08E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1478	1.92647	5.42E-02	1.0E-01	6.05E-04	6.32E-05	2.08E-01	4.71E-02	6.21E-07	1.0E+06	6.2E-01
1479	2.04446	5.42E-02	1.1E-01	6.05E-04	6.71E-05	2.08E-01	4.71E-02	6.59E-07	1.0E+06	6.6E-01
1480	2.16426	5.42E-02	1.2E-01	6.05E-04	7.10E-05	2.08E-01	4.71E-02	6.97E-07	1.0E+06	7.0E-01
1481	2.28665	5.42E-02	1.2E-01	6.05E-04	7.50E-05	2.08E-01	4.71E-02	7.37E-07	1.0E+06	7.4E-01
1482	2.421	5.42E-02	1.3E-01	6.05E-04	7.94E-05	2.08E-01	4.71E-02	7.80E-07	1.0E+06	7.8E-01
1483	2.54637	5.42E-02	1.4E-01	6.05E-04	8.36E-05	2.08E-01	4.71E-02	8.20E-07	1.0E+06	8.2E-01
1484	2.70434	5.42E-02	1.5E-01	6.05E-04	8.87E-05	2.08E-01	4.71E-02	8.71E-07	1.0E+06	8.7E-01
1485	2.8495	5.42E-02	1.5E-01	6.05E-04	9.35E-05	2.08E-01	4.71E-02	9.18E-07	1.0E+06	9.2E-01
1486	2.96441	5.42E-02	1.6E-01	6.05E-04	9.73E-05	2.08E-01	4.71E-02	9.55E-07	1.0E+06	9.5E-01
1487	3.05351	5.42E-02	1.7E-01	6.05E-04	1.00E-04	2.08E-01	4.71E-02	9.84E-07	1.0E+06	9.8E-01
1488	3.12896	5.42E-02	1.7E-01	6.05E-04	1.03E-04	2.08E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1489	3.20112	5.42E-02	1.7E-01	6.05E-04	1.05E-04	2.08E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1490	3.26017	5.42E-02	1.8E-01	6.05E-04	1.07E-04	2.08E-01	4.71E-02	1.05E-06	1.0E+06	1.1E+00
1491	3.30999	5.42E-02	1.8E-01	6.05E-04	1.09E-04	2.08E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	3.35432	5.42E-02	1.8E-01	6.05E-04	1.10E-04	2.08E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1493	3.38719	5.42E-02	1.8E-01	6.05E-04	1.11E-04	2.08E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1494	3.40597	5.42E-02	1.8E-01	6.05E-04	1.12E-04	2.08E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1495	3.41352	5.42E-02	1.9E-01	6.05E-04	1.12E-04	2.08E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1496	3.41291	5.42E-02	1.9E-01	6.05E-04	1.12E-04	2.08E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1497	3.40408	5.42E-02	1.8E-01	6.05E-04	1.12E-04	2.08E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1498	3.38781	5.42E-02	1.8E-01	6.05E-04	1.11E-04	2.08E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1499	3.36326	5.42E-02	1.8E-01	6.05E-04	1.10E-04	2.08E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1500	3.33081	5.42E-02	1.8E-01	6.05E-04	1.09E-04	2.08E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1501	3.29112	5.42E-02	1.8E-01	6.05E-04	1.08E-04	2.08E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1502	3.24542	5.42E-02	1.8E-01	6.05E-04	1.07E-04	2.08E-01	4.71E-02	1.05E-06	1.0E+06	1.0E+00
1503	3.19219	5.42E-02	1.7E-01	6.05E-04	1.05E-04	2.08E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1504	3.13086	5.42E-02	1.7E-01	6.05E-04	1.03E-04	2.08E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1505	3.06131	5.42E-02	1.7E-01	6.05E-04	1.00E-04	2.08E-01	4.71E-02	9.86E-07	1.0E+06	9.9E-01
1506	1.78481	5.42E-02	9.7E-02	6.05E-04	5.86E-05	2.08E-01	4.71E-02	5.75E-07	1.0E+06	5.7E-01
1507	1.89487	5.42E-02	1.0E-01	6.05E-04	6.22E-05	2.08E-01	4.71E-02	6.10E-07	1.0E+06	6.1E-01
1508	2.00682	5.42E-02	1.1E-01	6.05E-04	6.59E-05	2.08E-01	4.71E-02	6.46E-07	1.0E+06	6.5E-01
1509	2.1216	5.42E-02	1.2E-01	6.05E-04	6.96E-05	2.08E-01	4.71E-02	6.83E-07	1.0E+06	6.8E-01
1510	2.24441	5.42E-02	1.2E-01	6.05E-04	7.37E-05	2.08E-01	4.71E-02	7.23E-07	1.0E+06	7.2E-01
1511	2.36704	5.42E-02	1.3E-01	6.05E-04	7.77E-05	2.08E-01	4.71E-02	7.62E-07	1.0E+06	7.6E-01
1512	2.50702	5.42E-02	1.4E-01	6.05E-04	8.23E-05	2.08E-01	4.71E-02	8.08E-07	1.0E+06	8.1E-01
1513	2.63857	5.42E-02	1.4E-01	6.05E-04	8.66E-05	2.08E-01	4.71E-02	8.50E-07	1.0E+06	8.5E-01
1514	2.7476	5.42E-02	1.5E-01	6.05E-04	9.02E-05	2.08E-01	4.71E-02	8.85E-07	1.0E+06	8.9E-01
1515	2.83109	5.42E-02	1.5E-01	6.05E-04	9.29E-05	2.08E-01	4.71E-02	9.12E-07	1.0E+06	9.1E-01
1516	2.90167	5.42E-02	1.6E-01	6.05E-04	9.52E-05	2.08E-01	4.71E-02	9.35E-07	1.0E+06	9.3E-01
1517	2.97052	5.42E-02	1.6E-01	6.05E-04	9.75E-05	2.08E-01	4.71E-02	9.57E-07	1.0E+06	9.6E-01
1518	3.02738	5.42E-02	1.6E-01	6.05E-04	9.93E-05	2.08E-01	4.71E-02	9.75E-07	1.0E+06	9.8E-01
1519	3.07748	5.42E-02	1.7E-01	6.05E-04	1.01E-04	2.08E-01	4.71E-02	9.91E-07	1.0E+06	9.9E-01
1520	3.11544	5.42E-02	1.7E-01	6.05E-04	1.02E-04	2.08E-01	4.71E-02	1.00E-06	1.0E+06	1.0E+00
1521	3.14624	5.42E-02	1.7E-01	6.05E-04	1.03E-04	2.08E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1522	3.16513	5.42E-02	1.7E-01	6.05E-04	1.04E-04	2.08E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	3.17345	5.42E-02	1.7E-01	6.05E-04	1.04E-04	2.08E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1524	3.17442	5.42E-02	1.7E-01	6.05E-04	1.04E-04	2.08E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1525	3.1679	5.42E-02	1.7E-01	6.05E-04	1.04E-04	2.08E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1526	3.15426	5.42E-02	1.7E-01	6.05E-04	1.04E-04	2.08E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1527	3.13306	5.42E-02	1.7E-01	6.05E-04	1.03E-04	2.08E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1528	3.10447	5.42E-02	1.7E-01	6.05E-04	1.02E-04	2.08E-01	4.71E-02	1.00E-06	1.0E+06	1.0E+00
1529	3.06911	5.42E-02	1.7E-01	6.05E-04	1.01E-04	2.08E-01	4.71E-02	9.89E-07	1.0E+06	9.9E-01
1530	3.02787	5.42E-02	1.6E-01	6.05E-04	9.94E-05	2.08E-01	4.71E-02	9.75E-07	1.0E+06	9.8E-01
1531	2.97964	5.42E-02	1.6E-01	6.05E-04	9.78E-05	2.08E-01	4.71E-02	9.60E-07	1.0E+06	9.6E-01
1532	2.92412	5.42E-02	1.6E-01	6.05E-04	9.60E-05	2.08E-01	4.71E-02	9.42E-07	1.0E+06	9.4E-01
1533	2.86128	5.42E-02	1.6E-01	6.05E-04	9.39E-05	2.08E-01	4.71E-02	9.22E-07	1.0E+06	9.2E-01
1534	1.65686	5.42E-02	9.0E-02	6.05E-04	5.44E-05	2.08E-01	4.71E-02	5.34E-07	1.0E+06	5.3E-01
1535	1.76005	5.42E-02	9.5E-02	6.05E-04	5.78E-05	2.08E-01	4.71E-02	5.67E-07	1.0E+06	5.7E-01
1536	1.86525	5.42E-02	1.0E-01	6.05E-04	6.12E-05	2.08E-01	4.71E-02	6.01E-07	1.0E+06	6.0E-01
1537	1.97381	5.42E-02	1.1E-01	6.05E-04	6.48E-05	2.08E-01	4.71E-02	6.36E-07	1.0E+06	6.4E-01
1538	2.09024	5.42E-02	1.1E-01	6.05E-04	6.86E-05	2.08E-01	4.71E-02	6.73E-07	1.0E+06	6.7E-01
1539	2.207	5.42E-02	1.2E-01	6.05E-04	7.24E-05	2.08E-01	4.71E-02	7.11E-07	1.0E+06	7.1E-01
1540	2.33349	5.42E-02	1.3E-01	6.05E-04	7.66E-05	2.08E-01	4.71E-02	7.52E-07	1.0E+06	7.5E-01
1541	2.4535	5.42E-02	1.3E-01	6.05E-04	8.05E-05	2.08E-01	4.71E-02	7.90E-07	1.0E+06	7.9E-01
1542	2.5542	5.42E-02	1.4E-01	6.05E-04	8.38E-05	2.08E-01	4.71E-02	8.23E-07	1.0E+06	8.2E-01
1543	2.62853	5.42E-02	1.4E-01	6.05E-04	8.63E-05	2.08E-01	4.71E-02	8.47E-07	1.0E+06	8.5E-01
1544	2.69838	5.42E-02	1.5E-01	6.05E-04	8.85E-05	2.08E-01	4.71E-02	8.69E-07	1.0E+06	8.7E-01
1545	2.76404	5.42E-02	1.5E-01	6.05E-04	9.07E-05	2.08E-01	4.71E-02	8.90E-07	1.0E+06	8.9E-01
1546	2.81851	5.42E-02	1.5E-01	6.05E-04	9.25E-05	2.08E-01	4.71E-02	9.08E-07	1.0E+06	9.1E-01
1547	2.86639	5.42E-02	1.6E-01	6.05E-04	9.41E-05	2.08E-01	4.71E-02	9.23E-07	1.0E+06	9.2E-01
1548	2.90118	5.42E-02	1.6E-01	6.05E-04	9.52E-05	2.08E-01	4.71E-02	9.35E-07	1.0E+06	9.3E-01
1549	2.93009	5.42E-02	1.6E-01	6.05E-04	9.62E-05	2.08E-01	4.71E-02	9.44E-07	1.0E+06	9.4E-01
1550	2.94867	5.42E-02	1.6E-01	6.05E-04	9.68E-05	2.08E-01	4.71E-02	9.50E-07	1.0E+06	9.5E-01
1551	2.95777	5.42E-02	1.6E-01	6.05E-04	9.71E-05	2.08E-01	4.71E-02	9.53E-07	1.0E+06	9.5E-01
1552	2.95996	5.42E-02	1.6E-01	6.05E-04	9.71E-05	2.08E-01	4.71E-02	9.53E-07	1.0E+06	9.5E-01
1553	2.9555	5.42E-02	1.6E-01	6.05E-04	9.70E-05	2.08E-01	4.71E-02	9.52E-07	1.0E+06	9.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.94424	5.42E-02	1.6E-01	6.05E-04	9.66E-05	2.08E-01	4.71E-02	9.48E-07	1.0E+06	9.5E-01
1555	2.92594	5.42E-02	1.6E-01	6.05E-04	9.60E-05	2.08E-01	4.71E-02	9.43E-07	1.0E+06	9.4E-01
1556	2.90079	5.42E-02	1.6E-01	6.05E-04	9.52E-05	2.08E-01	4.71E-02	9.34E-07	1.0E+06	9.3E-01
1557	2.86934	5.42E-02	1.6E-01	6.05E-04	9.42E-05	2.08E-01	4.71E-02	9.24E-07	1.0E+06	9.2E-01
1558	2.83207	5.42E-02	1.5E-01	6.05E-04	9.29E-05	2.08E-01	4.71E-02	9.12E-07	1.0E+06	9.1E-01
1559	2.78837	5.42E-02	1.5E-01	6.05E-04	9.15E-05	2.08E-01	4.71E-02	8.98E-07	1.0E+06	9.0E-01
1560	2.73805	5.42E-02	1.5E-01	6.05E-04	8.99E-05	2.08E-01	4.71E-02	8.82E-07	1.0E+06	8.8E-01
1561	2.68118	5.42E-02	1.5E-01	6.05E-04	8.80E-05	2.08E-01	4.71E-02	8.64E-07	1.0E+06	8.6E-01
1562	1.54745	5.42E-02	8.4E-02	6.05E-04	5.08E-05	2.08E-01	4.71E-02	4.98E-07	1.0E+06	5.0E-01
1563	1.64011	5.42E-02	8.9E-02	6.05E-04	5.38E-05	2.08E-01	4.71E-02	5.28E-07	1.0E+06	5.3E-01
1564	1.73457	5.42E-02	9.4E-02	6.05E-04	5.69E-05	2.08E-01	4.71E-02	5.59E-07	1.0E+06	5.6E-01
1565	1.8335	5.42E-02	9.9E-02	6.05E-04	6.02E-05	2.08E-01	4.71E-02	5.91E-07	1.0E+06	5.9E-01
1566	1.93709	5.42E-02	1.1E-01	6.05E-04	6.36E-05	2.08E-01	4.71E-02	6.24E-07	1.0E+06	6.2E-01
1567	2.04788	5.42E-02	1.1E-01	6.05E-04	6.72E-05	2.08E-01	4.71E-02	6.60E-07	1.0E+06	6.6E-01
1568	2.16014	5.42E-02	1.2E-01	6.05E-04	7.09E-05	2.08E-01	4.71E-02	6.96E-07	1.0E+06	7.0E-01
1569	2.27678	5.42E-02	1.2E-01	6.05E-04	7.47E-05	2.08E-01	4.71E-02	7.33E-07	1.0E+06	7.3E-01
1570	2.3712	5.42E-02	1.3E-01	6.05E-04	7.78E-05	2.08E-01	4.71E-02	7.64E-07	1.0E+06	7.6E-01
1571	2.4422	5.42E-02	1.3E-01	6.05E-04	8.01E-05	2.08E-01	4.71E-02	7.87E-07	1.0E+06	7.9E-01
1572	2.51056	5.42E-02	1.4E-01	6.05E-04	8.24E-05	2.08E-01	4.71E-02	8.09E-07	1.0E+06	8.1E-01
1573	2.57342	5.42E-02	1.4E-01	6.05E-04	8.44E-05	2.08E-01	4.71E-02	8.29E-07	1.0E+06	8.3E-01
1574	2.62897	5.42E-02	1.4E-01	6.05E-04	8.63E-05	2.08E-01	4.71E-02	8.47E-07	1.0E+06	8.5E-01
1575	2.67523	5.42E-02	1.5E-01	6.05E-04	8.78E-05	2.08E-01	4.71E-02	8.62E-07	1.0E+06	8.6E-01
1576	2.70791	5.42E-02	1.5E-01	6.05E-04	8.89E-05	2.08E-01	4.71E-02	8.72E-07	1.0E+06	8.7E-01
1577	2.73545	5.42E-02	1.5E-01	6.05E-04	8.98E-05	2.08E-01	4.71E-02	8.81E-07	1.0E+06	8.8E-01
1578	2.75216	5.42E-02	1.5E-01	6.05E-04	9.03E-05	2.08E-01	4.71E-02	8.87E-07	1.0E+06	8.9E-01
1579	2.76339	5.42E-02	1.5E-01	6.05E-04	9.07E-05	2.08E-01	4.71E-02	8.90E-07	1.0E+06	8.9E-01
1580	2.76644	5.42E-02	1.5E-01	6.05E-04	9.08E-05	2.08E-01	4.71E-02	8.91E-07	1.0E+06	8.9E-01
1581	2.7636	5.42E-02	1.5E-01	6.05E-04	9.07E-05	2.08E-01	4.71E-02	8.90E-07	1.0E+06	8.9E-01
1582	2.75428	5.42E-02	1.5E-01	6.05E-04	9.04E-05	2.08E-01	4.71E-02	8.87E-07	1.0E+06	8.9E-01
1583	2.73855	5.42E-02	1.5E-01	6.05E-04	8.99E-05	2.08E-01	4.71E-02	8.82E-07	1.0E+06	8.8E-01
1584	2.71649	5.42E-02	1.5E-01	6.05E-04	8.91E-05	2.08E-01	4.71E-02	8.75E-07	1.0E+06	8.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.68846	5.42E-02	1.5E-01	6.05E-04	8.82E-05	2.08E-01	4.71E-02	8.66E-07	1.0E+06	8.7E-01
1586	2.65489	5.42E-02	1.4E-01	6.05E-04	8.71E-05	2.08E-01	4.71E-02	8.55E-07	1.0E+06	8.6E-01
1587	2.6154	5.42E-02	1.4E-01	6.05E-04	8.58E-05	2.08E-01	4.71E-02	8.42E-07	1.0E+06	8.4E-01
1588	2.56986	5.42E-02	1.4E-01	6.05E-04	8.43E-05	2.08E-01	4.71E-02	8.28E-07	1.0E+06	8.3E-01
1589	2.51835	5.42E-02	1.4E-01	6.05E-04	8.26E-05	2.08E-01	4.71E-02	8.11E-07	1.0E+06	8.1E-01
1590	1.45245	5.42E-02	7.9E-02	6.05E-04	4.77E-05	2.08E-01	4.71E-02	4.68E-07	1.0E+06	4.7E-01
1591	1.53268	5.42E-02	8.3E-02	6.05E-04	5.03E-05	2.08E-01	4.71E-02	4.94E-07	1.0E+06	4.9E-01
1592	1.61397	5.42E-02	8.8E-02	6.05E-04	5.30E-05	2.08E-01	4.71E-02	5.20E-07	1.0E+06	5.2E-01
1593	1.70242	5.42E-02	9.2E-02	6.05E-04	5.59E-05	2.08E-01	4.71E-02	5.48E-07	1.0E+06	5.5E-01
1594	1.79858	5.42E-02	9.8E-02	6.05E-04	5.90E-05	2.08E-01	4.71E-02	5.79E-07	1.0E+06	5.8E-01
1595	1.89401	5.42E-02	1.0E-01	6.05E-04	6.22E-05	2.08E-01	4.71E-02	6.10E-07	1.0E+06	6.1E-01
0	0	5.42E-02	0.0E+00	6.05E-04	0.00E+00	2.08E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	7.1807	9.50706E-06	6.8E-05	6.05E-04	4.13E-08	2.08E-01	4.71E-02	4.05E-10	1.0E+06	4.1E-04
1214	1214	8.82849	9.50706E-06	8.4E-05	6.05E-04	5.08E-08	2.08E-01	4.71E-02	4.99E-10	1.0E+06	5.0E-04
1215	1215	8.76108	9.50706E-06	8.3E-05	6.05E-04	5.04E-08	2.08E-01	4.71E-02	4.95E-10	1.0E+06	4.9E-04
1216	1216	8.67956	9.50706E-06	8.3E-05	6.05E-04	4.99E-08	2.08E-01	4.71E-02	4.90E-10	1.0E+06	4.9E-04
1217	1217	8.58114	9.50706E-06	8.2E-05	6.05E-04	4.94E-08	2.08E-01	4.71E-02	4.85E-10	1.0E+06	4.8E-04
1218	1218	8.46625	9.50706E-06	8.0E-05	6.05E-04	4.87E-08	2.08E-01	4.71E-02	4.78E-10	1.0E+06	4.8E-04
1219	1219	8.33078	9.50706E-06	7.9E-05	6.05E-04	4.79E-08	2.08E-01	4.71E-02	4.70E-10	1.0E+06	4.7E-04
1220	1220	8.17349	9.50706E-06	7.8E-05	6.05E-04	4.70E-08	2.08E-01	4.71E-02	4.62E-10	1.0E+06	4.6E-04
1221	1221	7.99243	9.50706E-06	7.6E-05	6.05E-04	4.60E-08	2.08E-01	4.71E-02	4.51E-10	1.0E+06	4.5E-04
1222	1222	7.78276	9.50706E-06	7.4E-05	6.05E-04	4.48E-08	2.08E-01	4.71E-02	4.39E-10	1.0E+06	4.4E-04
1223	1223	7.54243	9.50706E-06	7.2E-05	6.05E-04	4.34E-08	2.08E-01	4.71E-02	4.26E-10	1.0E+06	4.3E-04
1224	1224	7.26565	9.50706E-06	6.9E-05	6.05E-04	4.18E-08	2.08E-01	4.71E-02	4.10E-10	1.0E+06	4.1E-04
1225	1225	6.94705	9.50706E-06	6.6E-05	6.05E-04	4.00E-08	2.08E-01	4.71E-02	3.92E-10	1.0E+06	3.9E-04
1226	1226	6.58559	9.50706E-06	6.3E-05	6.05E-04	3.79E-08	2.08E-01	4.71E-02	3.72E-10	1.0E+06	3.7E-04
1227	1227	6.18174	9.50706E-06	5.9E-05	6.05E-04	3.56E-08	2.08E-01	4.71E-02	3.49E-10	1.0E+06	3.5E-04
1228	1228	7.86181	9.50706E-06	7.5E-05	6.05E-04	4.52E-08	2.08E-01	4.71E-02	4.44E-10	1.0E+06	4.4E-04
1229	1229	7.80265	9.50706E-06	7.4E-05	6.05E-04	4.49E-08	2.08E-01	4.71E-02	4.41E-10	1.0E+06	4.4E-04
1230	1230	7.73051	9.50706E-06	7.3E-05	6.05E-04	4.45E-08	2.08E-01	4.71E-02	4.37E-10	1.0E+06	4.4E-04
1231	1231	7.64369	9.50706E-06	7.3E-05	6.05E-04	4.40E-08	2.08E-01	4.71E-02	4.32E-10	1.0E+06	4.3E-04
1232	1232	7.54166	9.50706E-06	7.2E-05	6.05E-04	4.34E-08	2.08E-01	4.71E-02	4.26E-10	1.0E+06	4.3E-04
1233	1233	7.42172	9.50706E-06	7.1E-05	6.05E-04	4.27E-08	2.08E-01	4.71E-02	4.19E-10	1.0E+06	4.2E-04
1234	1234	7.28218	9.50706E-06	6.9E-05	6.05E-04	4.19E-08	2.08E-01	4.71E-02	4.11E-10	1.0E+06	4.1E-04
1235	1235	7.12177	9.50706E-06	6.8E-05	6.05E-04	4.10E-08	2.08E-01	4.71E-02	4.02E-10	1.0E+06	4.0E-04
1236	1236	6.93691	9.50706E-06	6.6E-05	6.05E-04	3.99E-08	2.08E-01	4.71E-02	3.92E-10	1.0E+06	3.9E-04
1237	1237	6.72608	9.50706E-06	6.4E-05	6.05E-04	3.87E-08	2.08E-01	4.71E-02	3.80E-10	1.0E+06	3.8E-04
1238	1238	6.48562	9.50706E-06	6.2E-05	6.05E-04	3.73E-08	2.08E-01	4.71E-02	3.66E-10	1.0E+06	3.7E-04
1239	1239	6.21218	9.50706E-06	5.9E-05	6.05E-04	3.57E-08	2.08E-01	4.71E-02	3.51E-10	1.0E+06	3.5E-04
1240	1240	5.90426	9.50706E-06	5.6E-05	6.05E-04	3.40E-08	2.08E-01	4.71E-02	3.33E-10	1.0E+06	3.3E-04
1241	1241	5.56342	9.50706E-06	5.3E-05	6.05E-04	3.20E-08	2.08E-01	4.71E-02	3.14E-10	1.0E+06	3.1E-04
1242	1242	7.0511	9.50706E-06	6.7E-05	6.05E-04	4.06E-08	2.08E-01	4.71E-02	3.98E-10	1.0E+06	4.0E-04
1243	1243	6.99922	9.50706E-06	6.7E-05	6.05E-04	4.03E-08	2.08E-01	4.71E-02	3.95E-10	1.0E+06	4.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	6.93516	9.50706E-06	6.6E-05	6.05E-04	3.99E-08	2.08E-01	4.71E-02	3.92E-10	1.0E+06	3.9E-04
1245	1245	6.85803	9.50706E-06	6.5E-05	6.05E-04	3.95E-08	2.08E-01	4.71E-02	3.87E-10	1.0E+06	3.9E-04
1246	1246	6.76752	9.50706E-06	6.4E-05	6.05E-04	3.89E-08	2.08E-01	4.71E-02	3.82E-10	1.0E+06	3.8E-04
1247	1247	6.66129	9.50706E-06	6.3E-05	6.05E-04	3.83E-08	2.08E-01	4.71E-02	3.76E-10	1.0E+06	3.8E-04
1248	1248	6.53698	9.50706E-06	6.2E-05	6.05E-04	3.76E-08	2.08E-01	4.71E-02	3.69E-10	1.0E+06	3.7E-04
1249	1249	6.39434	9.50706E-06	6.1E-05	6.05E-04	3.68E-08	2.08E-01	4.71E-02	3.61E-10	1.0E+06	3.6E-04
1250	1250	6.23066	9.50706E-06	5.9E-05	6.05E-04	3.58E-08	2.08E-01	4.71E-02	3.52E-10	1.0E+06	3.5E-04
1251	1251	6.04501	9.50706E-06	5.7E-05	6.05E-04	3.48E-08	2.08E-01	4.71E-02	3.41E-10	1.0E+06	3.4E-04
1252	1252	5.83474	9.50706E-06	5.5E-05	6.05E-04	3.36E-08	2.08E-01	4.71E-02	3.29E-10	1.0E+06	3.3E-04
1253	1253	5.59789	9.50706E-06	5.3E-05	6.05E-04	3.22E-08	2.08E-01	4.71E-02	3.16E-10	1.0E+06	3.2E-04
1254	1254	5.33395	9.50706E-06	5.1E-05	6.05E-04	3.07E-08	2.08E-01	4.71E-02	3.01E-10	1.0E+06	3.0E-04
1255	1255	5.04401	9.50706E-06	4.8E-05	6.05E-04	2.90E-08	2.08E-01	4.71E-02	2.85E-10	1.0E+06	2.8E-04
1256	1256	6.36352	9.50706E-06	6.0E-05	6.05E-04	3.66E-08	2.08E-01	4.71E-02	3.59E-10	1.0E+06	3.6E-04
1257	1257	6.31806	9.50706E-06	6.0E-05	6.05E-04	3.63E-08	2.08E-01	4.71E-02	3.57E-10	1.0E+06	3.6E-04
1258	1258	6.26066	9.50706E-06	6.0E-05	6.05E-04	3.60E-08	2.08E-01	4.71E-02	3.54E-10	1.0E+06	3.5E-04
1259	1259	6.1919	9.50706E-06	5.9E-05	6.05E-04	3.56E-08	2.08E-01	4.71E-02	3.50E-10	1.0E+06	3.5E-04
1260	1260	6.11175	9.50706E-06	5.8E-05	6.05E-04	3.52E-08	2.08E-01	4.71E-02	3.45E-10	1.0E+06	3.5E-04
1261	1261	6.0174	9.50706E-06	5.7E-05	6.05E-04	3.46E-08	2.08E-01	4.71E-02	3.40E-10	1.0E+06	3.4E-04
1262	1262	5.90659	9.50706E-06	5.6E-05	6.05E-04	3.40E-08	2.08E-01	4.71E-02	3.34E-10	1.0E+06	3.3E-04
1263	1263	5.7794	9.50706E-06	5.5E-05	6.05E-04	3.32E-08	2.08E-01	4.71E-02	3.26E-10	1.0E+06	3.3E-04
1264	1264	5.634	9.50706E-06	5.4E-05	6.05E-04	3.24E-08	2.08E-01	4.71E-02	3.18E-10	1.0E+06	3.2E-04
1265	1265	5.46966	9.50706E-06	5.2E-05	6.05E-04	3.15E-08	2.08E-01	4.71E-02	3.09E-10	1.0E+06	3.1E-04
1266	1266	5.28466	9.50706E-06	5.0E-05	6.05E-04	3.04E-08	2.08E-01	4.71E-02	2.98E-10	1.0E+06	3.0E-04
1267	1267	5.07777	9.50706E-06	4.8E-05	6.05E-04	2.92E-08	2.08E-01	4.71E-02	2.87E-10	1.0E+06	2.9E-04
1268	1268	4.84885	9.50706E-06	4.6E-05	6.05E-04	2.79E-08	2.08E-01	4.71E-02	2.74E-10	1.0E+06	2.7E-04
1269	1269	4.59901	9.50706E-06	4.4E-05	6.05E-04	2.65E-08	2.08E-01	4.71E-02	2.60E-10	1.0E+06	2.6E-04
1270	1270	5.77486	9.50706E-06	5.5E-05	6.05E-04	3.32E-08	2.08E-01	4.71E-02	3.26E-10	1.0E+06	3.3E-04
1271	1271	5.73465	9.50706E-06	5.5E-05	6.05E-04	3.30E-08	2.08E-01	4.71E-02	3.24E-10	1.0E+06	3.2E-04
1272	1272	5.68327	9.50706E-06	5.4E-05	6.05E-04	3.27E-08	2.08E-01	4.71E-02	3.21E-10	1.0E+06	3.2E-04
1273	1273	5.62099	9.50706E-06	5.3E-05	6.05E-04	3.23E-08	2.08E-01	4.71E-02	3.17E-10	1.0E+06	3.2E-04
1274	1274	5.55021	9.50706E-06	5.3E-05	6.05E-04	3.19E-08	2.08E-01	4.71E-02	3.13E-10	1.0E+06	3.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	5.4659	9.50706E-06	5.2E-05	6.05E-04	3.14E-08	2.08E-01	4.71E-02	3.09E-10	1.0E+06	3.1E-04
1276	1276	5.36757	9.50706E-06	5.1E-05	6.05E-04	3.09E-08	2.08E-01	4.71E-02	3.03E-10	1.0E+06	3.0E-04
1277	1277	5.25403	9.50706E-06	5.0E-05	6.05E-04	3.02E-08	2.08E-01	4.71E-02	2.97E-10	1.0E+06	3.0E-04
1278	1278	5.12449	9.50706E-06	4.9E-05	6.05E-04	2.95E-08	2.08E-01	4.71E-02	2.89E-10	1.0E+06	2.9E-04
1279	1279	4.97831	9.50706E-06	4.7E-05	6.05E-04	2.86E-08	2.08E-01	4.71E-02	2.81E-10	1.0E+06	2.8E-04
1280	1280	4.81462	9.50706E-06	4.6E-05	6.05E-04	2.77E-08	2.08E-01	4.71E-02	2.72E-10	1.0E+06	2.7E-04
1281	1281	4.63252	9.50706E-06	4.4E-05	6.05E-04	2.66E-08	2.08E-01	4.71E-02	2.62E-10	1.0E+06	2.6E-04
1282	1282	4.43189	9.50706E-06	4.2E-05	6.05E-04	2.55E-08	2.08E-01	4.71E-02	2.50E-10	1.0E+06	2.5E-04
1283	1283	4.21394	9.50706E-06	4.0E-05	6.05E-04	2.42E-08	2.08E-01	4.71E-02	2.38E-10	1.0E+06	2.4E-04
1284	1284	5.26606	9.50706E-06	5.0E-05	6.05E-04	3.03E-08	2.08E-01	4.71E-02	2.97E-10	1.0E+06	3.0E-04
1285	1285	5.23057	9.50706E-06	5.0E-05	6.05E-04	3.01E-08	2.08E-01	4.71E-02	2.95E-10	1.0E+06	3.0E-04
1286	1286	5.18451	9.50706E-06	4.9E-05	6.05E-04	2.98E-08	2.08E-01	4.71E-02	2.93E-10	1.0E+06	2.9E-04
1287	1287	5.12838	9.50706E-06	4.9E-05	6.05E-04	2.95E-08	2.08E-01	4.71E-02	2.90E-10	1.0E+06	2.9E-04
1288	1288	5.06491	9.50706E-06	4.8E-05	6.05E-04	2.91E-08	2.08E-01	4.71E-02	2.86E-10	1.0E+06	2.9E-04
1289	1289	4.98985	9.50706E-06	4.7E-05	6.05E-04	2.87E-08	2.08E-01	4.71E-02	2.82E-10	1.0E+06	2.8E-04
1290	1290	4.90245	9.50706E-06	4.7E-05	6.05E-04	2.82E-08	2.08E-01	4.71E-02	2.77E-10	1.0E+06	2.8E-04
1291	1291	4.80095	9.50706E-06	4.6E-05	6.05E-04	2.76E-08	2.08E-01	4.71E-02	2.71E-10	1.0E+06	2.7E-04
1292	1292	4.68529	9.50706E-06	4.5E-05	6.05E-04	2.70E-08	2.08E-01	4.71E-02	2.65E-10	1.0E+06	2.6E-04
1293	1293	4.55491	9.50706E-06	4.3E-05	6.05E-04	2.62E-08	2.08E-01	4.71E-02	2.57E-10	1.0E+06	2.6E-04
1294	1294	4.40947	9.50706E-06	4.2E-05	6.05E-04	2.54E-08	2.08E-01	4.71E-02	2.49E-10	1.0E+06	2.5E-04
1295	1295	4.24835	9.50706E-06	4.0E-05	6.05E-04	2.44E-08	2.08E-01	4.71E-02	2.40E-10	1.0E+06	2.4E-04
1296	1296	4.07144	9.50706E-06	3.9E-05	6.05E-04	2.34E-08	2.08E-01	4.71E-02	2.30E-10	1.0E+06	2.3E-04
1297	1297	3.87989	9.50706E-06	3.7E-05	6.05E-04	2.23E-08	2.08E-01	4.71E-02	2.19E-10	1.0E+06	2.2E-04
1298	1298	4.82293	9.50706E-06	4.6E-05	6.05E-04	2.77E-08	2.08E-01	4.71E-02	2.72E-10	1.0E+06	2.7E-04
1299	1299	4.79171	9.50706E-06	4.6E-05	6.05E-04	2.76E-08	2.08E-01	4.71E-02	2.71E-10	1.0E+06	2.7E-04
1300	1300	4.75041	9.50706E-06	4.5E-05	6.05E-04	2.73E-08	2.08E-01	4.71E-02	2.68E-10	1.0E+06	2.7E-04
1301	1301	4.69997	9.50706E-06	4.5E-05	6.05E-04	2.70E-08	2.08E-01	4.71E-02	2.65E-10	1.0E+06	2.7E-04
1302	1302	4.643	9.50706E-06	4.4E-05	6.05E-04	2.67E-08	2.08E-01	4.71E-02	2.62E-10	1.0E+06	2.6E-04
1303	1303	4.57604	9.50706E-06	4.4E-05	6.05E-04	2.63E-08	2.08E-01	4.71E-02	2.58E-10	1.0E+06	2.6E-04
1304	1304	4.49771	9.50706E-06	4.3E-05	6.05E-04	2.59E-08	2.08E-01	4.71E-02	2.54E-10	1.0E+06	2.5E-04
1305	1305	4.40706	9.50706E-06	4.2E-05	6.05E-04	2.54E-08	2.08E-01	4.71E-02	2.49E-10	1.0E+06	2.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	4.43458	9.50706E-06	4.2E-05	6.05E-04	2.55E-08	2.08E-01	4.71E-02	2.50E-10	1.0E+06	2.5E-04
1307	1307	4.40793	9.50706E-06	4.2E-05	6.05E-04	2.54E-08	2.08E-01	4.71E-02	2.49E-10	1.0E+06	2.5E-04
1308	1308	4.37204	9.50706E-06	4.2E-05	6.05E-04	2.51E-08	2.08E-01	4.71E-02	2.47E-10	1.0E+06	2.5E-04
1309	1309	4.32762	9.50706E-06	4.1E-05	6.05E-04	2.49E-08	2.08E-01	4.71E-02	2.44E-10	1.0E+06	2.4E-04
1310	1310	4.27632	9.50706E-06	4.1E-05	6.05E-04	2.46E-08	2.08E-01	4.71E-02	2.41E-10	1.0E+06	2.4E-04
1311	1311	4.21519	9.50706E-06	4.0E-05	6.05E-04	2.42E-08	2.08E-01	4.71E-02	2.38E-10	1.0E+06	2.4E-04
1312	1312	4.1442	9.50706E-06	3.9E-05	6.05E-04	2.38E-08	2.08E-01	4.71E-02	2.34E-10	1.0E+06	2.3E-04
1313	1313	4.06214	9.50706E-06	3.9E-05	6.05E-04	2.34E-08	2.08E-01	4.71E-02	2.29E-10	1.0E+06	2.3E-04
1314	1314	4.09175	9.50706E-06	3.9E-05	6.05E-04	2.35E-08	2.08E-01	4.71E-02	2.31E-10	1.0E+06	2.3E-04
1315	1315	4.069	9.50706E-06	3.9E-05	6.05E-04	2.34E-08	2.08E-01	4.71E-02	2.30E-10	1.0E+06	2.3E-04
1316	1316	4.03796	9.50706E-06	3.8E-05	6.05E-04	2.32E-08	2.08E-01	4.71E-02	2.28E-10	1.0E+06	2.3E-04
1317	1317	3.99885	9.50706E-06	3.8E-05	6.05E-04	2.30E-08	2.08E-01	4.71E-02	2.26E-10	1.0E+06	2.3E-04
1318	1318	3.95222	9.50706E-06	3.8E-05	6.05E-04	2.27E-08	2.08E-01	4.71E-02	2.23E-10	1.0E+06	2.2E-04
1319	1319	3.89681	9.50706E-06	3.7E-05	6.05E-04	2.24E-08	2.08E-01	4.71E-02	2.20E-10	1.0E+06	2.2E-04
1320	1320	3.83218	9.50706E-06	3.6E-05	6.05E-04	2.20E-08	2.08E-01	4.71E-02	2.16E-10	1.0E+06	2.2E-04
1321	1321	3.75801	9.50706E-06	3.6E-05	6.05E-04	2.16E-08	2.08E-01	4.71E-02	2.12E-10	1.0E+06	2.1E-04
1322	1322	3.78741	9.50706E-06	3.6E-05	6.05E-04	2.18E-08	2.08E-01	4.71E-02	2.14E-10	1.0E+06	2.1E-04
1323	1323	3.76812	9.50706E-06	3.6E-05	6.05E-04	2.17E-08	2.08E-01	4.71E-02	2.13E-10	1.0E+06	2.1E-04
1324	1324	3.74109	9.50706E-06	3.6E-05	6.05E-04	2.15E-08	2.08E-01	4.71E-02	2.11E-10	1.0E+06	2.1E-04
1325	1325	3.70643	9.50706E-06	3.5E-05	6.05E-04	2.13E-08	2.08E-01	4.71E-02	2.09E-10	1.0E+06	2.1E-04
1326	1326	3.66421	9.50706E-06	3.5E-05	6.05E-04	2.11E-08	2.08E-01	4.71E-02	2.07E-10	1.0E+06	2.1E-04
1327	1327	3.61399	9.50706E-06	3.4E-05	6.05E-04	2.08E-08	2.08E-01	4.71E-02	2.04E-10	1.0E+06	2.0E-04
1328	1328	3.55532	9.50706E-06	3.4E-05	6.05E-04	2.05E-08	2.08E-01	4.71E-02	2.01E-10	1.0E+06	2.0E-04
1329	1329	3.48823	9.50706E-06	3.3E-05	6.05E-04	2.01E-08	2.08E-01	4.71E-02	1.97E-10	1.0E+06	2.0E-04
1330	1330	3.51532	9.50706E-06	3.3E-05	6.05E-04	2.02E-08	2.08E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
1331	1331	3.49881	9.50706E-06	3.3E-05	6.05E-04	2.01E-08	2.08E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
1332	1332	3.47497	9.50706E-06	3.3E-05	6.05E-04	2.00E-08	2.08E-01	4.71E-02	1.96E-10	1.0E+06	2.0E-04
1333	1333	3.444	9.50706E-06	3.3E-05	6.05E-04	1.98E-08	2.08E-01	4.71E-02	1.94E-10	1.0E+06	1.9E-04
1334	1334	3.40624	9.50706E-06	3.2E-05	6.05E-04	1.96E-08	2.08E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
1335	1335	3.36112	9.50706E-06	3.2E-05	6.05E-04	1.93E-08	2.08E-01	4.71E-02	1.90E-10	1.0E+06	1.9E-04
1336	1336	3.30821	9.50706E-06	3.1E-05	6.05E-04	1.90E-08	2.08E-01	4.71E-02	1.87E-10	1.0E+06	1.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	3.24761	9.50706E-06	3.1E-05	6.05E-04	1.87E-08	2.08E-01	4.71E-02	1.83E-10	1.0E+06	1.8E-04
1338	1338	1.88451	9.50706E-06	1.8E-05	6.05E-04	1.08E-08	2.08E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
1339	1339	1.99101	9.50706E-06	1.9E-05	6.05E-04	1.15E-08	2.08E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
1340	1340	2.10005	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
1341	1341	2.22536	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
1342	1342	2.3468	9.50706E-06	2.2E-05	6.05E-04	1.35E-08	2.08E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1343	1343	2.46031	9.50706E-06	2.3E-05	6.05E-04	1.42E-08	2.08E-01	4.71E-02	1.39E-10	1.0E+06	1.4E-04
1344	1344	2.58259	9.50706E-06	2.5E-05	6.05E-04	1.49E-08	2.08E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
1345	1345	2.69261	9.50706E-06	2.6E-05	6.05E-04	1.55E-08	2.08E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
1346	1346	2.79053	9.50706E-06	2.7E-05	6.05E-04	1.61E-08	2.08E-01	4.71E-02	1.58E-10	1.0E+06	1.6E-04
1347	1347	2.87182	9.50706E-06	2.7E-05	6.05E-04	1.65E-08	2.08E-01	4.71E-02	1.62E-10	1.0E+06	1.6E-04
1348	1348	2.94922	9.50706E-06	2.8E-05	6.05E-04	1.70E-08	2.08E-01	4.71E-02	1.67E-10	1.0E+06	1.7E-04
1349	1349	3.02399	9.50706E-06	2.9E-05	6.05E-04	1.74E-08	2.08E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
1350	1350	3.09002	9.50706E-06	2.9E-05	6.05E-04	1.78E-08	2.08E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
1351	1351	3.14559	9.50706E-06	3.0E-05	6.05E-04	1.81E-08	2.08E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
1352	1352	3.19081	9.50706E-06	3.0E-05	6.05E-04	1.84E-08	2.08E-01	4.71E-02	1.80E-10	1.0E+06	1.8E-04
1353	1353	3.22419	9.50706E-06	3.1E-05	6.05E-04	1.85E-08	2.08E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
1354	1354	3.25138	9.50706E-06	3.1E-05	6.05E-04	1.87E-08	2.08E-01	4.71E-02	1.84E-10	1.0E+06	1.8E-04
1355	1355	3.26985	9.50706E-06	3.1E-05	6.05E-04	1.88E-08	2.08E-01	4.71E-02	1.85E-10	1.0E+06	1.8E-04
1356	1356	3.27778	9.50706E-06	3.1E-05	6.05E-04	1.89E-08	2.08E-01	4.71E-02	1.85E-10	1.0E+06	1.9E-04
1357	1357	3.27816	9.50706E-06	3.1E-05	6.05E-04	1.89E-08	2.08E-01	4.71E-02	1.85E-10	1.0E+06	1.9E-04
1358	1358	3.27146	9.50706E-06	3.1E-05	6.05E-04	1.88E-08	2.08E-01	4.71E-02	1.85E-10	1.0E+06	1.8E-04
1359	1359	3.25742	9.50706E-06	3.1E-05	6.05E-04	1.87E-08	2.08E-01	4.71E-02	1.84E-10	1.0E+06	1.8E-04
1360	1360	3.23638	9.50706E-06	3.1E-05	6.05E-04	1.86E-08	2.08E-01	4.71E-02	1.83E-10	1.0E+06	1.8E-04
1361	1361	3.20878	9.50706E-06	3.1E-05	6.05E-04	1.85E-08	2.08E-01	4.71E-02	1.81E-10	1.0E+06	1.8E-04
1362	1362	3.175	9.50706E-06	3.0E-05	6.05E-04	1.83E-08	2.08E-01	4.71E-02	1.79E-10	1.0E+06	1.8E-04
1363	1363	3.13443	9.50706E-06	3.0E-05	6.05E-04	1.80E-08	2.08E-01	4.71E-02	1.77E-10	1.0E+06	1.8E-04
1364	1364	3.08673	9.50706E-06	2.9E-05	6.05E-04	1.78E-08	2.08E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
1365	1365	3.03193	9.50706E-06	2.9E-05	6.05E-04	1.74E-08	2.08E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
1366	1366	1.76764	9.50706E-06	1.7E-05	6.05E-04	1.02E-08	2.08E-01	4.71E-02	9.98E-11	1.0E+06	1.0E-04
1367	1367	1.86176	9.50706E-06	1.8E-05	6.05E-04	1.07E-08	2.08E-01	4.71E-02	1.05E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	1.95738	9.50706E-06	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1369	1369	2.06552	9.50706E-06	2.0E-05	6.05E-04	1.19E-08	2.08E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
1370	1370	2.17702	9.50706E-06	2.1E-05	6.05E-04	1.25E-08	2.08E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
1371	1371	2.28562	9.50706E-06	2.2E-05	6.05E-04	1.31E-08	2.08E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
1372	1372	2.39487	9.50706E-06	2.3E-05	6.05E-04	1.38E-08	2.08E-01	4.71E-02	1.35E-10	1.0E+06	1.4E-04
1373	1373	2.50242	9.50706E-06	2.4E-05	6.05E-04	1.44E-08	2.08E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1374	1374	2.59266	9.50706E-06	2.5E-05	6.05E-04	1.49E-08	2.08E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
1375	1375	2.66514	9.50706E-06	2.5E-05	6.05E-04	1.53E-08	2.08E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
1376	1376	2.73073	9.50706E-06	2.6E-05	6.05E-04	1.57E-08	2.08E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
1377	1377	2.80189	9.50706E-06	2.7E-05	6.05E-04	1.61E-08	2.08E-01	4.71E-02	1.58E-10	1.0E+06	1.6E-04
1378	1378	2.86634	9.50706E-06	2.7E-05	6.05E-04	1.65E-08	2.08E-01	4.71E-02	1.62E-10	1.0E+06	1.6E-04
1379	1379	2.924	9.50706E-06	2.8E-05	6.05E-04	1.68E-08	2.08E-01	4.71E-02	1.65E-10	1.0E+06	1.7E-04
1380	1380	2.96785	9.50706E-06	2.8E-05	6.05E-04	1.71E-08	2.08E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
1381	1381	3.00068	9.50706E-06	2.9E-05	6.05E-04	1.73E-08	2.08E-01	4.71E-02	1.69E-10	1.0E+06	1.7E-04
1382	1382	3.02748	9.50706E-06	2.9E-05	6.05E-04	1.74E-08	2.08E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
1383	1383	3.04616	9.50706E-06	2.9E-05	6.05E-04	1.75E-08	2.08E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
1384	1384	3.05497	9.50706E-06	2.9E-05	6.05E-04	1.76E-08	2.08E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
1385	1385	3.0568	9.50706E-06	2.9E-05	6.05E-04	1.76E-08	2.08E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
1386	1386	3.05198	9.50706E-06	2.9E-05	6.05E-04	1.76E-08	2.08E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
1387	1387	3.04015	9.50706E-06	2.9E-05	6.05E-04	1.75E-08	2.08E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
1388	1388	3.0216	9.50706E-06	2.9E-05	6.05E-04	1.74E-08	2.08E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
1389	1389	2.997	9.50706E-06	2.8E-05	6.05E-04	1.72E-08	2.08E-01	4.71E-02	1.69E-10	1.0E+06	1.7E-04
1390	1390	2.96684	9.50706E-06	2.8E-05	6.05E-04	1.71E-08	2.08E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
1391	1391	2.93034	9.50706E-06	2.8E-05	6.05E-04	1.69E-08	2.08E-01	4.71E-02	1.65E-10	1.0E+06	1.7E-04
1392	1392	2.88732	9.50706E-06	2.7E-05	6.05E-04	1.66E-08	2.08E-01	4.71E-02	1.63E-10	1.0E+06	1.6E-04
1393	1393	2.83772	9.50706E-06	2.7E-05	6.05E-04	1.63E-08	2.08E-01	4.71E-02	1.60E-10	1.0E+06	1.6E-04
1394	1394	1.6497	9.50706E-06	1.6E-05	6.05E-04	9.49E-09	2.08E-01	4.71E-02	9.32E-11	1.0E+06	9.3E-05
1395	1395	1.73456	9.50706E-06	1.6E-05	6.05E-04	9.98E-09	2.08E-01	4.71E-02	9.79E-11	1.0E+06	9.8E-05
1396	1396	1.82629	9.50706E-06	1.7E-05	6.05E-04	1.05E-08	2.08E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
1397	1397	1.91835	9.50706E-06	1.8E-05	6.05E-04	1.10E-08	2.08E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
1398	1398	2.01972	9.50706E-06	1.9E-05	6.05E-04	1.16E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	2.11843	9.50706E-06	2.0E-05	6.05E-04	1.22E-08	2.08E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
1400	1400	2.22264	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
1401	1401	2.32561	9.50706E-06	2.2E-05	6.05E-04	1.34E-08	2.08E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
1402	1402	2.41159	9.50706E-06	2.3E-05	6.05E-04	1.39E-08	2.08E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
1403	1403	2.48267	9.50706E-06	2.4E-05	6.05E-04	1.43E-08	2.08E-01	4.71E-02	1.40E-10	1.0E+06	1.4E-04
1404	1404	2.54398	9.50706E-06	2.4E-05	6.05E-04	1.46E-08	2.08E-01	4.71E-02	1.44E-10	1.0E+06	1.4E-04
1405	1405	2.60992	9.50706E-06	2.5E-05	6.05E-04	1.50E-08	2.08E-01	4.71E-02	1.47E-10	1.0E+06	1.5E-04
1406	1406	2.66989	9.50706E-06	2.5E-05	6.05E-04	1.54E-08	2.08E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1407	1407	2.72164	9.50706E-06	2.6E-05	6.05E-04	1.57E-08	2.08E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
1408	1408	2.76484	9.50706E-06	2.6E-05	6.05E-04	1.59E-08	2.08E-01	4.71E-02	1.56E-10	1.0E+06	1.6E-04
1409	1409	2.80018	9.50706E-06	2.7E-05	6.05E-04	1.61E-08	2.08E-01	4.71E-02	1.58E-10	1.0E+06	1.6E-04
1410	1410	2.82651	9.50706E-06	2.7E-05	6.05E-04	1.63E-08	2.08E-01	4.71E-02	1.60E-10	1.0E+06	1.6E-04
1411	1411	2.84515	9.50706E-06	2.7E-05	6.05E-04	1.64E-08	2.08E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
1412	1412	2.85444	9.50706E-06	2.7E-05	6.05E-04	1.64E-08	2.08E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
1413	1413	2.85719	9.50706E-06	2.7E-05	6.05E-04	1.64E-08	2.08E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
1414	1414	2.85374	9.50706E-06	2.7E-05	6.05E-04	1.64E-08	2.08E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
1415	1415	2.84373	9.50706E-06	2.7E-05	6.05E-04	1.64E-08	2.08E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
1416	1416	2.82733	9.50706E-06	2.7E-05	6.05E-04	1.63E-08	2.08E-01	4.71E-02	1.60E-10	1.0E+06	1.6E-04
1417	1417	2.80519	9.50706E-06	2.7E-05	6.05E-04	1.61E-08	2.08E-01	4.71E-02	1.58E-10	1.0E+06	1.6E-04
1418	1418	2.77849	9.50706E-06	2.6E-05	6.05E-04	1.60E-08	2.08E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
1419	1419	2.74576	9.50706E-06	2.6E-05	6.05E-04	1.58E-08	2.08E-01	4.71E-02	1.55E-10	1.0E+06	1.6E-04
1420	1420	2.70702	9.50706E-06	2.6E-05	6.05E-04	1.56E-08	2.08E-01	4.71E-02	1.53E-10	1.0E+06	1.5E-04
1421	1421	2.66211	9.50706E-06	2.5E-05	6.05E-04	1.53E-08	2.08E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
1422	1422	1.53286	9.50706E-06	1.5E-05	6.05E-04	8.82E-09	2.08E-01	4.71E-02	8.66E-11	1.0E+06	8.7E-05
1423	1423	1.61651	9.50706E-06	1.5E-05	6.05E-04	9.30E-09	2.08E-01	4.71E-02	9.13E-11	1.0E+06	9.1E-05
1424	1424	1.7012	9.50706E-06	1.6E-05	6.05E-04	9.79E-09	2.08E-01	4.71E-02	9.61E-11	1.0E+06	9.6E-05
1425	1425	1.78974	9.50706E-06	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1426	1426	1.87567	9.50706E-06	1.8E-05	6.05E-04	1.08E-08	2.08E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
1427	1427	1.96554	9.50706E-06	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1428	1428	2.07014	9.50706E-06	2.0E-05	6.05E-04	1.19E-08	2.08E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
1429	1429	2.16551	9.50706E-06	2.1E-05	6.05E-04	1.25E-08	2.08E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	2.2517	9.50706E-06	2.1E-05	6.05E-04	1.30E-08	2.08E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
1431	1431	2.31892	9.50706E-06	2.2E-05	6.05E-04	1.33E-08	2.08E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
1432	1432	2.37693	9.50706E-06	2.3E-05	6.05E-04	1.37E-08	2.08E-01	4.71E-02	1.34E-10	1.0E+06	1.3E-04
1433	1433	2.43761	9.50706E-06	2.3E-05	6.05E-04	1.40E-08	2.08E-01	4.71E-02	1.38E-10	1.0E+06	1.4E-04
1434	1434	2.49281	9.50706E-06	2.4E-05	6.05E-04	1.43E-08	2.08E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1435	1435	2.54158	9.50706E-06	2.4E-05	6.05E-04	1.46E-08	2.08E-01	4.71E-02	1.44E-10	1.0E+06	1.4E-04
1436	1436	2.58398	9.50706E-06	2.5E-05	6.05E-04	1.49E-08	2.08E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
1437	1437	2.61884	9.50706E-06	2.5E-05	6.05E-04	1.51E-08	2.08E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
1438	1438	2.64471	9.50706E-06	2.5E-05	6.05E-04	1.52E-08	2.08E-01	4.71E-02	1.49E-10	1.0E+06	1.5E-04
1439	1439	2.66317	9.50706E-06	2.5E-05	6.05E-04	1.53E-08	2.08E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
1440	1440	2.67282	9.50706E-06	2.5E-05	6.05E-04	1.54E-08	2.08E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1441	1441	2.67627	9.50706E-06	2.5E-05	6.05E-04	1.54E-08	2.08E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1442	1442	2.67402	9.50706E-06	2.5E-05	6.05E-04	1.54E-08	2.08E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1443	1443	2.66556	9.50706E-06	2.5E-05	6.05E-04	1.53E-08	2.08E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1444	1444	2.6511	9.50706E-06	2.5E-05	6.05E-04	1.53E-08	2.08E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
1445	1445	2.63128	9.50706E-06	2.5E-05	6.05E-04	1.51E-08	2.08E-01	4.71E-02	1.49E-10	1.0E+06	1.5E-04
1446	1446	2.60752	9.50706E-06	2.5E-05	6.05E-04	1.50E-08	2.08E-01	4.71E-02	1.47E-10	1.0E+06	1.5E-04
1447	1447	2.57827	9.50706E-06	2.5E-05	6.05E-04	1.48E-08	2.08E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
1448	1448	2.54337	9.50706E-06	2.4E-05	6.05E-04	1.46E-08	2.08E-01	4.71E-02	1.44E-10	1.0E+06	1.4E-04
1449	1449	2.50272	9.50706E-06	2.4E-05	6.05E-04	1.44E-08	2.08E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1450	1450	1.43566	9.50706E-06	1.4E-05	6.05E-04	8.26E-09	2.08E-01	4.71E-02	8.11E-11	1.0E+06	8.1E-05
1451	1451	1.5079	9.50706E-06	1.4E-05	6.05E-04	8.67E-09	2.08E-01	4.71E-02	8.51E-11	1.0E+06	8.5E-05
1452	1452	1.58126	9.50706E-06	1.5E-05	6.05E-04	9.10E-09	2.08E-01	4.71E-02	8.93E-11	1.0E+06	8.9E-05
1453	1453	1.66757	9.50706E-06	1.6E-05	6.05E-04	9.59E-09	2.08E-01	4.71E-02	9.42E-11	1.0E+06	9.4E-05
1454	1454	1.74997	9.50706E-06	1.7E-05	6.05E-04	1.01E-08	2.08E-01	4.71E-02	9.88E-11	1.0E+06	9.9E-05
1455	1455	1.82597	9.50706E-06	1.7E-05	6.05E-04	1.05E-08	2.08E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
1456	1456	1.92773	9.50706E-06	1.8E-05	6.05E-04	1.11E-08	2.08E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
1457	1457	2.02448	9.50706E-06	1.9E-05	6.05E-04	1.16E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
1458	1458	2.10742	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
1459	1459	2.16724	9.50706E-06	2.1E-05	6.05E-04	1.25E-08	2.08E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
1460	1460	2.22592	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	2.28176	9.50706E-06	2.2E-05	6.05E-04	1.31E-08	2.08E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
1462	1462	2.32932	9.50706E-06	2.2E-05	6.05E-04	1.34E-08	2.08E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
1463	1463	2.37513	9.50706E-06	2.3E-05	6.05E-04	1.37E-08	2.08E-01	4.71E-02	1.34E-10	1.0E+06	1.3E-04
1464	1464	2.42004	9.50706E-06	2.3E-05	6.05E-04	1.39E-08	2.08E-01	4.71E-02	1.37E-10	1.0E+06	1.4E-04
1465	1465	2.45442	9.50706E-06	2.3E-05	6.05E-04	1.41E-08	2.08E-01	4.71E-02	1.39E-10	1.0E+06	1.4E-04
1466	1466	2.47972	9.50706E-06	2.4E-05	6.05E-04	1.43E-08	2.08E-01	4.71E-02	1.40E-10	1.0E+06	1.4E-04
1467	1467	2.49779	9.50706E-06	2.4E-05	6.05E-04	1.44E-08	2.08E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1468	1468	2.50768	9.50706E-06	2.4E-05	6.05E-04	1.44E-08	2.08E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1469	1469	2.51182	9.50706E-06	2.4E-05	6.05E-04	1.44E-08	2.08E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1470	1470	2.51055	9.50706E-06	2.4E-05	6.05E-04	1.44E-08	2.08E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1471	1471	2.50346	9.50706E-06	2.4E-05	6.05E-04	1.44E-08	2.08E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1472	1472	2.4907	9.50706E-06	2.4E-05	6.05E-04	1.43E-08	2.08E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1473	1473	2.47293	9.50706E-06	2.4E-05	6.05E-04	1.42E-08	2.08E-01	4.71E-02	1.40E-10	1.0E+06	1.4E-04
1474	1474	2.45188	9.50706E-06	2.3E-05	6.05E-04	1.41E-08	2.08E-01	4.71E-02	1.38E-10	1.0E+06	1.4E-04
1475	1475	2.42576	9.50706E-06	2.3E-05	6.05E-04	1.40E-08	2.08E-01	4.71E-02	1.37E-10	1.0E+06	1.4E-04
1476	1476	2.39433	9.50706E-06	2.3E-05	6.05E-04	1.38E-08	2.08E-01	4.71E-02	1.35E-10	1.0E+06	1.4E-04
1477	1477	2.35752	9.50706E-06	2.2E-05	6.05E-04	1.36E-08	2.08E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1478	1478	1.34548	9.50706E-06	1.3E-05	6.05E-04	7.74E-09	2.08E-01	4.71E-02	7.60E-11	1.0E+06	7.6E-05
1479	1479	1.4134	9.50706E-06	1.3E-05	6.05E-04	8.13E-09	2.08E-01	4.71E-02	7.98E-11	1.0E+06	8.0E-05
1480	1480	1.48276	9.50706E-06	1.4E-05	6.05E-04	8.53E-09	2.08E-01	4.71E-02	8.37E-11	1.0E+06	8.4E-05
1481	1481	1.55451	9.50706E-06	1.5E-05	6.05E-04	8.94E-09	2.08E-01	4.71E-02	8.78E-11	1.0E+06	8.8E-05
1482	1482	1.63712	9.50706E-06	1.6E-05	6.05E-04	9.42E-09	2.08E-01	4.71E-02	9.24E-11	1.0E+06	9.2E-05
1483	1483	1.71368	9.50706E-06	1.6E-05	6.05E-04	9.86E-09	2.08E-01	4.71E-02	9.68E-11	1.0E+06	9.7E-05
1484	1484	1.80867	9.50706E-06	1.7E-05	6.05E-04	1.04E-08	2.08E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
1485	1485	1.89889	9.50706E-06	1.8E-05	6.05E-04	1.09E-08	2.08E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
1486	1486	1.9736	9.50706E-06	1.9E-05	6.05E-04	1.14E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1487	1487	2.03318	9.50706E-06	1.9E-05	6.05E-04	1.17E-08	2.08E-01	4.71E-02	1.15E-10	1.0E+06	1.1E-04
1488	1488	2.08861	9.50706E-06	2.0E-05	6.05E-04	1.20E-08	2.08E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
1489	1489	2.14132	9.50706E-06	2.0E-05	6.05E-04	1.23E-08	2.08E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
1490	1490	2.18645	9.50706E-06	2.1E-05	6.05E-04	1.26E-08	2.08E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
1491	1491	2.22991	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	2.27174	9.50706E-06	2.2E-05	6.05E-04	1.31E-08	2.08E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
1493	1493	2.30403	9.50706E-06	2.2E-05	6.05E-04	1.33E-08	2.08E-01	4.71E-02	1.30E-10	1.0E+06	1.3E-04
1494	1494	2.32842	9.50706E-06	2.2E-05	6.05E-04	1.34E-08	2.08E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
1495	1495	2.34402	9.50706E-06	2.2E-05	6.05E-04	1.35E-08	2.08E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
1496	1496	2.35661	9.50706E-06	2.2E-05	6.05E-04	1.36E-08	2.08E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1497	1497	2.36148	9.50706E-06	2.2E-05	6.05E-04	1.36E-08	2.08E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1498	1498	2.36138	9.50706E-06	2.2E-05	6.05E-04	1.36E-08	2.08E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1499	1499	2.35582	9.50706E-06	2.2E-05	6.05E-04	1.36E-08	2.08E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1500	1500	2.345	9.50706E-06	2.2E-05	6.05E-04	1.35E-08	2.08E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
1501	1501	2.3295	9.50706E-06	2.2E-05	6.05E-04	1.34E-08	2.08E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
1502	1502	2.31057	9.50706E-06	2.2E-05	6.05E-04	1.33E-08	2.08E-01	4.71E-02	1.30E-10	1.0E+06	1.3E-04
1503	1503	2.2869	9.50706E-06	2.2E-05	6.05E-04	1.32E-08	2.08E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
1504	1504	2.25834	9.50706E-06	2.1E-05	6.05E-04	1.30E-08	2.08E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
1505	1505	2.22486	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
1506	1506	1.26191	9.50706E-06	1.2E-05	6.05E-04	7.26E-09	2.08E-01	4.71E-02	7.13E-11	1.0E+06	7.1E-05
1507	1507	1.32693	9.50706E-06	1.3E-05	6.05E-04	7.63E-09	2.08E-01	4.71E-02	7.49E-11	1.0E+06	7.5E-05
1508	1508	1.39339	9.50706E-06	1.3E-05	6.05E-04	8.02E-09	2.08E-01	4.71E-02	7.87E-11	1.0E+06	7.9E-05
1509	1509	1.46224	9.50706E-06	1.4E-05	6.05E-04	8.41E-09	2.08E-01	4.71E-02	8.26E-11	1.0E+06	8.3E-05
1510	1510	1.54225	9.50706E-06	1.5E-05	6.05E-04	8.87E-09	2.08E-01	4.71E-02	8.71E-11	1.0E+06	8.7E-05
1511	1511	1.61562	9.50706E-06	1.5E-05	6.05E-04	9.29E-09	2.08E-01	4.71E-02	9.12E-11	1.0E+06	9.1E-05
1512	1512	1.70308	9.50706E-06	1.6E-05	6.05E-04	9.80E-09	2.08E-01	4.71E-02	9.62E-11	1.0E+06	9.6E-05
1513	1513	1.78242	9.50706E-06	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1514	1514	1.85526	9.50706E-06	1.8E-05	6.05E-04	1.07E-08	2.08E-01	4.71E-02	1.05E-10	1.0E+06	1.0E-04
1515	1515	1.91144	9.50706E-06	1.8E-05	6.05E-04	1.10E-08	2.08E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
1516	1516	1.96353	9.50706E-06	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1517	1517	2.0138	9.50706E-06	1.9E-05	6.05E-04	1.16E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
1518	1518	2.06013	9.50706E-06	2.0E-05	6.05E-04	1.19E-08	2.08E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
1519	1519	2.10121	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
1520	1520	2.13663	9.50706E-06	2.0E-05	6.05E-04	1.23E-08	2.08E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
1521	1521	2.16657	9.50706E-06	2.1E-05	6.05E-04	1.25E-08	2.08E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
1522	1522	2.19014	9.50706E-06	2.1E-05	6.05E-04	1.26E-08	2.08E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	2.20551	9.50706E-06	2.1E-05	6.05E-04	1.27E-08	2.08E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
1524	1524	2.21837	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.25E-10	1.0E+06	1.3E-04
1525	1525	2.22397	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
1526	1526	2.22485	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
1527	1527	2.22073	9.50706E-06	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.25E-10	1.0E+06	1.3E-04
1528	1528	2.21168	9.50706E-06	2.1E-05	6.05E-04	1.27E-08	2.08E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
1529	1529	2.19822	9.50706E-06	2.1E-05	6.05E-04	1.26E-08	2.08E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
1530	1530	2.1812	9.50706E-06	2.1E-05	6.05E-04	1.25E-08	2.08E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
1531	1531	2.15972	9.50706E-06	2.1E-05	6.05E-04	1.24E-08	2.08E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
1532	1532	2.13375	9.50706E-06	2.0E-05	6.05E-04	1.23E-08	2.08E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
1533	1533	2.10327	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
1534	1534	1.18493	9.50706E-06	1.1E-05	6.05E-04	6.82E-09	2.08E-01	4.71E-02	6.69E-11	1.0E+06	6.7E-05
1535	1535	1.24738	9.50706E-06	1.2E-05	6.05E-04	7.18E-09	2.08E-01	4.71E-02	7.04E-11	1.0E+06	7.0E-05
1536	1536	1.31129	9.50706E-06	1.2E-05	6.05E-04	7.54E-09	2.08E-01	4.71E-02	7.40E-11	1.0E+06	7.4E-05
1537	1537	1.37783	9.50706E-06	1.3E-05	6.05E-04	7.93E-09	2.08E-01	4.71E-02	7.78E-11	1.0E+06	7.8E-05
1538	1538	1.45091	9.50706E-06	1.4E-05	6.05E-04	8.35E-09	2.08E-01	4.71E-02	8.19E-11	1.0E+06	8.2E-05
1539	1539	1.52623	9.50706E-06	1.5E-05	6.05E-04	8.78E-09	2.08E-01	4.71E-02	8.62E-11	1.0E+06	8.6E-05
1540	1540	1.60273	9.50706E-06	1.5E-05	6.05E-04	9.22E-09	2.08E-01	4.71E-02	9.05E-11	1.0E+06	9.0E-05
1541	1541	1.67954	9.50706E-06	1.6E-05	6.05E-04	9.66E-09	2.08E-01	4.71E-02	9.48E-11	1.0E+06	9.5E-05
1542	1542	1.74752	9.50706E-06	1.7E-05	6.05E-04	1.01E-08	2.08E-01	4.71E-02	9.87E-11	1.0E+06	9.9E-05
1543	1543	1.80023	9.50706E-06	1.7E-05	6.05E-04	1.04E-08	2.08E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
1544	1544	1.84941	9.50706E-06	1.8E-05	6.05E-04	1.06E-08	2.08E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
1545	1545	1.8974	9.50706E-06	1.8E-05	6.05E-04	1.09E-08	2.08E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
1546	1546	1.94169	9.50706E-06	1.8E-05	6.05E-04	1.12E-08	2.08E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1547	1547	1.9808	9.50706E-06	1.9E-05	6.05E-04	1.14E-08	2.08E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
1548	1548	2.0132	9.50706E-06	1.9E-05	6.05E-04	1.16E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
1549	1549	2.04098	9.50706E-06	1.9E-05	6.05E-04	1.17E-08	2.08E-01	4.71E-02	1.15E-10	1.0E+06	1.2E-04
1550	1550	2.0611	9.50706E-06	2.0E-05	6.05E-04	1.19E-08	2.08E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
1551	1551	2.0787	9.50706E-06	2.0E-05	6.05E-04	1.20E-08	2.08E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
1552	1552	2.08937	9.50706E-06	2.0E-05	6.05E-04	1.20E-08	2.08E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
1553	1553	2.0979	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	2.09968	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
1555	1555	2.09676	9.50706E-06	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
1556	1556	2.08926	9.50706E-06	2.0E-05	6.05E-04	1.20E-08	2.08E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
1557	1557	2.07766	9.50706E-06	2.0E-05	6.05E-04	1.20E-08	2.08E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
1558	1558	2.06235	9.50706E-06	2.0E-05	6.05E-04	1.19E-08	2.08E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
1559	1559	2.04288	9.50706E-06	1.9E-05	6.05E-04	1.18E-08	2.08E-01	4.71E-02	1.15E-10	1.0E+06	1.2E-04
1560	1560	2.01926	9.50706E-06	1.9E-05	6.05E-04	1.16E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
1561	1561	1.9915	9.50706E-06	1.9E-05	6.05E-04	1.15E-08	2.08E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
1562	1562	1.11834	9.50706E-06	1.1E-05	6.05E-04	6.43E-09	2.08E-01	4.71E-02	6.31E-11	1.0E+06	6.3E-05
1563	1563	1.17539	9.50706E-06	1.1E-05	6.05E-04	6.76E-09	2.08E-01	4.71E-02	6.64E-11	1.0E+06	6.6E-05
1564	1564	1.23375	9.50706E-06	1.2E-05	6.05E-04	7.10E-09	2.08E-01	4.71E-02	6.97E-11	1.0E+06	7.0E-05
1565	1565	1.29548	9.50706E-06	1.2E-05	6.05E-04	7.45E-09	2.08E-01	4.71E-02	7.32E-11	1.0E+06	7.3E-05
1566	1566	1.36089	9.50706E-06	1.3E-05	6.05E-04	7.83E-09	2.08E-01	4.71E-02	7.68E-11	1.0E+06	7.7E-05
1567	1567	1.43376	9.50706E-06	1.4E-05	6.05E-04	8.25E-09	2.08E-01	4.71E-02	8.10E-11	1.0E+06	8.1E-05
1568	1568	1.50479	9.50706E-06	1.4E-05	6.05E-04	8.66E-09	2.08E-01	4.71E-02	8.50E-11	1.0E+06	8.5E-05
1569	1569	1.57978	9.50706E-06	1.5E-05	6.05E-04	9.09E-09	2.08E-01	4.71E-02	8.92E-11	1.0E+06	8.9E-05
1570	1570	1.64084	9.50706E-06	1.6E-05	6.05E-04	9.44E-09	2.08E-01	4.71E-02	9.27E-11	1.0E+06	9.3E-05
1571	1571	1.69204	9.50706E-06	1.6E-05	6.05E-04	9.73E-09	2.08E-01	4.71E-02	9.55E-11	1.0E+06	9.6E-05
1572	1572	1.74004	9.50706E-06	1.7E-05	6.05E-04	1.00E-08	2.08E-01	4.71E-02	9.83E-11	1.0E+06	9.8E-05
1573	1573	1.78654	9.50706E-06	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1574	1574	1.83202	9.50706E-06	1.7E-05	6.05E-04	1.05E-08	2.08E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
1575	1575	1.86962	9.50706E-06	1.8E-05	6.05E-04	1.08E-08	2.08E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
1576	1576	1.89989	9.50706E-06	1.8E-05	6.05E-04	1.09E-08	2.08E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
1577	1577	1.92598	9.50706E-06	1.8E-05	6.05E-04	1.11E-08	2.08E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
1578	1578	1.94527	9.50706E-06	1.8E-05	6.05E-04	1.12E-08	2.08E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1579	1579	1.96245	9.50706E-06	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1580	1580	1.97304	9.50706E-06	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1581	1581	1.98196	9.50706E-06	1.9E-05	6.05E-04	1.14E-08	2.08E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
1582	1582	1.98437	9.50706E-06	1.9E-05	6.05E-04	1.14E-08	2.08E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
1583	1583	1.98247	9.50706E-06	1.9E-05	6.05E-04	1.14E-08	2.08E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
1584	1584	1.97635	9.50706E-06	1.9E-05	6.05E-04	1.14E-08	2.08E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	1.96631	9.50706E-06	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1586	1586	1.95266	9.50706E-06	1.9E-05	6.05E-04	1.12E-08	2.08E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1587	1587	1.93514	9.50706E-06	1.8E-05	6.05E-04	1.11E-08	2.08E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
1588	1588	1.91374	9.50706E-06	1.8E-05	6.05E-04	1.10E-08	2.08E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
1589	1589	1.88848	9.50706E-06	1.8E-05	6.05E-04	1.09E-08	2.08E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
1590	1590	1.05987	9.50706E-06	1.0E-05	6.05E-04	6.10E-09	2.08E-01	4.71E-02	5.98E-11	1.0E+06	6.0E-05
1591	1591	1.10988	9.50706E-06	1.1E-05	6.05E-04	6.38E-09	2.08E-01	4.71E-02	6.27E-11	1.0E+06	6.3E-05
1592	1592	1.16072	9.50706E-06	1.1E-05	6.05E-04	6.68E-09	2.08E-01	4.71E-02	6.55E-11	1.0E+06	6.6E-05
1593	1593	1.21674	9.50706E-06	1.2E-05	6.05E-04	7.00E-09	2.08E-01	4.71E-02	6.87E-11	1.0E+06	6.9E-05
1594	1594	1.27845	9.50706E-06	1.2E-05	6.05E-04	7.35E-09	2.08E-01	4.71E-02	7.22E-11	1.0E+06	7.2E-05
1595	1595	1.34447	9.50706E-06	1.3E-05	6.05E-04	7.73E-09	2.08E-01	4.71E-02	7.59E-11	1.0E+06	7.6E-05
0	0	0	9.50706E-06	0.0E+00	6.05E-04	0.00E+00	2.08E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	4.63589	2.60712E-05	1.2E-04	6.05E-04	7.31E-08	2.08E-01	4.71E-02	7.18E-10	1.0E+06	7.2E-04
1214	1214	1.55657	2.60712E-05	4.1E-05	6.05E-04	2.46E-08	2.08E-01	4.71E-02	2.41E-10	1.0E+06	2.4E-04
1215	1215	1.69617	2.60712E-05	4.4E-05	6.05E-04	2.68E-08	2.08E-01	4.71E-02	2.63E-10	1.0E+06	2.6E-04
1216	1216	1.85935	2.60712E-05	4.8E-05	6.05E-04	2.93E-08	2.08E-01	4.71E-02	2.88E-10	1.0E+06	2.9E-04
1217	1217	2.05314	2.60712E-05	5.4E-05	6.05E-04	3.24E-08	2.08E-01	4.71E-02	3.18E-10	1.0E+06	3.2E-04
1218	1218	2.28733	2.60712E-05	6.0E-05	6.05E-04	3.61E-08	2.08E-01	4.71E-02	3.54E-10	1.0E+06	3.5E-04
1219	1219	2.57406	2.60712E-05	6.7E-05	6.05E-04	4.06E-08	2.08E-01	4.71E-02	3.99E-10	1.0E+06	4.0E-04
1220	1220	2.93233	2.60712E-05	7.6E-05	6.05E-04	4.63E-08	2.08E-01	4.71E-02	4.54E-10	1.0E+06	4.5E-04
1221	1221	3.39064	2.60712E-05	8.8E-05	6.05E-04	5.35E-08	2.08E-01	4.71E-02	5.25E-10	1.0E+06	5.3E-04
1222	1222	3.9957	2.60712E-05	1.0E-04	6.05E-04	6.30E-08	2.08E-01	4.71E-02	6.19E-10	1.0E+06	6.2E-04
1223	1223	4.8171	2.60712E-05	1.3E-04	6.05E-04	7.60E-08	2.08E-01	4.71E-02	7.46E-10	1.0E+06	7.5E-04
1224	1224	5.99627	2.60712E-05	1.6E-04	6.05E-04	9.46E-08	2.08E-01	4.71E-02	9.29E-10	1.0E+06	9.3E-04
1225	1225	7.74568	2.60712E-05	2.0E-04	6.05E-04	1.22E-07	2.08E-01	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1226	1226	3.98462	2.60712E-05	1.0E-04	6.05E-04	6.29E-08	2.08E-01	4.71E-02	6.17E-10	1.0E+06	6.2E-04
1227	1227	4.45522	2.60712E-05	1.2E-04	6.05E-04	7.03E-08	2.08E-01	4.71E-02	6.90E-10	1.0E+06	6.9E-04
1228	1228	1.58476	2.60712E-05	4.1E-05	6.05E-04	2.50E-08	2.08E-01	4.71E-02	2.45E-10	1.0E+06	2.5E-04
1229	1229	1.72629	2.60712E-05	4.5E-05	6.05E-04	2.72E-08	2.08E-01	4.71E-02	2.67E-10	1.0E+06	2.7E-04
1230	1230	1.89148	2.60712E-05	4.9E-05	6.05E-04	2.98E-08	2.08E-01	4.71E-02	2.93E-10	1.0E+06	2.9E-04
1231	1231	2.08734	2.60712E-05	5.4E-05	6.05E-04	3.29E-08	2.08E-01	4.71E-02	3.23E-10	1.0E+06	3.2E-04
1232	1232	2.32547	2.60712E-05	6.1E-05	6.05E-04	3.67E-08	2.08E-01	4.71E-02	3.60E-10	1.0E+06	3.6E-04
1233	1233	2.61678	2.60712E-05	6.8E-05	6.05E-04	4.13E-08	2.08E-01	4.71E-02	4.05E-10	1.0E+06	4.1E-04
1234	1234	2.97924	2.60712E-05	7.8E-05	6.05E-04	4.70E-08	2.08E-01	4.71E-02	4.61E-10	1.0E+06	4.6E-04
1235	1235	3.44153	2.60712E-05	9.0E-05	6.05E-04	5.43E-08	2.08E-01	4.71E-02	5.33E-10	1.0E+06	5.3E-04
1236	1236	4.05012	2.60712E-05	1.1E-04	6.05E-04	6.39E-08	2.08E-01	4.71E-02	6.27E-10	1.0E+06	6.3E-04
1237	1237	4.87021	2.60712E-05	1.3E-04	6.05E-04	7.68E-08	2.08E-01	4.71E-02	7.54E-10	1.0E+06	7.5E-04
1238	1238	6.03457	2.60712E-05	1.6E-04	6.05E-04	9.52E-08	2.08E-01	4.71E-02	9.34E-10	1.0E+06	9.3E-04
1239	1239	7.75593	2.60712E-05	2.0E-04	6.05E-04	1.22E-07	2.08E-01	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1240	1240	3.99935	2.60712E-05	1.0E-04	6.05E-04	6.31E-08	2.08E-01	4.71E-02	6.19E-10	1.0E+06	6.2E-04
1241	1241	4.45869	2.60712E-05	1.2E-04	6.05E-04	7.03E-08	2.08E-01	4.71E-02	6.90E-10	1.0E+06	6.9E-04
1242	1242	1.61088	2.60712E-05	4.2E-05	6.05E-04	2.54E-08	2.08E-01	4.71E-02	2.49E-10	1.0E+06	2.5E-04
1243	1243	1.75415	2.60712E-05	4.6E-05	6.05E-04	2.77E-08	2.08E-01	4.71E-02	2.72E-10	1.0E+06	2.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	1.92114	2.60712E-05	5.0E-05	6.05E-04	3.03E-08	2.08E-01	4.71E-02	2.97E-10	1.0E+06	3.0E-04
1245	1245	2.11863	2.60712E-05	5.5E-05	6.05E-04	3.34E-08	2.08E-01	4.71E-02	3.28E-10	1.0E+06	3.3E-04
1246	1246	2.35994	2.60712E-05	6.2E-05	6.05E-04	3.72E-08	2.08E-01	4.71E-02	3.65E-10	1.0E+06	3.7E-04
1247	1247	2.65519	2.60712E-05	6.9E-05	6.05E-04	4.19E-08	2.08E-01	4.71E-02	4.11E-10	1.0E+06	4.1E-04
1248	1248	3.0214	2.60712E-05	7.9E-05	6.05E-04	4.77E-08	2.08E-01	4.71E-02	4.68E-10	1.0E+06	4.7E-04
1249	1249	3.48674	2.60712E-05	9.1E-05	6.05E-04	5.50E-08	2.08E-01	4.71E-02	5.40E-10	1.0E+06	5.4E-04
1250	1250	4.09782	2.60712E-05	1.1E-04	6.05E-04	6.46E-08	2.08E-01	4.71E-02	6.35E-10	1.0E+06	6.3E-04
1251	1251	4.91335	2.60712E-05	1.3E-04	6.05E-04	7.75E-08	2.08E-01	4.71E-02	7.61E-10	1.0E+06	7.6E-04
1252	1252	6.0638	2.60712E-05	1.6E-04	6.05E-04	9.57E-08	2.08E-01	4.71E-02	9.39E-10	1.0E+06	9.4E-04
1253	1253	5.34535	2.60712E-05	1.4E-04	6.05E-04	8.43E-08	2.08E-01	4.71E-02	8.28E-10	1.0E+06	8.3E-04
1254	1254	6.4689	2.60712E-05	1.7E-04	6.05E-04	1.02E-07	2.08E-01	4.71E-02	1.00E-09	1.0E+06	1.0E-03
1255	1255	7.71827	2.60712E-05	2.0E-04	6.05E-04	1.22E-07	2.08E-01	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1256	1256	1.63451	2.60712E-05	4.3E-05	6.05E-04	2.58E-08	2.08E-01	4.71E-02	2.53E-10	1.0E+06	2.5E-04
1257	1257	1.77935	2.60712E-05	4.6E-05	6.05E-04	2.81E-08	2.08E-01	4.71E-02	2.76E-10	1.0E+06	2.8E-04
1258	1258	1.94794	2.60712E-05	5.1E-05	6.05E-04	3.07E-08	2.08E-01	4.71E-02	3.02E-10	1.0E+06	3.0E-04
1259	1259	2.14657	2.60712E-05	5.6E-05	6.05E-04	3.39E-08	2.08E-01	4.71E-02	3.32E-10	1.0E+06	3.3E-04
1260	1260	2.39053	2.60712E-05	6.2E-05	6.05E-04	3.77E-08	2.08E-01	4.71E-02	3.70E-10	1.0E+06	3.7E-04
1261	1261	2.68805	2.60712E-05	7.0E-05	6.05E-04	4.24E-08	2.08E-01	4.71E-02	4.16E-10	1.0E+06	4.2E-04
1262	1262	3.05687	2.60712E-05	8.0E-05	6.05E-04	4.82E-08	2.08E-01	4.71E-02	4.73E-10	1.0E+06	4.7E-04
1263	1263	3.52477	2.60712E-05	9.2E-05	6.05E-04	5.56E-08	2.08E-01	4.71E-02	5.46E-10	1.0E+06	5.5E-04
1264	1264	4.13812	2.60712E-05	1.1E-04	6.05E-04	6.53E-08	2.08E-01	4.71E-02	6.41E-10	1.0E+06	6.4E-04
1265	1265	4.95122	2.60712E-05	1.3E-04	6.05E-04	7.81E-08	2.08E-01	4.71E-02	7.67E-10	1.0E+06	7.7E-04
1266	1266	6.09598	2.60712E-05	1.6E-04	6.05E-04	9.62E-08	2.08E-01	4.71E-02	9.44E-10	1.0E+06	9.4E-04
1267	1267	5.35421	2.60712E-05	1.4E-04	6.05E-04	8.45E-08	2.08E-01	4.71E-02	8.29E-10	1.0E+06	8.3E-04
1268	1268	6.4513	2.60712E-05	1.7E-04	6.05E-04	1.02E-07	2.08E-01	4.71E-02	9.99E-10	1.0E+06	1.0E-03
1269	1269	5.16514	2.60712E-05	1.3E-04	6.05E-04	8.15E-08	2.08E-01	4.71E-02	8.00E-10	1.0E+06	8.0E-04
1270	1270	1.65777	2.60712E-05	4.3E-05	6.05E-04	2.62E-08	2.08E-01	4.71E-02	2.57E-10	1.0E+06	2.6E-04
1271	1271	1.8034	2.60712E-05	4.7E-05	6.05E-04	2.84E-08	2.08E-01	4.71E-02	2.79E-10	1.0E+06	2.8E-04
1272	1272	1.97155	2.60712E-05	5.1E-05	6.05E-04	3.11E-08	2.08E-01	4.71E-02	3.05E-10	1.0E+06	3.1E-04
1273	1273	2.17068	2.60712E-05	5.7E-05	6.05E-04	3.42E-08	2.08E-01	4.71E-02	3.36E-10	1.0E+06	3.4E-04
1274	1274	2.415	2.60712E-05	6.3E-05	6.05E-04	3.81E-08	2.08E-01	4.71E-02	3.74E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	2.71302	2.60712E-05	7.1E-05	6.05E-04	4.28E-08	2.08E-01	4.71E-02	4.20E-10	1.0E+06	4.2E-04
1276	1276	3.08317	2.60712E-05	8.0E-05	6.05E-04	4.86E-08	2.08E-01	4.71E-02	4.77E-10	1.0E+06	4.8E-04
1277	1277	3.55407	2.60712E-05	9.3E-05	6.05E-04	5.61E-08	2.08E-01	4.71E-02	5.50E-10	1.0E+06	5.5E-04
1278	1278	4.17173	2.60712E-05	1.1E-04	6.05E-04	6.58E-08	2.08E-01	4.71E-02	6.46E-10	1.0E+06	6.5E-04
1279	1279	4.98685	2.60712E-05	1.3E-04	6.05E-04	7.87E-08	2.08E-01	4.71E-02	7.72E-10	1.0E+06	7.7E-04
1280	1280	6.1339	2.60712E-05	1.6E-04	6.05E-04	9.68E-08	2.08E-01	4.71E-02	9.50E-10	1.0E+06	9.5E-04
1281	1281	7.83023	2.60712E-05	2.0E-04	6.05E-04	1.24E-07	2.08E-01	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1282	1282	4.28997	2.60712E-05	1.1E-04	6.05E-04	6.77E-08	2.08E-01	4.71E-02	6.64E-10	1.0E+06	6.6E-04
1283	1283	4.79694	2.60712E-05	1.3E-04	6.05E-04	7.57E-08	2.08E-01	4.71E-02	7.43E-10	1.0E+06	7.4E-04
1284	1284	1.67942	2.60712E-05	4.4E-05	6.05E-04	2.65E-08	2.08E-01	4.71E-02	2.60E-10	1.0E+06	2.6E-04
1285	1285	1.82578	2.60712E-05	4.8E-05	6.05E-04	2.88E-08	2.08E-01	4.71E-02	2.83E-10	1.0E+06	2.8E-04
1286	1286	1.99388	2.60712E-05	5.2E-05	6.05E-04	3.15E-08	2.08E-01	4.71E-02	3.09E-10	1.0E+06	3.1E-04
1287	1287	2.19136	2.60712E-05	5.7E-05	6.05E-04	3.46E-08	2.08E-01	4.71E-02	3.39E-10	1.0E+06	3.4E-04
1288	1288	2.43689	2.60712E-05	6.4E-05	6.05E-04	3.84E-08	2.08E-01	4.71E-02	3.77E-10	1.0E+06	3.8E-04
1289	1289	2.73465	2.60712E-05	7.1E-05	6.05E-04	4.31E-08	2.08E-01	4.71E-02	4.23E-10	1.0E+06	4.2E-04
1290	1290	3.10574	2.60712E-05	8.1E-05	6.05E-04	4.90E-08	2.08E-01	4.71E-02	4.81E-10	1.0E+06	4.8E-04
1291	1291	3.57903	2.60712E-05	9.3E-05	6.05E-04	5.65E-08	2.08E-01	4.71E-02	5.54E-10	1.0E+06	5.5E-04
1292	1292	4.19941	2.60712E-05	1.1E-04	6.05E-04	6.62E-08	2.08E-01	4.71E-02	6.50E-10	1.0E+06	6.5E-04
1293	1293	5.01447	2.60712E-05	1.3E-04	6.05E-04	7.91E-08	2.08E-01	4.71E-02	7.76E-10	1.0E+06	7.8E-04
1294	1294	6.15639	2.60712E-05	1.6E-04	6.05E-04	9.71E-08	2.08E-01	4.71E-02	9.53E-10	1.0E+06	9.5E-04
1295	1295	7.83128	2.60712E-05	2.0E-04	6.05E-04	1.24E-07	2.08E-01	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1296	1296	7.09597	2.60712E-05	1.9E-04	6.05E-04	1.12E-07	2.08E-01	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1297	1297	4.75568	2.60712E-05	1.2E-04	6.05E-04	7.50E-08	2.08E-01	4.71E-02	7.36E-10	1.0E+06	7.4E-04
1298	1298	1.69971	2.60712E-05	4.4E-05	6.05E-04	2.68E-08	2.08E-01	4.71E-02	2.63E-10	1.0E+06	2.6E-04
1299	1299	1.84596	2.60712E-05	4.8E-05	6.05E-04	2.91E-08	2.08E-01	4.71E-02	2.86E-10	1.0E+06	2.9E-04
1300	1300	2.01403	2.60712E-05	5.3E-05	6.05E-04	3.18E-08	2.08E-01	4.71E-02	3.12E-10	1.0E+06	3.1E-04
1301	1301	2.21154	2.60712E-05	5.8E-05	6.05E-04	3.49E-08	2.08E-01	4.71E-02	3.42E-10	1.0E+06	3.4E-04
1302	1302	2.45815	2.60712E-05	6.4E-05	6.05E-04	3.88E-08	2.08E-01	4.71E-02	3.81E-10	1.0E+06	3.8E-04
1303	1303	2.75603	2.60712E-05	7.2E-05	6.05E-04	4.35E-08	2.08E-01	4.71E-02	4.27E-10	1.0E+06	4.3E-04
1304	1304	3.12744	2.60712E-05	8.2E-05	6.05E-04	4.93E-08	2.08E-01	4.71E-02	4.84E-10	1.0E+06	4.8E-04
1305	1305	3.60232	2.60712E-05	9.4E-05	6.05E-04	5.68E-08	2.08E-01	4.71E-02	5.58E-10	1.0E+06	5.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	1.72022	2.60712E-05	4.5E-05	6.05E-04	2.71E-08	2.08E-01	4.71E-02	2.66E-10	1.0E+06	2.7E-04
1307	1307	1.86883	2.60712E-05	4.9E-05	6.05E-04	2.95E-08	2.08E-01	4.71E-02	2.89E-10	1.0E+06	2.9E-04
1308	1308	2.03995	2.60712E-05	5.3E-05	6.05E-04	3.22E-08	2.08E-01	4.71E-02	3.16E-10	1.0E+06	3.2E-04
1309	1309	2.24194	2.60712E-05	5.8E-05	6.05E-04	3.54E-08	2.08E-01	4.71E-02	3.47E-10	1.0E+06	3.5E-04
1310	1310	2.48879	2.60712E-05	6.5E-05	6.05E-04	3.93E-08	2.08E-01	4.71E-02	3.85E-10	1.0E+06	3.9E-04
1311	1311	2.78852	2.60712E-05	7.3E-05	6.05E-04	4.40E-08	2.08E-01	4.71E-02	4.32E-10	1.0E+06	4.3E-04
1312	1312	3.15959	2.60712E-05	8.2E-05	6.05E-04	4.98E-08	2.08E-01	4.71E-02	4.89E-10	1.0E+06	4.9E-04
1313	1313	3.63077	2.60712E-05	9.5E-05	6.05E-04	5.73E-08	2.08E-01	4.71E-02	5.62E-10	1.0E+06	5.6E-04
1314	1314	1.73857	2.60712E-05	4.5E-05	6.05E-04	2.74E-08	2.08E-01	4.71E-02	2.69E-10	1.0E+06	2.7E-04
1315	1315	1.89002	2.60712E-05	4.9E-05	6.05E-04	2.98E-08	2.08E-01	4.71E-02	2.93E-10	1.0E+06	2.9E-04
1316	1316	2.06437	2.60712E-05	5.4E-05	6.05E-04	3.26E-08	2.08E-01	4.71E-02	3.20E-10	1.0E+06	3.2E-04
1317	1317	2.26919	2.60712E-05	5.9E-05	6.05E-04	3.58E-08	2.08E-01	4.71E-02	3.51E-10	1.0E+06	3.5E-04
1318	1318	2.51765	2.60712E-05	6.6E-05	6.05E-04	3.97E-08	2.08E-01	4.71E-02	3.90E-10	1.0E+06	3.9E-04
1319	1319	2.8183	2.60712E-05	7.3E-05	6.05E-04	4.45E-08	2.08E-01	4.71E-02	4.36E-10	1.0E+06	4.4E-04
1320	1320	3.18909	2.60712E-05	8.3E-05	6.05E-04	5.03E-08	2.08E-01	4.71E-02	4.94E-10	1.0E+06	4.9E-04
1321	1321	3.65621	2.60712E-05	9.5E-05	6.05E-04	5.77E-08	2.08E-01	4.71E-02	5.66E-10	1.0E+06	5.7E-04
1322	1322	1.75571	2.60712E-05	4.6E-05	6.05E-04	2.77E-08	2.08E-01	4.71E-02	2.72E-10	1.0E+06	2.7E-04
1323	1323	1.9091	2.60712E-05	5.0E-05	6.05E-04	3.01E-08	2.08E-01	4.71E-02	2.96E-10	1.0E+06	3.0E-04
1324	1324	2.08595	2.60712E-05	5.4E-05	6.05E-04	3.29E-08	2.08E-01	4.71E-02	3.23E-10	1.0E+06	3.2E-04
1325	1325	2.29403	2.60712E-05	6.0E-05	6.05E-04	3.62E-08	2.08E-01	4.71E-02	3.55E-10	1.0E+06	3.6E-04
1326	1326	2.54347	2.60712E-05	6.6E-05	6.05E-04	4.01E-08	2.08E-01	4.71E-02	3.94E-10	1.0E+06	3.9E-04
1327	1327	2.84559	2.60712E-05	7.4E-05	6.05E-04	4.49E-08	2.08E-01	4.71E-02	4.41E-10	1.0E+06	4.4E-04
1328	1328	3.21583	2.60712E-05	8.4E-05	6.05E-04	5.07E-08	2.08E-01	4.71E-02	4.98E-10	1.0E+06	5.0E-04
1329	1329	3.67839	2.60712E-05	9.6E-05	6.05E-04	5.80E-08	2.08E-01	4.71E-02	5.70E-10	1.0E+06	5.7E-04
1330	1330	1.77018	2.60712E-05	4.6E-05	6.05E-04	2.79E-08	2.08E-01	4.71E-02	2.74E-10	1.0E+06	2.7E-04
1331	1331	1.92415	2.60712E-05	5.0E-05	6.05E-04	3.04E-08	2.08E-01	4.71E-02	2.98E-10	1.0E+06	3.0E-04
1332	1332	2.10109	2.60712E-05	5.5E-05	6.05E-04	3.31E-08	2.08E-01	4.71E-02	3.25E-10	1.0E+06	3.3E-04
1333	1333	2.30857	2.60712E-05	6.0E-05	6.05E-04	3.64E-08	2.08E-01	4.71E-02	3.57E-10	1.0E+06	3.6E-04
1334	1334	2.55856	2.60712E-05	6.7E-05	6.05E-04	4.04E-08	2.08E-01	4.71E-02	3.96E-10	1.0E+06	4.0E-04
1335	1335	2.86076	2.60712E-05	7.5E-05	6.05E-04	4.51E-08	2.08E-01	4.71E-02	4.43E-10	1.0E+06	4.4E-04
1336	1336	3.23107	2.60712E-05	8.4E-05	6.05E-04	5.10E-08	2.08E-01	4.71E-02	5.00E-10	1.0E+06	5.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	3.69435	2.60712E-05	9.6E-05	6.05E-04	5.83E-08	2.08E-01	4.71E-02	5.72E-10	1.0E+06	5.7E-04
1338	1338	0.59813	2.60712E-05	1.6E-05	6.05E-04	9.44E-09	2.08E-01	4.71E-02	9.26E-11	1.0E+06	9.3E-05
1339	1339	0.62027	2.60712E-05	1.6E-05	6.05E-04	9.78E-09	2.08E-01	4.71E-02	9.60E-11	1.0E+06	9.6E-05
1340	1340	0.64395	2.60712E-05	1.7E-05	6.05E-04	1.02E-08	2.08E-01	4.71E-02	9.97E-11	1.0E+06	1.0E-04
1341	1341	0.67007	2.60712E-05	1.7E-05	6.05E-04	1.06E-08	2.08E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
1342	1342	0.69873	2.60712E-05	1.8E-05	6.05E-04	1.10E-08	2.08E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
1343	1343	0.72952	2.60712E-05	1.9E-05	6.05E-04	1.15E-08	2.08E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
1344	1344	0.7635	2.60712E-05	2.0E-05	6.05E-04	1.20E-08	2.08E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
1345	1345	0.80037	2.60712E-05	2.1E-05	6.05E-04	1.26E-08	2.08E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
1346	1346	0.83898	2.60712E-05	2.2E-05	6.05E-04	1.32E-08	2.08E-01	4.71E-02	1.30E-10	1.0E+06	1.3E-04
1347	1347	0.87902	2.60712E-05	2.3E-05	6.05E-04	1.39E-08	2.08E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
1348	1348	0.92257	2.60712E-05	2.4E-05	6.05E-04	1.46E-08	2.08E-01	4.71E-02	1.43E-10	1.0E+06	1.4E-04
1349	1349	0.97267	2.60712E-05	2.5E-05	6.05E-04	1.53E-08	2.08E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1350	1350	1.02815	2.60712E-05	2.7E-05	6.05E-04	1.62E-08	2.08E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
1351	1351	1.08914	2.60712E-05	2.8E-05	6.05E-04	1.72E-08	2.08E-01	4.71E-02	1.69E-10	1.0E+06	1.7E-04
1352	1352	1.15587	2.60712E-05	3.0E-05	6.05E-04	1.82E-08	2.08E-01	4.71E-02	1.79E-10	1.0E+06	1.8E-04
1353	1353	1.22051	2.60712E-05	3.2E-05	6.05E-04	1.93E-08	2.08E-01	4.71E-02	1.89E-10	1.0E+06	1.9E-04
1354	1354	1.31626	2.60712E-05	3.4E-05	6.05E-04	2.08E-08	2.08E-01	4.71E-02	2.04E-10	1.0E+06	2.0E-04
1355	1355	1.41575	2.60712E-05	3.7E-05	6.05E-04	2.23E-08	2.08E-01	4.71E-02	2.19E-10	1.0E+06	2.2E-04
1356	1356	1.52585	2.60712E-05	4.0E-05	6.05E-04	2.41E-08	2.08E-01	4.71E-02	2.36E-10	1.0E+06	2.4E-04
1357	1357	1.64677	2.60712E-05	4.3E-05	6.05E-04	2.60E-08	2.08E-01	4.71E-02	2.55E-10	1.0E+06	2.5E-04
1358	1358	1.78357	2.60712E-05	4.6E-05	6.05E-04	2.81E-08	2.08E-01	4.71E-02	2.76E-10	1.0E+06	2.8E-04
1359	1359	1.93802	2.60712E-05	5.1E-05	6.05E-04	3.06E-08	2.08E-01	4.71E-02	3.00E-10	1.0E+06	3.0E-04
1360	1360	2.11473	2.60712E-05	5.5E-05	6.05E-04	3.34E-08	2.08E-01	4.71E-02	3.27E-10	1.0E+06	3.3E-04
1361	1361	2.32189	2.60712E-05	6.1E-05	6.05E-04	3.66E-08	2.08E-01	4.71E-02	3.60E-10	1.0E+06	3.6E-04
1362	1362	2.57176	2.60712E-05	6.7E-05	6.05E-04	4.06E-08	2.08E-01	4.71E-02	3.98E-10	1.0E+06	4.0E-04
1363	1363	2.87382	2.60712E-05	7.5E-05	6.05E-04	4.53E-08	2.08E-01	4.71E-02	4.45E-10	1.0E+06	4.5E-04
1364	1364	3.24434	2.60712E-05	8.5E-05	6.05E-04	5.12E-08	2.08E-01	4.71E-02	5.02E-10	1.0E+06	5.0E-04
1365	1365	3.70757	2.60712E-05	9.7E-05	6.05E-04	5.85E-08	2.08E-01	4.71E-02	5.74E-10	1.0E+06	5.7E-04
1366	1366	0.60209	2.60712E-05	1.6E-05	6.05E-04	9.50E-09	2.08E-01	4.71E-02	9.32E-11	1.0E+06	9.3E-05
1367	1367	0.62408	2.60712E-05	1.6E-05	6.05E-04	9.84E-09	2.08E-01	4.71E-02	9.66E-11	1.0E+06	9.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	0.64745	2.60712E-05	1.7E-05	6.05E-04	1.02E-08	2.08E-01	4.71E-02	1.00E-10	1.0E+06	1.0E-04
1369	1369	0.67369	2.60712E-05	1.8E-05	6.05E-04	1.06E-08	2.08E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
1370	1370	0.70285	2.60712E-05	1.8E-05	6.05E-04	1.11E-08	2.08E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
1371	1371	0.73401	2.60712E-05	1.9E-05	6.05E-04	1.16E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
1372	1372	0.76871	2.60712E-05	2.0E-05	6.05E-04	1.21E-08	2.08E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
1373	1373	0.80641	2.60712E-05	2.1E-05	6.05E-04	1.27E-08	2.08E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
1374	1374	0.84538	2.60712E-05	2.2E-05	6.05E-04	1.33E-08	2.08E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
1375	1375	0.88479	2.60712E-05	2.3E-05	6.05E-04	1.40E-08	2.08E-01	4.71E-02	1.37E-10	1.0E+06	1.4E-04
1376	1376	0.92753	2.60712E-05	2.4E-05	6.05E-04	1.46E-08	2.08E-01	4.71E-02	1.44E-10	1.0E+06	1.4E-04
1377	1377	0.97831	2.60712E-05	2.6E-05	6.05E-04	1.54E-08	2.08E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
1378	1378	1.03482	2.60712E-05	2.7E-05	6.05E-04	1.63E-08	2.08E-01	4.71E-02	1.60E-10	1.0E+06	1.6E-04
1379	1379	1.09688	2.60712E-05	2.9E-05	6.05E-04	1.73E-08	2.08E-01	4.71E-02	1.70E-10	1.0E+06	1.7E-04
1380	1380	1.16431	2.60712E-05	3.0E-05	6.05E-04	1.84E-08	2.08E-01	4.71E-02	1.80E-10	1.0E+06	1.8E-04
1381	1381	1.22997	2.60712E-05	3.2E-05	6.05E-04	1.94E-08	2.08E-01	4.71E-02	1.90E-10	1.0E+06	1.9E-04
1382	1382	1.32316	2.60712E-05	3.4E-05	6.05E-04	2.09E-08	2.08E-01	4.71E-02	2.05E-10	1.0E+06	2.0E-04
1383	1383	1.42569	2.60712E-05	3.7E-05	6.05E-04	2.25E-08	2.08E-01	4.71E-02	2.21E-10	1.0E+06	2.2E-04
1384	1384	1.53495	2.60712E-05	4.0E-05	6.05E-04	2.42E-08	2.08E-01	4.71E-02	2.38E-10	1.0E+06	2.4E-04
1385	1385	1.65697	2.60712E-05	4.3E-05	6.05E-04	2.61E-08	2.08E-01	4.71E-02	2.57E-10	1.0E+06	2.6E-04
1386	1386	1.79496	2.60712E-05	4.7E-05	6.05E-04	2.83E-08	2.08E-01	4.71E-02	2.78E-10	1.0E+06	2.8E-04
1387	1387	1.95079	2.60712E-05	5.1E-05	6.05E-04	3.08E-08	2.08E-01	4.71E-02	3.02E-10	1.0E+06	3.0E-04
1388	1388	2.12714	2.60712E-05	5.5E-05	6.05E-04	3.36E-08	2.08E-01	4.71E-02	3.29E-10	1.0E+06	3.3E-04
1389	1389	2.33386	2.60712E-05	6.1E-05	6.05E-04	3.68E-08	2.08E-01	4.71E-02	3.61E-10	1.0E+06	3.6E-04
1390	1390	2.58376	2.60712E-05	6.7E-05	6.05E-04	4.08E-08	2.08E-01	4.71E-02	4.00E-10	1.0E+06	4.0E-04
1391	1391	2.8856	2.60712E-05	7.5E-05	6.05E-04	4.55E-08	2.08E-01	4.71E-02	4.47E-10	1.0E+06	4.5E-04
1392	1392	3.25583	2.60712E-05	8.5E-05	6.05E-04	5.14E-08	2.08E-01	4.71E-02	5.04E-10	1.0E+06	5.0E-04
1393	1393	3.71937	2.60712E-05	9.7E-05	6.05E-04	5.87E-08	2.08E-01	4.71E-02	5.76E-10	1.0E+06	5.8E-04
1394	1394	0.60445	2.60712E-05	1.6E-05	6.05E-04	9.54E-09	2.08E-01	4.71E-02	9.36E-11	1.0E+06	9.4E-05
1395	1395	0.62651	2.60712E-05	1.6E-05	6.05E-04	9.88E-09	2.08E-01	4.71E-02	9.70E-11	1.0E+06	9.7E-05
1396	1396	0.65001	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1397	1397	0.67628	2.60712E-05	1.8E-05	6.05E-04	1.07E-08	2.08E-01	4.71E-02	1.05E-10	1.0E+06	1.0E-04
1398	1398	0.70542	2.60712E-05	1.8E-05	6.05E-04	1.11E-08	2.08E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	0.7366	2.60712E-05	1.9E-05	6.05E-04	1.16E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
1400	1400	0.77252	2.60712E-05	2.0E-05	6.05E-04	1.22E-08	2.08E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
1401	1401	0.8113	2.60712E-05	2.1E-05	6.05E-04	1.28E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
1402	1402	0.85144	2.60712E-05	2.2E-05	6.05E-04	1.34E-08	2.08E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
1403	1403	0.89131	2.60712E-05	2.3E-05	6.05E-04	1.41E-08	2.08E-01	4.71E-02	1.38E-10	1.0E+06	1.4E-04
1404	1404	0.93457	2.60712E-05	2.4E-05	6.05E-04	1.47E-08	2.08E-01	4.71E-02	1.45E-10	1.0E+06	1.4E-04
1405	1405	0.98539	2.60712E-05	2.6E-05	6.05E-04	1.55E-08	2.08E-01	4.71E-02	1.53E-10	1.0E+06	1.5E-04
1406	1406	1.04186	2.60712E-05	2.7E-05	6.05E-04	1.64E-08	2.08E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
1407	1407	1.10402	2.60712E-05	2.9E-05	6.05E-04	1.74E-08	2.08E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
1408	1408	1.17272	2.60712E-05	3.1E-05	6.05E-04	1.85E-08	2.08E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
1409	1409	1.24047	2.60712E-05	3.2E-05	6.05E-04	1.96E-08	2.08E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
1410	1410	1.33333	2.60712E-05	3.5E-05	6.05E-04	2.10E-08	2.08E-01	4.71E-02	2.06E-10	1.0E+06	2.1E-04
1411	1411	1.43643	2.60712E-05	3.7E-05	6.05E-04	2.27E-08	2.08E-01	4.71E-02	2.22E-10	1.0E+06	2.2E-04
1412	1412	1.54613	2.60712E-05	4.0E-05	6.05E-04	2.44E-08	2.08E-01	4.71E-02	2.39E-10	1.0E+06	2.4E-04
1413	1413	1.66839	2.60712E-05	4.3E-05	6.05E-04	2.63E-08	2.08E-01	4.71E-02	2.58E-10	1.0E+06	2.6E-04
1414	1414	1.80654	2.60712E-05	4.7E-05	6.05E-04	2.85E-08	2.08E-01	4.71E-02	2.80E-10	1.0E+06	2.8E-04
1415	1415	1.96128	2.60712E-05	5.1E-05	6.05E-04	3.09E-08	2.08E-01	4.71E-02	3.04E-10	1.0E+06	3.0E-04
1416	1416	2.13761	2.60712E-05	5.6E-05	6.05E-04	3.37E-08	2.08E-01	4.71E-02	3.31E-10	1.0E+06	3.3E-04
1417	1417	2.34242	2.60712E-05	6.1E-05	6.05E-04	3.70E-08	2.08E-01	4.71E-02	3.63E-10	1.0E+06	3.6E-04
1418	1418	2.5927	2.60712E-05	6.8E-05	6.05E-04	4.09E-08	2.08E-01	4.71E-02	4.01E-10	1.0E+06	4.0E-04
1419	1419	2.89486	2.60712E-05	7.5E-05	6.05E-04	4.57E-08	2.08E-01	4.71E-02	4.48E-10	1.0E+06	4.5E-04
1420	1420	3.26529	2.60712E-05	8.5E-05	6.05E-04	5.15E-08	2.08E-01	4.71E-02	5.06E-10	1.0E+06	5.1E-04
1421	1421	3.72884	2.60712E-05	9.7E-05	6.05E-04	5.88E-08	2.08E-01	4.71E-02	5.77E-10	1.0E+06	5.8E-04
1422	1422	0.60569	2.60712E-05	1.6E-05	6.05E-04	9.55E-09	2.08E-01	4.71E-02	9.38E-11	1.0E+06	9.4E-05
1423	1423	0.62806	2.60712E-05	1.6E-05	6.05E-04	9.91E-09	2.08E-01	4.71E-02	9.73E-11	1.0E+06	9.7E-05
1424	1424	0.65189	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1425	1425	0.67817	2.60712E-05	1.8E-05	6.05E-04	1.07E-08	2.08E-01	4.71E-02	1.05E-10	1.0E+06	1.1E-04
1426	1426	0.70708	2.60712E-05	1.8E-05	6.05E-04	1.12E-08	2.08E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
1427	1427	0.73808	2.60712E-05	1.9E-05	6.05E-04	1.16E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
1428	1428	0.77539	2.60712E-05	2.0E-05	6.05E-04	1.22E-08	2.08E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
1429	1429	0.81565	2.60712E-05	2.1E-05	6.05E-04	1.29E-08	2.08E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	0.85698	2.60712E-05	2.2E-05	6.05E-04	1.35E-08	2.08E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1431	1431	0.8977	2.60712E-05	2.3E-05	6.05E-04	1.42E-08	2.08E-01	4.71E-02	1.39E-10	1.0E+06	1.4E-04
1432	1432	0.94179	2.60712E-05	2.5E-05	6.05E-04	1.49E-08	2.08E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
1433	1433	0.99243	2.60712E-05	2.6E-05	6.05E-04	1.57E-08	2.08E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
1434	1434	1.04848	2.60712E-05	2.7E-05	6.05E-04	1.65E-08	2.08E-01	4.71E-02	1.62E-10	1.0E+06	1.6E-04
1435	1435	1.11061	2.60712E-05	2.9E-05	6.05E-04	1.75E-08	2.08E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
1436	1436	1.18058	2.60712E-05	3.1E-05	6.05E-04	1.86E-08	2.08E-01	4.71E-02	1.83E-10	1.0E+06	1.8E-04
1437	1437	1.25055	2.60712E-05	3.3E-05	6.05E-04	1.97E-08	2.08E-01	4.71E-02	1.94E-10	1.0E+06	1.9E-04
1438	1438	1.34302	2.60712E-05	3.5E-05	6.05E-04	2.12E-08	2.08E-01	4.71E-02	2.08E-10	1.0E+06	2.1E-04
1439	1439	1.44662	2.60712E-05	3.8E-05	6.05E-04	2.28E-08	2.08E-01	4.71E-02	2.24E-10	1.0E+06	2.2E-04
1440	1440	1.5567	2.60712E-05	4.1E-05	6.05E-04	2.46E-08	2.08E-01	4.71E-02	2.41E-10	1.0E+06	2.4E-04
1441	1441	1.67902	2.60712E-05	4.4E-05	6.05E-04	2.65E-08	2.08E-01	4.71E-02	2.60E-10	1.0E+06	2.6E-04
1442	1442	1.81724	2.60712E-05	4.7E-05	6.05E-04	2.87E-08	2.08E-01	4.71E-02	2.81E-10	1.0E+06	2.8E-04
1443	1443	1.97151	2.60712E-05	5.1E-05	6.05E-04	3.11E-08	2.08E-01	4.71E-02	3.05E-10	1.0E+06	3.1E-04
1444	1444	2.14591	2.60712E-05	5.6E-05	6.05E-04	3.39E-08	2.08E-01	4.71E-02	3.32E-10	1.0E+06	3.3E-04
1445	1445	2.34917	2.60712E-05	6.1E-05	6.05E-04	3.71E-08	2.08E-01	4.71E-02	3.64E-10	1.0E+06	3.6E-04
1446	1446	2.60008	2.60712E-05	6.8E-05	6.05E-04	4.10E-08	2.08E-01	4.71E-02	4.03E-10	1.0E+06	4.0E-04
1447	1447	2.90241	2.60712E-05	7.6E-05	6.05E-04	4.58E-08	2.08E-01	4.71E-02	4.49E-10	1.0E+06	4.5E-04
1448	1448	3.27286	2.60712E-05	8.5E-05	6.05E-04	5.16E-08	2.08E-01	4.71E-02	5.07E-10	1.0E+06	5.1E-04
1449	1449	3.7367	2.60712E-05	9.7E-05	6.05E-04	5.89E-08	2.08E-01	4.71E-02	5.79E-10	1.0E+06	5.8E-04
1450	1450	0.6064	2.60712E-05	1.6E-05	6.05E-04	9.57E-09	2.08E-01	4.71E-02	9.39E-11	1.0E+06	9.4E-05
1451	1451	0.62912	2.60712E-05	1.6E-05	6.05E-04	9.92E-09	2.08E-01	4.71E-02	9.74E-11	1.0E+06	9.7E-05
1452	1452	0.65322	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1453	1453	0.67946	2.60712E-05	1.8E-05	6.05E-04	1.07E-08	2.08E-01	4.71E-02	1.05E-10	1.0E+06	1.1E-04
1454	1454	0.70811	2.60712E-05	1.8E-05	6.05E-04	1.12E-08	2.08E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1455	1455	0.73875	2.60712E-05	1.9E-05	6.05E-04	1.17E-08	2.08E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
1456	1456	0.77764	2.60712E-05	2.0E-05	6.05E-04	1.23E-08	2.08E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
1457	1457	0.81957	2.60712E-05	2.1E-05	6.05E-04	1.29E-08	2.08E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
1458	1458	0.8622	2.60712E-05	2.2E-05	6.05E-04	1.36E-08	2.08E-01	4.71E-02	1.34E-10	1.0E+06	1.3E-04
1459	1459	0.90361	2.60712E-05	2.4E-05	6.05E-04	1.43E-08	2.08E-01	4.71E-02	1.40E-10	1.0E+06	1.4E-04
1460	1460	0.94864	2.60712E-05	2.5E-05	6.05E-04	1.50E-08	2.08E-01	4.71E-02	1.47E-10	1.0E+06	1.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	0.99904	2.60712E-05	2.6E-05	6.05E-04	1.58E-08	2.08E-01	4.71E-02	1.55E-10	1.0E+06	1.5E-04
1462	1462	1.05472	2.60712E-05	2.7E-05	6.05E-04	1.66E-08	2.08E-01	4.71E-02	1.63E-10	1.0E+06	1.6E-04
1463	1463	1.11653	2.60712E-05	2.9E-05	6.05E-04	1.76E-08	2.08E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
1464	1464	1.18791	2.60712E-05	3.1E-05	6.05E-04	1.87E-08	2.08E-01	4.71E-02	1.84E-10	1.0E+06	1.8E-04
1465	1465	1.26039	2.60712E-05	3.3E-05	6.05E-04	1.99E-08	2.08E-01	4.71E-02	1.95E-10	1.0E+06	2.0E-04
1466	1466	1.35227	2.60712E-05	3.5E-05	6.05E-04	2.13E-08	2.08E-01	4.71E-02	2.09E-10	1.0E+06	2.1E-04
1467	1467	1.45603	2.60712E-05	3.8E-05	6.05E-04	2.30E-08	2.08E-01	4.71E-02	2.25E-10	1.0E+06	2.3E-04
1468	1468	1.56644	2.60712E-05	4.1E-05	6.05E-04	2.47E-08	2.08E-01	4.71E-02	2.43E-10	1.0E+06	2.4E-04
1469	1469	1.68904	2.60712E-05	4.4E-05	6.05E-04	2.66E-08	2.08E-01	4.71E-02	2.62E-10	1.0E+06	2.6E-04
1470	1470	1.82713	2.60712E-05	4.8E-05	6.05E-04	2.88E-08	2.08E-01	4.71E-02	2.83E-10	1.0E+06	2.8E-04
1471	1471	1.97977	2.60712E-05	5.2E-05	6.05E-04	3.12E-08	2.08E-01	4.71E-02	3.07E-10	1.0E+06	3.1E-04
1472	1472	2.15305	2.60712E-05	5.6E-05	6.05E-04	3.40E-08	2.08E-01	4.71E-02	3.33E-10	1.0E+06	3.3E-04
1473	1473	2.35463	2.60712E-05	6.1E-05	6.05E-04	3.71E-08	2.08E-01	4.71E-02	3.65E-10	1.0E+06	3.6E-04
1474	1474	2.60659	2.60712E-05	6.8E-05	6.05E-04	4.11E-08	2.08E-01	4.71E-02	4.04E-10	1.0E+06	4.0E-04
1475	1475	2.9087	2.60712E-05	7.6E-05	6.05E-04	4.59E-08	2.08E-01	4.71E-02	4.50E-10	1.0E+06	4.5E-04
1476	1476	3.2795	2.60712E-05	8.6E-05	6.05E-04	5.17E-08	2.08E-01	4.71E-02	5.08E-10	1.0E+06	5.1E-04
1477	1477	3.74307	2.60712E-05	9.8E-05	6.05E-04	5.90E-08	2.08E-01	4.71E-02	5.80E-10	1.0E+06	5.8E-04
1478	1478	0.60627	2.60712E-05	1.6E-05	6.05E-04	9.56E-09	2.08E-01	4.71E-02	9.39E-11	1.0E+06	9.4E-05
1479	1479	0.62957	2.60712E-05	1.6E-05	6.05E-04	9.93E-09	2.08E-01	4.71E-02	9.75E-11	1.0E+06	9.7E-05
1480	1480	0.65441	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1481	1481	0.68138	2.60712E-05	1.8E-05	6.05E-04	1.07E-08	2.08E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
1482	1482	0.7106	2.60712E-05	1.9E-05	6.05E-04	1.12E-08	2.08E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1483	1483	0.74206	2.60712E-05	1.9E-05	6.05E-04	1.17E-08	2.08E-01	4.71E-02	1.15E-10	1.0E+06	1.1E-04
1484	1484	0.78153	2.60712E-05	2.0E-05	6.05E-04	1.23E-08	2.08E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
1485	1485	0.82398	2.60712E-05	2.1E-05	6.05E-04	1.30E-08	2.08E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
1486	1486	0.86722	2.60712E-05	2.3E-05	6.05E-04	1.37E-08	2.08E-01	4.71E-02	1.34E-10	1.0E+06	1.3E-04
1487	1487	0.90924	2.60712E-05	2.4E-05	6.05E-04	1.43E-08	2.08E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1488	1488	0.95492	2.60712E-05	2.5E-05	6.05E-04	1.51E-08	2.08E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
1489	1489	1.00593	2.60712E-05	2.6E-05	6.05E-04	1.59E-08	2.08E-01	4.71E-02	1.56E-10	1.0E+06	1.6E-04
1490	1490	1.06227	2.60712E-05	2.8E-05	6.05E-04	1.68E-08	2.08E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
1491	1491	1.12468	2.60712E-05	2.9E-05	6.05E-04	1.77E-08	2.08E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	1.19566	2.60712E-05	3.1E-05	6.05E-04	1.89E-08	2.08E-01	4.71E-02	1.85E-10	1.0E+06	1.9E-04
1493	1493	1.26565	2.60712E-05	3.3E-05	6.05E-04	2.00E-08	2.08E-01	4.71E-02	1.96E-10	1.0E+06	2.0E-04
1494	1494	1.35645	2.60712E-05	3.5E-05	6.05E-04	2.14E-08	2.08E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04
1495	1495	1.45922	2.60712E-05	3.8E-05	6.05E-04	2.30E-08	2.08E-01	4.71E-02	2.26E-10	1.0E+06	2.3E-04
1496	1496	1.57197	2.60712E-05	4.1E-05	6.05E-04	2.48E-08	2.08E-01	4.71E-02	2.43E-10	1.0E+06	2.4E-04
1497	1497	1.69718	2.60712E-05	4.4E-05	6.05E-04	2.68E-08	2.08E-01	4.71E-02	2.63E-10	1.0E+06	2.6E-04
1498	1498	1.83483	2.60712E-05	4.8E-05	6.05E-04	2.89E-08	2.08E-01	4.71E-02	2.84E-10	1.0E+06	2.8E-04
1499	1499	1.98952	2.60712E-05	5.2E-05	6.05E-04	3.14E-08	2.08E-01	4.71E-02	3.08E-10	1.0E+06	3.1E-04
1500	1500	2.16412	2.60712E-05	5.6E-05	6.05E-04	3.41E-08	2.08E-01	4.71E-02	3.35E-10	1.0E+06	3.4E-04
1501	1501	2.36734	2.60712E-05	6.2E-05	6.05E-04	3.73E-08	2.08E-01	4.71E-02	3.67E-10	1.0E+06	3.7E-04
1502	1502	2.61899	2.60712E-05	6.8E-05	6.05E-04	4.13E-08	2.08E-01	4.71E-02	4.06E-10	1.0E+06	4.1E-04
1503	1503	2.92039	2.60712E-05	7.6E-05	6.05E-04	4.61E-08	2.08E-01	4.71E-02	4.52E-10	1.0E+06	4.5E-04
1504	1504	3.28946	2.60712E-05	8.6E-05	6.05E-04	5.19E-08	2.08E-01	4.71E-02	5.09E-10	1.0E+06	5.1E-04
1505	1505	3.75127	2.60712E-05	9.8E-05	6.05E-04	5.92E-08	2.08E-01	4.71E-02	5.81E-10	1.0E+06	5.8E-04
1506	1506	0.60538	2.60712E-05	1.6E-05	6.05E-04	9.55E-09	2.08E-01	4.71E-02	9.37E-11	1.0E+06	9.4E-05
1507	1507	0.62956	2.60712E-05	1.6E-05	6.05E-04	9.93E-09	2.08E-01	4.71E-02	9.75E-11	1.0E+06	9.7E-05
1508	1508	0.65535	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1509	1509	0.68338	2.60712E-05	1.8E-05	6.05E-04	1.08E-08	2.08E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
1510	1510	0.71391	2.60712E-05	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1511	1511	0.74655	2.60712E-05	1.9E-05	6.05E-04	1.18E-08	2.08E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
1512	1512	0.78616	2.60712E-05	2.0E-05	6.05E-04	1.24E-08	2.08E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
1513	1513	0.82861	2.60712E-05	2.2E-05	6.05E-04	1.31E-08	2.08E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
1514	1514	0.87201	2.60712E-05	2.3E-05	6.05E-04	1.38E-08	2.08E-01	4.71E-02	1.35E-10	1.0E+06	1.4E-04
1515	1515	0.91461	2.60712E-05	2.4E-05	6.05E-04	1.44E-08	2.08E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1516	1516	0.96074	2.60712E-05	2.5E-05	6.05E-04	1.52E-08	2.08E-01	4.71E-02	1.49E-10	1.0E+06	1.5E-04
1517	1517	1.0127	2.60712E-05	2.6E-05	6.05E-04	1.60E-08	2.08E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
1518	1518	1.07017	2.60712E-05	2.8E-05	6.05E-04	1.69E-08	2.08E-01	4.71E-02	1.66E-10	1.0E+06	1.7E-04
1519	1519	1.1333	2.60712E-05	3.0E-05	6.05E-04	1.79E-08	2.08E-01	4.71E-02	1.75E-10	1.0E+06	1.8E-04
1520	1520	1.20311	2.60712E-05	3.1E-05	6.05E-04	1.90E-08	2.08E-01	4.71E-02	1.86E-10	1.0E+06	1.9E-04
1521	1521	1.28058	2.60712E-05	3.3E-05	6.05E-04	2.02E-08	2.08E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
1522	1522	1.35783	2.60712E-05	3.5E-05	6.05E-04	2.14E-08	2.08E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	1.46239	2.60712E-05	3.8E-05	6.05E-04	2.31E-08	2.08E-01	4.71E-02	2.26E-10	1.0E+06	2.3E-04
1524	1524	1.57599	2.60712E-05	4.1E-05	6.05E-04	2.49E-08	2.08E-01	4.71E-02	2.44E-10	1.0E+06	2.4E-04
1525	1525	1.70279	2.60712E-05	4.4E-05	6.05E-04	2.69E-08	2.08E-01	4.71E-02	2.64E-10	1.0E+06	2.6E-04
1526	1526	1.84271	2.60712E-05	4.8E-05	6.05E-04	2.91E-08	2.08E-01	4.71E-02	2.85E-10	1.0E+06	2.9E-04
1527	1527	1.9987	2.60712E-05	5.2E-05	6.05E-04	3.15E-08	2.08E-01	4.71E-02	3.09E-10	1.0E+06	3.1E-04
1528	1528	2.1759	2.60712E-05	5.7E-05	6.05E-04	3.43E-08	2.08E-01	4.71E-02	3.37E-10	1.0E+06	3.4E-04
1529	1529	2.38096	2.60712E-05	6.2E-05	6.05E-04	3.76E-08	2.08E-01	4.71E-02	3.69E-10	1.0E+06	3.7E-04
1530	1530	2.63128	2.60712E-05	6.9E-05	6.05E-04	4.15E-08	2.08E-01	4.71E-02	4.07E-10	1.0E+06	4.1E-04
1531	1531	2.93169	2.60712E-05	7.6E-05	6.05E-04	4.62E-08	2.08E-01	4.71E-02	4.54E-10	1.0E+06	4.5E-04
1532	1532	3.2991	2.60712E-05	8.6E-05	6.05E-04	5.20E-08	2.08E-01	4.71E-02	5.11E-10	1.0E+06	5.1E-04
1533	1533	3.75873	2.60712E-05	9.8E-05	6.05E-04	5.93E-08	2.08E-01	4.71E-02	5.82E-10	1.0E+06	5.8E-04
1534	1534	0.60381	2.60712E-05	1.6E-05	6.05E-04	9.53E-09	2.08E-01	4.71E-02	9.35E-11	1.0E+06	9.3E-05
1535	1535	0.62901	2.60712E-05	1.6E-05	6.05E-04	9.92E-09	2.08E-01	4.71E-02	9.74E-11	1.0E+06	9.7E-05
1536	1536	0.65579	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
1537	1537	0.68503	2.60712E-05	1.8E-05	6.05E-04	1.08E-08	2.08E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
1538	1538	0.71685	2.60712E-05	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1539	1539	0.7509	2.60712E-05	2.0E-05	6.05E-04	1.18E-08	2.08E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
1540	1540	0.79041	2.60712E-05	2.1E-05	6.05E-04	1.25E-08	2.08E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
1541	1541	0.83292	2.60712E-05	2.2E-05	6.05E-04	1.31E-08	2.08E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
1542	1542	0.87659	2.60712E-05	2.3E-05	6.05E-04	1.38E-08	2.08E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
1543	1543	0.91955	2.60712E-05	2.4E-05	6.05E-04	1.45E-08	2.08E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1544	1544	0.96623	2.60712E-05	2.5E-05	6.05E-04	1.52E-08	2.08E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
1545	1545	1.01912	2.60712E-05	2.7E-05	6.05E-04	1.61E-08	2.08E-01	4.71E-02	1.58E-10	1.0E+06	1.6E-04
1546	1546	1.07761	2.60712E-05	2.8E-05	6.05E-04	1.70E-08	2.08E-01	4.71E-02	1.67E-10	1.0E+06	1.7E-04
1547	1547	1.14155	2.60712E-05	3.0E-05	6.05E-04	1.80E-08	2.08E-01	4.71E-02	1.77E-10	1.0E+06	1.8E-04
1548	1548	1.21028	2.60712E-05	3.2E-05	6.05E-04	1.91E-08	2.08E-01	4.71E-02	1.87E-10	1.0E+06	1.9E-04
1549	1549	1.28663	2.60712E-05	3.4E-05	6.05E-04	2.03E-08	2.08E-01	4.71E-02	1.99E-10	1.0E+06	2.0E-04
1550	1550	1.36437	2.60712E-05	3.6E-05	6.05E-04	2.15E-08	2.08E-01	4.71E-02	2.11E-10	1.0E+06	2.1E-04
1551	1551	1.46484	2.60712E-05	3.8E-05	6.05E-04	2.31E-08	2.08E-01	4.71E-02	2.27E-10	1.0E+06	2.3E-04
1552	1552	1.58162	2.60712E-05	4.1E-05	6.05E-04	2.49E-08	2.08E-01	4.71E-02	2.45E-10	1.0E+06	2.4E-04
1553	1553	1.70738	2.60712E-05	4.5E-05	6.05E-04	2.69E-08	2.08E-01	4.71E-02	2.64E-10	1.0E+06	2.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	1.8501	2.60712E-05	4.8E-05	6.05E-04	2.92E-08	2.08E-01	4.71E-02	2.86E-10	1.0E+06	2.9E-04
1555	1555	2.00699	2.60712E-05	5.2E-05	6.05E-04	3.17E-08	2.08E-01	4.71E-02	3.11E-10	1.0E+06	3.1E-04
1556	1556	2.18562	2.60712E-05	5.7E-05	6.05E-04	3.45E-08	2.08E-01	4.71E-02	3.38E-10	1.0E+06	3.4E-04
1557	1557	2.39387	2.60712E-05	6.2E-05	6.05E-04	3.78E-08	2.08E-01	4.71E-02	3.71E-10	1.0E+06	3.7E-04
1558	1558	2.64265	2.60712E-05	6.9E-05	6.05E-04	4.17E-08	2.08E-01	4.71E-02	4.09E-10	1.0E+06	4.1E-04
1559	1559	2.942	2.60712E-05	7.7E-05	6.05E-04	4.64E-08	2.08E-01	4.71E-02	4.56E-10	1.0E+06	4.6E-04
1560	1560	3.30767	2.60712E-05	8.6E-05	6.05E-04	5.22E-08	2.08E-01	4.71E-02	5.12E-10	1.0E+06	5.1E-04
1561	1561	3.76503	2.60712E-05	9.8E-05	6.05E-04	5.94E-08	2.08E-01	4.71E-02	5.83E-10	1.0E+06	5.8E-04
1562	1562	0.60327	2.60712E-05	1.6E-05	6.05E-04	9.52E-09	2.08E-01	4.71E-02	9.34E-11	1.0E+06	9.3E-05
1563	1563	0.62836	2.60712E-05	1.6E-05	6.05E-04	9.91E-09	2.08E-01	4.71E-02	9.73E-11	1.0E+06	9.7E-05
1564	1564	0.65505	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1565	1565	0.68443	2.60712E-05	1.8E-05	6.05E-04	1.08E-08	2.08E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
1566	1566	0.71718	2.60712E-05	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1567	1567	0.75214	2.60712E-05	2.0E-05	6.05E-04	1.19E-08	2.08E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
1568	1568	0.79167	2.60712E-05	2.1E-05	6.05E-04	1.25E-08	2.08E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
1569	1569	0.83412	2.60712E-05	2.2E-05	6.05E-04	1.32E-08	2.08E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
1570	1570	0.87801	2.60712E-05	2.3E-05	6.05E-04	1.39E-08	2.08E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
1571	1571	0.92184	2.60712E-05	2.4E-05	6.05E-04	1.45E-08	2.08E-01	4.71E-02	1.43E-10	1.0E+06	1.4E-04
1572	1572	0.96976	2.60712E-05	2.5E-05	6.05E-04	1.53E-08	2.08E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
1573	1573	1.02382	2.60712E-05	2.7E-05	6.05E-04	1.62E-08	2.08E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
1574	1574	1.08352	2.60712E-05	2.8E-05	6.05E-04	1.71E-08	2.08E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
1575	1575	1.14846	2.60712E-05	3.0E-05	6.05E-04	1.81E-08	2.08E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
1576	1576	1.21679	2.60712E-05	3.2E-05	6.05E-04	1.92E-08	2.08E-01	4.71E-02	1.88E-10	1.0E+06	1.9E-04
1577	1577	1.29252	2.60712E-05	3.4E-05	6.05E-04	2.04E-08	2.08E-01	4.71E-02	2.00E-10	1.0E+06	2.0E-04
1578	1578	1.37184	2.60712E-05	3.6E-05	6.05E-04	2.16E-08	2.08E-01	4.71E-02	2.12E-10	1.0E+06	2.1E-04
1579	1579	1.46772	2.60712E-05	3.8E-05	6.05E-04	2.32E-08	2.08E-01	4.71E-02	2.27E-10	1.0E+06	2.3E-04
1580	1580	1.58244	2.60712E-05	4.1E-05	6.05E-04	2.50E-08	2.08E-01	4.71E-02	2.45E-10	1.0E+06	2.5E-04
1581	1581	1.71064	2.60712E-05	4.5E-05	6.05E-04	2.70E-08	2.08E-01	4.71E-02	2.65E-10	1.0E+06	2.6E-04
1582	1582	1.85425	2.60712E-05	4.8E-05	6.05E-04	2.93E-08	2.08E-01	4.71E-02	2.87E-10	1.0E+06	2.9E-04
1583	1583	2.01314	2.60712E-05	5.2E-05	6.05E-04	3.18E-08	2.08E-01	4.71E-02	3.12E-10	1.0E+06	3.1E-04
1584	1584	2.19275	2.60712E-05	5.7E-05	6.05E-04	3.46E-08	2.08E-01	4.71E-02	3.40E-10	1.0E+06	3.4E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	2.40167	2.60712E-05	6.3E-05	6.05E-04	3.79E-08	2.08E-01	4.71E-02	3.72E-10	1.0E+06	3.7E-04
1586	1586	2.65004	2.60712E-05	6.9E-05	6.05E-04	4.18E-08	2.08E-01	4.71E-02	4.10E-10	1.0E+06	4.1E-04
1587	1587	2.94868	2.60712E-05	7.7E-05	6.05E-04	4.65E-08	2.08E-01	4.71E-02	4.57E-10	1.0E+06	4.6E-04
1588	1588	3.31319	2.60712E-05	8.6E-05	6.05E-04	5.23E-08	2.08E-01	4.71E-02	5.13E-10	1.0E+06	5.1E-04
1589	1589	3.76815	2.60712E-05	9.8E-05	6.05E-04	5.94E-08	2.08E-01	4.71E-02	5.83E-10	1.0E+06	5.8E-04
1590	1590	0.60358	2.60712E-05	1.6E-05	6.05E-04	9.52E-09	2.08E-01	4.71E-02	9.35E-11	1.0E+06	9.3E-05
1591	1591	0.6276	2.60712E-05	1.6E-05	6.05E-04	9.90E-09	2.08E-01	4.71E-02	9.72E-11	1.0E+06	9.7E-05
1592	1592	0.65306	2.60712E-05	1.7E-05	6.05E-04	1.03E-08	2.08E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1593	1593	0.68209	2.60712E-05	1.8E-05	6.05E-04	1.08E-08	2.08E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
1594	1594	0.71537	2.60712E-05	1.9E-05	6.05E-04	1.13E-08	2.08E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1595	1595	0.75109	2.60712E-05	2.0E-05	6.05E-04	1.18E-08	2.08E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
0	0	0	2.60712E-05	0.0E+00	6.05E-04	0.00E+00	2.08E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1213	1213	2.3E+00	Max	Receptor #	5	7.77E-02	Max	Receptor #	
1214	1214	4.5E+00	5.191	1217	5	1.50E-01	0.175	1217	Res
1215	1215	4.3E+00			5	1.46E-01			
1216	1216	4.4E+00			5	1.47E-01			
1217	1217	5.2E+00			5	1.75E-01			
1218	1218	4.2E+00			5	1.41E-01			
1219	1219	4.0E+00			5	1.35E-01			
1220	1220	3.9E+00			5	1.32E-01			
1221	1221	4.6E+00			5	1.56E-01			
1222	1222	3.5E+00			5	1.18E-01			
1223	1223	3.2E+00			5	1.08E-01			
1224	1224	3.0E+00			5	1.01E-01			
1225	1225	3.5E+00			5	1.19E-01			
1226	1226	3.1E+00			5	1.06E-01			
1227	1227	2.8E+00			5	9.37E-02			
1228	1228	4.7E+00			5	1.59E-01			
1229	1229	3.8E+00			5	1.27E-01			
1230	1230	4.6E+00			5	1.55E-01			
1231	1231	4.5E+00			5	1.50E-01			
1232	1232	4.5E+00			5	1.51E-01			
1233	1233	3.5E+00			5	1.17E-01			
1234	1234	4.2E+00			5	1.42E-01			
1235	1235	4.0E+00			5	1.34E-01			
1236	1236	3.9E+00			5	1.32E-01			
1237	1237	2.8E+00			5	9.48E-02			
1238	1238	3.4E+00			5	1.16E-01			
1239	1239	3.1E+00			5	1.03E-01			
1240	1240	2.7E+00			5	9.15E-02			
1241	1241	2.4E+00			5	8.16E-02			
1242	1242	5.0E+00			5	1.70E-01			
1243	1243	5.0E+00			5	1.68E-01			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1244	1244	4.9E+00	5	1.67E-01
1245	1245	4.9E+00	5	1.64E-01
1246	1246	4.8E+00	5	1.62E-01
1247	1247	4.7E+00	5	1.58E-01
1248	1248	4.6E+00	5	1.55E-01
1249	1249	4.5E+00	5	1.50E-01
1250	1250	4.3E+00	5	1.45E-01
1251	1251	4.1E+00	5	1.39E-01
1252	1252	3.9E+00	5	1.33E-01
1253	1253	3.7E+00	5	1.24E-01
1254	1254	3.3E+00	5	1.13E-01
1255	1255	3.0E+00	5	9.99E-02
1256	1256	4.2E+00	5	1.42E-01
1257	1257	4.2E+00	5	1.41E-01
1258	1258	4.1E+00	5	1.40E-01
1259	1259	4.1E+00	5	1.38E-01
1260	1260	4.0E+00	5	1.35E-01
1261	1261	3.9E+00	5	1.33E-01
1262	1262	3.8E+00	5	1.30E-01
1263	1263	3.7E+00	5	1.26E-01
1264	1264	3.6E+00	5	1.22E-01
1265	1265	3.5E+00	5	1.17E-01
1266	1266	3.3E+00	5	1.11E-01
1267	1267	3.1E+00	5	1.04E-01
1268	1268	2.8E+00	5	9.52E-02
1269	1269	2.5E+00	5	8.57E-02
1270	1270	3.6E+00	5	1.22E-01
1271	1271	3.6E+00	5	1.21E-01
1272	1272	3.5E+00	5	1.19E-01
1273	1273	3.5E+00	5	1.18E-01
1274	1274	3.4E+00	5	1.16E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1275	1275	3.4E+00	5	1.13E-01
1276	1276	3.3E+00	5	1.11E-01
1277	1277	3.2E+00	5	1.07E-01
1278	1278	3.1E+00	5	1.04E-01
1279	1279	3.0E+00	5	9.95E-02
1280	1280	2.8E+00	5	9.46E-02
1281	1281	2.6E+00	5	8.88E-02
1282	1282	2.4E+00	5	8.21E-02
1283	1283	2.2E+00	5	7.47E-02
1284	1284	3.1E+00	5	1.06E-01
1285	1285	3.1E+00	5	1.05E-01
1286	1286	3.1E+00	5	1.04E-01
1287	1287	3.0E+00	5	1.02E-01
1288	1288	3.0E+00	5	1.00E-01
1289	1289	2.9E+00	5	9.84E-02
1290	1290	2.9E+00	5	9.60E-02
1291	1291	2.8E+00	5	9.32E-02
1292	1292	2.7E+00	5	9.01E-02
1293	1293	2.6E+00	5	8.64E-02
1294	1294	2.4E+00	5	8.22E-02
1295	1295	2.3E+00	5	7.74E-02
1296	1296	2.1E+00	5	7.20E-02
1297	1297	2.0E+00	5	6.61E-02
1298	1298	2.8E+00	5	9.30E-02
1299	1299	2.7E+00	5	9.21E-02
1300	1300	2.7E+00	5	9.10E-02
1301	1301	2.7E+00	5	8.97E-02
1302	1302	2.6E+00	5	8.82E-02
1303	1303	2.6E+00	5	8.64E-02
1304	1304	2.5E+00	5	8.44E-02
1305	1305	2.4E+00	5	8.19E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1306	1306	2.5E+00	5	8.26E-02
1307	1307	2.4E+00	5	8.18E-02
1308	1308	2.4E+00	5	8.08E-02
1309	1309	2.4E+00	5	7.96E-02
1310	1310	2.3E+00	5	7.83E-02
1311	1311	2.3E+00	5	7.67E-02
1312	1312	2.2E+00	5	7.49E-02
1313	1313	2.2E+00	5	7.28E-02
1314	1314	2.2E+00	5	7.39E-02
1315	1315	2.2E+00	5	7.32E-02
1316	1316	2.1E+00	5	7.23E-02
1317	1317	2.1E+00	5	7.13E-02
1318	1318	2.1E+00	5	7.01E-02
1319	1319	2.0E+00	5	6.87E-02
1320	1320	2.0E+00	5	6.71E-02
1321	1321	1.9E+00	5	6.52E-02
1322	1322	2.0E+00	5	6.66E-02
1323	1323	2.0E+00	5	6.60E-02
1324	1324	1.9E+00	5	6.52E-02
1325	1325	1.9E+00	5	6.43E-02
1326	1326	1.9E+00	5	6.32E-02
1327	1327	1.8E+00	5	6.20E-02
1328	1328	1.8E+00	5	6.05E-02
1329	1329	1.7E+00	5	5.89E-02
1330	1330	1.8E+00	5	6.04E-02
1331	1331	1.8E+00	5	5.98E-02
1332	1332	1.8E+00	5	5.91E-02
1333	1333	1.7E+00	5	5.83E-02
1334	1334	1.7E+00	5	5.74E-02
1335	1335	1.7E+00	5	5.62E-02
1336	1336	1.6E+00	5	5.50E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1337	1337	1.6E+00	5	5.35E-02
1338	1338	9.4E-01	5	3.16E-02
1339	1339	1.0E+00	5	3.40E-02
1340	1340	1.1E+00	5	3.63E-02
1341	1341	1.2E+00	5	3.89E-02
1342	1342	1.2E+00	5	4.15E-02
1343	1343	1.3E+00	5	4.38E-02
1344	1344	1.4E+00	5	4.60E-02
1345	1345	1.4E+00	5	4.81E-02
1346	1346	1.5E+00	5	4.97E-02
1347	1347	1.5E+00	5	5.11E-02
1348	1348	1.6E+00	5	5.22E-02
1349	1349	1.6E+00	5	5.33E-02
1350	1350	1.6E+00	5	5.42E-02
1351	1351	1.6E+00	5	5.48E-02
1352	1352	1.6E+00	5	5.53E-02
1353	1353	1.7E+00	5	5.56E-02
1354	1354	1.7E+00	5	5.58E-02
1355	1355	1.7E+00	5	5.58E-02
1356	1356	1.7E+00	5	5.57E-02
1357	1357	1.6E+00	5	5.54E-02
1358	1358	1.6E+00	5	5.50E-02
1359	1359	1.6E+00	5	5.45E-02
1360	1360	1.6E+00	5	5.39E-02
1361	1361	1.6E+00	5	5.32E-02
1362	1362	1.6E+00	5	5.23E-02
1363	1363	1.5E+00	5	5.13E-02
1364	1364	1.5E+00	5	5.02E-02
1365	1365	1.5E+00	5	4.89E-02
1366	1366	8.6E-01	5	2.91E-02
1367	1367	9.2E-01	5	3.11E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1368	1368	9.8E-01	5	3.32E-02
1369	1369	1.1E+00	5	3.54E-02
1370	1370	1.1E+00	5	3.76E-02
1371	1371	1.2E+00	5	3.98E-02
1372	1372	1.2E+00	5	4.18E-02
1373	1373	1.3E+00	5	4.37E-02
1374	1374	1.3E+00	5	4.52E-02
1375	1375	1.4E+00	5	4.64E-02
1376	1376	1.4E+00	5	4.74E-02
1377	1377	1.4E+00	5	4.85E-02
1378	1378	1.5E+00	5	4.93E-02
1379	1379	1.5E+00	5	5.00E-02
1380	1380	1.5E+00	5	5.05E-02
1381	1381	1.5E+00	5	5.08E-02
1382	1382	1.5E+00	5	5.10E-02
1383	1383	1.5E+00	5	5.10E-02
1384	1384	1.5E+00	5	5.09E-02
1385	1385	1.5E+00	5	5.07E-02
1386	1386	1.5E+00	5	5.04E-02
1387	1387	1.5E+00	5	5.00E-02
1388	1388	1.5E+00	5	4.94E-02
1389	1389	1.4E+00	5	4.87E-02
1390	1390	1.4E+00	5	4.80E-02
1391	1391	1.4E+00	5	4.71E-02
1392	1392	1.4E+00	5	4.61E-02
1393	1393	1.3E+00	5	4.49E-02
1394	1394	7.9E-01	5	2.67E-02
1395	1395	8.5E-01	5	2.85E-02
1396	1396	9.0E-01	5	3.03E-02
1397	1397	9.6E-01	5	3.22E-02
1398	1398	1.0E+00	5	3.42E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1399	1399	1.1E+00	5	3.60E-02
1400	1400	1.1E+00	5	3.80E-02
1401	1401	1.2E+00	5	3.98E-02
1402	1402	1.2E+00	5	4.13E-02
1403	1403	1.3E+00	5	4.24E-02
1404	1404	1.3E+00	5	4.34E-02
1405	1405	1.3E+00	5	4.43E-02
1406	1406	1.3E+00	5	4.51E-02
1407	1407	1.4E+00	5	4.58E-02
1408	1408	1.4E+00	5	4.63E-02
1409	1409	1.4E+00	5	4.66E-02
1410	1410	1.4E+00	5	4.68E-02
1411	1411	1.4E+00	5	4.68E-02
1412	1412	1.4E+00	5	4.68E-02
1413	1413	1.4E+00	5	4.66E-02
1414	1414	1.4E+00	5	4.63E-02
1415	1415	1.4E+00	5	4.59E-02
1416	1416	1.4E+00	5	4.54E-02
1417	1417	1.3E+00	5	4.48E-02
1418	1418	1.3E+00	5	4.42E-02
1419	1419	1.3E+00	5	4.34E-02
1420	1420	1.3E+00	5	4.24E-02
1421	1421	1.2E+00	5	4.14E-02
1422	1422	7.3E-01	5	2.45E-02
1423	1423	7.8E-01	5	2.61E-02
1424	1424	8.2E-01	5	2.77E-02
1425	1425	8.7E-01	5	2.94E-02
1426	1426	9.2E-01	5	3.11E-02
1427	1427	9.8E-01	5	3.28E-02
1428	1428	1.0E+00	5	3.47E-02
1429	1429	1.1E+00	5	3.65E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1430	1430	1.1E+00	5	3.79E-02
1431	1431	1.2E+00	5	3.89E-02
1432	1432	1.2E+00	5	3.98E-02
1433	1433	1.2E+00	5	4.07E-02
1434	1434	1.2E+00	5	4.14E-02
1435	1435	1.2E+00	5	4.21E-02
1436	1436	1.3E+00	5	4.26E-02
1437	1437	1.3E+00	5	4.29E-02
1438	1438	1.3E+00	5	4.31E-02
1439	1439	1.3E+00	5	4.32E-02
1440	1440	1.3E+00	5	4.31E-02
1441	1441	1.3E+00	5	4.30E-02
1442	1442	1.3E+00	5	4.27E-02
1443	1443	1.3E+00	5	4.24E-02
1444	1444	1.2E+00	5	4.20E-02
1445	1445	1.2E+00	5	4.14E-02
1446	1446	1.2E+00	5	4.08E-02
1447	1447	1.2E+00	5	4.01E-02
1448	1448	1.2E+00	5	3.93E-02
1449	1449	1.1E+00	5	3.83E-02
1450	1450	6.7E-01	5	2.26E-02
1451	1451	7.1E-01	5	2.40E-02
1452	1452	7.5E-01	5	2.54E-02
1453	1453	8.0E-01	5	2.69E-02
1454	1454	8.4E-01	5	2.84E-02
1455	1455	8.9E-01	5	2.99E-02
1456	1456	9.4E-01	5	3.18E-02
1457	1457	9.9E-01	5	3.35E-02
1458	1458	1.0E+00	5	3.48E-02
1459	1459	1.1E+00	5	3.58E-02
1460	1460	1.1E+00	5	3.67E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1461	1461	1.1E+00	5	3.75E-02
1462	1462	1.1E+00	5	3.82E-02
1463	1463	1.2E+00	5	3.88E-02
1464	1464	1.2E+00	5	3.93E-02
1465	1465	1.2E+00	5	3.97E-02
1466	1466	1.2E+00	5	3.99E-02
1467	1467	1.2E+00	5	3.99E-02
1468	1468	1.2E+00	5	3.99E-02
1469	1469	1.2E+00	5	3.98E-02
1470	1470	1.2E+00	5	3.96E-02
1471	1471	1.2E+00	5	3.93E-02
1472	1472	1.2E+00	5	3.89E-02
1473	1473	1.1E+00	5	3.84E-02
1474	1474	1.1E+00	5	3.78E-02
1475	1475	1.1E+00	5	3.72E-02
1476	1476	1.1E+00	5	3.65E-02
1477	1477	1.1E+00	5	3.56E-02
1478	1478	6.2E-01	5	2.09E-02
1479	1479	6.6E-01	5	2.22E-02
1480	1480	7.0E-01	5	2.35E-02
1481	1481	7.4E-01	5	2.48E-02
1482	1482	7.8E-01	5	2.63E-02
1483	1483	8.2E-01	5	2.76E-02
1484	1484	8.7E-01	5	2.93E-02
1485	1485	9.2E-01	5	3.09E-02
1486	1486	9.6E-01	5	3.22E-02
1487	1487	9.8E-01	5	3.31E-02
1488	1488	1.0E+00	5	3.39E-02
1489	1489	1.0E+00	5	3.47E-02
1490	1490	1.1E+00	5	3.54E-02
1491	1491	1.1E+00	5	3.59E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1492	1492	1.1E+00	5	3.64E-02
1493	1493	1.1E+00	5	3.67E-02
1494	1494	1.1E+00	5	3.69E-02
1495	1495	1.1E+00	5	3.70E-02
1496	1496	1.1E+00	5	3.70E-02
1497	1497	1.1E+00	5	3.69E-02
1498	1498	1.1E+00	5	3.67E-02
1499	1499	1.1E+00	5	3.65E-02
1500	1500	1.1E+00	5	3.61E-02
1501	1501	1.1E+00	5	3.57E-02
1502	1502	1.0E+00	5	3.52E-02
1503	1503	1.0E+00	5	3.46E-02
1504	1504	1.0E+00	5	3.40E-02
1505	1505	9.9E-01	5	3.32E-02
1506	1506	5.8E-01	5	1.94E-02
1507	1507	6.1E-01	5	2.06E-02
1508	1508	6.5E-01	5	2.18E-02
1509	1509	6.8E-01	5	2.30E-02
1510	1510	7.2E-01	5	2.43E-02
1511	1511	7.6E-01	5	2.57E-02
1512	1512	8.1E-01	5	2.72E-02
1513	1513	8.5E-01	5	2.86E-02
1514	1514	8.9E-01	5	2.98E-02
1515	1515	9.1E-01	5	3.07E-02
1516	1516	9.3E-01	5	3.15E-02
1517	1517	9.6E-01	5	3.22E-02
1518	1518	9.8E-01	5	3.28E-02
1519	1519	9.9E-01	5	3.34E-02
1520	1520	1.0E+00	5	3.38E-02
1521	1521	1.0E+00	5	3.41E-02
1522	1522	1.0E+00	5	3.43E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1523	1523	1.0E+00	5	3.44E-02
1524	1524	1.0E+00	5	3.44E-02
1525	1525	1.0E+00	5	3.44E-02
1526	1526	1.0E+00	5	3.42E-02
1527	1527	1.0E+00	5	3.40E-02
1528	1528	1.0E+00	5	3.37E-02
1529	1529	9.9E-01	5	3.33E-02
1530	1530	9.8E-01	5	3.28E-02
1531	1531	9.6E-01	5	3.23E-02
1532	1532	9.4E-01	5	3.17E-02
1533	1533	9.2E-01	5	3.10E-02
1534	1534	5.3E-01	5	1.80E-02
1535	1535	5.7E-01	5	1.91E-02
1536	1536	6.0E-01	5	2.02E-02
1537	1537	6.4E-01	5	2.14E-02
1538	1538	6.7E-01	5	2.27E-02
1539	1539	7.1E-01	5	2.39E-02
1540	1540	7.5E-01	5	2.53E-02
1541	1541	7.9E-01	5	2.66E-02
1542	1542	8.2E-01	5	2.77E-02
1543	1543	8.5E-01	5	2.85E-02
1544	1544	8.7E-01	5	2.93E-02
1545	1545	8.9E-01	5	3.00E-02
1546	1546	9.1E-01	5	3.06E-02
1547	1547	9.2E-01	5	3.11E-02
1548	1548	9.3E-01	5	3.15E-02
1549	1549	9.4E-01	5	3.18E-02
1550	1550	9.5E-01	5	3.20E-02
1551	1551	9.5E-01	5	3.21E-02
1552	1552	9.5E-01	5	3.21E-02
1553	1553	9.5E-01	5	3.21E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1554	1554	9.5E-01	5	3.19E-02
1555	1555	9.4E-01	5	3.17E-02
1556	1556	9.3E-01	5	3.15E-02
1557	1557	9.2E-01	5	3.11E-02
1558	1558	9.1E-01	5	3.07E-02
1559	1559	9.0E-01	5	3.02E-02
1560	1560	8.8E-01	5	2.97E-02
1561	1561	8.6E-01	5	2.91E-02
1562	1562	5.0E-01	5	1.68E-02
1563	1563	5.3E-01	5	1.78E-02
1564	1564	5.6E-01	5	1.88E-02
1565	1565	5.9E-01	5	1.99E-02
1566	1566	6.2E-01	5	2.10E-02
1567	1567	6.6E-01	5	2.22E-02
1568	1568	7.0E-01	5	2.34E-02
1569	1569	7.3E-01	5	2.47E-02
1570	1570	7.6E-01	5	2.57E-02
1571	1571	7.9E-01	5	2.65E-02
1572	1572	8.1E-01	5	2.72E-02
1573	1573	8.3E-01	5	2.79E-02
1574	1574	8.5E-01	5	2.85E-02
1575	1575	8.6E-01	5	2.90E-02
1576	1576	8.7E-01	5	2.94E-02
1577	1577	8.8E-01	5	2.97E-02
1578	1578	8.9E-01	5	2.99E-02
1579	1579	8.9E-01	5	3.00E-02
1580	1580	8.9E-01	5	3.00E-02
1581	1581	8.9E-01	5	3.00E-02
1582	1582	8.9E-01	5	2.99E-02
1583	1583	8.8E-01	5	2.97E-02
1584	1584	8.8E-01	5	2.95E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1585	1585	8.7E-01	5	2.92E-02
1586	1586	8.6E-01	5	2.88E-02
1587	1587	8.4E-01	5	2.84E-02
1588	1588	8.3E-01	5	2.79E-02
1589	1589	8.1E-01	5	2.73E-02
1590	1590	4.7E-01	5	1.58E-02
1591	1591	4.9E-01	5	1.66E-02
1592	1592	5.2E-01	5	1.75E-02
1593	1593	5.5E-01	5	1.85E-02
1594	1594	5.8E-01	5	1.95E-02
1595	1595	6.1E-01	5	2.05E-02
0	0	0.0E+00	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

							Cancer Risk from 2 to 16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	7.15895	1.72E-02	1.2E-01	6.05E-04	7.45E-05	2.08E-01	4.71E-02	7.32E-07	1.0E+06	7.3E-01
1214	13.81549	1.72E-02	2.4E-01	6.05E-04	1.44E-04	2.08E-01	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1215	13.49237	1.72E-02	2.3E-01	6.05E-04	1.40E-04	2.08E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1216	13.52195	1.72E-02	2.3E-01	6.05E-04	1.41E-04	2.08E-01	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1217	16.11207	1.72E-02	2.8E-01	6.05E-04	1.68E-04	2.08E-01	4.71E-02	1.65E-06	1.0E+06	1.6E+00
1218	12.95641	1.72E-02	2.2E-01	6.05E-04	1.35E-04	2.08E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
1219	12.41041	1.72E-02	2.1E-01	6.05E-04	1.29E-04	2.08E-01	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1220	12.15445	1.72E-02	2.1E-01	6.05E-04	1.27E-04	2.08E-01	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1221	14.37718	1.72E-02	2.5E-01	6.05E-04	1.50E-04	2.08E-01	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1222	10.87803	1.72E-02	1.9E-01	6.05E-04	1.13E-04	2.08E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1223	9.99783	1.72E-02	1.7E-01	6.05E-04	1.04E-04	2.08E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1224	9.35552	1.72E-02	1.6E-01	6.05E-04	9.74E-05	2.08E-01	4.71E-02	9.56E-07	1.0E+06	9.6E-01
1225	10.95212	1.72E-02	1.9E-01	6.05E-04	1.14E-04	2.08E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1226	9.73576	1.72E-02	1.7E-01	6.05E-04	1.01E-04	2.08E-01	4.71E-02	9.95E-07	1.0E+06	9.9E-01
1227	8.63577	1.72E-02	1.5E-01	6.05E-04	8.99E-05	2.08E-01	4.71E-02	8.82E-07	1.0E+06	8.8E-01
1228	14.70152	1.72E-02	2.5E-01	6.05E-04	1.53E-04	2.08E-01	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1229	11.71597	1.72E-02	2.0E-01	6.05E-04	1.22E-04	2.08E-01	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1230	14.28906	1.72E-02	2.5E-01	6.05E-04	1.49E-04	2.08E-01	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1231	13.83858	1.72E-02	2.4E-01	6.05E-04	1.44E-04	2.08E-01	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1232	13.90897	1.72E-02	2.4E-01	6.05E-04	1.45E-04	2.08E-01	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1233	10.76382	1.72E-02	1.9E-01	6.05E-04	1.12E-04	2.08E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1234	13.0605	1.72E-02	2.2E-01	6.05E-04	1.36E-04	2.08E-01	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1235	12.36856	1.72E-02	2.1E-01	6.05E-04	1.29E-04	2.08E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1236	12.1705	1.72E-02	2.1E-01	6.05E-04	1.27E-04	2.08E-01	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1237	8.73926	1.72E-02	1.5E-01	6.05E-04	9.10E-05	2.08E-01	4.71E-02	8.93E-07	1.0E+06	8.9E-01
1238	10.68832	1.72E-02	1.8E-01	6.05E-04	1.11E-04	2.08E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1239	9.46584	1.72E-02	1.6E-01	6.05E-04	9.85E-05	2.08E-01	4.71E-02	9.67E-07	1.0E+06	9.7E-01
1240	8.43844	1.72E-02	1.5E-01	6.05E-04	8.78E-05	2.08E-01	4.71E-02	8.62E-07	1.0E+06	8.6E-01
1241	7.51892	1.72E-02	1.3E-01	6.05E-04	7.83E-05	2.08E-01	4.71E-02	7.68E-07	1.0E+06	7.7E-01
1242	15.63269	1.72E-02	2.7E-01	6.05E-04	1.63E-04	2.08E-01	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1243	15.49646	1.72E-02	2.7E-01	6.05E-04	1.61E-04	2.08E-01	4.71E-02	1.58E-06	1.0E+06	1.6E+00

	Max	Receptor #
Res	1.646	1217

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	15.35	1.72E-02	2.6E-01	6.05E-04	1.60E-04	2.08E-01	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1245	15.15779	1.72E-02	2.6E-01	6.05E-04	1.58E-04	2.08E-01	4.71E-02	1.55E-06	1.0E+06	1.5E+00
1246	14.89568	1.72E-02	2.6E-01	6.05E-04	1.55E-04	2.08E-01	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1247	14.59435	1.72E-02	2.5E-01	6.05E-04	1.52E-04	2.08E-01	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1248	14.26608	1.72E-02	2.5E-01	6.05E-04	1.49E-04	2.08E-01	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1249	13.87008	1.72E-02	2.4E-01	6.05E-04	1.44E-04	2.08E-01	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1250	13.38369	1.72E-02	2.3E-01	6.05E-04	1.39E-04	2.08E-01	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1251	12.85069	1.72E-02	2.2E-01	6.05E-04	1.34E-04	2.08E-01	4.71E-02	1.31E-06	1.0E+06	1.3E+00
1252	12.22595	1.72E-02	2.1E-01	6.05E-04	1.27E-04	2.08E-01	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1253	11.42044	1.72E-02	2.0E-01	6.05E-04	1.19E-04	2.08E-01	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1254	10.39321	1.72E-02	1.8E-01	6.05E-04	1.08E-04	2.08E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1255	9.20791	1.72E-02	1.6E-01	6.05E-04	9.59E-05	2.08E-01	4.71E-02	9.41E-07	1.0E+06	9.4E-01
1256	13.13208	1.72E-02	2.3E-01	6.05E-04	1.37E-04	2.08E-01	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1257	13.01441	1.72E-02	2.2E-01	6.05E-04	1.35E-04	2.08E-01	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1258	12.87265	1.72E-02	2.2E-01	6.05E-04	1.34E-04	2.08E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00
1259	12.69931	1.72E-02	2.2E-01	6.05E-04	1.32E-04	2.08E-01	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1260	12.49121	1.72E-02	2.1E-01	6.05E-04	1.30E-04	2.08E-01	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1261	12.23703	1.72E-02	2.1E-01	6.05E-04	1.27E-04	2.08E-01	4.71E-02	1.25E-06	1.0E+06	1.3E+00
1262	11.94325	1.72E-02	2.1E-01	6.05E-04	1.24E-04	2.08E-01	4.71E-02	1.22E-06	1.0E+06	1.2E+00
1263	11.60421	1.72E-02	2.0E-01	6.05E-04	1.21E-04	2.08E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1264	11.20248	1.72E-02	1.9E-01	6.05E-04	1.17E-04	2.08E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
1265	10.74927	1.72E-02	1.8E-01	6.05E-04	1.12E-04	2.08E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1266	10.21143	1.72E-02	1.8E-01	6.05E-04	1.06E-04	2.08E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1267	9.55729	1.72E-02	1.6E-01	6.05E-04	9.95E-05	2.08E-01	4.71E-02	9.77E-07	1.0E+06	9.8E-01
1268	8.77599	1.72E-02	1.5E-01	6.05E-04	9.14E-05	2.08E-01	4.71E-02	8.97E-07	1.0E+06	9.0E-01
1269	7.89918	1.72E-02	1.4E-01	6.05E-04	8.22E-05	2.08E-01	4.71E-02	8.07E-07	1.0E+06	8.1E-01
1270	11.2371	1.72E-02	1.9E-01	6.05E-04	1.17E-04	2.08E-01	4.71E-02	1.15E-06	1.0E+06	1.1E+00
1271	11.13338	1.72E-02	1.9E-01	6.05E-04	1.16E-04	2.08E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
1272	11.00483	1.72E-02	1.9E-01	6.05E-04	1.15E-04	2.08E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1273	10.84838	1.72E-02	1.9E-01	6.05E-04	1.13E-04	2.08E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1274	10.67084	1.72E-02	1.8E-01	6.05E-04	1.11E-04	2.08E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	10.45682	1.72E-02	1.8E-01	6.05E-04	1.09E-04	2.08E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1276	10.20145	1.72E-02	1.8E-01	6.05E-04	1.06E-04	2.08E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1277	9.90751	1.72E-02	1.7E-01	6.05E-04	1.03E-04	2.08E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1278	9.56641	1.72E-02	1.6E-01	6.05E-04	9.96E-05	2.08E-01	4.71E-02	9.78E-07	1.0E+06	9.8E-01
1279	9.17642	1.72E-02	1.6E-01	6.05E-04	9.55E-05	2.08E-01	4.71E-02	9.38E-07	1.0E+06	9.4E-01
1280	8.71977	1.72E-02	1.5E-01	6.05E-04	9.08E-05	2.08E-01	4.71E-02	8.91E-07	1.0E+06	8.9E-01
1281	8.18363	1.72E-02	1.4E-01	6.05E-04	8.52E-05	2.08E-01	4.71E-02	8.36E-07	1.0E+06	8.4E-01
1282	7.5666	1.72E-02	1.3E-01	6.05E-04	7.88E-05	2.08E-01	4.71E-02	7.73E-07	1.0E+06	7.7E-01
1283	6.88851	1.72E-02	1.2E-01	6.05E-04	7.17E-05	2.08E-01	4.71E-02	7.04E-07	1.0E+06	7.0E-01
1284	9.75945	1.72E-02	1.7E-01	6.05E-04	1.02E-04	2.08E-01	4.71E-02	9.97E-07	1.0E+06	1.0E+00
1285	9.66684	1.72E-02	1.7E-01	6.05E-04	1.01E-04	2.08E-01	4.71E-02	9.88E-07	1.0E+06	9.9E-01
1286	9.55206	1.72E-02	1.6E-01	6.05E-04	9.94E-05	2.08E-01	4.71E-02	9.76E-07	1.0E+06	9.8E-01
1287	9.41346	1.72E-02	1.6E-01	6.05E-04	9.80E-05	2.08E-01	4.71E-02	9.62E-07	1.0E+06	9.6E-01
1288	9.25445	1.72E-02	1.6E-01	6.05E-04	9.63E-05	2.08E-01	4.71E-02	9.46E-07	1.0E+06	9.5E-01
1289	9.07085	1.72E-02	1.6E-01	6.05E-04	9.44E-05	2.08E-01	4.71E-02	9.27E-07	1.0E+06	9.3E-01
1290	8.85142	1.72E-02	1.5E-01	6.05E-04	9.21E-05	2.08E-01	4.71E-02	9.05E-07	1.0E+06	9.0E-01
1291	8.59582	1.72E-02	1.5E-01	6.05E-04	8.95E-05	2.08E-01	4.71E-02	8.78E-07	1.0E+06	8.8E-01
1292	8.30249	1.72E-02	1.4E-01	6.05E-04	8.64E-05	2.08E-01	4.71E-02	8.48E-07	1.0E+06	8.5E-01
1293	7.96665	1.72E-02	1.4E-01	6.05E-04	8.29E-05	2.08E-01	4.71E-02	8.14E-07	1.0E+06	8.1E-01
1294	7.57866	1.72E-02	1.3E-01	6.05E-04	7.89E-05	2.08E-01	4.71E-02	7.74E-07	1.0E+06	7.7E-01
1295	7.13377	1.72E-02	1.2E-01	6.05E-04	7.43E-05	2.08E-01	4.71E-02	7.29E-07	1.0E+06	7.3E-01
1296	6.6336	1.72E-02	1.1E-01	6.05E-04	6.91E-05	2.08E-01	4.71E-02	6.78E-07	1.0E+06	6.8E-01
1297	6.09085	1.72E-02	1.0E-01	6.05E-04	6.34E-05	2.08E-01	4.71E-02	6.22E-07	1.0E+06	6.2E-01
1298	8.57804	1.72E-02	1.5E-01	6.05E-04	8.93E-05	2.08E-01	4.71E-02	8.77E-07	1.0E+06	8.8E-01
1299	8.49513	1.72E-02	1.5E-01	6.05E-04	8.84E-05	2.08E-01	4.71E-02	8.68E-07	1.0E+06	8.7E-01
1300	8.39221	1.72E-02	1.4E-01	6.05E-04	8.74E-05	2.08E-01	4.71E-02	8.58E-07	1.0E+06	8.6E-01
1301	8.269	1.72E-02	1.4E-01	6.05E-04	8.61E-05	2.08E-01	4.71E-02	8.45E-07	1.0E+06	8.4E-01
1302	8.12788	1.72E-02	1.4E-01	6.05E-04	8.46E-05	2.08E-01	4.71E-02	8.31E-07	1.0E+06	8.3E-01
1303	7.96655	1.72E-02	1.4E-01	6.05E-04	8.29E-05	2.08E-01	4.71E-02	8.14E-07	1.0E+06	8.1E-01
1304	7.77688	1.72E-02	1.3E-01	6.05E-04	8.10E-05	2.08E-01	4.71E-02	7.95E-07	1.0E+06	7.9E-01
1305	7.55422	1.72E-02	1.3E-01	6.05E-04	7.86E-05	2.08E-01	4.71E-02	7.72E-07	1.0E+06	7.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	7.61436	1.72E-02	1.3E-01	6.05E-04	7.93E-05	2.08E-01	4.71E-02	7.78E-07	1.0E+06	7.8E-01
1307	7.54083	1.72E-02	1.3E-01	6.05E-04	7.85E-05	2.08E-01	4.71E-02	7.71E-07	1.0E+06	7.7E-01
1308	7.44989	1.72E-02	1.3E-01	6.05E-04	7.76E-05	2.08E-01	4.71E-02	7.61E-07	1.0E+06	7.6E-01
1309	7.34135	1.72E-02	1.3E-01	6.05E-04	7.64E-05	2.08E-01	4.71E-02	7.50E-07	1.0E+06	7.5E-01
1310	7.21757	1.72E-02	1.2E-01	6.05E-04	7.51E-05	2.08E-01	4.71E-02	7.38E-07	1.0E+06	7.4E-01
1311	7.07301	1.72E-02	1.2E-01	6.05E-04	7.36E-05	2.08E-01	4.71E-02	7.23E-07	1.0E+06	7.2E-01
1312	6.90398	1.72E-02	1.2E-01	6.05E-04	7.19E-05	2.08E-01	4.71E-02	7.05E-07	1.0E+06	7.1E-01
1313	6.70915	1.72E-02	1.2E-01	6.05E-04	6.98E-05	2.08E-01	4.71E-02	6.86E-07	1.0E+06	6.9E-01
1314	6.81468	1.72E-02	1.2E-01	6.05E-04	7.09E-05	2.08E-01	4.71E-02	6.96E-07	1.0E+06	7.0E-01
1315	6.74938	1.72E-02	1.2E-01	6.05E-04	7.03E-05	2.08E-01	4.71E-02	6.90E-07	1.0E+06	6.9E-01
1316	6.66911	1.72E-02	1.1E-01	6.05E-04	6.94E-05	2.08E-01	4.71E-02	6.81E-07	1.0E+06	6.8E-01
1317	6.57364	1.72E-02	1.1E-01	6.05E-04	6.84E-05	2.08E-01	4.71E-02	6.72E-07	1.0E+06	6.7E-01
1318	6.4628	1.72E-02	1.1E-01	6.05E-04	6.73E-05	2.08E-01	4.71E-02	6.60E-07	1.0E+06	6.6E-01
1319	6.333	1.72E-02	1.1E-01	6.05E-04	6.59E-05	2.08E-01	4.71E-02	6.47E-07	1.0E+06	6.5E-01
1320	6.18275	1.72E-02	1.1E-01	6.05E-04	6.44E-05	2.08E-01	4.71E-02	6.32E-07	1.0E+06	6.3E-01
1321	6.01167	1.72E-02	1.0E-01	6.05E-04	6.26E-05	2.08E-01	4.71E-02	6.14E-07	1.0E+06	6.1E-01
1322	6.14171	1.72E-02	1.1E-01	6.05E-04	6.39E-05	2.08E-01	4.71E-02	6.28E-07	1.0E+06	6.3E-01
1323	6.08382	1.72E-02	1.0E-01	6.05E-04	6.33E-05	2.08E-01	4.71E-02	6.22E-07	1.0E+06	6.2E-01
1324	6.01269	1.72E-02	1.0E-01	6.05E-04	6.26E-05	2.08E-01	4.71E-02	6.14E-07	1.0E+06	6.1E-01
1325	5.92782	1.72E-02	1.0E-01	6.05E-04	6.17E-05	2.08E-01	4.71E-02	6.06E-07	1.0E+06	6.1E-01
1326	5.82807	1.72E-02	1.0E-01	6.05E-04	6.07E-05	2.08E-01	4.71E-02	5.96E-07	1.0E+06	6.0E-01
1327	5.71184	1.72E-02	9.8E-02	6.05E-04	5.95E-05	2.08E-01	4.71E-02	5.84E-07	1.0E+06	5.8E-01
1328	5.57841	1.72E-02	9.6E-02	6.05E-04	5.81E-05	2.08E-01	4.71E-02	5.70E-07	1.0E+06	5.7E-01
1329	5.42744	1.72E-02	9.3E-02	6.05E-04	5.65E-05	2.08E-01	4.71E-02	5.55E-07	1.0E+06	5.5E-01
1330	5.56801	1.72E-02	9.6E-02	6.05E-04	5.80E-05	2.08E-01	4.71E-02	5.69E-07	1.0E+06	5.7E-01
1331	5.51665	1.72E-02	9.5E-02	6.05E-04	5.74E-05	2.08E-01	4.71E-02	5.64E-07	1.0E+06	5.6E-01
1332	5.45306	1.72E-02	9.4E-02	6.05E-04	5.68E-05	2.08E-01	4.71E-02	5.57E-07	1.0E+06	5.6E-01
1333	5.37707	1.72E-02	9.3E-02	6.05E-04	5.60E-05	2.08E-01	4.71E-02	5.49E-07	1.0E+06	5.5E-01
1334	5.28827	1.72E-02	9.1E-02	6.05E-04	5.51E-05	2.08E-01	4.71E-02	5.40E-07	1.0E+06	5.4E-01
1335	5.1849	1.72E-02	8.9E-02	6.05E-04	5.40E-05	2.08E-01	4.71E-02	5.30E-07	1.0E+06	5.3E-01
1336	5.06618	1.72E-02	8.7E-02	6.05E-04	5.27E-05	2.08E-01	4.71E-02	5.18E-07	1.0E+06	5.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	4.93206	1.72E-02	8.5E-02	6.05E-04	5.13E-05	2.08E-01	4.71E-02	5.04E-07	1.0E+06	5.0E-01
1338	2.91471	1.72E-02	5.0E-02	6.05E-04	3.03E-05	2.08E-01	4.71E-02	2.98E-07	1.0E+06	3.0E-01
1339	3.13335	1.72E-02	5.4E-02	6.05E-04	3.26E-05	2.08E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
1340	3.34931	1.72E-02	5.8E-02	6.05E-04	3.49E-05	2.08E-01	4.71E-02	3.42E-07	1.0E+06	3.4E-01
1341	3.58675	1.72E-02	6.2E-02	6.05E-04	3.73E-05	2.08E-01	4.71E-02	3.67E-07	1.0E+06	3.7E-01
1342	3.82434	1.72E-02	6.6E-02	6.05E-04	3.98E-05	2.08E-01	4.71E-02	3.91E-07	1.0E+06	3.9E-01
1343	4.03544	1.72E-02	6.9E-02	6.05E-04	4.20E-05	2.08E-01	4.71E-02	4.12E-07	1.0E+06	4.1E-01
1344	4.24345	1.72E-02	7.3E-02	6.05E-04	4.42E-05	2.08E-01	4.71E-02	4.34E-07	1.0E+06	4.3E-01
1345	4.43286	1.72E-02	7.6E-02	6.05E-04	4.61E-05	2.08E-01	4.71E-02	4.53E-07	1.0E+06	4.5E-01
1346	4.5862	1.72E-02	7.9E-02	6.05E-04	4.77E-05	2.08E-01	4.71E-02	4.69E-07	1.0E+06	4.7E-01
1347	4.71107	1.72E-02	8.1E-02	6.05E-04	4.90E-05	2.08E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
1348	4.81697	1.72E-02	8.3E-02	6.05E-04	5.01E-05	2.08E-01	4.71E-02	4.92E-07	1.0E+06	4.9E-01
1349	4.91292	1.72E-02	8.5E-02	6.05E-04	5.11E-05	2.08E-01	4.71E-02	5.02E-07	1.0E+06	5.0E-01
1350	4.99402	1.72E-02	8.6E-02	6.05E-04	5.20E-05	2.08E-01	4.71E-02	5.10E-07	1.0E+06	5.1E-01
1351	5.05458	1.72E-02	8.7E-02	6.05E-04	5.26E-05	2.08E-01	4.71E-02	5.17E-07	1.0E+06	5.2E-01
1352	5.09921	1.72E-02	8.8E-02	6.05E-04	5.31E-05	2.08E-01	4.71E-02	5.21E-07	1.0E+06	5.2E-01
1353	5.12843	1.72E-02	8.8E-02	6.05E-04	5.34E-05	2.08E-01	4.71E-02	5.24E-07	1.0E+06	5.2E-01
1354	5.14121	1.72E-02	8.8E-02	6.05E-04	5.35E-05	2.08E-01	4.71E-02	5.25E-07	1.0E+06	5.3E-01
1355	5.14202	1.72E-02	8.8E-02	6.05E-04	5.35E-05	2.08E-01	4.71E-02	5.25E-07	1.0E+06	5.3E-01
1356	5.13064	1.72E-02	8.8E-02	6.05E-04	5.34E-05	2.08E-01	4.71E-02	5.24E-07	1.0E+06	5.2E-01
1357	5.108	1.72E-02	8.8E-02	6.05E-04	5.32E-05	2.08E-01	4.71E-02	5.22E-07	1.0E+06	5.2E-01
1358	5.07439	1.72E-02	8.7E-02	6.05E-04	5.28E-05	2.08E-01	4.71E-02	5.19E-07	1.0E+06	5.2E-01
1359	5.02888	1.72E-02	8.7E-02	6.05E-04	5.24E-05	2.08E-01	4.71E-02	5.14E-07	1.0E+06	5.1E-01
1360	4.97196	1.72E-02	8.6E-02	6.05E-04	5.18E-05	2.08E-01	4.71E-02	5.08E-07	1.0E+06	5.1E-01
1361	4.9039	1.72E-02	8.4E-02	6.05E-04	5.11E-05	2.08E-01	4.71E-02	5.01E-07	1.0E+06	5.0E-01
1362	4.82463	1.72E-02	8.3E-02	6.05E-04	5.02E-05	2.08E-01	4.71E-02	4.93E-07	1.0E+06	4.9E-01
1363	4.7325	1.72E-02	8.1E-02	6.05E-04	4.93E-05	2.08E-01	4.71E-02	4.84E-07	1.0E+06	4.8E-01
1364	4.62665	1.72E-02	8.0E-02	6.05E-04	4.82E-05	2.08E-01	4.71E-02	4.73E-07	1.0E+06	4.7E-01
1365	4.50717	1.72E-02	7.8E-02	6.05E-04	4.69E-05	2.08E-01	4.71E-02	4.61E-07	1.0E+06	4.6E-01
1366	2.68434	1.72E-02	4.6E-02	6.05E-04	2.79E-05	2.08E-01	4.71E-02	2.74E-07	1.0E+06	2.7E-01
1367	2.86768	1.72E-02	4.9E-02	6.05E-04	2.99E-05	2.08E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	3.05695	1.72E-02	5.3E-02	6.05E-04	3.18E-05	2.08E-01	4.71E-02	3.12E-07	1.0E+06	3.1E-01
1369	3.26585	1.72E-02	5.6E-02	6.05E-04	3.40E-05	2.08E-01	4.71E-02	3.34E-07	1.0E+06	3.3E-01
1370	3.46518	1.72E-02	6.0E-02	6.05E-04	3.61E-05	2.08E-01	4.71E-02	3.54E-07	1.0E+06	3.5E-01
1371	3.66677	1.72E-02	6.3E-02	6.05E-04	3.82E-05	2.08E-01	4.71E-02	3.75E-07	1.0E+06	3.7E-01
1372	3.85665	1.72E-02	6.6E-02	6.05E-04	4.01E-05	2.08E-01	4.71E-02	3.94E-07	1.0E+06	3.9E-01
1373	4.02707	1.72E-02	6.9E-02	6.05E-04	4.19E-05	2.08E-01	4.71E-02	4.12E-07	1.0E+06	4.1E-01
1374	4.17095	1.72E-02	7.2E-02	6.05E-04	4.34E-05	2.08E-01	4.71E-02	4.26E-07	1.0E+06	4.3E-01
1375	4.27896	1.72E-02	7.4E-02	6.05E-04	4.45E-05	2.08E-01	4.71E-02	4.37E-07	1.0E+06	4.4E-01
1376	4.37026	1.72E-02	7.5E-02	6.05E-04	4.55E-05	2.08E-01	4.71E-02	4.47E-07	1.0E+06	4.5E-01
1377	4.46705	1.72E-02	7.7E-02	6.05E-04	4.65E-05	2.08E-01	4.71E-02	4.56E-07	1.0E+06	4.6E-01
1378	4.54761	1.72E-02	7.8E-02	6.05E-04	4.73E-05	2.08E-01	4.71E-02	4.65E-07	1.0E+06	4.6E-01
1379	4.61074	1.72E-02	7.9E-02	6.05E-04	4.80E-05	2.08E-01	4.71E-02	4.71E-07	1.0E+06	4.7E-01
1380	4.65524	1.72E-02	8.0E-02	6.05E-04	4.85E-05	2.08E-01	4.71E-02	4.76E-07	1.0E+06	4.8E-01
1381	4.68559	1.72E-02	8.1E-02	6.05E-04	4.88E-05	2.08E-01	4.71E-02	4.79E-07	1.0E+06	4.8E-01
1382	4.69968	1.72E-02	8.1E-02	6.05E-04	4.89E-05	2.08E-01	4.71E-02	4.80E-07	1.0E+06	4.8E-01
1383	4.70227	1.72E-02	8.1E-02	6.05E-04	4.90E-05	2.08E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
1384	4.69401	1.72E-02	8.1E-02	6.05E-04	4.89E-05	2.08E-01	4.71E-02	4.80E-07	1.0E+06	4.8E-01
1385	4.67498	1.72E-02	8.0E-02	6.05E-04	4.87E-05	2.08E-01	4.71E-02	4.78E-07	1.0E+06	4.8E-01
1386	4.6459	1.72E-02	8.0E-02	6.05E-04	4.84E-05	2.08E-01	4.71E-02	4.75E-07	1.0E+06	4.7E-01
1387	4.60566	1.72E-02	7.9E-02	6.05E-04	4.79E-05	2.08E-01	4.71E-02	4.71E-07	1.0E+06	4.7E-01
1388	4.55468	1.72E-02	7.8E-02	6.05E-04	4.74E-05	2.08E-01	4.71E-02	4.65E-07	1.0E+06	4.7E-01
1389	4.49367	1.72E-02	7.7E-02	6.05E-04	4.68E-05	2.08E-01	4.71E-02	4.59E-07	1.0E+06	4.6E-01
1390	4.42282	1.72E-02	7.6E-02	6.05E-04	4.60E-05	2.08E-01	4.71E-02	4.52E-07	1.0E+06	4.5E-01
1391	4.34051	1.72E-02	7.5E-02	6.05E-04	4.52E-05	2.08E-01	4.71E-02	4.44E-07	1.0E+06	4.4E-01
1392	4.24597	1.72E-02	7.3E-02	6.05E-04	4.42E-05	2.08E-01	4.71E-02	4.34E-07	1.0E+06	4.3E-01
1393	4.13919	1.72E-02	7.1E-02	6.05E-04	4.31E-05	2.08E-01	4.71E-02	4.23E-07	1.0E+06	4.2E-01
1394	2.4577	1.72E-02	4.2E-02	6.05E-04	2.56E-05	2.08E-01	4.71E-02	2.51E-07	1.0E+06	2.5E-01
1395	2.6236	1.72E-02	4.5E-02	6.05E-04	2.73E-05	2.08E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
1396	2.79342	1.72E-02	4.8E-02	6.05E-04	2.91E-05	2.08E-01	4.71E-02	2.85E-07	1.0E+06	2.9E-01
1397	2.96725	1.72E-02	5.1E-02	6.05E-04	3.09E-05	2.08E-01	4.71E-02	3.03E-07	1.0E+06	3.0E-01
1398	3.15399	1.72E-02	5.4E-02	6.05E-04	3.28E-05	2.08E-01	4.71E-02	3.22E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	3.32191	1.72E-02	5.7E-02	6.05E-04	3.46E-05	2.08E-01	4.71E-02	3.39E-07	1.0E+06	3.4E-01
1400	3.50527	1.72E-02	6.0E-02	6.05E-04	3.65E-05	2.08E-01	4.71E-02	3.58E-07	1.0E+06	3.6E-01
1401	3.67179	1.72E-02	6.3E-02	6.05E-04	3.82E-05	2.08E-01	4.71E-02	3.75E-07	1.0E+06	3.8E-01
1402	3.80793	1.72E-02	6.6E-02	6.05E-04	3.96E-05	2.08E-01	4.71E-02	3.89E-07	1.0E+06	3.9E-01
1403	3.91085	1.72E-02	6.7E-02	6.05E-04	4.07E-05	2.08E-01	4.71E-02	4.00E-07	1.0E+06	4.0E-01
1404	3.99655	1.72E-02	6.9E-02	6.05E-04	4.16E-05	2.08E-01	4.71E-02	4.08E-07	1.0E+06	4.1E-01
1405	4.0866	1.72E-02	7.0E-02	6.05E-04	4.25E-05	2.08E-01	4.71E-02	4.18E-07	1.0E+06	4.2E-01
1406	4.15951	1.72E-02	7.2E-02	6.05E-04	4.33E-05	2.08E-01	4.71E-02	4.25E-07	1.0E+06	4.3E-01
1407	4.22056	1.72E-02	7.3E-02	6.05E-04	4.39E-05	2.08E-01	4.71E-02	4.31E-07	1.0E+06	4.3E-01
1408	4.26422	1.72E-02	7.3E-02	6.05E-04	4.44E-05	2.08E-01	4.71E-02	4.36E-07	1.0E+06	4.4E-01
1409	4.29934	1.72E-02	7.4E-02	6.05E-04	4.48E-05	2.08E-01	4.71E-02	4.39E-07	1.0E+06	4.4E-01
1410	4.31456	1.72E-02	7.4E-02	6.05E-04	4.49E-05	2.08E-01	4.71E-02	4.41E-07	1.0E+06	4.4E-01
1411	4.31874	1.72E-02	7.4E-02	6.05E-04	4.50E-05	2.08E-01	4.71E-02	4.41E-07	1.0E+06	4.4E-01
1412	4.3127	1.72E-02	7.4E-02	6.05E-04	4.49E-05	2.08E-01	4.71E-02	4.41E-07	1.0E+06	4.4E-01
1413	4.29658	1.72E-02	7.4E-02	6.05E-04	4.47E-05	2.08E-01	4.71E-02	4.39E-07	1.0E+06	4.4E-01
1414	4.27113	1.72E-02	7.3E-02	6.05E-04	4.45E-05	2.08E-01	4.71E-02	4.36E-07	1.0E+06	4.4E-01
1415	4.23544	1.72E-02	7.3E-02	6.05E-04	4.41E-05	2.08E-01	4.71E-02	4.33E-07	1.0E+06	4.3E-01
1416	4.18974	1.72E-02	7.2E-02	6.05E-04	4.36E-05	2.08E-01	4.71E-02	4.28E-07	1.0E+06	4.3E-01
1417	4.13469	1.72E-02	7.1E-02	6.05E-04	4.30E-05	2.08E-01	4.71E-02	4.23E-07	1.0E+06	4.2E-01
1418	4.07154	1.72E-02	7.0E-02	6.05E-04	4.24E-05	2.08E-01	4.71E-02	4.16E-07	1.0E+06	4.2E-01
1419	3.99801	1.72E-02	6.9E-02	6.05E-04	4.16E-05	2.08E-01	4.71E-02	4.09E-07	1.0E+06	4.1E-01
1420	3.91347	1.72E-02	6.7E-02	6.05E-04	4.07E-05	2.08E-01	4.71E-02	4.00E-07	1.0E+06	4.0E-01
1421	3.81783	1.72E-02	6.6E-02	6.05E-04	3.97E-05	2.08E-01	4.71E-02	3.90E-07	1.0E+06	3.9E-01
1422	2.25556	1.72E-02	3.9E-02	6.05E-04	2.35E-05	2.08E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
1423	2.40689	1.72E-02	4.1E-02	6.05E-04	2.51E-05	2.08E-01	4.71E-02	2.46E-07	1.0E+06	2.5E-01
1424	2.55714	1.72E-02	4.4E-02	6.05E-04	2.66E-05	2.08E-01	4.71E-02	2.61E-07	1.0E+06	2.6E-01
1425	2.70664	1.72E-02	4.7E-02	6.05E-04	2.82E-05	2.08E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
1426	2.8695	1.72E-02	4.9E-02	6.05E-04	2.99E-05	2.08E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
1427	3.02842	1.72E-02	5.2E-02	6.05E-04	3.15E-05	2.08E-01	4.71E-02	3.09E-07	1.0E+06	3.1E-01
1428	3.202	1.72E-02	5.5E-02	6.05E-04	3.33E-05	2.08E-01	4.71E-02	3.27E-07	1.0E+06	3.3E-01
1429	3.36081	1.72E-02	5.8E-02	6.05E-04	3.50E-05	2.08E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	3.49282	1.72E-02	6.0E-02	6.05E-04	3.64E-05	2.08E-01	4.71E-02	3.57E-07	1.0E+06	3.6E-01
1431	3.58681	1.72E-02	6.2E-02	6.05E-04	3.73E-05	2.08E-01	4.71E-02	3.67E-07	1.0E+06	3.7E-01
1432	3.67097	1.72E-02	6.3E-02	6.05E-04	3.82E-05	2.08E-01	4.71E-02	3.75E-07	1.0E+06	3.8E-01
1433	3.75388	1.72E-02	6.5E-02	6.05E-04	3.91E-05	2.08E-01	4.71E-02	3.84E-07	1.0E+06	3.8E-01
1434	3.82105	1.72E-02	6.6E-02	6.05E-04	3.98E-05	2.08E-01	4.71E-02	3.90E-07	1.0E+06	3.9E-01
1435	3.87921	1.72E-02	6.7E-02	6.05E-04	4.04E-05	2.08E-01	4.71E-02	3.96E-07	1.0E+06	4.0E-01
1436	3.92339	1.72E-02	6.8E-02	6.05E-04	4.08E-05	2.08E-01	4.71E-02	4.01E-07	1.0E+06	4.0E-01
1437	3.95917	1.72E-02	6.8E-02	6.05E-04	4.12E-05	2.08E-01	4.71E-02	4.05E-07	1.0E+06	4.0E-01
1438	3.97536	1.72E-02	6.8E-02	6.05E-04	4.14E-05	2.08E-01	4.71E-02	4.06E-07	1.0E+06	4.1E-01
1439	3.9809	1.72E-02	6.8E-02	6.05E-04	4.14E-05	2.08E-01	4.71E-02	4.07E-07	1.0E+06	4.1E-01
1440	3.97681	1.72E-02	6.8E-02	6.05E-04	4.14E-05	2.08E-01	4.71E-02	4.06E-07	1.0E+06	4.1E-01
1441	3.96321	1.72E-02	6.8E-02	6.05E-04	4.13E-05	2.08E-01	4.71E-02	4.05E-07	1.0E+06	4.0E-01
1442	3.94104	1.72E-02	6.8E-02	6.05E-04	4.10E-05	2.08E-01	4.71E-02	4.03E-07	1.0E+06	4.0E-01
1443	3.90935	1.72E-02	6.7E-02	6.05E-04	4.07E-05	2.08E-01	4.71E-02	3.99E-07	1.0E+06	4.0E-01
1444	3.86842	1.72E-02	6.7E-02	6.05E-04	4.03E-05	2.08E-01	4.71E-02	3.95E-07	1.0E+06	4.0E-01
1445	3.81895	1.72E-02	6.6E-02	6.05E-04	3.98E-05	2.08E-01	4.71E-02	3.90E-07	1.0E+06	3.9E-01
1446	3.7623	1.72E-02	6.5E-02	6.05E-04	3.92E-05	2.08E-01	4.71E-02	3.84E-07	1.0E+06	3.8E-01
1447	3.69655	1.72E-02	6.4E-02	6.05E-04	3.85E-05	2.08E-01	4.71E-02	3.78E-07	1.0E+06	3.8E-01
1448	3.62088	1.72E-02	6.2E-02	6.05E-04	3.77E-05	2.08E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
1449	3.53506	1.72E-02	6.1E-02	6.05E-04	3.68E-05	2.08E-01	4.71E-02	3.61E-07	1.0E+06	3.6E-01
1450	2.08281	1.72E-02	3.6E-02	6.05E-04	2.17E-05	2.08E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
1451	2.2117	1.72E-02	3.8E-02	6.05E-04	2.30E-05	2.08E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
1452	2.34171	1.72E-02	4.0E-02	6.05E-04	2.44E-05	2.08E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
1453	2.48212	1.72E-02	4.3E-02	6.05E-04	2.58E-05	2.08E-01	4.71E-02	2.54E-07	1.0E+06	2.5E-01
1454	2.6206	1.72E-02	4.5E-02	6.05E-04	2.73E-05	2.08E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
1455	2.75993	1.72E-02	4.7E-02	6.05E-04	2.87E-05	2.08E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
1456	2.92749	1.72E-02	5.0E-02	6.05E-04	3.05E-05	2.08E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
1457	3.08511	1.72E-02	5.3E-02	6.05E-04	3.21E-05	2.08E-01	4.71E-02	3.15E-07	1.0E+06	3.2E-01
1458	3.2119	1.72E-02	5.5E-02	6.05E-04	3.34E-05	2.08E-01	4.71E-02	3.28E-07	1.0E+06	3.3E-01
1459	3.30379	1.72E-02	5.7E-02	6.05E-04	3.44E-05	2.08E-01	4.71E-02	3.38E-07	1.0E+06	3.4E-01
1460	3.38392	1.72E-02	5.8E-02	6.05E-04	3.52E-05	2.08E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	3.46024	1.72E-02	6.0E-02	6.05E-04	3.60E-05	2.08E-01	4.71E-02	3.54E-07	1.0E+06	3.5E-01
1462	3.52229	1.72E-02	6.1E-02	6.05E-04	3.67E-05	2.08E-01	4.71E-02	3.60E-07	1.0E+06	3.6E-01
1463	3.57442	1.72E-02	6.1E-02	6.05E-04	3.72E-05	2.08E-01	4.71E-02	3.65E-07	1.0E+06	3.7E-01
1464	3.62174	1.72E-02	6.2E-02	6.05E-04	3.77E-05	2.08E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
1465	3.658	1.72E-02	6.3E-02	6.05E-04	3.81E-05	2.08E-01	4.71E-02	3.74E-07	1.0E+06	3.7E-01
1466	3.6749	1.72E-02	6.3E-02	6.05E-04	3.83E-05	2.08E-01	4.71E-02	3.76E-07	1.0E+06	3.8E-01
1467	3.68137	1.72E-02	6.3E-02	6.05E-04	3.83E-05	2.08E-01	4.71E-02	3.76E-07	1.0E+06	3.8E-01
1468	3.67901	1.72E-02	6.3E-02	6.05E-04	3.83E-05	2.08E-01	4.71E-02	3.76E-07	1.0E+06	3.8E-01
1469	3.66782	1.72E-02	6.3E-02	6.05E-04	3.82E-05	2.08E-01	4.71E-02	3.75E-07	1.0E+06	3.7E-01
1470	3.64851	1.72E-02	6.3E-02	6.05E-04	3.80E-05	2.08E-01	4.71E-02	3.73E-07	1.0E+06	3.7E-01
1471	3.62038	1.72E-02	6.2E-02	6.05E-04	3.77E-05	2.08E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
1472	3.58365	1.72E-02	6.2E-02	6.05E-04	3.73E-05	2.08E-01	4.71E-02	3.66E-07	1.0E+06	3.7E-01
1473	3.53909	1.72E-02	6.1E-02	6.05E-04	3.68E-05	2.08E-01	4.71E-02	3.62E-07	1.0E+06	3.6E-01
1474	3.48841	1.72E-02	6.0E-02	6.05E-04	3.63E-05	2.08E-01	4.71E-02	3.56E-07	1.0E+06	3.6E-01
1475	3.42958	1.72E-02	5.9E-02	6.05E-04	3.57E-05	2.08E-01	4.71E-02	3.50E-07	1.0E+06	3.5E-01
1476	3.36171	1.72E-02	5.8E-02	6.05E-04	3.50E-05	2.08E-01	4.71E-02	3.44E-07	1.0E+06	3.4E-01
1477	3.28458	1.72E-02	5.7E-02	6.05E-04	3.42E-05	2.08E-01	4.71E-02	3.36E-07	1.0E+06	3.4E-01
1478	1.92647	1.72E-02	3.3E-02	6.05E-04	2.01E-05	2.08E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
1479	2.04446	1.72E-02	3.5E-02	6.05E-04	2.13E-05	2.08E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
1480	2.16426	1.72E-02	3.7E-02	6.05E-04	2.25E-05	2.08E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
1481	2.28665	1.72E-02	3.9E-02	6.05E-04	2.38E-05	2.08E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
1482	2.421	1.72E-02	4.2E-02	6.05E-04	2.52E-05	2.08E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
1483	2.54637	1.72E-02	4.4E-02	6.05E-04	2.65E-05	2.08E-01	4.71E-02	2.60E-07	1.0E+06	2.6E-01
1484	2.70434	1.72E-02	4.7E-02	6.05E-04	2.82E-05	2.08E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
1485	2.8495	1.72E-02	4.9E-02	6.05E-04	2.97E-05	2.08E-01	4.71E-02	2.91E-07	1.0E+06	2.9E-01
1486	2.96441	1.72E-02	5.1E-02	6.05E-04	3.09E-05	2.08E-01	4.71E-02	3.03E-07	1.0E+06	3.0E-01
1487	3.05351	1.72E-02	5.3E-02	6.05E-04	3.18E-05	2.08E-01	4.71E-02	3.12E-07	1.0E+06	3.1E-01
1488	3.12896	1.72E-02	5.4E-02	6.05E-04	3.26E-05	2.08E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
1489	3.20112	1.72E-02	5.5E-02	6.05E-04	3.33E-05	2.08E-01	4.71E-02	3.27E-07	1.0E+06	3.3E-01
1490	3.26017	1.72E-02	5.6E-02	6.05E-04	3.39E-05	2.08E-01	4.71E-02	3.33E-07	1.0E+06	3.3E-01
1491	3.30999	1.72E-02	5.7E-02	6.05E-04	3.45E-05	2.08E-01	4.71E-02	3.38E-07	1.0E+06	3.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	3.35432	1.72E-02	5.8E-02	6.05E-04	3.49E-05	2.08E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01
1493	3.38719	1.72E-02	5.8E-02	6.05E-04	3.53E-05	2.08E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
1494	3.40597	1.72E-02	5.9E-02	6.05E-04	3.55E-05	2.08E-01	4.71E-02	3.48E-07	1.0E+06	3.5E-01
1495	3.41352	1.72E-02	5.9E-02	6.05E-04	3.55E-05	2.08E-01	4.71E-02	3.49E-07	1.0E+06	3.5E-01
1496	3.41291	1.72E-02	5.9E-02	6.05E-04	3.55E-05	2.08E-01	4.71E-02	3.49E-07	1.0E+06	3.5E-01
1497	3.40408	1.72E-02	5.9E-02	6.05E-04	3.54E-05	2.08E-01	4.71E-02	3.48E-07	1.0E+06	3.5E-01
1498	3.38781	1.72E-02	5.8E-02	6.05E-04	3.53E-05	2.08E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
1499	3.36326	1.72E-02	5.8E-02	6.05E-04	3.50E-05	2.08E-01	4.71E-02	3.44E-07	1.0E+06	3.4E-01
1500	3.33081	1.72E-02	5.7E-02	6.05E-04	3.47E-05	2.08E-01	4.71E-02	3.40E-07	1.0E+06	3.4E-01
1501	3.29112	1.72E-02	5.7E-02	6.05E-04	3.43E-05	2.08E-01	4.71E-02	3.36E-07	1.0E+06	3.4E-01
1502	3.24542	1.72E-02	5.6E-02	6.05E-04	3.38E-05	2.08E-01	4.71E-02	3.32E-07	1.0E+06	3.3E-01
1503	3.19219	1.72E-02	5.5E-02	6.05E-04	3.32E-05	2.08E-01	4.71E-02	3.26E-07	1.0E+06	3.3E-01
1504	3.13086	1.72E-02	5.4E-02	6.05E-04	3.26E-05	2.08E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
1505	3.06131	1.72E-02	5.3E-02	6.05E-04	3.19E-05	2.08E-01	4.71E-02	3.13E-07	1.0E+06	3.1E-01
1506	1.78481	1.72E-02	3.1E-02	6.05E-04	1.86E-05	2.08E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
1507	1.89487	1.72E-02	3.3E-02	6.05E-04	1.97E-05	2.08E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
1508	2.00682	1.72E-02	3.5E-02	6.05E-04	2.09E-05	2.08E-01	4.71E-02	2.05E-07	1.0E+06	2.1E-01
1509	2.1216	1.72E-02	3.7E-02	6.05E-04	2.21E-05	2.08E-01	4.71E-02	2.17E-07	1.0E+06	2.2E-01
1510	2.24441	1.72E-02	3.9E-02	6.05E-04	2.34E-05	2.08E-01	4.71E-02	2.29E-07	1.0E+06	2.3E-01
1511	2.36704	1.72E-02	4.1E-02	6.05E-04	2.46E-05	2.08E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
1512	2.50702	1.72E-02	4.3E-02	6.05E-04	2.61E-05	2.08E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01
1513	2.63857	1.72E-02	4.5E-02	6.05E-04	2.75E-05	2.08E-01	4.71E-02	2.70E-07	1.0E+06	2.7E-01
1514	2.7476	1.72E-02	4.7E-02	6.05E-04	2.86E-05	2.08E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1515	2.83109	1.72E-02	4.9E-02	6.05E-04	2.95E-05	2.08E-01	4.71E-02	2.89E-07	1.0E+06	2.9E-01
1516	2.90167	1.72E-02	5.0E-02	6.05E-04	3.02E-05	2.08E-01	4.71E-02	2.97E-07	1.0E+06	3.0E-01
1517	2.97052	1.72E-02	5.1E-02	6.05E-04	3.09E-05	2.08E-01	4.71E-02	3.04E-07	1.0E+06	3.0E-01
1518	3.02738	1.72E-02	5.2E-02	6.05E-04	3.15E-05	2.08E-01	4.71E-02	3.09E-07	1.0E+06	3.1E-01
1519	3.07748	1.72E-02	5.3E-02	6.05E-04	3.20E-05	2.08E-01	4.71E-02	3.14E-07	1.0E+06	3.1E-01
1520	3.11544	1.72E-02	5.4E-02	6.05E-04	3.24E-05	2.08E-01	4.71E-02	3.18E-07	1.0E+06	3.2E-01
1521	3.14624	1.72E-02	5.4E-02	6.05E-04	3.28E-05	2.08E-01	4.71E-02	3.22E-07	1.0E+06	3.2E-01
1522	3.16513	1.72E-02	5.4E-02	6.05E-04	3.29E-05	2.08E-01	4.71E-02	3.23E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	3.17345	1.72E-02	5.5E-02	6.05E-04	3.30E-05	2.08E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
1524	3.17442	1.72E-02	5.5E-02	6.05E-04	3.30E-05	2.08E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
1525	3.1679	1.72E-02	5.5E-02	6.05E-04	3.30E-05	2.08E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
1526	3.15426	1.72E-02	5.4E-02	6.05E-04	3.28E-05	2.08E-01	4.71E-02	3.22E-07	1.0E+06	3.2E-01
1527	3.13306	1.72E-02	5.4E-02	6.05E-04	3.26E-05	2.08E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
1528	3.10447	1.72E-02	5.3E-02	6.05E-04	3.23E-05	2.08E-01	4.71E-02	3.17E-07	1.0E+06	3.2E-01
1529	3.06911	1.72E-02	5.3E-02	6.05E-04	3.20E-05	2.08E-01	4.71E-02	3.14E-07	1.0E+06	3.1E-01
1530	3.02787	1.72E-02	5.2E-02	6.05E-04	3.15E-05	2.08E-01	4.71E-02	3.09E-07	1.0E+06	3.1E-01
1531	2.97964	1.72E-02	5.1E-02	6.05E-04	3.10E-05	2.08E-01	4.71E-02	3.04E-07	1.0E+06	3.0E-01
1532	2.92412	1.72E-02	5.0E-02	6.05E-04	3.04E-05	2.08E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
1533	2.86128	1.72E-02	4.9E-02	6.05E-04	2.98E-05	2.08E-01	4.71E-02	2.92E-07	1.0E+06	2.9E-01
1534	1.65686	1.72E-02	2.9E-02	6.05E-04	1.72E-05	2.08E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
1535	1.76005	1.72E-02	3.0E-02	6.05E-04	1.83E-05	2.08E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
1536	1.86525	1.72E-02	3.2E-02	6.05E-04	1.94E-05	2.08E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
1537	1.97381	1.72E-02	3.4E-02	6.05E-04	2.05E-05	2.08E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
1538	2.09024	1.72E-02	3.6E-02	6.05E-04	2.18E-05	2.08E-01	4.71E-02	2.14E-07	1.0E+06	2.1E-01
1539	2.207	1.72E-02	3.8E-02	6.05E-04	2.30E-05	2.08E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
1540	2.33349	1.72E-02	4.0E-02	6.05E-04	2.43E-05	2.08E-01	4.71E-02	2.38E-07	1.0E+06	2.4E-01
1541	2.4535	1.72E-02	4.2E-02	6.05E-04	2.55E-05	2.08E-01	4.71E-02	2.51E-07	1.0E+06	2.5E-01
1542	2.5542	1.72E-02	4.4E-02	6.05E-04	2.66E-05	2.08E-01	4.71E-02	2.61E-07	1.0E+06	2.6E-01
1543	2.62853	1.72E-02	4.5E-02	6.05E-04	2.74E-05	2.08E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
1544	2.69838	1.72E-02	4.6E-02	6.05E-04	2.81E-05	2.08E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
1545	2.76404	1.72E-02	4.8E-02	6.05E-04	2.88E-05	2.08E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
1546	2.81851	1.72E-02	4.8E-02	6.05E-04	2.93E-05	2.08E-01	4.71E-02	2.88E-07	1.0E+06	2.9E-01
1547	2.86639	1.72E-02	4.9E-02	6.05E-04	2.98E-05	2.08E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
1548	2.90118	1.72E-02	5.0E-02	6.05E-04	3.02E-05	2.08E-01	4.71E-02	2.96E-07	1.0E+06	3.0E-01
1549	2.93009	1.72E-02	5.0E-02	6.05E-04	3.05E-05	2.08E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
1550	2.94867	1.72E-02	5.1E-02	6.05E-04	3.07E-05	2.08E-01	4.71E-02	3.01E-07	1.0E+06	3.0E-01
1551	2.95777	1.72E-02	5.1E-02	6.05E-04	3.08E-05	2.08E-01	4.71E-02	3.02E-07	1.0E+06	3.0E-01
1552	2.95996	1.72E-02	5.1E-02	6.05E-04	3.08E-05	2.08E-01	4.71E-02	3.02E-07	1.0E+06	3.0E-01
1553	2.9555	1.72E-02	5.1E-02	6.05E-04	3.08E-05	2.08E-01	4.71E-02	3.02E-07	1.0E+06	3.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.94424	1.72E-02	5.1E-02	6.05E-04	3.07E-05	2.08E-01	4.71E-02	3.01E-07	1.0E+06	3.0E-01
1555	2.92594	1.72E-02	5.0E-02	6.05E-04	3.05E-05	2.08E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
1556	2.90079	1.72E-02	5.0E-02	6.05E-04	3.02E-05	2.08E-01	4.71E-02	2.96E-07	1.0E+06	3.0E-01
1557	2.86934	1.72E-02	4.9E-02	6.05E-04	2.99E-05	2.08E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
1558	2.83207	1.72E-02	4.9E-02	6.05E-04	2.95E-05	2.08E-01	4.71E-02	2.89E-07	1.0E+06	2.9E-01
1559	2.78837	1.72E-02	4.8E-02	6.05E-04	2.90E-05	2.08E-01	4.71E-02	2.85E-07	1.0E+06	2.8E-01
1560	2.73805	1.72E-02	4.7E-02	6.05E-04	2.85E-05	2.08E-01	4.71E-02	2.80E-07	1.0E+06	2.8E-01
1561	2.68118	1.72E-02	4.6E-02	6.05E-04	2.79E-05	2.08E-01	4.71E-02	2.74E-07	1.0E+06	2.7E-01
1562	1.54745	1.72E-02	2.7E-02	6.05E-04	1.61E-05	2.08E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
1563	1.64011	1.72E-02	2.8E-02	6.05E-04	1.71E-05	2.08E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
1564	1.73457	1.72E-02	3.0E-02	6.05E-04	1.81E-05	2.08E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1565	1.8335	1.72E-02	3.2E-02	6.05E-04	1.91E-05	2.08E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
1566	1.93709	1.72E-02	3.3E-02	6.05E-04	2.02E-05	2.08E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
1567	2.04788	1.72E-02	3.5E-02	6.05E-04	2.13E-05	2.08E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
1568	2.16014	1.72E-02	3.7E-02	6.05E-04	2.25E-05	2.08E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
1569	2.27678	1.72E-02	3.9E-02	6.05E-04	2.37E-05	2.08E-01	4.71E-02	2.33E-07	1.0E+06	2.3E-01
1570	2.3712	1.72E-02	4.1E-02	6.05E-04	2.47E-05	2.08E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
1571	2.4422	1.72E-02	4.2E-02	6.05E-04	2.54E-05	2.08E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
1572	2.51056	1.72E-02	4.3E-02	6.05E-04	2.61E-05	2.08E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
1573	2.57342	1.72E-02	4.4E-02	6.05E-04	2.68E-05	2.08E-01	4.71E-02	2.63E-07	1.0E+06	2.6E-01
1574	2.62897	1.72E-02	4.5E-02	6.05E-04	2.74E-05	2.08E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
1575	2.67523	1.72E-02	4.6E-02	6.05E-04	2.78E-05	2.08E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01
1576	2.70791	1.72E-02	4.7E-02	6.05E-04	2.82E-05	2.08E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
1577	2.73545	1.72E-02	4.7E-02	6.05E-04	2.85E-05	2.08E-01	4.71E-02	2.80E-07	1.0E+06	2.8E-01
1578	2.75216	1.72E-02	4.7E-02	6.05E-04	2.87E-05	2.08E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1579	2.76339	1.72E-02	4.8E-02	6.05E-04	2.88E-05	2.08E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
1580	2.76644	1.72E-02	4.8E-02	6.05E-04	2.88E-05	2.08E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
1581	2.7636	1.72E-02	4.8E-02	6.05E-04	2.88E-05	2.08E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
1582	2.75428	1.72E-02	4.7E-02	6.05E-04	2.87E-05	2.08E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1583	2.73855	1.72E-02	4.7E-02	6.05E-04	2.85E-05	2.08E-01	4.71E-02	2.80E-07	1.0E+06	2.8E-01
1584	2.71649	1.72E-02	4.7E-02	6.05E-04	2.83E-05	2.08E-01	4.71E-02	2.78E-07	1.0E+06	2.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.68846	1.72E-02	4.6E-02	6.05E-04	2.80E-05	2.08E-01	4.71E-02	2.75E-07	1.0E+06	2.7E-01
1586	2.65489	1.72E-02	4.6E-02	6.05E-04	2.76E-05	2.08E-01	4.71E-02	2.71E-07	1.0E+06	2.7E-01
1587	2.6154	1.72E-02	4.5E-02	6.05E-04	2.72E-05	2.08E-01	4.71E-02	2.67E-07	1.0E+06	2.7E-01
1588	2.56986	1.72E-02	4.4E-02	6.05E-04	2.68E-05	2.08E-01	4.71E-02	2.63E-07	1.0E+06	2.6E-01
1589	2.51835	1.72E-02	4.3E-02	6.05E-04	2.62E-05	2.08E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
1590	1.45245	1.72E-02	2.5E-02	6.05E-04	1.51E-05	2.08E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
1591	1.53268	1.72E-02	2.6E-02	6.05E-04	1.60E-05	2.08E-01	4.71E-02	1.57E-07	1.0E+06	1.6E-01
1592	1.61397	1.72E-02	2.8E-02	6.05E-04	1.68E-05	2.08E-01	4.71E-02	1.65E-07	1.0E+06	1.6E-01
1593	1.70242	1.72E-02	2.9E-02	6.05E-04	1.77E-05	2.08E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
1594	1.79858	1.72E-02	3.1E-02	6.05E-04	1.87E-05	2.08E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
1595	1.89401	1.72E-02	3.3E-02	6.05E-04	1.97E-05	2.08E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
0	0	1.72E-02	0.0E+00	6.05E-04	0.00E+00	2.08E-01	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	2.46E-02
1214	5	4.75E-02
1215	5	4.64E-02
1216	5	4.65E-02
1217	5	5.54E-02
1218	5	4.46E-02
1219	5	4.27E-02
1220	5	4.18E-02
1221	5	4.95E-02
1222	5	3.74E-02
1223	5	3.44E-02
1224	5	3.22E-02
1225	5	3.77E-02
1226	5	3.35E-02
1227	5	2.97E-02
1228	5	5.06E-02
1229	5	4.03E-02
1230	5	4.92E-02
1231	5	4.76E-02
1232	5	4.79E-02
1233	5	3.70E-02
1234	5	4.49E-02
1235	5	4.26E-02
1236	5	4.19E-02
1237	5	3.01E-02
1238	5	3.68E-02
1239	5	3.26E-02
1240	5	2.90E-02
1241	5	2.59E-02
1242	5	5.38E-02
1243	5	5.33E-02

Max	Receptor #	
0.055	1217	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	5.28E-02
1245	5	5.22E-02
1246	5	5.13E-02
1247	5	5.02E-02
1248	5	4.91E-02
1249	5	4.77E-02
1250	5	4.61E-02
1251	5	4.42E-02
1252	5	4.21E-02
1253	5	3.93E-02
1254	5	3.58E-02
1255	5	3.17E-02
1256	5	4.52E-02
1257	5	4.48E-02
1258	5	4.43E-02
1259	5	4.37E-02
1260	5	4.30E-02
1261	5	4.21E-02
1262	5	4.11E-02
1263	5	3.99E-02
1264	5	3.85E-02
1265	5	3.70E-02
1266	5	3.51E-02
1267	5	3.29E-02
1268	5	3.02E-02
1269	5	2.72E-02
1270	5	3.87E-02
1271	5	3.83E-02
1272	5	3.79E-02
1273	5	3.73E-02
1274	5	3.67E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	3.60E-02
1276	5	3.51E-02
1277	5	3.41E-02
1278	5	3.29E-02
1279	5	3.16E-02
1280	5	3.00E-02
1281	5	2.82E-02
1282	5	2.60E-02
1283	5	2.37E-02
1284	5	3.36E-02
1285	5	3.33E-02
1286	5	3.29E-02
1287	5	3.24E-02
1288	5	3.18E-02
1289	5	3.12E-02
1290	5	3.05E-02
1291	5	2.96E-02
1292	5	2.86E-02
1293	5	2.74E-02
1294	5	2.61E-02
1295	5	2.45E-02
1296	5	2.28E-02
1297	5	2.10E-02
1298	5	2.95E-02
1299	5	2.92E-02
1300	5	2.89E-02
1301	5	2.85E-02
1302	5	2.80E-02
1303	5	2.74E-02
1304	5	2.68E-02
1305	5	2.60E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	2.62E-02
1307	5	2.59E-02
1308	5	2.56E-02
1309	5	2.53E-02
1310	5	2.48E-02
1311	5	2.43E-02
1312	5	2.38E-02
1313	5	2.31E-02
1314	5	2.34E-02
1315	5	2.32E-02
1316	5	2.29E-02
1317	5	2.26E-02
1318	5	2.22E-02
1319	5	2.18E-02
1320	5	2.13E-02
1321	5	2.07E-02
1322	5	2.11E-02
1323	5	2.09E-02
1324	5	2.07E-02
1325	5	2.04E-02
1326	5	2.01E-02
1327	5	1.97E-02
1328	5	1.92E-02
1329	5	1.87E-02
1330	5	1.92E-02
1331	5	1.90E-02
1332	5	1.88E-02
1333	5	1.85E-02
1334	5	1.82E-02
1335	5	1.78E-02
1336	5	1.74E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	1.70E-02
1338	5	1.00E-02
1339	5	1.08E-02
1340	5	1.15E-02
1341	5	1.23E-02
1342	5	1.32E-02
1343	5	1.39E-02
1344	5	1.46E-02
1345	5	1.53E-02
1346	5	1.58E-02
1347	5	1.62E-02
1348	5	1.66E-02
1349	5	1.69E-02
1350	5	1.72E-02
1351	5	1.74E-02
1352	5	1.75E-02
1353	5	1.76E-02
1354	5	1.77E-02
1355	5	1.77E-02
1356	5	1.77E-02
1357	5	1.76E-02
1358	5	1.75E-02
1359	5	1.73E-02
1360	5	1.71E-02
1361	5	1.69E-02
1362	5	1.66E-02
1363	5	1.63E-02
1364	5	1.59E-02
1365	5	1.55E-02
1366	5	9.24E-03
1367	5	9.87E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	1.05E-02
1369	5	1.12E-02
1370	5	1.19E-02
1371	5	1.26E-02
1372	5	1.33E-02
1373	5	1.39E-02
1374	5	1.44E-02
1375	5	1.47E-02
1376	5	1.50E-02
1377	5	1.54E-02
1378	5	1.56E-02
1379	5	1.59E-02
1380	5	1.60E-02
1381	5	1.61E-02
1382	5	1.62E-02
1383	5	1.62E-02
1384	5	1.62E-02
1385	5	1.61E-02
1386	5	1.60E-02
1387	5	1.58E-02
1388	5	1.57E-02
1389	5	1.55E-02
1390	5	1.52E-02
1391	5	1.49E-02
1392	5	1.46E-02
1393	5	1.42E-02
1394	5	8.46E-03
1395	5	9.03E-03
1396	5	9.61E-03
1397	5	1.02E-02
1398	5	1.09E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	1.14E-02
1400	5	1.21E-02
1401	5	1.26E-02
1402	5	1.31E-02
1403	5	1.35E-02
1404	5	1.38E-02
1405	5	1.41E-02
1406	5	1.43E-02
1407	5	1.45E-02
1408	5	1.47E-02
1409	5	1.48E-02
1410	5	1.48E-02
1411	5	1.49E-02
1412	5	1.48E-02
1413	5	1.48E-02
1414	5	1.47E-02
1415	5	1.46E-02
1416	5	1.44E-02
1417	5	1.42E-02
1418	5	1.40E-02
1419	5	1.38E-02
1420	5	1.35E-02
1421	5	1.31E-02
1422	5	7.76E-03
1423	5	8.28E-03
1424	5	8.80E-03
1425	5	9.31E-03
1426	5	9.87E-03
1427	5	1.04E-02
1428	5	1.10E-02
1429	5	1.16E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	1.20E-02
1431	5	1.23E-02
1432	5	1.26E-02
1433	5	1.29E-02
1434	5	1.31E-02
1435	5	1.33E-02
1436	5	1.35E-02
1437	5	1.36E-02
1438	5	1.37E-02
1439	5	1.37E-02
1440	5	1.37E-02
1441	5	1.36E-02
1442	5	1.36E-02
1443	5	1.35E-02
1444	5	1.33E-02
1445	5	1.31E-02
1446	5	1.29E-02
1447	5	1.27E-02
1448	5	1.25E-02
1449	5	1.22E-02
1450	5	7.17E-03
1451	5	7.61E-03
1452	5	8.06E-03
1453	5	8.54E-03
1454	5	9.02E-03
1455	5	9.50E-03
1456	5	1.01E-02
1457	5	1.06E-02
1458	5	1.11E-02
1459	5	1.14E-02
1460	5	1.16E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	1.19E-02
1462	5	1.21E-02
1463	5	1.23E-02
1464	5	1.25E-02
1465	5	1.26E-02
1466	5	1.26E-02
1467	5	1.27E-02
1468	5	1.27E-02
1469	5	1.26E-02
1470	5	1.26E-02
1471	5	1.25E-02
1472	5	1.23E-02
1473	5	1.22E-02
1474	5	1.20E-02
1475	5	1.18E-02
1476	5	1.16E-02
1477	5	1.13E-02
1478	5	6.63E-03
1479	5	7.03E-03
1480	5	7.45E-03
1481	5	7.87E-03
1482	5	8.33E-03
1483	5	8.76E-03
1484	5	9.31E-03
1485	5	9.81E-03
1486	5	1.02E-02
1487	5	1.05E-02
1488	5	1.08E-02
1489	5	1.10E-02
1490	5	1.12E-02
1491	5	1.14E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	1.15E-02
1493	5	1.17E-02
1494	5	1.17E-02
1495	5	1.17E-02
1496	5	1.17E-02
1497	5	1.17E-02
1498	5	1.17E-02
1499	5	1.16E-02
1500	5	1.15E-02
1501	5	1.13E-02
1502	5	1.12E-02
1503	5	1.10E-02
1504	5	1.08E-02
1505	5	1.05E-02
1506	5	6.14E-03
1507	5	6.52E-03
1508	5	6.91E-03
1509	5	7.30E-03
1510	5	7.72E-03
1511	5	8.14E-03
1512	5	8.63E-03
1513	5	9.08E-03
1514	5	9.45E-03
1515	5	9.74E-03
1516	5	9.98E-03
1517	5	1.02E-02
1518	5	1.04E-02
1519	5	1.06E-02
1520	5	1.07E-02
1521	5	1.08E-02
1522	5	1.09E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	1.09E-02
1524	5	1.09E-02
1525	5	1.09E-02
1526	5	1.09E-02
1527	5	1.08E-02
1528	5	1.07E-02
1529	5	1.06E-02
1530	5	1.04E-02
1531	5	1.03E-02
1532	5	1.01E-02
1533	5	9.85E-03
1534	5	5.70E-03
1535	5	6.06E-03
1536	5	6.42E-03
1537	5	6.79E-03
1538	5	7.19E-03
1539	5	7.59E-03
1540	5	8.03E-03
1541	5	8.44E-03
1542	5	8.79E-03
1543	5	9.04E-03
1544	5	9.29E-03
1545	5	9.51E-03
1546	5	9.70E-03
1547	5	9.86E-03
1548	5	9.98E-03
1549	5	1.01E-02
1550	5	1.01E-02
1551	5	1.02E-02
1552	5	1.02E-02
1553	5	1.02E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	1.01E-02
1555	5	1.01E-02
1556	5	9.98E-03
1557	5	9.87E-03
1558	5	9.75E-03
1559	5	9.59E-03
1560	5	9.42E-03
1561	5	9.23E-03
1562	5	5.32E-03
1563	5	5.64E-03
1564	5	5.97E-03
1565	5	6.31E-03
1566	5	6.67E-03
1567	5	7.05E-03
1568	5	7.43E-03
1569	5	7.83E-03
1570	5	8.16E-03
1571	5	8.40E-03
1572	5	8.64E-03
1573	5	8.86E-03
1574	5	9.05E-03
1575	5	9.21E-03
1576	5	9.32E-03
1577	5	9.41E-03
1578	5	9.47E-03
1579	5	9.51E-03
1580	5	9.52E-03
1581	5	9.51E-03
1582	5	9.48E-03
1583	5	9.42E-03
1584	5	9.35E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	9.25E-03
1586	5	9.14E-03
1587	5	9.00E-03
1588	5	8.84E-03
1589	5	8.67E-03
1590	5	5.00E-03
1591	5	5.27E-03
1592	5	5.55E-03
1593	5	5.86E-03
1594	5	6.19E-03
1595	5	6.52E-03
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	7.15895	5.02E-03	3.6E-02	6.05E-04	2.18E-05	2.41E+00	4.71E-02	2.47E-06	1.0E+06	2.5E+00
1214	13.81549	5.02E-03	6.9E-02	6.05E-04	4.20E-05	2.41E+00	4.71E-02	4.76E-06	1.0E+06	4.8E+00
1215	13.49237	5.02E-03	6.8E-02	6.05E-04	4.10E-05	2.41E+00	4.71E-02	4.65E-06	1.0E+06	4.7E+00
1216	13.52195	5.02E-03	6.8E-02	6.05E-04	4.11E-05	2.41E+00	4.71E-02	4.66E-06	1.0E+06	4.7E+00
1217	16.11207	5.02E-03	8.1E-02	6.05E-04	4.90E-05	2.41E+00	4.71E-02	5.56E-06	1.0E+06	5.6E+00
1218	12.95641	5.02E-03	6.5E-02	6.05E-04	3.94E-05	2.41E+00	4.71E-02	4.47E-06	1.0E+06	4.5E+00
1219	12.41041	5.02E-03	6.2E-02	6.05E-04	3.77E-05	2.41E+00	4.71E-02	4.28E-06	1.0E+06	4.3E+00
1220	12.15445	5.02E-03	6.1E-02	6.05E-04	3.70E-05	2.41E+00	4.71E-02	4.19E-06	1.0E+06	4.2E+00
1221	14.37718	5.02E-03	7.2E-02	6.05E-04	4.37E-05	2.41E+00	4.71E-02	4.96E-06	1.0E+06	5.0E+00
1222	10.87803	5.02E-03	5.5E-02	6.05E-04	3.31E-05	2.41E+00	4.71E-02	3.75E-06	1.0E+06	3.8E+00
1223	9.99783	5.02E-03	5.0E-02	6.05E-04	3.04E-05	2.41E+00	4.71E-02	3.45E-06	1.0E+06	3.4E+00
1224	9.35552	5.02E-03	4.7E-02	6.05E-04	2.84E-05	2.41E+00	4.71E-02	3.23E-06	1.0E+06	3.2E+00
1225	10.95212	5.02E-03	5.5E-02	6.05E-04	3.33E-05	2.41E+00	4.71E-02	3.78E-06	1.0E+06	3.8E+00
1226	9.73576	5.02E-03	4.9E-02	6.05E-04	2.96E-05	2.41E+00	4.71E-02	3.36E-06	1.0E+06	3.4E+00
1227	8.63577	5.02E-03	4.3E-02	6.05E-04	2.63E-05	2.41E+00	4.71E-02	2.98E-06	1.0E+06	3.0E+00
1228	14.70152	5.02E-03	7.4E-02	6.05E-04	4.47E-05	2.41E+00	4.71E-02	5.07E-06	1.0E+06	5.1E+00
1229	11.71597	5.02E-03	5.9E-02	6.05E-04	3.56E-05	2.41E+00	4.71E-02	4.04E-06	1.0E+06	4.0E+00
1230	14.28906	5.02E-03	7.2E-02	6.05E-04	4.34E-05	2.41E+00	4.71E-02	4.93E-06	1.0E+06	4.9E+00
1231	13.83858	5.02E-03	7.0E-02	6.05E-04	4.21E-05	2.41E+00	4.71E-02	4.77E-06	1.0E+06	4.8E+00
1232	13.90897	5.02E-03	7.0E-02	6.05E-04	4.23E-05	2.41E+00	4.71E-02	4.80E-06	1.0E+06	4.8E+00
1233	10.76382	5.02E-03	5.4E-02	6.05E-04	3.27E-05	2.41E+00	4.71E-02	3.71E-06	1.0E+06	3.7E+00
1234	13.0605	5.02E-03	6.6E-02	6.05E-04	3.97E-05	2.41E+00	4.71E-02	4.50E-06	1.0E+06	4.5E+00
1235	12.36856	5.02E-03	6.2E-02	6.05E-04	3.76E-05	2.41E+00	4.71E-02	4.26E-06	1.0E+06	4.3E+00
1236	12.1705	5.02E-03	6.1E-02	6.05E-04	3.70E-05	2.41E+00	4.71E-02	4.20E-06	1.0E+06	4.2E+00
1237	8.73926	5.02E-03	4.4E-02	6.05E-04	2.66E-05	2.41E+00	4.71E-02	3.01E-06	1.0E+06	3.0E+00
1238	10.68832	5.02E-03	5.4E-02	6.05E-04	3.25E-05	2.41E+00	4.71E-02	3.69E-06	1.0E+06	3.7E+00
1239	9.46584	5.02E-03	4.8E-02	6.05E-04	2.88E-05	2.41E+00	4.71E-02	3.26E-06	1.0E+06	3.3E+00
1240	8.43844	5.02E-03	4.2E-02	6.05E-04	2.57E-05	2.41E+00	4.71E-02	2.91E-06	1.0E+06	2.9E+00
1241	7.51892	5.02E-03	3.8E-02	6.05E-04	2.29E-05	2.41E+00	4.71E-02	2.59E-06	1.0E+06	2.6E+00
1242	15.63269	5.02E-03	7.9E-02	6.05E-04	4.75E-05	2.41E+00	4.71E-02	5.39E-06	1.0E+06	5.4E+00
1243	15.49646	5.02E-03	7.8E-02	6.05E-04	4.71E-05	2.41E+00	4.71E-02	5.34E-06	1.0E+06	5.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	15.35	5.02E-03	7.7E-02	6.05E-04	4.67E-05	2.41E+00	4.71E-02	5.29E-06	1.0E+06	5.3E+00
1245	15.15779	5.02E-03	7.6E-02	6.05E-04	4.61E-05	2.41E+00	4.71E-02	5.23E-06	1.0E+06	5.2E+00
1246	14.89568	5.02E-03	7.5E-02	6.05E-04	4.53E-05	2.41E+00	4.71E-02	5.14E-06	1.0E+06	5.1E+00
1247	14.59435	5.02E-03	7.3E-02	6.05E-04	4.44E-05	2.41E+00	4.71E-02	5.03E-06	1.0E+06	5.0E+00
1248	14.26608	5.02E-03	7.2E-02	6.05E-04	4.34E-05	2.41E+00	4.71E-02	4.92E-06	1.0E+06	4.9E+00
1249	13.87008	5.02E-03	7.0E-02	6.05E-04	4.22E-05	2.41E+00	4.71E-02	4.78E-06	1.0E+06	4.8E+00
1250	13.38369	5.02E-03	6.7E-02	6.05E-04	4.07E-05	2.41E+00	4.71E-02	4.61E-06	1.0E+06	4.6E+00
1251	12.85069	5.02E-03	6.5E-02	6.05E-04	3.91E-05	2.41E+00	4.71E-02	4.43E-06	1.0E+06	4.4E+00
1252	12.22595	5.02E-03	6.1E-02	6.05E-04	3.72E-05	2.41E+00	4.71E-02	4.22E-06	1.0E+06	4.2E+00
1253	11.42044	5.02E-03	5.7E-02	6.05E-04	3.47E-05	2.41E+00	4.71E-02	3.94E-06	1.0E+06	3.9E+00
1254	10.39321	5.02E-03	5.2E-02	6.05E-04	3.16E-05	2.41E+00	4.71E-02	3.58E-06	1.0E+06	3.6E+00
1255	9.20791	5.02E-03	4.6E-02	6.05E-04	2.80E-05	2.41E+00	4.71E-02	3.17E-06	1.0E+06	3.2E+00
1256	13.13208	5.02E-03	6.6E-02	6.05E-04	3.99E-05	2.41E+00	4.71E-02	4.53E-06	1.0E+06	4.5E+00
1257	13.01441	5.02E-03	6.5E-02	6.05E-04	3.96E-05	2.41E+00	4.71E-02	4.49E-06	1.0E+06	4.5E+00
1258	12.87265	5.02E-03	6.5E-02	6.05E-04	3.91E-05	2.41E+00	4.71E-02	4.44E-06	1.0E+06	4.4E+00
1259	12.69931	5.02E-03	6.4E-02	6.05E-04	3.86E-05	2.41E+00	4.71E-02	4.38E-06	1.0E+06	4.4E+00
1260	12.49121	5.02E-03	6.3E-02	6.05E-04	3.80E-05	2.41E+00	4.71E-02	4.31E-06	1.0E+06	4.3E+00
1261	12.23703	5.02E-03	6.1E-02	6.05E-04	3.72E-05	2.41E+00	4.71E-02	4.22E-06	1.0E+06	4.2E+00
1262	11.94325	5.02E-03	6.0E-02	6.05E-04	3.63E-05	2.41E+00	4.71E-02	4.12E-06	1.0E+06	4.1E+00
1263	11.60421	5.02E-03	5.8E-02	6.05E-04	3.53E-05	2.41E+00	4.71E-02	4.00E-06	1.0E+06	4.0E+00
1264	11.20248	5.02E-03	5.6E-02	6.05E-04	3.41E-05	2.41E+00	4.71E-02	3.86E-06	1.0E+06	3.9E+00
1265	10.74927	5.02E-03	5.4E-02	6.05E-04	3.27E-05	2.41E+00	4.71E-02	3.71E-06	1.0E+06	3.7E+00
1266	10.21143	5.02E-03	5.1E-02	6.05E-04	3.10E-05	2.41E+00	4.71E-02	3.52E-06	1.0E+06	3.5E+00
1267	9.55729	5.02E-03	4.8E-02	6.05E-04	2.91E-05	2.41E+00	4.71E-02	3.30E-06	1.0E+06	3.3E+00
1268	8.77599	5.02E-03	4.4E-02	6.05E-04	2.67E-05	2.41E+00	4.71E-02	3.03E-06	1.0E+06	3.0E+00
1269	7.89918	5.02E-03	4.0E-02	6.05E-04	2.40E-05	2.41E+00	4.71E-02	2.72E-06	1.0E+06	2.7E+00
1270	11.2371	5.02E-03	5.6E-02	6.05E-04	3.42E-05	2.41E+00	4.71E-02	3.87E-06	1.0E+06	3.9E+00
1271	11.13338	5.02E-03	5.6E-02	6.05E-04	3.38E-05	2.41E+00	4.71E-02	3.84E-06	1.0E+06	3.8E+00
1272	11.00483	5.02E-03	5.5E-02	6.05E-04	3.35E-05	2.41E+00	4.71E-02	3.79E-06	1.0E+06	3.8E+00
1273	10.84838	5.02E-03	5.5E-02	6.05E-04	3.30E-05	2.41E+00	4.71E-02	3.74E-06	1.0E+06	3.7E+00
1274	10.67084	5.02E-03	5.4E-02	6.05E-04	3.24E-05	2.41E+00	4.71E-02	3.68E-06	1.0E+06	3.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	10.45682	5.02E-03	5.3E-02	6.05E-04	3.18E-05	2.41E+00	4.71E-02	3.61E-06	1.0E+06	3.6E+00
1276	10.20145	5.02E-03	5.1E-02	6.05E-04	3.10E-05	2.41E+00	4.71E-02	3.52E-06	1.0E+06	3.5E+00
1277	9.90751	5.02E-03	5.0E-02	6.05E-04	3.01E-05	2.41E+00	4.71E-02	3.42E-06	1.0E+06	3.4E+00
1278	9.56641	5.02E-03	4.8E-02	6.05E-04	2.91E-05	2.41E+00	4.71E-02	3.30E-06	1.0E+06	3.3E+00
1279	9.17642	5.02E-03	4.6E-02	6.05E-04	2.79E-05	2.41E+00	4.71E-02	3.16E-06	1.0E+06	3.2E+00
1280	8.71977	5.02E-03	4.4E-02	6.05E-04	2.65E-05	2.41E+00	4.71E-02	3.01E-06	1.0E+06	3.0E+00
1281	8.18363	5.02E-03	4.1E-02	6.05E-04	2.49E-05	2.41E+00	4.71E-02	2.82E-06	1.0E+06	2.8E+00
1282	7.5666	5.02E-03	3.8E-02	6.05E-04	2.30E-05	2.41E+00	4.71E-02	2.61E-06	1.0E+06	2.6E+00
1283	6.88851	5.02E-03	3.5E-02	6.05E-04	2.09E-05	2.41E+00	4.71E-02	2.38E-06	1.0E+06	2.4E+00
1284	9.75945	5.02E-03	4.9E-02	6.05E-04	2.97E-05	2.41E+00	4.71E-02	3.36E-06	1.0E+06	3.4E+00
1285	9.66684	5.02E-03	4.9E-02	6.05E-04	2.94E-05	2.41E+00	4.71E-02	3.33E-06	1.0E+06	3.3E+00
1286	9.55206	5.02E-03	4.8E-02	6.05E-04	2.90E-05	2.41E+00	4.71E-02	3.29E-06	1.0E+06	3.3E+00
1287	9.41346	5.02E-03	4.7E-02	6.05E-04	2.86E-05	2.41E+00	4.71E-02	3.25E-06	1.0E+06	3.2E+00
1288	9.25445	5.02E-03	4.7E-02	6.05E-04	2.81E-05	2.41E+00	4.71E-02	3.19E-06	1.0E+06	3.2E+00
1289	9.07085	5.02E-03	4.6E-02	6.05E-04	2.76E-05	2.41E+00	4.71E-02	3.13E-06	1.0E+06	3.1E+00
1290	8.85142	5.02E-03	4.4E-02	6.05E-04	2.69E-05	2.41E+00	4.71E-02	3.05E-06	1.0E+06	3.1E+00
1291	8.59582	5.02E-03	4.3E-02	6.05E-04	2.61E-05	2.41E+00	4.71E-02	2.96E-06	1.0E+06	3.0E+00
1292	8.30249	5.02E-03	4.2E-02	6.05E-04	2.52E-05	2.41E+00	4.71E-02	2.86E-06	1.0E+06	2.9E+00
1293	7.96665	5.02E-03	4.0E-02	6.05E-04	2.42E-05	2.41E+00	4.71E-02	2.75E-06	1.0E+06	2.7E+00
1294	7.57866	5.02E-03	3.8E-02	6.05E-04	2.30E-05	2.41E+00	4.71E-02	2.61E-06	1.0E+06	2.6E+00
1295	7.13377	5.02E-03	3.6E-02	6.05E-04	2.17E-05	2.41E+00	4.71E-02	2.46E-06	1.0E+06	2.5E+00
1296	6.6336	5.02E-03	3.3E-02	6.05E-04	2.02E-05	2.41E+00	4.71E-02	2.29E-06	1.0E+06	2.3E+00
1297	6.09085	5.02E-03	3.1E-02	6.05E-04	1.85E-05	2.41E+00	4.71E-02	2.10E-06	1.0E+06	2.1E+00
1298	8.57804	5.02E-03	4.3E-02	6.05E-04	2.61E-05	2.41E+00	4.71E-02	2.96E-06	1.0E+06	3.0E+00
1299	8.49513	5.02E-03	4.3E-02	6.05E-04	2.58E-05	2.41E+00	4.71E-02	2.93E-06	1.0E+06	2.9E+00
1300	8.39221	5.02E-03	4.2E-02	6.05E-04	2.55E-05	2.41E+00	4.71E-02	2.89E-06	1.0E+06	2.9E+00
1301	8.269	5.02E-03	4.2E-02	6.05E-04	2.51E-05	2.41E+00	4.71E-02	2.85E-06	1.0E+06	2.9E+00
1302	8.12788	5.02E-03	4.1E-02	6.05E-04	2.47E-05	2.41E+00	4.71E-02	2.80E-06	1.0E+06	2.8E+00
1303	7.96655	5.02E-03	4.0E-02	6.05E-04	2.42E-05	2.41E+00	4.71E-02	2.75E-06	1.0E+06	2.7E+00
1304	7.77688	5.02E-03	3.9E-02	6.05E-04	2.36E-05	2.41E+00	4.71E-02	2.68E-06	1.0E+06	2.7E+00
1305	7.55422	5.02E-03	3.8E-02	6.05E-04	2.30E-05	2.41E+00	4.71E-02	2.60E-06	1.0E+06	2.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	7.61436	5.02E-03	3.8E-02	6.05E-04	2.32E-05	2.41E+00	4.71E-02	2.63E-06	1.0E+06	2.6E+00
1307	7.54083	5.02E-03	3.8E-02	6.05E-04	2.29E-05	2.41E+00	4.71E-02	2.60E-06	1.0E+06	2.6E+00
1308	7.44989	5.02E-03	3.7E-02	6.05E-04	2.27E-05	2.41E+00	4.71E-02	2.57E-06	1.0E+06	2.6E+00
1309	7.34135	5.02E-03	3.7E-02	6.05E-04	2.23E-05	2.41E+00	4.71E-02	2.53E-06	1.0E+06	2.5E+00
1310	7.21757	5.02E-03	3.6E-02	6.05E-04	2.19E-05	2.41E+00	4.71E-02	2.49E-06	1.0E+06	2.5E+00
1311	7.07301	5.02E-03	3.6E-02	6.05E-04	2.15E-05	2.41E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
1312	6.90398	5.02E-03	3.5E-02	6.05E-04	2.10E-05	2.41E+00	4.71E-02	2.38E-06	1.0E+06	2.4E+00
1313	6.70915	5.02E-03	3.4E-02	6.05E-04	2.04E-05	2.41E+00	4.71E-02	2.31E-06	1.0E+06	2.3E+00
1314	6.81468	5.02E-03	3.4E-02	6.05E-04	2.07E-05	2.41E+00	4.71E-02	2.35E-06	1.0E+06	2.3E+00
1315	6.74938	5.02E-03	3.4E-02	6.05E-04	2.05E-05	2.41E+00	4.71E-02	2.33E-06	1.0E+06	2.3E+00
1316	6.66911	5.02E-03	3.4E-02	6.05E-04	2.03E-05	2.41E+00	4.71E-02	2.30E-06	1.0E+06	2.3E+00
1317	6.57364	5.02E-03	3.3E-02	6.05E-04	2.00E-05	2.41E+00	4.71E-02	2.27E-06	1.0E+06	2.3E+00
1318	6.4628	5.02E-03	3.2E-02	6.05E-04	1.96E-05	2.41E+00	4.71E-02	2.23E-06	1.0E+06	2.2E+00
1319	6.333	5.02E-03	3.2E-02	6.05E-04	1.93E-05	2.41E+00	4.71E-02	2.18E-06	1.0E+06	2.2E+00
1320	6.18275	5.02E-03	3.1E-02	6.05E-04	1.88E-05	2.41E+00	4.71E-02	2.13E-06	1.0E+06	2.1E+00
1321	6.01167	5.02E-03	3.0E-02	6.05E-04	1.83E-05	2.41E+00	4.71E-02	2.07E-06	1.0E+06	2.1E+00
1322	6.14171	5.02E-03	3.1E-02	6.05E-04	1.87E-05	2.41E+00	4.71E-02	2.12E-06	1.0E+06	2.1E+00
1323	6.08382	5.02E-03	3.1E-02	6.05E-04	1.85E-05	2.41E+00	4.71E-02	2.10E-06	1.0E+06	2.1E+00
1324	6.01269	5.02E-03	3.0E-02	6.05E-04	1.83E-05	2.41E+00	4.71E-02	2.07E-06	1.0E+06	2.1E+00
1325	5.92782	5.02E-03	3.0E-02	6.05E-04	1.80E-05	2.41E+00	4.71E-02	2.04E-06	1.0E+06	2.0E+00
1326	5.82807	5.02E-03	2.9E-02	6.05E-04	1.77E-05	2.41E+00	4.71E-02	2.01E-06	1.0E+06	2.0E+00
1327	5.71184	5.02E-03	2.9E-02	6.05E-04	1.74E-05	2.41E+00	4.71E-02	1.97E-06	1.0E+06	2.0E+00
1328	5.57841	5.02E-03	2.8E-02	6.05E-04	1.70E-05	2.41E+00	4.71E-02	1.92E-06	1.0E+06	1.9E+00
1329	5.42744	5.02E-03	2.7E-02	6.05E-04	1.65E-05	2.41E+00	4.71E-02	1.87E-06	1.0E+06	1.9E+00
1330	5.56801	5.02E-03	2.8E-02	6.05E-04	1.69E-05	2.41E+00	4.71E-02	1.92E-06	1.0E+06	1.9E+00
1331	5.51665	5.02E-03	2.8E-02	6.05E-04	1.68E-05	2.41E+00	4.71E-02	1.90E-06	1.0E+06	1.9E+00
1332	5.45306	5.02E-03	2.7E-02	6.05E-04	1.66E-05	2.41E+00	4.71E-02	1.88E-06	1.0E+06	1.9E+00
1333	5.37707	5.02E-03	2.7E-02	6.05E-04	1.63E-05	2.41E+00	4.71E-02	1.85E-06	1.0E+06	1.9E+00
1334	5.28827	5.02E-03	2.7E-02	6.05E-04	1.61E-05	2.41E+00	4.71E-02	1.82E-06	1.0E+06	1.8E+00
1335	5.1849	5.02E-03	2.6E-02	6.05E-04	1.58E-05	2.41E+00	4.71E-02	1.79E-06	1.0E+06	1.8E+00
1336	5.06618	5.02E-03	2.5E-02	6.05E-04	1.54E-05	2.41E+00	4.71E-02	1.75E-06	1.0E+06	1.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	4.93206	5.02E-03	2.5E-02	6.05E-04	1.50E-05	2.41E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
1338	2.91471	5.02E-03	1.5E-02	6.05E-04	8.86E-06	2.41E+00	4.71E-02	1.00E-06	1.0E+06	1.0E+00
1339	3.13335	5.02E-03	1.6E-02	6.05E-04	9.53E-06	2.41E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1340	3.34931	5.02E-03	1.7E-02	6.05E-04	1.02E-05	2.41E+00	4.71E-02	1.15E-06	1.0E+06	1.2E+00
1341	3.58675	5.02E-03	1.8E-02	6.05E-04	1.09E-05	2.41E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1342	3.82434	5.02E-03	1.9E-02	6.05E-04	1.16E-05	2.41E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
1343	4.03544	5.02E-03	2.0E-02	6.05E-04	1.23E-05	2.41E+00	4.71E-02	1.39E-06	1.0E+06	1.4E+00
1344	4.24345	5.02E-03	2.1E-02	6.05E-04	1.29E-05	2.41E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1345	4.43286	5.02E-03	2.2E-02	6.05E-04	1.35E-05	2.41E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
1346	4.5862	5.02E-03	2.3E-02	6.05E-04	1.39E-05	2.41E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
1347	4.71107	5.02E-03	2.4E-02	6.05E-04	1.43E-05	2.41E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1348	4.81697	5.02E-03	2.4E-02	6.05E-04	1.46E-05	2.41E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
1349	4.91292	5.02E-03	2.5E-02	6.05E-04	1.49E-05	2.41E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
1350	4.99402	5.02E-03	2.5E-02	6.05E-04	1.52E-05	2.41E+00	4.71E-02	1.72E-06	1.0E+06	1.7E+00
1351	5.05458	5.02E-03	2.5E-02	6.05E-04	1.54E-05	2.41E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
1352	5.09921	5.02E-03	2.6E-02	6.05E-04	1.55E-05	2.41E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1353	5.12843	5.02E-03	2.6E-02	6.05E-04	1.56E-05	2.41E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1354	5.14121	5.02E-03	2.6E-02	6.05E-04	1.56E-05	2.41E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1355	5.14202	5.02E-03	2.6E-02	6.05E-04	1.56E-05	2.41E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1356	5.13064	5.02E-03	2.6E-02	6.05E-04	1.56E-05	2.41E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
1357	5.108	5.02E-03	2.6E-02	6.05E-04	1.55E-05	2.41E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1358	5.07439	5.02E-03	2.5E-02	6.05E-04	1.54E-05	2.41E+00	4.71E-02	1.75E-06	1.0E+06	1.7E+00
1359	5.02888	5.02E-03	2.5E-02	6.05E-04	1.53E-05	2.41E+00	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1360	4.97196	5.02E-03	2.5E-02	6.05E-04	1.51E-05	2.41E+00	4.71E-02	1.71E-06	1.0E+06	1.7E+00
1361	4.9039	5.02E-03	2.5E-02	6.05E-04	1.49E-05	2.41E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
1362	4.82463	5.02E-03	2.4E-02	6.05E-04	1.47E-05	2.41E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
1363	4.7325	5.02E-03	2.4E-02	6.05E-04	1.44E-05	2.41E+00	4.71E-02	1.63E-06	1.0E+06	1.6E+00
1364	4.62665	5.02E-03	2.3E-02	6.05E-04	1.41E-05	2.41E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1365	4.50717	5.02E-03	2.3E-02	6.05E-04	1.37E-05	2.41E+00	4.71E-02	1.55E-06	1.0E+06	1.6E+00
1366	2.68434	5.02E-03	1.3E-02	6.05E-04	8.16E-06	2.41E+00	4.71E-02	9.26E-07	1.0E+06	9.3E-01
1367	2.86768	5.02E-03	1.4E-02	6.05E-04	8.72E-06	2.41E+00	4.71E-02	9.89E-07	1.0E+06	9.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	3.05695	5.02E-03	1.5E-02	6.05E-04	9.29E-06	2.41E+00	4.71E-02	1.05E-06	1.0E+06	1.1E+00
1369	3.26585	5.02E-03	1.6E-02	6.05E-04	9.93E-06	2.41E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1370	3.46518	5.02E-03	1.7E-02	6.05E-04	1.05E-05	2.41E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1371	3.66677	5.02E-03	1.8E-02	6.05E-04	1.11E-05	2.41E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1372	3.85665	5.02E-03	1.9E-02	6.05E-04	1.17E-05	2.41E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1373	4.02707	5.02E-03	2.0E-02	6.05E-04	1.22E-05	2.41E+00	4.71E-02	1.39E-06	1.0E+06	1.4E+00
1374	4.17095	5.02E-03	2.1E-02	6.05E-04	1.27E-05	2.41E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1375	4.27896	5.02E-03	2.2E-02	6.05E-04	1.30E-05	2.41E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1376	4.37026	5.02E-03	2.2E-02	6.05E-04	1.33E-05	2.41E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1377	4.46705	5.02E-03	2.2E-02	6.05E-04	1.36E-05	2.41E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
1378	4.54761	5.02E-03	2.3E-02	6.05E-04	1.38E-05	2.41E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1379	4.61074	5.02E-03	2.3E-02	6.05E-04	1.40E-05	2.41E+00	4.71E-02	1.59E-06	1.0E+06	1.6E+00
1380	4.65524	5.02E-03	2.3E-02	6.05E-04	1.42E-05	2.41E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
1381	4.68559	5.02E-03	2.4E-02	6.05E-04	1.42E-05	2.41E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1382	4.69968	5.02E-03	2.4E-02	6.05E-04	1.43E-05	2.41E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1383	4.70227	5.02E-03	2.4E-02	6.05E-04	1.43E-05	2.41E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1384	4.69401	5.02E-03	2.4E-02	6.05E-04	1.43E-05	2.41E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
1385	4.67498	5.02E-03	2.3E-02	6.05E-04	1.42E-05	2.41E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
1386	4.6459	5.02E-03	2.3E-02	6.05E-04	1.41E-05	2.41E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1387	4.60566	5.02E-03	2.3E-02	6.05E-04	1.40E-05	2.41E+00	4.71E-02	1.59E-06	1.0E+06	1.6E+00
1388	4.55468	5.02E-03	2.3E-02	6.05E-04	1.38E-05	2.41E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1389	4.49367	5.02E-03	2.3E-02	6.05E-04	1.37E-05	2.41E+00	4.71E-02	1.55E-06	1.0E+06	1.5E+00
1390	4.42282	5.02E-03	2.2E-02	6.05E-04	1.34E-05	2.41E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1391	4.34051	5.02E-03	2.2E-02	6.05E-04	1.32E-05	2.41E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1392	4.24597	5.02E-03	2.1E-02	6.05E-04	1.29E-05	2.41E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1393	4.13919	5.02E-03	2.1E-02	6.05E-04	1.26E-05	2.41E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
1394	2.4577	5.02E-03	1.2E-02	6.05E-04	7.47E-06	2.41E+00	4.71E-02	8.47E-07	1.0E+06	8.5E-01
1395	2.6236	5.02E-03	1.3E-02	6.05E-04	7.98E-06	2.41E+00	4.71E-02	9.05E-07	1.0E+06	9.0E-01
1396	2.79342	5.02E-03	1.4E-02	6.05E-04	8.49E-06	2.41E+00	4.71E-02	9.63E-07	1.0E+06	9.6E-01
1397	2.96725	5.02E-03	1.5E-02	6.05E-04	9.02E-06	2.41E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1398	3.15399	5.02E-03	1.6E-02	6.05E-04	9.59E-06	2.41E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	3.32191	5.02E-03	1.7E-02	6.05E-04	1.01E-05	2.41E+00	4.71E-02	1.15E-06	1.0E+06	1.1E+00
1400	3.50527	5.02E-03	1.8E-02	6.05E-04	1.07E-05	2.41E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1401	3.67179	5.02E-03	1.8E-02	6.05E-04	1.12E-05	2.41E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1402	3.80793	5.02E-03	1.9E-02	6.05E-04	1.16E-05	2.41E+00	4.71E-02	1.31E-06	1.0E+06	1.3E+00
1403	3.91085	5.02E-03	2.0E-02	6.05E-04	1.19E-05	2.41E+00	4.71E-02	1.35E-06	1.0E+06	1.3E+00
1404	3.99655	5.02E-03	2.0E-02	6.05E-04	1.22E-05	2.41E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1405	4.0866	5.02E-03	2.1E-02	6.05E-04	1.24E-05	2.41E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1406	4.15951	5.02E-03	2.1E-02	6.05E-04	1.26E-05	2.41E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
1407	4.22056	5.02E-03	2.1E-02	6.05E-04	1.28E-05	2.41E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1408	4.26422	5.02E-03	2.1E-02	6.05E-04	1.30E-05	2.41E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1409	4.29934	5.02E-03	2.2E-02	6.05E-04	1.31E-05	2.41E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1410	4.31456	5.02E-03	2.2E-02	6.05E-04	1.31E-05	2.41E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1411	4.31874	5.02E-03	2.2E-02	6.05E-04	1.31E-05	2.41E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1412	4.3127	5.02E-03	2.2E-02	6.05E-04	1.31E-05	2.41E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1413	4.29658	5.02E-03	2.2E-02	6.05E-04	1.31E-05	2.41E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
1414	4.27113	5.02E-03	2.1E-02	6.05E-04	1.30E-05	2.41E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1415	4.23544	5.02E-03	2.1E-02	6.05E-04	1.29E-05	2.41E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
1416	4.18974	5.02E-03	2.1E-02	6.05E-04	1.27E-05	2.41E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1417	4.13469	5.02E-03	2.1E-02	6.05E-04	1.26E-05	2.41E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
1418	4.07154	5.02E-03	2.0E-02	6.05E-04	1.24E-05	2.41E+00	4.71E-02	1.40E-06	1.0E+06	1.4E+00
1419	3.99801	5.02E-03	2.0E-02	6.05E-04	1.22E-05	2.41E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
1420	3.91347	5.02E-03	2.0E-02	6.05E-04	1.19E-05	2.41E+00	4.71E-02	1.35E-06	1.0E+06	1.3E+00
1421	3.81783	5.02E-03	1.9E-02	6.05E-04	1.16E-05	2.41E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
1422	2.25556	5.02E-03	1.1E-02	6.05E-04	6.86E-06	2.41E+00	4.71E-02	7.78E-07	1.0E+06	7.8E-01
1423	2.40689	5.02E-03	1.2E-02	6.05E-04	7.32E-06	2.41E+00	4.71E-02	8.30E-07	1.0E+06	8.3E-01
1424	2.55714	5.02E-03	1.3E-02	6.05E-04	7.77E-06	2.41E+00	4.71E-02	8.82E-07	1.0E+06	8.8E-01
1425	2.70664	5.02E-03	1.4E-02	6.05E-04	8.23E-06	2.41E+00	4.71E-02	9.33E-07	1.0E+06	9.3E-01
1426	2.8695	5.02E-03	1.4E-02	6.05E-04	8.72E-06	2.41E+00	4.71E-02	9.89E-07	1.0E+06	9.9E-01
1427	3.02842	5.02E-03	1.5E-02	6.05E-04	9.21E-06	2.41E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1428	3.202	5.02E-03	1.6E-02	6.05E-04	9.74E-06	2.41E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1429	3.36081	5.02E-03	1.7E-02	6.05E-04	1.02E-05	2.41E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	3.49282	5.02E-03	1.8E-02	6.05E-04	1.06E-05	2.41E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1431	3.58681	5.02E-03	1.8E-02	6.05E-04	1.09E-05	2.41E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1432	3.67097	5.02E-03	1.8E-02	6.05E-04	1.12E-05	2.41E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1433	3.75388	5.02E-03	1.9E-02	6.05E-04	1.14E-05	2.41E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00
1434	3.82105	5.02E-03	1.9E-02	6.05E-04	1.16E-05	2.41E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
1435	3.87921	5.02E-03	1.9E-02	6.05E-04	1.18E-05	2.41E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
1436	3.92339	5.02E-03	2.0E-02	6.05E-04	1.19E-05	2.41E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
1437	3.95917	5.02E-03	2.0E-02	6.05E-04	1.20E-05	2.41E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1438	3.97536	5.02E-03	2.0E-02	6.05E-04	1.21E-05	2.41E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1439	3.9809	5.02E-03	2.0E-02	6.05E-04	1.21E-05	2.41E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1440	3.97681	5.02E-03	2.0E-02	6.05E-04	1.21E-05	2.41E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1441	3.96321	5.02E-03	2.0E-02	6.05E-04	1.20E-05	2.41E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
1442	3.94104	5.02E-03	2.0E-02	6.05E-04	1.20E-05	2.41E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
1443	3.90935	5.02E-03	2.0E-02	6.05E-04	1.19E-05	2.41E+00	4.71E-02	1.35E-06	1.0E+06	1.3E+00
1444	3.86842	5.02E-03	1.9E-02	6.05E-04	1.18E-05	2.41E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1445	3.81895	5.02E-03	1.9E-02	6.05E-04	1.16E-05	2.41E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
1446	3.7623	5.02E-03	1.9E-02	6.05E-04	1.14E-05	2.41E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1447	3.69655	5.02E-03	1.9E-02	6.05E-04	1.12E-05	2.41E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1448	3.62088	5.02E-03	1.8E-02	6.05E-04	1.10E-05	2.41E+00	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1449	3.53506	5.02E-03	1.8E-02	6.05E-04	1.07E-05	2.41E+00	4.71E-02	1.22E-06	1.0E+06	1.2E+00
1450	2.08281	5.02E-03	1.0E-02	6.05E-04	6.33E-06	2.41E+00	4.71E-02	7.18E-07	1.0E+06	7.2E-01
1451	2.2117	5.02E-03	1.1E-02	6.05E-04	6.72E-06	2.41E+00	4.71E-02	7.63E-07	1.0E+06	7.6E-01
1452	2.34171	5.02E-03	1.2E-02	6.05E-04	7.12E-06	2.41E+00	4.71E-02	8.07E-07	1.0E+06	8.1E-01
1453	2.48212	5.02E-03	1.2E-02	6.05E-04	7.55E-06	2.41E+00	4.71E-02	8.56E-07	1.0E+06	8.6E-01
1454	2.6206	5.02E-03	1.3E-02	6.05E-04	7.97E-06	2.41E+00	4.71E-02	9.04E-07	1.0E+06	9.0E-01
1455	2.75993	5.02E-03	1.4E-02	6.05E-04	8.39E-06	2.41E+00	4.71E-02	9.52E-07	1.0E+06	9.5E-01
1456	2.92749	5.02E-03	1.5E-02	6.05E-04	8.90E-06	2.41E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1457	3.08511	5.02E-03	1.6E-02	6.05E-04	9.38E-06	2.41E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1458	3.2119	5.02E-03	1.6E-02	6.05E-04	9.77E-06	2.41E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1459	3.30379	5.02E-03	1.7E-02	6.05E-04	1.00E-05	2.41E+00	4.71E-02	1.14E-06	1.0E+06	1.1E+00
1460	3.38392	5.02E-03	1.7E-02	6.05E-04	1.03E-05	2.41E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	3.46024	5.02E-03	1.7E-02	6.05E-04	1.05E-05	2.41E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1462	3.52229	5.02E-03	1.8E-02	6.05E-04	1.07E-05	2.41E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1463	3.57442	5.02E-03	1.8E-02	6.05E-04	1.09E-05	2.41E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
1464	3.62174	5.02E-03	1.8E-02	6.05E-04	1.10E-05	2.41E+00	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1465	3.658	5.02E-03	1.8E-02	6.05E-04	1.11E-05	2.41E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1466	3.6749	5.02E-03	1.8E-02	6.05E-04	1.12E-05	2.41E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1467	3.68137	5.02E-03	1.8E-02	6.05E-04	1.12E-05	2.41E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1468	3.67901	5.02E-03	1.8E-02	6.05E-04	1.12E-05	2.41E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1469	3.66782	5.02E-03	1.8E-02	6.05E-04	1.12E-05	2.41E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1470	3.64851	5.02E-03	1.8E-02	6.05E-04	1.11E-05	2.41E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1471	3.62038	5.02E-03	1.8E-02	6.05E-04	1.10E-05	2.41E+00	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1472	3.58365	5.02E-03	1.8E-02	6.05E-04	1.09E-05	2.41E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1473	3.53909	5.02E-03	1.8E-02	6.05E-04	1.08E-05	2.41E+00	4.71E-02	1.22E-06	1.0E+06	1.2E+00
1474	3.48841	5.02E-03	1.8E-02	6.05E-04	1.06E-05	2.41E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
1475	3.42958	5.02E-03	1.7E-02	6.05E-04	1.04E-05	2.41E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1476	3.36171	5.02E-03	1.7E-02	6.05E-04	1.02E-05	2.41E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
1477	3.28458	5.02E-03	1.7E-02	6.05E-04	9.99E-06	2.41E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1478	1.92647	5.02E-03	9.7E-03	6.05E-04	5.86E-06	2.41E+00	4.71E-02	6.64E-07	1.0E+06	6.6E-01
1479	2.04446	5.02E-03	1.0E-02	6.05E-04	6.22E-06	2.41E+00	4.71E-02	7.05E-07	1.0E+06	7.0E-01
1480	2.16426	5.02E-03	1.1E-02	6.05E-04	6.58E-06	2.41E+00	4.71E-02	7.46E-07	1.0E+06	7.5E-01
1481	2.28665	5.02E-03	1.1E-02	6.05E-04	6.95E-06	2.41E+00	4.71E-02	7.88E-07	1.0E+06	7.9E-01
1482	2.421	5.02E-03	1.2E-02	6.05E-04	7.36E-06	2.41E+00	4.71E-02	8.35E-07	1.0E+06	8.3E-01
1483	2.54637	5.02E-03	1.3E-02	6.05E-04	7.74E-06	2.41E+00	4.71E-02	8.78E-07	1.0E+06	8.8E-01
1484	2.70434	5.02E-03	1.4E-02	6.05E-04	8.22E-06	2.41E+00	4.71E-02	9.32E-07	1.0E+06	9.3E-01
1485	2.8495	5.02E-03	1.4E-02	6.05E-04	8.66E-06	2.41E+00	4.71E-02	9.82E-07	1.0E+06	9.8E-01
1486	2.96441	5.02E-03	1.5E-02	6.05E-04	9.01E-06	2.41E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1487	3.05351	5.02E-03	1.5E-02	6.05E-04	9.28E-06	2.41E+00	4.71E-02	1.05E-06	1.0E+06	1.1E+00
1488	3.12896	5.02E-03	1.6E-02	6.05E-04	9.51E-06	2.41E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1489	3.20112	5.02E-03	1.6E-02	6.05E-04	9.73E-06	2.41E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1490	3.26017	5.02E-03	1.6E-02	6.05E-04	9.91E-06	2.41E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1491	3.30999	5.02E-03	1.7E-02	6.05E-04	1.01E-05	2.41E+00	4.71E-02	1.14E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	3.35432	5.02E-03	1.7E-02	6.05E-04	1.02E-05	2.41E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
1493	3.38719	5.02E-03	1.7E-02	6.05E-04	1.03E-05	2.41E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1494	3.40597	5.02E-03	1.7E-02	6.05E-04	1.04E-05	2.41E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1495	3.41352	5.02E-03	1.7E-02	6.05E-04	1.04E-05	2.41E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1496	3.41291	5.02E-03	1.7E-02	6.05E-04	1.04E-05	2.41E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1497	3.40408	5.02E-03	1.7E-02	6.05E-04	1.03E-05	2.41E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1498	3.38781	5.02E-03	1.7E-02	6.05E-04	1.03E-05	2.41E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
1499	3.36326	5.02E-03	1.7E-02	6.05E-04	1.02E-05	2.41E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
1500	3.33081	5.02E-03	1.7E-02	6.05E-04	1.01E-05	2.41E+00	4.71E-02	1.15E-06	1.0E+06	1.1E+00
1501	3.29112	5.02E-03	1.7E-02	6.05E-04	1.00E-05	2.41E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1502	3.24542	5.02E-03	1.6E-02	6.05E-04	9.87E-06	2.41E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1503	3.19219	5.02E-03	1.6E-02	6.05E-04	9.71E-06	2.41E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1504	3.13086	5.02E-03	1.6E-02	6.05E-04	9.52E-06	2.41E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1505	3.06131	5.02E-03	1.5E-02	6.05E-04	9.31E-06	2.41E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1506	1.78481	5.02E-03	9.0E-03	6.05E-04	5.43E-06	2.41E+00	4.71E-02	6.15E-07	1.0E+06	6.2E-01
1507	1.89487	5.02E-03	9.5E-03	6.05E-04	5.76E-06	2.41E+00	4.71E-02	6.53E-07	1.0E+06	6.5E-01
1508	2.00682	5.02E-03	1.0E-02	6.05E-04	6.10E-06	2.41E+00	4.71E-02	6.92E-07	1.0E+06	6.9E-01
1509	2.1216	5.02E-03	1.1E-02	6.05E-04	6.45E-06	2.41E+00	4.71E-02	7.31E-07	1.0E+06	7.3E-01
1510	2.24441	5.02E-03	1.1E-02	6.05E-04	6.82E-06	2.41E+00	4.71E-02	7.74E-07	1.0E+06	7.7E-01
1511	2.36704	5.02E-03	1.2E-02	6.05E-04	7.20E-06	2.41E+00	4.71E-02	8.16E-07	1.0E+06	8.2E-01
1512	2.50702	5.02E-03	1.3E-02	6.05E-04	7.62E-06	2.41E+00	4.71E-02	8.64E-07	1.0E+06	8.6E-01
1513	2.63857	5.02E-03	1.3E-02	6.05E-04	8.02E-06	2.41E+00	4.71E-02	9.10E-07	1.0E+06	9.1E-01
1514	2.7476	5.02E-03	1.4E-02	6.05E-04	8.35E-06	2.41E+00	4.71E-02	9.47E-07	1.0E+06	9.5E-01
1515	2.83109	5.02E-03	1.4E-02	6.05E-04	8.61E-06	2.41E+00	4.71E-02	9.76E-07	1.0E+06	9.8E-01
1516	2.90167	5.02E-03	1.5E-02	6.05E-04	8.82E-06	2.41E+00	4.71E-02	1.00E-06	1.0E+06	1.0E+00
1517	2.97052	5.02E-03	1.5E-02	6.05E-04	9.03E-06	2.41E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1518	3.02738	5.02E-03	1.5E-02	6.05E-04	9.20E-06	2.41E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1519	3.07748	5.02E-03	1.5E-02	6.05E-04	9.36E-06	2.41E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1520	3.11544	5.02E-03	1.6E-02	6.05E-04	9.47E-06	2.41E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1521	3.14624	5.02E-03	1.6E-02	6.05E-04	9.57E-06	2.41E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1522	3.16513	5.02E-03	1.6E-02	6.05E-04	9.62E-06	2.41E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	3.17345	5.02E-03	1.6E-02	6.05E-04	9.65E-06	2.41E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1524	3.17442	5.02E-03	1.6E-02	6.05E-04	9.65E-06	2.41E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1525	3.1679	5.02E-03	1.6E-02	6.05E-04	9.63E-06	2.41E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1526	3.15426	5.02E-03	1.6E-02	6.05E-04	9.59E-06	2.41E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1527	3.13306	5.02E-03	1.6E-02	6.05E-04	9.53E-06	2.41E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
1528	3.10447	5.02E-03	1.6E-02	6.05E-04	9.44E-06	2.41E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1529	3.06911	5.02E-03	1.5E-02	6.05E-04	9.33E-06	2.41E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1530	3.02787	5.02E-03	1.5E-02	6.05E-04	9.21E-06	2.41E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
1531	2.97964	5.02E-03	1.5E-02	6.05E-04	9.06E-06	2.41E+00	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1532	2.92412	5.02E-03	1.5E-02	6.05E-04	8.89E-06	2.41E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1533	2.86128	5.02E-03	1.4E-02	6.05E-04	8.70E-06	2.41E+00	4.71E-02	9.87E-07	1.0E+06	9.9E-01
1534	1.65686	5.02E-03	8.3E-03	6.05E-04	5.04E-06	2.41E+00	4.71E-02	5.71E-07	1.0E+06	5.7E-01
1535	1.76005	5.02E-03	8.8E-03	6.05E-04	5.35E-06	2.41E+00	4.71E-02	6.07E-07	1.0E+06	6.1E-01
1536	1.86525	5.02E-03	9.4E-03	6.05E-04	5.67E-06	2.41E+00	4.71E-02	6.43E-07	1.0E+06	6.4E-01
1537	1.97381	5.02E-03	9.9E-03	6.05E-04	6.00E-06	2.41E+00	4.71E-02	6.81E-07	1.0E+06	6.8E-01
1538	2.09024	5.02E-03	1.1E-02	6.05E-04	6.36E-06	2.41E+00	4.71E-02	7.21E-07	1.0E+06	7.2E-01
1539	2.207	5.02E-03	1.1E-02	6.05E-04	6.71E-06	2.41E+00	4.71E-02	7.61E-07	1.0E+06	7.6E-01
1540	2.33349	5.02E-03	1.2E-02	6.05E-04	7.09E-06	2.41E+00	4.71E-02	8.05E-07	1.0E+06	8.0E-01
1541	2.4535	5.02E-03	1.2E-02	6.05E-04	7.46E-06	2.41E+00	4.71E-02	8.46E-07	1.0E+06	8.5E-01
1542	2.5542	5.02E-03	1.3E-02	6.05E-04	7.77E-06	2.41E+00	4.71E-02	8.81E-07	1.0E+06	8.8E-01
1543	2.62853	5.02E-03	1.3E-02	6.05E-04	7.99E-06	2.41E+00	4.71E-02	9.06E-07	1.0E+06	9.1E-01
1544	2.69838	5.02E-03	1.4E-02	6.05E-04	8.20E-06	2.41E+00	4.71E-02	9.30E-07	1.0E+06	9.3E-01
1545	2.76404	5.02E-03	1.4E-02	6.05E-04	8.40E-06	2.41E+00	4.71E-02	9.53E-07	1.0E+06	9.5E-01
1546	2.81851	5.02E-03	1.4E-02	6.05E-04	8.57E-06	2.41E+00	4.71E-02	9.72E-07	1.0E+06	9.7E-01
1547	2.86639	5.02E-03	1.4E-02	6.05E-04	8.71E-06	2.41E+00	4.71E-02	9.88E-07	1.0E+06	9.9E-01
1548	2.90118	5.02E-03	1.5E-02	6.05E-04	8.82E-06	2.41E+00	4.71E-02	1.00E-06	1.0E+06	1.0E+00
1549	2.93009	5.02E-03	1.5E-02	6.05E-04	8.91E-06	2.41E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1550	2.94867	5.02E-03	1.5E-02	6.05E-04	8.96E-06	2.41E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1551	2.95777	5.02E-03	1.5E-02	6.05E-04	8.99E-06	2.41E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1552	2.95996	5.02E-03	1.5E-02	6.05E-04	9.00E-06	2.41E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1553	2.9555	5.02E-03	1.5E-02	6.05E-04	8.99E-06	2.41E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.94424	5.02E-03	1.5E-02	6.05E-04	8.95E-06	2.41E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1555	2.92594	5.02E-03	1.5E-02	6.05E-04	8.90E-06	2.41E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1556	2.90079	5.02E-03	1.5E-02	6.05E-04	8.82E-06	2.41E+00	4.71E-02	1.00E-06	1.0E+06	1.0E+00
1557	2.86934	5.02E-03	1.4E-02	6.05E-04	8.72E-06	2.41E+00	4.71E-02	9.89E-07	1.0E+06	9.9E-01
1558	2.83207	5.02E-03	1.4E-02	6.05E-04	8.61E-06	2.41E+00	4.71E-02	9.76E-07	1.0E+06	9.8E-01
1559	2.78837	5.02E-03	1.4E-02	6.05E-04	8.48E-06	2.41E+00	4.71E-02	9.61E-07	1.0E+06	9.6E-01
1560	2.73805	5.02E-03	1.4E-02	6.05E-04	8.32E-06	2.41E+00	4.71E-02	9.44E-07	1.0E+06	9.4E-01
1561	2.68118	5.02E-03	1.3E-02	6.05E-04	8.15E-06	2.41E+00	4.71E-02	9.24E-07	1.0E+06	9.2E-01
1562	1.54745	5.02E-03	7.8E-03	6.05E-04	4.70E-06	2.41E+00	4.71E-02	5.34E-07	1.0E+06	5.3E-01
1563	1.64011	5.02E-03	8.2E-03	6.05E-04	4.99E-06	2.41E+00	4.71E-02	5.65E-07	1.0E+06	5.7E-01
1564	1.73457	5.02E-03	8.7E-03	6.05E-04	5.27E-06	2.41E+00	4.71E-02	5.98E-07	1.0E+06	6.0E-01
1565	1.8335	5.02E-03	9.2E-03	6.05E-04	5.57E-06	2.41E+00	4.71E-02	6.32E-07	1.0E+06	6.3E-01
1566	1.93709	5.02E-03	9.7E-03	6.05E-04	5.89E-06	2.41E+00	4.71E-02	6.68E-07	1.0E+06	6.7E-01
1567	2.04788	5.02E-03	1.0E-02	6.05E-04	6.23E-06	2.41E+00	4.71E-02	7.06E-07	1.0E+06	7.1E-01
1568	2.16014	5.02E-03	1.1E-02	6.05E-04	6.57E-06	2.41E+00	4.71E-02	7.45E-07	1.0E+06	7.4E-01
1569	2.27678	5.02E-03	1.1E-02	6.05E-04	6.92E-06	2.41E+00	4.71E-02	7.85E-07	1.0E+06	7.8E-01
1570	2.3712	5.02E-03	1.2E-02	6.05E-04	7.21E-06	2.41E+00	4.71E-02	8.18E-07	1.0E+06	8.2E-01
1571	2.4422	5.02E-03	1.2E-02	6.05E-04	7.43E-06	2.41E+00	4.71E-02	8.42E-07	1.0E+06	8.4E-01
1572	2.51056	5.02E-03	1.3E-02	6.05E-04	7.63E-06	2.41E+00	4.71E-02	8.66E-07	1.0E+06	8.7E-01
1573	2.57342	5.02E-03	1.3E-02	6.05E-04	7.82E-06	2.41E+00	4.71E-02	8.87E-07	1.0E+06	8.9E-01
1574	2.62897	5.02E-03	1.3E-02	6.05E-04	7.99E-06	2.41E+00	4.71E-02	9.06E-07	1.0E+06	9.1E-01
1575	2.67523	5.02E-03	1.3E-02	6.05E-04	8.13E-06	2.41E+00	4.71E-02	9.22E-07	1.0E+06	9.2E-01
1576	2.70791	5.02E-03	1.4E-02	6.05E-04	8.23E-06	2.41E+00	4.71E-02	9.34E-07	1.0E+06	9.3E-01
1577	2.73545	5.02E-03	1.4E-02	6.05E-04	8.32E-06	2.41E+00	4.71E-02	9.43E-07	1.0E+06	9.4E-01
1578	2.75216	5.02E-03	1.4E-02	6.05E-04	8.37E-06	2.41E+00	4.71E-02	9.49E-07	1.0E+06	9.5E-01
1579	2.76339	5.02E-03	1.4E-02	6.05E-04	8.40E-06	2.41E+00	4.71E-02	9.53E-07	1.0E+06	9.5E-01
1580	2.76644	5.02E-03	1.4E-02	6.05E-04	8.41E-06	2.41E+00	4.71E-02	9.54E-07	1.0E+06	9.5E-01
1581	2.7636	5.02E-03	1.4E-02	6.05E-04	8.40E-06	2.41E+00	4.71E-02	9.53E-07	1.0E+06	9.5E-01
1582	2.75428	5.02E-03	1.4E-02	6.05E-04	8.37E-06	2.41E+00	4.71E-02	9.50E-07	1.0E+06	9.5E-01
1583	2.73855	5.02E-03	1.4E-02	6.05E-04	8.33E-06	2.41E+00	4.71E-02	9.44E-07	1.0E+06	9.4E-01
1584	2.71649	5.02E-03	1.4E-02	6.05E-04	8.26E-06	2.41E+00	4.71E-02	9.37E-07	1.0E+06	9.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.68846	5.02E-03	1.4E-02	6.05E-04	8.17E-06	2.41E+00	4.71E-02	9.27E-07	1.0E+06	9.3E-01
1586	2.65489	5.02E-03	1.3E-02	6.05E-04	8.07E-06	2.41E+00	4.71E-02	9.15E-07	1.0E+06	9.2E-01
1587	2.6154	5.02E-03	1.3E-02	6.05E-04	7.95E-06	2.41E+00	4.71E-02	9.02E-07	1.0E+06	9.0E-01
1588	2.56986	5.02E-03	1.3E-02	6.05E-04	7.81E-06	2.41E+00	4.71E-02	8.86E-07	1.0E+06	8.9E-01
1589	2.51835	5.02E-03	1.3E-02	6.05E-04	7.66E-06	2.41E+00	4.71E-02	8.68E-07	1.0E+06	8.7E-01
1590	1.45245	5.02E-03	7.3E-03	6.05E-04	4.42E-06	2.41E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
1591	1.53268	5.02E-03	7.7E-03	6.05E-04	4.66E-06	2.41E+00	4.71E-02	5.28E-07	1.0E+06	5.3E-01
1592	1.61397	5.02E-03	8.1E-03	6.05E-04	4.91E-06	2.41E+00	4.71E-02	5.56E-07	1.0E+06	5.6E-01
1593	1.70242	5.02E-03	8.6E-03	6.05E-04	5.18E-06	2.41E+00	4.71E-02	5.87E-07	1.0E+06	5.9E-01
1594	1.79858	5.02E-03	9.0E-03	6.05E-04	5.47E-06	2.41E+00	4.71E-02	6.20E-07	1.0E+06	6.2E-01
1595	1.89401	5.02E-03	9.5E-03	6.05E-04	5.76E-06	2.41E+00	4.71E-02	6.53E-07	1.0E+06	6.5E-01
0	0	5.02E-03	0.0E+00	6.05E-04	0.00E+00	2.41E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	7.1807	6.81176E-06	4.9E-05	6.05E-04	2.96E-08	2.41E+00	4.71E-02	3.36E-09	1.0E+06	3.4E-03
1214	1214	8.82849	6.81176E-06	6.0E-05	6.05E-04	3.64E-08	2.41E+00	4.71E-02	4.13E-09	1.0E+06	4.1E-03
1215	1215	8.76108	6.81176E-06	6.0E-05	6.05E-04	3.61E-08	2.41E+00	4.71E-02	4.09E-09	1.0E+06	4.1E-03
1216	1216	8.67956	6.81176E-06	5.9E-05	6.05E-04	3.58E-08	2.41E+00	4.71E-02	4.06E-09	1.0E+06	4.1E-03
1217	1217	8.58114	6.81176E-06	5.8E-05	6.05E-04	3.54E-08	2.41E+00	4.71E-02	4.01E-09	1.0E+06	4.0E-03
1218	1218	8.46625	6.81176E-06	5.8E-05	6.05E-04	3.49E-08	2.41E+00	4.71E-02	3.96E-09	1.0E+06	4.0E-03
1219	1219	8.33078	6.81176E-06	5.7E-05	6.05E-04	3.43E-08	2.41E+00	4.71E-02	3.89E-09	1.0E+06	3.9E-03
1220	1220	8.17349	6.81176E-06	5.6E-05	6.05E-04	3.37E-08	2.41E+00	4.71E-02	3.82E-09	1.0E+06	3.8E-03
1221	1221	7.99243	6.81176E-06	5.4E-05	6.05E-04	3.29E-08	2.41E+00	4.71E-02	3.74E-09	1.0E+06	3.7E-03
1222	1222	7.78276	6.81176E-06	5.3E-05	6.05E-04	3.21E-08	2.41E+00	4.71E-02	3.64E-09	1.0E+06	3.6E-03
1223	1223	7.54243	6.81176E-06	5.1E-05	6.05E-04	3.11E-08	2.41E+00	4.71E-02	3.53E-09	1.0E+06	3.5E-03
1224	1224	7.26565	6.81176E-06	4.9E-05	6.05E-04	2.99E-08	2.41E+00	4.71E-02	3.40E-09	1.0E+06	3.4E-03
1225	1225	6.94705	6.81176E-06	4.7E-05	6.05E-04	2.86E-08	2.41E+00	4.71E-02	3.25E-09	1.0E+06	3.2E-03
1226	1226	6.58559	6.81176E-06	4.5E-05	6.05E-04	2.71E-08	2.41E+00	4.71E-02	3.08E-09	1.0E+06	3.1E-03
1227	1227	6.18174	6.81176E-06	4.2E-05	6.05E-04	2.55E-08	2.41E+00	4.71E-02	2.89E-09	1.0E+06	2.9E-03
1228	1228	7.86181	6.81176E-06	5.4E-05	6.05E-04	3.24E-08	2.41E+00	4.71E-02	3.67E-09	1.0E+06	3.7E-03
1229	1229	7.80265	6.81176E-06	5.3E-05	6.05E-04	3.22E-08	2.41E+00	4.71E-02	3.65E-09	1.0E+06	3.6E-03
1230	1230	7.73051	6.81176E-06	5.3E-05	6.05E-04	3.19E-08	2.41E+00	4.71E-02	3.61E-09	1.0E+06	3.6E-03
1231	1231	7.64369	6.81176E-06	5.2E-05	6.05E-04	3.15E-08	2.41E+00	4.71E-02	3.57E-09	1.0E+06	3.6E-03
1232	1232	7.54166	6.81176E-06	5.1E-05	6.05E-04	3.11E-08	2.41E+00	4.71E-02	3.52E-09	1.0E+06	3.5E-03
1233	1233	7.42172	6.81176E-06	5.1E-05	6.05E-04	3.06E-08	2.41E+00	4.71E-02	3.47E-09	1.0E+06	3.5E-03
1234	1234	7.28218	6.81176E-06	5.0E-05	6.05E-04	3.00E-08	2.41E+00	4.71E-02	3.40E-09	1.0E+06	3.4E-03
1235	1235	7.12177	6.81176E-06	4.9E-05	6.05E-04	2.94E-08	2.41E+00	4.71E-02	3.33E-09	1.0E+06	3.3E-03
1236	1236	6.93691	6.81176E-06	4.7E-05	6.05E-04	2.86E-08	2.41E+00	4.71E-02	3.24E-09	1.0E+06	3.2E-03
1237	1237	6.72608	6.81176E-06	4.6E-05	6.05E-04	2.77E-08	2.41E+00	4.71E-02	3.14E-09	1.0E+06	3.1E-03
1238	1238	6.48562	6.81176E-06	4.4E-05	6.05E-04	2.67E-08	2.41E+00	4.71E-02	3.03E-09	1.0E+06	3.0E-03
1239	1239	6.21218	6.81176E-06	4.2E-05	6.05E-04	2.56E-08	2.41E+00	4.71E-02	2.90E-09	1.0E+06	2.9E-03
1240	1240	5.90426	6.81176E-06	4.0E-05	6.05E-04	2.43E-08	2.41E+00	4.71E-02	2.76E-09	1.0E+06	2.8E-03
1241	1241	5.56342	6.81176E-06	3.8E-05	6.05E-04	2.29E-08	2.41E+00	4.71E-02	2.60E-09	1.0E+06	2.6E-03
1242	1242	7.0511	6.81176E-06	4.8E-05	6.05E-04	2.91E-08	2.41E+00	4.71E-02	3.30E-09	1.0E+06	3.3E-03
1243	1243	6.99922	6.81176E-06	4.8E-05	6.05E-04	2.88E-08	2.41E+00	4.71E-02	3.27E-09	1.0E+06	3.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	6.93516	6.81176E-06	4.7E-05	6.05E-04	2.86E-08	2.41E+00	4.71E-02	3.24E-09	1.0E+06	3.2E-03
1245	1245	6.85803	6.81176E-06	4.7E-05	6.05E-04	2.83E-08	2.41E+00	4.71E-02	3.21E-09	1.0E+06	3.2E-03
1246	1246	6.76752	6.81176E-06	4.6E-05	6.05E-04	2.79E-08	2.41E+00	4.71E-02	3.16E-09	1.0E+06	3.2E-03
1247	1247	6.66129	6.81176E-06	4.5E-05	6.05E-04	2.75E-08	2.41E+00	4.71E-02	3.11E-09	1.0E+06	3.1E-03
1248	1248	6.53698	6.81176E-06	4.5E-05	6.05E-04	2.69E-08	2.41E+00	4.71E-02	3.06E-09	1.0E+06	3.1E-03
1249	1249	6.39434	6.81176E-06	4.4E-05	6.05E-04	2.64E-08	2.41E+00	4.71E-02	2.99E-09	1.0E+06	3.0E-03
1250	1250	6.23066	6.81176E-06	4.2E-05	6.05E-04	2.57E-08	2.41E+00	4.71E-02	2.91E-09	1.0E+06	2.9E-03
1251	1251	6.04501	6.81176E-06	4.1E-05	6.05E-04	2.49E-08	2.41E+00	4.71E-02	2.83E-09	1.0E+06	2.8E-03
1252	1252	5.83474	6.81176E-06	4.0E-05	6.05E-04	2.40E-08	2.41E+00	4.71E-02	2.73E-09	1.0E+06	2.7E-03
1253	1253	5.59789	6.81176E-06	3.8E-05	6.05E-04	2.31E-08	2.41E+00	4.71E-02	2.62E-09	1.0E+06	2.6E-03
1254	1254	5.33395	6.81176E-06	3.6E-05	6.05E-04	2.20E-08	2.41E+00	4.71E-02	2.49E-09	1.0E+06	2.5E-03
1255	1255	5.04401	6.81176E-06	3.4E-05	6.05E-04	2.08E-08	2.41E+00	4.71E-02	2.36E-09	1.0E+06	2.4E-03
1256	1256	6.36352	6.81176E-06	4.3E-05	6.05E-04	2.62E-08	2.41E+00	4.71E-02	2.97E-09	1.0E+06	3.0E-03
1257	1257	6.31806	6.81176E-06	4.3E-05	6.05E-04	2.60E-08	2.41E+00	4.71E-02	2.95E-09	1.0E+06	3.0E-03
1258	1258	6.26066	6.81176E-06	4.3E-05	6.05E-04	2.58E-08	2.41E+00	4.71E-02	2.93E-09	1.0E+06	2.9E-03
1259	1259	6.1919	6.81176E-06	4.2E-05	6.05E-04	2.55E-08	2.41E+00	4.71E-02	2.89E-09	1.0E+06	2.9E-03
1260	1260	6.11175	6.81176E-06	4.2E-05	6.05E-04	2.52E-08	2.41E+00	4.71E-02	2.86E-09	1.0E+06	2.9E-03
1261	1261	6.0174	6.81176E-06	4.1E-05	6.05E-04	2.48E-08	2.41E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03
1262	1262	5.90659	6.81176E-06	4.0E-05	6.05E-04	2.43E-08	2.41E+00	4.71E-02	2.76E-09	1.0E+06	2.8E-03
1263	1263	5.7794	6.81176E-06	3.9E-05	6.05E-04	2.38E-08	2.41E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
1264	1264	5.634	6.81176E-06	3.8E-05	6.05E-04	2.32E-08	2.41E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
1265	1265	5.46966	6.81176E-06	3.7E-05	6.05E-04	2.25E-08	2.41E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
1266	1266	5.28466	6.81176E-06	3.6E-05	6.05E-04	2.18E-08	2.41E+00	4.71E-02	2.47E-09	1.0E+06	2.5E-03
1267	1267	5.07777	6.81176E-06	3.5E-05	6.05E-04	2.09E-08	2.41E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
1268	1268	4.84885	6.81176E-06	3.3E-05	6.05E-04	2.00E-08	2.41E+00	4.71E-02	2.27E-09	1.0E+06	2.3E-03
1269	1269	4.59901	6.81176E-06	3.1E-05	6.05E-04	1.90E-08	2.41E+00	4.71E-02	2.15E-09	1.0E+06	2.1E-03
1270	1270	5.77486	6.81176E-06	3.9E-05	6.05E-04	2.38E-08	2.41E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
1271	1271	5.73465	6.81176E-06	3.9E-05	6.05E-04	2.36E-08	2.41E+00	4.71E-02	2.68E-09	1.0E+06	2.7E-03
1272	1272	5.68327	6.81176E-06	3.9E-05	6.05E-04	2.34E-08	2.41E+00	4.71E-02	2.66E-09	1.0E+06	2.7E-03
1273	1273	5.62099	6.81176E-06	3.8E-05	6.05E-04	2.32E-08	2.41E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
1274	1274	5.55021	6.81176E-06	3.8E-05	6.05E-04	2.29E-08	2.41E+00	4.71E-02	2.59E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	5.4659	6.81176E-06	3.7E-05	6.05E-04	2.25E-08	2.41E+00	4.71E-02	2.55E-09	1.0E+06	2.6E-03
1276	1276	5.36757	6.81176E-06	3.7E-05	6.05E-04	2.21E-08	2.41E+00	4.71E-02	2.51E-09	1.0E+06	2.5E-03
1277	1277	5.25403	6.81176E-06	3.6E-05	6.05E-04	2.17E-08	2.41E+00	4.71E-02	2.46E-09	1.0E+06	2.5E-03
1278	1278	5.12449	6.81176E-06	3.5E-05	6.05E-04	2.11E-08	2.41E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
1279	1279	4.97831	6.81176E-06	3.4E-05	6.05E-04	2.05E-08	2.41E+00	4.71E-02	2.33E-09	1.0E+06	2.3E-03
1280	1280	4.81462	6.81176E-06	3.3E-05	6.05E-04	1.98E-08	2.41E+00	4.71E-02	2.25E-09	1.0E+06	2.3E-03
1281	1281	4.63252	6.81176E-06	3.2E-05	6.05E-04	1.91E-08	2.41E+00	4.71E-02	2.17E-09	1.0E+06	2.2E-03
1282	1282	4.43189	6.81176E-06	3.0E-05	6.05E-04	1.83E-08	2.41E+00	4.71E-02	2.07E-09	1.0E+06	2.1E-03
1283	1283	4.21394	6.81176E-06	2.9E-05	6.05E-04	1.74E-08	2.41E+00	4.71E-02	1.97E-09	1.0E+06	2.0E-03
1284	1284	5.26606	6.81176E-06	3.6E-05	6.05E-04	2.17E-08	2.41E+00	4.71E-02	2.46E-09	1.0E+06	2.5E-03
1285	1285	5.23057	6.81176E-06	3.6E-05	6.05E-04	2.16E-08	2.41E+00	4.71E-02	2.44E-09	1.0E+06	2.4E-03
1286	1286	5.18451	6.81176E-06	3.5E-05	6.05E-04	2.14E-08	2.41E+00	4.71E-02	2.42E-09	1.0E+06	2.4E-03
1287	1287	5.12838	6.81176E-06	3.5E-05	6.05E-04	2.11E-08	2.41E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
1288	1288	5.06491	6.81176E-06	3.5E-05	6.05E-04	2.09E-08	2.41E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
1289	1289	4.98985	6.81176E-06	3.4E-05	6.05E-04	2.06E-08	2.41E+00	4.71E-02	2.33E-09	1.0E+06	2.3E-03
1290	1290	4.90245	6.81176E-06	3.3E-05	6.05E-04	2.02E-08	2.41E+00	4.71E-02	2.29E-09	1.0E+06	2.3E-03
1291	1291	4.80095	6.81176E-06	3.3E-05	6.05E-04	1.98E-08	2.41E+00	4.71E-02	2.24E-09	1.0E+06	2.2E-03
1292	1292	4.68529	6.81176E-06	3.2E-05	6.05E-04	1.93E-08	2.41E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03
1293	1293	4.55491	6.81176E-06	3.1E-05	6.05E-04	1.88E-08	2.41E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
1294	1294	4.40947	6.81176E-06	3.0E-05	6.05E-04	1.82E-08	2.41E+00	4.71E-02	2.06E-09	1.0E+06	2.1E-03
1295	1295	4.24835	6.81176E-06	2.9E-05	6.05E-04	1.75E-08	2.41E+00	4.71E-02	1.99E-09	1.0E+06	2.0E-03
1296	1296	4.07144	6.81176E-06	2.8E-05	6.05E-04	1.68E-08	2.41E+00	4.71E-02	1.90E-09	1.0E+06	1.9E-03
1297	1297	3.87989	6.81176E-06	2.6E-05	6.05E-04	1.60E-08	2.41E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
1298	1298	4.82293	6.81176E-06	3.3E-05	6.05E-04	1.99E-08	2.41E+00	4.71E-02	2.25E-09	1.0E+06	2.3E-03
1299	1299	4.79171	6.81176E-06	3.3E-05	6.05E-04	1.97E-08	2.41E+00	4.71E-02	2.24E-09	1.0E+06	2.2E-03
1300	1300	4.75041	6.81176E-06	3.2E-05	6.05E-04	1.96E-08	2.41E+00	4.71E-02	2.22E-09	1.0E+06	2.2E-03
1301	1301	4.69997	6.81176E-06	3.2E-05	6.05E-04	1.94E-08	2.41E+00	4.71E-02	2.20E-09	1.0E+06	2.2E-03
1302	1302	4.643	6.81176E-06	3.2E-05	6.05E-04	1.91E-08	2.41E+00	4.71E-02	2.17E-09	1.0E+06	2.2E-03
1303	1303	4.57604	6.81176E-06	3.1E-05	6.05E-04	1.89E-08	2.41E+00	4.71E-02	2.14E-09	1.0E+06	2.1E-03
1304	1304	4.49771	6.81176E-06	3.1E-05	6.05E-04	1.85E-08	2.41E+00	4.71E-02	2.10E-09	1.0E+06	2.1E-03
1305	1305	4.40706	6.81176E-06	3.0E-05	6.05E-04	1.82E-08	2.41E+00	4.71E-02	2.06E-09	1.0E+06	2.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	4.43458	6.81176E-06	3.0E-05	6.05E-04	1.83E-08	2.41E+00	4.71E-02	2.07E-09	1.0E+06	2.1E-03
1307	1307	4.40793	6.81176E-06	3.0E-05	6.05E-04	1.82E-08	2.41E+00	4.71E-02	2.06E-09	1.0E+06	2.1E-03
1308	1308	4.37204	6.81176E-06	3.0E-05	6.05E-04	1.80E-08	2.41E+00	4.71E-02	2.04E-09	1.0E+06	2.0E-03
1309	1309	4.32762	6.81176E-06	2.9E-05	6.05E-04	1.78E-08	2.41E+00	4.71E-02	2.02E-09	1.0E+06	2.0E-03
1310	1310	4.27632	6.81176E-06	2.9E-05	6.05E-04	1.76E-08	2.41E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
1311	1311	4.21519	6.81176E-06	2.9E-05	6.05E-04	1.74E-08	2.41E+00	4.71E-02	1.97E-09	1.0E+06	2.0E-03
1312	1312	4.1442	6.81176E-06	2.8E-05	6.05E-04	1.71E-08	2.41E+00	4.71E-02	1.94E-09	1.0E+06	1.9E-03
1313	1313	4.06214	6.81176E-06	2.8E-05	6.05E-04	1.67E-08	2.41E+00	4.71E-02	1.90E-09	1.0E+06	1.9E-03
1314	1314	4.09175	6.81176E-06	2.8E-05	6.05E-04	1.69E-08	2.41E+00	4.71E-02	1.91E-09	1.0E+06	1.9E-03
1315	1315	4.069	6.81176E-06	2.8E-05	6.05E-04	1.68E-08	2.41E+00	4.71E-02	1.90E-09	1.0E+06	1.9E-03
1316	1316	4.03796	6.81176E-06	2.8E-05	6.05E-04	1.66E-08	2.41E+00	4.71E-02	1.89E-09	1.0E+06	1.9E-03
1317	1317	3.99885	6.81176E-06	2.7E-05	6.05E-04	1.65E-08	2.41E+00	4.71E-02	1.87E-09	1.0E+06	1.9E-03
1318	1318	3.95222	6.81176E-06	2.7E-05	6.05E-04	1.63E-08	2.41E+00	4.71E-02	1.85E-09	1.0E+06	1.8E-03
1319	1319	3.89681	6.81176E-06	2.7E-05	6.05E-04	1.61E-08	2.41E+00	4.71E-02	1.82E-09	1.0E+06	1.8E-03
1320	1320	3.83218	6.81176E-06	2.6E-05	6.05E-04	1.58E-08	2.41E+00	4.71E-02	1.79E-09	1.0E+06	1.8E-03
1321	1321	3.75801	6.81176E-06	2.6E-05	6.05E-04	1.55E-08	2.41E+00	4.71E-02	1.76E-09	1.0E+06	1.8E-03
1322	1322	3.78741	6.81176E-06	2.6E-05	6.05E-04	1.56E-08	2.41E+00	4.71E-02	1.77E-09	1.0E+06	1.8E-03
1323	1323	3.76812	6.81176E-06	2.6E-05	6.05E-04	1.55E-08	2.41E+00	4.71E-02	1.76E-09	1.0E+06	1.8E-03
1324	1324	3.74109	6.81176E-06	2.5E-05	6.05E-04	1.54E-08	2.41E+00	4.71E-02	1.75E-09	1.0E+06	1.7E-03
1325	1325	3.70643	6.81176E-06	2.5E-05	6.05E-04	1.53E-08	2.41E+00	4.71E-02	1.73E-09	1.0E+06	1.7E-03
1326	1326	3.66421	6.81176E-06	2.5E-05	6.05E-04	1.51E-08	2.41E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
1327	1327	3.61399	6.81176E-06	2.5E-05	6.05E-04	1.49E-08	2.41E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
1328	1328	3.55532	6.81176E-06	2.4E-05	6.05E-04	1.47E-08	2.41E+00	4.71E-02	1.66E-09	1.0E+06	1.7E-03
1329	1329	3.48823	6.81176E-06	2.4E-05	6.05E-04	1.44E-08	2.41E+00	4.71E-02	1.63E-09	1.0E+06	1.6E-03
1330	1330	3.51532	6.81176E-06	2.4E-05	6.05E-04	1.45E-08	2.41E+00	4.71E-02	1.64E-09	1.0E+06	1.6E-03
1331	1331	3.49881	6.81176E-06	2.4E-05	6.05E-04	1.44E-08	2.41E+00	4.71E-02	1.64E-09	1.0E+06	1.6E-03
1332	1332	3.47497	6.81176E-06	2.4E-05	6.05E-04	1.43E-08	2.41E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
1333	1333	3.444	6.81176E-06	2.3E-05	6.05E-04	1.42E-08	2.41E+00	4.71E-02	1.61E-09	1.0E+06	1.6E-03
1334	1334	3.40624	6.81176E-06	2.3E-05	6.05E-04	1.40E-08	2.41E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
1335	1335	3.36112	6.81176E-06	2.3E-05	6.05E-04	1.39E-08	2.41E+00	4.71E-02	1.57E-09	1.0E+06	1.6E-03
1336	1336	3.30821	6.81176E-06	2.3E-05	6.05E-04	1.36E-08	2.41E+00	4.71E-02	1.55E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	3.24761	6.81176E-06	2.2E-05	6.05E-04	1.34E-08	2.41E+00	4.71E-02	1.52E-09	1.0E+06	1.5E-03
1338	1338	1.88451	6.81176E-06	1.3E-05	6.05E-04	7.77E-09	2.41E+00	4.71E-02	8.81E-10	1.0E+06	8.8E-04
1339	1339	1.99101	6.81176E-06	1.4E-05	6.05E-04	8.21E-09	2.41E+00	4.71E-02	9.31E-10	1.0E+06	9.3E-04
1340	1340	2.10005	6.81176E-06	1.4E-05	6.05E-04	8.66E-09	2.41E+00	4.71E-02	9.82E-10	1.0E+06	9.8E-04
1341	1341	2.22536	6.81176E-06	1.5E-05	6.05E-04	9.17E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1342	1342	2.3468	6.81176E-06	1.6E-05	6.05E-04	9.67E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1343	1343	2.46031	6.81176E-06	1.7E-05	6.05E-04	1.01E-08	2.41E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
1344	1344	2.58259	6.81176E-06	1.8E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1345	1345	2.69261	6.81176E-06	1.8E-05	6.05E-04	1.11E-08	2.41E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
1346	1346	2.79053	6.81176E-06	1.9E-05	6.05E-04	1.15E-08	2.41E+00	4.71E-02	1.30E-09	1.0E+06	1.3E-03
1347	1347	2.87182	6.81176E-06	2.0E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
1348	1348	2.94922	6.81176E-06	2.0E-05	6.05E-04	1.22E-08	2.41E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
1349	1349	3.02399	6.81176E-06	2.1E-05	6.05E-04	1.25E-08	2.41E+00	4.71E-02	1.41E-09	1.0E+06	1.4E-03
1350	1350	3.09002	6.81176E-06	2.1E-05	6.05E-04	1.27E-08	2.41E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03
1351	1351	3.14559	6.81176E-06	2.1E-05	6.05E-04	1.30E-08	2.41E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03
1352	1352	3.19081	6.81176E-06	2.2E-05	6.05E-04	1.32E-08	2.41E+00	4.71E-02	1.49E-09	1.0E+06	1.5E-03
1353	1353	3.22419	6.81176E-06	2.2E-05	6.05E-04	1.33E-08	2.41E+00	4.71E-02	1.51E-09	1.0E+06	1.5E-03
1354	1354	3.25138	6.81176E-06	2.2E-05	6.05E-04	1.34E-08	2.41E+00	4.71E-02	1.52E-09	1.0E+06	1.5E-03
1355	1355	3.26985	6.81176E-06	2.2E-05	6.05E-04	1.35E-08	2.41E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
1356	1356	3.27778	6.81176E-06	2.2E-05	6.05E-04	1.35E-08	2.41E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
1357	1357	3.27816	6.81176E-06	2.2E-05	6.05E-04	1.35E-08	2.41E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
1358	1358	3.27146	6.81176E-06	2.2E-05	6.05E-04	1.35E-08	2.41E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
1359	1359	3.25742	6.81176E-06	2.2E-05	6.05E-04	1.34E-08	2.41E+00	4.71E-02	1.52E-09	1.0E+06	1.5E-03
1360	1360	3.23638	6.81176E-06	2.2E-05	6.05E-04	1.33E-08	2.41E+00	4.71E-02	1.51E-09	1.0E+06	1.5E-03
1361	1361	3.20878	6.81176E-06	2.2E-05	6.05E-04	1.32E-08	2.41E+00	4.71E-02	1.50E-09	1.0E+06	1.5E-03
1362	1362	3.175	6.81176E-06	2.2E-05	6.05E-04	1.31E-08	2.41E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
1363	1363	3.13443	6.81176E-06	2.1E-05	6.05E-04	1.29E-08	2.41E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03
1364	1364	3.08673	6.81176E-06	2.1E-05	6.05E-04	1.27E-08	2.41E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03
1365	1365	3.03193	6.81176E-06	2.1E-05	6.05E-04	1.25E-08	2.41E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
1366	1366	1.76764	6.81176E-06	1.2E-05	6.05E-04	7.29E-09	2.41E+00	4.71E-02	8.26E-10	1.0E+06	8.3E-04
1367	1367	1.86176	6.81176E-06	1.3E-05	6.05E-04	7.67E-09	2.41E+00	4.71E-02	8.70E-10	1.0E+06	8.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	1.95738	6.81176E-06	1.3E-05	6.05E-04	8.07E-09	2.41E+00	4.71E-02	9.15E-10	1.0E+06	9.1E-04
1369	1369	2.06552	6.81176E-06	1.4E-05	6.05E-04	8.51E-09	2.41E+00	4.71E-02	9.65E-10	1.0E+06	9.7E-04
1370	1370	2.17702	6.81176E-06	1.5E-05	6.05E-04	8.97E-09	2.41E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1371	1371	2.28562	6.81176E-06	1.6E-05	6.05E-04	9.42E-09	2.41E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
1372	1372	2.39487	6.81176E-06	1.6E-05	6.05E-04	9.87E-09	2.41E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1373	1373	2.50242	6.81176E-06	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1374	1374	2.59266	6.81176E-06	1.8E-05	6.05E-04	1.07E-08	2.41E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1375	1375	2.66514	6.81176E-06	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1376	1376	2.73073	6.81176E-06	1.9E-05	6.05E-04	1.13E-08	2.41E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
1377	1377	2.80189	6.81176E-06	1.9E-05	6.05E-04	1.15E-08	2.41E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1378	1378	2.86634	6.81176E-06	2.0E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
1379	1379	2.924	6.81176E-06	2.0E-05	6.05E-04	1.21E-08	2.41E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
1380	1380	2.96785	6.81176E-06	2.0E-05	6.05E-04	1.22E-08	2.41E+00	4.71E-02	1.39E-09	1.0E+06	1.4E-03
1381	1381	3.00068	6.81176E-06	2.0E-05	6.05E-04	1.24E-08	2.41E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03
1382	1382	3.02748	6.81176E-06	2.1E-05	6.05E-04	1.25E-08	2.41E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
1383	1383	3.04616	6.81176E-06	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
1384	1384	3.05497	6.81176E-06	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
1385	1385	3.0568	6.81176E-06	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
1386	1386	3.05198	6.81176E-06	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
1387	1387	3.04015	6.81176E-06	2.1E-05	6.05E-04	1.25E-08	2.41E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
1388	1388	3.0216	6.81176E-06	2.1E-05	6.05E-04	1.25E-08	2.41E+00	4.71E-02	1.41E-09	1.0E+06	1.4E-03
1389	1389	2.997	6.81176E-06	2.0E-05	6.05E-04	1.24E-08	2.41E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03
1390	1390	2.96684	6.81176E-06	2.0E-05	6.05E-04	1.22E-08	2.41E+00	4.71E-02	1.39E-09	1.0E+06	1.4E-03
1391	1391	2.93034	6.81176E-06	2.0E-05	6.05E-04	1.21E-08	2.41E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
1392	1392	2.88732	6.81176E-06	2.0E-05	6.05E-04	1.19E-08	2.41E+00	4.71E-02	1.35E-09	1.0E+06	1.3E-03
1393	1393	2.83772	6.81176E-06	1.9E-05	6.05E-04	1.17E-08	2.41E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
1394	1394	1.6497	6.81176E-06	1.1E-05	6.05E-04	6.80E-09	2.41E+00	4.71E-02	7.71E-10	1.0E+06	7.7E-04
1395	1395	1.73456	6.81176E-06	1.2E-05	6.05E-04	7.15E-09	2.41E+00	4.71E-02	8.11E-10	1.0E+06	8.1E-04
1396	1396	1.82629	6.81176E-06	1.2E-05	6.05E-04	7.53E-09	2.41E+00	4.71E-02	8.54E-10	1.0E+06	8.5E-04
1397	1397	1.91835	6.81176E-06	1.3E-05	6.05E-04	7.91E-09	2.41E+00	4.71E-02	8.97E-10	1.0E+06	9.0E-04
1398	1398	2.01972	6.81176E-06	1.4E-05	6.05E-04	8.32E-09	2.41E+00	4.71E-02	9.44E-10	1.0E+06	9.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	2.11843	6.81176E-06	1.4E-05	6.05E-04	8.73E-09	2.41E+00	4.71E-02	9.90E-10	1.0E+06	9.9E-04
1400	1400	2.22264	6.81176E-06	1.5E-05	6.05E-04	9.16E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1401	1401	2.32561	6.81176E-06	1.6E-05	6.05E-04	9.59E-09	2.41E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1402	1402	2.41159	6.81176E-06	1.6E-05	6.05E-04	9.94E-09	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1403	1403	2.48267	6.81176E-06	1.7E-05	6.05E-04	1.02E-08	2.41E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
1404	1404	2.54398	6.81176E-06	1.7E-05	6.05E-04	1.05E-08	2.41E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1405	1405	2.60992	6.81176E-06	1.8E-05	6.05E-04	1.08E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1406	1406	2.66989	6.81176E-06	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1407	1407	2.72164	6.81176E-06	1.9E-05	6.05E-04	1.12E-08	2.41E+00	4.71E-02	1.27E-09	1.0E+06	1.3E-03
1408	1408	2.76484	6.81176E-06	1.9E-05	6.05E-04	1.14E-08	2.41E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
1409	1409	2.80018	6.81176E-06	1.9E-05	6.05E-04	1.15E-08	2.41E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1410	1410	2.82651	6.81176E-06	1.9E-05	6.05E-04	1.16E-08	2.41E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
1411	1411	2.84515	6.81176E-06	1.9E-05	6.05E-04	1.17E-08	2.41E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
1412	1412	2.85444	6.81176E-06	1.9E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
1413	1413	2.85719	6.81176E-06	1.9E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
1414	1414	2.85374	6.81176E-06	1.9E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
1415	1415	2.84373	6.81176E-06	1.9E-05	6.05E-04	1.17E-08	2.41E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
1416	1416	2.82733	6.81176E-06	1.9E-05	6.05E-04	1.17E-08	2.41E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
1417	1417	2.80519	6.81176E-06	1.9E-05	6.05E-04	1.16E-08	2.41E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1418	1418	2.77849	6.81176E-06	1.9E-05	6.05E-04	1.15E-08	2.41E+00	4.71E-02	1.30E-09	1.0E+06	1.3E-03
1419	1419	2.74576	6.81176E-06	1.9E-05	6.05E-04	1.13E-08	2.41E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
1420	1420	2.70702	6.81176E-06	1.8E-05	6.05E-04	1.12E-08	2.41E+00	4.71E-02	1.27E-09	1.0E+06	1.3E-03
1421	1421	2.66211	6.81176E-06	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1422	1422	1.53286	6.81176E-06	1.0E-05	6.05E-04	6.32E-09	2.41E+00	4.71E-02	7.16E-10	1.0E+06	7.2E-04
1423	1423	1.61651	6.81176E-06	1.1E-05	6.05E-04	6.66E-09	2.41E+00	4.71E-02	7.56E-10	1.0E+06	7.6E-04
1424	1424	1.7012	6.81176E-06	1.2E-05	6.05E-04	7.01E-09	2.41E+00	4.71E-02	7.95E-10	1.0E+06	8.0E-04
1425	1425	1.78974	6.81176E-06	1.2E-05	6.05E-04	7.38E-09	2.41E+00	4.71E-02	8.37E-10	1.0E+06	8.4E-04
1426	1426	1.87567	6.81176E-06	1.3E-05	6.05E-04	7.73E-09	2.41E+00	4.71E-02	8.77E-10	1.0E+06	8.8E-04
1427	1427	1.96554	6.81176E-06	1.3E-05	6.05E-04	8.10E-09	2.41E+00	4.71E-02	9.19E-10	1.0E+06	9.2E-04
1428	1428	2.07014	6.81176E-06	1.4E-05	6.05E-04	8.53E-09	2.41E+00	4.71E-02	9.68E-10	1.0E+06	9.7E-04
1429	1429	2.16551	6.81176E-06	1.5E-05	6.05E-04	8.93E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	2.2517	6.81176E-06	1.5E-05	6.05E-04	9.28E-09	2.41E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
1431	1431	2.31892	6.81176E-06	1.6E-05	6.05E-04	9.56E-09	2.41E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
1432	1432	2.37693	6.81176E-06	1.6E-05	6.05E-04	9.80E-09	2.41E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1433	1433	2.43761	6.81176E-06	1.7E-05	6.05E-04	1.00E-08	2.41E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
1434	1434	2.49281	6.81176E-06	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1435	1435	2.54158	6.81176E-06	1.7E-05	6.05E-04	1.05E-08	2.41E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1436	1436	2.58398	6.81176E-06	1.8E-05	6.05E-04	1.07E-08	2.41E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1437	1437	2.61884	6.81176E-06	1.8E-05	6.05E-04	1.08E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1438	1438	2.64471	6.81176E-06	1.8E-05	6.05E-04	1.09E-08	2.41E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1439	1439	2.66317	6.81176E-06	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1440	1440	2.67282	6.81176E-06	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1441	1441	2.67627	6.81176E-06	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.3E-03
1442	1442	2.67402	6.81176E-06	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1443	1443	2.66556	6.81176E-06	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1444	1444	2.6511	6.81176E-06	1.8E-05	6.05E-04	1.09E-08	2.41E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1445	1445	2.63128	6.81176E-06	1.8E-05	6.05E-04	1.08E-08	2.41E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
1446	1446	2.60752	6.81176E-06	1.8E-05	6.05E-04	1.07E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1447	1447	2.57827	6.81176E-06	1.8E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1448	1448	2.54337	6.81176E-06	1.7E-05	6.05E-04	1.05E-08	2.41E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1449	1449	2.50272	6.81176E-06	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1450	1450	1.43566	6.81176E-06	9.8E-06	6.05E-04	5.92E-09	2.41E+00	4.71E-02	6.71E-10	1.0E+06	6.7E-04
1451	1451	1.5079	6.81176E-06	1.0E-05	6.05E-04	6.21E-09	2.41E+00	4.71E-02	7.05E-10	1.0E+06	7.0E-04
1452	1452	1.58126	6.81176E-06	1.1E-05	6.05E-04	6.52E-09	2.41E+00	4.71E-02	7.39E-10	1.0E+06	7.4E-04
1453	1453	1.66757	6.81176E-06	1.1E-05	6.05E-04	6.87E-09	2.41E+00	4.71E-02	7.79E-10	1.0E+06	7.8E-04
1454	1454	1.74997	6.81176E-06	1.2E-05	6.05E-04	7.21E-09	2.41E+00	4.71E-02	8.18E-10	1.0E+06	8.2E-04
1455	1455	1.82597	6.81176E-06	1.2E-05	6.05E-04	7.53E-09	2.41E+00	4.71E-02	8.53E-10	1.0E+06	8.5E-04
1456	1456	1.92773	6.81176E-06	1.3E-05	6.05E-04	7.95E-09	2.41E+00	4.71E-02	9.01E-10	1.0E+06	9.0E-04
1457	1457	2.02448	6.81176E-06	1.4E-05	6.05E-04	8.34E-09	2.41E+00	4.71E-02	9.46E-10	1.0E+06	9.5E-04
1458	1458	2.10742	6.81176E-06	1.4E-05	6.05E-04	8.69E-09	2.41E+00	4.71E-02	9.85E-10	1.0E+06	9.8E-04
1459	1459	2.16724	6.81176E-06	1.5E-05	6.05E-04	8.93E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1460	1460	2.22592	6.81176E-06	1.5E-05	6.05E-04	9.17E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	2.28176	6.81176E-06	1.6E-05	6.05E-04	9.40E-09	2.41E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
1462	1462	2.32932	6.81176E-06	1.6E-05	6.05E-04	9.60E-09	2.41E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1463	1463	2.37513	6.81176E-06	1.6E-05	6.05E-04	9.79E-09	2.41E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1464	1464	2.42004	6.81176E-06	1.6E-05	6.05E-04	9.97E-09	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1465	1465	2.45442	6.81176E-06	1.7E-05	6.05E-04	1.01E-08	2.41E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
1466	1466	2.47972	6.81176E-06	1.7E-05	6.05E-04	1.02E-08	2.41E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
1467	1467	2.49779	6.81176E-06	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1468	1468	2.50768	6.81176E-06	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1469	1469	2.51182	6.81176E-06	1.7E-05	6.05E-04	1.04E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1470	1470	2.51055	6.81176E-06	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1471	1471	2.50346	6.81176E-06	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1472	1472	2.4907	6.81176E-06	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
1473	1473	2.47293	6.81176E-06	1.7E-05	6.05E-04	1.02E-08	2.41E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
1474	1474	2.45188	6.81176E-06	1.7E-05	6.05E-04	1.01E-08	2.41E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
1475	1475	2.42576	6.81176E-06	1.7E-05	6.05E-04	1.00E-08	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1476	1476	2.39433	6.81176E-06	1.6E-05	6.05E-04	9.87E-09	2.41E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1477	1477	2.35752	6.81176E-06	1.6E-05	6.05E-04	9.72E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1478	1478	1.34548	6.81176E-06	9.2E-06	6.05E-04	5.55E-09	2.41E+00	4.71E-02	6.29E-10	1.0E+06	6.3E-04
1479	1479	1.4134	6.81176E-06	9.6E-06	6.05E-04	5.83E-09	2.41E+00	4.71E-02	6.61E-10	1.0E+06	6.6E-04
1480	1480	1.48276	6.81176E-06	1.0E-05	6.05E-04	6.11E-09	2.41E+00	4.71E-02	6.93E-10	1.0E+06	6.9E-04
1481	1481	1.55451	6.81176E-06	1.1E-05	6.05E-04	6.41E-09	2.41E+00	4.71E-02	7.27E-10	1.0E+06	7.3E-04
1482	1482	1.63712	6.81176E-06	1.1E-05	6.05E-04	6.75E-09	2.41E+00	4.71E-02	7.65E-10	1.0E+06	7.7E-04
1483	1483	1.71368	6.81176E-06	1.2E-05	6.05E-04	7.06E-09	2.41E+00	4.71E-02	8.01E-10	1.0E+06	8.0E-04
1484	1484	1.80867	6.81176E-06	1.2E-05	6.05E-04	7.45E-09	2.41E+00	4.71E-02	8.45E-10	1.0E+06	8.5E-04
1485	1485	1.89889	6.81176E-06	1.3E-05	6.05E-04	7.83E-09	2.41E+00	4.71E-02	8.88E-10	1.0E+06	8.9E-04
1486	1486	1.9736	6.81176E-06	1.3E-05	6.05E-04	8.13E-09	2.41E+00	4.71E-02	9.22E-10	1.0E+06	9.2E-04
1487	1487	2.03318	6.81176E-06	1.4E-05	6.05E-04	8.38E-09	2.41E+00	4.71E-02	9.50E-10	1.0E+06	9.5E-04
1488	1488	2.08861	6.81176E-06	1.4E-05	6.05E-04	8.61E-09	2.41E+00	4.71E-02	9.76E-10	1.0E+06	9.8E-04
1489	1489	2.14132	6.81176E-06	1.5E-05	6.05E-04	8.83E-09	2.41E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
1490	1490	2.18645	6.81176E-06	1.5E-05	6.05E-04	9.01E-09	2.41E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1491	1491	2.22991	6.81176E-06	1.5E-05	6.05E-04	9.19E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	2.27174	6.81176E-06	1.5E-05	6.05E-04	9.36E-09	2.41E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1493	1493	2.30403	6.81176E-06	1.6E-05	6.05E-04	9.50E-09	2.41E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
1494	1494	2.32842	6.81176E-06	1.6E-05	6.05E-04	9.60E-09	2.41E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1495	1495	2.34402	6.81176E-06	1.6E-05	6.05E-04	9.66E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1496	1496	2.35661	6.81176E-06	1.6E-05	6.05E-04	9.71E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1497	1497	2.36148	6.81176E-06	1.6E-05	6.05E-04	9.73E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1498	1498	2.36138	6.81176E-06	1.6E-05	6.05E-04	9.73E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1499	1499	2.35582	6.81176E-06	1.6E-05	6.05E-04	9.71E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1500	1500	2.345	6.81176E-06	1.6E-05	6.05E-04	9.67E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1501	1501	2.3295	6.81176E-06	1.6E-05	6.05E-04	9.60E-09	2.41E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1502	1502	2.31057	6.81176E-06	1.6E-05	6.05E-04	9.52E-09	2.41E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
1503	1503	2.2869	6.81176E-06	1.6E-05	6.05E-04	9.43E-09	2.41E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
1504	1504	2.25834	6.81176E-06	1.5E-05	6.05E-04	9.31E-09	2.41E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1505	1505	2.22486	6.81176E-06	1.5E-05	6.05E-04	9.17E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1506	1506	1.26191	6.81176E-06	8.6E-06	6.05E-04	5.20E-09	2.41E+00	4.71E-02	5.90E-10	1.0E+06	5.9E-04
1507	1507	1.32693	6.81176E-06	9.0E-06	6.05E-04	5.47E-09	2.41E+00	4.71E-02	6.20E-10	1.0E+06	6.2E-04
1508	1508	1.39339	6.81176E-06	9.5E-06	6.05E-04	5.74E-09	2.41E+00	4.71E-02	6.51E-10	1.0E+06	6.5E-04
1509	1509	1.46224	6.81176E-06	1.0E-05	6.05E-04	6.03E-09	2.41E+00	4.71E-02	6.83E-10	1.0E+06	6.8E-04
1510	1510	1.54225	6.81176E-06	1.1E-05	6.05E-04	6.36E-09	2.41E+00	4.71E-02	7.21E-10	1.0E+06	7.2E-04
1511	1511	1.61562	6.81176E-06	1.1E-05	6.05E-04	6.66E-09	2.41E+00	4.71E-02	7.55E-10	1.0E+06	7.6E-04
1512	1512	1.70308	6.81176E-06	1.2E-05	6.05E-04	7.02E-09	2.41E+00	4.71E-02	7.96E-10	1.0E+06	8.0E-04
1513	1513	1.78242	6.81176E-06	1.2E-05	6.05E-04	7.35E-09	2.41E+00	4.71E-02	8.33E-10	1.0E+06	8.3E-04
1514	1514	1.85526	6.81176E-06	1.3E-05	6.05E-04	7.65E-09	2.41E+00	4.71E-02	8.67E-10	1.0E+06	8.7E-04
1515	1515	1.91144	6.81176E-06	1.3E-05	6.05E-04	7.88E-09	2.41E+00	4.71E-02	8.93E-10	1.0E+06	8.9E-04
1516	1516	1.96353	6.81176E-06	1.3E-05	6.05E-04	8.09E-09	2.41E+00	4.71E-02	9.18E-10	1.0E+06	9.2E-04
1517	1517	2.0138	6.81176E-06	1.4E-05	6.05E-04	8.30E-09	2.41E+00	4.71E-02	9.41E-10	1.0E+06	9.4E-04
1518	1518	2.06013	6.81176E-06	1.4E-05	6.05E-04	8.49E-09	2.41E+00	4.71E-02	9.63E-10	1.0E+06	9.6E-04
1519	1519	2.10121	6.81176E-06	1.4E-05	6.05E-04	8.66E-09	2.41E+00	4.71E-02	9.82E-10	1.0E+06	9.8E-04
1520	1520	2.13663	6.81176E-06	1.5E-05	6.05E-04	8.81E-09	2.41E+00	4.71E-02	9.99E-10	1.0E+06	1.0E-03
1521	1521	2.16657	6.81176E-06	1.5E-05	6.05E-04	8.93E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1522	1522	2.19014	6.81176E-06	1.5E-05	6.05E-04	9.03E-09	2.41E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	2.20551	6.81176E-06	1.5E-05	6.05E-04	9.09E-09	2.41E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1524	1524	2.21837	6.81176E-06	1.5E-05	6.05E-04	9.14E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1525	1525	2.22397	6.81176E-06	1.5E-05	6.05E-04	9.17E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1526	1526	2.22485	6.81176E-06	1.5E-05	6.05E-04	9.17E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1527	1527	2.22073	6.81176E-06	1.5E-05	6.05E-04	9.15E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1528	1528	2.21168	6.81176E-06	1.5E-05	6.05E-04	9.12E-09	2.41E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1529	1529	2.19822	6.81176E-06	1.5E-05	6.05E-04	9.06E-09	2.41E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1530	1530	2.1812	6.81176E-06	1.5E-05	6.05E-04	8.99E-09	2.41E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
1531	1531	2.15972	6.81176E-06	1.5E-05	6.05E-04	8.90E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1532	1532	2.13375	6.81176E-06	1.5E-05	6.05E-04	8.79E-09	2.41E+00	4.71E-02	9.97E-10	1.0E+06	1.0E-03
1533	1533	2.10327	6.81176E-06	1.4E-05	6.05E-04	8.67E-09	2.41E+00	4.71E-02	9.83E-10	1.0E+06	9.8E-04
1534	1534	1.18493	6.81176E-06	8.1E-06	6.05E-04	4.88E-09	2.41E+00	4.71E-02	5.54E-10	1.0E+06	5.5E-04
1535	1535	1.24738	6.81176E-06	8.5E-06	6.05E-04	5.14E-09	2.41E+00	4.71E-02	5.83E-10	1.0E+06	5.8E-04
1536	1536	1.31129	6.81176E-06	8.9E-06	6.05E-04	5.40E-09	2.41E+00	4.71E-02	6.13E-10	1.0E+06	6.1E-04
1537	1537	1.37783	6.81176E-06	9.4E-06	6.05E-04	5.68E-09	2.41E+00	4.71E-02	6.44E-10	1.0E+06	6.4E-04
1538	1538	1.45091	6.81176E-06	9.9E-06	6.05E-04	5.98E-09	2.41E+00	4.71E-02	6.78E-10	1.0E+06	6.8E-04
1539	1539	1.52623	6.81176E-06	1.0E-05	6.05E-04	6.29E-09	2.41E+00	4.71E-02	7.13E-10	1.0E+06	7.1E-04
1540	1540	1.60273	6.81176E-06	1.1E-05	6.05E-04	6.61E-09	2.41E+00	4.71E-02	7.49E-10	1.0E+06	7.5E-04
1541	1541	1.67954	6.81176E-06	1.1E-05	6.05E-04	6.92E-09	2.41E+00	4.71E-02	7.85E-10	1.0E+06	7.9E-04
1542	1542	1.74752	6.81176E-06	1.2E-05	6.05E-04	7.20E-09	2.41E+00	4.71E-02	8.17E-10	1.0E+06	8.2E-04
1543	1543	1.80023	6.81176E-06	1.2E-05	6.05E-04	7.42E-09	2.41E+00	4.71E-02	8.41E-10	1.0E+06	8.4E-04
1544	1544	1.84941	6.81176E-06	1.3E-05	6.05E-04	7.62E-09	2.41E+00	4.71E-02	8.64E-10	1.0E+06	8.6E-04
1545	1545	1.8974	6.81176E-06	1.3E-05	6.05E-04	7.82E-09	2.41E+00	4.71E-02	8.87E-10	1.0E+06	8.9E-04
1546	1546	1.94169	6.81176E-06	1.3E-05	6.05E-04	8.00E-09	2.41E+00	4.71E-02	9.08E-10	1.0E+06	9.1E-04
1547	1547	1.9808	6.81176E-06	1.3E-05	6.05E-04	8.16E-09	2.41E+00	4.71E-02	9.26E-10	1.0E+06	9.3E-04
1548	1548	2.0132	6.81176E-06	1.4E-05	6.05E-04	8.30E-09	2.41E+00	4.71E-02	9.41E-10	1.0E+06	9.4E-04
1549	1549	2.04098	6.81176E-06	1.4E-05	6.05E-04	8.41E-09	2.41E+00	4.71E-02	9.54E-10	1.0E+06	9.5E-04
1550	1550	2.0611	6.81176E-06	1.4E-05	6.05E-04	8.49E-09	2.41E+00	4.71E-02	9.63E-10	1.0E+06	9.6E-04
1551	1551	2.0787	6.81176E-06	1.4E-05	6.05E-04	8.57E-09	2.41E+00	4.71E-02	9.72E-10	1.0E+06	9.7E-04
1552	1552	2.08937	6.81176E-06	1.4E-05	6.05E-04	8.61E-09	2.41E+00	4.71E-02	9.77E-10	1.0E+06	9.8E-04
1553	1553	2.0979	6.81176E-06	1.4E-05	6.05E-04	8.65E-09	2.41E+00	4.71E-02	9.81E-10	1.0E+06	9.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	2.09968	6.81176E-06	1.4E-05	6.05E-04	8.65E-09	2.41E+00	4.71E-02	9.81E-10	1.0E+06	9.8E-04
1555	1555	2.09676	6.81176E-06	1.4E-05	6.05E-04	8.64E-09	2.41E+00	4.71E-02	9.80E-10	1.0E+06	9.8E-04
1556	1556	2.08926	6.81176E-06	1.4E-05	6.05E-04	8.61E-09	2.41E+00	4.71E-02	9.77E-10	1.0E+06	9.8E-04
1557	1557	2.07766	6.81176E-06	1.4E-05	6.05E-04	8.56E-09	2.41E+00	4.71E-02	9.71E-10	1.0E+06	9.7E-04
1558	1558	2.06235	6.81176E-06	1.4E-05	6.05E-04	8.50E-09	2.41E+00	4.71E-02	9.64E-10	1.0E+06	9.6E-04
1559	1559	2.04288	6.81176E-06	1.4E-05	6.05E-04	8.42E-09	2.41E+00	4.71E-02	9.55E-10	1.0E+06	9.5E-04
1560	1560	2.01926	6.81176E-06	1.4E-05	6.05E-04	8.32E-09	2.41E+00	4.71E-02	9.44E-10	1.0E+06	9.4E-04
1561	1561	1.9915	6.81176E-06	1.4E-05	6.05E-04	8.21E-09	2.41E+00	4.71E-02	9.31E-10	1.0E+06	9.3E-04
1562	1562	1.11834	6.81176E-06	7.6E-06	6.05E-04	4.61E-09	2.41E+00	4.71E-02	5.23E-10	1.0E+06	5.2E-04
1563	1563	1.17539	6.81176E-06	8.0E-06	6.05E-04	4.84E-09	2.41E+00	4.71E-02	5.49E-10	1.0E+06	5.5E-04
1564	1564	1.23375	6.81176E-06	8.4E-06	6.05E-04	5.09E-09	2.41E+00	4.71E-02	5.77E-10	1.0E+06	5.8E-04
1565	1565	1.29548	6.81176E-06	8.8E-06	6.05E-04	5.34E-09	2.41E+00	4.71E-02	6.05E-10	1.0E+06	6.1E-04
1566	1566	1.36089	6.81176E-06	9.3E-06	6.05E-04	5.61E-09	2.41E+00	4.71E-02	6.36E-10	1.0E+06	6.4E-04
1567	1567	1.43376	6.81176E-06	9.8E-06	6.05E-04	5.91E-09	2.41E+00	4.71E-02	6.70E-10	1.0E+06	6.7E-04
1568	1568	1.50479	6.81176E-06	1.0E-05	6.05E-04	6.20E-09	2.41E+00	4.71E-02	7.03E-10	1.0E+06	7.0E-04
1569	1569	1.57978	6.81176E-06	1.1E-05	6.05E-04	6.51E-09	2.41E+00	4.71E-02	7.38E-10	1.0E+06	7.4E-04
1570	1570	1.64084	6.81176E-06	1.1E-05	6.05E-04	6.76E-09	2.41E+00	4.71E-02	7.67E-10	1.0E+06	7.7E-04
1571	1571	1.69204	6.81176E-06	1.2E-05	6.05E-04	6.97E-09	2.41E+00	4.71E-02	7.91E-10	1.0E+06	7.9E-04
1572	1572	1.74004	6.81176E-06	1.2E-05	6.05E-04	7.17E-09	2.41E+00	4.71E-02	8.13E-10	1.0E+06	8.1E-04
1573	1573	1.78654	6.81176E-06	1.2E-05	6.05E-04	7.36E-09	2.41E+00	4.71E-02	8.35E-10	1.0E+06	8.4E-04
1574	1574	1.83202	6.81176E-06	1.2E-05	6.05E-04	7.55E-09	2.41E+00	4.71E-02	8.56E-10	1.0E+06	8.6E-04
1575	1575	1.86962	6.81176E-06	1.3E-05	6.05E-04	7.71E-09	2.41E+00	4.71E-02	8.74E-10	1.0E+06	8.7E-04
1576	1576	1.89989	6.81176E-06	1.3E-05	6.05E-04	7.83E-09	2.41E+00	4.71E-02	8.88E-10	1.0E+06	8.9E-04
1577	1577	1.92598	6.81176E-06	1.3E-05	6.05E-04	7.94E-09	2.41E+00	4.71E-02	9.00E-10	1.0E+06	9.0E-04
1578	1578	1.94527	6.81176E-06	1.3E-05	6.05E-04	8.02E-09	2.41E+00	4.71E-02	9.09E-10	1.0E+06	9.1E-04
1579	1579	1.96245	6.81176E-06	1.3E-05	6.05E-04	8.09E-09	2.41E+00	4.71E-02	9.17E-10	1.0E+06	9.2E-04
1580	1580	1.97304	6.81176E-06	1.3E-05	6.05E-04	8.13E-09	2.41E+00	4.71E-02	9.22E-10	1.0E+06	9.2E-04
1581	1581	1.98196	6.81176E-06	1.4E-05	6.05E-04	8.17E-09	2.41E+00	4.71E-02	9.26E-10	1.0E+06	9.3E-04
1582	1582	1.98437	6.81176E-06	1.4E-05	6.05E-04	8.18E-09	2.41E+00	4.71E-02	9.27E-10	1.0E+06	9.3E-04
1583	1583	1.98247	6.81176E-06	1.4E-05	6.05E-04	8.17E-09	2.41E+00	4.71E-02	9.27E-10	1.0E+06	9.3E-04
1584	1584	1.97635	6.81176E-06	1.3E-05	6.05E-04	8.15E-09	2.41E+00	4.71E-02	9.24E-10	1.0E+06	9.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	1.96631	6.81176E-06	1.3E-05	6.05E-04	8.10E-09	2.41E+00	4.71E-02	9.19E-10	1.0E+06	9.2E-04
1586	1586	1.95266	6.81176E-06	1.3E-05	6.05E-04	8.05E-09	2.41E+00	4.71E-02	9.13E-10	1.0E+06	9.1E-04
1587	1587	1.93514	6.81176E-06	1.3E-05	6.05E-04	7.98E-09	2.41E+00	4.71E-02	9.04E-10	1.0E+06	9.0E-04
1588	1588	1.91374	6.81176E-06	1.3E-05	6.05E-04	7.89E-09	2.41E+00	4.71E-02	8.94E-10	1.0E+06	8.9E-04
1589	1589	1.88848	6.81176E-06	1.3E-05	6.05E-04	7.78E-09	2.41E+00	4.71E-02	8.83E-10	1.0E+06	8.8E-04
1590	1590	1.05987	6.81176E-06	7.2E-06	6.05E-04	4.37E-09	2.41E+00	4.71E-02	4.95E-10	1.0E+06	5.0E-04
1591	1591	1.10988	6.81176E-06	7.6E-06	6.05E-04	4.57E-09	2.41E+00	4.71E-02	5.19E-10	1.0E+06	5.2E-04
1592	1592	1.16072	6.81176E-06	7.9E-06	6.05E-04	4.78E-09	2.41E+00	4.71E-02	5.43E-10	1.0E+06	5.4E-04
1593	1593	1.21674	6.81176E-06	8.3E-06	6.05E-04	5.01E-09	2.41E+00	4.71E-02	5.69E-10	1.0E+06	5.7E-04
1594	1594	1.27845	6.81176E-06	8.7E-06	6.05E-04	5.27E-09	2.41E+00	4.71E-02	5.98E-10	1.0E+06	6.0E-04
1595	1595	1.34447	6.81176E-06	9.2E-06	6.05E-04	5.54E-09	2.41E+00	4.71E-02	6.28E-10	1.0E+06	6.3E-04
0	0	0	6.81176E-06	0.0E+00	6.05E-04	0.00E+00	2.41E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	1213	4.63589	1.86799E-05	8.7E-05	6.05E-04	5.24E-08	2.41E+00	4.71E-02	5.94E-09	1.0E+06	5.9E-03
1214	1214	1.55657	1.86799E-05	2.9E-05	6.05E-04	1.76E-08	2.41E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
1215	1215	1.69617	1.86799E-05	3.2E-05	6.05E-04	1.92E-08	2.41E+00	4.71E-02	2.17E-09	1.0E+06	2.2E-03
1216	1216	1.85935	1.86799E-05	3.5E-05	6.05E-04	2.10E-08	2.41E+00	4.71E-02	2.38E-09	1.0E+06	2.4E-03
1217	1217	2.05314	1.86799E-05	3.8E-05	6.05E-04	2.32E-08	2.41E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
1218	1218	2.28733	1.86799E-05	4.3E-05	6.05E-04	2.59E-08	2.41E+00	4.71E-02	2.93E-09	1.0E+06	2.9E-03
1219	1219	2.57406	1.86799E-05	4.8E-05	6.05E-04	2.91E-08	2.41E+00	4.71E-02	3.30E-09	1.0E+06	3.3E-03
1220	1220	2.93233	1.86799E-05	5.5E-05	6.05E-04	3.31E-08	2.41E+00	4.71E-02	3.76E-09	1.0E+06	3.8E-03
1221	1221	3.39064	1.86799E-05	6.3E-05	6.05E-04	3.83E-08	2.41E+00	4.71E-02	4.35E-09	1.0E+06	4.3E-03
1222	1222	3.9957	1.86799E-05	7.5E-05	6.05E-04	4.52E-08	2.41E+00	4.71E-02	5.12E-09	1.0E+06	5.1E-03
1223	1223	4.8171	1.86799E-05	9.0E-05	6.05E-04	5.44E-08	2.41E+00	4.71E-02	6.17E-09	1.0E+06	6.2E-03
1224	1224	5.99627	1.86799E-05	1.1E-04	6.05E-04	6.78E-08	2.41E+00	4.71E-02	7.69E-09	1.0E+06	7.7E-03
1225	1225	7.74568	1.86799E-05	1.4E-04	6.05E-04	8.75E-08	2.41E+00	4.71E-02	9.93E-09	1.0E+06	9.9E-03
1226	1226	3.98462	1.86799E-05	7.4E-05	6.05E-04	4.50E-08	2.41E+00	4.71E-02	5.11E-09	1.0E+06	5.1E-03
1227	1227	4.45522	1.86799E-05	8.3E-05	6.05E-04	5.04E-08	2.41E+00	4.71E-02	5.71E-09	1.0E+06	5.7E-03
1228	1228	1.58476	1.86799E-05	3.0E-05	6.05E-04	1.79E-08	2.41E+00	4.71E-02	2.03E-09	1.0E+06	2.0E-03
1229	1229	1.72629	1.86799E-05	3.2E-05	6.05E-04	1.95E-08	2.41E+00	4.71E-02	2.21E-09	1.0E+06	2.2E-03
1230	1230	1.89148	1.86799E-05	3.5E-05	6.05E-04	2.14E-08	2.41E+00	4.71E-02	2.42E-09	1.0E+06	2.4E-03
1231	1231	2.08734	1.86799E-05	3.9E-05	6.05E-04	2.36E-08	2.41E+00	4.71E-02	2.68E-09	1.0E+06	2.7E-03
1232	1232	2.32547	1.86799E-05	4.3E-05	6.05E-04	2.63E-08	2.41E+00	4.71E-02	2.98E-09	1.0E+06	3.0E-03
1233	1233	2.61678	1.86799E-05	4.9E-05	6.05E-04	2.96E-08	2.41E+00	4.71E-02	3.35E-09	1.0E+06	3.4E-03
1234	1234	2.97924	1.86799E-05	5.6E-05	6.05E-04	3.37E-08	2.41E+00	4.71E-02	3.82E-09	1.0E+06	3.8E-03
1235	1235	3.44153	1.86799E-05	6.4E-05	6.05E-04	3.89E-08	2.41E+00	4.71E-02	4.41E-09	1.0E+06	4.4E-03
1236	1236	4.05012	1.86799E-05	7.6E-05	6.05E-04	4.58E-08	2.41E+00	4.71E-02	5.19E-09	1.0E+06	5.2E-03
1237	1237	4.87021	1.86799E-05	9.1E-05	6.05E-04	5.50E-08	2.41E+00	4.71E-02	6.24E-09	1.0E+06	6.2E-03
1238	1238	6.03457	1.86799E-05	1.1E-04	6.05E-04	6.82E-08	2.41E+00	4.71E-02	7.73E-09	1.0E+06	7.7E-03
1239	1239	7.75593	1.86799E-05	1.4E-04	6.05E-04	8.77E-08	2.41E+00	4.71E-02	9.94E-09	1.0E+06	9.9E-03
1240	1240	3.99935	1.86799E-05	7.5E-05	6.05E-04	4.52E-08	2.41E+00	4.71E-02	5.13E-09	1.0E+06	5.1E-03
1241	1241	4.45869	1.86799E-05	8.3E-05	6.05E-04	5.04E-08	2.41E+00	4.71E-02	5.71E-09	1.0E+06	5.7E-03
1242	1242	1.61088	1.86799E-05	3.0E-05	6.05E-04	1.82E-08	2.41E+00	4.71E-02	2.06E-09	1.0E+06	2.1E-03
1243	1243	1.75415	1.86799E-05	3.3E-05	6.05E-04	1.98E-08	2.41E+00	4.71E-02	2.25E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	1244	1.92114	1.86799E-05	3.6E-05	6.05E-04	2.17E-08	2.41E+00	4.71E-02	2.46E-09	1.0E+06	2.5E-03
1245	1245	2.11863	1.86799E-05	4.0E-05	6.05E-04	2.39E-08	2.41E+00	4.71E-02	2.72E-09	1.0E+06	2.7E-03
1246	1246	2.35994	1.86799E-05	4.4E-05	6.05E-04	2.67E-08	2.41E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
1247	1247	2.65519	1.86799E-05	5.0E-05	6.05E-04	3.00E-08	2.41E+00	4.71E-02	3.40E-09	1.0E+06	3.4E-03
1248	1248	3.0214	1.86799E-05	5.6E-05	6.05E-04	3.41E-08	2.41E+00	4.71E-02	3.87E-09	1.0E+06	3.9E-03
1249	1249	3.48674	1.86799E-05	6.5E-05	6.05E-04	3.94E-08	2.41E+00	4.71E-02	4.47E-09	1.0E+06	4.5E-03
1250	1250	4.09782	1.86799E-05	7.7E-05	6.05E-04	4.63E-08	2.41E+00	4.71E-02	5.25E-09	1.0E+06	5.3E-03
1251	1251	4.91335	1.86799E-05	9.2E-05	6.05E-04	5.55E-08	2.41E+00	4.71E-02	6.30E-09	1.0E+06	6.3E-03
1252	1252	6.0638	1.86799E-05	1.1E-04	6.05E-04	6.85E-08	2.41E+00	4.71E-02	7.77E-09	1.0E+06	7.8E-03
1253	1253	5.34535	1.86799E-05	1.0E-04	6.05E-04	6.04E-08	2.41E+00	4.71E-02	6.85E-09	1.0E+06	6.9E-03
1254	1254	6.4689	1.86799E-05	1.2E-04	6.05E-04	7.31E-08	2.41E+00	4.71E-02	8.29E-09	1.0E+06	8.3E-03
1255	1255	7.71827	1.86799E-05	1.4E-04	6.05E-04	8.72E-08	2.41E+00	4.71E-02	9.89E-09	1.0E+06	9.9E-03
1256	1256	1.63451	1.86799E-05	3.1E-05	6.05E-04	1.85E-08	2.41E+00	4.71E-02	2.10E-09	1.0E+06	2.1E-03
1257	1257	1.77935	1.86799E-05	3.3E-05	6.05E-04	2.01E-08	2.41E+00	4.71E-02	2.28E-09	1.0E+06	2.3E-03
1258	1258	1.94794	1.86799E-05	3.6E-05	6.05E-04	2.20E-08	2.41E+00	4.71E-02	2.50E-09	1.0E+06	2.5E-03
1259	1259	2.14657	1.86799E-05	4.0E-05	6.05E-04	2.43E-08	2.41E+00	4.71E-02	2.75E-09	1.0E+06	2.8E-03
1260	1260	2.39053	1.86799E-05	4.5E-05	6.05E-04	2.70E-08	2.41E+00	4.71E-02	3.06E-09	1.0E+06	3.1E-03
1261	1261	2.68805	1.86799E-05	5.0E-05	6.05E-04	3.04E-08	2.41E+00	4.71E-02	3.45E-09	1.0E+06	3.4E-03
1262	1262	3.05687	1.86799E-05	5.7E-05	6.05E-04	3.46E-08	2.41E+00	4.71E-02	3.92E-09	1.0E+06	3.9E-03
1263	1263	3.52477	1.86799E-05	6.6E-05	6.05E-04	3.98E-08	2.41E+00	4.71E-02	4.52E-09	1.0E+06	4.5E-03
1264	1264	4.13812	1.86799E-05	7.7E-05	6.05E-04	4.68E-08	2.41E+00	4.71E-02	5.30E-09	1.0E+06	5.3E-03
1265	1265	4.95122	1.86799E-05	9.2E-05	6.05E-04	5.60E-08	2.41E+00	4.71E-02	6.35E-09	1.0E+06	6.3E-03
1266	1266	6.09598	1.86799E-05	1.1E-04	6.05E-04	6.89E-08	2.41E+00	4.71E-02	7.81E-09	1.0E+06	7.8E-03
1267	1267	5.35421	1.86799E-05	1.0E-04	6.05E-04	6.05E-08	2.41E+00	4.71E-02	6.86E-09	1.0E+06	6.9E-03
1268	1268	6.4513	1.86799E-05	1.2E-04	6.05E-04	7.29E-08	2.41E+00	4.71E-02	8.27E-09	1.0E+06	8.3E-03
1269	1269	5.16514	1.86799E-05	9.6E-05	6.05E-04	5.84E-08	2.41E+00	4.71E-02	6.62E-09	1.0E+06	6.6E-03
1270	1270	1.65777	1.86799E-05	3.1E-05	6.05E-04	1.87E-08	2.41E+00	4.71E-02	2.12E-09	1.0E+06	2.1E-03
1271	1271	1.8034	1.86799E-05	3.4E-05	6.05E-04	2.04E-08	2.41E+00	4.71E-02	2.31E-09	1.0E+06	2.3E-03
1272	1272	1.97155	1.86799E-05	3.7E-05	6.05E-04	2.23E-08	2.41E+00	4.71E-02	2.53E-09	1.0E+06	2.5E-03
1273	1273	2.17068	1.86799E-05	4.1E-05	6.05E-04	2.45E-08	2.41E+00	4.71E-02	2.78E-09	1.0E+06	2.8E-03
1274	1274	2.415	1.86799E-05	4.5E-05	6.05E-04	2.73E-08	2.41E+00	4.71E-02	3.10E-09	1.0E+06	3.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	1275	2.71302	1.86799E-05	5.1E-05	6.05E-04	3.07E-08	2.41E+00	4.71E-02	3.48E-09	1.0E+06	3.5E-03
1276	1276	3.08317	1.86799E-05	5.8E-05	6.05E-04	3.48E-08	2.41E+00	4.71E-02	3.95E-09	1.0E+06	4.0E-03
1277	1277	3.55407	1.86799E-05	6.6E-05	6.05E-04	4.02E-08	2.41E+00	4.71E-02	4.56E-09	1.0E+06	4.6E-03
1278	1278	4.17173	1.86799E-05	7.8E-05	6.05E-04	4.72E-08	2.41E+00	4.71E-02	5.35E-09	1.0E+06	5.3E-03
1279	1279	4.98685	1.86799E-05	9.3E-05	6.05E-04	5.64E-08	2.41E+00	4.71E-02	6.39E-09	1.0E+06	6.4E-03
1280	1280	6.1339	1.86799E-05	1.1E-04	6.05E-04	6.93E-08	2.41E+00	4.71E-02	7.86E-09	1.0E+06	7.9E-03
1281	1281	7.83023	1.86799E-05	1.5E-04	6.05E-04	8.85E-08	2.41E+00	4.71E-02	1.00E-08	1.0E+06	1.0E-02
1282	1282	4.28997	1.86799E-05	8.0E-05	6.05E-04	4.85E-08	2.41E+00	4.71E-02	5.50E-09	1.0E+06	5.5E-03
1283	1283	4.79694	1.86799E-05	9.0E-05	6.05E-04	5.42E-08	2.41E+00	4.71E-02	6.15E-09	1.0E+06	6.1E-03
1284	1284	1.67942	1.86799E-05	3.1E-05	6.05E-04	1.90E-08	2.41E+00	4.71E-02	2.15E-09	1.0E+06	2.2E-03
1285	1285	1.82578	1.86799E-05	3.4E-05	6.05E-04	2.06E-08	2.41E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
1286	1286	1.99388	1.86799E-05	3.7E-05	6.05E-04	2.25E-08	2.41E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
1287	1287	2.19136	1.86799E-05	4.1E-05	6.05E-04	2.48E-08	2.41E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03
1288	1288	2.43689	1.86799E-05	4.6E-05	6.05E-04	2.75E-08	2.41E+00	4.71E-02	3.12E-09	1.0E+06	3.1E-03
1289	1289	2.73465	1.86799E-05	5.1E-05	6.05E-04	3.09E-08	2.41E+00	4.71E-02	3.51E-09	1.0E+06	3.5E-03
1290	1290	3.10574	1.86799E-05	5.8E-05	6.05E-04	3.51E-08	2.41E+00	4.71E-02	3.98E-09	1.0E+06	4.0E-03
1291	1291	3.57903	1.86799E-05	6.7E-05	6.05E-04	4.05E-08	2.41E+00	4.71E-02	4.59E-09	1.0E+06	4.6E-03
1292	1292	4.19941	1.86799E-05	7.8E-05	6.05E-04	4.75E-08	2.41E+00	4.71E-02	5.38E-09	1.0E+06	5.4E-03
1293	1293	5.01447	1.86799E-05	9.4E-05	6.05E-04	5.67E-08	2.41E+00	4.71E-02	6.43E-09	1.0E+06	6.4E-03
1294	1294	6.15639	1.86799E-05	1.2E-04	6.05E-04	6.96E-08	2.41E+00	4.71E-02	7.89E-09	1.0E+06	7.9E-03
1295	1295	7.83128	1.86799E-05	1.5E-04	6.05E-04	8.85E-08	2.41E+00	4.71E-02	1.00E-08	1.0E+06	1.0E-02
1296	1296	7.09597	1.86799E-05	1.3E-04	6.05E-04	8.02E-08	2.41E+00	4.71E-02	9.10E-09	1.0E+06	9.1E-03
1297	1297	4.75568	1.86799E-05	8.9E-05	6.05E-04	5.38E-08	2.41E+00	4.71E-02	6.10E-09	1.0E+06	6.1E-03
1298	1298	1.69971	1.86799E-05	3.2E-05	6.05E-04	1.92E-08	2.41E+00	4.71E-02	2.18E-09	1.0E+06	2.2E-03
1299	1299	1.84596	1.86799E-05	3.4E-05	6.05E-04	2.09E-08	2.41E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
1300	1300	2.01403	1.86799E-05	3.8E-05	6.05E-04	2.28E-08	2.41E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03
1301	1301	2.21154	1.86799E-05	4.1E-05	6.05E-04	2.50E-08	2.41E+00	4.71E-02	2.83E-09	1.0E+06	2.8E-03
1302	1302	2.45815	1.86799E-05	4.6E-05	6.05E-04	2.78E-08	2.41E+00	4.71E-02	3.15E-09	1.0E+06	3.2E-03
1303	1303	2.75603	1.86799E-05	5.1E-05	6.05E-04	3.12E-08	2.41E+00	4.71E-02	3.53E-09	1.0E+06	3.5E-03
1304	1304	3.12744	1.86799E-05	5.8E-05	6.05E-04	3.53E-08	2.41E+00	4.71E-02	4.01E-09	1.0E+06	4.0E-03
1305	1305	3.60232	1.86799E-05	6.7E-05	6.05E-04	4.07E-08	2.41E+00	4.71E-02	4.62E-09	1.0E+06	4.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	1306	1.72022	1.86799E-05	3.2E-05	6.05E-04	1.94E-08	2.41E+00	4.71E-02	2.20E-09	1.0E+06	2.2E-03
1307	1307	1.86883	1.86799E-05	3.5E-05	6.05E-04	2.11E-08	2.41E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
1308	1308	2.03995	1.86799E-05	3.8E-05	6.05E-04	2.31E-08	2.41E+00	4.71E-02	2.61E-09	1.0E+06	2.6E-03
1309	1309	2.24194	1.86799E-05	4.2E-05	6.05E-04	2.53E-08	2.41E+00	4.71E-02	2.87E-09	1.0E+06	2.9E-03
1310	1310	2.48879	1.86799E-05	4.6E-05	6.05E-04	2.81E-08	2.41E+00	4.71E-02	3.19E-09	1.0E+06	3.2E-03
1311	1311	2.78852	1.86799E-05	5.2E-05	6.05E-04	3.15E-08	2.41E+00	4.71E-02	3.57E-09	1.0E+06	3.6E-03
1312	1312	3.15959	1.86799E-05	5.9E-05	6.05E-04	3.57E-08	2.41E+00	4.71E-02	4.05E-09	1.0E+06	4.0E-03
1313	1313	3.63077	1.86799E-05	6.8E-05	6.05E-04	4.10E-08	2.41E+00	4.71E-02	4.65E-09	1.0E+06	4.7E-03
1314	1314	1.73857	1.86799E-05	3.2E-05	6.05E-04	1.97E-08	2.41E+00	4.71E-02	2.23E-09	1.0E+06	2.2E-03
1315	1315	1.89002	1.86799E-05	3.5E-05	6.05E-04	2.14E-08	2.41E+00	4.71E-02	2.42E-09	1.0E+06	2.4E-03
1316	1316	2.06437	1.86799E-05	3.9E-05	6.05E-04	2.33E-08	2.41E+00	4.71E-02	2.65E-09	1.0E+06	2.6E-03
1317	1317	2.26919	1.86799E-05	4.2E-05	6.05E-04	2.56E-08	2.41E+00	4.71E-02	2.91E-09	1.0E+06	2.9E-03
1318	1318	2.51765	1.86799E-05	4.7E-05	6.05E-04	2.85E-08	2.41E+00	4.71E-02	3.23E-09	1.0E+06	3.2E-03
1319	1319	2.8183	1.86799E-05	5.3E-05	6.05E-04	3.19E-08	2.41E+00	4.71E-02	3.61E-09	1.0E+06	3.6E-03
1320	1320	3.18909	1.86799E-05	6.0E-05	6.05E-04	3.60E-08	2.41E+00	4.71E-02	4.09E-09	1.0E+06	4.1E-03
1321	1321	3.65621	1.86799E-05	6.8E-05	6.05E-04	4.13E-08	2.41E+00	4.71E-02	4.69E-09	1.0E+06	4.7E-03
1322	1322	1.75571	1.86799E-05	3.3E-05	6.05E-04	1.98E-08	2.41E+00	4.71E-02	2.25E-09	1.0E+06	2.3E-03
1323	1323	1.9091	1.86799E-05	3.6E-05	6.05E-04	2.16E-08	2.41E+00	4.71E-02	2.45E-09	1.0E+06	2.4E-03
1324	1324	2.08595	1.86799E-05	3.9E-05	6.05E-04	2.36E-08	2.41E+00	4.71E-02	2.67E-09	1.0E+06	2.7E-03
1325	1325	2.29403	1.86799E-05	4.3E-05	6.05E-04	2.59E-08	2.41E+00	4.71E-02	2.94E-09	1.0E+06	2.9E-03
1326	1326	2.54347	1.86799E-05	4.8E-05	6.05E-04	2.87E-08	2.41E+00	4.71E-02	3.26E-09	1.0E+06	3.3E-03
1327	1327	2.84559	1.86799E-05	5.3E-05	6.05E-04	3.22E-08	2.41E+00	4.71E-02	3.65E-09	1.0E+06	3.6E-03
1328	1328	3.21583	1.86799E-05	6.0E-05	6.05E-04	3.63E-08	2.41E+00	4.71E-02	4.12E-09	1.0E+06	4.1E-03
1329	1329	3.67839	1.86799E-05	6.9E-05	6.05E-04	4.16E-08	2.41E+00	4.71E-02	4.71E-09	1.0E+06	4.7E-03
1330	1330	1.77018	1.86799E-05	3.3E-05	6.05E-04	2.00E-08	2.41E+00	4.71E-02	2.27E-09	1.0E+06	2.3E-03
1331	1331	1.92415	1.86799E-05	3.6E-05	6.05E-04	2.17E-08	2.41E+00	4.71E-02	2.47E-09	1.0E+06	2.5E-03
1332	1332	2.10109	1.86799E-05	3.9E-05	6.05E-04	2.37E-08	2.41E+00	4.71E-02	2.69E-09	1.0E+06	2.7E-03
1333	1333	2.30857	1.86799E-05	4.3E-05	6.05E-04	2.61E-08	2.41E+00	4.71E-02	2.96E-09	1.0E+06	3.0E-03
1334	1334	2.55856	1.86799E-05	4.8E-05	6.05E-04	2.89E-08	2.41E+00	4.71E-02	3.28E-09	1.0E+06	3.3E-03
1335	1335	2.86076	1.86799E-05	5.3E-05	6.05E-04	3.23E-08	2.41E+00	4.71E-02	3.67E-09	1.0E+06	3.7E-03
1336	1336	3.23107	1.86799E-05	6.0E-05	6.05E-04	3.65E-08	2.41E+00	4.71E-02	4.14E-09	1.0E+06	4.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	1337	3.69435	1.86799E-05	6.9E-05	6.05E-04	4.18E-08	2.41E+00	4.71E-02	4.74E-09	1.0E+06	4.7E-03
1338	1338	0.59813	1.86799E-05	1.1E-05	6.05E-04	6.76E-09	2.41E+00	4.71E-02	7.67E-10	1.0E+06	7.7E-04
1339	1339	0.62027	1.86799E-05	1.2E-05	6.05E-04	7.01E-09	2.41E+00	4.71E-02	7.95E-10	1.0E+06	8.0E-04
1340	1340	0.64395	1.86799E-05	1.2E-05	6.05E-04	7.28E-09	2.41E+00	4.71E-02	8.25E-10	1.0E+06	8.3E-04
1341	1341	0.67007	1.86799E-05	1.3E-05	6.05E-04	7.57E-09	2.41E+00	4.71E-02	8.59E-10	1.0E+06	8.6E-04
1342	1342	0.69873	1.86799E-05	1.3E-05	6.05E-04	7.90E-09	2.41E+00	4.71E-02	8.96E-10	1.0E+06	9.0E-04
1343	1343	0.72952	1.86799E-05	1.4E-05	6.05E-04	8.25E-09	2.41E+00	4.71E-02	9.35E-10	1.0E+06	9.4E-04
1344	1344	0.7635	1.86799E-05	1.4E-05	6.05E-04	8.63E-09	2.41E+00	4.71E-02	9.79E-10	1.0E+06	9.8E-04
1345	1345	0.80037	1.86799E-05	1.5E-05	6.05E-04	9.05E-09	2.41E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1346	1346	0.83898	1.86799E-05	1.6E-05	6.05E-04	9.48E-09	2.41E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
1347	1347	0.87902	1.86799E-05	1.6E-05	6.05E-04	9.94E-09	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1348	1348	0.92257	1.86799E-05	1.7E-05	6.05E-04	1.04E-08	2.41E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1349	1349	0.97267	1.86799E-05	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
1350	1350	1.02815	1.86799E-05	1.9E-05	6.05E-04	1.16E-08	2.41E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
1351	1351	1.08914	1.86799E-05	2.0E-05	6.05E-04	1.23E-08	2.41E+00	4.71E-02	1.40E-09	1.0E+06	1.4E-03
1352	1352	1.15587	1.86799E-05	2.2E-05	6.05E-04	1.31E-08	2.41E+00	4.71E-02	1.48E-09	1.0E+06	1.5E-03
1353	1353	1.22051	1.86799E-05	2.3E-05	6.05E-04	1.38E-08	2.41E+00	4.71E-02	1.56E-09	1.0E+06	1.6E-03
1354	1354	1.31626	1.86799E-05	2.5E-05	6.05E-04	1.49E-08	2.41E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
1355	1355	1.41575	1.86799E-05	2.6E-05	6.05E-04	1.60E-08	2.41E+00	4.71E-02	1.81E-09	1.0E+06	1.8E-03
1356	1356	1.52585	1.86799E-05	2.9E-05	6.05E-04	1.72E-08	2.41E+00	4.71E-02	1.96E-09	1.0E+06	2.0E-03
1357	1357	1.64677	1.86799E-05	3.1E-05	6.05E-04	1.86E-08	2.41E+00	4.71E-02	2.11E-09	1.0E+06	2.1E-03
1358	1358	1.78357	1.86799E-05	3.3E-05	6.05E-04	2.02E-08	2.41E+00	4.71E-02	2.29E-09	1.0E+06	2.3E-03
1359	1359	1.93802	1.86799E-05	3.6E-05	6.05E-04	2.19E-08	2.41E+00	4.71E-02	2.48E-09	1.0E+06	2.5E-03
1360	1360	2.11473	1.86799E-05	4.0E-05	6.05E-04	2.39E-08	2.41E+00	4.71E-02	2.71E-09	1.0E+06	2.7E-03
1361	1361	2.32189	1.86799E-05	4.3E-05	6.05E-04	2.62E-08	2.41E+00	4.71E-02	2.98E-09	1.0E+06	3.0E-03
1362	1362	2.57176	1.86799E-05	4.8E-05	6.05E-04	2.91E-08	2.41E+00	4.71E-02	3.30E-09	1.0E+06	3.3E-03
1363	1363	2.87382	1.86799E-05	5.4E-05	6.05E-04	3.25E-08	2.41E+00	4.71E-02	3.68E-09	1.0E+06	3.7E-03
1364	1364	3.24434	1.86799E-05	6.1E-05	6.05E-04	3.67E-08	2.41E+00	4.71E-02	4.16E-09	1.0E+06	4.2E-03
1365	1365	3.70757	1.86799E-05	6.9E-05	6.05E-04	4.19E-08	2.41E+00	4.71E-02	4.75E-09	1.0E+06	4.8E-03
1366	1366	0.60209	1.86799E-05	1.1E-05	6.05E-04	6.81E-09	2.41E+00	4.71E-02	7.72E-10	1.0E+06	7.7E-04
1367	1367	0.62408	1.86799E-05	1.2E-05	6.05E-04	7.05E-09	2.41E+00	4.71E-02	8.00E-10	1.0E+06	8.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	1368	0.64745	1.86799E-05	1.2E-05	6.05E-04	7.32E-09	2.41E+00	4.71E-02	8.30E-10	1.0E+06	8.3E-04
1369	1369	0.67369	1.86799E-05	1.3E-05	6.05E-04	7.61E-09	2.41E+00	4.71E-02	8.63E-10	1.0E+06	8.6E-04
1370	1370	0.70285	1.86799E-05	1.3E-05	6.05E-04	7.94E-09	2.41E+00	4.71E-02	9.01E-10	1.0E+06	9.0E-04
1371	1371	0.73401	1.86799E-05	1.4E-05	6.05E-04	8.30E-09	2.41E+00	4.71E-02	9.41E-10	1.0E+06	9.4E-04
1372	1372	0.76871	1.86799E-05	1.4E-05	6.05E-04	8.69E-09	2.41E+00	4.71E-02	9.85E-10	1.0E+06	9.9E-04
1373	1373	0.80641	1.86799E-05	1.5E-05	6.05E-04	9.11E-09	2.41E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
1374	1374	0.84538	1.86799E-05	1.6E-05	6.05E-04	9.56E-09	2.41E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
1375	1375	0.88479	1.86799E-05	1.7E-05	6.05E-04	1.00E-08	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1376	1376	0.92753	1.86799E-05	1.7E-05	6.05E-04	1.05E-08	2.41E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
1377	1377	0.97831	1.86799E-05	1.8E-05	6.05E-04	1.11E-08	2.41E+00	4.71E-02	1.25E-09	1.0E+06	1.3E-03
1378	1378	1.03482	1.86799E-05	1.9E-05	6.05E-04	1.17E-08	2.41E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
1379	1379	1.09688	1.86799E-05	2.0E-05	6.05E-04	1.24E-08	2.41E+00	4.71E-02	1.41E-09	1.0E+06	1.4E-03
1380	1380	1.16431	1.86799E-05	2.2E-05	6.05E-04	1.32E-08	2.41E+00	4.71E-02	1.49E-09	1.0E+06	1.5E-03
1381	1381	1.22997	1.86799E-05	2.3E-05	6.05E-04	1.39E-08	2.41E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
1382	1382	1.32316	1.86799E-05	2.5E-05	6.05E-04	1.50E-08	2.41E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
1383	1383	1.42569	1.86799E-05	2.7E-05	6.05E-04	1.61E-08	2.41E+00	4.71E-02	1.83E-09	1.0E+06	1.8E-03
1384	1384	1.53495	1.86799E-05	2.9E-05	6.05E-04	1.73E-08	2.41E+00	4.71E-02	1.97E-09	1.0E+06	2.0E-03
1385	1385	1.65697	1.86799E-05	3.1E-05	6.05E-04	1.87E-08	2.41E+00	4.71E-02	2.12E-09	1.0E+06	2.1E-03
1386	1386	1.79496	1.86799E-05	3.4E-05	6.05E-04	2.03E-08	2.41E+00	4.71E-02	2.30E-09	1.0E+06	2.3E-03
1387	1387	1.95079	1.86799E-05	3.6E-05	6.05E-04	2.20E-08	2.41E+00	4.71E-02	2.50E-09	1.0E+06	2.5E-03
1388	1388	2.12714	1.86799E-05	4.0E-05	6.05E-04	2.40E-08	2.41E+00	4.71E-02	2.73E-09	1.0E+06	2.7E-03
1389	1389	2.33386	1.86799E-05	4.4E-05	6.05E-04	2.64E-08	2.41E+00	4.71E-02	2.99E-09	1.0E+06	3.0E-03
1390	1390	2.58376	1.86799E-05	4.8E-05	6.05E-04	2.92E-08	2.41E+00	4.71E-02	3.31E-09	1.0E+06	3.3E-03
1391	1391	2.8856	1.86799E-05	5.4E-05	6.05E-04	3.26E-08	2.41E+00	4.71E-02	3.70E-09	1.0E+06	3.7E-03
1392	1392	3.25583	1.86799E-05	6.1E-05	6.05E-04	3.68E-08	2.41E+00	4.71E-02	4.17E-09	1.0E+06	4.2E-03
1393	1393	3.71937	1.86799E-05	6.9E-05	6.05E-04	4.20E-08	2.41E+00	4.71E-02	4.77E-09	1.0E+06	4.8E-03
1394	1394	0.60445	1.86799E-05	1.1E-05	6.05E-04	6.83E-09	2.41E+00	4.71E-02	7.75E-10	1.0E+06	7.7E-04
1395	1395	0.62651	1.86799E-05	1.2E-05	6.05E-04	7.08E-09	2.41E+00	4.71E-02	8.03E-10	1.0E+06	8.0E-04
1396	1396	0.65001	1.86799E-05	1.2E-05	6.05E-04	7.35E-09	2.41E+00	4.71E-02	8.33E-10	1.0E+06	8.3E-04
1397	1397	0.67628	1.86799E-05	1.3E-05	6.05E-04	7.64E-09	2.41E+00	4.71E-02	8.67E-10	1.0E+06	8.7E-04
1398	1398	0.70542	1.86799E-05	1.3E-05	6.05E-04	7.97E-09	2.41E+00	4.71E-02	9.04E-10	1.0E+06	9.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	1399	0.7366	1.86799E-05	1.4E-05	6.05E-04	8.33E-09	2.41E+00	4.71E-02	9.44E-10	1.0E+06	9.4E-04
1400	1400	0.77252	1.86799E-05	1.4E-05	6.05E-04	8.73E-09	2.41E+00	4.71E-02	9.90E-10	1.0E+06	9.9E-04
1401	1401	0.8113	1.86799E-05	1.5E-05	6.05E-04	9.17E-09	2.41E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
1402	1402	0.85144	1.86799E-05	1.6E-05	6.05E-04	9.62E-09	2.41E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
1403	1403	0.89131	1.86799E-05	1.7E-05	6.05E-04	1.01E-08	2.41E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
1404	1404	0.93457	1.86799E-05	1.7E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
1405	1405	0.98539	1.86799E-05	1.8E-05	6.05E-04	1.11E-08	2.41E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
1406	1406	1.04186	1.86799E-05	1.9E-05	6.05E-04	1.18E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
1407	1407	1.10402	1.86799E-05	2.1E-05	6.05E-04	1.25E-08	2.41E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
1408	1408	1.17272	1.86799E-05	2.2E-05	6.05E-04	1.33E-08	2.41E+00	4.71E-02	1.50E-09	1.0E+06	1.5E-03
1409	1409	1.24047	1.86799E-05	2.3E-05	6.05E-04	1.40E-08	2.41E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
1410	1410	1.33333	1.86799E-05	2.5E-05	6.05E-04	1.51E-08	2.41E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
1411	1411	1.43643	1.86799E-05	2.7E-05	6.05E-04	1.62E-08	2.41E+00	4.71E-02	1.84E-09	1.0E+06	1.8E-03
1412	1412	1.54613	1.86799E-05	2.9E-05	6.05E-04	1.75E-08	2.41E+00	4.71E-02	1.98E-09	1.0E+06	2.0E-03
1413	1413	1.66839	1.86799E-05	3.1E-05	6.05E-04	1.89E-08	2.41E+00	4.71E-02	2.14E-09	1.0E+06	2.1E-03
1414	1414	1.80654	1.86799E-05	3.4E-05	6.05E-04	2.04E-08	2.41E+00	4.71E-02	2.32E-09	1.0E+06	2.3E-03
1415	1415	1.96128	1.86799E-05	3.7E-05	6.05E-04	2.22E-08	2.41E+00	4.71E-02	2.51E-09	1.0E+06	2.5E-03
1416	1416	2.13761	1.86799E-05	4.0E-05	6.05E-04	2.42E-08	2.41E+00	4.71E-02	2.74E-09	1.0E+06	2.7E-03
1417	1417	2.34242	1.86799E-05	4.4E-05	6.05E-04	2.65E-08	2.41E+00	4.71E-02	3.00E-09	1.0E+06	3.0E-03
1418	1418	2.5927	1.86799E-05	4.8E-05	6.05E-04	2.93E-08	2.41E+00	4.71E-02	3.32E-09	1.0E+06	3.3E-03
1419	1419	2.89486	1.86799E-05	5.4E-05	6.05E-04	3.27E-08	2.41E+00	4.71E-02	3.71E-09	1.0E+06	3.7E-03
1420	1420	3.26529	1.86799E-05	6.1E-05	6.05E-04	3.69E-08	2.41E+00	4.71E-02	4.19E-09	1.0E+06	4.2E-03
1421	1421	3.72884	1.86799E-05	7.0E-05	6.05E-04	4.21E-08	2.41E+00	4.71E-02	4.78E-09	1.0E+06	4.8E-03
1422	1422	0.60569	1.86799E-05	1.1E-05	6.05E-04	6.85E-09	2.41E+00	4.71E-02	7.76E-10	1.0E+06	7.8E-04
1423	1423	0.62806	1.86799E-05	1.2E-05	6.05E-04	7.10E-09	2.41E+00	4.71E-02	8.05E-10	1.0E+06	8.1E-04
1424	1424	0.65189	1.86799E-05	1.2E-05	6.05E-04	7.37E-09	2.41E+00	4.71E-02	8.36E-10	1.0E+06	8.4E-04
1425	1425	0.67817	1.86799E-05	1.3E-05	6.05E-04	7.67E-09	2.41E+00	4.71E-02	8.69E-10	1.0E+06	8.7E-04
1426	1426	0.70708	1.86799E-05	1.3E-05	6.05E-04	7.99E-09	2.41E+00	4.71E-02	9.06E-10	1.0E+06	9.1E-04
1427	1427	0.73808	1.86799E-05	1.4E-05	6.05E-04	8.34E-09	2.41E+00	4.71E-02	9.46E-10	1.0E+06	9.5E-04
1428	1428	0.77539	1.86799E-05	1.4E-05	6.05E-04	8.76E-09	2.41E+00	4.71E-02	9.94E-10	1.0E+06	9.9E-04
1429	1429	0.81565	1.86799E-05	1.5E-05	6.05E-04	9.22E-09	2.41E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	1430	0.85698	1.86799E-05	1.6E-05	6.05E-04	9.69E-09	2.41E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
1431	1431	0.8977	1.86799E-05	1.7E-05	6.05E-04	1.01E-08	2.41E+00	4.71E-02	1.15E-09	1.0E+06	1.2E-03
1432	1432	0.94179	1.86799E-05	1.8E-05	6.05E-04	1.06E-08	2.41E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
1433	1433	0.99243	1.86799E-05	1.9E-05	6.05E-04	1.12E-08	2.41E+00	4.71E-02	1.27E-09	1.0E+06	1.3E-03
1434	1434	1.04848	1.86799E-05	2.0E-05	6.05E-04	1.19E-08	2.41E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
1435	1435	1.11061	1.86799E-05	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
1436	1436	1.18058	1.86799E-05	2.2E-05	6.05E-04	1.33E-08	2.41E+00	4.71E-02	1.51E-09	1.0E+06	1.5E-03
1437	1437	1.25055	1.86799E-05	2.3E-05	6.05E-04	1.41E-08	2.41E+00	4.71E-02	1.60E-09	1.0E+06	1.6E-03
1438	1438	1.34302	1.86799E-05	2.5E-05	6.05E-04	1.52E-08	2.41E+00	4.71E-02	1.72E-09	1.0E+06	1.7E-03
1439	1439	1.44662	1.86799E-05	2.7E-05	6.05E-04	1.64E-08	2.41E+00	4.71E-02	1.85E-09	1.0E+06	1.9E-03
1440	1440	1.5567	1.86799E-05	2.9E-05	6.05E-04	1.76E-08	2.41E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
1441	1441	1.67902	1.86799E-05	3.1E-05	6.05E-04	1.90E-08	2.41E+00	4.71E-02	2.15E-09	1.0E+06	2.2E-03
1442	1442	1.81724	1.86799E-05	3.4E-05	6.05E-04	2.05E-08	2.41E+00	4.71E-02	2.33E-09	1.0E+06	2.3E-03
1443	1443	1.97151	1.86799E-05	3.7E-05	6.05E-04	2.23E-08	2.41E+00	4.71E-02	2.53E-09	1.0E+06	2.5E-03
1444	1444	2.14591	1.86799E-05	4.0E-05	6.05E-04	2.43E-08	2.41E+00	4.71E-02	2.75E-09	1.0E+06	2.8E-03
1445	1445	2.34917	1.86799E-05	4.4E-05	6.05E-04	2.66E-08	2.41E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
1446	1446	2.60008	1.86799E-05	4.9E-05	6.05E-04	2.94E-08	2.41E+00	4.71E-02	3.33E-09	1.0E+06	3.3E-03
1447	1447	2.90241	1.86799E-05	5.4E-05	6.05E-04	3.28E-08	2.41E+00	4.71E-02	3.72E-09	1.0E+06	3.7E-03
1448	1448	3.27286	1.86799E-05	6.1E-05	6.05E-04	3.70E-08	2.41E+00	4.71E-02	4.19E-09	1.0E+06	4.2E-03
1449	1449	3.7367	1.86799E-05	7.0E-05	6.05E-04	4.22E-08	2.41E+00	4.71E-02	4.79E-09	1.0E+06	4.8E-03
1450	1450	0.6064	1.86799E-05	1.1E-05	6.05E-04	6.85E-09	2.41E+00	4.71E-02	7.77E-10	1.0E+06	7.8E-04
1451	1451	0.62912	1.86799E-05	1.2E-05	6.05E-04	7.11E-09	2.41E+00	4.71E-02	8.06E-10	1.0E+06	8.1E-04
1452	1452	0.65322	1.86799E-05	1.2E-05	6.05E-04	7.38E-09	2.41E+00	4.71E-02	8.37E-10	1.0E+06	8.4E-04
1453	1453	0.67946	1.86799E-05	1.3E-05	6.05E-04	7.68E-09	2.41E+00	4.71E-02	8.71E-10	1.0E+06	8.7E-04
1454	1454	0.70811	1.86799E-05	1.3E-05	6.05E-04	8.00E-09	2.41E+00	4.71E-02	9.08E-10	1.0E+06	9.1E-04
1455	1455	0.73875	1.86799E-05	1.4E-05	6.05E-04	8.35E-09	2.41E+00	4.71E-02	9.47E-10	1.0E+06	9.5E-04
1456	1456	0.77764	1.86799E-05	1.5E-05	6.05E-04	8.79E-09	2.41E+00	4.71E-02	9.97E-10	1.0E+06	1.0E-03
1457	1457	0.81957	1.86799E-05	1.5E-05	6.05E-04	9.26E-09	2.41E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
1458	1458	0.8622	1.86799E-05	1.6E-05	6.05E-04	9.75E-09	2.41E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1459	1459	0.90361	1.86799E-05	1.7E-05	6.05E-04	1.02E-08	2.41E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
1460	1460	0.94864	1.86799E-05	1.8E-05	6.05E-04	1.07E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	1461	0.99904	1.86799E-05	1.9E-05	6.05E-04	1.13E-08	2.41E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
1462	1462	1.05472	1.86799E-05	2.0E-05	6.05E-04	1.19E-08	2.41E+00	4.71E-02	1.35E-09	1.0E+06	1.4E-03
1463	1463	1.11653	1.86799E-05	2.1E-05	6.05E-04	1.26E-08	2.41E+00	4.71E-02	1.43E-09	1.0E+06	1.4E-03
1464	1464	1.18791	1.86799E-05	2.2E-05	6.05E-04	1.34E-08	2.41E+00	4.71E-02	1.52E-09	1.0E+06	1.5E-03
1465	1465	1.26039	1.86799E-05	2.4E-05	6.05E-04	1.42E-08	2.41E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
1466	1466	1.35227	1.86799E-05	2.5E-05	6.05E-04	1.53E-08	2.41E+00	4.71E-02	1.73E-09	1.0E+06	1.7E-03
1467	1467	1.45603	1.86799E-05	2.7E-05	6.05E-04	1.65E-08	2.41E+00	4.71E-02	1.87E-09	1.0E+06	1.9E-03
1468	1468	1.56644	1.86799E-05	2.9E-05	6.05E-04	1.77E-08	2.41E+00	4.71E-02	2.01E-09	1.0E+06	2.0E-03
1469	1469	1.68904	1.86799E-05	3.2E-05	6.05E-04	1.91E-08	2.41E+00	4.71E-02	2.16E-09	1.0E+06	2.2E-03
1470	1470	1.82713	1.86799E-05	3.4E-05	6.05E-04	2.07E-08	2.41E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
1471	1471	1.97977	1.86799E-05	3.7E-05	6.05E-04	2.24E-08	2.41E+00	4.71E-02	2.54E-09	1.0E+06	2.5E-03
1472	1472	2.15305	1.86799E-05	4.0E-05	6.05E-04	2.43E-08	2.41E+00	4.71E-02	2.76E-09	1.0E+06	2.8E-03
1473	1473	2.35463	1.86799E-05	4.4E-05	6.05E-04	2.66E-08	2.41E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
1474	1474	2.60659	1.86799E-05	4.9E-05	6.05E-04	2.95E-08	2.41E+00	4.71E-02	3.34E-09	1.0E+06	3.3E-03
1475	1475	2.9087	1.86799E-05	5.4E-05	6.05E-04	3.29E-08	2.41E+00	4.71E-02	3.73E-09	1.0E+06	3.7E-03
1476	1476	3.2795	1.86799E-05	6.1E-05	6.05E-04	3.71E-08	2.41E+00	4.71E-02	4.20E-09	1.0E+06	4.2E-03
1477	1477	3.74307	1.86799E-05	7.0E-05	6.05E-04	4.23E-08	2.41E+00	4.71E-02	4.80E-09	1.0E+06	4.8E-03
1478	1478	0.60627	1.86799E-05	1.1E-05	6.05E-04	6.85E-09	2.41E+00	4.71E-02	7.77E-10	1.0E+06	7.8E-04
1479	1479	0.62957	1.86799E-05	1.2E-05	6.05E-04	7.12E-09	2.41E+00	4.71E-02	8.07E-10	1.0E+06	8.1E-04
1480	1480	0.65441	1.86799E-05	1.2E-05	6.05E-04	7.40E-09	2.41E+00	4.71E-02	8.39E-10	1.0E+06	8.4E-04
1481	1481	0.68138	1.86799E-05	1.3E-05	6.05E-04	7.70E-09	2.41E+00	4.71E-02	8.73E-10	1.0E+06	8.7E-04
1482	1482	0.7106	1.86799E-05	1.3E-05	6.05E-04	8.03E-09	2.41E+00	4.71E-02	9.11E-10	1.0E+06	9.1E-04
1483	1483	0.74206	1.86799E-05	1.4E-05	6.05E-04	8.39E-09	2.41E+00	4.71E-02	9.51E-10	1.0E+06	9.5E-04
1484	1484	0.78153	1.86799E-05	1.5E-05	6.05E-04	8.83E-09	2.41E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
1485	1485	0.82398	1.86799E-05	1.5E-05	6.05E-04	9.31E-09	2.41E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1486	1486	0.86722	1.86799E-05	1.6E-05	6.05E-04	9.80E-09	2.41E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
1487	1487	0.90924	1.86799E-05	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1488	1488	0.95492	1.86799E-05	1.8E-05	6.05E-04	1.08E-08	2.41E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
1489	1489	1.00593	1.86799E-05	1.9E-05	6.05E-04	1.14E-08	2.41E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
1490	1490	1.06227	1.86799E-05	2.0E-05	6.05E-04	1.20E-08	2.41E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
1491	1491	1.12468	1.86799E-05	2.1E-05	6.05E-04	1.27E-08	2.41E+00	4.71E-02	1.44E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	1492	1.19566	1.86799E-05	2.2E-05	6.05E-04	1.35E-08	2.41E+00	4.71E-02	1.53E-09	1.0E+06	1.5E-03
1493	1493	1.26565	1.86799E-05	2.4E-05	6.05E-04	1.43E-08	2.41E+00	4.71E-02	1.62E-09	1.0E+06	1.6E-03
1494	1494	1.35645	1.86799E-05	2.5E-05	6.05E-04	1.53E-08	2.41E+00	4.71E-02	1.74E-09	1.0E+06	1.7E-03
1495	1495	1.45922	1.86799E-05	2.7E-05	6.05E-04	1.65E-08	2.41E+00	4.71E-02	1.87E-09	1.0E+06	1.9E-03
1496	1496	1.57197	1.86799E-05	2.9E-05	6.05E-04	1.78E-08	2.41E+00	4.71E-02	2.01E-09	1.0E+06	2.0E-03
1497	1497	1.69718	1.86799E-05	3.2E-05	6.05E-04	1.92E-08	2.41E+00	4.71E-02	2.18E-09	1.0E+06	2.2E-03
1498	1498	1.83483	1.86799E-05	3.4E-05	6.05E-04	2.07E-08	2.41E+00	4.71E-02	2.35E-09	1.0E+06	2.4E-03
1499	1499	1.98952	1.86799E-05	3.7E-05	6.05E-04	2.25E-08	2.41E+00	4.71E-02	2.55E-09	1.0E+06	2.6E-03
1500	1500	2.16412	1.86799E-05	4.0E-05	6.05E-04	2.45E-08	2.41E+00	4.71E-02	2.77E-09	1.0E+06	2.8E-03
1501	1501	2.36734	1.86799E-05	4.4E-05	6.05E-04	2.68E-08	2.41E+00	4.71E-02	3.03E-09	1.0E+06	3.0E-03
1502	1502	2.61899	1.86799E-05	4.9E-05	6.05E-04	2.96E-08	2.41E+00	4.71E-02	3.36E-09	1.0E+06	3.4E-03
1503	1503	2.92039	1.86799E-05	5.5E-05	6.05E-04	3.30E-08	2.41E+00	4.71E-02	3.74E-09	1.0E+06	3.7E-03
1504	1504	3.28946	1.86799E-05	6.1E-05	6.05E-04	3.72E-08	2.41E+00	4.71E-02	4.22E-09	1.0E+06	4.2E-03
1505	1505	3.75127	1.86799E-05	7.0E-05	6.05E-04	4.24E-08	2.41E+00	4.71E-02	4.81E-09	1.0E+06	4.8E-03
1506	1506	0.60538	1.86799E-05	1.1E-05	6.05E-04	6.84E-09	2.41E+00	4.71E-02	7.76E-10	1.0E+06	7.8E-04
1507	1507	0.62956	1.86799E-05	1.2E-05	6.05E-04	7.12E-09	2.41E+00	4.71E-02	8.07E-10	1.0E+06	8.1E-04
1508	1508	0.65535	1.86799E-05	1.2E-05	6.05E-04	7.41E-09	2.41E+00	4.71E-02	8.40E-10	1.0E+06	8.4E-04
1509	1509	0.68338	1.86799E-05	1.3E-05	6.05E-04	7.72E-09	2.41E+00	4.71E-02	8.76E-10	1.0E+06	8.8E-04
1510	1510	0.71391	1.86799E-05	1.3E-05	6.05E-04	8.07E-09	2.41E+00	4.71E-02	9.15E-10	1.0E+06	9.2E-04
1511	1511	0.74655	1.86799E-05	1.4E-05	6.05E-04	8.44E-09	2.41E+00	4.71E-02	9.57E-10	1.0E+06	9.6E-04
1512	1512	0.78616	1.86799E-05	1.5E-05	6.05E-04	8.89E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1513	1513	0.82861	1.86799E-05	1.5E-05	6.05E-04	9.37E-09	2.41E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
1514	1514	0.87201	1.86799E-05	1.6E-05	6.05E-04	9.86E-09	2.41E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1515	1515	0.91461	1.86799E-05	1.7E-05	6.05E-04	1.03E-08	2.41E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
1516	1516	0.96074	1.86799E-05	1.8E-05	6.05E-04	1.09E-08	2.41E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
1517	1517	1.0127	1.86799E-05	1.9E-05	6.05E-04	1.14E-08	2.41E+00	4.71E-02	1.30E-09	1.0E+06	1.3E-03
1518	1518	1.07017	1.86799E-05	2.0E-05	6.05E-04	1.21E-08	2.41E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
1519	1519	1.1333	1.86799E-05	2.1E-05	6.05E-04	1.28E-08	2.41E+00	4.71E-02	1.45E-09	1.0E+06	1.5E-03
1520	1520	1.20311	1.86799E-05	2.2E-05	6.05E-04	1.36E-08	2.41E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03
1521	1521	1.28058	1.86799E-05	2.4E-05	6.05E-04	1.45E-08	2.41E+00	4.71E-02	1.64E-09	1.0E+06	1.6E-03
1522	1522	1.35783	1.86799E-05	2.5E-05	6.05E-04	1.53E-08	2.41E+00	4.71E-02	1.74E-09	1.0E+06	1.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	1523	1.46239	1.86799E-05	2.7E-05	6.05E-04	1.65E-08	2.41E+00	4.71E-02	1.87E-09	1.0E+06	1.9E-03
1524	1524	1.57599	1.86799E-05	2.9E-05	6.05E-04	1.78E-08	2.41E+00	4.71E-02	2.02E-09	1.0E+06	2.0E-03
1525	1525	1.70279	1.86799E-05	3.2E-05	6.05E-04	1.92E-08	2.41E+00	4.71E-02	2.18E-09	1.0E+06	2.2E-03
1526	1526	1.84271	1.86799E-05	3.4E-05	6.05E-04	2.08E-08	2.41E+00	4.71E-02	2.36E-09	1.0E+06	2.4E-03
1527	1527	1.9987	1.86799E-05	3.7E-05	6.05E-04	2.26E-08	2.41E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
1528	1528	2.1759	1.86799E-05	4.1E-05	6.05E-04	2.46E-08	2.41E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
1529	1529	2.38096	1.86799E-05	4.4E-05	6.05E-04	2.69E-08	2.41E+00	4.71E-02	3.05E-09	1.0E+06	3.1E-03
1530	1530	2.63128	1.86799E-05	4.9E-05	6.05E-04	2.97E-08	2.41E+00	4.71E-02	3.37E-09	1.0E+06	3.4E-03
1531	1531	2.93169	1.86799E-05	5.5E-05	6.05E-04	3.31E-08	2.41E+00	4.71E-02	3.76E-09	1.0E+06	3.8E-03
1532	1532	3.2991	1.86799E-05	6.2E-05	6.05E-04	3.73E-08	2.41E+00	4.71E-02	4.23E-09	1.0E+06	4.2E-03
1533	1533	3.75873	1.86799E-05	7.0E-05	6.05E-04	4.25E-08	2.41E+00	4.71E-02	4.82E-09	1.0E+06	4.8E-03
1534	1534	0.60381	1.86799E-05	1.1E-05	6.05E-04	6.82E-09	2.41E+00	4.71E-02	7.74E-10	1.0E+06	7.7E-04
1535	1535	0.62901	1.86799E-05	1.2E-05	6.05E-04	7.11E-09	2.41E+00	4.71E-02	8.06E-10	1.0E+06	8.1E-04
1536	1536	0.65579	1.86799E-05	1.2E-05	6.05E-04	7.41E-09	2.41E+00	4.71E-02	8.41E-10	1.0E+06	8.4E-04
1537	1537	0.68503	1.86799E-05	1.3E-05	6.05E-04	7.74E-09	2.41E+00	4.71E-02	8.78E-10	1.0E+06	8.8E-04
1538	1538	0.71685	1.86799E-05	1.3E-05	6.05E-04	8.10E-09	2.41E+00	4.71E-02	9.19E-10	1.0E+06	9.2E-04
1539	1539	0.7509	1.86799E-05	1.4E-05	6.05E-04	8.49E-09	2.41E+00	4.71E-02	9.62E-10	1.0E+06	9.6E-04
1540	1540	0.79041	1.86799E-05	1.5E-05	6.05E-04	8.93E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1541	1541	0.83292	1.86799E-05	1.6E-05	6.05E-04	9.41E-09	2.41E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
1542	1542	0.87659	1.86799E-05	1.6E-05	6.05E-04	9.91E-09	2.41E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
1543	1543	0.91955	1.86799E-05	1.7E-05	6.05E-04	1.04E-08	2.41E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1544	1544	0.96623	1.86799E-05	1.8E-05	6.05E-04	1.09E-08	2.41E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1545	1545	1.01912	1.86799E-05	1.9E-05	6.05E-04	1.15E-08	2.41E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1546	1546	1.07761	1.86799E-05	2.0E-05	6.05E-04	1.22E-08	2.41E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
1547	1547	1.14155	1.86799E-05	2.1E-05	6.05E-04	1.29E-08	2.41E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03
1548	1548	1.21028	1.86799E-05	2.3E-05	6.05E-04	1.37E-08	2.41E+00	4.71E-02	1.55E-09	1.0E+06	1.6E-03
1549	1549	1.28663	1.86799E-05	2.4E-05	6.05E-04	1.45E-08	2.41E+00	4.71E-02	1.65E-09	1.0E+06	1.6E-03
1550	1550	1.36437	1.86799E-05	2.5E-05	6.05E-04	1.54E-08	2.41E+00	4.71E-02	1.75E-09	1.0E+06	1.7E-03
1551	1551	1.46484	1.86799E-05	2.7E-05	6.05E-04	1.66E-08	2.41E+00	4.71E-02	1.88E-09	1.0E+06	1.9E-03
1552	1552	1.58162	1.86799E-05	3.0E-05	6.05E-04	1.79E-08	2.41E+00	4.71E-02	2.03E-09	1.0E+06	2.0E-03
1553	1553	1.70738	1.86799E-05	3.2E-05	6.05E-04	1.93E-08	2.41E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	1554	1.8501	1.86799E-05	3.5E-05	6.05E-04	2.09E-08	2.41E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
1555	1555	2.00699	1.86799E-05	3.7E-05	6.05E-04	2.27E-08	2.41E+00	4.71E-02	2.57E-09	1.0E+06	2.6E-03
1556	1556	2.18562	1.86799E-05	4.1E-05	6.05E-04	2.47E-08	2.41E+00	4.71E-02	2.80E-09	1.0E+06	2.8E-03
1557	1557	2.39387	1.86799E-05	4.5E-05	6.05E-04	2.71E-08	2.41E+00	4.71E-02	3.07E-09	1.0E+06	3.1E-03
1558	1558	2.64265	1.86799E-05	4.9E-05	6.05E-04	2.99E-08	2.41E+00	4.71E-02	3.39E-09	1.0E+06	3.4E-03
1559	1559	2.942	1.86799E-05	5.5E-05	6.05E-04	3.33E-08	2.41E+00	4.71E-02	3.77E-09	1.0E+06	3.8E-03
1560	1560	3.30767	1.86799E-05	6.2E-05	6.05E-04	3.74E-08	2.41E+00	4.71E-02	4.24E-09	1.0E+06	4.2E-03
1561	1561	3.76503	1.86799E-05	7.0E-05	6.05E-04	4.26E-08	2.41E+00	4.71E-02	4.83E-09	1.0E+06	4.8E-03
1562	1562	0.60327	1.86799E-05	1.1E-05	6.05E-04	6.82E-09	2.41E+00	4.71E-02	7.73E-10	1.0E+06	7.7E-04
1563	1563	0.62836	1.86799E-05	1.2E-05	6.05E-04	7.10E-09	2.41E+00	4.71E-02	8.05E-10	1.0E+06	8.1E-04
1564	1564	0.65505	1.86799E-05	1.2E-05	6.05E-04	7.40E-09	2.41E+00	4.71E-02	8.40E-10	1.0E+06	8.4E-04
1565	1565	0.68443	1.86799E-05	1.3E-05	6.05E-04	7.74E-09	2.41E+00	4.71E-02	8.77E-10	1.0E+06	8.8E-04
1566	1566	0.71718	1.86799E-05	1.3E-05	6.05E-04	8.11E-09	2.41E+00	4.71E-02	9.19E-10	1.0E+06	9.2E-04
1567	1567	0.75214	1.86799E-05	1.4E-05	6.05E-04	8.50E-09	2.41E+00	4.71E-02	9.64E-10	1.0E+06	9.6E-04
1568	1568	0.79167	1.86799E-05	1.5E-05	6.05E-04	8.95E-09	2.41E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
1569	1569	0.83412	1.86799E-05	1.6E-05	6.05E-04	9.43E-09	2.41E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
1570	1570	0.87801	1.86799E-05	1.6E-05	6.05E-04	9.92E-09	2.41E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
1571	1571	0.92184	1.86799E-05	1.7E-05	6.05E-04	1.04E-08	2.41E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
1572	1572	0.96976	1.86799E-05	1.8E-05	6.05E-04	1.10E-08	2.41E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
1573	1573	1.02382	1.86799E-05	1.9E-05	6.05E-04	1.16E-08	2.41E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
1574	1574	1.08352	1.86799E-05	2.0E-05	6.05E-04	1.22E-08	2.41E+00	4.71E-02	1.39E-09	1.0E+06	1.4E-03
1575	1575	1.14846	1.86799E-05	2.1E-05	6.05E-04	1.30E-08	2.41E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03
1576	1576	1.21679	1.86799E-05	2.3E-05	6.05E-04	1.38E-08	2.41E+00	4.71E-02	1.56E-09	1.0E+06	1.6E-03
1577	1577	1.29252	1.86799E-05	2.4E-05	6.05E-04	1.46E-08	2.41E+00	4.71E-02	1.66E-09	1.0E+06	1.7E-03
1578	1578	1.37184	1.86799E-05	2.6E-05	6.05E-04	1.55E-08	2.41E+00	4.71E-02	1.76E-09	1.0E+06	1.8E-03
1579	1579	1.46772	1.86799E-05	2.7E-05	6.05E-04	1.66E-08	2.41E+00	4.71E-02	1.88E-09	1.0E+06	1.9E-03
1580	1580	1.58244	1.86799E-05	3.0E-05	6.05E-04	1.79E-08	2.41E+00	4.71E-02	2.03E-09	1.0E+06	2.0E-03
1581	1581	1.71064	1.86799E-05	3.2E-05	6.05E-04	1.93E-08	2.41E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03
1582	1582	1.85425	1.86799E-05	3.5E-05	6.05E-04	2.10E-08	2.41E+00	4.71E-02	2.38E-09	1.0E+06	2.4E-03
1583	1583	2.01314	1.86799E-05	3.8E-05	6.05E-04	2.28E-08	2.41E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03
1584	1584	2.19275	1.86799E-05	4.1E-05	6.05E-04	2.48E-08	2.41E+00	4.71E-02	2.81E-09	1.0E+06	2.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	1585	2.40167	1.86799E-05	4.5E-05	6.05E-04	2.71E-08	2.41E+00	4.71E-02	3.08E-09	1.0E+06	3.1E-03
1586	1586	2.65004	1.86799E-05	5.0E-05	6.05E-04	3.00E-08	2.41E+00	4.71E-02	3.40E-09	1.0E+06	3.4E-03
1587	1587	2.94868	1.86799E-05	5.5E-05	6.05E-04	3.33E-08	2.41E+00	4.71E-02	3.78E-09	1.0E+06	3.8E-03
1588	1588	3.31319	1.86799E-05	6.2E-05	6.05E-04	3.74E-08	2.41E+00	4.71E-02	4.25E-09	1.0E+06	4.2E-03
1589	1589	3.76815	1.86799E-05	7.0E-05	6.05E-04	4.26E-08	2.41E+00	4.71E-02	4.83E-09	1.0E+06	4.8E-03
1590	1590	0.60358	1.86799E-05	1.1E-05	6.05E-04	6.82E-09	2.41E+00	4.71E-02	7.74E-10	1.0E+06	7.7E-04
1591	1591	0.6276	1.86799E-05	1.2E-05	6.05E-04	7.09E-09	2.41E+00	4.71E-02	8.04E-10	1.0E+06	8.0E-04
1592	1592	0.65306	1.86799E-05	1.2E-05	6.05E-04	7.38E-09	2.41E+00	4.71E-02	8.37E-10	1.0E+06	8.4E-04
1593	1593	0.68209	1.86799E-05	1.3E-05	6.05E-04	7.71E-09	2.41E+00	4.71E-02	8.74E-10	1.0E+06	8.7E-04
1594	1594	0.71537	1.86799E-05	1.3E-05	6.05E-04	8.09E-09	2.41E+00	4.71E-02	9.17E-10	1.0E+06	9.2E-04
1595	1595	0.75109	1.86799E-05	1.4E-05	6.05E-04	8.49E-09	2.41E+00	4.71E-02	9.63E-10	1.0E+06	9.6E-04
0	0	0	1.86799E-05	0.0E+00	6.05E-04	0.00E+00	2.41E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk					Chronic Non Cancer Risk				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
1213	1213	2.5E+00	Max	Receptor #	5	7.19E-03	Max	Receptor #	
1214	1214	4.8E+00	5.562	1217	5	1.39E-02	0.016	1217	Res
1215	1215	4.7E+00			5	1.36E-02			
1216	1216	4.7E+00			5	1.36E-02			
1217	1217	5.6E+00			5	1.62E-02			
1218	1218	4.5E+00			5	1.30E-02			
1219	1219	4.3E+00			5	1.25E-02			
1220	1220	4.2E+00			5	1.22E-02			
1221	1221	5.0E+00			5	1.44E-02			
1222	1222	3.8E+00			5	1.09E-02			
1223	1223	3.5E+00			5	1.00E-02			
1224	1224	3.2E+00			5	9.40E-03			
1225	1225	3.8E+00			5	1.10E-02			
1226	1226	3.4E+00			5	9.78E-03			
1227	1227	3.0E+00			5	8.68E-03			
1228	1228	5.1E+00			5	1.48E-02			
1229	1229	4.0E+00			5	1.18E-02			
1230	1230	4.9E+00			5	1.44E-02			
1231	1231	4.8E+00			5	1.39E-02			
1232	1232	4.8E+00			5	1.40E-02			
1233	1233	3.7E+00			5	1.08E-02			
1234	1234	4.5E+00			5	1.31E-02			
1235	1235	4.3E+00			5	1.24E-02			
1236	1236	4.2E+00			5	1.22E-02			
1237	1237	3.0E+00			5	8.78E-03			
1238	1238	3.7E+00			5	1.07E-02			
1239	1239	3.3E+00			5	9.51E-03			
1240	1240	2.9E+00			5	8.48E-03			
1241	1241	2.6E+00			5	7.56E-03			
1242	1242	5.4E+00			5	1.57E-02			
1243	1243	5.3E+00			5	1.56E-02			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1244	1244	5.3E+00	5	1.54E-02
1245	1245	5.2E+00	5	1.52E-02
1246	1246	5.1E+00	5	1.50E-02
1247	1247	5.0E+00	5	1.47E-02
1248	1248	4.9E+00	5	1.43E-02
1249	1249	4.8E+00	5	1.39E-02
1250	1250	4.6E+00	5	1.35E-02
1251	1251	4.4E+00	5	1.29E-02
1252	1252	4.2E+00	5	1.23E-02
1253	1253	3.9E+00	5	1.15E-02
1254	1254	3.6E+00	5	1.04E-02
1255	1255	3.2E+00	5	9.25E-03
1256	1256	4.5E+00	5	1.32E-02
1257	1257	4.5E+00	5	1.31E-02
1258	1258	4.4E+00	5	1.29E-02
1259	1259	4.4E+00	5	1.28E-02
1260	1260	4.3E+00	5	1.26E-02
1261	1261	4.2E+00	5	1.23E-02
1262	1262	4.1E+00	5	1.20E-02
1263	1263	4.0E+00	5	1.17E-02
1264	1264	3.9E+00	5	1.13E-02
1265	1265	3.7E+00	5	1.08E-02
1266	1266	3.5E+00	5	1.03E-02
1267	1267	3.3E+00	5	9.60E-03
1268	1268	3.0E+00	5	8.82E-03
1269	1269	2.7E+00	5	7.94E-03
1270	1270	3.9E+00	5	1.13E-02
1271	1271	3.8E+00	5	1.12E-02
1272	1272	3.8E+00	5	1.11E-02
1273	1273	3.7E+00	5	1.09E-02
1274	1274	3.7E+00	5	1.07E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1275	1275	3.6E+00	5	1.05E-02
1276	1276	3.5E+00	5	1.03E-02
1277	1277	3.4E+00	5	9.96E-03
1278	1278	3.3E+00	5	9.61E-03
1279	1279	3.2E+00	5	9.22E-03
1280	1280	3.0E+00	5	8.76E-03
1281	1281	2.8E+00	5	8.22E-03
1282	1282	2.6E+00	5	7.60E-03
1283	1283	2.4E+00	5	6.92E-03
1284	1284	3.4E+00	5	9.81E-03
1285	1285	3.3E+00	5	9.71E-03
1286	1286	3.3E+00	5	9.60E-03
1287	1287	3.3E+00	5	9.46E-03
1288	1288	3.2E+00	5	9.30E-03
1289	1289	3.1E+00	5	9.12E-03
1290	1290	3.1E+00	5	8.90E-03
1291	1291	3.0E+00	5	8.64E-03
1292	1292	2.9E+00	5	8.34E-03
1293	1293	2.8E+00	5	8.01E-03
1294	1294	2.6E+00	5	7.62E-03
1295	1295	2.5E+00	5	7.17E-03
1296	1296	2.3E+00	5	6.67E-03
1297	1297	2.1E+00	5	6.12E-03
1298	1298	3.0E+00	5	8.62E-03
1299	1299	2.9E+00	5	8.54E-03
1300	1300	2.9E+00	5	8.43E-03
1301	1301	2.9E+00	5	8.31E-03
1302	1302	2.8E+00	5	8.17E-03
1303	1303	2.8E+00	5	8.01E-03
1304	1304	2.7E+00	5	7.82E-03
1305	1305	2.6E+00	5	7.59E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1306	1306	2.6E+00	5	7.65E-03
1307	1307	2.6E+00	5	7.58E-03
1308	1308	2.6E+00	5	7.49E-03
1309	1309	2.5E+00	5	7.38E-03
1310	1310	2.5E+00	5	7.25E-03
1311	1311	2.4E+00	5	7.11E-03
1312	1312	2.4E+00	5	6.94E-03
1313	1313	2.3E+00	5	6.74E-03
1314	1314	2.4E+00	5	6.85E-03
1315	1315	2.3E+00	5	6.78E-03
1316	1316	2.3E+00	5	6.70E-03
1317	1317	2.3E+00	5	6.61E-03
1318	1318	2.2E+00	5	6.49E-03
1319	1319	2.2E+00	5	6.36E-03
1320	1320	2.1E+00	5	6.21E-03
1321	1321	2.1E+00	5	6.04E-03
1322	1322	2.1E+00	5	6.17E-03
1323	1323	2.1E+00	5	6.11E-03
1324	1324	2.1E+00	5	6.04E-03
1325	1325	2.0E+00	5	5.96E-03
1326	1326	2.0E+00	5	5.86E-03
1327	1327	2.0E+00	5	5.74E-03
1328	1328	1.9E+00	5	5.61E-03
1329	1329	1.9E+00	5	5.45E-03
1330	1330	1.9E+00	5	5.60E-03
1331	1331	1.9E+00	5	5.54E-03
1332	1332	1.9E+00	5	5.48E-03
1333	1333	1.9E+00	5	5.40E-03
1334	1334	1.8E+00	5	5.31E-03
1335	1335	1.8E+00	5	5.21E-03
1336	1336	1.8E+00	5	5.09E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1337	1337	1.7E+00	5	4.96E-03
1338	1338	1.0E+00	5	2.93E-03
1339	1339	1.1E+00	5	3.15E-03
1340	1340	1.2E+00	5	3.37E-03
1341	1341	1.2E+00	5	3.60E-03
1342	1342	1.3E+00	5	3.84E-03
1343	1343	1.4E+00	5	4.06E-03
1344	1344	1.5E+00	5	4.26E-03
1345	1345	1.5E+00	5	4.45E-03
1346	1346	1.6E+00	5	4.61E-03
1347	1347	1.6E+00	5	4.73E-03
1348	1348	1.7E+00	5	4.84E-03
1349	1349	1.7E+00	5	4.94E-03
1350	1350	1.7E+00	5	5.02E-03
1351	1351	1.7E+00	5	5.08E-03
1352	1352	1.8E+00	5	5.12E-03
1353	1353	1.8E+00	5	5.15E-03
1354	1354	1.8E+00	5	5.17E-03
1355	1355	1.8E+00	5	5.17E-03
1356	1356	1.8E+00	5	5.16E-03
1357	1357	1.8E+00	5	5.13E-03
1358	1358	1.8E+00	5	5.10E-03
1359	1359	1.7E+00	5	5.05E-03
1360	1360	1.7E+00	5	5.00E-03
1361	1361	1.7E+00	5	4.93E-03
1362	1362	1.7E+00	5	4.85E-03
1363	1363	1.6E+00	5	4.76E-03
1364	1364	1.6E+00	5	4.65E-03
1365	1365	1.6E+00	5	4.53E-03
1366	1366	9.3E-01	5	2.70E-03
1367	1367	9.9E-01	5	2.88E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1368	1368	1.1E+00	5	3.07E-03
1369	1369	1.1E+00	5	3.28E-03
1370	1370	1.2E+00	5	3.48E-03
1371	1371	1.3E+00	5	3.68E-03
1372	1372	1.3E+00	5	3.88E-03
1373	1373	1.4E+00	5	4.05E-03
1374	1374	1.4E+00	5	4.19E-03
1375	1375	1.5E+00	5	4.30E-03
1376	1376	1.5E+00	5	4.39E-03
1377	1377	1.5E+00	5	4.49E-03
1378	1378	1.6E+00	5	4.57E-03
1379	1379	1.6E+00	5	4.63E-03
1380	1380	1.6E+00	5	4.68E-03
1381	1381	1.6E+00	5	4.71E-03
1382	1382	1.6E+00	5	4.72E-03
1383	1383	1.6E+00	5	4.73E-03
1384	1384	1.6E+00	5	4.72E-03
1385	1385	1.6E+00	5	4.70E-03
1386	1386	1.6E+00	5	4.67E-03
1387	1387	1.6E+00	5	4.63E-03
1388	1388	1.6E+00	5	4.58E-03
1389	1389	1.6E+00	5	4.52E-03
1390	1390	1.5E+00	5	4.44E-03
1391	1391	1.5E+00	5	4.36E-03
1392	1392	1.5E+00	5	4.27E-03
1393	1393	1.4E+00	5	4.16E-03
1394	1394	8.5E-01	5	2.47E-03
1395	1395	9.1E-01	5	2.64E-03
1396	1396	9.6E-01	5	2.81E-03
1397	1397	1.0E+00	5	2.98E-03
1398	1398	1.1E+00	5	3.17E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1399	1399	1.1E+00	5	3.34E-03
1400	1400	1.2E+00	5	3.52E-03
1401	1401	1.3E+00	5	3.69E-03
1402	1402	1.3E+00	5	3.83E-03
1403	1403	1.4E+00	5	3.93E-03
1404	1404	1.4E+00	5	4.02E-03
1405	1405	1.4E+00	5	4.11E-03
1406	1406	1.4E+00	5	4.18E-03
1407	1407	1.5E+00	5	4.24E-03
1408	1408	1.5E+00	5	4.29E-03
1409	1409	1.5E+00	5	4.32E-03
1410	1410	1.5E+00	5	4.34E-03
1411	1411	1.5E+00	5	4.34E-03
1412	1412	1.5E+00	5	4.33E-03
1413	1413	1.5E+00	5	4.32E-03
1414	1414	1.5E+00	5	4.29E-03
1415	1415	1.5E+00	5	4.26E-03
1416	1416	1.4E+00	5	4.21E-03
1417	1417	1.4E+00	5	4.16E-03
1418	1418	1.4E+00	5	4.09E-03
1419	1419	1.4E+00	5	4.02E-03
1420	1420	1.4E+00	5	3.93E-03
1421	1421	1.3E+00	5	3.84E-03
1422	1422	7.8E-01	5	2.27E-03
1423	1423	8.3E-01	5	2.42E-03
1424	1424	8.8E-01	5	2.57E-03
1425	1425	9.3E-01	5	2.72E-03
1426	1426	9.9E-01	5	2.88E-03
1427	1427	1.0E+00	5	3.04E-03
1428	1428	1.1E+00	5	3.22E-03
1429	1429	1.2E+00	5	3.38E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1430	1430	1.2E+00	5	3.51E-03
1431	1431	1.2E+00	5	3.60E-03
1432	1432	1.3E+00	5	3.69E-03
1433	1433	1.3E+00	5	3.77E-03
1434	1434	1.3E+00	5	3.84E-03
1435	1435	1.3E+00	5	3.90E-03
1436	1436	1.4E+00	5	3.94E-03
1437	1437	1.4E+00	5	3.98E-03
1438	1438	1.4E+00	5	4.00E-03
1439	1439	1.4E+00	5	4.00E-03
1440	1440	1.4E+00	5	4.00E-03
1441	1441	1.4E+00	5	3.98E-03
1442	1442	1.4E+00	5	3.96E-03
1443	1443	1.4E+00	5	3.93E-03
1444	1444	1.3E+00	5	3.89E-03
1445	1445	1.3E+00	5	3.84E-03
1446	1446	1.3E+00	5	3.78E-03
1447	1447	1.3E+00	5	3.71E-03
1448	1448	1.3E+00	5	3.64E-03
1449	1449	1.2E+00	5	3.55E-03
1450	1450	7.2E-01	5	2.09E-03
1451	1451	7.6E-01	5	2.22E-03
1452	1452	8.1E-01	5	2.35E-03
1453	1453	8.6E-01	5	2.49E-03
1454	1454	9.1E-01	5	2.63E-03
1455	1455	9.5E-01	5	2.77E-03
1456	1456	1.0E+00	5	2.94E-03
1457	1457	1.1E+00	5	3.10E-03
1458	1458	1.1E+00	5	3.23E-03
1459	1459	1.1E+00	5	3.32E-03
1460	1460	1.2E+00	5	3.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1461	1461	1.2E+00	5	3.48E-03
1462	1462	1.2E+00	5	3.54E-03
1463	1463	1.2E+00	5	3.59E-03
1464	1464	1.3E+00	5	3.64E-03
1465	1465	1.3E+00	5	3.68E-03
1466	1466	1.3E+00	5	3.69E-03
1467	1467	1.3E+00	5	3.70E-03
1468	1468	1.3E+00	5	3.70E-03
1469	1469	1.3E+00	5	3.69E-03
1470	1470	1.3E+00	5	3.67E-03
1471	1471	1.3E+00	5	3.64E-03
1472	1472	1.2E+00	5	3.60E-03
1473	1473	1.2E+00	5	3.56E-03
1474	1474	1.2E+00	5	3.51E-03
1475	1475	1.2E+00	5	3.45E-03
1476	1476	1.2E+00	5	3.38E-03
1477	1477	1.1E+00	5	3.30E-03
1478	1478	6.7E-01	5	1.94E-03
1479	1479	7.1E-01	5	2.05E-03
1480	1480	7.5E-01	5	2.17E-03
1481	1481	7.9E-01	5	2.30E-03
1482	1482	8.4E-01	5	2.43E-03
1483	1483	8.8E-01	5	2.56E-03
1484	1484	9.3E-01	5	2.72E-03
1485	1485	9.8E-01	5	2.86E-03
1486	1486	1.0E+00	5	2.98E-03
1487	1487	1.1E+00	5	3.07E-03
1488	1488	1.1E+00	5	3.14E-03
1489	1489	1.1E+00	5	3.22E-03
1490	1490	1.1E+00	5	3.28E-03
1491	1491	1.1E+00	5	3.33E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1492	1492	1.2E+00	5	3.37E-03
1493	1493	1.2E+00	5	3.40E-03
1494	1494	1.2E+00	5	3.42E-03
1495	1495	1.2E+00	5	3.43E-03
1496	1496	1.2E+00	5	3.43E-03
1497	1497	1.2E+00	5	3.42E-03
1498	1498	1.2E+00	5	3.40E-03
1499	1499	1.2E+00	5	3.38E-03
1500	1500	1.2E+00	5	3.35E-03
1501	1501	1.1E+00	5	3.31E-03
1502	1502	1.1E+00	5	3.26E-03
1503	1503	1.1E+00	5	3.21E-03
1504	1504	1.1E+00	5	3.15E-03
1505	1505	1.1E+00	5	3.08E-03
1506	1506	6.2E-01	5	1.79E-03
1507	1507	6.5E-01	5	1.90E-03
1508	1508	6.9E-01	5	2.02E-03
1509	1509	7.3E-01	5	2.13E-03
1510	1510	7.8E-01	5	2.26E-03
1511	1511	8.2E-01	5	2.38E-03
1512	1512	8.7E-01	5	2.52E-03
1513	1513	9.1E-01	5	2.65E-03
1514	1514	9.5E-01	5	2.76E-03
1515	1515	9.8E-01	5	2.85E-03
1516	1516	1.0E+00	5	2.92E-03
1517	1517	1.0E+00	5	2.99E-03
1518	1518	1.0E+00	5	3.04E-03
1519	1519	1.1E+00	5	3.09E-03
1520	1520	1.1E+00	5	3.13E-03
1521	1521	1.1E+00	5	3.16E-03
1522	1522	1.1E+00	5	3.18E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1523	1523	1.1E+00	5	3.19E-03
1524	1524	1.1E+00	5	3.19E-03
1525	1525	1.1E+00	5	3.18E-03
1526	1526	1.1E+00	5	3.17E-03
1527	1527	1.1E+00	5	3.15E-03
1528	1528	1.1E+00	5	3.12E-03
1529	1529	1.1E+00	5	3.08E-03
1530	1530	1.0E+00	5	3.04E-03
1531	1531	1.0E+00	5	2.99E-03
1532	1532	1.0E+00	5	2.94E-03
1533	1533	9.9E-01	5	2.88E-03
1534	1534	5.7E-01	5	1.67E-03
1535	1535	6.1E-01	5	1.77E-03
1536	1536	6.4E-01	5	1.87E-03
1537	1537	6.8E-01	5	1.98E-03
1538	1538	7.2E-01	5	2.10E-03
1539	1539	7.6E-01	5	2.22E-03
1540	1540	8.1E-01	5	2.35E-03
1541	1541	8.5E-01	5	2.47E-03
1542	1542	8.8E-01	5	2.57E-03
1543	1543	9.1E-01	5	2.64E-03
1544	1544	9.3E-01	5	2.71E-03
1545	1545	9.6E-01	5	2.78E-03
1546	1546	9.7E-01	5	2.83E-03
1547	1547	9.9E-01	5	2.88E-03
1548	1548	1.0E+00	5	2.92E-03
1549	1549	1.0E+00	5	2.94E-03
1550	1550	1.0E+00	5	2.96E-03
1551	1551	1.0E+00	5	2.97E-03
1552	1552	1.0E+00	5	2.97E-03
1553	1553	1.0E+00	5	2.97E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1554	1554	1.0E+00	5	2.96E-03
1555	1555	1.0E+00	5	2.94E-03
1556	1556	1.0E+00	5	2.92E-03
1557	1557	9.9E-01	5	2.88E-03
1558	1558	9.8E-01	5	2.85E-03
1559	1559	9.7E-01	5	2.80E-03
1560	1560	9.5E-01	5	2.75E-03
1561	1561	9.3E-01	5	2.69E-03
1562	1562	5.3E-01	5	1.56E-03
1563	1563	5.7E-01	5	1.65E-03
1564	1564	6.0E-01	5	1.74E-03
1565	1565	6.3E-01	5	1.84E-03
1566	1566	6.7E-01	5	1.95E-03
1567	1567	7.1E-01	5	2.06E-03
1568	1568	7.5E-01	5	2.17E-03
1569	1569	7.9E-01	5	2.29E-03
1570	1570	8.2E-01	5	2.38E-03
1571	1571	8.4E-01	5	2.45E-03
1572	1572	8.7E-01	5	2.52E-03
1573	1573	8.9E-01	5	2.59E-03
1574	1574	9.1E-01	5	2.64E-03
1575	1575	9.2E-01	5	2.69E-03
1576	1576	9.4E-01	5	2.72E-03
1577	1577	9.5E-01	5	2.75E-03
1578	1578	9.5E-01	5	2.77E-03
1579	1579	9.6E-01	5	2.78E-03
1580	1580	9.6E-01	5	2.78E-03
1581	1581	9.6E-01	5	2.78E-03
1582	1582	9.5E-01	5	2.77E-03
1583	1583	9.5E-01	5	2.75E-03
1584	1584	9.4E-01	5	2.73E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1585	1585	9.3E-01	5	2.70E-03
1586	1586	9.2E-01	5	2.67E-03
1587	1587	9.1E-01	5	2.63E-03
1588	1588	8.9E-01	5	2.58E-03
1589	1589	8.7E-01	5	2.53E-03
1590	1590	5.0E-01	5	1.46E-03
1591	1591	5.3E-01	5	1.54E-03
1592	1592	5.6E-01	5	1.62E-03
1593	1593	5.9E-01	5	1.71E-03
1594	1594	6.2E-01	5	1.81E-03
1595	1595	6.5E-01	5	1.90E-03
0	0	0.0E+00	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	7.15895	1.17E-02	8.4E-02	6.05E-04	5.07E-05	5.48E-02	4.71E-02	1.31E-07	1.0E+06	1.3E-01
1214	13.81549	1.17E-02	1.6E-01	6.05E-04	9.79E-05	5.48E-02	4.71E-02	2.53E-07	1.0E+06	2.5E-01
1215	13.49237	1.17E-02	1.6E-01	6.05E-04	9.56E-05	5.48E-02	4.71E-02	2.47E-07	1.0E+06	2.5E-01
1216	13.52195	1.17E-02	1.6E-01	6.05E-04	9.58E-05	5.48E-02	4.71E-02	2.47E-07	1.0E+06	2.5E-01
1217	16.11207	1.17E-02	1.9E-01	6.05E-04	1.14E-04	5.48E-02	4.71E-02	2.95E-07	1.0E+06	2.9E-01
1218	12.95641	1.17E-02	1.5E-01	6.05E-04	9.18E-05	5.48E-02	4.71E-02	2.37E-07	1.0E+06	2.4E-01
1219	12.41041	1.17E-02	1.5E-01	6.05E-04	8.79E-05	5.48E-02	4.71E-02	2.27E-07	1.0E+06	2.3E-01
1220	12.15445	1.17E-02	1.4E-01	6.05E-04	8.61E-05	5.48E-02	4.71E-02	2.22E-07	1.0E+06	2.2E-01
1221	14.37718	1.17E-02	1.7E-01	6.05E-04	1.02E-04	5.48E-02	4.71E-02	2.63E-07	1.0E+06	2.6E-01
1222	10.87803	1.17E-02	1.3E-01	6.05E-04	7.71E-05	5.48E-02	4.71E-02	1.99E-07	1.0E+06	2.0E-01
1223	9.99783	1.17E-02	1.2E-01	6.05E-04	7.08E-05	5.48E-02	4.71E-02	1.83E-07	1.0E+06	1.8E-01
1224	9.35552	1.17E-02	1.1E-01	6.05E-04	6.63E-05	5.48E-02	4.71E-02	1.71E-07	1.0E+06	1.7E-01
1225	10.95212	1.17E-02	1.3E-01	6.05E-04	7.76E-05	5.48E-02	4.71E-02	2.00E-07	1.0E+06	2.0E-01
1226	9.73576	1.17E-02	1.1E-01	6.05E-04	6.90E-05	5.48E-02	4.71E-02	1.78E-07	1.0E+06	1.8E-01
1227	8.63577	1.17E-02	1.0E-01	6.05E-04	6.12E-05	5.48E-02	4.71E-02	1.58E-07	1.0E+06	1.6E-01
1228	14.70152	1.17E-02	1.7E-01	6.05E-04	1.04E-04	5.48E-02	4.71E-02	2.69E-07	1.0E+06	2.7E-01
1229	11.71597	1.17E-02	1.4E-01	6.05E-04	8.30E-05	5.48E-02	4.71E-02	2.14E-07	1.0E+06	2.1E-01
1230	14.28906	1.17E-02	1.7E-01	6.05E-04	1.01E-04	5.48E-02	4.71E-02	2.61E-07	1.0E+06	2.6E-01
1231	13.83858	1.17E-02	1.6E-01	6.05E-04	9.80E-05	5.48E-02	4.71E-02	2.53E-07	1.0E+06	2.5E-01
1232	13.90897	1.17E-02	1.6E-01	6.05E-04	9.85E-05	5.48E-02	4.71E-02	2.55E-07	1.0E+06	2.5E-01
1233	10.76382	1.17E-02	1.3E-01	6.05E-04	7.63E-05	5.48E-02	4.71E-02	1.97E-07	1.0E+06	2.0E-01
1234	13.0605	1.17E-02	1.5E-01	6.05E-04	9.25E-05	5.48E-02	4.71E-02	2.39E-07	1.0E+06	2.4E-01
1235	12.36856	1.17E-02	1.4E-01	6.05E-04	8.76E-05	5.48E-02	4.71E-02	2.26E-07	1.0E+06	2.3E-01
1236	12.1705	1.17E-02	1.4E-01	6.05E-04	8.62E-05	5.48E-02	4.71E-02	2.23E-07	1.0E+06	2.2E-01
1237	8.73926	1.17E-02	1.0E-01	6.05E-04	6.19E-05	5.48E-02	4.71E-02	1.60E-07	1.0E+06	1.6E-01
1238	10.68832	1.17E-02	1.3E-01	6.05E-04	7.57E-05	5.48E-02	4.71E-02	1.96E-07	1.0E+06	2.0E-01
1239	9.46584	1.17E-02	1.1E-01	6.05E-04	6.71E-05	5.48E-02	4.71E-02	1.73E-07	1.0E+06	1.7E-01
1240	8.43844	1.17E-02	9.9E-02	6.05E-04	5.98E-05	5.48E-02	4.71E-02	1.54E-07	1.0E+06	1.5E-01
1241	7.51892	1.17E-02	8.8E-02	6.05E-04	5.33E-05	5.48E-02	4.71E-02	1.38E-07	1.0E+06	1.4E-01
1242	15.63269	1.17E-02	1.8E-01	6.05E-04	1.11E-04	5.48E-02	4.71E-02	2.86E-07	1.0E+06	2.9E-01
1243	15.49646	1.17E-02	1.8E-01	6.05E-04	1.10E-04	5.48E-02	4.71E-02	2.84E-07	1.0E+06	2.8E-01

	Max	Receptor #
Res	0.295	1217

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	15.35	1.17E-02	1.8E-01	6.05E-04	1.09E-04	5.48E-02	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1245	15.15779	1.17E-02	1.8E-01	6.05E-04	1.07E-04	5.48E-02	4.71E-02	2.77E-07	1.0E+06	2.8E-01
1246	14.89568	1.17E-02	1.7E-01	6.05E-04	1.06E-04	5.48E-02	4.71E-02	2.73E-07	1.0E+06	2.7E-01
1247	14.59435	1.17E-02	1.7E-01	6.05E-04	1.03E-04	5.48E-02	4.71E-02	2.67E-07	1.0E+06	2.7E-01
1248	14.26608	1.17E-02	1.7E-01	6.05E-04	1.01E-04	5.48E-02	4.71E-02	2.61E-07	1.0E+06	2.6E-01
1249	13.87008	1.17E-02	1.6E-01	6.05E-04	9.83E-05	5.48E-02	4.71E-02	2.54E-07	1.0E+06	2.5E-01
1250	13.38369	1.17E-02	1.6E-01	6.05E-04	9.48E-05	5.48E-02	4.71E-02	2.45E-07	1.0E+06	2.4E-01
1251	12.85069	1.17E-02	1.5E-01	6.05E-04	9.10E-05	5.48E-02	4.71E-02	2.35E-07	1.0E+06	2.4E-01
1252	12.22595	1.17E-02	1.4E-01	6.05E-04	8.66E-05	5.48E-02	4.71E-02	2.24E-07	1.0E+06	2.2E-01
1253	11.42044	1.17E-02	1.3E-01	6.05E-04	8.09E-05	5.48E-02	4.71E-02	2.09E-07	1.0E+06	2.1E-01
1254	10.39321	1.17E-02	1.2E-01	6.05E-04	7.36E-05	5.48E-02	4.71E-02	1.90E-07	1.0E+06	1.9E-01
1255	9.20791	1.17E-02	1.1E-01	6.05E-04	6.52E-05	5.48E-02	4.71E-02	1.68E-07	1.0E+06	1.7E-01
1256	13.13208	1.17E-02	1.5E-01	6.05E-04	9.30E-05	5.48E-02	4.71E-02	2.40E-07	1.0E+06	2.4E-01
1257	13.01441	1.17E-02	1.5E-01	6.05E-04	9.22E-05	5.48E-02	4.71E-02	2.38E-07	1.0E+06	2.4E-01
1258	12.87265	1.17E-02	1.5E-01	6.05E-04	9.12E-05	5.48E-02	4.71E-02	2.36E-07	1.0E+06	2.4E-01
1259	12.69931	1.17E-02	1.5E-01	6.05E-04	9.00E-05	5.48E-02	4.71E-02	2.32E-07	1.0E+06	2.3E-01
1260	12.49121	1.17E-02	1.5E-01	6.05E-04	8.85E-05	5.48E-02	4.71E-02	2.29E-07	1.0E+06	2.3E-01
1261	12.23703	1.17E-02	1.4E-01	6.05E-04	8.67E-05	5.48E-02	4.71E-02	2.24E-07	1.0E+06	2.2E-01
1262	11.94325	1.17E-02	1.4E-01	6.05E-04	8.46E-05	5.48E-02	4.71E-02	2.19E-07	1.0E+06	2.2E-01
1263	11.60421	1.17E-02	1.4E-01	6.05E-04	8.22E-05	5.48E-02	4.71E-02	2.12E-07	1.0E+06	2.1E-01
1264	11.20248	1.17E-02	1.3E-01	6.05E-04	7.94E-05	5.48E-02	4.71E-02	2.05E-07	1.0E+06	2.0E-01
1265	10.74927	1.17E-02	1.3E-01	6.05E-04	7.61E-05	5.48E-02	4.71E-02	1.97E-07	1.0E+06	2.0E-01
1266	10.21143	1.17E-02	1.2E-01	6.05E-04	7.23E-05	5.48E-02	4.71E-02	1.87E-07	1.0E+06	1.9E-01
1267	9.55729	1.17E-02	1.1E-01	6.05E-04	6.77E-05	5.48E-02	4.71E-02	1.75E-07	1.0E+06	1.7E-01
1268	8.77599	1.17E-02	1.0E-01	6.05E-04	6.22E-05	5.48E-02	4.71E-02	1.61E-07	1.0E+06	1.6E-01
1269	7.89918	1.17E-02	9.2E-02	6.05E-04	5.60E-05	5.48E-02	4.71E-02	1.45E-07	1.0E+06	1.4E-01
1270	11.2371	1.17E-02	1.3E-01	6.05E-04	7.96E-05	5.48E-02	4.71E-02	2.06E-07	1.0E+06	2.1E-01
1271	11.13338	1.17E-02	1.3E-01	6.05E-04	7.89E-05	5.48E-02	4.71E-02	2.04E-07	1.0E+06	2.0E-01
1272	11.00483	1.17E-02	1.3E-01	6.05E-04	7.80E-05	5.48E-02	4.71E-02	2.01E-07	1.0E+06	2.0E-01
1273	10.84838	1.17E-02	1.3E-01	6.05E-04	7.68E-05	5.48E-02	4.71E-02	1.99E-07	1.0E+06	2.0E-01
1274	10.67084	1.17E-02	1.2E-01	6.05E-04	7.56E-05	5.48E-02	4.71E-02	1.95E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	10.45682	1.17E-02	1.2E-01	6.05E-04	7.41E-05	5.48E-02	4.71E-02	1.91E-07	1.0E+06	1.9E-01
1276	10.20145	1.17E-02	1.2E-01	6.05E-04	7.23E-05	5.48E-02	4.71E-02	1.87E-07	1.0E+06	1.9E-01
1277	9.90751	1.17E-02	1.2E-01	6.05E-04	7.02E-05	5.48E-02	4.71E-02	1.81E-07	1.0E+06	1.8E-01
1278	9.56641	1.17E-02	1.1E-01	6.05E-04	6.78E-05	5.48E-02	4.71E-02	1.75E-07	1.0E+06	1.8E-01
1279	9.17642	1.17E-02	1.1E-01	6.05E-04	6.50E-05	5.48E-02	4.71E-02	1.68E-07	1.0E+06	1.7E-01
1280	8.71977	1.17E-02	1.0E-01	6.05E-04	6.18E-05	5.48E-02	4.71E-02	1.60E-07	1.0E+06	1.6E-01
1281	8.18363	1.17E-02	9.6E-02	6.05E-04	5.80E-05	5.48E-02	4.71E-02	1.50E-07	1.0E+06	1.5E-01
1282	7.5666	1.17E-02	8.9E-02	6.05E-04	5.36E-05	5.48E-02	4.71E-02	1.38E-07	1.0E+06	1.4E-01
1283	6.88851	1.17E-02	8.1E-02	6.05E-04	4.88E-05	5.48E-02	4.71E-02	1.26E-07	1.0E+06	1.3E-01
1284	9.75945	1.17E-02	1.1E-01	6.05E-04	6.91E-05	5.48E-02	4.71E-02	1.79E-07	1.0E+06	1.8E-01
1285	9.66684	1.17E-02	1.1E-01	6.05E-04	6.85E-05	5.48E-02	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1286	9.55206	1.17E-02	1.1E-01	6.05E-04	6.77E-05	5.48E-02	4.71E-02	1.75E-07	1.0E+06	1.7E-01
1287	9.41346	1.17E-02	1.1E-01	6.05E-04	6.67E-05	5.48E-02	4.71E-02	1.72E-07	1.0E+06	1.7E-01
1288	9.25445	1.17E-02	1.1E-01	6.05E-04	6.56E-05	5.48E-02	4.71E-02	1.69E-07	1.0E+06	1.7E-01
1289	9.07085	1.17E-02	1.1E-01	6.05E-04	6.43E-05	5.48E-02	4.71E-02	1.66E-07	1.0E+06	1.7E-01
1290	8.85142	1.17E-02	1.0E-01	6.05E-04	6.27E-05	5.48E-02	4.71E-02	1.62E-07	1.0E+06	1.6E-01
1291	8.59582	1.17E-02	1.0E-01	6.05E-04	6.09E-05	5.48E-02	4.71E-02	1.57E-07	1.0E+06	1.6E-01
1292	8.30249	1.17E-02	9.7E-02	6.05E-04	5.88E-05	5.48E-02	4.71E-02	1.52E-07	1.0E+06	1.5E-01
1293	7.96665	1.17E-02	9.3E-02	6.05E-04	5.64E-05	5.48E-02	4.71E-02	1.46E-07	1.0E+06	1.5E-01
1294	7.57866	1.17E-02	8.9E-02	6.05E-04	5.37E-05	5.48E-02	4.71E-02	1.39E-07	1.0E+06	1.4E-01
1295	7.13377	1.17E-02	8.4E-02	6.05E-04	5.05E-05	5.48E-02	4.71E-02	1.31E-07	1.0E+06	1.3E-01
1296	6.6336	1.17E-02	7.8E-02	6.05E-04	4.70E-05	5.48E-02	4.71E-02	1.21E-07	1.0E+06	1.2E-01
1297	6.09085	1.17E-02	7.1E-02	6.05E-04	4.31E-05	5.48E-02	4.71E-02	1.11E-07	1.0E+06	1.1E-01
1298	8.57804	1.17E-02	1.0E-01	6.05E-04	6.08E-05	5.48E-02	4.71E-02	1.57E-07	1.0E+06	1.6E-01
1299	8.49513	1.17E-02	9.9E-02	6.05E-04	6.02E-05	5.48E-02	4.71E-02	1.55E-07	1.0E+06	1.6E-01
1300	8.39221	1.17E-02	9.8E-02	6.05E-04	5.95E-05	5.48E-02	4.71E-02	1.54E-07	1.0E+06	1.5E-01
1301	8.269	1.17E-02	9.7E-02	6.05E-04	5.86E-05	5.48E-02	4.71E-02	1.51E-07	1.0E+06	1.5E-01
1302	8.12788	1.17E-02	9.5E-02	6.05E-04	5.76E-05	5.48E-02	4.71E-02	1.49E-07	1.0E+06	1.5E-01
1303	7.96655	1.17E-02	9.3E-02	6.05E-04	5.64E-05	5.48E-02	4.71E-02	1.46E-07	1.0E+06	1.5E-01
1304	7.77688	1.17E-02	9.1E-02	6.05E-04	5.51E-05	5.48E-02	4.71E-02	1.42E-07	1.0E+06	1.4E-01
1305	7.55422	1.17E-02	8.8E-02	6.05E-04	5.35E-05	5.48E-02	4.71E-02	1.38E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	7.61436	1.17E-02	8.9E-02	6.05E-04	5.39E-05	5.48E-02	4.71E-02	1.39E-07	1.0E+06	1.4E-01
1307	7.54083	1.17E-02	8.8E-02	6.05E-04	5.34E-05	5.48E-02	4.71E-02	1.38E-07	1.0E+06	1.4E-01
1308	7.44989	1.17E-02	8.7E-02	6.05E-04	5.28E-05	5.48E-02	4.71E-02	1.36E-07	1.0E+06	1.4E-01
1309	7.34135	1.17E-02	8.6E-02	6.05E-04	5.20E-05	5.48E-02	4.71E-02	1.34E-07	1.0E+06	1.3E-01
1310	7.21757	1.17E-02	8.5E-02	6.05E-04	5.11E-05	5.48E-02	4.71E-02	1.32E-07	1.0E+06	1.3E-01
1311	7.07301	1.17E-02	8.3E-02	6.05E-04	5.01E-05	5.48E-02	4.71E-02	1.29E-07	1.0E+06	1.3E-01
1312	6.90398	1.17E-02	8.1E-02	6.05E-04	4.89E-05	5.48E-02	4.71E-02	1.26E-07	1.0E+06	1.3E-01
1313	6.70915	1.17E-02	7.9E-02	6.05E-04	4.75E-05	5.48E-02	4.71E-02	1.23E-07	1.0E+06	1.2E-01
1314	6.81468	1.17E-02	8.0E-02	6.05E-04	4.83E-05	5.48E-02	4.71E-02	1.25E-07	1.0E+06	1.2E-01
1315	6.74938	1.17E-02	7.9E-02	6.05E-04	4.78E-05	5.48E-02	4.71E-02	1.24E-07	1.0E+06	1.2E-01
1316	6.66911	1.17E-02	7.8E-02	6.05E-04	4.72E-05	5.48E-02	4.71E-02	1.22E-07	1.0E+06	1.2E-01
1317	6.57364	1.17E-02	7.7E-02	6.05E-04	4.66E-05	5.48E-02	4.71E-02	1.20E-07	1.0E+06	1.2E-01
1318	6.4628	1.17E-02	7.6E-02	6.05E-04	4.58E-05	5.48E-02	4.71E-02	1.18E-07	1.0E+06	1.2E-01
1319	6.333	1.17E-02	7.4E-02	6.05E-04	4.49E-05	5.48E-02	4.71E-02	1.16E-07	1.0E+06	1.2E-01
1320	6.18275	1.17E-02	7.2E-02	6.05E-04	4.38E-05	5.48E-02	4.71E-02	1.13E-07	1.0E+06	1.1E-01
1321	6.01167	1.17E-02	7.0E-02	6.05E-04	4.26E-05	5.48E-02	4.71E-02	1.10E-07	1.0E+06	1.1E-01
1322	6.14171	1.17E-02	7.2E-02	6.05E-04	4.35E-05	5.48E-02	4.71E-02	1.12E-07	1.0E+06	1.1E-01
1323	6.08382	1.17E-02	7.1E-02	6.05E-04	4.31E-05	5.48E-02	4.71E-02	1.11E-07	1.0E+06	1.1E-01
1324	6.01269	1.17E-02	7.0E-02	6.05E-04	4.26E-05	5.48E-02	4.71E-02	1.10E-07	1.0E+06	1.1E-01
1325	5.92782	1.17E-02	6.9E-02	6.05E-04	4.20E-05	5.48E-02	4.71E-02	1.08E-07	1.0E+06	1.1E-01
1326	5.82807	1.17E-02	6.8E-02	6.05E-04	4.13E-05	5.48E-02	4.71E-02	1.07E-07	1.0E+06	1.1E-01
1327	5.71184	1.17E-02	6.7E-02	6.05E-04	4.05E-05	5.48E-02	4.71E-02	1.05E-07	1.0E+06	1.0E-01
1328	5.57841	1.17E-02	6.5E-02	6.05E-04	3.95E-05	5.48E-02	4.71E-02	1.02E-07	1.0E+06	1.0E-01
1329	5.42744	1.17E-02	6.4E-02	6.05E-04	3.84E-05	5.48E-02	4.71E-02	9.93E-08	1.0E+06	9.9E-02
1330	5.56801	1.17E-02	6.5E-02	6.05E-04	3.94E-05	5.48E-02	4.71E-02	1.02E-07	1.0E+06	1.0E-01
1331	5.51665	1.17E-02	6.5E-02	6.05E-04	3.91E-05	5.48E-02	4.71E-02	1.01E-07	1.0E+06	1.0E-01
1332	5.45306	1.17E-02	6.4E-02	6.05E-04	3.86E-05	5.48E-02	4.71E-02	9.98E-08	1.0E+06	1.0E-01
1333	5.37707	1.17E-02	6.3E-02	6.05E-04	3.81E-05	5.48E-02	4.71E-02	9.84E-08	1.0E+06	9.8E-02
1334	5.28827	1.17E-02	6.2E-02	6.05E-04	3.75E-05	5.48E-02	4.71E-02	9.68E-08	1.0E+06	9.7E-02
1335	5.1849	1.17E-02	6.1E-02	6.05E-04	3.67E-05	5.48E-02	4.71E-02	9.49E-08	1.0E+06	9.5E-02
1336	5.06618	1.17E-02	5.9E-02	6.05E-04	3.59E-05	5.48E-02	4.71E-02	9.27E-08	1.0E+06	9.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	4.93206	1.17E-02	5.8E-02	6.05E-04	3.49E-05	5.48E-02	4.71E-02	9.03E-08	1.0E+06	9.0E-02
1338	2.91471	1.17E-02	3.4E-02	6.05E-04	2.06E-05	5.48E-02	4.71E-02	5.33E-08	1.0E+06	5.3E-02
1339	3.13335	1.17E-02	3.7E-02	6.05E-04	2.22E-05	5.48E-02	4.71E-02	5.73E-08	1.0E+06	5.7E-02
1340	3.34931	1.17E-02	3.9E-02	6.05E-04	2.37E-05	5.48E-02	4.71E-02	6.13E-08	1.0E+06	6.1E-02
1341	3.58675	1.17E-02	4.2E-02	6.05E-04	2.54E-05	5.48E-02	4.71E-02	6.56E-08	1.0E+06	6.6E-02
1342	3.82434	1.17E-02	4.5E-02	6.05E-04	2.71E-05	5.48E-02	4.71E-02	7.00E-08	1.0E+06	7.0E-02
1343	4.03544	1.17E-02	4.7E-02	6.05E-04	2.86E-05	5.48E-02	4.71E-02	7.38E-08	1.0E+06	7.4E-02
1344	4.24345	1.17E-02	5.0E-02	6.05E-04	3.01E-05	5.48E-02	4.71E-02	7.77E-08	1.0E+06	7.8E-02
1345	4.43286	1.17E-02	5.2E-02	6.05E-04	3.14E-05	5.48E-02	4.71E-02	8.11E-08	1.0E+06	8.1E-02
1346	4.5862	1.17E-02	5.4E-02	6.05E-04	3.25E-05	5.48E-02	4.71E-02	8.39E-08	1.0E+06	8.4E-02
1347	4.71107	1.17E-02	5.5E-02	6.05E-04	3.34E-05	5.48E-02	4.71E-02	8.62E-08	1.0E+06	8.6E-02
1348	4.81697	1.17E-02	5.6E-02	6.05E-04	3.41E-05	5.48E-02	4.71E-02	8.81E-08	1.0E+06	8.8E-02
1349	4.91292	1.17E-02	5.8E-02	6.05E-04	3.48E-05	5.48E-02	4.71E-02	8.99E-08	1.0E+06	9.0E-02
1350	4.99402	1.17E-02	5.8E-02	6.05E-04	3.54E-05	5.48E-02	4.71E-02	9.14E-08	1.0E+06	9.1E-02
1351	5.05458	1.17E-02	5.9E-02	6.05E-04	3.58E-05	5.48E-02	4.71E-02	9.25E-08	1.0E+06	9.2E-02
1352	5.09921	1.17E-02	6.0E-02	6.05E-04	3.61E-05	5.48E-02	4.71E-02	9.33E-08	1.0E+06	9.3E-02
1353	5.12843	1.17E-02	6.0E-02	6.05E-04	3.63E-05	5.48E-02	4.71E-02	9.38E-08	1.0E+06	9.4E-02
1354	5.14121	1.17E-02	6.0E-02	6.05E-04	3.64E-05	5.48E-02	4.71E-02	9.41E-08	1.0E+06	9.4E-02
1355	5.14202	1.17E-02	6.0E-02	6.05E-04	3.64E-05	5.48E-02	4.71E-02	9.41E-08	1.0E+06	9.4E-02
1356	5.13064	1.17E-02	6.0E-02	6.05E-04	3.63E-05	5.48E-02	4.71E-02	9.39E-08	1.0E+06	9.4E-02
1357	5.108	1.17E-02	6.0E-02	6.05E-04	3.62E-05	5.48E-02	4.71E-02	9.35E-08	1.0E+06	9.3E-02
1358	5.07439	1.17E-02	5.9E-02	6.05E-04	3.59E-05	5.48E-02	4.71E-02	9.29E-08	1.0E+06	9.3E-02
1359	5.02888	1.17E-02	5.9E-02	6.05E-04	3.56E-05	5.48E-02	4.71E-02	9.20E-08	1.0E+06	9.2E-02
1360	4.97196	1.17E-02	5.8E-02	6.05E-04	3.52E-05	5.48E-02	4.71E-02	9.10E-08	1.0E+06	9.1E-02
1361	4.9039	1.17E-02	5.7E-02	6.05E-04	3.47E-05	5.48E-02	4.71E-02	8.97E-08	1.0E+06	9.0E-02
1362	4.82463	1.17E-02	5.6E-02	6.05E-04	3.42E-05	5.48E-02	4.71E-02	8.83E-08	1.0E+06	8.8E-02
1363	4.7325	1.17E-02	5.5E-02	6.05E-04	3.35E-05	5.48E-02	4.71E-02	8.66E-08	1.0E+06	8.7E-02
1364	4.62665	1.17E-02	5.4E-02	6.05E-04	3.28E-05	5.48E-02	4.71E-02	8.47E-08	1.0E+06	8.5E-02
1365	4.50717	1.17E-02	5.3E-02	6.05E-04	3.19E-05	5.48E-02	4.71E-02	8.25E-08	1.0E+06	8.2E-02
1366	2.68434	1.17E-02	3.1E-02	6.05E-04	1.90E-05	5.48E-02	4.71E-02	4.91E-08	1.0E+06	4.9E-02
1367	2.86768	1.17E-02	3.4E-02	6.05E-04	2.03E-05	5.48E-02	4.71E-02	5.25E-08	1.0E+06	5.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	3.05695	1.17E-02	3.6E-02	6.05E-04	2.17E-05	5.48E-02	4.71E-02	5.59E-08	1.0E+06	5.6E-02
1369	3.26585	1.17E-02	3.8E-02	6.05E-04	2.31E-05	5.48E-02	4.71E-02	5.98E-08	1.0E+06	6.0E-02
1370	3.46518	1.17E-02	4.1E-02	6.05E-04	2.45E-05	5.48E-02	4.71E-02	6.34E-08	1.0E+06	6.3E-02
1371	3.66677	1.17E-02	4.3E-02	6.05E-04	2.60E-05	5.48E-02	4.71E-02	6.71E-08	1.0E+06	6.7E-02
1372	3.85665	1.17E-02	4.5E-02	6.05E-04	2.73E-05	5.48E-02	4.71E-02	7.06E-08	1.0E+06	7.1E-02
1373	4.02707	1.17E-02	4.7E-02	6.05E-04	2.85E-05	5.48E-02	4.71E-02	7.37E-08	1.0E+06	7.4E-02
1374	4.17095	1.17E-02	4.9E-02	6.05E-04	2.95E-05	5.48E-02	4.71E-02	7.63E-08	1.0E+06	7.6E-02
1375	4.27896	1.17E-02	5.0E-02	6.05E-04	3.03E-05	5.48E-02	4.71E-02	7.83E-08	1.0E+06	7.8E-02
1376	4.37026	1.17E-02	5.1E-02	6.05E-04	3.10E-05	5.48E-02	4.71E-02	8.00E-08	1.0E+06	8.0E-02
1377	4.46705	1.17E-02	5.2E-02	6.05E-04	3.16E-05	5.48E-02	4.71E-02	8.17E-08	1.0E+06	8.2E-02
1378	4.54761	1.17E-02	5.3E-02	6.05E-04	3.22E-05	5.48E-02	4.71E-02	8.32E-08	1.0E+06	8.3E-02
1379	4.61074	1.17E-02	5.4E-02	6.05E-04	3.27E-05	5.48E-02	4.71E-02	8.44E-08	1.0E+06	8.4E-02
1380	4.65524	1.17E-02	5.5E-02	6.05E-04	3.30E-05	5.48E-02	4.71E-02	8.52E-08	1.0E+06	8.5E-02
1381	4.68559	1.17E-02	5.5E-02	6.05E-04	3.32E-05	5.48E-02	4.71E-02	8.57E-08	1.0E+06	8.6E-02
1382	4.69968	1.17E-02	5.5E-02	6.05E-04	3.33E-05	5.48E-02	4.71E-02	8.60E-08	1.0E+06	8.6E-02
1383	4.70227	1.17E-02	5.5E-02	6.05E-04	3.33E-05	5.48E-02	4.71E-02	8.60E-08	1.0E+06	8.6E-02
1384	4.69401	1.17E-02	5.5E-02	6.05E-04	3.33E-05	5.48E-02	4.71E-02	8.59E-08	1.0E+06	8.6E-02
1385	4.67498	1.17E-02	5.5E-02	6.05E-04	3.31E-05	5.48E-02	4.71E-02	8.55E-08	1.0E+06	8.6E-02
1386	4.6459	1.17E-02	5.4E-02	6.05E-04	3.29E-05	5.48E-02	4.71E-02	8.50E-08	1.0E+06	8.5E-02
1387	4.60566	1.17E-02	5.4E-02	6.05E-04	3.26E-05	5.48E-02	4.71E-02	8.43E-08	1.0E+06	8.4E-02
1388	4.55468	1.17E-02	5.3E-02	6.05E-04	3.23E-05	5.48E-02	4.71E-02	8.33E-08	1.0E+06	8.3E-02
1389	4.49367	1.17E-02	5.3E-02	6.05E-04	3.18E-05	5.48E-02	4.71E-02	8.22E-08	1.0E+06	8.2E-02
1390	4.42282	1.17E-02	5.2E-02	6.05E-04	3.13E-05	5.48E-02	4.71E-02	8.09E-08	1.0E+06	8.1E-02
1391	4.34051	1.17E-02	5.1E-02	6.05E-04	3.07E-05	5.48E-02	4.71E-02	7.94E-08	1.0E+06	7.9E-02
1392	4.24597	1.17E-02	5.0E-02	6.05E-04	3.01E-05	5.48E-02	4.71E-02	7.77E-08	1.0E+06	7.8E-02
1393	4.13919	1.17E-02	4.8E-02	6.05E-04	2.93E-05	5.48E-02	4.71E-02	7.57E-08	1.0E+06	7.6E-02
1394	2.4577	1.17E-02	2.9E-02	6.05E-04	1.74E-05	5.48E-02	4.71E-02	4.50E-08	1.0E+06	4.5E-02
1395	2.6236	1.17E-02	3.1E-02	6.05E-04	1.86E-05	5.48E-02	4.71E-02	4.80E-08	1.0E+06	4.8E-02
1396	2.79342	1.17E-02	3.3E-02	6.05E-04	1.98E-05	5.48E-02	4.71E-02	5.11E-08	1.0E+06	5.1E-02
1397	2.96725	1.17E-02	3.5E-02	6.05E-04	2.10E-05	5.48E-02	4.71E-02	5.43E-08	1.0E+06	5.4E-02
1398	3.15399	1.17E-02	3.7E-02	6.05E-04	2.23E-05	5.48E-02	4.71E-02	5.77E-08	1.0E+06	5.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	3.32191	1.17E-02	3.9E-02	6.05E-04	2.35E-05	5.48E-02	4.71E-02	6.08E-08	1.0E+06	6.1E-02
1400	3.50527	1.17E-02	4.1E-02	6.05E-04	2.48E-05	5.48E-02	4.71E-02	6.41E-08	1.0E+06	6.4E-02
1401	3.67179	1.17E-02	4.3E-02	6.05E-04	2.60E-05	5.48E-02	4.71E-02	6.72E-08	1.0E+06	6.7E-02
1402	3.80793	1.17E-02	4.5E-02	6.05E-04	2.70E-05	5.48E-02	4.71E-02	6.97E-08	1.0E+06	7.0E-02
1403	3.91085	1.17E-02	4.6E-02	6.05E-04	2.77E-05	5.48E-02	4.71E-02	7.16E-08	1.0E+06	7.2E-02
1404	3.99655	1.17E-02	4.7E-02	6.05E-04	2.83E-05	5.48E-02	4.71E-02	7.31E-08	1.0E+06	7.3E-02
1405	4.0866	1.17E-02	4.8E-02	6.05E-04	2.89E-05	5.48E-02	4.71E-02	7.48E-08	1.0E+06	7.5E-02
1406	4.15951	1.17E-02	4.9E-02	6.05E-04	2.95E-05	5.48E-02	4.71E-02	7.61E-08	1.0E+06	7.6E-02
1407	4.22056	1.17E-02	4.9E-02	6.05E-04	2.99E-05	5.48E-02	4.71E-02	7.72E-08	1.0E+06	7.7E-02
1408	4.26422	1.17E-02	5.0E-02	6.05E-04	3.02E-05	5.48E-02	4.71E-02	7.80E-08	1.0E+06	7.8E-02
1409	4.29934	1.17E-02	5.0E-02	6.05E-04	3.05E-05	5.48E-02	4.71E-02	7.87E-08	1.0E+06	7.9E-02
1410	4.31456	1.17E-02	5.1E-02	6.05E-04	3.06E-05	5.48E-02	4.71E-02	7.90E-08	1.0E+06	7.9E-02
1411	4.31874	1.17E-02	5.1E-02	6.05E-04	3.06E-05	5.48E-02	4.71E-02	7.90E-08	1.0E+06	7.9E-02
1412	4.3127	1.17E-02	5.0E-02	6.05E-04	3.06E-05	5.48E-02	4.71E-02	7.89E-08	1.0E+06	7.9E-02
1413	4.29658	1.17E-02	5.0E-02	6.05E-04	3.04E-05	5.48E-02	4.71E-02	7.86E-08	1.0E+06	7.9E-02
1414	4.27113	1.17E-02	5.0E-02	6.05E-04	3.03E-05	5.48E-02	4.71E-02	7.82E-08	1.0E+06	7.8E-02
1415	4.23544	1.17E-02	5.0E-02	6.05E-04	3.00E-05	5.48E-02	4.71E-02	7.75E-08	1.0E+06	7.8E-02
1416	4.18974	1.17E-02	4.9E-02	6.05E-04	2.97E-05	5.48E-02	4.71E-02	7.67E-08	1.0E+06	7.7E-02
1417	4.13469	1.17E-02	4.8E-02	6.05E-04	2.93E-05	5.48E-02	4.71E-02	7.57E-08	1.0E+06	7.6E-02
1418	4.07154	1.17E-02	4.8E-02	6.05E-04	2.88E-05	5.48E-02	4.71E-02	7.45E-08	1.0E+06	7.5E-02
1419	3.99801	1.17E-02	4.7E-02	6.05E-04	2.83E-05	5.48E-02	4.71E-02	7.32E-08	1.0E+06	7.3E-02
1420	3.91347	1.17E-02	4.6E-02	6.05E-04	2.77E-05	5.48E-02	4.71E-02	7.16E-08	1.0E+06	7.2E-02
1421	3.81783	1.17E-02	4.5E-02	6.05E-04	2.70E-05	5.48E-02	4.71E-02	6.99E-08	1.0E+06	7.0E-02
1422	2.25556	1.17E-02	2.6E-02	6.05E-04	1.60E-05	5.48E-02	4.71E-02	4.13E-08	1.0E+06	4.1E-02
1423	2.40689	1.17E-02	2.8E-02	6.05E-04	1.71E-05	5.48E-02	4.71E-02	4.40E-08	1.0E+06	4.4E-02
1424	2.55714	1.17E-02	3.0E-02	6.05E-04	1.81E-05	5.48E-02	4.71E-02	4.68E-08	1.0E+06	4.7E-02
1425	2.70664	1.17E-02	3.2E-02	6.05E-04	1.92E-05	5.48E-02	4.71E-02	4.95E-08	1.0E+06	5.0E-02
1426	2.8695	1.17E-02	3.4E-02	6.05E-04	2.03E-05	5.48E-02	4.71E-02	5.25E-08	1.0E+06	5.3E-02
1427	3.02842	1.17E-02	3.5E-02	6.05E-04	2.15E-05	5.48E-02	4.71E-02	5.54E-08	1.0E+06	5.5E-02
1428	3.202	1.17E-02	3.7E-02	6.05E-04	2.27E-05	5.48E-02	4.71E-02	5.86E-08	1.0E+06	5.9E-02
1429	3.36081	1.17E-02	3.9E-02	6.05E-04	2.38E-05	5.48E-02	4.71E-02	6.15E-08	1.0E+06	6.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	3.49282	1.17E-02	4.1E-02	6.05E-04	2.47E-05	5.48E-02	4.71E-02	6.39E-08	1.0E+06	6.4E-02
1431	3.58681	1.17E-02	4.2E-02	6.05E-04	2.54E-05	5.48E-02	4.71E-02	6.56E-08	1.0E+06	6.6E-02
1432	3.67097	1.17E-02	4.3E-02	6.05E-04	2.60E-05	5.48E-02	4.71E-02	6.72E-08	1.0E+06	6.7E-02
1433	3.75388	1.17E-02	4.4E-02	6.05E-04	2.66E-05	5.48E-02	4.71E-02	6.87E-08	1.0E+06	6.9E-02
1434	3.82105	1.17E-02	4.5E-02	6.05E-04	2.71E-05	5.48E-02	4.71E-02	6.99E-08	1.0E+06	7.0E-02
1435	3.87921	1.17E-02	4.5E-02	6.05E-04	2.75E-05	5.48E-02	4.71E-02	7.10E-08	1.0E+06	7.1E-02
1436	3.92339	1.17E-02	4.6E-02	6.05E-04	2.78E-05	5.48E-02	4.71E-02	7.18E-08	1.0E+06	7.2E-02
1437	3.95917	1.17E-02	4.6E-02	6.05E-04	2.80E-05	5.48E-02	4.71E-02	7.24E-08	1.0E+06	7.2E-02
1438	3.97536	1.17E-02	4.7E-02	6.05E-04	2.82E-05	5.48E-02	4.71E-02	7.27E-08	1.0E+06	7.3E-02
1439	3.9809	1.17E-02	4.7E-02	6.05E-04	2.82E-05	5.48E-02	4.71E-02	7.28E-08	1.0E+06	7.3E-02
1440	3.97681	1.17E-02	4.7E-02	6.05E-04	2.82E-05	5.48E-02	4.71E-02	7.28E-08	1.0E+06	7.3E-02
1441	3.96321	1.17E-02	4.6E-02	6.05E-04	2.81E-05	5.48E-02	4.71E-02	7.25E-08	1.0E+06	7.3E-02
1442	3.94104	1.17E-02	4.6E-02	6.05E-04	2.79E-05	5.48E-02	4.71E-02	7.21E-08	1.0E+06	7.2E-02
1443	3.90935	1.17E-02	4.6E-02	6.05E-04	2.77E-05	5.48E-02	4.71E-02	7.15E-08	1.0E+06	7.2E-02
1444	3.86842	1.17E-02	4.5E-02	6.05E-04	2.74E-05	5.48E-02	4.71E-02	7.08E-08	1.0E+06	7.1E-02
1445	3.81895	1.17E-02	4.5E-02	6.05E-04	2.71E-05	5.48E-02	4.71E-02	6.99E-08	1.0E+06	7.0E-02
1446	3.7623	1.17E-02	4.4E-02	6.05E-04	2.67E-05	5.48E-02	4.71E-02	6.88E-08	1.0E+06	6.9E-02
1447	3.69655	1.17E-02	4.3E-02	6.05E-04	2.62E-05	5.48E-02	4.71E-02	6.76E-08	1.0E+06	6.8E-02
1448	3.62088	1.17E-02	4.2E-02	6.05E-04	2.57E-05	5.48E-02	4.71E-02	6.63E-08	1.0E+06	6.6E-02
1449	3.53506	1.17E-02	4.1E-02	6.05E-04	2.50E-05	5.48E-02	4.71E-02	6.47E-08	1.0E+06	6.5E-02
1450	2.08281	1.17E-02	2.4E-02	6.05E-04	1.48E-05	5.48E-02	4.71E-02	3.81E-08	1.0E+06	3.8E-02
1451	2.2117	1.17E-02	2.6E-02	6.05E-04	1.57E-05	5.48E-02	4.71E-02	4.05E-08	1.0E+06	4.0E-02
1452	2.34171	1.17E-02	2.7E-02	6.05E-04	1.66E-05	5.48E-02	4.71E-02	4.29E-08	1.0E+06	4.3E-02
1453	2.48212	1.17E-02	2.9E-02	6.05E-04	1.76E-05	5.48E-02	4.71E-02	4.54E-08	1.0E+06	4.5E-02
1454	2.6206	1.17E-02	3.1E-02	6.05E-04	1.86E-05	5.48E-02	4.71E-02	4.80E-08	1.0E+06	4.8E-02
1455	2.75993	1.17E-02	3.2E-02	6.05E-04	1.96E-05	5.48E-02	4.71E-02	5.05E-08	1.0E+06	5.1E-02
1456	2.92749	1.17E-02	3.4E-02	6.05E-04	2.07E-05	5.48E-02	4.71E-02	5.36E-08	1.0E+06	5.4E-02
1457	3.08511	1.17E-02	3.6E-02	6.05E-04	2.19E-05	5.48E-02	4.71E-02	5.65E-08	1.0E+06	5.6E-02
1458	3.2119	1.17E-02	3.8E-02	6.05E-04	2.28E-05	5.48E-02	4.71E-02	5.88E-08	1.0E+06	5.9E-02
1459	3.30379	1.17E-02	3.9E-02	6.05E-04	2.34E-05	5.48E-02	4.71E-02	6.05E-08	1.0E+06	6.0E-02
1460	3.38392	1.17E-02	4.0E-02	6.05E-04	2.40E-05	5.48E-02	4.71E-02	6.19E-08	1.0E+06	6.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	3.46024	1.17E-02	4.1E-02	6.05E-04	2.45E-05	5.48E-02	4.71E-02	6.33E-08	1.0E+06	6.3E-02
1462	3.52229	1.17E-02	4.1E-02	6.05E-04	2.50E-05	5.48E-02	4.71E-02	6.45E-08	1.0E+06	6.4E-02
1463	3.57442	1.17E-02	4.2E-02	6.05E-04	2.53E-05	5.48E-02	4.71E-02	6.54E-08	1.0E+06	6.5E-02
1464	3.62174	1.17E-02	4.2E-02	6.05E-04	2.57E-05	5.48E-02	4.71E-02	6.63E-08	1.0E+06	6.6E-02
1465	3.658	1.17E-02	4.3E-02	6.05E-04	2.59E-05	5.48E-02	4.71E-02	6.69E-08	1.0E+06	6.7E-02
1466	3.6749	1.17E-02	4.3E-02	6.05E-04	2.60E-05	5.48E-02	4.71E-02	6.72E-08	1.0E+06	6.7E-02
1467	3.68137	1.17E-02	4.3E-02	6.05E-04	2.61E-05	5.48E-02	4.71E-02	6.74E-08	1.0E+06	6.7E-02
1468	3.67901	1.17E-02	4.3E-02	6.05E-04	2.61E-05	5.48E-02	4.71E-02	6.73E-08	1.0E+06	6.7E-02
1469	3.66782	1.17E-02	4.3E-02	6.05E-04	2.60E-05	5.48E-02	4.71E-02	6.71E-08	1.0E+06	6.7E-02
1470	3.64851	1.17E-02	4.3E-02	6.05E-04	2.58E-05	5.48E-02	4.71E-02	6.68E-08	1.0E+06	6.7E-02
1471	3.62038	1.17E-02	4.2E-02	6.05E-04	2.56E-05	5.48E-02	4.71E-02	6.62E-08	1.0E+06	6.6E-02
1472	3.58365	1.17E-02	4.2E-02	6.05E-04	2.54E-05	5.48E-02	4.71E-02	6.56E-08	1.0E+06	6.6E-02
1473	3.53909	1.17E-02	4.1E-02	6.05E-04	2.51E-05	5.48E-02	4.71E-02	6.48E-08	1.0E+06	6.5E-02
1474	3.48841	1.17E-02	4.1E-02	6.05E-04	2.47E-05	5.48E-02	4.71E-02	6.38E-08	1.0E+06	6.4E-02
1475	3.42958	1.17E-02	4.0E-02	6.05E-04	2.43E-05	5.48E-02	4.71E-02	6.28E-08	1.0E+06	6.3E-02
1476	3.36171	1.17E-02	3.9E-02	6.05E-04	2.38E-05	5.48E-02	4.71E-02	6.15E-08	1.0E+06	6.2E-02
1477	3.28458	1.17E-02	3.8E-02	6.05E-04	2.33E-05	5.48E-02	4.71E-02	6.01E-08	1.0E+06	6.0E-02
1478	1.92647	1.17E-02	2.3E-02	6.05E-04	1.36E-05	5.48E-02	4.71E-02	3.53E-08	1.0E+06	3.5E-02
1479	2.04446	1.17E-02	2.4E-02	6.05E-04	1.45E-05	5.48E-02	4.71E-02	3.74E-08	1.0E+06	3.7E-02
1480	2.16426	1.17E-02	2.5E-02	6.05E-04	1.53E-05	5.48E-02	4.71E-02	3.96E-08	1.0E+06	4.0E-02
1481	2.28665	1.17E-02	2.7E-02	6.05E-04	1.62E-05	5.48E-02	4.71E-02	4.18E-08	1.0E+06	4.2E-02
1482	2.421	1.17E-02	2.8E-02	6.05E-04	1.72E-05	5.48E-02	4.71E-02	4.43E-08	1.0E+06	4.4E-02
1483	2.54637	1.17E-02	3.0E-02	6.05E-04	1.80E-05	5.48E-02	4.71E-02	4.66E-08	1.0E+06	4.7E-02
1484	2.70434	1.17E-02	3.2E-02	6.05E-04	1.92E-05	5.48E-02	4.71E-02	4.95E-08	1.0E+06	4.9E-02
1485	2.8495	1.17E-02	3.3E-02	6.05E-04	2.02E-05	5.48E-02	4.71E-02	5.21E-08	1.0E+06	5.2E-02
1486	2.96441	1.17E-02	3.5E-02	6.05E-04	2.10E-05	5.48E-02	4.71E-02	5.42E-08	1.0E+06	5.4E-02
1487	3.05351	1.17E-02	3.6E-02	6.05E-04	2.16E-05	5.48E-02	4.71E-02	5.59E-08	1.0E+06	5.6E-02
1488	3.12896	1.17E-02	3.7E-02	6.05E-04	2.22E-05	5.48E-02	4.71E-02	5.73E-08	1.0E+06	5.7E-02
1489	3.20112	1.17E-02	3.7E-02	6.05E-04	2.27E-05	5.48E-02	4.71E-02	5.86E-08	1.0E+06	5.9E-02
1490	3.26017	1.17E-02	3.8E-02	6.05E-04	2.31E-05	5.48E-02	4.71E-02	5.97E-08	1.0E+06	6.0E-02
1491	3.30999	1.17E-02	3.9E-02	6.05E-04	2.34E-05	5.48E-02	4.71E-02	6.06E-08	1.0E+06	6.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	3.35432	1.17E-02	3.9E-02	6.05E-04	2.38E-05	5.48E-02	4.71E-02	6.14E-08	1.0E+06	6.1E-02
1493	3.38719	1.17E-02	4.0E-02	6.05E-04	2.40E-05	5.48E-02	4.71E-02	6.20E-08	1.0E+06	6.2E-02
1494	3.40597	1.17E-02	4.0E-02	6.05E-04	2.41E-05	5.48E-02	4.71E-02	6.23E-08	1.0E+06	6.2E-02
1495	3.41352	1.17E-02	4.0E-02	6.05E-04	2.42E-05	5.48E-02	4.71E-02	6.25E-08	1.0E+06	6.2E-02
1496	3.41291	1.17E-02	4.0E-02	6.05E-04	2.42E-05	5.48E-02	4.71E-02	6.25E-08	1.0E+06	6.2E-02
1497	3.40408	1.17E-02	4.0E-02	6.05E-04	2.41E-05	5.48E-02	4.71E-02	6.23E-08	1.0E+06	6.2E-02
1498	3.38781	1.17E-02	4.0E-02	6.05E-04	2.40E-05	5.48E-02	4.71E-02	6.20E-08	1.0E+06	6.2E-02
1499	3.36326	1.17E-02	3.9E-02	6.05E-04	2.38E-05	5.48E-02	4.71E-02	6.15E-08	1.0E+06	6.2E-02
1500	3.33081	1.17E-02	3.9E-02	6.05E-04	2.36E-05	5.48E-02	4.71E-02	6.10E-08	1.0E+06	6.1E-02
1501	3.29112	1.17E-02	3.9E-02	6.05E-04	2.33E-05	5.48E-02	4.71E-02	6.02E-08	1.0E+06	6.0E-02
1502	3.24542	1.17E-02	3.8E-02	6.05E-04	2.30E-05	5.48E-02	4.71E-02	5.94E-08	1.0E+06	5.9E-02
1503	3.19219	1.17E-02	3.7E-02	6.05E-04	2.26E-05	5.48E-02	4.71E-02	5.84E-08	1.0E+06	5.8E-02
1504	3.13086	1.17E-02	3.7E-02	6.05E-04	2.22E-05	5.48E-02	4.71E-02	5.73E-08	1.0E+06	5.7E-02
1505	3.06131	1.17E-02	3.6E-02	6.05E-04	2.17E-05	5.48E-02	4.71E-02	5.60E-08	1.0E+06	5.6E-02
1506	1.78481	1.17E-02	2.1E-02	6.05E-04	1.26E-05	5.48E-02	4.71E-02	3.27E-08	1.0E+06	3.3E-02
1507	1.89487	1.17E-02	2.2E-02	6.05E-04	1.34E-05	5.48E-02	4.71E-02	3.47E-08	1.0E+06	3.5E-02
1508	2.00682	1.17E-02	2.3E-02	6.05E-04	1.42E-05	5.48E-02	4.71E-02	3.67E-08	1.0E+06	3.7E-02
1509	2.1216	1.17E-02	2.5E-02	6.05E-04	1.50E-05	5.48E-02	4.71E-02	3.88E-08	1.0E+06	3.9E-02
1510	2.24441	1.17E-02	2.6E-02	6.05E-04	1.59E-05	5.48E-02	4.71E-02	4.11E-08	1.0E+06	4.1E-02
1511	2.36704	1.17E-02	2.8E-02	6.05E-04	1.68E-05	5.48E-02	4.71E-02	4.33E-08	1.0E+06	4.3E-02
1512	2.50702	1.17E-02	2.9E-02	6.05E-04	1.78E-05	5.48E-02	4.71E-02	4.59E-08	1.0E+06	4.6E-02
1513	2.63857	1.17E-02	3.1E-02	6.05E-04	1.87E-05	5.48E-02	4.71E-02	4.83E-08	1.0E+06	4.8E-02
1514	2.7476	1.17E-02	3.2E-02	6.05E-04	1.95E-05	5.48E-02	4.71E-02	5.03E-08	1.0E+06	5.0E-02
1515	2.83109	1.17E-02	3.3E-02	6.05E-04	2.01E-05	5.48E-02	4.71E-02	5.18E-08	1.0E+06	5.2E-02
1516	2.90167	1.17E-02	3.4E-02	6.05E-04	2.06E-05	5.48E-02	4.71E-02	5.31E-08	1.0E+06	5.3E-02
1517	2.97052	1.17E-02	3.5E-02	6.05E-04	2.10E-05	5.48E-02	4.71E-02	5.44E-08	1.0E+06	5.4E-02
1518	3.02738	1.17E-02	3.5E-02	6.05E-04	2.14E-05	5.48E-02	4.71E-02	5.54E-08	1.0E+06	5.5E-02
1519	3.07748	1.17E-02	3.6E-02	6.05E-04	2.18E-05	5.48E-02	4.71E-02	5.63E-08	1.0E+06	5.6E-02
1520	3.11544	1.17E-02	3.6E-02	6.05E-04	2.21E-05	5.48E-02	4.71E-02	5.70E-08	1.0E+06	5.7E-02
1521	3.14624	1.17E-02	3.7E-02	6.05E-04	2.23E-05	5.48E-02	4.71E-02	5.76E-08	1.0E+06	5.8E-02
1522	3.16513	1.17E-02	3.7E-02	6.05E-04	2.24E-05	5.48E-02	4.71E-02	5.79E-08	1.0E+06	5.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	3.17345	1.17E-02	3.7E-02	6.05E-04	2.25E-05	5.48E-02	4.71E-02	5.81E-08	1.0E+06	5.8E-02
1524	3.17442	1.17E-02	3.7E-02	6.05E-04	2.25E-05	5.48E-02	4.71E-02	5.81E-08	1.0E+06	5.8E-02
1525	3.1679	1.17E-02	3.7E-02	6.05E-04	2.24E-05	5.48E-02	4.71E-02	5.80E-08	1.0E+06	5.8E-02
1526	3.15426	1.17E-02	3.7E-02	6.05E-04	2.23E-05	5.48E-02	4.71E-02	5.77E-08	1.0E+06	5.8E-02
1527	3.13306	1.17E-02	3.7E-02	6.05E-04	2.22E-05	5.48E-02	4.71E-02	5.73E-08	1.0E+06	5.7E-02
1528	3.10447	1.17E-02	3.6E-02	6.05E-04	2.20E-05	5.48E-02	4.71E-02	5.68E-08	1.0E+06	5.7E-02
1529	3.06911	1.17E-02	3.6E-02	6.05E-04	2.17E-05	5.48E-02	4.71E-02	5.62E-08	1.0E+06	5.6E-02
1530	3.02787	1.17E-02	3.5E-02	6.05E-04	2.14E-05	5.48E-02	4.71E-02	5.54E-08	1.0E+06	5.5E-02
1531	2.97964	1.17E-02	3.5E-02	6.05E-04	2.11E-05	5.48E-02	4.71E-02	5.45E-08	1.0E+06	5.5E-02
1532	2.92412	1.17E-02	3.4E-02	6.05E-04	2.07E-05	5.48E-02	4.71E-02	5.35E-08	1.0E+06	5.4E-02
1533	2.86128	1.17E-02	3.3E-02	6.05E-04	2.03E-05	5.48E-02	4.71E-02	5.24E-08	1.0E+06	5.2E-02
1534	1.65686	1.17E-02	1.9E-02	6.05E-04	1.17E-05	5.48E-02	4.71E-02	3.03E-08	1.0E+06	3.0E-02
1535	1.76005	1.17E-02	2.1E-02	6.05E-04	1.25E-05	5.48E-02	4.71E-02	3.22E-08	1.0E+06	3.2E-02
1536	1.86525	1.17E-02	2.2E-02	6.05E-04	1.32E-05	5.48E-02	4.71E-02	3.41E-08	1.0E+06	3.4E-02
1537	1.97381	1.17E-02	2.3E-02	6.05E-04	1.40E-05	5.48E-02	4.71E-02	3.61E-08	1.0E+06	3.6E-02
1538	2.09024	1.17E-02	2.4E-02	6.05E-04	1.48E-05	5.48E-02	4.71E-02	3.82E-08	1.0E+06	3.8E-02
1539	2.207	1.17E-02	2.6E-02	6.05E-04	1.56E-05	5.48E-02	4.71E-02	4.04E-08	1.0E+06	4.0E-02
1540	2.33349	1.17E-02	2.7E-02	6.05E-04	1.65E-05	5.48E-02	4.71E-02	4.27E-08	1.0E+06	4.3E-02
1541	2.4535	1.17E-02	2.9E-02	6.05E-04	1.74E-05	5.48E-02	4.71E-02	4.49E-08	1.0E+06	4.5E-02
1542	2.5542	1.17E-02	3.0E-02	6.05E-04	1.81E-05	5.48E-02	4.71E-02	4.67E-08	1.0E+06	4.7E-02
1543	2.62853	1.17E-02	3.1E-02	6.05E-04	1.86E-05	5.48E-02	4.71E-02	4.81E-08	1.0E+06	4.8E-02
1544	2.69838	1.17E-02	3.2E-02	6.05E-04	1.91E-05	5.48E-02	4.71E-02	4.94E-08	1.0E+06	4.9E-02
1545	2.76404	1.17E-02	3.2E-02	6.05E-04	1.96E-05	5.48E-02	4.71E-02	5.06E-08	1.0E+06	5.1E-02
1546	2.81851	1.17E-02	3.3E-02	6.05E-04	2.00E-05	5.48E-02	4.71E-02	5.16E-08	1.0E+06	5.2E-02
1547	2.86639	1.17E-02	3.4E-02	6.05E-04	2.03E-05	5.48E-02	4.71E-02	5.25E-08	1.0E+06	5.2E-02
1548	2.90118	1.17E-02	3.4E-02	6.05E-04	2.06E-05	5.48E-02	4.71E-02	5.31E-08	1.0E+06	5.3E-02
1549	2.93009	1.17E-02	3.4E-02	6.05E-04	2.08E-05	5.48E-02	4.71E-02	5.36E-08	1.0E+06	5.4E-02
1550	2.94867	1.17E-02	3.5E-02	6.05E-04	2.09E-05	5.48E-02	4.71E-02	5.40E-08	1.0E+06	5.4E-02
1551	2.95777	1.17E-02	3.5E-02	6.05E-04	2.10E-05	5.48E-02	4.71E-02	5.41E-08	1.0E+06	5.4E-02
1552	2.95996	1.17E-02	3.5E-02	6.05E-04	2.10E-05	5.48E-02	4.71E-02	5.42E-08	1.0E+06	5.4E-02
1553	2.9555	1.17E-02	3.5E-02	6.05E-04	2.09E-05	5.48E-02	4.71E-02	5.41E-08	1.0E+06	5.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.94424	1.17E-02	3.4E-02	6.05E-04	2.09E-05	5.48E-02	4.71E-02	5.39E-08	1.0E+06	5.4E-02
1555	2.92594	1.17E-02	3.4E-02	6.05E-04	2.07E-05	5.48E-02	4.71E-02	5.35E-08	1.0E+06	5.4E-02
1556	2.90079	1.17E-02	3.4E-02	6.05E-04	2.05E-05	5.48E-02	4.71E-02	5.31E-08	1.0E+06	5.3E-02
1557	2.86934	1.17E-02	3.4E-02	6.05E-04	2.03E-05	5.48E-02	4.71E-02	5.25E-08	1.0E+06	5.3E-02
1558	2.83207	1.17E-02	3.3E-02	6.05E-04	2.01E-05	5.48E-02	4.71E-02	5.18E-08	1.0E+06	5.2E-02
1559	2.78837	1.17E-02	3.3E-02	6.05E-04	1.98E-05	5.48E-02	4.71E-02	5.10E-08	1.0E+06	5.1E-02
1560	2.73805	1.17E-02	3.2E-02	6.05E-04	1.94E-05	5.48E-02	4.71E-02	5.01E-08	1.0E+06	5.0E-02
1561	2.68118	1.17E-02	3.1E-02	6.05E-04	1.90E-05	5.48E-02	4.71E-02	4.91E-08	1.0E+06	4.9E-02
1562	1.54745	1.17E-02	1.8E-02	6.05E-04	1.10E-05	5.48E-02	4.71E-02	2.83E-08	1.0E+06	2.8E-02
1563	1.64011	1.17E-02	1.9E-02	6.05E-04	1.16E-05	5.48E-02	4.71E-02	3.00E-08	1.0E+06	3.0E-02
1564	1.73457	1.17E-02	2.0E-02	6.05E-04	1.23E-05	5.48E-02	4.71E-02	3.17E-08	1.0E+06	3.2E-02
1565	1.8335	1.17E-02	2.1E-02	6.05E-04	1.30E-05	5.48E-02	4.71E-02	3.36E-08	1.0E+06	3.4E-02
1566	1.93709	1.17E-02	2.3E-02	6.05E-04	1.37E-05	5.48E-02	4.71E-02	3.54E-08	1.0E+06	3.5E-02
1567	2.04788	1.17E-02	2.4E-02	6.05E-04	1.45E-05	5.48E-02	4.71E-02	3.75E-08	1.0E+06	3.7E-02
1568	2.16014	1.17E-02	2.5E-02	6.05E-04	1.53E-05	5.48E-02	4.71E-02	3.95E-08	1.0E+06	4.0E-02
1569	2.27678	1.17E-02	2.7E-02	6.05E-04	1.61E-05	5.48E-02	4.71E-02	4.17E-08	1.0E+06	4.2E-02
1570	2.3712	1.17E-02	2.8E-02	6.05E-04	1.68E-05	5.48E-02	4.71E-02	4.34E-08	1.0E+06	4.3E-02
1571	2.4422	1.17E-02	2.9E-02	6.05E-04	1.73E-05	5.48E-02	4.71E-02	4.47E-08	1.0E+06	4.5E-02
1572	2.51056	1.17E-02	2.9E-02	6.05E-04	1.78E-05	5.48E-02	4.71E-02	4.59E-08	1.0E+06	4.6E-02
1573	2.57342	1.17E-02	3.0E-02	6.05E-04	1.82E-05	5.48E-02	4.71E-02	4.71E-08	1.0E+06	4.7E-02
1574	2.62897	1.17E-02	3.1E-02	6.05E-04	1.86E-05	5.48E-02	4.71E-02	4.81E-08	1.0E+06	4.8E-02
1575	2.67523	1.17E-02	3.1E-02	6.05E-04	1.90E-05	5.48E-02	4.71E-02	4.90E-08	1.0E+06	4.9E-02
1576	2.70791	1.17E-02	3.2E-02	6.05E-04	1.92E-05	5.48E-02	4.71E-02	4.96E-08	1.0E+06	5.0E-02
1577	2.73545	1.17E-02	3.2E-02	6.05E-04	1.94E-05	5.48E-02	4.71E-02	5.01E-08	1.0E+06	5.0E-02
1578	2.75216	1.17E-02	3.2E-02	6.05E-04	1.95E-05	5.48E-02	4.71E-02	5.04E-08	1.0E+06	5.0E-02
1579	2.76339	1.17E-02	3.2E-02	6.05E-04	1.96E-05	5.48E-02	4.71E-02	5.06E-08	1.0E+06	5.1E-02
1580	2.76644	1.17E-02	3.2E-02	6.05E-04	1.96E-05	5.48E-02	4.71E-02	5.06E-08	1.0E+06	5.1E-02
1581	2.7636	1.17E-02	3.2E-02	6.05E-04	1.96E-05	5.48E-02	4.71E-02	5.06E-08	1.0E+06	5.1E-02
1582	2.75428	1.17E-02	3.2E-02	6.05E-04	1.95E-05	5.48E-02	4.71E-02	5.04E-08	1.0E+06	5.0E-02
1583	2.73855	1.17E-02	3.2E-02	6.05E-04	1.94E-05	5.48E-02	4.71E-02	5.01E-08	1.0E+06	5.0E-02
1584	2.71649	1.17E-02	3.2E-02	6.05E-04	1.92E-05	5.48E-02	4.71E-02	4.97E-08	1.0E+06	5.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

							Cancer Risk from Birth to 2 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.68846	1.17E-02	3.1E-02	6.05E-04	1.90E-05	5.48E-02	4.71E-02	4.92E-08	1.0E+06	4.9E-02
1586	2.65489	1.17E-02	3.1E-02	6.05E-04	1.88E-05	5.48E-02	4.71E-02	4.86E-08	1.0E+06	4.9E-02
1587	2.6154	1.17E-02	3.1E-02	6.05E-04	1.85E-05	5.48E-02	4.71E-02	4.79E-08	1.0E+06	4.8E-02
1588	2.56986	1.17E-02	3.0E-02	6.05E-04	1.82E-05	5.48E-02	4.71E-02	4.70E-08	1.0E+06	4.7E-02
1589	2.51835	1.17E-02	2.9E-02	6.05E-04	1.78E-05	5.48E-02	4.71E-02	4.61E-08	1.0E+06	4.6E-02
1590	1.45245	1.17E-02	1.7E-02	6.05E-04	1.03E-05	5.48E-02	4.71E-02	2.66E-08	1.0E+06	2.7E-02
1591	1.53268	1.17E-02	1.8E-02	6.05E-04	1.09E-05	5.48E-02	4.71E-02	2.80E-08	1.0E+06	2.8E-02
1592	1.61397	1.17E-02	1.9E-02	6.05E-04	1.14E-05	5.48E-02	4.71E-02	2.95E-08	1.0E+06	3.0E-02
1593	1.70242	1.17E-02	2.0E-02	6.05E-04	1.21E-05	5.48E-02	4.71E-02	3.12E-08	1.0E+06	3.1E-02
1594	1.79858	1.17E-02	2.1E-02	6.05E-04	1.27E-05	5.48E-02	4.71E-02	3.29E-08	1.0E+06	3.3E-02
1595	1.89401	1.17E-02	2.2E-02	6.05E-04	1.34E-05	5.48E-02	4.71E-02	3.47E-08	1.0E+06	3.5E-02
0	0	1.17E-02	0.0E+00	6.05E-04	0.00E+00	5.48E-02	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	1.68E-02
1214	5	3.23E-02
1215	5	3.16E-02
1216	5	3.17E-02
1217	5	3.77E-02
1218	5	3.03E-02
1219	5	2.91E-02
1220	5	2.85E-02
1221	5	3.37E-02
1222	5	2.55E-02
1223	5	2.34E-02
1224	5	2.19E-02
1225	5	2.56E-02
1226	5	2.28E-02
1227	5	2.02E-02
1228	5	3.44E-02
1229	5	2.74E-02
1230	5	3.35E-02
1231	5	3.24E-02
1232	5	3.26E-02
1233	5	2.52E-02
1234	5	3.06E-02
1235	5	2.90E-02
1236	5	2.85E-02
1237	5	2.05E-02
1238	5	2.50E-02
1239	5	2.22E-02
1240	5	1.98E-02
1241	5	1.76E-02
1242	5	3.66E-02
1243	5	3.63E-02

Max	Receptor #	
0.038	1217	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	3.59E-02
1245	5	3.55E-02
1246	5	3.49E-02
1247	5	3.42E-02
1248	5	3.34E-02
1249	5	3.25E-02
1250	5	3.13E-02
1251	5	3.01E-02
1252	5	2.86E-02
1253	5	2.67E-02
1254	5	2.43E-02
1255	5	2.16E-02
1256	5	3.07E-02
1257	5	3.05E-02
1258	5	3.01E-02
1259	5	2.97E-02
1260	5	2.92E-02
1261	5	2.87E-02
1262	5	2.80E-02
1263	5	2.72E-02
1264	5	2.62E-02
1265	5	2.52E-02
1266	5	2.39E-02
1267	5	2.24E-02
1268	5	2.05E-02
1269	5	1.85E-02
1270	5	2.63E-02
1271	5	2.61E-02
1272	5	2.58E-02
1273	5	2.54E-02
1274	5	2.50E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	2.45E-02
1276	5	2.39E-02
1277	5	2.32E-02
1278	5	2.24E-02
1279	5	2.15E-02
1280	5	2.04E-02
1281	5	1.92E-02
1282	5	1.77E-02
1283	5	1.61E-02
1284	5	2.29E-02
1285	5	2.26E-02
1286	5	2.24E-02
1287	5	2.20E-02
1288	5	2.17E-02
1289	5	2.12E-02
1290	5	2.07E-02
1291	5	2.01E-02
1292	5	1.94E-02
1293	5	1.87E-02
1294	5	1.77E-02
1295	5	1.67E-02
1296	5	1.55E-02
1297	5	1.43E-02
1298	5	2.01E-02
1299	5	1.99E-02
1300	5	1.97E-02
1301	5	1.94E-02
1302	5	1.90E-02
1303	5	1.87E-02
1304	5	1.82E-02
1305	5	1.77E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	1.78E-02
1307	5	1.77E-02
1308	5	1.74E-02
1309	5	1.72E-02
1310	5	1.69E-02
1311	5	1.66E-02
1312	5	1.62E-02
1313	5	1.57E-02
1314	5	1.60E-02
1315	5	1.58E-02
1316	5	1.56E-02
1317	5	1.54E-02
1318	5	1.51E-02
1319	5	1.48E-02
1320	5	1.45E-02
1321	5	1.41E-02
1322	5	1.44E-02
1323	5	1.42E-02
1324	5	1.41E-02
1325	5	1.39E-02
1326	5	1.36E-02
1327	5	1.34E-02
1328	5	1.31E-02
1329	5	1.27E-02
1330	5	1.30E-02
1331	5	1.29E-02
1332	5	1.28E-02
1333	5	1.26E-02
1334	5	1.24E-02
1335	5	1.21E-02
1336	5	1.19E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	1.15E-02
1338	5	6.82E-03
1339	5	7.34E-03
1340	5	7.84E-03
1341	5	8.40E-03
1342	5	8.95E-03
1343	5	9.45E-03
1344	5	9.94E-03
1345	5	1.04E-02
1346	5	1.07E-02
1347	5	1.10E-02
1348	5	1.13E-02
1349	5	1.15E-02
1350	5	1.17E-02
1351	5	1.18E-02
1352	5	1.19E-02
1353	5	1.20E-02
1354	5	1.20E-02
1355	5	1.20E-02
1356	5	1.20E-02
1357	5	1.20E-02
1358	5	1.19E-02
1359	5	1.18E-02
1360	5	1.16E-02
1361	5	1.15E-02
1362	5	1.13E-02
1363	5	1.11E-02
1364	5	1.08E-02
1365	5	1.06E-02
1366	5	6.29E-03
1367	5	6.71E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	7.16E-03
1369	5	7.65E-03
1370	5	8.11E-03
1371	5	8.59E-03
1372	5	9.03E-03
1373	5	9.43E-03
1374	5	9.77E-03
1375	5	1.00E-02
1376	5	1.02E-02
1377	5	1.05E-02
1378	5	1.06E-02
1379	5	1.08E-02
1380	5	1.09E-02
1381	5	1.10E-02
1382	5	1.10E-02
1383	5	1.10E-02
1384	5	1.10E-02
1385	5	1.09E-02
1386	5	1.09E-02
1387	5	1.08E-02
1388	5	1.07E-02
1389	5	1.05E-02
1390	5	1.04E-02
1391	5	1.02E-02
1392	5	9.94E-03
1393	5	9.69E-03
1394	5	5.75E-03
1395	5	6.14E-03
1396	5	6.54E-03
1397	5	6.95E-03
1398	5	7.39E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	7.78E-03
1400	5	8.21E-03
1401	5	8.60E-03
1402	5	8.92E-03
1403	5	9.16E-03
1404	5	9.36E-03
1405	5	9.57E-03
1406	5	9.74E-03
1407	5	9.88E-03
1408	5	9.98E-03
1409	5	1.01E-02
1410	5	1.01E-02
1411	5	1.01E-02
1412	5	1.01E-02
1413	5	1.01E-02
1414	5	1.00E-02
1415	5	9.92E-03
1416	5	9.81E-03
1417	5	9.68E-03
1418	5	9.53E-03
1419	5	9.36E-03
1420	5	9.16E-03
1421	5	8.94E-03
1422	5	5.28E-03
1423	5	5.64E-03
1424	5	5.99E-03
1425	5	6.34E-03
1426	5	6.72E-03
1427	5	7.09E-03
1428	5	7.50E-03
1429	5	7.87E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	8.18E-03
1431	5	8.40E-03
1432	5	8.60E-03
1433	5	8.79E-03
1434	5	8.95E-03
1435	5	9.08E-03
1436	5	9.19E-03
1437	5	9.27E-03
1438	5	9.31E-03
1439	5	9.32E-03
1440	5	9.31E-03
1441	5	9.28E-03
1442	5	9.23E-03
1443	5	9.15E-03
1444	5	9.06E-03
1445	5	8.94E-03
1446	5	8.81E-03
1447	5	8.66E-03
1448	5	8.48E-03
1449	5	8.28E-03
1450	5	4.88E-03
1451	5	5.18E-03
1452	5	5.48E-03
1453	5	5.81E-03
1454	5	6.14E-03
1455	5	6.46E-03
1456	5	6.85E-03
1457	5	7.22E-03
1458	5	7.52E-03
1459	5	7.74E-03
1460	5	7.92E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	8.10E-03
1462	5	8.25E-03
1463	5	8.37E-03
1464	5	8.48E-03
1465	5	8.57E-03
1466	5	8.60E-03
1467	5	8.62E-03
1468	5	8.61E-03
1469	5	8.59E-03
1470	5	8.54E-03
1471	5	8.48E-03
1472	5	8.39E-03
1473	5	8.29E-03
1474	5	8.17E-03
1475	5	8.03E-03
1476	5	7.87E-03
1477	5	7.69E-03
1478	5	4.51E-03
1479	5	4.79E-03
1480	5	5.07E-03
1481	5	5.35E-03
1482	5	5.67E-03
1483	5	5.96E-03
1484	5	6.33E-03
1485	5	6.67E-03
1486	5	6.94E-03
1487	5	7.15E-03
1488	5	7.33E-03
1489	5	7.50E-03
1490	5	7.63E-03
1491	5	7.75E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	7.85E-03
1493	5	7.93E-03
1494	5	7.98E-03
1495	5	7.99E-03
1496	5	7.99E-03
1497	5	7.97E-03
1498	5	7.93E-03
1499	5	7.88E-03
1500	5	7.80E-03
1501	5	7.71E-03
1502	5	7.60E-03
1503	5	7.47E-03
1504	5	7.33E-03
1505	5	7.17E-03
1506	5	4.18E-03
1507	5	4.44E-03
1508	5	4.70E-03
1509	5	4.97E-03
1510	5	5.26E-03
1511	5	5.54E-03
1512	5	5.87E-03
1513	5	6.18E-03
1514	5	6.43E-03
1515	5	6.63E-03
1516	5	6.79E-03
1517	5	6.96E-03
1518	5	7.09E-03
1519	5	7.21E-03
1520	5	7.29E-03
1521	5	7.37E-03
1522	5	7.41E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	7.43E-03
1524	5	7.43E-03
1525	5	7.42E-03
1526	5	7.39E-03
1527	5	7.34E-03
1528	5	7.27E-03
1529	5	7.19E-03
1530	5	7.09E-03
1531	5	6.98E-03
1532	5	6.85E-03
1533	5	6.70E-03
1534	5	3.88E-03
1535	5	4.12E-03
1536	5	4.37E-03
1537	5	4.62E-03
1538	5	4.89E-03
1539	5	5.17E-03
1540	5	5.46E-03
1541	5	5.74E-03
1542	5	5.98E-03
1543	5	6.15E-03
1544	5	6.32E-03
1545	5	6.47E-03
1546	5	6.60E-03
1547	5	6.71E-03
1548	5	6.79E-03
1549	5	6.86E-03
1550	5	6.90E-03
1551	5	6.93E-03
1552	5	6.93E-03
1553	5	6.92E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	6.89E-03
1555	5	6.85E-03
1556	5	6.79E-03
1557	5	6.72E-03
1558	5	6.63E-03
1559	5	6.53E-03
1560	5	6.41E-03
1561	5	6.28E-03
1562	5	3.62E-03
1563	5	3.84E-03
1564	5	4.06E-03
1565	5	4.29E-03
1566	5	4.54E-03
1567	5	4.80E-03
1568	5	5.06E-03
1569	5	5.33E-03
1570	5	5.55E-03
1571	5	5.72E-03
1572	5	5.88E-03
1573	5	6.03E-03
1574	5	6.16E-03
1575	5	6.26E-03
1576	5	6.34E-03
1577	5	6.41E-03
1578	5	6.44E-03
1579	5	6.47E-03
1580	5	6.48E-03
1581	5	6.47E-03
1582	5	6.45E-03
1583	5	6.41E-03
1584	5	6.36E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	6.30E-03
1586	5	6.22E-03
1587	5	6.12E-03
1588	5	6.02E-03
1589	5	5.90E-03
1590	5	3.40E-03
1591	5	3.59E-03
1592	5	3.78E-03
1593	5	3.99E-03
1594	5	4.21E-03
1595	5	4.43E-03
0	5	0.00E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1213	7.15895	3.38E-03	2.4E-02	6.05E-04	1.47E-05	1.20E+00	4.71E-02	8.31E-07	1.0E+06	8.3E-01
1214	13.81549	3.38E-03	4.7E-02	6.05E-04	2.83E-05	1.20E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
1215	13.49237	3.38E-03	4.6E-02	6.05E-04	2.76E-05	1.20E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1216	13.52195	3.38E-03	4.6E-02	6.05E-04	2.77E-05	1.20E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
1217	16.11207	3.38E-03	5.5E-02	6.05E-04	3.30E-05	1.20E+00	4.71E-02	1.87E-06	1.0E+06	1.9E+00
1218	12.95641	3.38E-03	4.4E-02	6.05E-04	2.65E-05	1.20E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
1219	12.41041	3.38E-03	4.2E-02	6.05E-04	2.54E-05	1.20E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1220	12.15445	3.38E-03	4.1E-02	6.05E-04	2.49E-05	1.20E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1221	14.37718	3.38E-03	4.9E-02	6.05E-04	2.94E-05	1.20E+00	4.71E-02	1.67E-06	1.0E+06	1.7E+00
1222	10.87803	3.38E-03	3.7E-02	6.05E-04	2.23E-05	1.20E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1223	9.99783	3.38E-03	3.4E-02	6.05E-04	2.05E-05	1.20E+00	4.71E-02	1.16E-06	1.0E+06	1.2E+00
1224	9.35552	3.38E-03	3.2E-02	6.05E-04	1.92E-05	1.20E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1225	10.95212	3.38E-03	3.7E-02	6.05E-04	2.24E-05	1.20E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
1226	9.73576	3.38E-03	3.3E-02	6.05E-04	1.99E-05	1.20E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1227	8.63577	3.38E-03	2.9E-02	6.05E-04	1.77E-05	1.20E+00	4.71E-02	1.00E-06	1.0E+06	1.0E+00
1228	14.70152	3.38E-03	5.0E-02	6.05E-04	3.01E-05	1.20E+00	4.71E-02	1.71E-06	1.0E+06	1.7E+00
1229	11.71597	3.38E-03	4.0E-02	6.05E-04	2.40E-05	1.20E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
1230	14.28906	3.38E-03	4.8E-02	6.05E-04	2.92E-05	1.20E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
1231	13.83858	3.38E-03	4.7E-02	6.05E-04	2.83E-05	1.20E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
1232	13.90897	3.38E-03	4.7E-02	6.05E-04	2.85E-05	1.20E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
1233	10.76382	3.38E-03	3.6E-02	6.05E-04	2.20E-05	1.20E+00	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1234	13.0605	3.38E-03	4.4E-02	6.05E-04	2.67E-05	1.20E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1235	12.36856	3.38E-03	4.2E-02	6.05E-04	2.53E-05	1.20E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
1236	12.1705	3.38E-03	4.1E-02	6.05E-04	2.49E-05	1.20E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
1237	8.73926	3.38E-03	3.0E-02	6.05E-04	1.79E-05	1.20E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1238	10.68832	3.38E-03	3.6E-02	6.05E-04	2.19E-05	1.20E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
1239	9.46584	3.38E-03	3.2E-02	6.05E-04	1.94E-05	1.20E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
1240	8.43844	3.38E-03	2.9E-02	6.05E-04	1.73E-05	1.20E+00	4.71E-02	9.79E-07	1.0E+06	9.8E-01
1241	7.51892	3.38E-03	2.5E-02	6.05E-04	1.54E-05	1.20E+00	4.71E-02	8.73E-07	1.0E+06	8.7E-01
1242	15.63269	3.38E-03	5.3E-02	6.05E-04	3.20E-05	1.20E+00	4.71E-02	1.81E-06	1.0E+06	1.8E+00
1243	15.49646	3.38E-03	5.2E-02	6.05E-04	3.17E-05	1.20E+00	4.71E-02	1.80E-06	1.0E+06	1.8E+00

	Max	Receptor #
Res	1.870	1217

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1244	15.35	3.38E-03	5.2E-02	6.05E-04	3.14E-05	1.20E+00	4.71E-02	1.78E-06	1.0E+06	1.8E+00
1245	15.15779	3.38E-03	5.1E-02	6.05E-04	3.10E-05	1.20E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
1246	14.89568	3.38E-03	5.0E-02	6.05E-04	3.05E-05	1.20E+00	4.71E-02	1.73E-06	1.0E+06	1.7E+00
1247	14.59435	3.38E-03	4.9E-02	6.05E-04	2.99E-05	1.20E+00	4.71E-02	1.69E-06	1.0E+06	1.7E+00
1248	14.26608	3.38E-03	4.8E-02	6.05E-04	2.92E-05	1.20E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
1249	13.87008	3.38E-03	4.7E-02	6.05E-04	2.84E-05	1.20E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
1250	13.38369	3.38E-03	4.5E-02	6.05E-04	2.74E-05	1.20E+00	4.71E-02	1.55E-06	1.0E+06	1.6E+00
1251	12.85069	3.38E-03	4.3E-02	6.05E-04	2.63E-05	1.20E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1252	12.22595	3.38E-03	4.1E-02	6.05E-04	2.50E-05	1.20E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1253	11.42044	3.38E-03	3.9E-02	6.05E-04	2.34E-05	1.20E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
1254	10.39321	3.38E-03	3.5E-02	6.05E-04	2.13E-05	1.20E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1255	9.20791	3.38E-03	3.1E-02	6.05E-04	1.88E-05	1.20E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1256	13.13208	3.38E-03	4.4E-02	6.05E-04	2.69E-05	1.20E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
1257	13.01441	3.38E-03	4.4E-02	6.05E-04	2.66E-05	1.20E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00
1258	12.87265	3.38E-03	4.4E-02	6.05E-04	2.63E-05	1.20E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
1259	12.69931	3.38E-03	4.3E-02	6.05E-04	2.60E-05	1.20E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
1260	12.49121	3.38E-03	4.2E-02	6.05E-04	2.56E-05	1.20E+00	4.71E-02	1.45E-06	1.0E+06	1.4E+00
1261	12.23703	3.38E-03	4.1E-02	6.05E-04	2.50E-05	1.20E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
1262	11.94325	3.38E-03	4.0E-02	6.05E-04	2.44E-05	1.20E+00	4.71E-02	1.39E-06	1.0E+06	1.4E+00
1263	11.60421	3.38E-03	3.9E-02	6.05E-04	2.38E-05	1.20E+00	4.71E-02	1.35E-06	1.0E+06	1.3E+00
1264	11.20248	3.38E-03	3.8E-02	6.05E-04	2.29E-05	1.20E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1265	10.74927	3.38E-03	3.6E-02	6.05E-04	2.20E-05	1.20E+00	4.71E-02	1.25E-06	1.0E+06	1.2E+00
1266	10.21143	3.38E-03	3.5E-02	6.05E-04	2.09E-05	1.20E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
1267	9.55729	3.38E-03	3.2E-02	6.05E-04	1.96E-05	1.20E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1268	8.77599	3.38E-03	3.0E-02	6.05E-04	1.80E-05	1.20E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
1269	7.89918	3.38E-03	2.7E-02	6.05E-04	1.62E-05	1.20E+00	4.71E-02	9.17E-07	1.0E+06	9.2E-01
1270	11.2371	3.38E-03	3.8E-02	6.05E-04	2.30E-05	1.20E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
1271	11.13338	3.38E-03	3.8E-02	6.05E-04	2.28E-05	1.20E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00
1272	11.00483	3.38E-03	3.7E-02	6.05E-04	2.25E-05	1.20E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
1273	10.84838	3.38E-03	3.7E-02	6.05E-04	2.22E-05	1.20E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
1274	10.67084	3.38E-03	3.6E-02	6.05E-04	2.18E-05	1.20E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1275	10.45682	3.38E-03	3.5E-02	6.05E-04	2.14E-05	1.20E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
1276	10.20145	3.38E-03	3.5E-02	6.05E-04	2.09E-05	1.20E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
1277	9.90751	3.38E-03	3.4E-02	6.05E-04	2.03E-05	1.20E+00	4.71E-02	1.15E-06	1.0E+06	1.1E+00
1278	9.56641	3.38E-03	3.2E-02	6.05E-04	1.96E-05	1.20E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1279	9.17642	3.38E-03	3.1E-02	6.05E-04	1.88E-05	1.20E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1280	8.71977	3.38E-03	2.9E-02	6.05E-04	1.78E-05	1.20E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
1281	8.18363	3.38E-03	2.8E-02	6.05E-04	1.68E-05	1.20E+00	4.71E-02	9.50E-07	1.0E+06	9.5E-01
1282	7.5666	3.38E-03	2.6E-02	6.05E-04	1.55E-05	1.20E+00	4.71E-02	8.78E-07	1.0E+06	8.8E-01
1283	6.88851	3.38E-03	2.3E-02	6.05E-04	1.41E-05	1.20E+00	4.71E-02	8.00E-07	1.0E+06	8.0E-01
1284	9.75945	3.38E-03	3.3E-02	6.05E-04	2.00E-05	1.20E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
1285	9.66684	3.38E-03	3.3E-02	6.05E-04	1.98E-05	1.20E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
1286	9.55206	3.38E-03	3.2E-02	6.05E-04	1.96E-05	1.20E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
1287	9.41346	3.38E-03	3.2E-02	6.05E-04	1.93E-05	1.20E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
1288	9.25445	3.38E-03	3.1E-02	6.05E-04	1.89E-05	1.20E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
1289	9.07085	3.38E-03	3.1E-02	6.05E-04	1.86E-05	1.20E+00	4.71E-02	1.05E-06	1.0E+06	1.1E+00
1290	8.85142	3.38E-03	3.0E-02	6.05E-04	1.81E-05	1.20E+00	4.71E-02	1.03E-06	1.0E+06	1.0E+00
1291	8.59582	3.38E-03	2.9E-02	6.05E-04	1.76E-05	1.20E+00	4.71E-02	9.98E-07	1.0E+06	1.0E+00
1292	8.30249	3.38E-03	2.8E-02	6.05E-04	1.70E-05	1.20E+00	4.71E-02	9.64E-07	1.0E+06	9.6E-01
1293	7.96665	3.38E-03	2.7E-02	6.05E-04	1.63E-05	1.20E+00	4.71E-02	9.25E-07	1.0E+06	9.2E-01
1294	7.57866	3.38E-03	2.6E-02	6.05E-04	1.55E-05	1.20E+00	4.71E-02	8.80E-07	1.0E+06	8.8E-01
1295	7.13377	3.38E-03	2.4E-02	6.05E-04	1.46E-05	1.20E+00	4.71E-02	8.28E-07	1.0E+06	8.3E-01
1296	6.6336	3.38E-03	2.2E-02	6.05E-04	1.36E-05	1.20E+00	4.71E-02	7.70E-07	1.0E+06	7.7E-01
1297	6.09085	3.38E-03	2.1E-02	6.05E-04	1.25E-05	1.20E+00	4.71E-02	7.07E-07	1.0E+06	7.1E-01
1298	8.57804	3.38E-03	2.9E-02	6.05E-04	1.76E-05	1.20E+00	4.71E-02	9.96E-07	1.0E+06	1.0E+00
1299	8.49513	3.38E-03	2.9E-02	6.05E-04	1.74E-05	1.20E+00	4.71E-02	9.86E-07	1.0E+06	9.9E-01
1300	8.39221	3.38E-03	2.8E-02	6.05E-04	1.72E-05	1.20E+00	4.71E-02	9.74E-07	1.0E+06	9.7E-01
1301	8.269	3.38E-03	2.8E-02	6.05E-04	1.69E-05	1.20E+00	4.71E-02	9.60E-07	1.0E+06	9.6E-01
1302	8.12788	3.38E-03	2.7E-02	6.05E-04	1.66E-05	1.20E+00	4.71E-02	9.43E-07	1.0E+06	9.4E-01
1303	7.96655	3.38E-03	2.7E-02	6.05E-04	1.63E-05	1.20E+00	4.71E-02	9.25E-07	1.0E+06	9.2E-01
1304	7.77688	3.38E-03	2.6E-02	6.05E-04	1.59E-05	1.20E+00	4.71E-02	9.03E-07	1.0E+06	9.0E-01
1305	7.55422	3.38E-03	2.6E-02	6.05E-04	1.55E-05	1.20E+00	4.71E-02	8.77E-07	1.0E+06	8.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1306	7.61436	3.38E-03	2.6E-02	6.05E-04	1.56E-05	1.20E+00	4.71E-02	8.84E-07	1.0E+06	8.8E-01
1307	7.54083	3.38E-03	2.6E-02	6.05E-04	1.54E-05	1.20E+00	4.71E-02	8.75E-07	1.0E+06	8.8E-01
1308	7.44989	3.38E-03	2.5E-02	6.05E-04	1.52E-05	1.20E+00	4.71E-02	8.65E-07	1.0E+06	8.6E-01
1309	7.34135	3.38E-03	2.5E-02	6.05E-04	1.50E-05	1.20E+00	4.71E-02	8.52E-07	1.0E+06	8.5E-01
1310	7.21757	3.38E-03	2.4E-02	6.05E-04	1.48E-05	1.20E+00	4.71E-02	8.38E-07	1.0E+06	8.4E-01
1311	7.07301	3.38E-03	2.4E-02	6.05E-04	1.45E-05	1.20E+00	4.71E-02	8.21E-07	1.0E+06	8.2E-01
1312	6.90398	3.38E-03	2.3E-02	6.05E-04	1.41E-05	1.20E+00	4.71E-02	8.01E-07	1.0E+06	8.0E-01
1313	6.70915	3.38E-03	2.3E-02	6.05E-04	1.37E-05	1.20E+00	4.71E-02	7.79E-07	1.0E+06	7.8E-01
1314	6.81468	3.38E-03	2.3E-02	6.05E-04	1.39E-05	1.20E+00	4.71E-02	7.91E-07	1.0E+06	7.9E-01
1315	6.74938	3.38E-03	2.3E-02	6.05E-04	1.38E-05	1.20E+00	4.71E-02	7.83E-07	1.0E+06	7.8E-01
1316	6.66911	3.38E-03	2.3E-02	6.05E-04	1.37E-05	1.20E+00	4.71E-02	7.74E-07	1.0E+06	7.7E-01
1317	6.57364	3.38E-03	2.2E-02	6.05E-04	1.35E-05	1.20E+00	4.71E-02	7.63E-07	1.0E+06	7.6E-01
1318	6.4628	3.38E-03	2.2E-02	6.05E-04	1.32E-05	1.20E+00	4.71E-02	7.50E-07	1.0E+06	7.5E-01
1319	6.333	3.38E-03	2.1E-02	6.05E-04	1.30E-05	1.20E+00	4.71E-02	7.35E-07	1.0E+06	7.4E-01
1320	6.18275	3.38E-03	2.1E-02	6.05E-04	1.27E-05	1.20E+00	4.71E-02	7.18E-07	1.0E+06	7.2E-01
1321	6.01167	3.38E-03	2.0E-02	6.05E-04	1.23E-05	1.20E+00	4.71E-02	6.98E-07	1.0E+06	7.0E-01
1322	6.14171	3.38E-03	2.1E-02	6.05E-04	1.26E-05	1.20E+00	4.71E-02	7.13E-07	1.0E+06	7.1E-01
1323	6.08382	3.38E-03	2.1E-02	6.05E-04	1.25E-05	1.20E+00	4.71E-02	7.06E-07	1.0E+06	7.1E-01
1324	6.01269	3.38E-03	2.0E-02	6.05E-04	1.23E-05	1.20E+00	4.71E-02	6.98E-07	1.0E+06	7.0E-01
1325	5.92782	3.38E-03	2.0E-02	6.05E-04	1.21E-05	1.20E+00	4.71E-02	6.88E-07	1.0E+06	6.9E-01
1326	5.82807	3.38E-03	2.0E-02	6.05E-04	1.19E-05	1.20E+00	4.71E-02	6.76E-07	1.0E+06	6.8E-01
1327	5.71184	3.38E-03	1.9E-02	6.05E-04	1.17E-05	1.20E+00	4.71E-02	6.63E-07	1.0E+06	6.6E-01
1328	5.57841	3.38E-03	1.9E-02	6.05E-04	1.14E-05	1.20E+00	4.71E-02	6.47E-07	1.0E+06	6.5E-01
1329	5.42744	3.38E-03	1.8E-02	6.05E-04	1.11E-05	1.20E+00	4.71E-02	6.30E-07	1.0E+06	6.3E-01
1330	5.56801	3.38E-03	1.9E-02	6.05E-04	1.14E-05	1.20E+00	4.71E-02	6.46E-07	1.0E+06	6.5E-01
1331	5.51665	3.38E-03	1.9E-02	6.05E-04	1.13E-05	1.20E+00	4.71E-02	6.40E-07	1.0E+06	6.4E-01
1332	5.45306	3.38E-03	1.8E-02	6.05E-04	1.12E-05	1.20E+00	4.71E-02	6.33E-07	1.0E+06	6.3E-01
1333	5.37707	3.38E-03	1.8E-02	6.05E-04	1.10E-05	1.20E+00	4.71E-02	6.24E-07	1.0E+06	6.2E-01
1334	5.28827	3.38E-03	1.8E-02	6.05E-04	1.08E-05	1.20E+00	4.71E-02	6.14E-07	1.0E+06	6.1E-01
1335	5.1849	3.38E-03	1.8E-02	6.05E-04	1.06E-05	1.20E+00	4.71E-02	6.02E-07	1.0E+06	6.0E-01
1336	5.06618	3.38E-03	1.7E-02	6.05E-04	1.04E-05	1.20E+00	4.71E-02	5.88E-07	1.0E+06	5.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1337	4.93206	3.38E-03	1.7E-02	6.05E-04	1.01E-05	1.20E+00	4.71E-02	5.72E-07	1.0E+06	5.7E-01
1338	2.91471	3.38E-03	9.9E-03	6.05E-04	5.97E-06	1.20E+00	4.71E-02	3.38E-07	1.0E+06	3.4E-01
1339	3.13335	3.38E-03	1.1E-02	6.05E-04	6.41E-06	1.20E+00	4.71E-02	3.64E-07	1.0E+06	3.6E-01
1340	3.34931	3.38E-03	1.1E-02	6.05E-04	6.86E-06	1.20E+00	4.71E-02	3.89E-07	1.0E+06	3.9E-01
1341	3.58675	3.38E-03	1.2E-02	6.05E-04	7.34E-06	1.20E+00	4.71E-02	4.16E-07	1.0E+06	4.2E-01
1342	3.82434	3.38E-03	1.3E-02	6.05E-04	7.83E-06	1.20E+00	4.71E-02	4.44E-07	1.0E+06	4.4E-01
1343	4.03544	3.38E-03	1.4E-02	6.05E-04	8.26E-06	1.20E+00	4.71E-02	4.68E-07	1.0E+06	4.7E-01
1344	4.24345	3.38E-03	1.4E-02	6.05E-04	8.69E-06	1.20E+00	4.71E-02	4.93E-07	1.0E+06	4.9E-01
1345	4.43286	3.38E-03	1.5E-02	6.05E-04	9.07E-06	1.20E+00	4.71E-02	5.14E-07	1.0E+06	5.1E-01
1346	4.5862	3.38E-03	1.6E-02	6.05E-04	9.39E-06	1.20E+00	4.71E-02	5.32E-07	1.0E+06	5.3E-01
1347	4.71107	3.38E-03	1.6E-02	6.05E-04	9.64E-06	1.20E+00	4.71E-02	5.47E-07	1.0E+06	5.5E-01
1348	4.81697	3.38E-03	1.6E-02	6.05E-04	9.86E-06	1.20E+00	4.71E-02	5.59E-07	1.0E+06	5.6E-01
1349	4.91292	3.38E-03	1.7E-02	6.05E-04	1.01E-05	1.20E+00	4.71E-02	5.70E-07	1.0E+06	5.7E-01
1350	4.99402	3.38E-03	1.7E-02	6.05E-04	1.02E-05	1.20E+00	4.71E-02	5.80E-07	1.0E+06	5.8E-01
1351	5.05458	3.38E-03	1.7E-02	6.05E-04	1.03E-05	1.20E+00	4.71E-02	5.87E-07	1.0E+06	5.9E-01
1352	5.09921	3.38E-03	1.7E-02	6.05E-04	1.04E-05	1.20E+00	4.71E-02	5.92E-07	1.0E+06	5.9E-01
1353	5.12843	3.38E-03	1.7E-02	6.05E-04	1.05E-05	1.20E+00	4.71E-02	5.95E-07	1.0E+06	6.0E-01
1354	5.14121	3.38E-03	1.7E-02	6.05E-04	1.05E-05	1.20E+00	4.71E-02	5.97E-07	1.0E+06	6.0E-01
1355	5.14202	3.38E-03	1.7E-02	6.05E-04	1.05E-05	1.20E+00	4.71E-02	5.97E-07	1.0E+06	6.0E-01
1356	5.13064	3.38E-03	1.7E-02	6.05E-04	1.05E-05	1.20E+00	4.71E-02	5.95E-07	1.0E+06	6.0E-01
1357	5.108	3.38E-03	1.7E-02	6.05E-04	1.05E-05	1.20E+00	4.71E-02	5.93E-07	1.0E+06	5.9E-01
1358	5.07439	3.38E-03	1.7E-02	6.05E-04	1.04E-05	1.20E+00	4.71E-02	5.89E-07	1.0E+06	5.9E-01
1359	5.02888	3.38E-03	1.7E-02	6.05E-04	1.03E-05	1.20E+00	4.71E-02	5.84E-07	1.0E+06	5.8E-01
1360	4.97196	3.38E-03	1.7E-02	6.05E-04	1.02E-05	1.20E+00	4.71E-02	5.77E-07	1.0E+06	5.8E-01
1361	4.9039	3.38E-03	1.7E-02	6.05E-04	1.00E-05	1.20E+00	4.71E-02	5.69E-07	1.0E+06	5.7E-01
1362	4.82463	3.38E-03	1.6E-02	6.05E-04	9.88E-06	1.20E+00	4.71E-02	5.60E-07	1.0E+06	5.6E-01
1363	4.7325	3.38E-03	1.6E-02	6.05E-04	9.69E-06	1.20E+00	4.71E-02	5.49E-07	1.0E+06	5.5E-01
1364	4.62665	3.38E-03	1.6E-02	6.05E-04	9.47E-06	1.20E+00	4.71E-02	5.37E-07	1.0E+06	5.4E-01
1365	4.50717	3.38E-03	1.5E-02	6.05E-04	9.23E-06	1.20E+00	4.71E-02	5.23E-07	1.0E+06	5.2E-01
1366	2.68434	3.38E-03	9.1E-03	6.05E-04	5.49E-06	1.20E+00	4.71E-02	3.12E-07	1.0E+06	3.1E-01
1367	2.86768	3.38E-03	9.7E-03	6.05E-04	5.87E-06	1.20E+00	4.71E-02	3.33E-07	1.0E+06	3.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1368	3.05695	3.38E-03	1.0E-02	6.05E-04	6.26E-06	1.20E+00	4.71E-02	3.55E-07	1.0E+06	3.5E-01
1369	3.26585	3.38E-03	1.1E-02	6.05E-04	6.69E-06	1.20E+00	4.71E-02	3.79E-07	1.0E+06	3.8E-01
1370	3.46518	3.38E-03	1.2E-02	6.05E-04	7.09E-06	1.20E+00	4.71E-02	4.02E-07	1.0E+06	4.0E-01
1371	3.66677	3.38E-03	1.2E-02	6.05E-04	7.51E-06	1.20E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
1372	3.85665	3.38E-03	1.3E-02	6.05E-04	7.89E-06	1.20E+00	4.71E-02	4.48E-07	1.0E+06	4.5E-01
1373	4.02707	3.38E-03	1.4E-02	6.05E-04	8.24E-06	1.20E+00	4.71E-02	4.67E-07	1.0E+06	4.7E-01
1374	4.17095	3.38E-03	1.4E-02	6.05E-04	8.54E-06	1.20E+00	4.71E-02	4.84E-07	1.0E+06	4.8E-01
1375	4.27896	3.38E-03	1.4E-02	6.05E-04	8.76E-06	1.20E+00	4.71E-02	4.97E-07	1.0E+06	5.0E-01
1376	4.37026	3.38E-03	1.5E-02	6.05E-04	8.95E-06	1.20E+00	4.71E-02	5.07E-07	1.0E+06	5.1E-01
1377	4.46705	3.38E-03	1.5E-02	6.05E-04	9.14E-06	1.20E+00	4.71E-02	5.18E-07	1.0E+06	5.2E-01
1378	4.54761	3.38E-03	1.5E-02	6.05E-04	9.31E-06	1.20E+00	4.71E-02	5.28E-07	1.0E+06	5.3E-01
1379	4.61074	3.38E-03	1.6E-02	6.05E-04	9.44E-06	1.20E+00	4.71E-02	5.35E-07	1.0E+06	5.4E-01
1380	4.65524	3.38E-03	1.6E-02	6.05E-04	9.53E-06	1.20E+00	4.71E-02	5.40E-07	1.0E+06	5.4E-01
1381	4.68559	3.38E-03	1.6E-02	6.05E-04	9.59E-06	1.20E+00	4.71E-02	5.44E-07	1.0E+06	5.4E-01
1382	4.69968	3.38E-03	1.6E-02	6.05E-04	9.62E-06	1.20E+00	4.71E-02	5.45E-07	1.0E+06	5.5E-01
1383	4.70227	3.38E-03	1.6E-02	6.05E-04	9.63E-06	1.20E+00	4.71E-02	5.46E-07	1.0E+06	5.5E-01
1384	4.69401	3.38E-03	1.6E-02	6.05E-04	9.61E-06	1.20E+00	4.71E-02	5.45E-07	1.0E+06	5.4E-01
1385	4.67498	3.38E-03	1.6E-02	6.05E-04	9.57E-06	1.20E+00	4.71E-02	5.43E-07	1.0E+06	5.4E-01
1386	4.6459	3.38E-03	1.6E-02	6.05E-04	9.51E-06	1.20E+00	4.71E-02	5.39E-07	1.0E+06	5.4E-01
1387	4.60566	3.38E-03	1.6E-02	6.05E-04	9.43E-06	1.20E+00	4.71E-02	5.35E-07	1.0E+06	5.3E-01
1388	4.55468	3.38E-03	1.5E-02	6.05E-04	9.32E-06	1.20E+00	4.71E-02	5.29E-07	1.0E+06	5.3E-01
1389	4.49367	3.38E-03	1.5E-02	6.05E-04	9.20E-06	1.20E+00	4.71E-02	5.22E-07	1.0E+06	5.2E-01
1390	4.42282	3.38E-03	1.5E-02	6.05E-04	9.05E-06	1.20E+00	4.71E-02	5.13E-07	1.0E+06	5.1E-01
1391	4.34051	3.38E-03	1.5E-02	6.05E-04	8.88E-06	1.20E+00	4.71E-02	5.04E-07	1.0E+06	5.0E-01
1392	4.24597	3.38E-03	1.4E-02	6.05E-04	8.69E-06	1.20E+00	4.71E-02	4.93E-07	1.0E+06	4.9E-01
1393	4.13919	3.38E-03	1.4E-02	6.05E-04	8.47E-06	1.20E+00	4.71E-02	4.80E-07	1.0E+06	4.8E-01
1394	2.4577	3.38E-03	8.3E-03	6.05E-04	5.03E-06	1.20E+00	4.71E-02	2.85E-07	1.0E+06	2.9E-01
1395	2.6236	3.38E-03	8.9E-03	6.05E-04	5.37E-06	1.20E+00	4.71E-02	3.05E-07	1.0E+06	3.0E-01
1396	2.79342	3.38E-03	9.5E-03	6.05E-04	5.72E-06	1.20E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01
1397	2.96725	3.38E-03	1.0E-02	6.05E-04	6.07E-06	1.20E+00	4.71E-02	3.44E-07	1.0E+06	3.4E-01
1398	3.15399	3.38E-03	1.1E-02	6.05E-04	6.46E-06	1.20E+00	4.71E-02	3.66E-07	1.0E+06	3.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1399	3.32191	3.38E-03	1.1E-02	6.05E-04	6.80E-06	1.20E+00	4.71E-02	3.86E-07	1.0E+06	3.9E-01
1400	3.50527	3.38E-03	1.2E-02	6.05E-04	7.18E-06	1.20E+00	4.71E-02	4.07E-07	1.0E+06	4.1E-01
1401	3.67179	3.38E-03	1.2E-02	6.05E-04	7.52E-06	1.20E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
1402	3.80793	3.38E-03	1.3E-02	6.05E-04	7.79E-06	1.20E+00	4.71E-02	4.42E-07	1.0E+06	4.4E-01
1403	3.91085	3.38E-03	1.3E-02	6.05E-04	8.01E-06	1.20E+00	4.71E-02	4.54E-07	1.0E+06	4.5E-01
1404	3.99655	3.38E-03	1.4E-02	6.05E-04	8.18E-06	1.20E+00	4.71E-02	4.64E-07	1.0E+06	4.6E-01
1405	4.0866	3.38E-03	1.4E-02	6.05E-04	8.37E-06	1.20E+00	4.71E-02	4.74E-07	1.0E+06	4.7E-01
1406	4.15951	3.38E-03	1.4E-02	6.05E-04	8.51E-06	1.20E+00	4.71E-02	4.83E-07	1.0E+06	4.8E-01
1407	4.22056	3.38E-03	1.4E-02	6.05E-04	8.64E-06	1.20E+00	4.71E-02	4.90E-07	1.0E+06	4.9E-01
1408	4.26422	3.38E-03	1.4E-02	6.05E-04	8.73E-06	1.20E+00	4.71E-02	4.95E-07	1.0E+06	4.9E-01
1409	4.29934	3.38E-03	1.5E-02	6.05E-04	8.80E-06	1.20E+00	4.71E-02	4.99E-07	1.0E+06	5.0E-01
1410	4.31456	3.38E-03	1.5E-02	6.05E-04	8.83E-06	1.20E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
1411	4.31874	3.38E-03	1.5E-02	6.05E-04	8.84E-06	1.20E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
1412	4.3127	3.38E-03	1.5E-02	6.05E-04	8.83E-06	1.20E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
1413	4.29658	3.38E-03	1.5E-02	6.05E-04	8.79E-06	1.20E+00	4.71E-02	4.99E-07	1.0E+06	5.0E-01
1414	4.27113	3.38E-03	1.4E-02	6.05E-04	8.74E-06	1.20E+00	4.71E-02	4.96E-07	1.0E+06	5.0E-01
1415	4.23544	3.38E-03	1.4E-02	6.05E-04	8.67E-06	1.20E+00	4.71E-02	4.92E-07	1.0E+06	4.9E-01
1416	4.18974	3.38E-03	1.4E-02	6.05E-04	8.58E-06	1.20E+00	4.71E-02	4.86E-07	1.0E+06	4.9E-01
1417	4.13469	3.38E-03	1.4E-02	6.05E-04	8.46E-06	1.20E+00	4.71E-02	4.80E-07	1.0E+06	4.8E-01
1418	4.07154	3.38E-03	1.4E-02	6.05E-04	8.33E-06	1.20E+00	4.71E-02	4.73E-07	1.0E+06	4.7E-01
1419	3.99801	3.38E-03	1.4E-02	6.05E-04	8.18E-06	1.20E+00	4.71E-02	4.64E-07	1.0E+06	4.6E-01
1420	3.91347	3.38E-03	1.3E-02	6.05E-04	8.01E-06	1.20E+00	4.71E-02	4.54E-07	1.0E+06	4.5E-01
1421	3.81783	3.38E-03	1.3E-02	6.05E-04	7.81E-06	1.20E+00	4.71E-02	4.43E-07	1.0E+06	4.4E-01
1422	2.25556	3.38E-03	7.6E-03	6.05E-04	4.62E-06	1.20E+00	4.71E-02	2.62E-07	1.0E+06	2.6E-01
1423	2.40689	3.38E-03	8.1E-03	6.05E-04	4.93E-06	1.20E+00	4.71E-02	2.79E-07	1.0E+06	2.8E-01
1424	2.55714	3.38E-03	8.7E-03	6.05E-04	5.23E-06	1.20E+00	4.71E-02	2.97E-07	1.0E+06	3.0E-01
1425	2.70664	3.38E-03	9.2E-03	6.05E-04	5.54E-06	1.20E+00	4.71E-02	3.14E-07	1.0E+06	3.1E-01
1426	2.8695	3.38E-03	9.7E-03	6.05E-04	5.87E-06	1.20E+00	4.71E-02	3.33E-07	1.0E+06	3.3E-01
1427	3.02842	3.38E-03	1.0E-02	6.05E-04	6.20E-06	1.20E+00	4.71E-02	3.51E-07	1.0E+06	3.5E-01
1428	3.202	3.38E-03	1.1E-02	6.05E-04	6.55E-06	1.20E+00	4.71E-02	3.72E-07	1.0E+06	3.7E-01
1429	3.36081	3.38E-03	1.1E-02	6.05E-04	6.88E-06	1.20E+00	4.71E-02	3.90E-07	1.0E+06	3.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1430	3.49282	3.38E-03	1.2E-02	6.05E-04	7.15E-06	1.20E+00	4.71E-02	4.05E-07	1.0E+06	4.1E-01
1431	3.58681	3.38E-03	1.2E-02	6.05E-04	7.34E-06	1.20E+00	4.71E-02	4.16E-07	1.0E+06	4.2E-01
1432	3.67097	3.38E-03	1.2E-02	6.05E-04	7.51E-06	1.20E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
1433	3.75388	3.38E-03	1.3E-02	6.05E-04	7.68E-06	1.20E+00	4.71E-02	4.36E-07	1.0E+06	4.4E-01
1434	3.82105	3.38E-03	1.3E-02	6.05E-04	7.82E-06	1.20E+00	4.71E-02	4.43E-07	1.0E+06	4.4E-01
1435	3.87921	3.38E-03	1.3E-02	6.05E-04	7.94E-06	1.20E+00	4.71E-02	4.50E-07	1.0E+06	4.5E-01
1436	3.92339	3.38E-03	1.3E-02	6.05E-04	8.03E-06	1.20E+00	4.71E-02	4.55E-07	1.0E+06	4.6E-01
1437	3.95917	3.38E-03	1.3E-02	6.05E-04	8.10E-06	1.20E+00	4.71E-02	4.60E-07	1.0E+06	4.6E-01
1438	3.97536	3.38E-03	1.3E-02	6.05E-04	8.14E-06	1.20E+00	4.71E-02	4.61E-07	1.0E+06	4.6E-01
1439	3.9809	3.38E-03	1.3E-02	6.05E-04	8.15E-06	1.20E+00	4.71E-02	4.62E-07	1.0E+06	4.6E-01
1440	3.97681	3.38E-03	1.3E-02	6.05E-04	8.14E-06	1.20E+00	4.71E-02	4.62E-07	1.0E+06	4.6E-01
1441	3.96321	3.38E-03	1.3E-02	6.05E-04	8.11E-06	1.20E+00	4.71E-02	4.60E-07	1.0E+06	4.6E-01
1442	3.94104	3.38E-03	1.3E-02	6.05E-04	8.07E-06	1.20E+00	4.71E-02	4.57E-07	1.0E+06	4.6E-01
1443	3.90935	3.38E-03	1.3E-02	6.05E-04	8.00E-06	1.20E+00	4.71E-02	4.54E-07	1.0E+06	4.5E-01
1444	3.86842	3.38E-03	1.3E-02	6.05E-04	7.92E-06	1.20E+00	4.71E-02	4.49E-07	1.0E+06	4.5E-01
1445	3.81895	3.38E-03	1.3E-02	6.05E-04	7.82E-06	1.20E+00	4.71E-02	4.43E-07	1.0E+06	4.4E-01
1446	3.7623	3.38E-03	1.3E-02	6.05E-04	7.70E-06	1.20E+00	4.71E-02	4.37E-07	1.0E+06	4.4E-01
1447	3.69655	3.38E-03	1.3E-02	6.05E-04	7.57E-06	1.20E+00	4.71E-02	4.29E-07	1.0E+06	4.3E-01
1448	3.62088	3.38E-03	1.2E-02	6.05E-04	7.41E-06	1.20E+00	4.71E-02	4.20E-07	1.0E+06	4.2E-01
1449	3.53506	3.38E-03	1.2E-02	6.05E-04	7.24E-06	1.20E+00	4.71E-02	4.10E-07	1.0E+06	4.1E-01
1450	2.08281	3.38E-03	7.0E-03	6.05E-04	4.26E-06	1.20E+00	4.71E-02	2.42E-07	1.0E+06	2.4E-01
1451	2.2117	3.38E-03	7.5E-03	6.05E-04	4.53E-06	1.20E+00	4.71E-02	2.57E-07	1.0E+06	2.6E-01
1452	2.34171	3.38E-03	7.9E-03	6.05E-04	4.79E-06	1.20E+00	4.71E-02	2.72E-07	1.0E+06	2.7E-01
1453	2.48212	3.38E-03	8.4E-03	6.05E-04	5.08E-06	1.20E+00	4.71E-02	2.88E-07	1.0E+06	2.9E-01
1454	2.6206	3.38E-03	8.9E-03	6.05E-04	5.36E-06	1.20E+00	4.71E-02	3.04E-07	1.0E+06	3.0E-01
1455	2.75993	3.38E-03	9.3E-03	6.05E-04	5.65E-06	1.20E+00	4.71E-02	3.20E-07	1.0E+06	3.2E-01
1456	2.92749	3.38E-03	9.9E-03	6.05E-04	5.99E-06	1.20E+00	4.71E-02	3.40E-07	1.0E+06	3.4E-01
1457	3.08511	3.38E-03	1.0E-02	6.05E-04	6.32E-06	1.20E+00	4.71E-02	3.58E-07	1.0E+06	3.6E-01
1458	3.2119	3.38E-03	1.1E-02	6.05E-04	6.57E-06	1.20E+00	4.71E-02	3.73E-07	1.0E+06	3.7E-01
1459	3.30379	3.38E-03	1.1E-02	6.05E-04	6.76E-06	1.20E+00	4.71E-02	3.83E-07	1.0E+06	3.8E-01
1460	3.38392	3.38E-03	1.1E-02	6.05E-04	6.93E-06	1.20E+00	4.71E-02	3.93E-07	1.0E+06	3.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1461	3.46024	3.38E-03	1.2E-02	6.05E-04	7.08E-06	1.20E+00	4.71E-02	4.02E-07	1.0E+06	4.0E-01
1462	3.52229	3.38E-03	1.2E-02	6.05E-04	7.21E-06	1.20E+00	4.71E-02	4.09E-07	1.0E+06	4.1E-01
1463	3.57442	3.38E-03	1.2E-02	6.05E-04	7.32E-06	1.20E+00	4.71E-02	4.15E-07	1.0E+06	4.1E-01
1464	3.62174	3.38E-03	1.2E-02	6.05E-04	7.41E-06	1.20E+00	4.71E-02	4.20E-07	1.0E+06	4.2E-01
1465	3.658	3.38E-03	1.2E-02	6.05E-04	7.49E-06	1.20E+00	4.71E-02	4.25E-07	1.0E+06	4.2E-01
1466	3.6749	3.38E-03	1.2E-02	6.05E-04	7.52E-06	1.20E+00	4.71E-02	4.27E-07	1.0E+06	4.3E-01
1467	3.68137	3.38E-03	1.2E-02	6.05E-04	7.54E-06	1.20E+00	4.71E-02	4.27E-07	1.0E+06	4.3E-01
1468	3.67901	3.38E-03	1.2E-02	6.05E-04	7.53E-06	1.20E+00	4.71E-02	4.27E-07	1.0E+06	4.3E-01
1469	3.66782	3.38E-03	1.2E-02	6.05E-04	7.51E-06	1.20E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
1470	3.64851	3.38E-03	1.2E-02	6.05E-04	7.47E-06	1.20E+00	4.71E-02	4.23E-07	1.0E+06	4.2E-01
1471	3.62038	3.38E-03	1.2E-02	6.05E-04	7.41E-06	1.20E+00	4.71E-02	4.20E-07	1.0E+06	4.2E-01
1472	3.58365	3.38E-03	1.2E-02	6.05E-04	7.34E-06	1.20E+00	4.71E-02	4.16E-07	1.0E+06	4.2E-01
1473	3.53909	3.38E-03	1.2E-02	6.05E-04	7.24E-06	1.20E+00	4.71E-02	4.11E-07	1.0E+06	4.1E-01
1474	3.48841	3.38E-03	1.2E-02	6.05E-04	7.14E-06	1.20E+00	4.71E-02	4.05E-07	1.0E+06	4.0E-01
1475	3.42958	3.38E-03	1.2E-02	6.05E-04	7.02E-06	1.20E+00	4.71E-02	3.98E-07	1.0E+06	4.0E-01
1476	3.36171	3.38E-03	1.1E-02	6.05E-04	6.88E-06	1.20E+00	4.71E-02	3.90E-07	1.0E+06	3.9E-01
1477	3.28458	3.38E-03	1.1E-02	6.05E-04	6.72E-06	1.20E+00	4.71E-02	3.81E-07	1.0E+06	3.8E-01
1478	1.92647	3.38E-03	6.5E-03	6.05E-04	3.94E-06	1.20E+00	4.71E-02	2.24E-07	1.0E+06	2.2E-01
1479	2.04446	3.38E-03	6.9E-03	6.05E-04	4.18E-06	1.20E+00	4.71E-02	2.37E-07	1.0E+06	2.4E-01
1480	2.16426	3.38E-03	7.3E-03	6.05E-04	4.43E-06	1.20E+00	4.71E-02	2.51E-07	1.0E+06	2.5E-01
1481	2.28665	3.38E-03	7.7E-03	6.05E-04	4.68E-06	1.20E+00	4.71E-02	2.65E-07	1.0E+06	2.7E-01
1482	2.421	3.38E-03	8.2E-03	6.05E-04	4.96E-06	1.20E+00	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1483	2.54637	3.38E-03	8.6E-03	6.05E-04	5.21E-06	1.20E+00	4.71E-02	2.96E-07	1.0E+06	3.0E-01
1484	2.70434	3.38E-03	9.1E-03	6.05E-04	5.54E-06	1.20E+00	4.71E-02	3.14E-07	1.0E+06	3.1E-01
1485	2.8495	3.38E-03	9.6E-03	6.05E-04	5.83E-06	1.20E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
1486	2.96441	3.38E-03	1.0E-02	6.05E-04	6.07E-06	1.20E+00	4.71E-02	3.44E-07	1.0E+06	3.4E-01
1487	3.05351	3.38E-03	1.0E-02	6.05E-04	6.25E-06	1.20E+00	4.71E-02	3.54E-07	1.0E+06	3.5E-01
1488	3.12896	3.38E-03	1.1E-02	6.05E-04	6.40E-06	1.20E+00	4.71E-02	3.63E-07	1.0E+06	3.6E-01
1489	3.20112	3.38E-03	1.1E-02	6.05E-04	6.55E-06	1.20E+00	4.71E-02	3.72E-07	1.0E+06	3.7E-01
1490	3.26017	3.38E-03	1.1E-02	6.05E-04	6.67E-06	1.20E+00	4.71E-02	3.78E-07	1.0E+06	3.8E-01
1491	3.30999	3.38E-03	1.1E-02	6.05E-04	6.78E-06	1.20E+00	4.71E-02	3.84E-07	1.0E+06	3.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1492	3.35432	3.38E-03	1.1E-02	6.05E-04	6.87E-06	1.20E+00	4.71E-02	3.89E-07	1.0E+06	3.9E-01
1493	3.38719	3.38E-03	1.1E-02	6.05E-04	6.93E-06	1.20E+00	4.71E-02	3.93E-07	1.0E+06	3.9E-01
1494	3.40597	3.38E-03	1.2E-02	6.05E-04	6.97E-06	1.20E+00	4.71E-02	3.95E-07	1.0E+06	4.0E-01
1495	3.41352	3.38E-03	1.2E-02	6.05E-04	6.99E-06	1.20E+00	4.71E-02	3.96E-07	1.0E+06	4.0E-01
1496	3.41291	3.38E-03	1.2E-02	6.05E-04	6.99E-06	1.20E+00	4.71E-02	3.96E-07	1.0E+06	4.0E-01
1497	3.40408	3.38E-03	1.2E-02	6.05E-04	6.97E-06	1.20E+00	4.71E-02	3.95E-07	1.0E+06	4.0E-01
1498	3.38781	3.38E-03	1.1E-02	6.05E-04	6.93E-06	1.20E+00	4.71E-02	3.93E-07	1.0E+06	3.9E-01
1499	3.36326	3.38E-03	1.1E-02	6.05E-04	6.88E-06	1.20E+00	4.71E-02	3.90E-07	1.0E+06	3.9E-01
1500	3.33081	3.38E-03	1.1E-02	6.05E-04	6.82E-06	1.20E+00	4.71E-02	3.87E-07	1.0E+06	3.9E-01
1501	3.29112	3.38E-03	1.1E-02	6.05E-04	6.74E-06	1.20E+00	4.71E-02	3.82E-07	1.0E+06	3.8E-01
1502	3.24542	3.38E-03	1.1E-02	6.05E-04	6.64E-06	1.20E+00	4.71E-02	3.77E-07	1.0E+06	3.8E-01
1503	3.19219	3.38E-03	1.1E-02	6.05E-04	6.53E-06	1.20E+00	4.71E-02	3.71E-07	1.0E+06	3.7E-01
1504	3.13086	3.38E-03	1.1E-02	6.05E-04	6.41E-06	1.20E+00	4.71E-02	3.63E-07	1.0E+06	3.6E-01
1505	3.06131	3.38E-03	1.0E-02	6.05E-04	6.27E-06	1.20E+00	4.71E-02	3.55E-07	1.0E+06	3.6E-01
1506	1.78481	3.38E-03	6.0E-03	6.05E-04	3.65E-06	1.20E+00	4.71E-02	2.07E-07	1.0E+06	2.1E-01
1507	1.89487	3.38E-03	6.4E-03	6.05E-04	3.88E-06	1.20E+00	4.71E-02	2.20E-07	1.0E+06	2.2E-01
1508	2.00682	3.38E-03	6.8E-03	6.05E-04	4.11E-06	1.20E+00	4.71E-02	2.33E-07	1.0E+06	2.3E-01
1509	2.1216	3.38E-03	7.2E-03	6.05E-04	4.34E-06	1.20E+00	4.71E-02	2.46E-07	1.0E+06	2.5E-01
1510	2.24441	3.38E-03	7.6E-03	6.05E-04	4.59E-06	1.20E+00	4.71E-02	2.60E-07	1.0E+06	2.6E-01
1511	2.36704	3.38E-03	8.0E-03	6.05E-04	4.85E-06	1.20E+00	4.71E-02	2.75E-07	1.0E+06	2.7E-01
1512	2.50702	3.38E-03	8.5E-03	6.05E-04	5.13E-06	1.20E+00	4.71E-02	2.91E-07	1.0E+06	2.9E-01
1513	2.63857	3.38E-03	8.9E-03	6.05E-04	5.40E-06	1.20E+00	4.71E-02	3.06E-07	1.0E+06	3.1E-01
1514	2.7476	3.38E-03	9.3E-03	6.05E-04	5.62E-06	1.20E+00	4.71E-02	3.19E-07	1.0E+06	3.2E-01
1515	2.83109	3.38E-03	9.6E-03	6.05E-04	5.80E-06	1.20E+00	4.71E-02	3.29E-07	1.0E+06	3.3E-01
1516	2.90167	3.38E-03	9.8E-03	6.05E-04	5.94E-06	1.20E+00	4.71E-02	3.37E-07	1.0E+06	3.4E-01
1517	2.97052	3.38E-03	1.0E-02	6.05E-04	6.08E-06	1.20E+00	4.71E-02	3.45E-07	1.0E+06	3.4E-01
1518	3.02738	3.38E-03	1.0E-02	6.05E-04	6.20E-06	1.20E+00	4.71E-02	3.51E-07	1.0E+06	3.5E-01
1519	3.07748	3.38E-03	1.0E-02	6.05E-04	6.30E-06	1.20E+00	4.71E-02	3.57E-07	1.0E+06	3.6E-01
1520	3.11544	3.38E-03	1.1E-02	6.05E-04	6.38E-06	1.20E+00	4.71E-02	3.62E-07	1.0E+06	3.6E-01
1521	3.14624	3.38E-03	1.1E-02	6.05E-04	6.44E-06	1.20E+00	4.71E-02	3.65E-07	1.0E+06	3.7E-01
1522	3.16513	3.38E-03	1.1E-02	6.05E-04	6.48E-06	1.20E+00	4.71E-02	3.67E-07	1.0E+06	3.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1523	3.17345	3.38E-03	1.1E-02	6.05E-04	6.50E-06	1.20E+00	4.71E-02	3.68E-07	1.0E+06	3.7E-01
1524	3.17442	3.38E-03	1.1E-02	6.05E-04	6.50E-06	1.20E+00	4.71E-02	3.68E-07	1.0E+06	3.7E-01
1525	3.1679	3.38E-03	1.1E-02	6.05E-04	6.48E-06	1.20E+00	4.71E-02	3.68E-07	1.0E+06	3.7E-01
1526	3.15426	3.38E-03	1.1E-02	6.05E-04	6.46E-06	1.20E+00	4.71E-02	3.66E-07	1.0E+06	3.7E-01
1527	3.13306	3.38E-03	1.1E-02	6.05E-04	6.41E-06	1.20E+00	4.71E-02	3.64E-07	1.0E+06	3.6E-01
1528	3.10447	3.38E-03	1.1E-02	6.05E-04	6.35E-06	1.20E+00	4.71E-02	3.60E-07	1.0E+06	3.6E-01
1529	3.06911	3.38E-03	1.0E-02	6.05E-04	6.28E-06	1.20E+00	4.71E-02	3.56E-07	1.0E+06	3.6E-01
1530	3.02787	3.38E-03	1.0E-02	6.05E-04	6.20E-06	1.20E+00	4.71E-02	3.51E-07	1.0E+06	3.5E-01
1531	2.97964	3.38E-03	1.0E-02	6.05E-04	6.10E-06	1.20E+00	4.71E-02	3.46E-07	1.0E+06	3.5E-01
1532	2.92412	3.38E-03	9.9E-03	6.05E-04	5.99E-06	1.20E+00	4.71E-02	3.39E-07	1.0E+06	3.4E-01
1533	2.86128	3.38E-03	9.7E-03	6.05E-04	5.86E-06	1.20E+00	4.71E-02	3.32E-07	1.0E+06	3.3E-01
1534	1.65686	3.38E-03	5.6E-03	6.05E-04	3.39E-06	1.20E+00	4.71E-02	1.92E-07	1.0E+06	1.9E-01
1535	1.76005	3.38E-03	6.0E-03	6.05E-04	3.60E-06	1.20E+00	4.71E-02	2.04E-07	1.0E+06	2.0E-01
1536	1.86525	3.38E-03	6.3E-03	6.05E-04	3.82E-06	1.20E+00	4.71E-02	2.16E-07	1.0E+06	2.2E-01
1537	1.97381	3.38E-03	6.7E-03	6.05E-04	4.04E-06	1.20E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
1538	2.09024	3.38E-03	7.1E-03	6.05E-04	4.28E-06	1.20E+00	4.71E-02	2.43E-07	1.0E+06	2.4E-01
1539	2.207	3.38E-03	7.5E-03	6.05E-04	4.52E-06	1.20E+00	4.71E-02	2.56E-07	1.0E+06	2.6E-01
1540	2.33349	3.38E-03	7.9E-03	6.05E-04	4.78E-06	1.20E+00	4.71E-02	2.71E-07	1.0E+06	2.7E-01
1541	2.4535	3.38E-03	8.3E-03	6.05E-04	5.02E-06	1.20E+00	4.71E-02	2.85E-07	1.0E+06	2.8E-01
1542	2.5542	3.38E-03	8.6E-03	6.05E-04	5.23E-06	1.20E+00	4.71E-02	2.96E-07	1.0E+06	3.0E-01
1543	2.62853	3.38E-03	8.9E-03	6.05E-04	5.38E-06	1.20E+00	4.71E-02	3.05E-07	1.0E+06	3.1E-01
1544	2.69838	3.38E-03	9.1E-03	6.05E-04	5.52E-06	1.20E+00	4.71E-02	3.13E-07	1.0E+06	3.1E-01
1545	2.76404	3.38E-03	9.4E-03	6.05E-04	5.66E-06	1.20E+00	4.71E-02	3.21E-07	1.0E+06	3.2E-01
1546	2.81851	3.38E-03	9.5E-03	6.05E-04	5.77E-06	1.20E+00	4.71E-02	3.27E-07	1.0E+06	3.3E-01
1547	2.86639	3.38E-03	9.7E-03	6.05E-04	5.87E-06	1.20E+00	4.71E-02	3.33E-07	1.0E+06	3.3E-01
1548	2.90118	3.38E-03	9.8E-03	6.05E-04	5.94E-06	1.20E+00	4.71E-02	3.37E-07	1.0E+06	3.4E-01
1549	2.93009	3.38E-03	9.9E-03	6.05E-04	6.00E-06	1.20E+00	4.71E-02	3.40E-07	1.0E+06	3.4E-01
1550	2.94867	3.38E-03	1.0E-02	6.05E-04	6.04E-06	1.20E+00	4.71E-02	3.42E-07	1.0E+06	3.4E-01
1551	2.95777	3.38E-03	1.0E-02	6.05E-04	6.05E-06	1.20E+00	4.71E-02	3.43E-07	1.0E+06	3.4E-01
1552	2.95996	3.38E-03	1.0E-02	6.05E-04	6.06E-06	1.20E+00	4.71E-02	3.44E-07	1.0E+06	3.4E-01
1553	2.9555	3.38E-03	1.0E-02	6.05E-04	6.05E-06	1.20E+00	4.71E-02	3.43E-07	1.0E+06	3.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1554	2.94424	3.38E-03	1.0E-02	6.05E-04	6.03E-06	1.20E+00	4.71E-02	3.42E-07	1.0E+06	3.4E-01
1555	2.92594	3.38E-03	9.9E-03	6.05E-04	5.99E-06	1.20E+00	4.71E-02	3.40E-07	1.0E+06	3.4E-01
1556	2.90079	3.38E-03	9.8E-03	6.05E-04	5.94E-06	1.20E+00	4.71E-02	3.37E-07	1.0E+06	3.4E-01
1557	2.86934	3.38E-03	9.7E-03	6.05E-04	5.87E-06	1.20E+00	4.71E-02	3.33E-07	1.0E+06	3.3E-01
1558	2.83207	3.38E-03	9.6E-03	6.05E-04	5.80E-06	1.20E+00	4.71E-02	3.29E-07	1.0E+06	3.3E-01
1559	2.78837	3.38E-03	9.4E-03	6.05E-04	5.71E-06	1.20E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01
1560	2.73805	3.38E-03	9.3E-03	6.05E-04	5.60E-06	1.20E+00	4.71E-02	3.18E-07	1.0E+06	3.2E-01
1561	2.68118	3.38E-03	9.1E-03	6.05E-04	5.49E-06	1.20E+00	4.71E-02	3.11E-07	1.0E+06	3.1E-01
1562	1.54745	3.38E-03	5.2E-03	6.05E-04	3.17E-06	1.20E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
1563	1.64011	3.38E-03	5.5E-03	6.05E-04	3.36E-06	1.20E+00	4.71E-02	1.90E-07	1.0E+06	1.9E-01
1564	1.73457	3.38E-03	5.9E-03	6.05E-04	3.55E-06	1.20E+00	4.71E-02	2.01E-07	1.0E+06	2.0E-01
1565	1.8335	3.38E-03	6.2E-03	6.05E-04	3.75E-06	1.20E+00	4.71E-02	2.13E-07	1.0E+06	2.1E-01
1566	1.93709	3.38E-03	6.6E-03	6.05E-04	3.97E-06	1.20E+00	4.71E-02	2.25E-07	1.0E+06	2.2E-01
1567	2.04788	3.38E-03	6.9E-03	6.05E-04	4.19E-06	1.20E+00	4.71E-02	2.38E-07	1.0E+06	2.4E-01
1568	2.16014	3.38E-03	7.3E-03	6.05E-04	4.42E-06	1.20E+00	4.71E-02	2.51E-07	1.0E+06	2.5E-01
1569	2.27678	3.38E-03	7.7E-03	6.05E-04	4.66E-06	1.20E+00	4.71E-02	2.64E-07	1.0E+06	2.6E-01
1570	2.3712	3.38E-03	8.0E-03	6.05E-04	4.85E-06	1.20E+00	4.71E-02	2.75E-07	1.0E+06	2.8E-01
1571	2.4422	3.38E-03	8.3E-03	6.05E-04	5.00E-06	1.20E+00	4.71E-02	2.83E-07	1.0E+06	2.8E-01
1572	2.51056	3.38E-03	8.5E-03	6.05E-04	5.14E-06	1.20E+00	4.71E-02	2.91E-07	1.0E+06	2.9E-01
1573	2.57342	3.38E-03	8.7E-03	6.05E-04	5.27E-06	1.20E+00	4.71E-02	2.99E-07	1.0E+06	3.0E-01
1574	2.62897	3.38E-03	8.9E-03	6.05E-04	5.38E-06	1.20E+00	4.71E-02	3.05E-07	1.0E+06	3.1E-01
1575	2.67523	3.38E-03	9.1E-03	6.05E-04	5.48E-06	1.20E+00	4.71E-02	3.10E-07	1.0E+06	3.1E-01
1576	2.70791	3.38E-03	9.2E-03	6.05E-04	5.54E-06	1.20E+00	4.71E-02	3.14E-07	1.0E+06	3.1E-01
1577	2.73545	3.38E-03	9.3E-03	6.05E-04	5.60E-06	1.20E+00	4.71E-02	3.17E-07	1.0E+06	3.2E-01
1578	2.75216	3.38E-03	9.3E-03	6.05E-04	5.63E-06	1.20E+00	4.71E-02	3.19E-07	1.0E+06	3.2E-01
1579	2.76339	3.38E-03	9.3E-03	6.05E-04	5.66E-06	1.20E+00	4.71E-02	3.21E-07	1.0E+06	3.2E-01
1580	2.76644	3.38E-03	9.4E-03	6.05E-04	5.66E-06	1.20E+00	4.71E-02	3.21E-07	1.0E+06	3.2E-01
1581	2.7636	3.38E-03	9.3E-03	6.05E-04	5.66E-06	1.20E+00	4.71E-02	3.21E-07	1.0E+06	3.2E-01
1582	2.75428	3.38E-03	9.3E-03	6.05E-04	5.64E-06	1.20E+00	4.71E-02	3.20E-07	1.0E+06	3.2E-01
1583	2.73855	3.38E-03	9.3E-03	6.05E-04	5.61E-06	1.20E+00	4.71E-02	3.18E-07	1.0E+06	3.2E-01
1584	2.71649	3.38E-03	9.2E-03	6.05E-04	5.56E-06	1.20E+00	4.71E-02	3.15E-07	1.0E+06	3.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1585	2.68846	3.38E-03	9.1E-03	6.05E-04	5.50E-06	1.20E+00	4.71E-02	3.12E-07	1.0E+06	3.1E-01
1586	2.65489	3.38E-03	9.0E-03	6.05E-04	5.43E-06	1.20E+00	4.71E-02	3.08E-07	1.0E+06	3.1E-01
1587	2.6154	3.38E-03	8.8E-03	6.05E-04	5.35E-06	1.20E+00	4.71E-02	3.04E-07	1.0E+06	3.0E-01
1588	2.56986	3.38E-03	8.7E-03	6.05E-04	5.26E-06	1.20E+00	4.71E-02	2.98E-07	1.0E+06	3.0E-01
1589	2.51835	3.38E-03	8.5E-03	6.05E-04	5.15E-06	1.20E+00	4.71E-02	2.92E-07	1.0E+06	2.9E-01
1590	1.45245	3.38E-03	4.9E-03	6.05E-04	2.97E-06	1.20E+00	4.71E-02	1.69E-07	1.0E+06	1.7E-01
1591	1.53268	3.38E-03	5.2E-03	6.05E-04	3.14E-06	1.20E+00	4.71E-02	1.78E-07	1.0E+06	1.8E-01
1592	1.61397	3.38E-03	5.5E-03	6.05E-04	3.30E-06	1.20E+00	4.71E-02	1.87E-07	1.0E+06	1.9E-01
1593	1.70242	3.38E-03	5.8E-03	6.05E-04	3.48E-06	1.20E+00	4.71E-02	1.98E-07	1.0E+06	2.0E-01
1594	1.79858	3.38E-03	6.1E-03	6.05E-04	3.68E-06	1.20E+00	4.71E-02	2.09E-07	1.0E+06	2.1E-01
1595	1.89401	3.38E-03	6.4E-03	6.05E-04	3.88E-06	1.20E+00	4.71E-02	2.20E-07	1.0E+06	2.2E-01
0	0	3.38E-03	0.0E+00	6.05E-04	0.00E+00	1.20E+00	4.71E-02	0.00E+00	1.0E+06	0.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1213	5	4.84E-03
1214	5	9.35E-03
1215	5	9.13E-03
1216	5	9.15E-03
1217	5	1.09E-02
1218	5	8.77E-03
1219	5	8.40E-03
1220	5	8.22E-03
1221	5	9.73E-03
1222	5	7.36E-03
1223	5	6.76E-03
1224	5	6.33E-03
1225	5	7.41E-03
1226	5	6.59E-03
1227	5	5.84E-03
1228	5	9.95E-03
1229	5	7.93E-03
1230	5	9.67E-03
1231	5	9.36E-03
1232	5	9.41E-03
1233	5	7.28E-03
1234	5	8.84E-03
1235	5	8.37E-03
1236	5	8.23E-03
1237	5	5.91E-03
1238	5	7.23E-03
1239	5	6.40E-03
1240	5	5.71E-03
1241	5	5.09E-03
1242	5	1.06E-02
1243	5	1.05E-02

Max	Receptor #	
0.011	1217	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1244	5	1.04E-02
1245	5	1.03E-02
1246	5	1.01E-02
1247	5	9.87E-03
1248	5	9.65E-03
1249	5	9.38E-03
1250	5	9.06E-03
1251	5	8.69E-03
1252	5	8.27E-03
1253	5	7.73E-03
1254	5	7.03E-03
1255	5	6.23E-03
1256	5	8.89E-03
1257	5	8.81E-03
1258	5	8.71E-03
1259	5	8.59E-03
1260	5	8.45E-03
1261	5	8.28E-03
1262	5	8.08E-03
1263	5	7.85E-03
1264	5	7.58E-03
1265	5	7.27E-03
1266	5	6.91E-03
1267	5	6.47E-03
1268	5	5.94E-03
1269	5	5.34E-03
1270	5	7.60E-03
1271	5	7.53E-03
1272	5	7.45E-03
1273	5	7.34E-03
1274	5	7.22E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1275	5	7.08E-03
1276	5	6.90E-03
1277	5	6.70E-03
1278	5	6.47E-03
1279	5	6.21E-03
1280	5	5.90E-03
1281	5	5.54E-03
1282	5	5.12E-03
1283	5	4.66E-03
1284	5	6.60E-03
1285	5	6.54E-03
1286	5	6.46E-03
1287	5	6.37E-03
1288	5	6.26E-03
1289	5	6.14E-03
1290	5	5.99E-03
1291	5	5.82E-03
1292	5	5.62E-03
1293	5	5.39E-03
1294	5	5.13E-03
1295	5	4.83E-03
1296	5	4.49E-03
1297	5	4.12E-03
1298	5	5.80E-03
1299	5	5.75E-03
1300	5	5.68E-03
1301	5	5.59E-03
1302	5	5.50E-03
1303	5	5.39E-03
1304	5	5.26E-03
1305	5	5.11E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1306	5	5.15E-03
1307	5	5.10E-03
1308	5	5.04E-03
1309	5	4.97E-03
1310	5	4.88E-03
1311	5	4.79E-03
1312	5	4.67E-03
1313	5	4.54E-03
1314	5	4.61E-03
1315	5	4.57E-03
1316	5	4.51E-03
1317	5	4.45E-03
1318	5	4.37E-03
1319	5	4.28E-03
1320	5	4.18E-03
1321	5	4.07E-03
1322	5	4.16E-03
1323	5	4.12E-03
1324	5	4.07E-03
1325	5	4.01E-03
1326	5	3.94E-03
1327	5	3.86E-03
1328	5	3.77E-03
1329	5	3.67E-03
1330	5	3.77E-03
1331	5	3.73E-03
1332	5	3.69E-03
1333	5	3.64E-03
1334	5	3.58E-03
1335	5	3.51E-03
1336	5	3.43E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1337	5	3.34E-03
1338	5	1.97E-03
1339	5	2.12E-03
1340	5	2.27E-03
1341	5	2.43E-03
1342	5	2.59E-03
1343	5	2.73E-03
1344	5	2.87E-03
1345	5	3.00E-03
1346	5	3.10E-03
1347	5	3.19E-03
1348	5	3.26E-03
1349	5	3.32E-03
1350	5	3.38E-03
1351	5	3.42E-03
1352	5	3.45E-03
1353	5	3.47E-03
1354	5	3.48E-03
1355	5	3.48E-03
1356	5	3.47E-03
1357	5	3.46E-03
1358	5	3.43E-03
1359	5	3.40E-03
1360	5	3.36E-03
1361	5	3.32E-03
1362	5	3.26E-03
1363	5	3.20E-03
1364	5	3.13E-03
1365	5	3.05E-03
1366	5	1.82E-03
1367	5	1.94E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1368	5	2.07E-03
1369	5	2.21E-03
1370	5	2.34E-03
1371	5	2.48E-03
1372	5	2.61E-03
1373	5	2.72E-03
1374	5	2.82E-03
1375	5	2.90E-03
1376	5	2.96E-03
1377	5	3.02E-03
1378	5	3.08E-03
1379	5	3.12E-03
1380	5	3.15E-03
1381	5	3.17E-03
1382	5	3.18E-03
1383	5	3.18E-03
1384	5	3.18E-03
1385	5	3.16E-03
1386	5	3.14E-03
1387	5	3.12E-03
1388	5	3.08E-03
1389	5	3.04E-03
1390	5	2.99E-03
1391	5	2.94E-03
1392	5	2.87E-03
1393	5	2.80E-03
1394	5	1.66E-03
1395	5	1.78E-03
1396	5	1.89E-03
1397	5	2.01E-03
1398	5	2.13E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1399	5	2.25E-03
1400	5	2.37E-03
1401	5	2.48E-03
1402	5	2.58E-03
1403	5	2.65E-03
1404	5	2.70E-03
1405	5	2.77E-03
1406	5	2.81E-03
1407	5	2.86E-03
1408	5	2.89E-03
1409	5	2.91E-03
1410	5	2.92E-03
1411	5	2.92E-03
1412	5	2.92E-03
1413	5	2.91E-03
1414	5	2.89E-03
1415	5	2.87E-03
1416	5	2.83E-03
1417	5	2.80E-03
1418	5	2.75E-03
1419	5	2.71E-03
1420	5	2.65E-03
1421	5	2.58E-03
1422	5	1.53E-03
1423	5	1.63E-03
1424	5	1.73E-03
1425	5	1.83E-03
1426	5	1.94E-03
1427	5	2.05E-03
1428	5	2.17E-03
1429	5	2.27E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1430	5	2.36E-03
1431	5	2.43E-03
1432	5	2.48E-03
1433	5	2.54E-03
1434	5	2.59E-03
1435	5	2.62E-03
1436	5	2.65E-03
1437	5	2.68E-03
1438	5	2.69E-03
1439	5	2.69E-03
1440	5	2.69E-03
1441	5	2.68E-03
1442	5	2.67E-03
1443	5	2.65E-03
1444	5	2.62E-03
1445	5	2.58E-03
1446	5	2.55E-03
1447	5	2.50E-03
1448	5	2.45E-03
1449	5	2.39E-03
1450	5	1.41E-03
1451	5	1.50E-03
1452	5	1.58E-03
1453	5	1.68E-03
1454	5	1.77E-03
1455	5	1.87E-03
1456	5	1.98E-03
1457	5	2.09E-03
1458	5	2.17E-03
1459	5	2.24E-03
1460	5	2.29E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1461	5	2.34E-03
1462	5	2.38E-03
1463	5	2.42E-03
1464	5	2.45E-03
1465	5	2.48E-03
1466	5	2.49E-03
1467	5	2.49E-03
1468	5	2.49E-03
1469	5	2.48E-03
1470	5	2.47E-03
1471	5	2.45E-03
1472	5	2.42E-03
1473	5	2.39E-03
1474	5	2.36E-03
1475	5	2.32E-03
1476	5	2.27E-03
1477	5	2.22E-03
1478	5	1.30E-03
1479	5	1.38E-03
1480	5	1.46E-03
1481	5	1.55E-03
1482	5	1.64E-03
1483	5	1.72E-03
1484	5	1.83E-03
1485	5	1.93E-03
1486	5	2.01E-03
1487	5	2.07E-03
1488	5	2.12E-03
1489	5	2.17E-03
1490	5	2.21E-03
1491	5	2.24E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1492	5	2.27E-03
1493	5	2.29E-03
1494	5	2.30E-03
1495	5	2.31E-03
1496	5	2.31E-03
1497	5	2.30E-03
1498	5	2.29E-03
1499	5	2.28E-03
1500	5	2.25E-03
1501	5	2.23E-03
1502	5	2.20E-03
1503	5	2.16E-03
1504	5	2.12E-03
1505	5	2.07E-03
1506	5	1.21E-03
1507	5	1.28E-03
1508	5	1.36E-03
1509	5	1.44E-03
1510	5	1.52E-03
1511	5	1.60E-03
1512	5	1.70E-03
1513	5	1.79E-03
1514	5	1.86E-03
1515	5	1.92E-03
1516	5	1.96E-03
1517	5	2.01E-03
1518	5	2.05E-03
1519	5	2.08E-03
1520	5	2.11E-03
1521	5	2.13E-03
1522	5	2.14E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1523	5	2.15E-03
1524	5	2.15E-03
1525	5	2.14E-03
1526	5	2.13E-03
1527	5	2.12E-03
1528	5	2.10E-03
1529	5	2.08E-03
1530	5	2.05E-03
1531	5	2.02E-03
1532	5	1.98E-03
1533	5	1.94E-03
1534	5	1.12E-03
1535	5	1.19E-03
1536	5	1.26E-03
1537	5	1.34E-03
1538	5	1.41E-03
1539	5	1.49E-03
1540	5	1.58E-03
1541	5	1.66E-03
1542	5	1.73E-03
1543	5	1.78E-03
1544	5	1.83E-03
1545	5	1.87E-03
1546	5	1.91E-03
1547	5	1.94E-03
1548	5	1.96E-03
1549	5	1.98E-03
1550	5	2.00E-03
1551	5	2.00E-03
1552	5	2.00E-03
1553	5	2.00E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1554	5	1.99E-03
1555	5	1.98E-03
1556	5	1.96E-03
1557	5	1.94E-03
1558	5	1.92E-03
1559	5	1.89E-03
1560	5	1.85E-03
1561	5	1.81E-03
1562	5	1.05E-03
1563	5	1.11E-03
1564	5	1.17E-03
1565	5	1.24E-03
1566	5	1.31E-03
1567	5	1.39E-03
1568	5	1.46E-03
1569	5	1.54E-03
1570	5	1.60E-03
1571	5	1.65E-03
1572	5	1.70E-03
1573	5	1.74E-03
1574	5	1.78E-03
1575	5	1.81E-03
1576	5	1.83E-03
1577	5	1.85E-03
1578	5	1.86E-03
1579	5	1.87E-03
1580	5	1.87E-03
1581	5	1.87E-03
1582	5	1.86E-03
1583	5	1.85E-03
1584	5	1.84E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1585	5	1.82E-03
1586	5	1.80E-03
1587	5	1.77E-03
1588	5	1.74E-03
1589	5	1.70E-03
1590	5	9.83E-04
1591	5	1.04E-03
1592	5	1.09E-03
1593	5	1.15E-03
1594	5	1.22E-03
1595	5	1.28E-03
0	5	0.00E+00

Air Quality Appendix
AQ-7 Health Risk Analysis
A Unmitigated
6 Future Onsite Harbor

One San Pedro Specific Plan

Unmitigated - New Onsite - Harbor - Risk Summary

8/5/2022

		Cancer Risk					
Receptor #	**Total Per/Million**	**Harbor**	**PA1**	**PA2**	**PA3**		**Adjusted Risk per Million**
485	**8.0**	**0.00**	**5.51**	**0.90**	**1.63**		**1.86**
		485	**485**	**485**	**485**	**Receptor**	
485	8.035E+00	0.00	5.51	0.90	1.63		
486	7.693E+00	0.00	5.25	0.88	1.56		
487	7.366E+00	0.00	5.01	0.87	1.48		
488	7.027E+00	0.00	4.77	0.85	1.40		
489	6.696E+00	0.00	4.54	0.84	1.32		
490	6.400E+00	0.00	4.33	0.82	1.25		
491	7.756E+00	0.00	5.36	0.86	1.53		
492	7.438E+00	0.00	5.12	0.85	1.47		
493	7.132E+00	0.00	4.89	0.84	1.40		
494	6.812E+00	0.00	4.66	0.82	1.33		
495	6.523E+00	0.00	4.45	0.81	1.27		
496	6.246E+00	0.00	4.26	0.79	1.20		
497	7.492E+00	0.00	5.22	0.83	1.45		
498	7.195E+00	0.00	4.99	0.82	1.39		
499	6.909E+00	0.00	4.77	0.81	1.33		
500	6.613E+00	0.00	4.55	0.80	1.27		
501	6.316E+00	0.00	4.34	0.77	1.20		
502	6.053E+00	0.00	4.15	0.76	1.14		
503	7.243E+00	0.00	5.08	0.80	1.36		
504	6.965E+00	0.00	4.86	0.79	1.31		
505	6.697E+00	0.00	4.66	0.78	1.26		
506	6.428E+00	0.00	4.46	0.76	1.20		
507	6.135E+00	0.00	4.24	0.75	1.14		
508	5.886E+00	0.00	4.06	0.73	1.09		
509	7.006E+00	0.00	4.95	0.77	1.29		
510	6.746E+00	0.00	4.74	0.76	1.25		
511	6.495E+00	0.00	4.55	0.75	1.20		
512	6.231E+00	0.00	4.35	0.74	1.15		

One San Pedro Specific Plan

Unmitigated - New Onsite - Harbor - Risk Summary

8/5/2022

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
513	5.967E+00	0.00	4.15	0.72	1.09	
514	5.733E+00	0.00	3.98	0.71	1.04	
515	6.782E+00	0.00	4.82	0.74	1.22	
516	6.538E+00	0.00	4.62	0.73	1.18	
517	6.302E+00	0.00	4.44	0.72	1.14	
518	6.050E+00	0.00	4.25	0.71	1.09	
519	5.824E+00	0.00	4.08	0.70	1.05	
520	5.604E+00	0.00	3.91	0.68	1.00	

One San Pedro Specific Plan

Unmitigated - New Onsite - Harbor - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	**Receptor #**	**Max Chronic**	**2023**	**2024**	**2025**	**2026**	**2027**	**2028**	**2029**	**2030**	**2031**	**2032**	**2033**
485	**485**	**0.039**	**0.000**	**0.000**	**0.021**	**0.005**	**0.005**	**0.006**	**0.006**	**0.006**	**0.012**	**0.008**	**0.001**
		Receptor	**485**	**485**	**485**	**485**	**485**	**485**	**485**	**485**	**485**	**485**	**485**
485	**485**	3.95E-02	0.00E+00	0.00E+00	2.05E-02	5.17E-03	5.17E-03	6.03E-03	6.03E-03	6.03E-03	1.18E-02	7.84E-03	1.16E-03
486	**486**	3.77E-02	0.00E+00	0.00E+00	1.95E-02	4.92E-03	4.92E-03	5.74E-03	5.74E-03	5.74E-03	1.16E-02	7.71E-03	1.14E-03
487	**487**	3.59E-02	0.00E+00	0.00E+00	1.86E-02	4.69E-03	4.69E-03	5.47E-03	5.47E-03	5.47E-03	1.14E-02	7.57E-03	1.12E-03
488	**488**	3.41E-02	0.00E+00	0.00E+00	1.77E-02	4.46E-03	4.46E-03	5.20E-03	5.20E-03	5.20E-03	1.11E-02	7.42E-03	1.10E-03
489	**489**	3.23E-02	0.00E+00	0.00E+00	1.69E-02	4.25E-03	4.25E-03	4.96E-03	4.96E-03	4.96E-03	1.09E-02	7.26E-03	1.08E-03
490	**490**	3.05E-02	0.00E+00	0.00E+00	1.61E-02	4.05E-03	4.05E-03	4.73E-03	4.73E-03	4.73E-03	1.07E-02	7.10E-03	1.05E-03
491	**491**	3.72E-02	0.00E+00	0.00E+00	2.00E-02	5.03E-03	5.03E-03	5.86E-03	5.86E-03	5.86E-03	1.13E-02	7.53E-03	1.11E-03
492	**492**	3.56E-02	0.00E+00	0.00E+00	1.90E-02	4.80E-03	4.80E-03	5.59E-03	5.59E-03	5.59E-03	1.11E-02	7.41E-03	1.10E-03
493	**493**	3.40E-02	0.00E+00	0.00E+00	1.82E-02	4.57E-03	4.57E-03	5.33E-03	5.33E-03	5.33E-03	1.09E-02	7.28E-03	1.08E-03
494	**494**	3.24E-02	0.00E+00	0.00E+00	1.73E-02	4.36E-03	4.36E-03	5.08E-03	5.08E-03	5.08E-03	1.07E-02	7.15E-03	1.06E-03
495	**495**	3.07E-02	0.00E+00	0.00E+00	1.65E-02	4.16E-03	4.16E-03	4.85E-03	4.85E-03	4.85E-03	1.05E-02	7.00E-03	1.04E-03
496	**496**	2.91E-02	0.00E+00	0.00E+00	1.57E-02	3.97E-03	3.97E-03	4.63E-03	4.63E-03	4.63E-03	1.03E-02	6.84E-03	1.01E-03
497	**497**	3.51E-02	0.00E+00	0.00E+00	1.94E-02	4.89E-03	4.89E-03	5.71E-03	5.71E-03	5.71E-03	1.09E-02	7.24E-03	1.07E-03
498	**498**	3.37E-02	0.00E+00	0.00E+00	1.85E-02	4.67E-03	4.67E-03	5.45E-03	5.45E-03	5.45E-03	1.07E-02	7.13E-03	1.06E-03
499	**499**	3.22E-02	0.00E+00	0.00E+00	1.77E-02	4.46E-03	4.46E-03	5.20E-03	5.20E-03	5.20E-03	1.05E-02	7.01E-03	1.04E-03
500	**500**	3.07E-02	0.00E+00	0.00E+00	1.69E-02	4.26E-03	4.26E-03	4.96E-03	4.96E-03	4.96E-03	1.03E-02	6.88E-03	1.02E-03
501	**501**	2.93E-02	0.00E+00	0.00E+00	1.61E-02	4.06E-03	4.06E-03	4.74E-03	4.74E-03	4.74E-03	1.01E-02	6.75E-03	9.99E-04
502	**502**	2.78E-02	0.00E+00	0.00E+00	1.54E-02	3.88E-03	3.88E-03	4.53E-03	4.53E-03	4.53E-03	9.92E-03	6.60E-03	9.78E-04
503	**503**	3.31E-02	0.00E+00	0.00E+00	1.89E-02	4.76E-03	4.76E-03	5.56E-03	5.56E-03	5.56E-03	1.05E-02	6.97E-03	1.03E-03
504	**504**	3.19E-02	0.00E+00	0.00E+00	1.81E-02	4.55E-03	4.55E-03	5.31E-03	5.31E-03	5.31E-03	1.03E-02	6.87E-03	1.02E-03
505	**505**	3.06E-02	0.00E+00	0.00E+00	1.73E-02	4.35E-03	4.35E-03	5.08E-03	5.08E-03	5.08E-03	1.01E-02	6.76E-03	1.00E-03
506	**506**	2.93E-02	0.00E+00	0.00E+00	1.65E-02	4.16E-03	4.16E-03	4.85E-03	4.85E-03	4.85E-03	9.97E-03	6.64E-03	9.83E-04
507	**507**	2.79E-02	0.00E+00	0.00E+00	1.58E-02	3.97E-03	3.97E-03	4.63E-03	4.63E-03	4.63E-03	9.78E-03	6.51E-03	9.64E-04
508	**508**	2.66E-02	0.00E+00	0.00E+00	1.51E-02	3.80E-03	3.80E-03	4.43E-03	4.43E-03	4.43E-03	9.57E-03	6.38E-03	9.44E-04
509	**509**	3.14E-02	0.00E+00	0.00E+00	1.84E-02	4.64E-03	4.64E-03	5.41E-03	5.41E-03	5.41E-03	1.01E-02	6.71E-03	9.93E-04
510	**510**	3.02E-02	0.00E+00	0.00E+00	1.76E-02	4.44E-03	4.44E-03	5.18E-03	5.18E-03	5.18E-03	9.94E-03	6.62E-03	9.80E-04
511	**511**	2.91E-02	0.00E+00	0.00E+00	1.69E-02	4.25E-03	4.25E-03	4.95E-03	4.95E-03	4.95E-03	9.78E-03	6.51E-03	9.64E-04
512	**512**	2.79E-02	0.00E+00	0.00E+00	1.61E-02	4.06E-03	4.06E-03	4.74E-03	4.74E-03	4.74E-03	9.62E-03	6.40E-03	9.48E-04

One San Pedro Specific Plan

Unmitigated - New Onsite - Harbor - Risk Summary

		Chronic Non Cancer Risk											
Receptor #	**Receptor #**	**Max Chronic**	**2023**	**2024**	**2025**	**2026**	**2027**	**2028**	**2029**	**2030**	**2031**	**2032**	**2033**
513	**513**	2.67E-02	0.00E+00	0.00E+00	1.54E-02	3.89E-03	3.89E-03	4.53E-03	4.53E-03	4.53E-03	9.44E-03	6.28E-03	9.30E-04
514	**514**	2.55E-02	0.00E+00	0.00E+00	1.48E-02	3.72E-03	3.72E-03	4.34E-03	4.34E-03	4.34E-03	9.25E-03	6.16E-03	9.12E-04
515	**515**	2.97E-02	0.00E+00	0.00E+00	1.79E-02	4.52E-03	4.52E-03	5.27E-03	5.27E-03	5.27E-03	9.71E-03	6.46E-03	9.57E-04
516	**516**	2.87E-02	0.00E+00	0.00E+00	1.72E-02	4.33E-03	4.33E-03	5.05E-03	5.05E-03	5.05E-03	9.58E-03	6.38E-03	9.44E-04
517	**517**	2.77E-02	0.00E+00	0.00E+00	1.65E-02	4.15E-03	4.15E-03	4.83E-03	4.83E-03	4.83E-03	9.44E-03	6.28E-03	9.30E-04
518	**518**	2.66E-02	0.00E+00	0.00E+00	1.58E-02	3.97E-03	3.97E-03	4.63E-03	4.63E-03	4.63E-03	9.28E-03	6.18E-03	9.15E-04
519	**519**	2.55E-02	0.00E+00	0.00E+00	1.51E-02	3.80E-03	3.80E-03	4.43E-03	4.43E-03	4.43E-03	9.11E-03	6.07E-03	8.99E-04
520	**520**	2.44E-02	0.00E+00	0.00E+00	1.45E-02	3.64E-03	3.64E-03	4.25E-03	4.25E-03	4.25E-03	8.94E-03	5.95E-03	8.81E-04

Receptor #		2034	2035	2036	2037
485		0.039	0.011	0.005	0.005
	Receptor #	485	485	485	485
485	**485**	3.95E-02	1.11E-02	4.55E-03	4.55E-03
486	**486**	3.77E-02	1.06E-02	4.34E-03	4.34E-03
487	**487**	3.59E-02	1.02E-02	4.12E-03	4.12E-03
488	**488**	3.41E-02	9.70E-03	3.91E-03	3.91E-03
489	**489**	3.23E-02	9.22E-03	3.69E-03	3.69E-03
490	**490**	3.05E-02	8.77E-03	3.48E-03	3.48E-03
491	**491**	3.72E-02	1.05E-02	4.28E-03	4.28E-03
492	**492**	3.56E-02	1.01E-02	4.09E-03	4.09E-03
493	**493**	3.40E-02	9.65E-03	3.90E-03	3.90E-03
494	**494**	3.24E-02	9.22E-03	3.70E-03	3.70E-03
495	**495**	3.07E-02	8.80E-03	3.51E-03	3.51E-03
496	**496**	2.91E-02	8.38E-03	3.32E-03	3.32E-03
497	**497**	3.51E-02	9.90E-03	4.03E-03	4.03E-03
498	**498**	3.37E-02	9.54E-03	3.86E-03	3.86E-03
499	**499**	3.22E-02	9.17E-03	3.69E-03	3.69E-03
500	**500**	3.07E-02	8.78E-03	3.52E-03	3.52E-03
501	**501**	2.93E-02	8.40E-03	3.34E-03	3.34E-03
502	**502**	2.78E-02	8.02E-03	3.17E-03	3.17E-03
503	**503**	3.31E-02	9.38E-03	3.81E-03	3.81E-03
504	**504**	3.19E-02	9.06E-03	3.66E-03	3.66E-03
505	**505**	3.06E-02	8.72E-03	3.50E-03	3.50E-03
506	**506**	2.93E-02	8.37E-03	3.35E-03	3.35E-03
507	**507**	2.79E-02	8.03E-03	3.19E-03	3.19E-03
508	**508**	2.66E-02	7.68E-03	3.03E-03	3.03E-03
509	**509**	3.14E-02	8.90E-03	3.60E-03	3.60E-03
510	**510**	3.02E-02	8.61E-03	3.47E-03	3.47E-03
511	**511**	2.91E-02	8.31E-03	3.33E-03	3.33E-03
512	**512**	2.79E-02	7.99E-03	3.18E-03	3.18E-03

Receptor #		2034	2035	2036	2037
513	**513**	2.67E-02	7.67E-03	3.04E-03	3.04E-03
514	**514**	2.55E-02	7.36E-03	2.90E-03	2.90E-03
515	**515**	2.97E-02	8.46E-03	3.41E-03	3.41E-03
516	**516**	2.87E-02	8.19E-03	3.29E-03	3.29E-03
517	**517**	2.77E-02	7.92E-03	3.16E-03	3.16E-03
518	**518**	2.66E-02	7.64E-03	3.03E-03	3.03E-03
519	**519**	2.55E-02	7.35E-03	2.90E-03	2.90E-03
520	**520**	2.44E-02	7.06E-03	2.78E-03	2.78E-03

One San Pedro Specific Plan
MERV 13 Incorporation

8/5/2022

		Factor
EF =	Exposure frequency in days per year	350
EFa =	Exp. Freq adjusted outside; only 2.3	33.5
EFai =	Exp. Freq adjusted inside; 16.9 hours/day	316.5
FE =	Filter Efficiency	85%
DPM =	Percent of risk associated with DPM	100%

Equation =

Adjusted Risk = ([Unadjusted Risk]/EF*Efa)+((1-(FE*DPM))*([Unadjusted Risk]/EF*Efai))

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

44778.00

					Cancer Risk from Birth to 2 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	0.92171	4.16E-02	3.8E-02	1.05E-03	4.01E-05	1.52E-01	1.57E-01	9.55E-07	1.0E+06	9.5E-01	
486	0.87779	4.16E-02	3.7E-02	1.05E-03	3.82E-05	1.52E-01	1.57E-01	9.09E-07	1.0E+06	9.1E-01	
487	0.836	4.16E-02	3.5E-02	1.05E-03	3.63E-05	1.52E-01	1.57E-01	8.66E-07	1.0E+06	8.7E-01	
488	0.79591	4.16E-02	3.3E-02	1.05E-03	3.46E-05	1.52E-01	1.57E-01	8.24E-07	1.0E+06	8.2E-01	
489	0.75808	4.16E-02	3.2E-02	1.05E-03	3.30E-05	1.52E-01	1.57E-01	7.85E-07	1.0E+06	7.9E-01	
490	0.7229	4.16E-02	3.0E-02	1.05E-03	3.14E-05	1.52E-01	1.57E-01	7.49E-07	1.0E+06	7.5E-01	
491	0.89686	4.16E-02	3.7E-02	1.05E-03	3.90E-05	1.52E-01	1.57E-01	9.29E-07	1.0E+06	9.3E-01	
492	0.85527	4.16E-02	3.6E-02	1.05E-03	3.72E-05	1.52E-01	1.57E-01	8.86E-07	1.0E+06	8.9E-01	
493	0.81553	4.16E-02	3.4E-02	1.05E-03	3.55E-05	1.52E-01	1.57E-01	8.45E-07	1.0E+06	8.4E-01	
494	0.77739	4.16E-02	3.2E-02	1.05E-03	3.38E-05	1.52E-01	1.57E-01	8.05E-07	1.0E+06	8.1E-01	
495	0.74125	4.16E-02	3.1E-02	1.05E-03	3.22E-05	1.52E-01	1.57E-01	7.68E-07	1.0E+06	7.7E-01	
496	0.70758	4.16E-02	2.9E-02	1.05E-03	3.08E-05	1.52E-01	1.57E-01	7.33E-07	1.0E+06	7.3E-01	
497	0.87286	4.16E-02	3.6E-02	1.05E-03	3.79E-05	1.52E-01	1.57E-01	9.04E-07	1.0E+06	9.0E-01	
498	0.83342	4.16E-02	3.5E-02	1.05E-03	3.62E-05	1.52E-01	1.57E-01	8.63E-07	1.0E+06	8.6E-01	
499	0.79565	4.16E-02	3.3E-02	1.05E-03	3.46E-05	1.52E-01	1.57E-01	8.24E-07	1.0E+06	8.2E-01	
500	0.75935	4.16E-02	3.2E-02	1.05E-03	3.30E-05	1.52E-01	1.57E-01	7.86E-07	1.0E+06	7.9E-01	
501	0.72486	4.16E-02	3.0E-02	1.05E-03	3.15E-05	1.52E-01	1.57E-01	7.51E-07	1.0E+06	7.5E-01	
502	0.69261	4.16E-02	2.9E-02	1.05E-03	3.01E-05	1.52E-01	1.57E-01	7.17E-07	1.0E+06	7.2E-01	
503	0.84967	4.16E-02	3.5E-02	1.05E-03	3.69E-05	1.52E-01	1.57E-01	8.80E-07	1.0E+06	8.8E-01	
504	0.81225	4.16E-02	3.4E-02	1.05E-03	3.53E-05	1.52E-01	1.57E-01	8.41E-07	1.0E+06	8.4E-01	
505	0.77632	4.16E-02	3.2E-02	1.05E-03	3.38E-05	1.52E-01	1.57E-01	8.04E-07	1.0E+06	8.0E-01	
506	0.74174	4.16E-02	3.1E-02	1.05E-03	3.22E-05	1.52E-01	1.57E-01	7.68E-07	1.0E+06	7.7E-01	
507	0.7088	4.16E-02	2.9E-02	1.05E-03	3.08E-05	1.52E-01	1.57E-01	7.34E-07	1.0E+06	7.3E-01	
508	0.67797	4.16E-02	2.8E-02	1.05E-03	2.95E-05	1.52E-01	1.57E-01	7.02E-07	1.0E+06	7.0E-01	
509	0.82727	4.16E-02	3.4E-02	1.05E-03	3.60E-05	1.52E-01	1.57E-01	8.57E-07	1.0E+06	8.6E-01	
510	0.79175	4.16E-02	3.3E-02	1.05E-03	3.44E-05	1.52E-01	1.57E-01	8.20E-07	1.0E+06	8.2E-01	
511	0.75754	4.16E-02	3.2E-02	1.05E-03	3.29E-05	1.52E-01	1.57E-01	7.85E-07	1.0E+06	7.8E-01	
512	0.72459	4.16E-02	3.0E-02	1.05E-03	3.15E-05	1.52E-01	1.57E-01	7.50E-07	1.0E+06	7.5E-01	
513	0.69309	4.16E-02	2.9E-02	1.05E-03	3.01E-05	1.52E-01	1.57E-01	7.18E-07	1.0E+06	7.2E-01	
514	0.66356	4.16E-02	2.8E-02	1.05E-03	2.88E-05	1.52E-01	1.57E-01	6.87E-07	1.0E+06	6.9E-01	
515	0.80565	4.16E-02	3.4E-02	1.05E-03	3.50E-05	1.52E-01	1.57E-01	8.34E-07	1.0E+06	8.3E-01	

	Max	Receptor #
Res	0.955	485

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

44778.00

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.77188	4.16E-02	3.2E-02	1.05E-03	3.36E-05	1.52E-01	1.57E-01	7.99E-07	1.0E+06	8.0E-01
517	0.73931	4.16E-02	3.1E-02	1.05E-03	3.21E-05	1.52E-01	1.57E-01	7.66E-07	1.0E+06	7.7E-01
518	0.70788	4.16E-02	2.9E-02	1.05E-03	3.08E-05	1.52E-01	1.57E-01	7.33E-07	1.0E+06	7.3E-01
519	0.67779	4.16E-02	2.8E-02	1.05E-03	2.95E-05	1.52E-01	1.57E-01	7.02E-07	1.0E+06	7.0E-01
520	0.64953	4.16E-02	2.7E-02	1.05E-03	2.82E-05	1.52E-01	1.57E-01	6.73E-07	1.0E+06	6.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	7.67E-03
486	5	7.30E-03
487	5	6.95E-03
488	5	6.62E-03
489	5	6.31E-03
490	5	6.01E-03
491	5	7.46E-03
492	5	7.12E-03
493	5	6.78E-03
494	5	6.47E-03
495	5	6.17E-03
496	5	5.89E-03
497	5	7.26E-03
498	5	6.93E-03
499	5	6.62E-03
500	5	6.32E-03
501	5	6.03E-03
502	5	5.76E-03
503	5	7.07E-03
504	5	6.76E-03
505	5	6.46E-03
506	5	6.17E-03
507	5	5.90E-03
508	5	5.64E-03
509	5	6.88E-03
510	5	6.59E-03
511	5	6.30E-03
512	5	6.03E-03
513	5	5.77E-03
514	5	5.52E-03
515	5	6.70E-03

Max	Receptor #	
0.008	485	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	6.42E-03
517	5	6.15E-03
518	5	5.89E-03
519	5	5.64E-03
520	5	5.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

44778.00

					Cancer Risk from 3rd trimester						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	0.92171	4.16E-02	3.8E-02	3.46E-04	1.33E-05	1.81E-01	1.57E-01	3.77E-07	1.0E+06	3.8E-01	
486	0.87779	4.16E-02	3.7E-02	3.46E-04	1.26E-05	1.81E-01	1.57E-01	3.59E-07	1.0E+06	3.6E-01	
487	0.836	4.16E-02	3.5E-02	3.46E-04	1.20E-05	1.81E-01	1.57E-01	3.42E-07	1.0E+06	3.4E-01	
488	0.79591	4.16E-02	3.3E-02	3.46E-04	1.15E-05	1.81E-01	1.57E-01	3.26E-07	1.0E+06	3.3E-01	
489	0.75808	4.16E-02	3.2E-02	3.46E-04	1.09E-05	1.81E-01	1.57E-01	3.10E-07	1.0E+06	3.1E-01	
490	0.7229	4.16E-02	3.0E-02	3.46E-04	1.04E-05	1.81E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01	
491	0.89686	4.16E-02	3.7E-02	3.46E-04	1.29E-05	1.81E-01	1.57E-01	3.67E-07	1.0E+06	3.7E-01	
492	0.85527	4.16E-02	3.6E-02	3.46E-04	1.23E-05	1.81E-01	1.57E-01	3.50E-07	1.0E+06	3.5E-01	
493	0.81553	4.16E-02	3.4E-02	3.46E-04	1.17E-05	1.81E-01	1.57E-01	3.34E-07	1.0E+06	3.3E-01	
494	0.77739	4.16E-02	3.2E-02	3.46E-04	1.12E-05	1.81E-01	1.57E-01	3.18E-07	1.0E+06	3.2E-01	
495	0.74125	4.16E-02	3.1E-02	3.46E-04	1.07E-05	1.81E-01	1.57E-01	3.03E-07	1.0E+06	3.0E-01	
496	0.70758	4.16E-02	2.9E-02	3.46E-04	1.02E-05	1.81E-01	1.57E-01	2.90E-07	1.0E+06	2.9E-01	
497	0.87286	4.16E-02	3.6E-02	3.46E-04	1.26E-05	1.81E-01	1.57E-01	3.57E-07	1.0E+06	3.6E-01	
498	0.83342	4.16E-02	3.5E-02	3.46E-04	1.20E-05	1.81E-01	1.57E-01	3.41E-07	1.0E+06	3.4E-01	
499	0.79565	4.16E-02	3.3E-02	3.46E-04	1.15E-05	1.81E-01	1.57E-01	3.26E-07	1.0E+06	3.3E-01	
500	0.75935	4.16E-02	3.2E-02	3.46E-04	1.09E-05	1.81E-01	1.57E-01	3.11E-07	1.0E+06	3.1E-01	
501	0.72486	4.16E-02	3.0E-02	3.46E-04	1.04E-05	1.81E-01	1.57E-01	2.97E-07	1.0E+06	3.0E-01	
502	0.69261	4.16E-02	2.9E-02	3.46E-04	9.97E-06	1.81E-01	1.57E-01	2.83E-07	1.0E+06	2.8E-01	
503	0.84967	4.16E-02	3.5E-02	3.46E-04	1.22E-05	1.81E-01	1.57E-01	3.48E-07	1.0E+06	3.5E-01	
504	0.81225	4.16E-02	3.4E-02	3.46E-04	1.17E-05	1.81E-01	1.57E-01	3.32E-07	1.0E+06	3.3E-01	
505	0.77632	4.16E-02	3.2E-02	3.46E-04	1.12E-05	1.81E-01	1.57E-01	3.18E-07	1.0E+06	3.2E-01	
506	0.74174	4.16E-02	3.1E-02	3.46E-04	1.07E-05	1.81E-01	1.57E-01	3.03E-07	1.0E+06	3.0E-01	
507	0.7088	4.16E-02	2.9E-02	3.46E-04	1.02E-05	1.81E-01	1.57E-01	2.90E-07	1.0E+06	2.9E-01	
508	0.67797	4.16E-02	2.8E-02	3.46E-04	9.76E-06	1.81E-01	1.57E-01	2.77E-07	1.0E+06	2.8E-01	
509	0.82727	4.16E-02	3.4E-02	3.46E-04	1.19E-05	1.81E-01	1.57E-01	3.38E-07	1.0E+06	3.4E-01	
510	0.79175	4.16E-02	3.3E-02	3.46E-04	1.14E-05	1.81E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01	
511	0.75754	4.16E-02	3.2E-02	3.46E-04	1.09E-05	1.81E-01	1.57E-01	3.10E-07	1.0E+06	3.1E-01	
512	0.72459	4.16E-02	3.0E-02	3.46E-04	1.04E-05	1.81E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01	
513	0.69309	4.16E-02	2.9E-02	3.46E-04	9.98E-06	1.81E-01	1.57E-01	2.84E-07	1.0E+06	2.8E-01	
514	0.66356	4.16E-02	2.8E-02	3.46E-04	9.55E-06	1.81E-01	1.57E-01	2.71E-07	1.0E+06	2.7E-01	
515	0.80565	4.16E-02	3.4E-02	3.46E-04	1.16E-05	1.81E-01	1.57E-01	3.30E-07	1.0E+06	3.3E-01	

	Max	Receptor #
Res	0.377	485

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

44778.00

		Cancer Risk from 3rd trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.77188	4.16E-02	3.2E-02	3.46E-04	1.11E-05	1.81E-01	1.57E-01	3.16E-07	1.0E+06	3.2E-01
517	0.73931	4.16E-02	3.1E-02	3.46E-04	1.06E-05	1.81E-01	1.57E-01	3.02E-07	1.0E+06	3.0E-01
518	0.70788	4.16E-02	2.9E-02	3.46E-04	1.02E-05	1.81E-01	1.57E-01	2.90E-07	1.0E+06	2.9E-01
519	0.67779	4.16E-02	2.8E-02	3.46E-04	9.76E-06	1.81E-01	1.57E-01	2.77E-07	1.0E+06	2.8E-01
520	0.64953	4.16E-02	2.7E-02	3.46E-04	9.35E-06	1.81E-01	1.57E-01	2.66E-07	1.0E+06	2.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	7.67E-03
486	5	7.30E-03
487	5	6.95E-03
488	5	6.62E-03
489	5	6.31E-03
490	5	6.01E-03
491	5	7.46E-03
492	5	7.12E-03
493	5	6.78E-03
494	5	6.47E-03
495	5	6.17E-03
496	5	5.89E-03
497	5	7.26E-03
498	5	6.93E-03
499	5	6.62E-03
500	5	6.32E-03
501	5	6.03E-03
502	5	5.76E-03
503	5	7.07E-03
504	5	6.76E-03
505	5	6.46E-03
506	5	6.17E-03
507	5	5.90E-03
508	5	5.64E-03
509	5	6.88E-03
510	5	6.59E-03
511	5	6.30E-03
512	5	6.03E-03
513	5	5.77E-03
514	5	5.52E-03
515	5	6.70E-03

Max	Receptor #	
0.008	485	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	6.42E-03
517	5	6.15E-03
518	5	5.89E-03
519	5	5.64E-03
520	5	5.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

44778.00

						Cancer Risk from Birth to 2 years - Construction				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	0.92171	1.40E-02	1.3E-02	1.05E-03	1.35E-05	1.42E+00	1.57E-01	3.02E-06	1.0E+06	3.0E+00
486	0.87779	1.40E-02	1.2E-02	1.05E-03	1.29E-05	1.42E+00	1.57E-01	2.88E-06	1.0E+06	2.9E+00
487	0.836	1.40E-02	1.2E-02	1.05E-03	1.22E-05	1.42E+00	1.57E-01	2.74E-06	1.0E+06	2.7E+00
488	0.79591	1.40E-02	1.1E-02	1.05E-03	1.17E-05	1.42E+00	1.57E-01	2.61E-06	1.0E+06	2.6E+00
489	0.75808	1.40E-02	1.1E-02	1.05E-03	1.11E-05	1.42E+00	1.57E-01	2.49E-06	1.0E+06	2.5E+00
490	0.7229	1.40E-02	1.0E-02	1.05E-03	1.06E-05	1.42E+00	1.57E-01	2.37E-06	1.0E+06	2.4E+00
491	0.89686	1.40E-02	1.3E-02	1.05E-03	1.31E-05	1.42E+00	1.57E-01	2.94E-06	1.0E+06	2.9E+00
492	0.85527	1.40E-02	1.2E-02	1.05E-03	1.25E-05	1.42E+00	1.57E-01	2.81E-06	1.0E+06	2.8E+00
493	0.81553	1.40E-02	1.1E-02	1.05E-03	1.19E-05	1.42E+00	1.57E-01	2.67E-06	1.0E+06	2.7E+00
494	0.77739	1.40E-02	1.1E-02	1.05E-03	1.14E-05	1.42E+00	1.57E-01	2.55E-06	1.0E+06	2.5E+00
495	0.74125	1.40E-02	1.0E-02	1.05E-03	1.09E-05	1.42E+00	1.57E-01	2.43E-06	1.0E+06	2.4E+00
496	0.70758	1.40E-02	9.9E-03	1.05E-03	1.04E-05	1.42E+00	1.57E-01	2.32E-06	1.0E+06	2.3E+00
497	0.87286	1.40E-02	1.2E-02	1.05E-03	1.28E-05	1.42E+00	1.57E-01	2.86E-06	1.0E+06	2.9E+00
498	0.83342	1.40E-02	1.2E-02	1.05E-03	1.22E-05	1.42E+00	1.57E-01	2.73E-06	1.0E+06	2.7E+00
499	0.79565	1.40E-02	1.1E-02	1.05E-03	1.17E-05	1.42E+00	1.57E-01	2.61E-06	1.0E+06	2.6E+00
500	0.75935	1.40E-02	1.1E-02	1.05E-03	1.11E-05	1.42E+00	1.57E-01	2.49E-06	1.0E+06	2.5E+00
501	0.72486	1.40E-02	1.0E-02	1.05E-03	1.06E-05	1.42E+00	1.57E-01	2.38E-06	1.0E+06	2.4E+00
502	0.69261	1.40E-02	9.7E-03	1.05E-03	1.01E-05	1.42E+00	1.57E-01	2.27E-06	1.0E+06	2.3E+00
503	0.84967	1.40E-02	1.2E-02	1.05E-03	1.24E-05	1.42E+00	1.57E-01	2.79E-06	1.0E+06	2.8E+00
504	0.81225	1.40E-02	1.1E-02	1.05E-03	1.19E-05	1.42E+00	1.57E-01	2.66E-06	1.0E+06	2.7E+00
505	0.77632	1.40E-02	1.1E-02	1.05E-03	1.14E-05	1.42E+00	1.57E-01	2.55E-06	1.0E+06	2.5E+00
506	0.74174	1.40E-02	1.0E-02	1.05E-03	1.09E-05	1.42E+00	1.57E-01	2.43E-06	1.0E+06	2.4E+00
507	0.7088	1.40E-02	9.9E-03	1.05E-03	1.04E-05	1.42E+00	1.57E-01	2.32E-06	1.0E+06	2.3E+00
508	0.67797	1.40E-02	9.5E-03	1.05E-03	9.93E-06	1.42E+00	1.57E-01	2.22E-06	1.0E+06	2.2E+00
509	0.82727	1.40E-02	1.2E-02	1.05E-03	1.21E-05	1.42E+00	1.57E-01	2.71E-06	1.0E+06	2.7E+00
510	0.79175	1.40E-02	1.1E-02	1.05E-03	1.16E-05	1.42E+00	1.57E-01	2.60E-06	1.0E+06	2.6E+00
511	0.75754	1.40E-02	1.1E-02	1.05E-03	1.11E-05	1.42E+00	1.57E-01	2.48E-06	1.0E+06	2.5E+00
512	0.72459	1.40E-02	1.0E-02	1.05E-03	1.06E-05	1.42E+00	1.57E-01	2.38E-06	1.0E+06	2.4E+00
513	0.69309	1.40E-02	9.7E-03	1.05E-03	1.02E-05	1.42E+00	1.57E-01	2.27E-06	1.0E+06	2.3E+00
514	0.66356	1.40E-02	9.3E-03	1.05E-03	9.72E-06	1.42E+00	1.57E-01	2.18E-06	1.0E+06	2.2E+00
515	0.80565	1.40E-02	1.1E-02	1.05E-03	1.18E-05	1.42E+00	1.57E-01	2.64E-06	1.0E+06	2.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

44778.00

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.77188	1.40E-02	1.1E-02	1.05E-03	1.13E-05	1.42E+00	1.57E-01	2.53E-06	1.0E+06	2.5E+00
517	0.73931	1.40E-02	1.0E-02	1.05E-03	1.08E-05	1.42E+00	1.57E-01	2.42E-06	1.0E+06	2.4E+00
518	0.70788	1.40E-02	9.9E-03	1.05E-03	1.04E-05	1.42E+00	1.57E-01	2.32E-06	1.0E+06	2.3E+00
519	0.67779	1.40E-02	9.5E-03	1.05E-03	9.93E-06	1.42E+00	1.57E-01	2.22E-06	1.0E+06	2.2E+00
520	0.64953	1.40E-02	9.1E-03	1.05E-03	9.52E-06	1.42E+00	1.57E-01	2.13E-06	1.0E+06	2.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	1.80313	1.12868E-05	2.0E-05	1.05E-03	2.13E-08	1.42E+00	1.57E-01	4.76E-09	1.0E+06	4.8E-03
486	486	1.75977	1.12868E-05	2.0E-05	1.05E-03	2.08E-08	1.42E+00	1.57E-01	4.65E-09	1.0E+06	4.6E-03
487	487	1.7135	1.12868E-05	1.9E-05	1.05E-03	2.02E-08	1.42E+00	1.57E-01	4.53E-09	1.0E+06	4.5E-03
488	488	1.66385	1.12868E-05	1.9E-05	1.05E-03	1.96E-08	1.42E+00	1.57E-01	4.39E-09	1.0E+06	4.4E-03
489	489	1.61142	1.12868E-05	1.8E-05	1.05E-03	1.90E-08	1.42E+00	1.57E-01	4.26E-09	1.0E+06	4.3E-03
490	490	1.55717	1.12868E-05	1.8E-05	1.05E-03	1.84E-08	1.42E+00	1.57E-01	4.11E-09	1.0E+06	4.1E-03
491	491	1.70803	1.12868E-05	1.9E-05	1.05E-03	2.01E-08	1.42E+00	1.57E-01	4.51E-09	1.0E+06	4.5E-03
492	492	1.6679	1.12868E-05	1.9E-05	1.05E-03	1.97E-08	1.42E+00	1.57E-01	4.41E-09	1.0E+06	4.4E-03
493	493	1.62515	1.12868E-05	1.8E-05	1.05E-03	1.92E-08	1.42E+00	1.57E-01	4.29E-09	1.0E+06	4.3E-03
494	494	1.57941	1.12868E-05	1.8E-05	1.05E-03	1.86E-08	1.42E+00	1.57E-01	4.17E-09	1.0E+06	4.2E-03
495	495	1.53116	1.12868E-05	1.7E-05	1.05E-03	1.81E-08	1.42E+00	1.57E-01	4.04E-09	1.0E+06	4.0E-03
496	496	1.48136	1.12868E-05	1.7E-05	1.05E-03	1.75E-08	1.42E+00	1.57E-01	3.91E-09	1.0E+06	3.9E-03
497	497	1.62097	1.12868E-05	1.8E-05	1.05E-03	1.91E-08	1.42E+00	1.57E-01	4.28E-09	1.0E+06	4.3E-03
498	498	1.58375	1.12868E-05	1.8E-05	1.05E-03	1.87E-08	1.42E+00	1.57E-01	4.18E-09	1.0E+06	4.2E-03
499	499	1.54417	1.12868E-05	1.7E-05	1.05E-03	1.82E-08	1.42E+00	1.57E-01	4.08E-09	1.0E+06	4.1E-03
500	500	1.50194	1.12868E-05	1.7E-05	1.05E-03	1.77E-08	1.42E+00	1.57E-01	3.97E-09	1.0E+06	4.0E-03
501	501	1.45746	1.12868E-05	1.6E-05	1.05E-03	1.72E-08	1.42E+00	1.57E-01	3.85E-09	1.0E+06	3.8E-03
502	502	1.41158	1.12868E-05	1.6E-05	1.05E-03	1.67E-08	1.42E+00	1.57E-01	3.73E-09	1.0E+06	3.7E-03
503	503	1.54102	1.12868E-05	1.7E-05	1.05E-03	1.82E-08	1.42E+00	1.57E-01	4.07E-09	1.0E+06	4.1E-03
504	504	1.50643	1.12868E-05	1.7E-05	1.05E-03	1.78E-08	1.42E+00	1.57E-01	3.98E-09	1.0E+06	4.0E-03
505	505	1.46969	1.12868E-05	1.7E-05	1.05E-03	1.73E-08	1.42E+00	1.57E-01	3.88E-09	1.0E+06	3.9E-03
506	506	1.43057	1.12868E-05	1.6E-05	1.05E-03	1.69E-08	1.42E+00	1.57E-01	3.78E-09	1.0E+06	3.8E-03
507	507	1.38944	1.12868E-05	1.6E-05	1.05E-03	1.64E-08	1.42E+00	1.57E-01	3.67E-09	1.0E+06	3.7E-03
508	508	1.34714	1.12868E-05	1.5E-05	1.05E-03	1.59E-08	1.42E+00	1.57E-01	3.56E-09	1.0E+06	3.6E-03
509	509	1.46737	1.12868E-05	1.7E-05	1.05E-03	1.73E-08	1.42E+00	1.57E-01	3.88E-09	1.0E+06	3.9E-03
510	510	1.43517	1.12868E-05	1.6E-05	1.05E-03	1.69E-08	1.42E+00	1.57E-01	3.79E-09	1.0E+06	3.8E-03
511	511	1.40098	1.12868E-05	1.6E-05	1.05E-03	1.65E-08	1.42E+00	1.57E-01	3.70E-09	1.0E+06	3.7E-03
512	512	1.36466	1.12868E-05	1.5E-05	1.05E-03	1.61E-08	1.42E+00	1.57E-01	3.60E-09	1.0E+06	3.6E-03
513	513	1.32651	1.12868E-05	1.5E-05	1.05E-03	1.56E-08	1.42E+00	1.57E-01	3.50E-09	1.0E+06	3.5E-03
514	514	1.28735	1.12868E-05	1.5E-05	1.05E-03	1.52E-08	1.42E+00	1.57E-01	3.40E-09	1.0E+06	3.4E-03
515	515	1.39935	1.12868E-05	1.6E-05	1.05E-03	1.65E-08	1.42E+00	1.57E-01	3.70E-09	1.0E+06	3.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	1.36929	1.12868E-05	1.5E-05	1.05E-03	1.62E-08	1.42E+00	1.57E-01	3.62E-09	1.0E+06	3.6E-03
517	517	1.33743	1.12868E-05	1.5E-05	1.05E-03	1.58E-08	1.42E+00	1.57E-01	3.53E-09	1.0E+06	3.5E-03
518	518	1.30362	1.12868E-05	1.5E-05	1.05E-03	1.54E-08	1.42E+00	1.57E-01	3.44E-09	1.0E+06	3.4E-03
519	519	1.26819	1.12868E-05	1.4E-05	1.05E-03	1.50E-08	1.42E+00	1.57E-01	3.35E-09	1.0E+06	3.3E-03
520	520	1.23188	1.12868E-05	1.4E-05	1.05E-03	1.45E-08	1.42E+00	1.57E-01	3.25E-09	1.0E+06	3.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	6.2637	1.52945E-05	9.6E-05	1.05E-03	1.00E-07	1.42E+00	1.57E-01	2.24E-08	1.0E+06	2.2E-02
486	486	7.5138	1.52945E-05	1.1E-04	1.05E-03	1.20E-07	1.42E+00	1.57E-01	2.69E-08	1.0E+06	2.7E-02
487	487	9.2921	1.52945E-05	1.4E-04	1.05E-03	1.49E-07	1.42E+00	1.57E-01	3.33E-08	1.0E+06	3.3E-02
488	488	8.56906	1.52945E-05	1.3E-04	1.05E-03	1.37E-07	1.42E+00	1.57E-01	3.07E-08	1.0E+06	3.1E-02
489	489	6.38121	1.52945E-05	9.8E-05	1.05E-03	1.02E-07	1.42E+00	1.57E-01	2.28E-08	1.0E+06	2.3E-02
490	490	7.02421	1.52945E-05	1.1E-04	1.05E-03	1.12E-07	1.42E+00	1.57E-01	2.51E-08	1.0E+06	2.5E-02
491	491	6.2774	1.52945E-05	9.6E-05	1.05E-03	1.00E-07	1.42E+00	1.57E-01	2.25E-08	1.0E+06	2.2E-02
492	492	7.52394	1.52945E-05	1.2E-04	1.05E-03	1.20E-07	1.42E+00	1.57E-01	2.69E-08	1.0E+06	2.7E-02
493	493	9.29749	1.52945E-05	1.4E-04	1.05E-03	1.49E-07	1.42E+00	1.57E-01	3.33E-08	1.0E+06	3.3E-02
494	494	8.24119	1.52945E-05	1.3E-04	1.05E-03	1.32E-07	1.42E+00	1.57E-01	2.95E-08	1.0E+06	2.9E-02
495	495	9.86742	1.52945E-05	1.5E-04	1.05E-03	1.58E-07	1.42E+00	1.57E-01	3.53E-08	1.0E+06	3.5E-02
496	496	11.52238	1.52945E-05	1.8E-04	1.05E-03	1.84E-07	1.42E+00	1.57E-01	4.12E-08	1.0E+06	4.1E-02
497	497	6.29076	1.52945E-05	9.6E-05	1.05E-03	1.01E-07	1.42E+00	1.57E-01	2.25E-08	1.0E+06	2.3E-02
498	498	7.53722	1.52945E-05	1.2E-04	1.05E-03	1.20E-07	1.42E+00	1.57E-01	2.70E-08	1.0E+06	2.7E-02
499	499	9.31762	1.52945E-05	1.4E-04	1.05E-03	1.49E-07	1.42E+00	1.57E-01	3.33E-08	1.0E+06	3.3E-02
500	500	8.25815	1.52945E-05	1.3E-04	1.05E-03	1.32E-07	1.42E+00	1.57E-01	2.96E-08	1.0E+06	3.0E-02
501	501	6.90895	1.52945E-05	1.1E-04	1.05E-03	1.10E-07	1.42E+00	1.57E-01	2.47E-08	1.0E+06	2.5E-02
502	502	7.71265	1.52945E-05	1.2E-04	1.05E-03	1.23E-07	1.42E+00	1.57E-01	2.76E-08	1.0E+06	2.8E-02
503	503	6.30437	1.52945E-05	9.6E-05	1.05E-03	1.01E-07	1.42E+00	1.57E-01	2.26E-08	1.0E+06	2.3E-02
504	504	7.55113	1.52945E-05	1.2E-04	1.05E-03	1.21E-07	1.42E+00	1.57E-01	2.70E-08	1.0E+06	2.7E-02
505	505	9.33181	1.52945E-05	1.4E-04	1.05E-03	1.49E-07	1.42E+00	1.57E-01	3.34E-08	1.0E+06	3.3E-02
506	506	12.00428	1.52945E-05	1.8E-04	1.05E-03	1.92E-07	1.42E+00	1.57E-01	4.30E-08	1.0E+06	4.3E-02
507	507	6.52079	1.52945E-05	1.0E-04	1.05E-03	1.04E-07	1.42E+00	1.57E-01	2.33E-08	1.0E+06	2.3E-02
508	508	7.17005	1.52945E-05	1.1E-04	1.05E-03	1.15E-07	1.42E+00	1.57E-01	2.57E-08	1.0E+06	2.6E-02
509	509	6.31858	1.52945E-05	9.7E-05	1.05E-03	1.01E-07	1.42E+00	1.57E-01	2.26E-08	1.0E+06	2.3E-02
510	510	7.56302	1.52945E-05	1.2E-04	1.05E-03	1.21E-07	1.42E+00	1.57E-01	2.71E-08	1.0E+06	2.7E-02
511	511	9.33427	1.52945E-05	1.4E-04	1.05E-03	1.49E-07	1.42E+00	1.57E-01	3.34E-08	1.0E+06	3.3E-02
512	512	8.63576	1.52945E-05	1.3E-04	1.05E-03	1.38E-07	1.42E+00	1.57E-01	3.09E-08	1.0E+06	3.1E-02
513	513	6.49727	1.52945E-05	9.9E-05	1.05E-03	1.04E-07	1.42E+00	1.57E-01	2.33E-08	1.0E+06	2.3E-02
514	514	7.13758	1.52945E-05	1.1E-04	1.05E-03	1.14E-07	1.42E+00	1.57E-01	2.55E-08	1.0E+06	2.6E-02
515	515	6.33357	1.52945E-05	9.7E-05	1.05E-03	1.01E-07	1.42E+00	1.57E-01	2.27E-08	1.0E+06	2.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	7.57958	1.52945E-05	1.2E-04	1.05E-03	1.21E-07	1.42E+00	1.57E-01	2.71E-08	1.0E+06	2.7E-02
517	517	9.34897	1.52945E-05	1.4E-04	1.05E-03	1.49E-07	1.42E+00	1.57E-01	3.35E-08	1.0E+06	3.3E-02
518	518	8.33236	1.52945E-05	1.3E-04	1.05E-03	1.33E-07	1.42E+00	1.57E-01	2.98E-08	1.0E+06	3.0E-02
519	519	9.94843	1.52945E-05	1.5E-04	1.05E-03	1.59E-07	1.42E+00	1.57E-01	3.56E-08	1.0E+06	3.6E-02
520	520	11.59002	1.52945E-05	1.8E-04	1.05E-03	1.85E-07	1.42E+00	1.57E-01	4.15E-08	1.0E+06	4.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million	REL	HI	Max	Receptor #	
485	485	3.1E+00	5	2.58E-03	0.003	485	Res
486	486	2.9E+00	5	2.46E-03			
487	487	2.8E+00	5	2.34E-03			
488	488	2.6E+00	5	2.23E-03			
489	489	2.5E+00	5	2.13E-03			
490	490	2.4E+00	5	2.03E-03			
491	491	3.0E+00	5	2.51E-03			
492	492	2.8E+00	5	2.40E-03			
493	493	2.7E+00	5	2.29E-03			
494	494	2.6E+00	5	2.18E-03			
495	495	2.5E+00	5	2.08E-03			
496	496	2.4E+00	5	1.98E-03			
497	497	2.9E+00	5	2.45E-03			
498	498	2.8E+00	5	2.34E-03			
499	499	2.6E+00	5	2.23E-03			
500	500	2.5E+00	5	2.13E-03			
501	501	2.4E+00	5	2.03E-03			
502	502	2.3E+00	5	1.94E-03			
503	503	2.8E+00	5	2.38E-03			
504	504	2.7E+00	5	2.28E-03			
505	505	2.6E+00	5	2.18E-03			
506	506	2.5E+00	5	2.08E-03			
507	507	2.4E+00	5	1.99E-03			
508	508	2.3E+00	5	1.90E-03			
509	509	2.7E+00	5	2.32E-03			
510	510	2.6E+00	5	2.22E-03			
511	511	2.5E+00	5	2.12E-03			
512	512	2.4E+00	5	2.03E-03			
513	513	2.3E+00	5	1.94E-03			
514	514	2.2E+00	5	1.86E-03			
515	515	2.7E+00	5	2.26E-03			

Max	Receptor #
3.050	485

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
516	516	2.6E+00	5	2.16E-03
517	517	2.5E+00	5	2.07E-03
518	518	2.4E+00	5	1.98E-03
519	519	2.3E+00	5	1.90E-03
520	520	2.2E+00	5	1.82E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	0.92171	1.40E-02	1.3E-02	6.05E-04	7.82E-06	2.40E+00	4.71E-02	8.84E-07	1.0E+06	8.8E-01
486	0.87779	1.40E-02	1.2E-02	6.05E-04	7.44E-06	2.40E+00	4.71E-02	8.42E-07	1.0E+06	8.4E-01
487	0.836	1.40E-02	1.2E-02	6.05E-04	7.09E-06	2.40E+00	4.71E-02	8.02E-07	1.0E+06	8.0E-01
488	0.79591	1.40E-02	1.1E-02	6.05E-04	6.75E-06	2.40E+00	4.71E-02	7.63E-07	1.0E+06	7.6E-01
489	0.75808	1.40E-02	1.1E-02	6.05E-04	6.43E-06	2.40E+00	4.71E-02	7.27E-07	1.0E+06	7.3E-01
490	0.7229	1.40E-02	1.0E-02	6.05E-04	6.13E-06	2.40E+00	4.71E-02	6.93E-07	1.0E+06	6.9E-01
491	0.89686	1.40E-02	1.3E-02	6.05E-04	7.61E-06	2.40E+00	4.71E-02	8.60E-07	1.0E+06	8.6E-01
492	0.85527	1.40E-02	1.2E-02	6.05E-04	7.25E-06	2.40E+00	4.71E-02	8.20E-07	1.0E+06	8.2E-01
493	0.81553	1.40E-02	1.1E-02	6.05E-04	6.92E-06	2.40E+00	4.71E-02	7.82E-07	1.0E+06	7.8E-01
494	0.77739	1.40E-02	1.1E-02	6.05E-04	6.59E-06	2.40E+00	4.71E-02	7.45E-07	1.0E+06	7.5E-01
495	0.74125	1.40E-02	1.0E-02	6.05E-04	6.29E-06	2.40E+00	4.71E-02	7.11E-07	1.0E+06	7.1E-01
496	0.70758	1.40E-02	9.9E-03	6.05E-04	6.00E-06	2.40E+00	4.71E-02	6.78E-07	1.0E+06	6.8E-01
497	0.87286	1.40E-02	1.2E-02	6.05E-04	7.40E-06	2.40E+00	4.71E-02	8.37E-07	1.0E+06	8.4E-01
498	0.83342	1.40E-02	1.2E-02	6.05E-04	7.07E-06	2.40E+00	4.71E-02	7.99E-07	1.0E+06	8.0E-01
499	0.79565	1.40E-02	1.1E-02	6.05E-04	6.75E-06	2.40E+00	4.71E-02	7.63E-07	1.0E+06	7.6E-01
500	0.75935	1.40E-02	1.1E-02	6.05E-04	6.44E-06	2.40E+00	4.71E-02	7.28E-07	1.0E+06	7.3E-01
501	0.72486	1.40E-02	1.0E-02	6.05E-04	6.15E-06	2.40E+00	4.71E-02	6.95E-07	1.0E+06	7.0E-01
502	0.69261	1.40E-02	9.7E-03	6.05E-04	5.87E-06	2.40E+00	4.71E-02	6.64E-07	1.0E+06	6.6E-01
503	0.84967	1.40E-02	1.2E-02	6.05E-04	7.21E-06	2.40E+00	4.71E-02	8.15E-07	1.0E+06	8.1E-01
504	0.81225	1.40E-02	1.1E-02	6.05E-04	6.89E-06	2.40E+00	4.71E-02	7.79E-07	1.0E+06	7.8E-01
505	0.77632	1.40E-02	1.1E-02	6.05E-04	6.58E-06	2.40E+00	4.71E-02	7.44E-07	1.0E+06	7.4E-01
506	0.74174	1.40E-02	1.0E-02	6.05E-04	6.29E-06	2.40E+00	4.71E-02	7.11E-07	1.0E+06	7.1E-01
507	0.7088	1.40E-02	9.9E-03	6.05E-04	6.01E-06	2.40E+00	4.71E-02	6.80E-07	1.0E+06	6.8E-01
508	0.67797	1.40E-02	9.5E-03	6.05E-04	5.75E-06	2.40E+00	4.71E-02	6.50E-07	1.0E+06	6.5E-01
509	0.82727	1.40E-02	1.2E-02	6.05E-04	7.02E-06	2.40E+00	4.71E-02	7.93E-07	1.0E+06	7.9E-01
510	0.79175	1.40E-02	1.1E-02	6.05E-04	6.72E-06	2.40E+00	4.71E-02	7.59E-07	1.0E+06	7.6E-01
511	0.75754	1.40E-02	1.1E-02	6.05E-04	6.43E-06	2.40E+00	4.71E-02	7.26E-07	1.0E+06	7.3E-01
512	0.72459	1.40E-02	1.0E-02	6.05E-04	6.15E-06	2.40E+00	4.71E-02	6.95E-07	1.0E+06	6.9E-01
513	0.69309	1.40E-02	9.7E-03	6.05E-04	5.88E-06	2.40E+00	4.71E-02	6.65E-07	1.0E+06	6.6E-01
514	0.66356	1.40E-02	9.3E-03	6.05E-04	5.63E-06	2.40E+00	4.71E-02	6.36E-07	1.0E+06	6.4E-01
515	0.80565	1.40E-02	1.1E-02	6.05E-04	6.83E-06	2.40E+00	4.71E-02	7.73E-07	1.0E+06	7.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.77188	1.40E-02	1.1E-02	6.05E-04	6.55E-06	2.40E+00	4.71E-02	7.40E-07	1.0E+06	7.4E-01
517	0.73931	1.40E-02	1.0E-02	6.05E-04	6.27E-06	2.40E+00	4.71E-02	7.09E-07	1.0E+06	7.1E-01
518	0.70788	1.40E-02	9.9E-03	6.05E-04	6.00E-06	2.40E+00	4.71E-02	6.79E-07	1.0E+06	6.8E-01
519	0.67779	1.40E-02	9.5E-03	6.05E-04	5.75E-06	2.40E+00	4.71E-02	6.50E-07	1.0E+06	6.5E-01
520	0.64953	1.40E-02	9.1E-03	6.05E-04	5.51E-06	2.40E+00	4.71E-02	6.23E-07	1.0E+06	6.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

			Cancer risk from 2-16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	1.80313	1.12868E-05	2.0E-05	6.05E-04	1.23E-08	2.40E+00	4.71E-02	1.39E-09	1.0E+06	1.4E-03
486	486	1.75977	1.12868E-05	2.0E-05	6.05E-04	1.20E-08	2.40E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
487	487	1.7135	1.12868E-05	1.9E-05	6.05E-04	1.17E-08	2.40E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
488	488	1.66385	1.12868E-05	1.9E-05	6.05E-04	1.14E-08	2.40E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
489	489	1.61142	1.12868E-05	1.8E-05	6.05E-04	1.10E-08	2.40E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
490	490	1.55717	1.12868E-05	1.8E-05	6.05E-04	1.06E-08	2.40E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
491	491	1.70803	1.12868E-05	1.9E-05	6.05E-04	1.17E-08	2.40E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
492	492	1.6679	1.12868E-05	1.9E-05	6.05E-04	1.14E-08	2.40E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
493	493	1.62515	1.12868E-05	1.8E-05	6.05E-04	1.11E-08	2.40E+00	4.71E-02	1.25E-09	1.0E+06	1.3E-03
494	494	1.57941	1.12868E-05	1.8E-05	6.05E-04	1.08E-08	2.40E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
495	495	1.53116	1.12868E-05	1.7E-05	6.05E-04	1.05E-08	2.40E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
496	496	1.48136	1.12868E-05	1.7E-05	6.05E-04	1.01E-08	2.40E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
497	497	1.62097	1.12868E-05	1.8E-05	6.05E-04	1.11E-08	2.40E+00	4.71E-02	1.25E-09	1.0E+06	1.3E-03
498	498	1.58375	1.12868E-05	1.8E-05	6.05E-04	1.08E-08	2.40E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
499	499	1.54417	1.12868E-05	1.7E-05	6.05E-04	1.05E-08	2.40E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
500	500	1.50194	1.12868E-05	1.7E-05	6.05E-04	1.03E-08	2.40E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
501	501	1.45746	1.12868E-05	1.6E-05	6.05E-04	9.95E-09	2.40E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
502	502	1.41158	1.12868E-05	1.6E-05	6.05E-04	9.64E-09	2.40E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
503	503	1.54102	1.12868E-05	1.7E-05	6.05E-04	1.05E-08	2.40E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
504	504	1.50643	1.12868E-05	1.7E-05	6.05E-04	1.03E-08	2.40E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
505	505	1.46969	1.12868E-05	1.7E-05	6.05E-04	1.00E-08	2.40E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
506	506	1.43057	1.12868E-05	1.6E-05	6.05E-04	9.77E-09	2.40E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
507	507	1.38944	1.12868E-05	1.6E-05	6.05E-04	9.49E-09	2.40E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
508	508	1.34714	1.12868E-05	1.5E-05	6.05E-04	9.20E-09	2.40E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
509	509	1.46737	1.12868E-05	1.7E-05	6.05E-04	1.00E-08	2.40E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
510	510	1.43517	1.12868E-05	1.6E-05	6.05E-04	9.80E-09	2.40E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
511	511	1.40098	1.12868E-05	1.6E-05	6.05E-04	9.57E-09	2.40E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
512	512	1.36466	1.12868E-05	1.5E-05	6.05E-04	9.32E-09	2.40E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
513	513	1.32651	1.12868E-05	1.5E-05	6.05E-04	9.06E-09	2.40E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
514	514	1.28735	1.12868E-05	1.5E-05	6.05E-04	8.79E-09	2.40E+00	4.71E-02	9.94E-10	1.0E+06	9.9E-04
515	515	1.39935	1.12868E-05	1.6E-05	6.05E-04	9.56E-09	2.40E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2-16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	1.36929	1.12868E-05	1.5E-05	6.05E-04	9.35E-09	2.40E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
517	517	1.33743	1.12868E-05	1.5E-05	6.05E-04	9.13E-09	2.40E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
518	518	1.30362	1.12868E-05	1.5E-05	6.05E-04	8.90E-09	2.40E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
519	519	1.26819	1.12868E-05	1.4E-05	6.05E-04	8.66E-09	2.40E+00	4.71E-02	9.79E-10	1.0E+06	9.8E-04
520	520	1.23188	1.12868E-05	1.4E-05	6.05E-04	8.41E-09	2.40E+00	4.71E-02	9.51E-10	1.0E+06	9.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	6.2637	1.52945E-05	9.6E-05	6.05E-04	5.80E-08	2.40E+00	4.71E-02	6.55E-09	1.0E+06	6.6E-03
486	486	7.5138	1.52945E-05	1.1E-04	6.05E-04	6.95E-08	2.40E+00	4.71E-02	7.86E-09	1.0E+06	7.9E-03
487	487	9.2921	1.52945E-05	1.4E-04	6.05E-04	8.60E-08	2.40E+00	4.71E-02	9.72E-09	1.0E+06	9.7E-03
488	488	8.56906	1.52945E-05	1.3E-04	6.05E-04	7.93E-08	2.40E+00	4.71E-02	8.97E-09	1.0E+06	9.0E-03
489	489	6.38121	1.52945E-05	9.8E-05	6.05E-04	5.91E-08	2.40E+00	4.71E-02	6.68E-09	1.0E+06	6.7E-03
490	490	7.02421	1.52945E-05	1.1E-04	6.05E-04	6.50E-08	2.40E+00	4.71E-02	7.35E-09	1.0E+06	7.3E-03
491	491	6.2774	1.52945E-05	9.6E-05	6.05E-04	5.81E-08	2.40E+00	4.71E-02	6.57E-09	1.0E+06	6.6E-03
492	492	7.52394	1.52945E-05	1.2E-04	6.05E-04	6.96E-08	2.40E+00	4.71E-02	7.87E-09	1.0E+06	7.9E-03
493	493	9.29749	1.52945E-05	1.4E-04	6.05E-04	8.60E-08	2.40E+00	4.71E-02	9.73E-09	1.0E+06	9.7E-03
494	494	8.24119	1.52945E-05	1.3E-04	6.05E-04	7.63E-08	2.40E+00	4.71E-02	8.62E-09	1.0E+06	8.6E-03
495	495	9.86742	1.52945E-05	1.5E-04	6.05E-04	9.13E-08	2.40E+00	4.71E-02	1.03E-08	1.0E+06	1.0E-02
496	496	11.52238	1.52945E-05	1.8E-04	6.05E-04	1.07E-07	2.40E+00	4.71E-02	1.21E-08	1.0E+06	1.2E-02
497	497	6.29076	1.52945E-05	9.6E-05	6.05E-04	5.82E-08	2.40E+00	4.71E-02	6.58E-09	1.0E+06	6.6E-03
498	498	7.53722	1.52945E-05	1.2E-04	6.05E-04	6.98E-08	2.40E+00	4.71E-02	7.89E-09	1.0E+06	7.9E-03
499	499	9.31762	1.52945E-05	1.4E-04	6.05E-04	8.62E-08	2.40E+00	4.71E-02	9.75E-09	1.0E+06	9.7E-03
500	500	8.25815	1.52945E-05	1.3E-04	6.05E-04	7.64E-08	2.40E+00	4.71E-02	8.64E-09	1.0E+06	8.6E-03
501	501	6.90895	1.52945E-05	1.1E-04	6.05E-04	6.39E-08	2.40E+00	4.71E-02	7.23E-09	1.0E+06	7.2E-03
502	502	7.71265	1.52945E-05	1.2E-04	6.05E-04	7.14E-08	2.40E+00	4.71E-02	8.07E-09	1.0E+06	8.1E-03
503	503	6.30437	1.52945E-05	9.6E-05	6.05E-04	5.83E-08	2.40E+00	4.71E-02	6.60E-09	1.0E+06	6.6E-03
504	504	7.55113	1.52945E-05	1.2E-04	6.05E-04	6.99E-08	2.40E+00	4.71E-02	7.90E-09	1.0E+06	7.9E-03
505	505	9.33181	1.52945E-05	1.4E-04	6.05E-04	8.64E-08	2.40E+00	4.71E-02	9.76E-09	1.0E+06	9.8E-03
506	506	12.00428	1.52945E-05	1.8E-04	6.05E-04	1.11E-07	2.40E+00	4.71E-02	1.26E-08	1.0E+06	1.3E-02
507	507	6.52079	1.52945E-05	1.0E-04	6.05E-04	6.03E-08	2.40E+00	4.71E-02	6.82E-09	1.0E+06	6.8E-03
508	508	7.17005	1.52945E-05	1.1E-04	6.05E-04	6.64E-08	2.40E+00	4.71E-02	7.50E-09	1.0E+06	7.5E-03
509	509	6.31858	1.52945E-05	9.7E-05	6.05E-04	5.85E-08	2.40E+00	4.71E-02	6.61E-09	1.0E+06	6.6E-03
510	510	7.56302	1.52945E-05	1.2E-04	6.05E-04	7.00E-08	2.40E+00	4.71E-02	7.91E-09	1.0E+06	7.9E-03
511	511	9.33427	1.52945E-05	1.4E-04	6.05E-04	8.64E-08	2.40E+00	4.71E-02	9.77E-09	1.0E+06	9.8E-03
512	512	8.63576	1.52945E-05	1.3E-04	6.05E-04	7.99E-08	2.40E+00	4.71E-02	9.04E-09	1.0E+06	9.0E-03
513	513	6.49727	1.52945E-05	9.9E-05	6.05E-04	6.01E-08	2.40E+00	4.71E-02	6.80E-09	1.0E+06	6.8E-03
514	514	7.13758	1.52945E-05	1.1E-04	6.05E-04	6.61E-08	2.40E+00	4.71E-02	7.47E-09	1.0E+06	7.5E-03
515	515	6.33357	1.52945E-05	9.7E-05	6.05E-04	5.86E-08	2.40E+00	4.71E-02	6.63E-09	1.0E+06	6.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	7.57958	1.52945E-05	1.2E-04	6.05E-04	7.01E-08	2.40E+00	4.71E-02	7.93E-09	1.0E+06	7.9E-03
517	517	9.34897	1.52945E-05	1.4E-04	6.05E-04	8.65E-08	2.40E+00	4.71E-02	9.78E-09	1.0E+06	9.8E-03
518	518	8.33236	1.52945E-05	1.3E-04	6.05E-04	7.71E-08	2.40E+00	4.71E-02	8.72E-09	1.0E+06	8.7E-03
519	519	9.94843	1.52945E-05	1.5E-04	6.05E-04	9.21E-08	2.40E+00	4.71E-02	1.04E-08	1.0E+06	1.0E-02
520	520	11.59002	1.52945E-05	1.8E-04	6.05E-04	1.07E-07	2.40E+00	4.71E-02	1.21E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
485	485	8.9E-01	Max	Receptor #	5	2.58E-03	Max	Receptor #	
486	486	8.5E-01	0.892	485	5	2.46E-03	0.003	485	Res
487	487	8.1E-01			5	2.34E-03			
488	488	7.7E-01			5	2.23E-03			
489	489	7.3E-01			5	2.13E-03			
490	490	7.0E-01			5	2.03E-03			
491	491	8.7E-01			5	2.51E-03			
492	492	8.3E-01			5	2.40E-03			
493	493	7.9E-01			5	2.29E-03			
494	494	7.6E-01			5	2.18E-03			
495	495	7.2E-01			5	2.08E-03			
496	496	6.9E-01			5	1.98E-03			
497	497	8.4E-01			5	2.45E-03			
498	498	8.1E-01			5	2.34E-03			
499	499	7.7E-01			5	2.23E-03			
500	500	7.4E-01			5	2.13E-03			
501	501	7.0E-01			5	2.03E-03			
502	502	6.7E-01			5	1.94E-03			
503	503	8.2E-01			5	2.38E-03			
504	504	7.9E-01			5	2.28E-03			
505	505	7.6E-01			5	2.18E-03			
506	506	7.2E-01			5	2.08E-03			
507	507	6.9E-01			5	1.99E-03			
508	508	6.6E-01			5	1.90E-03			
509	509	8.0E-01			5	2.32E-03			
510	510	7.7E-01			5	2.22E-03			
511	511	7.4E-01			5	2.12E-03			
512	512	7.0E-01			5	2.03E-03			
513	513	6.7E-01			5	1.94E-03			
514	514	6.4E-01			5	1.86E-03			
515	515	7.8E-01			5	2.26E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
516	516	7.5E-01	5	2.16E-03
517	517	7.2E-01	5	2.07E-03
518	518	6.9E-01	5	1.98E-03
519	519	6.6E-01	5	1.90E-03
520	520	6.4E-01	5	1.82E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

44778.00

					Cancer Risk from Birth to 2 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	0.92171	5.41E-05	5.0E-05	1.05E-03	5.21E-08	5.48E-02	1.57E-01	4.48E-10	1.0E+06	4.5E-04	
486	0.87779	5.41E-05	4.7E-05	1.05E-03	4.96E-08	5.48E-02	1.57E-01	4.27E-10	1.0E+06	4.3E-04	
487	0.836	5.41E-05	4.5E-05	1.05E-03	4.72E-08	5.48E-02	1.57E-01	4.07E-10	1.0E+06	4.1E-04	
488	0.79591	5.41E-05	4.3E-05	1.05E-03	4.50E-08	5.48E-02	1.57E-01	3.87E-10	1.0E+06	3.9E-04	
489	0.75808	5.41E-05	4.1E-05	1.05E-03	4.28E-08	5.48E-02	1.57E-01	3.69E-10	1.0E+06	3.7E-04	
490	0.7229	5.41E-05	3.9E-05	1.05E-03	4.08E-08	5.48E-02	1.57E-01	3.52E-10	1.0E+06	3.5E-04	
491	0.89686	5.41E-05	4.8E-05	1.05E-03	5.07E-08	5.48E-02	1.57E-01	4.36E-10	1.0E+06	4.4E-04	
492	0.85527	5.41E-05	4.6E-05	1.05E-03	4.83E-08	5.48E-02	1.57E-01	4.16E-10	1.0E+06	4.2E-04	
493	0.81553	5.41E-05	4.4E-05	1.05E-03	4.61E-08	5.48E-02	1.57E-01	3.97E-10	1.0E+06	4.0E-04	
494	0.77739	5.41E-05	4.2E-05	1.05E-03	4.39E-08	5.48E-02	1.57E-01	3.78E-10	1.0E+06	3.8E-04	
495	0.74125	5.41E-05	4.0E-05	1.05E-03	4.19E-08	5.48E-02	1.57E-01	3.61E-10	1.0E+06	3.6E-04	
496	0.70758	5.41E-05	3.8E-05	1.05E-03	4.00E-08	5.48E-02	1.57E-01	3.44E-10	1.0E+06	3.4E-04	
497	0.87286	5.41E-05	4.7E-05	1.05E-03	4.93E-08	5.48E-02	1.57E-01	4.25E-10	1.0E+06	4.2E-04	
498	0.83342	5.41E-05	4.5E-05	1.05E-03	4.71E-08	5.48E-02	1.57E-01	4.05E-10	1.0E+06	4.1E-04	
499	0.79565	5.41E-05	4.3E-05	1.05E-03	4.50E-08	5.48E-02	1.57E-01	3.87E-10	1.0E+06	3.9E-04	
500	0.75935	5.41E-05	4.1E-05	1.05E-03	4.29E-08	5.48E-02	1.57E-01	3.69E-10	1.0E+06	3.7E-04	
501	0.72486	5.41E-05	3.9E-05	1.05E-03	4.10E-08	5.48E-02	1.57E-01	3.53E-10	1.0E+06	3.5E-04	
502	0.69261	5.41E-05	3.7E-05	1.05E-03	3.91E-08	5.48E-02	1.57E-01	3.37E-10	1.0E+06	3.4E-04	
503	0.84967	5.41E-05	4.6E-05	1.05E-03	4.80E-08	5.48E-02	1.57E-01	4.13E-10	1.0E+06	4.1E-04	
504	0.81225	5.41E-05	4.4E-05	1.05E-03	4.59E-08	5.48E-02	1.57E-01	3.95E-10	1.0E+06	4.0E-04	
505	0.77632	5.41E-05	4.2E-05	1.05E-03	4.39E-08	5.48E-02	1.57E-01	3.78E-10	1.0E+06	3.8E-04	
506	0.74174	5.41E-05	4.0E-05	1.05E-03	4.19E-08	5.48E-02	1.57E-01	3.61E-10	1.0E+06	3.6E-04	
507	0.7088	5.41E-05	3.8E-05	1.05E-03	4.00E-08	5.48E-02	1.57E-01	3.45E-10	1.0E+06	3.4E-04	
508	0.67797	5.41E-05	3.7E-05	1.05E-03	3.83E-08	5.48E-02	1.57E-01	3.30E-10	1.0E+06	3.3E-04	
509	0.82727	5.41E-05	4.5E-05	1.05E-03	4.67E-08	5.48E-02	1.57E-01	4.02E-10	1.0E+06	4.0E-04	
510	0.79175	5.41E-05	4.3E-05	1.05E-03	4.47E-08	5.48E-02	1.57E-01	3.85E-10	1.0E+06	3.9E-04	
511	0.75754	5.41E-05	4.1E-05	1.05E-03	4.28E-08	5.48E-02	1.57E-01	3.69E-10	1.0E+06	3.7E-04	
512	0.72459	5.41E-05	3.9E-05	1.05E-03	4.09E-08	5.48E-02	1.57E-01	3.52E-10	1.0E+06	3.5E-04	
513	0.69309	5.41E-05	3.7E-05	1.05E-03	3.92E-08	5.48E-02	1.57E-01	3.37E-10	1.0E+06	3.4E-04	
514	0.66356	5.41E-05	3.6E-05	1.05E-03	3.75E-08	5.48E-02	1.57E-01	3.23E-10	1.0E+06	3.2E-04	
515	0.80565	5.41E-05	4.4E-05	1.05E-03	4.55E-08	5.48E-02	1.57E-01	3.92E-10	1.0E+06	3.9E-04	

	Max	Receptor #
Res	0.000	485

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Paving Risk

44778.00

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.77188	5.41E-05	4.2E-05	1.05E-03	4.36E-08	5.48E-02	1.57E-01	3.75E-10	1.0E+06	3.8E-04
517	0.73931	5.41E-05	4.0E-05	1.05E-03	4.18E-08	5.48E-02	1.57E-01	3.60E-10	1.0E+06	3.6E-04
518	0.70788	5.41E-05	3.8E-05	1.05E-03	4.00E-08	5.48E-02	1.57E-01	3.44E-10	1.0E+06	3.4E-04
519	0.67779	5.41E-05	3.7E-05	1.05E-03	3.83E-08	5.48E-02	1.57E-01	3.30E-10	1.0E+06	3.3E-04
520	0.64953	5.41E-05	3.5E-05	1.05E-03	3.67E-08	5.48E-02	1.57E-01	3.16E-10	1.0E+06	3.2E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	9.96E-06
486	5	9.49E-06
487	5	9.04E-06
488	5	8.60E-06
489	5	8.20E-06
490	5	7.81E-06
491	5	9.70E-06
492	5	9.25E-06
493	5	8.82E-06
494	5	8.40E-06
495	5	8.01E-06
496	5	7.65E-06
497	5	9.44E-06
498	5	9.01E-06
499	5	8.60E-06
500	5	8.21E-06
501	5	7.84E-06
502	5	7.49E-06
503	5	9.19E-06
504	5	8.78E-06
505	5	8.39E-06
506	5	8.02E-06
507	5	7.66E-06
508	5	7.33E-06
509	5	8.94E-06
510	5	8.56E-06
511	5	8.19E-06
512	5	7.83E-06
513	5	7.49E-06
514	5	7.17E-06
515	5	8.71E-06

Max	Receptor #	
0.000	485	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 1 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	8.34E-06
517	5	7.99E-06
518	5	7.65E-06
519	5	7.33E-06
520	5	7.02E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

44778.00

					Cancer Risk from 2to16 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	0.92171	4.66E-03	4.3E-03	6.05E-04	2.60E-06	1.91E+00	4.71E-02	2.34E-07	1.0E+06	2.3E-01	
486	0.87779	4.66E-03	4.1E-03	6.05E-04	2.47E-06	1.91E+00	4.71E-02	2.23E-07	1.0E+06	2.2E-01	
487	0.836	4.66E-03	3.9E-03	6.05E-04	2.35E-06	1.91E+00	4.71E-02	2.12E-07	1.0E+06	2.1E-01	
488	0.79591	4.66E-03	3.7E-03	6.05E-04	2.24E-06	1.91E+00	4.71E-02	2.02E-07	1.0E+06	2.0E-01	
489	0.75808	4.66E-03	3.5E-03	6.05E-04	2.14E-06	1.91E+00	4.71E-02	1.92E-07	1.0E+06	1.9E-01	
490	0.7229	4.66E-03	3.4E-03	6.05E-04	2.04E-06	1.91E+00	4.71E-02	1.83E-07	1.0E+06	1.8E-01	
491	0.89686	4.66E-03	4.2E-03	6.05E-04	2.53E-06	1.91E+00	4.71E-02	2.28E-07	1.0E+06	2.3E-01	
492	0.85527	4.66E-03	4.0E-03	6.05E-04	2.41E-06	1.91E+00	4.71E-02	2.17E-07	1.0E+06	2.2E-01	
493	0.81553	4.66E-03	3.8E-03	6.05E-04	2.30E-06	1.91E+00	4.71E-02	2.07E-07	1.0E+06	2.1E-01	
494	0.77739	4.66E-03	3.6E-03	6.05E-04	2.19E-06	1.91E+00	4.71E-02	1.97E-07	1.0E+06	2.0E-01	
495	0.74125	4.66E-03	3.5E-03	6.05E-04	2.09E-06	1.91E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01	
496	0.70758	4.66E-03	3.3E-03	6.05E-04	1.99E-06	1.91E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01	
497	0.87286	4.66E-03	4.1E-03	6.05E-04	2.46E-06	1.91E+00	4.71E-02	2.22E-07	1.0E+06	2.2E-01	
498	0.83342	4.66E-03	3.9E-03	6.05E-04	2.35E-06	1.91E+00	4.71E-02	2.12E-07	1.0E+06	2.1E-01	
499	0.79565	4.66E-03	3.7E-03	6.05E-04	2.24E-06	1.91E+00	4.71E-02	2.02E-07	1.0E+06	2.0E-01	
500	0.75935	4.66E-03	3.5E-03	6.05E-04	2.14E-06	1.91E+00	4.71E-02	1.93E-07	1.0E+06	1.9E-01	
501	0.72486	4.66E-03	3.4E-03	6.05E-04	2.04E-06	1.91E+00	4.71E-02	1.84E-07	1.0E+06	1.8E-01	
502	0.69261	4.66E-03	3.2E-03	6.05E-04	1.95E-06	1.91E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01	
503	0.84967	4.66E-03	4.0E-03	6.05E-04	2.39E-06	1.91E+00	4.71E-02	2.16E-07	1.0E+06	2.2E-01	
504	0.81225	4.66E-03	3.8E-03	6.05E-04	2.29E-06	1.91E+00	4.71E-02	2.06E-07	1.0E+06	2.1E-01	
505	0.77632	4.66E-03	3.6E-03	6.05E-04	2.19E-06	1.91E+00	4.71E-02	1.97E-07	1.0E+06	2.0E-01	
506	0.74174	4.66E-03	3.5E-03	6.05E-04	2.09E-06	1.91E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01	
507	0.7088	4.66E-03	3.3E-03	6.05E-04	2.00E-06	1.91E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01	
508	0.67797	4.66E-03	3.2E-03	6.05E-04	1.91E-06	1.91E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01	
509	0.82727	4.66E-03	3.9E-03	6.05E-04	2.33E-06	1.91E+00	4.71E-02	2.10E-07	1.0E+06	2.1E-01	
510	0.79175	4.66E-03	3.7E-03	6.05E-04	2.23E-06	1.91E+00	4.71E-02	2.01E-07	1.0E+06	2.0E-01	
511	0.75754	4.66E-03	3.5E-03	6.05E-04	2.13E-06	1.91E+00	4.71E-02	1.92E-07	1.0E+06	1.9E-01	
512	0.72459	4.66E-03	3.4E-03	6.05E-04	2.04E-06	1.91E+00	4.71E-02	1.84E-07	1.0E+06	1.8E-01	
513	0.69309	4.66E-03	3.2E-03	6.05E-04	1.95E-06	1.91E+00	4.71E-02	1.76E-07	1.0E+06	1.8E-01	
514	0.66356	4.66E-03	3.1E-03	6.05E-04	1.87E-06	1.91E+00	4.71E-02	1.68E-07	1.0E+06	1.7E-01	
515	0.80565	4.66E-03	3.8E-03	6.05E-04	2.27E-06	1.91E+00	4.71E-02	2.05E-07	1.0E+06	2.0E-01	

	Max	Receptor #
Res	0.234	485

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

44778.00

		Cancer Risk from 2to16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.77188	4.66E-03	3.6E-03	6.05E-04	2.17E-06	1.91E+00	4.71E-02	1.96E-07	1.0E+06	2.0E-01
517	0.73931	4.66E-03	3.4E-03	6.05E-04	2.08E-06	1.91E+00	4.71E-02	1.88E-07	1.0E+06	1.9E-01
518	0.70788	4.66E-03	3.3E-03	6.05E-04	1.99E-06	1.91E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
519	0.67779	4.66E-03	3.2E-03	6.05E-04	1.91E-06	1.91E+00	4.71E-02	1.72E-07	1.0E+06	1.7E-01
520	0.64953	4.66E-03	3.0E-03	6.05E-04	1.83E-06	1.91E+00	4.71E-02	1.65E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	8.58E-04
486	5	8.17E-04
487	5	7.78E-04
488	5	7.41E-04
489	5	7.06E-04
490	5	6.73E-04
491	5	8.35E-04
492	5	7.96E-04
493	5	7.59E-04
494	5	7.24E-04
495	5	6.90E-04
496	5	6.59E-04
497	5	8.13E-04
498	5	7.76E-04
499	5	7.41E-04
500	5	7.07E-04
501	5	6.75E-04
502	5	6.45E-04
503	5	7.91E-04
504	5	7.56E-04
505	5	7.23E-04
506	5	6.91E-04
507	5	6.60E-04
508	5	6.31E-04
509	5	7.70E-04
510	5	7.37E-04
511	5	7.05E-04
512	5	6.75E-04
513	5	6.45E-04
514	5	6.18E-04
515	5	7.50E-04

Max	Receptor #	
0.001	485	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 1 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	7.19E-04
517	5	6.88E-04
518	5	6.59E-04
519	5	6.31E-04
520	5	6.05E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

44778.00

						Cancer Risk from 2 to 16 years - Construction				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	1.15438	1.02E-02	1.2E-02	6.05E-04	7.10E-06	2.09E-01	4.71E-02	7.01E-08	1.0E+06	7.0E-02
486	1.13574	1.02E-02	1.2E-02	6.05E-04	6.99E-06	2.09E-01	4.71E-02	6.89E-08	1.0E+06	6.9E-02
487	1.11547	1.02E-02	1.1E-02	6.05E-04	6.86E-06	2.09E-01	4.71E-02	6.77E-08	1.0E+06	6.8E-02
488	1.09349	1.02E-02	1.1E-02	6.05E-04	6.73E-06	2.09E-01	4.71E-02	6.64E-08	1.0E+06	6.6E-02
489	1.07009	1.02E-02	1.1E-02	6.05E-04	6.59E-06	2.09E-01	4.71E-02	6.49E-08	1.0E+06	6.5E-02
490	1.0456	1.02E-02	1.1E-02	6.05E-04	6.43E-06	2.09E-01	4.71E-02	6.35E-08	1.0E+06	6.3E-02
491	1.10918	1.02E-02	1.1E-02	6.05E-04	6.83E-06	2.09E-01	4.71E-02	6.73E-08	1.0E+06	6.7E-02
492	1.09196	1.02E-02	1.1E-02	6.05E-04	6.72E-06	2.09E-01	4.71E-02	6.63E-08	1.0E+06	6.6E-02
493	1.07317	1.02E-02	1.1E-02	6.05E-04	6.60E-06	2.09E-01	4.71E-02	6.51E-08	1.0E+06	6.5E-02
494	1.05278	1.02E-02	1.1E-02	6.05E-04	6.48E-06	2.09E-01	4.71E-02	6.39E-08	1.0E+06	6.4E-02
495	1.03102	1.02E-02	1.0E-02	6.05E-04	6.34E-06	2.09E-01	4.71E-02	6.26E-08	1.0E+06	6.3E-02
496	1.00824	1.02E-02	1.0E-02	6.05E-04	6.20E-06	2.09E-01	4.71E-02	6.12E-08	1.0E+06	6.1E-02
497	1.06656	1.02E-02	1.1E-02	6.05E-04	6.56E-06	2.09E-01	4.71E-02	6.47E-08	1.0E+06	6.5E-02
498	1.05064	1.02E-02	1.1E-02	6.05E-04	6.47E-06	2.09E-01	4.71E-02	6.38E-08	1.0E+06	6.4E-02
499	1.03322	1.02E-02	1.1E-02	6.05E-04	6.36E-06	2.09E-01	4.71E-02	6.27E-08	1.0E+06	6.3E-02
500	1.01429	1.02E-02	1.0E-02	6.05E-04	6.24E-06	2.09E-01	4.71E-02	6.16E-08	1.0E+06	6.2E-02
501	0.99406	1.02E-02	1.0E-02	6.05E-04	6.12E-06	2.09E-01	4.71E-02	6.03E-08	1.0E+06	6.0E-02
502	0.97283	1.02E-02	9.9E-03	6.05E-04	5.99E-06	2.09E-01	4.71E-02	5.90E-08	1.0E+06	5.9E-02
503	1.02633	1.02E-02	1.0E-02	6.05E-04	6.32E-06	2.09E-01	4.71E-02	6.23E-08	1.0E+06	6.2E-02
504	1.01161	1.02E-02	1.0E-02	6.05E-04	6.23E-06	2.09E-01	4.71E-02	6.14E-08	1.0E+06	6.1E-02
505	0.99544	1.02E-02	1.0E-02	6.05E-04	6.13E-06	2.09E-01	4.71E-02	6.04E-08	1.0E+06	6.0E-02
506	0.97784	1.02E-02	9.9E-03	6.05E-04	6.02E-06	2.09E-01	4.71E-02	5.93E-08	1.0E+06	5.9E-02
507	0.959	1.02E-02	9.8E-03	6.05E-04	5.90E-06	2.09E-01	4.71E-02	5.82E-08	1.0E+06	5.8E-02
508	0.93923	1.02E-02	9.6E-03	6.05E-04	5.78E-06	2.09E-01	4.71E-02	5.70E-08	1.0E+06	5.7E-02
509	0.98831	1.02E-02	1.0E-02	6.05E-04	6.08E-06	2.09E-01	4.71E-02	6.00E-08	1.0E+06	6.0E-02
510	0.97469	1.02E-02	9.9E-03	6.05E-04	6.00E-06	2.09E-01	4.71E-02	5.92E-08	1.0E+06	5.9E-02
511	0.95967	1.02E-02	9.8E-03	6.05E-04	5.91E-06	2.09E-01	4.71E-02	5.82E-08	1.0E+06	5.8E-02
512	0.9433	1.02E-02	9.6E-03	6.05E-04	5.80E-06	2.09E-01	4.71E-02	5.72E-08	1.0E+06	5.7E-02
513	0.92573	1.02E-02	9.4E-03	6.05E-04	5.70E-06	2.09E-01	4.71E-02	5.62E-08	1.0E+06	5.6E-02
514	0.90728	1.02E-02	9.2E-03	6.05E-04	5.58E-06	2.09E-01	4.71E-02	5.51E-08	1.0E+06	5.5E-02
515	0.95234	1.02E-02	9.7E-03	6.05E-04	5.86E-06	2.09E-01	4.71E-02	5.78E-08	1.0E+06	5.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.93973	1.02E-02	9.6E-03	6.05E-04	5.78E-06	2.09E-01	4.71E-02	5.70E-08	1.0E+06	5.7E-02
517	0.92577	1.02E-02	9.4E-03	6.05E-04	5.70E-06	2.09E-01	4.71E-02	5.62E-08	1.0E+06	5.6E-02
518	0.91053	1.02E-02	9.3E-03	6.05E-04	5.60E-06	2.09E-01	4.71E-02	5.53E-08	1.0E+06	5.5E-02
519	0.89414	1.02E-02	9.1E-03	6.05E-04	5.50E-06	2.09E-01	4.71E-02	5.43E-08	1.0E+06	5.4E-02
520	0.87691	1.02E-02	8.9E-03	6.05E-04	5.40E-06	2.09E-01	4.71E-02	5.32E-08	1.0E+06	5.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	0.95327	9.48035E-07	9.0E-07	6.05E-04	5.47E-10	2.09E-01	4.71E-02	5.39E-12	1.0E+06	5.4E-06
486	486	0.94278	9.48035E-07	8.9E-07	6.05E-04	5.41E-10	2.09E-01	4.71E-02	5.33E-12	1.0E+06	5.3E-06
487	487	0.93099	9.48035E-07	8.8E-07	6.05E-04	5.34E-10	2.09E-01	4.71E-02	5.27E-12	1.0E+06	5.3E-06
488	488	0.9179	9.48035E-07	8.7E-07	6.05E-04	5.27E-10	2.09E-01	4.71E-02	5.19E-12	1.0E+06	5.2E-06
489	489	0.90358	9.48035E-07	8.6E-07	6.05E-04	5.18E-10	2.09E-01	4.71E-02	5.11E-12	1.0E+06	5.1E-06
490	490	0.8882	9.48035E-07	8.4E-07	6.05E-04	5.09E-10	2.09E-01	4.71E-02	5.02E-12	1.0E+06	5.0E-06
491	491	0.91895	9.48035E-07	8.7E-07	6.05E-04	5.27E-10	2.09E-01	4.71E-02	5.20E-12	1.0E+06	5.2E-06
492	492	0.90927	9.48035E-07	8.6E-07	6.05E-04	5.22E-10	2.09E-01	4.71E-02	5.14E-12	1.0E+06	5.1E-06
493	493	0.89835	9.48035E-07	8.5E-07	6.05E-04	5.15E-10	2.09E-01	4.71E-02	5.08E-12	1.0E+06	5.1E-06
494	494	0.88619	9.48035E-07	8.4E-07	6.05E-04	5.08E-10	2.09E-01	4.71E-02	5.01E-12	1.0E+06	5.0E-06
495	495	0.87285	9.48035E-07	8.3E-07	6.05E-04	5.01E-10	2.09E-01	4.71E-02	4.94E-12	1.0E+06	4.9E-06
496	496	0.85851	9.48035E-07	8.1E-07	6.05E-04	4.92E-10	2.09E-01	4.71E-02	4.86E-12	1.0E+06	4.9E-06
497	497	0.88642	9.48035E-07	8.4E-07	6.05E-04	5.08E-10	2.09E-01	4.71E-02	5.01E-12	1.0E+06	5.0E-06
498	498	0.87748	9.48035E-07	8.3E-07	6.05E-04	5.03E-10	2.09E-01	4.71E-02	4.96E-12	1.0E+06	5.0E-06
499	499	0.86736	9.48035E-07	8.2E-07	6.05E-04	4.98E-10	2.09E-01	4.71E-02	4.91E-12	1.0E+06	4.9E-06
500	500	0.85606	9.48035E-07	8.1E-07	6.05E-04	4.91E-10	2.09E-01	4.71E-02	4.84E-12	1.0E+06	4.8E-06
501	501	0.84365	9.48035E-07	8.0E-07	6.05E-04	4.84E-10	2.09E-01	4.71E-02	4.77E-12	1.0E+06	4.8E-06
502	502	0.83026	9.48035E-07	7.9E-07	6.05E-04	4.76E-10	2.09E-01	4.71E-02	4.70E-12	1.0E+06	4.7E-06
503	503	0.85555	9.48035E-07	8.1E-07	6.05E-04	4.91E-10	2.09E-01	4.71E-02	4.84E-12	1.0E+06	4.8E-06
504	504	0.84731	9.48035E-07	8.0E-07	6.05E-04	4.86E-10	2.09E-01	4.71E-02	4.79E-12	1.0E+06	4.8E-06
505	505	0.83792	9.48035E-07	7.9E-07	6.05E-04	4.81E-10	2.09E-01	4.71E-02	4.74E-12	1.0E+06	4.7E-06
506	506	0.82742	9.48035E-07	7.8E-07	6.05E-04	4.75E-10	2.09E-01	4.71E-02	4.68E-12	1.0E+06	4.7E-06
507	507	0.81584	9.48035E-07	7.7E-07	6.05E-04	4.68E-10	2.09E-01	4.71E-02	4.62E-12	1.0E+06	4.6E-06
508	508	0.80334	9.48035E-07	7.6E-07	6.05E-04	4.61E-10	2.09E-01	4.71E-02	4.54E-12	1.0E+06	4.5E-06
509	509	0.82624	9.48035E-07	7.8E-07	6.05E-04	4.74E-10	2.09E-01	4.71E-02	4.67E-12	1.0E+06	4.7E-06
510	510	0.81863	9.48035E-07	7.8E-07	6.05E-04	4.70E-10	2.09E-01	4.71E-02	4.63E-12	1.0E+06	4.6E-06
511	511	0.80993	9.48035E-07	7.7E-07	6.05E-04	4.65E-10	2.09E-01	4.71E-02	4.58E-12	1.0E+06	4.6E-06
512	512	0.80016	9.48035E-07	7.6E-07	6.05E-04	4.59E-10	2.09E-01	4.71E-02	4.53E-12	1.0E+06	4.5E-06
513	513	0.78934	9.48035E-07	7.5E-07	6.05E-04	4.53E-10	2.09E-01	4.71E-02	4.47E-12	1.0E+06	4.5E-06
514	514	0.77767	9.48035E-07	7.4E-07	6.05E-04	4.46E-10	2.09E-01	4.71E-02	4.40E-12	1.0E+06	4.4E-06
515	515	0.79838	9.48035E-07	7.6E-07	6.05E-04	4.58E-10	2.09E-01	4.71E-02	4.52E-12	1.0E+06	4.5E-06

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	0.79136	9.48035E-07	7.5E-07	6.05E-04	4.54E-10	2.09E-01	4.71E-02	4.48E-12	1.0E+06	4.5E-06
517	517	0.78329	9.48035E-07	7.4E-07	6.05E-04	4.49E-10	2.09E-01	4.71E-02	4.43E-12	1.0E+06	4.4E-06
518	518	0.77419	9.48035E-07	7.3E-07	6.05E-04	4.44E-10	2.09E-01	4.71E-02	4.38E-12	1.0E+06	4.4E-06
519	519	0.76409	9.48035E-07	7.2E-07	6.05E-04	4.38E-10	2.09E-01	4.71E-02	4.32E-12	1.0E+06	4.3E-06
520	520	0.75317	9.48035E-07	7.1E-07	6.05E-04	4.32E-10	2.09E-01	4.71E-02	4.26E-12	1.0E+06	4.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	5.06394	2.5998E-06	1.3E-05	6.05E-04	7.97E-09	2.09E-01	4.71E-02	7.86E-11	1.0E+06	7.9E-05
486	486	6.01947	2.5998E-06	1.6E-05	6.05E-04	9.47E-09	2.09E-01	4.71E-02	9.34E-11	1.0E+06	9.3E-05
487	487	7.3725	2.5998E-06	1.9E-05	6.05E-04	1.16E-08	2.09E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
488	488	6.61307	2.5998E-06	1.7E-05	6.05E-04	1.04E-08	2.09E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
489	489	7.8639	2.5998E-06	2.0E-05	6.05E-04	1.24E-08	2.09E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
490	490	9.1232	2.5998E-06	2.4E-05	6.05E-04	1.44E-08	2.09E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
491	491	5.05586	2.5998E-06	1.3E-05	6.05E-04	7.95E-09	2.09E-01	4.71E-02	7.84E-11	1.0E+06	7.8E-05
492	492	6.00763	2.5998E-06	1.6E-05	6.05E-04	9.45E-09	2.09E-01	4.71E-02	9.32E-11	1.0E+06	9.3E-05
493	493	7.36267	2.5998E-06	1.9E-05	6.05E-04	1.16E-08	2.09E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
494	494	6.5677	2.5998E-06	1.7E-05	6.05E-04	1.03E-08	2.09E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
495	495	7.81479	2.5998E-06	2.0E-05	6.05E-04	1.23E-08	2.09E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
496	496	6.24477	2.5998E-06	1.6E-05	6.05E-04	9.82E-09	2.09E-01	4.71E-02	9.69E-11	1.0E+06	9.7E-05
497	497	5.04972	2.5998E-06	1.3E-05	6.05E-04	7.94E-09	2.09E-01	4.71E-02	7.83E-11	1.0E+06	7.8E-05
498	498	6.00032	2.5998E-06	1.6E-05	6.05E-04	9.44E-09	2.09E-01	4.71E-02	9.31E-11	1.0E+06	9.3E-05
499	499	7.35292	2.5998E-06	1.9E-05	6.05E-04	1.16E-08	2.09E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
500	500	9.38288	2.5998E-06	2.4E-05	6.05E-04	1.48E-08	2.09E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
501	501	5.26681	2.5998E-06	1.4E-05	6.05E-04	8.28E-09	2.09E-01	4.71E-02	8.17E-11	1.0E+06	8.2E-05
502	502	5.76504	2.5998E-06	1.5E-05	6.05E-04	9.07E-09	2.09E-01	4.71E-02	8.94E-11	1.0E+06	8.9E-05
503	503	5.04549	2.5998E-06	1.3E-05	6.05E-04	7.94E-09	2.09E-01	4.71E-02	7.83E-11	1.0E+06	7.8E-05
504	504	5.99331	2.5998E-06	1.6E-05	6.05E-04	9.43E-09	2.09E-01	4.71E-02	9.30E-11	1.0E+06	9.3E-05
505	505	7.33781	2.5998E-06	1.9E-05	6.05E-04	1.15E-08	2.09E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
506	506	6.85114	2.5998E-06	1.8E-05	6.05E-04	1.08E-08	2.09E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
507	507	5.19648	2.5998E-06	1.4E-05	6.05E-04	8.17E-09	2.09E-01	4.71E-02	8.06E-11	1.0E+06	8.1E-05
508	508	5.67717	2.5998E-06	1.5E-05	6.05E-04	8.93E-09	2.09E-01	4.71E-02	8.81E-11	1.0E+06	8.8E-05
509	509	5.04362	2.5998E-06	1.3E-05	6.05E-04	7.93E-09	2.09E-01	4.71E-02	7.82E-11	1.0E+06	7.8E-05
510	510	5.9902	2.5998E-06	1.6E-05	6.05E-04	9.42E-09	2.09E-01	4.71E-02	9.29E-11	1.0E+06	9.3E-05
511	511	7.33369	2.5998E-06	1.9E-05	6.05E-04	1.15E-08	2.09E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
512	512	6.57805	2.5998E-06	1.7E-05	6.05E-04	1.03E-08	2.09E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
513	513	7.81632	2.5998E-06	2.0E-05	6.05E-04	1.23E-08	2.09E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
514	514	9.07224	2.5998E-06	2.4E-05	6.05E-04	1.43E-08	2.09E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
515	515	5.04322	2.5998E-06	1.3E-05	6.05E-04	7.93E-09	2.09E-01	4.71E-02	7.82E-11	1.0E+06	7.8E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	5.99237	2.5998E-06	1.6E-05	6.05E-04	9.43E-09	2.09E-01	4.71E-02	9.30E-11	1.0E+06	9.3E-05
517	517	7.34388	2.5998E-06	1.9E-05	6.05E-04	1.16E-08	2.09E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
518	518	6.5638	2.5998E-06	1.7E-05	6.05E-04	1.03E-08	2.09E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
519	519	7.80075	2.5998E-06	2.0E-05	6.05E-04	1.23E-08	2.09E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
520	520	6.22412	2.5998E-06	1.6E-05	6.05E-04	9.79E-09	2.09E-01	4.71E-02	9.66E-11	1.0E+06	9.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
485	485	7.0E-02	Max	Receptor #	5	2.35E-03	Max	Receptor #	
486	486	6.9E-02	0.070	485	5	2.31E-03	0.002	485	Res
487	487	6.8E-02			5	2.27E-03			
488	488	6.6E-02			5	2.22E-03			
489	489	6.5E-02			5	2.18E-03			
490	490	6.4E-02			5	2.13E-03			
491	491	6.7E-02			5	2.26E-03			
492	492	6.6E-02			5	2.22E-03			
493	493	6.5E-02			5	2.18E-03			
494	494	6.4E-02			5	2.14E-03			
495	495	6.3E-02			5	2.10E-03			
496	496	6.1E-02			5	2.05E-03			
497	497	6.5E-02			5	2.17E-03			
498	498	6.4E-02			5	2.14E-03			
499	499	6.3E-02			5	2.10E-03			
500	500	6.2E-02			5	2.06E-03			
501	501	6.0E-02			5	2.02E-03			
502	502	5.9E-02			5	1.98E-03			
503	503	6.2E-02			5	2.09E-03			
504	504	6.1E-02			5	2.06E-03			
505	505	6.1E-02			5	2.02E-03			
506	506	5.9E-02			5	1.99E-03			
507	507	5.8E-02			5	1.95E-03			
508	508	5.7E-02			5	1.91E-03			
509	509	6.0E-02			5	2.01E-03			
510	510	5.9E-02			5	1.98E-03			
511	511	5.8E-02			5	1.95E-03			
512	512	5.7E-02			5	1.92E-03			
513	513	5.6E-02			5	1.88E-03			
514	514	5.5E-02			5	1.85E-03			
515	515	5.8E-02			5	1.94E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
516	516	5.7E-02	5	1.91E-03
517	517	5.6E-02	5	1.88E-03
518	518	5.5E-02	5	1.85E-03
519	519	5.4E-02	5	1.82E-03
520	520	5.3E-02	5	1.78E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

44778.00

					Cancer Risk from 2 to 16 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	1.15438	4.58E-03	5.3E-03	6.05E-04	3.20E-06	1.05E-01	4.71E-02	1.58E-08	1.0E+06	1.6E-02	
486	1.13574	4.58E-03	5.2E-03	6.05E-04	3.14E-06	1.05E-01	4.71E-02	1.55E-08	1.0E+06	1.6E-02	
487	1.11547	4.58E-03	5.1E-03	6.05E-04	3.09E-06	1.05E-01	4.71E-02	1.52E-08	1.0E+06	1.5E-02	
488	1.09349	4.58E-03	5.0E-03	6.05E-04	3.03E-06	1.05E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02	
489	1.07009	4.58E-03	4.9E-03	6.05E-04	2.96E-06	1.05E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02	
490	1.0456	4.58E-03	4.8E-03	6.05E-04	2.90E-06	1.05E-01	4.71E-02	1.43E-08	1.0E+06	1.4E-02	
491	1.10918	4.58E-03	5.1E-03	6.05E-04	3.07E-06	1.05E-01	4.71E-02	1.51E-08	1.0E+06	1.5E-02	
492	1.09196	4.58E-03	5.0E-03	6.05E-04	3.02E-06	1.05E-01	4.71E-02	1.49E-08	1.0E+06	1.5E-02	
493	1.07317	4.58E-03	4.9E-03	6.05E-04	2.97E-06	1.05E-01	4.71E-02	1.47E-08	1.0E+06	1.5E-02	
494	1.05278	4.58E-03	4.8E-03	6.05E-04	2.92E-06	1.05E-01	4.71E-02	1.44E-08	1.0E+06	1.4E-02	
495	1.03102	4.58E-03	4.7E-03	6.05E-04	2.85E-06	1.05E-01	4.71E-02	1.41E-08	1.0E+06	1.4E-02	
496	1.00824	4.58E-03	4.6E-03	6.05E-04	2.79E-06	1.05E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02	
497	1.06656	4.58E-03	4.9E-03	6.05E-04	2.95E-06	1.05E-01	4.71E-02	1.46E-08	1.0E+06	1.5E-02	
498	1.05064	4.58E-03	4.8E-03	6.05E-04	2.91E-06	1.05E-01	4.71E-02	1.43E-08	1.0E+06	1.4E-02	
499	1.03322	4.58E-03	4.7E-03	6.05E-04	2.86E-06	1.05E-01	4.71E-02	1.41E-08	1.0E+06	1.4E-02	
500	1.01429	4.58E-03	4.6E-03	6.05E-04	2.81E-06	1.05E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02	
501	0.99406	4.58E-03	4.5E-03	6.05E-04	2.75E-06	1.05E-01	4.71E-02	1.36E-08	1.0E+06	1.4E-02	
502	0.97283	4.58E-03	4.5E-03	6.05E-04	2.69E-06	1.05E-01	4.71E-02	1.33E-08	1.0E+06	1.3E-02	
503	1.02633	4.58E-03	4.7E-03	6.05E-04	2.84E-06	1.05E-01	4.71E-02	1.40E-08	1.0E+06	1.4E-02	
504	1.01161	4.58E-03	4.6E-03	6.05E-04	2.80E-06	1.05E-01	4.71E-02	1.38E-08	1.0E+06	1.4E-02	
505	0.99544	4.58E-03	4.6E-03	6.05E-04	2.76E-06	1.05E-01	4.71E-02	1.36E-08	1.0E+06	1.4E-02	
506	0.97784	4.58E-03	4.5E-03	6.05E-04	2.71E-06	1.05E-01	4.71E-02	1.34E-08	1.0E+06	1.3E-02	
507	0.959	4.58E-03	4.4E-03	6.05E-04	2.66E-06	1.05E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02	
508	0.93923	4.58E-03	4.3E-03	6.05E-04	2.60E-06	1.05E-01	4.71E-02	1.28E-08	1.0E+06	1.3E-02	
509	0.98831	4.58E-03	4.5E-03	6.05E-04	2.74E-06	1.05E-01	4.71E-02	1.35E-08	1.0E+06	1.3E-02	
510	0.97469	4.58E-03	4.5E-03	6.05E-04	2.70E-06	1.05E-01	4.71E-02	1.33E-08	1.0E+06	1.3E-02	
511	0.95967	4.58E-03	4.4E-03	6.05E-04	2.66E-06	1.05E-01	4.71E-02	1.31E-08	1.0E+06	1.3E-02	
512	0.9433	4.58E-03	4.3E-03	6.05E-04	2.61E-06	1.05E-01	4.71E-02	1.29E-08	1.0E+06	1.3E-02	
513	0.92573	4.58E-03	4.2E-03	6.05E-04	2.56E-06	1.05E-01	4.71E-02	1.26E-08	1.0E+06	1.3E-02	
514	0.90728	4.58E-03	4.2E-03	6.05E-04	2.51E-06	1.05E-01	4.71E-02	1.24E-08	1.0E+06	1.2E-02	
515	0.95234	4.58E-03	4.4E-03	6.05E-04	2.64E-06	1.05E-01	4.71E-02	1.30E-08	1.0E+06	1.3E-02	

	Max	Receptor #
Res	0.016	485

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

44778.00

							Cancer Risk from 2 to 16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.93973	4.58E-03	4.3E-03	6.05E-04	2.60E-06	1.05E-01	4.71E-02	1.28E-08	1.0E+06	1.3E-02
517	0.92577	4.58E-03	4.2E-03	6.05E-04	2.56E-06	1.05E-01	4.71E-02	1.26E-08	1.0E+06	1.3E-02
518	0.91053	4.58E-03	4.2E-03	6.05E-04	2.52E-06	1.05E-01	4.71E-02	1.24E-08	1.0E+06	1.2E-02
519	0.89414	4.58E-03	4.1E-03	6.05E-04	2.48E-06	1.05E-01	4.71E-02	1.22E-08	1.0E+06	1.2E-02
520	0.87691	4.58E-03	4.0E-03	6.05E-04	2.43E-06	1.05E-01	4.71E-02	1.20E-08	1.0E+06	1.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	1.06E-03
486	5	1.04E-03
487	5	1.02E-03
488	5	1.00E-03
489	5	9.79E-04
490	5	9.57E-04
491	5	1.02E-03
492	5	9.99E-04
493	5	9.82E-04
494	5	9.64E-04
495	5	9.44E-04
496	5	9.23E-04
497	5	9.76E-04
498	5	9.62E-04
499	5	9.46E-04
500	5	9.28E-04
501	5	9.10E-04
502	5	8.90E-04
503	5	9.39E-04
504	5	9.26E-04
505	5	9.11E-04
506	5	8.95E-04
507	5	8.78E-04
508	5	8.60E-04
509	5	9.05E-04
510	5	8.92E-04
511	5	8.78E-04
512	5	8.63E-04
513	5	8.47E-04
514	5	8.30E-04
515	5	8.72E-04

Max	Receptor #	
0.001	485	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	8.60E-04
517	5	8.47E-04
518	5	8.33E-04
519	5	8.18E-04
520	5	8.03E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

44778.00

						Cancer Risk from 2 to 16 years - Construction				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	1.15438	1.90E-02	2.2E-02	6.05E-04	1.33E-05	2.09E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
486	1.13574	1.90E-02	2.2E-02	6.05E-04	1.31E-05	2.09E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
487	1.11547	1.90E-02	2.1E-02	6.05E-04	1.28E-05	2.09E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
488	1.09349	1.90E-02	2.1E-02	6.05E-04	1.26E-05	2.09E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
489	1.07009	1.90E-02	2.0E-02	6.05E-04	1.23E-05	2.09E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
490	1.0456	1.90E-02	2.0E-02	6.05E-04	1.20E-05	2.09E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
491	1.10918	1.90E-02	2.1E-02	6.05E-04	1.28E-05	2.09E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
492	1.09196	1.90E-02	2.1E-02	6.05E-04	1.26E-05	2.09E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
493	1.07317	1.90E-02	2.0E-02	6.05E-04	1.23E-05	2.09E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
494	1.05278	1.90E-02	2.0E-02	6.05E-04	1.21E-05	2.09E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
495	1.03102	1.90E-02	2.0E-02	6.05E-04	1.19E-05	2.09E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
496	1.00824	1.90E-02	1.9E-02	6.05E-04	1.16E-05	2.09E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
497	1.06656	1.90E-02	2.0E-02	6.05E-04	1.23E-05	2.09E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
498	1.05064	1.90E-02	2.0E-02	6.05E-04	1.21E-05	2.09E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
499	1.03322	1.90E-02	2.0E-02	6.05E-04	1.19E-05	2.09E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
500	1.01429	1.90E-02	1.9E-02	6.05E-04	1.17E-05	2.09E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
501	0.99406	1.90E-02	1.9E-02	6.05E-04	1.14E-05	2.09E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
502	0.97283	1.90E-02	1.8E-02	6.05E-04	1.12E-05	2.09E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
503	1.02633	1.90E-02	2.0E-02	6.05E-04	1.18E-05	2.09E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
504	1.01161	1.90E-02	1.9E-02	6.05E-04	1.16E-05	2.09E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
505	0.99544	1.90E-02	1.9E-02	6.05E-04	1.15E-05	2.09E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
506	0.97784	1.90E-02	1.9E-02	6.05E-04	1.13E-05	2.09E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
507	0.959	1.90E-02	1.8E-02	6.05E-04	1.10E-05	2.09E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
508	0.93923	1.90E-02	1.8E-02	6.05E-04	1.08E-05	2.09E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
509	0.98831	1.90E-02	1.9E-02	6.05E-04	1.14E-05	2.09E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
510	0.97469	1.90E-02	1.9E-02	6.05E-04	1.12E-05	2.09E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
511	0.95967	1.90E-02	1.8E-02	6.05E-04	1.10E-05	2.09E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
512	0.9433	1.90E-02	1.8E-02	6.05E-04	1.09E-05	2.09E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
513	0.92573	1.90E-02	1.8E-02	6.05E-04	1.07E-05	2.09E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
514	0.90728	1.90E-02	1.7E-02	6.05E-04	1.04E-05	2.09E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
515	0.95234	1.90E-02	1.8E-02	6.05E-04	1.10E-05	2.09E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.93973	1.90E-02	1.8E-02	6.05E-04	1.08E-05	2.09E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
517	0.92577	1.90E-02	1.8E-02	6.05E-04	1.07E-05	2.09E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
518	0.91053	1.90E-02	1.7E-02	6.05E-04	1.05E-05	2.09E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
519	0.89414	1.90E-02	1.7E-02	6.05E-04	1.03E-05	2.09E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
520	0.87691	1.90E-02	1.7E-02	6.05E-04	1.01E-05	2.09E-01	4.71E-02	9.95E-08	1.0E+06	9.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	0.95327	9.50706E-06	9.1E-06	6.05E-04	5.48E-09	2.09E-01	4.71E-02	5.41E-11	1.0E+06	5.4E-05
486	486	0.94278	9.50706E-06	9.0E-06	6.05E-04	5.42E-09	2.09E-01	4.71E-02	5.35E-11	1.0E+06	5.3E-05
487	487	0.93099	9.50706E-06	8.9E-06	6.05E-04	5.36E-09	2.09E-01	4.71E-02	5.28E-11	1.0E+06	5.3E-05
488	488	0.9179	9.50706E-06	8.7E-06	6.05E-04	5.28E-09	2.09E-01	4.71E-02	5.21E-11	1.0E+06	5.2E-05
489	489	0.90358	9.50706E-06	8.6E-06	6.05E-04	5.20E-09	2.09E-01	4.71E-02	5.13E-11	1.0E+06	5.1E-05
490	490	0.8882	9.50706E-06	8.4E-06	6.05E-04	5.11E-09	2.09E-01	4.71E-02	5.04E-11	1.0E+06	5.0E-05
491	491	0.91895	9.50706E-06	8.7E-06	6.05E-04	5.29E-09	2.09E-01	4.71E-02	5.21E-11	1.0E+06	5.2E-05
492	492	0.90927	9.50706E-06	8.6E-06	6.05E-04	5.23E-09	2.09E-01	4.71E-02	5.16E-11	1.0E+06	5.2E-05
493	493	0.89835	9.50706E-06	8.5E-06	6.05E-04	5.17E-09	2.09E-01	4.71E-02	5.10E-11	1.0E+06	5.1E-05
494	494	0.88619	9.50706E-06	8.4E-06	6.05E-04	5.10E-09	2.09E-01	4.71E-02	5.03E-11	1.0E+06	5.0E-05
495	495	0.87285	9.50706E-06	8.3E-06	6.05E-04	5.02E-09	2.09E-01	4.71E-02	4.95E-11	1.0E+06	5.0E-05
496	496	0.85851	9.50706E-06	8.2E-06	6.05E-04	4.94E-09	2.09E-01	4.71E-02	4.87E-11	1.0E+06	4.9E-05
497	497	0.88642	9.50706E-06	8.4E-06	6.05E-04	5.10E-09	2.09E-01	4.71E-02	5.03E-11	1.0E+06	5.0E-05
498	498	0.87748	9.50706E-06	8.3E-06	6.05E-04	5.05E-09	2.09E-01	4.71E-02	4.98E-11	1.0E+06	5.0E-05
499	499	0.86736	9.50706E-06	8.2E-06	6.05E-04	4.99E-09	2.09E-01	4.71E-02	4.92E-11	1.0E+06	4.9E-05
500	500	0.85606	9.50706E-06	8.1E-06	6.05E-04	4.92E-09	2.09E-01	4.71E-02	4.86E-11	1.0E+06	4.9E-05
501	501	0.84365	9.50706E-06	8.0E-06	6.05E-04	4.85E-09	2.09E-01	4.71E-02	4.79E-11	1.0E+06	4.8E-05
502	502	0.83026	9.50706E-06	7.9E-06	6.05E-04	4.78E-09	2.09E-01	4.71E-02	4.71E-11	1.0E+06	4.7E-05
503	503	0.85555	9.50706E-06	8.1E-06	6.05E-04	4.92E-09	2.09E-01	4.71E-02	4.85E-11	1.0E+06	4.9E-05
504	504	0.84731	9.50706E-06	8.1E-06	6.05E-04	4.87E-09	2.09E-01	4.71E-02	4.81E-11	1.0E+06	4.8E-05
505	505	0.83792	9.50706E-06	8.0E-06	6.05E-04	4.82E-09	2.09E-01	4.71E-02	4.75E-11	1.0E+06	4.8E-05
506	506	0.82742	9.50706E-06	7.9E-06	6.05E-04	4.76E-09	2.09E-01	4.71E-02	4.69E-11	1.0E+06	4.7E-05
507	507	0.81584	9.50706E-06	7.8E-06	6.05E-04	4.69E-09	2.09E-01	4.71E-02	4.63E-11	1.0E+06	4.6E-05
508	508	0.80334	9.50706E-06	7.6E-06	6.05E-04	4.62E-09	2.09E-01	4.71E-02	4.56E-11	1.0E+06	4.6E-05
509	509	0.82624	9.50706E-06	7.9E-06	6.05E-04	4.75E-09	2.09E-01	4.71E-02	4.69E-11	1.0E+06	4.7E-05
510	510	0.81863	9.50706E-06	7.8E-06	6.05E-04	4.71E-09	2.09E-01	4.71E-02	4.64E-11	1.0E+06	4.6E-05
511	511	0.80993	9.50706E-06	7.7E-06	6.05E-04	4.66E-09	2.09E-01	4.71E-02	4.59E-11	1.0E+06	4.6E-05
512	512	0.80016	9.50706E-06	7.6E-06	6.05E-04	4.60E-09	2.09E-01	4.71E-02	4.54E-11	1.0E+06	4.5E-05
513	513	0.78934	9.50706E-06	7.5E-06	6.05E-04	4.54E-09	2.09E-01	4.71E-02	4.48E-11	1.0E+06	4.5E-05
514	514	0.77767	9.50706E-06	7.4E-06	6.05E-04	4.47E-09	2.09E-01	4.71E-02	4.41E-11	1.0E+06	4.4E-05
515	515	0.79838	9.50706E-06	7.6E-06	6.05E-04	4.59E-09	2.09E-01	4.71E-02	4.53E-11	1.0E+06	4.5E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	0.79136	9.50706E-06	7.5E-06	6.05E-04	4.55E-09	2.09E-01	4.71E-02	4.49E-11	1.0E+06	4.5E-05
517	517	0.78329	9.50706E-06	7.4E-06	6.05E-04	4.51E-09	2.09E-01	4.71E-02	4.44E-11	1.0E+06	4.4E-05
518	518	0.77419	9.50706E-06	7.4E-06	6.05E-04	4.45E-09	2.09E-01	4.71E-02	4.39E-11	1.0E+06	4.4E-05
519	519	0.76409	9.50706E-06	7.3E-06	6.05E-04	4.40E-09	2.09E-01	4.71E-02	4.33E-11	1.0E+06	4.3E-05
520	520	0.75317	9.50706E-06	7.2E-06	6.05E-04	4.33E-09	2.09E-01	4.71E-02	4.27E-11	1.0E+06	4.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	5.06394	2.60712E-05	1.3E-04	6.05E-04	7.99E-08	2.09E-01	4.71E-02	7.88E-10	1.0E+06	7.9E-04
486	486	6.01947	2.60712E-05	1.6E-04	6.05E-04	9.50E-08	2.09E-01	4.71E-02	9.36E-10	1.0E+06	9.4E-04
487	487	7.3725	2.60712E-05	1.9E-04	6.05E-04	1.16E-07	2.09E-01	4.71E-02	1.15E-09	1.0E+06	1.1E-03
488	488	6.61307	2.60712E-05	1.7E-04	6.05E-04	1.04E-07	2.09E-01	4.71E-02	1.03E-09	1.0E+06	1.0E-03
489	489	7.8639	2.60712E-05	2.1E-04	6.05E-04	1.24E-07	2.09E-01	4.71E-02	1.22E-09	1.0E+06	1.2E-03
490	490	9.1232	2.60712E-05	2.4E-04	6.05E-04	1.44E-07	2.09E-01	4.71E-02	1.42E-09	1.0E+06	1.4E-03
491	491	5.05586	2.60712E-05	1.3E-04	6.05E-04	7.98E-08	2.09E-01	4.71E-02	7.87E-10	1.0E+06	7.9E-04
492	492	6.00763	2.60712E-05	1.6E-04	6.05E-04	9.48E-08	2.09E-01	4.71E-02	9.35E-10	1.0E+06	9.3E-04
493	493	7.36267	2.60712E-05	1.9E-04	6.05E-04	1.16E-07	2.09E-01	4.71E-02	1.15E-09	1.0E+06	1.1E-03
494	494	6.5677	2.60712E-05	1.7E-04	6.05E-04	1.04E-07	2.09E-01	4.71E-02	1.02E-09	1.0E+06	1.0E-03
495	495	7.81479	2.60712E-05	2.0E-04	6.05E-04	1.23E-07	2.09E-01	4.71E-02	1.22E-09	1.0E+06	1.2E-03
496	496	6.24477	2.60712E-05	1.6E-04	6.05E-04	9.85E-08	2.09E-01	4.71E-02	9.71E-10	1.0E+06	9.7E-04
497	497	5.04972	2.60712E-05	1.3E-04	6.05E-04	7.97E-08	2.09E-01	4.71E-02	7.86E-10	1.0E+06	7.9E-04
498	498	6.00032	2.60712E-05	1.6E-04	6.05E-04	9.47E-08	2.09E-01	4.71E-02	9.33E-10	1.0E+06	9.3E-04
499	499	7.35292	2.60712E-05	1.9E-04	6.05E-04	1.16E-07	2.09E-01	4.71E-02	1.14E-09	1.0E+06	1.1E-03
500	500	9.38288	2.60712E-05	2.4E-04	6.05E-04	1.48E-07	2.09E-01	4.71E-02	1.46E-09	1.0E+06	1.5E-03
501	501	5.26681	2.60712E-05	1.4E-04	6.05E-04	8.31E-08	2.09E-01	4.71E-02	8.19E-10	1.0E+06	8.2E-04
502	502	5.76504	2.60712E-05	1.5E-04	6.05E-04	9.09E-08	2.09E-01	4.71E-02	8.97E-10	1.0E+06	9.0E-04
503	503	5.04549	2.60712E-05	1.3E-04	6.05E-04	7.96E-08	2.09E-01	4.71E-02	7.85E-10	1.0E+06	7.8E-04
504	504	5.99331	2.60712E-05	1.6E-04	6.05E-04	9.45E-08	2.09E-01	4.71E-02	9.32E-10	1.0E+06	9.3E-04
505	505	7.33781	2.60712E-05	1.9E-04	6.05E-04	1.16E-07	2.09E-01	4.71E-02	1.14E-09	1.0E+06	1.1E-03
506	506	6.85114	2.60712E-05	1.8E-04	6.05E-04	1.08E-07	2.09E-01	4.71E-02	1.07E-09	1.0E+06	1.1E-03
507	507	5.19648	2.60712E-05	1.4E-04	6.05E-04	8.20E-08	2.09E-01	4.71E-02	8.08E-10	1.0E+06	8.1E-04
508	508	5.67717	2.60712E-05	1.5E-04	6.05E-04	8.96E-08	2.09E-01	4.71E-02	8.83E-10	1.0E+06	8.8E-04
509	509	5.04362	2.60712E-05	1.3E-04	6.05E-04	7.96E-08	2.09E-01	4.71E-02	7.85E-10	1.0E+06	7.8E-04
510	510	5.9902	2.60712E-05	1.6E-04	6.05E-04	9.45E-08	2.09E-01	4.71E-02	9.32E-10	1.0E+06	9.3E-04
511	511	7.33369	2.60712E-05	1.9E-04	6.05E-04	1.16E-07	2.09E-01	4.71E-02	1.14E-09	1.0E+06	1.1E-03
512	512	6.57805	2.60712E-05	1.7E-04	6.05E-04	1.04E-07	2.09E-01	4.71E-02	1.02E-09	1.0E+06	1.0E-03
513	513	7.81632	2.60712E-05	2.0E-04	6.05E-04	1.23E-07	2.09E-01	4.71E-02	1.22E-09	1.0E+06	1.2E-03
514	514	9.07224	2.60712E-05	2.4E-04	6.05E-04	1.43E-07	2.09E-01	4.71E-02	1.41E-09	1.0E+06	1.4E-03
515	515	5.04322	2.60712E-05	1.3E-04	6.05E-04	7.96E-08	2.09E-01	4.71E-02	7.85E-10	1.0E+06	7.8E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	5.99237	2.60712E-05	1.6E-04	6.05E-04	9.45E-08	2.09E-01	4.71E-02	9.32E-10	1.0E+06	9.3E-04
517	517	7.34388	2.60712E-05	1.9E-04	6.05E-04	1.16E-07	2.09E-01	4.71E-02	1.14E-09	1.0E+06	1.1E-03
518	518	6.5638	2.60712E-05	1.7E-04	6.05E-04	1.04E-07	2.09E-01	4.71E-02	1.02E-09	1.0E+06	1.0E-03
519	519	7.80075	2.60712E-05	2.0E-04	6.05E-04	1.23E-07	2.09E-01	4.71E-02	1.21E-09	1.0E+06	1.2E-03
520	520	6.22412	2.60712E-05	1.6E-04	6.05E-04	9.82E-08	2.09E-01	4.71E-02	9.68E-10	1.0E+06	9.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
485	485	1.3E-01	Max	Receptor #	5	4.39E-03	Max	Receptor #	
486	486	1.3E-01	0.132	485	5	4.32E-03	0.004	485	Res
487	487	1.3E-01			5	4.24E-03			
488	488	1.3E-01			5	4.16E-03			
489	489	1.2E-01			5	4.07E-03			
490	490	1.2E-01			5	3.98E-03			
491	491	1.3E-01			5	4.22E-03			
492	492	1.2E-01			5	4.15E-03			
493	493	1.2E-01			5	4.08E-03			
494	494	1.2E-01			5	4.00E-03			
495	495	1.2E-01			5	3.92E-03			
496	496	1.2E-01			5	3.83E-03			
497	497	1.2E-01			5	4.06E-03			
498	498	1.2E-01			5	4.00E-03			
499	499	1.2E-01			5	3.93E-03			
500	500	1.2E-01			5	3.86E-03			
501	501	1.1E-01			5	3.78E-03			
502	502	1.1E-01			5	3.70E-03			
503	503	1.2E-01			5	3.90E-03			
504	504	1.2E-01			5	3.85E-03			
505	505	1.1E-01			5	3.79E-03			
506	506	1.1E-01			5	3.72E-03			
507	507	1.1E-01			5	3.65E-03			
508	508	1.1E-01			5	3.57E-03			
509	509	1.1E-01			5	3.76E-03			
510	510	1.1E-01			5	3.71E-03			
511	511	1.1E-01			5	3.65E-03			
512	512	1.1E-01			5	3.59E-03			
513	513	1.1E-01			5	3.52E-03			
514	514	1.0E-01			5	3.45E-03			
515	515	1.1E-01			5	3.62E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
516	516	1.1E-01	5	3.57E-03
517	517	1.1E-01	5	3.52E-03
518	518	1.0E-01	5	3.46E-03
519	519	1.0E-01	5	3.40E-03
520	520	1.0E-01	5	3.33E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

44778.00

							Cancer Risk from 2 to 16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	1.15438	1.72E-02	2.0E-02	6.05E-04	1.20E-05	2.09E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
486	1.13574	1.72E-02	2.0E-02	6.05E-04	1.18E-05	2.09E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
487	1.11547	1.72E-02	1.9E-02	6.05E-04	1.16E-05	2.09E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
488	1.09349	1.72E-02	1.9E-02	6.05E-04	1.14E-05	2.09E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
489	1.07009	1.72E-02	1.8E-02	6.05E-04	1.11E-05	2.09E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
490	1.0456	1.72E-02	1.8E-02	6.05E-04	1.09E-05	2.09E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
491	1.10918	1.72E-02	1.9E-02	6.05E-04	1.15E-05	2.09E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
492	1.09196	1.72E-02	1.9E-02	6.05E-04	1.14E-05	2.09E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
493	1.07317	1.72E-02	1.8E-02	6.05E-04	1.12E-05	2.09E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
494	1.05278	1.72E-02	1.8E-02	6.05E-04	1.10E-05	2.09E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
495	1.03102	1.72E-02	1.8E-02	6.05E-04	1.07E-05	2.09E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
496	1.00824	1.72E-02	1.7E-02	6.05E-04	1.05E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
497	1.06656	1.72E-02	1.8E-02	6.05E-04	1.11E-05	2.09E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
498	1.05064	1.72E-02	1.8E-02	6.05E-04	1.09E-05	2.09E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
499	1.03322	1.72E-02	1.8E-02	6.05E-04	1.08E-05	2.09E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
500	1.01429	1.72E-02	1.7E-02	6.05E-04	1.06E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
501	0.99406	1.72E-02	1.7E-02	6.05E-04	1.03E-05	2.09E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
502	0.97283	1.72E-02	1.7E-02	6.05E-04	1.01E-05	2.09E-01	4.71E-02	9.99E-08	1.0E+06	1.0E-01
503	1.02633	1.72E-02	1.8E-02	6.05E-04	1.07E-05	2.09E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
504	1.01161	1.72E-02	1.7E-02	6.05E-04	1.05E-05	2.09E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
505	0.99544	1.72E-02	1.7E-02	6.05E-04	1.04E-05	2.09E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
506	0.97784	1.72E-02	1.7E-02	6.05E-04	1.02E-05	2.09E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
507	0.959	1.72E-02	1.6E-02	6.05E-04	9.98E-06	2.09E-01	4.71E-02	9.85E-08	1.0E+06	9.8E-02
508	0.93923	1.72E-02	1.6E-02	6.05E-04	9.78E-06	2.09E-01	4.71E-02	9.64E-08	1.0E+06	9.6E-02
509	0.98831	1.72E-02	1.7E-02	6.05E-04	1.03E-05	2.09E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
510	0.97469	1.72E-02	1.7E-02	6.05E-04	1.01E-05	2.09E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
511	0.95967	1.72E-02	1.7E-02	6.05E-04	9.99E-06	2.09E-01	4.71E-02	9.85E-08	1.0E+06	9.9E-02
512	0.9433	1.72E-02	1.6E-02	6.05E-04	9.82E-06	2.09E-01	4.71E-02	9.68E-08	1.0E+06	9.7E-02
513	0.92573	1.72E-02	1.6E-02	6.05E-04	9.64E-06	2.09E-01	4.71E-02	9.50E-08	1.0E+06	9.5E-02
514	0.90728	1.72E-02	1.6E-02	6.05E-04	9.44E-06	2.09E-01	4.71E-02	9.31E-08	1.0E+06	9.3E-02
515	0.95234	1.72E-02	1.6E-02	6.05E-04	9.91E-06	2.09E-01	4.71E-02	9.78E-08	1.0E+06	9.8E-02

	Max	Receptor #
Res	0.119	485

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

44778.00

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.93973	1.72E-02	1.6E-02	6.05E-04	9.78E-06	2.09E-01	4.71E-02	9.65E-08	1.0E+06	9.6E-02
517	0.92577	1.72E-02	1.6E-02	6.05E-04	9.64E-06	2.09E-01	4.71E-02	9.50E-08	1.0E+06	9.5E-02
518	0.91053	1.72E-02	1.6E-02	6.05E-04	9.48E-06	2.09E-01	4.71E-02	9.35E-08	1.0E+06	9.3E-02
519	0.89414	1.72E-02	1.5E-02	6.05E-04	9.31E-06	2.09E-01	4.71E-02	9.18E-08	1.0E+06	9.2E-02
520	0.87691	1.72E-02	1.5E-02	6.05E-04	9.13E-06	2.09E-01	4.71E-02	9.00E-08	1.0E+06	9.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	3.97E-03
486	5	3.91E-03
487	5	3.84E-03
488	5	3.76E-03
489	5	3.68E-03
490	5	3.60E-03
491	5	3.82E-03
492	5	3.76E-03
493	5	3.69E-03
494	5	3.62E-03
495	5	3.55E-03
496	5	3.47E-03
497	5	3.67E-03
498	5	3.62E-03
499	5	3.56E-03
500	5	3.49E-03
501	5	3.42E-03
502	5	3.35E-03
503	5	3.53E-03
504	5	3.48E-03
505	5	3.43E-03
506	5	3.36E-03
507	5	3.30E-03
508	5	3.23E-03
509	5	3.40E-03
510	5	3.35E-03
511	5	3.30E-03
512	5	3.25E-03
513	5	3.19E-03
514	5	3.12E-03
515	5	3.28E-03

Max	Receptor #	
0.004	485	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	3.23E-03
517	5	3.19E-03
518	5	3.13E-03
519	5	3.08E-03
520	5	3.02E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	1.15438	5.02E-03	5.8E-03	6.05E-04	3.51E-06	2.41E+00	4.71E-02	3.98E-07	1.0E+06	4.0E-01
486	1.13574	5.02E-03	5.7E-03	6.05E-04	3.45E-06	2.41E+00	4.71E-02	3.92E-07	1.0E+06	3.9E-01
487	1.11547	5.02E-03	5.6E-03	6.05E-04	3.39E-06	2.41E+00	4.71E-02	3.85E-07	1.0E+06	3.8E-01
488	1.09349	5.02E-03	5.5E-03	6.05E-04	3.32E-06	2.41E+00	4.71E-02	3.77E-07	1.0E+06	3.8E-01
489	1.07009	5.02E-03	5.4E-03	6.05E-04	3.25E-06	2.41E+00	4.71E-02	3.69E-07	1.0E+06	3.7E-01
490	1.0456	5.02E-03	5.3E-03	6.05E-04	3.18E-06	2.41E+00	4.71E-02	3.61E-07	1.0E+06	3.6E-01
491	1.10918	5.02E-03	5.6E-03	6.05E-04	3.37E-06	2.41E+00	4.71E-02	3.82E-07	1.0E+06	3.8E-01
492	1.09196	5.02E-03	5.5E-03	6.05E-04	3.32E-06	2.41E+00	4.71E-02	3.77E-07	1.0E+06	3.8E-01
493	1.07317	5.02E-03	5.4E-03	6.05E-04	3.26E-06	2.41E+00	4.71E-02	3.70E-07	1.0E+06	3.7E-01
494	1.05278	5.02E-03	5.3E-03	6.05E-04	3.20E-06	2.41E+00	4.71E-02	3.63E-07	1.0E+06	3.6E-01
495	1.03102	5.02E-03	5.2E-03	6.05E-04	3.13E-06	2.41E+00	4.71E-02	3.55E-07	1.0E+06	3.6E-01
496	1.00824	5.02E-03	5.1E-03	6.05E-04	3.07E-06	2.41E+00	4.71E-02	3.48E-07	1.0E+06	3.5E-01
497	1.06656	5.02E-03	5.4E-03	6.05E-04	3.24E-06	2.41E+00	4.71E-02	3.68E-07	1.0E+06	3.7E-01
498	1.05064	5.02E-03	5.3E-03	6.05E-04	3.19E-06	2.41E+00	4.71E-02	3.62E-07	1.0E+06	3.6E-01
499	1.03322	5.02E-03	5.2E-03	6.05E-04	3.14E-06	2.41E+00	4.71E-02	3.56E-07	1.0E+06	3.6E-01
500	1.01429	5.02E-03	5.1E-03	6.05E-04	3.08E-06	2.41E+00	4.71E-02	3.50E-07	1.0E+06	3.5E-01
501	0.99406	5.02E-03	5.0E-03	6.05E-04	3.02E-06	2.41E+00	4.71E-02	3.43E-07	1.0E+06	3.4E-01
502	0.97283	5.02E-03	4.9E-03	6.05E-04	2.96E-06	2.41E+00	4.71E-02	3.35E-07	1.0E+06	3.4E-01
503	1.02633	5.02E-03	5.2E-03	6.05E-04	3.12E-06	2.41E+00	4.71E-02	3.54E-07	1.0E+06	3.5E-01
504	1.01161	5.02E-03	5.1E-03	6.05E-04	3.08E-06	2.41E+00	4.71E-02	3.49E-07	1.0E+06	3.5E-01
505	0.99544	5.02E-03	5.0E-03	6.05E-04	3.03E-06	2.41E+00	4.71E-02	3.43E-07	1.0E+06	3.4E-01
506	0.97784	5.02E-03	4.9E-03	6.05E-04	2.97E-06	2.41E+00	4.71E-02	3.37E-07	1.0E+06	3.4E-01
507	0.959	5.02E-03	4.8E-03	6.05E-04	2.92E-06	2.41E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
508	0.93923	5.02E-03	4.7E-03	6.05E-04	2.86E-06	2.41E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01
509	0.98831	5.02E-03	5.0E-03	6.05E-04	3.00E-06	2.41E+00	4.71E-02	3.41E-07	1.0E+06	3.4E-01
510	0.97469	5.02E-03	4.9E-03	6.05E-04	2.96E-06	2.41E+00	4.71E-02	3.36E-07	1.0E+06	3.4E-01
511	0.95967	5.02E-03	4.8E-03	6.05E-04	2.92E-06	2.41E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
512	0.9433	5.02E-03	4.7E-03	6.05E-04	2.87E-06	2.41E+00	4.71E-02	3.25E-07	1.0E+06	3.3E-01
513	0.92573	5.02E-03	4.7E-03	6.05E-04	2.81E-06	2.41E+00	4.71E-02	3.19E-07	1.0E+06	3.2E-01
514	0.90728	5.02E-03	4.6E-03	6.05E-04	2.76E-06	2.41E+00	4.71E-02	3.13E-07	1.0E+06	3.1E-01
515	0.95234	5.02E-03	4.8E-03	6.05E-04	2.90E-06	2.41E+00	4.71E-02	3.28E-07	1.0E+06	3.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.93973	5.02E-03	4.7E-03	6.05E-04	2.86E-06	2.41E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01
517	0.92577	5.02E-03	4.7E-03	6.05E-04	2.81E-06	2.41E+00	4.71E-02	3.19E-07	1.0E+06	3.2E-01
518	0.91053	5.02E-03	4.6E-03	6.05E-04	2.77E-06	2.41E+00	4.71E-02	3.14E-07	1.0E+06	3.1E-01
519	0.89414	5.02E-03	4.5E-03	6.05E-04	2.72E-06	2.41E+00	4.71E-02	3.08E-07	1.0E+06	3.1E-01
520	0.87691	5.02E-03	4.4E-03	6.05E-04	2.67E-06	2.41E+00	4.71E-02	3.02E-07	1.0E+06	3.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	0.95327	1.52945E-05	1.5E-05	6.05E-04	8.82E-09	2.41E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
486	486	0.94278	1.52945E-05	1.4E-05	6.05E-04	8.72E-09	2.41E+00	4.71E-02	9.89E-10	1.0E+06	9.9E-04
487	487	0.93099	1.52945E-05	1.4E-05	6.05E-04	8.62E-09	2.41E+00	4.71E-02	9.77E-10	1.0E+06	9.8E-04
488	488	0.9179	1.52945E-05	1.4E-05	6.05E-04	8.49E-09	2.41E+00	4.71E-02	9.63E-10	1.0E+06	9.6E-04
489	489	0.90358	1.52945E-05	1.4E-05	6.05E-04	8.36E-09	2.41E+00	4.71E-02	9.48E-10	1.0E+06	9.5E-04
490	490	0.8882	1.52945E-05	1.4E-05	6.05E-04	8.22E-09	2.41E+00	4.71E-02	9.32E-10	1.0E+06	9.3E-04
491	491	0.91895	1.52945E-05	1.4E-05	6.05E-04	8.50E-09	2.41E+00	4.71E-02	9.64E-10	1.0E+06	9.6E-04
492	492	0.90927	1.52945E-05	1.4E-05	6.05E-04	8.41E-09	2.41E+00	4.71E-02	9.54E-10	1.0E+06	9.5E-04
493	493	0.89835	1.52945E-05	1.4E-05	6.05E-04	8.31E-09	2.41E+00	4.71E-02	9.43E-10	1.0E+06	9.4E-04
494	494	0.88619	1.52945E-05	1.4E-05	6.05E-04	8.20E-09	2.41E+00	4.71E-02	9.30E-10	1.0E+06	9.3E-04
495	495	0.87285	1.52945E-05	1.3E-05	6.05E-04	8.08E-09	2.41E+00	4.71E-02	9.16E-10	1.0E+06	9.2E-04
496	496	0.85851	1.52945E-05	1.3E-05	6.05E-04	7.94E-09	2.41E+00	4.71E-02	9.01E-10	1.0E+06	9.0E-04
497	497	0.88642	1.52945E-05	1.4E-05	6.05E-04	8.20E-09	2.41E+00	4.71E-02	9.30E-10	1.0E+06	9.3E-04
498	498	0.87748	1.52945E-05	1.3E-05	6.05E-04	8.12E-09	2.41E+00	4.71E-02	9.21E-10	1.0E+06	9.2E-04
499	499	0.86736	1.52945E-05	1.3E-05	6.05E-04	8.03E-09	2.41E+00	4.71E-02	9.10E-10	1.0E+06	9.1E-04
500	500	0.85606	1.52945E-05	1.3E-05	6.05E-04	7.92E-09	2.41E+00	4.71E-02	8.98E-10	1.0E+06	9.0E-04
501	501	0.84365	1.52945E-05	1.3E-05	6.05E-04	7.81E-09	2.41E+00	4.71E-02	8.85E-10	1.0E+06	8.9E-04
502	502	0.83026	1.52945E-05	1.3E-05	6.05E-04	7.68E-09	2.41E+00	4.71E-02	8.71E-10	1.0E+06	8.7E-04
503	503	0.85555	1.52945E-05	1.3E-05	6.05E-04	7.92E-09	2.41E+00	4.71E-02	8.98E-10	1.0E+06	9.0E-04
504	504	0.84731	1.52945E-05	1.3E-05	6.05E-04	7.84E-09	2.41E+00	4.71E-02	8.89E-10	1.0E+06	8.9E-04
505	505	0.83792	1.52945E-05	1.3E-05	6.05E-04	7.75E-09	2.41E+00	4.71E-02	8.79E-10	1.0E+06	8.8E-04
506	506	0.82742	1.52945E-05	1.3E-05	6.05E-04	7.66E-09	2.41E+00	4.71E-02	8.68E-10	1.0E+06	8.7E-04
507	507	0.81584	1.52945E-05	1.2E-05	6.05E-04	7.55E-09	2.41E+00	4.71E-02	8.56E-10	1.0E+06	8.6E-04
508	508	0.80334	1.52945E-05	1.2E-05	6.05E-04	7.43E-09	2.41E+00	4.71E-02	8.43E-10	1.0E+06	8.4E-04
509	509	0.82624	1.52945E-05	1.3E-05	6.05E-04	7.65E-09	2.41E+00	4.71E-02	8.67E-10	1.0E+06	8.7E-04
510	510	0.81863	1.52945E-05	1.3E-05	6.05E-04	7.58E-09	2.41E+00	4.71E-02	8.59E-10	1.0E+06	8.6E-04
511	511	0.80993	1.52945E-05	1.2E-05	6.05E-04	7.50E-09	2.41E+00	4.71E-02	8.50E-10	1.0E+06	8.5E-04
512	512	0.80016	1.52945E-05	1.2E-05	6.05E-04	7.40E-09	2.41E+00	4.71E-02	8.40E-10	1.0E+06	8.4E-04
513	513	0.78934	1.52945E-05	1.2E-05	6.05E-04	7.30E-09	2.41E+00	4.71E-02	8.28E-10	1.0E+06	8.3E-04
514	514	0.77767	1.52945E-05	1.2E-05	6.05E-04	7.20E-09	2.41E+00	4.71E-02	8.16E-10	1.0E+06	8.2E-04
515	515	0.79838	1.52945E-05	1.2E-05	6.05E-04	7.39E-09	2.41E+00	4.71E-02	8.38E-10	1.0E+06	8.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	0.79136	1.52945E-05	1.2E-05	6.05E-04	7.32E-09	2.41E+00	4.71E-02	8.31E-10	1.0E+06	8.3E-04
517	517	0.78329	1.52945E-05	1.2E-05	6.05E-04	7.25E-09	2.41E+00	4.71E-02	8.22E-10	1.0E+06	8.2E-04
518	518	0.77419	1.52945E-05	1.2E-05	6.05E-04	7.16E-09	2.41E+00	4.71E-02	8.13E-10	1.0E+06	8.1E-04
519	519	0.76409	1.52945E-05	1.2E-05	6.05E-04	7.07E-09	2.41E+00	4.71E-02	8.02E-10	1.0E+06	8.0E-04
520	520	0.75317	1.52945E-05	1.2E-05	6.05E-04	6.97E-09	2.41E+00	4.71E-02	7.90E-10	1.0E+06	7.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	5.06394	1.86799E-05	9.5E-05	6.05E-04	5.72E-08	2.41E+00	4.71E-02	6.49E-09	1.0E+06	6.5E-03
486	486	6.01947	1.86799E-05	1.1E-04	6.05E-04	6.80E-08	2.41E+00	4.71E-02	7.72E-09	1.0E+06	7.7E-03
487	487	7.3725	1.86799E-05	1.4E-04	6.05E-04	8.33E-08	2.41E+00	4.71E-02	9.45E-09	1.0E+06	9.5E-03
488	488	6.61307	1.86799E-05	1.2E-04	6.05E-04	7.47E-08	2.41E+00	4.71E-02	8.48E-09	1.0E+06	8.5E-03
489	489	7.8639	1.86799E-05	1.5E-04	6.05E-04	8.89E-08	2.41E+00	4.71E-02	1.01E-08	1.0E+06	1.0E-02
490	490	9.1232	1.86799E-05	1.7E-04	6.05E-04	1.03E-07	2.41E+00	4.71E-02	1.17E-08	1.0E+06	1.2E-02
491	491	5.05586	1.86799E-05	9.4E-05	6.05E-04	5.71E-08	2.41E+00	4.71E-02	6.48E-09	1.0E+06	6.5E-03
492	492	6.00763	1.86799E-05	1.1E-04	6.05E-04	6.79E-08	2.41E+00	4.71E-02	7.70E-09	1.0E+06	7.7E-03
493	493	7.36267	1.86799E-05	1.4E-04	6.05E-04	8.32E-08	2.41E+00	4.71E-02	9.44E-09	1.0E+06	9.4E-03
494	494	6.5677	1.86799E-05	1.2E-04	6.05E-04	7.42E-08	2.41E+00	4.71E-02	8.42E-09	1.0E+06	8.4E-03
495	495	7.81479	1.86799E-05	1.5E-04	6.05E-04	8.83E-08	2.41E+00	4.71E-02	1.00E-08	1.0E+06	1.0E-02
496	496	6.24477	1.86799E-05	1.2E-04	6.05E-04	7.06E-08	2.41E+00	4.71E-02	8.00E-09	1.0E+06	8.0E-03
497	497	5.04972	1.86799E-05	9.4E-05	6.05E-04	5.71E-08	2.41E+00	4.71E-02	6.47E-09	1.0E+06	6.5E-03
498	498	6.00032	1.86799E-05	1.1E-04	6.05E-04	6.78E-08	2.41E+00	4.71E-02	7.69E-09	1.0E+06	7.7E-03
499	499	7.35292	1.86799E-05	1.4E-04	6.05E-04	8.31E-08	2.41E+00	4.71E-02	9.43E-09	1.0E+06	9.4E-03
500	500	9.38288	1.86799E-05	1.8E-04	6.05E-04	1.06E-07	2.41E+00	4.71E-02	1.20E-08	1.0E+06	1.2E-02
501	501	5.26681	1.86799E-05	9.8E-05	6.05E-04	5.95E-08	2.41E+00	4.71E-02	6.75E-09	1.0E+06	6.8E-03
502	502	5.76504	1.86799E-05	1.1E-04	6.05E-04	6.52E-08	2.41E+00	4.71E-02	7.39E-09	1.0E+06	7.4E-03
503	503	5.04549	1.86799E-05	9.4E-05	6.05E-04	5.70E-08	2.41E+00	4.71E-02	6.47E-09	1.0E+06	6.5E-03
504	504	5.99331	1.86799E-05	1.1E-04	6.05E-04	6.77E-08	2.41E+00	4.71E-02	7.68E-09	1.0E+06	7.7E-03
505	505	7.33781	1.86799E-05	1.4E-04	6.05E-04	8.29E-08	2.41E+00	4.71E-02	9.41E-09	1.0E+06	9.4E-03
506	506	6.85114	1.86799E-05	1.3E-04	6.05E-04	7.74E-08	2.41E+00	4.71E-02	8.78E-09	1.0E+06	8.8E-03
507	507	5.19648	1.86799E-05	9.7E-05	6.05E-04	5.87E-08	2.41E+00	4.71E-02	6.66E-09	1.0E+06	6.7E-03
508	508	5.67717	1.86799E-05	1.1E-04	6.05E-04	6.42E-08	2.41E+00	4.71E-02	7.28E-09	1.0E+06	7.3E-03
509	509	5.04362	1.86799E-05	9.4E-05	6.05E-04	5.70E-08	2.41E+00	4.71E-02	6.47E-09	1.0E+06	6.5E-03
510	510	5.9902	1.86799E-05	1.1E-04	6.05E-04	6.77E-08	2.41E+00	4.71E-02	7.68E-09	1.0E+06	7.7E-03
511	511	7.33369	1.86799E-05	1.4E-04	6.05E-04	8.29E-08	2.41E+00	4.71E-02	9.40E-09	1.0E+06	9.4E-03
512	512	6.57805	1.86799E-05	1.2E-04	6.05E-04	7.43E-08	2.41E+00	4.71E-02	8.43E-09	1.0E+06	8.4E-03
513	513	7.81632	1.86799E-05	1.5E-04	6.05E-04	8.83E-08	2.41E+00	4.71E-02	1.00E-08	1.0E+06	1.0E-02
514	514	9.07224	1.86799E-05	1.7E-04	6.05E-04	1.03E-07	2.41E+00	4.71E-02	1.16E-08	1.0E+06	1.2E-02
515	515	5.04322	1.86799E-05	9.4E-05	6.05E-04	5.70E-08	2.41E+00	4.71E-02	6.46E-09	1.0E+06	6.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	5.99237	1.86799E-05	1.1E-04	6.05E-04	6.77E-08	2.41E+00	4.71E-02	7.68E-09	1.0E+06	7.7E-03
517	517	7.34388	1.86799E-05	1.4E-04	6.05E-04	8.30E-08	2.41E+00	4.71E-02	9.41E-09	1.0E+06	9.4E-03
518	518	6.5638	1.86799E-05	1.2E-04	6.05E-04	7.42E-08	2.41E+00	4.71E-02	8.41E-09	1.0E+06	8.4E-03
519	519	7.80075	1.86799E-05	1.5E-04	6.05E-04	8.82E-08	2.41E+00	4.71E-02	1.00E-08	1.0E+06	1.0E-02
520	520	6.22412	1.86799E-05	1.2E-04	6.05E-04	7.03E-08	2.41E+00	4.71E-02	7.98E-09	1.0E+06	8.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
485	485	4.1E-01	Max	Receptor #	5	1.16E-03	Max	Receptor #	
486	486	4.0E-01	0.406	485	5	1.14E-03	0.001	485	Res
487	487	4.0E-01			5	1.12E-03			
488	488	3.9E-01			5	1.10E-03			
489	489	3.8E-01			5	1.08E-03			
490	490	3.7E-01			5	1.05E-03			
491	491	3.9E-01			5	1.11E-03			
492	492	3.9E-01			5	1.10E-03			
493	493	3.8E-01			5	1.08E-03			
494	494	3.7E-01			5	1.06E-03			
495	495	3.7E-01			5	1.04E-03			
496	496	3.6E-01			5	1.01E-03			
497	497	3.8E-01			5	1.07E-03			
498	498	3.7E-01			5	1.06E-03			
499	499	3.7E-01			5	1.04E-03			
500	500	3.6E-01			5	1.02E-03			
501	501	3.5E-01			5	9.99E-04			
502	502	3.4E-01			5	9.78E-04			
503	503	3.6E-01			5	1.03E-03			
504	504	3.6E-01			5	1.02E-03			
505	505	3.5E-01			5	1.00E-03			
506	506	3.5E-01			5	9.83E-04			
507	507	3.4E-01			5	9.64E-04			
508	508	3.3E-01			5	9.44E-04			
509	509	3.5E-01			5	9.93E-04			
510	510	3.4E-01			5	9.80E-04			
511	511	3.4E-01			5	9.64E-04			
512	512	3.3E-01			5	9.48E-04			
513	513	3.3E-01			5	9.30E-04			
514	514	3.3E-01			5	9.12E-04			
515	515	3.4E-01			5	9.57E-04			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
516	516	3.3E-01	5	9.44E-04
517	517	3.3E-01	5	9.30E-04
518	518	3.2E-01	5	9.15E-04
519	519	3.2E-01	5	8.99E-04
520	520	3.1E-01	5	8.81E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

44778.00

					Cancer Risk from 2 to 16 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	1.15438	1.17E-02	1.4E-02	6.05E-04	8.18E-06	5.48E-02	4.71E-02	2.11E-08	1.0E+06	2.1E-02	
486	1.13574	1.17E-02	1.3E-02	6.05E-04	8.05E-06	5.48E-02	4.71E-02	2.08E-08	1.0E+06	2.1E-02	
487	1.11547	1.17E-02	1.3E-02	6.05E-04	7.90E-06	5.48E-02	4.71E-02	2.04E-08	1.0E+06	2.0E-02	
488	1.09349	1.17E-02	1.3E-02	6.05E-04	7.75E-06	5.48E-02	4.71E-02	2.00E-08	1.0E+06	2.0E-02	
489	1.07009	1.17E-02	1.3E-02	6.05E-04	7.58E-06	5.48E-02	4.71E-02	1.96E-08	1.0E+06	2.0E-02	
490	1.0456	1.17E-02	1.2E-02	6.05E-04	7.41E-06	5.48E-02	4.71E-02	1.91E-08	1.0E+06	1.9E-02	
491	1.10918	1.17E-02	1.3E-02	6.05E-04	7.86E-06	5.48E-02	4.71E-02	2.03E-08	1.0E+06	2.0E-02	
492	1.09196	1.17E-02	1.3E-02	6.05E-04	7.74E-06	5.48E-02	4.71E-02	2.00E-08	1.0E+06	2.0E-02	
493	1.07317	1.17E-02	1.3E-02	6.05E-04	7.60E-06	5.48E-02	4.71E-02	1.96E-08	1.0E+06	2.0E-02	
494	1.05278	1.17E-02	1.2E-02	6.05E-04	7.46E-06	5.48E-02	4.71E-02	1.93E-08	1.0E+06	1.9E-02	
495	1.03102	1.17E-02	1.2E-02	6.05E-04	7.30E-06	5.48E-02	4.71E-02	1.89E-08	1.0E+06	1.9E-02	
496	1.00824	1.17E-02	1.2E-02	6.05E-04	7.14E-06	5.48E-02	4.71E-02	1.84E-08	1.0E+06	1.8E-02	
497	1.06656	1.17E-02	1.2E-02	6.05E-04	7.56E-06	5.48E-02	4.71E-02	1.95E-08	1.0E+06	2.0E-02	
498	1.05064	1.17E-02	1.2E-02	6.05E-04	7.44E-06	5.48E-02	4.71E-02	1.92E-08	1.0E+06	1.9E-02	
499	1.03322	1.17E-02	1.2E-02	6.05E-04	7.32E-06	5.48E-02	4.71E-02	1.89E-08	1.0E+06	1.9E-02	
500	1.01429	1.17E-02	1.2E-02	6.05E-04	7.19E-06	5.48E-02	4.71E-02	1.86E-08	1.0E+06	1.9E-02	
501	0.99406	1.17E-02	1.2E-02	6.05E-04	7.04E-06	5.48E-02	4.71E-02	1.82E-08	1.0E+06	1.8E-02	
502	0.97283	1.17E-02	1.1E-02	6.05E-04	6.89E-06	5.48E-02	4.71E-02	1.78E-08	1.0E+06	1.8E-02	
503	1.02633	1.17E-02	1.2E-02	6.05E-04	7.27E-06	5.48E-02	4.71E-02	1.88E-08	1.0E+06	1.9E-02	
504	1.01161	1.17E-02	1.2E-02	6.05E-04	7.17E-06	5.48E-02	4.71E-02	1.85E-08	1.0E+06	1.9E-02	
505	0.99544	1.17E-02	1.2E-02	6.05E-04	7.05E-06	5.48E-02	4.71E-02	1.82E-08	1.0E+06	1.8E-02	
506	0.97784	1.17E-02	1.1E-02	6.05E-04	6.93E-06	5.48E-02	4.71E-02	1.79E-08	1.0E+06	1.8E-02	
507	0.959	1.17E-02	1.1E-02	6.05E-04	6.79E-06	5.48E-02	4.71E-02	1.75E-08	1.0E+06	1.8E-02	
508	0.93923	1.17E-02	1.1E-02	6.05E-04	6.65E-06	5.48E-02	4.71E-02	1.72E-08	1.0E+06	1.7E-02	
509	0.98831	1.17E-02	1.2E-02	6.05E-04	7.00E-06	5.48E-02	4.71E-02	1.81E-08	1.0E+06	1.8E-02	
510	0.97469	1.17E-02	1.1E-02	6.05E-04	6.90E-06	5.48E-02	4.71E-02	1.78E-08	1.0E+06	1.8E-02	
511	0.95967	1.17E-02	1.1E-02	6.05E-04	6.80E-06	5.48E-02	4.71E-02	1.76E-08	1.0E+06	1.8E-02	
512	0.9433	1.17E-02	1.1E-02	6.05E-04	6.68E-06	5.48E-02	4.71E-02	1.73E-08	1.0E+06	1.7E-02	
513	0.92573	1.17E-02	1.1E-02	6.05E-04	6.56E-06	5.48E-02	4.71E-02	1.69E-08	1.0E+06	1.7E-02	
514	0.90728	1.17E-02	1.1E-02	6.05E-04	6.43E-06	5.48E-02	4.71E-02	1.66E-08	1.0E+06	1.7E-02	
515	0.95234	1.17E-02	1.1E-02	6.05E-04	6.75E-06	5.48E-02	4.71E-02	1.74E-08	1.0E+06	1.7E-02	

	Max	Receptor #
Res	0.021	485

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

44778.00

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	0.93973	1.17E-02	1.1E-02	6.05E-04	6.66E-06	5.48E-02	4.71E-02	1.72E-08	1.0E+06	1.7E-02
517	0.92577	1.17E-02	1.1E-02	6.05E-04	6.56E-06	5.48E-02	4.71E-02	1.69E-08	1.0E+06	1.7E-02
518	0.91053	1.17E-02	1.1E-02	6.05E-04	6.45E-06	5.48E-02	4.71E-02	1.67E-08	1.0E+06	1.7E-02
519	0.89414	1.17E-02	1.0E-02	6.05E-04	6.33E-06	5.48E-02	4.71E-02	1.64E-08	1.0E+06	1.6E-02
520	0.87691	1.17E-02	1.0E-02	6.05E-04	6.21E-06	5.48E-02	4.71E-02	1.60E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	2.70E-03
486	5	2.66E-03
487	5	2.61E-03
488	5	2.56E-03
489	5	2.51E-03
490	5	2.45E-03
491	5	2.60E-03
492	5	2.56E-03
493	5	2.51E-03
494	5	2.47E-03
495	5	2.41E-03
496	5	2.36E-03
497	5	2.50E-03
498	5	2.46E-03
499	5	2.42E-03
500	5	2.38E-03
501	5	2.33E-03
502	5	2.28E-03
503	5	2.40E-03
504	5	2.37E-03
505	5	2.33E-03
506	5	2.29E-03
507	5	2.25E-03
508	5	2.20E-03
509	5	2.31E-03
510	5	2.28E-03
511	5	2.25E-03
512	5	2.21E-03
513	5	2.17E-03
514	5	2.12E-03
515	5	2.23E-03

Max	Receptor #	
0.003	485	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	2.20E-03
517	5	2.17E-03
518	5	2.13E-03
519	5	2.09E-03
520	5	2.05E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

44778.00

					Cancer Risk from 2 to 16 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	1.15438	3.38E-03	3.9E-03	6.05E-04	2.36E-06	1.20E+00	4.71E-02	1.34E-07	1.0E+06	1.3E-01	
486	1.13574	3.38E-03	3.8E-03	6.05E-04	2.32E-06	1.20E+00	4.71E-02	1.32E-07	1.0E+06	1.3E-01	
487	1.11547	3.38E-03	3.8E-03	6.05E-04	2.28E-06	1.20E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01	
488	1.09349	3.38E-03	3.7E-03	6.05E-04	2.24E-06	1.20E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01	
489	1.07009	3.38E-03	3.6E-03	6.05E-04	2.19E-06	1.20E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01	
490	1.0456	3.38E-03	3.5E-03	6.05E-04	2.14E-06	1.20E+00	4.71E-02	1.21E-07	1.0E+06	1.2E-01	
491	1.10918	3.38E-03	3.8E-03	6.05E-04	2.27E-06	1.20E+00	4.71E-02	1.29E-07	1.0E+06	1.3E-01	
492	1.09196	3.38E-03	3.7E-03	6.05E-04	2.24E-06	1.20E+00	4.71E-02	1.27E-07	1.0E+06	1.3E-01	
493	1.07317	3.38E-03	3.6E-03	6.05E-04	2.20E-06	1.20E+00	4.71E-02	1.25E-07	1.0E+06	1.2E-01	
494	1.05278	3.38E-03	3.6E-03	6.05E-04	2.16E-06	1.20E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01	
495	1.03102	3.38E-03	3.5E-03	6.05E-04	2.11E-06	1.20E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01	
496	1.00824	3.38E-03	3.4E-03	6.05E-04	2.06E-06	1.20E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01	
497	1.06656	3.38E-03	3.6E-03	6.05E-04	2.18E-06	1.20E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01	
498	1.05064	3.38E-03	3.6E-03	6.05E-04	2.15E-06	1.20E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01	
499	1.03322	3.38E-03	3.5E-03	6.05E-04	2.11E-06	1.20E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01	
500	1.01429	3.38E-03	3.4E-03	6.05E-04	2.08E-06	1.20E+00	4.71E-02	1.18E-07	1.0E+06	1.2E-01	
501	0.99406	3.38E-03	3.4E-03	6.05E-04	2.03E-06	1.20E+00	4.71E-02	1.15E-07	1.0E+06	1.2E-01	
502	0.97283	3.38E-03	3.3E-03	6.05E-04	1.99E-06	1.20E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01	
503	1.02633	3.38E-03	3.5E-03	6.05E-04	2.10E-06	1.20E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01	
504	1.01161	3.38E-03	3.4E-03	6.05E-04	2.07E-06	1.20E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01	
505	0.99544	3.38E-03	3.4E-03	6.05E-04	2.04E-06	1.20E+00	4.71E-02	1.16E-07	1.0E+06	1.2E-01	
506	0.97784	3.38E-03	3.3E-03	6.05E-04	2.00E-06	1.20E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01	
507	0.959	3.38E-03	3.2E-03	6.05E-04	1.96E-06	1.20E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01	
508	0.93923	3.38E-03	3.2E-03	6.05E-04	1.92E-06	1.20E+00	4.71E-02	1.09E-07	1.0E+06	1.1E-01	
509	0.98831	3.38E-03	3.3E-03	6.05E-04	2.02E-06	1.20E+00	4.71E-02	1.15E-07	1.0E+06	1.1E-01	
510	0.97469	3.38E-03	3.3E-03	6.05E-04	2.00E-06	1.20E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01	
511	0.95967	3.38E-03	3.2E-03	6.05E-04	1.96E-06	1.20E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01	
512	0.9433	3.38E-03	3.2E-03	6.05E-04	1.93E-06	1.20E+00	4.71E-02	1.09E-07	1.0E+06	1.1E-01	
513	0.92573	3.38E-03	3.1E-03	6.05E-04	1.89E-06	1.20E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01	
514	0.90728	3.38E-03	3.1E-03	6.05E-04	1.86E-06	1.20E+00	4.71E-02	1.05E-07	1.0E+06	1.1E-01	
515	0.95234	3.38E-03	3.2E-03	6.05E-04	1.95E-06	1.20E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01	

	Max	Receptor #
Res	0.134	485

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

44778.00

		Cancer Risk from 2 to 16 years								
Receptor #	**Conc**	**g/sec**	**Cair**	**Dose Constant**	**Dose**	**ED**	**Risk Constant**	**Risk**	**Constant 2**	**Risk/ Million**
516	0.93973	3.38E-03	3.2E-03	6.05E-04	1.92E-06	1.20E+00	4.71E-02	1.09E-07	1.0E+06	1.1E-01
517	0.92577	3.38E-03	3.1E-03	6.05E-04	1.90E-06	1.20E+00	4.71E-02	1.07E-07	1.0E+06	1.1E-01
518	0.91053	3.38E-03	3.1E-03	6.05E-04	1.86E-06	1.20E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
519	0.89414	3.38E-03	3.0E-03	6.05E-04	1.83E-06	1.20E+00	4.71E-02	1.04E-07	1.0E+06	1.0E-01
520	0.87691	3.38E-03	3.0E-03	6.05E-04	1.80E-06	1.20E+00	4.71E-02	1.02E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	7.81E-04
486	5	7.68E-04
487	5	7.55E-04
488	5	7.40E-04
489	5	7.24E-04
490	5	7.07E-04
491	5	7.50E-04
492	5	7.39E-04
493	5	7.26E-04
494	5	7.12E-04
495	5	6.98E-04
496	5	6.82E-04
497	5	7.22E-04
498	5	7.11E-04
499	5	6.99E-04
500	5	6.86E-04
501	5	6.73E-04
502	5	6.58E-04
503	5	6.94E-04
504	5	6.84E-04
505	5	6.74E-04
506	5	6.62E-04
507	5	6.49E-04
508	5	6.35E-04
509	5	6.69E-04
510	5	6.59E-04
511	5	6.49E-04
512	5	6.38E-04
513	5	6.26E-04
514	5	6.14E-04
515	5	6.44E-04

Max	Receptor #	
0.001	485	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	6.36E-04
517	5	6.26E-04
518	5	6.16E-04
519	5	6.05E-04
520	5	5.93E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	2.76456	9.87E-03	2.7E-02	6.05E-04	1.65E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.2E-01
486	2.63602	9.87E-03	2.6E-02	6.05E-04	1.57E-05	1.60E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
487	2.50525	9.87E-03	2.5E-02	6.05E-04	1.50E-05	1.60E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
488	2.37319	9.87E-03	2.3E-02	6.05E-04	1.42E-05	1.60E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
489	2.24285	9.87E-03	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
490	2.11682	9.87E-03	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.55E-08	1.0E+06	9.5E-02
491	2.59989	9.87E-03	2.6E-02	6.05E-04	1.55E-05	1.60E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
492	2.48591	9.87E-03	2.5E-02	6.05E-04	1.48E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
493	2.36934	9.87E-03	2.3E-02	6.05E-04	1.41E-05	1.60E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
494	2.25118	9.87E-03	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
495	2.13382	9.87E-03	2.1E-02	6.05E-04	1.27E-05	1.60E-01	4.71E-02	9.62E-08	1.0E+06	9.6E-02
496	2.01973	9.87E-03	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.11E-08	1.0E+06	9.1E-02
497	2.44984	9.87E-03	2.4E-02	6.05E-04	1.46E-05	1.60E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
498	2.3483	9.87E-03	2.3E-02	6.05E-04	1.40E-05	1.60E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
499	2.24406	9.87E-03	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
500	2.13802	9.87E-03	2.1E-02	6.05E-04	1.28E-05	1.60E-01	4.71E-02	9.64E-08	1.0E+06	9.6E-02
501	2.03215	9.87E-03	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.16E-08	1.0E+06	9.2E-02
502	1.92861	9.87E-03	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.70E-08	1.0E+06	8.7E-02
503	2.31266	9.87E-03	2.3E-02	6.05E-04	1.38E-05	1.60E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
504	2.22188	9.87E-03	2.2E-02	6.05E-04	1.33E-05	1.60E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
505	2.12831	9.87E-03	2.1E-02	6.05E-04	1.27E-05	1.60E-01	4.71E-02	9.60E-08	1.0E+06	9.6E-02
506	2.03281	9.87E-03	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.17E-08	1.0E+06	9.2E-02
507	1.93701	9.87E-03	1.9E-02	6.05E-04	1.16E-05	1.60E-01	4.71E-02	8.74E-08	1.0E+06	8.7E-02
508	1.84297	9.87E-03	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.31E-08	1.0E+06	8.3E-02
509	2.18688	9.87E-03	2.2E-02	6.05E-04	1.31E-05	1.60E-01	4.71E-02	9.86E-08	1.0E+06	9.9E-02
510	2.10545	9.87E-03	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.50E-08	1.0E+06	9.5E-02
511	2.02115	9.87E-03	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.11E-08	1.0E+06	9.1E-02
512	1.93491	9.87E-03	1.9E-02	6.05E-04	1.16E-05	1.60E-01	4.71E-02	8.73E-08	1.0E+06	8.7E-02
513	1.84796	9.87E-03	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.33E-08	1.0E+06	8.3E-02
514	1.76229	9.87E-03	1.7E-02	6.05E-04	1.05E-05	1.60E-01	4.71E-02	7.95E-08	1.0E+06	7.9E-02
515	2.07128	9.87E-03	2.0E-02	6.05E-04	1.24E-05	1.60E-01	4.71E-02	9.34E-08	1.0E+06	9.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	1.99793	9.87E-03	2.0E-02	6.05E-04	1.19E-05	1.60E-01	4.71E-02	9.01E-08	1.0E+06	9.0E-02
517	1.92181	9.87E-03	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.67E-08	1.0E+06	8.7E-02
518	1.84368	9.87E-03	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.31E-08	1.0E+06	8.3E-02
519	1.76463	9.87E-03	1.7E-02	6.05E-04	1.05E-05	1.60E-01	4.71E-02	7.96E-08	1.0E+06	8.0E-02
520	1.6865	9.87E-03	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.61E-08	1.0E+06	7.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	3.3464	3.01416E-07	1.0E-06	6.05E-04	6.10E-10	1.60E-01	4.71E-02	4.61E-12	1.0E+06	4.6E-06
486	486	3.42143	3.01416E-07	1.0E-06	6.05E-04	6.24E-10	1.60E-01	4.71E-02	4.71E-12	1.0E+06	4.7E-06
487	487	3.47427	3.01416E-07	1.0E-06	6.05E-04	6.34E-10	1.60E-01	4.71E-02	4.79E-12	1.0E+06	4.8E-06
488	488	3.50261	3.01416E-07	1.1E-06	6.05E-04	6.39E-10	1.60E-01	4.71E-02	4.82E-12	1.0E+06	4.8E-06
489	489	3.50476	3.01416E-07	1.1E-06	6.05E-04	6.39E-10	1.60E-01	4.71E-02	4.83E-12	1.0E+06	4.8E-06
490	490	3.48101	3.01416E-07	1.0E-06	6.05E-04	6.35E-10	1.60E-01	4.71E-02	4.79E-12	1.0E+06	4.8E-06
491	491	3.09758	3.01416E-07	9.3E-07	6.05E-04	5.65E-10	1.60E-01	4.71E-02	4.27E-12	1.0E+06	4.3E-06
492	492	3.1655	3.01416E-07	9.5E-07	6.05E-04	5.77E-10	1.60E-01	4.71E-02	4.36E-12	1.0E+06	4.4E-06
493	493	3.21431	3.01416E-07	9.7E-07	6.05E-04	5.86E-10	1.60E-01	4.71E-02	4.43E-12	1.0E+06	4.4E-06
494	494	3.24194	3.01416E-07	9.8E-07	6.05E-04	5.91E-10	1.60E-01	4.71E-02	4.47E-12	1.0E+06	4.5E-06
495	495	3.24697	3.01416E-07	9.8E-07	6.05E-04	5.92E-10	1.60E-01	4.71E-02	4.47E-12	1.0E+06	4.5E-06
496	496	3.22954	3.01416E-07	9.7E-07	6.05E-04	5.89E-10	1.60E-01	4.71E-02	4.45E-12	1.0E+06	4.4E-06
497	497	2.87554	3.01416E-07	8.7E-07	6.05E-04	5.24E-10	1.60E-01	4.71E-02	3.96E-12	1.0E+06	4.0E-06
498	498	2.93728	3.01416E-07	8.9E-07	6.05E-04	5.36E-10	1.60E-01	4.71E-02	4.05E-12	1.0E+06	4.0E-06
499	499	2.9824	3.01416E-07	9.0E-07	6.05E-04	5.44E-10	1.60E-01	4.71E-02	4.11E-12	1.0E+06	4.1E-06
500	500	3.00912	3.01416E-07	9.1E-07	6.05E-04	5.49E-10	1.60E-01	4.71E-02	4.14E-12	1.0E+06	4.1E-06
501	501	3.01628	3.01416E-07	9.1E-07	6.05E-04	5.50E-10	1.60E-01	4.71E-02	4.15E-12	1.0E+06	4.2E-06
502	502	3.00387	3.01416E-07	9.1E-07	6.05E-04	5.48E-10	1.60E-01	4.71E-02	4.14E-12	1.0E+06	4.1E-06
503	503	2.67659	3.01416E-07	8.1E-07	6.05E-04	4.88E-10	1.60E-01	4.71E-02	3.69E-12	1.0E+06	3.7E-06
504	504	2.73289	3.01416E-07	8.2E-07	6.05E-04	4.98E-10	1.60E-01	4.71E-02	3.76E-12	1.0E+06	3.8E-06
505	505	2.77468	3.01416E-07	8.4E-07	6.05E-04	5.06E-10	1.60E-01	4.71E-02	3.82E-12	1.0E+06	3.8E-06
506	506	2.80038	3.01416E-07	8.4E-07	6.05E-04	5.11E-10	1.60E-01	4.71E-02	3.86E-12	1.0E+06	3.9E-06
507	507	2.80907	3.01416E-07	8.5E-07	6.05E-04	5.12E-10	1.60E-01	4.71E-02	3.87E-12	1.0E+06	3.9E-06
508	508	2.80064	3.01416E-07	8.4E-07	6.05E-04	5.11E-10	1.60E-01	4.71E-02	3.86E-12	1.0E+06	3.9E-06
509	509	2.49764	3.01416E-07	7.5E-07	6.05E-04	4.56E-10	1.60E-01	4.71E-02	3.44E-12	1.0E+06	3.4E-06
510	510	2.54915	3.01416E-07	7.7E-07	6.05E-04	4.65E-10	1.60E-01	4.71E-02	3.51E-12	1.0E+06	3.5E-06
511	511	2.58793	3.01416E-07	7.8E-07	6.05E-04	4.72E-10	1.60E-01	4.71E-02	3.56E-12	1.0E+06	3.6E-06
512	512	2.61253	3.01416E-07	7.9E-07	6.05E-04	4.76E-10	1.60E-01	4.71E-02	3.60E-12	1.0E+06	3.6E-06
513	513	2.62229	3.01416E-07	7.9E-07	6.05E-04	4.78E-10	1.60E-01	4.71E-02	3.61E-12	1.0E+06	3.6E-06
514	514	2.61702	3.01416E-07	7.9E-07	6.05E-04	4.77E-10	1.60E-01	4.71E-02	3.60E-12	1.0E+06	3.6E-06
515	515	2.33605	3.01416E-07	7.0E-07	6.05E-04	4.26E-10	1.60E-01	4.71E-02	3.22E-12	1.0E+06	3.2E-06

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	2.3834	3.01416E-07	7.2E-07	6.05E-04	4.35E-10	1.60E-01	4.71E-02	3.28E-12	1.0E+06	3.3E-06
517	517	2.4194	3.01416E-07	7.3E-07	6.05E-04	4.41E-10	1.60E-01	4.71E-02	3.33E-12	1.0E+06	3.3E-06
518	518	2.44288	3.01416E-07	7.4E-07	6.05E-04	4.46E-10	1.60E-01	4.71E-02	3.36E-12	1.0E+06	3.4E-06
519	519	2.45337	3.01416E-07	7.4E-07	6.05E-04	4.47E-10	1.60E-01	4.71E-02	3.38E-12	1.0E+06	3.4E-06
520	520	2.45061	3.01416E-07	7.4E-07	6.05E-04	4.47E-10	1.60E-01	4.71E-02	3.38E-12	1.0E+06	3.4E-06
		2.13624									

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	6.676	2.56808E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.83E-11	1.0E+06	7.8E-05
486	486	8.10203	2.56808E-06	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
487	487	10.16705	2.56808E-06	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
488	488	9.29004	2.56808E-06	2.4E-05	6.05E-04	1.44E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
489	489	6.60938	2.56808E-06	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.76E-11	1.0E+06	7.8E-05
490	490	7.20898	2.56808E-06	1.9E-05	6.05E-04	1.12E-08	1.60E-01	4.71E-02	8.46E-11	1.0E+06	8.5E-05
491	491	6.68291	2.56808E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.84E-11	1.0E+06	7.8E-05
492	492	8.10184	2.56808E-06	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
493	493	10.15713	2.56808E-06	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
494	494	8.82143	2.56808E-06	2.3E-05	6.05E-04	1.37E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
495	495	10.51733	2.56808E-06	2.7E-05	6.05E-04	1.63E-08	1.60E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
496	496	12.09683	2.56808E-06	3.1E-05	6.05E-04	1.88E-08	1.60E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
497	497	6.6887	2.56808E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.85E-11	1.0E+06	7.8E-05
498	498	8.10672	2.56808E-06	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
499	499	10.17494	2.56808E-06	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
500	500	8.80822	2.56808E-06	2.3E-05	6.05E-04	1.37E-08	1.60E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
501	501	7.24329	2.56808E-06	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.50E-11	1.0E+06	8.5E-05
502	502	7.99402	2.56808E-06	2.1E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.38E-11	1.0E+06	9.4E-05
503	503	6.69339	2.56808E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.85E-11	1.0E+06	7.9E-05
504	504	8.10767	2.56808E-06	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
505	505	10.16497	2.56808E-06	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
506	506	6.05592	2.56808E-06	1.6E-05	6.05E-04	9.41E-09	1.60E-01	4.71E-02	7.11E-11	1.0E+06	7.1E-05
507	507	6.77009	2.56808E-06	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.94E-11	1.0E+06	7.9E-05
508	508	7.37275	2.56808E-06	1.9E-05	6.05E-04	1.15E-08	1.60E-01	4.71E-02	8.65E-11	1.0E+06	8.7E-05
509	509	6.69685	2.56808E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.86E-11	1.0E+06	7.9E-05
510	510	8.10289	2.56808E-06	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
511	511	10.13687	2.56808E-06	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
512	512	9.30704	2.56808E-06	2.4E-05	6.05E-04	1.45E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
513	513	6.71214	2.56808E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.88E-11	1.0E+06	7.9E-05
514	514	7.31279	2.56808E-06	1.9E-05	6.05E-04	1.14E-08	1.60E-01	4.71E-02	8.58E-11	1.0E+06	8.6E-05
515	515	6.6996	2.56808E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.86E-11	1.0E+06	7.9E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	8.10225	2.56808E-06	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
517	517	10.12755	2.56808E-06	2.6E-05	6.05E-04	1.57E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
518	518	8.86354	2.56808E-06	2.3E-05	6.05E-04	1.38E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
519	519	10.54044	2.56808E-06	2.7E-05	6.05E-04	1.64E-08	1.60E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
520	520	12.1162	2.56808E-06	3.1E-05	6.05E-04	1.88E-08	1.60E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
485	485	1.2E-01	Max	Receptor #	5	5.46E-03	Max	Receptor #	
486	486	1.2E-01	0.125	485	5	5.20E-03	0.005	485	Res
487	487	1.1E-01			5	4.95E-03			
488	488	1.1E-01			5	4.68E-03			
489	489	1.0E-01			5	4.43E-03			
490	490	9.6E-02			5	4.18E-03			
491	491	1.2E-01			5	5.13E-03			
492	492	1.1E-01			5	4.91E-03			
493	493	1.1E-01			5	4.68E-03			
494	494	1.0E-01			5	4.44E-03			
495	495	9.6E-02			5	4.21E-03			
496	496	9.1E-02			5	3.99E-03			
497	497	1.1E-01			5	4.84E-03			
498	498	1.1E-01			5	4.64E-03			
499	499	1.0E-01			5	4.43E-03			
500	500	9.7E-02			5	4.22E-03			
501	501	9.2E-02			5	4.01E-03			
502	502	8.7E-02			5	3.81E-03			
503	503	1.0E-01			5	4.56E-03			
504	504	1.0E-01			5	4.39E-03			
505	505	9.6E-02			5	4.20E-03			
506	506	9.2E-02			5	4.01E-03			
507	507	8.7E-02			5	3.82E-03			
508	508	8.3E-02			5	3.64E-03			
509	509	9.9E-02			5	4.32E-03			
510	510	9.5E-02			5	4.16E-03			
511	511	9.1E-02			5	3.99E-03			
512	512	8.7E-02			5	3.82E-03			
513	513	8.3E-02			5	3.65E-03			
514	514	8.0E-02			5	3.48E-03			
515	515	9.3E-02			5	4.09E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
516	516	9.0E-02	5	3.94E-03
517	517	8.7E-02	5	3.79E-03
518	518	8.3E-02	5	3.64E-03
519	519	8.0E-02	5	3.48E-03
520	520	7.6E-02	5	3.33E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

44778.00

					Cancer Risk from 2 to 16 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	2.76456	4.58E-03	1.3E-02	6.05E-04	7.65E-06	8.01E-02	4.71E-02	2.89E-08	1.0E+06	2.9E-02	
486	2.63602	4.58E-03	1.2E-02	6.05E-04	7.30E-06	8.01E-02	4.71E-02	2.76E-08	1.0E+06	2.8E-02	
487	2.50525	4.58E-03	1.1E-02	6.05E-04	6.94E-06	8.01E-02	4.71E-02	2.62E-08	1.0E+06	2.6E-02	
488	2.37319	4.58E-03	1.1E-02	6.05E-04	6.57E-06	8.01E-02	4.71E-02	2.48E-08	1.0E+06	2.5E-02	
489	2.24285	4.58E-03	1.0E-02	6.05E-04	6.21E-06	8.01E-02	4.71E-02	2.35E-08	1.0E+06	2.3E-02	
490	2.11682	4.58E-03	9.7E-03	6.05E-04	5.86E-06	8.01E-02	4.71E-02	2.21E-08	1.0E+06	2.2E-02	
491	2.59989	4.58E-03	1.2E-02	6.05E-04	7.20E-06	8.01E-02	4.71E-02	2.72E-08	1.0E+06	2.7E-02	
492	2.48591	4.58E-03	1.1E-02	6.05E-04	6.88E-06	8.01E-02	4.71E-02	2.60E-08	1.0E+06	2.6E-02	
493	2.36934	4.58E-03	1.1E-02	6.05E-04	6.56E-06	8.01E-02	4.71E-02	2.48E-08	1.0E+06	2.5E-02	
494	2.25118	4.58E-03	1.0E-02	6.05E-04	6.23E-06	8.01E-02	4.71E-02	2.35E-08	1.0E+06	2.4E-02	
495	2.13382	4.58E-03	9.8E-03	6.05E-04	5.91E-06	8.01E-02	4.71E-02	2.23E-08	1.0E+06	2.2E-02	
496	2.01973	4.58E-03	9.2E-03	6.05E-04	5.59E-06	8.01E-02	4.71E-02	2.11E-08	1.0E+06	2.1E-02	
497	2.44984	4.58E-03	1.1E-02	6.05E-04	6.78E-06	8.01E-02	4.71E-02	2.56E-08	1.0E+06	2.6E-02	
498	2.3483	4.58E-03	1.1E-02	6.05E-04	6.50E-06	8.01E-02	4.71E-02	2.46E-08	1.0E+06	2.5E-02	
499	2.24406	4.58E-03	1.0E-02	6.05E-04	6.21E-06	8.01E-02	4.71E-02	2.35E-08	1.0E+06	2.3E-02	
500	2.13802	4.58E-03	9.8E-03	6.05E-04	5.92E-06	8.01E-02	4.71E-02	2.24E-08	1.0E+06	2.2E-02	
501	2.03215	4.58E-03	9.3E-03	6.05E-04	5.63E-06	8.01E-02	4.71E-02	2.12E-08	1.0E+06	2.1E-02	
502	1.92861	4.58E-03	8.8E-03	6.05E-04	5.34E-06	8.01E-02	4.71E-02	2.02E-08	1.0E+06	2.0E-02	
503	2.31266	4.58E-03	1.1E-02	6.05E-04	6.40E-06	8.01E-02	4.71E-02	2.42E-08	1.0E+06	2.4E-02	
504	2.22188	4.58E-03	1.0E-02	6.05E-04	6.15E-06	8.01E-02	4.71E-02	2.32E-08	1.0E+06	2.3E-02	
505	2.12831	4.58E-03	9.7E-03	6.05E-04	5.89E-06	8.01E-02	4.71E-02	2.23E-08	1.0E+06	2.2E-02	
506	2.03281	4.58E-03	9.3E-03	6.05E-04	5.63E-06	8.01E-02	4.71E-02	2.13E-08	1.0E+06	2.1E-02	
507	1.93701	4.58E-03	8.9E-03	6.05E-04	5.36E-06	8.01E-02	4.71E-02	2.03E-08	1.0E+06	2.0E-02	
508	1.84297	4.58E-03	8.4E-03	6.05E-04	5.10E-06	8.01E-02	4.71E-02	1.93E-08	1.0E+06	1.9E-02	
509	2.18688	4.58E-03	1.0E-02	6.05E-04	6.06E-06	8.01E-02	4.71E-02	2.29E-08	1.0E+06	2.3E-02	
510	2.10545	4.58E-03	9.6E-03	6.05E-04	5.83E-06	8.01E-02	4.71E-02	2.20E-08	1.0E+06	2.2E-02	
511	2.02115	4.58E-03	9.2E-03	6.05E-04	5.60E-06	8.01E-02	4.71E-02	2.11E-08	1.0E+06	2.1E-02	
512	1.93491	4.58E-03	8.9E-03	6.05E-04	5.36E-06	8.01E-02	4.71E-02	2.02E-08	1.0E+06	2.0E-02	
513	1.84796	4.58E-03	8.5E-03	6.05E-04	5.12E-06	8.01E-02	4.71E-02	1.93E-08	1.0E+06	1.9E-02	
514	1.76229	4.58E-03	8.1E-03	6.05E-04	4.88E-06	8.01E-02	4.71E-02	1.84E-08	1.0E+06	1.8E-02	
515	2.07128	4.58E-03	9.5E-03	6.05E-04	5.74E-06	8.01E-02	4.71E-02	2.17E-08	1.0E+06	2.2E-02	

	Max	Receptor #
Res	0.029	485

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

44778.00

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	1.99793	4.58E-03	9.1E-03	6.05E-04	5.53E-06	8.01E-02	4.71E-02	2.09E-08	1.0E+06	2.1E-02
517	1.92181	4.58E-03	8.8E-03	6.05E-04	5.32E-06	8.01E-02	4.71E-02	2.01E-08	1.0E+06	2.0E-02
518	1.84368	4.58E-03	8.4E-03	6.05E-04	5.11E-06	8.01E-02	4.71E-02	1.93E-08	1.0E+06	1.9E-02
519	1.76463	4.58E-03	8.1E-03	6.05E-04	4.89E-06	8.01E-02	4.71E-02	1.85E-08	1.0E+06	1.8E-02
520	1.6865	4.58E-03	7.7E-03	6.05E-04	4.67E-06	8.01E-02	4.71E-02	1.76E-08	1.0E+06	1.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	2.53E-03
486	5	2.41E-03
487	5	2.29E-03
488	5	2.17E-03
489	5	2.05E-03
490	5	1.94E-03
491	5	2.38E-03
492	5	2.28E-03
493	5	2.17E-03
494	5	2.06E-03
495	5	1.95E-03
496	5	1.85E-03
497	5	2.24E-03
498	5	2.15E-03
499	5	2.05E-03
500	5	1.96E-03
501	5	1.86E-03
502	5	1.77E-03
503	5	2.12E-03
504	5	2.03E-03
505	5	1.95E-03
506	5	1.86E-03
507	5	1.77E-03
508	5	1.69E-03
509	5	2.00E-03
510	5	1.93E-03
511	5	1.85E-03
512	5	1.77E-03
513	5	1.69E-03
514	5	1.61E-03
515	5	1.90E-03

Max	Receptor #	
0.003	485	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	1.83E-03
517	5	1.76E-03
518	5	1.69E-03
519	5	1.62E-03
520	5	1.54E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

44778.00

						Cancer Risk from 2 to 16 years - Construction				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	2.76456	1.87E-02	5.2E-02	6.05E-04	3.13E-05	1.60E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
486	2.63602	1.87E-02	4.9E-02	6.05E-04	2.98E-05	1.60E-01	4.71E-02	2.25E-07	1.0E+06	2.3E-01
487	2.50525	1.87E-02	4.7E-02	6.05E-04	2.84E-05	1.60E-01	4.71E-02	2.14E-07	1.0E+06	2.1E-01
488	2.37319	1.87E-02	4.4E-02	6.05E-04	2.69E-05	1.60E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
489	2.24285	1.87E-02	4.2E-02	6.05E-04	2.54E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
490	2.11682	1.87E-02	4.0E-02	6.05E-04	2.40E-05	1.60E-01	4.71E-02	1.81E-07	1.0E+06	1.8E-01
491	2.59989	1.87E-02	4.9E-02	6.05E-04	2.94E-05	1.60E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
492	2.48591	1.87E-02	4.7E-02	6.05E-04	2.81E-05	1.60E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
493	2.36934	1.87E-02	4.4E-02	6.05E-04	2.68E-05	1.60E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
494	2.25118	1.87E-02	4.2E-02	6.05E-04	2.55E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
495	2.13382	1.87E-02	4.0E-02	6.05E-04	2.42E-05	1.60E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
496	2.01973	1.87E-02	3.8E-02	6.05E-04	2.29E-05	1.60E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
497	2.44984	1.87E-02	4.6E-02	6.05E-04	2.77E-05	1.60E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
498	2.3483	1.87E-02	4.4E-02	6.05E-04	2.66E-05	1.60E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
499	2.24406	1.87E-02	4.2E-02	6.05E-04	2.54E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
500	2.13802	1.87E-02	4.0E-02	6.05E-04	2.42E-05	1.60E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
501	2.03215	1.87E-02	3.8E-02	6.05E-04	2.30E-05	1.60E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
502	1.92861	1.87E-02	3.6E-02	6.05E-04	2.18E-05	1.60E-01	4.71E-02	1.65E-07	1.0E+06	1.6E-01
503	2.31266	1.87E-02	4.3E-02	6.05E-04	2.62E-05	1.60E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
504	2.22188	1.87E-02	4.2E-02	6.05E-04	2.52E-05	1.60E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
505	2.12831	1.87E-02	4.0E-02	6.05E-04	2.41E-05	1.60E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
506	2.03281	1.87E-02	3.8E-02	6.05E-04	2.30E-05	1.60E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
507	1.93701	1.87E-02	3.6E-02	6.05E-04	2.19E-05	1.60E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
508	1.84297	1.87E-02	3.4E-02	6.05E-04	2.09E-05	1.60E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
509	2.18688	1.87E-02	4.1E-02	6.05E-04	2.48E-05	1.60E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
510	2.10545	1.87E-02	3.9E-02	6.05E-04	2.38E-05	1.60E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
511	2.02115	1.87E-02	3.8E-02	6.05E-04	2.29E-05	1.60E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
512	1.93491	1.87E-02	3.6E-02	6.05E-04	2.19E-05	1.60E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
513	1.84796	1.87E-02	3.5E-02	6.05E-04	2.09E-05	1.60E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
514	1.76229	1.87E-02	3.3E-02	6.05E-04	2.00E-05	1.60E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
515	2.07128	1.87E-02	3.9E-02	6.05E-04	2.35E-05	1.60E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	1.99793	1.87E-02	3.7E-02	6.05E-04	2.26E-05	1.60E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
517	1.92181	1.87E-02	3.6E-02	6.05E-04	2.18E-05	1.60E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01
518	1.84368	1.87E-02	3.5E-02	6.05E-04	2.09E-05	1.60E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
519	1.76463	1.87E-02	3.3E-02	6.05E-04	2.00E-05	1.60E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
520	1.6865	1.87E-02	3.2E-02	6.05E-04	1.91E-05	1.60E-01	4.71E-02	1.44E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	3.3464	5.76607E-06	1.9E-05	6.05E-04	1.17E-08	1.60E-01	4.71E-02	8.82E-11	1.0E+06	8.8E-05
486	486	3.42143	5.76607E-06	2.0E-05	6.05E-04	1.19E-08	1.60E-01	4.71E-02	9.01E-11	1.0E+06	9.0E-05
487	487	3.47427	5.76607E-06	2.0E-05	6.05E-04	1.21E-08	1.60E-01	4.71E-02	9.15E-11	1.0E+06	9.2E-05
488	488	3.50261	5.76607E-06	2.0E-05	6.05E-04	1.22E-08	1.60E-01	4.71E-02	9.23E-11	1.0E+06	9.2E-05
489	489	3.50476	5.76607E-06	2.0E-05	6.05E-04	1.22E-08	1.60E-01	4.71E-02	9.23E-11	1.0E+06	9.2E-05
490	490	3.48101	5.76607E-06	2.0E-05	6.05E-04	1.21E-08	1.60E-01	4.71E-02	9.17E-11	1.0E+06	9.2E-05
491	491	3.09758	5.76607E-06	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.16E-11	1.0E+06	8.2E-05
492	492	3.1655	5.76607E-06	1.8E-05	6.05E-04	1.10E-08	1.60E-01	4.71E-02	8.34E-11	1.0E+06	8.3E-05
493	493	3.21431	5.76607E-06	1.9E-05	6.05E-04	1.12E-08	1.60E-01	4.71E-02	8.47E-11	1.0E+06	8.5E-05
494	494	3.24194	5.76607E-06	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.54E-11	1.0E+06	8.5E-05
495	495	3.24697	5.76607E-06	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.56E-11	1.0E+06	8.6E-05
496	496	3.22954	5.76607E-06	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.51E-11	1.0E+06	8.5E-05
497	497	2.87554	5.76607E-06	1.7E-05	6.05E-04	1.00E-08	1.60E-01	4.71E-02	7.58E-11	1.0E+06	7.6E-05
498	498	2.93728	5.76607E-06	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.74E-11	1.0E+06	7.7E-05
499	499	2.9824	5.76607E-06	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.86E-11	1.0E+06	7.9E-05
500	500	3.00912	5.76607E-06	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.93E-11	1.0E+06	7.9E-05
501	501	3.01628	5.76607E-06	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.95E-11	1.0E+06	7.9E-05
502	502	3.00387	5.76607E-06	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.91E-11	1.0E+06	7.9E-05
503	503	2.67659	5.76607E-06	1.5E-05	6.05E-04	9.34E-09	1.60E-01	4.71E-02	7.05E-11	1.0E+06	7.1E-05
504	504	2.73289	5.76607E-06	1.6E-05	6.05E-04	9.53E-09	1.60E-01	4.71E-02	7.20E-11	1.0E+06	7.2E-05
505	505	2.77468	5.76607E-06	1.6E-05	6.05E-04	9.68E-09	1.60E-01	4.71E-02	7.31E-11	1.0E+06	7.3E-05
506	506	2.80038	5.76607E-06	1.6E-05	6.05E-04	9.77E-09	1.60E-01	4.71E-02	7.38E-11	1.0E+06	7.4E-05
507	507	2.80907	5.76607E-06	1.6E-05	6.05E-04	9.80E-09	1.60E-01	4.71E-02	7.40E-11	1.0E+06	7.4E-05
508	508	2.80064	5.76607E-06	1.6E-05	6.05E-04	9.77E-09	1.60E-01	4.71E-02	7.38E-11	1.0E+06	7.4E-05
509	509	2.49764	5.76607E-06	1.4E-05	6.05E-04	8.71E-09	1.60E-01	4.71E-02	6.58E-11	1.0E+06	6.6E-05
510	510	2.54915	5.76607E-06	1.5E-05	6.05E-04	8.89E-09	1.60E-01	4.71E-02	6.72E-11	1.0E+06	6.7E-05
511	511	2.58793	5.76607E-06	1.5E-05	6.05E-04	9.03E-09	1.60E-01	4.71E-02	6.82E-11	1.0E+06	6.8E-05
512	512	2.61253	5.76607E-06	1.5E-05	6.05E-04	9.11E-09	1.60E-01	4.71E-02	6.88E-11	1.0E+06	6.9E-05
513	513	2.62229	5.76607E-06	1.5E-05	6.05E-04	9.15E-09	1.60E-01	4.71E-02	6.91E-11	1.0E+06	6.9E-05
514	514	2.61702	5.76607E-06	1.5E-05	6.05E-04	9.13E-09	1.60E-01	4.71E-02	6.90E-11	1.0E+06	6.9E-05
515	515	2.33605	5.76607E-06	1.3E-05	6.05E-04	8.15E-09	1.60E-01	4.71E-02	6.15E-11	1.0E+06	6.2E-05

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

		Cancer risk from 2 to 16 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	2.3834	5.76607E-06	1.4E-05	6.05E-04	8.32E-09	1.60E-01	4.71E-02	6.28E-11	1.0E+06	6.3E-05
517	517	2.4194	5.76607E-06	1.4E-05	6.05E-04	8.44E-09	1.60E-01	4.71E-02	6.37E-11	1.0E+06	6.4E-05
518	518	2.44288	5.76607E-06	1.4E-05	6.05E-04	8.52E-09	1.60E-01	4.71E-02	6.44E-11	1.0E+06	6.4E-05
519	519	2.45337	5.76607E-06	1.4E-05	6.05E-04	8.56E-09	1.60E-01	4.71E-02	6.46E-11	1.0E+06	6.5E-05
520	520	2.45061	5.76607E-06	1.4E-05	6.05E-04	8.55E-09	1.60E-01	4.71E-02	6.46E-11	1.0E+06	6.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	6.676	4.91272E-05	3.3E-04	6.05E-04	1.98E-07	1.60E-01	4.71E-02	1.50E-09	1.0E+06	1.5E-03
486	486	8.10203	4.91272E-05	4.0E-04	6.05E-04	2.41E-07	1.60E-01	4.71E-02	1.82E-09	1.0E+06	1.8E-03
487	487	10.16705	4.91272E-05	5.0E-04	6.05E-04	3.02E-07	1.60E-01	4.71E-02	2.28E-09	1.0E+06	2.3E-03
488	488	9.29004	4.91272E-05	4.6E-04	6.05E-04	2.76E-07	1.60E-01	4.71E-02	2.09E-09	1.0E+06	2.1E-03
489	489	6.60938	4.91272E-05	3.2E-04	6.05E-04	1.96E-07	1.60E-01	4.71E-02	1.48E-09	1.0E+06	1.5E-03
490	490	7.20898	4.91272E-05	3.5E-04	6.05E-04	2.14E-07	1.60E-01	4.71E-02	1.62E-09	1.0E+06	1.6E-03
491	491	6.68291	4.91272E-05	3.3E-04	6.05E-04	1.99E-07	1.60E-01	4.71E-02	1.50E-09	1.0E+06	1.5E-03
492	492	8.10184	4.91272E-05	4.0E-04	6.05E-04	2.41E-07	1.60E-01	4.71E-02	1.82E-09	1.0E+06	1.8E-03
493	493	10.15713	4.91272E-05	5.0E-04	6.05E-04	3.02E-07	1.60E-01	4.71E-02	2.28E-09	1.0E+06	2.3E-03
494	494	8.82143	4.91272E-05	4.3E-04	6.05E-04	2.62E-07	1.60E-01	4.71E-02	1.98E-09	1.0E+06	2.0E-03
495	495	10.51733	4.91272E-05	5.2E-04	6.05E-04	3.13E-07	1.60E-01	4.71E-02	2.36E-09	1.0E+06	2.4E-03
496	496	12.09683	4.91272E-05	5.9E-04	6.05E-04	3.60E-07	1.60E-01	4.71E-02	2.72E-09	1.0E+06	2.7E-03
497	497	6.6887	4.91272E-05	3.3E-04	6.05E-04	1.99E-07	1.60E-01	4.71E-02	1.50E-09	1.0E+06	1.5E-03
498	498	8.10672	4.91272E-05	4.0E-04	6.05E-04	2.41E-07	1.60E-01	4.71E-02	1.82E-09	1.0E+06	1.8E-03
499	499	10.17494	4.91272E-05	5.0E-04	6.05E-04	3.02E-07	1.60E-01	4.71E-02	2.28E-09	1.0E+06	2.3E-03
500	500	8.80822	4.91272E-05	4.3E-04	6.05E-04	2.62E-07	1.60E-01	4.71E-02	1.98E-09	1.0E+06	2.0E-03
501	501	7.24329	4.91272E-05	3.6E-04	6.05E-04	2.15E-07	1.60E-01	4.71E-02	1.63E-09	1.0E+06	1.6E-03
502	502	7.99402	4.91272E-05	3.9E-04	6.05E-04	2.38E-07	1.60E-01	4.71E-02	1.79E-09	1.0E+06	1.8E-03
503	503	6.69339	4.91272E-05	3.3E-04	6.05E-04	1.99E-07	1.60E-01	4.71E-02	1.50E-09	1.0E+06	1.5E-03
504	504	8.10767	4.91272E-05	4.0E-04	6.05E-04	2.41E-07	1.60E-01	4.71E-02	1.82E-09	1.0E+06	1.8E-03
505	505	10.16497	4.91272E-05	5.0E-04	6.05E-04	3.02E-07	1.60E-01	4.71E-02	2.28E-09	1.0E+06	2.3E-03
506	506	6.05592	4.91272E-05	3.0E-04	6.05E-04	1.80E-07	1.60E-01	4.71E-02	1.36E-09	1.0E+06	1.4E-03
507	507	6.77009	4.91272E-05	3.3E-04	6.05E-04	2.01E-07	1.60E-01	4.71E-02	1.52E-09	1.0E+06	1.5E-03
508	508	7.37275	4.91272E-05	3.6E-04	6.05E-04	2.19E-07	1.60E-01	4.71E-02	1.66E-09	1.0E+06	1.7E-03
509	509	6.69685	4.91272E-05	3.3E-04	6.05E-04	1.99E-07	1.60E-01	4.71E-02	1.50E-09	1.0E+06	1.5E-03
510	510	8.10289	4.91272E-05	4.0E-04	6.05E-04	2.41E-07	1.60E-01	4.71E-02	1.82E-09	1.0E+06	1.8E-03
511	511	10.13687	4.91272E-05	5.0E-04	6.05E-04	3.01E-07	1.60E-01	4.71E-02	2.28E-09	1.0E+06	2.3E-03
512	512	9.30704	4.91272E-05	4.6E-04	6.05E-04	2.77E-07	1.60E-01	4.71E-02	2.09E-09	1.0E+06	2.1E-03
513	513	6.71214	4.91272E-05	3.3E-04	6.05E-04	2.00E-07	1.60E-01	4.71E-02	1.51E-09	1.0E+06	1.5E-03
514	514	7.31279	4.91272E-05	3.6E-04	6.05E-04	2.17E-07	1.60E-01	4.71E-02	1.64E-09	1.0E+06	1.6E-03
515	515	6.6996	4.91272E-05	3.3E-04	6.05E-04	1.99E-07	1.60E-01	4.71E-02	1.50E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	8.10225	4.91272E-05	4.0E-04	6.05E-04	2.41E-07	1.60E-01	4.71E-02	1.82E-09	1.0E+06	1.8E-03
517	517	10.12755	4.91272E-05	5.0E-04	6.05E-04	3.01E-07	1.60E-01	4.71E-02	2.27E-09	1.0E+06	2.3E-03
518	518	8.86354	4.91272E-05	4.4E-04	6.05E-04	2.63E-07	1.60E-01	4.71E-02	1.99E-09	1.0E+06	2.0E-03
519	519	10.54044	4.91272E-05	5.2E-04	6.05E-04	3.13E-07	1.60E-01	4.71E-02	2.37E-09	1.0E+06	2.4E-03
520	520	12.1162	4.91272E-05	6.0E-04	6.05E-04	3.60E-07	1.60E-01	4.71E-02	2.72E-09	1.0E+06	2.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
485	485	2.4E-01	Max	Receptor #	5	1.03E-02	Max	Receptor #	
486	486	2.3E-01	0.238	485	5	9.87E-03	0.010	485	Res
487	487	2.2E-01			5	9.38E-03			
488	488	2.1E-01			5	8.88E-03			
489	489	1.9E-01			5	8.39E-03			
490	490	1.8E-01			5	7.92E-03			
491	491	2.2E-01			5	9.73E-03			
492	492	2.1E-01			5	9.30E-03			
493	493	2.0E-01			5	8.87E-03			
494	494	1.9E-01			5	8.43E-03			
495	495	1.8E-01			5	7.99E-03			
496	496	1.8E-01			5	7.56E-03			
497	497	2.1E-01			5	9.17E-03			
498	498	2.0E-01			5	8.79E-03			
499	499	1.9E-01			5	8.40E-03			
500	500	1.8E-01			5	8.00E-03			
501	501	1.8E-01			5	7.61E-03			
502	502	1.7E-01			5	7.22E-03			
503	503	2.0E-01			5	8.66E-03			
504	504	1.9E-01			5	8.32E-03			
505	505	1.8E-01			5	7.97E-03			
506	506	1.8E-01			5	7.61E-03			
507	507	1.7E-01			5	7.25E-03			
508	508	1.6E-01			5	6.90E-03			
509	509	1.9E-01			5	8.18E-03			
510	510	1.8E-01			5	7.88E-03			
511	511	1.8E-01			5	7.56E-03			
512	512	1.7E-01			5	7.24E-03			
513	513	1.6E-01			5	6.92E-03			
514	514	1.5E-01			5	6.60E-03			
515	515	1.8E-01			5	7.75E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
516	516	1.7E-01	5	7.48E-03
517	517	1.7E-01	5	7.19E-03
518	518	1.6E-01	5	6.90E-03
519	519	1.5E-01	5	6.60E-03
520	520	1.5E-01	5	6.31E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

44778.00

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	2.76456	1.82E-02	5.0E-02	6.05E-04	3.05E-05	1.60E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
486	2.63602	1.82E-02	4.8E-02	6.05E-04	2.90E-05	1.60E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
487	2.50525	1.82E-02	4.6E-02	6.05E-04	2.76E-05	1.60E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
488	2.37319	1.82E-02	4.3E-02	6.05E-04	2.61E-05	1.60E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
489	2.24285	1.82E-02	4.1E-02	6.05E-04	2.47E-05	1.60E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
490	2.11682	1.82E-02	3.9E-02	6.05E-04	2.33E-05	1.60E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
491	2.59989	1.82E-02	4.7E-02	6.05E-04	2.86E-05	1.60E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
492	2.48591	1.82E-02	4.5E-02	6.05E-04	2.74E-05	1.60E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01
493	2.36934	1.82E-02	4.3E-02	6.05E-04	2.61E-05	1.60E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
494	2.25118	1.82E-02	4.1E-02	6.05E-04	2.48E-05	1.60E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
495	2.13382	1.82E-02	3.9E-02	6.05E-04	2.35E-05	1.60E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
496	2.01973	1.82E-02	3.7E-02	6.05E-04	2.23E-05	1.60E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
497	2.44984	1.82E-02	4.5E-02	6.05E-04	2.70E-05	1.60E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
498	2.3483	1.82E-02	4.3E-02	6.05E-04	2.59E-05	1.60E-01	4.71E-02	1.95E-07	1.0E+06	2.0E-01
499	2.24406	1.82E-02	4.1E-02	6.05E-04	2.47E-05	1.60E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
500	2.13802	1.82E-02	3.9E-02	6.05E-04	2.36E-05	1.60E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
501	2.03215	1.82E-02	3.7E-02	6.05E-04	2.24E-05	1.60E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
502	1.92861	1.82E-02	3.5E-02	6.05E-04	2.12E-05	1.60E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
503	2.31266	1.82E-02	4.2E-02	6.05E-04	2.55E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
504	2.22188	1.82E-02	4.0E-02	6.05E-04	2.45E-05	1.60E-01	4.71E-02	1.85E-07	1.0E+06	1.8E-01
505	2.12831	1.82E-02	3.9E-02	6.05E-04	2.34E-05	1.60E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
506	2.03281	1.82E-02	3.7E-02	6.05E-04	2.24E-05	1.60E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
507	1.93701	1.82E-02	3.5E-02	6.05E-04	2.13E-05	1.60E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
508	1.84297	1.82E-02	3.4E-02	6.05E-04	2.03E-05	1.60E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
509	2.18688	1.82E-02	4.0E-02	6.05E-04	2.41E-05	1.60E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
510	2.10545	1.82E-02	3.8E-02	6.05E-04	2.32E-05	1.60E-01	4.71E-02	1.75E-07	1.0E+06	1.8E-01
511	2.02115	1.82E-02	3.7E-02	6.05E-04	2.23E-05	1.60E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
512	1.93491	1.82E-02	3.5E-02	6.05E-04	2.13E-05	1.60E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
513	1.84796	1.82E-02	3.4E-02	6.05E-04	2.04E-05	1.60E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
514	1.76229	1.82E-02	3.2E-02	6.05E-04	1.94E-05	1.60E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
515	2.07128	1.82E-02	3.8E-02	6.05E-04	2.28E-05	1.60E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01

	Max	Receptor #
Res	0.230	485

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

44778.00

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	1.99793	1.82E-02	3.6E-02	6.05E-04	2.20E-05	1.60E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
517	1.92181	1.82E-02	3.5E-02	6.05E-04	2.12E-05	1.60E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
518	1.84368	1.82E-02	3.4E-02	6.05E-04	2.03E-05	1.60E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
519	1.76463	1.82E-02	3.2E-02	6.05E-04	1.94E-05	1.60E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
520	1.6865	1.82E-02	3.1E-02	6.05E-04	1.86E-05	1.60E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	1.01E-02
486	5	9.60E-03
487	5	9.12E-03
488	5	8.64E-03
489	5	8.17E-03
490	5	7.71E-03
491	5	9.47E-03
492	5	9.05E-03
493	5	8.63E-03
494	5	8.20E-03
495	5	7.77E-03
496	5	7.36E-03
497	5	8.92E-03
498	5	8.55E-03
499	5	8.17E-03
500	5	7.79E-03
501	5	7.40E-03
502	5	7.02E-03
503	5	8.42E-03
504	5	8.09E-03
505	5	7.75E-03
506	5	7.40E-03
507	5	7.05E-03
508	5	6.71E-03
509	5	7.96E-03
510	5	7.67E-03
511	5	7.36E-03
512	5	7.05E-03
513	5	6.73E-03
514	5	6.42E-03
515	5	7.54E-03

Max	**Receptor #**	
0.010	485	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	7.28E-03
517	5	7.00E-03
518	5	6.71E-03
519	5	6.43E-03
520	5	6.14E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

44778.00

						Cancer Risk from 2 to 16 years - Construction				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	2.76456	4.85E-03	1.3E-02	6.05E-04	8.11E-06	1.84E+00	4.71E-02	7.04E-07	1.0E+06	7.0E-01
486	2.63602	4.85E-03	1.3E-02	6.05E-04	7.73E-06	1.84E+00	4.71E-02	6.71E-07	1.0E+06	6.7E-01
487	2.50525	4.85E-03	1.2E-02	6.05E-04	7.35E-06	1.84E+00	4.71E-02	6.38E-07	1.0E+06	6.4E-01
488	2.37319	4.85E-03	1.2E-02	6.05E-04	6.96E-06	1.84E+00	4.71E-02	6.04E-07	1.0E+06	6.0E-01
489	2.24285	4.85E-03	1.1E-02	6.05E-04	6.58E-06	1.84E+00	4.71E-02	5.71E-07	1.0E+06	5.7E-01
490	2.11682	4.85E-03	1.0E-02	6.05E-04	6.21E-06	1.84E+00	4.71E-02	5.39E-07	1.0E+06	5.4E-01
491	2.59989	4.85E-03	1.3E-02	6.05E-04	7.62E-06	1.84E+00	4.71E-02	6.62E-07	1.0E+06	6.6E-01
492	2.48591	4.85E-03	1.2E-02	6.05E-04	7.29E-06	1.84E+00	4.71E-02	6.33E-07	1.0E+06	6.3E-01
493	2.36934	4.85E-03	1.1E-02	6.05E-04	6.95E-06	1.84E+00	4.71E-02	6.03E-07	1.0E+06	6.0E-01
494	2.25118	4.85E-03	1.1E-02	6.05E-04	6.60E-06	1.84E+00	4.71E-02	5.73E-07	1.0E+06	5.7E-01
495	2.13382	4.85E-03	1.0E-02	6.05E-04	6.26E-06	1.84E+00	4.71E-02	5.43E-07	1.0E+06	5.4E-01
496	2.01973	4.85E-03	9.8E-03	6.05E-04	5.92E-06	1.84E+00	4.71E-02	5.14E-07	1.0E+06	5.1E-01
497	2.44984	4.85E-03	1.2E-02	6.05E-04	7.18E-06	1.84E+00	4.71E-02	6.24E-07	1.0E+06	6.2E-01
498	2.3483	4.85E-03	1.1E-02	6.05E-04	6.89E-06	1.84E+00	4.71E-02	5.98E-07	1.0E+06	6.0E-01
499	2.24406	4.85E-03	1.1E-02	6.05E-04	6.58E-06	1.84E+00	4.71E-02	5.71E-07	1.0E+06	5.7E-01
500	2.13802	4.85E-03	1.0E-02	6.05E-04	6.27E-06	1.84E+00	4.71E-02	5.44E-07	1.0E+06	5.4E-01
501	2.03215	4.85E-03	9.8E-03	6.05E-04	5.96E-06	1.84E+00	4.71E-02	5.17E-07	1.0E+06	5.2E-01
502	1.92861	4.85E-03	9.3E-03	6.05E-04	5.65E-06	1.84E+00	4.71E-02	4.91E-07	1.0E+06	4.9E-01
503	2.31266	4.85E-03	1.1E-02	6.05E-04	6.78E-06	1.84E+00	4.71E-02	5.89E-07	1.0E+06	5.9E-01
504	2.22188	4.85E-03	1.1E-02	6.05E-04	6.51E-06	1.84E+00	4.71E-02	5.66E-07	1.0E+06	5.7E-01
505	2.12831	4.85E-03	1.0E-02	6.05E-04	6.24E-06	1.84E+00	4.71E-02	5.42E-07	1.0E+06	5.4E-01
506	2.03281	4.85E-03	9.9E-03	6.05E-04	5.96E-06	1.84E+00	4.71E-02	5.18E-07	1.0E+06	5.2E-01
507	1.93701	4.85E-03	9.4E-03	6.05E-04	5.68E-06	1.84E+00	4.71E-02	4.93E-07	1.0E+06	4.9E-01
508	1.84297	4.85E-03	8.9E-03	6.05E-04	5.40E-06	1.84E+00	4.71E-02	4.69E-07	1.0E+06	4.7E-01
509	2.18688	4.85E-03	1.1E-02	6.05E-04	6.41E-06	1.84E+00	4.71E-02	5.57E-07	1.0E+06	5.6E-01
510	2.10545	4.85E-03	1.0E-02	6.05E-04	6.17E-06	1.84E+00	4.71E-02	5.36E-07	1.0E+06	5.4E-01
511	2.02115	4.85E-03	9.8E-03	6.05E-04	5.93E-06	1.84E+00	4.71E-02	5.15E-07	1.0E+06	5.1E-01
512	1.93491	4.85E-03	9.4E-03	6.05E-04	5.67E-06	1.84E+00	4.71E-02	4.93E-07	1.0E+06	4.9E-01
513	1.84796	4.85E-03	9.0E-03	6.05E-04	5.42E-06	1.84E+00	4.71E-02	4.71E-07	1.0E+06	4.7E-01
514	1.76229	4.85E-03	8.5E-03	6.05E-04	5.17E-06	1.84E+00	4.71E-02	4.49E-07	1.0E+06	4.5E-01
515	2.07128	4.85E-03	1.0E-02	6.05E-04	6.07E-06	1.84E+00	4.71E-02	5.27E-07	1.0E+06	5.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

44778.00

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	1.99793	4.85E-03	9.7E-03	6.05E-04	5.86E-06	1.84E+00	4.71E-02	5.09E-07	1.0E+06	5.1E-01
517	1.92181	4.85E-03	9.3E-03	6.05E-04	5.63E-06	1.84E+00	4.71E-02	4.89E-07	1.0E+06	4.9E-01
518	1.84368	4.85E-03	8.9E-03	6.05E-04	5.41E-06	1.84E+00	4.71E-02	4.69E-07	1.0E+06	4.7E-01
519	1.76463	4.85E-03	8.6E-03	6.05E-04	5.17E-06	1.84E+00	4.71E-02	4.49E-07	1.0E+06	4.5E-01
520	1.6865	4.85E-03	8.2E-03	6.05E-04	4.94E-06	1.84E+00	4.71E-02	4.29E-07	1.0E+06	4.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	3.3464	2.44396E-06	8.2E-06	6.05E-04	4.95E-09	1.84E+00	4.71E-02	4.30E-10	1.0E+06	4.3E-04
486	486	3.42143	2.44396E-06	8.4E-06	6.05E-04	5.06E-09	1.84E+00	4.71E-02	4.39E-10	1.0E+06	4.4E-04
487	487	3.47427	2.44396E-06	8.5E-06	6.05E-04	5.14E-09	1.84E+00	4.71E-02	4.46E-10	1.0E+06	4.5E-04
488	488	3.50261	2.44396E-06	8.6E-06	6.05E-04	5.18E-09	1.84E+00	4.71E-02	4.50E-10	1.0E+06	4.5E-04
489	489	3.50476	2.44396E-06	8.6E-06	6.05E-04	5.18E-09	1.84E+00	4.71E-02	4.50E-10	1.0E+06	4.5E-04
490	490	3.48101	2.44396E-06	8.5E-06	6.05E-04	5.15E-09	1.84E+00	4.71E-02	4.47E-10	1.0E+06	4.5E-04
491	491	3.09758	2.44396E-06	7.6E-06	6.05E-04	4.58E-09	1.84E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
492	492	3.1655	2.44396E-06	7.7E-06	6.05E-04	4.68E-09	1.84E+00	4.71E-02	4.07E-10	1.0E+06	4.1E-04
493	493	3.21431	2.44396E-06	7.9E-06	6.05E-04	4.75E-09	1.84E+00	4.71E-02	4.13E-10	1.0E+06	4.1E-04
494	494	3.24194	2.44396E-06	7.9E-06	6.05E-04	4.79E-09	1.84E+00	4.71E-02	4.16E-10	1.0E+06	4.2E-04
495	495	3.24697	2.44396E-06	7.9E-06	6.05E-04	4.80E-09	1.84E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
496	496	3.22954	2.44396E-06	7.9E-06	6.05E-04	4.78E-09	1.84E+00	4.71E-02	4.15E-10	1.0E+06	4.1E-04
497	497	2.87554	2.44396E-06	7.0E-06	6.05E-04	4.25E-09	1.84E+00	4.71E-02	3.69E-10	1.0E+06	3.7E-04
498	498	2.93728	2.44396E-06	7.2E-06	6.05E-04	4.34E-09	1.84E+00	4.71E-02	3.77E-10	1.0E+06	3.8E-04
499	499	2.9824	2.44396E-06	7.3E-06	6.05E-04	4.41E-09	1.84E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
500	500	3.00912	2.44396E-06	7.4E-06	6.05E-04	4.45E-09	1.84E+00	4.71E-02	3.86E-10	1.0E+06	3.9E-04
501	501	3.01628	2.44396E-06	7.4E-06	6.05E-04	4.46E-09	1.84E+00	4.71E-02	3.87E-10	1.0E+06	3.9E-04
502	502	3.00387	2.44396E-06	7.3E-06	6.05E-04	4.44E-09	1.84E+00	4.71E-02	3.86E-10	1.0E+06	3.9E-04
503	503	2.67659	2.44396E-06	6.5E-06	6.05E-04	3.96E-09	1.84E+00	4.71E-02	3.44E-10	1.0E+06	3.4E-04
504	504	2.73289	2.44396E-06	6.7E-06	6.05E-04	4.04E-09	1.84E+00	4.71E-02	3.51E-10	1.0E+06	3.5E-04
505	505	2.77468	2.44396E-06	6.8E-06	6.05E-04	4.10E-09	1.84E+00	4.71E-02	3.56E-10	1.0E+06	3.6E-04
506	506	2.80038	2.44396E-06	6.8E-06	6.05E-04	4.14E-09	1.84E+00	4.71E-02	3.60E-10	1.0E+06	3.6E-04
507	507	2.80907	2.44396E-06	6.9E-06	6.05E-04	4.15E-09	1.84E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
508	508	2.80064	2.44396E-06	6.8E-06	6.05E-04	4.14E-09	1.84E+00	4.71E-02	3.60E-10	1.0E+06	3.6E-04
509	509	2.49764	2.44396E-06	6.1E-06	6.05E-04	3.69E-09	1.84E+00	4.71E-02	3.21E-10	1.0E+06	3.2E-04
510	510	2.54915	2.44396E-06	6.2E-06	6.05E-04	3.77E-09	1.84E+00	4.71E-02	3.27E-10	1.0E+06	3.3E-04
511	511	2.58793	2.44396E-06	6.3E-06	6.05E-04	3.83E-09	1.84E+00	4.71E-02	3.32E-10	1.0E+06	3.3E-04
512	512	2.61253	2.44396E-06	6.4E-06	6.05E-04	3.86E-09	1.84E+00	4.71E-02	3.36E-10	1.0E+06	3.4E-04
513	513	2.62229	2.44396E-06	6.4E-06	6.05E-04	3.88E-09	1.84E+00	4.71E-02	3.37E-10	1.0E+06	3.4E-04
514	514	2.61702	2.44396E-06	6.4E-06	6.05E-04	3.87E-09	1.84E+00	4.71E-02	3.36E-10	1.0E+06	3.4E-04
515	515	2.33605	2.44396E-06	5.7E-06	6.05E-04	3.45E-09	1.84E+00	4.71E-02	3.00E-10	1.0E+06	3.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	2.3834	2.44396E-06	5.8E-06	6.05E-04	3.52E-09	1.84E+00	4.71E-02	3.06E-10	1.0E+06	3.1E-04
517	517	2.4194	2.44396E-06	5.9E-06	6.05E-04	3.58E-09	1.84E+00	4.71E-02	3.11E-10	1.0E+06	3.1E-04
518	518	2.44288	2.44396E-06	6.0E-06	6.05E-04	3.61E-09	1.84E+00	4.71E-02	3.14E-10	1.0E+06	3.1E-04
519	519	2.45337	2.44396E-06	6.0E-06	6.05E-04	3.63E-09	1.84E+00	4.71E-02	3.15E-10	1.0E+06	3.2E-04
520	520	2.45061	2.44396E-06	6.0E-06	6.05E-04	3.62E-09	1.84E+00	4.71E-02	3.15E-10	1.0E+06	3.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
485	485	6.676	2.08227E-05	1.4E-04	6.05E-04	8.41E-08	1.84E+00	4.71E-02	7.30E-09	1.0E+06	7.3E-03
486	486	8.10203	2.08227E-05	1.7E-04	6.05E-04	1.02E-07	1.84E+00	4.71E-02	8.87E-09	1.0E+06	8.9E-03
487	487	10.16705	2.08227E-05	2.1E-04	6.05E-04	1.28E-07	1.84E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
488	488	9.29004	2.08227E-05	1.9E-04	6.05E-04	1.17E-07	1.84E+00	4.71E-02	1.02E-08	1.0E+06	1.0E-02
489	489	6.60938	2.08227E-05	1.4E-04	6.05E-04	8.33E-08	1.84E+00	4.71E-02	7.23E-09	1.0E+06	7.2E-03
490	490	7.20898	2.08227E-05	1.5E-04	6.05E-04	9.08E-08	1.84E+00	4.71E-02	7.89E-09	1.0E+06	7.9E-03
491	491	6.68291	2.08227E-05	1.4E-04	6.05E-04	8.42E-08	1.84E+00	4.71E-02	7.31E-09	1.0E+06	7.3E-03
492	492	8.10184	2.08227E-05	1.7E-04	6.05E-04	1.02E-07	1.84E+00	4.71E-02	8.87E-09	1.0E+06	8.9E-03
493	493	10.15713	2.08227E-05	2.1E-04	6.05E-04	1.28E-07	1.84E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
494	494	8.82143	2.08227E-05	1.8E-04	6.05E-04	1.11E-07	1.84E+00	4.71E-02	9.65E-09	1.0E+06	9.7E-03
495	495	10.51733	2.08227E-05	2.2E-04	6.05E-04	1.33E-07	1.84E+00	4.71E-02	1.15E-08	1.0E+06	1.2E-02
496	496	12.09683	2.08227E-05	2.5E-04	6.05E-04	1.52E-07	1.84E+00	4.71E-02	1.32E-08	1.0E+06	1.3E-02
497	497	6.6887	2.08227E-05	1.4E-04	6.05E-04	8.43E-08	1.84E+00	4.71E-02	7.32E-09	1.0E+06	7.3E-03
498	498	8.10672	2.08227E-05	1.7E-04	6.05E-04	1.02E-07	1.84E+00	4.71E-02	8.87E-09	1.0E+06	8.9E-03
499	499	10.17494	2.08227E-05	2.1E-04	6.05E-04	1.28E-07	1.84E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
500	500	8.80822	2.08227E-05	1.8E-04	6.05E-04	1.11E-07	1.84E+00	4.71E-02	9.64E-09	1.0E+06	9.6E-03
501	501	7.24329	2.08227E-05	1.5E-04	6.05E-04	9.13E-08	1.84E+00	4.71E-02	7.93E-09	1.0E+06	7.9E-03
502	502	7.99402	2.08227E-05	1.7E-04	6.05E-04	1.01E-07	1.84E+00	4.71E-02	8.75E-09	1.0E+06	8.7E-03
503	503	6.69339	2.08227E-05	1.4E-04	6.05E-04	8.43E-08	1.84E+00	4.71E-02	7.32E-09	1.0E+06	7.3E-03
504	504	8.10767	2.08227E-05	1.7E-04	6.05E-04	1.02E-07	1.84E+00	4.71E-02	8.87E-09	1.0E+06	8.9E-03
505	505	10.16497	2.08227E-05	2.1E-04	6.05E-04	1.28E-07	1.84E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
506	506	6.05592	2.08227E-05	1.3E-04	6.05E-04	7.63E-08	1.84E+00	4.71E-02	6.63E-09	1.0E+06	6.6E-03
507	507	6.77009	2.08227E-05	1.4E-04	6.05E-04	8.53E-08	1.84E+00	4.71E-02	7.41E-09	1.0E+06	7.4E-03
508	508	7.37275	2.08227E-05	1.5E-04	6.05E-04	9.29E-08	1.84E+00	4.71E-02	8.07E-09	1.0E+06	8.1E-03
509	509	6.69685	2.08227E-05	1.4E-04	6.05E-04	8.44E-08	1.84E+00	4.71E-02	7.33E-09	1.0E+06	7.3E-03
510	510	8.10289	2.08227E-05	1.7E-04	6.05E-04	1.02E-07	1.84E+00	4.71E-02	8.87E-09	1.0E+06	8.9E-03
511	511	10.13687	2.08227E-05	2.1E-04	6.05E-04	1.28E-07	1.84E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
512	512	9.30704	2.08227E-05	1.9E-04	6.05E-04	1.17E-07	1.84E+00	4.71E-02	1.02E-08	1.0E+06	1.0E-02
513	513	6.71214	2.08227E-05	1.4E-04	6.05E-04	8.46E-08	1.84E+00	4.71E-02	7.34E-09	1.0E+06	7.3E-03
514	514	7.31279	2.08227E-05	1.5E-04	6.05E-04	9.21E-08	1.84E+00	4.71E-02	8.00E-09	1.0E+06	8.0E-03
515	515	6.6996	2.08227E-05	1.4E-04	6.05E-04	8.44E-08	1.84E+00	4.71E-02	7.33E-09	1.0E+06	7.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	516	8.10225	2.08227E-05	1.7E-04	6.05E-04	1.02E-07	1.84E+00	4.71E-02	8.87E-09	1.0E+06	8.9E-03
517	517	10.12755	2.08227E-05	2.1E-04	6.05E-04	1.28E-07	1.84E+00	4.71E-02	1.11E-08	1.0E+06	1.1E-02
518	518	8.86354	2.08227E-05	1.8E-04	6.05E-04	1.12E-07	1.84E+00	4.71E-02	9.70E-09	1.0E+06	9.7E-03
519	519	10.54044	2.08227E-05	2.2E-04	6.05E-04	1.33E-07	1.84E+00	4.71E-02	1.15E-08	1.0E+06	1.2E-02
520	520	12.1162	2.08227E-05	2.5E-04	6.05E-04	1.53E-07	1.84E+00	4.71E-02	1.33E-08	1.0E+06	1.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
485	485	7.1E-01	Max	Receptor #	5	2.68E-03	Max	Receptor #	
486	486	6.8E-01	0.712	485	5	2.55E-03	0.003	485	Res
487	487	6.5E-01			5	2.43E-03			
488	488	6.1E-01			5	2.30E-03			
489	489	5.8E-01			5	2.17E-03			
490	490	5.5E-01			5	2.05E-03			
491	491	6.7E-01			5	2.52E-03			
492	492	6.4E-01			5	2.41E-03			
493	493	6.1E-01			5	2.30E-03			
494	494	5.8E-01			5	2.18E-03			
495	495	5.6E-01			5	2.07E-03			
496	496	5.3E-01			5	1.96E-03			
497	497	6.3E-01			5	2.37E-03			
498	498	6.1E-01			5	2.28E-03			
499	499	5.8E-01			5	2.17E-03			
500	500	5.5E-01			5	2.07E-03			
501	501	5.3E-01			5	1.97E-03			
502	502	5.0E-01			5	1.87E-03			
503	503	6.0E-01			5	2.24E-03			
504	504	5.8E-01			5	2.15E-03			
505	505	5.5E-01			5	2.06E-03			
506	506	5.2E-01			5	1.97E-03			
507	507	5.0E-01			5	1.88E-03			
508	508	4.8E-01			5	1.79E-03			
509	509	5.6E-01			5	2.12E-03			
510	510	5.5E-01			5	2.04E-03			
511	511	5.3E-01			5	1.96E-03			
512	512	5.0E-01			5	1.88E-03			
513	513	4.8E-01			5	1.79E-03			
514	514	4.6E-01			5	1.71E-03			
515	515	5.4E-01			5	2.01E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
516	516	5.2E-01	5	1.94E-03
517	517	5.0E-01	5	1.86E-03
518	518	4.8E-01	5	1.79E-03
519	519	4.6E-01	5	1.71E-03
520	520	4.4E-01	5	1.63E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

44778.00

					Cancer Risk from 2 to 16 years							
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million		
485	2.76456	1.17E-02	3.2E-02	6.05E-04	1.96E-05	5.48E-02	4.71E-02	5.06E-08	1.0E+06	5.1E-02		
486	2.63602	1.17E-02	3.1E-02	6.05E-04	1.87E-05	5.48E-02	4.71E-02	4.82E-08	1.0E+06	4.8E-02	Res	
487	2.50525	1.17E-02	2.9E-02	6.05E-04	1.77E-05	5.48E-02	4.71E-02	4.58E-08	1.0E+06	4.6E-02		
488	2.37319	1.17E-02	2.8E-02	6.05E-04	1.68E-05	5.48E-02	4.71E-02	4.34E-08	1.0E+06	4.3E-02		
489	2.24285	1.17E-02	2.6E-02	6.05E-04	1.59E-05	5.48E-02	4.71E-02	4.10E-08	1.0E+06	4.1E-02		
490	2.11682	1.17E-02	2.5E-02	6.05E-04	1.50E-05	5.48E-02	4.71E-02	3.87E-08	1.0E+06	3.9E-02		
491	2.59989	1.17E-02	3.0E-02	6.05E-04	1.84E-05	5.48E-02	4.71E-02	4.76E-08	1.0E+06	4.8E-02		
492	2.48591	1.17E-02	2.9E-02	6.05E-04	1.76E-05	5.48E-02	4.71E-02	4.55E-08	1.0E+06	4.5E-02		
493	2.36934	1.17E-02	2.8E-02	6.05E-04	1.68E-05	5.48E-02	4.71E-02	4.34E-08	1.0E+06	4.3E-02		
494	2.25118	1.17E-02	2.6E-02	6.05E-04	1.59E-05	5.48E-02	4.71E-02	4.12E-08	1.0E+06	4.1E-02		
495	2.13382	1.17E-02	2.5E-02	6.05E-04	1.51E-05	5.48E-02	4.71E-02	3.90E-08	1.0E+06	3.9E-02		
496	2.01973	1.17E-02	2.4E-02	6.05E-04	1.43E-05	5.48E-02	4.71E-02	3.70E-08	1.0E+06	3.7E-02		
497	2.44984	1.17E-02	2.9E-02	6.05E-04	1.74E-05	5.48E-02	4.71E-02	4.48E-08	1.0E+06	4.5E-02		
498	2.3483	1.17E-02	2.7E-02	6.05E-04	1.66E-05	5.48E-02	4.71E-02	4.30E-08	1.0E+06	4.3E-02		
499	2.24406	1.17E-02	2.6E-02	6.05E-04	1.59E-05	5.48E-02	4.71E-02	4.11E-08	1.0E+06	4.1E-02		
500	2.13802	1.17E-02	2.5E-02	6.05E-04	1.51E-05	5.48E-02	4.71E-02	3.91E-08	1.0E+06	3.9E-02		
501	2.03215	1.17E-02	2.4E-02	6.05E-04	1.44E-05	5.48E-02	4.71E-02	3.72E-08	1.0E+06	3.7E-02		
502	1.92861	1.17E-02	2.3E-02	6.05E-04	1.37E-05	5.48E-02	4.71E-02	3.53E-08	1.0E+06	3.5E-02		
503	2.31266	1.17E-02	2.7E-02	6.05E-04	1.64E-05	5.48E-02	4.71E-02	4.23E-08	1.0E+06	4.2E-02		
504	2.22188	1.17E-02	2.6E-02	6.05E-04	1.57E-05	5.48E-02	4.71E-02	4.07E-08	1.0E+06	4.1E-02		
505	2.12831	1.17E-02	2.5E-02	6.05E-04	1.51E-05	5.48E-02	4.71E-02	3.89E-08	1.0E+06	3.9E-02		
506	2.03281	1.17E-02	2.4E-02	6.05E-04	1.44E-05	5.48E-02	4.71E-02	3.72E-08	1.0E+06	3.7E-02		
507	1.93701	1.17E-02	2.3E-02	6.05E-04	1.37E-05	5.48E-02	4.71E-02	3.54E-08	1.0E+06	3.5E-02		
508	1.84297	1.17E-02	2.2E-02	6.05E-04	1.31E-05	5.48E-02	4.71E-02	3.37E-08	1.0E+06	3.4E-02		
509	2.18688	1.17E-02	2.6E-02	6.05E-04	1.55E-05	5.48E-02	4.71E-02	4.00E-08	1.0E+06	4.0E-02		
510	2.10545	1.17E-02	2.5E-02	6.05E-04	1.49E-05	5.48E-02	4.71E-02	3.85E-08	1.0E+06	3.9E-02		
511	2.02115	1.17E-02	2.4E-02	6.05E-04	1.43E-05	5.48E-02	4.71E-02	3.70E-08	1.0E+06	3.7E-02		
512	1.93491	1.17E-02	2.3E-02	6.05E-04	1.37E-05	5.48E-02	4.71E-02	3.54E-08	1.0E+06	3.5E-02		
513	1.84796	1.17E-02	2.2E-02	6.05E-04	1.31E-05	5.48E-02	4.71E-02	3.38E-08	1.0E+06	3.4E-02		
514	1.76229	1.17E-02	2.1E-02	6.05E-04	1.25E-05	5.48E-02	4.71E-02	3.22E-08	1.0E+06	3.2E-02		
515	2.07128	1.17E-02	2.4E-02	6.05E-04	1.47E-05	5.48E-02	4.71E-02	3.79E-08	1.0E+06	3.8E-02		

Max	Receptor #
0.051	485

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

44778.00

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	1.99793	1.17E-02	2.3E-02	6.05E-04	1.42E-05	5.48E-02	4.71E-02	3.66E-08	1.0E+06	3.7E-02
517	1.92181	1.17E-02	2.3E-02	6.05E-04	1.36E-05	5.48E-02	4.71E-02	3.52E-08	1.0E+06	3.5E-02
518	1.84368	1.17E-02	2.2E-02	6.05E-04	1.31E-05	5.48E-02	4.71E-02	3.37E-08	1.0E+06	3.4E-02
519	1.76463	1.17E-02	2.1E-02	6.05E-04	1.25E-05	5.48E-02	4.71E-02	3.23E-08	1.0E+06	3.2E-02
520	1.6865	1.17E-02	2.0E-02	6.05E-04	1.19E-05	5.48E-02	4.71E-02	3.09E-08	1.0E+06	3.1E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	6.47E-03
486	5	6.17E-03
487	5	5.87E-03
488	5	5.56E-03
489	5	5.25E-03
490	5	4.96E-03
491	5	6.09E-03
492	5	5.82E-03
493	5	5.55E-03
494	5	5.27E-03
495	5	5.00E-03
496	5	4.73E-03
497	5	5.74E-03
498	5	5.50E-03
499	5	5.25E-03
500	5	5.01E-03
501	5	4.76E-03
502	5	4.52E-03
503	5	5.42E-03
504	5	5.20E-03
505	5	4.98E-03
506	5	4.76E-03
507	5	4.54E-03
508	5	4.32E-03
509	5	5.12E-03
510	5	4.93E-03
511	5	4.73E-03
512	5	4.53E-03
513	5	4.33E-03
514	5	4.13E-03
515	5	4.85E-03

Max	Receptor #	
0.006	485	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	4.68E-03
517	5	4.50E-03
518	5	4.32E-03
519	5	4.13E-03
520	5	3.95E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

44778.00

					Cancer Risk from 2 to 16 years						
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million	
485	2.76456	3.38E-03	9.4E-03	6.05E-04	5.66E-06	9.21E-01	4.71E-02	2.46E-07	1.0E+06	2.5E-01	
486	2.63602	3.38E-03	8.9E-03	6.05E-04	5.40E-06	9.21E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01	
487	2.50525	3.38E-03	8.5E-03	6.05E-04	5.13E-06	9.21E-01	4.71E-02	2.23E-07	1.0E+06	2.2E-01	
488	2.37319	3.38E-03	8.0E-03	6.05E-04	4.86E-06	9.21E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01	
489	2.24285	3.38E-03	7.6E-03	6.05E-04	4.59E-06	9.21E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01	
490	2.11682	3.38E-03	7.2E-03	6.05E-04	4.33E-06	9.21E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01	
491	2.59989	3.38E-03	8.8E-03	6.05E-04	5.32E-06	9.21E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01	
492	2.48591	3.38E-03	8.4E-03	6.05E-04	5.09E-06	9.21E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01	
493	2.36934	3.38E-03	8.0E-03	6.05E-04	4.85E-06	9.21E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01	
494	2.25118	3.38E-03	7.6E-03	6.05E-04	4.61E-06	9.21E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01	
495	2.13382	3.38E-03	7.2E-03	6.05E-04	4.37E-06	9.21E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01	
496	2.01973	3.38E-03	6.8E-03	6.05E-04	4.13E-06	9.21E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01	
497	2.44984	3.38E-03	8.3E-03	6.05E-04	5.01E-06	9.21E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01	
498	2.3483	3.38E-03	7.9E-03	6.05E-04	4.81E-06	9.21E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01	
499	2.24406	3.38E-03	7.6E-03	6.05E-04	4.59E-06	9.21E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01	
500	2.13802	3.38E-03	7.2E-03	6.05E-04	4.38E-06	9.21E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01	
501	2.03215	3.38E-03	6.9E-03	6.05E-04	4.16E-06	9.21E-01	4.71E-02	1.81E-07	1.0E+06	1.8E-01	
502	1.92861	3.38E-03	6.5E-03	6.05E-04	3.95E-06	9.21E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01	
503	2.31266	3.38E-03	7.8E-03	6.05E-04	4.73E-06	9.21E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01	
504	2.22188	3.38E-03	7.5E-03	6.05E-04	4.55E-06	9.21E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01	
505	2.12831	3.38E-03	7.2E-03	6.05E-04	4.36E-06	9.21E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01	
506	2.03281	3.38E-03	6.9E-03	6.05E-04	4.16E-06	9.21E-01	4.71E-02	1.81E-07	1.0E+06	1.8E-01	
507	1.93701	3.38E-03	6.6E-03	6.05E-04	3.97E-06	9.21E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01	
508	1.84297	3.38E-03	6.2E-03	6.05E-04	3.77E-06	9.21E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01	
509	2.18688	3.38E-03	7.4E-03	6.05E-04	4.48E-06	9.21E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01	
510	2.10545	3.38E-03	7.1E-03	6.05E-04	4.31E-06	9.21E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01	
511	2.02115	3.38E-03	6.8E-03	6.05E-04	4.14E-06	9.21E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01	
512	1.93491	3.38E-03	6.5E-03	6.05E-04	3.96E-06	9.21E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01	
513	1.84796	3.38E-03	6.3E-03	6.05E-04	3.78E-06	9.21E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01	
514	1.76229	3.38E-03	6.0E-03	6.05E-04	3.61E-06	9.21E-01	4.71E-02	1.57E-07	1.0E+06	1.6E-01	
515	2.07128	3.38E-03	7.0E-03	6.05E-04	4.24E-06	9.21E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01	

	Max	Receptor #
Res	0.246	485

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

44778.00

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
516	1.99793	3.38E-03	6.8E-03	6.05E-04	4.09E-06	9.21E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
517	1.92181	3.38E-03	6.5E-03	6.05E-04	3.93E-06	9.21E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
518	1.84368	3.38E-03	6.2E-03	6.05E-04	3.77E-06	9.21E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01
519	1.76463	3.38E-03	6.0E-03	6.05E-04	3.61E-06	9.21E-01	4.71E-02	1.57E-07	1.0E+06	1.6E-01
520	1.6865	3.38E-03	5.7E-03	6.05E-04	3.45E-06	9.21E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
485	5	1.87E-03
486	5	1.78E-03
487	5	1.70E-03
488	5	1.61E-03
489	5	1.52E-03
490	5	1.43E-03
491	5	1.76E-03
492	5	1.68E-03
493	5	1.60E-03
494	5	1.52E-03
495	5	1.44E-03
496	5	1.37E-03
497	5	1.66E-03
498	5	1.59E-03
499	5	1.52E-03
500	5	1.45E-03
501	5	1.37E-03
502	5	1.30E-03
503	5	1.56E-03
504	5	1.50E-03
505	5	1.44E-03
506	5	1.38E-03
507	5	1.31E-03
508	5	1.25E-03
509	5	1.48E-03
510	5	1.42E-03
511	5	1.37E-03
512	5	1.31E-03
513	5	1.25E-03
514	5	1.19E-03
515	5	1.40E-03

Max	Receptor #	
0.002	485	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
516	5	1.35E-03
517	5	1.30E-03
518	5	1.25E-03
519	5	1.19E-03
520	5	1.14E-03

Air Quality Appendix
AQ-7 Health Risk Analysis
A Unmitigated
7 Future Onsite PA1

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk					
Receptor #	**Total Per/Million**	**Harbor**	**PA1**	**PA2**	**PA3**		**Adjusted Risk per Million**
531	**46.1**	**0.00**	**0.00**	**42.63**	**9.28**		**10.66**
		521	**521**	**527**	**891**	**Receptor**	
521	3.648E+01	0.00	0.00	34.26	2.22		
522	3.729E+01	0.00	0.00	34.96	2.33		
523	4.479E+01	0.00	0.00	42.33	2.46		
524	3.790E+01	0.00	0.00	35.31	2.60		
525	3.768E+01	0.00	0.00	34.93	2.75		
526	3.842E+01	0.00	0.00	35.49	2.94		
527	4.579E+01	0.00	0.00	42.63	3.16		
528	3.889E+01	0.00	0.00	35.45	3.45		
529	3.871E+01	0.00	0.00	34.89	3.82		
530	3.956E+01	0.00	0.00	35.23	4.33		
531	4.609E+01	0.00	0.00	42.14	3.96		
532	3.309E+00	0.00	0.00	2.76	0.55		
533	3.509E+00	0.00	0.00	2.94	0.57		
534	3.730E+00	0.00	0.00	3.14	0.59		
535	3.969E+00	0.00	0.00	3.35	0.62		
536	4.235E+00	0.00	0.00	3.58	0.65		
537	4.531E+00	0.00	0.00	3.85	0.68		
538	4.860E+00	0.00	0.00	4.14	0.72		
539	5.239E+00	0.00	0.00	4.48	0.75		
540	5.672E+00	0.00	0.00	4.88	0.79		
541	6.174E+00	0.00	0.00	5.34	0.83		
542	6.751E+00	0.00	0.00	5.87	0.88		
543	7.421E+00	0.00	0.00	6.49	0.93		
544	8.220E+00	0.00	0.00	7.24	0.98		
545	9.160E+00	0.00	0.00	8.12	1.04		
546	1.031E+01	0.00	0.00	9.21	1.10		
547	1.174E+01	0.00	0.00	10.58	1.16		
548	1.356E+01	0.00	0.00	12.34	1.23		

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
549	1.594E+01	0.00	0.00	14.64	1.30	
550	1.902E+01	0.00	0.00	17.64	1.38	
551	2.281E+01	0.00	0.00	21.35	1.46	
552	2.705E+01	0.00	0.00	25.51	1.54	
553	2.256E+01	0.00	0.00	20.93	1.63	
554	3.511E+01	0.00	0.00	33.39	1.72	
555	3.851E+01	0.00	0.00	36.70	1.81	
556	4.159E+01	0.00	0.00	39.68	1.91	
557	3.558E+01	0.00	0.00	33.57	2.00	
558	3.600E+01	0.00	0.00	33.90	2.11	
559	3.682E+01	0.00	0.00	34.60	2.21	
560	3.844E+01	0.00	0.00	36.12	2.32	
561	3.203E+01	0.00	0.00	29.59	2.44	
562	3.937E+01	0.00	0.00	36.81	2.56	
563	3.908E+01	0.00	0.00	36.38	2.70	
564	4.011E+01	0.00	0.00	37.27	2.85	
565	3.345E+01	0.00	0.00	30.42	3.02	
566	4.055E+01	0.00	0.00	37.32	3.23	
567	4.021E+01	0.00	0.00	36.73	3.48	
568	4.123E+01	0.00	0.00	37.42	3.81	
569	3.467E+01	0.00	0.00	30.41	4.25	
570	4.112E+01	0.00	0.00	37.08	4.04	
571	4.078E+01	0.00	0.00	36.29	4.49	
572	3.254E+00	0.00	0.00	2.70	0.56	
573	3.454E+00	0.00	0.00	2.87	0.58	
574	3.672E+00	0.00	0.00	3.06	0.61	
575	3.904E+00	0.00	0.00	3.27	0.64	
576	4.161E+00	0.00	0.00	3.49	0.67	
577	4.441E+00	0.00	0.00	3.74	0.70	
578	4.749E+00	0.00	0.00	4.01	0.74	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
579	5.103E+00	0.00	0.00	4.32	0.78	
580	5.525E+00	0.00	0.00	4.70	0.82	
581	6.000E+00	0.00	0.00	5.13	0.87	
582	6.549E+00	0.00	0.00	5.63	0.92	
583	7.184E+00	0.00	0.00	6.21	0.97	
584	7.924E+00	0.00	0.00	6.89	1.03	
585	8.784E+00	0.00	0.00	7.69	1.09	
586	9.812E+00	0.00	0.00	8.65	1.16	
587	1.107E+01	0.00	0.00	9.84	1.23	
588	1.263E+01	0.00	0.00	11.32	1.31	
589	1.458E+01	0.00	0.00	13.18	1.39	
590	1.699E+01	0.00	0.00	15.50	1.48	
591	1.984E+01	0.00	0.00	18.27	1.58	
592	2.298E+01	0.00	0.00	21.30	1.67	
593	2.616E+01	0.00	0.00	24.39	1.77	
594	2.916E+01	0.00	0.00	27.29	1.88	
595	3.193E+01	0.00	0.00	29.94	1.98	
596	3.443E+01	0.00	0.00	32.34	2.09	
597	3.668E+01	0.00	0.00	34.47	2.21	
598	3.853E+01	0.00	0.00	36.21	2.32	
599	3.984E+01	0.00	0.00	37.40	2.44	
600	4.073E+01	0.00	0.00	38.17	2.56	
601	4.137E+01	0.00	0.00	38.68	2.69	
602	4.187E+01	0.00	0.00	39.05	2.82	
603	4.225E+01	0.00	0.00	39.28	2.97	
604	4.257E+01	0.00	0.00	39.43	3.14	
605	4.284E+01	0.00	0.00	39.51	3.33	
606	4.315E+01	0.00	0.00	39.60	3.55	
607	4.345E+01	0.00	0.00	39.62	3.83	
608	4.376E+01	0.00	0.00	39.56	4.20	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
609	4.416E+01	0.00	0.00	39.45	4.70	
610	4.388E+01	0.00	0.00	39.34	4.55	
611	4.427E+01	0.00	0.00	39.16	5.11	
612	3.195E+00	0.00	0.00	2.63	0.57	
613	3.396E+00	0.00	0.00	2.80	0.60	
614	3.612E+00	0.00	0.00	2.99	0.62	
615	3.836E+00	0.00	0.00	3.18	0.66	
616	4.084E+00	0.00	0.00	3.40	0.69	
617	4.350E+00	0.00	0.00	3.62	0.73	
618	4.638E+00	0.00	0.00	3.87	0.76	
619	4.960E+00	0.00	0.00	4.15	0.81	
620	5.353E+00	0.00	0.00	4.50	0.85	
621	5.820E+00	0.00	0.00	4.92	0.90	
622	6.336E+00	0.00	0.00	5.38	0.96	
623	6.932E+00	0.00	0.00	5.91	1.02	
624	7.624E+00	0.00	0.00	6.54	1.08	
625	8.410E+00	0.00	0.00	7.26	1.15	
626	9.333E+00	0.00	0.00	8.10	1.23	
627	1.044E+01	0.00	0.00	9.13	1.31	
628	1.178E+01	0.00	0.00	10.37	1.40	
629	1.339E+01	0.00	0.00	11.90	1.50	
630	1.533E+01	0.00	0.00	13.73	1.60	
631	1.757E+01	0.00	0.00	15.85	1.71	
632	2.000E+01	0.00	0.00	18.17	1.83	
633	2.250E+01	0.00	0.00	20.56	1.94	
634	2.493E+01	0.00	0.00	22.86	2.07	
635	2.719E+01	0.00	0.00	25.00	2.19	
636	2.926E+01	0.00	0.00	26.94	2.32	
637	3.109E+01	0.00	0.00	28.64	2.45	
638	3.262E+01	0.00	0.00	30.04	2.58	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
639	3.382E+01	0.00	0.00	31.10	2.71	
640	3.470E+01	0.00	0.00	31.85	2.85	
641	3.537E+01	0.00	0.00	32.38	2.99	
642	3.589E+01	0.00	0.00	32.76	3.14	
643	3.632E+01	0.00	0.00	33.02	3.29	
644	3.670E+01	0.00	0.00	33.23	3.47	
645	3.703E+01	0.00	0.00	33.35	3.67	
646	3.733E+01	0.00	0.00	33.42	3.92	
647	3.765E+01	0.00	0.00	33.43	4.22	
648	3.803E+01	0.00	0.00	33.41	4.61	
649	3.851E+01	0.00	0.00	33.34	5.17	
650	3.834E+01	0.00	0.00	33.22	5.12	
651	3.809E+01	0.00	0.00	33.05	5.03	
652	3.116E+00	0.00	0.00	2.54	0.58	
653	3.306E+00	0.00	0.00	2.70	0.61	
654	3.511E+00	0.00	0.00	2.87	0.64	
655	3.727E+00	0.00	0.00	3.05	0.67	
656	3.964E+00	0.00	0.00	3.26	0.71	
657	4.219E+00	0.00	0.00	3.47	0.75	
658	4.497E+00	0.00	0.00	3.71	0.79	
659	4.809E+00	0.00	0.00	3.97	0.84	
660	5.179E+00	0.00	0.00	4.30	0.88	
661	5.598E+00	0.00	0.00	4.66	0.94	
662	6.087E+00	0.00	0.00	5.09	1.00	
663	6.641E+00	0.00	0.00	5.58	1.07	
664	7.285E+00	0.00	0.00	6.15	1.14	
665	7.983E+00	0.00	0.00	6.76	1.22	
666	8.794E+00	0.00	0.00	7.49	1.31	
667	9.779E+00	0.00	0.00	8.38	1.40	
668	1.093E+01	0.00	0.00	9.43	1.50	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
669	1.231E+01	0.00	0.00	10.70	1.62	
670	1.394E+01	0.00	0.00	12.20	1.74	
671	1.576E+01	0.00	0.00	13.89	1.87	
672	1.774E+01	0.00	0.00	15.74	2.01	
673	1.979E+01	0.00	0.00	17.64	2.15	
674	2.181E+01	0.00	0.00	19.51	2.29	
675	2.370E+01	0.00	0.00	21.26	2.44	
676	2.545E+01	0.00	0.00	22.86	2.60	
677	2.701E+01	0.00	0.00	24.26	2.74	
678	2.833E+01	0.00	0.00	25.44	2.90	
679	2.941E+01	0.00	0.00	26.36	3.05	
680	3.027E+01	0.00	0.00	27.07	3.20	
681	3.094E+01	0.00	0.00	27.59	3.35	
682	3.149E+01	0.00	0.00	27.98	3.51	
683	3.195E+01	0.00	0.00	28.27	3.68	
684	3.236E+01	0.00	0.00	28.49	3.87	
685	3.271E+01	0.00	0.00	28.63	4.08	
686	3.304E+01	0.00	0.00	28.70	4.34	
687	3.338E+01	0.00	0.00	28.73	4.65	
688	3.379E+01	0.00	0.00	28.72	5.07	
689	3.432E+01	0.00	0.00	28.66	5.66	
690	3.508E+01	0.00	0.00	28.55	6.52	
691	3.400E+01	0.00	0.00	28.40	5.59	
692	3.034E+00	0.00	0.00	2.45	0.59	
693	3.211E+00	0.00	0.00	2.59	0.62	
694	3.401E+00	0.00	0.00	2.75	0.65	
695	3.607E+00	0.00	0.00	2.92	0.68	
696	3.834E+00	0.00	0.00	3.11	0.72	
697	4.081E+00	0.00	0.00	3.32	0.77	
698	4.352E+00	0.00	0.00	3.54	0.81	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
699	4.653E+00	0.00	0.00	3.79	0.86	
700	5.005E+00	0.00	0.00	4.09	0.92	
701	5.401E+00	0.00	0.00	4.43	0.97	
702	5.842E+00	0.00	0.00	4.80	1.04	
703	6.339E+00	0.00	0.00	5.22	1.11	
704	6.928E+00	0.00	0.00	5.73	1.20	
705	7.573E+00	0.00	0.00	6.29	1.29	
706	8.290E+00	0.00	0.00	6.91	1.38	
707	9.155E+00	0.00	0.00	7.66	1.49	
708	1.018E+01	0.00	0.00	8.57	1.62	
709	1.135E+01	0.00	0.00	9.60	1.75	
710	1.278E+01	0.00	0.00	10.89	1.90	
711	1.435E+01	0.00	0.00	12.30	2.05	
712	1.602E+01	0.00	0.00	13.80	2.22	
713	1.776E+01	0.00	0.00	15.36	2.40	
714	1.949E+01	0.00	0.00	16.91	2.58	
715	2.112E+01	0.00	0.00	18.36	2.76	
716	2.264E+01	0.00	0.00	19.70	2.94	
717	2.400E+01	0.00	0.00	20.89	3.12	
718	2.517E+01	0.00	0.00	21.87	3.30	
719	2.616E+01	0.00	0.00	22.69	3.47	
720	2.698E+01	0.00	0.00	23.34	3.64	
721	2.765E+01	0.00	0.00	23.85	3.80	
722	2.821E+01	0.00	0.00	24.24	3.98	
723	2.869E+01	0.00	0.00	24.54	4.15	
724	2.911E+01	0.00	0.00	24.76	4.35	
725	2.948E+01	0.00	0.00	24.91	4.57	
726	2.983E+01	0.00	0.00	24.99	4.83	
727	3.019E+01	0.00	0.00	25.02	5.16	
728	3.062E+01	0.00	0.00	25.02	5.59	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
729	3.118E+01	0.00	0.00	24.98	6.20	
730	3.115E+01	0.00	0.00	24.89	6.26	
731	3.188E+01	0.00	0.00	24.76	7.12	
732	2.952E+00	0.00	0.00	2.35	0.60	
733	3.114E+00	0.00	0.00	2.49	0.63	
734	3.290E+00	0.00	0.00	2.63	0.66	
735	3.485E+00	0.00	0.00	2.79	0.70	
736	3.701E+00	0.00	0.00	2.96	0.74	
737	3.938E+00	0.00	0.00	3.16	0.78	
738	4.203E+00	0.00	0.00	3.37	0.83	
739	4.497E+00	0.00	0.00	3.61	0.88	
740	4.832E+00	0.00	0.00	3.89	0.94	
741	5.206E+00	0.00	0.00	4.20	1.01	
742	5.620E+00	0.00	0.00	4.54	1.08	
743	6.078E+00	0.00	0.00	4.92	1.16	
744	6.601E+00	0.00	0.00	5.35	1.25	
745	7.163E+00	0.00	0.00	5.81	1.35	
746	7.802E+00	0.00	0.00	6.33	1.47	
747	8.549E+00	0.00	0.00	6.96	1.59	
748	9.517E+00	0.00	0.00	7.78	1.74	
749	1.058E+01	0.00	0.00	8.69	1.90	
750	1.182E+01	0.00	0.00	9.74	2.08	
751	1.322E+01	0.00	0.00	10.94	2.28	
752	1.472E+01	0.00	0.00	12.23	2.49	
753	1.624E+01	0.00	0.00	13.53	2.71	
754	1.777E+01	0.00	0.00	14.83	2.94	
755	1.922E+01	0.00	0.00	16.06	3.17	
756	2.057E+01	0.00	0.00	17.18	3.39	
757	2.181E+01	0.00	0.00	18.20	3.60	
758	2.287E+01	0.00	0.00	19.05	3.81	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
759	2.378E+01	0.00	0.00	19.77	4.01	
760	2.457E+01	0.00	0.00	20.37	4.20	
761	2.524E+01	0.00	0.00	20.86	4.38	
762	2.580E+01	0.00	0.00	21.23	4.57	
763	2.629E+01	0.00	0.00	21.53	4.75	
764	2.671E+01	0.00	0.00	21.75	4.95	
765	2.710E+01	0.00	0.00	21.91	5.18	
766	2.745E+01	0.00	0.00	22.00	5.45	
767	2.782E+01	0.00	0.00	22.04	5.78	
768	2.826E+01	0.00	0.00	22.05	6.21	
769	2.884E+01	0.00	0.00	22.02	6.82	
770	2.878E+01	0.00	0.00	21.94	6.84	
771	2.949E+01	0.00	0.00	21.82	7.67	
772	2.871E+00	0.00	0.00	2.27	0.60	
773	3.025E+00	0.00	0.00	2.39	0.64	
774	3.191E+00	0.00	0.00	2.52	0.67	
775	3.380E+00	0.00	0.00	2.67	0.71	
776	3.586E+00	0.00	0.00	2.84	0.75	
777	3.812E+00	0.00	0.00	3.02	0.80	
778	4.065E+00	0.00	0.00	3.22	0.85	
779	4.344E+00	0.00	0.00	3.44	0.90	
780	4.658E+00	0.00	0.00	3.69	0.97	
781	5.010E+00	0.00	0.00	3.97	1.04	
782	5.399E+00	0.00	0.00	4.28	1.12	
783	5.834E+00	0.00	0.00	4.62	1.21	
784	6.324E+00	0.00	0.00	5.01	1.31	
785	6.860E+00	0.00	0.00	5.43	1.43	
786	7.464E+00	0.00	0.00	5.91	1.55	
787	8.168E+00	0.00	0.00	6.46	1.70	
788	9.039E+00	0.00	0.00	7.16	1.87	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
789	1.001E+01	0.00	0.00	7.94	2.07	
790	1.113E+01	0.00	0.00	8.84	2.29	
791	1.241E+01	0.00	0.00	9.87	2.54	
792	1.125E+01	0.00	0.00	8.43	2.82	
793	1.239E+01	0.00	0.00	9.29	3.11	
794	1.353E+01	0.00	0.00	10.11	3.41	
795	1.464E+01	0.00	0.00	10.92	3.72	
796	1.567E+01	0.00	0.00	11.66	4.01	
797	1.662E+01	0.00	0.00	12.35	4.27	
798	1.745E+01	0.00	0.00	12.93	4.52	
799	1.819E+01	0.00	0.00	13.45	4.75	
800	1.883E+01	0.00	0.00	13.87	4.96	
801	1.938E+01	0.00	0.00	14.22	5.15	
802	1.985E+01	0.00	0.00	14.51	5.34	
803	2.027E+01	0.00	0.00	14.73	5.54	
804	2.065E+01	0.00	0.00	14.90	5.75	
805	2.101E+01	0.00	0.00	15.03	5.98	
806	2.135E+01	0.00	0.00	15.10	6.25	
807	2.172E+01	0.00	0.00	15.14	6.58	
808	2.216E+01	0.00	0.00	15.15	7.00	
809	2.273E+01	0.00	0.00	15.14	7.59	
810	2.356E+01	0.00	0.00	15.09	8.48	
811	2.270E+01	0.00	0.00	15.01	7.69	
812	2.294E+00	0.00	0.00	1.69	0.61	
813	2.414E+00	0.00	0.00	1.77	0.64	
814	2.546E+00	0.00	0.00	1.87	0.68	
815	2.695E+00	0.00	0.00	1.98	0.72	
816	2.857E+00	0.00	0.00	2.10	0.76	
817	3.037E+00	0.00	0.00	2.23	0.81	
818	3.233E+00	0.00	0.00	2.37	0.86	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
819	3.452E+00	0.00	0.00	2.53	0.92	
820	3.696E+00	0.00	0.00	2.70	0.99	
821	3.967E+00	0.00	0.00	2.90	1.07	
822	4.272E+00	0.00	0.00	3.12	1.16	
823	4.615E+00	0.00	0.00	3.36	1.26	
824	5.002E+00	0.00	0.00	3.63	1.37	
825	5.428E+00	0.00	0.00	3.93	1.50	
826	5.913E+00	0.00	0.00	4.27	1.65	
827	6.472E+00	0.00	0.00	4.65	1.82	
828	7.127E+00	0.00	0.00	5.10	2.03	
829	7.899E+00	0.00	0.00	5.64	2.26	
830	8.767E+00	0.00	0.00	6.22	2.54	
831	9.752E+00	0.00	0.00	6.88	2.87	
832	1.082E+01	0.00	0.00	7.59	3.24	
833	1.192E+01	0.00	0.00	8.28	3.64	
834	1.307E+01	0.00	0.00	9.00	4.07	
835	1.416E+01	0.00	0.00	9.67	4.50	
836	1.443E+01	0.00	0.00	10.32	4.11	
837	1.612E+01	0.00	0.00	10.92	5.20	
838	1.695E+01	0.00	0.00	11.46	5.49	
839	1.690E+01	0.00	0.00	11.92	4.97	
840	1.749E+01	0.00	0.00	12.33	5.17	
841	1.806E+01	0.00	0.00	12.66	5.41	
842	1.932E+01	0.00	0.00	12.93	6.40	
843	1.893E+01	0.00	0.00	13.14	5.79	
844	1.928E+01	0.00	0.00	13.31	5.97	
845	1.967E+01	0.00	0.00	13.43	6.24	
846	2.084E+01	0.00	0.00	13.52	7.33	
847	2.035E+01	0.00	0.00	13.56	6.79	
848	2.072E+01	0.00	0.00	13.58	7.14	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
849	2.130E+01	0.00	0.00	13.57	7.74	
850	2.219E+01	0.00	0.00	13.52	8.67	
851	2.110E+01	0.00	0.00	13.46	7.65	
852	2.229E+00	0.00	0.00	1.62	0.61	
853	2.343E+00	0.00	0.00	1.70	0.64	
854	2.469E+00	0.00	0.00	1.79	0.68	
855	2.614E+00	0.00	0.00	1.89	0.72	
856	2.771E+00	0.00	0.00	2.00	0.77	
857	2.944E+00	0.00	0.00	2.12	0.82	
858	3.133E+00	0.00	0.00	2.26	0.88	
859	3.342E+00	0.00	0.00	2.40	0.94	
860	3.572E+00	0.00	0.00	2.56	1.01	
861	3.830E+00	0.00	0.00	2.74	1.09	
862	4.120E+00	0.00	0.00	2.93	1.19	
863	4.451E+00	0.00	0.00	3.16	1.30	
864	4.827E+00	0.00	0.00	3.40	1.42	
865	5.248E+00	0.00	0.00	3.68	1.57	
866	5.728E+00	0.00	0.00	3.99	1.74	
867	6.281E+00	0.00	0.00	4.34	1.94	
868	6.922E+00	0.00	0.00	4.74	2.19	
869	7.659E+00	0.00	0.00	5.18	2.48	
870	8.532E+00	0.00	0.00	5.70	2.84	
871	9.527E+00	0.00	0.00	6.26	3.27	
872	1.061E+01	0.00	0.00	6.84	3.78	
873	1.182E+01	0.00	0.00	7.44	4.37	
874	1.210E+01	0.00	0.00	8.03	4.07	
875	1.313E+01	0.00	0.00	8.63	4.50	
876	1.413E+01	0.00	0.00	9.19	4.94	
877	1.441E+01	0.00	0.00	9.73	4.68	
878	1.517E+01	0.00	0.00	10.22	4.96	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
879	1.663E+01	0.00	0.00	10.65	5.98	
880	1.719E+01	0.00	0.00	11.03	6.16	
881	1.701E+01	0.00	0.00	11.33	5.68	
882	1.741E+01	0.00	0.00	11.59	5.82	
883	1.862E+01	0.00	0.00	11.80	6.82	
884	1.894E+01	0.00	0.00	11.96	6.98	
885	1.861E+01	0.00	0.00	12.08	6.52	
886	1.889E+01	0.00	0.00	12.17	6.72	
887	2.002E+01	0.00	0.00	12.22	7.79	
888	2.031E+01	0.00	0.00	12.24	8.07	
889	2.007E+01	0.00	0.00	12.24	7.84	
890	1.995E+01	0.00	0.00	12.20	7.74	
891	2.143E+01	0.00	0.00	12.14	9.28	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
531	891	0.225	0.200	0.128	0.033	0.225	0.063	0.026	0.026
		Receptor	527	527	527	891	891	891	891
521	**521**	1.61E-01	1.61E-01	1.03E-01	2.64E-02	7.36E-02	3.47E-02	6.23E-03	6.23E-03
522	**522**	1.64E-01	1.64E-01	1.05E-01	2.70E-02	7.66E-02	3.58E-02	6.55E-03	6.55E-03
523	**523**	1.99E-01	1.99E-01	1.27E-01	3.27E-02	8.43E-02	4.12E-02	6.90E-03	6.90E-03
524	**524**	1.66E-01	1.66E-01	1.06E-01	2.73E-02	8.29E-02	3.75E-02	7.29E-03	7.29E-03
525	**525**	1.64E-01	1.64E-01	1.05E-01	2.70E-02	8.63E-02	3.81E-02	7.73E-03	7.73E-03
526	**526**	1.67E-01	1.67E-01	1.06E-01	2.74E-02	9.10E-02	3.95E-02	8.25E-03	8.25E-03
527	**527**	2.00E-01	2.00E-01	1.28E-01	3.29E-02	1.01E-01	4.54E-02	8.88E-03	8.88E-03
528	**528**	1.66E-01	1.66E-01	1.06E-01	2.74E-02	1.03E-01	4.24E-02	9.68E-03	9.68E-03
529	**529**	1.64E-01	1.64E-01	1.04E-01	2.69E-02	1.11E-01	4.41E-02	1.07E-02	1.07E-02
530	**530**	1.65E-01	1.65E-01	1.05E-01	2.72E-02	1.23E-01	4.72E-02	1.21E-02	1.21E-02
531	**531**	1.98E-01	1.98E-01	1.26E-01	3.25E-02	1.19E-01	4.96E-02	1.11E-02	1.11E-02
532	**532**	1.44E-02	1.30E-02	8.26E-03	2.13E-03	1.44E-02	4.86E-03	1.53E-03	1.53E-03
533	**533**	1.51E-02	1.38E-02	8.80E-03	2.27E-03	1.51E-02	5.11E-03	1.60E-03	1.60E-03
534	**534**	1.58E-02	1.47E-02	9.38E-03	2.42E-03	1.58E-02	5.38E-03	1.67E-03	1.67E-03
535	**535**	1.66E-02	1.57E-02	1.00E-02	2.58E-03	1.66E-02	5.67E-03	1.75E-03	1.75E-03
536	**536**	1.74E-02	1.68E-02	1.07E-02	2.76E-03	1.74E-02	5.99E-03	1.83E-03	1.83E-03
537	**537**	1.83E-02	1.81E-02	1.15E-02	2.97E-03	1.83E-02	6.34E-03	1.92E-03	1.92E-03
538	**538**	1.94E-02	1.94E-02	1.24E-02	3.20E-03	1.93E-02	6.72E-03	2.01E-03	2.01E-03
539	**539**	2.10E-02	2.10E-02	1.34E-02	3.46E-03	2.04E-02	7.15E-03	2.12E-03	2.12E-03
540	**540**	2.29E-02	2.29E-02	1.46E-02	3.77E-03	2.15E-02	7.62E-03	2.22E-03	2.22E-03
541	**541**	2.51E-02	2.51E-02	1.60E-02	4.12E-03	2.28E-02	8.16E-03	2.34E-03	2.34E-03
542	**542**	2.76E-02	2.76E-02	1.76E-02	4.53E-03	2.42E-02	8.76E-03	2.47E-03	2.47E-03
543	**543**	3.05E-02	3.05E-02	1.94E-02	5.01E-03	2.57E-02	9.43E-03	2.61E-03	2.61E-03
544	**544**	3.40E-02	3.40E-02	2.17E-02	5.59E-03	2.74E-02	1.02E-02	2.75E-03	2.75E-03
545	**545**	3.81E-02	3.81E-02	2.43E-02	6.27E-03	2.93E-02	1.11E-02	2.91E-03	2.91E-03
546	**546**	4.33E-02	4.33E-02	2.76E-02	7.11E-03	3.13E-02	1.21E-02	3.08E-03	3.08E-03
547	**547**	4.97E-02	4.97E-02	3.17E-02	8.16E-03	3.37E-02	1.34E-02	3.26E-03	3.26E-03
548	**548**	5.79E-02	5.79E-02	3.69E-02	9.52E-03	3.64E-02	1.49E-02	3.45E-03	3.45E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
549	**549**	6.87E-02	6.87E-02	4.38E-02	1.13E-02	3.96E-02	1.68E-02	3.65E-03	3.65E-03
550	**550**	8.29E-02	8.29E-02	5.28E-02	1.36E-02	4.33E-02	1.92E-02	3.87E-03	3.87E-03
551	**551**	1.00E-01	1.00E-01	6.39E-02	1.65E-02	4.76E-02	2.20E-02	4.09E-03	4.09E-03
552	**552**	1.20E-01	1.20E-01	7.64E-02	1.97E-02	5.22E-02	2.52E-02	4.32E-03	4.32E-03
553	**553**	9.83E-02	9.83E-02	6.27E-02	1.62E-02	5.12E-02	2.27E-02	4.57E-03	4.57E-03
554	**554**	1.57E-01	1.57E-01	1.00E-01	2.58E-02	6.14E-02	3.13E-02	4.82E-03	4.82E-03
555	**555**	1.72E-01	1.72E-01	1.10E-01	2.83E-02	6.57E-02	3.39E-02	5.08E-03	5.08E-03
556	**556**	1.86E-01	1.86E-01	1.19E-01	3.06E-02	6.98E-02	3.64E-02	5.36E-03	5.36E-03
557	**557**	1.58E-01	1.58E-01	1.00E-01	2.59E-02	6.81E-02	3.30E-02	5.62E-03	5.62E-03
558	**558**	1.59E-01	1.59E-01	1.01E-01	2.62E-02	7.07E-02	3.38E-02	5.91E-03	5.91E-03
559	**559**	1.63E-01	1.63E-01	1.04E-01	2.67E-02	7.36E-02	3.48E-02	6.21E-03	6.21E-03
560	**560**	1.70E-01	1.70E-01	1.08E-01	2.79E-02	7.72E-02	3.65E-02	6.52E-03	6.52E-03
561	**561**	1.39E-01	1.39E-01	8.86E-02	2.28E-02	7.56E-02	3.29E-02	6.84E-03	6.84E-03
562	**562**	1.73E-01	1.73E-01	1.10E-01	2.84E-02	8.31E-02	3.82E-02	7.19E-03	7.19E-03
563	**563**	1.71E-01	1.71E-01	1.09E-01	2.81E-02	8.60E-02	3.87E-02	7.57E-03	7.57E-03
564	**564**	1.75E-01	1.75E-01	1.12E-01	2.88E-02	9.01E-02	4.02E-02	7.99E-03	7.99E-03
565	**565**	1.43E-01	1.43E-01	9.11E-02	2.35E-02	8.97E-02	3.67E-02	8.48E-03	8.48E-03
566	**566**	1.75E-01	1.75E-01	1.12E-01	2.88E-02	9.89E-02	4.23E-02	9.06E-03	9.06E-03
567	**567**	1.73E-01	1.73E-01	1.10E-01	2.84E-02	1.04E-01	4.34E-02	9.78E-03	9.78E-03
568	**568**	1.76E-01	1.76E-01	1.12E-01	2.89E-02	1.12E-01	4.57E-02	1.07E-02	1.07E-02
569	**569**	1.43E-01	1.43E-01	9.10E-02	2.35E-02	1.18E-01	4.37E-02	1.19E-02	1.19E-02
570	**570**	1.74E-01	1.74E-01	1.11E-01	2.86E-02	1.18E-01	4.68E-02	1.13E-02	1.13E-02
571	**571**	1.70E-01	1.70E-01	1.09E-01	2.80E-02	1.27E-01	4.88E-02	1.26E-02	1.26E-02
572	**572**	1.47E-02	1.27E-02	8.06E-03	2.08E-03	1.47E-02	4.89E-03	1.57E-03	1.57E-03
573	**573**	1.54E-02	1.35E-02	8.59E-03	2.21E-03	1.54E-02	5.14E-03	1.64E-03	1.64E-03
574	**574**	1.61E-02	1.44E-02	9.16E-03	2.36E-03	1.61E-02	5.42E-03	1.71E-03	1.71E-03
575	**575**	1.69E-02	1.53E-02	9.77E-03	2.52E-03	1.69E-02	5.71E-03	1.79E-03	1.79E-03
576	**576**	1.78E-02	1.64E-02	1.04E-02	2.69E-03	1.78E-02	6.04E-03	1.88E-03	1.88E-03
577	**577**	1.87E-02	1.75E-02	1.12E-02	2.88E-03	1.87E-02	6.39E-03	1.98E-03	1.98E-03
578	**578**	1.97E-02	1.88E-02	1.20E-02	3.09E-03	1.97E-02	6.77E-03	2.08E-03	2.08E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
579	**579**	2.09E-02	2.03E-02	1.29E-02	3.34E-03	2.09E-02	7.20E-03	2.19E-03	2.19E-03
580	**580**	2.21E-02	2.21E-02	1.41E-02	3.63E-03	2.21E-02	7.68E-03	2.31E-03	2.31E-03
581	**581**	2.41E-02	2.41E-02	1.53E-02	3.96E-03	2.34E-02	8.22E-03	2.44E-03	2.44E-03
582	**582**	2.64E-02	2.64E-02	1.68E-02	4.34E-03	2.49E-02	8.82E-03	2.58E-03	2.58E-03
583	**583**	2.92E-02	2.92E-02	1.86E-02	4.79E-03	2.65E-02	9.50E-03	2.73E-03	2.73E-03
584	**584**	3.24E-02	3.24E-02	2.06E-02	5.32E-03	2.83E-02	1.03E-02	2.89E-03	2.89E-03
585	**585**	3.61E-02	3.61E-02	2.30E-02	5.94E-03	3.03E-02	1.11E-02	3.07E-03	3.07E-03
586	**586**	4.06E-02	4.06E-02	2.59E-02	6.68E-03	3.25E-02	1.21E-02	3.26E-03	3.26E-03
587	**587**	4.62E-02	4.62E-02	2.94E-02	7.59E-03	3.49E-02	1.33E-02	3.46E-03	3.46E-03
588	**588**	5.31E-02	5.31E-02	3.39E-02	8.73E-03	3.77E-02	1.47E-02	3.68E-03	3.68E-03
589	**589**	6.19E-02	6.19E-02	3.95E-02	1.02E-02	4.08E-02	1.64E-02	3.91E-03	3.91E-03
590	**590**	7.28E-02	7.28E-02	4.64E-02	1.20E-02	4.44E-02	1.84E-02	4.16E-03	4.16E-03
591	**591**	8.58E-02	8.58E-02	5.47E-02	1.41E-02	4.83E-02	2.07E-02	4.43E-03	4.43E-03
592	**592**	1.00E-01	1.00E-01	6.38E-02	1.64E-02	5.25E-02	2.32E-02	4.69E-03	4.69E-03
593	**593**	1.15E-01	1.15E-01	7.30E-02	1.88E-02	5.68E-02	2.58E-02	4.98E-03	4.98E-03
594	**594**	1.28E-01	1.28E-01	8.17E-02	2.11E-02	6.11E-02	2.82E-02	5.27E-03	5.27E-03
595	**595**	1.41E-01	1.41E-01	8.96E-02	2.31E-02	6.53E-02	3.05E-02	5.57E-03	5.57E-03
596	**596**	1.52E-01	1.52E-01	9.68E-02	2.50E-02	6.94E-02	3.27E-02	5.88E-03	5.88E-03
597	**597**	1.62E-01	1.62E-01	1.03E-01	2.66E-02	7.34E-02	3.47E-02	6.19E-03	6.19E-03
598	**598**	1.70E-01	1.70E-01	1.08E-01	2.80E-02	7.72E-02	3.65E-02	6.51E-03	6.51E-03
599	**599**	1.76E-01	1.76E-01	1.12E-01	2.89E-02	8.07E-02	3.79E-02	6.85E-03	6.85E-03
600	**600**	1.79E-01	1.79E-01	1.14E-01	2.95E-02	8.40E-02	3.91E-02	7.19E-03	7.19E-03
601	**601**	1.82E-01	1.82E-01	1.16E-01	2.99E-02	8.73E-02	4.02E-02	7.55E-03	7.55E-03
602	**602**	1.83E-01	1.83E-01	1.17E-01	3.01E-02	9.06E-02	4.12E-02	7.93E-03	7.93E-03
603	**603**	1.85E-01	1.85E-01	1.18E-01	3.03E-02	9.42E-02	4.21E-02	8.34E-03	8.34E-03
604	**604**	1.85E-01	1.85E-01	1.18E-01	3.04E-02	9.81E-02	4.32E-02	8.80E-03	8.80E-03
605	**605**	1.86E-01	1.86E-01	1.18E-01	3.05E-02	1.03E-01	4.43E-02	9.34E-03	9.34E-03
606	**606**	1.86E-01	1.86E-01	1.19E-01	3.06E-02	1.08E-01	4.56E-02	9.97E-03	9.97E-03
607	**607**	1.86E-01	1.86E-01	1.19E-01	3.06E-02	1.14E-01	4.72E-02	1.08E-02	1.08E-02
608	**608**	1.86E-01	1.86E-01	1.18E-01	3.05E-02	1.23E-01	4.93E-02	1.18E-02	1.18E-02

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
609	**609**	1.85E-01	1.85E-01	1.18E-01	3.05E-02	1.34E-01	5.20E-02	1.32E-02	1.32E-02
610	**610**	1.85E-01	1.85E-01	1.18E-01	3.04E-02	1.31E-01	5.11E-02	1.28E-02	1.28E-02
611	**611**	1.84E-01	1.84E-01	1.17E-01	3.02E-02	1.44E-01	5.41E-02	1.43E-02	1.43E-02
612	**612**	1.49E-02	1.23E-02	7.85E-03	2.03E-03	1.49E-02	4.91E-03	1.60E-03	1.60E-03
613	**613**	1.56E-02	1.31E-02	8.37E-03	2.16E-03	1.56E-02	5.17E-03	1.67E-03	1.67E-03
614	**614**	1.64E-02	1.40E-02	8.93E-03	2.30E-03	1.64E-02	5.45E-03	1.75E-03	1.75E-03
615	**615**	1.72E-02	1.49E-02	9.51E-03	2.45E-03	1.72E-02	5.75E-03	1.84E-03	1.84E-03
616	**616**	1.81E-02	1.59E-02	1.02E-02	2.62E-03	1.81E-02	6.08E-03	1.93E-03	1.93E-03
617	**617**	1.91E-02	1.70E-02	1.08E-02	2.80E-03	1.91E-02	6.43E-03	2.04E-03	2.04E-03
618	**618**	2.02E-02	1.82E-02	1.16E-02	2.99E-03	2.02E-02	6.82E-03	2.15E-03	2.15E-03
619	**619**	2.14E-02	1.95E-02	1.24E-02	3.20E-03	2.14E-02	7.24E-03	2.27E-03	2.27E-03
620	**620**	2.27E-02	2.11E-02	1.35E-02	3.47E-03	2.27E-02	7.72E-03	2.40E-03	2.40E-03
621	**621**	2.41E-02	2.31E-02	1.47E-02	3.79E-03	2.41E-02	8.28E-03	2.54E-03	2.54E-03
622	**622**	2.57E-02	2.52E-02	1.61E-02	4.15E-03	2.57E-02	8.89E-03	2.69E-03	2.69E-03
623	**623**	2.78E-02	2.78E-02	1.77E-02	4.56E-03	2.74E-02	9.57E-03	2.86E-03	2.86E-03
624	**624**	3.07E-02	3.07E-02	1.96E-02	5.05E-03	2.93E-02	1.03E-02	3.04E-03	3.04E-03
625	**625**	3.41E-02	3.41E-02	2.17E-02	5.60E-03	3.14E-02	1.12E-02	3.24E-03	3.24E-03
626	**626**	3.80E-02	3.80E-02	2.42E-02	6.25E-03	3.37E-02	1.22E-02	3.45E-03	3.45E-03
627	**627**	4.29E-02	4.29E-02	2.73E-02	7.04E-03	3.63E-02	1.33E-02	3.69E-03	3.69E-03
628	**628**	4.87E-02	4.87E-02	3.10E-02	8.01E-03	3.92E-02	1.46E-02	3.93E-03	3.93E-03
629	**629**	5.59E-02	5.59E-02	3.56E-02	9.18E-03	4.24E-02	1.61E-02	4.20E-03	4.20E-03
630	**630**	6.45E-02	6.45E-02	4.11E-02	1.06E-02	4.60E-02	1.79E-02	4.49E-03	4.49E-03
631	**631**	7.45E-02	7.45E-02	4.75E-02	1.22E-02	4.99E-02	1.99E-02	4.80E-03	4.80E-03
632	**632**	8.53E-02	8.53E-02	5.44E-02	1.40E-02	5.41E-02	2.21E-02	5.13E-03	5.13E-03
633	**633**	9.66E-02	9.66E-02	6.15E-02	1.59E-02	5.83E-02	2.43E-02	5.46E-03	5.46E-03
634	**634**	1.07E-01	1.07E-01	6.84E-02	1.77E-02	6.26E-02	2.64E-02	5.80E-03	5.80E-03
635	**635**	1.17E-01	1.17E-01	7.48E-02	1.93E-02	6.69E-02	2.85E-02	6.15E-03	6.15E-03
636	**636**	1.27E-01	1.27E-01	8.07E-02	2.08E-02	7.11E-02	3.05E-02	6.51E-03	6.51E-03
637	**637**	1.35E-01	1.35E-01	8.57E-02	2.21E-02	7.52E-02	3.23E-02	6.87E-03	6.87E-03
638	**638**	1.41E-01	1.41E-01	8.99E-02	2.32E-02	7.92E-02	3.40E-02	7.24E-03	7.24E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
639	**639**	1.46E-01	1.46E-01	9.31E-02	2.40E-02	8.29E-02	3.54E-02	7.61E-03	7.61E-03
640	**640**	1.50E-01	1.50E-01	9.53E-02	2.46E-02	8.66E-02	3.67E-02	8.00E-03	8.00E-03
641	**641**	1.52E-01	1.52E-01	9.69E-02	2.50E-02	9.02E-02	3.78E-02	8.39E-03	8.39E-03
642	**642**	1.54E-01	1.54E-01	9.81E-02	2.53E-02	9.38E-02	3.89E-02	8.80E-03	8.80E-03
643	**643**	1.55E-01	1.55E-01	9.89E-02	2.55E-02	9.76E-02	3.99E-02	9.24E-03	9.24E-03
644	**644**	1.56E-01	1.56E-01	9.95E-02	2.57E-02	1.02E-01	4.11E-02	9.74E-03	9.74E-03
645	**645**	1.57E-01	1.57E-01	9.98E-02	2.57E-02	1.07E-01	4.23E-02	1.03E-02	1.03E-02
646	**646**	1.57E-01	1.57E-01	1.00E-01	2.58E-02	1.12E-01	4.37E-02	1.10E-02	1.10E-02
647	**647**	1.57E-01	1.57E-01	1.00E-01	2.58E-02	1.19E-01	4.54E-02	1.18E-02	1.18E-02
648	**648**	1.57E-01	1.57E-01	1.00E-01	2.58E-02	1.28E-01	4.76E-02	1.30E-02	1.30E-02
649	**649**	1.57E-01	1.57E-01	9.98E-02	2.57E-02	1.41E-01	5.07E-02	1.45E-02	1.45E-02
650	**650**	1.56E-01	1.56E-01	9.94E-02	2.56E-02	1.40E-01	5.04E-02	1.44E-02	1.44E-02
651	**651**	1.55E-01	1.55E-01	9.89E-02	2.55E-02	1.38E-01	4.98E-02	1.41E-02	1.41E-02
652	**652**	1.50E-02	1.19E-02	7.59E-03	1.96E-03	1.50E-02	4.90E-03	1.62E-03	1.62E-03
653	**653**	1.58E-02	1.27E-02	8.07E-03	2.08E-03	1.58E-02	5.17E-03	1.70E-03	1.70E-03
654	**654**	1.66E-02	1.35E-02	8.59E-03	2.22E-03	1.66E-02	5.46E-03	1.79E-03	1.79E-03
655	**655**	1.75E-02	1.43E-02	9.14E-03	2.36E-03	1.75E-02	5.77E-03	1.89E-03	1.89E-03
656	**656**	1.85E-02	1.53E-02	9.74E-03	2.51E-03	1.85E-02	6.10E-03	1.99E-03	1.99E-03
657	**657**	1.95E-02	1.63E-02	1.04E-02	2.68E-03	1.95E-02	6.46E-03	2.10E-03	2.10E-03
658	**658**	2.07E-02	1.74E-02	1.11E-02	2.86E-03	2.07E-02	6.85E-03	2.21E-03	2.21E-03
659	**659**	2.19E-02	1.87E-02	1.19E-02	3.07E-03	2.19E-02	7.28E-03	2.34E-03	2.34E-03
660	**660**	2.32E-02	2.02E-02	1.28E-02	3.31E-03	2.32E-02	7.76E-03	2.48E-03	2.48E-03
661	**661**	2.48E-02	2.19E-02	1.39E-02	3.59E-03	2.48E-02	8.31E-03	2.64E-03	2.64E-03
662	**662**	2.65E-02	2.39E-02	1.52E-02	3.93E-03	2.65E-02	8.93E-03	2.81E-03	2.81E-03
663	**663**	2.83E-02	2.62E-02	1.67E-02	4.30E-03	2.83E-02	9.62E-03	2.99E-03	2.99E-03
664	**664**	3.03E-02	2.89E-02	1.84E-02	4.74E-03	3.03E-02	1.04E-02	3.20E-03	3.20E-03
665	**665**	3.26E-02	3.18E-02	2.02E-02	5.22E-03	3.26E-02	1.12E-02	3.42E-03	3.42E-03
666	**666**	3.52E-02	3.52E-02	2.24E-02	5.78E-03	3.51E-02	1.22E-02	3.66E-03	3.66E-03
667	**667**	3.93E-02	3.93E-02	2.51E-02	6.47E-03	3.78E-02	1.33E-02	3.93E-03	3.93E-03
668	**668**	4.43E-02	4.43E-02	2.82E-02	7.28E-03	4.09E-02	1.46E-02	4.22E-03	4.22E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
669	**669**	5.02E-02	5.02E-02	3.20E-02	8.26E-03	4.44E-02	1.60E-02	4.54E-03	4.54E-03
670	**670**	5.73E-02	5.73E-02	3.65E-02	9.42E-03	4.82E-02	1.77E-02	4.88E-03	4.88E-03
671	**671**	6.52E-02	6.52E-02	4.16E-02	1.07E-02	5.22E-02	1.95E-02	5.24E-03	5.24E-03
672	**672**	7.39E-02	7.39E-02	4.71E-02	1.21E-02	5.66E-02	2.15E-02	5.63E-03	5.63E-03
673	**673**	8.29E-02	8.29E-02	5.28E-02	1.36E-02	6.12E-02	2.35E-02	6.04E-03	6.04E-03
674	**674**	9.16E-02	9.16E-02	5.84E-02	1.51E-02	6.58E-02	2.56E-02	6.44E-03	6.44E-03
675	**675**	9.98E-02	9.98E-02	6.36E-02	1.64E-02	7.03E-02	2.75E-02	6.86E-03	6.86E-03
676	**676**	1.07E-01	1.07E-01	6.84E-02	1.76E-02	7.49E-02	2.94E-02	7.29E-03	7.29E-03
677	**677**	1.14E-01	1.14E-01	7.26E-02	1.87E-02	7.93E-02	3.12E-02	7.70E-03	7.70E-03
678	**678**	1.19E-01	1.19E-01	7.61E-02	1.96E-02	8.35E-02	3.28E-02	8.13E-03	8.13E-03
679	**679**	1.24E-01	1.24E-01	7.89E-02	2.04E-02	8.76E-02	3.42E-02	8.55E-03	8.55E-03
680	**680**	1.27E-01	1.27E-01	8.10E-02	2.09E-02	9.16E-02	3.55E-02	8.98E-03	8.98E-03
681	**681**	1.30E-01	1.30E-01	8.26E-02	2.13E-02	9.55E-02	3.68E-02	9.41E-03	9.41E-03
682	**682**	1.31E-01	1.31E-01	8.38E-02	2.16E-02	9.94E-02	3.79E-02	9.86E-03	9.86E-03
683	**683**	1.33E-01	1.33E-01	8.46E-02	2.18E-02	1.03E-01	3.90E-02	1.03E-02	1.03E-02
684	**684**	1.34E-01	1.34E-01	8.53E-02	2.20E-02	1.08E-01	4.02E-02	1.09E-02	1.09E-02
685	**685**	1.34E-01	1.34E-01	8.57E-02	2.21E-02	1.13E-01	4.15E-02	1.15E-02	1.15E-02
686	**686**	1.35E-01	1.35E-01	8.59E-02	2.22E-02	1.19E-01	4.30E-02	1.22E-02	1.22E-02
687	**687**	1.35E-01	1.35E-01	8.60E-02	2.22E-02	1.26E-01	4.48E-02	1.31E-02	1.31E-02
688	**688**	1.36E-01	1.35E-01	8.60E-02	2.22E-02	1.36E-01	4.72E-02	1.42E-02	1.42E-02
689	**689**	1.50E-01	1.35E-01	8.58E-02	2.21E-02	1.50E-01	5.05E-02	1.59E-02	1.59E-02
690	**690**	1.70E-01	1.34E-01	8.55E-02	2.20E-02	1.70E-01	5.53E-02	1.83E-02	1.83E-02
691	**691**	1.48E-01	1.33E-01	8.50E-02	2.19E-02	1.48E-01	4.99E-02	1.57E-02	1.57E-02
692	**692**	1.52E-02	1.15E-02	7.32E-03	1.89E-03	1.52E-02	4.90E-03	1.65E-03	1.65E-03
693	**693**	1.60E-02	1.22E-02	7.75E-03	2.00E-03	1.60E-02	5.16E-03	1.73E-03	1.73E-03
694	**694**	1.68E-02	1.29E-02	8.23E-03	2.12E-03	1.68E-02	5.44E-03	1.82E-03	1.82E-03
695	**695**	1.77E-02	1.37E-02	8.74E-03	2.25E-03	1.77E-02	5.75E-03	1.92E-03	1.92E-03
696	**696**	1.88E-02	1.46E-02	9.30E-03	2.40E-03	1.88E-02	6.09E-03	2.03E-03	2.03E-03
697	**697**	1.99E-02	1.56E-02	9.92E-03	2.56E-03	1.99E-02	6.46E-03	2.15E-03	2.15E-03
698	**698**	2.11E-02	1.66E-02	1.06E-02	2.73E-03	2.11E-02	6.86E-03	2.27E-03	2.27E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
699	**699**	2.24E-02	1.78E-02	1.13E-02	2.93E-03	2.24E-02	7.30E-03	2.41E-03	2.41E-03
700	**700**	2.38E-02	1.92E-02	1.22E-02	3.16E-03	2.38E-02	7.81E-03	2.57E-03	2.57E-03
701	**701**	2.54E-02	2.08E-02	1.32E-02	3.41E-03	2.54E-02	8.36E-03	2.74E-03	2.74E-03
702	**702**	2.72E-02	2.25E-02	1.44E-02	3.70E-03	2.72E-02	8.98E-03	2.92E-03	2.92E-03
703	**703**	2.92E-02	2.45E-02	1.56E-02	4.03E-03	2.92E-02	9.66E-03	3.13E-03	3.13E-03
704	**704**	3.14E-02	2.69E-02	1.71E-02	4.42E-03	3.14E-02	1.05E-02	3.36E-03	3.36E-03
705	**705**	3.39E-02	2.95E-02	1.88E-02	4.85E-03	3.39E-02	1.13E-02	3.61E-03	3.61E-03
706	**706**	3.65E-02	3.24E-02	2.07E-02	5.33E-03	3.65E-02	1.23E-02	3.88E-03	3.88E-03
707	**707**	3.96E-02	3.60E-02	2.29E-02	5.91E-03	3.96E-02	1.34E-02	4.19E-03	4.19E-03
708	**708**	4.30E-02	4.02E-02	2.56E-02	6.61E-03	4.30E-02	1.47E-02	4.53E-03	4.53E-03
709	**709**	4.67E-02	4.51E-02	2.87E-02	7.41E-03	4.67E-02	1.61E-02	4.91E-03	4.91E-03
710	**710**	5.11E-02	5.11E-02	3.26E-02	8.40E-03	5.10E-02	1.77E-02	5.32E-03	5.32E-03
711	**711**	5.77E-02	5.77E-02	3.68E-02	9.49E-03	5.55E-02	1.95E-02	5.76E-03	5.76E-03
712	**712**	6.48E-02	6.48E-02	4.13E-02	1.07E-02	6.04E-02	2.14E-02	6.23E-03	6.23E-03
713	**713**	7.22E-02	7.22E-02	4.60E-02	1.19E-02	6.55E-02	2.35E-02	6.73E-03	6.73E-03
714	**714**	7.94E-02	7.94E-02	5.06E-02	1.31E-02	7.07E-02	2.55E-02	7.24E-03	7.24E-03
715	**715**	8.63E-02	8.63E-02	5.50E-02	1.42E-02	7.58E-02	2.74E-02	7.75E-03	7.75E-03
716	**716**	9.25E-02	9.25E-02	5.90E-02	1.52E-02	8.08E-02	2.93E-02	8.25E-03	8.25E-03
717	**717**	9.81E-02	9.81E-02	6.25E-02	1.61E-02	8.57E-02	3.11E-02	8.75E-03	8.75E-03
718	**718**	1.03E-01	1.03E-01	6.55E-02	1.69E-02	9.05E-02	3.27E-02	9.25E-03	9.25E-03
719	**719**	1.07E-01	1.07E-01	6.79E-02	1.75E-02	9.50E-02	3.42E-02	9.73E-03	9.73E-03
720	**720**	1.10E-01	1.10E-01	6.99E-02	1.80E-02	9.93E-02	3.56E-02	1.02E-02	1.02E-02
721	**721**	1.12E-01	1.12E-01	7.14E-02	1.84E-02	1.04E-01	3.69E-02	1.07E-02	1.07E-02
722	**722**	1.14E-01	1.14E-01	7.25E-02	1.87E-02	1.08E-01	3.81E-02	1.12E-02	1.12E-02
723	**723**	1.15E-01	1.15E-01	7.34E-02	1.89E-02	1.12E-01	3.93E-02	1.17E-02	1.17E-02
724	**724**	1.17E-01	1.16E-01	7.41E-02	1.91E-02	1.17E-01	4.05E-02	1.22E-02	1.22E-02
725	**725**	1.22E-01	1.17E-01	7.46E-02	1.92E-02	1.22E-01	4.19E-02	1.28E-02	1.28E-02
726	**726**	1.28E-01	1.17E-01	7.48E-02	1.93E-02	1.28E-01	4.34E-02	1.36E-02	1.36E-02
727	**727**	1.36E-01	1.18E-01	7.49E-02	1.93E-02	1.36E-01	4.53E-02	1.45E-02	1.45E-02
728	**728**	1.46E-01	1.18E-01	7.49E-02	1.93E-02	1.46E-01	4.77E-02	1.57E-02	1.57E-02

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
729	**729**	1.60E-01	1.17E-01	7.48E-02	1.93E-02	1.60E-01	5.11E-02	1.74E-02	1.74E-02
730	**730**	1.61E-01	1.17E-01	7.45E-02	1.92E-02	1.61E-01	5.14E-02	1.76E-02	1.76E-02
731	**731**	1.81E-01	1.16E-01	7.41E-02	1.91E-02	1.81E-01	5.62E-02	2.00E-02	2.00E-02
732	**732**	1.54E-02	1.11E-02	7.04E-03	1.82E-03	1.54E-02	4.89E-03	1.68E-03	1.68E-03
733	**733**	1.62E-02	1.17E-02	7.43E-03	1.92E-03	1.62E-02	5.15E-03	1.76E-03	1.76E-03
734	**734**	1.70E-02	1.23E-02	7.86E-03	2.03E-03	1.70E-02	5.43E-03	1.85E-03	1.85E-03
735	**735**	1.79E-02	1.31E-02	8.34E-03	2.15E-03	1.79E-02	5.73E-03	1.95E-03	1.95E-03
736	**736**	1.90E-02	1.39E-02	8.86E-03	2.29E-03	1.90E-02	6.07E-03	2.07E-03	2.07E-03
737	**737**	2.01E-02	1.48E-02	9.44E-03	2.44E-03	2.01E-02	6.44E-03	2.19E-03	2.19E-03
738	**738**	2.14E-02	1.58E-02	1.01E-02	2.60E-03	2.14E-02	6.86E-03	2.33E-03	2.33E-03
739	**739**	2.28E-02	1.70E-02	1.08E-02	2.79E-03	2.28E-02	7.32E-03	2.48E-03	2.48E-03
740	**740**	2.44E-02	1.83E-02	1.16E-02	3.00E-03	2.44E-02	7.84E-03	2.65E-03	2.65E-03
741	**741**	2.61E-02	1.97E-02	1.26E-02	3.24E-03	2.61E-02	8.41E-03	2.83E-03	2.83E-03
742	**742**	2.80E-02	2.13E-02	1.36E-02	3.50E-03	2.80E-02	9.04E-03	3.04E-03	3.04E-03
743	**743**	3.01E-02	2.31E-02	1.47E-02	3.79E-03	3.01E-02	9.73E-03	3.26E-03	3.26E-03
744	**744**	3.25E-02	2.51E-02	1.60E-02	4.13E-03	3.25E-02	1.05E-02	3.52E-03	3.52E-03
745	**745**	3.51E-02	2.73E-02	1.74E-02	4.48E-03	3.51E-02	1.14E-02	3.80E-03	3.80E-03
746	**746**	3.81E-02	2.97E-02	1.90E-02	4.89E-03	3.81E-02	1.24E-02	4.12E-03	4.12E-03
747	**747**	4.14E-02	3.27E-02	2.08E-02	5.37E-03	4.14E-02	1.35E-02	4.47E-03	4.47E-03
748	**748**	4.53E-02	3.65E-02	2.33E-02	6.00E-03	4.53E-02	1.48E-02	4.88E-03	4.88E-03
749	**749**	4.96E-02	4.08E-02	2.60E-02	6.70E-03	4.96E-02	1.63E-02	5.33E-03	5.33E-03
750	**750**	5.45E-02	4.57E-02	2.91E-02	7.52E-03	5.45E-02	1.80E-02	5.84E-03	5.84E-03
751	**751**	5.98E-02	5.14E-02	3.28E-02	8.45E-03	5.98E-02	1.99E-02	6.39E-03	6.39E-03
752	**752**	6.55E-02	5.74E-02	3.66E-02	9.44E-03	6.55E-02	2.19E-02	6.98E-03	6.98E-03
753	**753**	7.15E-02	6.35E-02	4.05E-02	1.04E-02	7.15E-02	2.40E-02	7.60E-03	7.60E-03
754	**754**	7.77E-02	6.96E-02	4.44E-02	1.14E-02	7.77E-02	2.62E-02	8.25E-03	8.25E-03
755	**755**	8.37E-02	7.54E-02	4.81E-02	1.24E-02	8.37E-02	2.82E-02	8.89E-03	8.89E-03
756	**756**	8.96E-02	8.07E-02	5.14E-02	1.33E-02	8.96E-02	3.02E-02	9.51E-03	9.51E-03
757	**757**	9.53E-02	8.55E-02	5.45E-02	1.41E-02	9.53E-02	3.21E-02	1.01E-02	1.01E-02
758	**758**	1.01E-01	8.95E-02	5.70E-02	1.47E-02	1.01E-01	3.38E-02	1.07E-02	1.07E-02

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
759	**759**	1.06E-01	9.28E-02	5.92E-02	1.53E-02	1.06E-01	3.54E-02	1.13E-02	1.13E-02
760	**760**	1.10E-01	9.57E-02	6.10E-02	1.57E-02	1.10E-01	3.69E-02	1.18E-02	1.18E-02
761	**761**	1.15E-01	9.79E-02	6.24E-02	1.61E-02	1.15E-01	3.82E-02	1.23E-02	1.23E-02
762	**762**	1.20E-01	9.97E-02	6.35E-02	1.64E-02	1.20E-01	3.95E-02	1.28E-02	1.28E-02
763	**763**	1.24E-01	1.01E-01	6.44E-02	1.66E-02	1.24E-01	4.07E-02	1.33E-02	1.33E-02
764	**764**	1.29E-01	1.02E-01	6.51E-02	1.68E-02	1.29E-01	4.20E-02	1.39E-02	1.39E-02
765	**765**	1.34E-01	1.03E-01	6.56E-02	1.69E-02	1.34E-01	4.34E-02	1.46E-02	1.46E-02
766	**766**	1.41E-01	1.03E-01	6.58E-02	1.70E-02	1.41E-01	4.50E-02	1.53E-02	1.53E-02
767	**767**	1.48E-01	1.04E-01	6.60E-02	1.70E-02	1.48E-01	4.69E-02	1.62E-02	1.62E-02
768	**768**	1.58E-01	1.04E-01	6.60E-02	1.70E-02	1.58E-01	4.93E-02	1.74E-02	1.74E-02
769	**769**	1.72E-01	1.03E-01	6.59E-02	1.70E-02	1.72E-01	5.27E-02	1.91E-02	1.91E-02
770	**770**	1.73E-01	1.03E-01	6.57E-02	1.69E-02	1.73E-01	5.28E-02	1.92E-02	1.92E-02
771	**771**	1.92E-01	1.02E-01	6.53E-02	1.68E-02	1.92E-01	5.74E-02	2.15E-02	2.15E-02
772	**772**	1.54E-02	1.06E-02	6.78E-03	1.75E-03	1.54E-02	4.87E-03	1.69E-03	1.69E-03
773	**773**	1.63E-02	1.12E-02	7.14E-03	1.84E-03	1.63E-02	5.13E-03	1.78E-03	1.78E-03
774	**774**	1.71E-02	1.18E-02	7.54E-03	1.94E-03	1.71E-02	5.41E-03	1.88E-03	1.88E-03
775	**775**	1.81E-02	1.25E-02	7.99E-03	2.06E-03	1.81E-02	5.73E-03	1.99E-03	1.99E-03
776	**776**	1.92E-02	1.33E-02	8.48E-03	2.19E-03	1.92E-02	6.07E-03	2.11E-03	2.11E-03
777	**777**	2.04E-02	1.42E-02	9.02E-03	2.33E-03	2.04E-02	6.44E-03	2.23E-03	2.23E-03
778	**778**	2.17E-02	1.51E-02	9.62E-03	2.48E-03	2.17E-02	6.86E-03	2.38E-03	2.38E-03
779	**779**	2.32E-02	1.61E-02	1.03E-02	2.65E-03	2.32E-02	7.32E-03	2.54E-03	2.54E-03
780	**780**	2.48E-02	1.73E-02	1.10E-02	2.85E-03	2.48E-02	7.85E-03	2.72E-03	2.72E-03
781	**781**	2.67E-02	1.86E-02	1.19E-02	3.06E-03	2.67E-02	8.44E-03	2.92E-03	2.92E-03
782	**782**	2.87E-02	2.01E-02	1.28E-02	3.30E-03	2.87E-02	9.09E-03	3.15E-03	3.15E-03
783	**783**	3.10E-02	2.17E-02	1.38E-02	3.57E-03	3.10E-02	9.82E-03	3.40E-03	3.40E-03
784	**784**	3.36E-02	2.35E-02	1.50E-02	3.87E-03	3.36E-02	1.06E-02	3.68E-03	3.68E-03
785	**785**	3.65E-02	2.55E-02	1.63E-02	4.19E-03	3.65E-02	1.16E-02	4.00E-03	4.00E-03
786	**786**	3.98E-02	2.77E-02	1.77E-02	4.56E-03	3.98E-02	1.26E-02	4.36E-03	4.36E-03
787	**787**	4.36E-02	3.04E-02	1.93E-02	4.99E-03	4.36E-02	1.38E-02	4.78E-03	4.78E-03
788	**788**	4.81E-02	3.36E-02	2.14E-02	5.53E-03	4.81E-02	1.52E-02	5.26E-03	5.26E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
789	**789**	5.31E-02	3.73E-02	2.38E-02	6.13E-03	5.31E-02	1.68E-02	5.81E-03	5.81E-03
790	**790**	5.88E-02	4.15E-02	2.65E-02	6.82E-03	5.88E-02	1.87E-02	6.43E-03	6.43E-03
791	**791**	6.53E-02	4.63E-02	2.95E-02	7.62E-03	6.53E-02	2.07E-02	7.14E-03	7.14E-03
792	**792**	7.23E-02	3.68E-02	1.82E-02	8.42E-03	7.23E-02	2.29E-02	7.91E-03	7.91E-03
793	**793**	7.98E-02	4.05E-02	2.01E-02	9.27E-03	7.98E-02	2.53E-02	8.73E-03	8.73E-03
794	**794**	8.75E-02	4.41E-02	2.19E-02	1.01E-02	8.75E-02	2.77E-02	9.58E-03	9.58E-03
795	**795**	9.53E-02	4.77E-02	2.36E-02	1.09E-02	9.53E-02	3.01E-02	1.04E-02	1.04E-02
796	**796**	1.03E-01	5.09E-02	2.52E-02	1.16E-02	1.03E-01	3.24E-02	1.13E-02	1.13E-02
797	**797**	1.09E-01	5.39E-02	2.67E-02	1.23E-02	1.09E-01	3.44E-02	1.20E-02	1.20E-02
798	**798**	1.15E-01	5.65E-02	2.80E-02	1.29E-02	1.15E-01	3.63E-02	1.27E-02	1.27E-02
799	**799**	1.21E-01	5.87E-02	2.91E-02	1.34E-02	1.21E-01	3.80E-02	1.33E-02	1.33E-02
800	**800**	1.26E-01	6.06E-02	3.00E-02	1.39E-02	1.26E-01	3.96E-02	1.39E-02	1.39E-02
801	**801**	1.31E-01	6.21E-02	3.08E-02	1.42E-02	1.31E-01	4.10E-02	1.45E-02	1.45E-02
802	**802**	1.36E-01	6.33E-02	3.14E-02	1.45E-02	1.36E-01	4.23E-02	1.50E-02	1.50E-02
803	**803**	1.41E-01	6.43E-02	3.19E-02	1.47E-02	1.41E-01	4.36E-02	1.56E-02	1.56E-02
804	**804**	1.46E-01	6.50E-02	3.22E-02	1.49E-02	1.46E-01	4.49E-02	1.61E-02	1.61E-02
805	**805**	1.51E-01	6.56E-02	3.25E-02	1.50E-02	1.51E-01	4.63E-02	1.68E-02	1.68E-02
806	**806**	1.57E-01	6.59E-02	3.27E-02	1.51E-02	1.57E-01	4.79E-02	1.75E-02	1.75E-02
807	**807**	1.65E-01	6.61E-02	3.27E-02	1.51E-02	1.65E-01	4.98E-02	1.85E-02	1.85E-02
808	**808**	1.75E-01	6.61E-02	3.28E-02	1.51E-02	1.75E-01	5.22E-02	1.97E-02	1.97E-02
809	**809**	1.89E-01	6.61E-02	3.27E-02	1.51E-02	1.89E-01	5.55E-02	2.13E-02	2.13E-02
810	**810**	2.09E-01	6.58E-02	3.26E-02	1.51E-02	2.09E-01	6.05E-02	2.38E-02	2.38E-02
811	**811**	1.91E-01	6.55E-02	3.24E-02	1.50E-02	1.91E-01	5.60E-02	2.16E-02	2.16E-02
812	**812**	1.55E-02	7.35E-03	3.64E-03	1.68E-03	1.55E-02	4.84E-03	1.71E-03	1.71E-03
813	**813**	1.63E-02	7.73E-03	3.83E-03	1.77E-03	1.63E-02	5.10E-03	1.80E-03	1.80E-03
814	**814**	1.73E-02	8.15E-03	4.04E-03	1.86E-03	1.73E-02	5.39E-03	1.90E-03	1.90E-03
815	**815**	1.83E-02	8.62E-03	4.27E-03	1.97E-03	1.83E-02	5.70E-03	2.01E-03	2.01E-03
816	**816**	1.94E-02	9.14E-03	4.53E-03	2.09E-03	1.94E-02	6.04E-03	2.13E-03	2.13E-03
817	**817**	2.06E-02	9.71E-03	4.81E-03	2.22E-03	2.06E-02	6.43E-03	2.27E-03	2.27E-03
818	**818**	2.20E-02	1.03E-02	5.12E-03	2.36E-03	2.20E-02	6.85E-03	2.42E-03	2.42E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
819	**819**	2.35E-02	1.10E-02	5.46E-03	2.52E-03	2.35E-02	7.32E-03	2.59E-03	2.59E-03
820	**820**	2.52E-02	1.18E-02	5.84E-03	2.70E-03	2.52E-02	7.86E-03	2.78E-03	2.78E-03
821	**821**	2.72E-02	1.26E-02	6.26E-03	2.89E-03	2.72E-02	8.45E-03	3.00E-03	3.00E-03
822	**822**	2.94E-02	1.36E-02	6.73E-03	3.11E-03	2.94E-02	9.13E-03	3.24E-03	3.24E-03
823	**823**	3.19E-02	1.47E-02	7.26E-03	3.35E-03	3.19E-02	9.89E-03	3.52E-03	3.52E-03
824	**824**	3.48E-02	1.58E-02	7.85E-03	3.63E-03	3.48E-02	1.08E-02	3.84E-03	3.84E-03
825	**825**	3.80E-02	1.71E-02	8.49E-03	3.92E-03	3.80E-02	1.17E-02	4.20E-03	4.20E-03
826	**826**	4.17E-02	1.86E-02	9.22E-03	4.26E-03	4.17E-02	1.29E-02	4.62E-03	4.62E-03
827	**827**	4.60E-02	2.03E-02	1.01E-02	4.64E-03	4.60E-02	1.42E-02	5.11E-03	5.11E-03
828	**828**	5.12E-02	2.23E-02	1.10E-02	5.09E-03	5.12E-02	1.57E-02	5.68E-03	5.68E-03
829	**829**	5.72E-02	2.46E-02	1.22E-02	5.63E-03	5.72E-02	1.75E-02	6.35E-03	6.35E-03
830	**830**	6.41E-02	2.72E-02	1.35E-02	6.21E-03	6.41E-02	1.96E-02	7.14E-03	7.14E-03
831	**831**	7.22E-02	3.00E-02	1.49E-02	6.87E-03	7.22E-02	2.19E-02	8.05E-03	8.05E-03
832	**832**	8.13E-02	3.31E-02	1.64E-02	7.57E-03	8.13E-02	2.46E-02	9.09E-03	9.09E-03
833	**833**	9.14E-02	3.61E-02	1.79E-02	8.27E-03	9.14E-02	2.75E-02	1.02E-02	1.02E-02
834	**834**	1.02E-01	3.93E-02	1.95E-02	8.98E-03	1.02E-01	3.05E-02	1.14E-02	1.14E-02
835	**835**	1.12E-01	4.22E-02	2.09E-02	9.65E-03	1.12E-01	3.35E-02	1.26E-02	1.26E-02
836	**836**	1.04E-01	4.51E-02	2.23E-02	1.03E-02	1.04E-01	3.18E-02	1.15E-02	1.15E-02
837	**837**	1.30E-01	4.77E-02	2.36E-02	1.09E-02	1.30E-01	3.85E-02	1.46E-02	1.46E-02
838	**838**	1.37E-01	5.00E-02	2.48E-02	1.14E-02	1.37E-01	4.06E-02	1.54E-02	1.54E-02
839	**839**	1.25E-01	5.21E-02	2.58E-02	1.19E-02	1.25E-01	3.81E-02	1.40E-02	1.40E-02
840	**840**	1.30E-01	5.38E-02	2.66E-02	1.23E-02	1.30E-01	3.95E-02	1.45E-02	1.45E-02
841	**841**	1.36E-01	5.53E-02	2.74E-02	1.26E-02	1.36E-01	4.11E-02	1.52E-02	1.52E-02
842	**842**	1.59E-01	5.64E-02	2.79E-02	1.29E-02	1.59E-01	4.69E-02	1.80E-02	1.80E-02
843	**843**	1.45E-01	5.74E-02	2.84E-02	1.31E-02	1.45E-01	4.37E-02	1.63E-02	1.63E-02
844	**844**	1.49E-01	5.81E-02	2.88E-02	1.33E-02	1.49E-01	4.48E-02	1.68E-02	1.68E-02
845	**845**	1.56E-01	5.86E-02	2.90E-02	1.34E-02	1.56E-01	4.65E-02	1.75E-02	1.75E-02
846	**846**	1.81E-01	5.90E-02	2.92E-02	1.35E-02	1.81E-01	5.27E-02	2.06E-02	2.06E-02
847	**847**	1.69E-01	5.92E-02	2.93E-02	1.35E-02	1.69E-01	4.97E-02	1.91E-02	1.91E-02
848	**848**	1.77E-01	5.93E-02	2.93E-02	1.36E-02	1.77E-01	5.17E-02	2.00E-02	2.00E-02

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
849	**849**	1.91E-01	5.92E-02	2.93E-02	1.35E-02	1.91E-01	5.50E-02	2.17E-02	2.17E-02
850	**850**	2.12E-01	5.90E-02	2.92E-02	1.35E-02	2.12E-01	6.03E-02	2.43E-02	2.43E-02
851	**851**	1.88E-01	5.87E-02	2.91E-02	1.34E-02	1.88E-01	5.44E-02	2.15E-02	2.15E-02
852	**852**	1.55E-02	7.06E-03	3.50E-03	1.62E-03	1.55E-02	4.79E-03	1.71E-03	1.71E-03
853	**853**	1.63E-02	7.41E-03	3.67E-03	1.70E-03	1.63E-02	5.05E-03	1.80E-03	1.80E-03
854	**854**	1.73E-02	7.80E-03	3.86E-03	1.78E-03	1.73E-02	5.34E-03	1.91E-03	1.91E-03
855	**855**	1.83E-02	8.25E-03	4.08E-03	1.89E-03	1.83E-02	5.66E-03	2.03E-03	2.03E-03
856	**856**	1.95E-02	8.73E-03	4.32E-03	2.00E-03	1.95E-02	6.01E-03	2.16E-03	2.16E-03
857	**857**	2.08E-02	9.26E-03	4.59E-03	2.12E-03	2.08E-02	6.40E-03	2.30E-03	2.30E-03
858	**858**	2.22E-02	9.84E-03	4.87E-03	2.25E-03	2.22E-02	6.83E-03	2.46E-03	2.46E-03
859	**859**	2.38E-02	1.05E-02	5.19E-03	2.40E-03	2.38E-02	7.32E-03	2.64E-03	2.64E-03
860	**860**	2.56E-02	1.12E-02	5.53E-03	2.56E-03	2.56E-02	7.84E-03	2.84E-03	2.84E-03
861	**861**	2.76E-02	1.19E-02	5.91E-03	2.73E-03	2.76E-02	8.46E-03	3.07E-03	3.07E-03
862	**862**	2.99E-02	1.28E-02	6.34E-03	2.93E-03	2.99E-02	9.15E-03	3.33E-03	3.33E-03
863	**863**	3.26E-02	1.38E-02	6.82E-03	3.15E-03	3.26E-02	9.95E-03	3.64E-03	3.64E-03
864	**864**	3.58E-02	1.49E-02	7.36E-03	3.40E-03	3.58E-02	1.09E-02	3.99E-03	3.99E-03
865	**865**	3.94E-02	1.61E-02	7.95E-03	3.67E-03	3.94E-02	1.19E-02	4.40E-03	4.40E-03
866	**866**	4.36E-02	1.74E-02	8.62E-03	3.98E-03	4.36E-02	1.31E-02	4.88E-03	4.88E-03
867	**867**	4.86E-02	1.89E-02	9.38E-03	4.33E-03	4.86E-02	1.46E-02	5.45E-03	5.45E-03
868	**868**	5.46E-02	2.07E-02	1.02E-02	4.73E-03	5.46E-02	1.63E-02	6.14E-03	6.14E-03
869	**869**	6.18E-02	2.26E-02	1.12E-02	5.17E-03	6.18E-02	1.83E-02	6.96E-03	6.96E-03
870	**870**	7.05E-02	2.49E-02	1.23E-02	5.69E-03	7.05E-02	2.08E-02	7.96E-03	7.96E-03
871	**871**	8.09E-02	2.73E-02	1.35E-02	6.25E-03	8.09E-02	2.37E-02	9.17E-03	9.17E-03
872	**872**	9.33E-02	2.98E-02	1.48E-02	6.82E-03	9.33E-02	2.70E-02	1.06E-02	1.06E-02
873	**873**	1.08E-01	3.25E-02	1.61E-02	7.43E-03	1.08E-01	3.09E-02	1.23E-02	1.23E-02
874	**874**	1.01E-01	3.51E-02	1.74E-02	8.02E-03	1.01E-01	2.97E-02	1.14E-02	1.14E-02
875	**875**	1.12E-01	3.77E-02	1.87E-02	8.62E-03	1.12E-01	3.26E-02	1.26E-02	1.26E-02
876	**876**	1.22E-01	4.01E-02	1.99E-02	9.18E-03	1.22E-01	3.56E-02	1.39E-02	1.39E-02
877	**877**	1.17E-01	4.25E-02	2.10E-02	9.72E-03	1.17E-01	3.45E-02	1.31E-02	1.31E-02
878	**878**	1.23E-01	4.46E-02	2.21E-02	1.02E-02	1.23E-01	3.65E-02	1.39E-02	1.39E-02

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 1 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	**Receptor #**	**Max Chronic**	**2031**	**2032**	**2033**	**2034**	**2035**	**2036**	**2037**
879	**879**	1.47E-01	4.65E-02	2.30E-02	1.06E-02	1.47E-01	4.27E-02	1.68E-02	1.68E-02
880	**880**	1.52E-01	4.81E-02	2.38E-02	1.10E-02	1.52E-01	4.40E-02	1.73E-02	1.73E-02
881	**881**	1.41E-01	4.95E-02	2.45E-02	1.13E-02	1.41E-01	4.15E-02	1.59E-02	1.59E-02
882	**882**	1.45E-01	5.06E-02	2.51E-02	1.16E-02	1.45E-01	4.26E-02	1.63E-02	1.63E-02
883	**883**	1.68E-01	5.15E-02	2.55E-02	1.18E-02	1.68E-01	4.84E-02	1.91E-02	1.91E-02
884	**884**	1.72E-01	5.22E-02	2.59E-02	1.19E-02	1.72E-01	4.94E-02	1.96E-02	1.96E-02
885	**885**	1.61E-01	5.27E-02	2.61E-02	1.21E-02	1.61E-01	4.69E-02	1.83E-02	1.83E-02
886	**886**	1.66E-01	5.31E-02	2.63E-02	1.21E-02	1.66E-01	4.81E-02	1.89E-02	1.89E-02
887	**887**	1.91E-01	5.33E-02	2.64E-02	1.22E-02	1.91E-01	5.42E-02	2.19E-02	2.19E-02
888	**888**	1.97E-01	5.34E-02	2.65E-02	1.22E-02	1.97E-01	5.58E-02	2.26E-02	2.26E-02
889	**889**	1.92E-01	5.34E-02	2.65E-02	1.22E-02	1.92E-01	5.45E-02	2.20E-02	2.20E-02
890	**890**	1.90E-01	5.33E-02	2.64E-02	1.22E-02	1.90E-01	5.39E-02	2.17E-02	2.17E-02
891	**891**	2.25E-01	5.30E-02	2.62E-02	1.21E-02	2.25E-01	6.26E-02	2.61E-02	2.61E-02

One San Pedro Specific Plan
MERV 13 Incorporation

		Factor
EF =	Exposure frequency in days per year	350
EFa =	Exp. Freq adjusted outside; only 2.3	33.5
EFai =	Exp. Freq adjusted inside; 16.9 hours/day	316.5
FE =	Filter Efficiency	85%
DPM =	Percent of risk associated with DPM	100%

Equation =

Adjusted Risk = ([Unadjusted Risk]/EF*Efa)+((1-(FE*DPM))*([Unadjusted Risk]/EF*Efai))

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	1.02E-02	1.3E-01	3.46E-04	4.63E-05	1.75E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
522	13.42671	1.02E-02	1.4E-01	3.46E-04	4.73E-05	1.75E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
523	16.26152	1.02E-02	1.7E-01	3.46E-04	5.73E-05	1.75E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
524	13.55962	1.02E-02	1.4E-01	3.46E-04	4.77E-05	1.75E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
525	13.41509	1.02E-02	1.4E-01	3.46E-04	4.72E-05	1.75E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
526	13.62851	1.02E-02	1.4E-01	3.46E-04	4.80E-05	1.75E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
527	16.3735	1.02E-02	1.7E-01	3.46E-04	5.76E-05	1.75E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
528	13.61294	1.02E-02	1.4E-01	3.46E-04	4.79E-05	1.75E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
529	13.39753	1.02E-02	1.4E-01	3.46E-04	4.72E-05	1.75E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
530	13.5313	1.02E-02	1.4E-01	3.46E-04	4.76E-05	1.75E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
531	16.18516	1.02E-02	1.6E-01	3.46E-04	5.70E-05	1.75E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
532	1.06064	1.02E-02	1.1E-02	3.46E-04	3.73E-06	1.75E-01	1.57E-01	1.03E-07	1.0E+06	1.0E-01
533	1.12869	1.02E-02	1.1E-02	3.46E-04	3.97E-06	1.75E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
534	1.20356	1.02E-02	1.2E-02	3.46E-04	4.24E-06	1.75E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
535	1.28482	1.02E-02	1.3E-02	3.46E-04	4.52E-06	1.75E-01	1.57E-01	1.25E-07	1.0E+06	1.2E-01
536	1.37567	1.02E-02	1.4E-02	3.46E-04	4.84E-06	1.75E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
537	1.47718	1.02E-02	1.5E-02	3.46E-04	5.20E-06	1.75E-01	1.57E-01	1.43E-07	1.0E+06	1.4E-01
538	1.59013	1.02E-02	1.6E-02	3.46E-04	5.60E-06	1.75E-01	1.57E-01	1.54E-07	1.0E+06	1.5E-01
539	1.72154	1.02E-02	1.8E-02	3.46E-04	6.06E-06	1.75E-01	1.57E-01	1.67E-07	1.0E+06	1.7E-01
540	1.8733	1.02E-02	1.9E-02	3.46E-04	6.60E-06	1.75E-01	1.57E-01	1.82E-07	1.0E+06	1.8E-01
541	2.05003	1.02E-02	2.1E-02	3.46E-04	7.22E-06	1.75E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
542	2.25442	1.02E-02	2.3E-02	3.46E-04	7.94E-06	1.75E-01	1.57E-01	2.19E-07	1.0E+06	2.2E-01
543	2.49287	1.02E-02	2.5E-02	3.46E-04	8.78E-06	1.75E-01	1.57E-01	2.42E-07	1.0E+06	2.4E-01
544	2.77968	1.02E-02	2.8E-02	3.46E-04	9.79E-06	1.75E-01	1.57E-01	2.70E-07	1.0E+06	2.7E-01
545	3.11924	1.02E-02	3.2E-02	3.46E-04	1.10E-05	1.75E-01	1.57E-01	3.03E-07	1.0E+06	3.0E-01
546	3.53809	1.02E-02	3.6E-02	3.46E-04	1.25E-05	1.75E-01	1.57E-01	3.43E-07	1.0E+06	3.4E-01
547	4.06193	1.02E-02	4.1E-02	3.46E-04	1.43E-05	1.75E-01	1.57E-01	3.94E-07	1.0E+06	3.9E-01
548	4.73759	1.02E-02	4.8E-02	3.46E-04	1.67E-05	1.75E-01	1.57E-01	4.60E-07	1.0E+06	4.6E-01
549	5.62222	1.02E-02	5.7E-02	3.46E-04	1.98E-05	1.75E-01	1.57E-01	5.45E-07	1.0E+06	5.5E-01
550	6.77661	1.02E-02	6.9E-02	3.46E-04	2.39E-05	1.75E-01	1.57E-01	6.57E-07	1.0E+06	6.6E-01
551	8.20231	1.02E-02	8.3E-02	3.46E-04	2.89E-05	1.75E-01	1.57E-01	7.96E-07	1.0E+06	8.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	1.02E-02	1.0E-01	3.46E-04	3.45E-05	1.75E-01	1.57E-01	9.51E-07	1.0E+06	9.5E-01
553	8.04055	1.02E-02	8.2E-02	3.46E-04	2.83E-05	1.75E-01	1.57E-01	7.80E-07	1.0E+06	7.8E-01
554	12.82783	1.02E-02	1.3E-01	3.46E-04	4.52E-05	1.75E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
555	14.09872	1.02E-02	1.4E-01	3.46E-04	4.96E-05	1.75E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
556	15.24682	1.02E-02	1.6E-01	3.46E-04	5.37E-05	1.75E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
557	12.89666	1.02E-02	1.3E-01	3.46E-04	4.54E-05	1.75E-01	1.57E-01	1.25E-06	1.0E+06	1.3E+00
558	13.02033	1.02E-02	1.3E-01	3.46E-04	4.58E-05	1.75E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
559	13.29197	1.02E-02	1.4E-01	3.46E-04	4.68E-05	1.75E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
560	13.87535	1.02E-02	1.4E-01	3.46E-04	4.89E-05	1.75E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
561	11.36418	1.02E-02	1.2E-01	3.46E-04	4.00E-05	1.75E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
562	14.14145	1.02E-02	1.4E-01	3.46E-04	4.98E-05	1.75E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
563	13.97398	1.02E-02	1.4E-01	3.46E-04	4.92E-05	1.75E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
564	14.31429	1.02E-02	1.5E-01	3.46E-04	5.04E-05	1.75E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
565	11.68449	1.02E-02	1.2E-01	3.46E-04	4.11E-05	1.75E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
566	14.33447	1.02E-02	1.5E-01	3.46E-04	5.05E-05	1.75E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
567	14.10794	1.02E-02	1.4E-01	3.46E-04	4.97E-05	1.75E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
568	14.3734	1.02E-02	1.5E-01	3.46E-04	5.06E-05	1.75E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
569	11.67986	1.02E-02	1.2E-01	3.46E-04	4.11E-05	1.75E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
570	14.24165	1.02E-02	1.4E-01	3.46E-04	5.01E-05	1.75E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
571	13.93759	1.02E-02	1.4E-01	3.46E-04	4.91E-05	1.75E-01	1.57E-01	1.35E-06	1.0E+06	1.4E+00
572	1.03466	1.02E-02	1.1E-02	3.46E-04	3.64E-06	1.75E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
573	1.10194	1.02E-02	1.1E-02	3.46E-04	3.88E-06	1.75E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
574	1.17546	1.02E-02	1.2E-02	3.46E-04	4.14E-06	1.75E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
575	1.25335	1.02E-02	1.3E-02	3.46E-04	4.41E-06	1.75E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
576	1.34	1.02E-02	1.4E-02	3.46E-04	4.72E-06	1.75E-01	1.57E-01	1.30E-07	1.0E+06	1.3E-01
577	1.43451	1.02E-02	1.5E-02	3.46E-04	5.05E-06	1.75E-01	1.57E-01	1.39E-07	1.0E+06	1.4E-01
578	1.53878	1.02E-02	1.6E-02	3.46E-04	5.42E-06	1.75E-01	1.57E-01	1.49E-07	1.0E+06	1.5E-01
579	1.65936	1.02E-02	1.7E-02	3.46E-04	5.84E-06	1.75E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
580	1.80491	1.02E-02	1.8E-02	3.46E-04	6.35E-06	1.75E-01	1.57E-01	1.75E-07	1.0E+06	1.8E-01
581	1.96968	1.02E-02	2.0E-02	3.46E-04	6.93E-06	1.75E-01	1.57E-01	1.91E-07	1.0E+06	1.9E-01
582	2.16146	1.02E-02	2.2E-02	3.46E-04	7.61E-06	1.75E-01	1.57E-01	2.10E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	1.02E-02	2.4E-02	3.46E-04	8.40E-06	1.75E-01	1.57E-01	2.31E-07	1.0E+06	2.3E-01
584	2.64683	1.02E-02	2.7E-02	3.46E-04	9.32E-06	1.75E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01
585	2.95313	1.02E-02	3.0E-02	3.46E-04	1.04E-05	1.75E-01	1.57E-01	2.86E-07	1.0E+06	2.9E-01
586	3.32209	1.02E-02	3.4E-02	3.46E-04	1.17E-05	1.75E-01	1.57E-01	3.22E-07	1.0E+06	3.2E-01
587	3.77754	1.02E-02	3.8E-02	3.46E-04	1.33E-05	1.75E-01	1.57E-01	3.66E-07	1.0E+06	3.7E-01
588	4.3458	1.02E-02	4.4E-02	3.46E-04	1.53E-05	1.75E-01	1.57E-01	4.22E-07	1.0E+06	4.2E-01
589	5.06316	1.02E-02	5.1E-02	3.46E-04	1.78E-05	1.75E-01	1.57E-01	4.91E-07	1.0E+06	4.9E-01
590	5.95537	1.02E-02	6.1E-02	3.46E-04	2.10E-05	1.75E-01	1.57E-01	5.78E-07	1.0E+06	5.8E-01
591	7.01638	1.02E-02	7.1E-02	3.46E-04	2.47E-05	1.75E-01	1.57E-01	6.81E-07	1.0E+06	6.8E-01
592	8.18332	1.02E-02	8.3E-02	3.46E-04	2.88E-05	1.75E-01	1.57E-01	7.94E-07	1.0E+06	7.9E-01
593	9.36805	1.02E-02	9.5E-02	3.46E-04	3.30E-05	1.75E-01	1.57E-01	9.09E-07	1.0E+06	9.1E-01
594	10.48234	1.02E-02	1.1E-01	3.46E-04	3.69E-05	1.75E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
595	11.50388	1.02E-02	1.2E-01	3.46E-04	4.05E-05	1.75E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
596	12.42412	1.02E-02	1.3E-01	3.46E-04	4.37E-05	1.75E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
597	13.24333	1.02E-02	1.3E-01	3.46E-04	4.66E-05	1.75E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
598	13.90912	1.02E-02	1.4E-01	3.46E-04	4.90E-05	1.75E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
599	14.36838	1.02E-02	1.5E-01	3.46E-04	5.06E-05	1.75E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
600	14.66246	1.02E-02	1.5E-01	3.46E-04	5.16E-05	1.75E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
601	14.85988	1.02E-02	1.5E-01	3.46E-04	5.23E-05	1.75E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
602	15.00029	1.02E-02	1.5E-01	3.46E-04	5.28E-05	1.75E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
603	15.09006	1.02E-02	1.5E-01	3.46E-04	5.31E-05	1.75E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
604	15.14878	1.02E-02	1.5E-01	3.46E-04	5.33E-05	1.75E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
605	15.17959	1.02E-02	1.5E-01	3.46E-04	5.34E-05	1.75E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
606	15.21155	1.02E-02	1.5E-01	3.46E-04	5.36E-05	1.75E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
607	15.21847	1.02E-02	1.5E-01	3.46E-04	5.36E-05	1.75E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
608	15.19797	1.02E-02	1.5E-01	3.46E-04	5.35E-05	1.75E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
609	15.15562	1.02E-02	1.5E-01	3.46E-04	5.34E-05	1.75E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
610	15.11091	1.02E-02	1.5E-01	3.46E-04	5.32E-05	1.75E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
611	15.04171	1.02E-02	1.5E-01	3.46E-04	5.30E-05	1.75E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
612	1.00789	1.02E-02	1.0E-02	3.46E-04	3.55E-06	1.75E-01	1.57E-01	9.78E-08	1.0E+06	9.8E-02
613	1.07444	1.02E-02	1.1E-02	3.46E-04	3.78E-06	1.75E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	1.02E-02	1.2E-02	3.46E-04	4.04E-06	1.75E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01
615	1.22081	1.02E-02	1.2E-02	3.46E-04	4.30E-06	1.75E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01
616	1.30327	1.02E-02	1.3E-02	3.46E-04	4.59E-06	1.75E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
617	1.39136	1.02E-02	1.4E-02	3.46E-04	4.90E-06	1.75E-01	1.57E-01	1.35E-07	1.0E+06	1.3E-01
618	1.48675	1.02E-02	1.5E-02	3.46E-04	5.23E-06	1.75E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
619	1.59425	1.02E-02	1.6E-02	3.46E-04	5.61E-06	1.75E-01	1.57E-01	1.55E-07	1.0E+06	1.5E-01
620	1.72719	1.02E-02	1.8E-02	3.46E-04	6.08E-06	1.75E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
621	1.88709	1.02E-02	1.9E-02	3.46E-04	6.64E-06	1.75E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
622	2.06451	1.02E-02	2.1E-02	3.46E-04	7.27E-06	1.75E-01	1.57E-01	2.00E-07	1.0E+06	2.0E-01
623	2.27045	1.02E-02	2.3E-02	3.46E-04	7.99E-06	1.75E-01	1.57E-01	2.20E-07	1.0E+06	2.2E-01
624	2.51142	1.02E-02	2.6E-02	3.46E-04	8.84E-06	1.75E-01	1.57E-01	2.44E-07	1.0E+06	2.4E-01
625	2.78618	1.02E-02	2.8E-02	3.46E-04	9.81E-06	1.75E-01	1.57E-01	2.70E-07	1.0E+06	2.7E-01
626	3.11158	1.02E-02	3.2E-02	3.46E-04	1.10E-05	1.75E-01	1.57E-01	3.02E-07	1.0E+06	3.0E-01
627	3.50447	1.02E-02	3.6E-02	3.46E-04	1.23E-05	1.75E-01	1.57E-01	3.40E-07	1.0E+06	3.4E-01
628	3.98435	1.02E-02	4.1E-02	3.46E-04	1.40E-05	1.75E-01	1.57E-01	3.87E-07	1.0E+06	3.9E-01
629	4.56893	1.02E-02	4.6E-02	3.46E-04	1.61E-05	1.75E-01	1.57E-01	4.43E-07	1.0E+06	4.4E-01
630	5.27449	1.02E-02	5.4E-02	3.46E-04	1.86E-05	1.75E-01	1.57E-01	5.12E-07	1.0E+06	5.1E-01
631	6.08982	1.02E-02	6.2E-02	3.46E-04	2.14E-05	1.75E-01	1.57E-01	5.91E-07	1.0E+06	5.9E-01
632	6.98008	1.02E-02	7.1E-02	3.46E-04	2.46E-05	1.75E-01	1.57E-01	6.77E-07	1.0E+06	6.8E-01
633	7.89728	1.02E-02	8.0E-02	3.46E-04	2.78E-05	1.75E-01	1.57E-01	7.66E-07	1.0E+06	7.7E-01
634	8.7815	1.02E-02	8.9E-02	3.46E-04	3.09E-05	1.75E-01	1.57E-01	8.52E-07	1.0E+06	8.5E-01
635	9.60354	1.02E-02	9.8E-02	3.46E-04	3.38E-05	1.75E-01	1.57E-01	9.32E-07	1.0E+06	9.3E-01
636	10.35005	1.02E-02	1.1E-01	3.46E-04	3.64E-05	1.75E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
637	11.00384	1.02E-02	1.1E-01	3.46E-04	3.87E-05	1.75E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
638	11.54147	1.02E-02	1.2E-01	3.46E-04	4.06E-05	1.75E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
639	11.94826	1.02E-02	1.2E-01	3.46E-04	4.21E-05	1.75E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
640	12.23382	1.02E-02	1.2E-01	3.46E-04	4.31E-05	1.75E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
641	12.43817	1.02E-02	1.3E-01	3.46E-04	4.38E-05	1.75E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
642	12.5835	1.02E-02	1.3E-01	3.46E-04	4.43E-05	1.75E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
643	12.6861	1.02E-02	1.3E-01	3.46E-04	4.47E-05	1.75E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
644	12.7652	1.02E-02	1.3E-01	3.46E-04	4.49E-05	1.75E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	1.02E-02	1.3E-01	3.46E-04	4.51E-05	1.75E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
646	12.83596	1.02E-02	1.3E-01	3.46E-04	4.52E-05	1.75E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
647	12.84298	1.02E-02	1.3E-01	3.46E-04	4.52E-05	1.75E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
648	12.83467	1.02E-02	1.3E-01	3.46E-04	4.52E-05	1.75E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
649	12.80559	1.02E-02	1.3E-01	3.46E-04	4.51E-05	1.75E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
650	12.75963	1.02E-02	1.3E-01	3.46E-04	4.49E-05	1.75E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
651	12.69539	1.02E-02	1.3E-01	3.46E-04	4.47E-05	1.75E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
652	0.97402	1.02E-02	9.9E-03	3.46E-04	3.43E-06	1.75E-01	1.57E-01	9.45E-08	1.0E+06	9.4E-02
653	1.03573	1.02E-02	1.1E-02	3.46E-04	3.65E-06	1.75E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
654	1.1025	1.02E-02	1.1E-02	3.46E-04	3.88E-06	1.75E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
655	1.17235	1.02E-02	1.2E-02	3.46E-04	4.13E-06	1.75E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
656	1.24971	1.02E-02	1.3E-02	3.46E-04	4.40E-06	1.75E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
657	1.33283	1.02E-02	1.4E-02	3.46E-04	4.69E-06	1.75E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
658	1.42351	1.02E-02	1.4E-02	3.46E-04	5.01E-06	1.75E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
659	1.52535	1.02E-02	1.6E-02	3.46E-04	5.37E-06	1.75E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
660	1.64887	1.02E-02	1.7E-02	3.46E-04	5.81E-06	1.75E-01	1.57E-01	1.60E-07	1.0E+06	1.6E-01
661	1.78831	1.02E-02	1.8E-02	3.46E-04	6.30E-06	1.75E-01	1.57E-01	1.73E-07	1.0E+06	1.7E-01
662	1.95291	1.02E-02	2.0E-02	3.46E-04	6.88E-06	1.75E-01	1.57E-01	1.89E-07	1.0E+06	1.9E-01
663	2.14059	1.02E-02	2.2E-02	3.46E-04	7.54E-06	1.75E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01
664	2.35977	1.02E-02	2.4E-02	3.46E-04	8.31E-06	1.75E-01	1.57E-01	2.29E-07	1.0E+06	2.3E-01
665	2.59747	1.02E-02	2.6E-02	3.46E-04	9.14E-06	1.75E-01	1.57E-01	2.52E-07	1.0E+06	2.5E-01
666	2.8754	1.02E-02	2.9E-02	3.46E-04	1.01E-05	1.75E-01	1.57E-01	2.79E-07	1.0E+06	2.8E-01
667	3.21769	1.02E-02	3.3E-02	3.46E-04	1.13E-05	1.75E-01	1.57E-01	3.12E-07	1.0E+06	3.1E-01
668	3.61969	1.02E-02	3.7E-02	3.46E-04	1.27E-05	1.75E-01	1.57E-01	3.51E-07	1.0E+06	3.5E-01
669	4.10847	1.02E-02	4.2E-02	3.46E-04	1.45E-05	1.75E-01	1.57E-01	3.99E-07	1.0E+06	4.0E-01
670	4.68552	1.02E-02	4.8E-02	3.46E-04	1.65E-05	1.75E-01	1.57E-01	4.55E-07	1.0E+06	4.5E-01
671	5.33428	1.02E-02	5.4E-02	3.46E-04	1.88E-05	1.75E-01	1.57E-01	5.17E-07	1.0E+06	5.2E-01
672	6.04383	1.02E-02	6.1E-02	3.46E-04	2.13E-05	1.75E-01	1.57E-01	5.86E-07	1.0E+06	5.9E-01
673	6.77602	1.02E-02	6.9E-02	3.46E-04	2.39E-05	1.75E-01	1.57E-01	6.57E-07	1.0E+06	6.6E-01
674	7.4948	1.02E-02	7.6E-02	3.46E-04	2.64E-05	1.75E-01	1.57E-01	7.27E-07	1.0E+06	7.3E-01
675	8.16492	1.02E-02	8.3E-02	3.46E-04	2.87E-05	1.75E-01	1.57E-01	7.92E-07	1.0E+06	7.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	1.02E-02	8.9E-02	3.46E-04	3.09E-05	1.75E-01	1.57E-01	8.52E-07	1.0E+06	8.5E-01
677	9.32065	1.02E-02	9.5E-02	3.46E-04	3.28E-05	1.75E-01	1.57E-01	9.04E-07	1.0E+06	9.0E-01
678	9.77043	1.02E-02	9.9E-02	3.46E-04	3.44E-05	1.75E-01	1.57E-01	9.48E-07	1.0E+06	9.5E-01
679	10.12687	1.02E-02	1.0E-01	3.46E-04	3.57E-05	1.75E-01	1.57E-01	9.82E-07	1.0E+06	9.8E-01
680	10.39762	1.02E-02	1.1E-01	3.46E-04	3.66E-05	1.75E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
681	10.5989	1.02E-02	1.1E-01	3.46E-04	3.73E-05	1.75E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
682	10.7487	1.02E-02	1.1E-01	3.46E-04	3.78E-05	1.75E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
683	10.85911	1.02E-02	1.1E-01	3.46E-04	3.82E-05	1.75E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
684	10.9435	1.02E-02	1.1E-01	3.46E-04	3.85E-05	1.75E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
685	10.99739	1.02E-02	1.1E-01	3.46E-04	3.87E-05	1.75E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
686	11.02399	1.02E-02	1.1E-01	3.46E-04	3.88E-05	1.75E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
687	11.03343	1.02E-02	1.1E-01	3.46E-04	3.88E-05	1.75E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
688	11.03012	1.02E-02	1.1E-01	3.46E-04	3.88E-05	1.75E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
689	11.00788	1.02E-02	1.1E-01	3.46E-04	3.88E-05	1.75E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
690	10.96701	1.02E-02	1.1E-01	3.46E-04	3.86E-05	1.75E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
691	10.90924	1.02E-02	1.1E-01	3.46E-04	3.84E-05	1.75E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
692	0.93901	1.02E-02	9.6E-03	3.46E-04	3.31E-06	1.75E-01	1.57E-01	9.11E-08	1.0E+06	9.1E-02
693	0.99508	1.02E-02	1.0E-02	3.46E-04	3.50E-06	1.75E-01	1.57E-01	9.65E-08	1.0E+06	9.7E-02
694	1.05612	1.02E-02	1.1E-02	3.46E-04	3.72E-06	1.75E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
695	1.12167	1.02E-02	1.1E-02	3.46E-04	3.95E-06	1.75E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
696	1.19382	1.02E-02	1.2E-02	3.46E-04	4.20E-06	1.75E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
697	1.27273	1.02E-02	1.3E-02	3.46E-04	4.48E-06	1.75E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
698	1.35929	1.02E-02	1.4E-02	3.46E-04	4.79E-06	1.75E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01
699	1.45608	1.02E-02	1.5E-02	3.46E-04	5.13E-06	1.75E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
700	1.57018	1.02E-02	1.6E-02	3.46E-04	5.53E-06	1.75E-01	1.57E-01	1.52E-07	1.0E+06	1.5E-01
701	1.69898	1.02E-02	1.7E-02	3.46E-04	5.98E-06	1.75E-01	1.57E-01	1.65E-07	1.0E+06	1.6E-01
702	1.84319	1.02E-02	1.9E-02	3.46E-04	6.49E-06	1.75E-01	1.57E-01	1.79E-07	1.0E+06	1.8E-01
703	2.00569	1.02E-02	2.0E-02	3.46E-04	7.06E-06	1.75E-01	1.57E-01	1.95E-07	1.0E+06	1.9E-01
704	2.20067	1.02E-02	2.2E-02	3.46E-04	7.75E-06	1.75E-01	1.57E-01	2.13E-07	1.0E+06	2.1E-01
705	2.41372	1.02E-02	2.5E-02	3.46E-04	8.50E-06	1.75E-01	1.57E-01	2.34E-07	1.0E+06	2.3E-01
706	2.65164	1.02E-02	2.7E-02	3.46E-04	9.34E-06	1.75E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	1.02E-02	3.0E-02	3.46E-04	1.04E-05	1.75E-01	1.57E-01	2.85E-07	1.0E+06	2.9E-01
708	3.2896	1.02E-02	3.3E-02	3.46E-04	1.16E-05	1.75E-01	1.57E-01	3.19E-07	1.0E+06	3.2E-01
709	3.68826	1.02E-02	3.8E-02	3.46E-04	1.30E-05	1.75E-01	1.57E-01	3.58E-07	1.0E+06	3.6E-01
710	4.18126	1.02E-02	4.3E-02	3.46E-04	1.47E-05	1.75E-01	1.57E-01	4.06E-07	1.0E+06	4.1E-01
711	4.72232	1.02E-02	4.8E-02	3.46E-04	1.66E-05	1.75E-01	1.57E-01	4.58E-07	1.0E+06	4.6E-01
712	5.29922	1.02E-02	5.4E-02	3.46E-04	1.87E-05	1.75E-01	1.57E-01	5.14E-07	1.0E+06	5.1E-01
713	5.90104	1.02E-02	6.0E-02	3.46E-04	2.08E-05	1.75E-01	1.57E-01	5.72E-07	1.0E+06	5.7E-01
714	6.49482	1.02E-02	6.6E-02	3.46E-04	2.29E-05	1.75E-01	1.57E-01	6.30E-07	1.0E+06	6.3E-01
715	7.05396	1.02E-02	7.2E-02	3.46E-04	2.48E-05	1.75E-01	1.57E-01	6.84E-07	1.0E+06	6.8E-01
716	7.56531	1.02E-02	7.7E-02	3.46E-04	2.66E-05	1.75E-01	1.57E-01	7.34E-07	1.0E+06	7.3E-01
717	8.02268	1.02E-02	8.2E-02	3.46E-04	2.82E-05	1.75E-01	1.57E-01	7.78E-07	1.0E+06	7.8E-01
718	8.402	1.02E-02	8.5E-02	3.46E-04	2.96E-05	1.75E-01	1.57E-01	8.15E-07	1.0E+06	8.2E-01
719	8.71664	1.02E-02	8.9E-02	3.46E-04	3.07E-05	1.75E-01	1.57E-01	8.46E-07	1.0E+06	8.5E-01
720	8.96577	1.02E-02	9.1E-02	3.46E-04	3.16E-05	1.75E-01	1.57E-01	8.70E-07	1.0E+06	8.7E-01
721	9.16053	1.02E-02	9.3E-02	3.46E-04	3.23E-05	1.75E-01	1.57E-01	8.89E-07	1.0E+06	8.9E-01
722	9.30962	1.02E-02	9.5E-02	3.46E-04	3.28E-05	1.75E-01	1.57E-01	9.03E-07	1.0E+06	9.0E-01
723	9.42495	1.02E-02	9.6E-02	3.46E-04	3.32E-05	1.75E-01	1.57E-01	9.14E-07	1.0E+06	9.1E-01
724	9.51029	1.02E-02	9.7E-02	3.46E-04	3.35E-05	1.75E-01	1.57E-01	9.23E-07	1.0E+06	9.2E-01
725	9.56893	1.02E-02	9.7E-02	3.46E-04	3.37E-05	1.75E-01	1.57E-01	9.28E-07	1.0E+06	9.3E-01
726	9.59872	1.02E-02	9.8E-02	3.46E-04	3.38E-05	1.75E-01	1.57E-01	9.31E-07	1.0E+06	9.3E-01
727	9.61129	1.02E-02	9.8E-02	3.46E-04	3.38E-05	1.75E-01	1.57E-01	9.32E-07	1.0E+06	9.3E-01
728	9.61105	1.02E-02	9.8E-02	3.46E-04	3.38E-05	1.75E-01	1.57E-01	9.32E-07	1.0E+06	9.3E-01
729	9.59379	1.02E-02	9.8E-02	3.46E-04	3.38E-05	1.75E-01	1.57E-01	9.31E-07	1.0E+06	9.3E-01
730	9.55865	1.02E-02	9.7E-02	3.46E-04	3.37E-05	1.75E-01	1.57E-01	9.27E-07	1.0E+06	9.3E-01
731	9.50715	1.02E-02	9.7E-02	3.46E-04	3.35E-05	1.75E-01	1.57E-01	9.22E-07	1.0E+06	9.2E-01
732	0.90373	1.02E-02	9.2E-03	3.46E-04	3.18E-06	1.75E-01	1.57E-01	8.77E-08	1.0E+06	8.8E-02
733	0.95396	1.02E-02	9.7E-03	3.46E-04	3.36E-06	1.75E-01	1.57E-01	9.25E-08	1.0E+06	9.3E-02
734	1.00909	1.02E-02	1.0E-02	3.46E-04	3.55E-06	1.75E-01	1.57E-01	9.79E-08	1.0E+06	9.8E-02
735	1.07021	1.02E-02	1.1E-02	3.46E-04	3.77E-06	1.75E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
736	1.13747	1.02E-02	1.2E-02	3.46E-04	4.00E-06	1.75E-01	1.57E-01	1.10E-07	1.0E+06	1.1E-01
737	1.212	1.02E-02	1.2E-02	3.46E-04	4.27E-06	1.75E-01	1.57E-01	1.18E-07	1.0E+06	1.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	1.02E-02	1.3E-02	3.46E-04	4.56E-06	1.75E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
739	1.38707	1.02E-02	1.4E-02	3.46E-04	4.88E-06	1.75E-01	1.57E-01	1.35E-07	1.0E+06	1.3E-01
740	1.49283	1.02E-02	1.5E-02	3.46E-04	5.26E-06	1.75E-01	1.57E-01	1.45E-07	1.0E+06	1.4E-01
741	1.61098	1.02E-02	1.6E-02	3.46E-04	5.67E-06	1.75E-01	1.57E-01	1.56E-07	1.0E+06	1.6E-01
742	1.74199	1.02E-02	1.8E-02	3.46E-04	6.13E-06	1.75E-01	1.57E-01	1.69E-07	1.0E+06	1.7E-01
743	1.88714	1.02E-02	1.9E-02	3.46E-04	6.64E-06	1.75E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
744	2.05276	1.02E-02	2.1E-02	3.46E-04	7.23E-06	1.75E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
745	2.23004	1.02E-02	2.3E-02	3.46E-04	7.85E-06	1.75E-01	1.57E-01	2.16E-07	1.0E+06	2.2E-01
746	2.43234	1.02E-02	2.5E-02	3.46E-04	8.56E-06	1.75E-01	1.57E-01	2.36E-07	1.0E+06	2.4E-01
747	2.6707	1.02E-02	2.7E-02	3.46E-04	9.40E-06	1.75E-01	1.57E-01	2.59E-07	1.0E+06	2.6E-01
748	2.98706	1.02E-02	3.0E-02	3.46E-04	1.05E-05	1.75E-01	1.57E-01	2.90E-07	1.0E+06	2.9E-01
749	3.33587	1.02E-02	3.4E-02	3.46E-04	1.17E-05	1.75E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01
750	3.73979	1.02E-02	3.8E-02	3.46E-04	1.32E-05	1.75E-01	1.57E-01	3.63E-07	1.0E+06	3.6E-01
751	4.20311	1.02E-02	4.3E-02	3.46E-04	1.48E-05	1.75E-01	1.57E-01	4.08E-07	1.0E+06	4.1E-01
752	4.6967	1.02E-02	4.8E-02	3.46E-04	1.65E-05	1.75E-01	1.57E-01	4.56E-07	1.0E+06	4.6E-01
753	5.19712	1.02E-02	5.3E-02	3.46E-04	1.83E-05	1.75E-01	1.57E-01	5.04E-07	1.0E+06	5.0E-01
754	5.69529	1.02E-02	5.8E-02	3.46E-04	2.01E-05	1.75E-01	1.57E-01	5.52E-07	1.0E+06	5.5E-01
755	6.16683	1.02E-02	6.3E-02	3.46E-04	2.17E-05	1.75E-01	1.57E-01	5.98E-07	1.0E+06	6.0E-01
756	6.59832	1.02E-02	6.7E-02	3.46E-04	2.32E-05	1.75E-01	1.57E-01	6.40E-07	1.0E+06	6.4E-01
757	6.9913	1.02E-02	7.1E-02	3.46E-04	2.46E-05	1.75E-01	1.57E-01	6.78E-07	1.0E+06	6.8E-01
758	7.31882	1.02E-02	7.4E-02	3.46E-04	2.58E-05	1.75E-01	1.57E-01	7.10E-07	1.0E+06	7.1E-01
759	7.59358	1.02E-02	7.7E-02	3.46E-04	2.67E-05	1.75E-01	1.57E-01	7.37E-07	1.0E+06	7.4E-01
760	7.82378	1.02E-02	8.0E-02	3.46E-04	2.75E-05	1.75E-01	1.57E-01	7.59E-07	1.0E+06	7.6E-01
761	8.01055	1.02E-02	8.1E-02	3.46E-04	2.82E-05	1.75E-01	1.57E-01	7.77E-07	1.0E+06	7.8E-01
762	8.15512	1.02E-02	8.3E-02	3.46E-04	2.87E-05	1.75E-01	1.57E-01	7.91E-07	1.0E+06	7.9E-01
763	8.27036	1.02E-02	8.4E-02	3.46E-04	2.91E-05	1.75E-01	1.57E-01	8.02E-07	1.0E+06	8.0E-01
764	8.35543	1.02E-02	8.5E-02	3.46E-04	2.94E-05	1.75E-01	1.57E-01	8.11E-07	1.0E+06	8.1E-01
765	8.41653	1.02E-02	8.6E-02	3.46E-04	2.96E-05	1.75E-01	1.57E-01	8.16E-07	1.0E+06	8.2E-01
766	8.44946	1.02E-02	8.6E-02	3.46E-04	2.97E-05	1.75E-01	1.57E-01	8.20E-07	1.0E+06	8.2E-01
767	8.46498	1.02E-02	8.6E-02	3.46E-04	2.98E-05	1.75E-01	1.57E-01	8.21E-07	1.0E+06	8.2E-01
768	8.46784	1.02E-02	8.6E-02	3.46E-04	2.98E-05	1.75E-01	1.57E-01	8.21E-07	1.0E+06	8.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	1.02E-02	8.6E-02	3.46E-04	2.98E-05	1.75E-01	1.57E-01	8.20E-07	1.0E+06	8.2E-01
770	8.42489	1.02E-02	8.6E-02	3.46E-04	2.97E-05	1.75E-01	1.57E-01	8.17E-07	1.0E+06	8.2E-01
771	8.37939	1.02E-02	8.5E-02	3.46E-04	2.95E-05	1.75E-01	1.57E-01	8.13E-07	1.0E+06	8.1E-01
772	0.87008	1.02E-02	8.8E-03	3.46E-04	3.06E-06	1.75E-01	1.57E-01	8.44E-08	1.0E+06	8.4E-02
773	0.9167	1.02E-02	9.3E-03	3.46E-04	3.23E-06	1.75E-01	1.57E-01	8.89E-08	1.0E+06	8.9E-02
774	0.9677	1.02E-02	9.8E-03	3.46E-04	3.41E-06	1.75E-01	1.57E-01	9.39E-08	1.0E+06	9.4E-02
775	1.0252	1.02E-02	1.0E-02	3.46E-04	3.61E-06	1.75E-01	1.57E-01	9.95E-08	1.0E+06	9.9E-02
776	1.08829	1.02E-02	1.1E-02	3.46E-04	3.83E-06	1.75E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
777	1.158	1.02E-02	1.2E-02	3.46E-04	4.08E-06	1.75E-01	1.57E-01	1.12E-07	1.0E+06	1.1E-01
778	1.23498	1.02E-02	1.3E-02	3.46E-04	4.35E-06	1.75E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
779	1.32031	1.02E-02	1.3E-02	3.46E-04	4.65E-06	1.75E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
780	1.4163	1.02E-02	1.4E-02	3.46E-04	4.99E-06	1.75E-01	1.57E-01	1.37E-07	1.0E+06	1.4E-01
781	1.52369	1.02E-02	1.5E-02	3.46E-04	5.36E-06	1.75E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
782	1.64239	1.02E-02	1.7E-02	3.46E-04	5.78E-06	1.75E-01	1.57E-01	1.59E-07	1.0E+06	1.6E-01
783	1.77466	1.02E-02	1.8E-02	3.46E-04	6.25E-06	1.75E-01	1.57E-01	1.72E-07	1.0E+06	1.7E-01
784	1.92428	1.02E-02	2.0E-02	3.46E-04	6.77E-06	1.75E-01	1.57E-01	1.87E-07	1.0E+06	1.9E-01
785	2.08609	1.02E-02	2.1E-02	3.46E-04	7.34E-06	1.75E-01	1.57E-01	2.02E-07	1.0E+06	2.0E-01
786	2.26894	1.02E-02	2.3E-02	3.46E-04	7.99E-06	1.75E-01	1.57E-01	2.20E-07	1.0E+06	2.2E-01
787	2.48215	1.02E-02	2.5E-02	3.46E-04	8.74E-06	1.75E-01	1.57E-01	2.41E-07	1.0E+06	2.4E-01
788	2.75097	1.02E-02	2.8E-02	3.46E-04	9.69E-06	1.75E-01	1.57E-01	2.67E-07	1.0E+06	2.7E-01
789	3.04965	1.02E-02	3.1E-02	3.46E-04	1.07E-05	1.75E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01
790	3.39516	1.02E-02	3.5E-02	3.46E-04	1.20E-05	1.75E-01	1.57E-01	3.29E-07	1.0E+06	3.3E-01
791	3.79037	1.02E-02	3.9E-02	3.46E-04	1.33E-05	1.75E-01	1.57E-01	3.68E-07	1.0E+06	3.7E-01
792	4.19023	1.02E-02	4.3E-02	3.46E-04	1.48E-05	1.75E-01	1.57E-01	4.06E-07	1.0E+06	4.1E-01
793	4.61325	1.02E-02	4.7E-02	3.46E-04	1.62E-05	1.75E-01	1.57E-01	4.48E-07	1.0E+06	4.5E-01
794	5.02437	1.02E-02	5.1E-02	3.46E-04	1.77E-05	1.75E-01	1.57E-01	4.87E-07	1.0E+06	4.9E-01
795	5.42475	1.02E-02	5.5E-02	3.46E-04	1.91E-05	1.75E-01	1.57E-01	5.26E-07	1.0E+06	5.3E-01
796	5.79546	1.02E-02	5.9E-02	3.46E-04	2.04E-05	1.75E-01	1.57E-01	5.62E-07	1.0E+06	5.6E-01
797	6.13759	1.02E-02	6.2E-02	3.46E-04	2.16E-05	1.75E-01	1.57E-01	5.95E-07	1.0E+06	6.0E-01
798	6.42719	1.02E-02	6.5E-02	3.46E-04	2.26E-05	1.75E-01	1.57E-01	6.23E-07	1.0E+06	6.2E-01
799	6.68167	1.02E-02	6.8E-02	3.46E-04	2.35E-05	1.75E-01	1.57E-01	6.48E-07	1.0E+06	6.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	6.8918	1.02E-02	7.0E-02	3.46E-04	2.43E-05	1.75E-01	1.57E-01	6.69E-07	1.0E+06	6.7E-01
801	7.06788	1.02E-02	7.2E-02	3.46E-04	2.49E-05	1.75E-01	1.57E-01	6.86E-07	1.0E+06	6.9E-01
802	7.20727	1.02E-02	7.3E-02	3.46E-04	2.54E-05	1.75E-01	1.57E-01	6.99E-07	1.0E+06	7.0E-01
803	7.3211	1.02E-02	7.4E-02	3.46E-04	2.58E-05	1.75E-01	1.57E-01	7.10E-07	1.0E+06	7.1E-01
804	7.4024	1.02E-02	7.5E-02	3.46E-04	2.61E-05	1.75E-01	1.57E-01	7.18E-07	1.0E+06	7.2E-01
805	7.46545	1.02E-02	7.6E-02	3.46E-04	2.63E-05	1.75E-01	1.57E-01	7.24E-07	1.0E+06	7.2E-01
806	7.50396	1.02E-02	7.6E-02	3.46E-04	2.64E-05	1.75E-01	1.57E-01	7.28E-07	1.0E+06	7.3E-01
807	7.52272	1.02E-02	7.7E-02	3.46E-04	2.65E-05	1.75E-01	1.57E-01	7.30E-07	1.0E+06	7.3E-01
808	7.52855	1.02E-02	7.7E-02	3.46E-04	2.65E-05	1.75E-01	1.57E-01	7.30E-07	1.0E+06	7.3E-01
809	7.51923	1.02E-02	7.6E-02	3.46E-04	2.65E-05	1.75E-01	1.57E-01	7.29E-07	1.0E+06	7.3E-01
810	7.49422	1.02E-02	7.6E-02	3.46E-04	2.64E-05	1.75E-01	1.57E-01	7.27E-07	1.0E+06	7.3E-01
811	7.45447	1.02E-02	7.6E-02	3.46E-04	2.62E-05	1.75E-01	1.57E-01	7.23E-07	1.0E+06	7.2E-01
812	0.83667	1.02E-02	8.5E-03	3.46E-04	2.95E-06	1.75E-01	1.57E-01	8.12E-08	1.0E+06	8.1E-02
813	0.87996	1.02E-02	8.9E-03	3.46E-04	3.10E-06	1.75E-01	1.57E-01	8.54E-08	1.0E+06	8.5E-02
814	0.92737	1.02E-02	9.4E-03	3.46E-04	3.26E-06	1.75E-01	1.57E-01	9.00E-08	1.0E+06	9.0E-02
815	0.9815	1.02E-02	1.0E-02	3.46E-04	3.46E-06	1.75E-01	1.57E-01	9.52E-08	1.0E+06	9.5E-02
816	1.04048	1.02E-02	1.1E-02	3.46E-04	3.66E-06	1.75E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
817	1.10543	1.02E-02	1.1E-02	3.46E-04	3.89E-06	1.75E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
818	1.17665	1.02E-02	1.2E-02	3.46E-04	4.14E-06	1.75E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
819	1.2553	1.02E-02	1.3E-02	3.46E-04	4.42E-06	1.75E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
820	1.34252	1.02E-02	1.4E-02	3.46E-04	4.73E-06	1.75E-01	1.57E-01	1.30E-07	1.0E+06	1.3E-01
821	1.43927	1.02E-02	1.5E-02	3.46E-04	5.07E-06	1.75E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
822	1.5471	1.02E-02	1.6E-02	3.46E-04	5.45E-06	1.75E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
823	1.6679	1.02E-02	1.7E-02	3.46E-04	5.87E-06	1.75E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
824	1.80392	1.02E-02	1.8E-02	3.46E-04	6.35E-06	1.75E-01	1.57E-01	1.75E-07	1.0E+06	1.7E-01
825	1.95166	1.02E-02	2.0E-02	3.46E-04	6.87E-06	1.75E-01	1.57E-01	1.89E-07	1.0E+06	1.9E-01
826	2.11861	1.02E-02	2.2E-02	3.46E-04	7.46E-06	1.75E-01	1.57E-01	2.06E-07	1.0E+06	2.1E-01
827	2.31074	1.02E-02	2.4E-02	3.46E-04	8.14E-06	1.75E-01	1.57E-01	2.24E-07	1.0E+06	2.2E-01
828	2.53407	1.02E-02	2.6E-02	3.46E-04	8.92E-06	1.75E-01	1.57E-01	2.46E-07	1.0E+06	2.5E-01
829	2.79936	1.02E-02	2.8E-02	3.46E-04	9.86E-06	1.75E-01	1.57E-01	2.72E-07	1.0E+06	2.7E-01
830	3.09167	1.02E-02	3.1E-02	3.46E-04	1.09E-05	1.75E-01	1.57E-01	3.00E-07	1.0E+06	3.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	3.41969	1.02E-02	3.5E-02	3.46E-04	1.20E-05	1.75E-01	1.57E-01	3.32E-07	1.0E+06	3.3E-01
832	3.76859	1.02E-02	3.8E-02	3.46E-04	1.33E-05	1.75E-01	1.57E-01	3.66E-07	1.0E+06	3.7E-01
833	4.11214	1.02E-02	4.2E-02	3.46E-04	1.45E-05	1.75E-01	1.57E-01	3.99E-07	1.0E+06	4.0E-01
834	4.47011	1.02E-02	4.5E-02	3.46E-04	1.57E-05	1.75E-01	1.57E-01	4.34E-07	1.0E+06	4.3E-01
835	4.80284	1.02E-02	4.9E-02	3.46E-04	1.69E-05	1.75E-01	1.57E-01	4.66E-07	1.0E+06	4.7E-01
836	5.12964	1.02E-02	5.2E-02	3.46E-04	1.81E-05	1.75E-01	1.57E-01	4.98E-07	1.0E+06	5.0E-01
837	5.42636	1.02E-02	5.5E-02	3.46E-04	1.91E-05	1.75E-01	1.57E-01	5.26E-07	1.0E+06	5.3E-01
838	5.69352	1.02E-02	5.8E-02	3.46E-04	2.00E-05	1.75E-01	1.57E-01	5.52E-07	1.0E+06	5.5E-01
839	5.92434	1.02E-02	6.0E-02	3.46E-04	2.09E-05	1.75E-01	1.57E-01	5.75E-07	1.0E+06	5.7E-01
840	6.12416	1.02E-02	6.2E-02	3.46E-04	2.16E-05	1.75E-01	1.57E-01	5.94E-07	1.0E+06	5.9E-01
841	6.28848	1.02E-02	6.4E-02	3.46E-04	2.21E-05	1.75E-01	1.57E-01	6.10E-07	1.0E+06	6.1E-01
842	6.42168	1.02E-02	6.5E-02	3.46E-04	2.26E-05	1.75E-01	1.57E-01	6.23E-07	1.0E+06	6.2E-01
843	6.52867	1.02E-02	6.6E-02	3.46E-04	2.30E-05	1.75E-01	1.57E-01	6.33E-07	1.0E+06	6.3E-01
844	6.61094	1.02E-02	6.7E-02	3.46E-04	2.33E-05	1.75E-01	1.57E-01	6.41E-07	1.0E+06	6.4E-01
845	6.67265	1.02E-02	6.8E-02	3.46E-04	2.35E-05	1.75E-01	1.57E-01	6.47E-07	1.0E+06	6.5E-01
846	6.71443	1.02E-02	6.8E-02	3.46E-04	2.36E-05	1.75E-01	1.57E-01	6.51E-07	1.0E+06	6.5E-01
847	6.73642	1.02E-02	6.9E-02	3.46E-04	2.37E-05	1.75E-01	1.57E-01	6.53E-07	1.0E+06	6.5E-01
848	6.74465	1.02E-02	6.9E-02	3.46E-04	2.37E-05	1.75E-01	1.57E-01	6.54E-07	1.0E+06	6.5E-01
849	6.73873	1.02E-02	6.9E-02	3.46E-04	2.37E-05	1.75E-01	1.57E-01	6.54E-07	1.0E+06	6.5E-01
850	6.71796	1.02E-02	6.8E-02	3.46E-04	2.37E-05	1.75E-01	1.57E-01	6.52E-07	1.0E+06	6.5E-01
851	6.68345	1.02E-02	6.8E-02	3.46E-04	2.35E-05	1.75E-01	1.57E-01	6.48E-07	1.0E+06	6.5E-01
852	0.80369	1.02E-02	8.2E-03	3.46E-04	2.83E-06	1.75E-01	1.57E-01	7.80E-08	1.0E+06	7.8E-02
853	0.84374	1.02E-02	8.6E-03	3.46E-04	2.97E-06	1.75E-01	1.57E-01	8.18E-08	1.0E+06	8.2E-02
854	0.8875	1.02E-02	9.0E-03	3.46E-04	3.12E-06	1.75E-01	1.57E-01	8.61E-08	1.0E+06	8.6E-02
855	0.93841	1.02E-02	9.5E-03	3.46E-04	3.30E-06	1.75E-01	1.57E-01	9.10E-08	1.0E+06	9.1E-02
856	0.99372	1.02E-02	1.0E-02	3.46E-04	3.50E-06	1.75E-01	1.57E-01	9.64E-08	1.0E+06	9.6E-02
857	1.054	1.02E-02	1.1E-02	3.46E-04	3.71E-06	1.75E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
858	1.11985	1.02E-02	1.1E-02	3.46E-04	3.94E-06	1.75E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
859	1.19203	1.02E-02	1.2E-02	3.46E-04	4.20E-06	1.75E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
860	1.27146	1.02E-02	1.3E-02	3.46E-04	4.48E-06	1.75E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
861	1.35884	1.02E-02	1.4E-02	3.46E-04	4.78E-06	1.75E-01	1.57E-01	1.32E-07	1.0E+06	1.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	1.45655	1.02E-02	1.5E-02	3.46E-04	5.13E-06	1.75E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
863	1.56677	1.02E-02	1.6E-02	3.46E-04	5.52E-06	1.75E-01	1.57E-01	1.52E-07	1.0E+06	1.5E-01
864	1.69076	1.02E-02	1.7E-02	3.46E-04	5.95E-06	1.75E-01	1.57E-01	1.64E-07	1.0E+06	1.6E-01
865	1.82739	1.02E-02	1.9E-02	3.46E-04	6.43E-06	1.75E-01	1.57E-01	1.77E-07	1.0E+06	1.8E-01
866	1.98096	1.02E-02	2.0E-02	3.46E-04	6.97E-06	1.75E-01	1.57E-01	1.92E-07	1.0E+06	1.9E-01
867	2.15478	1.02E-02	2.2E-02	3.46E-04	7.59E-06	1.75E-01	1.57E-01	2.09E-07	1.0E+06	2.1E-01
868	2.35219	1.02E-02	2.4E-02	3.46E-04	8.28E-06	1.75E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
869	2.57258	1.02E-02	2.6E-02	3.46E-04	9.06E-06	1.75E-01	1.57E-01	2.50E-07	1.0E+06	2.5E-01
870	2.8291	1.02E-02	2.9E-02	3.46E-04	9.96E-06	1.75E-01	1.57E-01	2.74E-07	1.0E+06	2.7E-01
871	3.11055	1.02E-02	3.2E-02	3.46E-04	1.10E-05	1.75E-01	1.57E-01	3.02E-07	1.0E+06	3.0E-01
872	3.3954	1.02E-02	3.5E-02	3.46E-04	1.20E-05	1.75E-01	1.57E-01	3.29E-07	1.0E+06	3.3E-01
873	3.69789	1.02E-02	3.8E-02	3.46E-04	1.30E-05	1.75E-01	1.57E-01	3.59E-07	1.0E+06	3.6E-01
874	3.98935	1.02E-02	4.1E-02	3.46E-04	1.40E-05	1.75E-01	1.57E-01	3.87E-07	1.0E+06	3.9E-01
875	4.28834	1.02E-02	4.4E-02	3.46E-04	1.51E-05	1.75E-01	1.57E-01	4.16E-07	1.0E+06	4.2E-01
876	4.56773	1.02E-02	4.6E-02	3.46E-04	1.61E-05	1.75E-01	1.57E-01	4.43E-07	1.0E+06	4.4E-01
877	4.83599	1.02E-02	4.9E-02	3.46E-04	1.70E-05	1.75E-01	1.57E-01	4.69E-07	1.0E+06	4.7E-01
878	5.07551	1.02E-02	5.2E-02	3.46E-04	1.79E-05	1.75E-01	1.57E-01	4.92E-07	1.0E+06	4.9E-01
879	5.29288	1.02E-02	5.4E-02	3.46E-04	1.86E-05	1.75E-01	1.57E-01	5.13E-07	1.0E+06	5.1E-01
880	5.47867	1.02E-02	5.6E-02	3.46E-04	1.93E-05	1.75E-01	1.57E-01	5.31E-07	1.0E+06	5.3E-01
881	5.63107	1.02E-02	5.7E-02	3.46E-04	1.98E-05	1.75E-01	1.57E-01	5.46E-07	1.0E+06	5.5E-01
882	5.75731	1.02E-02	5.9E-02	3.46E-04	2.03E-05	1.75E-01	1.57E-01	5.59E-07	1.0E+06	5.6E-01
883	5.8611	1.02E-02	6.0E-02	3.46E-04	2.06E-05	1.75E-01	1.57E-01	5.69E-07	1.0E+06	5.7E-01
884	5.94181	1.02E-02	6.0E-02	3.46E-04	2.09E-05	1.75E-01	1.57E-01	5.76E-07	1.0E+06	5.8E-01
885	6.00137	1.02E-02	6.1E-02	3.46E-04	2.11E-05	1.75E-01	1.57E-01	5.82E-07	1.0E+06	5.8E-01
886	6.04453	1.02E-02	6.1E-02	3.46E-04	2.13E-05	1.75E-01	1.57E-01	5.86E-07	1.0E+06	5.9E-01
887	6.07103	1.02E-02	6.2E-02	3.46E-04	2.14E-05	1.75E-01	1.57E-01	5.89E-07	1.0E+06	5.9E-01
888	6.08136	1.02E-02	6.2E-02	3.46E-04	2.14E-05	1.75E-01	1.57E-01	5.90E-07	1.0E+06	5.9E-01
889	6.07844	1.02E-02	6.2E-02	3.46E-04	2.14E-05	1.75E-01	1.57E-01	5.90E-07	1.0E+06	5.9E-01
890	6.06163	1.02E-02	6.2E-02	3.46E-04	2.13E-05	1.75E-01	1.57E-01	5.88E-07	1.0E+06	5.9E-01
891	6.03191	1.02E-02	6.1E-02	3.46E-04	2.12E-05	1.75E-01	1.57E-01	5.85E-07	1.0E+06	5.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	8.12153	9.48035E-07	7.7E-06	3.46E-04	2.67E-09	1.75E-01	1.57E-01	7.34E-11	1.0E+06	7.3E-05
522	522	8.28781	9.48035E-07	7.9E-06	3.46E-04	2.72E-09	1.75E-01	1.57E-01	7.49E-11	1.0E+06	7.5E-05
523	523	8.4173	9.48035E-07	8.0E-06	3.46E-04	2.76E-09	1.75E-01	1.57E-01	7.61E-11	1.0E+06	7.6E-05
524	524	8.51629	9.48035E-07	8.1E-06	3.46E-04	2.79E-09	1.75E-01	1.57E-01	7.70E-11	1.0E+06	7.7E-05
525	525	8.59062	9.48035E-07	8.1E-06	3.46E-04	2.82E-09	1.75E-01	1.57E-01	7.77E-11	1.0E+06	7.8E-05
526	526	8.63979	9.48035E-07	8.2E-06	3.46E-04	2.84E-09	1.75E-01	1.57E-01	7.81E-11	1.0E+06	7.8E-05
527	527	8.67076	9.48035E-07	8.2E-06	3.46E-04	2.85E-09	1.75E-01	1.57E-01	7.84E-11	1.0E+06	7.8E-05
528	528	8.68193	9.48035E-07	8.2E-06	3.46E-04	2.85E-09	1.75E-01	1.57E-01	7.85E-11	1.0E+06	7.9E-05
529	529	8.67659	9.48035E-07	8.2E-06	3.46E-04	2.85E-09	1.75E-01	1.57E-01	7.85E-11	1.0E+06	7.8E-05
530	530	8.65547	9.48035E-07	8.2E-06	3.46E-04	2.84E-09	1.75E-01	1.57E-01	7.83E-11	1.0E+06	7.8E-05
531	531	8.61928	9.48035E-07	8.2E-06	3.46E-04	2.83E-09	1.75E-01	1.57E-01	7.79E-11	1.0E+06	7.8E-05
532	532	0.90601	9.48035E-07	8.6E-07	3.46E-04	2.97E-10	1.75E-01	1.57E-01	8.19E-12	1.0E+06	8.2E-06
533	533	0.95812	9.48035E-07	9.1E-07	3.46E-04	3.14E-10	1.75E-01	1.57E-01	8.66E-12	1.0E+06	8.7E-06
534	534	1.01448	9.48035E-07	9.6E-07	3.46E-04	3.33E-10	1.75E-01	1.57E-01	9.17E-12	1.0E+06	9.2E-06
535	535	1.07414	9.48035E-07	1.0E-06	3.46E-04	3.53E-10	1.75E-01	1.57E-01	9.71E-12	1.0E+06	9.7E-06
536	536	1.13953	9.48035E-07	1.1E-06	3.46E-04	3.74E-10	1.75E-01	1.57E-01	1.03E-11	1.0E+06	1.0E-05
537	537	1.21514	9.48035E-07	1.2E-06	3.46E-04	3.99E-10	1.75E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
538	538	1.29235	9.48035E-07	1.2E-06	3.46E-04	4.24E-10	1.75E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
539	539	1.37769	9.48035E-07	1.3E-06	3.46E-04	4.52E-10	1.75E-01	1.57E-01	1.25E-11	1.0E+06	1.2E-05
540	540	1.47715	9.48035E-07	1.4E-06	3.46E-04	4.85E-10	1.75E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
541	541	1.58508	9.48035E-07	1.5E-06	3.46E-04	5.20E-10	1.75E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
542	542	1.70757	9.48035E-07	1.6E-06	3.46E-04	5.60E-10	1.75E-01	1.57E-01	1.54E-11	1.0E+06	1.5E-05
543	543	1.84409	9.48035E-07	1.7E-06	3.46E-04	6.05E-10	1.75E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
544	544	1.99507	9.48035E-07	1.9E-06	3.46E-04	6.55E-10	1.75E-01	1.57E-01	1.80E-11	1.0E+06	1.8E-05
545	545	2.16577	9.48035E-07	2.1E-06	3.46E-04	7.11E-10	1.75E-01	1.57E-01	1.96E-11	1.0E+06	2.0E-05
546	546	2.35726	9.48035E-07	2.2E-06	3.46E-04	7.74E-10	1.75E-01	1.57E-01	2.13E-11	1.0E+06	2.1E-05
547	547	2.57757	9.48035E-07	2.4E-06	3.46E-04	8.46E-10	1.75E-01	1.57E-01	2.33E-11	1.0E+06	2.3E-05
548	548	2.82723	9.48035E-07	2.7E-06	3.46E-04	9.28E-10	1.75E-01	1.57E-01	2.56E-11	1.0E+06	2.6E-05
549	549	3.11442	9.48035E-07	3.0E-06	3.46E-04	1.02E-09	1.75E-01	1.57E-01	2.82E-11	1.0E+06	2.8E-05
550	550	3.43777	9.48035E-07	3.3E-06	3.46E-04	1.13E-09	1.75E-01	1.57E-01	3.11E-11	1.0E+06	3.1E-05
551	551	3.7997	9.48035E-07	3.6E-06	3.46E-04	1.25E-09	1.75E-01	1.57E-01	3.44E-11	1.0E+06	3.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	4.19174	9.48035E-07	4.0E-06	3.46E-04	1.38E-09	1.75E-01	1.57E-01	3.79E-11	1.0E+06	3.8E-05
553	553	4.60011	9.48035E-07	4.4E-06	3.46E-04	1.51E-09	1.75E-01	1.57E-01	4.16E-11	1.0E+06	4.2E-05
554	554	5.01693	9.48035E-07	4.8E-06	3.46E-04	1.65E-09	1.75E-01	1.57E-01	4.54E-11	1.0E+06	4.5E-05
555	555	5.42448	9.48035E-07	5.1E-06	3.46E-04	1.78E-09	1.75E-01	1.57E-01	4.91E-11	1.0E+06	4.9E-05
556	556	5.80992	9.48035E-07	5.5E-06	3.46E-04	1.91E-09	1.75E-01	1.57E-01	5.25E-11	1.0E+06	5.3E-05
557	557	6.16705	9.48035E-07	5.8E-06	3.46E-04	2.02E-09	1.75E-01	1.57E-01	5.58E-11	1.0E+06	5.6E-05
558	558	6.48282	9.48035E-07	6.1E-06	3.46E-04	2.13E-09	1.75E-01	1.57E-01	5.86E-11	1.0E+06	5.9E-05
559	559	6.75814	9.48035E-07	6.4E-06	3.46E-04	2.22E-09	1.75E-01	1.57E-01	6.11E-11	1.0E+06	6.1E-05
560	560	6.99071	9.48035E-07	6.6E-06	3.46E-04	2.29E-09	1.75E-01	1.57E-01	6.32E-11	1.0E+06	6.3E-05
561	561	7.18159	9.48035E-07	6.8E-06	3.46E-04	2.36E-09	1.75E-01	1.57E-01	6.49E-11	1.0E+06	6.5E-05
562	562	7.33656	9.48035E-07	7.0E-06	3.46E-04	2.41E-09	1.75E-01	1.57E-01	6.63E-11	1.0E+06	6.6E-05
563	563	7.46447	9.48035E-07	7.1E-06	3.46E-04	2.45E-09	1.75E-01	1.57E-01	6.75E-11	1.0E+06	6.7E-05
564	564	7.56258	9.48035E-07	7.2E-06	3.46E-04	2.48E-09	1.75E-01	1.57E-01	6.84E-11	1.0E+06	6.8E-05
565	565	7.63729	9.48035E-07	7.2E-06	3.46E-04	2.51E-09	1.75E-01	1.57E-01	6.91E-11	1.0E+06	6.9E-05
566	566	7.68738	9.48035E-07	7.3E-06	3.46E-04	2.52E-09	1.75E-01	1.57E-01	6.95E-11	1.0E+06	7.0E-05
567	567	7.72022	9.48035E-07	7.3E-06	3.46E-04	2.53E-09	1.75E-01	1.57E-01	6.98E-11	1.0E+06	7.0E-05
568	568	7.73497	9.48035E-07	7.3E-06	3.46E-04	2.54E-09	1.75E-01	1.57E-01	6.99E-11	1.0E+06	7.0E-05
569	569	7.73421	9.48035E-07	7.3E-06	3.46E-04	2.54E-09	1.75E-01	1.57E-01	6.99E-11	1.0E+06	7.0E-05
570	570	7.71854	9.48035E-07	7.3E-06	3.46E-04	2.53E-09	1.75E-01	1.57E-01	6.98E-11	1.0E+06	7.0E-05
571	571	7.68844	9.48035E-07	7.3E-06	3.46E-04	2.52E-09	1.75E-01	1.57E-01	6.95E-11	1.0E+06	7.0E-05
572	572	0.88123	9.48035E-07	8.4E-07	3.46E-04	2.89E-10	1.75E-01	1.57E-01	7.97E-12	1.0E+06	8.0E-06
573	573	0.93251	9.48035E-07	8.8E-07	3.46E-04	3.06E-10	1.75E-01	1.57E-01	8.43E-12	1.0E+06	8.4E-06
574	574	0.98747	9.48035E-07	9.4E-07	3.46E-04	3.24E-10	1.75E-01	1.57E-01	8.93E-12	1.0E+06	8.9E-06
575	575	1.04399	9.48035E-07	9.9E-07	3.46E-04	3.43E-10	1.75E-01	1.57E-01	9.44E-12	1.0E+06	9.4E-06
576	576	1.10556	9.48035E-07	1.0E-06	3.46E-04	3.63E-10	1.75E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
577	577	1.17072	9.48035E-07	1.1E-06	3.46E-04	3.84E-10	1.75E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
578	578	1.24043	9.48035E-07	1.2E-06	3.46E-04	4.07E-10	1.75E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
579	579	1.32136	9.48035E-07	1.3E-06	3.46E-04	4.34E-10	1.75E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
580	580	1.4152	9.48035E-07	1.3E-06	3.46E-04	4.64E-10	1.75E-01	1.57E-01	1.28E-11	1.0E+06	1.3E-05
581	581	1.51813	9.48035E-07	1.4E-06	3.46E-04	4.98E-10	1.75E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
582	582	1.62941	9.48035E-07	1.5E-06	3.46E-04	5.35E-10	1.75E-01	1.57E-01	1.47E-11	1.0E+06	1.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	1.75614	9.48035E-07	1.7E-06	3.46E-04	5.76E-10	1.75E-01	1.57E-01	1.59E-11	1.0E+06	1.6E-05
584	584	1.89689	9.48035E-07	1.8E-06	3.46E-04	6.23E-10	1.75E-01	1.57E-01	1.72E-11	1.0E+06	1.7E-05
585	585	2.04896	9.48035E-07	1.9E-06	3.46E-04	6.72E-10	1.75E-01	1.57E-01	1.85E-11	1.0E+06	1.9E-05
586	586	2.22249	9.48035E-07	2.1E-06	3.46E-04	7.29E-10	1.75E-01	1.57E-01	2.01E-11	1.0E+06	2.0E-05
587	587	2.41607	9.48035E-07	2.3E-06	3.46E-04	7.93E-10	1.75E-01	1.57E-01	2.18E-11	1.0E+06	2.2E-05
588	588	2.63778	9.48035E-07	2.5E-06	3.46E-04	8.66E-10	1.75E-01	1.57E-01	2.39E-11	1.0E+06	2.4E-05
589	589	2.88486	9.48035E-07	2.7E-06	3.46E-04	9.47E-10	1.75E-01	1.57E-01	2.61E-11	1.0E+06	2.6E-05
590	590	3.16453	9.48035E-07	3.0E-06	3.46E-04	1.04E-09	1.75E-01	1.57E-01	2.86E-11	1.0E+06	2.9E-05
591	591	3.47046	9.48035E-07	3.3E-06	3.46E-04	1.14E-09	1.75E-01	1.57E-01	3.14E-11	1.0E+06	3.1E-05
592	592	3.80208	9.48035E-07	3.6E-06	3.46E-04	1.25E-09	1.75E-01	1.57E-01	3.44E-11	1.0E+06	3.4E-05
593	593	4.15054	9.48035E-07	3.9E-06	3.46E-04	1.36E-09	1.75E-01	1.57E-01	3.75E-11	1.0E+06	3.8E-05
594	594	4.50166	9.48035E-07	4.3E-06	3.46E-04	1.48E-09	1.75E-01	1.57E-01	4.07E-11	1.0E+06	4.1E-05
595	595	4.84928	9.48035E-07	4.6E-06	3.46E-04	1.59E-09	1.75E-01	1.57E-01	4.38E-11	1.0E+06	4.4E-05
596	596	5.17906	9.48035E-07	4.9E-06	3.46E-04	1.70E-09	1.75E-01	1.57E-01	4.68E-11	1.0E+06	4.7E-05
597	597	5.48815	9.48035E-07	5.2E-06	3.46E-04	1.80E-09	1.75E-01	1.57E-01	4.96E-11	1.0E+06	5.0E-05
598	598	5.76551	9.48035E-07	5.5E-06	3.46E-04	1.89E-09	1.75E-01	1.57E-01	5.21E-11	1.0E+06	5.2E-05
599	599	6.0115	9.48035E-07	5.7E-06	3.46E-04	1.97E-09	1.75E-01	1.57E-01	5.44E-11	1.0E+06	5.4E-05
600	600	6.2207	9.48035E-07	5.9E-06	3.46E-04	2.04E-09	1.75E-01	1.57E-01	5.63E-11	1.0E+06	5.6E-05
601	601	6.39751	9.48035E-07	6.1E-06	3.46E-04	2.10E-09	1.75E-01	1.57E-01	5.78E-11	1.0E+06	5.8E-05
602	602	6.54174	9.48035E-07	6.2E-06	3.46E-04	2.15E-09	1.75E-01	1.57E-01	5.92E-11	1.0E+06	5.9E-05
603	603	6.6656	9.48035E-07	6.3E-06	3.46E-04	2.19E-09	1.75E-01	1.57E-01	6.03E-11	1.0E+06	6.0E-05
604	604	6.76228	9.48035E-07	6.4E-06	3.46E-04	2.22E-09	1.75E-01	1.57E-01	6.11E-11	1.0E+06	6.1E-05
605	605	6.83667	9.48035E-07	6.5E-06	3.46E-04	2.24E-09	1.75E-01	1.57E-01	6.18E-11	1.0E+06	6.2E-05
606	606	6.88655	9.48035E-07	6.5E-06	3.46E-04	2.26E-09	1.75E-01	1.57E-01	6.23E-11	1.0E+06	6.2E-05
607	607	6.91863	9.48035E-07	6.6E-06	3.46E-04	2.27E-09	1.75E-01	1.57E-01	6.26E-11	1.0E+06	6.3E-05
608	608	6.93833	9.48035E-07	6.6E-06	3.46E-04	2.28E-09	1.75E-01	1.57E-01	6.27E-11	1.0E+06	6.3E-05
609	609	6.94132	9.48035E-07	6.6E-06	3.46E-04	2.28E-09	1.75E-01	1.57E-01	6.28E-11	1.0E+06	6.3E-05
610	610	6.93032	9.48035E-07	6.6E-06	3.46E-04	2.27E-09	1.75E-01	1.57E-01	6.27E-11	1.0E+06	6.3E-05
611	611	6.90533	9.48035E-07	6.5E-06	3.46E-04	2.27E-09	1.75E-01	1.57E-01	6.24E-11	1.0E+06	6.2E-05
612	612	0.85642	9.48035E-07	8.1E-07	3.46E-04	2.81E-10	1.75E-01	1.57E-01	7.74E-12	1.0E+06	7.7E-06
613	613	0.90693	9.48035E-07	8.6E-07	3.46E-04	2.98E-10	1.75E-01	1.57E-01	8.20E-12	1.0E+06	8.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.96042	9.48035E-07	9.1E-07	3.46E-04	3.15E-10	1.75E-01	1.57E-01	8.68E-12	1.0E+06	8.7E-06
615	615	1.01385	9.48035E-07	9.6E-07	3.46E-04	3.33E-10	1.75E-01	1.57E-01	9.17E-12	1.0E+06	9.2E-06
616	616	1.07185	9.48035E-07	1.0E-06	3.46E-04	3.52E-10	1.75E-01	1.57E-01	9.69E-12	1.0E+06	9.7E-06
617	617	1.13173	9.48035E-07	1.1E-06	3.46E-04	3.71E-10	1.75E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
618	618	1.19442	9.48035E-07	1.1E-06	3.46E-04	3.92E-10	1.75E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
619	619	1.26326	9.48035E-07	1.2E-06	3.46E-04	4.15E-10	1.75E-01	1.57E-01	1.14E-11	1.0E+06	1.1E-05
620	620	1.3528	9.48035E-07	1.3E-06	3.46E-04	4.44E-10	1.75E-01	1.57E-01	1.22E-11	1.0E+06	1.2E-05
621	621	1.44969	9.48035E-07	1.4E-06	3.46E-04	4.76E-10	1.75E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
622	622	1.55589	9.48035E-07	1.5E-06	3.46E-04	5.11E-10	1.75E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
623	623	1.67018	9.48035E-07	1.6E-06	3.46E-04	5.48E-10	1.75E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
624	624	1.80029	9.48035E-07	1.7E-06	3.46E-04	5.91E-10	1.75E-01	1.57E-01	1.63E-11	1.0E+06	1.6E-05
625	625	1.94039	9.48035E-07	1.8E-06	3.46E-04	6.37E-10	1.75E-01	1.57E-01	1.75E-11	1.0E+06	1.8E-05
626	626	2.09325	9.48035E-07	2.0E-06	3.46E-04	6.87E-10	1.75E-01	1.57E-01	1.89E-11	1.0E+06	1.9E-05
627	627	2.26796	9.48035E-07	2.2E-06	3.46E-04	7.44E-10	1.75E-01	1.57E-01	2.05E-11	1.0E+06	2.1E-05
628	628	2.46048	9.48035E-07	2.3E-06	3.46E-04	8.07E-10	1.75E-01	1.57E-01	2.22E-11	1.0E+06	2.2E-05
629	629	2.67592	9.48035E-07	2.5E-06	3.46E-04	8.78E-10	1.75E-01	1.57E-01	2.42E-11	1.0E+06	2.4E-05
630	630	2.91851	9.48035E-07	2.8E-06	3.46E-04	9.58E-10	1.75E-01	1.57E-01	2.64E-11	1.0E+06	2.6E-05
631	631	3.18079	9.48035E-07	3.0E-06	3.46E-04	1.04E-09	1.75E-01	1.57E-01	2.88E-11	1.0E+06	2.9E-05
632	632	3.46549	9.48035E-07	3.3E-06	3.46E-04	1.14E-09	1.75E-01	1.57E-01	3.13E-11	1.0E+06	3.1E-05
633	633	3.7655	9.48035E-07	3.6E-06	3.46E-04	1.24E-09	1.75E-01	1.57E-01	3.40E-11	1.0E+06	3.4E-05
634	634	4.06911	9.48035E-07	3.9E-06	3.46E-04	1.34E-09	1.75E-01	1.57E-01	3.68E-11	1.0E+06	3.7E-05
635	635	4.36759	9.48035E-07	4.1E-06	3.46E-04	1.43E-09	1.75E-01	1.57E-01	3.95E-11	1.0E+06	3.9E-05
636	636	4.65227	9.48035E-07	4.4E-06	3.46E-04	1.53E-09	1.75E-01	1.57E-01	4.21E-11	1.0E+06	4.2E-05
637	637	4.91935	9.48035E-07	4.7E-06	3.46E-04	1.61E-09	1.75E-01	1.57E-01	4.45E-11	1.0E+06	4.4E-05
638	638	5.16541	9.48035E-07	4.9E-06	3.46E-04	1.70E-09	1.75E-01	1.57E-01	4.67E-11	1.0E+06	4.7E-05
639	639	5.38303	9.48035E-07	5.1E-06	3.46E-04	1.77E-09	1.75E-01	1.57E-01	4.87E-11	1.0E+06	4.9E-05
640	640	5.57395	9.48035E-07	5.3E-06	3.46E-04	1.83E-09	1.75E-01	1.57E-01	5.04E-11	1.0E+06	5.0E-05
641	641	5.7344	9.48035E-07	5.4E-06	3.46E-04	1.88E-09	1.75E-01	1.57E-01	5.19E-11	1.0E+06	5.2E-05
642	642	5.87092	9.48035E-07	5.6E-06	3.46E-04	1.93E-09	1.75E-01	1.57E-01	5.31E-11	1.0E+06	5.3E-05
643	643	5.98729	9.48035E-07	5.7E-06	3.46E-04	1.96E-09	1.75E-01	1.57E-01	5.41E-11	1.0E+06	5.4E-05
644	644	6.08332	9.48035E-07	5.8E-06	3.46E-04	2.00E-09	1.75E-01	1.57E-01	5.50E-11	1.0E+06	5.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	6.15637	9.48035E-07	5.8E-06	3.46E-04	2.02E-09	1.75E-01	1.57E-01	5.57E-11	1.0E+06	5.6E-05
646	646	6.20603	9.48035E-07	5.9E-06	3.46E-04	2.04E-09	1.75E-01	1.57E-01	5.61E-11	1.0E+06	5.6E-05
647	647	6.23904	9.48035E-07	5.9E-06	3.46E-04	2.05E-09	1.75E-01	1.57E-01	5.64E-11	1.0E+06	5.6E-05
648	648	6.26092	9.48035E-07	5.9E-06	3.46E-04	2.05E-09	1.75E-01	1.57E-01	5.66E-11	1.0E+06	5.7E-05
649	649	6.26704	9.48035E-07	5.9E-06	3.46E-04	2.06E-09	1.75E-01	1.57E-01	5.67E-11	1.0E+06	5.7E-05
650	650	6.25988	9.48035E-07	5.9E-06	3.46E-04	2.05E-09	1.75E-01	1.57E-01	5.66E-11	1.0E+06	5.7E-05
651	651	6.23929	9.48035E-07	5.9E-06	3.46E-04	2.05E-09	1.75E-01	1.57E-01	5.64E-11	1.0E+06	5.6E-05
652	652	0.82571	9.48035E-07	7.8E-07	3.46E-04	2.71E-10	1.75E-01	1.57E-01	7.47E-12	1.0E+06	7.5E-06
653	653	0.87189	9.48035E-07	8.3E-07	3.46E-04	2.86E-10	1.75E-01	1.57E-01	7.88E-12	1.0E+06	7.9E-06
654	654	0.92089	9.48035E-07	8.7E-07	3.46E-04	3.02E-10	1.75E-01	1.57E-01	8.33E-12	1.0E+06	8.3E-06
655	655	0.97064	9.48035E-07	9.2E-07	3.46E-04	3.19E-10	1.75E-01	1.57E-01	8.78E-12	1.0E+06	8.8E-06
656	656	1.02463	9.48035E-07	9.7E-07	3.46E-04	3.36E-10	1.75E-01	1.57E-01	9.27E-12	1.0E+06	9.3E-06
657	657	1.08093	9.48035E-07	1.0E-06	3.46E-04	3.55E-10	1.75E-01	1.57E-01	9.77E-12	1.0E+06	9.8E-06
658	658	1.14059	9.48035E-07	1.1E-06	3.46E-04	3.74E-10	1.75E-01	1.57E-01	1.03E-11	1.0E+06	1.0E-05
659	659	1.20593	9.48035E-07	1.1E-06	3.46E-04	3.96E-10	1.75E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
660	660	1.28441	9.48035E-07	1.2E-06	3.46E-04	4.22E-10	1.75E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
661	661	1.37023	9.48035E-07	1.3E-06	3.46E-04	4.50E-10	1.75E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05
662	662	1.47508	9.48035E-07	1.4E-06	3.46E-04	4.84E-10	1.75E-01	1.57E-01	1.33E-11	1.0E+06	1.3E-05
663	663	1.5786	9.48035E-07	1.5E-06	3.46E-04	5.18E-10	1.75E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
664	664	1.69696	9.48035E-07	1.6E-06	3.46E-04	5.57E-10	1.75E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
665	665	1.81857	9.48035E-07	1.7E-06	3.46E-04	5.97E-10	1.75E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
666	666	1.9528	9.48035E-07	1.9E-06	3.46E-04	6.41E-10	1.75E-01	1.57E-01	1.77E-11	1.0E+06	1.8E-05
667	667	2.10844	9.48035E-07	2.0E-06	3.46E-04	6.92E-10	1.75E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
668	668	2.28298	9.48035E-07	2.2E-06	3.46E-04	7.49E-10	1.75E-01	1.57E-01	2.06E-11	1.0E+06	2.1E-05
669	669	2.472	9.48035E-07	2.3E-06	3.46E-04	8.11E-10	1.75E-01	1.57E-01	2.24E-11	1.0E+06	2.2E-05
670	670	2.68743	9.48035E-07	2.5E-06	3.46E-04	8.82E-10	1.75E-01	1.57E-01	2.43E-11	1.0E+06	2.4E-05
671	671	2.92144	9.48035E-07	2.8E-06	3.46E-04	9.59E-10	1.75E-01	1.57E-01	2.64E-11	1.0E+06	2.6E-05
672	672	3.1674	9.48035E-07	3.0E-06	3.46E-04	1.04E-09	1.75E-01	1.57E-01	2.86E-11	1.0E+06	2.9E-05
673	673	3.42988	9.48035E-07	3.3E-06	3.46E-04	1.13E-09	1.75E-01	1.57E-01	3.10E-11	1.0E+06	3.1E-05
674	674	3.69573	9.48035E-07	3.5E-06	3.46E-04	1.21E-09	1.75E-01	1.57E-01	3.34E-11	1.0E+06	3.3E-05
675	675	3.95521	9.48035E-07	3.7E-06	3.46E-04	1.30E-09	1.75E-01	1.57E-01	3.58E-11	1.0E+06	3.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	4.20565	9.48035E-07	4.0E-06	3.46E-04	1.38E-09	1.75E-01	1.57E-01	3.80E-11	1.0E+06	3.8E-05
677	677	4.44056	9.48035E-07	4.2E-06	3.46E-04	1.46E-09	1.75E-01	1.57E-01	4.02E-11	1.0E+06	4.0E-05
678	678	4.65692	9.48035E-07	4.4E-06	3.46E-04	1.53E-09	1.75E-01	1.57E-01	4.21E-11	1.0E+06	4.2E-05
679	679	4.85034	9.48035E-07	4.6E-06	3.46E-04	1.59E-09	1.75E-01	1.57E-01	4.39E-11	1.0E+06	4.4E-05
680	680	5.02134	9.48035E-07	4.8E-06	3.46E-04	1.65E-09	1.75E-01	1.57E-01	4.54E-11	1.0E+06	4.5E-05
681	681	5.17243	9.48035E-07	4.9E-06	3.46E-04	1.70E-09	1.75E-01	1.57E-01	4.68E-11	1.0E+06	4.7E-05
682	682	5.30058	9.48035E-07	5.0E-06	3.46E-04	1.74E-09	1.75E-01	1.57E-01	4.79E-11	1.0E+06	4.8E-05
683	683	5.41019	9.48035E-07	5.1E-06	3.46E-04	1.78E-09	1.75E-01	1.57E-01	4.89E-11	1.0E+06	4.9E-05
684	684	5.50207	9.48035E-07	5.2E-06	3.46E-04	1.81E-09	1.75E-01	1.57E-01	4.98E-11	1.0E+06	5.0E-05
685	685	5.57309	9.48035E-07	5.3E-06	3.46E-04	1.83E-09	1.75E-01	1.57E-01	5.04E-11	1.0E+06	5.0E-05
686	686	5.62227	9.48035E-07	5.3E-06	3.46E-04	1.85E-09	1.75E-01	1.57E-01	5.08E-11	1.0E+06	5.1E-05
687	687	5.65606	9.48035E-07	5.4E-06	3.46E-04	1.86E-09	1.75E-01	1.57E-01	5.11E-11	1.0E+06	5.1E-05
688	688	5.67956	9.48035E-07	5.4E-06	3.46E-04	1.86E-09	1.75E-01	1.57E-01	5.14E-11	1.0E+06	5.1E-05
689	689	5.68798	9.48035E-07	5.4E-06	3.46E-04	1.87E-09	1.75E-01	1.57E-01	5.14E-11	1.0E+06	5.1E-05
690	690	5.68409	9.48035E-07	5.4E-06	3.46E-04	1.87E-09	1.75E-01	1.57E-01	5.14E-11	1.0E+06	5.1E-05
691	691	5.66755	9.48035E-07	5.4E-06	3.46E-04	1.86E-09	1.75E-01	1.57E-01	5.12E-11	1.0E+06	5.1E-05
692	692	0.79444	9.48035E-07	7.5E-07	3.46E-04	2.61E-10	1.75E-01	1.57E-01	7.18E-12	1.0E+06	7.2E-06
693	693	0.8358	9.48035E-07	7.9E-07	3.46E-04	2.74E-10	1.75E-01	1.57E-01	7.56E-12	1.0E+06	7.6E-06
694	694	0.88001	9.48035E-07	8.3E-07	3.46E-04	2.89E-10	1.75E-01	1.57E-01	7.96E-12	1.0E+06	8.0E-06
695	695	0.92641	9.48035E-07	8.8E-07	3.46E-04	3.04E-10	1.75E-01	1.57E-01	8.38E-12	1.0E+06	8.4E-06
696	696	0.97648	9.48035E-07	9.3E-07	3.46E-04	3.20E-10	1.75E-01	1.57E-01	8.83E-12	1.0E+06	8.8E-06
697	697	1.02997	9.48035E-07	9.8E-07	3.46E-04	3.38E-10	1.75E-01	1.57E-01	9.31E-12	1.0E+06	9.3E-06
698	698	1.08716	9.48035E-07	1.0E-06	3.46E-04	3.57E-10	1.75E-01	1.57E-01	9.83E-12	1.0E+06	9.8E-06
699	699	1.14961	9.48035E-07	1.1E-06	3.46E-04	3.77E-10	1.75E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
700	700	1.22216	9.48035E-07	1.2E-06	3.46E-04	4.01E-10	1.75E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
701	701	1.30171	9.48035E-07	1.2E-06	3.46E-04	4.27E-10	1.75E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
702	702	1.3878	9.48035E-07	1.3E-06	3.46E-04	4.55E-10	1.75E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05
703	703	1.48121	9.48035E-07	1.4E-06	3.46E-04	4.86E-10	1.75E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
704	704	1.59681	9.48035E-07	1.5E-06	3.46E-04	5.24E-10	1.75E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
705	705	1.70419	9.48035E-07	1.6E-06	3.46E-04	5.59E-10	1.75E-01	1.57E-01	1.54E-11	1.0E+06	1.5E-05
706	706	1.82179	9.48035E-07	1.7E-06	3.46E-04	5.98E-10	1.75E-01	1.57E-01	1.65E-11	1.0E+06	1.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	1.96001	9.48035E-07	1.9E-06	3.46E-04	6.43E-10	1.75E-01	1.57E-01	1.77E-11	1.0E+06	1.8E-05
708	708	2.11136	9.48035E-07	2.0E-06	3.46E-04	6.93E-10	1.75E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
709	709	2.27787	9.48035E-07	2.2E-06	3.46E-04	7.48E-10	1.75E-01	1.57E-01	2.06E-11	1.0E+06	2.1E-05
710	710	2.47817	9.48035E-07	2.3E-06	3.46E-04	8.13E-10	1.75E-01	1.57E-01	2.24E-11	1.0E+06	2.2E-05
711	711	2.6876	9.48035E-07	2.5E-06	3.46E-04	8.82E-10	1.75E-01	1.57E-01	2.43E-11	1.0E+06	2.4E-05
712	712	2.90486	9.48035E-07	2.8E-06	3.46E-04	9.53E-10	1.75E-01	1.57E-01	2.63E-11	1.0E+06	2.6E-05
713	713	3.13712	9.48035E-07	3.0E-06	3.46E-04	1.03E-09	1.75E-01	1.57E-01	2.84E-11	1.0E+06	2.8E-05
714	714	3.37544	9.48035E-07	3.2E-06	3.46E-04	1.11E-09	1.75E-01	1.57E-01	3.05E-11	1.0E+06	3.1E-05
715	715	3.60409	9.48035E-07	3.4E-06	3.46E-04	1.18E-09	1.75E-01	1.57E-01	3.26E-11	1.0E+06	3.3E-05
716	716	3.82156	9.48035E-07	3.6E-06	3.46E-04	1.25E-09	1.75E-01	1.57E-01	3.46E-11	1.0E+06	3.5E-05
717	717	4.03181	9.48035E-07	3.8E-06	3.46E-04	1.32E-09	1.75E-01	1.57E-01	3.65E-11	1.0E+06	3.6E-05
718	718	4.21979	9.48035E-07	4.0E-06	3.46E-04	1.38E-09	1.75E-01	1.57E-01	3.82E-11	1.0E+06	3.8E-05
719	719	4.3947	9.48035E-07	4.2E-06	3.46E-04	1.44E-09	1.75E-01	1.57E-01	3.97E-11	1.0E+06	4.0E-05
720	720	4.54957	9.48035E-07	4.3E-06	3.46E-04	1.49E-09	1.75E-01	1.57E-01	4.11E-11	1.0E+06	4.1E-05
721	721	4.68665	9.48035E-07	4.4E-06	3.46E-04	1.54E-09	1.75E-01	1.57E-01	4.24E-11	1.0E+06	4.2E-05
722	722	4.80748	9.48035E-07	4.6E-06	3.46E-04	1.58E-09	1.75E-01	1.57E-01	4.35E-11	1.0E+06	4.3E-05
723	723	4.9129	9.48035E-07	4.7E-06	3.46E-04	1.61E-09	1.75E-01	1.57E-01	4.44E-11	1.0E+06	4.4E-05
724	724	5.00002	9.48035E-07	4.7E-06	3.46E-04	1.64E-09	1.75E-01	1.57E-01	4.52E-11	1.0E+06	4.5E-05
725	725	5.06659	9.48035E-07	4.8E-06	3.46E-04	1.66E-09	1.75E-01	1.57E-01	4.58E-11	1.0E+06	4.6E-05
726	726	5.11719	9.48035E-07	4.9E-06	3.46E-04	1.68E-09	1.75E-01	1.57E-01	4.63E-11	1.0E+06	4.6E-05
727	727	5.15149	9.48035E-07	4.9E-06	3.46E-04	1.69E-09	1.75E-01	1.57E-01	4.66E-11	1.0E+06	4.7E-05
728	728	5.17608	9.48035E-07	4.9E-06	3.46E-04	1.70E-09	1.75E-01	1.57E-01	4.68E-11	1.0E+06	4.7E-05
729	729	5.1865	9.48035E-07	4.9E-06	3.46E-04	1.70E-09	1.75E-01	1.57E-01	4.69E-11	1.0E+06	4.7E-05
730	730	5.18537	9.48035E-07	4.9E-06	3.46E-04	1.70E-09	1.75E-01	1.57E-01	4.69E-11	1.0E+06	4.7E-05
731	731	5.17227	9.48035E-07	4.9E-06	3.46E-04	1.70E-09	1.75E-01	1.57E-01	4.68E-11	1.0E+06	4.7E-05
732	732	0.76321	9.48035E-07	7.2E-07	3.46E-04	2.50E-10	1.75E-01	1.57E-01	6.90E-12	1.0E+06	6.9E-06
733	733	0.79969	9.48035E-07	7.6E-07	3.46E-04	2.62E-10	1.75E-01	1.57E-01	7.23E-12	1.0E+06	7.2E-06
734	734	0.8391	9.48035E-07	8.0E-07	3.46E-04	2.75E-10	1.75E-01	1.57E-01	7.59E-12	1.0E+06	7.6E-06
735	735	0.88215	9.48035E-07	8.4E-07	3.46E-04	2.90E-10	1.75E-01	1.57E-01	7.98E-12	1.0E+06	8.0E-06
736	736	0.92868	9.48035E-07	8.8E-07	3.46E-04	3.05E-10	1.75E-01	1.57E-01	8.40E-12	1.0E+06	8.4E-06
737	737	0.97925	9.48035E-07	9.3E-07	3.46E-04	3.21E-10	1.75E-01	1.57E-01	8.85E-12	1.0E+06	8.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	1.03461	9.48035E-07	9.8E-07	3.46E-04	3.40E-10	1.75E-01	1.57E-01	9.36E-12	1.0E+06	9.4E-06
739	739	1.09437	9.48035E-07	1.0E-06	3.46E-04	3.59E-10	1.75E-01	1.57E-01	9.90E-12	1.0E+06	9.9E-06
740	740	1.16193	9.48035E-07	1.1E-06	3.46E-04	3.81E-10	1.75E-01	1.57E-01	1.05E-11	1.0E+06	1.1E-05
741	741	1.23534	9.48035E-07	1.2E-06	3.46E-04	4.05E-10	1.75E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
742	742	1.31412	9.48035E-07	1.2E-06	3.46E-04	4.31E-10	1.75E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
743	743	1.39826	9.48035E-07	1.3E-06	3.46E-04	4.59E-10	1.75E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
744	744	1.49105	9.48035E-07	1.4E-06	3.46E-04	4.89E-10	1.75E-01	1.57E-01	1.35E-11	1.0E+06	1.3E-05
745	745	1.58495	9.48035E-07	1.5E-06	3.46E-04	5.20E-10	1.75E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
746	746	1.68743	9.48035E-07	1.6E-06	3.46E-04	5.54E-10	1.75E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
747	747	1.81207	9.48035E-07	1.7E-06	3.46E-04	5.95E-10	1.75E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
748	748	1.95577	9.48035E-07	1.9E-06	3.46E-04	6.42E-10	1.75E-01	1.57E-01	1.77E-11	1.0E+06	1.8E-05
749	749	2.11197	9.48035E-07	2.0E-06	3.46E-04	6.93E-10	1.75E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
750	750	2.28068	9.48035E-07	2.2E-06	3.46E-04	7.48E-10	1.75E-01	1.57E-01	2.06E-11	1.0E+06	2.1E-05
751	751	2.47772	9.48035E-07	2.3E-06	3.46E-04	8.13E-10	1.75E-01	1.57E-01	2.24E-11	1.0E+06	2.2E-05
752	752	2.67701	9.48035E-07	2.5E-06	3.46E-04	8.79E-10	1.75E-01	1.57E-01	2.42E-11	1.0E+06	2.4E-05
753	753	2.88305	9.48035E-07	2.7E-06	3.46E-04	9.46E-10	1.75E-01	1.57E-01	2.61E-11	1.0E+06	2.6E-05
754	754	3.09187	9.48035E-07	2.9E-06	3.46E-04	1.01E-09	1.75E-01	1.57E-01	2.80E-11	1.0E+06	2.8E-05
755	755	3.29557	9.48035E-07	3.1E-06	3.46E-04	1.08E-09	1.75E-01	1.57E-01	2.98E-11	1.0E+06	3.0E-05
756	756	3.49046	9.48035E-07	3.3E-06	3.46E-04	1.15E-09	1.75E-01	1.57E-01	3.16E-11	1.0E+06	3.2E-05
757	757	3.67775	9.48035E-07	3.5E-06	3.46E-04	1.21E-09	1.75E-01	1.57E-01	3.33E-11	1.0E+06	3.3E-05
758	758	3.84434	9.48035E-07	3.6E-06	3.46E-04	1.26E-09	1.75E-01	1.57E-01	3.48E-11	1.0E+06	3.5E-05
759	759	3.99752	9.48035E-07	3.8E-06	3.46E-04	1.31E-09	1.75E-01	1.57E-01	3.61E-11	1.0E+06	3.6E-05
760	760	4.14151	9.48035E-07	3.9E-06	3.46E-04	1.36E-09	1.75E-01	1.57E-01	3.74E-11	1.0E+06	3.7E-05
761	761	4.2685	9.48035E-07	4.0E-06	3.46E-04	1.40E-09	1.75E-01	1.57E-01	3.86E-11	1.0E+06	3.9E-05
762	762	4.38168	9.48035E-07	4.2E-06	3.46E-04	1.44E-09	1.75E-01	1.57E-01	3.96E-11	1.0E+06	4.0E-05
763	763	4.48042	9.48035E-07	4.2E-06	3.46E-04	1.47E-09	1.75E-01	1.57E-01	4.05E-11	1.0E+06	4.1E-05
764	764	4.56303	9.48035E-07	4.3E-06	3.46E-04	1.50E-09	1.75E-01	1.57E-01	4.13E-11	1.0E+06	4.1E-05
765	765	4.62707	9.48035E-07	4.4E-06	3.46E-04	1.52E-09	1.75E-01	1.57E-01	4.18E-11	1.0E+06	4.2E-05
766	766	4.67673	9.48035E-07	4.4E-06	3.46E-04	1.53E-09	1.75E-01	1.57E-01	4.23E-11	1.0E+06	4.2E-05
767	767	4.7112	9.48035E-07	4.5E-06	3.46E-04	1.55E-09	1.75E-01	1.57E-01	4.26E-11	1.0E+06	4.3E-05
768	768	4.73681	9.48035E-07	4.5E-06	3.46E-04	1.55E-09	1.75E-01	1.57E-01	4.28E-11	1.0E+06	4.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	4.74887	9.48035E-07	4.5E-06	3.46E-04	1.56E-09	1.75E-01	1.57E-01	4.29E-11	1.0E+06	4.3E-05
770	770	4.75009	9.48035E-07	4.5E-06	3.46E-04	1.56E-09	1.75E-01	1.57E-01	4.30E-11	1.0E+06	4.3E-05
771	771	4.74008	9.48035E-07	4.5E-06	3.46E-04	1.56E-09	1.75E-01	1.57E-01	4.29E-11	1.0E+06	4.3E-05
772	772	0.73357	9.48035E-07	7.0E-07	3.46E-04	2.41E-10	1.75E-01	1.57E-01	6.63E-12	1.0E+06	6.6E-06
773	773	0.76714	9.48035E-07	7.3E-07	3.46E-04	2.52E-10	1.75E-01	1.57E-01	6.94E-12	1.0E+06	6.9E-06
774	774	0.80333	9.48035E-07	7.6E-07	3.46E-04	2.64E-10	1.75E-01	1.57E-01	7.26E-12	1.0E+06	7.3E-06
775	775	0.84372	9.48035E-07	8.0E-07	3.46E-04	2.77E-10	1.75E-01	1.57E-01	7.63E-12	1.0E+06	7.6E-06
776	776	0.88728	9.48035E-07	8.4E-07	3.46E-04	2.91E-10	1.75E-01	1.57E-01	8.02E-12	1.0E+06	8.0E-06
777	777	0.9346	9.48035E-07	8.9E-07	3.46E-04	3.07E-10	1.75E-01	1.57E-01	8.45E-12	1.0E+06	8.5E-06
778	778	0.98586	9.48035E-07	9.3E-07	3.46E-04	3.24E-10	1.75E-01	1.57E-01	8.91E-12	1.0E+06	8.9E-06
779	779	1.04156	9.48035E-07	9.9E-07	3.46E-04	3.42E-10	1.75E-01	1.57E-01	9.42E-12	1.0E+06	9.4E-06
780	780	1.10301	9.48035E-07	1.0E-06	3.46E-04	3.62E-10	1.75E-01	1.57E-01	9.97E-12	1.0E+06	1.0E-05
781	781	1.17015	9.48035E-07	1.1E-06	3.46E-04	3.84E-10	1.75E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
782	782	1.24224	9.48035E-07	1.2E-06	3.46E-04	4.08E-10	1.75E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
783	783	1.3201	9.48035E-07	1.3E-06	3.46E-04	4.33E-10	1.75E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
784	784	1.40539	9.48035E-07	1.3E-06	3.46E-04	4.61E-10	1.75E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
785	785	1.49337	9.48035E-07	1.4E-06	3.46E-04	4.90E-10	1.75E-01	1.57E-01	1.35E-11	1.0E+06	1.4E-05
786	786	1.58877	9.48035E-07	1.5E-06	3.46E-04	5.21E-10	1.75E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
787	787	1.69586	9.48035E-07	1.6E-06	3.46E-04	5.57E-10	1.75E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
788	788	1.82758	9.48035E-07	1.7E-06	3.46E-04	6.00E-10	1.75E-01	1.57E-01	1.65E-11	1.0E+06	1.7E-05
789	789	1.96893	9.48035E-07	1.9E-06	3.46E-04	6.46E-10	1.75E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
790	790	2.12533	9.48035E-07	2.0E-06	3.46E-04	6.97E-10	1.75E-01	1.57E-01	1.92E-11	1.0E+06	1.9E-05
791	791	2.29354	9.48035E-07	2.2E-06	3.46E-04	7.53E-10	1.75E-01	1.57E-01	2.07E-11	1.0E+06	2.1E-05
792	792	2.4693	9.48035E-07	2.3E-06	3.46E-04	8.10E-10	1.75E-01	1.57E-01	2.23E-11	1.0E+06	2.2E-05
793	793	2.65001	9.48035E-07	2.5E-06	3.46E-04	8.70E-10	1.75E-01	1.57E-01	2.40E-11	1.0E+06	2.4E-05
794	794	2.83321	9.48035E-07	2.7E-06	3.46E-04	9.30E-10	1.75E-01	1.57E-01	2.56E-11	1.0E+06	2.6E-05
795	795	3.01417	9.48035E-07	2.9E-06	3.46E-04	9.89E-10	1.75E-01	1.57E-01	2.73E-11	1.0E+06	2.7E-05
796	796	3.18974	9.48035E-07	3.0E-06	3.46E-04	1.05E-09	1.75E-01	1.57E-01	2.88E-11	1.0E+06	2.9E-05
797	797	3.35802	9.48035E-07	3.2E-06	3.46E-04	1.10E-09	1.75E-01	1.57E-01	3.04E-11	1.0E+06	3.0E-05
798	798	3.5087	9.48035E-07	3.3E-06	3.46E-04	1.15E-09	1.75E-01	1.57E-01	3.17E-11	1.0E+06	3.2E-05
799	799	3.6529	9.48035E-07	3.5E-06	3.46E-04	1.20E-09	1.75E-01	1.57E-01	3.30E-11	1.0E+06	3.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	3.7819	9.48035E-07	3.6E-06	3.46E-04	1.24E-09	1.75E-01	1.57E-01	3.42E-11	1.0E+06	3.4E-05
801	801	3.90272	9.48035E-07	3.7E-06	3.46E-04	1.28E-09	1.75E-01	1.57E-01	3.53E-11	1.0E+06	3.5E-05
802	802	4.0054	9.48035E-07	3.8E-06	3.46E-04	1.31E-09	1.75E-01	1.57E-01	3.62E-11	1.0E+06	3.6E-05
803	803	4.10098	9.48035E-07	3.9E-06	3.46E-04	1.35E-09	1.75E-01	1.57E-01	3.71E-11	1.0E+06	3.7E-05
804	804	4.17923	9.48035E-07	4.0E-06	3.46E-04	1.37E-09	1.75E-01	1.57E-01	3.78E-11	1.0E+06	3.8E-05
805	805	4.24047	9.48035E-07	4.0E-06	3.46E-04	1.39E-09	1.75E-01	1.57E-01	3.83E-11	1.0E+06	3.8E-05
806	806	4.28701	9.48035E-07	4.1E-06	3.46E-04	1.41E-09	1.75E-01	1.57E-01	3.88E-11	1.0E+06	3.9E-05
807	807	4.32448	9.48035E-07	4.1E-06	3.46E-04	1.42E-09	1.75E-01	1.57E-01	3.91E-11	1.0E+06	3.9E-05
808	808	4.35095	9.48035E-07	4.1E-06	3.46E-04	1.43E-09	1.75E-01	1.57E-01	3.93E-11	1.0E+06	3.9E-05
809	809	4.36432	9.48035E-07	4.1E-06	3.46E-04	1.43E-09	1.75E-01	1.57E-01	3.95E-11	1.0E+06	3.9E-05
810	810	4.36762	9.48035E-07	4.1E-06	3.46E-04	1.43E-09	1.75E-01	1.57E-01	3.95E-11	1.0E+06	3.9E-05
811	811	4.36048	9.48035E-07	4.1E-06	3.46E-04	1.43E-09	1.75E-01	1.57E-01	3.94E-11	1.0E+06	3.9E-05
812	812	0.70426	9.48035E-07	6.7E-07	3.46E-04	2.31E-10	1.75E-01	1.57E-01	6.37E-12	1.0E+06	6.4E-06
813	813	0.73523	9.48035E-07	7.0E-07	3.46E-04	2.41E-10	1.75E-01	1.57E-01	6.65E-12	1.0E+06	6.6E-06
814	814	0.76872	9.48035E-07	7.3E-07	3.46E-04	2.52E-10	1.75E-01	1.57E-01	6.95E-12	1.0E+06	7.0E-06
815	815	0.80671	9.48035E-07	7.6E-07	3.46E-04	2.65E-10	1.75E-01	1.57E-01	7.29E-12	1.0E+06	7.3E-06
816	816	0.84741	9.48035E-07	8.0E-07	3.46E-04	2.78E-10	1.75E-01	1.57E-01	7.66E-12	1.0E+06	7.7E-06
817	817	0.89154	9.48035E-07	8.5E-07	3.46E-04	2.93E-10	1.75E-01	1.57E-01	8.06E-12	1.0E+06	8.1E-06
818	818	0.93907	9.48035E-07	8.9E-07	3.46E-04	3.08E-10	1.75E-01	1.57E-01	8.49E-12	1.0E+06	8.5E-06
819	819	0.99063	9.48035E-07	9.4E-07	3.46E-04	3.25E-10	1.75E-01	1.57E-01	8.96E-12	1.0E+06	9.0E-06
820	820	1.04669	9.48035E-07	9.9E-07	3.46E-04	3.43E-10	1.75E-01	1.57E-01	9.46E-12	1.0E+06	9.5E-06
821	821	1.10756	9.48035E-07	1.1E-06	3.46E-04	3.63E-10	1.75E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
822	822	1.1738	9.48035E-07	1.1E-06	3.46E-04	3.85E-10	1.75E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
823	823	1.24606	9.48035E-07	1.2E-06	3.46E-04	4.09E-10	1.75E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
824	824	1.32507	9.48035E-07	1.3E-06	3.46E-04	4.35E-10	1.75E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
825	825	1.40741	9.48035E-07	1.3E-06	3.46E-04	4.62E-10	1.75E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
826	826	1.49713	9.48035E-07	1.4E-06	3.46E-04	4.91E-10	1.75E-01	1.57E-01	1.35E-11	1.0E+06	1.4E-05
827	827	1.59676	9.48035E-07	1.5E-06	3.46E-04	5.24E-10	1.75E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
828	828	1.70874	9.48035E-07	1.6E-06	3.46E-04	5.61E-10	1.75E-01	1.57E-01	1.55E-11	1.0E+06	1.5E-05
829	829	1.84531	9.48035E-07	1.7E-06	3.46E-04	6.06E-10	1.75E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
830	830	1.9848	9.48035E-07	1.9E-06	3.46E-04	6.51E-10	1.75E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	2.12648	9.48035E-07	2.0E-06	3.46E-04	6.98E-10	1.75E-01	1.57E-01	1.92E-11	1.0E+06	1.9E-05
832	832	2.28243	9.48035E-07	2.2E-06	3.46E-04	7.49E-10	1.75E-01	1.57E-01	2.06E-11	1.0E+06	2.1E-05
833	833	2.44103	9.48035E-07	2.3E-06	3.46E-04	8.01E-10	1.75E-01	1.57E-01	2.21E-11	1.0E+06	2.2E-05
834	834	2.6023	9.48035E-07	2.5E-06	3.46E-04	8.54E-10	1.75E-01	1.57E-01	2.35E-11	1.0E+06	2.4E-05
835	835	2.76368	9.48035E-07	2.6E-06	3.46E-04	9.07E-10	1.75E-01	1.57E-01	2.50E-11	1.0E+06	2.5E-05
836	836	2.91728	9.48035E-07	2.8E-06	3.46E-04	9.57E-10	1.75E-01	1.57E-01	2.64E-11	1.0E+06	2.6E-05
837	837	3.07518	9.48035E-07	2.9E-06	3.46E-04	1.01E-09	1.75E-01	1.57E-01	2.78E-11	1.0E+06	2.8E-05
838	838	3.2138	9.48035E-07	3.0E-06	3.46E-04	1.05E-09	1.75E-01	1.57E-01	2.91E-11	1.0E+06	2.9E-05
839	839	3.34713	9.48035E-07	3.2E-06	3.46E-04	1.10E-09	1.75E-01	1.57E-01	3.03E-11	1.0E+06	3.0E-05
840	840	3.47024	9.48035E-07	3.3E-06	3.46E-04	1.14E-09	1.75E-01	1.57E-01	3.14E-11	1.0E+06	3.1E-05
841	841	3.5783	9.48035E-07	3.4E-06	3.46E-04	1.17E-09	1.75E-01	1.57E-01	3.24E-11	1.0E+06	3.2E-05
842	842	3.67765	9.48035E-07	3.5E-06	3.46E-04	1.21E-09	1.75E-01	1.57E-01	3.33E-11	1.0E+06	3.3E-05
843	843	3.76463	9.48035E-07	3.6E-06	3.46E-04	1.24E-09	1.75E-01	1.57E-01	3.40E-11	1.0E+06	3.4E-05
844	844	3.83856	9.48035E-07	3.6E-06	3.46E-04	1.26E-09	1.75E-01	1.57E-01	3.47E-11	1.0E+06	3.5E-05
845	845	3.89959	9.48035E-07	3.7E-06	3.46E-04	1.28E-09	1.75E-01	1.57E-01	3.53E-11	1.0E+06	3.5E-05
846	846	3.94552	9.48035E-07	3.7E-06	3.46E-04	1.29E-09	1.75E-01	1.57E-01	3.57E-11	1.0E+06	3.6E-05
847	847	3.98306	9.48035E-07	3.8E-06	3.46E-04	1.31E-09	1.75E-01	1.57E-01	3.60E-11	1.0E+06	3.6E-05
848	848	4.00752	9.48035E-07	3.8E-06	3.46E-04	1.32E-09	1.75E-01	1.57E-01	3.62E-11	1.0E+06	3.6E-05
849	849	4.02461	9.48035E-07	3.8E-06	3.46E-04	1.32E-09	1.75E-01	1.57E-01	3.64E-11	1.0E+06	3.6E-05
850	850	4.02957	9.48035E-07	3.8E-06	3.46E-04	1.32E-09	1.75E-01	1.57E-01	3.64E-11	1.0E+06	3.6E-05
851	851	4.02491	9.48035E-07	3.8E-06	3.46E-04	1.32E-09	1.75E-01	1.57E-01	3.64E-11	1.0E+06	3.6E-05
852	852	0.67546	9.48035E-07	6.4E-07	3.46E-04	2.22E-10	1.75E-01	1.57E-01	6.11E-12	1.0E+06	6.1E-06
853	853	0.70396	9.48035E-07	6.7E-07	3.46E-04	2.31E-10	1.75E-01	1.57E-01	6.37E-12	1.0E+06	6.4E-06
854	854	0.73474	9.48035E-07	7.0E-07	3.46E-04	2.41E-10	1.75E-01	1.57E-01	6.64E-12	1.0E+06	6.6E-06
855	855	0.7705	9.48035E-07	7.3E-07	3.46E-04	2.53E-10	1.75E-01	1.57E-01	6.97E-12	1.0E+06	7.0E-06
856	856	0.80877	9.48035E-07	7.7E-07	3.46E-04	2.65E-10	1.75E-01	1.57E-01	7.31E-12	1.0E+06	7.3E-06
857	857	0.84981	9.48035E-07	8.1E-07	3.46E-04	2.79E-10	1.75E-01	1.57E-01	7.68E-12	1.0E+06	7.7E-06
858	858	0.89393	9.48035E-07	8.5E-07	3.46E-04	2.93E-10	1.75E-01	1.57E-01	8.08E-12	1.0E+06	8.1E-06
859	859	0.94147	9.48035E-07	8.9E-07	3.46E-04	3.09E-10	1.75E-01	1.57E-01	8.51E-12	1.0E+06	8.5E-06
860	860	0.99284	9.48035E-07	9.4E-07	3.46E-04	3.26E-10	1.75E-01	1.57E-01	8.98E-12	1.0E+06	9.0E-06
861	861	1.04823	9.48035E-07	9.9E-07	3.46E-04	3.44E-10	1.75E-01	1.57E-01	9.48E-12	1.0E+06	9.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	1.10894	9.48035E-07	1.1E-06	3.46E-04	3.64E-10	1.75E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
863	863	1.17593	9.48035E-07	1.1E-06	3.46E-04	3.86E-10	1.75E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
864	864	1.24929	9.48035E-07	1.2E-06	3.46E-04	4.10E-10	1.75E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
865	865	1.32741	9.48035E-07	1.3E-06	3.46E-04	4.36E-10	1.75E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
866	866	1.41229	9.48035E-07	1.3E-06	3.46E-04	4.63E-10	1.75E-01	1.57E-01	1.28E-11	1.0E+06	1.3E-05
867	867	1.50516	9.48035E-07	1.4E-06	3.46E-04	4.94E-10	1.75E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
868	868	1.60719	9.48035E-07	1.5E-06	3.46E-04	5.27E-10	1.75E-01	1.57E-01	1.45E-11	1.0E+06	1.5E-05
869	869	1.71751	9.48035E-07	1.6E-06	3.46E-04	5.64E-10	1.75E-01	1.57E-01	1.55E-11	1.0E+06	1.6E-05
870	870	1.85024	9.48035E-07	1.8E-06	3.46E-04	6.07E-10	1.75E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
871	871	1.98203	9.48035E-07	1.9E-06	3.46E-04	6.50E-10	1.75E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
872	872	2.11338	9.48035E-07	2.0E-06	3.46E-04	6.94E-10	1.75E-01	1.57E-01	1.91E-11	1.0E+06	1.9E-05
873	873	2.25336	9.48035E-07	2.1E-06	3.46E-04	7.39E-10	1.75E-01	1.57E-01	2.04E-11	1.0E+06	2.0E-05
874	874	2.3955	9.48035E-07	2.3E-06	3.46E-04	7.86E-10	1.75E-01	1.57E-01	2.17E-11	1.0E+06	2.2E-05
875	875	2.53984	9.48035E-07	2.4E-06	3.46E-04	8.34E-10	1.75E-01	1.57E-01	2.30E-11	1.0E+06	2.3E-05
876	876	2.67806	9.48035E-07	2.5E-06	3.46E-04	8.79E-10	1.75E-01	1.57E-01	2.42E-11	1.0E+06	2.4E-05
877	877	2.81781	9.48035E-07	2.7E-06	3.46E-04	9.25E-10	1.75E-01	1.57E-01	2.55E-11	1.0E+06	2.5E-05
878	878	2.95198	9.48035E-07	2.8E-06	3.46E-04	9.69E-10	1.75E-01	1.57E-01	2.67E-11	1.0E+06	2.7E-05
879	879	3.08152	9.48035E-07	2.9E-06	3.46E-04	1.01E-09	1.75E-01	1.57E-01	2.79E-11	1.0E+06	2.8E-05
880	880	3.19178	9.48035E-07	3.0E-06	3.46E-04	1.05E-09	1.75E-01	1.57E-01	2.89E-11	1.0E+06	2.9E-05
881	881	3.29487	9.48035E-07	3.1E-06	3.46E-04	1.08E-09	1.75E-01	1.57E-01	2.98E-11	1.0E+06	3.0E-05
882	882	3.38771	9.48035E-07	3.2E-06	3.46E-04	1.11E-09	1.75E-01	1.57E-01	3.06E-11	1.0E+06	3.1E-05
883	883	3.46908	9.48035E-07	3.3E-06	3.46E-04	1.14E-09	1.75E-01	1.57E-01	3.14E-11	1.0E+06	3.1E-05
884	884	3.53893	9.48035E-07	3.4E-06	3.46E-04	1.16E-09	1.75E-01	1.57E-01	3.20E-11	1.0E+06	3.2E-05
885	885	3.5976	9.48035E-07	3.4E-06	3.46E-04	1.18E-09	1.75E-01	1.57E-01	3.25E-11	1.0E+06	3.3E-05
886	886	3.64257	9.48035E-07	3.5E-06	3.46E-04	1.20E-09	1.75E-01	1.57E-01	3.29E-11	1.0E+06	3.3E-05
887	887	3.67996	9.48035E-07	3.5E-06	3.46E-04	1.21E-09	1.75E-01	1.57E-01	3.33E-11	1.0E+06	3.3E-05
888	888	3.70464	9.48035E-07	3.5E-06	3.46E-04	1.22E-09	1.75E-01	1.57E-01	3.35E-11	1.0E+06	3.3E-05
889	889	3.7226	9.48035E-07	3.5E-06	3.46E-04	1.22E-09	1.75E-01	1.57E-01	3.37E-11	1.0E+06	3.4E-05
890	890	3.72903	9.48035E-07	3.5E-06	3.46E-04	1.22E-09	1.75E-01	1.57E-01	3.37E-11	1.0E+06	3.4E-05
891	891	3.72652	9.48035E-07	3.5E-06	3.46E-04	1.22E-09	1.75E-01	1.57E-01	3.37E-11	1.0E+06	3.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	0.77761	2.5998E-06	2.0E-06	3.46E-04	7.00E-10	1.75E-01	1.57E-01	1.93E-11	1.0E+06	1.9E-05
522	522	0.81596	2.5998E-06	2.1E-06	3.46E-04	7.34E-10	1.75E-01	1.57E-01	2.02E-11	1.0E+06	2.0E-05
523	523	0.8566	2.5998E-06	2.2E-06	3.46E-04	7.71E-10	1.75E-01	1.57E-01	2.12E-11	1.0E+06	2.1E-05
524	524	0.89949	2.5998E-06	2.3E-06	3.46E-04	8.10E-10	1.75E-01	1.57E-01	2.23E-11	1.0E+06	2.2E-05
525	525	0.95492	2.5998E-06	2.5E-06	3.46E-04	8.59E-10	1.75E-01	1.57E-01	2.37E-11	1.0E+06	2.4E-05
526	526	1.01631	2.5998E-06	2.6E-06	3.46E-04	9.15E-10	1.75E-01	1.57E-01	2.52E-11	1.0E+06	2.5E-05
527	527	1.08353	2.5998E-06	2.8E-06	3.46E-04	9.75E-10	1.75E-01	1.57E-01	2.69E-11	1.0E+06	2.7E-05
528	528	1.15852	2.5998E-06	3.0E-06	3.46E-04	1.04E-09	1.75E-01	1.57E-01	2.87E-11	1.0E+06	2.9E-05
529	529	1.242	2.5998E-06	3.2E-06	3.46E-04	1.12E-09	1.75E-01	1.57E-01	3.08E-11	1.0E+06	3.1E-05
530	530	1.33478	2.5998E-06	3.5E-06	3.46E-04	1.20E-09	1.75E-01	1.57E-01	3.31E-11	1.0E+06	3.3E-05
531	531	1.43952	2.5998E-06	3.7E-06	3.46E-04	1.30E-09	1.75E-01	1.57E-01	3.57E-11	1.0E+06	3.6E-05
532	532	0.31799	2.5998E-06	8.3E-07	3.46E-04	2.86E-10	1.75E-01	1.57E-01	7.89E-12	1.0E+06	7.9E-06
533	533	0.32535	2.5998E-06	8.5E-07	3.46E-04	2.93E-10	1.75E-01	1.57E-01	8.07E-12	1.0E+06	8.1E-06
534	534	0.33295	2.5998E-06	8.7E-07	3.46E-04	3.00E-10	1.75E-01	1.57E-01	8.26E-12	1.0E+06	8.3E-06
535	535	0.34066	2.5998E-06	8.9E-07	3.46E-04	3.07E-10	1.75E-01	1.57E-01	8.45E-12	1.0E+06	8.4E-06
536	536	0.34872	2.5998E-06	9.1E-07	3.46E-04	3.14E-10	1.75E-01	1.57E-01	8.65E-12	1.0E+06	8.6E-06
537	537	0.35704	2.5998E-06	9.3E-07	3.46E-04	3.21E-10	1.75E-01	1.57E-01	8.85E-12	1.0E+06	8.9E-06
538	538	0.36567	2.5998E-06	9.5E-07	3.46E-04	3.29E-10	1.75E-01	1.57E-01	9.07E-12	1.0E+06	9.1E-06
539	539	0.37473	2.5998E-06	9.7E-07	3.46E-04	3.37E-10	1.75E-01	1.57E-01	9.29E-12	1.0E+06	9.3E-06
540	540	0.38444	2.5998E-06	1.0E-06	3.46E-04	3.46E-10	1.75E-01	1.57E-01	9.53E-12	1.0E+06	9.5E-06
541	541	0.39462	2.5998E-06	1.0E-06	3.46E-04	3.55E-10	1.75E-01	1.57E-01	9.79E-12	1.0E+06	9.8E-06
542	542	0.40528	2.5998E-06	1.1E-06	3.46E-04	3.65E-10	1.75E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
543	543	0.41647	2.5998E-06	1.1E-06	3.46E-04	3.75E-10	1.75E-01	1.57E-01	1.03E-11	1.0E+06	1.0E-05
544	544	0.42822	2.5998E-06	1.1E-06	3.46E-04	3.85E-10	1.75E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
545	545	0.44048	2.5998E-06	1.1E-06	3.46E-04	3.96E-10	1.75E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
546	546	0.45341	2.5998E-06	1.2E-06	3.46E-04	4.08E-10	1.75E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
547	547	0.46703	2.5998E-06	1.2E-06	3.46E-04	4.20E-10	1.75E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
548	548	0.48144	2.5998E-06	1.3E-06	3.46E-04	4.33E-10	1.75E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
549	549	0.49672	2.5998E-06	1.3E-06	3.46E-04	4.47E-10	1.75E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
550	550	0.513	2.5998E-06	1.3E-06	3.46E-04	4.62E-10	1.75E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
551	551	0.53038	2.5998E-06	1.4E-06	3.46E-04	4.77E-10	1.75E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 2									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	0.54888	2.5998E-06	1.4E-06	3.46E-04	4.94E-10	1.75E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
553	553	0.56857	2.5998E-06	1.5E-06	3.46E-04	5.12E-10	1.75E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
554	554	0.58964	2.5998E-06	1.5E-06	3.46E-04	5.31E-10	1.75E-01	1.57E-01	1.46E-11	1.0E+06	1.5E-05
555	555	0.61219	2.5998E-06	1.6E-06	3.46E-04	5.51E-10	1.75E-01	1.57E-01	1.52E-11	1.0E+06	1.5E-05
556	556	0.63635	2.5998E-06	1.7E-06	3.46E-04	5.73E-10	1.75E-01	1.57E-01	1.58E-11	1.0E+06	1.6E-05
557	557	0.66239	2.5998E-06	1.7E-06	3.46E-04	5.96E-10	1.75E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
558	558	0.69045	2.5998E-06	1.8E-06	3.46E-04	6.21E-10	1.75E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
559	559	0.72084	2.5998E-06	1.9E-06	3.46E-04	6.49E-10	1.75E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
560	560	0.75373	2.5998E-06	2.0E-06	3.46E-04	6.78E-10	1.75E-01	1.57E-01	1.87E-11	1.0E+06	1.9E-05
561	561	0.78941	2.5998E-06	2.1E-06	3.46E-04	7.10E-10	1.75E-01	1.57E-01	1.96E-11	1.0E+06	2.0E-05
562	562	0.82835	2.5998E-06	2.2E-06	3.46E-04	7.45E-10	1.75E-01	1.57E-01	2.05E-11	1.0E+06	2.1E-05
563	563	0.87169	2.5998E-06	2.3E-06	3.46E-04	7.84E-10	1.75E-01	1.57E-01	2.16E-11	1.0E+06	2.2E-05
564	564	0.9113	2.5998E-06	2.4E-06	3.46E-04	8.20E-10	1.75E-01	1.57E-01	2.26E-11	1.0E+06	2.3E-05
565	565	0.96895	2.5998E-06	2.5E-06	3.46E-04	8.72E-10	1.75E-01	1.57E-01	2.40E-11	1.0E+06	2.4E-05
566	566	1.03344	2.5998E-06	2.7E-06	3.46E-04	9.30E-10	1.75E-01	1.57E-01	2.56E-11	1.0E+06	2.6E-05
567	567	1.10183	2.5998E-06	2.9E-06	3.46E-04	9.92E-10	1.75E-01	1.57E-01	2.73E-11	1.0E+06	2.7E-05
568	568	1.17843	2.5998E-06	3.1E-06	3.46E-04	1.06E-09	1.75E-01	1.57E-01	2.92E-11	1.0E+06	2.9E-05
569	569	1.26374	2.5998E-06	3.3E-06	3.46E-04	1.14E-09	1.75E-01	1.57E-01	3.13E-11	1.0E+06	3.1E-05
570	570	1.35839	2.5998E-06	3.5E-06	3.46E-04	1.22E-09	1.75E-01	1.57E-01	3.37E-11	1.0E+06	3.4E-05
571	571	1.46504	2.5998E-06	3.8E-06	3.46E-04	1.32E-09	1.75E-01	1.57E-01	3.63E-11	1.0E+06	3.6E-05
572	572	0.32025	2.5998E-06	8.3E-07	3.46E-04	2.88E-10	1.75E-01	1.57E-01	7.94E-12	1.0E+06	7.9E-06
573	573	0.32792	2.5998E-06	8.5E-07	3.46E-04	2.95E-10	1.75E-01	1.57E-01	8.13E-12	1.0E+06	8.1E-06
574	574	0.33581	2.5998E-06	8.7E-07	3.46E-04	3.02E-10	1.75E-01	1.57E-01	8.33E-12	1.0E+06	8.3E-06
575	575	0.34367	2.5998E-06	8.9E-07	3.46E-04	3.09E-10	1.75E-01	1.57E-01	8.52E-12	1.0E+06	8.5E-06
576	576	0.35185	2.5998E-06	9.1E-07	3.46E-04	3.17E-10	1.75E-01	1.57E-01	8.72E-12	1.0E+06	8.7E-06
577	577	0.36021	2.5998E-06	9.4E-07	3.46E-04	3.24E-10	1.75E-01	1.57E-01	8.93E-12	1.0E+06	8.9E-06
578	578	0.36881	2.5998E-06	9.6E-07	3.46E-04	3.32E-10	1.75E-01	1.57E-01	9.15E-12	1.0E+06	9.1E-06
579	579	0.37784	2.5998E-06	9.8E-07	3.46E-04	3.40E-10	1.75E-01	1.57E-01	9.37E-12	1.0E+06	9.4E-06
580	580	0.38781	2.5998E-06	1.0E-06	3.46E-04	3.49E-10	1.75E-01	1.57E-01	9.62E-12	1.0E+06	9.6E-06
581	581	0.39825	2.5998E-06	1.0E-06	3.46E-04	3.58E-10	1.75E-01	1.57E-01	9.88E-12	1.0E+06	9.9E-06
582	582	0.40922	2.5998E-06	1.1E-06	3.46E-04	3.68E-10	1.75E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.42073	2.5998E-06	1.1E-06	3.46E-04	3.79E-10	1.75E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
584	584	0.43281	2.5998E-06	1.1E-06	3.46E-04	3.90E-10	1.75E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
585	585	0.44529	2.5998E-06	1.2E-06	3.46E-04	4.01E-10	1.75E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
586	586	0.45844	2.5998E-06	1.2E-06	3.46E-04	4.13E-10	1.75E-01	1.57E-01	1.14E-11	1.0E+06	1.1E-05
587	587	0.47232	2.5998E-06	1.2E-06	3.46E-04	4.25E-10	1.75E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
588	588	0.487	2.5998E-06	1.3E-06	3.46E-04	4.38E-10	1.75E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
589	589	0.50252	2.5998E-06	1.3E-06	3.46E-04	4.52E-10	1.75E-01	1.57E-01	1.25E-11	1.0E+06	1.2E-05
590	590	0.51906	2.5998E-06	1.3E-06	3.46E-04	4.67E-10	1.75E-01	1.57E-01	1.29E-11	1.0E+06	1.3E-05
591	591	0.53672	2.5998E-06	1.4E-06	3.46E-04	4.83E-10	1.75E-01	1.57E-01	1.33E-11	1.0E+06	1.3E-05
592	592	0.55557	2.5998E-06	1.4E-06	3.46E-04	5.00E-10	1.75E-01	1.57E-01	1.38E-11	1.0E+06	1.4E-05
593	593	0.57578	2.5998E-06	1.5E-06	3.46E-04	5.18E-10	1.75E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
594	594	0.59738	2.5998E-06	1.6E-06	3.46E-04	5.38E-10	1.75E-01	1.57E-01	1.48E-11	1.0E+06	1.5E-05
595	595	0.62042	2.5998E-06	1.6E-06	3.46E-04	5.58E-10	1.75E-01	1.57E-01	1.54E-11	1.0E+06	1.5E-05
596	596	0.64508	2.5998E-06	1.7E-06	3.46E-04	5.81E-10	1.75E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05
597	597	0.67162	2.5998E-06	1.7E-06	3.46E-04	6.04E-10	1.75E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
598	598	0.70021	2.5998E-06	1.8E-06	3.46E-04	6.30E-10	1.75E-01	1.57E-01	1.74E-11	1.0E+06	1.7E-05
599	599	0.73114	2.5998E-06	1.9E-06	3.46E-04	6.58E-10	1.75E-01	1.57E-01	1.81E-11	1.0E+06	1.8E-05
600	600	0.76459	2.5998E-06	2.0E-06	3.46E-04	6.88E-10	1.75E-01	1.57E-01	1.90E-11	1.0E+06	1.9E-05
601	601	0.80076	2.5998E-06	2.1E-06	3.46E-04	7.21E-10	1.75E-01	1.57E-01	1.99E-11	1.0E+06	2.0E-05
602	602	0.84014	2.5998E-06	2.2E-06	3.46E-04	7.56E-10	1.75E-01	1.57E-01	2.08E-11	1.0E+06	2.1E-05
603	603	0.88464	2.5998E-06	2.3E-06	3.46E-04	7.96E-10	1.75E-01	1.57E-01	2.19E-11	1.0E+06	2.2E-05
604	604	0.92299	2.5998E-06	2.4E-06	3.46E-04	8.31E-10	1.75E-01	1.57E-01	2.29E-11	1.0E+06	2.3E-05
605	605	0.98419	2.5998E-06	2.6E-06	3.46E-04	8.86E-10	1.75E-01	1.57E-01	2.44E-11	1.0E+06	2.4E-05
606	606	1.048	2.5998E-06	2.7E-06	3.46E-04	9.43E-10	1.75E-01	1.57E-01	2.60E-11	1.0E+06	2.6E-05
607	607	1.11645	2.5998E-06	2.9E-06	3.46E-04	1.00E-09	1.75E-01	1.57E-01	2.77E-11	1.0E+06	2.8E-05
608	608	1.1945	2.5998E-06	3.1E-06	3.46E-04	1.08E-09	1.75E-01	1.57E-01	2.96E-11	1.0E+06	3.0E-05
609	609	1.28315	2.5998E-06	3.3E-06	3.46E-04	1.15E-09	1.75E-01	1.57E-01	3.18E-11	1.0E+06	3.2E-05
610	610	1.38068	2.5998E-06	3.6E-06	3.46E-04	1.24E-09	1.75E-01	1.57E-01	3.42E-11	1.0E+06	3.4E-05
611	611	1.48892	2.5998E-06	3.9E-06	3.46E-04	1.34E-09	1.75E-01	1.57E-01	3.69E-11	1.0E+06	3.7E-05
612	612	0.32234	2.5998E-06	8.4E-07	3.46E-04	2.90E-10	1.75E-01	1.57E-01	7.99E-12	1.0E+06	8.0E-06
613	613	0.3304	2.5998E-06	8.6E-07	3.46E-04	2.97E-10	1.75E-01	1.57E-01	8.19E-12	1.0E+06	8.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.33857	2.5998E-06	8.8E-07	3.46E-04	3.05E-10	1.75E-01	1.57E-01	8.40E-12	1.0E+06	8.4E-06
615	615	0.34656	2.5998E-06	9.0E-07	3.46E-04	3.12E-10	1.75E-01	1.57E-01	8.59E-12	1.0E+06	8.6E-06
616	616	0.35488	2.5998E-06	9.2E-07	3.46E-04	3.19E-10	1.75E-01	1.57E-01	8.80E-12	1.0E+06	8.8E-06
617	617	0.36325	2.5998E-06	9.4E-07	3.46E-04	3.27E-10	1.75E-01	1.57E-01	9.01E-12	1.0E+06	9.0E-06
618	618	0.37175	2.5998E-06	9.7E-07	3.46E-04	3.35E-10	1.75E-01	1.57E-01	9.22E-12	1.0E+06	9.2E-06
619	619	0.3807	2.5998E-06	9.9E-07	3.46E-04	3.43E-10	1.75E-01	1.57E-01	9.44E-12	1.0E+06	9.4E-06
620	620	0.39093	2.5998E-06	1.0E-06	3.46E-04	3.52E-10	1.75E-01	1.57E-01	9.69E-12	1.0E+06	9.7E-06
621	621	0.40165	2.5998E-06	1.0E-06	3.46E-04	3.61E-10	1.75E-01	1.57E-01	9.96E-12	1.0E+06	1.0E-05
622	622	0.4129	2.5998E-06	1.1E-06	3.46E-04	3.72E-10	1.75E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
623	623	0.42474	2.5998E-06	1.1E-06	3.46E-04	3.82E-10	1.75E-01	1.57E-01	1.05E-11	1.0E+06	1.1E-05
624	624	0.43714	2.5998E-06	1.1E-06	3.46E-04	3.93E-10	1.75E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
625	625	0.44985	2.5998E-06	1.2E-06	3.46E-04	4.05E-10	1.75E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
626	626	0.46319	2.5998E-06	1.2E-06	3.46E-04	4.17E-10	1.75E-01	1.57E-01	1.15E-11	1.0E+06	1.1E-05
627	627	0.47729	2.5998E-06	1.2E-06	3.46E-04	4.30E-10	1.75E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
628	628	0.49218	2.5998E-06	1.3E-06	3.46E-04	4.43E-10	1.75E-01	1.57E-01	1.22E-11	1.0E+06	1.2E-05
629	629	0.50796	2.5998E-06	1.3E-06	3.46E-04	4.57E-10	1.75E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
630	630	0.52476	2.5998E-06	1.4E-06	3.46E-04	4.72E-10	1.75E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
631	631	0.54268	2.5998E-06	1.4E-06	3.46E-04	4.88E-10	1.75E-01	1.57E-01	1.35E-11	1.0E+06	1.3E-05
632	632	0.56186	2.5998E-06	1.5E-06	3.46E-04	5.06E-10	1.75E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
633	633	0.58263	2.5998E-06	1.5E-06	3.46E-04	5.24E-10	1.75E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
634	634	0.60479	2.5998E-06	1.6E-06	3.46E-04	5.44E-10	1.75E-01	1.57E-01	1.50E-11	1.0E+06	1.5E-05
635	635	0.62834	2.5998E-06	1.6E-06	3.46E-04	5.65E-10	1.75E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
636	636	0.65351	2.5998E-06	1.7E-06	3.46E-04	5.88E-10	1.75E-01	1.57E-01	1.62E-11	1.0E+06	1.6E-05
637	637	0.68056	2.5998E-06	1.8E-06	3.46E-04	6.12E-10	1.75E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
638	638	0.7096	2.5998E-06	1.8E-06	3.46E-04	6.39E-10	1.75E-01	1.57E-01	1.76E-11	1.0E+06	1.8E-05
639	639	0.74102	2.5998E-06	1.9E-06	3.46E-04	6.67E-10	1.75E-01	1.57E-01	1.84E-11	1.0E+06	1.8E-05
640	640	0.77492	2.5998E-06	2.0E-06	3.46E-04	6.97E-10	1.75E-01	1.57E-01	1.92E-11	1.0E+06	1.9E-05
641	641	0.81161	2.5998E-06	2.1E-06	3.46E-04	7.30E-10	1.75E-01	1.57E-01	2.01E-11	1.0E+06	2.0E-05
642	642	0.85166	2.5998E-06	2.2E-06	3.46E-04	7.66E-10	1.75E-01	1.57E-01	2.11E-11	1.0E+06	2.1E-05
643	643	0.8971	2.5998E-06	2.3E-06	3.46E-04	8.07E-10	1.75E-01	1.57E-01	2.22E-11	1.0E+06	2.2E-05
644	644	0.94452	2.5998E-06	2.5E-06	3.46E-04	8.50E-10	1.75E-01	1.57E-01	2.34E-11	1.0E+06	2.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	0.99851	2.5998E-06	2.6E-06	3.46E-04	8.99E-10	1.75E-01	1.57E-01	2.48E-11	1.0E+06	2.5E-05
646	646	1.06154	2.5998E-06	2.8E-06	3.46E-04	9.55E-10	1.75E-01	1.57E-01	2.63E-11	1.0E+06	2.6E-05
647	647	1.1329	2.5998E-06	2.9E-06	3.46E-04	1.02E-09	1.75E-01	1.57E-01	2.81E-11	1.0E+06	2.8E-05
648	648	1.21234	2.5998E-06	3.2E-06	3.46E-04	1.09E-09	1.75E-01	1.57E-01	3.01E-11	1.0E+06	3.0E-05
649	649	1.30262	2.5998E-06	3.4E-06	3.46E-04	1.17E-09	1.75E-01	1.57E-01	3.23E-11	1.0E+06	3.2E-05
650	650	1.40172	2.5998E-06	3.6E-06	3.46E-04	1.26E-09	1.75E-01	1.57E-01	3.48E-11	1.0E+06	3.5E-05
651	651	1.51046	2.5998E-06	3.9E-06	3.46E-04	1.36E-09	1.75E-01	1.57E-01	3.75E-11	1.0E+06	3.7E-05
652	652	0.32327	2.5998E-06	8.4E-07	3.46E-04	2.91E-10	1.75E-01	1.57E-01	8.02E-12	1.0E+06	8.0E-06
653	653	0.33137	2.5998E-06	8.6E-07	3.46E-04	2.98E-10	1.75E-01	1.57E-01	8.22E-12	1.0E+06	8.2E-06
654	654	0.33959	2.5998E-06	8.8E-07	3.46E-04	3.06E-10	1.75E-01	1.57E-01	8.42E-12	1.0E+06	8.4E-06
655	655	0.34769	2.5998E-06	9.0E-07	3.46E-04	3.13E-10	1.75E-01	1.57E-01	8.62E-12	1.0E+06	8.6E-06
656	656	0.35616	2.5998E-06	9.3E-07	3.46E-04	3.21E-10	1.75E-01	1.57E-01	8.83E-12	1.0E+06	8.8E-06
657	657	0.36473	2.5998E-06	9.5E-07	3.46E-04	3.28E-10	1.75E-01	1.57E-01	9.04E-12	1.0E+06	9.0E-06
658	658	0.37353	2.5998E-06	9.7E-07	3.46E-04	3.36E-10	1.75E-01	1.57E-01	9.26E-12	1.0E+06	9.3E-06
659	659	0.38281	2.5998E-06	1.0E-06	3.46E-04	3.45E-10	1.75E-01	1.57E-01	9.49E-12	1.0E+06	9.5E-06
660	660	0.39331	2.5998E-06	1.0E-06	3.46E-04	3.54E-10	1.75E-01	1.57E-01	9.75E-12	1.0E+06	9.8E-06
661	661	0.40426	2.5998E-06	1.1E-06	3.46E-04	3.64E-10	1.75E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
662	662	0.41572	2.5998E-06	1.1E-06	3.46E-04	3.74E-10	1.75E-01	1.57E-01	1.03E-11	1.0E+06	1.0E-05
663	663	0.42772	2.5998E-06	1.1E-06	3.46E-04	3.85E-10	1.75E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
664	664	0.44031	2.5998E-06	1.1E-06	3.46E-04	3.96E-10	1.75E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
665	665	0.45309	2.5998E-06	1.2E-06	3.46E-04	4.08E-10	1.75E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
666	666	0.46648	2.5998E-06	1.2E-06	3.46E-04	4.20E-10	1.75E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
667	667	0.48069	2.5998E-06	1.2E-06	3.46E-04	4.33E-10	1.75E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
668	668	0.49589	2.5998E-06	1.3E-06	3.46E-04	4.46E-10	1.75E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
669	669	0.512	2.5998E-06	1.3E-06	3.46E-04	4.61E-10	1.75E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
670	670	0.52933	2.5998E-06	1.4E-06	3.46E-04	4.76E-10	1.75E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
671	671	0.54778	2.5998E-06	1.4E-06	3.46E-04	4.93E-10	1.75E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
672	672	0.5675	2.5998E-06	1.5E-06	3.46E-04	5.11E-10	1.75E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
673	673	0.58879	2.5998E-06	1.5E-06	3.46E-04	5.30E-10	1.75E-01	1.57E-01	1.46E-11	1.0E+06	1.5E-05
674	674	0.61165	2.5998E-06	1.6E-06	3.46E-04	5.50E-10	1.75E-01	1.57E-01	1.52E-11	1.0E+06	1.5E-05
675	675	0.63577	2.5998E-06	1.7E-06	3.46E-04	5.72E-10	1.75E-01	1.57E-01	1.58E-11	1.0E+06	1.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	0.66149	2.5998E-06	1.7E-06	3.46E-04	5.95E-10	1.75E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
677	677	0.68917	2.5998E-06	1.8E-06	3.46E-04	6.20E-10	1.75E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
678	678	0.71851	2.5998E-06	1.9E-06	3.46E-04	6.47E-10	1.75E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
679	679	0.75023	2.5998E-06	2.0E-06	3.46E-04	6.75E-10	1.75E-01	1.57E-01	1.86E-11	1.0E+06	1.9E-05
680	680	0.78465	2.5998E-06	2.0E-06	3.46E-04	7.06E-10	1.75E-01	1.57E-01	1.95E-11	1.0E+06	1.9E-05
681	681	0.82219	2.5998E-06	2.1E-06	3.46E-04	7.40E-10	1.75E-01	1.57E-01	2.04E-11	1.0E+06	2.0E-05
682	682	0.86308	2.5998E-06	2.2E-06	3.46E-04	7.77E-10	1.75E-01	1.57E-01	2.14E-11	1.0E+06	2.1E-05
683	683	0.9093	2.5998E-06	2.4E-06	3.46E-04	8.18E-10	1.75E-01	1.57E-01	2.25E-11	1.0E+06	2.3E-05
684	684	0.95909	2.5998E-06	2.5E-06	3.46E-04	8.63E-10	1.75E-01	1.57E-01	2.38E-11	1.0E+06	2.4E-05
685	685	1.00895	2.5998E-06	2.6E-06	3.46E-04	9.08E-10	1.75E-01	1.57E-01	2.50E-11	1.0E+06	2.5E-05
686	686	1.07618	2.5998E-06	2.8E-06	3.46E-04	9.69E-10	1.75E-01	1.57E-01	2.67E-11	1.0E+06	2.7E-05
687	687	1.14874	2.5998E-06	3.0E-06	3.46E-04	1.03E-09	1.75E-01	1.57E-01	2.85E-11	1.0E+06	2.8E-05
688	688	1.22946	2.5998E-06	3.2E-06	3.46E-04	1.11E-09	1.75E-01	1.57E-01	3.05E-11	1.0E+06	3.0E-05
689	689	1.32104	2.5998E-06	3.4E-06	3.46E-04	1.19E-09	1.75E-01	1.57E-01	3.28E-11	1.0E+06	3.3E-05
690	690	1.42053	2.5998E-06	3.7E-06	3.46E-04	1.28E-09	1.75E-01	1.57E-01	3.52E-11	1.0E+06	3.5E-05
691	691	1.53177	2.5998E-06	4.0E-06	3.46E-04	1.38E-09	1.75E-01	1.57E-01	3.80E-11	1.0E+06	3.8E-05
692	692	0.32367	2.5998E-06	8.4E-07	3.46E-04	2.91E-10	1.75E-01	1.57E-01	8.03E-12	1.0E+06	8.0E-06
693	693	0.3316	2.5998E-06	8.6E-07	3.46E-04	2.98E-10	1.75E-01	1.57E-01	8.22E-12	1.0E+06	8.2E-06
694	694	0.33978	2.5998E-06	8.8E-07	3.46E-04	3.06E-10	1.75E-01	1.57E-01	8.43E-12	1.0E+06	8.4E-06
695	695	0.34808	2.5998E-06	9.0E-07	3.46E-04	3.13E-10	1.75E-01	1.57E-01	8.63E-12	1.0E+06	8.6E-06
696	696	0.35673	2.5998E-06	9.3E-07	3.46E-04	3.21E-10	1.75E-01	1.57E-01	8.85E-12	1.0E+06	8.8E-06
697	697	0.36565	2.5998E-06	9.5E-07	3.46E-04	3.29E-10	1.75E-01	1.57E-01	9.07E-12	1.0E+06	9.1E-06
698	698	0.37487	2.5998E-06	9.7E-07	3.46E-04	3.37E-10	1.75E-01	1.57E-01	9.30E-12	1.0E+06	9.3E-06
699	699	0.38457	2.5998E-06	1.0E-06	3.46E-04	3.46E-10	1.75E-01	1.57E-01	9.54E-12	1.0E+06	9.5E-06
700	700	0.39526	2.5998E-06	1.0E-06	3.46E-04	3.56E-10	1.75E-01	1.57E-01	9.80E-12	1.0E+06	9.8E-06
701	701	0.4065	2.5998E-06	1.1E-06	3.46E-04	3.66E-10	1.75E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
702	702	0.41815	2.5998E-06	1.1E-06	3.46E-04	3.76E-10	1.75E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
703	703	0.43023	2.5998E-06	1.1E-06	3.46E-04	3.87E-10	1.75E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
704	704	0.44297	2.5998E-06	1.2E-06	3.46E-04	3.99E-10	1.75E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
705	705	0.45572	2.5998E-06	1.2E-06	3.46E-04	4.10E-10	1.75E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
706	706	0.46907	2.5998E-06	1.2E-06	3.46E-04	4.22E-10	1.75E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	0.48332	2.5998E-06	1.3E-06	3.46E-04	4.35E-10	1.75E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
708	708	0.49888	2.5998E-06	1.3E-06	3.46E-04	4.49E-10	1.75E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05
709	709	0.51532	2.5998E-06	1.3E-06	3.46E-04	4.64E-10	1.75E-01	1.57E-01	1.28E-11	1.0E+06	1.3E-05
710	710	0.53325	2.5998E-06	1.4E-06	3.46E-04	4.80E-10	1.75E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05
711	711	0.55241	2.5998E-06	1.4E-06	3.46E-04	4.97E-10	1.75E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
712	712	0.57278	2.5998E-06	1.5E-06	3.46E-04	5.15E-10	1.75E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
713	713	0.59465	2.5998E-06	1.5E-06	3.46E-04	5.35E-10	1.75E-01	1.57E-01	1.47E-11	1.0E+06	1.5E-05
714	714	0.61811	2.5998E-06	1.6E-06	3.46E-04	5.56E-10	1.75E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
715	715	0.64288	2.5998E-06	1.7E-06	3.46E-04	5.79E-10	1.75E-01	1.57E-01	1.59E-11	1.0E+06	1.6E-05
716	716	0.66918	2.5998E-06	1.7E-06	3.46E-04	6.02E-10	1.75E-01	1.57E-01	1.66E-11	1.0E+06	1.7E-05
717	717	0.69745	2.5998E-06	1.8E-06	3.46E-04	6.28E-10	1.75E-01	1.57E-01	1.73E-11	1.0E+06	1.7E-05
718	718	0.72705	2.5998E-06	1.9E-06	3.46E-04	6.54E-10	1.75E-01	1.57E-01	1.80E-11	1.0E+06	1.8E-05
719	719	0.75905	2.5998E-06	2.0E-06	3.46E-04	6.83E-10	1.75E-01	1.57E-01	1.88E-11	1.0E+06	1.9E-05
720	720	0.79391	2.5998E-06	2.1E-06	3.46E-04	7.14E-10	1.75E-01	1.57E-01	1.97E-11	1.0E+06	2.0E-05
721	721	0.83223	2.5998E-06	2.2E-06	3.46E-04	7.49E-10	1.75E-01	1.57E-01	2.06E-11	1.0E+06	2.1E-05
722	722	0.87405	2.5998E-06	2.3E-06	3.46E-04	7.87E-10	1.75E-01	1.57E-01	2.17E-11	1.0E+06	2.2E-05
723	723	0.921	2.5998E-06	2.4E-06	3.46E-04	8.29E-10	1.75E-01	1.57E-01	2.28E-11	1.0E+06	2.3E-05
724	724	0.97274	2.5998E-06	2.5E-06	3.46E-04	8.75E-10	1.75E-01	1.57E-01	2.41E-11	1.0E+06	2.4E-05
725	725	1.02152	2.5998E-06	2.7E-06	3.46E-04	9.19E-10	1.75E-01	1.57E-01	2.53E-11	1.0E+06	2.5E-05
726	726	1.0879	2.5998E-06	2.8E-06	3.46E-04	9.79E-10	1.75E-01	1.57E-01	2.70E-11	1.0E+06	2.7E-05
727	727	1.16381	2.5998E-06	3.0E-06	3.46E-04	1.05E-09	1.75E-01	1.57E-01	2.89E-11	1.0E+06	2.9E-05
728	728	1.24558	2.5998E-06	3.2E-06	3.46E-04	1.12E-09	1.75E-01	1.57E-01	3.09E-11	1.0E+06	3.1E-05
729	729	1.33846	2.5998E-06	3.5E-06	3.46E-04	1.20E-09	1.75E-01	1.57E-01	3.32E-11	1.0E+06	3.3E-05
730	730	1.43923	2.5998E-06	3.7E-06	3.46E-04	1.30E-09	1.75E-01	1.57E-01	3.57E-11	1.0E+06	3.6E-05
731	731	1.55169	2.5998E-06	4.0E-06	3.46E-04	1.40E-09	1.75E-01	1.57E-01	3.85E-11	1.0E+06	3.8E-05
732	732	0.32372	2.5998E-06	8.4E-07	3.46E-04	2.91E-10	1.75E-01	1.57E-01	8.03E-12	1.0E+06	8.0E-06
733	733	0.33131	2.5998E-06	8.6E-07	3.46E-04	2.98E-10	1.75E-01	1.57E-01	8.22E-12	1.0E+06	8.2E-06
734	734	0.33928	2.5998E-06	8.8E-07	3.46E-04	3.05E-10	1.75E-01	1.57E-01	8.41E-12	1.0E+06	8.4E-06
735	735	0.34772	2.5998E-06	9.0E-07	3.46E-04	3.13E-10	1.75E-01	1.57E-01	8.62E-12	1.0E+06	8.6E-06
736	736	0.35657	2.5998E-06	9.3E-07	3.46E-04	3.21E-10	1.75E-01	1.57E-01	8.84E-12	1.0E+06	8.8E-06
737	737	0.36587	2.5998E-06	9.5E-07	3.46E-04	3.29E-10	1.75E-01	1.57E-01	9.07E-12	1.0E+06	9.1E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.37568	2.5998E-06	9.8E-07	3.46E-04	3.38E-10	1.75E-01	1.57E-01	9.32E-12	1.0E+06	9.3E-06
739	739	0.38588	2.5998E-06	1.0E-06	3.46E-04	3.47E-10	1.75E-01	1.57E-01	9.57E-12	1.0E+06	9.6E-06
740	740	0.39688	2.5998E-06	1.0E-06	3.46E-04	3.57E-10	1.75E-01	1.57E-01	9.84E-12	1.0E+06	9.8E-06
741	741	0.40832	2.5998E-06	1.1E-06	3.46E-04	3.67E-10	1.75E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
742	742	0.42014	2.5998E-06	1.1E-06	3.46E-04	3.78E-10	1.75E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
743	743	0.43232	2.5998E-06	1.1E-06	3.46E-04	3.89E-10	1.75E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
744	744	0.44514	2.5998E-06	1.2E-06	3.46E-04	4.01E-10	1.75E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
745	745	0.4578	2.5998E-06	1.2E-06	3.46E-04	4.12E-10	1.75E-01	1.57E-01	1.14E-11	1.0E+06	1.1E-05
746	746	0.47105	2.5998E-06	1.2E-06	3.46E-04	4.24E-10	1.75E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
747	747	0.48529	2.5998E-06	1.3E-06	3.46E-04	4.37E-10	1.75E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
748	748	0.50119	2.5998E-06	1.3E-06	3.46E-04	4.51E-10	1.75E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05
749	749	0.51803	2.5998E-06	1.3E-06	3.46E-04	4.66E-10	1.75E-01	1.57E-01	1.28E-11	1.0E+06	1.3E-05
750	750	0.53662	2.5998E-06	1.4E-06	3.46E-04	4.83E-10	1.75E-01	1.57E-01	1.33E-11	1.0E+06	1.3E-05
751	751	0.55655	2.5998E-06	1.4E-06	3.46E-04	5.01E-10	1.75E-01	1.57E-01	1.38E-11	1.0E+06	1.4E-05
752	752	0.57766	2.5998E-06	1.5E-06	3.46E-04	5.20E-10	1.75E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
753	753	0.60007	2.5998E-06	1.6E-06	3.46E-04	5.40E-10	1.75E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
754	754	0.62404	2.5998E-06	1.6E-06	3.46E-04	5.62E-10	1.75E-01	1.57E-01	1.55E-11	1.0E+06	1.5E-05
755	755	0.64945	2.5998E-06	1.7E-06	3.46E-04	5.84E-10	1.75E-01	1.57E-01	1.61E-11	1.0E+06	1.6E-05
756	756	0.67624	2.5998E-06	1.8E-06	3.46E-04	6.09E-10	1.75E-01	1.57E-01	1.68E-11	1.0E+06	1.7E-05
757	757	0.7051	2.5998E-06	1.8E-06	3.46E-04	6.35E-10	1.75E-01	1.57E-01	1.75E-11	1.0E+06	1.7E-05
758	758	0.73501	2.5998E-06	1.9E-06	3.46E-04	6.61E-10	1.75E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
759	759	0.76728	2.5998E-06	2.0E-06	3.46E-04	6.91E-10	1.75E-01	1.57E-01	1.90E-11	1.0E+06	1.9E-05
760	760	0.80265	2.5998E-06	2.1E-06	3.46E-04	7.22E-10	1.75E-01	1.57E-01	1.99E-11	1.0E+06	2.0E-05
761	761	0.84172	2.5998E-06	2.2E-06	3.46E-04	7.58E-10	1.75E-01	1.57E-01	2.09E-11	1.0E+06	2.1E-05
762	762	0.88437	2.5998E-06	2.3E-06	3.46E-04	7.96E-10	1.75E-01	1.57E-01	2.19E-11	1.0E+06	2.2E-05
763	763	0.93192	2.5998E-06	2.4E-06	3.46E-04	8.39E-10	1.75E-01	1.57E-01	2.31E-11	1.0E+06	2.3E-05
764	764	0.98432	2.5998E-06	2.6E-06	3.46E-04	8.86E-10	1.75E-01	1.57E-01	2.44E-11	1.0E+06	2.4E-05
765	765	1.03135	2.5998E-06	2.7E-06	3.46E-04	9.28E-10	1.75E-01	1.57E-01	2.56E-11	1.0E+06	2.6E-05
766	766	1.10071	2.5998E-06	2.9E-06	3.46E-04	9.91E-10	1.75E-01	1.57E-01	2.73E-11	1.0E+06	2.7E-05
767	767	1.17592	2.5998E-06	3.1E-06	3.46E-04	1.06E-09	1.75E-01	1.57E-01	2.92E-11	1.0E+06	2.9E-05
768	768	1.26076	2.5998E-06	3.3E-06	3.46E-04	1.13E-09	1.75E-01	1.57E-01	3.13E-11	1.0E+06	3.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	1.35349	2.5998E-06	3.5E-06	3.46E-04	1.22E-09	1.75E-01	1.57E-01	3.36E-11	1.0E+06	3.4E-05
770	770	1.45676	2.5998E-06	3.8E-06	3.46E-04	1.31E-09	1.75E-01	1.57E-01	3.61E-11	1.0E+06	3.6E-05
771	771	1.57042	2.5998E-06	4.1E-06	3.46E-04	1.41E-09	1.75E-01	1.57E-01	3.89E-11	1.0E+06	3.9E-05
772	772	0.32372	2.5998E-06	8.4E-07	3.46E-04	2.91E-10	1.75E-01	1.57E-01	8.03E-12	1.0E+06	8.0E-06
773	773	0.33129	2.5998E-06	8.6E-07	3.46E-04	2.98E-10	1.75E-01	1.57E-01	8.22E-12	1.0E+06	8.2E-06
774	774	0.33925	2.5998E-06	8.8E-07	3.46E-04	3.05E-10	1.75E-01	1.57E-01	8.41E-12	1.0E+06	8.4E-06
775	775	0.34788	2.5998E-06	9.0E-07	3.46E-04	3.13E-10	1.75E-01	1.57E-01	8.63E-12	1.0E+06	8.6E-06
776	776	0.35692	2.5998E-06	9.3E-07	3.46E-04	3.21E-10	1.75E-01	1.57E-01	8.85E-12	1.0E+06	8.9E-06
777	777	0.36643	2.5998E-06	9.5E-07	3.46E-04	3.30E-10	1.75E-01	1.57E-01	9.09E-12	1.0E+06	9.1E-06
778	778	0.3764	2.5998E-06	9.8E-07	3.46E-04	3.39E-10	1.75E-01	1.57E-01	9.33E-12	1.0E+06	9.3E-06
779	779	0.38687	2.5998E-06	1.0E-06	3.46E-04	3.48E-10	1.75E-01	1.57E-01	9.59E-12	1.0E+06	9.6E-06
780	780	0.39795	2.5998E-06	1.0E-06	3.46E-04	3.58E-10	1.75E-01	1.57E-01	9.87E-12	1.0E+06	9.9E-06
781	781	0.40957	2.5998E-06	1.1E-06	3.46E-04	3.69E-10	1.75E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
782	782	0.42156	2.5998E-06	1.1E-06	3.46E-04	3.79E-10	1.75E-01	1.57E-01	1.05E-11	1.0E+06	1.0E-05
783	783	0.43402	2.5998E-06	1.1E-06	3.46E-04	3.91E-10	1.75E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
784	784	0.44712	2.5998E-06	1.2E-06	3.46E-04	4.02E-10	1.75E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
785	785	0.46026	2.5998E-06	1.2E-06	3.46E-04	4.14E-10	1.75E-01	1.57E-01	1.14E-11	1.0E+06	1.1E-05
786	786	0.47397	2.5998E-06	1.2E-06	3.46E-04	4.27E-10	1.75E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
787	787	0.4887	2.5998E-06	1.3E-06	3.46E-04	4.40E-10	1.75E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
788	788	0.5049	2.5998E-06	1.3E-06	3.46E-04	4.54E-10	1.75E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05
789	789	0.52205	2.5998E-06	1.4E-06	3.46E-04	4.70E-10	1.75E-01	1.57E-01	1.29E-11	1.0E+06	1.3E-05
790	790	0.5408	2.5998E-06	1.4E-06	3.46E-04	4.87E-10	1.75E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
791	791	0.56085	2.5998E-06	1.5E-06	3.46E-04	5.05E-10	1.75E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
792	792	0.58213	2.5998E-06	1.5E-06	3.46E-04	5.24E-10	1.75E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
793	793	0.60464	2.5998E-06	1.6E-06	3.46E-04	5.44E-10	1.75E-01	1.57E-01	1.50E-11	1.0E+06	1.5E-05
794	794	0.6286	2.5998E-06	1.6E-06	3.46E-04	5.66E-10	1.75E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
795	795	0.65407	2.5998E-06	1.7E-06	3.46E-04	5.89E-10	1.75E-01	1.57E-01	1.62E-11	1.0E+06	1.6E-05
796	796	0.68133	2.5998E-06	1.8E-06	3.46E-04	6.13E-10	1.75E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
797	797	0.71068	2.5998E-06	1.8E-06	3.46E-04	6.40E-10	1.75E-01	1.57E-01	1.76E-11	1.0E+06	1.8E-05
798	798	0.74133	2.5998E-06	1.9E-06	3.46E-04	6.67E-10	1.75E-01	1.57E-01	1.84E-11	1.0E+06	1.8E-05
799	799	0.77452	2.5998E-06	2.0E-06	3.46E-04	6.97E-10	1.75E-01	1.57E-01	1.92E-11	1.0E+06	1.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 2									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	0.81072	2.5998E-06	2.1E-06	3.46E-04	7.30E-10	1.75E-01	1.57E-01	2.01E-11	1.0E+06	2.0E-05
801	801	0.85039	2.5998E-06	2.2E-06	3.46E-04	7.65E-10	1.75E-01	1.57E-01	2.11E-11	1.0E+06	2.1E-05
802	802	0.89376	2.5998E-06	2.3E-06	3.46E-04	8.04E-10	1.75E-01	1.57E-01	2.22E-11	1.0E+06	2.2E-05
803	803	0.94174	2.5998E-06	2.4E-06	3.46E-04	8.48E-10	1.75E-01	1.57E-01	2.34E-11	1.0E+06	2.3E-05
804	804	0.9946	2.5998E-06	2.6E-06	3.46E-04	8.95E-10	1.75E-01	1.57E-01	2.47E-11	1.0E+06	2.5E-05
805	805	1.05015	2.5998E-06	2.7E-06	3.46E-04	9.45E-10	1.75E-01	1.57E-01	2.60E-11	1.0E+06	2.6E-05
806	806	1.1079	2.5998E-06	2.9E-06	3.46E-04	9.97E-10	1.75E-01	1.57E-01	2.75E-11	1.0E+06	2.7E-05
807	807	1.18664	2.5998E-06	3.1E-06	3.46E-04	1.07E-09	1.75E-01	1.57E-01	2.94E-11	1.0E+06	2.9E-05
808	808	1.27492	2.5998E-06	3.3E-06	3.46E-04	1.15E-09	1.75E-01	1.57E-01	3.16E-11	1.0E+06	3.2E-05
809	809	1.3687	2.5998E-06	3.6E-06	3.46E-04	1.23E-09	1.75E-01	1.57E-01	3.39E-11	1.0E+06	3.4E-05
810	810	1.47317	2.5998E-06	3.8E-06	3.46E-04	1.33E-09	1.75E-01	1.57E-01	3.65E-11	1.0E+06	3.7E-05
811	811	1.58819	2.5998E-06	4.1E-06	3.46E-04	1.43E-09	1.75E-01	1.57E-01	3.94E-11	1.0E+06	3.9E-05
812	812	0.32342	2.5998E-06	8.4E-07	3.46E-04	2.91E-10	1.75E-01	1.57E-01	8.02E-12	1.0E+06	8.0E-06
813	813	0.33099	2.5998E-06	8.6E-07	3.46E-04	2.98E-10	1.75E-01	1.57E-01	8.21E-12	1.0E+06	8.2E-06
814	814	0.33899	2.5998E-06	8.8E-07	3.46E-04	3.05E-10	1.75E-01	1.57E-01	8.41E-12	1.0E+06	8.4E-06
815	815	0.34783	2.5998E-06	9.0E-07	3.46E-04	3.13E-10	1.75E-01	1.57E-01	8.63E-12	1.0E+06	8.6E-06
816	816	0.35704	2.5998E-06	9.3E-07	3.46E-04	3.21E-10	1.75E-01	1.57E-01	8.85E-12	1.0E+06	8.9E-06
817	817	0.36673	2.5998E-06	9.5E-07	3.46E-04	3.30E-10	1.75E-01	1.57E-01	9.09E-12	1.0E+06	9.1E-06
818	818	0.37684	2.5998E-06	9.8E-07	3.46E-04	3.39E-10	1.75E-01	1.57E-01	9.34E-12	1.0E+06	9.3E-06
819	819	0.38746	2.5998E-06	1.0E-06	3.46E-04	3.49E-10	1.75E-01	1.57E-01	9.61E-12	1.0E+06	9.6E-06
820	820	0.39862	2.5998E-06	1.0E-06	3.46E-04	3.59E-10	1.75E-01	1.57E-01	9.88E-12	1.0E+06	9.9E-06
821	821	0.41029	2.5998E-06	1.1E-06	3.46E-04	3.69E-10	1.75E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
822	822	0.42251	2.5998E-06	1.1E-06	3.46E-04	3.80E-10	1.75E-01	1.57E-01	1.05E-11	1.0E+06	1.0E-05
823	823	0.4353	2.5998E-06	1.1E-06	3.46E-04	3.92E-10	1.75E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
824	824	0.44873	2.5998E-06	1.2E-06	3.46E-04	4.04E-10	1.75E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
825	825	0.4623	2.5998E-06	1.2E-06	3.46E-04	4.16E-10	1.75E-01	1.57E-01	1.15E-11	1.0E+06	1.1E-05
826	826	0.47657	2.5998E-06	1.2E-06	3.46E-04	4.29E-10	1.75E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
827	827	0.49184	2.5998E-06	1.3E-06	3.46E-04	4.43E-10	1.75E-01	1.57E-01	1.22E-11	1.0E+06	1.2E-05
828	828	0.50835	2.5998E-06	1.3E-06	3.46E-04	4.57E-10	1.75E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
829	829	0.52581	2.5998E-06	1.4E-06	3.46E-04	4.73E-10	1.75E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
830	830	0.54467	2.5998E-06	1.4E-06	3.46E-04	4.90E-10	1.75E-01	1.57E-01	1.35E-11	1.0E+06	1.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	0.56479	2.5998E-06	1.5E-06	3.46E-04	5.08E-10	1.75E-01	1.57E-01	1.40E-11	1.0E+06	1.4E-05
832	832	0.58615	2.5998E-06	1.5E-06	3.46E-04	5.28E-10	1.75E-01	1.57E-01	1.45E-11	1.0E+06	1.5E-05
833	833	0.60862	2.5998E-06	1.6E-06	3.46E-04	5.48E-10	1.75E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
834	834	0.63259	2.5998E-06	1.6E-06	3.46E-04	5.69E-10	1.75E-01	1.57E-01	1.57E-11	1.0E+06	1.6E-05
835	835	0.6582	2.5998E-06	1.7E-06	3.46E-04	5.92E-10	1.75E-01	1.57E-01	1.63E-11	1.0E+06	1.6E-05
836	836	0.68572	2.5998E-06	1.8E-06	3.46E-04	6.17E-10	1.75E-01	1.57E-01	1.70E-11	1.0E+06	1.7E-05
837	837	0.71541	2.5998E-06	1.9E-06	3.46E-04	6.44E-10	1.75E-01	1.57E-01	1.77E-11	1.0E+06	1.8E-05
838	838	0.74705	2.5998E-06	1.9E-06	3.46E-04	6.72E-10	1.75E-01	1.57E-01	1.85E-11	1.0E+06	1.9E-05
839	839	0.78122	2.5998E-06	2.0E-06	3.46E-04	7.03E-10	1.75E-01	1.57E-01	1.94E-11	1.0E+06	1.9E-05
840	840	0.81827	2.5998E-06	2.1E-06	3.46E-04	7.36E-10	1.75E-01	1.57E-01	2.03E-11	1.0E+06	2.0E-05
841	841	0.85861	2.5998E-06	2.2E-06	3.46E-04	7.73E-10	1.75E-01	1.57E-01	2.13E-11	1.0E+06	2.1E-05
842	842	0.90254	2.5998E-06	2.3E-06	3.46E-04	8.12E-10	1.75E-01	1.57E-01	2.24E-11	1.0E+06	2.2E-05
843	843	0.95096	2.5998E-06	2.5E-06	3.46E-04	8.56E-10	1.75E-01	1.57E-01	2.36E-11	1.0E+06	2.4E-05
844	844	1.00421	2.5998E-06	2.6E-06	3.46E-04	9.04E-10	1.75E-01	1.57E-01	2.49E-11	1.0E+06	2.5E-05
845	845	1.06266	2.5998E-06	2.8E-06	3.46E-04	9.56E-10	1.75E-01	1.57E-01	2.64E-11	1.0E+06	2.6E-05
846	846	1.1158	2.5998E-06	2.9E-06	3.46E-04	1.00E-09	1.75E-01	1.57E-01	2.77E-11	1.0E+06	2.8E-05
847	847	1.19629	2.5998E-06	3.1E-06	3.46E-04	1.08E-09	1.75E-01	1.57E-01	2.97E-11	1.0E+06	3.0E-05
848	848	1.28821	2.5998E-06	3.3E-06	3.46E-04	1.16E-09	1.75E-01	1.57E-01	3.19E-11	1.0E+06	3.2E-05
849	849	1.38307	2.5998E-06	3.6E-06	3.46E-04	1.24E-09	1.75E-01	1.57E-01	3.43E-11	1.0E+06	3.4E-05
850	850	1.48853	2.5998E-06	3.9E-06	3.46E-04	1.34E-09	1.75E-01	1.57E-01	3.69E-11	1.0E+06	3.7E-05
851	851	1.60583	2.5998E-06	4.2E-06	3.46E-04	1.45E-09	1.75E-01	1.57E-01	3.98E-11	1.0E+06	4.0E-05
852	852	0.32289	2.5998E-06	8.4E-07	3.46E-04	2.91E-10	1.75E-01	1.57E-01	8.01E-12	1.0E+06	8.0E-06
853	853	0.33042	2.5998E-06	8.6E-07	3.46E-04	2.97E-10	1.75E-01	1.57E-01	8.19E-12	1.0E+06	8.2E-06
854	854	0.3384	2.5998E-06	8.8E-07	3.46E-04	3.05E-10	1.75E-01	1.57E-01	8.39E-12	1.0E+06	8.4E-06
855	855	0.34743	2.5998E-06	9.0E-07	3.46E-04	3.13E-10	1.75E-01	1.57E-01	8.62E-12	1.0E+06	8.6E-06
856	856	0.35686	2.5998E-06	9.3E-07	3.46E-04	3.21E-10	1.75E-01	1.57E-01	8.85E-12	1.0E+06	8.8E-06
857	857	0.3667	2.5998E-06	9.5E-07	3.46E-04	3.30E-10	1.75E-01	1.57E-01	9.09E-12	1.0E+06	9.1E-06
858	858	0.37695	2.5998E-06	9.8E-07	3.46E-04	3.39E-10	1.75E-01	1.57E-01	9.35E-12	1.0E+06	9.3E-06
859	859	0.38767	2.5998E-06	1.0E-06	3.46E-04	3.49E-10	1.75E-01	1.57E-01	9.61E-12	1.0E+06	9.6E-06
860	860	0.39888	2.5998E-06	1.0E-06	3.46E-04	3.59E-10	1.75E-01	1.57E-01	9.89E-12	1.0E+06	9.9E-06
861	861	0.41059	2.5998E-06	1.1E-06	3.46E-04	3.70E-10	1.75E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.42295	2.5998E-06	1.1E-06	3.46E-04	3.81E-10	1.75E-01	1.57E-01	1.05E-11	1.0E+06	1.0E-05
863	863	0.43607	2.5998E-06	1.1E-06	3.46E-04	3.92E-10	1.75E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
864	864	0.44987	2.5998E-06	1.2E-06	3.46E-04	4.05E-10	1.75E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
865	865	0.46405	2.5998E-06	1.2E-06	3.46E-04	4.18E-10	1.75E-01	1.57E-01	1.15E-11	1.0E+06	1.2E-05
866	866	0.47893	2.5998E-06	1.2E-06	3.46E-04	4.31E-10	1.75E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
867	867	0.4947	2.5998E-06	1.3E-06	3.46E-04	4.45E-10	1.75E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
868	868	0.51152	2.5998E-06	1.3E-06	3.46E-04	4.60E-10	1.75E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
869	869	0.5293	2.5998E-06	1.4E-06	3.46E-04	4.76E-10	1.75E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
870	870	0.54824	2.5998E-06	1.4E-06	3.46E-04	4.93E-10	1.75E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
871	871	0.56835	2.5998E-06	1.5E-06	3.46E-04	5.11E-10	1.75E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
872	872	0.58972	2.5998E-06	1.5E-06	3.46E-04	5.31E-10	1.75E-01	1.57E-01	1.46E-11	1.0E+06	1.5E-05
873	873	0.61208	2.5998E-06	1.6E-06	3.46E-04	5.51E-10	1.75E-01	1.57E-01	1.52E-11	1.0E+06	1.5E-05
874	874	0.63594	2.5998E-06	1.7E-06	3.46E-04	5.72E-10	1.75E-01	1.57E-01	1.58E-11	1.0E+06	1.6E-05
875	875	0.66173	2.5998E-06	1.7E-06	3.46E-04	5.96E-10	1.75E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
876	876	0.6896	2.5998E-06	1.8E-06	3.46E-04	6.21E-10	1.75E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
877	877	0.71956	2.5998E-06	1.9E-06	3.46E-04	6.48E-10	1.75E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
878	878	0.75216	2.5998E-06	2.0E-06	3.46E-04	6.77E-10	1.75E-01	1.57E-01	1.87E-11	1.0E+06	1.9E-05
879	879	0.78746	2.5998E-06	2.0E-06	3.46E-04	7.09E-10	1.75E-01	1.57E-01	1.95E-11	1.0E+06	2.0E-05
880	880	0.82538	2.5998E-06	2.1E-06	3.46E-04	7.43E-10	1.75E-01	1.57E-01	2.05E-11	1.0E+06	2.0E-05
881	881	0.86617	2.5998E-06	2.3E-06	3.46E-04	7.80E-10	1.75E-01	1.57E-01	2.15E-11	1.0E+06	2.1E-05
882	882	0.91062	2.5998E-06	2.4E-06	3.46E-04	8.20E-10	1.75E-01	1.57E-01	2.26E-11	1.0E+06	2.3E-05
883	883	0.95936	2.5998E-06	2.5E-06	3.46E-04	8.63E-10	1.75E-01	1.57E-01	2.38E-11	1.0E+06	2.4E-05
884	884	1.013	2.5998E-06	2.6E-06	3.46E-04	9.12E-10	1.75E-01	1.57E-01	2.51E-11	1.0E+06	2.5E-05
885	885	1.07208	2.5998E-06	2.8E-06	3.46E-04	9.65E-10	1.75E-01	1.57E-01	2.66E-11	1.0E+06	2.7E-05
886	886	1.12894	2.5998E-06	2.9E-06	3.46E-04	1.02E-09	1.75E-01	1.57E-01	2.80E-11	1.0E+06	2.8E-05
887	887	1.20735	2.5998E-06	3.1E-06	3.46E-04	1.09E-09	1.75E-01	1.57E-01	2.99E-11	1.0E+06	3.0E-05
888	888	1.29693	2.5998E-06	3.4E-06	3.46E-04	1.17E-09	1.75E-01	1.57E-01	3.22E-11	1.0E+06	3.2E-05
889	889	1.39457	2.5998E-06	3.6E-06	3.46E-04	1.26E-09	1.75E-01	1.57E-01	3.46E-11	1.0E+06	3.5E-05
890	890	1.50265	2.5998E-06	3.9E-06	3.46E-04	1.35E-09	1.75E-01	1.57E-01	3.73E-11	1.0E+06	3.7E-05
891	891	1.62111	2.5998E-06	4.2E-06	3.46E-04	1.46E-09	1.75E-01	1.57E-01	4.02E-11	1.0E+06	4.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
521	521	1.3E+00	Max	Receptor #	5	2.68E-02	Max	Receptor #	
522	522	1.3E+00	1.588	527	5	2.73E-02	0.033	527	Res
523	523	1.6E+00			5	3.31E-02			
524	524	1.3E+00			5	2.76E-02			
525	525	1.3E+00			5	2.73E-02			
526	526	1.3E+00			5	2.77E-02			
527	527	1.6E+00			5	3.33E-02			
528	528	1.3E+00			5	2.77E-02			
529	529	1.3E+00			5	2.73E-02			
530	530	1.3E+00			5	2.75E-02			
531	531	1.6E+00			5	3.29E-02			
532	532	1.0E-01			5	2.16E-03			
533	533	1.1E-01			5	2.30E-03			
534	534	1.2E-01			5	2.45E-03			
535	535	1.2E-01			5	2.61E-03			
536	536	1.3E-01			5	2.80E-03			
537	537	1.4E-01			5	3.00E-03			
538	538	1.5E-01			5	3.23E-03			
539	539	1.7E-01			5	3.50E-03			
540	540	1.8E-01			5	3.81E-03			
541	541	2.0E-01			5	4.17E-03			
542	542	2.2E-01			5	4.59E-03			
543	543	2.4E-01			5	5.07E-03			
544	544	2.7E-01			5	5.65E-03			
545	545	3.0E-01			5	6.34E-03			
546	546	3.4E-01			5	7.20E-03			
547	547	3.9E-01			5	8.26E-03			
548	548	4.6E-01			5	9.64E-03			
549	549	5.5E-01			5	1.14E-02			
550	550	6.6E-01			5	1.38E-02			
551	551	8.0E-01			5	1.67E-02			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
552	552	9.5E-01	5	1.99E-02
553	553	7.8E-01	5	1.64E-02
554	554	1.2E+00	5	2.61E-02
555	555	1.4E+00	5	2.87E-02
556	556	1.5E+00	5	3.10E-02
557	557	1.3E+00	5	2.62E-02
558	558	1.3E+00	5	2.65E-02
559	559	1.3E+00	5	2.70E-02
560	560	1.3E+00	5	2.82E-02
561	561	1.1E+00	5	2.31E-02
562	562	1.4E+00	5	2.88E-02
563	563	1.4E+00	5	2.84E-02
564	564	1.4E+00	5	2.91E-02
565	565	1.1E+00	5	2.38E-02
566	566	1.4E+00	5	2.92E-02
567	567	1.4E+00	5	2.87E-02
568	568	1.4E+00	5	2.92E-02
569	569	1.1E+00	5	2.38E-02
570	570	1.4E+00	5	2.90E-02
571	571	1.4E+00	5	2.84E-02
572	572	1.0E-01	5	2.10E-03
573	573	1.1E-01	5	2.24E-03
574	574	1.1E-01	5	2.39E-03
575	575	1.2E-01	5	2.55E-03
576	576	1.3E-01	5	2.73E-03
577	577	1.4E-01	5	2.92E-03
578	578	1.5E-01	5	3.13E-03
579	579	1.6E-01	5	3.38E-03
580	580	1.8E-01	5	3.67E-03
581	581	1.9E-01	5	4.01E-03
582	582	2.1E-01	5	4.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
583	583	2.3E-01	5	4.85E-03
584	584	2.6E-01	5	5.38E-03
585	585	2.9E-01	5	6.01E-03
586	586	3.2E-01	5	6.76E-03
587	587	3.7E-01	5	7.68E-03
588	588	4.2E-01	5	8.84E-03
589	589	4.9E-01	5	1.03E-02
590	590	5.8E-01	5	1.21E-02
591	591	6.8E-01	5	1.43E-02
592	592	7.9E-01	5	1.66E-02
593	593	9.1E-01	5	1.91E-02
594	594	1.0E+00	5	2.13E-02
595	595	1.1E+00	5	2.34E-02
596	596	1.2E+00	5	2.53E-02
597	597	1.3E+00	5	2.69E-02
598	598	1.3E+00	5	2.83E-02
599	599	1.4E+00	5	2.92E-02
600	600	1.4E+00	5	2.98E-02
601	601	1.4E+00	5	3.02E-02
602	602	1.5E+00	5	3.05E-02
603	603	1.5E+00	5	3.07E-02
604	604	1.5E+00	5	3.08E-02
605	605	1.5E+00	5	3.09E-02
606	606	1.5E+00	5	3.09E-02
607	607	1.5E+00	5	3.10E-02
608	608	1.5E+00	5	3.09E-02
609	609	1.5E+00	5	3.08E-02
610	610	1.5E+00	5	3.07E-02
611	611	1.5E+00	5	3.06E-02
612	612	9.8E-02	5	2.05E-03
613	613	1.0E-01	5	2.19E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
614	614	1.1E-01	5	2.33E-03
615	615	1.2E-01	5	2.48E-03
616	616	1.3E-01	5	2.65E-03
617	617	1.3E-01	5	2.83E-03
618	618	1.4E-01	5	3.02E-03
619	619	1.5E-01	5	3.24E-03
620	620	1.7E-01	5	3.51E-03
621	621	1.8E-01	5	3.84E-03
622	622	2.0E-01	5	4.20E-03
623	623	2.2E-01	5	4.62E-03
624	624	2.4E-01	5	5.11E-03
625	625	2.7E-01	5	5.67E-03
626	626	3.0E-01	5	6.33E-03
627	627	3.4E-01	5	7.13E-03
628	628	3.9E-01	5	8.10E-03
629	629	4.4E-01	5	9.29E-03
630	630	5.1E-01	5	1.07E-02
631	631	5.9E-01	5	1.24E-02
632	632	6.8E-01	5	1.42E-02
633	633	7.7E-01	5	1.61E-02
634	634	8.5E-01	5	1.79E-02
635	635	9.3E-01	5	1.95E-02
636	636	1.0E+00	5	2.11E-02
637	637	1.1E+00	5	2.24E-02
638	638	1.1E+00	5	2.35E-02
639	639	1.2E+00	5	2.43E-02
640	640	1.2E+00	5	2.49E-02
641	641	1.2E+00	5	2.53E-02
642	642	1.2E+00	5	2.56E-02
643	643	1.2E+00	5	2.58E-02
644	644	1.2E+00	5	2.60E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
645	645	1.2E+00	5	2.61E-02
646	646	1.2E+00	5	2.61E-02
647	647	1.2E+00	5	2.61E-02
648	648	1.2E+00	5	2.61E-02
649	649	1.2E+00	5	2.60E-02
650	650	1.2E+00	5	2.60E-02
651	651	1.2E+00	5	2.58E-02
652	652	9.5E-02	5	1.98E-03
653	653	1.0E-01	5	2.11E-03
654	654	1.1E-01	5	2.24E-03
655	655	1.1E-01	5	2.38E-03
656	656	1.2E-01	5	2.54E-03
657	657	1.3E-01	5	2.71E-03
658	658	1.4E-01	5	2.90E-03
659	659	1.5E-01	5	3.10E-03
660	660	1.6E-01	5	3.35E-03
661	661	1.7E-01	5	3.64E-03
662	662	1.9E-01	5	3.97E-03
663	663	2.1E-01	5	4.35E-03
664	664	2.3E-01	5	4.80E-03
665	665	2.5E-01	5	5.28E-03
666	666	2.8E-01	5	5.85E-03
667	667	3.1E-01	5	6.55E-03
668	668	3.5E-01	5	7.36E-03
669	669	4.0E-01	5	8.36E-03
670	670	4.5E-01	5	9.53E-03
671	671	5.2E-01	5	1.09E-02
672	672	5.9E-01	5	1.23E-02
673	673	6.6E-01	5	1.38E-02
674	674	7.3E-01	5	1.52E-02
675	675	7.9E-01	5	1.66E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
676	676	8.5E-01	5	1.79E-02
677	677	9.0E-01	5	1.90E-02
678	678	9.5E-01	5	1.99E-02
679	679	9.8E-01	5	2.06E-02
680	680	1.0E+00	5	2.11E-02
681	681	1.0E+00	5	2.16E-02
682	682	1.0E+00	5	2.19E-02
683	683	1.1E+00	5	2.21E-02
684	684	1.1E+00	5	2.23E-02
685	685	1.1E+00	5	2.24E-02
686	686	1.1E+00	5	2.24E-02
687	687	1.1E+00	5	2.24E-02
688	688	1.1E+00	5	2.24E-02
689	689	1.1E+00	5	2.24E-02
690	690	1.1E+00	5	2.23E-02
691	691	1.1E+00	5	2.22E-02
692	692	9.1E-02	5	1.91E-03
693	693	9.7E-02	5	2.02E-03
694	694	1.0E-01	5	2.15E-03
695	695	1.1E-01	5	2.28E-03
696	696	1.2E-01	5	2.43E-03
697	697	1.2E-01	5	2.59E-03
698	698	1.3E-01	5	2.76E-03
699	699	1.4E-01	5	2.96E-03
700	700	1.5E-01	5	3.19E-03
701	701	1.6E-01	5	3.46E-03
702	702	1.8E-01	5	3.75E-03
703	703	1.9E-01	5	4.08E-03
704	704	2.1E-01	5	4.48E-03
705	705	2.3E-01	5	4.91E-03
706	706	2.6E-01	5	5.39E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
707	707	2.9E-01	5	5.98E-03
708	708	3.2E-01	5	6.69E-03
709	709	3.6E-01	5	7.50E-03
710	710	4.1E-01	5	8.51E-03
711	711	4.6E-01	5	9.61E-03
712	712	5.1E-01	5	1.08E-02
713	713	5.7E-01	5	1.20E-02
714	714	6.3E-01	5	1.32E-02
715	715	6.8E-01	5	1.43E-02
716	716	7.3E-01	5	1.54E-02
717	717	7.8E-01	5	1.63E-02
718	718	8.2E-01	5	1.71E-02
719	719	8.5E-01	5	1.77E-02
720	720	8.7E-01	5	1.82E-02
721	721	8.9E-01	5	1.86E-02
722	722	9.0E-01	5	1.89E-02
723	723	9.1E-01	5	1.92E-02
724	724	9.2E-01	5	1.93E-02
725	725	9.3E-01	5	1.95E-02
726	726	9.3E-01	5	1.95E-02
727	727	9.3E-01	5	1.96E-02
728	728	9.3E-01	5	1.95E-02
729	729	9.3E-01	5	1.95E-02
730	730	9.3E-01	5	1.94E-02
731	731	9.2E-01	5	1.93E-02
732	732	8.8E-02	5	1.84E-03
733	733	9.3E-02	5	1.94E-03
734	734	9.8E-02	5	2.05E-03
735	735	1.0E-01	5	2.18E-03
736	736	1.1E-01	5	2.31E-03
737	737	1.2E-01	5	2.47E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
738	738	1.3E-01	5	2.63E-03
739	739	1.3E-01	5	2.82E-03
740	740	1.4E-01	5	3.04E-03
741	741	1.6E-01	5	3.28E-03
742	742	1.7E-01	5	3.54E-03
743	743	1.8E-01	5	3.84E-03
744	744	2.0E-01	5	4.18E-03
745	745	2.2E-01	5	4.54E-03
746	746	2.4E-01	5	4.95E-03
747	747	2.6E-01	5	5.43E-03
748	748	2.9E-01	5	6.08E-03
749	749	3.2E-01	5	6.79E-03
750	750	3.6E-01	5	7.61E-03
751	751	4.1E-01	5	8.55E-03
752	752	4.6E-01	5	9.55E-03
753	753	5.0E-01	5	1.06E-02
754	754	5.5E-01	5	1.16E-02
755	755	6.0E-01	5	1.25E-02
756	756	6.4E-01	5	1.34E-02
757	757	6.8E-01	5	1.42E-02
758	758	7.1E-01	5	1.49E-02
759	759	7.4E-01	5	1.54E-02
760	760	7.6E-01	5	1.59E-02
761	761	7.8E-01	5	1.63E-02
762	762	7.9E-01	5	1.66E-02
763	763	8.0E-01	5	1.68E-02
764	764	8.1E-01	5	1.70E-02
765	765	8.2E-01	5	1.71E-02
766	766	8.2E-01	5	1.72E-02
767	767	8.2E-01	5	1.72E-02
768	768	8.2E-01	5	1.72E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
769	769	8.2E-01	5	1.72E-02
770	770	8.2E-01	5	1.71E-02
771	771	8.1E-01	5	1.70E-02
772	772	8.4E-02	5	1.77E-03
773	773	8.9E-02	5	1.86E-03
774	774	9.4E-02	5	1.97E-03
775	775	9.9E-02	5	2.09E-03
776	776	1.1E-01	5	2.21E-03
777	777	1.1E-01	5	2.36E-03
778	778	1.2E-01	5	2.51E-03
779	779	1.3E-01	5	2.69E-03
780	780	1.4E-01	5	2.88E-03
781	781	1.5E-01	5	3.10E-03
782	782	1.6E-01	5	3.34E-03
783	783	1.7E-01	5	3.61E-03
784	784	1.9E-01	5	3.91E-03
785	785	2.0E-01	5	4.24E-03
786	786	2.2E-01	5	4.62E-03
787	787	2.4E-01	5	5.05E-03
788	788	2.7E-01	5	5.60E-03
789	789	3.0E-01	5	6.20E-03
790	790	3.3E-01	5	6.91E-03
791	791	3.7E-01	5	7.71E-03
792	792	4.1E-01	5	8.52E-03
793	793	4.5E-01	5	9.38E-03
794	794	4.9E-01	5	1.02E-02
795	795	5.3E-01	5	1.10E-02
796	796	5.6E-01	5	1.18E-02
797	797	6.0E-01	5	1.25E-02
798	798	6.2E-01	5	1.31E-02
799	799	6.5E-01	5	1.36E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
800	800	6.7E-01	5	1.40E-02
801	801	6.9E-01	5	1.44E-02
802	802	7.0E-01	5	1.47E-02
803	803	7.1E-01	5	1.49E-02
804	804	7.2E-01	5	1.51E-02
805	805	7.2E-01	5	1.52E-02
806	806	7.3E-01	5	1.53E-02
807	807	7.3E-01	5	1.53E-02
808	808	7.3E-01	5	1.53E-02
809	809	7.3E-01	5	1.53E-02
810	810	7.3E-01	5	1.52E-02
811	811	7.2E-01	5	1.52E-02
812	812	8.1E-02	5	1.70E-03
813	813	8.5E-02	5	1.79E-03
814	814	9.0E-02	5	1.89E-03
815	815	9.5E-02	5	2.00E-03
816	816	1.0E-01	5	2.12E-03
817	817	1.1E-01	5	2.25E-03
818	818	1.1E-01	5	2.39E-03
819	819	1.2E-01	5	2.55E-03
820	820	1.3E-01	5	2.73E-03
821	821	1.4E-01	5	2.93E-03
822	822	1.5E-01	5	3.15E-03
823	823	1.6E-01	5	3.39E-03
824	824	1.8E-01	5	3.67E-03
825	825	1.9E-01	5	3.97E-03
826	826	2.1E-01	5	4.31E-03
827	827	2.2E-01	5	4.70E-03
828	828	2.5E-01	5	5.15E-03
829	829	2.7E-01	5	5.69E-03
830	830	3.0E-01	5	6.29E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
831	831	3.3E-01	5	6.96E-03
832	832	3.7E-01	5	7.67E-03
833	833	4.0E-01	5	8.36E-03
834	834	4.3E-01	5	9.09E-03
835	835	4.7E-01	5	9.77E-03
836	836	5.0E-01	5	1.04E-02
837	837	5.3E-01	5	1.10E-02
838	838	5.5E-01	5	1.16E-02
839	839	5.7E-01	5	1.21E-02
840	840	5.9E-01	5	1.25E-02
841	841	6.1E-01	5	1.28E-02
842	842	6.2E-01	5	1.31E-02
843	843	6.3E-01	5	1.33E-02
844	844	6.4E-01	5	1.34E-02
845	845	6.5E-01	5	1.36E-02
846	846	6.5E-01	5	1.37E-02
847	847	6.5E-01	5	1.37E-02
848	848	6.5E-01	5	1.37E-02
849	849	6.5E-01	5	1.37E-02
850	850	6.5E-01	5	1.37E-02
851	851	6.5E-01	5	1.36E-02
852	852	7.8E-02	5	1.63E-03
853	853	8.2E-02	5	1.72E-03
854	854	8.6E-02	5	1.81E-03
855	855	9.1E-02	5	1.91E-03
856	856	9.6E-02	5	2.02E-03
857	857	1.0E-01	5	2.14E-03
858	858	1.1E-01	5	2.28E-03
859	859	1.2E-01	5	2.42E-03
860	860	1.2E-01	5	2.59E-03
861	861	1.3E-01	5	2.76E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
862	862	1.4E-01	5	2.96E-03
863	863	1.5E-01	5	3.19E-03
864	864	1.6E-01	5	3.44E-03
865	865	1.8E-01	5	3.72E-03
866	866	1.9E-01	5	4.03E-03
867	867	2.1E-01	5	4.38E-03
868	868	2.3E-01	5	4.78E-03
869	869	2.5E-01	5	5.23E-03
870	870	2.7E-01	5	5.75E-03
871	871	3.0E-01	5	6.33E-03
872	872	3.3E-01	5	6.91E-03
873	873	3.6E-01	5	7.52E-03
874	874	3.9E-01	5	8.11E-03
875	875	4.2E-01	5	8.72E-03
876	876	4.4E-01	5	9.29E-03
877	877	4.7E-01	5	9.84E-03
878	878	4.9E-01	5	1.03E-02
879	879	5.1E-01	5	1.08E-02
880	880	5.3E-01	5	1.11E-02
881	881	5.5E-01	5	1.15E-02
882	882	5.6E-01	5	1.17E-02
883	883	5.7E-01	5	1.19E-02
884	884	5.8E-01	5	1.21E-02
885	885	5.8E-01	5	1.22E-02
886	886	5.9E-01	5	1.23E-02
887	887	5.9E-01	5	1.23E-02
888	888	5.9E-01	5	1.24E-02
889	889	5.9E-01	5	1.24E-02
890	890	5.9E-01	5	1.23E-02
891	891	5.9E-01	5	1.23E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	1.02E-02	1.3E-01	1.05E-03	1.40E-04	3.38E-02	1.57E-01	7.44E-07	1.0E+06	7.4E-01
522	13.42671	1.02E-02	1.4E-01	1.05E-03	1.43E-04	3.38E-02	1.57E-01	7.59E-07	1.0E+06	7.6E-01
523	16.26152	1.02E-02	1.7E-01	1.05E-03	1.73E-04	3.38E-02	1.57E-01	9.19E-07	1.0E+06	9.2E-01
524	13.55962	1.02E-02	1.4E-01	1.05E-03	1.44E-04	3.38E-02	1.57E-01	7.67E-07	1.0E+06	7.7E-01
525	13.41509	1.02E-02	1.4E-01	1.05E-03	1.43E-04	3.38E-02	1.57E-01	7.58E-07	1.0E+06	7.6E-01
526	13.62851	1.02E-02	1.4E-01	1.05E-03	1.45E-04	3.38E-02	1.57E-01	7.70E-07	1.0E+06	7.7E-01
527	16.3735	1.02E-02	1.7E-01	1.05E-03	1.74E-04	3.38E-02	1.57E-01	9.26E-07	1.0E+06	9.3E-01
528	13.61294	1.02E-02	1.4E-01	1.05E-03	1.45E-04	3.38E-02	1.57E-01	7.70E-07	1.0E+06	7.7E-01
529	13.39753	1.02E-02	1.4E-01	1.05E-03	1.42E-04	3.38E-02	1.57E-01	7.57E-07	1.0E+06	7.6E-01
530	13.5313	1.02E-02	1.4E-01	1.05E-03	1.44E-04	3.38E-02	1.57E-01	7.65E-07	1.0E+06	7.6E-01
531	16.18516	1.02E-02	1.6E-01	1.05E-03	1.72E-04	3.38E-02	1.57E-01	9.15E-07	1.0E+06	9.2E-01
532	1.06064	1.02E-02	1.1E-02	1.05E-03	1.13E-05	3.38E-02	1.57E-01	6.00E-08	1.0E+06	6.0E-02
533	1.12869	1.02E-02	1.1E-02	1.05E-03	1.20E-05	3.38E-02	1.57E-01	6.38E-08	1.0E+06	6.4E-02
534	1.20356	1.02E-02	1.2E-02	1.05E-03	1.28E-05	3.38E-02	1.57E-01	6.80E-08	1.0E+06	6.8E-02
535	1.28482	1.02E-02	1.3E-02	1.05E-03	1.37E-05	3.38E-02	1.57E-01	7.26E-08	1.0E+06	7.3E-02
536	1.37567	1.02E-02	1.4E-02	1.05E-03	1.46E-05	3.38E-02	1.57E-01	7.78E-08	1.0E+06	7.8E-02
537	1.47718	1.02E-02	1.5E-02	1.05E-03	1.57E-05	3.38E-02	1.57E-01	8.35E-08	1.0E+06	8.4E-02
538	1.59013	1.02E-02	1.6E-02	1.05E-03	1.69E-05	3.38E-02	1.57E-01	8.99E-08	1.0E+06	9.0E-02
539	1.72154	1.02E-02	1.8E-02	1.05E-03	1.83E-05	3.38E-02	1.57E-01	9.73E-08	1.0E+06	9.7E-02
540	1.8733	1.02E-02	1.9E-02	1.05E-03	1.99E-05	3.38E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
541	2.05003	1.02E-02	2.1E-02	1.05E-03	2.18E-05	3.38E-02	1.57E-01	1.16E-07	1.0E+06	1.2E-01
542	2.25442	1.02E-02	2.3E-02	1.05E-03	2.40E-05	3.38E-02	1.57E-01	1.27E-07	1.0E+06	1.3E-01
543	2.49287	1.02E-02	2.5E-02	1.05E-03	2.65E-05	3.38E-02	1.57E-01	1.41E-07	1.0E+06	1.4E-01
544	2.77968	1.02E-02	2.8E-02	1.05E-03	2.95E-05	3.38E-02	1.57E-01	1.57E-07	1.0E+06	1.6E-01
545	3.11924	1.02E-02	3.2E-02	1.05E-03	3.32E-05	3.38E-02	1.57E-01	1.76E-07	1.0E+06	1.8E-01
546	3.53809	1.02E-02	3.6E-02	1.05E-03	3.76E-05	3.38E-02	1.57E-01	2.00E-07	1.0E+06	2.0E-01
547	4.06193	1.02E-02	4.1E-02	1.05E-03	4.32E-05	3.38E-02	1.57E-01	2.30E-07	1.0E+06	2.3E-01
548	4.73759	1.02E-02	4.8E-02	1.05E-03	5.04E-05	3.38E-02	1.57E-01	2.68E-07	1.0E+06	2.7E-01
549	5.62222	1.02E-02	5.7E-02	1.05E-03	5.98E-05	3.38E-02	1.57E-01	3.18E-07	1.0E+06	3.2E-01
550	6.77661	1.02E-02	6.9E-02	1.05E-03	7.20E-05	3.38E-02	1.57E-01	3.83E-07	1.0E+06	3.8E-01
551	8.20231	1.02E-02	8.3E-02	1.05E-03	8.72E-05	3.38E-02	1.57E-01	4.64E-07	1.0E+06	4.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	1.02E-02	1.0E-01	1.05E-03	1.04E-04	3.38E-02	1.57E-01	5.54E-07	1.0E+06	5.5E-01
553	8.04055	1.02E-02	8.2E-02	1.05E-03	8.55E-05	3.38E-02	1.57E-01	4.55E-07	1.0E+06	4.5E-01
554	12.82783	1.02E-02	1.3E-01	1.05E-03	1.36E-04	3.38E-02	1.57E-01	7.25E-07	1.0E+06	7.3E-01
555	14.09872	1.02E-02	1.4E-01	1.05E-03	1.50E-04	3.38E-02	1.57E-01	7.97E-07	1.0E+06	8.0E-01
556	15.24682	1.02E-02	1.6E-01	1.05E-03	1.62E-04	3.38E-02	1.57E-01	8.62E-07	1.0E+06	8.6E-01
557	12.89666	1.02E-02	1.3E-01	1.05E-03	1.37E-04	3.38E-02	1.57E-01	7.29E-07	1.0E+06	7.3E-01
558	13.02033	1.02E-02	1.3E-01	1.05E-03	1.38E-04	3.38E-02	1.57E-01	7.36E-07	1.0E+06	7.4E-01
559	13.29197	1.02E-02	1.4E-01	1.05E-03	1.41E-04	3.38E-02	1.57E-01	7.51E-07	1.0E+06	7.5E-01
560	13.87535	1.02E-02	1.4E-01	1.05E-03	1.47E-04	3.38E-02	1.57E-01	7.84E-07	1.0E+06	7.8E-01
561	11.36418	1.02E-02	1.2E-01	1.05E-03	1.21E-04	3.38E-02	1.57E-01	6.42E-07	1.0E+06	6.4E-01
562	14.14145	1.02E-02	1.4E-01	1.05E-03	1.50E-04	3.38E-02	1.57E-01	7.99E-07	1.0E+06	8.0E-01
563	13.97398	1.02E-02	1.4E-01	1.05E-03	1.49E-04	3.38E-02	1.57E-01	7.90E-07	1.0E+06	7.9E-01
564	14.31429	1.02E-02	1.5E-01	1.05E-03	1.52E-04	3.38E-02	1.57E-01	8.09E-07	1.0E+06	8.1E-01
565	11.68449	1.02E-02	1.2E-01	1.05E-03	1.24E-04	3.38E-02	1.57E-01	6.61E-07	1.0E+06	6.6E-01
566	14.33447	1.02E-02	1.5E-01	1.05E-03	1.52E-04	3.38E-02	1.57E-01	8.10E-07	1.0E+06	8.1E-01
567	14.10794	1.02E-02	1.4E-01	1.05E-03	1.50E-04	3.38E-02	1.57E-01	7.98E-07	1.0E+06	8.0E-01
568	14.3734	1.02E-02	1.5E-01	1.05E-03	1.53E-04	3.38E-02	1.57E-01	8.13E-07	1.0E+06	8.1E-01
569	11.67986	1.02E-02	1.2E-01	1.05E-03	1.24E-04	3.38E-02	1.57E-01	6.60E-07	1.0E+06	6.6E-01
570	14.24165	1.02E-02	1.4E-01	1.05E-03	1.51E-04	3.38E-02	1.57E-01	8.05E-07	1.0E+06	8.1E-01
571	13.93759	1.02E-02	1.4E-01	1.05E-03	1.48E-04	3.38E-02	1.57E-01	7.88E-07	1.0E+06	7.9E-01
572	1.03466	1.02E-02	1.1E-02	1.05E-03	1.10E-05	3.38E-02	1.57E-01	5.85E-08	1.0E+06	5.8E-02
573	1.10194	1.02E-02	1.1E-02	1.05E-03	1.17E-05	3.38E-02	1.57E-01	6.23E-08	1.0E+06	6.2E-02
574	1.17546	1.02E-02	1.2E-02	1.05E-03	1.25E-05	3.38E-02	1.57E-01	6.65E-08	1.0E+06	6.6E-02
575	1.25335	1.02E-02	1.3E-02	1.05E-03	1.33E-05	3.38E-02	1.57E-01	7.09E-08	1.0E+06	7.1E-02
576	1.34	1.02E-02	1.4E-02	1.05E-03	1.42E-05	3.38E-02	1.57E-01	7.58E-08	1.0E+06	7.6E-02
577	1.43451	1.02E-02	1.5E-02	1.05E-03	1.52E-05	3.38E-02	1.57E-01	8.11E-08	1.0E+06	8.1E-02
578	1.53878	1.02E-02	1.6E-02	1.05E-03	1.64E-05	3.38E-02	1.57E-01	8.70E-08	1.0E+06	8.7E-02
579	1.65936	1.02E-02	1.7E-02	1.05E-03	1.76E-05	3.38E-02	1.57E-01	9.38E-08	1.0E+06	9.4E-02
580	1.80491	1.02E-02	1.8E-02	1.05E-03	1.92E-05	3.38E-02	1.57E-01	1.02E-07	1.0E+06	1.0E-01
581	1.96968	1.02E-02	2.0E-02	1.05E-03	2.09E-05	3.38E-02	1.57E-01	1.11E-07	1.0E+06	1.1E-01
582	2.16146	1.02E-02	2.2E-02	1.05E-03	2.30E-05	3.38E-02	1.57E-01	1.22E-07	1.0E+06	1.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	1.02E-02	2.4E-02	1.05E-03	2.54E-05	3.38E-02	1.57E-01	1.35E-07	1.0E+06	1.3E-01
584	2.64683	1.02E-02	2.7E-02	1.05E-03	2.81E-05	3.38E-02	1.57E-01	1.50E-07	1.0E+06	1.5E-01
585	2.95313	1.02E-02	3.0E-02	1.05E-03	3.14E-05	3.38E-02	1.57E-01	1.67E-07	1.0E+06	1.7E-01
586	3.32209	1.02E-02	3.4E-02	1.05E-03	3.53E-05	3.38E-02	1.57E-01	1.88E-07	1.0E+06	1.9E-01
587	3.77754	1.02E-02	3.8E-02	1.05E-03	4.02E-05	3.38E-02	1.57E-01	2.14E-07	1.0E+06	2.1E-01
588	4.3458	1.02E-02	4.4E-02	1.05E-03	4.62E-05	3.38E-02	1.57E-01	2.46E-07	1.0E+06	2.5E-01
589	5.06316	1.02E-02	5.1E-02	1.05E-03	5.38E-05	3.38E-02	1.57E-01	2.86E-07	1.0E+06	2.9E-01
590	5.95537	1.02E-02	6.1E-02	1.05E-03	6.33E-05	3.38E-02	1.57E-01	3.37E-07	1.0E+06	3.4E-01
591	7.01638	1.02E-02	7.1E-02	1.05E-03	7.46E-05	3.38E-02	1.57E-01	3.97E-07	1.0E+06	4.0E-01
592	8.18332	1.02E-02	8.3E-02	1.05E-03	8.70E-05	3.38E-02	1.57E-01	4.63E-07	1.0E+06	4.6E-01
593	9.36805	1.02E-02	9.5E-02	1.05E-03	9.96E-05	3.38E-02	1.57E-01	5.30E-07	1.0E+06	5.3E-01
594	10.48234	1.02E-02	1.1E-01	1.05E-03	1.11E-04	3.38E-02	1.57E-01	5.93E-07	1.0E+06	5.9E-01
595	11.50388	1.02E-02	1.2E-01	1.05E-03	1.22E-04	3.38E-02	1.57E-01	6.50E-07	1.0E+06	6.5E-01
596	12.42412	1.02E-02	1.3E-01	1.05E-03	1.32E-04	3.38E-02	1.57E-01	7.02E-07	1.0E+06	7.0E-01
597	13.24333	1.02E-02	1.3E-01	1.05E-03	1.41E-04	3.38E-02	1.57E-01	7.49E-07	1.0E+06	7.5E-01
598	13.90912	1.02E-02	1.4E-01	1.05E-03	1.48E-04	3.38E-02	1.57E-01	7.86E-07	1.0E+06	7.9E-01
599	14.36838	1.02E-02	1.5E-01	1.05E-03	1.53E-04	3.38E-02	1.57E-01	8.12E-07	1.0E+06	8.1E-01
600	14.66246	1.02E-02	1.5E-01	1.05E-03	1.56E-04	3.38E-02	1.57E-01	8.29E-07	1.0E+06	8.3E-01
601	14.85988	1.02E-02	1.5E-01	1.05E-03	1.58E-04	3.38E-02	1.57E-01	8.40E-07	1.0E+06	8.4E-01
602	15.00029	1.02E-02	1.5E-01	1.05E-03	1.59E-04	3.38E-02	1.57E-01	8.48E-07	1.0E+06	8.5E-01
603	15.09006	1.02E-02	1.5E-01	1.05E-03	1.60E-04	3.38E-02	1.57E-01	8.53E-07	1.0E+06	8.5E-01
604	15.14878	1.02E-02	1.5E-01	1.05E-03	1.61E-04	3.38E-02	1.57E-01	8.56E-07	1.0E+06	8.6E-01
605	15.17959	1.02E-02	1.5E-01	1.05E-03	1.61E-04	3.38E-02	1.57E-01	8.58E-07	1.0E+06	8.6E-01
606	15.21155	1.02E-02	1.5E-01	1.05E-03	1.62E-04	3.38E-02	1.57E-01	8.60E-07	1.0E+06	8.6E-01
607	15.21847	1.02E-02	1.5E-01	1.05E-03	1.62E-04	3.38E-02	1.57E-01	8.60E-07	1.0E+06	8.6E-01
608	15.19797	1.02E-02	1.5E-01	1.05E-03	1.62E-04	3.38E-02	1.57E-01	8.59E-07	1.0E+06	8.6E-01
609	15.15562	1.02E-02	1.5E-01	1.05E-03	1.61E-04	3.38E-02	1.57E-01	8.57E-07	1.0E+06	8.6E-01
610	15.11091	1.02E-02	1.5E-01	1.05E-03	1.61E-04	3.38E-02	1.57E-01	8.54E-07	1.0E+06	8.5E-01
611	15.04171	1.02E-02	1.5E-01	1.05E-03	1.60E-04	3.38E-02	1.57E-01	8.50E-07	1.0E+06	8.5E-01
612	1.00789	1.02E-02	1.0E-02	1.05E-03	1.07E-05	3.38E-02	1.57E-01	5.70E-08	1.0E+06	5.7E-02
613	1.07444	1.02E-02	1.1E-02	1.05E-03	1.14E-05	3.38E-02	1.57E-01	6.07E-08	1.0E+06	6.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	1.02E-02	1.2E-02	1.05E-03	1.22E-05	3.38E-02	1.57E-01	6.48E-08	1.0E+06	6.5E-02
615	1.22081	1.02E-02	1.2E-02	1.05E-03	1.30E-05	3.38E-02	1.57E-01	6.90E-08	1.0E+06	6.9E-02
616	1.30327	1.02E-02	1.3E-02	1.05E-03	1.39E-05	3.38E-02	1.57E-01	7.37E-08	1.0E+06	7.4E-02
617	1.39136	1.02E-02	1.4E-02	1.05E-03	1.48E-05	3.38E-02	1.57E-01	7.87E-08	1.0E+06	7.9E-02
618	1.48675	1.02E-02	1.5E-02	1.05E-03	1.58E-05	3.38E-02	1.57E-01	8.41E-08	1.0E+06	8.4E-02
619	1.59425	1.02E-02	1.6E-02	1.05E-03	1.69E-05	3.38E-02	1.57E-01	9.01E-08	1.0E+06	9.0E-02
620	1.72719	1.02E-02	1.8E-02	1.05E-03	1.84E-05	3.38E-02	1.57E-01	9.76E-08	1.0E+06	9.8E-02
621	1.88709	1.02E-02	1.9E-02	1.05E-03	2.01E-05	3.38E-02	1.57E-01	1.07E-07	1.0E+06	1.1E-01
622	2.06451	1.02E-02	2.1E-02	1.05E-03	2.19E-05	3.38E-02	1.57E-01	1.17E-07	1.0E+06	1.2E-01
623	2.27045	1.02E-02	2.3E-02	1.05E-03	2.41E-05	3.38E-02	1.57E-01	1.28E-07	1.0E+06	1.3E-01
624	2.51142	1.02E-02	2.6E-02	1.05E-03	2.67E-05	3.38E-02	1.57E-01	1.42E-07	1.0E+06	1.4E-01
625	2.78618	1.02E-02	2.8E-02	1.05E-03	2.96E-05	3.38E-02	1.57E-01	1.58E-07	1.0E+06	1.6E-01
626	3.11158	1.02E-02	3.2E-02	1.05E-03	3.31E-05	3.38E-02	1.57E-01	1.76E-07	1.0E+06	1.8E-01
627	3.50447	1.02E-02	3.6E-02	1.05E-03	3.73E-05	3.38E-02	1.57E-01	1.98E-07	1.0E+06	2.0E-01
628	3.98435	1.02E-02	4.1E-02	1.05E-03	4.24E-05	3.38E-02	1.57E-01	2.25E-07	1.0E+06	2.3E-01
629	4.56893	1.02E-02	4.6E-02	1.05E-03	4.86E-05	3.38E-02	1.57E-01	2.58E-07	1.0E+06	2.6E-01
630	5.27449	1.02E-02	5.4E-02	1.05E-03	5.61E-05	3.38E-02	1.57E-01	2.98E-07	1.0E+06	3.0E-01
631	6.08982	1.02E-02	6.2E-02	1.05E-03	6.47E-05	3.38E-02	1.57E-01	3.44E-07	1.0E+06	3.4E-01
632	6.98008	1.02E-02	7.1E-02	1.05E-03	7.42E-05	3.38E-02	1.57E-01	3.95E-07	1.0E+06	3.9E-01
633	7.89728	1.02E-02	8.0E-02	1.05E-03	8.40E-05	3.38E-02	1.57E-01	4.46E-07	1.0E+06	4.5E-01
634	8.7815	1.02E-02	8.9E-02	1.05E-03	9.34E-05	3.38E-02	1.57E-01	4.96E-07	1.0E+06	5.0E-01
635	9.60354	1.02E-02	9.8E-02	1.05E-03	1.02E-04	3.38E-02	1.57E-01	5.43E-07	1.0E+06	5.4E-01
636	10.35005	1.02E-02	1.1E-01	1.05E-03	1.10E-04	3.38E-02	1.57E-01	5.85E-07	1.0E+06	5.9E-01
637	11.00384	1.02E-02	1.1E-01	1.05E-03	1.17E-04	3.38E-02	1.57E-01	6.22E-07	1.0E+06	6.2E-01
638	11.54147	1.02E-02	1.2E-01	1.05E-03	1.23E-04	3.38E-02	1.57E-01	6.52E-07	1.0E+06	6.5E-01
639	11.94826	1.02E-02	1.2E-01	1.05E-03	1.27E-04	3.38E-02	1.57E-01	6.75E-07	1.0E+06	6.8E-01
640	12.23382	1.02E-02	1.2E-01	1.05E-03	1.30E-04	3.38E-02	1.57E-01	6.92E-07	1.0E+06	6.9E-01
641	12.43817	1.02E-02	1.3E-01	1.05E-03	1.32E-04	3.38E-02	1.57E-01	7.03E-07	1.0E+06	7.0E-01
642	12.5835	1.02E-02	1.3E-01	1.05E-03	1.34E-04	3.38E-02	1.57E-01	7.11E-07	1.0E+06	7.1E-01
643	12.6861	1.02E-02	1.3E-01	1.05E-03	1.35E-04	3.38E-02	1.57E-01	7.17E-07	1.0E+06	7.2E-01
644	12.7652	1.02E-02	1.3E-01	1.05E-03	1.36E-04	3.38E-02	1.57E-01	7.22E-07	1.0E+06	7.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	1.02E-02	1.3E-01	1.05E-03	1.36E-04	3.38E-02	1.57E-01	7.24E-07	1.0E+06	7.2E-01
646	12.83596	1.02E-02	1.3E-01	1.05E-03	1.36E-04	3.38E-02	1.57E-01	7.26E-07	1.0E+06	7.3E-01
647	12.84298	1.02E-02	1.3E-01	1.05E-03	1.37E-04	3.38E-02	1.57E-01	7.26E-07	1.0E+06	7.3E-01
648	12.83467	1.02E-02	1.3E-01	1.05E-03	1.36E-04	3.38E-02	1.57E-01	7.26E-07	1.0E+06	7.3E-01
649	12.80559	1.02E-02	1.3E-01	1.05E-03	1.36E-04	3.38E-02	1.57E-01	7.24E-07	1.0E+06	7.2E-01
650	12.75963	1.02E-02	1.3E-01	1.05E-03	1.36E-04	3.38E-02	1.57E-01	7.21E-07	1.0E+06	7.2E-01
651	12.69539	1.02E-02	1.3E-01	1.05E-03	1.35E-04	3.38E-02	1.57E-01	7.18E-07	1.0E+06	7.2E-01
652	0.97402	1.02E-02	9.9E-03	1.05E-03	1.04E-05	3.38E-02	1.57E-01	5.51E-08	1.0E+06	5.5E-02
653	1.03573	1.02E-02	1.1E-02	1.05E-03	1.10E-05	3.38E-02	1.57E-01	5.86E-08	1.0E+06	5.9E-02
654	1.1025	1.02E-02	1.1E-02	1.05E-03	1.17E-05	3.38E-02	1.57E-01	6.23E-08	1.0E+06	6.2E-02
655	1.17235	1.02E-02	1.2E-02	1.05E-03	1.25E-05	3.38E-02	1.57E-01	6.63E-08	1.0E+06	6.6E-02
656	1.24971	1.02E-02	1.3E-02	1.05E-03	1.33E-05	3.38E-02	1.57E-01	7.07E-08	1.0E+06	7.1E-02
657	1.33283	1.02E-02	1.4E-02	1.05E-03	1.42E-05	3.38E-02	1.57E-01	7.54E-08	1.0E+06	7.5E-02
658	1.42351	1.02E-02	1.4E-02	1.05E-03	1.51E-05	3.38E-02	1.57E-01	8.05E-08	1.0E+06	8.0E-02
659	1.52535	1.02E-02	1.6E-02	1.05E-03	1.62E-05	3.38E-02	1.57E-01	8.62E-08	1.0E+06	8.6E-02
660	1.64887	1.02E-02	1.7E-02	1.05E-03	1.75E-05	3.38E-02	1.57E-01	9.32E-08	1.0E+06	9.3E-02
661	1.78831	1.02E-02	1.8E-02	1.05E-03	1.90E-05	3.38E-02	1.57E-01	1.01E-07	1.0E+06	1.0E-01
662	1.95291	1.02E-02	2.0E-02	1.05E-03	2.08E-05	3.38E-02	1.57E-01	1.10E-07	1.0E+06	1.1E-01
663	2.14059	1.02E-02	2.2E-02	1.05E-03	2.28E-05	3.38E-02	1.57E-01	1.21E-07	1.0E+06	1.2E-01
664	2.35977	1.02E-02	2.4E-02	1.05E-03	2.51E-05	3.38E-02	1.57E-01	1.33E-07	1.0E+06	1.3E-01
665	2.59747	1.02E-02	2.6E-02	1.05E-03	2.76E-05	3.38E-02	1.57E-01	1.47E-07	1.0E+06	1.5E-01
666	2.8754	1.02E-02	2.9E-02	1.05E-03	3.06E-05	3.38E-02	1.57E-01	1.63E-07	1.0E+06	1.6E-01
667	3.21769	1.02E-02	3.3E-02	1.05E-03	3.42E-05	3.38E-02	1.57E-01	1.82E-07	1.0E+06	1.8E-01
668	3.61969	1.02E-02	3.7E-02	1.05E-03	3.85E-05	3.38E-02	1.57E-01	2.05E-07	1.0E+06	2.0E-01
669	4.10847	1.02E-02	4.2E-02	1.05E-03	4.37E-05	3.38E-02	1.57E-01	2.32E-07	1.0E+06	2.3E-01
670	4.68552	1.02E-02	4.8E-02	1.05E-03	4.98E-05	3.38E-02	1.57E-01	2.65E-07	1.0E+06	2.6E-01
671	5.33428	1.02E-02	5.4E-02	1.05E-03	5.67E-05	3.38E-02	1.57E-01	3.02E-07	1.0E+06	3.0E-01
672	6.04383	1.02E-02	6.1E-02	1.05E-03	6.42E-05	3.38E-02	1.57E-01	3.42E-07	1.0E+06	3.4E-01
673	6.77602	1.02E-02	6.9E-02	1.05E-03	7.20E-05	3.38E-02	1.57E-01	3.83E-07	1.0E+06	3.8E-01
674	7.4948	1.02E-02	7.6E-02	1.05E-03	7.97E-05	3.38E-02	1.57E-01	4.24E-07	1.0E+06	4.2E-01
675	8.16492	1.02E-02	8.3E-02	1.05E-03	8.68E-05	3.38E-02	1.57E-01	4.62E-07	1.0E+06	4.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	1.02E-02	8.9E-02	1.05E-03	9.33E-05	3.38E-02	1.57E-01	4.96E-07	1.0E+06	5.0E-01
677	9.32065	1.02E-02	9.5E-02	1.05E-03	9.91E-05	3.38E-02	1.57E-01	5.27E-07	1.0E+06	5.3E-01
678	9.77043	1.02E-02	9.9E-02	1.05E-03	1.04E-04	3.38E-02	1.57E-01	5.52E-07	1.0E+06	5.5E-01
679	10.12687	1.02E-02	1.0E-01	1.05E-03	1.08E-04	3.38E-02	1.57E-01	5.73E-07	1.0E+06	5.7E-01
680	10.39762	1.02E-02	1.1E-01	1.05E-03	1.11E-04	3.38E-02	1.57E-01	5.88E-07	1.0E+06	5.9E-01
681	10.5989	1.02E-02	1.1E-01	1.05E-03	1.13E-04	3.38E-02	1.57E-01	5.99E-07	1.0E+06	6.0E-01
682	10.7487	1.02E-02	1.1E-01	1.05E-03	1.14E-04	3.38E-02	1.57E-01	6.08E-07	1.0E+06	6.1E-01
683	10.85911	1.02E-02	1.1E-01	1.05E-03	1.15E-04	3.38E-02	1.57E-01	6.14E-07	1.0E+06	6.1E-01
684	10.9435	1.02E-02	1.1E-01	1.05E-03	1.16E-04	3.38E-02	1.57E-01	6.19E-07	1.0E+06	6.2E-01
685	10.99739	1.02E-02	1.1E-01	1.05E-03	1.17E-04	3.38E-02	1.57E-01	6.22E-07	1.0E+06	6.2E-01
686	11.02399	1.02E-02	1.1E-01	1.05E-03	1.17E-04	3.38E-02	1.57E-01	6.23E-07	1.0E+06	6.2E-01
687	11.03343	1.02E-02	1.1E-01	1.05E-03	1.17E-04	3.38E-02	1.57E-01	6.24E-07	1.0E+06	6.2E-01
688	11.03012	1.02E-02	1.1E-01	1.05E-03	1.17E-04	3.38E-02	1.57E-01	6.24E-07	1.0E+06	6.2E-01
689	11.00788	1.02E-02	1.1E-01	1.05E-03	1.17E-04	3.38E-02	1.57E-01	6.22E-07	1.0E+06	6.2E-01
690	10.96701	1.02E-02	1.1E-01	1.05E-03	1.17E-04	3.38E-02	1.57E-01	6.20E-07	1.0E+06	6.2E-01
691	10.90924	1.02E-02	1.1E-01	1.05E-03	1.16E-04	3.38E-02	1.57E-01	6.17E-07	1.0E+06	6.2E-01
692	0.93901	1.02E-02	9.6E-03	1.05E-03	9.98E-06	3.38E-02	1.57E-01	5.31E-08	1.0E+06	5.3E-02
693	0.99508	1.02E-02	1.0E-02	1.05E-03	1.06E-05	3.38E-02	1.57E-01	5.63E-08	1.0E+06	5.6E-02
694	1.05612	1.02E-02	1.1E-02	1.05E-03	1.12E-05	3.38E-02	1.57E-01	5.97E-08	1.0E+06	6.0E-02
695	1.12167	1.02E-02	1.1E-02	1.05E-03	1.19E-05	3.38E-02	1.57E-01	6.34E-08	1.0E+06	6.3E-02
696	1.19382	1.02E-02	1.2E-02	1.05E-03	1.27E-05	3.38E-02	1.57E-01	6.75E-08	1.0E+06	6.7E-02
697	1.27273	1.02E-02	1.3E-02	1.05E-03	1.35E-05	3.38E-02	1.57E-01	7.20E-08	1.0E+06	7.2E-02
698	1.35929	1.02E-02	1.4E-02	1.05E-03	1.44E-05	3.38E-02	1.57E-01	7.68E-08	1.0E+06	7.7E-02
699	1.45608	1.02E-02	1.5E-02	1.05E-03	1.55E-05	3.38E-02	1.57E-01	8.23E-08	1.0E+06	8.2E-02
700	1.57018	1.02E-02	1.6E-02	1.05E-03	1.67E-05	3.38E-02	1.57E-01	8.88E-08	1.0E+06	8.9E-02
701	1.69898	1.02E-02	1.7E-02	1.05E-03	1.81E-05	3.38E-02	1.57E-01	9.61E-08	1.0E+06	9.6E-02
702	1.84319	1.02E-02	1.9E-02	1.05E-03	1.96E-05	3.38E-02	1.57E-01	1.04E-07	1.0E+06	1.0E-01
703	2.00569	1.02E-02	2.0E-02	1.05E-03	2.13E-05	3.38E-02	1.57E-01	1.13E-07	1.0E+06	1.1E-01
704	2.20067	1.02E-02	2.2E-02	1.05E-03	2.34E-05	3.38E-02	1.57E-01	1.24E-07	1.0E+06	1.2E-01
705	2.41372	1.02E-02	2.5E-02	1.05E-03	2.57E-05	3.38E-02	1.57E-01	1.36E-07	1.0E+06	1.4E-01
706	2.65164	1.02E-02	2.7E-02	1.05E-03	2.82E-05	3.38E-02	1.57E-01	1.50E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	1.02E-02	3.0E-02	1.05E-03	3.13E-05	3.38E-02	1.57E-01	1.66E-07	1.0E+06	1.7E-01
708	3.2896	1.02E-02	3.3E-02	1.05E-03	3.50E-05	3.38E-02	1.57E-01	1.86E-07	1.0E+06	1.9E-01
709	3.68826	1.02E-02	3.8E-02	1.05E-03	3.92E-05	3.38E-02	1.57E-01	2.09E-07	1.0E+06	2.1E-01
710	4.18126	1.02E-02	4.3E-02	1.05E-03	4.44E-05	3.38E-02	1.57E-01	2.36E-07	1.0E+06	2.4E-01
711	4.72232	1.02E-02	4.8E-02	1.05E-03	5.02E-05	3.38E-02	1.57E-01	2.67E-07	1.0E+06	2.7E-01
712	5.29922	1.02E-02	5.4E-02	1.05E-03	5.63E-05	3.38E-02	1.57E-01	3.00E-07	1.0E+06	3.0E-01
713	5.90104	1.02E-02	6.0E-02	1.05E-03	6.27E-05	3.38E-02	1.57E-01	3.34E-07	1.0E+06	3.3E-01
714	6.49482	1.02E-02	6.6E-02	1.05E-03	6.90E-05	3.38E-02	1.57E-01	3.67E-07	1.0E+06	3.7E-01
715	7.05396	1.02E-02	7.2E-02	1.05E-03	7.50E-05	3.38E-02	1.57E-01	3.99E-07	1.0E+06	4.0E-01
716	7.56531	1.02E-02	7.7E-02	1.05E-03	8.04E-05	3.38E-02	1.57E-01	4.28E-07	1.0E+06	4.3E-01
717	8.02268	1.02E-02	8.2E-02	1.05E-03	8.53E-05	3.38E-02	1.57E-01	4.54E-07	1.0E+06	4.5E-01
718	8.402	1.02E-02	8.5E-02	1.05E-03	8.93E-05	3.38E-02	1.57E-01	4.75E-07	1.0E+06	4.8E-01
719	8.71664	1.02E-02	8.9E-02	1.05E-03	9.27E-05	3.38E-02	1.57E-01	4.93E-07	1.0E+06	4.9E-01
720	8.96577	1.02E-02	9.1E-02	1.05E-03	9.53E-05	3.38E-02	1.57E-01	5.07E-07	1.0E+06	5.1E-01
721	9.16053	1.02E-02	9.3E-02	1.05E-03	9.74E-05	3.38E-02	1.57E-01	5.18E-07	1.0E+06	5.2E-01
722	9.30962	1.02E-02	9.5E-02	1.05E-03	9.90E-05	3.38E-02	1.57E-01	5.26E-07	1.0E+06	5.3E-01
723	9.42495	1.02E-02	9.6E-02	1.05E-03	1.00E-04	3.38E-02	1.57E-01	5.33E-07	1.0E+06	5.3E-01
724	9.51029	1.02E-02	9.7E-02	1.05E-03	1.01E-04	3.38E-02	1.57E-01	5.38E-07	1.0E+06	5.4E-01
725	9.56893	1.02E-02	9.7E-02	1.05E-03	1.02E-04	3.38E-02	1.57E-01	5.41E-07	1.0E+06	5.4E-01
726	9.59872	1.02E-02	9.8E-02	1.05E-03	1.02E-04	3.38E-02	1.57E-01	5.43E-07	1.0E+06	5.4E-01
727	9.61129	1.02E-02	9.8E-02	1.05E-03	1.02E-04	3.38E-02	1.57E-01	5.43E-07	1.0E+06	5.4E-01
728	9.61105	1.02E-02	9.8E-02	1.05E-03	1.02E-04	3.38E-02	1.57E-01	5.43E-07	1.0E+06	5.4E-01
729	9.59379	1.02E-02	9.8E-02	1.05E-03	1.02E-04	3.38E-02	1.57E-01	5.42E-07	1.0E+06	5.4E-01
730	9.55865	1.02E-02	9.7E-02	1.05E-03	1.02E-04	3.38E-02	1.57E-01	5.40E-07	1.0E+06	5.4E-01
731	9.50715	1.02E-02	9.7E-02	1.05E-03	1.01E-04	3.38E-02	1.57E-01	5.37E-07	1.0E+06	5.4E-01
732	0.90373	1.02E-02	9.2E-03	1.05E-03	9.61E-06	3.38E-02	1.57E-01	5.11E-08	1.0E+06	5.1E-02
733	0.95396	1.02E-02	9.7E-03	1.05E-03	1.01E-05	3.38E-02	1.57E-01	5.39E-08	1.0E+06	5.4E-02
734	1.00909	1.02E-02	1.0E-02	1.05E-03	1.07E-05	3.38E-02	1.57E-01	5.70E-08	1.0E+06	5.7E-02
735	1.07021	1.02E-02	1.1E-02	1.05E-03	1.14E-05	3.38E-02	1.57E-01	6.05E-08	1.0E+06	6.1E-02
736	1.13747	1.02E-02	1.2E-02	1.05E-03	1.21E-05	3.38E-02	1.57E-01	6.43E-08	1.0E+06	6.4E-02
737	1.212	1.02E-02	1.2E-02	1.05E-03	1.29E-05	3.38E-02	1.57E-01	6.85E-08	1.0E+06	6.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	1.02E-02	1.3E-02	1.05E-03	1.38E-05	3.38E-02	1.57E-01	7.32E-08	1.0E+06	7.3E-02
739	1.38707	1.02E-02	1.4E-02	1.05E-03	1.47E-05	3.38E-02	1.57E-01	7.84E-08	1.0E+06	7.8E-02
740	1.49283	1.02E-02	1.5E-02	1.05E-03	1.59E-05	3.38E-02	1.57E-01	8.44E-08	1.0E+06	8.4E-02
741	1.61098	1.02E-02	1.6E-02	1.05E-03	1.71E-05	3.38E-02	1.57E-01	9.11E-08	1.0E+06	9.1E-02
742	1.74199	1.02E-02	1.8E-02	1.05E-03	1.85E-05	3.38E-02	1.57E-01	9.85E-08	1.0E+06	9.8E-02
743	1.88714	1.02E-02	1.9E-02	1.05E-03	2.01E-05	3.38E-02	1.57E-01	1.07E-07	1.0E+06	1.1E-01
744	2.05276	1.02E-02	2.1E-02	1.05E-03	2.18E-05	3.38E-02	1.57E-01	1.16E-07	1.0E+06	1.2E-01
745	2.23004	1.02E-02	2.3E-02	1.05E-03	2.37E-05	3.38E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
746	2.43234	1.02E-02	2.5E-02	1.05E-03	2.59E-05	3.38E-02	1.57E-01	1.38E-07	1.0E+06	1.4E-01
747	2.6707	1.02E-02	2.7E-02	1.05E-03	2.84E-05	3.38E-02	1.57E-01	1.51E-07	1.0E+06	1.5E-01
748	2.98706	1.02E-02	3.0E-02	1.05E-03	3.18E-05	3.38E-02	1.57E-01	1.69E-07	1.0E+06	1.7E-01
749	3.33587	1.02E-02	3.4E-02	1.05E-03	3.55E-05	3.38E-02	1.57E-01	1.89E-07	1.0E+06	1.9E-01
750	3.73979	1.02E-02	3.8E-02	1.05E-03	3.98E-05	3.38E-02	1.57E-01	2.11E-07	1.0E+06	2.1E-01
751	4.20311	1.02E-02	4.3E-02	1.05E-03	4.47E-05	3.38E-02	1.57E-01	2.38E-07	1.0E+06	2.4E-01
752	4.6967	1.02E-02	4.8E-02	1.05E-03	4.99E-05	3.38E-02	1.57E-01	2.66E-07	1.0E+06	2.7E-01
753	5.19712	1.02E-02	5.3E-02	1.05E-03	5.52E-05	3.38E-02	1.57E-01	2.94E-07	1.0E+06	2.9E-01
754	5.69529	1.02E-02	5.8E-02	1.05E-03	6.05E-05	3.38E-02	1.57E-01	3.22E-07	1.0E+06	3.2E-01
755	6.16683	1.02E-02	6.3E-02	1.05E-03	6.56E-05	3.38E-02	1.57E-01	3.49E-07	1.0E+06	3.5E-01
756	6.59832	1.02E-02	6.7E-02	1.05E-03	7.01E-05	3.38E-02	1.57E-01	3.73E-07	1.0E+06	3.7E-01
757	6.9913	1.02E-02	7.1E-02	1.05E-03	7.43E-05	3.38E-02	1.57E-01	3.95E-07	1.0E+06	4.0E-01
758	7.31882	1.02E-02	7.4E-02	1.05E-03	7.78E-05	3.38E-02	1.57E-01	4.14E-07	1.0E+06	4.1E-01
759	7.59358	1.02E-02	7.7E-02	1.05E-03	8.07E-05	3.38E-02	1.57E-01	4.29E-07	1.0E+06	4.3E-01
760	7.82378	1.02E-02	8.0E-02	1.05E-03	8.32E-05	3.38E-02	1.57E-01	4.42E-07	1.0E+06	4.4E-01
761	8.01055	1.02E-02	8.1E-02	1.05E-03	8.52E-05	3.38E-02	1.57E-01	4.53E-07	1.0E+06	4.5E-01
762	8.15512	1.02E-02	8.3E-02	1.05E-03	8.67E-05	3.38E-02	1.57E-01	4.61E-07	1.0E+06	4.6E-01
763	8.27036	1.02E-02	8.4E-02	1.05E-03	8.79E-05	3.38E-02	1.57E-01	4.68E-07	1.0E+06	4.7E-01
764	8.35543	1.02E-02	8.5E-02	1.05E-03	8.88E-05	3.38E-02	1.57E-01	4.72E-07	1.0E+06	4.7E-01
765	8.41653	1.02E-02	8.6E-02	1.05E-03	8.95E-05	3.38E-02	1.57E-01	4.76E-07	1.0E+06	4.8E-01
766	8.44946	1.02E-02	8.6E-02	1.05E-03	8.98E-05	3.38E-02	1.57E-01	4.78E-07	1.0E+06	4.8E-01
767	8.46498	1.02E-02	8.6E-02	1.05E-03	9.00E-05	3.38E-02	1.57E-01	4.79E-07	1.0E+06	4.8E-01
768	8.46784	1.02E-02	8.6E-02	1.05E-03	9.00E-05	3.38E-02	1.57E-01	4.79E-07	1.0E+06	4.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	1.02E-02	8.6E-02	1.05E-03	8.99E-05	3.38E-02	1.57E-01	4.78E-07	1.0E+06	4.8E-01
770	8.42489	1.02E-02	8.6E-02	1.05E-03	8.96E-05	3.38E-02	1.57E-01	4.76E-07	1.0E+06	4.8E-01
771	8.37939	1.02E-02	8.5E-02	1.05E-03	8.91E-05	3.38E-02	1.57E-01	4.74E-07	1.0E+06	4.7E-01
772	0.87008	1.02E-02	8.8E-03	1.05E-03	9.25E-06	3.38E-02	1.57E-01	4.92E-08	1.0E+06	4.9E-02
773	0.9167	1.02E-02	9.3E-03	1.05E-03	9.74E-06	3.38E-02	1.57E-01	5.18E-08	1.0E+06	5.2E-02
774	0.9677	1.02E-02	9.8E-03	1.05E-03	1.03E-05	3.38E-02	1.57E-01	5.47E-08	1.0E+06	5.5E-02
775	1.0252	1.02E-02	1.0E-02	1.05E-03	1.09E-05	3.38E-02	1.57E-01	5.80E-08	1.0E+06	5.8E-02
776	1.08829	1.02E-02	1.1E-02	1.05E-03	1.16E-05	3.38E-02	1.57E-01	6.15E-08	1.0E+06	6.2E-02
777	1.158	1.02E-02	1.2E-02	1.05E-03	1.23E-05	3.38E-02	1.57E-01	6.55E-08	1.0E+06	6.5E-02
778	1.23498	1.02E-02	1.3E-02	1.05E-03	1.31E-05	3.38E-02	1.57E-01	6.98E-08	1.0E+06	7.0E-02
779	1.32031	1.02E-02	1.3E-02	1.05E-03	1.40E-05	3.38E-02	1.57E-01	7.46E-08	1.0E+06	7.5E-02
780	1.4163	1.02E-02	1.4E-02	1.05E-03	1.51E-05	3.38E-02	1.57E-01	8.01E-08	1.0E+06	8.0E-02
781	1.52369	1.02E-02	1.5E-02	1.05E-03	1.62E-05	3.38E-02	1.57E-01	8.61E-08	1.0E+06	8.6E-02
782	1.64239	1.02E-02	1.7E-02	1.05E-03	1.75E-05	3.38E-02	1.57E-01	9.29E-08	1.0E+06	9.3E-02
783	1.77466	1.02E-02	1.8E-02	1.05E-03	1.89E-05	3.38E-02	1.57E-01	1.00E-07	1.0E+06	1.0E-01
784	1.92428	1.02E-02	2.0E-02	1.05E-03	2.05E-05	3.38E-02	1.57E-01	1.09E-07	1.0E+06	1.1E-01
785	2.08609	1.02E-02	2.1E-02	1.05E-03	2.22E-05	3.38E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
786	2.26894	1.02E-02	2.3E-02	1.05E-03	2.41E-05	3.38E-02	1.57E-01	1.28E-07	1.0E+06	1.3E-01
787	2.48215	1.02E-02	2.5E-02	1.05E-03	2.64E-05	3.38E-02	1.57E-01	1.40E-07	1.0E+06	1.4E-01
788	2.75097	1.02E-02	2.8E-02	1.05E-03	2.92E-05	3.38E-02	1.57E-01	1.56E-07	1.0E+06	1.6E-01
789	3.04965	1.02E-02	3.1E-02	1.05E-03	3.24E-05	3.38E-02	1.57E-01	1.72E-07	1.0E+06	1.7E-01
790	3.39516	1.02E-02	3.5E-02	1.05E-03	3.61E-05	3.38E-02	1.57E-01	1.92E-07	1.0E+06	1.9E-01
791	3.79037	1.02E-02	3.9E-02	1.05E-03	4.03E-05	3.38E-02	1.57E-01	2.14E-07	1.0E+06	2.1E-01
792	4.19023	1.02E-02	4.3E-02	1.05E-03	4.45E-05	3.38E-02	1.57E-01	2.37E-07	1.0E+06	2.4E-01
793	4.61325	1.02E-02	4.7E-02	1.05E-03	4.90E-05	3.38E-02	1.57E-01	2.61E-07	1.0E+06	2.6E-01
794	5.02437	1.02E-02	5.1E-02	1.05E-03	5.34E-05	3.38E-02	1.57E-01	2.84E-07	1.0E+06	2.8E-01
795	5.42475	1.02E-02	5.5E-02	1.05E-03	5.77E-05	3.38E-02	1.57E-01	3.07E-07	1.0E+06	3.1E-01
796	5.79546	1.02E-02	5.9E-02	1.05E-03	6.16E-05	3.38E-02	1.57E-01	3.28E-07	1.0E+06	3.3E-01
797	6.13759	1.02E-02	6.2E-02	1.05E-03	6.52E-05	3.38E-02	1.57E-01	3.47E-07	1.0E+06	3.5E-01
798	6.42719	1.02E-02	6.5E-02	1.05E-03	6.83E-05	3.38E-02	1.57E-01	3.63E-07	1.0E+06	3.6E-01
799	6.68167	1.02E-02	6.8E-02	1.05E-03	7.10E-05	3.38E-02	1.57E-01	3.78E-07	1.0E+06	3.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	6.8918	1.02E-02	7.0E-02	1.05E-03	7.33E-05	3.38E-02	1.57E-01	3.90E-07	1.0E+06	3.9E-01
801	7.06788	1.02E-02	7.2E-02	1.05E-03	7.51E-05	3.38E-02	1.57E-01	4.00E-07	1.0E+06	4.0E-01
802	7.20727	1.02E-02	7.3E-02	1.05E-03	7.66E-05	3.38E-02	1.57E-01	4.07E-07	1.0E+06	4.1E-01
803	7.3211	1.02E-02	7.4E-02	1.05E-03	7.78E-05	3.38E-02	1.57E-01	4.14E-07	1.0E+06	4.1E-01
804	7.4024	1.02E-02	7.5E-02	1.05E-03	7.87E-05	3.38E-02	1.57E-01	4.18E-07	1.0E+06	4.2E-01
805	7.46545	1.02E-02	7.6E-02	1.05E-03	7.94E-05	3.38E-02	1.57E-01	4.22E-07	1.0E+06	4.2E-01
806	7.50396	1.02E-02	7.6E-02	1.05E-03	7.98E-05	3.38E-02	1.57E-01	4.24E-07	1.0E+06	4.2E-01
807	7.52272	1.02E-02	7.7E-02	1.05E-03	8.00E-05	3.38E-02	1.57E-01	4.25E-07	1.0E+06	4.3E-01
808	7.52855	1.02E-02	7.7E-02	1.05E-03	8.00E-05	3.38E-02	1.57E-01	4.26E-07	1.0E+06	4.3E-01
809	7.51923	1.02E-02	7.6E-02	1.05E-03	7.99E-05	3.38E-02	1.57E-01	4.25E-07	1.0E+06	4.3E-01
810	7.49422	1.02E-02	7.6E-02	1.05E-03	7.97E-05	3.38E-02	1.57E-01	4.24E-07	1.0E+06	4.2E-01
811	7.45447	1.02E-02	7.6E-02	1.05E-03	7.92E-05	3.38E-02	1.57E-01	4.21E-07	1.0E+06	4.2E-01
812	0.83667	1.02E-02	8.5E-03	1.05E-03	8.89E-06	3.38E-02	1.57E-01	4.73E-08	1.0E+06	4.7E-02
813	0.87996	1.02E-02	8.9E-03	1.05E-03	9.35E-06	3.38E-02	1.57E-01	4.97E-08	1.0E+06	5.0E-02
814	0.92737	1.02E-02	9.4E-03	1.05E-03	9.86E-06	3.38E-02	1.57E-01	5.24E-08	1.0E+06	5.2E-02
815	0.9815	1.02E-02	1.0E-02	1.05E-03	1.04E-05	3.38E-02	1.57E-01	5.55E-08	1.0E+06	5.5E-02
816	1.04048	1.02E-02	1.1E-02	1.05E-03	1.11E-05	3.38E-02	1.57E-01	5.88E-08	1.0E+06	5.9E-02
817	1.10543	1.02E-02	1.1E-02	1.05E-03	1.18E-05	3.38E-02	1.57E-01	6.25E-08	1.0E+06	6.2E-02
818	1.17665	1.02E-02	1.2E-02	1.05E-03	1.25E-05	3.38E-02	1.57E-01	6.65E-08	1.0E+06	6.7E-02
819	1.2553	1.02E-02	1.3E-02	1.05E-03	1.33E-05	3.38E-02	1.57E-01	7.10E-08	1.0E+06	7.1E-02
820	1.34252	1.02E-02	1.4E-02	1.05E-03	1.43E-05	3.38E-02	1.57E-01	7.59E-08	1.0E+06	7.6E-02
821	1.43927	1.02E-02	1.5E-02	1.05E-03	1.53E-05	3.38E-02	1.57E-01	8.14E-08	1.0E+06	8.1E-02
822	1.5471	1.02E-02	1.6E-02	1.05E-03	1.64E-05	3.38E-02	1.57E-01	8.75E-08	1.0E+06	8.7E-02
823	1.6679	1.02E-02	1.7E-02	1.05E-03	1.77E-05	3.38E-02	1.57E-01	9.43E-08	1.0E+06	9.4E-02
824	1.80392	1.02E-02	1.8E-02	1.05E-03	1.92E-05	3.38E-02	1.57E-01	1.02E-07	1.0E+06	1.0E-01
825	1.95166	1.02E-02	2.0E-02	1.05E-03	2.07E-05	3.38E-02	1.57E-01	1.10E-07	1.0E+06	1.1E-01
826	2.11861	1.02E-02	2.2E-02	1.05E-03	2.25E-05	3.38E-02	1.57E-01	1.20E-07	1.0E+06	1.2E-01
827	2.31074	1.02E-02	2.4E-02	1.05E-03	2.46E-05	3.38E-02	1.57E-01	1.31E-07	1.0E+06	1.3E-01
828	2.53407	1.02E-02	2.6E-02	1.05E-03	2.69E-05	3.38E-02	1.57E-01	1.43E-07	1.0E+06	1.4E-01
829	2.79936	1.02E-02	2.8E-02	1.05E-03	2.98E-05	3.38E-02	1.57E-01	1.58E-07	1.0E+06	1.6E-01
830	3.09167	1.02E-02	3.1E-02	1.05E-03	3.29E-05	3.38E-02	1.57E-01	1.75E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	3.41969	1.02E-02	3.5E-02	1.05E-03	3.64E-05	3.38E-02	1.57E-01	1.93E-07	1.0E+06	1.9E-01
832	3.76859	1.02E-02	3.8E-02	1.05E-03	4.01E-05	3.38E-02	1.57E-01	2.13E-07	1.0E+06	2.1E-01
833	4.11214	1.02E-02	4.2E-02	1.05E-03	4.37E-05	3.38E-02	1.57E-01	2.32E-07	1.0E+06	2.3E-01
834	4.47011	1.02E-02	4.5E-02	1.05E-03	4.75E-05	3.38E-02	1.57E-01	2.53E-07	1.0E+06	2.5E-01
835	4.80284	1.02E-02	4.9E-02	1.05E-03	5.11E-05	3.38E-02	1.57E-01	2.72E-07	1.0E+06	2.7E-01
836	5.12964	1.02E-02	5.2E-02	1.05E-03	5.45E-05	3.38E-02	1.57E-01	2.90E-07	1.0E+06	2.9E-01
837	5.42636	1.02E-02	5.5E-02	1.05E-03	5.77E-05	3.38E-02	1.57E-01	3.07E-07	1.0E+06	3.1E-01
838	5.69352	1.02E-02	5.8E-02	1.05E-03	6.05E-05	3.38E-02	1.57E-01	3.22E-07	1.0E+06	3.2E-01
839	5.92434	1.02E-02	6.0E-02	1.05E-03	6.30E-05	3.38E-02	1.57E-01	3.35E-07	1.0E+06	3.3E-01
840	6.12416	1.02E-02	6.2E-02	1.05E-03	6.51E-05	3.38E-02	1.57E-01	3.46E-07	1.0E+06	3.5E-01
841	6.28848	1.02E-02	6.4E-02	1.05E-03	6.68E-05	3.38E-02	1.57E-01	3.56E-07	1.0E+06	3.6E-01
842	6.42168	1.02E-02	6.5E-02	1.05E-03	6.83E-05	3.38E-02	1.57E-01	3.63E-07	1.0E+06	3.6E-01
843	6.52867	1.02E-02	6.6E-02	1.05E-03	6.94E-05	3.38E-02	1.57E-01	3.69E-07	1.0E+06	3.7E-01
844	6.61094	1.02E-02	6.7E-02	1.05E-03	7.03E-05	3.38E-02	1.57E-01	3.74E-07	1.0E+06	3.7E-01
845	6.67265	1.02E-02	6.8E-02	1.05E-03	7.09E-05	3.38E-02	1.57E-01	3.77E-07	1.0E+06	3.8E-01
846	6.71443	1.02E-02	6.8E-02	1.05E-03	7.14E-05	3.38E-02	1.57E-01	3.80E-07	1.0E+06	3.8E-01
847	6.73642	1.02E-02	6.9E-02	1.05E-03	7.16E-05	3.38E-02	1.57E-01	3.81E-07	1.0E+06	3.8E-01
848	6.74465	1.02E-02	6.9E-02	1.05E-03	7.17E-05	3.38E-02	1.57E-01	3.81E-07	1.0E+06	3.8E-01
849	6.73873	1.02E-02	6.9E-02	1.05E-03	7.16E-05	3.38E-02	1.57E-01	3.81E-07	1.0E+06	3.8E-01
850	6.71796	1.02E-02	6.8E-02	1.05E-03	7.14E-05	3.38E-02	1.57E-01	3.80E-07	1.0E+06	3.8E-01
851	6.68345	1.02E-02	6.8E-02	1.05E-03	7.10E-05	3.38E-02	1.57E-01	3.78E-07	1.0E+06	3.8E-01
852	0.80369	1.02E-02	8.2E-03	1.05E-03	8.54E-06	3.38E-02	1.57E-01	4.54E-08	1.0E+06	4.5E-02
853	0.84374	1.02E-02	8.6E-03	1.05E-03	8.97E-06	3.38E-02	1.57E-01	4.77E-08	1.0E+06	4.8E-02
854	0.8875	1.02E-02	9.0E-03	1.05E-03	9.43E-06	3.38E-02	1.57E-01	5.02E-08	1.0E+06	5.0E-02
855	0.93841	1.02E-02	9.5E-03	1.05E-03	9.98E-06	3.38E-02	1.57E-01	5.31E-08	1.0E+06	5.3E-02
856	0.99372	1.02E-02	1.0E-02	1.05E-03	1.06E-05	3.38E-02	1.57E-01	5.62E-08	1.0E+06	5.6E-02
857	1.054	1.02E-02	1.1E-02	1.05E-03	1.12E-05	3.38E-02	1.57E-01	5.96E-08	1.0E+06	6.0E-02
858	1.11985	1.02E-02	1.1E-02	1.05E-03	1.19E-05	3.38E-02	1.57E-01	6.33E-08	1.0E+06	6.3E-02
859	1.19203	1.02E-02	1.2E-02	1.05E-03	1.27E-05	3.38E-02	1.57E-01	6.74E-08	1.0E+06	6.7E-02
860	1.27146	1.02E-02	1.3E-02	1.05E-03	1.35E-05	3.38E-02	1.57E-01	7.19E-08	1.0E+06	7.2E-02
861	1.35884	1.02E-02	1.4E-02	1.05E-03	1.44E-05	3.38E-02	1.57E-01	7.68E-08	1.0E+06	7.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	1.45655	1.02E-02	1.5E-02	1.05E-03	1.55E-05	3.38E-02	1.57E-01	8.23E-08	1.0E+06	8.2E-02
863	1.56677	1.02E-02	1.6E-02	1.05E-03	1.67E-05	3.38E-02	1.57E-01	8.86E-08	1.0E+06	8.9E-02
864	1.69076	1.02E-02	1.7E-02	1.05E-03	1.80E-05	3.38E-02	1.57E-01	9.56E-08	1.0E+06	9.6E-02
865	1.82739	1.02E-02	1.9E-02	1.05E-03	1.94E-05	3.38E-02	1.57E-01	1.03E-07	1.0E+06	1.0E-01
866	1.98096	1.02E-02	2.0E-02	1.05E-03	2.11E-05	3.38E-02	1.57E-01	1.12E-07	1.0E+06	1.1E-01
867	2.15478	1.02E-02	2.2E-02	1.05E-03	2.29E-05	3.38E-02	1.57E-01	1.22E-07	1.0E+06	1.2E-01
868	2.35219	1.02E-02	2.4E-02	1.05E-03	2.50E-05	3.38E-02	1.57E-01	1.33E-07	1.0E+06	1.3E-01
869	2.57258	1.02E-02	2.6E-02	1.05E-03	2.73E-05	3.38E-02	1.57E-01	1.45E-07	1.0E+06	1.5E-01
870	2.8291	1.02E-02	2.9E-02	1.05E-03	3.01E-05	3.38E-02	1.57E-01	1.60E-07	1.0E+06	1.6E-01
871	3.11055	1.02E-02	3.2E-02	1.05E-03	3.31E-05	3.38E-02	1.57E-01	1.76E-07	1.0E+06	1.8E-01
872	3.3954	1.02E-02	3.5E-02	1.05E-03	3.61E-05	3.38E-02	1.57E-01	1.92E-07	1.0E+06	1.9E-01
873	3.69789	1.02E-02	3.8E-02	1.05E-03	3.93E-05	3.38E-02	1.57E-01	2.09E-07	1.0E+06	2.1E-01
874	3.98935	1.02E-02	4.1E-02	1.05E-03	4.24E-05	3.38E-02	1.57E-01	2.26E-07	1.0E+06	2.3E-01
875	4.28834	1.02E-02	4.4E-02	1.05E-03	4.56E-05	3.38E-02	1.57E-01	2.42E-07	1.0E+06	2.4E-01
876	4.56773	1.02E-02	4.6E-02	1.05E-03	4.86E-05	3.38E-02	1.57E-01	2.58E-07	1.0E+06	2.6E-01
877	4.83599	1.02E-02	4.9E-02	1.05E-03	5.14E-05	3.38E-02	1.57E-01	2.73E-07	1.0E+06	2.7E-01
878	5.07551	1.02E-02	5.2E-02	1.05E-03	5.40E-05	3.38E-02	1.57E-01	2.87E-07	1.0E+06	2.9E-01
879	5.29288	1.02E-02	5.4E-02	1.05E-03	5.63E-05	3.38E-02	1.57E-01	2.99E-07	1.0E+06	3.0E-01
880	5.47867	1.02E-02	5.6E-02	1.05E-03	5.82E-05	3.38E-02	1.57E-01	3.10E-07	1.0E+06	3.1E-01
881	5.63107	1.02E-02	5.7E-02	1.05E-03	5.99E-05	3.38E-02	1.57E-01	3.18E-07	1.0E+06	3.2E-01
882	5.75731	1.02E-02	5.9E-02	1.05E-03	6.12E-05	3.38E-02	1.57E-01	3.25E-07	1.0E+06	3.3E-01
883	5.8611	1.02E-02	6.0E-02	1.05E-03	6.23E-05	3.38E-02	1.57E-01	3.31E-07	1.0E+06	3.3E-01
884	5.94181	1.02E-02	6.0E-02	1.05E-03	6.32E-05	3.38E-02	1.57E-01	3.36E-07	1.0E+06	3.4E-01
885	6.00137	1.02E-02	6.1E-02	1.05E-03	6.38E-05	3.38E-02	1.57E-01	3.39E-07	1.0E+06	3.4E-01
886	6.04453	1.02E-02	6.1E-02	1.05E-03	6.43E-05	3.38E-02	1.57E-01	3.42E-07	1.0E+06	3.4E-01
887	6.07103	1.02E-02	6.2E-02	1.05E-03	6.45E-05	3.38E-02	1.57E-01	3.43E-07	1.0E+06	3.4E-01
888	6.08136	1.02E-02	6.2E-02	1.05E-03	6.46E-05	3.38E-02	1.57E-01	3.44E-07	1.0E+06	3.4E-01
889	6.07844	1.02E-02	6.2E-02	1.05E-03	6.46E-05	3.38E-02	1.57E-01	3.44E-07	1.0E+06	3.4E-01
890	6.06163	1.02E-02	6.2E-02	1.05E-03	6.44E-05	3.38E-02	1.57E-01	3.43E-07	1.0E+06	3.4E-01
891	6.03191	1.02E-02	6.1E-02	1.05E-03	6.41E-05	3.38E-02	1.57E-01	3.41E-07	1.0E+06	3.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	8.12153	9.48035E-07	7.7E-06	1.05E-03	8.05E-09	3.38E-02	1.57E-01	4.28E-11	1.0E+06	4.3E-05
522	522	8.28781	9.48035E-07	7.9E-06	1.05E-03	8.21E-09	3.38E-02	1.57E-01	4.37E-11	1.0E+06	4.4E-05
523	523	8.4173	9.48035E-07	8.0E-06	1.05E-03	8.34E-09	3.38E-02	1.57E-01	4.44E-11	1.0E+06	4.4E-05
524	524	8.51629	9.48035E-07	8.1E-06	1.05E-03	8.44E-09	3.38E-02	1.57E-01	4.49E-11	1.0E+06	4.5E-05
525	525	8.59062	9.48035E-07	8.1E-06	1.05E-03	8.51E-09	3.38E-02	1.57E-01	4.53E-11	1.0E+06	4.5E-05
526	526	8.63979	9.48035E-07	8.2E-06	1.05E-03	8.56E-09	3.38E-02	1.57E-01	4.55E-11	1.0E+06	4.6E-05
527	527	8.67076	9.48035E-07	8.2E-06	1.05E-03	8.59E-09	3.38E-02	1.57E-01	4.57E-11	1.0E+06	4.6E-05
528	528	8.68193	9.48035E-07	8.2E-06	1.05E-03	8.60E-09	3.38E-02	1.57E-01	4.58E-11	1.0E+06	4.6E-05
529	529	8.67659	9.48035E-07	8.2E-06	1.05E-03	8.60E-09	3.38E-02	1.57E-01	4.57E-11	1.0E+06	4.6E-05
530	530	8.65547	9.48035E-07	8.2E-06	1.05E-03	8.58E-09	3.38E-02	1.57E-01	4.56E-11	1.0E+06	4.6E-05
531	531	8.61928	9.48035E-07	8.2E-06	1.05E-03	8.54E-09	3.38E-02	1.57E-01	4.54E-11	1.0E+06	4.5E-05
532	532	0.90601	9.48035E-07	8.6E-07	1.05E-03	8.98E-10	3.38E-02	1.57E-01	4.77E-12	1.0E+06	4.8E-06
533	533	0.95812	9.48035E-07	9.1E-07	1.05E-03	9.49E-10	3.38E-02	1.57E-01	5.05E-12	1.0E+06	5.0E-06
534	534	1.01448	9.48035E-07	9.6E-07	1.05E-03	1.01E-09	3.38E-02	1.57E-01	5.35E-12	1.0E+06	5.3E-06
535	535	1.07414	9.48035E-07	1.0E-06	1.05E-03	1.06E-09	3.38E-02	1.57E-01	5.66E-12	1.0E+06	5.7E-06
536	536	1.13953	9.48035E-07	1.1E-06	1.05E-03	1.13E-09	3.38E-02	1.57E-01	6.01E-12	1.0E+06	6.0E-06
537	537	1.21514	9.48035E-07	1.2E-06	1.05E-03	1.20E-09	3.38E-02	1.57E-01	6.40E-12	1.0E+06	6.4E-06
538	538	1.29235	9.48035E-07	1.2E-06	1.05E-03	1.28E-09	3.38E-02	1.57E-01	6.81E-12	1.0E+06	6.8E-06
539	539	1.37769	9.48035E-07	1.3E-06	1.05E-03	1.37E-09	3.38E-02	1.57E-01	7.26E-12	1.0E+06	7.3E-06
540	540	1.47715	9.48035E-07	1.4E-06	1.05E-03	1.46E-09	3.38E-02	1.57E-01	7.78E-12	1.0E+06	7.8E-06
541	541	1.58508	9.48035E-07	1.5E-06	1.05E-03	1.57E-09	3.38E-02	1.57E-01	8.35E-12	1.0E+06	8.4E-06
542	542	1.70757	9.48035E-07	1.6E-06	1.05E-03	1.69E-09	3.38E-02	1.57E-01	9.00E-12	1.0E+06	9.0E-06
543	543	1.84409	9.48035E-07	1.7E-06	1.05E-03	1.83E-09	3.38E-02	1.57E-01	9.72E-12	1.0E+06	9.7E-06
544	544	1.99507	9.48035E-07	1.9E-06	1.05E-03	1.98E-09	3.38E-02	1.57E-01	1.05E-11	1.0E+06	1.1E-05
545	545	2.16577	9.48035E-07	2.1E-06	1.05E-03	2.15E-09	3.38E-02	1.57E-01	1.14E-11	1.0E+06	1.1E-05
546	546	2.35726	9.48035E-07	2.2E-06	1.05E-03	2.34E-09	3.38E-02	1.57E-01	1.24E-11	1.0E+06	1.2E-05
547	547	2.57757	9.48035E-07	2.4E-06	1.05E-03	2.55E-09	3.38E-02	1.57E-01	1.36E-11	1.0E+06	1.4E-05
548	548	2.82723	9.48035E-07	2.7E-06	1.05E-03	2.80E-09	3.38E-02	1.57E-01	1.49E-11	1.0E+06	1.5E-05
549	549	3.11442	9.48035E-07	3.0E-06	1.05E-03	3.09E-09	3.38E-02	1.57E-01	1.64E-11	1.0E+06	1.6E-05
550	550	3.43777	9.48035E-07	3.3E-06	1.05E-03	3.41E-09	3.38E-02	1.57E-01	1.81E-11	1.0E+06	1.8E-05
551	551	3.7997	9.48035E-07	3.6E-06	1.05E-03	3.77E-09	3.38E-02	1.57E-01	2.00E-11	1.0E+06	2.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	4.19174	9.48035E-07	4.0E-06	1.05E-03	4.15E-09	3.38E-02	1.57E-01	2.21E-11	1.0E+06	2.2E-05
553	553	4.60011	9.48035E-07	4.4E-06	1.05E-03	4.56E-09	3.38E-02	1.57E-01	2.42E-11	1.0E+06	2.4E-05
554	554	5.01693	9.48035E-07	4.8E-06	1.05E-03	4.97E-09	3.38E-02	1.57E-01	2.64E-11	1.0E+06	2.6E-05
555	555	5.42448	9.48035E-07	5.1E-06	1.05E-03	5.38E-09	3.38E-02	1.57E-01	2.86E-11	1.0E+06	2.9E-05
556	556	5.80992	9.48035E-07	5.5E-06	1.05E-03	5.76E-09	3.38E-02	1.57E-01	3.06E-11	1.0E+06	3.1E-05
557	557	6.16705	9.48035E-07	5.8E-06	1.05E-03	6.11E-09	3.38E-02	1.57E-01	3.25E-11	1.0E+06	3.2E-05
558	558	6.48282	9.48035E-07	6.1E-06	1.05E-03	6.42E-09	3.38E-02	1.57E-01	3.42E-11	1.0E+06	3.4E-05
559	559	6.75814	9.48035E-07	6.4E-06	1.05E-03	6.70E-09	3.38E-02	1.57E-01	3.56E-11	1.0E+06	3.6E-05
560	560	6.99071	9.48035E-07	6.6E-06	1.05E-03	6.93E-09	3.38E-02	1.57E-01	3.68E-11	1.0E+06	3.7E-05
561	561	7.18159	9.48035E-07	6.8E-06	1.05E-03	7.12E-09	3.38E-02	1.57E-01	3.78E-11	1.0E+06	3.8E-05
562	562	7.33656	9.48035E-07	7.0E-06	1.05E-03	7.27E-09	3.38E-02	1.57E-01	3.87E-11	1.0E+06	3.9E-05
563	563	7.46447	9.48035E-07	7.1E-06	1.05E-03	7.40E-09	3.38E-02	1.57E-01	3.93E-11	1.0E+06	3.9E-05
564	564	7.56258	9.48035E-07	7.2E-06	1.05E-03	7.49E-09	3.38E-02	1.57E-01	3.99E-11	1.0E+06	4.0E-05
565	565	7.63729	9.48035E-07	7.2E-06	1.05E-03	7.57E-09	3.38E-02	1.57E-01	4.02E-11	1.0E+06	4.0E-05
566	566	7.68738	9.48035E-07	7.3E-06	1.05E-03	7.62E-09	3.38E-02	1.57E-01	4.05E-11	1.0E+06	4.1E-05
567	567	7.72022	9.48035E-07	7.3E-06	1.05E-03	7.65E-09	3.38E-02	1.57E-01	4.07E-11	1.0E+06	4.1E-05
568	568	7.73497	9.48035E-07	7.3E-06	1.05E-03	7.66E-09	3.38E-02	1.57E-01	4.08E-11	1.0E+06	4.1E-05
569	569	7.73421	9.48035E-07	7.3E-06	1.05E-03	7.66E-09	3.38E-02	1.57E-01	4.08E-11	1.0E+06	4.1E-05
570	570	7.71854	9.48035E-07	7.3E-06	1.05E-03	7.65E-09	3.38E-02	1.57E-01	4.07E-11	1.0E+06	4.1E-05
571	571	7.68844	9.48035E-07	7.3E-06	1.05E-03	7.62E-09	3.38E-02	1.57E-01	4.05E-11	1.0E+06	4.1E-05
572	572	0.88123	9.48035E-07	8.4E-07	1.05E-03	8.73E-10	3.38E-02	1.57E-01	4.64E-12	1.0E+06	4.6E-06
573	573	0.93251	9.48035E-07	8.8E-07	1.05E-03	9.24E-10	3.38E-02	1.57E-01	4.91E-12	1.0E+06	4.9E-06
574	574	0.98747	9.48035E-07	9.4E-07	1.05E-03	9.78E-10	3.38E-02	1.57E-01	5.20E-12	1.0E+06	5.2E-06
575	575	1.04399	9.48035E-07	9.9E-07	1.05E-03	1.03E-09	3.38E-02	1.57E-01	5.50E-12	1.0E+06	5.5E-06
576	576	1.10556	9.48035E-07	1.0E-06	1.05E-03	1.10E-09	3.38E-02	1.57E-01	5.83E-12	1.0E+06	5.8E-06
577	577	1.17072	9.48035E-07	1.1E-06	1.05E-03	1.16E-09	3.38E-02	1.57E-01	6.17E-12	1.0E+06	6.2E-06
578	578	1.24043	9.48035E-07	1.2E-06	1.05E-03	1.23E-09	3.38E-02	1.57E-01	6.54E-12	1.0E+06	6.5E-06
579	579	1.32136	9.48035E-07	1.3E-06	1.05E-03	1.31E-09	3.38E-02	1.57E-01	6.96E-12	1.0E+06	7.0E-06
580	580	1.4152	9.48035E-07	1.3E-06	1.05E-03	1.40E-09	3.38E-02	1.57E-01	7.46E-12	1.0E+06	7.5E-06
581	581	1.51813	9.48035E-07	1.4E-06	1.05E-03	1.50E-09	3.38E-02	1.57E-01	8.00E-12	1.0E+06	8.0E-06
582	582	1.62941	9.48035E-07	1.5E-06	1.05E-03	1.61E-09	3.38E-02	1.57E-01	8.59E-12	1.0E+06	8.6E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	1.75614	9.48035E-07	1.7E-06	1.05E-03	1.74E-09	3.38E-02	1.57E-01	9.25E-12	1.0E+06	9.3E-06
584	584	1.89689	9.48035E-07	1.8E-06	1.05E-03	1.88E-09	3.38E-02	1.57E-01	1.00E-11	1.0E+06	1.0E-05
585	585	2.04896	9.48035E-07	1.9E-06	1.05E-03	2.03E-09	3.38E-02	1.57E-01	1.08E-11	1.0E+06	1.1E-05
586	586	2.22249	9.48035E-07	2.1E-06	1.05E-03	2.20E-09	3.38E-02	1.57E-01	1.17E-11	1.0E+06	1.2E-05
587	587	2.41607	9.48035E-07	2.3E-06	1.05E-03	2.39E-09	3.38E-02	1.57E-01	1.27E-11	1.0E+06	1.3E-05
588	588	2.63778	9.48035E-07	2.5E-06	1.05E-03	2.61E-09	3.38E-02	1.57E-01	1.39E-11	1.0E+06	1.4E-05
589	589	2.88486	9.48035E-07	2.7E-06	1.05E-03	2.86E-09	3.38E-02	1.57E-01	1.52E-11	1.0E+06	1.5E-05
590	590	3.16453	9.48035E-07	3.0E-06	1.05E-03	3.14E-09	3.38E-02	1.57E-01	1.67E-11	1.0E+06	1.7E-05
591	591	3.47046	9.48035E-07	3.3E-06	1.05E-03	3.44E-09	3.38E-02	1.57E-01	1.83E-11	1.0E+06	1.8E-05
592	592	3.80208	9.48035E-07	3.6E-06	1.05E-03	3.77E-09	3.38E-02	1.57E-01	2.00E-11	1.0E+06	2.0E-05
593	593	4.15054	9.48035E-07	3.9E-06	1.05E-03	4.11E-09	3.38E-02	1.57E-01	2.19E-11	1.0E+06	2.2E-05
594	594	4.50166	9.48035E-07	4.3E-06	1.05E-03	4.46E-09	3.38E-02	1.57E-01	2.37E-11	1.0E+06	2.4E-05
595	595	4.84928	9.48035E-07	4.6E-06	1.05E-03	4.81E-09	3.38E-02	1.57E-01	2.56E-11	1.0E+06	2.6E-05
596	596	5.17906	9.48035E-07	4.9E-06	1.05E-03	5.13E-09	3.38E-02	1.57E-01	2.73E-11	1.0E+06	2.7E-05
597	597	5.48815	9.48035E-07	5.2E-06	1.05E-03	5.44E-09	3.38E-02	1.57E-01	2.89E-11	1.0E+06	2.9E-05
598	598	5.76551	9.48035E-07	5.5E-06	1.05E-03	5.71E-09	3.38E-02	1.57E-01	3.04E-11	1.0E+06	3.0E-05
599	599	6.0115	9.48035E-07	5.7E-06	1.05E-03	5.96E-09	3.38E-02	1.57E-01	3.17E-11	1.0E+06	3.2E-05
600	600	6.2207	9.48035E-07	5.9E-06	1.05E-03	6.16E-09	3.38E-02	1.57E-01	3.28E-11	1.0E+06	3.3E-05
601	601	6.39751	9.48035E-07	6.1E-06	1.05E-03	6.34E-09	3.38E-02	1.57E-01	3.37E-11	1.0E+06	3.4E-05
602	602	6.54174	9.48035E-07	6.2E-06	1.05E-03	6.48E-09	3.38E-02	1.57E-01	3.45E-11	1.0E+06	3.4E-05
603	603	6.6656	9.48035E-07	6.3E-06	1.05E-03	6.60E-09	3.38E-02	1.57E-01	3.51E-11	1.0E+06	3.5E-05
604	604	6.76228	9.48035E-07	6.4E-06	1.05E-03	6.70E-09	3.38E-02	1.57E-01	3.56E-11	1.0E+06	3.6E-05
605	605	6.83667	9.48035E-07	6.5E-06	1.05E-03	6.77E-09	3.38E-02	1.57E-01	3.60E-11	1.0E+06	3.6E-05
606	606	6.88655	9.48035E-07	6.5E-06	1.05E-03	6.82E-09	3.38E-02	1.57E-01	3.63E-11	1.0E+06	3.6E-05
607	607	6.91863	9.48035E-07	6.6E-06	1.05E-03	6.86E-09	3.38E-02	1.57E-01	3.65E-11	1.0E+06	3.6E-05
608	608	6.93833	9.48035E-07	6.6E-06	1.05E-03	6.88E-09	3.38E-02	1.57E-01	3.66E-11	1.0E+06	3.7E-05
609	609	6.94132	9.48035E-07	6.6E-06	1.05E-03	6.88E-09	3.38E-02	1.57E-01	3.66E-11	1.0E+06	3.7E-05
610	610	6.93032	9.48035E-07	6.6E-06	1.05E-03	6.87E-09	3.38E-02	1.57E-01	3.65E-11	1.0E+06	3.7E-05
611	611	6.90533	9.48035E-07	6.5E-06	1.05E-03	6.84E-09	3.38E-02	1.57E-01	3.64E-11	1.0E+06	3.6E-05
612	612	0.85642	9.48035E-07	8.1E-07	1.05E-03	8.49E-10	3.38E-02	1.57E-01	4.51E-12	1.0E+06	4.5E-06
613	613	0.90693	9.48035E-07	8.6E-07	1.05E-03	8.99E-10	3.38E-02	1.57E-01	4.78E-12	1.0E+06	4.8E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.96042	9.48035E-07	9.1E-07	1.05E-03	9.52E-10	3.38E-02	1.57E-01	5.06E-12	1.0E+06	5.1E-06
615	615	1.01385	9.48035E-07	9.6E-07	1.05E-03	1.00E-09	3.38E-02	1.57E-01	5.34E-12	1.0E+06	5.3E-06
616	616	1.07185	9.48035E-07	1.0E-06	1.05E-03	1.06E-09	3.38E-02	1.57E-01	5.65E-12	1.0E+06	5.6E-06
617	617	1.13173	9.48035E-07	1.1E-06	1.05E-03	1.12E-09	3.38E-02	1.57E-01	5.96E-12	1.0E+06	6.0E-06
618	618	1.19442	9.48035E-07	1.1E-06	1.05E-03	1.18E-09	3.38E-02	1.57E-01	6.29E-12	1.0E+06	6.3E-06
619	619	1.26326	9.48035E-07	1.2E-06	1.05E-03	1.25E-09	3.38E-02	1.57E-01	6.66E-12	1.0E+06	6.7E-06
620	620	1.3528	9.48035E-07	1.3E-06	1.05E-03	1.34E-09	3.38E-02	1.57E-01	7.13E-12	1.0E+06	7.1E-06
621	621	1.44969	9.48035E-07	1.4E-06	1.05E-03	1.44E-09	3.38E-02	1.57E-01	7.64E-12	1.0E+06	7.6E-06
622	622	1.55589	9.48035E-07	1.5E-06	1.05E-03	1.54E-09	3.38E-02	1.57E-01	8.20E-12	1.0E+06	8.2E-06
623	623	1.67018	9.48035E-07	1.6E-06	1.05E-03	1.65E-09	3.38E-02	1.57E-01	8.80E-12	1.0E+06	8.8E-06
624	624	1.80029	9.48035E-07	1.7E-06	1.05E-03	1.78E-09	3.38E-02	1.57E-01	9.49E-12	1.0E+06	9.5E-06
625	625	1.94039	9.48035E-07	1.8E-06	1.05E-03	1.92E-09	3.38E-02	1.57E-01	1.02E-11	1.0E+06	1.0E-05
626	626	2.09325	9.48035E-07	2.0E-06	1.05E-03	2.07E-09	3.38E-02	1.57E-01	1.10E-11	1.0E+06	1.1E-05
627	627	2.26796	9.48035E-07	2.2E-06	1.05E-03	2.25E-09	3.38E-02	1.57E-01	1.20E-11	1.0E+06	1.2E-05
628	628	2.46048	9.48035E-07	2.3E-06	1.05E-03	2.44E-09	3.38E-02	1.57E-01	1.30E-11	1.0E+06	1.3E-05
629	629	2.67592	9.48035E-07	2.5E-06	1.05E-03	2.65E-09	3.38E-02	1.57E-01	1.41E-11	1.0E+06	1.4E-05
630	630	2.91851	9.48035E-07	2.8E-06	1.05E-03	2.89E-09	3.38E-02	1.57E-01	1.54E-11	1.0E+06	1.5E-05
631	631	3.18079	9.48035E-07	3.0E-06	1.05E-03	3.15E-09	3.38E-02	1.57E-01	1.68E-11	1.0E+06	1.7E-05
632	632	3.46549	9.48035E-07	3.3E-06	1.05E-03	3.43E-09	3.38E-02	1.57E-01	1.83E-11	1.0E+06	1.8E-05
633	633	3.7655	9.48035E-07	3.6E-06	1.05E-03	3.73E-09	3.38E-02	1.57E-01	1.98E-11	1.0E+06	2.0E-05
634	634	4.06911	9.48035E-07	3.9E-06	1.05E-03	4.03E-09	3.38E-02	1.57E-01	2.14E-11	1.0E+06	2.1E-05
635	635	4.36759	9.48035E-07	4.1E-06	1.05E-03	4.33E-09	3.38E-02	1.57E-01	2.30E-11	1.0E+06	2.3E-05
636	636	4.65227	9.48035E-07	4.4E-06	1.05E-03	4.61E-09	3.38E-02	1.57E-01	2.45E-11	1.0E+06	2.5E-05
637	637	4.91935	9.48035E-07	4.7E-06	1.05E-03	4.87E-09	3.38E-02	1.57E-01	2.59E-11	1.0E+06	2.6E-05
638	638	5.16541	9.48035E-07	4.9E-06	1.05E-03	5.12E-09	3.38E-02	1.57E-01	2.72E-11	1.0E+06	2.7E-05
639	639	5.38303	9.48035E-07	5.1E-06	1.05E-03	5.33E-09	3.38E-02	1.57E-01	2.84E-11	1.0E+06	2.8E-05
640	640	5.57395	9.48035E-07	5.3E-06	1.05E-03	5.52E-09	3.38E-02	1.57E-01	2.94E-11	1.0E+06	2.9E-05
641	641	5.7344	9.48035E-07	5.4E-06	1.05E-03	5.68E-09	3.38E-02	1.57E-01	3.02E-11	1.0E+06	3.0E-05
642	642	5.87092	9.48035E-07	5.6E-06	1.05E-03	5.82E-09	3.38E-02	1.57E-01	3.09E-11	1.0E+06	3.1E-05
643	643	5.98729	9.48035E-07	5.7E-06	1.05E-03	5.93E-09	3.38E-02	1.57E-01	3.16E-11	1.0E+06	3.2E-05
644	644	6.08332	9.48035E-07	5.8E-06	1.05E-03	6.03E-09	3.38E-02	1.57E-01	3.21E-11	1.0E+06	3.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	6.15637	9.48035E-07	5.8E-06	1.05E-03	6.10E-09	3.38E-02	1.57E-01	3.24E-11	1.0E+06	3.2E-05
646	646	6.20603	9.48035E-07	5.9E-06	1.05E-03	6.15E-09	3.38E-02	1.57E-01	3.27E-11	1.0E+06	3.3E-05
647	647	6.23904	9.48035E-07	5.9E-06	1.05E-03	6.18E-09	3.38E-02	1.57E-01	3.29E-11	1.0E+06	3.3E-05
648	648	6.26092	9.48035E-07	5.9E-06	1.05E-03	6.20E-09	3.38E-02	1.57E-01	3.30E-11	1.0E+06	3.3E-05
649	649	6.26704	9.48035E-07	5.9E-06	1.05E-03	6.21E-09	3.38E-02	1.57E-01	3.30E-11	1.0E+06	3.3E-05
650	650	6.25988	9.48035E-07	5.9E-06	1.05E-03	6.20E-09	3.38E-02	1.57E-01	3.30E-11	1.0E+06	3.3E-05
651	651	6.23929	9.48035E-07	5.9E-06	1.05E-03	6.18E-09	3.38E-02	1.57E-01	3.29E-11	1.0E+06	3.3E-05
652	652	0.82571	9.48035E-07	7.8E-07	1.05E-03	8.18E-10	3.38E-02	1.57E-01	4.35E-12	1.0E+06	4.4E-06
653	653	0.87189	9.48035E-07	8.3E-07	1.05E-03	8.64E-10	3.38E-02	1.57E-01	4.59E-12	1.0E+06	4.6E-06
654	654	0.92089	9.48035E-07	8.7E-07	1.05E-03	9.13E-10	3.38E-02	1.57E-01	4.85E-12	1.0E+06	4.9E-06
655	655	0.97064	9.48035E-07	9.2E-07	1.05E-03	9.62E-10	3.38E-02	1.57E-01	5.12E-12	1.0E+06	5.1E-06
656	656	1.02463	9.48035E-07	9.7E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.40E-12	1.0E+06	5.4E-06
657	657	1.08093	9.48035E-07	1.0E-06	1.05E-03	1.07E-09	3.38E-02	1.57E-01	5.70E-12	1.0E+06	5.7E-06
658	658	1.14059	9.48035E-07	1.1E-06	1.05E-03	1.13E-09	3.38E-02	1.57E-01	6.01E-12	1.0E+06	6.0E-06
659	659	1.20593	9.48035E-07	1.1E-06	1.05E-03	1.19E-09	3.38E-02	1.57E-01	6.36E-12	1.0E+06	6.4E-06
660	660	1.28441	9.48035E-07	1.2E-06	1.05E-03	1.27E-09	3.38E-02	1.57E-01	6.77E-12	1.0E+06	6.8E-06
661	661	1.37023	9.48035E-07	1.3E-06	1.05E-03	1.36E-09	3.38E-02	1.57E-01	7.22E-12	1.0E+06	7.2E-06
662	662	1.47508	9.48035E-07	1.4E-06	1.05E-03	1.46E-09	3.38E-02	1.57E-01	7.77E-12	1.0E+06	7.8E-06
663	663	1.5786	9.48035E-07	1.5E-06	1.05E-03	1.56E-09	3.38E-02	1.57E-01	8.32E-12	1.0E+06	8.3E-06
664	664	1.69696	9.48035E-07	1.6E-06	1.05E-03	1.68E-09	3.38E-02	1.57E-01	8.94E-12	1.0E+06	8.9E-06
665	665	1.81857	9.48035E-07	1.7E-06	1.05E-03	1.80E-09	3.38E-02	1.57E-01	9.58E-12	1.0E+06	9.6E-06
666	666	1.9528	9.48035E-07	1.9E-06	1.05E-03	1.94E-09	3.38E-02	1.57E-01	1.03E-11	1.0E+06	1.0E-05
667	667	2.10844	9.48035E-07	2.0E-06	1.05E-03	2.09E-09	3.38E-02	1.57E-01	1.11E-11	1.0E+06	1.1E-05
668	668	2.28298	9.48035E-07	2.2E-06	1.05E-03	2.26E-09	3.38E-02	1.57E-01	1.20E-11	1.0E+06	1.2E-05
669	669	2.472	9.48035E-07	2.3E-06	1.05E-03	2.45E-09	3.38E-02	1.57E-01	1.30E-11	1.0E+06	1.3E-05
670	670	2.68743	9.48035E-07	2.5E-06	1.05E-03	2.66E-09	3.38E-02	1.57E-01	1.42E-11	1.0E+06	1.4E-05
671	671	2.92144	9.48035E-07	2.8E-06	1.05E-03	2.89E-09	3.38E-02	1.57E-01	1.54E-11	1.0E+06	1.5E-05
672	672	3.1674	9.48035E-07	3.0E-06	1.05E-03	3.14E-09	3.38E-02	1.57E-01	1.67E-11	1.0E+06	1.7E-05
673	673	3.42988	9.48035E-07	3.3E-06	1.05E-03	3.40E-09	3.38E-02	1.57E-01	1.81E-11	1.0E+06	1.8E-05
674	674	3.69573	9.48035E-07	3.5E-06	1.05E-03	3.66E-09	3.38E-02	1.57E-01	1.95E-11	1.0E+06	1.9E-05
675	675	3.95521	9.48035E-07	3.7E-06	1.05E-03	3.92E-09	3.38E-02	1.57E-01	2.08E-11	1.0E+06	2.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	4.20565	9.48035E-07	4.0E-06	1.05E-03	4.17E-09	3.38E-02	1.57E-01	2.22E-11	1.0E+06	2.2E-05
677	677	4.44056	9.48035E-07	4.2E-06	1.05E-03	4.40E-09	3.38E-02	1.57E-01	2.34E-11	1.0E+06	2.3E-05
678	678	4.65692	9.48035E-07	4.4E-06	1.05E-03	4.61E-09	3.38E-02	1.57E-01	2.45E-11	1.0E+06	2.5E-05
679	679	4.85034	9.48035E-07	4.6E-06	1.05E-03	4.81E-09	3.38E-02	1.57E-01	2.56E-11	1.0E+06	2.6E-05
680	680	5.02134	9.48035E-07	4.8E-06	1.05E-03	4.98E-09	3.38E-02	1.57E-01	2.65E-11	1.0E+06	2.6E-05
681	681	5.17243	9.48035E-07	4.9E-06	1.05E-03	5.13E-09	3.38E-02	1.57E-01	2.73E-11	1.0E+06	2.7E-05
682	682	5.30058	9.48035E-07	5.0E-06	1.05E-03	5.25E-09	3.38E-02	1.57E-01	2.79E-11	1.0E+06	2.8E-05
683	683	5.41019	9.48035E-07	5.1E-06	1.05E-03	5.36E-09	3.38E-02	1.57E-01	2.85E-11	1.0E+06	2.9E-05
684	684	5.50207	9.48035E-07	5.2E-06	1.05E-03	5.45E-09	3.38E-02	1.57E-01	2.90E-11	1.0E+06	2.9E-05
685	685	5.57309	9.48035E-07	5.3E-06	1.05E-03	5.52E-09	3.38E-02	1.57E-01	2.94E-11	1.0E+06	2.9E-05
686	686	5.62227	9.48035E-07	5.3E-06	1.05E-03	5.57E-09	3.38E-02	1.57E-01	2.96E-11	1.0E+06	3.0E-05
687	687	5.65606	9.48035E-07	5.4E-06	1.05E-03	5.60E-09	3.38E-02	1.57E-01	2.98E-11	1.0E+06	3.0E-05
688	688	5.67956	9.48035E-07	5.4E-06	1.05E-03	5.63E-09	3.38E-02	1.57E-01	2.99E-11	1.0E+06	3.0E-05
689	689	5.68798	9.48035E-07	5.4E-06	1.05E-03	5.64E-09	3.38E-02	1.57E-01	3.00E-11	1.0E+06	3.0E-05
690	690	5.68409	9.48035E-07	5.4E-06	1.05E-03	5.63E-09	3.38E-02	1.57E-01	3.00E-11	1.0E+06	3.0E-05
691	691	5.66755	9.48035E-07	5.4E-06	1.05E-03	5.62E-09	3.38E-02	1.57E-01	2.99E-11	1.0E+06	3.0E-05
692	692	0.79444	9.48035E-07	7.5E-07	1.05E-03	7.87E-10	3.38E-02	1.57E-01	4.19E-12	1.0E+06	4.2E-06
693	693	0.8358	9.48035E-07	7.9E-07	1.05E-03	8.28E-10	3.38E-02	1.57E-01	4.40E-12	1.0E+06	4.4E-06
694	694	0.88001	9.48035E-07	8.3E-07	1.05E-03	8.72E-10	3.38E-02	1.57E-01	4.64E-12	1.0E+06	4.6E-06
695	695	0.92641	9.48035E-07	8.8E-07	1.05E-03	9.18E-10	3.38E-02	1.57E-01	4.88E-12	1.0E+06	4.9E-06
696	696	0.97648	9.48035E-07	9.3E-07	1.05E-03	9.68E-10	3.38E-02	1.57E-01	5.15E-12	1.0E+06	5.1E-06
697	697	1.02997	9.48035E-07	9.8E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.43E-12	1.0E+06	5.4E-06
698	698	1.08716	9.48035E-07	1.0E-06	1.05E-03	1.08E-09	3.38E-02	1.57E-01	5.73E-12	1.0E+06	5.7E-06
699	699	1.14961	9.48035E-07	1.1E-06	1.05E-03	1.14E-09	3.38E-02	1.57E-01	6.06E-12	1.0E+06	6.1E-06
700	700	1.22216	9.48035E-07	1.2E-06	1.05E-03	1.21E-09	3.38E-02	1.57E-01	6.44E-12	1.0E+06	6.4E-06
701	701	1.30171	9.48035E-07	1.2E-06	1.05E-03	1.29E-09	3.38E-02	1.57E-01	6.86E-12	1.0E+06	6.9E-06
702	702	1.3878	9.48035E-07	1.3E-06	1.05E-03	1.38E-09	3.38E-02	1.57E-01	7.31E-12	1.0E+06	7.3E-06
703	703	1.48121	9.48035E-07	1.4E-06	1.05E-03	1.47E-09	3.38E-02	1.57E-01	7.81E-12	1.0E+06	7.8E-06
704	704	1.59681	9.48035E-07	1.5E-06	1.05E-03	1.58E-09	3.38E-02	1.57E-01	8.41E-12	1.0E+06	8.4E-06
705	705	1.70419	9.48035E-07	1.6E-06	1.05E-03	1.69E-09	3.38E-02	1.57E-01	8.98E-12	1.0E+06	9.0E-06
706	706	1.82179	9.48035E-07	1.7E-06	1.05E-03	1.81E-09	3.38E-02	1.57E-01	9.60E-12	1.0E+06	9.6E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	1.96001	9.48035E-07	1.9E-06	1.05E-03	1.94E-09	3.38E-02	1.57E-01	1.03E-11	1.0E+06	1.0E-05
708	708	2.11136	9.48035E-07	2.0E-06	1.05E-03	2.09E-09	3.38E-02	1.57E-01	1.11E-11	1.0E+06	1.1E-05
709	709	2.27787	9.48035E-07	2.2E-06	1.05E-03	2.26E-09	3.38E-02	1.57E-01	1.20E-11	1.0E+06	1.2E-05
710	710	2.47817	9.48035E-07	2.3E-06	1.05E-03	2.46E-09	3.38E-02	1.57E-01	1.31E-11	1.0E+06	1.3E-05
711	711	2.6876	9.48035E-07	2.5E-06	1.05E-03	2.66E-09	3.38E-02	1.57E-01	1.42E-11	1.0E+06	1.4E-05
712	712	2.90486	9.48035E-07	2.8E-06	1.05E-03	2.88E-09	3.38E-02	1.57E-01	1.53E-11	1.0E+06	1.5E-05
713	713	3.13712	9.48035E-07	3.0E-06	1.05E-03	3.11E-09	3.38E-02	1.57E-01	1.65E-11	1.0E+06	1.7E-05
714	714	3.37544	9.48035E-07	3.2E-06	1.05E-03	3.34E-09	3.38E-02	1.57E-01	1.78E-11	1.0E+06	1.8E-05
715	715	3.60409	9.48035E-07	3.4E-06	1.05E-03	3.57E-09	3.38E-02	1.57E-01	1.90E-11	1.0E+06	1.9E-05
716	716	3.82156	9.48035E-07	3.6E-06	1.05E-03	3.79E-09	3.38E-02	1.57E-01	2.01E-11	1.0E+06	2.0E-05
717	717	4.03181	9.48035E-07	3.8E-06	1.05E-03	4.00E-09	3.38E-02	1.57E-01	2.12E-11	1.0E+06	2.1E-05
718	718	4.21979	9.48035E-07	4.0E-06	1.05E-03	4.18E-09	3.38E-02	1.57E-01	2.22E-11	1.0E+06	2.2E-05
719	719	4.3947	9.48035E-07	4.2E-06	1.05E-03	4.35E-09	3.38E-02	1.57E-01	2.32E-11	1.0E+06	2.3E-05
720	720	4.54957	9.48035E-07	4.3E-06	1.05E-03	4.51E-09	3.38E-02	1.57E-01	2.40E-11	1.0E+06	2.4E-05
721	721	4.68665	9.48035E-07	4.4E-06	1.05E-03	4.64E-09	3.38E-02	1.57E-01	2.47E-11	1.0E+06	2.5E-05
722	722	4.80748	9.48035E-07	4.6E-06	1.05E-03	4.76E-09	3.38E-02	1.57E-01	2.53E-11	1.0E+06	2.5E-05
723	723	4.9129	9.48035E-07	4.7E-06	1.05E-03	4.87E-09	3.38E-02	1.57E-01	2.59E-11	1.0E+06	2.6E-05
724	724	5.00002	9.48035E-07	4.7E-06	1.05E-03	4.95E-09	3.38E-02	1.57E-01	2.63E-11	1.0E+06	2.6E-05
725	725	5.06659	9.48035E-07	4.8E-06	1.05E-03	5.02E-09	3.38E-02	1.57E-01	2.67E-11	1.0E+06	2.7E-05
726	726	5.11719	9.48035E-07	4.9E-06	1.05E-03	5.07E-09	3.38E-02	1.57E-01	2.70E-11	1.0E+06	2.7E-05
727	727	5.15149	9.48035E-07	4.9E-06	1.05E-03	5.10E-09	3.38E-02	1.57E-01	2.71E-11	1.0E+06	2.7E-05
728	728	5.17608	9.48035E-07	4.9E-06	1.05E-03	5.13E-09	3.38E-02	1.57E-01	2.73E-11	1.0E+06	2.7E-05
729	729	5.1865	9.48035E-07	4.9E-06	1.05E-03	5.14E-09	3.38E-02	1.57E-01	2.73E-11	1.0E+06	2.7E-05
730	730	5.18537	9.48035E-07	4.9E-06	1.05E-03	5.14E-09	3.38E-02	1.57E-01	2.73E-11	1.0E+06	2.7E-05
731	731	5.17227	9.48035E-07	4.9E-06	1.05E-03	5.13E-09	3.38E-02	1.57E-01	2.73E-11	1.0E+06	2.7E-05
732	732	0.76321	9.48035E-07	7.2E-07	1.05E-03	7.56E-10	3.38E-02	1.57E-01	4.02E-12	1.0E+06	4.0E-06
733	733	0.79969	9.48035E-07	7.6E-07	1.05E-03	7.92E-10	3.38E-02	1.57E-01	4.21E-12	1.0E+06	4.2E-06
734	734	0.8391	9.48035E-07	8.0E-07	1.05E-03	8.31E-10	3.38E-02	1.57E-01	4.42E-12	1.0E+06	4.4E-06
735	735	0.88215	9.48035E-07	8.4E-07	1.05E-03	8.74E-10	3.38E-02	1.57E-01	4.65E-12	1.0E+06	4.6E-06
736	736	0.92868	9.48035E-07	8.8E-07	1.05E-03	9.20E-10	3.38E-02	1.57E-01	4.89E-12	1.0E+06	4.9E-06
737	737	0.97925	9.48035E-07	9.3E-07	1.05E-03	9.70E-10	3.38E-02	1.57E-01	5.16E-12	1.0E+06	5.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	1.03461	9.48035E-07	9.8E-07	1.05E-03	1.03E-09	3.38E-02	1.57E-01	5.45E-12	1.0E+06	5.5E-06
739	739	1.09437	9.48035E-07	1.0E-06	1.05E-03	1.08E-09	3.38E-02	1.57E-01	5.77E-12	1.0E+06	5.8E-06
740	740	1.16193	9.48035E-07	1.1E-06	1.05E-03	1.15E-09	3.38E-02	1.57E-01	6.12E-12	1.0E+06	6.1E-06
741	741	1.23534	9.48035E-07	1.2E-06	1.05E-03	1.22E-09	3.38E-02	1.57E-01	6.51E-12	1.0E+06	6.5E-06
742	742	1.31412	9.48035E-07	1.2E-06	1.05E-03	1.30E-09	3.38E-02	1.57E-01	6.93E-12	1.0E+06	6.9E-06
743	743	1.39826	9.48035E-07	1.3E-06	1.05E-03	1.39E-09	3.38E-02	1.57E-01	7.37E-12	1.0E+06	7.4E-06
744	744	1.49105	9.48035E-07	1.4E-06	1.05E-03	1.48E-09	3.38E-02	1.57E-01	7.86E-12	1.0E+06	7.9E-06
745	745	1.58495	9.48035E-07	1.5E-06	1.05E-03	1.57E-09	3.38E-02	1.57E-01	8.35E-12	1.0E+06	8.4E-06
746	746	1.68743	9.48035E-07	1.6E-06	1.05E-03	1.67E-09	3.38E-02	1.57E-01	8.89E-12	1.0E+06	8.9E-06
747	747	1.81207	9.48035E-07	1.7E-06	1.05E-03	1.80E-09	3.38E-02	1.57E-01	9.55E-12	1.0E+06	9.5E-06
748	748	1.95577	9.48035E-07	1.9E-06	1.05E-03	1.94E-09	3.38E-02	1.57E-01	1.03E-11	1.0E+06	1.0E-05
749	749	2.11197	9.48035E-07	2.0E-06	1.05E-03	2.09E-09	3.38E-02	1.57E-01	1.11E-11	1.0E+06	1.1E-05
750	750	2.28068	9.48035E-07	2.2E-06	1.05E-03	2.26E-09	3.38E-02	1.57E-01	1.20E-11	1.0E+06	1.2E-05
751	751	2.47772	9.48035E-07	2.3E-06	1.05E-03	2.46E-09	3.38E-02	1.57E-01	1.31E-11	1.0E+06	1.3E-05
752	752	2.67701	9.48035E-07	2.5E-06	1.05E-03	2.65E-09	3.38E-02	1.57E-01	1.41E-11	1.0E+06	1.4E-05
753	753	2.88305	9.48035E-07	2.7E-06	1.05E-03	2.86E-09	3.38E-02	1.57E-01	1.52E-11	1.0E+06	1.5E-05
754	754	3.09187	9.48035E-07	2.9E-06	1.05E-03	3.06E-09	3.38E-02	1.57E-01	1.63E-11	1.0E+06	1.6E-05
755	755	3.29557	9.48035E-07	3.1E-06	1.05E-03	3.27E-09	3.38E-02	1.57E-01	1.74E-11	1.0E+06	1.7E-05
756	756	3.49046	9.48035E-07	3.3E-06	1.05E-03	3.46E-09	3.38E-02	1.57E-01	1.84E-11	1.0E+06	1.8E-05
757	757	3.67775	9.48035E-07	3.5E-06	1.05E-03	3.64E-09	3.38E-02	1.57E-01	1.94E-11	1.0E+06	1.9E-05
758	758	3.84434	9.48035E-07	3.6E-06	1.05E-03	3.81E-09	3.38E-02	1.57E-01	2.03E-11	1.0E+06	2.0E-05
759	759	3.99752	9.48035E-07	3.8E-06	1.05E-03	3.96E-09	3.38E-02	1.57E-01	2.11E-11	1.0E+06	2.1E-05
760	760	4.14151	9.48035E-07	3.9E-06	1.05E-03	4.10E-09	3.38E-02	1.57E-01	2.18E-11	1.0E+06	2.2E-05
761	761	4.2685	9.48035E-07	4.0E-06	1.05E-03	4.23E-09	3.38E-02	1.57E-01	2.25E-11	1.0E+06	2.2E-05
762	762	4.38168	9.48035E-07	4.2E-06	1.05E-03	4.34E-09	3.38E-02	1.57E-01	2.31E-11	1.0E+06	2.3E-05
763	763	4.48042	9.48035E-07	4.2E-06	1.05E-03	4.44E-09	3.38E-02	1.57E-01	2.36E-11	1.0E+06	2.4E-05
764	764	4.56303	9.48035E-07	4.3E-06	1.05E-03	4.52E-09	3.38E-02	1.57E-01	2.40E-11	1.0E+06	2.4E-05
765	765	4.62707	9.48035E-07	4.4E-06	1.05E-03	4.58E-09	3.38E-02	1.57E-01	2.44E-11	1.0E+06	2.4E-05
766	766	4.67673	9.48035E-07	4.4E-06	1.05E-03	4.63E-09	3.38E-02	1.57E-01	2.46E-11	1.0E+06	2.5E-05
767	767	4.7112	9.48035E-07	4.5E-06	1.05E-03	4.67E-09	3.38E-02	1.57E-01	2.48E-11	1.0E+06	2.5E-05
768	768	4.73681	9.48035E-07	4.5E-06	1.05E-03	4.69E-09	3.38E-02	1.57E-01	2.50E-11	1.0E+06	2.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	4.74887	9.48035E-07	4.5E-06	1.05E-03	4.71E-09	3.38E-02	1.57E-01	2.50E-11	1.0E+06	2.5E-05
770	770	4.75009	9.48035E-07	4.5E-06	1.05E-03	4.71E-09	3.38E-02	1.57E-01	2.50E-11	1.0E+06	2.5E-05
771	771	4.74008	9.48035E-07	4.5E-06	1.05E-03	4.70E-09	3.38E-02	1.57E-01	2.50E-11	1.0E+06	2.5E-05
772	772	0.73357	9.48035E-07	7.0E-07	1.05E-03	7.27E-10	3.38E-02	1.57E-01	3.87E-12	1.0E+06	3.9E-06
773	773	0.76714	9.48035E-07	7.3E-07	1.05E-03	7.60E-10	3.38E-02	1.57E-01	4.04E-12	1.0E+06	4.0E-06
774	774	0.80333	9.48035E-07	7.6E-07	1.05E-03	7.96E-10	3.38E-02	1.57E-01	4.23E-12	1.0E+06	4.2E-06
775	775	0.84372	9.48035E-07	8.0E-07	1.05E-03	8.36E-10	3.38E-02	1.57E-01	4.45E-12	1.0E+06	4.4E-06
776	776	0.88728	9.48035E-07	8.4E-07	1.05E-03	8.79E-10	3.38E-02	1.57E-01	4.68E-12	1.0E+06	4.7E-06
777	777	0.9346	9.48035E-07	8.9E-07	1.05E-03	9.26E-10	3.38E-02	1.57E-01	4.93E-12	1.0E+06	4.9E-06
778	778	0.98586	9.48035E-07	9.3E-07	1.05E-03	9.77E-10	3.38E-02	1.57E-01	5.20E-12	1.0E+06	5.2E-06
779	779	1.04156	9.48035E-07	9.9E-07	1.05E-03	1.03E-09	3.38E-02	1.57E-01	5.49E-12	1.0E+06	5.5E-06
780	780	1.10301	9.48035E-07	1.0E-06	1.05E-03	1.09E-09	3.38E-02	1.57E-01	5.81E-12	1.0E+06	5.8E-06
781	781	1.17015	9.48035E-07	1.1E-06	1.05E-03	1.16E-09	3.38E-02	1.57E-01	6.17E-12	1.0E+06	6.2E-06
782	782	1.24224	9.48035E-07	1.2E-06	1.05E-03	1.23E-09	3.38E-02	1.57E-01	6.55E-12	1.0E+06	6.5E-06
783	783	1.3201	9.48035E-07	1.3E-06	1.05E-03	1.31E-09	3.38E-02	1.57E-01	6.96E-12	1.0E+06	7.0E-06
784	784	1.40539	9.48035E-07	1.3E-06	1.05E-03	1.39E-09	3.38E-02	1.57E-01	7.41E-12	1.0E+06	7.4E-06
785	785	1.49337	9.48035E-07	1.4E-06	1.05E-03	1.48E-09	3.38E-02	1.57E-01	7.87E-12	1.0E+06	7.9E-06
786	786	1.58877	9.48035E-07	1.5E-06	1.05E-03	1.57E-09	3.38E-02	1.57E-01	8.37E-12	1.0E+06	8.4E-06
787	787	1.69586	9.48035E-07	1.6E-06	1.05E-03	1.68E-09	3.38E-02	1.57E-01	8.94E-12	1.0E+06	8.9E-06
788	788	1.82758	9.48035E-07	1.7E-06	1.05E-03	1.81E-09	3.38E-02	1.57E-01	9.63E-12	1.0E+06	9.6E-06
789	789	1.96893	9.48035E-07	1.9E-06	1.05E-03	1.95E-09	3.38E-02	1.57E-01	1.04E-11	1.0E+06	1.0E-05
790	790	2.12533	9.48035E-07	2.0E-06	1.05E-03	2.11E-09	3.38E-02	1.57E-01	1.12E-11	1.0E+06	1.1E-05
791	791	2.29354	9.48035E-07	2.2E-06	1.05E-03	2.27E-09	3.38E-02	1.57E-01	1.21E-11	1.0E+06	1.2E-05
792	792	2.4693	9.48035E-07	2.3E-06	1.05E-03	2.45E-09	3.38E-02	1.57E-01	1.30E-11	1.0E+06	1.3E-05
793	793	2.65001	9.48035E-07	2.5E-06	1.05E-03	2.63E-09	3.38E-02	1.57E-01	1.40E-11	1.0E+06	1.4E-05
794	794	2.83321	9.48035E-07	2.7E-06	1.05E-03	2.81E-09	3.38E-02	1.57E-01	1.49E-11	1.0E+06	1.5E-05
795	795	3.01417	9.48035E-07	2.9E-06	1.05E-03	2.99E-09	3.38E-02	1.57E-01	1.59E-11	1.0E+06	1.6E-05
796	796	3.18974	9.48035E-07	3.0E-06	1.05E-03	3.16E-09	3.38E-02	1.57E-01	1.68E-11	1.0E+06	1.7E-05
797	797	3.35802	9.48035E-07	3.2E-06	1.05E-03	3.33E-09	3.38E-02	1.57E-01	1.77E-11	1.0E+06	1.8E-05
798	798	3.5087	9.48035E-07	3.3E-06	1.05E-03	3.48E-09	3.38E-02	1.57E-01	1.85E-11	1.0E+06	1.8E-05
799	799	3.6529	9.48035E-07	3.5E-06	1.05E-03	3.62E-09	3.38E-02	1.57E-01	1.93E-11	1.0E+06	1.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	3.7819	9.48035E-07	3.6E-06	1.05E-03	3.75E-09	3.38E-02	1.57E-01	1.99E-11	1.0E+06	2.0E-05
801	801	3.90272	9.48035E-07	3.7E-06	1.05E-03	3.87E-09	3.38E-02	1.57E-01	2.06E-11	1.0E+06	2.1E-05
802	802	4.0054	9.48035E-07	3.8E-06	1.05E-03	3.97E-09	3.38E-02	1.57E-01	2.11E-11	1.0E+06	2.1E-05
803	803	4.10098	9.48035E-07	3.9E-06	1.05E-03	4.06E-09	3.38E-02	1.57E-01	2.16E-11	1.0E+06	2.2E-05
804	804	4.17923	9.48035E-07	4.0E-06	1.05E-03	4.14E-09	3.38E-02	1.57E-01	2.20E-11	1.0E+06	2.2E-05
805	805	4.24047	9.48035E-07	4.0E-06	1.05E-03	4.20E-09	3.38E-02	1.57E-01	2.23E-11	1.0E+06	2.2E-05
806	806	4.28701	9.48035E-07	4.1E-06	1.05E-03	4.25E-09	3.38E-02	1.57E-01	2.26E-11	1.0E+06	2.3E-05
807	807	4.32448	9.48035E-07	4.1E-06	1.05E-03	4.29E-09	3.38E-02	1.57E-01	2.28E-11	1.0E+06	2.3E-05
808	808	4.35095	9.48035E-07	4.1E-06	1.05E-03	4.31E-09	3.38E-02	1.57E-01	2.29E-11	1.0E+06	2.3E-05
809	809	4.36432	9.48035E-07	4.1E-06	1.05E-03	4.32E-09	3.38E-02	1.57E-01	2.30E-11	1.0E+06	2.3E-05
810	810	4.36762	9.48035E-07	4.1E-06	1.05E-03	4.33E-09	3.38E-02	1.57E-01	2.30E-11	1.0E+06	2.3E-05
811	811	4.36048	9.48035E-07	4.1E-06	1.05E-03	4.32E-09	3.38E-02	1.57E-01	2.30E-11	1.0E+06	2.3E-05
812	812	0.70426	9.48035E-07	6.7E-07	1.05E-03	6.98E-10	3.38E-02	1.57E-01	3.71E-12	1.0E+06	3.7E-06
813	813	0.73523	9.48035E-07	7.0E-07	1.05E-03	7.29E-10	3.38E-02	1.57E-01	3.87E-12	1.0E+06	3.9E-06
814	814	0.76872	9.48035E-07	7.3E-07	1.05E-03	7.62E-10	3.38E-02	1.57E-01	4.05E-12	1.0E+06	4.1E-06
815	815	0.80671	9.48035E-07	7.6E-07	1.05E-03	7.99E-10	3.38E-02	1.57E-01	4.25E-12	1.0E+06	4.3E-06
816	816	0.84741	9.48035E-07	8.0E-07	1.05E-03	8.40E-10	3.38E-02	1.57E-01	4.47E-12	1.0E+06	4.5E-06
817	817	0.89154	9.48035E-07	8.5E-07	1.05E-03	8.83E-10	3.38E-02	1.57E-01	4.70E-12	1.0E+06	4.7E-06
818	818	0.93907	9.48035E-07	8.9E-07	1.05E-03	9.31E-10	3.38E-02	1.57E-01	4.95E-12	1.0E+06	4.9E-06
819	819	0.99063	9.48035E-07	9.4E-07	1.05E-03	9.82E-10	3.38E-02	1.57E-01	5.22E-12	1.0E+06	5.2E-06
820	820	1.04669	9.48035E-07	9.9E-07	1.05E-03	1.04E-09	3.38E-02	1.57E-01	5.52E-12	1.0E+06	5.5E-06
821	821	1.10756	9.48035E-07	1.1E-06	1.05E-03	1.10E-09	3.38E-02	1.57E-01	5.84E-12	1.0E+06	5.8E-06
822	822	1.1738	9.48035E-07	1.1E-06	1.05E-03	1.16E-09	3.38E-02	1.57E-01	6.19E-12	1.0E+06	6.2E-06
823	823	1.24606	9.48035E-07	1.2E-06	1.05E-03	1.23E-09	3.38E-02	1.57E-01	6.57E-12	1.0E+06	6.6E-06
824	824	1.32507	9.48035E-07	1.3E-06	1.05E-03	1.31E-09	3.38E-02	1.57E-01	6.98E-12	1.0E+06	7.0E-06
825	825	1.40741	9.48035E-07	1.3E-06	1.05E-03	1.39E-09	3.38E-02	1.57E-01	7.42E-12	1.0E+06	7.4E-06
826	826	1.49713	9.48035E-07	1.4E-06	1.05E-03	1.48E-09	3.38E-02	1.57E-01	7.89E-12	1.0E+06	7.9E-06
827	827	1.59676	9.48035E-07	1.5E-06	1.05E-03	1.58E-09	3.38E-02	1.57E-01	8.41E-12	1.0E+06	8.4E-06
828	828	1.70874	9.48035E-07	1.6E-06	1.05E-03	1.69E-09	3.38E-02	1.57E-01	9.00E-12	1.0E+06	9.0E-06
829	829	1.84531	9.48035E-07	1.7E-06	1.05E-03	1.83E-09	3.38E-02	1.57E-01	9.72E-12	1.0E+06	9.7E-06
830	830	1.9848	9.48035E-07	1.9E-06	1.05E-03	1.97E-09	3.38E-02	1.57E-01	1.05E-11	1.0E+06	1.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	2.12648	9.48035E-07	2.0E-06	1.05E-03	2.11E-09	3.38E-02	1.57E-01	1.12E-11	1.0E+06	1.1E-05
832	832	2.28243	9.48035E-07	2.2E-06	1.05E-03	2.26E-09	3.38E-02	1.57E-01	1.20E-11	1.0E+06	1.2E-05
833	833	2.44103	9.48035E-07	2.3E-06	1.05E-03	2.42E-09	3.38E-02	1.57E-01	1.29E-11	1.0E+06	1.3E-05
834	834	2.6023	9.48035E-07	2.5E-06	1.05E-03	2.58E-09	3.38E-02	1.57E-01	1.37E-11	1.0E+06	1.4E-05
835	835	2.76368	9.48035E-07	2.6E-06	1.05E-03	2.74E-09	3.38E-02	1.57E-01	1.46E-11	1.0E+06	1.5E-05
836	836	2.91728	9.48035E-07	2.8E-06	1.05E-03	2.89E-09	3.38E-02	1.57E-01	1.54E-11	1.0E+06	1.5E-05
837	837	3.07518	9.48035E-07	2.9E-06	1.05E-03	3.05E-09	3.38E-02	1.57E-01	1.62E-11	1.0E+06	1.6E-05
838	838	3.2138	9.48035E-07	3.0E-06	1.05E-03	3.18E-09	3.38E-02	1.57E-01	1.69E-11	1.0E+06	1.7E-05
839	839	3.34713	9.48035E-07	3.2E-06	1.05E-03	3.32E-09	3.38E-02	1.57E-01	1.76E-11	1.0E+06	1.8E-05
840	840	3.47024	9.48035E-07	3.3E-06	1.05E-03	3.44E-09	3.38E-02	1.57E-01	1.83E-11	1.0E+06	1.8E-05
841	841	3.5783	9.48035E-07	3.4E-06	1.05E-03	3.55E-09	3.38E-02	1.57E-01	1.89E-11	1.0E+06	1.9E-05
842	842	3.67765	9.48035E-07	3.5E-06	1.05E-03	3.64E-09	3.38E-02	1.57E-01	1.94E-11	1.0E+06	1.9E-05
843	843	3.76463	9.48035E-07	3.6E-06	1.05E-03	3.73E-09	3.38E-02	1.57E-01	1.98E-11	1.0E+06	2.0E-05
844	844	3.83856	9.48035E-07	3.6E-06	1.05E-03	3.80E-09	3.38E-02	1.57E-01	2.02E-11	1.0E+06	2.0E-05
845	845	3.89959	9.48035E-07	3.7E-06	1.05E-03	3.86E-09	3.38E-02	1.57E-01	2.06E-11	1.0E+06	2.1E-05
846	846	3.94552	9.48035E-07	3.7E-06	1.05E-03	3.91E-09	3.38E-02	1.57E-01	2.08E-11	1.0E+06	2.1E-05
847	847	3.98306	9.48035E-07	3.8E-06	1.05E-03	3.95E-09	3.38E-02	1.57E-01	2.10E-11	1.0E+06	2.1E-05
848	848	4.00752	9.48035E-07	3.8E-06	1.05E-03	3.97E-09	3.38E-02	1.57E-01	2.11E-11	1.0E+06	2.1E-05
849	849	4.02461	9.48035E-07	3.8E-06	1.05E-03	3.99E-09	3.38E-02	1.57E-01	2.12E-11	1.0E+06	2.1E-05
850	850	4.02957	9.48035E-07	3.8E-06	1.05E-03	3.99E-09	3.38E-02	1.57E-01	2.12E-11	1.0E+06	2.1E-05
851	851	4.02491	9.48035E-07	3.8E-06	1.05E-03	3.99E-09	3.38E-02	1.57E-01	2.12E-11	1.0E+06	2.1E-05
852	852	0.67546	9.48035E-07	6.4E-07	1.05E-03	6.69E-10	3.38E-02	1.57E-01	3.56E-12	1.0E+06	3.6E-06
853	853	0.70396	9.48035E-07	6.7E-07	1.05E-03	6.98E-10	3.38E-02	1.57E-01	3.71E-12	1.0E+06	3.7E-06
854	854	0.73474	9.48035E-07	7.0E-07	1.05E-03	7.28E-10	3.38E-02	1.57E-01	3.87E-12	1.0E+06	3.9E-06
855	855	0.7705	9.48035E-07	7.3E-07	1.05E-03	7.63E-10	3.38E-02	1.57E-01	4.06E-12	1.0E+06	4.1E-06
856	856	0.80877	9.48035E-07	7.7E-07	1.05E-03	8.01E-10	3.38E-02	1.57E-01	4.26E-12	1.0E+06	4.3E-06
857	857	0.84981	9.48035E-07	8.1E-07	1.05E-03	8.42E-10	3.38E-02	1.57E-01	4.48E-12	1.0E+06	4.5E-06
858	858	0.89393	9.48035E-07	8.5E-07	1.05E-03	8.86E-10	3.38E-02	1.57E-01	4.71E-12	1.0E+06	4.7E-06
859	859	0.94147	9.48035E-07	8.9E-07	1.05E-03	9.33E-10	3.38E-02	1.57E-01	4.96E-12	1.0E+06	5.0E-06
860	860	0.99284	9.48035E-07	9.4E-07	1.05E-03	9.84E-10	3.38E-02	1.57E-01	5.23E-12	1.0E+06	5.2E-06
861	861	1.04823	9.48035E-07	9.9E-07	1.05E-03	1.04E-09	3.38E-02	1.57E-01	5.52E-12	1.0E+06	5.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	1.10894	9.48035E-07	1.1E-06	1.05E-03	1.10E-09	3.38E-02	1.57E-01	5.84E-12	1.0E+06	5.8E-06
863	863	1.17593	9.48035E-07	1.1E-06	1.05E-03	1.17E-09	3.38E-02	1.57E-01	6.20E-12	1.0E+06	6.2E-06
864	864	1.24929	9.48035E-07	1.2E-06	1.05E-03	1.24E-09	3.38E-02	1.57E-01	6.58E-12	1.0E+06	6.6E-06
865	865	1.32741	9.48035E-07	1.3E-06	1.05E-03	1.32E-09	3.38E-02	1.57E-01	7.00E-12	1.0E+06	7.0E-06
866	866	1.41229	9.48035E-07	1.3E-06	1.05E-03	1.40E-09	3.38E-02	1.57E-01	7.44E-12	1.0E+06	7.4E-06
867	867	1.50516	9.48035E-07	1.4E-06	1.05E-03	1.49E-09	3.38E-02	1.57E-01	7.93E-12	1.0E+06	7.9E-06
868	868	1.60719	9.48035E-07	1.5E-06	1.05E-03	1.59E-09	3.38E-02	1.57E-01	8.47E-12	1.0E+06	8.5E-06
869	869	1.71751	9.48035E-07	1.6E-06	1.05E-03	1.70E-09	3.38E-02	1.57E-01	9.05E-12	1.0E+06	9.1E-06
870	870	1.85024	9.48035E-07	1.8E-06	1.05E-03	1.83E-09	3.38E-02	1.57E-01	9.75E-12	1.0E+06	9.8E-06
871	871	1.98203	9.48035E-07	1.9E-06	1.05E-03	1.96E-09	3.38E-02	1.57E-01	1.04E-11	1.0E+06	1.0E-05
872	872	2.11338	9.48035E-07	2.0E-06	1.05E-03	2.09E-09	3.38E-02	1.57E-01	1.11E-11	1.0E+06	1.1E-05
873	873	2.25336	9.48035E-07	2.1E-06	1.05E-03	2.23E-09	3.38E-02	1.57E-01	1.19E-11	1.0E+06	1.2E-05
874	874	2.3955	9.48035E-07	2.3E-06	1.05E-03	2.37E-09	3.38E-02	1.57E-01	1.26E-11	1.0E+06	1.3E-05
875	875	2.53984	9.48035E-07	2.4E-06	1.05E-03	2.52E-09	3.38E-02	1.57E-01	1.34E-11	1.0E+06	1.3E-05
876	876	2.67806	9.48035E-07	2.5E-06	1.05E-03	2.65E-09	3.38E-02	1.57E-01	1.41E-11	1.0E+06	1.4E-05
877	877	2.81781	9.48035E-07	2.7E-06	1.05E-03	2.79E-09	3.38E-02	1.57E-01	1.48E-11	1.0E+06	1.5E-05
878	878	2.95198	9.48035E-07	2.8E-06	1.05E-03	2.93E-09	3.38E-02	1.57E-01	1.56E-11	1.0E+06	1.6E-05
879	879	3.08152	9.48035E-07	2.9E-06	1.05E-03	3.05E-09	3.38E-02	1.57E-01	1.62E-11	1.0E+06	1.6E-05
880	880	3.19178	9.48035E-07	3.0E-06	1.05E-03	3.16E-09	3.38E-02	1.57E-01	1.68E-11	1.0E+06	1.7E-05
881	881	3.29487	9.48035E-07	3.1E-06	1.05E-03	3.26E-09	3.38E-02	1.57E-01	1.74E-11	1.0E+06	1.7E-05
882	882	3.38771	9.48035E-07	3.2E-06	1.05E-03	3.36E-09	3.38E-02	1.57E-01	1.79E-11	1.0E+06	1.8E-05
883	883	3.46908	9.48035E-07	3.3E-06	1.05E-03	3.44E-09	3.38E-02	1.57E-01	1.83E-11	1.0E+06	1.8E-05
884	884	3.53893	9.48035E-07	3.4E-06	1.05E-03	3.51E-09	3.38E-02	1.57E-01	1.86E-11	1.0E+06	1.9E-05
885	885	3.5976	9.48035E-07	3.4E-06	1.05E-03	3.56E-09	3.38E-02	1.57E-01	1.90E-11	1.0E+06	1.9E-05
886	886	3.64257	9.48035E-07	3.5E-06	1.05E-03	3.61E-09	3.38E-02	1.57E-01	1.92E-11	1.0E+06	1.9E-05
887	887	3.67996	9.48035E-07	3.5E-06	1.05E-03	3.65E-09	3.38E-02	1.57E-01	1.94E-11	1.0E+06	1.9E-05
888	888	3.70464	9.48035E-07	3.5E-06	1.05E-03	3.67E-09	3.38E-02	1.57E-01	1.95E-11	1.0E+06	2.0E-05
889	889	3.7226	9.48035E-07	3.5E-06	1.05E-03	3.69E-09	3.38E-02	1.57E-01	1.96E-11	1.0E+06	2.0E-05
890	890	3.72903	9.48035E-07	3.5E-06	1.05E-03	3.70E-09	3.38E-02	1.57E-01	1.97E-11	1.0E+06	2.0E-05
891	891	3.72652	9.48035E-07	3.5E-06	1.05E-03	3.69E-09	3.38E-02	1.57E-01	1.96E-11	1.0E+06	2.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	0.77761	2.5998E-06	2.0E-06	1.05E-03	2.11E-09	3.38E-02	1.57E-01	1.12E-11	1.0E+06	1.1E-05
522	522	0.81596	2.5998E-06	2.1E-06	1.05E-03	2.22E-09	3.38E-02	1.57E-01	1.18E-11	1.0E+06	1.2E-05
523	523	0.8566	2.5998E-06	2.2E-06	1.05E-03	2.33E-09	3.38E-02	1.57E-01	1.24E-11	1.0E+06	1.2E-05
524	524	0.89949	2.5998E-06	2.3E-06	1.05E-03	2.44E-09	3.38E-02	1.57E-01	1.30E-11	1.0E+06	1.3E-05
525	525	0.95492	2.5998E-06	2.5E-06	1.05E-03	2.59E-09	3.38E-02	1.57E-01	1.38E-11	1.0E+06	1.4E-05
526	526	1.01631	2.5998E-06	2.6E-06	1.05E-03	2.76E-09	3.38E-02	1.57E-01	1.47E-11	1.0E+06	1.5E-05
527	527	1.08353	2.5998E-06	2.8E-06	1.05E-03	2.94E-09	3.38E-02	1.57E-01	1.57E-11	1.0E+06	1.6E-05
528	528	1.15852	2.5998E-06	3.0E-06	1.05E-03	3.15E-09	3.38E-02	1.57E-01	1.67E-11	1.0E+06	1.7E-05
529	529	1.242	2.5998E-06	3.2E-06	1.05E-03	3.37E-09	3.38E-02	1.57E-01	1.79E-11	1.0E+06	1.8E-05
530	530	1.33478	2.5998E-06	3.5E-06	1.05E-03	3.63E-09	3.38E-02	1.57E-01	1.93E-11	1.0E+06	1.9E-05
531	531	1.43952	2.5998E-06	3.7E-06	1.05E-03	3.91E-09	3.38E-02	1.57E-01	2.08E-11	1.0E+06	2.1E-05
532	532	0.31799	2.5998E-06	8.3E-07	1.05E-03	8.64E-10	3.38E-02	1.57E-01	4.60E-12	1.0E+06	4.6E-06
533	533	0.32535	2.5998E-06	8.5E-07	1.05E-03	8.84E-10	3.38E-02	1.57E-01	4.70E-12	1.0E+06	4.7E-06
534	534	0.33295	2.5998E-06	8.7E-07	1.05E-03	9.05E-10	3.38E-02	1.57E-01	4.81E-12	1.0E+06	4.8E-06
535	535	0.34066	2.5998E-06	8.9E-07	1.05E-03	9.26E-10	3.38E-02	1.57E-01	4.92E-12	1.0E+06	4.9E-06
536	536	0.34872	2.5998E-06	9.1E-07	1.05E-03	9.48E-10	3.38E-02	1.57E-01	5.04E-12	1.0E+06	5.0E-06
537	537	0.35704	2.5998E-06	9.3E-07	1.05E-03	9.70E-10	3.38E-02	1.57E-01	5.16E-12	1.0E+06	5.2E-06
538	538	0.36567	2.5998E-06	9.5E-07	1.05E-03	9.94E-10	3.38E-02	1.57E-01	5.28E-12	1.0E+06	5.3E-06
539	539	0.37473	2.5998E-06	9.7E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.42E-12	1.0E+06	5.4E-06
540	540	0.38444	2.5998E-06	1.0E-06	1.05E-03	1.04E-09	3.38E-02	1.57E-01	5.56E-12	1.0E+06	5.6E-06
541	541	0.39462	2.5998E-06	1.0E-06	1.05E-03	1.07E-09	3.38E-02	1.57E-01	5.70E-12	1.0E+06	5.7E-06
542	542	0.40528	2.5998E-06	1.1E-06	1.05E-03	1.10E-09	3.38E-02	1.57E-01	5.86E-12	1.0E+06	5.9E-06
543	543	0.41647	2.5998E-06	1.1E-06	1.05E-03	1.13E-09	3.38E-02	1.57E-01	6.02E-12	1.0E+06	6.0E-06
544	544	0.42822	2.5998E-06	1.1E-06	1.05E-03	1.16E-09	3.38E-02	1.57E-01	6.19E-12	1.0E+06	6.2E-06
545	545	0.44048	2.5998E-06	1.1E-06	1.05E-03	1.20E-09	3.38E-02	1.57E-01	6.37E-12	1.0E+06	6.4E-06
546	546	0.45341	2.5998E-06	1.2E-06	1.05E-03	1.23E-09	3.38E-02	1.57E-01	6.55E-12	1.0E+06	6.6E-06
547	547	0.46703	2.5998E-06	1.2E-06	1.05E-03	1.27E-09	3.38E-02	1.57E-01	6.75E-12	1.0E+06	6.7E-06
548	548	0.48144	2.5998E-06	1.3E-06	1.05E-03	1.31E-09	3.38E-02	1.57E-01	6.96E-12	1.0E+06	7.0E-06
549	549	0.49672	2.5998E-06	1.3E-06	1.05E-03	1.35E-09	3.38E-02	1.57E-01	7.18E-12	1.0E+06	7.2E-06
550	550	0.513	2.5998E-06	1.3E-06	1.05E-03	1.39E-09	3.38E-02	1.57E-01	7.41E-12	1.0E+06	7.4E-06
551	551	0.53038	2.5998E-06	1.4E-06	1.05E-03	1.44E-09	3.38E-02	1.57E-01	7.66E-12	1.0E+06	7.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	0.54888	2.5998E-06	1.4E-06	1.05E-03	1.49E-09	3.38E-02	1.57E-01	7.93E-12	1.0E+06	7.9E-06
553	553	0.56857	2.5998E-06	1.5E-06	1.05E-03	1.54E-09	3.38E-02	1.57E-01	8.22E-12	1.0E+06	8.2E-06
554	554	0.58964	2.5998E-06	1.5E-06	1.05E-03	1.60E-09	3.38E-02	1.57E-01	8.52E-12	1.0E+06	8.5E-06
555	555	0.61219	2.5998E-06	1.6E-06	1.05E-03	1.66E-09	3.38E-02	1.57E-01	8.85E-12	1.0E+06	8.8E-06
556	556	0.63635	2.5998E-06	1.7E-06	1.05E-03	1.73E-09	3.38E-02	1.57E-01	9.20E-12	1.0E+06	9.2E-06
557	557	0.66239	2.5998E-06	1.7E-06	1.05E-03	1.80E-09	3.38E-02	1.57E-01	9.57E-12	1.0E+06	9.6E-06
558	558	0.69045	2.5998E-06	1.8E-06	1.05E-03	1.88E-09	3.38E-02	1.57E-01	9.98E-12	1.0E+06	1.0E-05
559	559	0.72084	2.5998E-06	1.9E-06	1.05E-03	1.96E-09	3.38E-02	1.57E-01	1.04E-11	1.0E+06	1.0E-05
560	560	0.75373	2.5998E-06	2.0E-06	1.05E-03	2.05E-09	3.38E-02	1.57E-01	1.09E-11	1.0E+06	1.1E-05
561	561	0.78941	2.5998E-06	2.1E-06	1.05E-03	2.15E-09	3.38E-02	1.57E-01	1.14E-11	1.0E+06	1.1E-05
562	562	0.82835	2.5998E-06	2.2E-06	1.05E-03	2.25E-09	3.38E-02	1.57E-01	1.20E-11	1.0E+06	1.2E-05
563	563	0.87169	2.5998E-06	2.3E-06	1.05E-03	2.37E-09	3.38E-02	1.57E-01	1.26E-11	1.0E+06	1.3E-05
564	564	0.9113	2.5998E-06	2.4E-06	1.05E-03	2.48E-09	3.38E-02	1.57E-01	1.32E-11	1.0E+06	1.3E-05
565	565	0.96895	2.5998E-06	2.5E-06	1.05E-03	2.63E-09	3.38E-02	1.57E-01	1.40E-11	1.0E+06	1.4E-05
566	566	1.03344	2.5998E-06	2.7E-06	1.05E-03	2.81E-09	3.38E-02	1.57E-01	1.49E-11	1.0E+06	1.5E-05
567	567	1.10183	2.5998E-06	2.9E-06	1.05E-03	2.99E-09	3.38E-02	1.57E-01	1.59E-11	1.0E+06	1.6E-05
568	568	1.17843	2.5998E-06	3.1E-06	1.05E-03	3.20E-09	3.38E-02	1.57E-01	1.70E-11	1.0E+06	1.7E-05
569	569	1.26374	2.5998E-06	3.3E-06	1.05E-03	3.43E-09	3.38E-02	1.57E-01	1.83E-11	1.0E+06	1.8E-05
570	570	1.35839	2.5998E-06	3.5E-06	1.05E-03	3.69E-09	3.38E-02	1.57E-01	1.96E-11	1.0E+06	2.0E-05
571	571	1.46504	2.5998E-06	3.8E-06	1.05E-03	3.98E-09	3.38E-02	1.57E-01	2.12E-11	1.0E+06	2.1E-05
572	572	0.32025	2.5998E-06	8.3E-07	1.05E-03	8.70E-10	3.38E-02	1.57E-01	4.63E-12	1.0E+06	4.6E-06
573	573	0.32792	2.5998E-06	8.5E-07	1.05E-03	8.91E-10	3.38E-02	1.57E-01	4.74E-12	1.0E+06	4.7E-06
574	574	0.33581	2.5998E-06	8.7E-07	1.05E-03	9.13E-10	3.38E-02	1.57E-01	4.85E-12	1.0E+06	4.9E-06
575	575	0.34367	2.5998E-06	8.9E-07	1.05E-03	9.34E-10	3.38E-02	1.57E-01	4.97E-12	1.0E+06	5.0E-06
576	576	0.35185	2.5998E-06	9.1E-07	1.05E-03	9.56E-10	3.38E-02	1.57E-01	5.08E-12	1.0E+06	5.1E-06
577	577	0.36021	2.5998E-06	9.4E-07	1.05E-03	9.79E-10	3.38E-02	1.57E-01	5.21E-12	1.0E+06	5.2E-06
578	578	0.36881	2.5998E-06	9.6E-07	1.05E-03	1.00E-09	3.38E-02	1.57E-01	5.33E-12	1.0E+06	5.3E-06
579	579	0.37784	2.5998E-06	9.8E-07	1.05E-03	1.03E-09	3.38E-02	1.57E-01	5.46E-12	1.0E+06	5.5E-06
580	580	0.38781	2.5998E-06	1.0E-06	1.05E-03	1.05E-09	3.38E-02	1.57E-01	5.60E-12	1.0E+06	5.6E-06
581	581	0.39825	2.5998E-06	1.0E-06	1.05E-03	1.08E-09	3.38E-02	1.57E-01	5.76E-12	1.0E+06	5.8E-06
582	582	0.40922	2.5998E-06	1.1E-06	1.05E-03	1.11E-09	3.38E-02	1.57E-01	5.91E-12	1.0E+06	5.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.42073	2.5998E-06	1.1E-06	1.05E-03	1.14E-09	3.38E-02	1.57E-01	6.08E-12	1.0E+06	6.1E-06
584	584	0.43281	2.5998E-06	1.1E-06	1.05E-03	1.18E-09	3.38E-02	1.57E-01	6.25E-12	1.0E+06	6.3E-06
585	585	0.44529	2.5998E-06	1.2E-06	1.05E-03	1.21E-09	3.38E-02	1.57E-01	6.44E-12	1.0E+06	6.4E-06
586	586	0.45844	2.5998E-06	1.2E-06	1.05E-03	1.25E-09	3.38E-02	1.57E-01	6.63E-12	1.0E+06	6.6E-06
587	587	0.47232	2.5998E-06	1.2E-06	1.05E-03	1.28E-09	3.38E-02	1.57E-01	6.83E-12	1.0E+06	6.8E-06
588	588	0.487	2.5998E-06	1.3E-06	1.05E-03	1.32E-09	3.38E-02	1.57E-01	7.04E-12	1.0E+06	7.0E-06
589	589	0.50252	2.5998E-06	1.3E-06	1.05E-03	1.37E-09	3.38E-02	1.57E-01	7.26E-12	1.0E+06	7.3E-06
590	590	0.51906	2.5998E-06	1.3E-06	1.05E-03	1.41E-09	3.38E-02	1.57E-01	7.50E-12	1.0E+06	7.5E-06
591	591	0.53672	2.5998E-06	1.4E-06	1.05E-03	1.46E-09	3.38E-02	1.57E-01	7.76E-12	1.0E+06	7.8E-06
592	592	0.55557	2.5998E-06	1.4E-06	1.05E-03	1.51E-09	3.38E-02	1.57E-01	8.03E-12	1.0E+06	8.0E-06
593	593	0.57578	2.5998E-06	1.5E-06	1.05E-03	1.56E-09	3.38E-02	1.57E-01	8.32E-12	1.0E+06	8.3E-06
594	594	0.59738	2.5998E-06	1.6E-06	1.05E-03	1.62E-09	3.38E-02	1.57E-01	8.63E-12	1.0E+06	8.6E-06
595	595	0.62042	2.5998E-06	1.6E-06	1.05E-03	1.69E-09	3.38E-02	1.57E-01	8.97E-12	1.0E+06	9.0E-06
596	596	0.64508	2.5998E-06	1.7E-06	1.05E-03	1.75E-09	3.38E-02	1.57E-01	9.32E-12	1.0E+06	9.3E-06
597	597	0.67162	2.5998E-06	1.7E-06	1.05E-03	1.83E-09	3.38E-02	1.57E-01	9.71E-12	1.0E+06	9.7E-06
598	598	0.70021	2.5998E-06	1.8E-06	1.05E-03	1.90E-09	3.38E-02	1.57E-01	1.01E-11	1.0E+06	1.0E-05
599	599	0.73114	2.5998E-06	1.9E-06	1.05E-03	1.99E-09	3.38E-02	1.57E-01	1.06E-11	1.0E+06	1.1E-05
600	600	0.76459	2.5998E-06	2.0E-06	1.05E-03	2.08E-09	3.38E-02	1.57E-01	1.10E-11	1.0E+06	1.1E-05
601	601	0.80076	2.5998E-06	2.1E-06	1.05E-03	2.18E-09	3.38E-02	1.57E-01	1.16E-11	1.0E+06	1.2E-05
602	602	0.84014	2.5998E-06	2.2E-06	1.05E-03	2.28E-09	3.38E-02	1.57E-01	1.21E-11	1.0E+06	1.2E-05
603	603	0.88464	2.5998E-06	2.3E-06	1.05E-03	2.40E-09	3.38E-02	1.57E-01	1.28E-11	1.0E+06	1.3E-05
604	604	0.92299	2.5998E-06	2.4E-06	1.05E-03	2.51E-09	3.38E-02	1.57E-01	1.33E-11	1.0E+06	1.3E-05
605	605	0.98419	2.5998E-06	2.6E-06	1.05E-03	2.67E-09	3.38E-02	1.57E-01	1.42E-11	1.0E+06	1.4E-05
606	606	1.048	2.5998E-06	2.7E-06	1.05E-03	2.85E-09	3.38E-02	1.57E-01	1.51E-11	1.0E+06	1.5E-05
607	607	1.11645	2.5998E-06	2.9E-06	1.05E-03	3.03E-09	3.38E-02	1.57E-01	1.61E-11	1.0E+06	1.6E-05
608	608	1.1945	2.5998E-06	3.1E-06	1.05E-03	3.25E-09	3.38E-02	1.57E-01	1.73E-11	1.0E+06	1.7E-05
609	609	1.28315	2.5998E-06	3.3E-06	1.05E-03	3.49E-09	3.38E-02	1.57E-01	1.85E-11	1.0E+06	1.9E-05
610	610	1.38068	2.5998E-06	3.6E-06	1.05E-03	3.75E-09	3.38E-02	1.57E-01	2.00E-11	1.0E+06	2.0E-05
611	611	1.48892	2.5998E-06	3.9E-06	1.05E-03	4.05E-09	3.38E-02	1.57E-01	2.15E-11	1.0E+06	2.2E-05
612	612	0.32234	2.5998E-06	8.4E-07	1.05E-03	8.76E-10	3.38E-02	1.57E-01	4.66E-12	1.0E+06	4.7E-06
613	613	0.3304	2.5998E-06	8.6E-07	1.05E-03	8.98E-10	3.38E-02	1.57E-01	4.77E-12	1.0E+06	4.8E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.33857	2.5998E-06	8.8E-07	1.05E-03	9.20E-10	3.38E-02	1.57E-01	4.89E-12	1.0E+06	4.9E-06
615	615	0.34656	2.5998E-06	9.0E-07	1.05E-03	9.42E-10	3.38E-02	1.57E-01	5.01E-12	1.0E+06	5.0E-06
616	616	0.35488	2.5998E-06	9.2E-07	1.05E-03	9.64E-10	3.38E-02	1.57E-01	5.13E-12	1.0E+06	5.1E-06
617	617	0.36325	2.5998E-06	9.4E-07	1.05E-03	9.87E-10	3.38E-02	1.57E-01	5.25E-12	1.0E+06	5.2E-06
618	618	0.37175	2.5998E-06	9.7E-07	1.05E-03	1.01E-09	3.38E-02	1.57E-01	5.37E-12	1.0E+06	5.4E-06
619	619	0.3807	2.5998E-06	9.9E-07	1.05E-03	1.03E-09	3.38E-02	1.57E-01	5.50E-12	1.0E+06	5.5E-06
620	620	0.39093	2.5998E-06	1.0E-06	1.05E-03	1.06E-09	3.38E-02	1.57E-01	5.65E-12	1.0E+06	5.6E-06
621	621	0.40165	2.5998E-06	1.0E-06	1.05E-03	1.09E-09	3.38E-02	1.57E-01	5.80E-12	1.0E+06	5.8E-06
622	622	0.4129	2.5998E-06	1.1E-06	1.05E-03	1.12E-09	3.38E-02	1.57E-01	5.97E-12	1.0E+06	6.0E-06
623	623	0.42474	2.5998E-06	1.1E-06	1.05E-03	1.15E-09	3.38E-02	1.57E-01	6.14E-12	1.0E+06	6.1E-06
624	624	0.43714	2.5998E-06	1.1E-06	1.05E-03	1.19E-09	3.38E-02	1.57E-01	6.32E-12	1.0E+06	6.3E-06
625	625	0.44985	2.5998E-06	1.2E-06	1.05E-03	1.22E-09	3.38E-02	1.57E-01	6.50E-12	1.0E+06	6.5E-06
626	626	0.46319	2.5998E-06	1.2E-06	1.05E-03	1.26E-09	3.38E-02	1.57E-01	6.69E-12	1.0E+06	6.7E-06
627	627	0.47729	2.5998E-06	1.2E-06	1.05E-03	1.30E-09	3.38E-02	1.57E-01	6.90E-12	1.0E+06	6.9E-06
628	628	0.49218	2.5998E-06	1.3E-06	1.05E-03	1.34E-09	3.38E-02	1.57E-01	7.11E-12	1.0E+06	7.1E-06
629	629	0.50796	2.5998E-06	1.3E-06	1.05E-03	1.38E-09	3.38E-02	1.57E-01	7.34E-12	1.0E+06	7.3E-06
630	630	0.52476	2.5998E-06	1.4E-06	1.05E-03	1.43E-09	3.38E-02	1.57E-01	7.58E-12	1.0E+06	7.6E-06
631	631	0.54268	2.5998E-06	1.4E-06	1.05E-03	1.47E-09	3.38E-02	1.57E-01	7.84E-12	1.0E+06	7.8E-06
632	632	0.56186	2.5998E-06	1.5E-06	1.05E-03	1.53E-09	3.38E-02	1.57E-01	8.12E-12	1.0E+06	8.1E-06
633	633	0.58263	2.5998E-06	1.5E-06	1.05E-03	1.58E-09	3.38E-02	1.57E-01	8.42E-12	1.0E+06	8.4E-06
634	634	0.60479	2.5998E-06	1.6E-06	1.05E-03	1.64E-09	3.38E-02	1.57E-01	8.74E-12	1.0E+06	8.7E-06
635	635	0.62834	2.5998E-06	1.6E-06	1.05E-03	1.71E-09	3.38E-02	1.57E-01	9.08E-12	1.0E+06	9.1E-06
636	636	0.65351	2.5998E-06	1.7E-06	1.05E-03	1.78E-09	3.38E-02	1.57E-01	9.44E-12	1.0E+06	9.4E-06
637	637	0.68056	2.5998E-06	1.8E-06	1.05E-03	1.85E-09	3.38E-02	1.57E-01	9.84E-12	1.0E+06	9.8E-06
638	638	0.7096	2.5998E-06	1.8E-06	1.05E-03	1.93E-09	3.38E-02	1.57E-01	1.03E-11	1.0E+06	1.0E-05
639	639	0.74102	2.5998E-06	1.9E-06	1.05E-03	2.01E-09	3.38E-02	1.57E-01	1.07E-11	1.0E+06	1.1E-05
640	640	0.77492	2.5998E-06	2.0E-06	1.05E-03	2.11E-09	3.38E-02	1.57E-01	1.12E-11	1.0E+06	1.1E-05
641	641	0.81161	2.5998E-06	2.1E-06	1.05E-03	2.21E-09	3.38E-02	1.57E-01	1.17E-11	1.0E+06	1.2E-05
642	642	0.85166	2.5998E-06	2.2E-06	1.05E-03	2.31E-09	3.38E-02	1.57E-01	1.23E-11	1.0E+06	1.2E-05
643	643	0.8971	2.5998E-06	2.3E-06	1.05E-03	2.44E-09	3.38E-02	1.57E-01	1.30E-11	1.0E+06	1.3E-05
644	644	0.94452	2.5998E-06	2.5E-06	1.05E-03	2.57E-09	3.38E-02	1.57E-01	1.36E-11	1.0E+06	1.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	0.99851	2.5998E-06	2.6E-06	1.05E-03	2.71E-09	3.38E-02	1.57E-01	1.44E-11	1.0E+06	1.4E-05
646	646	1.06154	2.5998E-06	2.8E-06	1.05E-03	2.88E-09	3.38E-02	1.57E-01	1.53E-11	1.0E+06	1.5E-05
647	647	1.1329	2.5998E-06	2.9E-06	1.05E-03	3.08E-09	3.38E-02	1.57E-01	1.64E-11	1.0E+06	1.6E-05
648	648	1.21234	2.5998E-06	3.2E-06	1.05E-03	3.29E-09	3.38E-02	1.57E-01	1.75E-11	1.0E+06	1.8E-05
649	649	1.30262	2.5998E-06	3.4E-06	1.05E-03	3.54E-09	3.38E-02	1.57E-01	1.88E-11	1.0E+06	1.9E-05
650	650	1.40172	2.5998E-06	3.6E-06	1.05E-03	3.81E-09	3.38E-02	1.57E-01	2.03E-11	1.0E+06	2.0E-05
651	651	1.51046	2.5998E-06	3.9E-06	1.05E-03	4.10E-09	3.38E-02	1.57E-01	2.18E-11	1.0E+06	2.2E-05
652	652	0.32327	2.5998E-06	8.4E-07	1.05E-03	8.78E-10	3.38E-02	1.57E-01	4.67E-12	1.0E+06	4.7E-06
653	653	0.33137	2.5998E-06	8.6E-07	1.05E-03	9.00E-10	3.38E-02	1.57E-01	4.79E-12	1.0E+06	4.8E-06
654	654	0.33959	2.5998E-06	8.8E-07	1.05E-03	9.23E-10	3.38E-02	1.57E-01	4.91E-12	1.0E+06	4.9E-06
655	655	0.34769	2.5998E-06	9.0E-07	1.05E-03	9.45E-10	3.38E-02	1.57E-01	5.02E-12	1.0E+06	5.0E-06
656	656	0.35616	2.5998E-06	9.3E-07	1.05E-03	9.68E-10	3.38E-02	1.57E-01	5.15E-12	1.0E+06	5.1E-06
657	657	0.36473	2.5998E-06	9.5E-07	1.05E-03	9.91E-10	3.38E-02	1.57E-01	5.27E-12	1.0E+06	5.3E-06
658	658	0.37353	2.5998E-06	9.7E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.40E-12	1.0E+06	5.4E-06
659	659	0.38281	2.5998E-06	1.0E-06	1.05E-03	1.04E-09	3.38E-02	1.57E-01	5.53E-12	1.0E+06	5.5E-06
660	660	0.39331	2.5998E-06	1.0E-06	1.05E-03	1.07E-09	3.38E-02	1.57E-01	5.68E-12	1.0E+06	5.7E-06
661	661	0.40426	2.5998E-06	1.1E-06	1.05E-03	1.10E-09	3.38E-02	1.57E-01	5.84E-12	1.0E+06	5.8E-06
662	662	0.41572	2.5998E-06	1.1E-06	1.05E-03	1.13E-09	3.38E-02	1.57E-01	6.01E-12	1.0E+06	6.0E-06
663	663	0.42772	2.5998E-06	1.1E-06	1.05E-03	1.16E-09	3.38E-02	1.57E-01	6.18E-12	1.0E+06	6.2E-06
664	664	0.44031	2.5998E-06	1.1E-06	1.05E-03	1.20E-09	3.38E-02	1.57E-01	6.36E-12	1.0E+06	6.4E-06
665	665	0.45309	2.5998E-06	1.2E-06	1.05E-03	1.23E-09	3.38E-02	1.57E-01	6.55E-12	1.0E+06	6.5E-06
666	666	0.46648	2.5998E-06	1.2E-06	1.05E-03	1.27E-09	3.38E-02	1.57E-01	6.74E-12	1.0E+06	6.7E-06
667	667	0.48069	2.5998E-06	1.2E-06	1.05E-03	1.31E-09	3.38E-02	1.57E-01	6.95E-12	1.0E+06	6.9E-06
668	668	0.49589	2.5998E-06	1.3E-06	1.05E-03	1.35E-09	3.38E-02	1.57E-01	7.17E-12	1.0E+06	7.2E-06
669	669	0.512	2.5998E-06	1.3E-06	1.05E-03	1.39E-09	3.38E-02	1.57E-01	7.40E-12	1.0E+06	7.4E-06
670	670	0.52933	2.5998E-06	1.4E-06	1.05E-03	1.44E-09	3.38E-02	1.57E-01	7.65E-12	1.0E+06	7.6E-06
671	671	0.54778	2.5998E-06	1.4E-06	1.05E-03	1.49E-09	3.38E-02	1.57E-01	7.92E-12	1.0E+06	7.9E-06
672	672	0.5675	2.5998E-06	1.5E-06	1.05E-03	1.54E-09	3.38E-02	1.57E-01	8.20E-12	1.0E+06	8.2E-06
673	673	0.58879	2.5998E-06	1.5E-06	1.05E-03	1.60E-09	3.38E-02	1.57E-01	8.51E-12	1.0E+06	8.5E-06
674	674	0.61165	2.5998E-06	1.6E-06	1.05E-03	1.66E-09	3.38E-02	1.57E-01	8.84E-12	1.0E+06	8.8E-06
675	675	0.63577	2.5998E-06	1.7E-06	1.05E-03	1.73E-09	3.38E-02	1.57E-01	9.19E-12	1.0E+06	9.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	0.66149	2.5998E-06	1.7E-06	1.05E-03	1.80E-09	3.38E-02	1.57E-01	9.56E-12	1.0E+06	9.6E-06
677	677	0.68917	2.5998E-06	1.8E-06	1.05E-03	1.87E-09	3.38E-02	1.57E-01	9.96E-12	1.0E+06	1.0E-05
678	678	0.71851	2.5998E-06	1.9E-06	1.05E-03	1.95E-09	3.38E-02	1.57E-01	1.04E-11	1.0E+06	1.0E-05
679	679	0.75023	2.5998E-06	2.0E-06	1.05E-03	2.04E-09	3.38E-02	1.57E-01	1.08E-11	1.0E+06	1.1E-05
680	680	0.78465	2.5998E-06	2.0E-06	1.05E-03	2.13E-09	3.38E-02	1.57E-01	1.13E-11	1.0E+06	1.1E-05
681	681	0.82219	2.5998E-06	2.1E-06	1.05E-03	2.23E-09	3.38E-02	1.57E-01	1.19E-11	1.0E+06	1.2E-05
682	682	0.86308	2.5998E-06	2.2E-06	1.05E-03	2.35E-09	3.38E-02	1.57E-01	1.25E-11	1.0E+06	1.2E-05
683	683	0.9093	2.5998E-06	2.4E-06	1.05E-03	2.47E-09	3.38E-02	1.57E-01	1.31E-11	1.0E+06	1.3E-05
684	684	0.95909	2.5998E-06	2.5E-06	1.05E-03	2.61E-09	3.38E-02	1.57E-01	1.39E-11	1.0E+06	1.4E-05
685	685	1.00895	2.5998E-06	2.6E-06	1.05E-03	2.74E-09	3.38E-02	1.57E-01	1.46E-11	1.0E+06	1.5E-05
686	686	1.07618	2.5998E-06	2.8E-06	1.05E-03	2.92E-09	3.38E-02	1.57E-01	1.56E-11	1.0E+06	1.6E-05
687	687	1.14874	2.5998E-06	3.0E-06	1.05E-03	3.12E-09	3.38E-02	1.57E-01	1.66E-11	1.0E+06	1.7E-05
688	688	1.22946	2.5998E-06	3.2E-06	1.05E-03	3.34E-09	3.38E-02	1.57E-01	1.78E-11	1.0E+06	1.8E-05
689	689	1.32104	2.5998E-06	3.4E-06	1.05E-03	3.59E-09	3.38E-02	1.57E-01	1.91E-11	1.0E+06	1.9E-05
690	690	1.42053	2.5998E-06	3.7E-06	1.05E-03	3.86E-09	3.38E-02	1.57E-01	2.05E-11	1.0E+06	2.1E-05
691	691	1.53177	2.5998E-06	4.0E-06	1.05E-03	4.16E-09	3.38E-02	1.57E-01	2.21E-11	1.0E+06	2.2E-05
692	692	0.32367	2.5998E-06	8.4E-07	1.05E-03	8.80E-10	3.38E-02	1.57E-01	4.68E-12	1.0E+06	4.7E-06
693	693	0.3316	2.5998E-06	8.6E-07	1.05E-03	9.01E-10	3.38E-02	1.57E-01	4.79E-12	1.0E+06	4.8E-06
694	694	0.33978	2.5998E-06	8.8E-07	1.05E-03	9.23E-10	3.38E-02	1.57E-01	4.91E-12	1.0E+06	4.9E-06
695	695	0.34808	2.5998E-06	9.0E-07	1.05E-03	9.46E-10	3.38E-02	1.57E-01	5.03E-12	1.0E+06	5.0E-06
696	696	0.35673	2.5998E-06	9.3E-07	1.05E-03	9.69E-10	3.38E-02	1.57E-01	5.16E-12	1.0E+06	5.2E-06
697	697	0.36565	2.5998E-06	9.5E-07	1.05E-03	9.94E-10	3.38E-02	1.57E-01	5.28E-12	1.0E+06	5.3E-06
698	698	0.37487	2.5998E-06	9.7E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.42E-12	1.0E+06	5.4E-06
699	699	0.38457	2.5998E-06	1.0E-06	1.05E-03	1.05E-09	3.38E-02	1.57E-01	5.56E-12	1.0E+06	5.6E-06
700	700	0.39526	2.5998E-06	1.0E-06	1.05E-03	1.07E-09	3.38E-02	1.57E-01	5.71E-12	1.0E+06	5.7E-06
701	701	0.4065	2.5998E-06	1.1E-06	1.05E-03	1.10E-09	3.38E-02	1.57E-01	5.87E-12	1.0E+06	5.9E-06
702	702	0.41815	2.5998E-06	1.1E-06	1.05E-03	1.14E-09	3.38E-02	1.57E-01	6.04E-12	1.0E+06	6.0E-06
703	703	0.43023	2.5998E-06	1.1E-06	1.05E-03	1.17E-09	3.38E-02	1.57E-01	6.22E-12	1.0E+06	6.2E-06
704	704	0.44297	2.5998E-06	1.2E-06	1.05E-03	1.20E-09	3.38E-02	1.57E-01	6.40E-12	1.0E+06	6.4E-06
705	705	0.45572	2.5998E-06	1.2E-06	1.05E-03	1.24E-09	3.38E-02	1.57E-01	6.59E-12	1.0E+06	6.6E-06
706	706	0.46907	2.5998E-06	1.2E-06	1.05E-03	1.27E-09	3.38E-02	1.57E-01	6.78E-12	1.0E+06	6.8E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	0.48332	2.5998E-06	1.3E-06	1.05E-03	1.31E-09	3.38E-02	1.57E-01	6.98E-12	1.0E+06	7.0E-06
708	708	0.49888	2.5998E-06	1.3E-06	1.05E-03	1.36E-09	3.38E-02	1.57E-01	7.21E-12	1.0E+06	7.2E-06
709	709	0.51532	2.5998E-06	1.3E-06	1.05E-03	1.40E-09	3.38E-02	1.57E-01	7.45E-12	1.0E+06	7.4E-06
710	710	0.53325	2.5998E-06	1.4E-06	1.05E-03	1.45E-09	3.38E-02	1.57E-01	7.71E-12	1.0E+06	7.7E-06
711	711	0.55241	2.5998E-06	1.4E-06	1.05E-03	1.50E-09	3.38E-02	1.57E-01	7.98E-12	1.0E+06	8.0E-06
712	712	0.57278	2.5998E-06	1.5E-06	1.05E-03	1.56E-09	3.38E-02	1.57E-01	8.28E-12	1.0E+06	8.3E-06
713	713	0.59465	2.5998E-06	1.5E-06	1.05E-03	1.62E-09	3.38E-02	1.57E-01	8.59E-12	1.0E+06	8.6E-06
714	714	0.61811	2.5998E-06	1.6E-06	1.05E-03	1.68E-09	3.38E-02	1.57E-01	8.93E-12	1.0E+06	8.9E-06
715	715	0.64288	2.5998E-06	1.7E-06	1.05E-03	1.75E-09	3.38E-02	1.57E-01	9.29E-12	1.0E+06	9.3E-06
716	716	0.66918	2.5998E-06	1.7E-06	1.05E-03	1.82E-09	3.38E-02	1.57E-01	9.67E-12	1.0E+06	9.7E-06
717	717	0.69745	2.5998E-06	1.8E-06	1.05E-03	1.90E-09	3.38E-02	1.57E-01	1.01E-11	1.0E+06	1.0E-05
718	718	0.72705	2.5998E-06	1.9E-06	1.05E-03	1.98E-09	3.38E-02	1.57E-01	1.05E-11	1.0E+06	1.1E-05
719	719	0.75905	2.5998E-06	2.0E-06	1.05E-03	2.06E-09	3.38E-02	1.57E-01	1.10E-11	1.0E+06	1.1E-05
720	720	0.79391	2.5998E-06	2.1E-06	1.05E-03	2.16E-09	3.38E-02	1.57E-01	1.15E-11	1.0E+06	1.1E-05
721	721	0.83223	2.5998E-06	2.2E-06	1.05E-03	2.26E-09	3.38E-02	1.57E-01	1.20E-11	1.0E+06	1.2E-05
722	722	0.87405	2.5998E-06	2.3E-06	1.05E-03	2.38E-09	3.38E-02	1.57E-01	1.26E-11	1.0E+06	1.3E-05
723	723	0.921	2.5998E-06	2.4E-06	1.05E-03	2.50E-09	3.38E-02	1.57E-01	1.33E-11	1.0E+06	1.3E-05
724	724	0.97274	2.5998E-06	2.5E-06	1.05E-03	2.64E-09	3.38E-02	1.57E-01	1.41E-11	1.0E+06	1.4E-05
725	725	1.02152	2.5998E-06	2.7E-06	1.05E-03	2.78E-09	3.38E-02	1.57E-01	1.48E-11	1.0E+06	1.5E-05
726	726	1.0879	2.5998E-06	2.8E-06	1.05E-03	2.96E-09	3.38E-02	1.57E-01	1.57E-11	1.0E+06	1.6E-05
727	727	1.16381	2.5998E-06	3.0E-06	1.05E-03	3.16E-09	3.38E-02	1.57E-01	1.68E-11	1.0E+06	1.7E-05
728	728	1.24558	2.5998E-06	3.2E-06	1.05E-03	3.38E-09	3.38E-02	1.57E-01	1.80E-11	1.0E+06	1.8E-05
729	729	1.33846	2.5998E-06	3.5E-06	1.05E-03	3.64E-09	3.38E-02	1.57E-01	1.93E-11	1.0E+06	1.9E-05
730	730	1.43923	2.5998E-06	3.7E-06	1.05E-03	3.91E-09	3.38E-02	1.57E-01	2.08E-11	1.0E+06	2.1E-05
731	731	1.55169	2.5998E-06	4.0E-06	1.05E-03	4.22E-09	3.38E-02	1.57E-01	2.24E-11	1.0E+06	2.2E-05
732	732	0.32372	2.5998E-06	8.4E-07	1.05E-03	8.80E-10	3.38E-02	1.57E-01	4.68E-12	1.0E+06	4.7E-06
733	733	0.33131	2.5998E-06	8.6E-07	1.05E-03	9.00E-10	3.38E-02	1.57E-01	4.79E-12	1.0E+06	4.8E-06
734	734	0.33928	2.5998E-06	8.8E-07	1.05E-03	9.22E-10	3.38E-02	1.57E-01	4.90E-12	1.0E+06	4.9E-06
735	735	0.34772	2.5998E-06	9.0E-07	1.05E-03	9.45E-10	3.38E-02	1.57E-01	5.03E-12	1.0E+06	5.0E-06
736	736	0.35657	2.5998E-06	9.3E-07	1.05E-03	9.69E-10	3.38E-02	1.57E-01	5.15E-12	1.0E+06	5.2E-06
737	737	0.36587	2.5998E-06	9.5E-07	1.05E-03	9.94E-10	3.38E-02	1.57E-01	5.29E-12	1.0E+06	5.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.37568	2.5998E-06	9.8E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.43E-12	1.0E+06	5.4E-06
739	739	0.38588	2.5998E-06	1.0E-06	1.05E-03	1.05E-09	3.38E-02	1.57E-01	5.58E-12	1.0E+06	5.6E-06
740	740	0.39688	2.5998E-06	1.0E-06	1.05E-03	1.08E-09	3.38E-02	1.57E-01	5.74E-12	1.0E+06	5.7E-06
741	741	0.40832	2.5998E-06	1.1E-06	1.05E-03	1.11E-09	3.38E-02	1.57E-01	5.90E-12	1.0E+06	5.9E-06
742	742	0.42014	2.5998E-06	1.1E-06	1.05E-03	1.14E-09	3.38E-02	1.57E-01	6.07E-12	1.0E+06	6.1E-06
743	743	0.43232	2.5998E-06	1.1E-06	1.05E-03	1.17E-09	3.38E-02	1.57E-01	6.25E-12	1.0E+06	6.2E-06
744	744	0.44514	2.5998E-06	1.2E-06	1.05E-03	1.21E-09	3.38E-02	1.57E-01	6.43E-12	1.0E+06	6.4E-06
745	745	0.4578	2.5998E-06	1.2E-06	1.05E-03	1.24E-09	3.38E-02	1.57E-01	6.62E-12	1.0E+06	6.6E-06
746	746	0.47105	2.5998E-06	1.2E-06	1.05E-03	1.28E-09	3.38E-02	1.57E-01	6.81E-12	1.0E+06	6.8E-06
747	747	0.48529	2.5998E-06	1.3E-06	1.05E-03	1.32E-09	3.38E-02	1.57E-01	7.01E-12	1.0E+06	7.0E-06
748	748	0.50119	2.5998E-06	1.3E-06	1.05E-03	1.36E-09	3.38E-02	1.57E-01	7.24E-12	1.0E+06	7.2E-06
749	749	0.51803	2.5998E-06	1.3E-06	1.05E-03	1.41E-09	3.38E-02	1.57E-01	7.49E-12	1.0E+06	7.5E-06
750	750	0.53662	2.5998E-06	1.4E-06	1.05E-03	1.46E-09	3.38E-02	1.57E-01	7.75E-12	1.0E+06	7.8E-06
751	751	0.55655	2.5998E-06	1.4E-06	1.05E-03	1.51E-09	3.38E-02	1.57E-01	8.04E-12	1.0E+06	8.0E-06
752	752	0.57766	2.5998E-06	1.5E-06	1.05E-03	1.57E-09	3.38E-02	1.57E-01	8.35E-12	1.0E+06	8.3E-06
753	753	0.60007	2.5998E-06	1.6E-06	1.05E-03	1.63E-09	3.38E-02	1.57E-01	8.67E-12	1.0E+06	8.7E-06
754	754	0.62404	2.5998E-06	1.6E-06	1.05E-03	1.70E-09	3.38E-02	1.57E-01	9.02E-12	1.0E+06	9.0E-06
755	755	0.64945	2.5998E-06	1.7E-06	1.05E-03	1.76E-09	3.38E-02	1.57E-01	9.39E-12	1.0E+06	9.4E-06
756	756	0.67624	2.5998E-06	1.8E-06	1.05E-03	1.84E-09	3.38E-02	1.57E-01	9.77E-12	1.0E+06	9.8E-06
757	757	0.7051	2.5998E-06	1.8E-06	1.05E-03	1.92E-09	3.38E-02	1.57E-01	1.02E-11	1.0E+06	1.0E-05
758	758	0.73501	2.5998E-06	1.9E-06	1.05E-03	2.00E-09	3.38E-02	1.57E-01	1.06E-11	1.0E+06	1.1E-05
759	759	0.76728	2.5998E-06	2.0E-06	1.05E-03	2.08E-09	3.38E-02	1.57E-01	1.11E-11	1.0E+06	1.1E-05
760	760	0.80265	2.5998E-06	2.1E-06	1.05E-03	2.18E-09	3.38E-02	1.57E-01	1.16E-11	1.0E+06	1.2E-05
761	761	0.84172	2.5998E-06	2.2E-06	1.05E-03	2.29E-09	3.38E-02	1.57E-01	1.22E-11	1.0E+06	1.2E-05
762	762	0.88437	2.5998E-06	2.3E-06	1.05E-03	2.40E-09	3.38E-02	1.57E-01	1.28E-11	1.0E+06	1.3E-05
763	763	0.93192	2.5998E-06	2.4E-06	1.05E-03	2.53E-09	3.38E-02	1.57E-01	1.35E-11	1.0E+06	1.3E-05
764	764	0.98432	2.5998E-06	2.6E-06	1.05E-03	2.67E-09	3.38E-02	1.57E-01	1.42E-11	1.0E+06	1.4E-05
765	765	1.03135	2.5998E-06	2.7E-06	1.05E-03	2.80E-09	3.38E-02	1.57E-01	1.49E-11	1.0E+06	1.5E-05
766	766	1.10071	2.5998E-06	2.9E-06	1.05E-03	2.99E-09	3.38E-02	1.57E-01	1.59E-11	1.0E+06	1.6E-05
767	767	1.17592	2.5998E-06	3.1E-06	1.05E-03	3.20E-09	3.38E-02	1.57E-01	1.70E-11	1.0E+06	1.7E-05
768	768	1.26076	2.5998E-06	3.3E-06	1.05E-03	3.43E-09	3.38E-02	1.57E-01	1.82E-11	1.0E+06	1.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	1.35349	2.5998E-06	3.5E-06	1.05E-03	3.68E-09	3.38E-02	1.57E-01	1.96E-11	1.0E+06	2.0E-05
770	770	1.45676	2.5998E-06	3.8E-06	1.05E-03	3.96E-09	3.38E-02	1.57E-01	2.11E-11	1.0E+06	2.1E-05
771	771	1.57042	2.5998E-06	4.1E-06	1.05E-03	4.27E-09	3.38E-02	1.57E-01	2.27E-11	1.0E+06	2.3E-05
772	772	0.32372	2.5998E-06	8.4E-07	1.05E-03	8.80E-10	3.38E-02	1.57E-01	4.68E-12	1.0E+06	4.7E-06
773	773	0.33129	2.5998E-06	8.6E-07	1.05E-03	9.00E-10	3.38E-02	1.57E-01	4.79E-12	1.0E+06	4.8E-06
774	774	0.33925	2.5998E-06	8.8E-07	1.05E-03	9.22E-10	3.38E-02	1.57E-01	4.90E-12	1.0E+06	4.9E-06
775	775	0.34788	2.5998E-06	9.0E-07	1.05E-03	9.45E-10	3.38E-02	1.57E-01	5.03E-12	1.0E+06	5.0E-06
776	776	0.35692	2.5998E-06	9.3E-07	1.05E-03	9.70E-10	3.38E-02	1.57E-01	5.16E-12	1.0E+06	5.2E-06
777	777	0.36643	2.5998E-06	9.5E-07	1.05E-03	9.96E-10	3.38E-02	1.57E-01	5.30E-12	1.0E+06	5.3E-06
778	778	0.3764	2.5998E-06	9.8E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.44E-12	1.0E+06	5.4E-06
779	779	0.38687	2.5998E-06	1.0E-06	1.05E-03	1.05E-09	3.38E-02	1.57E-01	5.59E-12	1.0E+06	5.6E-06
780	780	0.39795	2.5998E-06	1.0E-06	1.05E-03	1.08E-09	3.38E-02	1.57E-01	5.75E-12	1.0E+06	5.8E-06
781	781	0.40957	2.5998E-06	1.1E-06	1.05E-03	1.11E-09	3.38E-02	1.57E-01	5.92E-12	1.0E+06	5.9E-06
782	782	0.42156	2.5998E-06	1.1E-06	1.05E-03	1.15E-09	3.38E-02	1.57E-01	6.09E-12	1.0E+06	6.1E-06
783	783	0.43402	2.5998E-06	1.1E-06	1.05E-03	1.18E-09	3.38E-02	1.57E-01	6.27E-12	1.0E+06	6.3E-06
784	784	0.44712	2.5998E-06	1.2E-06	1.05E-03	1.21E-09	3.38E-02	1.57E-01	6.46E-12	1.0E+06	6.5E-06
785	785	0.46026	2.5998E-06	1.2E-06	1.05E-03	1.25E-09	3.38E-02	1.57E-01	6.65E-12	1.0E+06	6.7E-06
786	786	0.47397	2.5998E-06	1.2E-06	1.05E-03	1.29E-09	3.38E-02	1.57E-01	6.85E-12	1.0E+06	6.8E-06
787	787	0.4887	2.5998E-06	1.3E-06	1.05E-03	1.33E-09	3.38E-02	1.57E-01	7.06E-12	1.0E+06	7.1E-06
788	788	0.5049	2.5998E-06	1.3E-06	1.05E-03	1.37E-09	3.38E-02	1.57E-01	7.30E-12	1.0E+06	7.3E-06
789	789	0.52205	2.5998E-06	1.4E-06	1.05E-03	1.42E-09	3.38E-02	1.57E-01	7.54E-12	1.0E+06	7.5E-06
790	790	0.5408	2.5998E-06	1.4E-06	1.05E-03	1.47E-09	3.38E-02	1.57E-01	7.82E-12	1.0E+06	7.8E-06
791	791	0.56085	2.5998E-06	1.5E-06	1.05E-03	1.52E-09	3.38E-02	1.57E-01	8.11E-12	1.0E+06	8.1E-06
792	792	0.58213	2.5998E-06	1.5E-06	1.05E-03	1.58E-09	3.38E-02	1.57E-01	8.41E-12	1.0E+06	8.4E-06
793	793	0.60464	2.5998E-06	1.6E-06	1.05E-03	1.64E-09	3.38E-02	1.57E-01	8.74E-12	1.0E+06	8.7E-06
794	794	0.6286	2.5998E-06	1.6E-06	1.05E-03	1.71E-09	3.38E-02	1.57E-01	9.08E-12	1.0E+06	9.1E-06
795	795	0.65407	2.5998E-06	1.7E-06	1.05E-03	1.78E-09	3.38E-02	1.57E-01	9.45E-12	1.0E+06	9.5E-06
796	796	0.68133	2.5998E-06	1.8E-06	1.05E-03	1.85E-09	3.38E-02	1.57E-01	9.85E-12	1.0E+06	9.8E-06
797	797	0.71068	2.5998E-06	1.8E-06	1.05E-03	1.93E-09	3.38E-02	1.57E-01	1.03E-11	1.0E+06	1.0E-05
798	798	0.74133	2.5998E-06	1.9E-06	1.05E-03	2.01E-09	3.38E-02	1.57E-01	1.07E-11	1.0E+06	1.1E-05
799	799	0.77452	2.5998E-06	2.0E-06	1.05E-03	2.10E-09	3.38E-02	1.57E-01	1.12E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	0.81072	2.5998E-06	2.1E-06	1.05E-03	2.20E-09	3.38E-02	1.57E-01	1.17E-11	1.0E+06	1.2E-05
801	801	0.85039	2.5998E-06	2.2E-06	1.05E-03	2.31E-09	3.38E-02	1.57E-01	1.23E-11	1.0E+06	1.2E-05
802	802	0.89376	2.5998E-06	2.3E-06	1.05E-03	2.43E-09	3.38E-02	1.57E-01	1.29E-11	1.0E+06	1.3E-05
803	803	0.94174	2.5998E-06	2.4E-06	1.05E-03	2.56E-09	3.38E-02	1.57E-01	1.36E-11	1.0E+06	1.4E-05
804	804	0.9946	2.5998E-06	2.6E-06	1.05E-03	2.70E-09	3.38E-02	1.57E-01	1.44E-11	1.0E+06	1.4E-05
805	805	1.05015	2.5998E-06	2.7E-06	1.05E-03	2.85E-09	3.38E-02	1.57E-01	1.52E-11	1.0E+06	1.5E-05
806	806	1.1079	2.5998E-06	2.9E-06	1.05E-03	3.01E-09	3.38E-02	1.57E-01	1.60E-11	1.0E+06	1.6E-05
807	807	1.18664	2.5998E-06	3.1E-06	1.05E-03	3.22E-09	3.38E-02	1.57E-01	1.71E-11	1.0E+06	1.7E-05
808	808	1.27492	2.5998E-06	3.3E-06	1.05E-03	3.46E-09	3.38E-02	1.57E-01	1.84E-11	1.0E+06	1.8E-05
809	809	1.3687	2.5998E-06	3.6E-06	1.05E-03	3.72E-09	3.38E-02	1.57E-01	1.98E-11	1.0E+06	2.0E-05
810	810	1.47317	2.5998E-06	3.8E-06	1.05E-03	4.00E-09	3.38E-02	1.57E-01	2.13E-11	1.0E+06	2.1E-05
811	811	1.58819	2.5998E-06	4.1E-06	1.05E-03	4.32E-09	3.38E-02	1.57E-01	2.30E-11	1.0E+06	2.3E-05
812	812	0.32342	2.5998E-06	8.4E-07	1.05E-03	8.79E-10	3.38E-02	1.57E-01	4.67E-12	1.0E+06	4.7E-06
813	813	0.33099	2.5998E-06	8.6E-07	1.05E-03	8.99E-10	3.38E-02	1.57E-01	4.78E-12	1.0E+06	4.8E-06
814	814	0.33899	2.5998E-06	8.8E-07	1.05E-03	9.21E-10	3.38E-02	1.57E-01	4.90E-12	1.0E+06	4.9E-06
815	815	0.34783	2.5998E-06	9.0E-07	1.05E-03	9.45E-10	3.38E-02	1.57E-01	5.03E-12	1.0E+06	5.0E-06
816	816	0.35704	2.5998E-06	9.3E-07	1.05E-03	9.70E-10	3.38E-02	1.57E-01	5.16E-12	1.0E+06	5.2E-06
817	817	0.36673	2.5998E-06	9.5E-07	1.05E-03	9.97E-10	3.38E-02	1.57E-01	5.30E-12	1.0E+06	5.3E-06
818	818	0.37684	2.5998E-06	9.8E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.45E-12	1.0E+06	5.4E-06
819	819	0.38746	2.5998E-06	1.0E-06	1.05E-03	1.05E-09	3.38E-02	1.57E-01	5.60E-12	1.0E+06	5.6E-06
820	820	0.39862	2.5998E-06	1.0E-06	1.05E-03	1.08E-09	3.38E-02	1.57E-01	5.76E-12	1.0E+06	5.8E-06
821	821	0.41029	2.5998E-06	1.1E-06	1.05E-03	1.11E-09	3.38E-02	1.57E-01	5.93E-12	1.0E+06	5.9E-06
822	822	0.42251	2.5998E-06	1.1E-06	1.05E-03	1.15E-09	3.38E-02	1.57E-01	6.11E-12	1.0E+06	6.1E-06
823	823	0.4353	2.5998E-06	1.1E-06	1.05E-03	1.18E-09	3.38E-02	1.57E-01	6.29E-12	1.0E+06	6.3E-06
824	824	0.44873	2.5998E-06	1.2E-06	1.05E-03	1.22E-09	3.38E-02	1.57E-01	6.48E-12	1.0E+06	6.5E-06
825	825	0.4623	2.5998E-06	1.2E-06	1.05E-03	1.26E-09	3.38E-02	1.57E-01	6.68E-12	1.0E+06	6.7E-06
826	826	0.47657	2.5998E-06	1.2E-06	1.05E-03	1.29E-09	3.38E-02	1.57E-01	6.89E-12	1.0E+06	6.9E-06
827	827	0.49184	2.5998E-06	1.3E-06	1.05E-03	1.34E-09	3.38E-02	1.57E-01	7.11E-12	1.0E+06	7.1E-06
828	828	0.50835	2.5998E-06	1.3E-06	1.05E-03	1.38E-09	3.38E-02	1.57E-01	7.35E-12	1.0E+06	7.3E-06
829	829	0.52581	2.5998E-06	1.4E-06	1.05E-03	1.43E-09	3.38E-02	1.57E-01	7.60E-12	1.0E+06	7.6E-06
830	830	0.54467	2.5998E-06	1.4E-06	1.05E-03	1.48E-09	3.38E-02	1.57E-01	7.87E-12	1.0E+06	7.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	0.56479	2.5998E-06	1.5E-06	1.05E-03	1.53E-09	3.38E-02	1.57E-01	8.16E-12	1.0E+06	8.2E-06
832	832	0.58615	2.5998E-06	1.5E-06	1.05E-03	1.59E-09	3.38E-02	1.57E-01	8.47E-12	1.0E+06	8.5E-06
833	833	0.60862	2.5998E-06	1.6E-06	1.05E-03	1.65E-09	3.38E-02	1.57E-01	8.80E-12	1.0E+06	8.8E-06
834	834	0.63259	2.5998E-06	1.6E-06	1.05E-03	1.72E-09	3.38E-02	1.57E-01	9.14E-12	1.0E+06	9.1E-06
835	835	0.6582	2.5998E-06	1.7E-06	1.05E-03	1.79E-09	3.38E-02	1.57E-01	9.51E-12	1.0E+06	9.5E-06
836	836	0.68572	2.5998E-06	1.8E-06	1.05E-03	1.86E-09	3.38E-02	1.57E-01	9.91E-12	1.0E+06	9.9E-06
837	837	0.71541	2.5998E-06	1.9E-06	1.05E-03	1.94E-09	3.38E-02	1.57E-01	1.03E-11	1.0E+06	1.0E-05
838	838	0.74705	2.5998E-06	1.9E-06	1.05E-03	2.03E-09	3.38E-02	1.57E-01	1.08E-11	1.0E+06	1.1E-05
839	839	0.78122	2.5998E-06	2.0E-06	1.05E-03	2.12E-09	3.38E-02	1.57E-01	1.13E-11	1.0E+06	1.1E-05
840	840	0.81827	2.5998E-06	2.1E-06	1.05E-03	2.22E-09	3.38E-02	1.57E-01	1.18E-11	1.0E+06	1.2E-05
841	841	0.85861	2.5998E-06	2.2E-06	1.05E-03	2.33E-09	3.38E-02	1.57E-01	1.24E-11	1.0E+06	1.2E-05
842	842	0.90254	2.5998E-06	2.3E-06	1.05E-03	2.45E-09	3.38E-02	1.57E-01	1.30E-11	1.0E+06	1.3E-05
843	843	0.95096	2.5998E-06	2.5E-06	1.05E-03	2.58E-09	3.38E-02	1.57E-01	1.37E-11	1.0E+06	1.4E-05
844	844	1.00421	2.5998E-06	2.6E-06	1.05E-03	2.73E-09	3.38E-02	1.57E-01	1.45E-11	1.0E+06	1.5E-05
845	845	1.06266	2.5998E-06	2.8E-06	1.05E-03	2.89E-09	3.38E-02	1.57E-01	1.54E-11	1.0E+06	1.5E-05
846	846	1.1158	2.5998E-06	2.9E-06	1.05E-03	3.03E-09	3.38E-02	1.57E-01	1.61E-11	1.0E+06	1.6E-05
847	847	1.19629	2.5998E-06	3.1E-06	1.05E-03	3.25E-09	3.38E-02	1.57E-01	1.73E-11	1.0E+06	1.7E-05
848	848	1.28821	2.5998E-06	3.3E-06	1.05E-03	3.50E-09	3.38E-02	1.57E-01	1.86E-11	1.0E+06	1.9E-05
849	849	1.38307	2.5998E-06	3.6E-06	1.05E-03	3.76E-09	3.38E-02	1.57E-01	2.00E-11	1.0E+06	2.0E-05
850	850	1.48853	2.5998E-06	3.9E-06	1.05E-03	4.04E-09	3.38E-02	1.57E-01	2.15E-11	1.0E+06	2.2E-05
851	851	1.60583	2.5998E-06	4.2E-06	1.05E-03	4.36E-09	3.38E-02	1.57E-01	2.32E-11	1.0E+06	2.3E-05
852	852	0.32289	2.5998E-06	8.4E-07	1.05E-03	8.77E-10	3.38E-02	1.57E-01	4.67E-12	1.0E+06	4.7E-06
853	853	0.33042	2.5998E-06	8.6E-07	1.05E-03	8.98E-10	3.38E-02	1.57E-01	4.78E-12	1.0E+06	4.8E-06
854	854	0.3384	2.5998E-06	8.8E-07	1.05E-03	9.20E-10	3.38E-02	1.57E-01	4.89E-12	1.0E+06	4.9E-06
855	855	0.34743	2.5998E-06	9.0E-07	1.05E-03	9.44E-10	3.38E-02	1.57E-01	5.02E-12	1.0E+06	5.0E-06
856	856	0.35686	2.5998E-06	9.3E-07	1.05E-03	9.70E-10	3.38E-02	1.57E-01	5.16E-12	1.0E+06	5.2E-06
857	857	0.3667	2.5998E-06	9.5E-07	1.05E-03	9.96E-10	3.38E-02	1.57E-01	5.30E-12	1.0E+06	5.3E-06
858	858	0.37695	2.5998E-06	9.8E-07	1.05E-03	1.02E-09	3.38E-02	1.57E-01	5.45E-12	1.0E+06	5.4E-06
859	859	0.38767	2.5998E-06	1.0E-06	1.05E-03	1.05E-09	3.38E-02	1.57E-01	5.60E-12	1.0E+06	5.6E-06
860	860	0.39888	2.5998E-06	1.0E-06	1.05E-03	1.08E-09	3.38E-02	1.57E-01	5.76E-12	1.0E+06	5.8E-06
861	861	0.41059	2.5998E-06	1.1E-06	1.05E-03	1.12E-09	3.38E-02	1.57E-01	5.93E-12	1.0E+06	5.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.42295	2.5998E-06	1.1E-06	1.05E-03	1.15E-09	3.38E-02	1.57E-01	6.11E-12	1.0E+06	6.1E-06
863	863	0.43607	2.5998E-06	1.1E-06	1.05E-03	1.18E-09	3.38E-02	1.57E-01	6.30E-12	1.0E+06	6.3E-06
864	864	0.44987	2.5998E-06	1.2E-06	1.05E-03	1.22E-09	3.38E-02	1.57E-01	6.50E-12	1.0E+06	6.5E-06
865	865	0.46405	2.5998E-06	1.2E-06	1.05E-03	1.26E-09	3.38E-02	1.57E-01	6.71E-12	1.0E+06	6.7E-06
866	866	0.47893	2.5998E-06	1.2E-06	1.05E-03	1.30E-09	3.38E-02	1.57E-01	6.92E-12	1.0E+06	6.9E-06
867	867	0.4947	2.5998E-06	1.3E-06	1.05E-03	1.34E-09	3.38E-02	1.57E-01	7.15E-12	1.0E+06	7.1E-06
868	868	0.51152	2.5998E-06	1.3E-06	1.05E-03	1.39E-09	3.38E-02	1.57E-01	7.39E-12	1.0E+06	7.4E-06
869	869	0.5293	2.5998E-06	1.4E-06	1.05E-03	1.44E-09	3.38E-02	1.57E-01	7.65E-12	1.0E+06	7.6E-06
870	870	0.54824	2.5998E-06	1.4E-06	1.05E-03	1.49E-09	3.38E-02	1.57E-01	7.92E-12	1.0E+06	7.9E-06
871	871	0.56835	2.5998E-06	1.5E-06	1.05E-03	1.54E-09	3.38E-02	1.57E-01	8.21E-12	1.0E+06	8.2E-06
872	872	0.58972	2.5998E-06	1.5E-06	1.05E-03	1.60E-09	3.38E-02	1.57E-01	8.52E-12	1.0E+06	8.5E-06
873	873	0.61208	2.5998E-06	1.6E-06	1.05E-03	1.66E-09	3.38E-02	1.57E-01	8.85E-12	1.0E+06	8.8E-06
874	874	0.63594	2.5998E-06	1.7E-06	1.05E-03	1.73E-09	3.38E-02	1.57E-01	9.19E-12	1.0E+06	9.2E-06
875	875	0.66173	2.5998E-06	1.7E-06	1.05E-03	1.80E-09	3.38E-02	1.57E-01	9.56E-12	1.0E+06	9.6E-06
876	876	0.6896	2.5998E-06	1.8E-06	1.05E-03	1.87E-09	3.38E-02	1.57E-01	9.97E-12	1.0E+06	1.0E-05
877	877	0.71956	2.5998E-06	1.9E-06	1.05E-03	1.96E-09	3.38E-02	1.57E-01	1.04E-11	1.0E+06	1.0E-05
878	878	0.75216	2.5998E-06	2.0E-06	1.05E-03	2.04E-09	3.38E-02	1.57E-01	1.09E-11	1.0E+06	1.1E-05
879	879	0.78746	2.5998E-06	2.0E-06	1.05E-03	2.14E-09	3.38E-02	1.57E-01	1.14E-11	1.0E+06	1.1E-05
880	880	0.82538	2.5998E-06	2.1E-06	1.05E-03	2.24E-09	3.38E-02	1.57E-01	1.19E-11	1.0E+06	1.2E-05
881	881	0.86617	2.5998E-06	2.3E-06	1.05E-03	2.35E-09	3.38E-02	1.57E-01	1.25E-11	1.0E+06	1.3E-05
882	882	0.91062	2.5998E-06	2.4E-06	1.05E-03	2.47E-09	3.38E-02	1.57E-01	1.32E-11	1.0E+06	1.3E-05
883	883	0.95936	2.5998E-06	2.5E-06	1.05E-03	2.61E-09	3.38E-02	1.57E-01	1.39E-11	1.0E+06	1.4E-05
884	884	1.013	2.5998E-06	2.6E-06	1.05E-03	2.75E-09	3.38E-02	1.57E-01	1.46E-11	1.0E+06	1.5E-05
885	885	1.07208	2.5998E-06	2.8E-06	1.05E-03	2.91E-09	3.38E-02	1.57E-01	1.55E-11	1.0E+06	1.5E-05
886	886	1.12894	2.5998E-06	2.9E-06	1.05E-03	3.07E-09	3.38E-02	1.57E-01	1.63E-11	1.0E+06	1.6E-05
887	887	1.20735	2.5998E-06	3.1E-06	1.05E-03	3.28E-09	3.38E-02	1.57E-01	1.74E-11	1.0E+06	1.7E-05
888	888	1.29693	2.5998E-06	3.4E-06	1.05E-03	3.52E-09	3.38E-02	1.57E-01	1.87E-11	1.0E+06	1.9E-05
889	889	1.39457	2.5998E-06	3.6E-06	1.05E-03	3.79E-09	3.38E-02	1.57E-01	2.02E-11	1.0E+06	2.0E-05
890	890	1.50265	2.5998E-06	3.9E-06	1.05E-03	4.08E-09	3.38E-02	1.57E-01	2.17E-11	1.0E+06	2.2E-05
891	891	1.62111	2.5998E-06	4.2E-06	1.05E-03	4.41E-09	3.38E-02	1.57E-01	2.34E-11	1.0E+06	2.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
521	521	7.4E-01	Max	Receptor #	5	2.68E-02	Max	Receptor #	
522	522	7.6E-01	0.926	527	5	2.73E-02	0.033	527	Res
523	523	9.2E-01			5	3.31E-02			
524	524	7.7E-01			5	2.76E-02			
525	525	7.6E-01			5	2.73E-02			
526	526	7.7E-01			5	2.77E-02			
527	527	9.3E-01			5	3.33E-02			
528	528	7.7E-01			5	2.77E-02			
529	529	7.6E-01			5	2.73E-02			
530	530	7.7E-01			5	2.75E-02			
531	531	9.2E-01			5	3.29E-02			
532	532	6.0E-02			5	2.16E-03			
533	533	6.4E-02			5	2.30E-03			
534	534	6.8E-02			5	2.45E-03			
535	535	7.3E-02			5	2.61E-03			
536	536	7.8E-02			5	2.80E-03			
537	537	8.4E-02			5	3.00E-03			
538	538	9.0E-02			5	3.23E-03			
539	539	9.7E-02			5	3.50E-03			
540	540	1.1E-01			5	3.81E-03			
541	541	1.2E-01			5	4.17E-03			
542	542	1.3E-01			5	4.59E-03			
543	543	1.4E-01			5	5.07E-03			
544	544	1.6E-01			5	5.65E-03			
545	545	1.8E-01			5	6.34E-03			
546	546	2.0E-01			5	7.20E-03			
547	547	2.3E-01			5	8.26E-03			
548	548	2.7E-01			5	9.64E-03			
549	549	3.2E-01			5	1.14E-02			
550	550	3.8E-01			5	1.38E-02			
551	551	4.6E-01			5	1.67E-02			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
552	552	5.5E-01	5	1.99E-02
553	553	4.5E-01	5	1.64E-02
554	554	7.3E-01	5	2.61E-02
555	555	8.0E-01	5	2.87E-02
556	556	8.6E-01	5	3.10E-02
557	557	7.3E-01	5	2.62E-02
558	558	7.4E-01	5	2.65E-02
559	559	7.5E-01	5	2.70E-02
560	560	7.8E-01	5	2.82E-02
561	561	6.4E-01	5	2.31E-02
562	562	8.0E-01	5	2.88E-02
563	563	7.9E-01	5	2.84E-02
564	564	8.1E-01	5	2.91E-02
565	565	6.6E-01	5	2.38E-02
566	566	8.1E-01	5	2.92E-02
567	567	8.0E-01	5	2.87E-02
568	568	8.1E-01	5	2.92E-02
569	569	6.6E-01	5	2.38E-02
570	570	8.1E-01	5	2.90E-02
571	571	7.9E-01	5	2.84E-02
572	572	5.9E-02	5	2.10E-03
573	573	6.2E-02	5	2.24E-03
574	574	6.6E-02	5	2.39E-03
575	575	7.1E-02	5	2.55E-03
576	576	7.6E-02	5	2.73E-03
577	577	8.1E-02	5	2.92E-03
578	578	8.7E-02	5	3.13E-03
579	579	9.4E-02	5	3.38E-03
580	580	1.0E-01	5	3.67E-03
581	581	1.1E-01	5	4.01E-03
582	582	1.2E-01	5	4.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
583	583	1.3E-01	5	4.85E-03
584	584	1.5E-01	5	5.38E-03
585	585	1.7E-01	5	6.01E-03
586	586	1.9E-01	5	6.76E-03
587	587	2.1E-01	5	7.68E-03
588	588	2.5E-01	5	8.84E-03
589	589	2.9E-01	5	1.03E-02
590	590	3.4E-01	5	1.21E-02
591	591	4.0E-01	5	1.43E-02
592	592	4.6E-01	5	1.66E-02
593	593	5.3E-01	5	1.91E-02
594	594	5.9E-01	5	2.13E-02
595	595	6.5E-01	5	2.34E-02
596	596	7.0E-01	5	2.53E-02
597	597	7.5E-01	5	2.69E-02
598	598	7.9E-01	5	2.83E-02
599	599	8.1E-01	5	2.92E-02
600	600	8.3E-01	5	2.98E-02
601	601	8.4E-01	5	3.02E-02
602	602	8.5E-01	5	3.05E-02
603	603	8.5E-01	5	3.07E-02
604	604	8.6E-01	5	3.08E-02
605	605	8.6E-01	5	3.09E-02
606	606	8.6E-01	5	3.09E-02
607	607	8.6E-01	5	3.10E-02
608	608	8.6E-01	5	3.09E-02
609	609	8.6E-01	5	3.08E-02
610	610	8.5E-01	5	3.07E-02
611	611	8.5E-01	5	3.06E-02
612	612	5.7E-02	5	2.05E-03
613	613	6.1E-02	5	2.19E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
614	614	6.5E-02	5	2.33E-03
615	615	6.9E-02	5	2.48E-03
616	616	7.4E-02	5	2.65E-03
617	617	7.9E-02	5	2.83E-03
618	618	8.4E-02	5	3.02E-03
619	619	9.0E-02	5	3.24E-03
620	620	9.8E-02	5	3.51E-03
621	621	1.1E-01	5	3.84E-03
622	622	1.2E-01	5	4.20E-03
623	623	1.3E-01	5	4.62E-03
624	624	1.4E-01	5	5.11E-03
625	625	1.6E-01	5	5.67E-03
626	626	1.8E-01	5	6.33E-03
627	627	2.0E-01	5	7.13E-03
628	628	2.3E-01	5	8.10E-03
629	629	2.6E-01	5	9.29E-03
630	630	3.0E-01	5	1.07E-02
631	631	3.4E-01	5	1.24E-02
632	632	3.9E-01	5	1.42E-02
633	633	4.5E-01	5	1.61E-02
634	634	5.0E-01	5	1.79E-02
635	635	5.4E-01	5	1.95E-02
636	636	5.9E-01	5	2.11E-02
637	637	6.2E-01	5	2.24E-02
638	638	6.5E-01	5	2.35E-02
639	639	6.8E-01	5	2.43E-02
640	640	6.9E-01	5	2.49E-02
641	641	7.0E-01	5	2.53E-02
642	642	7.1E-01	5	2.56E-02
643	643	7.2E-01	5	2.58E-02
644	644	7.2E-01	5	2.60E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
645	645	7.2E-01	5	2.61E-02
646	646	7.3E-01	5	2.61E-02
647	647	7.3E-01	5	2.61E-02
648	648	7.3E-01	5	2.61E-02
649	649	7.2E-01	5	2.60E-02
650	650	7.2E-01	5	2.60E-02
651	651	7.2E-01	5	2.58E-02
652	652	5.5E-02	5	1.98E-03
653	653	5.9E-02	5	2.11E-03
654	654	6.2E-02	5	2.24E-03
655	655	6.6E-02	5	2.38E-03
656	656	7.1E-02	5	2.54E-03
657	657	7.5E-02	5	2.71E-03
658	658	8.0E-02	5	2.90E-03
659	659	8.6E-02	5	3.10E-03
660	660	9.3E-02	5	3.35E-03
661	661	1.0E-01	5	3.64E-03
662	662	1.1E-01	5	3.97E-03
663	663	1.2E-01	5	4.35E-03
664	664	1.3E-01	5	4.80E-03
665	665	1.5E-01	5	5.28E-03
666	666	1.6E-01	5	5.85E-03
667	667	1.8E-01	5	6.55E-03
668	668	2.0E-01	5	7.36E-03
669	669	2.3E-01	5	8.36E-03
670	670	2.6E-01	5	9.53E-03
671	671	3.0E-01	5	1.09E-02
672	672	3.4E-01	5	1.23E-02
673	673	3.8E-01	5	1.38E-02
674	674	4.2E-01	5	1.52E-02
675	675	4.6E-01	5	1.66E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
676	676	5.0E-01	5	1.79E-02
677	677	5.3E-01	5	1.90E-02
678	678	5.5E-01	5	1.99E-02
679	679	5.7E-01	5	2.06E-02
680	680	5.9E-01	5	2.11E-02
681	681	6.0E-01	5	2.16E-02
682	682	6.1E-01	5	2.19E-02
683	683	6.1E-01	5	2.21E-02
684	684	6.2E-01	5	2.23E-02
685	685	6.2E-01	5	2.24E-02
686	686	6.2E-01	5	2.24E-02
687	687	6.2E-01	5	2.24E-02
688	688	6.2E-01	5	2.24E-02
689	689	6.2E-01	5	2.24E-02
690	690	6.2E-01	5	2.23E-02
691	691	6.2E-01	5	2.22E-02
692	692	5.3E-02	5	1.91E-03
693	693	5.6E-02	5	2.02E-03
694	694	6.0E-02	5	2.15E-03
695	695	6.3E-02	5	2.28E-03
696	696	6.8E-02	5	2.43E-03
697	697	7.2E-02	5	2.59E-03
698	698	7.7E-02	5	2.76E-03
699	699	8.2E-02	5	2.96E-03
700	700	8.9E-02	5	3.19E-03
701	701	9.6E-02	5	3.46E-03
702	702	1.0E-01	5	3.75E-03
703	703	1.1E-01	5	4.08E-03
704	704	1.2E-01	5	4.48E-03
705	705	1.4E-01	5	4.91E-03
706	706	1.5E-01	5	5.39E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
707	707	1.7E-01	5	5.98E-03
708	708	1.9E-01	5	6.69E-03
709	709	2.1E-01	5	7.50E-03
710	710	2.4E-01	5	8.51E-03
711	711	2.7E-01	5	9.61E-03
712	712	3.0E-01	5	1.08E-02
713	713	3.3E-01	5	1.20E-02
714	714	3.7E-01	5	1.32E-02
715	715	4.0E-01	5	1.43E-02
716	716	4.3E-01	5	1.54E-02
717	717	4.5E-01	5	1.63E-02
718	718	4.8E-01	5	1.71E-02
719	719	4.9E-01	5	1.77E-02
720	720	5.1E-01	5	1.82E-02
721	721	5.2E-01	5	1.86E-02
722	722	5.3E-01	5	1.89E-02
723	723	5.3E-01	5	1.92E-02
724	724	5.4E-01	5	1.93E-02
725	725	5.4E-01	5	1.95E-02
726	726	5.4E-01	5	1.95E-02
727	727	5.4E-01	5	1.96E-02
728	728	5.4E-01	5	1.95E-02
729	729	5.4E-01	5	1.95E-02
730	730	5.4E-01	5	1.94E-02
731	731	5.4E-01	5	1.93E-02
732	732	5.1E-02	5	1.84E-03
733	733	5.4E-02	5	1.94E-03
734	734	5.7E-02	5	2.05E-03
735	735	6.1E-02	5	2.18E-03
736	736	6.4E-02	5	2.31E-03
737	737	6.9E-02	5	2.47E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
738	738	7.3E-02	5	2.63E-03
739	739	7.8E-02	5	2.82E-03
740	740	8.4E-02	5	3.04E-03
741	741	9.1E-02	5	3.28E-03
742	742	9.8E-02	5	3.54E-03
743	743	1.1E-01	5	3.84E-03
744	744	1.2E-01	5	4.18E-03
745	745	1.3E-01	5	4.54E-03
746	746	1.4E-01	5	4.95E-03
747	747	1.5E-01	5	5.43E-03
748	748	1.7E-01	5	6.08E-03
749	749	1.9E-01	5	6.79E-03
750	750	2.1E-01	5	7.61E-03
751	751	2.4E-01	5	8.55E-03
752	752	2.7E-01	5	9.55E-03
753	753	2.9E-01	5	1.06E-02
754	754	3.2E-01	5	1.16E-02
755	755	3.5E-01	5	1.25E-02
756	756	3.7E-01	5	1.34E-02
757	757	4.0E-01	5	1.42E-02
758	758	4.1E-01	5	1.49E-02
759	759	4.3E-01	5	1.54E-02
760	760	4.4E-01	5	1.59E-02
761	761	4.5E-01	5	1.63E-02
762	762	4.6E-01	5	1.66E-02
763	763	4.7E-01	5	1.68E-02
764	764	4.7E-01	5	1.70E-02
765	765	4.8E-01	5	1.71E-02
766	766	4.8E-01	5	1.72E-02
767	767	4.8E-01	5	1.72E-02
768	768	4.8E-01	5	1.72E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
769	769	4.8E-01	5	1.72E-02
770	770	4.8E-01	5	1.71E-02
771	771	4.7E-01	5	1.70E-02
772	772	4.9E-02	5	1.77E-03
773	773	5.2E-02	5	1.86E-03
774	774	5.5E-02	5	1.97E-03
775	775	5.8E-02	5	2.09E-03
776	776	6.2E-02	5	2.21E-03
777	777	6.5E-02	5	2.36E-03
778	778	7.0E-02	5	2.51E-03
779	779	7.5E-02	5	2.69E-03
780	780	8.0E-02	5	2.88E-03
781	781	8.6E-02	5	3.10E-03
782	782	9.3E-02	5	3.34E-03
783	783	1.0E-01	5	3.61E-03
784	784	1.1E-01	5	3.91E-03
785	785	1.2E-01	5	4.24E-03
786	786	1.3E-01	5	4.62E-03
787	787	1.4E-01	5	5.05E-03
788	788	1.6E-01	5	5.60E-03
789	789	1.7E-01	5	6.20E-03
790	790	1.9E-01	5	6.91E-03
791	791	2.1E-01	5	7.71E-03
792	792	2.4E-01	5	8.52E-03
793	793	2.6E-01	5	9.38E-03
794	794	2.8E-01	5	1.02E-02
795	795	3.1E-01	5	1.10E-02
796	796	3.3E-01	5	1.18E-02
797	797	3.5E-01	5	1.25E-02
798	798	3.6E-01	5	1.31E-02
799	799	3.8E-01	5	1.36E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
800	800	3.9E-01	5	1.40E-02
801	801	4.0E-01	5	1.44E-02
802	802	4.1E-01	5	1.47E-02
803	803	4.1E-01	5	1.49E-02
804	804	4.2E-01	5	1.51E-02
805	805	4.2E-01	5	1.52E-02
806	806	4.2E-01	5	1.53E-02
807	807	4.3E-01	5	1.53E-02
808	808	4.3E-01	5	1.53E-02
809	809	4.3E-01	5	1.53E-02
810	810	4.2E-01	5	1.52E-02
811	811	4.2E-01	5	1.52E-02
812	812	4.7E-02	5	1.70E-03
813	813	5.0E-02	5	1.79E-03
814	814	5.2E-02	5	1.89E-03
815	815	5.5E-02	5	2.00E-03
816	816	5.9E-02	5	2.12E-03
817	817	6.3E-02	5	2.25E-03
818	818	6.7E-02	5	2.39E-03
819	819	7.1E-02	5	2.55E-03
820	820	7.6E-02	5	2.73E-03
821	821	8.1E-02	5	2.93E-03
822	822	8.7E-02	5	3.15E-03
823	823	9.4E-02	5	3.39E-03
824	824	1.0E-01	5	3.67E-03
825	825	1.1E-01	5	3.97E-03
826	826	1.2E-01	5	4.31E-03
827	827	1.3E-01	5	4.70E-03
828	828	1.4E-01	5	5.15E-03
829	829	1.6E-01	5	5.69E-03
830	830	1.7E-01	5	6.29E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
831	831	1.9E-01	5	6.96E-03
832	832	2.1E-01	5	7.67E-03
833	833	2.3E-01	5	8.36E-03
834	834	2.5E-01	5	9.09E-03
835	835	2.7E-01	5	9.77E-03
836	836	2.9E-01	5	1.04E-02
837	837	3.1E-01	5	1.10E-02
838	838	3.2E-01	5	1.16E-02
839	839	3.3E-01	5	1.21E-02
840	840	3.5E-01	5	1.25E-02
841	841	3.6E-01	5	1.28E-02
842	842	3.6E-01	5	1.31E-02
843	843	3.7E-01	5	1.33E-02
844	844	3.7E-01	5	1.34E-02
845	845	3.8E-01	5	1.36E-02
846	846	3.8E-01	5	1.37E-02
847	847	3.8E-01	5	1.37E-02
848	848	3.8E-01	5	1.37E-02
849	849	3.8E-01	5	1.37E-02
850	850	3.8E-01	5	1.37E-02
851	851	3.8E-01	5	1.36E-02
852	852	4.5E-02	5	1.63E-03
853	853	4.8E-02	5	1.72E-03
854	854	5.0E-02	5	1.81E-03
855	855	5.3E-02	5	1.91E-03
856	856	5.6E-02	5	2.02E-03
857	857	6.0E-02	5	2.14E-03
858	858	6.3E-02	5	2.28E-03
859	859	6.7E-02	5	2.42E-03
860	860	7.2E-02	5	2.59E-03
861	861	7.7E-02	5	2.76E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
862	862	8.2E-02	5	2.96E-03
863	863	8.9E-02	5	3.19E-03
864	864	9.6E-02	5	3.44E-03
865	865	1.0E-01	5	3.72E-03
866	866	1.1E-01	5	4.03E-03
867	867	1.2E-01	5	4.38E-03
868	868	1.3E-01	5	4.78E-03
869	869	1.5E-01	5	5.23E-03
870	870	1.6E-01	5	5.75E-03
871	871	1.8E-01	5	6.33E-03
872	872	1.9E-01	5	6.91E-03
873	873	2.1E-01	5	7.52E-03
874	874	2.3E-01	5	8.11E-03
875	875	2.4E-01	5	8.72E-03
876	876	2.6E-01	5	9.29E-03
877	877	2.7E-01	5	9.84E-03
878	878	2.9E-01	5	1.03E-02
879	879	3.0E-01	5	1.08E-02
880	880	3.1E-01	5	1.11E-02
881	881	3.2E-01	5	1.15E-02
882	882	3.3E-01	5	1.17E-02
883	883	3.3E-01	5	1.19E-02
884	884	3.4E-01	5	1.21E-02
885	885	3.4E-01	5	1.22E-02
886	886	3.4E-01	5	1.23E-02
887	887	3.4E-01	5	1.23E-02
888	888	3.4E-01	5	1.24E-02
889	889	3.4E-01	5	1.24E-02
890	890	3.4E-01	5	1.23E-02
891	891	3.4E-01	5	1.23E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

							Cancer Risk from 2 to 16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	4.58E-03	6.0E-02	1.05E-03	6.29E-05	1.05E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
522	13.42671	4.58E-03	6.1E-02	1.05E-03	6.42E-05	1.05E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
523	16.26152	4.58E-03	7.4E-02	1.05E-03	7.78E-05	1.05E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
524	13.55962	4.58E-03	6.2E-02	1.05E-03	6.49E-05	1.05E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
525	13.41509	4.58E-03	6.1E-02	1.05E-03	6.42E-05	1.05E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
526	13.62851	4.58E-03	6.2E-02	1.05E-03	6.52E-05	1.05E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
527	16.3735	4.58E-03	7.5E-02	1.05E-03	7.83E-05	1.05E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
528	13.61294	4.58E-03	6.2E-02	1.05E-03	6.51E-05	1.05E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
529	13.39753	4.58E-03	6.1E-02	1.05E-03	6.41E-05	1.05E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
530	13.5313	4.58E-03	6.2E-02	1.05E-03	6.47E-05	1.05E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
531	16.18516	4.58E-03	7.4E-02	1.05E-03	7.74E-05	1.05E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
532	1.06064	4.58E-03	4.9E-03	1.05E-03	5.07E-06	1.05E-01	1.57E-01	8.34E-08	1.0E+06	8.3E-02
533	1.12869	4.58E-03	5.2E-03	1.05E-03	5.40E-06	1.05E-01	1.57E-01	8.87E-08	1.0E+06	8.9E-02
534	1.20356	4.58E-03	5.5E-03	1.05E-03	5.76E-06	1.05E-01	1.57E-01	9.46E-08	1.0E+06	9.5E-02
535	1.28482	4.58E-03	5.9E-03	1.05E-03	6.15E-06	1.05E-01	1.57E-01	1.01E-07	1.0E+06	1.0E-01
536	1.37567	4.58E-03	6.3E-03	1.05E-03	6.58E-06	1.05E-01	1.57E-01	1.08E-07	1.0E+06	1.1E-01
537	1.47718	4.58E-03	6.8E-03	1.05E-03	7.07E-06	1.05E-01	1.57E-01	1.16E-07	1.0E+06	1.2E-01
538	1.59013	4.58E-03	7.3E-03	1.05E-03	7.61E-06	1.05E-01	1.57E-01	1.25E-07	1.0E+06	1.3E-01
539	1.72154	4.58E-03	7.9E-03	1.05E-03	8.23E-06	1.05E-01	1.57E-01	1.35E-07	1.0E+06	1.4E-01
540	1.8733	4.58E-03	8.6E-03	1.05E-03	8.96E-06	1.05E-01	1.57E-01	1.47E-07	1.0E+06	1.5E-01
541	2.05003	4.58E-03	9.4E-03	1.05E-03	9.81E-06	1.05E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
542	2.25442	4.58E-03	1.0E-02	1.05E-03	1.08E-05	1.05E-01	1.57E-01	1.77E-07	1.0E+06	1.8E-01
543	2.49287	4.58E-03	1.1E-02	1.05E-03	1.19E-05	1.05E-01	1.57E-01	1.96E-07	1.0E+06	2.0E-01
544	2.77968	4.58E-03	1.3E-02	1.05E-03	1.33E-05	1.05E-01	1.57E-01	2.19E-07	1.0E+06	2.2E-01
545	3.11924	4.58E-03	1.4E-02	1.05E-03	1.49E-05	1.05E-01	1.57E-01	2.45E-07	1.0E+06	2.5E-01
546	3.53809	4.58E-03	1.6E-02	1.05E-03	1.69E-05	1.05E-01	1.57E-01	2.78E-07	1.0E+06	2.8E-01
547	4.06193	4.58E-03	1.9E-02	1.05E-03	1.94E-05	1.05E-01	1.57E-01	3.19E-07	1.0E+06	3.2E-01
548	4.73759	4.58E-03	2.2E-02	1.05E-03	2.27E-05	1.05E-01	1.57E-01	3.72E-07	1.0E+06	3.7E-01
549	5.62222	4.58E-03	2.6E-02	1.05E-03	2.69E-05	1.05E-01	1.57E-01	4.42E-07	1.0E+06	4.4E-01
550	6.77661	4.58E-03	3.1E-02	1.05E-03	3.24E-05	1.05E-01	1.57E-01	5.33E-07	1.0E+06	5.3E-01
551	8.20231	4.58E-03	3.8E-02	1.05E-03	3.92E-05	1.05E-01	1.57E-01	6.45E-07	1.0E+06	6.4E-01

	Max	Receptor #
Res	1.287	527

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	4.58E-03	4.5E-02	1.05E-03	4.69E-05	1.05E-01	1.57E-01	7.71E-07	1.0E+06	7.7E-01
553	8.04055	4.58E-03	3.7E-02	1.05E-03	3.85E-05	1.05E-01	1.57E-01	6.32E-07	1.0E+06	6.3E-01
554	12.82783	4.58E-03	5.9E-02	1.05E-03	6.14E-05	1.05E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
555	14.09872	4.58E-03	6.5E-02	1.05E-03	6.74E-05	1.05E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
556	15.24682	4.58E-03	7.0E-02	1.05E-03	7.29E-05	1.05E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
557	12.89666	4.58E-03	5.9E-02	1.05E-03	6.17E-05	1.05E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
558	13.02033	4.58E-03	6.0E-02	1.05E-03	6.23E-05	1.05E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
559	13.29197	4.58E-03	6.1E-02	1.05E-03	6.36E-05	1.05E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
560	13.87535	4.58E-03	6.3E-02	1.05E-03	6.64E-05	1.05E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
561	11.36418	4.58E-03	5.2E-02	1.05E-03	5.44E-05	1.05E-01	1.57E-01	8.93E-07	1.0E+06	8.9E-01
562	14.14145	4.58E-03	6.5E-02	1.05E-03	6.76E-05	1.05E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
563	13.97398	4.58E-03	6.4E-02	1.05E-03	6.68E-05	1.05E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
564	14.31429	4.58E-03	6.6E-02	1.05E-03	6.85E-05	1.05E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
565	11.68449	4.58E-03	5.3E-02	1.05E-03	5.59E-05	1.05E-01	1.57E-01	9.19E-07	1.0E+06	9.2E-01
566	14.33447	4.58E-03	6.6E-02	1.05E-03	6.86E-05	1.05E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
567	14.10794	4.58E-03	6.5E-02	1.05E-03	6.75E-05	1.05E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
568	14.3734	4.58E-03	6.6E-02	1.05E-03	6.87E-05	1.05E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
569	11.67986	4.58E-03	5.3E-02	1.05E-03	5.59E-05	1.05E-01	1.57E-01	9.18E-07	1.0E+06	9.2E-01
570	14.24165	4.58E-03	6.5E-02	1.05E-03	6.81E-05	1.05E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
571	13.93759	4.58E-03	6.4E-02	1.05E-03	6.67E-05	1.05E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
572	1.03466	4.58E-03	4.7E-03	1.05E-03	4.95E-06	1.05E-01	1.57E-01	8.13E-08	1.0E+06	8.1E-02
573	1.10194	4.58E-03	5.0E-03	1.05E-03	5.27E-06	1.05E-01	1.57E-01	8.66E-08	1.0E+06	8.7E-02
574	1.17546	4.58E-03	5.4E-03	1.05E-03	5.62E-06	1.05E-01	1.57E-01	9.24E-08	1.0E+06	9.2E-02
575	1.25335	4.58E-03	5.7E-03	1.05E-03	5.99E-06	1.05E-01	1.57E-01	9.85E-08	1.0E+06	9.9E-02
576	1.34	4.58E-03	6.1E-03	1.05E-03	6.41E-06	1.05E-01	1.57E-01	1.05E-07	1.0E+06	1.1E-01
577	1.43451	4.58E-03	6.6E-03	1.05E-03	6.86E-06	1.05E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
578	1.53878	4.58E-03	7.0E-03	1.05E-03	7.36E-06	1.05E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
579	1.65936	4.58E-03	7.6E-03	1.05E-03	7.94E-06	1.05E-01	1.57E-01	1.30E-07	1.0E+06	1.3E-01
580	1.80491	4.58E-03	8.3E-03	1.05E-03	8.63E-06	1.05E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
581	1.96968	4.58E-03	9.0E-03	1.05E-03	9.42E-06	1.05E-01	1.57E-01	1.55E-07	1.0E+06	1.5E-01
582	2.16146	4.58E-03	9.9E-03	1.05E-03	1.03E-05	1.05E-01	1.57E-01	1.70E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	4.58E-03	1.1E-02	1.05E-03	1.14E-05	1.05E-01	1.57E-01	1.88E-07	1.0E+06	1.9E-01
584	2.64683	4.58E-03	1.2E-02	1.05E-03	1.27E-05	1.05E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01
585	2.95313	4.58E-03	1.4E-02	1.05E-03	1.41E-05	1.05E-01	1.57E-01	2.32E-07	1.0E+06	2.3E-01
586	3.32209	4.58E-03	1.5E-02	1.05E-03	1.59E-05	1.05E-01	1.57E-01	2.61E-07	1.0E+06	2.6E-01
587	3.77754	4.58E-03	1.7E-02	1.05E-03	1.81E-05	1.05E-01	1.57E-01	2.97E-07	1.0E+06	3.0E-01
588	4.3458	4.58E-03	2.0E-02	1.05E-03	2.08E-05	1.05E-01	1.57E-01	3.42E-07	1.0E+06	3.4E-01
589	5.06316	4.58E-03	2.3E-02	1.05E-03	2.42E-05	1.05E-01	1.57E-01	3.98E-07	1.0E+06	4.0E-01
590	5.95537	4.58E-03	2.7E-02	1.05E-03	2.85E-05	1.05E-01	1.57E-01	4.68E-07	1.0E+06	4.7E-01
591	7.01638	4.58E-03	3.2E-02	1.05E-03	3.36E-05	1.05E-01	1.57E-01	5.52E-07	1.0E+06	5.5E-01
592	8.18332	4.58E-03	3.7E-02	1.05E-03	3.91E-05	1.05E-01	1.57E-01	6.43E-07	1.0E+06	6.4E-01
593	9.36805	4.58E-03	4.3E-02	1.05E-03	4.48E-05	1.05E-01	1.57E-01	7.36E-07	1.0E+06	7.4E-01
594	10.48234	4.58E-03	4.8E-02	1.05E-03	5.01E-05	1.05E-01	1.57E-01	8.24E-07	1.0E+06	8.2E-01
595	11.50388	4.58E-03	5.3E-02	1.05E-03	5.50E-05	1.05E-01	1.57E-01	9.04E-07	1.0E+06	9.0E-01
596	12.42412	4.58E-03	5.7E-02	1.05E-03	5.94E-05	1.05E-01	1.57E-01	9.77E-07	1.0E+06	9.8E-01
597	13.24333	4.58E-03	6.1E-02	1.05E-03	6.33E-05	1.05E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
598	13.90912	4.58E-03	6.4E-02	1.05E-03	6.65E-05	1.05E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
599	14.36838	4.58E-03	6.6E-02	1.05E-03	6.87E-05	1.05E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
600	14.66246	4.58E-03	6.7E-02	1.05E-03	7.01E-05	1.05E-01	1.57E-01	1.15E-06	1.0E+06	1.2E+00
601	14.85988	4.58E-03	6.8E-02	1.05E-03	7.11E-05	1.05E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
602	15.00029	4.58E-03	6.9E-02	1.05E-03	7.17E-05	1.05E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
603	15.09006	4.58E-03	6.9E-02	1.05E-03	7.22E-05	1.05E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
604	15.14878	4.58E-03	6.9E-02	1.05E-03	7.25E-05	1.05E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
605	15.17959	4.58E-03	6.9E-02	1.05E-03	7.26E-05	1.05E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
606	15.21155	4.58E-03	7.0E-02	1.05E-03	7.28E-05	1.05E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
607	15.21847	4.58E-03	7.0E-02	1.05E-03	7.28E-05	1.05E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
608	15.19797	4.58E-03	7.0E-02	1.05E-03	7.27E-05	1.05E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
609	15.15562	4.58E-03	6.9E-02	1.05E-03	7.25E-05	1.05E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
610	15.11091	4.58E-03	6.9E-02	1.05E-03	7.23E-05	1.05E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
611	15.04171	4.58E-03	6.9E-02	1.05E-03	7.19E-05	1.05E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
612	1.00789	4.58E-03	4.6E-03	1.05E-03	4.82E-06	1.05E-01	1.57E-01	7.92E-08	1.0E+06	7.9E-02
613	1.07444	4.58E-03	4.9E-03	1.05E-03	5.14E-06	1.05E-01	1.57E-01	8.45E-08	1.0E+06	8.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	4.58E-03	5.2E-03	1.05E-03	5.48E-06	1.05E-01	1.57E-01	9.01E-08	1.0E+06	9.0E-02
615	1.22081	4.58E-03	5.6E-03	1.05E-03	5.84E-06	1.05E-01	1.57E-01	9.60E-08	1.0E+06	9.6E-02
616	1.30327	4.58E-03	6.0E-03	1.05E-03	6.23E-06	1.05E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
617	1.39136	4.58E-03	6.4E-03	1.05E-03	6.66E-06	1.05E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
618	1.48675	4.58E-03	6.8E-03	1.05E-03	7.11E-06	1.05E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
619	1.59425	4.58E-03	7.3E-03	1.05E-03	7.63E-06	1.05E-01	1.57E-01	1.25E-07	1.0E+06	1.3E-01
620	1.72719	4.58E-03	7.9E-03	1.05E-03	8.26E-06	1.05E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
621	1.88709	4.58E-03	8.6E-03	1.05E-03	9.03E-06	1.05E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
622	2.06451	4.58E-03	9.4E-03	1.05E-03	9.87E-06	1.05E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
623	2.27045	4.58E-03	1.0E-02	1.05E-03	1.09E-05	1.05E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
624	2.51142	4.58E-03	1.1E-02	1.05E-03	1.20E-05	1.05E-01	1.57E-01	1.97E-07	1.0E+06	2.0E-01
625	2.78618	4.58E-03	1.3E-02	1.05E-03	1.33E-05	1.05E-01	1.57E-01	2.19E-07	1.0E+06	2.2E-01
626	3.11158	4.58E-03	1.4E-02	1.05E-03	1.49E-05	1.05E-01	1.57E-01	2.45E-07	1.0E+06	2.4E-01
627	3.50447	4.58E-03	1.6E-02	1.05E-03	1.68E-05	1.05E-01	1.57E-01	2.76E-07	1.0E+06	2.8E-01
628	3.98435	4.58E-03	1.8E-02	1.05E-03	1.91E-05	1.05E-01	1.57E-01	3.13E-07	1.0E+06	3.1E-01
629	4.56893	4.58E-03	2.1E-02	1.05E-03	2.19E-05	1.05E-01	1.57E-01	3.59E-07	1.0E+06	3.6E-01
630	5.27449	4.58E-03	2.4E-02	1.05E-03	2.52E-05	1.05E-01	1.57E-01	4.15E-07	1.0E+06	4.1E-01
631	6.08982	4.58E-03	2.8E-02	1.05E-03	2.91E-05	1.05E-01	1.57E-01	4.79E-07	1.0E+06	4.8E-01
632	6.98008	4.58E-03	3.2E-02	1.05E-03	3.34E-05	1.05E-01	1.57E-01	5.49E-07	1.0E+06	5.5E-01
633	7.89728	4.58E-03	3.6E-02	1.05E-03	3.78E-05	1.05E-01	1.57E-01	6.21E-07	1.0E+06	6.2E-01
634	8.7815	4.58E-03	4.0E-02	1.05E-03	4.20E-05	1.05E-01	1.57E-01	6.90E-07	1.0E+06	6.9E-01
635	9.60354	4.58E-03	4.4E-02	1.05E-03	4.59E-05	1.05E-01	1.57E-01	7.55E-07	1.0E+06	7.5E-01
636	10.35005	4.58E-03	4.7E-02	1.05E-03	4.95E-05	1.05E-01	1.57E-01	8.14E-07	1.0E+06	8.1E-01
637	11.00384	4.58E-03	5.0E-02	1.05E-03	5.26E-05	1.05E-01	1.57E-01	8.65E-07	1.0E+06	8.7E-01
638	11.54147	4.58E-03	5.3E-02	1.05E-03	5.52E-05	1.05E-01	1.57E-01	9.07E-07	1.0E+06	9.1E-01
639	11.94826	4.58E-03	5.5E-02	1.05E-03	5.71E-05	1.05E-01	1.57E-01	9.39E-07	1.0E+06	9.4E-01
640	12.23382	4.58E-03	5.6E-02	1.05E-03	5.85E-05	1.05E-01	1.57E-01	9.62E-07	1.0E+06	9.6E-01
641	12.43817	4.58E-03	5.7E-02	1.05E-03	5.95E-05	1.05E-01	1.57E-01	9.78E-07	1.0E+06	9.8E-01
642	12.5835	4.58E-03	5.8E-02	1.05E-03	6.02E-05	1.05E-01	1.57E-01	9.89E-07	1.0E+06	9.9E-01
643	12.6861	4.58E-03	5.8E-02	1.05E-03	6.07E-05	1.05E-01	1.57E-01	9.97E-07	1.0E+06	1.0E+00
644	12.7652	4.58E-03	5.8E-02	1.05E-03	6.11E-05	1.05E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	4.58E-03	5.9E-02	1.05E-03	6.13E-05	1.05E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
646	12.83596	4.58E-03	5.9E-02	1.05E-03	6.14E-05	1.05E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
647	12.84298	4.58E-03	5.9E-02	1.05E-03	6.14E-05	1.05E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
648	12.83467	4.58E-03	5.9E-02	1.05E-03	6.14E-05	1.05E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
649	12.80559	4.58E-03	5.9E-02	1.05E-03	6.13E-05	1.05E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
650	12.75963	4.58E-03	5.8E-02	1.05E-03	6.10E-05	1.05E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
651	12.69539	4.58E-03	5.8E-02	1.05E-03	6.07E-05	1.05E-01	1.57E-01	9.98E-07	1.0E+06	1.0E+00
652	0.97402	4.58E-03	4.5E-03	1.05E-03	4.66E-06	1.05E-01	1.57E-01	7.66E-08	1.0E+06	7.7E-02
653	1.03573	4.58E-03	4.7E-03	1.05E-03	4.95E-06	1.05E-01	1.57E-01	8.14E-08	1.0E+06	8.1E-02
654	1.1025	4.58E-03	5.0E-03	1.05E-03	5.27E-06	1.05E-01	1.57E-01	8.67E-08	1.0E+06	8.7E-02
655	1.17235	4.58E-03	5.4E-03	1.05E-03	5.61E-06	1.05E-01	1.57E-01	9.22E-08	1.0E+06	9.2E-02
656	1.24971	4.58E-03	5.7E-03	1.05E-03	5.98E-06	1.05E-01	1.57E-01	9.82E-08	1.0E+06	9.8E-02
657	1.33283	4.58E-03	6.1E-03	1.05E-03	6.38E-06	1.05E-01	1.57E-01	1.05E-07	1.0E+06	1.0E-01
658	1.42351	4.58E-03	6.5E-03	1.05E-03	6.81E-06	1.05E-01	1.57E-01	1.12E-07	1.0E+06	1.1E-01
659	1.52535	4.58E-03	7.0E-03	1.05E-03	7.30E-06	1.05E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
660	1.64887	4.58E-03	7.5E-03	1.05E-03	7.89E-06	1.05E-01	1.57E-01	1.30E-07	1.0E+06	1.3E-01
661	1.78831	4.58E-03	8.2E-03	1.05E-03	8.55E-06	1.05E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
662	1.95291	4.58E-03	8.9E-03	1.05E-03	9.34E-06	1.05E-01	1.57E-01	1.54E-07	1.0E+06	1.5E-01
663	2.14059	4.58E-03	9.8E-03	1.05E-03	1.02E-05	1.05E-01	1.57E-01	1.68E-07	1.0E+06	1.7E-01
664	2.35977	4.58E-03	1.1E-02	1.05E-03	1.13E-05	1.05E-01	1.57E-01	1.86E-07	1.0E+06	1.9E-01
665	2.59747	4.58E-03	1.2E-02	1.05E-03	1.24E-05	1.05E-01	1.57E-01	2.04E-07	1.0E+06	2.0E-01
666	2.8754	4.58E-03	1.3E-02	1.05E-03	1.38E-05	1.05E-01	1.57E-01	2.26E-07	1.0E+06	2.3E-01
667	3.21769	4.58E-03	1.5E-02	1.05E-03	1.54E-05	1.05E-01	1.57E-01	2.53E-07	1.0E+06	2.5E-01
668	3.61969	4.58E-03	1.7E-02	1.05E-03	1.73E-05	1.05E-01	1.57E-01	2.85E-07	1.0E+06	2.8E-01
669	4.10847	4.58E-03	1.9E-02	1.05E-03	1.97E-05	1.05E-01	1.57E-01	3.23E-07	1.0E+06	3.2E-01
670	4.68552	4.58E-03	2.1E-02	1.05E-03	2.24E-05	1.05E-01	1.57E-01	3.68E-07	1.0E+06	3.7E-01
671	5.33428	4.58E-03	2.4E-02	1.05E-03	2.55E-05	1.05E-01	1.57E-01	4.19E-07	1.0E+06	4.2E-01
672	6.04383	4.58E-03	2.8E-02	1.05E-03	2.89E-05	1.05E-01	1.57E-01	4.75E-07	1.0E+06	4.8E-01
673	6.77602	4.58E-03	3.1E-02	1.05E-03	3.24E-05	1.05E-01	1.57E-01	5.33E-07	1.0E+06	5.3E-01
674	7.4948	4.58E-03	3.4E-02	1.05E-03	3.58E-05	1.05E-01	1.57E-01	5.89E-07	1.0E+06	5.9E-01
675	8.16492	4.58E-03	3.7E-02	1.05E-03	3.91E-05	1.05E-01	1.57E-01	6.42E-07	1.0E+06	6.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	4.58E-03	4.0E-02	1.05E-03	4.20E-05	1.05E-01	1.57E-01	6.90E-07	1.0E+06	6.9E-01
677	9.32065	4.58E-03	4.3E-02	1.05E-03	4.46E-05	1.05E-01	1.57E-01	7.33E-07	1.0E+06	7.3E-01
678	9.77043	4.58E-03	4.5E-02	1.05E-03	4.67E-05	1.05E-01	1.57E-01	7.68E-07	1.0E+06	7.7E-01
679	10.12687	4.58E-03	4.6E-02	1.05E-03	4.84E-05	1.05E-01	1.57E-01	7.96E-07	1.0E+06	8.0E-01
680	10.39762	4.58E-03	4.8E-02	1.05E-03	4.97E-05	1.05E-01	1.57E-01	8.17E-07	1.0E+06	8.2E-01
681	10.5989	4.58E-03	4.9E-02	1.05E-03	5.07E-05	1.05E-01	1.57E-01	8.33E-07	1.0E+06	8.3E-01
682	10.7487	4.58E-03	4.9E-02	1.05E-03	5.14E-05	1.05E-01	1.57E-01	8.45E-07	1.0E+06	8.5E-01
683	10.85911	4.58E-03	5.0E-02	1.05E-03	5.19E-05	1.05E-01	1.57E-01	8.54E-07	1.0E+06	8.5E-01
684	10.9435	4.58E-03	5.0E-02	1.05E-03	5.23E-05	1.05E-01	1.57E-01	8.60E-07	1.0E+06	8.6E-01
685	10.99739	4.58E-03	5.0E-02	1.05E-03	5.26E-05	1.05E-01	1.57E-01	8.65E-07	1.0E+06	8.6E-01
686	11.02399	4.58E-03	5.0E-02	1.05E-03	5.27E-05	1.05E-01	1.57E-01	8.67E-07	1.0E+06	8.7E-01
687	11.03343	4.58E-03	5.0E-02	1.05E-03	5.28E-05	1.05E-01	1.57E-01	8.67E-07	1.0E+06	8.7E-01
688	11.03012	4.58E-03	5.0E-02	1.05E-03	5.28E-05	1.05E-01	1.57E-01	8.67E-07	1.0E+06	8.7E-01
689	11.00788	4.58E-03	5.0E-02	1.05E-03	5.27E-05	1.05E-01	1.57E-01	8.65E-07	1.0E+06	8.7E-01
690	10.96701	4.58E-03	5.0E-02	1.05E-03	5.25E-05	1.05E-01	1.57E-01	8.62E-07	1.0E+06	8.6E-01
691	10.90924	4.58E-03	5.0E-02	1.05E-03	5.22E-05	1.05E-01	1.57E-01	8.58E-07	1.0E+06	8.6E-01
692	0.93901	4.58E-03	4.3E-03	1.05E-03	4.49E-06	1.05E-01	1.57E-01	7.38E-08	1.0E+06	7.4E-02
693	0.99508	4.58E-03	4.6E-03	1.05E-03	4.76E-06	1.05E-01	1.57E-01	7.82E-08	1.0E+06	7.8E-02
694	1.05612	4.58E-03	4.8E-03	1.05E-03	5.05E-06	1.05E-01	1.57E-01	8.30E-08	1.0E+06	8.3E-02
695	1.12167	4.58E-03	5.1E-03	1.05E-03	5.37E-06	1.05E-01	1.57E-01	8.82E-08	1.0E+06	8.8E-02
696	1.19382	4.58E-03	5.5E-03	1.05E-03	5.71E-06	1.05E-01	1.57E-01	9.39E-08	1.0E+06	9.4E-02
697	1.27273	4.58E-03	5.8E-03	1.05E-03	6.09E-06	1.05E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
698	1.35929	4.58E-03	6.2E-03	1.05E-03	6.50E-06	1.05E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01
699	1.45608	4.58E-03	6.7E-03	1.05E-03	6.96E-06	1.05E-01	1.57E-01	1.14E-07	1.0E+06	1.1E-01
700	1.57018	4.58E-03	7.2E-03	1.05E-03	7.51E-06	1.05E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
701	1.69898	4.58E-03	7.8E-03	1.05E-03	8.13E-06	1.05E-01	1.57E-01	1.34E-07	1.0E+06	1.3E-01
702	1.84319	4.58E-03	8.4E-03	1.05E-03	8.82E-06	1.05E-01	1.57E-01	1.45E-07	1.0E+06	1.4E-01
703	2.00569	4.58E-03	9.2E-03	1.05E-03	9.59E-06	1.05E-01	1.57E-01	1.58E-07	1.0E+06	1.6E-01
704	2.20067	4.58E-03	1.0E-02	1.05E-03	1.05E-05	1.05E-01	1.57E-01	1.73E-07	1.0E+06	1.7E-01
705	2.41372	4.58E-03	1.1E-02	1.05E-03	1.15E-05	1.05E-01	1.57E-01	1.90E-07	1.0E+06	1.9E-01
706	2.65164	4.58E-03	1.2E-02	1.05E-03	1.27E-05	1.05E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	4.58E-03	1.3E-02	1.05E-03	1.41E-05	1.05E-01	1.57E-01	2.31E-07	1.0E+06	2.3E-01
708	3.2896	4.58E-03	1.5E-02	1.05E-03	1.57E-05	1.05E-01	1.57E-01	2.59E-07	1.0E+06	2.6E-01
709	3.68826	4.58E-03	1.7E-02	1.05E-03	1.76E-05	1.05E-01	1.57E-01	2.90E-07	1.0E+06	2.9E-01
710	4.18126	4.58E-03	1.9E-02	1.05E-03	2.00E-05	1.05E-01	1.57E-01	3.29E-07	1.0E+06	3.3E-01
711	4.72232	4.58E-03	2.2E-02	1.05E-03	2.26E-05	1.05E-01	1.57E-01	3.71E-07	1.0E+06	3.7E-01
712	5.29922	4.58E-03	2.4E-02	1.05E-03	2.53E-05	1.05E-01	1.57E-01	4.17E-07	1.0E+06	4.2E-01
713	5.90104	4.58E-03	2.7E-02	1.05E-03	2.82E-05	1.05E-01	1.57E-01	4.64E-07	1.0E+06	4.6E-01
714	6.49482	4.58E-03	3.0E-02	1.05E-03	3.11E-05	1.05E-01	1.57E-01	5.11E-07	1.0E+06	5.1E-01
715	7.05396	4.58E-03	3.2E-02	1.05E-03	3.37E-05	1.05E-01	1.57E-01	5.55E-07	1.0E+06	5.5E-01
716	7.56531	4.58E-03	3.5E-02	1.05E-03	3.62E-05	1.05E-01	1.57E-01	5.95E-07	1.0E+06	5.9E-01
717	8.02268	4.58E-03	3.7E-02	1.05E-03	3.84E-05	1.05E-01	1.57E-01	6.31E-07	1.0E+06	6.3E-01
718	8.402	4.58E-03	3.8E-02	1.05E-03	4.02E-05	1.05E-01	1.57E-01	6.61E-07	1.0E+06	6.6E-01
719	8.71664	4.58E-03	4.0E-02	1.05E-03	4.17E-05	1.05E-01	1.57E-01	6.85E-07	1.0E+06	6.9E-01
720	8.96577	4.58E-03	4.1E-02	1.05E-03	4.29E-05	1.05E-01	1.57E-01	7.05E-07	1.0E+06	7.0E-01
721	9.16053	4.58E-03	4.2E-02	1.05E-03	4.38E-05	1.05E-01	1.57E-01	7.20E-07	1.0E+06	7.2E-01
722	9.30962	4.58E-03	4.3E-02	1.05E-03	4.45E-05	1.05E-01	1.57E-01	7.32E-07	1.0E+06	7.3E-01
723	9.42495	4.58E-03	4.3E-02	1.05E-03	4.51E-05	1.05E-01	1.57E-01	7.41E-07	1.0E+06	7.4E-01
724	9.51029	4.58E-03	4.4E-02	1.05E-03	4.55E-05	1.05E-01	1.57E-01	7.48E-07	1.0E+06	7.5E-01
725	9.56893	4.58E-03	4.4E-02	1.05E-03	4.58E-05	1.05E-01	1.57E-01	7.52E-07	1.0E+06	7.5E-01
726	9.59872	4.58E-03	4.4E-02	1.05E-03	4.59E-05	1.05E-01	1.57E-01	7.55E-07	1.0E+06	7.5E-01
727	9.61129	4.58E-03	4.4E-02	1.05E-03	4.60E-05	1.05E-01	1.57E-01	7.56E-07	1.0E+06	7.6E-01
728	9.61105	4.58E-03	4.4E-02	1.05E-03	4.60E-05	1.05E-01	1.57E-01	7.56E-07	1.0E+06	7.6E-01
729	9.59379	4.58E-03	4.4E-02	1.05E-03	4.59E-05	1.05E-01	1.57E-01	7.54E-07	1.0E+06	7.5E-01
730	9.55865	4.58E-03	4.4E-02	1.05E-03	4.57E-05	1.05E-01	1.57E-01	7.51E-07	1.0E+06	7.5E-01
731	9.50715	4.58E-03	4.4E-02	1.05E-03	4.55E-05	1.05E-01	1.57E-01	7.47E-07	1.0E+06	7.5E-01
732	0.90373	4.58E-03	4.1E-03	1.05E-03	4.32E-06	1.05E-01	1.57E-01	7.10E-08	1.0E+06	7.1E-02
733	0.95396	4.58E-03	4.4E-03	1.05E-03	4.56E-06	1.05E-01	1.57E-01	7.50E-08	1.0E+06	7.5E-02
734	1.00909	4.58E-03	4.6E-03	1.05E-03	4.83E-06	1.05E-01	1.57E-01	7.93E-08	1.0E+06	7.9E-02
735	1.07021	4.58E-03	4.9E-03	1.05E-03	5.12E-06	1.05E-01	1.57E-01	8.41E-08	1.0E+06	8.4E-02
736	1.13747	4.58E-03	5.2E-03	1.05E-03	5.44E-06	1.05E-01	1.57E-01	8.94E-08	1.0E+06	8.9E-02
737	1.212	4.58E-03	5.5E-03	1.05E-03	5.80E-06	1.05E-01	1.57E-01	9.53E-08	1.0E+06	9.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	4.58E-03	5.9E-03	1.05E-03	6.19E-06	1.05E-01	1.57E-01	1.02E-07	1.0E+06	1.0E-01
739	1.38707	4.58E-03	6.3E-03	1.05E-03	6.63E-06	1.05E-01	1.57E-01	1.09E-07	1.0E+06	1.1E-01
740	1.49283	4.58E-03	6.8E-03	1.05E-03	7.14E-06	1.05E-01	1.57E-01	1.17E-07	1.0E+06	1.2E-01
741	1.61098	4.58E-03	7.4E-03	1.05E-03	7.71E-06	1.05E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
742	1.74199	4.58E-03	8.0E-03	1.05E-03	8.33E-06	1.05E-01	1.57E-01	1.37E-07	1.0E+06	1.4E-01
743	1.88714	4.58E-03	8.6E-03	1.05E-03	9.03E-06	1.05E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
744	2.05276	4.58E-03	9.4E-03	1.05E-03	9.82E-06	1.05E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
745	2.23004	4.58E-03	1.0E-02	1.05E-03	1.07E-05	1.05E-01	1.57E-01	1.75E-07	1.0E+06	1.8E-01
746	2.43234	4.58E-03	1.1E-02	1.05E-03	1.16E-05	1.05E-01	1.57E-01	1.91E-07	1.0E+06	1.9E-01
747	2.6707	4.58E-03	1.2E-02	1.05E-03	1.28E-05	1.05E-01	1.57E-01	2.10E-07	1.0E+06	2.1E-01
748	2.98706	4.58E-03	1.4E-02	1.05E-03	1.43E-05	1.05E-01	1.57E-01	2.35E-07	1.0E+06	2.3E-01
749	3.33587	4.58E-03	1.5E-02	1.05E-03	1.60E-05	1.05E-01	1.57E-01	2.62E-07	1.0E+06	2.6E-01
750	3.73979	4.58E-03	1.7E-02	1.05E-03	1.79E-05	1.05E-01	1.57E-01	2.94E-07	1.0E+06	2.9E-01
751	4.20311	4.58E-03	1.9E-02	1.05E-03	2.01E-05	1.05E-01	1.57E-01	3.30E-07	1.0E+06	3.3E-01
752	4.6967	4.58E-03	2.1E-02	1.05E-03	2.25E-05	1.05E-01	1.57E-01	3.69E-07	1.0E+06	3.7E-01
753	5.19712	4.58E-03	2.4E-02	1.05E-03	2.49E-05	1.05E-01	1.57E-01	4.09E-07	1.0E+06	4.1E-01
754	5.69529	4.58E-03	2.6E-02	1.05E-03	2.72E-05	1.05E-01	1.57E-01	4.48E-07	1.0E+06	4.5E-01
755	6.16683	4.58E-03	2.8E-02	1.05E-03	2.95E-05	1.05E-01	1.57E-01	4.85E-07	1.0E+06	4.8E-01
756	6.59832	4.58E-03	3.0E-02	1.05E-03	3.16E-05	1.05E-01	1.57E-01	5.19E-07	1.0E+06	5.2E-01
757	6.9913	4.58E-03	3.2E-02	1.05E-03	3.34E-05	1.05E-01	1.57E-01	5.50E-07	1.0E+06	5.5E-01
758	7.31882	4.58E-03	3.3E-02	1.05E-03	3.50E-05	1.05E-01	1.57E-01	5.75E-07	1.0E+06	5.8E-01
759	7.59358	4.58E-03	3.5E-02	1.05E-03	3.63E-05	1.05E-01	1.57E-01	5.97E-07	1.0E+06	6.0E-01
760	7.82378	4.58E-03	3.6E-02	1.05E-03	3.74E-05	1.05E-01	1.57E-01	6.15E-07	1.0E+06	6.2E-01
761	8.01055	4.58E-03	3.7E-02	1.05E-03	3.83E-05	1.05E-01	1.57E-01	6.30E-07	1.0E+06	6.3E-01
762	8.15512	4.58E-03	3.7E-02	1.05E-03	3.90E-05	1.05E-01	1.57E-01	6.41E-07	1.0E+06	6.4E-01
763	8.27036	4.58E-03	3.8E-02	1.05E-03	3.96E-05	1.05E-01	1.57E-01	6.50E-07	1.0E+06	6.5E-01
764	8.35543	4.58E-03	3.8E-02	1.05E-03	4.00E-05	1.05E-01	1.57E-01	6.57E-07	1.0E+06	6.6E-01
765	8.41653	4.58E-03	3.9E-02	1.05E-03	4.03E-05	1.05E-01	1.57E-01	6.62E-07	1.0E+06	6.6E-01
766	8.44946	4.58E-03	3.9E-02	1.05E-03	4.04E-05	1.05E-01	1.57E-01	6.64E-07	1.0E+06	6.6E-01
767	8.46498	4.58E-03	3.9E-02	1.05E-03	4.05E-05	1.05E-01	1.57E-01	6.65E-07	1.0E+06	6.7E-01
768	8.46784	4.58E-03	3.9E-02	1.05E-03	4.05E-05	1.05E-01	1.57E-01	6.66E-07	1.0E+06	6.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	4.58E-03	3.9E-02	1.05E-03	4.04E-05	1.05E-01	1.57E-01	6.65E-07	1.0E+06	6.6E-01
770	8.42489	4.58E-03	3.9E-02	1.05E-03	4.03E-05	1.05E-01	1.57E-01	6.62E-07	1.0E+06	6.6E-01
771	8.37939	4.58E-03	3.8E-02	1.05E-03	4.01E-05	1.05E-01	1.57E-01	6.59E-07	1.0E+06	6.6E-01
772	0.87008	4.58E-03	4.0E-03	1.05E-03	4.16E-06	1.05E-01	1.57E-01	6.84E-08	1.0E+06	6.8E-02
773	0.9167	4.58E-03	4.2E-03	1.05E-03	4.38E-06	1.05E-01	1.57E-01	7.21E-08	1.0E+06	7.2E-02
774	0.9677	4.58E-03	4.4E-03	1.05E-03	4.63E-06	1.05E-01	1.57E-01	7.61E-08	1.0E+06	7.6E-02
775	1.0252	4.58E-03	4.7E-03	1.05E-03	4.90E-06	1.05E-01	1.57E-01	8.06E-08	1.0E+06	8.1E-02
776	1.08829	4.58E-03	5.0E-03	1.05E-03	5.21E-06	1.05E-01	1.57E-01	8.56E-08	1.0E+06	8.6E-02
777	1.158	4.58E-03	5.3E-03	1.05E-03	5.54E-06	1.05E-01	1.57E-01	9.10E-08	1.0E+06	9.1E-02
778	1.23498	4.58E-03	5.7E-03	1.05E-03	5.91E-06	1.05E-01	1.57E-01	9.71E-08	1.0E+06	9.7E-02
779	1.32031	4.58E-03	6.0E-03	1.05E-03	6.32E-06	1.05E-01	1.57E-01	1.04E-07	1.0E+06	1.0E-01
780	1.4163	4.58E-03	6.5E-03	1.05E-03	6.77E-06	1.05E-01	1.57E-01	1.11E-07	1.0E+06	1.1E-01
781	1.52369	4.58E-03	7.0E-03	1.05E-03	7.29E-06	1.05E-01	1.57E-01	1.20E-07	1.0E+06	1.2E-01
782	1.64239	4.58E-03	7.5E-03	1.05E-03	7.86E-06	1.05E-01	1.57E-01	1.29E-07	1.0E+06	1.3E-01
783	1.77466	4.58E-03	8.1E-03	1.05E-03	8.49E-06	1.05E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
784	1.92428	4.58E-03	8.8E-03	1.05E-03	9.20E-06	1.05E-01	1.57E-01	1.51E-07	1.0E+06	1.5E-01
785	2.08609	4.58E-03	9.5E-03	1.05E-03	9.98E-06	1.05E-01	1.57E-01	1.64E-07	1.0E+06	1.6E-01
786	2.26894	4.58E-03	1.0E-02	1.05E-03	1.09E-05	1.05E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
787	2.48215	4.58E-03	1.1E-02	1.05E-03	1.19E-05	1.05E-01	1.57E-01	1.95E-07	1.0E+06	2.0E-01
788	2.75097	4.58E-03	1.3E-02	1.05E-03	1.32E-05	1.05E-01	1.57E-01	2.16E-07	1.0E+06	2.2E-01
789	3.04965	4.58E-03	1.4E-02	1.05E-03	1.46E-05	1.05E-01	1.57E-01	2.40E-07	1.0E+06	2.4E-01
790	3.39516	4.58E-03	1.6E-02	1.05E-03	1.62E-05	1.05E-01	1.57E-01	2.67E-07	1.0E+06	2.7E-01
791	3.79037	4.58E-03	1.7E-02	1.05E-03	1.81E-05	1.05E-01	1.57E-01	2.98E-07	1.0E+06	3.0E-01
792	4.19023	4.58E-03	1.9E-02	1.05E-03	2.00E-05	1.05E-01	1.57E-01	3.29E-07	1.0E+06	3.3E-01
793	4.61325	4.58E-03	2.1E-02	1.05E-03	2.21E-05	1.05E-01	1.57E-01	3.63E-07	1.0E+06	3.6E-01
794	5.02437	4.58E-03	2.3E-02	1.05E-03	2.40E-05	1.05E-01	1.57E-01	3.95E-07	1.0E+06	3.9E-01
795	5.42475	4.58E-03	2.5E-02	1.05E-03	2.59E-05	1.05E-01	1.57E-01	4.26E-07	1.0E+06	4.3E-01
796	5.79546	4.58E-03	2.7E-02	1.05E-03	2.77E-05	1.05E-01	1.57E-01	4.56E-07	1.0E+06	4.6E-01
797	6.13759	4.58E-03	2.8E-02	1.05E-03	2.94E-05	1.05E-01	1.57E-01	4.83E-07	1.0E+06	4.8E-01
798	6.42719	4.58E-03	2.9E-02	1.05E-03	3.07E-05	1.05E-01	1.57E-01	5.05E-07	1.0E+06	5.1E-01
799	6.68167	4.58E-03	3.1E-02	1.05E-03	3.20E-05	1.05E-01	1.57E-01	5.25E-07	1.0E+06	5.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	6.8918	4.58E-03	3.2E-02	1.05E-03	3.30E-05	1.05E-01	1.57E-01	5.42E-07	1.0E+06	5.4E-01
801	7.06788	4.58E-03	3.2E-02	1.05E-03	3.38E-05	1.05E-01	1.57E-01	5.56E-07	1.0E+06	5.6E-01
802	7.20727	4.58E-03	3.3E-02	1.05E-03	3.45E-05	1.05E-01	1.57E-01	5.67E-07	1.0E+06	5.7E-01
803	7.3211	4.58E-03	3.4E-02	1.05E-03	3.50E-05	1.05E-01	1.57E-01	5.76E-07	1.0E+06	5.8E-01
804	7.4024	4.58E-03	3.4E-02	1.05E-03	3.54E-05	1.05E-01	1.57E-01	5.82E-07	1.0E+06	5.8E-01
805	7.46545	4.58E-03	3.4E-02	1.05E-03	3.57E-05	1.05E-01	1.57E-01	5.87E-07	1.0E+06	5.9E-01
806	7.50396	4.58E-03	3.4E-02	1.05E-03	3.59E-05	1.05E-01	1.57E-01	5.90E-07	1.0E+06	5.9E-01
807	7.52272	4.58E-03	3.4E-02	1.05E-03	3.60E-05	1.05E-01	1.57E-01	5.91E-07	1.0E+06	5.9E-01
808	7.52855	4.58E-03	3.4E-02	1.05E-03	3.60E-05	1.05E-01	1.57E-01	5.92E-07	1.0E+06	5.9E-01
809	7.51923	4.58E-03	3.4E-02	1.05E-03	3.60E-05	1.05E-01	1.57E-01	5.91E-07	1.0E+06	5.9E-01
810	7.49422	4.58E-03	3.4E-02	1.05E-03	3.58E-05	1.05E-01	1.57E-01	5.89E-07	1.0E+06	5.9E-01
811	7.45447	4.58E-03	3.4E-02	1.05E-03	3.57E-05	1.05E-01	1.57E-01	5.86E-07	1.0E+06	5.9E-01
812	0.83667	4.58E-03	3.8E-03	1.05E-03	4.00E-06	1.05E-01	1.57E-01	6.58E-08	1.0E+06	6.6E-02
813	0.87996	4.58E-03	4.0E-03	1.05E-03	4.21E-06	1.05E-01	1.57E-01	6.92E-08	1.0E+06	6.9E-02
814	0.92737	4.58E-03	4.2E-03	1.05E-03	4.44E-06	1.05E-01	1.57E-01	7.29E-08	1.0E+06	7.3E-02
815	0.9815	4.58E-03	4.5E-03	1.05E-03	4.69E-06	1.05E-01	1.57E-01	7.72E-08	1.0E+06	7.7E-02
816	1.04048	4.58E-03	4.8E-03	1.05E-03	4.98E-06	1.05E-01	1.57E-01	8.18E-08	1.0E+06	8.2E-02
817	1.10543	4.58E-03	5.1E-03	1.05E-03	5.29E-06	1.05E-01	1.57E-01	8.69E-08	1.0E+06	8.7E-02
818	1.17665	4.58E-03	5.4E-03	1.05E-03	5.63E-06	1.05E-01	1.57E-01	9.25E-08	1.0E+06	9.3E-02
819	1.2553	4.58E-03	5.7E-03	1.05E-03	6.00E-06	1.05E-01	1.57E-01	9.87E-08	1.0E+06	9.9E-02
820	1.34252	4.58E-03	6.1E-03	1.05E-03	6.42E-06	1.05E-01	1.57E-01	1.06E-07	1.0E+06	1.1E-01
821	1.43927	4.58E-03	6.6E-03	1.05E-03	6.88E-06	1.05E-01	1.57E-01	1.13E-07	1.0E+06	1.1E-01
822	1.5471	4.58E-03	7.1E-03	1.05E-03	7.40E-06	1.05E-01	1.57E-01	1.22E-07	1.0E+06	1.2E-01
823	1.6679	4.58E-03	7.6E-03	1.05E-03	7.98E-06	1.05E-01	1.57E-01	1.31E-07	1.0E+06	1.3E-01
824	1.80392	4.58E-03	8.3E-03	1.05E-03	8.63E-06	1.05E-01	1.57E-01	1.42E-07	1.0E+06	1.4E-01
825	1.95166	4.58E-03	8.9E-03	1.05E-03	9.34E-06	1.05E-01	1.57E-01	1.53E-07	1.0E+06	1.5E-01
826	2.11861	4.58E-03	9.7E-03	1.05E-03	1.01E-05	1.05E-01	1.57E-01	1.67E-07	1.0E+06	1.7E-01
827	2.31074	4.58E-03	1.1E-02	1.05E-03	1.11E-05	1.05E-01	1.57E-01	1.82E-07	1.0E+06	1.8E-01
828	2.53407	4.58E-03	1.2E-02	1.05E-03	1.21E-05	1.05E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
829	2.79936	4.58E-03	1.3E-02	1.05E-03	1.34E-05	1.05E-01	1.57E-01	2.20E-07	1.0E+06	2.2E-01
830	3.09167	4.58E-03	1.4E-02	1.05E-03	1.48E-05	1.05E-01	1.57E-01	2.43E-07	1.0E+06	2.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	3.41969	4.58E-03	1.6E-02	1.05E-03	1.64E-05	1.05E-01	1.57E-01	2.69E-07	1.0E+06	2.7E-01
832	3.76859	4.58E-03	1.7E-02	1.05E-03	1.80E-05	1.05E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01
833	4.11214	4.58E-03	1.9E-02	1.05E-03	1.97E-05	1.05E-01	1.57E-01	3.23E-07	1.0E+06	3.2E-01
834	4.47011	4.58E-03	2.0E-02	1.05E-03	2.14E-05	1.05E-01	1.57E-01	3.51E-07	1.0E+06	3.5E-01
835	4.80284	4.58E-03	2.2E-02	1.05E-03	2.30E-05	1.05E-01	1.57E-01	3.78E-07	1.0E+06	3.8E-01
836	5.12964	4.58E-03	2.3E-02	1.05E-03	2.45E-05	1.05E-01	1.57E-01	4.03E-07	1.0E+06	4.0E-01
837	5.42636	4.58E-03	2.5E-02	1.05E-03	2.60E-05	1.05E-01	1.57E-01	4.27E-07	1.0E+06	4.3E-01
838	5.69352	4.58E-03	2.6E-02	1.05E-03	2.72E-05	1.05E-01	1.57E-01	4.48E-07	1.0E+06	4.5E-01
839	5.92434	4.58E-03	2.7E-02	1.05E-03	2.83E-05	1.05E-01	1.57E-01	4.66E-07	1.0E+06	4.7E-01
840	6.12416	4.58E-03	2.8E-02	1.05E-03	2.93E-05	1.05E-01	1.57E-01	4.81E-07	1.0E+06	4.8E-01
841	6.28848	4.58E-03	2.9E-02	1.05E-03	3.01E-05	1.05E-01	1.57E-01	4.94E-07	1.0E+06	4.9E-01
842	6.42168	4.58E-03	2.9E-02	1.05E-03	3.07E-05	1.05E-01	1.57E-01	5.05E-07	1.0E+06	5.0E-01
843	6.52867	4.58E-03	3.0E-02	1.05E-03	3.12E-05	1.05E-01	1.57E-01	5.13E-07	1.0E+06	5.1E-01
844	6.61094	4.58E-03	3.0E-02	1.05E-03	3.16E-05	1.05E-01	1.57E-01	5.20E-07	1.0E+06	5.2E-01
845	6.67265	4.58E-03	3.1E-02	1.05E-03	3.19E-05	1.05E-01	1.57E-01	5.25E-07	1.0E+06	5.2E-01
846	6.71443	4.58E-03	3.1E-02	1.05E-03	3.21E-05	1.05E-01	1.57E-01	5.28E-07	1.0E+06	5.3E-01
847	6.73642	4.58E-03	3.1E-02	1.05E-03	3.22E-05	1.05E-01	1.57E-01	5.30E-07	1.0E+06	5.3E-01
848	6.74465	4.58E-03	3.1E-02	1.05E-03	3.23E-05	1.05E-01	1.57E-01	5.30E-07	1.0E+06	5.3E-01
849	6.73873	4.58E-03	3.1E-02	1.05E-03	3.22E-05	1.05E-01	1.57E-01	5.30E-07	1.0E+06	5.3E-01
850	6.71796	4.58E-03	3.1E-02	1.05E-03	3.21E-05	1.05E-01	1.57E-01	5.28E-07	1.0E+06	5.3E-01
851	6.68345	4.58E-03	3.1E-02	1.05E-03	3.20E-05	1.05E-01	1.57E-01	5.25E-07	1.0E+06	5.3E-01
852	0.80369	4.58E-03	3.7E-03	1.05E-03	3.84E-06	1.05E-01	1.57E-01	6.32E-08	1.0E+06	6.3E-02
853	0.84374	4.58E-03	3.9E-03	1.05E-03	4.04E-06	1.05E-01	1.57E-01	6.63E-08	1.0E+06	6.6E-02
854	0.8875	4.58E-03	4.1E-03	1.05E-03	4.25E-06	1.05E-01	1.57E-01	6.98E-08	1.0E+06	7.0E-02
855	0.93841	4.58E-03	4.3E-03	1.05E-03	4.49E-06	1.05E-01	1.57E-01	7.38E-08	1.0E+06	7.4E-02
856	0.99372	4.58E-03	4.5E-03	1.05E-03	4.75E-06	1.05E-01	1.57E-01	7.81E-08	1.0E+06	7.8E-02
857	1.054	4.58E-03	4.8E-03	1.05E-03	5.04E-06	1.05E-01	1.57E-01	8.29E-08	1.0E+06	8.3E-02
858	1.11985	4.58E-03	5.1E-03	1.05E-03	5.36E-06	1.05E-01	1.57E-01	8.80E-08	1.0E+06	8.8E-02
859	1.19203	4.58E-03	5.5E-03	1.05E-03	5.70E-06	1.05E-01	1.57E-01	9.37E-08	1.0E+06	9.4E-02
860	1.27146	4.58E-03	5.8E-03	1.05E-03	6.08E-06	1.05E-01	1.57E-01	1.00E-07	1.0E+06	1.0E-01
861	1.35884	4.58E-03	6.2E-03	1.05E-03	6.50E-06	1.05E-01	1.57E-01	1.07E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	1.45655	4.58E-03	6.7E-03	1.05E-03	6.97E-06	1.05E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
863	1.56677	4.58E-03	7.2E-03	1.05E-03	7.49E-06	1.05E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
864	1.69076	4.58E-03	7.7E-03	1.05E-03	8.09E-06	1.05E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
865	1.82739	4.58E-03	8.4E-03	1.05E-03	8.74E-06	1.05E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
866	1.98096	4.58E-03	9.1E-03	1.05E-03	9.48E-06	1.05E-01	1.57E-01	1.56E-07	1.0E+06	1.6E-01
867	2.15478	4.58E-03	9.9E-03	1.05E-03	1.03E-05	1.05E-01	1.57E-01	1.69E-07	1.0E+06	1.7E-01
868	2.35219	4.58E-03	1.1E-02	1.05E-03	1.13E-05	1.05E-01	1.57E-01	1.85E-07	1.0E+06	1.8E-01
869	2.57258	4.58E-03	1.2E-02	1.05E-03	1.23E-05	1.05E-01	1.57E-01	2.02E-07	1.0E+06	2.0E-01
870	2.8291	4.58E-03	1.3E-02	1.05E-03	1.35E-05	1.05E-01	1.57E-01	2.22E-07	1.0E+06	2.2E-01
871	3.11055	4.58E-03	1.4E-02	1.05E-03	1.49E-05	1.05E-01	1.57E-01	2.45E-07	1.0E+06	2.4E-01
872	3.3954	4.58E-03	1.6E-02	1.05E-03	1.62E-05	1.05E-01	1.57E-01	2.67E-07	1.0E+06	2.7E-01
873	3.69789	4.58E-03	1.7E-02	1.05E-03	1.77E-05	1.05E-01	1.57E-01	2.91E-07	1.0E+06	2.9E-01
874	3.98935	4.58E-03	1.8E-02	1.05E-03	1.91E-05	1.05E-01	1.57E-01	3.14E-07	1.0E+06	3.1E-01
875	4.28834	4.58E-03	2.0E-02	1.05E-03	2.05E-05	1.05E-01	1.57E-01	3.37E-07	1.0E+06	3.4E-01
876	4.56773	4.58E-03	2.1E-02	1.05E-03	2.18E-05	1.05E-01	1.57E-01	3.59E-07	1.0E+06	3.6E-01
877	4.83599	4.58E-03	2.2E-02	1.05E-03	2.31E-05	1.05E-01	1.57E-01	3.80E-07	1.0E+06	3.8E-01
878	5.07551	4.58E-03	2.3E-02	1.05E-03	2.43E-05	1.05E-01	1.57E-01	3.99E-07	1.0E+06	4.0E-01
879	5.29288	4.58E-03	2.4E-02	1.05E-03	2.53E-05	1.05E-01	1.57E-01	4.16E-07	1.0E+06	4.2E-01
880	5.47867	4.58E-03	2.5E-02	1.05E-03	2.62E-05	1.05E-01	1.57E-01	4.31E-07	1.0E+06	4.3E-01
881	5.63107	4.58E-03	2.6E-02	1.05E-03	2.69E-05	1.05E-01	1.57E-01	4.43E-07	1.0E+06	4.4E-01
882	5.75731	4.58E-03	2.6E-02	1.05E-03	2.75E-05	1.05E-01	1.57E-01	4.53E-07	1.0E+06	4.5E-01
883	5.8611	4.58E-03	2.7E-02	1.05E-03	2.80E-05	1.05E-01	1.57E-01	4.61E-07	1.0E+06	4.6E-01
884	5.94181	4.58E-03	2.7E-02	1.05E-03	2.84E-05	1.05E-01	1.57E-01	4.67E-07	1.0E+06	4.7E-01
885	6.00137	4.58E-03	2.7E-02	1.05E-03	2.87E-05	1.05E-01	1.57E-01	4.72E-07	1.0E+06	4.7E-01
886	6.04453	4.58E-03	2.8E-02	1.05E-03	2.89E-05	1.05E-01	1.57E-01	4.75E-07	1.0E+06	4.8E-01
887	6.07103	4.58E-03	2.8E-02	1.05E-03	2.90E-05	1.05E-01	1.57E-01	4.77E-07	1.0E+06	4.8E-01
888	6.08136	4.58E-03	2.8E-02	1.05E-03	2.91E-05	1.05E-01	1.57E-01	4.78E-07	1.0E+06	4.8E-01
889	6.07844	4.58E-03	2.8E-02	1.05E-03	2.91E-05	1.05E-01	1.57E-01	4.78E-07	1.0E+06	4.8E-01
890	6.06163	4.58E-03	2.8E-02	1.05E-03	2.90E-05	1.05E-01	1.57E-01	4.77E-07	1.0E+06	4.8E-01
891	6.03191	4.58E-03	2.8E-02	1.05E-03	2.89E-05	1.05E-01	1.57E-01	4.74E-07	1.0E+06	4.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
521	5	1.20E-02
522	5	1.23E-02
523	5	1.49E-02
524	5	1.24E-02
525	5	1.23E-02
526	5	1.25E-02
527	5	1.50E-02
528	5	1.25E-02
529	5	1.23E-02
530	5	1.24E-02
531	5	1.48E-02
532	5	9.71E-04
533	5	1.03E-03
534	5	1.10E-03
535	5	1.18E-03
536	5	1.26E-03
537	5	1.35E-03
538	5	1.46E-03
539	5	1.58E-03
540	5	1.71E-03
541	5	1.88E-03
542	5	2.06E-03
543	5	2.28E-03
544	5	2.54E-03
545	5	2.85E-03
546	5	3.24E-03
547	5	3.72E-03
548	5	4.34E-03
549	5	5.15E-03
550	5	6.20E-03
551	5	7.51E-03

Max	Receptor #	
0.015	527	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
552	5	8.97E-03
553	5	7.36E-03
554	5	1.17E-02
555	5	1.29E-02
556	5	1.40E-02
557	5	1.18E-02
558	5	1.19E-02
559	5	1.22E-02
560	5	1.27E-02
561	5	1.04E-02
562	5	1.29E-02
563	5	1.28E-02
564	5	1.31E-02
565	5	1.07E-02
566	5	1.31E-02
567	5	1.29E-02
568	5	1.32E-02
569	5	1.07E-02
570	5	1.30E-02
571	5	1.28E-02
572	5	9.47E-04
573	5	1.01E-03
574	5	1.08E-03
575	5	1.15E-03
576	5	1.23E-03
577	5	1.31E-03
578	5	1.41E-03
579	5	1.52E-03
580	5	1.65E-03
581	5	1.80E-03
582	5	1.98E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
583	5	2.18E-03
584	5	2.42E-03
585	5	2.70E-03
586	5	3.04E-03
587	5	3.46E-03
588	5	3.98E-03
589	5	4.63E-03
590	5	5.45E-03
591	5	6.42E-03
592	5	7.49E-03
593	5	8.57E-03
594	5	9.59E-03
595	5	1.05E-02
596	5	1.14E-02
597	5	1.21E-02
598	5	1.27E-02
599	5	1.32E-02
600	5	1.34E-02
601	5	1.36E-02
602	5	1.37E-02
603	5	1.38E-02
604	5	1.39E-02
605	5	1.39E-02
606	5	1.39E-02
607	5	1.39E-02
608	5	1.39E-02
609	5	1.39E-02
610	5	1.38E-02
611	5	1.38E-02
612	5	9.22E-04
613	5	9.83E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
614	5	1.05E-03
615	5	1.12E-03
616	5	1.19E-03
617	5	1.27E-03
618	5	1.36E-03
619	5	1.46E-03
620	5	1.58E-03
621	5	1.73E-03
622	5	1.89E-03
623	5	2.08E-03
624	5	2.30E-03
625	5	2.55E-03
626	5	2.85E-03
627	5	3.21E-03
628	5	3.65E-03
629	5	4.18E-03
630	5	4.83E-03
631	5	5.57E-03
632	5	6.39E-03
633	5	7.23E-03
634	5	8.04E-03
635	5	8.79E-03
636	5	9.47E-03
637	5	1.01E-02
638	5	1.06E-02
639	5	1.09E-02
640	5	1.12E-02
641	5	1.14E-02
642	5	1.15E-02
643	5	1.16E-02
644	5	1.17E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
645	5	1.17E-02
646	5	1.17E-02
647	5	1.18E-02
648	5	1.17E-02
649	5	1.17E-02
650	5	1.17E-02
651	5	1.16E-02
652	5	8.91E-04
653	5	9.48E-04
654	5	1.01E-03
655	5	1.07E-03
656	5	1.14E-03
657	5	1.22E-03
658	5	1.30E-03
659	5	1.40E-03
660	5	1.51E-03
661	5	1.64E-03
662	5	1.79E-03
663	5	1.96E-03
664	5	2.16E-03
665	5	2.38E-03
666	5	2.63E-03
667	5	2.94E-03
668	5	3.31E-03
669	5	3.76E-03
670	5	4.29E-03
671	5	4.88E-03
672	5	5.53E-03
673	5	6.20E-03
674	5	6.86E-03
675	5	7.47E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
676	5	8.04E-03
677	5	8.53E-03
678	5	8.94E-03
679	5	9.27E-03
680	5	9.52E-03
681	5	9.70E-03
682	5	9.84E-03
683	5	9.94E-03
684	5	1.00E-02
685	5	1.01E-02
686	5	1.01E-02
687	5	1.01E-02
688	5	1.01E-02
689	5	1.01E-02
690	5	1.00E-02
691	5	9.98E-03
692	5	8.59E-04
693	5	9.11E-04
694	5	9.67E-04
695	5	1.03E-03
696	5	1.09E-03
697	5	1.16E-03
698	5	1.24E-03
699	5	1.33E-03
700	5	1.44E-03
701	5	1.55E-03
702	5	1.69E-03
703	5	1.84E-03
704	5	2.01E-03
705	5	2.21E-03
706	5	2.43E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
707	5	2.69E-03
708	5	3.01E-03
709	5	3.38E-03
710	5	3.83E-03
711	5	4.32E-03
712	5	4.85E-03
713	5	5.40E-03
714	5	5.94E-03
715	5	6.46E-03
716	5	6.92E-03
717	5	7.34E-03
718	5	7.69E-03
719	5	7.98E-03
720	5	8.21E-03
721	5	8.38E-03
722	5	8.52E-03
723	5	8.63E-03
724	5	8.70E-03
725	5	8.76E-03
726	5	8.79E-03
727	5	8.80E-03
728	5	8.80E-03
729	5	8.78E-03
730	5	8.75E-03
731	5	8.70E-03
732	5	8.27E-04
733	5	8.73E-04
734	5	9.24E-04
735	5	9.80E-04
736	5	1.04E-03
737	5	1.11E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
738	5	1.19E-03
739	5	1.27E-03
740	5	1.37E-03
741	5	1.47E-03
742	5	1.59E-03
743	5	1.73E-03
744	5	1.88E-03
745	5	2.04E-03
746	5	2.23E-03
747	5	2.44E-03
748	5	2.73E-03
749	5	3.05E-03
750	5	3.42E-03
751	5	3.85E-03
752	5	4.30E-03
753	5	4.76E-03
754	5	5.21E-03
755	5	5.64E-03
756	5	6.04E-03
757	5	6.40E-03
758	5	6.70E-03
759	5	6.95E-03
760	5	7.16E-03
761	5	7.33E-03
762	5	7.46E-03
763	5	7.57E-03
764	5	7.65E-03
765	5	7.70E-03
766	5	7.73E-03
767	5	7.75E-03
768	5	7.75E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
769	5	7.74E-03
770	5	7.71E-03
771	5	7.67E-03
772	5	7.96E-04
773	5	8.39E-04
774	5	8.86E-04
775	5	9.38E-04
776	5	9.96E-04
777	5	1.06E-03
778	5	1.13E-03
779	5	1.21E-03
780	5	1.30E-03
781	5	1.39E-03
782	5	1.50E-03
783	5	1.62E-03
784	5	1.76E-03
785	5	1.91E-03
786	5	2.08E-03
787	5	2.27E-03
788	5	2.52E-03
789	5	2.79E-03
790	5	3.11E-03
791	5	3.47E-03
792	5	3.84E-03
793	5	4.22E-03
794	5	4.60E-03
795	5	4.96E-03
796	5	5.30E-03
797	5	5.62E-03
798	5	5.88E-03
799	5	6.12E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
800	5	6.31E-03
801	5	6.47E-03
802	5	6.60E-03
803	5	6.70E-03
804	5	6.78E-03
805	5	6.83E-03
806	5	6.87E-03
807	5	6.89E-03
808	5	6.89E-03
809	5	6.88E-03
810	5	6.86E-03
811	5	6.82E-03
812	5	7.66E-04
813	5	8.05E-04
814	5	8.49E-04
815	5	8.98E-04
816	5	9.52E-04
817	5	1.01E-03
818	5	1.08E-03
819	5	1.15E-03
820	5	1.23E-03
821	5	1.32E-03
822	5	1.42E-03
823	5	1.53E-03
824	5	1.65E-03
825	5	1.79E-03
826	5	1.94E-03
827	5	2.11E-03
828	5	2.32E-03
829	5	2.56E-03
830	5	2.83E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
831	5	3.13E-03
832	5	3.45E-03
833	5	3.76E-03
834	5	4.09E-03
835	5	4.40E-03
836	5	4.69E-03
837	5	4.97E-03
838	5	5.21E-03
839	5	5.42E-03
840	5	5.61E-03
841	5	5.76E-03
842	5	5.88E-03
843	5	5.98E-03
844	5	6.05E-03
845	5	6.11E-03
846	5	6.15E-03
847	5	6.17E-03
848	5	6.17E-03
849	5	6.17E-03
850	5	6.15E-03
851	5	6.12E-03
852	5	7.36E-04
853	5	7.72E-04
854	5	8.12E-04
855	5	8.59E-04
856	5	9.10E-04
857	5	9.65E-04
858	5	1.02E-03
859	5	1.09E-03
860	5	1.16E-03
861	5	1.24E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
862	5	1.33E-03
863	5	1.43E-03
864	5	1.55E-03
865	5	1.67E-03
866	5	1.81E-03
867	5	1.97E-03
868	5	2.15E-03
869	5	2.35E-03
870	5	2.59E-03
871	5	2.85E-03
872	5	3.11E-03
873	5	3.38E-03
874	5	3.65E-03
875	5	3.92E-03
876	5	4.18E-03
877	5	4.43E-03
878	5	4.65E-03
879	5	4.84E-03
880	5	5.01E-03
881	5	5.15E-03
882	5	5.27E-03
883	5	5.36E-03
884	5	5.44E-03
885	5	5.49E-03
886	5	5.53E-03
887	5	5.56E-03
888	5	5.57E-03
889	5	5.56E-03
890	5	5.55E-03
891	5	5.52E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	1.90E-02	2.5E-01	1.05E-03	2.62E-04	2.09E-01	1.57E-01	8.60E-06	1.0E+06	8.6E+00
522	13.42671	1.90E-02	2.6E-01	1.05E-03	2.67E-04	2.09E-01	1.57E-01	8.77E-06	1.0E+06	8.8E+00
523	16.26152	1.90E-02	3.1E-01	1.05E-03	3.23E-04	2.09E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
524	13.55962	1.90E-02	2.6E-01	1.05E-03	2.69E-04	2.09E-01	1.57E-01	8.86E-06	1.0E+06	8.9E+00
525	13.41509	1.90E-02	2.6E-01	1.05E-03	2.67E-04	2.09E-01	1.57E-01	8.76E-06	1.0E+06	8.8E+00
526	13.62851	1.90E-02	2.6E-01	1.05E-03	2.71E-04	2.09E-01	1.57E-01	8.90E-06	1.0E+06	8.9E+00
527	16.3735	1.90E-02	3.1E-01	1.05E-03	3.25E-04	2.09E-01	1.57E-01	1.07E-05	1.0E+06	1.1E+01
528	13.61294	1.90E-02	2.6E-01	1.05E-03	2.71E-04	2.09E-01	1.57E-01	8.89E-06	1.0E+06	8.9E+00
529	13.39753	1.90E-02	2.5E-01	1.05E-03	2.66E-04	2.09E-01	1.57E-01	8.75E-06	1.0E+06	8.8E+00
530	13.5313	1.90E-02	2.6E-01	1.05E-03	2.69E-04	2.09E-01	1.57E-01	8.84E-06	1.0E+06	8.8E+00
531	16.18516	1.90E-02	3.1E-01	1.05E-03	3.22E-04	2.09E-01	1.57E-01	1.06E-05	1.0E+06	1.1E+01
532	1.06064	1.90E-02	2.0E-02	1.05E-03	2.11E-05	2.09E-01	1.57E-01	6.93E-07	1.0E+06	6.9E-01
533	1.12869	1.90E-02	2.1E-02	1.05E-03	2.24E-05	2.09E-01	1.57E-01	7.37E-07	1.0E+06	7.4E-01
534	1.20356	1.90E-02	2.3E-02	1.05E-03	2.39E-05	2.09E-01	1.57E-01	7.86E-07	1.0E+06	7.9E-01
535	1.28482	1.90E-02	2.4E-02	1.05E-03	2.55E-05	2.09E-01	1.57E-01	8.39E-07	1.0E+06	8.4E-01
536	1.37567	1.90E-02	2.6E-02	1.05E-03	2.73E-05	2.09E-01	1.57E-01	8.99E-07	1.0E+06	9.0E-01
537	1.47718	1.90E-02	2.8E-02	1.05E-03	2.94E-05	2.09E-01	1.57E-01	9.65E-07	1.0E+06	9.7E-01
538	1.59013	1.90E-02	3.0E-02	1.05E-03	3.16E-05	2.09E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
539	1.72154	1.90E-02	3.3E-02	1.05E-03	3.42E-05	2.09E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
540	1.8733	1.90E-02	3.6E-02	1.05E-03	3.72E-05	2.09E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
541	2.05003	1.90E-02	3.9E-02	1.05E-03	4.07E-05	2.09E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
542	2.25442	1.90E-02	4.3E-02	1.05E-03	4.48E-05	2.09E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
543	2.49287	1.90E-02	4.7E-02	1.05E-03	4.95E-05	2.09E-01	1.57E-01	1.63E-06	1.0E+06	1.6E+00
544	2.77968	1.90E-02	5.3E-02	1.05E-03	5.52E-05	2.09E-01	1.57E-01	1.82E-06	1.0E+06	1.8E+00
545	3.11924	1.90E-02	5.9E-02	1.05E-03	6.20E-05	2.09E-01	1.57E-01	2.04E-06	1.0E+06	2.0E+00
546	3.53809	1.90E-02	6.7E-02	1.05E-03	7.03E-05	2.09E-01	1.57E-01	2.31E-06	1.0E+06	2.3E+00
547	4.06193	1.90E-02	7.7E-02	1.05E-03	8.07E-05	2.09E-01	1.57E-01	2.65E-06	1.0E+06	2.7E+00
548	4.73759	1.90E-02	9.0E-02	1.05E-03	9.42E-05	2.09E-01	1.57E-01	3.10E-06	1.0E+06	3.1E+00
549	5.62222	1.90E-02	1.1E-01	1.05E-03	1.12E-04	2.09E-01	1.57E-01	3.67E-06	1.0E+06	3.7E+00
550	6.77661	1.90E-02	1.3E-01	1.05E-03	1.35E-04	2.09E-01	1.57E-01	4.43E-06	1.0E+06	4.4E+00
551	8.20231	1.90E-02	1.6E-01	1.05E-03	1.63E-04	2.09E-01	1.57E-01	5.36E-06	1.0E+06	5.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	1.90E-02	1.9E-01	1.05E-03	1.95E-04	2.09E-01	1.57E-01	6.40E-06	1.0E+06	6.4E+00
553	8.04055	1.90E-02	1.5E-01	1.05E-03	1.60E-04	2.09E-01	1.57E-01	5.25E-06	1.0E+06	5.3E+00
554	12.82783	1.90E-02	2.4E-01	1.05E-03	2.55E-04	2.09E-01	1.57E-01	8.38E-06	1.0E+06	8.4E+00
555	14.09872	1.90E-02	2.7E-01	1.05E-03	2.80E-04	2.09E-01	1.57E-01	9.21E-06	1.0E+06	9.2E+00
556	15.24682	1.90E-02	2.9E-01	1.05E-03	3.03E-04	2.09E-01	1.57E-01	9.96E-06	1.0E+06	1.0E+01
557	12.89666	1.90E-02	2.5E-01	1.05E-03	2.56E-04	2.09E-01	1.57E-01	8.43E-06	1.0E+06	8.4E+00
558	13.02033	1.90E-02	2.5E-01	1.05E-03	2.59E-04	2.09E-01	1.57E-01	8.51E-06	1.0E+06	8.5E+00
559	13.29197	1.90E-02	2.5E-01	1.05E-03	2.64E-04	2.09E-01	1.57E-01	8.68E-06	1.0E+06	8.7E+00
560	13.87535	1.90E-02	2.6E-01	1.05E-03	2.76E-04	2.09E-01	1.57E-01	9.06E-06	1.0E+06	9.1E+00
561	11.36418	1.90E-02	2.2E-01	1.05E-03	2.26E-04	2.09E-01	1.57E-01	7.42E-06	1.0E+06	7.4E+00
562	14.14145	1.90E-02	2.7E-01	1.05E-03	2.81E-04	2.09E-01	1.57E-01	9.24E-06	1.0E+06	9.2E+00
563	13.97398	1.90E-02	2.7E-01	1.05E-03	2.78E-04	2.09E-01	1.57E-01	9.13E-06	1.0E+06	9.1E+00
564	14.31429	1.90E-02	2.7E-01	1.05E-03	2.84E-04	2.09E-01	1.57E-01	9.35E-06	1.0E+06	9.4E+00
565	11.68449	1.90E-02	2.2E-01	1.05E-03	2.32E-04	2.09E-01	1.57E-01	7.63E-06	1.0E+06	7.6E+00
566	14.33447	1.90E-02	2.7E-01	1.05E-03	2.85E-04	2.09E-01	1.57E-01	9.36E-06	1.0E+06	9.4E+00
567	14.10794	1.90E-02	2.7E-01	1.05E-03	2.80E-04	2.09E-01	1.57E-01	9.22E-06	1.0E+06	9.2E+00
568	14.3734	1.90E-02	2.7E-01	1.05E-03	2.86E-04	2.09E-01	1.57E-01	9.39E-06	1.0E+06	9.4E+00
569	11.67986	1.90E-02	2.2E-01	1.05E-03	2.32E-04	2.09E-01	1.57E-01	7.63E-06	1.0E+06	7.6E+00
570	14.24165	1.90E-02	2.7E-01	1.05E-03	2.83E-04	2.09E-01	1.57E-01	9.30E-06	1.0E+06	9.3E+00
571	13.93759	1.90E-02	2.7E-01	1.05E-03	2.77E-04	2.09E-01	1.57E-01	9.11E-06	1.0E+06	9.1E+00
572	1.03466	1.90E-02	2.0E-02	1.05E-03	2.06E-05	2.09E-01	1.57E-01	6.76E-07	1.0E+06	6.8E-01
573	1.10194	1.90E-02	2.1E-02	1.05E-03	2.19E-05	2.09E-01	1.57E-01	7.20E-07	1.0E+06	7.2E-01
574	1.17546	1.90E-02	2.2E-02	1.05E-03	2.34E-05	2.09E-01	1.57E-01	7.68E-07	1.0E+06	7.7E-01
575	1.25335	1.90E-02	2.4E-02	1.05E-03	2.49E-05	2.09E-01	1.57E-01	8.19E-07	1.0E+06	8.2E-01
576	1.34	1.90E-02	2.5E-02	1.05E-03	2.66E-05	2.09E-01	1.57E-01	8.75E-07	1.0E+06	8.8E-01
577	1.43451	1.90E-02	2.7E-02	1.05E-03	2.85E-05	2.09E-01	1.57E-01	9.37E-07	1.0E+06	9.4E-01
578	1.53878	1.90E-02	2.9E-02	1.05E-03	3.06E-05	2.09E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
579	1.65936	1.90E-02	3.2E-02	1.05E-03	3.30E-05	2.09E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
580	1.80491	1.90E-02	3.4E-02	1.05E-03	3.59E-05	2.09E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
581	1.96968	1.90E-02	3.7E-02	1.05E-03	3.91E-05	2.09E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
582	2.16146	1.90E-02	4.1E-02	1.05E-03	4.30E-05	2.09E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	1.90E-02	4.5E-02	1.05E-03	4.74E-05	2.09E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
584	2.64683	1.90E-02	5.0E-02	1.05E-03	5.26E-05	2.09E-01	1.57E-01	1.73E-06	1.0E+06	1.7E+00
585	2.95313	1.90E-02	5.6E-02	1.05E-03	5.87E-05	2.09E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
586	3.32209	1.90E-02	6.3E-02	1.05E-03	6.60E-05	2.09E-01	1.57E-01	2.17E-06	1.0E+06	2.2E+00
587	3.77754	1.90E-02	7.2E-02	1.05E-03	7.51E-05	2.09E-01	1.57E-01	2.47E-06	1.0E+06	2.5E+00
588	4.3458	1.90E-02	8.3E-02	1.05E-03	8.64E-05	2.09E-01	1.57E-01	2.84E-06	1.0E+06	2.8E+00
589	5.06316	1.90E-02	9.6E-02	1.05E-03	1.01E-04	2.09E-01	1.57E-01	3.31E-06	1.0E+06	3.3E+00
590	5.95537	1.90E-02	1.1E-01	1.05E-03	1.18E-04	2.09E-01	1.57E-01	3.89E-06	1.0E+06	3.9E+00
591	7.01638	1.90E-02	1.3E-01	1.05E-03	1.39E-04	2.09E-01	1.57E-01	4.58E-06	1.0E+06	4.6E+00
592	8.18332	1.90E-02	1.6E-01	1.05E-03	1.63E-04	2.09E-01	1.57E-01	5.35E-06	1.0E+06	5.3E+00
593	9.36805	1.90E-02	1.8E-01	1.05E-03	1.86E-04	2.09E-01	1.57E-01	6.12E-06	1.0E+06	6.1E+00
594	10.48234	1.90E-02	2.0E-01	1.05E-03	2.08E-04	2.09E-01	1.57E-01	6.85E-06	1.0E+06	6.8E+00
595	11.50388	1.90E-02	2.2E-01	1.05E-03	2.29E-04	2.09E-01	1.57E-01	7.52E-06	1.0E+06	7.5E+00
596	12.42412	1.90E-02	2.4E-01	1.05E-03	2.47E-04	2.09E-01	1.57E-01	8.12E-06	1.0E+06	8.1E+00
597	13.24333	1.90E-02	2.5E-01	1.05E-03	2.63E-04	2.09E-01	1.57E-01	8.65E-06	1.0E+06	8.7E+00
598	13.90912	1.90E-02	2.6E-01	1.05E-03	2.76E-04	2.09E-01	1.57E-01	9.09E-06	1.0E+06	9.1E+00
599	14.36838	1.90E-02	2.7E-01	1.05E-03	2.86E-04	2.09E-01	1.57E-01	9.39E-06	1.0E+06	9.4E+00
600	14.66246	1.90E-02	2.8E-01	1.05E-03	2.91E-04	2.09E-01	1.57E-01	9.58E-06	1.0E+06	9.6E+00
601	14.85988	1.90E-02	2.8E-01	1.05E-03	2.95E-04	2.09E-01	1.57E-01	9.71E-06	1.0E+06	9.7E+00
602	15.00029	1.90E-02	2.9E-01	1.05E-03	2.98E-04	2.09E-01	1.57E-01	9.80E-06	1.0E+06	9.8E+00
603	15.09006	1.90E-02	2.9E-01	1.05E-03	3.00E-04	2.09E-01	1.57E-01	9.86E-06	1.0E+06	9.9E+00
604	15.14878	1.90E-02	2.9E-01	1.05E-03	3.01E-04	2.09E-01	1.57E-01	9.90E-06	1.0E+06	9.9E+00
605	15.17959	1.90E-02	2.9E-01	1.05E-03	3.02E-04	2.09E-01	1.57E-01	9.92E-06	1.0E+06	9.9E+00
606	15.21155	1.90E-02	2.9E-01	1.05E-03	3.02E-04	2.09E-01	1.57E-01	9.94E-06	1.0E+06	9.9E+00
607	15.21847	1.90E-02	2.9E-01	1.05E-03	3.02E-04	2.09E-01	1.57E-01	9.94E-06	1.0E+06	9.9E+00
608	15.19797	1.90E-02	2.9E-01	1.05E-03	3.02E-04	2.09E-01	1.57E-01	9.93E-06	1.0E+06	9.9E+00
609	15.15562	1.90E-02	2.9E-01	1.05E-03	3.01E-04	2.09E-01	1.57E-01	9.90E-06	1.0E+06	9.9E+00
610	15.11091	1.90E-02	2.9E-01	1.05E-03	3.00E-04	2.09E-01	1.57E-01	9.87E-06	1.0E+06	9.9E+00
611	15.04171	1.90E-02	2.9E-01	1.05E-03	2.99E-04	2.09E-01	1.57E-01	9.83E-06	1.0E+06	9.8E+00
612	1.00789	1.90E-02	1.9E-02	1.05E-03	2.00E-05	2.09E-01	1.57E-01	6.58E-07	1.0E+06	6.6E-01
613	1.07444	1.90E-02	2.0E-02	1.05E-03	2.14E-05	2.09E-01	1.57E-01	7.02E-07	1.0E+06	7.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	1.90E-02	2.2E-02	1.05E-03	2.28E-05	2.09E-01	1.57E-01	7.49E-07	1.0E+06	7.5E-01
615	1.22081	1.90E-02	2.3E-02	1.05E-03	2.43E-05	2.09E-01	1.57E-01	7.98E-07	1.0E+06	8.0E-01
616	1.30327	1.90E-02	2.5E-02	1.05E-03	2.59E-05	2.09E-01	1.57E-01	8.51E-07	1.0E+06	8.5E-01
617	1.39136	1.90E-02	2.6E-02	1.05E-03	2.77E-05	2.09E-01	1.57E-01	9.09E-07	1.0E+06	9.1E-01
618	1.48675	1.90E-02	2.8E-02	1.05E-03	2.95E-05	2.09E-01	1.57E-01	9.71E-07	1.0E+06	9.7E-01
619	1.59425	1.90E-02	3.0E-02	1.05E-03	3.17E-05	2.09E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
620	1.72719	1.90E-02	3.3E-02	1.05E-03	3.43E-05	2.09E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
621	1.88709	1.90E-02	3.6E-02	1.05E-03	3.75E-05	2.09E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
622	2.06451	1.90E-02	3.9E-02	1.05E-03	4.10E-05	2.09E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
623	2.27045	1.90E-02	4.3E-02	1.05E-03	4.51E-05	2.09E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
624	2.51142	1.90E-02	4.8E-02	1.05E-03	4.99E-05	2.09E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
625	2.78618	1.90E-02	5.3E-02	1.05E-03	5.54E-05	2.09E-01	1.57E-01	1.82E-06	1.0E+06	1.8E+00
626	3.11158	1.90E-02	5.9E-02	1.05E-03	6.18E-05	2.09E-01	1.57E-01	2.03E-06	1.0E+06	2.0E+00
627	3.50447	1.90E-02	6.7E-02	1.05E-03	6.96E-05	2.09E-01	1.57E-01	2.29E-06	1.0E+06	2.3E+00
628	3.98435	1.90E-02	7.6E-02	1.05E-03	7.92E-05	2.09E-01	1.57E-01	2.60E-06	1.0E+06	2.6E+00
629	4.56893	1.90E-02	8.7E-02	1.05E-03	9.08E-05	2.09E-01	1.57E-01	2.98E-06	1.0E+06	3.0E+00
630	5.27449	1.90E-02	1.0E-01	1.05E-03	1.05E-04	2.09E-01	1.57E-01	3.45E-06	1.0E+06	3.4E+00
631	6.08982	1.90E-02	1.2E-01	1.05E-03	1.21E-04	2.09E-01	1.57E-01	3.98E-06	1.0E+06	4.0E+00
632	6.98008	1.90E-02	1.3E-01	1.05E-03	1.39E-04	2.09E-01	1.57E-01	4.56E-06	1.0E+06	4.6E+00
633	7.89728	1.90E-02	1.5E-01	1.05E-03	1.57E-04	2.09E-01	1.57E-01	5.16E-06	1.0E+06	5.2E+00
634	8.7815	1.90E-02	1.7E-01	1.05E-03	1.75E-04	2.09E-01	1.57E-01	5.74E-06	1.0E+06	5.7E+00
635	9.60354	1.90E-02	1.8E-01	1.05E-03	1.91E-04	2.09E-01	1.57E-01	6.27E-06	1.0E+06	6.3E+00
636	10.35005	1.90E-02	2.0E-01	1.05E-03	2.06E-04	2.09E-01	1.57E-01	6.76E-06	1.0E+06	6.8E+00
637	11.00384	1.90E-02	2.1E-01	1.05E-03	2.19E-04	2.09E-01	1.57E-01	7.19E-06	1.0E+06	7.2E+00
638	11.54147	1.90E-02	2.2E-01	1.05E-03	2.29E-04	2.09E-01	1.57E-01	7.54E-06	1.0E+06	7.5E+00
639	11.94826	1.90E-02	2.3E-01	1.05E-03	2.37E-04	2.09E-01	1.57E-01	7.81E-06	1.0E+06	7.8E+00
640	12.23382	1.90E-02	2.3E-01	1.05E-03	2.43E-04	2.09E-01	1.57E-01	7.99E-06	1.0E+06	8.0E+00
641	12.43817	1.90E-02	2.4E-01	1.05E-03	2.47E-04	2.09E-01	1.57E-01	8.13E-06	1.0E+06	8.1E+00
642	12.5835	1.90E-02	2.4E-01	1.05E-03	2.50E-04	2.09E-01	1.57E-01	8.22E-06	1.0E+06	8.2E+00
643	12.6861	1.90E-02	2.4E-01	1.05E-03	2.52E-04	2.09E-01	1.57E-01	8.29E-06	1.0E+06	8.3E+00
644	12.7652	1.90E-02	2.4E-01	1.05E-03	2.54E-04	2.09E-01	1.57E-01	8.34E-06	1.0E+06	8.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	1.90E-02	2.4E-01	1.05E-03	2.55E-04	2.09E-01	1.57E-01	8.37E-06	1.0E+06	8.4E+00
646	12.83596	1.90E-02	2.4E-01	1.05E-03	2.55E-04	2.09E-01	1.57E-01	8.39E-06	1.0E+06	8.4E+00
647	12.84298	1.90E-02	2.4E-01	1.05E-03	2.55E-04	2.09E-01	1.57E-01	8.39E-06	1.0E+06	8.4E+00
648	12.83467	1.90E-02	2.4E-01	1.05E-03	2.55E-04	2.09E-01	1.57E-01	8.38E-06	1.0E+06	8.4E+00
649	12.80559	1.90E-02	2.4E-01	1.05E-03	2.54E-04	2.09E-01	1.57E-01	8.37E-06	1.0E+06	8.4E+00
650	12.75963	1.90E-02	2.4E-01	1.05E-03	2.54E-04	2.09E-01	1.57E-01	8.34E-06	1.0E+06	8.3E+00
651	12.69539	1.90E-02	2.4E-01	1.05E-03	2.52E-04	2.09E-01	1.57E-01	8.29E-06	1.0E+06	8.3E+00
652	0.97402	1.90E-02	1.9E-02	1.05E-03	1.94E-05	2.09E-01	1.57E-01	6.36E-07	1.0E+06	6.4E-01
653	1.03573	1.90E-02	2.0E-02	1.05E-03	2.06E-05	2.09E-01	1.57E-01	6.77E-07	1.0E+06	6.8E-01
654	1.1025	1.90E-02	2.1E-02	1.05E-03	2.19E-05	2.09E-01	1.57E-01	7.20E-07	1.0E+06	7.2E-01
655	1.17235	1.90E-02	2.2E-02	1.05E-03	2.33E-05	2.09E-01	1.57E-01	7.66E-07	1.0E+06	7.7E-01
656	1.24971	1.90E-02	2.4E-02	1.05E-03	2.48E-05	2.09E-01	1.57E-01	8.16E-07	1.0E+06	8.2E-01
657	1.33283	1.90E-02	2.5E-02	1.05E-03	2.65E-05	2.09E-01	1.57E-01	8.71E-07	1.0E+06	8.7E-01
658	1.42351	1.90E-02	2.7E-02	1.05E-03	2.83E-05	2.09E-01	1.57E-01	9.30E-07	1.0E+06	9.3E-01
659	1.52535	1.90E-02	2.9E-02	1.05E-03	3.03E-05	2.09E-01	1.57E-01	9.97E-07	1.0E+06	1.0E+00
660	1.64887	1.90E-02	3.1E-02	1.05E-03	3.28E-05	2.09E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
661	1.78831	1.90E-02	3.4E-02	1.05E-03	3.55E-05	2.09E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
662	1.95291	1.90E-02	3.7E-02	1.05E-03	3.88E-05	2.09E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
663	2.14059	1.90E-02	4.1E-02	1.05E-03	4.25E-05	2.09E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
664	2.35977	1.90E-02	4.5E-02	1.05E-03	4.69E-05	2.09E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
665	2.59747	1.90E-02	4.9E-02	1.05E-03	5.16E-05	2.09E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
666	2.8754	1.90E-02	5.5E-02	1.05E-03	5.71E-05	2.09E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
667	3.21769	1.90E-02	6.1E-02	1.05E-03	6.39E-05	2.09E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
668	3.61969	1.90E-02	6.9E-02	1.05E-03	7.19E-05	2.09E-01	1.57E-01	2.36E-06	1.0E+06	2.4E+00
669	4.10847	1.90E-02	7.8E-02	1.05E-03	8.17E-05	2.09E-01	1.57E-01	2.68E-06	1.0E+06	2.7E+00
670	4.68552	1.90E-02	8.9E-02	1.05E-03	9.31E-05	2.09E-01	1.57E-01	3.06E-06	1.0E+06	3.1E+00
671	5.33428	1.90E-02	1.0E-01	1.05E-03	1.06E-04	2.09E-01	1.57E-01	3.48E-06	1.0E+06	3.5E+00
672	6.04383	1.90E-02	1.1E-01	1.05E-03	1.20E-04	2.09E-01	1.57E-01	3.95E-06	1.0E+06	3.9E+00
673	6.77602	1.90E-02	1.3E-01	1.05E-03	1.35E-04	2.09E-01	1.57E-01	4.43E-06	1.0E+06	4.4E+00
674	7.4948	1.90E-02	1.4E-01	1.05E-03	1.49E-04	2.09E-01	1.57E-01	4.90E-06	1.0E+06	4.9E+00
675	8.16492	1.90E-02	1.6E-01	1.05E-03	1.62E-04	2.09E-01	1.57E-01	5.33E-06	1.0E+06	5.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	1.90E-02	1.7E-01	1.05E-03	1.75E-04	2.09E-01	1.57E-01	5.74E-06	1.0E+06	5.7E+00
677	9.32065	1.90E-02	1.8E-01	1.05E-03	1.85E-04	2.09E-01	1.57E-01	6.09E-06	1.0E+06	6.1E+00
678	9.77043	1.90E-02	1.9E-01	1.05E-03	1.94E-04	2.09E-01	1.57E-01	6.38E-06	1.0E+06	6.4E+00
679	10.12687	1.90E-02	1.9E-01	1.05E-03	2.01E-04	2.09E-01	1.57E-01	6.62E-06	1.0E+06	6.6E+00
680	10.39762	1.90E-02	2.0E-01	1.05E-03	2.07E-04	2.09E-01	1.57E-01	6.79E-06	1.0E+06	6.8E+00
681	10.5989	1.90E-02	2.0E-01	1.05E-03	2.11E-04	2.09E-01	1.57E-01	6.92E-06	1.0E+06	6.9E+00
682	10.7487	1.90E-02	2.0E-01	1.05E-03	2.14E-04	2.09E-01	1.57E-01	7.02E-06	1.0E+06	7.0E+00
683	10.85911	1.90E-02	2.1E-01	1.05E-03	2.16E-04	2.09E-01	1.57E-01	7.09E-06	1.0E+06	7.1E+00
684	10.9435	1.90E-02	2.1E-01	1.05E-03	2.17E-04	2.09E-01	1.57E-01	7.15E-06	1.0E+06	7.1E+00
685	10.99739	1.90E-02	2.1E-01	1.05E-03	2.19E-04	2.09E-01	1.57E-01	7.18E-06	1.0E+06	7.2E+00
686	11.02399	1.90E-02	2.1E-01	1.05E-03	2.19E-04	2.09E-01	1.57E-01	7.20E-06	1.0E+06	7.2E+00
687	11.03343	1.90E-02	2.1E-01	1.05E-03	2.19E-04	2.09E-01	1.57E-01	7.21E-06	1.0E+06	7.2E+00
688	11.03012	1.90E-02	2.1E-01	1.05E-03	2.19E-04	2.09E-01	1.57E-01	7.21E-06	1.0E+06	7.2E+00
689	11.00788	1.90E-02	2.1E-01	1.05E-03	2.19E-04	2.09E-01	1.57E-01	7.19E-06	1.0E+06	7.2E+00
690	10.96701	1.90E-02	2.1E-01	1.05E-03	2.18E-04	2.09E-01	1.57E-01	7.16E-06	1.0E+06	7.2E+00
691	10.90924	1.90E-02	2.1E-01	1.05E-03	2.17E-04	2.09E-01	1.57E-01	7.13E-06	1.0E+06	7.1E+00
692	0.93901	1.90E-02	1.8E-02	1.05E-03	1.87E-05	2.09E-01	1.57E-01	6.13E-07	1.0E+06	6.1E-01
693	0.99508	1.90E-02	1.9E-02	1.05E-03	1.98E-05	2.09E-01	1.57E-01	6.50E-07	1.0E+06	6.5E-01
694	1.05612	1.90E-02	2.0E-02	1.05E-03	2.10E-05	2.09E-01	1.57E-01	6.90E-07	1.0E+06	6.9E-01
695	1.12167	1.90E-02	2.1E-02	1.05E-03	2.23E-05	2.09E-01	1.57E-01	7.33E-07	1.0E+06	7.3E-01
696	1.19382	1.90E-02	2.3E-02	1.05E-03	2.37E-05	2.09E-01	1.57E-01	7.80E-07	1.0E+06	7.8E-01
697	1.27273	1.90E-02	2.4E-02	1.05E-03	2.53E-05	2.09E-01	1.57E-01	8.31E-07	1.0E+06	8.3E-01
698	1.35929	1.90E-02	2.6E-02	1.05E-03	2.70E-05	2.09E-01	1.57E-01	8.88E-07	1.0E+06	8.9E-01
699	1.45608	1.90E-02	2.8E-02	1.05E-03	2.89E-05	2.09E-01	1.57E-01	9.51E-07	1.0E+06	9.5E-01
700	1.57018	1.90E-02	3.0E-02	1.05E-03	3.12E-05	2.09E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
701	1.69898	1.90E-02	3.2E-02	1.05E-03	3.38E-05	2.09E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
702	1.84319	1.90E-02	3.5E-02	1.05E-03	3.66E-05	2.09E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
703	2.00569	1.90E-02	3.8E-02	1.05E-03	3.99E-05	2.09E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
704	2.20067	1.90E-02	4.2E-02	1.05E-03	4.37E-05	2.09E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
705	2.41372	1.90E-02	4.6E-02	1.05E-03	4.80E-05	2.09E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
706	2.65164	1.90E-02	5.0E-02	1.05E-03	5.27E-05	2.09E-01	1.57E-01	1.73E-06	1.0E+06	1.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	1.90E-02	5.6E-02	1.05E-03	5.85E-05	2.09E-01	1.57E-01	1.92E-06	1.0E+06	1.9E+00
708	3.2896	1.90E-02	6.3E-02	1.05E-03	6.54E-05	2.09E-01	1.57E-01	2.15E-06	1.0E+06	2.1E+00
709	3.68826	1.90E-02	7.0E-02	1.05E-03	7.33E-05	2.09E-01	1.57E-01	2.41E-06	1.0E+06	2.4E+00
710	4.18126	1.90E-02	8.0E-02	1.05E-03	8.31E-05	2.09E-01	1.57E-01	2.73E-06	1.0E+06	2.7E+00
711	4.72232	1.90E-02	9.0E-02	1.05E-03	9.39E-05	2.09E-01	1.57E-01	3.09E-06	1.0E+06	3.1E+00
712	5.29922	1.90E-02	1.0E-01	1.05E-03	1.05E-04	2.09E-01	1.57E-01	3.46E-06	1.0E+06	3.5E+00
713	5.90104	1.90E-02	1.1E-01	1.05E-03	1.17E-04	2.09E-01	1.57E-01	3.86E-06	1.0E+06	3.9E+00
714	6.49482	1.90E-02	1.2E-01	1.05E-03	1.29E-04	2.09E-01	1.57E-01	4.24E-06	1.0E+06	4.2E+00
715	7.05396	1.90E-02	1.3E-01	1.05E-03	1.40E-04	2.09E-01	1.57E-01	4.61E-06	1.0E+06	4.6E+00
716	7.56531	1.90E-02	1.4E-01	1.05E-03	1.50E-04	2.09E-01	1.57E-01	4.94E-06	1.0E+06	4.9E+00
717	8.02268	1.90E-02	1.5E-01	1.05E-03	1.59E-04	2.09E-01	1.57E-01	5.24E-06	1.0E+06	5.2E+00
718	8.402	1.90E-02	1.6E-01	1.05E-03	1.67E-04	2.09E-01	1.57E-01	5.49E-06	1.0E+06	5.5E+00
719	8.71664	1.90E-02	1.7E-01	1.05E-03	1.73E-04	2.09E-01	1.57E-01	5.69E-06	1.0E+06	5.7E+00
720	8.96577	1.90E-02	1.7E-01	1.05E-03	1.78E-04	2.09E-01	1.57E-01	5.86E-06	1.0E+06	5.9E+00
721	9.16053	1.90E-02	1.7E-01	1.05E-03	1.82E-04	2.09E-01	1.57E-01	5.98E-06	1.0E+06	6.0E+00
722	9.30962	1.90E-02	1.8E-01	1.05E-03	1.85E-04	2.09E-01	1.57E-01	6.08E-06	1.0E+06	6.1E+00
723	9.42495	1.90E-02	1.8E-01	1.05E-03	1.87E-04	2.09E-01	1.57E-01	6.16E-06	1.0E+06	6.2E+00
724	9.51029	1.90E-02	1.8E-01	1.05E-03	1.89E-04	2.09E-01	1.57E-01	6.21E-06	1.0E+06	6.2E+00
725	9.56893	1.90E-02	1.8E-01	1.05E-03	1.90E-04	2.09E-01	1.57E-01	6.25E-06	1.0E+06	6.3E+00
726	9.59872	1.90E-02	1.8E-01	1.05E-03	1.91E-04	2.09E-01	1.57E-01	6.27E-06	1.0E+06	6.3E+00
727	9.61129	1.90E-02	1.8E-01	1.05E-03	1.91E-04	2.09E-01	1.57E-01	6.28E-06	1.0E+06	6.3E+00
728	9.61105	1.90E-02	1.8E-01	1.05E-03	1.91E-04	2.09E-01	1.57E-01	6.28E-06	1.0E+06	6.3E+00
729	9.59379	1.90E-02	1.8E-01	1.05E-03	1.91E-04	2.09E-01	1.57E-01	6.27E-06	1.0E+06	6.3E+00
730	9.55865	1.90E-02	1.8E-01	1.05E-03	1.90E-04	2.09E-01	1.57E-01	6.24E-06	1.0E+06	6.2E+00
731	9.50715	1.90E-02	1.8E-01	1.05E-03	1.89E-04	2.09E-01	1.57E-01	6.21E-06	1.0E+06	6.2E+00
732	0.90373	1.90E-02	1.7E-02	1.05E-03	1.80E-05	2.09E-01	1.57E-01	5.90E-07	1.0E+06	5.9E-01
733	0.95396	1.90E-02	1.8E-02	1.05E-03	1.90E-05	2.09E-01	1.57E-01	6.23E-07	1.0E+06	6.2E-01
734	1.00909	1.90E-02	1.9E-02	1.05E-03	2.01E-05	2.09E-01	1.57E-01	6.59E-07	1.0E+06	6.6E-01
735	1.07021	1.90E-02	2.0E-02	1.05E-03	2.13E-05	2.09E-01	1.57E-01	6.99E-07	1.0E+06	7.0E-01
736	1.13747	1.90E-02	2.2E-02	1.05E-03	2.26E-05	2.09E-01	1.57E-01	7.43E-07	1.0E+06	7.4E-01
737	1.212	1.90E-02	2.3E-02	1.05E-03	2.41E-05	2.09E-01	1.57E-01	7.92E-07	1.0E+06	7.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	1.90E-02	2.5E-02	1.05E-03	2.57E-05	2.09E-01	1.57E-01	8.46E-07	1.0E+06	8.5E-01
739	1.38707	1.90E-02	2.6E-02	1.05E-03	2.76E-05	2.09E-01	1.57E-01	9.06E-07	1.0E+06	9.1E-01
740	1.49283	1.90E-02	2.8E-02	1.05E-03	2.97E-05	2.09E-01	1.57E-01	9.75E-07	1.0E+06	9.8E-01
741	1.61098	1.90E-02	3.1E-02	1.05E-03	3.20E-05	2.09E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
742	1.74199	1.90E-02	3.3E-02	1.05E-03	3.46E-05	2.09E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
743	1.88714	1.90E-02	3.6E-02	1.05E-03	3.75E-05	2.09E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
744	2.05276	1.90E-02	3.9E-02	1.05E-03	4.08E-05	2.09E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
745	2.23004	1.90E-02	4.2E-02	1.05E-03	4.43E-05	2.09E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
746	2.43234	1.90E-02	4.6E-02	1.05E-03	4.83E-05	2.09E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
747	2.6707	1.90E-02	5.1E-02	1.05E-03	5.31E-05	2.09E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
748	2.98706	1.90E-02	5.7E-02	1.05E-03	5.94E-05	2.09E-01	1.57E-01	1.95E-06	1.0E+06	2.0E+00
749	3.33587	1.90E-02	6.3E-02	1.05E-03	6.63E-05	2.09E-01	1.57E-01	2.18E-06	1.0E+06	2.2E+00
750	3.73979	1.90E-02	7.1E-02	1.05E-03	7.43E-05	2.09E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
751	4.20311	1.90E-02	8.0E-02	1.05E-03	8.35E-05	2.09E-01	1.57E-01	2.75E-06	1.0E+06	2.7E+00
752	4.6967	1.90E-02	8.9E-02	1.05E-03	9.33E-05	2.09E-01	1.57E-01	3.07E-06	1.0E+06	3.1E+00
753	5.19712	1.90E-02	9.9E-02	1.05E-03	1.03E-04	2.09E-01	1.57E-01	3.40E-06	1.0E+06	3.4E+00
754	5.69529	1.90E-02	1.1E-01	1.05E-03	1.13E-04	2.09E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
755	6.16683	1.90E-02	1.2E-01	1.05E-03	1.23E-04	2.09E-01	1.57E-01	4.03E-06	1.0E+06	4.0E+00
756	6.59832	1.90E-02	1.3E-01	1.05E-03	1.31E-04	2.09E-01	1.57E-01	4.31E-06	1.0E+06	4.3E+00
757	6.9913	1.90E-02	1.3E-01	1.05E-03	1.39E-04	2.09E-01	1.57E-01	4.57E-06	1.0E+06	4.6E+00
758	7.31882	1.90E-02	1.4E-01	1.05E-03	1.45E-04	2.09E-01	1.57E-01	4.78E-06	1.0E+06	4.8E+00
759	7.59358	1.90E-02	1.4E-01	1.05E-03	1.51E-04	2.09E-01	1.57E-01	4.96E-06	1.0E+06	5.0E+00
760	7.82378	1.90E-02	1.5E-01	1.05E-03	1.55E-04	2.09E-01	1.57E-01	5.11E-06	1.0E+06	5.1E+00
761	8.01055	1.90E-02	1.5E-01	1.05E-03	1.59E-04	2.09E-01	1.57E-01	5.23E-06	1.0E+06	5.2E+00
762	8.15512	1.90E-02	1.6E-01	1.05E-03	1.62E-04	2.09E-01	1.57E-01	5.33E-06	1.0E+06	5.3E+00
763	8.27036	1.90E-02	1.6E-01	1.05E-03	1.64E-04	2.09E-01	1.57E-01	5.40E-06	1.0E+06	5.4E+00
764	8.35543	1.90E-02	1.6E-01	1.05E-03	1.66E-04	2.09E-01	1.57E-01	5.46E-06	1.0E+06	5.5E+00
765	8.41653	1.90E-02	1.6E-01	1.05E-03	1.67E-04	2.09E-01	1.57E-01	5.50E-06	1.0E+06	5.5E+00
766	8.44946	1.90E-02	1.6E-01	1.05E-03	1.68E-04	2.09E-01	1.57E-01	5.52E-06	1.0E+06	5.5E+00
767	8.46498	1.90E-02	1.6E-01	1.05E-03	1.68E-04	2.09E-01	1.57E-01	5.53E-06	1.0E+06	5.5E+00
768	8.46784	1.90E-02	1.6E-01	1.05E-03	1.68E-04	2.09E-01	1.57E-01	5.53E-06	1.0E+06	5.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	1.90E-02	1.6E-01	1.05E-03	1.68E-04	2.09E-01	1.57E-01	5.52E-06	1.0E+06	5.5E+00
770	8.42489	1.90E-02	1.6E-01	1.05E-03	1.67E-04	2.09E-01	1.57E-01	5.50E-06	1.0E+06	5.5E+00
771	8.37939	1.90E-02	1.6E-01	1.05E-03	1.67E-04	2.09E-01	1.57E-01	5.47E-06	1.0E+06	5.5E+00
772	0.87008	1.90E-02	1.7E-02	1.05E-03	1.73E-05	2.09E-01	1.57E-01	5.68E-07	1.0E+06	5.7E-01
773	0.9167	1.90E-02	1.7E-02	1.05E-03	1.82E-05	2.09E-01	1.57E-01	5.99E-07	1.0E+06	6.0E-01
774	0.9677	1.90E-02	1.8E-02	1.05E-03	1.92E-05	2.09E-01	1.57E-01	6.32E-07	1.0E+06	6.3E-01
775	1.0252	1.90E-02	1.9E-02	1.05E-03	2.04E-05	2.09E-01	1.57E-01	6.70E-07	1.0E+06	6.7E-01
776	1.08829	1.90E-02	2.1E-02	1.05E-03	2.16E-05	2.09E-01	1.57E-01	7.11E-07	1.0E+06	7.1E-01
777	1.158	1.90E-02	2.2E-02	1.05E-03	2.30E-05	2.09E-01	1.57E-01	7.57E-07	1.0E+06	7.6E-01
778	1.23498	1.90E-02	2.3E-02	1.05E-03	2.45E-05	2.09E-01	1.57E-01	8.07E-07	1.0E+06	8.1E-01
779	1.32031	1.90E-02	2.5E-02	1.05E-03	2.62E-05	2.09E-01	1.57E-01	8.63E-07	1.0E+06	8.6E-01
780	1.4163	1.90E-02	2.7E-02	1.05E-03	2.81E-05	2.09E-01	1.57E-01	9.25E-07	1.0E+06	9.3E-01
781	1.52369	1.90E-02	2.9E-02	1.05E-03	3.03E-05	2.09E-01	1.57E-01	9.95E-07	1.0E+06	1.0E+00
782	1.64239	1.90E-02	3.1E-02	1.05E-03	3.26E-05	2.09E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
783	1.77466	1.90E-02	3.4E-02	1.05E-03	3.53E-05	2.09E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
784	1.92428	1.90E-02	3.7E-02	1.05E-03	3.82E-05	2.09E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
785	2.08609	1.90E-02	4.0E-02	1.05E-03	4.15E-05	2.09E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
786	2.26894	1.90E-02	4.3E-02	1.05E-03	4.51E-05	2.09E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
787	2.48215	1.90E-02	4.7E-02	1.05E-03	4.93E-05	2.09E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
788	2.75097	1.90E-02	5.2E-02	1.05E-03	5.47E-05	2.09E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
789	3.04965	1.90E-02	5.8E-02	1.05E-03	6.06E-05	2.09E-01	1.57E-01	1.99E-06	1.0E+06	2.0E+00
790	3.39516	1.90E-02	6.5E-02	1.05E-03	6.75E-05	2.09E-01	1.57E-01	2.22E-06	1.0E+06	2.2E+00
791	3.79037	1.90E-02	7.2E-02	1.05E-03	7.53E-05	2.09E-01	1.57E-01	2.48E-06	1.0E+06	2.5E+00
792	4.19023	1.90E-02	8.0E-02	1.05E-03	8.33E-05	2.09E-01	1.57E-01	2.74E-06	1.0E+06	2.7E+00
793	4.61325	1.90E-02	8.8E-02	1.05E-03	9.17E-05	2.09E-01	1.57E-01	3.01E-06	1.0E+06	3.0E+00
794	5.02437	1.90E-02	9.6E-02	1.05E-03	9.99E-05	2.09E-01	1.57E-01	3.28E-06	1.0E+06	3.3E+00
795	5.42475	1.90E-02	1.0E-01	1.05E-03	1.08E-04	2.09E-01	1.57E-01	3.54E-06	1.0E+06	3.5E+00
796	5.79546	1.90E-02	1.1E-01	1.05E-03	1.15E-04	2.09E-01	1.57E-01	3.79E-06	1.0E+06	3.8E+00
797	6.13759	1.90E-02	1.2E-01	1.05E-03	1.22E-04	2.09E-01	1.57E-01	4.01E-06	1.0E+06	4.0E+00
798	6.42719	1.90E-02	1.2E-01	1.05E-03	1.28E-04	2.09E-01	1.57E-01	4.20E-06	1.0E+06	4.2E+00
799	6.68167	1.90E-02	1.3E-01	1.05E-03	1.33E-04	2.09E-01	1.57E-01	4.37E-06	1.0E+06	4.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	6.8918	1.90E-02	1.3E-01	1.05E-03	1.37E-04	2.09E-01	1.57E-01	4.50E-06	1.0E+06	4.5E+00
801	7.06788	1.90E-02	1.3E-01	1.05E-03	1.40E-04	2.09E-01	1.57E-01	4.62E-06	1.0E+06	4.6E+00
802	7.20727	1.90E-02	1.4E-01	1.05E-03	1.43E-04	2.09E-01	1.57E-01	4.71E-06	1.0E+06	4.7E+00
803	7.3211	1.90E-02	1.4E-01	1.05E-03	1.45E-04	2.09E-01	1.57E-01	4.78E-06	1.0E+06	4.8E+00
804	7.4024	1.90E-02	1.4E-01	1.05E-03	1.47E-04	2.09E-01	1.57E-01	4.84E-06	1.0E+06	4.8E+00
805	7.46545	1.90E-02	1.4E-01	1.05E-03	1.48E-04	2.09E-01	1.57E-01	4.88E-06	1.0E+06	4.9E+00
806	7.50396	1.90E-02	1.4E-01	1.05E-03	1.49E-04	2.09E-01	1.57E-01	4.90E-06	1.0E+06	4.9E+00
807	7.52272	1.90E-02	1.4E-01	1.05E-03	1.50E-04	2.09E-01	1.57E-01	4.91E-06	1.0E+06	4.9E+00
808	7.52855	1.90E-02	1.4E-01	1.05E-03	1.50E-04	2.09E-01	1.57E-01	4.92E-06	1.0E+06	4.9E+00
809	7.51923	1.90E-02	1.4E-01	1.05E-03	1.49E-04	2.09E-01	1.57E-01	4.91E-06	1.0E+06	4.9E+00
810	7.49422	1.90E-02	1.4E-01	1.05E-03	1.49E-04	2.09E-01	1.57E-01	4.90E-06	1.0E+06	4.9E+00
811	7.45447	1.90E-02	1.4E-01	1.05E-03	1.48E-04	2.09E-01	1.57E-01	4.87E-06	1.0E+06	4.9E+00
812	0.83667	1.90E-02	1.6E-02	1.05E-03	1.66E-05	2.09E-01	1.57E-01	5.47E-07	1.0E+06	5.5E-01
813	0.87996	1.90E-02	1.7E-02	1.05E-03	1.75E-05	2.09E-01	1.57E-01	5.75E-07	1.0E+06	5.7E-01
814	0.92737	1.90E-02	1.8E-02	1.05E-03	1.84E-05	2.09E-01	1.57E-01	6.06E-07	1.0E+06	6.1E-01
815	0.9815	1.90E-02	1.9E-02	1.05E-03	1.95E-05	2.09E-01	1.57E-01	6.41E-07	1.0E+06	6.4E-01
816	1.04048	1.90E-02	2.0E-02	1.05E-03	2.07E-05	2.09E-01	1.57E-01	6.80E-07	1.0E+06	6.8E-01
817	1.10543	1.90E-02	2.1E-02	1.05E-03	2.20E-05	2.09E-01	1.57E-01	7.22E-07	1.0E+06	7.2E-01
818	1.17665	1.90E-02	2.2E-02	1.05E-03	2.34E-05	2.09E-01	1.57E-01	7.69E-07	1.0E+06	7.7E-01
819	1.2553	1.90E-02	2.4E-02	1.05E-03	2.49E-05	2.09E-01	1.57E-01	8.20E-07	1.0E+06	8.2E-01
820	1.34252	1.90E-02	2.6E-02	1.05E-03	2.67E-05	2.09E-01	1.57E-01	8.77E-07	1.0E+06	8.8E-01
821	1.43927	1.90E-02	2.7E-02	1.05E-03	2.86E-05	2.09E-01	1.57E-01	9.40E-07	1.0E+06	9.4E-01
822	1.5471	1.90E-02	2.9E-02	1.05E-03	3.07E-05	2.09E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
823	1.6679	1.90E-02	3.2E-02	1.05E-03	3.31E-05	2.09E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
824	1.80392	1.90E-02	3.4E-02	1.05E-03	3.59E-05	2.09E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
825	1.95166	1.90E-02	3.7E-02	1.05E-03	3.88E-05	2.09E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
826	2.11861	1.90E-02	4.0E-02	1.05E-03	4.21E-05	2.09E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
827	2.31074	1.90E-02	4.4E-02	1.05E-03	4.59E-05	2.09E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
828	2.53407	1.90E-02	4.8E-02	1.05E-03	5.04E-05	2.09E-01	1.57E-01	1.66E-06	1.0E+06	1.7E+00
829	2.79936	1.90E-02	5.3E-02	1.05E-03	5.56E-05	2.09E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
830	3.09167	1.90E-02	5.9E-02	1.05E-03	6.14E-05	2.09E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	3.41969	1.90E-02	6.5E-02	1.05E-03	6.80E-05	2.09E-01	1.57E-01	2.23E-06	1.0E+06	2.2E+00
832	3.76859	1.90E-02	7.2E-02	1.05E-03	7.49E-05	2.09E-01	1.57E-01	2.46E-06	1.0E+06	2.5E+00
833	4.11214	1.90E-02	7.8E-02	1.05E-03	8.17E-05	2.09E-01	1.57E-01	2.69E-06	1.0E+06	2.7E+00
834	4.47011	1.90E-02	8.5E-02	1.05E-03	8.88E-05	2.09E-01	1.57E-01	2.92E-06	1.0E+06	2.9E+00
835	4.80284	1.90E-02	9.1E-02	1.05E-03	9.55E-05	2.09E-01	1.57E-01	3.14E-06	1.0E+06	3.1E+00
836	5.12964	1.90E-02	9.8E-02	1.05E-03	1.02E-04	2.09E-01	1.57E-01	3.35E-06	1.0E+06	3.4E+00
837	5.42636	1.90E-02	1.0E-01	1.05E-03	1.08E-04	2.09E-01	1.57E-01	3.55E-06	1.0E+06	3.5E+00
838	5.69352	1.90E-02	1.1E-01	1.05E-03	1.13E-04	2.09E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
839	5.92434	1.90E-02	1.1E-01	1.05E-03	1.18E-04	2.09E-01	1.57E-01	3.87E-06	1.0E+06	3.9E+00
840	6.12416	1.90E-02	1.2E-01	1.05E-03	1.22E-04	2.09E-01	1.57E-01	4.00E-06	1.0E+06	4.0E+00
841	6.28848	1.90E-02	1.2E-01	1.05E-03	1.25E-04	2.09E-01	1.57E-01	4.11E-06	1.0E+06	4.1E+00
842	6.42168	1.90E-02	1.2E-01	1.05E-03	1.28E-04	2.09E-01	1.57E-01	4.20E-06	1.0E+06	4.2E+00
843	6.52867	1.90E-02	1.2E-01	1.05E-03	1.30E-04	2.09E-01	1.57E-01	4.27E-06	1.0E+06	4.3E+00
844	6.61094	1.90E-02	1.3E-01	1.05E-03	1.31E-04	2.09E-01	1.57E-01	4.32E-06	1.0E+06	4.3E+00
845	6.67265	1.90E-02	1.3E-01	1.05E-03	1.33E-04	2.09E-01	1.57E-01	4.36E-06	1.0E+06	4.4E+00
846	6.71443	1.90E-02	1.3E-01	1.05E-03	1.33E-04	2.09E-01	1.57E-01	4.39E-06	1.0E+06	4.4E+00
847	6.73642	1.90E-02	1.3E-01	1.05E-03	1.34E-04	2.09E-01	1.57E-01	4.40E-06	1.0E+06	4.4E+00
848	6.74465	1.90E-02	1.3E-01	1.05E-03	1.34E-04	2.09E-01	1.57E-01	4.41E-06	1.0E+06	4.4E+00
849	6.73873	1.90E-02	1.3E-01	1.05E-03	1.34E-04	2.09E-01	1.57E-01	4.40E-06	1.0E+06	4.4E+00
850	6.71796	1.90E-02	1.3E-01	1.05E-03	1.34E-04	2.09E-01	1.57E-01	4.39E-06	1.0E+06	4.4E+00
851	6.68345	1.90E-02	1.3E-01	1.05E-03	1.33E-04	2.09E-01	1.57E-01	4.37E-06	1.0E+06	4.4E+00
852	0.80369	1.90E-02	1.5E-02	1.05E-03	1.60E-05	2.09E-01	1.57E-01	5.25E-07	1.0E+06	5.3E-01
853	0.84374	1.90E-02	1.6E-02	1.05E-03	1.68E-05	2.09E-01	1.57E-01	5.51E-07	1.0E+06	5.5E-01
854	0.8875	1.90E-02	1.7E-02	1.05E-03	1.76E-05	2.09E-01	1.57E-01	5.80E-07	1.0E+06	5.8E-01
855	0.93841	1.90E-02	1.8E-02	1.05E-03	1.86E-05	2.09E-01	1.57E-01	6.13E-07	1.0E+06	6.1E-01
856	0.99372	1.90E-02	1.9E-02	1.05E-03	1.97E-05	2.09E-01	1.57E-01	6.49E-07	1.0E+06	6.5E-01
857	1.054	1.90E-02	2.0E-02	1.05E-03	2.09E-05	2.09E-01	1.57E-01	6.89E-07	1.0E+06	6.9E-01
858	1.11985	1.90E-02	2.1E-02	1.05E-03	2.23E-05	2.09E-01	1.57E-01	7.32E-07	1.0E+06	7.3E-01
859	1.19203	1.90E-02	2.3E-02	1.05E-03	2.37E-05	2.09E-01	1.57E-01	7.79E-07	1.0E+06	7.8E-01
860	1.27146	1.90E-02	2.4E-02	1.05E-03	2.53E-05	2.09E-01	1.57E-01	8.31E-07	1.0E+06	8.3E-01
861	1.35884	1.90E-02	2.6E-02	1.05E-03	2.70E-05	2.09E-01	1.57E-01	8.88E-07	1.0E+06	8.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	1.45655	1.90E-02	2.8E-02	1.05E-03	2.89E-05	2.09E-01	1.57E-01	9.52E-07	1.0E+06	9.5E-01
863	1.56677	1.90E-02	3.0E-02	1.05E-03	3.11E-05	2.09E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
864	1.69076	1.90E-02	3.2E-02	1.05E-03	3.36E-05	2.09E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
865	1.82739	1.90E-02	3.5E-02	1.05E-03	3.63E-05	2.09E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
866	1.98096	1.90E-02	3.8E-02	1.05E-03	3.94E-05	2.09E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
867	2.15478	1.90E-02	4.1E-02	1.05E-03	4.28E-05	2.09E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
868	2.35219	1.90E-02	4.5E-02	1.05E-03	4.67E-05	2.09E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
869	2.57258	1.90E-02	4.9E-02	1.05E-03	5.11E-05	2.09E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
870	2.8291	1.90E-02	5.4E-02	1.05E-03	5.62E-05	2.09E-01	1.57E-01	1.85E-06	1.0E+06	1.8E+00
871	3.11055	1.90E-02	5.9E-02	1.05E-03	6.18E-05	2.09E-01	1.57E-01	2.03E-06	1.0E+06	2.0E+00
872	3.3954	1.90E-02	6.5E-02	1.05E-03	6.75E-05	2.09E-01	1.57E-01	2.22E-06	1.0E+06	2.2E+00
873	3.69789	1.90E-02	7.0E-02	1.05E-03	7.35E-05	2.09E-01	1.57E-01	2.42E-06	1.0E+06	2.4E+00
874	3.98935	1.90E-02	7.6E-02	1.05E-03	7.93E-05	2.09E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
875	4.28834	1.90E-02	8.2E-02	1.05E-03	8.52E-05	2.09E-01	1.57E-01	2.80E-06	1.0E+06	2.8E+00
876	4.56773	1.90E-02	8.7E-02	1.05E-03	9.08E-05	2.09E-01	1.57E-01	2.98E-06	1.0E+06	3.0E+00
877	4.83599	1.90E-02	9.2E-02	1.05E-03	9.61E-05	2.09E-01	1.57E-01	3.16E-06	1.0E+06	3.2E+00
878	5.07551	1.90E-02	9.7E-02	1.05E-03	1.01E-04	2.09E-01	1.57E-01	3.32E-06	1.0E+06	3.3E+00
879	5.29288	1.90E-02	1.0E-01	1.05E-03	1.05E-04	2.09E-01	1.57E-01	3.46E-06	1.0E+06	3.5E+00
880	5.47867	1.90E-02	1.0E-01	1.05E-03	1.09E-04	2.09E-01	1.57E-01	3.58E-06	1.0E+06	3.6E+00
881	5.63107	1.90E-02	1.1E-01	1.05E-03	1.12E-04	2.09E-01	1.57E-01	3.68E-06	1.0E+06	3.7E+00
882	5.75731	1.90E-02	1.1E-01	1.05E-03	1.14E-04	2.09E-01	1.57E-01	3.76E-06	1.0E+06	3.8E+00
883	5.8611	1.90E-02	1.1E-01	1.05E-03	1.16E-04	2.09E-01	1.57E-01	3.83E-06	1.0E+06	3.8E+00
884	5.94181	1.90E-02	1.1E-01	1.05E-03	1.18E-04	2.09E-01	1.57E-01	3.88E-06	1.0E+06	3.9E+00
885	6.00137	1.90E-02	1.1E-01	1.05E-03	1.19E-04	2.09E-01	1.57E-01	3.92E-06	1.0E+06	3.9E+00
886	6.04453	1.90E-02	1.1E-01	1.05E-03	1.20E-04	2.09E-01	1.57E-01	3.95E-06	1.0E+06	3.9E+00
887	6.07103	1.90E-02	1.2E-01	1.05E-03	1.21E-04	2.09E-01	1.57E-01	3.97E-06	1.0E+06	4.0E+00
888	6.08136	1.90E-02	1.2E-01	1.05E-03	1.21E-04	2.09E-01	1.57E-01	3.97E-06	1.0E+06	4.0E+00
889	6.07844	1.90E-02	1.2E-01	1.05E-03	1.21E-04	2.09E-01	1.57E-01	3.97E-06	1.0E+06	4.0E+00
890	6.06163	1.90E-02	1.2E-01	1.05E-03	1.20E-04	2.09E-01	1.57E-01	3.96E-06	1.0E+06	4.0E+00
891	6.03191	1.90E-02	1.1E-01	1.05E-03	1.20E-04	2.09E-01	1.57E-01	3.94E-06	1.0E+06	3.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	8.12153	9.50706E-06	7.7E-05	1.05E-03	8.07E-08	2.09E-01	1.57E-01	2.65E-09	1.0E+06	2.7E-03
522	522	8.28781	9.50706E-06	7.9E-05	1.05E-03	8.24E-08	2.09E-01	1.57E-01	2.71E-09	1.0E+06	2.7E-03
523	523	8.4173	9.50706E-06	8.0E-05	1.05E-03	8.36E-08	2.09E-01	1.57E-01	2.75E-09	1.0E+06	2.7E-03
524	524	8.51629	9.50706E-06	8.1E-05	1.05E-03	8.46E-08	2.09E-01	1.57E-01	2.78E-09	1.0E+06	2.8E-03
525	525	8.59062	9.50706E-06	8.2E-05	1.05E-03	8.54E-08	2.09E-01	1.57E-01	2.81E-09	1.0E+06	2.8E-03
526	526	8.63979	9.50706E-06	8.2E-05	1.05E-03	8.59E-08	2.09E-01	1.57E-01	2.82E-09	1.0E+06	2.8E-03
527	527	8.67076	9.50706E-06	8.2E-05	1.05E-03	8.62E-08	2.09E-01	1.57E-01	2.83E-09	1.0E+06	2.8E-03
528	528	8.68193	9.50706E-06	8.3E-05	1.05E-03	8.63E-08	2.09E-01	1.57E-01	2.84E-09	1.0E+06	2.8E-03
529	529	8.67659	9.50706E-06	8.2E-05	1.05E-03	8.62E-08	2.09E-01	1.57E-01	2.83E-09	1.0E+06	2.8E-03
530	530	8.65547	9.50706E-06	8.2E-05	1.05E-03	8.60E-08	2.09E-01	1.57E-01	2.83E-09	1.0E+06	2.8E-03
531	531	8.61928	9.50706E-06	8.2E-05	1.05E-03	8.56E-08	2.09E-01	1.57E-01	2.82E-09	1.0E+06	2.8E-03
532	532	0.90601	9.50706E-06	8.6E-06	1.05E-03	9.00E-09	2.09E-01	1.57E-01	2.96E-10	1.0E+06	3.0E-04
533	533	0.95812	9.50706E-06	9.1E-06	1.05E-03	9.52E-09	2.09E-01	1.57E-01	3.13E-10	1.0E+06	3.1E-04
534	534	1.01448	9.50706E-06	9.6E-06	1.05E-03	1.01E-08	2.09E-01	1.57E-01	3.31E-10	1.0E+06	3.3E-04
535	535	1.07414	9.50706E-06	1.0E-05	1.05E-03	1.07E-08	2.09E-01	1.57E-01	3.51E-10	1.0E+06	3.5E-04
536	536	1.13953	9.50706E-06	1.1E-05	1.05E-03	1.13E-08	2.09E-01	1.57E-01	3.72E-10	1.0E+06	3.7E-04
537	537	1.21514	9.50706E-06	1.2E-05	1.05E-03	1.21E-08	2.09E-01	1.57E-01	3.97E-10	1.0E+06	4.0E-04
538	538	1.29235	9.50706E-06	1.2E-05	1.05E-03	1.28E-08	2.09E-01	1.57E-01	4.22E-10	1.0E+06	4.2E-04
539	539	1.37769	9.50706E-06	1.3E-05	1.05E-03	1.37E-08	2.09E-01	1.57E-01	4.50E-10	1.0E+06	4.5E-04
540	540	1.47715	9.50706E-06	1.4E-05	1.05E-03	1.47E-08	2.09E-01	1.57E-01	4.83E-10	1.0E+06	4.8E-04
541	541	1.58508	9.50706E-06	1.5E-05	1.05E-03	1.58E-08	2.09E-01	1.57E-01	5.18E-10	1.0E+06	5.2E-04
542	542	1.70757	9.50706E-06	1.6E-05	1.05E-03	1.70E-08	2.09E-01	1.57E-01	5.58E-10	1.0E+06	5.6E-04
543	543	1.84409	9.50706E-06	1.8E-05	1.05E-03	1.83E-08	2.09E-01	1.57E-01	6.02E-10	1.0E+06	6.0E-04
544	544	1.99507	9.50706E-06	1.9E-05	1.05E-03	1.98E-08	2.09E-01	1.57E-01	6.52E-10	1.0E+06	6.5E-04
545	545	2.16577	9.50706E-06	2.1E-05	1.05E-03	2.15E-08	2.09E-01	1.57E-01	7.07E-10	1.0E+06	7.1E-04
546	546	2.35726	9.50706E-06	2.2E-05	1.05E-03	2.34E-08	2.09E-01	1.57E-01	7.70E-10	1.0E+06	7.7E-04
547	547	2.57757	9.50706E-06	2.5E-05	1.05E-03	2.56E-08	2.09E-01	1.57E-01	8.42E-10	1.0E+06	8.4E-04
548	548	2.82723	9.50706E-06	2.7E-05	1.05E-03	2.81E-08	2.09E-01	1.57E-01	9.23E-10	1.0E+06	9.2E-04
549	549	3.11442	9.50706E-06	3.0E-05	1.05E-03	3.09E-08	2.09E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
550	550	3.43777	9.50706E-06	3.3E-05	1.05E-03	3.42E-08	2.09E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
551	551	3.7997	9.50706E-06	3.6E-05	1.05E-03	3.78E-08	2.09E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	4.19174	9.50706E-06	4.0E-05	1.05E-03	4.17E-08	2.09E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03
553	553	4.60011	9.50706E-06	4.4E-05	1.05E-03	4.57E-08	2.09E-01	1.57E-01	1.50E-09	1.0E+06	1.5E-03
554	554	5.01693	9.50706E-06	4.8E-05	1.05E-03	4.99E-08	2.09E-01	1.57E-01	1.64E-09	1.0E+06	1.6E-03
555	555	5.42448	9.50706E-06	5.2E-05	1.05E-03	5.39E-08	2.09E-01	1.57E-01	1.77E-09	1.0E+06	1.8E-03
556	556	5.80992	9.50706E-06	5.5E-05	1.05E-03	5.77E-08	2.09E-01	1.57E-01	1.90E-09	1.0E+06	1.9E-03
557	557	6.16705	9.50706E-06	5.9E-05	1.05E-03	6.13E-08	2.09E-01	1.57E-01	2.01E-09	1.0E+06	2.0E-03
558	558	6.48282	9.50706E-06	6.2E-05	1.05E-03	6.44E-08	2.09E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
559	559	6.75814	9.50706E-06	6.4E-05	1.05E-03	6.72E-08	2.09E-01	1.57E-01	2.21E-09	1.0E+06	2.2E-03
560	560	6.99071	9.50706E-06	6.6E-05	1.05E-03	6.95E-08	2.09E-01	1.57E-01	2.28E-09	1.0E+06	2.3E-03
561	561	7.18159	9.50706E-06	6.8E-05	1.05E-03	7.14E-08	2.09E-01	1.57E-01	2.35E-09	1.0E+06	2.3E-03
562	562	7.33656	9.50706E-06	7.0E-05	1.05E-03	7.29E-08	2.09E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
563	563	7.46447	9.50706E-06	7.1E-05	1.05E-03	7.42E-08	2.09E-01	1.57E-01	2.44E-09	1.0E+06	2.4E-03
564	564	7.56258	9.50706E-06	7.2E-05	1.05E-03	7.51E-08	2.09E-01	1.57E-01	2.47E-09	1.0E+06	2.5E-03
565	565	7.63729	9.50706E-06	7.3E-05	1.05E-03	7.59E-08	2.09E-01	1.57E-01	2.49E-09	1.0E+06	2.5E-03
566	566	7.68738	9.50706E-06	7.3E-05	1.05E-03	7.64E-08	2.09E-01	1.57E-01	2.51E-09	1.0E+06	2.5E-03
567	567	7.72022	9.50706E-06	7.3E-05	1.05E-03	7.67E-08	2.09E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
568	568	7.73497	9.50706E-06	7.4E-05	1.05E-03	7.69E-08	2.09E-01	1.57E-01	2.53E-09	1.0E+06	2.5E-03
569	569	7.73421	9.50706E-06	7.4E-05	1.05E-03	7.69E-08	2.09E-01	1.57E-01	2.53E-09	1.0E+06	2.5E-03
570	570	7.71854	9.50706E-06	7.3E-05	1.05E-03	7.67E-08	2.09E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
571	571	7.68844	9.50706E-06	7.3E-05	1.05E-03	7.64E-08	2.09E-01	1.57E-01	2.51E-09	1.0E+06	2.5E-03
572	572	0.88123	9.50706E-06	8.4E-06	1.05E-03	8.76E-09	2.09E-01	1.57E-01	2.88E-10	1.0E+06	2.9E-04
573	573	0.93251	9.50706E-06	8.9E-06	1.05E-03	9.27E-09	2.09E-01	1.57E-01	3.05E-10	1.0E+06	3.0E-04
574	574	0.98747	9.50706E-06	9.4E-06	1.05E-03	9.81E-09	2.09E-01	1.57E-01	3.23E-10	1.0E+06	3.2E-04
575	575	1.04399	9.50706E-06	9.9E-06	1.05E-03	1.04E-08	2.09E-01	1.57E-01	3.41E-10	1.0E+06	3.4E-04
576	576	1.10556	9.50706E-06	1.1E-05	1.05E-03	1.10E-08	2.09E-01	1.57E-01	3.61E-10	1.0E+06	3.6E-04
577	577	1.17072	9.50706E-06	1.1E-05	1.05E-03	1.16E-08	2.09E-01	1.57E-01	3.82E-10	1.0E+06	3.8E-04
578	578	1.24043	9.50706E-06	1.2E-05	1.05E-03	1.23E-08	2.09E-01	1.57E-01	4.05E-10	1.0E+06	4.1E-04
579	579	1.32136	9.50706E-06	1.3E-05	1.05E-03	1.31E-08	2.09E-01	1.57E-01	4.32E-10	1.0E+06	4.3E-04
580	580	1.4152	9.50706E-06	1.3E-05	1.05E-03	1.41E-08	2.09E-01	1.57E-01	4.62E-10	1.0E+06	4.6E-04
581	581	1.51813	9.50706E-06	1.4E-05	1.05E-03	1.51E-08	2.09E-01	1.57E-01	4.96E-10	1.0E+06	5.0E-04
582	582	1.62941	9.50706E-06	1.5E-05	1.05E-03	1.62E-08	2.09E-01	1.57E-01	5.32E-10	1.0E+06	5.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	1.75614	9.50706E-06	1.7E-05	1.05E-03	1.75E-08	2.09E-01	1.57E-01	5.74E-10	1.0E+06	5.7E-04
584	584	1.89689	9.50706E-06	1.8E-05	1.05E-03	1.88E-08	2.09E-01	1.57E-01	6.20E-10	1.0E+06	6.2E-04
585	585	2.04896	9.50706E-06	1.9E-05	1.05E-03	2.04E-08	2.09E-01	1.57E-01	6.69E-10	1.0E+06	6.7E-04
586	586	2.22249	9.50706E-06	2.1E-05	1.05E-03	2.21E-08	2.09E-01	1.57E-01	7.26E-10	1.0E+06	7.3E-04
587	587	2.41607	9.50706E-06	2.3E-05	1.05E-03	2.40E-08	2.09E-01	1.57E-01	7.89E-10	1.0E+06	7.9E-04
588	588	2.63778	9.50706E-06	2.5E-05	1.05E-03	2.62E-08	2.09E-01	1.57E-01	8.62E-10	1.0E+06	8.6E-04
589	589	2.88486	9.50706E-06	2.7E-05	1.05E-03	2.87E-08	2.09E-01	1.57E-01	9.42E-10	1.0E+06	9.4E-04
590	590	3.16453	9.50706E-06	3.0E-05	1.05E-03	3.14E-08	2.09E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
591	591	3.47046	9.50706E-06	3.3E-05	1.05E-03	3.45E-08	2.09E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
592	592	3.80208	9.50706E-06	3.6E-05	1.05E-03	3.78E-08	2.09E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
593	593	4.15054	9.50706E-06	3.9E-05	1.05E-03	4.12E-08	2.09E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
594	594	4.50166	9.50706E-06	4.3E-05	1.05E-03	4.47E-08	2.09E-01	1.57E-01	1.47E-09	1.0E+06	1.5E-03
595	595	4.84928	9.50706E-06	4.6E-05	1.05E-03	4.82E-08	2.09E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
596	596	5.17906	9.50706E-06	4.9E-05	1.05E-03	5.15E-08	2.09E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
597	597	5.48815	9.50706E-06	5.2E-05	1.05E-03	5.45E-08	2.09E-01	1.57E-01	1.79E-09	1.0E+06	1.8E-03
598	598	5.76551	9.50706E-06	5.5E-05	1.05E-03	5.73E-08	2.09E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
599	599	6.0115	9.50706E-06	5.7E-05	1.05E-03	5.97E-08	2.09E-01	1.57E-01	1.96E-09	1.0E+06	2.0E-03
600	600	6.2207	9.50706E-06	5.9E-05	1.05E-03	6.18E-08	2.09E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
601	601	6.39751	9.50706E-06	6.1E-05	1.05E-03	6.36E-08	2.09E-01	1.57E-01	2.09E-09	1.0E+06	2.1E-03
602	602	6.54174	9.50706E-06	6.2E-05	1.05E-03	6.50E-08	2.09E-01	1.57E-01	2.14E-09	1.0E+06	2.1E-03
603	603	6.6656	9.50706E-06	6.3E-05	1.05E-03	6.62E-08	2.09E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
604	604	6.76228	9.50706E-06	6.4E-05	1.05E-03	6.72E-08	2.09E-01	1.57E-01	2.21E-09	1.0E+06	2.2E-03
605	605	6.83667	9.50706E-06	6.5E-05	1.05E-03	6.79E-08	2.09E-01	1.57E-01	2.23E-09	1.0E+06	2.2E-03
606	606	6.88655	9.50706E-06	6.5E-05	1.05E-03	6.84E-08	2.09E-01	1.57E-01	2.25E-09	1.0E+06	2.2E-03
607	607	6.91863	9.50706E-06	6.6E-05	1.05E-03	6.87E-08	2.09E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
608	608	6.93833	9.50706E-06	6.6E-05	1.05E-03	6.89E-08	2.09E-01	1.57E-01	2.27E-09	1.0E+06	2.3E-03
609	609	6.94132	9.50706E-06	6.6E-05	1.05E-03	6.90E-08	2.09E-01	1.57E-01	2.27E-09	1.0E+06	2.3E-03
610	610	6.93032	9.50706E-06	6.6E-05	1.05E-03	6.89E-08	2.09E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
611	611	6.90533	9.50706E-06	6.6E-05	1.05E-03	6.86E-08	2.09E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
612	612	0.85642	9.50706E-06	8.1E-06	1.05E-03	8.51E-09	2.09E-01	1.57E-01	2.80E-10	1.0E+06	2.8E-04
613	613	0.90693	9.50706E-06	8.6E-06	1.05E-03	9.01E-09	2.09E-01	1.57E-01	2.96E-10	1.0E+06	3.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.96042	9.50706E-06	9.1E-06	1.05E-03	9.54E-09	2.09E-01	1.57E-01	3.14E-10	1.0E+06	3.1E-04
615	615	1.01385	9.50706E-06	9.6E-06	1.05E-03	1.01E-08	2.09E-01	1.57E-01	3.31E-10	1.0E+06	3.3E-04
616	616	1.07185	9.50706E-06	1.0E-05	1.05E-03	1.07E-08	2.09E-01	1.57E-01	3.50E-10	1.0E+06	3.5E-04
617	617	1.13173	9.50706E-06	1.1E-05	1.05E-03	1.12E-08	2.09E-01	1.57E-01	3.70E-10	1.0E+06	3.7E-04
618	618	1.19442	9.50706E-06	1.1E-05	1.05E-03	1.19E-08	2.09E-01	1.57E-01	3.90E-10	1.0E+06	3.9E-04
619	619	1.26326	9.50706E-06	1.2E-05	1.05E-03	1.26E-08	2.09E-01	1.57E-01	4.13E-10	1.0E+06	4.1E-04
620	620	1.3528	9.50706E-06	1.3E-05	1.05E-03	1.34E-08	2.09E-01	1.57E-01	4.42E-10	1.0E+06	4.4E-04
621	621	1.44969	9.50706E-06	1.4E-05	1.05E-03	1.44E-08	2.09E-01	1.57E-01	4.74E-10	1.0E+06	4.7E-04
622	622	1.55589	9.50706E-06	1.5E-05	1.05E-03	1.55E-08	2.09E-01	1.57E-01	5.08E-10	1.0E+06	5.1E-04
623	623	1.67018	9.50706E-06	1.6E-05	1.05E-03	1.66E-08	2.09E-01	1.57E-01	5.46E-10	1.0E+06	5.5E-04
624	624	1.80029	9.50706E-06	1.7E-05	1.05E-03	1.79E-08	2.09E-01	1.57E-01	5.88E-10	1.0E+06	5.9E-04
625	625	1.94039	9.50706E-06	1.8E-05	1.05E-03	1.93E-08	2.09E-01	1.57E-01	6.34E-10	1.0E+06	6.3E-04
626	626	2.09325	9.50706E-06	2.0E-05	1.05E-03	2.08E-08	2.09E-01	1.57E-01	6.84E-10	1.0E+06	6.8E-04
627	627	2.26796	9.50706E-06	2.2E-05	1.05E-03	2.25E-08	2.09E-01	1.57E-01	7.41E-10	1.0E+06	7.4E-04
628	628	2.46048	9.50706E-06	2.3E-05	1.05E-03	2.44E-08	2.09E-01	1.57E-01	8.04E-10	1.0E+06	8.0E-04
629	629	2.67592	9.50706E-06	2.5E-05	1.05E-03	2.66E-08	2.09E-01	1.57E-01	8.74E-10	1.0E+06	8.7E-04
630	630	2.91851	9.50706E-06	2.8E-05	1.05E-03	2.90E-08	2.09E-01	1.57E-01	9.53E-10	1.0E+06	9.5E-04
631	631	3.18079	9.50706E-06	3.0E-05	1.05E-03	3.16E-08	2.09E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
632	632	3.46549	9.50706E-06	3.3E-05	1.05E-03	3.44E-08	2.09E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
633	633	3.7655	9.50706E-06	3.6E-05	1.05E-03	3.74E-08	2.09E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
634	634	4.06911	9.50706E-06	3.9E-05	1.05E-03	4.04E-08	2.09E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
635	635	4.36759	9.50706E-06	4.2E-05	1.05E-03	4.34E-08	2.09E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
636	636	4.65227	9.50706E-06	4.4E-05	1.05E-03	4.62E-08	2.09E-01	1.57E-01	1.52E-09	1.0E+06	1.5E-03
637	637	4.91935	9.50706E-06	4.7E-05	1.05E-03	4.89E-08	2.09E-01	1.57E-01	1.61E-09	1.0E+06	1.6E-03
638	638	5.16541	9.50706E-06	4.9E-05	1.05E-03	5.13E-08	2.09E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
639	639	5.38303	9.50706E-06	5.1E-05	1.05E-03	5.35E-08	2.09E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
640	640	5.57395	9.50706E-06	5.3E-05	1.05E-03	5.54E-08	2.09E-01	1.57E-01	1.82E-09	1.0E+06	1.8E-03
641	641	5.7344	9.50706E-06	5.5E-05	1.05E-03	5.70E-08	2.09E-01	1.57E-01	1.87E-09	1.0E+06	1.9E-03
642	642	5.87092	9.50706E-06	5.6E-05	1.05E-03	5.83E-08	2.09E-01	1.57E-01	1.92E-09	1.0E+06	1.9E-03
643	643	5.98729	9.50706E-06	5.7E-05	1.05E-03	5.95E-08	2.09E-01	1.57E-01	1.96E-09	1.0E+06	2.0E-03
644	644	6.08332	9.50706E-06	5.8E-05	1.05E-03	6.04E-08	2.09E-01	1.57E-01	1.99E-09	1.0E+06	2.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	6.15637	9.50706E-06	5.9E-05	1.05E-03	6.12E-08	2.09E-01	1.57E-01	2.01E-09	1.0E+06	2.0E-03
646	646	6.20603	9.50706E-06	5.9E-05	1.05E-03	6.17E-08	2.09E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
647	647	6.23904	9.50706E-06	5.9E-05	1.05E-03	6.20E-08	2.09E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
648	648	6.26092	9.50706E-06	6.0E-05	1.05E-03	6.22E-08	2.09E-01	1.57E-01	2.05E-09	1.0E+06	2.0E-03
649	649	6.26704	9.50706E-06	6.0E-05	1.05E-03	6.23E-08	2.09E-01	1.57E-01	2.05E-09	1.0E+06	2.0E-03
650	650	6.25988	9.50706E-06	6.0E-05	1.05E-03	6.22E-08	2.09E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
651	651	6.23929	9.50706E-06	5.9E-05	1.05E-03	6.20E-08	2.09E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
652	652	0.82571	9.50706E-06	7.9E-06	1.05E-03	8.20E-09	2.09E-01	1.57E-01	2.70E-10	1.0E+06	2.7E-04
653	653	0.87189	9.50706E-06	8.3E-06	1.05E-03	8.66E-09	2.09E-01	1.57E-01	2.85E-10	1.0E+06	2.8E-04
654	654	0.92089	9.50706E-06	8.8E-06	1.05E-03	9.15E-09	2.09E-01	1.57E-01	3.01E-10	1.0E+06	3.0E-04
655	655	0.97064	9.50706E-06	9.2E-06	1.05E-03	9.65E-09	2.09E-01	1.57E-01	3.17E-10	1.0E+06	3.2E-04
656	656	1.02463	9.50706E-06	9.7E-06	1.05E-03	1.02E-08	2.09E-01	1.57E-01	3.35E-10	1.0E+06	3.3E-04
657	657	1.08093	9.50706E-06	1.0E-05	1.05E-03	1.07E-08	2.09E-01	1.57E-01	3.53E-10	1.0E+06	3.5E-04
658	658	1.14059	9.50706E-06	1.1E-05	1.05E-03	1.13E-08	2.09E-01	1.57E-01	3.73E-10	1.0E+06	3.7E-04
659	659	1.20593	9.50706E-06	1.1E-05	1.05E-03	1.20E-08	2.09E-01	1.57E-01	3.94E-10	1.0E+06	3.9E-04
660	660	1.28441	9.50706E-06	1.2E-05	1.05E-03	1.28E-08	2.09E-01	1.57E-01	4.20E-10	1.0E+06	4.2E-04
661	661	1.37023	9.50706E-06	1.3E-05	1.05E-03	1.36E-08	2.09E-01	1.57E-01	4.48E-10	1.0E+06	4.5E-04
662	662	1.47508	9.50706E-06	1.4E-05	1.05E-03	1.47E-08	2.09E-01	1.57E-01	4.82E-10	1.0E+06	4.8E-04
663	663	1.5786	9.50706E-06	1.5E-05	1.05E-03	1.57E-08	2.09E-01	1.57E-01	5.16E-10	1.0E+06	5.2E-04
664	664	1.69696	9.50706E-06	1.6E-05	1.05E-03	1.69E-08	2.09E-01	1.57E-01	5.54E-10	1.0E+06	5.5E-04
665	665	1.81857	9.50706E-06	1.7E-05	1.05E-03	1.81E-08	2.09E-01	1.57E-01	5.94E-10	1.0E+06	5.9E-04
666	666	1.9528	9.50706E-06	1.9E-05	1.05E-03	1.94E-08	2.09E-01	1.57E-01	6.38E-10	1.0E+06	6.4E-04
667	667	2.10844	9.50706E-06	2.0E-05	1.05E-03	2.10E-08	2.09E-01	1.57E-01	6.89E-10	1.0E+06	6.9E-04
668	668	2.28298	9.50706E-06	2.2E-05	1.05E-03	2.27E-08	2.09E-01	1.57E-01	7.46E-10	1.0E+06	7.5E-04
669	669	2.472	9.50706E-06	2.4E-05	1.05E-03	2.46E-08	2.09E-01	1.57E-01	8.07E-10	1.0E+06	8.1E-04
670	670	2.68743	9.50706E-06	2.6E-05	1.05E-03	2.67E-08	2.09E-01	1.57E-01	8.78E-10	1.0E+06	8.8E-04
671	671	2.92144	9.50706E-06	2.8E-05	1.05E-03	2.90E-08	2.09E-01	1.57E-01	9.54E-10	1.0E+06	9.5E-04
672	672	3.1674	9.50706E-06	3.0E-05	1.05E-03	3.15E-08	2.09E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
673	673	3.42988	9.50706E-06	3.3E-05	1.05E-03	3.41E-08	2.09E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
674	674	3.69573	9.50706E-06	3.5E-05	1.05E-03	3.67E-08	2.09E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
675	675	3.95521	9.50706E-06	3.8E-05	1.05E-03	3.93E-08	2.09E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	4.20565	9.50706E-06	4.0E-05	1.05E-03	4.18E-08	2.09E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03
677	677	4.44056	9.50706E-06	4.2E-05	1.05E-03	4.41E-08	2.09E-01	1.57E-01	1.45E-09	1.0E+06	1.5E-03
678	678	4.65692	9.50706E-06	4.4E-05	1.05E-03	4.63E-08	2.09E-01	1.57E-01	1.52E-09	1.0E+06	1.5E-03
679	679	4.85034	9.50706E-06	4.6E-05	1.05E-03	4.82E-08	2.09E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
680	680	5.02134	9.50706E-06	4.8E-05	1.05E-03	4.99E-08	2.09E-01	1.57E-01	1.64E-09	1.0E+06	1.6E-03
681	681	5.17243	9.50706E-06	4.9E-05	1.05E-03	5.14E-08	2.09E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
682	682	5.30058	9.50706E-06	5.0E-05	1.05E-03	5.27E-08	2.09E-01	1.57E-01	1.73E-09	1.0E+06	1.7E-03
683	683	5.41019	9.50706E-06	5.1E-05	1.05E-03	5.38E-08	2.09E-01	1.57E-01	1.77E-09	1.0E+06	1.8E-03
684	684	5.50207	9.50706E-06	5.2E-05	1.05E-03	5.47E-08	2.09E-01	1.57E-01	1.80E-09	1.0E+06	1.8E-03
685	685	5.57309	9.50706E-06	5.3E-05	1.05E-03	5.54E-08	2.09E-01	1.57E-01	1.82E-09	1.0E+06	1.8E-03
686	686	5.62227	9.50706E-06	5.3E-05	1.05E-03	5.59E-08	2.09E-01	1.57E-01	1.84E-09	1.0E+06	1.8E-03
687	687	5.65606	9.50706E-06	5.4E-05	1.05E-03	5.62E-08	2.09E-01	1.57E-01	1.85E-09	1.0E+06	1.8E-03
688	688	5.67956	9.50706E-06	5.4E-05	1.05E-03	5.64E-08	2.09E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
689	689	5.68798	9.50706E-06	5.4E-05	1.05E-03	5.65E-08	2.09E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
690	690	5.68409	9.50706E-06	5.4E-05	1.05E-03	5.65E-08	2.09E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
691	691	5.66755	9.50706E-06	5.4E-05	1.05E-03	5.63E-08	2.09E-01	1.57E-01	1.85E-09	1.0E+06	1.9E-03
692	692	0.79444	9.50706E-06	7.6E-06	1.05E-03	7.89E-09	2.09E-01	1.57E-01	2.59E-10	1.0E+06	2.6E-04
693	693	0.8358	9.50706E-06	7.9E-06	1.05E-03	8.31E-09	2.09E-01	1.57E-01	2.73E-10	1.0E+06	2.7E-04
694	694	0.88001	9.50706E-06	8.4E-06	1.05E-03	8.74E-09	2.09E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
695	695	0.92641	9.50706E-06	8.8E-06	1.05E-03	9.21E-09	2.09E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
696	696	0.97648	9.50706E-06	9.3E-06	1.05E-03	9.70E-09	2.09E-01	1.57E-01	3.19E-10	1.0E+06	3.2E-04
697	697	1.02997	9.50706E-06	9.8E-06	1.05E-03	1.02E-08	2.09E-01	1.57E-01	3.36E-10	1.0E+06	3.4E-04
698	698	1.08716	9.50706E-06	1.0E-05	1.05E-03	1.08E-08	2.09E-01	1.57E-01	3.55E-10	1.0E+06	3.6E-04
699	699	1.14961	9.50706E-06	1.1E-05	1.05E-03	1.14E-08	2.09E-01	1.57E-01	3.76E-10	1.0E+06	3.8E-04
700	700	1.22216	9.50706E-06	1.2E-05	1.05E-03	1.21E-08	2.09E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
701	701	1.30171	9.50706E-06	1.2E-05	1.05E-03	1.29E-08	2.09E-01	1.57E-01	4.25E-10	1.0E+06	4.3E-04
702	702	1.3878	9.50706E-06	1.3E-05	1.05E-03	1.38E-08	2.09E-01	1.57E-01	4.53E-10	1.0E+06	4.5E-04
703	703	1.48121	9.50706E-06	1.4E-05	1.05E-03	1.47E-08	2.09E-01	1.57E-01	4.84E-10	1.0E+06	4.8E-04
704	704	1.59681	9.50706E-06	1.5E-05	1.05E-03	1.59E-08	2.09E-01	1.57E-01	5.22E-10	1.0E+06	5.2E-04
705	705	1.70419	9.50706E-06	1.6E-05	1.05E-03	1.69E-08	2.09E-01	1.57E-01	5.57E-10	1.0E+06	5.6E-04
706	706	1.82179	9.50706E-06	1.7E-05	1.05E-03	1.81E-08	2.09E-01	1.57E-01	5.95E-10	1.0E+06	6.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	1.96001	9.50706E-06	1.9E-05	1.05E-03	1.95E-08	2.09E-01	1.57E-01	6.40E-10	1.0E+06	6.4E-04
708	708	2.11136	9.50706E-06	2.0E-05	1.05E-03	2.10E-08	2.09E-01	1.57E-01	6.90E-10	1.0E+06	6.9E-04
709	709	2.27787	9.50706E-06	2.2E-05	1.05E-03	2.26E-08	2.09E-01	1.57E-01	7.44E-10	1.0E+06	7.4E-04
710	710	2.47817	9.50706E-06	2.4E-05	1.05E-03	2.46E-08	2.09E-01	1.57E-01	8.09E-10	1.0E+06	8.1E-04
711	711	2.6876	9.50706E-06	2.6E-05	1.05E-03	2.67E-08	2.09E-01	1.57E-01	8.78E-10	1.0E+06	8.8E-04
712	712	2.90486	9.50706E-06	2.8E-05	1.05E-03	2.89E-08	2.09E-01	1.57E-01	9.49E-10	1.0E+06	9.5E-04
713	713	3.13712	9.50706E-06	3.0E-05	1.05E-03	3.12E-08	2.09E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
714	714	3.37544	9.50706E-06	3.2E-05	1.05E-03	3.35E-08	2.09E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
715	715	3.60409	9.50706E-06	3.4E-05	1.05E-03	3.58E-08	2.09E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
716	716	3.82156	9.50706E-06	3.6E-05	1.05E-03	3.80E-08	2.09E-01	1.57E-01	1.25E-09	1.0E+06	1.2E-03
717	717	4.03181	9.50706E-06	3.8E-05	1.05E-03	4.01E-08	2.09E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03
718	718	4.21979	9.50706E-06	4.0E-05	1.05E-03	4.19E-08	2.09E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
719	719	4.3947	9.50706E-06	4.2E-05	1.05E-03	4.37E-08	2.09E-01	1.57E-01	1.44E-09	1.0E+06	1.4E-03
720	720	4.54957	9.50706E-06	4.3E-05	1.05E-03	4.52E-08	2.09E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
721	721	4.68665	9.50706E-06	4.5E-05	1.05E-03	4.66E-08	2.09E-01	1.57E-01	1.53E-09	1.0E+06	1.5E-03
722	722	4.80748	9.50706E-06	4.6E-05	1.05E-03	4.78E-08	2.09E-01	1.57E-01	1.57E-09	1.0E+06	1.6E-03
723	723	4.9129	9.50706E-06	4.7E-05	1.05E-03	4.88E-08	2.09E-01	1.57E-01	1.60E-09	1.0E+06	1.6E-03
724	724	5.00002	9.50706E-06	4.8E-05	1.05E-03	4.97E-08	2.09E-01	1.57E-01	1.63E-09	1.0E+06	1.6E-03
725	725	5.06659	9.50706E-06	4.8E-05	1.05E-03	5.03E-08	2.09E-01	1.57E-01	1.65E-09	1.0E+06	1.7E-03
726	726	5.11719	9.50706E-06	4.9E-05	1.05E-03	5.08E-08	2.09E-01	1.57E-01	1.67E-09	1.0E+06	1.7E-03
727	727	5.15149	9.50706E-06	4.9E-05	1.05E-03	5.12E-08	2.09E-01	1.57E-01	1.68E-09	1.0E+06	1.7E-03
728	728	5.17608	9.50706E-06	4.9E-05	1.05E-03	5.14E-08	2.09E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
729	729	5.1865	9.50706E-06	4.9E-05	1.05E-03	5.15E-08	2.09E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
730	730	5.18537	9.50706E-06	4.9E-05	1.05E-03	5.15E-08	2.09E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
731	731	5.17227	9.50706E-06	4.9E-05	1.05E-03	5.14E-08	2.09E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
732	732	0.76321	9.50706E-06	7.3E-06	1.05E-03	7.58E-09	2.09E-01	1.57E-01	2.49E-10	1.0E+06	2.5E-04
733	733	0.79969	9.50706E-06	7.6E-06	1.05E-03	7.95E-09	2.09E-01	1.57E-01	2.61E-10	1.0E+06	2.6E-04
734	734	0.8391	9.50706E-06	8.0E-06	1.05E-03	8.34E-09	2.09E-01	1.57E-01	2.74E-10	1.0E+06	2.7E-04
735	735	0.88215	9.50706E-06	8.4E-06	1.05E-03	8.77E-09	2.09E-01	1.57E-01	2.88E-10	1.0E+06	2.9E-04
736	736	0.92868	9.50706E-06	8.8E-06	1.05E-03	9.23E-09	2.09E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
737	737	0.97925	9.50706E-06	9.3E-06	1.05E-03	9.73E-09	2.09E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	1.03461	9.50706E-06	9.8E-06	1.05E-03	1.03E-08	2.09E-01	1.57E-01	3.38E-10	1.0E+06	3.4E-04
739	739	1.09437	9.50706E-06	1.0E-05	1.05E-03	1.09E-08	2.09E-01	1.57E-01	3.57E-10	1.0E+06	3.6E-04
740	740	1.16193	9.50706E-06	1.1E-05	1.05E-03	1.15E-08	2.09E-01	1.57E-01	3.80E-10	1.0E+06	3.8E-04
741	741	1.23534	9.50706E-06	1.2E-05	1.05E-03	1.23E-08	2.09E-01	1.57E-01	4.04E-10	1.0E+06	4.0E-04
742	742	1.31412	9.50706E-06	1.2E-05	1.05E-03	1.31E-08	2.09E-01	1.57E-01	4.29E-10	1.0E+06	4.3E-04
743	743	1.39826	9.50706E-06	1.3E-05	1.05E-03	1.39E-08	2.09E-01	1.57E-01	4.57E-10	1.0E+06	4.6E-04
744	744	1.49105	9.50706E-06	1.4E-05	1.05E-03	1.48E-08	2.09E-01	1.57E-01	4.87E-10	1.0E+06	4.9E-04
745	745	1.58495	9.50706E-06	1.5E-05	1.05E-03	1.57E-08	2.09E-01	1.57E-01	5.18E-10	1.0E+06	5.2E-04
746	746	1.68743	9.50706E-06	1.6E-05	1.05E-03	1.68E-08	2.09E-01	1.57E-01	5.51E-10	1.0E+06	5.5E-04
747	747	1.81207	9.50706E-06	1.7E-05	1.05E-03	1.80E-08	2.09E-01	1.57E-01	5.92E-10	1.0E+06	5.9E-04
748	748	1.95577	9.50706E-06	1.9E-05	1.05E-03	1.94E-08	2.09E-01	1.57E-01	6.39E-10	1.0E+06	6.4E-04
749	749	2.11197	9.50706E-06	2.0E-05	1.05E-03	2.10E-08	2.09E-01	1.57E-01	6.90E-10	1.0E+06	6.9E-04
750	750	2.28068	9.50706E-06	2.2E-05	1.05E-03	2.27E-08	2.09E-01	1.57E-01	7.45E-10	1.0E+06	7.4E-04
751	751	2.47772	9.50706E-06	2.4E-05	1.05E-03	2.46E-08	2.09E-01	1.57E-01	8.09E-10	1.0E+06	8.1E-04
752	752	2.67701	9.50706E-06	2.5E-05	1.05E-03	2.66E-08	2.09E-01	1.57E-01	8.74E-10	1.0E+06	8.7E-04
753	753	2.88305	9.50706E-06	2.7E-05	1.05E-03	2.86E-08	2.09E-01	1.57E-01	9.42E-10	1.0E+06	9.4E-04
754	754	3.09187	9.50706E-06	2.9E-05	1.05E-03	3.07E-08	2.09E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
755	755	3.29557	9.50706E-06	3.1E-05	1.05E-03	3.27E-08	2.09E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
756	756	3.49046	9.50706E-06	3.3E-05	1.05E-03	3.47E-08	2.09E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
757	757	3.67775	9.50706E-06	3.5E-05	1.05E-03	3.65E-08	2.09E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
758	758	3.84434	9.50706E-06	3.7E-05	1.05E-03	3.82E-08	2.09E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03
759	759	3.99752	9.50706E-06	3.8E-05	1.05E-03	3.97E-08	2.09E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
760	760	4.14151	9.50706E-06	3.9E-05	1.05E-03	4.12E-08	2.09E-01	1.57E-01	1.35E-09	1.0E+06	1.4E-03
761	761	4.2685	9.50706E-06	4.1E-05	1.05E-03	4.24E-08	2.09E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
762	762	4.38168	9.50706E-06	4.2E-05	1.05E-03	4.35E-08	2.09E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
763	763	4.48042	9.50706E-06	4.3E-05	1.05E-03	4.45E-08	2.09E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
764	764	4.56303	9.50706E-06	4.3E-05	1.05E-03	4.53E-08	2.09E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
765	765	4.62707	9.50706E-06	4.4E-05	1.05E-03	4.60E-08	2.09E-01	1.57E-01	1.51E-09	1.0E+06	1.5E-03
766	766	4.67673	9.50706E-06	4.4E-05	1.05E-03	4.65E-08	2.09E-01	1.57E-01	1.53E-09	1.0E+06	1.5E-03
767	767	4.7112	9.50706E-06	4.5E-05	1.05E-03	4.68E-08	2.09E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
768	768	4.73681	9.50706E-06	4.5E-05	1.05E-03	4.71E-08	2.09E-01	1.57E-01	1.55E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	4.74887	9.50706E-06	4.5E-05	1.05E-03	4.72E-08	2.09E-01	1.57E-01	1.55E-09	1.0E+06	1.6E-03
770	770	4.75009	9.50706E-06	4.5E-05	1.05E-03	4.72E-08	2.09E-01	1.57E-01	1.55E-09	1.0E+06	1.6E-03
771	771	4.74008	9.50706E-06	4.5E-05	1.05E-03	4.71E-08	2.09E-01	1.57E-01	1.55E-09	1.0E+06	1.5E-03
772	772	0.73357	9.50706E-06	7.0E-06	1.05E-03	7.29E-09	2.09E-01	1.57E-01	2.40E-10	1.0E+06	2.4E-04
773	773	0.76714	9.50706E-06	7.3E-06	1.05E-03	7.62E-09	2.09E-01	1.57E-01	2.51E-10	1.0E+06	2.5E-04
774	774	0.80333	9.50706E-06	7.6E-06	1.05E-03	7.98E-09	2.09E-01	1.57E-01	2.62E-10	1.0E+06	2.6E-04
775	775	0.84372	9.50706E-06	8.0E-06	1.05E-03	8.38E-09	2.09E-01	1.57E-01	2.76E-10	1.0E+06	2.8E-04
776	776	0.88728	9.50706E-06	8.4E-06	1.05E-03	8.82E-09	2.09E-01	1.57E-01	2.90E-10	1.0E+06	2.9E-04
777	777	0.9346	9.50706E-06	8.9E-06	1.05E-03	9.29E-09	2.09E-01	1.57E-01	3.05E-10	1.0E+06	3.1E-04
778	778	0.98586	9.50706E-06	9.4E-06	1.05E-03	9.80E-09	2.09E-01	1.57E-01	3.22E-10	1.0E+06	3.2E-04
779	779	1.04156	9.50706E-06	9.9E-06	1.05E-03	1.03E-08	2.09E-01	1.57E-01	3.40E-10	1.0E+06	3.4E-04
780	780	1.10301	9.50706E-06	1.0E-05	1.05E-03	1.10E-08	2.09E-01	1.57E-01	3.60E-10	1.0E+06	3.6E-04
781	781	1.17015	9.50706E-06	1.1E-05	1.05E-03	1.16E-08	2.09E-01	1.57E-01	3.82E-10	1.0E+06	3.8E-04
782	782	1.24224	9.50706E-06	1.2E-05	1.05E-03	1.23E-08	2.09E-01	1.57E-01	4.06E-10	1.0E+06	4.1E-04
783	783	1.3201	9.50706E-06	1.3E-05	1.05E-03	1.31E-08	2.09E-01	1.57E-01	4.31E-10	1.0E+06	4.3E-04
784	784	1.40539	9.50706E-06	1.3E-05	1.05E-03	1.40E-08	2.09E-01	1.57E-01	4.59E-10	1.0E+06	4.6E-04
785	785	1.49337	9.50706E-06	1.4E-05	1.05E-03	1.48E-08	2.09E-01	1.57E-01	4.88E-10	1.0E+06	4.9E-04
786	786	1.58877	9.50706E-06	1.5E-05	1.05E-03	1.58E-08	2.09E-01	1.57E-01	5.19E-10	1.0E+06	5.2E-04
787	787	1.69586	9.50706E-06	1.6E-05	1.05E-03	1.69E-08	2.09E-01	1.57E-01	5.54E-10	1.0E+06	5.5E-04
788	788	1.82758	9.50706E-06	1.7E-05	1.05E-03	1.82E-08	2.09E-01	1.57E-01	5.97E-10	1.0E+06	6.0E-04
789	789	1.96893	9.50706E-06	1.9E-05	1.05E-03	1.96E-08	2.09E-01	1.57E-01	6.43E-10	1.0E+06	6.4E-04
790	790	2.12533	9.50706E-06	2.0E-05	1.05E-03	2.11E-08	2.09E-01	1.57E-01	6.94E-10	1.0E+06	6.9E-04
791	791	2.29354	9.50706E-06	2.2E-05	1.05E-03	2.28E-08	2.09E-01	1.57E-01	7.49E-10	1.0E+06	7.5E-04
792	792	2.4693	9.50706E-06	2.3E-05	1.05E-03	2.45E-08	2.09E-01	1.57E-01	8.07E-10	1.0E+06	8.1E-04
793	793	2.65001	9.50706E-06	2.5E-05	1.05E-03	2.63E-08	2.09E-01	1.57E-01	8.66E-10	1.0E+06	8.7E-04
794	794	2.83321	9.50706E-06	2.7E-05	1.05E-03	2.82E-08	2.09E-01	1.57E-01	9.25E-10	1.0E+06	9.3E-04
795	795	3.01417	9.50706E-06	2.9E-05	1.05E-03	3.00E-08	2.09E-01	1.57E-01	9.85E-10	1.0E+06	9.8E-04
796	796	3.18974	9.50706E-06	3.0E-05	1.05E-03	3.17E-08	2.09E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
797	797	3.35802	9.50706E-06	3.2E-05	1.05E-03	3.34E-08	2.09E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
798	798	3.5087	9.50706E-06	3.3E-05	1.05E-03	3.49E-08	2.09E-01	1.57E-01	1.15E-09	1.0E+06	1.1E-03
799	799	3.6529	9.50706E-06	3.5E-05	1.05E-03	3.63E-08	2.09E-01	1.57E-01	1.19E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	3.7819	9.50706E-06	3.6E-05	1.05E-03	3.76E-08	2.09E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
801	801	3.90272	9.50706E-06	3.7E-05	1.05E-03	3.88E-08	2.09E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
802	802	4.0054	9.50706E-06	3.8E-05	1.05E-03	3.98E-08	2.09E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
803	803	4.10098	9.50706E-06	3.9E-05	1.05E-03	4.08E-08	2.09E-01	1.57E-01	1.34E-09	1.0E+06	1.3E-03
804	804	4.17923	9.50706E-06	4.0E-05	1.05E-03	4.15E-08	2.09E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03
805	805	4.24047	9.50706E-06	4.0E-05	1.05E-03	4.21E-08	2.09E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
806	806	4.28701	9.50706E-06	4.1E-05	1.05E-03	4.26E-08	2.09E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
807	807	4.32448	9.50706E-06	4.1E-05	1.05E-03	4.30E-08	2.09E-01	1.57E-01	1.41E-09	1.0E+06	1.4E-03
808	808	4.35095	9.50706E-06	4.1E-05	1.05E-03	4.32E-08	2.09E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
809	809	4.36432	9.50706E-06	4.1E-05	1.05E-03	4.34E-08	2.09E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
810	810	4.36762	9.50706E-06	4.2E-05	1.05E-03	4.34E-08	2.09E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
811	811	4.36048	9.50706E-06	4.1E-05	1.05E-03	4.33E-08	2.09E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
812	812	0.70426	9.50706E-06	6.7E-06	1.05E-03	7.00E-09	2.09E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
813	813	0.73523	9.50706E-06	7.0E-06	1.05E-03	7.31E-09	2.09E-01	1.57E-01	2.40E-10	1.0E+06	2.4E-04
814	814	0.76872	9.50706E-06	7.3E-06	1.05E-03	7.64E-09	2.09E-01	1.57E-01	2.51E-10	1.0E+06	2.5E-04
815	815	0.80671	9.50706E-06	7.7E-06	1.05E-03	8.02E-09	2.09E-01	1.57E-01	2.64E-10	1.0E+06	2.6E-04
816	816	0.84741	9.50706E-06	8.1E-06	1.05E-03	8.42E-09	2.09E-01	1.57E-01	2.77E-10	1.0E+06	2.8E-04
817	817	0.89154	9.50706E-06	8.5E-06	1.05E-03	8.86E-09	2.09E-01	1.57E-01	2.91E-10	1.0E+06	2.9E-04
818	818	0.93907	9.50706E-06	8.9E-06	1.05E-03	9.33E-09	2.09E-01	1.57E-01	3.07E-10	1.0E+06	3.1E-04
819	819	0.99063	9.50706E-06	9.4E-06	1.05E-03	9.84E-09	2.09E-01	1.57E-01	3.24E-10	1.0E+06	3.2E-04
820	820	1.04669	9.50706E-06	1.0E-05	1.05E-03	1.04E-08	2.09E-01	1.57E-01	3.42E-10	1.0E+06	3.4E-04
821	821	1.10756	9.50706E-06	1.1E-05	1.05E-03	1.10E-08	2.09E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
822	822	1.1738	9.50706E-06	1.1E-05	1.05E-03	1.17E-08	2.09E-01	1.57E-01	3.83E-10	1.0E+06	3.8E-04
823	823	1.24606	9.50706E-06	1.2E-05	1.05E-03	1.24E-08	2.09E-01	1.57E-01	4.07E-10	1.0E+06	4.1E-04
824	824	1.32507	9.50706E-06	1.3E-05	1.05E-03	1.32E-08	2.09E-01	1.57E-01	4.33E-10	1.0E+06	4.3E-04
825	825	1.40741	9.50706E-06	1.3E-05	1.05E-03	1.40E-08	2.09E-01	1.57E-01	4.60E-10	1.0E+06	4.6E-04
826	826	1.49713	9.50706E-06	1.4E-05	1.05E-03	1.49E-08	2.09E-01	1.57E-01	4.89E-10	1.0E+06	4.9E-04
827	827	1.59676	9.50706E-06	1.5E-05	1.05E-03	1.59E-08	2.09E-01	1.57E-01	5.22E-10	1.0E+06	5.2E-04
828	828	1.70874	9.50706E-06	1.6E-05	1.05E-03	1.70E-08	2.09E-01	1.57E-01	5.58E-10	1.0E+06	5.6E-04
829	829	1.84531	9.50706E-06	1.8E-05	1.05E-03	1.83E-08	2.09E-01	1.57E-01	6.03E-10	1.0E+06	6.0E-04
830	830	1.9848	9.50706E-06	1.9E-05	1.05E-03	1.97E-08	2.09E-01	1.57E-01	6.48E-10	1.0E+06	6.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	2.12648	9.50706E-06	2.0E-05	1.05E-03	2.11E-08	2.09E-01	1.57E-01	6.95E-10	1.0E+06	6.9E-04
832	832	2.28243	9.50706E-06	2.2E-05	1.05E-03	2.27E-08	2.09E-01	1.57E-01	7.46E-10	1.0E+06	7.5E-04
833	833	2.44103	9.50706E-06	2.3E-05	1.05E-03	2.43E-08	2.09E-01	1.57E-01	7.97E-10	1.0E+06	8.0E-04
834	834	2.6023	9.50706E-06	2.5E-05	1.05E-03	2.59E-08	2.09E-01	1.57E-01	8.50E-10	1.0E+06	8.5E-04
835	835	2.76368	9.50706E-06	2.6E-05	1.05E-03	2.75E-08	2.09E-01	1.57E-01	9.03E-10	1.0E+06	9.0E-04
836	836	2.91728	9.50706E-06	2.8E-05	1.05E-03	2.90E-08	2.09E-01	1.57E-01	9.53E-10	1.0E+06	9.5E-04
837	837	3.07518	9.50706E-06	2.9E-05	1.05E-03	3.06E-08	2.09E-01	1.57E-01	1.00E-09	1.0E+06	1.0E-03
838	838	3.2138	9.50706E-06	3.1E-05	1.05E-03	3.19E-08	2.09E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
839	839	3.34713	9.50706E-06	3.2E-05	1.05E-03	3.33E-08	2.09E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
840	840	3.47024	9.50706E-06	3.3E-05	1.05E-03	3.45E-08	2.09E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
841	841	3.5783	9.50706E-06	3.4E-05	1.05E-03	3.56E-08	2.09E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
842	842	3.67765	9.50706E-06	3.5E-05	1.05E-03	3.65E-08	2.09E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
843	843	3.76463	9.50706E-06	3.6E-05	1.05E-03	3.74E-08	2.09E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
844	844	3.83856	9.50706E-06	3.6E-05	1.05E-03	3.81E-08	2.09E-01	1.57E-01	1.25E-09	1.0E+06	1.3E-03
845	845	3.89959	9.50706E-06	3.7E-05	1.05E-03	3.87E-08	2.09E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
846	846	3.94552	9.50706E-06	3.8E-05	1.05E-03	3.92E-08	2.09E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
847	847	3.98306	9.50706E-06	3.8E-05	1.05E-03	3.96E-08	2.09E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
848	848	4.00752	9.50706E-06	3.8E-05	1.05E-03	3.98E-08	2.09E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
849	849	4.02461	9.50706E-06	3.8E-05	1.05E-03	4.00E-08	2.09E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
850	850	4.02957	9.50706E-06	3.8E-05	1.05E-03	4.00E-08	2.09E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03
851	851	4.02491	9.50706E-06	3.8E-05	1.05E-03	4.00E-08	2.09E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
852	852	0.67546	9.50706E-06	6.4E-06	1.05E-03	6.71E-09	2.09E-01	1.57E-01	2.21E-10	1.0E+06	2.2E-04
853	853	0.70396	9.50706E-06	6.7E-06	1.05E-03	7.00E-09	2.09E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
854	854	0.73474	9.50706E-06	7.0E-06	1.05E-03	7.30E-09	2.09E-01	1.57E-01	2.40E-10	1.0E+06	2.4E-04
855	855	0.7705	9.50706E-06	7.3E-06	1.05E-03	7.66E-09	2.09E-01	1.57E-01	2.52E-10	1.0E+06	2.5E-04
856	856	0.80877	9.50706E-06	7.7E-06	1.05E-03	8.04E-09	2.09E-01	1.57E-01	2.64E-10	1.0E+06	2.6E-04
857	857	0.84981	9.50706E-06	8.1E-06	1.05E-03	8.44E-09	2.09E-01	1.57E-01	2.78E-10	1.0E+06	2.8E-04
858	858	0.89393	9.50706E-06	8.5E-06	1.05E-03	8.88E-09	2.09E-01	1.57E-01	2.92E-10	1.0E+06	2.9E-04
859	859	0.94147	9.50706E-06	9.0E-06	1.05E-03	9.36E-09	2.09E-01	1.57E-01	3.08E-10	1.0E+06	3.1E-04
860	860	0.99284	9.50706E-06	9.4E-06	1.05E-03	9.87E-09	2.09E-01	1.57E-01	3.24E-10	1.0E+06	3.2E-04
861	861	1.04823	9.50706E-06	1.0E-05	1.05E-03	1.04E-08	2.09E-01	1.57E-01	3.42E-10	1.0E+06	3.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	1.10894	9.50706E-06	1.1E-05	1.05E-03	1.10E-08	2.09E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
863	863	1.17593	9.50706E-06	1.1E-05	1.05E-03	1.17E-08	2.09E-01	1.57E-01	3.84E-10	1.0E+06	3.8E-04
864	864	1.24929	9.50706E-06	1.2E-05	1.05E-03	1.24E-08	2.09E-01	1.57E-01	4.08E-10	1.0E+06	4.1E-04
865	865	1.32741	9.50706E-06	1.3E-05	1.05E-03	1.32E-08	2.09E-01	1.57E-01	4.34E-10	1.0E+06	4.3E-04
866	866	1.41229	9.50706E-06	1.3E-05	1.05E-03	1.40E-08	2.09E-01	1.57E-01	4.61E-10	1.0E+06	4.6E-04
867	867	1.50516	9.50706E-06	1.4E-05	1.05E-03	1.50E-08	2.09E-01	1.57E-01	4.92E-10	1.0E+06	4.9E-04
868	868	1.60719	9.50706E-06	1.5E-05	1.05E-03	1.60E-08	2.09E-01	1.57E-01	5.25E-10	1.0E+06	5.2E-04
869	869	1.71751	9.50706E-06	1.6E-05	1.05E-03	1.71E-08	2.09E-01	1.57E-01	5.61E-10	1.0E+06	5.6E-04
870	870	1.85024	9.50706E-06	1.8E-05	1.05E-03	1.84E-08	2.09E-01	1.57E-01	6.04E-10	1.0E+06	6.0E-04
871	871	1.98203	9.50706E-06	1.9E-05	1.05E-03	1.97E-08	2.09E-01	1.57E-01	6.47E-10	1.0E+06	6.5E-04
872	872	2.11338	9.50706E-06	2.0E-05	1.05E-03	2.10E-08	2.09E-01	1.57E-01	6.90E-10	1.0E+06	6.9E-04
873	873	2.25336	9.50706E-06	2.1E-05	1.05E-03	2.24E-08	2.09E-01	1.57E-01	7.36E-10	1.0E+06	7.4E-04
874	874	2.3955	9.50706E-06	2.3E-05	1.05E-03	2.38E-08	2.09E-01	1.57E-01	7.82E-10	1.0E+06	7.8E-04
875	875	2.53984	9.50706E-06	2.4E-05	1.05E-03	2.52E-08	2.09E-01	1.57E-01	8.30E-10	1.0E+06	8.3E-04
876	876	2.67806	9.50706E-06	2.5E-05	1.05E-03	2.66E-08	2.09E-01	1.57E-01	8.75E-10	1.0E+06	8.7E-04
877	877	2.81781	9.50706E-06	2.7E-05	1.05E-03	2.80E-08	2.09E-01	1.57E-01	9.20E-10	1.0E+06	9.2E-04
878	878	2.95198	9.50706E-06	2.8E-05	1.05E-03	2.93E-08	2.09E-01	1.57E-01	9.64E-10	1.0E+06	9.6E-04
879	879	3.08152	9.50706E-06	2.9E-05	1.05E-03	3.06E-08	2.09E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
880	880	3.19178	9.50706E-06	3.0E-05	1.05E-03	3.17E-08	2.09E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
881	881	3.29487	9.50706E-06	3.1E-05	1.05E-03	3.27E-08	2.09E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
882	882	3.38771	9.50706E-06	3.2E-05	1.05E-03	3.37E-08	2.09E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
883	883	3.46908	9.50706E-06	3.3E-05	1.05E-03	3.45E-08	2.09E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
884	884	3.53893	9.50706E-06	3.4E-05	1.05E-03	3.52E-08	2.09E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
885	885	3.5976	9.50706E-06	3.4E-05	1.05E-03	3.57E-08	2.09E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
886	886	3.64257	9.50706E-06	3.5E-05	1.05E-03	3.62E-08	2.09E-01	1.57E-01	1.19E-09	1.0E+06	1.2E-03
887	887	3.67996	9.50706E-06	3.5E-05	1.05E-03	3.66E-08	2.09E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
888	888	3.70464	9.50706E-06	3.5E-05	1.05E-03	3.68E-08	2.09E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
889	889	3.7226	9.50706E-06	3.5E-05	1.05E-03	3.70E-08	2.09E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
890	890	3.72903	9.50706E-06	3.5E-05	1.05E-03	3.71E-08	2.09E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
891	891	3.72652	9.50706E-06	3.5E-05	1.05E-03	3.70E-08	2.09E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	0.77761	2.60712E-05	2.0E-05	1.05E-03	2.12E-08	2.09E-01	1.57E-01	6.97E-10	1.0E+06	7.0E-04
522	522	0.81596	2.60712E-05	2.1E-05	1.05E-03	2.22E-08	2.09E-01	1.57E-01	7.31E-10	1.0E+06	7.3E-04
523	523	0.8566	2.60712E-05	2.2E-05	1.05E-03	2.33E-08	2.09E-01	1.57E-01	7.67E-10	1.0E+06	7.7E-04
524	524	0.89949	2.60712E-05	2.3E-05	1.05E-03	2.45E-08	2.09E-01	1.57E-01	8.06E-10	1.0E+06	8.1E-04
525	525	0.95492	2.60712E-05	2.5E-05	1.05E-03	2.60E-08	2.09E-01	1.57E-01	8.55E-10	1.0E+06	8.6E-04
526	526	1.01631	2.60712E-05	2.6E-05	1.05E-03	2.77E-08	2.09E-01	1.57E-01	9.10E-10	1.0E+06	9.1E-04
527	527	1.08353	2.60712E-05	2.8E-05	1.05E-03	2.95E-08	2.09E-01	1.57E-01	9.71E-10	1.0E+06	9.7E-04
528	528	1.15852	2.60712E-05	3.0E-05	1.05E-03	3.16E-08	2.09E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
529	529	1.242	2.60712E-05	3.2E-05	1.05E-03	3.38E-08	2.09E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
530	530	1.33478	2.60712E-05	3.5E-05	1.05E-03	3.64E-08	2.09E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
531	531	1.43952	2.60712E-05	3.8E-05	1.05E-03	3.92E-08	2.09E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
532	532	0.31799	2.60712E-05	8.3E-06	1.05E-03	8.67E-09	2.09E-01	1.57E-01	2.85E-10	1.0E+06	2.8E-04
533	533	0.32535	2.60712E-05	8.5E-06	1.05E-03	8.87E-09	2.09E-01	1.57E-01	2.91E-10	1.0E+06	2.9E-04
534	534	0.33295	2.60712E-05	8.7E-06	1.05E-03	9.07E-09	2.09E-01	1.57E-01	2.98E-10	1.0E+06	3.0E-04
535	535	0.34066	2.60712E-05	8.9E-06	1.05E-03	9.28E-09	2.09E-01	1.57E-01	3.05E-10	1.0E+06	3.1E-04
536	536	0.34872	2.60712E-05	9.1E-06	1.05E-03	9.50E-09	2.09E-01	1.57E-01	3.12E-10	1.0E+06	3.1E-04
537	537	0.35704	2.60712E-05	9.3E-06	1.05E-03	9.73E-09	2.09E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
538	538	0.36567	2.60712E-05	9.5E-06	1.05E-03	9.96E-09	2.09E-01	1.57E-01	3.28E-10	1.0E+06	3.3E-04
539	539	0.37473	2.60712E-05	9.8E-06	1.05E-03	1.02E-08	2.09E-01	1.57E-01	3.36E-10	1.0E+06	3.4E-04
540	540	0.38444	2.60712E-05	1.0E-05	1.05E-03	1.05E-08	2.09E-01	1.57E-01	3.44E-10	1.0E+06	3.4E-04
541	541	0.39462	2.60712E-05	1.0E-05	1.05E-03	1.08E-08	2.09E-01	1.57E-01	3.53E-10	1.0E+06	3.5E-04
542	542	0.40528	2.60712E-05	1.1E-05	1.05E-03	1.10E-08	2.09E-01	1.57E-01	3.63E-10	1.0E+06	3.6E-04
543	543	0.41647	2.60712E-05	1.1E-05	1.05E-03	1.13E-08	2.09E-01	1.57E-01	3.73E-10	1.0E+06	3.7E-04
544	544	0.42822	2.60712E-05	1.1E-05	1.05E-03	1.17E-08	2.09E-01	1.57E-01	3.84E-10	1.0E+06	3.8E-04
545	545	0.44048	2.60712E-05	1.1E-05	1.05E-03	1.20E-08	2.09E-01	1.57E-01	3.95E-10	1.0E+06	3.9E-04
546	546	0.45341	2.60712E-05	1.2E-05	1.05E-03	1.24E-08	2.09E-01	1.57E-01	4.06E-10	1.0E+06	4.1E-04
547	547	0.46703	2.60712E-05	1.2E-05	1.05E-03	1.27E-08	2.09E-01	1.57E-01	4.18E-10	1.0E+06	4.2E-04
548	548	0.48144	2.60712E-05	1.3E-05	1.05E-03	1.31E-08	2.09E-01	1.57E-01	4.31E-10	1.0E+06	4.3E-04
549	549	0.49672	2.60712E-05	1.3E-05	1.05E-03	1.35E-08	2.09E-01	1.57E-01	4.45E-10	1.0E+06	4.4E-04
550	550	0.513	2.60712E-05	1.3E-05	1.05E-03	1.40E-08	2.09E-01	1.57E-01	4.60E-10	1.0E+06	4.6E-04
551	551	0.53038	2.60712E-05	1.4E-05	1.05E-03	1.45E-08	2.09E-01	1.57E-01	4.75E-10	1.0E+06	4.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	0.54888	2.60712E-05	1.4E-05	1.05E-03	1.50E-08	2.09E-01	1.57E-01	4.92E-10	1.0E+06	4.9E-04
553	553	0.56857	2.60712E-05	1.5E-05	1.05E-03	1.55E-08	2.09E-01	1.57E-01	5.09E-10	1.0E+06	5.1E-04
554	554	0.58964	2.60712E-05	1.5E-05	1.05E-03	1.61E-08	2.09E-01	1.57E-01	5.28E-10	1.0E+06	5.3E-04
555	555	0.61219	2.60712E-05	1.6E-05	1.05E-03	1.67E-08	2.09E-01	1.57E-01	5.48E-10	1.0E+06	5.5E-04
556	556	0.63635	2.60712E-05	1.7E-05	1.05E-03	1.73E-08	2.09E-01	1.57E-01	5.70E-10	1.0E+06	5.7E-04
557	557	0.66239	2.60712E-05	1.7E-05	1.05E-03	1.80E-08	2.09E-01	1.57E-01	5.93E-10	1.0E+06	5.9E-04
558	558	0.69045	2.60712E-05	1.8E-05	1.05E-03	1.88E-08	2.09E-01	1.57E-01	6.18E-10	1.0E+06	6.2E-04
559	559	0.72084	2.60712E-05	1.9E-05	1.05E-03	1.96E-08	2.09E-01	1.57E-01	6.46E-10	1.0E+06	6.5E-04
560	560	0.75373	2.60712E-05	2.0E-05	1.05E-03	2.05E-08	2.09E-01	1.57E-01	6.75E-10	1.0E+06	6.8E-04
561	561	0.78941	2.60712E-05	2.1E-05	1.05E-03	2.15E-08	2.09E-01	1.57E-01	7.07E-10	1.0E+06	7.1E-04
562	562	0.82835	2.60712E-05	2.2E-05	1.05E-03	2.26E-08	2.09E-01	1.57E-01	7.42E-10	1.0E+06	7.4E-04
563	563	0.87169	2.60712E-05	2.3E-05	1.05E-03	2.38E-08	2.09E-01	1.57E-01	7.81E-10	1.0E+06	7.8E-04
564	564	0.9113	2.60712E-05	2.4E-05	1.05E-03	2.48E-08	2.09E-01	1.57E-01	8.16E-10	1.0E+06	8.2E-04
565	565	0.96895	2.60712E-05	2.5E-05	1.05E-03	2.64E-08	2.09E-01	1.57E-01	8.68E-10	1.0E+06	8.7E-04
566	566	1.03344	2.60712E-05	2.7E-05	1.05E-03	2.82E-08	2.09E-01	1.57E-01	9.26E-10	1.0E+06	9.3E-04
567	567	1.10183	2.60712E-05	2.9E-05	1.05E-03	3.00E-08	2.09E-01	1.57E-01	9.87E-10	1.0E+06	9.9E-04
568	568	1.17843	2.60712E-05	3.1E-05	1.05E-03	3.21E-08	2.09E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
569	569	1.26374	2.60712E-05	3.3E-05	1.05E-03	3.44E-08	2.09E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
570	570	1.35839	2.60712E-05	3.5E-05	1.05E-03	3.70E-08	2.09E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
571	571	1.46504	2.60712E-05	3.8E-05	1.05E-03	3.99E-08	2.09E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
572	572	0.32025	2.60712E-05	8.3E-06	1.05E-03	8.73E-09	2.09E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
573	573	0.32792	2.60712E-05	8.5E-06	1.05E-03	8.94E-09	2.09E-01	1.57E-01	2.94E-10	1.0E+06	2.9E-04
574	574	0.33581	2.60712E-05	8.8E-06	1.05E-03	9.15E-09	2.09E-01	1.57E-01	3.01E-10	1.0E+06	3.0E-04
575	575	0.34367	2.60712E-05	9.0E-06	1.05E-03	9.36E-09	2.09E-01	1.57E-01	3.08E-10	1.0E+06	3.1E-04
576	576	0.35185	2.60712E-05	9.2E-06	1.05E-03	9.59E-09	2.09E-01	1.57E-01	3.15E-10	1.0E+06	3.2E-04
577	577	0.36021	2.60712E-05	9.4E-06	1.05E-03	9.82E-09	2.09E-01	1.57E-01	3.23E-10	1.0E+06	3.2E-04
578	578	0.36881	2.60712E-05	9.6E-06	1.05E-03	1.01E-08	2.09E-01	1.57E-01	3.30E-10	1.0E+06	3.3E-04
579	579	0.37784	2.60712E-05	9.9E-06	1.05E-03	1.03E-08	2.09E-01	1.57E-01	3.38E-10	1.0E+06	3.4E-04
580	580	0.38781	2.60712E-05	1.0E-05	1.05E-03	1.06E-08	2.09E-01	1.57E-01	3.47E-10	1.0E+06	3.5E-04
581	581	0.39825	2.60712E-05	1.0E-05	1.05E-03	1.09E-08	2.09E-01	1.57E-01	3.57E-10	1.0E+06	3.6E-04
582	582	0.40922	2.60712E-05	1.1E-05	1.05E-03	1.12E-08	2.09E-01	1.57E-01	3.67E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.42073	2.60712E-05	1.1E-05	1.05E-03	1.15E-08	2.09E-01	1.57E-01	3.77E-10	1.0E+06	3.8E-04
584	584	0.43281	2.60712E-05	1.1E-05	1.05E-03	1.18E-08	2.09E-01	1.57E-01	3.88E-10	1.0E+06	3.9E-04
585	585	0.44529	2.60712E-05	1.2E-05	1.05E-03	1.21E-08	2.09E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
586	586	0.45844	2.60712E-05	1.2E-05	1.05E-03	1.25E-08	2.09E-01	1.57E-01	4.11E-10	1.0E+06	4.1E-04
587	587	0.47232	2.60712E-05	1.2E-05	1.05E-03	1.29E-08	2.09E-01	1.57E-01	4.23E-10	1.0E+06	4.2E-04
588	588	0.487	2.60712E-05	1.3E-05	1.05E-03	1.33E-08	2.09E-01	1.57E-01	4.36E-10	1.0E+06	4.4E-04
589	589	0.50252	2.60712E-05	1.3E-05	1.05E-03	1.37E-08	2.09E-01	1.57E-01	4.50E-10	1.0E+06	4.5E-04
590	590	0.51906	2.60712E-05	1.4E-05	1.05E-03	1.41E-08	2.09E-01	1.57E-01	4.65E-10	1.0E+06	4.6E-04
591	591	0.53672	2.60712E-05	1.4E-05	1.05E-03	1.46E-08	2.09E-01	1.57E-01	4.81E-10	1.0E+06	4.8E-04
592	592	0.55557	2.60712E-05	1.4E-05	1.05E-03	1.51E-08	2.09E-01	1.57E-01	4.98E-10	1.0E+06	5.0E-04
593	593	0.57578	2.60712E-05	1.5E-05	1.05E-03	1.57E-08	2.09E-01	1.57E-01	5.16E-10	1.0E+06	5.2E-04
594	594	0.59738	2.60712E-05	1.6E-05	1.05E-03	1.63E-08	2.09E-01	1.57E-01	5.35E-10	1.0E+06	5.4E-04
595	595	0.62042	2.60712E-05	1.6E-05	1.05E-03	1.69E-08	2.09E-01	1.57E-01	5.56E-10	1.0E+06	5.6E-04
596	596	0.64508	2.60712E-05	1.7E-05	1.05E-03	1.76E-08	2.09E-01	1.57E-01	5.78E-10	1.0E+06	5.8E-04
597	597	0.67162	2.60712E-05	1.8E-05	1.05E-03	1.83E-08	2.09E-01	1.57E-01	6.02E-10	1.0E+06	6.0E-04
598	598	0.70021	2.60712E-05	1.8E-05	1.05E-03	1.91E-08	2.09E-01	1.57E-01	6.27E-10	1.0E+06	6.3E-04
599	599	0.73114	2.60712E-05	1.9E-05	1.05E-03	1.99E-08	2.09E-01	1.57E-01	6.55E-10	1.0E+06	6.5E-04
600	600	0.76459	2.60712E-05	2.0E-05	1.05E-03	2.08E-08	2.09E-01	1.57E-01	6.85E-10	1.0E+06	6.8E-04
601	601	0.80076	2.60712E-05	2.1E-05	1.05E-03	2.18E-08	2.09E-01	1.57E-01	7.17E-10	1.0E+06	7.2E-04
602	602	0.84014	2.60712E-05	2.2E-05	1.05E-03	2.29E-08	2.09E-01	1.57E-01	7.53E-10	1.0E+06	7.5E-04
603	603	0.88464	2.60712E-05	2.3E-05	1.05E-03	2.41E-08	2.09E-01	1.57E-01	7.92E-10	1.0E+06	7.9E-04
604	604	0.92299	2.60712E-05	2.4E-05	1.05E-03	2.52E-08	2.09E-01	1.57E-01	8.27E-10	1.0E+06	8.3E-04
605	605	0.98419	2.60712E-05	2.6E-05	1.05E-03	2.68E-08	2.09E-01	1.57E-01	8.82E-10	1.0E+06	8.8E-04
606	606	1.048	2.60712E-05	2.7E-05	1.05E-03	2.86E-08	2.09E-01	1.57E-01	9.39E-10	1.0E+06	9.4E-04
607	607	1.11645	2.60712E-05	2.9E-05	1.05E-03	3.04E-08	2.09E-01	1.57E-01	1.00E-09	1.0E+06	1.0E-03
608	608	1.1945	2.60712E-05	3.1E-05	1.05E-03	3.25E-08	2.09E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
609	609	1.28315	2.60712E-05	3.3E-05	1.05E-03	3.50E-08	2.09E-01	1.57E-01	1.15E-09	1.0E+06	1.1E-03
610	610	1.38068	2.60712E-05	3.6E-05	1.05E-03	3.76E-08	2.09E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
611	611	1.48892	2.60712E-05	3.9E-05	1.05E-03	4.06E-08	2.09E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
612	612	0.32234	2.60712E-05	8.4E-06	1.05E-03	8.78E-09	2.09E-01	1.57E-01	2.89E-10	1.0E+06	2.9E-04
613	613	0.3304	2.60712E-05	8.6E-06	1.05E-03	9.00E-09	2.09E-01	1.57E-01	2.96E-10	1.0E+06	3.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.33857	2.60712E-05	8.8E-06	1.05E-03	9.23E-09	2.09E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
615	615	0.34656	2.60712E-05	9.0E-06	1.05E-03	9.44E-09	2.09E-01	1.57E-01	3.10E-10	1.0E+06	3.1E-04
616	616	0.35488	2.60712E-05	9.3E-06	1.05E-03	9.67E-09	2.09E-01	1.57E-01	3.18E-10	1.0E+06	3.2E-04
617	617	0.36325	2.60712E-05	9.5E-06	1.05E-03	9.90E-09	2.09E-01	1.57E-01	3.25E-10	1.0E+06	3.3E-04
618	618	0.37175	2.60712E-05	9.7E-06	1.05E-03	1.01E-08	2.09E-01	1.57E-01	3.33E-10	1.0E+06	3.3E-04
619	619	0.3807	2.60712E-05	9.9E-06	1.05E-03	1.04E-08	2.09E-01	1.57E-01	3.41E-10	1.0E+06	3.4E-04
620	620	0.39093	2.60712E-05	1.0E-05	1.05E-03	1.07E-08	2.09E-01	1.57E-01	3.50E-10	1.0E+06	3.5E-04
621	621	0.40165	2.60712E-05	1.0E-05	1.05E-03	1.09E-08	2.09E-01	1.57E-01	3.60E-10	1.0E+06	3.6E-04
622	622	0.4129	2.60712E-05	1.1E-05	1.05E-03	1.13E-08	2.09E-01	1.57E-01	3.70E-10	1.0E+06	3.7E-04
623	623	0.42474	2.60712E-05	1.1E-05	1.05E-03	1.16E-08	2.09E-01	1.57E-01	3.80E-10	1.0E+06	3.8E-04
624	624	0.43714	2.60712E-05	1.1E-05	1.05E-03	1.19E-08	2.09E-01	1.57E-01	3.92E-10	1.0E+06	3.9E-04
625	625	0.44985	2.60712E-05	1.2E-05	1.05E-03	1.23E-08	2.09E-01	1.57E-01	4.03E-10	1.0E+06	4.0E-04
626	626	0.46319	2.60712E-05	1.2E-05	1.05E-03	1.26E-08	2.09E-01	1.57E-01	4.15E-10	1.0E+06	4.1E-04
627	627	0.47729	2.60712E-05	1.2E-05	1.05E-03	1.30E-08	2.09E-01	1.57E-01	4.28E-10	1.0E+06	4.3E-04
628	628	0.49218	2.60712E-05	1.3E-05	1.05E-03	1.34E-08	2.09E-01	1.57E-01	4.41E-10	1.0E+06	4.4E-04
629	629	0.50796	2.60712E-05	1.3E-05	1.05E-03	1.38E-08	2.09E-01	1.57E-01	4.55E-10	1.0E+06	4.6E-04
630	630	0.52476	2.60712E-05	1.4E-05	1.05E-03	1.43E-08	2.09E-01	1.57E-01	4.70E-10	1.0E+06	4.7E-04
631	631	0.54268	2.60712E-05	1.4E-05	1.05E-03	1.48E-08	2.09E-01	1.57E-01	4.86E-10	1.0E+06	4.9E-04
632	632	0.56186	2.60712E-05	1.5E-05	1.05E-03	1.53E-08	2.09E-01	1.57E-01	5.03E-10	1.0E+06	5.0E-04
633	633	0.58263	2.60712E-05	1.5E-05	1.05E-03	1.59E-08	2.09E-01	1.57E-01	5.22E-10	1.0E+06	5.2E-04
634	634	0.60479	2.60712E-05	1.6E-05	1.05E-03	1.65E-08	2.09E-01	1.57E-01	5.42E-10	1.0E+06	5.4E-04
635	635	0.62834	2.60712E-05	1.6E-05	1.05E-03	1.71E-08	2.09E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
636	636	0.65351	2.60712E-05	1.7E-05	1.05E-03	1.78E-08	2.09E-01	1.57E-01	5.85E-10	1.0E+06	5.9E-04
637	637	0.68056	2.60712E-05	1.8E-05	1.05E-03	1.85E-08	2.09E-01	1.57E-01	6.10E-10	1.0E+06	6.1E-04
638	638	0.7096	2.60712E-05	1.9E-05	1.05E-03	1.93E-08	2.09E-01	1.57E-01	6.36E-10	1.0E+06	6.4E-04
639	639	0.74102	2.60712E-05	1.9E-05	1.05E-03	2.02E-08	2.09E-01	1.57E-01	6.64E-10	1.0E+06	6.6E-04
640	640	0.77492	2.60712E-05	2.0E-05	1.05E-03	2.11E-08	2.09E-01	1.57E-01	6.94E-10	1.0E+06	6.9E-04
641	641	0.81161	2.60712E-05	2.1E-05	1.05E-03	2.21E-08	2.09E-01	1.57E-01	7.27E-10	1.0E+06	7.3E-04
642	642	0.85166	2.60712E-05	2.2E-05	1.05E-03	2.32E-08	2.09E-01	1.57E-01	7.63E-10	1.0E+06	7.6E-04
643	643	0.8971	2.60712E-05	2.3E-05	1.05E-03	2.44E-08	2.09E-01	1.57E-01	8.04E-10	1.0E+06	8.0E-04
644	644	0.94452	2.60712E-05	2.5E-05	1.05E-03	2.57E-08	2.09E-01	1.57E-01	8.46E-10	1.0E+06	8.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	0.99851	2.60712E-05	2.6E-05	1.05E-03	2.72E-08	2.09E-01	1.57E-01	8.94E-10	1.0E+06	8.9E-04
646	646	1.06154	2.60712E-05	2.8E-05	1.05E-03	2.89E-08	2.09E-01	1.57E-01	9.51E-10	1.0E+06	9.5E-04
647	647	1.1329	2.60712E-05	3.0E-05	1.05E-03	3.09E-08	2.09E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
648	648	1.21234	2.60712E-05	3.2E-05	1.05E-03	3.30E-08	2.09E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
649	649	1.30262	2.60712E-05	3.4E-05	1.05E-03	3.55E-08	2.09E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
650	650	1.40172	2.60712E-05	3.7E-05	1.05E-03	3.82E-08	2.09E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03
651	651	1.51046	2.60712E-05	3.9E-05	1.05E-03	4.12E-08	2.09E-01	1.57E-01	1.35E-09	1.0E+06	1.4E-03
652	652	0.32327	2.60712E-05	8.4E-06	1.05E-03	8.81E-09	2.09E-01	1.57E-01	2.90E-10	1.0E+06	2.9E-04
653	653	0.33137	2.60712E-05	8.6E-06	1.05E-03	9.03E-09	2.09E-01	1.57E-01	2.97E-10	1.0E+06	3.0E-04
654	654	0.33959	2.60712E-05	8.9E-06	1.05E-03	9.25E-09	2.09E-01	1.57E-01	3.04E-10	1.0E+06	3.0E-04
655	655	0.34769	2.60712E-05	9.1E-06	1.05E-03	9.47E-09	2.09E-01	1.57E-01	3.11E-10	1.0E+06	3.1E-04
656	656	0.35616	2.60712E-05	9.3E-06	1.05E-03	9.71E-09	2.09E-01	1.57E-01	3.19E-10	1.0E+06	3.2E-04
657	657	0.36473	2.60712E-05	9.5E-06	1.05E-03	9.94E-09	2.09E-01	1.57E-01	3.27E-10	1.0E+06	3.3E-04
658	658	0.37353	2.60712E-05	9.7E-06	1.05E-03	1.02E-08	2.09E-01	1.57E-01	3.35E-10	1.0E+06	3.3E-04
659	659	0.38281	2.60712E-05	1.0E-05	1.05E-03	1.04E-08	2.09E-01	1.57E-01	3.43E-10	1.0E+06	3.4E-04
660	660	0.39331	2.60712E-05	1.0E-05	1.05E-03	1.07E-08	2.09E-01	1.57E-01	3.52E-10	1.0E+06	3.5E-04
661	661	0.40426	2.60712E-05	1.1E-05	1.05E-03	1.10E-08	2.09E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
662	662	0.41572	2.60712E-05	1.1E-05	1.05E-03	1.13E-08	2.09E-01	1.57E-01	3.72E-10	1.0E+06	3.7E-04
663	663	0.42772	2.60712E-05	1.1E-05	1.05E-03	1.17E-08	2.09E-01	1.57E-01	3.83E-10	1.0E+06	3.8E-04
664	664	0.44031	2.60712E-05	1.1E-05	1.05E-03	1.20E-08	2.09E-01	1.57E-01	3.94E-10	1.0E+06	3.9E-04
665	665	0.45309	2.60712E-05	1.2E-05	1.05E-03	1.23E-08	2.09E-01	1.57E-01	4.06E-10	1.0E+06	4.1E-04
666	666	0.46648	2.60712E-05	1.2E-05	1.05E-03	1.27E-08	2.09E-01	1.57E-01	4.18E-10	1.0E+06	4.2E-04
667	667	0.48069	2.60712E-05	1.3E-05	1.05E-03	1.31E-08	2.09E-01	1.57E-01	4.31E-10	1.0E+06	4.3E-04
668	668	0.49589	2.60712E-05	1.3E-05	1.05E-03	1.35E-08	2.09E-01	1.57E-01	4.44E-10	1.0E+06	4.4E-04
669	669	0.512	2.60712E-05	1.3E-05	1.05E-03	1.40E-08	2.09E-01	1.57E-01	4.59E-10	1.0E+06	4.6E-04
670	670	0.52933	2.60712E-05	1.4E-05	1.05E-03	1.44E-08	2.09E-01	1.57E-01	4.74E-10	1.0E+06	4.7E-04
671	671	0.54778	2.60712E-05	1.4E-05	1.05E-03	1.49E-08	2.09E-01	1.57E-01	4.91E-10	1.0E+06	4.9E-04
672	672	0.5675	2.60712E-05	1.5E-05	1.05E-03	1.55E-08	2.09E-01	1.57E-01	5.08E-10	1.0E+06	5.1E-04
673	673	0.58879	2.60712E-05	1.5E-05	1.05E-03	1.60E-08	2.09E-01	1.57E-01	5.27E-10	1.0E+06	5.3E-04
674	674	0.61165	2.60712E-05	1.6E-05	1.05E-03	1.67E-08	2.09E-01	1.57E-01	5.48E-10	1.0E+06	5.5E-04
675	675	0.63577	2.60712E-05	1.7E-05	1.05E-03	1.73E-08	2.09E-01	1.57E-01	5.69E-10	1.0E+06	5.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	0.66149	2.60712E-05	1.7E-05	1.05E-03	1.80E-08	2.09E-01	1.57E-01	5.93E-10	1.0E+06	5.9E-04
677	677	0.68917	2.60712E-05	1.8E-05	1.05E-03	1.88E-08	2.09E-01	1.57E-01	6.17E-10	1.0E+06	6.2E-04
678	678	0.71851	2.60712E-05	1.9E-05	1.05E-03	1.96E-08	2.09E-01	1.57E-01	6.44E-10	1.0E+06	6.4E-04
679	679	0.75023	2.60712E-05	2.0E-05	1.05E-03	2.04E-08	2.09E-01	1.57E-01	6.72E-10	1.0E+06	6.7E-04
680	680	0.78465	2.60712E-05	2.0E-05	1.05E-03	2.14E-08	2.09E-01	1.57E-01	7.03E-10	1.0E+06	7.0E-04
681	681	0.82219	2.60712E-05	2.1E-05	1.05E-03	2.24E-08	2.09E-01	1.57E-01	7.36E-10	1.0E+06	7.4E-04
682	682	0.86308	2.60712E-05	2.3E-05	1.05E-03	2.35E-08	2.09E-01	1.57E-01	7.73E-10	1.0E+06	7.7E-04
683	683	0.9093	2.60712E-05	2.4E-05	1.05E-03	2.48E-08	2.09E-01	1.57E-01	8.15E-10	1.0E+06	8.1E-04
684	684	0.95909	2.60712E-05	2.5E-05	1.05E-03	2.61E-08	2.09E-01	1.57E-01	8.59E-10	1.0E+06	8.6E-04
685	685	1.00895	2.60712E-05	2.6E-05	1.05E-03	2.75E-08	2.09E-01	1.57E-01	9.04E-10	1.0E+06	9.0E-04
686	686	1.07618	2.60712E-05	2.8E-05	1.05E-03	2.93E-08	2.09E-01	1.57E-01	9.64E-10	1.0E+06	9.6E-04
687	687	1.14874	2.60712E-05	3.0E-05	1.05E-03	3.13E-08	2.09E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
688	688	1.22946	2.60712E-05	3.2E-05	1.05E-03	3.35E-08	2.09E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
689	689	1.32104	2.60712E-05	3.4E-05	1.05E-03	3.60E-08	2.09E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
690	690	1.42053	2.60712E-05	3.7E-05	1.05E-03	3.87E-08	2.09E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
691	691	1.53177	2.60712E-05	4.0E-05	1.05E-03	4.17E-08	2.09E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03
692	692	0.32367	2.60712E-05	8.4E-06	1.05E-03	8.82E-09	2.09E-01	1.57E-01	2.90E-10	1.0E+06	2.9E-04
693	693	0.3316	2.60712E-05	8.6E-06	1.05E-03	9.04E-09	2.09E-01	1.57E-01	2.97E-10	1.0E+06	3.0E-04
694	694	0.33978	2.60712E-05	8.9E-06	1.05E-03	9.26E-09	2.09E-01	1.57E-01	3.04E-10	1.0E+06	3.0E-04
695	695	0.34808	2.60712E-05	9.1E-06	1.05E-03	9.49E-09	2.09E-01	1.57E-01	3.12E-10	1.0E+06	3.1E-04
696	696	0.35673	2.60712E-05	9.3E-06	1.05E-03	9.72E-09	2.09E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
697	697	0.36565	2.60712E-05	9.5E-06	1.05E-03	9.96E-09	2.09E-01	1.57E-01	3.28E-10	1.0E+06	3.3E-04
698	698	0.37487	2.60712E-05	9.8E-06	1.05E-03	1.02E-08	2.09E-01	1.57E-01	3.36E-10	1.0E+06	3.4E-04
699	699	0.38457	2.60712E-05	1.0E-05	1.05E-03	1.05E-08	2.09E-01	1.57E-01	3.44E-10	1.0E+06	3.4E-04
700	700	0.39526	2.60712E-05	1.0E-05	1.05E-03	1.08E-08	2.09E-01	1.57E-01	3.54E-10	1.0E+06	3.5E-04
701	701	0.4065	2.60712E-05	1.1E-05	1.05E-03	1.11E-08	2.09E-01	1.57E-01	3.64E-10	1.0E+06	3.6E-04
702	702	0.41815	2.60712E-05	1.1E-05	1.05E-03	1.14E-08	2.09E-01	1.57E-01	3.75E-10	1.0E+06	3.7E-04
703	703	0.43023	2.60712E-05	1.1E-05	1.05E-03	1.17E-08	2.09E-01	1.57E-01	3.85E-10	1.0E+06	3.9E-04
704	704	0.44297	2.60712E-05	1.2E-05	1.05E-03	1.21E-08	2.09E-01	1.57E-01	3.97E-10	1.0E+06	4.0E-04
705	705	0.45572	2.60712E-05	1.2E-05	1.05E-03	1.24E-08	2.09E-01	1.57E-01	4.08E-10	1.0E+06	4.1E-04
706	706	0.46907	2.60712E-05	1.2E-05	1.05E-03	1.28E-08	2.09E-01	1.57E-01	4.20E-10	1.0E+06	4.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	0.48332	2.60712E-05	1.3E-05	1.05E-03	1.32E-08	2.09E-01	1.57E-01	4.33E-10	1.0E+06	4.3E-04
708	708	0.49888	2.60712E-05	1.3E-05	1.05E-03	1.36E-08	2.09E-01	1.57E-01	4.47E-10	1.0E+06	4.5E-04
709	709	0.51532	2.60712E-05	1.3E-05	1.05E-03	1.40E-08	2.09E-01	1.57E-01	4.62E-10	1.0E+06	4.6E-04
710	710	0.53325	2.60712E-05	1.4E-05	1.05E-03	1.45E-08	2.09E-01	1.57E-01	4.78E-10	1.0E+06	4.8E-04
711	711	0.55241	2.60712E-05	1.4E-05	1.05E-03	1.51E-08	2.09E-01	1.57E-01	4.95E-10	1.0E+06	4.9E-04
712	712	0.57278	2.60712E-05	1.5E-05	1.05E-03	1.56E-08	2.09E-01	1.57E-01	5.13E-10	1.0E+06	5.1E-04
713	713	0.59465	2.60712E-05	1.6E-05	1.05E-03	1.62E-08	2.09E-01	1.57E-01	5.33E-10	1.0E+06	5.3E-04
714	714	0.61811	2.60712E-05	1.6E-05	1.05E-03	1.68E-08	2.09E-01	1.57E-01	5.54E-10	1.0E+06	5.5E-04
715	715	0.64288	2.60712E-05	1.7E-05	1.05E-03	1.75E-08	2.09E-01	1.57E-01	5.76E-10	1.0E+06	5.8E-04
716	716	0.66918	2.60712E-05	1.7E-05	1.05E-03	1.82E-08	2.09E-01	1.57E-01	5.99E-10	1.0E+06	6.0E-04
717	717	0.69745	2.60712E-05	1.8E-05	1.05E-03	1.90E-08	2.09E-01	1.57E-01	6.25E-10	1.0E+06	6.2E-04
718	718	0.72705	2.60712E-05	1.9E-05	1.05E-03	1.98E-08	2.09E-01	1.57E-01	6.51E-10	1.0E+06	6.5E-04
719	719	0.75905	2.60712E-05	2.0E-05	1.05E-03	2.07E-08	2.09E-01	1.57E-01	6.80E-10	1.0E+06	6.8E-04
720	720	0.79391	2.60712E-05	2.1E-05	1.05E-03	2.16E-08	2.09E-01	1.57E-01	7.11E-10	1.0E+06	7.1E-04
721	721	0.83223	2.60712E-05	2.2E-05	1.05E-03	2.27E-08	2.09E-01	1.57E-01	7.45E-10	1.0E+06	7.5E-04
722	722	0.87405	2.60712E-05	2.3E-05	1.05E-03	2.38E-08	2.09E-01	1.57E-01	7.83E-10	1.0E+06	7.8E-04
723	723	0.921	2.60712E-05	2.4E-05	1.05E-03	2.51E-08	2.09E-01	1.57E-01	8.25E-10	1.0E+06	8.2E-04
724	724	0.97274	2.60712E-05	2.5E-05	1.05E-03	2.65E-08	2.09E-01	1.57E-01	8.71E-10	1.0E+06	8.7E-04
725	725	1.02152	2.60712E-05	2.7E-05	1.05E-03	2.78E-08	2.09E-01	1.57E-01	9.15E-10	1.0E+06	9.2E-04
726	726	1.0879	2.60712E-05	2.8E-05	1.05E-03	2.96E-08	2.09E-01	1.57E-01	9.74E-10	1.0E+06	9.7E-04
727	727	1.16381	2.60712E-05	3.0E-05	1.05E-03	3.17E-08	2.09E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
728	728	1.24558	2.60712E-05	3.2E-05	1.05E-03	3.39E-08	2.09E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
729	729	1.33846	2.60712E-05	3.5E-05	1.05E-03	3.65E-08	2.09E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
730	730	1.43923	2.60712E-05	3.8E-05	1.05E-03	3.92E-08	2.09E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
731	731	1.55169	2.60712E-05	4.0E-05	1.05E-03	4.23E-08	2.09E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
732	732	0.32372	2.60712E-05	8.4E-06	1.05E-03	8.82E-09	2.09E-01	1.57E-01	2.90E-10	1.0E+06	2.9E-04
733	733	0.33131	2.60712E-05	8.6E-06	1.05E-03	9.03E-09	2.09E-01	1.57E-01	2.97E-10	1.0E+06	3.0E-04
734	734	0.33928	2.60712E-05	8.8E-06	1.05E-03	9.25E-09	2.09E-01	1.57E-01	3.04E-10	1.0E+06	3.0E-04
735	735	0.34772	2.60712E-05	9.1E-06	1.05E-03	9.48E-09	2.09E-01	1.57E-01	3.11E-10	1.0E+06	3.1E-04
736	736	0.35657	2.60712E-05	9.3E-06	1.05E-03	9.72E-09	2.09E-01	1.57E-01	3.19E-10	1.0E+06	3.2E-04
737	737	0.36587	2.60712E-05	9.5E-06	1.05E-03	9.97E-09	2.09E-01	1.57E-01	3.28E-10	1.0E+06	3.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.37568	2.60712E-05	9.8E-06	1.05E-03	1.02E-08	2.09E-01	1.57E-01	3.37E-10	1.0E+06	3.4E-04
739	739	0.38588	2.60712E-05	1.0E-05	1.05E-03	1.05E-08	2.09E-01	1.57E-01	3.46E-10	1.0E+06	3.5E-04
740	740	0.39688	2.60712E-05	1.0E-05	1.05E-03	1.08E-08	2.09E-01	1.57E-01	3.56E-10	1.0E+06	3.6E-04
741	741	0.40832	2.60712E-05	1.1E-05	1.05E-03	1.11E-08	2.09E-01	1.57E-01	3.66E-10	1.0E+06	3.7E-04
742	742	0.42014	2.60712E-05	1.1E-05	1.05E-03	1.14E-08	2.09E-01	1.57E-01	3.76E-10	1.0E+06	3.8E-04
743	743	0.43232	2.60712E-05	1.1E-05	1.05E-03	1.18E-08	2.09E-01	1.57E-01	3.87E-10	1.0E+06	3.9E-04
744	744	0.44514	2.60712E-05	1.2E-05	1.05E-03	1.21E-08	2.09E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
745	745	0.4578	2.60712E-05	1.2E-05	1.05E-03	1.25E-08	2.09E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
746	746	0.47105	2.60712E-05	1.2E-05	1.05E-03	1.28E-08	2.09E-01	1.57E-01	4.22E-10	1.0E+06	4.2E-04
747	747	0.48529	2.60712E-05	1.3E-05	1.05E-03	1.32E-08	2.09E-01	1.57E-01	4.35E-10	1.0E+06	4.3E-04
748	748	0.50119	2.60712E-05	1.3E-05	1.05E-03	1.37E-08	2.09E-01	1.57E-01	4.49E-10	1.0E+06	4.5E-04
749	749	0.51803	2.60712E-05	1.4E-05	1.05E-03	1.41E-08	2.09E-01	1.57E-01	4.64E-10	1.0E+06	4.6E-04
750	750	0.53662	2.60712E-05	1.4E-05	1.05E-03	1.46E-08	2.09E-01	1.57E-01	4.81E-10	1.0E+06	4.8E-04
751	751	0.55655	2.60712E-05	1.5E-05	1.05E-03	1.52E-08	2.09E-01	1.57E-01	4.99E-10	1.0E+06	5.0E-04
752	752	0.57766	2.60712E-05	1.5E-05	1.05E-03	1.57E-08	2.09E-01	1.57E-01	5.17E-10	1.0E+06	5.2E-04
753	753	0.60007	2.60712E-05	1.6E-05	1.05E-03	1.64E-08	2.09E-01	1.57E-01	5.38E-10	1.0E+06	5.4E-04
754	754	0.62404	2.60712E-05	1.6E-05	1.05E-03	1.70E-08	2.09E-01	1.57E-01	5.59E-10	1.0E+06	5.6E-04
755	755	0.64945	2.60712E-05	1.7E-05	1.05E-03	1.77E-08	2.09E-01	1.57E-01	5.82E-10	1.0E+06	5.8E-04
756	756	0.67624	2.60712E-05	1.8E-05	1.05E-03	1.84E-08	2.09E-01	1.57E-01	6.06E-10	1.0E+06	6.1E-04
757	757	0.7051	2.60712E-05	1.8E-05	1.05E-03	1.92E-08	2.09E-01	1.57E-01	6.32E-10	1.0E+06	6.3E-04
758	758	0.73501	2.60712E-05	1.9E-05	1.05E-03	2.00E-08	2.09E-01	1.57E-01	6.58E-10	1.0E+06	6.6E-04
759	759	0.76728	2.60712E-05	2.0E-05	1.05E-03	2.09E-08	2.09E-01	1.57E-01	6.87E-10	1.0E+06	6.9E-04
760	760	0.80265	2.60712E-05	2.1E-05	1.05E-03	2.19E-08	2.09E-01	1.57E-01	7.19E-10	1.0E+06	7.2E-04
761	761	0.84172	2.60712E-05	2.2E-05	1.05E-03	2.29E-08	2.09E-01	1.57E-01	7.54E-10	1.0E+06	7.5E-04
762	762	0.88437	2.60712E-05	2.3E-05	1.05E-03	2.41E-08	2.09E-01	1.57E-01	7.92E-10	1.0E+06	7.9E-04
763	763	0.93192	2.60712E-05	2.4E-05	1.05E-03	2.54E-08	2.09E-01	1.57E-01	8.35E-10	1.0E+06	8.3E-04
764	764	0.98432	2.60712E-05	2.6E-05	1.05E-03	2.68E-08	2.09E-01	1.57E-01	8.82E-10	1.0E+06	8.8E-04
765	765	1.03135	2.60712E-05	2.7E-05	1.05E-03	2.81E-08	2.09E-01	1.57E-01	9.24E-10	1.0E+06	9.2E-04
766	766	1.10071	2.60712E-05	2.9E-05	1.05E-03	3.00E-08	2.09E-01	1.57E-01	9.86E-10	1.0E+06	9.9E-04
767	767	1.17592	2.60712E-05	3.1E-05	1.05E-03	3.20E-08	2.09E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
768	768	1.26076	2.60712E-05	3.3E-05	1.05E-03	3.44E-08	2.09E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	1.35349	2.60712E-05	3.5E-05	1.05E-03	3.69E-08	2.09E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
770	770	1.45676	2.60712E-05	3.8E-05	1.05E-03	3.97E-08	2.09E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
771	771	1.57042	2.60712E-05	4.1E-05	1.05E-03	4.28E-08	2.09E-01	1.57E-01	1.41E-09	1.0E+06	1.4E-03
772	772	0.32372	2.60712E-05	8.4E-06	1.05E-03	8.82E-09	2.09E-01	1.57E-01	2.90E-10	1.0E+06	2.9E-04
773	773	0.33129	2.60712E-05	8.6E-06	1.05E-03	9.03E-09	2.09E-01	1.57E-01	2.97E-10	1.0E+06	3.0E-04
774	774	0.33925	2.60712E-05	8.8E-06	1.05E-03	9.24E-09	2.09E-01	1.57E-01	3.04E-10	1.0E+06	3.0E-04
775	775	0.34788	2.60712E-05	9.1E-06	1.05E-03	9.48E-09	2.09E-01	1.57E-01	3.12E-10	1.0E+06	3.1E-04
776	776	0.35692	2.60712E-05	9.3E-06	1.05E-03	9.73E-09	2.09E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
777	777	0.36643	2.60712E-05	9.6E-06	1.05E-03	9.99E-09	2.09E-01	1.57E-01	3.28E-10	1.0E+06	3.3E-04
778	778	0.3764	2.60712E-05	9.8E-06	1.05E-03	1.03E-08	2.09E-01	1.57E-01	3.37E-10	1.0E+06	3.4E-04
779	779	0.38687	2.60712E-05	1.0E-05	1.05E-03	1.05E-08	2.09E-01	1.57E-01	3.47E-10	1.0E+06	3.5E-04
780	780	0.39795	2.60712E-05	1.0E-05	1.05E-03	1.08E-08	2.09E-01	1.57E-01	3.56E-10	1.0E+06	3.6E-04
781	781	0.40957	2.60712E-05	1.1E-05	1.05E-03	1.12E-08	2.09E-01	1.57E-01	3.67E-10	1.0E+06	3.7E-04
782	782	0.42156	2.60712E-05	1.1E-05	1.05E-03	1.15E-08	2.09E-01	1.57E-01	3.78E-10	1.0E+06	3.8E-04
783	783	0.43402	2.60712E-05	1.1E-05	1.05E-03	1.18E-08	2.09E-01	1.57E-01	3.89E-10	1.0E+06	3.9E-04
784	784	0.44712	2.60712E-05	1.2E-05	1.05E-03	1.22E-08	2.09E-01	1.57E-01	4.01E-10	1.0E+06	4.0E-04
785	785	0.46026	2.60712E-05	1.2E-05	1.05E-03	1.25E-08	2.09E-01	1.57E-01	4.12E-10	1.0E+06	4.1E-04
786	786	0.47397	2.60712E-05	1.2E-05	1.05E-03	1.29E-08	2.09E-01	1.57E-01	4.25E-10	1.0E+06	4.2E-04
787	787	0.4887	2.60712E-05	1.3E-05	1.05E-03	1.33E-08	2.09E-01	1.57E-01	4.38E-10	1.0E+06	4.4E-04
788	788	0.5049	2.60712E-05	1.3E-05	1.05E-03	1.38E-08	2.09E-01	1.57E-01	4.52E-10	1.0E+06	4.5E-04
789	789	0.52205	2.60712E-05	1.4E-05	1.05E-03	1.42E-08	2.09E-01	1.57E-01	4.68E-10	1.0E+06	4.7E-04
790	790	0.5408	2.60712E-05	1.4E-05	1.05E-03	1.47E-08	2.09E-01	1.57E-01	4.84E-10	1.0E+06	4.8E-04
791	791	0.56085	2.60712E-05	1.5E-05	1.05E-03	1.53E-08	2.09E-01	1.57E-01	5.02E-10	1.0E+06	5.0E-04
792	792	0.58213	2.60712E-05	1.5E-05	1.05E-03	1.59E-08	2.09E-01	1.57E-01	5.21E-10	1.0E+06	5.2E-04
793	793	0.60464	2.60712E-05	1.6E-05	1.05E-03	1.65E-08	2.09E-01	1.57E-01	5.42E-10	1.0E+06	5.4E-04
794	794	0.6286	2.60712E-05	1.6E-05	1.05E-03	1.71E-08	2.09E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
795	795	0.65407	2.60712E-05	1.7E-05	1.05E-03	1.78E-08	2.09E-01	1.57E-01	5.86E-10	1.0E+06	5.9E-04
796	796	0.68133	2.60712E-05	1.8E-05	1.05E-03	1.86E-08	2.09E-01	1.57E-01	6.10E-10	1.0E+06	6.1E-04
797	797	0.71068	2.60712E-05	1.9E-05	1.05E-03	1.94E-08	2.09E-01	1.57E-01	6.37E-10	1.0E+06	6.4E-04
798	798	0.74133	2.60712E-05	1.9E-05	1.05E-03	2.02E-08	2.09E-01	1.57E-01	6.64E-10	1.0E+06	6.6E-04
799	799	0.77452	2.60712E-05	2.0E-05	1.05E-03	2.11E-08	2.09E-01	1.57E-01	6.94E-10	1.0E+06	6.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	0.81072	2.60712E-05	2.1E-05	1.05E-03	2.21E-08	2.09E-01	1.57E-01	7.26E-10	1.0E+06	7.3E-04
801	801	0.85039	2.60712E-05	2.2E-05	1.05E-03	2.32E-08	2.09E-01	1.57E-01	7.62E-10	1.0E+06	7.6E-04
802	802	0.89376	2.60712E-05	2.3E-05	1.05E-03	2.44E-08	2.09E-01	1.57E-01	8.01E-10	1.0E+06	8.0E-04
803	803	0.94174	2.60712E-05	2.5E-05	1.05E-03	2.57E-08	2.09E-01	1.57E-01	8.44E-10	1.0E+06	8.4E-04
804	804	0.9946	2.60712E-05	2.6E-05	1.05E-03	2.71E-08	2.09E-01	1.57E-01	8.91E-10	1.0E+06	8.9E-04
805	805	1.05015	2.60712E-05	2.7E-05	1.05E-03	2.86E-08	2.09E-01	1.57E-01	9.41E-10	1.0E+06	9.4E-04
806	806	1.1079	2.60712E-05	2.9E-05	1.05E-03	3.02E-08	2.09E-01	1.57E-01	9.92E-10	1.0E+06	9.9E-04
807	807	1.18664	2.60712E-05	3.1E-05	1.05E-03	3.23E-08	2.09E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
808	808	1.27492	2.60712E-05	3.3E-05	1.05E-03	3.47E-08	2.09E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
809	809	1.3687	2.60712E-05	3.6E-05	1.05E-03	3.73E-08	2.09E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
810	810	1.47317	2.60712E-05	3.8E-05	1.05E-03	4.01E-08	2.09E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03
811	811	1.58819	2.60712E-05	4.1E-05	1.05E-03	4.33E-08	2.09E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
812	812	0.32342	2.60712E-05	8.4E-06	1.05E-03	8.81E-09	2.09E-01	1.57E-01	2.90E-10	1.0E+06	2.9E-04
813	813	0.33099	2.60712E-05	8.6E-06	1.05E-03	9.02E-09	2.09E-01	1.57E-01	2.96E-10	1.0E+06	3.0E-04
814	814	0.33899	2.60712E-05	8.8E-06	1.05E-03	9.24E-09	2.09E-01	1.57E-01	3.04E-10	1.0E+06	3.0E-04
815	815	0.34783	2.60712E-05	9.1E-06	1.05E-03	9.48E-09	2.09E-01	1.57E-01	3.12E-10	1.0E+06	3.1E-04
816	816	0.35704	2.60712E-05	9.3E-06	1.05E-03	9.73E-09	2.09E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
817	817	0.36673	2.60712E-05	9.6E-06	1.05E-03	9.99E-09	2.09E-01	1.57E-01	3.29E-10	1.0E+06	3.3E-04
818	818	0.37684	2.60712E-05	9.8E-06	1.05E-03	1.03E-08	2.09E-01	1.57E-01	3.38E-10	1.0E+06	3.4E-04
819	819	0.38746	2.60712E-05	1.0E-05	1.05E-03	1.06E-08	2.09E-01	1.57E-01	3.47E-10	1.0E+06	3.5E-04
820	820	0.39862	2.60712E-05	1.0E-05	1.05E-03	1.09E-08	2.09E-01	1.57E-01	3.57E-10	1.0E+06	3.6E-04
821	821	0.41029	2.60712E-05	1.1E-05	1.05E-03	1.12E-08	2.09E-01	1.57E-01	3.68E-10	1.0E+06	3.7E-04
822	822	0.42251	2.60712E-05	1.1E-05	1.05E-03	1.15E-08	2.09E-01	1.57E-01	3.78E-10	1.0E+06	3.8E-04
823	823	0.4353	2.60712E-05	1.1E-05	1.05E-03	1.19E-08	2.09E-01	1.57E-01	3.90E-10	1.0E+06	3.9E-04
824	824	0.44873	2.60712E-05	1.2E-05	1.05E-03	1.22E-08	2.09E-01	1.57E-01	4.02E-10	1.0E+06	4.0E-04
825	825	0.4623	2.60712E-05	1.2E-05	1.05E-03	1.26E-08	2.09E-01	1.57E-01	4.14E-10	1.0E+06	4.1E-04
826	826	0.47657	2.60712E-05	1.2E-05	1.05E-03	1.30E-08	2.09E-01	1.57E-01	4.27E-10	1.0E+06	4.3E-04
827	827	0.49184	2.60712E-05	1.3E-05	1.05E-03	1.34E-08	2.09E-01	1.57E-01	4.41E-10	1.0E+06	4.4E-04
828	828	0.50835	2.60712E-05	1.3E-05	1.05E-03	1.39E-08	2.09E-01	1.57E-01	4.55E-10	1.0E+06	4.6E-04
829	829	0.52581	2.60712E-05	1.4E-05	1.05E-03	1.43E-08	2.09E-01	1.57E-01	4.71E-10	1.0E+06	4.7E-04
830	830	0.54467	2.60712E-05	1.4E-05	1.05E-03	1.48E-08	2.09E-01	1.57E-01	4.88E-10	1.0E+06	4.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	0.56479	2.60712E-05	1.5E-05	1.05E-03	1.54E-08	2.09E-01	1.57E-01	5.06E-10	1.0E+06	5.1E-04
832	832	0.58615	2.60712E-05	1.5E-05	1.05E-03	1.60E-08	2.09E-01	1.57E-01	5.25E-10	1.0E+06	5.3E-04
833	833	0.60862	2.60712E-05	1.6E-05	1.05E-03	1.66E-08	2.09E-01	1.57E-01	5.45E-10	1.0E+06	5.5E-04
834	834	0.63259	2.60712E-05	1.6E-05	1.05E-03	1.72E-08	2.09E-01	1.57E-01	5.67E-10	1.0E+06	5.7E-04
835	835	0.6582	2.60712E-05	1.7E-05	1.05E-03	1.79E-08	2.09E-01	1.57E-01	5.90E-10	1.0E+06	5.9E-04
836	836	0.68572	2.60712E-05	1.8E-05	1.05E-03	1.87E-08	2.09E-01	1.57E-01	6.14E-10	1.0E+06	6.1E-04
837	837	0.71541	2.60712E-05	1.9E-05	1.05E-03	1.95E-08	2.09E-01	1.57E-01	6.41E-10	1.0E+06	6.4E-04
838	838	0.74705	2.60712E-05	1.9E-05	1.05E-03	2.04E-08	2.09E-01	1.57E-01	6.69E-10	1.0E+06	6.7E-04
839	839	0.78122	2.60712E-05	2.0E-05	1.05E-03	2.13E-08	2.09E-01	1.57E-01	7.00E-10	1.0E+06	7.0E-04
840	840	0.81827	2.60712E-05	2.1E-05	1.05E-03	2.23E-08	2.09E-01	1.57E-01	7.33E-10	1.0E+06	7.3E-04
841	841	0.85861	2.60712E-05	2.2E-05	1.05E-03	2.34E-08	2.09E-01	1.57E-01	7.69E-10	1.0E+06	7.7E-04
842	842	0.90254	2.60712E-05	2.4E-05	1.05E-03	2.46E-08	2.09E-01	1.57E-01	8.08E-10	1.0E+06	8.1E-04
843	843	0.95096	2.60712E-05	2.5E-05	1.05E-03	2.59E-08	2.09E-01	1.57E-01	8.52E-10	1.0E+06	8.5E-04
844	844	1.00421	2.60712E-05	2.6E-05	1.05E-03	2.74E-08	2.09E-01	1.57E-01	9.00E-10	1.0E+06	9.0E-04
845	845	1.06266	2.60712E-05	2.8E-05	1.05E-03	2.90E-08	2.09E-01	1.57E-01	9.52E-10	1.0E+06	9.5E-04
846	846	1.1158	2.60712E-05	2.9E-05	1.05E-03	3.04E-08	2.09E-01	1.57E-01	9.99E-10	1.0E+06	1.0E-03
847	847	1.19629	2.60712E-05	3.1E-05	1.05E-03	3.26E-08	2.09E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
848	848	1.28821	2.60712E-05	3.4E-05	1.05E-03	3.51E-08	2.09E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
849	849	1.38307	2.60712E-05	3.6E-05	1.05E-03	3.77E-08	2.09E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
850	850	1.48853	2.60712E-05	3.9E-05	1.05E-03	4.06E-08	2.09E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
851	851	1.60583	2.60712E-05	4.2E-05	1.05E-03	4.38E-08	2.09E-01	1.57E-01	1.44E-09	1.0E+06	1.4E-03
852	852	0.32289	2.60712E-05	8.4E-06	1.05E-03	8.80E-09	2.09E-01	1.57E-01	2.89E-10	1.0E+06	2.9E-04
853	853	0.33042	2.60712E-05	8.6E-06	1.05E-03	9.00E-09	2.09E-01	1.57E-01	2.96E-10	1.0E+06	3.0E-04
854	854	0.3384	2.60712E-05	8.8E-06	1.05E-03	9.22E-09	2.09E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
855	855	0.34743	2.60712E-05	9.1E-06	1.05E-03	9.47E-09	2.09E-01	1.57E-01	3.11E-10	1.0E+06	3.1E-04
856	856	0.35686	2.60712E-05	9.3E-06	1.05E-03	9.72E-09	2.09E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
857	857	0.3667	2.60712E-05	9.6E-06	1.05E-03	9.99E-09	2.09E-01	1.57E-01	3.28E-10	1.0E+06	3.3E-04
858	858	0.37695	2.60712E-05	9.8E-06	1.05E-03	1.03E-08	2.09E-01	1.57E-01	3.38E-10	1.0E+06	3.4E-04
859	859	0.38767	2.60712E-05	1.0E-05	1.05E-03	1.06E-08	2.09E-01	1.57E-01	3.47E-10	1.0E+06	3.5E-04
860	860	0.39888	2.60712E-05	1.0E-05	1.05E-03	1.09E-08	2.09E-01	1.57E-01	3.57E-10	1.0E+06	3.6E-04
861	861	0.41059	2.60712E-05	1.1E-05	1.05E-03	1.12E-08	2.09E-01	1.57E-01	3.68E-10	1.0E+06	3.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.42295	2.60712E-05	1.1E-05	1.05E-03	1.15E-08	2.09E-01	1.57E-01	3.79E-10	1.0E+06	3.8E-04
863	863	0.43607	2.60712E-05	1.1E-05	1.05E-03	1.19E-08	2.09E-01	1.57E-01	3.91E-10	1.0E+06	3.9E-04
864	864	0.44987	2.60712E-05	1.2E-05	1.05E-03	1.23E-08	2.09E-01	1.57E-01	4.03E-10	1.0E+06	4.0E-04
865	865	0.46405	2.60712E-05	1.2E-05	1.05E-03	1.26E-08	2.09E-01	1.57E-01	4.16E-10	1.0E+06	4.2E-04
866	866	0.47893	2.60712E-05	1.2E-05	1.05E-03	1.31E-08	2.09E-01	1.57E-01	4.29E-10	1.0E+06	4.3E-04
867	867	0.4947	2.60712E-05	1.3E-05	1.05E-03	1.35E-08	2.09E-01	1.57E-01	4.43E-10	1.0E+06	4.4E-04
868	868	0.51152	2.60712E-05	1.3E-05	1.05E-03	1.39E-08	2.09E-01	1.57E-01	4.58E-10	1.0E+06	4.6E-04
869	869	0.5293	2.60712E-05	1.4E-05	1.05E-03	1.44E-08	2.09E-01	1.57E-01	4.74E-10	1.0E+06	4.7E-04
870	870	0.54824	2.60712E-05	1.4E-05	1.05E-03	1.49E-08	2.09E-01	1.57E-01	4.91E-10	1.0E+06	4.9E-04
871	871	0.56835	2.60712E-05	1.5E-05	1.05E-03	1.55E-08	2.09E-01	1.57E-01	5.09E-10	1.0E+06	5.1E-04
872	872	0.58972	2.60712E-05	1.5E-05	1.05E-03	1.61E-08	2.09E-01	1.57E-01	5.28E-10	1.0E+06	5.3E-04
873	873	0.61208	2.60712E-05	1.6E-05	1.05E-03	1.67E-08	2.09E-01	1.57E-01	5.48E-10	1.0E+06	5.5E-04
874	874	0.63594	2.60712E-05	1.7E-05	1.05E-03	1.73E-08	2.09E-01	1.57E-01	5.70E-10	1.0E+06	5.7E-04
875	875	0.66173	2.60712E-05	1.7E-05	1.05E-03	1.80E-08	2.09E-01	1.57E-01	5.93E-10	1.0E+06	5.9E-04
876	876	0.6896	2.60712E-05	1.8E-05	1.05E-03	1.88E-08	2.09E-01	1.57E-01	6.18E-10	1.0E+06	6.2E-04
877	877	0.71956	2.60712E-05	1.9E-05	1.05E-03	1.96E-08	2.09E-01	1.57E-01	6.45E-10	1.0E+06	6.4E-04
878	878	0.75216	2.60712E-05	2.0E-05	1.05E-03	2.05E-08	2.09E-01	1.57E-01	6.74E-10	1.0E+06	6.7E-04
879	879	0.78746	2.60712E-05	2.1E-05	1.05E-03	2.15E-08	2.09E-01	1.57E-01	7.05E-10	1.0E+06	7.1E-04
880	880	0.82538	2.60712E-05	2.2E-05	1.05E-03	2.25E-08	2.09E-01	1.57E-01	7.39E-10	1.0E+06	7.4E-04
881	881	0.86617	2.60712E-05	2.3E-05	1.05E-03	2.36E-08	2.09E-01	1.57E-01	7.76E-10	1.0E+06	7.8E-04
882	882	0.91062	2.60712E-05	2.4E-05	1.05E-03	2.48E-08	2.09E-01	1.57E-01	8.16E-10	1.0E+06	8.2E-04
883	883	0.95936	2.60712E-05	2.5E-05	1.05E-03	2.61E-08	2.09E-01	1.57E-01	8.59E-10	1.0E+06	8.6E-04
884	884	1.013	2.60712E-05	2.6E-05	1.05E-03	2.76E-08	2.09E-01	1.57E-01	9.07E-10	1.0E+06	9.1E-04
885	885	1.07208	2.60712E-05	2.8E-05	1.05E-03	2.92E-08	2.09E-01	1.57E-01	9.60E-10	1.0E+06	9.6E-04
886	886	1.12894	2.60712E-05	2.9E-05	1.05E-03	3.08E-08	2.09E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
887	887	1.20735	2.60712E-05	3.1E-05	1.05E-03	3.29E-08	2.09E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
888	888	1.29693	2.60712E-05	3.4E-05	1.05E-03	3.53E-08	2.09E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
889	889	1.39457	2.60712E-05	3.6E-05	1.05E-03	3.80E-08	2.09E-01	1.57E-01	1.25E-09	1.0E+06	1.2E-03
890	890	1.50265	2.60712E-05	3.9E-05	1.05E-03	4.09E-08	2.09E-01	1.57E-01	1.35E-09	1.0E+06	1.3E-03
891	891	1.62111	2.60712E-05	4.2E-05	1.05E-03	4.42E-08	2.09E-01	1.57E-01	1.45E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk		
Receptor #	Receptor #	Total Risk/ Million
521	521	8.6E+00
522	522	8.8E+00
523	523	1.1E+01
524	524	8.9E+00
525	525	8.8E+00
526	526	8.9E+00
527	527	1.1E+01
528	528	8.9E+00
529	529	8.8E+00
530	530	8.8E+00
531	531	1.1E+01
532	532	6.9E-01
533	533	7.4E-01
534	534	7.9E-01
535	535	8.4E-01
536	536	9.0E-01
537	537	9.7E-01
538	538	1.0E+00
539	539	1.1E+00
540	540	1.2E+00
541	541	1.3E+00
542	542	1.5E+00
543	543	1.6E+00
544	544	1.8E+00
545	545	2.0E+00
546	546	2.3E+00
547	547	2.7E+00
548	548	3.1E+00
549	549	3.7E+00
550	550	4.4E+00
551	551	5.4E+00

Max	Receptor #
10.701	527

Chronic Non Cancer Risk	
REL	HI
5	5.00E-02
5	5.11E-02
5	6.18E-02
5	5.16E-02
5	5.10E-02
5	5.18E-02
5	6.23E-02
5	5.18E-02
5	5.09E-02
5	5.15E-02
5	6.16E-02
5	4.03E-03
5	4.29E-03
5	4.58E-03
5	4.89E-03
5	5.23E-03
5	5.62E-03
5	6.05E-03
5	6.55E-03
5	7.12E-03
5	7.80E-03
5	8.57E-03
5	9.48E-03
5	1.06E-02
5	1.19E-02
5	1.35E-02
5	1.54E-02
5	1.80E-02
5	2.14E-02
5	2.58E-02
5	3.12E-02

Max	Receptor #	
0.062	527	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
552	552	6.4E+00	5	3.73E-02
553	553	5.3E+00	5	3.06E-02
554	554	8.4E+00	5	4.88E-02
555	555	9.2E+00	5	5.36E-02
556	556	1.0E+01	5	5.80E-02
557	557	8.4E+00	5	4.90E-02
558	558	8.5E+00	5	4.95E-02
559	559	8.7E+00	5	5.05E-02
560	560	9.1E+00	5	5.28E-02
561	561	7.4E+00	5	4.32E-02
562	562	9.2E+00	5	5.38E-02
563	563	9.1E+00	5	5.31E-02
564	564	9.4E+00	5	5.44E-02
565	565	7.6E+00	5	4.44E-02
566	566	9.4E+00	5	5.45E-02
567	567	9.2E+00	5	5.37E-02
568	568	9.4E+00	5	5.47E-02
569	569	7.6E+00	5	4.44E-02
570	570	9.3E+00	5	5.42E-02
571	571	9.1E+00	5	5.30E-02
572	572	6.8E-01	5	3.93E-03
573	573	7.2E-01	5	4.19E-03
574	574	7.7E-01	5	4.47E-03
575	575	8.2E-01	5	4.77E-03
576	576	8.8E-01	5	5.10E-03
577	577	9.4E-01	5	5.46E-03
578	578	1.0E+00	5	5.85E-03
579	579	1.1E+00	5	6.31E-03
580	580	1.2E+00	5	6.86E-03
581	581	1.3E+00	5	7.49E-03
582	582	1.4E+00	5	8.22E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
583	583	1.6E+00	5	9.07E-03
584	584	1.7E+00	5	1.01E-02
585	585	1.9E+00	5	1.12E-02
586	586	2.2E+00	5	1.26E-02
587	587	2.5E+00	5	1.44E-02
588	588	2.8E+00	5	1.65E-02
589	589	3.3E+00	5	1.93E-02
590	590	3.9E+00	5	2.26E-02
591	591	4.6E+00	5	2.67E-02
592	592	5.3E+00	5	3.11E-02
593	593	6.1E+00	5	3.56E-02
594	594	6.9E+00	5	3.99E-02
595	595	7.5E+00	5	4.37E-02
596	596	8.1E+00	5	4.72E-02
597	597	8.7E+00	5	5.04E-02
598	598	9.1E+00	5	5.29E-02
599	599	9.4E+00	5	5.46E-02
600	600	9.6E+00	5	5.58E-02
601	601	9.7E+00	5	5.65E-02
602	602	9.8E+00	5	5.70E-02
603	603	9.9E+00	5	5.74E-02
604	604	9.9E+00	5	5.76E-02
605	605	9.9E+00	5	5.77E-02
606	606	9.9E+00	5	5.78E-02
607	607	9.9E+00	5	5.79E-02
608	608	9.9E+00	5	5.78E-02
609	609	9.9E+00	5	5.76E-02
610	610	9.9E+00	5	5.75E-02
611	611	9.8E+00	5	5.72E-02
612	612	6.6E-01	5	3.83E-03
613	613	7.0E-01	5	4.09E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
614	614	7.5E-01	5	4.36E-03
615	615	8.0E-01	5	4.64E-03
616	616	8.5E-01	5	4.96E-03
617	617	9.1E-01	5	5.29E-03
618	618	9.7E-01	5	5.65E-03
619	619	1.0E+00	5	6.06E-03
620	620	1.1E+00	5	6.57E-03
621	621	1.2E+00	5	7.18E-03
622	622	1.3E+00	5	7.85E-03
623	623	1.5E+00	5	8.63E-03
624	624	1.6E+00	5	9.55E-03
625	625	1.8E+00	5	1.06E-02
626	626	2.0E+00	5	1.18E-02
627	627	2.3E+00	5	1.33E-02
628	628	2.6E+00	5	1.52E-02
629	629	3.0E+00	5	1.74E-02
630	630	3.4E+00	5	2.01E-02
631	631	4.0E+00	5	2.32E-02
632	632	4.6E+00	5	2.65E-02
633	633	5.2E+00	5	3.00E-02
634	634	5.7E+00	5	3.34E-02
635	635	6.3E+00	5	3.65E-02
636	636	6.8E+00	5	3.94E-02
637	637	7.2E+00	5	4.18E-02
638	638	7.5E+00	5	4.39E-02
639	639	7.8E+00	5	4.54E-02
640	640	8.0E+00	5	4.65E-02
641	641	8.1E+00	5	4.73E-02
642	642	8.2E+00	5	4.79E-02
643	643	8.3E+00	5	4.82E-02
644	644	8.3E+00	5	4.85E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
645	645	8.4E+00	5	4.87E-02
646	646	8.4E+00	5	4.88E-02
647	647	8.4E+00	5	4.88E-02
648	648	8.4E+00	5	4.88E-02
649	649	8.4E+00	5	4.87E-02
650	650	8.3E+00	5	4.85E-02
651	651	8.3E+00	5	4.83E-02
652	652	6.4E-01	5	3.70E-03
653	653	6.8E-01	5	3.94E-03
654	654	7.2E-01	5	4.19E-03
655	655	7.7E-01	5	4.46E-03
656	656	8.2E-01	5	4.75E-03
657	657	8.7E-01	5	5.07E-03
658	658	9.3E-01	5	5.41E-03
659	659	1.0E+00	5	5.80E-03
660	660	1.1E+00	5	6.27E-03
661	661	1.2E+00	5	6.80E-03
662	662	1.3E+00	5	7.43E-03
663	663	1.4E+00	5	8.14E-03
664	664	1.5E+00	5	8.97E-03
665	665	1.7E+00	5	9.88E-03
666	666	1.9E+00	5	1.09E-02
667	667	2.1E+00	5	1.22E-02
668	668	2.4E+00	5	1.38E-02
669	669	2.7E+00	5	1.56E-02
670	670	3.1E+00	5	1.78E-02
671	671	3.5E+00	5	2.03E-02
672	672	3.9E+00	5	2.30E-02
673	673	4.4E+00	5	2.58E-02
674	674	4.9E+00	5	2.85E-02
675	675	5.3E+00	5	3.11E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
676	676	5.7E+00	5	3.34E-02
677	677	6.1E+00	5	3.54E-02
678	678	6.4E+00	5	3.72E-02
679	679	6.6E+00	5	3.85E-02
680	680	6.8E+00	5	3.95E-02
681	681	6.9E+00	5	4.03E-02
682	682	7.0E+00	5	4.09E-02
683	683	7.1E+00	5	4.13E-02
684	684	7.2E+00	5	4.16E-02
685	685	7.2E+00	5	4.18E-02
686	686	7.2E+00	5	4.19E-02
687	687	7.2E+00	5	4.20E-02
688	688	7.2E+00	5	4.19E-02
689	689	7.2E+00	5	4.19E-02
690	690	7.2E+00	5	4.17E-02
691	691	7.1E+00	5	4.15E-02
692	692	6.1E-01	5	3.57E-03
693	693	6.5E-01	5	3.78E-03
694	694	6.9E-01	5	4.02E-03
695	695	7.3E-01	5	4.27E-03
696	696	7.8E-01	5	4.54E-03
697	697	8.3E-01	5	4.84E-03
698	698	8.9E-01	5	5.17E-03
699	699	9.5E-01	5	5.54E-03
700	700	1.0E+00	5	5.97E-03
701	701	1.1E+00	5	6.46E-03
702	702	1.2E+00	5	7.01E-03
703	703	1.3E+00	5	7.63E-03
704	704	1.4E+00	5	8.37E-03
705	705	1.6E+00	5	9.18E-03
706	706	1.7E+00	5	1.01E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
707	707	1.9E+00	5	1.12E-02
708	708	2.2E+00	5	1.25E-02
709	709	2.4E+00	5	1.40E-02
710	710	2.7E+00	5	1.59E-02
711	711	3.1E+00	5	1.80E-02
712	712	3.5E+00	5	2.02E-02
713	713	3.9E+00	5	2.24E-02
714	714	4.2E+00	5	2.47E-02
715	715	4.6E+00	5	2.68E-02
716	716	4.9E+00	5	2.88E-02
717	717	5.2E+00	5	3.05E-02
718	718	5.5E+00	5	3.20E-02
719	719	5.7E+00	5	3.31E-02
720	720	5.9E+00	5	3.41E-02
721	721	6.0E+00	5	3.48E-02
722	722	6.1E+00	5	3.54E-02
723	723	6.2E+00	5	3.58E-02
724	724	6.2E+00	5	3.62E-02
725	725	6.3E+00	5	3.64E-02
726	726	6.3E+00	5	3.65E-02
727	727	6.3E+00	5	3.66E-02
728	728	6.3E+00	5	3.65E-02
729	729	6.3E+00	5	3.65E-02
730	730	6.2E+00	5	3.64E-02
731	731	6.2E+00	5	3.62E-02
732	732	5.9E-01	5	3.44E-03
733	733	6.2E-01	5	3.63E-03
734	734	6.6E-01	5	3.84E-03
735	735	7.0E-01	5	4.07E-03
736	736	7.4E-01	5	4.33E-03
737	737	7.9E-01	5	4.61E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
738	738	8.5E-01	5	4.93E-03
739	739	9.1E-01	5	5.27E-03
740	740	9.8E-01	5	5.68E-03
741	741	1.1E+00	5	6.13E-03
742	742	1.1E+00	5	6.62E-03
743	743	1.2E+00	5	7.18E-03
744	744	1.3E+00	5	7.81E-03
745	745	1.5E+00	5	8.48E-03
746	746	1.6E+00	5	9.25E-03
747	747	1.7E+00	5	1.02E-02
748	748	2.0E+00	5	1.14E-02
749	749	2.2E+00	5	1.27E-02
750	750	2.4E+00	5	1.42E-02
751	751	2.7E+00	5	1.60E-02
752	752	3.1E+00	5	1.79E-02
753	753	3.4E+00	5	1.98E-02
754	754	3.7E+00	5	2.17E-02
755	755	4.0E+00	5	2.35E-02
756	756	4.3E+00	5	2.51E-02
757	757	4.6E+00	5	2.66E-02
758	758	4.8E+00	5	2.78E-02
759	759	5.0E+00	5	2.89E-02
760	760	5.1E+00	5	2.98E-02
761	761	5.2E+00	5	3.05E-02
762	762	5.3E+00	5	3.10E-02
763	763	5.4E+00	5	3.15E-02
764	764	5.5E+00	5	3.18E-02
765	765	5.5E+00	5	3.20E-02
766	766	5.5E+00	5	3.21E-02
767	767	5.5E+00	5	3.22E-02
768	768	5.5E+00	5	3.22E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
769	769	5.5E+00	5	3.22E-02
770	770	5.5E+00	5	3.20E-02
771	771	5.5E+00	5	3.19E-02
772	772	5.7E-01	5	3.31E-03
773	773	6.0E-01	5	3.49E-03
774	774	6.3E-01	5	3.68E-03
775	775	6.7E-01	5	3.90E-03
776	776	7.1E-01	5	4.14E-03
777	777	7.6E-01	5	4.40E-03
778	778	8.1E-01	5	4.70E-03
779	779	8.6E-01	5	5.02E-03
780	780	9.3E-01	5	5.39E-03
781	781	1.0E+00	5	5.79E-03
782	782	1.1E+00	5	6.25E-03
783	783	1.2E+00	5	6.75E-03
784	784	1.3E+00	5	7.32E-03
785	785	1.4E+00	5	7.93E-03
786	786	1.5E+00	5	8.63E-03
787	787	1.6E+00	5	9.44E-03
788	788	1.8E+00	5	1.05E-02
789	789	2.0E+00	5	1.16E-02
790	790	2.2E+00	5	1.29E-02
791	791	2.5E+00	5	1.44E-02
792	792	2.7E+00	5	1.59E-02
793	793	3.0E+00	5	1.75E-02
794	794	3.3E+00	5	1.91E-02
795	795	3.5E+00	5	2.06E-02
796	796	3.8E+00	5	2.20E-02
797	797	4.0E+00	5	2.33E-02
798	798	4.2E+00	5	2.44E-02
799	799	4.4E+00	5	2.54E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
800	800	4.5E+00	5	2.62E-02
801	801	4.6E+00	5	2.69E-02
802	802	4.7E+00	5	2.74E-02
803	803	4.8E+00	5	2.78E-02
804	804	4.8E+00	5	2.82E-02
805	805	4.9E+00	5	2.84E-02
806	806	4.9E+00	5	2.85E-02
807	807	4.9E+00	5	2.86E-02
808	808	4.9E+00	5	2.86E-02
809	809	4.9E+00	5	2.86E-02
810	810	4.9E+00	5	2.85E-02
811	811	4.9E+00	5	2.83E-02
812	812	5.5E-01	5	3.18E-03
813	813	5.8E-01	5	3.35E-03
814	814	6.1E-01	5	3.53E-03
815	815	6.4E-01	5	3.73E-03
816	816	6.8E-01	5	3.96E-03
817	817	7.2E-01	5	4.20E-03
818	818	7.7E-01	5	4.47E-03
819	819	8.2E-01	5	4.77E-03
820	820	8.8E-01	5	5.11E-03
821	821	9.4E-01	5	5.47E-03
822	822	1.0E+00	5	5.88E-03
823	823	1.1E+00	5	6.34E-03
824	824	1.2E+00	5	6.86E-03
825	825	1.3E+00	5	7.42E-03
826	826	1.4E+00	5	8.06E-03
827	827	1.5E+00	5	8.79E-03
828	828	1.7E+00	5	9.64E-03
829	829	1.8E+00	5	1.06E-02
830	830	2.0E+00	5	1.18E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
831	831	2.2E+00	5	1.30E-02
832	832	2.5E+00	5	1.43E-02
833	833	2.7E+00	5	1.56E-02
834	834	2.9E+00	5	1.70E-02
835	835	3.1E+00	5	1.83E-02
836	836	3.4E+00	5	1.95E-02
837	837	3.5E+00	5	2.06E-02
838	838	3.7E+00	5	2.17E-02
839	839	3.9E+00	5	2.25E-02
840	840	4.0E+00	5	2.33E-02
841	841	4.1E+00	5	2.39E-02
842	842	4.2E+00	5	2.44E-02
843	843	4.3E+00	5	2.48E-02
844	844	4.3E+00	5	2.51E-02
845	845	4.4E+00	5	2.54E-02
846	846	4.4E+00	5	2.55E-02
847	847	4.4E+00	5	2.56E-02
848	848	4.4E+00	5	2.56E-02
849	849	4.4E+00	5	2.56E-02
850	850	4.4E+00	5	2.55E-02
851	851	4.4E+00	5	2.54E-02
852	852	5.3E-01	5	3.06E-03
853	853	5.5E-01	5	3.21E-03
854	854	5.8E-01	5	3.38E-03
855	855	6.1E-01	5	3.57E-03
856	856	6.5E-01	5	3.78E-03
857	857	6.9E-01	5	4.01E-03
858	858	7.3E-01	5	4.26E-03
859	859	7.8E-01	5	4.53E-03
860	860	8.3E-01	5	4.84E-03
861	861	8.9E-01	5	5.17E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
862	862	9.5E-01	5	5.54E-03
863	863	1.0E+00	5	5.96E-03
864	864	1.1E+00	5	6.43E-03
865	865	1.2E+00	5	6.95E-03
866	866	1.3E+00	5	7.53E-03
867	867	1.4E+00	5	8.19E-03
868	868	1.5E+00	5	8.95E-03
869	869	1.7E+00	5	9.78E-03
870	870	1.8E+00	5	1.08E-02
871	871	2.0E+00	5	1.18E-02
872	872	2.2E+00	5	1.29E-02
873	873	2.4E+00	5	1.41E-02
874	874	2.6E+00	5	1.52E-02
875	875	2.8E+00	5	1.63E-02
876	876	3.0E+00	5	1.74E-02
877	877	3.2E+00	5	1.84E-02
878	878	3.3E+00	5	1.93E-02
879	879	3.5E+00	5	2.01E-02
880	880	3.6E+00	5	2.08E-02
881	881	3.7E+00	5	2.14E-02
882	882	3.8E+00	5	2.19E-02
883	883	3.8E+00	5	2.23E-02
884	884	3.9E+00	5	2.26E-02
885	885	3.9E+00	5	2.28E-02
886	886	4.0E+00	5	2.30E-02
887	887	4.0E+00	5	2.31E-02
888	888	4.0E+00	5	2.31E-02
889	889	4.0E+00	5	2.31E-02
890	890	4.0E+00	5	2.31E-02
891	891	3.9E+00	5	2.29E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	1.72E-02	2.3E-01	1.05E-03	2.37E-04	2.09E-01	1.57E-01	7.78E-06	1.0E+06	7.8E+00
522	13.42671	1.72E-02	2.3E-01	1.05E-03	2.41E-04	2.09E-01	1.57E-01	7.94E-06	1.0E+06	7.9E+00
523	16.26152	1.72E-02	2.8E-01	1.05E-03	2.92E-04	2.09E-01	1.57E-01	9.61E-06	1.0E+06	9.6E+00
524	13.55962	1.72E-02	2.3E-01	1.05E-03	2.44E-04	2.09E-01	1.57E-01	8.02E-06	1.0E+06	8.0E+00
525	13.41509	1.72E-02	2.3E-01	1.05E-03	2.41E-04	2.09E-01	1.57E-01	7.93E-06	1.0E+06	7.9E+00
526	13.62851	1.72E-02	2.3E-01	1.05E-03	2.45E-04	2.09E-01	1.57E-01	8.06E-06	1.0E+06	8.1E+00
527	16.3735	1.72E-02	2.8E-01	1.05E-03	2.94E-04	2.09E-01	1.57E-01	9.68E-06	1.0E+06	9.7E+00
528	13.61294	1.72E-02	2.3E-01	1.05E-03	2.45E-04	2.09E-01	1.57E-01	8.05E-06	1.0E+06	8.0E+00
529	13.39753	1.72E-02	2.3E-01	1.05E-03	2.41E-04	2.09E-01	1.57E-01	7.92E-06	1.0E+06	7.9E+00
530	13.5313	1.72E-02	2.3E-01	1.05E-03	2.43E-04	2.09E-01	1.57E-01	8.00E-06	1.0E+06	8.0E+00
531	16.18516	1.72E-02	2.8E-01	1.05E-03	2.91E-04	2.09E-01	1.57E-01	9.57E-06	1.0E+06	9.6E+00
532	1.06064	1.72E-02	1.8E-02	1.05E-03	1.91E-05	2.09E-01	1.57E-01	6.27E-07	1.0E+06	6.3E-01
533	1.12869	1.72E-02	1.9E-02	1.05E-03	2.03E-05	2.09E-01	1.57E-01	6.67E-07	1.0E+06	6.7E-01
534	1.20356	1.72E-02	2.1E-02	1.05E-03	2.16E-05	2.09E-01	1.57E-01	7.11E-07	1.0E+06	7.1E-01
535	1.28482	1.72E-02	2.2E-02	1.05E-03	2.31E-05	2.09E-01	1.57E-01	7.59E-07	1.0E+06	7.6E-01
536	1.37567	1.72E-02	2.4E-02	1.05E-03	2.47E-05	2.09E-01	1.57E-01	8.13E-07	1.0E+06	8.1E-01
537	1.47718	1.72E-02	2.5E-02	1.05E-03	2.66E-05	2.09E-01	1.57E-01	8.73E-07	1.0E+06	8.7E-01
538	1.59013	1.72E-02	2.7E-02	1.05E-03	2.86E-05	2.09E-01	1.57E-01	9.40E-07	1.0E+06	9.4E-01
539	1.72154	1.72E-02	3.0E-02	1.05E-03	3.10E-05	2.09E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
540	1.8733	1.72E-02	3.2E-02	1.05E-03	3.37E-05	2.09E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
541	2.05003	1.72E-02	3.5E-02	1.05E-03	3.69E-05	2.09E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
542	2.25442	1.72E-02	3.9E-02	1.05E-03	4.05E-05	2.09E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
543	2.49287	1.72E-02	4.3E-02	1.05E-03	4.48E-05	2.09E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
544	2.77968	1.72E-02	4.8E-02	1.05E-03	5.00E-05	2.09E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
545	3.11924	1.72E-02	5.4E-02	1.05E-03	5.61E-05	2.09E-01	1.57E-01	1.84E-06	1.0E+06	1.8E+00
546	3.53809	1.72E-02	6.1E-02	1.05E-03	6.36E-05	2.09E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00
547	4.06193	1.72E-02	7.0E-02	1.05E-03	7.30E-05	2.09E-01	1.57E-01	2.40E-06	1.0E+06	2.4E+00
548	4.73759	1.72E-02	8.2E-02	1.05E-03	8.52E-05	2.09E-01	1.57E-01	2.80E-06	1.0E+06	2.8E+00
549	5.62222	1.72E-02	9.7E-02	1.05E-03	1.01E-04	2.09E-01	1.57E-01	3.32E-06	1.0E+06	3.3E+00
550	6.77661	1.72E-02	1.2E-01	1.05E-03	1.22E-04	2.09E-01	1.57E-01	4.01E-06	1.0E+06	4.0E+00
551	8.20231	1.72E-02	1.4E-01	1.05E-03	1.48E-04	2.09E-01	1.57E-01	4.85E-06	1.0E+06	4.8E+00

	Max	Receptor #
Res	9.679	527

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	1.72E-02	1.7E-01	1.05E-03	1.76E-04	2.09E-01	1.57E-01	5.79E-06	1.0E+06	5.8E+00
553	8.04055	1.72E-02	1.4E-01	1.05E-03	1.45E-04	2.09E-01	1.57E-01	4.75E-06	1.0E+06	4.8E+00
554	12.82783	1.72E-02	2.2E-01	1.05E-03	2.31E-04	2.09E-01	1.57E-01	7.58E-06	1.0E+06	7.6E+00
555	14.09872	1.72E-02	2.4E-01	1.05E-03	2.54E-04	2.09E-01	1.57E-01	8.33E-06	1.0E+06	8.3E+00
556	15.24682	1.72E-02	2.6E-01	1.05E-03	2.74E-04	2.09E-01	1.57E-01	9.01E-06	1.0E+06	9.0E+00
557	12.89666	1.72E-02	2.2E-01	1.05E-03	2.32E-04	2.09E-01	1.57E-01	7.62E-06	1.0E+06	7.6E+00
558	13.02033	1.72E-02	2.2E-01	1.05E-03	2.34E-04	2.09E-01	1.57E-01	7.70E-06	1.0E+06	7.7E+00
559	13.29197	1.72E-02	2.3E-01	1.05E-03	2.39E-04	2.09E-01	1.57E-01	7.86E-06	1.0E+06	7.9E+00
560	13.87535	1.72E-02	2.4E-01	1.05E-03	2.50E-04	2.09E-01	1.57E-01	8.20E-06	1.0E+06	8.2E+00
561	11.36418	1.72E-02	2.0E-01	1.05E-03	2.04E-04	2.09E-01	1.57E-01	6.72E-06	1.0E+06	6.7E+00
562	14.14145	1.72E-02	2.4E-01	1.05E-03	2.54E-04	2.09E-01	1.57E-01	8.36E-06	1.0E+06	8.4E+00
563	13.97398	1.72E-02	2.4E-01	1.05E-03	2.51E-04	2.09E-01	1.57E-01	8.26E-06	1.0E+06	8.3E+00
564	14.31429	1.72E-02	2.5E-01	1.05E-03	2.57E-04	2.09E-01	1.57E-01	8.46E-06	1.0E+06	8.5E+00
565	11.68449	1.72E-02	2.0E-01	1.05E-03	2.10E-04	2.09E-01	1.57E-01	6.91E-06	1.0E+06	6.9E+00
566	14.33447	1.72E-02	2.5E-01	1.05E-03	2.58E-04	2.09E-01	1.57E-01	8.47E-06	1.0E+06	8.5E+00
567	14.10794	1.72E-02	2.4E-01	1.05E-03	2.54E-04	2.09E-01	1.57E-01	8.34E-06	1.0E+06	8.3E+00
568	14.3734	1.72E-02	2.5E-01	1.05E-03	2.58E-04	2.09E-01	1.57E-01	8.50E-06	1.0E+06	8.5E+00
569	11.67986	1.72E-02	2.0E-01	1.05E-03	2.10E-04	2.09E-01	1.57E-01	6.90E-06	1.0E+06	6.9E+00
570	14.24165	1.72E-02	2.5E-01	1.05E-03	2.56E-04	2.09E-01	1.57E-01	8.42E-06	1.0E+06	8.4E+00
571	13.93759	1.72E-02	2.4E-01	1.05E-03	2.51E-04	2.09E-01	1.57E-01	8.24E-06	1.0E+06	8.2E+00
572	1.03466	1.72E-02	1.8E-02	1.05E-03	1.86E-05	2.09E-01	1.57E-01	6.12E-07	1.0E+06	6.1E-01
573	1.10194	1.72E-02	1.9E-02	1.05E-03	1.98E-05	2.09E-01	1.57E-01	6.51E-07	1.0E+06	6.5E-01
574	1.17546	1.72E-02	2.0E-02	1.05E-03	2.11E-05	2.09E-01	1.57E-01	6.95E-07	1.0E+06	6.9E-01
575	1.25335	1.72E-02	2.2E-02	1.05E-03	2.25E-05	2.09E-01	1.57E-01	7.41E-07	1.0E+06	7.4E-01
576	1.34	1.72E-02	2.3E-02	1.05E-03	2.41E-05	2.09E-01	1.57E-01	7.92E-07	1.0E+06	7.9E-01
577	1.43451	1.72E-02	2.5E-02	1.05E-03	2.58E-05	2.09E-01	1.57E-01	8.48E-07	1.0E+06	8.5E-01
578	1.53878	1.72E-02	2.6E-02	1.05E-03	2.77E-05	2.09E-01	1.57E-01	9.10E-07	1.0E+06	9.1E-01
579	1.65936	1.72E-02	2.9E-02	1.05E-03	2.98E-05	2.09E-01	1.57E-01	9.81E-07	1.0E+06	9.8E-01
580	1.80491	1.72E-02	3.1E-02	1.05E-03	3.25E-05	2.09E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
581	1.96968	1.72E-02	3.4E-02	1.05E-03	3.54E-05	2.09E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
582	2.16146	1.72E-02	3.7E-02	1.05E-03	3.89E-05	2.09E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	1.72E-02	4.1E-02	1.05E-03	4.29E-05	2.09E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
584	2.64683	1.72E-02	4.6E-02	1.05E-03	4.76E-05	2.09E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
585	2.95313	1.72E-02	5.1E-02	1.05E-03	5.31E-05	2.09E-01	1.57E-01	1.75E-06	1.0E+06	1.7E+00
586	3.32209	1.72E-02	5.7E-02	1.05E-03	5.97E-05	2.09E-01	1.57E-01	1.96E-06	1.0E+06	2.0E+00
587	3.77754	1.72E-02	6.5E-02	1.05E-03	6.79E-05	2.09E-01	1.57E-01	2.23E-06	1.0E+06	2.2E+00
588	4.3458	1.72E-02	7.5E-02	1.05E-03	7.81E-05	2.09E-01	1.57E-01	2.57E-06	1.0E+06	2.6E+00
589	5.06316	1.72E-02	8.7E-02	1.05E-03	9.10E-05	2.09E-01	1.57E-01	2.99E-06	1.0E+06	3.0E+00
590	5.95537	1.72E-02	1.0E-01	1.05E-03	1.07E-04	2.09E-01	1.57E-01	3.52E-06	1.0E+06	3.5E+00
591	7.01638	1.72E-02	1.2E-01	1.05E-03	1.26E-04	2.09E-01	1.57E-01	4.15E-06	1.0E+06	4.1E+00
592	8.18332	1.72E-02	1.4E-01	1.05E-03	1.47E-04	2.09E-01	1.57E-01	4.84E-06	1.0E+06	4.8E+00
593	9.36805	1.72E-02	1.6E-01	1.05E-03	1.68E-04	2.09E-01	1.57E-01	5.54E-06	1.0E+06	5.5E+00
594	10.48234	1.72E-02	1.8E-01	1.05E-03	1.89E-04	2.09E-01	1.57E-01	6.20E-06	1.0E+06	6.2E+00
595	11.50388	1.72E-02	2.0E-01	1.05E-03	2.07E-04	2.09E-01	1.57E-01	6.80E-06	1.0E+06	6.8E+00
596	12.42412	1.72E-02	2.1E-01	1.05E-03	2.23E-04	2.09E-01	1.57E-01	7.34E-06	1.0E+06	7.3E+00
597	13.24333	1.72E-02	2.3E-01	1.05E-03	2.38E-04	2.09E-01	1.57E-01	7.83E-06	1.0E+06	7.8E+00
598	13.90912	1.72E-02	2.4E-01	1.05E-03	2.50E-04	2.09E-01	1.57E-01	8.22E-06	1.0E+06	8.2E+00
599	14.36838	1.72E-02	2.5E-01	1.05E-03	2.58E-04	2.09E-01	1.57E-01	8.49E-06	1.0E+06	8.5E+00
600	14.66246	1.72E-02	2.5E-01	1.05E-03	2.64E-04	2.09E-01	1.57E-01	8.67E-06	1.0E+06	8.7E+00
601	14.85988	1.72E-02	2.6E-01	1.05E-03	2.67E-04	2.09E-01	1.57E-01	8.78E-06	1.0E+06	8.8E+00
602	15.00029	1.72E-02	2.6E-01	1.05E-03	2.70E-04	2.09E-01	1.57E-01	8.87E-06	1.0E+06	8.9E+00
603	15.09006	1.72E-02	2.6E-01	1.05E-03	2.71E-04	2.09E-01	1.57E-01	8.92E-06	1.0E+06	8.9E+00
604	15.14878	1.72E-02	2.6E-01	1.05E-03	2.72E-04	2.09E-01	1.57E-01	8.95E-06	1.0E+06	9.0E+00
605	15.17959	1.72E-02	2.6E-01	1.05E-03	2.73E-04	2.09E-01	1.57E-01	8.97E-06	1.0E+06	9.0E+00
606	15.21155	1.72E-02	2.6E-01	1.05E-03	2.74E-04	2.09E-01	1.57E-01	8.99E-06	1.0E+06	9.0E+00
607	15.21847	1.72E-02	2.6E-01	1.05E-03	2.74E-04	2.09E-01	1.57E-01	9.00E-06	1.0E+06	9.0E+00
608	15.19797	1.72E-02	2.6E-01	1.05E-03	2.73E-04	2.09E-01	1.57E-01	8.98E-06	1.0E+06	9.0E+00
609	15.15562	1.72E-02	2.6E-01	1.05E-03	2.73E-04	2.09E-01	1.57E-01	8.96E-06	1.0E+06	9.0E+00
610	15.11091	1.72E-02	2.6E-01	1.05E-03	2.72E-04	2.09E-01	1.57E-01	8.93E-06	1.0E+06	8.9E+00
611	15.04171	1.72E-02	2.6E-01	1.05E-03	2.70E-04	2.09E-01	1.57E-01	8.89E-06	1.0E+06	8.9E+00
612	1.00789	1.72E-02	1.7E-02	1.05E-03	1.81E-05	2.09E-01	1.57E-01	5.96E-07	1.0E+06	6.0E-01
613	1.07444	1.72E-02	1.8E-02	1.05E-03	1.93E-05	2.09E-01	1.57E-01	6.35E-07	1.0E+06	6.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	1.72E-02	2.0E-02	1.05E-03	2.06E-05	2.09E-01	1.57E-01	6.78E-07	1.0E+06	6.8E-01
615	1.22081	1.72E-02	2.1E-02	1.05E-03	2.20E-05	2.09E-01	1.57E-01	7.22E-07	1.0E+06	7.2E-01
616	1.30327	1.72E-02	2.2E-02	1.05E-03	2.34E-05	2.09E-01	1.57E-01	7.70E-07	1.0E+06	7.7E-01
617	1.39136	1.72E-02	2.4E-02	1.05E-03	2.50E-05	2.09E-01	1.57E-01	8.22E-07	1.0E+06	8.2E-01
618	1.48675	1.72E-02	2.6E-02	1.05E-03	2.67E-05	2.09E-01	1.57E-01	8.79E-07	1.0E+06	8.8E-01
619	1.59425	1.72E-02	2.7E-02	1.05E-03	2.87E-05	2.09E-01	1.57E-01	9.42E-07	1.0E+06	9.4E-01
620	1.72719	1.72E-02	3.0E-02	1.05E-03	3.11E-05	2.09E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
621	1.88709	1.72E-02	3.2E-02	1.05E-03	3.39E-05	2.09E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
622	2.06451	1.72E-02	3.6E-02	1.05E-03	3.71E-05	2.09E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
623	2.27045	1.72E-02	3.9E-02	1.05E-03	4.08E-05	2.09E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
624	2.51142	1.72E-02	4.3E-02	1.05E-03	4.52E-05	2.09E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
625	2.78618	1.72E-02	4.8E-02	1.05E-03	5.01E-05	2.09E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
626	3.11158	1.72E-02	5.4E-02	1.05E-03	5.60E-05	2.09E-01	1.57E-01	1.84E-06	1.0E+06	1.8E+00
627	3.50447	1.72E-02	6.0E-02	1.05E-03	6.30E-05	2.09E-01	1.57E-01	2.07E-06	1.0E+06	2.1E+00
628	3.98435	1.72E-02	6.9E-02	1.05E-03	7.16E-05	2.09E-01	1.57E-01	2.36E-06	1.0E+06	2.4E+00
629	4.56893	1.72E-02	7.9E-02	1.05E-03	8.22E-05	2.09E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
630	5.27449	1.72E-02	9.1E-02	1.05E-03	9.48E-05	2.09E-01	1.57E-01	3.12E-06	1.0E+06	3.1E+00
631	6.08982	1.72E-02	1.0E-01	1.05E-03	1.10E-04	2.09E-01	1.57E-01	3.60E-06	1.0E+06	3.6E+00
632	6.98008	1.72E-02	1.2E-01	1.05E-03	1.26E-04	2.09E-01	1.57E-01	4.13E-06	1.0E+06	4.1E+00
633	7.89728	1.72E-02	1.4E-01	1.05E-03	1.42E-04	2.09E-01	1.57E-01	4.67E-06	1.0E+06	4.7E+00
634	8.7815	1.72E-02	1.5E-01	1.05E-03	1.58E-04	2.09E-01	1.57E-01	5.19E-06	1.0E+06	5.2E+00
635	9.60354	1.72E-02	1.7E-01	1.05E-03	1.73E-04	2.09E-01	1.57E-01	5.68E-06	1.0E+06	5.7E+00
636	10.35005	1.72E-02	1.8E-01	1.05E-03	1.86E-04	2.09E-01	1.57E-01	6.12E-06	1.0E+06	6.1E+00
637	11.00384	1.72E-02	1.9E-01	1.05E-03	1.98E-04	2.09E-01	1.57E-01	6.50E-06	1.0E+06	6.5E+00
638	11.54147	1.72E-02	2.0E-01	1.05E-03	2.08E-04	2.09E-01	1.57E-01	6.82E-06	1.0E+06	6.8E+00
639	11.94826	1.72E-02	2.1E-01	1.05E-03	2.15E-04	2.09E-01	1.57E-01	7.06E-06	1.0E+06	7.1E+00
640	12.23382	1.72E-02	2.1E-01	1.05E-03	2.20E-04	2.09E-01	1.57E-01	7.23E-06	1.0E+06	7.2E+00
641	12.43817	1.72E-02	2.1E-01	1.05E-03	2.24E-04	2.09E-01	1.57E-01	7.35E-06	1.0E+06	7.4E+00
642	12.5835	1.72E-02	2.2E-01	1.05E-03	2.26E-04	2.09E-01	1.57E-01	7.44E-06	1.0E+06	7.4E+00
643	12.6861	1.72E-02	2.2E-01	1.05E-03	2.28E-04	2.09E-01	1.57E-01	7.50E-06	1.0E+06	7.5E+00
644	12.7652	1.72E-02	2.2E-01	1.05E-03	2.30E-04	2.09E-01	1.57E-01	7.55E-06	1.0E+06	7.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	1.72E-02	2.2E-01	1.05E-03	2.30E-04	2.09E-01	1.57E-01	7.57E-06	1.0E+06	7.6E+00
646	12.83596	1.72E-02	2.2E-01	1.05E-03	2.31E-04	2.09E-01	1.57E-01	7.59E-06	1.0E+06	7.6E+00
647	12.84298	1.72E-02	2.2E-01	1.05E-03	2.31E-04	2.09E-01	1.57E-01	7.59E-06	1.0E+06	7.6E+00
648	12.83467	1.72E-02	2.2E-01	1.05E-03	2.31E-04	2.09E-01	1.57E-01	7.59E-06	1.0E+06	7.6E+00
649	12.80559	1.72E-02	2.2E-01	1.05E-03	2.30E-04	2.09E-01	1.57E-01	7.57E-06	1.0E+06	7.6E+00
650	12.75963	1.72E-02	2.2E-01	1.05E-03	2.29E-04	2.09E-01	1.57E-01	7.54E-06	1.0E+06	7.5E+00
651	12.69539	1.72E-02	2.2E-01	1.05E-03	2.28E-04	2.09E-01	1.57E-01	7.50E-06	1.0E+06	7.5E+00
652	0.97402	1.72E-02	1.7E-02	1.05E-03	1.75E-05	2.09E-01	1.57E-01	5.76E-07	1.0E+06	5.8E-01
653	1.03573	1.72E-02	1.8E-02	1.05E-03	1.86E-05	2.09E-01	1.57E-01	6.12E-07	1.0E+06	6.1E-01
654	1.1025	1.72E-02	1.9E-02	1.05E-03	1.98E-05	2.09E-01	1.57E-01	6.52E-07	1.0E+06	6.5E-01
655	1.17235	1.72E-02	2.0E-02	1.05E-03	2.11E-05	2.09E-01	1.57E-01	6.93E-07	1.0E+06	6.9E-01
656	1.24971	1.72E-02	2.2E-02	1.05E-03	2.25E-05	2.09E-01	1.57E-01	7.39E-07	1.0E+06	7.4E-01
657	1.33283	1.72E-02	2.3E-02	1.05E-03	2.40E-05	2.09E-01	1.57E-01	7.88E-07	1.0E+06	7.9E-01
658	1.42351	1.72E-02	2.4E-02	1.05E-03	2.56E-05	2.09E-01	1.57E-01	8.41E-07	1.0E+06	8.4E-01
659	1.52535	1.72E-02	2.6E-02	1.05E-03	2.74E-05	2.09E-01	1.57E-01	9.02E-07	1.0E+06	9.0E-01
660	1.64887	1.72E-02	2.8E-02	1.05E-03	2.97E-05	2.09E-01	1.57E-01	9.75E-07	1.0E+06	9.7E-01
661	1.78831	1.72E-02	3.1E-02	1.05E-03	3.22E-05	2.09E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
662	1.95291	1.72E-02	3.4E-02	1.05E-03	3.51E-05	2.09E-01	1.57E-01	1.15E-06	1.0E+06	1.2E+00
663	2.14059	1.72E-02	3.7E-02	1.05E-03	3.85E-05	2.09E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
664	2.35977	1.72E-02	4.1E-02	1.05E-03	4.24E-05	2.09E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
665	2.59747	1.72E-02	4.5E-02	1.05E-03	4.67E-05	2.09E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
666	2.8754	1.72E-02	4.9E-02	1.05E-03	5.17E-05	2.09E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
667	3.21769	1.72E-02	5.5E-02	1.05E-03	5.79E-05	2.09E-01	1.57E-01	1.90E-06	1.0E+06	1.9E+00
668	3.61969	1.72E-02	6.2E-02	1.05E-03	6.51E-05	2.09E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
669	4.10847	1.72E-02	7.1E-02	1.05E-03	7.39E-05	2.09E-01	1.57E-01	2.43E-06	1.0E+06	2.4E+00
670	4.68552	1.72E-02	8.1E-02	1.05E-03	8.43E-05	2.09E-01	1.57E-01	2.77E-06	1.0E+06	2.8E+00
671	5.33428	1.72E-02	9.2E-02	1.05E-03	9.59E-05	2.09E-01	1.57E-01	3.15E-06	1.0E+06	3.2E+00
672	6.04383	1.72E-02	1.0E-01	1.05E-03	1.09E-04	2.09E-01	1.57E-01	3.57E-06	1.0E+06	3.6E+00
673	6.77602	1.72E-02	1.2E-01	1.05E-03	1.22E-04	2.09E-01	1.57E-01	4.01E-06	1.0E+06	4.0E+00
674	7.4948	1.72E-02	1.3E-01	1.05E-03	1.35E-04	2.09E-01	1.57E-01	4.43E-06	1.0E+06	4.4E+00
675	8.16492	1.72E-02	1.4E-01	1.05E-03	1.47E-04	2.09E-01	1.57E-01	4.83E-06	1.0E+06	4.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	1.72E-02	1.5E-01	1.05E-03	1.58E-04	2.09E-01	1.57E-01	5.19E-06	1.0E+06	5.2E+00
677	9.32065	1.72E-02	1.6E-01	1.05E-03	1.68E-04	2.09E-01	1.57E-01	5.51E-06	1.0E+06	5.5E+00
678	9.77043	1.72E-02	1.7E-01	1.05E-03	1.76E-04	2.09E-01	1.57E-01	5.78E-06	1.0E+06	5.8E+00
679	10.12687	1.72E-02	1.7E-01	1.05E-03	1.82E-04	2.09E-01	1.57E-01	5.99E-06	1.0E+06	6.0E+00
680	10.39762	1.72E-02	1.8E-01	1.05E-03	1.87E-04	2.09E-01	1.57E-01	6.15E-06	1.0E+06	6.1E+00
681	10.5989	1.72E-02	1.8E-01	1.05E-03	1.91E-04	2.09E-01	1.57E-01	6.27E-06	1.0E+06	6.3E+00
682	10.7487	1.72E-02	1.8E-01	1.05E-03	1.93E-04	2.09E-01	1.57E-01	6.35E-06	1.0E+06	6.4E+00
683	10.85911	1.72E-02	1.9E-01	1.05E-03	1.95E-04	2.09E-01	1.57E-01	6.42E-06	1.0E+06	6.4E+00
684	10.9435	1.72E-02	1.9E-01	1.05E-03	1.97E-04	2.09E-01	1.57E-01	6.47E-06	1.0E+06	6.5E+00
685	10.99739	1.72E-02	1.9E-01	1.05E-03	1.98E-04	2.09E-01	1.57E-01	6.50E-06	1.0E+06	6.5E+00
686	11.02399	1.72E-02	1.9E-01	1.05E-03	1.98E-04	2.09E-01	1.57E-01	6.52E-06	1.0E+06	6.5E+00
687	11.03343	1.72E-02	1.9E-01	1.05E-03	1.98E-04	2.09E-01	1.57E-01	6.52E-06	1.0E+06	6.5E+00
688	11.03012	1.72E-02	1.9E-01	1.05E-03	1.98E-04	2.09E-01	1.57E-01	6.52E-06	1.0E+06	6.5E+00
689	11.00788	1.72E-02	1.9E-01	1.05E-03	1.98E-04	2.09E-01	1.57E-01	6.51E-06	1.0E+06	6.5E+00
690	10.96701	1.72E-02	1.9E-01	1.05E-03	1.97E-04	2.09E-01	1.57E-01	6.48E-06	1.0E+06	6.5E+00
691	10.90924	1.72E-02	1.9E-01	1.05E-03	1.96E-04	2.09E-01	1.57E-01	6.45E-06	1.0E+06	6.4E+00
692	0.93901	1.72E-02	1.6E-02	1.05E-03	1.69E-05	2.09E-01	1.57E-01	5.55E-07	1.0E+06	5.6E-01
693	0.99508	1.72E-02	1.7E-02	1.05E-03	1.79E-05	2.09E-01	1.57E-01	5.88E-07	1.0E+06	5.9E-01
694	1.05612	1.72E-02	1.8E-02	1.05E-03	1.90E-05	2.09E-01	1.57E-01	6.24E-07	1.0E+06	6.2E-01
695	1.12167	1.72E-02	1.9E-02	1.05E-03	2.02E-05	2.09E-01	1.57E-01	6.63E-07	1.0E+06	6.6E-01
696	1.19382	1.72E-02	2.1E-02	1.05E-03	2.15E-05	2.09E-01	1.57E-01	7.06E-07	1.0E+06	7.1E-01
697	1.27273	1.72E-02	2.2E-02	1.05E-03	2.29E-05	2.09E-01	1.57E-01	7.52E-07	1.0E+06	7.5E-01
698	1.35929	1.72E-02	2.3E-02	1.05E-03	2.44E-05	2.09E-01	1.57E-01	8.04E-07	1.0E+06	8.0E-01
699	1.45608	1.72E-02	2.5E-02	1.05E-03	2.62E-05	2.09E-01	1.57E-01	8.61E-07	1.0E+06	8.6E-01
700	1.57018	1.72E-02	2.7E-02	1.05E-03	2.82E-05	2.09E-01	1.57E-01	9.28E-07	1.0E+06	9.3E-01
701	1.69898	1.72E-02	2.9E-02	1.05E-03	3.06E-05	2.09E-01	1.57E-01	1.00E-06	1.0E+06	1.0E+00
702	1.84319	1.72E-02	3.2E-02	1.05E-03	3.31E-05	2.09E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
703	2.00569	1.72E-02	3.5E-02	1.05E-03	3.61E-05	2.09E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
704	2.20067	1.72E-02	3.8E-02	1.05E-03	3.96E-05	2.09E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
705	2.41372	1.72E-02	4.2E-02	1.05E-03	4.34E-05	2.09E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
706	2.65164	1.72E-02	4.6E-02	1.05E-03	4.77E-05	2.09E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	1.72E-02	5.1E-02	1.05E-03	5.29E-05	2.09E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
708	3.2896	1.72E-02	5.7E-02	1.05E-03	5.92E-05	2.09E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
709	3.68826	1.72E-02	6.3E-02	1.05E-03	6.63E-05	2.09E-01	1.57E-01	2.18E-06	1.0E+06	2.2E+00
710	4.18126	1.72E-02	7.2E-02	1.05E-03	7.52E-05	2.09E-01	1.57E-01	2.47E-06	1.0E+06	2.5E+00
711	4.72232	1.72E-02	8.1E-02	1.05E-03	8.49E-05	2.09E-01	1.57E-01	2.79E-06	1.0E+06	2.8E+00
712	5.29922	1.72E-02	9.1E-02	1.05E-03	9.53E-05	2.09E-01	1.57E-01	3.13E-06	1.0E+06	3.1E+00
713	5.90104	1.72E-02	1.0E-01	1.05E-03	1.06E-04	2.09E-01	1.57E-01	3.49E-06	1.0E+06	3.5E+00
714	6.49482	1.72E-02	1.1E-01	1.05E-03	1.17E-04	2.09E-01	1.57E-01	3.84E-06	1.0E+06	3.8E+00
715	7.05396	1.72E-02	1.2E-01	1.05E-03	1.27E-04	2.09E-01	1.57E-01	4.17E-06	1.0E+06	4.2E+00
716	7.56531	1.72E-02	1.3E-01	1.05E-03	1.36E-04	2.09E-01	1.57E-01	4.47E-06	1.0E+06	4.5E+00
717	8.02268	1.72E-02	1.4E-01	1.05E-03	1.44E-04	2.09E-01	1.57E-01	4.74E-06	1.0E+06	4.7E+00
718	8.402	1.72E-02	1.4E-01	1.05E-03	1.51E-04	2.09E-01	1.57E-01	4.97E-06	1.0E+06	5.0E+00
719	8.71664	1.72E-02	1.5E-01	1.05E-03	1.57E-04	2.09E-01	1.57E-01	5.15E-06	1.0E+06	5.2E+00
720	8.96577	1.72E-02	1.5E-01	1.05E-03	1.61E-04	2.09E-01	1.57E-01	5.30E-06	1.0E+06	5.3E+00
721	9.16053	1.72E-02	1.6E-01	1.05E-03	1.65E-04	2.09E-01	1.57E-01	5.42E-06	1.0E+06	5.4E+00
722	9.30962	1.72E-02	1.6E-01	1.05E-03	1.67E-04	2.09E-01	1.57E-01	5.50E-06	1.0E+06	5.5E+00
723	9.42495	1.72E-02	1.6E-01	1.05E-03	1.69E-04	2.09E-01	1.57E-01	5.57E-06	1.0E+06	5.6E+00
724	9.51029	1.72E-02	1.6E-01	1.05E-03	1.71E-04	2.09E-01	1.57E-01	5.62E-06	1.0E+06	5.6E+00
725	9.56893	1.72E-02	1.6E-01	1.05E-03	1.72E-04	2.09E-01	1.57E-01	5.66E-06	1.0E+06	5.7E+00
726	9.59872	1.72E-02	1.7E-01	1.05E-03	1.73E-04	2.09E-01	1.57E-01	5.67E-06	1.0E+06	5.7E+00
727	9.61129	1.72E-02	1.7E-01	1.05E-03	1.73E-04	2.09E-01	1.57E-01	5.68E-06	1.0E+06	5.7E+00
728	9.61105	1.72E-02	1.7E-01	1.05E-03	1.73E-04	2.09E-01	1.57E-01	5.68E-06	1.0E+06	5.7E+00
729	9.59379	1.72E-02	1.7E-01	1.05E-03	1.73E-04	2.09E-01	1.57E-01	5.67E-06	1.0E+06	5.7E+00
730	9.55865	1.72E-02	1.6E-01	1.05E-03	1.72E-04	2.09E-01	1.57E-01	5.65E-06	1.0E+06	5.7E+00
731	9.50715	1.72E-02	1.6E-01	1.05E-03	1.71E-04	2.09E-01	1.57E-01	5.62E-06	1.0E+06	5.6E+00
732	0.90373	1.72E-02	1.6E-02	1.05E-03	1.63E-05	2.09E-01	1.57E-01	5.34E-07	1.0E+06	5.3E-01
733	0.95396	1.72E-02	1.6E-02	1.05E-03	1.72E-05	2.09E-01	1.57E-01	5.64E-07	1.0E+06	5.6E-01
734	1.00909	1.72E-02	1.7E-02	1.05E-03	1.81E-05	2.09E-01	1.57E-01	5.97E-07	1.0E+06	6.0E-01
735	1.07021	1.72E-02	1.8E-02	1.05E-03	1.92E-05	2.09E-01	1.57E-01	6.33E-07	1.0E+06	6.3E-01
736	1.13747	1.72E-02	2.0E-02	1.05E-03	2.05E-05	2.09E-01	1.57E-01	6.72E-07	1.0E+06	6.7E-01
737	1.212	1.72E-02	2.1E-02	1.05E-03	2.18E-05	2.09E-01	1.57E-01	7.16E-07	1.0E+06	7.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	1.72E-02	2.2E-02	1.05E-03	2.33E-05	2.09E-01	1.57E-01	7.66E-07	1.0E+06	7.7E-01
739	1.38707	1.72E-02	2.4E-02	1.05E-03	2.49E-05	2.09E-01	1.57E-01	8.20E-07	1.0E+06	8.2E-01
740	1.49283	1.72E-02	2.6E-02	1.05E-03	2.68E-05	2.09E-01	1.57E-01	8.82E-07	1.0E+06	8.8E-01
741	1.61098	1.72E-02	2.8E-02	1.05E-03	2.90E-05	2.09E-01	1.57E-01	9.52E-07	1.0E+06	9.5E-01
742	1.74199	1.72E-02	3.0E-02	1.05E-03	3.13E-05	2.09E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
743	1.88714	1.72E-02	3.2E-02	1.05E-03	3.39E-05	2.09E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
744	2.05276	1.72E-02	3.5E-02	1.05E-03	3.69E-05	2.09E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
745	2.23004	1.72E-02	3.8E-02	1.05E-03	4.01E-05	2.09E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
746	2.43234	1.72E-02	4.2E-02	1.05E-03	4.37E-05	2.09E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
747	2.6707	1.72E-02	4.6E-02	1.05E-03	4.80E-05	2.09E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
748	2.98706	1.72E-02	5.1E-02	1.05E-03	5.37E-05	2.09E-01	1.57E-01	1.77E-06	1.0E+06	1.8E+00
749	3.33587	1.72E-02	5.7E-02	1.05E-03	6.00E-05	2.09E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
750	3.73979	1.72E-02	6.4E-02	1.05E-03	6.73E-05	2.09E-01	1.57E-01	2.21E-06	1.0E+06	2.2E+00
751	4.20311	1.72E-02	7.2E-02	1.05E-03	7.56E-05	2.09E-01	1.57E-01	2.48E-06	1.0E+06	2.5E+00
752	4.6967	1.72E-02	8.1E-02	1.05E-03	8.45E-05	2.09E-01	1.57E-01	2.78E-06	1.0E+06	2.8E+00
753	5.19712	1.72E-02	8.9E-02	1.05E-03	9.35E-05	2.09E-01	1.57E-01	3.07E-06	1.0E+06	3.1E+00
754	5.69529	1.72E-02	9.8E-02	1.05E-03	1.02E-04	2.09E-01	1.57E-01	3.37E-06	1.0E+06	3.4E+00
755	6.16683	1.72E-02	1.1E-01	1.05E-03	1.11E-04	2.09E-01	1.57E-01	3.65E-06	1.0E+06	3.6E+00
756	6.59832	1.72E-02	1.1E-01	1.05E-03	1.19E-04	2.09E-01	1.57E-01	3.90E-06	1.0E+06	3.9E+00
757	6.9913	1.72E-02	1.2E-01	1.05E-03	1.26E-04	2.09E-01	1.57E-01	4.13E-06	1.0E+06	4.1E+00
758	7.31882	1.72E-02	1.3E-01	1.05E-03	1.32E-04	2.09E-01	1.57E-01	4.33E-06	1.0E+06	4.3E+00
759	7.59358	1.72E-02	1.3E-01	1.05E-03	1.37E-04	2.09E-01	1.57E-01	4.49E-06	1.0E+06	4.5E+00
760	7.82378	1.72E-02	1.3E-01	1.05E-03	1.41E-04	2.09E-01	1.57E-01	4.62E-06	1.0E+06	4.6E+00
761	8.01055	1.72E-02	1.4E-01	1.05E-03	1.44E-04	2.09E-01	1.57E-01	4.74E-06	1.0E+06	4.7E+00
762	8.15512	1.72E-02	1.4E-01	1.05E-03	1.47E-04	2.09E-01	1.57E-01	4.82E-06	1.0E+06	4.8E+00
763	8.27036	1.72E-02	1.4E-01	1.05E-03	1.49E-04	2.09E-01	1.57E-01	4.89E-06	1.0E+06	4.9E+00
764	8.35543	1.72E-02	1.4E-01	1.05E-03	1.50E-04	2.09E-01	1.57E-01	4.94E-06	1.0E+06	4.9E+00
765	8.41653	1.72E-02	1.4E-01	1.05E-03	1.51E-04	2.09E-01	1.57E-01	4.98E-06	1.0E+06	5.0E+00
766	8.44946	1.72E-02	1.5E-01	1.05E-03	1.52E-04	2.09E-01	1.57E-01	4.99E-06	1.0E+06	5.0E+00
767	8.46498	1.72E-02	1.5E-01	1.05E-03	1.52E-04	2.09E-01	1.57E-01	5.00E-06	1.0E+06	5.0E+00
768	8.46784	1.72E-02	1.5E-01	1.05E-03	1.52E-04	2.09E-01	1.57E-01	5.01E-06	1.0E+06	5.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	1.72E-02	1.5E-01	1.05E-03	1.52E-04	2.09E-01	1.57E-01	5.00E-06	1.0E+06	5.0E+00
770	8.42489	1.72E-02	1.4E-01	1.05E-03	1.52E-04	2.09E-01	1.57E-01	4.98E-06	1.0E+06	5.0E+00
771	8.37939	1.72E-02	1.4E-01	1.05E-03	1.51E-04	2.09E-01	1.57E-01	4.95E-06	1.0E+06	5.0E+00
772	0.87008	1.72E-02	1.5E-02	1.05E-03	1.56E-05	2.09E-01	1.57E-01	5.14E-07	1.0E+06	5.1E-01
773	0.9167	1.72E-02	1.6E-02	1.05E-03	1.65E-05	2.09E-01	1.57E-01	5.42E-07	1.0E+06	5.4E-01
774	0.9677	1.72E-02	1.7E-02	1.05E-03	1.74E-05	2.09E-01	1.57E-01	5.72E-07	1.0E+06	5.7E-01
775	1.0252	1.72E-02	1.8E-02	1.05E-03	1.84E-05	2.09E-01	1.57E-01	6.06E-07	1.0E+06	6.1E-01
776	1.08829	1.72E-02	1.9E-02	1.05E-03	1.96E-05	2.09E-01	1.57E-01	6.43E-07	1.0E+06	6.4E-01
777	1.158	1.72E-02	2.0E-02	1.05E-03	2.08E-05	2.09E-01	1.57E-01	6.85E-07	1.0E+06	6.8E-01
778	1.23498	1.72E-02	2.1E-02	1.05E-03	2.22E-05	2.09E-01	1.57E-01	7.30E-07	1.0E+06	7.3E-01
779	1.32031	1.72E-02	2.3E-02	1.05E-03	2.37E-05	2.09E-01	1.57E-01	7.80E-07	1.0E+06	7.8E-01
780	1.4163	1.72E-02	2.4E-02	1.05E-03	2.55E-05	2.09E-01	1.57E-01	8.37E-07	1.0E+06	8.4E-01
781	1.52369	1.72E-02	2.6E-02	1.05E-03	2.74E-05	2.09E-01	1.57E-01	9.01E-07	1.0E+06	9.0E-01
782	1.64239	1.72E-02	2.8E-02	1.05E-03	2.95E-05	2.09E-01	1.57E-01	9.71E-07	1.0E+06	9.7E-01
783	1.77466	1.72E-02	3.1E-02	1.05E-03	3.19E-05	2.09E-01	1.57E-01	1.05E-06	1.0E+06	1.0E+00
784	1.92428	1.72E-02	3.3E-02	1.05E-03	3.46E-05	2.09E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
785	2.08609	1.72E-02	3.6E-02	1.05E-03	3.75E-05	2.09E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
786	2.26894	1.72E-02	3.9E-02	1.05E-03	4.08E-05	2.09E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
787	2.48215	1.72E-02	4.3E-02	1.05E-03	4.46E-05	2.09E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
788	2.75097	1.72E-02	4.7E-02	1.05E-03	4.95E-05	2.09E-01	1.57E-01	1.63E-06	1.0E+06	1.6E+00
789	3.04965	1.72E-02	5.2E-02	1.05E-03	5.48E-05	2.09E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
790	3.39516	1.72E-02	5.8E-02	1.05E-03	6.11E-05	2.09E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
791	3.79037	1.72E-02	6.5E-02	1.05E-03	6.82E-05	2.09E-01	1.57E-01	2.24E-06	1.0E+06	2.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

							Cancer Risk from 2 to 16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

							Cancer Risk from 2 to 16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

							Cancer Risk from 2 to 16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
521	5	4.53E-02
522	5	4.62E-02
523	5	5.60E-02
524	5	4.67E-02
525	5	4.62E-02
526	5	4.69E-02
527	5	5.63E-02
528	5	4.68E-02
529	5	4.61E-02
530	5	4.66E-02
531	5	5.57E-02
532	5	3.65E-03
533	5	3.88E-03
534	5	4.14E-03
535	5	4.42E-03
536	5	4.73E-03
537	5	5.08E-03
538	5	5.47E-03
539	5	5.92E-03
540	5	6.45E-03
541	5	7.05E-03
542	5	7.76E-03
543	5	8.58E-03
544	5	9.56E-03
545	5	1.07E-02
546	5	1.22E-02
547	5	1.40E-02
548	5	1.63E-02
549	5	1.93E-02
550	5	2.33E-02
551	5	2.82E-02

Max	Receptor #	
0.056	527	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
552	5	3.37E-02
553	5	2.77E-02
554	5	4.41E-02
555	5	4.85E-02
556	5	5.25E-02
557	5	4.44E-02
558	5	4.48E-02
559	5	4.57E-02
560	5	4.77E-02
561	5	3.91E-02
562	5	4.87E-02
563	5	4.81E-02
564	5	4.93E-02
565	5	4.02E-02
566	5	4.93E-02
567	5	4.85E-02
568	5	4.95E-02
569	5	4.02E-02
570	5	4.90E-02
571	5	4.80E-02
572	5	3.56E-03
573	5	3.79E-03
574	5	4.04E-03
575	5	4.31E-03
576	5	4.61E-03
577	5	4.94E-03
578	5	5.29E-03
579	5	5.71E-03
580	5	6.21E-03
581	5	6.78E-03
582	5	7.44E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
583	5	8.21E-03
584	5	9.11E-03
585	5	1.02E-02
586	5	1.14E-02
587	5	1.30E-02
588	5	1.50E-02
589	5	1.74E-02
590	5	2.05E-02
591	5	2.41E-02
592	5	2.82E-02
593	5	3.22E-02
594	5	3.61E-02
595	5	3.96E-02
596	5	4.28E-02
597	5	4.56E-02
598	5	4.79E-02
599	5	4.94E-02
600	5	5.05E-02
601	5	5.11E-02
602	5	5.16E-02
603	5	5.19E-02
604	5	5.21E-02
605	5	5.22E-02
606	5	5.23E-02
607	5	5.24E-02
608	5	5.23E-02
609	5	5.22E-02
610	5	5.20E-02
611	5	5.18E-02
612	5	3.47E-03
613	5	3.70E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
614	5	3.94E-03
615	5	4.20E-03
616	5	4.48E-03
617	5	4.79E-03
618	5	5.12E-03
619	5	5.49E-03
620	5	5.94E-03
621	5	6.49E-03
622	5	7.10E-03
623	5	7.81E-03
624	5	8.64E-03
625	5	9.59E-03
626	5	1.07E-02
627	5	1.21E-02
628	5	1.37E-02
629	5	1.57E-02
630	5	1.81E-02
631	5	2.10E-02
632	5	2.40E-02
633	5	2.72E-02
634	5	3.02E-02
635	5	3.30E-02
636	5	3.56E-02
637	5	3.79E-02
638	5	3.97E-02
639	5	4.11E-02
640	5	4.21E-02
641	5	4.28E-02
642	5	4.33E-02
643	5	4.37E-02
644	5	4.39E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
645	5	4.41E-02
646	5	4.42E-02
647	5	4.42E-02
648	5	4.42E-02
649	5	4.41E-02
650	5	4.39E-02
651	5	4.37E-02
652	5	3.35E-03
653	5	3.56E-03
654	5	3.79E-03
655	5	4.03E-03
656	5	4.30E-03
657	5	4.59E-03
658	5	4.90E-03
659	5	5.25E-03
660	5	5.67E-03
661	5	6.15E-03
662	5	6.72E-03
663	5	7.37E-03
664	5	8.12E-03
665	5	8.94E-03
666	5	9.89E-03
667	5	1.11E-02
668	5	1.25E-02
669	5	1.41E-02
670	5	1.61E-02
671	5	1.84E-02
672	5	2.08E-02
673	5	2.33E-02
674	5	2.58E-02
675	5	2.81E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
676	5	3.02E-02
677	5	3.21E-02
678	5	3.36E-02
679	5	3.48E-02
680	5	3.58E-02
681	5	3.65E-02
682	5	3.70E-02
683	5	3.74E-02
684	5	3.77E-02
685	5	3.78E-02
686	5	3.79E-02
687	5	3.80E-02
688	5	3.80E-02
689	5	3.79E-02
690	5	3.77E-02
691	5	3.75E-02
692	5	3.23E-03
693	5	3.42E-03
694	5	3.63E-03
695	5	3.86E-03
696	5	4.11E-03
697	5	4.38E-03
698	5	4.68E-03
699	5	5.01E-03
700	5	5.40E-03
701	5	5.85E-03
702	5	6.34E-03
703	5	6.90E-03
704	5	7.57E-03
705	5	8.31E-03
706	5	9.12E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
707	5	1.01E-02
708	5	1.13E-02
709	5	1.27E-02
710	5	1.44E-02
711	5	1.62E-02
712	5	1.82E-02
713	5	2.03E-02
714	5	2.23E-02
715	5	2.43E-02
716	5	2.60E-02
717	5	2.76E-02
718	5	2.89E-02
719	5	3.00E-02
720	5	3.09E-02
721	5	3.15E-02
722	5	3.20E-02
723	5	3.24E-02
724	5	3.27E-02
725	5	3.29E-02
726	5	3.30E-02
727	5	3.31E-02
728	5	3.31E-02
729	5	3.30E-02
730	5	3.29E-02
731	5	3.27E-02
732	5	3.11E-03
733	5	3.28E-03
734	5	3.47E-03
735	5	3.68E-03
736	5	3.91E-03
737	5	4.17E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
738	5	4.46E-03
739	5	4.77E-03
740	5	5.14E-03
741	5	5.54E-03
742	5	5.99E-03
743	5	6.49E-03
744	5	7.06E-03
745	5	7.67E-03
746	5	8.37E-03
747	5	9.19E-03
748	5	1.03E-02
749	5	1.15E-02
750	5	1.29E-02
751	5	1.45E-02
752	5	1.62E-02
753	5	1.79E-02
754	5	1.96E-02
755	5	2.12E-02
756	5	2.27E-02
757	5	2.41E-02
758	5	2.52E-02
759	5	2.61E-02
760	5	2.69E-02
761	5	2.76E-02
762	5	2.81E-02
763	5	2.85E-02
764	5	2.88E-02
765	5	2.90E-02
766	5	2.91E-02
767	5	2.91E-02
768	5	2.91E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
769	5	2.91E-02
770	5	2.90E-02
771	5	2.88E-02
772	5	2.99E-03
773	5	3.15E-03
774	5	3.33E-03
775	5	3.53E-03
776	5	3.74E-03
777	5	3.98E-03
778	5	4.25E-03
779	5	4.54E-03
780	5	4.87E-03
781	5	5.24E-03
782	5	5.65E-03
783	5	6.11E-03
784	5	6.62E-03
785	5	7.18E-03
786	5	7.81E-03
787	5	8.54E-03
788	5	9.47E-03
789	5	1.05E-02
790	5	1.17E-02
791	5	1.30E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	5.02E-03	6.6E-02	1.05E-03	6.91E-05	8.19E-01	1.57E-01	8.90E-06	1.0E+06	8.9E+00
522	13.42671	5.02E-03	6.7E-02	1.05E-03	7.05E-05	8.19E-01	1.57E-01	9.08E-06	1.0E+06	9.1E+00
523	16.26152	5.02E-03	8.2E-02	1.05E-03	8.54E-05	8.19E-01	1.57E-01	1.10E-05	1.0E+06	1.1E+01
524	13.55962	5.02E-03	6.8E-02	1.05E-03	7.12E-05	8.19E-01	1.57E-01	9.17E-06	1.0E+06	9.2E+00
525	13.41509	5.02E-03	6.7E-02	1.05E-03	7.05E-05	8.19E-01	1.57E-01	9.07E-06	1.0E+06	9.1E+00
526	13.62851	5.02E-03	6.8E-02	1.05E-03	7.16E-05	8.19E-01	1.57E-01	9.21E-06	1.0E+06	9.2E+00
527	16.3735	5.02E-03	8.2E-02	1.05E-03	8.60E-05	8.19E-01	1.57E-01	1.11E-05	1.0E+06	1.1E+01
528	13.61294	5.02E-03	6.8E-02	1.05E-03	7.15E-05	8.19E-01	1.57E-01	9.20E-06	1.0E+06	9.2E+00
529	13.39753	5.02E-03	6.7E-02	1.05E-03	7.04E-05	8.19E-01	1.57E-01	9.06E-06	1.0E+06	9.1E+00
530	13.5313	5.02E-03	6.8E-02	1.05E-03	7.11E-05	8.19E-01	1.57E-01	9.15E-06	1.0E+06	9.1E+00
531	16.18516	5.02E-03	8.1E-02	1.05E-03	8.50E-05	8.19E-01	1.57E-01	1.09E-05	1.0E+06	1.1E+01
532	1.06064	5.02E-03	5.3E-03	1.05E-03	5.57E-06	8.19E-01	1.57E-01	7.17E-07	1.0E+06	7.2E-01
533	1.12869	5.02E-03	5.7E-03	1.05E-03	5.93E-06	8.19E-01	1.57E-01	7.63E-07	1.0E+06	7.6E-01
534	1.20356	5.02E-03	6.0E-03	1.05E-03	6.32E-06	8.19E-01	1.57E-01	8.14E-07	1.0E+06	8.1E-01
535	1.28482	5.02E-03	6.5E-03	1.05E-03	6.75E-06	8.19E-01	1.57E-01	8.69E-07	1.0E+06	8.7E-01
536	1.37567	5.02E-03	6.9E-03	1.05E-03	7.22E-06	8.19E-01	1.57E-01	9.30E-07	1.0E+06	9.3E-01
537	1.47718	5.02E-03	7.4E-03	1.05E-03	7.76E-06	8.19E-01	1.57E-01	9.99E-07	1.0E+06	1.0E+00
538	1.59013	5.02E-03	8.0E-03	1.05E-03	8.35E-06	8.19E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
539	1.72154	5.02E-03	8.7E-03	1.05E-03	9.04E-06	8.19E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
540	1.8733	5.02E-03	9.4E-03	1.05E-03	9.84E-06	8.19E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
541	2.05003	5.02E-03	1.0E-02	1.05E-03	1.08E-05	8.19E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
542	2.25442	5.02E-03	1.1E-02	1.05E-03	1.18E-05	8.19E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
543	2.49287	5.02E-03	1.3E-02	1.05E-03	1.31E-05	8.19E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
544	2.77968	5.02E-03	1.4E-02	1.05E-03	1.46E-05	8.19E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
545	3.11924	5.02E-03	1.6E-02	1.05E-03	1.64E-05	8.19E-01	1.57E-01	2.11E-06	1.0E+06	2.1E+00
546	3.53809	5.02E-03	1.8E-02	1.05E-03	1.86E-05	8.19E-01	1.57E-01	2.39E-06	1.0E+06	2.4E+00
547	4.06193	5.02E-03	2.0E-02	1.05E-03	2.13E-05	8.19E-01	1.57E-01	2.75E-06	1.0E+06	2.7E+00
548	4.73759	5.02E-03	2.4E-02	1.05E-03	2.49E-05	8.19E-01	1.57E-01	3.20E-06	1.0E+06	3.2E+00
549	5.62222	5.02E-03	2.8E-02	1.05E-03	2.95E-05	8.19E-01	1.57E-01	3.80E-06	1.0E+06	3.8E+00
550	6.77661	5.02E-03	3.4E-02	1.05E-03	3.56E-05	8.19E-01	1.57E-01	4.58E-06	1.0E+06	4.6E+00
551	8.20231	5.02E-03	4.1E-02	1.05E-03	4.31E-05	8.19E-01	1.57E-01	5.55E-06	1.0E+06	5.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	5.02E-03	4.9E-02	1.05E-03	5.15E-05	8.19E-01	1.57E-01	6.63E-06	1.0E+06	6.6E+00
553	8.04055	5.02E-03	4.0E-02	1.05E-03	4.22E-05	8.19E-01	1.57E-01	5.44E-06	1.0E+06	5.4E+00
554	12.82783	5.02E-03	6.4E-02	1.05E-03	6.74E-05	8.19E-01	1.57E-01	8.67E-06	1.0E+06	8.7E+00
555	14.09872	5.02E-03	7.1E-02	1.05E-03	7.40E-05	8.19E-01	1.57E-01	9.53E-06	1.0E+06	9.5E+00
556	15.24682	5.02E-03	7.7E-02	1.05E-03	8.01E-05	8.19E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
557	12.89666	5.02E-03	6.5E-02	1.05E-03	6.77E-05	8.19E-01	1.57E-01	8.72E-06	1.0E+06	8.7E+00
558	13.02033	5.02E-03	6.5E-02	1.05E-03	6.84E-05	8.19E-01	1.57E-01	8.80E-06	1.0E+06	8.8E+00
559	13.29197	5.02E-03	6.7E-02	1.05E-03	6.98E-05	8.19E-01	1.57E-01	8.99E-06	1.0E+06	9.0E+00
560	13.87535	5.02E-03	7.0E-02	1.05E-03	7.29E-05	8.19E-01	1.57E-01	9.38E-06	1.0E+06	9.4E+00
561	11.36418	5.02E-03	5.7E-02	1.05E-03	5.97E-05	8.19E-01	1.57E-01	7.68E-06	1.0E+06	7.7E+00
562	14.14145	5.02E-03	7.1E-02	1.05E-03	7.43E-05	8.19E-01	1.57E-01	9.56E-06	1.0E+06	9.6E+00
563	13.97398	5.02E-03	7.0E-02	1.05E-03	7.34E-05	8.19E-01	1.57E-01	9.45E-06	1.0E+06	9.4E+00
564	14.31429	5.02E-03	7.2E-02	1.05E-03	7.52E-05	8.19E-01	1.57E-01	9.68E-06	1.0E+06	9.7E+00
565	11.68449	5.02E-03	5.9E-02	1.05E-03	6.14E-05	8.19E-01	1.57E-01	7.90E-06	1.0E+06	7.9E+00
566	14.33447	5.02E-03	7.2E-02	1.05E-03	7.53E-05	8.19E-01	1.57E-01	9.69E-06	1.0E+06	9.7E+00
567	14.10794	5.02E-03	7.1E-02	1.05E-03	7.41E-05	8.19E-01	1.57E-01	9.54E-06	1.0E+06	9.5E+00
568	14.3734	5.02E-03	7.2E-02	1.05E-03	7.55E-05	8.19E-01	1.57E-01	9.72E-06	1.0E+06	9.7E+00
569	11.67986	5.02E-03	5.9E-02	1.05E-03	6.13E-05	8.19E-01	1.57E-01	7.90E-06	1.0E+06	7.9E+00
570	14.24165	5.02E-03	7.2E-02	1.05E-03	7.48E-05	8.19E-01	1.57E-01	9.63E-06	1.0E+06	9.6E+00
571	13.93759	5.02E-03	7.0E-02	1.05E-03	7.32E-05	8.19E-01	1.57E-01	9.42E-06	1.0E+06	9.4E+00
572	1.03466	5.02E-03	5.2E-03	1.05E-03	5.43E-06	8.19E-01	1.57E-01	7.00E-07	1.0E+06	7.0E-01
573	1.10194	5.02E-03	5.5E-03	1.05E-03	5.79E-06	8.19E-01	1.57E-01	7.45E-07	1.0E+06	7.4E-01
574	1.17546	5.02E-03	5.9E-03	1.05E-03	6.17E-06	8.19E-01	1.57E-01	7.95E-07	1.0E+06	7.9E-01
575	1.25335	5.02E-03	6.3E-03	1.05E-03	6.58E-06	8.19E-01	1.57E-01	8.47E-07	1.0E+06	8.5E-01
576	1.34	5.02E-03	6.7E-03	1.05E-03	7.04E-06	8.19E-01	1.57E-01	9.06E-07	1.0E+06	9.1E-01
577	1.43451	5.02E-03	7.2E-03	1.05E-03	7.53E-06	8.19E-01	1.57E-01	9.70E-07	1.0E+06	9.7E-01
578	1.53878	5.02E-03	7.7E-03	1.05E-03	8.08E-06	8.19E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
579	1.65936	5.02E-03	8.3E-03	1.05E-03	8.71E-06	8.19E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
580	1.80491	5.02E-03	9.1E-03	1.05E-03	9.48E-06	8.19E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
581	1.96968	5.02E-03	9.9E-03	1.05E-03	1.03E-05	8.19E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
582	2.16146	5.02E-03	1.1E-02	1.05E-03	1.14E-05	8.19E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	5.02E-03	1.2E-02	1.05E-03	1.25E-05	8.19E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
584	2.64683	5.02E-03	1.3E-02	1.05E-03	1.39E-05	8.19E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
585	2.95313	5.02E-03	1.5E-02	1.05E-03	1.55E-05	8.19E-01	1.57E-01	2.00E-06	1.0E+06	2.0E+00
586	3.32209	5.02E-03	1.7E-02	1.05E-03	1.74E-05	8.19E-01	1.57E-01	2.25E-06	1.0E+06	2.2E+00
587	3.77754	5.02E-03	1.9E-02	1.05E-03	1.98E-05	8.19E-01	1.57E-01	2.55E-06	1.0E+06	2.6E+00
588	4.3458	5.02E-03	2.2E-02	1.05E-03	2.28E-05	8.19E-01	1.57E-01	2.94E-06	1.0E+06	2.9E+00
589	5.06316	5.02E-03	2.5E-02	1.05E-03	2.66E-05	8.19E-01	1.57E-01	3.42E-06	1.0E+06	3.4E+00
590	5.95537	5.02E-03	3.0E-02	1.05E-03	3.13E-05	8.19E-01	1.57E-01	4.03E-06	1.0E+06	4.0E+00
591	7.01638	5.02E-03	3.5E-02	1.05E-03	3.68E-05	8.19E-01	1.57E-01	4.74E-06	1.0E+06	4.7E+00
592	8.18332	5.02E-03	4.1E-02	1.05E-03	4.30E-05	8.19E-01	1.57E-01	5.53E-06	1.0E+06	5.5E+00
593	9.36805	5.02E-03	4.7E-02	1.05E-03	4.92E-05	8.19E-01	1.57E-01	6.33E-06	1.0E+06	6.3E+00
594	10.48234	5.02E-03	5.3E-02	1.05E-03	5.51E-05	8.19E-01	1.57E-01	7.09E-06	1.0E+06	7.1E+00
595	11.50388	5.02E-03	5.8E-02	1.05E-03	6.04E-05	8.19E-01	1.57E-01	7.78E-06	1.0E+06	7.8E+00
596	12.42412	5.02E-03	6.2E-02	1.05E-03	6.53E-05	8.19E-01	1.57E-01	8.40E-06	1.0E+06	8.4E+00
597	13.24333	5.02E-03	6.7E-02	1.05E-03	6.96E-05	8.19E-01	1.57E-01	8.95E-06	1.0E+06	9.0E+00
598	13.90912	5.02E-03	7.0E-02	1.05E-03	7.30E-05	8.19E-01	1.57E-01	9.40E-06	1.0E+06	9.4E+00
599	14.36838	5.02E-03	7.2E-02	1.05E-03	7.55E-05	8.19E-01	1.57E-01	9.71E-06	1.0E+06	9.7E+00
600	14.66246	5.02E-03	7.4E-02	1.05E-03	7.70E-05	8.19E-01	1.57E-01	9.91E-06	1.0E+06	9.9E+00
601	14.85988	5.02E-03	7.5E-02	1.05E-03	7.80E-05	8.19E-01	1.57E-01	1.00E-05	1.0E+06	1.0E+01
602	15.00029	5.02E-03	7.5E-02	1.05E-03	7.88E-05	8.19E-01	1.57E-01	1.01E-05	1.0E+06	1.0E+01
603	15.09006	5.02E-03	7.6E-02	1.05E-03	7.93E-05	8.19E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
604	15.14878	5.02E-03	7.6E-02	1.05E-03	7.96E-05	8.19E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
605	15.17959	5.02E-03	7.6E-02	1.05E-03	7.97E-05	8.19E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
606	15.21155	5.02E-03	7.6E-02	1.05E-03	7.99E-05	8.19E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
607	15.21847	5.02E-03	7.6E-02	1.05E-03	7.99E-05	8.19E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
608	15.19797	5.02E-03	7.6E-02	1.05E-03	7.98E-05	8.19E-01	1.57E-01	1.03E-05	1.0E+06	1.0E+01
609	15.15562	5.02E-03	7.6E-02	1.05E-03	7.96E-05	8.19E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
610	15.11091	5.02E-03	7.6E-02	1.05E-03	7.94E-05	8.19E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
611	15.04171	5.02E-03	7.6E-02	1.05E-03	7.90E-05	8.19E-01	1.57E-01	1.02E-05	1.0E+06	1.0E+01
612	1.00789	5.02E-03	5.1E-03	1.05E-03	5.29E-06	8.19E-01	1.57E-01	6.81E-07	1.0E+06	6.8E-01
613	1.07444	5.02E-03	5.4E-03	1.05E-03	5.64E-06	8.19E-01	1.57E-01	7.26E-07	1.0E+06	7.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	5.02E-03	5.8E-03	1.05E-03	6.02E-06	8.19E-01	1.57E-01	7.75E-07	1.0E+06	7.8E-01
615	1.22081	5.02E-03	6.1E-03	1.05E-03	6.41E-06	8.19E-01	1.57E-01	8.25E-07	1.0E+06	8.3E-01
616	1.30327	5.02E-03	6.5E-03	1.05E-03	6.84E-06	8.19E-01	1.57E-01	8.81E-07	1.0E+06	8.8E-01
617	1.39136	5.02E-03	7.0E-03	1.05E-03	7.31E-06	8.19E-01	1.57E-01	9.41E-07	1.0E+06	9.4E-01
618	1.48675	5.02E-03	7.5E-03	1.05E-03	7.81E-06	8.19E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
619	1.59425	5.02E-03	8.0E-03	1.05E-03	8.37E-06	8.19E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
620	1.72719	5.02E-03	8.7E-03	1.05E-03	9.07E-06	8.19E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
621	1.88709	5.02E-03	9.5E-03	1.05E-03	9.91E-06	8.19E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
622	2.06451	5.02E-03	1.0E-02	1.05E-03	1.08E-05	8.19E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
623	2.27045	5.02E-03	1.1E-02	1.05E-03	1.19E-05	8.19E-01	1.57E-01	1.53E-06	1.0E+06	1.5E+00
624	2.51142	5.02E-03	1.3E-02	1.05E-03	1.32E-05	8.19E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
625	2.78618	5.02E-03	1.4E-02	1.05E-03	1.46E-05	8.19E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
626	3.11158	5.02E-03	1.6E-02	1.05E-03	1.63E-05	8.19E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
627	3.50447	5.02E-03	1.8E-02	1.05E-03	1.84E-05	8.19E-01	1.57E-01	2.37E-06	1.0E+06	2.4E+00
628	3.98435	5.02E-03	2.0E-02	1.05E-03	2.09E-05	8.19E-01	1.57E-01	2.69E-06	1.0E+06	2.7E+00
629	4.56893	5.02E-03	2.3E-02	1.05E-03	2.40E-05	8.19E-01	1.57E-01	3.09E-06	1.0E+06	3.1E+00
630	5.27449	5.02E-03	2.7E-02	1.05E-03	2.77E-05	8.19E-01	1.57E-01	3.57E-06	1.0E+06	3.6E+00
631	6.08982	5.02E-03	3.1E-02	1.05E-03	3.20E-05	8.19E-01	1.57E-01	4.12E-06	1.0E+06	4.1E+00
632	6.98008	5.02E-03	3.5E-02	1.05E-03	3.67E-05	8.19E-01	1.57E-01	4.72E-06	1.0E+06	4.7E+00
633	7.89728	5.02E-03	4.0E-02	1.05E-03	4.15E-05	8.19E-01	1.57E-01	5.34E-06	1.0E+06	5.3E+00
634	8.7815	5.02E-03	4.4E-02	1.05E-03	4.61E-05	8.19E-01	1.57E-01	5.94E-06	1.0E+06	5.9E+00
635	9.60354	5.02E-03	4.8E-02	1.05E-03	5.04E-05	8.19E-01	1.57E-01	6.49E-06	1.0E+06	6.5E+00
636	10.35005	5.02E-03	5.2E-02	1.05E-03	5.44E-05	8.19E-01	1.57E-01	7.00E-06	1.0E+06	7.0E+00
637	11.00384	5.02E-03	5.5E-02	1.05E-03	5.78E-05	8.19E-01	1.57E-01	7.44E-06	1.0E+06	7.4E+00
638	11.54147	5.02E-03	5.8E-02	1.05E-03	6.06E-05	8.19E-01	1.57E-01	7.80E-06	1.0E+06	7.8E+00
639	11.94826	5.02E-03	6.0E-02	1.05E-03	6.28E-05	8.19E-01	1.57E-01	8.08E-06	1.0E+06	8.1E+00
640	12.23382	5.02E-03	6.1E-02	1.05E-03	6.43E-05	8.19E-01	1.57E-01	8.27E-06	1.0E+06	8.3E+00
641	12.43817	5.02E-03	6.2E-02	1.05E-03	6.53E-05	8.19E-01	1.57E-01	8.41E-06	1.0E+06	8.4E+00
642	12.5835	5.02E-03	6.3E-02	1.05E-03	6.61E-05	8.19E-01	1.57E-01	8.51E-06	1.0E+06	8.5E+00
643	12.6861	5.02E-03	6.4E-02	1.05E-03	6.66E-05	8.19E-01	1.57E-01	8.58E-06	1.0E+06	8.6E+00
644	12.7652	5.02E-03	6.4E-02	1.05E-03	6.70E-05	8.19E-01	1.57E-01	8.63E-06	1.0E+06	8.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	5.02E-03	6.4E-02	1.05E-03	6.73E-05	8.19E-01	1.57E-01	8.66E-06	1.0E+06	8.7E+00
646	12.83596	5.02E-03	6.4E-02	1.05E-03	6.74E-05	8.19E-01	1.57E-01	8.68E-06	1.0E+06	8.7E+00
647	12.84298	5.02E-03	6.5E-02	1.05E-03	6.75E-05	8.19E-01	1.57E-01	8.68E-06	1.0E+06	8.7E+00
648	12.83467	5.02E-03	6.4E-02	1.05E-03	6.74E-05	8.19E-01	1.57E-01	8.68E-06	1.0E+06	8.7E+00
649	12.80559	5.02E-03	6.4E-02	1.05E-03	6.73E-05	8.19E-01	1.57E-01	8.66E-06	1.0E+06	8.7E+00
650	12.75963	5.02E-03	6.4E-02	1.05E-03	6.70E-05	8.19E-01	1.57E-01	8.63E-06	1.0E+06	8.6E+00
651	12.69539	5.02E-03	6.4E-02	1.05E-03	6.67E-05	8.19E-01	1.57E-01	8.58E-06	1.0E+06	8.6E+00
652	0.97402	5.02E-03	4.9E-03	1.05E-03	5.12E-06	8.19E-01	1.57E-01	6.59E-07	1.0E+06	6.6E-01
653	1.03573	5.02E-03	5.2E-03	1.05E-03	5.44E-06	8.19E-01	1.57E-01	7.00E-07	1.0E+06	7.0E-01
654	1.1025	5.02E-03	5.5E-03	1.05E-03	5.79E-06	8.19E-01	1.57E-01	7.45E-07	1.0E+06	7.5E-01
655	1.17235	5.02E-03	5.9E-03	1.05E-03	6.16E-06	8.19E-01	1.57E-01	7.93E-07	1.0E+06	7.9E-01
656	1.24971	5.02E-03	6.3E-03	1.05E-03	6.56E-06	8.19E-01	1.57E-01	8.45E-07	1.0E+06	8.4E-01
657	1.33283	5.02E-03	6.7E-03	1.05E-03	7.00E-06	8.19E-01	1.57E-01	9.01E-07	1.0E+06	9.0E-01
658	1.42351	5.02E-03	7.2E-03	1.05E-03	7.48E-06	8.19E-01	1.57E-01	9.62E-07	1.0E+06	9.6E-01
659	1.52535	5.02E-03	7.7E-03	1.05E-03	8.01E-06	8.19E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
660	1.64887	5.02E-03	8.3E-03	1.05E-03	8.66E-06	8.19E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
661	1.78831	5.02E-03	9.0E-03	1.05E-03	9.39E-06	8.19E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
662	1.95291	5.02E-03	9.8E-03	1.05E-03	1.03E-05	8.19E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
663	2.14059	5.02E-03	1.1E-02	1.05E-03	1.12E-05	8.19E-01	1.57E-01	1.45E-06	1.0E+06	1.4E+00
664	2.35977	5.02E-03	1.2E-02	1.05E-03	1.24E-05	8.19E-01	1.57E-01	1.60E-06	1.0E+06	1.6E+00
665	2.59747	5.02E-03	1.3E-02	1.05E-03	1.36E-05	8.19E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
666	2.8754	5.02E-03	1.4E-02	1.05E-03	1.51E-05	8.19E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
667	3.21769	5.02E-03	1.6E-02	1.05E-03	1.69E-05	8.19E-01	1.57E-01	2.18E-06	1.0E+06	2.2E+00
668	3.61969	5.02E-03	1.8E-02	1.05E-03	1.90E-05	8.19E-01	1.57E-01	2.45E-06	1.0E+06	2.4E+00
669	4.10847	5.02E-03	2.1E-02	1.05E-03	2.16E-05	8.19E-01	1.57E-01	2.78E-06	1.0E+06	2.8E+00
670	4.68552	5.02E-03	2.4E-02	1.05E-03	2.46E-05	8.19E-01	1.57E-01	3.17E-06	1.0E+06	3.2E+00
671	5.33428	5.02E-03	2.7E-02	1.05E-03	2.80E-05	8.19E-01	1.57E-01	3.61E-06	1.0E+06	3.6E+00
672	6.04383	5.02E-03	3.0E-02	1.05E-03	3.17E-05	8.19E-01	1.57E-01	4.09E-06	1.0E+06	4.1E+00
673	6.77602	5.02E-03	3.4E-02	1.05E-03	3.56E-05	8.19E-01	1.57E-01	4.58E-06	1.0E+06	4.6E+00
674	7.4948	5.02E-03	3.8E-02	1.05E-03	3.94E-05	8.19E-01	1.57E-01	5.07E-06	1.0E+06	5.1E+00
675	8.16492	5.02E-03	4.1E-02	1.05E-03	4.29E-05	8.19E-01	1.57E-01	5.52E-06	1.0E+06	5.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	5.02E-03	4.4E-02	1.05E-03	4.61E-05	8.19E-01	1.57E-01	5.94E-06	1.0E+06	5.9E+00
677	9.32065	5.02E-03	4.7E-02	1.05E-03	4.90E-05	8.19E-01	1.57E-01	6.30E-06	1.0E+06	6.3E+00
678	9.77043	5.02E-03	4.9E-02	1.05E-03	5.13E-05	8.19E-01	1.57E-01	6.61E-06	1.0E+06	6.6E+00
679	10.12687	5.02E-03	5.1E-02	1.05E-03	5.32E-05	8.19E-01	1.57E-01	6.85E-06	1.0E+06	6.8E+00
680	10.39762	5.02E-03	5.2E-02	1.05E-03	5.46E-05	8.19E-01	1.57E-01	7.03E-06	1.0E+06	7.0E+00
681	10.5989	5.02E-03	5.3E-02	1.05E-03	5.57E-05	8.19E-01	1.57E-01	7.17E-06	1.0E+06	7.2E+00
682	10.7487	5.02E-03	5.4E-02	1.05E-03	5.65E-05	8.19E-01	1.57E-01	7.27E-06	1.0E+06	7.3E+00
683	10.85911	5.02E-03	5.5E-02	1.05E-03	5.70E-05	8.19E-01	1.57E-01	7.34E-06	1.0E+06	7.3E+00
684	10.9435	5.02E-03	5.5E-02	1.05E-03	5.75E-05	8.19E-01	1.57E-01	7.40E-06	1.0E+06	7.4E+00
685	10.99739	5.02E-03	5.5E-02	1.05E-03	5.78E-05	8.19E-01	1.57E-01	7.44E-06	1.0E+06	7.4E+00
686	11.02399	5.02E-03	5.5E-02	1.05E-03	5.79E-05	8.19E-01	1.57E-01	7.45E-06	1.0E+06	7.5E+00
687	11.03343	5.02E-03	5.5E-02	1.05E-03	5.79E-05	8.19E-01	1.57E-01	7.46E-06	1.0E+06	7.5E+00
688	11.03012	5.02E-03	5.5E-02	1.05E-03	5.79E-05	8.19E-01	1.57E-01	7.46E-06	1.0E+06	7.5E+00
689	11.00788	5.02E-03	5.5E-02	1.05E-03	5.78E-05	8.19E-01	1.57E-01	7.44E-06	1.0E+06	7.4E+00
690	10.96701	5.02E-03	5.5E-02	1.05E-03	5.76E-05	8.19E-01	1.57E-01	7.41E-06	1.0E+06	7.4E+00
691	10.90924	5.02E-03	5.5E-02	1.05E-03	5.73E-05	8.19E-01	1.57E-01	7.38E-06	1.0E+06	7.4E+00
692	0.93901	5.02E-03	4.7E-03	1.05E-03	4.93E-06	8.19E-01	1.57E-01	6.35E-07	1.0E+06	6.3E-01
693	0.99508	5.02E-03	5.0E-03	1.05E-03	5.23E-06	8.19E-01	1.57E-01	6.73E-07	1.0E+06	6.7E-01
694	1.05612	5.02E-03	5.3E-03	1.05E-03	5.55E-06	8.19E-01	1.57E-01	7.14E-07	1.0E+06	7.1E-01
695	1.12167	5.02E-03	5.6E-03	1.05E-03	5.89E-06	8.19E-01	1.57E-01	7.58E-07	1.0E+06	7.6E-01
696	1.19382	5.02E-03	6.0E-03	1.05E-03	6.27E-06	8.19E-01	1.57E-01	8.07E-07	1.0E+06	8.1E-01
697	1.27273	5.02E-03	6.4E-03	1.05E-03	6.68E-06	8.19E-01	1.57E-01	8.60E-07	1.0E+06	8.6E-01
698	1.35929	5.02E-03	6.8E-03	1.05E-03	7.14E-06	8.19E-01	1.57E-01	9.19E-07	1.0E+06	9.2E-01
699	1.45608	5.02E-03	7.3E-03	1.05E-03	7.65E-06	8.19E-01	1.57E-01	9.84E-07	1.0E+06	9.8E-01
700	1.57018	5.02E-03	7.9E-03	1.05E-03	8.25E-06	8.19E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
701	1.69898	5.02E-03	8.5E-03	1.05E-03	8.92E-06	8.19E-01	1.57E-01	1.15E-06	1.0E+06	1.1E+00
702	1.84319	5.02E-03	9.3E-03	1.05E-03	9.68E-06	8.19E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
703	2.00569	5.02E-03	1.0E-02	1.05E-03	1.05E-05	8.19E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
704	2.20067	5.02E-03	1.1E-02	1.05E-03	1.16E-05	8.19E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
705	2.41372	5.02E-03	1.2E-02	1.05E-03	1.27E-05	8.19E-01	1.57E-01	1.63E-06	1.0E+06	1.6E+00
706	2.65164	5.02E-03	1.3E-02	1.05E-03	1.39E-05	8.19E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	5.02E-03	1.5E-02	1.05E-03	1.55E-05	8.19E-01	1.57E-01	1.99E-06	1.0E+06	2.0E+00
708	3.2896	5.02E-03	1.7E-02	1.05E-03	1.73E-05	8.19E-01	1.57E-01	2.22E-06	1.0E+06	2.2E+00
709	3.68826	5.02E-03	1.9E-02	1.05E-03	1.94E-05	8.19E-01	1.57E-01	2.49E-06	1.0E+06	2.5E+00
710	4.18126	5.02E-03	2.1E-02	1.05E-03	2.20E-05	8.19E-01	1.57E-01	2.83E-06	1.0E+06	2.8E+00
711	4.72232	5.02E-03	2.4E-02	1.05E-03	2.48E-05	8.19E-01	1.57E-01	3.19E-06	1.0E+06	3.2E+00
712	5.29922	5.02E-03	2.7E-02	1.05E-03	2.78E-05	8.19E-01	1.57E-01	3.58E-06	1.0E+06	3.6E+00
713	5.90104	5.02E-03	3.0E-02	1.05E-03	3.10E-05	8.19E-01	1.57E-01	3.99E-06	1.0E+06	4.0E+00
714	6.49482	5.02E-03	3.3E-02	1.05E-03	3.41E-05	8.19E-01	1.57E-01	4.39E-06	1.0E+06	4.4E+00
715	7.05396	5.02E-03	3.5E-02	1.05E-03	3.70E-05	8.19E-01	1.57E-01	4.77E-06	1.0E+06	4.8E+00
716	7.56531	5.02E-03	3.8E-02	1.05E-03	3.97E-05	8.19E-01	1.57E-01	5.11E-06	1.0E+06	5.1E+00
717	8.02268	5.02E-03	4.0E-02	1.05E-03	4.21E-05	8.19E-01	1.57E-01	5.42E-06	1.0E+06	5.4E+00
718	8.402	5.02E-03	4.2E-02	1.05E-03	4.41E-05	8.19E-01	1.57E-01	5.68E-06	1.0E+06	5.7E+00
719	8.71664	5.02E-03	4.4E-02	1.05E-03	4.58E-05	8.19E-01	1.57E-01	5.89E-06	1.0E+06	5.9E+00
720	8.96577	5.02E-03	4.5E-02	1.05E-03	4.71E-05	8.19E-01	1.57E-01	6.06E-06	1.0E+06	6.1E+00
721	9.16053	5.02E-03	4.6E-02	1.05E-03	4.81E-05	8.19E-01	1.57E-01	6.19E-06	1.0E+06	6.2E+00
722	9.30962	5.02E-03	4.7E-02	1.05E-03	4.89E-05	8.19E-01	1.57E-01	6.29E-06	1.0E+06	6.3E+00
723	9.42495	5.02E-03	4.7E-02	1.05E-03	4.95E-05	8.19E-01	1.57E-01	6.37E-06	1.0E+06	6.4E+00
724	9.51029	5.02E-03	4.8E-02	1.05E-03	4.99E-05	8.19E-01	1.57E-01	6.43E-06	1.0E+06	6.4E+00
725	9.56893	5.02E-03	4.8E-02	1.05E-03	5.03E-05	8.19E-01	1.57E-01	6.47E-06	1.0E+06	6.5E+00
726	9.59872	5.02E-03	4.8E-02	1.05E-03	5.04E-05	8.19E-01	1.57E-01	6.49E-06	1.0E+06	6.5E+00
727	9.61129	5.02E-03	4.8E-02	1.05E-03	5.05E-05	8.19E-01	1.57E-01	6.50E-06	1.0E+06	6.5E+00
728	9.61105	5.02E-03	4.8E-02	1.05E-03	5.05E-05	8.19E-01	1.57E-01	6.50E-06	1.0E+06	6.5E+00
729	9.59379	5.02E-03	4.8E-02	1.05E-03	5.04E-05	8.19E-01	1.57E-01	6.49E-06	1.0E+06	6.5E+00
730	9.55865	5.02E-03	4.8E-02	1.05E-03	5.02E-05	8.19E-01	1.57E-01	6.46E-06	1.0E+06	6.5E+00
731	9.50715	5.02E-03	4.8E-02	1.05E-03	4.99E-05	8.19E-01	1.57E-01	6.43E-06	1.0E+06	6.4E+00
732	0.90373	5.02E-03	4.5E-03	1.05E-03	4.75E-06	8.19E-01	1.57E-01	6.11E-07	1.0E+06	6.1E-01
733	0.95396	5.02E-03	4.8E-03	1.05E-03	5.01E-06	8.19E-01	1.57E-01	6.45E-07	1.0E+06	6.4E-01
734	1.00909	5.02E-03	5.1E-03	1.05E-03	5.30E-06	8.19E-01	1.57E-01	6.82E-07	1.0E+06	6.8E-01
735	1.07021	5.02E-03	5.4E-03	1.05E-03	5.62E-06	8.19E-01	1.57E-01	7.24E-07	1.0E+06	7.2E-01
736	1.13747	5.02E-03	5.7E-03	1.05E-03	5.97E-06	8.19E-01	1.57E-01	7.69E-07	1.0E+06	7.7E-01
737	1.212	5.02E-03	6.1E-03	1.05E-03	6.37E-06	8.19E-01	1.57E-01	8.19E-07	1.0E+06	8.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	5.02E-03	6.5E-03	1.05E-03	6.80E-06	8.19E-01	1.57E-01	8.76E-07	1.0E+06	8.8E-01
739	1.38707	5.02E-03	7.0E-03	1.05E-03	7.28E-06	8.19E-01	1.57E-01	9.38E-07	1.0E+06	9.4E-01
740	1.49283	5.02E-03	7.5E-03	1.05E-03	7.84E-06	8.19E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
741	1.61098	5.02E-03	8.1E-03	1.05E-03	8.46E-06	8.19E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
742	1.74199	5.02E-03	8.8E-03	1.05E-03	9.15E-06	8.19E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
743	1.88714	5.02E-03	9.5E-03	1.05E-03	9.91E-06	8.19E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
744	2.05276	5.02E-03	1.0E-02	1.05E-03	1.08E-05	8.19E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
745	2.23004	5.02E-03	1.1E-02	1.05E-03	1.17E-05	8.19E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
746	2.43234	5.02E-03	1.2E-02	1.05E-03	1.28E-05	8.19E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
747	2.6707	5.02E-03	1.3E-02	1.05E-03	1.40E-05	8.19E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
748	2.98706	5.02E-03	1.5E-02	1.05E-03	1.57E-05	8.19E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
749	3.33587	5.02E-03	1.7E-02	1.05E-03	1.75E-05	8.19E-01	1.57E-01	2.26E-06	1.0E+06	2.3E+00
750	3.73979	5.02E-03	1.9E-02	1.05E-03	1.96E-05	8.19E-01	1.57E-01	2.53E-06	1.0E+06	2.5E+00
751	4.20311	5.02E-03	2.1E-02	1.05E-03	2.21E-05	8.19E-01	1.57E-01	2.84E-06	1.0E+06	2.8E+00
752	4.6967	5.02E-03	2.4E-02	1.05E-03	2.47E-05	8.19E-01	1.57E-01	3.18E-06	1.0E+06	3.2E+00
753	5.19712	5.02E-03	2.6E-02	1.05E-03	2.73E-05	8.19E-01	1.57E-01	3.51E-06	1.0E+06	3.5E+00
754	5.69529	5.02E-03	2.9E-02	1.05E-03	2.99E-05	8.19E-01	1.57E-01	3.85E-06	1.0E+06	3.9E+00
755	6.16683	5.02E-03	3.1E-02	1.05E-03	3.24E-05	8.19E-01	1.57E-01	4.17E-06	1.0E+06	4.2E+00
756	6.59832	5.02E-03	3.3E-02	1.05E-03	3.47E-05	8.19E-01	1.57E-01	4.46E-06	1.0E+06	4.5E+00
757	6.9913	5.02E-03	3.5E-02	1.05E-03	3.67E-05	8.19E-01	1.57E-01	4.73E-06	1.0E+06	4.7E+00
758	7.31882	5.02E-03	3.7E-02	1.05E-03	3.84E-05	8.19E-01	1.57E-01	4.95E-06	1.0E+06	4.9E+00
759	7.59358	5.02E-03	3.8E-02	1.05E-03	3.99E-05	8.19E-01	1.57E-01	5.13E-06	1.0E+06	5.1E+00
760	7.82378	5.02E-03	3.9E-02	1.05E-03	4.11E-05	8.19E-01	1.57E-01	5.29E-06	1.0E+06	5.3E+00
761	8.01055	5.02E-03	4.0E-02	1.05E-03	4.21E-05	8.19E-01	1.57E-01	5.42E-06	1.0E+06	5.4E+00
762	8.15512	5.02E-03	4.1E-02	1.05E-03	4.28E-05	8.19E-01	1.57E-01	5.51E-06	1.0E+06	5.5E+00
763	8.27036	5.02E-03	4.2E-02	1.05E-03	4.34E-05	8.19E-01	1.57E-01	5.59E-06	1.0E+06	5.6E+00
764	8.35543	5.02E-03	4.2E-02	1.05E-03	4.39E-05	8.19E-01	1.57E-01	5.65E-06	1.0E+06	5.6E+00
765	8.41653	5.02E-03	4.2E-02	1.05E-03	4.42E-05	8.19E-01	1.57E-01	5.69E-06	1.0E+06	5.7E+00
766	8.44946	5.02E-03	4.2E-02	1.05E-03	4.44E-05	8.19E-01	1.57E-01	5.71E-06	1.0E+06	5.7E+00
767	8.46498	5.02E-03	4.3E-02	1.05E-03	4.45E-05	8.19E-01	1.57E-01	5.72E-06	1.0E+06	5.7E+00
768	8.46784	5.02E-03	4.3E-02	1.05E-03	4.45E-05	8.19E-01	1.57E-01	5.72E-06	1.0E+06	5.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	5.02E-03	4.2E-02	1.05E-03	4.44E-05	8.19E-01	1.57E-01	5.72E-06	1.0E+06	5.7E+00
770	8.42489	5.02E-03	4.2E-02	1.05E-03	4.42E-05	8.19E-01	1.57E-01	5.70E-06	1.0E+06	5.7E+00
771	8.37939	5.02E-03	4.2E-02	1.05E-03	4.40E-05	8.19E-01	1.57E-01	5.67E-06	1.0E+06	5.7E+00
772	0.87008	5.02E-03	4.4E-03	1.05E-03	4.57E-06	8.19E-01	1.57E-01	5.88E-07	1.0E+06	5.9E-01
773	0.9167	5.02E-03	4.6E-03	1.05E-03	4.81E-06	8.19E-01	1.57E-01	6.20E-07	1.0E+06	6.2E-01
774	0.9677	5.02E-03	4.9E-03	1.05E-03	5.08E-06	8.19E-01	1.57E-01	6.54E-07	1.0E+06	6.5E-01
775	1.0252	5.02E-03	5.2E-03	1.05E-03	5.38E-06	8.19E-01	1.57E-01	6.93E-07	1.0E+06	6.9E-01
776	1.08829	5.02E-03	5.5E-03	1.05E-03	5.72E-06	8.19E-01	1.57E-01	7.36E-07	1.0E+06	7.4E-01
777	1.158	5.02E-03	5.8E-03	1.05E-03	6.08E-06	8.19E-01	1.57E-01	7.83E-07	1.0E+06	7.8E-01
778	1.23498	5.02E-03	6.2E-03	1.05E-03	6.49E-06	8.19E-01	1.57E-01	8.35E-07	1.0E+06	8.3E-01
779	1.32031	5.02E-03	6.6E-03	1.05E-03	6.93E-06	8.19E-01	1.57E-01	8.93E-07	1.0E+06	8.9E-01
780	1.4163	5.02E-03	7.1E-03	1.05E-03	7.44E-06	8.19E-01	1.57E-01	9.58E-07	1.0E+06	9.6E-01
781	1.52369	5.02E-03	7.7E-03	1.05E-03	8.00E-06	8.19E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
782	1.64239	5.02E-03	8.3E-03	1.05E-03	8.63E-06	8.19E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
783	1.77466	5.02E-03	8.9E-03	1.05E-03	9.32E-06	8.19E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
784	1.92428	5.02E-03	9.7E-03	1.05E-03	1.01E-05	8.19E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
785	2.08609	5.02E-03	1.0E-02	1.05E-03	1.10E-05	8.19E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
786	2.26894	5.02E-03	1.1E-02	1.05E-03	1.19E-05	8.19E-01	1.57E-01	1.53E-06	1.0E+06	1.5E+00
787	2.48215	5.02E-03	1.2E-02	1.05E-03	1.30E-05	8.19E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
788	2.75097	5.02E-03	1.4E-02	1.05E-03	1.44E-05	8.19E-01	1.57E-01	1.86E-06	1.0E+06	1.9E+00
789	3.04965	5.02E-03	1.5E-02	1.05E-03	1.60E-05	8.19E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
790	3.39516	5.02E-03	1.7E-02	1.05E-03	1.78E-05	8.19E-01	1.57E-01	2.30E-06	1.0E+06	2.3E+00
791	3.79037	5.02E-03	1.9E-02	1.05E-03	1.99E-05	8.19E-01	1.57E-01	2.56E-06	1.0E+06	2.6E+00
792	4.19023	5.02E-03	2.1E-02	1.05E-03	2.20E-05	8.19E-01	1.57E-01	2.83E-06	1.0E+06	2.8E+00
793	4.61325	5.02E-03	2.3E-02	1.05E-03	2.42E-05	8.19E-01	1.57E-01	3.12E-06	1.0E+06	3.1E+00
794	5.02437	5.02E-03	2.5E-02	1.05E-03	2.64E-05	8.19E-01	1.57E-01	3.40E-06	1.0E+06	3.4E+00
795	5.42475	5.02E-03	2.7E-02	1.05E-03	2.85E-05	8.19E-01	1.57E-01	3.67E-06	1.0E+06	3.7E+00
796	5.79546	5.02E-03	2.9E-02	1.05E-03	3.04E-05	8.19E-01	1.57E-01	3.92E-06	1.0E+06	3.9E+00
797	6.13759	5.02E-03	3.1E-02	1.05E-03	3.22E-05	8.19E-01	1.57E-01	4.15E-06	1.0E+06	4.1E+00
798	6.42719	5.02E-03	3.2E-02	1.05E-03	3.38E-05	8.19E-01	1.57E-01	4.35E-06	1.0E+06	4.3E+00
799	6.68167	5.02E-03	3.4E-02	1.05E-03	3.51E-05	8.19E-01	1.57E-01	4.52E-06	1.0E+06	4.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	6.8918	5.02E-03	3.5E-02	1.05E-03	3.62E-05	8.19E-01	1.57E-01	4.66E-06	1.0E+06	4.7E+00
801	7.06788	5.02E-03	3.6E-02	1.05E-03	3.71E-05	8.19E-01	1.57E-01	4.78E-06	1.0E+06	4.8E+00
802	7.20727	5.02E-03	3.6E-02	1.05E-03	3.79E-05	8.19E-01	1.57E-01	4.87E-06	1.0E+06	4.9E+00
803	7.3211	5.02E-03	3.7E-02	1.05E-03	3.85E-05	8.19E-01	1.57E-01	4.95E-06	1.0E+06	4.9E+00
804	7.4024	5.02E-03	3.7E-02	1.05E-03	3.89E-05	8.19E-01	1.57E-01	5.00E-06	1.0E+06	5.0E+00
805	7.46545	5.02E-03	3.8E-02	1.05E-03	3.92E-05	8.19E-01	1.57E-01	5.05E-06	1.0E+06	5.0E+00
806	7.50396	5.02E-03	3.8E-02	1.05E-03	3.94E-05	8.19E-01	1.57E-01	5.07E-06	1.0E+06	5.1E+00
807	7.52272	5.02E-03	3.8E-02	1.05E-03	3.95E-05	8.19E-01	1.57E-01	5.09E-06	1.0E+06	5.1E+00
808	7.52855	5.02E-03	3.8E-02	1.05E-03	3.95E-05	8.19E-01	1.57E-01	5.09E-06	1.0E+06	5.1E+00
809	7.51923	5.02E-03	3.8E-02	1.05E-03	3.95E-05	8.19E-01	1.57E-01	5.08E-06	1.0E+06	5.1E+00
810	7.49422	5.02E-03	3.8E-02	1.05E-03	3.94E-05	8.19E-01	1.57E-01	5.07E-06	1.0E+06	5.1E+00
811	7.45447	5.02E-03	3.7E-02	1.05E-03	3.92E-05	8.19E-01	1.57E-01	5.04E-06	1.0E+06	5.0E+00
812	0.83667	5.02E-03	4.2E-03	1.05E-03	4.39E-06	8.19E-01	1.57E-01	5.66E-07	1.0E+06	5.7E-01
813	0.87996	5.02E-03	4.4E-03	1.05E-03	4.62E-06	8.19E-01	1.57E-01	5.95E-07	1.0E+06	5.9E-01
814	0.92737	5.02E-03	4.7E-03	1.05E-03	4.87E-06	8.19E-01	1.57E-01	6.27E-07	1.0E+06	6.3E-01
815	0.9815	5.02E-03	4.9E-03	1.05E-03	5.15E-06	8.19E-01	1.57E-01	6.64E-07	1.0E+06	6.6E-01
816	1.04048	5.02E-03	5.2E-03	1.05E-03	5.46E-06	8.19E-01	1.57E-01	7.03E-07	1.0E+06	7.0E-01
817	1.10543	5.02E-03	5.6E-03	1.05E-03	5.81E-06	8.19E-01	1.57E-01	7.47E-07	1.0E+06	7.5E-01
818	1.17665	5.02E-03	5.9E-03	1.05E-03	6.18E-06	8.19E-01	1.57E-01	7.96E-07	1.0E+06	8.0E-01
819	1.2553	5.02E-03	6.3E-03	1.05E-03	6.59E-06	8.19E-01	1.57E-01	8.49E-07	1.0E+06	8.5E-01
820	1.34252	5.02E-03	6.7E-03	1.05E-03	7.05E-06	8.19E-01	1.57E-01	9.08E-07	1.0E+06	9.1E-01
821	1.43927	5.02E-03	7.2E-03	1.05E-03	7.56E-06	8.19E-01	1.57E-01	9.73E-07	1.0E+06	9.7E-01
822	1.5471	5.02E-03	7.8E-03	1.05E-03	8.13E-06	8.19E-01	1.57E-01	1.05E-06	1.0E+06	1.0E+00
823	1.6679	5.02E-03	8.4E-03	1.05E-03	8.76E-06	8.19E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
824	1.80392	5.02E-03	9.1E-03	1.05E-03	9.47E-06	8.19E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
825	1.95166	5.02E-03	9.8E-03	1.05E-03	1.03E-05	8.19E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
826	2.11861	5.02E-03	1.1E-02	1.05E-03	1.11E-05	8.19E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
827	2.31074	5.02E-03	1.2E-02	1.05E-03	1.21E-05	8.19E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
828	2.53407	5.02E-03	1.3E-02	1.05E-03	1.33E-05	8.19E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00
829	2.79936	5.02E-03	1.4E-02	1.05E-03	1.47E-05	8.19E-01	1.57E-01	1.89E-06	1.0E+06	1.9E+00
830	3.09167	5.02E-03	1.6E-02	1.05E-03	1.62E-05	8.19E-01	1.57E-01	2.09E-06	1.0E+06	2.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	3.41969	5.02E-03	1.7E-02	1.05E-03	1.80E-05	8.19E-01	1.57E-01	2.31E-06	1.0E+06	2.3E+00
832	3.76859	5.02E-03	1.9E-02	1.05E-03	1.98E-05	8.19E-01	1.57E-01	2.55E-06	1.0E+06	2.5E+00
833	4.11214	5.02E-03	2.1E-02	1.05E-03	2.16E-05	8.19E-01	1.57E-01	2.78E-06	1.0E+06	2.8E+00
834	4.47011	5.02E-03	2.2E-02	1.05E-03	2.35E-05	8.19E-01	1.57E-01	3.02E-06	1.0E+06	3.0E+00
835	4.80284	5.02E-03	2.4E-02	1.05E-03	2.52E-05	8.19E-01	1.57E-01	3.25E-06	1.0E+06	3.2E+00
836	5.12964	5.02E-03	2.6E-02	1.05E-03	2.69E-05	8.19E-01	1.57E-01	3.47E-06	1.0E+06	3.5E+00
837	5.42636	5.02E-03	2.7E-02	1.05E-03	2.85E-05	8.19E-01	1.57E-01	3.67E-06	1.0E+06	3.7E+00
838	5.69352	5.02E-03	2.9E-02	1.05E-03	2.99E-05	8.19E-01	1.57E-01	3.85E-06	1.0E+06	3.8E+00
839	5.92434	5.02E-03	3.0E-02	1.05E-03	3.11E-05	8.19E-01	1.57E-01	4.01E-06	1.0E+06	4.0E+00
840	6.12416	5.02E-03	3.1E-02	1.05E-03	3.22E-05	8.19E-01	1.57E-01	4.14E-06	1.0E+06	4.1E+00
841	6.28848	5.02E-03	3.2E-02	1.05E-03	3.30E-05	8.19E-01	1.57E-01	4.25E-06	1.0E+06	4.3E+00
842	6.42168	5.02E-03	3.2E-02	1.05E-03	3.37E-05	8.19E-01	1.57E-01	4.34E-06	1.0E+06	4.3E+00
843	6.52867	5.02E-03	3.3E-02	1.05E-03	3.43E-05	8.19E-01	1.57E-01	4.41E-06	1.0E+06	4.4E+00
844	6.61094	5.02E-03	3.3E-02	1.05E-03	3.47E-05	8.19E-01	1.57E-01	4.47E-06	1.0E+06	4.5E+00
845	6.67265	5.02E-03	3.4E-02	1.05E-03	3.50E-05	8.19E-01	1.57E-01	4.51E-06	1.0E+06	4.5E+00
846	6.71443	5.02E-03	3.4E-02	1.05E-03	3.53E-05	8.19E-01	1.57E-01	4.54E-06	1.0E+06	4.5E+00
847	6.73642	5.02E-03	3.4E-02	1.05E-03	3.54E-05	8.19E-01	1.57E-01	4.55E-06	1.0E+06	4.6E+00
848	6.74465	5.02E-03	3.4E-02	1.05E-03	3.54E-05	8.19E-01	1.57E-01	4.56E-06	1.0E+06	4.6E+00
849	6.73873	5.02E-03	3.4E-02	1.05E-03	3.54E-05	8.19E-01	1.57E-01	4.56E-06	1.0E+06	4.6E+00
850	6.71796	5.02E-03	3.4E-02	1.05E-03	3.53E-05	8.19E-01	1.57E-01	4.54E-06	1.0E+06	4.5E+00
851	6.68345	5.02E-03	3.4E-02	1.05E-03	3.51E-05	8.19E-01	1.57E-01	4.52E-06	1.0E+06	4.5E+00
852	0.80369	5.02E-03	4.0E-03	1.05E-03	4.22E-06	8.19E-01	1.57E-01	5.43E-07	1.0E+06	5.4E-01
853	0.84374	5.02E-03	4.2E-03	1.05E-03	4.43E-06	8.19E-01	1.57E-01	5.70E-07	1.0E+06	5.7E-01
854	0.8875	5.02E-03	4.5E-03	1.05E-03	4.66E-06	8.19E-01	1.57E-01	6.00E-07	1.0E+06	6.0E-01
855	0.93841	5.02E-03	4.7E-03	1.05E-03	4.93E-06	8.19E-01	1.57E-01	6.34E-07	1.0E+06	6.3E-01
856	0.99372	5.02E-03	5.0E-03	1.05E-03	5.22E-06	8.19E-01	1.57E-01	6.72E-07	1.0E+06	6.7E-01
857	1.054	5.02E-03	5.3E-03	1.05E-03	5.54E-06	8.19E-01	1.57E-01	7.13E-07	1.0E+06	7.1E-01
858	1.11985	5.02E-03	5.6E-03	1.05E-03	5.88E-06	8.19E-01	1.57E-01	7.57E-07	1.0E+06	7.6E-01
859	1.19203	5.02E-03	6.0E-03	1.05E-03	6.26E-06	8.19E-01	1.57E-01	8.06E-07	1.0E+06	8.1E-01
860	1.27146	5.02E-03	6.4E-03	1.05E-03	6.68E-06	8.19E-01	1.57E-01	8.60E-07	1.0E+06	8.6E-01
861	1.35884	5.02E-03	6.8E-03	1.05E-03	7.14E-06	8.19E-01	1.57E-01	9.19E-07	1.0E+06	9.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	1.45655	5.02E-03	7.3E-03	1.05E-03	7.65E-06	8.19E-01	1.57E-01	9.85E-07	1.0E+06	9.8E-01
863	1.56677	5.02E-03	7.9E-03	1.05E-03	8.23E-06	8.19E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
864	1.69076	5.02E-03	8.5E-03	1.05E-03	8.88E-06	8.19E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
865	1.82739	5.02E-03	9.2E-03	1.05E-03	9.60E-06	8.19E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
866	1.98096	5.02E-03	1.0E-02	1.05E-03	1.04E-05	8.19E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
867	2.15478	5.02E-03	1.1E-02	1.05E-03	1.13E-05	8.19E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
868	2.35219	5.02E-03	1.2E-02	1.05E-03	1.24E-05	8.19E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
869	2.57258	5.02E-03	1.3E-02	1.05E-03	1.35E-05	8.19E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
870	2.8291	5.02E-03	1.4E-02	1.05E-03	1.49E-05	8.19E-01	1.57E-01	1.91E-06	1.0E+06	1.9E+00
871	3.11055	5.02E-03	1.6E-02	1.05E-03	1.63E-05	8.19E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
872	3.3954	5.02E-03	1.7E-02	1.05E-03	1.78E-05	8.19E-01	1.57E-01	2.30E-06	1.0E+06	2.3E+00
873	3.69789	5.02E-03	1.9E-02	1.05E-03	1.94E-05	8.19E-01	1.57E-01	2.50E-06	1.0E+06	2.5E+00
874	3.98935	5.02E-03	2.0E-02	1.05E-03	2.10E-05	8.19E-01	1.57E-01	2.70E-06	1.0E+06	2.7E+00
875	4.28834	5.02E-03	2.2E-02	1.05E-03	2.25E-05	8.19E-01	1.57E-01	2.90E-06	1.0E+06	2.9E+00
876	4.56773	5.02E-03	2.3E-02	1.05E-03	2.40E-05	8.19E-01	1.57E-01	3.09E-06	1.0E+06	3.1E+00
877	4.83599	5.02E-03	2.4E-02	1.05E-03	2.54E-05	8.19E-01	1.57E-01	3.27E-06	1.0E+06	3.3E+00
878	5.07551	5.02E-03	2.6E-02	1.05E-03	2.67E-05	8.19E-01	1.57E-01	3.43E-06	1.0E+06	3.4E+00
879	5.29288	5.02E-03	2.7E-02	1.05E-03	2.78E-05	8.19E-01	1.57E-01	3.58E-06	1.0E+06	3.6E+00
880	5.47867	5.02E-03	2.8E-02	1.05E-03	2.88E-05	8.19E-01	1.57E-01	3.70E-06	1.0E+06	3.7E+00
881	5.63107	5.02E-03	2.8E-02	1.05E-03	2.96E-05	8.19E-01	1.57E-01	3.81E-06	1.0E+06	3.8E+00
882	5.75731	5.02E-03	2.9E-02	1.05E-03	3.02E-05	8.19E-01	1.57E-01	3.89E-06	1.0E+06	3.9E+00
883	5.8611	5.02E-03	2.9E-02	1.05E-03	3.08E-05	8.19E-01	1.57E-01	3.96E-06	1.0E+06	4.0E+00
884	5.94181	5.02E-03	3.0E-02	1.05E-03	3.12E-05	8.19E-01	1.57E-01	4.02E-06	1.0E+06	4.0E+00
885	6.00137	5.02E-03	3.0E-02	1.05E-03	3.15E-05	8.19E-01	1.57E-01	4.06E-06	1.0E+06	4.1E+00
886	6.04453	5.02E-03	3.0E-02	1.05E-03	3.17E-05	8.19E-01	1.57E-01	4.09E-06	1.0E+06	4.1E+00
887	6.07103	5.02E-03	3.1E-02	1.05E-03	3.19E-05	8.19E-01	1.57E-01	4.10E-06	1.0E+06	4.1E+00
888	6.08136	5.02E-03	3.1E-02	1.05E-03	3.19E-05	8.19E-01	1.57E-01	4.11E-06	1.0E+06	4.1E+00
889	6.07844	5.02E-03	3.1E-02	1.05E-03	3.19E-05	8.19E-01	1.57E-01	4.11E-06	1.0E+06	4.1E+00
890	6.06163	5.02E-03	3.0E-02	1.05E-03	3.18E-05	8.19E-01	1.57E-01	4.10E-06	1.0E+06	4.1E+00
891	6.03191	5.02E-03	3.0E-02	1.05E-03	3.17E-05	8.19E-01	1.57E-01	4.08E-06	1.0E+06	4.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	8.12153	1.52945E-05	1.2E-04	1.05E-03	1.30E-07	8.19E-01	1.57E-01	1.67E-08	1.0E+06	1.7E-02
522	522	8.28781	1.52945E-05	1.3E-04	1.05E-03	1.32E-07	8.19E-01	1.57E-01	1.71E-08	1.0E+06	1.7E-02
523	523	8.4173	1.52945E-05	1.3E-04	1.05E-03	1.35E-07	8.19E-01	1.57E-01	1.73E-08	1.0E+06	1.7E-02
524	524	8.51629	1.52945E-05	1.3E-04	1.05E-03	1.36E-07	8.19E-01	1.57E-01	1.75E-08	1.0E+06	1.8E-02
525	525	8.59062	1.52945E-05	1.3E-04	1.05E-03	1.37E-07	8.19E-01	1.57E-01	1.77E-08	1.0E+06	1.8E-02
526	526	8.63979	1.52945E-05	1.3E-04	1.05E-03	1.38E-07	8.19E-01	1.57E-01	1.78E-08	1.0E+06	1.8E-02
527	527	8.67076	1.52945E-05	1.3E-04	1.05E-03	1.39E-07	8.19E-01	1.57E-01	1.78E-08	1.0E+06	1.8E-02
528	528	8.68193	1.52945E-05	1.3E-04	1.05E-03	1.39E-07	8.19E-01	1.57E-01	1.79E-08	1.0E+06	1.8E-02
529	529	8.67659	1.52945E-05	1.3E-04	1.05E-03	1.39E-07	8.19E-01	1.57E-01	1.79E-08	1.0E+06	1.8E-02
530	530	8.65547	1.52945E-05	1.3E-04	1.05E-03	1.38E-07	8.19E-01	1.57E-01	1.78E-08	1.0E+06	1.8E-02
531	531	8.61928	1.52945E-05	1.3E-04	1.05E-03	1.38E-07	8.19E-01	1.57E-01	1.77E-08	1.0E+06	1.8E-02
532	532	0.90601	1.52945E-05	1.4E-05	1.05E-03	1.45E-08	8.19E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
533	533	0.95812	1.52945E-05	1.5E-05	1.05E-03	1.53E-08	8.19E-01	1.57E-01	1.97E-09	1.0E+06	2.0E-03
534	534	1.01448	1.52945E-05	1.6E-05	1.05E-03	1.62E-08	8.19E-01	1.57E-01	2.09E-09	1.0E+06	2.1E-03
535	535	1.07414	1.52945E-05	1.6E-05	1.05E-03	1.72E-08	8.19E-01	1.57E-01	2.21E-09	1.0E+06	2.2E-03
536	536	1.13953	1.52945E-05	1.7E-05	1.05E-03	1.82E-08	8.19E-01	1.57E-01	2.34E-09	1.0E+06	2.3E-03
537	537	1.21514	1.52945E-05	1.9E-05	1.05E-03	1.94E-08	8.19E-01	1.57E-01	2.50E-09	1.0E+06	2.5E-03
538	538	1.29235	1.52945E-05	2.0E-05	1.05E-03	2.07E-08	8.19E-01	1.57E-01	2.66E-09	1.0E+06	2.7E-03
539	539	1.37769	1.52945E-05	2.1E-05	1.05E-03	2.20E-08	8.19E-01	1.57E-01	2.84E-09	1.0E+06	2.8E-03
540	540	1.47715	1.52945E-05	2.3E-05	1.05E-03	2.36E-08	8.19E-01	1.57E-01	3.04E-09	1.0E+06	3.0E-03
541	541	1.58508	1.52945E-05	2.4E-05	1.05E-03	2.53E-08	8.19E-01	1.57E-01	3.26E-09	1.0E+06	3.3E-03
542	542	1.70757	1.52945E-05	2.6E-05	1.05E-03	2.73E-08	8.19E-01	1.57E-01	3.51E-09	1.0E+06	3.5E-03
543	543	1.84409	1.52945E-05	2.8E-05	1.05E-03	2.95E-08	8.19E-01	1.57E-01	3.79E-09	1.0E+06	3.8E-03
544	544	1.99507	1.52945E-05	3.1E-05	1.05E-03	3.19E-08	8.19E-01	1.57E-01	4.11E-09	1.0E+06	4.1E-03
545	545	2.16577	1.52945E-05	3.3E-05	1.05E-03	3.46E-08	8.19E-01	1.57E-01	4.46E-09	1.0E+06	4.5E-03
546	546	2.35726	1.52945E-05	3.6E-05	1.05E-03	3.77E-08	8.19E-01	1.57E-01	4.85E-09	1.0E+06	4.9E-03
547	547	2.57757	1.52945E-05	3.9E-05	1.05E-03	4.12E-08	8.19E-01	1.57E-01	5.30E-09	1.0E+06	5.3E-03
548	548	2.82723	1.52945E-05	4.3E-05	1.05E-03	4.52E-08	8.19E-01	1.57E-01	5.82E-09	1.0E+06	5.8E-03
549	549	3.11442	1.52945E-05	4.8E-05	1.05E-03	4.98E-08	8.19E-01	1.57E-01	6.41E-09	1.0E+06	6.4E-03
550	550	3.43777	1.52945E-05	5.3E-05	1.05E-03	5.50E-08	8.19E-01	1.57E-01	7.07E-09	1.0E+06	7.1E-03
551	551	3.7997	1.52945E-05	5.8E-05	1.05E-03	6.07E-08	8.19E-01	1.57E-01	7.82E-09	1.0E+06	7.8E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	4.19174	1.52945E-05	6.4E-05	1.05E-03	6.70E-08	8.19E-01	1.57E-01	8.63E-09	1.0E+06	8.6E-03
553	553	4.60011	1.52945E-05	7.0E-05	1.05E-03	7.35E-08	8.19E-01	1.57E-01	9.47E-09	1.0E+06	9.5E-03
554	554	5.01693	1.52945E-05	7.7E-05	1.05E-03	8.02E-08	8.19E-01	1.57E-01	1.03E-08	1.0E+06	1.0E-02
555	555	5.42448	1.52945E-05	8.3E-05	1.05E-03	8.67E-08	8.19E-01	1.57E-01	1.12E-08	1.0E+06	1.1E-02
556	556	5.80992	1.52945E-05	8.9E-05	1.05E-03	9.29E-08	8.19E-01	1.57E-01	1.20E-08	1.0E+06	1.2E-02
557	557	6.16705	1.52945E-05	9.4E-05	1.05E-03	9.86E-08	8.19E-01	1.57E-01	1.27E-08	1.0E+06	1.3E-02
558	558	6.48282	1.52945E-05	9.9E-05	1.05E-03	1.04E-07	8.19E-01	1.57E-01	1.33E-08	1.0E+06	1.3E-02
559	559	6.75814	1.52945E-05	1.0E-04	1.05E-03	1.08E-07	8.19E-01	1.57E-01	1.39E-08	1.0E+06	1.4E-02
560	560	6.99071	1.52945E-05	1.1E-04	1.05E-03	1.12E-07	8.19E-01	1.57E-01	1.44E-08	1.0E+06	1.4E-02
561	561	7.18159	1.52945E-05	1.1E-04	1.05E-03	1.15E-07	8.19E-01	1.57E-01	1.48E-08	1.0E+06	1.5E-02
562	562	7.33656	1.52945E-05	1.1E-04	1.05E-03	1.17E-07	8.19E-01	1.57E-01	1.51E-08	1.0E+06	1.5E-02
563	563	7.46447	1.52945E-05	1.1E-04	1.05E-03	1.19E-07	8.19E-01	1.57E-01	1.54E-08	1.0E+06	1.5E-02
564	564	7.56258	1.52945E-05	1.2E-04	1.05E-03	1.21E-07	8.19E-01	1.57E-01	1.56E-08	1.0E+06	1.6E-02
565	565	7.63729	1.52945E-05	1.2E-04	1.05E-03	1.22E-07	8.19E-01	1.57E-01	1.57E-08	1.0E+06	1.6E-02
566	566	7.68738	1.52945E-05	1.2E-04	1.05E-03	1.23E-07	8.19E-01	1.57E-01	1.58E-08	1.0E+06	1.6E-02
567	567	7.72022	1.52945E-05	1.2E-04	1.05E-03	1.23E-07	8.19E-01	1.57E-01	1.59E-08	1.0E+06	1.6E-02
568	568	7.73497	1.52945E-05	1.2E-04	1.05E-03	1.24E-07	8.19E-01	1.57E-01	1.59E-08	1.0E+06	1.6E-02
569	569	7.73421	1.52945E-05	1.2E-04	1.05E-03	1.24E-07	8.19E-01	1.57E-01	1.59E-08	1.0E+06	1.6E-02
570	570	7.71854	1.52945E-05	1.2E-04	1.05E-03	1.23E-07	8.19E-01	1.57E-01	1.59E-08	1.0E+06	1.6E-02
571	571	7.68844	1.52945E-05	1.2E-04	1.05E-03	1.23E-07	8.19E-01	1.57E-01	1.58E-08	1.0E+06	1.6E-02
572	572	0.88123	1.52945E-05	1.3E-05	1.05E-03	1.41E-08	8.19E-01	1.57E-01	1.81E-09	1.0E+06	1.8E-03
573	573	0.93251	1.52945E-05	1.4E-05	1.05E-03	1.49E-08	8.19E-01	1.57E-01	1.92E-09	1.0E+06	1.9E-03
574	574	0.98747	1.52945E-05	1.5E-05	1.05E-03	1.58E-08	8.19E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
575	575	1.04399	1.52945E-05	1.6E-05	1.05E-03	1.67E-08	8.19E-01	1.57E-01	2.15E-09	1.0E+06	2.1E-03
576	576	1.10556	1.52945E-05	1.7E-05	1.05E-03	1.77E-08	8.19E-01	1.57E-01	2.28E-09	1.0E+06	2.3E-03
577	577	1.17072	1.52945E-05	1.8E-05	1.05E-03	1.87E-08	8.19E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
578	578	1.24043	1.52945E-05	1.9E-05	1.05E-03	1.98E-08	8.19E-01	1.57E-01	2.55E-09	1.0E+06	2.6E-03
579	579	1.32136	1.52945E-05	2.0E-05	1.05E-03	2.11E-08	8.19E-01	1.57E-01	2.72E-09	1.0E+06	2.7E-03
580	580	1.4152	1.52945E-05	2.2E-05	1.05E-03	2.26E-08	8.19E-01	1.57E-01	2.91E-09	1.0E+06	2.9E-03
581	581	1.51813	1.52945E-05	2.3E-05	1.05E-03	2.43E-08	8.19E-01	1.57E-01	3.12E-09	1.0E+06	3.1E-03
582	582	1.62941	1.52945E-05	2.5E-05	1.05E-03	2.60E-08	8.19E-01	1.57E-01	3.35E-09	1.0E+06	3.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	1.75614	1.52945E-05	2.7E-05	1.05E-03	2.81E-08	8.19E-01	1.57E-01	3.61E-09	1.0E+06	3.6E-03
584	584	1.89689	1.52945E-05	2.9E-05	1.05E-03	3.03E-08	8.19E-01	1.57E-01	3.90E-09	1.0E+06	3.9E-03
585	585	2.04896	1.52945E-05	3.1E-05	1.05E-03	3.28E-08	8.19E-01	1.57E-01	4.22E-09	1.0E+06	4.2E-03
586	586	2.22249	1.52945E-05	3.4E-05	1.05E-03	3.55E-08	8.19E-01	1.57E-01	4.57E-09	1.0E+06	4.6E-03
587	587	2.41607	1.52945E-05	3.7E-05	1.05E-03	3.86E-08	8.19E-01	1.57E-01	4.97E-09	1.0E+06	5.0E-03
588	588	2.63778	1.52945E-05	4.0E-05	1.05E-03	4.22E-08	8.19E-01	1.57E-01	5.43E-09	1.0E+06	5.4E-03
589	589	2.88486	1.52945E-05	4.4E-05	1.05E-03	4.61E-08	8.19E-01	1.57E-01	5.94E-09	1.0E+06	5.9E-03
590	590	3.16453	1.52945E-05	4.8E-05	1.05E-03	5.06E-08	8.19E-01	1.57E-01	6.51E-09	1.0E+06	6.5E-03
591	591	3.47046	1.52945E-05	5.3E-05	1.05E-03	5.55E-08	8.19E-01	1.57E-01	7.14E-09	1.0E+06	7.1E-03
592	592	3.80208	1.52945E-05	5.8E-05	1.05E-03	6.08E-08	8.19E-01	1.57E-01	7.82E-09	1.0E+06	7.8E-03
593	593	4.15054	1.52945E-05	6.3E-05	1.05E-03	6.64E-08	8.19E-01	1.57E-01	8.54E-09	1.0E+06	8.5E-03
594	594	4.50166	1.52945E-05	6.9E-05	1.05E-03	7.20E-08	8.19E-01	1.57E-01	9.26E-09	1.0E+06	9.3E-03
595	595	4.84928	1.52945E-05	7.4E-05	1.05E-03	7.75E-08	8.19E-01	1.57E-01	9.98E-09	1.0E+06	1.0E-02
596	596	5.17906	1.52945E-05	7.9E-05	1.05E-03	8.28E-08	8.19E-01	1.57E-01	1.07E-08	1.0E+06	1.1E-02
597	597	5.48815	1.52945E-05	8.4E-05	1.05E-03	8.77E-08	8.19E-01	1.57E-01	1.13E-08	1.0E+06	1.1E-02
598	598	5.76551	1.52945E-05	8.8E-05	1.05E-03	9.22E-08	8.19E-01	1.57E-01	1.19E-08	1.0E+06	1.2E-02
599	599	6.0115	1.52945E-05	9.2E-05	1.05E-03	9.61E-08	8.19E-01	1.57E-01	1.24E-08	1.0E+06	1.2E-02
600	600	6.2207	1.52945E-05	9.5E-05	1.05E-03	9.94E-08	8.19E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
601	601	6.39751	1.52945E-05	9.8E-05	1.05E-03	1.02E-07	8.19E-01	1.57E-01	1.32E-08	1.0E+06	1.3E-02
602	602	6.54174	1.52945E-05	1.0E-04	1.05E-03	1.05E-07	8.19E-01	1.57E-01	1.35E-08	1.0E+06	1.3E-02
603	603	6.6656	1.52945E-05	1.0E-04	1.05E-03	1.07E-07	8.19E-01	1.57E-01	1.37E-08	1.0E+06	1.4E-02
604	604	6.76228	1.52945E-05	1.0E-04	1.05E-03	1.08E-07	8.19E-01	1.57E-01	1.39E-08	1.0E+06	1.4E-02
605	605	6.83667	1.52945E-05	1.0E-04	1.05E-03	1.09E-07	8.19E-01	1.57E-01	1.41E-08	1.0E+06	1.4E-02
606	606	6.88655	1.52945E-05	1.1E-04	1.05E-03	1.10E-07	8.19E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02
607	607	6.91863	1.52945E-05	1.1E-04	1.05E-03	1.11E-07	8.19E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02
608	608	6.93833	1.52945E-05	1.1E-04	1.05E-03	1.11E-07	8.19E-01	1.57E-01	1.43E-08	1.0E+06	1.4E-02
609	609	6.94132	1.52945E-05	1.1E-04	1.05E-03	1.11E-07	8.19E-01	1.57E-01	1.43E-08	1.0E+06	1.4E-02
610	610	6.93032	1.52945E-05	1.1E-04	1.05E-03	1.11E-07	8.19E-01	1.57E-01	1.43E-08	1.0E+06	1.4E-02
611	611	6.90533	1.52945E-05	1.1E-04	1.05E-03	1.10E-07	8.19E-01	1.57E-01	1.42E-08	1.0E+06	1.4E-02
612	612	0.85642	1.52945E-05	1.3E-05	1.05E-03	1.37E-08	8.19E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
613	613	0.90693	1.52945E-05	1.4E-05	1.05E-03	1.45E-08	8.19E-01	1.57E-01	1.87E-09	1.0E+06	1.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.96042	1.52945E-05	1.5E-05	1.05E-03	1.54E-08	8.19E-01	1.57E-01	1.98E-09	1.0E+06	2.0E-03
615	615	1.01385	1.52945E-05	1.6E-05	1.05E-03	1.62E-08	8.19E-01	1.57E-01	2.09E-09	1.0E+06	2.1E-03
616	616	1.07185	1.52945E-05	1.6E-05	1.05E-03	1.71E-08	8.19E-01	1.57E-01	2.21E-09	1.0E+06	2.2E-03
617	617	1.13173	1.52945E-05	1.7E-05	1.05E-03	1.81E-08	8.19E-01	1.57E-01	2.33E-09	1.0E+06	2.3E-03
618	618	1.19442	1.52945E-05	1.8E-05	1.05E-03	1.91E-08	8.19E-01	1.57E-01	2.46E-09	1.0E+06	2.5E-03
619	619	1.26326	1.52945E-05	1.9E-05	1.05E-03	2.02E-08	8.19E-01	1.57E-01	2.60E-09	1.0E+06	2.6E-03
620	620	1.3528	1.52945E-05	2.1E-05	1.05E-03	2.16E-08	8.19E-01	1.57E-01	2.78E-09	1.0E+06	2.8E-03
621	621	1.44969	1.52945E-05	2.2E-05	1.05E-03	2.32E-08	8.19E-01	1.57E-01	2.98E-09	1.0E+06	3.0E-03
622	622	1.55589	1.52945E-05	2.4E-05	1.05E-03	2.49E-08	8.19E-01	1.57E-01	3.20E-09	1.0E+06	3.2E-03
623	623	1.67018	1.52945E-05	2.6E-05	1.05E-03	2.67E-08	8.19E-01	1.57E-01	3.44E-09	1.0E+06	3.4E-03
624	624	1.80029	1.52945E-05	2.8E-05	1.05E-03	2.88E-08	8.19E-01	1.57E-01	3.70E-09	1.0E+06	3.7E-03
625	625	1.94039	1.52945E-05	3.0E-05	1.05E-03	3.10E-08	8.19E-01	1.57E-01	3.99E-09	1.0E+06	4.0E-03
626	626	2.09325	1.52945E-05	3.2E-05	1.05E-03	3.35E-08	8.19E-01	1.57E-01	4.31E-09	1.0E+06	4.3E-03
627	627	2.26796	1.52945E-05	3.5E-05	1.05E-03	3.63E-08	8.19E-01	1.57E-01	4.67E-09	1.0E+06	4.7E-03
628	628	2.46048	1.52945E-05	3.8E-05	1.05E-03	3.93E-08	8.19E-01	1.57E-01	5.06E-09	1.0E+06	5.1E-03
629	629	2.67592	1.52945E-05	4.1E-05	1.05E-03	4.28E-08	8.19E-01	1.57E-01	5.51E-09	1.0E+06	5.5E-03
630	630	2.91851	1.52945E-05	4.5E-05	1.05E-03	4.67E-08	8.19E-01	1.57E-01	6.01E-09	1.0E+06	6.0E-03
631	631	3.18079	1.52945E-05	4.9E-05	1.05E-03	5.08E-08	8.19E-01	1.57E-01	6.55E-09	1.0E+06	6.5E-03
632	632	3.46549	1.52945E-05	5.3E-05	1.05E-03	5.54E-08	8.19E-01	1.57E-01	7.13E-09	1.0E+06	7.1E-03
633	633	3.7655	1.52945E-05	5.8E-05	1.05E-03	6.02E-08	8.19E-01	1.57E-01	7.75E-09	1.0E+06	7.7E-03
634	634	4.06911	1.52945E-05	6.2E-05	1.05E-03	6.50E-08	8.19E-01	1.57E-01	8.37E-09	1.0E+06	8.4E-03
635	635	4.36759	1.52945E-05	6.7E-05	1.05E-03	6.98E-08	8.19E-01	1.57E-01	8.99E-09	1.0E+06	9.0E-03
636	636	4.65227	1.52945E-05	7.1E-05	1.05E-03	7.44E-08	8.19E-01	1.57E-01	9.57E-09	1.0E+06	9.6E-03
637	637	4.91935	1.52945E-05	7.5E-05	1.05E-03	7.86E-08	8.19E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
638	638	5.16541	1.52945E-05	7.9E-05	1.05E-03	8.26E-08	8.19E-01	1.57E-01	1.06E-08	1.0E+06	1.1E-02
639	639	5.38303	1.52945E-05	8.2E-05	1.05E-03	8.61E-08	8.19E-01	1.57E-01	1.11E-08	1.0E+06	1.1E-02
640	640	5.57395	1.52945E-05	8.5E-05	1.05E-03	8.91E-08	8.19E-01	1.57E-01	1.15E-08	1.0E+06	1.1E-02
641	641	5.7344	1.52945E-05	8.8E-05	1.05E-03	9.17E-08	8.19E-01	1.57E-01	1.18E-08	1.0E+06	1.2E-02
642	642	5.87092	1.52945E-05	9.0E-05	1.05E-03	9.39E-08	8.19E-01	1.57E-01	1.21E-08	1.0E+06	1.2E-02
643	643	5.98729	1.52945E-05	9.2E-05	1.05E-03	9.57E-08	8.19E-01	1.57E-01	1.23E-08	1.0E+06	1.2E-02
644	644	6.08332	1.52945E-05	9.3E-05	1.05E-03	9.72E-08	8.19E-01	1.57E-01	1.25E-08	1.0E+06	1.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	6.15637	1.52945E-05	9.4E-05	1.05E-03	9.84E-08	8.19E-01	1.57E-01	1.27E-08	1.0E+06	1.3E-02
646	646	6.20603	1.52945E-05	9.5E-05	1.05E-03	9.92E-08	8.19E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
647	647	6.23904	1.52945E-05	9.5E-05	1.05E-03	9.97E-08	8.19E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
648	648	6.26092	1.52945E-05	9.6E-05	1.05E-03	1.00E-07	8.19E-01	1.57E-01	1.29E-08	1.0E+06	1.3E-02
649	649	6.26704	1.52945E-05	9.6E-05	1.05E-03	1.00E-07	8.19E-01	1.57E-01	1.29E-08	1.0E+06	1.3E-02
650	650	6.25988	1.52945E-05	9.6E-05	1.05E-03	1.00E-07	8.19E-01	1.57E-01	1.29E-08	1.0E+06	1.3E-02
651	651	6.23929	1.52945E-05	9.5E-05	1.05E-03	9.97E-08	8.19E-01	1.57E-01	1.28E-08	1.0E+06	1.3E-02
652	652	0.82571	1.52945E-05	1.3E-05	1.05E-03	1.32E-08	8.19E-01	1.57E-01	1.70E-09	1.0E+06	1.7E-03
653	653	0.87189	1.52945E-05	1.3E-05	1.05E-03	1.39E-08	8.19E-01	1.57E-01	1.79E-09	1.0E+06	1.8E-03
654	654	0.92089	1.52945E-05	1.4E-05	1.05E-03	1.47E-08	8.19E-01	1.57E-01	1.90E-09	1.0E+06	1.9E-03
655	655	0.97064	1.52945E-05	1.5E-05	1.05E-03	1.55E-08	8.19E-01	1.57E-01	2.00E-09	1.0E+06	2.0E-03
656	656	1.02463	1.52945E-05	1.6E-05	1.05E-03	1.64E-08	8.19E-01	1.57E-01	2.11E-09	1.0E+06	2.1E-03
657	657	1.08093	1.52945E-05	1.7E-05	1.05E-03	1.73E-08	8.19E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
658	658	1.14059	1.52945E-05	1.7E-05	1.05E-03	1.82E-08	8.19E-01	1.57E-01	2.35E-09	1.0E+06	2.3E-03
659	659	1.20593	1.52945E-05	1.8E-05	1.05E-03	1.93E-08	8.19E-01	1.57E-01	2.48E-09	1.0E+06	2.5E-03
660	660	1.28441	1.52945E-05	2.0E-05	1.05E-03	2.05E-08	8.19E-01	1.57E-01	2.64E-09	1.0E+06	2.6E-03
661	661	1.37023	1.52945E-05	2.1E-05	1.05E-03	2.19E-08	8.19E-01	1.57E-01	2.82E-09	1.0E+06	2.8E-03
662	662	1.47508	1.52945E-05	2.3E-05	1.05E-03	2.36E-08	8.19E-01	1.57E-01	3.04E-09	1.0E+06	3.0E-03
663	663	1.5786	1.52945E-05	2.4E-05	1.05E-03	2.52E-08	8.19E-01	1.57E-01	3.25E-09	1.0E+06	3.2E-03
664	664	1.69696	1.52945E-05	2.6E-05	1.05E-03	2.71E-08	8.19E-01	1.57E-01	3.49E-09	1.0E+06	3.5E-03
665	665	1.81857	1.52945E-05	2.8E-05	1.05E-03	2.91E-08	8.19E-01	1.57E-01	3.74E-09	1.0E+06	3.7E-03
666	666	1.9528	1.52945E-05	3.0E-05	1.05E-03	3.12E-08	8.19E-01	1.57E-01	4.02E-09	1.0E+06	4.0E-03
667	667	2.10844	1.52945E-05	3.2E-05	1.05E-03	3.37E-08	8.19E-01	1.57E-01	4.34E-09	1.0E+06	4.3E-03
668	668	2.28298	1.52945E-05	3.5E-05	1.05E-03	3.65E-08	8.19E-01	1.57E-01	4.70E-09	1.0E+06	4.7E-03
669	669	2.472	1.52945E-05	3.8E-05	1.05E-03	3.95E-08	8.19E-01	1.57E-01	5.09E-09	1.0E+06	5.1E-03
670	670	2.68743	1.52945E-05	4.1E-05	1.05E-03	4.30E-08	8.19E-01	1.57E-01	5.53E-09	1.0E+06	5.5E-03
671	671	2.92144	1.52945E-05	4.5E-05	1.05E-03	4.67E-08	8.19E-01	1.57E-01	6.01E-09	1.0E+06	6.0E-03
672	672	3.1674	1.52945E-05	4.8E-05	1.05E-03	5.06E-08	8.19E-01	1.57E-01	6.52E-09	1.0E+06	6.5E-03
673	673	3.42988	1.52945E-05	5.2E-05	1.05E-03	5.48E-08	8.19E-01	1.57E-01	7.06E-09	1.0E+06	7.1E-03
674	674	3.69573	1.52945E-05	5.7E-05	1.05E-03	5.91E-08	8.19E-01	1.57E-01	7.61E-09	1.0E+06	7.6E-03
675	675	3.95521	1.52945E-05	6.0E-05	1.05E-03	6.32E-08	8.19E-01	1.57E-01	8.14E-09	1.0E+06	8.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	4.20565	1.52945E-05	6.4E-05	1.05E-03	6.72E-08	8.19E-01	1.57E-01	8.65E-09	1.0E+06	8.7E-03
677	677	4.44056	1.52945E-05	6.8E-05	1.05E-03	7.10E-08	8.19E-01	1.57E-01	9.14E-09	1.0E+06	9.1E-03
678	678	4.65692	1.52945E-05	7.1E-05	1.05E-03	7.44E-08	8.19E-01	1.57E-01	9.58E-09	1.0E+06	9.6E-03
679	679	4.85034	1.52945E-05	7.4E-05	1.05E-03	7.75E-08	8.19E-01	1.57E-01	9.98E-09	1.0E+06	1.0E-02
680	680	5.02134	1.52945E-05	7.7E-05	1.05E-03	8.03E-08	8.19E-01	1.57E-01	1.03E-08	1.0E+06	1.0E-02
681	681	5.17243	1.52945E-05	7.9E-05	1.05E-03	8.27E-08	8.19E-01	1.57E-01	1.06E-08	1.0E+06	1.1E-02
682	682	5.30058	1.52945E-05	8.1E-05	1.05E-03	8.47E-08	8.19E-01	1.57E-01	1.09E-08	1.0E+06	1.1E-02
683	683	5.41019	1.52945E-05	8.3E-05	1.05E-03	8.65E-08	8.19E-01	1.57E-01	1.11E-08	1.0E+06	1.1E-02
684	684	5.50207	1.52945E-05	8.4E-05	1.05E-03	8.80E-08	8.19E-01	1.57E-01	1.13E-08	1.0E+06	1.1E-02
685	685	5.57309	1.52945E-05	8.5E-05	1.05E-03	8.91E-08	8.19E-01	1.57E-01	1.15E-08	1.0E+06	1.1E-02
686	686	5.62227	1.52945E-05	8.6E-05	1.05E-03	8.99E-08	8.19E-01	1.57E-01	1.16E-08	1.0E+06	1.2E-02
687	687	5.65606	1.52945E-05	8.7E-05	1.05E-03	9.04E-08	8.19E-01	1.57E-01	1.16E-08	1.0E+06	1.2E-02
688	688	5.67956	1.52945E-05	8.7E-05	1.05E-03	9.08E-08	8.19E-01	1.57E-01	1.17E-08	1.0E+06	1.2E-02
689	689	5.68798	1.52945E-05	8.7E-05	1.05E-03	9.09E-08	8.19E-01	1.57E-01	1.17E-08	1.0E+06	1.2E-02
690	690	5.68409	1.52945E-05	8.7E-05	1.05E-03	9.09E-08	8.19E-01	1.57E-01	1.17E-08	1.0E+06	1.2E-02
691	691	5.66755	1.52945E-05	8.7E-05	1.05E-03	9.06E-08	8.19E-01	1.57E-01	1.17E-08	1.0E+06	1.2E-02
692	692	0.79444	1.52945E-05	1.2E-05	1.05E-03	1.27E-08	8.19E-01	1.57E-01	1.63E-09	1.0E+06	1.6E-03
693	693	0.8358	1.52945E-05	1.3E-05	1.05E-03	1.34E-08	8.19E-01	1.57E-01	1.72E-09	1.0E+06	1.7E-03
694	694	0.88001	1.52945E-05	1.3E-05	1.05E-03	1.41E-08	8.19E-01	1.57E-01	1.81E-09	1.0E+06	1.8E-03
695	695	0.92641	1.52945E-05	1.4E-05	1.05E-03	1.48E-08	8.19E-01	1.57E-01	1.91E-09	1.0E+06	1.9E-03
696	696	0.97648	1.52945E-05	1.5E-05	1.05E-03	1.56E-08	8.19E-01	1.57E-01	2.01E-09	1.0E+06	2.0E-03
697	697	1.02997	1.52945E-05	1.6E-05	1.05E-03	1.65E-08	8.19E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
698	698	1.08716	1.52945E-05	1.7E-05	1.05E-03	1.74E-08	8.19E-01	1.57E-01	2.24E-09	1.0E+06	2.2E-03
699	699	1.14961	1.52945E-05	1.8E-05	1.05E-03	1.84E-08	8.19E-01	1.57E-01	2.37E-09	1.0E+06	2.4E-03
700	700	1.22216	1.52945E-05	1.9E-05	1.05E-03	1.95E-08	8.19E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
701	701	1.30171	1.52945E-05	2.0E-05	1.05E-03	2.08E-08	8.19E-01	1.57E-01	2.68E-09	1.0E+06	2.7E-03
702	702	1.3878	1.52945E-05	2.1E-05	1.05E-03	2.22E-08	8.19E-01	1.57E-01	2.86E-09	1.0E+06	2.9E-03
703	703	1.48121	1.52945E-05	2.3E-05	1.05E-03	2.37E-08	8.19E-01	1.57E-01	3.05E-09	1.0E+06	3.0E-03
704	704	1.59681	1.52945E-05	2.4E-05	1.05E-03	2.55E-08	8.19E-01	1.57E-01	3.29E-09	1.0E+06	3.3E-03
705	705	1.70419	1.52945E-05	2.6E-05	1.05E-03	2.72E-08	8.19E-01	1.57E-01	3.51E-09	1.0E+06	3.5E-03
706	706	1.82179	1.52945E-05	2.8E-05	1.05E-03	2.91E-08	8.19E-01	1.57E-01	3.75E-09	1.0E+06	3.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	1.96001	1.52945E-05	3.0E-05	1.05E-03	3.13E-08	8.19E-01	1.57E-01	4.03E-09	1.0E+06	4.0E-03
708	708	2.11136	1.52945E-05	3.2E-05	1.05E-03	3.38E-08	8.19E-01	1.57E-01	4.34E-09	1.0E+06	4.3E-03
709	709	2.27787	1.52945E-05	3.5E-05	1.05E-03	3.64E-08	8.19E-01	1.57E-01	4.69E-09	1.0E+06	4.7E-03
710	710	2.47817	1.52945E-05	3.8E-05	1.05E-03	3.96E-08	8.19E-01	1.57E-01	5.10E-09	1.0E+06	5.1E-03
711	711	2.6876	1.52945E-05	4.1E-05	1.05E-03	4.30E-08	8.19E-01	1.57E-01	5.53E-09	1.0E+06	5.5E-03
712	712	2.90486	1.52945E-05	4.4E-05	1.05E-03	4.64E-08	8.19E-01	1.57E-01	5.98E-09	1.0E+06	6.0E-03
713	713	3.13712	1.52945E-05	4.8E-05	1.05E-03	5.01E-08	8.19E-01	1.57E-01	6.46E-09	1.0E+06	6.5E-03
714	714	3.37544	1.52945E-05	5.2E-05	1.05E-03	5.40E-08	8.19E-01	1.57E-01	6.95E-09	1.0E+06	6.9E-03
715	715	3.60409	1.52945E-05	5.5E-05	1.05E-03	5.76E-08	8.19E-01	1.57E-01	7.42E-09	1.0E+06	7.4E-03
716	716	3.82156	1.52945E-05	5.8E-05	1.05E-03	6.11E-08	8.19E-01	1.57E-01	7.86E-09	1.0E+06	7.9E-03
717	717	4.03181	1.52945E-05	6.2E-05	1.05E-03	6.45E-08	8.19E-01	1.57E-01	8.30E-09	1.0E+06	8.3E-03
718	718	4.21979	1.52945E-05	6.5E-05	1.05E-03	6.75E-08	8.19E-01	1.57E-01	8.68E-09	1.0E+06	8.7E-03
719	719	4.3947	1.52945E-05	6.7E-05	1.05E-03	7.03E-08	8.19E-01	1.57E-01	9.04E-09	1.0E+06	9.0E-03
720	720	4.54957	1.52945E-05	7.0E-05	1.05E-03	7.27E-08	8.19E-01	1.57E-01	9.36E-09	1.0E+06	9.4E-03
721	721	4.68665	1.52945E-05	7.2E-05	1.05E-03	7.49E-08	8.19E-01	1.57E-01	9.64E-09	1.0E+06	9.6E-03
722	722	4.80748	1.52945E-05	7.4E-05	1.05E-03	7.69E-08	8.19E-01	1.57E-01	9.89E-09	1.0E+06	9.9E-03
723	723	4.9129	1.52945E-05	7.5E-05	1.05E-03	7.85E-08	8.19E-01	1.57E-01	1.01E-08	1.0E+06	1.0E-02
724	724	5.00002	1.52945E-05	7.6E-05	1.05E-03	7.99E-08	8.19E-01	1.57E-01	1.03E-08	1.0E+06	1.0E-02
725	725	5.06659	1.52945E-05	7.7E-05	1.05E-03	8.10E-08	8.19E-01	1.57E-01	1.04E-08	1.0E+06	1.0E-02
726	726	5.11719	1.52945E-05	7.8E-05	1.05E-03	8.18E-08	8.19E-01	1.57E-01	1.05E-08	1.0E+06	1.1E-02
727	727	5.15149	1.52945E-05	7.9E-05	1.05E-03	8.24E-08	8.19E-01	1.57E-01	1.06E-08	1.0E+06	1.1E-02
728	728	5.17608	1.52945E-05	7.9E-05	1.05E-03	8.27E-08	8.19E-01	1.57E-01	1.07E-08	1.0E+06	1.1E-02
729	729	5.1865	1.52945E-05	7.9E-05	1.05E-03	8.29E-08	8.19E-01	1.57E-01	1.07E-08	1.0E+06	1.1E-02
730	730	5.18537	1.52945E-05	7.9E-05	1.05E-03	8.29E-08	8.19E-01	1.57E-01	1.07E-08	1.0E+06	1.1E-02
731	731	5.17227	1.52945E-05	7.9E-05	1.05E-03	8.27E-08	8.19E-01	1.57E-01	1.06E-08	1.0E+06	1.1E-02
732	732	0.76321	1.52945E-05	1.2E-05	1.05E-03	1.22E-08	8.19E-01	1.57E-01	1.57E-09	1.0E+06	1.6E-03
733	733	0.79969	1.52945E-05	1.2E-05	1.05E-03	1.28E-08	8.19E-01	1.57E-01	1.65E-09	1.0E+06	1.6E-03
734	734	0.8391	1.52945E-05	1.3E-05	1.05E-03	1.34E-08	8.19E-01	1.57E-01	1.73E-09	1.0E+06	1.7E-03
735	735	0.88215	1.52945E-05	1.3E-05	1.05E-03	1.41E-08	8.19E-01	1.57E-01	1.82E-09	1.0E+06	1.8E-03
736	736	0.92868	1.52945E-05	1.4E-05	1.05E-03	1.48E-08	8.19E-01	1.57E-01	1.91E-09	1.0E+06	1.9E-03
737	737	0.97925	1.52945E-05	1.5E-05	1.05E-03	1.57E-08	8.19E-01	1.57E-01	2.02E-09	1.0E+06	2.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	1.03461	1.52945E-05	1.6E-05	1.05E-03	1.65E-08	8.19E-01	1.57E-01	2.13E-09	1.0E+06	2.1E-03
739	739	1.09437	1.52945E-05	1.7E-05	1.05E-03	1.75E-08	8.19E-01	1.57E-01	2.25E-09	1.0E+06	2.3E-03
740	740	1.16193	1.52945E-05	1.8E-05	1.05E-03	1.86E-08	8.19E-01	1.57E-01	2.39E-09	1.0E+06	2.4E-03
741	741	1.23534	1.52945E-05	1.9E-05	1.05E-03	1.97E-08	8.19E-01	1.57E-01	2.54E-09	1.0E+06	2.5E-03
742	742	1.31412	1.52945E-05	2.0E-05	1.05E-03	2.10E-08	8.19E-01	1.57E-01	2.70E-09	1.0E+06	2.7E-03
743	743	1.39826	1.52945E-05	2.1E-05	1.05E-03	2.24E-08	8.19E-01	1.57E-01	2.88E-09	1.0E+06	2.9E-03
744	744	1.49105	1.52945E-05	2.3E-05	1.05E-03	2.38E-08	8.19E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
745	745	1.58495	1.52945E-05	2.4E-05	1.05E-03	2.53E-08	8.19E-01	1.57E-01	3.26E-09	1.0E+06	3.3E-03
746	746	1.68743	1.52945E-05	2.6E-05	1.05E-03	2.70E-08	8.19E-01	1.57E-01	3.47E-09	1.0E+06	3.5E-03
747	747	1.81207	1.52945E-05	2.8E-05	1.05E-03	2.90E-08	8.19E-01	1.57E-01	3.73E-09	1.0E+06	3.7E-03
748	748	1.95577	1.52945E-05	3.0E-05	1.05E-03	3.13E-08	8.19E-01	1.57E-01	4.02E-09	1.0E+06	4.0E-03
749	749	2.11197	1.52945E-05	3.2E-05	1.05E-03	3.38E-08	8.19E-01	1.57E-01	4.35E-09	1.0E+06	4.3E-03
750	750	2.28068	1.52945E-05	3.5E-05	1.05E-03	3.65E-08	8.19E-01	1.57E-01	4.69E-09	1.0E+06	4.7E-03
751	751	2.47772	1.52945E-05	3.8E-05	1.05E-03	3.96E-08	8.19E-01	1.57E-01	5.10E-09	1.0E+06	5.1E-03
752	752	2.67701	1.52945E-05	4.1E-05	1.05E-03	4.28E-08	8.19E-01	1.57E-01	5.51E-09	1.0E+06	5.5E-03
753	753	2.88305	1.52945E-05	4.4E-05	1.05E-03	4.61E-08	8.19E-01	1.57E-01	5.93E-09	1.0E+06	5.9E-03
754	754	3.09187	1.52945E-05	4.7E-05	1.05E-03	4.94E-08	8.19E-01	1.57E-01	6.36E-09	1.0E+06	6.4E-03
755	755	3.29557	1.52945E-05	5.0E-05	1.05E-03	5.27E-08	8.19E-01	1.57E-01	6.78E-09	1.0E+06	6.8E-03
756	756	3.49046	1.52945E-05	5.3E-05	1.05E-03	5.58E-08	8.19E-01	1.57E-01	7.18E-09	1.0E+06	7.2E-03
757	757	3.67775	1.52945E-05	5.6E-05	1.05E-03	5.88E-08	8.19E-01	1.57E-01	7.57E-09	1.0E+06	7.6E-03
758	758	3.84434	1.52945E-05	5.9E-05	1.05E-03	6.15E-08	8.19E-01	1.57E-01	7.91E-09	1.0E+06	7.9E-03
759	759	3.99752	1.52945E-05	6.1E-05	1.05E-03	6.39E-08	8.19E-01	1.57E-01	8.23E-09	1.0E+06	8.2E-03
760	760	4.14151	1.52945E-05	6.3E-05	1.05E-03	6.62E-08	8.19E-01	1.57E-01	8.52E-09	1.0E+06	8.5E-03
761	761	4.2685	1.52945E-05	6.5E-05	1.05E-03	6.82E-08	8.19E-01	1.57E-01	8.78E-09	1.0E+06	8.8E-03
762	762	4.38168	1.52945E-05	6.7E-05	1.05E-03	7.00E-08	8.19E-01	1.57E-01	9.02E-09	1.0E+06	9.0E-03
763	763	4.48042	1.52945E-05	6.9E-05	1.05E-03	7.16E-08	8.19E-01	1.57E-01	9.22E-09	1.0E+06	9.2E-03
764	764	4.56303	1.52945E-05	7.0E-05	1.05E-03	7.29E-08	8.19E-01	1.57E-01	9.39E-09	1.0E+06	9.4E-03
765	765	4.62707	1.52945E-05	7.1E-05	1.05E-03	7.40E-08	8.19E-01	1.57E-01	9.52E-09	1.0E+06	9.5E-03
766	766	4.67673	1.52945E-05	7.2E-05	1.05E-03	7.48E-08	8.19E-01	1.57E-01	9.62E-09	1.0E+06	9.6E-03
767	767	4.7112	1.52945E-05	7.2E-05	1.05E-03	7.53E-08	8.19E-01	1.57E-01	9.69E-09	1.0E+06	9.7E-03
768	768	4.73681	1.52945E-05	7.2E-05	1.05E-03	7.57E-08	8.19E-01	1.57E-01	9.75E-09	1.0E+06	9.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	4.74887	1.52945E-05	7.3E-05	1.05E-03	7.59E-08	8.19E-01	1.57E-01	9.77E-09	1.0E+06	9.8E-03
770	770	4.75009	1.52945E-05	7.3E-05	1.05E-03	7.59E-08	8.19E-01	1.57E-01	9.77E-09	1.0E+06	9.8E-03
771	771	4.74008	1.52945E-05	7.2E-05	1.05E-03	7.58E-08	8.19E-01	1.57E-01	9.75E-09	1.0E+06	9.8E-03
772	772	0.73357	1.52945E-05	1.1E-05	1.05E-03	1.17E-08	8.19E-01	1.57E-01	1.51E-09	1.0E+06	1.5E-03
773	773	0.76714	1.52945E-05	1.2E-05	1.05E-03	1.23E-08	8.19E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
774	774	0.80333	1.52945E-05	1.2E-05	1.05E-03	1.28E-08	8.19E-01	1.57E-01	1.65E-09	1.0E+06	1.7E-03
775	775	0.84372	1.52945E-05	1.3E-05	1.05E-03	1.35E-08	8.19E-01	1.57E-01	1.74E-09	1.0E+06	1.7E-03
776	776	0.88728	1.52945E-05	1.4E-05	1.05E-03	1.42E-08	8.19E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
777	777	0.9346	1.52945E-05	1.4E-05	1.05E-03	1.49E-08	8.19E-01	1.57E-01	1.92E-09	1.0E+06	1.9E-03
778	778	0.98586	1.52945E-05	1.5E-05	1.05E-03	1.58E-08	8.19E-01	1.57E-01	2.03E-09	1.0E+06	2.0E-03
779	779	1.04156	1.52945E-05	1.6E-05	1.05E-03	1.67E-08	8.19E-01	1.57E-01	2.14E-09	1.0E+06	2.1E-03
780	780	1.10301	1.52945E-05	1.7E-05	1.05E-03	1.76E-08	8.19E-01	1.57E-01	2.27E-09	1.0E+06	2.3E-03
781	781	1.17015	1.52945E-05	1.8E-05	1.05E-03	1.87E-08	8.19E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
782	782	1.24224	1.52945E-05	1.9E-05	1.05E-03	1.99E-08	8.19E-01	1.57E-01	2.56E-09	1.0E+06	2.6E-03
783	783	1.3201	1.52945E-05	2.0E-05	1.05E-03	2.11E-08	8.19E-01	1.57E-01	2.72E-09	1.0E+06	2.7E-03
784	784	1.40539	1.52945E-05	2.1E-05	1.05E-03	2.25E-08	8.19E-01	1.57E-01	2.89E-09	1.0E+06	2.9E-03
785	785	1.49337	1.52945E-05	2.3E-05	1.05E-03	2.39E-08	8.19E-01	1.57E-01	3.07E-09	1.0E+06	3.1E-03
786	786	1.58877	1.52945E-05	2.4E-05	1.05E-03	2.54E-08	8.19E-01	1.57E-01	3.27E-09	1.0E+06	3.3E-03
787	787	1.69586	1.52945E-05	2.6E-05	1.05E-03	2.71E-08	8.19E-01	1.57E-01	3.49E-09	1.0E+06	3.5E-03
788	788	1.82758	1.52945E-05	2.8E-05	1.05E-03	2.92E-08	8.19E-01	1.57E-01	3.76E-09	1.0E+06	3.8E-03
789	789	1.96893	1.52945E-05	3.0E-05	1.05E-03	3.15E-08	8.19E-01	1.57E-01	4.05E-09	1.0E+06	4.1E-03
790	790	2.12533	1.52945E-05	3.3E-05	1.05E-03	3.40E-08	8.19E-01	1.57E-01	4.37E-09	1.0E+06	4.4E-03
791	791	2.29354	1.52945E-05	3.5E-05	1.05E-03	3.67E-08	8.19E-01	1.57E-01	4.72E-09	1.0E+06	4.7E-03
792	792	2.4693	1.52945E-05	3.8E-05	1.05E-03	3.95E-08	8.19E-01	1.57E-01	5.08E-09	1.0E+06	5.1E-03
793	793	2.65001	1.52945E-05	4.1E-05	1.05E-03	4.24E-08	8.19E-01	1.57E-01	5.45E-09	1.0E+06	5.5E-03
794	794	2.83321	1.52945E-05	4.3E-05	1.05E-03	4.53E-08	8.19E-01	1.57E-01	5.83E-09	1.0E+06	5.8E-03
795	795	3.01417	1.52945E-05	4.6E-05	1.05E-03	4.82E-08	8.19E-01	1.57E-01	6.20E-09	1.0E+06	6.2E-03
796	796	3.18974	1.52945E-05	4.9E-05	1.05E-03	5.10E-08	8.19E-01	1.57E-01	6.56E-09	1.0E+06	6.6E-03
797	797	3.35802	1.52945E-05	5.1E-05	1.05E-03	5.37E-08	8.19E-01	1.57E-01	6.91E-09	1.0E+06	6.9E-03
798	798	3.5087	1.52945E-05	5.4E-05	1.05E-03	5.61E-08	8.19E-01	1.57E-01	7.22E-09	1.0E+06	7.2E-03
799	799	3.6529	1.52945E-05	5.6E-05	1.05E-03	5.84E-08	8.19E-01	1.57E-01	7.52E-09	1.0E+06	7.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	3.7819	1.52945E-05	5.8E-05	1.05E-03	6.05E-08	8.19E-01	1.57E-01	7.78E-09	1.0E+06	7.8E-03
801	801	3.90272	1.52945E-05	6.0E-05	1.05E-03	6.24E-08	8.19E-01	1.57E-01	8.03E-09	1.0E+06	8.0E-03
802	802	4.0054	1.52945E-05	6.1E-05	1.05E-03	6.40E-08	8.19E-01	1.57E-01	8.24E-09	1.0E+06	8.2E-03
803	803	4.10098	1.52945E-05	6.3E-05	1.05E-03	6.56E-08	8.19E-01	1.57E-01	8.44E-09	1.0E+06	8.4E-03
804	804	4.17923	1.52945E-05	6.4E-05	1.05E-03	6.68E-08	8.19E-01	1.57E-01	8.60E-09	1.0E+06	8.6E-03
805	805	4.24047	1.52945E-05	6.5E-05	1.05E-03	6.78E-08	8.19E-01	1.57E-01	8.73E-09	1.0E+06	8.7E-03
806	806	4.28701	1.52945E-05	6.6E-05	1.05E-03	6.85E-08	8.19E-01	1.57E-01	8.82E-09	1.0E+06	8.8E-03
807	807	4.32448	1.52945E-05	6.6E-05	1.05E-03	6.91E-08	8.19E-01	1.57E-01	8.90E-09	1.0E+06	8.9E-03
808	808	4.35095	1.52945E-05	6.7E-05	1.05E-03	6.96E-08	8.19E-01	1.57E-01	8.95E-09	1.0E+06	9.0E-03
809	809	4.36432	1.52945E-05	6.7E-05	1.05E-03	6.98E-08	8.19E-01	1.57E-01	8.98E-09	1.0E+06	9.0E-03
810	810	4.36762	1.52945E-05	6.7E-05	1.05E-03	6.98E-08	8.19E-01	1.57E-01	8.99E-09	1.0E+06	9.0E-03
811	811	4.36048	1.52945E-05	6.7E-05	1.05E-03	6.97E-08	8.19E-01	1.57E-01	8.97E-09	1.0E+06	9.0E-03
812	812	0.70426	1.52945E-05	1.1E-05	1.05E-03	1.13E-08	8.19E-01	1.57E-01	1.45E-09	1.0E+06	1.4E-03
813	813	0.73523	1.52945E-05	1.1E-05	1.05E-03	1.18E-08	8.19E-01	1.57E-01	1.51E-09	1.0E+06	1.5E-03
814	814	0.76872	1.52945E-05	1.2E-05	1.05E-03	1.23E-08	8.19E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
815	815	0.80671	1.52945E-05	1.2E-05	1.05E-03	1.29E-08	8.19E-01	1.57E-01	1.66E-09	1.0E+06	1.7E-03
816	816	0.84741	1.52945E-05	1.3E-05	1.05E-03	1.35E-08	8.19E-01	1.57E-01	1.74E-09	1.0E+06	1.7E-03
817	817	0.89154	1.52945E-05	1.4E-05	1.05E-03	1.43E-08	8.19E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
818	818	0.93907	1.52945E-05	1.4E-05	1.05E-03	1.50E-08	8.19E-01	1.57E-01	1.93E-09	1.0E+06	1.9E-03
819	819	0.99063	1.52945E-05	1.5E-05	1.05E-03	1.58E-08	8.19E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
820	820	1.04669	1.52945E-05	1.6E-05	1.05E-03	1.67E-08	8.19E-01	1.57E-01	2.15E-09	1.0E+06	2.2E-03
821	821	1.10756	1.52945E-05	1.7E-05	1.05E-03	1.77E-08	8.19E-01	1.57E-01	2.28E-09	1.0E+06	2.3E-03
822	822	1.1738	1.52945E-05	1.8E-05	1.05E-03	1.88E-08	8.19E-01	1.57E-01	2.42E-09	1.0E+06	2.4E-03
823	823	1.24606	1.52945E-05	1.9E-05	1.05E-03	1.99E-08	8.19E-01	1.57E-01	2.56E-09	1.0E+06	2.6E-03
824	824	1.32507	1.52945E-05	2.0E-05	1.05E-03	2.12E-08	8.19E-01	1.57E-01	2.73E-09	1.0E+06	2.7E-03
825	825	1.40741	1.52945E-05	2.2E-05	1.05E-03	2.25E-08	8.19E-01	1.57E-01	2.90E-09	1.0E+06	2.9E-03
826	826	1.49713	1.52945E-05	2.3E-05	1.05E-03	2.39E-08	8.19E-01	1.57E-01	3.08E-09	1.0E+06	3.1E-03
827	827	1.59676	1.52945E-05	2.4E-05	1.05E-03	2.55E-08	8.19E-01	1.57E-01	3.29E-09	1.0E+06	3.3E-03
828	828	1.70874	1.52945E-05	2.6E-05	1.05E-03	2.73E-08	8.19E-01	1.57E-01	3.52E-09	1.0E+06	3.5E-03
829	829	1.84531	1.52945E-05	2.8E-05	1.05E-03	2.95E-08	8.19E-01	1.57E-01	3.80E-09	1.0E+06	3.8E-03
830	830	1.9848	1.52945E-05	3.0E-05	1.05E-03	3.17E-08	8.19E-01	1.57E-01	4.08E-09	1.0E+06	4.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	2.12648	1.52945E-05	3.3E-05	1.05E-03	3.40E-08	8.19E-01	1.57E-01	4.38E-09	1.0E+06	4.4E-03
832	832	2.28243	1.52945E-05	3.5E-05	1.05E-03	3.65E-08	8.19E-01	1.57E-01	4.70E-09	1.0E+06	4.7E-03
833	833	2.44103	1.52945E-05	3.7E-05	1.05E-03	3.90E-08	8.19E-01	1.57E-01	5.02E-09	1.0E+06	5.0E-03
834	834	2.6023	1.52945E-05	4.0E-05	1.05E-03	4.16E-08	8.19E-01	1.57E-01	5.36E-09	1.0E+06	5.4E-03
835	835	2.76368	1.52945E-05	4.2E-05	1.05E-03	4.42E-08	8.19E-01	1.57E-01	5.69E-09	1.0E+06	5.7E-03
836	836	2.91728	1.52945E-05	4.5E-05	1.05E-03	4.66E-08	8.19E-01	1.57E-01	6.00E-09	1.0E+06	6.0E-03
837	837	3.07518	1.52945E-05	4.7E-05	1.05E-03	4.92E-08	8.19E-01	1.57E-01	6.33E-09	1.0E+06	6.3E-03
838	838	3.2138	1.52945E-05	4.9E-05	1.05E-03	5.14E-08	8.19E-01	1.57E-01	6.61E-09	1.0E+06	6.6E-03
839	839	3.34713	1.52945E-05	5.1E-05	1.05E-03	5.35E-08	8.19E-01	1.57E-01	6.89E-09	1.0E+06	6.9E-03
840	840	3.47024	1.52945E-05	5.3E-05	1.05E-03	5.55E-08	8.19E-01	1.57E-01	7.14E-09	1.0E+06	7.1E-03
841	841	3.5783	1.52945E-05	5.5E-05	1.05E-03	5.72E-08	8.19E-01	1.57E-01	7.36E-09	1.0E+06	7.4E-03
842	842	3.67765	1.52945E-05	5.6E-05	1.05E-03	5.88E-08	8.19E-01	1.57E-01	7.57E-09	1.0E+06	7.6E-03
843	843	3.76463	1.52945E-05	5.8E-05	1.05E-03	6.02E-08	8.19E-01	1.57E-01	7.75E-09	1.0E+06	7.7E-03
844	844	3.83856	1.52945E-05	5.9E-05	1.05E-03	6.14E-08	8.19E-01	1.57E-01	7.90E-09	1.0E+06	7.9E-03
845	845	3.89959	1.52945E-05	6.0E-05	1.05E-03	6.23E-08	8.19E-01	1.57E-01	8.02E-09	1.0E+06	8.0E-03
846	846	3.94552	1.52945E-05	6.0E-05	1.05E-03	6.31E-08	8.19E-01	1.57E-01	8.12E-09	1.0E+06	8.1E-03
847	847	3.98306	1.52945E-05	6.1E-05	1.05E-03	6.37E-08	8.19E-01	1.57E-01	8.20E-09	1.0E+06	8.2E-03
848	848	4.00752	1.52945E-05	6.1E-05	1.05E-03	6.41E-08	8.19E-01	1.57E-01	8.25E-09	1.0E+06	8.2E-03
849	849	4.02461	1.52945E-05	6.2E-05	1.05E-03	6.43E-08	8.19E-01	1.57E-01	8.28E-09	1.0E+06	8.3E-03
850	850	4.02957	1.52945E-05	6.2E-05	1.05E-03	6.44E-08	8.19E-01	1.57E-01	8.29E-09	1.0E+06	8.3E-03
851	851	4.02491	1.52945E-05	6.2E-05	1.05E-03	6.43E-08	8.19E-01	1.57E-01	8.28E-09	1.0E+06	8.3E-03
852	852	0.67546	1.52945E-05	1.0E-05	1.05E-03	1.08E-08	8.19E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
853	853	0.70396	1.52945E-05	1.1E-05	1.05E-03	1.13E-08	8.19E-01	1.57E-01	1.45E-09	1.0E+06	1.4E-03
854	854	0.73474	1.52945E-05	1.1E-05	1.05E-03	1.17E-08	8.19E-01	1.57E-01	1.51E-09	1.0E+06	1.5E-03
855	855	0.7705	1.52945E-05	1.2E-05	1.05E-03	1.23E-08	8.19E-01	1.57E-01	1.59E-09	1.0E+06	1.6E-03
856	856	0.80877	1.52945E-05	1.2E-05	1.05E-03	1.29E-08	8.19E-01	1.57E-01	1.66E-09	1.0E+06	1.7E-03
857	857	0.84981	1.52945E-05	1.3E-05	1.05E-03	1.36E-08	8.19E-01	1.57E-01	1.75E-09	1.0E+06	1.7E-03
858	858	0.89393	1.52945E-05	1.4E-05	1.05E-03	1.43E-08	8.19E-01	1.57E-01	1.84E-09	1.0E+06	1.8E-03
859	859	0.94147	1.52945E-05	1.4E-05	1.05E-03	1.51E-08	8.19E-01	1.57E-01	1.94E-09	1.0E+06	1.9E-03
860	860	0.99284	1.52945E-05	1.5E-05	1.05E-03	1.59E-08	8.19E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
861	861	1.04823	1.52945E-05	1.6E-05	1.05E-03	1.68E-08	8.19E-01	1.57E-01	2.16E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	1.10894	1.52945E-05	1.7E-05	1.05E-03	1.77E-08	8.19E-01	1.57E-01	2.28E-09	1.0E+06	2.3E-03
863	863	1.17593	1.52945E-05	1.8E-05	1.05E-03	1.88E-08	8.19E-01	1.57E-01	2.42E-09	1.0E+06	2.4E-03
864	864	1.24929	1.52945E-05	1.9E-05	1.05E-03	2.00E-08	8.19E-01	1.57E-01	2.57E-09	1.0E+06	2.6E-03
865	865	1.32741	1.52945E-05	2.0E-05	1.05E-03	2.12E-08	8.19E-01	1.57E-01	2.73E-09	1.0E+06	2.7E-03
866	866	1.41229	1.52945E-05	2.2E-05	1.05E-03	2.26E-08	8.19E-01	1.57E-01	2.91E-09	1.0E+06	2.9E-03
867	867	1.50516	1.52945E-05	2.3E-05	1.05E-03	2.41E-08	8.19E-01	1.57E-01	3.10E-09	1.0E+06	3.1E-03
868	868	1.60719	1.52945E-05	2.5E-05	1.05E-03	2.57E-08	8.19E-01	1.57E-01	3.31E-09	1.0E+06	3.3E-03
869	869	1.71751	1.52945E-05	2.6E-05	1.05E-03	2.75E-08	8.19E-01	1.57E-01	3.53E-09	1.0E+06	3.5E-03
870	870	1.85024	1.52945E-05	2.8E-05	1.05E-03	2.96E-08	8.19E-01	1.57E-01	3.81E-09	1.0E+06	3.8E-03
871	871	1.98203	1.52945E-05	3.0E-05	1.05E-03	3.17E-08	8.19E-01	1.57E-01	4.08E-09	1.0E+06	4.1E-03
872	872	2.11338	1.52945E-05	3.2E-05	1.05E-03	3.38E-08	8.19E-01	1.57E-01	4.35E-09	1.0E+06	4.3E-03
873	873	2.25336	1.52945E-05	3.4E-05	1.05E-03	3.60E-08	8.19E-01	1.57E-01	4.64E-09	1.0E+06	4.6E-03
874	874	2.3955	1.52945E-05	3.7E-05	1.05E-03	3.83E-08	8.19E-01	1.57E-01	4.93E-09	1.0E+06	4.9E-03
875	875	2.53984	1.52945E-05	3.9E-05	1.05E-03	4.06E-08	8.19E-01	1.57E-01	5.23E-09	1.0E+06	5.2E-03
876	876	2.67806	1.52945E-05	4.1E-05	1.05E-03	4.28E-08	8.19E-01	1.57E-01	5.51E-09	1.0E+06	5.5E-03
877	877	2.81781	1.52945E-05	4.3E-05	1.05E-03	4.50E-08	8.19E-01	1.57E-01	5.80E-09	1.0E+06	5.8E-03
878	878	2.95198	1.52945E-05	4.5E-05	1.05E-03	4.72E-08	8.19E-01	1.57E-01	6.07E-09	1.0E+06	6.1E-03
879	879	3.08152	1.52945E-05	4.7E-05	1.05E-03	4.93E-08	8.19E-01	1.57E-01	6.34E-09	1.0E+06	6.3E-03
880	880	3.19178	1.52945E-05	4.9E-05	1.05E-03	5.10E-08	8.19E-01	1.57E-01	6.57E-09	1.0E+06	6.6E-03
881	881	3.29487	1.52945E-05	5.0E-05	1.05E-03	5.27E-08	8.19E-01	1.57E-01	6.78E-09	1.0E+06	6.8E-03
882	882	3.38771	1.52945E-05	5.2E-05	1.05E-03	5.42E-08	8.19E-01	1.57E-01	6.97E-09	1.0E+06	7.0E-03
883	883	3.46908	1.52945E-05	5.3E-05	1.05E-03	5.55E-08	8.19E-01	1.57E-01	7.14E-09	1.0E+06	7.1E-03
884	884	3.53893	1.52945E-05	5.4E-05	1.05E-03	5.66E-08	8.19E-01	1.57E-01	7.28E-09	1.0E+06	7.3E-03
885	885	3.5976	1.52945E-05	5.5E-05	1.05E-03	5.75E-08	8.19E-01	1.57E-01	7.40E-09	1.0E+06	7.4E-03
886	886	3.64257	1.52945E-05	5.6E-05	1.05E-03	5.82E-08	8.19E-01	1.57E-01	7.50E-09	1.0E+06	7.5E-03
887	887	3.67996	1.52945E-05	5.6E-05	1.05E-03	5.88E-08	8.19E-01	1.57E-01	7.57E-09	1.0E+06	7.6E-03
888	888	3.70464	1.52945E-05	5.7E-05	1.05E-03	5.92E-08	8.19E-01	1.57E-01	7.62E-09	1.0E+06	7.6E-03
889	889	3.7226	1.52945E-05	5.7E-05	1.05E-03	5.95E-08	8.19E-01	1.57E-01	7.66E-09	1.0E+06	7.7E-03
890	890	3.72903	1.52945E-05	5.7E-05	1.05E-03	5.96E-08	8.19E-01	1.57E-01	7.67E-09	1.0E+06	7.7E-03
891	891	3.72652	1.52945E-05	5.7E-05	1.05E-03	5.96E-08	8.19E-01	1.57E-01	7.67E-09	1.0E+06	7.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	0.77761	1.86799E-05	1.5E-05	1.05E-03	1.52E-08	8.19E-01	1.57E-01	1.95E-09	1.0E+06	2.0E-03
522	522	0.81596	1.86799E-05	1.5E-05	1.05E-03	1.59E-08	8.19E-01	1.57E-01	2.05E-09	1.0E+06	2.1E-03
523	523	0.8566	1.86799E-05	1.6E-05	1.05E-03	1.67E-08	8.19E-01	1.57E-01	2.15E-09	1.0E+06	2.2E-03
524	524	0.89949	1.86799E-05	1.7E-05	1.05E-03	1.76E-08	8.19E-01	1.57E-01	2.26E-09	1.0E+06	2.3E-03
525	525	0.95492	1.86799E-05	1.8E-05	1.05E-03	1.86E-08	8.19E-01	1.57E-01	2.40E-09	1.0E+06	2.4E-03
526	526	1.01631	1.86799E-05	1.9E-05	1.05E-03	1.98E-08	8.19E-01	1.57E-01	2.55E-09	1.0E+06	2.6E-03
527	527	1.08353	1.86799E-05	2.0E-05	1.05E-03	2.12E-08	8.19E-01	1.57E-01	2.72E-09	1.0E+06	2.7E-03
528	528	1.15852	1.86799E-05	2.2E-05	1.05E-03	2.26E-08	8.19E-01	1.57E-01	2.91E-09	1.0E+06	2.9E-03
529	529	1.242	1.86799E-05	2.3E-05	1.05E-03	2.42E-08	8.19E-01	1.57E-01	3.12E-09	1.0E+06	3.1E-03
530	530	1.33478	1.86799E-05	2.5E-05	1.05E-03	2.61E-08	8.19E-01	1.57E-01	3.35E-09	1.0E+06	3.4E-03
531	531	1.43952	1.86799E-05	2.7E-05	1.05E-03	2.81E-08	8.19E-01	1.57E-01	3.62E-09	1.0E+06	3.6E-03
532	532	0.31799	1.86799E-05	5.9E-06	1.05E-03	6.21E-09	8.19E-01	1.57E-01	7.99E-10	1.0E+06	8.0E-04
533	533	0.32535	1.86799E-05	6.1E-06	1.05E-03	6.35E-09	8.19E-01	1.57E-01	8.18E-10	1.0E+06	8.2E-04
534	534	0.33295	1.86799E-05	6.2E-06	1.05E-03	6.50E-09	8.19E-01	1.57E-01	8.37E-10	1.0E+06	8.4E-04
535	535	0.34066	1.86799E-05	6.4E-06	1.05E-03	6.65E-09	8.19E-01	1.57E-01	8.56E-10	1.0E+06	8.6E-04
536	536	0.34872	1.86799E-05	6.5E-06	1.05E-03	6.81E-09	8.19E-01	1.57E-01	8.76E-10	1.0E+06	8.8E-04
537	537	0.35704	1.86799E-05	6.7E-06	1.05E-03	6.97E-09	8.19E-01	1.57E-01	8.97E-10	1.0E+06	9.0E-04
538	538	0.36567	1.86799E-05	6.8E-06	1.05E-03	7.14E-09	8.19E-01	1.57E-01	9.19E-10	1.0E+06	9.2E-04
539	539	0.37473	1.86799E-05	7.0E-06	1.05E-03	7.32E-09	8.19E-01	1.57E-01	9.42E-10	1.0E+06	9.4E-04
540	540	0.38444	1.86799E-05	7.2E-06	1.05E-03	7.51E-09	8.19E-01	1.57E-01	9.66E-10	1.0E+06	9.7E-04
541	541	0.39462	1.86799E-05	7.4E-06	1.05E-03	7.70E-09	8.19E-01	1.57E-01	9.92E-10	1.0E+06	9.9E-04
542	542	0.40528	1.86799E-05	7.6E-06	1.05E-03	7.91E-09	8.19E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
543	543	0.41647	1.86799E-05	7.8E-06	1.05E-03	8.13E-09	8.19E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
544	544	0.42822	1.86799E-05	8.0E-06	1.05E-03	8.36E-09	8.19E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
545	545	0.44048	1.86799E-05	8.2E-06	1.05E-03	8.60E-09	8.19E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
546	546	0.45341	1.86799E-05	8.5E-06	1.05E-03	8.85E-09	8.19E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
547	547	0.46703	1.86799E-05	8.7E-06	1.05E-03	9.12E-09	8.19E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
548	548	0.48144	1.86799E-05	9.0E-06	1.05E-03	9.40E-09	8.19E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
549	549	0.49672	1.86799E-05	9.3E-06	1.05E-03	9.70E-09	8.19E-01	1.57E-01	1.25E-09	1.0E+06	1.2E-03
550	550	0.513	1.86799E-05	9.6E-06	1.05E-03	1.00E-08	8.19E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
551	551	0.53038	1.86799E-05	9.9E-06	1.05E-03	1.04E-08	8.19E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	0.54888	1.86799E-05	1.0E-05	1.05E-03	1.07E-08	8.19E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
553	553	0.56857	1.86799E-05	1.1E-05	1.05E-03	1.11E-08	8.19E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
554	554	0.58964	1.86799E-05	1.1E-05	1.05E-03	1.15E-08	8.19E-01	1.57E-01	1.48E-09	1.0E+06	1.5E-03
555	555	0.61219	1.86799E-05	1.1E-05	1.05E-03	1.20E-08	8.19E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
556	556	0.63635	1.86799E-05	1.2E-05	1.05E-03	1.24E-08	8.19E-01	1.57E-01	1.60E-09	1.0E+06	1.6E-03
557	557	0.66239	1.86799E-05	1.2E-05	1.05E-03	1.29E-08	8.19E-01	1.57E-01	1.66E-09	1.0E+06	1.7E-03
558	558	0.69045	1.86799E-05	1.3E-05	1.05E-03	1.35E-08	8.19E-01	1.57E-01	1.74E-09	1.0E+06	1.7E-03
559	559	0.72084	1.86799E-05	1.3E-05	1.05E-03	1.41E-08	8.19E-01	1.57E-01	1.81E-09	1.0E+06	1.8E-03
560	560	0.75373	1.86799E-05	1.4E-05	1.05E-03	1.47E-08	8.19E-01	1.57E-01	1.89E-09	1.0E+06	1.9E-03
561	561	0.78941	1.86799E-05	1.5E-05	1.05E-03	1.54E-08	8.19E-01	1.57E-01	1.98E-09	1.0E+06	2.0E-03
562	562	0.82835	1.86799E-05	1.5E-05	1.05E-03	1.62E-08	8.19E-01	1.57E-01	2.08E-09	1.0E+06	2.1E-03
563	563	0.87169	1.86799E-05	1.6E-05	1.05E-03	1.70E-08	8.19E-01	1.57E-01	2.19E-09	1.0E+06	2.2E-03
564	564	0.9113	1.86799E-05	1.7E-05	1.05E-03	1.78E-08	8.19E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
565	565	0.96895	1.86799E-05	1.8E-05	1.05E-03	1.89E-08	8.19E-01	1.57E-01	2.44E-09	1.0E+06	2.4E-03
566	566	1.03344	1.86799E-05	1.9E-05	1.05E-03	2.02E-08	8.19E-01	1.57E-01	2.60E-09	1.0E+06	2.6E-03
567	567	1.10183	1.86799E-05	2.1E-05	1.05E-03	2.15E-08	8.19E-01	1.57E-01	2.77E-09	1.0E+06	2.8E-03
568	568	1.17843	1.86799E-05	2.2E-05	1.05E-03	2.30E-08	8.19E-01	1.57E-01	2.96E-09	1.0E+06	3.0E-03
569	569	1.26374	1.86799E-05	2.4E-05	1.05E-03	2.47E-08	8.19E-01	1.57E-01	3.18E-09	1.0E+06	3.2E-03
570	570	1.35839	1.86799E-05	2.5E-05	1.05E-03	2.65E-08	8.19E-01	1.57E-01	3.41E-09	1.0E+06	3.4E-03
571	571	1.46504	1.86799E-05	2.7E-05	1.05E-03	2.86E-08	8.19E-01	1.57E-01	3.68E-09	1.0E+06	3.7E-03
572	572	0.32025	1.86799E-05	6.0E-06	1.05E-03	6.25E-09	8.19E-01	1.57E-01	8.05E-10	1.0E+06	8.0E-04
573	573	0.32792	1.86799E-05	6.1E-06	1.05E-03	6.40E-09	8.19E-01	1.57E-01	8.24E-10	1.0E+06	8.2E-04
574	574	0.33581	1.86799E-05	6.3E-06	1.05E-03	6.56E-09	8.19E-01	1.57E-01	8.44E-10	1.0E+06	8.4E-04
575	575	0.34367	1.86799E-05	6.4E-06	1.05E-03	6.71E-09	8.19E-01	1.57E-01	8.64E-10	1.0E+06	8.6E-04
576	576	0.35185	1.86799E-05	6.6E-06	1.05E-03	6.87E-09	8.19E-01	1.57E-01	8.84E-10	1.0E+06	8.8E-04
577	577	0.36021	1.86799E-05	6.7E-06	1.05E-03	7.03E-09	8.19E-01	1.57E-01	9.05E-10	1.0E+06	9.1E-04
578	578	0.36881	1.86799E-05	6.9E-06	1.05E-03	7.20E-09	8.19E-01	1.57E-01	9.27E-10	1.0E+06	9.3E-04
579	579	0.37784	1.86799E-05	7.1E-06	1.05E-03	7.38E-09	8.19E-01	1.57E-01	9.50E-10	1.0E+06	9.5E-04
580	580	0.38781	1.86799E-05	7.2E-06	1.05E-03	7.57E-09	8.19E-01	1.57E-01	9.75E-10	1.0E+06	9.7E-04
581	581	0.39825	1.86799E-05	7.4E-06	1.05E-03	7.78E-09	8.19E-01	1.57E-01	1.00E-09	1.0E+06	1.0E-03
582	582	0.40922	1.86799E-05	7.6E-06	1.05E-03	7.99E-09	8.19E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.42073	1.86799E-05	7.9E-06	1.05E-03	8.21E-09	8.19E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
584	584	0.43281	1.86799E-05	8.1E-06	1.05E-03	8.45E-09	8.19E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
585	585	0.44529	1.86799E-05	8.3E-06	1.05E-03	8.69E-09	8.19E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
586	586	0.45844	1.86799E-05	8.6E-06	1.05E-03	8.95E-09	8.19E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
587	587	0.47232	1.86799E-05	8.8E-06	1.05E-03	9.22E-09	8.19E-01	1.57E-01	1.19E-09	1.0E+06	1.2E-03
588	588	0.487	1.86799E-05	9.1E-06	1.05E-03	9.51E-09	8.19E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
589	589	0.50252	1.86799E-05	9.4E-06	1.05E-03	9.81E-09	8.19E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03
590	590	0.51906	1.86799E-05	9.7E-06	1.05E-03	1.01E-08	8.19E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
591	591	0.53672	1.86799E-05	1.0E-05	1.05E-03	1.05E-08	8.19E-01	1.57E-01	1.35E-09	1.0E+06	1.3E-03
592	592	0.55557	1.86799E-05	1.0E-05	1.05E-03	1.08E-08	8.19E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
593	593	0.57578	1.86799E-05	1.1E-05	1.05E-03	1.12E-08	8.19E-01	1.57E-01	1.45E-09	1.0E+06	1.4E-03
594	594	0.59738	1.86799E-05	1.1E-05	1.05E-03	1.17E-08	8.19E-01	1.57E-01	1.50E-09	1.0E+06	1.5E-03
595	595	0.62042	1.86799E-05	1.2E-05	1.05E-03	1.21E-08	8.19E-01	1.57E-01	1.56E-09	1.0E+06	1.6E-03
596	596	0.64508	1.86799E-05	1.2E-05	1.05E-03	1.26E-08	8.19E-01	1.57E-01	1.62E-09	1.0E+06	1.6E-03
597	597	0.67162	1.86799E-05	1.3E-05	1.05E-03	1.31E-08	8.19E-01	1.57E-01	1.69E-09	1.0E+06	1.7E-03
598	598	0.70021	1.86799E-05	1.3E-05	1.05E-03	1.37E-08	8.19E-01	1.57E-01	1.76E-09	1.0E+06	1.8E-03
599	599	0.73114	1.86799E-05	1.4E-05	1.05E-03	1.43E-08	8.19E-01	1.57E-01	1.84E-09	1.0E+06	1.8E-03
600	600	0.76459	1.86799E-05	1.4E-05	1.05E-03	1.49E-08	8.19E-01	1.57E-01	1.92E-09	1.0E+06	1.9E-03
601	601	0.80076	1.86799E-05	1.5E-05	1.05E-03	1.56E-08	8.19E-01	1.57E-01	2.01E-09	1.0E+06	2.0E-03
602	602	0.84014	1.86799E-05	1.6E-05	1.05E-03	1.64E-08	8.19E-01	1.57E-01	2.11E-09	1.0E+06	2.1E-03
603	603	0.88464	1.86799E-05	1.7E-05	1.05E-03	1.73E-08	8.19E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
604	604	0.92299	1.86799E-05	1.7E-05	1.05E-03	1.80E-08	8.19E-01	1.57E-01	2.32E-09	1.0E+06	2.3E-03
605	605	0.98419	1.86799E-05	1.8E-05	1.05E-03	1.92E-08	8.19E-01	1.57E-01	2.47E-09	1.0E+06	2.5E-03
606	606	1.048	1.86799E-05	2.0E-05	1.05E-03	2.05E-08	8.19E-01	1.57E-01	2.63E-09	1.0E+06	2.6E-03
607	607	1.11645	1.86799E-05	2.1E-05	1.05E-03	2.18E-08	8.19E-01	1.57E-01	2.81E-09	1.0E+06	2.8E-03
608	608	1.1945	1.86799E-05	2.2E-05	1.05E-03	2.33E-08	8.19E-01	1.57E-01	3.00E-09	1.0E+06	3.0E-03
609	609	1.28315	1.86799E-05	2.4E-05	1.05E-03	2.51E-08	8.19E-01	1.57E-01	3.22E-09	1.0E+06	3.2E-03
610	610	1.38068	1.86799E-05	2.6E-05	1.05E-03	2.70E-08	8.19E-01	1.57E-01	3.47E-09	1.0E+06	3.5E-03
611	611	1.48892	1.86799E-05	2.8E-05	1.05E-03	2.91E-08	8.19E-01	1.57E-01	3.74E-09	1.0E+06	3.7E-03
612	612	0.32234	1.86799E-05	6.0E-06	1.05E-03	6.29E-09	8.19E-01	1.57E-01	8.10E-10	1.0E+06	8.1E-04
613	613	0.3304	1.86799E-05	6.2E-06	1.05E-03	6.45E-09	8.19E-01	1.57E-01	8.30E-10	1.0E+06	8.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.33857	1.86799E-05	6.3E-06	1.05E-03	6.61E-09	8.19E-01	1.57E-01	8.51E-10	1.0E+06	8.5E-04
615	615	0.34656	1.86799E-05	6.5E-06	1.05E-03	6.77E-09	8.19E-01	1.57E-01	8.71E-10	1.0E+06	8.7E-04
616	616	0.35488	1.86799E-05	6.6E-06	1.05E-03	6.93E-09	8.19E-01	1.57E-01	8.92E-10	1.0E+06	8.9E-04
617	617	0.36325	1.86799E-05	6.8E-06	1.05E-03	7.09E-09	8.19E-01	1.57E-01	9.13E-10	1.0E+06	9.1E-04
618	618	0.37175	1.86799E-05	6.9E-06	1.05E-03	7.26E-09	8.19E-01	1.57E-01	9.34E-10	1.0E+06	9.3E-04
619	619	0.3807	1.86799E-05	7.1E-06	1.05E-03	7.43E-09	8.19E-01	1.57E-01	9.57E-10	1.0E+06	9.6E-04
620	620	0.39093	1.86799E-05	7.3E-06	1.05E-03	7.63E-09	8.19E-01	1.57E-01	9.83E-10	1.0E+06	9.8E-04
621	621	0.40165	1.86799E-05	7.5E-06	1.05E-03	7.84E-09	8.19E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
622	622	0.4129	1.86799E-05	7.7E-06	1.05E-03	8.06E-09	8.19E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
623	623	0.42474	1.86799E-05	7.9E-06	1.05E-03	8.29E-09	8.19E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
624	624	0.43714	1.86799E-05	8.2E-06	1.05E-03	8.53E-09	8.19E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
625	625	0.44985	1.86799E-05	8.4E-06	1.05E-03	8.78E-09	8.19E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
626	626	0.46319	1.86799E-05	8.7E-06	1.05E-03	9.04E-09	8.19E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
627	627	0.47729	1.86799E-05	8.9E-06	1.05E-03	9.32E-09	8.19E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
628	628	0.49218	1.86799E-05	9.2E-06	1.05E-03	9.61E-09	8.19E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
629	629	0.50796	1.86799E-05	9.5E-06	1.05E-03	9.92E-09	8.19E-01	1.57E-01	1.28E-09	1.0E+06	1.3E-03
630	630	0.52476	1.86799E-05	9.8E-06	1.05E-03	1.02E-08	8.19E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03
631	631	0.54268	1.86799E-05	1.0E-05	1.05E-03	1.06E-08	8.19E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
632	632	0.56186	1.86799E-05	1.0E-05	1.05E-03	1.10E-08	8.19E-01	1.57E-01	1.41E-09	1.0E+06	1.4E-03
633	633	0.58263	1.86799E-05	1.1E-05	1.05E-03	1.14E-08	8.19E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
634	634	0.60479	1.86799E-05	1.1E-05	1.05E-03	1.18E-08	8.19E-01	1.57E-01	1.52E-09	1.0E+06	1.5E-03
635	635	0.62834	1.86799E-05	1.2E-05	1.05E-03	1.23E-08	8.19E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
636	636	0.65351	1.86799E-05	1.2E-05	1.05E-03	1.28E-08	8.19E-01	1.57E-01	1.64E-09	1.0E+06	1.6E-03
637	637	0.68056	1.86799E-05	1.3E-05	1.05E-03	1.33E-08	8.19E-01	1.57E-01	1.71E-09	1.0E+06	1.7E-03
638	638	0.7096	1.86799E-05	1.3E-05	1.05E-03	1.39E-08	8.19E-01	1.57E-01	1.78E-09	1.0E+06	1.8E-03
639	639	0.74102	1.86799E-05	1.4E-05	1.05E-03	1.45E-08	8.19E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
640	640	0.77492	1.86799E-05	1.4E-05	1.05E-03	1.51E-08	8.19E-01	1.57E-01	1.95E-09	1.0E+06	1.9E-03
641	641	0.81161	1.86799E-05	1.5E-05	1.05E-03	1.58E-08	8.19E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
642	642	0.85166	1.86799E-05	1.6E-05	1.05E-03	1.66E-08	8.19E-01	1.57E-01	2.14E-09	1.0E+06	2.1E-03
643	643	0.8971	1.86799E-05	1.7E-05	1.05E-03	1.75E-08	8.19E-01	1.57E-01	2.25E-09	1.0E+06	2.3E-03
644	644	0.94452	1.86799E-05	1.8E-05	1.05E-03	1.84E-08	8.19E-01	1.57E-01	2.37E-09	1.0E+06	2.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	0.99851	1.86799E-05	1.9E-05	1.05E-03	1.95E-08	8.19E-01	1.57E-01	2.51E-09	1.0E+06	2.5E-03
646	646	1.06154	1.86799E-05	2.0E-05	1.05E-03	2.07E-08	8.19E-01	1.57E-01	2.67E-09	1.0E+06	2.7E-03
647	647	1.1329	1.86799E-05	2.1E-05	1.05E-03	2.21E-08	8.19E-01	1.57E-01	2.85E-09	1.0E+06	2.8E-03
648	648	1.21234	1.86799E-05	2.3E-05	1.05E-03	2.37E-08	8.19E-01	1.57E-01	3.05E-09	1.0E+06	3.0E-03
649	649	1.30262	1.86799E-05	2.4E-05	1.05E-03	2.54E-08	8.19E-01	1.57E-01	3.27E-09	1.0E+06	3.3E-03
650	650	1.40172	1.86799E-05	2.6E-05	1.05E-03	2.74E-08	8.19E-01	1.57E-01	3.52E-09	1.0E+06	3.5E-03
651	651	1.51046	1.86799E-05	2.8E-05	1.05E-03	2.95E-08	8.19E-01	1.57E-01	3.80E-09	1.0E+06	3.8E-03
652	652	0.32327	1.86799E-05	6.0E-06	1.05E-03	6.31E-09	8.19E-01	1.57E-01	8.12E-10	1.0E+06	8.1E-04
653	653	0.33137	1.86799E-05	6.2E-06	1.05E-03	6.47E-09	8.19E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
654	654	0.33959	1.86799E-05	6.3E-06	1.05E-03	6.63E-09	8.19E-01	1.57E-01	8.54E-10	1.0E+06	8.5E-04
655	655	0.34769	1.86799E-05	6.5E-06	1.05E-03	6.79E-09	8.19E-01	1.57E-01	8.74E-10	1.0E+06	8.7E-04
656	656	0.35616	1.86799E-05	6.7E-06	1.05E-03	6.95E-09	8.19E-01	1.57E-01	8.95E-10	1.0E+06	9.0E-04
657	657	0.36473	1.86799E-05	6.8E-06	1.05E-03	7.12E-09	8.19E-01	1.57E-01	9.17E-10	1.0E+06	9.2E-04
658	658	0.37353	1.86799E-05	7.0E-06	1.05E-03	7.29E-09	8.19E-01	1.57E-01	9.39E-10	1.0E+06	9.4E-04
659	659	0.38281	1.86799E-05	7.2E-06	1.05E-03	7.47E-09	8.19E-01	1.57E-01	9.62E-10	1.0E+06	9.6E-04
660	660	0.39331	1.86799E-05	7.3E-06	1.05E-03	7.68E-09	8.19E-01	1.57E-01	9.89E-10	1.0E+06	9.9E-04
661	661	0.40426	1.86799E-05	7.6E-06	1.05E-03	7.89E-09	8.19E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
662	662	0.41572	1.86799E-05	7.8E-06	1.05E-03	8.12E-09	8.19E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
663	663	0.42772	1.86799E-05	8.0E-06	1.05E-03	8.35E-09	8.19E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
664	664	0.44031	1.86799E-05	8.2E-06	1.05E-03	8.60E-09	8.19E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
665	665	0.45309	1.86799E-05	8.5E-06	1.05E-03	8.85E-09	8.19E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
666	666	0.46648	1.86799E-05	8.7E-06	1.05E-03	9.11E-09	8.19E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
667	667	0.48069	1.86799E-05	9.0E-06	1.05E-03	9.39E-09	8.19E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
668	668	0.49589	1.86799E-05	9.3E-06	1.05E-03	9.68E-09	8.19E-01	1.57E-01	1.25E-09	1.0E+06	1.2E-03
669	669	0.512	1.86799E-05	9.6E-06	1.05E-03	1.00E-08	8.19E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
670	670	0.52933	1.86799E-05	9.9E-06	1.05E-03	1.03E-08	8.19E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
671	671	0.54778	1.86799E-05	1.0E-05	1.05E-03	1.07E-08	8.19E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
672	672	0.5675	1.86799E-05	1.1E-05	1.05E-03	1.11E-08	8.19E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
673	673	0.58879	1.86799E-05	1.1E-05	1.05E-03	1.15E-08	8.19E-01	1.57E-01	1.48E-09	1.0E+06	1.5E-03
674	674	0.61165	1.86799E-05	1.1E-05	1.05E-03	1.19E-08	8.19E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
675	675	0.63577	1.86799E-05	1.2E-05	1.05E-03	1.24E-08	8.19E-01	1.57E-01	1.60E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	0.66149	1.86799E-05	1.2E-05	1.05E-03	1.29E-08	8.19E-01	1.57E-01	1.66E-09	1.0E+06	1.7E-03
677	677	0.68917	1.86799E-05	1.3E-05	1.05E-03	1.35E-08	8.19E-01	1.57E-01	1.73E-09	1.0E+06	1.7E-03
678	678	0.71851	1.86799E-05	1.3E-05	1.05E-03	1.40E-08	8.19E-01	1.57E-01	1.81E-09	1.0E+06	1.8E-03
679	679	0.75023	1.86799E-05	1.4E-05	1.05E-03	1.46E-08	8.19E-01	1.57E-01	1.89E-09	1.0E+06	1.9E-03
680	680	0.78465	1.86799E-05	1.5E-05	1.05E-03	1.53E-08	8.19E-01	1.57E-01	1.97E-09	1.0E+06	2.0E-03
681	681	0.82219	1.86799E-05	1.5E-05	1.05E-03	1.61E-08	8.19E-01	1.57E-01	2.07E-09	1.0E+06	2.1E-03
682	682	0.86308	1.86799E-05	1.6E-05	1.05E-03	1.69E-08	8.19E-01	1.57E-01	2.17E-09	1.0E+06	2.2E-03
683	683	0.9093	1.86799E-05	1.7E-05	1.05E-03	1.78E-08	8.19E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
684	684	0.95909	1.86799E-05	1.8E-05	1.05E-03	1.87E-08	8.19E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
685	685	1.00895	1.86799E-05	1.9E-05	1.05E-03	1.97E-08	8.19E-01	1.57E-01	2.54E-09	1.0E+06	2.5E-03
686	686	1.07618	1.86799E-05	2.0E-05	1.05E-03	2.10E-08	8.19E-01	1.57E-01	2.70E-09	1.0E+06	2.7E-03
687	687	1.14874	1.86799E-05	2.1E-05	1.05E-03	2.24E-08	8.19E-01	1.57E-01	2.89E-09	1.0E+06	2.9E-03
688	688	1.22946	1.86799E-05	2.3E-05	1.05E-03	2.40E-08	8.19E-01	1.57E-01	3.09E-09	1.0E+06	3.1E-03
689	689	1.32104	1.86799E-05	2.5E-05	1.05E-03	2.58E-08	8.19E-01	1.57E-01	3.32E-09	1.0E+06	3.3E-03
690	690	1.42053	1.86799E-05	2.7E-05	1.05E-03	2.77E-08	8.19E-01	1.57E-01	3.57E-09	1.0E+06	3.6E-03
691	691	1.53177	1.86799E-05	2.9E-05	1.05E-03	2.99E-08	8.19E-01	1.57E-01	3.85E-09	1.0E+06	3.8E-03
692	692	0.32367	1.86799E-05	6.0E-06	1.05E-03	6.32E-09	8.19E-01	1.57E-01	8.13E-10	1.0E+06	8.1E-04
693	693	0.3316	1.86799E-05	6.2E-06	1.05E-03	6.47E-09	8.19E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
694	694	0.33978	1.86799E-05	6.3E-06	1.05E-03	6.63E-09	8.19E-01	1.57E-01	8.54E-10	1.0E+06	8.5E-04
695	695	0.34808	1.86799E-05	6.5E-06	1.05E-03	6.80E-09	8.19E-01	1.57E-01	8.75E-10	1.0E+06	8.7E-04
696	696	0.35673	1.86799E-05	6.7E-06	1.05E-03	6.96E-09	8.19E-01	1.57E-01	8.97E-10	1.0E+06	9.0E-04
697	697	0.36565	1.86799E-05	6.8E-06	1.05E-03	7.14E-09	8.19E-01	1.57E-01	9.19E-10	1.0E+06	9.2E-04
698	698	0.37487	1.86799E-05	7.0E-06	1.05E-03	7.32E-09	8.19E-01	1.57E-01	9.42E-10	1.0E+06	9.4E-04
699	699	0.38457	1.86799E-05	7.2E-06	1.05E-03	7.51E-09	8.19E-01	1.57E-01	9.67E-10	1.0E+06	9.7E-04
700	700	0.39526	1.86799E-05	7.4E-06	1.05E-03	7.72E-09	8.19E-01	1.57E-01	9.93E-10	1.0E+06	9.9E-04
701	701	0.4065	1.86799E-05	7.6E-06	1.05E-03	7.94E-09	8.19E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
702	702	0.41815	1.86799E-05	7.8E-06	1.05E-03	8.16E-09	8.19E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
703	703	0.43023	1.86799E-05	8.0E-06	1.05E-03	8.40E-09	8.19E-01	1.57E-01	1.08E-09	1.0E+06	1.1E-03
704	704	0.44297	1.86799E-05	8.3E-06	1.05E-03	8.65E-09	8.19E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
705	705	0.45572	1.86799E-05	8.5E-06	1.05E-03	8.90E-09	8.19E-01	1.57E-01	1.15E-09	1.0E+06	1.1E-03
706	706	0.46907	1.86799E-05	8.8E-06	1.05E-03	9.16E-09	8.19E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	0.48332	1.86799E-05	9.0E-06	1.05E-03	9.44E-09	8.19E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
708	708	0.49888	1.86799E-05	9.3E-06	1.05E-03	9.74E-09	8.19E-01	1.57E-01	1.25E-09	1.0E+06	1.3E-03
709	709	0.51532	1.86799E-05	9.6E-06	1.05E-03	1.01E-08	8.19E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
710	710	0.53325	1.86799E-05	1.0E-05	1.05E-03	1.04E-08	8.19E-01	1.57E-01	1.34E-09	1.0E+06	1.3E-03
711	711	0.55241	1.86799E-05	1.0E-05	1.05E-03	1.08E-08	8.19E-01	1.57E-01	1.39E-09	1.0E+06	1.4E-03
712	712	0.57278	1.86799E-05	1.1E-05	1.05E-03	1.12E-08	8.19E-01	1.57E-01	1.44E-09	1.0E+06	1.4E-03
713	713	0.59465	1.86799E-05	1.1E-05	1.05E-03	1.16E-08	8.19E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
714	714	0.61811	1.86799E-05	1.2E-05	1.05E-03	1.21E-08	8.19E-01	1.57E-01	1.55E-09	1.0E+06	1.6E-03
715	715	0.64288	1.86799E-05	1.2E-05	1.05E-03	1.26E-08	8.19E-01	1.57E-01	1.62E-09	1.0E+06	1.6E-03
716	716	0.66918	1.86799E-05	1.3E-05	1.05E-03	1.31E-08	8.19E-01	1.57E-01	1.68E-09	1.0E+06	1.7E-03
717	717	0.69745	1.86799E-05	1.3E-05	1.05E-03	1.36E-08	8.19E-01	1.57E-01	1.75E-09	1.0E+06	1.8E-03
718	718	0.72705	1.86799E-05	1.4E-05	1.05E-03	1.42E-08	8.19E-01	1.57E-01	1.83E-09	1.0E+06	1.8E-03
719	719	0.75905	1.86799E-05	1.4E-05	1.05E-03	1.48E-08	8.19E-01	1.57E-01	1.91E-09	1.0E+06	1.9E-03
720	720	0.79391	1.86799E-05	1.5E-05	1.05E-03	1.55E-08	8.19E-01	1.57E-01	2.00E-09	1.0E+06	2.0E-03
721	721	0.83223	1.86799E-05	1.6E-05	1.05E-03	1.62E-08	8.19E-01	1.57E-01	2.09E-09	1.0E+06	2.1E-03
722	722	0.87405	1.86799E-05	1.6E-05	1.05E-03	1.71E-08	8.19E-01	1.57E-01	2.20E-09	1.0E+06	2.2E-03
723	723	0.921	1.86799E-05	1.7E-05	1.05E-03	1.80E-08	8.19E-01	1.57E-01	2.31E-09	1.0E+06	2.3E-03
724	724	0.97274	1.86799E-05	1.8E-05	1.05E-03	1.90E-08	8.19E-01	1.57E-01	2.44E-09	1.0E+06	2.4E-03
725	725	1.02152	1.86799E-05	1.9E-05	1.05E-03	1.99E-08	8.19E-01	1.57E-01	2.57E-09	1.0E+06	2.6E-03
726	726	1.0879	1.86799E-05	2.0E-05	1.05E-03	2.12E-08	8.19E-01	1.57E-01	2.73E-09	1.0E+06	2.7E-03
727	727	1.16381	1.86799E-05	2.2E-05	1.05E-03	2.27E-08	8.19E-01	1.57E-01	2.93E-09	1.0E+06	2.9E-03
728	728	1.24558	1.86799E-05	2.3E-05	1.05E-03	2.43E-08	8.19E-01	1.57E-01	3.13E-09	1.0E+06	3.1E-03
729	729	1.33846	1.86799E-05	2.5E-05	1.05E-03	2.61E-08	8.19E-01	1.57E-01	3.36E-09	1.0E+06	3.4E-03
730	730	1.43923	1.86799E-05	2.7E-05	1.05E-03	2.81E-08	8.19E-01	1.57E-01	3.62E-09	1.0E+06	3.6E-03
731	731	1.55169	1.86799E-05	2.9E-05	1.05E-03	3.03E-08	8.19E-01	1.57E-01	3.90E-09	1.0E+06	3.9E-03
732	732	0.32372	1.86799E-05	6.0E-06	1.05E-03	6.32E-09	8.19E-01	1.57E-01	8.14E-10	1.0E+06	8.1E-04
733	733	0.33131	1.86799E-05	6.2E-06	1.05E-03	6.47E-09	8.19E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
734	734	0.33928	1.86799E-05	6.3E-06	1.05E-03	6.62E-09	8.19E-01	1.57E-01	8.53E-10	1.0E+06	8.5E-04
735	735	0.34772	1.86799E-05	6.5E-06	1.05E-03	6.79E-09	8.19E-01	1.57E-01	8.74E-10	1.0E+06	8.7E-04
736	736	0.35657	1.86799E-05	6.7E-06	1.05E-03	6.96E-09	8.19E-01	1.57E-01	8.96E-10	1.0E+06	9.0E-04
737	737	0.36587	1.86799E-05	6.8E-06	1.05E-03	7.14E-09	8.19E-01	1.57E-01	9.20E-10	1.0E+06	9.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.37568	1.86799E-05	7.0E-06	1.05E-03	7.33E-09	8.19E-01	1.57E-01	9.44E-10	1.0E+06	9.4E-04
739	739	0.38588	1.86799E-05	7.2E-06	1.05E-03	7.53E-09	8.19E-01	1.57E-01	9.70E-10	1.0E+06	9.7E-04
740	740	0.39688	1.86799E-05	7.4E-06	1.05E-03	7.75E-09	8.19E-01	1.57E-01	9.97E-10	1.0E+06	1.0E-03
741	741	0.40832	1.86799E-05	7.6E-06	1.05E-03	7.97E-09	8.19E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
742	742	0.42014	1.86799E-05	7.8E-06	1.05E-03	8.20E-09	8.19E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
743	743	0.43232	1.86799E-05	8.1E-06	1.05E-03	8.44E-09	8.19E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
744	744	0.44514	1.86799E-05	8.3E-06	1.05E-03	8.69E-09	8.19E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
745	745	0.4578	1.86799E-05	8.6E-06	1.05E-03	8.94E-09	8.19E-01	1.57E-01	1.15E-09	1.0E+06	1.2E-03
746	746	0.47105	1.86799E-05	8.8E-06	1.05E-03	9.20E-09	8.19E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
747	747	0.48529	1.86799E-05	9.1E-06	1.05E-03	9.47E-09	8.19E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
748	748	0.50119	1.86799E-05	9.4E-06	1.05E-03	9.79E-09	8.19E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03
749	749	0.51803	1.86799E-05	9.7E-06	1.05E-03	1.01E-08	8.19E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
750	750	0.53662	1.86799E-05	1.0E-05	1.05E-03	1.05E-08	8.19E-01	1.57E-01	1.35E-09	1.0E+06	1.3E-03
751	751	0.55655	1.86799E-05	1.0E-05	1.05E-03	1.09E-08	8.19E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
752	752	0.57766	1.86799E-05	1.1E-05	1.05E-03	1.13E-08	8.19E-01	1.57E-01	1.45E-09	1.0E+06	1.5E-03
753	753	0.60007	1.86799E-05	1.1E-05	1.05E-03	1.17E-08	8.19E-01	1.57E-01	1.51E-09	1.0E+06	1.5E-03
754	754	0.62404	1.86799E-05	1.2E-05	1.05E-03	1.22E-08	8.19E-01	1.57E-01	1.57E-09	1.0E+06	1.6E-03
755	755	0.64945	1.86799E-05	1.2E-05	1.05E-03	1.27E-08	8.19E-01	1.57E-01	1.63E-09	1.0E+06	1.6E-03
756	756	0.67624	1.86799E-05	1.3E-05	1.05E-03	1.32E-08	8.19E-01	1.57E-01	1.70E-09	1.0E+06	1.7E-03
757	757	0.7051	1.86799E-05	1.3E-05	1.05E-03	1.38E-08	8.19E-01	1.57E-01	1.77E-09	1.0E+06	1.8E-03
758	758	0.73501	1.86799E-05	1.4E-05	1.05E-03	1.44E-08	8.19E-01	1.57E-01	1.85E-09	1.0E+06	1.8E-03
759	759	0.76728	1.86799E-05	1.4E-05	1.05E-03	1.50E-08	8.19E-01	1.57E-01	1.93E-09	1.0E+06	1.9E-03
760	760	0.80265	1.86799E-05	1.5E-05	1.05E-03	1.57E-08	8.19E-01	1.57E-01	2.02E-09	1.0E+06	2.0E-03
761	761	0.84172	1.86799E-05	1.6E-05	1.05E-03	1.64E-08	8.19E-01	1.57E-01	2.12E-09	1.0E+06	2.1E-03
762	762	0.88437	1.86799E-05	1.7E-05	1.05E-03	1.73E-08	8.19E-01	1.57E-01	2.22E-09	1.0E+06	2.2E-03
763	763	0.93192	1.86799E-05	1.7E-05	1.05E-03	1.82E-08	8.19E-01	1.57E-01	2.34E-09	1.0E+06	2.3E-03
764	764	0.98432	1.86799E-05	1.8E-05	1.05E-03	1.92E-08	8.19E-01	1.57E-01	2.47E-09	1.0E+06	2.5E-03
765	765	1.03135	1.86799E-05	1.9E-05	1.05E-03	2.01E-08	8.19E-01	1.57E-01	2.59E-09	1.0E+06	2.6E-03
766	766	1.10071	1.86799E-05	2.1E-05	1.05E-03	2.15E-08	8.19E-01	1.57E-01	2.77E-09	1.0E+06	2.8E-03
767	767	1.17592	1.86799E-05	2.2E-05	1.05E-03	2.30E-08	8.19E-01	1.57E-01	2.96E-09	1.0E+06	3.0E-03
768	768	1.26076	1.86799E-05	2.4E-05	1.05E-03	2.46E-08	8.19E-01	1.57E-01	3.17E-09	1.0E+06	3.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	1.35349	1.86799E-05	2.5E-05	1.05E-03	2.64E-08	8.19E-01	1.57E-01	3.40E-09	1.0E+06	3.4E-03
770	770	1.45676	1.86799E-05	2.7E-05	1.05E-03	2.84E-08	8.19E-01	1.57E-01	3.66E-09	1.0E+06	3.7E-03
771	771	1.57042	1.86799E-05	2.9E-05	1.05E-03	3.07E-08	8.19E-01	1.57E-01	3.95E-09	1.0E+06	3.9E-03
772	772	0.32372	1.86799E-05	6.0E-06	1.05E-03	6.32E-09	8.19E-01	1.57E-01	8.14E-10	1.0E+06	8.1E-04
773	773	0.33129	1.86799E-05	6.2E-06	1.05E-03	6.47E-09	8.19E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
774	774	0.33925	1.86799E-05	6.3E-06	1.05E-03	6.62E-09	8.19E-01	1.57E-01	8.53E-10	1.0E+06	8.5E-04
775	775	0.34788	1.86799E-05	6.5E-06	1.05E-03	6.79E-09	8.19E-01	1.57E-01	8.74E-10	1.0E+06	8.7E-04
776	776	0.35692	1.86799E-05	6.7E-06	1.05E-03	6.97E-09	8.19E-01	1.57E-01	8.97E-10	1.0E+06	9.0E-04
777	777	0.36643	1.86799E-05	6.8E-06	1.05E-03	7.15E-09	8.19E-01	1.57E-01	9.21E-10	1.0E+06	9.2E-04
778	778	0.3764	1.86799E-05	7.0E-06	1.05E-03	7.35E-09	8.19E-01	1.57E-01	9.46E-10	1.0E+06	9.5E-04
779	779	0.38687	1.86799E-05	7.2E-06	1.05E-03	7.55E-09	8.19E-01	1.57E-01	9.72E-10	1.0E+06	9.7E-04
780	780	0.39795	1.86799E-05	7.4E-06	1.05E-03	7.77E-09	8.19E-01	1.57E-01	1.00E-09	1.0E+06	1.0E-03
781	781	0.40957	1.86799E-05	7.7E-06	1.05E-03	8.00E-09	8.19E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
782	782	0.42156	1.86799E-05	7.9E-06	1.05E-03	8.23E-09	8.19E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
783	783	0.43402	1.86799E-05	8.1E-06	1.05E-03	8.47E-09	8.19E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
784	784	0.44712	1.86799E-05	8.4E-06	1.05E-03	8.73E-09	8.19E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
785	785	0.46026	1.86799E-05	8.6E-06	1.05E-03	8.99E-09	8.19E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
786	786	0.47397	1.86799E-05	8.9E-06	1.05E-03	9.25E-09	8.19E-01	1.57E-01	1.19E-09	1.0E+06	1.2E-03
787	787	0.4887	1.86799E-05	9.1E-06	1.05E-03	9.54E-09	8.19E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
788	788	0.5049	1.86799E-05	9.4E-06	1.05E-03	9.86E-09	8.19E-01	1.57E-01	1.27E-09	1.0E+06	1.3E-03
789	789	0.52205	1.86799E-05	9.8E-06	1.05E-03	1.02E-08	8.19E-01	1.57E-01	1.31E-09	1.0E+06	1.3E-03
790	790	0.5408	1.86799E-05	1.0E-05	1.05E-03	1.06E-08	8.19E-01	1.57E-01	1.36E-09	1.0E+06	1.4E-03
791	791	0.56085	1.86799E-05	1.0E-05	1.05E-03	1.10E-08	8.19E-01	1.57E-01	1.41E-09	1.0E+06	1.4E-03
792	792	0.58213	1.86799E-05	1.1E-05	1.05E-03	1.14E-08	8.19E-01	1.57E-01	1.46E-09	1.0E+06	1.5E-03
793	793	0.60464	1.86799E-05	1.1E-05	1.05E-03	1.18E-08	8.19E-01	1.57E-01	1.52E-09	1.0E+06	1.5E-03
794	794	0.6286	1.86799E-05	1.2E-05	1.05E-03	1.23E-08	8.19E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03
795	795	0.65407	1.86799E-05	1.2E-05	1.05E-03	1.28E-08	8.19E-01	1.57E-01	1.64E-09	1.0E+06	1.6E-03
796	796	0.68133	1.86799E-05	1.3E-05	1.05E-03	1.33E-08	8.19E-01	1.57E-01	1.71E-09	1.0E+06	1.7E-03
797	797	0.71068	1.86799E-05	1.3E-05	1.05E-03	1.39E-08	8.19E-01	1.57E-01	1.79E-09	1.0E+06	1.8E-03
798	798	0.74133	1.86799E-05	1.4E-05	1.05E-03	1.45E-08	8.19E-01	1.57E-01	1.86E-09	1.0E+06	1.9E-03
799	799	0.77452	1.86799E-05	1.4E-05	1.05E-03	1.51E-08	8.19E-01	1.57E-01	1.95E-09	1.0E+06	1.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	0.81072	1.86799E-05	1.5E-05	1.05E-03	1.58E-08	8.19E-01	1.57E-01	2.04E-09	1.0E+06	2.0E-03
801	801	0.85039	1.86799E-05	1.6E-05	1.05E-03	1.66E-08	8.19E-01	1.57E-01	2.14E-09	1.0E+06	2.1E-03
802	802	0.89376	1.86799E-05	1.7E-05	1.05E-03	1.75E-08	8.19E-01	1.57E-01	2.25E-09	1.0E+06	2.2E-03
803	803	0.94174	1.86799E-05	1.8E-05	1.05E-03	1.84E-08	8.19E-01	1.57E-01	2.37E-09	1.0E+06	2.4E-03
804	804	0.9946	1.86799E-05	1.9E-05	1.05E-03	1.94E-08	8.19E-01	1.57E-01	2.50E-09	1.0E+06	2.5E-03
805	805	1.05015	1.86799E-05	2.0E-05	1.05E-03	2.05E-08	8.19E-01	1.57E-01	2.64E-09	1.0E+06	2.6E-03
806	806	1.1079	1.86799E-05	2.1E-05	1.05E-03	2.16E-08	8.19E-01	1.57E-01	2.78E-09	1.0E+06	2.8E-03
807	807	1.18664	1.86799E-05	2.2E-05	1.05E-03	2.32E-08	8.19E-01	1.57E-01	2.98E-09	1.0E+06	3.0E-03
808	808	1.27492	1.86799E-05	2.4E-05	1.05E-03	2.49E-08	8.19E-01	1.57E-01	3.20E-09	1.0E+06	3.2E-03
809	809	1.3687	1.86799E-05	2.6E-05	1.05E-03	2.67E-08	8.19E-01	1.57E-01	3.44E-09	1.0E+06	3.4E-03
810	810	1.47317	1.86799E-05	2.8E-05	1.05E-03	2.88E-08	8.19E-01	1.57E-01	3.70E-09	1.0E+06	3.7E-03
811	811	1.58819	1.86799E-05	3.0E-05	1.05E-03	3.10E-08	8.19E-01	1.57E-01	3.99E-09	1.0E+06	4.0E-03
812	812	0.32342	1.86799E-05	6.0E-06	1.05E-03	6.31E-09	8.19E-01	1.57E-01	8.13E-10	1.0E+06	8.1E-04
813	813	0.33099	1.86799E-05	6.2E-06	1.05E-03	6.46E-09	8.19E-01	1.57E-01	8.32E-10	1.0E+06	8.3E-04
814	814	0.33899	1.86799E-05	6.3E-06	1.05E-03	6.62E-09	8.19E-01	1.57E-01	8.52E-10	1.0E+06	8.5E-04
815	815	0.34783	1.86799E-05	6.5E-06	1.05E-03	6.79E-09	8.19E-01	1.57E-01	8.74E-10	1.0E+06	8.7E-04
816	816	0.35704	1.86799E-05	6.7E-06	1.05E-03	6.97E-09	8.19E-01	1.57E-01	8.97E-10	1.0E+06	9.0E-04
817	817	0.36673	1.86799E-05	6.9E-06	1.05E-03	7.16E-09	8.19E-01	1.57E-01	9.22E-10	1.0E+06	9.2E-04
818	818	0.37684	1.86799E-05	7.0E-06	1.05E-03	7.36E-09	8.19E-01	1.57E-01	9.47E-10	1.0E+06	9.5E-04
819	819	0.38746	1.86799E-05	7.2E-06	1.05E-03	7.56E-09	8.19E-01	1.57E-01	9.74E-10	1.0E+06	9.7E-04
820	820	0.39862	1.86799E-05	7.4E-06	1.05E-03	7.78E-09	8.19E-01	1.57E-01	1.00E-09	1.0E+06	1.0E-03
821	821	0.41029	1.86799E-05	7.7E-06	1.05E-03	8.01E-09	8.19E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
822	822	0.42251	1.86799E-05	7.9E-06	1.05E-03	8.25E-09	8.19E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
823	823	0.4353	1.86799E-05	8.1E-06	1.05E-03	8.50E-09	8.19E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
824	824	0.44873	1.86799E-05	8.4E-06	1.05E-03	8.76E-09	8.19E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
825	825	0.4623	1.86799E-05	8.6E-06	1.05E-03	9.03E-09	8.19E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
826	826	0.47657	1.86799E-05	8.9E-06	1.05E-03	9.30E-09	8.19E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
827	827	0.49184	1.86799E-05	9.2E-06	1.05E-03	9.60E-09	8.19E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
828	828	0.50835	1.86799E-05	9.5E-06	1.05E-03	9.93E-09	8.19E-01	1.57E-01	1.28E-09	1.0E+06	1.3E-03
829	829	0.52581	1.86799E-05	9.8E-06	1.05E-03	1.03E-08	8.19E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03
830	830	0.54467	1.86799E-05	1.0E-05	1.05E-03	1.06E-08	8.19E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	0.56479	1.86799E-05	1.1E-05	1.05E-03	1.10E-08	8.19E-01	1.57E-01	1.42E-09	1.0E+06	1.4E-03
832	832	0.58615	1.86799E-05	1.1E-05	1.05E-03	1.14E-08	8.19E-01	1.57E-01	1.47E-09	1.0E+06	1.5E-03
833	833	0.60862	1.86799E-05	1.1E-05	1.05E-03	1.19E-08	8.19E-01	1.57E-01	1.53E-09	1.0E+06	1.5E-03
834	834	0.63259	1.86799E-05	1.2E-05	1.05E-03	1.24E-08	8.19E-01	1.57E-01	1.59E-09	1.0E+06	1.6E-03
835	835	0.6582	1.86799E-05	1.2E-05	1.05E-03	1.29E-08	8.19E-01	1.57E-01	1.65E-09	1.0E+06	1.7E-03
836	836	0.68572	1.86799E-05	1.3E-05	1.05E-03	1.34E-08	8.19E-01	1.57E-01	1.72E-09	1.0E+06	1.7E-03
837	837	0.71541	1.86799E-05	1.3E-05	1.05E-03	1.40E-08	8.19E-01	1.57E-01	1.80E-09	1.0E+06	1.8E-03
838	838	0.74705	1.86799E-05	1.4E-05	1.05E-03	1.46E-08	8.19E-01	1.57E-01	1.88E-09	1.0E+06	1.9E-03
839	839	0.78122	1.86799E-05	1.5E-05	1.05E-03	1.53E-08	8.19E-01	1.57E-01	1.96E-09	1.0E+06	2.0E-03
840	840	0.81827	1.86799E-05	1.5E-05	1.05E-03	1.60E-08	8.19E-01	1.57E-01	2.06E-09	1.0E+06	2.1E-03
841	841	0.85861	1.86799E-05	1.6E-05	1.05E-03	1.68E-08	8.19E-01	1.57E-01	2.16E-09	1.0E+06	2.2E-03
842	842	0.90254	1.86799E-05	1.7E-05	1.05E-03	1.76E-08	8.19E-01	1.57E-01	2.27E-09	1.0E+06	2.3E-03
843	843	0.95096	1.86799E-05	1.8E-05	1.05E-03	1.86E-08	8.19E-01	1.57E-01	2.39E-09	1.0E+06	2.4E-03
844	844	1.00421	1.86799E-05	1.9E-05	1.05E-03	1.96E-08	8.19E-01	1.57E-01	2.52E-09	1.0E+06	2.5E-03
845	845	1.06266	1.86799E-05	2.0E-05	1.05E-03	2.07E-08	8.19E-01	1.57E-01	2.67E-09	1.0E+06	2.7E-03
846	846	1.1158	1.86799E-05	2.1E-05	1.05E-03	2.18E-08	8.19E-01	1.57E-01	2.80E-09	1.0E+06	2.8E-03
847	847	1.19629	1.86799E-05	2.2E-05	1.05E-03	2.34E-08	8.19E-01	1.57E-01	3.01E-09	1.0E+06	3.0E-03
848	848	1.28821	1.86799E-05	2.4E-05	1.05E-03	2.52E-08	8.19E-01	1.57E-01	3.24E-09	1.0E+06	3.2E-03
849	849	1.38307	1.86799E-05	2.6E-05	1.05E-03	2.70E-08	8.19E-01	1.57E-01	3.48E-09	1.0E+06	3.5E-03
850	850	1.48853	1.86799E-05	2.8E-05	1.05E-03	2.91E-08	8.19E-01	1.57E-01	3.74E-09	1.0E+06	3.7E-03
851	851	1.60583	1.86799E-05	3.0E-05	1.05E-03	3.14E-08	8.19E-01	1.57E-01	4.04E-09	1.0E+06	4.0E-03
852	852	0.32289	1.86799E-05	6.0E-06	1.05E-03	6.30E-09	8.19E-01	1.57E-01	8.12E-10	1.0E+06	8.1E-04
853	853	0.33042	1.86799E-05	6.2E-06	1.05E-03	6.45E-09	8.19E-01	1.57E-01	8.30E-10	1.0E+06	8.3E-04
854	854	0.3384	1.86799E-05	6.3E-06	1.05E-03	6.61E-09	8.19E-01	1.57E-01	8.51E-10	1.0E+06	8.5E-04
855	855	0.34743	1.86799E-05	6.5E-06	1.05E-03	6.78E-09	8.19E-01	1.57E-01	8.73E-10	1.0E+06	8.7E-04
856	856	0.35686	1.86799E-05	6.7E-06	1.05E-03	6.97E-09	8.19E-01	1.57E-01	8.97E-10	1.0E+06	9.0E-04
857	857	0.3667	1.86799E-05	6.8E-06	1.05E-03	7.16E-09	8.19E-01	1.57E-01	9.22E-10	1.0E+06	9.2E-04
858	858	0.37695	1.86799E-05	7.0E-06	1.05E-03	7.36E-09	8.19E-01	1.57E-01	9.47E-10	1.0E+06	9.5E-04
859	859	0.38767	1.86799E-05	7.2E-06	1.05E-03	7.57E-09	8.19E-01	1.57E-01	9.74E-10	1.0E+06	9.7E-04
860	860	0.39888	1.86799E-05	7.5E-06	1.05E-03	7.79E-09	8.19E-01	1.57E-01	1.00E-09	1.0E+06	1.0E-03
861	861	0.41059	1.86799E-05	7.7E-06	1.05E-03	8.02E-09	8.19E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.42295	1.86799E-05	7.9E-06	1.05E-03	8.26E-09	8.19E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
863	863	0.43607	1.86799E-05	8.1E-06	1.05E-03	8.51E-09	8.19E-01	1.57E-01	1.10E-09	1.0E+06	1.1E-03
864	864	0.44987	1.86799E-05	8.4E-06	1.05E-03	8.78E-09	8.19E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03
865	865	0.46405	1.86799E-05	8.7E-06	1.05E-03	9.06E-09	8.19E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
866	866	0.47893	1.86799E-05	8.9E-06	1.05E-03	9.35E-09	8.19E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
867	867	0.4947	1.86799E-05	9.2E-06	1.05E-03	9.66E-09	8.19E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
868	868	0.51152	1.86799E-05	9.6E-06	1.05E-03	9.99E-09	8.19E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
869	869	0.5293	1.86799E-05	9.9E-06	1.05E-03	1.03E-08	8.19E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
870	870	0.54824	1.86799E-05	1.0E-05	1.05E-03	1.07E-08	8.19E-01	1.57E-01	1.38E-09	1.0E+06	1.4E-03
871	871	0.56835	1.86799E-05	1.1E-05	1.05E-03	1.11E-08	8.19E-01	1.57E-01	1.43E-09	1.0E+06	1.4E-03
872	872	0.58972	1.86799E-05	1.1E-05	1.05E-03	1.15E-08	8.19E-01	1.57E-01	1.48E-09	1.0E+06	1.5E-03
873	873	0.61208	1.86799E-05	1.1E-05	1.05E-03	1.20E-08	8.19E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
874	874	0.63594	1.86799E-05	1.2E-05	1.05E-03	1.24E-08	8.19E-01	1.57E-01	1.60E-09	1.0E+06	1.6E-03
875	875	0.66173	1.86799E-05	1.2E-05	1.05E-03	1.29E-08	8.19E-01	1.57E-01	1.66E-09	1.0E+06	1.7E-03
876	876	0.6896	1.86799E-05	1.3E-05	1.05E-03	1.35E-08	8.19E-01	1.57E-01	1.73E-09	1.0E+06	1.7E-03
877	877	0.71956	1.86799E-05	1.3E-05	1.05E-03	1.40E-08	8.19E-01	1.57E-01	1.81E-09	1.0E+06	1.8E-03
878	878	0.75216	1.86799E-05	1.4E-05	1.05E-03	1.47E-08	8.19E-01	1.57E-01	1.89E-09	1.0E+06	1.9E-03
879	879	0.78746	1.86799E-05	1.5E-05	1.05E-03	1.54E-08	8.19E-01	1.57E-01	1.98E-09	1.0E+06	2.0E-03
880	880	0.82538	1.86799E-05	1.5E-05	1.05E-03	1.61E-08	8.19E-01	1.57E-01	2.07E-09	1.0E+06	2.1E-03
881	881	0.86617	1.86799E-05	1.6E-05	1.05E-03	1.69E-08	8.19E-01	1.57E-01	2.18E-09	1.0E+06	2.2E-03
882	882	0.91062	1.86799E-05	1.7E-05	1.05E-03	1.78E-08	8.19E-01	1.57E-01	2.29E-09	1.0E+06	2.3E-03
883	883	0.95936	1.86799E-05	1.8E-05	1.05E-03	1.87E-08	8.19E-01	1.57E-01	2.41E-09	1.0E+06	2.4E-03
884	884	1.013	1.86799E-05	1.9E-05	1.05E-03	1.98E-08	8.19E-01	1.57E-01	2.55E-09	1.0E+06	2.5E-03
885	885	1.07208	1.86799E-05	2.0E-05	1.05E-03	2.09E-08	8.19E-01	1.57E-01	2.69E-09	1.0E+06	2.7E-03
886	886	1.12894	1.86799E-05	2.1E-05	1.05E-03	2.20E-08	8.19E-01	1.57E-01	2.84E-09	1.0E+06	2.8E-03
887	887	1.20735	1.86799E-05	2.3E-05	1.05E-03	2.36E-08	8.19E-01	1.57E-01	3.03E-09	1.0E+06	3.0E-03
888	888	1.29693	1.86799E-05	2.4E-05	1.05E-03	2.53E-08	8.19E-01	1.57E-01	3.26E-09	1.0E+06	3.3E-03
889	889	1.39457	1.86799E-05	2.6E-05	1.05E-03	2.72E-08	8.19E-01	1.57E-01	3.51E-09	1.0E+06	3.5E-03
890	890	1.50265	1.86799E-05	2.8E-05	1.05E-03	2.93E-08	8.19E-01	1.57E-01	3.78E-09	1.0E+06	3.8E-03
891	891	1.62111	1.86799E-05	3.0E-05	1.05E-03	3.17E-08	8.19E-01	1.57E-01	4.07E-09	1.0E+06	4.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
521	521	8.9E+00	Max	Receptor #	5	1.32E-02	Max	Receptor #	
522	522	9.1E+00	11.090	527	5	1.35E-02	0.016	527	Res
523	523	1.1E+01			5	1.63E-02			
524	524	9.2E+00			5	1.36E-02			
525	525	9.1E+00			5	1.35E-02			
526	526	9.2E+00			5	1.37E-02			
527	527	1.1E+01			5	1.65E-02			
528	528	9.2E+00			5	1.37E-02			
529	529	9.1E+00			5	1.35E-02			
530	530	9.2E+00			5	1.36E-02			
531	531	1.1E+01			5	1.63E-02			
532	532	7.2E-01			5	1.07E-03			
533	533	7.7E-01			5	1.13E-03			
534	534	8.2E-01			5	1.21E-03			
535	535	8.7E-01			5	1.29E-03			
536	536	9.3E-01			5	1.38E-03			
537	537	1.0E+00			5	1.48E-03			
538	538	1.1E+00			5	1.60E-03			
539	539	1.2E+00			5	1.73E-03			
540	540	1.3E+00			5	1.88E-03			
541	541	1.4E+00			5	2.06E-03			
542	542	1.5E+00			5	2.27E-03			
543	543	1.7E+00			5	2.51E-03			
544	544	1.9E+00			5	2.79E-03			
545	545	2.1E+00			5	3.13E-03			
546	546	2.4E+00			5	3.56E-03			
547	547	2.8E+00			5	4.08E-03			
548	548	3.2E+00			5	4.76E-03			
549	549	3.8E+00			5	5.65E-03			
550	550	4.6E+00			5	6.81E-03			
551	551	5.6E+00			5	8.24E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
552	552	6.6E+00	5	9.85E-03
553	553	5.4E+00	5	8.08E-03
554	554	8.7E+00	5	1.29E-02
555	555	9.5E+00	5	1.42E-02
556	556	1.0E+01	5	1.53E-02
557	557	8.7E+00	5	1.30E-02
558	558	8.8E+00	5	1.31E-02
559	559	9.0E+00	5	1.34E-02
560	560	9.4E+00	5	1.39E-02
561	561	7.7E+00	5	1.14E-02
562	562	9.6E+00	5	1.42E-02
563	563	9.5E+00	5	1.40E-02
564	564	9.7E+00	5	1.44E-02
565	565	7.9E+00	5	1.17E-02
566	566	9.7E+00	5	1.44E-02
567	567	9.6E+00	5	1.42E-02
568	568	9.7E+00	5	1.44E-02
569	569	7.9E+00	5	1.17E-02
570	570	9.6E+00	5	1.43E-02
571	571	9.4E+00	5	1.40E-02
572	572	7.0E-01	5	1.04E-03
573	573	7.5E-01	5	1.11E-03
574	574	8.0E-01	5	1.18E-03
575	575	8.5E-01	5	1.26E-03
576	576	9.1E-01	5	1.35E-03
577	577	9.7E-01	5	1.44E-03
578	578	1.0E+00	5	1.55E-03
579	579	1.1E+00	5	1.67E-03
580	580	1.2E+00	5	1.81E-03
581	581	1.3E+00	5	1.98E-03
582	582	1.5E+00	5	2.17E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
583	583	1.6E+00	5	2.40E-03
584	584	1.8E+00	5	2.66E-03
585	585	2.0E+00	5	2.97E-03
586	586	2.3E+00	5	3.34E-03
587	587	2.6E+00	5	3.80E-03
588	588	2.9E+00	5	4.37E-03
589	589	3.4E+00	5	5.09E-03
590	590	4.0E+00	5	5.98E-03
591	591	4.8E+00	5	7.05E-03
592	592	5.5E+00	5	8.22E-03
593	593	6.3E+00	5	9.41E-03
594	594	7.1E+00	5	1.05E-02
595	595	7.8E+00	5	1.16E-02
596	596	8.4E+00	5	1.25E-02
597	597	9.0E+00	5	1.33E-02
598	598	9.4E+00	5	1.40E-02
599	599	9.7E+00	5	1.44E-02
600	600	9.9E+00	5	1.47E-02
601	601	1.0E+01	5	1.49E-02
602	602	1.0E+01	5	1.51E-02
603	603	1.0E+01	5	1.52E-02
604	604	1.0E+01	5	1.52E-02
605	605	1.0E+01	5	1.53E-02
606	606	1.0E+01	5	1.53E-02
607	607	1.0E+01	5	1.53E-02
608	608	1.0E+01	5	1.53E-02
609	609	1.0E+01	5	1.52E-02
610	610	1.0E+01	5	1.52E-02
611	611	1.0E+01	5	1.51E-02
612	612	6.8E-01	5	1.01E-03
613	613	7.3E-01	5	1.08E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
614	614	7.8E-01	5	1.15E-03
615	615	8.3E-01	5	1.23E-03
616	616	8.8E-01	5	1.31E-03
617	617	9.4E-01	5	1.40E-03
618	618	1.0E+00	5	1.49E-03
619	619	1.1E+00	5	1.60E-03
620	620	1.2E+00	5	1.74E-03
621	621	1.3E+00	5	1.90E-03
622	622	1.4E+00	5	2.07E-03
623	623	1.5E+00	5	2.28E-03
624	624	1.7E+00	5	2.52E-03
625	625	1.9E+00	5	2.80E-03
626	626	2.1E+00	5	3.13E-03
627	627	2.4E+00	5	3.52E-03
628	628	2.7E+00	5	4.00E-03
629	629	3.1E+00	5	4.59E-03
630	630	3.6E+00	5	5.30E-03
631	631	4.1E+00	5	6.12E-03
632	632	4.7E+00	5	7.01E-03
633	633	5.3E+00	5	7.94E-03
634	634	5.9E+00	5	8.83E-03
635	635	6.5E+00	5	9.65E-03
636	636	7.0E+00	5	1.04E-02
637	637	7.5E+00	5	1.11E-02
638	638	7.8E+00	5	1.16E-02
639	639	8.1E+00	5	1.20E-02
640	640	8.3E+00	5	1.23E-02
641	641	8.4E+00	5	1.25E-02
642	642	8.5E+00	5	1.26E-02
643	643	8.6E+00	5	1.27E-02
644	644	8.6E+00	5	1.28E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
645	645	8.7E+00	5	1.29E-02
646	646	8.7E+00	5	1.29E-02
647	647	8.7E+00	5	1.29E-02
648	648	8.7E+00	5	1.29E-02
649	649	8.7E+00	5	1.29E-02
650	650	8.6E+00	5	1.28E-02
651	651	8.6E+00	5	1.28E-02
652	652	6.6E-01	5	9.79E-04
653	653	7.0E-01	5	1.04E-03
654	654	7.5E-01	5	1.11E-03
655	655	8.0E-01	5	1.18E-03
656	656	8.5E-01	5	1.26E-03
657	657	9.0E-01	5	1.34E-03
658	658	9.7E-01	5	1.43E-03
659	659	1.0E+00	5	1.53E-03
660	660	1.1E+00	5	1.66E-03
661	661	1.2E+00	5	1.80E-03
662	662	1.3E+00	5	1.96E-03
663	663	1.5E+00	5	2.15E-03
664	664	1.6E+00	5	2.37E-03
665	665	1.8E+00	5	2.61E-03
666	666	1.9E+00	5	2.89E-03
667	667	2.2E+00	5	3.23E-03
668	668	2.5E+00	5	3.64E-03
669	669	2.8E+00	5	4.13E-03
670	670	3.2E+00	5	4.71E-03
671	671	3.6E+00	5	5.36E-03
672	672	4.1E+00	5	6.07E-03
673	673	4.6E+00	5	6.81E-03
674	674	5.1E+00	5	7.53E-03
675	675	5.5E+00	5	8.21E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
676	676	5.9E+00	5	8.82E-03
677	677	6.3E+00	5	9.37E-03
678	678	6.6E+00	5	9.82E-03
679	679	6.9E+00	5	1.02E-02
680	680	7.0E+00	5	1.04E-02
681	681	7.2E+00	5	1.07E-02
682	682	7.3E+00	5	1.08E-02
683	683	7.4E+00	5	1.09E-02
684	684	7.4E+00	5	1.10E-02
685	685	7.4E+00	5	1.11E-02
686	686	7.5E+00	5	1.11E-02
687	687	7.5E+00	5	1.11E-02
688	688	7.5E+00	5	1.11E-02
689	689	7.5E+00	5	1.11E-02
690	690	7.4E+00	5	1.10E-02
691	691	7.4E+00	5	1.10E-02
692	692	6.4E-01	5	9.44E-04
693	693	6.8E-01	5	1.00E-03
694	694	7.2E-01	5	1.06E-03
695	695	7.6E-01	5	1.13E-03
696	696	8.1E-01	5	1.20E-03
697	697	8.6E-01	5	1.28E-03
698	698	9.2E-01	5	1.37E-03
699	699	9.9E-01	5	1.46E-03
700	700	1.1E+00	5	1.58E-03
701	701	1.2E+00	5	1.71E-03
702	702	1.3E+00	5	1.85E-03
703	703	1.4E+00	5	2.02E-03
704	704	1.5E+00	5	2.21E-03
705	705	1.6E+00	5	2.43E-03
706	706	1.8E+00	5	2.66E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
707	707	2.0E+00	5	2.96E-03
708	708	2.2E+00	5	3.31E-03
709	709	2.5E+00	5	3.71E-03
710	710	2.8E+00	5	4.20E-03
711	711	3.2E+00	5	4.75E-03
712	712	3.6E+00	5	5.33E-03
713	713	4.0E+00	5	5.93E-03
714	714	4.4E+00	5	6.53E-03
715	715	4.8E+00	5	7.09E-03
716	716	5.1E+00	5	7.60E-03
717	717	5.4E+00	5	8.06E-03
718	718	5.7E+00	5	8.44E-03
719	719	5.9E+00	5	8.76E-03
720	720	6.1E+00	5	9.01E-03
721	721	6.2E+00	5	9.21E-03
722	722	6.3E+00	5	9.36E-03
723	723	6.4E+00	5	9.47E-03
724	724	6.4E+00	5	9.56E-03
725	725	6.5E+00	5	9.62E-03
726	726	6.5E+00	5	9.65E-03
727	727	6.5E+00	5	9.66E-03
728	728	6.5E+00	5	9.66E-03
729	729	6.5E+00	5	9.64E-03
730	730	6.5E+00	5	9.61E-03
731	731	6.4E+00	5	9.55E-03
732	732	6.1E-01	5	9.08E-04
733	733	6.5E-01	5	9.59E-04
734	734	6.8E-01	5	1.01E-03
735	735	7.3E-01	5	1.08E-03
736	736	7.7E-01	5	1.14E-03
737	737	8.2E-01	5	1.22E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
738	738	8.8E-01	5	1.30E-03
739	739	9.4E-01	5	1.39E-03
740	740	1.0E+00	5	1.50E-03
741	741	1.1E+00	5	1.62E-03
742	742	1.2E+00	5	1.75E-03
743	743	1.3E+00	5	1.90E-03
744	744	1.4E+00	5	2.06E-03
745	745	1.5E+00	5	2.24E-03
746	746	1.6E+00	5	2.44E-03
747	747	1.8E+00	5	2.68E-03
748	748	2.0E+00	5	3.00E-03
749	749	2.3E+00	5	3.35E-03
750	750	2.5E+00	5	3.76E-03
751	751	2.8E+00	5	4.22E-03
752	752	3.2E+00	5	4.72E-03
753	753	3.5E+00	5	5.22E-03
754	754	3.9E+00	5	5.72E-03
755	755	4.2E+00	5	6.20E-03
756	756	4.5E+00	5	6.63E-03
757	757	4.7E+00	5	7.03E-03
758	758	5.0E+00	5	7.36E-03
759	759	5.1E+00	5	7.63E-03
760	760	5.3E+00	5	7.86E-03
761	761	5.4E+00	5	8.05E-03
762	762	5.5E+00	5	8.20E-03
763	763	5.6E+00	5	8.31E-03
764	764	5.7E+00	5	8.40E-03
765	765	5.7E+00	5	8.46E-03
766	766	5.7E+00	5	8.49E-03
767	767	5.7E+00	5	8.51E-03
768	768	5.7E+00	5	8.51E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
769	769	5.7E+00	5	8.50E-03
770	770	5.7E+00	5	8.47E-03
771	771	5.7E+00	5	8.42E-03
772	772	5.9E-01	5	8.74E-04
773	773	6.2E-01	5	9.21E-04
774	774	6.6E-01	5	9.72E-04
775	775	7.0E-01	5	1.03E-03
776	776	7.4E-01	5	1.09E-03
777	777	7.9E-01	5	1.16E-03
778	778	8.4E-01	5	1.24E-03
779	779	9.0E-01	5	1.33E-03
780	780	9.6E-01	5	1.42E-03
781	781	1.0E+00	5	1.53E-03
782	782	1.1E+00	5	1.65E-03
783	783	1.2E+00	5	1.78E-03
784	784	1.3E+00	5	1.93E-03
785	785	1.4E+00	5	2.10E-03
786	786	1.5E+00	5	2.28E-03
787	787	1.7E+00	5	2.49E-03
788	788	1.9E+00	5	2.76E-03
789	789	2.1E+00	5	3.06E-03
790	790	2.3E+00	5	3.41E-03
791	791	2.6E+00	5	3.81E-03
792	792	2.8E+00	5	4.21E-03
793	793	3.1E+00	5	4.64E-03
794	794	3.4E+00	5	5.05E-03
795	795	3.7E+00	5	5.45E-03
796	796	3.9E+00	5	5.82E-03
797	797	4.2E+00	5	6.17E-03
798	798	4.4E+00	5	6.46E-03
799	799	4.5E+00	5	6.71E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
800	800	4.7E+00	5	6.93E-03
801	801	4.8E+00	5	7.10E-03
802	802	4.9E+00	5	7.24E-03
803	803	5.0E+00	5	7.36E-03
804	804	5.0E+00	5	7.44E-03
805	805	5.1E+00	5	7.50E-03
806	806	5.1E+00	5	7.54E-03
807	807	5.1E+00	5	7.56E-03
808	808	5.1E+00	5	7.57E-03
809	809	5.1E+00	5	7.56E-03
810	810	5.1E+00	5	7.53E-03
811	811	5.1E+00	5	7.49E-03
812	812	5.7E-01	5	8.41E-04
813	813	6.0E-01	5	8.84E-04
814	814	6.3E-01	5	9.32E-04
815	815	6.7E-01	5	9.86E-04
816	816	7.1E-01	5	1.05E-03
817	817	7.5E-01	5	1.11E-03
818	818	8.0E-01	5	1.18E-03
819	819	8.5E-01	5	1.26E-03
820	820	9.1E-01	5	1.35E-03
821	821	9.8E-01	5	1.45E-03
822	822	1.0E+00	5	1.55E-03
823	823	1.1E+00	5	1.68E-03
824	824	1.2E+00	5	1.81E-03
825	825	1.3E+00	5	1.96E-03
826	826	1.4E+00	5	2.13E-03
827	827	1.6E+00	5	2.32E-03
828	828	1.7E+00	5	2.55E-03
829	829	1.9E+00	5	2.81E-03
830	830	2.1E+00	5	3.11E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
831	831	2.3E+00	5	3.44E-03
832	832	2.6E+00	5	3.79E-03
833	833	2.8E+00	5	4.13E-03
834	834	3.0E+00	5	4.49E-03
835	835	3.3E+00	5	4.83E-03
836	836	3.5E+00	5	5.16E-03
837	837	3.7E+00	5	5.45E-03
838	838	3.9E+00	5	5.72E-03
839	839	4.0E+00	5	5.95E-03
840	840	4.1E+00	5	6.15E-03
841	841	4.3E+00	5	6.32E-03
842	842	4.4E+00	5	6.45E-03
843	843	4.4E+00	5	6.56E-03
844	844	4.5E+00	5	6.64E-03
845	845	4.5E+00	5	6.71E-03
846	846	4.6E+00	5	6.75E-03
847	847	4.6E+00	5	6.77E-03
848	848	4.6E+00	5	6.78E-03
849	849	4.6E+00	5	6.77E-03
850	850	4.6E+00	5	6.75E-03
851	851	4.5E+00	5	6.72E-03
852	852	5.5E-01	5	8.08E-04
853	853	5.7E-01	5	8.48E-04
854	854	6.0E-01	5	8.92E-04
855	855	6.4E-01	5	9.43E-04
856	856	6.7E-01	5	9.99E-04
857	857	7.2E-01	5	1.06E-03
858	858	7.6E-01	5	1.13E-03
859	859	8.1E-01	5	1.20E-03
860	860	8.6E-01	5	1.28E-03
861	861	9.2E-01	5	1.37E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
862	862	9.9E-01	5	1.46E-03
863	863	1.1E+00	5	1.57E-03
864	864	1.1E+00	5	1.70E-03
865	865	1.2E+00	5	1.84E-03
866	866	1.3E+00	5	1.99E-03
867	867	1.5E+00	5	2.17E-03
868	868	1.6E+00	5	2.36E-03
869	869	1.7E+00	5	2.59E-03
870	870	1.9E+00	5	2.84E-03
871	871	2.1E+00	5	3.13E-03
872	872	2.3E+00	5	3.41E-03
873	873	2.5E+00	5	3.72E-03
874	874	2.7E+00	5	4.01E-03
875	875	2.9E+00	5	4.31E-03
876	876	3.1E+00	5	4.59E-03
877	877	3.3E+00	5	4.86E-03
878	878	3.4E+00	5	5.10E-03
879	879	3.6E+00	5	5.32E-03
880	880	3.7E+00	5	5.51E-03
881	881	3.8E+00	5	5.66E-03
882	882	3.9E+00	5	5.79E-03
883	883	4.0E+00	5	5.89E-03
884	884	4.0E+00	5	5.97E-03
885	885	4.1E+00	5	6.03E-03
886	886	4.1E+00	5	6.07E-03
887	887	4.1E+00	5	6.10E-03
888	888	4.1E+00	5	6.11E-03
889	889	4.1E+00	5	6.11E-03
890	890	4.1E+00	5	6.09E-03
891	891	4.1E+00	5	6.06E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	5.02E-03	6.6E-02	6.05E-04	4.00E-05	1.59E+00	4.71E-02	2.99E-06	1.0E+06	3.0E+00
522	13.42671	5.02E-03	6.7E-02	6.05E-04	4.08E-05	1.59E+00	4.71E-02	3.05E-06	1.0E+06	3.1E+00
523	16.26152	5.02E-03	8.2E-02	6.05E-04	4.94E-05	1.59E+00	4.71E-02	3.70E-06	1.0E+06	3.7E+00
524	13.55962	5.02E-03	6.8E-02	6.05E-04	4.12E-05	1.59E+00	4.71E-02	3.08E-06	1.0E+06	3.1E+00
525	13.41509	5.02E-03	6.7E-02	6.05E-04	4.08E-05	1.59E+00	4.71E-02	3.05E-06	1.0E+06	3.1E+00
526	13.62851	5.02E-03	6.8E-02	6.05E-04	4.14E-05	1.59E+00	4.71E-02	3.10E-06	1.0E+06	3.1E+00
527	16.3735	5.02E-03	8.2E-02	6.05E-04	4.98E-05	1.59E+00	4.71E-02	3.72E-06	1.0E+06	3.7E+00
528	13.61294	5.02E-03	6.8E-02	6.05E-04	4.14E-05	1.59E+00	4.71E-02	3.10E-06	1.0E+06	3.1E+00
529	13.39753	5.02E-03	6.7E-02	6.05E-04	4.07E-05	1.59E+00	4.71E-02	3.05E-06	1.0E+06	3.0E+00
530	13.5313	5.02E-03	6.8E-02	6.05E-04	4.11E-05	1.59E+00	4.71E-02	3.08E-06	1.0E+06	3.1E+00
531	16.18516	5.02E-03	8.1E-02	6.05E-04	4.92E-05	1.59E+00	4.71E-02	3.68E-06	1.0E+06	3.7E+00
532	1.06064	5.02E-03	5.3E-03	6.05E-04	3.22E-06	1.59E+00	4.71E-02	2.41E-07	1.0E+06	2.4E-01
533	1.12869	5.02E-03	5.7E-03	6.05E-04	3.43E-06	1.59E+00	4.71E-02	2.57E-07	1.0E+06	2.6E-01
534	1.20356	5.02E-03	6.0E-03	6.05E-04	3.66E-06	1.59E+00	4.71E-02	2.74E-07	1.0E+06	2.7E-01
535	1.28482	5.02E-03	6.5E-03	6.05E-04	3.91E-06	1.59E+00	4.71E-02	2.92E-07	1.0E+06	2.9E-01
536	1.37567	5.02E-03	6.9E-03	6.05E-04	4.18E-06	1.59E+00	4.71E-02	3.13E-07	1.0E+06	3.1E-01
537	1.47718	5.02E-03	7.4E-03	6.05E-04	4.49E-06	1.59E+00	4.71E-02	3.36E-07	1.0E+06	3.4E-01
538	1.59013	5.02E-03	8.0E-03	6.05E-04	4.83E-06	1.59E+00	4.71E-02	3.62E-07	1.0E+06	3.6E-01
539	1.72154	5.02E-03	8.7E-03	6.05E-04	5.23E-06	1.59E+00	4.71E-02	3.91E-07	1.0E+06	3.9E-01
540	1.8733	5.02E-03	9.4E-03	6.05E-04	5.70E-06	1.59E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
541	2.05003	5.02E-03	1.0E-02	6.05E-04	6.23E-06	1.59E+00	4.71E-02	4.66E-07	1.0E+06	4.7E-01
542	2.25442	5.02E-03	1.1E-02	6.05E-04	6.85E-06	1.59E+00	4.71E-02	5.13E-07	1.0E+06	5.1E-01
543	2.49287	5.02E-03	1.3E-02	6.05E-04	7.58E-06	1.59E+00	4.71E-02	5.67E-07	1.0E+06	5.7E-01
544	2.77968	5.02E-03	1.4E-02	6.05E-04	8.45E-06	1.59E+00	4.71E-02	6.32E-07	1.0E+06	6.3E-01
545	3.11924	5.02E-03	1.6E-02	6.05E-04	9.48E-06	1.59E+00	4.71E-02	7.09E-07	1.0E+06	7.1E-01
546	3.53809	5.02E-03	1.8E-02	6.05E-04	1.08E-05	1.59E+00	4.71E-02	8.05E-07	1.0E+06	8.0E-01
547	4.06193	5.02E-03	2.0E-02	6.05E-04	1.23E-05	1.59E+00	4.71E-02	9.24E-07	1.0E+06	9.2E-01
548	4.73759	5.02E-03	2.4E-02	6.05E-04	1.44E-05	1.59E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
549	5.62222	5.02E-03	2.8E-02	6.05E-04	1.71E-05	1.59E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
550	6.77661	5.02E-03	3.4E-02	6.05E-04	2.06E-05	1.59E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
551	8.20231	5.02E-03	4.1E-02	6.05E-04	2.49E-05	1.59E+00	4.71E-02	1.87E-06	1.0E+06	1.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	5.02E-03	4.9E-02	6.05E-04	2.98E-05	1.59E+00	4.71E-02	2.23E-06	1.0E+06	2.2E+00
553	8.04055	5.02E-03	4.0E-02	6.05E-04	2.44E-05	1.59E+00	4.71E-02	1.83E-06	1.0E+06	1.8E+00
554	12.82783	5.02E-03	6.4E-02	6.05E-04	3.90E-05	1.59E+00	4.71E-02	2.92E-06	1.0E+06	2.9E+00
555	14.09872	5.02E-03	7.1E-02	6.05E-04	4.29E-05	1.59E+00	4.71E-02	3.21E-06	1.0E+06	3.2E+00
556	15.24682	5.02E-03	7.7E-02	6.05E-04	4.64E-05	1.59E+00	4.71E-02	3.47E-06	1.0E+06	3.5E+00
557	12.89666	5.02E-03	6.5E-02	6.05E-04	3.92E-05	1.59E+00	4.71E-02	2.93E-06	1.0E+06	2.9E+00
558	13.02033	5.02E-03	6.5E-02	6.05E-04	3.96E-05	1.59E+00	4.71E-02	2.96E-06	1.0E+06	3.0E+00
559	13.29197	5.02E-03	6.7E-02	6.05E-04	4.04E-05	1.59E+00	4.71E-02	3.02E-06	1.0E+06	3.0E+00
560	13.87535	5.02E-03	7.0E-02	6.05E-04	4.22E-05	1.59E+00	4.71E-02	3.16E-06	1.0E+06	3.2E+00
561	11.36418	5.02E-03	5.7E-02	6.05E-04	3.46E-05	1.59E+00	4.71E-02	2.58E-06	1.0E+06	2.6E+00
562	14.14145	5.02E-03	7.1E-02	6.05E-04	4.30E-05	1.59E+00	4.71E-02	3.22E-06	1.0E+06	3.2E+00
563	13.97398	5.02E-03	7.0E-02	6.05E-04	4.25E-05	1.59E+00	4.71E-02	3.18E-06	1.0E+06	3.2E+00
564	14.31429	5.02E-03	7.2E-02	6.05E-04	4.35E-05	1.59E+00	4.71E-02	3.25E-06	1.0E+06	3.3E+00
565	11.68449	5.02E-03	5.9E-02	6.05E-04	3.55E-05	1.59E+00	4.71E-02	2.66E-06	1.0E+06	2.7E+00
566	14.33447	5.02E-03	7.2E-02	6.05E-04	4.36E-05	1.59E+00	4.71E-02	3.26E-06	1.0E+06	3.3E+00
567	14.10794	5.02E-03	7.1E-02	6.05E-04	4.29E-05	1.59E+00	4.71E-02	3.21E-06	1.0E+06	3.2E+00
568	14.3734	5.02E-03	7.2E-02	6.05E-04	4.37E-05	1.59E+00	4.71E-02	3.27E-06	1.0E+06	3.3E+00
569	11.67986	5.02E-03	5.9E-02	6.05E-04	3.55E-05	1.59E+00	4.71E-02	2.66E-06	1.0E+06	2.7E+00
570	14.24165	5.02E-03	7.2E-02	6.05E-04	4.33E-05	1.59E+00	4.71E-02	3.24E-06	1.0E+06	3.2E+00
571	13.93759	5.02E-03	7.0E-02	6.05E-04	4.24E-05	1.59E+00	4.71E-02	3.17E-06	1.0E+06	3.2E+00
572	1.03466	5.02E-03	5.2E-03	6.05E-04	3.15E-06	1.59E+00	4.71E-02	2.35E-07	1.0E+06	2.4E-01
573	1.10194	5.02E-03	5.5E-03	6.05E-04	3.35E-06	1.59E+00	4.71E-02	2.51E-07	1.0E+06	2.5E-01
574	1.17546	5.02E-03	5.9E-03	6.05E-04	3.57E-06	1.59E+00	4.71E-02	2.67E-07	1.0E+06	2.7E-01
575	1.25335	5.02E-03	6.3E-03	6.05E-04	3.81E-06	1.59E+00	4.71E-02	2.85E-07	1.0E+06	2.8E-01
576	1.34	5.02E-03	6.7E-03	6.05E-04	4.07E-06	1.59E+00	4.71E-02	3.05E-07	1.0E+06	3.0E-01
577	1.43451	5.02E-03	7.2E-03	6.05E-04	4.36E-06	1.59E+00	4.71E-02	3.26E-07	1.0E+06	3.3E-01
578	1.53878	5.02E-03	7.7E-03	6.05E-04	4.68E-06	1.59E+00	4.71E-02	3.50E-07	1.0E+06	3.5E-01
579	1.65936	5.02E-03	8.3E-03	6.05E-04	5.05E-06	1.59E+00	4.71E-02	3.77E-07	1.0E+06	3.8E-01
580	1.80491	5.02E-03	9.1E-03	6.05E-04	5.49E-06	1.59E+00	4.71E-02	4.10E-07	1.0E+06	4.1E-01
581	1.96968	5.02E-03	9.9E-03	6.05E-04	5.99E-06	1.59E+00	4.71E-02	4.48E-07	1.0E+06	4.5E-01
582	2.16146	5.02E-03	1.1E-02	6.05E-04	6.57E-06	1.59E+00	4.71E-02	4.91E-07	1.0E+06	4.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	5.02E-03	1.2E-02	6.05E-04	7.25E-06	1.59E+00	4.71E-02	5.42E-07	1.0E+06	5.4E-01
584	2.64683	5.02E-03	1.3E-02	6.05E-04	8.05E-06	1.59E+00	4.71E-02	6.02E-07	1.0E+06	6.0E-01
585	2.95313	5.02E-03	1.5E-02	6.05E-04	8.98E-06	1.59E+00	4.71E-02	6.72E-07	1.0E+06	6.7E-01
586	3.32209	5.02E-03	1.7E-02	6.05E-04	1.01E-05	1.59E+00	4.71E-02	7.55E-07	1.0E+06	7.6E-01
587	3.77754	5.02E-03	1.9E-02	6.05E-04	1.15E-05	1.59E+00	4.71E-02	8.59E-07	1.0E+06	8.6E-01
588	4.3458	5.02E-03	2.2E-02	6.05E-04	1.32E-05	1.59E+00	4.71E-02	9.88E-07	1.0E+06	9.9E-01
589	5.06316	5.02E-03	2.5E-02	6.05E-04	1.54E-05	1.59E+00	4.71E-02	1.15E-06	1.0E+06	1.2E+00
590	5.95537	5.02E-03	3.0E-02	6.05E-04	1.81E-05	1.59E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
591	7.01638	5.02E-03	3.5E-02	6.05E-04	2.13E-05	1.59E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
592	8.18332	5.02E-03	4.1E-02	6.05E-04	2.49E-05	1.59E+00	4.71E-02	1.86E-06	1.0E+06	1.9E+00
593	9.36805	5.02E-03	4.7E-02	6.05E-04	2.85E-05	1.59E+00	4.71E-02	2.13E-06	1.0E+06	2.1E+00
594	10.48234	5.02E-03	5.3E-02	6.05E-04	3.19E-05	1.59E+00	4.71E-02	2.38E-06	1.0E+06	2.4E+00
595	11.50388	5.02E-03	5.8E-02	6.05E-04	3.50E-05	1.59E+00	4.71E-02	2.62E-06	1.0E+06	2.6E+00
596	12.42412	5.02E-03	6.2E-02	6.05E-04	3.78E-05	1.59E+00	4.71E-02	2.83E-06	1.0E+06	2.8E+00
597	13.24333	5.02E-03	6.7E-02	6.05E-04	4.03E-05	1.59E+00	4.71E-02	3.01E-06	1.0E+06	3.0E+00
598	13.90912	5.02E-03	7.0E-02	6.05E-04	4.23E-05	1.59E+00	4.71E-02	3.16E-06	1.0E+06	3.2E+00
599	14.36838	5.02E-03	7.2E-02	6.05E-04	4.37E-05	1.59E+00	4.71E-02	3.27E-06	1.0E+06	3.3E+00
600	14.66246	5.02E-03	7.4E-02	6.05E-04	4.46E-05	1.59E+00	4.71E-02	3.33E-06	1.0E+06	3.3E+00
601	14.85988	5.02E-03	7.5E-02	6.05E-04	4.52E-05	1.59E+00	4.71E-02	3.38E-06	1.0E+06	3.4E+00
602	15.00029	5.02E-03	7.5E-02	6.05E-04	4.56E-05	1.59E+00	4.71E-02	3.41E-06	1.0E+06	3.4E+00
603	15.09006	5.02E-03	7.6E-02	6.05E-04	4.59E-05	1.59E+00	4.71E-02	3.43E-06	1.0E+06	3.4E+00
604	15.14878	5.02E-03	7.6E-02	6.05E-04	4.61E-05	1.59E+00	4.71E-02	3.44E-06	1.0E+06	3.4E+00
605	15.17959	5.02E-03	7.6E-02	6.05E-04	4.62E-05	1.59E+00	4.71E-02	3.45E-06	1.0E+06	3.5E+00
606	15.21155	5.02E-03	7.6E-02	6.05E-04	4.62E-05	1.59E+00	4.71E-02	3.46E-06	1.0E+06	3.5E+00
607	15.21847	5.02E-03	7.6E-02	6.05E-04	4.63E-05	1.59E+00	4.71E-02	3.46E-06	1.0E+06	3.5E+00
608	15.19797	5.02E-03	7.6E-02	6.05E-04	4.62E-05	1.59E+00	4.71E-02	3.46E-06	1.0E+06	3.5E+00
609	15.15562	5.02E-03	7.6E-02	6.05E-04	4.61E-05	1.59E+00	4.71E-02	3.45E-06	1.0E+06	3.4E+00
610	15.11091	5.02E-03	7.6E-02	6.05E-04	4.59E-05	1.59E+00	4.71E-02	3.44E-06	1.0E+06	3.4E+00
611	15.04171	5.02E-03	7.6E-02	6.05E-04	4.57E-05	1.59E+00	4.71E-02	3.42E-06	1.0E+06	3.4E+00
612	1.00789	5.02E-03	5.1E-03	6.05E-04	3.06E-06	1.59E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
613	1.07444	5.02E-03	5.4E-03	6.05E-04	3.27E-06	1.59E+00	4.71E-02	2.44E-07	1.0E+06	2.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	5.02E-03	5.8E-03	6.05E-04	3.49E-06	1.59E+00	4.71E-02	2.61E-07	1.0E+06	2.6E-01
615	1.22081	5.02E-03	6.1E-03	6.05E-04	3.71E-06	1.59E+00	4.71E-02	2.78E-07	1.0E+06	2.8E-01
616	1.30327	5.02E-03	6.5E-03	6.05E-04	3.96E-06	1.59E+00	4.71E-02	2.96E-07	1.0E+06	3.0E-01
617	1.39136	5.02E-03	7.0E-03	6.05E-04	4.23E-06	1.59E+00	4.71E-02	3.16E-07	1.0E+06	3.2E-01
618	1.48675	5.02E-03	7.5E-03	6.05E-04	4.52E-06	1.59E+00	4.71E-02	3.38E-07	1.0E+06	3.4E-01
619	1.59425	5.02E-03	8.0E-03	6.05E-04	4.85E-06	1.59E+00	4.71E-02	3.63E-07	1.0E+06	3.6E-01
620	1.72719	5.02E-03	8.7E-03	6.05E-04	5.25E-06	1.59E+00	4.71E-02	3.93E-07	1.0E+06	3.9E-01
621	1.88709	5.02E-03	9.5E-03	6.05E-04	5.74E-06	1.59E+00	4.71E-02	4.29E-07	1.0E+06	4.3E-01
622	2.06451	5.02E-03	1.0E-02	6.05E-04	6.28E-06	1.59E+00	4.71E-02	4.69E-07	1.0E+06	4.7E-01
623	2.27045	5.02E-03	1.1E-02	6.05E-04	6.90E-06	1.59E+00	4.71E-02	5.16E-07	1.0E+06	5.2E-01
624	2.51142	5.02E-03	1.3E-02	6.05E-04	7.64E-06	1.59E+00	4.71E-02	5.71E-07	1.0E+06	5.7E-01
625	2.78618	5.02E-03	1.4E-02	6.05E-04	8.47E-06	1.59E+00	4.71E-02	6.34E-07	1.0E+06	6.3E-01
626	3.11158	5.02E-03	1.6E-02	6.05E-04	9.46E-06	1.59E+00	4.71E-02	7.08E-07	1.0E+06	7.1E-01
627	3.50447	5.02E-03	1.8E-02	6.05E-04	1.07E-05	1.59E+00	4.71E-02	7.97E-07	1.0E+06	8.0E-01
628	3.98435	5.02E-03	2.0E-02	6.05E-04	1.21E-05	1.59E+00	4.71E-02	9.06E-07	1.0E+06	9.1E-01
629	4.56893	5.02E-03	2.3E-02	6.05E-04	1.39E-05	1.59E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
630	5.27449	5.02E-03	2.7E-02	6.05E-04	1.60E-05	1.59E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
631	6.08982	5.02E-03	3.1E-02	6.05E-04	1.85E-05	1.59E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
632	6.98008	5.02E-03	3.5E-02	6.05E-04	2.12E-05	1.59E+00	4.71E-02	1.59E-06	1.0E+06	1.6E+00
633	7.89728	5.02E-03	4.0E-02	6.05E-04	2.40E-05	1.59E+00	4.71E-02	1.80E-06	1.0E+06	1.8E+00
634	8.7815	5.02E-03	4.4E-02	6.05E-04	2.67E-05	1.59E+00	4.71E-02	2.00E-06	1.0E+06	2.0E+00
635	9.60354	5.02E-03	4.8E-02	6.05E-04	2.92E-05	1.59E+00	4.71E-02	2.18E-06	1.0E+06	2.2E+00
636	10.35005	5.02E-03	5.2E-02	6.05E-04	3.15E-05	1.59E+00	4.71E-02	2.35E-06	1.0E+06	2.4E+00
637	11.00384	5.02E-03	5.5E-02	6.05E-04	3.35E-05	1.59E+00	4.71E-02	2.50E-06	1.0E+06	2.5E+00
638	11.54147	5.02E-03	5.8E-02	6.05E-04	3.51E-05	1.59E+00	4.71E-02	2.62E-06	1.0E+06	2.6E+00
639	11.94826	5.02E-03	6.0E-02	6.05E-04	3.63E-05	1.59E+00	4.71E-02	2.72E-06	1.0E+06	2.7E+00
640	12.23382	5.02E-03	6.1E-02	6.05E-04	3.72E-05	1.59E+00	4.71E-02	2.78E-06	1.0E+06	2.8E+00
641	12.43817	5.02E-03	6.2E-02	6.05E-04	3.78E-05	1.59E+00	4.71E-02	2.83E-06	1.0E+06	2.8E+00
642	12.5835	5.02E-03	6.3E-02	6.05E-04	3.83E-05	1.59E+00	4.71E-02	2.86E-06	1.0E+06	2.9E+00
643	12.6861	5.02E-03	6.4E-02	6.05E-04	3.86E-05	1.59E+00	4.71E-02	2.88E-06	1.0E+06	2.9E+00
644	12.7652	5.02E-03	6.4E-02	6.05E-04	3.88E-05	1.59E+00	4.71E-02	2.90E-06	1.0E+06	2.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	5.02E-03	6.4E-02	6.05E-04	3.90E-05	1.59E+00	4.71E-02	2.91E-06	1.0E+06	2.9E+00
646	12.83596	5.02E-03	6.4E-02	6.05E-04	3.90E-05	1.59E+00	4.71E-02	2.92E-06	1.0E+06	2.9E+00
647	12.84298	5.02E-03	6.5E-02	6.05E-04	3.90E-05	1.59E+00	4.71E-02	2.92E-06	1.0E+06	2.9E+00
648	12.83467	5.02E-03	6.4E-02	6.05E-04	3.90E-05	1.59E+00	4.71E-02	2.92E-06	1.0E+06	2.9E+00
649	12.80559	5.02E-03	6.4E-02	6.05E-04	3.89E-05	1.59E+00	4.71E-02	2.91E-06	1.0E+06	2.9E+00
650	12.75963	5.02E-03	6.4E-02	6.05E-04	3.88E-05	1.59E+00	4.71E-02	2.90E-06	1.0E+06	2.9E+00
651	12.69539	5.02E-03	6.4E-02	6.05E-04	3.86E-05	1.59E+00	4.71E-02	2.89E-06	1.0E+06	2.9E+00
652	0.97402	5.02E-03	4.9E-03	6.05E-04	2.96E-06	1.59E+00	4.71E-02	2.21E-07	1.0E+06	2.2E-01
653	1.03573	5.02E-03	5.2E-03	6.05E-04	3.15E-06	1.59E+00	4.71E-02	2.36E-07	1.0E+06	2.4E-01
654	1.1025	5.02E-03	5.5E-03	6.05E-04	3.35E-06	1.59E+00	4.71E-02	2.51E-07	1.0E+06	2.5E-01
655	1.17235	5.02E-03	5.9E-03	6.05E-04	3.56E-06	1.59E+00	4.71E-02	2.67E-07	1.0E+06	2.7E-01
656	1.24971	5.02E-03	6.3E-03	6.05E-04	3.80E-06	1.59E+00	4.71E-02	2.84E-07	1.0E+06	2.8E-01
657	1.33283	5.02E-03	6.7E-03	6.05E-04	4.05E-06	1.59E+00	4.71E-02	3.03E-07	1.0E+06	3.0E-01
658	1.42351	5.02E-03	7.2E-03	6.05E-04	4.33E-06	1.59E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01
659	1.52535	5.02E-03	7.7E-03	6.05E-04	4.64E-06	1.59E+00	4.71E-02	3.47E-07	1.0E+06	3.5E-01
660	1.64887	5.02E-03	8.3E-03	6.05E-04	5.01E-06	1.59E+00	4.71E-02	3.75E-07	1.0E+06	3.7E-01
661	1.78831	5.02E-03	9.0E-03	6.05E-04	5.44E-06	1.59E+00	4.71E-02	4.07E-07	1.0E+06	4.1E-01
662	1.95291	5.02E-03	9.8E-03	6.05E-04	5.94E-06	1.59E+00	4.71E-02	4.44E-07	1.0E+06	4.4E-01
663	2.14059	5.02E-03	1.1E-02	6.05E-04	6.51E-06	1.59E+00	4.71E-02	4.87E-07	1.0E+06	4.9E-01
664	2.35977	5.02E-03	1.2E-02	6.05E-04	7.17E-06	1.59E+00	4.71E-02	5.37E-07	1.0E+06	5.4E-01
665	2.59747	5.02E-03	1.3E-02	6.05E-04	7.90E-06	1.59E+00	4.71E-02	5.91E-07	1.0E+06	5.9E-01
666	2.8754	5.02E-03	1.4E-02	6.05E-04	8.74E-06	1.59E+00	4.71E-02	6.54E-07	1.0E+06	6.5E-01
667	3.21769	5.02E-03	1.6E-02	6.05E-04	9.78E-06	1.59E+00	4.71E-02	7.32E-07	1.0E+06	7.3E-01
668	3.61969	5.02E-03	1.8E-02	6.05E-04	1.10E-05	1.59E+00	4.71E-02	8.23E-07	1.0E+06	8.2E-01
669	4.10847	5.02E-03	2.1E-02	6.05E-04	1.25E-05	1.59E+00	4.71E-02	9.34E-07	1.0E+06	9.3E-01
670	4.68552	5.02E-03	2.4E-02	6.05E-04	1.42E-05	1.59E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
671	5.33428	5.02E-03	2.7E-02	6.05E-04	1.62E-05	1.59E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
672	6.04383	5.02E-03	3.0E-02	6.05E-04	1.84E-05	1.59E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
673	6.77602	5.02E-03	3.4E-02	6.05E-04	2.06E-05	1.59E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
674	7.4948	5.02E-03	3.8E-02	6.05E-04	2.28E-05	1.59E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
675	8.16492	5.02E-03	4.1E-02	6.05E-04	2.48E-05	1.59E+00	4.71E-02	1.86E-06	1.0E+06	1.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	5.02E-03	4.4E-02	6.05E-04	2.67E-05	1.59E+00	4.71E-02	2.00E-06	1.0E+06	2.0E+00
677	9.32065	5.02E-03	4.7E-02	6.05E-04	2.83E-05	1.59E+00	4.71E-02	2.12E-06	1.0E+06	2.1E+00
678	9.77043	5.02E-03	4.9E-02	6.05E-04	2.97E-05	1.59E+00	4.71E-02	2.22E-06	1.0E+06	2.2E+00
679	10.12687	5.02E-03	5.1E-02	6.05E-04	3.08E-05	1.59E+00	4.71E-02	2.30E-06	1.0E+06	2.3E+00
680	10.39762	5.02E-03	5.2E-02	6.05E-04	3.16E-05	1.59E+00	4.71E-02	2.36E-06	1.0E+06	2.4E+00
681	10.5989	5.02E-03	5.3E-02	6.05E-04	3.22E-05	1.59E+00	4.71E-02	2.41E-06	1.0E+06	2.4E+00
682	10.7487	5.02E-03	5.4E-02	6.05E-04	3.27E-05	1.59E+00	4.71E-02	2.44E-06	1.0E+06	2.4E+00
683	10.85911	5.02E-03	5.5E-02	6.05E-04	3.30E-05	1.59E+00	4.71E-02	2.47E-06	1.0E+06	2.5E+00
684	10.9435	5.02E-03	5.5E-02	6.05E-04	3.33E-05	1.59E+00	4.71E-02	2.49E-06	1.0E+06	2.5E+00
685	10.99739	5.02E-03	5.5E-02	6.05E-04	3.34E-05	1.59E+00	4.71E-02	2.50E-06	1.0E+06	2.5E+00
686	11.02399	5.02E-03	5.5E-02	6.05E-04	3.35E-05	1.59E+00	4.71E-02	2.51E-06	1.0E+06	2.5E+00
687	11.03343	5.02E-03	5.5E-02	6.05E-04	3.35E-05	1.59E+00	4.71E-02	2.51E-06	1.0E+06	2.5E+00
688	11.03012	5.02E-03	5.5E-02	6.05E-04	3.35E-05	1.59E+00	4.71E-02	2.51E-06	1.0E+06	2.5E+00
689	11.00788	5.02E-03	5.5E-02	6.05E-04	3.35E-05	1.59E+00	4.71E-02	2.50E-06	1.0E+06	2.5E+00
690	10.96701	5.02E-03	5.5E-02	6.05E-04	3.33E-05	1.59E+00	4.71E-02	2.49E-06	1.0E+06	2.5E+00
691	10.90924	5.02E-03	5.5E-02	6.05E-04	3.32E-05	1.59E+00	4.71E-02	2.48E-06	1.0E+06	2.5E+00
692	0.93901	5.02E-03	4.7E-03	6.05E-04	2.85E-06	1.59E+00	4.71E-02	2.14E-07	1.0E+06	2.1E-01
693	0.99508	5.02E-03	5.0E-03	6.05E-04	3.03E-06	1.59E+00	4.71E-02	2.26E-07	1.0E+06	2.3E-01
694	1.05612	5.02E-03	5.3E-03	6.05E-04	3.21E-06	1.59E+00	4.71E-02	2.40E-07	1.0E+06	2.4E-01
695	1.12167	5.02E-03	5.6E-03	6.05E-04	3.41E-06	1.59E+00	4.71E-02	2.55E-07	1.0E+06	2.6E-01
696	1.19382	5.02E-03	6.0E-03	6.05E-04	3.63E-06	1.59E+00	4.71E-02	2.71E-07	1.0E+06	2.7E-01
697	1.27273	5.02E-03	6.4E-03	6.05E-04	3.87E-06	1.59E+00	4.71E-02	2.89E-07	1.0E+06	2.9E-01
698	1.35929	5.02E-03	6.8E-03	6.05E-04	4.13E-06	1.59E+00	4.71E-02	3.09E-07	1.0E+06	3.1E-01
699	1.45608	5.02E-03	7.3E-03	6.05E-04	4.43E-06	1.59E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
700	1.57018	5.02E-03	7.9E-03	6.05E-04	4.77E-06	1.59E+00	4.71E-02	3.57E-07	1.0E+06	3.6E-01
701	1.69898	5.02E-03	8.5E-03	6.05E-04	5.17E-06	1.59E+00	4.71E-02	3.86E-07	1.0E+06	3.9E-01
702	1.84319	5.02E-03	9.3E-03	6.05E-04	5.60E-06	1.59E+00	4.71E-02	4.19E-07	1.0E+06	4.2E-01
703	2.00569	5.02E-03	1.0E-02	6.05E-04	6.10E-06	1.59E+00	4.71E-02	4.56E-07	1.0E+06	4.6E-01
704	2.20067	5.02E-03	1.1E-02	6.05E-04	6.69E-06	1.59E+00	4.71E-02	5.00E-07	1.0E+06	5.0E-01
705	2.41372	5.02E-03	1.2E-02	6.05E-04	7.34E-06	1.59E+00	4.71E-02	5.49E-07	1.0E+06	5.5E-01
706	2.65164	5.02E-03	1.3E-02	6.05E-04	8.06E-06	1.59E+00	4.71E-02	6.03E-07	1.0E+06	6.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	5.02E-03	1.5E-02	6.05E-04	8.94E-06	1.59E+00	4.71E-02	6.69E-07	1.0E+06	6.7E-01
708	3.2896	5.02E-03	1.7E-02	6.05E-04	1.00E-05	1.59E+00	4.71E-02	7.48E-07	1.0E+06	7.5E-01
709	3.68826	5.02E-03	1.9E-02	6.05E-04	1.12E-05	1.59E+00	4.71E-02	8.39E-07	1.0E+06	8.4E-01
710	4.18126	5.02E-03	2.1E-02	6.05E-04	1.27E-05	1.59E+00	4.71E-02	9.51E-07	1.0E+06	9.5E-01
711	4.72232	5.02E-03	2.4E-02	6.05E-04	1.44E-05	1.59E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
712	5.29922	5.02E-03	2.7E-02	6.05E-04	1.61E-05	1.59E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
713	5.90104	5.02E-03	3.0E-02	6.05E-04	1.79E-05	1.59E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
714	6.49482	5.02E-03	3.3E-02	6.05E-04	1.97E-05	1.59E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
715	7.05396	5.02E-03	3.5E-02	6.05E-04	2.14E-05	1.59E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
716	7.56531	5.02E-03	3.8E-02	6.05E-04	2.30E-05	1.59E+00	4.71E-02	1.72E-06	1.0E+06	1.7E+00
717	8.02268	5.02E-03	4.0E-02	6.05E-04	2.44E-05	1.59E+00	4.71E-02	1.82E-06	1.0E+06	1.8E+00
718	8.402	5.02E-03	4.2E-02	6.05E-04	2.55E-05	1.59E+00	4.71E-02	1.91E-06	1.0E+06	1.9E+00
719	8.71664	5.02E-03	4.4E-02	6.05E-04	2.65E-05	1.59E+00	4.71E-02	1.98E-06	1.0E+06	2.0E+00
720	8.96577	5.02E-03	4.5E-02	6.05E-04	2.73E-05	1.59E+00	4.71E-02	2.04E-06	1.0E+06	2.0E+00
721	9.16053	5.02E-03	4.6E-02	6.05E-04	2.79E-05	1.59E+00	4.71E-02	2.08E-06	1.0E+06	2.1E+00
722	9.30962	5.02E-03	4.7E-02	6.05E-04	2.83E-05	1.59E+00	4.71E-02	2.12E-06	1.0E+06	2.1E+00
723	9.42495	5.02E-03	4.7E-02	6.05E-04	2.87E-05	1.59E+00	4.71E-02	2.14E-06	1.0E+06	2.1E+00
724	9.51029	5.02E-03	4.8E-02	6.05E-04	2.89E-05	1.59E+00	4.71E-02	2.16E-06	1.0E+06	2.2E+00
725	9.56893	5.02E-03	4.8E-02	6.05E-04	2.91E-05	1.59E+00	4.71E-02	2.18E-06	1.0E+06	2.2E+00
726	9.59872	5.02E-03	4.8E-02	6.05E-04	2.92E-05	1.59E+00	4.71E-02	2.18E-06	1.0E+06	2.2E+00
727	9.61129	5.02E-03	4.8E-02	6.05E-04	2.92E-05	1.59E+00	4.71E-02	2.19E-06	1.0E+06	2.2E+00
728	9.61105	5.02E-03	4.8E-02	6.05E-04	2.92E-05	1.59E+00	4.71E-02	2.19E-06	1.0E+06	2.2E+00
729	9.59379	5.02E-03	4.8E-02	6.05E-04	2.92E-05	1.59E+00	4.71E-02	2.18E-06	1.0E+06	2.2E+00
730	9.55865	5.02E-03	4.8E-02	6.05E-04	2.91E-05	1.59E+00	4.71E-02	2.17E-06	1.0E+06	2.2E+00
731	9.50715	5.02E-03	4.8E-02	6.05E-04	2.89E-05	1.59E+00	4.71E-02	2.16E-06	1.0E+06	2.2E+00
732	0.90373	5.02E-03	4.5E-03	6.05E-04	2.75E-06	1.59E+00	4.71E-02	2.05E-07	1.0E+06	2.1E-01
733	0.95396	5.02E-03	4.8E-03	6.05E-04	2.90E-06	1.59E+00	4.71E-02	2.17E-07	1.0E+06	2.2E-01
734	1.00909	5.02E-03	5.1E-03	6.05E-04	3.07E-06	1.59E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
735	1.07021	5.02E-03	5.4E-03	6.05E-04	3.25E-06	1.59E+00	4.71E-02	2.43E-07	1.0E+06	2.4E-01
736	1.13747	5.02E-03	5.7E-03	6.05E-04	3.46E-06	1.59E+00	4.71E-02	2.59E-07	1.0E+06	2.6E-01
737	1.212	5.02E-03	6.1E-03	6.05E-04	3.68E-06	1.59E+00	4.71E-02	2.76E-07	1.0E+06	2.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	5.02E-03	6.5E-03	6.05E-04	3.94E-06	1.59E+00	4.71E-02	2.95E-07	1.0E+06	2.9E-01
739	1.38707	5.02E-03	7.0E-03	6.05E-04	4.22E-06	1.59E+00	4.71E-02	3.15E-07	1.0E+06	3.2E-01
740	1.49283	5.02E-03	7.5E-03	6.05E-04	4.54E-06	1.59E+00	4.71E-02	3.39E-07	1.0E+06	3.4E-01
741	1.61098	5.02E-03	8.1E-03	6.05E-04	4.90E-06	1.59E+00	4.71E-02	3.66E-07	1.0E+06	3.7E-01
742	1.74199	5.02E-03	8.8E-03	6.05E-04	5.30E-06	1.59E+00	4.71E-02	3.96E-07	1.0E+06	4.0E-01
743	1.88714	5.02E-03	9.5E-03	6.05E-04	5.74E-06	1.59E+00	4.71E-02	4.29E-07	1.0E+06	4.3E-01
744	2.05276	5.02E-03	1.0E-02	6.05E-04	6.24E-06	1.59E+00	4.71E-02	4.67E-07	1.0E+06	4.7E-01
745	2.23004	5.02E-03	1.1E-02	6.05E-04	6.78E-06	1.59E+00	4.71E-02	5.07E-07	1.0E+06	5.1E-01
746	2.43234	5.02E-03	1.2E-02	6.05E-04	7.40E-06	1.59E+00	4.71E-02	5.53E-07	1.0E+06	5.5E-01
747	2.6707	5.02E-03	1.3E-02	6.05E-04	8.12E-06	1.59E+00	4.71E-02	6.07E-07	1.0E+06	6.1E-01
748	2.98706	5.02E-03	1.5E-02	6.05E-04	9.08E-06	1.59E+00	4.71E-02	6.79E-07	1.0E+06	6.8E-01
749	3.33587	5.02E-03	1.7E-02	6.05E-04	1.01E-05	1.59E+00	4.71E-02	7.59E-07	1.0E+06	7.6E-01
750	3.73979	5.02E-03	1.9E-02	6.05E-04	1.14E-05	1.59E+00	4.71E-02	8.50E-07	1.0E+06	8.5E-01
751	4.20311	5.02E-03	2.1E-02	6.05E-04	1.28E-05	1.59E+00	4.71E-02	9.56E-07	1.0E+06	9.6E-01
752	4.6967	5.02E-03	2.4E-02	6.05E-04	1.43E-05	1.59E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
753	5.19712	5.02E-03	2.6E-02	6.05E-04	1.58E-05	1.59E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
754	5.69529	5.02E-03	2.9E-02	6.05E-04	1.73E-05	1.59E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
755	6.16683	5.02E-03	3.1E-02	6.05E-04	1.87E-05	1.59E+00	4.71E-02	1.40E-06	1.0E+06	1.4E+00
756	6.59832	5.02E-03	3.3E-02	6.05E-04	2.01E-05	1.59E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
757	6.9913	5.02E-03	3.5E-02	6.05E-04	2.13E-05	1.59E+00	4.71E-02	1.59E-06	1.0E+06	1.6E+00
758	7.31882	5.02E-03	3.7E-02	6.05E-04	2.23E-05	1.59E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
759	7.59358	5.02E-03	3.8E-02	6.05E-04	2.31E-05	1.59E+00	4.71E-02	1.73E-06	1.0E+06	1.7E+00
760	7.82378	5.02E-03	3.9E-02	6.05E-04	2.38E-05	1.59E+00	4.71E-02	1.78E-06	1.0E+06	1.8E+00
761	8.01055	5.02E-03	4.0E-02	6.05E-04	2.44E-05	1.59E+00	4.71E-02	1.82E-06	1.0E+06	1.8E+00
762	8.15512	5.02E-03	4.1E-02	6.05E-04	2.48E-05	1.59E+00	4.71E-02	1.85E-06	1.0E+06	1.9E+00
763	8.27036	5.02E-03	4.2E-02	6.05E-04	2.51E-05	1.59E+00	4.71E-02	1.88E-06	1.0E+06	1.9E+00
764	8.35543	5.02E-03	4.2E-02	6.05E-04	2.54E-05	1.59E+00	4.71E-02	1.90E-06	1.0E+06	1.9E+00
765	8.41653	5.02E-03	4.2E-02	6.05E-04	2.56E-05	1.59E+00	4.71E-02	1.91E-06	1.0E+06	1.9E+00
766	8.44946	5.02E-03	4.2E-02	6.05E-04	2.57E-05	1.59E+00	4.71E-02	1.92E-06	1.0E+06	1.9E+00
767	8.46498	5.02E-03	4.3E-02	6.05E-04	2.57E-05	1.59E+00	4.71E-02	1.92E-06	1.0E+06	1.9E+00
768	8.46784	5.02E-03	4.3E-02	6.05E-04	2.57E-05	1.59E+00	4.71E-02	1.93E-06	1.0E+06	1.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	5.02E-03	4.2E-02	6.05E-04	2.57E-05	1.59E+00	4.71E-02	1.92E-06	1.0E+06	1.9E+00
770	8.42489	5.02E-03	4.2E-02	6.05E-04	2.56E-05	1.59E+00	4.71E-02	1.92E-06	1.0E+06	1.9E+00
771	8.37939	5.02E-03	4.2E-02	6.05E-04	2.55E-05	1.59E+00	4.71E-02	1.91E-06	1.0E+06	1.9E+00
772	0.87008	5.02E-03	4.4E-03	6.05E-04	2.65E-06	1.59E+00	4.71E-02	1.98E-07	1.0E+06	2.0E-01
773	0.9167	5.02E-03	4.6E-03	6.05E-04	2.79E-06	1.59E+00	4.71E-02	2.08E-07	1.0E+06	2.1E-01
774	0.9677	5.02E-03	4.9E-03	6.05E-04	2.94E-06	1.59E+00	4.71E-02	2.20E-07	1.0E+06	2.2E-01
775	1.0252	5.02E-03	5.2E-03	6.05E-04	3.12E-06	1.59E+00	4.71E-02	2.33E-07	1.0E+06	2.3E-01
776	1.08829	5.02E-03	5.5E-03	6.05E-04	3.31E-06	1.59E+00	4.71E-02	2.47E-07	1.0E+06	2.5E-01
777	1.158	5.02E-03	5.8E-03	6.05E-04	3.52E-06	1.59E+00	4.71E-02	2.63E-07	1.0E+06	2.6E-01
778	1.23498	5.02E-03	6.2E-03	6.05E-04	3.75E-06	1.59E+00	4.71E-02	2.81E-07	1.0E+06	2.8E-01
779	1.32031	5.02E-03	6.6E-03	6.05E-04	4.01E-06	1.59E+00	4.71E-02	3.00E-07	1.0E+06	3.0E-01
780	1.4163	5.02E-03	7.1E-03	6.05E-04	4.31E-06	1.59E+00	4.71E-02	3.22E-07	1.0E+06	3.2E-01
781	1.52369	5.02E-03	7.7E-03	6.05E-04	4.63E-06	1.59E+00	4.71E-02	3.46E-07	1.0E+06	3.5E-01
782	1.64239	5.02E-03	8.3E-03	6.05E-04	4.99E-06	1.59E+00	4.71E-02	3.73E-07	1.0E+06	3.7E-01
783	1.77466	5.02E-03	8.9E-03	6.05E-04	5.40E-06	1.59E+00	4.71E-02	4.04E-07	1.0E+06	4.0E-01
784	1.92428	5.02E-03	9.7E-03	6.05E-04	5.85E-06	1.59E+00	4.71E-02	4.38E-07	1.0E+06	4.4E-01
785	2.08609	5.02E-03	1.0E-02	6.05E-04	6.34E-06	1.59E+00	4.71E-02	4.74E-07	1.0E+06	4.7E-01
786	2.26894	5.02E-03	1.1E-02	6.05E-04	6.90E-06	1.59E+00	4.71E-02	5.16E-07	1.0E+06	5.2E-01
787	2.48215	5.02E-03	1.2E-02	6.05E-04	7.55E-06	1.59E+00	4.71E-02	5.64E-07	1.0E+06	5.6E-01
788	2.75097	5.02E-03	1.4E-02	6.05E-04	8.36E-06	1.59E+00	4.71E-02	6.26E-07	1.0E+06	6.3E-01
789	3.04965	5.02E-03	1.5E-02	6.05E-04	9.27E-06	1.59E+00	4.71E-02	6.93E-07	1.0E+06	6.9E-01
790	3.39516	5.02E-03	1.7E-02	6.05E-04	1.03E-05	1.59E+00	4.71E-02	7.72E-07	1.0E+06	7.7E-01
791	3.79037	5.02E-03	1.9E-02	6.05E-04	1.15E-05	1.59E+00	4.71E-02	8.62E-07	1.0E+06	8.6E-01
792	4.19023	5.02E-03	2.1E-02	6.05E-04	1.27E-05	1.59E+00	4.71E-02	9.53E-07	1.0E+06	9.5E-01
793	4.61325	5.02E-03	2.3E-02	6.05E-04	1.40E-05	1.59E+00	4.71E-02	1.05E-06	1.0E+06	1.0E+00
794	5.02437	5.02E-03	2.5E-02	6.05E-04	1.53E-05	1.59E+00	4.71E-02	1.14E-06	1.0E+06	1.1E+00
795	5.42475	5.02E-03	2.7E-02	6.05E-04	1.65E-05	1.59E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
796	5.79546	5.02E-03	2.9E-02	6.05E-04	1.76E-05	1.59E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
797	6.13759	5.02E-03	3.1E-02	6.05E-04	1.87E-05	1.59E+00	4.71E-02	1.40E-06	1.0E+06	1.4E+00
798	6.42719	5.02E-03	3.2E-02	6.05E-04	1.95E-05	1.59E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
799	6.68167	5.02E-03	3.4E-02	6.05E-04	2.03E-05	1.59E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	6.8918	5.02E-03	3.5E-02	6.05E-04	2.10E-05	1.59E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
801	7.06788	5.02E-03	3.6E-02	6.05E-04	2.15E-05	1.59E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
802	7.20727	5.02E-03	3.6E-02	6.05E-04	2.19E-05	1.59E+00	4.71E-02	1.64E-06	1.0E+06	1.6E+00
803	7.3211	5.02E-03	3.7E-02	6.05E-04	2.23E-05	1.59E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
804	7.4024	5.02E-03	3.7E-02	6.05E-04	2.25E-05	1.59E+00	4.71E-02	1.68E-06	1.0E+06	1.7E+00
805	7.46545	5.02E-03	3.8E-02	6.05E-04	2.27E-05	1.59E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
806	7.50396	5.02E-03	3.8E-02	6.05E-04	2.28E-05	1.59E+00	4.71E-02	1.71E-06	1.0E+06	1.7E+00
807	7.52272	5.02E-03	3.8E-02	6.05E-04	2.29E-05	1.59E+00	4.71E-02	1.71E-06	1.0E+06	1.7E+00
808	7.52855	5.02E-03	3.8E-02	6.05E-04	2.29E-05	1.59E+00	4.71E-02	1.71E-06	1.0E+06	1.7E+00
809	7.51923	5.02E-03	3.8E-02	6.05E-04	2.29E-05	1.59E+00	4.71E-02	1.71E-06	1.0E+06	1.7E+00
810	7.49422	5.02E-03	3.8E-02	6.05E-04	2.28E-05	1.59E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
811	7.45447	5.02E-03	3.7E-02	6.05E-04	2.27E-05	1.59E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
812	0.83667	5.02E-03	4.2E-03	6.05E-04	2.54E-06	1.59E+00	4.71E-02	1.90E-07	1.0E+06	1.9E-01
813	0.87996	5.02E-03	4.4E-03	6.05E-04	2.68E-06	1.59E+00	4.71E-02	2.00E-07	1.0E+06	2.0E-01
814	0.92737	5.02E-03	4.7E-03	6.05E-04	2.82E-06	1.59E+00	4.71E-02	2.11E-07	1.0E+06	2.1E-01
815	0.9815	5.02E-03	4.9E-03	6.05E-04	2.98E-06	1.59E+00	4.71E-02	2.23E-07	1.0E+06	2.2E-01
816	1.04048	5.02E-03	5.2E-03	6.05E-04	3.16E-06	1.59E+00	4.71E-02	2.37E-07	1.0E+06	2.4E-01
817	1.10543	5.02E-03	5.6E-03	6.05E-04	3.36E-06	1.59E+00	4.71E-02	2.51E-07	1.0E+06	2.5E-01
818	1.17665	5.02E-03	5.9E-03	6.05E-04	3.58E-06	1.59E+00	4.71E-02	2.68E-07	1.0E+06	2.7E-01
819	1.2553	5.02E-03	6.3E-03	6.05E-04	3.82E-06	1.59E+00	4.71E-02	2.85E-07	1.0E+06	2.9E-01
820	1.34252	5.02E-03	6.7E-03	6.05E-04	4.08E-06	1.59E+00	4.71E-02	3.05E-07	1.0E+06	3.1E-01
821	1.43927	5.02E-03	7.2E-03	6.05E-04	4.38E-06	1.59E+00	4.71E-02	3.27E-07	1.0E+06	3.3E-01
822	1.5471	5.02E-03	7.8E-03	6.05E-04	4.70E-06	1.59E+00	4.71E-02	3.52E-07	1.0E+06	3.5E-01
823	1.6679	5.02E-03	8.4E-03	6.05E-04	5.07E-06	1.59E+00	4.71E-02	3.79E-07	1.0E+06	3.8E-01
824	1.80392	5.02E-03	9.1E-03	6.05E-04	5.48E-06	1.59E+00	4.71E-02	4.10E-07	1.0E+06	4.1E-01
825	1.95166	5.02E-03	9.8E-03	6.05E-04	5.93E-06	1.59E+00	4.71E-02	4.44E-07	1.0E+06	4.4E-01
826	2.11861	5.02E-03	1.1E-02	6.05E-04	6.44E-06	1.59E+00	4.71E-02	4.82E-07	1.0E+06	4.8E-01
827	2.31074	5.02E-03	1.2E-02	6.05E-04	7.03E-06	1.59E+00	4.71E-02	5.25E-07	1.0E+06	5.3E-01
828	2.53407	5.02E-03	1.3E-02	6.05E-04	7.70E-06	1.59E+00	4.71E-02	5.76E-07	1.0E+06	5.8E-01
829	2.79936	5.02E-03	1.4E-02	6.05E-04	8.51E-06	1.59E+00	4.71E-02	6.37E-07	1.0E+06	6.4E-01
830	3.09167	5.02E-03	1.6E-02	6.05E-04	9.40E-06	1.59E+00	4.71E-02	7.03E-07	1.0E+06	7.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	3.41969	5.02E-03	1.7E-02	6.05E-04	1.04E-05	1.59E+00	4.71E-02	7.78E-07	1.0E+06	7.8E-01
832	3.76859	5.02E-03	1.9E-02	6.05E-04	1.15E-05	1.59E+00	4.71E-02	8.57E-07	1.0E+06	8.6E-01
833	4.11214	5.02E-03	2.1E-02	6.05E-04	1.25E-05	1.59E+00	4.71E-02	9.35E-07	1.0E+06	9.4E-01
834	4.47011	5.02E-03	2.2E-02	6.05E-04	1.36E-05	1.59E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
835	4.80284	5.02E-03	2.4E-02	6.05E-04	1.46E-05	1.59E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
836	5.12964	5.02E-03	2.6E-02	6.05E-04	1.56E-05	1.59E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
837	5.42636	5.02E-03	2.7E-02	6.05E-04	1.65E-05	1.59E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
838	5.69352	5.02E-03	2.9E-02	6.05E-04	1.73E-05	1.59E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00
839	5.92434	5.02E-03	3.0E-02	6.05E-04	1.80E-05	1.59E+00	4.71E-02	1.35E-06	1.0E+06	1.3E+00
840	6.12416	5.02E-03	3.1E-02	6.05E-04	1.86E-05	1.59E+00	4.71E-02	1.39E-06	1.0E+06	1.4E+00
841	6.28848	5.02E-03	3.2E-02	6.05E-04	1.91E-05	1.59E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
842	6.42168	5.02E-03	3.2E-02	6.05E-04	1.95E-05	1.59E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
843	6.52867	5.02E-03	3.3E-02	6.05E-04	1.98E-05	1.59E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
844	6.61094	5.02E-03	3.3E-02	6.05E-04	2.01E-05	1.59E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
845	6.67265	5.02E-03	3.4E-02	6.05E-04	2.03E-05	1.59E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
846	6.71443	5.02E-03	3.4E-02	6.05E-04	2.04E-05	1.59E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
847	6.73642	5.02E-03	3.4E-02	6.05E-04	2.05E-05	1.59E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
848	6.74465	5.02E-03	3.4E-02	6.05E-04	2.05E-05	1.59E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
849	6.73873	5.02E-03	3.4E-02	6.05E-04	2.05E-05	1.59E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
850	6.71796	5.02E-03	3.4E-02	6.05E-04	2.04E-05	1.59E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
851	6.68345	5.02E-03	3.4E-02	6.05E-04	2.03E-05	1.59E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
852	0.80369	5.02E-03	4.0E-03	6.05E-04	2.44E-06	1.59E+00	4.71E-02	1.83E-07	1.0E+06	1.8E-01
853	0.84374	5.02E-03	4.2E-03	6.05E-04	2.57E-06	1.59E+00	4.71E-02	1.92E-07	1.0E+06	1.9E-01
854	0.8875	5.02E-03	4.5E-03	6.05E-04	2.70E-06	1.59E+00	4.71E-02	2.02E-07	1.0E+06	2.0E-01
855	0.93841	5.02E-03	4.7E-03	6.05E-04	2.85E-06	1.59E+00	4.71E-02	2.13E-07	1.0E+06	2.1E-01
856	0.99372	5.02E-03	5.0E-03	6.05E-04	3.02E-06	1.59E+00	4.71E-02	2.26E-07	1.0E+06	2.3E-01
857	1.054	5.02E-03	5.3E-03	6.05E-04	3.20E-06	1.59E+00	4.71E-02	2.40E-07	1.0E+06	2.4E-01
858	1.11985	5.02E-03	5.6E-03	6.05E-04	3.40E-06	1.59E+00	4.71E-02	2.55E-07	1.0E+06	2.5E-01
859	1.19203	5.02E-03	6.0E-03	6.05E-04	3.62E-06	1.59E+00	4.71E-02	2.71E-07	1.0E+06	2.7E-01
860	1.27146	5.02E-03	6.4E-03	6.05E-04	3.87E-06	1.59E+00	4.71E-02	2.89E-07	1.0E+06	2.9E-01
861	1.35884	5.02E-03	6.8E-03	6.05E-04	4.13E-06	1.59E+00	4.71E-02	3.09E-07	1.0E+06	3.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	1.45655	5.02E-03	7.3E-03	6.05E-04	4.43E-06	1.59E+00	4.71E-02	3.31E-07	1.0E+06	3.3E-01
863	1.56677	5.02E-03	7.9E-03	6.05E-04	4.76E-06	1.59E+00	4.71E-02	3.56E-07	1.0E+06	3.6E-01
864	1.69076	5.02E-03	8.5E-03	6.05E-04	5.14E-06	1.59E+00	4.71E-02	3.84E-07	1.0E+06	3.8E-01
865	1.82739	5.02E-03	9.2E-03	6.05E-04	5.56E-06	1.59E+00	4.71E-02	4.16E-07	1.0E+06	4.2E-01
866	1.98096	5.02E-03	1.0E-02	6.05E-04	6.02E-06	1.59E+00	4.71E-02	4.50E-07	1.0E+06	4.5E-01
867	2.15478	5.02E-03	1.1E-02	6.05E-04	6.55E-06	1.59E+00	4.71E-02	4.90E-07	1.0E+06	4.9E-01
868	2.35219	5.02E-03	1.2E-02	6.05E-04	7.15E-06	1.59E+00	4.71E-02	5.35E-07	1.0E+06	5.3E-01
869	2.57258	5.02E-03	1.3E-02	6.05E-04	7.82E-06	1.59E+00	4.71E-02	5.85E-07	1.0E+06	5.8E-01
870	2.8291	5.02E-03	1.4E-02	6.05E-04	8.60E-06	1.59E+00	4.71E-02	6.43E-07	1.0E+06	6.4E-01
871	3.11055	5.02E-03	1.6E-02	6.05E-04	9.46E-06	1.59E+00	4.71E-02	7.07E-07	1.0E+06	7.1E-01
872	3.3954	5.02E-03	1.7E-02	6.05E-04	1.03E-05	1.59E+00	4.71E-02	7.72E-07	1.0E+06	7.7E-01
873	3.69789	5.02E-03	1.9E-02	6.05E-04	1.12E-05	1.59E+00	4.71E-02	8.41E-07	1.0E+06	8.4E-01
874	3.98935	5.02E-03	2.0E-02	6.05E-04	1.21E-05	1.59E+00	4.71E-02	9.07E-07	1.0E+06	9.1E-01
875	4.28834	5.02E-03	2.2E-02	6.05E-04	1.30E-05	1.59E+00	4.71E-02	9.75E-07	1.0E+06	9.8E-01
876	4.56773	5.02E-03	2.3E-02	6.05E-04	1.39E-05	1.59E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
877	4.83599	5.02E-03	2.4E-02	6.05E-04	1.47E-05	1.59E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
878	5.07551	5.02E-03	2.6E-02	6.05E-04	1.54E-05	1.59E+00	4.71E-02	1.15E-06	1.0E+06	1.2E+00
879	5.29288	5.02E-03	2.7E-02	6.05E-04	1.61E-05	1.59E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
880	5.47867	5.02E-03	2.8E-02	6.05E-04	1.67E-05	1.59E+00	4.71E-02	1.25E-06	1.0E+06	1.2E+00
881	5.63107	5.02E-03	2.8E-02	6.05E-04	1.71E-05	1.59E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
882	5.75731	5.02E-03	2.9E-02	6.05E-04	1.75E-05	1.59E+00	4.71E-02	1.31E-06	1.0E+06	1.3E+00
883	5.8611	5.02E-03	2.9E-02	6.05E-04	1.78E-05	1.59E+00	4.71E-02	1.33E-06	1.0E+06	1.3E+00
884	5.94181	5.02E-03	3.0E-02	6.05E-04	1.81E-05	1.59E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
885	6.00137	5.02E-03	3.0E-02	6.05E-04	1.82E-05	1.59E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
886	6.04453	5.02E-03	3.0E-02	6.05E-04	1.84E-05	1.59E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
887	6.07103	5.02E-03	3.1E-02	6.05E-04	1.85E-05	1.59E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
888	6.08136	5.02E-03	3.1E-02	6.05E-04	1.85E-05	1.59E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
889	6.07844	5.02E-03	3.1E-02	6.05E-04	1.85E-05	1.59E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
890	6.06163	5.02E-03	3.0E-02	6.05E-04	1.84E-05	1.59E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
891	6.03191	5.02E-03	3.0E-02	6.05E-04	1.83E-05	1.59E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	8.12153	1.52945E-05	1.2E-04	6.05E-04	7.52E-08	1.59E+00	4.71E-02	5.62E-09	1.0E+06	5.6E-03
522	522	8.28781	1.52945E-05	1.3E-04	6.05E-04	7.67E-08	1.59E+00	4.71E-02	5.74E-09	1.0E+06	5.7E-03
523	523	8.4173	1.52945E-05	1.3E-04	6.05E-04	7.79E-08	1.59E+00	4.71E-02	5.83E-09	1.0E+06	5.8E-03
524	524	8.51629	1.52945E-05	1.3E-04	6.05E-04	7.88E-08	1.59E+00	4.71E-02	5.89E-09	1.0E+06	5.9E-03
525	525	8.59062	1.52945E-05	1.3E-04	6.05E-04	7.95E-08	1.59E+00	4.71E-02	5.95E-09	1.0E+06	5.9E-03
526	526	8.63979	1.52945E-05	1.3E-04	6.05E-04	8.00E-08	1.59E+00	4.71E-02	5.98E-09	1.0E+06	6.0E-03
527	527	8.67076	1.52945E-05	1.3E-04	6.05E-04	8.02E-08	1.59E+00	4.71E-02	6.00E-09	1.0E+06	6.0E-03
528	528	8.68193	1.52945E-05	1.3E-04	6.05E-04	8.03E-08	1.59E+00	4.71E-02	6.01E-09	1.0E+06	6.0E-03
529	529	8.67659	1.52945E-05	1.3E-04	6.05E-04	8.03E-08	1.59E+00	4.71E-02	6.01E-09	1.0E+06	6.0E-03
530	530	8.65547	1.52945E-05	1.3E-04	6.05E-04	8.01E-08	1.59E+00	4.71E-02	5.99E-09	1.0E+06	6.0E-03
531	531	8.61928	1.52945E-05	1.3E-04	6.05E-04	7.98E-08	1.59E+00	4.71E-02	5.97E-09	1.0E+06	6.0E-03
532	532	0.90601	1.52945E-05	1.4E-05	6.05E-04	8.38E-09	1.59E+00	4.71E-02	6.27E-10	1.0E+06	6.3E-04
533	533	0.95812	1.52945E-05	1.5E-05	6.05E-04	8.87E-09	1.59E+00	4.71E-02	6.63E-10	1.0E+06	6.6E-04
534	534	1.01448	1.52945E-05	1.6E-05	6.05E-04	9.39E-09	1.59E+00	4.71E-02	7.02E-10	1.0E+06	7.0E-04
535	535	1.07414	1.52945E-05	1.6E-05	6.05E-04	9.94E-09	1.59E+00	4.71E-02	7.43E-10	1.0E+06	7.4E-04
536	536	1.13953	1.52945E-05	1.7E-05	6.05E-04	1.05E-08	1.59E+00	4.71E-02	7.89E-10	1.0E+06	7.9E-04
537	537	1.21514	1.52945E-05	1.9E-05	6.05E-04	1.12E-08	1.59E+00	4.71E-02	8.41E-10	1.0E+06	8.4E-04
538	538	1.29235	1.52945E-05	2.0E-05	6.05E-04	1.20E-08	1.59E+00	4.71E-02	8.94E-10	1.0E+06	8.9E-04
539	539	1.37769	1.52945E-05	2.1E-05	6.05E-04	1.27E-08	1.59E+00	4.71E-02	9.54E-10	1.0E+06	9.5E-04
540	540	1.47715	1.52945E-05	2.3E-05	6.05E-04	1.37E-08	1.59E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
541	541	1.58508	1.52945E-05	2.4E-05	6.05E-04	1.47E-08	1.59E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
542	542	1.70757	1.52945E-05	2.6E-05	6.05E-04	1.58E-08	1.59E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
543	543	1.84409	1.52945E-05	2.8E-05	6.05E-04	1.71E-08	1.59E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
544	544	1.99507	1.52945E-05	3.1E-05	6.05E-04	1.85E-08	1.59E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03
545	545	2.16577	1.52945E-05	3.3E-05	6.05E-04	2.00E-08	1.59E+00	4.71E-02	1.50E-09	1.0E+06	1.5E-03
546	546	2.35726	1.52945E-05	3.6E-05	6.05E-04	2.18E-08	1.59E+00	4.71E-02	1.63E-09	1.0E+06	1.6E-03
547	547	2.57757	1.52945E-05	3.9E-05	6.05E-04	2.39E-08	1.59E+00	4.71E-02	1.78E-09	1.0E+06	1.8E-03
548	548	2.82723	1.52945E-05	4.3E-05	6.05E-04	2.62E-08	1.59E+00	4.71E-02	1.96E-09	1.0E+06	2.0E-03
549	549	3.11442	1.52945E-05	4.8E-05	6.05E-04	2.88E-08	1.59E+00	4.71E-02	2.16E-09	1.0E+06	2.2E-03
550	550	3.43777	1.52945E-05	5.3E-05	6.05E-04	3.18E-08	1.59E+00	4.71E-02	2.38E-09	1.0E+06	2.4E-03
551	551	3.7997	1.52945E-05	5.8E-05	6.05E-04	3.52E-08	1.59E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	4.19174	1.52945E-05	6.4E-05	6.05E-04	3.88E-08	1.59E+00	4.71E-02	2.90E-09	1.0E+06	2.9E-03
553	553	4.60011	1.52945E-05	7.0E-05	6.05E-04	4.26E-08	1.59E+00	4.71E-02	3.18E-09	1.0E+06	3.2E-03
554	554	5.01693	1.52945E-05	7.7E-05	6.05E-04	4.64E-08	1.59E+00	4.71E-02	3.47E-09	1.0E+06	3.5E-03
555	555	5.42448	1.52945E-05	8.3E-05	6.05E-04	5.02E-08	1.59E+00	4.71E-02	3.75E-09	1.0E+06	3.8E-03
556	556	5.80992	1.52945E-05	8.9E-05	6.05E-04	5.38E-08	1.59E+00	4.71E-02	4.02E-09	1.0E+06	4.0E-03
557	557	6.16705	1.52945E-05	9.4E-05	6.05E-04	5.71E-08	1.59E+00	4.71E-02	4.27E-09	1.0E+06	4.3E-03
558	558	6.48282	1.52945E-05	9.9E-05	6.05E-04	6.00E-08	1.59E+00	4.71E-02	4.49E-09	1.0E+06	4.5E-03
559	559	6.75814	1.52945E-05	1.0E-04	6.05E-04	6.25E-08	1.59E+00	4.71E-02	4.68E-09	1.0E+06	4.7E-03
560	560	6.99071	1.52945E-05	1.1E-04	6.05E-04	6.47E-08	1.59E+00	4.71E-02	4.84E-09	1.0E+06	4.8E-03
561	561	7.18159	1.52945E-05	1.1E-04	6.05E-04	6.65E-08	1.59E+00	4.71E-02	4.97E-09	1.0E+06	5.0E-03
562	562	7.33656	1.52945E-05	1.1E-04	6.05E-04	6.79E-08	1.59E+00	4.71E-02	5.08E-09	1.0E+06	5.1E-03
563	563	7.46447	1.52945E-05	1.1E-04	6.05E-04	6.91E-08	1.59E+00	4.71E-02	5.17E-09	1.0E+06	5.2E-03
564	564	7.56258	1.52945E-05	1.2E-04	6.05E-04	7.00E-08	1.59E+00	4.71E-02	5.23E-09	1.0E+06	5.2E-03
565	565	7.63729	1.52945E-05	1.2E-04	6.05E-04	7.07E-08	1.59E+00	4.71E-02	5.29E-09	1.0E+06	5.3E-03
566	566	7.68738	1.52945E-05	1.2E-04	6.05E-04	7.11E-08	1.59E+00	4.71E-02	5.32E-09	1.0E+06	5.3E-03
567	567	7.72022	1.52945E-05	1.2E-04	6.05E-04	7.14E-08	1.59E+00	4.71E-02	5.34E-09	1.0E+06	5.3E-03
568	568	7.73497	1.52945E-05	1.2E-04	6.05E-04	7.16E-08	1.59E+00	4.71E-02	5.35E-09	1.0E+06	5.4E-03
569	569	7.73421	1.52945E-05	1.2E-04	6.05E-04	7.16E-08	1.59E+00	4.71E-02	5.35E-09	1.0E+06	5.4E-03
570	570	7.71854	1.52945E-05	1.2E-04	6.05E-04	7.14E-08	1.59E+00	4.71E-02	5.34E-09	1.0E+06	5.3E-03
571	571	7.68844	1.52945E-05	1.2E-04	6.05E-04	7.12E-08	1.59E+00	4.71E-02	5.32E-09	1.0E+06	5.3E-03
572	572	0.88123	1.52945E-05	1.3E-05	6.05E-04	8.16E-09	1.59E+00	4.71E-02	6.10E-10	1.0E+06	6.1E-04
573	573	0.93251	1.52945E-05	1.4E-05	6.05E-04	8.63E-09	1.59E+00	4.71E-02	6.45E-10	1.0E+06	6.5E-04
574	574	0.98747	1.52945E-05	1.5E-05	6.05E-04	9.14E-09	1.59E+00	4.71E-02	6.83E-10	1.0E+06	6.8E-04
575	575	1.04399	1.52945E-05	1.6E-05	6.05E-04	9.66E-09	1.59E+00	4.71E-02	7.23E-10	1.0E+06	7.2E-04
576	576	1.10556	1.52945E-05	1.7E-05	6.05E-04	1.02E-08	1.59E+00	4.71E-02	7.65E-10	1.0E+06	7.7E-04
577	577	1.17072	1.52945E-05	1.8E-05	6.05E-04	1.08E-08	1.59E+00	4.71E-02	8.10E-10	1.0E+06	8.1E-04
578	578	1.24043	1.52945E-05	1.9E-05	6.05E-04	1.15E-08	1.59E+00	4.71E-02	8.59E-10	1.0E+06	8.6E-04
579	579	1.32136	1.52945E-05	2.0E-05	6.05E-04	1.22E-08	1.59E+00	4.71E-02	9.15E-10	1.0E+06	9.1E-04
580	580	1.4152	1.52945E-05	2.2E-05	6.05E-04	1.31E-08	1.59E+00	4.71E-02	9.80E-10	1.0E+06	9.8E-04
581	581	1.51813	1.52945E-05	2.3E-05	6.05E-04	1.40E-08	1.59E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
582	582	1.62941	1.52945E-05	2.5E-05	6.05E-04	1.51E-08	1.59E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	1.75614	1.52945E-05	2.7E-05	6.05E-04	1.63E-08	1.59E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
584	584	1.89689	1.52945E-05	2.9E-05	6.05E-04	1.76E-08	1.59E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
585	585	2.04896	1.52945E-05	3.1E-05	6.05E-04	1.90E-08	1.59E+00	4.71E-02	1.42E-09	1.0E+06	1.4E-03
586	586	2.22249	1.52945E-05	3.4E-05	6.05E-04	2.06E-08	1.59E+00	4.71E-02	1.54E-09	1.0E+06	1.5E-03
587	587	2.41607	1.52945E-05	3.7E-05	6.05E-04	2.24E-08	1.59E+00	4.71E-02	1.67E-09	1.0E+06	1.7E-03
588	588	2.63778	1.52945E-05	4.0E-05	6.05E-04	2.44E-08	1.59E+00	4.71E-02	1.83E-09	1.0E+06	1.8E-03
589	589	2.88486	1.52945E-05	4.4E-05	6.05E-04	2.67E-08	1.59E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
590	590	3.16453	1.52945E-05	4.8E-05	6.05E-04	2.93E-08	1.59E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03
591	591	3.47046	1.52945E-05	5.3E-05	6.05E-04	3.21E-08	1.59E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
592	592	3.80208	1.52945E-05	5.8E-05	6.05E-04	3.52E-08	1.59E+00	4.71E-02	2.63E-09	1.0E+06	2.6E-03
593	593	4.15054	1.52945E-05	6.3E-05	6.05E-04	3.84E-08	1.59E+00	4.71E-02	2.87E-09	1.0E+06	2.9E-03
594	594	4.50166	1.52945E-05	6.9E-05	6.05E-04	4.17E-08	1.59E+00	4.71E-02	3.12E-09	1.0E+06	3.1E-03
595	595	4.84928	1.52945E-05	7.4E-05	6.05E-04	4.49E-08	1.59E+00	4.71E-02	3.36E-09	1.0E+06	3.4E-03
596	596	5.17906	1.52945E-05	7.9E-05	6.05E-04	4.79E-08	1.59E+00	4.71E-02	3.58E-09	1.0E+06	3.6E-03
597	597	5.48815	1.52945E-05	8.4E-05	6.05E-04	5.08E-08	1.59E+00	4.71E-02	3.80E-09	1.0E+06	3.8E-03
598	598	5.76551	1.52945E-05	8.8E-05	6.05E-04	5.34E-08	1.59E+00	4.71E-02	3.99E-09	1.0E+06	4.0E-03
599	599	6.0115	1.52945E-05	9.2E-05	6.05E-04	5.56E-08	1.59E+00	4.71E-02	4.16E-09	1.0E+06	4.2E-03
600	600	6.2207	1.52945E-05	9.5E-05	6.05E-04	5.76E-08	1.59E+00	4.71E-02	4.31E-09	1.0E+06	4.3E-03
601	601	6.39751	1.52945E-05	9.8E-05	6.05E-04	5.92E-08	1.59E+00	4.71E-02	4.43E-09	1.0E+06	4.4E-03
602	602	6.54174	1.52945E-05	1.0E-04	6.05E-04	6.05E-08	1.59E+00	4.71E-02	4.53E-09	1.0E+06	4.5E-03
603	603	6.6656	1.52945E-05	1.0E-04	6.05E-04	6.17E-08	1.59E+00	4.71E-02	4.61E-09	1.0E+06	4.6E-03
604	604	6.76228	1.52945E-05	1.0E-04	6.05E-04	6.26E-08	1.59E+00	4.71E-02	4.68E-09	1.0E+06	4.7E-03
605	605	6.83667	1.52945E-05	1.0E-04	6.05E-04	6.33E-08	1.59E+00	4.71E-02	4.73E-09	1.0E+06	4.7E-03
606	606	6.88655	1.52945E-05	1.1E-04	6.05E-04	6.37E-08	1.59E+00	4.71E-02	4.77E-09	1.0E+06	4.8E-03
607	607	6.91863	1.52945E-05	1.1E-04	6.05E-04	6.40E-08	1.59E+00	4.71E-02	4.79E-09	1.0E+06	4.8E-03
608	608	6.93833	1.52945E-05	1.1E-04	6.05E-04	6.42E-08	1.59E+00	4.71E-02	4.80E-09	1.0E+06	4.8E-03
609	609	6.94132	1.52945E-05	1.1E-04	6.05E-04	6.42E-08	1.59E+00	4.71E-02	4.80E-09	1.0E+06	4.8E-03
610	610	6.93032	1.52945E-05	1.1E-04	6.05E-04	6.41E-08	1.59E+00	4.71E-02	4.80E-09	1.0E+06	4.8E-03
611	611	6.90533	1.52945E-05	1.1E-04	6.05E-04	6.39E-08	1.59E+00	4.71E-02	4.78E-09	1.0E+06	4.8E-03
612	612	0.85642	1.52945E-05	1.3E-05	6.05E-04	7.93E-09	1.59E+00	4.71E-02	5.93E-10	1.0E+06	5.9E-04
613	613	0.90693	1.52945E-05	1.4E-05	6.05E-04	8.39E-09	1.59E+00	4.71E-02	6.28E-10	1.0E+06	6.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.96042	1.52945E-05	1.5E-05	6.05E-04	8.89E-09	1.59E+00	4.71E-02	6.65E-10	1.0E+06	6.6E-04
615	615	1.01385	1.52945E-05	1.6E-05	6.05E-04	9.38E-09	1.59E+00	4.71E-02	7.02E-10	1.0E+06	7.0E-04
616	616	1.07185	1.52945E-05	1.6E-05	6.05E-04	9.92E-09	1.59E+00	4.71E-02	7.42E-10	1.0E+06	7.4E-04
617	617	1.13173	1.52945E-05	1.7E-05	6.05E-04	1.05E-08	1.59E+00	4.71E-02	7.83E-10	1.0E+06	7.8E-04
618	618	1.19442	1.52945E-05	1.8E-05	6.05E-04	1.11E-08	1.59E+00	4.71E-02	8.27E-10	1.0E+06	8.3E-04
619	619	1.26326	1.52945E-05	1.9E-05	6.05E-04	1.17E-08	1.59E+00	4.71E-02	8.74E-10	1.0E+06	8.7E-04
620	620	1.3528	1.52945E-05	2.1E-05	6.05E-04	1.25E-08	1.59E+00	4.71E-02	9.36E-10	1.0E+06	9.4E-04
621	621	1.44969	1.52945E-05	2.2E-05	6.05E-04	1.34E-08	1.59E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
622	622	1.55589	1.52945E-05	2.4E-05	6.05E-04	1.44E-08	1.59E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
623	623	1.67018	1.52945E-05	2.6E-05	6.05E-04	1.55E-08	1.59E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
624	624	1.80029	1.52945E-05	2.8E-05	6.05E-04	1.67E-08	1.59E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
625	625	1.94039	1.52945E-05	3.0E-05	6.05E-04	1.80E-08	1.59E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
626	626	2.09325	1.52945E-05	3.2E-05	6.05E-04	1.94E-08	1.59E+00	4.71E-02	1.45E-09	1.0E+06	1.4E-03
627	627	2.26796	1.52945E-05	3.5E-05	6.05E-04	2.10E-08	1.59E+00	4.71E-02	1.57E-09	1.0E+06	1.6E-03
628	628	2.46048	1.52945E-05	3.8E-05	6.05E-04	2.28E-08	1.59E+00	4.71E-02	1.70E-09	1.0E+06	1.7E-03
629	629	2.67592	1.52945E-05	4.1E-05	6.05E-04	2.48E-08	1.59E+00	4.71E-02	1.85E-09	1.0E+06	1.9E-03
630	630	2.91851	1.52945E-05	4.5E-05	6.05E-04	2.70E-08	1.59E+00	4.71E-02	2.02E-09	1.0E+06	2.0E-03
631	631	3.18079	1.52945E-05	4.9E-05	6.05E-04	2.94E-08	1.59E+00	4.71E-02	2.20E-09	1.0E+06	2.2E-03
632	632	3.46549	1.52945E-05	5.3E-05	6.05E-04	3.21E-08	1.59E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
633	633	3.7655	1.52945E-05	5.8E-05	6.05E-04	3.48E-08	1.59E+00	4.71E-02	2.61E-09	1.0E+06	2.6E-03
634	634	4.06911	1.52945E-05	6.2E-05	6.05E-04	3.77E-08	1.59E+00	4.71E-02	2.82E-09	1.0E+06	2.8E-03
635	635	4.36759	1.52945E-05	6.7E-05	6.05E-04	4.04E-08	1.59E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
636	636	4.65227	1.52945E-05	7.1E-05	6.05E-04	4.31E-08	1.59E+00	4.71E-02	3.22E-09	1.0E+06	3.2E-03
637	637	4.91935	1.52945E-05	7.5E-05	6.05E-04	4.55E-08	1.59E+00	4.71E-02	3.40E-09	1.0E+06	3.4E-03
638	638	5.16541	1.52945E-05	7.9E-05	6.05E-04	4.78E-08	1.59E+00	4.71E-02	3.58E-09	1.0E+06	3.6E-03
639	639	5.38303	1.52945E-05	8.2E-05	6.05E-04	4.98E-08	1.59E+00	4.71E-02	3.73E-09	1.0E+06	3.7E-03
640	640	5.57395	1.52945E-05	8.5E-05	6.05E-04	5.16E-08	1.59E+00	4.71E-02	3.86E-09	1.0E+06	3.9E-03
641	641	5.7344	1.52945E-05	8.8E-05	6.05E-04	5.31E-08	1.59E+00	4.71E-02	3.97E-09	1.0E+06	4.0E-03
642	642	5.87092	1.52945E-05	9.0E-05	6.05E-04	5.43E-08	1.59E+00	4.71E-02	4.06E-09	1.0E+06	4.1E-03
643	643	5.98729	1.52945E-05	9.2E-05	6.05E-04	5.54E-08	1.59E+00	4.71E-02	4.14E-09	1.0E+06	4.1E-03
644	644	6.08332	1.52945E-05	9.3E-05	6.05E-04	5.63E-08	1.59E+00	4.71E-02	4.21E-09	1.0E+06	4.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	6.15637	1.52945E-05	9.4E-05	6.05E-04	5.70E-08	1.59E+00	4.71E-02	4.26E-09	1.0E+06	4.3E-03
646	646	6.20603	1.52945E-05	9.5E-05	6.05E-04	5.74E-08	1.59E+00	4.71E-02	4.30E-09	1.0E+06	4.3E-03
647	647	6.23904	1.52945E-05	9.5E-05	6.05E-04	5.77E-08	1.59E+00	4.71E-02	4.32E-09	1.0E+06	4.3E-03
648	648	6.26092	1.52945E-05	9.6E-05	6.05E-04	5.79E-08	1.59E+00	4.71E-02	4.33E-09	1.0E+06	4.3E-03
649	649	6.26704	1.52945E-05	9.6E-05	6.05E-04	5.80E-08	1.59E+00	4.71E-02	4.34E-09	1.0E+06	4.3E-03
650	650	6.25988	1.52945E-05	9.6E-05	6.05E-04	5.79E-08	1.59E+00	4.71E-02	4.33E-09	1.0E+06	4.3E-03
651	651	6.23929	1.52945E-05	9.5E-05	6.05E-04	5.77E-08	1.59E+00	4.71E-02	4.32E-09	1.0E+06	4.3E-03
652	652	0.82571	1.52945E-05	1.3E-05	6.05E-04	7.64E-09	1.59E+00	4.71E-02	5.71E-10	1.0E+06	5.7E-04
653	653	0.87189	1.52945E-05	1.3E-05	6.05E-04	8.07E-09	1.59E+00	4.71E-02	6.03E-10	1.0E+06	6.0E-04
654	654	0.92089	1.52945E-05	1.4E-05	6.05E-04	8.52E-09	1.59E+00	4.71E-02	6.37E-10	1.0E+06	6.4E-04
655	655	0.97064	1.52945E-05	1.5E-05	6.05E-04	8.98E-09	1.59E+00	4.71E-02	6.72E-10	1.0E+06	6.7E-04
656	656	1.02463	1.52945E-05	1.6E-05	6.05E-04	9.48E-09	1.59E+00	4.71E-02	7.09E-10	1.0E+06	7.1E-04
657	657	1.08093	1.52945E-05	1.7E-05	6.05E-04	1.00E-08	1.59E+00	4.71E-02	7.48E-10	1.0E+06	7.5E-04
658	658	1.14059	1.52945E-05	1.7E-05	6.05E-04	1.06E-08	1.59E+00	4.71E-02	7.89E-10	1.0E+06	7.9E-04
659	659	1.20593	1.52945E-05	1.8E-05	6.05E-04	1.12E-08	1.59E+00	4.71E-02	8.35E-10	1.0E+06	8.3E-04
660	660	1.28441	1.52945E-05	2.0E-05	6.05E-04	1.19E-08	1.59E+00	4.71E-02	8.89E-10	1.0E+06	8.9E-04
661	661	1.37023	1.52945E-05	2.1E-05	6.05E-04	1.27E-08	1.59E+00	4.71E-02	9.48E-10	1.0E+06	9.5E-04
662	662	1.47508	1.52945E-05	2.3E-05	6.05E-04	1.37E-08	1.59E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
663	663	1.5786	1.52945E-05	2.4E-05	6.05E-04	1.46E-08	1.59E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
664	664	1.69696	1.52945E-05	2.6E-05	6.05E-04	1.57E-08	1.59E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
665	665	1.81857	1.52945E-05	2.8E-05	6.05E-04	1.68E-08	1.59E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
666	666	1.9528	1.52945E-05	3.0E-05	6.05E-04	1.81E-08	1.59E+00	4.71E-02	1.35E-09	1.0E+06	1.4E-03
667	667	2.10844	1.52945E-05	3.2E-05	6.05E-04	1.95E-08	1.59E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03
668	668	2.28298	1.52945E-05	3.5E-05	6.05E-04	2.11E-08	1.59E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
669	669	2.472	1.52945E-05	3.8E-05	6.05E-04	2.29E-08	1.59E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
670	670	2.68743	1.52945E-05	4.1E-05	6.05E-04	2.49E-08	1.59E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
671	671	2.92144	1.52945E-05	4.5E-05	6.05E-04	2.70E-08	1.59E+00	4.71E-02	2.02E-09	1.0E+06	2.0E-03
672	672	3.1674	1.52945E-05	4.8E-05	6.05E-04	2.93E-08	1.59E+00	4.71E-02	2.19E-09	1.0E+06	2.2E-03
673	673	3.42988	1.52945E-05	5.2E-05	6.05E-04	3.17E-08	1.59E+00	4.71E-02	2.37E-09	1.0E+06	2.4E-03
674	674	3.69573	1.52945E-05	5.7E-05	6.05E-04	3.42E-08	1.59E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
675	675	3.95521	1.52945E-05	6.0E-05	6.05E-04	3.66E-08	1.59E+00	4.71E-02	2.74E-09	1.0E+06	2.7E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	4.20565	1.52945E-05	6.4E-05	6.05E-04	3.89E-08	1.59E+00	4.71E-02	2.91E-09	1.0E+06	2.9E-03
677	677	4.44056	1.52945E-05	6.8E-05	6.05E-04	4.11E-08	1.59E+00	4.71E-02	3.07E-09	1.0E+06	3.1E-03
678	678	4.65692	1.52945E-05	7.1E-05	6.05E-04	4.31E-08	1.59E+00	4.71E-02	3.22E-09	1.0E+06	3.2E-03
679	679	4.85034	1.52945E-05	7.4E-05	6.05E-04	4.49E-08	1.59E+00	4.71E-02	3.36E-09	1.0E+06	3.4E-03
680	680	5.02134	1.52945E-05	7.7E-05	6.05E-04	4.65E-08	1.59E+00	4.71E-02	3.48E-09	1.0E+06	3.5E-03
681	681	5.17243	1.52945E-05	7.9E-05	6.05E-04	4.79E-08	1.59E+00	4.71E-02	3.58E-09	1.0E+06	3.6E-03
682	682	5.30058	1.52945E-05	8.1E-05	6.05E-04	4.91E-08	1.59E+00	4.71E-02	3.67E-09	1.0E+06	3.7E-03
683	683	5.41019	1.52945E-05	8.3E-05	6.05E-04	5.01E-08	1.59E+00	4.71E-02	3.74E-09	1.0E+06	3.7E-03
684	684	5.50207	1.52945E-05	8.4E-05	6.05E-04	5.09E-08	1.59E+00	4.71E-02	3.81E-09	1.0E+06	3.8E-03
685	685	5.57309	1.52945E-05	8.5E-05	6.05E-04	5.16E-08	1.59E+00	4.71E-02	3.86E-09	1.0E+06	3.9E-03
686	686	5.62227	1.52945E-05	8.6E-05	6.05E-04	5.20E-08	1.59E+00	4.71E-02	3.89E-09	1.0E+06	3.9E-03
687	687	5.65606	1.52945E-05	8.7E-05	6.05E-04	5.23E-08	1.59E+00	4.71E-02	3.91E-09	1.0E+06	3.9E-03
688	688	5.67956	1.52945E-05	8.7E-05	6.05E-04	5.26E-08	1.59E+00	4.71E-02	3.93E-09	1.0E+06	3.9E-03
689	689	5.68798	1.52945E-05	8.7E-05	6.05E-04	5.26E-08	1.59E+00	4.71E-02	3.94E-09	1.0E+06	3.9E-03
690	690	5.68409	1.52945E-05	8.7E-05	6.05E-04	5.26E-08	1.59E+00	4.71E-02	3.93E-09	1.0E+06	3.9E-03
691	691	5.66755	1.52945E-05	8.7E-05	6.05E-04	5.24E-08	1.59E+00	4.71E-02	3.92E-09	1.0E+06	3.9E-03
692	692	0.79444	1.52945E-05	1.2E-05	6.05E-04	7.35E-09	1.59E+00	4.71E-02	5.50E-10	1.0E+06	5.5E-04
693	693	0.8358	1.52945E-05	1.3E-05	6.05E-04	7.73E-09	1.59E+00	4.71E-02	5.78E-10	1.0E+06	5.8E-04
694	694	0.88001	1.52945E-05	1.3E-05	6.05E-04	8.14E-09	1.59E+00	4.71E-02	6.09E-10	1.0E+06	6.1E-04
695	695	0.92641	1.52945E-05	1.4E-05	6.05E-04	8.57E-09	1.59E+00	4.71E-02	6.41E-10	1.0E+06	6.4E-04
696	696	0.97648	1.52945E-05	1.5E-05	6.05E-04	9.04E-09	1.59E+00	4.71E-02	6.76E-10	1.0E+06	6.8E-04
697	697	1.02997	1.52945E-05	1.6E-05	6.05E-04	9.53E-09	1.59E+00	4.71E-02	7.13E-10	1.0E+06	7.1E-04
698	698	1.08716	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	1.59E+00	4.71E-02	7.52E-10	1.0E+06	7.5E-04
699	699	1.14961	1.52945E-05	1.8E-05	6.05E-04	1.06E-08	1.59E+00	4.71E-02	7.96E-10	1.0E+06	8.0E-04
700	700	1.22216	1.52945E-05	1.9E-05	6.05E-04	1.13E-08	1.59E+00	4.71E-02	8.46E-10	1.0E+06	8.5E-04
701	701	1.30171	1.52945E-05	2.0E-05	6.05E-04	1.20E-08	1.59E+00	4.71E-02	9.01E-10	1.0E+06	9.0E-04
702	702	1.3878	1.52945E-05	2.1E-05	6.05E-04	1.28E-08	1.59E+00	4.71E-02	9.61E-10	1.0E+06	9.6E-04
703	703	1.48121	1.52945E-05	2.3E-05	6.05E-04	1.37E-08	1.59E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
704	704	1.59681	1.52945E-05	2.4E-05	6.05E-04	1.48E-08	1.59E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
705	705	1.70419	1.52945E-05	2.6E-05	6.05E-04	1.58E-08	1.59E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
706	706	1.82179	1.52945E-05	2.8E-05	6.05E-04	1.69E-08	1.59E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	1.96001	1.52945E-05	3.0E-05	6.05E-04	1.81E-08	1.59E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
708	708	2.11136	1.52945E-05	3.2E-05	6.05E-04	1.95E-08	1.59E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03
709	709	2.27787	1.52945E-05	3.5E-05	6.05E-04	2.11E-08	1.59E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
710	710	2.47817	1.52945E-05	3.8E-05	6.05E-04	2.29E-08	1.59E+00	4.71E-02	1.72E-09	1.0E+06	1.7E-03
711	711	2.6876	1.52945E-05	4.1E-05	6.05E-04	2.49E-08	1.59E+00	4.71E-02	1.86E-09	1.0E+06	1.9E-03
712	712	2.90486	1.52945E-05	4.4E-05	6.05E-04	2.69E-08	1.59E+00	4.71E-02	2.01E-09	1.0E+06	2.0E-03
713	713	3.13712	1.52945E-05	4.8E-05	6.05E-04	2.90E-08	1.59E+00	4.71E-02	2.17E-09	1.0E+06	2.2E-03
714	714	3.37544	1.52945E-05	5.2E-05	6.05E-04	3.12E-08	1.59E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
715	715	3.60409	1.52945E-05	5.5E-05	6.05E-04	3.34E-08	1.59E+00	4.71E-02	2.49E-09	1.0E+06	2.5E-03
716	716	3.82156	1.52945E-05	5.8E-05	6.05E-04	3.54E-08	1.59E+00	4.71E-02	2.65E-09	1.0E+06	2.6E-03
717	717	4.03181	1.52945E-05	6.2E-05	6.05E-04	3.73E-08	1.59E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
718	718	4.21979	1.52945E-05	6.5E-05	6.05E-04	3.91E-08	1.59E+00	4.71E-02	2.92E-09	1.0E+06	2.9E-03
719	719	4.3947	1.52945E-05	6.7E-05	6.05E-04	4.07E-08	1.59E+00	4.71E-02	3.04E-09	1.0E+06	3.0E-03
720	720	4.54957	1.52945E-05	7.0E-05	6.05E-04	4.21E-08	1.59E+00	4.71E-02	3.15E-09	1.0E+06	3.1E-03
721	721	4.68665	1.52945E-05	7.2E-05	6.05E-04	4.34E-08	1.59E+00	4.71E-02	3.24E-09	1.0E+06	3.2E-03
722	722	4.80748	1.52945E-05	7.4E-05	6.05E-04	4.45E-08	1.59E+00	4.71E-02	3.33E-09	1.0E+06	3.3E-03
723	723	4.9129	1.52945E-05	7.5E-05	6.05E-04	4.55E-08	1.59E+00	4.71E-02	3.40E-09	1.0E+06	3.4E-03
724	724	5.00002	1.52945E-05	7.6E-05	6.05E-04	4.63E-08	1.59E+00	4.71E-02	3.46E-09	1.0E+06	3.5E-03
725	725	5.06659	1.52945E-05	7.7E-05	6.05E-04	4.69E-08	1.59E+00	4.71E-02	3.51E-09	1.0E+06	3.5E-03
726	726	5.11719	1.52945E-05	7.8E-05	6.05E-04	4.74E-08	1.59E+00	4.71E-02	3.54E-09	1.0E+06	3.5E-03
727	727	5.15149	1.52945E-05	7.9E-05	6.05E-04	4.77E-08	1.59E+00	4.71E-02	3.57E-09	1.0E+06	3.6E-03
728	728	5.17608	1.52945E-05	7.9E-05	6.05E-04	4.79E-08	1.59E+00	4.71E-02	3.58E-09	1.0E+06	3.6E-03
729	729	5.1865	1.52945E-05	7.9E-05	6.05E-04	4.80E-08	1.59E+00	4.71E-02	3.59E-09	1.0E+06	3.6E-03
730	730	5.18537	1.52945E-05	7.9E-05	6.05E-04	4.80E-08	1.59E+00	4.71E-02	3.59E-09	1.0E+06	3.6E-03
731	731	5.17227	1.52945E-05	7.9E-05	6.05E-04	4.79E-08	1.59E+00	4.71E-02	3.58E-09	1.0E+06	3.6E-03
732	732	0.76321	1.52945E-05	1.2E-05	6.05E-04	7.06E-09	1.59E+00	4.71E-02	5.28E-10	1.0E+06	5.3E-04
733	733	0.79969	1.52945E-05	1.2E-05	6.05E-04	7.40E-09	1.59E+00	4.71E-02	5.53E-10	1.0E+06	5.5E-04
734	734	0.8391	1.52945E-05	1.3E-05	6.05E-04	7.77E-09	1.59E+00	4.71E-02	5.81E-10	1.0E+06	5.8E-04
735	735	0.88215	1.52945E-05	1.3E-05	6.05E-04	8.16E-09	1.59E+00	4.71E-02	6.11E-10	1.0E+06	6.1E-04
736	736	0.92868	1.52945E-05	1.4E-05	6.05E-04	8.59E-09	1.59E+00	4.71E-02	6.43E-10	1.0E+06	6.4E-04
737	737	0.97925	1.52945E-05	1.5E-05	6.05E-04	9.06E-09	1.59E+00	4.71E-02	6.78E-10	1.0E+06	6.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	1.03461	1.52945E-05	1.6E-05	6.05E-04	9.57E-09	1.59E+00	4.71E-02	7.16E-10	1.0E+06	7.2E-04
739	739	1.09437	1.52945E-05	1.7E-05	6.05E-04	1.01E-08	1.59E+00	4.71E-02	7.57E-10	1.0E+06	7.6E-04
740	740	1.16193	1.52945E-05	1.8E-05	6.05E-04	1.08E-08	1.59E+00	4.71E-02	8.04E-10	1.0E+06	8.0E-04
741	741	1.23534	1.52945E-05	1.9E-05	6.05E-04	1.14E-08	1.59E+00	4.71E-02	8.55E-10	1.0E+06	8.6E-04
742	742	1.31412	1.52945E-05	2.0E-05	6.05E-04	1.22E-08	1.59E+00	4.71E-02	9.10E-10	1.0E+06	9.1E-04
743	743	1.39826	1.52945E-05	2.1E-05	6.05E-04	1.29E-08	1.59E+00	4.71E-02	9.68E-10	1.0E+06	9.7E-04
744	744	1.49105	1.52945E-05	2.3E-05	6.05E-04	1.38E-08	1.59E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
745	745	1.58495	1.52945E-05	2.4E-05	6.05E-04	1.47E-08	1.59E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
746	746	1.68743	1.52945E-05	2.6E-05	6.05E-04	1.56E-08	1.59E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
747	747	1.81207	1.52945E-05	2.8E-05	6.05E-04	1.68E-08	1.59E+00	4.71E-02	1.25E-09	1.0E+06	1.3E-03
748	748	1.95577	1.52945E-05	3.0E-05	6.05E-04	1.81E-08	1.59E+00	4.71E-02	1.35E-09	1.0E+06	1.4E-03
749	749	2.11197	1.52945E-05	3.2E-05	6.05E-04	1.95E-08	1.59E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03
750	750	2.28068	1.52945E-05	3.5E-05	6.05E-04	2.11E-08	1.59E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
751	751	2.47772	1.52945E-05	3.8E-05	6.05E-04	2.29E-08	1.59E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
752	752	2.67701	1.52945E-05	4.1E-05	6.05E-04	2.48E-08	1.59E+00	4.71E-02	1.85E-09	1.0E+06	1.9E-03
753	753	2.88305	1.52945E-05	4.4E-05	6.05E-04	2.67E-08	1.59E+00	4.71E-02	2.00E-09	1.0E+06	2.0E-03
754	754	3.09187	1.52945E-05	4.7E-05	6.05E-04	2.86E-08	1.59E+00	4.71E-02	2.14E-09	1.0E+06	2.1E-03
755	755	3.29557	1.52945E-05	5.0E-05	6.05E-04	3.05E-08	1.59E+00	4.71E-02	2.28E-09	1.0E+06	2.3E-03
756	756	3.49046	1.52945E-05	5.3E-05	6.05E-04	3.23E-08	1.59E+00	4.71E-02	2.42E-09	1.0E+06	2.4E-03
757	757	3.67775	1.52945E-05	5.6E-05	6.05E-04	3.40E-08	1.59E+00	4.71E-02	2.55E-09	1.0E+06	2.5E-03
758	758	3.84434	1.52945E-05	5.9E-05	6.05E-04	3.56E-08	1.59E+00	4.71E-02	2.66E-09	1.0E+06	2.7E-03
759	759	3.99752	1.52945E-05	6.1E-05	6.05E-04	3.70E-08	1.59E+00	4.71E-02	2.77E-09	1.0E+06	2.8E-03
760	760	4.14151	1.52945E-05	6.3E-05	6.05E-04	3.83E-08	1.59E+00	4.71E-02	2.87E-09	1.0E+06	2.9E-03
761	761	4.2685	1.52945E-05	6.5E-05	6.05E-04	3.95E-08	1.59E+00	4.71E-02	2.95E-09	1.0E+06	3.0E-03
762	762	4.38168	1.52945E-05	6.7E-05	6.05E-04	4.05E-08	1.59E+00	4.71E-02	3.03E-09	1.0E+06	3.0E-03
763	763	4.48042	1.52945E-05	6.9E-05	6.05E-04	4.15E-08	1.59E+00	4.71E-02	3.10E-09	1.0E+06	3.1E-03
764	764	4.56303	1.52945E-05	7.0E-05	6.05E-04	4.22E-08	1.59E+00	4.71E-02	3.16E-09	1.0E+06	3.2E-03
765	765	4.62707	1.52945E-05	7.1E-05	6.05E-04	4.28E-08	1.59E+00	4.71E-02	3.20E-09	1.0E+06	3.2E-03
766	766	4.67673	1.52945E-05	7.2E-05	6.05E-04	4.33E-08	1.59E+00	4.71E-02	3.24E-09	1.0E+06	3.2E-03
767	767	4.7112	1.52945E-05	7.2E-05	6.05E-04	4.36E-08	1.59E+00	4.71E-02	3.26E-09	1.0E+06	3.3E-03
768	768	4.73681	1.52945E-05	7.2E-05	6.05E-04	4.38E-08	1.59E+00	4.71E-02	3.28E-09	1.0E+06	3.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	4.74887	1.52945E-05	7.3E-05	6.05E-04	4.39E-08	1.59E+00	4.71E-02	3.29E-09	1.0E+06	3.3E-03
770	770	4.75009	1.52945E-05	7.3E-05	6.05E-04	4.40E-08	1.59E+00	4.71E-02	3.29E-09	1.0E+06	3.3E-03
771	771	4.74008	1.52945E-05	7.2E-05	6.05E-04	4.39E-08	1.59E+00	4.71E-02	3.28E-09	1.0E+06	3.3E-03
772	772	0.73357	1.52945E-05	1.1E-05	6.05E-04	6.79E-09	1.59E+00	4.71E-02	5.08E-10	1.0E+06	5.1E-04
773	773	0.76714	1.52945E-05	1.2E-05	6.05E-04	7.10E-09	1.59E+00	4.71E-02	5.31E-10	1.0E+06	5.3E-04
774	774	0.80333	1.52945E-05	1.2E-05	6.05E-04	7.43E-09	1.59E+00	4.71E-02	5.56E-10	1.0E+06	5.6E-04
775	775	0.84372	1.52945E-05	1.3E-05	6.05E-04	7.81E-09	1.59E+00	4.71E-02	5.84E-10	1.0E+06	5.8E-04
776	776	0.88728	1.52945E-05	1.4E-05	6.05E-04	8.21E-09	1.59E+00	4.71E-02	6.14E-10	1.0E+06	6.1E-04
777	777	0.9346	1.52945E-05	1.4E-05	6.05E-04	8.65E-09	1.59E+00	4.71E-02	6.47E-10	1.0E+06	6.5E-04
778	778	0.98586	1.52945E-05	1.5E-05	6.05E-04	9.12E-09	1.59E+00	4.71E-02	6.82E-10	1.0E+06	6.8E-04
779	779	1.04156	1.52945E-05	1.6E-05	6.05E-04	9.64E-09	1.59E+00	4.71E-02	7.21E-10	1.0E+06	7.2E-04
780	780	1.10301	1.52945E-05	1.7E-05	6.05E-04	1.02E-08	1.59E+00	4.71E-02	7.63E-10	1.0E+06	7.6E-04
781	781	1.17015	1.52945E-05	1.8E-05	6.05E-04	1.08E-08	1.59E+00	4.71E-02	8.10E-10	1.0E+06	8.1E-04
782	782	1.24224	1.52945E-05	1.9E-05	6.05E-04	1.15E-08	1.59E+00	4.71E-02	8.60E-10	1.0E+06	8.6E-04
783	783	1.3201	1.52945E-05	2.0E-05	6.05E-04	1.22E-08	1.59E+00	4.71E-02	9.14E-10	1.0E+06	9.1E-04
784	784	1.40539	1.52945E-05	2.1E-05	6.05E-04	1.30E-08	1.59E+00	4.71E-02	9.73E-10	1.0E+06	9.7E-04
785	785	1.49337	1.52945E-05	2.3E-05	6.05E-04	1.38E-08	1.59E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
786	786	1.58877	1.52945E-05	2.4E-05	6.05E-04	1.47E-08	1.59E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
787	787	1.69586	1.52945E-05	2.6E-05	6.05E-04	1.57E-08	1.59E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
788	788	1.82758	1.52945E-05	2.8E-05	6.05E-04	1.69E-08	1.59E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
789	789	1.96893	1.52945E-05	3.0E-05	6.05E-04	1.82E-08	1.59E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
790	790	2.12533	1.52945E-05	3.3E-05	6.05E-04	1.97E-08	1.59E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03
791	791	2.29354	1.52945E-05	3.5E-05	6.05E-04	2.12E-08	1.59E+00	4.71E-02	1.59E-09	1.0E+06	1.6E-03
792	792	2.4693	1.52945E-05	3.8E-05	6.05E-04	2.29E-08	1.59E+00	4.71E-02	1.71E-09	1.0E+06	1.7E-03
793	793	2.65001	1.52945E-05	4.1E-05	6.05E-04	2.45E-08	1.59E+00	4.71E-02	1.83E-09	1.0E+06	1.8E-03
794	794	2.83321	1.52945E-05	4.3E-05	6.05E-04	2.62E-08	1.59E+00	4.71E-02	1.96E-09	1.0E+06	2.0E-03
795	795	3.01417	1.52945E-05	4.6E-05	6.05E-04	2.79E-08	1.59E+00	4.71E-02	2.09E-09	1.0E+06	2.1E-03
796	796	3.18974	1.52945E-05	4.9E-05	6.05E-04	2.95E-08	1.59E+00	4.71E-02	2.21E-09	1.0E+06	2.2E-03
797	797	3.35802	1.52945E-05	5.1E-05	6.05E-04	3.11E-08	1.59E+00	4.71E-02	2.32E-09	1.0E+06	2.3E-03
798	798	3.5087	1.52945E-05	5.4E-05	6.05E-04	3.25E-08	1.59E+00	4.71E-02	2.43E-09	1.0E+06	2.4E-03
799	799	3.6529	1.52945E-05	5.6E-05	6.05E-04	3.38E-08	1.59E+00	4.71E-02	2.53E-09	1.0E+06	2.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

		Cancer risk from 2 to 16 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	3.7819	1.52945E-05	5.8E-05	6.05E-04	3.50E-08	1.59E+00	4.71E-02	2.62E-09	1.0E+06	2.6E-03
801	801	3.90272	1.52945E-05	6.0E-05	6.05E-04	3.61E-08	1.59E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
802	802	4.0054	1.52945E-05	6.1E-05	6.05E-04	3.71E-08	1.59E+00	4.71E-02	2.77E-09	1.0E+06	2.8E-03
803	803	4.10098	1.52945E-05	6.3E-05	6.05E-04	3.80E-08	1.59E+00	4.71E-02	2.84E-09	1.0E+06	2.8E-03
804	804	4.17923	1.52945E-05	6.4E-05	6.05E-04	3.87E-08	1.59E+00	4.71E-02	2.89E-09	1.0E+06	2.9E-03
805	805	4.24047	1.52945E-05	6.5E-05	6.05E-04	3.92E-08	1.59E+00	4.71E-02	2.93E-09	1.0E+06	2.9E-03
806	806	4.28701	1.52945E-05	6.6E-05	6.05E-04	3.97E-08	1.59E+00	4.71E-02	2.97E-09	1.0E+06	3.0E-03
807	807	4.32448	1.52945E-05	6.6E-05	6.05E-04	4.00E-08	1.59E+00	4.71E-02	2.99E-09	1.0E+06	3.0E-03
808	808	4.35095	1.52945E-05	6.7E-05	6.05E-04	4.03E-08	1.59E+00	4.71E-02	3.01E-09	1.0E+06	3.0E-03
809	809	4.36432	1.52945E-05	6.7E-05	6.05E-04	4.04E-08	1.59E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
810	810	4.36762	1.52945E-05	6.7E-05	6.05E-04	4.04E-08	1.59E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
811	811	4.36048	1.52945E-05	6.7E-05	6.05E-04	4.04E-08	1.59E+00	4.71E-02	3.02E-09	1.0E+06	3.0E-03
812	812	0.70426	1.52945E-05	1.1E-05	6.05E-04	6.52E-09	1.59E+00	4.71E-02	4.87E-10	1.0E+06	4.9E-04
813	813	0.73523	1.52945E-05	1.1E-05	6.05E-04	6.80E-09	1.59E+00	4.71E-02	5.09E-10	1.0E+06	5.1E-04
814	814	0.76872	1.52945E-05	1.2E-05	6.05E-04	7.11E-09	1.59E+00	4.71E-02	5.32E-10	1.0E+06	5.3E-04
815	815	0.80671	1.52945E-05	1.2E-05	6.05E-04	7.47E-09	1.59E+00	4.71E-02	5.58E-10	1.0E+06	5.6E-04
816	816	0.84741	1.52945E-05	1.3E-05	6.05E-04	7.84E-09	1.59E+00	4.71E-02	5.87E-10	1.0E+06	5.9E-04
817	817	0.89154	1.52945E-05	1.4E-05	6.05E-04	8.25E-09	1.59E+00	4.71E-02	6.17E-10	1.0E+06	6.2E-04
818	818	0.93907	1.52945E-05	1.4E-05	6.05E-04	8.69E-09	1.59E+00	4.71E-02	6.50E-10	1.0E+06	6.5E-04
819	819	0.99063	1.52945E-05	1.5E-05	6.05E-04	9.17E-09	1.59E+00	4.71E-02	6.86E-10	1.0E+06	6.9E-04
820	820	1.04669	1.52945E-05	1.6E-05	6.05E-04	9.69E-09	1.59E+00	4.71E-02	7.24E-10	1.0E+06	7.2E-04
821	821	1.10756	1.52945E-05	1.7E-05	6.05E-04	1.02E-08	1.59E+00	4.71E-02	7.67E-10	1.0E+06	7.7E-04
822	822	1.1738	1.52945E-05	1.8E-05	6.05E-04	1.09E-08	1.59E+00	4.71E-02	8.12E-10	1.0E+06	8.1E-04
823	823	1.24606	1.52945E-05	1.9E-05	6.05E-04	1.15E-08	1.59E+00	4.71E-02	8.62E-10	1.0E+06	8.6E-04
824	824	1.32507	1.52945E-05	2.0E-05	6.05E-04	1.23E-08	1.59E+00	4.71E-02	9.17E-10	1.0E+06	9.2E-04
825	825	1.40741	1.52945E-05	2.2E-05	6.05E-04	1.30E-08	1.59E+00	4.71E-02	9.74E-10	1.0E+06	9.7E-04
826	826	1.49713	1.52945E-05	2.3E-05	6.05E-04	1.39E-08	1.59E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
827	827	1.59676	1.52945E-05	2.4E-05	6.05E-04	1.48E-08	1.59E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
828	828	1.70874	1.52945E-05	2.6E-05	6.05E-04	1.58E-08	1.59E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
829	829	1.84531	1.52945E-05	2.8E-05	6.05E-04	1.71E-08	1.59E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
830	830	1.9848	1.52945E-05	3.0E-05	6.05E-04	1.84E-08	1.59E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	2.12648	1.52945E-05	3.3E-05	6.05E-04	1.97E-08	1.59E+00	4.71E-02	1.47E-09	1.0E+06	1.5E-03
832	832	2.28243	1.52945E-05	3.5E-05	6.05E-04	2.11E-08	1.59E+00	4.71E-02	1.58E-09	1.0E+06	1.6E-03
833	833	2.44103	1.52945E-05	3.7E-05	6.05E-04	2.26E-08	1.59E+00	4.71E-02	1.69E-09	1.0E+06	1.7E-03
834	834	2.6023	1.52945E-05	4.0E-05	6.05E-04	2.41E-08	1.59E+00	4.71E-02	1.80E-09	1.0E+06	1.8E-03
835	835	2.76368	1.52945E-05	4.2E-05	6.05E-04	2.56E-08	1.59E+00	4.71E-02	1.91E-09	1.0E+06	1.9E-03
836	836	2.91728	1.52945E-05	4.5E-05	6.05E-04	2.70E-08	1.59E+00	4.71E-02	2.02E-09	1.0E+06	2.0E-03
837	837	3.07518	1.52945E-05	4.7E-05	6.05E-04	2.85E-08	1.59E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
838	838	3.2138	1.52945E-05	4.9E-05	6.05E-04	2.97E-08	1.59E+00	4.71E-02	2.22E-09	1.0E+06	2.2E-03
839	839	3.34713	1.52945E-05	5.1E-05	6.05E-04	3.10E-08	1.59E+00	4.71E-02	2.32E-09	1.0E+06	2.3E-03
840	840	3.47024	1.52945E-05	5.3E-05	6.05E-04	3.21E-08	1.59E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
841	841	3.5783	1.52945E-05	5.5E-05	6.05E-04	3.31E-08	1.59E+00	4.71E-02	2.48E-09	1.0E+06	2.5E-03
842	842	3.67765	1.52945E-05	5.6E-05	6.05E-04	3.40E-08	1.59E+00	4.71E-02	2.55E-09	1.0E+06	2.5E-03
843	843	3.76463	1.52945E-05	5.8E-05	6.05E-04	3.48E-08	1.59E+00	4.71E-02	2.61E-09	1.0E+06	2.6E-03
844	844	3.83856	1.52945E-05	5.9E-05	6.05E-04	3.55E-08	1.59E+00	4.71E-02	2.66E-09	1.0E+06	2.7E-03
845	845	3.89959	1.52945E-05	6.0E-05	6.05E-04	3.61E-08	1.59E+00	4.71E-02	2.70E-09	1.0E+06	2.7E-03
846	846	3.94552	1.52945E-05	6.0E-05	6.05E-04	3.65E-08	1.59E+00	4.71E-02	2.73E-09	1.0E+06	2.7E-03
847	847	3.98306	1.52945E-05	6.1E-05	6.05E-04	3.69E-08	1.59E+00	4.71E-02	2.76E-09	1.0E+06	2.8E-03
848	848	4.00752	1.52945E-05	6.1E-05	6.05E-04	3.71E-08	1.59E+00	4.71E-02	2.77E-09	1.0E+06	2.8E-03
849	849	4.02461	1.52945E-05	6.2E-05	6.05E-04	3.72E-08	1.59E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
850	850	4.02957	1.52945E-05	6.2E-05	6.05E-04	3.73E-08	1.59E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
851	851	4.02491	1.52945E-05	6.2E-05	6.05E-04	3.72E-08	1.59E+00	4.71E-02	2.79E-09	1.0E+06	2.8E-03
852	852	0.67546	1.52945E-05	1.0E-05	6.05E-04	6.25E-09	1.59E+00	4.71E-02	4.68E-10	1.0E+06	4.7E-04
853	853	0.70396	1.52945E-05	1.1E-05	6.05E-04	6.51E-09	1.59E+00	4.71E-02	4.87E-10	1.0E+06	4.9E-04
854	854	0.73474	1.52945E-05	1.1E-05	6.05E-04	6.80E-09	1.59E+00	4.71E-02	5.09E-10	1.0E+06	5.1E-04
855	855	0.7705	1.52945E-05	1.2E-05	6.05E-04	7.13E-09	1.59E+00	4.71E-02	5.33E-10	1.0E+06	5.3E-04
856	856	0.80877	1.52945E-05	1.2E-05	6.05E-04	7.48E-09	1.59E+00	4.71E-02	5.60E-10	1.0E+06	5.6E-04
857	857	0.84981	1.52945E-05	1.3E-05	6.05E-04	7.86E-09	1.59E+00	4.71E-02	5.88E-10	1.0E+06	5.9E-04
858	858	0.89393	1.52945E-05	1.4E-05	6.05E-04	8.27E-09	1.59E+00	4.71E-02	6.19E-10	1.0E+06	6.2E-04
859	859	0.94147	1.52945E-05	1.4E-05	6.05E-04	8.71E-09	1.59E+00	4.71E-02	6.52E-10	1.0E+06	6.5E-04
860	860	0.99284	1.52945E-05	1.5E-05	6.05E-04	9.19E-09	1.59E+00	4.71E-02	6.87E-10	1.0E+06	6.9E-04
861	861	1.04823	1.52945E-05	1.6E-05	6.05E-04	9.70E-09	1.59E+00	4.71E-02	7.26E-10	1.0E+06	7.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	1.10894	1.52945E-05	1.7E-05	6.05E-04	1.03E-08	1.59E+00	4.71E-02	7.68E-10	1.0E+06	7.7E-04
863	863	1.17593	1.52945E-05	1.8E-05	6.05E-04	1.09E-08	1.59E+00	4.71E-02	8.14E-10	1.0E+06	8.1E-04
864	864	1.24929	1.52945E-05	1.9E-05	6.05E-04	1.16E-08	1.59E+00	4.71E-02	8.65E-10	1.0E+06	8.6E-04
865	865	1.32741	1.52945E-05	2.0E-05	6.05E-04	1.23E-08	1.59E+00	4.71E-02	9.19E-10	1.0E+06	9.2E-04
866	866	1.41229	1.52945E-05	2.2E-05	6.05E-04	1.31E-08	1.59E+00	4.71E-02	9.77E-10	1.0E+06	9.8E-04
867	867	1.50516	1.52945E-05	2.3E-05	6.05E-04	1.39E-08	1.59E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
868	868	1.60719	1.52945E-05	2.5E-05	6.05E-04	1.49E-08	1.59E+00	4.71E-02	1.11E-09	1.0E+06	1.1E-03
869	869	1.71751	1.52945E-05	2.6E-05	6.05E-04	1.59E-08	1.59E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
870	870	1.85024	1.52945E-05	2.8E-05	6.05E-04	1.71E-08	1.59E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
871	871	1.98203	1.52945E-05	3.0E-05	6.05E-04	1.83E-08	1.59E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03
872	872	2.11338	1.52945E-05	3.2E-05	6.05E-04	1.96E-08	1.59E+00	4.71E-02	1.46E-09	1.0E+06	1.5E-03
873	873	2.25336	1.52945E-05	3.4E-05	6.05E-04	2.09E-08	1.59E+00	4.71E-02	1.56E-09	1.0E+06	1.6E-03
874	874	2.3955	1.52945E-05	3.7E-05	6.05E-04	2.22E-08	1.59E+00	4.71E-02	1.66E-09	1.0E+06	1.7E-03
875	875	2.53984	1.52945E-05	3.9E-05	6.05E-04	2.35E-08	1.59E+00	4.71E-02	1.76E-09	1.0E+06	1.8E-03
876	876	2.67806	1.52945E-05	4.1E-05	6.05E-04	2.48E-08	1.59E+00	4.71E-02	1.85E-09	1.0E+06	1.9E-03
877	877	2.81781	1.52945E-05	4.3E-05	6.05E-04	2.61E-08	1.59E+00	4.71E-02	1.95E-09	1.0E+06	2.0E-03
878	878	2.95198	1.52945E-05	4.5E-05	6.05E-04	2.73E-08	1.59E+00	4.71E-02	2.04E-09	1.0E+06	2.0E-03
879	879	3.08152	1.52945E-05	4.7E-05	6.05E-04	2.85E-08	1.59E+00	4.71E-02	2.13E-09	1.0E+06	2.1E-03
880	880	3.19178	1.52945E-05	4.9E-05	6.05E-04	2.95E-08	1.59E+00	4.71E-02	2.21E-09	1.0E+06	2.2E-03
881	881	3.29487	1.52945E-05	5.0E-05	6.05E-04	3.05E-08	1.59E+00	4.71E-02	2.28E-09	1.0E+06	2.3E-03
882	882	3.38771	1.52945E-05	5.2E-05	6.05E-04	3.14E-08	1.59E+00	4.71E-02	2.34E-09	1.0E+06	2.3E-03
883	883	3.46908	1.52945E-05	5.3E-05	6.05E-04	3.21E-08	1.59E+00	4.71E-02	2.40E-09	1.0E+06	2.4E-03
884	884	3.53893	1.52945E-05	5.4E-05	6.05E-04	3.28E-08	1.59E+00	4.71E-02	2.45E-09	1.0E+06	2.4E-03
885	885	3.5976	1.52945E-05	5.5E-05	6.05E-04	3.33E-08	1.59E+00	4.71E-02	2.49E-09	1.0E+06	2.5E-03
886	886	3.64257	1.52945E-05	5.6E-05	6.05E-04	3.37E-08	1.59E+00	4.71E-02	2.52E-09	1.0E+06	2.5E-03
887	887	3.67996	1.52945E-05	5.6E-05	6.05E-04	3.41E-08	1.59E+00	4.71E-02	2.55E-09	1.0E+06	2.5E-03
888	888	3.70464	1.52945E-05	5.7E-05	6.05E-04	3.43E-08	1.59E+00	4.71E-02	2.56E-09	1.0E+06	2.6E-03
889	889	3.7226	1.52945E-05	5.7E-05	6.05E-04	3.44E-08	1.59E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03
890	890	3.72903	1.52945E-05	5.7E-05	6.05E-04	3.45E-08	1.59E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03
891	891	3.72652	1.52945E-05	5.7E-05	6.05E-04	3.45E-08	1.59E+00	4.71E-02	2.58E-09	1.0E+06	2.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	0.77761	1.86799E-05	1.5E-05	6.05E-04	8.79E-09	1.59E+00	4.71E-02	6.57E-10	1.0E+06	6.6E-04
522	522	0.81596	1.86799E-05	1.5E-05	6.05E-04	9.22E-09	1.59E+00	4.71E-02	6.90E-10	1.0E+06	6.9E-04
523	523	0.8566	1.86799E-05	1.6E-05	6.05E-04	9.68E-09	1.59E+00	4.71E-02	7.24E-10	1.0E+06	7.2E-04
524	524	0.89949	1.86799E-05	1.7E-05	6.05E-04	1.02E-08	1.59E+00	4.71E-02	7.60E-10	1.0E+06	7.6E-04
525	525	0.95492	1.86799E-05	1.8E-05	6.05E-04	1.08E-08	1.59E+00	4.71E-02	8.07E-10	1.0E+06	8.1E-04
526	526	1.01631	1.86799E-05	1.9E-05	6.05E-04	1.15E-08	1.59E+00	4.71E-02	8.59E-10	1.0E+06	8.6E-04
527	527	1.08353	1.86799E-05	2.0E-05	6.05E-04	1.22E-08	1.59E+00	4.71E-02	9.16E-10	1.0E+06	9.2E-04
528	528	1.15852	1.86799E-05	2.2E-05	6.05E-04	1.31E-08	1.59E+00	4.71E-02	9.79E-10	1.0E+06	9.8E-04
529	529	1.242	1.86799E-05	2.3E-05	6.05E-04	1.40E-08	1.59E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
530	530	1.33478	1.86799E-05	2.5E-05	6.05E-04	1.51E-08	1.59E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
531	531	1.43952	1.86799E-05	2.7E-05	6.05E-04	1.63E-08	1.59E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
532	532	0.31799	1.86799E-05	5.9E-06	6.05E-04	3.59E-09	1.59E+00	4.71E-02	2.69E-10	1.0E+06	2.7E-04
533	533	0.32535	1.86799E-05	6.1E-06	6.05E-04	3.68E-09	1.59E+00	4.71E-02	2.75E-10	1.0E+06	2.8E-04
534	534	0.33295	1.86799E-05	6.2E-06	6.05E-04	3.76E-09	1.59E+00	4.71E-02	2.81E-10	1.0E+06	2.8E-04
535	535	0.34066	1.86799E-05	6.4E-06	6.05E-04	3.85E-09	1.59E+00	4.71E-02	2.88E-10	1.0E+06	2.9E-04
536	536	0.34872	1.86799E-05	6.5E-06	6.05E-04	3.94E-09	1.59E+00	4.71E-02	2.95E-10	1.0E+06	2.9E-04
537	537	0.35704	1.86799E-05	6.7E-06	6.05E-04	4.04E-09	1.59E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
538	538	0.36567	1.86799E-05	6.8E-06	6.05E-04	4.13E-09	1.59E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04
539	539	0.37473	1.86799E-05	7.0E-06	6.05E-04	4.24E-09	1.59E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
540	540	0.38444	1.86799E-05	7.2E-06	6.05E-04	4.35E-09	1.59E+00	4.71E-02	3.25E-10	1.0E+06	3.2E-04
541	541	0.39462	1.86799E-05	7.4E-06	6.05E-04	4.46E-09	1.59E+00	4.71E-02	3.34E-10	1.0E+06	3.3E-04
542	542	0.40528	1.86799E-05	7.6E-06	6.05E-04	4.58E-09	1.59E+00	4.71E-02	3.43E-10	1.0E+06	3.4E-04
543	543	0.41647	1.86799E-05	7.8E-06	6.05E-04	4.71E-09	1.59E+00	4.71E-02	3.52E-10	1.0E+06	3.5E-04
544	544	0.42822	1.86799E-05	8.0E-06	6.05E-04	4.84E-09	1.59E+00	4.71E-02	3.62E-10	1.0E+06	3.6E-04
545	545	0.44048	1.86799E-05	8.2E-06	6.05E-04	4.98E-09	1.59E+00	4.71E-02	3.72E-10	1.0E+06	3.7E-04
546	546	0.45341	1.86799E-05	8.5E-06	6.05E-04	5.12E-09	1.59E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
547	547	0.46703	1.86799E-05	8.7E-06	6.05E-04	5.28E-09	1.59E+00	4.71E-02	3.95E-10	1.0E+06	3.9E-04
548	548	0.48144	1.86799E-05	9.0E-06	6.05E-04	5.44E-09	1.59E+00	4.71E-02	4.07E-10	1.0E+06	4.1E-04
549	549	0.49672	1.86799E-05	9.3E-06	6.05E-04	5.61E-09	1.59E+00	4.71E-02	4.20E-10	1.0E+06	4.2E-04
550	550	0.513	1.86799E-05	9.6E-06	6.05E-04	5.80E-09	1.59E+00	4.71E-02	4.34E-10	1.0E+06	4.3E-04
551	551	0.53038	1.86799E-05	9.9E-06	6.05E-04	5.99E-09	1.59E+00	4.71E-02	4.48E-10	1.0E+06	4.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	0.54888	1.86799E-05	1.0E-05	6.05E-04	6.20E-09	1.59E+00	4.71E-02	4.64E-10	1.0E+06	4.6E-04
553	553	0.56857	1.86799E-05	1.1E-05	6.05E-04	6.43E-09	1.59E+00	4.71E-02	4.81E-10	1.0E+06	4.8E-04
554	554	0.58964	1.86799E-05	1.1E-05	6.05E-04	6.66E-09	1.59E+00	4.71E-02	4.98E-10	1.0E+06	5.0E-04
555	555	0.61219	1.86799E-05	1.1E-05	6.05E-04	6.92E-09	1.59E+00	4.71E-02	5.18E-10	1.0E+06	5.2E-04
556	556	0.63635	1.86799E-05	1.2E-05	6.05E-04	7.19E-09	1.59E+00	4.71E-02	5.38E-10	1.0E+06	5.4E-04
557	557	0.66239	1.86799E-05	1.2E-05	6.05E-04	7.49E-09	1.59E+00	4.71E-02	5.60E-10	1.0E+06	5.6E-04
558	558	0.69045	1.86799E-05	1.3E-05	6.05E-04	7.80E-09	1.59E+00	4.71E-02	5.84E-10	1.0E+06	5.8E-04
559	559	0.72084	1.86799E-05	1.3E-05	6.05E-04	8.15E-09	1.59E+00	4.71E-02	6.09E-10	1.0E+06	6.1E-04
560	560	0.75373	1.86799E-05	1.4E-05	6.05E-04	8.52E-09	1.59E+00	4.71E-02	6.37E-10	1.0E+06	6.4E-04
561	561	0.78941	1.86799E-05	1.5E-05	6.05E-04	8.92E-09	1.59E+00	4.71E-02	6.67E-10	1.0E+06	6.7E-04
562	562	0.82835	1.86799E-05	1.5E-05	6.05E-04	9.36E-09	1.59E+00	4.71E-02	7.00E-10	1.0E+06	7.0E-04
563	563	0.87169	1.86799E-05	1.6E-05	6.05E-04	9.85E-09	1.59E+00	4.71E-02	7.37E-10	1.0E+06	7.4E-04
564	564	0.9113	1.86799E-05	1.7E-05	6.05E-04	1.03E-08	1.59E+00	4.71E-02	7.70E-10	1.0E+06	7.7E-04
565	565	0.96895	1.86799E-05	1.8E-05	6.05E-04	1.10E-08	1.59E+00	4.71E-02	8.19E-10	1.0E+06	8.2E-04
566	566	1.03344	1.86799E-05	1.9E-05	6.05E-04	1.17E-08	1.59E+00	4.71E-02	8.74E-10	1.0E+06	8.7E-04
567	567	1.10183	1.86799E-05	2.1E-05	6.05E-04	1.25E-08	1.59E+00	4.71E-02	9.31E-10	1.0E+06	9.3E-04
568	568	1.17843	1.86799E-05	2.2E-05	6.05E-04	1.33E-08	1.59E+00	4.71E-02	9.96E-10	1.0E+06	1.0E-03
569	569	1.26374	1.86799E-05	2.4E-05	6.05E-04	1.43E-08	1.59E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
570	570	1.35839	1.86799E-05	2.5E-05	6.05E-04	1.54E-08	1.59E+00	4.71E-02	1.15E-09	1.0E+06	1.1E-03
571	571	1.46504	1.86799E-05	2.7E-05	6.05E-04	1.66E-08	1.59E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
572	572	0.32025	1.86799E-05	6.0E-06	6.05E-04	3.62E-09	1.59E+00	4.71E-02	2.71E-10	1.0E+06	2.7E-04
573	573	0.32792	1.86799E-05	6.1E-06	6.05E-04	3.71E-09	1.59E+00	4.71E-02	2.77E-10	1.0E+06	2.8E-04
574	574	0.33581	1.86799E-05	6.3E-06	6.05E-04	3.80E-09	1.59E+00	4.71E-02	2.84E-10	1.0E+06	2.8E-04
575	575	0.34367	1.86799E-05	6.4E-06	6.05E-04	3.88E-09	1.59E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
576	576	0.35185	1.86799E-05	6.6E-06	6.05E-04	3.98E-09	1.59E+00	4.71E-02	2.97E-10	1.0E+06	3.0E-04
577	577	0.36021	1.86799E-05	6.7E-06	6.05E-04	4.07E-09	1.59E+00	4.71E-02	3.04E-10	1.0E+06	3.0E-04
578	578	0.36881	1.86799E-05	6.9E-06	6.05E-04	4.17E-09	1.59E+00	4.71E-02	3.12E-10	1.0E+06	3.1E-04
579	579	0.37784	1.86799E-05	7.1E-06	6.05E-04	4.27E-09	1.59E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
580	580	0.38781	1.86799E-05	7.2E-06	6.05E-04	4.38E-09	1.59E+00	4.71E-02	3.28E-10	1.0E+06	3.3E-04
581	581	0.39825	1.86799E-05	7.4E-06	6.05E-04	4.50E-09	1.59E+00	4.71E-02	3.37E-10	1.0E+06	3.4E-04
582	582	0.40922	1.86799E-05	7.6E-06	6.05E-04	4.63E-09	1.59E+00	4.71E-02	3.46E-10	1.0E+06	3.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.42073	1.86799E-05	7.9E-06	6.05E-04	4.76E-09	1.59E+00	4.71E-02	3.56E-10	1.0E+06	3.6E-04
584	584	0.43281	1.86799E-05	8.1E-06	6.05E-04	4.89E-09	1.59E+00	4.71E-02	3.66E-10	1.0E+06	3.7E-04
585	585	0.44529	1.86799E-05	8.3E-06	6.05E-04	5.03E-09	1.59E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
586	586	0.45844	1.86799E-05	8.6E-06	6.05E-04	5.18E-09	1.59E+00	4.71E-02	3.88E-10	1.0E+06	3.9E-04
587	587	0.47232	1.86799E-05	8.8E-06	6.05E-04	5.34E-09	1.59E+00	4.71E-02	3.99E-10	1.0E+06	4.0E-04
588	588	0.487	1.86799E-05	9.1E-06	6.05E-04	5.50E-09	1.59E+00	4.71E-02	4.12E-10	1.0E+06	4.1E-04
589	589	0.50252	1.86799E-05	9.4E-06	6.05E-04	5.68E-09	1.59E+00	4.71E-02	4.25E-10	1.0E+06	4.2E-04
590	590	0.51906	1.86799E-05	9.7E-06	6.05E-04	5.87E-09	1.59E+00	4.71E-02	4.39E-10	1.0E+06	4.4E-04
591	591	0.53672	1.86799E-05	1.0E-05	6.05E-04	6.07E-09	1.59E+00	4.71E-02	4.54E-10	1.0E+06	4.5E-04
592	592	0.55557	1.86799E-05	1.0E-05	6.05E-04	6.28E-09	1.59E+00	4.71E-02	4.70E-10	1.0E+06	4.7E-04
593	593	0.57578	1.86799E-05	1.1E-05	6.05E-04	6.51E-09	1.59E+00	4.71E-02	4.87E-10	1.0E+06	4.9E-04
594	594	0.59738	1.86799E-05	1.1E-05	6.05E-04	6.75E-09	1.59E+00	4.71E-02	5.05E-10	1.0E+06	5.0E-04
595	595	0.62042	1.86799E-05	1.2E-05	6.05E-04	7.01E-09	1.59E+00	4.71E-02	5.24E-10	1.0E+06	5.2E-04
596	596	0.64508	1.86799E-05	1.2E-05	6.05E-04	7.29E-09	1.59E+00	4.71E-02	5.45E-10	1.0E+06	5.5E-04
597	597	0.67162	1.86799E-05	1.3E-05	6.05E-04	7.59E-09	1.59E+00	4.71E-02	5.68E-10	1.0E+06	5.7E-04
598	598	0.70021	1.86799E-05	1.3E-05	6.05E-04	7.91E-09	1.59E+00	4.71E-02	5.92E-10	1.0E+06	5.9E-04
599	599	0.73114	1.86799E-05	1.4E-05	6.05E-04	8.26E-09	1.59E+00	4.71E-02	6.18E-10	1.0E+06	6.2E-04
600	600	0.76459	1.86799E-05	1.4E-05	6.05E-04	8.64E-09	1.59E+00	4.71E-02	6.46E-10	1.0E+06	6.5E-04
601	601	0.80076	1.86799E-05	1.5E-05	6.05E-04	9.05E-09	1.59E+00	4.71E-02	6.77E-10	1.0E+06	6.8E-04
602	602	0.84014	1.86799E-05	1.6E-05	6.05E-04	9.50E-09	1.59E+00	4.71E-02	7.10E-10	1.0E+06	7.1E-04
603	603	0.88464	1.86799E-05	1.7E-05	6.05E-04	1.00E-08	1.59E+00	4.71E-02	7.48E-10	1.0E+06	7.5E-04
604	604	0.92299	1.86799E-05	1.7E-05	6.05E-04	1.04E-08	1.59E+00	4.71E-02	7.80E-10	1.0E+06	7.8E-04
605	605	0.98419	1.86799E-05	1.8E-05	6.05E-04	1.11E-08	1.59E+00	4.71E-02	8.32E-10	1.0E+06	8.3E-04
606	606	1.048	1.86799E-05	2.0E-05	6.05E-04	1.18E-08	1.59E+00	4.71E-02	8.86E-10	1.0E+06	8.9E-04
607	607	1.11645	1.86799E-05	2.1E-05	6.05E-04	1.26E-08	1.59E+00	4.71E-02	9.44E-10	1.0E+06	9.4E-04
608	608	1.1945	1.86799E-05	2.2E-05	6.05E-04	1.35E-08	1.59E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
609	609	1.28315	1.86799E-05	2.4E-05	6.05E-04	1.45E-08	1.59E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
610	610	1.38068	1.86799E-05	2.6E-05	6.05E-04	1.56E-08	1.59E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
611	611	1.48892	1.86799E-05	2.8E-05	6.05E-04	1.68E-08	1.59E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
612	612	0.32234	1.86799E-05	6.0E-06	6.05E-04	3.64E-09	1.59E+00	4.71E-02	2.72E-10	1.0E+06	2.7E-04
613	613	0.3304	1.86799E-05	6.2E-06	6.05E-04	3.73E-09	1.59E+00	4.71E-02	2.79E-10	1.0E+06	2.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.33857	1.86799E-05	6.3E-06	6.05E-04	3.83E-09	1.59E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
615	615	0.34656	1.86799E-05	6.5E-06	6.05E-04	3.92E-09	1.59E+00	4.71E-02	2.93E-10	1.0E+06	2.9E-04
616	616	0.35488	1.86799E-05	6.6E-06	6.05E-04	4.01E-09	1.59E+00	4.71E-02	3.00E-10	1.0E+06	3.0E-04
617	617	0.36325	1.86799E-05	6.8E-06	6.05E-04	4.11E-09	1.59E+00	4.71E-02	3.07E-10	1.0E+06	3.1E-04
618	618	0.37175	1.86799E-05	6.9E-06	6.05E-04	4.20E-09	1.59E+00	4.71E-02	3.14E-10	1.0E+06	3.1E-04
619	619	0.3807	1.86799E-05	7.1E-06	6.05E-04	4.30E-09	1.59E+00	4.71E-02	3.22E-10	1.0E+06	3.2E-04
620	620	0.39093	1.86799E-05	7.3E-06	6.05E-04	4.42E-09	1.59E+00	4.71E-02	3.30E-10	1.0E+06	3.3E-04
621	621	0.40165	1.86799E-05	7.5E-06	6.05E-04	4.54E-09	1.59E+00	4.71E-02	3.40E-10	1.0E+06	3.4E-04
622	622	0.4129	1.86799E-05	7.7E-06	6.05E-04	4.67E-09	1.59E+00	4.71E-02	3.49E-10	1.0E+06	3.5E-04
623	623	0.42474	1.86799E-05	7.9E-06	6.05E-04	4.80E-09	1.59E+00	4.71E-02	3.59E-10	1.0E+06	3.6E-04
624	624	0.43714	1.86799E-05	8.2E-06	6.05E-04	4.94E-09	1.59E+00	4.71E-02	3.70E-10	1.0E+06	3.7E-04
625	625	0.44985	1.86799E-05	8.4E-06	6.05E-04	5.08E-09	1.59E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
626	626	0.46319	1.86799E-05	8.7E-06	6.05E-04	5.24E-09	1.59E+00	4.71E-02	3.92E-10	1.0E+06	3.9E-04
627	627	0.47729	1.86799E-05	8.9E-06	6.05E-04	5.39E-09	1.59E+00	4.71E-02	4.03E-10	1.0E+06	4.0E-04
628	628	0.49218	1.86799E-05	9.2E-06	6.05E-04	5.56E-09	1.59E+00	4.71E-02	4.16E-10	1.0E+06	4.2E-04
629	629	0.50796	1.86799E-05	9.5E-06	6.05E-04	5.74E-09	1.59E+00	4.71E-02	4.29E-10	1.0E+06	4.3E-04
630	630	0.52476	1.86799E-05	9.8E-06	6.05E-04	5.93E-09	1.59E+00	4.71E-02	4.44E-10	1.0E+06	4.4E-04
631	631	0.54268	1.86799E-05	1.0E-05	6.05E-04	6.13E-09	1.59E+00	4.71E-02	4.59E-10	1.0E+06	4.6E-04
632	632	0.56186	1.86799E-05	1.0E-05	6.05E-04	6.35E-09	1.59E+00	4.71E-02	4.75E-10	1.0E+06	4.7E-04
633	633	0.58263	1.86799E-05	1.1E-05	6.05E-04	6.59E-09	1.59E+00	4.71E-02	4.93E-10	1.0E+06	4.9E-04
634	634	0.60479	1.86799E-05	1.1E-05	6.05E-04	6.84E-09	1.59E+00	4.71E-02	5.11E-10	1.0E+06	5.1E-04
635	635	0.62834	1.86799E-05	1.2E-05	6.05E-04	7.10E-09	1.59E+00	4.71E-02	5.31E-10	1.0E+06	5.3E-04
636	636	0.65351	1.86799E-05	1.2E-05	6.05E-04	7.39E-09	1.59E+00	4.71E-02	5.52E-10	1.0E+06	5.5E-04
637	637	0.68056	1.86799E-05	1.3E-05	6.05E-04	7.69E-09	1.59E+00	4.71E-02	5.75E-10	1.0E+06	5.8E-04
638	638	0.7096	1.86799E-05	1.3E-05	6.05E-04	8.02E-09	1.59E+00	4.71E-02	6.00E-10	1.0E+06	6.0E-04
639	639	0.74102	1.86799E-05	1.4E-05	6.05E-04	8.38E-09	1.59E+00	4.71E-02	6.26E-10	1.0E+06	6.3E-04
640	640	0.77492	1.86799E-05	1.4E-05	6.05E-04	8.76E-09	1.59E+00	4.71E-02	6.55E-10	1.0E+06	6.6E-04
641	641	0.81161	1.86799E-05	1.5E-05	6.05E-04	9.17E-09	1.59E+00	4.71E-02	6.86E-10	1.0E+06	6.9E-04
642	642	0.85166	1.86799E-05	1.6E-05	6.05E-04	9.63E-09	1.59E+00	4.71E-02	7.20E-10	1.0E+06	7.2E-04
643	643	0.8971	1.86799E-05	1.7E-05	6.05E-04	1.01E-08	1.59E+00	4.71E-02	7.58E-10	1.0E+06	7.6E-04
644	644	0.94452	1.86799E-05	1.8E-05	6.05E-04	1.07E-08	1.59E+00	4.71E-02	7.98E-10	1.0E+06	8.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	0.99851	1.86799E-05	1.9E-05	6.05E-04	1.13E-08	1.59E+00	4.71E-02	8.44E-10	1.0E+06	8.4E-04
646	646	1.06154	1.86799E-05	2.0E-05	6.05E-04	1.20E-08	1.59E+00	4.71E-02	8.97E-10	1.0E+06	9.0E-04
647	647	1.1329	1.86799E-05	2.1E-05	6.05E-04	1.28E-08	1.59E+00	4.71E-02	9.58E-10	1.0E+06	9.6E-04
648	648	1.21234	1.86799E-05	2.3E-05	6.05E-04	1.37E-08	1.59E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
649	649	1.30262	1.86799E-05	2.4E-05	6.05E-04	1.47E-08	1.59E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
650	650	1.40172	1.86799E-05	2.6E-05	6.05E-04	1.58E-08	1.59E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
651	651	1.51046	1.86799E-05	2.8E-05	6.05E-04	1.71E-08	1.59E+00	4.71E-02	1.28E-09	1.0E+06	1.3E-03
652	652	0.32327	1.86799E-05	6.0E-06	6.05E-04	3.65E-09	1.59E+00	4.71E-02	2.73E-10	1.0E+06	2.7E-04
653	653	0.33137	1.86799E-05	6.2E-06	6.05E-04	3.75E-09	1.59E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
654	654	0.33959	1.86799E-05	6.3E-06	6.05E-04	3.84E-09	1.59E+00	4.71E-02	2.87E-10	1.0E+06	2.9E-04
655	655	0.34769	1.86799E-05	6.5E-06	6.05E-04	3.93E-09	1.59E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
656	656	0.35616	1.86799E-05	6.7E-06	6.05E-04	4.03E-09	1.59E+00	4.71E-02	3.01E-10	1.0E+06	3.0E-04
657	657	0.36473	1.86799E-05	6.8E-06	6.05E-04	4.12E-09	1.59E+00	4.71E-02	3.08E-10	1.0E+06	3.1E-04
658	658	0.37353	1.86799E-05	7.0E-06	6.05E-04	4.22E-09	1.59E+00	4.71E-02	3.16E-10	1.0E+06	3.2E-04
659	659	0.38281	1.86799E-05	7.2E-06	6.05E-04	4.33E-09	1.59E+00	4.71E-02	3.24E-10	1.0E+06	3.2E-04
660	660	0.39331	1.86799E-05	7.3E-06	6.05E-04	4.45E-09	1.59E+00	4.71E-02	3.32E-10	1.0E+06	3.3E-04
661	661	0.40426	1.86799E-05	7.6E-06	6.05E-04	4.57E-09	1.59E+00	4.71E-02	3.42E-10	1.0E+06	3.4E-04
662	662	0.41572	1.86799E-05	7.8E-06	6.05E-04	4.70E-09	1.59E+00	4.71E-02	3.51E-10	1.0E+06	3.5E-04
663	663	0.42772	1.86799E-05	8.0E-06	6.05E-04	4.83E-09	1.59E+00	4.71E-02	3.62E-10	1.0E+06	3.6E-04
664	664	0.44031	1.86799E-05	8.2E-06	6.05E-04	4.98E-09	1.59E+00	4.71E-02	3.72E-10	1.0E+06	3.7E-04
665	665	0.45309	1.86799E-05	8.5E-06	6.05E-04	5.12E-09	1.59E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
666	666	0.46648	1.86799E-05	8.7E-06	6.05E-04	5.27E-09	1.59E+00	4.71E-02	3.94E-10	1.0E+06	3.9E-04
667	667	0.48069	1.86799E-05	9.0E-06	6.05E-04	5.43E-09	1.59E+00	4.71E-02	4.06E-10	1.0E+06	4.1E-04
668	668	0.49589	1.86799E-05	9.3E-06	6.05E-04	5.60E-09	1.59E+00	4.71E-02	4.19E-10	1.0E+06	4.2E-04
669	669	0.512	1.86799E-05	9.6E-06	6.05E-04	5.79E-09	1.59E+00	4.71E-02	4.33E-10	1.0E+06	4.3E-04
670	670	0.52933	1.86799E-05	9.9E-06	6.05E-04	5.98E-09	1.59E+00	4.71E-02	4.47E-10	1.0E+06	4.5E-04
671	671	0.54778	1.86799E-05	1.0E-05	6.05E-04	6.19E-09	1.59E+00	4.71E-02	4.63E-10	1.0E+06	4.6E-04
672	672	0.5675	1.86799E-05	1.1E-05	6.05E-04	6.41E-09	1.59E+00	4.71E-02	4.80E-10	1.0E+06	4.8E-04
673	673	0.58879	1.86799E-05	1.1E-05	6.05E-04	6.65E-09	1.59E+00	4.71E-02	4.98E-10	1.0E+06	5.0E-04
674	674	0.61165	1.86799E-05	1.1E-05	6.05E-04	6.91E-09	1.59E+00	4.71E-02	5.17E-10	1.0E+06	5.2E-04
675	675	0.63577	1.86799E-05	1.2E-05	6.05E-04	7.19E-09	1.59E+00	4.71E-02	5.37E-10	1.0E+06	5.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	0.66149	1.86799E-05	1.2E-05	6.05E-04	7.48E-09	1.59E+00	4.71E-02	5.59E-10	1.0E+06	5.6E-04
677	677	0.68917	1.86799E-05	1.3E-05	6.05E-04	7.79E-09	1.59E+00	4.71E-02	5.83E-10	1.0E+06	5.8E-04
678	678	0.71851	1.86799E-05	1.3E-05	6.05E-04	8.12E-09	1.59E+00	4.71E-02	6.07E-10	1.0E+06	6.1E-04
679	679	0.75023	1.86799E-05	1.4E-05	6.05E-04	8.48E-09	1.59E+00	4.71E-02	6.34E-10	1.0E+06	6.3E-04
680	680	0.78465	1.86799E-05	1.5E-05	6.05E-04	8.87E-09	1.59E+00	4.71E-02	6.63E-10	1.0E+06	6.6E-04
681	681	0.82219	1.86799E-05	1.5E-05	6.05E-04	9.29E-09	1.59E+00	4.71E-02	6.95E-10	1.0E+06	7.0E-04
682	682	0.86308	1.86799E-05	1.6E-05	6.05E-04	9.76E-09	1.59E+00	4.71E-02	7.30E-10	1.0E+06	7.3E-04
683	683	0.9093	1.86799E-05	1.7E-05	6.05E-04	1.03E-08	1.59E+00	4.71E-02	7.69E-10	1.0E+06	7.7E-04
684	684	0.95909	1.86799E-05	1.8E-05	6.05E-04	1.08E-08	1.59E+00	4.71E-02	8.11E-10	1.0E+06	8.1E-04
685	685	1.00895	1.86799E-05	1.9E-05	6.05E-04	1.14E-08	1.59E+00	4.71E-02	8.53E-10	1.0E+06	8.5E-04
686	686	1.07618	1.86799E-05	2.0E-05	6.05E-04	1.22E-08	1.59E+00	4.71E-02	9.10E-10	1.0E+06	9.1E-04
687	687	1.14874	1.86799E-05	2.1E-05	6.05E-04	1.30E-08	1.59E+00	4.71E-02	9.71E-10	1.0E+06	9.7E-04
688	688	1.22946	1.86799E-05	2.3E-05	6.05E-04	1.39E-08	1.59E+00	4.71E-02	1.04E-09	1.0E+06	1.0E-03
689	689	1.32104	1.86799E-05	2.5E-05	6.05E-04	1.49E-08	1.59E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
690	690	1.42053	1.86799E-05	2.7E-05	6.05E-04	1.61E-08	1.59E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
691	691	1.53177	1.86799E-05	2.9E-05	6.05E-04	1.73E-08	1.59E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
692	692	0.32367	1.86799E-05	6.0E-06	6.05E-04	3.66E-09	1.59E+00	4.71E-02	2.74E-10	1.0E+06	2.7E-04
693	693	0.3316	1.86799E-05	6.2E-06	6.05E-04	3.75E-09	1.59E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
694	694	0.33978	1.86799E-05	6.3E-06	6.05E-04	3.84E-09	1.59E+00	4.71E-02	2.87E-10	1.0E+06	2.9E-04
695	695	0.34808	1.86799E-05	6.5E-06	6.05E-04	3.93E-09	1.59E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
696	696	0.35673	1.86799E-05	6.7E-06	6.05E-04	4.03E-09	1.59E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
697	697	0.36565	1.86799E-05	6.8E-06	6.05E-04	4.13E-09	1.59E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04
698	698	0.37487	1.86799E-05	7.0E-06	6.05E-04	4.24E-09	1.59E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
699	699	0.38457	1.86799E-05	7.2E-06	6.05E-04	4.35E-09	1.59E+00	4.71E-02	3.25E-10	1.0E+06	3.3E-04
700	700	0.39526	1.86799E-05	7.4E-06	6.05E-04	4.47E-09	1.59E+00	4.71E-02	3.34E-10	1.0E+06	3.3E-04
701	701	0.4065	1.86799E-05	7.6E-06	6.05E-04	4.59E-09	1.59E+00	4.71E-02	3.44E-10	1.0E+06	3.4E-04
702	702	0.41815	1.86799E-05	7.8E-06	6.05E-04	4.73E-09	1.59E+00	4.71E-02	3.53E-10	1.0E+06	3.5E-04
703	703	0.43023	1.86799E-05	8.0E-06	6.05E-04	4.86E-09	1.59E+00	4.71E-02	3.64E-10	1.0E+06	3.6E-04
704	704	0.44297	1.86799E-05	8.3E-06	6.05E-04	5.01E-09	1.59E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04
705	705	0.45572	1.86799E-05	8.5E-06	6.05E-04	5.15E-09	1.59E+00	4.71E-02	3.85E-10	1.0E+06	3.9E-04
706	706	0.46907	1.86799E-05	8.8E-06	6.05E-04	5.30E-09	1.59E+00	4.71E-02	3.97E-10	1.0E+06	4.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	0.48332	1.86799E-05	9.0E-06	6.05E-04	5.46E-09	1.59E+00	4.71E-02	4.09E-10	1.0E+06	4.1E-04
708	708	0.49888	1.86799E-05	9.3E-06	6.05E-04	5.64E-09	1.59E+00	4.71E-02	4.22E-10	1.0E+06	4.2E-04
709	709	0.51532	1.86799E-05	9.6E-06	6.05E-04	5.82E-09	1.59E+00	4.71E-02	4.36E-10	1.0E+06	4.4E-04
710	710	0.53325	1.86799E-05	1.0E-05	6.05E-04	6.03E-09	1.59E+00	4.71E-02	4.51E-10	1.0E+06	4.5E-04
711	711	0.55241	1.86799E-05	1.0E-05	6.05E-04	6.24E-09	1.59E+00	4.71E-02	4.67E-10	1.0E+06	4.7E-04
712	712	0.57278	1.86799E-05	1.1E-05	6.05E-04	6.47E-09	1.59E+00	4.71E-02	4.84E-10	1.0E+06	4.8E-04
713	713	0.59465	1.86799E-05	1.1E-05	6.05E-04	6.72E-09	1.59E+00	4.71E-02	5.03E-10	1.0E+06	5.0E-04
714	714	0.61811	1.86799E-05	1.2E-05	6.05E-04	6.99E-09	1.59E+00	4.71E-02	5.23E-10	1.0E+06	5.2E-04
715	715	0.64288	1.86799E-05	1.2E-05	6.05E-04	7.27E-09	1.59E+00	4.71E-02	5.43E-10	1.0E+06	5.4E-04
716	716	0.66918	1.86799E-05	1.3E-05	6.05E-04	7.56E-09	1.59E+00	4.71E-02	5.66E-10	1.0E+06	5.7E-04
717	717	0.69745	1.86799E-05	1.3E-05	6.05E-04	7.88E-09	1.59E+00	4.71E-02	5.90E-10	1.0E+06	5.9E-04
718	718	0.72705	1.86799E-05	1.4E-05	6.05E-04	8.22E-09	1.59E+00	4.71E-02	6.15E-10	1.0E+06	6.1E-04
719	719	0.75905	1.86799E-05	1.4E-05	6.05E-04	8.58E-09	1.59E+00	4.71E-02	6.42E-10	1.0E+06	6.4E-04
720	720	0.79391	1.86799E-05	1.5E-05	6.05E-04	8.97E-09	1.59E+00	4.71E-02	6.71E-10	1.0E+06	6.7E-04
721	721	0.83223	1.86799E-05	1.6E-05	6.05E-04	9.41E-09	1.59E+00	4.71E-02	7.04E-10	1.0E+06	7.0E-04
722	722	0.87405	1.86799E-05	1.6E-05	6.05E-04	9.88E-09	1.59E+00	4.71E-02	7.39E-10	1.0E+06	7.4E-04
723	723	0.921	1.86799E-05	1.7E-05	6.05E-04	1.04E-08	1.59E+00	4.71E-02	7.79E-10	1.0E+06	7.8E-04
724	724	0.97274	1.86799E-05	1.8E-05	6.05E-04	1.10E-08	1.59E+00	4.71E-02	8.22E-10	1.0E+06	8.2E-04
725	725	1.02152	1.86799E-05	1.9E-05	6.05E-04	1.15E-08	1.59E+00	4.71E-02	8.64E-10	1.0E+06	8.6E-04
726	726	1.0879	1.86799E-05	2.0E-05	6.05E-04	1.23E-08	1.59E+00	4.71E-02	9.20E-10	1.0E+06	9.2E-04
727	727	1.16381	1.86799E-05	2.2E-05	6.05E-04	1.32E-08	1.59E+00	4.71E-02	9.84E-10	1.0E+06	9.8E-04
728	728	1.24558	1.86799E-05	2.3E-05	6.05E-04	1.41E-08	1.59E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
729	729	1.33846	1.86799E-05	2.5E-05	6.05E-04	1.51E-08	1.59E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
730	730	1.43923	1.86799E-05	2.7E-05	6.05E-04	1.63E-08	1.59E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
731	731	1.55169	1.86799E-05	2.9E-05	6.05E-04	1.75E-08	1.59E+00	4.71E-02	1.31E-09	1.0E+06	1.3E-03
732	732	0.32372	1.86799E-05	6.0E-06	6.05E-04	3.66E-09	1.59E+00	4.71E-02	2.74E-10	1.0E+06	2.7E-04
733	733	0.33131	1.86799E-05	6.2E-06	6.05E-04	3.74E-09	1.59E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
734	734	0.33928	1.86799E-05	6.3E-06	6.05E-04	3.83E-09	1.59E+00	4.71E-02	2.87E-10	1.0E+06	2.9E-04
735	735	0.34772	1.86799E-05	6.5E-06	6.05E-04	3.93E-09	1.59E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
736	736	0.35657	1.86799E-05	6.7E-06	6.05E-04	4.03E-09	1.59E+00	4.71E-02	3.01E-10	1.0E+06	3.0E-04
737	737	0.36587	1.86799E-05	6.8E-06	6.05E-04	4.14E-09	1.59E+00	4.71E-02	3.09E-10	1.0E+06	3.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.37568	1.86799E-05	7.0E-06	6.05E-04	4.25E-09	1.59E+00	4.71E-02	3.18E-10	1.0E+06	3.2E-04
739	739	0.38588	1.86799E-05	7.2E-06	6.05E-04	4.36E-09	1.59E+00	4.71E-02	3.26E-10	1.0E+06	3.3E-04
740	740	0.39688	1.86799E-05	7.4E-06	6.05E-04	4.49E-09	1.59E+00	4.71E-02	3.35E-10	1.0E+06	3.4E-04
741	741	0.40832	1.86799E-05	7.6E-06	6.05E-04	4.62E-09	1.59E+00	4.71E-02	3.45E-10	1.0E+06	3.5E-04
742	742	0.42014	1.86799E-05	7.8E-06	6.05E-04	4.75E-09	1.59E+00	4.71E-02	3.55E-10	1.0E+06	3.6E-04
743	743	0.43232	1.86799E-05	8.1E-06	6.05E-04	4.89E-09	1.59E+00	4.71E-02	3.65E-10	1.0E+06	3.7E-04
744	744	0.44514	1.86799E-05	8.3E-06	6.05E-04	5.03E-09	1.59E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
745	745	0.4578	1.86799E-05	8.6E-06	6.05E-04	5.17E-09	1.59E+00	4.71E-02	3.87E-10	1.0E+06	3.9E-04
746	746	0.47105	1.86799E-05	8.8E-06	6.05E-04	5.32E-09	1.59E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
747	747	0.48529	1.86799E-05	9.1E-06	6.05E-04	5.49E-09	1.59E+00	4.71E-02	4.10E-10	1.0E+06	4.1E-04
748	748	0.50119	1.86799E-05	9.4E-06	6.05E-04	5.66E-09	1.59E+00	4.71E-02	4.24E-10	1.0E+06	4.2E-04
749	749	0.51803	1.86799E-05	9.7E-06	6.05E-04	5.86E-09	1.59E+00	4.71E-02	4.38E-10	1.0E+06	4.4E-04
750	750	0.53662	1.86799E-05	1.0E-05	6.05E-04	6.07E-09	1.59E+00	4.71E-02	4.54E-10	1.0E+06	4.5E-04
751	751	0.55655	1.86799E-05	1.0E-05	6.05E-04	6.29E-09	1.59E+00	4.71E-02	4.70E-10	1.0E+06	4.7E-04
752	752	0.57766	1.86799E-05	1.1E-05	6.05E-04	6.53E-09	1.59E+00	4.71E-02	4.88E-10	1.0E+06	4.9E-04
753	753	0.60007	1.86799E-05	1.1E-05	6.05E-04	6.78E-09	1.59E+00	4.71E-02	5.07E-10	1.0E+06	5.1E-04
754	754	0.62404	1.86799E-05	1.2E-05	6.05E-04	7.05E-09	1.59E+00	4.71E-02	5.28E-10	1.0E+06	5.3E-04
755	755	0.64945	1.86799E-05	1.2E-05	6.05E-04	7.34E-09	1.59E+00	4.71E-02	5.49E-10	1.0E+06	5.5E-04
756	756	0.67624	1.86799E-05	1.3E-05	6.05E-04	7.64E-09	1.59E+00	4.71E-02	5.72E-10	1.0E+06	5.7E-04
757	757	0.7051	1.86799E-05	1.3E-05	6.05E-04	7.97E-09	1.59E+00	4.71E-02	5.96E-10	1.0E+06	6.0E-04
758	758	0.73501	1.86799E-05	1.4E-05	6.05E-04	8.31E-09	1.59E+00	4.71E-02	6.21E-10	1.0E+06	6.2E-04
759	759	0.76728	1.86799E-05	1.4E-05	6.05E-04	8.67E-09	1.59E+00	4.71E-02	6.49E-10	1.0E+06	6.5E-04
760	760	0.80265	1.86799E-05	1.5E-05	6.05E-04	9.07E-09	1.59E+00	4.71E-02	6.79E-10	1.0E+06	6.8E-04
761	761	0.84172	1.86799E-05	1.6E-05	6.05E-04	9.51E-09	1.59E+00	4.71E-02	7.12E-10	1.0E+06	7.1E-04
762	762	0.88437	1.86799E-05	1.7E-05	6.05E-04	1.00E-08	1.59E+00	4.71E-02	7.48E-10	1.0E+06	7.5E-04
763	763	0.93192	1.86799E-05	1.7E-05	6.05E-04	1.05E-08	1.59E+00	4.71E-02	7.88E-10	1.0E+06	7.9E-04
764	764	0.98432	1.86799E-05	1.8E-05	6.05E-04	1.11E-08	1.59E+00	4.71E-02	8.32E-10	1.0E+06	8.3E-04
765	765	1.03135	1.86799E-05	1.9E-05	6.05E-04	1.17E-08	1.59E+00	4.71E-02	8.72E-10	1.0E+06	8.7E-04
766	766	1.10071	1.86799E-05	2.1E-05	6.05E-04	1.24E-08	1.59E+00	4.71E-02	9.30E-10	1.0E+06	9.3E-04
767	767	1.17592	1.86799E-05	2.2E-05	6.05E-04	1.33E-08	1.59E+00	4.71E-02	9.94E-10	1.0E+06	9.9E-04
768	768	1.26076	1.86799E-05	2.4E-05	6.05E-04	1.42E-08	1.59E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	1.35349	1.86799E-05	2.5E-05	6.05E-04	1.53E-08	1.59E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
770	770	1.45676	1.86799E-05	2.7E-05	6.05E-04	1.65E-08	1.59E+00	4.71E-02	1.23E-09	1.0E+06	1.2E-03
771	771	1.57042	1.86799E-05	2.9E-05	6.05E-04	1.77E-08	1.59E+00	4.71E-02	1.33E-09	1.0E+06	1.3E-03
772	772	0.32372	1.86799E-05	6.0E-06	6.05E-04	3.66E-09	1.59E+00	4.71E-02	2.74E-10	1.0E+06	2.7E-04
773	773	0.33129	1.86799E-05	6.2E-06	6.05E-04	3.74E-09	1.59E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
774	774	0.33925	1.86799E-05	6.3E-06	6.05E-04	3.83E-09	1.59E+00	4.71E-02	2.87E-10	1.0E+06	2.9E-04
775	775	0.34788	1.86799E-05	6.5E-06	6.05E-04	3.93E-09	1.59E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
776	776	0.35692	1.86799E-05	6.7E-06	6.05E-04	4.03E-09	1.59E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
777	777	0.36643	1.86799E-05	6.8E-06	6.05E-04	4.14E-09	1.59E+00	4.71E-02	3.10E-10	1.0E+06	3.1E-04
778	778	0.3764	1.86799E-05	7.0E-06	6.05E-04	4.25E-09	1.59E+00	4.71E-02	3.18E-10	1.0E+06	3.2E-04
779	779	0.38687	1.86799E-05	7.2E-06	6.05E-04	4.37E-09	1.59E+00	4.71E-02	3.27E-10	1.0E+06	3.3E-04
780	780	0.39795	1.86799E-05	7.4E-06	6.05E-04	4.50E-09	1.59E+00	4.71E-02	3.36E-10	1.0E+06	3.4E-04
781	781	0.40957	1.86799E-05	7.7E-06	6.05E-04	4.63E-09	1.59E+00	4.71E-02	3.46E-10	1.0E+06	3.5E-04
782	782	0.42156	1.86799E-05	7.9E-06	6.05E-04	4.76E-09	1.59E+00	4.71E-02	3.56E-10	1.0E+06	3.6E-04
783	783	0.43402	1.86799E-05	8.1E-06	6.05E-04	4.91E-09	1.59E+00	4.71E-02	3.67E-10	1.0E+06	3.7E-04
784	784	0.44712	1.86799E-05	8.4E-06	6.05E-04	5.05E-09	1.59E+00	4.71E-02	3.78E-10	1.0E+06	3.8E-04
785	785	0.46026	1.86799E-05	8.6E-06	6.05E-04	5.20E-09	1.59E+00	4.71E-02	3.89E-10	1.0E+06	3.9E-04
786	786	0.47397	1.86799E-05	8.9E-06	6.05E-04	5.36E-09	1.59E+00	4.71E-02	4.01E-10	1.0E+06	4.0E-04
787	787	0.4887	1.86799E-05	9.1E-06	6.05E-04	5.52E-09	1.59E+00	4.71E-02	4.13E-10	1.0E+06	4.1E-04
788	788	0.5049	1.86799E-05	9.4E-06	6.05E-04	5.71E-09	1.59E+00	4.71E-02	4.27E-10	1.0E+06	4.3E-04
789	789	0.52205	1.86799E-05	9.8E-06	6.05E-04	5.90E-09	1.59E+00	4.71E-02	4.41E-10	1.0E+06	4.4E-04
790	790	0.5408	1.86799E-05	1.0E-05	6.05E-04	6.11E-09	1.59E+00	4.71E-02	4.57E-10	1.0E+06	4.6E-04
791	791	0.56085	1.86799E-05	1.0E-05	6.05E-04	6.34E-09	1.59E+00	4.71E-02	4.74E-10	1.0E+06	4.7E-04
792	792	0.58213	1.86799E-05	1.1E-05	6.05E-04	6.58E-09	1.59E+00	4.71E-02	4.92E-10	1.0E+06	4.9E-04
793	793	0.60464	1.86799E-05	1.1E-05	6.05E-04	6.83E-09	1.59E+00	4.71E-02	5.11E-10	1.0E+06	5.1E-04
794	794	0.6286	1.86799E-05	1.2E-05	6.05E-04	7.10E-09	1.59E+00	4.71E-02	5.31E-10	1.0E+06	5.3E-04
795	795	0.65407	1.86799E-05	1.2E-05	6.05E-04	7.39E-09	1.59E+00	4.71E-02	5.53E-10	1.0E+06	5.5E-04
796	796	0.68133	1.86799E-05	1.3E-05	6.05E-04	7.70E-09	1.59E+00	4.71E-02	5.76E-10	1.0E+06	5.8E-04
797	797	0.71068	1.86799E-05	1.3E-05	6.05E-04	8.03E-09	1.59E+00	4.71E-02	6.01E-10	1.0E+06	6.0E-04
798	798	0.74133	1.86799E-05	1.4E-05	6.05E-04	8.38E-09	1.59E+00	4.71E-02	6.27E-10	1.0E+06	6.3E-04
799	799	0.77452	1.86799E-05	1.4E-05	6.05E-04	8.75E-09	1.59E+00	4.71E-02	6.55E-10	1.0E+06	6.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	0.81072	1.86799E-05	1.5E-05	6.05E-04	9.16E-09	1.59E+00	4.71E-02	6.85E-10	1.0E+06	6.9E-04
801	801	0.85039	1.86799E-05	1.6E-05	6.05E-04	9.61E-09	1.59E+00	4.71E-02	7.19E-10	1.0E+06	7.2E-04
802	802	0.89376	1.86799E-05	1.7E-05	6.05E-04	1.01E-08	1.59E+00	4.71E-02	7.56E-10	1.0E+06	7.6E-04
803	803	0.94174	1.86799E-05	1.8E-05	6.05E-04	1.06E-08	1.59E+00	4.71E-02	7.96E-10	1.0E+06	8.0E-04
804	804	0.9946	1.86799E-05	1.9E-05	6.05E-04	1.12E-08	1.59E+00	4.71E-02	8.41E-10	1.0E+06	8.4E-04
805	805	1.05015	1.86799E-05	2.0E-05	6.05E-04	1.19E-08	1.59E+00	4.71E-02	8.88E-10	1.0E+06	8.9E-04
806	806	1.1079	1.86799E-05	2.1E-05	6.05E-04	1.25E-08	1.59E+00	4.71E-02	9.37E-10	1.0E+06	9.4E-04
807	807	1.18664	1.86799E-05	2.2E-05	6.05E-04	1.34E-08	1.59E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
808	808	1.27492	1.86799E-05	2.4E-05	6.05E-04	1.44E-08	1.59E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
809	809	1.3687	1.86799E-05	2.6E-05	6.05E-04	1.55E-08	1.59E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
810	810	1.47317	1.86799E-05	2.8E-05	6.05E-04	1.67E-08	1.59E+00	4.71E-02	1.25E-09	1.0E+06	1.2E-03
811	811	1.58819	1.86799E-05	3.0E-05	6.05E-04	1.80E-08	1.59E+00	4.71E-02	1.34E-09	1.0E+06	1.3E-03
812	812	0.32342	1.86799E-05	6.0E-06	6.05E-04	3.66E-09	1.59E+00	4.71E-02	2.73E-10	1.0E+06	2.7E-04
813	813	0.33099	1.86799E-05	6.2E-06	6.05E-04	3.74E-09	1.59E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
814	814	0.33899	1.86799E-05	6.3E-06	6.05E-04	3.83E-09	1.59E+00	4.71E-02	2.87E-10	1.0E+06	2.9E-04
815	815	0.34783	1.86799E-05	6.5E-06	6.05E-04	3.93E-09	1.59E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
816	816	0.35704	1.86799E-05	6.7E-06	6.05E-04	4.04E-09	1.59E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
817	817	0.36673	1.86799E-05	6.9E-06	6.05E-04	4.15E-09	1.59E+00	4.71E-02	3.10E-10	1.0E+06	3.1E-04
818	818	0.37684	1.86799E-05	7.0E-06	6.05E-04	4.26E-09	1.59E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
819	819	0.38746	1.86799E-05	7.2E-06	6.05E-04	4.38E-09	1.59E+00	4.71E-02	3.28E-10	1.0E+06	3.3E-04
820	820	0.39862	1.86799E-05	7.4E-06	6.05E-04	4.51E-09	1.59E+00	4.71E-02	3.37E-10	1.0E+06	3.4E-04
821	821	0.41029	1.86799E-05	7.7E-06	6.05E-04	4.64E-09	1.59E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04
822	822	0.42251	1.86799E-05	7.9E-06	6.05E-04	4.78E-09	1.59E+00	4.71E-02	3.57E-10	1.0E+06	3.6E-04
823	823	0.4353	1.86799E-05	8.1E-06	6.05E-04	4.92E-09	1.59E+00	4.71E-02	3.68E-10	1.0E+06	3.7E-04
824	824	0.44873	1.86799E-05	8.4E-06	6.05E-04	5.07E-09	1.59E+00	4.71E-02	3.79E-10	1.0E+06	3.8E-04
825	825	0.4623	1.86799E-05	8.6E-06	6.05E-04	5.23E-09	1.59E+00	4.71E-02	3.91E-10	1.0E+06	3.9E-04
826	826	0.47657	1.86799E-05	8.9E-06	6.05E-04	5.39E-09	1.59E+00	4.71E-02	4.03E-10	1.0E+06	4.0E-04
827	827	0.49184	1.86799E-05	9.2E-06	6.05E-04	5.56E-09	1.59E+00	4.71E-02	4.16E-10	1.0E+06	4.2E-04
828	828	0.50835	1.86799E-05	9.5E-06	6.05E-04	5.75E-09	1.59E+00	4.71E-02	4.30E-10	1.0E+06	4.3E-04
829	829	0.52581	1.86799E-05	9.8E-06	6.05E-04	5.94E-09	1.59E+00	4.71E-02	4.44E-10	1.0E+06	4.4E-04
830	830	0.54467	1.86799E-05	1.0E-05	6.05E-04	6.16E-09	1.59E+00	4.71E-02	4.60E-10	1.0E+06	4.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	0.56479	1.86799E-05	1.1E-05	6.05E-04	6.38E-09	1.59E+00	4.71E-02	4.77E-10	1.0E+06	4.8E-04
832	832	0.58615	1.86799E-05	1.1E-05	6.05E-04	6.63E-09	1.59E+00	4.71E-02	4.95E-10	1.0E+06	5.0E-04
833	833	0.60862	1.86799E-05	1.1E-05	6.05E-04	6.88E-09	1.59E+00	4.71E-02	5.14E-10	1.0E+06	5.1E-04
834	834	0.63259	1.86799E-05	1.2E-05	6.05E-04	7.15E-09	1.59E+00	4.71E-02	5.35E-10	1.0E+06	5.3E-04
835	835	0.6582	1.86799E-05	1.2E-05	6.05E-04	7.44E-09	1.59E+00	4.71E-02	5.56E-10	1.0E+06	5.6E-04
836	836	0.68572	1.86799E-05	1.3E-05	6.05E-04	7.75E-09	1.59E+00	4.71E-02	5.80E-10	1.0E+06	5.8E-04
837	837	0.71541	1.86799E-05	1.3E-05	6.05E-04	8.09E-09	1.59E+00	4.71E-02	6.05E-10	1.0E+06	6.0E-04
838	838	0.74705	1.86799E-05	1.4E-05	6.05E-04	8.44E-09	1.59E+00	4.71E-02	6.32E-10	1.0E+06	6.3E-04
839	839	0.78122	1.86799E-05	1.5E-05	6.05E-04	8.83E-09	1.59E+00	4.71E-02	6.60E-10	1.0E+06	6.6E-04
840	840	0.81827	1.86799E-05	1.5E-05	6.05E-04	9.25E-09	1.59E+00	4.71E-02	6.92E-10	1.0E+06	6.9E-04
841	841	0.85861	1.86799E-05	1.6E-05	6.05E-04	9.70E-09	1.59E+00	4.71E-02	7.26E-10	1.0E+06	7.3E-04
842	842	0.90254	1.86799E-05	1.7E-05	6.05E-04	1.02E-08	1.59E+00	4.71E-02	7.63E-10	1.0E+06	7.6E-04
843	843	0.95096	1.86799E-05	1.8E-05	6.05E-04	1.07E-08	1.59E+00	4.71E-02	8.04E-10	1.0E+06	8.0E-04
844	844	1.00421	1.86799E-05	1.9E-05	6.05E-04	1.14E-08	1.59E+00	4.71E-02	8.49E-10	1.0E+06	8.5E-04
845	845	1.06266	1.86799E-05	2.0E-05	6.05E-04	1.20E-08	1.59E+00	4.71E-02	8.98E-10	1.0E+06	9.0E-04
846	846	1.1158	1.86799E-05	2.1E-05	6.05E-04	1.26E-08	1.59E+00	4.71E-02	9.43E-10	1.0E+06	9.4E-04
847	847	1.19629	1.86799E-05	2.2E-05	6.05E-04	1.35E-08	1.59E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03
848	848	1.28821	1.86799E-05	2.4E-05	6.05E-04	1.46E-08	1.59E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
849	849	1.38307	1.86799E-05	2.6E-05	6.05E-04	1.56E-08	1.59E+00	4.71E-02	1.17E-09	1.0E+06	1.2E-03
850	850	1.48853	1.86799E-05	2.8E-05	6.05E-04	1.68E-08	1.59E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
851	851	1.60583	1.86799E-05	3.0E-05	6.05E-04	1.82E-08	1.59E+00	4.71E-02	1.36E-09	1.0E+06	1.4E-03
852	852	0.32289	1.86799E-05	6.0E-06	6.05E-04	3.65E-09	1.59E+00	4.71E-02	2.73E-10	1.0E+06	2.7E-04
853	853	0.33042	1.86799E-05	6.2E-06	6.05E-04	3.73E-09	1.59E+00	4.71E-02	2.79E-10	1.0E+06	2.8E-04
854	854	0.3384	1.86799E-05	6.3E-06	6.05E-04	3.82E-09	1.59E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
855	855	0.34743	1.86799E-05	6.5E-06	6.05E-04	3.93E-09	1.59E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
856	856	0.35686	1.86799E-05	6.7E-06	6.05E-04	4.03E-09	1.59E+00	4.71E-02	3.02E-10	1.0E+06	3.0E-04
857	857	0.3667	1.86799E-05	6.8E-06	6.05E-04	4.14E-09	1.59E+00	4.71E-02	3.10E-10	1.0E+06	3.1E-04
858	858	0.37695	1.86799E-05	7.0E-06	6.05E-04	4.26E-09	1.59E+00	4.71E-02	3.19E-10	1.0E+06	3.2E-04
859	859	0.38767	1.86799E-05	7.2E-06	6.05E-04	4.38E-09	1.59E+00	4.71E-02	3.28E-10	1.0E+06	3.3E-04
860	860	0.39888	1.86799E-05	7.5E-06	6.05E-04	4.51E-09	1.59E+00	4.71E-02	3.37E-10	1.0E+06	3.4E-04
861	861	0.41059	1.86799E-05	7.7E-06	6.05E-04	4.64E-09	1.59E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.42295	1.86799E-05	7.9E-06	6.05E-04	4.78E-09	1.59E+00	4.71E-02	3.58E-10	1.0E+06	3.6E-04
863	863	0.43607	1.86799E-05	8.1E-06	6.05E-04	4.93E-09	1.59E+00	4.71E-02	3.69E-10	1.0E+06	3.7E-04
864	864	0.44987	1.86799E-05	8.4E-06	6.05E-04	5.08E-09	1.59E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
865	865	0.46405	1.86799E-05	8.7E-06	6.05E-04	5.24E-09	1.59E+00	4.71E-02	3.92E-10	1.0E+06	3.9E-04
866	866	0.47893	1.86799E-05	8.9E-06	6.05E-04	5.41E-09	1.59E+00	4.71E-02	4.05E-10	1.0E+06	4.0E-04
867	867	0.4947	1.86799E-05	9.2E-06	6.05E-04	5.59E-09	1.59E+00	4.71E-02	4.18E-10	1.0E+06	4.2E-04
868	868	0.51152	1.86799E-05	9.6E-06	6.05E-04	5.78E-09	1.59E+00	4.71E-02	4.32E-10	1.0E+06	4.3E-04
869	869	0.5293	1.86799E-05	9.9E-06	6.05E-04	5.98E-09	1.59E+00	4.71E-02	4.47E-10	1.0E+06	4.5E-04
870	870	0.54824	1.86799E-05	1.0E-05	6.05E-04	6.20E-09	1.59E+00	4.71E-02	4.63E-10	1.0E+06	4.6E-04
871	871	0.56835	1.86799E-05	1.1E-05	6.05E-04	6.42E-09	1.59E+00	4.71E-02	4.80E-10	1.0E+06	4.8E-04
872	872	0.58972	1.86799E-05	1.1E-05	6.05E-04	6.67E-09	1.59E+00	4.71E-02	4.99E-10	1.0E+06	5.0E-04
873	873	0.61208	1.86799E-05	1.1E-05	6.05E-04	6.92E-09	1.59E+00	4.71E-02	5.17E-10	1.0E+06	5.2E-04
874	874	0.63594	1.86799E-05	1.2E-05	6.05E-04	7.19E-09	1.59E+00	4.71E-02	5.38E-10	1.0E+06	5.4E-04
875	875	0.66173	1.86799E-05	1.2E-05	6.05E-04	7.48E-09	1.59E+00	4.71E-02	5.59E-10	1.0E+06	5.6E-04
876	876	0.6896	1.86799E-05	1.3E-05	6.05E-04	7.79E-09	1.59E+00	4.71E-02	5.83E-10	1.0E+06	5.8E-04
877	877	0.71956	1.86799E-05	1.3E-05	6.05E-04	8.13E-09	1.59E+00	4.71E-02	6.08E-10	1.0E+06	6.1E-04
878	878	0.75216	1.86799E-05	1.4E-05	6.05E-04	8.50E-09	1.59E+00	4.71E-02	6.36E-10	1.0E+06	6.4E-04
879	879	0.78746	1.86799E-05	1.5E-05	6.05E-04	8.90E-09	1.59E+00	4.71E-02	6.66E-10	1.0E+06	6.7E-04
880	880	0.82538	1.86799E-05	1.5E-05	6.05E-04	9.33E-09	1.59E+00	4.71E-02	6.98E-10	1.0E+06	7.0E-04
881	881	0.86617	1.86799E-05	1.6E-05	6.05E-04	9.79E-09	1.59E+00	4.71E-02	7.32E-10	1.0E+06	7.3E-04
882	882	0.91062	1.86799E-05	1.7E-05	6.05E-04	1.03E-08	1.59E+00	4.71E-02	7.70E-10	1.0E+06	7.7E-04
883	883	0.95936	1.86799E-05	1.8E-05	6.05E-04	1.08E-08	1.59E+00	4.71E-02	8.11E-10	1.0E+06	8.1E-04
884	884	1.013	1.86799E-05	1.9E-05	6.05E-04	1.14E-08	1.59E+00	4.71E-02	8.56E-10	1.0E+06	8.6E-04
885	885	1.07208	1.86799E-05	2.0E-05	6.05E-04	1.21E-08	1.59E+00	4.71E-02	9.06E-10	1.0E+06	9.1E-04
886	886	1.12894	1.86799E-05	2.1E-05	6.05E-04	1.28E-08	1.59E+00	4.71E-02	9.54E-10	1.0E+06	9.5E-04
887	887	1.20735	1.86799E-05	2.3E-05	6.05E-04	1.36E-08	1.59E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
888	888	1.29693	1.86799E-05	2.4E-05	6.05E-04	1.47E-08	1.59E+00	4.71E-02	1.10E-09	1.0E+06	1.1E-03
889	889	1.39457	1.86799E-05	2.6E-05	6.05E-04	1.58E-08	1.59E+00	4.71E-02	1.18E-09	1.0E+06	1.2E-03
890	890	1.50265	1.86799E-05	2.8E-05	6.05E-04	1.70E-08	1.59E+00	4.71E-02	1.27E-09	1.0E+06	1.3E-03
891	891	1.62111	1.86799E-05	3.0E-05	6.05E-04	1.83E-08	1.59E+00	4.71E-02	1.37E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
521	521	3.0E+00	Max	Receptor #	5	1.32E-02	Max	Receptor #	
522	522	3.1E+00	3.730	527	5	1.35E-02	0.016	527	Res
523	523	3.7E+00			5	1.63E-02			
524	524	3.1E+00			5	1.36E-02			
525	525	3.1E+00			5	1.35E-02			
526	526	3.1E+00			5	1.37E-02			
527	527	3.7E+00			5	1.65E-02			
528	528	3.1E+00			5	1.37E-02			
529	529	3.1E+00			5	1.35E-02			
530	530	3.1E+00			5	1.36E-02			
531	531	3.7E+00			5	1.63E-02			
532	532	2.4E-01			5	1.07E-03			
533	533	2.6E-01			5	1.13E-03			
534	534	2.7E-01			5	1.21E-03			
535	535	2.9E-01			5	1.29E-03			
536	536	3.1E-01			5	1.38E-03			
537	537	3.4E-01			5	1.48E-03			
538	538	3.6E-01			5	1.60E-03			
539	539	3.9E-01			5	1.73E-03			
540	540	4.3E-01			5	1.88E-03			
541	541	4.7E-01			5	2.06E-03			
542	542	5.1E-01			5	2.27E-03			
543	543	5.7E-01			5	2.51E-03			
544	544	6.3E-01			5	2.79E-03			
545	545	7.1E-01			5	3.13E-03			
546	546	8.1E-01			5	3.56E-03			
547	547	9.3E-01			5	4.08E-03			
548	548	1.1E+00			5	4.76E-03			
549	549	1.3E+00			5	5.65E-03			
550	550	1.5E+00			5	6.81E-03			
551	551	1.9E+00			5	8.24E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
552	552	2.2E+00	5	9.85E-03
553	553	1.8E+00	5	8.08E-03
554	554	2.9E+00	5	1.29E-02
555	555	3.2E+00	5	1.42E-02
556	556	3.5E+00	5	1.53E-02
557	557	2.9E+00	5	1.30E-02
558	558	3.0E+00	5	1.31E-02
559	559	3.0E+00	5	1.34E-02
560	560	3.2E+00	5	1.39E-02
561	561	2.6E+00	5	1.14E-02
562	562	3.2E+00	5	1.42E-02
563	563	3.2E+00	5	1.40E-02
564	564	3.3E+00	5	1.44E-02
565	565	2.7E+00	5	1.17E-02
566	566	3.3E+00	5	1.44E-02
567	567	3.2E+00	5	1.42E-02
568	568	3.3E+00	5	1.44E-02
569	569	2.7E+00	5	1.17E-02
570	570	3.2E+00	5	1.43E-02
571	571	3.2E+00	5	1.40E-02
572	572	2.4E-01	5	1.04E-03
573	573	2.5E-01	5	1.11E-03
574	574	2.7E-01	5	1.18E-03
575	575	2.9E-01	5	1.26E-03
576	576	3.1E-01	5	1.35E-03
577	577	3.3E-01	5	1.44E-03
578	578	3.5E-01	5	1.55E-03
579	579	3.8E-01	5	1.67E-03
580	580	4.1E-01	5	1.81E-03
581	581	4.5E-01	5	1.98E-03
582	582	4.9E-01	5	2.17E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
583	583	5.4E-01	5	2.40E-03
584	584	6.0E-01	5	2.66E-03
585	585	6.7E-01	5	2.97E-03
586	586	7.6E-01	5	3.34E-03
587	587	8.6E-01	5	3.80E-03
588	588	9.9E-01	5	4.37E-03
589	589	1.2E+00	5	5.09E-03
590	590	1.4E+00	5	5.98E-03
591	591	1.6E+00	5	7.05E-03
592	592	1.9E+00	5	8.22E-03
593	593	2.1E+00	5	9.41E-03
594	594	2.4E+00	5	1.05E-02
595	595	2.6E+00	5	1.16E-02
596	596	2.8E+00	5	1.25E-02
597	597	3.0E+00	5	1.33E-02
598	598	3.2E+00	5	1.40E-02
599	599	3.3E+00	5	1.44E-02
600	600	3.3E+00	5	1.47E-02
601	601	3.4E+00	5	1.49E-02
602	602	3.4E+00	5	1.51E-02
603	603	3.4E+00	5	1.52E-02
604	604	3.5E+00	5	1.52E-02
605	605	3.5E+00	5	1.53E-02
606	606	3.5E+00	5	1.53E-02
607	607	3.5E+00	5	1.53E-02
608	608	3.5E+00	5	1.53E-02
609	609	3.5E+00	5	1.52E-02
610	610	3.4E+00	5	1.52E-02
611	611	3.4E+00	5	1.51E-02
612	612	2.3E-01	5	1.01E-03
613	613	2.5E-01	5	1.08E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
614	614	2.6E-01	5	1.15E-03
615	615	2.8E-01	5	1.23E-03
616	616	3.0E-01	5	1.31E-03
617	617	3.2E-01	5	1.40E-03
618	618	3.4E-01	5	1.49E-03
619	619	3.6E-01	5	1.60E-03
620	620	3.9E-01	5	1.74E-03
621	621	4.3E-01	5	1.90E-03
622	622	4.7E-01	5	2.07E-03
623	623	5.2E-01	5	2.28E-03
624	624	5.7E-01	5	2.52E-03
625	625	6.4E-01	5	2.80E-03
626	626	7.1E-01	5	3.13E-03
627	627	8.0E-01	5	3.52E-03
628	628	9.1E-01	5	4.00E-03
629	629	1.0E+00	5	4.59E-03
630	630	1.2E+00	5	5.30E-03
631	631	1.4E+00	5	6.12E-03
632	632	1.6E+00	5	7.01E-03
633	633	1.8E+00	5	7.94E-03
634	634	2.0E+00	5	8.83E-03
635	635	2.2E+00	5	9.65E-03
636	636	2.4E+00	5	1.04E-02
637	637	2.5E+00	5	1.11E-02
638	638	2.6E+00	5	1.16E-02
639	639	2.7E+00	5	1.20E-02
640	640	2.8E+00	5	1.23E-02
641	641	2.8E+00	5	1.25E-02
642	642	2.9E+00	5	1.26E-02
643	643	2.9E+00	5	1.27E-02
644	644	2.9E+00	5	1.28E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
645	645	2.9E+00	5	1.29E-02
646	646	2.9E+00	5	1.29E-02
647	647	2.9E+00	5	1.29E-02
648	648	2.9E+00	5	1.29E-02
649	649	2.9E+00	5	1.29E-02
650	650	2.9E+00	5	1.28E-02
651	651	2.9E+00	5	1.28E-02
652	652	2.2E-01	5	9.79E-04
653	653	2.4E-01	5	1.04E-03
654	654	2.5E-01	5	1.11E-03
655	655	2.7E-01	5	1.18E-03
656	656	2.9E-01	5	1.26E-03
657	657	3.0E-01	5	1.34E-03
658	658	3.2E-01	5	1.43E-03
659	659	3.5E-01	5	1.53E-03
660	660	3.8E-01	5	1.66E-03
661	661	4.1E-01	5	1.80E-03
662	662	4.5E-01	5	1.96E-03
663	663	4.9E-01	5	2.15E-03
664	664	5.4E-01	5	2.37E-03
665	665	5.9E-01	5	2.61E-03
666	666	6.6E-01	5	2.89E-03
667	667	7.3E-01	5	3.23E-03
668	668	8.3E-01	5	3.64E-03
669	669	9.4E-01	5	4.13E-03
670	670	1.1E+00	5	4.71E-03
671	671	1.2E+00	5	5.36E-03
672	672	1.4E+00	5	6.07E-03
673	673	1.5E+00	5	6.81E-03
674	674	1.7E+00	5	7.53E-03
675	675	1.9E+00	5	8.21E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
676	676	2.0E+00	5	8.82E-03
677	677	2.1E+00	5	9.37E-03
678	678	2.2E+00	5	9.82E-03
679	679	2.3E+00	5	1.02E-02
680	680	2.4E+00	5	1.04E-02
681	681	2.4E+00	5	1.07E-02
682	682	2.4E+00	5	1.08E-02
683	683	2.5E+00	5	1.09E-02
684	684	2.5E+00	5	1.10E-02
685	685	2.5E+00	5	1.11E-02
686	686	2.5E+00	5	1.11E-02
687	687	2.5E+00	5	1.11E-02
688	688	2.5E+00	5	1.11E-02
689	689	2.5E+00	5	1.11E-02
690	690	2.5E+00	5	1.10E-02
691	691	2.5E+00	5	1.10E-02
692	692	2.1E-01	5	9.44E-04
693	693	2.3E-01	5	1.00E-03
694	694	2.4E-01	5	1.06E-03
695	695	2.6E-01	5	1.13E-03
696	696	2.7E-01	5	1.20E-03
697	697	2.9E-01	5	1.28E-03
698	698	3.1E-01	5	1.37E-03
699	699	3.3E-01	5	1.46E-03
700	700	3.6E-01	5	1.58E-03
701	701	3.9E-01	5	1.71E-03
702	702	4.2E-01	5	1.85E-03
703	703	4.6E-01	5	2.02E-03
704	704	5.0E-01	5	2.21E-03
705	705	5.5E-01	5	2.43E-03
706	706	6.0E-01	5	2.66E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
707	707	6.7E-01	5	2.96E-03
708	708	7.5E-01	5	3.31E-03
709	709	8.4E-01	5	3.71E-03
710	710	9.5E-01	5	4.20E-03
711	711	1.1E+00	5	4.75E-03
712	712	1.2E+00	5	5.33E-03
713	713	1.3E+00	5	5.93E-03
714	714	1.5E+00	5	6.53E-03
715	715	1.6E+00	5	7.09E-03
716	716	1.7E+00	5	7.60E-03
717	717	1.8E+00	5	8.06E-03
718	718	1.9E+00	5	8.44E-03
719	719	2.0E+00	5	8.76E-03
720	720	2.0E+00	5	9.01E-03
721	721	2.1E+00	5	9.21E-03
722	722	2.1E+00	5	9.36E-03
723	723	2.1E+00	5	9.47E-03
724	724	2.2E+00	5	9.56E-03
725	725	2.2E+00	5	9.62E-03
726	726	2.2E+00	5	9.65E-03
727	727	2.2E+00	5	9.66E-03
728	728	2.2E+00	5	9.66E-03
729	729	2.2E+00	5	9.64E-03
730	730	2.2E+00	5	9.61E-03
731	731	2.2E+00	5	9.55E-03
732	732	2.1E-01	5	9.08E-04
733	733	2.2E-01	5	9.59E-04
734	734	2.3E-01	5	1.01E-03
735	735	2.4E-01	5	1.08E-03
736	736	2.6E-01	5	1.14E-03
737	737	2.8E-01	5	1.22E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
738	738	3.0E-01	5	1.30E-03
739	739	3.2E-01	5	1.39E-03
740	740	3.4E-01	5	1.50E-03
741	741	3.7E-01	5	1.62E-03
742	742	4.0E-01	5	1.75E-03
743	743	4.3E-01	5	1.90E-03
744	744	4.7E-01	5	2.06E-03
745	745	5.1E-01	5	2.24E-03
746	746	5.5E-01	5	2.44E-03
747	747	6.1E-01	5	2.68E-03
748	748	6.8E-01	5	3.00E-03
749	749	7.6E-01	5	3.35E-03
750	750	8.5E-01	5	3.76E-03
751	751	9.6E-01	5	4.22E-03
752	752	1.1E+00	5	4.72E-03
753	753	1.2E+00	5	5.22E-03
754	754	1.3E+00	5	5.72E-03
755	755	1.4E+00	5	6.20E-03
756	756	1.5E+00	5	6.63E-03
757	757	1.6E+00	5	7.03E-03
758	758	1.7E+00	5	7.36E-03
759	759	1.7E+00	5	7.63E-03
760	760	1.8E+00	5	7.86E-03
761	761	1.8E+00	5	8.05E-03
762	762	1.9E+00	5	8.20E-03
763	763	1.9E+00	5	8.31E-03
764	764	1.9E+00	5	8.40E-03
765	765	1.9E+00	5	8.46E-03
766	766	1.9E+00	5	8.49E-03
767	767	1.9E+00	5	8.51E-03
768	768	1.9E+00	5	8.51E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
769	769	1.9E+00	5	8.50E-03
770	770	1.9E+00	5	8.47E-03
771	771	1.9E+00	5	8.42E-03
772	772	2.0E-01	5	8.74E-04
773	773	2.1E-01	5	9.21E-04
774	774	2.2E-01	5	9.72E-04
775	775	2.3E-01	5	1.03E-03
776	776	2.5E-01	5	1.09E-03
777	777	2.6E-01	5	1.16E-03
778	778	2.8E-01	5	1.24E-03
779	779	3.0E-01	5	1.33E-03
780	780	3.2E-01	5	1.42E-03
781	781	3.5E-01	5	1.53E-03
782	782	3.7E-01	5	1.65E-03
783	783	4.0E-01	5	1.78E-03
784	784	4.4E-01	5	1.93E-03
785	785	4.8E-01	5	2.10E-03
786	786	5.2E-01	5	2.28E-03
787	787	5.7E-01	5	2.49E-03
788	788	6.3E-01	5	2.76E-03
789	789	7.0E-01	5	3.06E-03
790	790	7.7E-01	5	3.41E-03
791	791	8.6E-01	5	3.81E-03
792	792	9.6E-01	5	4.21E-03
793	793	1.1E+00	5	4.64E-03
794	794	1.1E+00	5	5.05E-03
795	795	1.2E+00	5	5.45E-03
796	796	1.3E+00	5	5.82E-03
797	797	1.4E+00	5	6.17E-03
798	798	1.5E+00	5	6.46E-03
799	799	1.5E+00	5	6.71E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
800	800	1.6E+00	5	6.93E-03
801	801	1.6E+00	5	7.10E-03
802	802	1.6E+00	5	7.24E-03
803	803	1.7E+00	5	7.36E-03
804	804	1.7E+00	5	7.44E-03
805	805	1.7E+00	5	7.50E-03
806	806	1.7E+00	5	7.54E-03
807	807	1.7E+00	5	7.56E-03
808	808	1.7E+00	5	7.57E-03
809	809	1.7E+00	5	7.56E-03
810	810	1.7E+00	5	7.53E-03
811	811	1.7E+00	5	7.49E-03
812	812	1.9E-01	5	8.41E-04
813	813	2.0E-01	5	8.84E-04
814	814	2.1E-01	5	9.32E-04
815	815	2.2E-01	5	9.86E-04
816	816	2.4E-01	5	1.05E-03
817	817	2.5E-01	5	1.11E-03
818	818	2.7E-01	5	1.18E-03
819	819	2.9E-01	5	1.26E-03
820	820	3.1E-01	5	1.35E-03
821	821	3.3E-01	5	1.45E-03
822	822	3.5E-01	5	1.55E-03
823	823	3.8E-01	5	1.68E-03
824	824	4.1E-01	5	1.81E-03
825	825	4.5E-01	5	1.96E-03
826	826	4.8E-01	5	2.13E-03
827	827	5.3E-01	5	2.32E-03
828	828	5.8E-01	5	2.55E-03
829	829	6.4E-01	5	2.81E-03
830	830	7.0E-01	5	3.11E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
831	831	7.8E-01	5	3.44E-03
832	832	8.6E-01	5	3.79E-03
833	833	9.4E-01	5	4.13E-03
834	834	1.0E+00	5	4.49E-03
835	835	1.1E+00	5	4.83E-03
836	836	1.2E+00	5	5.16E-03
837	837	1.2E+00	5	5.45E-03
838	838	1.3E+00	5	5.72E-03
839	839	1.4E+00	5	5.95E-03
840	840	1.4E+00	5	6.15E-03
841	841	1.4E+00	5	6.32E-03
842	842	1.5E+00	5	6.45E-03
843	843	1.5E+00	5	6.56E-03
844	844	1.5E+00	5	6.64E-03
845	845	1.5E+00	5	6.71E-03
846	846	1.5E+00	5	6.75E-03
847	847	1.5E+00	5	6.77E-03
848	848	1.5E+00	5	6.78E-03
849	849	1.5E+00	5	6.77E-03
850	850	1.5E+00	5	6.75E-03
851	851	1.5E+00	5	6.72E-03
852	852	1.8E-01	5	8.08E-04
853	853	1.9E-01	5	8.48E-04
854	854	2.0E-01	5	8.92E-04
855	855	2.1E-01	5	9.43E-04
856	856	2.3E-01	5	9.99E-04
857	857	2.4E-01	5	1.06E-03
858	858	2.6E-01	5	1.13E-03
859	859	2.7E-01	5	1.20E-03
860	860	2.9E-01	5	1.28E-03
861	861	3.1E-01	5	1.37E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
862	862	3.3E-01	5	1.46E-03
863	863	3.6E-01	5	1.57E-03
864	864	3.9E-01	5	1.70E-03
865	865	4.2E-01	5	1.84E-03
866	866	4.5E-01	5	1.99E-03
867	867	4.9E-01	5	2.17E-03
868	868	5.4E-01	5	2.36E-03
869	869	5.9E-01	5	2.59E-03
870	870	6.5E-01	5	2.84E-03
871	871	7.1E-01	5	3.13E-03
872	872	7.7E-01	5	3.41E-03
873	873	8.4E-01	5	3.72E-03
874	874	9.1E-01	5	4.01E-03
875	875	9.8E-01	5	4.31E-03
876	876	1.0E+00	5	4.59E-03
877	877	1.1E+00	5	4.86E-03
878	878	1.2E+00	5	5.10E-03
879	879	1.2E+00	5	5.32E-03
880	880	1.2E+00	5	5.51E-03
881	881	1.3E+00	5	5.66E-03
882	882	1.3E+00	5	5.79E-03
883	883	1.3E+00	5	5.89E-03
884	884	1.4E+00	5	5.97E-03
885	885	1.4E+00	5	6.03E-03
886	886	1.4E+00	5	6.07E-03
887	887	1.4E+00	5	6.10E-03
888	888	1.4E+00	5	6.11E-03
889	889	1.4E+00	5	6.11E-03
890	890	1.4E+00	5	6.09E-03
891	891	1.4E+00	5	6.06E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

					Cancer Risk from Birth to 2 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	1.17E-02	1.5E-01	1.05E-03	1.61E-04	5.48E-02	1.57E-01	1.39E-06	1.0E+06	1.4E+00
522	13.42671	1.17E-02	1.6E-01	1.05E-03	1.64E-04	5.48E-02	1.57E-01	1.41E-06	1.0E+06	1.4E+00
523	16.26152	1.17E-02	1.9E-01	1.05E-03	1.99E-04	5.48E-02	1.57E-01	1.71E-06	1.0E+06	1.7E+00
524	13.55962	1.17E-02	1.6E-01	1.05E-03	1.66E-04	5.48E-02	1.57E-01	1.43E-06	1.0E+06	1.4E+00
525	13.41509	1.17E-02	1.6E-01	1.05E-03	1.64E-04	5.48E-02	1.57E-01	1.41E-06	1.0E+06	1.4E+00
526	13.62851	1.17E-02	1.6E-01	1.05E-03	1.67E-04	5.48E-02	1.57E-01	1.44E-06	1.0E+06	1.4E+00
527	16.3735	1.17E-02	1.9E-01	1.05E-03	2.00E-04	5.48E-02	1.57E-01	1.73E-06	1.0E+06	1.7E+00
528	13.61294	1.17E-02	1.6E-01	1.05E-03	1.67E-04	5.48E-02	1.57E-01	1.43E-06	1.0E+06	1.4E+00
529	13.39753	1.17E-02	1.6E-01	1.05E-03	1.64E-04	5.48E-02	1.57E-01	1.41E-06	1.0E+06	1.4E+00
530	13.5313	1.17E-02	1.6E-01	1.05E-03	1.66E-04	5.48E-02	1.57E-01	1.43E-06	1.0E+06	1.4E+00
531	16.18516	1.17E-02	1.9E-01	1.05E-03	1.98E-04	5.48E-02	1.57E-01	1.71E-06	1.0E+06	1.7E+00
532	1.06064	1.17E-02	1.2E-02	1.05E-03	1.30E-05	5.48E-02	1.57E-01	1.12E-07	1.0E+06	1.1E-01
533	1.12869	1.17E-02	1.3E-02	1.05E-03	1.38E-05	5.48E-02	1.57E-01	1.19E-07	1.0E+06	1.2E-01
534	1.20356	1.17E-02	1.4E-02	1.05E-03	1.47E-05	5.48E-02	1.57E-01	1.27E-07	1.0E+06	1.3E-01
535	1.28482	1.17E-02	1.5E-02	1.05E-03	1.57E-05	5.48E-02	1.57E-01	1.35E-07	1.0E+06	1.4E-01
536	1.37567	1.17E-02	1.6E-02	1.05E-03	1.68E-05	5.48E-02	1.57E-01	1.45E-07	1.0E+06	1.4E-01
537	1.47718	1.17E-02	1.7E-02	1.05E-03	1.81E-05	5.48E-02	1.57E-01	1.56E-07	1.0E+06	1.6E-01
538	1.59013	1.17E-02	1.9E-02	1.05E-03	1.95E-05	5.48E-02	1.57E-01	1.68E-07	1.0E+06	1.7E-01
539	1.72154	1.17E-02	2.0E-02	1.05E-03	2.11E-05	5.48E-02	1.57E-01	1.81E-07	1.0E+06	1.8E-01
540	1.8733	1.17E-02	2.2E-02	1.05E-03	2.29E-05	5.48E-02	1.57E-01	1.97E-07	1.0E+06	2.0E-01
541	2.05003	1.17E-02	2.4E-02	1.05E-03	2.51E-05	5.48E-02	1.57E-01	2.16E-07	1.0E+06	2.2E-01
542	2.25442	1.17E-02	2.6E-02	1.05E-03	2.76E-05	5.48E-02	1.57E-01	2.38E-07	1.0E+06	2.4E-01
543	2.49287	1.17E-02	2.9E-02	1.05E-03	3.05E-05	5.48E-02	1.57E-01	2.63E-07	1.0E+06	2.6E-01
544	2.77968	1.17E-02	3.3E-02	1.05E-03	3.40E-05	5.48E-02	1.57E-01	2.93E-07	1.0E+06	2.9E-01
545	3.11924	1.17E-02	3.7E-02	1.05E-03	3.82E-05	5.48E-02	1.57E-01	3.29E-07	1.0E+06	3.3E-01
546	3.53809	1.17E-02	4.1E-02	1.05E-03	4.33E-05	5.48E-02	1.57E-01	3.73E-07	1.0E+06	3.7E-01
547	4.06193	1.17E-02	4.8E-02	1.05E-03	4.97E-05	5.48E-02	1.57E-01	4.28E-07	1.0E+06	4.3E-01
548	4.73759	1.17E-02	5.5E-02	1.05E-03	5.80E-05	5.48E-02	1.57E-01	4.99E-07	1.0E+06	5.0E-01
549	5.62222	1.17E-02	6.6E-02	1.05E-03	6.88E-05	5.48E-02	1.57E-01	5.92E-07	1.0E+06	5.9E-01
550	6.77661	1.17E-02	7.9E-02	1.05E-03	8.29E-05	5.48E-02	1.57E-01	7.14E-07	1.0E+06	7.1E-01
551	8.20231	1.17E-02	9.6E-02	1.05E-03	1.00E-04	5.48E-02	1.57E-01	8.64E-07	1.0E+06	8.6E-01

	Max	Receptor #
Res	1.725	527

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	1.17E-02	1.1E-01	1.05E-03	1.20E-04	5.48E-02	1.57E-01	1.03E-06	1.0E+06	1.0E+00
553	8.04055	1.17E-02	9.4E-02	1.05E-03	9.84E-05	5.48E-02	1.57E-01	8.47E-07	1.0E+06	8.5E-01
554	12.82783	1.17E-02	1.5E-01	1.05E-03	1.57E-04	5.48E-02	1.57E-01	1.35E-06	1.0E+06	1.4E+00
555	14.09872	1.17E-02	1.7E-01	1.05E-03	1.73E-04	5.48E-02	1.57E-01	1.49E-06	1.0E+06	1.5E+00
556	15.24682	1.17E-02	1.8E-01	1.05E-03	1.87E-04	5.48E-02	1.57E-01	1.61E-06	1.0E+06	1.6E+00
557	12.89666	1.17E-02	1.5E-01	1.05E-03	1.58E-04	5.48E-02	1.57E-01	1.36E-06	1.0E+06	1.4E+00
558	13.02033	1.17E-02	1.5E-01	1.05E-03	1.59E-04	5.48E-02	1.57E-01	1.37E-06	1.0E+06	1.4E+00
559	13.29197	1.17E-02	1.6E-01	1.05E-03	1.63E-04	5.48E-02	1.57E-01	1.40E-06	1.0E+06	1.4E+00
560	13.87535	1.17E-02	1.6E-01	1.05E-03	1.70E-04	5.48E-02	1.57E-01	1.46E-06	1.0E+06	1.5E+00
561	11.36418	1.17E-02	1.3E-01	1.05E-03	1.39E-04	5.48E-02	1.57E-01	1.20E-06	1.0E+06	1.2E+00
562	14.14145	1.17E-02	1.7E-01	1.05E-03	1.73E-04	5.48E-02	1.57E-01	1.49E-06	1.0E+06	1.5E+00
563	13.97398	1.17E-02	1.6E-01	1.05E-03	1.71E-04	5.48E-02	1.57E-01	1.47E-06	1.0E+06	1.5E+00
564	14.31429	1.17E-02	1.7E-01	1.05E-03	1.75E-04	5.48E-02	1.57E-01	1.51E-06	1.0E+06	1.5E+00
565	11.68449	1.17E-02	1.4E-01	1.05E-03	1.43E-04	5.48E-02	1.57E-01	1.23E-06	1.0E+06	1.2E+00
566	14.33447	1.17E-02	1.7E-01	1.05E-03	1.75E-04	5.48E-02	1.57E-01	1.51E-06	1.0E+06	1.5E+00
567	14.10794	1.17E-02	1.7E-01	1.05E-03	1.73E-04	5.48E-02	1.57E-01	1.49E-06	1.0E+06	1.5E+00
568	14.3734	1.17E-02	1.7E-01	1.05E-03	1.76E-04	5.48E-02	1.57E-01	1.51E-06	1.0E+06	1.5E+00
569	11.67986	1.17E-02	1.4E-01	1.05E-03	1.43E-04	5.48E-02	1.57E-01	1.23E-06	1.0E+06	1.2E+00
570	14.24165	1.17E-02	1.7E-01	1.05E-03	1.74E-04	5.48E-02	1.57E-01	1.50E-06	1.0E+06	1.5E+00
571	13.93759	1.17E-02	1.6E-01	1.05E-03	1.71E-04	5.48E-02	1.57E-01	1.47E-06	1.0E+06	1.5E+00
572	1.03466	1.17E-02	1.2E-02	1.05E-03	1.27E-05	5.48E-02	1.57E-01	1.09E-07	1.0E+06	1.1E-01
573	1.10194	1.17E-02	1.3E-02	1.05E-03	1.35E-05	5.48E-02	1.57E-01	1.16E-07	1.0E+06	1.2E-01
574	1.17546	1.17E-02	1.4E-02	1.05E-03	1.44E-05	5.48E-02	1.57E-01	1.24E-07	1.0E+06	1.2E-01
575	1.25335	1.17E-02	1.5E-02	1.05E-03	1.53E-05	5.48E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
576	1.34	1.17E-02	1.6E-02	1.05E-03	1.64E-05	5.48E-02	1.57E-01	1.41E-07	1.0E+06	1.4E-01
577	1.43451	1.17E-02	1.7E-02	1.05E-03	1.76E-05	5.48E-02	1.57E-01	1.51E-07	1.0E+06	1.5E-01
578	1.53878	1.17E-02	1.8E-02	1.05E-03	1.88E-05	5.48E-02	1.57E-01	1.62E-07	1.0E+06	1.6E-01
579	1.65936	1.17E-02	1.9E-02	1.05E-03	2.03E-05	5.48E-02	1.57E-01	1.75E-07	1.0E+06	1.7E-01
580	1.80491	1.17E-02	2.1E-02	1.05E-03	2.21E-05	5.48E-02	1.57E-01	1.90E-07	1.0E+06	1.9E-01
581	1.96968	1.17E-02	2.3E-02	1.05E-03	2.41E-05	5.48E-02	1.57E-01	2.08E-07	1.0E+06	2.1E-01
582	2.16146	1.17E-02	2.5E-02	1.05E-03	2.64E-05	5.48E-02	1.57E-01	2.28E-07	1.0E+06	2.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	1.17E-02	2.8E-02	1.05E-03	2.92E-05	5.48E-02	1.57E-01	2.51E-07	1.0E+06	2.5E-01
584	2.64683	1.17E-02	3.1E-02	1.05E-03	3.24E-05	5.48E-02	1.57E-01	2.79E-07	1.0E+06	2.8E-01
585	2.95313	1.17E-02	3.5E-02	1.05E-03	3.61E-05	5.48E-02	1.57E-01	3.11E-07	1.0E+06	3.1E-01
586	3.32209	1.17E-02	3.9E-02	1.05E-03	4.07E-05	5.48E-02	1.57E-01	3.50E-07	1.0E+06	3.5E-01
587	3.77754	1.17E-02	4.4E-02	1.05E-03	4.62E-05	5.48E-02	1.57E-01	3.98E-07	1.0E+06	4.0E-01
588	4.3458	1.17E-02	5.1E-02	1.05E-03	5.32E-05	5.48E-02	1.57E-01	4.58E-07	1.0E+06	4.6E-01
589	5.06316	1.17E-02	5.9E-02	1.05E-03	6.20E-05	5.48E-02	1.57E-01	5.33E-07	1.0E+06	5.3E-01
590	5.95537	1.17E-02	7.0E-02	1.05E-03	7.29E-05	5.48E-02	1.57E-01	6.28E-07	1.0E+06	6.3E-01
591	7.01638	1.17E-02	8.2E-02	1.05E-03	8.59E-05	5.48E-02	1.57E-01	7.39E-07	1.0E+06	7.4E-01
592	8.18332	1.17E-02	9.6E-02	1.05E-03	1.00E-04	5.48E-02	1.57E-01	8.62E-07	1.0E+06	8.6E-01
593	9.36805	1.17E-02	1.1E-01	1.05E-03	1.15E-04	5.48E-02	1.57E-01	9.87E-07	1.0E+06	9.9E-01
594	10.48234	1.17E-02	1.2E-01	1.05E-03	1.28E-04	5.48E-02	1.57E-01	1.10E-06	1.0E+06	1.1E+00
595	11.50388	1.17E-02	1.3E-01	1.05E-03	1.41E-04	5.48E-02	1.57E-01	1.21E-06	1.0E+06	1.2E+00
596	12.42412	1.17E-02	1.5E-01	1.05E-03	1.52E-04	5.48E-02	1.57E-01	1.31E-06	1.0E+06	1.3E+00
597	13.24333	1.17E-02	1.6E-01	1.05E-03	1.62E-04	5.48E-02	1.57E-01	1.40E-06	1.0E+06	1.4E+00
598	13.90912	1.17E-02	1.6E-01	1.05E-03	1.70E-04	5.48E-02	1.57E-01	1.47E-06	1.0E+06	1.5E+00
599	14.36838	1.17E-02	1.7E-01	1.05E-03	1.76E-04	5.48E-02	1.57E-01	1.51E-06	1.0E+06	1.5E+00
600	14.66246	1.17E-02	1.7E-01	1.05E-03	1.79E-04	5.48E-02	1.57E-01	1.54E-06	1.0E+06	1.5E+00
601	14.85988	1.17E-02	1.7E-01	1.05E-03	1.82E-04	5.48E-02	1.57E-01	1.57E-06	1.0E+06	1.6E+00
602	15.00029	1.17E-02	1.8E-01	1.05E-03	1.84E-04	5.48E-02	1.57E-01	1.58E-06	1.0E+06	1.6E+00
603	15.09006	1.17E-02	1.8E-01	1.05E-03	1.85E-04	5.48E-02	1.57E-01	1.59E-06	1.0E+06	1.6E+00
604	15.14878	1.17E-02	1.8E-01	1.05E-03	1.85E-04	5.48E-02	1.57E-01	1.60E-06	1.0E+06	1.6E+00
605	15.17959	1.17E-02	1.8E-01	1.05E-03	1.86E-04	5.48E-02	1.57E-01	1.60E-06	1.0E+06	1.6E+00
606	15.21155	1.17E-02	1.8E-01	1.05E-03	1.86E-04	5.48E-02	1.57E-01	1.60E-06	1.0E+06	1.6E+00
607	15.21847	1.17E-02	1.8E-01	1.05E-03	1.86E-04	5.48E-02	1.57E-01	1.60E-06	1.0E+06	1.6E+00
608	15.19797	1.17E-02	1.8E-01	1.05E-03	1.86E-04	5.48E-02	1.57E-01	1.60E-06	1.0E+06	1.6E+00
609	15.15562	1.17E-02	1.8E-01	1.05E-03	1.85E-04	5.48E-02	1.57E-01	1.60E-06	1.0E+06	1.6E+00
610	15.11091	1.17E-02	1.8E-01	1.05E-03	1.85E-04	5.48E-02	1.57E-01	1.59E-06	1.0E+06	1.6E+00
611	15.04171	1.17E-02	1.8E-01	1.05E-03	1.84E-04	5.48E-02	1.57E-01	1.58E-06	1.0E+06	1.6E+00
612	1.00789	1.17E-02	1.2E-02	1.05E-03	1.23E-05	5.48E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
613	1.07444	1.17E-02	1.3E-02	1.05E-03	1.31E-05	5.48E-02	1.57E-01	1.13E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	1.17E-02	1.3E-02	1.05E-03	1.40E-05	5.48E-02	1.57E-01	1.21E-07	1.0E+06	1.2E-01
615	1.22081	1.17E-02	1.4E-02	1.05E-03	1.49E-05	5.48E-02	1.57E-01	1.29E-07	1.0E+06	1.3E-01
616	1.30327	1.17E-02	1.5E-02	1.05E-03	1.59E-05	5.48E-02	1.57E-01	1.37E-07	1.0E+06	1.4E-01
617	1.39136	1.17E-02	1.6E-02	1.05E-03	1.70E-05	5.48E-02	1.57E-01	1.47E-07	1.0E+06	1.5E-01
618	1.48675	1.17E-02	1.7E-02	1.05E-03	1.82E-05	5.48E-02	1.57E-01	1.57E-07	1.0E+06	1.6E-01
619	1.59425	1.17E-02	1.9E-02	1.05E-03	1.95E-05	5.48E-02	1.57E-01	1.68E-07	1.0E+06	1.7E-01
620	1.72719	1.17E-02	2.0E-02	1.05E-03	2.11E-05	5.48E-02	1.57E-01	1.82E-07	1.0E+06	1.8E-01
621	1.88709	1.17E-02	2.2E-02	1.05E-03	2.31E-05	5.48E-02	1.57E-01	1.99E-07	1.0E+06	2.0E-01
622	2.06451	1.17E-02	2.4E-02	1.05E-03	2.53E-05	5.48E-02	1.57E-01	2.18E-07	1.0E+06	2.2E-01
623	2.27045	1.17E-02	2.7E-02	1.05E-03	2.78E-05	5.48E-02	1.57E-01	2.39E-07	1.0E+06	2.4E-01
624	2.51142	1.17E-02	2.9E-02	1.05E-03	3.07E-05	5.48E-02	1.57E-01	2.65E-07	1.0E+06	2.6E-01
625	2.78618	1.17E-02	3.3E-02	1.05E-03	3.41E-05	5.48E-02	1.57E-01	2.94E-07	1.0E+06	2.9E-01
626	3.11158	1.17E-02	3.6E-02	1.05E-03	3.81E-05	5.48E-02	1.57E-01	3.28E-07	1.0E+06	3.3E-01
627	3.50447	1.17E-02	4.1E-02	1.05E-03	4.29E-05	5.48E-02	1.57E-01	3.69E-07	1.0E+06	3.7E-01
628	3.98435	1.17E-02	4.7E-02	1.05E-03	4.88E-05	5.48E-02	1.57E-01	4.20E-07	1.0E+06	4.2E-01
629	4.56893	1.17E-02	5.3E-02	1.05E-03	5.59E-05	5.48E-02	1.57E-01	4.81E-07	1.0E+06	4.8E-01
630	5.27449	1.17E-02	6.2E-02	1.05E-03	6.45E-05	5.48E-02	1.57E-01	5.56E-07	1.0E+06	5.6E-01
631	6.08982	1.17E-02	7.1E-02	1.05E-03	7.45E-05	5.48E-02	1.57E-01	6.42E-07	1.0E+06	6.4E-01
632	6.98008	1.17E-02	8.2E-02	1.05E-03	8.54E-05	5.48E-02	1.57E-01	7.35E-07	1.0E+06	7.4E-01
633	7.89728	1.17E-02	9.2E-02	1.05E-03	9.66E-05	5.48E-02	1.57E-01	8.32E-07	1.0E+06	8.3E-01
634	8.7815	1.17E-02	1.0E-01	1.05E-03	1.07E-04	5.48E-02	1.57E-01	9.25E-07	1.0E+06	9.3E-01
635	9.60354	1.17E-02	1.1E-01	1.05E-03	1.18E-04	5.48E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
636	10.35005	1.17E-02	1.2E-01	1.05E-03	1.27E-04	5.48E-02	1.57E-01	1.09E-06	1.0E+06	1.1E+00
637	11.00384	1.17E-02	1.3E-01	1.05E-03	1.35E-04	5.48E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
638	11.54147	1.17E-02	1.4E-01	1.05E-03	1.41E-04	5.48E-02	1.57E-01	1.22E-06	1.0E+06	1.2E+00
639	11.94826	1.17E-02	1.4E-01	1.05E-03	1.46E-04	5.48E-02	1.57E-01	1.26E-06	1.0E+06	1.3E+00
640	12.23382	1.17E-02	1.4E-01	1.05E-03	1.50E-04	5.48E-02	1.57E-01	1.29E-06	1.0E+06	1.3E+00
641	12.43817	1.17E-02	1.5E-01	1.05E-03	1.52E-04	5.48E-02	1.57E-01	1.31E-06	1.0E+06	1.3E+00
642	12.5835	1.17E-02	1.5E-01	1.05E-03	1.54E-04	5.48E-02	1.57E-01	1.33E-06	1.0E+06	1.3E+00
643	12.6861	1.17E-02	1.5E-01	1.05E-03	1.55E-04	5.48E-02	1.57E-01	1.34E-06	1.0E+06	1.3E+00
644	12.7652	1.17E-02	1.5E-01	1.05E-03	1.56E-04	5.48E-02	1.57E-01	1.35E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	1.17E-02	1.5E-01	1.05E-03	1.57E-04	5.48E-02	1.57E-01	1.35E-06	1.0E+06	1.3E+00
646	12.83596	1.17E-02	1.5E-01	1.05E-03	1.57E-04	5.48E-02	1.57E-01	1.35E-06	1.0E+06	1.4E+00
647	12.84298	1.17E-02	1.5E-01	1.05E-03	1.57E-04	5.48E-02	1.57E-01	1.35E-06	1.0E+06	1.4E+00
648	12.83467	1.17E-02	1.5E-01	1.05E-03	1.57E-04	5.48E-02	1.57E-01	1.35E-06	1.0E+06	1.4E+00
649	12.80559	1.17E-02	1.5E-01	1.05E-03	1.57E-04	5.48E-02	1.57E-01	1.35E-06	1.0E+06	1.3E+00
650	12.75963	1.17E-02	1.5E-01	1.05E-03	1.56E-04	5.48E-02	1.57E-01	1.34E-06	1.0E+06	1.3E+00
651	12.69539	1.17E-02	1.5E-01	1.05E-03	1.55E-04	5.48E-02	1.57E-01	1.34E-06	1.0E+06	1.3E+00
652	0.97402	1.17E-02	1.1E-02	1.05E-03	1.19E-05	5.48E-02	1.57E-01	1.03E-07	1.0E+06	1.0E-01
653	1.03573	1.17E-02	1.2E-02	1.05E-03	1.27E-05	5.48E-02	1.57E-01	1.09E-07	1.0E+06	1.1E-01
654	1.1025	1.17E-02	1.3E-02	1.05E-03	1.35E-05	5.48E-02	1.57E-01	1.16E-07	1.0E+06	1.2E-01
655	1.17235	1.17E-02	1.4E-02	1.05E-03	1.43E-05	5.48E-02	1.57E-01	1.24E-07	1.0E+06	1.2E-01
656	1.24971	1.17E-02	1.5E-02	1.05E-03	1.53E-05	5.48E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
657	1.33283	1.17E-02	1.6E-02	1.05E-03	1.63E-05	5.48E-02	1.57E-01	1.40E-07	1.0E+06	1.4E-01
658	1.42351	1.17E-02	1.7E-02	1.05E-03	1.74E-05	5.48E-02	1.57E-01	1.50E-07	1.0E+06	1.5E-01
659	1.52535	1.17E-02	1.8E-02	1.05E-03	1.87E-05	5.48E-02	1.57E-01	1.61E-07	1.0E+06	1.6E-01
660	1.64887	1.17E-02	1.9E-02	1.05E-03	2.02E-05	5.48E-02	1.57E-01	1.74E-07	1.0E+06	1.7E-01
661	1.78831	1.17E-02	2.1E-02	1.05E-03	2.19E-05	5.48E-02	1.57E-01	1.88E-07	1.0E+06	1.9E-01
662	1.95291	1.17E-02	2.3E-02	1.05E-03	2.39E-05	5.48E-02	1.57E-01	2.06E-07	1.0E+06	2.1E-01
663	2.14059	1.17E-02	2.5E-02	1.05E-03	2.62E-05	5.48E-02	1.57E-01	2.26E-07	1.0E+06	2.3E-01
664	2.35977	1.17E-02	2.8E-02	1.05E-03	2.89E-05	5.48E-02	1.57E-01	2.49E-07	1.0E+06	2.5E-01
665	2.59747	1.17E-02	3.0E-02	1.05E-03	3.18E-05	5.48E-02	1.57E-01	2.74E-07	1.0E+06	2.7E-01
666	2.8754	1.17E-02	3.4E-02	1.05E-03	3.52E-05	5.48E-02	1.57E-01	3.03E-07	1.0E+06	3.0E-01
667	3.21769	1.17E-02	3.8E-02	1.05E-03	3.94E-05	5.48E-02	1.57E-01	3.39E-07	1.0E+06	3.4E-01
668	3.61969	1.17E-02	4.2E-02	1.05E-03	4.43E-05	5.48E-02	1.57E-01	3.81E-07	1.0E+06	3.8E-01
669	4.10847	1.17E-02	4.8E-02	1.05E-03	5.03E-05	5.48E-02	1.57E-01	4.33E-07	1.0E+06	4.3E-01
670	4.68552	1.17E-02	5.5E-02	1.05E-03	5.73E-05	5.48E-02	1.57E-01	4.94E-07	1.0E+06	4.9E-01
671	5.33428	1.17E-02	6.2E-02	1.05E-03	6.53E-05	5.48E-02	1.57E-01	5.62E-07	1.0E+06	5.6E-01
672	6.04383	1.17E-02	7.1E-02	1.05E-03	7.40E-05	5.48E-02	1.57E-01	6.37E-07	1.0E+06	6.4E-01
673	6.77602	1.17E-02	7.9E-02	1.05E-03	8.29E-05	5.48E-02	1.57E-01	7.14E-07	1.0E+06	7.1E-01
674	7.4948	1.17E-02	8.8E-02	1.05E-03	9.17E-05	5.48E-02	1.57E-01	7.90E-07	1.0E+06	7.9E-01
675	8.16492	1.17E-02	9.6E-02	1.05E-03	9.99E-05	5.48E-02	1.57E-01	8.60E-07	1.0E+06	8.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	1.17E-02	1.0E-01	1.05E-03	1.07E-04	5.48E-02	1.57E-01	9.25E-07	1.0E+06	9.3E-01
677	9.32065	1.17E-02	1.1E-01	1.05E-03	1.14E-04	5.48E-02	1.57E-01	9.82E-07	1.0E+06	9.8E-01
678	9.77043	1.17E-02	1.1E-01	1.05E-03	1.20E-04	5.48E-02	1.57E-01	1.03E-06	1.0E+06	1.0E+00
679	10.12687	1.17E-02	1.2E-01	1.05E-03	1.24E-04	5.48E-02	1.57E-01	1.07E-06	1.0E+06	1.1E+00
680	10.39762	1.17E-02	1.2E-01	1.05E-03	1.27E-04	5.48E-02	1.57E-01	1.10E-06	1.0E+06	1.1E+00
681	10.5989	1.17E-02	1.2E-01	1.05E-03	1.30E-04	5.48E-02	1.57E-01	1.12E-06	1.0E+06	1.1E+00
682	10.7487	1.17E-02	1.3E-01	1.05E-03	1.32E-04	5.48E-02	1.57E-01	1.13E-06	1.0E+06	1.1E+00
683	10.85911	1.17E-02	1.3E-01	1.05E-03	1.33E-04	5.48E-02	1.57E-01	1.14E-06	1.0E+06	1.1E+00
684	10.9435	1.17E-02	1.3E-01	1.05E-03	1.34E-04	5.48E-02	1.57E-01	1.15E-06	1.0E+06	1.2E+00
685	10.99739	1.17E-02	1.3E-01	1.05E-03	1.35E-04	5.48E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
686	11.02399	1.17E-02	1.3E-01	1.05E-03	1.35E-04	5.48E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
687	11.03343	1.17E-02	1.3E-01	1.05E-03	1.35E-04	5.48E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
688	11.03012	1.17E-02	1.3E-01	1.05E-03	1.35E-04	5.48E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
689	11.00788	1.17E-02	1.3E-01	1.05E-03	1.35E-04	5.48E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
690	10.96701	1.17E-02	1.3E-01	1.05E-03	1.34E-04	5.48E-02	1.57E-01	1.16E-06	1.0E+06	1.2E+00
691	10.90924	1.17E-02	1.3E-01	1.05E-03	1.33E-04	5.48E-02	1.57E-01	1.15E-06	1.0E+06	1.1E+00
692	0.93901	1.17E-02	1.1E-02	1.05E-03	1.15E-05	5.48E-02	1.57E-01	9.89E-08	1.0E+06	9.9E-02
693	0.99508	1.17E-02	1.2E-02	1.05E-03	1.22E-05	5.48E-02	1.57E-01	1.05E-07	1.0E+06	1.0E-01
694	1.05612	1.17E-02	1.2E-02	1.05E-03	1.29E-05	5.48E-02	1.57E-01	1.11E-07	1.0E+06	1.1E-01
695	1.12167	1.17E-02	1.3E-02	1.05E-03	1.37E-05	5.48E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
696	1.19382	1.17E-02	1.4E-02	1.05E-03	1.46E-05	5.48E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
697	1.27273	1.17E-02	1.5E-02	1.05E-03	1.56E-05	5.48E-02	1.57E-01	1.34E-07	1.0E+06	1.3E-01
698	1.35929	1.17E-02	1.6E-02	1.05E-03	1.66E-05	5.48E-02	1.57E-01	1.43E-07	1.0E+06	1.4E-01
699	1.45608	1.17E-02	1.7E-02	1.05E-03	1.78E-05	5.48E-02	1.57E-01	1.53E-07	1.0E+06	1.5E-01
700	1.57018	1.17E-02	1.8E-02	1.05E-03	1.92E-05	5.48E-02	1.57E-01	1.65E-07	1.0E+06	1.7E-01
701	1.69898	1.17E-02	2.0E-02	1.05E-03	2.08E-05	5.48E-02	1.57E-01	1.79E-07	1.0E+06	1.8E-01
702	1.84319	1.17E-02	2.2E-02	1.05E-03	2.26E-05	5.48E-02	1.57E-01	1.94E-07	1.0E+06	1.9E-01
703	2.00569	1.17E-02	2.3E-02	1.05E-03	2.45E-05	5.48E-02	1.57E-01	2.11E-07	1.0E+06	2.1E-01
704	2.20067	1.17E-02	2.6E-02	1.05E-03	2.69E-05	5.48E-02	1.57E-01	2.32E-07	1.0E+06	2.3E-01
705	2.41372	1.17E-02	2.8E-02	1.05E-03	2.95E-05	5.48E-02	1.57E-01	2.54E-07	1.0E+06	2.5E-01
706	2.65164	1.17E-02	3.1E-02	1.05E-03	3.24E-05	5.48E-02	1.57E-01	2.79E-07	1.0E+06	2.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	1.17E-02	3.4E-02	1.05E-03	3.60E-05	5.48E-02	1.57E-01	3.10E-07	1.0E+06	3.1E-01
708	3.2896	1.17E-02	3.9E-02	1.05E-03	4.03E-05	5.48E-02	1.57E-01	3.47E-07	1.0E+06	3.5E-01
709	3.68826	1.17E-02	4.3E-02	1.05E-03	4.51E-05	5.48E-02	1.57E-01	3.89E-07	1.0E+06	3.9E-01
710	4.18126	1.17E-02	4.9E-02	1.05E-03	5.12E-05	5.48E-02	1.57E-01	4.41E-07	1.0E+06	4.4E-01
711	4.72232	1.17E-02	5.5E-02	1.05E-03	5.78E-05	5.48E-02	1.57E-01	4.98E-07	1.0E+06	5.0E-01
712	5.29922	1.17E-02	6.2E-02	1.05E-03	6.48E-05	5.48E-02	1.57E-01	5.58E-07	1.0E+06	5.6E-01
713	5.90104	1.17E-02	6.9E-02	1.05E-03	7.22E-05	5.48E-02	1.57E-01	6.22E-07	1.0E+06	6.2E-01
714	6.49482	1.17E-02	7.6E-02	1.05E-03	7.95E-05	5.48E-02	1.57E-01	6.84E-07	1.0E+06	6.8E-01
715	7.05396	1.17E-02	8.3E-02	1.05E-03	8.63E-05	5.48E-02	1.57E-01	7.43E-07	1.0E+06	7.4E-01
716	7.56531	1.17E-02	8.9E-02	1.05E-03	9.26E-05	5.48E-02	1.57E-01	7.97E-07	1.0E+06	8.0E-01
717	8.02268	1.17E-02	9.4E-02	1.05E-03	9.82E-05	5.48E-02	1.57E-01	8.45E-07	1.0E+06	8.5E-01
718	8.402	1.17E-02	9.8E-02	1.05E-03	1.03E-04	5.48E-02	1.57E-01	8.85E-07	1.0E+06	8.9E-01
719	8.71664	1.17E-02	1.0E-01	1.05E-03	1.07E-04	5.48E-02	1.57E-01	9.18E-07	1.0E+06	9.2E-01
720	8.96577	1.17E-02	1.0E-01	1.05E-03	1.10E-04	5.48E-02	1.57E-01	9.45E-07	1.0E+06	9.4E-01
721	9.16053	1.17E-02	1.1E-01	1.05E-03	1.12E-04	5.48E-02	1.57E-01	9.65E-07	1.0E+06	9.7E-01
722	9.30962	1.17E-02	1.1E-01	1.05E-03	1.14E-04	5.48E-02	1.57E-01	9.81E-07	1.0E+06	9.8E-01
723	9.42495	1.17E-02	1.1E-01	1.05E-03	1.15E-04	5.48E-02	1.57E-01	9.93E-07	1.0E+06	9.9E-01
724	9.51029	1.17E-02	1.1E-01	1.05E-03	1.16E-04	5.48E-02	1.57E-01	1.00E-06	1.0E+06	1.0E+00
725	9.56893	1.17E-02	1.1E-01	1.05E-03	1.17E-04	5.48E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
726	9.59872	1.17E-02	1.1E-01	1.05E-03	1.17E-04	5.48E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
727	9.61129	1.17E-02	1.1E-01	1.05E-03	1.18E-04	5.48E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
728	9.61105	1.17E-02	1.1E-01	1.05E-03	1.18E-04	5.48E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
729	9.59379	1.17E-02	1.1E-01	1.05E-03	1.17E-04	5.48E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
730	9.55865	1.17E-02	1.1E-01	1.05E-03	1.17E-04	5.48E-02	1.57E-01	1.01E-06	1.0E+06	1.0E+00
731	9.50715	1.17E-02	1.1E-01	1.05E-03	1.16E-04	5.48E-02	1.57E-01	1.00E-06	1.0E+06	1.0E+00
732	0.90373	1.17E-02	1.1E-02	1.05E-03	1.11E-05	5.48E-02	1.57E-01	9.52E-08	1.0E+06	9.5E-02
733	0.95396	1.17E-02	1.1E-02	1.05E-03	1.17E-05	5.48E-02	1.57E-01	1.01E-07	1.0E+06	1.0E-01
734	1.00909	1.17E-02	1.2E-02	1.05E-03	1.23E-05	5.48E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
735	1.07021	1.17E-02	1.3E-02	1.05E-03	1.31E-05	5.48E-02	1.57E-01	1.13E-07	1.0E+06	1.1E-01
736	1.13747	1.17E-02	1.3E-02	1.05E-03	1.39E-05	5.48E-02	1.57E-01	1.20E-07	1.0E+06	1.2E-01
737	1.212	1.17E-02	1.4E-02	1.05E-03	1.48E-05	5.48E-02	1.57E-01	1.28E-07	1.0E+06	1.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	1.17E-02	1.5E-02	1.05E-03	1.58E-05	5.48E-02	1.57E-01	1.36E-07	1.0E+06	1.4E-01
739	1.38707	1.17E-02	1.6E-02	1.05E-03	1.70E-05	5.48E-02	1.57E-01	1.46E-07	1.0E+06	1.5E-01
740	1.49283	1.17E-02	1.7E-02	1.05E-03	1.83E-05	5.48E-02	1.57E-01	1.57E-07	1.0E+06	1.6E-01
741	1.61098	1.17E-02	1.9E-02	1.05E-03	1.97E-05	5.48E-02	1.57E-01	1.70E-07	1.0E+06	1.7E-01
742	1.74199	1.17E-02	2.0E-02	1.05E-03	2.13E-05	5.48E-02	1.57E-01	1.84E-07	1.0E+06	1.8E-01
743	1.88714	1.17E-02	2.2E-02	1.05E-03	2.31E-05	5.48E-02	1.57E-01	1.99E-07	1.0E+06	2.0E-01
744	2.05276	1.17E-02	2.4E-02	1.05E-03	2.51E-05	5.48E-02	1.57E-01	2.16E-07	1.0E+06	2.2E-01
745	2.23004	1.17E-02	2.6E-02	1.05E-03	2.73E-05	5.48E-02	1.57E-01	2.35E-07	1.0E+06	2.3E-01
746	2.43234	1.17E-02	2.8E-02	1.05E-03	2.98E-05	5.48E-02	1.57E-01	2.56E-07	1.0E+06	2.6E-01
747	2.6707	1.17E-02	3.1E-02	1.05E-03	3.27E-05	5.48E-02	1.57E-01	2.81E-07	1.0E+06	2.8E-01
748	2.98706	1.17E-02	3.5E-02	1.05E-03	3.66E-05	5.48E-02	1.57E-01	3.15E-07	1.0E+06	3.1E-01
749	3.33587	1.17E-02	3.9E-02	1.05E-03	4.08E-05	5.48E-02	1.57E-01	3.51E-07	1.0E+06	3.5E-01
750	3.73979	1.17E-02	4.4E-02	1.05E-03	4.58E-05	5.48E-02	1.57E-01	3.94E-07	1.0E+06	3.9E-01
751	4.20311	1.17E-02	4.9E-02	1.05E-03	5.14E-05	5.48E-02	1.57E-01	4.43E-07	1.0E+06	4.4E-01
752	4.6967	1.17E-02	5.5E-02	1.05E-03	5.75E-05	5.48E-02	1.57E-01	4.95E-07	1.0E+06	4.9E-01
753	5.19712	1.17E-02	6.1E-02	1.05E-03	6.36E-05	5.48E-02	1.57E-01	5.48E-07	1.0E+06	5.5E-01
754	5.69529	1.17E-02	6.7E-02	1.05E-03	6.97E-05	5.48E-02	1.57E-01	6.00E-07	1.0E+06	6.0E-01
755	6.16683	1.17E-02	7.2E-02	1.05E-03	7.55E-05	5.48E-02	1.57E-01	6.50E-07	1.0E+06	6.5E-01
756	6.59832	1.17E-02	7.7E-02	1.05E-03	8.07E-05	5.48E-02	1.57E-01	6.95E-07	1.0E+06	7.0E-01
757	6.9913	1.17E-02	8.2E-02	1.05E-03	8.56E-05	5.48E-02	1.57E-01	7.37E-07	1.0E+06	7.4E-01
758	7.31882	1.17E-02	8.6E-02	1.05E-03	8.96E-05	5.48E-02	1.57E-01	7.71E-07	1.0E+06	7.7E-01
759	7.59358	1.17E-02	8.9E-02	1.05E-03	9.29E-05	5.48E-02	1.57E-01	8.00E-07	1.0E+06	8.0E-01
760	7.82378	1.17E-02	9.2E-02	1.05E-03	9.57E-05	5.48E-02	1.57E-01	8.24E-07	1.0E+06	8.2E-01
761	8.01055	1.17E-02	9.4E-02	1.05E-03	9.80E-05	5.48E-02	1.57E-01	8.44E-07	1.0E+06	8.4E-01
762	8.15512	1.17E-02	9.5E-02	1.05E-03	9.98E-05	5.48E-02	1.57E-01	8.59E-07	1.0E+06	8.6E-01
763	8.27036	1.17E-02	9.7E-02	1.05E-03	1.01E-04	5.48E-02	1.57E-01	8.71E-07	1.0E+06	8.7E-01
764	8.35543	1.17E-02	9.8E-02	1.05E-03	1.02E-04	5.48E-02	1.57E-01	8.80E-07	1.0E+06	8.8E-01
765	8.41653	1.17E-02	9.9E-02	1.05E-03	1.03E-04	5.48E-02	1.57E-01	8.87E-07	1.0E+06	8.9E-01
766	8.44946	1.17E-02	9.9E-02	1.05E-03	1.03E-04	5.48E-02	1.57E-01	8.90E-07	1.0E+06	8.9E-01
767	8.46498	1.17E-02	9.9E-02	1.05E-03	1.04E-04	5.48E-02	1.57E-01	8.92E-07	1.0E+06	8.9E-01
768	8.46784	1.17E-02	9.9E-02	1.05E-03	1.04E-04	5.48E-02	1.57E-01	8.92E-07	1.0E+06	8.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	1.17E-02	9.9E-02	1.05E-03	1.03E-04	5.48E-02	1.57E-01	8.91E-07	1.0E+06	8.9E-01
770	8.42489	1.17E-02	9.9E-02	1.05E-03	1.03E-04	5.48E-02	1.57E-01	8.88E-07	1.0E+06	8.9E-01
771	8.37939	1.17E-02	9.8E-02	1.05E-03	1.03E-04	5.48E-02	1.57E-01	8.83E-07	1.0E+06	8.8E-01
772	0.87008	1.17E-02	1.0E-02	1.05E-03	1.06E-05	5.48E-02	1.57E-01	9.17E-08	1.0E+06	9.2E-02
773	0.9167	1.17E-02	1.1E-02	1.05E-03	1.12E-05	5.48E-02	1.57E-01	9.66E-08	1.0E+06	9.7E-02
774	0.9677	1.17E-02	1.1E-02	1.05E-03	1.18E-05	5.48E-02	1.57E-01	1.02E-07	1.0E+06	1.0E-01
775	1.0252	1.17E-02	1.2E-02	1.05E-03	1.25E-05	5.48E-02	1.57E-01	1.08E-07	1.0E+06	1.1E-01
776	1.08829	1.17E-02	1.3E-02	1.05E-03	1.33E-05	5.48E-02	1.57E-01	1.15E-07	1.0E+06	1.1E-01
777	1.158	1.17E-02	1.4E-02	1.05E-03	1.42E-05	5.48E-02	1.57E-01	1.22E-07	1.0E+06	1.2E-01
778	1.23498	1.17E-02	1.4E-02	1.05E-03	1.51E-05	5.48E-02	1.57E-01	1.30E-07	1.0E+06	1.3E-01
779	1.32031	1.17E-02	1.5E-02	1.05E-03	1.62E-05	5.48E-02	1.57E-01	1.39E-07	1.0E+06	1.4E-01
780	1.4163	1.17E-02	1.7E-02	1.05E-03	1.73E-05	5.48E-02	1.57E-01	1.49E-07	1.0E+06	1.5E-01
781	1.52369	1.17E-02	1.8E-02	1.05E-03	1.86E-05	5.48E-02	1.57E-01	1.61E-07	1.0E+06	1.6E-01
782	1.64239	1.17E-02	1.9E-02	1.05E-03	2.01E-05	5.48E-02	1.57E-01	1.73E-07	1.0E+06	1.7E-01
783	1.77466	1.17E-02	2.1E-02	1.05E-03	2.17E-05	5.48E-02	1.57E-01	1.87E-07	1.0E+06	1.9E-01
784	1.92428	1.17E-02	2.3E-02	1.05E-03	2.35E-05	5.48E-02	1.57E-01	2.03E-07	1.0E+06	2.0E-01
785	2.08609	1.17E-02	2.4E-02	1.05E-03	2.55E-05	5.48E-02	1.57E-01	2.20E-07	1.0E+06	2.2E-01
786	2.26894	1.17E-02	2.7E-02	1.05E-03	2.78E-05	5.48E-02	1.57E-01	2.39E-07	1.0E+06	2.4E-01
787	2.48215	1.17E-02	2.9E-02	1.05E-03	3.04E-05	5.48E-02	1.57E-01	2.62E-07	1.0E+06	2.6E-01
788	2.75097	1.17E-02	3.2E-02	1.05E-03	3.37E-05	5.48E-02	1.57E-01	2.90E-07	1.0E+06	2.9E-01
789	3.04965	1.17E-02	3.6E-02	1.05E-03	3.73E-05	5.48E-02	1.57E-01	3.21E-07	1.0E+06	3.2E-01
790	3.39516	1.17E-02	4.0E-02	1.05E-03	4.15E-05	5.48E-02	1.57E-01	3.58E-07	1.0E+06	3.6E-01
791	3.79037	1.17E-02	4.4E-02	1.05E-03	4.64E-05	5.48E-02	1.57E-01	3.99E-07	1.0E+06	4.0E-01
792	4.19023	1.17E-02	4.9E-02	1.05E-03	5.13E-05	5.48E-02	1.57E-01	4.42E-07	1.0E+06	4.4E-01
793	4.61325	1.17E-02	5.4E-02	1.05E-03	5.65E-05	5.48E-02	1.57E-01	4.86E-07	1.0E+06	4.9E-01
794	5.02437	1.17E-02	5.9E-02	1.05E-03	6.15E-05	5.48E-02	1.57E-01	5.29E-07	1.0E+06	5.3E-01
795	5.42475	1.17E-02	6.4E-02	1.05E-03	6.64E-05	5.48E-02	1.57E-01	5.72E-07	1.0E+06	5.7E-01
796	5.79546	1.17E-02	6.8E-02	1.05E-03	7.09E-05	5.48E-02	1.57E-01	6.11E-07	1.0E+06	6.1E-01
797	6.13759	1.17E-02	7.2E-02	1.05E-03	7.51E-05	5.48E-02	1.57E-01	6.47E-07	1.0E+06	6.5E-01
798	6.42719	1.17E-02	7.5E-02	1.05E-03	7.86E-05	5.48E-02	1.57E-01	6.77E-07	1.0E+06	6.8E-01
799	6.68167	1.17E-02	7.8E-02	1.05E-03	8.18E-05	5.48E-02	1.57E-01	7.04E-07	1.0E+06	7.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	6.8918	1.17E-02	8.1E-02	1.05E-03	8.43E-05	5.48E-02	1.57E-01	7.26E-07	1.0E+06	7.3E-01
801	7.06788	1.17E-02	8.3E-02	1.05E-03	8.65E-05	5.48E-02	1.57E-01	7.45E-07	1.0E+06	7.4E-01
802	7.20727	1.17E-02	8.4E-02	1.05E-03	8.82E-05	5.48E-02	1.57E-01	7.59E-07	1.0E+06	7.6E-01
803	7.3211	1.17E-02	8.6E-02	1.05E-03	8.96E-05	5.48E-02	1.57E-01	7.71E-07	1.0E+06	7.7E-01
804	7.4024	1.17E-02	8.7E-02	1.05E-03	9.06E-05	5.48E-02	1.57E-01	7.80E-07	1.0E+06	7.8E-01
805	7.46545	1.17E-02	8.7E-02	1.05E-03	9.14E-05	5.48E-02	1.57E-01	7.87E-07	1.0E+06	7.9E-01
806	7.50396	1.17E-02	8.8E-02	1.05E-03	9.18E-05	5.48E-02	1.57E-01	7.91E-07	1.0E+06	7.9E-01
807	7.52272	1.17E-02	8.8E-02	1.05E-03	9.21E-05	5.48E-02	1.57E-01	7.93E-07	1.0E+06	7.9E-01
808	7.52855	1.17E-02	8.8E-02	1.05E-03	9.21E-05	5.48E-02	1.57E-01	7.93E-07	1.0E+06	7.9E-01
809	7.51923	1.17E-02	8.8E-02	1.05E-03	9.20E-05	5.48E-02	1.57E-01	7.92E-07	1.0E+06	7.9E-01
810	7.49422	1.17E-02	8.8E-02	1.05E-03	9.17E-05	5.48E-02	1.57E-01	7.90E-07	1.0E+06	7.9E-01
811	7.45447	1.17E-02	8.7E-02	1.05E-03	9.12E-05	5.48E-02	1.57E-01	7.85E-07	1.0E+06	7.9E-01
812	0.83667	1.17E-02	9.8E-03	1.05E-03	1.02E-05	5.48E-02	1.57E-01	8.82E-08	1.0E+06	8.8E-02
813	0.87996	1.17E-02	1.0E-02	1.05E-03	1.08E-05	5.48E-02	1.57E-01	9.27E-08	1.0E+06	9.3E-02
814	0.92737	1.17E-02	1.1E-02	1.05E-03	1.13E-05	5.48E-02	1.57E-01	9.77E-08	1.0E+06	9.8E-02
815	0.9815	1.17E-02	1.1E-02	1.05E-03	1.20E-05	5.48E-02	1.57E-01	1.03E-07	1.0E+06	1.0E-01
816	1.04048	1.17E-02	1.2E-02	1.05E-03	1.27E-05	5.48E-02	1.57E-01	1.10E-07	1.0E+06	1.1E-01
817	1.10543	1.17E-02	1.3E-02	1.05E-03	1.35E-05	5.48E-02	1.57E-01	1.16E-07	1.0E+06	1.2E-01
818	1.17665	1.17E-02	1.4E-02	1.05E-03	1.44E-05	5.48E-02	1.57E-01	1.24E-07	1.0E+06	1.2E-01
819	1.2553	1.17E-02	1.5E-02	1.05E-03	1.54E-05	5.48E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
820	1.34252	1.17E-02	1.6E-02	1.05E-03	1.64E-05	5.48E-02	1.57E-01	1.41E-07	1.0E+06	1.4E-01
821	1.43927	1.17E-02	1.7E-02	1.05E-03	1.76E-05	5.48E-02	1.57E-01	1.52E-07	1.0E+06	1.5E-01
822	1.5471	1.17E-02	1.8E-02	1.05E-03	1.89E-05	5.48E-02	1.57E-01	1.63E-07	1.0E+06	1.6E-01
823	1.6679	1.17E-02	2.0E-02	1.05E-03	2.04E-05	5.48E-02	1.57E-01	1.76E-07	1.0E+06	1.8E-01
824	1.80392	1.17E-02	2.1E-02	1.05E-03	2.21E-05	5.48E-02	1.57E-01	1.90E-07	1.0E+06	1.9E-01
825	1.95166	1.17E-02	2.3E-02	1.05E-03	2.39E-05	5.48E-02	1.57E-01	2.06E-07	1.0E+06	2.1E-01
826	2.11861	1.17E-02	2.5E-02	1.05E-03	2.59E-05	5.48E-02	1.57E-01	2.23E-07	1.0E+06	2.2E-01
827	2.31074	1.17E-02	2.7E-02	1.05E-03	2.83E-05	5.48E-02	1.57E-01	2.43E-07	1.0E+06	2.4E-01
828	2.53407	1.17E-02	3.0E-02	1.05E-03	3.10E-05	5.48E-02	1.57E-01	2.67E-07	1.0E+06	2.7E-01
829	2.79936	1.17E-02	3.3E-02	1.05E-03	3.43E-05	5.48E-02	1.57E-01	2.95E-07	1.0E+06	2.9E-01
830	3.09167	1.17E-02	3.6E-02	1.05E-03	3.78E-05	5.48E-02	1.57E-01	3.26E-07	1.0E+06	3.3E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	3.41969	1.17E-02	4.0E-02	1.05E-03	4.18E-05	5.48E-02	1.57E-01	3.60E-07	1.0E+06	3.6E-01
832	3.76859	1.17E-02	4.4E-02	1.05E-03	4.61E-05	5.48E-02	1.57E-01	3.97E-07	1.0E+06	4.0E-01
833	4.11214	1.17E-02	4.8E-02	1.05E-03	5.03E-05	5.48E-02	1.57E-01	4.33E-07	1.0E+06	4.3E-01
834	4.47011	1.17E-02	5.2E-02	1.05E-03	5.47E-05	5.48E-02	1.57E-01	4.71E-07	1.0E+06	4.7E-01
835	4.80284	1.17E-02	5.6E-02	1.05E-03	5.88E-05	5.48E-02	1.57E-01	5.06E-07	1.0E+06	5.1E-01
836	5.12964	1.17E-02	6.0E-02	1.05E-03	6.28E-05	5.48E-02	1.57E-01	5.40E-07	1.0E+06	5.4E-01
837	5.42636	1.17E-02	6.4E-02	1.05E-03	6.64E-05	5.48E-02	1.57E-01	5.72E-07	1.0E+06	5.7E-01
838	5.69352	1.17E-02	6.7E-02	1.05E-03	6.97E-05	5.48E-02	1.57E-01	6.00E-07	1.0E+06	6.0E-01
839	5.92434	1.17E-02	6.9E-02	1.05E-03	7.25E-05	5.48E-02	1.57E-01	6.24E-07	1.0E+06	6.2E-01
840	6.12416	1.17E-02	7.2E-02	1.05E-03	7.49E-05	5.48E-02	1.57E-01	6.45E-07	1.0E+06	6.5E-01
841	6.28848	1.17E-02	7.4E-02	1.05E-03	7.70E-05	5.48E-02	1.57E-01	6.63E-07	1.0E+06	6.6E-01
842	6.42168	1.17E-02	7.5E-02	1.05E-03	7.86E-05	5.48E-02	1.57E-01	6.77E-07	1.0E+06	6.8E-01
843	6.52867	1.17E-02	7.6E-02	1.05E-03	7.99E-05	5.48E-02	1.57E-01	6.88E-07	1.0E+06	6.9E-01
844	6.61094	1.17E-02	7.7E-02	1.05E-03	8.09E-05	5.48E-02	1.57E-01	6.97E-07	1.0E+06	7.0E-01
845	6.67265	1.17E-02	7.8E-02	1.05E-03	8.17E-05	5.48E-02	1.57E-01	7.03E-07	1.0E+06	7.0E-01
846	6.71443	1.17E-02	7.9E-02	1.05E-03	8.22E-05	5.48E-02	1.57E-01	7.07E-07	1.0E+06	7.1E-01
847	6.73642	1.17E-02	7.9E-02	1.05E-03	8.24E-05	5.48E-02	1.57E-01	7.10E-07	1.0E+06	7.1E-01
848	6.74465	1.17E-02	7.9E-02	1.05E-03	8.25E-05	5.48E-02	1.57E-01	7.11E-07	1.0E+06	7.1E-01
849	6.73873	1.17E-02	7.9E-02	1.05E-03	8.25E-05	5.48E-02	1.57E-01	7.10E-07	1.0E+06	7.1E-01
850	6.71796	1.17E-02	7.9E-02	1.05E-03	8.22E-05	5.48E-02	1.57E-01	7.08E-07	1.0E+06	7.1E-01
851	6.68345	1.17E-02	7.8E-02	1.05E-03	8.18E-05	5.48E-02	1.57E-01	7.04E-07	1.0E+06	7.0E-01
852	0.80369	1.17E-02	9.4E-03	1.05E-03	9.83E-06	5.48E-02	1.57E-01	8.47E-08	1.0E+06	8.5E-02
853	0.84374	1.17E-02	9.9E-03	1.05E-03	1.03E-05	5.48E-02	1.57E-01	8.89E-08	1.0E+06	8.9E-02
854	0.8875	1.17E-02	1.0E-02	1.05E-03	1.09E-05	5.48E-02	1.57E-01	9.35E-08	1.0E+06	9.4E-02
855	0.93841	1.17E-02	1.1E-02	1.05E-03	1.15E-05	5.48E-02	1.57E-01	9.89E-08	1.0E+06	9.9E-02
856	0.99372	1.17E-02	1.2E-02	1.05E-03	1.22E-05	5.48E-02	1.57E-01	1.05E-07	1.0E+06	1.0E-01
857	1.054	1.17E-02	1.2E-02	1.05E-03	1.29E-05	5.48E-02	1.57E-01	1.11E-07	1.0E+06	1.1E-01
858	1.11985	1.17E-02	1.3E-02	1.05E-03	1.37E-05	5.48E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
859	1.19203	1.17E-02	1.4E-02	1.05E-03	1.46E-05	5.48E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
860	1.27146	1.17E-02	1.5E-02	1.05E-03	1.56E-05	5.48E-02	1.57E-01	1.34E-07	1.0E+06	1.3E-01
861	1.35884	1.17E-02	1.6E-02	1.05E-03	1.66E-05	5.48E-02	1.57E-01	1.43E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	1.45655	1.17E-02	1.7E-02	1.05E-03	1.78E-05	5.48E-02	1.57E-01	1.53E-07	1.0E+06	1.5E-01
863	1.56677	1.17E-02	1.8E-02	1.05E-03	1.92E-05	5.48E-02	1.57E-01	1.65E-07	1.0E+06	1.7E-01
864	1.69076	1.17E-02	2.0E-02	1.05E-03	2.07E-05	5.48E-02	1.57E-01	1.78E-07	1.0E+06	1.8E-01
865	1.82739	1.17E-02	2.1E-02	1.05E-03	2.24E-05	5.48E-02	1.57E-01	1.93E-07	1.0E+06	1.9E-01
866	1.98096	1.17E-02	2.3E-02	1.05E-03	2.42E-05	5.48E-02	1.57E-01	2.09E-07	1.0E+06	2.1E-01
867	2.15478	1.17E-02	2.5E-02	1.05E-03	2.64E-05	5.48E-02	1.57E-01	2.27E-07	1.0E+06	2.3E-01
868	2.35219	1.17E-02	2.8E-02	1.05E-03	2.88E-05	5.48E-02	1.57E-01	2.48E-07	1.0E+06	2.5E-01
869	2.57258	1.17E-02	3.0E-02	1.05E-03	3.15E-05	5.48E-02	1.57E-01	2.71E-07	1.0E+06	2.7E-01
870	2.8291	1.17E-02	3.3E-02	1.05E-03	3.46E-05	5.48E-02	1.57E-01	2.98E-07	1.0E+06	3.0E-01
871	3.11055	1.17E-02	3.6E-02	1.05E-03	3.81E-05	5.48E-02	1.57E-01	3.28E-07	1.0E+06	3.3E-01
872	3.3954	1.17E-02	4.0E-02	1.05E-03	4.15E-05	5.48E-02	1.57E-01	3.58E-07	1.0E+06	3.6E-01
873	3.69789	1.17E-02	4.3E-02	1.05E-03	4.53E-05	5.48E-02	1.57E-01	3.90E-07	1.0E+06	3.9E-01
874	3.98935	1.17E-02	4.7E-02	1.05E-03	4.88E-05	5.48E-02	1.57E-01	4.20E-07	1.0E+06	4.2E-01
875	4.28834	1.17E-02	5.0E-02	1.05E-03	5.25E-05	5.48E-02	1.57E-01	4.52E-07	1.0E+06	4.5E-01
876	4.56773	1.17E-02	5.3E-02	1.05E-03	5.59E-05	5.48E-02	1.57E-01	4.81E-07	1.0E+06	4.8E-01
877	4.83599	1.17E-02	5.7E-02	1.05E-03	5.92E-05	5.48E-02	1.57E-01	5.10E-07	1.0E+06	5.1E-01
878	5.07551	1.17E-02	5.9E-02	1.05E-03	6.21E-05	5.48E-02	1.57E-01	5.35E-07	1.0E+06	5.3E-01
879	5.29288	1.17E-02	6.2E-02	1.05E-03	6.48E-05	5.48E-02	1.57E-01	5.58E-07	1.0E+06	5.6E-01
880	5.47867	1.17E-02	6.4E-02	1.05E-03	6.70E-05	5.48E-02	1.57E-01	5.77E-07	1.0E+06	5.8E-01
881	5.63107	1.17E-02	6.6E-02	1.05E-03	6.89E-05	5.48E-02	1.57E-01	5.93E-07	1.0E+06	5.9E-01
882	5.75731	1.17E-02	6.7E-02	1.05E-03	7.05E-05	5.48E-02	1.57E-01	6.07E-07	1.0E+06	6.1E-01
883	5.8611	1.17E-02	6.9E-02	1.05E-03	7.17E-05	5.48E-02	1.57E-01	6.18E-07	1.0E+06	6.2E-01
884	5.94181	1.17E-02	7.0E-02	1.05E-03	7.27E-05	5.48E-02	1.57E-01	6.26E-07	1.0E+06	6.3E-01
885	6.00137	1.17E-02	7.0E-02	1.05E-03	7.34E-05	5.48E-02	1.57E-01	6.32E-07	1.0E+06	6.3E-01
886	6.04453	1.17E-02	7.1E-02	1.05E-03	7.40E-05	5.48E-02	1.57E-01	6.37E-07	1.0E+06	6.4E-01
887	6.07103	1.17E-02	7.1E-02	1.05E-03	7.43E-05	5.48E-02	1.57E-01	6.40E-07	1.0E+06	6.4E-01
888	6.08136	1.17E-02	7.1E-02	1.05E-03	7.44E-05	5.48E-02	1.57E-01	6.41E-07	1.0E+06	6.4E-01
889	6.07844	1.17E-02	7.1E-02	1.05E-03	7.44E-05	5.48E-02	1.57E-01	6.40E-07	1.0E+06	6.4E-01
890	6.06163	1.17E-02	7.1E-02	1.05E-03	7.42E-05	5.48E-02	1.57E-01	6.39E-07	1.0E+06	6.4E-01
891	6.03191	1.17E-02	7.1E-02	1.05E-03	7.38E-05	5.48E-02	1.57E-01	6.36E-07	1.0E+06	6.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
521	5	3.08E-02
522	5	3.14E-02
523	5	3.81E-02
524	5	3.18E-02
525	5	3.14E-02
526	5	3.19E-02
527	5	3.83E-02
528	5	3.19E-02
529	5	3.14E-02
530	5	3.17E-02
531	5	3.79E-02
532	5	2.48E-03
533	5	2.64E-03
534	5	2.82E-03
535	5	3.01E-03
536	5	3.22E-03
537	5	3.46E-03
538	5	3.72E-03
539	5	4.03E-03
540	5	4.39E-03
541	5	4.80E-03
542	5	5.28E-03
543	5	5.84E-03
544	5	6.51E-03
545	5	7.30E-03
546	5	8.28E-03
547	5	9.51E-03
548	5	1.11E-02
549	5	1.32E-02
550	5	1.59E-02
551	5	1.92E-02

Max	Receptor #	
0.038	527	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
552	5	2.29E-02
553	5	1.88E-02
554	5	3.00E-02
555	5	3.30E-02
556	5	3.57E-02
557	5	3.02E-02
558	5	3.05E-02
559	5	3.11E-02
560	5	3.25E-02
561	5	2.66E-02
562	5	3.31E-02
563	5	3.27E-02
564	5	3.35E-02
565	5	2.74E-02
566	5	3.36E-02
567	5	3.30E-02
568	5	3.37E-02
569	5	2.73E-02
570	5	3.33E-02
571	5	3.26E-02
572	5	2.42E-03
573	5	2.58E-03
574	5	2.75E-03
575	5	2.93E-03
576	5	3.14E-03
577	5	3.36E-03
578	5	3.60E-03
579	5	3.89E-03
580	5	4.23E-03
581	5	4.61E-03
582	5	5.06E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
583	5	5.58E-03
584	5	6.20E-03
585	5	6.91E-03
586	5	7.78E-03
587	5	8.85E-03
588	5	1.02E-02
589	5	1.19E-02
590	5	1.39E-02
591	5	1.64E-02
592	5	1.92E-02
593	5	2.19E-02
594	5	2.45E-02
595	5	2.69E-02
596	5	2.91E-02
597	5	3.10E-02
598	5	3.26E-02
599	5	3.36E-02
600	5	3.43E-02
601	5	3.48E-02
602	5	3.51E-02
603	5	3.53E-02
604	5	3.55E-02
605	5	3.55E-02
606	5	3.56E-02
607	5	3.56E-02
608	5	3.56E-02
609	5	3.55E-02
610	5	3.54E-02
611	5	3.52E-02
612	5	2.36E-03
613	5	2.52E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
614	5	2.68E-03
615	5	2.86E-03
616	5	3.05E-03
617	5	3.26E-03
618	5	3.48E-03
619	5	3.73E-03
620	5	4.04E-03
621	5	4.42E-03
622	5	4.83E-03
623	5	5.32E-03
624	5	5.88E-03
625	5	6.52E-03
626	5	7.29E-03
627	5	8.21E-03
628	5	9.33E-03
629	5	1.07E-02
630	5	1.24E-02
631	5	1.43E-02
632	5	1.63E-02
633	5	1.85E-02
634	5	2.06E-02
635	5	2.25E-02
636	5	2.42E-02
637	5	2.58E-02
638	5	2.70E-02
639	5	2.80E-02
640	5	2.86E-02
641	5	2.91E-02
642	5	2.95E-02
643	5	2.97E-02
644	5	2.99E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
645	5	3.00E-02
646	5	3.01E-02
647	5	3.01E-02
648	5	3.01E-02
649	5	3.00E-02
650	5	2.99E-02
651	5	2.97E-02
652	5	2.28E-03
653	5	2.43E-03
654	5	2.58E-03
655	5	2.75E-03
656	5	2.93E-03
657	5	3.12E-03
658	5	3.33E-03
659	5	3.57E-03
660	5	3.86E-03
661	5	4.19E-03
662	5	4.57E-03
663	5	5.01E-03
664	5	5.53E-03
665	5	6.08E-03
666	5	6.73E-03
667	5	7.53E-03
668	5	8.48E-03
669	5	9.62E-03
670	5	1.10E-02
671	5	1.25E-02
672	5	1.42E-02
673	5	1.59E-02
674	5	1.75E-02
675	5	1.91E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
676	5	2.06E-02
677	5	2.18E-02
678	5	2.29E-02
679	5	2.37E-02
680	5	2.43E-02
681	5	2.48E-02
682	5	2.52E-02
683	5	2.54E-02
684	5	2.56E-02
685	5	2.58E-02
686	5	2.58E-02
687	5	2.58E-02
688	5	2.58E-02
689	5	2.58E-02
690	5	2.57E-02
691	5	2.55E-02
692	5	2.20E-03
693	5	2.33E-03
694	5	2.47E-03
695	5	2.63E-03
696	5	2.80E-03
697	5	2.98E-03
698	5	3.18E-03
699	5	3.41E-03
700	5	3.68E-03
701	5	3.98E-03
702	5	4.32E-03
703	5	4.70E-03
704	5	5.15E-03
705	5	5.65E-03
706	5	6.21E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
707	5	6.89E-03
708	5	7.70E-03
709	5	8.64E-03
710	5	9.79E-03
711	5	1.11E-02
712	5	1.24E-02
713	5	1.38E-02
714	5	1.52E-02
715	5	1.65E-02
716	5	1.77E-02
717	5	1.88E-02
718	5	1.97E-02
719	5	2.04E-02
720	5	2.10E-02
721	5	2.14E-02
722	5	2.18E-02
723	5	2.21E-02
724	5	2.23E-02
725	5	2.24E-02
726	5	2.25E-02
727	5	2.25E-02
728	5	2.25E-02
729	5	2.25E-02
730	5	2.24E-02
731	5	2.23E-02
732	5	2.12E-03
733	5	2.23E-03
734	5	2.36E-03
735	5	2.51E-03
736	5	2.66E-03
737	5	2.84E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
738	5	3.03E-03
739	5	3.25E-03
740	5	3.50E-03
741	5	3.77E-03
742	5	4.08E-03
743	5	4.42E-03
744	5	4.81E-03
745	5	5.22E-03
746	5	5.70E-03
747	5	6.25E-03
748	5	6.99E-03
749	5	7.81E-03
750	5	8.76E-03
751	5	9.84E-03
752	5	1.10E-02
753	5	1.22E-02
754	5	1.33E-02
755	5	1.44E-02
756	5	1.55E-02
757	5	1.64E-02
758	5	1.71E-02
759	5	1.78E-02
760	5	1.83E-02
761	5	1.88E-02
762	5	1.91E-02
763	5	1.94E-02
764	5	1.96E-02
765	5	1.97E-02
766	5	1.98E-02
767	5	1.98E-02
768	5	1.98E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
769	5	1.98E-02
770	5	1.97E-02
771	5	1.96E-02
772	5	2.04E-03
773	5	2.15E-03
774	5	2.27E-03
775	5	2.40E-03
776	5	2.55E-03
777	5	2.71E-03
778	5	2.89E-03
779	5	3.09E-03
780	5	3.32E-03
781	5	3.57E-03
782	5	3.85E-03
783	5	4.16E-03
784	5	4.51E-03
785	5	4.88E-03
786	5	5.31E-03
787	5	5.81E-03
788	5	6.44E-03
789	5	7.14E-03
790	5	7.95E-03
791	5	8.88E-03
792	5	9.81E-03
793	5	1.08E-02
794	5	1.18E-02
795	5	1.27E-02
796	5	1.36E-02
797	5	1.44E-02
798	5	1.50E-02
799	5	1.56E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
800	5	1.61E-02
801	5	1.65E-02
802	5	1.69E-02
803	5	1.71E-02
804	5	1.73E-02
805	5	1.75E-02
806	5	1.76E-02
807	5	1.76E-02
808	5	1.76E-02
809	5	1.76E-02
810	5	1.75E-02
811	5	1.75E-02
812	5	1.96E-03
813	5	2.06E-03
814	5	2.17E-03
815	5	2.30E-03
816	5	2.44E-03
817	5	2.59E-03
818	5	2.76E-03
819	5	2.94E-03
820	5	3.14E-03
821	5	3.37E-03
822	5	3.62E-03
823	5	3.91E-03
824	5	4.22E-03
825	5	4.57E-03
826	5	4.96E-03
827	5	5.41E-03
828	5	5.93E-03
829	5	6.55E-03
830	5	7.24E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
831	5	8.01E-03
832	5	8.82E-03
833	5	9.63E-03
834	5	1.05E-02
835	5	1.12E-02
836	5	1.20E-02
837	5	1.27E-02
838	5	1.33E-02
839	5	1.39E-02
840	5	1.43E-02
841	5	1.47E-02
842	5	1.50E-02
843	5	1.53E-02
844	5	1.55E-02
845	5	1.56E-02
846	5	1.57E-02
847	5	1.58E-02
848	5	1.58E-02
849	5	1.58E-02
850	5	1.57E-02
851	5	1.56E-02
852	5	1.88E-03
853	5	1.98E-03
854	5	2.08E-03
855	5	2.20E-03
856	5	2.33E-03
857	5	2.47E-03
858	5	2.62E-03
859	5	2.79E-03
860	5	2.98E-03
861	5	3.18E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 2 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
862	5	3.41E-03
863	5	3.67E-03
864	5	3.96E-03
865	5	4.28E-03
866	5	4.64E-03
867	5	5.05E-03
868	5	5.51E-03
869	5	6.02E-03
870	5	6.62E-03
871	5	7.28E-03
872	5	7.95E-03
873	5	8.66E-03
874	5	9.34E-03
875	5	1.00E-02
876	5	1.07E-02
877	5	1.13E-02
878	5	1.19E-02
879	5	1.24E-02
880	5	1.28E-02
881	5	1.32E-02
882	5	1.35E-02
883	5	1.37E-02
884	5	1.39E-02
885	5	1.41E-02
886	5	1.42E-02
887	5	1.42E-02
888	5	1.42E-02
889	5	1.42E-02
890	5	1.42E-02
891	5	1.41E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	13.15889	3.38E-03	4.5E-02	6.05E-04	2.69E-05	1.20E+00	4.71E-02	1.53E-06	1.0E+06	1.5E+00
522	13.42671	3.38E-03	4.5E-02	6.05E-04	2.75E-05	1.20E+00	4.71E-02	1.56E-06	1.0E+06	1.6E+00
523	16.26152	3.38E-03	5.5E-02	6.05E-04	3.33E-05	1.20E+00	4.71E-02	1.89E-06	1.0E+06	1.9E+00
524	13.55962	3.38E-03	4.6E-02	6.05E-04	2.78E-05	1.20E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
525	13.41509	3.38E-03	4.5E-02	6.05E-04	2.75E-05	1.20E+00	4.71E-02	1.56E-06	1.0E+06	1.6E+00
526	13.62851	3.38E-03	4.6E-02	6.05E-04	2.79E-05	1.20E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
527	16.3735	3.38E-03	5.5E-02	6.05E-04	3.35E-05	1.20E+00	4.71E-02	1.90E-06	1.0E+06	1.9E+00
528	13.61294	3.38E-03	4.6E-02	6.05E-04	2.79E-05	1.20E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
529	13.39753	3.38E-03	4.5E-02	6.05E-04	2.74E-05	1.20E+00	4.71E-02	1.55E-06	1.0E+06	1.6E+00
530	13.5313	3.38E-03	4.6E-02	6.05E-04	2.77E-05	1.20E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
531	16.18516	3.38E-03	5.5E-02	6.05E-04	3.31E-05	1.20E+00	4.71E-02	1.88E-06	1.0E+06	1.9E+00
532	1.06064	3.38E-03	3.6E-03	6.05E-04	2.17E-06	1.20E+00	4.71E-02	1.23E-07	1.0E+06	1.2E-01
533	1.12869	3.38E-03	3.8E-03	6.05E-04	2.31E-06	1.20E+00	4.71E-02	1.31E-07	1.0E+06	1.3E-01
534	1.20356	3.38E-03	4.1E-03	6.05E-04	2.46E-06	1.20E+00	4.71E-02	1.40E-07	1.0E+06	1.4E-01
535	1.28482	3.38E-03	4.3E-03	6.05E-04	2.63E-06	1.20E+00	4.71E-02	1.49E-07	1.0E+06	1.5E-01
536	1.37567	3.38E-03	4.7E-03	6.05E-04	2.82E-06	1.20E+00	4.71E-02	1.60E-07	1.0E+06	1.6E-01
537	1.47718	3.38E-03	5.0E-03	6.05E-04	3.02E-06	1.20E+00	4.71E-02	1.71E-07	1.0E+06	1.7E-01
538	1.59013	3.38E-03	5.4E-03	6.05E-04	3.25E-06	1.20E+00	4.71E-02	1.85E-07	1.0E+06	1.8E-01
539	1.72154	3.38E-03	5.8E-03	6.05E-04	3.52E-06	1.20E+00	4.71E-02	2.00E-07	1.0E+06	2.0E-01
540	1.8733	3.38E-03	6.3E-03	6.05E-04	3.83E-06	1.20E+00	4.71E-02	2.17E-07	1.0E+06	2.2E-01
541	2.05003	3.38E-03	6.9E-03	6.05E-04	4.20E-06	1.20E+00	4.71E-02	2.38E-07	1.0E+06	2.4E-01
542	2.25442	3.38E-03	7.6E-03	6.05E-04	4.61E-06	1.20E+00	4.71E-02	2.62E-07	1.0E+06	2.6E-01
543	2.49287	3.38E-03	8.4E-03	6.05E-04	5.10E-06	1.20E+00	4.71E-02	2.89E-07	1.0E+06	2.9E-01
544	2.77968	3.38E-03	9.4E-03	6.05E-04	5.69E-06	1.20E+00	4.71E-02	3.23E-07	1.0E+06	3.2E-01
545	3.11924	3.38E-03	1.1E-02	6.05E-04	6.38E-06	1.20E+00	4.71E-02	3.62E-07	1.0E+06	3.6E-01
546	3.53809	3.38E-03	1.2E-02	6.05E-04	7.24E-06	1.20E+00	4.71E-02	4.11E-07	1.0E+06	4.1E-01
547	4.06193	3.38E-03	1.4E-02	6.05E-04	8.31E-06	1.20E+00	4.71E-02	4.71E-07	1.0E+06	4.7E-01
548	4.73759	3.38E-03	1.6E-02	6.05E-04	9.70E-06	1.20E+00	4.71E-02	5.50E-07	1.0E+06	5.5E-01
549	5.62222	3.38E-03	1.9E-02	6.05E-04	1.15E-05	1.20E+00	4.71E-02	6.53E-07	1.0E+06	6.5E-01
550	6.77661	3.38E-03	2.3E-02	6.05E-04	1.39E-05	1.20E+00	4.71E-02	7.87E-07	1.0E+06	7.9E-01
551	8.20231	3.38E-03	2.8E-02	6.05E-04	1.68E-05	1.20E+00	4.71E-02	9.52E-07	1.0E+06	9.5E-01

	Max	Receptor #
Res	1.900	527

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	9.80102	3.38E-03	3.3E-02	6.05E-04	2.01E-05	1.20E+00	4.71E-02	1.14E-06	1.0E+06	1.1E+00
553	8.04055	3.38E-03	2.7E-02	6.05E-04	1.65E-05	1.20E+00	4.71E-02	9.33E-07	1.0E+06	9.3E-01
554	12.82783	3.38E-03	4.3E-02	6.05E-04	2.63E-05	1.20E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
555	14.09872	3.38E-03	4.8E-02	6.05E-04	2.89E-05	1.20E+00	4.71E-02	1.64E-06	1.0E+06	1.6E+00
556	15.24682	3.38E-03	5.2E-02	6.05E-04	3.12E-05	1.20E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
557	12.89666	3.38E-03	4.4E-02	6.05E-04	2.64E-05	1.20E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
558	13.02033	3.38E-03	4.4E-02	6.05E-04	2.67E-05	1.20E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00
559	13.29197	3.38E-03	4.5E-02	6.05E-04	2.72E-05	1.20E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
560	13.87535	3.38E-03	4.7E-02	6.05E-04	2.84E-05	1.20E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
561	11.36418	3.38E-03	3.8E-02	6.05E-04	2.33E-05	1.20E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
562	14.14145	3.38E-03	4.8E-02	6.05E-04	2.89E-05	1.20E+00	4.71E-02	1.64E-06	1.0E+06	1.6E+00
563	13.97398	3.38E-03	4.7E-02	6.05E-04	2.86E-05	1.20E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
564	14.31429	3.38E-03	4.8E-02	6.05E-04	2.93E-05	1.20E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
565	11.68449	3.38E-03	4.0E-02	6.05E-04	2.39E-05	1.20E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
566	14.33447	3.38E-03	4.8E-02	6.05E-04	2.93E-05	1.20E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
567	14.10794	3.38E-03	4.8E-02	6.05E-04	2.89E-05	1.20E+00	4.71E-02	1.64E-06	1.0E+06	1.6E+00
568	14.3734	3.38E-03	4.9E-02	6.05E-04	2.94E-05	1.20E+00	4.71E-02	1.67E-06	1.0E+06	1.7E+00
569	11.67986	3.38E-03	4.0E-02	6.05E-04	2.39E-05	1.20E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
570	14.24165	3.38E-03	4.8E-02	6.05E-04	2.92E-05	1.20E+00	4.71E-02	1.65E-06	1.0E+06	1.7E+00
571	13.93759	3.38E-03	4.7E-02	6.05E-04	2.85E-05	1.20E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
572	1.03466	3.38E-03	3.5E-03	6.05E-04	2.12E-06	1.20E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01
573	1.10194	3.38E-03	3.7E-03	6.05E-04	2.26E-06	1.20E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
574	1.17546	3.38E-03	4.0E-03	6.05E-04	2.41E-06	1.20E+00	4.71E-02	1.36E-07	1.0E+06	1.4E-01
575	1.25335	3.38E-03	4.2E-03	6.05E-04	2.57E-06	1.20E+00	4.71E-02	1.45E-07	1.0E+06	1.5E-01
576	1.34	3.38E-03	4.5E-03	6.05E-04	2.74E-06	1.20E+00	4.71E-02	1.56E-07	1.0E+06	1.6E-01
577	1.43451	3.38E-03	4.9E-03	6.05E-04	2.94E-06	1.20E+00	4.71E-02	1.66E-07	1.0E+06	1.7E-01
578	1.53878	3.38E-03	5.2E-03	6.05E-04	3.15E-06	1.20E+00	4.71E-02	1.79E-07	1.0E+06	1.8E-01
579	1.65936	3.38E-03	5.6E-03	6.05E-04	3.40E-06	1.20E+00	4.71E-02	1.93E-07	1.0E+06	1.9E-01
580	1.80491	3.38E-03	6.1E-03	6.05E-04	3.69E-06	1.20E+00	4.71E-02	2.09E-07	1.0E+06	2.1E-01
581	1.96968	3.38E-03	6.7E-03	6.05E-04	4.03E-06	1.20E+00	4.71E-02	2.29E-07	1.0E+06	2.3E-01
582	2.16146	3.38E-03	7.3E-03	6.05E-04	4.42E-06	1.20E+00	4.71E-02	2.51E-07	1.0E+06	2.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	2.38506	3.38E-03	8.1E-03	6.05E-04	4.88E-06	1.20E+00	4.71E-02	2.77E-07	1.0E+06	2.8E-01
584	2.64683	3.38E-03	9.0E-03	6.05E-04	5.42E-06	1.20E+00	4.71E-02	3.07E-07	1.0E+06	3.1E-01
585	2.95313	3.38E-03	1.0E-02	6.05E-04	6.04E-06	1.20E+00	4.71E-02	3.43E-07	1.0E+06	3.4E-01
586	3.32209	3.38E-03	1.1E-02	6.05E-04	6.80E-06	1.20E+00	4.71E-02	3.86E-07	1.0E+06	3.9E-01
587	3.77754	3.38E-03	1.3E-02	6.05E-04	7.73E-06	1.20E+00	4.71E-02	4.38E-07	1.0E+06	4.4E-01
588	4.3458	3.38E-03	1.5E-02	6.05E-04	8.90E-06	1.20E+00	4.71E-02	5.04E-07	1.0E+06	5.0E-01
589	5.06316	3.38E-03	1.7E-02	6.05E-04	1.04E-05	1.20E+00	4.71E-02	5.88E-07	1.0E+06	5.9E-01
590	5.95537	3.38E-03	2.0E-02	6.05E-04	1.22E-05	1.20E+00	4.71E-02	6.91E-07	1.0E+06	6.9E-01
591	7.01638	3.38E-03	2.4E-02	6.05E-04	1.44E-05	1.20E+00	4.71E-02	8.14E-07	1.0E+06	8.1E-01
592	8.18332	3.38E-03	2.8E-02	6.05E-04	1.68E-05	1.20E+00	4.71E-02	9.50E-07	1.0E+06	9.5E-01
593	9.36805	3.38E-03	3.2E-02	6.05E-04	1.92E-05	1.20E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
594	10.48234	3.38E-03	3.5E-02	6.05E-04	2.15E-05	1.20E+00	4.71E-02	1.22E-06	1.0E+06	1.2E+00
595	11.50388	3.38E-03	3.9E-02	6.05E-04	2.35E-05	1.20E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
596	12.42412	3.38E-03	4.2E-02	6.05E-04	2.54E-05	1.20E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
597	13.24333	3.38E-03	4.5E-02	6.05E-04	2.71E-05	1.20E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
598	13.90912	3.38E-03	4.7E-02	6.05E-04	2.85E-05	1.20E+00	4.71E-02	1.61E-06	1.0E+06	1.6E+00
599	14.36838	3.38E-03	4.9E-02	6.05E-04	2.94E-05	1.20E+00	4.71E-02	1.67E-06	1.0E+06	1.7E+00
600	14.66246	3.38E-03	5.0E-02	6.05E-04	3.00E-05	1.20E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
601	14.85988	3.38E-03	5.0E-02	6.05E-04	3.04E-05	1.20E+00	4.71E-02	1.72E-06	1.0E+06	1.7E+00
602	15.00029	3.38E-03	5.1E-02	6.05E-04	3.07E-05	1.20E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
603	15.09006	3.38E-03	5.1E-02	6.05E-04	3.09E-05	1.20E+00	4.71E-02	1.75E-06	1.0E+06	1.8E+00
604	15.14878	3.38E-03	5.1E-02	6.05E-04	3.10E-05	1.20E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
605	15.17959	3.38E-03	5.1E-02	6.05E-04	3.11E-05	1.20E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
606	15.21155	3.38E-03	5.1E-02	6.05E-04	3.11E-05	1.20E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
607	15.21847	3.38E-03	5.1E-02	6.05E-04	3.12E-05	1.20E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
608	15.19797	3.38E-03	5.1E-02	6.05E-04	3.11E-05	1.20E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
609	15.15562	3.38E-03	5.1E-02	6.05E-04	3.10E-05	1.20E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
610	15.11091	3.38E-03	5.1E-02	6.05E-04	3.09E-05	1.20E+00	4.71E-02	1.75E-06	1.0E+06	1.8E+00
611	15.04171	3.38E-03	5.1E-02	6.05E-04	3.08E-05	1.20E+00	4.71E-02	1.75E-06	1.0E+06	1.7E+00
612	1.00789	3.38E-03	3.4E-03	6.05E-04	2.06E-06	1.20E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
613	1.07444	3.38E-03	3.6E-03	6.05E-04	2.20E-06	1.20E+00	4.71E-02	1.25E-07	1.0E+06	1.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.14641	3.38E-03	3.9E-03	6.05E-04	2.35E-06	1.20E+00	4.71E-02	1.33E-07	1.0E+06	1.3E-01
615	1.22081	3.38E-03	4.1E-03	6.05E-04	2.50E-06	1.20E+00	4.71E-02	1.42E-07	1.0E+06	1.4E-01
616	1.30327	3.38E-03	4.4E-03	6.05E-04	2.67E-06	1.20E+00	4.71E-02	1.51E-07	1.0E+06	1.5E-01
617	1.39136	3.38E-03	4.7E-03	6.05E-04	2.85E-06	1.20E+00	4.71E-02	1.61E-07	1.0E+06	1.6E-01
618	1.48675	3.38E-03	5.0E-03	6.05E-04	3.04E-06	1.20E+00	4.71E-02	1.73E-07	1.0E+06	1.7E-01
619	1.59425	3.38E-03	5.4E-03	6.05E-04	3.26E-06	1.20E+00	4.71E-02	1.85E-07	1.0E+06	1.9E-01
620	1.72719	3.38E-03	5.8E-03	6.05E-04	3.54E-06	1.20E+00	4.71E-02	2.00E-07	1.0E+06	2.0E-01
621	1.88709	3.38E-03	6.4E-03	6.05E-04	3.86E-06	1.20E+00	4.71E-02	2.19E-07	1.0E+06	2.2E-01
622	2.06451	3.38E-03	7.0E-03	6.05E-04	4.23E-06	1.20E+00	4.71E-02	2.40E-07	1.0E+06	2.4E-01
623	2.27045	3.38E-03	7.7E-03	6.05E-04	4.65E-06	1.20E+00	4.71E-02	2.64E-07	1.0E+06	2.6E-01
624	2.51142	3.38E-03	8.5E-03	6.05E-04	5.14E-06	1.20E+00	4.71E-02	2.91E-07	1.0E+06	2.9E-01
625	2.78618	3.38E-03	9.4E-03	6.05E-04	5.70E-06	1.20E+00	4.71E-02	3.23E-07	1.0E+06	3.2E-01
626	3.11158	3.38E-03	1.1E-02	6.05E-04	6.37E-06	1.20E+00	4.71E-02	3.61E-07	1.0E+06	3.6E-01
627	3.50447	3.38E-03	1.2E-02	6.05E-04	7.17E-06	1.20E+00	4.71E-02	4.07E-07	1.0E+06	4.1E-01
628	3.98435	3.38E-03	1.3E-02	6.05E-04	8.16E-06	1.20E+00	4.71E-02	4.62E-07	1.0E+06	4.6E-01
629	4.56893	3.38E-03	1.5E-02	6.05E-04	9.35E-06	1.20E+00	4.71E-02	5.30E-07	1.0E+06	5.3E-01
630	5.27449	3.38E-03	1.8E-02	6.05E-04	1.08E-05	1.20E+00	4.71E-02	6.12E-07	1.0E+06	6.1E-01
631	6.08982	3.38E-03	2.1E-02	6.05E-04	1.25E-05	1.20E+00	4.71E-02	7.07E-07	1.0E+06	7.1E-01
632	6.98008	3.38E-03	2.4E-02	6.05E-04	1.43E-05	1.20E+00	4.71E-02	8.10E-07	1.0E+06	8.1E-01
633	7.89728	3.38E-03	2.7E-02	6.05E-04	1.62E-05	1.20E+00	4.71E-02	9.17E-07	1.0E+06	9.2E-01
634	8.7815	3.38E-03	3.0E-02	6.05E-04	1.80E-05	1.20E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
635	9.60354	3.38E-03	3.2E-02	6.05E-04	1.97E-05	1.20E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
636	10.35005	3.38E-03	3.5E-02	6.05E-04	2.12E-05	1.20E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
637	11.00384	3.38E-03	3.7E-02	6.05E-04	2.25E-05	1.20E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
638	11.54147	3.38E-03	3.9E-02	6.05E-04	2.36E-05	1.20E+00	4.71E-02	1.34E-06	1.0E+06	1.3E+00
639	11.94826	3.38E-03	4.0E-02	6.05E-04	2.45E-05	1.20E+00	4.71E-02	1.39E-06	1.0E+06	1.4E+00
640	12.23382	3.38E-03	4.1E-02	6.05E-04	2.50E-05	1.20E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
641	12.43817	3.38E-03	4.2E-02	6.05E-04	2.55E-05	1.20E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
642	12.5835	3.38E-03	4.3E-02	6.05E-04	2.58E-05	1.20E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
643	12.6861	3.38E-03	4.3E-02	6.05E-04	2.60E-05	1.20E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
644	12.7652	3.38E-03	4.3E-02	6.05E-04	2.61E-05	1.20E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	12.81132	3.38E-03	4.3E-02	6.05E-04	2.62E-05	1.20E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
646	12.83596	3.38E-03	4.3E-02	6.05E-04	2.63E-05	1.20E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
647	12.84298	3.38E-03	4.3E-02	6.05E-04	2.63E-05	1.20E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
648	12.83467	3.38E-03	4.3E-02	6.05E-04	2.63E-05	1.20E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
649	12.80559	3.38E-03	4.3E-02	6.05E-04	2.62E-05	1.20E+00	4.71E-02	1.49E-06	1.0E+06	1.5E+00
650	12.75963	3.38E-03	4.3E-02	6.05E-04	2.61E-05	1.20E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
651	12.69539	3.38E-03	4.3E-02	6.05E-04	2.60E-05	1.20E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
652	0.97402	3.38E-03	3.3E-03	6.05E-04	1.99E-06	1.20E+00	4.71E-02	1.13E-07	1.0E+06	1.1E-01
653	1.03573	3.38E-03	3.5E-03	6.05E-04	2.12E-06	1.20E+00	4.71E-02	1.20E-07	1.0E+06	1.2E-01
654	1.1025	3.38E-03	3.7E-03	6.05E-04	2.26E-06	1.20E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
655	1.17235	3.38E-03	4.0E-03	6.05E-04	2.40E-06	1.20E+00	4.71E-02	1.36E-07	1.0E+06	1.4E-01
656	1.24971	3.38E-03	4.2E-03	6.05E-04	2.56E-06	1.20E+00	4.71E-02	1.45E-07	1.0E+06	1.5E-01
657	1.33283	3.38E-03	4.5E-03	6.05E-04	2.73E-06	1.20E+00	4.71E-02	1.55E-07	1.0E+06	1.5E-01
658	1.42351	3.38E-03	4.8E-03	6.05E-04	2.91E-06	1.20E+00	4.71E-02	1.65E-07	1.0E+06	1.7E-01
659	1.52535	3.38E-03	5.2E-03	6.05E-04	3.12E-06	1.20E+00	4.71E-02	1.77E-07	1.0E+06	1.8E-01
660	1.64887	3.38E-03	5.6E-03	6.05E-04	3.38E-06	1.20E+00	4.71E-02	1.91E-07	1.0E+06	1.9E-01
661	1.78831	3.38E-03	6.0E-03	6.05E-04	3.66E-06	1.20E+00	4.71E-02	2.08E-07	1.0E+06	2.1E-01
662	1.95291	3.38E-03	6.6E-03	6.05E-04	4.00E-06	1.20E+00	4.71E-02	2.27E-07	1.0E+06	2.3E-01
663	2.14059	3.38E-03	7.2E-03	6.05E-04	4.38E-06	1.20E+00	4.71E-02	2.48E-07	1.0E+06	2.5E-01
664	2.35977	3.38E-03	8.0E-03	6.05E-04	4.83E-06	1.20E+00	4.71E-02	2.74E-07	1.0E+06	2.7E-01
665	2.59747	3.38E-03	8.8E-03	6.05E-04	5.32E-06	1.20E+00	4.71E-02	3.01E-07	1.0E+06	3.0E-01
666	2.8754	3.38E-03	9.7E-03	6.05E-04	5.89E-06	1.20E+00	4.71E-02	3.34E-07	1.0E+06	3.3E-01
667	3.21769	3.38E-03	1.1E-02	6.05E-04	6.59E-06	1.20E+00	4.71E-02	3.73E-07	1.0E+06	3.7E-01
668	3.61969	3.38E-03	1.2E-02	6.05E-04	7.41E-06	1.20E+00	4.71E-02	4.20E-07	1.0E+06	4.2E-01
669	4.10847	3.38E-03	1.4E-02	6.05E-04	8.41E-06	1.20E+00	4.71E-02	4.77E-07	1.0E+06	4.8E-01
670	4.68552	3.38E-03	1.6E-02	6.05E-04	9.59E-06	1.20E+00	4.71E-02	5.44E-07	1.0E+06	5.4E-01
671	5.33428	3.38E-03	1.8E-02	6.05E-04	1.09E-05	1.20E+00	4.71E-02	6.19E-07	1.0E+06	6.2E-01
672	6.04383	3.38E-03	2.0E-02	6.05E-04	1.24E-05	1.20E+00	4.71E-02	7.01E-07	1.0E+06	7.0E-01
673	6.77602	3.38E-03	2.3E-02	6.05E-04	1.39E-05	1.20E+00	4.71E-02	7.86E-07	1.0E+06	7.9E-01
674	7.4948	3.38E-03	2.5E-02	6.05E-04	1.53E-05	1.20E+00	4.71E-02	8.70E-07	1.0E+06	8.7E-01
675	8.16492	3.38E-03	2.8E-02	6.05E-04	1.67E-05	1.20E+00	4.71E-02	9.48E-07	1.0E+06	9.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	8.78045	3.38E-03	3.0E-02	6.05E-04	1.80E-05	1.20E+00	4.71E-02	1.02E-06	1.0E+06	1.0E+00
677	9.32065	3.38E-03	3.2E-02	6.05E-04	1.91E-05	1.20E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
678	9.77043	3.38E-03	3.3E-02	6.05E-04	2.00E-05	1.20E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
679	10.12687	3.38E-03	3.4E-02	6.05E-04	2.07E-05	1.20E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
680	10.39762	3.38E-03	3.5E-02	6.05E-04	2.13E-05	1.20E+00	4.71E-02	1.21E-06	1.0E+06	1.2E+00
681	10.5989	3.38E-03	3.6E-02	6.05E-04	2.17E-05	1.20E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
682	10.7487	3.38E-03	3.6E-02	6.05E-04	2.20E-05	1.20E+00	4.71E-02	1.25E-06	1.0E+06	1.2E+00
683	10.85911	3.38E-03	3.7E-02	6.05E-04	2.22E-05	1.20E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
684	10.9435	3.38E-03	3.7E-02	6.05E-04	2.24E-05	1.20E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
685	10.99739	3.38E-03	3.7E-02	6.05E-04	2.25E-05	1.20E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
686	11.02399	3.38E-03	3.7E-02	6.05E-04	2.26E-05	1.20E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
687	11.03343	3.38E-03	3.7E-02	6.05E-04	2.26E-05	1.20E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
688	11.03012	3.38E-03	3.7E-02	6.05E-04	2.26E-05	1.20E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
689	11.00788	3.38E-03	3.7E-02	6.05E-04	2.25E-05	1.20E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
690	10.96701	3.38E-03	3.7E-02	6.05E-04	2.24E-05	1.20E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
691	10.90924	3.38E-03	3.7E-02	6.05E-04	2.23E-05	1.20E+00	4.71E-02	1.27E-06	1.0E+06	1.3E+00
692	0.93901	3.38E-03	3.2E-03	6.05E-04	1.92E-06	1.20E+00	4.71E-02	1.09E-07	1.0E+06	1.1E-01
693	0.99508	3.38E-03	3.4E-03	6.05E-04	2.04E-06	1.20E+00	4.71E-02	1.15E-07	1.0E+06	1.2E-01
694	1.05612	3.38E-03	3.6E-03	6.05E-04	2.16E-06	1.20E+00	4.71E-02	1.23E-07	1.0E+06	1.2E-01
695	1.12167	3.38E-03	3.8E-03	6.05E-04	2.30E-06	1.20E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
696	1.19382	3.38E-03	4.0E-03	6.05E-04	2.44E-06	1.20E+00	4.71E-02	1.39E-07	1.0E+06	1.4E-01
697	1.27273	3.38E-03	4.3E-03	6.05E-04	2.61E-06	1.20E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
698	1.35929	3.38E-03	4.6E-03	6.05E-04	2.78E-06	1.20E+00	4.71E-02	1.58E-07	1.0E+06	1.6E-01
699	1.45608	3.38E-03	4.9E-03	6.05E-04	2.98E-06	1.20E+00	4.71E-02	1.69E-07	1.0E+06	1.7E-01
700	1.57018	3.38E-03	5.3E-03	6.05E-04	3.21E-06	1.20E+00	4.71E-02	1.82E-07	1.0E+06	1.8E-01
701	1.69898	3.38E-03	5.7E-03	6.05E-04	3.48E-06	1.20E+00	4.71E-02	1.97E-07	1.0E+06	2.0E-01
702	1.84319	3.38E-03	6.2E-03	6.05E-04	3.77E-06	1.20E+00	4.71E-02	2.14E-07	1.0E+06	2.1E-01
703	2.00569	3.38E-03	6.8E-03	6.05E-04	4.11E-06	1.20E+00	4.71E-02	2.33E-07	1.0E+06	2.3E-01
704	2.20067	3.38E-03	7.4E-03	6.05E-04	4.50E-06	1.20E+00	4.71E-02	2.55E-07	1.0E+06	2.6E-01
705	2.41372	3.38E-03	8.2E-03	6.05E-04	4.94E-06	1.20E+00	4.71E-02	2.80E-07	1.0E+06	2.8E-01
706	2.65164	3.38E-03	9.0E-03	6.05E-04	5.43E-06	1.20E+00	4.71E-02	3.08E-07	1.0E+06	3.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.94179	3.38E-03	1.0E-02	6.05E-04	6.02E-06	1.20E+00	4.71E-02	3.41E-07	1.0E+06	3.4E-01
708	3.2896	3.38E-03	1.1E-02	6.05E-04	6.73E-06	1.20E+00	4.71E-02	3.82E-07	1.0E+06	3.8E-01
709	3.68826	3.38E-03	1.2E-02	6.05E-04	7.55E-06	1.20E+00	4.71E-02	4.28E-07	1.0E+06	4.3E-01
710	4.18126	3.38E-03	1.4E-02	6.05E-04	8.56E-06	1.20E+00	4.71E-02	4.85E-07	1.0E+06	4.9E-01
711	4.72232	3.38E-03	1.6E-02	6.05E-04	9.67E-06	1.20E+00	4.71E-02	5.48E-07	1.0E+06	5.5E-01
712	5.29922	3.38E-03	1.8E-02	6.05E-04	1.08E-05	1.20E+00	4.71E-02	6.15E-07	1.0E+06	6.2E-01
713	5.90104	3.38E-03	2.0E-02	6.05E-04	1.21E-05	1.20E+00	4.71E-02	6.85E-07	1.0E+06	6.8E-01
714	6.49482	3.38E-03	2.2E-02	6.05E-04	1.33E-05	1.20E+00	4.71E-02	7.54E-07	1.0E+06	7.5E-01
715	7.05396	3.38E-03	2.4E-02	6.05E-04	1.44E-05	1.20E+00	4.71E-02	8.19E-07	1.0E+06	8.2E-01
716	7.56531	3.38E-03	2.6E-02	6.05E-04	1.55E-05	1.20E+00	4.71E-02	8.78E-07	1.0E+06	8.8E-01
717	8.02268	3.38E-03	2.7E-02	6.05E-04	1.64E-05	1.20E+00	4.71E-02	9.31E-07	1.0E+06	9.3E-01
718	8.402	3.38E-03	2.8E-02	6.05E-04	1.72E-05	1.20E+00	4.71E-02	9.75E-07	1.0E+06	9.8E-01
719	8.71664	3.38E-03	2.9E-02	6.05E-04	1.78E-05	1.20E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
720	8.96577	3.38E-03	3.0E-02	6.05E-04	1.84E-05	1.20E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
721	9.16053	3.38E-03	3.1E-02	6.05E-04	1.88E-05	1.20E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
722	9.30962	3.38E-03	3.1E-02	6.05E-04	1.91E-05	1.20E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
723	9.42495	3.38E-03	3.2E-02	6.05E-04	1.93E-05	1.20E+00	4.71E-02	1.09E-06	1.0E+06	1.1E+00
724	9.51029	3.38E-03	3.2E-02	6.05E-04	1.95E-05	1.20E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
725	9.56893	3.38E-03	3.2E-02	6.05E-04	1.96E-05	1.20E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
726	9.59872	3.38E-03	3.2E-02	6.05E-04	1.96E-05	1.20E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
727	9.61129	3.38E-03	3.3E-02	6.05E-04	1.97E-05	1.20E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
728	9.61105	3.38E-03	3.3E-02	6.05E-04	1.97E-05	1.20E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
729	9.59379	3.38E-03	3.2E-02	6.05E-04	1.96E-05	1.20E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
730	9.55865	3.38E-03	3.2E-02	6.05E-04	1.96E-05	1.20E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
731	9.50715	3.38E-03	3.2E-02	6.05E-04	1.95E-05	1.20E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
732	0.90373	3.38E-03	3.1E-03	6.05E-04	1.85E-06	1.20E+00	4.71E-02	1.05E-07	1.0E+06	1.0E-01
733	0.95396	3.38E-03	3.2E-03	6.05E-04	1.95E-06	1.20E+00	4.71E-02	1.11E-07	1.0E+06	1.1E-01
734	1.00909	3.38E-03	3.4E-03	6.05E-04	2.07E-06	1.20E+00	4.71E-02	1.17E-07	1.0E+06	1.2E-01
735	1.07021	3.38E-03	3.6E-03	6.05E-04	2.19E-06	1.20E+00	4.71E-02	1.24E-07	1.0E+06	1.2E-01
736	1.13747	3.38E-03	3.8E-03	6.05E-04	2.33E-06	1.20E+00	4.71E-02	1.32E-07	1.0E+06	1.3E-01
737	1.212	3.38E-03	4.1E-03	6.05E-04	2.48E-06	1.20E+00	4.71E-02	1.41E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.29515	3.38E-03	4.4E-03	6.05E-04	2.65E-06	1.20E+00	4.71E-02	1.50E-07	1.0E+06	1.5E-01
739	1.38707	3.38E-03	4.7E-03	6.05E-04	2.84E-06	1.20E+00	4.71E-02	1.61E-07	1.0E+06	1.6E-01
740	1.49283	3.38E-03	5.1E-03	6.05E-04	3.06E-06	1.20E+00	4.71E-02	1.73E-07	1.0E+06	1.7E-01
741	1.61098	3.38E-03	5.5E-03	6.05E-04	3.30E-06	1.20E+00	4.71E-02	1.87E-07	1.0E+06	1.9E-01
742	1.74199	3.38E-03	5.9E-03	6.05E-04	3.57E-06	1.20E+00	4.71E-02	2.02E-07	1.0E+06	2.0E-01
743	1.88714	3.38E-03	6.4E-03	6.05E-04	3.86E-06	1.20E+00	4.71E-02	2.19E-07	1.0E+06	2.2E-01
744	2.05276	3.38E-03	6.9E-03	6.05E-04	4.20E-06	1.20E+00	4.71E-02	2.38E-07	1.0E+06	2.4E-01
745	2.23004	3.38E-03	7.5E-03	6.05E-04	4.56E-06	1.20E+00	4.71E-02	2.59E-07	1.0E+06	2.6E-01
746	2.43234	3.38E-03	8.2E-03	6.05E-04	4.98E-06	1.20E+00	4.71E-02	2.82E-07	1.0E+06	2.8E-01
747	2.6707	3.38E-03	9.0E-03	6.05E-04	5.47E-06	1.20E+00	4.71E-02	3.10E-07	1.0E+06	3.1E-01
748	2.98706	3.38E-03	1.0E-02	6.05E-04	6.11E-06	1.20E+00	4.71E-02	3.47E-07	1.0E+06	3.5E-01
749	3.33587	3.38E-03	1.1E-02	6.05E-04	6.83E-06	1.20E+00	4.71E-02	3.87E-07	1.0E+06	3.9E-01
750	3.73979	3.38E-03	1.3E-02	6.05E-04	7.66E-06	1.20E+00	4.71E-02	4.34E-07	1.0E+06	4.3E-01
751	4.20311	3.38E-03	1.4E-02	6.05E-04	8.60E-06	1.20E+00	4.71E-02	4.88E-07	1.0E+06	4.9E-01
752	4.6967	3.38E-03	1.6E-02	6.05E-04	9.61E-06	1.20E+00	4.71E-02	5.45E-07	1.0E+06	5.5E-01
753	5.19712	3.38E-03	1.8E-02	6.05E-04	1.06E-05	1.20E+00	4.71E-02	6.03E-07	1.0E+06	6.0E-01
754	5.69529	3.38E-03	1.9E-02	6.05E-04	1.17E-05	1.20E+00	4.71E-02	6.61E-07	1.0E+06	6.6E-01
755	6.16683	3.38E-03	2.1E-02	6.05E-04	1.26E-05	1.20E+00	4.71E-02	7.16E-07	1.0E+06	7.2E-01
756	6.59832	3.38E-03	2.2E-02	6.05E-04	1.35E-05	1.20E+00	4.71E-02	7.66E-07	1.0E+06	7.7E-01
757	6.9913	3.38E-03	2.4E-02	6.05E-04	1.43E-05	1.20E+00	4.71E-02	8.11E-07	1.0E+06	8.1E-01
758	7.31882	3.38E-03	2.5E-02	6.05E-04	1.50E-05	1.20E+00	4.71E-02	8.49E-07	1.0E+06	8.5E-01
759	7.59358	3.38E-03	2.6E-02	6.05E-04	1.55E-05	1.20E+00	4.71E-02	8.81E-07	1.0E+06	8.8E-01
760	7.82378	3.38E-03	2.6E-02	6.05E-04	1.60E-05	1.20E+00	4.71E-02	9.08E-07	1.0E+06	9.1E-01
761	8.01055	3.38E-03	2.7E-02	6.05E-04	1.64E-05	1.20E+00	4.71E-02	9.30E-07	1.0E+06	9.3E-01
762	8.15512	3.38E-03	2.8E-02	6.05E-04	1.67E-05	1.20E+00	4.71E-02	9.47E-07	1.0E+06	9.5E-01
763	8.27036	3.38E-03	2.8E-02	6.05E-04	1.69E-05	1.20E+00	4.71E-02	9.60E-07	1.0E+06	9.6E-01
764	8.35543	3.38E-03	2.8E-02	6.05E-04	1.71E-05	1.20E+00	4.71E-02	9.70E-07	1.0E+06	9.7E-01
765	8.41653	3.38E-03	2.8E-02	6.05E-04	1.72E-05	1.20E+00	4.71E-02	9.77E-07	1.0E+06	9.8E-01
766	8.44946	3.38E-03	2.9E-02	6.05E-04	1.73E-05	1.20E+00	4.71E-02	9.81E-07	1.0E+06	9.8E-01
767	8.46498	3.38E-03	2.9E-02	6.05E-04	1.73E-05	1.20E+00	4.71E-02	9.82E-07	1.0E+06	9.8E-01
768	8.46784	3.38E-03	2.9E-02	6.05E-04	1.73E-05	1.20E+00	4.71E-02	9.83E-07	1.0E+06	9.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	8.45476	3.38E-03	2.9E-02	6.05E-04	1.73E-05	1.20E+00	4.71E-02	9.81E-07	1.0E+06	9.8E-01
770	8.42489	3.38E-03	2.9E-02	6.05E-04	1.72E-05	1.20E+00	4.71E-02	9.78E-07	1.0E+06	9.8E-01
771	8.37939	3.38E-03	2.8E-02	6.05E-04	1.72E-05	1.20E+00	4.71E-02	9.73E-07	1.0E+06	9.7E-01
772	0.87008	3.38E-03	2.9E-03	6.05E-04	1.78E-06	1.20E+00	4.71E-02	1.01E-07	1.0E+06	1.0E-01
773	0.9167	3.38E-03	3.1E-03	6.05E-04	1.88E-06	1.20E+00	4.71E-02	1.06E-07	1.0E+06	1.1E-01
774	0.9677	3.38E-03	3.3E-03	6.05E-04	1.98E-06	1.20E+00	4.71E-02	1.12E-07	1.0E+06	1.1E-01
775	1.0252	3.38E-03	3.5E-03	6.05E-04	2.10E-06	1.20E+00	4.71E-02	1.19E-07	1.0E+06	1.2E-01
776	1.08829	3.38E-03	3.7E-03	6.05E-04	2.23E-06	1.20E+00	4.71E-02	1.26E-07	1.0E+06	1.3E-01
777	1.158	3.38E-03	3.9E-03	6.05E-04	2.37E-06	1.20E+00	4.71E-02	1.34E-07	1.0E+06	1.3E-01
778	1.23498	3.38E-03	4.2E-03	6.05E-04	2.53E-06	1.20E+00	4.71E-02	1.43E-07	1.0E+06	1.4E-01
779	1.32031	3.38E-03	4.5E-03	6.05E-04	2.70E-06	1.20E+00	4.71E-02	1.53E-07	1.0E+06	1.5E-01
780	1.4163	3.38E-03	4.8E-03	6.05E-04	2.90E-06	1.20E+00	4.71E-02	1.64E-07	1.0E+06	1.6E-01
781	1.52369	3.38E-03	5.2E-03	6.05E-04	3.12E-06	1.20E+00	4.71E-02	1.77E-07	1.0E+06	1.8E-01
782	1.64239	3.38E-03	5.6E-03	6.05E-04	3.36E-06	1.20E+00	4.71E-02	1.91E-07	1.0E+06	1.9E-01
783	1.77466	3.38E-03	6.0E-03	6.05E-04	3.63E-06	1.20E+00	4.71E-02	2.06E-07	1.0E+06	2.1E-01
784	1.92428	3.38E-03	6.5E-03	6.05E-04	3.94E-06	1.20E+00	4.71E-02	2.23E-07	1.0E+06	2.2E-01
785	2.08609	3.38E-03	7.1E-03	6.05E-04	4.27E-06	1.20E+00	4.71E-02	2.42E-07	1.0E+06	2.4E-01
786	2.26894	3.38E-03	7.7E-03	6.05E-04	4.64E-06	1.20E+00	4.71E-02	2.63E-07	1.0E+06	2.6E-01
787	2.48215	3.38E-03	8.4E-03	6.05E-04	5.08E-06	1.20E+00	4.71E-02	2.88E-07	1.0E+06	2.9E-01
788	2.75097	3.38E-03	9.3E-03	6.05E-04	5.63E-06	1.20E+00	4.71E-02	3.19E-07	1.0E+06	3.2E-01
789	3.04965	3.38E-03	1.0E-02	6.05E-04	6.24E-06	1.20E+00	4.71E-02	3.54E-07	1.0E+06	3.5E-01
790	3.39516	3.38E-03	1.1E-02	6.05E-04	6.95E-06	1.20E+00	4.71E-02	3.94E-07	1.0E+06	3.9E-01
791	3.79037	3.38E-03	1.3E-02	6.05E-04	7.76E-06	1.20E+00	4.71E-02	4.40E-07	1.0E+06	4.4E-01
792	4.19023	3.38E-03	1.4E-02	6.05E-04	8.58E-06	1.20E+00	4.71E-02	4.86E-07	1.0E+06	4.9E-01
793	4.61325	3.38E-03	1.6E-02	6.05E-04	9.44E-06	1.20E+00	4.71E-02	5.35E-07	1.0E+06	5.4E-01
794	5.02437	3.38E-03	1.7E-02	6.05E-04	1.03E-05	1.20E+00	4.71E-02	5.83E-07	1.0E+06	5.8E-01
795	5.42475	3.38E-03	1.8E-02	6.05E-04	1.11E-05	1.20E+00	4.71E-02	6.30E-07	1.0E+06	6.3E-01
796	5.79546	3.38E-03	2.0E-02	6.05E-04	1.19E-05	1.20E+00	4.71E-02	6.73E-07	1.0E+06	6.7E-01
797	6.13759	3.38E-03	2.1E-02	6.05E-04	1.26E-05	1.20E+00	4.71E-02	7.12E-07	1.0E+06	7.1E-01
798	6.42719	3.38E-03	2.2E-02	6.05E-04	1.32E-05	1.20E+00	4.71E-02	7.46E-07	1.0E+06	7.5E-01
799	6.68167	3.38E-03	2.3E-02	6.05E-04	1.37E-05	1.20E+00	4.71E-02	7.76E-07	1.0E+06	7.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	6.8918	3.38E-03	2.3E-02	6.05E-04	1.41E-05	1.20E+00	4.71E-02	8.00E-07	1.0E+06	8.0E-01
801	7.06788	3.38E-03	2.4E-02	6.05E-04	1.45E-05	1.20E+00	4.71E-02	8.20E-07	1.0E+06	8.2E-01
802	7.20727	3.38E-03	2.4E-02	6.05E-04	1.48E-05	1.20E+00	4.71E-02	8.37E-07	1.0E+06	8.4E-01
803	7.3211	3.38E-03	2.5E-02	6.05E-04	1.50E-05	1.20E+00	4.71E-02	8.50E-07	1.0E+06	8.5E-01
804	7.4024	3.38E-03	2.5E-02	6.05E-04	1.52E-05	1.20E+00	4.71E-02	8.59E-07	1.0E+06	8.6E-01
805	7.46545	3.38E-03	2.5E-02	6.05E-04	1.53E-05	1.20E+00	4.71E-02	8.66E-07	1.0E+06	8.7E-01
806	7.50396	3.38E-03	2.5E-02	6.05E-04	1.54E-05	1.20E+00	4.71E-02	8.71E-07	1.0E+06	8.7E-01
807	7.52272	3.38E-03	2.5E-02	6.05E-04	1.54E-05	1.20E+00	4.71E-02	8.73E-07	1.0E+06	8.7E-01
808	7.52855	3.38E-03	2.5E-02	6.05E-04	1.54E-05	1.20E+00	4.71E-02	8.74E-07	1.0E+06	8.7E-01
809	7.51923	3.38E-03	2.5E-02	6.05E-04	1.54E-05	1.20E+00	4.71E-02	8.73E-07	1.0E+06	8.7E-01
810	7.49422	3.38E-03	2.5E-02	6.05E-04	1.53E-05	1.20E+00	4.71E-02	8.70E-07	1.0E+06	8.7E-01
811	7.45447	3.38E-03	2.5E-02	6.05E-04	1.53E-05	1.20E+00	4.71E-02	8.65E-07	1.0E+06	8.7E-01
812	0.83667	3.38E-03	2.8E-03	6.05E-04	1.71E-06	1.20E+00	4.71E-02	9.71E-08	1.0E+06	9.7E-02
813	0.87996	3.38E-03	3.0E-03	6.05E-04	1.80E-06	1.20E+00	4.71E-02	1.02E-07	1.0E+06	1.0E-01
814	0.92737	3.38E-03	3.1E-03	6.05E-04	1.90E-06	1.20E+00	4.71E-02	1.08E-07	1.0E+06	1.1E-01
815	0.9815	3.38E-03	3.3E-03	6.05E-04	2.01E-06	1.20E+00	4.71E-02	1.14E-07	1.0E+06	1.1E-01
816	1.04048	3.38E-03	3.5E-03	6.05E-04	2.13E-06	1.20E+00	4.71E-02	1.21E-07	1.0E+06	1.2E-01
817	1.10543	3.38E-03	3.7E-03	6.05E-04	2.26E-06	1.20E+00	4.71E-02	1.28E-07	1.0E+06	1.3E-01
818	1.17665	3.38E-03	4.0E-03	6.05E-04	2.41E-06	1.20E+00	4.71E-02	1.37E-07	1.0E+06	1.4E-01
819	1.2553	3.38E-03	4.2E-03	6.05E-04	2.57E-06	1.20E+00	4.71E-02	1.46E-07	1.0E+06	1.5E-01
820	1.34252	3.38E-03	4.5E-03	6.05E-04	2.75E-06	1.20E+00	4.71E-02	1.56E-07	1.0E+06	1.6E-01
821	1.43927	3.38E-03	4.9E-03	6.05E-04	2.95E-06	1.20E+00	4.71E-02	1.67E-07	1.0E+06	1.7E-01
822	1.5471	3.38E-03	5.2E-03	6.05E-04	3.17E-06	1.20E+00	4.71E-02	1.80E-07	1.0E+06	1.8E-01
823	1.6679	3.38E-03	5.6E-03	6.05E-04	3.41E-06	1.20E+00	4.71E-02	1.94E-07	1.0E+06	1.9E-01
824	1.80392	3.38E-03	6.1E-03	6.05E-04	3.69E-06	1.20E+00	4.71E-02	2.09E-07	1.0E+06	2.1E-01
825	1.95166	3.38E-03	6.6E-03	6.05E-04	3.99E-06	1.20E+00	4.71E-02	2.27E-07	1.0E+06	2.3E-01
826	2.11861	3.38E-03	7.2E-03	6.05E-04	4.34E-06	1.20E+00	4.71E-02	2.46E-07	1.0E+06	2.5E-01
827	2.31074	3.38E-03	7.8E-03	6.05E-04	4.73E-06	1.20E+00	4.71E-02	2.68E-07	1.0E+06	2.7E-01
828	2.53407	3.38E-03	8.6E-03	6.05E-04	5.19E-06	1.20E+00	4.71E-02	2.94E-07	1.0E+06	2.9E-01
829	2.79936	3.38E-03	9.5E-03	6.05E-04	5.73E-06	1.20E+00	4.71E-02	3.25E-07	1.0E+06	3.2E-01
830	3.09167	3.38E-03	1.0E-02	6.05E-04	6.33E-06	1.20E+00	4.71E-02	3.59E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	3.41969	3.38E-03	1.2E-02	6.05E-04	7.00E-06	1.20E+00	4.71E-02	3.97E-07	1.0E+06	4.0E-01
832	3.76859	3.38E-03	1.3E-02	6.05E-04	7.71E-06	1.20E+00	4.71E-02	4.37E-07	1.0E+06	4.4E-01
833	4.11214	3.38E-03	1.4E-02	6.05E-04	8.42E-06	1.20E+00	4.71E-02	4.77E-07	1.0E+06	4.8E-01
834	4.47011	3.38E-03	1.5E-02	6.05E-04	9.15E-06	1.20E+00	4.71E-02	5.19E-07	1.0E+06	5.2E-01
835	4.80284	3.38E-03	1.6E-02	6.05E-04	9.83E-06	1.20E+00	4.71E-02	5.57E-07	1.0E+06	5.6E-01
836	5.12964	3.38E-03	1.7E-02	6.05E-04	1.05E-05	1.20E+00	4.71E-02	5.95E-07	1.0E+06	6.0E-01
837	5.42636	3.38E-03	1.8E-02	6.05E-04	1.11E-05	1.20E+00	4.71E-02	6.30E-07	1.0E+06	6.3E-01
838	5.69352	3.38E-03	1.9E-02	6.05E-04	1.17E-05	1.20E+00	4.71E-02	6.61E-07	1.0E+06	6.6E-01
839	5.92434	3.38E-03	2.0E-02	6.05E-04	1.21E-05	1.20E+00	4.71E-02	6.88E-07	1.0E+06	6.9E-01
840	6.12416	3.38E-03	2.1E-02	6.05E-04	1.25E-05	1.20E+00	4.71E-02	7.11E-07	1.0E+06	7.1E-01
841	6.28848	3.38E-03	2.1E-02	6.05E-04	1.29E-05	1.20E+00	4.71E-02	7.30E-07	1.0E+06	7.3E-01
842	6.42168	3.38E-03	2.2E-02	6.05E-04	1.31E-05	1.20E+00	4.71E-02	7.45E-07	1.0E+06	7.5E-01
843	6.52867	3.38E-03	2.2E-02	6.05E-04	1.34E-05	1.20E+00	4.71E-02	7.58E-07	1.0E+06	7.6E-01
844	6.61094	3.38E-03	2.2E-02	6.05E-04	1.35E-05	1.20E+00	4.71E-02	7.67E-07	1.0E+06	7.7E-01
845	6.67265	3.38E-03	2.3E-02	6.05E-04	1.37E-05	1.20E+00	4.71E-02	7.74E-07	1.0E+06	7.7E-01
846	6.71443	3.38E-03	2.3E-02	6.05E-04	1.37E-05	1.20E+00	4.71E-02	7.79E-07	1.0E+06	7.8E-01
847	6.73642	3.38E-03	2.3E-02	6.05E-04	1.38E-05	1.20E+00	4.71E-02	7.82E-07	1.0E+06	7.8E-01
848	6.74465	3.38E-03	2.3E-02	6.05E-04	1.38E-05	1.20E+00	4.71E-02	7.83E-07	1.0E+06	7.8E-01
849	6.73873	3.38E-03	2.3E-02	6.05E-04	1.38E-05	1.20E+00	4.71E-02	7.82E-07	1.0E+06	7.8E-01
850	6.71796	3.38E-03	2.3E-02	6.05E-04	1.38E-05	1.20E+00	4.71E-02	7.80E-07	1.0E+06	7.8E-01
851	6.68345	3.38E-03	2.3E-02	6.05E-04	1.37E-05	1.20E+00	4.71E-02	7.76E-07	1.0E+06	7.8E-01
852	0.80369	3.38E-03	2.7E-03	6.05E-04	1.65E-06	1.20E+00	4.71E-02	9.33E-08	1.0E+06	9.3E-02
853	0.84374	3.38E-03	2.9E-03	6.05E-04	1.73E-06	1.20E+00	4.71E-02	9.79E-08	1.0E+06	9.8E-02
854	0.8875	3.38E-03	3.0E-03	6.05E-04	1.82E-06	1.20E+00	4.71E-02	1.03E-07	1.0E+06	1.0E-01
855	0.93841	3.38E-03	3.2E-03	6.05E-04	1.92E-06	1.20E+00	4.71E-02	1.09E-07	1.0E+06	1.1E-01
856	0.99372	3.38E-03	3.4E-03	6.05E-04	2.03E-06	1.20E+00	4.71E-02	1.15E-07	1.0E+06	1.2E-01
857	1.054	3.38E-03	3.6E-03	6.05E-04	2.16E-06	1.20E+00	4.71E-02	1.22E-07	1.0E+06	1.2E-01
858	1.11985	3.38E-03	3.8E-03	6.05E-04	2.29E-06	1.20E+00	4.71E-02	1.30E-07	1.0E+06	1.3E-01
859	1.19203	3.38E-03	4.0E-03	6.05E-04	2.44E-06	1.20E+00	4.71E-02	1.38E-07	1.0E+06	1.4E-01
860	1.27146	3.38E-03	4.3E-03	6.05E-04	2.60E-06	1.20E+00	4.71E-02	1.48E-07	1.0E+06	1.5E-01
861	1.35884	3.38E-03	4.6E-03	6.05E-04	2.78E-06	1.20E+00	4.71E-02	1.58E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	1.45655	3.38E-03	4.9E-03	6.05E-04	2.98E-06	1.20E+00	4.71E-02	1.69E-07	1.0E+06	1.7E-01
863	1.56677	3.38E-03	5.3E-03	6.05E-04	3.21E-06	1.20E+00	4.71E-02	1.82E-07	1.0E+06	1.8E-01
864	1.69076	3.38E-03	5.7E-03	6.05E-04	3.46E-06	1.20E+00	4.71E-02	1.96E-07	1.0E+06	2.0E-01
865	1.82739	3.38E-03	6.2E-03	6.05E-04	3.74E-06	1.20E+00	4.71E-02	2.12E-07	1.0E+06	2.1E-01
866	1.98096	3.38E-03	6.7E-03	6.05E-04	4.05E-06	1.20E+00	4.71E-02	2.30E-07	1.0E+06	2.3E-01
867	2.15478	3.38E-03	7.3E-03	6.05E-04	4.41E-06	1.20E+00	4.71E-02	2.50E-07	1.0E+06	2.5E-01
868	2.35219	3.38E-03	8.0E-03	6.05E-04	4.81E-06	1.20E+00	4.71E-02	2.73E-07	1.0E+06	2.7E-01
869	2.57258	3.38E-03	8.7E-03	6.05E-04	5.27E-06	1.20E+00	4.71E-02	2.99E-07	1.0E+06	3.0E-01
870	2.8291	3.38E-03	9.6E-03	6.05E-04	5.79E-06	1.20E+00	4.71E-02	3.28E-07	1.0E+06	3.3E-01
871	3.11055	3.38E-03	1.1E-02	6.05E-04	6.37E-06	1.20E+00	4.71E-02	3.61E-07	1.0E+06	3.6E-01
872	3.3954	3.38E-03	1.1E-02	6.05E-04	6.95E-06	1.20E+00	4.71E-02	3.94E-07	1.0E+06	3.9E-01
873	3.69789	3.38E-03	1.3E-02	6.05E-04	7.57E-06	1.20E+00	4.71E-02	4.29E-07	1.0E+06	4.3E-01
874	3.98935	3.38E-03	1.3E-02	6.05E-04	8.17E-06	1.20E+00	4.71E-02	4.63E-07	1.0E+06	4.6E-01
875	4.28834	3.38E-03	1.5E-02	6.05E-04	8.78E-06	1.20E+00	4.71E-02	4.98E-07	1.0E+06	5.0E-01
876	4.56773	3.38E-03	1.5E-02	6.05E-04	9.35E-06	1.20E+00	4.71E-02	5.30E-07	1.0E+06	5.3E-01
877	4.83599	3.38E-03	1.6E-02	6.05E-04	9.90E-06	1.20E+00	4.71E-02	5.61E-07	1.0E+06	5.6E-01
878	5.07551	3.38E-03	1.7E-02	6.05E-04	1.04E-05	1.20E+00	4.71E-02	5.89E-07	1.0E+06	5.9E-01
879	5.29288	3.38E-03	1.8E-02	6.05E-04	1.08E-05	1.20E+00	4.71E-02	6.14E-07	1.0E+06	6.1E-01
880	5.47867	3.38E-03	1.9E-02	6.05E-04	1.12E-05	1.20E+00	4.71E-02	6.36E-07	1.0E+06	6.4E-01
881	5.63107	3.38E-03	1.9E-02	6.05E-04	1.15E-05	1.20E+00	4.71E-02	6.54E-07	1.0E+06	6.5E-01
882	5.75731	3.38E-03	1.9E-02	6.05E-04	1.18E-05	1.20E+00	4.71E-02	6.68E-07	1.0E+06	6.7E-01
883	5.8611	3.38E-03	2.0E-02	6.05E-04	1.20E-05	1.20E+00	4.71E-02	6.80E-07	1.0E+06	6.8E-01
884	5.94181	3.38E-03	2.0E-02	6.05E-04	1.22E-05	1.20E+00	4.71E-02	6.90E-07	1.0E+06	6.9E-01
885	6.00137	3.38E-03	2.0E-02	6.05E-04	1.23E-05	1.20E+00	4.71E-02	6.97E-07	1.0E+06	7.0E-01
886	6.04453	3.38E-03	2.0E-02	6.05E-04	1.24E-05	1.20E+00	4.71E-02	7.02E-07	1.0E+06	7.0E-01
887	6.07103	3.38E-03	2.1E-02	6.05E-04	1.24E-05	1.20E+00	4.71E-02	7.05E-07	1.0E+06	7.0E-01
888	6.08136	3.38E-03	2.1E-02	6.05E-04	1.24E-05	1.20E+00	4.71E-02	7.06E-07	1.0E+06	7.1E-01
889	6.07844	3.38E-03	2.1E-02	6.05E-04	1.24E-05	1.20E+00	4.71E-02	7.05E-07	1.0E+06	7.1E-01
890	6.06163	3.38E-03	2.1E-02	6.05E-04	1.24E-05	1.20E+00	4.71E-02	7.04E-07	1.0E+06	7.0E-01
891	6.03191	3.38E-03	2.0E-02	6.05E-04	1.23E-05	1.20E+00	4.71E-02	7.00E-07	1.0E+06	7.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
521	5	8.90E-03
522	5	9.08E-03
523	5	1.10E-02
524	5	9.17E-03
525	5	9.08E-03
526	5	9.22E-03
527	5	1.11E-02
528	5	9.21E-03
529	5	9.06E-03
530	5	9.16E-03
531	5	1.10E-02
532	5	7.18E-04
533	5	7.64E-04
534	5	8.14E-04
535	5	8.69E-04
536	5	9.31E-04
537	5	9.99E-04
538	5	1.08E-03
539	5	1.16E-03
540	5	1.27E-03
541	5	1.39E-03
542	5	1.53E-03
543	5	1.69E-03
544	5	1.88E-03
545	5	2.11E-03
546	5	2.39E-03
547	5	2.75E-03
548	5	3.21E-03
549	5	3.80E-03
550	5	4.59E-03
551	5	5.55E-03

Max	Receptor #	
0.011	527	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
552	5	6.63E-03
553	5	5.44E-03
554	5	8.68E-03
555	5	9.54E-03
556	5	1.03E-02
557	5	8.73E-03
558	5	8.81E-03
559	5	8.99E-03
560	5	9.39E-03
561	5	7.69E-03
562	5	9.57E-03
563	5	9.45E-03
564	5	9.69E-03
565	5	7.91E-03
566	5	9.70E-03
567	5	9.55E-03
568	5	9.73E-03
569	5	7.90E-03
570	5	9.64E-03
571	5	9.43E-03
572	5	7.00E-04
573	5	7.46E-04
574	5	7.95E-04
575	5	8.48E-04
576	5	9.07E-04
577	5	9.71E-04
578	5	1.04E-03
579	5	1.12E-03
580	5	1.22E-03
581	5	1.33E-03
582	5	1.46E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
583	5	1.61E-03
584	5	1.79E-03
585	5	2.00E-03
586	5	2.25E-03
587	5	2.56E-03
588	5	2.94E-03
589	5	3.43E-03
590	5	4.03E-03
591	5	4.75E-03
592	5	5.54E-03
593	5	6.34E-03
594	5	7.09E-03
595	5	7.78E-03
596	5	8.41E-03
597	5	8.96E-03
598	5	9.41E-03
599	5	9.72E-03
600	5	9.92E-03
601	5	1.01E-02
602	5	1.01E-02
603	5	1.02E-02
604	5	1.02E-02
605	5	1.03E-02
606	5	1.03E-02
607	5	1.03E-02
608	5	1.03E-02
609	5	1.03E-02
610	5	1.02E-02
611	5	1.02E-02
612	5	6.82E-04
613	5	7.27E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
614	5	7.76E-04
615	5	8.26E-04
616	5	8.82E-04
617	5	9.41E-04
618	5	1.01E-03
619	5	1.08E-03
620	5	1.17E-03
621	5	1.28E-03
622	5	1.40E-03
623	5	1.54E-03
624	5	1.70E-03
625	5	1.89E-03
626	5	2.11E-03
627	5	2.37E-03
628	5	2.70E-03
629	5	3.09E-03
630	5	3.57E-03
631	5	4.12E-03
632	5	4.72E-03
633	5	5.34E-03
634	5	5.94E-03
635	5	6.50E-03
636	5	7.00E-03
637	5	7.45E-03
638	5	7.81E-03
639	5	8.08E-03
640	5	8.28E-03
641	5	8.42E-03
642	5	8.51E-03
643	5	8.58E-03
644	5	8.64E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
645	5	8.67E-03
646	5	8.68E-03
647	5	8.69E-03
648	5	8.68E-03
649	5	8.66E-03
650	5	8.63E-03
651	5	8.59E-03
652	5	6.59E-04
653	5	7.01E-04
654	5	7.46E-04
655	5	7.93E-04
656	5	8.46E-04
657	5	9.02E-04
658	5	9.63E-04
659	5	1.03E-03
660	5	1.12E-03
661	5	1.21E-03
662	5	1.32E-03
663	5	1.45E-03
664	5	1.60E-03
665	5	1.76E-03
666	5	1.95E-03
667	5	2.18E-03
668	5	2.45E-03
669	5	2.78E-03
670	5	3.17E-03
671	5	3.61E-03
672	5	4.09E-03
673	5	4.58E-03
674	5	5.07E-03
675	5	5.52E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
676	5	5.94E-03
677	5	6.31E-03
678	5	6.61E-03
679	5	6.85E-03
680	5	7.04E-03
681	5	7.17E-03
682	5	7.27E-03
683	5	7.35E-03
684	5	7.40E-03
685	5	7.44E-03
686	5	7.46E-03
687	5	7.47E-03
688	5	7.46E-03
689	5	7.45E-03
690	5	7.42E-03
691	5	7.38E-03
692	5	6.35E-04
693	5	6.73E-04
694	5	7.15E-04
695	5	7.59E-04
696	5	8.08E-04
697	5	8.61E-04
698	5	9.20E-04
699	5	9.85E-04
700	5	1.06E-03
701	5	1.15E-03
702	5	1.25E-03
703	5	1.36E-03
704	5	1.49E-03
705	5	1.63E-03
706	5	1.79E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
707	5	1.99E-03
708	5	2.23E-03
709	5	2.50E-03
710	5	2.83E-03
711	5	3.20E-03
712	5	3.59E-03
713	5	3.99E-03
714	5	4.39E-03
715	5	4.77E-03
716	5	5.12E-03
717	5	5.43E-03
718	5	5.68E-03
719	5	5.90E-03
720	5	6.07E-03
721	5	6.20E-03
722	5	6.30E-03
723	5	6.38E-03
724	5	6.43E-03
725	5	6.47E-03
726	5	6.49E-03
727	5	6.50E-03
728	5	6.50E-03
729	5	6.49E-03
730	5	6.47E-03
731	5	6.43E-03
732	5	6.11E-04
733	5	6.45E-04
734	5	6.83E-04
735	5	7.24E-04
736	5	7.70E-04
737	5	8.20E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
738	5	8.76E-04
739	5	9.39E-04
740	5	1.01E-03
741	5	1.09E-03
742	5	1.18E-03
743	5	1.28E-03
744	5	1.39E-03
745	5	1.51E-03
746	5	1.65E-03
747	5	1.81E-03
748	5	2.02E-03
749	5	2.26E-03
750	5	2.53E-03
751	5	2.84E-03
752	5	3.18E-03
753	5	3.52E-03
754	5	3.85E-03
755	5	4.17E-03
756	5	4.46E-03
757	5	4.73E-03
758	5	4.95E-03
759	5	5.14E-03
760	5	5.29E-03
761	5	5.42E-03
762	5	5.52E-03
763	5	5.60E-03
764	5	5.65E-03
765	5	5.69E-03
766	5	5.72E-03
767	5	5.73E-03
768	5	5.73E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
769	5	5.72E-03
770	5	5.70E-03
771	5	5.67E-03
772	5	5.89E-04
773	5	6.20E-04
774	5	6.55E-04
775	5	6.94E-04
776	5	7.36E-04
777	5	7.84E-04
778	5	8.36E-04
779	5	8.93E-04
780	5	9.58E-04
781	5	1.03E-03
782	5	1.11E-03
783	5	1.20E-03
784	5	1.30E-03
785	5	1.41E-03
786	5	1.54E-03
787	5	1.68E-03
788	5	1.86E-03
789	5	2.06E-03
790	5	2.30E-03
791	5	2.56E-03
792	5	2.84E-03
793	5	3.12E-03
794	5	3.40E-03
795	5	3.67E-03
796	5	3.92E-03
797	5	4.15E-03
798	5	4.35E-03
799	5	4.52E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
800	5	4.66E-03
801	5	4.78E-03
802	5	4.88E-03
803	5	4.95E-03
804	5	5.01E-03
805	5	5.05E-03
806	5	5.08E-03
807	5	5.09E-03
808	5	5.09E-03
809	5	5.09E-03
810	5	5.07E-03
811	5	5.04E-03
812	5	5.66E-04
813	5	5.95E-04
814	5	6.27E-04
815	5	6.64E-04
816	5	7.04E-04
817	5	7.48E-04
818	5	7.96E-04
819	5	8.49E-04
820	5	9.08E-04
821	5	9.74E-04
822	5	1.05E-03
823	5	1.13E-03
824	5	1.22E-03
825	5	1.32E-03
826	5	1.43E-03
827	5	1.56E-03
828	5	1.71E-03
829	5	1.89E-03
830	5	2.09E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
831	5	2.31E-03
832	5	2.55E-03
833	5	2.78E-03
834	5	3.02E-03
835	5	3.25E-03
836	5	3.47E-03
837	5	3.67E-03
838	5	3.85E-03
839	5	4.01E-03
840	5	4.14E-03
841	5	4.25E-03
842	5	4.34E-03
843	5	4.42E-03
844	5	4.47E-03
845	5	4.51E-03
846	5	4.54E-03
847	5	4.56E-03
848	5	4.56E-03
849	5	4.56E-03
850	5	4.55E-03
851	5	4.52E-03
852	5	5.44E-04
853	5	5.71E-04
854	5	6.00E-04
855	5	6.35E-04
856	5	6.72E-04
857	5	7.13E-04
858	5	7.58E-04
859	5	8.07E-04
860	5	8.60E-04
861	5	9.19E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 2 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
862	5	9.86E-04
863	5	1.06E-03
864	5	1.14E-03
865	5	1.24E-03
866	5	1.34E-03
867	5	1.46E-03
868	5	1.59E-03
869	5	1.74E-03
870	5	1.91E-03
871	5	2.10E-03
872	5	2.30E-03
873	5	2.50E-03
874	5	2.70E-03
875	5	2.90E-03
876	5	3.09E-03
877	5	3.27E-03
878	5	3.43E-03
879	5	3.58E-03
880	5	3.71E-03
881	5	3.81E-03
882	5	3.90E-03
883	5	3.97E-03
884	5	4.02E-03
885	5	4.06E-03
886	5	4.09E-03
887	5	4.11E-03
888	5	4.11E-03
889	5	4.11E-03
890	5	4.10E-03
891	5	4.08E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	3.78705	9.87E-03	3.7E-02	6.05E-04	2.26E-05	1.60E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
522	3.98002	9.87E-03	3.9E-02	6.05E-04	2.38E-05	1.60E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
523	4.19123	9.87E-03	4.1E-02	6.05E-04	2.50E-05	1.60E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
524	4.42658	9.87E-03	4.4E-02	6.05E-04	2.64E-05	1.60E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
525	4.69569	9.87E-03	4.6E-02	6.05E-04	2.80E-05	1.60E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
526	5.0118	9.87E-03	4.9E-02	6.05E-04	2.99E-05	1.60E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
527	5.39601	9.87E-03	5.3E-02	6.05E-04	3.22E-05	1.60E-01	4.71E-02	2.43E-07	1.0E+06	2.4E-01
528	5.88037	9.87E-03	5.8E-02	6.05E-04	3.51E-05	1.60E-01	4.71E-02	2.65E-07	1.0E+06	2.7E-01
529	6.51459	9.87E-03	6.4E-02	6.05E-04	3.89E-05	1.60E-01	4.71E-02	2.94E-07	1.0E+06	2.9E-01
530	7.38205	9.87E-03	7.3E-02	6.05E-04	4.41E-05	1.60E-01	4.71E-02	3.33E-07	1.0E+06	3.3E-01
531	6.74782	9.87E-03	6.7E-02	6.05E-04	4.03E-05	1.60E-01	4.71E-02	3.04E-07	1.0E+06	3.0E-01
532	0.93027	9.87E-03	9.2E-03	6.05E-04	5.56E-06	1.60E-01	4.71E-02	4.20E-08	1.0E+06	4.2E-02
533	0.96978	9.87E-03	9.6E-03	6.05E-04	5.79E-06	1.60E-01	4.71E-02	4.37E-08	1.0E+06	4.4E-02
534	1.01278	9.87E-03	1.0E-02	6.05E-04	6.05E-06	1.60E-01	4.71E-02	4.57E-08	1.0E+06	4.6E-02
535	1.06038	9.87E-03	1.0E-02	6.05E-04	6.33E-06	1.60E-01	4.71E-02	4.78E-08	1.0E+06	4.8E-02
536	1.1101	9.87E-03	1.1E-02	6.05E-04	6.63E-06	1.60E-01	4.71E-02	5.01E-08	1.0E+06	5.0E-02
537	1.16468	9.87E-03	1.1E-02	6.05E-04	6.96E-06	1.60E-01	4.71E-02	5.25E-08	1.0E+06	5.3E-02
538	1.22313	9.87E-03	1.2E-02	6.05E-04	7.30E-06	1.60E-01	4.71E-02	5.52E-08	1.0E+06	5.5E-02
539	1.28577	9.87E-03	1.3E-02	6.05E-04	7.68E-06	1.60E-01	4.71E-02	5.80E-08	1.0E+06	5.8E-02
540	1.351	9.87E-03	1.3E-02	6.05E-04	8.07E-06	1.60E-01	4.71E-02	6.09E-08	1.0E+06	6.1E-02
541	1.42319	9.87E-03	1.4E-02	6.05E-04	8.50E-06	1.60E-01	4.71E-02	6.42E-08	1.0E+06	6.4E-02
542	1.49972	9.87E-03	1.5E-02	6.05E-04	8.96E-06	1.60E-01	4.71E-02	6.76E-08	1.0E+06	6.8E-02
543	1.58309	9.87E-03	1.6E-02	6.05E-04	9.45E-06	1.60E-01	4.71E-02	7.14E-08	1.0E+06	7.1E-02
544	1.67236	9.87E-03	1.7E-02	6.05E-04	9.99E-06	1.60E-01	4.71E-02	7.54E-08	1.0E+06	7.5E-02
545	1.76804	9.87E-03	1.7E-02	6.05E-04	1.06E-05	1.60E-01	4.71E-02	7.97E-08	1.0E+06	8.0E-02
546	1.86904	9.87E-03	1.8E-02	6.05E-04	1.12E-05	1.60E-01	4.71E-02	8.43E-08	1.0E+06	8.4E-02
547	1.97826	9.87E-03	2.0E-02	6.05E-04	1.18E-05	1.60E-01	4.71E-02	8.92E-08	1.0E+06	8.9E-02
548	2.0954	9.87E-03	2.1E-02	6.05E-04	1.25E-05	1.60E-01	4.71E-02	9.45E-08	1.0E+06	9.4E-02
549	2.21996	9.87E-03	2.2E-02	6.05E-04	1.33E-05	1.60E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
550	2.35145	9.87E-03	2.3E-02	6.05E-04	1.40E-05	1.60E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
551	2.48766	9.87E-03	2.5E-02	6.05E-04	1.49E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	2.62766	9.87E-03	2.6E-02	6.05E-04	1.57E-05	1.60E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
553	2.77415	9.87E-03	2.7E-02	6.05E-04	1.66E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
554	2.93064	9.87E-03	2.9E-02	6.05E-04	1.75E-05	1.60E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
555	3.08826	9.87E-03	3.0E-02	6.05E-04	1.84E-05	1.60E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
556	3.2538	9.87E-03	3.2E-02	6.05E-04	1.94E-05	1.60E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
557	3.4177	9.87E-03	3.4E-02	6.05E-04	2.04E-05	1.60E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
558	3.59312	9.87E-03	3.5E-02	6.05E-04	2.15E-05	1.60E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
559	3.77408	9.87E-03	3.7E-02	6.05E-04	2.25E-05	1.60E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
560	3.96225	9.87E-03	3.9E-02	6.05E-04	2.37E-05	1.60E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
561	4.1554	9.87E-03	4.1E-02	6.05E-04	2.48E-05	1.60E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
562	4.36579	9.87E-03	4.3E-02	6.05E-04	2.61E-05	1.60E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
563	4.59784	9.87E-03	4.5E-02	6.05E-04	2.75E-05	1.60E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01
564	4.85729	9.87E-03	4.8E-02	6.05E-04	2.90E-05	1.60E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
565	5.15518	9.87E-03	5.1E-02	6.05E-04	3.08E-05	1.60E-01	4.71E-02	2.32E-07	1.0E+06	2.3E-01
566	5.50777	9.87E-03	5.4E-02	6.05E-04	3.29E-05	1.60E-01	4.71E-02	2.48E-07	1.0E+06	2.5E-01
567	5.94143	9.87E-03	5.9E-02	6.05E-04	3.55E-05	1.60E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
568	6.5005	9.87E-03	6.4E-02	6.05E-04	3.88E-05	1.60E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
569	7.25568	9.87E-03	7.2E-02	6.05E-04	4.33E-05	1.60E-01	4.71E-02	3.27E-07	1.0E+06	3.3E-01
570	6.89422	9.87E-03	6.8E-02	6.05E-04	4.12E-05	1.60E-01	4.71E-02	3.11E-07	1.0E+06	3.1E-01
571	7.65909	9.87E-03	7.6E-02	6.05E-04	4.57E-05	1.60E-01	4.71E-02	3.45E-07	1.0E+06	3.5E-01
572	0.95124	9.87E-03	9.4E-03	6.05E-04	5.68E-06	1.60E-01	4.71E-02	4.29E-08	1.0E+06	4.3E-02
573	0.99426	9.87E-03	9.8E-03	6.05E-04	5.94E-06	1.60E-01	4.71E-02	4.48E-08	1.0E+06	4.5E-02
574	1.03932	9.87E-03	1.0E-02	6.05E-04	6.21E-06	1.60E-01	4.71E-02	4.69E-08	1.0E+06	4.7E-02
575	1.08844	9.87E-03	1.1E-02	6.05E-04	6.50E-06	1.60E-01	4.71E-02	4.91E-08	1.0E+06	4.9E-02
576	1.14295	9.87E-03	1.1E-02	6.05E-04	6.83E-06	1.60E-01	4.71E-02	5.15E-08	1.0E+06	5.2E-02
577	1.20012	9.87E-03	1.2E-02	6.05E-04	7.17E-06	1.60E-01	4.71E-02	5.41E-08	1.0E+06	5.4E-02
578	1.26301	9.87E-03	1.2E-02	6.05E-04	7.54E-06	1.60E-01	4.71E-02	5.70E-08	1.0E+06	5.7E-02
579	1.33076	9.87E-03	1.3E-02	6.05E-04	7.95E-06	1.60E-01	4.71E-02	6.00E-08	1.0E+06	6.0E-02
580	1.4043	9.87E-03	1.4E-02	6.05E-04	8.39E-06	1.60E-01	4.71E-02	6.33E-08	1.0E+06	6.3E-02
581	1.48184	9.87E-03	1.5E-02	6.05E-04	8.85E-06	1.60E-01	4.71E-02	6.68E-08	1.0E+06	6.7E-02
582	1.56657	9.87E-03	1.5E-02	6.05E-04	9.36E-06	1.60E-01	4.71E-02	7.06E-08	1.0E+06	7.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	1.65761	9.87E-03	1.6E-02	6.05E-04	9.90E-06	1.60E-01	4.71E-02	7.48E-08	1.0E+06	7.5E-02
584	1.75716	9.87E-03	1.7E-02	6.05E-04	1.05E-05	1.60E-01	4.71E-02	7.92E-08	1.0E+06	7.9E-02
585	1.86436	9.87E-03	1.8E-02	6.05E-04	1.11E-05	1.60E-01	4.71E-02	8.41E-08	1.0E+06	8.4E-02
586	1.97976	9.87E-03	2.0E-02	6.05E-04	1.18E-05	1.60E-01	4.71E-02	8.93E-08	1.0E+06	8.9E-02
587	2.10217	9.87E-03	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.48E-08	1.0E+06	9.5E-02
588	2.23485	9.87E-03	2.2E-02	6.05E-04	1.33E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
589	2.37739	9.87E-03	2.3E-02	6.05E-04	1.42E-05	1.60E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
590	2.52912	9.87E-03	2.5E-02	6.05E-04	1.51E-05	1.60E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
591	2.68914	9.87E-03	2.7E-02	6.05E-04	1.61E-05	1.60E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
592	2.8524	9.87E-03	2.8E-02	6.05E-04	1.70E-05	1.60E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
593	3.02416	9.87E-03	3.0E-02	6.05E-04	1.81E-05	1.60E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
594	3.20028	9.87E-03	3.2E-02	6.05E-04	1.91E-05	1.60E-01	4.71E-02	1.44E-07	1.0E+06	1.4E-01
595	3.38426	9.87E-03	3.3E-02	6.05E-04	2.02E-05	1.60E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
596	3.57198	9.87E-03	3.5E-02	6.05E-04	2.13E-05	1.60E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
597	3.76299	9.87E-03	3.7E-02	6.05E-04	2.25E-05	1.60E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
598	3.95852	9.87E-03	3.9E-02	6.05E-04	2.36E-05	1.60E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
599	4.16139	9.87E-03	4.1E-02	6.05E-04	2.49E-05	1.60E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
600	4.37026	9.87E-03	4.3E-02	6.05E-04	2.61E-05	1.60E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
601	4.58686	9.87E-03	4.5E-02	6.05E-04	2.74E-05	1.60E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01
602	4.81537	9.87E-03	4.8E-02	6.05E-04	2.88E-05	1.60E-01	4.71E-02	2.17E-07	1.0E+06	2.2E-01
603	5.06605	9.87E-03	5.0E-02	6.05E-04	3.03E-05	1.60E-01	4.71E-02	2.28E-07	1.0E+06	2.3E-01
604	5.3484	9.87E-03	5.3E-02	6.05E-04	3.19E-05	1.60E-01	4.71E-02	2.41E-07	1.0E+06	2.4E-01
605	5.67273	9.87E-03	5.6E-02	6.05E-04	3.39E-05	1.60E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01
606	6.05791	9.87E-03	6.0E-02	6.05E-04	3.62E-05	1.60E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01
607	6.53577	9.87E-03	6.5E-02	6.05E-04	3.90E-05	1.60E-01	4.71E-02	2.95E-07	1.0E+06	2.9E-01
608	7.16009	9.87E-03	7.1E-02	6.05E-04	4.28E-05	1.60E-01	4.71E-02	3.23E-07	1.0E+06	3.2E-01
609	8.02143	9.87E-03	7.9E-02	6.05E-04	4.79E-05	1.60E-01	4.71E-02	3.62E-07	1.0E+06	3.6E-01
610	7.75427	9.87E-03	7.7E-02	6.05E-04	4.63E-05	1.60E-01	4.71E-02	3.50E-07	1.0E+06	3.5E-01
611	8.71533	9.87E-03	8.6E-02	6.05E-04	5.20E-05	1.60E-01	4.71E-02	3.93E-07	1.0E+06	3.9E-01
612	0.97015	9.87E-03	9.6E-03	6.05E-04	5.79E-06	1.60E-01	4.71E-02	4.38E-08	1.0E+06	4.4E-02
613	1.01681	9.87E-03	1.0E-02	6.05E-04	6.07E-06	1.60E-01	4.71E-02	4.59E-08	1.0E+06	4.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.06505	9.87E-03	1.1E-02	6.05E-04	6.36E-06	1.60E-01	4.71E-02	4.80E-08	1.0E+06	4.8E-02
615	1.11742	9.87E-03	1.1E-02	6.05E-04	6.67E-06	1.60E-01	4.71E-02	5.04E-08	1.0E+06	5.0E-02
616	1.17391	9.87E-03	1.2E-02	6.05E-04	7.01E-06	1.60E-01	4.71E-02	5.29E-08	1.0E+06	5.3E-02
617	1.23655	9.87E-03	1.2E-02	6.05E-04	7.38E-06	1.60E-01	4.71E-02	5.58E-08	1.0E+06	5.6E-02
618	1.30392	9.87E-03	1.3E-02	6.05E-04	7.79E-06	1.60E-01	4.71E-02	5.88E-08	1.0E+06	5.9E-02
619	1.3768	9.87E-03	1.4E-02	6.05E-04	8.22E-06	1.60E-01	4.71E-02	6.21E-08	1.0E+06	6.2E-02
620	1.45561	9.87E-03	1.4E-02	6.05E-04	8.69E-06	1.60E-01	4.71E-02	6.56E-08	1.0E+06	6.6E-02
621	1.54273	9.87E-03	1.5E-02	6.05E-04	9.21E-06	1.60E-01	4.71E-02	6.96E-08	1.0E+06	7.0E-02
622	1.63528	9.87E-03	1.6E-02	6.05E-04	9.77E-06	1.60E-01	4.71E-02	7.37E-08	1.0E+06	7.4E-02
623	1.73684	9.87E-03	1.7E-02	6.05E-04	1.04E-05	1.60E-01	4.71E-02	7.83E-08	1.0E+06	7.8E-02
624	1.84661	9.87E-03	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.33E-08	1.0E+06	8.3E-02
625	1.96726	9.87E-03	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.87E-08	1.0E+06	8.9E-02
626	2.09799	9.87E-03	2.1E-02	6.05E-04	1.25E-05	1.60E-01	4.71E-02	9.46E-08	1.0E+06	9.5E-02
627	2.23948	9.87E-03	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
628	2.39048	9.87E-03	2.4E-02	6.05E-04	1.43E-05	1.60E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
629	2.5543	9.87E-03	2.5E-02	6.05E-04	1.53E-05	1.60E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
630	2.7307	9.87E-03	2.7E-02	6.05E-04	1.63E-05	1.60E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
631	2.91838	9.87E-03	2.9E-02	6.05E-04	1.74E-05	1.60E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
632	3.11585	9.87E-03	3.1E-02	6.05E-04	1.86E-05	1.60E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
633	3.31534	9.87E-03	3.3E-02	6.05E-04	1.98E-05	1.60E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
634	3.52238	9.87E-03	3.5E-02	6.05E-04	2.10E-05	1.60E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
635	3.73748	9.87E-03	3.7E-02	6.05E-04	2.23E-05	1.60E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
636	3.95438	9.87E-03	3.9E-02	6.05E-04	2.36E-05	1.60E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
637	4.17707	9.87E-03	4.1E-02	6.05E-04	2.49E-05	1.60E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
638	4.39911	9.87E-03	4.3E-02	6.05E-04	2.63E-05	1.60E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
639	4.62579	9.87E-03	4.6E-02	6.05E-04	2.76E-05	1.60E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
640	4.85837	9.87E-03	4.8E-02	6.05E-04	2.90E-05	1.60E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
641	5.09787	9.87E-03	5.0E-02	6.05E-04	3.04E-05	1.60E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
642	5.34787	9.87E-03	5.3E-02	6.05E-04	3.19E-05	1.60E-01	4.71E-02	2.41E-07	1.0E+06	2.4E-01
643	5.61534	9.87E-03	5.5E-02	6.05E-04	3.35E-05	1.60E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
644	5.91812	9.87E-03	5.8E-02	6.05E-04	3.53E-05	1.60E-01	4.71E-02	2.67E-07	1.0E+06	2.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	6.26506	9.87E-03	6.2E-02	6.05E-04	3.74E-05	1.60E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
646	6.67801	9.87E-03	6.6E-02	6.05E-04	3.99E-05	1.60E-01	4.71E-02	3.01E-07	1.0E+06	3.0E-01
647	7.19184	9.87E-03	7.1E-02	6.05E-04	4.29E-05	1.60E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
648	7.86868	9.87E-03	7.8E-02	6.05E-04	4.70E-05	1.60E-01	4.71E-02	3.55E-07	1.0E+06	3.5E-01
649	8.81808	9.87E-03	8.7E-02	6.05E-04	5.27E-05	1.60E-01	4.71E-02	3.98E-07	1.0E+06	4.0E-01
650	8.7285	9.87E-03	8.6E-02	6.05E-04	5.21E-05	1.60E-01	4.71E-02	3.94E-07	1.0E+06	3.9E-01
651	8.5841	9.87E-03	8.5E-02	6.05E-04	5.13E-05	1.60E-01	4.71E-02	3.87E-07	1.0E+06	3.9E-01
652	0.98641	9.87E-03	9.7E-03	6.05E-04	5.89E-06	1.60E-01	4.71E-02	4.45E-08	1.0E+06	4.4E-02
653	1.03595	9.87E-03	1.0E-02	6.05E-04	6.19E-06	1.60E-01	4.71E-02	4.67E-08	1.0E+06	4.7E-02
654	1.08913	9.87E-03	1.1E-02	6.05E-04	6.50E-06	1.60E-01	4.71E-02	4.91E-08	1.0E+06	4.9E-02
655	1.14603	9.87E-03	1.1E-02	6.05E-04	6.84E-06	1.60E-01	4.71E-02	5.17E-08	1.0E+06	5.2E-02
656	1.20762	9.87E-03	1.2E-02	6.05E-04	7.21E-06	1.60E-01	4.71E-02	5.45E-08	1.0E+06	5.4E-02
657	1.27327	9.87E-03	1.3E-02	6.05E-04	7.60E-06	1.60E-01	4.71E-02	5.74E-08	1.0E+06	5.7E-02
658	1.3454	9.87E-03	1.3E-02	6.05E-04	8.03E-06	1.60E-01	4.71E-02	6.07E-08	1.0E+06	6.1E-02
659	1.42391	9.87E-03	1.4E-02	6.05E-04	8.50E-06	1.60E-01	4.71E-02	6.42E-08	1.0E+06	6.4E-02
660	1.50718	9.87E-03	1.5E-02	6.05E-04	9.00E-06	1.60E-01	4.71E-02	6.80E-08	1.0E+06	6.8E-02
661	1.60269	9.87E-03	1.6E-02	6.05E-04	9.57E-06	1.60E-01	4.71E-02	7.23E-08	1.0E+06	7.2E-02
662	1.70561	9.87E-03	1.7E-02	6.05E-04	1.02E-05	1.60E-01	4.71E-02	7.69E-08	1.0E+06	7.7E-02
663	1.81769	9.87E-03	1.8E-02	6.05E-04	1.09E-05	1.60E-01	4.71E-02	8.20E-08	1.0E+06	8.2E-02
664	1.94162	9.87E-03	1.9E-02	6.05E-04	1.16E-05	1.60E-01	4.71E-02	8.76E-08	1.0E+06	8.8E-02
665	2.07746	9.87E-03	2.1E-02	6.05E-04	1.24E-05	1.60E-01	4.71E-02	9.37E-08	1.0E+06	9.4E-02
666	2.22636	9.87E-03	2.2E-02	6.05E-04	1.33E-05	1.60E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
667	2.38748	9.87E-03	2.4E-02	6.05E-04	1.43E-05	1.60E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
668	2.56495	9.87E-03	2.5E-02	6.05E-04	1.53E-05	1.60E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
669	2.75724	9.87E-03	2.7E-02	6.05E-04	1.65E-05	1.60E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
670	2.96466	9.87E-03	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
671	3.18475	9.87E-03	3.1E-02	6.05E-04	1.90E-05	1.60E-01	4.71E-02	1.44E-07	1.0E+06	1.4E-01
672	3.42107	9.87E-03	3.4E-02	6.05E-04	2.04E-05	1.60E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
673	3.66803	9.87E-03	3.6E-02	6.05E-04	2.19E-05	1.60E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
674	3.91407	9.87E-03	3.9E-02	6.05E-04	2.34E-05	1.60E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
675	4.16591	9.87E-03	4.1E-02	6.05E-04	2.49E-05	1.60E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	4.42659	9.87E-03	4.4E-02	6.05E-04	2.64E-05	1.60E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
677	4.68113	9.87E-03	4.6E-02	6.05E-04	2.80E-05	1.60E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
678	4.93847	9.87E-03	4.9E-02	6.05E-04	2.95E-05	1.60E-01	4.71E-02	2.23E-07	1.0E+06	2.2E-01
679	5.196	9.87E-03	5.1E-02	6.05E-04	3.10E-05	1.60E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
680	5.45491	9.87E-03	5.4E-02	6.05E-04	3.26E-05	1.60E-01	4.71E-02	2.46E-07	1.0E+06	2.5E-01
681	5.71731	9.87E-03	5.6E-02	6.05E-04	3.41E-05	1.60E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
682	5.98857	9.87E-03	5.9E-02	6.05E-04	3.58E-05	1.60E-01	4.71E-02	2.70E-07	1.0E+06	2.7E-01
683	6.27422	9.87E-03	6.2E-02	6.05E-04	3.75E-05	1.60E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
684	6.59387	9.87E-03	6.5E-02	6.05E-04	3.94E-05	1.60E-01	4.71E-02	2.97E-07	1.0E+06	3.0E-01
685	6.95909	9.87E-03	6.9E-02	6.05E-04	4.16E-05	1.60E-01	4.71E-02	3.14E-07	1.0E+06	3.1E-01
686	7.39375	9.87E-03	7.3E-02	6.05E-04	4.42E-05	1.60E-01	4.71E-02	3.33E-07	1.0E+06	3.3E-01
687	7.93431	9.87E-03	7.8E-02	6.05E-04	4.74E-05	1.60E-01	4.71E-02	3.58E-07	1.0E+06	3.6E-01
688	8.64823	9.87E-03	8.5E-02	6.05E-04	5.16E-05	1.60E-01	4.71E-02	3.90E-07	1.0E+06	3.9E-01
689	9.65079	9.87E-03	9.5E-02	6.05E-04	5.76E-05	1.60E-01	4.71E-02	4.35E-07	1.0E+06	4.4E-01
690	11.12289	9.87E-03	1.1E-01	6.05E-04	6.64E-05	1.60E-01	4.71E-02	5.02E-07	1.0E+06	5.0E-01
691	9.54081	9.87E-03	9.4E-02	6.05E-04	5.70E-05	1.60E-01	4.71E-02	4.30E-07	1.0E+06	4.3E-01
692	1.00204	9.87E-03	9.9E-03	6.05E-04	5.98E-06	1.60E-01	4.71E-02	4.52E-08	1.0E+06	4.5E-02
693	1.0537	9.87E-03	1.0E-02	6.05E-04	6.29E-06	1.60E-01	4.71E-02	4.75E-08	1.0E+06	4.8E-02
694	1.10744	9.87E-03	1.1E-02	6.05E-04	6.61E-06	1.60E-01	4.71E-02	4.99E-08	1.0E+06	5.0E-02
695	1.16773	9.87E-03	1.2E-02	6.05E-04	6.97E-06	1.60E-01	4.71E-02	5.27E-08	1.0E+06	5.3E-02
696	1.23327	9.87E-03	1.2E-02	6.05E-04	7.36E-06	1.60E-01	4.71E-02	5.56E-08	1.0E+06	5.6E-02
697	1.30448	9.87E-03	1.3E-02	6.05E-04	7.79E-06	1.60E-01	4.71E-02	5.88E-08	1.0E+06	5.9E-02
698	1.382	9.87E-03	1.4E-02	6.05E-04	8.25E-06	1.60E-01	4.71E-02	6.23E-08	1.0E+06	6.2E-02
699	1.46684	9.87E-03	1.4E-02	6.05E-04	8.76E-06	1.60E-01	4.71E-02	6.62E-08	1.0E+06	6.6E-02
700	1.5604	9.87E-03	1.5E-02	6.05E-04	9.32E-06	1.60E-01	4.71E-02	7.04E-08	1.0E+06	7.0E-02
701	1.66234	9.87E-03	1.6E-02	6.05E-04	9.93E-06	1.60E-01	4.71E-02	7.50E-08	1.0E+06	7.5E-02
702	1.77527	9.87E-03	1.8E-02	6.05E-04	1.06E-05	1.60E-01	4.71E-02	8.01E-08	1.0E+06	8.0E-02
703	1.90012	9.87E-03	1.9E-02	6.05E-04	1.13E-05	1.60E-01	4.71E-02	8.57E-08	1.0E+06	8.6E-02
704	2.04022	9.87E-03	2.0E-02	6.05E-04	1.22E-05	1.60E-01	4.71E-02	9.20E-08	1.0E+06	9.2E-02
705	2.19334	9.87E-03	2.2E-02	6.05E-04	1.31E-05	1.60E-01	4.71E-02	9.89E-08	1.0E+06	9.9E-02
706	2.36021	9.87E-03	2.3E-02	6.05E-04	1.41E-05	1.60E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.54748	9.87E-03	2.5E-02	6.05E-04	1.52E-05	1.60E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
708	2.75536	9.87E-03	2.7E-02	6.05E-04	1.65E-05	1.60E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
709	2.98478	9.87E-03	2.9E-02	6.05E-04	1.78E-05	1.60E-01	4.71E-02	1.35E-07	1.0E+06	1.3E-01
710	3.23328	9.87E-03	3.2E-02	6.05E-04	1.93E-05	1.60E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
711	3.50242	9.87E-03	3.5E-02	6.05E-04	2.09E-05	1.60E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
712	3.78731	9.87E-03	3.7E-02	6.05E-04	2.26E-05	1.60E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
713	4.09046	9.87E-03	4.0E-02	6.05E-04	2.44E-05	1.60E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
714	4.40022	9.87E-03	4.3E-02	6.05E-04	2.63E-05	1.60E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
715	4.70626	9.87E-03	4.6E-02	6.05E-04	2.81E-05	1.60E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
716	5.01429	9.87E-03	4.9E-02	6.05E-04	2.99E-05	1.60E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
717	5.31577	9.87E-03	5.2E-02	6.05E-04	3.17E-05	1.60E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
718	5.62017	9.87E-03	5.5E-02	6.05E-04	3.36E-05	1.60E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
719	5.91342	9.87E-03	5.8E-02	6.05E-04	3.53E-05	1.60E-01	4.71E-02	2.67E-07	1.0E+06	2.7E-01
720	6.20243	9.87E-03	6.1E-02	6.05E-04	3.70E-05	1.60E-01	4.71E-02	2.80E-07	1.0E+06	2.8E-01
721	6.48901	9.87E-03	6.4E-02	6.05E-04	3.88E-05	1.60E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
722	6.78021	9.87E-03	6.7E-02	6.05E-04	4.05E-05	1.60E-01	4.71E-02	3.06E-07	1.0E+06	3.1E-01
723	7.08261	9.87E-03	7.0E-02	6.05E-04	4.23E-05	1.60E-01	4.71E-02	3.19E-07	1.0E+06	3.2E-01
724	7.41647	9.87E-03	7.3E-02	6.05E-04	4.43E-05	1.60E-01	4.71E-02	3.34E-07	1.0E+06	3.3E-01
725	7.79616	9.87E-03	7.7E-02	6.05E-04	4.66E-05	1.60E-01	4.71E-02	3.52E-07	1.0E+06	3.5E-01
726	8.24611	9.87E-03	8.1E-02	6.05E-04	4.92E-05	1.60E-01	4.71E-02	3.72E-07	1.0E+06	3.7E-01
727	8.80306	9.87E-03	8.7E-02	6.05E-04	5.26E-05	1.60E-01	4.71E-02	3.97E-07	1.0E+06	4.0E-01
728	9.53665	9.87E-03	9.4E-02	6.05E-04	5.69E-05	1.60E-01	4.71E-02	4.30E-07	1.0E+06	4.3E-01
729	10.56681	9.87E-03	1.0E-01	6.05E-04	6.31E-05	1.60E-01	4.71E-02	4.77E-07	1.0E+06	4.8E-01
730	10.67586	9.87E-03	1.1E-01	6.05E-04	6.38E-05	1.60E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
731	12.1459	9.87E-03	1.2E-01	6.05E-04	7.25E-05	1.60E-01	4.71E-02	5.48E-07	1.0E+06	5.5E-01
732	1.01817	9.87E-03	1.0E-02	6.05E-04	6.08E-06	1.60E-01	4.71E-02	4.59E-08	1.0E+06	4.6E-02
733	1.07128	9.87E-03	1.1E-02	6.05E-04	6.40E-06	1.60E-01	4.71E-02	4.83E-08	1.0E+06	4.8E-02
734	1.12621	9.87E-03	1.1E-02	6.05E-04	6.73E-06	1.60E-01	4.71E-02	5.08E-08	1.0E+06	5.1E-02
735	1.18748	9.87E-03	1.2E-02	6.05E-04	7.09E-06	1.60E-01	4.71E-02	5.36E-08	1.0E+06	5.4E-02
736	1.25673	9.87E-03	1.2E-02	6.05E-04	7.50E-06	1.60E-01	4.71E-02	5.67E-08	1.0E+06	5.7E-02
737	1.33033	9.87E-03	1.3E-02	6.05E-04	7.94E-06	1.60E-01	4.71E-02	6.00E-08	1.0E+06	6.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.414	9.87E-03	1.4E-02	6.05E-04	8.44E-06	1.60E-01	4.71E-02	6.38E-08	1.0E+06	6.4E-02
739	1.50604	9.87E-03	1.5E-02	6.05E-04	8.99E-06	1.60E-01	4.71E-02	6.79E-08	1.0E+06	6.8E-02
740	1.60852	9.87E-03	1.6E-02	6.05E-04	9.61E-06	1.60E-01	4.71E-02	7.25E-08	1.0E+06	7.3E-02
741	1.72172	9.87E-03	1.7E-02	6.05E-04	1.03E-05	1.60E-01	4.71E-02	7.76E-08	1.0E+06	7.8E-02
742	1.84608	9.87E-03	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.33E-08	1.0E+06	8.3E-02
743	1.98162	9.87E-03	2.0E-02	6.05E-04	1.18E-05	1.60E-01	4.71E-02	8.94E-08	1.0E+06	8.9E-02
744	2.13833	9.87E-03	2.1E-02	6.05E-04	1.28E-05	1.60E-01	4.71E-02	9.64E-08	1.0E+06	9.6E-02
745	2.31024	9.87E-03	2.3E-02	6.05E-04	1.38E-05	1.60E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
746	2.50224	9.87E-03	2.5E-02	6.05E-04	1.49E-05	1.60E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
747	2.71719	9.87E-03	2.7E-02	6.05E-04	1.62E-05	1.60E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
748	2.96377	9.87E-03	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
749	3.23672	9.87E-03	3.2E-02	6.05E-04	1.93E-05	1.60E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
750	3.54561	9.87E-03	3.5E-02	6.05E-04	2.12E-05	1.60E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
751	3.88014	9.87E-03	3.8E-02	6.05E-04	2.32E-05	1.60E-01	4.71E-02	1.75E-07	1.0E+06	1.7E-01
752	4.24003	9.87E-03	4.2E-02	6.05E-04	2.53E-05	1.60E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
753	4.61852	9.87E-03	4.6E-02	6.05E-04	2.76E-05	1.60E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
754	5.01333	9.87E-03	4.9E-02	6.05E-04	2.99E-05	1.60E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
755	5.39969	9.87E-03	5.3E-02	6.05E-04	3.22E-05	1.60E-01	4.71E-02	2.44E-07	1.0E+06	2.4E-01
756	5.77853	9.87E-03	5.7E-02	6.05E-04	3.45E-05	1.60E-01	4.71E-02	2.61E-07	1.0E+06	2.6E-01
757	6.14717	9.87E-03	6.1E-02	6.05E-04	3.67E-05	1.60E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
758	6.50301	9.87E-03	6.4E-02	6.05E-04	3.88E-05	1.60E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
759	6.84378	9.87E-03	6.8E-02	6.05E-04	4.09E-05	1.60E-01	4.71E-02	3.09E-07	1.0E+06	3.1E-01
760	7.16552	9.87E-03	7.1E-02	6.05E-04	4.28E-05	1.60E-01	4.71E-02	3.23E-07	1.0E+06	3.2E-01
761	7.47754	9.87E-03	7.4E-02	6.05E-04	4.47E-05	1.60E-01	4.71E-02	3.37E-07	1.0E+06	3.4E-01
762	7.78847	9.87E-03	7.7E-02	6.05E-04	4.65E-05	1.60E-01	4.71E-02	3.51E-07	1.0E+06	3.5E-01
763	8.10617	9.87E-03	8.0E-02	6.05E-04	4.84E-05	1.60E-01	4.71E-02	3.66E-07	1.0E+06	3.7E-01
764	8.45109	9.87E-03	8.3E-02	6.05E-04	5.05E-05	1.60E-01	4.71E-02	3.81E-07	1.0E+06	3.8E-01
765	8.84143	9.87E-03	8.7E-02	6.05E-04	5.28E-05	1.60E-01	4.71E-02	3.99E-07	1.0E+06	4.0E-01
766	9.30016	9.87E-03	9.2E-02	6.05E-04	5.55E-05	1.60E-01	4.71E-02	4.19E-07	1.0E+06	4.2E-01
767	9.86363	9.87E-03	9.7E-02	6.05E-04	5.89E-05	1.60E-01	4.71E-02	4.45E-07	1.0E+06	4.4E-01
768	10.60034	9.87E-03	1.0E-01	6.05E-04	6.33E-05	1.60E-01	4.71E-02	4.78E-07	1.0E+06	4.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	11.6327	9.87E-03	1.1E-01	6.05E-04	6.95E-05	1.60E-01	4.71E-02	5.25E-07	1.0E+06	5.2E-01
770	11.67069	9.87E-03	1.2E-01	6.05E-04	6.97E-05	1.60E-01	4.71E-02	5.26E-07	1.0E+06	5.3E-01
771	13.07923	9.87E-03	1.3E-01	6.05E-04	7.81E-05	1.60E-01	4.71E-02	5.90E-07	1.0E+06	5.9E-01
772	1.02925	9.87E-03	1.0E-02	6.05E-04	6.15E-06	1.60E-01	4.71E-02	4.64E-08	1.0E+06	4.6E-02
773	1.08436	9.87E-03	1.1E-02	6.05E-04	6.48E-06	1.60E-01	4.71E-02	4.89E-08	1.0E+06	4.9E-02
774	1.14225	9.87E-03	1.1E-02	6.05E-04	6.82E-06	1.60E-01	4.71E-02	5.15E-08	1.0E+06	5.2E-02
775	1.20852	9.87E-03	1.2E-02	6.05E-04	7.22E-06	1.60E-01	4.71E-02	5.45E-08	1.0E+06	5.5E-02
776	1.27996	9.87E-03	1.3E-02	6.05E-04	7.64E-06	1.60E-01	4.71E-02	5.77E-08	1.0E+06	5.8E-02
777	1.3563	9.87E-03	1.3E-02	6.05E-04	8.10E-06	1.60E-01	4.71E-02	6.12E-08	1.0E+06	6.1E-02
778	1.44523	9.87E-03	1.4E-02	6.05E-04	8.63E-06	1.60E-01	4.71E-02	6.52E-08	1.0E+06	6.5E-02
779	1.54136	9.87E-03	1.5E-02	6.05E-04	9.20E-06	1.60E-01	4.71E-02	6.95E-08	1.0E+06	7.0E-02
780	1.65155	9.87E-03	1.6E-02	6.05E-04	9.86E-06	1.60E-01	4.71E-02	7.45E-08	1.0E+06	7.4E-02
781	1.77467	9.87E-03	1.8E-02	6.05E-04	1.06E-05	1.60E-01	4.71E-02	8.00E-08	1.0E+06	8.0E-02
782	1.91185	9.87E-03	1.9E-02	6.05E-04	1.14E-05	1.60E-01	4.71E-02	8.62E-08	1.0E+06	8.6E-02
783	2.06504	9.87E-03	2.0E-02	6.05E-04	1.23E-05	1.60E-01	4.71E-02	9.31E-08	1.0E+06	9.3E-02
784	2.237	9.87E-03	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
785	2.43235	9.87E-03	2.4E-02	6.05E-04	1.45E-05	1.60E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
786	2.65165	9.87E-03	2.6E-02	6.05E-04	1.58E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
787	2.90584	9.87E-03	2.9E-02	6.05E-04	1.74E-05	1.60E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
788	3.19686	9.87E-03	3.2E-02	6.05E-04	1.91E-05	1.60E-01	4.71E-02	1.44E-07	1.0E+06	1.4E-01
789	3.5312	9.87E-03	3.5E-02	6.05E-04	2.11E-05	1.60E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
790	3.9096	9.87E-03	3.9E-02	6.05E-04	2.33E-05	1.60E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
791	4.33625	9.87E-03	4.3E-02	6.05E-04	2.59E-05	1.60E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
792	4.8036	9.87E-03	4.7E-02	6.05E-04	2.87E-05	1.60E-01	4.71E-02	2.17E-07	1.0E+06	2.2E-01
793	5.30427	9.87E-03	5.2E-02	6.05E-04	3.17E-05	1.60E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
794	5.82251	9.87E-03	5.7E-02	6.05E-04	3.48E-05	1.60E-01	4.71E-02	2.63E-07	1.0E+06	2.6E-01
795	6.34502	9.87E-03	6.3E-02	6.05E-04	3.79E-05	1.60E-01	4.71E-02	2.86E-07	1.0E+06	2.9E-01
796	6.83717	9.87E-03	6.7E-02	6.05E-04	4.08E-05	1.60E-01	4.71E-02	3.08E-07	1.0E+06	3.1E-01
797	7.28166	9.87E-03	7.2E-02	6.05E-04	4.35E-05	1.60E-01	4.71E-02	3.28E-07	1.0E+06	3.3E-01
798	7.70162	9.87E-03	7.6E-02	6.05E-04	4.60E-05	1.60E-01	4.71E-02	3.47E-07	1.0E+06	3.5E-01
799	8.09546	9.87E-03	8.0E-02	6.05E-04	4.83E-05	1.60E-01	4.71E-02	3.65E-07	1.0E+06	3.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	8.45206	9.87E-03	8.3E-02	6.05E-04	5.05E-05	1.60E-01	4.71E-02	3.81E-07	1.0E+06	3.8E-01
801	8.78635	9.87E-03	8.7E-02	6.05E-04	5.25E-05	1.60E-01	4.71E-02	3.96E-07	1.0E+06	4.0E-01
802	9.11543	9.87E-03	9.0E-02	6.05E-04	5.44E-05	1.60E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
803	9.44965	9.87E-03	9.3E-02	6.05E-04	5.64E-05	1.60E-01	4.71E-02	4.26E-07	1.0E+06	4.3E-01
804	9.80465	9.87E-03	9.7E-02	6.05E-04	5.86E-05	1.60E-01	4.71E-02	4.42E-07	1.0E+06	4.4E-01
805	10.2011	9.87E-03	1.0E-01	6.05E-04	6.09E-05	1.60E-01	4.71E-02	4.60E-07	1.0E+06	4.6E-01
806	10.66213	9.87E-03	1.1E-01	6.05E-04	6.37E-05	1.60E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
807	11.22586	9.87E-03	1.1E-01	6.05E-04	6.70E-05	1.60E-01	4.71E-02	5.06E-07	1.0E+06	5.1E-01
808	11.94731	9.87E-03	1.2E-01	6.05E-04	7.13E-05	1.60E-01	4.71E-02	5.39E-07	1.0E+06	5.4E-01
809	12.95425	9.87E-03	1.3E-01	6.05E-04	7.74E-05	1.60E-01	4.71E-02	5.84E-07	1.0E+06	5.8E-01
810	14.45888	9.87E-03	1.4E-01	6.05E-04	8.63E-05	1.60E-01	4.71E-02	6.52E-07	1.0E+06	6.5E-01
811	13.11681	9.87E-03	1.3E-01	6.05E-04	7.83E-05	1.60E-01	4.71E-02	5.92E-07	1.0E+06	5.9E-01
812	1.03669	9.87E-03	1.0E-02	6.05E-04	6.19E-06	1.60E-01	4.71E-02	4.68E-08	1.0E+06	4.7E-02
813	1.0936	9.87E-03	1.1E-02	6.05E-04	6.53E-06	1.60E-01	4.71E-02	4.93E-08	1.0E+06	4.9E-02
814	1.15589	9.87E-03	1.1E-02	6.05E-04	6.90E-06	1.60E-01	4.71E-02	5.21E-08	1.0E+06	5.2E-02
815	1.22336	9.87E-03	1.2E-02	6.05E-04	7.31E-06	1.60E-01	4.71E-02	5.52E-08	1.0E+06	5.5E-02
816	1.29722	9.87E-03	1.3E-02	6.05E-04	7.75E-06	1.60E-01	4.71E-02	5.85E-08	1.0E+06	5.9E-02
817	1.38163	9.87E-03	1.4E-02	6.05E-04	8.25E-06	1.60E-01	4.71E-02	6.23E-08	1.0E+06	6.2E-02
818	1.47206	9.87E-03	1.5E-02	6.05E-04	8.79E-06	1.60E-01	4.71E-02	6.64E-08	1.0E+06	6.6E-02
819	1.57452	9.87E-03	1.6E-02	6.05E-04	9.40E-06	1.60E-01	4.71E-02	7.10E-08	1.0E+06	7.1E-02
820	1.69202	9.87E-03	1.7E-02	6.05E-04	1.01E-05	1.60E-01	4.71E-02	7.63E-08	1.0E+06	7.6E-02
821	1.82177	9.87E-03	1.8E-02	6.05E-04	1.09E-05	1.60E-01	4.71E-02	8.22E-08	1.0E+06	8.2E-02
822	1.97136	9.87E-03	1.9E-02	6.05E-04	1.18E-05	1.60E-01	4.71E-02	8.89E-08	1.0E+06	8.9E-02
823	2.14135	9.87E-03	2.1E-02	6.05E-04	1.28E-05	1.60E-01	4.71E-02	9.66E-08	1.0E+06	9.7E-02
824	2.3352	9.87E-03	2.3E-02	6.05E-04	1.39E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
825	2.55501	9.87E-03	2.5E-02	6.05E-04	1.53E-05	1.60E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
826	2.80984	9.87E-03	2.8E-02	6.05E-04	1.68E-05	1.60E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
827	3.10338	9.87E-03	3.1E-02	6.05E-04	1.85E-05	1.60E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
828	3.45416	9.87E-03	3.4E-02	6.05E-04	2.06E-05	1.60E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
829	3.86115	9.87E-03	3.8E-02	6.05E-04	2.31E-05	1.60E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
830	4.33826	9.87E-03	4.3E-02	6.05E-04	2.59E-05	1.60E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	4.89242	9.87E-03	4.8E-02	6.05E-04	2.92E-05	1.60E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
832	5.52074	9.87E-03	5.4E-02	6.05E-04	3.30E-05	1.60E-01	4.71E-02	2.49E-07	1.0E+06	2.5E-01
833	6.21567	9.87E-03	6.1E-02	6.05E-04	3.71E-05	1.60E-01	4.71E-02	2.80E-07	1.0E+06	2.8E-01
834	6.94997	9.87E-03	6.9E-02	6.05E-04	4.15E-05	1.60E-01	4.71E-02	3.13E-07	1.0E+06	3.1E-01
835	7.67024	9.87E-03	7.6E-02	6.05E-04	4.58E-05	1.60E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
836	7.00918	9.87E-03	6.9E-02	6.05E-04	4.19E-05	1.60E-01	4.71E-02	3.16E-07	1.0E+06	3.2E-01
837	8.87486	9.87E-03	8.8E-02	6.05E-04	5.30E-05	1.60E-01	4.71E-02	4.00E-07	1.0E+06	4.0E-01
838	9.37163	9.87E-03	9.2E-02	6.05E-04	5.60E-05	1.60E-01	4.71E-02	4.23E-07	1.0E+06	4.2E-01
839	8.4855	9.87E-03	8.4E-02	6.05E-04	5.07E-05	1.60E-01	4.71E-02	3.83E-07	1.0E+06	3.8E-01
840	8.8128	9.87E-03	8.7E-02	6.05E-04	5.26E-05	1.60E-01	4.71E-02	3.97E-07	1.0E+06	4.0E-01
841	9.22428	9.87E-03	9.1E-02	6.05E-04	5.51E-05	1.60E-01	4.71E-02	4.16E-07	1.0E+06	4.2E-01
842	10.91573	9.87E-03	1.1E-01	6.05E-04	6.52E-05	1.60E-01	4.71E-02	4.92E-07	1.0E+06	4.9E-01
843	9.88144	9.87E-03	9.8E-02	6.05E-04	5.90E-05	1.60E-01	4.71E-02	4.46E-07	1.0E+06	4.5E-01
844	10.18113	9.87E-03	1.0E-01	6.05E-04	6.08E-05	1.60E-01	4.71E-02	4.59E-07	1.0E+06	4.6E-01
845	10.64836	9.87E-03	1.1E-01	6.05E-04	6.36E-05	1.60E-01	4.71E-02	4.80E-07	1.0E+06	4.8E-01
846	12.501	9.87E-03	1.2E-01	6.05E-04	7.47E-05	1.60E-01	4.71E-02	5.64E-07	1.0E+06	5.6E-01
847	11.57793	9.87E-03	1.1E-01	6.05E-04	6.91E-05	1.60E-01	4.71E-02	5.22E-07	1.0E+06	5.2E-01
848	12.17764	9.87E-03	1.2E-01	6.05E-04	7.27E-05	1.60E-01	4.71E-02	5.49E-07	1.0E+06	5.5E-01
849	13.1966	9.87E-03	1.3E-01	6.05E-04	7.88E-05	1.60E-01	4.71E-02	5.95E-07	1.0E+06	6.0E-01
850	14.78826	9.87E-03	1.5E-01	6.05E-04	8.83E-05	1.60E-01	4.71E-02	6.67E-07	1.0E+06	6.7E-01
851	13.04213	9.87E-03	1.3E-01	6.05E-04	7.79E-05	1.60E-01	4.71E-02	5.88E-07	1.0E+06	5.9E-01
852	1.04006	9.87E-03	1.0E-02	6.05E-04	6.21E-06	1.60E-01	4.71E-02	4.69E-08	1.0E+06	4.7E-02
853	1.0967	9.87E-03	1.1E-02	6.05E-04	6.55E-06	1.60E-01	4.71E-02	4.95E-08	1.0E+06	4.9E-02
854	1.16099	9.87E-03	1.1E-02	6.05E-04	6.93E-06	1.60E-01	4.71E-02	5.24E-08	1.0E+06	5.2E-02
855	1.23321	9.87E-03	1.2E-02	6.05E-04	7.36E-06	1.60E-01	4.71E-02	5.56E-08	1.0E+06	5.6E-02
856	1.31079	9.87E-03	1.3E-02	6.05E-04	7.83E-06	1.60E-01	4.71E-02	5.91E-08	1.0E+06	5.9E-02
857	1.39916	9.87E-03	1.4E-02	6.05E-04	8.36E-06	1.60E-01	4.71E-02	6.31E-08	1.0E+06	6.3E-02
858	1.4951	9.87E-03	1.5E-02	6.05E-04	8.93E-06	1.60E-01	4.71E-02	6.74E-08	1.0E+06	6.7E-02
859	1.60529	9.87E-03	1.6E-02	6.05E-04	9.59E-06	1.60E-01	4.71E-02	7.24E-08	1.0E+06	7.2E-02
860	1.7237	9.87E-03	1.7E-02	6.05E-04	1.03E-05	1.60E-01	4.71E-02	7.77E-08	1.0E+06	7.8E-02
861	1.86479	9.87E-03	1.8E-02	6.05E-04	1.11E-05	1.60E-01	4.71E-02	8.41E-08	1.0E+06	8.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	2.02351	9.87E-03	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.13E-08	1.0E+06	9.1E-02
863	2.2094	9.87E-03	2.2E-02	6.05E-04	1.32E-05	1.60E-01	4.71E-02	9.96E-08	1.0E+06	1.0E-01
864	2.42481	9.87E-03	2.4E-02	6.05E-04	1.45E-05	1.60E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
865	2.67385	9.87E-03	2.6E-02	6.05E-04	1.60E-05	1.60E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
866	2.96557	9.87E-03	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
867	3.3135	9.87E-03	3.3E-02	6.05E-04	1.98E-05	1.60E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
868	3.72791	9.87E-03	3.7E-02	6.05E-04	2.23E-05	1.60E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
869	4.2296	9.87E-03	4.2E-02	6.05E-04	2.53E-05	1.60E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
870	4.83855	9.87E-03	4.8E-02	6.05E-04	2.89E-05	1.60E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01
871	5.5694	9.87E-03	5.5E-02	6.05E-04	3.33E-05	1.60E-01	4.71E-02	2.51E-07	1.0E+06	2.5E-01
872	6.44468	9.87E-03	6.4E-02	6.05E-04	3.85E-05	1.60E-01	4.71E-02	2.91E-07	1.0E+06	2.9E-01
873	7.45909	9.87E-03	7.4E-02	6.05E-04	4.45E-05	1.60E-01	4.71E-02	3.36E-07	1.0E+06	3.4E-01
874	6.94894	9.87E-03	6.9E-02	6.05E-04	4.15E-05	1.60E-01	4.71E-02	3.13E-07	1.0E+06	3.1E-01
875	7.68023	9.87E-03	7.6E-02	6.05E-04	4.59E-05	1.60E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
876	8.4196	9.87E-03	8.3E-02	6.05E-04	5.03E-05	1.60E-01	4.71E-02	3.80E-07	1.0E+06	3.8E-01
877	7.97885	9.87E-03	7.9E-02	6.05E-04	4.76E-05	1.60E-01	4.71E-02	3.60E-07	1.0E+06	3.6E-01
878	8.45898	9.87E-03	8.3E-02	6.05E-04	5.05E-05	1.60E-01	4.71E-02	3.81E-07	1.0E+06	3.8E-01
879	10.1997	9.87E-03	1.0E-01	6.05E-04	6.09E-05	1.60E-01	4.71E-02	4.60E-07	1.0E+06	4.6E-01
880	10.50737	9.87E-03	1.0E-01	6.05E-04	6.27E-05	1.60E-01	4.71E-02	4.74E-07	1.0E+06	4.7E-01
881	9.68613	9.87E-03	9.6E-02	6.05E-04	5.78E-05	1.60E-01	4.71E-02	4.37E-07	1.0E+06	4.4E-01
882	9.93381	9.87E-03	9.8E-02	6.05E-04	5.93E-05	1.60E-01	4.71E-02	4.48E-07	1.0E+06	4.5E-01
883	11.63355	9.87E-03	1.1E-01	6.05E-04	6.95E-05	1.60E-01	4.71E-02	5.25E-07	1.0E+06	5.2E-01
884	11.90785	9.87E-03	1.2E-01	6.05E-04	7.11E-05	1.60E-01	4.71E-02	5.37E-07	1.0E+06	5.4E-01
885	11.12891	9.87E-03	1.1E-01	6.05E-04	6.65E-05	1.60E-01	4.71E-02	5.02E-07	1.0E+06	5.0E-01
886	11.46599	9.87E-03	1.1E-01	6.05E-04	6.85E-05	1.60E-01	4.71E-02	5.17E-07	1.0E+06	5.2E-01
887	13.29454	9.87E-03	1.3E-01	6.05E-04	7.94E-05	1.60E-01	4.71E-02	6.00E-07	1.0E+06	6.0E-01
888	13.76158	9.87E-03	1.4E-01	6.05E-04	8.22E-05	1.60E-01	4.71E-02	6.21E-07	1.0E+06	6.2E-01
889	13.36807	9.87E-03	1.3E-01	6.05E-04	7.98E-05	1.60E-01	4.71E-02	6.03E-07	1.0E+06	6.0E-01
890	13.2075	9.87E-03	1.3E-01	6.05E-04	7.89E-05	1.60E-01	4.71E-02	5.96E-07	1.0E+06	6.0E-01
891	15.83237	9.87E-03	1.6E-01	6.05E-04	9.45E-05	1.60E-01	4.71E-02	7.14E-07	1.0E+06	7.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	2.13624	3.01416E-07	6.4E-07	6.05E-04	3.90E-10	1.60E-01	4.71E-02	2.94E-12	1.0E+06	2.9E-06
522	522	2.29305	3.01416E-07	6.9E-07	6.05E-04	4.18E-10	1.60E-01	4.71E-02	3.16E-12	1.0E+06	3.2E-06
523	523	2.44943	3.01416E-07	7.4E-07	6.05E-04	4.47E-10	1.60E-01	4.71E-02	3.37E-12	1.0E+06	3.4E-06
524	524	2.64476	3.01416E-07	8.0E-07	6.05E-04	4.82E-10	1.60E-01	4.71E-02	3.64E-12	1.0E+06	3.6E-06
525	525	2.86149	3.01416E-07	8.6E-07	6.05E-04	5.22E-10	1.60E-01	4.71E-02	3.94E-12	1.0E+06	3.9E-06
526	526	3.10191	3.01416E-07	9.3E-07	6.05E-04	5.66E-10	1.60E-01	4.71E-02	4.27E-12	1.0E+06	4.3E-06
527	527	3.36993	3.01416E-07	1.0E-06	6.05E-04	6.15E-10	1.60E-01	4.71E-02	4.64E-12	1.0E+06	4.6E-06
528	528	3.6688	3.01416E-07	1.1E-06	6.05E-04	6.69E-10	1.60E-01	4.71E-02	5.05E-12	1.0E+06	5.1E-06
529	529	4.00153	3.01416E-07	1.2E-06	6.05E-04	7.30E-10	1.60E-01	4.71E-02	5.51E-12	1.0E+06	5.5E-06
530	530	4.37084	3.01416E-07	1.3E-06	6.05E-04	7.97E-10	1.60E-01	4.71E-02	6.02E-12	1.0E+06	6.0E-06
531	531	4.77661	3.01416E-07	1.4E-06	6.05E-04	8.71E-10	1.60E-01	4.71E-02	6.58E-12	1.0E+06	6.6E-06
532	532	0.58199	3.01416E-07	1.8E-07	6.05E-04	1.06E-10	1.60E-01	4.71E-02	8.02E-13	1.0E+06	8.0E-07
533	533	0.60223	3.01416E-07	1.8E-07	6.05E-04	1.10E-10	1.60E-01	4.71E-02	8.29E-13	1.0E+06	8.3E-07
534	534	0.62347	3.01416E-07	1.9E-07	6.05E-04	1.14E-10	1.60E-01	4.71E-02	8.59E-13	1.0E+06	8.6E-07
535	535	0.64584	3.01416E-07	1.9E-07	6.05E-04	1.18E-10	1.60E-01	4.71E-02	8.90E-13	1.0E+06	8.9E-07
536	536	0.66944	3.01416E-07	2.0E-07	6.05E-04	1.22E-10	1.60E-01	4.71E-02	9.22E-13	1.0E+06	9.2E-07
537	537	0.6944	3.01416E-07	2.1E-07	6.05E-04	1.27E-10	1.60E-01	4.71E-02	9.56E-13	1.0E+06	9.6E-07
538	538	0.72084	3.01416E-07	2.2E-07	6.05E-04	1.31E-10	1.60E-01	4.71E-02	9.93E-13	1.0E+06	9.9E-07
539	539	0.74883	3.01416E-07	2.3E-07	6.05E-04	1.37E-10	1.60E-01	4.71E-02	1.03E-12	1.0E+06	1.0E-06
540	540	0.77837	3.01416E-07	2.3E-07	6.05E-04	1.42E-10	1.60E-01	4.71E-02	1.07E-12	1.0E+06	1.1E-06
541	541	0.80962	3.01416E-07	2.4E-07	6.05E-04	1.48E-10	1.60E-01	4.71E-02	1.12E-12	1.0E+06	1.1E-06
542	542	0.84276	3.01416E-07	2.5E-07	6.05E-04	1.54E-10	1.60E-01	4.71E-02	1.16E-12	1.0E+06	1.2E-06
543	543	0.87793	3.01416E-07	2.6E-07	6.05E-04	1.60E-10	1.60E-01	4.71E-02	1.21E-12	1.0E+06	1.2E-06
544	544	0.9153	3.01416E-07	2.8E-07	6.05E-04	1.67E-10	1.60E-01	4.71E-02	1.26E-12	1.0E+06	1.3E-06
545	545	0.95546	3.01416E-07	2.9E-07	6.05E-04	1.74E-10	1.60E-01	4.71E-02	1.32E-12	1.0E+06	1.3E-06
546	546	0.99838	3.01416E-07	3.0E-07	6.05E-04	1.82E-10	1.60E-01	4.71E-02	1.38E-12	1.0E+06	1.4E-06
547	547	1.04431	3.01416E-07	3.1E-07	6.05E-04	1.90E-10	1.60E-01	4.71E-02	1.44E-12	1.0E+06	1.4E-06
548	548	1.09362	3.01416E-07	3.3E-07	6.05E-04	1.99E-10	1.60E-01	4.71E-02	1.51E-12	1.0E+06	1.5E-06
549	549	1.14657	3.01416E-07	3.5E-07	6.05E-04	2.09E-10	1.60E-01	4.71E-02	1.58E-12	1.0E+06	1.6E-06
550	550	1.20347	3.01416E-07	3.6E-07	6.05E-04	2.19E-10	1.60E-01	4.71E-02	1.66E-12	1.0E+06	1.7E-06
551	551	1.26479	3.01416E-07	3.8E-07	6.05E-04	2.31E-10	1.60E-01	4.71E-02	1.74E-12	1.0E+06	1.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	1.3309	3.01416E-07	4.0E-07	6.05E-04	2.43E-10	1.60E-01	4.71E-02	1.83E-12	1.0E+06	1.8E-06
553	553	1.40254	3.01416E-07	4.2E-07	6.05E-04	2.56E-10	1.60E-01	4.71E-02	1.93E-12	1.0E+06	1.9E-06
554	554	1.48024	3.01416E-07	4.5E-07	6.05E-04	2.70E-10	1.60E-01	4.71E-02	2.04E-12	1.0E+06	2.0E-06
555	555	1.56484	3.01416E-07	4.7E-07	6.05E-04	2.85E-10	1.60E-01	4.71E-02	2.16E-12	1.0E+06	2.2E-06
556	556	1.65724	3.01416E-07	5.0E-07	6.05E-04	3.02E-10	1.60E-01	4.71E-02	2.28E-12	1.0E+06	2.3E-06
557	557	1.75816	3.01416E-07	5.3E-07	6.05E-04	3.21E-10	1.60E-01	4.71E-02	2.42E-12	1.0E+06	2.4E-06
558	558	1.85005	3.01416E-07	5.6E-07	6.05E-04	3.37E-10	1.60E-01	4.71E-02	2.55E-12	1.0E+06	2.5E-06
559	559	1.95371	3.01416E-07	5.9E-07	6.05E-04	3.56E-10	1.60E-01	4.71E-02	2.69E-12	1.0E+06	2.7E-06
560	560	2.09187	3.01416E-07	6.3E-07	6.05E-04	3.82E-10	1.60E-01	4.71E-02	2.88E-12	1.0E+06	2.9E-06
561	561	2.22465	3.01416E-07	6.7E-07	6.05E-04	4.06E-10	1.60E-01	4.71E-02	3.06E-12	1.0E+06	3.1E-06
562	562	2.39598	3.01416E-07	7.2E-07	6.05E-04	4.37E-10	1.60E-01	4.71E-02	3.30E-12	1.0E+06	3.3E-06
563	563	2.58883	3.01416E-07	7.8E-07	6.05E-04	4.72E-10	1.60E-01	4.71E-02	3.57E-12	1.0E+06	3.6E-06
564	564	2.7862	3.01416E-07	8.4E-07	6.05E-04	5.08E-10	1.60E-01	4.71E-02	3.84E-12	1.0E+06	3.8E-06
565	565	3.03019	3.01416E-07	9.1E-07	6.05E-04	5.53E-10	1.60E-01	4.71E-02	4.17E-12	1.0E+06	4.2E-06
566	566	3.3023	3.01416E-07	1.0E-06	6.05E-04	6.02E-10	1.60E-01	4.71E-02	4.55E-12	1.0E+06	4.5E-06
567	567	3.60833	3.01416E-07	1.1E-06	6.05E-04	6.58E-10	1.60E-01	4.71E-02	4.97E-12	1.0E+06	5.0E-06
568	568	3.95526	3.01416E-07	1.2E-06	6.05E-04	7.21E-10	1.60E-01	4.71E-02	5.45E-12	1.0E+06	5.4E-06
569	569	4.34734	3.01416E-07	1.3E-06	6.05E-04	7.93E-10	1.60E-01	4.71E-02	5.99E-12	1.0E+06	6.0E-06
570	570	4.78867	3.01416E-07	1.4E-06	6.05E-04	8.73E-10	1.60E-01	4.71E-02	6.60E-12	1.0E+06	6.6E-06
571	571	5.2811	3.01416E-07	1.6E-06	6.05E-04	9.63E-10	1.60E-01	4.71E-02	7.27E-12	1.0E+06	7.3E-06
572	572	0.58061	3.01416E-07	1.8E-07	6.05E-04	1.06E-10	1.60E-01	4.71E-02	8.00E-13	1.0E+06	8.0E-07
573	573	0.60142	3.01416E-07	1.8E-07	6.05E-04	1.10E-10	1.60E-01	4.71E-02	8.28E-13	1.0E+06	8.3E-07
574	574	0.62318	3.01416E-07	1.9E-07	6.05E-04	1.14E-10	1.60E-01	4.71E-02	8.58E-13	1.0E+06	8.6E-07
575	575	0.64595	3.01416E-07	1.9E-07	6.05E-04	1.18E-10	1.60E-01	4.71E-02	8.90E-13	1.0E+06	8.9E-07
576	576	0.66999	3.01416E-07	2.0E-07	6.05E-04	1.22E-10	1.60E-01	4.71E-02	9.23E-13	1.0E+06	9.2E-07
577	577	0.6954	3.01416E-07	2.1E-07	6.05E-04	1.27E-10	1.60E-01	4.71E-02	9.58E-13	1.0E+06	9.6E-07
578	578	0.72231	3.01416E-07	2.2E-07	6.05E-04	1.32E-10	1.60E-01	4.71E-02	9.95E-13	1.0E+06	9.9E-07
579	579	0.75087	3.01416E-07	2.3E-07	6.05E-04	1.37E-10	1.60E-01	4.71E-02	1.03E-12	1.0E+06	1.0E-06
580	580	0.78128	3.01416E-07	2.4E-07	6.05E-04	1.42E-10	1.60E-01	4.71E-02	1.08E-12	1.0E+06	1.1E-06
581	581	0.81352	3.01416E-07	2.5E-07	6.05E-04	1.48E-10	1.60E-01	4.71E-02	1.12E-12	1.0E+06	1.1E-06
582	582	0.84771	3.01416E-07	2.6E-07	6.05E-04	1.55E-10	1.60E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.884	3.01416E-07	2.7E-07	6.05E-04	1.61E-10	1.60E-01	4.71E-02	1.22E-12	1.0E+06	1.2E-06
584	584	0.9226	3.01416E-07	2.8E-07	6.05E-04	1.68E-10	1.60E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
585	585	0.96408	3.01416E-07	2.9E-07	6.05E-04	1.76E-10	1.60E-01	4.71E-02	1.33E-12	1.0E+06	1.3E-06
586	586	1.00858	3.01416E-07	3.0E-07	6.05E-04	1.84E-10	1.60E-01	4.71E-02	1.39E-12	1.0E+06	1.4E-06
587	587	1.05633	3.01416E-07	3.2E-07	6.05E-04	1.93E-10	1.60E-01	4.71E-02	1.45E-12	1.0E+06	1.5E-06
588	588	1.10759	3.01416E-07	3.3E-07	6.05E-04	2.02E-10	1.60E-01	4.71E-02	1.53E-12	1.0E+06	1.5E-06
589	589	1.16289	3.01416E-07	3.5E-07	6.05E-04	2.12E-10	1.60E-01	4.71E-02	1.60E-12	1.0E+06	1.6E-06
590	590	1.22247	3.01416E-07	3.7E-07	6.05E-04	2.23E-10	1.60E-01	4.71E-02	1.68E-12	1.0E+06	1.7E-06
591	591	1.2868	3.01416E-07	3.9E-07	6.05E-04	2.35E-10	1.60E-01	4.71E-02	1.77E-12	1.0E+06	1.8E-06
592	592	1.35655	3.01416E-07	4.1E-07	6.05E-04	2.47E-10	1.60E-01	4.71E-02	1.87E-12	1.0E+06	1.9E-06
593	593	1.43189	3.01416E-07	4.3E-07	6.05E-04	2.61E-10	1.60E-01	4.71E-02	1.97E-12	1.0E+06	2.0E-06
594	594	1.51392	3.01416E-07	4.6E-07	6.05E-04	2.76E-10	1.60E-01	4.71E-02	2.09E-12	1.0E+06	2.1E-06
595	595	1.60368	3.01416E-07	4.8E-07	6.05E-04	2.92E-10	1.60E-01	4.71E-02	2.21E-12	1.0E+06	2.2E-06
596	596	1.70213	3.01416E-07	5.1E-07	6.05E-04	3.10E-10	1.60E-01	4.71E-02	2.34E-12	1.0E+06	2.3E-06
597	597	1.81021	3.01416E-07	5.5E-07	6.05E-04	3.30E-10	1.60E-01	4.71E-02	2.49E-12	1.0E+06	2.5E-06
598	598	1.90741	3.01416E-07	5.7E-07	6.05E-04	3.48E-10	1.60E-01	4.71E-02	2.63E-12	1.0E+06	2.6E-06
599	599	2.0406	3.01416E-07	6.2E-07	6.05E-04	3.72E-10	1.60E-01	4.71E-02	2.81E-12	1.0E+06	2.8E-06
600	600	2.16675	3.01416E-07	6.5E-07	6.05E-04	3.95E-10	1.60E-01	4.71E-02	2.98E-12	1.0E+06	3.0E-06
601	601	2.33242	3.01416E-07	7.0E-07	6.05E-04	4.25E-10	1.60E-01	4.71E-02	3.21E-12	1.0E+06	3.2E-06
602	602	2.49521	3.01416E-07	7.5E-07	6.05E-04	4.55E-10	1.60E-01	4.71E-02	3.44E-12	1.0E+06	3.4E-06
603	603	2.70764	3.01416E-07	8.2E-07	6.05E-04	4.94E-10	1.60E-01	4.71E-02	3.73E-12	1.0E+06	3.7E-06
604	604	2.92649	3.01416E-07	8.8E-07	6.05E-04	5.34E-10	1.60E-01	4.71E-02	4.03E-12	1.0E+06	4.0E-06
605	605	3.19954	3.01416E-07	9.6E-07	6.05E-04	5.84E-10	1.60E-01	4.71E-02	4.41E-12	1.0E+06	4.4E-06
606	606	3.50521	3.01416E-07	1.1E-06	6.05E-04	6.39E-10	1.60E-01	4.71E-02	4.83E-12	1.0E+06	4.8E-06
607	607	3.85368	3.01416E-07	1.2E-06	6.05E-04	7.03E-10	1.60E-01	4.71E-02	5.31E-12	1.0E+06	5.3E-06
608	608	4.25428	3.01416E-07	1.3E-06	6.05E-04	7.76E-10	1.60E-01	4.71E-02	5.86E-12	1.0E+06	5.9E-06
609	609	4.71476	3.01416E-07	1.4E-06	6.05E-04	8.60E-10	1.60E-01	4.71E-02	6.49E-12	1.0E+06	6.5E-06
610	610	5.242	3.01416E-07	1.6E-06	6.05E-04	9.56E-10	1.60E-01	4.71E-02	7.22E-12	1.0E+06	7.2E-06
611	611	5.83936	3.01416E-07	1.8E-06	6.05E-04	1.06E-09	1.60E-01	4.71E-02	8.04E-12	1.0E+06	8.0E-06
612	612	0.57782	3.01416E-07	1.7E-07	6.05E-04	1.05E-10	1.60E-01	4.71E-02	7.96E-13	1.0E+06	8.0E-07
613	613	0.59931	3.01416E-07	1.8E-07	6.05E-04	1.09E-10	1.60E-01	4.71E-02	8.25E-13	1.0E+06	8.3E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.62162	3.01416E-07	1.9E-07	6.05E-04	1.13E-10	1.60E-01	4.71E-02	8.56E-13	1.0E+06	8.6E-07
615	615	0.64469	3.01416E-07	1.9E-07	6.05E-04	1.18E-10	1.60E-01	4.71E-02	8.88E-13	1.0E+06	8.9E-07
616	616	0.66909	3.01416E-07	2.0E-07	6.05E-04	1.22E-10	1.60E-01	4.71E-02	9.22E-13	1.0E+06	9.2E-07
617	617	0.69472	3.01416E-07	2.1E-07	6.05E-04	1.27E-10	1.60E-01	4.71E-02	9.57E-13	1.0E+06	9.6E-07
618	618	0.72176	3.01416E-07	2.2E-07	6.05E-04	1.32E-10	1.60E-01	4.71E-02	9.94E-13	1.0E+06	9.9E-07
619	619	0.75052	3.01416E-07	2.3E-07	6.05E-04	1.37E-10	1.60E-01	4.71E-02	1.03E-12	1.0E+06	1.0E-06
620	620	0.78176	3.01416E-07	2.4E-07	6.05E-04	1.43E-10	1.60E-01	4.71E-02	1.08E-12	1.0E+06	1.1E-06
621	621	0.81491	3.01416E-07	2.5E-07	6.05E-04	1.49E-10	1.60E-01	4.71E-02	1.12E-12	1.0E+06	1.1E-06
622	622	0.85012	3.01416E-07	2.6E-07	6.05E-04	1.55E-10	1.60E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06
623	623	0.88754	3.01416E-07	2.7E-07	6.05E-04	1.62E-10	1.60E-01	4.71E-02	1.22E-12	1.0E+06	1.2E-06
624	624	0.92734	3.01416E-07	2.8E-07	6.05E-04	1.69E-10	1.60E-01	4.71E-02	1.28E-12	1.0E+06	1.3E-06
625	625	0.97002	3.01416E-07	2.9E-07	6.05E-04	1.77E-10	1.60E-01	4.71E-02	1.34E-12	1.0E+06	1.3E-06
626	626	1.01584	3.01416E-07	3.1E-07	6.05E-04	1.85E-10	1.60E-01	4.71E-02	1.40E-12	1.0E+06	1.4E-06
627	627	1.06514	3.01416E-07	3.2E-07	6.05E-04	1.94E-10	1.60E-01	4.71E-02	1.47E-12	1.0E+06	1.5E-06
628	628	1.11827	3.01416E-07	3.4E-07	6.05E-04	2.04E-10	1.60E-01	4.71E-02	1.54E-12	1.0E+06	1.5E-06
629	629	1.17556	3.01416E-07	3.5E-07	6.05E-04	2.14E-10	1.60E-01	4.71E-02	1.62E-12	1.0E+06	1.6E-06
630	630	1.23751	3.01416E-07	3.7E-07	6.05E-04	2.26E-10	1.60E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06
631	631	1.3046	3.01416E-07	3.9E-07	6.05E-04	2.38E-10	1.60E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
632	632	1.37742	3.01416E-07	4.2E-07	6.05E-04	2.51E-10	1.60E-01	4.71E-02	1.90E-12	1.0E+06	1.9E-06
633	633	1.45648	3.01416E-07	4.4E-07	6.05E-04	2.66E-10	1.60E-01	4.71E-02	2.01E-12	1.0E+06	2.0E-06
634	634	1.54255	3.01416E-07	4.6E-07	6.05E-04	2.81E-10	1.60E-01	4.71E-02	2.12E-12	1.0E+06	2.1E-06
635	635	1.63711	3.01416E-07	4.9E-07	6.05E-04	2.99E-10	1.60E-01	4.71E-02	2.25E-12	1.0E+06	2.3E-06
636	636	1.74123	3.01416E-07	5.2E-07	6.05E-04	3.18E-10	1.60E-01	4.71E-02	2.40E-12	1.0E+06	2.4E-06
637	637	1.85605	3.01416E-07	5.6E-07	6.05E-04	3.39E-10	1.60E-01	4.71E-02	2.56E-12	1.0E+06	2.6E-06
638	638	1.98327	3.01416E-07	6.0E-07	6.05E-04	3.62E-10	1.60E-01	4.71E-02	2.73E-12	1.0E+06	2.7E-06
639	639	2.10114	3.01416E-07	6.3E-07	6.05E-04	3.83E-10	1.60E-01	4.71E-02	2.89E-12	1.0E+06	2.9E-06
640	640	2.25982	3.01416E-07	6.8E-07	6.05E-04	4.12E-10	1.60E-01	4.71E-02	3.11E-12	1.0E+06	3.1E-06
641	641	2.4137	3.01416E-07	7.3E-07	6.05E-04	4.40E-10	1.60E-01	4.71E-02	3.32E-12	1.0E+06	3.3E-06
642	642	2.61424	3.01416E-07	7.9E-07	6.05E-04	4.77E-10	1.60E-01	4.71E-02	3.60E-12	1.0E+06	3.6E-06
643	643	2.82108	3.01416E-07	8.5E-07	6.05E-04	5.15E-10	1.60E-01	4.71E-02	3.89E-12	1.0E+06	3.9E-06
644	644	3.06228	3.01416E-07	9.2E-07	6.05E-04	5.58E-10	1.60E-01	4.71E-02	4.22E-12	1.0E+06	4.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	3.36487	3.01416E-07	1.0E-06	6.05E-04	6.14E-10	1.60E-01	4.71E-02	4.63E-12	1.0E+06	4.6E-06
646	646	3.70675	3.01416E-07	1.1E-06	6.05E-04	6.76E-10	1.60E-01	4.71E-02	5.11E-12	1.0E+06	5.1E-06
647	647	4.1008	3.01416E-07	1.2E-06	6.05E-04	7.48E-10	1.60E-01	4.71E-02	5.65E-12	1.0E+06	5.6E-06
648	648	4.56087	3.01416E-07	1.4E-06	6.05E-04	8.32E-10	1.60E-01	4.71E-02	6.28E-12	1.0E+06	6.3E-06
649	649	5.09868	3.01416E-07	1.5E-06	6.05E-04	9.30E-10	1.60E-01	4.71E-02	7.02E-12	1.0E+06	7.0E-06
650	650	5.72522	3.01416E-07	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.89E-12	1.0E+06	7.9E-06
651	651	6.44859	3.01416E-07	1.9E-06	6.05E-04	1.18E-09	1.60E-01	4.71E-02	8.88E-12	1.0E+06	8.9E-06
652	652	0.57234	3.01416E-07	1.7E-07	6.05E-04	1.04E-10	1.60E-01	4.71E-02	7.88E-13	1.0E+06	7.9E-07
653	653	0.59412	3.01416E-07	1.8E-07	6.05E-04	1.08E-10	1.60E-01	4.71E-02	8.18E-13	1.0E+06	8.2E-07
654	654	0.6168	3.01416E-07	1.9E-07	6.05E-04	1.12E-10	1.60E-01	4.71E-02	8.50E-13	1.0E+06	8.5E-07
655	655	0.64014	3.01416E-07	1.9E-07	6.05E-04	1.17E-10	1.60E-01	4.71E-02	8.82E-13	1.0E+06	8.8E-07
656	656	0.66488	3.01416E-07	2.0E-07	6.05E-04	1.21E-10	1.60E-01	4.71E-02	9.16E-13	1.0E+06	9.2E-07
657	657	0.69077	3.01416E-07	2.1E-07	6.05E-04	1.26E-10	1.60E-01	4.71E-02	9.51E-13	1.0E+06	9.5E-07
658	658	0.71808	3.01416E-07	2.2E-07	6.05E-04	1.31E-10	1.60E-01	4.71E-02	9.89E-13	1.0E+06	9.9E-07
659	659	0.74722	3.01416E-07	2.3E-07	6.05E-04	1.36E-10	1.60E-01	4.71E-02	1.03E-12	1.0E+06	1.0E-06
660	660	0.77921	3.01416E-07	2.3E-07	6.05E-04	1.42E-10	1.60E-01	4.71E-02	1.07E-12	1.0E+06	1.1E-06
661	661	0.81318	3.01416E-07	2.5E-07	6.05E-04	1.48E-10	1.60E-01	4.71E-02	1.12E-12	1.0E+06	1.1E-06
662	662	0.84934	3.01416E-07	2.6E-07	6.05E-04	1.55E-10	1.60E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06
663	663	0.88784	3.01416E-07	2.7E-07	6.05E-04	1.62E-10	1.60E-01	4.71E-02	1.22E-12	1.0E+06	1.2E-06
664	664	0.92894	3.01416E-07	2.8E-07	6.05E-04	1.69E-10	1.60E-01	4.71E-02	1.28E-12	1.0E+06	1.3E-06
665	665	0.97267	3.01416E-07	2.9E-07	6.05E-04	1.77E-10	1.60E-01	4.71E-02	1.34E-12	1.0E+06	1.3E-06
666	666	1.01963	3.01416E-07	3.1E-07	6.05E-04	1.86E-10	1.60E-01	4.71E-02	1.40E-12	1.0E+06	1.4E-06
667	667	1.07022	3.01416E-07	3.2E-07	6.05E-04	1.95E-10	1.60E-01	4.71E-02	1.47E-12	1.0E+06	1.5E-06
668	668	1.12487	3.01416E-07	3.4E-07	6.05E-04	2.05E-10	1.60E-01	4.71E-02	1.55E-12	1.0E+06	1.5E-06
669	669	1.18391	3.01416E-07	3.6E-07	6.05E-04	2.16E-10	1.60E-01	4.71E-02	1.63E-12	1.0E+06	1.6E-06
670	670	1.24798	3.01416E-07	3.8E-07	6.05E-04	2.28E-10	1.60E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
671	671	1.31748	3.01416E-07	4.0E-07	6.05E-04	2.40E-10	1.60E-01	4.71E-02	1.81E-12	1.0E+06	1.8E-06
672	672	1.39311	3.01416E-07	4.2E-07	6.05E-04	2.54E-10	1.60E-01	4.71E-02	1.92E-12	1.0E+06	1.9E-06
673	673	1.47549	3.01416E-07	4.4E-07	6.05E-04	2.69E-10	1.60E-01	4.71E-02	2.03E-12	1.0E+06	2.0E-06
674	674	1.56558	3.01416E-07	4.7E-07	6.05E-04	2.86E-10	1.60E-01	4.71E-02	2.16E-12	1.0E+06	2.2E-06
675	675	1.66453	3.01416E-07	5.0E-07	6.05E-04	3.04E-10	1.60E-01	4.71E-02	2.29E-12	1.0E+06	2.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	1.77376	3.01416E-07	5.3E-07	6.05E-04	3.23E-10	1.60E-01	4.71E-02	2.44E-12	1.0E+06	2.4E-06
677	677	1.89458	3.01416E-07	5.7E-07	6.05E-04	3.46E-10	1.60E-01	4.71E-02	2.61E-12	1.0E+06	2.6E-06
678	678	2.02937	3.01416E-07	6.1E-07	6.05E-04	3.70E-10	1.60E-01	4.71E-02	2.80E-12	1.0E+06	2.8E-06
679	679	2.1796	3.01416E-07	6.6E-07	6.05E-04	3.98E-10	1.60E-01	4.71E-02	3.00E-12	1.0E+06	3.0E-06
680	680	2.32254	3.01416E-07	7.0E-07	6.05E-04	4.24E-10	1.60E-01	4.71E-02	3.20E-12	1.0E+06	3.2E-06
681	681	2.51263	3.01416E-07	7.6E-07	6.05E-04	4.58E-10	1.60E-01	4.71E-02	3.46E-12	1.0E+06	3.5E-06
682	682	2.70266	3.01416E-07	8.1E-07	6.05E-04	4.93E-10	1.60E-01	4.71E-02	3.72E-12	1.0E+06	3.7E-06
683	683	2.92676	3.01416E-07	8.8E-07	6.05E-04	5.34E-10	1.60E-01	4.71E-02	4.03E-12	1.0E+06	4.0E-06
684	684	3.19022	3.01416E-07	9.6E-07	6.05E-04	5.82E-10	1.60E-01	4.71E-02	4.39E-12	1.0E+06	4.4E-06
685	685	3.52216	3.01416E-07	1.1E-06	6.05E-04	6.42E-10	1.60E-01	4.71E-02	4.85E-12	1.0E+06	4.9E-06
686	686	3.90131	3.01416E-07	1.2E-06	6.05E-04	7.12E-10	1.60E-01	4.71E-02	5.37E-12	1.0E+06	5.4E-06
687	687	4.34362	3.01416E-07	1.3E-06	6.05E-04	7.92E-10	1.60E-01	4.71E-02	5.98E-12	1.0E+06	6.0E-06
688	688	4.86723	3.01416E-07	1.5E-06	6.05E-04	8.88E-10	1.60E-01	4.71E-02	6.70E-12	1.0E+06	6.7E-06
689	689	5.48867	3.01416E-07	1.7E-06	6.05E-04	1.00E-09	1.60E-01	4.71E-02	7.56E-12	1.0E+06	7.6E-06
690	690	6.22739	3.01416E-07	1.9E-06	6.05E-04	1.14E-09	1.60E-01	4.71E-02	8.58E-12	1.0E+06	8.6E-06
691	691	7.10029	3.01416E-07	2.1E-06	6.05E-04	1.29E-09	1.60E-01	4.71E-02	9.78E-12	1.0E+06	9.8E-06
692	692	0.56464	3.01416E-07	1.7E-07	6.05E-04	1.03E-10	1.60E-01	4.71E-02	7.78E-13	1.0E+06	7.8E-07
693	693	0.58618	3.01416E-07	1.8E-07	6.05E-04	1.07E-10	1.60E-01	4.71E-02	8.07E-13	1.0E+06	8.1E-07
694	694	0.6088	3.01416E-07	1.8E-07	6.05E-04	1.11E-10	1.60E-01	4.71E-02	8.39E-13	1.0E+06	8.4E-07
695	695	0.63235	3.01416E-07	1.9E-07	6.05E-04	1.15E-10	1.60E-01	4.71E-02	8.71E-13	1.0E+06	8.7E-07
696	696	0.65731	3.01416E-07	2.0E-07	6.05E-04	1.20E-10	1.60E-01	4.71E-02	9.05E-13	1.0E+06	9.1E-07
697	697	0.68364	3.01416E-07	2.1E-07	6.05E-04	1.25E-10	1.60E-01	4.71E-02	9.42E-13	1.0E+06	9.4E-07
698	698	0.71146	3.01416E-07	2.1E-07	6.05E-04	1.30E-10	1.60E-01	4.71E-02	9.80E-13	1.0E+06	9.8E-07
699	699	0.74116	3.01416E-07	2.2E-07	6.05E-04	1.35E-10	1.60E-01	4.71E-02	1.02E-12	1.0E+06	1.0E-06
700	700	0.77367	3.01416E-07	2.3E-07	6.05E-04	1.41E-10	1.60E-01	4.71E-02	1.07E-12	1.0E+06	1.1E-06
701	701	0.80833	3.01416E-07	2.4E-07	6.05E-04	1.47E-10	1.60E-01	4.71E-02	1.11E-12	1.0E+06	1.1E-06
702	702	0.8451	3.01416E-07	2.5E-07	6.05E-04	1.54E-10	1.60E-01	4.71E-02	1.16E-12	1.0E+06	1.2E-06
703	703	0.88423	3.01416E-07	2.7E-07	6.05E-04	1.61E-10	1.60E-01	4.71E-02	1.22E-12	1.0E+06	1.2E-06
704	704	0.92616	3.01416E-07	2.8E-07	6.05E-04	1.69E-10	1.60E-01	4.71E-02	1.28E-12	1.0E+06	1.3E-06
705	705	0.97032	3.01416E-07	2.9E-07	6.05E-04	1.77E-10	1.60E-01	4.71E-02	1.34E-12	1.0E+06	1.3E-06
706	706	1.01774	3.01416E-07	3.1E-07	6.05E-04	1.86E-10	1.60E-01	4.71E-02	1.40E-12	1.0E+06	1.4E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	1.0691	3.01416E-07	3.2E-07	6.05E-04	1.95E-10	1.60E-01	4.71E-02	1.47E-12	1.0E+06	1.5E-06
708	708	1.12519	3.01416E-07	3.4E-07	6.05E-04	2.05E-10	1.60E-01	4.71E-02	1.55E-12	1.0E+06	1.5E-06
709	709	1.18582	3.01416E-07	3.6E-07	6.05E-04	2.16E-10	1.60E-01	4.71E-02	1.63E-12	1.0E+06	1.6E-06
710	710	1.25202	3.01416E-07	3.8E-07	6.05E-04	2.28E-10	1.60E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
711	711	1.32398	3.01416E-07	4.0E-07	6.05E-04	2.41E-10	1.60E-01	4.71E-02	1.82E-12	1.0E+06	1.8E-06
712	712	1.40238	3.01416E-07	4.2E-07	6.05E-04	2.56E-10	1.60E-01	4.71E-02	1.93E-12	1.0E+06	1.9E-06
713	713	1.48801	3.01416E-07	4.5E-07	6.05E-04	2.71E-10	1.60E-01	4.71E-02	2.05E-12	1.0E+06	2.0E-06
714	714	1.58175	3.01416E-07	4.8E-07	6.05E-04	2.88E-10	1.60E-01	4.71E-02	2.18E-12	1.0E+06	2.2E-06
715	715	1.68474	3.01416E-07	5.1E-07	6.05E-04	3.07E-10	1.60E-01	4.71E-02	2.32E-12	1.0E+06	2.3E-06
716	716	1.79853	3.01416E-07	5.4E-07	6.05E-04	3.28E-10	1.60E-01	4.71E-02	2.48E-12	1.0E+06	2.5E-06
717	717	1.92479	3.01416E-07	5.8E-07	6.05E-04	3.51E-10	1.60E-01	4.71E-02	2.65E-12	1.0E+06	2.7E-06
718	718	2.06605	3.01416E-07	6.2E-07	6.05E-04	3.77E-10	1.60E-01	4.71E-02	2.85E-12	1.0E+06	2.8E-06
719	719	2.22407	3.01416E-07	6.7E-07	6.05E-04	4.06E-10	1.60E-01	4.71E-02	3.06E-12	1.0E+06	3.1E-06
720	720	2.40165	3.01416E-07	7.2E-07	6.05E-04	4.38E-10	1.60E-01	4.71E-02	3.31E-12	1.0E+06	3.3E-06
721	721	2.57626	3.01416E-07	7.8E-07	6.05E-04	4.70E-10	1.60E-01	4.71E-02	3.55E-12	1.0E+06	3.5E-06
722	722	2.77963	3.01416E-07	8.4E-07	6.05E-04	5.07E-10	1.60E-01	4.71E-02	3.83E-12	1.0E+06	3.8E-06
723	723	3.02085	3.01416E-07	9.1E-07	6.05E-04	5.51E-10	1.60E-01	4.71E-02	4.16E-12	1.0E+06	4.2E-06
724	724	3.33069	3.01416E-07	1.0E-06	6.05E-04	6.07E-10	1.60E-01	4.71E-02	4.59E-12	1.0E+06	4.6E-06
725	725	3.66616	3.01416E-07	1.1E-06	6.05E-04	6.69E-10	1.60E-01	4.71E-02	5.05E-12	1.0E+06	5.0E-06
726	726	4.08172	3.01416E-07	1.2E-06	6.05E-04	7.44E-10	1.60E-01	4.71E-02	5.62E-12	1.0E+06	5.6E-06
727	727	4.57264	3.01416E-07	1.4E-06	6.05E-04	8.34E-10	1.60E-01	4.71E-02	6.30E-12	1.0E+06	6.3E-06
728	728	5.16053	3.01416E-07	1.6E-06	6.05E-04	9.41E-10	1.60E-01	4.71E-02	7.11E-12	1.0E+06	7.1E-06
729	729	5.87024	3.01416E-07	1.8E-06	6.05E-04	1.07E-09	1.60E-01	4.71E-02	8.09E-12	1.0E+06	8.1E-06
730	730	6.73056	3.01416E-07	2.0E-06	6.05E-04	1.23E-09	1.60E-01	4.71E-02	9.27E-12	1.0E+06	9.3E-06
731	731	7.77096	3.01416E-07	2.3E-06	6.05E-04	1.42E-09	1.60E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
732	732	0.55503	3.01416E-07	1.7E-07	6.05E-04	1.01E-10	1.60E-01	4.71E-02	7.64E-13	1.0E+06	7.6E-07
733	733	0.5758	3.01416E-07	1.7E-07	6.05E-04	1.05E-10	1.60E-01	4.71E-02	7.93E-13	1.0E+06	7.9E-07
734	734	0.5979	3.01416E-07	1.8E-07	6.05E-04	1.09E-10	1.60E-01	4.71E-02	8.23E-13	1.0E+06	8.2E-07
735	735	0.62154	3.01416E-07	1.9E-07	6.05E-04	1.13E-10	1.60E-01	4.71E-02	8.56E-13	1.0E+06	8.6E-07
736	736	0.64666	3.01416E-07	1.9E-07	6.05E-04	1.18E-10	1.60E-01	4.71E-02	8.91E-13	1.0E+06	8.9E-07
737	737	0.67343	3.01416E-07	2.0E-07	6.05E-04	1.23E-10	1.60E-01	4.71E-02	9.28E-13	1.0E+06	9.3E-07

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.70204	3.01416E-07	2.1E-07	6.05E-04	1.28E-10	1.60E-01	4.71E-02	9.67E-13	1.0E+06	9.7E-07
739	739	0.73241	3.01416E-07	2.2E-07	6.05E-04	1.34E-10	1.60E-01	4.71E-02	1.01E-12	1.0E+06	1.0E-06
740	740	0.76539	3.01416E-07	2.3E-07	6.05E-04	1.40E-10	1.60E-01	4.71E-02	1.05E-12	1.0E+06	1.1E-06
741	741	0.80046	3.01416E-07	2.4E-07	6.05E-04	1.46E-10	1.60E-01	4.71E-02	1.10E-12	1.0E+06	1.1E-06
742	742	0.83759	3.01416E-07	2.5E-07	6.05E-04	1.53E-10	1.60E-01	4.71E-02	1.15E-12	1.0E+06	1.2E-06
743	743	0.87692	3.01416E-07	2.6E-07	6.05E-04	1.60E-10	1.60E-01	4.71E-02	1.21E-12	1.0E+06	1.2E-06
744	744	0.91916	3.01416E-07	2.8E-07	6.05E-04	1.68E-10	1.60E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
745	745	0.96314	3.01416E-07	2.9E-07	6.05E-04	1.76E-10	1.60E-01	4.71E-02	1.33E-12	1.0E+06	1.3E-06
746	746	1.01037	3.01416E-07	3.0E-07	6.05E-04	1.84E-10	1.60E-01	4.71E-02	1.39E-12	1.0E+06	1.4E-06
747	747	1.06185	3.01416E-07	3.2E-07	6.05E-04	1.94E-10	1.60E-01	4.71E-02	1.46E-12	1.0E+06	1.5E-06
748	748	1.11906	3.01416E-07	3.4E-07	6.05E-04	2.04E-10	1.60E-01	4.71E-02	1.54E-12	1.0E+06	1.5E-06
749	749	1.18103	3.01416E-07	3.6E-07	6.05E-04	2.15E-10	1.60E-01	4.71E-02	1.63E-12	1.0E+06	1.6E-06
750	750	1.24945	3.01416E-07	3.8E-07	6.05E-04	2.28E-10	1.60E-01	4.71E-02	1.72E-12	1.0E+06	1.7E-06
751	751	1.32395	3.01416E-07	4.0E-07	6.05E-04	2.41E-10	1.60E-01	4.71E-02	1.82E-12	1.0E+06	1.8E-06
752	752	1.40498	3.01416E-07	4.2E-07	6.05E-04	2.56E-10	1.60E-01	4.71E-02	1.94E-12	1.0E+06	1.9E-06
753	753	1.49353	3.01416E-07	4.5E-07	6.05E-04	2.72E-10	1.60E-01	4.71E-02	2.06E-12	1.0E+06	2.1E-06
754	754	1.59059	3.01416E-07	4.8E-07	6.05E-04	2.90E-10	1.60E-01	4.71E-02	2.19E-12	1.0E+06	2.2E-06
755	755	1.69725	3.01416E-07	5.1E-07	6.05E-04	3.10E-10	1.60E-01	4.71E-02	2.34E-12	1.0E+06	2.3E-06
756	756	1.81502	3.01416E-07	5.5E-07	6.05E-04	3.31E-10	1.60E-01	4.71E-02	2.50E-12	1.0E+06	2.5E-06
757	757	1.94597	3.01416E-07	5.9E-07	6.05E-04	3.55E-10	1.60E-01	4.71E-02	2.68E-12	1.0E+06	2.7E-06
758	758	2.09222	3.01416E-07	6.3E-07	6.05E-04	3.82E-10	1.60E-01	4.71E-02	2.88E-12	1.0E+06	2.9E-06
759	759	2.25643	3.01416E-07	6.8E-07	6.05E-04	4.12E-10	1.60E-01	4.71E-02	3.11E-12	1.0E+06	3.1E-06
760	760	2.44193	3.01416E-07	7.4E-07	6.05E-04	4.45E-10	1.60E-01	4.71E-02	3.36E-12	1.0E+06	3.4E-06
761	761	2.62615	3.01416E-07	7.9E-07	6.05E-04	4.79E-10	1.60E-01	4.71E-02	3.62E-12	1.0E+06	3.6E-06
762	762	2.86828	3.01416E-07	8.6E-07	6.05E-04	5.23E-10	1.60E-01	4.71E-02	3.95E-12	1.0E+06	4.0E-06
763	763	3.09928	3.01416E-07	9.3E-07	6.05E-04	5.65E-10	1.60E-01	4.71E-02	4.27E-12	1.0E+06	4.3E-06
764	764	3.42875	3.01416E-07	1.0E-06	6.05E-04	6.25E-10	1.60E-01	4.71E-02	4.72E-12	1.0E+06	4.7E-06
765	765	3.79019	3.01416E-07	1.1E-06	6.05E-04	6.91E-10	1.60E-01	4.71E-02	5.22E-12	1.0E+06	5.2E-06
766	766	4.23962	3.01416E-07	1.3E-06	6.05E-04	7.73E-10	1.60E-01	4.71E-02	5.84E-12	1.0E+06	5.8E-06
767	767	4.77616	3.01416E-07	1.4E-06	6.05E-04	8.71E-10	1.60E-01	4.71E-02	6.58E-12	1.0E+06	6.6E-06
768	768	5.4268	3.01416E-07	1.6E-06	6.05E-04	9.90E-10	1.60E-01	4.71E-02	7.47E-12	1.0E+06	7.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	6.22358	3.01416E-07	1.9E-06	6.05E-04	1.14E-09	1.60E-01	4.71E-02	8.57E-12	1.0E+06	8.6E-06
770	770	7.20784	3.01416E-07	2.2E-06	6.05E-04	1.31E-09	1.60E-01	4.71E-02	9.93E-12	1.0E+06	9.9E-06
771	771	8.42703	3.01416E-07	2.5E-06	6.05E-04	1.54E-09	1.60E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
772	772	0.54447	3.01416E-07	1.6E-07	6.05E-04	9.93E-11	1.60E-01	4.71E-02	7.50E-13	1.0E+06	7.5E-07
773	773	0.56485	3.01416E-07	1.7E-07	6.05E-04	1.03E-10	1.60E-01	4.71E-02	7.78E-13	1.0E+06	7.8E-07
774	774	0.58655	3.01416E-07	1.8E-07	6.05E-04	1.07E-10	1.60E-01	4.71E-02	8.08E-13	1.0E+06	8.1E-07
775	775	0.61023	3.01416E-07	1.8E-07	6.05E-04	1.11E-10	1.60E-01	4.71E-02	8.40E-13	1.0E+06	8.4E-07
776	776	0.63542	3.01416E-07	1.9E-07	6.05E-04	1.16E-10	1.60E-01	4.71E-02	8.75E-13	1.0E+06	8.8E-07
777	777	0.6623	3.01416E-07	2.0E-07	6.05E-04	1.21E-10	1.60E-01	4.71E-02	9.12E-13	1.0E+06	9.1E-07
778	778	0.69094	3.01416E-07	2.1E-07	6.05E-04	1.26E-10	1.60E-01	4.71E-02	9.52E-13	1.0E+06	9.5E-07
779	779	0.72148	3.01416E-07	2.2E-07	6.05E-04	1.32E-10	1.60E-01	4.71E-02	9.94E-13	1.0E+06	9.9E-07
780	780	0.75433	3.01416E-07	2.3E-07	6.05E-04	1.38E-10	1.60E-01	4.71E-02	1.04E-12	1.0E+06	1.0E-06
781	781	0.78946	3.01416E-07	2.4E-07	6.05E-04	1.44E-10	1.60E-01	4.71E-02	1.09E-12	1.0E+06	1.1E-06
782	782	0.82669	3.01416E-07	2.5E-07	6.05E-04	1.51E-10	1.60E-01	4.71E-02	1.14E-12	1.0E+06	1.1E-06
783	783	0.86634	3.01416E-07	2.6E-07	6.05E-04	1.58E-10	1.60E-01	4.71E-02	1.19E-12	1.0E+06	1.2E-06
784	784	0.9089	3.01416E-07	2.7E-07	6.05E-04	1.66E-10	1.60E-01	4.71E-02	1.25E-12	1.0E+06	1.3E-06
785	785	0.95341	3.01416E-07	2.9E-07	6.05E-04	1.74E-10	1.60E-01	4.71E-02	1.31E-12	1.0E+06	1.3E-06
786	786	1.00114	3.01416E-07	3.0E-07	6.05E-04	1.83E-10	1.60E-01	4.71E-02	1.38E-12	1.0E+06	1.4E-06
787	787	1.05328	3.01416E-07	3.2E-07	6.05E-04	1.92E-10	1.60E-01	4.71E-02	1.45E-12	1.0E+06	1.5E-06
788	788	1.11106	3.01416E-07	3.3E-07	6.05E-04	2.03E-10	1.60E-01	4.71E-02	1.53E-12	1.0E+06	1.5E-06
789	789	1.17374	3.01416E-07	3.5E-07	6.05E-04	2.14E-10	1.60E-01	4.71E-02	1.62E-12	1.0E+06	1.6E-06
790	790	1.24298	3.01416E-07	3.7E-07	6.05E-04	2.27E-10	1.60E-01	4.71E-02	1.71E-12	1.0E+06	1.7E-06
791	791	1.31858	3.01416E-07	4.0E-07	6.05E-04	2.40E-10	1.60E-01	4.71E-02	1.82E-12	1.0E+06	1.8E-06
792	792	1.40097	3.01416E-07	4.2E-07	6.05E-04	2.56E-10	1.60E-01	4.71E-02	1.93E-12	1.0E+06	1.9E-06
793	793	1.49119	3.01416E-07	4.5E-07	6.05E-04	2.72E-10	1.60E-01	4.71E-02	2.05E-12	1.0E+06	2.1E-06
794	794	1.5904	3.01416E-07	4.8E-07	6.05E-04	2.90E-10	1.60E-01	4.71E-02	2.19E-12	1.0E+06	2.2E-06
795	795	1.69967	3.01416E-07	5.1E-07	6.05E-04	3.10E-10	1.60E-01	4.71E-02	2.34E-12	1.0E+06	2.3E-06
796	796	1.82073	3.01416E-07	5.5E-07	6.05E-04	3.32E-10	1.60E-01	4.71E-02	2.51E-12	1.0E+06	2.5E-06
797	797	1.95569	3.01416E-07	5.9E-07	6.05E-04	3.57E-10	1.60E-01	4.71E-02	2.69E-12	1.0E+06	2.7E-06
798	798	2.10583	3.01416E-07	6.3E-07	6.05E-04	3.84E-10	1.60E-01	4.71E-02	2.90E-12	1.0E+06	2.9E-06
799	799	2.27501	3.01416E-07	6.9E-07	6.05E-04	4.15E-10	1.60E-01	4.71E-02	3.13E-12	1.0E+06	3.1E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	2.4669	3.01416E-07	7.4E-07	6.05E-04	4.50E-10	1.60E-01	4.71E-02	3.40E-12	1.0E+06	3.4E-06
801	801	2.68595	3.01416E-07	8.1E-07	6.05E-04	4.90E-10	1.60E-01	4.71E-02	3.70E-12	1.0E+06	3.7E-06
802	802	2.9125	3.01416E-07	8.8E-07	6.05E-04	5.31E-10	1.60E-01	4.71E-02	4.01E-12	1.0E+06	4.0E-06
803	803	3.18179	3.01416E-07	9.6E-07	6.05E-04	5.80E-10	1.60E-01	4.71E-02	4.38E-12	1.0E+06	4.4E-06
804	804	3.50316	3.01416E-07	1.1E-06	6.05E-04	6.39E-10	1.60E-01	4.71E-02	4.82E-12	1.0E+06	4.8E-06
805	805	3.88634	3.01416E-07	1.2E-06	6.05E-04	7.09E-10	1.60E-01	4.71E-02	5.35E-12	1.0E+06	5.4E-06
806	806	4.36591	3.01416E-07	1.3E-06	6.05E-04	7.96E-10	1.60E-01	4.71E-02	6.01E-12	1.0E+06	6.0E-06
807	807	4.9433	3.01416E-07	1.5E-06	6.05E-04	9.02E-10	1.60E-01	4.71E-02	6.81E-12	1.0E+06	6.8E-06
808	808	5.64996	3.01416E-07	1.7E-06	6.05E-04	1.03E-09	1.60E-01	4.71E-02	7.78E-12	1.0E+06	7.8E-06
809	809	6.52543	3.01416E-07	2.0E-06	6.05E-04	1.19E-09	1.60E-01	4.71E-02	8.99E-12	1.0E+06	9.0E-06
810	810	7.62612	3.01416E-07	2.3E-06	6.05E-04	1.39E-09	1.60E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
811	811	9.02124	3.01416E-07	2.7E-06	6.05E-04	1.65E-09	1.60E-01	4.71E-02	1.24E-11	1.0E+06	1.2E-05
812	812	0.53281	3.01416E-07	1.6E-07	6.05E-04	9.72E-11	1.60E-01	4.71E-02	7.34E-13	1.0E+06	7.3E-07
813	813	0.55273	3.01416E-07	1.7E-07	6.05E-04	1.01E-10	1.60E-01	4.71E-02	7.61E-13	1.0E+06	7.6E-07
814	814	0.57407	3.01416E-07	1.7E-07	6.05E-04	1.05E-10	1.60E-01	4.71E-02	7.91E-13	1.0E+06	7.9E-07
815	815	0.5977	3.01416E-07	1.8E-07	6.05E-04	1.09E-10	1.60E-01	4.71E-02	8.23E-13	1.0E+06	8.2E-07
816	816	0.62276	3.01416E-07	1.9E-07	6.05E-04	1.14E-10	1.60E-01	4.71E-02	8.58E-13	1.0E+06	8.6E-07
817	817	0.64957	3.01416E-07	2.0E-07	6.05E-04	1.18E-10	1.60E-01	4.71E-02	8.95E-13	1.0E+06	8.9E-07
818	818	0.67807	3.01416E-07	2.0E-07	6.05E-04	1.24E-10	1.60E-01	4.71E-02	9.34E-13	1.0E+06	9.3E-07
819	819	0.7085	3.01416E-07	2.1E-07	6.05E-04	1.29E-10	1.60E-01	4.71E-02	9.76E-13	1.0E+06	9.8E-07
820	820	0.74104	3.01416E-07	2.2E-07	6.05E-04	1.35E-10	1.60E-01	4.71E-02	1.02E-12	1.0E+06	1.0E-06
821	821	0.77577	3.01416E-07	2.3E-07	6.05E-04	1.41E-10	1.60E-01	4.71E-02	1.07E-12	1.0E+06	1.1E-06
822	822	0.81293	3.01416E-07	2.5E-07	6.05E-04	1.48E-10	1.60E-01	4.71E-02	1.12E-12	1.0E+06	1.1E-06
823	823	0.85277	3.01416E-07	2.6E-07	6.05E-04	1.56E-10	1.60E-01	4.71E-02	1.17E-12	1.0E+06	1.2E-06
824	824	0.89556	3.01416E-07	2.7E-07	6.05E-04	1.63E-10	1.60E-01	4.71E-02	1.23E-12	1.0E+06	1.2E-06
825	825	0.94042	3.01416E-07	2.8E-07	6.05E-04	1.72E-10	1.60E-01	4.71E-02	1.30E-12	1.0E+06	1.3E-06
826	826	0.98875	3.01416E-07	3.0E-07	6.05E-04	1.80E-10	1.60E-01	4.71E-02	1.36E-12	1.0E+06	1.4E-06
827	827	1.04147	3.01416E-07	3.1E-07	6.05E-04	1.90E-10	1.60E-01	4.71E-02	1.43E-12	1.0E+06	1.4E-06
828	828	1.0995	3.01416E-07	3.3E-07	6.05E-04	2.01E-10	1.60E-01	4.71E-02	1.51E-12	1.0E+06	1.5E-06
829	829	1.16252	3.01416E-07	3.5E-07	6.05E-04	2.12E-10	1.60E-01	4.71E-02	1.60E-12	1.0E+06	1.6E-06
830	830	1.23191	3.01416E-07	3.7E-07	6.05E-04	2.25E-10	1.60E-01	4.71E-02	1.70E-12	1.0E+06	1.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	1.30778	3.01416E-07	3.9E-07	6.05E-04	2.39E-10	1.60E-01	4.71E-02	1.80E-12	1.0E+06	1.8E-06
832	832	1.39069	3.01416E-07	4.2E-07	6.05E-04	2.54E-10	1.60E-01	4.71E-02	1.92E-12	1.0E+06	1.9E-06
833	833	1.48113	3.01416E-07	4.5E-07	6.05E-04	2.70E-10	1.60E-01	4.71E-02	2.04E-12	1.0E+06	2.0E-06
834	834	1.581	3.01416E-07	4.8E-07	6.05E-04	2.88E-10	1.60E-01	4.71E-02	2.18E-12	1.0E+06	2.2E-06
835	835	1.69164	3.01416E-07	5.1E-07	6.05E-04	3.09E-10	1.60E-01	4.71E-02	2.33E-12	1.0E+06	2.3E-06
836	836	1.81472	3.01416E-07	5.5E-07	6.05E-04	3.31E-10	1.60E-01	4.71E-02	2.50E-12	1.0E+06	2.5E-06
837	837	1.95218	3.01416E-07	5.9E-07	6.05E-04	3.56E-10	1.60E-01	4.71E-02	2.69E-12	1.0E+06	2.7E-06
838	838	2.10575	3.01416E-07	6.3E-07	6.05E-04	3.84E-10	1.60E-01	4.71E-02	2.90E-12	1.0E+06	2.9E-06
839	839	2.27909	3.01416E-07	6.9E-07	6.05E-04	4.16E-10	1.60E-01	4.71E-02	3.14E-12	1.0E+06	3.1E-06
840	840	2.47585	3.01416E-07	7.5E-07	6.05E-04	4.52E-10	1.60E-01	4.71E-02	3.41E-12	1.0E+06	3.4E-06
841	841	2.70087	3.01416E-07	8.1E-07	6.05E-04	4.93E-10	1.60E-01	4.71E-02	3.72E-12	1.0E+06	3.7E-06
842	842	2.93717	3.01416E-07	8.9E-07	6.05E-04	5.36E-10	1.60E-01	4.71E-02	4.05E-12	1.0E+06	4.0E-06
843	843	3.2179	3.01416E-07	9.7E-07	6.05E-04	5.87E-10	1.60E-01	4.71E-02	4.43E-12	1.0E+06	4.4E-06
844	844	3.55273	3.01416E-07	1.1E-06	6.05E-04	6.48E-10	1.60E-01	4.71E-02	4.89E-12	1.0E+06	4.9E-06
845	845	3.97382	3.01416E-07	1.2E-06	6.05E-04	7.25E-10	1.60E-01	4.71E-02	5.47E-12	1.0E+06	5.5E-06
846	846	4.45605	3.01416E-07	1.3E-06	6.05E-04	8.13E-10	1.60E-01	4.71E-02	6.14E-12	1.0E+06	6.1E-06
847	847	5.06521	3.01416E-07	1.5E-06	6.05E-04	9.24E-10	1.60E-01	4.71E-02	6.98E-12	1.0E+06	7.0E-06
848	848	5.81579	3.01416E-07	1.8E-06	6.05E-04	1.06E-09	1.60E-01	4.71E-02	8.01E-12	1.0E+06	8.0E-06
849	849	6.75456	3.01416E-07	2.0E-06	6.05E-04	1.23E-09	1.60E-01	4.71E-02	9.30E-12	1.0E+06	9.3E-06
850	850	7.94936	3.01416E-07	2.4E-06	6.05E-04	1.45E-09	1.60E-01	4.71E-02	1.09E-11	1.0E+06	1.1E-05
851	851	9.49315	3.01416E-07	2.9E-06	6.05E-04	1.73E-09	1.60E-01	4.71E-02	1.31E-11	1.0E+06	1.3E-05
852	852	0.52035	3.01416E-07	1.6E-07	6.05E-04	9.49E-11	1.60E-01	4.71E-02	7.17E-13	1.0E+06	7.2E-07
853	853	0.53971	3.01416E-07	1.6E-07	6.05E-04	9.84E-11	1.60E-01	4.71E-02	7.43E-13	1.0E+06	7.4E-07
854	854	0.56048	3.01416E-07	1.7E-07	6.05E-04	1.02E-10	1.60E-01	4.71E-02	7.72E-13	1.0E+06	7.7E-07
855	855	0.584	3.01416E-07	1.8E-07	6.05E-04	1.07E-10	1.60E-01	4.71E-02	8.04E-13	1.0E+06	8.0E-07
856	856	0.60896	3.01416E-07	1.8E-07	6.05E-04	1.11E-10	1.60E-01	4.71E-02	8.39E-13	1.0E+06	8.4E-07
857	857	0.63547	3.01416E-07	1.9E-07	6.05E-04	1.16E-10	1.60E-01	4.71E-02	8.75E-13	1.0E+06	8.8E-07
858	858	0.66367	3.01416E-07	2.0E-07	6.05E-04	1.21E-10	1.60E-01	4.71E-02	9.14E-13	1.0E+06	9.1E-07
859	859	0.69372	3.01416E-07	2.1E-07	6.05E-04	1.27E-10	1.60E-01	4.71E-02	9.55E-13	1.0E+06	9.6E-07
860	860	0.72579	3.01416E-07	2.2E-07	6.05E-04	1.32E-10	1.60E-01	4.71E-02	1.00E-12	1.0E+06	1.0E-06
861	861	0.75996	3.01416E-07	2.3E-07	6.05E-04	1.39E-10	1.60E-01	4.71E-02	1.05E-12	1.0E+06	1.0E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.79674	3.01416E-07	2.4E-07	6.05E-04	1.45E-10	1.60E-01	4.71E-02	1.10E-12	1.0E+06	1.1E-06
863	863	0.83651	3.01416E-07	2.5E-07	6.05E-04	1.53E-10	1.60E-01	4.71E-02	1.15E-12	1.0E+06	1.2E-06
864	864	0.87936	3.01416E-07	2.7E-07	6.05E-04	1.60E-10	1.60E-01	4.71E-02	1.21E-12	1.0E+06	1.2E-06
865	865	0.92481	3.01416E-07	2.8E-07	6.05E-04	1.69E-10	1.60E-01	4.71E-02	1.27E-12	1.0E+06	1.3E-06
866	866	0.97375	3.01416E-07	2.9E-07	6.05E-04	1.78E-10	1.60E-01	4.71E-02	1.34E-12	1.0E+06	1.3E-06
867	867	1.02683	3.01416E-07	3.1E-07	6.05E-04	1.87E-10	1.60E-01	4.71E-02	1.41E-12	1.0E+06	1.4E-06
868	868	1.08481	3.01416E-07	3.3E-07	6.05E-04	1.98E-10	1.60E-01	4.71E-02	1.49E-12	1.0E+06	1.5E-06
869	869	1.14782	3.01416E-07	3.5E-07	6.05E-04	2.09E-10	1.60E-01	4.71E-02	1.58E-12	1.0E+06	1.6E-06
870	870	1.21674	3.01416E-07	3.7E-07	6.05E-04	2.22E-10	1.60E-01	4.71E-02	1.68E-12	1.0E+06	1.7E-06
871	871	1.29202	3.01416E-07	3.9E-07	6.05E-04	2.36E-10	1.60E-01	4.71E-02	1.78E-12	1.0E+06	1.8E-06
872	872	1.37447	3.01416E-07	4.1E-07	6.05E-04	2.51E-10	1.60E-01	4.71E-02	1.89E-12	1.0E+06	1.9E-06
873	873	1.46413	3.01416E-07	4.4E-07	6.05E-04	2.67E-10	1.60E-01	4.71E-02	2.02E-12	1.0E+06	2.0E-06
874	874	1.56314	3.01416E-07	4.7E-07	6.05E-04	2.85E-10	1.60E-01	4.71E-02	2.15E-12	1.0E+06	2.2E-06
875	875	1.67372	3.01416E-07	5.0E-07	6.05E-04	3.05E-10	1.60E-01	4.71E-02	2.31E-12	1.0E+06	2.3E-06
876	876	1.7976	3.01416E-07	5.4E-07	6.05E-04	3.28E-10	1.60E-01	4.71E-02	2.48E-12	1.0E+06	2.5E-06
877	877	1.9362	3.01416E-07	5.8E-07	6.05E-04	3.53E-10	1.60E-01	4.71E-02	2.67E-12	1.0E+06	2.7E-06
878	878	2.09246	3.01416E-07	6.3E-07	6.05E-04	3.82E-10	1.60E-01	4.71E-02	2.88E-12	1.0E+06	2.9E-06
879	879	2.26905	3.01416E-07	6.8E-07	6.05E-04	4.14E-10	1.60E-01	4.71E-02	3.13E-12	1.0E+06	3.1E-06
880	880	2.46915	3.01416E-07	7.4E-07	6.05E-04	4.50E-10	1.60E-01	4.71E-02	3.40E-12	1.0E+06	3.4E-06
881	881	2.69707	3.01416E-07	8.1E-07	6.05E-04	4.92E-10	1.60E-01	4.71E-02	3.71E-12	1.0E+06	3.7E-06
882	882	2.95996	3.01416E-07	8.9E-07	6.05E-04	5.40E-10	1.60E-01	4.71E-02	4.08E-12	1.0E+06	4.1E-06
883	883	3.24853	3.01416E-07	9.8E-07	6.05E-04	5.92E-10	1.60E-01	4.71E-02	4.47E-12	1.0E+06	4.5E-06
884	884	3.59245	3.01416E-07	1.1E-06	6.05E-04	6.55E-10	1.60E-01	4.71E-02	4.95E-12	1.0E+06	4.9E-06
885	885	4.00532	3.01416E-07	1.2E-06	6.05E-04	7.30E-10	1.60E-01	4.71E-02	5.52E-12	1.0E+06	5.5E-06
886	886	4.50478	3.01416E-07	1.4E-06	6.05E-04	8.22E-10	1.60E-01	4.71E-02	6.20E-12	1.0E+06	6.2E-06
887	887	5.13388	3.01416E-07	1.5E-06	6.05E-04	9.36E-10	1.60E-01	4.71E-02	7.07E-12	1.0E+06	7.1E-06
888	888	5.9111	3.01416E-07	1.8E-06	6.05E-04	1.08E-09	1.60E-01	4.71E-02	8.14E-12	1.0E+06	8.1E-06
889	889	6.88846	3.01416E-07	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.49E-12	1.0E+06	9.5E-06
890	890	8.14346	3.01416E-07	2.5E-06	6.05E-04	1.49E-09	1.60E-01	4.71E-02	1.12E-11	1.0E+06	1.1E-05
891	891	9.78413	3.01416E-07	2.9E-06	6.05E-04	1.78E-09	1.60E-01	4.71E-02	1.35E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	0.54566	2.56808E-06	1.4E-06	6.05E-04	8.48E-10	1.60E-01	4.71E-02	6.40E-12	1.0E+06	6.4E-06
522	522	0.56284	2.56808E-06	1.4E-06	6.05E-04	8.75E-10	1.60E-01	4.71E-02	6.60E-12	1.0E+06	6.6E-06
523	523	0.58189	2.56808E-06	1.5E-06	6.05E-04	9.04E-10	1.60E-01	4.71E-02	6.83E-12	1.0E+06	6.8E-06
524	524	0.60457	2.56808E-06	1.6E-06	6.05E-04	9.39E-10	1.60E-01	4.71E-02	7.09E-12	1.0E+06	7.1E-06
525	525	0.63204	2.56808E-06	1.6E-06	6.05E-04	9.82E-10	1.60E-01	4.71E-02	7.42E-12	1.0E+06	7.4E-06
526	526	0.65985	2.56808E-06	1.7E-06	6.05E-04	1.03E-09	1.60E-01	4.71E-02	7.74E-12	1.0E+06	7.7E-06
527	527	0.68668	2.56808E-06	1.8E-06	6.05E-04	1.07E-09	1.60E-01	4.71E-02	8.06E-12	1.0E+06	8.1E-06
528	528	0.71644	2.56808E-06	1.8E-06	6.05E-04	1.11E-09	1.60E-01	4.71E-02	8.41E-12	1.0E+06	8.4E-06
529	529	0.74712	2.56808E-06	1.9E-06	6.05E-04	1.16E-09	1.60E-01	4.71E-02	8.77E-12	1.0E+06	8.8E-06
530	530	0.77774	2.56808E-06	2.0E-06	6.05E-04	1.21E-09	1.60E-01	4.71E-02	9.13E-12	1.0E+06	9.1E-06
531	531	0.80964	2.56808E-06	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.50E-12	1.0E+06	9.5E-06
532	532	0.28977	2.56808E-06	7.4E-07	6.05E-04	4.50E-10	1.60E-01	4.71E-02	3.40E-12	1.0E+06	3.4E-06
533	533	0.29509	2.56808E-06	7.6E-07	6.05E-04	4.59E-10	1.60E-01	4.71E-02	3.46E-12	1.0E+06	3.5E-06
534	534	0.30054	2.56808E-06	7.7E-07	6.05E-04	4.67E-10	1.60E-01	4.71E-02	3.53E-12	1.0E+06	3.5E-06
535	535	0.30606	2.56808E-06	7.9E-07	6.05E-04	4.76E-10	1.60E-01	4.71E-02	3.59E-12	1.0E+06	3.6E-06
536	536	0.31176	2.56808E-06	8.0E-07	6.05E-04	4.84E-10	1.60E-01	4.71E-02	3.66E-12	1.0E+06	3.7E-06
537	537	0.31761	2.56808E-06	8.2E-07	6.05E-04	4.94E-10	1.60E-01	4.71E-02	3.73E-12	1.0E+06	3.7E-06
538	538	0.32364	2.56808E-06	8.3E-07	6.05E-04	5.03E-10	1.60E-01	4.71E-02	3.80E-12	1.0E+06	3.8E-06
539	539	0.32989	2.56808E-06	8.5E-07	6.05E-04	5.13E-10	1.60E-01	4.71E-02	3.87E-12	1.0E+06	3.9E-06
540	540	0.33649	2.56808E-06	8.6E-07	6.05E-04	5.23E-10	1.60E-01	4.71E-02	3.95E-12	1.0E+06	3.9E-06
541	541	0.34332	2.56808E-06	8.8E-07	6.05E-04	5.33E-10	1.60E-01	4.71E-02	4.03E-12	1.0E+06	4.0E-06
542	542	0.35041	2.56808E-06	9.0E-07	6.05E-04	5.44E-10	1.60E-01	4.71E-02	4.11E-12	1.0E+06	4.1E-06
543	543	0.35776	2.56808E-06	9.2E-07	6.05E-04	5.56E-10	1.60E-01	4.71E-02	4.20E-12	1.0E+06	4.2E-06
544	544	0.36538	2.56808E-06	9.4E-07	6.05E-04	5.68E-10	1.60E-01	4.71E-02	4.29E-12	1.0E+06	4.3E-06
545	545	0.37326	2.56808E-06	9.6E-07	6.05E-04	5.80E-10	1.60E-01	4.71E-02	4.38E-12	1.0E+06	4.4E-06
546	546	0.38146	2.56808E-06	9.8E-07	6.05E-04	5.93E-10	1.60E-01	4.71E-02	4.48E-12	1.0E+06	4.5E-06
547	547	0.39	2.56808E-06	1.0E-06	6.05E-04	6.06E-10	1.60E-01	4.71E-02	4.58E-12	1.0E+06	4.6E-06
548	548	0.39892	2.56808E-06	1.0E-06	6.05E-04	6.20E-10	1.60E-01	4.71E-02	4.68E-12	1.0E+06	4.7E-06
549	549	0.40825	2.56808E-06	1.0E-06	6.05E-04	6.34E-10	1.60E-01	4.71E-02	4.79E-12	1.0E+06	4.8E-06
550	550	0.41806	2.56808E-06	1.1E-06	6.05E-04	6.50E-10	1.60E-01	4.71E-02	4.91E-12	1.0E+06	4.9E-06
551	551	0.42836	2.56808E-06	1.1E-06	6.05E-04	6.66E-10	1.60E-01	4.71E-02	5.03E-12	1.0E+06	5.0E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	0.43913	2.56808E-06	1.1E-06	6.05E-04	6.82E-10	1.60E-01	4.71E-02	5.15E-12	1.0E+06	5.2E-06
553	553	0.45038	2.56808E-06	1.2E-06	6.05E-04	7.00E-10	1.60E-01	4.71E-02	5.29E-12	1.0E+06	5.3E-06
554	554	0.46224	2.56808E-06	1.2E-06	6.05E-04	7.18E-10	1.60E-01	4.71E-02	5.42E-12	1.0E+06	5.4E-06
555	555	0.47471	2.56808E-06	1.2E-06	6.05E-04	7.38E-10	1.60E-01	4.71E-02	5.57E-12	1.0E+06	5.6E-06
556	556	0.4878	2.56808E-06	1.3E-06	6.05E-04	7.58E-10	1.60E-01	4.71E-02	5.72E-12	1.0E+06	5.7E-06
557	557	0.50165	2.56808E-06	1.3E-06	6.05E-04	7.79E-10	1.60E-01	4.71E-02	5.89E-12	1.0E+06	5.9E-06
558	558	0.51625	2.56808E-06	1.3E-06	6.05E-04	8.02E-10	1.60E-01	4.71E-02	6.06E-12	1.0E+06	6.1E-06
559	559	0.53175	2.56808E-06	1.4E-06	6.05E-04	8.26E-10	1.60E-01	4.71E-02	6.24E-12	1.0E+06	6.2E-06
560	560	0.54813	2.56808E-06	1.4E-06	6.05E-04	8.52E-10	1.60E-01	4.71E-02	6.43E-12	1.0E+06	6.4E-06
561	561	0.56541	2.56808E-06	1.5E-06	6.05E-04	8.79E-10	1.60E-01	4.71E-02	6.63E-12	1.0E+06	6.6E-06
562	562	0.58373	2.56808E-06	1.5E-06	6.05E-04	9.07E-10	1.60E-01	4.71E-02	6.85E-12	1.0E+06	6.8E-06
563	563	0.60377	2.56808E-06	1.6E-06	6.05E-04	9.38E-10	1.60E-01	4.71E-02	7.09E-12	1.0E+06	7.1E-06
564	564	0.62457	2.56808E-06	1.6E-06	6.05E-04	9.70E-10	1.60E-01	4.71E-02	7.33E-12	1.0E+06	7.3E-06
565	565	0.65444	2.56808E-06	1.7E-06	6.05E-04	1.02E-09	1.60E-01	4.71E-02	7.68E-12	1.0E+06	7.7E-06
566	566	0.68693	2.56808E-06	1.8E-06	6.05E-04	1.07E-09	1.60E-01	4.71E-02	8.06E-12	1.0E+06	8.1E-06
567	567	0.71405	2.56808E-06	1.8E-06	6.05E-04	1.11E-09	1.60E-01	4.71E-02	8.38E-12	1.0E+06	8.4E-06
568	568	0.74688	2.56808E-06	1.9E-06	6.05E-04	1.16E-09	1.60E-01	4.71E-02	8.76E-12	1.0E+06	8.8E-06
569	569	0.78097	2.56808E-06	2.0E-06	6.05E-04	1.21E-09	1.60E-01	4.71E-02	9.16E-12	1.0E+06	9.2E-06
570	570	0.81636	2.56808E-06	2.1E-06	6.05E-04	1.27E-09	1.60E-01	4.71E-02	9.58E-12	1.0E+06	9.6E-06
571	571	0.85198	2.56808E-06	2.2E-06	6.05E-04	1.32E-09	1.60E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
572	572	0.29457	2.56808E-06	7.6E-07	6.05E-04	4.58E-10	1.60E-01	4.71E-02	3.46E-12	1.0E+06	3.5E-06
573	573	0.30021	2.56808E-06	7.7E-07	6.05E-04	4.66E-10	1.60E-01	4.71E-02	3.52E-12	1.0E+06	3.5E-06
574	574	0.30598	2.56808E-06	7.9E-07	6.05E-04	4.75E-10	1.60E-01	4.71E-02	3.59E-12	1.0E+06	3.6E-06
575	575	0.31173	2.56808E-06	8.0E-07	6.05E-04	4.84E-10	1.60E-01	4.71E-02	3.66E-12	1.0E+06	3.7E-06
576	576	0.31767	2.56808E-06	8.2E-07	6.05E-04	4.94E-10	1.60E-01	4.71E-02	3.73E-12	1.0E+06	3.7E-06
577	577	0.32371	2.56808E-06	8.3E-07	6.05E-04	5.03E-10	1.60E-01	4.71E-02	3.80E-12	1.0E+06	3.8E-06
578	578	0.3299	2.56808E-06	8.5E-07	6.05E-04	5.13E-10	1.60E-01	4.71E-02	3.87E-12	1.0E+06	3.9E-06
579	579	0.33634	2.56808E-06	8.6E-07	6.05E-04	5.23E-10	1.60E-01	4.71E-02	3.95E-12	1.0E+06	3.9E-06
580	580	0.34328	2.56808E-06	8.8E-07	6.05E-04	5.33E-10	1.60E-01	4.71E-02	4.03E-12	1.0E+06	4.0E-06
581	581	0.35048	2.56808E-06	9.0E-07	6.05E-04	5.45E-10	1.60E-01	4.71E-02	4.11E-12	1.0E+06	4.1E-06
582	582	0.35795	2.56808E-06	9.2E-07	6.05E-04	5.56E-10	1.60E-01	4.71E-02	4.20E-12	1.0E+06	4.2E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.36572	2.56808E-06	9.4E-07	6.05E-04	5.68E-10	1.60E-01	4.71E-02	4.29E-12	1.0E+06	4.3E-06
584	584	0.37377	2.56808E-06	9.6E-07	6.05E-04	5.81E-10	1.60E-01	4.71E-02	4.39E-12	1.0E+06	4.4E-06
585	585	0.38203	2.56808E-06	9.8E-07	6.05E-04	5.94E-10	1.60E-01	4.71E-02	4.48E-12	1.0E+06	4.5E-06
586	586	0.39064	2.56808E-06	1.0E-06	6.05E-04	6.07E-10	1.60E-01	4.71E-02	4.58E-12	1.0E+06	4.6E-06
587	587	0.39962	2.56808E-06	1.0E-06	6.05E-04	6.21E-10	1.60E-01	4.71E-02	4.69E-12	1.0E+06	4.7E-06
588	588	0.40899	2.56808E-06	1.1E-06	6.05E-04	6.36E-10	1.60E-01	4.71E-02	4.80E-12	1.0E+06	4.8E-06
589	589	0.41878	2.56808E-06	1.1E-06	6.05E-04	6.51E-10	1.60E-01	4.71E-02	4.91E-12	1.0E+06	4.9E-06
590	590	0.42908	2.56808E-06	1.1E-06	6.05E-04	6.67E-10	1.60E-01	4.71E-02	5.04E-12	1.0E+06	5.0E-06
591	591	0.43992	2.56808E-06	1.1E-06	6.05E-04	6.84E-10	1.60E-01	4.71E-02	5.16E-12	1.0E+06	5.2E-06
592	592	0.45132	2.56808E-06	1.2E-06	6.05E-04	7.01E-10	1.60E-01	4.71E-02	5.30E-12	1.0E+06	5.3E-06
593	593	0.46331	2.56808E-06	1.2E-06	6.05E-04	7.20E-10	1.60E-01	4.71E-02	5.44E-12	1.0E+06	5.4E-06
594	594	0.47591	2.56808E-06	1.2E-06	6.05E-04	7.39E-10	1.60E-01	4.71E-02	5.58E-12	1.0E+06	5.6E-06
595	595	0.48916	2.56808E-06	1.3E-06	6.05E-04	7.60E-10	1.60E-01	4.71E-02	5.74E-12	1.0E+06	5.7E-06
596	596	0.5031	2.56808E-06	1.3E-06	6.05E-04	7.82E-10	1.60E-01	4.71E-02	5.90E-12	1.0E+06	5.9E-06
597	597	0.51781	2.56808E-06	1.3E-06	6.05E-04	8.05E-10	1.60E-01	4.71E-02	6.08E-12	1.0E+06	6.1E-06
598	598	0.53337	2.56808E-06	1.4E-06	6.05E-04	8.29E-10	1.60E-01	4.71E-02	6.26E-12	1.0E+06	6.3E-06
599	599	0.54988	2.56808E-06	1.4E-06	6.05E-04	8.54E-10	1.60E-01	4.71E-02	6.45E-12	1.0E+06	6.5E-06
600	600	0.56735	2.56808E-06	1.5E-06	6.05E-04	8.82E-10	1.60E-01	4.71E-02	6.66E-12	1.0E+06	6.7E-06
601	601	0.58575	2.56808E-06	1.5E-06	6.05E-04	9.10E-10	1.60E-01	4.71E-02	6.87E-12	1.0E+06	6.9E-06
602	602	0.60526	2.56808E-06	1.6E-06	6.05E-04	9.40E-10	1.60E-01	4.71E-02	7.10E-12	1.0E+06	7.1E-06
603	603	0.62707	2.56808E-06	1.6E-06	6.05E-04	9.74E-10	1.60E-01	4.71E-02	7.36E-12	1.0E+06	7.4E-06
604	604	0.64562	2.56808E-06	1.7E-06	6.05E-04	1.00E-09	1.60E-01	4.71E-02	7.58E-12	1.0E+06	7.6E-06
605	605	0.68016	2.56808E-06	1.7E-06	6.05E-04	1.06E-09	1.60E-01	4.71E-02	7.98E-12	1.0E+06	8.0E-06
606	606	0.71275	2.56808E-06	1.8E-06	6.05E-04	1.11E-09	1.60E-01	4.71E-02	8.36E-12	1.0E+06	8.4E-06
607	607	0.74448	2.56808E-06	1.9E-06	6.05E-04	1.16E-09	1.60E-01	4.71E-02	8.74E-12	1.0E+06	8.7E-06
608	608	0.77843	2.56808E-06	2.0E-06	6.05E-04	1.21E-09	1.60E-01	4.71E-02	9.13E-12	1.0E+06	9.1E-06
609	609	0.81783	2.56808E-06	2.1E-06	6.05E-04	1.27E-09	1.60E-01	4.71E-02	9.60E-12	1.0E+06	9.6E-06
610	610	0.85576	2.56808E-06	2.2E-06	6.05E-04	1.33E-09	1.60E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
611	611	0.89674	2.56808E-06	2.3E-06	6.05E-04	1.39E-09	1.60E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
612	612	0.29922	2.56808E-06	7.7E-07	6.05E-04	4.65E-10	1.60E-01	4.71E-02	3.51E-12	1.0E+06	3.5E-06
613	613	0.30525	2.56808E-06	7.8E-07	6.05E-04	4.74E-10	1.60E-01	4.71E-02	3.58E-12	1.0E+06	3.6E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.31133	2.56808E-06	8.0E-07	6.05E-04	4.84E-10	1.60E-01	4.71E-02	3.65E-12	1.0E+06	3.7E-06
615	615	0.31732	2.56808E-06	8.1E-07	6.05E-04	4.93E-10	1.60E-01	4.71E-02	3.72E-12	1.0E+06	3.7E-06
616	616	0.32351	2.56808E-06	8.3E-07	6.05E-04	5.03E-10	1.60E-01	4.71E-02	3.80E-12	1.0E+06	3.8E-06
617	617	0.32973	2.56808E-06	8.5E-07	6.05E-04	5.12E-10	1.60E-01	4.71E-02	3.87E-12	1.0E+06	3.9E-06
618	618	0.33605	2.56808E-06	8.6E-07	6.05E-04	5.22E-10	1.60E-01	4.71E-02	3.94E-12	1.0E+06	3.9E-06
619	619	0.34263	2.56808E-06	8.8E-07	6.05E-04	5.32E-10	1.60E-01	4.71E-02	4.02E-12	1.0E+06	4.0E-06
620	620	0.34993	2.56808E-06	9.0E-07	6.05E-04	5.44E-10	1.60E-01	4.71E-02	4.11E-12	1.0E+06	4.1E-06
621	621	0.35751	2.56808E-06	9.2E-07	6.05E-04	5.56E-10	1.60E-01	4.71E-02	4.20E-12	1.0E+06	4.2E-06
622	622	0.36539	2.56808E-06	9.4E-07	6.05E-04	5.68E-10	1.60E-01	4.71E-02	4.29E-12	1.0E+06	4.3E-06
623	623	0.37357	2.56808E-06	9.6E-07	6.05E-04	5.80E-10	1.60E-01	4.71E-02	4.38E-12	1.0E+06	4.4E-06
624	624	0.38207	2.56808E-06	9.8E-07	6.05E-04	5.94E-10	1.60E-01	4.71E-02	4.48E-12	1.0E+06	4.5E-06
625	625	0.39074	2.56808E-06	1.0E-06	6.05E-04	6.07E-10	1.60E-01	4.71E-02	4.59E-12	1.0E+06	4.6E-06
626	626	0.39975	2.56808E-06	1.0E-06	6.05E-04	6.21E-10	1.60E-01	4.71E-02	4.69E-12	1.0E+06	4.7E-06
627	627	0.40917	2.56808E-06	1.1E-06	6.05E-04	6.36E-10	1.60E-01	4.71E-02	4.80E-12	1.0E+06	4.8E-06
628	628	0.41899	2.56808E-06	1.1E-06	6.05E-04	6.51E-10	1.60E-01	4.71E-02	4.92E-12	1.0E+06	4.9E-06
629	629	0.42928	2.56808E-06	1.1E-06	6.05E-04	6.67E-10	1.60E-01	4.71E-02	5.04E-12	1.0E+06	5.0E-06
630	630	0.44008	2.56808E-06	1.1E-06	6.05E-04	6.84E-10	1.60E-01	4.71E-02	5.16E-12	1.0E+06	5.2E-06
631	631	0.45146	2.56808E-06	1.2E-06	6.05E-04	7.02E-10	1.60E-01	4.71E-02	5.30E-12	1.0E+06	5.3E-06
632	632	0.46348	2.56808E-06	1.2E-06	6.05E-04	7.20E-10	1.60E-01	4.71E-02	5.44E-12	1.0E+06	5.4E-06
633	633	0.47628	2.56808E-06	1.2E-06	6.05E-04	7.40E-10	1.60E-01	4.71E-02	5.59E-12	1.0E+06	5.6E-06
634	634	0.48968	2.56808E-06	1.3E-06	6.05E-04	7.61E-10	1.60E-01	4.71E-02	5.75E-12	1.0E+06	5.7E-06
635	635	0.50376	2.56808E-06	1.3E-06	6.05E-04	7.83E-10	1.60E-01	4.71E-02	5.91E-12	1.0E+06	5.9E-06
636	636	0.51858	2.56808E-06	1.3E-06	6.05E-04	8.06E-10	1.60E-01	4.71E-02	6.09E-12	1.0E+06	6.1E-06
637	637	0.53424	2.56808E-06	1.4E-06	6.05E-04	8.30E-10	1.60E-01	4.71E-02	6.27E-12	1.0E+06	6.3E-06
638	638	0.55077	2.56808E-06	1.4E-06	6.05E-04	8.56E-10	1.60E-01	4.71E-02	6.46E-12	1.0E+06	6.5E-06
639	639	0.56833	2.56808E-06	1.5E-06	6.05E-04	8.83E-10	1.60E-01	4.71E-02	6.67E-12	1.0E+06	6.7E-06
640	640	0.58691	2.56808E-06	1.5E-06	6.05E-04	9.12E-10	1.60E-01	4.71E-02	6.89E-12	1.0E+06	6.9E-06
641	641	0.60657	2.56808E-06	1.6E-06	6.05E-04	9.43E-10	1.60E-01	4.71E-02	7.12E-12	1.0E+06	7.1E-06
642	642	0.62756	2.56808E-06	1.6E-06	6.05E-04	9.75E-10	1.60E-01	4.71E-02	7.36E-12	1.0E+06	7.4E-06
643	643	0.6511	2.56808E-06	1.7E-06	6.05E-04	1.01E-09	1.60E-01	4.71E-02	7.64E-12	1.0E+06	7.6E-06
644	644	0.67446	2.56808E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.91E-12	1.0E+06	7.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	0.7065	2.56808E-06	1.8E-06	6.05E-04	1.10E-09	1.60E-01	4.71E-02	8.29E-12	1.0E+06	8.3E-06
646	646	0.73916	2.56808E-06	1.9E-06	6.05E-04	1.15E-09	1.60E-01	4.71E-02	8.67E-12	1.0E+06	8.7E-06
647	647	0.77603	2.56808E-06	2.0E-06	6.05E-04	1.21E-09	1.60E-01	4.71E-02	9.11E-12	1.0E+06	9.1E-06
648	648	0.81317	2.56808E-06	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.54E-12	1.0E+06	9.5E-06
649	649	0.85637	2.56808E-06	2.2E-06	6.05E-04	1.33E-09	1.60E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
650	650	0.89839	2.56808E-06	2.3E-06	6.05E-04	1.40E-09	1.60E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
651	651	0.94392	2.56808E-06	2.4E-06	6.05E-04	1.47E-09	1.60E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
652	652	0.30301	2.56808E-06	7.8E-07	6.05E-04	4.71E-10	1.60E-01	4.71E-02	3.56E-12	1.0E+06	3.6E-06
653	653	0.30928	2.56808E-06	7.9E-07	6.05E-04	4.81E-10	1.60E-01	4.71E-02	3.63E-12	1.0E+06	3.6E-06
654	654	0.31559	2.56808E-06	8.1E-07	6.05E-04	4.90E-10	1.60E-01	4.71E-02	3.70E-12	1.0E+06	3.7E-06
655	655	0.32181	2.56808E-06	8.3E-07	6.05E-04	5.00E-10	1.60E-01	4.71E-02	3.78E-12	1.0E+06	3.8E-06
656	656	0.32825	2.56808E-06	8.4E-07	6.05E-04	5.10E-10	1.60E-01	4.71E-02	3.85E-12	1.0E+06	3.9E-06
657	657	0.33477	2.56808E-06	8.6E-07	6.05E-04	5.20E-10	1.60E-01	4.71E-02	3.93E-12	1.0E+06	3.9E-06
658	658	0.34143	2.56808E-06	8.8E-07	6.05E-04	5.31E-10	1.60E-01	4.71E-02	4.01E-12	1.0E+06	4.0E-06
659	659	0.3484	2.56808E-06	8.9E-07	6.05E-04	5.41E-10	1.60E-01	4.71E-02	4.09E-12	1.0E+06	4.1E-06
660	660	0.35612	2.56808E-06	9.1E-07	6.05E-04	5.53E-10	1.60E-01	4.71E-02	4.18E-12	1.0E+06	4.2E-06
661	661	0.36408	2.56808E-06	9.3E-07	6.05E-04	5.66E-10	1.60E-01	4.71E-02	4.27E-12	1.0E+06	4.3E-06
662	662	0.37232	2.56808E-06	9.6E-07	6.05E-04	5.79E-10	1.60E-01	4.71E-02	4.37E-12	1.0E+06	4.4E-06
663	663	0.38089	2.56808E-06	9.8E-07	6.05E-04	5.92E-10	1.60E-01	4.71E-02	4.47E-12	1.0E+06	4.5E-06
664	664	0.38978	2.56808E-06	1.0E-06	6.05E-04	6.06E-10	1.60E-01	4.71E-02	4.57E-12	1.0E+06	4.6E-06
665	665	0.39879	2.56808E-06	1.0E-06	6.05E-04	6.20E-10	1.60E-01	4.71E-02	4.68E-12	1.0E+06	4.7E-06
666	666	0.40815	2.56808E-06	1.0E-06	6.05E-04	6.34E-10	1.60E-01	4.71E-02	4.79E-12	1.0E+06	4.8E-06
667	667	0.41798	2.56808E-06	1.1E-06	6.05E-04	6.49E-10	1.60E-01	4.71E-02	4.90E-12	1.0E+06	4.9E-06
668	668	0.42833	2.56808E-06	1.1E-06	6.05E-04	6.66E-10	1.60E-01	4.71E-02	5.03E-12	1.0E+06	5.0E-06
669	669	0.43917	2.56808E-06	1.1E-06	6.05E-04	6.82E-10	1.60E-01	4.71E-02	5.15E-12	1.0E+06	5.2E-06
670	670	0.45066	2.56808E-06	1.2E-06	6.05E-04	7.00E-10	1.60E-01	4.71E-02	5.29E-12	1.0E+06	5.3E-06
671	671	0.46273	2.56808E-06	1.2E-06	6.05E-04	7.19E-10	1.60E-01	4.71E-02	5.43E-12	1.0E+06	5.4E-06
672	672	0.47547	2.56808E-06	1.2E-06	6.05E-04	7.39E-10	1.60E-01	4.71E-02	5.58E-12	1.0E+06	5.6E-06
673	673	0.48906	2.56808E-06	1.3E-06	6.05E-04	7.60E-10	1.60E-01	4.71E-02	5.74E-12	1.0E+06	5.7E-06
674	674	0.50341	2.56808E-06	1.3E-06	6.05E-04	7.82E-10	1.60E-01	4.71E-02	5.91E-12	1.0E+06	5.9E-06
675	675	0.51836	2.56808E-06	1.3E-06	6.05E-04	8.05E-10	1.60E-01	4.71E-02	6.08E-12	1.0E+06	6.1E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	0.53412	2.56808E-06	1.4E-06	6.05E-04	8.30E-10	1.60E-01	4.71E-02	6.27E-12	1.0E+06	6.3E-06
677	677	0.55083	2.56808E-06	1.4E-06	6.05E-04	8.56E-10	1.60E-01	4.71E-02	6.46E-12	1.0E+06	6.5E-06
678	678	0.56831	2.56808E-06	1.5E-06	6.05E-04	8.83E-10	1.60E-01	4.71E-02	6.67E-12	1.0E+06	6.7E-06
679	679	0.58689	2.56808E-06	1.5E-06	6.05E-04	9.12E-10	1.60E-01	4.71E-02	6.89E-12	1.0E+06	6.9E-06
680	680	0.60669	2.56808E-06	1.6E-06	6.05E-04	9.43E-10	1.60E-01	4.71E-02	7.12E-12	1.0E+06	7.1E-06
681	681	0.62792	2.56808E-06	1.6E-06	6.05E-04	9.76E-10	1.60E-01	4.71E-02	7.37E-12	1.0E+06	7.4E-06
682	682	0.65059	2.56808E-06	1.7E-06	6.05E-04	1.01E-09	1.60E-01	4.71E-02	7.63E-12	1.0E+06	7.6E-06
683	683	0.67589	2.56808E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.93E-12	1.0E+06	7.9E-06
684	684	0.69996	2.56808E-06	1.8E-06	6.05E-04	1.09E-09	1.60E-01	4.71E-02	8.21E-12	1.0E+06	8.2E-06
685	685	0.73069	2.56808E-06	1.9E-06	6.05E-04	1.14E-09	1.60E-01	4.71E-02	8.57E-12	1.0E+06	8.6E-06
686	686	0.76601	2.56808E-06	2.0E-06	6.05E-04	1.19E-09	1.60E-01	4.71E-02	8.99E-12	1.0E+06	9.0E-06
687	687	0.80873	2.56808E-06	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.49E-12	1.0E+06	9.5E-06
688	688	0.84928	2.56808E-06	2.2E-06	6.05E-04	1.32E-09	1.60E-01	4.71E-02	9.97E-12	1.0E+06	1.0E-05
689	689	0.89642	2.56808E-06	2.3E-06	6.05E-04	1.39E-09	1.60E-01	4.71E-02	1.05E-11	1.0E+06	1.1E-05
690	690	0.94288	2.56808E-06	2.4E-06	6.05E-04	1.47E-09	1.60E-01	4.71E-02	1.11E-11	1.0E+06	1.1E-05
691	691	0.9923	2.56808E-06	2.5E-06	6.05E-04	1.54E-09	1.60E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
692	692	0.30628	2.56808E-06	7.9E-07	6.05E-04	4.76E-10	1.60E-01	4.71E-02	3.59E-12	1.0E+06	3.6E-06
693	693	0.3126	2.56808E-06	8.0E-07	6.05E-04	4.86E-10	1.60E-01	4.71E-02	3.67E-12	1.0E+06	3.7E-06
694	694	0.31908	2.56808E-06	8.2E-07	6.05E-04	4.96E-10	1.60E-01	4.71E-02	3.74E-12	1.0E+06	3.7E-06
695	695	0.32562	2.56808E-06	8.4E-07	6.05E-04	5.06E-10	1.60E-01	4.71E-02	3.82E-12	1.0E+06	3.8E-06
696	696	0.33238	2.56808E-06	8.5E-07	6.05E-04	5.16E-10	1.60E-01	4.71E-02	3.90E-12	1.0E+06	3.9E-06
697	697	0.33931	2.56808E-06	8.7E-07	6.05E-04	5.27E-10	1.60E-01	4.71E-02	3.98E-12	1.0E+06	4.0E-06
698	698	0.34643	2.56808E-06	8.9E-07	6.05E-04	5.38E-10	1.60E-01	4.71E-02	4.07E-12	1.0E+06	4.1E-06
699	699	0.35385	2.56808E-06	9.1E-07	6.05E-04	5.50E-10	1.60E-01	4.71E-02	4.15E-12	1.0E+06	4.2E-06
700	700	0.36191	2.56808E-06	9.3E-07	6.05E-04	5.62E-10	1.60E-01	4.71E-02	4.25E-12	1.0E+06	4.2E-06
701	701	0.37032	2.56808E-06	9.5E-07	6.05E-04	5.75E-10	1.60E-01	4.71E-02	4.35E-12	1.0E+06	4.3E-06
702	702	0.37896	2.56808E-06	9.7E-07	6.05E-04	5.89E-10	1.60E-01	4.71E-02	4.45E-12	1.0E+06	4.4E-06
703	703	0.38785	2.56808E-06	1.0E-06	6.05E-04	6.03E-10	1.60E-01	4.71E-02	4.55E-12	1.0E+06	4.6E-06
704	704	0.39712	2.56808E-06	1.0E-06	6.05E-04	6.17E-10	1.60E-01	4.71E-02	4.66E-12	1.0E+06	4.7E-06
705	705	0.40642	2.56808E-06	1.0E-06	6.05E-04	6.32E-10	1.60E-01	4.71E-02	4.77E-12	1.0E+06	4.8E-06
706	706	0.41607	2.56808E-06	1.1E-06	6.05E-04	6.47E-10	1.60E-01	4.71E-02	4.88E-12	1.0E+06	4.9E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	0.42625	2.56808E-06	1.1E-06	6.05E-04	6.62E-10	1.60E-01	4.71E-02	5.00E-12	1.0E+06	5.0E-06
708	708	0.43719	2.56808E-06	1.1E-06	6.05E-04	6.79E-10	1.60E-01	4.71E-02	5.13E-12	1.0E+06	5.1E-06
709	709	0.44863	2.56808E-06	1.2E-06	6.05E-04	6.97E-10	1.60E-01	4.71E-02	5.26E-12	1.0E+06	5.3E-06
710	710	0.46091	2.56808E-06	1.2E-06	6.05E-04	7.16E-10	1.60E-01	4.71E-02	5.41E-12	1.0E+06	5.4E-06
711	711	0.47384	2.56808E-06	1.2E-06	6.05E-04	7.36E-10	1.60E-01	4.71E-02	5.56E-12	1.0E+06	5.6E-06
712	712	0.48742	2.56808E-06	1.3E-06	6.05E-04	7.57E-10	1.60E-01	4.71E-02	5.72E-12	1.0E+06	5.7E-06
713	713	0.5018	2.56808E-06	1.3E-06	6.05E-04	7.80E-10	1.60E-01	4.71E-02	5.89E-12	1.0E+06	5.9E-06
714	714	0.51708	2.56808E-06	1.3E-06	6.05E-04	8.03E-10	1.60E-01	4.71E-02	6.07E-12	1.0E+06	6.1E-06
715	715	0.533	2.56808E-06	1.4E-06	6.05E-04	8.28E-10	1.60E-01	4.71E-02	6.25E-12	1.0E+06	6.3E-06
716	716	0.54973	2.56808E-06	1.4E-06	6.05E-04	8.54E-10	1.60E-01	4.71E-02	6.45E-12	1.0E+06	6.5E-06
717	717	0.56752	2.56808E-06	1.5E-06	6.05E-04	8.82E-10	1.60E-01	4.71E-02	6.66E-12	1.0E+06	6.7E-06
718	718	0.58598	2.56808E-06	1.5E-06	6.05E-04	9.11E-10	1.60E-01	4.71E-02	6.88E-12	1.0E+06	6.9E-06
719	719	0.60564	2.56808E-06	1.6E-06	6.05E-04	9.41E-10	1.60E-01	4.71E-02	7.11E-12	1.0E+06	7.1E-06
720	720	0.62672	2.56808E-06	1.6E-06	6.05E-04	9.74E-10	1.60E-01	4.71E-02	7.35E-12	1.0E+06	7.4E-06
721	721	0.6495	2.56808E-06	1.7E-06	6.05E-04	1.01E-09	1.60E-01	4.71E-02	7.62E-12	1.0E+06	7.6E-06
722	722	0.67398	2.56808E-06	1.7E-06	6.05E-04	1.05E-09	1.60E-01	4.71E-02	7.91E-12	1.0E+06	7.9E-06
723	723	0.7011	2.56808E-06	1.8E-06	6.05E-04	1.09E-09	1.60E-01	4.71E-02	8.23E-12	1.0E+06	8.2E-06
724	724	0.73048	2.56808E-06	1.9E-06	6.05E-04	1.14E-09	1.60E-01	4.71E-02	8.57E-12	1.0E+06	8.6E-06
725	725	0.75819	2.56808E-06	1.9E-06	6.05E-04	1.18E-09	1.60E-01	4.71E-02	8.90E-12	1.0E+06	8.9E-06
726	726	0.79623	2.56808E-06	2.0E-06	6.05E-04	1.24E-09	1.60E-01	4.71E-02	9.34E-12	1.0E+06	9.3E-06
727	727	0.84232	2.56808E-06	2.2E-06	6.05E-04	1.31E-09	1.60E-01	4.71E-02	9.88E-12	1.0E+06	9.9E-06
728	728	0.8864	2.56808E-06	2.3E-06	6.05E-04	1.38E-09	1.60E-01	4.71E-02	1.04E-11	1.0E+06	1.0E-05
729	729	0.9361	2.56808E-06	2.4E-06	6.05E-04	1.45E-09	1.60E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
730	730	0.98902	2.56808E-06	2.5E-06	6.05E-04	1.54E-09	1.60E-01	4.71E-02	1.16E-11	1.0E+06	1.2E-05
731	731	1.04384	2.56808E-06	2.7E-06	6.05E-04	1.62E-09	1.60E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
732	732	0.30915	2.56808E-06	7.9E-07	6.05E-04	4.80E-10	1.60E-01	4.71E-02	3.63E-12	1.0E+06	3.6E-06
733	733	0.31536	2.56808E-06	8.1E-07	6.05E-04	4.90E-10	1.60E-01	4.71E-02	3.70E-12	1.0E+06	3.7E-06
734	734	0.32183	2.56808E-06	8.3E-07	6.05E-04	5.00E-10	1.60E-01	4.71E-02	3.78E-12	1.0E+06	3.8E-06
735	735	0.32865	2.56808E-06	8.4E-07	6.05E-04	5.11E-10	1.60E-01	4.71E-02	3.86E-12	1.0E+06	3.9E-06
736	736	0.33575	2.56808E-06	8.6E-07	6.05E-04	5.22E-10	1.60E-01	4.71E-02	3.94E-12	1.0E+06	3.9E-06
737	737	0.34315	2.56808E-06	8.8E-07	6.05E-04	5.33E-10	1.60E-01	4.71E-02	4.03E-12	1.0E+06	4.0E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.3509	2.56808E-06	9.0E-07	6.05E-04	5.45E-10	1.60E-01	4.71E-02	4.12E-12	1.0E+06	4.1E-06
739	739	0.35889	2.56808E-06	9.2E-07	6.05E-04	5.58E-10	1.60E-01	4.71E-02	4.21E-12	1.0E+06	4.2E-06
740	740	0.3674	2.56808E-06	9.4E-07	6.05E-04	5.71E-10	1.60E-01	4.71E-02	4.31E-12	1.0E+06	4.3E-06
741	741	0.37617	2.56808E-06	9.7E-07	6.05E-04	5.85E-10	1.60E-01	4.71E-02	4.41E-12	1.0E+06	4.4E-06
742	742	0.38519	2.56808E-06	9.9E-07	6.05E-04	5.99E-10	1.60E-01	4.71E-02	4.52E-12	1.0E+06	4.5E-06
743	743	0.39443	2.56808E-06	1.0E-06	6.05E-04	6.13E-10	1.60E-01	4.71E-02	4.63E-12	1.0E+06	4.6E-06
744	744	0.40407	2.56808E-06	1.0E-06	6.05E-04	6.28E-10	1.60E-01	4.71E-02	4.74E-12	1.0E+06	4.7E-06
745	745	0.41359	2.56808E-06	1.1E-06	6.05E-04	6.43E-10	1.60E-01	4.71E-02	4.85E-12	1.0E+06	4.9E-06
746	746	0.42348	2.56808E-06	1.1E-06	6.05E-04	6.58E-10	1.60E-01	4.71E-02	4.97E-12	1.0E+06	5.0E-06
747	747	0.43399	2.56808E-06	1.1E-06	6.05E-04	6.74E-10	1.60E-01	4.71E-02	5.09E-12	1.0E+06	5.1E-06
748	748	0.44553	2.56808E-06	1.1E-06	6.05E-04	6.92E-10	1.60E-01	4.71E-02	5.23E-12	1.0E+06	5.2E-06
749	749	0.45764	2.56808E-06	1.2E-06	6.05E-04	7.11E-10	1.60E-01	4.71E-02	5.37E-12	1.0E+06	5.4E-06
750	750	0.47077	2.56808E-06	1.2E-06	6.05E-04	7.32E-10	1.60E-01	4.71E-02	5.52E-12	1.0E+06	5.5E-06
751	751	0.48467	2.56808E-06	1.2E-06	6.05E-04	7.53E-10	1.60E-01	4.71E-02	5.69E-12	1.0E+06	5.7E-06
752	752	0.49919	2.56808E-06	1.3E-06	6.05E-04	7.76E-10	1.60E-01	4.71E-02	5.86E-12	1.0E+06	5.9E-06
753	753	0.51441	2.56808E-06	1.3E-06	6.05E-04	7.99E-10	1.60E-01	4.71E-02	6.04E-12	1.0E+06	6.0E-06
754	754	0.53054	2.56808E-06	1.4E-06	6.05E-04	8.24E-10	1.60E-01	4.71E-02	6.23E-12	1.0E+06	6.2E-06
755	755	0.54751	2.56808E-06	1.4E-06	6.05E-04	8.51E-10	1.60E-01	4.71E-02	6.42E-12	1.0E+06	6.4E-06
756	756	0.56521	2.56808E-06	1.5E-06	6.05E-04	8.78E-10	1.60E-01	4.71E-02	6.63E-12	1.0E+06	6.6E-06
757	757	0.58407	2.56808E-06	1.5E-06	6.05E-04	9.08E-10	1.60E-01	4.71E-02	6.85E-12	1.0E+06	6.9E-06
758	758	0.6036	2.56808E-06	1.6E-06	6.05E-04	9.38E-10	1.60E-01	4.71E-02	7.08E-12	1.0E+06	7.1E-06
759	759	0.62439	2.56808E-06	1.6E-06	6.05E-04	9.70E-10	1.60E-01	4.71E-02	7.33E-12	1.0E+06	7.3E-06
760	760	0.64681	2.56808E-06	1.7E-06	6.05E-04	1.01E-09	1.60E-01	4.71E-02	7.59E-12	1.0E+06	7.6E-06
761	761	0.6712	2.56808E-06	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.88E-12	1.0E+06	7.9E-06
762	762	0.69749	2.56808E-06	1.8E-06	6.05E-04	1.08E-09	1.60E-01	4.71E-02	8.18E-12	1.0E+06	8.2E-06
763	763	0.72643	2.56808E-06	1.9E-06	6.05E-04	1.13E-09	1.60E-01	4.71E-02	8.52E-12	1.0E+06	8.5E-06
764	764	0.75789	2.56808E-06	1.9E-06	6.05E-04	1.18E-09	1.60E-01	4.71E-02	8.89E-12	1.0E+06	8.9E-06
765	765	0.78139	2.56808E-06	2.0E-06	6.05E-04	1.21E-09	1.60E-01	4.71E-02	9.17E-12	1.0E+06	9.2E-06
766	766	0.8268	2.56808E-06	2.1E-06	6.05E-04	1.28E-09	1.60E-01	4.71E-02	9.70E-12	1.0E+06	9.7E-06
767	767	0.87394	2.56808E-06	2.2E-06	6.05E-04	1.36E-09	1.60E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
768	768	0.92208	2.56808E-06	2.4E-06	6.05E-04	1.43E-09	1.60E-01	4.71E-02	1.08E-11	1.0E+06	1.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	0.97847	2.56808E-06	2.5E-06	6.05E-04	1.52E-09	1.60E-01	4.71E-02	1.15E-11	1.0E+06	1.1E-05
770	770	1.03648	2.56808E-06	2.7E-06	6.05E-04	1.61E-09	1.60E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
771	771	1.09713	2.56808E-06	2.8E-06	6.05E-04	1.70E-09	1.60E-01	4.71E-02	1.29E-11	1.0E+06	1.3E-05
772	772	0.31186	2.56808E-06	8.0E-07	6.05E-04	4.85E-10	1.60E-01	4.71E-02	3.66E-12	1.0E+06	3.7E-06
773	773	0.31818	2.56808E-06	8.2E-07	6.05E-04	4.94E-10	1.60E-01	4.71E-02	3.73E-12	1.0E+06	3.7E-06
774	774	0.32478	2.56808E-06	8.3E-07	6.05E-04	5.05E-10	1.60E-01	4.71E-02	3.81E-12	1.0E+06	3.8E-06
775	775	0.3319	2.56808E-06	8.5E-07	6.05E-04	5.16E-10	1.60E-01	4.71E-02	3.89E-12	1.0E+06	3.9E-06
776	776	0.3393	2.56808E-06	8.7E-07	6.05E-04	5.27E-10	1.60E-01	4.71E-02	3.98E-12	1.0E+06	4.0E-06
777	777	0.34705	2.56808E-06	8.9E-07	6.05E-04	5.39E-10	1.60E-01	4.71E-02	4.07E-12	1.0E+06	4.1E-06
778	778	0.35513	2.56808E-06	9.1E-07	6.05E-04	5.52E-10	1.60E-01	4.71E-02	4.17E-12	1.0E+06	4.2E-06
779	779	0.36353	2.56808E-06	9.3E-07	6.05E-04	5.65E-10	1.60E-01	4.71E-02	4.27E-12	1.0E+06	4.3E-06
780	780	0.37236	2.56808E-06	9.6E-07	6.05E-04	5.79E-10	1.60E-01	4.71E-02	4.37E-12	1.0E+06	4.4E-06
781	781	0.38152	2.56808E-06	9.8E-07	6.05E-04	5.93E-10	1.60E-01	4.71E-02	4.48E-12	1.0E+06	4.5E-06
782	782	0.39091	2.56808E-06	1.0E-06	6.05E-04	6.07E-10	1.60E-01	4.71E-02	4.59E-12	1.0E+06	4.6E-06
783	783	0.40059	2.56808E-06	1.0E-06	6.05E-04	6.22E-10	1.60E-01	4.71E-02	4.70E-12	1.0E+06	4.7E-06
784	784	0.41071	2.56808E-06	1.1E-06	6.05E-04	6.38E-10	1.60E-01	4.71E-02	4.82E-12	1.0E+06	4.8E-06
785	785	0.42085	2.56808E-06	1.1E-06	6.05E-04	6.54E-10	1.60E-01	4.71E-02	4.94E-12	1.0E+06	4.9E-06
786	786	0.43136	2.56808E-06	1.1E-06	6.05E-04	6.70E-10	1.60E-01	4.71E-02	5.06E-12	1.0E+06	5.1E-06
787	787	0.44252	2.56808E-06	1.1E-06	6.05E-04	6.88E-10	1.60E-01	4.71E-02	5.19E-12	1.0E+06	5.2E-06
788	788	0.45463	2.56808E-06	1.2E-06	6.05E-04	7.06E-10	1.60E-01	4.71E-02	5.33E-12	1.0E+06	5.3E-06
789	789	0.46733	2.56808E-06	1.2E-06	6.05E-04	7.26E-10	1.60E-01	4.71E-02	5.48E-12	1.0E+06	5.5E-06
790	790	0.48103	2.56808E-06	1.2E-06	6.05E-04	7.47E-10	1.60E-01	4.71E-02	5.64E-12	1.0E+06	5.6E-06
791	791	0.49551	2.56808E-06	1.3E-06	6.05E-04	7.70E-10	1.60E-01	4.71E-02	5.81E-12	1.0E+06	5.8E-06
792	792	0.51069	2.56808E-06	1.3E-06	6.05E-04	7.94E-10	1.60E-01	4.71E-02	5.99E-12	1.0E+06	6.0E-06
793	793	0.5266	2.56808E-06	1.4E-06	6.05E-04	8.18E-10	1.60E-01	4.71E-02	6.18E-12	1.0E+06	6.2E-06
794	794	0.54335	2.56808E-06	1.4E-06	6.05E-04	8.44E-10	1.60E-01	4.71E-02	6.38E-12	1.0E+06	6.4E-06
795	795	0.56103	2.56808E-06	1.4E-06	6.05E-04	8.72E-10	1.60E-01	4.71E-02	6.58E-12	1.0E+06	6.6E-06
796	796	0.57982	2.56808E-06	1.5E-06	6.05E-04	9.01E-10	1.60E-01	4.71E-02	6.80E-12	1.0E+06	6.8E-06
797	797	0.59976	2.56808E-06	1.5E-06	6.05E-04	9.32E-10	1.60E-01	4.71E-02	7.04E-12	1.0E+06	7.0E-06
798	798	0.62056	2.56808E-06	1.6E-06	6.05E-04	9.64E-10	1.60E-01	4.71E-02	7.28E-12	1.0E+06	7.3E-06
799	799	0.64284	2.56808E-06	1.7E-06	6.05E-04	9.99E-10	1.60E-01	4.71E-02	7.54E-12	1.0E+06	7.5E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	0.66682	2.56808E-06	1.7E-06	6.05E-04	1.04E-09	1.60E-01	4.71E-02	7.82E-12	1.0E+06	7.8E-06
801	801	0.69276	2.56808E-06	1.8E-06	6.05E-04	1.08E-09	1.60E-01	4.71E-02	8.13E-12	1.0E+06	8.1E-06
802	802	0.72082	2.56808E-06	1.9E-06	6.05E-04	1.12E-09	1.60E-01	4.71E-02	8.46E-12	1.0E+06	8.5E-06
803	803	0.75155	2.56808E-06	1.9E-06	6.05E-04	1.17E-09	1.60E-01	4.71E-02	8.82E-12	1.0E+06	8.8E-06
804	804	0.78506	2.56808E-06	2.0E-06	6.05E-04	1.22E-09	1.60E-01	4.71E-02	9.21E-12	1.0E+06	9.2E-06
805	805	0.81412	2.56808E-06	2.1E-06	6.05E-04	1.27E-09	1.60E-01	4.71E-02	9.55E-12	1.0E+06	9.6E-06
806	806	0.85421	2.56808E-06	2.2E-06	6.05E-04	1.33E-09	1.60E-01	4.71E-02	1.00E-11	1.0E+06	1.0E-05
807	807	0.90541	2.56808E-06	2.3E-06	6.05E-04	1.41E-09	1.60E-01	4.71E-02	1.06E-11	1.0E+06	1.1E-05
808	808	0.96046	2.56808E-06	2.5E-06	6.05E-04	1.49E-09	1.60E-01	4.71E-02	1.13E-11	1.0E+06	1.1E-05
809	809	1.01955	2.56808E-06	2.6E-06	6.05E-04	1.58E-09	1.60E-01	4.71E-02	1.20E-11	1.0E+06	1.2E-05
810	810	1.08493	2.56808E-06	2.8E-06	6.05E-04	1.69E-09	1.60E-01	4.71E-02	1.27E-11	1.0E+06	1.3E-05
811	811	1.15317	2.56808E-06	3.0E-06	6.05E-04	1.79E-09	1.60E-01	4.71E-02	1.35E-11	1.0E+06	1.4E-05
812	812	0.31417	2.56808E-06	8.1E-07	6.05E-04	4.88E-10	1.60E-01	4.71E-02	3.69E-12	1.0E+06	3.7E-06
813	813	0.32062	2.56808E-06	8.2E-07	6.05E-04	4.98E-10	1.60E-01	4.71E-02	3.76E-12	1.0E+06	3.8E-06
814	814	0.32741	2.56808E-06	8.4E-07	6.05E-04	5.09E-10	1.60E-01	4.71E-02	3.84E-12	1.0E+06	3.8E-06
815	815	0.33485	2.56808E-06	8.6E-07	6.05E-04	5.20E-10	1.60E-01	4.71E-02	3.93E-12	1.0E+06	3.9E-06
816	816	0.34255	2.56808E-06	8.8E-07	6.05E-04	5.32E-10	1.60E-01	4.71E-02	4.02E-12	1.0E+06	4.0E-06
817	817	0.35061	2.56808E-06	9.0E-07	6.05E-04	5.45E-10	1.60E-01	4.71E-02	4.11E-12	1.0E+06	4.1E-06
818	818	0.35898	2.56808E-06	9.2E-07	6.05E-04	5.58E-10	1.60E-01	4.71E-02	4.21E-12	1.0E+06	4.2E-06
819	819	0.36772	2.56808E-06	9.4E-07	6.05E-04	5.71E-10	1.60E-01	4.71E-02	4.32E-12	1.0E+06	4.3E-06
820	820	0.37683	2.56808E-06	9.7E-07	6.05E-04	5.86E-10	1.60E-01	4.71E-02	4.42E-12	1.0E+06	4.4E-06
821	821	0.3863	2.56808E-06	9.9E-07	6.05E-04	6.00E-10	1.60E-01	4.71E-02	4.53E-12	1.0E+06	4.5E-06
822	822	0.39613	2.56808E-06	1.0E-06	6.05E-04	6.16E-10	1.60E-01	4.71E-02	4.65E-12	1.0E+06	4.6E-06
823	823	0.40633	2.56808E-06	1.0E-06	6.05E-04	6.31E-10	1.60E-01	4.71E-02	4.77E-12	1.0E+06	4.8E-06
824	824	0.41696	2.56808E-06	1.1E-06	6.05E-04	6.48E-10	1.60E-01	4.71E-02	4.89E-12	1.0E+06	4.9E-06
825	825	0.42768	2.56808E-06	1.1E-06	6.05E-04	6.65E-10	1.60E-01	4.71E-02	5.02E-12	1.0E+06	5.0E-06
826	826	0.43889	2.56808E-06	1.1E-06	6.05E-04	6.82E-10	1.60E-01	4.71E-02	5.15E-12	1.0E+06	5.2E-06
827	827	0.45077	2.56808E-06	1.2E-06	6.05E-04	7.00E-10	1.60E-01	4.71E-02	5.29E-12	1.0E+06	5.3E-06
828	828	0.46346	2.56808E-06	1.2E-06	6.05E-04	7.20E-10	1.60E-01	4.71E-02	5.44E-12	1.0E+06	5.4E-06
829	829	0.47678	2.56808E-06	1.2E-06	6.05E-04	7.41E-10	1.60E-01	4.71E-02	5.59E-12	1.0E+06	5.6E-06
830	830	0.49101	2.56808E-06	1.3E-06	6.05E-04	7.63E-10	1.60E-01	4.71E-02	5.76E-12	1.0E+06	5.8E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	0.50603	2.56808E-06	1.3E-06	6.05E-04	7.86E-10	1.60E-01	4.71E-02	5.94E-12	1.0E+06	5.9E-06
832	832	0.52185	2.56808E-06	1.3E-06	6.05E-04	8.11E-10	1.60E-01	4.71E-02	6.12E-12	1.0E+06	6.1E-06
833	833	0.53836	2.56808E-06	1.4E-06	6.05E-04	8.37E-10	1.60E-01	4.71E-02	6.32E-12	1.0E+06	6.3E-06
834	834	0.5558	2.56808E-06	1.4E-06	6.05E-04	8.64E-10	1.60E-01	4.71E-02	6.52E-12	1.0E+06	6.5E-06
835	835	0.57427	2.56808E-06	1.5E-06	6.05E-04	8.92E-10	1.60E-01	4.71E-02	6.74E-12	1.0E+06	6.7E-06
836	836	0.59394	2.56808E-06	1.5E-06	6.05E-04	9.23E-10	1.60E-01	4.71E-02	6.97E-12	1.0E+06	7.0E-06
837	837	0.615	2.56808E-06	1.6E-06	6.05E-04	9.56E-10	1.60E-01	4.71E-02	7.22E-12	1.0E+06	7.2E-06
838	838	0.63729	2.56808E-06	1.6E-06	6.05E-04	9.90E-10	1.60E-01	4.71E-02	7.48E-12	1.0E+06	7.5E-06
839	839	0.66108	2.56808E-06	1.7E-06	6.05E-04	1.03E-09	1.60E-01	4.71E-02	7.76E-12	1.0E+06	7.8E-06
840	840	0.68667	2.56808E-06	1.8E-06	6.05E-04	1.07E-09	1.60E-01	4.71E-02	8.06E-12	1.0E+06	8.1E-06
841	841	0.71425	2.56808E-06	1.8E-06	6.05E-04	1.11E-09	1.60E-01	4.71E-02	8.38E-12	1.0E+06	8.4E-06
842	842	0.74406	2.56808E-06	1.9E-06	6.05E-04	1.16E-09	1.60E-01	4.71E-02	8.73E-12	1.0E+06	8.7E-06
843	843	0.77663	2.56808E-06	2.0E-06	6.05E-04	1.21E-09	1.60E-01	4.71E-02	9.11E-12	1.0E+06	9.1E-06
844	844	0.8122	2.56808E-06	2.1E-06	6.05E-04	1.26E-09	1.60E-01	4.71E-02	9.53E-12	1.0E+06	9.5E-06
845	845	0.85089	2.56808E-06	2.2E-06	6.05E-04	1.32E-09	1.60E-01	4.71E-02	9.98E-12	1.0E+06	1.0E-05
846	846	0.88042	2.56808E-06	2.3E-06	6.05E-04	1.37E-09	1.60E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
847	847	0.93666	2.56808E-06	2.4E-06	6.05E-04	1.46E-09	1.60E-01	4.71E-02	1.10E-11	1.0E+06	1.1E-05
848	848	0.99918	2.56808E-06	2.6E-06	6.05E-04	1.55E-09	1.60E-01	4.71E-02	1.17E-11	1.0E+06	1.2E-05
849	849	1.06309	2.56808E-06	2.7E-06	6.05E-04	1.65E-09	1.60E-01	4.71E-02	1.25E-11	1.0E+06	1.2E-05
850	850	1.13402	2.56808E-06	2.9E-06	6.05E-04	1.76E-09	1.60E-01	4.71E-02	1.33E-11	1.0E+06	1.3E-05
851	851	1.2088	2.56808E-06	3.1E-06	6.05E-04	1.88E-09	1.60E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
852	852	0.31615	2.56808E-06	8.1E-07	6.05E-04	4.91E-10	1.60E-01	4.71E-02	3.71E-12	1.0E+06	3.7E-06
853	853	0.32269	2.56808E-06	8.3E-07	6.05E-04	5.01E-10	1.60E-01	4.71E-02	3.79E-12	1.0E+06	3.8E-06
854	854	0.32959	2.56808E-06	8.5E-07	6.05E-04	5.12E-10	1.60E-01	4.71E-02	3.87E-12	1.0E+06	3.9E-06
855	855	0.33735	2.56808E-06	8.7E-07	6.05E-04	5.24E-10	1.60E-01	4.71E-02	3.96E-12	1.0E+06	4.0E-06
856	856	0.34541	2.56808E-06	8.9E-07	6.05E-04	5.37E-10	1.60E-01	4.71E-02	4.05E-12	1.0E+06	4.1E-06
857	857	0.35376	2.56808E-06	9.1E-07	6.05E-04	5.50E-10	1.60E-01	4.71E-02	4.15E-12	1.0E+06	4.2E-06
858	858	0.36243	2.56808E-06	9.3E-07	6.05E-04	5.63E-10	1.60E-01	4.71E-02	4.25E-12	1.0E+06	4.3E-06
859	859	0.37143	2.56808E-06	9.5E-07	6.05E-04	5.77E-10	1.60E-01	4.71E-02	4.36E-12	1.0E+06	4.4E-06
860	860	0.3808	2.56808E-06	9.8E-07	6.05E-04	5.92E-10	1.60E-01	4.71E-02	4.47E-12	1.0E+06	4.5E-06
861	861	0.39054	2.56808E-06	1.0E-06	6.05E-04	6.07E-10	1.60E-01	4.71E-02	4.58E-12	1.0E+06	4.6E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.40076	2.56808E-06	1.0E-06	6.05E-04	6.23E-10	1.60E-01	4.71E-02	4.70E-12	1.0E+06	4.7E-06
863	863	0.4115	2.56808E-06	1.1E-06	6.05E-04	6.39E-10	1.60E-01	4.71E-02	4.83E-12	1.0E+06	4.8E-06
864	864	0.42271	2.56808E-06	1.1E-06	6.05E-04	6.57E-10	1.60E-01	4.71E-02	4.96E-12	1.0E+06	5.0E-06
865	865	0.43417	2.56808E-06	1.1E-06	6.05E-04	6.75E-10	1.60E-01	4.71E-02	5.09E-12	1.0E+06	5.1E-06
866	866	0.44611	2.56808E-06	1.1E-06	6.05E-04	6.93E-10	1.60E-01	4.71E-02	5.23E-12	1.0E+06	5.2E-06
867	867	0.45869	2.56808E-06	1.2E-06	6.05E-04	7.13E-10	1.60E-01	4.71E-02	5.38E-12	1.0E+06	5.4E-06
868	868	0.472	2.56808E-06	1.2E-06	6.05E-04	7.33E-10	1.60E-01	4.71E-02	5.54E-12	1.0E+06	5.5E-06
869	869	0.48594	2.56808E-06	1.2E-06	6.05E-04	7.55E-10	1.60E-01	4.71E-02	5.70E-12	1.0E+06	5.7E-06
870	870	0.50067	2.56808E-06	1.3E-06	6.05E-04	7.78E-10	1.60E-01	4.71E-02	5.88E-12	1.0E+06	5.9E-06
871	871	0.5162	2.56808E-06	1.3E-06	6.05E-04	8.02E-10	1.60E-01	4.71E-02	6.06E-12	1.0E+06	6.1E-06
872	872	0.53258	2.56808E-06	1.4E-06	6.05E-04	8.28E-10	1.60E-01	4.71E-02	6.25E-12	1.0E+06	6.2E-06
873	873	0.54965	2.56808E-06	1.4E-06	6.05E-04	8.54E-10	1.60E-01	4.71E-02	6.45E-12	1.0E+06	6.4E-06
874	874	0.56771	2.56808E-06	1.5E-06	6.05E-04	8.82E-10	1.60E-01	4.71E-02	6.66E-12	1.0E+06	6.7E-06
875	875	0.58703	2.56808E-06	1.5E-06	6.05E-04	9.12E-10	1.60E-01	4.71E-02	6.89E-12	1.0E+06	6.9E-06
876	876	0.60771	2.56808E-06	1.6E-06	6.05E-04	9.44E-10	1.60E-01	4.71E-02	7.13E-12	1.0E+06	7.1E-06
877	877	0.62975	2.56808E-06	1.6E-06	6.05E-04	9.79E-10	1.60E-01	4.71E-02	7.39E-12	1.0E+06	7.4E-06
878	878	0.65354	2.56808E-06	1.7E-06	6.05E-04	1.02E-09	1.60E-01	4.71E-02	7.67E-12	1.0E+06	7.7E-06
879	879	0.67908	2.56808E-06	1.7E-06	6.05E-04	1.06E-09	1.60E-01	4.71E-02	7.97E-12	1.0E+06	8.0E-06
880	880	0.7063	2.56808E-06	1.8E-06	6.05E-04	1.10E-09	1.60E-01	4.71E-02	8.29E-12	1.0E+06	8.3E-06
881	881	0.73546	2.56808E-06	1.9E-06	6.05E-04	1.14E-09	1.60E-01	4.71E-02	8.63E-12	1.0E+06	8.6E-06
882	882	0.76703	2.56808E-06	2.0E-06	6.05E-04	1.19E-09	1.60E-01	4.71E-02	9.00E-12	1.0E+06	9.0E-06
883	883	0.80141	2.56808E-06	2.1E-06	6.05E-04	1.25E-09	1.60E-01	4.71E-02	9.40E-12	1.0E+06	9.4E-06
884	884	0.83906	2.56808E-06	2.2E-06	6.05E-04	1.30E-09	1.60E-01	4.71E-02	9.85E-12	1.0E+06	9.8E-06
885	885	0.88031	2.56808E-06	2.3E-06	6.05E-04	1.37E-09	1.60E-01	4.71E-02	1.03E-11	1.0E+06	1.0E-05
886	886	0.91578	2.56808E-06	2.4E-06	6.05E-04	1.42E-09	1.60E-01	4.71E-02	1.07E-11	1.0E+06	1.1E-05
887	887	0.97091	2.56808E-06	2.5E-06	6.05E-04	1.51E-09	1.60E-01	4.71E-02	1.14E-11	1.0E+06	1.1E-05
888	888	1.03778	2.56808E-06	2.7E-06	6.05E-04	1.61E-09	1.60E-01	4.71E-02	1.22E-11	1.0E+06	1.2E-05
889	889	1.1065	2.56808E-06	2.8E-06	6.05E-04	1.72E-09	1.60E-01	4.71E-02	1.30E-11	1.0E+06	1.3E-05
890	890	1.18315	2.56808E-06	3.0E-06	6.05E-04	1.84E-09	1.60E-01	4.71E-02	1.39E-11	1.0E+06	1.4E-05
891	891	1.26461	2.56808E-06	3.2E-06	6.05E-04	1.97E-09	1.60E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
521	521	1.7E-01	Max	Receptor #	5	7.48E-03	Max	Receptor #	
522	522	1.8E-01	0.714	891	5	7.86E-03	0.031	891	Res
523	523	1.9E-01			5	8.27E-03			
524	524	2.0E-01			5	8.74E-03			
525	525	2.1E-01			5	9.27E-03			
526	526	2.3E-01			5	9.89E-03			
527	527	2.4E-01			5	1.07E-02			
528	528	2.7E-01			5	1.16E-02			
529	529	2.9E-01			5	1.29E-02			
530	530	3.3E-01			5	1.46E-02			
531	531	3.0E-01			5	1.33E-02			
532	532	4.2E-02			5	1.84E-03			
533	533	4.4E-02			5	1.91E-03			
534	534	4.6E-02			5	2.00E-03			
535	535	4.8E-02			5	2.09E-03			
536	536	5.0E-02			5	2.19E-03			
537	537	5.3E-02			5	2.30E-03			
538	538	5.5E-02			5	2.41E-03			
539	539	5.8E-02			5	2.54E-03			
540	540	6.1E-02			5	2.67E-03			
541	541	6.4E-02			5	2.81E-03			
542	542	6.8E-02			5	2.96E-03			
543	543	7.1E-02			5	3.12E-03			
544	544	7.5E-02			5	3.30E-03			
545	545	8.0E-02			5	3.49E-03			
546	546	8.4E-02			5	3.69E-03			
547	547	8.9E-02			5	3.90E-03			
548	548	9.5E-02			5	4.14E-03			
549	549	1.0E-01			5	4.38E-03			
550	550	1.1E-01			5	4.64E-03			
551	551	1.1E-01			5	4.91E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
552	552	1.2E-01	5	5.19E-03
553	553	1.3E-01	5	5.48E-03
554	554	1.3E-01	5	5.78E-03
555	555	1.4E-01	5	6.10E-03
556	556	1.5E-01	5	6.42E-03
557	557	1.5E-01	5	6.75E-03
558	558	1.6E-01	5	7.09E-03
559	559	1.7E-01	5	7.45E-03
560	560	1.8E-01	5	7.82E-03
561	561	1.9E-01	5	8.20E-03
562	562	2.0E-01	5	8.62E-03
563	563	2.1E-01	5	9.08E-03
564	564	2.2E-01	5	9.59E-03
565	565	2.3E-01	5	1.02E-02
566	566	2.5E-01	5	1.09E-02
567	567	2.7E-01	5	1.17E-02
568	568	2.9E-01	5	1.28E-02
569	569	3.3E-01	5	1.43E-02
570	570	3.1E-01	5	1.36E-02
571	571	3.5E-01	5	1.51E-02
572	572	4.3E-02	5	1.88E-03
573	573	4.5E-02	5	1.96E-03
574	574	4.7E-02	5	2.05E-03
575	575	4.9E-02	5	2.15E-03
576	576	5.2E-02	5	2.26E-03
577	577	5.4E-02	5	2.37E-03
578	578	5.7E-02	5	2.49E-03
579	579	6.0E-02	5	2.63E-03
580	580	6.3E-02	5	2.77E-03
581	581	6.7E-02	5	2.92E-03
582	582	7.1E-02	5	3.09E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
583	583	7.5E-02	5	3.27E-03
584	584	7.9E-02	5	3.47E-03
585	585	8.4E-02	5	3.68E-03
586	586	8.9E-02	5	3.91E-03
587	587	9.5E-02	5	4.15E-03
588	588	1.0E-01	5	4.41E-03
589	589	1.1E-01	5	4.69E-03
590	590	1.1E-01	5	4.99E-03
591	591	1.2E-01	5	5.31E-03
592	592	1.3E-01	5	5.63E-03
593	593	1.4E-01	5	5.97E-03
594	594	1.4E-01	5	6.32E-03
595	595	1.5E-01	5	6.68E-03
596	596	1.6E-01	5	7.05E-03
597	597	1.7E-01	5	7.43E-03
598	598	1.8E-01	5	7.81E-03
599	599	1.9E-01	5	8.21E-03
600	600	2.0E-01	5	8.63E-03
601	601	2.1E-01	5	9.05E-03
602	602	2.2E-01	5	9.50E-03
603	603	2.3E-01	5	1.00E-02
604	604	2.4E-01	5	1.06E-02
605	605	2.6E-01	5	1.12E-02
606	606	2.7E-01	5	1.20E-02
607	607	2.9E-01	5	1.29E-02
608	608	3.2E-01	5	1.41E-02
609	609	3.6E-01	5	1.58E-02
610	610	3.5E-01	5	1.53E-02
611	611	3.9E-01	5	1.72E-02
612	612	4.4E-02	5	1.91E-03
613	613	4.6E-02	5	2.01E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
614	614	4.8E-02	5	2.10E-03
615	615	5.0E-02	5	2.21E-03
616	616	5.3E-02	5	2.32E-03
617	617	5.6E-02	5	2.44E-03
618	618	5.9E-02	5	2.57E-03
619	619	6.2E-02	5	2.72E-03
620	620	6.6E-02	5	2.87E-03
621	621	7.0E-02	5	3.05E-03
622	622	7.4E-02	5	3.23E-03
623	623	7.8E-02	5	3.43E-03
624	624	8.3E-02	5	3.64E-03
625	625	8.9E-02	5	3.88E-03
626	626	9.5E-02	5	4.14E-03
627	627	1.0E-01	5	4.42E-03
628	628	1.1E-01	5	4.72E-03
629	629	1.2E-01	5	5.04E-03
630	630	1.2E-01	5	5.39E-03
631	631	1.3E-01	5	5.76E-03
632	632	1.4E-01	5	6.15E-03
633	633	1.5E-01	5	6.54E-03
634	634	1.6E-01	5	6.95E-03
635	635	1.7E-01	5	7.38E-03
636	636	1.8E-01	5	7.81E-03
637	637	1.9E-01	5	8.25E-03
638	638	2.0E-01	5	8.68E-03
639	639	2.1E-01	5	9.13E-03
640	640	2.2E-01	5	9.59E-03
641	641	2.3E-01	5	1.01E-02
642	642	2.4E-01	5	1.06E-02
643	643	2.5E-01	5	1.11E-02
644	644	2.7E-01	5	1.17E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
645	645	2.8E-01	5	1.24E-02
646	646	3.0E-01	5	1.32E-02
647	647	3.2E-01	5	1.42E-02
648	648	3.5E-01	5	1.55E-02
649	649	4.0E-01	5	1.74E-02
650	650	3.9E-01	5	1.72E-02
651	651	3.9E-01	5	1.69E-02
652	652	4.4E-02	5	1.95E-03
653	653	4.7E-02	5	2.04E-03
654	654	4.9E-02	5	2.15E-03
655	655	5.2E-02	5	2.26E-03
656	656	5.4E-02	5	2.38E-03
657	657	5.7E-02	5	2.51E-03
658	658	6.1E-02	5	2.66E-03
659	659	6.4E-02	5	2.81E-03
660	660	6.8E-02	5	2.97E-03
661	661	7.2E-02	5	3.16E-03
662	662	7.7E-02	5	3.37E-03
663	663	8.2E-02	5	3.59E-03
664	664	8.8E-02	5	3.83E-03
665	665	9.4E-02	5	4.10E-03
666	666	1.0E-01	5	4.39E-03
667	667	1.1E-01	5	4.71E-03
668	668	1.2E-01	5	5.06E-03
669	669	1.2E-01	5	5.44E-03
670	670	1.3E-01	5	5.85E-03
671	671	1.4E-01	5	6.29E-03
672	672	1.5E-01	5	6.75E-03
673	673	1.7E-01	5	7.24E-03
674	674	1.8E-01	5	7.73E-03
675	675	1.9E-01	5	8.22E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
676	676	2.0E-01	5	8.74E-03
677	677	2.1E-01	5	9.24E-03
678	678	2.2E-01	5	9.75E-03
679	679	2.3E-01	5	1.03E-02
680	680	2.5E-01	5	1.08E-02
681	681	2.6E-01	5	1.13E-02
682	682	2.7E-01	5	1.18E-02
683	683	2.8E-01	5	1.24E-02
684	684	3.0E-01	5	1.30E-02
685	685	3.1E-01	5	1.37E-02
686	686	3.3E-01	5	1.46E-02
687	687	3.6E-01	5	1.57E-02
688	688	3.9E-01	5	1.71E-02
689	689	4.4E-01	5	1.90E-02
690	690	5.0E-01	5	2.20E-02
691	691	4.3E-01	5	1.88E-02
692	692	4.5E-02	5	1.98E-03
693	693	4.8E-02	5	2.08E-03
694	694	5.0E-02	5	2.19E-03
695	695	5.3E-02	5	2.30E-03
696	696	5.6E-02	5	2.43E-03
697	697	5.9E-02	5	2.57E-03
698	698	6.2E-02	5	2.73E-03
699	699	6.6E-02	5	2.90E-03
700	700	7.0E-02	5	3.08E-03
701	701	7.5E-02	5	3.28E-03
702	702	8.0E-02	5	3.50E-03
703	703	8.6E-02	5	3.75E-03
704	704	9.2E-02	5	4.03E-03
705	705	9.9E-02	5	4.33E-03
706	706	1.1E-01	5	4.66E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
707	707	1.1E-01	5	5.03E-03
708	708	1.2E-01	5	5.44E-03
709	709	1.3E-01	5	5.89E-03
710	710	1.5E-01	5	6.38E-03
711	711	1.6E-01	5	6.91E-03
712	712	1.7E-01	5	7.48E-03
713	713	1.8E-01	5	8.07E-03
714	714	2.0E-01	5	8.69E-03
715	715	2.1E-01	5	9.29E-03
716	716	2.3E-01	5	9.90E-03
717	717	2.4E-01	5	1.05E-02
718	718	2.5E-01	5	1.11E-02
719	719	2.7E-01	5	1.17E-02
720	720	2.8E-01	5	1.22E-02
721	721	2.9E-01	5	1.28E-02
722	722	3.1E-01	5	1.34E-02
723	723	3.2E-01	5	1.40E-02
724	724	3.3E-01	5	1.46E-02
725	725	3.5E-01	5	1.54E-02
726	726	3.7E-01	5	1.63E-02
727	727	4.0E-01	5	1.74E-02
728	728	4.3E-01	5	1.88E-02
729	729	4.8E-01	5	2.09E-02
730	730	4.8E-01	5	2.11E-02
731	731	5.5E-01	5	2.40E-02
732	732	4.6E-02	5	2.01E-03
733	733	4.8E-02	5	2.11E-03
734	734	5.1E-02	5	2.22E-03
735	735	5.4E-02	5	2.34E-03
736	736	5.7E-02	5	2.48E-03
737	737	6.0E-02	5	2.63E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
738	738	6.4E-02	5	2.79E-03
739	739	6.8E-02	5	2.97E-03
740	740	7.3E-02	5	3.18E-03
741	741	7.8E-02	5	3.40E-03
742	742	8.3E-02	5	3.64E-03
743	743	8.9E-02	5	3.91E-03
744	744	9.6E-02	5	4.22E-03
745	745	1.0E-01	5	4.56E-03
746	746	1.1E-01	5	4.94E-03
747	747	1.2E-01	5	5.36E-03
748	748	1.3E-01	5	5.85E-03
749	749	1.5E-01	5	6.39E-03
750	750	1.6E-01	5	7.00E-03
751	751	1.7E-01	5	7.66E-03
752	752	1.9E-01	5	8.37E-03
753	753	2.1E-01	5	9.12E-03
754	754	2.3E-01	5	9.90E-03
755	755	2.4E-01	5	1.07E-02
756	756	2.6E-01	5	1.14E-02
757	757	2.8E-01	5	1.21E-02
758	758	2.9E-01	5	1.28E-02
759	759	3.1E-01	5	1.35E-02
760	760	3.2E-01	5	1.41E-02
761	761	3.4E-01	5	1.48E-02
762	762	3.5E-01	5	1.54E-02
763	763	3.7E-01	5	1.60E-02
764	764	3.8E-01	5	1.67E-02
765	765	4.0E-01	5	1.75E-02
766	766	4.2E-01	5	1.84E-02
767	767	4.4E-01	5	1.95E-02
768	768	4.8E-01	5	2.09E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
769	769	5.2E-01	5	2.30E-02
770	770	5.3E-01	5	2.30E-02
771	771	5.9E-01	5	2.58E-02
772	772	4.6E-02	5	2.03E-03
773	773	4.9E-02	5	2.14E-03
774	774	5.2E-02	5	2.25E-03
775	775	5.5E-02	5	2.39E-03
776	776	5.8E-02	5	2.53E-03
777	777	6.1E-02	5	2.68E-03
778	778	6.5E-02	5	2.85E-03
779	779	7.0E-02	5	3.04E-03
780	780	7.4E-02	5	3.26E-03
781	781	8.0E-02	5	3.50E-03
782	782	8.6E-02	5	3.77E-03
783	783	9.3E-02	5	4.08E-03
784	784	1.0E-01	5	4.42E-03
785	785	1.1E-01	5	4.80E-03
786	786	1.2E-01	5	5.23E-03
787	787	1.3E-01	5	5.74E-03
788	788	1.4E-01	5	6.31E-03
789	789	1.6E-01	5	6.97E-03
790	790	1.8E-01	5	7.72E-03
791	791	2.0E-01	5	8.56E-03
792	792	2.2E-01	5	9.48E-03
793	793	2.4E-01	5	1.05E-02
794	794	2.6E-01	5	1.15E-02
795	795	2.9E-01	5	1.25E-02
796	796	3.1E-01	5	1.35E-02
797	797	3.3E-01	5	1.44E-02
798	798	3.5E-01	5	1.52E-02
799	799	3.7E-01	5	1.60E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
800	800	3.8E-01	5	1.67E-02
801	801	4.0E-01	5	1.73E-02
802	802	4.1E-01	5	1.80E-02
803	803	4.3E-01	5	1.87E-02
804	804	4.4E-01	5	1.94E-02
805	805	4.6E-01	5	2.01E-02
806	806	4.8E-01	5	2.10E-02
807	807	5.1E-01	5	2.22E-02
808	808	5.4E-01	5	2.36E-02
809	809	5.8E-01	5	2.56E-02
810	810	6.5E-01	5	2.85E-02
811	811	5.9E-01	5	2.59E-02
812	812	4.7E-02	5	2.05E-03
813	813	4.9E-02	5	2.16E-03
814	814	5.2E-02	5	2.28E-03
815	815	5.5E-02	5	2.41E-03
816	816	5.9E-02	5	2.56E-03
817	817	6.2E-02	5	2.73E-03
818	818	6.6E-02	5	2.91E-03
819	819	7.1E-02	5	3.11E-03
820	820	7.6E-02	5	3.34E-03
821	821	8.2E-02	5	3.60E-03
822	822	8.9E-02	5	3.89E-03
823	823	9.7E-02	5	4.23E-03
824	824	1.1E-01	5	4.61E-03
825	825	1.2E-01	5	5.04E-03
826	826	1.3E-01	5	5.55E-03
827	827	1.4E-01	5	6.13E-03
828	828	1.6E-01	5	6.82E-03
829	829	1.7E-01	5	7.62E-03
830	830	2.0E-01	5	8.56E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
831	831	2.2E-01	5	9.66E-03
832	832	2.5E-01	5	1.09E-02
833	833	2.8E-01	5	1.23E-02
834	834	3.1E-01	5	1.37E-02
835	835	3.5E-01	5	1.51E-02
836	836	3.2E-01	5	1.38E-02
837	837	4.0E-01	5	1.75E-02
838	838	4.2E-01	5	1.85E-02
839	839	3.8E-01	5	1.67E-02
840	840	4.0E-01	5	1.74E-02
841	841	4.2E-01	5	1.82E-02
842	842	4.9E-01	5	2.15E-02
843	843	4.5E-01	5	1.95E-02
844	844	4.6E-01	5	2.01E-02
845	845	4.8E-01	5	2.10E-02
846	846	5.6E-01	5	2.47E-02
847	847	5.2E-01	5	2.29E-02
848	848	5.5E-01	5	2.40E-02
849	849	6.0E-01	5	2.60E-02
850	850	6.7E-01	5	2.92E-02
851	851	5.9E-01	5	2.57E-02
852	852	4.7E-02	5	2.05E-03
853	853	4.9E-02	5	2.16E-03
854	854	5.2E-02	5	2.29E-03
855	855	5.6E-02	5	2.43E-03
856	856	5.9E-02	5	2.59E-03
857	857	6.3E-02	5	2.76E-03
858	858	6.7E-02	5	2.95E-03
859	859	7.2E-02	5	3.17E-03
860	860	7.8E-02	5	3.40E-03
861	861	8.4E-02	5	3.68E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
862	862	9.1E-02	5	3.99E-03
863	863	1.0E-01	5	4.36E-03
864	864	1.1E-01	5	4.79E-03
865	865	1.2E-01	5	5.28E-03
866	866	1.3E-01	5	5.85E-03
867	867	1.5E-01	5	6.54E-03
868	868	1.7E-01	5	7.36E-03
869	869	1.9E-01	5	8.35E-03
870	870	2.2E-01	5	9.55E-03
871	871	2.5E-01	5	1.10E-02
872	872	2.9E-01	5	1.27E-02
873	873	3.4E-01	5	1.47E-02
874	874	3.1E-01	5	1.37E-02
875	875	3.5E-01	5	1.52E-02
876	876	3.8E-01	5	1.66E-02
877	877	3.6E-01	5	1.57E-02
878	878	3.8E-01	5	1.67E-02
879	879	4.6E-01	5	2.01E-02
880	880	4.7E-01	5	2.07E-02
881	881	4.4E-01	5	1.91E-02
882	882	4.5E-01	5	1.96E-02
883	883	5.2E-01	5	2.30E-02
884	884	5.4E-01	5	2.35E-02
885	885	5.0E-01	5	2.20E-02
886	886	5.2E-01	5	2.26E-02
887	887	6.0E-01	5	2.62E-02
888	888	6.2E-01	5	2.72E-02
889	889	6.0E-01	5	2.64E-02
890	890	6.0E-01	5	2.61E-02
891	891	7.1E-01	5	3.13E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

							Cancer Risk from 2 to 16 years			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	3.78705	4.58E-03	1.7E-02	6.05E-04	1.05E-05	8.01E-02	4.71E-02	3.96E-08	1.0E+06	4.0E-02
522	3.98002	4.58E-03	1.8E-02	6.05E-04	1.10E-05	8.01E-02	4.71E-02	4.16E-08	1.0E+06	4.2E-02
523	4.19123	4.58E-03	1.9E-02	6.05E-04	1.16E-05	8.01E-02	4.71E-02	4.38E-08	1.0E+06	4.4E-02
524	4.42658	4.58E-03	2.0E-02	6.05E-04	1.23E-05	8.01E-02	4.71E-02	4.63E-08	1.0E+06	4.6E-02
525	4.69569	4.58E-03	2.1E-02	6.05E-04	1.30E-05	8.01E-02	4.71E-02	4.91E-08	1.0E+06	4.9E-02
526	5.0118	4.58E-03	2.3E-02	6.05E-04	1.39E-05	8.01E-02	4.71E-02	5.24E-08	1.0E+06	5.2E-02
527	5.39601	4.58E-03	2.5E-02	6.05E-04	1.49E-05	8.01E-02	4.71E-02	5.64E-08	1.0E+06	5.6E-02
528	5.88037	4.58E-03	2.7E-02	6.05E-04	1.63E-05	8.01E-02	4.71E-02	6.15E-08	1.0E+06	6.1E-02
529	6.51459	4.58E-03	3.0E-02	6.05E-04	1.80E-05	8.01E-02	4.71E-02	6.81E-08	1.0E+06	6.8E-02
530	7.38205	4.58E-03	3.4E-02	6.05E-04	2.04E-05	8.01E-02	4.71E-02	7.72E-08	1.0E+06	7.7E-02
531	6.74782	4.58E-03	3.1E-02	6.05E-04	1.87E-05	8.01E-02	4.71E-02	7.06E-08	1.0E+06	7.1E-02
532	0.93027	4.58E-03	4.3E-03	6.05E-04	2.58E-06	8.01E-02	4.71E-02	9.73E-09	1.0E+06	9.7E-03
533	0.96978	4.58E-03	4.4E-03	6.05E-04	2.69E-06	8.01E-02	4.71E-02	1.01E-08	1.0E+06	1.0E-02
534	1.01278	4.58E-03	4.6E-03	6.05E-04	2.80E-06	8.01E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02
535	1.06038	4.58E-03	4.9E-03	6.05E-04	2.94E-06	8.01E-02	4.71E-02	1.11E-08	1.0E+06	1.1E-02
536	1.1101	4.58E-03	5.1E-03	6.05E-04	3.07E-06	8.01E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
537	1.16468	4.58E-03	5.3E-03	6.05E-04	3.22E-06	8.01E-02	4.71E-02	1.22E-08	1.0E+06	1.2E-02
538	1.22313	4.58E-03	5.6E-03	6.05E-04	3.39E-06	8.01E-02	4.71E-02	1.28E-08	1.0E+06	1.3E-02
539	1.28577	4.58E-03	5.9E-03	6.05E-04	3.56E-06	8.01E-02	4.71E-02	1.34E-08	1.0E+06	1.3E-02
540	1.351	4.58E-03	6.2E-03	6.05E-04	3.74E-06	8.01E-02	4.71E-02	1.41E-08	1.0E+06	1.4E-02
541	1.42319	4.58E-03	6.5E-03	6.05E-04	3.94E-06	8.01E-02	4.71E-02	1.49E-08	1.0E+06	1.5E-02
542	1.49972	4.58E-03	6.9E-03	6.05E-04	4.15E-06	8.01E-02	4.71E-02	1.57E-08	1.0E+06	1.6E-02
543	1.58309	4.58E-03	7.2E-03	6.05E-04	4.38E-06	8.01E-02	4.71E-02	1.66E-08	1.0E+06	1.7E-02
544	1.67236	4.58E-03	7.7E-03	6.05E-04	4.63E-06	8.01E-02	4.71E-02	1.75E-08	1.0E+06	1.7E-02
545	1.76804	4.58E-03	8.1E-03	6.05E-04	4.90E-06	8.01E-02	4.71E-02	1.85E-08	1.0E+06	1.8E-02
546	1.86904	4.58E-03	8.6E-03	6.05E-04	5.18E-06	8.01E-02	4.71E-02	1.95E-08	1.0E+06	2.0E-02
547	1.97826	4.58E-03	9.1E-03	6.05E-04	5.48E-06	8.01E-02	4.71E-02	2.07E-08	1.0E+06	2.1E-02
548	2.0954	4.58E-03	9.6E-03	6.05E-04	5.80E-06	8.01E-02	4.71E-02	2.19E-08	1.0E+06	2.2E-02
549	2.21996	4.58E-03	1.0E-02	6.05E-04	6.15E-06	8.01E-02	4.71E-02	2.32E-08	1.0E+06	2.3E-02
550	2.35145	4.58E-03	1.1E-02	6.05E-04	6.51E-06	8.01E-02	4.71E-02	2.46E-08	1.0E+06	2.5E-02
551	2.48766	4.58E-03	1.1E-02	6.05E-04	6.89E-06	8.01E-02	4.71E-02	2.60E-08	1.0E+06	2.6E-02

	Max	Receptor #
Res	0.155	850

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	2.62766	4.58E-03	1.2E-02	6.05E-04	7.28E-06	8.01E-02	4.71E-02	2.75E-08	1.0E+06	2.7E-02
553	2.77415	4.58E-03	1.3E-02	6.05E-04	7.68E-06	8.01E-02	4.71E-02	2.90E-08	1.0E+06	2.9E-02
554	2.93064	4.58E-03	1.3E-02	6.05E-04	8.11E-06	8.01E-02	4.71E-02	3.06E-08	1.0E+06	3.1E-02
555	3.08826	4.58E-03	1.4E-02	6.05E-04	8.55E-06	8.01E-02	4.71E-02	3.23E-08	1.0E+06	3.2E-02
556	3.2538	4.58E-03	1.5E-02	6.05E-04	9.01E-06	8.01E-02	4.71E-02	3.40E-08	1.0E+06	3.4E-02
557	3.4177	4.58E-03	1.6E-02	6.05E-04	9.46E-06	8.01E-02	4.71E-02	3.57E-08	1.0E+06	3.6E-02
558	3.59312	4.58E-03	1.6E-02	6.05E-04	9.95E-06	8.01E-02	4.71E-02	3.76E-08	1.0E+06	3.8E-02
559	3.77408	4.58E-03	1.7E-02	6.05E-04	1.05E-05	8.01E-02	4.71E-02	3.95E-08	1.0E+06	3.9E-02
560	3.96225	4.58E-03	1.8E-02	6.05E-04	1.10E-05	8.01E-02	4.71E-02	4.14E-08	1.0E+06	4.1E-02
561	4.1554	4.58E-03	1.9E-02	6.05E-04	1.15E-05	8.01E-02	4.71E-02	4.34E-08	1.0E+06	4.3E-02
562	4.36579	4.58E-03	2.0E-02	6.05E-04	1.21E-05	8.01E-02	4.71E-02	4.56E-08	1.0E+06	4.6E-02
563	4.59784	4.58E-03	2.1E-02	6.05E-04	1.27E-05	8.01E-02	4.71E-02	4.81E-08	1.0E+06	4.8E-02
564	4.85729	4.58E-03	2.2E-02	6.05E-04	1.34E-05	8.01E-02	4.71E-02	5.08E-08	1.0E+06	5.1E-02
565	5.15518	4.58E-03	2.4E-02	6.05E-04	1.43E-05	8.01E-02	4.71E-02	5.39E-08	1.0E+06	5.4E-02
566	5.50777	4.58E-03	2.5E-02	6.05E-04	1.53E-05	8.01E-02	4.71E-02	5.76E-08	1.0E+06	5.8E-02
567	5.94143	4.58E-03	2.7E-02	6.05E-04	1.65E-05	8.01E-02	4.71E-02	6.21E-08	1.0E+06	6.2E-02
568	6.5005	4.58E-03	3.0E-02	6.05E-04	1.80E-05	8.01E-02	4.71E-02	6.80E-08	1.0E+06	6.8E-02
569	7.25568	4.58E-03	3.3E-02	6.05E-04	2.01E-05	8.01E-02	4.71E-02	7.59E-08	1.0E+06	7.6E-02
570	6.89422	4.58E-03	3.2E-02	6.05E-04	1.91E-05	8.01E-02	4.71E-02	7.21E-08	1.0E+06	7.2E-02
571	7.65909	4.58E-03	3.5E-02	6.05E-04	2.12E-05	8.01E-02	4.71E-02	8.01E-08	1.0E+06	8.0E-02
572	0.95124	4.58E-03	4.4E-03	6.05E-04	2.63E-06	8.01E-02	4.71E-02	9.95E-09	1.0E+06	9.9E-03
573	0.99426	4.58E-03	4.5E-03	6.05E-04	2.75E-06	8.01E-02	4.71E-02	1.04E-08	1.0E+06	1.0E-02
574	1.03932	4.58E-03	4.8E-03	6.05E-04	2.88E-06	8.01E-02	4.71E-02	1.09E-08	1.0E+06	1.1E-02
575	1.08844	4.58E-03	5.0E-03	6.05E-04	3.01E-06	8.01E-02	4.71E-02	1.14E-08	1.0E+06	1.1E-02
576	1.14295	4.58E-03	5.2E-03	6.05E-04	3.16E-06	8.01E-02	4.71E-02	1.20E-08	1.0E+06	1.2E-02
577	1.20012	4.58E-03	5.5E-03	6.05E-04	3.32E-06	8.01E-02	4.71E-02	1.25E-08	1.0E+06	1.3E-02
578	1.26301	4.58E-03	5.8E-03	6.05E-04	3.50E-06	8.01E-02	4.71E-02	1.32E-08	1.0E+06	1.3E-02
579	1.33076	4.58E-03	6.1E-03	6.05E-04	3.68E-06	8.01E-02	4.71E-02	1.39E-08	1.0E+06	1.4E-02
580	1.4043	4.58E-03	6.4E-03	6.05E-04	3.89E-06	8.01E-02	4.71E-02	1.47E-08	1.0E+06	1.5E-02
581	1.48184	4.58E-03	6.8E-03	6.05E-04	4.10E-06	8.01E-02	4.71E-02	1.55E-08	1.0E+06	1.5E-02
582	1.56657	4.58E-03	7.2E-03	6.05E-04	4.34E-06	8.01E-02	4.71E-02	1.64E-08	1.0E+06	1.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	1.65761	4.58E-03	7.6E-03	6.05E-04	4.59E-06	8.01E-02	4.71E-02	1.73E-08	1.0E+06	1.7E-02
584	1.75716	4.58E-03	8.0E-03	6.05E-04	4.87E-06	8.01E-02	4.71E-02	1.84E-08	1.0E+06	1.8E-02
585	1.86436	4.58E-03	8.5E-03	6.05E-04	5.16E-06	8.01E-02	4.71E-02	1.95E-08	1.0E+06	1.9E-02
586	1.97976	4.58E-03	9.1E-03	6.05E-04	5.48E-06	8.01E-02	4.71E-02	2.07E-08	1.0E+06	2.1E-02
587	2.10217	4.58E-03	9.6E-03	6.05E-04	5.82E-06	8.01E-02	4.71E-02	2.20E-08	1.0E+06	2.2E-02
588	2.23485	4.58E-03	1.0E-02	6.05E-04	6.19E-06	8.01E-02	4.71E-02	2.34E-08	1.0E+06	2.3E-02
589	2.37739	4.58E-03	1.1E-02	6.05E-04	6.58E-06	8.01E-02	4.71E-02	2.49E-08	1.0E+06	2.5E-02
590	2.52912	4.58E-03	1.2E-02	6.05E-04	7.00E-06	8.01E-02	4.71E-02	2.64E-08	1.0E+06	2.6E-02
591	2.68914	4.58E-03	1.2E-02	6.05E-04	7.45E-06	8.01E-02	4.71E-02	2.81E-08	1.0E+06	2.8E-02
592	2.8524	4.58E-03	1.3E-02	6.05E-04	7.90E-06	8.01E-02	4.71E-02	2.98E-08	1.0E+06	3.0E-02
593	3.02416	4.58E-03	1.4E-02	6.05E-04	8.37E-06	8.01E-02	4.71E-02	3.16E-08	1.0E+06	3.2E-02
594	3.20028	4.58E-03	1.5E-02	6.05E-04	8.86E-06	8.01E-02	4.71E-02	3.35E-08	1.0E+06	3.3E-02
595	3.38426	4.58E-03	1.5E-02	6.05E-04	9.37E-06	8.01E-02	4.71E-02	3.54E-08	1.0E+06	3.5E-02
596	3.57198	4.58E-03	1.6E-02	6.05E-04	9.89E-06	8.01E-02	4.71E-02	3.73E-08	1.0E+06	3.7E-02
597	3.76299	4.58E-03	1.7E-02	6.05E-04	1.04E-05	8.01E-02	4.71E-02	3.93E-08	1.0E+06	3.9E-02
598	3.95852	4.58E-03	1.8E-02	6.05E-04	1.10E-05	8.01E-02	4.71E-02	4.14E-08	1.0E+06	4.1E-02
599	4.16139	4.58E-03	1.9E-02	6.05E-04	1.15E-05	8.01E-02	4.71E-02	4.35E-08	1.0E+06	4.4E-02
600	4.37026	4.58E-03	2.0E-02	6.05E-04	1.21E-05	8.01E-02	4.71E-02	4.57E-08	1.0E+06	4.6E-02
601	4.58686	4.58E-03	2.1E-02	6.05E-04	1.27E-05	8.01E-02	4.71E-02	4.80E-08	1.0E+06	4.8E-02
602	4.81537	4.58E-03	2.2E-02	6.05E-04	1.33E-05	8.01E-02	4.71E-02	5.03E-08	1.0E+06	5.0E-02
603	5.06605	4.58E-03	2.3E-02	6.05E-04	1.40E-05	8.01E-02	4.71E-02	5.30E-08	1.0E+06	5.3E-02
604	5.3484	4.58E-03	2.4E-02	6.05E-04	1.48E-05	8.01E-02	4.71E-02	5.59E-08	1.0E+06	5.6E-02
605	5.67273	4.58E-03	2.6E-02	6.05E-04	1.57E-05	8.01E-02	4.71E-02	5.93E-08	1.0E+06	5.9E-02
606	6.05791	4.58E-03	2.8E-02	6.05E-04	1.68E-05	8.01E-02	4.71E-02	6.33E-08	1.0E+06	6.3E-02
607	6.53577	4.58E-03	3.0E-02	6.05E-04	1.81E-05	8.01E-02	4.71E-02	6.83E-08	1.0E+06	6.8E-02
608	7.16009	4.58E-03	3.3E-02	6.05E-04	1.98E-05	8.01E-02	4.71E-02	7.49E-08	1.0E+06	7.5E-02
609	8.02143	4.58E-03	3.7E-02	6.05E-04	2.22E-05	8.01E-02	4.71E-02	8.39E-08	1.0E+06	8.4E-02
610	7.75427	4.58E-03	3.5E-02	6.05E-04	2.15E-05	8.01E-02	4.71E-02	8.11E-08	1.0E+06	8.1E-02
611	8.71533	4.58E-03	4.0E-02	6.05E-04	2.41E-05	8.01E-02	4.71E-02	9.11E-08	1.0E+06	9.1E-02
612	0.97015	4.58E-03	4.4E-03	6.05E-04	2.69E-06	8.01E-02	4.71E-02	1.01E-08	1.0E+06	1.0E-02
613	1.01681	4.58E-03	4.7E-03	6.05E-04	2.82E-06	8.01E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.06505	4.58E-03	4.9E-03	6.05E-04	2.95E-06	8.01E-02	4.71E-02	1.11E-08	1.0E+06	1.1E-02
615	1.11742	4.58E-03	5.1E-03	6.05E-04	3.09E-06	8.01E-02	4.71E-02	1.17E-08	1.0E+06	1.2E-02
616	1.17391	4.58E-03	5.4E-03	6.05E-04	3.25E-06	8.01E-02	4.71E-02	1.23E-08	1.0E+06	1.2E-02
617	1.23655	4.58E-03	5.7E-03	6.05E-04	3.42E-06	8.01E-02	4.71E-02	1.29E-08	1.0E+06	1.3E-02
618	1.30392	4.58E-03	6.0E-03	6.05E-04	3.61E-06	8.01E-02	4.71E-02	1.36E-08	1.0E+06	1.4E-02
619	1.3768	4.58E-03	6.3E-03	6.05E-04	3.81E-06	8.01E-02	4.71E-02	1.44E-08	1.0E+06	1.4E-02
620	1.45561	4.58E-03	6.7E-03	6.05E-04	4.03E-06	8.01E-02	4.71E-02	1.52E-08	1.0E+06	1.5E-02
621	1.54273	4.58E-03	7.1E-03	6.05E-04	4.27E-06	8.01E-02	4.71E-02	1.61E-08	1.0E+06	1.6E-02
622	1.63528	4.58E-03	7.5E-03	6.05E-04	4.53E-06	8.01E-02	4.71E-02	1.71E-08	1.0E+06	1.7E-02
623	1.73684	4.58E-03	7.9E-03	6.05E-04	4.81E-06	8.01E-02	4.71E-02	1.82E-08	1.0E+06	1.8E-02
624	1.84661	4.58E-03	8.5E-03	6.05E-04	5.11E-06	8.01E-02	4.71E-02	1.93E-08	1.0E+06	1.9E-02
625	1.96726	4.58E-03	9.0E-03	6.05E-04	5.45E-06	8.01E-02	4.71E-02	2.06E-08	1.0E+06	2.1E-02
626	2.09799	4.58E-03	9.6E-03	6.05E-04	5.81E-06	8.01E-02	4.71E-02	2.19E-08	1.0E+06	2.2E-02
627	2.23948	4.58E-03	1.0E-02	6.05E-04	6.20E-06	8.01E-02	4.71E-02	2.34E-08	1.0E+06	2.3E-02
628	2.39048	4.58E-03	1.1E-02	6.05E-04	6.62E-06	8.01E-02	4.71E-02	2.50E-08	1.0E+06	2.5E-02
629	2.5543	4.58E-03	1.2E-02	6.05E-04	7.07E-06	8.01E-02	4.71E-02	2.67E-08	1.0E+06	2.7E-02
630	2.7307	4.58E-03	1.2E-02	6.05E-04	7.56E-06	8.01E-02	4.71E-02	2.86E-08	1.0E+06	2.9E-02
631	2.91838	4.58E-03	1.3E-02	6.05E-04	8.08E-06	8.01E-02	4.71E-02	3.05E-08	1.0E+06	3.1E-02
632	3.11585	4.58E-03	1.4E-02	6.05E-04	8.63E-06	8.01E-02	4.71E-02	3.26E-08	1.0E+06	3.3E-02
633	3.31534	4.58E-03	1.5E-02	6.05E-04	9.18E-06	8.01E-02	4.71E-02	3.47E-08	1.0E+06	3.5E-02
634	3.52238	4.58E-03	1.6E-02	6.05E-04	9.75E-06	8.01E-02	4.71E-02	3.68E-08	1.0E+06	3.7E-02
635	3.73748	4.58E-03	1.7E-02	6.05E-04	1.03E-05	8.01E-02	4.71E-02	3.91E-08	1.0E+06	3.9E-02
636	3.95438	4.58E-03	1.8E-02	6.05E-04	1.09E-05	8.01E-02	4.71E-02	4.13E-08	1.0E+06	4.1E-02
637	4.17707	4.58E-03	1.9E-02	6.05E-04	1.16E-05	8.01E-02	4.71E-02	4.37E-08	1.0E+06	4.4E-02
638	4.39911	4.58E-03	2.0E-02	6.05E-04	1.22E-05	8.01E-02	4.71E-02	4.60E-08	1.0E+06	4.6E-02
639	4.62579	4.58E-03	2.1E-02	6.05E-04	1.28E-05	8.01E-02	4.71E-02	4.84E-08	1.0E+06	4.8E-02
640	4.85837	4.58E-03	2.2E-02	6.05E-04	1.35E-05	8.01E-02	4.71E-02	5.08E-08	1.0E+06	5.1E-02
641	5.09787	4.58E-03	2.3E-02	6.05E-04	1.41E-05	8.01E-02	4.71E-02	5.33E-08	1.0E+06	5.3E-02
642	5.34787	4.58E-03	2.4E-02	6.05E-04	1.48E-05	8.01E-02	4.71E-02	5.59E-08	1.0E+06	5.6E-02
643	5.61534	4.58E-03	2.6E-02	6.05E-04	1.55E-05	8.01E-02	4.71E-02	5.87E-08	1.0E+06	5.9E-02
644	5.91812	4.58E-03	2.7E-02	6.05E-04	1.64E-05	8.01E-02	4.71E-02	6.19E-08	1.0E+06	6.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	6.26506	4.58E-03	2.9E-02	6.05E-04	1.73E-05	8.01E-02	4.71E-02	6.55E-08	1.0E+06	6.6E-02
646	6.67801	4.58E-03	3.1E-02	6.05E-04	1.85E-05	8.01E-02	4.71E-02	6.98E-08	1.0E+06	7.0E-02
647	7.19184	4.58E-03	3.3E-02	6.05E-04	1.99E-05	8.01E-02	4.71E-02	7.52E-08	1.0E+06	7.5E-02
648	7.86868	4.58E-03	3.6E-02	6.05E-04	2.18E-05	8.01E-02	4.71E-02	8.23E-08	1.0E+06	8.2E-02
649	8.81808	4.58E-03	4.0E-02	6.05E-04	2.44E-05	8.01E-02	4.71E-02	9.22E-08	1.0E+06	9.2E-02
650	8.7285	4.58E-03	4.0E-02	6.05E-04	2.42E-05	8.01E-02	4.71E-02	9.13E-08	1.0E+06	9.1E-02
651	8.5841	4.58E-03	3.9E-02	6.05E-04	2.38E-05	8.01E-02	4.71E-02	8.98E-08	1.0E+06	9.0E-02
652	0.98641	4.58E-03	4.5E-03	6.05E-04	2.73E-06	8.01E-02	4.71E-02	1.03E-08	1.0E+06	1.0E-02
653	1.03595	4.58E-03	4.7E-03	6.05E-04	2.87E-06	8.01E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
654	1.08913	4.58E-03	5.0E-03	6.05E-04	3.02E-06	8.01E-02	4.71E-02	1.14E-08	1.0E+06	1.1E-02
655	1.14603	4.58E-03	5.2E-03	6.05E-04	3.17E-06	8.01E-02	4.71E-02	1.20E-08	1.0E+06	1.2E-02
656	1.20762	4.58E-03	5.5E-03	6.05E-04	3.34E-06	8.01E-02	4.71E-02	1.26E-08	1.0E+06	1.3E-02
657	1.27327	4.58E-03	5.8E-03	6.05E-04	3.53E-06	8.01E-02	4.71E-02	1.33E-08	1.0E+06	1.3E-02
658	1.3454	4.58E-03	6.2E-03	6.05E-04	3.73E-06	8.01E-02	4.71E-02	1.41E-08	1.0E+06	1.4E-02
659	1.42391	4.58E-03	6.5E-03	6.05E-04	3.94E-06	8.01E-02	4.71E-02	1.49E-08	1.0E+06	1.5E-02
660	1.50718	4.58E-03	6.9E-03	6.05E-04	4.17E-06	8.01E-02	4.71E-02	1.58E-08	1.0E+06	1.6E-02
661	1.60269	4.58E-03	7.3E-03	6.05E-04	4.44E-06	8.01E-02	4.71E-02	1.68E-08	1.0E+06	1.7E-02
662	1.70561	4.58E-03	7.8E-03	6.05E-04	4.72E-06	8.01E-02	4.71E-02	1.78E-08	1.0E+06	1.8E-02
663	1.81769	4.58E-03	8.3E-03	6.05E-04	5.03E-06	8.01E-02	4.71E-02	1.90E-08	1.0E+06	1.9E-02
664	1.94162	4.58E-03	8.9E-03	6.05E-04	5.38E-06	8.01E-02	4.71E-02	2.03E-08	1.0E+06	2.0E-02
665	2.07746	4.58E-03	9.5E-03	6.05E-04	5.75E-06	8.01E-02	4.71E-02	2.17E-08	1.0E+06	2.2E-02
666	2.22636	4.58E-03	1.0E-02	6.05E-04	6.16E-06	8.01E-02	4.71E-02	2.33E-08	1.0E+06	2.3E-02
667	2.38748	4.58E-03	1.1E-02	6.05E-04	6.61E-06	8.01E-02	4.71E-02	2.50E-08	1.0E+06	2.5E-02
668	2.56495	4.58E-03	1.2E-02	6.05E-04	7.10E-06	8.01E-02	4.71E-02	2.68E-08	1.0E+06	2.7E-02
669	2.75724	4.58E-03	1.3E-02	6.05E-04	7.63E-06	8.01E-02	4.71E-02	2.88E-08	1.0E+06	2.9E-02
670	2.96466	4.58E-03	1.4E-02	6.05E-04	8.21E-06	8.01E-02	4.71E-02	3.10E-08	1.0E+06	3.1E-02
671	3.18475	4.58E-03	1.5E-02	6.05E-04	8.82E-06	8.01E-02	4.71E-02	3.33E-08	1.0E+06	3.3E-02
672	3.42107	4.58E-03	1.6E-02	6.05E-04	9.47E-06	8.01E-02	4.71E-02	3.58E-08	1.0E+06	3.6E-02
673	3.66803	4.58E-03	1.7E-02	6.05E-04	1.02E-05	8.01E-02	4.71E-02	3.84E-08	1.0E+06	3.8E-02
674	3.91407	4.58E-03	1.8E-02	6.05E-04	1.08E-05	8.01E-02	4.71E-02	4.09E-08	1.0E+06	4.1E-02
675	4.16591	4.58E-03	1.9E-02	6.05E-04	1.15E-05	8.01E-02	4.71E-02	4.36E-08	1.0E+06	4.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	4.42659	4.58E-03	2.0E-02	6.05E-04	1.23E-05	8.01E-02	4.71E-02	4.63E-08	1.0E+06	4.6E-02
677	4.68113	4.58E-03	2.1E-02	6.05E-04	1.30E-05	8.01E-02	4.71E-02	4.89E-08	1.0E+06	4.9E-02
678	4.93847	4.58E-03	2.3E-02	6.05E-04	1.37E-05	8.01E-02	4.71E-02	5.16E-08	1.0E+06	5.2E-02
679	5.196	4.58E-03	2.4E-02	6.05E-04	1.44E-05	8.01E-02	4.71E-02	5.43E-08	1.0E+06	5.4E-02
680	5.45491	4.58E-03	2.5E-02	6.05E-04	1.51E-05	8.01E-02	4.71E-02	5.70E-08	1.0E+06	5.7E-02
681	5.71731	4.58E-03	2.6E-02	6.05E-04	1.58E-05	8.01E-02	4.71E-02	5.98E-08	1.0E+06	6.0E-02
682	5.98857	4.58E-03	2.7E-02	6.05E-04	1.66E-05	8.01E-02	4.71E-02	6.26E-08	1.0E+06	6.3E-02
683	6.27422	4.58E-03	2.9E-02	6.05E-04	1.74E-05	8.01E-02	4.71E-02	6.56E-08	1.0E+06	6.6E-02
684	6.59387	4.58E-03	3.0E-02	6.05E-04	1.83E-05	8.01E-02	4.71E-02	6.89E-08	1.0E+06	6.9E-02
685	6.95909	4.58E-03	3.2E-02	6.05E-04	1.93E-05	8.01E-02	4.71E-02	7.28E-08	1.0E+06	7.3E-02
686	7.39375	4.58E-03	3.4E-02	6.05E-04	2.05E-05	8.01E-02	4.71E-02	7.73E-08	1.0E+06	7.7E-02
687	7.93431	4.58E-03	3.6E-02	6.05E-04	2.20E-05	8.01E-02	4.71E-02	8.30E-08	1.0E+06	8.3E-02
688	8.64823	4.58E-03	4.0E-02	6.05E-04	2.39E-05	8.01E-02	4.71E-02	9.04E-08	1.0E+06	9.0E-02
689	9.65079	4.58E-03	4.4E-02	6.05E-04	2.67E-05	8.01E-02	4.71E-02	1.01E-07	1.0E+06	1.0E-01
690	11.12289	4.58E-03	5.1E-02	6.05E-04	3.08E-05	8.01E-02	4.71E-02	1.16E-07	1.0E+06	1.2E-01
691	9.54081	4.58E-03	4.4E-02	6.05E-04	2.64E-05	8.01E-02	4.71E-02	9.98E-08	1.0E+06	1.0E-01
692	1.00204	4.58E-03	4.6E-03	6.05E-04	2.77E-06	8.01E-02	4.71E-02	1.05E-08	1.0E+06	1.0E-02
693	1.0537	4.58E-03	4.8E-03	6.05E-04	2.92E-06	8.01E-02	4.71E-02	1.10E-08	1.0E+06	1.1E-02
694	1.10744	4.58E-03	5.1E-03	6.05E-04	3.07E-06	8.01E-02	4.71E-02	1.16E-08	1.0E+06	1.2E-02
695	1.16773	4.58E-03	5.3E-03	6.05E-04	3.23E-06	8.01E-02	4.71E-02	1.22E-08	1.0E+06	1.2E-02
696	1.23327	4.58E-03	5.6E-03	6.05E-04	3.41E-06	8.01E-02	4.71E-02	1.29E-08	1.0E+06	1.3E-02
697	1.30448	4.58E-03	6.0E-03	6.05E-04	3.61E-06	8.01E-02	4.71E-02	1.36E-08	1.0E+06	1.4E-02
698	1.382	4.58E-03	6.3E-03	6.05E-04	3.83E-06	8.01E-02	4.71E-02	1.44E-08	1.0E+06	1.4E-02
699	1.46684	4.58E-03	6.7E-03	6.05E-04	4.06E-06	8.01E-02	4.71E-02	1.53E-08	1.0E+06	1.5E-02
700	1.5604	4.58E-03	7.1E-03	6.05E-04	4.32E-06	8.01E-02	4.71E-02	1.63E-08	1.0E+06	1.6E-02
701	1.66234	4.58E-03	7.6E-03	6.05E-04	4.60E-06	8.01E-02	4.71E-02	1.74E-08	1.0E+06	1.7E-02
702	1.77527	4.58E-03	8.1E-03	6.05E-04	4.92E-06	8.01E-02	4.71E-02	1.86E-08	1.0E+06	1.9E-02
703	1.90012	4.58E-03	8.7E-03	6.05E-04	5.26E-06	8.01E-02	4.71E-02	1.99E-08	1.0E+06	2.0E-02
704	2.04022	4.58E-03	9.3E-03	6.05E-04	5.65E-06	8.01E-02	4.71E-02	2.13E-08	1.0E+06	2.1E-02
705	2.19334	4.58E-03	1.0E-02	6.05E-04	6.07E-06	8.01E-02	4.71E-02	2.29E-08	1.0E+06	2.3E-02
706	2.36021	4.58E-03	1.1E-02	6.05E-04	6.54E-06	8.01E-02	4.71E-02	2.47E-08	1.0E+06	2.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

					Cancer Risk from 2 to 16 years					
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.54748	4.58E-03	1.2E-02	6.05E-04	7.05E-06	8.01E-02	4.71E-02	2.66E-08	1.0E+06	2.7E-02
708	2.75536	4.58E-03	1.3E-02	6.05E-04	7.63E-06	8.01E-02	4.71E-02	2.88E-08	1.0E+06	2.9E-02
709	2.98478	4.58E-03	1.4E-02	6.05E-04	8.26E-06	8.01E-02	4.71E-02	3.12E-08	1.0E+06	3.1E-02
710	3.23328	4.58E-03	1.5E-02	6.05E-04	8.95E-06	8.01E-02	4.71E-02	3.38E-08	1.0E+06	3.4E-02
711	3.50242	4.58E-03	1.6E-02	6.05E-04	9.70E-06	8.01E-02	4.71E-02	3.66E-08	1.0E+06	3.7E-02
712	3.78731	4.58E-03	1.7E-02	6.05E-04	1.05E-05	8.01E-02	4.71E-02	3.96E-08	1.0E+06	4.0E-02
713	4.09046	4.58E-03	1.9E-02	6.05E-04	1.13E-05	8.01E-02	4.71E-02	4.28E-08	1.0E+06	4.3E-02
714	4.40022	4.58E-03	2.0E-02	6.05E-04	1.22E-05	8.01E-02	4.71E-02	4.60E-08	1.0E+06	4.6E-02
715	4.70626	4.58E-03	2.2E-02	6.05E-04	1.30E-05	8.01E-02	4.71E-02	4.92E-08	1.0E+06	4.9E-02
716	5.01429	4.58E-03	2.3E-02	6.05E-04	1.39E-05	8.01E-02	4.71E-02	5.24E-08	1.0E+06	5.2E-02
717	5.31577	4.58E-03	2.4E-02	6.05E-04	1.47E-05	8.01E-02	4.71E-02	5.56E-08	1.0E+06	5.6E-02
718	5.62017	4.58E-03	2.6E-02	6.05E-04	1.56E-05	8.01E-02	4.71E-02	5.88E-08	1.0E+06	5.9E-02
719	5.91342	4.58E-03	2.7E-02	6.05E-04	1.64E-05	8.01E-02	4.71E-02	6.18E-08	1.0E+06	6.2E-02
720	6.20243	4.58E-03	2.8E-02	6.05E-04	1.72E-05	8.01E-02	4.71E-02	6.48E-08	1.0E+06	6.5E-02
721	6.48901	4.58E-03	3.0E-02	6.05E-04	1.80E-05	8.01E-02	4.71E-02	6.78E-08	1.0E+06	6.8E-02
722	6.78021	4.58E-03	3.1E-02	6.05E-04	1.88E-05	8.01E-02	4.71E-02	7.09E-08	1.0E+06	7.1E-02
723	7.08261	4.58E-03	3.2E-02	6.05E-04	1.96E-05	8.01E-02	4.71E-02	7.41E-08	1.0E+06	7.4E-02
724	7.41647	4.58E-03	3.4E-02	6.05E-04	2.05E-05	8.01E-02	4.71E-02	7.75E-08	1.0E+06	7.8E-02
725	7.79616	4.58E-03	3.6E-02	6.05E-04	2.16E-05	8.01E-02	4.71E-02	8.15E-08	1.0E+06	8.2E-02
726	8.24611	4.58E-03	3.8E-02	6.05E-04	2.28E-05	8.01E-02	4.71E-02	8.62E-08	1.0E+06	8.6E-02
727	8.80306	4.58E-03	4.0E-02	6.05E-04	2.44E-05	8.01E-02	4.71E-02	9.20E-08	1.0E+06	9.2E-02
728	9.53665	4.58E-03	4.4E-02	6.05E-04	2.64E-05	8.01E-02	4.71E-02	9.97E-08	1.0E+06	1.0E-01
729	10.56681	4.58E-03	4.8E-02	6.05E-04	2.93E-05	8.01E-02	4.71E-02	1.10E-07	1.0E+06	1.1E-01
730	10.67586	4.58E-03	4.9E-02	6.05E-04	2.96E-05	8.01E-02	4.71E-02	1.12E-07	1.0E+06	1.1E-01
731	12.1459	4.58E-03	5.6E-02	6.05E-04	3.36E-05	8.01E-02	4.71E-02	1.27E-07	1.0E+06	1.3E-01
732	1.01817	4.58E-03	4.7E-03	6.05E-04	2.82E-06	8.01E-02	4.71E-02	1.06E-08	1.0E+06	1.1E-02
733	1.07128	4.58E-03	4.9E-03	6.05E-04	2.97E-06	8.01E-02	4.71E-02	1.12E-08	1.0E+06	1.1E-02
734	1.12621	4.58E-03	5.2E-03	6.05E-04	3.12E-06	8.01E-02	4.71E-02	1.18E-08	1.0E+06	1.2E-02
735	1.18748	4.58E-03	5.4E-03	6.05E-04	3.29E-06	8.01E-02	4.71E-02	1.24E-08	1.0E+06	1.2E-02
736	1.25673	4.58E-03	5.8E-03	6.05E-04	3.48E-06	8.01E-02	4.71E-02	1.31E-08	1.0E+06	1.3E-02
737	1.33033	4.58E-03	6.1E-03	6.05E-04	3.68E-06	8.01E-02	4.71E-02	1.39E-08	1.0E+06	1.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.414	4.58E-03	6.5E-03	6.05E-04	3.92E-06	8.01E-02	4.71E-02	1.48E-08	1.0E+06	1.5E-02
739	1.50604	4.58E-03	6.9E-03	6.05E-04	4.17E-06	8.01E-02	4.71E-02	1.57E-08	1.0E+06	1.6E-02
740	1.60852	4.58E-03	7.4E-03	6.05E-04	4.45E-06	8.01E-02	4.71E-02	1.68E-08	1.0E+06	1.7E-02
741	1.72172	4.58E-03	7.9E-03	6.05E-04	4.77E-06	8.01E-02	4.71E-02	1.80E-08	1.0E+06	1.8E-02
742	1.84608	4.58E-03	8.4E-03	6.05E-04	5.11E-06	8.01E-02	4.71E-02	1.93E-08	1.0E+06	1.9E-02
743	1.98162	4.58E-03	9.1E-03	6.05E-04	5.49E-06	8.01E-02	4.71E-02	2.07E-08	1.0E+06	2.1E-02
744	2.13833	4.58E-03	9.8E-03	6.05E-04	5.92E-06	8.01E-02	4.71E-02	2.24E-08	1.0E+06	2.2E-02
745	2.31024	4.58E-03	1.1E-02	6.05E-04	6.40E-06	8.01E-02	4.71E-02	2.42E-08	1.0E+06	2.4E-02
746	2.50224	4.58E-03	1.1E-02	6.05E-04	6.93E-06	8.01E-02	4.71E-02	2.62E-08	1.0E+06	2.6E-02
747	2.71719	4.58E-03	1.2E-02	6.05E-04	7.52E-06	8.01E-02	4.71E-02	2.84E-08	1.0E+06	2.8E-02
748	2.96377	4.58E-03	1.4E-02	6.05E-04	8.21E-06	8.01E-02	4.71E-02	3.10E-08	1.0E+06	3.1E-02
749	3.23672	4.58E-03	1.5E-02	6.05E-04	8.96E-06	8.01E-02	4.71E-02	3.38E-08	1.0E+06	3.4E-02
750	3.54561	4.58E-03	1.6E-02	6.05E-04	9.82E-06	8.01E-02	4.71E-02	3.71E-08	1.0E+06	3.7E-02
751	3.88014	4.58E-03	1.8E-02	6.05E-04	1.07E-05	8.01E-02	4.71E-02	4.06E-08	1.0E+06	4.1E-02
752	4.24003	4.58E-03	1.9E-02	6.05E-04	1.17E-05	8.01E-02	4.71E-02	4.43E-08	1.0E+06	4.4E-02
753	4.61852	4.58E-03	2.1E-02	6.05E-04	1.28E-05	8.01E-02	4.71E-02	4.83E-08	1.0E+06	4.8E-02
754	5.01333	4.58E-03	2.3E-02	6.05E-04	1.39E-05	8.01E-02	4.71E-02	5.24E-08	1.0E+06	5.2E-02
755	5.39969	4.58E-03	2.5E-02	6.05E-04	1.50E-05	8.01E-02	4.71E-02	5.65E-08	1.0E+06	5.6E-02
756	5.77853	4.58E-03	2.6E-02	6.05E-04	1.60E-05	8.01E-02	4.71E-02	6.04E-08	1.0E+06	6.0E-02
757	6.14717	4.58E-03	2.8E-02	6.05E-04	1.70E-05	8.01E-02	4.71E-02	6.43E-08	1.0E+06	6.4E-02
758	6.50301	4.58E-03	3.0E-02	6.05E-04	1.80E-05	8.01E-02	4.71E-02	6.80E-08	1.0E+06	6.8E-02
759	6.84378	4.58E-03	3.1E-02	6.05E-04	1.90E-05	8.01E-02	4.71E-02	7.16E-08	1.0E+06	7.2E-02
760	7.16552	4.58E-03	3.3E-02	6.05E-04	1.98E-05	8.01E-02	4.71E-02	7.49E-08	1.0E+06	7.5E-02
761	7.47754	4.58E-03	3.4E-02	6.05E-04	2.07E-05	8.01E-02	4.71E-02	7.82E-08	1.0E+06	7.8E-02
762	7.78847	4.58E-03	3.6E-02	6.05E-04	2.16E-05	8.01E-02	4.71E-02	8.14E-08	1.0E+06	8.1E-02
763	8.10617	4.58E-03	3.7E-02	6.05E-04	2.24E-05	8.01E-02	4.71E-02	8.48E-08	1.0E+06	8.5E-02
764	8.45109	4.58E-03	3.9E-02	6.05E-04	2.34E-05	8.01E-02	4.71E-02	8.84E-08	1.0E+06	8.8E-02
765	8.84143	4.58E-03	4.0E-02	6.05E-04	2.45E-05	8.01E-02	4.71E-02	9.24E-08	1.0E+06	9.2E-02
766	9.30016	4.58E-03	4.3E-02	6.05E-04	2.58E-05	8.01E-02	4.71E-02	9.72E-08	1.0E+06	9.7E-02
767	9.86363	4.58E-03	4.5E-02	6.05E-04	2.73E-05	8.01E-02	4.71E-02	1.03E-07	1.0E+06	1.0E-01
768	10.60034	4.58E-03	4.9E-02	6.05E-04	2.94E-05	8.01E-02	4.71E-02	1.11E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	11.6327	4.58E-03	5.3E-02	6.05E-04	3.22E-05	8.01E-02	4.71E-02	1.22E-07	1.0E+06	1.2E-01
770	11.67069	4.58E-03	5.3E-02	6.05E-04	3.23E-05	8.01E-02	4.71E-02	1.22E-07	1.0E+06	1.2E-01
771	13.07923	4.58E-03	6.0E-02	6.05E-04	3.62E-05	8.01E-02	4.71E-02	1.37E-07	1.0E+06	1.4E-01
772	1.02925	4.58E-03	4.7E-03	6.05E-04	2.85E-06	8.01E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
773	1.08436	4.58E-03	5.0E-03	6.05E-04	3.00E-06	8.01E-02	4.71E-02	1.13E-08	1.0E+06	1.1E-02
774	1.14225	4.58E-03	5.2E-03	6.05E-04	3.16E-06	8.01E-02	4.71E-02	1.19E-08	1.0E+06	1.2E-02
775	1.20852	4.58E-03	5.5E-03	6.05E-04	3.35E-06	8.01E-02	4.71E-02	1.26E-08	1.0E+06	1.3E-02
776	1.27996	4.58E-03	5.9E-03	6.05E-04	3.54E-06	8.01E-02	4.71E-02	1.34E-08	1.0E+06	1.3E-02
777	1.3563	4.58E-03	6.2E-03	6.05E-04	3.76E-06	8.01E-02	4.71E-02	1.42E-08	1.0E+06	1.4E-02
778	1.44523	4.58E-03	6.6E-03	6.05E-04	4.00E-06	8.01E-02	4.71E-02	1.51E-08	1.0E+06	1.5E-02
779	1.54136	4.58E-03	7.1E-03	6.05E-04	4.27E-06	8.01E-02	4.71E-02	1.61E-08	1.0E+06	1.6E-02
780	1.65155	4.58E-03	7.6E-03	6.05E-04	4.57E-06	8.01E-02	4.71E-02	1.73E-08	1.0E+06	1.7E-02
781	1.77467	4.58E-03	8.1E-03	6.05E-04	4.91E-06	8.01E-02	4.71E-02	1.86E-08	1.0E+06	1.9E-02
782	1.91185	4.58E-03	8.7E-03	6.05E-04	5.29E-06	8.01E-02	4.71E-02	2.00E-08	1.0E+06	2.0E-02
783	2.06504	4.58E-03	9.5E-03	6.05E-04	5.72E-06	8.01E-02	4.71E-02	2.16E-08	1.0E+06	2.2E-02
784	2.237	4.58E-03	1.0E-02	6.05E-04	6.19E-06	8.01E-02	4.71E-02	2.34E-08	1.0E+06	2.3E-02
785	2.43235	4.58E-03	1.1E-02	6.05E-04	6.74E-06	8.01E-02	4.71E-02	2.54E-08	1.0E+06	2.5E-02
786	2.65165	4.58E-03	1.2E-02	6.05E-04	7.34E-06	8.01E-02	4.71E-02	2.77E-08	1.0E+06	2.8E-02
787	2.90584	4.58E-03	1.3E-02	6.05E-04	8.05E-06	8.01E-02	4.71E-02	3.04E-08	1.0E+06	3.0E-02
788	3.19686	4.58E-03	1.5E-02	6.05E-04	8.85E-06	8.01E-02	4.71E-02	3.34E-08	1.0E+06	3.3E-02
789	3.5312	4.58E-03	1.6E-02	6.05E-04	9.78E-06	8.01E-02	4.71E-02	3.69E-08	1.0E+06	3.7E-02
790	3.9096	4.58E-03	1.8E-02	6.05E-04	1.08E-05	8.01E-02	4.71E-02	4.09E-08	1.0E+06	4.1E-02
791	4.33625	4.58E-03	2.0E-02	6.05E-04	1.20E-05	8.01E-02	4.71E-02	4.53E-08	1.0E+06	4.5E-02
792	4.8036	4.58E-03	2.2E-02	6.05E-04	1.33E-05	8.01E-02	4.71E-02	5.02E-08	1.0E+06	5.0E-02
793	5.30427	4.58E-03	2.4E-02	6.05E-04	1.47E-05	8.01E-02	4.71E-02	5.55E-08	1.0E+06	5.5E-02
794	5.82251	4.58E-03	2.7E-02	6.05E-04	1.61E-05	8.01E-02	4.71E-02	6.09E-08	1.0E+06	6.1E-02
795	6.34502	4.58E-03	2.9E-02	6.05E-04	1.76E-05	8.01E-02	4.71E-02	6.63E-08	1.0E+06	6.6E-02
796	6.83717	4.58E-03	3.1E-02	6.05E-04	1.89E-05	8.01E-02	4.71E-02	7.15E-08	1.0E+06	7.1E-02
797	7.28166	4.58E-03	3.3E-02	6.05E-04	2.02E-05	8.01E-02	4.71E-02	7.61E-08	1.0E+06	7.6E-02
798	7.70162	4.58E-03	3.5E-02	6.05E-04	2.13E-05	8.01E-02	4.71E-02	8.05E-08	1.0E+06	8.1E-02
799	8.09546	4.58E-03	3.7E-02	6.05E-04	2.24E-05	8.01E-02	4.71E-02	8.46E-08	1.0E+06	8.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	8.45206	4.58E-03	3.9E-02	6.05E-04	2.34E-05	8.01E-02	4.71E-02	8.84E-08	1.0E+06	8.8E-02
801	8.78635	4.58E-03	4.0E-02	6.05E-04	2.43E-05	8.01E-02	4.71E-02	9.19E-08	1.0E+06	9.2E-02
802	9.11543	4.58E-03	4.2E-02	6.05E-04	2.52E-05	8.01E-02	4.71E-02	9.53E-08	1.0E+06	9.5E-02
803	9.44965	4.58E-03	4.3E-02	6.05E-04	2.62E-05	8.01E-02	4.71E-02	9.88E-08	1.0E+06	9.9E-02
804	9.80465	4.58E-03	4.5E-02	6.05E-04	2.71E-05	8.01E-02	4.71E-02	1.03E-07	1.0E+06	1.0E-01
805	10.2011	4.58E-03	4.7E-02	6.05E-04	2.82E-05	8.01E-02	4.71E-02	1.07E-07	1.0E+06	1.1E-01
806	10.66213	4.58E-03	4.9E-02	6.05E-04	2.95E-05	8.01E-02	4.71E-02	1.11E-07	1.0E+06	1.1E-01
807	11.22586	4.58E-03	5.1E-02	6.05E-04	3.11E-05	8.01E-02	4.71E-02	1.17E-07	1.0E+06	1.2E-01
808	11.94731	4.58E-03	5.5E-02	6.05E-04	3.31E-05	8.01E-02	4.71E-02	1.25E-07	1.0E+06	1.2E-01
809	12.95425	4.58E-03	5.9E-02	6.05E-04	3.59E-05	8.01E-02	4.71E-02	1.35E-07	1.0E+06	1.4E-01
810	14.45888	4.58E-03	6.6E-02	6.05E-04	4.00E-05	8.01E-02	4.71E-02	1.51E-07	1.0E+06	1.5E-01
811	13.11681	4.58E-03	6.0E-02	6.05E-04	3.63E-05	8.01E-02	4.71E-02	1.37E-07	1.0E+06	1.4E-01
812	1.03669	4.58E-03	4.7E-03	6.05E-04	2.87E-06	8.01E-02	4.71E-02	1.08E-08	1.0E+06	1.1E-02
813	1.0936	4.58E-03	5.0E-03	6.05E-04	3.03E-06	8.01E-02	4.71E-02	1.14E-08	1.0E+06	1.1E-02
814	1.15589	4.58E-03	5.3E-03	6.05E-04	3.20E-06	8.01E-02	4.71E-02	1.21E-08	1.0E+06	1.2E-02
815	1.22336	4.58E-03	5.6E-03	6.05E-04	3.39E-06	8.01E-02	4.71E-02	1.28E-08	1.0E+06	1.3E-02
816	1.29722	4.58E-03	5.9E-03	6.05E-04	3.59E-06	8.01E-02	4.71E-02	1.36E-08	1.0E+06	1.4E-02
817	1.38163	4.58E-03	6.3E-03	6.05E-04	3.83E-06	8.01E-02	4.71E-02	1.44E-08	1.0E+06	1.4E-02
818	1.47206	4.58E-03	6.7E-03	6.05E-04	4.08E-06	8.01E-02	4.71E-02	1.54E-08	1.0E+06	1.5E-02
819	1.57452	4.58E-03	7.2E-03	6.05E-04	4.36E-06	8.01E-02	4.71E-02	1.65E-08	1.0E+06	1.6E-02
820	1.69202	4.58E-03	7.7E-03	6.05E-04	4.69E-06	8.01E-02	4.71E-02	1.77E-08	1.0E+06	1.8E-02
821	1.82177	4.58E-03	8.3E-03	6.05E-04	5.04E-06	8.01E-02	4.71E-02	1.90E-08	1.0E+06	1.9E-02
822	1.97136	4.58E-03	9.0E-03	6.05E-04	5.46E-06	8.01E-02	4.71E-02	2.06E-08	1.0E+06	2.1E-02
823	2.14135	4.58E-03	9.8E-03	6.05E-04	5.93E-06	8.01E-02	4.71E-02	2.24E-08	1.0E+06	2.2E-02
824	2.3352	4.58E-03	1.1E-02	6.05E-04	6.47E-06	8.01E-02	4.71E-02	2.44E-08	1.0E+06	2.4E-02
825	2.55501	4.58E-03	1.2E-02	6.05E-04	7.07E-06	8.01E-02	4.71E-02	2.67E-08	1.0E+06	2.7E-02
826	2.80984	4.58E-03	1.3E-02	6.05E-04	7.78E-06	8.01E-02	4.71E-02	2.94E-08	1.0E+06	2.9E-02
827	3.10338	4.58E-03	1.4E-02	6.05E-04	8.59E-06	8.01E-02	4.71E-02	3.24E-08	1.0E+06	3.2E-02
828	3.45416	4.58E-03	1.6E-02	6.05E-04	9.56E-06	8.01E-02	4.71E-02	3.61E-08	1.0E+06	3.6E-02
829	3.86115	4.58E-03	1.8E-02	6.05E-04	1.07E-05	8.01E-02	4.71E-02	4.04E-08	1.0E+06	4.0E-02
830	4.33826	4.58E-03	2.0E-02	6.05E-04	1.20E-05	8.01E-02	4.71E-02	4.54E-08	1.0E+06	4.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	4.89242	4.58E-03	2.2E-02	6.05E-04	1.35E-05	8.01E-02	4.71E-02	5.12E-08	1.0E+06	5.1E-02
832	5.52074	4.58E-03	2.5E-02	6.05E-04	1.53E-05	8.01E-02	4.71E-02	5.77E-08	1.0E+06	5.8E-02
833	6.21567	4.58E-03	2.8E-02	6.05E-04	1.72E-05	8.01E-02	4.71E-02	6.50E-08	1.0E+06	6.5E-02
834	6.94997	4.58E-03	3.2E-02	6.05E-04	1.92E-05	8.01E-02	4.71E-02	7.27E-08	1.0E+06	7.3E-02
835	7.67024	4.58E-03	3.5E-02	6.05E-04	2.12E-05	8.01E-02	4.71E-02	8.02E-08	1.0E+06	8.0E-02
836	7.00918	4.58E-03	3.2E-02	6.05E-04	1.94E-05	8.01E-02	4.71E-02	7.33E-08	1.0E+06	7.3E-02
837	8.87486	4.58E-03	4.1E-02	6.05E-04	2.46E-05	8.01E-02	4.71E-02	9.28E-08	1.0E+06	9.3E-02
838	9.37163	4.58E-03	4.3E-02	6.05E-04	2.59E-05	8.01E-02	4.71E-02	9.80E-08	1.0E+06	9.8E-02
839	8.4855	4.58E-03	3.9E-02	6.05E-04	2.35E-05	8.01E-02	4.71E-02	8.87E-08	1.0E+06	8.9E-02
840	8.8128	4.58E-03	4.0E-02	6.05E-04	2.44E-05	8.01E-02	4.71E-02	9.21E-08	1.0E+06	9.2E-02
841	9.22428	4.58E-03	4.2E-02	6.05E-04	2.55E-05	8.01E-02	4.71E-02	9.64E-08	1.0E+06	9.6E-02
842	10.91573	4.58E-03	5.0E-02	6.05E-04	3.02E-05	8.01E-02	4.71E-02	1.14E-07	1.0E+06	1.1E-01
843	9.88144	4.58E-03	4.5E-02	6.05E-04	2.74E-05	8.01E-02	4.71E-02	1.03E-07	1.0E+06	1.0E-01
844	10.18113	4.58E-03	4.7E-02	6.05E-04	2.82E-05	8.01E-02	4.71E-02	1.06E-07	1.0E+06	1.1E-01
845	10.64836	4.58E-03	4.9E-02	6.05E-04	2.95E-05	8.01E-02	4.71E-02	1.11E-07	1.0E+06	1.1E-01
846	12.501	4.58E-03	5.7E-02	6.05E-04	3.46E-05	8.01E-02	4.71E-02	1.31E-07	1.0E+06	1.3E-01
847	11.57793	4.58E-03	5.3E-02	6.05E-04	3.21E-05	8.01E-02	4.71E-02	1.21E-07	1.0E+06	1.2E-01
848	12.17764	4.58E-03	5.6E-02	6.05E-04	3.37E-05	8.01E-02	4.71E-02	1.27E-07	1.0E+06	1.3E-01
849	13.1966	4.58E-03	6.0E-02	6.05E-04	3.65E-05	8.01E-02	4.71E-02	1.38E-07	1.0E+06	1.4E-01
850	14.78826	4.58E-03	6.8E-02	6.05E-04	4.09E-05	8.01E-02	4.71E-02	1.55E-07	1.0E+06	1.5E-01
851	13.04213	4.58E-03	6.0E-02	6.05E-04	3.61E-05	8.01E-02	4.71E-02	1.36E-07	1.0E+06	1.4E-01
852	1.04006	4.58E-03	4.8E-03	6.05E-04	2.88E-06	8.01E-02	4.71E-02	1.09E-08	1.0E+06	1.1E-02
853	1.0967	4.58E-03	5.0E-03	6.05E-04	3.04E-06	8.01E-02	4.71E-02	1.15E-08	1.0E+06	1.1E-02
854	1.16099	4.58E-03	5.3E-03	6.05E-04	3.21E-06	8.01E-02	4.71E-02	1.21E-08	1.0E+06	1.2E-02
855	1.23321	4.58E-03	5.6E-03	6.05E-04	3.41E-06	8.01E-02	4.71E-02	1.29E-08	1.0E+06	1.3E-02
856	1.31079	4.58E-03	6.0E-03	6.05E-04	3.63E-06	8.01E-02	4.71E-02	1.37E-08	1.0E+06	1.4E-02
857	1.39916	4.58E-03	6.4E-03	6.05E-04	3.87E-06	8.01E-02	4.71E-02	1.46E-08	1.0E+06	1.5E-02
858	1.4951	4.58E-03	6.8E-03	6.05E-04	4.14E-06	8.01E-02	4.71E-02	1.56E-08	1.0E+06	1.6E-02
859	1.60529	4.58E-03	7.3E-03	6.05E-04	4.44E-06	8.01E-02	4.71E-02	1.68E-08	1.0E+06	1.7E-02
860	1.7237	4.58E-03	7.9E-03	6.05E-04	4.77E-06	8.01E-02	4.71E-02	1.80E-08	1.0E+06	1.8E-02
861	1.86479	4.58E-03	8.5E-03	6.05E-04	5.16E-06	8.01E-02	4.71E-02	1.95E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	2.02351	4.58E-03	9.3E-03	6.05E-04	5.60E-06	8.01E-02	4.71E-02	2.12E-08	1.0E+06	2.1E-02
863	2.2094	4.58E-03	1.0E-02	6.05E-04	6.12E-06	8.01E-02	4.71E-02	2.31E-08	1.0E+06	2.3E-02
864	2.42481	4.58E-03	1.1E-02	6.05E-04	6.71E-06	8.01E-02	4.71E-02	2.54E-08	1.0E+06	2.5E-02
865	2.67385	4.58E-03	1.2E-02	6.05E-04	7.40E-06	8.01E-02	4.71E-02	2.80E-08	1.0E+06	2.8E-02
866	2.96557	4.58E-03	1.4E-02	6.05E-04	8.21E-06	8.01E-02	4.71E-02	3.10E-08	1.0E+06	3.1E-02
867	3.3135	4.58E-03	1.5E-02	6.05E-04	9.17E-06	8.01E-02	4.71E-02	3.46E-08	1.0E+06	3.5E-02
868	3.72791	4.58E-03	1.7E-02	6.05E-04	1.03E-05	8.01E-02	4.71E-02	3.90E-08	1.0E+06	3.9E-02
869	4.2296	4.58E-03	1.9E-02	6.05E-04	1.17E-05	8.01E-02	4.71E-02	4.42E-08	1.0E+06	4.4E-02
870	4.83855	4.58E-03	2.2E-02	6.05E-04	1.34E-05	8.01E-02	4.71E-02	5.06E-08	1.0E+06	5.1E-02
871	5.5694	4.58E-03	2.5E-02	6.05E-04	1.54E-05	8.01E-02	4.71E-02	5.82E-08	1.0E+06	5.8E-02
872	6.44468	4.58E-03	2.9E-02	6.05E-04	1.78E-05	8.01E-02	4.71E-02	6.74E-08	1.0E+06	6.7E-02
873	7.45909	4.58E-03	3.4E-02	6.05E-04	2.07E-05	8.01E-02	4.71E-02	7.80E-08	1.0E+06	7.8E-02
874	6.94894	4.58E-03	3.2E-02	6.05E-04	1.92E-05	8.01E-02	4.71E-02	7.27E-08	1.0E+06	7.3E-02
875	7.68023	4.58E-03	3.5E-02	6.05E-04	2.13E-05	8.01E-02	4.71E-02	8.03E-08	1.0E+06	8.0E-02
876	8.4196	4.58E-03	3.9E-02	6.05E-04	2.33E-05	8.01E-02	4.71E-02	8.80E-08	1.0E+06	8.8E-02
877	7.97885	4.58E-03	3.7E-02	6.05E-04	2.21E-05	8.01E-02	4.71E-02	8.34E-08	1.0E+06	8.3E-02
878	8.45898	4.58E-03	3.9E-02	6.05E-04	2.34E-05	8.01E-02	4.71E-02	8.84E-08	1.0E+06	8.8E-02
879	10.1997	4.58E-03	4.7E-02	6.05E-04	2.82E-05	8.01E-02	4.71E-02	1.07E-07	1.0E+06	1.1E-01
880	10.50737	4.58E-03	4.8E-02	6.05E-04	2.91E-05	8.01E-02	4.71E-02	1.10E-07	1.0E+06	1.1E-01
881	9.68613	4.58E-03	4.4E-02	6.05E-04	2.68E-05	8.01E-02	4.71E-02	1.01E-07	1.0E+06	1.0E-01
882	9.93381	4.58E-03	4.5E-02	6.05E-04	2.75E-05	8.01E-02	4.71E-02	1.04E-07	1.0E+06	1.0E-01
883	11.63355	4.58E-03	5.3E-02	6.05E-04	3.22E-05	8.01E-02	4.71E-02	1.22E-07	1.0E+06	1.2E-01
884	11.90785	4.58E-03	5.4E-02	6.05E-04	3.30E-05	8.01E-02	4.71E-02	1.25E-07	1.0E+06	1.2E-01
885	11.12891	4.58E-03	5.1E-02	6.05E-04	3.08E-05	8.01E-02	4.71E-02	1.16E-07	1.0E+06	1.2E-01
886	11.46599	4.58E-03	5.2E-02	6.05E-04	3.17E-05	8.01E-02	4.71E-02	1.20E-07	1.0E+06	1.2E-01
887	13.29454	4.58E-03	6.1E-02	6.05E-04	3.68E-05	8.01E-02	4.71E-02	1.39E-07	1.0E+06	1.4E-01
888	13.76158	4.58E-03	6.3E-02	6.05E-04	3.81E-05	8.01E-02	4.71E-02	1.44E-07	1.0E+06	1.4E-01
889	13.36807	4.58E-03	6.1E-02	6.05E-04	3.70E-05	8.01E-02	4.71E-02	1.40E-07	1.0E+06	1.4E-01
890	13.2075	4.58E-03	6.0E-02	6.05E-04	3.66E-05	8.01E-02	4.71E-02	1.38E-07	1.0E+06	1.4E-01
891	15.83237	4.58E-03	7.2E-02	6.05E-04	4.38E-05	8.01E-02	4.71E-02	1.66E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
521	5	3.47E-03
522	5	3.64E-03
523	5	3.84E-03
524	5	4.05E-03
525	5	4.30E-03
526	5	4.59E-03
527	5	4.94E-03
528	5	5.38E-03
529	5	5.96E-03
530	5	6.76E-03
531	5	6.18E-03
532	5	8.51E-04
533	5	8.88E-04
534	5	9.27E-04
535	5	9.71E-04
536	5	1.02E-03
537	5	1.07E-03
538	5	1.12E-03
539	5	1.18E-03
540	5	1.24E-03
541	5	1.30E-03
542	5	1.37E-03
543	5	1.45E-03
544	5	1.53E-03
545	5	1.62E-03
546	5	1.71E-03
547	5	1.81E-03
548	5	1.92E-03
549	5	2.03E-03
550	5	2.15E-03
551	5	2.28E-03

Max	Receptor #	
0.014	891	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
552	5	2.40E-03
553	5	2.54E-03
554	5	2.68E-03
555	5	2.83E-03
556	5	2.98E-03
557	5	3.13E-03
558	5	3.29E-03
559	5	3.45E-03
560	5	3.63E-03
561	5	3.80E-03
562	5	4.00E-03
563	5	4.21E-03
564	5	4.45E-03
565	5	4.72E-03
566	5	5.04E-03
567	5	5.44E-03
568	5	5.95E-03
569	5	6.64E-03
570	5	6.31E-03
571	5	7.01E-03
572	5	8.71E-04
573	5	9.10E-04
574	5	9.51E-04
575	5	9.96E-04
576	5	1.05E-03
577	5	1.10E-03
578	5	1.16E-03
579	5	1.22E-03
580	5	1.29E-03
581	5	1.36E-03
582	5	1.43E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
583	5	1.52E-03
584	5	1.61E-03
585	5	1.71E-03
586	5	1.81E-03
587	5	1.92E-03
588	5	2.05E-03
589	5	2.18E-03
590	5	2.31E-03
591	5	2.46E-03
592	5	2.61E-03
593	5	2.77E-03
594	5	2.93E-03
595	5	3.10E-03
596	5	3.27E-03
597	5	3.44E-03
598	5	3.62E-03
599	5	3.81E-03
600	5	4.00E-03
601	5	4.20E-03
602	5	4.41E-03
603	5	4.64E-03
604	5	4.90E-03
605	5	5.19E-03
606	5	5.54E-03
607	5	5.98E-03
608	5	6.55E-03
609	5	7.34E-03
610	5	7.10E-03
611	5	7.98E-03
612	5	8.88E-04
613	5	9.31E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
614	5	9.75E-04
615	5	1.02E-03
616	5	1.07E-03
617	5	1.13E-03
618	5	1.19E-03
619	5	1.26E-03
620	5	1.33E-03
621	5	1.41E-03
622	5	1.50E-03
623	5	1.59E-03
624	5	1.69E-03
625	5	1.80E-03
626	5	1.92E-03
627	5	2.05E-03
628	5	2.19E-03
629	5	2.34E-03
630	5	2.50E-03
631	5	2.67E-03
632	5	2.85E-03
633	5	3.03E-03
634	5	3.22E-03
635	5	3.42E-03
636	5	3.62E-03
637	5	3.82E-03
638	5	4.03E-03
639	5	4.23E-03
640	5	4.45E-03
641	5	4.67E-03
642	5	4.89E-03
643	5	5.14E-03
644	5	5.42E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
645	5	5.73E-03
646	5	6.11E-03
647	5	6.58E-03
648	5	7.20E-03
649	5	8.07E-03
650	5	7.99E-03
651	5	7.86E-03
652	5	9.03E-04
653	5	9.48E-04
654	5	9.97E-04
655	5	1.05E-03
656	5	1.11E-03
657	5	1.17E-03
658	5	1.23E-03
659	5	1.30E-03
660	5	1.38E-03
661	5	1.47E-03
662	5	1.56E-03
663	5	1.66E-03
664	5	1.78E-03
665	5	1.90E-03
666	5	2.04E-03
667	5	2.19E-03
668	5	2.35E-03
669	5	2.52E-03
670	5	2.71E-03
671	5	2.91E-03
672	5	3.13E-03
673	5	3.36E-03
674	5	3.58E-03
675	5	3.81E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
676	5	4.05E-03
677	5	4.28E-03
678	5	4.52E-03
679	5	4.76E-03
680	5	4.99E-03
681	5	5.23E-03
682	5	5.48E-03
683	5	5.74E-03
684	5	6.04E-03
685	5	6.37E-03
686	5	6.77E-03
687	5	7.26E-03
688	5	7.92E-03
689	5	8.83E-03
690	5	1.02E-02
691	5	8.73E-03
692	5	9.17E-04
693	5	9.64E-04
694	5	1.01E-03
695	5	1.07E-03
696	5	1.13E-03
697	5	1.19E-03
698	5	1.26E-03
699	5	1.34E-03
700	5	1.43E-03
701	5	1.52E-03
702	5	1.62E-03
703	5	1.74E-03
704	5	1.87E-03
705	5	2.01E-03
706	5	2.16E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
707	5	2.33E-03
708	5	2.52E-03
709	5	2.73E-03
710	5	2.96E-03
711	5	3.21E-03
712	5	3.47E-03
713	5	3.74E-03
714	5	4.03E-03
715	5	4.31E-03
716	5	4.59E-03
717	5	4.87E-03
718	5	5.14E-03
719	5	5.41E-03
720	5	5.68E-03
721	5	5.94E-03
722	5	6.21E-03
723	5	6.48E-03
724	5	6.79E-03
725	5	7.14E-03
726	5	7.55E-03
727	5	8.06E-03
728	5	8.73E-03
729	5	9.67E-03
730	5	9.77E-03
731	5	1.11E-02
732	5	9.32E-04
733	5	9.80E-04
734	5	1.03E-03
735	5	1.09E-03
736	5	1.15E-03
737	5	1.22E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
738	5	1.29E-03
739	5	1.38E-03
740	5	1.47E-03
741	5	1.58E-03
742	5	1.69E-03
743	5	1.81E-03
744	5	1.96E-03
745	5	2.11E-03
746	5	2.29E-03
747	5	2.49E-03
748	5	2.71E-03
749	5	2.96E-03
750	5	3.25E-03
751	5	3.55E-03
752	5	3.88E-03
753	5	4.23E-03
754	5	4.59E-03
755	5	4.94E-03
756	5	5.29E-03
757	5	5.63E-03
758	5	5.95E-03
759	5	6.26E-03
760	5	6.56E-03
761	5	6.84E-03
762	5	7.13E-03
763	5	7.42E-03
764	5	7.73E-03
765	5	8.09E-03
766	5	8.51E-03
767	5	9.03E-03
768	5	9.70E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
769	5	1.06E-02
770	5	1.07E-02
771	5	1.20E-02
772	5	9.42E-04
773	5	9.92E-04
774	5	1.05E-03
775	5	1.11E-03
776	5	1.17E-03
777	5	1.24E-03
778	5	1.32E-03
779	5	1.41E-03
780	5	1.51E-03
781	5	1.62E-03
782	5	1.75E-03
783	5	1.89E-03
784	5	2.05E-03
785	5	2.23E-03
786	5	2.43E-03
787	5	2.66E-03
788	5	2.93E-03
789	5	3.23E-03
790	5	3.58E-03
791	5	3.97E-03
792	5	4.40E-03
793	5	4.85E-03
794	5	5.33E-03
795	5	5.81E-03
796	5	6.26E-03
797	5	6.66E-03
798	5	7.05E-03
799	5	7.41E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
800	5	7.74E-03
801	5	8.04E-03
802	5	8.34E-03
803	5	8.65E-03
804	5	8.97E-03
805	5	9.34E-03
806	5	9.76E-03
807	5	1.03E-02
808	5	1.09E-02
809	5	1.19E-02
810	5	1.32E-02
811	5	1.20E-02
812	5	9.49E-04
813	5	1.00E-03
814	5	1.06E-03
815	5	1.12E-03
816	5	1.19E-03
817	5	1.26E-03
818	5	1.35E-03
819	5	1.44E-03
820	5	1.55E-03
821	5	1.67E-03
822	5	1.80E-03
823	5	1.96E-03
824	5	2.14E-03
825	5	2.34E-03
826	5	2.57E-03
827	5	2.84E-03
828	5	3.16E-03
829	5	3.53E-03
830	5	3.97E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
831	5	4.48E-03
832	5	5.05E-03
833	5	5.69E-03
834	5	6.36E-03
835	5	7.02E-03
836	5	6.42E-03
837	5	8.12E-03
838	5	8.58E-03
839	5	7.77E-03
840	5	8.07E-03
841	5	8.44E-03
842	5	9.99E-03
843	5	9.04E-03
844	5	9.32E-03
845	5	9.75E-03
846	5	1.14E-02
847	5	1.06E-02
848	5	1.11E-02
849	5	1.21E-02
850	5	1.35E-02
851	5	1.19E-02
852	5	9.52E-04
853	5	1.00E-03
854	5	1.06E-03
855	5	1.13E-03
856	5	1.20E-03
857	5	1.28E-03
858	5	1.37E-03
859	5	1.47E-03
860	5	1.58E-03
861	5	1.71E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
862	5	1.85E-03
863	5	2.02E-03
864	5	2.22E-03
865	5	2.45E-03
866	5	2.71E-03
867	5	3.03E-03
868	5	3.41E-03
869	5	3.87E-03
870	5	4.43E-03
871	5	5.10E-03
872	5	5.90E-03
873	5	6.83E-03
874	5	6.36E-03
875	5	7.03E-03
876	5	7.71E-03
877	5	7.30E-03
878	5	7.74E-03
879	5	9.34E-03
880	5	9.62E-03
881	5	8.87E-03
882	5	9.09E-03
883	5	1.06E-02
884	5	1.09E-02
885	5	1.02E-02
886	5	1.05E-02
887	5	1.22E-02
888	5	1.26E-02
889	5	1.22E-02
890	5	1.21E-02
891	5	1.45E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	3.78705	1.87E-02	7.1E-02	6.05E-04	4.29E-05	1.60E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
522	3.98002	1.87E-02	7.4E-02	6.05E-04	4.51E-05	1.60E-01	4.71E-02	3.40E-07	1.0E+06	3.4E-01
523	4.19123	1.87E-02	7.8E-02	6.05E-04	4.75E-05	1.60E-01	4.71E-02	3.58E-07	1.0E+06	3.6E-01
524	4.42658	1.87E-02	8.3E-02	6.05E-04	5.01E-05	1.60E-01	4.71E-02	3.79E-07	1.0E+06	3.8E-01
525	4.69569	1.87E-02	8.8E-02	6.05E-04	5.32E-05	1.60E-01	4.71E-02	4.02E-07	1.0E+06	4.0E-01
526	5.0118	1.87E-02	9.4E-02	6.05E-04	5.67E-05	1.60E-01	4.71E-02	4.29E-07	1.0E+06	4.3E-01
527	5.39601	1.87E-02	1.0E-01	6.05E-04	6.11E-05	1.60E-01	4.71E-02	4.61E-07	1.0E+06	4.6E-01
528	5.88037	1.87E-02	1.1E-01	6.05E-04	6.66E-05	1.60E-01	4.71E-02	5.03E-07	1.0E+06	5.0E-01
529	6.51459	1.87E-02	1.2E-01	6.05E-04	7.38E-05	1.60E-01	4.71E-02	5.57E-07	1.0E+06	5.6E-01
530	7.38205	1.87E-02	1.4E-01	6.05E-04	8.36E-05	1.60E-01	4.71E-02	6.31E-07	1.0E+06	6.3E-01
531	6.74782	1.87E-02	1.3E-01	6.05E-04	7.64E-05	1.60E-01	4.71E-02	5.77E-07	1.0E+06	5.8E-01
532	0.93027	1.87E-02	1.7E-02	6.05E-04	1.05E-05	1.60E-01	4.71E-02	7.95E-08	1.0E+06	8.0E-02
533	0.96978	1.87E-02	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.29E-08	1.0E+06	8.3E-02
534	1.01278	1.87E-02	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.66E-08	1.0E+06	8.7E-02
535	1.06038	1.87E-02	2.0E-02	6.05E-04	1.20E-05	1.60E-01	4.71E-02	9.07E-08	1.0E+06	9.1E-02
536	1.1101	1.87E-02	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.49E-08	1.0E+06	9.5E-02
537	1.16468	1.87E-02	2.2E-02	6.05E-04	1.32E-05	1.60E-01	4.71E-02	9.96E-08	1.0E+06	1.0E-01
538	1.22313	1.87E-02	2.3E-02	6.05E-04	1.38E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.0E-01
539	1.28577	1.87E-02	2.4E-02	6.05E-04	1.46E-05	1.60E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
540	1.351	1.87E-02	2.5E-02	6.05E-04	1.53E-05	1.60E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
541	1.42319	1.87E-02	2.7E-02	6.05E-04	1.61E-05	1.60E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
542	1.49972	1.87E-02	2.8E-02	6.05E-04	1.70E-05	1.60E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
543	1.58309	1.87E-02	3.0E-02	6.05E-04	1.79E-05	1.60E-01	4.71E-02	1.35E-07	1.0E+06	1.4E-01
544	1.67236	1.87E-02	3.1E-02	6.05E-04	1.89E-05	1.60E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
545	1.76804	1.87E-02	3.3E-02	6.05E-04	2.00E-05	1.60E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
546	1.86904	1.87E-02	3.5E-02	6.05E-04	2.12E-05	1.60E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
547	1.97826	1.87E-02	3.7E-02	6.05E-04	2.24E-05	1.60E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
548	2.0954	1.87E-02	3.9E-02	6.05E-04	2.37E-05	1.60E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
549	2.21996	1.87E-02	4.2E-02	6.05E-04	2.51E-05	1.60E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
550	2.35145	1.87E-02	4.4E-02	6.05E-04	2.66E-05	1.60E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
551	2.48766	1.87E-02	4.7E-02	6.05E-04	2.82E-05	1.60E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	2.62766	1.87E-02	4.9E-02	6.05E-04	2.98E-05	1.60E-01	4.71E-02	2.25E-07	1.0E+06	2.2E-01
553	2.77415	1.87E-02	5.2E-02	6.05E-04	3.14E-05	1.60E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
554	2.93064	1.87E-02	5.5E-02	6.05E-04	3.32E-05	1.60E-01	4.71E-02	2.51E-07	1.0E+06	2.5E-01
555	3.08826	1.87E-02	5.8E-02	6.05E-04	3.50E-05	1.60E-01	4.71E-02	2.64E-07	1.0E+06	2.6E-01
556	3.2538	1.87E-02	6.1E-02	6.05E-04	3.68E-05	1.60E-01	4.71E-02	2.78E-07	1.0E+06	2.8E-01
557	3.4177	1.87E-02	6.4E-02	6.05E-04	3.87E-05	1.60E-01	4.71E-02	2.92E-07	1.0E+06	2.9E-01
558	3.59312	1.87E-02	6.7E-02	6.05E-04	4.07E-05	1.60E-01	4.71E-02	3.07E-07	1.0E+06	3.1E-01
559	3.77408	1.87E-02	7.1E-02	6.05E-04	4.27E-05	1.60E-01	4.71E-02	3.23E-07	1.0E+06	3.2E-01
560	3.96225	1.87E-02	7.4E-02	6.05E-04	4.49E-05	1.60E-01	4.71E-02	3.39E-07	1.0E+06	3.4E-01
561	4.1554	1.87E-02	7.8E-02	6.05E-04	4.71E-05	1.60E-01	4.71E-02	3.55E-07	1.0E+06	3.6E-01
562	4.36579	1.87E-02	8.2E-02	6.05E-04	4.94E-05	1.60E-01	4.71E-02	3.73E-07	1.0E+06	3.7E-01
563	4.59784	1.87E-02	8.6E-02	6.05E-04	5.21E-05	1.60E-01	4.71E-02	3.93E-07	1.0E+06	3.9E-01
564	4.85729	1.87E-02	9.1E-02	6.05E-04	5.50E-05	1.60E-01	4.71E-02	4.15E-07	1.0E+06	4.2E-01
565	5.15518	1.87E-02	9.6E-02	6.05E-04	5.84E-05	1.60E-01	4.71E-02	4.41E-07	1.0E+06	4.4E-01
566	5.50777	1.87E-02	1.0E-01	6.05E-04	6.24E-05	1.60E-01	4.71E-02	4.71E-07	1.0E+06	4.7E-01
567	5.94143	1.87E-02	1.1E-01	6.05E-04	6.73E-05	1.60E-01	4.71E-02	5.08E-07	1.0E+06	5.1E-01
568	6.5005	1.87E-02	1.2E-01	6.05E-04	7.36E-05	1.60E-01	4.71E-02	5.56E-07	1.0E+06	5.6E-01
569	7.25568	1.87E-02	1.4E-01	6.05E-04	8.22E-05	1.60E-01	4.71E-02	6.20E-07	1.0E+06	6.2E-01
570	6.89422	1.87E-02	1.3E-01	6.05E-04	7.81E-05	1.60E-01	4.71E-02	5.90E-07	1.0E+06	5.9E-01
571	7.65909	1.87E-02	1.4E-01	6.05E-04	8.67E-05	1.60E-01	4.71E-02	6.55E-07	1.0E+06	6.5E-01
572	0.95124	1.87E-02	1.8E-02	6.05E-04	1.08E-05	1.60E-01	4.71E-02	8.13E-08	1.0E+06	8.1E-02
573	0.99426	1.87E-02	1.9E-02	6.05E-04	1.13E-05	1.60E-01	4.71E-02	8.50E-08	1.0E+06	8.5E-02
574	1.03932	1.87E-02	1.9E-02	6.05E-04	1.18E-05	1.60E-01	4.71E-02	8.89E-08	1.0E+06	8.9E-02
575	1.08844	1.87E-02	2.0E-02	6.05E-04	1.23E-05	1.60E-01	4.71E-02	9.31E-08	1.0E+06	9.3E-02
576	1.14295	1.87E-02	2.1E-02	6.05E-04	1.29E-05	1.60E-01	4.71E-02	9.77E-08	1.0E+06	9.8E-02
577	1.20012	1.87E-02	2.2E-02	6.05E-04	1.36E-05	1.60E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
578	1.26301	1.87E-02	2.4E-02	6.05E-04	1.43E-05	1.60E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
579	1.33076	1.87E-02	2.5E-02	6.05E-04	1.51E-05	1.60E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
580	1.4043	1.87E-02	2.6E-02	6.05E-04	1.59E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
581	1.48184	1.87E-02	2.8E-02	6.05E-04	1.68E-05	1.60E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
582	1.56657	1.87E-02	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	1.65761	1.87E-02	3.1E-02	6.05E-04	1.88E-05	1.60E-01	4.71E-02	1.42E-07	1.0E+06	1.4E-01
584	1.75716	1.87E-02	3.3E-02	6.05E-04	1.99E-05	1.60E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
585	1.86436	1.87E-02	3.5E-02	6.05E-04	2.11E-05	1.60E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
586	1.97976	1.87E-02	3.7E-02	6.05E-04	2.24E-05	1.60E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
587	2.10217	1.87E-02	3.9E-02	6.05E-04	2.38E-05	1.60E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
588	2.23485	1.87E-02	4.2E-02	6.05E-04	2.53E-05	1.60E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
589	2.37739	1.87E-02	4.4E-02	6.05E-04	2.69E-05	1.60E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
590	2.52912	1.87E-02	4.7E-02	6.05E-04	2.86E-05	1.60E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
591	2.68914	1.87E-02	5.0E-02	6.05E-04	3.04E-05	1.60E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
592	2.8524	1.87E-02	5.3E-02	6.05E-04	3.23E-05	1.60E-01	4.71E-02	2.44E-07	1.0E+06	2.4E-01
593	3.02416	1.87E-02	5.7E-02	6.05E-04	3.42E-05	1.60E-01	4.71E-02	2.59E-07	1.0E+06	2.6E-01
594	3.20028	1.87E-02	6.0E-02	6.05E-04	3.62E-05	1.60E-01	4.71E-02	2.74E-07	1.0E+06	2.7E-01
595	3.38426	1.87E-02	6.3E-02	6.05E-04	3.83E-05	1.60E-01	4.71E-02	2.89E-07	1.0E+06	2.9E-01
596	3.57198	1.87E-02	6.7E-02	6.05E-04	4.04E-05	1.60E-01	4.71E-02	3.05E-07	1.0E+06	3.1E-01
597	3.76299	1.87E-02	7.0E-02	6.05E-04	4.26E-05	1.60E-01	4.71E-02	3.22E-07	1.0E+06	3.2E-01
598	3.95852	1.87E-02	7.4E-02	6.05E-04	4.48E-05	1.60E-01	4.71E-02	3.38E-07	1.0E+06	3.4E-01
599	4.16139	1.87E-02	7.8E-02	6.05E-04	4.71E-05	1.60E-01	4.71E-02	3.56E-07	1.0E+06	3.6E-01
600	4.37026	1.87E-02	8.2E-02	6.05E-04	4.95E-05	1.60E-01	4.71E-02	3.74E-07	1.0E+06	3.7E-01
601	4.58686	1.87E-02	8.6E-02	6.05E-04	5.19E-05	1.60E-01	4.71E-02	3.92E-07	1.0E+06	3.9E-01
602	4.81537	1.87E-02	9.0E-02	6.05E-04	5.45E-05	1.60E-01	4.71E-02	4.12E-07	1.0E+06	4.1E-01
603	5.06605	1.87E-02	9.5E-02	6.05E-04	5.74E-05	1.60E-01	4.71E-02	4.33E-07	1.0E+06	4.3E-01
604	5.3484	1.87E-02	1.0E-01	6.05E-04	6.06E-05	1.60E-01	4.71E-02	4.57E-07	1.0E+06	4.6E-01
605	5.67273	1.87E-02	1.1E-01	6.05E-04	6.42E-05	1.60E-01	4.71E-02	4.85E-07	1.0E+06	4.9E-01
606	6.05791	1.87E-02	1.1E-01	6.05E-04	6.86E-05	1.60E-01	4.71E-02	5.18E-07	1.0E+06	5.2E-01
607	6.53577	1.87E-02	1.2E-01	6.05E-04	7.40E-05	1.60E-01	4.71E-02	5.59E-07	1.0E+06	5.6E-01
608	7.16009	1.87E-02	1.3E-01	6.05E-04	8.11E-05	1.60E-01	4.71E-02	6.12E-07	1.0E+06	6.1E-01
609	8.02143	1.87E-02	1.5E-01	6.05E-04	9.08E-05	1.60E-01	4.71E-02	6.86E-07	1.0E+06	6.9E-01
610	7.75427	1.87E-02	1.5E-01	6.05E-04	8.78E-05	1.60E-01	4.71E-02	6.63E-07	1.0E+06	6.6E-01
611	8.71533	1.87E-02	1.6E-01	6.05E-04	9.87E-05	1.60E-01	4.71E-02	7.45E-07	1.0E+06	7.5E-01
612	0.97015	1.87E-02	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.30E-08	1.0E+06	8.3E-02
613	1.01681	1.87E-02	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.69E-08	1.0E+06	8.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.06505	1.87E-02	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.11E-08	1.0E+06	9.1E-02
615	1.11742	1.87E-02	2.1E-02	6.05E-04	1.27E-05	1.60E-01	4.71E-02	9.55E-08	1.0E+06	9.6E-02
616	1.17391	1.87E-02	2.2E-02	6.05E-04	1.33E-05	1.60E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
617	1.23655	1.87E-02	2.3E-02	6.05E-04	1.40E-05	1.60E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
618	1.30392	1.87E-02	2.4E-02	6.05E-04	1.48E-05	1.60E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
619	1.3768	1.87E-02	2.6E-02	6.05E-04	1.56E-05	1.60E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
620	1.45561	1.87E-02	2.7E-02	6.05E-04	1.65E-05	1.60E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
621	1.54273	1.87E-02	2.9E-02	6.05E-04	1.75E-05	1.60E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
622	1.63528	1.87E-02	3.1E-02	6.05E-04	1.85E-05	1.60E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
623	1.73684	1.87E-02	3.3E-02	6.05E-04	1.97E-05	1.60E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
624	1.84661	1.87E-02	3.5E-02	6.05E-04	2.09E-05	1.60E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
625	1.96726	1.87E-02	3.7E-02	6.05E-04	2.23E-05	1.60E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
626	2.09799	1.87E-02	3.9E-02	6.05E-04	2.38E-05	1.60E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
627	2.23948	1.87E-02	4.2E-02	6.05E-04	2.54E-05	1.60E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
628	2.39048	1.87E-02	4.5E-02	6.05E-04	2.71E-05	1.60E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
629	2.5543	1.87E-02	4.8E-02	6.05E-04	2.89E-05	1.60E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01
630	2.7307	1.87E-02	5.1E-02	6.05E-04	3.09E-05	1.60E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
631	2.91838	1.87E-02	5.5E-02	6.05E-04	3.30E-05	1.60E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
632	3.11585	1.87E-02	5.8E-02	6.05E-04	3.53E-05	1.60E-01	4.71E-02	2.66E-07	1.0E+06	2.7E-01
633	3.31534	1.87E-02	6.2E-02	6.05E-04	3.75E-05	1.60E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
634	3.52238	1.87E-02	6.6E-02	6.05E-04	3.99E-05	1.60E-01	4.71E-02	3.01E-07	1.0E+06	3.0E-01
635	3.73748	1.87E-02	7.0E-02	6.05E-04	4.23E-05	1.60E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
636	3.95438	1.87E-02	7.4E-02	6.05E-04	4.48E-05	1.60E-01	4.71E-02	3.38E-07	1.0E+06	3.4E-01
637	4.17707	1.87E-02	7.8E-02	6.05E-04	4.73E-05	1.60E-01	4.71E-02	3.57E-07	1.0E+06	3.6E-01
638	4.39911	1.87E-02	8.2E-02	6.05E-04	4.98E-05	1.60E-01	4.71E-02	3.76E-07	1.0E+06	3.8E-01
639	4.62579	1.87E-02	8.7E-02	6.05E-04	5.24E-05	1.60E-01	4.71E-02	3.96E-07	1.0E+06	4.0E-01
640	4.85837	1.87E-02	9.1E-02	6.05E-04	5.50E-05	1.60E-01	4.71E-02	4.15E-07	1.0E+06	4.2E-01
641	5.09787	1.87E-02	9.5E-02	6.05E-04	5.77E-05	1.60E-01	4.71E-02	4.36E-07	1.0E+06	4.4E-01
642	5.34787	1.87E-02	1.0E-01	6.05E-04	6.06E-05	1.60E-01	4.71E-02	4.57E-07	1.0E+06	4.6E-01
643	5.61534	1.87E-02	1.1E-01	6.05E-04	6.36E-05	1.60E-01	4.71E-02	4.80E-07	1.0E+06	4.8E-01
644	5.91812	1.87E-02	1.1E-01	6.05E-04	6.70E-05	1.60E-01	4.71E-02	5.06E-07	1.0E+06	5.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	6.26506	1.87E-02	1.2E-01	6.05E-04	7.09E-05	1.60E-01	4.71E-02	5.36E-07	1.0E+06	5.4E-01
646	6.67801	1.87E-02	1.2E-01	6.05E-04	7.56E-05	1.60E-01	4.71E-02	5.71E-07	1.0E+06	5.7E-01
647	7.19184	1.87E-02	1.3E-01	6.05E-04	8.14E-05	1.60E-01	4.71E-02	6.15E-07	1.0E+06	6.1E-01
648	7.86868	1.87E-02	1.5E-01	6.05E-04	8.91E-05	1.60E-01	4.71E-02	6.73E-07	1.0E+06	6.7E-01
649	8.81808	1.87E-02	1.7E-01	6.05E-04	9.98E-05	1.60E-01	4.71E-02	7.54E-07	1.0E+06	7.5E-01
650	8.7285	1.87E-02	1.6E-01	6.05E-04	9.88E-05	1.60E-01	4.71E-02	7.46E-07	1.0E+06	7.5E-01
651	8.5841	1.87E-02	1.6E-01	6.05E-04	9.72E-05	1.60E-01	4.71E-02	7.34E-07	1.0E+06	7.3E-01
652	0.98641	1.87E-02	1.8E-02	6.05E-04	1.12E-05	1.60E-01	4.71E-02	8.43E-08	1.0E+06	8.4E-02
653	1.03595	1.87E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.86E-08	1.0E+06	8.9E-02
654	1.08913	1.87E-02	2.0E-02	6.05E-04	1.23E-05	1.60E-01	4.71E-02	9.31E-08	1.0E+06	9.3E-02
655	1.14603	1.87E-02	2.1E-02	6.05E-04	1.30E-05	1.60E-01	4.71E-02	9.80E-08	1.0E+06	9.8E-02
656	1.20762	1.87E-02	2.3E-02	6.05E-04	1.37E-05	1.60E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
657	1.27327	1.87E-02	2.4E-02	6.05E-04	1.44E-05	1.60E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
658	1.3454	1.87E-02	2.5E-02	6.05E-04	1.52E-05	1.60E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
659	1.42391	1.87E-02	2.7E-02	6.05E-04	1.61E-05	1.60E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
660	1.50718	1.87E-02	2.8E-02	6.05E-04	1.71E-05	1.60E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
661	1.60269	1.87E-02	3.0E-02	6.05E-04	1.81E-05	1.60E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
662	1.70561	1.87E-02	3.2E-02	6.05E-04	1.93E-05	1.60E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
663	1.81769	1.87E-02	3.4E-02	6.05E-04	2.06E-05	1.60E-01	4.71E-02	1.55E-07	1.0E+06	1.6E-01
664	1.94162	1.87E-02	3.6E-02	6.05E-04	2.20E-05	1.60E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
665	2.07746	1.87E-02	3.9E-02	6.05E-04	2.35E-05	1.60E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
666	2.22636	1.87E-02	4.2E-02	6.05E-04	2.52E-05	1.60E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
667	2.38748	1.87E-02	4.5E-02	6.05E-04	2.70E-05	1.60E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
668	2.56495	1.87E-02	4.8E-02	6.05E-04	2.90E-05	1.60E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
669	2.75724	1.87E-02	5.2E-02	6.05E-04	3.12E-05	1.60E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
670	2.96466	1.87E-02	5.5E-02	6.05E-04	3.36E-05	1.60E-01	4.71E-02	2.54E-07	1.0E+06	2.5E-01
671	3.18475	1.87E-02	6.0E-02	6.05E-04	3.61E-05	1.60E-01	4.71E-02	2.72E-07	1.0E+06	2.7E-01
672	3.42107	1.87E-02	6.4E-02	6.05E-04	3.87E-05	1.60E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
673	3.66803	1.87E-02	6.9E-02	6.05E-04	4.15E-05	1.60E-01	4.71E-02	3.14E-07	1.0E+06	3.1E-01
674	3.91407	1.87E-02	7.3E-02	6.05E-04	4.43E-05	1.60E-01	4.71E-02	3.35E-07	1.0E+06	3.3E-01
675	4.16591	1.87E-02	7.8E-02	6.05E-04	4.72E-05	1.60E-01	4.71E-02	3.56E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	4.42659	1.87E-02	8.3E-02	6.05E-04	5.01E-05	1.60E-01	4.71E-02	3.79E-07	1.0E+06	3.8E-01
677	4.68113	1.87E-02	8.8E-02	6.05E-04	5.30E-05	1.60E-01	4.71E-02	4.00E-07	1.0E+06	4.0E-01
678	4.93847	1.87E-02	9.2E-02	6.05E-04	5.59E-05	1.60E-01	4.71E-02	4.22E-07	1.0E+06	4.2E-01
679	5.196	1.87E-02	9.7E-02	6.05E-04	5.88E-05	1.60E-01	4.71E-02	4.44E-07	1.0E+06	4.4E-01
680	5.45491	1.87E-02	1.0E-01	6.05E-04	6.18E-05	1.60E-01	4.71E-02	4.66E-07	1.0E+06	4.7E-01
681	5.71731	1.87E-02	1.1E-01	6.05E-04	6.47E-05	1.60E-01	4.71E-02	4.89E-07	1.0E+06	4.9E-01
682	5.98857	1.87E-02	1.1E-01	6.05E-04	6.78E-05	1.60E-01	4.71E-02	5.12E-07	1.0E+06	5.1E-01
683	6.27422	1.87E-02	1.2E-01	6.05E-04	7.10E-05	1.60E-01	4.71E-02	5.37E-07	1.0E+06	5.4E-01
684	6.59387	1.87E-02	1.2E-01	6.05E-04	7.47E-05	1.60E-01	4.71E-02	5.64E-07	1.0E+06	5.6E-01
685	6.95909	1.87E-02	1.3E-01	6.05E-04	7.88E-05	1.60E-01	4.71E-02	5.95E-07	1.0E+06	6.0E-01
686	7.39375	1.87E-02	1.4E-01	6.05E-04	8.37E-05	1.60E-01	4.71E-02	6.32E-07	1.0E+06	6.3E-01
687	7.93431	1.87E-02	1.5E-01	6.05E-04	8.98E-05	1.60E-01	4.71E-02	6.78E-07	1.0E+06	6.8E-01
688	8.64823	1.87E-02	1.6E-01	6.05E-04	9.79E-05	1.60E-01	4.71E-02	7.40E-07	1.0E+06	7.4E-01
689	9.65079	1.87E-02	1.8E-01	6.05E-04	1.09E-04	1.60E-01	4.71E-02	8.25E-07	1.0E+06	8.3E-01
690	11.12289	1.87E-02	2.1E-01	6.05E-04	1.26E-04	1.60E-01	4.71E-02	9.51E-07	1.0E+06	9.5E-01
691	9.54081	1.87E-02	1.8E-01	6.05E-04	1.08E-04	1.60E-01	4.71E-02	8.16E-07	1.0E+06	8.2E-01
692	1.00204	1.87E-02	1.9E-02	6.05E-04	1.13E-05	1.60E-01	4.71E-02	8.57E-08	1.0E+06	8.6E-02
693	1.0537	1.87E-02	2.0E-02	6.05E-04	1.19E-05	1.60E-01	4.71E-02	9.01E-08	1.0E+06	9.0E-02
694	1.10744	1.87E-02	2.1E-02	6.05E-04	1.25E-05	1.60E-01	4.71E-02	9.47E-08	1.0E+06	9.5E-02
695	1.16773	1.87E-02	2.2E-02	6.05E-04	1.32E-05	1.60E-01	4.71E-02	9.99E-08	1.0E+06	1.0E-01
696	1.23327	1.87E-02	2.3E-02	6.05E-04	1.40E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
697	1.30448	1.87E-02	2.4E-02	6.05E-04	1.48E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
698	1.382	1.87E-02	2.6E-02	6.05E-04	1.56E-05	1.60E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
699	1.46684	1.87E-02	2.7E-02	6.05E-04	1.66E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
700	1.5604	1.87E-02	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
701	1.66234	1.87E-02	3.1E-02	6.05E-04	1.88E-05	1.60E-01	4.71E-02	1.42E-07	1.0E+06	1.4E-01
702	1.77527	1.87E-02	3.3E-02	6.05E-04	2.01E-05	1.60E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
703	1.90012	1.87E-02	3.6E-02	6.05E-04	2.15E-05	1.60E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
704	2.04022	1.87E-02	3.8E-02	6.05E-04	2.31E-05	1.60E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
705	2.19334	1.87E-02	4.1E-02	6.05E-04	2.48E-05	1.60E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
706	2.36021	1.87E-02	4.4E-02	6.05E-04	2.67E-05	1.60E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.54748	1.87E-02	4.8E-02	6.05E-04	2.88E-05	1.60E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01
708	2.75536	1.87E-02	5.2E-02	6.05E-04	3.12E-05	1.60E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
709	2.98478	1.87E-02	5.6E-02	6.05E-04	3.38E-05	1.60E-01	4.71E-02	2.55E-07	1.0E+06	2.6E-01
710	3.23328	1.87E-02	6.1E-02	6.05E-04	3.66E-05	1.60E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
711	3.50242	1.87E-02	6.6E-02	6.05E-04	3.97E-05	1.60E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
712	3.78731	1.87E-02	7.1E-02	6.05E-04	4.29E-05	1.60E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
713	4.09046	1.87E-02	7.7E-02	6.05E-04	4.63E-05	1.60E-01	4.71E-02	3.50E-07	1.0E+06	3.5E-01
714	4.40022	1.87E-02	8.2E-02	6.05E-04	4.98E-05	1.60E-01	4.71E-02	3.76E-07	1.0E+06	3.8E-01
715	4.70626	1.87E-02	8.8E-02	6.05E-04	5.33E-05	1.60E-01	4.71E-02	4.02E-07	1.0E+06	4.0E-01
716	5.01429	1.87E-02	9.4E-02	6.05E-04	5.68E-05	1.60E-01	4.71E-02	4.29E-07	1.0E+06	4.3E-01
717	5.31577	1.87E-02	9.9E-02	6.05E-04	6.02E-05	1.60E-01	4.71E-02	4.55E-07	1.0E+06	4.5E-01
718	5.62017	1.87E-02	1.1E-01	6.05E-04	6.36E-05	1.60E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
719	5.91342	1.87E-02	1.1E-01	6.05E-04	6.70E-05	1.60E-01	4.71E-02	5.06E-07	1.0E+06	5.1E-01
720	6.20243	1.87E-02	1.2E-01	6.05E-04	7.02E-05	1.60E-01	4.71E-02	5.30E-07	1.0E+06	5.3E-01
721	6.48901	1.87E-02	1.2E-01	6.05E-04	7.35E-05	1.60E-01	4.71E-02	5.55E-07	1.0E+06	5.5E-01
722	6.78021	1.87E-02	1.3E-01	6.05E-04	7.68E-05	1.60E-01	4.71E-02	5.80E-07	1.0E+06	5.8E-01
723	7.08261	1.87E-02	1.3E-01	6.05E-04	8.02E-05	1.60E-01	4.71E-02	6.06E-07	1.0E+06	6.1E-01
724	7.41647	1.87E-02	1.4E-01	6.05E-04	8.40E-05	1.60E-01	4.71E-02	6.34E-07	1.0E+06	6.3E-01
725	7.79616	1.87E-02	1.5E-01	6.05E-04	8.83E-05	1.60E-01	4.71E-02	6.67E-07	1.0E+06	6.7E-01
726	8.24611	1.87E-02	1.5E-01	6.05E-04	9.34E-05	1.60E-01	4.71E-02	7.05E-07	1.0E+06	7.1E-01
727	8.80306	1.87E-02	1.6E-01	6.05E-04	9.97E-05	1.60E-01	4.71E-02	7.53E-07	1.0E+06	7.5E-01
728	9.53665	1.87E-02	1.8E-01	6.05E-04	1.08E-04	1.60E-01	4.71E-02	8.15E-07	1.0E+06	8.2E-01
729	10.56681	1.87E-02	2.0E-01	6.05E-04	1.20E-04	1.60E-01	4.71E-02	9.04E-07	1.0E+06	9.0E-01
730	10.67586	1.87E-02	2.0E-01	6.05E-04	1.21E-04	1.60E-01	4.71E-02	9.13E-07	1.0E+06	9.1E-01
731	12.1459	1.87E-02	2.3E-01	6.05E-04	1.38E-04	1.60E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
732	1.01817	1.87E-02	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.71E-08	1.0E+06	8.7E-02
733	1.07128	1.87E-02	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.16E-08	1.0E+06	9.2E-02
734	1.12621	1.87E-02	2.1E-02	6.05E-04	1.28E-05	1.60E-01	4.71E-02	9.63E-08	1.0E+06	9.6E-02
735	1.18748	1.87E-02	2.2E-02	6.05E-04	1.34E-05	1.60E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
736	1.25673	1.87E-02	2.4E-02	6.05E-04	1.42E-05	1.60E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
737	1.33033	1.87E-02	2.5E-02	6.05E-04	1.51E-05	1.60E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.414	1.87E-02	2.6E-02	6.05E-04	1.60E-05	1.60E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
739	1.50604	1.87E-02	2.8E-02	6.05E-04	1.71E-05	1.60E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
740	1.60852	1.87E-02	3.0E-02	6.05E-04	1.82E-05	1.60E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
741	1.72172	1.87E-02	3.2E-02	6.05E-04	1.95E-05	1.60E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
742	1.84608	1.87E-02	3.5E-02	6.05E-04	2.09E-05	1.60E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
743	1.98162	1.87E-02	3.7E-02	6.05E-04	2.24E-05	1.60E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
744	2.13833	1.87E-02	4.0E-02	6.05E-04	2.42E-05	1.60E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
745	2.31024	1.87E-02	4.3E-02	6.05E-04	2.62E-05	1.60E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
746	2.50224	1.87E-02	4.7E-02	6.05E-04	2.83E-05	1.60E-01	4.71E-02	2.14E-07	1.0E+06	2.1E-01
747	2.71719	1.87E-02	5.1E-02	6.05E-04	3.08E-05	1.60E-01	4.71E-02	2.32E-07	1.0E+06	2.3E-01
748	2.96377	1.87E-02	5.5E-02	6.05E-04	3.36E-05	1.60E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
749	3.23672	1.87E-02	6.1E-02	6.05E-04	3.66E-05	1.60E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
750	3.54561	1.87E-02	6.6E-02	6.05E-04	4.01E-05	1.60E-01	4.71E-02	3.03E-07	1.0E+06	3.0E-01
751	3.88014	1.87E-02	7.3E-02	6.05E-04	4.39E-05	1.60E-01	4.71E-02	3.32E-07	1.0E+06	3.3E-01
752	4.24003	1.87E-02	7.9E-02	6.05E-04	4.80E-05	1.60E-01	4.71E-02	3.63E-07	1.0E+06	3.6E-01
753	4.61852	1.87E-02	8.6E-02	6.05E-04	5.23E-05	1.60E-01	4.71E-02	3.95E-07	1.0E+06	3.9E-01
754	5.01333	1.87E-02	9.4E-02	6.05E-04	5.68E-05	1.60E-01	4.71E-02	4.29E-07	1.0E+06	4.3E-01
755	5.39969	1.87E-02	1.0E-01	6.05E-04	6.11E-05	1.60E-01	4.71E-02	4.62E-07	1.0E+06	4.6E-01
756	5.77853	1.87E-02	1.1E-01	6.05E-04	6.54E-05	1.60E-01	4.71E-02	4.94E-07	1.0E+06	4.9E-01
757	6.14717	1.87E-02	1.2E-01	6.05E-04	6.96E-05	1.60E-01	4.71E-02	5.26E-07	1.0E+06	5.3E-01
758	6.50301	1.87E-02	1.2E-01	6.05E-04	7.36E-05	1.60E-01	4.71E-02	5.56E-07	1.0E+06	5.6E-01
759	6.84378	1.87E-02	1.3E-01	6.05E-04	7.75E-05	1.60E-01	4.71E-02	5.85E-07	1.0E+06	5.9E-01
760	7.16552	1.87E-02	1.3E-01	6.05E-04	8.11E-05	1.60E-01	4.71E-02	6.13E-07	1.0E+06	6.1E-01
761	7.47754	1.87E-02	1.4E-01	6.05E-04	8.47E-05	1.60E-01	4.71E-02	6.39E-07	1.0E+06	6.4E-01
762	7.78847	1.87E-02	1.5E-01	6.05E-04	8.82E-05	1.60E-01	4.71E-02	6.66E-07	1.0E+06	6.7E-01
763	8.10617	1.87E-02	1.5E-01	6.05E-04	9.18E-05	1.60E-01	4.71E-02	6.93E-07	1.0E+06	6.9E-01
764	8.45109	1.87E-02	1.6E-01	6.05E-04	9.57E-05	1.60E-01	4.71E-02	7.23E-07	1.0E+06	7.2E-01
765	8.84143	1.87E-02	1.7E-01	6.05E-04	1.00E-04	1.60E-01	4.71E-02	7.56E-07	1.0E+06	7.6E-01
766	9.30016	1.87E-02	1.7E-01	6.05E-04	1.05E-04	1.60E-01	4.71E-02	7.95E-07	1.0E+06	8.0E-01
767	9.86363	1.87E-02	1.8E-01	6.05E-04	1.12E-04	1.60E-01	4.71E-02	8.43E-07	1.0E+06	8.4E-01
768	10.60034	1.87E-02	2.0E-01	6.05E-04	1.20E-04	1.60E-01	4.71E-02	9.06E-07	1.0E+06	9.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	11.6327	1.87E-02	2.2E-01	6.05E-04	1.32E-04	1.60E-01	4.71E-02	9.95E-07	1.0E+06	9.9E-01
770	11.67069	1.87E-02	2.2E-01	6.05E-04	1.32E-04	1.60E-01	4.71E-02	9.98E-07	1.0E+06	1.0E+00
771	13.07923	1.87E-02	2.4E-01	6.05E-04	1.48E-04	1.60E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
772	1.02925	1.87E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.80E-08	1.0E+06	8.8E-02
773	1.08436	1.87E-02	2.0E-02	6.05E-04	1.23E-05	1.60E-01	4.71E-02	9.27E-08	1.0E+06	9.3E-02
774	1.14225	1.87E-02	2.1E-02	6.05E-04	1.29E-05	1.60E-01	4.71E-02	9.77E-08	1.0E+06	9.8E-02
775	1.20852	1.87E-02	2.3E-02	6.05E-04	1.37E-05	1.60E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
776	1.27996	1.87E-02	2.4E-02	6.05E-04	1.45E-05	1.60E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
777	1.3563	1.87E-02	2.5E-02	6.05E-04	1.54E-05	1.60E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
778	1.44523	1.87E-02	2.7E-02	6.05E-04	1.64E-05	1.60E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
779	1.54136	1.87E-02	2.9E-02	6.05E-04	1.75E-05	1.60E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
780	1.65155	1.87E-02	3.1E-02	6.05E-04	1.87E-05	1.60E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
781	1.77467	1.87E-02	3.3E-02	6.05E-04	2.01E-05	1.60E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
782	1.91185	1.87E-02	3.6E-02	6.05E-04	2.16E-05	1.60E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01
783	2.06504	1.87E-02	3.9E-02	6.05E-04	2.34E-05	1.60E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
784	2.237	1.87E-02	4.2E-02	6.05E-04	2.53E-05	1.60E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
785	2.43235	1.87E-02	4.6E-02	6.05E-04	2.75E-05	1.60E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
786	2.65165	1.87E-02	5.0E-02	6.05E-04	3.00E-05	1.60E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
787	2.90584	1.87E-02	5.4E-02	6.05E-04	3.29E-05	1.60E-01	4.71E-02	2.48E-07	1.0E+06	2.5E-01
788	3.19686	1.87E-02	6.0E-02	6.05E-04	3.62E-05	1.60E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01
789	3.5312	1.87E-02	6.6E-02	6.05E-04	4.00E-05	1.60E-01	4.71E-02	3.02E-07	1.0E+06	3.0E-01
790	3.9096	1.87E-02	7.3E-02	6.05E-04	4.43E-05	1.60E-01	4.71E-02	3.34E-07	1.0E+06	3.3E-01
791	4.33625	1.87E-02	8.1E-02	6.05E-04	4.91E-05	1.60E-01	4.71E-02	3.71E-07	1.0E+06	3.7E-01
792	4.8036	1.87E-02	9.0E-02	6.05E-04	5.44E-05	1.60E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
793	5.30427	1.87E-02	9.9E-02	6.05E-04	6.01E-05	1.60E-01	4.71E-02	4.54E-07	1.0E+06	4.5E-01
794	5.82251	1.87E-02	1.1E-01	6.05E-04	6.59E-05	1.60E-01	4.71E-02	4.98E-07	1.0E+06	5.0E-01
795	6.34502	1.87E-02	1.2E-01	6.05E-04	7.18E-05	1.60E-01	4.71E-02	5.43E-07	1.0E+06	5.4E-01
796	6.83717	1.87E-02	1.3E-01	6.05E-04	7.74E-05	1.60E-01	4.71E-02	5.85E-07	1.0E+06	5.8E-01
797	7.28166	1.87E-02	1.4E-01	6.05E-04	8.24E-05	1.60E-01	4.71E-02	6.23E-07	1.0E+06	6.2E-01
798	7.70162	1.87E-02	1.4E-01	6.05E-04	8.72E-05	1.60E-01	4.71E-02	6.59E-07	1.0E+06	6.6E-01
799	8.09546	1.87E-02	1.5E-01	6.05E-04	9.17E-05	1.60E-01	4.71E-02	6.92E-07	1.0E+06	6.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	8.45206	1.87E-02	1.6E-01	6.05E-04	9.57E-05	1.60E-01	4.71E-02	7.23E-07	1.0E+06	7.2E-01
801	8.78635	1.87E-02	1.6E-01	6.05E-04	9.95E-05	1.60E-01	4.71E-02	7.51E-07	1.0E+06	7.5E-01
802	9.11543	1.87E-02	1.7E-01	6.05E-04	1.03E-04	1.60E-01	4.71E-02	7.79E-07	1.0E+06	7.8E-01
803	9.44965	1.87E-02	1.8E-01	6.05E-04	1.07E-04	1.60E-01	4.71E-02	8.08E-07	1.0E+06	8.1E-01
804	9.80465	1.87E-02	1.8E-01	6.05E-04	1.11E-04	1.60E-01	4.71E-02	8.38E-07	1.0E+06	8.4E-01
805	10.2011	1.87E-02	1.9E-01	6.05E-04	1.16E-04	1.60E-01	4.71E-02	8.72E-07	1.0E+06	8.7E-01
806	10.66213	1.87E-02	2.0E-01	6.05E-04	1.21E-04	1.60E-01	4.71E-02	9.12E-07	1.0E+06	9.1E-01
807	11.22586	1.87E-02	2.1E-01	6.05E-04	1.27E-04	1.60E-01	4.71E-02	9.60E-07	1.0E+06	9.6E-01
808	11.94731	1.87E-02	2.2E-01	6.05E-04	1.35E-04	1.60E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
809	12.95425	1.87E-02	2.4E-01	6.05E-04	1.47E-04	1.60E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
810	14.45888	1.87E-02	2.7E-01	6.05E-04	1.64E-04	1.60E-01	4.71E-02	1.24E-06	1.0E+06	1.2E+00
811	13.11681	1.87E-02	2.5E-01	6.05E-04	1.49E-04	1.60E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
812	1.03669	1.87E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.86E-08	1.0E+06	8.9E-02
813	1.0936	1.87E-02	2.0E-02	6.05E-04	1.24E-05	1.60E-01	4.71E-02	9.35E-08	1.0E+06	9.4E-02
814	1.15589	1.87E-02	2.2E-02	6.05E-04	1.31E-05	1.60E-01	4.71E-02	9.88E-08	1.0E+06	9.9E-02
815	1.22336	1.87E-02	2.3E-02	6.05E-04	1.39E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.0E-01
816	1.29722	1.87E-02	2.4E-02	6.05E-04	1.47E-05	1.60E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
817	1.38163	1.87E-02	2.6E-02	6.05E-04	1.56E-05	1.60E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
818	1.47206	1.87E-02	2.8E-02	6.05E-04	1.67E-05	1.60E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
819	1.57452	1.87E-02	2.9E-02	6.05E-04	1.78E-05	1.60E-01	4.71E-02	1.35E-07	1.0E+06	1.3E-01
820	1.69202	1.87E-02	3.2E-02	6.05E-04	1.92E-05	1.60E-01	4.71E-02	1.45E-07	1.0E+06	1.4E-01
821	1.82177	1.87E-02	3.4E-02	6.05E-04	2.06E-05	1.60E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
822	1.97136	1.87E-02	3.7E-02	6.05E-04	2.23E-05	1.60E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
823	2.14135	1.87E-02	4.0E-02	6.05E-04	2.42E-05	1.60E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
824	2.3352	1.87E-02	4.4E-02	6.05E-04	2.64E-05	1.60E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
825	2.55501	1.87E-02	4.8E-02	6.05E-04	2.89E-05	1.60E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01
826	2.80984	1.87E-02	5.3E-02	6.05E-04	3.18E-05	1.60E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
827	3.10338	1.87E-02	5.8E-02	6.05E-04	3.51E-05	1.60E-01	4.71E-02	2.65E-07	1.0E+06	2.7E-01
828	3.45416	1.87E-02	6.5E-02	6.05E-04	3.91E-05	1.60E-01	4.71E-02	2.95E-07	1.0E+06	3.0E-01
829	3.86115	1.87E-02	7.2E-02	6.05E-04	4.37E-05	1.60E-01	4.71E-02	3.30E-07	1.0E+06	3.3E-01
830	4.33826	1.87E-02	8.1E-02	6.05E-04	4.91E-05	1.60E-01	4.71E-02	3.71E-07	1.0E+06	3.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	4.89242	1.87E-02	9.2E-02	6.05E-04	5.54E-05	1.60E-01	4.71E-02	4.18E-07	1.0E+06	4.2E-01
832	5.52074	1.87E-02	1.0E-01	6.05E-04	6.25E-05	1.60E-01	4.71E-02	4.72E-07	1.0E+06	4.7E-01
833	6.21567	1.87E-02	1.2E-01	6.05E-04	7.04E-05	1.60E-01	4.71E-02	5.31E-07	1.0E+06	5.3E-01
834	6.94997	1.87E-02	1.3E-01	6.05E-04	7.87E-05	1.60E-01	4.71E-02	5.94E-07	1.0E+06	5.9E-01
835	7.67024	1.87E-02	1.4E-01	6.05E-04	8.68E-05	1.60E-01	4.71E-02	6.56E-07	1.0E+06	6.6E-01
836	7.00918	1.87E-02	1.3E-01	6.05E-04	7.94E-05	1.60E-01	4.71E-02	5.99E-07	1.0E+06	6.0E-01
837	8.87486	1.87E-02	1.7E-01	6.05E-04	1.00E-04	1.60E-01	4.71E-02	7.59E-07	1.0E+06	7.6E-01
838	9.37163	1.87E-02	1.8E-01	6.05E-04	1.06E-04	1.60E-01	4.71E-02	8.01E-07	1.0E+06	8.0E-01
839	8.4855	1.87E-02	1.6E-01	6.05E-04	9.61E-05	1.60E-01	4.71E-02	7.26E-07	1.0E+06	7.3E-01
840	8.8128	1.87E-02	1.6E-01	6.05E-04	9.98E-05	1.60E-01	4.71E-02	7.54E-07	1.0E+06	7.5E-01
841	9.22428	1.87E-02	1.7E-01	6.05E-04	1.04E-04	1.60E-01	4.71E-02	7.89E-07	1.0E+06	7.9E-01
842	10.91573	1.87E-02	2.0E-01	6.05E-04	1.24E-04	1.60E-01	4.71E-02	9.33E-07	1.0E+06	9.3E-01
843	9.88144	1.87E-02	1.8E-01	6.05E-04	1.12E-04	1.60E-01	4.71E-02	8.45E-07	1.0E+06	8.4E-01
844	10.18113	1.87E-02	1.9E-01	6.05E-04	1.15E-04	1.60E-01	4.71E-02	8.71E-07	1.0E+06	8.7E-01
845	10.64836	1.87E-02	2.0E-01	6.05E-04	1.21E-04	1.60E-01	4.71E-02	9.11E-07	1.0E+06	9.1E-01
846	12.501	1.87E-02	2.3E-01	6.05E-04	1.42E-04	1.60E-01	4.71E-02	1.07E-06	1.0E+06	1.1E+00
847	11.57793	1.87E-02	2.2E-01	6.05E-04	1.31E-04	1.60E-01	4.71E-02	9.90E-07	1.0E+06	9.9E-01
848	12.17764	1.87E-02	2.3E-01	6.05E-04	1.38E-04	1.60E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
849	13.1966	1.87E-02	2.5E-01	6.05E-04	1.49E-04	1.60E-01	4.71E-02	1.13E-06	1.0E+06	1.1E+00
850	14.78826	1.87E-02	2.8E-01	6.05E-04	1.67E-04	1.60E-01	4.71E-02	1.26E-06	1.0E+06	1.3E+00
851	13.04213	1.87E-02	2.4E-01	6.05E-04	1.48E-04	1.60E-01	4.71E-02	1.12E-06	1.0E+06	1.1E+00
852	1.04006	1.87E-02	1.9E-02	6.05E-04	1.18E-05	1.60E-01	4.71E-02	8.89E-08	1.0E+06	8.9E-02
853	1.0967	1.87E-02	2.1E-02	6.05E-04	1.24E-05	1.60E-01	4.71E-02	9.38E-08	1.0E+06	9.4E-02
854	1.16099	1.87E-02	2.2E-02	6.05E-04	1.31E-05	1.60E-01	4.71E-02	9.93E-08	1.0E+06	9.9E-02
855	1.23321	1.87E-02	2.3E-02	6.05E-04	1.40E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
856	1.31079	1.87E-02	2.5E-02	6.05E-04	1.48E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
857	1.39916	1.87E-02	2.6E-02	6.05E-04	1.58E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
858	1.4951	1.87E-02	2.8E-02	6.05E-04	1.69E-05	1.60E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
859	1.60529	1.87E-02	3.0E-02	6.05E-04	1.82E-05	1.60E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
860	1.7237	1.87E-02	3.2E-02	6.05E-04	1.95E-05	1.60E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
861	1.86479	1.87E-02	3.5E-02	6.05E-04	2.11E-05	1.60E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	2.02351	1.87E-02	3.8E-02	6.05E-04	2.29E-05	1.60E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
863	2.2094	1.87E-02	4.1E-02	6.05E-04	2.50E-05	1.60E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
864	2.42481	1.87E-02	4.5E-02	6.05E-04	2.75E-05	1.60E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01
865	2.67385	1.87E-02	5.0E-02	6.05E-04	3.03E-05	1.60E-01	4.71E-02	2.29E-07	1.0E+06	2.3E-01
866	2.96557	1.87E-02	5.5E-02	6.05E-04	3.36E-05	1.60E-01	4.71E-02	2.54E-07	1.0E+06	2.5E-01
867	3.3135	1.87E-02	6.2E-02	6.05E-04	3.75E-05	1.60E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
868	3.72791	1.87E-02	7.0E-02	6.05E-04	4.22E-05	1.60E-01	4.71E-02	3.19E-07	1.0E+06	3.2E-01
869	4.2296	1.87E-02	7.9E-02	6.05E-04	4.79E-05	1.60E-01	4.71E-02	3.62E-07	1.0E+06	3.6E-01
870	4.83855	1.87E-02	9.1E-02	6.05E-04	5.48E-05	1.60E-01	4.71E-02	4.14E-07	1.0E+06	4.1E-01
871	5.5694	1.87E-02	1.0E-01	6.05E-04	6.31E-05	1.60E-01	4.71E-02	4.76E-07	1.0E+06	4.8E-01
872	6.44468	1.87E-02	1.2E-01	6.05E-04	7.30E-05	1.60E-01	4.71E-02	5.51E-07	1.0E+06	5.5E-01
873	7.45909	1.87E-02	1.4E-01	6.05E-04	8.45E-05	1.60E-01	4.71E-02	6.38E-07	1.0E+06	6.4E-01
874	6.94894	1.87E-02	1.3E-01	6.05E-04	7.87E-05	1.60E-01	4.71E-02	5.94E-07	1.0E+06	5.9E-01
875	7.68023	1.87E-02	1.4E-01	6.05E-04	8.70E-05	1.60E-01	4.71E-02	6.57E-07	1.0E+06	6.6E-01
876	8.4196	1.87E-02	1.6E-01	6.05E-04	9.53E-05	1.60E-01	4.71E-02	7.20E-07	1.0E+06	7.2E-01
877	7.97885	1.87E-02	1.5E-01	6.05E-04	9.03E-05	1.60E-01	4.71E-02	6.82E-07	1.0E+06	6.8E-01
878	8.45898	1.87E-02	1.6E-01	6.05E-04	9.58E-05	1.60E-01	4.71E-02	7.23E-07	1.0E+06	7.2E-01
879	10.1997	1.87E-02	1.9E-01	6.05E-04	1.15E-04	1.60E-01	4.71E-02	8.72E-07	1.0E+06	8.7E-01
880	10.50737	1.87E-02	2.0E-01	6.05E-04	1.19E-04	1.60E-01	4.71E-02	8.98E-07	1.0E+06	9.0E-01
881	9.68613	1.87E-02	1.8E-01	6.05E-04	1.10E-04	1.60E-01	4.71E-02	8.28E-07	1.0E+06	8.3E-01
882	9.93381	1.87E-02	1.9E-01	6.05E-04	1.12E-04	1.60E-01	4.71E-02	8.49E-07	1.0E+06	8.5E-01
883	11.63355	1.87E-02	2.2E-01	6.05E-04	1.32E-04	1.60E-01	4.71E-02	9.95E-07	1.0E+06	9.9E-01
884	11.90785	1.87E-02	2.2E-01	6.05E-04	1.35E-04	1.60E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
885	11.12891	1.87E-02	2.1E-01	6.05E-04	1.26E-04	1.60E-01	4.71E-02	9.52E-07	1.0E+06	9.5E-01
886	11.46599	1.87E-02	2.1E-01	6.05E-04	1.30E-04	1.60E-01	4.71E-02	9.80E-07	1.0E+06	9.8E-01
887	13.29454	1.87E-02	2.5E-01	6.05E-04	1.51E-04	1.60E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
888	13.76158	1.87E-02	2.6E-01	6.05E-04	1.56E-04	1.60E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
889	13.36807	1.87E-02	2.5E-01	6.05E-04	1.51E-04	1.60E-01	4.71E-02	1.14E-06	1.0E+06	1.1E+00
890	13.2075	1.87E-02	2.5E-01	6.05E-04	1.50E-04	1.60E-01	4.71E-02	1.13E-06	1.0E+06	1.1E+00
891	15.83237	1.87E-02	3.0E-01	6.05E-04	1.79E-04	1.60E-01	4.71E-02	1.35E-06	1.0E+06	1.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	2.13624	5.76607E-06	1.2E-05	6.05E-04	7.45E-09	1.60E-01	4.71E-02	5.63E-11	1.0E+06	5.6E-05
522	522	2.29305	5.76607E-06	1.3E-05	6.05E-04	8.00E-09	1.60E-01	4.71E-02	6.04E-11	1.0E+06	6.0E-05
523	523	2.44943	5.76607E-06	1.4E-05	6.05E-04	8.55E-09	1.60E-01	4.71E-02	6.45E-11	1.0E+06	6.5E-05
524	524	2.64476	5.76607E-06	1.5E-05	6.05E-04	9.23E-09	1.60E-01	4.71E-02	6.97E-11	1.0E+06	7.0E-05
525	525	2.86149	5.76607E-06	1.6E-05	6.05E-04	9.98E-09	1.60E-01	4.71E-02	7.54E-11	1.0E+06	7.5E-05
526	526	3.10191	5.76607E-06	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.17E-11	1.0E+06	8.2E-05
527	527	3.36993	5.76607E-06	1.9E-05	6.05E-04	1.18E-08	1.60E-01	4.71E-02	8.88E-11	1.0E+06	8.9E-05
528	528	3.6688	5.76607E-06	2.1E-05	6.05E-04	1.28E-08	1.60E-01	4.71E-02	9.67E-11	1.0E+06	9.7E-05
529	529	4.00153	5.76607E-06	2.3E-05	6.05E-04	1.40E-08	1.60E-01	4.71E-02	1.05E-10	1.0E+06	1.1E-04
530	530	4.37084	5.76607E-06	2.5E-05	6.05E-04	1.52E-08	1.60E-01	4.71E-02	1.15E-10	1.0E+06	1.2E-04
531	531	4.77661	5.76607E-06	2.8E-05	6.05E-04	1.67E-08	1.60E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
532	532	0.58199	5.76607E-06	3.4E-06	6.05E-04	2.03E-09	1.60E-01	4.71E-02	1.53E-11	1.0E+06	1.5E-05
533	533	0.60223	5.76607E-06	3.5E-06	6.05E-04	2.10E-09	1.60E-01	4.71E-02	1.59E-11	1.0E+06	1.6E-05
534	534	0.62347	5.76607E-06	3.6E-06	6.05E-04	2.18E-09	1.60E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
535	535	0.64584	5.76607E-06	3.7E-06	6.05E-04	2.25E-09	1.60E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
536	536	0.66944	5.76607E-06	3.9E-06	6.05E-04	2.34E-09	1.60E-01	4.71E-02	1.76E-11	1.0E+06	1.8E-05
537	537	0.6944	5.76607E-06	4.0E-06	6.05E-04	2.42E-09	1.60E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
538	538	0.72084	5.76607E-06	4.2E-06	6.05E-04	2.51E-09	1.60E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
539	539	0.74883	5.76607E-06	4.3E-06	6.05E-04	2.61E-09	1.60E-01	4.71E-02	1.97E-11	1.0E+06	2.0E-05
540	540	0.77837	5.76607E-06	4.5E-06	6.05E-04	2.72E-09	1.60E-01	4.71E-02	2.05E-11	1.0E+06	2.1E-05
541	541	0.80962	5.76607E-06	4.7E-06	6.05E-04	2.82E-09	1.60E-01	4.71E-02	2.13E-11	1.0E+06	2.1E-05
542	542	0.84276	5.76607E-06	4.9E-06	6.05E-04	2.94E-09	1.60E-01	4.71E-02	2.22E-11	1.0E+06	2.2E-05
543	543	0.87793	5.76607E-06	5.1E-06	6.05E-04	3.06E-09	1.60E-01	4.71E-02	2.31E-11	1.0E+06	2.3E-05
544	544	0.9153	5.76607E-06	5.3E-06	6.05E-04	3.19E-09	1.60E-01	4.71E-02	2.41E-11	1.0E+06	2.4E-05
545	545	0.95546	5.76607E-06	5.5E-06	6.05E-04	3.33E-09	1.60E-01	4.71E-02	2.52E-11	1.0E+06	2.5E-05
546	546	0.99838	5.76607E-06	5.8E-06	6.05E-04	3.48E-09	1.60E-01	4.71E-02	2.63E-11	1.0E+06	2.6E-05
547	547	1.04431	5.76607E-06	6.0E-06	6.05E-04	3.64E-09	1.60E-01	4.71E-02	2.75E-11	1.0E+06	2.8E-05
548	548	1.09362	5.76607E-06	6.3E-06	6.05E-04	3.82E-09	1.60E-01	4.71E-02	2.88E-11	1.0E+06	2.9E-05
549	549	1.14657	5.76607E-06	6.6E-06	6.05E-04	4.00E-09	1.60E-01	4.71E-02	3.02E-11	1.0E+06	3.0E-05
550	550	1.20347	5.76607E-06	6.9E-06	6.05E-04	4.20E-09	1.60E-01	4.71E-02	3.17E-11	1.0E+06	3.2E-05
551	551	1.26479	5.76607E-06	7.3E-06	6.05E-04	4.41E-09	1.60E-01	4.71E-02	3.33E-11	1.0E+06	3.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	1.3309	5.76607E-06	7.7E-06	6.05E-04	4.64E-09	1.60E-01	4.71E-02	3.51E-11	1.0E+06	3.5E-05
553	553	1.40254	5.76607E-06	8.1E-06	6.05E-04	4.89E-09	1.60E-01	4.71E-02	3.70E-11	1.0E+06	3.7E-05
554	554	1.48024	5.76607E-06	8.5E-06	6.05E-04	5.16E-09	1.60E-01	4.71E-02	3.90E-11	1.0E+06	3.9E-05
555	555	1.56484	5.76607E-06	9.0E-06	6.05E-04	5.46E-09	1.60E-01	4.71E-02	4.12E-11	1.0E+06	4.1E-05
556	556	1.65724	5.76607E-06	9.6E-06	6.05E-04	5.78E-09	1.60E-01	4.71E-02	4.37E-11	1.0E+06	4.4E-05
557	557	1.75816	5.76607E-06	1.0E-05	6.05E-04	6.13E-09	1.60E-01	4.71E-02	4.63E-11	1.0E+06	4.6E-05
558	558	1.85005	5.76607E-06	1.1E-05	6.05E-04	6.45E-09	1.60E-01	4.71E-02	4.87E-11	1.0E+06	4.9E-05
559	559	1.95371	5.76607E-06	1.1E-05	6.05E-04	6.82E-09	1.60E-01	4.71E-02	5.15E-11	1.0E+06	5.1E-05
560	560	2.09187	5.76607E-06	1.2E-05	6.05E-04	7.30E-09	1.60E-01	4.71E-02	5.51E-11	1.0E+06	5.5E-05
561	561	2.22465	5.76607E-06	1.3E-05	6.05E-04	7.76E-09	1.60E-01	4.71E-02	5.86E-11	1.0E+06	5.9E-05
562	562	2.39598	5.76607E-06	1.4E-05	6.05E-04	8.36E-09	1.60E-01	4.71E-02	6.31E-11	1.0E+06	6.3E-05
563	563	2.58883	5.76607E-06	1.5E-05	6.05E-04	9.03E-09	1.60E-01	4.71E-02	6.82E-11	1.0E+06	6.8E-05
564	564	2.7862	5.76607E-06	1.6E-05	6.05E-04	9.72E-09	1.60E-01	4.71E-02	7.34E-11	1.0E+06	7.3E-05
565	565	3.03019	5.76607E-06	1.7E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	7.98E-11	1.0E+06	8.0E-05
566	566	3.3023	5.76607E-06	1.9E-05	6.05E-04	1.15E-08	1.60E-01	4.71E-02	8.70E-11	1.0E+06	8.7E-05
567	567	3.60833	5.76607E-06	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
568	568	3.95526	5.76607E-06	2.3E-05	6.05E-04	1.38E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
569	569	4.34734	5.76607E-06	2.5E-05	6.05E-04	1.52E-08	1.60E-01	4.71E-02	1.15E-10	1.0E+06	1.1E-04
570	570	4.78867	5.76607E-06	2.8E-05	6.05E-04	1.67E-08	1.60E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
571	571	5.2811	5.76607E-06	3.0E-05	6.05E-04	1.84E-08	1.60E-01	4.71E-02	1.39E-10	1.0E+06	1.4E-04
572	572	0.58061	5.76607E-06	3.3E-06	6.05E-04	2.03E-09	1.60E-01	4.71E-02	1.53E-11	1.0E+06	1.5E-05
573	573	0.60142	5.76607E-06	3.5E-06	6.05E-04	2.10E-09	1.60E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
574	574	0.62318	5.76607E-06	3.6E-06	6.05E-04	2.17E-09	1.60E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
575	575	0.64595	5.76607E-06	3.7E-06	6.05E-04	2.25E-09	1.60E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
576	576	0.66999	5.76607E-06	3.9E-06	6.05E-04	2.34E-09	1.60E-01	4.71E-02	1.77E-11	1.0E+06	1.8E-05
577	577	0.6954	5.76607E-06	4.0E-06	6.05E-04	2.43E-09	1.60E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
578	578	0.72231	5.76607E-06	4.2E-06	6.05E-04	2.52E-09	1.60E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
579	579	0.75087	5.76607E-06	4.3E-06	6.05E-04	2.62E-09	1.60E-01	4.71E-02	1.98E-11	1.0E+06	2.0E-05
580	580	0.78128	5.76607E-06	4.5E-06	6.05E-04	2.73E-09	1.60E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
581	581	0.81352	5.76607E-06	4.7E-06	6.05E-04	2.84E-09	1.60E-01	4.71E-02	2.14E-11	1.0E+06	2.1E-05
582	582	0.84771	5.76607E-06	4.9E-06	6.05E-04	2.96E-09	1.60E-01	4.71E-02	2.23E-11	1.0E+06	2.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.884	5.76607E-06	5.1E-06	6.05E-04	3.08E-09	1.60E-01	4.71E-02	2.33E-11	1.0E+06	2.3E-05
584	584	0.9226	5.76607E-06	5.3E-06	6.05E-04	3.22E-09	1.60E-01	4.71E-02	2.43E-11	1.0E+06	2.4E-05
585	585	0.96408	5.76607E-06	5.6E-06	6.05E-04	3.36E-09	1.60E-01	4.71E-02	2.54E-11	1.0E+06	2.5E-05
586	586	1.00858	5.76607E-06	5.8E-06	6.05E-04	3.52E-09	1.60E-01	4.71E-02	2.66E-11	1.0E+06	2.7E-05
587	587	1.05633	5.76607E-06	6.1E-06	6.05E-04	3.69E-09	1.60E-01	4.71E-02	2.78E-11	1.0E+06	2.8E-05
588	588	1.10759	5.76607E-06	6.4E-06	6.05E-04	3.86E-09	1.60E-01	4.71E-02	2.92E-11	1.0E+06	2.9E-05
589	589	1.16289	5.76607E-06	6.7E-06	6.05E-04	4.06E-09	1.60E-01	4.71E-02	3.06E-11	1.0E+06	3.1E-05
590	590	1.22247	5.76607E-06	7.0E-06	6.05E-04	4.27E-09	1.60E-01	4.71E-02	3.22E-11	1.0E+06	3.2E-05
591	591	1.2868	5.76607E-06	7.4E-06	6.05E-04	4.49E-09	1.60E-01	4.71E-02	3.39E-11	1.0E+06	3.4E-05
592	592	1.35655	5.76607E-06	7.8E-06	6.05E-04	4.73E-09	1.60E-01	4.71E-02	3.57E-11	1.0E+06	3.6E-05
593	593	1.43189	5.76607E-06	8.3E-06	6.05E-04	5.00E-09	1.60E-01	4.71E-02	3.77E-11	1.0E+06	3.8E-05
594	594	1.51392	5.76607E-06	8.7E-06	6.05E-04	5.28E-09	1.60E-01	4.71E-02	3.99E-11	1.0E+06	4.0E-05
595	595	1.60368	5.76607E-06	9.2E-06	6.05E-04	5.60E-09	1.60E-01	4.71E-02	4.23E-11	1.0E+06	4.2E-05
596	596	1.70213	5.76607E-06	9.8E-06	6.05E-04	5.94E-09	1.60E-01	4.71E-02	4.48E-11	1.0E+06	4.5E-05
597	597	1.81021	5.76607E-06	1.0E-05	6.05E-04	6.32E-09	1.60E-01	4.71E-02	4.77E-11	1.0E+06	4.8E-05
598	598	1.90741	5.76607E-06	1.1E-05	6.05E-04	6.65E-09	1.60E-01	4.71E-02	5.03E-11	1.0E+06	5.0E-05
599	599	2.0406	5.76607E-06	1.2E-05	6.05E-04	7.12E-09	1.60E-01	4.71E-02	5.38E-11	1.0E+06	5.4E-05
600	600	2.16675	5.76607E-06	1.2E-05	6.05E-04	7.56E-09	1.60E-01	4.71E-02	5.71E-11	1.0E+06	5.7E-05
601	601	2.33242	5.76607E-06	1.3E-05	6.05E-04	8.14E-09	1.60E-01	4.71E-02	6.15E-11	1.0E+06	6.1E-05
602	602	2.49521	5.76607E-06	1.4E-05	6.05E-04	8.71E-09	1.60E-01	4.71E-02	6.57E-11	1.0E+06	6.6E-05
603	603	2.70764	5.76607E-06	1.6E-05	6.05E-04	9.45E-09	1.60E-01	4.71E-02	7.13E-11	1.0E+06	7.1E-05
604	604	2.92649	5.76607E-06	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.71E-11	1.0E+06	7.7E-05
605	605	3.19954	5.76607E-06	1.8E-05	6.05E-04	1.12E-08	1.60E-01	4.71E-02	8.43E-11	1.0E+06	8.4E-05
606	606	3.50521	5.76607E-06	2.0E-05	6.05E-04	1.22E-08	1.60E-01	4.71E-02	9.24E-11	1.0E+06	9.2E-05
607	607	3.85368	5.76607E-06	2.2E-05	6.05E-04	1.34E-08	1.60E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
608	608	4.25428	5.76607E-06	2.5E-05	6.05E-04	1.48E-08	1.60E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
609	609	4.71476	5.76607E-06	2.7E-05	6.05E-04	1.64E-08	1.60E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
610	610	5.242	5.76607E-06	3.0E-05	6.05E-04	1.83E-08	1.60E-01	4.71E-02	1.38E-10	1.0E+06	1.4E-04
611	611	5.83936	5.76607E-06	3.4E-05	6.05E-04	2.04E-08	1.60E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
612	612	0.57782	5.76607E-06	3.3E-06	6.05E-04	2.02E-09	1.60E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
613	613	0.59931	5.76607E-06	3.5E-06	6.05E-04	2.09E-09	1.60E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.62162	5.76607E-06	3.6E-06	6.05E-04	2.17E-09	1.60E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
615	615	0.64469	5.76607E-06	3.7E-06	6.05E-04	2.25E-09	1.60E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
616	616	0.66909	5.76607E-06	3.9E-06	6.05E-04	2.33E-09	1.60E-01	4.71E-02	1.76E-11	1.0E+06	1.8E-05
617	617	0.69472	5.76607E-06	4.0E-06	6.05E-04	2.42E-09	1.60E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
618	618	0.72176	5.76607E-06	4.2E-06	6.05E-04	2.52E-09	1.60E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
619	619	0.75052	5.76607E-06	4.3E-06	6.05E-04	2.62E-09	1.60E-01	4.71E-02	1.98E-11	1.0E+06	2.0E-05
620	620	0.78176	5.76607E-06	4.5E-06	6.05E-04	2.73E-09	1.60E-01	4.71E-02	2.06E-11	1.0E+06	2.1E-05
621	621	0.81491	5.76607E-06	4.7E-06	6.05E-04	2.84E-09	1.60E-01	4.71E-02	2.15E-11	1.0E+06	2.1E-05
622	622	0.85012	5.76607E-06	4.9E-06	6.05E-04	2.97E-09	1.60E-01	4.71E-02	2.24E-11	1.0E+06	2.2E-05
623	623	0.88754	5.76607E-06	5.1E-06	6.05E-04	3.10E-09	1.60E-01	4.71E-02	2.34E-11	1.0E+06	2.3E-05
624	624	0.92734	5.76607E-06	5.3E-06	6.05E-04	3.24E-09	1.60E-01	4.71E-02	2.44E-11	1.0E+06	2.4E-05
625	625	0.97002	5.76607E-06	5.6E-06	6.05E-04	3.38E-09	1.60E-01	4.71E-02	2.56E-11	1.0E+06	2.6E-05
626	626	1.01584	5.76607E-06	5.9E-06	6.05E-04	3.54E-09	1.60E-01	4.71E-02	2.68E-11	1.0E+06	2.7E-05
627	627	1.06514	5.76607E-06	6.1E-06	6.05E-04	3.72E-09	1.60E-01	4.71E-02	2.81E-11	1.0E+06	2.8E-05
628	628	1.11827	5.76607E-06	6.4E-06	6.05E-04	3.90E-09	1.60E-01	4.71E-02	2.95E-11	1.0E+06	2.9E-05
629	629	1.17556	5.76607E-06	6.8E-06	6.05E-04	4.10E-09	1.60E-01	4.71E-02	3.10E-11	1.0E+06	3.1E-05
630	630	1.23751	5.76607E-06	7.1E-06	6.05E-04	4.32E-09	1.60E-01	4.71E-02	3.26E-11	1.0E+06	3.3E-05
631	631	1.3046	5.76607E-06	7.5E-06	6.05E-04	4.55E-09	1.60E-01	4.71E-02	3.44E-11	1.0E+06	3.4E-05
632	632	1.37742	5.76607E-06	7.9E-06	6.05E-04	4.81E-09	1.60E-01	4.71E-02	3.63E-11	1.0E+06	3.6E-05
633	633	1.45648	5.76607E-06	8.4E-06	6.05E-04	5.08E-09	1.60E-01	4.71E-02	3.84E-11	1.0E+06	3.8E-05
634	634	1.54255	5.76607E-06	8.9E-06	6.05E-04	5.38E-09	1.60E-01	4.71E-02	4.06E-11	1.0E+06	4.1E-05
635	635	1.63711	5.76607E-06	9.4E-06	6.05E-04	5.71E-09	1.60E-01	4.71E-02	4.31E-11	1.0E+06	4.3E-05
636	636	1.74123	5.76607E-06	1.0E-05	6.05E-04	6.07E-09	1.60E-01	4.71E-02	4.59E-11	1.0E+06	4.6E-05
637	637	1.85605	5.76607E-06	1.1E-05	6.05E-04	6.48E-09	1.60E-01	4.71E-02	4.89E-11	1.0E+06	4.9E-05
638	638	1.98327	5.76607E-06	1.1E-05	6.05E-04	6.92E-09	1.60E-01	4.71E-02	5.23E-11	1.0E+06	5.2E-05
639	639	2.10114	5.76607E-06	1.2E-05	6.05E-04	7.33E-09	1.60E-01	4.71E-02	5.54E-11	1.0E+06	5.5E-05
640	640	2.25982	5.76607E-06	1.3E-05	6.05E-04	7.88E-09	1.60E-01	4.71E-02	5.95E-11	1.0E+06	6.0E-05
641	641	2.4137	5.76607E-06	1.4E-05	6.05E-04	8.42E-09	1.60E-01	4.71E-02	6.36E-11	1.0E+06	6.4E-05
642	642	2.61424	5.76607E-06	1.5E-05	6.05E-04	9.12E-09	1.60E-01	4.71E-02	6.89E-11	1.0E+06	6.9E-05
643	643	2.82108	5.76607E-06	1.6E-05	6.05E-04	9.84E-09	1.60E-01	4.71E-02	7.43E-11	1.0E+06	7.4E-05
644	644	3.06228	5.76607E-06	1.8E-05	6.05E-04	1.07E-08	1.60E-01	4.71E-02	8.07E-11	1.0E+06	8.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	3.36487	5.76607E-06	1.9E-05	6.05E-04	1.17E-08	1.60E-01	4.71E-02	8.87E-11	1.0E+06	8.9E-05
646	646	3.70675	5.76607E-06	2.1E-05	6.05E-04	1.29E-08	1.60E-01	4.71E-02	9.77E-11	1.0E+06	9.8E-05
647	647	4.1008	5.76607E-06	2.4E-05	6.05E-04	1.43E-08	1.60E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
648	648	4.56087	5.76607E-06	2.6E-05	6.05E-04	1.59E-08	1.60E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
649	649	5.09868	5.76607E-06	2.9E-05	6.05E-04	1.78E-08	1.60E-01	4.71E-02	1.34E-10	1.0E+06	1.3E-04
650	650	5.72522	5.76607E-06	3.3E-05	6.05E-04	2.00E-08	1.60E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
651	651	6.44859	5.76607E-06	3.7E-05	6.05E-04	2.25E-08	1.60E-01	4.71E-02	1.70E-10	1.0E+06	1.7E-04
652	652	0.57234	5.76607E-06	3.3E-06	6.05E-04	2.00E-09	1.60E-01	4.71E-02	1.51E-11	1.0E+06	1.5E-05
653	653	0.59412	5.76607E-06	3.4E-06	6.05E-04	2.07E-09	1.60E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
654	654	0.6168	5.76607E-06	3.6E-06	6.05E-04	2.15E-09	1.60E-01	4.71E-02	1.63E-11	1.0E+06	1.6E-05
655	655	0.64014	5.76607E-06	3.7E-06	6.05E-04	2.23E-09	1.60E-01	4.71E-02	1.69E-11	1.0E+06	1.7E-05
656	656	0.66488	5.76607E-06	3.8E-06	6.05E-04	2.32E-09	1.60E-01	4.71E-02	1.75E-11	1.0E+06	1.8E-05
657	657	0.69077	5.76607E-06	4.0E-06	6.05E-04	2.41E-09	1.60E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
658	658	0.71808	5.76607E-06	4.1E-06	6.05E-04	2.51E-09	1.60E-01	4.71E-02	1.89E-11	1.0E+06	1.9E-05
659	659	0.74722	5.76607E-06	4.3E-06	6.05E-04	2.61E-09	1.60E-01	4.71E-02	1.97E-11	1.0E+06	2.0E-05
660	660	0.77921	5.76607E-06	4.5E-06	6.05E-04	2.72E-09	1.60E-01	4.71E-02	2.05E-11	1.0E+06	2.1E-05
661	661	0.81318	5.76607E-06	4.7E-06	6.05E-04	2.84E-09	1.60E-01	4.71E-02	2.14E-11	1.0E+06	2.1E-05
662	662	0.84934	5.76607E-06	4.9E-06	6.05E-04	2.96E-09	1.60E-01	4.71E-02	2.24E-11	1.0E+06	2.2E-05
663	663	0.88784	5.76607E-06	5.1E-06	6.05E-04	3.10E-09	1.60E-01	4.71E-02	2.34E-11	1.0E+06	2.3E-05
664	664	0.92894	5.76607E-06	5.4E-06	6.05E-04	3.24E-09	1.60E-01	4.71E-02	2.45E-11	1.0E+06	2.4E-05
665	665	0.97267	5.76607E-06	5.6E-06	6.05E-04	3.39E-09	1.60E-01	4.71E-02	2.56E-11	1.0E+06	2.6E-05
666	666	1.01963	5.76607E-06	5.9E-06	6.05E-04	3.56E-09	1.60E-01	4.71E-02	2.69E-11	1.0E+06	2.7E-05
667	667	1.07022	5.76607E-06	6.2E-06	6.05E-04	3.73E-09	1.60E-01	4.71E-02	2.82E-11	1.0E+06	2.8E-05
668	668	1.12487	5.76607E-06	6.5E-06	6.05E-04	3.92E-09	1.60E-01	4.71E-02	2.96E-11	1.0E+06	3.0E-05
669	669	1.18391	5.76607E-06	6.8E-06	6.05E-04	4.13E-09	1.60E-01	4.71E-02	3.12E-11	1.0E+06	3.1E-05
670	670	1.24798	5.76607E-06	7.2E-06	6.05E-04	4.35E-09	1.60E-01	4.71E-02	3.29E-11	1.0E+06	3.3E-05
671	671	1.31748	5.76607E-06	7.6E-06	6.05E-04	4.60E-09	1.60E-01	4.71E-02	3.47E-11	1.0E+06	3.5E-05
672	672	1.39311	5.76607E-06	8.0E-06	6.05E-04	4.86E-09	1.60E-01	4.71E-02	3.67E-11	1.0E+06	3.7E-05
673	673	1.47549	5.76607E-06	8.5E-06	6.05E-04	5.15E-09	1.60E-01	4.71E-02	3.89E-11	1.0E+06	3.9E-05
674	674	1.56558	5.76607E-06	9.0E-06	6.05E-04	5.46E-09	1.60E-01	4.71E-02	4.12E-11	1.0E+06	4.1E-05
675	675	1.66453	5.76607E-06	9.6E-06	6.05E-04	5.81E-09	1.60E-01	4.71E-02	4.39E-11	1.0E+06	4.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	1.77376	5.76607E-06	1.0E-05	6.05E-04	6.19E-09	1.60E-01	4.71E-02	4.67E-11	1.0E+06	4.7E-05
677	677	1.89458	5.76607E-06	1.1E-05	6.05E-04	6.61E-09	1.60E-01	4.71E-02	4.99E-11	1.0E+06	5.0E-05
678	678	2.02937	5.76607E-06	1.2E-05	6.05E-04	7.08E-09	1.60E-01	4.71E-02	5.35E-11	1.0E+06	5.3E-05
679	679	2.1796	5.76607E-06	1.3E-05	6.05E-04	7.60E-09	1.60E-01	4.71E-02	5.74E-11	1.0E+06	5.7E-05
680	680	2.32254	5.76607E-06	1.3E-05	6.05E-04	8.10E-09	1.60E-01	4.71E-02	6.12E-11	1.0E+06	6.1E-05
681	681	2.51263	5.76607E-06	1.4E-05	6.05E-04	8.77E-09	1.60E-01	4.71E-02	6.62E-11	1.0E+06	6.6E-05
682	682	2.70266	5.76607E-06	1.6E-05	6.05E-04	9.43E-09	1.60E-01	4.71E-02	7.12E-11	1.0E+06	7.1E-05
683	683	2.92676	5.76607E-06	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.71E-11	1.0E+06	7.7E-05
684	684	3.19022	5.76607E-06	1.8E-05	6.05E-04	1.11E-08	1.60E-01	4.71E-02	8.41E-11	1.0E+06	8.4E-05
685	685	3.52216	5.76607E-06	2.0E-05	6.05E-04	1.23E-08	1.60E-01	4.71E-02	9.28E-11	1.0E+06	9.3E-05
686	686	3.90131	5.76607E-06	2.2E-05	6.05E-04	1.36E-08	1.60E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
687	687	4.34362	5.76607E-06	2.5E-05	6.05E-04	1.52E-08	1.60E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
688	688	4.86723	5.76607E-06	2.8E-05	6.05E-04	1.70E-08	1.60E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
689	689	5.48867	5.76607E-06	3.2E-05	6.05E-04	1.91E-08	1.60E-01	4.71E-02	1.45E-10	1.0E+06	1.4E-04
690	690	6.22739	5.76607E-06	3.6E-05	6.05E-04	2.17E-08	1.60E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
691	691	7.10029	5.76607E-06	4.1E-05	6.05E-04	2.48E-08	1.60E-01	4.71E-02	1.87E-10	1.0E+06	1.9E-04
692	692	0.56464	5.76607E-06	3.3E-06	6.05E-04	1.97E-09	1.60E-01	4.71E-02	1.49E-11	1.0E+06	1.5E-05
693	693	0.58618	5.76607E-06	3.4E-06	6.05E-04	2.05E-09	1.60E-01	4.71E-02	1.54E-11	1.0E+06	1.5E-05
694	694	0.6088	5.76607E-06	3.5E-06	6.05E-04	2.12E-09	1.60E-01	4.71E-02	1.60E-11	1.0E+06	1.6E-05
695	695	0.63235	5.76607E-06	3.6E-06	6.05E-04	2.21E-09	1.60E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
696	696	0.65731	5.76607E-06	3.8E-06	6.05E-04	2.29E-09	1.60E-01	4.71E-02	1.73E-11	1.0E+06	1.7E-05
697	697	0.68364	5.76607E-06	3.9E-06	6.05E-04	2.39E-09	1.60E-01	4.71E-02	1.80E-11	1.0E+06	1.8E-05
698	698	0.71146	5.76607E-06	4.1E-06	6.05E-04	2.48E-09	1.60E-01	4.71E-02	1.87E-11	1.0E+06	1.9E-05
699	699	0.74116	5.76607E-06	4.3E-06	6.05E-04	2.59E-09	1.60E-01	4.71E-02	1.95E-11	1.0E+06	2.0E-05
700	700	0.77367	5.76607E-06	4.5E-06	6.05E-04	2.70E-09	1.60E-01	4.71E-02	2.04E-11	1.0E+06	2.0E-05
701	701	0.80833	5.76607E-06	4.7E-06	6.05E-04	2.82E-09	1.60E-01	4.71E-02	2.13E-11	1.0E+06	2.1E-05
702	702	0.8451	5.76607E-06	4.9E-06	6.05E-04	2.95E-09	1.60E-01	4.71E-02	2.23E-11	1.0E+06	2.2E-05
703	703	0.88423	5.76607E-06	5.1E-06	6.05E-04	3.08E-09	1.60E-01	4.71E-02	2.33E-11	1.0E+06	2.3E-05
704	704	0.92616	5.76607E-06	5.3E-06	6.05E-04	3.23E-09	1.60E-01	4.71E-02	2.44E-11	1.0E+06	2.4E-05
705	705	0.97032	5.76607E-06	5.6E-06	6.05E-04	3.39E-09	1.60E-01	4.71E-02	2.56E-11	1.0E+06	2.6E-05
706	706	1.01774	5.76607E-06	5.9E-06	6.05E-04	3.55E-09	1.60E-01	4.71E-02	2.68E-11	1.0E+06	2.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	1.0691	5.76607E-06	6.2E-06	6.05E-04	3.73E-09	1.60E-01	4.71E-02	2.82E-11	1.0E+06	2.8E-05
708	708	1.12519	5.76607E-06	6.5E-06	6.05E-04	3.93E-09	1.60E-01	4.71E-02	2.96E-11	1.0E+06	3.0E-05
709	709	1.18582	5.76607E-06	6.8E-06	6.05E-04	4.14E-09	1.60E-01	4.71E-02	3.12E-11	1.0E+06	3.1E-05
710	710	1.25202	5.76607E-06	7.2E-06	6.05E-04	4.37E-09	1.60E-01	4.71E-02	3.30E-11	1.0E+06	3.3E-05
711	711	1.32398	5.76607E-06	7.6E-06	6.05E-04	4.62E-09	1.60E-01	4.71E-02	3.49E-11	1.0E+06	3.5E-05
712	712	1.40238	5.76607E-06	8.1E-06	6.05E-04	4.89E-09	1.60E-01	4.71E-02	3.69E-11	1.0E+06	3.7E-05
713	713	1.48801	5.76607E-06	8.6E-06	6.05E-04	5.19E-09	1.60E-01	4.71E-02	3.92E-11	1.0E+06	3.9E-05
714	714	1.58175	5.76607E-06	9.1E-06	6.05E-04	5.52E-09	1.60E-01	4.71E-02	4.17E-11	1.0E+06	4.2E-05
715	715	1.68474	5.76607E-06	9.7E-06	6.05E-04	5.88E-09	1.60E-01	4.71E-02	4.44E-11	1.0E+06	4.4E-05
716	716	1.79853	5.76607E-06	1.0E-05	6.05E-04	6.27E-09	1.60E-01	4.71E-02	4.74E-11	1.0E+06	4.7E-05
717	717	1.92479	5.76607E-06	1.1E-05	6.05E-04	6.72E-09	1.60E-01	4.71E-02	5.07E-11	1.0E+06	5.1E-05
718	718	2.06605	5.76607E-06	1.2E-05	6.05E-04	7.21E-09	1.60E-01	4.71E-02	5.44E-11	1.0E+06	5.4E-05
719	719	2.22407	5.76607E-06	1.3E-05	6.05E-04	7.76E-09	1.60E-01	4.71E-02	5.86E-11	1.0E+06	5.9E-05
720	720	2.40165	5.76607E-06	1.4E-05	6.05E-04	8.38E-09	1.60E-01	4.71E-02	6.33E-11	1.0E+06	6.3E-05
721	721	2.57626	5.76607E-06	1.5E-05	6.05E-04	8.99E-09	1.60E-01	4.71E-02	6.79E-11	1.0E+06	6.8E-05
722	722	2.77963	5.76607E-06	1.6E-05	6.05E-04	9.70E-09	1.60E-01	4.71E-02	7.32E-11	1.0E+06	7.3E-05
723	723	3.02085	5.76607E-06	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.96E-11	1.0E+06	8.0E-05
724	724	3.33069	5.76607E-06	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.78E-11	1.0E+06	8.8E-05
725	725	3.66616	5.76607E-06	2.1E-05	6.05E-04	1.28E-08	1.60E-01	4.71E-02	9.66E-11	1.0E+06	9.7E-05
726	726	4.08172	5.76607E-06	2.4E-05	6.05E-04	1.42E-08	1.60E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
727	727	4.57264	5.76607E-06	2.6E-05	6.05E-04	1.60E-08	1.60E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
728	728	5.16053	5.76607E-06	3.0E-05	6.05E-04	1.80E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
729	729	5.87024	5.76607E-06	3.4E-05	6.05E-04	2.05E-08	1.60E-01	4.71E-02	1.55E-10	1.0E+06	1.5E-04
730	730	6.73056	5.76607E-06	3.9E-05	6.05E-04	2.35E-08	1.60E-01	4.71E-02	1.77E-10	1.0E+06	1.8E-04
731	731	7.77096	5.76607E-06	4.5E-05	6.05E-04	2.71E-08	1.60E-01	4.71E-02	2.05E-10	1.0E+06	2.0E-04
732	732	0.55503	5.76607E-06	3.2E-06	6.05E-04	1.94E-09	1.60E-01	4.71E-02	1.46E-11	1.0E+06	1.5E-05
733	733	0.5758	5.76607E-06	3.3E-06	6.05E-04	2.01E-09	1.60E-01	4.71E-02	1.52E-11	1.0E+06	1.5E-05
734	734	0.5979	5.76607E-06	3.4E-06	6.05E-04	2.09E-09	1.60E-01	4.71E-02	1.58E-11	1.0E+06	1.6E-05
735	735	0.62154	5.76607E-06	3.6E-06	6.05E-04	2.17E-09	1.60E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
736	736	0.64666	5.76607E-06	3.7E-06	6.05E-04	2.26E-09	1.60E-01	4.71E-02	1.70E-11	1.0E+06	1.7E-05
737	737	0.67343	5.76607E-06	3.9E-06	6.05E-04	2.35E-09	1.60E-01	4.71E-02	1.77E-11	1.0E+06	1.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.70204	5.76607E-06	4.0E-06	6.05E-04	2.45E-09	1.60E-01	4.71E-02	1.85E-11	1.0E+06	1.8E-05
739	739	0.73241	5.76607E-06	4.2E-06	6.05E-04	2.56E-09	1.60E-01	4.71E-02	1.93E-11	1.0E+06	1.9E-05
740	740	0.76539	5.76607E-06	4.4E-06	6.05E-04	2.67E-09	1.60E-01	4.71E-02	2.02E-11	1.0E+06	2.0E-05
741	741	0.80046	5.76607E-06	4.6E-06	6.05E-04	2.79E-09	1.60E-01	4.71E-02	2.11E-11	1.0E+06	2.1E-05
742	742	0.83759	5.76607E-06	4.8E-06	6.05E-04	2.92E-09	1.60E-01	4.71E-02	2.21E-11	1.0E+06	2.2E-05
743	743	0.87692	5.76607E-06	5.1E-06	6.05E-04	3.06E-09	1.60E-01	4.71E-02	2.31E-11	1.0E+06	2.3E-05
744	744	0.91916	5.76607E-06	5.3E-06	6.05E-04	3.21E-09	1.60E-01	4.71E-02	2.42E-11	1.0E+06	2.4E-05
745	745	0.96314	5.76607E-06	5.6E-06	6.05E-04	3.36E-09	1.60E-01	4.71E-02	2.54E-11	1.0E+06	2.5E-05
746	746	1.01037	5.76607E-06	5.8E-06	6.05E-04	3.53E-09	1.60E-01	4.71E-02	2.66E-11	1.0E+06	2.7E-05
747	747	1.06185	5.76607E-06	6.1E-06	6.05E-04	3.70E-09	1.60E-01	4.71E-02	2.80E-11	1.0E+06	2.8E-05
748	748	1.11906	5.76607E-06	6.5E-06	6.05E-04	3.90E-09	1.60E-01	4.71E-02	2.95E-11	1.0E+06	2.9E-05
749	749	1.18103	5.76607E-06	6.8E-06	6.05E-04	4.12E-09	1.60E-01	4.71E-02	3.11E-11	1.0E+06	3.1E-05
750	750	1.24945	5.76607E-06	7.2E-06	6.05E-04	4.36E-09	1.60E-01	4.71E-02	3.29E-11	1.0E+06	3.3E-05
751	751	1.32395	5.76607E-06	7.6E-06	6.05E-04	4.62E-09	1.60E-01	4.71E-02	3.49E-11	1.0E+06	3.5E-05
752	752	1.40498	5.76607E-06	8.1E-06	6.05E-04	4.90E-09	1.60E-01	4.71E-02	3.70E-11	1.0E+06	3.7E-05
753	753	1.49353	5.76607E-06	8.6E-06	6.05E-04	5.21E-09	1.60E-01	4.71E-02	3.94E-11	1.0E+06	3.9E-05
754	754	1.59059	5.76607E-06	9.2E-06	6.05E-04	5.55E-09	1.60E-01	4.71E-02	4.19E-11	1.0E+06	4.2E-05
755	755	1.69725	5.76607E-06	9.8E-06	6.05E-04	5.92E-09	1.60E-01	4.71E-02	4.47E-11	1.0E+06	4.5E-05
756	756	1.81502	5.76607E-06	1.0E-05	6.05E-04	6.33E-09	1.60E-01	4.71E-02	4.78E-11	1.0E+06	4.8E-05
757	757	1.94597	5.76607E-06	1.1E-05	6.05E-04	6.79E-09	1.60E-01	4.71E-02	5.13E-11	1.0E+06	5.1E-05
758	758	2.09222	5.76607E-06	1.2E-05	6.05E-04	7.30E-09	1.60E-01	4.71E-02	5.51E-11	1.0E+06	5.5E-05
759	759	2.25643	5.76607E-06	1.3E-05	6.05E-04	7.87E-09	1.60E-01	4.71E-02	5.95E-11	1.0E+06	5.9E-05
760	760	2.44193	5.76607E-06	1.4E-05	6.05E-04	8.52E-09	1.60E-01	4.71E-02	6.43E-11	1.0E+06	6.4E-05
761	761	2.62615	5.76607E-06	1.5E-05	6.05E-04	9.16E-09	1.60E-01	4.71E-02	6.92E-11	1.0E+06	6.9E-05
762	762	2.86828	5.76607E-06	1.7E-05	6.05E-04	1.00E-08	1.60E-01	4.71E-02	7.56E-11	1.0E+06	7.6E-05
763	763	3.09928	5.76607E-06	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.17E-11	1.0E+06	8.2E-05
764	764	3.42875	5.76607E-06	2.0E-05	6.05E-04	1.20E-08	1.60E-01	4.71E-02	9.03E-11	1.0E+06	9.0E-05
765	765	3.79019	5.76607E-06	2.2E-05	6.05E-04	1.32E-08	1.60E-01	4.71E-02	9.99E-11	1.0E+06	1.0E-04
766	766	4.23962	5.76607E-06	2.4E-05	6.05E-04	1.48E-08	1.60E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
767	767	4.77616	5.76607E-06	2.8E-05	6.05E-04	1.67E-08	1.60E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
768	768	5.4268	5.76607E-06	3.1E-05	6.05E-04	1.89E-08	1.60E-01	4.71E-02	1.43E-10	1.0E+06	1.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	6.22358	5.76607E-06	3.6E-05	6.05E-04	2.17E-08	1.60E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
770	770	7.20784	5.76607E-06	4.2E-05	6.05E-04	2.51E-08	1.60E-01	4.71E-02	1.90E-10	1.0E+06	1.9E-04
771	771	8.42703	5.76607E-06	4.9E-05	6.05E-04	2.94E-08	1.60E-01	4.71E-02	2.22E-10	1.0E+06	2.2E-04
772	772	0.54447	5.76607E-06	3.1E-06	6.05E-04	1.90E-09	1.60E-01	4.71E-02	1.43E-11	1.0E+06	1.4E-05
773	773	0.56485	5.76607E-06	3.3E-06	6.05E-04	1.97E-09	1.60E-01	4.71E-02	1.49E-11	1.0E+06	1.5E-05
774	774	0.58655	5.76607E-06	3.4E-06	6.05E-04	2.05E-09	1.60E-01	4.71E-02	1.55E-11	1.0E+06	1.5E-05
775	775	0.61023	5.76607E-06	3.5E-06	6.05E-04	2.13E-09	1.60E-01	4.71E-02	1.61E-11	1.0E+06	1.6E-05
776	776	0.63542	5.76607E-06	3.7E-06	6.05E-04	2.22E-09	1.60E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
777	777	0.6623	5.76607E-06	3.8E-06	6.05E-04	2.31E-09	1.60E-01	4.71E-02	1.75E-11	1.0E+06	1.7E-05
778	778	0.69094	5.76607E-06	4.0E-06	6.05E-04	2.41E-09	1.60E-01	4.71E-02	1.82E-11	1.0E+06	1.8E-05
779	779	0.72148	5.76607E-06	4.2E-06	6.05E-04	2.52E-09	1.60E-01	4.71E-02	1.90E-11	1.0E+06	1.9E-05
780	780	0.75433	5.76607E-06	4.3E-06	6.05E-04	2.63E-09	1.60E-01	4.71E-02	1.99E-11	1.0E+06	2.0E-05
781	781	0.78946	5.76607E-06	4.6E-06	6.05E-04	2.75E-09	1.60E-01	4.71E-02	2.08E-11	1.0E+06	2.1E-05
782	782	0.82669	5.76607E-06	4.8E-06	6.05E-04	2.88E-09	1.60E-01	4.71E-02	2.18E-11	1.0E+06	2.2E-05
783	783	0.86634	5.76607E-06	5.0E-06	6.05E-04	3.02E-09	1.60E-01	4.71E-02	2.28E-11	1.0E+06	2.3E-05
784	784	0.9089	5.76607E-06	5.2E-06	6.05E-04	3.17E-09	1.60E-01	4.71E-02	2.39E-11	1.0E+06	2.4E-05
785	785	0.95341	5.76607E-06	5.5E-06	6.05E-04	3.33E-09	1.60E-01	4.71E-02	2.51E-11	1.0E+06	2.5E-05
786	786	1.00114	5.76607E-06	5.8E-06	6.05E-04	3.49E-09	1.60E-01	4.71E-02	2.64E-11	1.0E+06	2.6E-05
787	787	1.05328	5.76607E-06	6.1E-06	6.05E-04	3.67E-09	1.60E-01	4.71E-02	2.78E-11	1.0E+06	2.8E-05
788	788	1.11106	5.76607E-06	6.4E-06	6.05E-04	3.88E-09	1.60E-01	4.71E-02	2.93E-11	1.0E+06	2.9E-05
789	789	1.17374	5.76607E-06	6.8E-06	6.05E-04	4.10E-09	1.60E-01	4.71E-02	3.09E-11	1.0E+06	3.1E-05
790	790	1.24298	5.76607E-06	7.2E-06	6.05E-04	4.34E-09	1.60E-01	4.71E-02	3.27E-11	1.0E+06	3.3E-05
791	791	1.31858	5.76607E-06	7.6E-06	6.05E-04	4.60E-09	1.60E-01	4.71E-02	3.47E-11	1.0E+06	3.5E-05
792	792	1.40097	5.76607E-06	8.1E-06	6.05E-04	4.89E-09	1.60E-01	4.71E-02	3.69E-11	1.0E+06	3.7E-05
793	793	1.49119	5.76607E-06	8.6E-06	6.05E-04	5.20E-09	1.60E-01	4.71E-02	3.93E-11	1.0E+06	3.9E-05
794	794	1.5904	5.76607E-06	9.2E-06	6.05E-04	5.55E-09	1.60E-01	4.71E-02	4.19E-11	1.0E+06	4.2E-05
795	795	1.69967	5.76607E-06	9.8E-06	6.05E-04	5.93E-09	1.60E-01	4.71E-02	4.48E-11	1.0E+06	4.5E-05
796	796	1.82073	5.76607E-06	1.0E-05	6.05E-04	6.35E-09	1.60E-01	4.71E-02	4.80E-11	1.0E+06	4.8E-05
797	797	1.95569	5.76607E-06	1.1E-05	6.05E-04	6.82E-09	1.60E-01	4.71E-02	5.15E-11	1.0E+06	5.2E-05
798	798	2.10583	5.76607E-06	1.2E-05	6.05E-04	7.35E-09	1.60E-01	4.71E-02	5.55E-11	1.0E+06	5.5E-05
799	799	2.27501	5.76607E-06	1.3E-05	6.05E-04	7.94E-09	1.60E-01	4.71E-02	5.99E-11	1.0E+06	6.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	2.4669	5.76607E-06	1.4E-05	6.05E-04	8.61E-09	1.60E-01	4.71E-02	6.50E-11	1.0E+06	6.5E-05
801	801	2.68595	5.76607E-06	1.5E-05	6.05E-04	9.37E-09	1.60E-01	4.71E-02	7.08E-11	1.0E+06	7.1E-05
802	802	2.9125	5.76607E-06	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.67E-11	1.0E+06	7.7E-05
803	803	3.18179	5.76607E-06	1.8E-05	6.05E-04	1.11E-08	1.60E-01	4.71E-02	8.38E-11	1.0E+06	8.4E-05
804	804	3.50316	5.76607E-06	2.0E-05	6.05E-04	1.22E-08	1.60E-01	4.71E-02	9.23E-11	1.0E+06	9.2E-05
805	805	3.88634	5.76607E-06	2.2E-05	6.05E-04	1.36E-08	1.60E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
806	806	4.36591	5.76607E-06	2.5E-05	6.05E-04	1.52E-08	1.60E-01	4.71E-02	1.15E-10	1.0E+06	1.2E-04
807	807	4.9433	5.76607E-06	2.9E-05	6.05E-04	1.72E-08	1.60E-01	4.71E-02	1.30E-10	1.0E+06	1.3E-04
808	808	5.64996	5.76607E-06	3.3E-05	6.05E-04	1.97E-08	1.60E-01	4.71E-02	1.49E-10	1.0E+06	1.5E-04
809	809	6.52543	5.76607E-06	3.8E-05	6.05E-04	2.28E-08	1.60E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
810	810	7.62612	5.76607E-06	4.4E-05	6.05E-04	2.66E-08	1.60E-01	4.71E-02	2.01E-10	1.0E+06	2.0E-04
811	811	9.02124	5.76607E-06	5.2E-05	6.05E-04	3.15E-08	1.60E-01	4.71E-02	2.38E-10	1.0E+06	2.4E-04
812	812	0.53281	5.76607E-06	3.1E-06	6.05E-04	1.86E-09	1.60E-01	4.71E-02	1.40E-11	1.0E+06	1.4E-05
813	813	0.55273	5.76607E-06	3.2E-06	6.05E-04	1.93E-09	1.60E-01	4.71E-02	1.46E-11	1.0E+06	1.5E-05
814	814	0.57407	5.76607E-06	3.3E-06	6.05E-04	2.00E-09	1.60E-01	4.71E-02	1.51E-11	1.0E+06	1.5E-05
815	815	0.5977	5.76607E-06	3.4E-06	6.05E-04	2.09E-09	1.60E-01	4.71E-02	1.57E-11	1.0E+06	1.6E-05
816	816	0.62276	5.76607E-06	3.6E-06	6.05E-04	2.17E-09	1.60E-01	4.71E-02	1.64E-11	1.0E+06	1.6E-05
817	817	0.64957	5.76607E-06	3.7E-06	6.05E-04	2.27E-09	1.60E-01	4.71E-02	1.71E-11	1.0E+06	1.7E-05
818	818	0.67807	5.76607E-06	3.9E-06	6.05E-04	2.37E-09	1.60E-01	4.71E-02	1.79E-11	1.0E+06	1.8E-05
819	819	0.7085	5.76607E-06	4.1E-06	6.05E-04	2.47E-09	1.60E-01	4.71E-02	1.87E-11	1.0E+06	1.9E-05
820	820	0.74104	5.76607E-06	4.3E-06	6.05E-04	2.59E-09	1.60E-01	4.71E-02	1.95E-11	1.0E+06	2.0E-05
821	821	0.77577	5.76607E-06	4.5E-06	6.05E-04	2.71E-09	1.60E-01	4.71E-02	2.04E-11	1.0E+06	2.0E-05
822	822	0.81293	5.76607E-06	4.7E-06	6.05E-04	2.84E-09	1.60E-01	4.71E-02	2.14E-11	1.0E+06	2.1E-05
823	823	0.85277	5.76607E-06	4.9E-06	6.05E-04	2.98E-09	1.60E-01	4.71E-02	2.25E-11	1.0E+06	2.2E-05
824	824	0.89556	5.76607E-06	5.2E-06	6.05E-04	3.12E-09	1.60E-01	4.71E-02	2.36E-11	1.0E+06	2.4E-05
825	825	0.94042	5.76607E-06	5.4E-06	6.05E-04	3.28E-09	1.60E-01	4.71E-02	2.48E-11	1.0E+06	2.5E-05
826	826	0.98875	5.76607E-06	5.7E-06	6.05E-04	3.45E-09	1.60E-01	4.71E-02	2.61E-11	1.0E+06	2.6E-05
827	827	1.04147	5.76607E-06	6.0E-06	6.05E-04	3.63E-09	1.60E-01	4.71E-02	2.74E-11	1.0E+06	2.7E-05
828	828	1.0995	5.76607E-06	6.3E-06	6.05E-04	3.84E-09	1.60E-01	4.71E-02	2.90E-11	1.0E+06	2.9E-05
829	829	1.16252	5.76607E-06	6.7E-06	6.05E-04	4.06E-09	1.60E-01	4.71E-02	3.06E-11	1.0E+06	3.1E-05
830	830	1.23191	5.76607E-06	7.1E-06	6.05E-04	4.30E-09	1.60E-01	4.71E-02	3.25E-11	1.0E+06	3.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	1.30778	5.76607E-06	7.5E-06	6.05E-04	4.56E-09	1.60E-01	4.71E-02	3.45E-11	1.0E+06	3.4E-05
832	832	1.39069	5.76607E-06	8.0E-06	6.05E-04	4.85E-09	1.60E-01	4.71E-02	3.66E-11	1.0E+06	3.7E-05
833	833	1.48113	5.76607E-06	8.5E-06	6.05E-04	5.17E-09	1.60E-01	4.71E-02	3.90E-11	1.0E+06	3.9E-05
834	834	1.581	5.76607E-06	9.1E-06	6.05E-04	5.52E-09	1.60E-01	4.71E-02	4.17E-11	1.0E+06	4.2E-05
835	835	1.69164	5.76607E-06	9.8E-06	6.05E-04	5.90E-09	1.60E-01	4.71E-02	4.46E-11	1.0E+06	4.5E-05
836	836	1.81472	5.76607E-06	1.0E-05	6.05E-04	6.33E-09	1.60E-01	4.71E-02	4.78E-11	1.0E+06	4.8E-05
837	837	1.95218	5.76607E-06	1.1E-05	6.05E-04	6.81E-09	1.60E-01	4.71E-02	5.14E-11	1.0E+06	5.1E-05
838	838	2.10575	5.76607E-06	1.2E-05	6.05E-04	7.35E-09	1.60E-01	4.71E-02	5.55E-11	1.0E+06	5.5E-05
839	839	2.27909	5.76607E-06	1.3E-05	6.05E-04	7.95E-09	1.60E-01	4.71E-02	6.00E-11	1.0E+06	6.0E-05
840	840	2.47585	5.76607E-06	1.4E-05	6.05E-04	8.64E-09	1.60E-01	4.71E-02	6.52E-11	1.0E+06	6.5E-05
841	841	2.70087	5.76607E-06	1.6E-05	6.05E-04	9.42E-09	1.60E-01	4.71E-02	7.12E-11	1.0E+06	7.1E-05
842	842	2.93717	5.76607E-06	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.74E-11	1.0E+06	7.7E-05
843	843	3.2179	5.76607E-06	1.9E-05	6.05E-04	1.12E-08	1.60E-01	4.71E-02	8.48E-11	1.0E+06	8.5E-05
844	844	3.55273	5.76607E-06	2.0E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.36E-11	1.0E+06	9.4E-05
845	845	3.97382	5.76607E-06	2.3E-05	6.05E-04	1.39E-08	1.60E-01	4.71E-02	1.05E-10	1.0E+06	1.0E-04
846	846	4.45605	5.76607E-06	2.6E-05	6.05E-04	1.55E-08	1.60E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
847	847	5.06521	5.76607E-06	2.9E-05	6.05E-04	1.77E-08	1.60E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
848	848	5.81579	5.76607E-06	3.4E-05	6.05E-04	2.03E-08	1.60E-01	4.71E-02	1.53E-10	1.0E+06	1.5E-04
849	849	6.75456	5.76607E-06	3.9E-05	6.05E-04	2.36E-08	1.60E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
850	850	7.94936	5.76607E-06	4.6E-05	6.05E-04	2.77E-08	1.60E-01	4.71E-02	2.09E-10	1.0E+06	2.1E-04
851	851	9.49315	5.76607E-06	5.5E-05	6.05E-04	3.31E-08	1.60E-01	4.71E-02	2.50E-10	1.0E+06	2.5E-04
852	852	0.52035	5.76607E-06	3.0E-06	6.05E-04	1.82E-09	1.60E-01	4.71E-02	1.37E-11	1.0E+06	1.4E-05
853	853	0.53971	5.76607E-06	3.1E-06	6.05E-04	1.88E-09	1.60E-01	4.71E-02	1.42E-11	1.0E+06	1.4E-05
854	854	0.56048	5.76607E-06	3.2E-06	6.05E-04	1.96E-09	1.60E-01	4.71E-02	1.48E-11	1.0E+06	1.5E-05
855	855	0.584	5.76607E-06	3.4E-06	6.05E-04	2.04E-09	1.60E-01	4.71E-02	1.54E-11	1.0E+06	1.5E-05
856	856	0.60896	5.76607E-06	3.5E-06	6.05E-04	2.12E-09	1.60E-01	4.71E-02	1.60E-11	1.0E+06	1.6E-05
857	857	0.63547	5.76607E-06	3.7E-06	6.05E-04	2.22E-09	1.60E-01	4.71E-02	1.67E-11	1.0E+06	1.7E-05
858	858	0.66367	5.76607E-06	3.8E-06	6.05E-04	2.32E-09	1.60E-01	4.71E-02	1.75E-11	1.0E+06	1.7E-05
859	859	0.69372	5.76607E-06	4.0E-06	6.05E-04	2.42E-09	1.60E-01	4.71E-02	1.83E-11	1.0E+06	1.8E-05
860	860	0.72579	5.76607E-06	4.2E-06	6.05E-04	2.53E-09	1.60E-01	4.71E-02	1.91E-11	1.0E+06	1.9E-05
861	861	0.75996	5.76607E-06	4.4E-06	6.05E-04	2.65E-09	1.60E-01	4.71E-02	2.00E-11	1.0E+06	2.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.79674	5.76607E-06	4.6E-06	6.05E-04	2.78E-09	1.60E-01	4.71E-02	2.10E-11	1.0E+06	2.1E-05
863	863	0.83651	5.76607E-06	4.8E-06	6.05E-04	2.92E-09	1.60E-01	4.71E-02	2.20E-11	1.0E+06	2.2E-05
864	864	0.87936	5.76607E-06	5.1E-06	6.05E-04	3.07E-09	1.60E-01	4.71E-02	2.32E-11	1.0E+06	2.3E-05
865	865	0.92481	5.76607E-06	5.3E-06	6.05E-04	3.23E-09	1.60E-01	4.71E-02	2.44E-11	1.0E+06	2.4E-05
866	866	0.97375	5.76607E-06	5.6E-06	6.05E-04	3.40E-09	1.60E-01	4.71E-02	2.57E-11	1.0E+06	2.6E-05
867	867	1.02683	5.76607E-06	5.9E-06	6.05E-04	3.58E-09	1.60E-01	4.71E-02	2.71E-11	1.0E+06	2.7E-05
868	868	1.08481	5.76607E-06	6.3E-06	6.05E-04	3.78E-09	1.60E-01	4.71E-02	2.86E-11	1.0E+06	2.9E-05
869	869	1.14782	5.76607E-06	6.6E-06	6.05E-04	4.00E-09	1.60E-01	4.71E-02	3.02E-11	1.0E+06	3.0E-05
870	870	1.21674	5.76607E-06	7.0E-06	6.05E-04	4.25E-09	1.60E-01	4.71E-02	3.21E-11	1.0E+06	3.2E-05
871	871	1.29202	5.76607E-06	7.4E-06	6.05E-04	4.51E-09	1.60E-01	4.71E-02	3.40E-11	1.0E+06	3.4E-05
872	872	1.37447	5.76607E-06	7.9E-06	6.05E-04	4.80E-09	1.60E-01	4.71E-02	3.62E-11	1.0E+06	3.6E-05
873	873	1.46413	5.76607E-06	8.4E-06	6.05E-04	5.11E-09	1.60E-01	4.71E-02	3.86E-11	1.0E+06	3.9E-05
874	874	1.56314	5.76607E-06	9.0E-06	6.05E-04	5.45E-09	1.60E-01	4.71E-02	4.12E-11	1.0E+06	4.1E-05
875	875	1.67372	5.76607E-06	9.7E-06	6.05E-04	5.84E-09	1.60E-01	4.71E-02	4.41E-11	1.0E+06	4.4E-05
876	876	1.7976	5.76607E-06	1.0E-05	6.05E-04	6.27E-09	1.60E-01	4.71E-02	4.74E-11	1.0E+06	4.7E-05
877	877	1.9362	5.76607E-06	1.1E-05	6.05E-04	6.76E-09	1.60E-01	4.71E-02	5.10E-11	1.0E+06	5.1E-05
878	878	2.09246	5.76607E-06	1.2E-05	6.05E-04	7.30E-09	1.60E-01	4.71E-02	5.51E-11	1.0E+06	5.5E-05
879	879	2.26905	5.76607E-06	1.3E-05	6.05E-04	7.92E-09	1.60E-01	4.71E-02	5.98E-11	1.0E+06	6.0E-05
880	880	2.46915	5.76607E-06	1.4E-05	6.05E-04	8.61E-09	1.60E-01	4.71E-02	6.51E-11	1.0E+06	6.5E-05
881	881	2.69707	5.76607E-06	1.6E-05	6.05E-04	9.41E-09	1.60E-01	4.71E-02	7.11E-11	1.0E+06	7.1E-05
882	882	2.95996	5.76607E-06	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.80E-11	1.0E+06	7.8E-05
883	883	3.24853	5.76607E-06	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.56E-11	1.0E+06	8.6E-05
884	884	3.59245	5.76607E-06	2.1E-05	6.05E-04	1.25E-08	1.60E-01	4.71E-02	9.47E-11	1.0E+06	9.5E-05
885	885	4.00532	5.76607E-06	2.3E-05	6.05E-04	1.40E-08	1.60E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
886	886	4.50478	5.76607E-06	2.6E-05	6.05E-04	1.57E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
887	887	5.13388	5.76607E-06	3.0E-05	6.05E-04	1.79E-08	1.60E-01	4.71E-02	1.35E-10	1.0E+06	1.4E-04
888	888	5.9111	5.76607E-06	3.4E-05	6.05E-04	2.06E-08	1.60E-01	4.71E-02	1.56E-10	1.0E+06	1.6E-04
889	889	6.88846	5.76607E-06	4.0E-05	6.05E-04	2.40E-08	1.60E-01	4.71E-02	1.81E-10	1.0E+06	1.8E-04
890	890	8.14346	5.76607E-06	4.7E-05	6.05E-04	2.84E-08	1.60E-01	4.71E-02	2.15E-10	1.0E+06	2.1E-04
891	891	9.78413	5.76607E-06	5.6E-05	6.05E-04	3.41E-08	1.60E-01	4.71E-02	2.58E-10	1.0E+06	2.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	0.54566	4.91272E-05	2.7E-05	6.05E-04	1.62E-08	1.60E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
522	522	0.56284	4.91272E-05	2.8E-05	6.05E-04	1.67E-08	1.60E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
523	523	0.58189	4.91272E-05	2.9E-05	6.05E-04	1.73E-08	1.60E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
524	524	0.60457	4.91272E-05	3.0E-05	6.05E-04	1.80E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
525	525	0.63204	4.91272E-05	3.1E-05	6.05E-04	1.88E-08	1.60E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
526	526	0.65985	4.91272E-05	3.2E-05	6.05E-04	1.96E-08	1.60E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
527	527	0.68668	4.91272E-05	3.4E-05	6.05E-04	2.04E-08	1.60E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
528	528	0.71644	4.91272E-05	3.5E-05	6.05E-04	2.13E-08	1.60E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
529	529	0.74712	4.91272E-05	3.7E-05	6.05E-04	2.22E-08	1.60E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
530	530	0.77774	4.91272E-05	3.8E-05	6.05E-04	2.31E-08	1.60E-01	4.71E-02	1.75E-10	1.0E+06	1.7E-04
531	531	0.80964	4.91272E-05	4.0E-05	6.05E-04	2.41E-08	1.60E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
532	532	0.28977	4.91272E-05	1.4E-05	6.05E-04	8.61E-09	1.60E-01	4.71E-02	6.50E-11	1.0E+06	6.5E-05
533	533	0.29509	4.91272E-05	1.4E-05	6.05E-04	8.77E-09	1.60E-01	4.71E-02	6.62E-11	1.0E+06	6.6E-05
534	534	0.30054	4.91272E-05	1.5E-05	6.05E-04	8.93E-09	1.60E-01	4.71E-02	6.75E-11	1.0E+06	6.7E-05
535	535	0.30606	4.91272E-05	1.5E-05	6.05E-04	9.10E-09	1.60E-01	4.71E-02	6.87E-11	1.0E+06	6.9E-05
536	536	0.31176	4.91272E-05	1.5E-05	6.05E-04	9.27E-09	1.60E-01	4.71E-02	7.00E-11	1.0E+06	7.0E-05
537	537	0.31761	4.91272E-05	1.6E-05	6.05E-04	9.44E-09	1.60E-01	4.71E-02	7.13E-11	1.0E+06	7.1E-05
538	538	0.32364	4.91272E-05	1.6E-05	6.05E-04	9.62E-09	1.60E-01	4.71E-02	7.27E-11	1.0E+06	7.3E-05
539	539	0.32989	4.91272E-05	1.6E-05	6.05E-04	9.81E-09	1.60E-01	4.71E-02	7.41E-11	1.0E+06	7.4E-05
540	540	0.33649	4.91272E-05	1.7E-05	6.05E-04	1.00E-08	1.60E-01	4.71E-02	7.55E-11	1.0E+06	7.6E-05
541	541	0.34332	4.91272E-05	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.71E-11	1.0E+06	7.7E-05
542	542	0.35041	4.91272E-05	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.87E-11	1.0E+06	7.9E-05
543	543	0.35776	4.91272E-05	1.8E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	8.03E-11	1.0E+06	8.0E-05
544	544	0.36538	4.91272E-05	1.8E-05	6.05E-04	1.09E-08	1.60E-01	4.71E-02	8.20E-11	1.0E+06	8.2E-05
545	545	0.37326	4.91272E-05	1.8E-05	6.05E-04	1.11E-08	1.60E-01	4.71E-02	8.38E-11	1.0E+06	8.4E-05
546	546	0.38146	4.91272E-05	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.56E-11	1.0E+06	8.6E-05
547	547	0.39	4.91272E-05	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.75E-11	1.0E+06	8.8E-05
548	548	0.39892	4.91272E-05	2.0E-05	6.05E-04	1.19E-08	1.60E-01	4.71E-02	8.96E-11	1.0E+06	9.0E-05
549	549	0.40825	4.91272E-05	2.0E-05	6.05E-04	1.21E-08	1.60E-01	4.71E-02	9.16E-11	1.0E+06	9.2E-05
550	550	0.41806	4.91272E-05	2.1E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.38E-11	1.0E+06	9.4E-05
551	551	0.42836	4.91272E-05	2.1E-05	6.05E-04	1.27E-08	1.60E-01	4.71E-02	9.62E-11	1.0E+06	9.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	0.43913	4.91272E-05	2.2E-05	6.05E-04	1.31E-08	1.60E-01	4.71E-02	9.86E-11	1.0E+06	9.9E-05
553	553	0.45038	4.91272E-05	2.2E-05	6.05E-04	1.34E-08	1.60E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
554	554	0.46224	4.91272E-05	2.3E-05	6.05E-04	1.37E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
555	555	0.47471	4.91272E-05	2.3E-05	6.05E-04	1.41E-08	1.60E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
556	556	0.4878	4.91272E-05	2.4E-05	6.05E-04	1.45E-08	1.60E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
557	557	0.50165	4.91272E-05	2.5E-05	6.05E-04	1.49E-08	1.60E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
558	558	0.51625	4.91272E-05	2.5E-05	6.05E-04	1.53E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
559	559	0.53175	4.91272E-05	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
560	560	0.54813	4.91272E-05	2.7E-05	6.05E-04	1.63E-08	1.60E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
561	561	0.56541	4.91272E-05	2.8E-05	6.05E-04	1.68E-08	1.60E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
562	562	0.58373	4.91272E-05	2.9E-05	6.05E-04	1.74E-08	1.60E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
563	563	0.60377	4.91272E-05	3.0E-05	6.05E-04	1.79E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
564	564	0.62457	4.91272E-05	3.1E-05	6.05E-04	1.86E-08	1.60E-01	4.71E-02	1.40E-10	1.0E+06	1.4E-04
565	565	0.65444	4.91272E-05	3.2E-05	6.05E-04	1.95E-08	1.60E-01	4.71E-02	1.47E-10	1.0E+06	1.5E-04
566	566	0.68693	4.91272E-05	3.4E-05	6.05E-04	2.04E-08	1.60E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
567	567	0.71405	4.91272E-05	3.5E-05	6.05E-04	2.12E-08	1.60E-01	4.71E-02	1.60E-10	1.0E+06	1.6E-04
568	568	0.74688	4.91272E-05	3.7E-05	6.05E-04	2.22E-08	1.60E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
569	569	0.78097	4.91272E-05	3.8E-05	6.05E-04	2.32E-08	1.60E-01	4.71E-02	1.75E-10	1.0E+06	1.8E-04
570	570	0.81636	4.91272E-05	4.0E-05	6.05E-04	2.43E-08	1.60E-01	4.71E-02	1.83E-10	1.0E+06	1.8E-04
571	571	0.85198	4.91272E-05	4.2E-05	6.05E-04	2.53E-08	1.60E-01	4.71E-02	1.91E-10	1.0E+06	1.9E-04
572	572	0.29457	4.91272E-05	1.4E-05	6.05E-04	8.76E-09	1.60E-01	4.71E-02	6.61E-11	1.0E+06	6.6E-05
573	573	0.30021	4.91272E-05	1.5E-05	6.05E-04	8.92E-09	1.60E-01	4.71E-02	6.74E-11	1.0E+06	6.7E-05
574	574	0.30598	4.91272E-05	1.5E-05	6.05E-04	9.10E-09	1.60E-01	4.71E-02	6.87E-11	1.0E+06	6.9E-05
575	575	0.31173	4.91272E-05	1.5E-05	6.05E-04	9.27E-09	1.60E-01	4.71E-02	7.00E-11	1.0E+06	7.0E-05
576	576	0.31767	4.91272E-05	1.6E-05	6.05E-04	9.44E-09	1.60E-01	4.71E-02	7.13E-11	1.0E+06	7.1E-05
577	577	0.32371	4.91272E-05	1.6E-05	6.05E-04	9.62E-09	1.60E-01	4.71E-02	7.27E-11	1.0E+06	7.3E-05
578	578	0.3299	4.91272E-05	1.6E-05	6.05E-04	9.81E-09	1.60E-01	4.71E-02	7.41E-11	1.0E+06	7.4E-05
579	579	0.33634	4.91272E-05	1.7E-05	6.05E-04	1.00E-08	1.60E-01	4.71E-02	7.55E-11	1.0E+06	7.6E-05
580	580	0.34328	4.91272E-05	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.71E-11	1.0E+06	7.7E-05
581	581	0.35048	4.91272E-05	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.87E-11	1.0E+06	7.9E-05
582	582	0.35795	4.91272E-05	1.8E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	8.04E-11	1.0E+06	8.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.36572	4.91272E-05	1.8E-05	6.05E-04	1.09E-08	1.60E-01	4.71E-02	8.21E-11	1.0E+06	8.2E-05
584	584	0.37377	4.91272E-05	1.8E-05	6.05E-04	1.11E-08	1.60E-01	4.71E-02	8.39E-11	1.0E+06	8.4E-05
585	585	0.38203	4.91272E-05	1.9E-05	6.05E-04	1.14E-08	1.60E-01	4.71E-02	8.58E-11	1.0E+06	8.6E-05
586	586	0.39064	4.91272E-05	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.77E-11	1.0E+06	8.8E-05
587	587	0.39962	4.91272E-05	2.0E-05	6.05E-04	1.19E-08	1.60E-01	4.71E-02	8.97E-11	1.0E+06	9.0E-05
588	588	0.40899	4.91272E-05	2.0E-05	6.05E-04	1.22E-08	1.60E-01	4.71E-02	9.18E-11	1.0E+06	9.2E-05
589	589	0.41878	4.91272E-05	2.1E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.40E-11	1.0E+06	9.4E-05
590	590	0.42908	4.91272E-05	2.1E-05	6.05E-04	1.28E-08	1.60E-01	4.71E-02	9.63E-11	1.0E+06	9.6E-05
591	591	0.43992	4.91272E-05	2.2E-05	6.05E-04	1.31E-08	1.60E-01	4.71E-02	9.88E-11	1.0E+06	9.9E-05
592	592	0.45132	4.91272E-05	2.2E-05	6.05E-04	1.34E-08	1.60E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
593	593	0.46331	4.91272E-05	2.3E-05	6.05E-04	1.38E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
594	594	0.47591	4.91272E-05	2.3E-05	6.05E-04	1.41E-08	1.60E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
595	595	0.48916	4.91272E-05	2.4E-05	6.05E-04	1.45E-08	1.60E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
596	596	0.5031	4.91272E-05	2.5E-05	6.05E-04	1.50E-08	1.60E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
597	597	0.51781	4.91272E-05	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
598	598	0.53337	4.91272E-05	2.6E-05	6.05E-04	1.59E-08	1.60E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
599	599	0.54988	4.91272E-05	2.7E-05	6.05E-04	1.63E-08	1.60E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
600	600	0.56735	4.91272E-05	2.8E-05	6.05E-04	1.69E-08	1.60E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
601	601	0.58575	4.91272E-05	2.9E-05	6.05E-04	1.74E-08	1.60E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
602	602	0.60526	4.91272E-05	3.0E-05	6.05E-04	1.80E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
603	603	0.62707	4.91272E-05	3.1E-05	6.05E-04	1.86E-08	1.60E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
604	604	0.64562	4.91272E-05	3.2E-05	6.05E-04	1.92E-08	1.60E-01	4.71E-02	1.45E-10	1.0E+06	1.4E-04
605	605	0.68016	4.91272E-05	3.3E-05	6.05E-04	2.02E-08	1.60E-01	4.71E-02	1.53E-10	1.0E+06	1.5E-04
606	606	0.71275	4.91272E-05	3.5E-05	6.05E-04	2.12E-08	1.60E-01	4.71E-02	1.60E-10	1.0E+06	1.6E-04
607	607	0.74448	4.91272E-05	3.7E-05	6.05E-04	2.21E-08	1.60E-01	4.71E-02	1.67E-10	1.0E+06	1.7E-04
608	608	0.77843	4.91272E-05	3.8E-05	6.05E-04	2.31E-08	1.60E-01	4.71E-02	1.75E-10	1.0E+06	1.7E-04
609	609	0.81783	4.91272E-05	4.0E-05	6.05E-04	2.43E-08	1.60E-01	4.71E-02	1.84E-10	1.0E+06	1.8E-04
610	610	0.85576	4.91272E-05	4.2E-05	6.05E-04	2.54E-08	1.60E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
611	611	0.89674	4.91272E-05	4.4E-05	6.05E-04	2.67E-08	1.60E-01	4.71E-02	2.01E-10	1.0E+06	2.0E-04
612	612	0.29922	4.91272E-05	1.5E-05	6.05E-04	8.89E-09	1.60E-01	4.71E-02	6.72E-11	1.0E+06	6.7E-05
613	613	0.30525	4.91272E-05	1.5E-05	6.05E-04	9.07E-09	1.60E-01	4.71E-02	6.85E-11	1.0E+06	6.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.31133	4.91272E-05	1.5E-05	6.05E-04	9.25E-09	1.60E-01	4.71E-02	6.99E-11	1.0E+06	7.0E-05
615	615	0.31732	4.91272E-05	1.6E-05	6.05E-04	9.43E-09	1.60E-01	4.71E-02	7.12E-11	1.0E+06	7.1E-05
616	616	0.32351	4.91272E-05	1.6E-05	6.05E-04	9.62E-09	1.60E-01	4.71E-02	7.26E-11	1.0E+06	7.3E-05
617	617	0.32973	4.91272E-05	1.6E-05	6.05E-04	9.80E-09	1.60E-01	4.71E-02	7.40E-11	1.0E+06	7.4E-05
618	618	0.33605	4.91272E-05	1.7E-05	6.05E-04	9.99E-09	1.60E-01	4.71E-02	7.54E-11	1.0E+06	7.5E-05
619	619	0.34263	4.91272E-05	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.69E-11	1.0E+06	7.7E-05
620	620	0.34993	4.91272E-05	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.86E-11	1.0E+06	7.9E-05
621	621	0.35751	4.91272E-05	1.8E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	8.03E-11	1.0E+06	8.0E-05
622	622	0.36539	4.91272E-05	1.8E-05	6.05E-04	1.09E-08	1.60E-01	4.71E-02	8.20E-11	1.0E+06	8.2E-05
623	623	0.37357	4.91272E-05	1.8E-05	6.05E-04	1.11E-08	1.60E-01	4.71E-02	8.39E-11	1.0E+06	8.4E-05
624	624	0.38207	4.91272E-05	1.9E-05	6.05E-04	1.14E-08	1.60E-01	4.71E-02	8.58E-11	1.0E+06	8.6E-05
625	625	0.39074	4.91272E-05	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.77E-11	1.0E+06	8.8E-05
626	626	0.39975	4.91272E-05	2.0E-05	6.05E-04	1.19E-08	1.60E-01	4.71E-02	8.97E-11	1.0E+06	9.0E-05
627	627	0.40917	4.91272E-05	2.0E-05	6.05E-04	1.22E-08	1.60E-01	4.71E-02	9.19E-11	1.0E+06	9.2E-05
628	628	0.41899	4.91272E-05	2.1E-05	6.05E-04	1.25E-08	1.60E-01	4.71E-02	9.41E-11	1.0E+06	9.4E-05
629	629	0.42928	4.91272E-05	2.1E-05	6.05E-04	1.28E-08	1.60E-01	4.71E-02	9.64E-11	1.0E+06	9.6E-05
630	630	0.44008	4.91272E-05	2.2E-05	6.05E-04	1.31E-08	1.60E-01	4.71E-02	9.88E-11	1.0E+06	9.9E-05
631	631	0.45146	4.91272E-05	2.2E-05	6.05E-04	1.34E-08	1.60E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
632	632	0.46348	4.91272E-05	2.3E-05	6.05E-04	1.38E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
633	633	0.47628	4.91272E-05	2.3E-05	6.05E-04	1.42E-08	1.60E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
634	634	0.48968	4.91272E-05	2.4E-05	6.05E-04	1.46E-08	1.60E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
635	635	0.50376	4.91272E-05	2.5E-05	6.05E-04	1.50E-08	1.60E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
636	636	0.51858	4.91272E-05	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
637	637	0.53424	4.91272E-05	2.6E-05	6.05E-04	1.59E-08	1.60E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
638	638	0.55077	4.91272E-05	2.7E-05	6.05E-04	1.64E-08	1.60E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
639	639	0.56833	4.91272E-05	2.8E-05	6.05E-04	1.69E-08	1.60E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
640	640	0.58691	4.91272E-05	2.9E-05	6.05E-04	1.74E-08	1.60E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
641	641	0.60657	4.91272E-05	3.0E-05	6.05E-04	1.80E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
642	642	0.62756	4.91272E-05	3.1E-05	6.05E-04	1.87E-08	1.60E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
643	643	0.6511	4.91272E-05	3.2E-05	6.05E-04	1.94E-08	1.60E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
644	644	0.67446	4.91272E-05	3.3E-05	6.05E-04	2.00E-08	1.60E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	0.7065	4.91272E-05	3.5E-05	6.05E-04	2.10E-08	1.60E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
646	646	0.73916	4.91272E-05	3.6E-05	6.05E-04	2.20E-08	1.60E-01	4.71E-02	1.66E-10	1.0E+06	1.7E-04
647	647	0.77603	4.91272E-05	3.8E-05	6.05E-04	2.31E-08	1.60E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
648	648	0.81317	4.91272E-05	4.0E-05	6.05E-04	2.42E-08	1.60E-01	4.71E-02	1.83E-10	1.0E+06	1.8E-04
649	649	0.85637	4.91272E-05	4.2E-05	6.05E-04	2.55E-08	1.60E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
650	650	0.89839	4.91272E-05	4.4E-05	6.05E-04	2.67E-08	1.60E-01	4.71E-02	2.02E-10	1.0E+06	2.0E-04
651	651	0.94392	4.91272E-05	4.6E-05	6.05E-04	2.81E-08	1.60E-01	4.71E-02	2.12E-10	1.0E+06	2.1E-04
652	652	0.30301	4.91272E-05	1.5E-05	6.05E-04	9.01E-09	1.60E-01	4.71E-02	6.80E-11	1.0E+06	6.8E-05
653	653	0.30928	4.91272E-05	1.5E-05	6.05E-04	9.19E-09	1.60E-01	4.71E-02	6.94E-11	1.0E+06	6.9E-05
654	654	0.31559	4.91272E-05	1.6E-05	6.05E-04	9.38E-09	1.60E-01	4.71E-02	7.08E-11	1.0E+06	7.1E-05
655	655	0.32181	4.91272E-05	1.6E-05	6.05E-04	9.57E-09	1.60E-01	4.71E-02	7.22E-11	1.0E+06	7.2E-05
656	656	0.32825	4.91272E-05	1.6E-05	6.05E-04	9.76E-09	1.60E-01	4.71E-02	7.37E-11	1.0E+06	7.4E-05
657	657	0.33477	4.91272E-05	1.6E-05	6.05E-04	9.95E-09	1.60E-01	4.71E-02	7.52E-11	1.0E+06	7.5E-05
658	658	0.34143	4.91272E-05	1.7E-05	6.05E-04	1.01E-08	1.60E-01	4.71E-02	7.66E-11	1.0E+06	7.7E-05
659	659	0.3484	4.91272E-05	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.82E-11	1.0E+06	7.8E-05
660	660	0.35612	4.91272E-05	1.7E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	7.99E-11	1.0E+06	8.0E-05
661	661	0.36408	4.91272E-05	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.17E-11	1.0E+06	8.2E-05
662	662	0.37232	4.91272E-05	1.8E-05	6.05E-04	1.11E-08	1.60E-01	4.71E-02	8.36E-11	1.0E+06	8.4E-05
663	663	0.38089	4.91272E-05	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.55E-11	1.0E+06	8.6E-05
664	664	0.38978	4.91272E-05	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.75E-11	1.0E+06	8.7E-05
665	665	0.39879	4.91272E-05	2.0E-05	6.05E-04	1.19E-08	1.60E-01	4.71E-02	8.95E-11	1.0E+06	9.0E-05
666	666	0.40815	4.91272E-05	2.0E-05	6.05E-04	1.21E-08	1.60E-01	4.71E-02	9.16E-11	1.0E+06	9.2E-05
667	667	0.41798	4.91272E-05	2.1E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.38E-11	1.0E+06	9.4E-05
668	668	0.42833	4.91272E-05	2.1E-05	6.05E-04	1.27E-08	1.60E-01	4.71E-02	9.62E-11	1.0E+06	9.6E-05
669	669	0.43917	4.91272E-05	2.2E-05	6.05E-04	1.31E-08	1.60E-01	4.71E-02	9.86E-11	1.0E+06	9.9E-05
670	670	0.45066	4.91272E-05	2.2E-05	6.05E-04	1.34E-08	1.60E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
671	671	0.46273	4.91272E-05	2.3E-05	6.05E-04	1.38E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
672	672	0.47547	4.91272E-05	2.3E-05	6.05E-04	1.41E-08	1.60E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
673	673	0.48906	4.91272E-05	2.4E-05	6.05E-04	1.45E-08	1.60E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
674	674	0.50341	4.91272E-05	2.5E-05	6.05E-04	1.50E-08	1.60E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
675	675	0.51836	4.91272E-05	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	0.53412	4.91272E-05	2.6E-05	6.05E-04	1.59E-08	1.60E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
677	677	0.55083	4.91272E-05	2.7E-05	6.05E-04	1.64E-08	1.60E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
678	678	0.56831	4.91272E-05	2.8E-05	6.05E-04	1.69E-08	1.60E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
679	679	0.58689	4.91272E-05	2.9E-05	6.05E-04	1.74E-08	1.60E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
680	680	0.60669	4.91272E-05	3.0E-05	6.05E-04	1.80E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
681	681	0.62792	4.91272E-05	3.1E-05	6.05E-04	1.87E-08	1.60E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
682	682	0.65059	4.91272E-05	3.2E-05	6.05E-04	1.93E-08	1.60E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
683	683	0.67589	4.91272E-05	3.3E-05	6.05E-04	2.01E-08	1.60E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
684	684	0.69996	4.91272E-05	3.4E-05	6.05E-04	2.08E-08	1.60E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
685	685	0.73069	4.91272E-05	3.6E-05	6.05E-04	2.17E-08	1.60E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
686	686	0.76601	4.91272E-05	3.8E-05	6.05E-04	2.28E-08	1.60E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
687	687	0.80873	4.91272E-05	4.0E-05	6.05E-04	2.40E-08	1.60E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
688	688	0.84928	4.91272E-05	4.2E-05	6.05E-04	2.52E-08	1.60E-01	4.71E-02	1.91E-10	1.0E+06	1.9E-04
689	689	0.89642	4.91272E-05	4.4E-05	6.05E-04	2.66E-08	1.60E-01	4.71E-02	2.01E-10	1.0E+06	2.0E-04
690	690	0.94288	4.91272E-05	4.6E-05	6.05E-04	2.80E-08	1.60E-01	4.71E-02	2.12E-10	1.0E+06	2.1E-04
691	691	0.9923	4.91272E-05	4.9E-05	6.05E-04	2.95E-08	1.60E-01	4.71E-02	2.23E-10	1.0E+06	2.2E-04
692	692	0.30628	4.91272E-05	1.5E-05	6.05E-04	9.10E-09	1.60E-01	4.71E-02	6.88E-11	1.0E+06	6.9E-05
693	693	0.3126	4.91272E-05	1.5E-05	6.05E-04	9.29E-09	1.60E-01	4.71E-02	7.02E-11	1.0E+06	7.0E-05
694	694	0.31908	4.91272E-05	1.6E-05	6.05E-04	9.48E-09	1.60E-01	4.71E-02	7.16E-11	1.0E+06	7.2E-05
695	695	0.32562	4.91272E-05	1.6E-05	6.05E-04	9.68E-09	1.60E-01	4.71E-02	7.31E-11	1.0E+06	7.3E-05
696	696	0.33238	4.91272E-05	1.6E-05	6.05E-04	9.88E-09	1.60E-01	4.71E-02	7.46E-11	1.0E+06	7.5E-05
697	697	0.33931	4.91272E-05	1.7E-05	6.05E-04	1.01E-08	1.60E-01	4.71E-02	7.62E-11	1.0E+06	7.6E-05
698	698	0.34643	4.91272E-05	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.78E-11	1.0E+06	7.8E-05
699	699	0.35385	4.91272E-05	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.94E-11	1.0E+06	7.9E-05
700	700	0.36191	4.91272E-05	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.12E-11	1.0E+06	8.1E-05
701	701	0.37032	4.91272E-05	1.8E-05	6.05E-04	1.10E-08	1.60E-01	4.71E-02	8.31E-11	1.0E+06	8.3E-05
702	702	0.37896	4.91272E-05	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.51E-11	1.0E+06	8.5E-05
703	703	0.38785	4.91272E-05	1.9E-05	6.05E-04	1.15E-08	1.60E-01	4.71E-02	8.71E-11	1.0E+06	8.7E-05
704	704	0.39712	4.91272E-05	2.0E-05	6.05E-04	1.18E-08	1.60E-01	4.71E-02	8.91E-11	1.0E+06	8.9E-05
705	705	0.40642	4.91272E-05	2.0E-05	6.05E-04	1.21E-08	1.60E-01	4.71E-02	9.12E-11	1.0E+06	9.1E-05
706	706	0.41607	4.91272E-05	2.0E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.34E-11	1.0E+06	9.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	0.42625	4.91272E-05	2.1E-05	6.05E-04	1.27E-08	1.60E-01	4.71E-02	9.57E-11	1.0E+06	9.6E-05
708	708	0.43719	4.91272E-05	2.1E-05	6.05E-04	1.30E-08	1.60E-01	4.71E-02	9.81E-11	1.0E+06	9.8E-05
709	709	0.44863	4.91272E-05	2.2E-05	6.05E-04	1.33E-08	1.60E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
710	710	0.46091	4.91272E-05	2.3E-05	6.05E-04	1.37E-08	1.60E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
711	711	0.47384	4.91272E-05	2.3E-05	6.05E-04	1.41E-08	1.60E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
712	712	0.48742	4.91272E-05	2.4E-05	6.05E-04	1.45E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
713	713	0.5018	4.91272E-05	2.5E-05	6.05E-04	1.49E-08	1.60E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
714	714	0.51708	4.91272E-05	2.5E-05	6.05E-04	1.54E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
715	715	0.533	4.91272E-05	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
716	716	0.54973	4.91272E-05	2.7E-05	6.05E-04	1.63E-08	1.60E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
717	717	0.56752	4.91272E-05	2.8E-05	6.05E-04	1.69E-08	1.60E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
718	718	0.58598	4.91272E-05	2.9E-05	6.05E-04	1.74E-08	1.60E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
719	719	0.60564	4.91272E-05	3.0E-05	6.05E-04	1.80E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
720	720	0.62672	4.91272E-05	3.1E-05	6.05E-04	1.86E-08	1.60E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
721	721	0.6495	4.91272E-05	3.2E-05	6.05E-04	1.93E-08	1.60E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
722	722	0.67398	4.91272E-05	3.3E-05	6.05E-04	2.00E-08	1.60E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
723	723	0.7011	4.91272E-05	3.4E-05	6.05E-04	2.08E-08	1.60E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
724	724	0.73048	4.91272E-05	3.6E-05	6.05E-04	2.17E-08	1.60E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
725	725	0.75819	4.91272E-05	3.7E-05	6.05E-04	2.25E-08	1.60E-01	4.71E-02	1.70E-10	1.0E+06	1.7E-04
726	726	0.79623	4.91272E-05	3.9E-05	6.05E-04	2.37E-08	1.60E-01	4.71E-02	1.79E-10	1.0E+06	1.8E-04
727	727	0.84232	4.91272E-05	4.1E-05	6.05E-04	2.50E-08	1.60E-01	4.71E-02	1.89E-10	1.0E+06	1.9E-04
728	728	0.8864	4.91272E-05	4.4E-05	6.05E-04	2.63E-08	1.60E-01	4.71E-02	1.99E-10	1.0E+06	2.0E-04
729	729	0.9361	4.91272E-05	4.6E-05	6.05E-04	2.78E-08	1.60E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04
730	730	0.98902	4.91272E-05	4.9E-05	6.05E-04	2.94E-08	1.60E-01	4.71E-02	2.22E-10	1.0E+06	2.2E-04
731	731	1.04384	4.91272E-05	5.1E-05	6.05E-04	3.10E-08	1.60E-01	4.71E-02	2.34E-10	1.0E+06	2.3E-04
732	732	0.30915	4.91272E-05	1.5E-05	6.05E-04	9.19E-09	1.60E-01	4.71E-02	6.94E-11	1.0E+06	6.9E-05
733	733	0.31536	4.91272E-05	1.5E-05	6.05E-04	9.37E-09	1.60E-01	4.71E-02	7.08E-11	1.0E+06	7.1E-05
734	734	0.32183	4.91272E-05	1.6E-05	6.05E-04	9.57E-09	1.60E-01	4.71E-02	7.22E-11	1.0E+06	7.2E-05
735	735	0.32865	4.91272E-05	1.6E-05	6.05E-04	9.77E-09	1.60E-01	4.71E-02	7.38E-11	1.0E+06	7.4E-05
736	736	0.33575	4.91272E-05	1.6E-05	6.05E-04	9.98E-09	1.60E-01	4.71E-02	7.54E-11	1.0E+06	7.5E-05
737	737	0.34315	4.91272E-05	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.70E-11	1.0E+06	7.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.3509	4.91272E-05	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.88E-11	1.0E+06	7.9E-05
739	739	0.35889	4.91272E-05	1.8E-05	6.05E-04	1.07E-08	1.60E-01	4.71E-02	8.06E-11	1.0E+06	8.1E-05
740	740	0.3674	4.91272E-05	1.8E-05	6.05E-04	1.09E-08	1.60E-01	4.71E-02	8.25E-11	1.0E+06	8.2E-05
741	741	0.37617	4.91272E-05	1.8E-05	6.05E-04	1.12E-08	1.60E-01	4.71E-02	8.44E-11	1.0E+06	8.4E-05
742	742	0.38519	4.91272E-05	1.9E-05	6.05E-04	1.14E-08	1.60E-01	4.71E-02	8.65E-11	1.0E+06	8.6E-05
743	743	0.39443	4.91272E-05	1.9E-05	6.05E-04	1.17E-08	1.60E-01	4.71E-02	8.85E-11	1.0E+06	8.9E-05
744	744	0.40407	4.91272E-05	2.0E-05	6.05E-04	1.20E-08	1.60E-01	4.71E-02	9.07E-11	1.0E+06	9.1E-05
745	745	0.41359	4.91272E-05	2.0E-05	6.05E-04	1.23E-08	1.60E-01	4.71E-02	9.28E-11	1.0E+06	9.3E-05
746	746	0.42348	4.91272E-05	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.51E-11	1.0E+06	9.5E-05
747	747	0.43399	4.91272E-05	2.1E-05	6.05E-04	1.29E-08	1.60E-01	4.71E-02	9.74E-11	1.0E+06	9.7E-05
748	748	0.44553	4.91272E-05	2.2E-05	6.05E-04	1.32E-08	1.60E-01	4.71E-02	1.00E-10	1.0E+06	1.0E-04
749	749	0.45764	4.91272E-05	2.2E-05	6.05E-04	1.36E-08	1.60E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
750	750	0.47077	4.91272E-05	2.3E-05	6.05E-04	1.40E-08	1.60E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
751	751	0.48467	4.91272E-05	2.4E-05	6.05E-04	1.44E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
752	752	0.49919	4.91272E-05	2.5E-05	6.05E-04	1.48E-08	1.60E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
753	753	0.51441	4.91272E-05	2.5E-05	6.05E-04	1.53E-08	1.60E-01	4.71E-02	1.15E-10	1.0E+06	1.2E-04
754	754	0.53054	4.91272E-05	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
755	755	0.54751	4.91272E-05	2.7E-05	6.05E-04	1.63E-08	1.60E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
756	756	0.56521	4.91272E-05	2.8E-05	6.05E-04	1.68E-08	1.60E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
757	757	0.58407	4.91272E-05	2.9E-05	6.05E-04	1.74E-08	1.60E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
758	758	0.6036	4.91272E-05	3.0E-05	6.05E-04	1.79E-08	1.60E-01	4.71E-02	1.35E-10	1.0E+06	1.4E-04
759	759	0.62439	4.91272E-05	3.1E-05	6.05E-04	1.86E-08	1.60E-01	4.71E-02	1.40E-10	1.0E+06	1.4E-04
760	760	0.64681	4.91272E-05	3.2E-05	6.05E-04	1.92E-08	1.60E-01	4.71E-02	1.45E-10	1.0E+06	1.5E-04
761	761	0.6712	4.91272E-05	3.3E-05	6.05E-04	2.00E-08	1.60E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
762	762	0.69749	4.91272E-05	3.4E-05	6.05E-04	2.07E-08	1.60E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
763	763	0.72643	4.91272E-05	3.6E-05	6.05E-04	2.16E-08	1.60E-01	4.71E-02	1.63E-10	1.0E+06	1.6E-04
764	764	0.75789	4.91272E-05	3.7E-05	6.05E-04	2.25E-08	1.60E-01	4.71E-02	1.70E-10	1.0E+06	1.7E-04
765	765	0.78139	4.91272E-05	3.8E-05	6.05E-04	2.32E-08	1.60E-01	4.71E-02	1.75E-10	1.0E+06	1.8E-04
766	766	0.8268	4.91272E-05	4.1E-05	6.05E-04	2.46E-08	1.60E-01	4.71E-02	1.86E-10	1.0E+06	1.9E-04
767	767	0.87394	4.91272E-05	4.3E-05	6.05E-04	2.60E-08	1.60E-01	4.71E-02	1.96E-10	1.0E+06	2.0E-04
768	768	0.92208	4.91272E-05	4.5E-05	6.05E-04	2.74E-08	1.60E-01	4.71E-02	2.07E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	0.97847	4.91272E-05	4.8E-05	6.05E-04	2.91E-08	1.60E-01	4.71E-02	2.20E-10	1.0E+06	2.2E-04
770	770	1.03648	4.91272E-05	5.1E-05	6.05E-04	3.08E-08	1.60E-01	4.71E-02	2.33E-10	1.0E+06	2.3E-04
771	771	1.09713	4.91272E-05	5.4E-05	6.05E-04	3.26E-08	1.60E-01	4.71E-02	2.46E-10	1.0E+06	2.5E-04
772	772	0.31186	4.91272E-05	1.5E-05	6.05E-04	9.27E-09	1.60E-01	4.71E-02	7.00E-11	1.0E+06	7.0E-05
773	773	0.31818	4.91272E-05	1.6E-05	6.05E-04	9.46E-09	1.60E-01	4.71E-02	7.14E-11	1.0E+06	7.1E-05
774	774	0.32478	4.91272E-05	1.6E-05	6.05E-04	9.65E-09	1.60E-01	4.71E-02	7.29E-11	1.0E+06	7.3E-05
775	775	0.3319	4.91272E-05	1.6E-05	6.05E-04	9.87E-09	1.60E-01	4.71E-02	7.45E-11	1.0E+06	7.5E-05
776	776	0.3393	4.91272E-05	1.7E-05	6.05E-04	1.01E-08	1.60E-01	4.71E-02	7.62E-11	1.0E+06	7.6E-05
777	777	0.34705	4.91272E-05	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.79E-11	1.0E+06	7.8E-05
778	778	0.35513	4.91272E-05	1.7E-05	6.05E-04	1.06E-08	1.60E-01	4.71E-02	7.97E-11	1.0E+06	8.0E-05
779	779	0.36353	4.91272E-05	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.16E-11	1.0E+06	8.2E-05
780	780	0.37236	4.91272E-05	1.8E-05	6.05E-04	1.11E-08	1.60E-01	4.71E-02	8.36E-11	1.0E+06	8.4E-05
781	781	0.38152	4.91272E-05	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.56E-11	1.0E+06	8.6E-05
782	782	0.39091	4.91272E-05	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.78E-11	1.0E+06	8.8E-05
783	783	0.40059	4.91272E-05	2.0E-05	6.05E-04	1.19E-08	1.60E-01	4.71E-02	8.99E-11	1.0E+06	9.0E-05
784	784	0.41071	4.91272E-05	2.0E-05	6.05E-04	1.22E-08	1.60E-01	4.71E-02	9.22E-11	1.0E+06	9.2E-05
785	785	0.42085	4.91272E-05	2.1E-05	6.05E-04	1.25E-08	1.60E-01	4.71E-02	9.45E-11	1.0E+06	9.4E-05
786	786	0.43136	4.91272E-05	2.1E-05	6.05E-04	1.28E-08	1.60E-01	4.71E-02	9.68E-11	1.0E+06	9.7E-05
787	787	0.44252	4.91272E-05	2.2E-05	6.05E-04	1.32E-08	1.60E-01	4.71E-02	9.93E-11	1.0E+06	9.9E-05
788	788	0.45463	4.91272E-05	2.2E-05	6.05E-04	1.35E-08	1.60E-01	4.71E-02	1.02E-10	1.0E+06	1.0E-04
789	789	0.46733	4.91272E-05	2.3E-05	6.05E-04	1.39E-08	1.60E-01	4.71E-02	1.05E-10	1.0E+06	1.0E-04
790	790	0.48103	4.91272E-05	2.4E-05	6.05E-04	1.43E-08	1.60E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
791	791	0.49551	4.91272E-05	2.4E-05	6.05E-04	1.47E-08	1.60E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
792	792	0.51069	4.91272E-05	2.5E-05	6.05E-04	1.52E-08	1.60E-01	4.71E-02	1.15E-10	1.0E+06	1.1E-04
793	793	0.5266	4.91272E-05	2.6E-05	6.05E-04	1.57E-08	1.60E-01	4.71E-02	1.18E-10	1.0E+06	1.2E-04
794	794	0.54335	4.91272E-05	2.7E-05	6.05E-04	1.62E-08	1.60E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
795	795	0.56103	4.91272E-05	2.8E-05	6.05E-04	1.67E-08	1.60E-01	4.71E-02	1.26E-10	1.0E+06	1.3E-04
796	796	0.57982	4.91272E-05	2.8E-05	6.05E-04	1.72E-08	1.60E-01	4.71E-02	1.30E-10	1.0E+06	1.3E-04
797	797	0.59976	4.91272E-05	2.9E-05	6.05E-04	1.78E-08	1.60E-01	4.71E-02	1.35E-10	1.0E+06	1.3E-04
798	798	0.62056	4.91272E-05	3.0E-05	6.05E-04	1.84E-08	1.60E-01	4.71E-02	1.39E-10	1.0E+06	1.4E-04
799	799	0.64284	4.91272E-05	3.2E-05	6.05E-04	1.91E-08	1.60E-01	4.71E-02	1.44E-10	1.0E+06	1.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	0.66682	4.91272E-05	3.3E-05	6.05E-04	1.98E-08	1.60E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
801	801	0.69276	4.91272E-05	3.4E-05	6.05E-04	2.06E-08	1.60E-01	4.71E-02	1.56E-10	1.0E+06	1.6E-04
802	802	0.72082	4.91272E-05	3.5E-05	6.05E-04	2.14E-08	1.60E-01	4.71E-02	1.62E-10	1.0E+06	1.6E-04
803	803	0.75155	4.91272E-05	3.7E-05	6.05E-04	2.23E-08	1.60E-01	4.71E-02	1.69E-10	1.0E+06	1.7E-04
804	804	0.78506	4.91272E-05	3.9E-05	6.05E-04	2.33E-08	1.60E-01	4.71E-02	1.76E-10	1.0E+06	1.8E-04
805	805	0.81412	4.91272E-05	4.0E-05	6.05E-04	2.42E-08	1.60E-01	4.71E-02	1.83E-10	1.0E+06	1.8E-04
806	806	0.85421	4.91272E-05	4.2E-05	6.05E-04	2.54E-08	1.60E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
807	807	0.90541	4.91272E-05	4.4E-05	6.05E-04	2.69E-08	1.60E-01	4.71E-02	2.03E-10	1.0E+06	2.0E-04
808	808	0.96046	4.91272E-05	4.7E-05	6.05E-04	2.85E-08	1.60E-01	4.71E-02	2.16E-10	1.0E+06	2.2E-04
809	809	1.01955	4.91272E-05	5.0E-05	6.05E-04	3.03E-08	1.60E-01	4.71E-02	2.29E-10	1.0E+06	2.3E-04
810	810	1.08493	4.91272E-05	5.3E-05	6.05E-04	3.22E-08	1.60E-01	4.71E-02	2.44E-10	1.0E+06	2.4E-04
811	811	1.15317	4.91272E-05	5.7E-05	6.05E-04	3.43E-08	1.60E-01	4.71E-02	2.59E-10	1.0E+06	2.6E-04
812	812	0.31417	4.91272E-05	1.5E-05	6.05E-04	9.34E-09	1.60E-01	4.71E-02	7.05E-11	1.0E+06	7.1E-05
813	813	0.32062	4.91272E-05	1.6E-05	6.05E-04	9.53E-09	1.60E-01	4.71E-02	7.20E-11	1.0E+06	7.2E-05
814	814	0.32741	4.91272E-05	1.6E-05	6.05E-04	9.73E-09	1.60E-01	4.71E-02	7.35E-11	1.0E+06	7.3E-05
815	815	0.33485	4.91272E-05	1.6E-05	6.05E-04	9.95E-09	1.60E-01	4.71E-02	7.52E-11	1.0E+06	7.5E-05
816	816	0.34255	4.91272E-05	1.7E-05	6.05E-04	1.02E-08	1.60E-01	4.71E-02	7.69E-11	1.0E+06	7.7E-05
817	817	0.35061	4.91272E-05	1.7E-05	6.05E-04	1.04E-08	1.60E-01	4.71E-02	7.87E-11	1.0E+06	7.9E-05
818	818	0.35898	4.91272E-05	1.8E-05	6.05E-04	1.07E-08	1.60E-01	4.71E-02	8.06E-11	1.0E+06	8.1E-05
819	819	0.36772	4.91272E-05	1.8E-05	6.05E-04	1.09E-08	1.60E-01	4.71E-02	8.25E-11	1.0E+06	8.3E-05
820	820	0.37683	4.91272E-05	1.9E-05	6.05E-04	1.12E-08	1.60E-01	4.71E-02	8.46E-11	1.0E+06	8.5E-05
821	821	0.3863	4.91272E-05	1.9E-05	6.05E-04	1.15E-08	1.60E-01	4.71E-02	8.67E-11	1.0E+06	8.7E-05
822	822	0.39613	4.91272E-05	1.9E-05	6.05E-04	1.18E-08	1.60E-01	4.71E-02	8.89E-11	1.0E+06	8.9E-05
823	823	0.40633	4.91272E-05	2.0E-05	6.05E-04	1.21E-08	1.60E-01	4.71E-02	9.12E-11	1.0E+06	9.1E-05
824	824	0.41696	4.91272E-05	2.0E-05	6.05E-04	1.24E-08	1.60E-01	4.71E-02	9.36E-11	1.0E+06	9.4E-05
825	825	0.42768	4.91272E-05	2.1E-05	6.05E-04	1.27E-08	1.60E-01	4.71E-02	9.60E-11	1.0E+06	9.6E-05
826	826	0.43889	4.91272E-05	2.2E-05	6.05E-04	1.30E-08	1.60E-01	4.71E-02	9.85E-11	1.0E+06	9.9E-05
827	827	0.45077	4.91272E-05	2.2E-05	6.05E-04	1.34E-08	1.60E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
828	828	0.46346	4.91272E-05	2.3E-05	6.05E-04	1.38E-08	1.60E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
829	829	0.47678	4.91272E-05	2.3E-05	6.05E-04	1.42E-08	1.60E-01	4.71E-02	1.07E-10	1.0E+06	1.1E-04
830	830	0.49101	4.91272E-05	2.4E-05	6.05E-04	1.46E-08	1.60E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	0.50603	4.91272E-05	2.5E-05	6.05E-04	1.50E-08	1.60E-01	4.71E-02	1.14E-10	1.0E+06	1.1E-04
832	832	0.52185	4.91272E-05	2.6E-05	6.05E-04	1.55E-08	1.60E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
833	833	0.53836	4.91272E-05	2.6E-05	6.05E-04	1.60E-08	1.60E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
834	834	0.5558	4.91272E-05	2.7E-05	6.05E-04	1.65E-08	1.60E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
835	835	0.57427	4.91272E-05	2.8E-05	6.05E-04	1.71E-08	1.60E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
836	836	0.59394	4.91272E-05	2.9E-05	6.05E-04	1.77E-08	1.60E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
837	837	0.615	4.91272E-05	3.0E-05	6.05E-04	1.83E-08	1.60E-01	4.71E-02	1.38E-10	1.0E+06	1.4E-04
838	838	0.63729	4.91272E-05	3.1E-05	6.05E-04	1.89E-08	1.60E-01	4.71E-02	1.43E-10	1.0E+06	1.4E-04
839	839	0.66108	4.91272E-05	3.2E-05	6.05E-04	1.97E-08	1.60E-01	4.71E-02	1.48E-10	1.0E+06	1.5E-04
840	840	0.68667	4.91272E-05	3.4E-05	6.05E-04	2.04E-08	1.60E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
841	841	0.71425	4.91272E-05	3.5E-05	6.05E-04	2.12E-08	1.60E-01	4.71E-02	1.60E-10	1.0E+06	1.6E-04
842	842	0.74406	4.91272E-05	3.7E-05	6.05E-04	2.21E-08	1.60E-01	4.71E-02	1.67E-10	1.0E+06	1.7E-04
843	843	0.77663	4.91272E-05	3.8E-05	6.05E-04	2.31E-08	1.60E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
844	844	0.8122	4.91272E-05	4.0E-05	6.05E-04	2.41E-08	1.60E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
845	845	0.85089	4.91272E-05	4.2E-05	6.05E-04	2.53E-08	1.60E-01	4.71E-02	1.91E-10	1.0E+06	1.9E-04
846	846	0.88042	4.91272E-05	4.3E-05	6.05E-04	2.62E-08	1.60E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
847	847	0.93666	4.91272E-05	4.6E-05	6.05E-04	2.78E-08	1.60E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04
848	848	0.99918	4.91272E-05	4.9E-05	6.05E-04	2.97E-08	1.60E-01	4.71E-02	2.24E-10	1.0E+06	2.2E-04
849	849	1.06309	4.91272E-05	5.2E-05	6.05E-04	3.16E-08	1.60E-01	4.71E-02	2.39E-10	1.0E+06	2.4E-04
850	850	1.13402	4.91272E-05	5.6E-05	6.05E-04	3.37E-08	1.60E-01	4.71E-02	2.55E-10	1.0E+06	2.5E-04
851	851	1.2088	4.91272E-05	5.9E-05	6.05E-04	3.59E-08	1.60E-01	4.71E-02	2.71E-10	1.0E+06	2.7E-04
852	852	0.31615	4.91272E-05	1.6E-05	6.05E-04	9.40E-09	1.60E-01	4.71E-02	7.10E-11	1.0E+06	7.1E-05
853	853	0.32269	4.91272E-05	1.6E-05	6.05E-04	9.59E-09	1.60E-01	4.71E-02	7.24E-11	1.0E+06	7.2E-05
854	854	0.32959	4.91272E-05	1.6E-05	6.05E-04	9.80E-09	1.60E-01	4.71E-02	7.40E-11	1.0E+06	7.4E-05
855	855	0.33735	4.91272E-05	1.7E-05	6.05E-04	1.00E-08	1.60E-01	4.71E-02	7.57E-11	1.0E+06	7.6E-05
856	856	0.34541	4.91272E-05	1.7E-05	6.05E-04	1.03E-08	1.60E-01	4.71E-02	7.75E-11	1.0E+06	7.8E-05
857	857	0.35376	4.91272E-05	1.7E-05	6.05E-04	1.05E-08	1.60E-01	4.71E-02	7.94E-11	1.0E+06	7.9E-05
858	858	0.36243	4.91272E-05	1.8E-05	6.05E-04	1.08E-08	1.60E-01	4.71E-02	8.14E-11	1.0E+06	8.1E-05
859	859	0.37143	4.91272E-05	1.8E-05	6.05E-04	1.10E-08	1.60E-01	4.71E-02	8.34E-11	1.0E+06	8.3E-05
860	860	0.3808	4.91272E-05	1.9E-05	6.05E-04	1.13E-08	1.60E-01	4.71E-02	8.55E-11	1.0E+06	8.5E-05
861	861	0.39054	4.91272E-05	1.9E-05	6.05E-04	1.16E-08	1.60E-01	4.71E-02	8.77E-11	1.0E+06	8.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.40076	4.91272E-05	2.0E-05	6.05E-04	1.19E-08	1.60E-01	4.71E-02	9.00E-11	1.0E+06	9.0E-05
863	863	0.4115	4.91272E-05	2.0E-05	6.05E-04	1.22E-08	1.60E-01	4.71E-02	9.24E-11	1.0E+06	9.2E-05
864	864	0.42271	4.91272E-05	2.1E-05	6.05E-04	1.26E-08	1.60E-01	4.71E-02	9.49E-11	1.0E+06	9.5E-05
865	865	0.43417	4.91272E-05	2.1E-05	6.05E-04	1.29E-08	1.60E-01	4.71E-02	9.75E-11	1.0E+06	9.7E-05
866	866	0.44611	4.91272E-05	2.2E-05	6.05E-04	1.33E-08	1.60E-01	4.71E-02	1.00E-10	1.0E+06	1.0E-04
867	867	0.45869	4.91272E-05	2.3E-05	6.05E-04	1.36E-08	1.60E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
868	868	0.472	4.91272E-05	2.3E-05	6.05E-04	1.40E-08	1.60E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
869	869	0.48594	4.91272E-05	2.4E-05	6.05E-04	1.44E-08	1.60E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
870	870	0.50067	4.91272E-05	2.5E-05	6.05E-04	1.49E-08	1.60E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
871	871	0.5162	4.91272E-05	2.5E-05	6.05E-04	1.53E-08	1.60E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
872	872	0.53258	4.91272E-05	2.6E-05	6.05E-04	1.58E-08	1.60E-01	4.71E-02	1.20E-10	1.0E+06	1.2E-04
873	873	0.54965	4.91272E-05	2.7E-05	6.05E-04	1.63E-08	1.60E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
874	874	0.56771	4.91272E-05	2.8E-05	6.05E-04	1.69E-08	1.60E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
875	875	0.58703	4.91272E-05	2.9E-05	6.05E-04	1.74E-08	1.60E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
876	876	0.60771	4.91272E-05	3.0E-05	6.05E-04	1.81E-08	1.60E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
877	877	0.62975	4.91272E-05	3.1E-05	6.05E-04	1.87E-08	1.60E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
878	878	0.65354	4.91272E-05	3.2E-05	6.05E-04	1.94E-08	1.60E-01	4.71E-02	1.47E-10	1.0E+06	1.5E-04
879	879	0.67908	4.91272E-05	3.3E-05	6.05E-04	2.02E-08	1.60E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
880	880	0.7063	4.91272E-05	3.5E-05	6.05E-04	2.10E-08	1.60E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
881	881	0.73546	4.91272E-05	3.6E-05	6.05E-04	2.19E-08	1.60E-01	4.71E-02	1.65E-10	1.0E+06	1.7E-04
882	882	0.76703	4.91272E-05	3.8E-05	6.05E-04	2.28E-08	1.60E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
883	883	0.80141	4.91272E-05	3.9E-05	6.05E-04	2.38E-08	1.60E-01	4.71E-02	1.80E-10	1.0E+06	1.8E-04
884	884	0.83906	4.91272E-05	4.1E-05	6.05E-04	2.49E-08	1.60E-01	4.71E-02	1.88E-10	1.0E+06	1.9E-04
885	885	0.88031	4.91272E-05	4.3E-05	6.05E-04	2.62E-08	1.60E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
886	886	0.91578	4.91272E-05	4.5E-05	6.05E-04	2.72E-08	1.60E-01	4.71E-02	2.06E-10	1.0E+06	2.1E-04
887	887	0.97091	4.91272E-05	4.8E-05	6.05E-04	2.89E-08	1.60E-01	4.71E-02	2.18E-10	1.0E+06	2.2E-04
888	888	1.03778	4.91272E-05	5.1E-05	6.05E-04	3.08E-08	1.60E-01	4.71E-02	2.33E-10	1.0E+06	2.3E-04
889	889	1.1065	4.91272E-05	5.4E-05	6.05E-04	3.29E-08	1.60E-01	4.71E-02	2.48E-10	1.0E+06	2.5E-04
890	890	1.18315	4.91272E-05	5.8E-05	6.05E-04	3.52E-08	1.60E-01	4.71E-02	2.66E-10	1.0E+06	2.7E-04
891	891	1.26461	4.91272E-05	6.2E-05	6.05E-04	3.76E-08	1.60E-01	4.71E-02	2.84E-10	1.0E+06	2.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
521	521	3.2E-01	Max	Receptor #	5	1.42E-02	Max	Receptor #	
522	522	3.4E-01	1.354	891	5	1.49E-02	0.059	891	Res
523	523	3.6E-01			5	1.57E-02			
524	524	3.8E-01			5	1.66E-02			
525	525	4.0E-01			5	1.76E-02			
526	526	4.3E-01			5	1.88E-02			
527	527	4.6E-01			5	2.02E-02			
528	528	5.0E-01			5	2.20E-02			
529	529	5.6E-01			5	2.44E-02			
530	530	6.3E-01			5	2.76E-02			
531	531	5.8E-01			5	2.53E-02			
532	532	8.0E-02			5	3.48E-03			
533	533	8.3E-02			5	3.63E-03			
534	534	8.7E-02			5	3.79E-03			
535	535	9.1E-02			5	3.97E-03			
536	536	9.5E-02			5	4.15E-03			
537	537	1.0E-01			5	4.36E-03			
538	538	1.0E-01			5	4.58E-03			
539	539	1.1E-01			5	4.81E-03			
540	540	1.2E-01			5	5.06E-03			
541	541	1.2E-01			5	5.33E-03			
542	542	1.3E-01			5	5.61E-03			
543	543	1.4E-01			5	5.92E-03			
544	544	1.4E-01			5	6.26E-03			
545	545	1.5E-01			5	6.62E-03			
546	546	1.6E-01			5	7.00E-03			
547	547	1.7E-01			5	7.40E-03			
548	548	1.8E-01			5	7.84E-03			
549	549	1.9E-01			5	8.31E-03			
550	550	2.0E-01			5	8.80E-03			
551	551	2.1E-01			5	9.31E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
552	552	2.2E-01	5	9.83E-03
553	553	2.4E-01	5	1.04E-02
554	554	2.5E-01	5	1.10E-02
555	555	2.6E-01	5	1.16E-02
556	556	2.8E-01	5	1.22E-02
557	557	2.9E-01	5	1.28E-02
558	558	3.1E-01	5	1.34E-02
559	559	3.2E-01	5	1.41E-02
560	560	3.4E-01	5	1.48E-02
561	561	3.6E-01	5	1.56E-02
562	562	3.7E-01	5	1.63E-02
563	563	3.9E-01	5	1.72E-02
564	564	4.2E-01	5	1.82E-02
565	565	4.4E-01	5	1.93E-02
566	566	4.7E-01	5	2.06E-02
567	567	5.1E-01	5	2.22E-02
568	568	5.6E-01	5	2.43E-02
569	569	6.2E-01	5	2.72E-02
570	570	5.9E-01	5	2.58E-02
571	571	6.6E-01	5	2.87E-02
572	572	8.1E-02	5	3.56E-03
573	573	8.5E-02	5	3.72E-03
574	574	8.9E-02	5	3.89E-03
575	575	9.3E-02	5	4.07E-03
576	576	9.8E-02	5	4.28E-03
577	577	1.0E-01	5	4.49E-03
578	578	1.1E-01	5	4.73E-03
579	579	1.1E-01	5	4.98E-03
580	580	1.2E-01	5	5.26E-03
581	581	1.3E-01	5	5.55E-03
582	582	1.3E-01	5	5.86E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
583	583	1.4E-01	5	6.20E-03
584	584	1.5E-01	5	6.58E-03
585	585	1.6E-01	5	6.98E-03
586	586	1.7E-01	5	7.41E-03
587	587	1.8E-01	5	7.87E-03
588	588	1.9E-01	5	8.36E-03
589	589	2.0E-01	5	8.90E-03
590	590	2.2E-01	5	9.47E-03
591	591	2.3E-01	5	1.01E-02
592	592	2.4E-01	5	1.07E-02
593	593	2.6E-01	5	1.13E-02
594	594	2.7E-01	5	1.20E-02
595	595	2.9E-01	5	1.27E-02
596	596	3.1E-01	5	1.34E-02
597	597	3.2E-01	5	1.41E-02
598	598	3.4E-01	5	1.48E-02
599	599	3.6E-01	5	1.56E-02
600	600	3.7E-01	5	1.64E-02
601	601	3.9E-01	5	1.72E-02
602	602	4.1E-01	5	1.80E-02
603	603	4.3E-01	5	1.90E-02
604	604	4.6E-01	5	2.00E-02
605	605	4.9E-01	5	2.12E-02
606	606	5.2E-01	5	2.27E-02
607	607	5.6E-01	5	2.45E-02
608	608	6.1E-01	5	2.68E-02
609	609	6.9E-01	5	3.00E-02
610	610	6.6E-01	5	2.90E-02
611	611	7.5E-01	5	3.26E-02
612	612	8.3E-02	5	3.63E-03
613	613	8.7E-02	5	3.81E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
614	614	9.1E-02	5	3.99E-03
615	615	9.6E-02	5	4.18E-03
616	616	1.0E-01	5	4.39E-03
617	617	1.1E-01	5	4.63E-03
618	618	1.1E-01	5	4.88E-03
619	619	1.2E-01	5	5.15E-03
620	620	1.2E-01	5	5.45E-03
621	621	1.3E-01	5	5.77E-03
622	622	1.4E-01	5	6.12E-03
623	623	1.5E-01	5	6.50E-03
624	624	1.6E-01	5	6.91E-03
625	625	1.7E-01	5	7.36E-03
626	626	1.8E-01	5	7.85E-03
627	627	1.9E-01	5	8.38E-03
628	628	2.0E-01	5	8.95E-03
629	629	2.2E-01	5	9.56E-03
630	630	2.3E-01	5	1.02E-02
631	631	2.5E-01	5	1.09E-02
632	632	2.7E-01	5	1.17E-02
633	633	2.8E-01	5	1.24E-02
634	634	3.0E-01	5	1.32E-02
635	635	3.2E-01	5	1.40E-02
636	636	3.4E-01	5	1.48E-02
637	637	3.6E-01	5	1.56E-02
638	638	3.8E-01	5	1.65E-02
639	639	4.0E-01	5	1.73E-02
640	640	4.2E-01	5	1.82E-02
641	641	4.4E-01	5	1.91E-02
642	642	4.6E-01	5	2.00E-02
643	643	4.8E-01	5	2.10E-02
644	644	5.1E-01	5	2.21E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
645	645	5.4E-01	5	2.34E-02
646	646	5.7E-01	5	2.50E-02
647	647	6.2E-01	5	2.69E-02
648	648	6.7E-01	5	2.94E-02
649	649	7.5E-01	5	3.30E-02
650	650	7.5E-01	5	3.27E-02
651	651	7.3E-01	5	3.21E-02
652	652	8.4E-02	5	3.69E-03
653	653	8.9E-02	5	3.88E-03
654	654	9.3E-02	5	4.08E-03
655	655	9.8E-02	5	4.29E-03
656	656	1.0E-01	5	4.52E-03
657	657	1.1E-01	5	4.77E-03
658	658	1.2E-01	5	5.04E-03
659	659	1.2E-01	5	5.33E-03
660	660	1.3E-01	5	5.64E-03
661	661	1.4E-01	5	6.00E-03
662	662	1.5E-01	5	6.38E-03
663	663	1.6E-01	5	6.80E-03
664	664	1.7E-01	5	7.27E-03
665	665	1.8E-01	5	7.78E-03
666	666	1.9E-01	5	8.33E-03
667	667	2.0E-01	5	8.94E-03
668	668	2.2E-01	5	9.60E-03
669	669	2.4E-01	5	1.03E-02
670	670	2.5E-01	5	1.11E-02
671	671	2.7E-01	5	1.19E-02
672	672	2.9E-01	5	1.28E-02
673	673	3.1E-01	5	1.37E-02
674	674	3.3E-01	5	1.46E-02
675	675	3.6E-01	5	1.56E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
676	676	3.8E-01	5	1.66E-02
677	677	4.0E-01	5	1.75E-02
678	678	4.2E-01	5	1.85E-02
679	679	4.4E-01	5	1.94E-02
680	680	4.7E-01	5	2.04E-02
681	681	4.9E-01	5	2.14E-02
682	682	5.1E-01	5	2.24E-02
683	683	5.4E-01	5	2.35E-02
684	684	5.6E-01	5	2.47E-02
685	685	6.0E-01	5	2.60E-02
686	686	6.3E-01	5	2.77E-02
687	687	6.8E-01	5	2.97E-02
688	688	7.4E-01	5	3.24E-02
689	689	8.3E-01	5	3.61E-02
690	690	9.5E-01	5	4.16E-02
691	691	8.2E-01	5	3.57E-02
692	692	8.6E-02	5	3.75E-03
693	693	9.0E-02	5	3.94E-03
694	694	9.5E-02	5	4.14E-03
695	695	1.0E-01	5	4.37E-03
696	696	1.1E-01	5	4.62E-03
697	697	1.1E-01	5	4.88E-03
698	698	1.2E-01	5	5.17E-03
699	699	1.3E-01	5	5.49E-03
700	700	1.3E-01	5	5.84E-03
701	701	1.4E-01	5	6.22E-03
702	702	1.5E-01	5	6.64E-03
703	703	1.6E-01	5	7.11E-03
704	704	1.7E-01	5	7.64E-03
705	705	1.9E-01	5	8.21E-03
706	706	2.0E-01	5	8.83E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
707	707	2.2E-01	5	9.53E-03
708	708	2.4E-01	5	1.03E-02
709	709	2.6E-01	5	1.12E-02
710	710	2.8E-01	5	1.21E-02
711	711	3.0E-01	5	1.31E-02
712	712	3.2E-01	5	1.42E-02
713	713	3.5E-01	5	1.53E-02
714	714	3.8E-01	5	1.65E-02
715	715	4.0E-01	5	1.76E-02
716	716	4.3E-01	5	1.88E-02
717	717	4.5E-01	5	1.99E-02
718	718	4.8E-01	5	2.10E-02
719	719	5.1E-01	5	2.21E-02
720	720	5.3E-01	5	2.32E-02
721	721	5.6E-01	5	2.43E-02
722	722	5.8E-01	5	2.54E-02
723	723	6.1E-01	5	2.65E-02
724	724	6.3E-01	5	2.78E-02
725	725	6.7E-01	5	2.92E-02
726	726	7.1E-01	5	3.09E-02
727	727	7.5E-01	5	3.29E-02
728	728	8.2E-01	5	3.57E-02
729	729	9.0E-01	5	3.95E-02
730	730	9.1E-01	5	4.00E-02
731	731	1.0E+00	5	4.55E-02
732	732	8.7E-02	5	3.81E-03
733	733	9.2E-02	5	4.01E-03
734	734	9.6E-02	5	4.21E-03
735	735	1.0E-01	5	4.44E-03
736	736	1.1E-01	5	4.70E-03
737	737	1.1E-01	5	4.98E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
738	738	1.2E-01	5	5.29E-03
739	739	1.3E-01	5	5.64E-03
740	740	1.4E-01	5	6.02E-03
741	741	1.5E-01	5	6.44E-03
742	742	1.6E-01	5	6.91E-03
743	743	1.7E-01	5	7.42E-03
744	744	1.8E-01	5	8.00E-03
745	745	2.0E-01	5	8.65E-03
746	746	2.1E-01	5	9.36E-03
747	747	2.3E-01	5	1.02E-02
748	748	2.5E-01	5	1.11E-02
749	749	2.8E-01	5	1.21E-02
750	750	3.0E-01	5	1.33E-02
751	751	3.3E-01	5	1.45E-02
752	752	3.6E-01	5	1.59E-02
753	753	4.0E-01	5	1.73E-02
754	754	4.3E-01	5	1.88E-02
755	755	4.6E-01	5	2.02E-02
756	756	4.9E-01	5	2.16E-02
757	757	5.3E-01	5	2.30E-02
758	758	5.6E-01	5	2.43E-02
759	759	5.9E-01	5	2.56E-02
760	760	6.1E-01	5	2.68E-02
761	761	6.4E-01	5	2.80E-02
762	762	6.7E-01	5	2.91E-02
763	763	6.9E-01	5	3.03E-02
764	764	7.2E-01	5	3.16E-02
765	765	7.6E-01	5	3.31E-02
766	766	8.0E-01	5	3.48E-02
767	767	8.4E-01	5	3.69E-02
768	768	9.1E-01	5	3.97E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
769	769	1.0E+00	5	4.35E-02
770	770	1.0E+00	5	4.37E-02
771	771	1.1E+00	5	4.90E-02
772	772	8.8E-02	5	3.85E-03
773	773	9.3E-02	5	4.06E-03
774	774	9.8E-02	5	4.28E-03
775	775	1.0E-01	5	4.52E-03
776	776	1.1E-01	5	4.79E-03
777	777	1.2E-01	5	5.08E-03
778	778	1.2E-01	5	5.41E-03
779	779	1.3E-01	5	5.77E-03
780	780	1.4E-01	5	6.18E-03
781	781	1.5E-01	5	6.64E-03
782	782	1.6E-01	5	7.16E-03
783	783	1.8E-01	5	7.73E-03
784	784	1.9E-01	5	8.37E-03
785	785	2.1E-01	5	9.10E-03
786	786	2.3E-01	5	9.92E-03
787	787	2.5E-01	5	1.09E-02
788	788	2.7E-01	5	1.20E-02
789	789	3.0E-01	5	1.32E-02
790	790	3.3E-01	5	1.46E-02
791	791	3.7E-01	5	1.62E-02
792	792	4.1E-01	5	1.80E-02
793	793	4.5E-01	5	1.99E-02
794	794	5.0E-01	5	2.18E-02
795	795	5.4E-01	5	2.37E-02
796	796	5.8E-01	5	2.56E-02
797	797	6.2E-01	5	2.73E-02
798	798	6.6E-01	5	2.88E-02
799	799	6.9E-01	5	3.03E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
800	800	7.2E-01	5	3.16E-02
801	801	7.5E-01	5	3.29E-02
802	802	7.8E-01	5	3.41E-02
803	803	8.1E-01	5	3.54E-02
804	804	8.4E-01	5	3.67E-02
805	805	8.7E-01	5	3.82E-02
806	806	9.1E-01	5	3.99E-02
807	807	9.6E-01	5	4.20E-02
808	808	1.0E+00	5	4.47E-02
809	809	1.1E+00	5	4.85E-02
810	810	1.2E+00	5	5.41E-02
811	811	1.1E+00	5	4.91E-02
812	812	8.9E-02	5	3.88E-03
813	813	9.4E-02	5	4.09E-03
814	814	9.9E-02	5	4.33E-03
815	815	1.0E-01	5	4.58E-03
816	816	1.1E-01	5	4.86E-03
817	817	1.2E-01	5	5.17E-03
818	818	1.3E-01	5	5.51E-03
819	819	1.3E-01	5	5.89E-03
820	820	1.4E-01	5	6.33E-03
821	821	1.6E-01	5	6.82E-03
822	822	1.7E-01	5	7.38E-03
823	823	1.8E-01	5	8.01E-03
824	824	2.0E-01	5	8.74E-03
825	825	2.2E-01	5	9.56E-03
826	826	2.4E-01	5	1.05E-02
827	827	2.7E-01	5	1.16E-02
828	828	3.0E-01	5	1.29E-02
829	829	3.3E-01	5	1.45E-02
830	830	3.7E-01	5	1.62E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
831	831	4.2E-01	5	1.83E-02
832	832	4.7E-01	5	2.07E-02
833	833	5.3E-01	5	2.33E-02
834	834	5.9E-01	5	2.60E-02
835	835	6.6E-01	5	2.87E-02
836	836	6.0E-01	5	2.62E-02
837	837	7.6E-01	5	3.32E-02
838	838	8.0E-01	5	3.51E-02
839	839	7.3E-01	5	3.18E-02
840	840	7.5E-01	5	3.30E-02
841	841	7.9E-01	5	3.45E-02
842	842	9.3E-01	5	4.09E-02
843	843	8.5E-01	5	3.70E-02
844	844	8.7E-01	5	3.81E-02
845	845	9.1E-01	5	3.99E-02
846	846	1.1E+00	5	4.68E-02
847	847	9.9E-01	5	4.33E-02
848	848	1.0E+00	5	4.56E-02
849	849	1.1E+00	5	4.94E-02
850	850	1.3E+00	5	5.53E-02
851	851	1.1E+00	5	4.88E-02
852	852	8.9E-02	5	3.89E-03
853	853	9.4E-02	5	4.10E-03
854	854	9.9E-02	5	4.35E-03
855	855	1.1E-01	5	4.62E-03
856	856	1.1E-01	5	4.91E-03
857	857	1.2E-01	5	5.24E-03
858	858	1.3E-01	5	5.60E-03
859	859	1.4E-01	5	6.01E-03
860	860	1.5E-01	5	6.45E-03
861	861	1.6E-01	5	6.98E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
862	862	1.7E-01	5	7.57E-03
863	863	1.9E-01	5	8.27E-03
864	864	2.1E-01	5	9.08E-03
865	865	2.3E-01	5	1.00E-02
866	866	2.5E-01	5	1.11E-02
867	867	2.8E-01	5	1.24E-02
868	868	3.2E-01	5	1.40E-02
869	869	3.6E-01	5	1.58E-02
870	870	4.1E-01	5	1.81E-02
871	871	4.8E-01	5	2.08E-02
872	872	5.5E-01	5	2.41E-02
873	873	6.4E-01	5	2.79E-02
874	874	5.9E-01	5	2.60E-02
875	875	6.6E-01	5	2.87E-02
876	876	7.2E-01	5	3.15E-02
877	877	6.8E-01	5	2.99E-02
878	878	7.2E-01	5	3.17E-02
879	879	8.7E-01	5	3.82E-02
880	880	9.0E-01	5	3.93E-02
881	881	8.3E-01	5	3.63E-02
882	882	8.5E-01	5	3.72E-02
883	883	1.0E+00	5	4.35E-02
884	884	1.0E+00	5	4.46E-02
885	885	9.5E-01	5	4.17E-02
886	886	9.8E-01	5	4.29E-02
887	887	1.1E+00	5	4.98E-02
888	888	1.2E+00	5	5.15E-02
889	889	1.1E+00	5	5.00E-02
890	890	1.1E+00	5	4.94E-02
891	891	1.4E+00	5	5.93E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	3.78705	1.82E-02	6.9E-02	6.05E-04	4.17E-05	1.60E-01	4.71E-02	3.15E-07	1.0E+06	3.2E-01
522	3.98002	1.82E-02	7.2E-02	6.05E-04	4.39E-05	1.60E-01	4.71E-02	3.31E-07	1.0E+06	3.3E-01
523	4.19123	1.82E-02	7.6E-02	6.05E-04	4.62E-05	1.60E-01	4.71E-02	3.49E-07	1.0E+06	3.5E-01
524	4.42658	1.82E-02	8.1E-02	6.05E-04	4.88E-05	1.60E-01	4.71E-02	3.68E-07	1.0E+06	3.7E-01
525	4.69569	1.82E-02	8.6E-02	6.05E-04	5.17E-05	1.60E-01	4.71E-02	3.91E-07	1.0E+06	3.9E-01
526	5.0118	1.82E-02	9.1E-02	6.05E-04	5.52E-05	1.60E-01	4.71E-02	4.17E-07	1.0E+06	4.2E-01
527	5.39601	1.82E-02	9.8E-02	6.05E-04	5.95E-05	1.60E-01	4.71E-02	4.49E-07	1.0E+06	4.5E-01
528	5.88037	1.82E-02	1.1E-01	6.05E-04	6.48E-05	1.60E-01	4.71E-02	4.89E-07	1.0E+06	4.9E-01
529	6.51459	1.82E-02	1.2E-01	6.05E-04	7.18E-05	1.60E-01	4.71E-02	5.42E-07	1.0E+06	5.4E-01
530	7.38205	1.82E-02	1.3E-01	6.05E-04	8.13E-05	1.60E-01	4.71E-02	6.14E-07	1.0E+06	6.1E-01
531	6.74782	1.82E-02	1.2E-01	6.05E-04	7.43E-05	1.60E-01	4.71E-02	5.61E-07	1.0E+06	5.6E-01
532	0.93027	1.82E-02	1.7E-02	6.05E-04	1.02E-05	1.60E-01	4.71E-02	7.74E-08	1.0E+06	7.7E-02
533	0.96978	1.82E-02	1.8E-02	6.05E-04	1.07E-05	1.60E-01	4.71E-02	8.07E-08	1.0E+06	8.1E-02
534	1.01278	1.82E-02	1.8E-02	6.05E-04	1.12E-05	1.60E-01	4.71E-02	8.43E-08	1.0E+06	8.4E-02
535	1.06038	1.82E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.82E-08	1.0E+06	8.8E-02
536	1.1101	1.82E-02	2.0E-02	6.05E-04	1.22E-05	1.60E-01	4.71E-02	9.24E-08	1.0E+06	9.2E-02
537	1.16468	1.82E-02	2.1E-02	6.05E-04	1.28E-05	1.60E-01	4.71E-02	9.69E-08	1.0E+06	9.7E-02
538	1.22313	1.82E-02	2.2E-02	6.05E-04	1.35E-05	1.60E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
539	1.28577	1.82E-02	2.3E-02	6.05E-04	1.42E-05	1.60E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
540	1.351	1.82E-02	2.5E-02	6.05E-04	1.49E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
541	1.42319	1.82E-02	2.6E-02	6.05E-04	1.57E-05	1.60E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
542	1.49972	1.82E-02	2.7E-02	6.05E-04	1.65E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.2E-01
543	1.58309	1.82E-02	2.9E-02	6.05E-04	1.74E-05	1.60E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
544	1.67236	1.82E-02	3.0E-02	6.05E-04	1.84E-05	1.60E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
545	1.76804	1.82E-02	3.2E-02	6.05E-04	1.95E-05	1.60E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
546	1.86904	1.82E-02	3.4E-02	6.05E-04	2.06E-05	1.60E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
547	1.97826	1.82E-02	3.6E-02	6.05E-04	2.18E-05	1.60E-01	4.71E-02	1.65E-07	1.0E+06	1.6E-01
548	2.0954	1.82E-02	3.8E-02	6.05E-04	2.31E-05	1.60E-01	4.71E-02	1.74E-07	1.0E+06	1.7E-01
549	2.21996	1.82E-02	4.0E-02	6.05E-04	2.45E-05	1.60E-01	4.71E-02	1.85E-07	1.0E+06	1.8E-01
550	2.35145	1.82E-02	4.3E-02	6.05E-04	2.59E-05	1.60E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
551	2.48766	1.82E-02	4.5E-02	6.05E-04	2.74E-05	1.60E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01

	Max	Receptor #
Res	1.230	850

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	2.62766	1.82E-02	4.8E-02	6.05E-04	2.90E-05	1.60E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
553	2.77415	1.82E-02	5.1E-02	6.05E-04	3.06E-05	1.60E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
554	2.93064	1.82E-02	5.3E-02	6.05E-04	3.23E-05	1.60E-01	4.71E-02	2.44E-07	1.0E+06	2.4E-01
555	3.08826	1.82E-02	5.6E-02	6.05E-04	3.40E-05	1.60E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
556	3.2538	1.82E-02	5.9E-02	6.05E-04	3.58E-05	1.60E-01	4.71E-02	2.71E-07	1.0E+06	2.7E-01
557	3.4177	1.82E-02	6.2E-02	6.05E-04	3.77E-05	1.60E-01	4.71E-02	2.84E-07	1.0E+06	2.8E-01
558	3.59312	1.82E-02	6.5E-02	6.05E-04	3.96E-05	1.60E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
559	3.77408	1.82E-02	6.9E-02	6.05E-04	4.16E-05	1.60E-01	4.71E-02	3.14E-07	1.0E+06	3.1E-01
560	3.96225	1.82E-02	7.2E-02	6.05E-04	4.37E-05	1.60E-01	4.71E-02	3.30E-07	1.0E+06	3.3E-01
561	4.1554	1.82E-02	7.6E-02	6.05E-04	4.58E-05	1.60E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
562	4.36579	1.82E-02	7.9E-02	6.05E-04	4.81E-05	1.60E-01	4.71E-02	3.63E-07	1.0E+06	3.6E-01
563	4.59784	1.82E-02	8.4E-02	6.05E-04	5.07E-05	1.60E-01	4.71E-02	3.83E-07	1.0E+06	3.8E-01
564	4.85729	1.82E-02	8.8E-02	6.05E-04	5.35E-05	1.60E-01	4.71E-02	4.04E-07	1.0E+06	4.0E-01
565	5.15518	1.82E-02	9.4E-02	6.05E-04	5.68E-05	1.60E-01	4.71E-02	4.29E-07	1.0E+06	4.3E-01
566	5.50777	1.82E-02	1.0E-01	6.05E-04	6.07E-05	1.60E-01	4.71E-02	4.58E-07	1.0E+06	4.6E-01
567	5.94143	1.82E-02	1.1E-01	6.05E-04	6.55E-05	1.60E-01	4.71E-02	4.94E-07	1.0E+06	4.9E-01
568	6.5005	1.82E-02	1.2E-01	6.05E-04	7.16E-05	1.60E-01	4.71E-02	5.41E-07	1.0E+06	5.4E-01
569	7.25568	1.82E-02	1.3E-01	6.05E-04	7.99E-05	1.60E-01	4.71E-02	6.04E-07	1.0E+06	6.0E-01
570	6.89422	1.82E-02	1.3E-01	6.05E-04	7.60E-05	1.60E-01	4.71E-02	5.74E-07	1.0E+06	5.7E-01
571	7.65909	1.82E-02	1.4E-01	6.05E-04	8.44E-05	1.60E-01	4.71E-02	6.37E-07	1.0E+06	6.4E-01
572	0.95124	1.82E-02	1.7E-02	6.05E-04	1.05E-05	1.60E-01	4.71E-02	7.91E-08	1.0E+06	7.9E-02
573	0.99426	1.82E-02	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.27E-08	1.0E+06	8.3E-02
574	1.03932	1.82E-02	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.65E-08	1.0E+06	8.6E-02
575	1.08844	1.82E-02	2.0E-02	6.05E-04	1.20E-05	1.60E-01	4.71E-02	9.06E-08	1.0E+06	9.1E-02
576	1.14295	1.82E-02	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.51E-08	1.0E+06	9.5E-02
577	1.20012	1.82E-02	2.2E-02	6.05E-04	1.32E-05	1.60E-01	4.71E-02	9.99E-08	1.0E+06	1.0E-01
578	1.26301	1.82E-02	2.3E-02	6.05E-04	1.39E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.1E-01
579	1.33076	1.82E-02	2.4E-02	6.05E-04	1.47E-05	1.60E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01
580	1.4043	1.82E-02	2.6E-02	6.05E-04	1.55E-05	1.60E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
581	1.48184	1.82E-02	2.7E-02	6.05E-04	1.63E-05	1.60E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
582	1.56657	1.82E-02	2.9E-02	6.05E-04	1.73E-05	1.60E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	1.65761	1.82E-02	3.0E-02	6.05E-04	1.83E-05	1.60E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
584	1.75716	1.82E-02	3.2E-02	6.05E-04	1.94E-05	1.60E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
585	1.86436	1.82E-02	3.4E-02	6.05E-04	2.05E-05	1.60E-01	4.71E-02	1.55E-07	1.0E+06	1.6E-01
586	1.97976	1.82E-02	3.6E-02	6.05E-04	2.18E-05	1.60E-01	4.71E-02	1.65E-07	1.0E+06	1.6E-01
587	2.10217	1.82E-02	3.8E-02	6.05E-04	2.32E-05	1.60E-01	4.71E-02	1.75E-07	1.0E+06	1.7E-01
588	2.23485	1.82E-02	4.1E-02	6.05E-04	2.46E-05	1.60E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
589	2.37739	1.82E-02	4.3E-02	6.05E-04	2.62E-05	1.60E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
590	2.52912	1.82E-02	4.6E-02	6.05E-04	2.79E-05	1.60E-01	4.71E-02	2.10E-07	1.0E+06	2.1E-01
591	2.68914	1.82E-02	4.9E-02	6.05E-04	2.96E-05	1.60E-01	4.71E-02	2.24E-07	1.0E+06	2.2E-01
592	2.8524	1.82E-02	5.2E-02	6.05E-04	3.14E-05	1.60E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
593	3.02416	1.82E-02	5.5E-02	6.05E-04	3.33E-05	1.60E-01	4.71E-02	2.52E-07	1.0E+06	2.5E-01
594	3.20028	1.82E-02	5.8E-02	6.05E-04	3.53E-05	1.60E-01	4.71E-02	2.66E-07	1.0E+06	2.7E-01
595	3.38426	1.82E-02	6.2E-02	6.05E-04	3.73E-05	1.60E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
596	3.57198	1.82E-02	6.5E-02	6.05E-04	3.94E-05	1.60E-01	4.71E-02	2.97E-07	1.0E+06	3.0E-01
597	3.76299	1.82E-02	6.9E-02	6.05E-04	4.15E-05	1.60E-01	4.71E-02	3.13E-07	1.0E+06	3.1E-01
598	3.95852	1.82E-02	7.2E-02	6.05E-04	4.36E-05	1.60E-01	4.71E-02	3.29E-07	1.0E+06	3.3E-01
599	4.16139	1.82E-02	7.6E-02	6.05E-04	4.58E-05	1.60E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
600	4.37026	1.82E-02	8.0E-02	6.05E-04	4.82E-05	1.60E-01	4.71E-02	3.64E-07	1.0E+06	3.6E-01
601	4.58686	1.82E-02	8.4E-02	6.05E-04	5.05E-05	1.60E-01	4.71E-02	3.82E-07	1.0E+06	3.8E-01
602	4.81537	1.82E-02	8.8E-02	6.05E-04	5.31E-05	1.60E-01	4.71E-02	4.01E-07	1.0E+06	4.0E-01
603	5.06605	1.82E-02	9.2E-02	6.05E-04	5.58E-05	1.60E-01	4.71E-02	4.22E-07	1.0E+06	4.2E-01
604	5.3484	1.82E-02	9.7E-02	6.05E-04	5.89E-05	1.60E-01	4.71E-02	4.45E-07	1.0E+06	4.5E-01
605	5.67273	1.82E-02	1.0E-01	6.05E-04	6.25E-05	1.60E-01	4.71E-02	4.72E-07	1.0E+06	4.7E-01
606	6.05791	1.82E-02	1.1E-01	6.05E-04	6.67E-05	1.60E-01	4.71E-02	5.04E-07	1.0E+06	5.0E-01
607	6.53577	1.82E-02	1.2E-01	6.05E-04	7.20E-05	1.60E-01	4.71E-02	5.44E-07	1.0E+06	5.4E-01
608	7.16009	1.82E-02	1.3E-01	6.05E-04	7.89E-05	1.60E-01	4.71E-02	5.96E-07	1.0E+06	6.0E-01
609	8.02143	1.82E-02	1.5E-01	6.05E-04	8.84E-05	1.60E-01	4.71E-02	6.67E-07	1.0E+06	6.7E-01
610	7.75427	1.82E-02	1.4E-01	6.05E-04	8.54E-05	1.60E-01	4.71E-02	6.45E-07	1.0E+06	6.5E-01
611	8.71533	1.82E-02	1.6E-01	6.05E-04	9.60E-05	1.60E-01	4.71E-02	7.25E-07	1.0E+06	7.3E-01
612	0.97015	1.82E-02	1.8E-02	6.05E-04	1.07E-05	1.60E-01	4.71E-02	8.07E-08	1.0E+06	8.1E-02
613	1.01681	1.82E-02	1.9E-02	6.05E-04	1.12E-05	1.60E-01	4.71E-02	8.46E-08	1.0E+06	8.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.06505	1.82E-02	1.9E-02	6.05E-04	1.17E-05	1.60E-01	4.71E-02	8.86E-08	1.0E+06	8.9E-02
615	1.11742	1.82E-02	2.0E-02	6.05E-04	1.23E-05	1.60E-01	4.71E-02	9.30E-08	1.0E+06	9.3E-02
616	1.17391	1.82E-02	2.1E-02	6.05E-04	1.29E-05	1.60E-01	4.71E-02	9.77E-08	1.0E+06	9.8E-02
617	1.23655	1.82E-02	2.3E-02	6.05E-04	1.36E-05	1.60E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
618	1.30392	1.82E-02	2.4E-02	6.05E-04	1.44E-05	1.60E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
619	1.3768	1.82E-02	2.5E-02	6.05E-04	1.52E-05	1.60E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
620	1.45561	1.82E-02	2.7E-02	6.05E-04	1.60E-05	1.60E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
621	1.54273	1.82E-02	2.8E-02	6.05E-04	1.70E-05	1.60E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
622	1.63528	1.82E-02	3.0E-02	6.05E-04	1.80E-05	1.60E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
623	1.73684	1.82E-02	3.2E-02	6.05E-04	1.91E-05	1.60E-01	4.71E-02	1.45E-07	1.0E+06	1.4E-01
624	1.84661	1.82E-02	3.4E-02	6.05E-04	2.03E-05	1.60E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
625	1.96726	1.82E-02	3.6E-02	6.05E-04	2.17E-05	1.60E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01
626	2.09799	1.82E-02	3.8E-02	6.05E-04	2.31E-05	1.60E-01	4.71E-02	1.75E-07	1.0E+06	1.7E-01
627	2.23948	1.82E-02	4.1E-02	6.05E-04	2.47E-05	1.60E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
628	2.39048	1.82E-02	4.4E-02	6.05E-04	2.63E-05	1.60E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01
629	2.5543	1.82E-02	4.7E-02	6.05E-04	2.81E-05	1.60E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
630	2.7307	1.82E-02	5.0E-02	6.05E-04	3.01E-05	1.60E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
631	2.91838	1.82E-02	5.3E-02	6.05E-04	3.22E-05	1.60E-01	4.71E-02	2.43E-07	1.0E+06	2.4E-01
632	3.11585	1.82E-02	5.7E-02	6.05E-04	3.43E-05	1.60E-01	4.71E-02	2.59E-07	1.0E+06	2.6E-01
633	3.31534	1.82E-02	6.0E-02	6.05E-04	3.65E-05	1.60E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
634	3.52238	1.82E-02	6.4E-02	6.05E-04	3.88E-05	1.60E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
635	3.73748	1.82E-02	6.8E-02	6.05E-04	4.12E-05	1.60E-01	4.71E-02	3.11E-07	1.0E+06	3.1E-01
636	3.95438	1.82E-02	7.2E-02	6.05E-04	4.36E-05	1.60E-01	4.71E-02	3.29E-07	1.0E+06	3.3E-01
637	4.17707	1.82E-02	7.6E-02	6.05E-04	4.60E-05	1.60E-01	4.71E-02	3.48E-07	1.0E+06	3.5E-01
638	4.39911	1.82E-02	8.0E-02	6.05E-04	4.85E-05	1.60E-01	4.71E-02	3.66E-07	1.0E+06	3.7E-01
639	4.62579	1.82E-02	8.4E-02	6.05E-04	5.10E-05	1.60E-01	4.71E-02	3.85E-07	1.0E+06	3.8E-01
640	4.85837	1.82E-02	8.8E-02	6.05E-04	5.35E-05	1.60E-01	4.71E-02	4.04E-07	1.0E+06	4.0E-01
641	5.09787	1.82E-02	9.3E-02	6.05E-04	5.62E-05	1.60E-01	4.71E-02	4.24E-07	1.0E+06	4.2E-01
642	5.34787	1.82E-02	9.7E-02	6.05E-04	5.89E-05	1.60E-01	4.71E-02	4.45E-07	1.0E+06	4.4E-01
643	5.61534	1.82E-02	1.0E-01	6.05E-04	6.19E-05	1.60E-01	4.71E-02	4.67E-07	1.0E+06	4.7E-01
644	5.91812	1.82E-02	1.1E-01	6.05E-04	6.52E-05	1.60E-01	4.71E-02	4.92E-07	1.0E+06	4.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	6.26506	1.82E-02	1.1E-01	6.05E-04	6.90E-05	1.60E-01	4.71E-02	5.21E-07	1.0E+06	5.2E-01
646	6.67801	1.82E-02	1.2E-01	6.05E-04	7.36E-05	1.60E-01	4.71E-02	5.56E-07	1.0E+06	5.6E-01
647	7.19184	1.82E-02	1.3E-01	6.05E-04	7.92E-05	1.60E-01	4.71E-02	5.98E-07	1.0E+06	6.0E-01
648	7.86868	1.82E-02	1.4E-01	6.05E-04	8.67E-05	1.60E-01	4.71E-02	6.55E-07	1.0E+06	6.5E-01
649	8.81808	1.82E-02	1.6E-01	6.05E-04	9.72E-05	1.60E-01	4.71E-02	7.34E-07	1.0E+06	7.3E-01
650	8.7285	1.82E-02	1.6E-01	6.05E-04	9.62E-05	1.60E-01	4.71E-02	7.26E-07	1.0E+06	7.3E-01
651	8.5841	1.82E-02	1.6E-01	6.05E-04	9.46E-05	1.60E-01	4.71E-02	7.14E-07	1.0E+06	7.1E-01
652	0.98641	1.82E-02	1.8E-02	6.05E-04	1.09E-05	1.60E-01	4.71E-02	8.21E-08	1.0E+06	8.2E-02
653	1.03595	1.82E-02	1.9E-02	6.05E-04	1.14E-05	1.60E-01	4.71E-02	8.62E-08	1.0E+06	8.6E-02
654	1.08913	1.82E-02	2.0E-02	6.05E-04	1.20E-05	1.60E-01	4.71E-02	9.06E-08	1.0E+06	9.1E-02
655	1.14603	1.82E-02	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.54E-08	1.0E+06	9.5E-02
656	1.20762	1.82E-02	2.2E-02	6.05E-04	1.33E-05	1.60E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
657	1.27327	1.82E-02	2.3E-02	6.05E-04	1.40E-05	1.60E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
658	1.3454	1.82E-02	2.4E-02	6.05E-04	1.48E-05	1.60E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
659	1.42391	1.82E-02	2.6E-02	6.05E-04	1.57E-05	1.60E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
660	1.50718	1.82E-02	2.7E-02	6.05E-04	1.66E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
661	1.60269	1.82E-02	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
662	1.70561	1.82E-02	3.1E-02	6.05E-04	1.88E-05	1.60E-01	4.71E-02	1.42E-07	1.0E+06	1.4E-01
663	1.81769	1.82E-02	3.3E-02	6.05E-04	2.00E-05	1.60E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
664	1.94162	1.82E-02	3.5E-02	6.05E-04	2.14E-05	1.60E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
665	2.07746	1.82E-02	3.8E-02	6.05E-04	2.29E-05	1.60E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
666	2.22636	1.82E-02	4.1E-02	6.05E-04	2.45E-05	1.60E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
667	2.38748	1.82E-02	4.3E-02	6.05E-04	2.63E-05	1.60E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01
668	2.56495	1.82E-02	4.7E-02	6.05E-04	2.83E-05	1.60E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
669	2.75724	1.82E-02	5.0E-02	6.05E-04	3.04E-05	1.60E-01	4.71E-02	2.29E-07	1.0E+06	2.3E-01
670	2.96466	1.82E-02	5.4E-02	6.05E-04	3.27E-05	1.60E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
671	3.18475	1.82E-02	5.8E-02	6.05E-04	3.51E-05	1.60E-01	4.71E-02	2.65E-07	1.0E+06	2.6E-01
672	3.42107	1.82E-02	6.2E-02	6.05E-04	3.77E-05	1.60E-01	4.71E-02	2.85E-07	1.0E+06	2.8E-01
673	3.66803	1.82E-02	6.7E-02	6.05E-04	4.04E-05	1.60E-01	4.71E-02	3.05E-07	1.0E+06	3.1E-01
674	3.91407	1.82E-02	7.1E-02	6.05E-04	4.31E-05	1.60E-01	4.71E-02	3.26E-07	1.0E+06	3.3E-01
675	4.16591	1.82E-02	7.6E-02	6.05E-04	4.59E-05	1.60E-01	4.71E-02	3.47E-07	1.0E+06	3.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	4.42659	1.82E-02	8.1E-02	6.05E-04	4.88E-05	1.60E-01	4.71E-02	3.68E-07	1.0E+06	3.7E-01
677	4.68113	1.82E-02	8.5E-02	6.05E-04	5.16E-05	1.60E-01	4.71E-02	3.89E-07	1.0E+06	3.9E-01
678	4.93847	1.82E-02	9.0E-02	6.05E-04	5.44E-05	1.60E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
679	5.196	1.82E-02	9.5E-02	6.05E-04	5.72E-05	1.60E-01	4.71E-02	4.32E-07	1.0E+06	4.3E-01
680	5.45491	1.82E-02	9.9E-02	6.05E-04	6.01E-05	1.60E-01	4.71E-02	4.54E-07	1.0E+06	4.5E-01
681	5.71731	1.82E-02	1.0E-01	6.05E-04	6.30E-05	1.60E-01	4.71E-02	4.76E-07	1.0E+06	4.8E-01
682	5.98857	1.82E-02	1.1E-01	6.05E-04	6.60E-05	1.60E-01	4.71E-02	4.98E-07	1.0E+06	5.0E-01
683	6.27422	1.82E-02	1.1E-01	6.05E-04	6.91E-05	1.60E-01	4.71E-02	5.22E-07	1.0E+06	5.2E-01
684	6.59387	1.82E-02	1.2E-01	6.05E-04	7.27E-05	1.60E-01	4.71E-02	5.49E-07	1.0E+06	5.5E-01
685	6.95909	1.82E-02	1.3E-01	6.05E-04	7.67E-05	1.60E-01	4.71E-02	5.79E-07	1.0E+06	5.8E-01
686	7.39375	1.82E-02	1.3E-01	6.05E-04	8.15E-05	1.60E-01	4.71E-02	6.15E-07	1.0E+06	6.2E-01
687	7.93431	1.82E-02	1.4E-01	6.05E-04	8.74E-05	1.60E-01	4.71E-02	6.60E-07	1.0E+06	6.6E-01
688	8.64823	1.82E-02	1.6E-01	6.05E-04	9.53E-05	1.60E-01	4.71E-02	7.20E-07	1.0E+06	7.2E-01
689	9.65079	1.82E-02	1.8E-01	6.05E-04	1.06E-04	1.60E-01	4.71E-02	8.03E-07	1.0E+06	8.0E-01
690	11.12289	1.82E-02	2.0E-01	6.05E-04	1.23E-04	1.60E-01	4.71E-02	9.25E-07	1.0E+06	9.3E-01
691	9.54081	1.82E-02	1.7E-01	6.05E-04	1.05E-04	1.60E-01	4.71E-02	7.94E-07	1.0E+06	7.9E-01
692	1.00204	1.82E-02	1.8E-02	6.05E-04	1.10E-05	1.60E-01	4.71E-02	8.34E-08	1.0E+06	8.3E-02
693	1.0537	1.82E-02	1.9E-02	6.05E-04	1.16E-05	1.60E-01	4.71E-02	8.77E-08	1.0E+06	8.8E-02
694	1.10744	1.82E-02	2.0E-02	6.05E-04	1.22E-05	1.60E-01	4.71E-02	9.21E-08	1.0E+06	9.2E-02
695	1.16773	1.82E-02	2.1E-02	6.05E-04	1.29E-05	1.60E-01	4.71E-02	9.72E-08	1.0E+06	9.7E-02
696	1.23327	1.82E-02	2.2E-02	6.05E-04	1.36E-05	1.60E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
697	1.30448	1.82E-02	2.4E-02	6.05E-04	1.44E-05	1.60E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
698	1.382	1.82E-02	2.5E-02	6.05E-04	1.52E-05	1.60E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
699	1.46684	1.82E-02	2.7E-02	6.05E-04	1.62E-05	1.60E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
700	1.5604	1.82E-02	2.8E-02	6.05E-04	1.72E-05	1.60E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
701	1.66234	1.82E-02	3.0E-02	6.05E-04	1.83E-05	1.60E-01	4.71E-02	1.38E-07	1.0E+06	1.4E-01
702	1.77527	1.82E-02	3.2E-02	6.05E-04	1.96E-05	1.60E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
703	1.90012	1.82E-02	3.5E-02	6.05E-04	2.09E-05	1.60E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
704	2.04022	1.82E-02	3.7E-02	6.05E-04	2.25E-05	1.60E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
705	2.19334	1.82E-02	4.0E-02	6.05E-04	2.42E-05	1.60E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
706	2.36021	1.82E-02	4.3E-02	6.05E-04	2.60E-05	1.60E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.54748	1.82E-02	4.6E-02	6.05E-04	2.81E-05	1.60E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
708	2.75536	1.82E-02	5.0E-02	6.05E-04	3.04E-05	1.60E-01	4.71E-02	2.29E-07	1.0E+06	2.3E-01
709	2.98478	1.82E-02	5.4E-02	6.05E-04	3.29E-05	1.60E-01	4.71E-02	2.48E-07	1.0E+06	2.5E-01
710	3.23328	1.82E-02	5.9E-02	6.05E-04	3.56E-05	1.60E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
711	3.50242	1.82E-02	6.4E-02	6.05E-04	3.86E-05	1.60E-01	4.71E-02	2.91E-07	1.0E+06	2.9E-01
712	3.78731	1.82E-02	6.9E-02	6.05E-04	4.17E-05	1.60E-01	4.71E-02	3.15E-07	1.0E+06	3.2E-01
713	4.09046	1.82E-02	7.4E-02	6.05E-04	4.51E-05	1.60E-01	4.71E-02	3.40E-07	1.0E+06	3.4E-01
714	4.40022	1.82E-02	8.0E-02	6.05E-04	4.85E-05	1.60E-01	4.71E-02	3.66E-07	1.0E+06	3.7E-01
715	4.70626	1.82E-02	8.6E-02	6.05E-04	5.19E-05	1.60E-01	4.71E-02	3.92E-07	1.0E+06	3.9E-01
716	5.01429	1.82E-02	9.1E-02	6.05E-04	5.52E-05	1.60E-01	4.71E-02	4.17E-07	1.0E+06	4.2E-01
717	5.31577	1.82E-02	9.7E-02	6.05E-04	5.86E-05	1.60E-01	4.71E-02	4.42E-07	1.0E+06	4.4E-01
718	5.62017	1.82E-02	1.0E-01	6.05E-04	6.19E-05	1.60E-01	4.71E-02	4.68E-07	1.0E+06	4.7E-01
719	5.91342	1.82E-02	1.1E-01	6.05E-04	6.52E-05	1.60E-01	4.71E-02	4.92E-07	1.0E+06	4.9E-01
720	6.20243	1.82E-02	1.1E-01	6.05E-04	6.83E-05	1.60E-01	4.71E-02	5.16E-07	1.0E+06	5.2E-01
721	6.48901	1.82E-02	1.2E-01	6.05E-04	7.15E-05	1.60E-01	4.71E-02	5.40E-07	1.0E+06	5.4E-01
722	6.78021	1.82E-02	1.2E-01	6.05E-04	7.47E-05	1.60E-01	4.71E-02	5.64E-07	1.0E+06	5.6E-01
723	7.08261	1.82E-02	1.3E-01	6.05E-04	7.80E-05	1.60E-01	4.71E-02	5.89E-07	1.0E+06	5.9E-01
724	7.41647	1.82E-02	1.4E-01	6.05E-04	8.17E-05	1.60E-01	4.71E-02	6.17E-07	1.0E+06	6.2E-01
725	7.79616	1.82E-02	1.4E-01	6.05E-04	8.59E-05	1.60E-01	4.71E-02	6.49E-07	1.0E+06	6.5E-01
726	8.24611	1.82E-02	1.5E-01	6.05E-04	9.09E-05	1.60E-01	4.71E-02	6.86E-07	1.0E+06	6.9E-01
727	8.80306	1.82E-02	1.6E-01	6.05E-04	9.70E-05	1.60E-01	4.71E-02	7.32E-07	1.0E+06	7.3E-01
728	9.53665	1.82E-02	1.7E-01	6.05E-04	1.05E-04	1.60E-01	4.71E-02	7.94E-07	1.0E+06	7.9E-01
729	10.56681	1.82E-02	1.9E-01	6.05E-04	1.16E-04	1.60E-01	4.71E-02	8.79E-07	1.0E+06	8.8E-01
730	10.67586	1.82E-02	1.9E-01	6.05E-04	1.18E-04	1.60E-01	4.71E-02	8.88E-07	1.0E+06	8.9E-01
731	12.1459	1.82E-02	2.2E-01	6.05E-04	1.34E-04	1.60E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
732	1.01817	1.82E-02	1.9E-02	6.05E-04	1.12E-05	1.60E-01	4.71E-02	8.47E-08	1.0E+06	8.5E-02
733	1.07128	1.82E-02	2.0E-02	6.05E-04	1.18E-05	1.60E-01	4.71E-02	8.91E-08	1.0E+06	8.9E-02
734	1.12621	1.82E-02	2.1E-02	6.05E-04	1.24E-05	1.60E-01	4.71E-02	9.37E-08	1.0E+06	9.4E-02
735	1.18748	1.82E-02	2.2E-02	6.05E-04	1.31E-05	1.60E-01	4.71E-02	9.88E-08	1.0E+06	9.9E-02
736	1.25673	1.82E-02	2.3E-02	6.05E-04	1.38E-05	1.60E-01	4.71E-02	1.05E-07	1.0E+06	1.0E-01
737	1.33033	1.82E-02	2.4E-02	6.05E-04	1.47E-05	1.60E-01	4.71E-02	1.11E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.414	1.82E-02	2.6E-02	6.05E-04	1.56E-05	1.60E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
739	1.50604	1.82E-02	2.7E-02	6.05E-04	1.66E-05	1.60E-01	4.71E-02	1.25E-07	1.0E+06	1.3E-01
740	1.60852	1.82E-02	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
741	1.72172	1.82E-02	3.1E-02	6.05E-04	1.90E-05	1.60E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
742	1.84608	1.82E-02	3.4E-02	6.05E-04	2.03E-05	1.60E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
743	1.98162	1.82E-02	3.6E-02	6.05E-04	2.18E-05	1.60E-01	4.71E-02	1.65E-07	1.0E+06	1.6E-01
744	2.13833	1.82E-02	3.9E-02	6.05E-04	2.36E-05	1.60E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
745	2.31024	1.82E-02	4.2E-02	6.05E-04	2.55E-05	1.60E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
746	2.50224	1.82E-02	4.6E-02	6.05E-04	2.76E-05	1.60E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
747	2.71719	1.82E-02	4.9E-02	6.05E-04	2.99E-05	1.60E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
748	2.96377	1.82E-02	5.4E-02	6.05E-04	3.27E-05	1.60E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
749	3.23672	1.82E-02	5.9E-02	6.05E-04	3.57E-05	1.60E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
750	3.54561	1.82E-02	6.5E-02	6.05E-04	3.91E-05	1.60E-01	4.71E-02	2.95E-07	1.0E+06	3.0E-01
751	3.88014	1.82E-02	7.1E-02	6.05E-04	4.28E-05	1.60E-01	4.71E-02	3.23E-07	1.0E+06	3.2E-01
752	4.24003	1.82E-02	7.7E-02	6.05E-04	4.67E-05	1.60E-01	4.71E-02	3.53E-07	1.0E+06	3.5E-01
753	4.61852	1.82E-02	8.4E-02	6.05E-04	5.09E-05	1.60E-01	4.71E-02	3.84E-07	1.0E+06	3.8E-01
754	5.01333	1.82E-02	9.1E-02	6.05E-04	5.52E-05	1.60E-01	4.71E-02	4.17E-07	1.0E+06	4.2E-01
755	5.39969	1.82E-02	9.8E-02	6.05E-04	5.95E-05	1.60E-01	4.71E-02	4.49E-07	1.0E+06	4.5E-01
756	5.77853	1.82E-02	1.1E-01	6.05E-04	6.37E-05	1.60E-01	4.71E-02	4.81E-07	1.0E+06	4.8E-01
757	6.14717	1.82E-02	1.1E-01	6.05E-04	6.77E-05	1.60E-01	4.71E-02	5.11E-07	1.0E+06	5.1E-01
758	6.50301	1.82E-02	1.2E-01	6.05E-04	7.16E-05	1.60E-01	4.71E-02	5.41E-07	1.0E+06	5.4E-01
759	6.84378	1.82E-02	1.2E-01	6.05E-04	7.54E-05	1.60E-01	4.71E-02	5.69E-07	1.0E+06	5.7E-01
760	7.16552	1.82E-02	1.3E-01	6.05E-04	7.89E-05	1.60E-01	4.71E-02	5.96E-07	1.0E+06	6.0E-01
761	7.47754	1.82E-02	1.4E-01	6.05E-04	8.24E-05	1.60E-01	4.71E-02	6.22E-07	1.0E+06	6.2E-01
762	7.78847	1.82E-02	1.4E-01	6.05E-04	8.58E-05	1.60E-01	4.71E-02	6.48E-07	1.0E+06	6.5E-01
763	8.10617	1.82E-02	1.5E-01	6.05E-04	8.93E-05	1.60E-01	4.71E-02	6.74E-07	1.0E+06	6.7E-01
764	8.45109	1.82E-02	1.5E-01	6.05E-04	9.31E-05	1.60E-01	4.71E-02	7.03E-07	1.0E+06	7.0E-01
765	8.84143	1.82E-02	1.6E-01	6.05E-04	9.74E-05	1.60E-01	4.71E-02	7.36E-07	1.0E+06	7.4E-01
766	9.30016	1.82E-02	1.7E-01	6.05E-04	1.02E-04	1.60E-01	4.71E-02	7.74E-07	1.0E+06	7.7E-01
767	9.86363	1.82E-02	1.8E-01	6.05E-04	1.09E-04	1.60E-01	4.71E-02	8.21E-07	1.0E+06	8.2E-01
768	10.60034	1.82E-02	1.9E-01	6.05E-04	1.17E-04	1.60E-01	4.71E-02	8.82E-07	1.0E+06	8.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	11.6327	1.82E-02	2.1E-01	6.05E-04	1.28E-04	1.60E-01	4.71E-02	9.68E-07	1.0E+06	9.7E-01
770	11.67069	1.82E-02	2.1E-01	6.05E-04	1.29E-04	1.60E-01	4.71E-02	9.71E-07	1.0E+06	9.7E-01
771	13.07923	1.82E-02	2.4E-01	6.05E-04	1.44E-04	1.60E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00
772	1.02925	1.82E-02	1.9E-02	6.05E-04	1.13E-05	1.60E-01	4.71E-02	8.56E-08	1.0E+06	8.6E-02
773	1.08436	1.82E-02	2.0E-02	6.05E-04	1.19E-05	1.60E-01	4.71E-02	9.02E-08	1.0E+06	9.0E-02
774	1.14225	1.82E-02	2.1E-02	6.05E-04	1.26E-05	1.60E-01	4.71E-02	9.50E-08	1.0E+06	9.5E-02
775	1.20852	1.82E-02	2.2E-02	6.05E-04	1.33E-05	1.60E-01	4.71E-02	1.01E-07	1.0E+06	1.0E-01
776	1.27996	1.82E-02	2.3E-02	6.05E-04	1.41E-05	1.60E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
777	1.3563	1.82E-02	2.5E-02	6.05E-04	1.49E-05	1.60E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
778	1.44523	1.82E-02	2.6E-02	6.05E-04	1.59E-05	1.60E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
779	1.54136	1.82E-02	2.8E-02	6.05E-04	1.70E-05	1.60E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
780	1.65155	1.82E-02	3.0E-02	6.05E-04	1.82E-05	1.60E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
781	1.77467	1.82E-02	3.2E-02	6.05E-04	1.96E-05	1.60E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
782	1.91185	1.82E-02	3.5E-02	6.05E-04	2.11E-05	1.60E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
783	2.06504	1.82E-02	3.8E-02	6.05E-04	2.28E-05	1.60E-01	4.71E-02	1.72E-07	1.0E+06	1.7E-01
784	2.237	1.82E-02	4.1E-02	6.05E-04	2.46E-05	1.60E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
785	2.43235	1.82E-02	4.4E-02	6.05E-04	2.68E-05	1.60E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
786	2.65165	1.82E-02	4.8E-02	6.05E-04	2.92E-05	1.60E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
787	2.90584	1.82E-02	5.3E-02	6.05E-04	3.20E-05	1.60E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
788	3.19686	1.82E-02	5.8E-02	6.05E-04	3.52E-05	1.60E-01	4.71E-02	2.66E-07	1.0E+06	2.7E-01
789	3.5312	1.82E-02	6.4E-02	6.05E-04	3.89E-05	1.60E-01	4.71E-02	2.94E-07	1.0E+06	2.9E-01
790	3.9096	1.82E-02	7.1E-02	6.05E-04	4.31E-05	1.60E-01	4.71E-02	3.25E-07	1.0E+06	3.3E-01
791	4.33625	1.82E-02	7.9E-02	6.05E-04	4.78E-05	1.60E-01	4.71E-02	3.61E-07	1.0E+06	3.6E-01
792	4.8036	1.82E-02	8.7E-02	6.05E-04	5.29E-05	1.60E-01	4.71E-02	4.00E-07	1.0E+06	4.0E-01
793	5.30427	1.82E-02	9.7E-02	6.05E-04	5.84E-05	1.60E-01	4.71E-02	4.41E-07	1.0E+06	4.4E-01
794	5.82251	1.82E-02	1.1E-01	6.05E-04	6.42E-05	1.60E-01	4.71E-02	4.84E-07	1.0E+06	4.8E-01
795	6.34502	1.82E-02	1.2E-01	6.05E-04	6.99E-05	1.60E-01	4.71E-02	5.28E-07	1.0E+06	5.3E-01
796	6.83717	1.82E-02	1.2E-01	6.05E-04	7.53E-05	1.60E-01	4.71E-02	5.69E-07	1.0E+06	5.7E-01
797	7.28166	1.82E-02	1.3E-01	6.05E-04	8.02E-05	1.60E-01	4.71E-02	6.06E-07	1.0E+06	6.1E-01
798	7.70162	1.82E-02	1.4E-01	6.05E-04	8.49E-05	1.60E-01	4.71E-02	6.41E-07	1.0E+06	6.4E-01
799	8.09546	1.82E-02	1.5E-01	6.05E-04	8.92E-05	1.60E-01	4.71E-02	6.74E-07	1.0E+06	6.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	8.45206	1.82E-02	1.5E-01	6.05E-04	9.31E-05	1.60E-01	4.71E-02	7.03E-07	1.0E+06	7.0E-01
801	8.78635	1.82E-02	1.6E-01	6.05E-04	9.68E-05	1.60E-01	4.71E-02	7.31E-07	1.0E+06	7.3E-01
802	9.11543	1.82E-02	1.7E-01	6.05E-04	1.00E-04	1.60E-01	4.71E-02	7.58E-07	1.0E+06	7.6E-01
803	9.44965	1.82E-02	1.7E-01	6.05E-04	1.04E-04	1.60E-01	4.71E-02	7.86E-07	1.0E+06	7.9E-01
804	9.80465	1.82E-02	1.8E-01	6.05E-04	1.08E-04	1.60E-01	4.71E-02	8.16E-07	1.0E+06	8.2E-01
805	10.2011	1.82E-02	1.9E-01	6.05E-04	1.12E-04	1.60E-01	4.71E-02	8.49E-07	1.0E+06	8.5E-01
806	10.66213	1.82E-02	1.9E-01	6.05E-04	1.17E-04	1.60E-01	4.71E-02	8.87E-07	1.0E+06	8.9E-01
807	11.22586	1.82E-02	2.0E-01	6.05E-04	1.24E-04	1.60E-01	4.71E-02	9.34E-07	1.0E+06	9.3E-01
808	11.94731	1.82E-02	2.2E-01	6.05E-04	1.32E-04	1.60E-01	4.71E-02	9.94E-07	1.0E+06	9.9E-01
809	12.95425	1.82E-02	2.4E-01	6.05E-04	1.43E-04	1.60E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
810	14.45888	1.82E-02	2.6E-01	6.05E-04	1.59E-04	1.60E-01	4.71E-02	1.20E-06	1.0E+06	1.2E+00
811	13.11681	1.82E-02	2.4E-01	6.05E-04	1.45E-04	1.60E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00
812	1.03669	1.82E-02	1.9E-02	6.05E-04	1.14E-05	1.60E-01	4.71E-02	8.63E-08	1.0E+06	8.6E-02
813	1.0936	1.82E-02	2.0E-02	6.05E-04	1.20E-05	1.60E-01	4.71E-02	9.10E-08	1.0E+06	9.1E-02
814	1.15589	1.82E-02	2.1E-02	6.05E-04	1.27E-05	1.60E-01	4.71E-02	9.62E-08	1.0E+06	9.6E-02
815	1.22336	1.82E-02	2.2E-02	6.05E-04	1.35E-05	1.60E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
816	1.29722	1.82E-02	2.4E-02	6.05E-04	1.43E-05	1.60E-01	4.71E-02	1.08E-07	1.0E+06	1.1E-01
817	1.38163	1.82E-02	2.5E-02	6.05E-04	1.52E-05	1.60E-01	4.71E-02	1.15E-07	1.0E+06	1.1E-01
818	1.47206	1.82E-02	2.7E-02	6.05E-04	1.62E-05	1.60E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
819	1.57452	1.82E-02	2.9E-02	6.05E-04	1.73E-05	1.60E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
820	1.69202	1.82E-02	3.1E-02	6.05E-04	1.86E-05	1.60E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
821	1.82177	1.82E-02	3.3E-02	6.05E-04	2.01E-05	1.60E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
822	1.97136	1.82E-02	3.6E-02	6.05E-04	2.17E-05	1.60E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01
823	2.14135	1.82E-02	3.9E-02	6.05E-04	2.36E-05	1.60E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
824	2.3352	1.82E-02	4.3E-02	6.05E-04	2.57E-05	1.60E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
825	2.55501	1.82E-02	4.7E-02	6.05E-04	2.82E-05	1.60E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
826	2.80984	1.82E-02	5.1E-02	6.05E-04	3.10E-05	1.60E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
827	3.10338	1.82E-02	5.7E-02	6.05E-04	3.42E-05	1.60E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
828	3.45416	1.82E-02	6.3E-02	6.05E-04	3.81E-05	1.60E-01	4.71E-02	2.87E-07	1.0E+06	2.9E-01
829	3.86115	1.82E-02	7.0E-02	6.05E-04	4.25E-05	1.60E-01	4.71E-02	3.21E-07	1.0E+06	3.2E-01
830	4.33826	1.82E-02	7.9E-02	6.05E-04	4.78E-05	1.60E-01	4.71E-02	3.61E-07	1.0E+06	3.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	4.89242	1.82E-02	8.9E-02	6.05E-04	5.39E-05	1.60E-01	4.71E-02	4.07E-07	1.0E+06	4.1E-01
832	5.52074	1.82E-02	1.0E-01	6.05E-04	6.08E-05	1.60E-01	4.71E-02	4.59E-07	1.0E+06	4.6E-01
833	6.21567	1.82E-02	1.1E-01	6.05E-04	6.85E-05	1.60E-01	4.71E-02	5.17E-07	1.0E+06	5.2E-01
834	6.94997	1.82E-02	1.3E-01	6.05E-04	7.66E-05	1.60E-01	4.71E-02	5.78E-07	1.0E+06	5.8E-01
835	7.67024	1.82E-02	1.4E-01	6.05E-04	8.45E-05	1.60E-01	4.71E-02	6.38E-07	1.0E+06	6.4E-01
836	7.00918	1.82E-02	1.3E-01	6.05E-04	7.72E-05	1.60E-01	4.71E-02	5.83E-07	1.0E+06	5.8E-01
837	8.87486	1.82E-02	1.6E-01	6.05E-04	9.78E-05	1.60E-01	4.71E-02	7.38E-07	1.0E+06	7.4E-01
838	9.37163	1.82E-02	1.7E-01	6.05E-04	1.03E-04	1.60E-01	4.71E-02	7.80E-07	1.0E+06	7.8E-01
839	8.4855	1.82E-02	1.5E-01	6.05E-04	9.35E-05	1.60E-01	4.71E-02	7.06E-07	1.0E+06	7.1E-01
840	8.8128	1.82E-02	1.6E-01	6.05E-04	9.71E-05	1.60E-01	4.71E-02	7.33E-07	1.0E+06	7.3E-01
841	9.22428	1.82E-02	1.7E-01	6.05E-04	1.02E-04	1.60E-01	4.71E-02	7.68E-07	1.0E+06	7.7E-01
842	10.91573	1.82E-02	2.0E-01	6.05E-04	1.20E-04	1.60E-01	4.71E-02	9.08E-07	1.0E+06	9.1E-01
843	9.88144	1.82E-02	1.8E-01	6.05E-04	1.09E-04	1.60E-01	4.71E-02	8.22E-07	1.0E+06	8.2E-01
844	10.18113	1.82E-02	1.9E-01	6.05E-04	1.12E-04	1.60E-01	4.71E-02	8.47E-07	1.0E+06	8.5E-01
845	10.64836	1.82E-02	1.9E-01	6.05E-04	1.17E-04	1.60E-01	4.71E-02	8.86E-07	1.0E+06	8.9E-01
846	12.501	1.82E-02	2.3E-01	6.05E-04	1.38E-04	1.60E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
847	11.57793	1.82E-02	2.1E-01	6.05E-04	1.28E-04	1.60E-01	4.71E-02	9.63E-07	1.0E+06	9.6E-01
848	12.17764	1.82E-02	2.2E-01	6.05E-04	1.34E-04	1.60E-01	4.71E-02	1.01E-06	1.0E+06	1.0E+00
849	13.1966	1.82E-02	2.4E-01	6.05E-04	1.45E-04	1.60E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
850	14.78826	1.82E-02	2.7E-01	6.05E-04	1.63E-04	1.60E-01	4.71E-02	1.23E-06	1.0E+06	1.2E+00
851	13.04213	1.82E-02	2.4E-01	6.05E-04	1.44E-04	1.60E-01	4.71E-02	1.09E-06	1.0E+06	1.1E+00
852	1.04006	1.82E-02	1.9E-02	6.05E-04	1.15E-05	1.60E-01	4.71E-02	8.65E-08	1.0E+06	8.7E-02
853	1.0967	1.82E-02	2.0E-02	6.05E-04	1.21E-05	1.60E-01	4.71E-02	9.13E-08	1.0E+06	9.1E-02
854	1.16099	1.82E-02	2.1E-02	6.05E-04	1.28E-05	1.60E-01	4.71E-02	9.66E-08	1.0E+06	9.7E-02
855	1.23321	1.82E-02	2.2E-02	6.05E-04	1.36E-05	1.60E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
856	1.31079	1.82E-02	2.4E-02	6.05E-04	1.44E-05	1.60E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
857	1.39916	1.82E-02	2.5E-02	6.05E-04	1.54E-05	1.60E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
858	1.4951	1.82E-02	2.7E-02	6.05E-04	1.65E-05	1.60E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
859	1.60529	1.82E-02	2.9E-02	6.05E-04	1.77E-05	1.60E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
860	1.7237	1.82E-02	3.1E-02	6.05E-04	1.90E-05	1.60E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
861	1.86479	1.82E-02	3.4E-02	6.05E-04	2.05E-05	1.60E-01	4.71E-02	1.55E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	2.02351	1.82E-02	3.7E-02	6.05E-04	2.23E-05	1.60E-01	4.71E-02	1.68E-07	1.0E+06	1.7E-01
863	2.2094	1.82E-02	4.0E-02	6.05E-04	2.43E-05	1.60E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
864	2.42481	1.82E-02	4.4E-02	6.05E-04	2.67E-05	1.60E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
865	2.67385	1.82E-02	4.9E-02	6.05E-04	2.95E-05	1.60E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
866	2.96557	1.82E-02	5.4E-02	6.05E-04	3.27E-05	1.60E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
867	3.3135	1.82E-02	6.0E-02	6.05E-04	3.65E-05	1.60E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
868	3.72791	1.82E-02	6.8E-02	6.05E-04	4.11E-05	1.60E-01	4.71E-02	3.10E-07	1.0E+06	3.1E-01
869	4.2296	1.82E-02	7.7E-02	6.05E-04	4.66E-05	1.60E-01	4.71E-02	3.52E-07	1.0E+06	3.5E-01
870	4.83855	1.82E-02	8.8E-02	6.05E-04	5.33E-05	1.60E-01	4.71E-02	4.03E-07	1.0E+06	4.0E-01
871	5.5694	1.82E-02	1.0E-01	6.05E-04	6.14E-05	1.60E-01	4.71E-02	4.63E-07	1.0E+06	4.6E-01
872	6.44468	1.82E-02	1.2E-01	6.05E-04	7.10E-05	1.60E-01	4.71E-02	5.36E-07	1.0E+06	5.4E-01
873	7.45909	1.82E-02	1.4E-01	6.05E-04	8.22E-05	1.60E-01	4.71E-02	6.21E-07	1.0E+06	6.2E-01
874	6.94894	1.82E-02	1.3E-01	6.05E-04	7.66E-05	1.60E-01	4.71E-02	5.78E-07	1.0E+06	5.8E-01
875	7.68023	1.82E-02	1.4E-01	6.05E-04	8.46E-05	1.60E-01	4.71E-02	6.39E-07	1.0E+06	6.4E-01
876	8.4196	1.82E-02	1.5E-01	6.05E-04	9.28E-05	1.60E-01	4.71E-02	7.01E-07	1.0E+06	7.0E-01
877	7.97885	1.82E-02	1.5E-01	6.05E-04	8.79E-05	1.60E-01	4.71E-02	6.64E-07	1.0E+06	6.6E-01
878	8.45898	1.82E-02	1.5E-01	6.05E-04	9.32E-05	1.60E-01	4.71E-02	7.04E-07	1.0E+06	7.0E-01
879	10.1997	1.82E-02	1.9E-01	6.05E-04	1.12E-04	1.60E-01	4.71E-02	8.49E-07	1.0E+06	8.5E-01
880	10.50737	1.82E-02	1.9E-01	6.05E-04	1.16E-04	1.60E-01	4.71E-02	8.74E-07	1.0E+06	8.7E-01
881	9.68613	1.82E-02	1.8E-01	6.05E-04	1.07E-04	1.60E-01	4.71E-02	8.06E-07	1.0E+06	8.1E-01
882	9.93381	1.82E-02	1.8E-01	6.05E-04	1.09E-04	1.60E-01	4.71E-02	8.27E-07	1.0E+06	8.3E-01
883	11.63355	1.82E-02	2.1E-01	6.05E-04	1.28E-04	1.60E-01	4.71E-02	9.68E-07	1.0E+06	9.7E-01
884	11.90785	1.82E-02	2.2E-01	6.05E-04	1.31E-04	1.60E-01	4.71E-02	9.91E-07	1.0E+06	9.9E-01
885	11.12891	1.82E-02	2.0E-01	6.05E-04	1.23E-04	1.60E-01	4.71E-02	9.26E-07	1.0E+06	9.3E-01
886	11.46599	1.82E-02	2.1E-01	6.05E-04	1.26E-04	1.60E-01	4.71E-02	9.54E-07	1.0E+06	9.5E-01
887	13.29454	1.82E-02	2.4E-01	6.05E-04	1.46E-04	1.60E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
888	13.76158	1.82E-02	2.5E-01	6.05E-04	1.52E-04	1.60E-01	4.71E-02	1.15E-06	1.0E+06	1.1E+00
889	13.36807	1.82E-02	2.4E-01	6.05E-04	1.47E-04	1.60E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
890	13.2075	1.82E-02	2.4E-01	6.05E-04	1.46E-04	1.60E-01	4.71E-02	1.10E-06	1.0E+06	1.1E+00
891	15.83237	1.82E-02	2.9E-01	6.05E-04	1.74E-04	1.60E-01	4.71E-02	1.32E-06	1.0E+06	1.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
521	5	1.38E-02
522	5	1.45E-02
523	5	1.53E-02
524	5	1.61E-02
525	5	1.71E-02
526	5	1.83E-02
527	5	1.97E-02
528	5	2.14E-02
529	5	2.37E-02
530	5	2.69E-02
531	5	2.46E-02
532	5	3.39E-03
533	5	3.53E-03
534	5	3.69E-03
535	5	3.86E-03
536	5	4.04E-03
537	5	4.24E-03
538	5	4.45E-03
539	5	4.68E-03
540	5	4.92E-03
541	5	5.18E-03
542	5	5.46E-03
543	5	5.77E-03
544	5	6.09E-03
545	5	6.44E-03
546	5	6.81E-03
547	5	7.20E-03
548	5	7.63E-03
549	5	8.08E-03
550	5	8.56E-03
551	5	9.06E-03

Max	Receptor #	
0.058	891	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
552	5	9.57E-03
553	5	1.01E-02
554	5	1.07E-02
555	5	1.12E-02
556	5	1.18E-02
557	5	1.24E-02
558	5	1.31E-02
559	5	1.37E-02
560	5	1.44E-02
561	5	1.51E-02
562	5	1.59E-02
563	5	1.67E-02
564	5	1.77E-02
565	5	1.88E-02
566	5	2.01E-02
567	5	2.16E-02
568	5	2.37E-02
569	5	2.64E-02
570	5	2.51E-02
571	5	2.79E-02
572	5	3.46E-03
573	5	3.62E-03
574	5	3.79E-03
575	5	3.96E-03
576	5	4.16E-03
577	5	4.37E-03
578	5	4.60E-03
579	5	4.85E-03
580	5	5.11E-03
581	5	5.40E-03
582	5	5.71E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
583	5	6.04E-03
584	5	6.40E-03
585	5	6.79E-03
586	5	7.21E-03
587	5	7.66E-03
588	5	8.14E-03
589	5	8.66E-03
590	5	9.21E-03
591	5	9.79E-03
592	5	1.04E-02
593	5	1.10E-02
594	5	1.17E-02
595	5	1.23E-02
596	5	1.30E-02
597	5	1.37E-02
598	5	1.44E-02
599	5	1.52E-02
600	5	1.59E-02
601	5	1.67E-02
602	5	1.75E-02
603	5	1.84E-02
604	5	1.95E-02
605	5	2.07E-02
606	5	2.21E-02
607	5	2.38E-02
608	5	2.61E-02
609	5	2.92E-02
610	5	2.82E-02
611	5	3.17E-02
612	5	3.53E-03
613	5	3.70E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
614	5	3.88E-03
615	5	4.07E-03
616	5	4.28E-03
617	5	4.50E-03
618	5	4.75E-03
619	5	5.01E-03
620	5	5.30E-03
621	5	5.62E-03
622	5	5.96E-03
623	5	6.33E-03
624	5	6.73E-03
625	5	7.16E-03
626	5	7.64E-03
627	5	8.16E-03
628	5	8.71E-03
629	5	9.30E-03
630	5	9.94E-03
631	5	1.06E-02
632	5	1.13E-02
633	5	1.21E-02
634	5	1.28E-02
635	5	1.36E-02
636	5	1.44E-02
637	5	1.52E-02
638	5	1.60E-02
639	5	1.68E-02
640	5	1.77E-02
641	5	1.86E-02
642	5	1.95E-02
643	5	2.05E-02
644	5	2.16E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
645	5	2.28E-02
646	5	2.43E-02
647	5	2.62E-02
648	5	2.87E-02
649	5	3.21E-02
650	5	3.18E-02
651	5	3.13E-02
652	5	3.59E-03
653	5	3.77E-03
654	5	3.97E-03
655	5	4.17E-03
656	5	4.40E-03
657	5	4.64E-03
658	5	4.90E-03
659	5	5.19E-03
660	5	5.49E-03
661	5	5.84E-03
662	5	6.21E-03
663	5	6.62E-03
664	5	7.07E-03
665	5	7.57E-03
666	5	8.11E-03
667	5	8.69E-03
668	5	9.34E-03
669	5	1.00E-02
670	5	1.08E-02
671	5	1.16E-02
672	5	1.25E-02
673	5	1.34E-02
674	5	1.43E-02
675	5	1.52E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
676	5	1.61E-02
677	5	1.70E-02
678	5	1.80E-02
679	5	1.89E-02
680	5	1.99E-02
681	5	2.08E-02
682	5	2.18E-02
683	5	2.28E-02
684	5	2.40E-02
685	5	2.53E-02
686	5	2.69E-02
687	5	2.89E-02
688	5	3.15E-02
689	5	3.51E-02
690	5	4.05E-02
691	5	3.47E-02
692	5	3.65E-03
693	5	3.84E-03
694	5	4.03E-03
695	5	4.25E-03
696	5	4.49E-03
697	5	4.75E-03
698	5	5.03E-03
699	5	5.34E-03
700	5	5.68E-03
701	5	6.05E-03
702	5	6.47E-03
703	5	6.92E-03
704	5	7.43E-03
705	5	7.99E-03
706	5	8.60E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
707	5	9.28E-03
708	5	1.00E-02
709	5	1.09E-02
710	5	1.18E-02
711	5	1.28E-02
712	5	1.38E-02
713	5	1.49E-02
714	5	1.60E-02
715	5	1.71E-02
716	5	1.83E-02
717	5	1.94E-02
718	5	2.05E-02
719	5	2.15E-02
720	5	2.26E-02
721	5	2.36E-02
722	5	2.47E-02
723	5	2.58E-02
724	5	2.70E-02
725	5	2.84E-02
726	5	3.00E-02
727	5	3.21E-02
728	5	3.47E-02
729	5	3.85E-02
730	5	3.89E-02
731	5	4.42E-02
732	5	3.71E-03
733	5	3.90E-03
734	5	4.10E-03
735	5	4.32E-03
736	5	4.58E-03
737	5	4.84E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
738	5	5.15E-03
739	5	5.48E-03
740	5	5.86E-03
741	5	6.27E-03
742	5	6.72E-03
743	5	7.22E-03
744	5	7.79E-03
745	5	8.41E-03
746	5	9.11E-03
747	5	9.90E-03
748	5	1.08E-02
749	5	1.18E-02
750	5	1.29E-02
751	5	1.41E-02
752	5	1.54E-02
753	5	1.68E-02
754	5	1.83E-02
755	5	1.97E-02
756	5	2.10E-02
757	5	2.24E-02
758	5	2.37E-02
759	5	2.49E-02
760	5	2.61E-02
761	5	2.72E-02
762	5	2.84E-02
763	5	2.95E-02
764	5	3.08E-02
765	5	3.22E-02
766	5	3.39E-02
767	5	3.59E-02
768	5	3.86E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
769	5	4.24E-02
770	5	4.25E-02
771	5	4.76E-02
772	5	3.75E-03
773	5	3.95E-03
774	5	4.16E-03
775	5	4.40E-03
776	5	4.66E-03
777	5	4.94E-03
778	5	5.26E-03
779	5	5.61E-03
780	5	6.01E-03
781	5	6.46E-03
782	5	6.96E-03
783	5	7.52E-03
784	5	8.15E-03
785	5	8.86E-03
786	5	9.66E-03
787	5	1.06E-02
788	5	1.16E-02
789	5	1.29E-02
790	5	1.42E-02
791	5	1.58E-02
792	5	1.75E-02
793	5	1.93E-02
794	5	2.12E-02
795	5	2.31E-02
796	5	2.49E-02
797	5	2.65E-02
798	5	2.80E-02
799	5	2.95E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
800	5	3.08E-02
801	5	3.20E-02
802	5	3.32E-02
803	5	3.44E-02
804	5	3.57E-02
805	5	3.72E-02
806	5	3.88E-02
807	5	4.09E-02
808	5	4.35E-02
809	5	4.72E-02
810	5	5.27E-02
811	5	4.78E-02
812	5	3.78E-03
813	5	3.98E-03
814	5	4.21E-03
815	5	4.46E-03
816	5	4.72E-03
817	5	5.03E-03
818	5	5.36E-03
819	5	5.73E-03
820	5	6.16E-03
821	5	6.63E-03
822	5	7.18E-03
823	5	7.80E-03
824	5	8.50E-03
825	5	9.30E-03
826	5	1.02E-02
827	5	1.13E-02
828	5	1.26E-02
829	5	1.41E-02
830	5	1.58E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
831	5	1.78E-02
832	5	2.01E-02
833	5	2.26E-02
834	5	2.53E-02
835	5	2.79E-02
836	5	2.55E-02
837	5	3.23E-02
838	5	3.41E-02
839	5	3.09E-02
840	5	3.21E-02
841	5	3.36E-02
842	5	3.98E-02
843	5	3.60E-02
844	5	3.71E-02
845	5	3.88E-02
846	5	4.55E-02
847	5	4.22E-02
848	5	4.43E-02
849	5	4.81E-02
850	5	5.39E-02
851	5	4.75E-02
852	5	3.79E-03
853	5	3.99E-03
854	5	4.23E-03
855	5	4.49E-03
856	5	4.77E-03
857	5	5.10E-03
858	5	5.44E-03
859	5	5.85E-03
860	5	6.28E-03
861	5	6.79E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
862	5	7.37E-03
863	5	8.05E-03
864	5	8.83E-03
865	5	9.74E-03
866	5	1.08E-02
867	5	1.21E-02
868	5	1.36E-02
869	5	1.54E-02
870	5	1.76E-02
871	5	2.03E-02
872	5	2.35E-02
873	5	2.72E-02
874	5	2.53E-02
875	5	2.80E-02
876	5	3.07E-02
877	5	2.91E-02
878	5	3.08E-02
879	5	3.71E-02
880	5	3.83E-02
881	5	3.53E-02
882	5	3.62E-02
883	5	4.24E-02
884	5	4.34E-02
885	5	4.05E-02
886	5	4.18E-02
887	5	4.84E-02
888	5	5.01E-02
889	5	4.87E-02
890	5	4.81E-02
891	5	5.77E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	3.78705	4.85E-03	1.8E-02	6.05E-04	1.11E-05	1.84E+00	4.71E-02	9.64E-07	1.0E+06	9.6E-01
522	3.98002	4.85E-03	1.9E-02	6.05E-04	1.17E-05	1.84E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
523	4.19123	4.85E-03	2.0E-02	6.05E-04	1.23E-05	1.84E+00	4.71E-02	1.07E-06	1.0E+06	1.1E+00
524	4.42658	4.85E-03	2.1E-02	6.05E-04	1.30E-05	1.84E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
525	4.69569	4.85E-03	2.3E-02	6.05E-04	1.38E-05	1.84E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
526	5.0118	4.85E-03	2.4E-02	6.05E-04	1.47E-05	1.84E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
527	5.39601	4.85E-03	2.6E-02	6.05E-04	1.58E-05	1.84E+00	4.71E-02	1.37E-06	1.0E+06	1.4E+00
528	5.88037	4.85E-03	2.8E-02	6.05E-04	1.72E-05	1.84E+00	4.71E-02	1.50E-06	1.0E+06	1.5E+00
529	6.51459	4.85E-03	3.2E-02	6.05E-04	1.91E-05	1.84E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
530	7.38205	4.85E-03	3.6E-02	6.05E-04	2.16E-05	1.84E+00	4.71E-02	1.88E-06	1.0E+06	1.9E+00
531	6.74782	4.85E-03	3.3E-02	6.05E-04	1.98E-05	1.84E+00	4.71E-02	1.72E-06	1.0E+06	1.7E+00
532	0.93027	4.85E-03	4.5E-03	6.05E-04	2.73E-06	1.84E+00	4.71E-02	2.37E-07	1.0E+06	2.4E-01
533	0.96978	4.85E-03	4.7E-03	6.05E-04	2.84E-06	1.84E+00	4.71E-02	2.47E-07	1.0E+06	2.5E-01
534	1.01278	4.85E-03	4.9E-03	6.05E-04	2.97E-06	1.84E+00	4.71E-02	2.58E-07	1.0E+06	2.6E-01
535	1.06038	4.85E-03	5.1E-03	6.05E-04	3.11E-06	1.84E+00	4.71E-02	2.70E-07	1.0E+06	2.7E-01
536	1.1101	4.85E-03	5.4E-03	6.05E-04	3.25E-06	1.84E+00	4.71E-02	2.83E-07	1.0E+06	2.8E-01
537	1.16468	4.85E-03	5.6E-03	6.05E-04	3.41E-06	1.84E+00	4.71E-02	2.97E-07	1.0E+06	3.0E-01
538	1.22313	4.85E-03	5.9E-03	6.05E-04	3.59E-06	1.84E+00	4.71E-02	3.11E-07	1.0E+06	3.1E-01
539	1.28577	4.85E-03	6.2E-03	6.05E-04	3.77E-06	1.84E+00	4.71E-02	3.27E-07	1.0E+06	3.3E-01
540	1.351	4.85E-03	6.5E-03	6.05E-04	3.96E-06	1.84E+00	4.71E-02	3.44E-07	1.0E+06	3.4E-01
541	1.42319	4.85E-03	6.9E-03	6.05E-04	4.17E-06	1.84E+00	4.71E-02	3.62E-07	1.0E+06	3.6E-01
542	1.49972	4.85E-03	7.3E-03	6.05E-04	4.40E-06	1.84E+00	4.71E-02	3.82E-07	1.0E+06	3.8E-01
543	1.58309	4.85E-03	7.7E-03	6.05E-04	4.64E-06	1.84E+00	4.71E-02	4.03E-07	1.0E+06	4.0E-01
544	1.67236	4.85E-03	8.1E-03	6.05E-04	4.90E-06	1.84E+00	4.71E-02	4.26E-07	1.0E+06	4.3E-01
545	1.76804	4.85E-03	8.6E-03	6.05E-04	5.18E-06	1.84E+00	4.71E-02	4.50E-07	1.0E+06	4.5E-01
546	1.86904	4.85E-03	9.1E-03	6.05E-04	5.48E-06	1.84E+00	4.71E-02	4.76E-07	1.0E+06	4.8E-01
547	1.97826	4.85E-03	9.6E-03	6.05E-04	5.80E-06	1.84E+00	4.71E-02	5.04E-07	1.0E+06	5.0E-01
548	2.0954	4.85E-03	1.0E-02	6.05E-04	6.14E-06	1.84E+00	4.71E-02	5.34E-07	1.0E+06	5.3E-01
549	2.21996	4.85E-03	1.1E-02	6.05E-04	6.51E-06	1.84E+00	4.71E-02	5.65E-07	1.0E+06	5.7E-01
550	2.35145	4.85E-03	1.1E-02	6.05E-04	6.89E-06	1.84E+00	4.71E-02	5.99E-07	1.0E+06	6.0E-01
551	2.48766	4.85E-03	1.2E-02	6.05E-04	7.29E-06	1.84E+00	4.71E-02	6.33E-07	1.0E+06	6.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	2.62766	4.85E-03	1.3E-02	6.05E-04	7.70E-06	1.84E+00	4.71E-02	6.69E-07	1.0E+06	6.7E-01
553	2.77415	4.85E-03	1.3E-02	6.05E-04	8.13E-06	1.84E+00	4.71E-02	7.06E-07	1.0E+06	7.1E-01
554	2.93064	4.85E-03	1.4E-02	6.05E-04	8.59E-06	1.84E+00	4.71E-02	7.46E-07	1.0E+06	7.5E-01
555	3.08826	4.85E-03	1.5E-02	6.05E-04	9.06E-06	1.84E+00	4.71E-02	7.86E-07	1.0E+06	7.9E-01
556	3.2538	4.85E-03	1.6E-02	6.05E-04	9.54E-06	1.84E+00	4.71E-02	8.29E-07	1.0E+06	8.3E-01
557	3.4177	4.85E-03	1.7E-02	6.05E-04	1.00E-05	1.84E+00	4.71E-02	8.70E-07	1.0E+06	8.7E-01
558	3.59312	4.85E-03	1.7E-02	6.05E-04	1.05E-05	1.84E+00	4.71E-02	9.15E-07	1.0E+06	9.1E-01
559	3.77408	4.85E-03	1.8E-02	6.05E-04	1.11E-05	1.84E+00	4.71E-02	9.61E-07	1.0E+06	9.6E-01
560	3.96225	4.85E-03	1.9E-02	6.05E-04	1.16E-05	1.84E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
561	4.1554	4.85E-03	2.0E-02	6.05E-04	1.22E-05	1.84E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
562	4.36579	4.85E-03	2.1E-02	6.05E-04	1.28E-05	1.84E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
563	4.59784	4.85E-03	2.2E-02	6.05E-04	1.35E-05	1.84E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
564	4.85729	4.85E-03	2.4E-02	6.05E-04	1.42E-05	1.84E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
565	5.15518	4.85E-03	2.5E-02	6.05E-04	1.51E-05	1.84E+00	4.71E-02	1.31E-06	1.0E+06	1.3E+00
566	5.50777	4.85E-03	2.7E-02	6.05E-04	1.61E-05	1.84E+00	4.71E-02	1.40E-06	1.0E+06	1.4E+00
567	5.94143	4.85E-03	2.9E-02	6.05E-04	1.74E-05	1.84E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00
568	6.5005	4.85E-03	3.2E-02	6.05E-04	1.91E-05	1.84E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
569	7.25568	4.85E-03	3.5E-02	6.05E-04	2.13E-05	1.84E+00	4.71E-02	1.85E-06	1.0E+06	1.8E+00
570	6.89422	4.85E-03	3.3E-02	6.05E-04	2.02E-05	1.84E+00	4.71E-02	1.76E-06	1.0E+06	1.8E+00
571	7.65909	4.85E-03	3.7E-02	6.05E-04	2.25E-05	1.84E+00	4.71E-02	1.95E-06	1.0E+06	2.0E+00
572	0.95124	4.85E-03	4.6E-03	6.05E-04	2.79E-06	1.84E+00	4.71E-02	2.42E-07	1.0E+06	2.4E-01
573	0.99426	4.85E-03	4.8E-03	6.05E-04	2.92E-06	1.84E+00	4.71E-02	2.53E-07	1.0E+06	2.5E-01
574	1.03932	4.85E-03	5.0E-03	6.05E-04	3.05E-06	1.84E+00	4.71E-02	2.65E-07	1.0E+06	2.6E-01
575	1.08844	4.85E-03	5.3E-03	6.05E-04	3.19E-06	1.84E+00	4.71E-02	2.77E-07	1.0E+06	2.8E-01
576	1.14295	4.85E-03	5.5E-03	6.05E-04	3.35E-06	1.84E+00	4.71E-02	2.91E-07	1.0E+06	2.9E-01
577	1.20012	4.85E-03	5.8E-03	6.05E-04	3.52E-06	1.84E+00	4.71E-02	3.06E-07	1.0E+06	3.1E-01
578	1.26301	4.85E-03	6.1E-03	6.05E-04	3.70E-06	1.84E+00	4.71E-02	3.22E-07	1.0E+06	3.2E-01
579	1.33076	4.85E-03	6.4E-03	6.05E-04	3.90E-06	1.84E+00	4.71E-02	3.39E-07	1.0E+06	3.4E-01
580	1.4043	4.85E-03	6.8E-03	6.05E-04	4.12E-06	1.84E+00	4.71E-02	3.58E-07	1.0E+06	3.6E-01
581	1.48184	4.85E-03	7.2E-03	6.05E-04	4.34E-06	1.84E+00	4.71E-02	3.77E-07	1.0E+06	3.8E-01
582	1.56657	4.85E-03	7.6E-03	6.05E-04	4.59E-06	1.84E+00	4.71E-02	3.99E-07	1.0E+06	4.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	1.65761	4.85E-03	8.0E-03	6.05E-04	4.86E-06	1.84E+00	4.71E-02	4.22E-07	1.0E+06	4.2E-01
584	1.75716	4.85E-03	8.5E-03	6.05E-04	5.15E-06	1.84E+00	4.71E-02	4.47E-07	1.0E+06	4.5E-01
585	1.86436	4.85E-03	9.0E-03	6.05E-04	5.47E-06	1.84E+00	4.71E-02	4.75E-07	1.0E+06	4.7E-01
586	1.97976	4.85E-03	9.6E-03	6.05E-04	5.80E-06	1.84E+00	4.71E-02	5.04E-07	1.0E+06	5.0E-01
587	2.10217	4.85E-03	1.0E-02	6.05E-04	6.16E-06	1.84E+00	4.71E-02	5.35E-07	1.0E+06	5.4E-01
588	2.23485	4.85E-03	1.1E-02	6.05E-04	6.55E-06	1.84E+00	4.71E-02	5.69E-07	1.0E+06	5.7E-01
589	2.37739	4.85E-03	1.2E-02	6.05E-04	6.97E-06	1.84E+00	4.71E-02	6.05E-07	1.0E+06	6.1E-01
590	2.52912	4.85E-03	1.2E-02	6.05E-04	7.42E-06	1.84E+00	4.71E-02	6.44E-07	1.0E+06	6.4E-01
591	2.68914	4.85E-03	1.3E-02	6.05E-04	7.88E-06	1.84E+00	4.71E-02	6.85E-07	1.0E+06	6.8E-01
592	2.8524	4.85E-03	1.4E-02	6.05E-04	8.36E-06	1.84E+00	4.71E-02	7.26E-07	1.0E+06	7.3E-01
593	3.02416	4.85E-03	1.5E-02	6.05E-04	8.87E-06	1.84E+00	4.71E-02	7.70E-07	1.0E+06	7.7E-01
594	3.20028	4.85E-03	1.6E-02	6.05E-04	9.38E-06	1.84E+00	4.71E-02	8.15E-07	1.0E+06	8.1E-01
595	3.38426	4.85E-03	1.6E-02	6.05E-04	9.92E-06	1.84E+00	4.71E-02	8.62E-07	1.0E+06	8.6E-01
596	3.57198	4.85E-03	1.7E-02	6.05E-04	1.05E-05	1.84E+00	4.71E-02	9.10E-07	1.0E+06	9.1E-01
597	3.76299	4.85E-03	1.8E-02	6.05E-04	1.10E-05	1.84E+00	4.71E-02	9.58E-07	1.0E+06	9.6E-01
598	3.95852	4.85E-03	1.9E-02	6.05E-04	1.16E-05	1.84E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
599	4.16139	4.85E-03	2.0E-02	6.05E-04	1.22E-05	1.84E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
600	4.37026	4.85E-03	2.1E-02	6.05E-04	1.28E-05	1.84E+00	4.71E-02	1.11E-06	1.0E+06	1.1E+00
601	4.58686	4.85E-03	2.2E-02	6.05E-04	1.34E-05	1.84E+00	4.71E-02	1.17E-06	1.0E+06	1.2E+00
602	4.81537	4.85E-03	2.3E-02	6.05E-04	1.41E-05	1.84E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
603	5.06605	4.85E-03	2.5E-02	6.05E-04	1.49E-05	1.84E+00	4.71E-02	1.29E-06	1.0E+06	1.3E+00
604	5.3484	4.85E-03	2.6E-02	6.05E-04	1.57E-05	1.84E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
605	5.67273	4.85E-03	2.7E-02	6.05E-04	1.66E-05	1.84E+00	4.71E-02	1.44E-06	1.0E+06	1.4E+00
606	6.05791	4.85E-03	2.9E-02	6.05E-04	1.78E-05	1.84E+00	4.71E-02	1.54E-06	1.0E+06	1.5E+00
607	6.53577	4.85E-03	3.2E-02	6.05E-04	1.92E-05	1.84E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
608	7.16009	4.85E-03	3.5E-02	6.05E-04	2.10E-05	1.84E+00	4.71E-02	1.82E-06	1.0E+06	1.8E+00
609	8.02143	4.85E-03	3.9E-02	6.05E-04	2.35E-05	1.84E+00	4.71E-02	2.04E-06	1.0E+06	2.0E+00
610	7.75427	4.85E-03	3.8E-02	6.05E-04	2.27E-05	1.84E+00	4.71E-02	1.97E-06	1.0E+06	2.0E+00
611	8.71533	4.85E-03	4.2E-02	6.05E-04	2.56E-05	1.84E+00	4.71E-02	2.22E-06	1.0E+06	2.2E+00
612	0.97015	4.85E-03	4.7E-03	6.05E-04	2.84E-06	1.84E+00	4.71E-02	2.47E-07	1.0E+06	2.5E-01
613	1.01681	4.85E-03	4.9E-03	6.05E-04	2.98E-06	1.84E+00	4.71E-02	2.59E-07	1.0E+06	2.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.06505	4.85E-03	5.2E-03	6.05E-04	3.12E-06	1.84E+00	4.71E-02	2.71E-07	1.0E+06	2.7E-01
615	1.11742	4.85E-03	5.4E-03	6.05E-04	3.28E-06	1.84E+00	4.71E-02	2.85E-07	1.0E+06	2.8E-01
616	1.17391	4.85E-03	5.7E-03	6.05E-04	3.44E-06	1.84E+00	4.71E-02	2.99E-07	1.0E+06	3.0E-01
617	1.23655	4.85E-03	6.0E-03	6.05E-04	3.63E-06	1.84E+00	4.71E-02	3.15E-07	1.0E+06	3.1E-01
618	1.30392	4.85E-03	6.3E-03	6.05E-04	3.82E-06	1.84E+00	4.71E-02	3.32E-07	1.0E+06	3.3E-01
619	1.3768	4.85E-03	6.7E-03	6.05E-04	4.04E-06	1.84E+00	4.71E-02	3.51E-07	1.0E+06	3.5E-01
620	1.45561	4.85E-03	7.1E-03	6.05E-04	4.27E-06	1.84E+00	4.71E-02	3.71E-07	1.0E+06	3.7E-01
621	1.54273	4.85E-03	7.5E-03	6.05E-04	4.52E-06	1.84E+00	4.71E-02	3.93E-07	1.0E+06	3.9E-01
622	1.63528	4.85E-03	7.9E-03	6.05E-04	4.79E-06	1.84E+00	4.71E-02	4.16E-07	1.0E+06	4.2E-01
623	1.73684	4.85E-03	8.4E-03	6.05E-04	5.09E-06	1.84E+00	4.71E-02	4.42E-07	1.0E+06	4.4E-01
624	1.84661	4.85E-03	8.9E-03	6.05E-04	5.41E-06	1.84E+00	4.71E-02	4.70E-07	1.0E+06	4.7E-01
625	1.96726	4.85E-03	9.5E-03	6.05E-04	5.77E-06	1.84E+00	4.71E-02	5.01E-07	1.0E+06	5.0E-01
626	2.09799	4.85E-03	1.0E-02	6.05E-04	6.15E-06	1.84E+00	4.71E-02	5.34E-07	1.0E+06	5.3E-01
627	2.23948	4.85E-03	1.1E-02	6.05E-04	6.57E-06	1.84E+00	4.71E-02	5.70E-07	1.0E+06	5.7E-01
628	2.39048	4.85E-03	1.2E-02	6.05E-04	7.01E-06	1.84E+00	4.71E-02	6.09E-07	1.0E+06	6.1E-01
629	2.5543	4.85E-03	1.2E-02	6.05E-04	7.49E-06	1.84E+00	4.71E-02	6.50E-07	1.0E+06	6.5E-01
630	2.7307	4.85E-03	1.3E-02	6.05E-04	8.01E-06	1.84E+00	4.71E-02	6.95E-07	1.0E+06	7.0E-01
631	2.91838	4.85E-03	1.4E-02	6.05E-04	8.56E-06	1.84E+00	4.71E-02	7.43E-07	1.0E+06	7.4E-01
632	3.11585	4.85E-03	1.5E-02	6.05E-04	9.14E-06	1.84E+00	4.71E-02	7.93E-07	1.0E+06	7.9E-01
633	3.31534	4.85E-03	1.6E-02	6.05E-04	9.72E-06	1.84E+00	4.71E-02	8.44E-07	1.0E+06	8.4E-01
634	3.52238	4.85E-03	1.7E-02	6.05E-04	1.03E-05	1.84E+00	4.71E-02	8.97E-07	1.0E+06	9.0E-01
635	3.73748	4.85E-03	1.8E-02	6.05E-04	1.10E-05	1.84E+00	4.71E-02	9.52E-07	1.0E+06	9.5E-01
636	3.95438	4.85E-03	1.9E-02	6.05E-04	1.16E-05	1.84E+00	4.71E-02	1.01E-06	1.0E+06	1.0E+00
637	4.17707	4.85E-03	2.0E-02	6.05E-04	1.22E-05	1.84E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00
638	4.39911	4.85E-03	2.1E-02	6.05E-04	1.29E-05	1.84E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
639	4.62579	4.85E-03	2.2E-02	6.05E-04	1.36E-05	1.84E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
640	4.85837	4.85E-03	2.4E-02	6.05E-04	1.42E-05	1.84E+00	4.71E-02	1.24E-06	1.0E+06	1.2E+00
641	5.09787	4.85E-03	2.5E-02	6.05E-04	1.49E-05	1.84E+00	4.71E-02	1.30E-06	1.0E+06	1.3E+00
642	5.34787	4.85E-03	2.6E-02	6.05E-04	1.57E-05	1.84E+00	4.71E-02	1.36E-06	1.0E+06	1.4E+00
643	5.61534	4.85E-03	2.7E-02	6.05E-04	1.65E-05	1.84E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
644	5.91812	4.85E-03	2.9E-02	6.05E-04	1.74E-05	1.84E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	6.26506	4.85E-03	3.0E-02	6.05E-04	1.84E-05	1.84E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
646	6.67801	4.85E-03	3.2E-02	6.05E-04	1.96E-05	1.84E+00	4.71E-02	1.70E-06	1.0E+06	1.7E+00
647	7.19184	4.85E-03	3.5E-02	6.05E-04	2.11E-05	1.84E+00	4.71E-02	1.83E-06	1.0E+06	1.8E+00
648	7.86868	4.85E-03	3.8E-02	6.05E-04	2.31E-05	1.84E+00	4.71E-02	2.00E-06	1.0E+06	2.0E+00
649	8.81808	4.85E-03	4.3E-02	6.05E-04	2.59E-05	1.84E+00	4.71E-02	2.25E-06	1.0E+06	2.2E+00
650	8.7285	4.85E-03	4.2E-02	6.05E-04	2.56E-05	1.84E+00	4.71E-02	2.22E-06	1.0E+06	2.2E+00
651	8.5841	4.85E-03	4.2E-02	6.05E-04	2.52E-05	1.84E+00	4.71E-02	2.19E-06	1.0E+06	2.2E+00
652	0.98641	4.85E-03	4.8E-03	6.05E-04	2.89E-06	1.84E+00	4.71E-02	2.51E-07	1.0E+06	2.5E-01
653	1.03595	4.85E-03	5.0E-03	6.05E-04	3.04E-06	1.84E+00	4.71E-02	2.64E-07	1.0E+06	2.6E-01
654	1.08913	4.85E-03	5.3E-03	6.05E-04	3.19E-06	1.84E+00	4.71E-02	2.77E-07	1.0E+06	2.8E-01
655	1.14603	4.85E-03	5.6E-03	6.05E-04	3.36E-06	1.84E+00	4.71E-02	2.92E-07	1.0E+06	2.9E-01
656	1.20762	4.85E-03	5.9E-03	6.05E-04	3.54E-06	1.84E+00	4.71E-02	3.08E-07	1.0E+06	3.1E-01
657	1.27327	4.85E-03	6.2E-03	6.05E-04	3.73E-06	1.84E+00	4.71E-02	3.24E-07	1.0E+06	3.2E-01
658	1.3454	4.85E-03	6.5E-03	6.05E-04	3.94E-06	1.84E+00	4.71E-02	3.43E-07	1.0E+06	3.4E-01
659	1.42391	4.85E-03	6.9E-03	6.05E-04	4.18E-06	1.84E+00	4.71E-02	3.63E-07	1.0E+06	3.6E-01
660	1.50718	4.85E-03	7.3E-03	6.05E-04	4.42E-06	1.84E+00	4.71E-02	3.84E-07	1.0E+06	3.8E-01
661	1.60269	4.85E-03	7.8E-03	6.05E-04	4.70E-06	1.84E+00	4.71E-02	4.08E-07	1.0E+06	4.1E-01
662	1.70561	4.85E-03	8.3E-03	6.05E-04	5.00E-06	1.84E+00	4.71E-02	4.34E-07	1.0E+06	4.3E-01
663	1.81769	4.85E-03	8.8E-03	6.05E-04	5.33E-06	1.84E+00	4.71E-02	4.63E-07	1.0E+06	4.6E-01
664	1.94162	4.85E-03	9.4E-03	6.05E-04	5.69E-06	1.84E+00	4.71E-02	4.94E-07	1.0E+06	4.9E-01
665	2.07746	4.85E-03	1.0E-02	6.05E-04	6.09E-06	1.84E+00	4.71E-02	5.29E-07	1.0E+06	5.3E-01
666	2.22636	4.85E-03	1.1E-02	6.05E-04	6.53E-06	1.84E+00	4.71E-02	5.67E-07	1.0E+06	5.7E-01
667	2.38748	4.85E-03	1.2E-02	6.05E-04	7.00E-06	1.84E+00	4.71E-02	6.08E-07	1.0E+06	6.1E-01
668	2.56495	4.85E-03	1.2E-02	6.05E-04	7.52E-06	1.84E+00	4.71E-02	6.53E-07	1.0E+06	6.5E-01
669	2.75724	4.85E-03	1.3E-02	6.05E-04	8.08E-06	1.84E+00	4.71E-02	7.02E-07	1.0E+06	7.0E-01
670	2.96466	4.85E-03	1.4E-02	6.05E-04	8.69E-06	1.84E+00	4.71E-02	7.55E-07	1.0E+06	7.5E-01
671	3.18475	4.85E-03	1.5E-02	6.05E-04	9.34E-06	1.84E+00	4.71E-02	8.11E-07	1.0E+06	8.1E-01
672	3.42107	4.85E-03	1.7E-02	6.05E-04	1.00E-05	1.84E+00	4.71E-02	8.71E-07	1.0E+06	8.7E-01
673	3.66803	4.85E-03	1.8E-02	6.05E-04	1.08E-05	1.84E+00	4.71E-02	9.34E-07	1.0E+06	9.3E-01
674	3.91407	4.85E-03	1.9E-02	6.05E-04	1.15E-05	1.84E+00	4.71E-02	9.97E-07	1.0E+06	1.0E+00
675	4.16591	4.85E-03	2.0E-02	6.05E-04	1.22E-05	1.84E+00	4.71E-02	1.06E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	4.42659	4.85E-03	2.1E-02	6.05E-04	1.30E-05	1.84E+00	4.71E-02	1.13E-06	1.0E+06	1.1E+00
677	4.68113	4.85E-03	2.3E-02	6.05E-04	1.37E-05	1.84E+00	4.71E-02	1.19E-06	1.0E+06	1.2E+00
678	4.93847	4.85E-03	2.4E-02	6.05E-04	1.45E-05	1.84E+00	4.71E-02	1.26E-06	1.0E+06	1.3E+00
679	5.196	4.85E-03	2.5E-02	6.05E-04	1.52E-05	1.84E+00	4.71E-02	1.32E-06	1.0E+06	1.3E+00
680	5.45491	4.85E-03	2.6E-02	6.05E-04	1.60E-05	1.84E+00	4.71E-02	1.39E-06	1.0E+06	1.4E+00
681	5.71731	4.85E-03	2.8E-02	6.05E-04	1.68E-05	1.84E+00	4.71E-02	1.46E-06	1.0E+06	1.5E+00
682	5.98857	4.85E-03	2.9E-02	6.05E-04	1.76E-05	1.84E+00	4.71E-02	1.52E-06	1.0E+06	1.5E+00
683	6.27422	4.85E-03	3.0E-02	6.05E-04	1.84E-05	1.84E+00	4.71E-02	1.60E-06	1.0E+06	1.6E+00
684	6.59387	4.85E-03	3.2E-02	6.05E-04	1.93E-05	1.84E+00	4.71E-02	1.68E-06	1.0E+06	1.7E+00
685	6.95909	4.85E-03	3.4E-02	6.05E-04	2.04E-05	1.84E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
686	7.39375	4.85E-03	3.6E-02	6.05E-04	2.17E-05	1.84E+00	4.71E-02	1.88E-06	1.0E+06	1.9E+00
687	7.93431	4.85E-03	3.8E-02	6.05E-04	2.33E-05	1.84E+00	4.71E-02	2.02E-06	1.0E+06	2.0E+00
688	8.64823	4.85E-03	4.2E-02	6.05E-04	2.54E-05	1.84E+00	4.71E-02	2.20E-06	1.0E+06	2.2E+00
689	9.65079	4.85E-03	4.7E-02	6.05E-04	2.83E-05	1.84E+00	4.71E-02	2.46E-06	1.0E+06	2.5E+00
690	11.12289	4.85E-03	5.4E-02	6.05E-04	3.26E-05	1.84E+00	4.71E-02	2.83E-06	1.0E+06	2.8E+00
691	9.54081	4.85E-03	4.6E-02	6.05E-04	2.80E-05	1.84E+00	4.71E-02	2.43E-06	1.0E+06	2.4E+00
692	1.00204	4.85E-03	4.9E-03	6.05E-04	2.94E-06	1.84E+00	4.71E-02	2.55E-07	1.0E+06	2.6E-01
693	1.0537	4.85E-03	5.1E-03	6.05E-04	3.09E-06	1.84E+00	4.71E-02	2.68E-07	1.0E+06	2.7E-01
694	1.10744	4.85E-03	5.4E-03	6.05E-04	3.25E-06	1.84E+00	4.71E-02	2.82E-07	1.0E+06	2.8E-01
695	1.16773	4.85E-03	5.7E-03	6.05E-04	3.42E-06	1.84E+00	4.71E-02	2.97E-07	1.0E+06	3.0E-01
696	1.23327	4.85E-03	6.0E-03	6.05E-04	3.62E-06	1.84E+00	4.71E-02	3.14E-07	1.0E+06	3.1E-01
697	1.30448	4.85E-03	6.3E-03	6.05E-04	3.82E-06	1.84E+00	4.71E-02	3.32E-07	1.0E+06	3.3E-01
698	1.382	4.85E-03	6.7E-03	6.05E-04	4.05E-06	1.84E+00	4.71E-02	3.52E-07	1.0E+06	3.5E-01
699	1.46684	4.85E-03	7.1E-03	6.05E-04	4.30E-06	1.84E+00	4.71E-02	3.74E-07	1.0E+06	3.7E-01
700	1.5604	4.85E-03	7.6E-03	6.05E-04	4.58E-06	1.84E+00	4.71E-02	3.97E-07	1.0E+06	4.0E-01
701	1.66234	4.85E-03	8.1E-03	6.05E-04	4.87E-06	1.84E+00	4.71E-02	4.23E-07	1.0E+06	4.2E-01
702	1.77527	4.85E-03	8.6E-03	6.05E-04	5.21E-06	1.84E+00	4.71E-02	4.52E-07	1.0E+06	4.5E-01
703	1.90012	4.85E-03	9.2E-03	6.05E-04	5.57E-06	1.84E+00	4.71E-02	4.84E-07	1.0E+06	4.8E-01
704	2.04022	4.85E-03	9.9E-03	6.05E-04	5.98E-06	1.84E+00	4.71E-02	5.20E-07	1.0E+06	5.2E-01
705	2.19334	4.85E-03	1.1E-02	6.05E-04	6.43E-06	1.84E+00	4.71E-02	5.59E-07	1.0E+06	5.6E-01
706	2.36021	4.85E-03	1.1E-02	6.05E-04	6.92E-06	1.84E+00	4.71E-02	6.01E-07	1.0E+06	6.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.54748	4.85E-03	1.2E-02	6.05E-04	7.47E-06	1.84E+00	4.71E-02	6.49E-07	1.0E+06	6.5E-01
708	2.75536	4.85E-03	1.3E-02	6.05E-04	8.08E-06	1.84E+00	4.71E-02	7.02E-07	1.0E+06	7.0E-01
709	2.98478	4.85E-03	1.4E-02	6.05E-04	8.75E-06	1.84E+00	4.71E-02	7.60E-07	1.0E+06	7.6E-01
710	3.23328	4.85E-03	1.6E-02	6.05E-04	9.48E-06	1.84E+00	4.71E-02	8.23E-07	1.0E+06	8.2E-01
711	3.50242	4.85E-03	1.7E-02	6.05E-04	1.03E-05	1.84E+00	4.71E-02	8.92E-07	1.0E+06	8.9E-01
712	3.78731	4.85E-03	1.8E-02	6.05E-04	1.11E-05	1.84E+00	4.71E-02	9.64E-07	1.0E+06	9.6E-01
713	4.09046	4.85E-03	2.0E-02	6.05E-04	1.20E-05	1.84E+00	4.71E-02	1.04E-06	1.0E+06	1.0E+00
714	4.40022	4.85E-03	2.1E-02	6.05E-04	1.29E-05	1.84E+00	4.71E-02	1.12E-06	1.0E+06	1.1E+00
715	4.70626	4.85E-03	2.3E-02	6.05E-04	1.38E-05	1.84E+00	4.71E-02	1.20E-06	1.0E+06	1.2E+00
716	5.01429	4.85E-03	2.4E-02	6.05E-04	1.47E-05	1.84E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
717	5.31577	4.85E-03	2.6E-02	6.05E-04	1.56E-05	1.84E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
718	5.62017	4.85E-03	2.7E-02	6.05E-04	1.65E-05	1.84E+00	4.71E-02	1.43E-06	1.0E+06	1.4E+00
719	5.91342	4.85E-03	2.9E-02	6.05E-04	1.73E-05	1.84E+00	4.71E-02	1.51E-06	1.0E+06	1.5E+00
720	6.20243	4.85E-03	3.0E-02	6.05E-04	1.82E-05	1.84E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
721	6.48901	4.85E-03	3.1E-02	6.05E-04	1.90E-05	1.84E+00	4.71E-02	1.65E-06	1.0E+06	1.7E+00
722	6.78021	4.85E-03	3.3E-02	6.05E-04	1.99E-05	1.84E+00	4.71E-02	1.73E-06	1.0E+06	1.7E+00
723	7.08261	4.85E-03	3.4E-02	6.05E-04	2.08E-05	1.84E+00	4.71E-02	1.80E-06	1.0E+06	1.8E+00
724	7.41647	4.85E-03	3.6E-02	6.05E-04	2.17E-05	1.84E+00	4.71E-02	1.89E-06	1.0E+06	1.9E+00
725	7.79616	4.85E-03	3.8E-02	6.05E-04	2.29E-05	1.84E+00	4.71E-02	1.99E-06	1.0E+06	2.0E+00
726	8.24611	4.85E-03	4.0E-02	6.05E-04	2.42E-05	1.84E+00	4.71E-02	2.10E-06	1.0E+06	2.1E+00
727	8.80306	4.85E-03	4.3E-02	6.05E-04	2.58E-05	1.84E+00	4.71E-02	2.24E-06	1.0E+06	2.2E+00
728	9.53665	4.85E-03	4.6E-02	6.05E-04	2.80E-05	1.84E+00	4.71E-02	2.43E-06	1.0E+06	2.4E+00
729	10.56681	4.85E-03	5.1E-02	6.05E-04	3.10E-05	1.84E+00	4.71E-02	2.69E-06	1.0E+06	2.7E+00
730	10.67586	4.85E-03	5.2E-02	6.05E-04	3.13E-05	1.84E+00	4.71E-02	2.72E-06	1.0E+06	2.7E+00
731	12.1459	4.85E-03	5.9E-02	6.05E-04	3.56E-05	1.84E+00	4.71E-02	3.09E-06	1.0E+06	3.1E+00
732	1.01817	4.85E-03	4.9E-03	6.05E-04	2.99E-06	1.84E+00	4.71E-02	2.59E-07	1.0E+06	2.6E-01
733	1.07128	4.85E-03	5.2E-03	6.05E-04	3.14E-06	1.84E+00	4.71E-02	2.73E-07	1.0E+06	2.7E-01
734	1.12621	4.85E-03	5.5E-03	6.05E-04	3.30E-06	1.84E+00	4.71E-02	2.87E-07	1.0E+06	2.9E-01
735	1.18748	4.85E-03	5.8E-03	6.05E-04	3.48E-06	1.84E+00	4.71E-02	3.02E-07	1.0E+06	3.0E-01
736	1.25673	4.85E-03	6.1E-03	6.05E-04	3.68E-06	1.84E+00	4.71E-02	3.20E-07	1.0E+06	3.2E-01
737	1.33033	4.85E-03	6.4E-03	6.05E-04	3.90E-06	1.84E+00	4.71E-02	3.39E-07	1.0E+06	3.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.414	4.85E-03	6.9E-03	6.05E-04	4.15E-06	1.84E+00	4.71E-02	3.60E-07	1.0E+06	3.6E-01
739	1.50604	4.85E-03	7.3E-03	6.05E-04	4.42E-06	1.84E+00	4.71E-02	3.84E-07	1.0E+06	3.8E-01
740	1.60852	4.85E-03	7.8E-03	6.05E-04	4.72E-06	1.84E+00	4.71E-02	4.10E-07	1.0E+06	4.1E-01
741	1.72172	4.85E-03	8.3E-03	6.05E-04	5.05E-06	1.84E+00	4.71E-02	4.38E-07	1.0E+06	4.4E-01
742	1.84608	4.85E-03	8.9E-03	6.05E-04	5.41E-06	1.84E+00	4.71E-02	4.70E-07	1.0E+06	4.7E-01
743	1.98162	4.85E-03	9.6E-03	6.05E-04	5.81E-06	1.84E+00	4.71E-02	5.05E-07	1.0E+06	5.0E-01
744	2.13833	4.85E-03	1.0E-02	6.05E-04	6.27E-06	1.84E+00	4.71E-02	5.45E-07	1.0E+06	5.4E-01
745	2.31024	4.85E-03	1.1E-02	6.05E-04	6.77E-06	1.84E+00	4.71E-02	5.88E-07	1.0E+06	5.9E-01
746	2.50224	4.85E-03	1.2E-02	6.05E-04	7.34E-06	1.84E+00	4.71E-02	6.37E-07	1.0E+06	6.4E-01
747	2.71719	4.85E-03	1.3E-02	6.05E-04	7.97E-06	1.84E+00	4.71E-02	6.92E-07	1.0E+06	6.9E-01
748	2.96377	4.85E-03	1.4E-02	6.05E-04	8.69E-06	1.84E+00	4.71E-02	7.55E-07	1.0E+06	7.5E-01
749	3.23672	4.85E-03	1.6E-02	6.05E-04	9.49E-06	1.84E+00	4.71E-02	8.24E-07	1.0E+06	8.2E-01
750	3.54561	4.85E-03	1.7E-02	6.05E-04	1.04E-05	1.84E+00	4.71E-02	9.03E-07	1.0E+06	9.0E-01
751	3.88014	4.85E-03	1.9E-02	6.05E-04	1.14E-05	1.84E+00	4.71E-02	9.88E-07	1.0E+06	9.9E-01
752	4.24003	4.85E-03	2.1E-02	6.05E-04	1.24E-05	1.84E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
753	4.61852	4.85E-03	2.2E-02	6.05E-04	1.35E-05	1.84E+00	4.71E-02	1.18E-06	1.0E+06	1.2E+00
754	5.01333	4.85E-03	2.4E-02	6.05E-04	1.47E-05	1.84E+00	4.71E-02	1.28E-06	1.0E+06	1.3E+00
755	5.39969	4.85E-03	2.6E-02	6.05E-04	1.58E-05	1.84E+00	4.71E-02	1.38E-06	1.0E+06	1.4E+00
756	5.77853	4.85E-03	2.8E-02	6.05E-04	1.69E-05	1.84E+00	4.71E-02	1.47E-06	1.0E+06	1.5E+00
757	6.14717	4.85E-03	3.0E-02	6.05E-04	1.80E-05	1.84E+00	4.71E-02	1.57E-06	1.0E+06	1.6E+00
758	6.50301	4.85E-03	3.2E-02	6.05E-04	1.91E-05	1.84E+00	4.71E-02	1.66E-06	1.0E+06	1.7E+00
759	6.84378	4.85E-03	3.3E-02	6.05E-04	2.01E-05	1.84E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
760	7.16552	4.85E-03	3.5E-02	6.05E-04	2.10E-05	1.84E+00	4.71E-02	1.82E-06	1.0E+06	1.8E+00
761	7.47754	4.85E-03	3.6E-02	6.05E-04	2.19E-05	1.84E+00	4.71E-02	1.90E-06	1.0E+06	1.9E+00
762	7.78847	4.85E-03	3.8E-02	6.05E-04	2.28E-05	1.84E+00	4.71E-02	1.98E-06	1.0E+06	2.0E+00
763	8.10617	4.85E-03	3.9E-02	6.05E-04	2.38E-05	1.84E+00	4.71E-02	2.06E-06	1.0E+06	2.1E+00
764	8.45109	4.85E-03	4.1E-02	6.05E-04	2.48E-05	1.84E+00	4.71E-02	2.15E-06	1.0E+06	2.2E+00
765	8.84143	4.85E-03	4.3E-02	6.05E-04	2.59E-05	1.84E+00	4.71E-02	2.25E-06	1.0E+06	2.3E+00
766	9.30016	4.85E-03	4.5E-02	6.05E-04	2.73E-05	1.84E+00	4.71E-02	2.37E-06	1.0E+06	2.4E+00
767	9.86363	4.85E-03	4.8E-02	6.05E-04	2.89E-05	1.84E+00	4.71E-02	2.51E-06	1.0E+06	2.5E+00
768	10.60034	4.85E-03	5.1E-02	6.05E-04	3.11E-05	1.84E+00	4.71E-02	2.70E-06	1.0E+06	2.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	11.6327	4.85E-03	5.6E-02	6.05E-04	3.41E-05	1.84E+00	4.71E-02	2.96E-06	1.0E+06	3.0E+00
770	11.67069	4.85E-03	5.7E-02	6.05E-04	3.42E-05	1.84E+00	4.71E-02	2.97E-06	1.0E+06	3.0E+00
771	13.07923	4.85E-03	6.3E-02	6.05E-04	3.83E-05	1.84E+00	4.71E-02	3.33E-06	1.0E+06	3.3E+00
772	1.02925	4.85E-03	5.0E-03	6.05E-04	3.02E-06	1.84E+00	4.71E-02	2.62E-07	1.0E+06	2.6E-01
773	1.08436	4.85E-03	5.3E-03	6.05E-04	3.18E-06	1.84E+00	4.71E-02	2.76E-07	1.0E+06	2.8E-01
774	1.14225	4.85E-03	5.5E-03	6.05E-04	3.35E-06	1.84E+00	4.71E-02	2.91E-07	1.0E+06	2.9E-01
775	1.20852	4.85E-03	5.9E-03	6.05E-04	3.54E-06	1.84E+00	4.71E-02	3.08E-07	1.0E+06	3.1E-01
776	1.27996	4.85E-03	6.2E-03	6.05E-04	3.75E-06	1.84E+00	4.71E-02	3.26E-07	1.0E+06	3.3E-01
777	1.3563	4.85E-03	6.6E-03	6.05E-04	3.98E-06	1.84E+00	4.71E-02	3.45E-07	1.0E+06	3.5E-01
778	1.44523	4.85E-03	7.0E-03	6.05E-04	4.24E-06	1.84E+00	4.71E-02	3.68E-07	1.0E+06	3.7E-01
779	1.54136	4.85E-03	7.5E-03	6.05E-04	4.52E-06	1.84E+00	4.71E-02	3.92E-07	1.0E+06	3.9E-01
780	1.65155	4.85E-03	8.0E-03	6.05E-04	4.84E-06	1.84E+00	4.71E-02	4.21E-07	1.0E+06	4.2E-01
781	1.77467	4.85E-03	8.6E-03	6.05E-04	5.20E-06	1.84E+00	4.71E-02	4.52E-07	1.0E+06	4.5E-01
782	1.91185	4.85E-03	9.3E-03	6.05E-04	5.61E-06	1.84E+00	4.71E-02	4.87E-07	1.0E+06	4.9E-01
783	2.06504	4.85E-03	1.0E-02	6.05E-04	6.05E-06	1.84E+00	4.71E-02	5.26E-07	1.0E+06	5.3E-01
784	2.237	4.85E-03	1.1E-02	6.05E-04	6.56E-06	1.84E+00	4.71E-02	5.70E-07	1.0E+06	5.7E-01
785	2.43235	4.85E-03	1.2E-02	6.05E-04	7.13E-06	1.84E+00	4.71E-02	6.19E-07	1.0E+06	6.2E-01
786	2.65165	4.85E-03	1.3E-02	6.05E-04	7.77E-06	1.84E+00	4.71E-02	6.75E-07	1.0E+06	6.8E-01
787	2.90584	4.85E-03	1.4E-02	6.05E-04	8.52E-06	1.84E+00	4.71E-02	7.40E-07	1.0E+06	7.4E-01
788	3.19686	4.85E-03	1.5E-02	6.05E-04	9.37E-06	1.84E+00	4.71E-02	8.14E-07	1.0E+06	8.1E-01
789	3.5312	4.85E-03	1.7E-02	6.05E-04	1.04E-05	1.84E+00	4.71E-02	8.99E-07	1.0E+06	9.0E-01
790	3.9096	4.85E-03	1.9E-02	6.05E-04	1.15E-05	1.84E+00	4.71E-02	9.96E-07	1.0E+06	1.0E+00
791	4.33625	4.85E-03	2.1E-02	6.05E-04	1.27E-05	1.84E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00
792	4.8036	4.85E-03	2.3E-02	6.05E-04	1.41E-05	1.84E+00	4.71E-02	1.22E-06	1.0E+06	1.2E+00
793	5.30427	4.85E-03	2.6E-02	6.05E-04	1.56E-05	1.84E+00	4.71E-02	1.35E-06	1.0E+06	1.4E+00
794	5.82251	4.85E-03	2.8E-02	6.05E-04	1.71E-05	1.84E+00	4.71E-02	1.48E-06	1.0E+06	1.5E+00
795	6.34502	4.85E-03	3.1E-02	6.05E-04	1.86E-05	1.84E+00	4.71E-02	1.62E-06	1.0E+06	1.6E+00
796	6.83717	4.85E-03	3.3E-02	6.05E-04	2.00E-05	1.84E+00	4.71E-02	1.74E-06	1.0E+06	1.7E+00
797	7.28166	4.85E-03	3.5E-02	6.05E-04	2.14E-05	1.84E+00	4.71E-02	1.85E-06	1.0E+06	1.9E+00
798	7.70162	4.85E-03	3.7E-02	6.05E-04	2.26E-05	1.84E+00	4.71E-02	1.96E-06	1.0E+06	2.0E+00
799	8.09546	4.85E-03	3.9E-02	6.05E-04	2.37E-05	1.84E+00	4.71E-02	2.06E-06	1.0E+06	2.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	8.45206	4.85E-03	4.1E-02	6.05E-04	2.48E-05	1.84E+00	4.71E-02	2.15E-06	1.0E+06	2.2E+00
801	8.78635	4.85E-03	4.3E-02	6.05E-04	2.58E-05	1.84E+00	4.71E-02	2.24E-06	1.0E+06	2.2E+00
802	9.11543	4.85E-03	4.4E-02	6.05E-04	2.67E-05	1.84E+00	4.71E-02	2.32E-06	1.0E+06	2.3E+00
803	9.44965	4.85E-03	4.6E-02	6.05E-04	2.77E-05	1.84E+00	4.71E-02	2.41E-06	1.0E+06	2.4E+00
804	9.80465	4.85E-03	4.8E-02	6.05E-04	2.87E-05	1.84E+00	4.71E-02	2.50E-06	1.0E+06	2.5E+00
805	10.2011	4.85E-03	4.9E-02	6.05E-04	2.99E-05	1.84E+00	4.71E-02	2.60E-06	1.0E+06	2.6E+00
806	10.66213	4.85E-03	5.2E-02	6.05E-04	3.13E-05	1.84E+00	4.71E-02	2.72E-06	1.0E+06	2.7E+00
807	11.22586	4.85E-03	5.4E-02	6.05E-04	3.29E-05	1.84E+00	4.71E-02	2.86E-06	1.0E+06	2.9E+00
808	11.94731	4.85E-03	5.8E-02	6.05E-04	3.50E-05	1.84E+00	4.71E-02	3.04E-06	1.0E+06	3.0E+00
809	12.95425	4.85E-03	6.3E-02	6.05E-04	3.80E-05	1.84E+00	4.71E-02	3.30E-06	1.0E+06	3.3E+00
810	14.45888	4.85E-03	7.0E-02	6.05E-04	4.24E-05	1.84E+00	4.71E-02	3.68E-06	1.0E+06	3.7E+00
811	13.11681	4.85E-03	6.4E-02	6.05E-04	3.85E-05	1.84E+00	4.71E-02	3.34E-06	1.0E+06	3.3E+00
812	1.03669	4.85E-03	5.0E-03	6.05E-04	3.04E-06	1.84E+00	4.71E-02	2.64E-07	1.0E+06	2.6E-01
813	1.0936	4.85E-03	5.3E-03	6.05E-04	3.21E-06	1.84E+00	4.71E-02	2.78E-07	1.0E+06	2.8E-01
814	1.15589	4.85E-03	5.6E-03	6.05E-04	3.39E-06	1.84E+00	4.71E-02	2.94E-07	1.0E+06	2.9E-01
815	1.22336	4.85E-03	5.9E-03	6.05E-04	3.59E-06	1.84E+00	4.71E-02	3.12E-07	1.0E+06	3.1E-01
816	1.29722	4.85E-03	6.3E-03	6.05E-04	3.80E-06	1.84E+00	4.71E-02	3.30E-07	1.0E+06	3.3E-01
817	1.38163	4.85E-03	6.7E-03	6.05E-04	4.05E-06	1.84E+00	4.71E-02	3.52E-07	1.0E+06	3.5E-01
818	1.47206	4.85E-03	7.1E-03	6.05E-04	4.32E-06	1.84E+00	4.71E-02	3.75E-07	1.0E+06	3.7E-01
819	1.57452	4.85E-03	7.6E-03	6.05E-04	4.62E-06	1.84E+00	4.71E-02	4.01E-07	1.0E+06	4.0E-01
820	1.69202	4.85E-03	8.2E-03	6.05E-04	4.96E-06	1.84E+00	4.71E-02	4.31E-07	1.0E+06	4.3E-01
821	1.82177	4.85E-03	8.8E-03	6.05E-04	5.34E-06	1.84E+00	4.71E-02	4.64E-07	1.0E+06	4.6E-01
822	1.97136	4.85E-03	9.6E-03	6.05E-04	5.78E-06	1.84E+00	4.71E-02	5.02E-07	1.0E+06	5.0E-01
823	2.14135	4.85E-03	1.0E-02	6.05E-04	6.28E-06	1.84E+00	4.71E-02	5.45E-07	1.0E+06	5.5E-01
824	2.3352	4.85E-03	1.1E-02	6.05E-04	6.85E-06	1.84E+00	4.71E-02	5.95E-07	1.0E+06	5.9E-01
825	2.55501	4.85E-03	1.2E-02	6.05E-04	7.49E-06	1.84E+00	4.71E-02	6.51E-07	1.0E+06	6.5E-01
826	2.80984	4.85E-03	1.4E-02	6.05E-04	8.24E-06	1.84E+00	4.71E-02	7.16E-07	1.0E+06	7.2E-01
827	3.10338	4.85E-03	1.5E-02	6.05E-04	9.10E-06	1.84E+00	4.71E-02	7.90E-07	1.0E+06	7.9E-01
828	3.45416	4.85E-03	1.7E-02	6.05E-04	1.01E-05	1.84E+00	4.71E-02	8.80E-07	1.0E+06	8.8E-01
829	3.86115	4.85E-03	1.9E-02	6.05E-04	1.13E-05	1.84E+00	4.71E-02	9.83E-07	1.0E+06	9.8E-01
830	4.33826	4.85E-03	2.1E-02	6.05E-04	1.27E-05	1.84E+00	4.71E-02	1.10E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	4.89242	4.85E-03	2.4E-02	6.05E-04	1.43E-05	1.84E+00	4.71E-02	1.25E-06	1.0E+06	1.2E+00
832	5.52074	4.85E-03	2.7E-02	6.05E-04	1.62E-05	1.84E+00	4.71E-02	1.41E-06	1.0E+06	1.4E+00
833	6.21567	4.85E-03	3.0E-02	6.05E-04	1.82E-05	1.84E+00	4.71E-02	1.58E-06	1.0E+06	1.6E+00
834	6.94997	4.85E-03	3.4E-02	6.05E-04	2.04E-05	1.84E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
835	7.67024	4.85E-03	3.7E-02	6.05E-04	2.25E-05	1.84E+00	4.71E-02	1.95E-06	1.0E+06	2.0E+00
836	7.00918	4.85E-03	3.4E-02	6.05E-04	2.06E-05	1.84E+00	4.71E-02	1.78E-06	1.0E+06	1.8E+00
837	8.87486	4.85E-03	4.3E-02	6.05E-04	2.60E-05	1.84E+00	4.71E-02	2.26E-06	1.0E+06	2.3E+00
838	9.37163	4.85E-03	4.5E-02	6.05E-04	2.75E-05	1.84E+00	4.71E-02	2.39E-06	1.0E+06	2.4E+00
839	8.4855	4.85E-03	4.1E-02	6.05E-04	2.49E-05	1.84E+00	4.71E-02	2.16E-06	1.0E+06	2.2E+00
840	8.8128	4.85E-03	4.3E-02	6.05E-04	2.58E-05	1.84E+00	4.71E-02	2.24E-06	1.0E+06	2.2E+00
841	9.22428	4.85E-03	4.5E-02	6.05E-04	2.70E-05	1.84E+00	4.71E-02	2.35E-06	1.0E+06	2.3E+00
842	10.91573	4.85E-03	5.3E-02	6.05E-04	3.20E-05	1.84E+00	4.71E-02	2.78E-06	1.0E+06	2.8E+00
843	9.88144	4.85E-03	4.8E-02	6.05E-04	2.90E-05	1.84E+00	4.71E-02	2.52E-06	1.0E+06	2.5E+00
844	10.18113	4.85E-03	4.9E-02	6.05E-04	2.99E-05	1.84E+00	4.71E-02	2.59E-06	1.0E+06	2.6E+00
845	10.64836	4.85E-03	5.2E-02	6.05E-04	3.12E-05	1.84E+00	4.71E-02	2.71E-06	1.0E+06	2.7E+00
846	12.501	4.85E-03	6.1E-02	6.05E-04	3.67E-05	1.84E+00	4.71E-02	3.18E-06	1.0E+06	3.2E+00
847	11.57793	4.85E-03	5.6E-02	6.05E-04	3.39E-05	1.84E+00	4.71E-02	2.95E-06	1.0E+06	2.9E+00
848	12.17764	4.85E-03	5.9E-02	6.05E-04	3.57E-05	1.84E+00	4.71E-02	3.10E-06	1.0E+06	3.1E+00
849	13.1966	4.85E-03	6.4E-02	6.05E-04	3.87E-05	1.84E+00	4.71E-02	3.36E-06	1.0E+06	3.4E+00
850	14.78826	4.85E-03	7.2E-02	6.05E-04	4.34E-05	1.84E+00	4.71E-02	3.77E-06	1.0E+06	3.8E+00
851	13.04213	4.85E-03	6.3E-02	6.05E-04	3.82E-05	1.84E+00	4.71E-02	3.32E-06	1.0E+06	3.3E+00
852	1.04006	4.85E-03	5.0E-03	6.05E-04	3.05E-06	1.84E+00	4.71E-02	2.65E-07	1.0E+06	2.6E-01
853	1.0967	4.85E-03	5.3E-03	6.05E-04	3.22E-06	1.84E+00	4.71E-02	2.79E-07	1.0E+06	2.8E-01
854	1.16099	4.85E-03	5.6E-03	6.05E-04	3.40E-06	1.84E+00	4.71E-02	2.96E-07	1.0E+06	3.0E-01
855	1.23321	4.85E-03	6.0E-03	6.05E-04	3.62E-06	1.84E+00	4.71E-02	3.14E-07	1.0E+06	3.1E-01
856	1.31079	4.85E-03	6.4E-03	6.05E-04	3.84E-06	1.84E+00	4.71E-02	3.34E-07	1.0E+06	3.3E-01
857	1.39916	4.85E-03	6.8E-03	6.05E-04	4.10E-06	1.84E+00	4.71E-02	3.56E-07	1.0E+06	3.6E-01
858	1.4951	4.85E-03	7.2E-03	6.05E-04	4.38E-06	1.84E+00	4.71E-02	3.81E-07	1.0E+06	3.8E-01
859	1.60529	4.85E-03	7.8E-03	6.05E-04	4.71E-06	1.84E+00	4.71E-02	4.09E-07	1.0E+06	4.1E-01
860	1.7237	4.85E-03	8.4E-03	6.05E-04	5.05E-06	1.84E+00	4.71E-02	4.39E-07	1.0E+06	4.4E-01
861	1.86479	4.85E-03	9.0E-03	6.05E-04	5.47E-06	1.84E+00	4.71E-02	4.75E-07	1.0E+06	4.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	2.02351	4.85E-03	9.8E-03	6.05E-04	5.93E-06	1.84E+00	4.71E-02	5.15E-07	1.0E+06	5.2E-01
863	2.2094	4.85E-03	1.1E-02	6.05E-04	6.48E-06	1.84E+00	4.71E-02	5.63E-07	1.0E+06	5.6E-01
864	2.42481	4.85E-03	1.2E-02	6.05E-04	7.11E-06	1.84E+00	4.71E-02	6.17E-07	1.0E+06	6.2E-01
865	2.67385	4.85E-03	1.3E-02	6.05E-04	7.84E-06	1.84E+00	4.71E-02	6.81E-07	1.0E+06	6.8E-01
866	2.96557	4.85E-03	1.4E-02	6.05E-04	8.70E-06	1.84E+00	4.71E-02	7.55E-07	1.0E+06	7.6E-01
867	3.3135	4.85E-03	1.6E-02	6.05E-04	9.72E-06	1.84E+00	4.71E-02	8.44E-07	1.0E+06	8.4E-01
868	3.72791	4.85E-03	1.8E-02	6.05E-04	1.09E-05	1.84E+00	4.71E-02	9.49E-07	1.0E+06	9.5E-01
869	4.2296	4.85E-03	2.0E-02	6.05E-04	1.24E-05	1.84E+00	4.71E-02	1.08E-06	1.0E+06	1.1E+00
870	4.83855	4.85E-03	2.3E-02	6.05E-04	1.42E-05	1.84E+00	4.71E-02	1.23E-06	1.0E+06	1.2E+00
871	5.5694	4.85E-03	2.7E-02	6.05E-04	1.63E-05	1.84E+00	4.71E-02	1.42E-06	1.0E+06	1.4E+00
872	6.44468	4.85E-03	3.1E-02	6.05E-04	1.89E-05	1.84E+00	4.71E-02	1.64E-06	1.0E+06	1.6E+00
873	7.45909	4.85E-03	3.6E-02	6.05E-04	2.19E-05	1.84E+00	4.71E-02	1.90E-06	1.0E+06	1.9E+00
874	6.94894	4.85E-03	3.4E-02	6.05E-04	2.04E-05	1.84E+00	4.71E-02	1.77E-06	1.0E+06	1.8E+00
875	7.68023	4.85E-03	3.7E-02	6.05E-04	2.25E-05	1.84E+00	4.71E-02	1.96E-06	1.0E+06	2.0E+00
876	8.4196	4.85E-03	4.1E-02	6.05E-04	2.47E-05	1.84E+00	4.71E-02	2.14E-06	1.0E+06	2.1E+00
877	7.97885	4.85E-03	3.9E-02	6.05E-04	2.34E-05	1.84E+00	4.71E-02	2.03E-06	1.0E+06	2.0E+00
878	8.45898	4.85E-03	4.1E-02	6.05E-04	2.48E-05	1.84E+00	4.71E-02	2.15E-06	1.0E+06	2.2E+00
879	10.1997	4.85E-03	4.9E-02	6.05E-04	2.99E-05	1.84E+00	4.71E-02	2.60E-06	1.0E+06	2.6E+00
880	10.50737	4.85E-03	5.1E-02	6.05E-04	3.08E-05	1.84E+00	4.71E-02	2.68E-06	1.0E+06	2.7E+00
881	9.68613	4.85E-03	4.7E-02	6.05E-04	2.84E-05	1.84E+00	4.71E-02	2.47E-06	1.0E+06	2.5E+00
882	9.93381	4.85E-03	4.8E-02	6.05E-04	2.91E-05	1.84E+00	4.71E-02	2.53E-06	1.0E+06	2.5E+00
883	11.63355	4.85E-03	5.6E-02	6.05E-04	3.41E-05	1.84E+00	4.71E-02	2.96E-06	1.0E+06	3.0E+00
884	11.90785	4.85E-03	5.8E-02	6.05E-04	3.49E-05	1.84E+00	4.71E-02	3.03E-06	1.0E+06	3.0E+00
885	11.12891	4.85E-03	5.4E-02	6.05E-04	3.26E-05	1.84E+00	4.71E-02	2.83E-06	1.0E+06	2.8E+00
886	11.46599	4.85E-03	5.6E-02	6.05E-04	3.36E-05	1.84E+00	4.71E-02	2.92E-06	1.0E+06	2.9E+00
887	13.29454	4.85E-03	6.4E-02	6.05E-04	3.90E-05	1.84E+00	4.71E-02	3.39E-06	1.0E+06	3.4E+00
888	13.76158	4.85E-03	6.7E-02	6.05E-04	4.04E-05	1.84E+00	4.71E-02	3.50E-06	1.0E+06	3.5E+00
889	13.36807	4.85E-03	6.5E-02	6.05E-04	3.92E-05	1.84E+00	4.71E-02	3.40E-06	1.0E+06	3.4E+00
890	13.2075	4.85E-03	6.4E-02	6.05E-04	3.87E-05	1.84E+00	4.71E-02	3.36E-06	1.0E+06	3.4E+00
891	15.83237	4.85E-03	7.7E-02	6.05E-04	4.64E-05	1.84E+00	4.71E-02	4.03E-06	1.0E+06	4.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	2.13624	2.44396E-06	5.2E-06	6.05E-04	3.16E-09	1.84E+00	4.71E-02	2.74E-10	1.0E+06	2.7E-04
522	522	2.29305	2.44396E-06	5.6E-06	6.05E-04	3.39E-09	1.84E+00	4.71E-02	2.94E-10	1.0E+06	2.9E-04
523	523	2.44943	2.44396E-06	6.0E-06	6.05E-04	3.62E-09	1.84E+00	4.71E-02	3.15E-10	1.0E+06	3.1E-04
524	524	2.64476	2.44396E-06	6.5E-06	6.05E-04	3.91E-09	1.84E+00	4.71E-02	3.40E-10	1.0E+06	3.4E-04
525	525	2.86149	2.44396E-06	7.0E-06	6.05E-04	4.23E-09	1.84E+00	4.71E-02	3.67E-10	1.0E+06	3.7E-04
526	526	3.10191	2.44396E-06	7.6E-06	6.05E-04	4.59E-09	1.84E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
527	527	3.36993	2.44396E-06	8.2E-06	6.05E-04	4.98E-09	1.84E+00	4.71E-02	4.33E-10	1.0E+06	4.3E-04
528	528	3.6688	2.44396E-06	9.0E-06	6.05E-04	5.43E-09	1.84E+00	4.71E-02	4.71E-10	1.0E+06	4.7E-04
529	529	4.00153	2.44396E-06	9.8E-06	6.05E-04	5.92E-09	1.84E+00	4.71E-02	5.14E-10	1.0E+06	5.1E-04
530	530	4.37084	2.44396E-06	1.1E-05	6.05E-04	6.46E-09	1.84E+00	4.71E-02	5.61E-10	1.0E+06	5.6E-04
531	531	4.77661	2.44396E-06	1.2E-05	6.05E-04	7.06E-09	1.84E+00	4.71E-02	6.13E-10	1.0E+06	6.1E-04
532	532	0.58199	2.44396E-06	1.4E-06	6.05E-04	8.61E-10	1.84E+00	4.71E-02	7.47E-11	1.0E+06	7.5E-05
533	533	0.60223	2.44396E-06	1.5E-06	6.05E-04	8.91E-10	1.84E+00	4.71E-02	7.73E-11	1.0E+06	7.7E-05
534	534	0.62347	2.44396E-06	1.5E-06	6.05E-04	9.22E-10	1.84E+00	4.71E-02	8.01E-11	1.0E+06	8.0E-05
535	535	0.64584	2.44396E-06	1.6E-06	6.05E-04	9.55E-10	1.84E+00	4.71E-02	8.29E-11	1.0E+06	8.3E-05
536	536	0.66944	2.44396E-06	1.6E-06	6.05E-04	9.90E-10	1.84E+00	4.71E-02	8.60E-11	1.0E+06	8.6E-05
537	537	0.6944	2.44396E-06	1.7E-06	6.05E-04	1.03E-09	1.84E+00	4.71E-02	8.92E-11	1.0E+06	8.9E-05
538	538	0.72084	2.44396E-06	1.8E-06	6.05E-04	1.07E-09	1.84E+00	4.71E-02	9.26E-11	1.0E+06	9.3E-05
539	539	0.74883	2.44396E-06	1.8E-06	6.05E-04	1.11E-09	1.84E+00	4.71E-02	9.62E-11	1.0E+06	9.6E-05
540	540	0.77837	2.44396E-06	1.9E-06	6.05E-04	1.15E-09	1.84E+00	4.71E-02	1.00E-10	1.0E+06	1.0E-04
541	541	0.80962	2.44396E-06	2.0E-06	6.05E-04	1.20E-09	1.84E+00	4.71E-02	1.04E-10	1.0E+06	1.0E-04
542	542	0.84276	2.44396E-06	2.1E-06	6.05E-04	1.25E-09	1.84E+00	4.71E-02	1.08E-10	1.0E+06	1.1E-04
543	543	0.87793	2.44396E-06	2.1E-06	6.05E-04	1.30E-09	1.84E+00	4.71E-02	1.13E-10	1.0E+06	1.1E-04
544	544	0.9153	2.44396E-06	2.2E-06	6.05E-04	1.35E-09	1.84E+00	4.71E-02	1.18E-10	1.0E+06	1.2E-04
545	545	0.95546	2.44396E-06	2.3E-06	6.05E-04	1.41E-09	1.84E+00	4.71E-02	1.23E-10	1.0E+06	1.2E-04
546	546	0.99838	2.44396E-06	2.4E-06	6.05E-04	1.48E-09	1.84E+00	4.71E-02	1.28E-10	1.0E+06	1.3E-04
547	547	1.04431	2.44396E-06	2.6E-06	6.05E-04	1.54E-09	1.84E+00	4.71E-02	1.34E-10	1.0E+06	1.3E-04
548	548	1.09362	2.44396E-06	2.7E-06	6.05E-04	1.62E-09	1.84E+00	4.71E-02	1.40E-10	1.0E+06	1.4E-04
549	549	1.14657	2.44396E-06	2.8E-06	6.05E-04	1.70E-09	1.84E+00	4.71E-02	1.47E-10	1.0E+06	1.5E-04
550	550	1.20347	2.44396E-06	2.9E-06	6.05E-04	1.78E-09	1.84E+00	4.71E-02	1.55E-10	1.0E+06	1.5E-04
551	551	1.26479	2.44396E-06	3.1E-06	6.05E-04	1.87E-09	1.84E+00	4.71E-02	1.62E-10	1.0E+06	1.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	1.3309	2.44396E-06	3.3E-06	6.05E-04	1.97E-09	1.84E+00	4.71E-02	1.71E-10	1.0E+06	1.7E-04
553	553	1.40254	2.44396E-06	3.4E-06	6.05E-04	2.07E-09	1.84E+00	4.71E-02	1.80E-10	1.0E+06	1.8E-04
554	554	1.48024	2.44396E-06	3.6E-06	6.05E-04	2.19E-09	1.84E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
555	555	1.56484	2.44396E-06	3.8E-06	6.05E-04	2.31E-09	1.84E+00	4.71E-02	2.01E-10	1.0E+06	2.0E-04
556	556	1.65724	2.44396E-06	4.1E-06	6.05E-04	2.45E-09	1.84E+00	4.71E-02	2.13E-10	1.0E+06	2.1E-04
557	557	1.75816	2.44396E-06	4.3E-06	6.05E-04	2.60E-09	1.84E+00	4.71E-02	2.26E-10	1.0E+06	2.3E-04
558	558	1.85005	2.44396E-06	4.5E-06	6.05E-04	2.74E-09	1.84E+00	4.71E-02	2.38E-10	1.0E+06	2.4E-04
559	559	1.95371	2.44396E-06	4.8E-06	6.05E-04	2.89E-09	1.84E+00	4.71E-02	2.51E-10	1.0E+06	2.5E-04
560	560	2.09187	2.44396E-06	5.1E-06	6.05E-04	3.09E-09	1.84E+00	4.71E-02	2.69E-10	1.0E+06	2.7E-04
561	561	2.22465	2.44396E-06	5.4E-06	6.05E-04	3.29E-09	1.84E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
562	562	2.39598	2.44396E-06	5.9E-06	6.05E-04	3.54E-09	1.84E+00	4.71E-02	3.08E-10	1.0E+06	3.1E-04
563	563	2.58883	2.44396E-06	6.3E-06	6.05E-04	3.83E-09	1.84E+00	4.71E-02	3.32E-10	1.0E+06	3.3E-04
564	564	2.7862	2.44396E-06	6.8E-06	6.05E-04	4.12E-09	1.84E+00	4.71E-02	3.58E-10	1.0E+06	3.6E-04
565	565	3.03019	2.44396E-06	7.4E-06	6.05E-04	4.48E-09	1.84E+00	4.71E-02	3.89E-10	1.0E+06	3.9E-04
566	566	3.3023	2.44396E-06	8.1E-06	6.05E-04	4.88E-09	1.84E+00	4.71E-02	4.24E-10	1.0E+06	4.2E-04
567	567	3.60833	2.44396E-06	8.8E-06	6.05E-04	5.34E-09	1.84E+00	4.71E-02	4.63E-10	1.0E+06	4.6E-04
568	568	3.95526	2.44396E-06	9.7E-06	6.05E-04	5.85E-09	1.84E+00	4.71E-02	5.08E-10	1.0E+06	5.1E-04
569	569	4.34734	2.44396E-06	1.1E-05	6.05E-04	6.43E-09	1.84E+00	4.71E-02	5.58E-10	1.0E+06	5.6E-04
570	570	4.78867	2.44396E-06	1.2E-05	6.05E-04	7.08E-09	1.84E+00	4.71E-02	6.15E-10	1.0E+06	6.1E-04
571	571	5.2811	2.44396E-06	1.3E-05	6.05E-04	7.81E-09	1.84E+00	4.71E-02	6.78E-10	1.0E+06	6.8E-04
572	572	0.58061	2.44396E-06	1.4E-06	6.05E-04	8.59E-10	1.84E+00	4.71E-02	7.46E-11	1.0E+06	7.5E-05
573	573	0.60142	2.44396E-06	1.5E-06	6.05E-04	8.89E-10	1.84E+00	4.71E-02	7.72E-11	1.0E+06	7.7E-05
574	574	0.62318	2.44396E-06	1.5E-06	6.05E-04	9.22E-10	1.84E+00	4.71E-02	8.00E-11	1.0E+06	8.0E-05
575	575	0.64595	2.44396E-06	1.6E-06	6.05E-04	9.55E-10	1.84E+00	4.71E-02	8.30E-11	1.0E+06	8.3E-05
576	576	0.66999	2.44396E-06	1.6E-06	6.05E-04	9.91E-10	1.84E+00	4.71E-02	8.60E-11	1.0E+06	8.6E-05
577	577	0.6954	2.44396E-06	1.7E-06	6.05E-04	1.03E-09	1.84E+00	4.71E-02	8.93E-11	1.0E+06	8.9E-05
578	578	0.72231	2.44396E-06	1.8E-06	6.05E-04	1.07E-09	1.84E+00	4.71E-02	9.28E-11	1.0E+06	9.3E-05
579	579	0.75087	2.44396E-06	1.8E-06	6.05E-04	1.11E-09	1.84E+00	4.71E-02	9.64E-11	1.0E+06	9.6E-05
580	580	0.78128	2.44396E-06	1.9E-06	6.05E-04	1.16E-09	1.84E+00	4.71E-02	1.00E-10	1.0E+06	1.0E-04
581	581	0.81352	2.44396E-06	2.0E-06	6.05E-04	1.20E-09	1.84E+00	4.71E-02	1.04E-10	1.0E+06	1.0E-04
582	582	0.84771	2.44396E-06	2.1E-06	6.05E-04	1.25E-09	1.84E+00	4.71E-02	1.09E-10	1.0E+06	1.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.884	2.44396E-06	2.2E-06	6.05E-04	1.31E-09	1.84E+00	4.71E-02	1.14E-10	1.0E+06	1.1E-04
584	584	0.9226	2.44396E-06	2.3E-06	6.05E-04	1.36E-09	1.84E+00	4.71E-02	1.18E-10	1.0E+06	1.2E-04
585	585	0.96408	2.44396E-06	2.4E-06	6.05E-04	1.43E-09	1.84E+00	4.71E-02	1.24E-10	1.0E+06	1.2E-04
586	586	1.00858	2.44396E-06	2.5E-06	6.05E-04	1.49E-09	1.84E+00	4.71E-02	1.30E-10	1.0E+06	1.3E-04
587	587	1.05633	2.44396E-06	2.6E-06	6.05E-04	1.56E-09	1.84E+00	4.71E-02	1.36E-10	1.0E+06	1.4E-04
588	588	1.10759	2.44396E-06	2.7E-06	6.05E-04	1.64E-09	1.84E+00	4.71E-02	1.42E-10	1.0E+06	1.4E-04
589	589	1.16289	2.44396E-06	2.8E-06	6.05E-04	1.72E-09	1.84E+00	4.71E-02	1.49E-10	1.0E+06	1.5E-04
590	590	1.22247	2.44396E-06	3.0E-06	6.05E-04	1.81E-09	1.84E+00	4.71E-02	1.57E-10	1.0E+06	1.6E-04
591	591	1.2868	2.44396E-06	3.1E-06	6.05E-04	1.90E-09	1.84E+00	4.71E-02	1.65E-10	1.0E+06	1.7E-04
592	592	1.35655	2.44396E-06	3.3E-06	6.05E-04	2.01E-09	1.84E+00	4.71E-02	1.74E-10	1.0E+06	1.7E-04
593	593	1.43189	2.44396E-06	3.5E-06	6.05E-04	2.12E-09	1.84E+00	4.71E-02	1.84E-10	1.0E+06	1.8E-04
594	594	1.51392	2.44396E-06	3.7E-06	6.05E-04	2.24E-09	1.84E+00	4.71E-02	1.94E-10	1.0E+06	1.9E-04
595	595	1.60368	2.44396E-06	3.9E-06	6.05E-04	2.37E-09	1.84E+00	4.71E-02	2.06E-10	1.0E+06	2.1E-04
596	596	1.70213	2.44396E-06	4.2E-06	6.05E-04	2.52E-09	1.84E+00	4.71E-02	2.19E-10	1.0E+06	2.2E-04
597	597	1.81021	2.44396E-06	4.4E-06	6.05E-04	2.68E-09	1.84E+00	4.71E-02	2.32E-10	1.0E+06	2.3E-04
598	598	1.90741	2.44396E-06	4.7E-06	6.05E-04	2.82E-09	1.84E+00	4.71E-02	2.45E-10	1.0E+06	2.4E-04
599	599	2.0406	2.44396E-06	5.0E-06	6.05E-04	3.02E-09	1.84E+00	4.71E-02	2.62E-10	1.0E+06	2.6E-04
600	600	2.16675	2.44396E-06	5.3E-06	6.05E-04	3.20E-09	1.84E+00	4.71E-02	2.78E-10	1.0E+06	2.8E-04
601	601	2.33242	2.44396E-06	5.7E-06	6.05E-04	3.45E-09	1.84E+00	4.71E-02	3.00E-10	1.0E+06	3.0E-04
602	602	2.49521	2.44396E-06	6.1E-06	6.05E-04	3.69E-09	1.84E+00	4.71E-02	3.20E-10	1.0E+06	3.2E-04
603	603	2.70764	2.44396E-06	6.6E-06	6.05E-04	4.00E-09	1.84E+00	4.71E-02	3.48E-10	1.0E+06	3.5E-04
604	604	2.92649	2.44396E-06	7.2E-06	6.05E-04	4.33E-09	1.84E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
605	605	3.19954	2.44396E-06	7.8E-06	6.05E-04	4.73E-09	1.84E+00	4.71E-02	4.11E-10	1.0E+06	4.1E-04
606	606	3.50521	2.44396E-06	8.6E-06	6.05E-04	5.18E-09	1.84E+00	4.71E-02	4.50E-10	1.0E+06	4.5E-04
607	607	3.85368	2.44396E-06	9.4E-06	6.05E-04	5.70E-09	1.84E+00	4.71E-02	4.95E-10	1.0E+06	4.9E-04
608	608	4.25428	2.44396E-06	1.0E-05	6.05E-04	6.29E-09	1.84E+00	4.71E-02	5.46E-10	1.0E+06	5.5E-04
609	609	4.71476	2.44396E-06	1.2E-05	6.05E-04	6.97E-09	1.84E+00	4.71E-02	6.06E-10	1.0E+06	6.1E-04
610	610	5.242	2.44396E-06	1.3E-05	6.05E-04	7.75E-09	1.84E+00	4.71E-02	6.73E-10	1.0E+06	6.7E-04
611	611	5.83936	2.44396E-06	1.4E-05	6.05E-04	8.64E-09	1.84E+00	4.71E-02	7.50E-10	1.0E+06	7.5E-04
612	612	0.57782	2.44396E-06	1.4E-06	6.05E-04	8.54E-10	1.84E+00	4.71E-02	7.42E-11	1.0E+06	7.4E-05
613	613	0.59931	2.44396E-06	1.5E-06	6.05E-04	8.86E-10	1.84E+00	4.71E-02	7.70E-11	1.0E+06	7.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.62162	2.44396E-06	1.5E-06	6.05E-04	9.19E-10	1.84E+00	4.71E-02	7.98E-11	1.0E+06	8.0E-05
615	615	0.64469	2.44396E-06	1.6E-06	6.05E-04	9.53E-10	1.84E+00	4.71E-02	8.28E-11	1.0E+06	8.3E-05
616	616	0.66909	2.44396E-06	1.6E-06	6.05E-04	9.89E-10	1.84E+00	4.71E-02	8.59E-11	1.0E+06	8.6E-05
617	617	0.69472	2.44396E-06	1.7E-06	6.05E-04	1.03E-09	1.84E+00	4.71E-02	8.92E-11	1.0E+06	8.9E-05
618	618	0.72176	2.44396E-06	1.8E-06	6.05E-04	1.07E-09	1.84E+00	4.71E-02	9.27E-11	1.0E+06	9.3E-05
619	619	0.75052	2.44396E-06	1.8E-06	6.05E-04	1.11E-09	1.84E+00	4.71E-02	9.64E-11	1.0E+06	9.6E-05
620	620	0.78176	2.44396E-06	1.9E-06	6.05E-04	1.16E-09	1.84E+00	4.71E-02	1.00E-10	1.0E+06	1.0E-04
621	621	0.81491	2.44396E-06	2.0E-06	6.05E-04	1.21E-09	1.84E+00	4.71E-02	1.05E-10	1.0E+06	1.0E-04
622	622	0.85012	2.44396E-06	2.1E-06	6.05E-04	1.26E-09	1.84E+00	4.71E-02	1.09E-10	1.0E+06	1.1E-04
623	623	0.88754	2.44396E-06	2.2E-06	6.05E-04	1.31E-09	1.84E+00	4.71E-02	1.14E-10	1.0E+06	1.1E-04
624	624	0.92734	2.44396E-06	2.3E-06	6.05E-04	1.37E-09	1.84E+00	4.71E-02	1.19E-10	1.0E+06	1.2E-04
625	625	0.97002	2.44396E-06	2.4E-06	6.05E-04	1.43E-09	1.84E+00	4.71E-02	1.25E-10	1.0E+06	1.2E-04
626	626	1.01584	2.44396E-06	2.5E-06	6.05E-04	1.50E-09	1.84E+00	4.71E-02	1.30E-10	1.0E+06	1.3E-04
627	627	1.06514	2.44396E-06	2.6E-06	6.05E-04	1.58E-09	1.84E+00	4.71E-02	1.37E-10	1.0E+06	1.4E-04
628	628	1.11827	2.44396E-06	2.7E-06	6.05E-04	1.65E-09	1.84E+00	4.71E-02	1.44E-10	1.0E+06	1.4E-04
629	629	1.17556	2.44396E-06	2.9E-06	6.05E-04	1.74E-09	1.84E+00	4.71E-02	1.51E-10	1.0E+06	1.5E-04
630	630	1.23751	2.44396E-06	3.0E-06	6.05E-04	1.83E-09	1.84E+00	4.71E-02	1.59E-10	1.0E+06	1.6E-04
631	631	1.3046	2.44396E-06	3.2E-06	6.05E-04	1.93E-09	1.84E+00	4.71E-02	1.68E-10	1.0E+06	1.7E-04
632	632	1.37742	2.44396E-06	3.4E-06	6.05E-04	2.04E-09	1.84E+00	4.71E-02	1.77E-10	1.0E+06	1.8E-04
633	633	1.45648	2.44396E-06	3.6E-06	6.05E-04	2.15E-09	1.84E+00	4.71E-02	1.87E-10	1.0E+06	1.9E-04
634	634	1.54255	2.44396E-06	3.8E-06	6.05E-04	2.28E-09	1.84E+00	4.71E-02	1.98E-10	1.0E+06	2.0E-04
635	635	1.63711	2.44396E-06	4.0E-06	6.05E-04	2.42E-09	1.84E+00	4.71E-02	2.10E-10	1.0E+06	2.1E-04
636	636	1.74123	2.44396E-06	4.3E-06	6.05E-04	2.57E-09	1.84E+00	4.71E-02	2.24E-10	1.0E+06	2.2E-04
637	637	1.85605	2.44396E-06	4.5E-06	6.05E-04	2.74E-09	1.84E+00	4.71E-02	2.38E-10	1.0E+06	2.4E-04
638	638	1.98327	2.44396E-06	4.8E-06	6.05E-04	2.93E-09	1.84E+00	4.71E-02	2.55E-10	1.0E+06	2.5E-04
639	639	2.10114	2.44396E-06	5.1E-06	6.05E-04	3.11E-09	1.84E+00	4.71E-02	2.70E-10	1.0E+06	2.7E-04
640	640	2.25982	2.44396E-06	5.5E-06	6.05E-04	3.34E-09	1.84E+00	4.71E-02	2.90E-10	1.0E+06	2.9E-04
641	641	2.4137	2.44396E-06	5.9E-06	6.05E-04	3.57E-09	1.84E+00	4.71E-02	3.10E-10	1.0E+06	3.1E-04
642	642	2.61424	2.44396E-06	6.4E-06	6.05E-04	3.87E-09	1.84E+00	4.71E-02	3.36E-10	1.0E+06	3.4E-04
643	643	2.82108	2.44396E-06	6.9E-06	6.05E-04	4.17E-09	1.84E+00	4.71E-02	3.62E-10	1.0E+06	3.6E-04
644	644	3.06228	2.44396E-06	7.5E-06	6.05E-04	4.53E-09	1.84E+00	4.71E-02	3.93E-10	1.0E+06	3.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	3.36487	2.44396E-06	8.2E-06	6.05E-04	4.98E-09	1.84E+00	4.71E-02	4.32E-10	1.0E+06	4.3E-04
646	646	3.70675	2.44396E-06	9.1E-06	6.05E-04	5.48E-09	1.84E+00	4.71E-02	4.76E-10	1.0E+06	4.8E-04
647	647	4.1008	2.44396E-06	1.0E-05	6.05E-04	6.06E-09	1.84E+00	4.71E-02	5.27E-10	1.0E+06	5.3E-04
648	648	4.56087	2.44396E-06	1.1E-05	6.05E-04	6.74E-09	1.84E+00	4.71E-02	5.86E-10	1.0E+06	5.9E-04
649	649	5.09868	2.44396E-06	1.2E-05	6.05E-04	7.54E-09	1.84E+00	4.71E-02	6.55E-10	1.0E+06	6.5E-04
650	650	5.72522	2.44396E-06	1.4E-05	6.05E-04	8.47E-09	1.84E+00	4.71E-02	7.35E-10	1.0E+06	7.4E-04
651	651	6.44859	2.44396E-06	1.6E-05	6.05E-04	9.54E-09	1.84E+00	4.71E-02	8.28E-10	1.0E+06	8.3E-04
652	652	0.57234	2.44396E-06	1.4E-06	6.05E-04	8.46E-10	1.84E+00	4.71E-02	7.35E-11	1.0E+06	7.4E-05
653	653	0.59412	2.44396E-06	1.5E-06	6.05E-04	8.79E-10	1.84E+00	4.71E-02	7.63E-11	1.0E+06	7.6E-05
654	654	0.6168	2.44396E-06	1.5E-06	6.05E-04	9.12E-10	1.84E+00	4.71E-02	7.92E-11	1.0E+06	7.9E-05
655	655	0.64014	2.44396E-06	1.6E-06	6.05E-04	9.47E-10	1.84E+00	4.71E-02	8.22E-11	1.0E+06	8.2E-05
656	656	0.66488	2.44396E-06	1.6E-06	6.05E-04	9.83E-10	1.84E+00	4.71E-02	8.54E-11	1.0E+06	8.5E-05
657	657	0.69077	2.44396E-06	1.7E-06	6.05E-04	1.02E-09	1.84E+00	4.71E-02	8.87E-11	1.0E+06	8.9E-05
658	658	0.71808	2.44396E-06	1.8E-06	6.05E-04	1.06E-09	1.84E+00	4.71E-02	9.22E-11	1.0E+06	9.2E-05
659	659	0.74722	2.44396E-06	1.8E-06	6.05E-04	1.10E-09	1.84E+00	4.71E-02	9.60E-11	1.0E+06	9.6E-05
660	660	0.77921	2.44396E-06	1.9E-06	6.05E-04	1.15E-09	1.84E+00	4.71E-02	1.00E-10	1.0E+06	1.0E-04
661	661	0.81318	2.44396E-06	2.0E-06	6.05E-04	1.20E-09	1.84E+00	4.71E-02	1.04E-10	1.0E+06	1.0E-04
662	662	0.84934	2.44396E-06	2.1E-06	6.05E-04	1.26E-09	1.84E+00	4.71E-02	1.09E-10	1.0E+06	1.1E-04
663	663	0.88784	2.44396E-06	2.2E-06	6.05E-04	1.31E-09	1.84E+00	4.71E-02	1.14E-10	1.0E+06	1.1E-04
664	664	0.92894	2.44396E-06	2.3E-06	6.05E-04	1.37E-09	1.84E+00	4.71E-02	1.19E-10	1.0E+06	1.2E-04
665	665	0.97267	2.44396E-06	2.4E-06	6.05E-04	1.44E-09	1.84E+00	4.71E-02	1.25E-10	1.0E+06	1.2E-04
666	666	1.01963	2.44396E-06	2.5E-06	6.05E-04	1.51E-09	1.84E+00	4.71E-02	1.31E-10	1.0E+06	1.3E-04
667	667	1.07022	2.44396E-06	2.6E-06	6.05E-04	1.58E-09	1.84E+00	4.71E-02	1.37E-10	1.0E+06	1.4E-04
668	668	1.12487	2.44396E-06	2.7E-06	6.05E-04	1.66E-09	1.84E+00	4.71E-02	1.44E-10	1.0E+06	1.4E-04
669	669	1.18391	2.44396E-06	2.9E-06	6.05E-04	1.75E-09	1.84E+00	4.71E-02	1.52E-10	1.0E+06	1.5E-04
670	670	1.24798	2.44396E-06	3.1E-06	6.05E-04	1.85E-09	1.84E+00	4.71E-02	1.60E-10	1.0E+06	1.6E-04
671	671	1.31748	2.44396E-06	3.2E-06	6.05E-04	1.95E-09	1.84E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04
672	672	1.39311	2.44396E-06	3.4E-06	6.05E-04	2.06E-09	1.84E+00	4.71E-02	1.79E-10	1.0E+06	1.8E-04
673	673	1.47549	2.44396E-06	3.6E-06	6.05E-04	2.18E-09	1.84E+00	4.71E-02	1.89E-10	1.0E+06	1.9E-04
674	674	1.56558	2.44396E-06	3.8E-06	6.05E-04	2.32E-09	1.84E+00	4.71E-02	2.01E-10	1.0E+06	2.0E-04
675	675	1.66453	2.44396E-06	4.1E-06	6.05E-04	2.46E-09	1.84E+00	4.71E-02	2.14E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	1.77376	2.44396E-06	4.3E-06	6.05E-04	2.62E-09	1.84E+00	4.71E-02	2.28E-10	1.0E+06	2.3E-04
677	677	1.89458	2.44396E-06	4.6E-06	6.05E-04	2.80E-09	1.84E+00	4.71E-02	2.43E-10	1.0E+06	2.4E-04
678	678	2.02937	2.44396E-06	5.0E-06	6.05E-04	3.00E-09	1.84E+00	4.71E-02	2.61E-10	1.0E+06	2.6E-04
679	679	2.1796	2.44396E-06	5.3E-06	6.05E-04	3.22E-09	1.84E+00	4.71E-02	2.80E-10	1.0E+06	2.8E-04
680	680	2.32254	2.44396E-06	5.7E-06	6.05E-04	3.43E-09	1.84E+00	4.71E-02	2.98E-10	1.0E+06	3.0E-04
681	681	2.51263	2.44396E-06	6.1E-06	6.05E-04	3.72E-09	1.84E+00	4.71E-02	3.23E-10	1.0E+06	3.2E-04
682	682	2.70266	2.44396E-06	6.6E-06	6.05E-04	4.00E-09	1.84E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04
683	683	2.92676	2.44396E-06	7.2E-06	6.05E-04	4.33E-09	1.84E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
684	684	3.19022	2.44396E-06	7.8E-06	6.05E-04	4.72E-09	1.84E+00	4.71E-02	4.10E-10	1.0E+06	4.1E-04
685	685	3.52216	2.44396E-06	8.6E-06	6.05E-04	5.21E-09	1.84E+00	4.71E-02	4.52E-10	1.0E+06	4.5E-04
686	686	3.90131	2.44396E-06	9.5E-06	6.05E-04	5.77E-09	1.84E+00	4.71E-02	5.01E-10	1.0E+06	5.0E-04
687	687	4.34362	2.44396E-06	1.1E-05	6.05E-04	6.42E-09	1.84E+00	4.71E-02	5.58E-10	1.0E+06	5.6E-04
688	688	4.86723	2.44396E-06	1.2E-05	6.05E-04	7.20E-09	1.84E+00	4.71E-02	6.25E-10	1.0E+06	6.3E-04
689	689	5.48867	2.44396E-06	1.3E-05	6.05E-04	8.12E-09	1.84E+00	4.71E-02	7.05E-10	1.0E+06	7.0E-04
690	690	6.22739	2.44396E-06	1.5E-05	6.05E-04	9.21E-09	1.84E+00	4.71E-02	8.00E-10	1.0E+06	8.0E-04
691	691	7.10029	2.44396E-06	1.7E-05	6.05E-04	1.05E-08	1.84E+00	4.71E-02	9.12E-10	1.0E+06	9.1E-04
692	692	0.56464	2.44396E-06	1.4E-06	6.05E-04	8.35E-10	1.84E+00	4.71E-02	7.25E-11	1.0E+06	7.3E-05
693	693	0.58618	2.44396E-06	1.4E-06	6.05E-04	8.67E-10	1.84E+00	4.71E-02	7.53E-11	1.0E+06	7.5E-05
694	694	0.6088	2.44396E-06	1.5E-06	6.05E-04	9.00E-10	1.84E+00	4.71E-02	7.82E-11	1.0E+06	7.8E-05
695	695	0.63235	2.44396E-06	1.5E-06	6.05E-04	9.35E-10	1.84E+00	4.71E-02	8.12E-11	1.0E+06	8.1E-05
696	696	0.65731	2.44396E-06	1.6E-06	6.05E-04	9.72E-10	1.84E+00	4.71E-02	8.44E-11	1.0E+06	8.4E-05
697	697	0.68364	2.44396E-06	1.7E-06	6.05E-04	1.01E-09	1.84E+00	4.71E-02	8.78E-11	1.0E+06	8.8E-05
698	698	0.71146	2.44396E-06	1.7E-06	6.05E-04	1.05E-09	1.84E+00	4.71E-02	9.14E-11	1.0E+06	9.1E-05
699	699	0.74116	2.44396E-06	1.8E-06	6.05E-04	1.10E-09	1.84E+00	4.71E-02	9.52E-11	1.0E+06	9.5E-05
700	700	0.77367	2.44396E-06	1.9E-06	6.05E-04	1.14E-09	1.84E+00	4.71E-02	9.94E-11	1.0E+06	9.9E-05
701	701	0.80833	2.44396E-06	2.0E-06	6.05E-04	1.20E-09	1.84E+00	4.71E-02	1.04E-10	1.0E+06	1.0E-04
702	702	0.8451	2.44396E-06	2.1E-06	6.05E-04	1.25E-09	1.84E+00	4.71E-02	1.09E-10	1.0E+06	1.1E-04
703	703	0.88423	2.44396E-06	2.2E-06	6.05E-04	1.31E-09	1.84E+00	4.71E-02	1.14E-10	1.0E+06	1.1E-04
704	704	0.92616	2.44396E-06	2.3E-06	6.05E-04	1.37E-09	1.84E+00	4.71E-02	1.19E-10	1.0E+06	1.2E-04
705	705	0.97032	2.44396E-06	2.4E-06	6.05E-04	1.43E-09	1.84E+00	4.71E-02	1.25E-10	1.0E+06	1.2E-04
706	706	1.01774	2.44396E-06	2.5E-06	6.05E-04	1.50E-09	1.84E+00	4.71E-02	1.31E-10	1.0E+06	1.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	1.0691	2.44396E-06	2.6E-06	6.05E-04	1.58E-09	1.84E+00	4.71E-02	1.37E-10	1.0E+06	1.4E-04
708	708	1.12519	2.44396E-06	2.7E-06	6.05E-04	1.66E-09	1.84E+00	4.71E-02	1.45E-10	1.0E+06	1.4E-04
709	709	1.18582	2.44396E-06	2.9E-06	6.05E-04	1.75E-09	1.84E+00	4.71E-02	1.52E-10	1.0E+06	1.5E-04
710	710	1.25202	2.44396E-06	3.1E-06	6.05E-04	1.85E-09	1.84E+00	4.71E-02	1.61E-10	1.0E+06	1.6E-04
711	711	1.32398	2.44396E-06	3.2E-06	6.05E-04	1.96E-09	1.84E+00	4.71E-02	1.70E-10	1.0E+06	1.7E-04
712	712	1.40238	2.44396E-06	3.4E-06	6.05E-04	2.07E-09	1.84E+00	4.71E-02	1.80E-10	1.0E+06	1.8E-04
713	713	1.48801	2.44396E-06	3.6E-06	6.05E-04	2.20E-09	1.84E+00	4.71E-02	1.91E-10	1.0E+06	1.9E-04
714	714	1.58175	2.44396E-06	3.9E-06	6.05E-04	2.34E-09	1.84E+00	4.71E-02	2.03E-10	1.0E+06	2.0E-04
715	715	1.68474	2.44396E-06	4.1E-06	6.05E-04	2.49E-09	1.84E+00	4.71E-02	2.16E-10	1.0E+06	2.2E-04
716	716	1.79853	2.44396E-06	4.4E-06	6.05E-04	2.66E-09	1.84E+00	4.71E-02	2.31E-10	1.0E+06	2.3E-04
717	717	1.92479	2.44396E-06	4.7E-06	6.05E-04	2.85E-09	1.84E+00	4.71E-02	2.47E-10	1.0E+06	2.5E-04
718	718	2.06605	2.44396E-06	5.0E-06	6.05E-04	3.06E-09	1.84E+00	4.71E-02	2.65E-10	1.0E+06	2.7E-04
719	719	2.22407	2.44396E-06	5.4E-06	6.05E-04	3.29E-09	1.84E+00	4.71E-02	2.86E-10	1.0E+06	2.9E-04
720	720	2.40165	2.44396E-06	5.9E-06	6.05E-04	3.55E-09	1.84E+00	4.71E-02	3.08E-10	1.0E+06	3.1E-04
721	721	2.57626	2.44396E-06	6.3E-06	6.05E-04	3.81E-09	1.84E+00	4.71E-02	3.31E-10	1.0E+06	3.3E-04
722	722	2.77963	2.44396E-06	6.8E-06	6.05E-04	4.11E-09	1.84E+00	4.71E-02	3.57E-10	1.0E+06	3.6E-04
723	723	3.02085	2.44396E-06	7.4E-06	6.05E-04	4.47E-09	1.84E+00	4.71E-02	3.88E-10	1.0E+06	3.9E-04
724	724	3.33069	2.44396E-06	8.1E-06	6.05E-04	4.93E-09	1.84E+00	4.71E-02	4.28E-10	1.0E+06	4.3E-04
725	725	3.66616	2.44396E-06	9.0E-06	6.05E-04	5.42E-09	1.84E+00	4.71E-02	4.71E-10	1.0E+06	4.7E-04
726	726	4.08172	2.44396E-06	1.0E-05	6.05E-04	6.04E-09	1.84E+00	4.71E-02	5.24E-10	1.0E+06	5.2E-04
727	727	4.57264	2.44396E-06	1.1E-05	6.05E-04	6.76E-09	1.84E+00	4.71E-02	5.87E-10	1.0E+06	5.9E-04
728	728	5.16053	2.44396E-06	1.3E-05	6.05E-04	7.63E-09	1.84E+00	4.71E-02	6.63E-10	1.0E+06	6.6E-04
729	729	5.87024	2.44396E-06	1.4E-05	6.05E-04	8.68E-09	1.84E+00	4.71E-02	7.54E-10	1.0E+06	7.5E-04
730	730	6.73056	2.44396E-06	1.6E-05	6.05E-04	9.95E-09	1.84E+00	4.71E-02	8.64E-10	1.0E+06	8.6E-04
731	731	7.77096	2.44396E-06	1.9E-05	6.05E-04	1.15E-08	1.84E+00	4.71E-02	9.98E-10	1.0E+06	1.0E-03
732	732	0.55503	2.44396E-06	1.4E-06	6.05E-04	8.21E-10	1.84E+00	4.71E-02	7.13E-11	1.0E+06	7.1E-05
733	733	0.5758	2.44396E-06	1.4E-06	6.05E-04	8.51E-10	1.84E+00	4.71E-02	7.39E-11	1.0E+06	7.4E-05
734	734	0.5979	2.44396E-06	1.5E-06	6.05E-04	8.84E-10	1.84E+00	4.71E-02	7.68E-11	1.0E+06	7.7E-05
735	735	0.62154	2.44396E-06	1.5E-06	6.05E-04	9.19E-10	1.84E+00	4.71E-02	7.98E-11	1.0E+06	8.0E-05
736	736	0.64666	2.44396E-06	1.6E-06	6.05E-04	9.56E-10	1.84E+00	4.71E-02	8.30E-11	1.0E+06	8.3E-05
737	737	0.67343	2.44396E-06	1.6E-06	6.05E-04	9.96E-10	1.84E+00	4.71E-02	8.65E-11	1.0E+06	8.6E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.70204	2.44396E-06	1.7E-06	6.05E-04	1.04E-09	1.84E+00	4.71E-02	9.02E-11	1.0E+06	9.0E-05
739	739	0.73241	2.44396E-06	1.8E-06	6.05E-04	1.08E-09	1.84E+00	4.71E-02	9.41E-11	1.0E+06	9.4E-05
740	740	0.76539	2.44396E-06	1.9E-06	6.05E-04	1.13E-09	1.84E+00	4.71E-02	9.83E-11	1.0E+06	9.8E-05
741	741	0.80046	2.44396E-06	2.0E-06	6.05E-04	1.18E-09	1.84E+00	4.71E-02	1.03E-10	1.0E+06	1.0E-04
742	742	0.83759	2.44396E-06	2.0E-06	6.05E-04	1.24E-09	1.84E+00	4.71E-02	1.08E-10	1.0E+06	1.1E-04
743	743	0.87692	2.44396E-06	2.1E-06	6.05E-04	1.30E-09	1.84E+00	4.71E-02	1.13E-10	1.0E+06	1.1E-04
744	744	0.91916	2.44396E-06	2.2E-06	6.05E-04	1.36E-09	1.84E+00	4.71E-02	1.18E-10	1.0E+06	1.2E-04
745	745	0.96314	2.44396E-06	2.4E-06	6.05E-04	1.42E-09	1.84E+00	4.71E-02	1.24E-10	1.0E+06	1.2E-04
746	746	1.01037	2.44396E-06	2.5E-06	6.05E-04	1.49E-09	1.84E+00	4.71E-02	1.30E-10	1.0E+06	1.3E-04
747	747	1.06185	2.44396E-06	2.6E-06	6.05E-04	1.57E-09	1.84E+00	4.71E-02	1.36E-10	1.0E+06	1.4E-04
748	748	1.11906	2.44396E-06	2.7E-06	6.05E-04	1.65E-09	1.84E+00	4.71E-02	1.44E-10	1.0E+06	1.4E-04
749	749	1.18103	2.44396E-06	2.9E-06	6.05E-04	1.75E-09	1.84E+00	4.71E-02	1.52E-10	1.0E+06	1.5E-04
750	750	1.24945	2.44396E-06	3.1E-06	6.05E-04	1.85E-09	1.84E+00	4.71E-02	1.60E-10	1.0E+06	1.6E-04
751	751	1.32395	2.44396E-06	3.2E-06	6.05E-04	1.96E-09	1.84E+00	4.71E-02	1.70E-10	1.0E+06	1.7E-04
752	752	1.40498	2.44396E-06	3.4E-06	6.05E-04	2.08E-09	1.84E+00	4.71E-02	1.80E-10	1.0E+06	1.8E-04
753	753	1.49353	2.44396E-06	3.7E-06	6.05E-04	2.21E-09	1.84E+00	4.71E-02	1.92E-10	1.0E+06	1.9E-04
754	754	1.59059	2.44396E-06	3.9E-06	6.05E-04	2.35E-09	1.84E+00	4.71E-02	2.04E-10	1.0E+06	2.0E-04
755	755	1.69725	2.44396E-06	4.1E-06	6.05E-04	2.51E-09	1.84E+00	4.71E-02	2.18E-10	1.0E+06	2.2E-04
756	756	1.81502	2.44396E-06	4.4E-06	6.05E-04	2.68E-09	1.84E+00	4.71E-02	2.33E-10	1.0E+06	2.3E-04
757	757	1.94597	2.44396E-06	4.8E-06	6.05E-04	2.88E-09	1.84E+00	4.71E-02	2.50E-10	1.0E+06	2.5E-04
758	758	2.09222	2.44396E-06	5.1E-06	6.05E-04	3.09E-09	1.84E+00	4.71E-02	2.69E-10	1.0E+06	2.7E-04
759	759	2.25643	2.44396E-06	5.5E-06	6.05E-04	3.34E-09	1.84E+00	4.71E-02	2.90E-10	1.0E+06	2.9E-04
760	760	2.44193	2.44396E-06	6.0E-06	6.05E-04	3.61E-09	1.84E+00	4.71E-02	3.14E-10	1.0E+06	3.1E-04
761	761	2.62615	2.44396E-06	6.4E-06	6.05E-04	3.88E-09	1.84E+00	4.71E-02	3.37E-10	1.0E+06	3.4E-04
762	762	2.86828	2.44396E-06	7.0E-06	6.05E-04	4.24E-09	1.84E+00	4.71E-02	3.68E-10	1.0E+06	3.7E-04
763	763	3.09928	2.44396E-06	7.6E-06	6.05E-04	4.58E-09	1.84E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
764	764	3.42875	2.44396E-06	8.4E-06	6.05E-04	5.07E-09	1.84E+00	4.71E-02	4.40E-10	1.0E+06	4.4E-04
765	765	3.79019	2.44396E-06	9.3E-06	6.05E-04	5.60E-09	1.84E+00	4.71E-02	4.87E-10	1.0E+06	4.9E-04
766	766	4.23962	2.44396E-06	1.0E-05	6.05E-04	6.27E-09	1.84E+00	4.71E-02	5.44E-10	1.0E+06	5.4E-04
767	767	4.77616	2.44396E-06	1.2E-05	6.05E-04	7.06E-09	1.84E+00	4.71E-02	6.13E-10	1.0E+06	6.1E-04
768	768	5.4268	2.44396E-06	1.3E-05	6.05E-04	8.02E-09	1.84E+00	4.71E-02	6.97E-10	1.0E+06	7.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	6.22358	2.44396E-06	1.5E-05	6.05E-04	9.20E-09	1.84E+00	4.71E-02	7.99E-10	1.0E+06	8.0E-04
770	770	7.20784	2.44396E-06	1.8E-05	6.05E-04	1.07E-08	1.84E+00	4.71E-02	9.26E-10	1.0E+06	9.3E-04
771	771	8.42703	2.44396E-06	2.1E-05	6.05E-04	1.25E-08	1.84E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
772	772	0.54447	2.44396E-06	1.3E-06	6.05E-04	8.05E-10	1.84E+00	4.71E-02	6.99E-11	1.0E+06	7.0E-05
773	773	0.56485	2.44396E-06	1.4E-06	6.05E-04	8.35E-10	1.84E+00	4.71E-02	7.25E-11	1.0E+06	7.3E-05
774	774	0.58655	2.44396E-06	1.4E-06	6.05E-04	8.67E-10	1.84E+00	4.71E-02	7.53E-11	1.0E+06	7.5E-05
775	775	0.61023	2.44396E-06	1.5E-06	6.05E-04	9.02E-10	1.84E+00	4.71E-02	7.84E-11	1.0E+06	7.8E-05
776	776	0.63542	2.44396E-06	1.6E-06	6.05E-04	9.40E-10	1.84E+00	4.71E-02	8.16E-11	1.0E+06	8.2E-05
777	777	0.6623	2.44396E-06	1.6E-06	6.05E-04	9.79E-10	1.84E+00	4.71E-02	8.51E-11	1.0E+06	8.5E-05
778	778	0.69094	2.44396E-06	1.7E-06	6.05E-04	1.02E-09	1.84E+00	4.71E-02	8.87E-11	1.0E+06	8.9E-05
779	779	0.72148	2.44396E-06	1.8E-06	6.05E-04	1.07E-09	1.84E+00	4.71E-02	9.27E-11	1.0E+06	9.3E-05
780	780	0.75433	2.44396E-06	1.8E-06	6.05E-04	1.12E-09	1.84E+00	4.71E-02	9.69E-11	1.0E+06	9.7E-05
781	781	0.78946	2.44396E-06	1.9E-06	6.05E-04	1.17E-09	1.84E+00	4.71E-02	1.01E-10	1.0E+06	1.0E-04
782	782	0.82669	2.44396E-06	2.0E-06	6.05E-04	1.22E-09	1.84E+00	4.71E-02	1.06E-10	1.0E+06	1.1E-04
783	783	0.86634	2.44396E-06	2.1E-06	6.05E-04	1.28E-09	1.84E+00	4.71E-02	1.11E-10	1.0E+06	1.1E-04
784	784	0.9089	2.44396E-06	2.2E-06	6.05E-04	1.34E-09	1.84E+00	4.71E-02	1.17E-10	1.0E+06	1.2E-04
785	785	0.95341	2.44396E-06	2.3E-06	6.05E-04	1.41E-09	1.84E+00	4.71E-02	1.22E-10	1.0E+06	1.2E-04
786	786	1.00114	2.44396E-06	2.4E-06	6.05E-04	1.48E-09	1.84E+00	4.71E-02	1.29E-10	1.0E+06	1.3E-04
787	787	1.05328	2.44396E-06	2.6E-06	6.05E-04	1.56E-09	1.84E+00	4.71E-02	1.35E-10	1.0E+06	1.4E-04
788	788	1.11106	2.44396E-06	2.7E-06	6.05E-04	1.64E-09	1.84E+00	4.71E-02	1.43E-10	1.0E+06	1.4E-04
789	789	1.17374	2.44396E-06	2.9E-06	6.05E-04	1.74E-09	1.84E+00	4.71E-02	1.51E-10	1.0E+06	1.5E-04
790	790	1.24298	2.44396E-06	3.0E-06	6.05E-04	1.84E-09	1.84E+00	4.71E-02	1.60E-10	1.0E+06	1.6E-04
791	791	1.31858	2.44396E-06	3.2E-06	6.05E-04	1.95E-09	1.84E+00	4.71E-02	1.69E-10	1.0E+06	1.7E-04
792	792	1.40097	2.44396E-06	3.4E-06	6.05E-04	2.07E-09	1.84E+00	4.71E-02	1.80E-10	1.0E+06	1.8E-04
793	793	1.49119	2.44396E-06	3.6E-06	6.05E-04	2.21E-09	1.84E+00	4.71E-02	1.92E-10	1.0E+06	1.9E-04
794	794	1.5904	2.44396E-06	3.9E-06	6.05E-04	2.35E-09	1.84E+00	4.71E-02	2.04E-10	1.0E+06	2.0E-04
795	795	1.69967	2.44396E-06	4.2E-06	6.05E-04	2.51E-09	1.84E+00	4.71E-02	2.18E-10	1.0E+06	2.2E-04
796	796	1.82073	2.44396E-06	4.4E-06	6.05E-04	2.69E-09	1.84E+00	4.71E-02	2.34E-10	1.0E+06	2.3E-04
797	797	1.95569	2.44396E-06	4.8E-06	6.05E-04	2.89E-09	1.84E+00	4.71E-02	2.51E-10	1.0E+06	2.5E-04
798	798	2.10583	2.44396E-06	5.1E-06	6.05E-04	3.11E-09	1.84E+00	4.71E-02	2.70E-10	1.0E+06	2.7E-04
799	799	2.27501	2.44396E-06	5.6E-06	6.05E-04	3.36E-09	1.84E+00	4.71E-02	2.92E-10	1.0E+06	2.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	2.4669	2.44396E-06	6.0E-06	6.05E-04	3.65E-09	1.84E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
801	801	2.68595	2.44396E-06	6.6E-06	6.05E-04	3.97E-09	1.84E+00	4.71E-02	3.45E-10	1.0E+06	3.4E-04
802	802	2.9125	2.44396E-06	7.1E-06	6.05E-04	4.31E-09	1.84E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04
803	803	3.18179	2.44396E-06	7.8E-06	6.05E-04	4.71E-09	1.84E+00	4.71E-02	4.09E-10	1.0E+06	4.1E-04
804	804	3.50316	2.44396E-06	8.6E-06	6.05E-04	5.18E-09	1.84E+00	4.71E-02	4.50E-10	1.0E+06	4.5E-04
805	805	3.88634	2.44396E-06	9.5E-06	6.05E-04	5.75E-09	1.84E+00	4.71E-02	4.99E-10	1.0E+06	5.0E-04
806	806	4.36591	2.44396E-06	1.1E-05	6.05E-04	6.46E-09	1.84E+00	4.71E-02	5.61E-10	1.0E+06	5.6E-04
807	807	4.9433	2.44396E-06	1.2E-05	6.05E-04	7.31E-09	1.84E+00	4.71E-02	6.35E-10	1.0E+06	6.3E-04
808	808	5.64996	2.44396E-06	1.4E-05	6.05E-04	8.35E-09	1.84E+00	4.71E-02	7.26E-10	1.0E+06	7.3E-04
809	809	6.52543	2.44396E-06	1.6E-05	6.05E-04	9.65E-09	1.84E+00	4.71E-02	8.38E-10	1.0E+06	8.4E-04
810	810	7.62612	2.44396E-06	1.9E-05	6.05E-04	1.13E-08	1.84E+00	4.71E-02	9.79E-10	1.0E+06	9.8E-04
811	811	9.02124	2.44396E-06	2.2E-05	6.05E-04	1.33E-08	1.84E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
812	812	0.53281	2.44396E-06	1.3E-06	6.05E-04	7.88E-10	1.84E+00	4.71E-02	6.84E-11	1.0E+06	6.8E-05
813	813	0.55273	2.44396E-06	1.4E-06	6.05E-04	8.17E-10	1.84E+00	4.71E-02	7.10E-11	1.0E+06	7.1E-05
814	814	0.57407	2.44396E-06	1.4E-06	6.05E-04	8.49E-10	1.84E+00	4.71E-02	7.37E-11	1.0E+06	7.4E-05
815	815	0.5977	2.44396E-06	1.5E-06	6.05E-04	8.84E-10	1.84E+00	4.71E-02	7.68E-11	1.0E+06	7.7E-05
816	816	0.62276	2.44396E-06	1.5E-06	6.05E-04	9.21E-10	1.84E+00	4.71E-02	8.00E-11	1.0E+06	8.0E-05
817	817	0.64957	2.44396E-06	1.6E-06	6.05E-04	9.61E-10	1.84E+00	4.71E-02	8.34E-11	1.0E+06	8.3E-05
818	818	0.67807	2.44396E-06	1.7E-06	6.05E-04	1.00E-09	1.84E+00	4.71E-02	8.71E-11	1.0E+06	8.7E-05
819	819	0.7085	2.44396E-06	1.7E-06	6.05E-04	1.05E-09	1.84E+00	4.71E-02	9.10E-11	1.0E+06	9.1E-05
820	820	0.74104	2.44396E-06	1.8E-06	6.05E-04	1.10E-09	1.84E+00	4.71E-02	9.52E-11	1.0E+06	9.5E-05
821	821	0.77577	2.44396E-06	1.9E-06	6.05E-04	1.15E-09	1.84E+00	4.71E-02	9.96E-11	1.0E+06	1.0E-04
822	822	0.81293	2.44396E-06	2.0E-06	6.05E-04	1.20E-09	1.84E+00	4.71E-02	1.04E-10	1.0E+06	1.0E-04
823	823	0.85277	2.44396E-06	2.1E-06	6.05E-04	1.26E-09	1.84E+00	4.71E-02	1.10E-10	1.0E+06	1.1E-04
824	824	0.89556	2.44396E-06	2.2E-06	6.05E-04	1.32E-09	1.84E+00	4.71E-02	1.15E-10	1.0E+06	1.2E-04
825	825	0.94042	2.44396E-06	2.3E-06	6.05E-04	1.39E-09	1.84E+00	4.71E-02	1.21E-10	1.0E+06	1.2E-04
826	826	0.98875	2.44396E-06	2.4E-06	6.05E-04	1.46E-09	1.84E+00	4.71E-02	1.27E-10	1.0E+06	1.3E-04
827	827	1.04147	2.44396E-06	2.5E-06	6.05E-04	1.54E-09	1.84E+00	4.71E-02	1.34E-10	1.0E+06	1.3E-04
828	828	1.0995	2.44396E-06	2.7E-06	6.05E-04	1.63E-09	1.84E+00	4.71E-02	1.41E-10	1.0E+06	1.4E-04
829	829	1.16252	2.44396E-06	2.8E-06	6.05E-04	1.72E-09	1.84E+00	4.71E-02	1.49E-10	1.0E+06	1.5E-04
830	830	1.23191	2.44396E-06	3.0E-06	6.05E-04	1.82E-09	1.84E+00	4.71E-02	1.58E-10	1.0E+06	1.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	1.30778	2.44396E-06	3.2E-06	6.05E-04	1.93E-09	1.84E+00	4.71E-02	1.68E-10	1.0E+06	1.7E-04
832	832	1.39069	2.44396E-06	3.4E-06	6.05E-04	2.06E-09	1.84E+00	4.71E-02	1.79E-10	1.0E+06	1.8E-04
833	833	1.48113	2.44396E-06	3.6E-06	6.05E-04	2.19E-09	1.84E+00	4.71E-02	1.90E-10	1.0E+06	1.9E-04
834	834	1.581	2.44396E-06	3.9E-06	6.05E-04	2.34E-09	1.84E+00	4.71E-02	2.03E-10	1.0E+06	2.0E-04
835	835	1.69164	2.44396E-06	4.1E-06	6.05E-04	2.50E-09	1.84E+00	4.71E-02	2.17E-10	1.0E+06	2.2E-04
836	836	1.81472	2.44396E-06	4.4E-06	6.05E-04	2.68E-09	1.84E+00	4.71E-02	2.33E-10	1.0E+06	2.3E-04
837	837	1.95218	2.44396E-06	4.8E-06	6.05E-04	2.89E-09	1.84E+00	4.71E-02	2.51E-10	1.0E+06	2.5E-04
838	838	2.10575	2.44396E-06	5.1E-06	6.05E-04	3.11E-09	1.84E+00	4.71E-02	2.70E-10	1.0E+06	2.7E-04
839	839	2.27909	2.44396E-06	5.6E-06	6.05E-04	3.37E-09	1.84E+00	4.71E-02	2.93E-10	1.0E+06	2.9E-04
840	840	2.47585	2.44396E-06	6.1E-06	6.05E-04	3.66E-09	1.84E+00	4.71E-02	3.18E-10	1.0E+06	3.2E-04
841	841	2.70087	2.44396E-06	6.6E-06	6.05E-04	3.99E-09	1.84E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04
842	842	2.93717	2.44396E-06	7.2E-06	6.05E-04	4.34E-09	1.84E+00	4.71E-02	3.77E-10	1.0E+06	3.8E-04
843	843	3.2179	2.44396E-06	7.9E-06	6.05E-04	4.76E-09	1.84E+00	4.71E-02	4.13E-10	1.0E+06	4.1E-04
844	844	3.55273	2.44396E-06	8.7E-06	6.05E-04	5.25E-09	1.84E+00	4.71E-02	4.56E-10	1.0E+06	4.6E-04
845	845	3.97382	2.44396E-06	9.7E-06	6.05E-04	5.88E-09	1.84E+00	4.71E-02	5.10E-10	1.0E+06	5.1E-04
846	846	4.45605	2.44396E-06	1.1E-05	6.05E-04	6.59E-09	1.84E+00	4.71E-02	5.72E-10	1.0E+06	5.7E-04
847	847	5.06521	2.44396E-06	1.2E-05	6.05E-04	7.49E-09	1.84E+00	4.71E-02	6.51E-10	1.0E+06	6.5E-04
848	848	5.81579	2.44396E-06	1.4E-05	6.05E-04	8.60E-09	1.84E+00	4.71E-02	7.47E-10	1.0E+06	7.5E-04
849	849	6.75456	2.44396E-06	1.7E-05	6.05E-04	9.99E-09	1.84E+00	4.71E-02	8.67E-10	1.0E+06	8.7E-04
850	850	7.94936	2.44396E-06	1.9E-05	6.05E-04	1.18E-08	1.84E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
851	851	9.49315	2.44396E-06	2.3E-05	6.05E-04	1.40E-08	1.84E+00	4.71E-02	1.22E-09	1.0E+06	1.2E-03
852	852	0.52035	2.44396E-06	1.3E-06	6.05E-04	7.69E-10	1.84E+00	4.71E-02	6.68E-11	1.0E+06	6.7E-05
853	853	0.53971	2.44396E-06	1.3E-06	6.05E-04	7.98E-10	1.84E+00	4.71E-02	6.93E-11	1.0E+06	6.9E-05
854	854	0.56048	2.44396E-06	1.4E-06	6.05E-04	8.29E-10	1.84E+00	4.71E-02	7.20E-11	1.0E+06	7.2E-05
855	855	0.584	2.44396E-06	1.4E-06	6.05E-04	8.64E-10	1.84E+00	4.71E-02	7.50E-11	1.0E+06	7.5E-05
856	856	0.60896	2.44396E-06	1.5E-06	6.05E-04	9.01E-10	1.84E+00	4.71E-02	7.82E-11	1.0E+06	7.8E-05
857	857	0.63547	2.44396E-06	1.6E-06	6.05E-04	9.40E-10	1.84E+00	4.71E-02	8.16E-11	1.0E+06	8.2E-05
858	858	0.66367	2.44396E-06	1.6E-06	6.05E-04	9.81E-10	1.84E+00	4.71E-02	8.52E-11	1.0E+06	8.5E-05
859	859	0.69372	2.44396E-06	1.7E-06	6.05E-04	1.03E-09	1.84E+00	4.71E-02	8.91E-11	1.0E+06	8.9E-05
860	860	0.72579	2.44396E-06	1.8E-06	6.05E-04	1.07E-09	1.84E+00	4.71E-02	9.32E-11	1.0E+06	9.3E-05
861	861	0.75996	2.44396E-06	1.9E-06	6.05E-04	1.12E-09	1.84E+00	4.71E-02	9.76E-11	1.0E+06	9.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.79674	2.44396E-06	1.9E-06	6.05E-04	1.18E-09	1.84E+00	4.71E-02	1.02E-10	1.0E+06	1.0E-04
863	863	0.83651	2.44396E-06	2.0E-06	6.05E-04	1.24E-09	1.84E+00	4.71E-02	1.07E-10	1.0E+06	1.1E-04
864	864	0.87936	2.44396E-06	2.1E-06	6.05E-04	1.30E-09	1.84E+00	4.71E-02	1.13E-10	1.0E+06	1.1E-04
865	865	0.92481	2.44396E-06	2.3E-06	6.05E-04	1.37E-09	1.84E+00	4.71E-02	1.19E-10	1.0E+06	1.2E-04
866	866	0.97375	2.44396E-06	2.4E-06	6.05E-04	1.44E-09	1.84E+00	4.71E-02	1.25E-10	1.0E+06	1.3E-04
867	867	1.02683	2.44396E-06	2.5E-06	6.05E-04	1.52E-09	1.84E+00	4.71E-02	1.32E-10	1.0E+06	1.3E-04
868	868	1.08481	2.44396E-06	2.7E-06	6.05E-04	1.60E-09	1.84E+00	4.71E-02	1.39E-10	1.0E+06	1.4E-04
869	869	1.14782	2.44396E-06	2.8E-06	6.05E-04	1.70E-09	1.84E+00	4.71E-02	1.47E-10	1.0E+06	1.5E-04
870	870	1.21674	2.44396E-06	3.0E-06	6.05E-04	1.80E-09	1.84E+00	4.71E-02	1.56E-10	1.0E+06	1.6E-04
871	871	1.29202	2.44396E-06	3.2E-06	6.05E-04	1.91E-09	1.84E+00	4.71E-02	1.66E-10	1.0E+06	1.7E-04
872	872	1.37447	2.44396E-06	3.4E-06	6.05E-04	2.03E-09	1.84E+00	4.71E-02	1.77E-10	1.0E+06	1.8E-04
873	873	1.46413	2.44396E-06	3.6E-06	6.05E-04	2.17E-09	1.84E+00	4.71E-02	1.88E-10	1.0E+06	1.9E-04
874	874	1.56314	2.44396E-06	3.8E-06	6.05E-04	2.31E-09	1.84E+00	4.71E-02	2.01E-10	1.0E+06	2.0E-04
875	875	1.67372	2.44396E-06	4.1E-06	6.05E-04	2.48E-09	1.84E+00	4.71E-02	2.15E-10	1.0E+06	2.1E-04
876	876	1.7976	2.44396E-06	4.4E-06	6.05E-04	2.66E-09	1.84E+00	4.71E-02	2.31E-10	1.0E+06	2.3E-04
877	877	1.9362	2.44396E-06	4.7E-06	6.05E-04	2.86E-09	1.84E+00	4.71E-02	2.49E-10	1.0E+06	2.5E-04
878	878	2.09246	2.44396E-06	5.1E-06	6.05E-04	3.09E-09	1.84E+00	4.71E-02	2.69E-10	1.0E+06	2.7E-04
879	879	2.26905	2.44396E-06	5.5E-06	6.05E-04	3.36E-09	1.84E+00	4.71E-02	2.91E-10	1.0E+06	2.9E-04
880	880	2.46915	2.44396E-06	6.0E-06	6.05E-04	3.65E-09	1.84E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
881	881	2.69707	2.44396E-06	6.6E-06	6.05E-04	3.99E-09	1.84E+00	4.71E-02	3.46E-10	1.0E+06	3.5E-04
882	882	2.95996	2.44396E-06	7.2E-06	6.05E-04	4.38E-09	1.84E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
883	883	3.24853	2.44396E-06	7.9E-06	6.05E-04	4.80E-09	1.84E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
884	884	3.59245	2.44396E-06	8.8E-06	6.05E-04	5.31E-09	1.84E+00	4.71E-02	4.61E-10	1.0E+06	4.6E-04
885	885	4.00532	2.44396E-06	9.8E-06	6.05E-04	5.92E-09	1.84E+00	4.71E-02	5.14E-10	1.0E+06	5.1E-04
886	886	4.50478	2.44396E-06	1.1E-05	6.05E-04	6.66E-09	1.84E+00	4.71E-02	5.79E-10	1.0E+06	5.8E-04
887	887	5.13388	2.44396E-06	1.3E-05	6.05E-04	7.59E-09	1.84E+00	4.71E-02	6.59E-10	1.0E+06	6.6E-04
888	888	5.9111	2.44396E-06	1.4E-05	6.05E-04	8.74E-09	1.84E+00	4.71E-02	7.59E-10	1.0E+06	7.6E-04
889	889	6.88846	2.44396E-06	1.7E-05	6.05E-04	1.02E-08	1.84E+00	4.71E-02	8.85E-10	1.0E+06	8.8E-04
890	890	8.14346	2.44396E-06	2.0E-05	6.05E-04	1.20E-08	1.84E+00	4.71E-02	1.05E-09	1.0E+06	1.0E-03
891	891	9.78413	2.44396E-06	2.4E-05	6.05E-04	1.45E-08	1.84E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	521	0.54566	2.08227E-05	1.1E-05	6.05E-04	6.87E-09	1.84E+00	4.71E-02	5.97E-10	1.0E+06	6.0E-04
522	522	0.56284	2.08227E-05	1.2E-05	6.05E-04	7.09E-09	1.84E+00	4.71E-02	6.16E-10	1.0E+06	6.2E-04
523	523	0.58189	2.08227E-05	1.2E-05	6.05E-04	7.33E-09	1.84E+00	4.71E-02	6.37E-10	1.0E+06	6.4E-04
524	524	0.60457	2.08227E-05	1.3E-05	6.05E-04	7.62E-09	1.84E+00	4.71E-02	6.62E-10	1.0E+06	6.6E-04
525	525	0.63204	2.08227E-05	1.3E-05	6.05E-04	7.96E-09	1.84E+00	4.71E-02	6.92E-10	1.0E+06	6.9E-04
526	526	0.65985	2.08227E-05	1.4E-05	6.05E-04	8.31E-09	1.84E+00	4.71E-02	7.22E-10	1.0E+06	7.2E-04
527	527	0.68668	2.08227E-05	1.4E-05	6.05E-04	8.65E-09	1.84E+00	4.71E-02	7.51E-10	1.0E+06	7.5E-04
528	528	0.71644	2.08227E-05	1.5E-05	6.05E-04	9.03E-09	1.84E+00	4.71E-02	7.84E-10	1.0E+06	7.8E-04
529	529	0.74712	2.08227E-05	1.6E-05	6.05E-04	9.41E-09	1.84E+00	4.71E-02	8.18E-10	1.0E+06	8.2E-04
530	530	0.77774	2.08227E-05	1.6E-05	6.05E-04	9.80E-09	1.84E+00	4.71E-02	8.51E-10	1.0E+06	8.5E-04
531	531	0.80964	2.08227E-05	1.7E-05	6.05E-04	1.02E-08	1.84E+00	4.71E-02	8.86E-10	1.0E+06	8.9E-04
532	532	0.28977	2.08227E-05	6.0E-06	6.05E-04	3.65E-09	1.84E+00	4.71E-02	3.17E-10	1.0E+06	3.2E-04
533	533	0.29509	2.08227E-05	6.1E-06	6.05E-04	3.72E-09	1.84E+00	4.71E-02	3.23E-10	1.0E+06	3.2E-04
534	534	0.30054	2.08227E-05	6.3E-06	6.05E-04	3.79E-09	1.84E+00	4.71E-02	3.29E-10	1.0E+06	3.3E-04
535	535	0.30606	2.08227E-05	6.4E-06	6.05E-04	3.86E-09	1.84E+00	4.71E-02	3.35E-10	1.0E+06	3.3E-04
536	536	0.31176	2.08227E-05	6.5E-06	6.05E-04	3.93E-09	1.84E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
537	537	0.31761	2.08227E-05	6.6E-06	6.05E-04	4.00E-09	1.84E+00	4.71E-02	3.48E-10	1.0E+06	3.5E-04
538	538	0.32364	2.08227E-05	6.7E-06	6.05E-04	4.08E-09	1.84E+00	4.71E-02	3.54E-10	1.0E+06	3.5E-04
539	539	0.32989	2.08227E-05	6.9E-06	6.05E-04	4.16E-09	1.84E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
540	540	0.33649	2.08227E-05	7.0E-06	6.05E-04	4.24E-09	1.84E+00	4.71E-02	3.68E-10	1.0E+06	3.7E-04
541	541	0.34332	2.08227E-05	7.1E-06	6.05E-04	4.33E-09	1.84E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
542	542	0.35041	2.08227E-05	7.3E-06	6.05E-04	4.41E-09	1.84E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
543	543	0.35776	2.08227E-05	7.4E-06	6.05E-04	4.51E-09	1.84E+00	4.71E-02	3.91E-10	1.0E+06	3.9E-04
544	544	0.36538	2.08227E-05	7.6E-06	6.05E-04	4.60E-09	1.84E+00	4.71E-02	4.00E-10	1.0E+06	4.0E-04
545	545	0.37326	2.08227E-05	7.8E-06	6.05E-04	4.70E-09	1.84E+00	4.71E-02	4.08E-10	1.0E+06	4.1E-04
546	546	0.38146	2.08227E-05	7.9E-06	6.05E-04	4.81E-09	1.84E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
547	547	0.39	2.08227E-05	8.1E-06	6.05E-04	4.91E-09	1.84E+00	4.71E-02	4.27E-10	1.0E+06	4.3E-04
548	548	0.39892	2.08227E-05	8.3E-06	6.05E-04	5.03E-09	1.84E+00	4.71E-02	4.37E-10	1.0E+06	4.4E-04
549	549	0.40825	2.08227E-05	8.5E-06	6.05E-04	5.14E-09	1.84E+00	4.71E-02	4.47E-10	1.0E+06	4.5E-04
550	550	0.41806	2.08227E-05	8.7E-06	6.05E-04	5.27E-09	1.84E+00	4.71E-02	4.57E-10	1.0E+06	4.6E-04
551	551	0.42836	2.08227E-05	8.9E-06	6.05E-04	5.40E-09	1.84E+00	4.71E-02	4.69E-10	1.0E+06	4.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	552	0.43913	2.08227E-05	9.1E-06	6.05E-04	5.53E-09	1.84E+00	4.71E-02	4.80E-10	1.0E+06	4.8E-04
553	553	0.45038	2.08227E-05	9.4E-06	6.05E-04	5.67E-09	1.84E+00	4.71E-02	4.93E-10	1.0E+06	4.9E-04
554	554	0.46224	2.08227E-05	9.6E-06	6.05E-04	5.82E-09	1.84E+00	4.71E-02	5.06E-10	1.0E+06	5.1E-04
555	555	0.47471	2.08227E-05	9.9E-06	6.05E-04	5.98E-09	1.84E+00	4.71E-02	5.19E-10	1.0E+06	5.2E-04
556	556	0.4878	2.08227E-05	1.0E-05	6.05E-04	6.15E-09	1.84E+00	4.71E-02	5.34E-10	1.0E+06	5.3E-04
557	557	0.50165	2.08227E-05	1.0E-05	6.05E-04	6.32E-09	1.84E+00	4.71E-02	5.49E-10	1.0E+06	5.5E-04
558	558	0.51625	2.08227E-05	1.1E-05	6.05E-04	6.50E-09	1.84E+00	4.71E-02	5.65E-10	1.0E+06	5.6E-04
559	559	0.53175	2.08227E-05	1.1E-05	6.05E-04	6.70E-09	1.84E+00	4.71E-02	5.82E-10	1.0E+06	5.8E-04
560	560	0.54813	2.08227E-05	1.1E-05	6.05E-04	6.91E-09	1.84E+00	4.71E-02	6.00E-10	1.0E+06	6.0E-04
561	561	0.56541	2.08227E-05	1.2E-05	6.05E-04	7.12E-09	1.84E+00	4.71E-02	6.19E-10	1.0E+06	6.2E-04
562	562	0.58373	2.08227E-05	1.2E-05	6.05E-04	7.35E-09	1.84E+00	4.71E-02	6.39E-10	1.0E+06	6.4E-04
563	563	0.60377	2.08227E-05	1.3E-05	6.05E-04	7.61E-09	1.84E+00	4.71E-02	6.61E-10	1.0E+06	6.6E-04
564	564	0.62457	2.08227E-05	1.3E-05	6.05E-04	7.87E-09	1.84E+00	4.71E-02	6.83E-10	1.0E+06	6.8E-04
565	565	0.65444	2.08227E-05	1.4E-05	6.05E-04	8.25E-09	1.84E+00	4.71E-02	7.16E-10	1.0E+06	7.2E-04
566	566	0.68693	2.08227E-05	1.4E-05	6.05E-04	8.65E-09	1.84E+00	4.71E-02	7.52E-10	1.0E+06	7.5E-04
567	567	0.71405	2.08227E-05	1.5E-05	6.05E-04	9.00E-09	1.84E+00	4.71E-02	7.81E-10	1.0E+06	7.8E-04
568	568	0.74688	2.08227E-05	1.6E-05	6.05E-04	9.41E-09	1.84E+00	4.71E-02	8.17E-10	1.0E+06	8.2E-04
569	569	0.78097	2.08227E-05	1.6E-05	6.05E-04	9.84E-09	1.84E+00	4.71E-02	8.55E-10	1.0E+06	8.5E-04
570	570	0.81636	2.08227E-05	1.7E-05	6.05E-04	1.03E-08	1.84E+00	4.71E-02	8.93E-10	1.0E+06	8.9E-04
571	571	0.85198	2.08227E-05	1.8E-05	6.05E-04	1.07E-08	1.84E+00	4.71E-02	9.32E-10	1.0E+06	9.3E-04
572	572	0.29457	2.08227E-05	6.1E-06	6.05E-04	3.71E-09	1.84E+00	4.71E-02	3.22E-10	1.0E+06	3.2E-04
573	573	0.30021	2.08227E-05	6.3E-06	6.05E-04	3.78E-09	1.84E+00	4.71E-02	3.28E-10	1.0E+06	3.3E-04
574	574	0.30598	2.08227E-05	6.4E-06	6.05E-04	3.86E-09	1.84E+00	4.71E-02	3.35E-10	1.0E+06	3.3E-04
575	575	0.31173	2.08227E-05	6.5E-06	6.05E-04	3.93E-09	1.84E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
576	576	0.31767	2.08227E-05	6.6E-06	6.05E-04	4.00E-09	1.84E+00	4.71E-02	3.48E-10	1.0E+06	3.5E-04
577	577	0.32371	2.08227E-05	6.7E-06	6.05E-04	4.08E-09	1.84E+00	4.71E-02	3.54E-10	1.0E+06	3.5E-04
578	578	0.3299	2.08227E-05	6.9E-06	6.05E-04	4.16E-09	1.84E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
579	579	0.33634	2.08227E-05	7.0E-06	6.05E-04	4.24E-09	1.84E+00	4.71E-02	3.68E-10	1.0E+06	3.7E-04
580	580	0.34328	2.08227E-05	7.1E-06	6.05E-04	4.33E-09	1.84E+00	4.71E-02	3.76E-10	1.0E+06	3.8E-04
581	581	0.35048	2.08227E-05	7.3E-06	6.05E-04	4.42E-09	1.84E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
582	582	0.35795	2.08227E-05	7.5E-06	6.05E-04	4.51E-09	1.84E+00	4.71E-02	3.92E-10	1.0E+06	3.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	583	0.36572	2.08227E-05	7.6E-06	6.05E-04	4.61E-09	1.84E+00	4.71E-02	4.00E-10	1.0E+06	4.0E-04
584	584	0.37377	2.08227E-05	7.8E-06	6.05E-04	4.71E-09	1.84E+00	4.71E-02	4.09E-10	1.0E+06	4.1E-04
585	585	0.38203	2.08227E-05	8.0E-06	6.05E-04	4.81E-09	1.84E+00	4.71E-02	4.18E-10	1.0E+06	4.2E-04
586	586	0.39064	2.08227E-05	8.1E-06	6.05E-04	4.92E-09	1.84E+00	4.71E-02	4.27E-10	1.0E+06	4.3E-04
587	587	0.39962	2.08227E-05	8.3E-06	6.05E-04	5.03E-09	1.84E+00	4.71E-02	4.37E-10	1.0E+06	4.4E-04
588	588	0.40899	2.08227E-05	8.5E-06	6.05E-04	5.15E-09	1.84E+00	4.71E-02	4.48E-10	1.0E+06	4.5E-04
589	589	0.41878	2.08227E-05	8.7E-06	6.05E-04	5.28E-09	1.84E+00	4.71E-02	4.58E-10	1.0E+06	4.6E-04
590	590	0.42908	2.08227E-05	8.9E-06	6.05E-04	5.41E-09	1.84E+00	4.71E-02	4.70E-10	1.0E+06	4.7E-04
591	591	0.43992	2.08227E-05	9.2E-06	6.05E-04	5.54E-09	1.84E+00	4.71E-02	4.81E-10	1.0E+06	4.8E-04
592	592	0.45132	2.08227E-05	9.4E-06	6.05E-04	5.69E-09	1.84E+00	4.71E-02	4.94E-10	1.0E+06	4.9E-04
593	593	0.46331	2.08227E-05	9.6E-06	6.05E-04	5.84E-09	1.84E+00	4.71E-02	5.07E-10	1.0E+06	5.1E-04
594	594	0.47591	2.08227E-05	9.9E-06	6.05E-04	6.00E-09	1.84E+00	4.71E-02	5.21E-10	1.0E+06	5.2E-04
595	595	0.48916	2.08227E-05	1.0E-05	6.05E-04	6.16E-09	1.84E+00	4.71E-02	5.35E-10	1.0E+06	5.4E-04
596	596	0.5031	2.08227E-05	1.0E-05	6.05E-04	6.34E-09	1.84E+00	4.71E-02	5.50E-10	1.0E+06	5.5E-04
597	597	0.51781	2.08227E-05	1.1E-05	6.05E-04	6.52E-09	1.84E+00	4.71E-02	5.67E-10	1.0E+06	5.7E-04
598	598	0.53337	2.08227E-05	1.1E-05	6.05E-04	6.72E-09	1.84E+00	4.71E-02	5.84E-10	1.0E+06	5.8E-04
599	599	0.54988	2.08227E-05	1.1E-05	6.05E-04	6.93E-09	1.84E+00	4.71E-02	6.02E-10	1.0E+06	6.0E-04
600	600	0.56735	2.08227E-05	1.2E-05	6.05E-04	7.15E-09	1.84E+00	4.71E-02	6.21E-10	1.0E+06	6.2E-04
601	601	0.58575	2.08227E-05	1.2E-05	6.05E-04	7.38E-09	1.84E+00	4.71E-02	6.41E-10	1.0E+06	6.4E-04
602	602	0.60526	2.08227E-05	1.3E-05	6.05E-04	7.63E-09	1.84E+00	4.71E-02	6.62E-10	1.0E+06	6.6E-04
603	603	0.62707	2.08227E-05	1.3E-05	6.05E-04	7.90E-09	1.84E+00	4.71E-02	6.86E-10	1.0E+06	6.9E-04
604	604	0.64562	2.08227E-05	1.3E-05	6.05E-04	8.13E-09	1.84E+00	4.71E-02	7.06E-10	1.0E+06	7.1E-04
605	605	0.68016	2.08227E-05	1.4E-05	6.05E-04	8.57E-09	1.84E+00	4.71E-02	7.44E-10	1.0E+06	7.4E-04
606	606	0.71275	2.08227E-05	1.5E-05	6.05E-04	8.98E-09	1.84E+00	4.71E-02	7.80E-10	1.0E+06	7.8E-04
607	607	0.74448	2.08227E-05	1.6E-05	6.05E-04	9.38E-09	1.84E+00	4.71E-02	8.15E-10	1.0E+06	8.1E-04
608	608	0.77843	2.08227E-05	1.6E-05	6.05E-04	9.81E-09	1.84E+00	4.71E-02	8.52E-10	1.0E+06	8.5E-04
609	609	0.81783	2.08227E-05	1.7E-05	6.05E-04	1.03E-08	1.84E+00	4.71E-02	8.95E-10	1.0E+06	8.9E-04
610	610	0.85576	2.08227E-05	1.8E-05	6.05E-04	1.08E-08	1.84E+00	4.71E-02	9.36E-10	1.0E+06	9.4E-04
611	611	0.89674	2.08227E-05	1.9E-05	6.05E-04	1.13E-08	1.84E+00	4.71E-02	9.81E-10	1.0E+06	9.8E-04
612	612	0.29922	2.08227E-05	6.2E-06	6.05E-04	3.77E-09	1.84E+00	4.71E-02	3.27E-10	1.0E+06	3.3E-04
613	613	0.30525	2.08227E-05	6.4E-06	6.05E-04	3.85E-09	1.84E+00	4.71E-02	3.34E-10	1.0E+06	3.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	614	0.31133	2.08227E-05	6.5E-06	6.05E-04	3.92E-09	1.84E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
615	615	0.31732	2.08227E-05	6.6E-06	6.05E-04	4.00E-09	1.84E+00	4.71E-02	3.47E-10	1.0E+06	3.5E-04
616	616	0.32351	2.08227E-05	6.7E-06	6.05E-04	4.08E-09	1.84E+00	4.71E-02	3.54E-10	1.0E+06	3.5E-04
617	617	0.32973	2.08227E-05	6.9E-06	6.05E-04	4.15E-09	1.84E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
618	618	0.33605	2.08227E-05	7.0E-06	6.05E-04	4.23E-09	1.84E+00	4.71E-02	3.68E-10	1.0E+06	3.7E-04
619	619	0.34263	2.08227E-05	7.1E-06	6.05E-04	4.32E-09	1.84E+00	4.71E-02	3.75E-10	1.0E+06	3.7E-04
620	620	0.34993	2.08227E-05	7.3E-06	6.05E-04	4.41E-09	1.84E+00	4.71E-02	3.83E-10	1.0E+06	3.8E-04
621	621	0.35751	2.08227E-05	7.4E-06	6.05E-04	4.50E-09	1.84E+00	4.71E-02	3.91E-10	1.0E+06	3.9E-04
622	622	0.36539	2.08227E-05	7.6E-06	6.05E-04	4.60E-09	1.84E+00	4.71E-02	4.00E-10	1.0E+06	4.0E-04
623	623	0.37357	2.08227E-05	7.8E-06	6.05E-04	4.71E-09	1.84E+00	4.71E-02	4.09E-10	1.0E+06	4.1E-04
624	624	0.38207	2.08227E-05	8.0E-06	6.05E-04	4.81E-09	1.84E+00	4.71E-02	4.18E-10	1.0E+06	4.2E-04
625	625	0.39074	2.08227E-05	8.1E-06	6.05E-04	4.92E-09	1.84E+00	4.71E-02	4.28E-10	1.0E+06	4.3E-04
626	626	0.39975	2.08227E-05	8.3E-06	6.05E-04	5.04E-09	1.84E+00	4.71E-02	4.37E-10	1.0E+06	4.4E-04
627	627	0.40917	2.08227E-05	8.5E-06	6.05E-04	5.16E-09	1.84E+00	4.71E-02	4.48E-10	1.0E+06	4.5E-04
628	628	0.41899	2.08227E-05	8.7E-06	6.05E-04	5.28E-09	1.84E+00	4.71E-02	4.58E-10	1.0E+06	4.6E-04
629	629	0.42928	2.08227E-05	8.9E-06	6.05E-04	5.41E-09	1.84E+00	4.71E-02	4.70E-10	1.0E+06	4.7E-04
630	630	0.44008	2.08227E-05	9.2E-06	6.05E-04	5.54E-09	1.84E+00	4.71E-02	4.82E-10	1.0E+06	4.8E-04
631	631	0.45146	2.08227E-05	9.4E-06	6.05E-04	5.69E-09	1.84E+00	4.71E-02	4.94E-10	1.0E+06	4.9E-04
632	632	0.46348	2.08227E-05	9.7E-06	6.05E-04	5.84E-09	1.84E+00	4.71E-02	5.07E-10	1.0E+06	5.1E-04
633	633	0.47628	2.08227E-05	9.9E-06	6.05E-04	6.00E-09	1.84E+00	4.71E-02	5.21E-10	1.0E+06	5.2E-04
634	634	0.48968	2.08227E-05	1.0E-05	6.05E-04	6.17E-09	1.84E+00	4.71E-02	5.36E-10	1.0E+06	5.4E-04
635	635	0.50376	2.08227E-05	1.0E-05	6.05E-04	6.35E-09	1.84E+00	4.71E-02	5.51E-10	1.0E+06	5.5E-04
636	636	0.51858	2.08227E-05	1.1E-05	6.05E-04	6.53E-09	1.84E+00	4.71E-02	5.67E-10	1.0E+06	5.7E-04
637	637	0.53424	2.08227E-05	1.1E-05	6.05E-04	6.73E-09	1.84E+00	4.71E-02	5.85E-10	1.0E+06	5.8E-04
638	638	0.55077	2.08227E-05	1.1E-05	6.05E-04	6.94E-09	1.84E+00	4.71E-02	6.03E-10	1.0E+06	6.0E-04
639	639	0.56833	2.08227E-05	1.2E-05	6.05E-04	7.16E-09	1.84E+00	4.71E-02	6.22E-10	1.0E+06	6.2E-04
640	640	0.58691	2.08227E-05	1.2E-05	6.05E-04	7.39E-09	1.84E+00	4.71E-02	6.42E-10	1.0E+06	6.4E-04
641	641	0.60657	2.08227E-05	1.3E-05	6.05E-04	7.64E-09	1.84E+00	4.71E-02	6.64E-10	1.0E+06	6.6E-04
642	642	0.62756	2.08227E-05	1.3E-05	6.05E-04	7.91E-09	1.84E+00	4.71E-02	6.87E-10	1.0E+06	6.9E-04
643	643	0.6511	2.08227E-05	1.4E-05	6.05E-04	8.20E-09	1.84E+00	4.71E-02	7.12E-10	1.0E+06	7.1E-04
644	644	0.67446	2.08227E-05	1.4E-05	6.05E-04	8.50E-09	1.84E+00	4.71E-02	7.38E-10	1.0E+06	7.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	645	0.7065	2.08227E-05	1.5E-05	6.05E-04	8.90E-09	1.84E+00	4.71E-02	7.73E-10	1.0E+06	7.7E-04
646	646	0.73916	2.08227E-05	1.5E-05	6.05E-04	9.31E-09	1.84E+00	4.71E-02	8.09E-10	1.0E+06	8.1E-04
647	647	0.77603	2.08227E-05	1.6E-05	6.05E-04	9.78E-09	1.84E+00	4.71E-02	8.49E-10	1.0E+06	8.5E-04
648	648	0.81317	2.08227E-05	1.7E-05	6.05E-04	1.02E-08	1.84E+00	4.71E-02	8.90E-10	1.0E+06	8.9E-04
649	649	0.85637	2.08227E-05	1.8E-05	6.05E-04	1.08E-08	1.84E+00	4.71E-02	9.37E-10	1.0E+06	9.4E-04
650	650	0.89839	2.08227E-05	1.9E-05	6.05E-04	1.13E-08	1.84E+00	4.71E-02	9.83E-10	1.0E+06	9.8E-04
651	651	0.94392	2.08227E-05	2.0E-05	6.05E-04	1.19E-08	1.84E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
652	652	0.30301	2.08227E-05	6.3E-06	6.05E-04	3.82E-09	1.84E+00	4.71E-02	3.32E-10	1.0E+06	3.3E-04
653	653	0.30928	2.08227E-05	6.4E-06	6.05E-04	3.90E-09	1.84E+00	4.71E-02	3.38E-10	1.0E+06	3.4E-04
654	654	0.31559	2.08227E-05	6.6E-06	6.05E-04	3.98E-09	1.84E+00	4.71E-02	3.45E-10	1.0E+06	3.5E-04
655	655	0.32181	2.08227E-05	6.7E-06	6.05E-04	4.05E-09	1.84E+00	4.71E-02	3.52E-10	1.0E+06	3.5E-04
656	656	0.32825	2.08227E-05	6.8E-06	6.05E-04	4.14E-09	1.84E+00	4.71E-02	3.59E-10	1.0E+06	3.6E-04
657	657	0.33477	2.08227E-05	7.0E-06	6.05E-04	4.22E-09	1.84E+00	4.71E-02	3.66E-10	1.0E+06	3.7E-04
658	658	0.34143	2.08227E-05	7.1E-06	6.05E-04	4.30E-09	1.84E+00	4.71E-02	3.74E-10	1.0E+06	3.7E-04
659	659	0.3484	2.08227E-05	7.3E-06	6.05E-04	4.39E-09	1.84E+00	4.71E-02	3.81E-10	1.0E+06	3.8E-04
660	660	0.35612	2.08227E-05	7.4E-06	6.05E-04	4.49E-09	1.84E+00	4.71E-02	3.90E-10	1.0E+06	3.9E-04
661	661	0.36408	2.08227E-05	7.6E-06	6.05E-04	4.59E-09	1.84E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
662	662	0.37232	2.08227E-05	7.8E-06	6.05E-04	4.69E-09	1.84E+00	4.71E-02	4.07E-10	1.0E+06	4.1E-04
663	663	0.38089	2.08227E-05	7.9E-06	6.05E-04	4.80E-09	1.84E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
664	664	0.38978	2.08227E-05	8.1E-06	6.05E-04	4.91E-09	1.84E+00	4.71E-02	4.27E-10	1.0E+06	4.3E-04
665	665	0.39879	2.08227E-05	8.3E-06	6.05E-04	5.02E-09	1.84E+00	4.71E-02	4.36E-10	1.0E+06	4.4E-04
666	666	0.40815	2.08227E-05	8.5E-06	6.05E-04	5.14E-09	1.84E+00	4.71E-02	4.47E-10	1.0E+06	4.5E-04
667	667	0.41798	2.08227E-05	8.7E-06	6.05E-04	5.27E-09	1.84E+00	4.71E-02	4.57E-10	1.0E+06	4.6E-04
668	668	0.42833	2.08227E-05	8.9E-06	6.05E-04	5.40E-09	1.84E+00	4.71E-02	4.69E-10	1.0E+06	4.7E-04
669	669	0.43917	2.08227E-05	9.1E-06	6.05E-04	5.53E-09	1.84E+00	4.71E-02	4.81E-10	1.0E+06	4.8E-04
670	670	0.45066	2.08227E-05	9.4E-06	6.05E-04	5.68E-09	1.84E+00	4.71E-02	4.93E-10	1.0E+06	4.9E-04
671	671	0.46273	2.08227E-05	9.6E-06	6.05E-04	5.83E-09	1.84E+00	4.71E-02	5.06E-10	1.0E+06	5.1E-04
672	672	0.47547	2.08227E-05	9.9E-06	6.05E-04	5.99E-09	1.84E+00	4.71E-02	5.20E-10	1.0E+06	5.2E-04
673	673	0.48906	2.08227E-05	1.0E-05	6.05E-04	6.16E-09	1.84E+00	4.71E-02	5.35E-10	1.0E+06	5.4E-04
674	674	0.50341	2.08227E-05	1.0E-05	6.05E-04	6.34E-09	1.84E+00	4.71E-02	5.51E-10	1.0E+06	5.5E-04
675	675	0.51836	2.08227E-05	1.1E-05	6.05E-04	6.53E-09	1.84E+00	4.71E-02	5.67E-10	1.0E+06	5.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	676	0.53412	2.08227E-05	1.1E-05	6.05E-04	6.73E-09	1.84E+00	4.71E-02	5.84E-10	1.0E+06	5.8E-04
677	677	0.55083	2.08227E-05	1.1E-05	6.05E-04	6.94E-09	1.84E+00	4.71E-02	6.03E-10	1.0E+06	6.0E-04
678	678	0.56831	2.08227E-05	1.2E-05	6.05E-04	7.16E-09	1.84E+00	4.71E-02	6.22E-10	1.0E+06	6.2E-04
679	679	0.58689	2.08227E-05	1.2E-05	6.05E-04	7.39E-09	1.84E+00	4.71E-02	6.42E-10	1.0E+06	6.4E-04
680	680	0.60669	2.08227E-05	1.3E-05	6.05E-04	7.64E-09	1.84E+00	4.71E-02	6.64E-10	1.0E+06	6.6E-04
681	681	0.62792	2.08227E-05	1.3E-05	6.05E-04	7.91E-09	1.84E+00	4.71E-02	6.87E-10	1.0E+06	6.9E-04
682	682	0.65059	2.08227E-05	1.4E-05	6.05E-04	8.20E-09	1.84E+00	4.71E-02	7.12E-10	1.0E+06	7.1E-04
683	683	0.67589	2.08227E-05	1.4E-05	6.05E-04	8.52E-09	1.84E+00	4.71E-02	7.40E-10	1.0E+06	7.4E-04
684	684	0.69996	2.08227E-05	1.5E-05	6.05E-04	8.82E-09	1.84E+00	4.71E-02	7.66E-10	1.0E+06	7.7E-04
685	685	0.73069	2.08227E-05	1.5E-05	6.05E-04	9.21E-09	1.84E+00	4.71E-02	8.00E-10	1.0E+06	8.0E-04
686	686	0.76601	2.08227E-05	1.6E-05	6.05E-04	9.65E-09	1.84E+00	4.71E-02	8.38E-10	1.0E+06	8.4E-04
687	687	0.80873	2.08227E-05	1.7E-05	6.05E-04	1.02E-08	1.84E+00	4.71E-02	8.85E-10	1.0E+06	8.8E-04
688	688	0.84928	2.08227E-05	1.8E-05	6.05E-04	1.07E-08	1.84E+00	4.71E-02	9.29E-10	1.0E+06	9.3E-04
689	689	0.89642	2.08227E-05	1.9E-05	6.05E-04	1.13E-08	1.84E+00	4.71E-02	9.81E-10	1.0E+06	9.8E-04
690	690	0.94288	2.08227E-05	2.0E-05	6.05E-04	1.19E-08	1.84E+00	4.71E-02	1.03E-09	1.0E+06	1.0E-03
691	691	0.9923	2.08227E-05	2.1E-05	6.05E-04	1.25E-08	1.84E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
692	692	0.30628	2.08227E-05	6.4E-06	6.05E-04	3.86E-09	1.84E+00	4.71E-02	3.35E-10	1.0E+06	3.4E-04
693	693	0.3126	2.08227E-05	6.5E-06	6.05E-04	3.94E-09	1.84E+00	4.71E-02	3.42E-10	1.0E+06	3.4E-04
694	694	0.31908	2.08227E-05	6.6E-06	6.05E-04	4.02E-09	1.84E+00	4.71E-02	3.49E-10	1.0E+06	3.5E-04
695	695	0.32562	2.08227E-05	6.8E-06	6.05E-04	4.10E-09	1.84E+00	4.71E-02	3.56E-10	1.0E+06	3.6E-04
696	696	0.33238	2.08227E-05	6.9E-06	6.05E-04	4.19E-09	1.84E+00	4.71E-02	3.64E-10	1.0E+06	3.6E-04
697	697	0.33931	2.08227E-05	7.1E-06	6.05E-04	4.28E-09	1.84E+00	4.71E-02	3.71E-10	1.0E+06	3.7E-04
698	698	0.34643	2.08227E-05	7.2E-06	6.05E-04	4.36E-09	1.84E+00	4.71E-02	3.79E-10	1.0E+06	3.8E-04
699	699	0.35385	2.08227E-05	7.4E-06	6.05E-04	4.46E-09	1.84E+00	4.71E-02	3.87E-10	1.0E+06	3.9E-04
700	700	0.36191	2.08227E-05	7.5E-06	6.05E-04	4.56E-09	1.84E+00	4.71E-02	3.96E-10	1.0E+06	4.0E-04
701	701	0.37032	2.08227E-05	7.7E-06	6.05E-04	4.67E-09	1.84E+00	4.71E-02	4.05E-10	1.0E+06	4.1E-04
702	702	0.37896	2.08227E-05	7.9E-06	6.05E-04	4.77E-09	1.84E+00	4.71E-02	4.15E-10	1.0E+06	4.1E-04
703	703	0.38785	2.08227E-05	8.1E-06	6.05E-04	4.89E-09	1.84E+00	4.71E-02	4.24E-10	1.0E+06	4.2E-04
704	704	0.39712	2.08227E-05	8.3E-06	6.05E-04	5.00E-09	1.84E+00	4.71E-02	4.35E-10	1.0E+06	4.3E-04
705	705	0.40642	2.08227E-05	8.5E-06	6.05E-04	5.12E-09	1.84E+00	4.71E-02	4.45E-10	1.0E+06	4.4E-04
706	706	0.41607	2.08227E-05	8.7E-06	6.05E-04	5.24E-09	1.84E+00	4.71E-02	4.55E-10	1.0E+06	4.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	707	0.42625	2.08227E-05	8.9E-06	6.05E-04	5.37E-09	1.84E+00	4.71E-02	4.66E-10	1.0E+06	4.7E-04
708	708	0.43719	2.08227E-05	9.1E-06	6.05E-04	5.51E-09	1.84E+00	4.71E-02	4.78E-10	1.0E+06	4.8E-04
709	709	0.44863	2.08227E-05	9.3E-06	6.05E-04	5.65E-09	1.84E+00	4.71E-02	4.91E-10	1.0E+06	4.9E-04
710	710	0.46091	2.08227E-05	9.6E-06	6.05E-04	5.81E-09	1.84E+00	4.71E-02	5.04E-10	1.0E+06	5.0E-04
711	711	0.47384	2.08227E-05	9.9E-06	6.05E-04	5.97E-09	1.84E+00	4.71E-02	5.18E-10	1.0E+06	5.2E-04
712	712	0.48742	2.08227E-05	1.0E-05	6.05E-04	6.14E-09	1.84E+00	4.71E-02	5.33E-10	1.0E+06	5.3E-04
713	713	0.5018	2.08227E-05	1.0E-05	6.05E-04	6.32E-09	1.84E+00	4.71E-02	5.49E-10	1.0E+06	5.5E-04
714	714	0.51708	2.08227E-05	1.1E-05	6.05E-04	6.51E-09	1.84E+00	4.71E-02	5.66E-10	1.0E+06	5.7E-04
715	715	0.533	2.08227E-05	1.1E-05	6.05E-04	6.72E-09	1.84E+00	4.71E-02	5.83E-10	1.0E+06	5.8E-04
716	716	0.54973	2.08227E-05	1.1E-05	6.05E-04	6.93E-09	1.84E+00	4.71E-02	6.02E-10	1.0E+06	6.0E-04
717	717	0.56752	2.08227E-05	1.2E-05	6.05E-04	7.15E-09	1.84E+00	4.71E-02	6.21E-10	1.0E+06	6.2E-04
718	718	0.58598	2.08227E-05	1.2E-05	6.05E-04	7.38E-09	1.84E+00	4.71E-02	6.41E-10	1.0E+06	6.4E-04
719	719	0.60564	2.08227E-05	1.3E-05	6.05E-04	7.63E-09	1.84E+00	4.71E-02	6.63E-10	1.0E+06	6.6E-04
720	720	0.62672	2.08227E-05	1.3E-05	6.05E-04	7.90E-09	1.84E+00	4.71E-02	6.86E-10	1.0E+06	6.9E-04
721	721	0.6495	2.08227E-05	1.4E-05	6.05E-04	8.18E-09	1.84E+00	4.71E-02	7.11E-10	1.0E+06	7.1E-04
722	722	0.67398	2.08227E-05	1.4E-05	6.05E-04	8.49E-09	1.84E+00	4.71E-02	7.37E-10	1.0E+06	7.4E-04
723	723	0.7011	2.08227E-05	1.5E-05	6.05E-04	8.83E-09	1.84E+00	4.71E-02	7.67E-10	1.0E+06	7.7E-04
724	724	0.73048	2.08227E-05	1.5E-05	6.05E-04	9.20E-09	1.84E+00	4.71E-02	7.99E-10	1.0E+06	8.0E-04
725	725	0.75819	2.08227E-05	1.6E-05	6.05E-04	9.55E-09	1.84E+00	4.71E-02	8.30E-10	1.0E+06	8.3E-04
726	726	0.79623	2.08227E-05	1.7E-05	6.05E-04	1.00E-08	1.84E+00	4.71E-02	8.71E-10	1.0E+06	8.7E-04
727	727	0.84232	2.08227E-05	1.8E-05	6.05E-04	1.06E-08	1.84E+00	4.71E-02	9.22E-10	1.0E+06	9.2E-04
728	728	0.8864	2.08227E-05	1.8E-05	6.05E-04	1.12E-08	1.84E+00	4.71E-02	9.70E-10	1.0E+06	9.7E-04
729	729	0.9361	2.08227E-05	1.9E-05	6.05E-04	1.18E-08	1.84E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
730	730	0.98902	2.08227E-05	2.1E-05	6.05E-04	1.25E-08	1.84E+00	4.71E-02	1.08E-09	1.0E+06	1.1E-03
731	731	1.04384	2.08227E-05	2.2E-05	6.05E-04	1.32E-08	1.84E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
732	732	0.30915	2.08227E-05	6.4E-06	6.05E-04	3.90E-09	1.84E+00	4.71E-02	3.38E-10	1.0E+06	3.4E-04
733	733	0.31536	2.08227E-05	6.6E-06	6.05E-04	3.97E-09	1.84E+00	4.71E-02	3.45E-10	1.0E+06	3.5E-04
734	734	0.32183	2.08227E-05	6.7E-06	6.05E-04	4.05E-09	1.84E+00	4.71E-02	3.52E-10	1.0E+06	3.5E-04
735	735	0.32865	2.08227E-05	6.8E-06	6.05E-04	4.14E-09	1.84E+00	4.71E-02	3.60E-10	1.0E+06	3.6E-04
736	736	0.33575	2.08227E-05	7.0E-06	6.05E-04	4.23E-09	1.84E+00	4.71E-02	3.67E-10	1.0E+06	3.7E-04
737	737	0.34315	2.08227E-05	7.1E-06	6.05E-04	4.32E-09	1.84E+00	4.71E-02	3.75E-10	1.0E+06	3.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	738	0.3509	2.08227E-05	7.3E-06	6.05E-04	4.42E-09	1.84E+00	4.71E-02	3.84E-10	1.0E+06	3.8E-04
739	739	0.35889	2.08227E-05	7.5E-06	6.05E-04	4.52E-09	1.84E+00	4.71E-02	3.93E-10	1.0E+06	3.9E-04
740	740	0.3674	2.08227E-05	7.7E-06	6.05E-04	4.63E-09	1.84E+00	4.71E-02	4.02E-10	1.0E+06	4.0E-04
741	741	0.37617	2.08227E-05	7.8E-06	6.05E-04	4.74E-09	1.84E+00	4.71E-02	4.12E-10	1.0E+06	4.1E-04
742	742	0.38519	2.08227E-05	8.0E-06	6.05E-04	4.85E-09	1.84E+00	4.71E-02	4.21E-10	1.0E+06	4.2E-04
743	743	0.39443	2.08227E-05	8.2E-06	6.05E-04	4.97E-09	1.84E+00	4.71E-02	4.32E-10	1.0E+06	4.3E-04
744	744	0.40407	2.08227E-05	8.4E-06	6.05E-04	5.09E-09	1.84E+00	4.71E-02	4.42E-10	1.0E+06	4.4E-04
745	745	0.41359	2.08227E-05	8.6E-06	6.05E-04	5.21E-09	1.84E+00	4.71E-02	4.53E-10	1.0E+06	4.5E-04
746	746	0.42348	2.08227E-05	8.8E-06	6.05E-04	5.34E-09	1.84E+00	4.71E-02	4.63E-10	1.0E+06	4.6E-04
747	747	0.43399	2.08227E-05	9.0E-06	6.05E-04	5.47E-09	1.84E+00	4.71E-02	4.75E-10	1.0E+06	4.7E-04
748	748	0.44553	2.08227E-05	9.3E-06	6.05E-04	5.61E-09	1.84E+00	4.71E-02	4.88E-10	1.0E+06	4.9E-04
749	749	0.45764	2.08227E-05	9.5E-06	6.05E-04	5.77E-09	1.84E+00	4.71E-02	5.01E-10	1.0E+06	5.0E-04
750	750	0.47077	2.08227E-05	9.8E-06	6.05E-04	5.93E-09	1.84E+00	4.71E-02	5.15E-10	1.0E+06	5.2E-04
751	751	0.48467	2.08227E-05	1.0E-05	6.05E-04	6.11E-09	1.84E+00	4.71E-02	5.30E-10	1.0E+06	5.3E-04
752	752	0.49919	2.08227E-05	1.0E-05	6.05E-04	6.29E-09	1.84E+00	4.71E-02	5.46E-10	1.0E+06	5.5E-04
753	753	0.51441	2.08227E-05	1.1E-05	6.05E-04	6.48E-09	1.84E+00	4.71E-02	5.63E-10	1.0E+06	5.6E-04
754	754	0.53054	2.08227E-05	1.1E-05	6.05E-04	6.68E-09	1.84E+00	4.71E-02	5.81E-10	1.0E+06	5.8E-04
755	755	0.54751	2.08227E-05	1.1E-05	6.05E-04	6.90E-09	1.84E+00	4.71E-02	5.99E-10	1.0E+06	6.0E-04
756	756	0.56521	2.08227E-05	1.2E-05	6.05E-04	7.12E-09	1.84E+00	4.71E-02	6.18E-10	1.0E+06	6.2E-04
757	757	0.58407	2.08227E-05	1.2E-05	6.05E-04	7.36E-09	1.84E+00	4.71E-02	6.39E-10	1.0E+06	6.4E-04
758	758	0.6036	2.08227E-05	1.3E-05	6.05E-04	7.60E-09	1.84E+00	4.71E-02	6.60E-10	1.0E+06	6.6E-04
759	759	0.62439	2.08227E-05	1.3E-05	6.05E-04	7.87E-09	1.84E+00	4.71E-02	6.83E-10	1.0E+06	6.8E-04
760	760	0.64681	2.08227E-05	1.3E-05	6.05E-04	8.15E-09	1.84E+00	4.71E-02	7.08E-10	1.0E+06	7.1E-04
761	761	0.6712	2.08227E-05	1.4E-05	6.05E-04	8.46E-09	1.84E+00	4.71E-02	7.34E-10	1.0E+06	7.3E-04
762	762	0.69749	2.08227E-05	1.5E-05	6.05E-04	8.79E-09	1.84E+00	4.71E-02	7.63E-10	1.0E+06	7.6E-04
763	763	0.72643	2.08227E-05	1.5E-05	6.05E-04	9.15E-09	1.84E+00	4.71E-02	7.95E-10	1.0E+06	7.9E-04
764	764	0.75789	2.08227E-05	1.6E-05	6.05E-04	9.55E-09	1.84E+00	4.71E-02	8.29E-10	1.0E+06	8.3E-04
765	765	0.78139	2.08227E-05	1.6E-05	6.05E-04	9.84E-09	1.84E+00	4.71E-02	8.55E-10	1.0E+06	8.6E-04
766	766	0.8268	2.08227E-05	1.7E-05	6.05E-04	1.04E-08	1.84E+00	4.71E-02	9.05E-10	1.0E+06	9.0E-04
767	767	0.87394	2.08227E-05	1.8E-05	6.05E-04	1.10E-08	1.84E+00	4.71E-02	9.56E-10	1.0E+06	9.6E-04
768	768	0.92208	2.08227E-05	1.9E-05	6.05E-04	1.16E-08	1.84E+00	4.71E-02	1.01E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	769	0.97847	2.08227E-05	2.0E-05	6.05E-04	1.23E-08	1.84E+00	4.71E-02	1.07E-09	1.0E+06	1.1E-03
770	770	1.03648	2.08227E-05	2.2E-05	6.05E-04	1.31E-08	1.84E+00	4.71E-02	1.13E-09	1.0E+06	1.1E-03
771	771	1.09713	2.08227E-05	2.3E-05	6.05E-04	1.38E-08	1.84E+00	4.71E-02	1.20E-09	1.0E+06	1.2E-03
772	772	0.31186	2.08227E-05	6.5E-06	6.05E-04	3.93E-09	1.84E+00	4.71E-02	3.41E-10	1.0E+06	3.4E-04
773	773	0.31818	2.08227E-05	6.6E-06	6.05E-04	4.01E-09	1.84E+00	4.71E-02	3.48E-10	1.0E+06	3.5E-04
774	774	0.32478	2.08227E-05	6.8E-06	6.05E-04	4.09E-09	1.84E+00	4.71E-02	3.55E-10	1.0E+06	3.6E-04
775	775	0.3319	2.08227E-05	6.9E-06	6.05E-04	4.18E-09	1.84E+00	4.71E-02	3.63E-10	1.0E+06	3.6E-04
776	776	0.3393	2.08227E-05	7.1E-06	6.05E-04	4.27E-09	1.84E+00	4.71E-02	3.71E-10	1.0E+06	3.7E-04
777	777	0.34705	2.08227E-05	7.2E-06	6.05E-04	4.37E-09	1.84E+00	4.71E-02	3.80E-10	1.0E+06	3.8E-04
778	778	0.35513	2.08227E-05	7.4E-06	6.05E-04	4.47E-09	1.84E+00	4.71E-02	3.89E-10	1.0E+06	3.9E-04
779	779	0.36353	2.08227E-05	7.6E-06	6.05E-04	4.58E-09	1.84E+00	4.71E-02	3.98E-10	1.0E+06	4.0E-04
780	780	0.37236	2.08227E-05	7.8E-06	6.05E-04	4.69E-09	1.84E+00	4.71E-02	4.07E-10	1.0E+06	4.1E-04
781	781	0.38152	2.08227E-05	7.9E-06	6.05E-04	4.81E-09	1.84E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
782	782	0.39091	2.08227E-05	8.1E-06	6.05E-04	4.93E-09	1.84E+00	4.71E-02	4.28E-10	1.0E+06	4.3E-04
783	783	0.40059	2.08227E-05	8.3E-06	6.05E-04	5.05E-09	1.84E+00	4.71E-02	4.38E-10	1.0E+06	4.4E-04
784	784	0.41071	2.08227E-05	8.6E-06	6.05E-04	5.17E-09	1.84E+00	4.71E-02	4.49E-10	1.0E+06	4.5E-04
785	785	0.42085	2.08227E-05	8.8E-06	6.05E-04	5.30E-09	1.84E+00	4.71E-02	4.60E-10	1.0E+06	4.6E-04
786	786	0.43136	2.08227E-05	9.0E-06	6.05E-04	5.43E-09	1.84E+00	4.71E-02	4.72E-10	1.0E+06	4.7E-04
787	787	0.44252	2.08227E-05	9.2E-06	6.05E-04	5.58E-09	1.84E+00	4.71E-02	4.84E-10	1.0E+06	4.8E-04
788	788	0.45463	2.08227E-05	9.5E-06	6.05E-04	5.73E-09	1.84E+00	4.71E-02	4.97E-10	1.0E+06	5.0E-04
789	789	0.46733	2.08227E-05	9.7E-06	6.05E-04	5.89E-09	1.84E+00	4.71E-02	5.11E-10	1.0E+06	5.1E-04
790	790	0.48103	2.08227E-05	1.0E-05	6.05E-04	6.06E-09	1.84E+00	4.71E-02	5.26E-10	1.0E+06	5.3E-04
791	791	0.49551	2.08227E-05	1.0E-05	6.05E-04	6.24E-09	1.84E+00	4.71E-02	5.42E-10	1.0E+06	5.4E-04
792	792	0.51069	2.08227E-05	1.1E-05	6.05E-04	6.43E-09	1.84E+00	4.71E-02	5.59E-10	1.0E+06	5.6E-04
793	793	0.5266	2.08227E-05	1.1E-05	6.05E-04	6.63E-09	1.84E+00	4.71E-02	5.76E-10	1.0E+06	5.8E-04
794	794	0.54335	2.08227E-05	1.1E-05	6.05E-04	6.85E-09	1.84E+00	4.71E-02	5.95E-10	1.0E+06	5.9E-04
795	795	0.56103	2.08227E-05	1.2E-05	6.05E-04	7.07E-09	1.84E+00	4.71E-02	6.14E-10	1.0E+06	6.1E-04
796	796	0.57982	2.08227E-05	1.2E-05	6.05E-04	7.31E-09	1.84E+00	4.71E-02	6.34E-10	1.0E+06	6.3E-04
797	797	0.59976	2.08227E-05	1.2E-05	6.05E-04	7.56E-09	1.84E+00	4.71E-02	6.56E-10	1.0E+06	6.6E-04
798	798	0.62056	2.08227E-05	1.3E-05	6.05E-04	7.82E-09	1.84E+00	4.71E-02	6.79E-10	1.0E+06	6.8E-04
799	799	0.64284	2.08227E-05	1.3E-05	6.05E-04	8.10E-09	1.84E+00	4.71E-02	7.03E-10	1.0E+06	7.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	800	0.66682	2.08227E-05	1.4E-05	6.05E-04	8.40E-09	1.84E+00	4.71E-02	7.30E-10	1.0E+06	7.3E-04
801	801	0.69276	2.08227E-05	1.4E-05	6.05E-04	8.73E-09	1.84E+00	4.71E-02	7.58E-10	1.0E+06	7.6E-04
802	802	0.72082	2.08227E-05	1.5E-05	6.05E-04	9.08E-09	1.84E+00	4.71E-02	7.89E-10	1.0E+06	7.9E-04
803	803	0.75155	2.08227E-05	1.6E-05	6.05E-04	9.47E-09	1.84E+00	4.71E-02	8.22E-10	1.0E+06	8.2E-04
804	804	0.78506	2.08227E-05	1.6E-05	6.05E-04	9.89E-09	1.84E+00	4.71E-02	8.59E-10	1.0E+06	8.6E-04
805	805	0.81412	2.08227E-05	1.7E-05	6.05E-04	1.03E-08	1.84E+00	4.71E-02	8.91E-10	1.0E+06	8.9E-04
806	806	0.85421	2.08227E-05	1.8E-05	6.05E-04	1.08E-08	1.84E+00	4.71E-02	9.35E-10	1.0E+06	9.3E-04
807	807	0.90541	2.08227E-05	1.9E-05	6.05E-04	1.14E-08	1.84E+00	4.71E-02	9.91E-10	1.0E+06	9.9E-04
808	808	0.96046	2.08227E-05	2.0E-05	6.05E-04	1.21E-08	1.84E+00	4.71E-02	1.05E-09	1.0E+06	1.1E-03
809	809	1.01955	2.08227E-05	2.1E-05	6.05E-04	1.28E-08	1.84E+00	4.71E-02	1.12E-09	1.0E+06	1.1E-03
810	810	1.08493	2.08227E-05	2.3E-05	6.05E-04	1.37E-08	1.84E+00	4.71E-02	1.19E-09	1.0E+06	1.2E-03
811	811	1.15317	2.08227E-05	2.4E-05	6.05E-04	1.45E-08	1.84E+00	4.71E-02	1.26E-09	1.0E+06	1.3E-03
812	812	0.31417	2.08227E-05	6.5E-06	6.05E-04	3.96E-09	1.84E+00	4.71E-02	3.44E-10	1.0E+06	3.4E-04
813	813	0.32062	2.08227E-05	6.7E-06	6.05E-04	4.04E-09	1.84E+00	4.71E-02	3.51E-10	1.0E+06	3.5E-04
814	814	0.32741	2.08227E-05	6.8E-06	6.05E-04	4.13E-09	1.84E+00	4.71E-02	3.58E-10	1.0E+06	3.6E-04
815	815	0.33485	2.08227E-05	7.0E-06	6.05E-04	4.22E-09	1.84E+00	4.71E-02	3.66E-10	1.0E+06	3.7E-04
816	816	0.34255	2.08227E-05	7.1E-06	6.05E-04	4.32E-09	1.84E+00	4.71E-02	3.75E-10	1.0E+06	3.7E-04
817	817	0.35061	2.08227E-05	7.3E-06	6.05E-04	4.42E-09	1.84E+00	4.71E-02	3.84E-10	1.0E+06	3.8E-04
818	818	0.35898	2.08227E-05	7.5E-06	6.05E-04	4.52E-09	1.84E+00	4.71E-02	3.93E-10	1.0E+06	3.9E-04
819	819	0.36772	2.08227E-05	7.7E-06	6.05E-04	4.63E-09	1.84E+00	4.71E-02	4.02E-10	1.0E+06	4.0E-04
820	820	0.37683	2.08227E-05	7.8E-06	6.05E-04	4.75E-09	1.84E+00	4.71E-02	4.12E-10	1.0E+06	4.1E-04
821	821	0.3863	2.08227E-05	8.0E-06	6.05E-04	4.87E-09	1.84E+00	4.71E-02	4.23E-10	1.0E+06	4.2E-04
822	822	0.39613	2.08227E-05	8.2E-06	6.05E-04	4.99E-09	1.84E+00	4.71E-02	4.33E-10	1.0E+06	4.3E-04
823	823	0.40633	2.08227E-05	8.5E-06	6.05E-04	5.12E-09	1.84E+00	4.71E-02	4.45E-10	1.0E+06	4.4E-04
824	824	0.41696	2.08227E-05	8.7E-06	6.05E-04	5.25E-09	1.84E+00	4.71E-02	4.56E-10	1.0E+06	4.6E-04
825	825	0.42768	2.08227E-05	8.9E-06	6.05E-04	5.39E-09	1.84E+00	4.71E-02	4.68E-10	1.0E+06	4.7E-04
826	826	0.43889	2.08227E-05	9.1E-06	6.05E-04	5.53E-09	1.84E+00	4.71E-02	4.80E-10	1.0E+06	4.8E-04
827	827	0.45077	2.08227E-05	9.4E-06	6.05E-04	5.68E-09	1.84E+00	4.71E-02	4.93E-10	1.0E+06	4.9E-04
828	828	0.46346	2.08227E-05	9.7E-06	6.05E-04	5.84E-09	1.84E+00	4.71E-02	5.07E-10	1.0E+06	5.1E-04
829	829	0.47678	2.08227E-05	9.9E-06	6.05E-04	6.01E-09	1.84E+00	4.71E-02	5.22E-10	1.0E+06	5.2E-04
830	830	0.49101	2.08227E-05	1.0E-05	6.05E-04	6.19E-09	1.84E+00	4.71E-02	5.37E-10	1.0E+06	5.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	831	0.50603	2.08227E-05	1.1E-05	6.05E-04	6.38E-09	1.84E+00	4.71E-02	5.54E-10	1.0E+06	5.5E-04
832	832	0.52185	2.08227E-05	1.1E-05	6.05E-04	6.57E-09	1.84E+00	4.71E-02	5.71E-10	1.0E+06	5.7E-04
833	833	0.53836	2.08227E-05	1.1E-05	6.05E-04	6.78E-09	1.84E+00	4.71E-02	5.89E-10	1.0E+06	5.9E-04
834	834	0.5558	2.08227E-05	1.2E-05	6.05E-04	7.00E-09	1.84E+00	4.71E-02	6.08E-10	1.0E+06	6.1E-04
835	835	0.57427	2.08227E-05	1.2E-05	6.05E-04	7.24E-09	1.84E+00	4.71E-02	6.28E-10	1.0E+06	6.3E-04
836	836	0.59394	2.08227E-05	1.2E-05	6.05E-04	7.48E-09	1.84E+00	4.71E-02	6.50E-10	1.0E+06	6.5E-04
837	837	0.615	2.08227E-05	1.3E-05	6.05E-04	7.75E-09	1.84E+00	4.71E-02	6.73E-10	1.0E+06	6.7E-04
838	838	0.63729	2.08227E-05	1.3E-05	6.05E-04	8.03E-09	1.84E+00	4.71E-02	6.97E-10	1.0E+06	7.0E-04
839	839	0.66108	2.08227E-05	1.4E-05	6.05E-04	8.33E-09	1.84E+00	4.71E-02	7.23E-10	1.0E+06	7.2E-04
840	840	0.68667	2.08227E-05	1.4E-05	6.05E-04	8.65E-09	1.84E+00	4.71E-02	7.51E-10	1.0E+06	7.5E-04
841	841	0.71425	2.08227E-05	1.5E-05	6.05E-04	9.00E-09	1.84E+00	4.71E-02	7.82E-10	1.0E+06	7.8E-04
842	842	0.74406	2.08227E-05	1.5E-05	6.05E-04	9.37E-09	1.84E+00	4.71E-02	8.14E-10	1.0E+06	8.1E-04
843	843	0.77663	2.08227E-05	1.6E-05	6.05E-04	9.78E-09	1.84E+00	4.71E-02	8.50E-10	1.0E+06	8.5E-04
844	844	0.8122	2.08227E-05	1.7E-05	6.05E-04	1.02E-08	1.84E+00	4.71E-02	8.89E-10	1.0E+06	8.9E-04
845	845	0.85089	2.08227E-05	1.8E-05	6.05E-04	1.07E-08	1.84E+00	4.71E-02	9.31E-10	1.0E+06	9.3E-04
846	846	0.88042	2.08227E-05	1.8E-05	6.05E-04	1.11E-08	1.84E+00	4.71E-02	9.63E-10	1.0E+06	9.6E-04
847	847	0.93666	2.08227E-05	2.0E-05	6.05E-04	1.18E-08	1.84E+00	4.71E-02	1.02E-09	1.0E+06	1.0E-03
848	848	0.99918	2.08227E-05	2.1E-05	6.05E-04	1.26E-08	1.84E+00	4.71E-02	1.09E-09	1.0E+06	1.1E-03
849	849	1.06309	2.08227E-05	2.2E-05	6.05E-04	1.34E-08	1.84E+00	4.71E-02	1.16E-09	1.0E+06	1.2E-03
850	850	1.13402	2.08227E-05	2.4E-05	6.05E-04	1.43E-08	1.84E+00	4.71E-02	1.24E-09	1.0E+06	1.2E-03
851	851	1.2088	2.08227E-05	2.5E-05	6.05E-04	1.52E-08	1.84E+00	4.71E-02	1.32E-09	1.0E+06	1.3E-03
852	852	0.31615	2.08227E-05	6.6E-06	6.05E-04	3.98E-09	1.84E+00	4.71E-02	3.46E-10	1.0E+06	3.5E-04
853	853	0.32269	2.08227E-05	6.7E-06	6.05E-04	4.07E-09	1.84E+00	4.71E-02	3.53E-10	1.0E+06	3.5E-04
854	854	0.32959	2.08227E-05	6.9E-06	6.05E-04	4.15E-09	1.84E+00	4.71E-02	3.61E-10	1.0E+06	3.6E-04
855	855	0.33735	2.08227E-05	7.0E-06	6.05E-04	4.25E-09	1.84E+00	4.71E-02	3.69E-10	1.0E+06	3.7E-04
856	856	0.34541	2.08227E-05	7.2E-06	6.05E-04	4.35E-09	1.84E+00	4.71E-02	3.78E-10	1.0E+06	3.8E-04
857	857	0.35376	2.08227E-05	7.4E-06	6.05E-04	4.46E-09	1.84E+00	4.71E-02	3.87E-10	1.0E+06	3.9E-04
858	858	0.36243	2.08227E-05	7.5E-06	6.05E-04	4.57E-09	1.84E+00	4.71E-02	3.97E-10	1.0E+06	4.0E-04
859	859	0.37143	2.08227E-05	7.7E-06	6.05E-04	4.68E-09	1.84E+00	4.71E-02	4.06E-10	1.0E+06	4.1E-04
860	860	0.3808	2.08227E-05	7.9E-06	6.05E-04	4.80E-09	1.84E+00	4.71E-02	4.17E-10	1.0E+06	4.2E-04
861	861	0.39054	2.08227E-05	8.1E-06	6.05E-04	4.92E-09	1.84E+00	4.71E-02	4.27E-10	1.0E+06	4.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	862	0.40076	2.08227E-05	8.3E-06	6.05E-04	5.05E-09	1.84E+00	4.71E-02	4.39E-10	1.0E+06	4.4E-04
863	863	0.4115	2.08227E-05	8.6E-06	6.05E-04	5.18E-09	1.84E+00	4.71E-02	4.50E-10	1.0E+06	4.5E-04
864	864	0.42271	2.08227E-05	8.8E-06	6.05E-04	5.33E-09	1.84E+00	4.71E-02	4.63E-10	1.0E+06	4.6E-04
865	865	0.43417	2.08227E-05	9.0E-06	6.05E-04	5.47E-09	1.84E+00	4.71E-02	4.75E-10	1.0E+06	4.8E-04
866	866	0.44611	2.08227E-05	9.3E-06	6.05E-04	5.62E-09	1.84E+00	4.71E-02	4.88E-10	1.0E+06	4.9E-04
867	867	0.45869	2.08227E-05	9.6E-06	6.05E-04	5.78E-09	1.84E+00	4.71E-02	5.02E-10	1.0E+06	5.0E-04
868	868	0.472	2.08227E-05	9.8E-06	6.05E-04	5.95E-09	1.84E+00	4.71E-02	5.16E-10	1.0E+06	5.2E-04
869	869	0.48594	2.08227E-05	1.0E-05	6.05E-04	6.12E-09	1.84E+00	4.71E-02	5.32E-10	1.0E+06	5.3E-04
870	870	0.50067	2.08227E-05	1.0E-05	6.05E-04	6.31E-09	1.84E+00	4.71E-02	5.48E-10	1.0E+06	5.5E-04
871	871	0.5162	2.08227E-05	1.1E-05	6.05E-04	6.50E-09	1.84E+00	4.71E-02	5.65E-10	1.0E+06	5.6E-04
872	872	0.53258	2.08227E-05	1.1E-05	6.05E-04	6.71E-09	1.84E+00	4.71E-02	5.83E-10	1.0E+06	5.8E-04
873	873	0.54965	2.08227E-05	1.1E-05	6.05E-04	6.93E-09	1.84E+00	4.71E-02	6.01E-10	1.0E+06	6.0E-04
874	874	0.56771	2.08227E-05	1.2E-05	6.05E-04	7.15E-09	1.84E+00	4.71E-02	6.21E-10	1.0E+06	6.2E-04
875	875	0.58703	2.08227E-05	1.2E-05	6.05E-04	7.40E-09	1.84E+00	4.71E-02	6.42E-10	1.0E+06	6.4E-04
876	876	0.60771	2.08227E-05	1.3E-05	6.05E-04	7.66E-09	1.84E+00	4.71E-02	6.65E-10	1.0E+06	6.6E-04
877	877	0.62975	2.08227E-05	1.3E-05	6.05E-04	7.93E-09	1.84E+00	4.71E-02	6.89E-10	1.0E+06	6.9E-04
878	878	0.65354	2.08227E-05	1.4E-05	6.05E-04	8.23E-09	1.84E+00	4.71E-02	7.15E-10	1.0E+06	7.2E-04
879	879	0.67908	2.08227E-05	1.4E-05	6.05E-04	8.56E-09	1.84E+00	4.71E-02	7.43E-10	1.0E+06	7.4E-04
880	880	0.7063	2.08227E-05	1.5E-05	6.05E-04	8.90E-09	1.84E+00	4.71E-02	7.73E-10	1.0E+06	7.7E-04
881	881	0.73546	2.08227E-05	1.5E-05	6.05E-04	9.27E-09	1.84E+00	4.71E-02	8.05E-10	1.0E+06	8.0E-04
882	882	0.76703	2.08227E-05	1.6E-05	6.05E-04	9.66E-09	1.84E+00	4.71E-02	8.39E-10	1.0E+06	8.4E-04
883	883	0.80141	2.08227E-05	1.7E-05	6.05E-04	1.01E-08	1.84E+00	4.71E-02	8.77E-10	1.0E+06	8.8E-04
884	884	0.83906	2.08227E-05	1.7E-05	6.05E-04	1.06E-08	1.84E+00	4.71E-02	9.18E-10	1.0E+06	9.2E-04
885	885	0.88031	2.08227E-05	1.8E-05	6.05E-04	1.11E-08	1.84E+00	4.71E-02	9.63E-10	1.0E+06	9.6E-04
886	886	0.91578	2.08227E-05	1.9E-05	6.05E-04	1.15E-08	1.84E+00	4.71E-02	1.00E-09	1.0E+06	1.0E-03
887	887	0.97091	2.08227E-05	2.0E-05	6.05E-04	1.22E-08	1.84E+00	4.71E-02	1.06E-09	1.0E+06	1.1E-03
888	888	1.03778	2.08227E-05	2.2E-05	6.05E-04	1.31E-08	1.84E+00	4.71E-02	1.14E-09	1.0E+06	1.1E-03
889	889	1.1065	2.08227E-05	2.3E-05	6.05E-04	1.39E-08	1.84E+00	4.71E-02	1.21E-09	1.0E+06	1.2E-03
890	890	1.18315	2.08227E-05	2.5E-05	6.05E-04	1.49E-08	1.84E+00	4.71E-02	1.29E-09	1.0E+06	1.3E-03
891	891	1.26461	2.08227E-05	2.6E-05	6.05E-04	1.59E-08	1.84E+00	4.71E-02	1.38E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
521	521	9.7E-01	Max	Receptor #	5	3.67E-03	Max	Receptor #	
522	522	1.0E+00	4.034	891	5	3.86E-03	0.015	891	Res
523	523	1.1E+00			5	4.06E-03			
524	524	1.1E+00			5	4.29E-03			
525	525	1.2E+00			5	4.55E-03			
526	526	1.3E+00			5	4.86E-03			
527	527	1.4E+00			5	5.23E-03			
528	528	1.5E+00			5	5.70E-03			
529	529	1.7E+00			5	6.31E-03			
530	530	1.9E+00			5	7.15E-03			
531	531	1.7E+00			5	6.54E-03			
532	532	2.4E-01			5	9.02E-04			
533	533	2.5E-01			5	9.40E-04			
534	534	2.6E-01			5	9.82E-04			
535	535	2.7E-01			5	1.03E-03			
536	536	2.8E-01			5	1.08E-03			
537	537	3.0E-01			5	1.13E-03			
538	538	3.1E-01			5	1.19E-03			
539	539	3.3E-01			5	1.25E-03			
540	540	3.4E-01			5	1.31E-03			
541	541	3.6E-01			5	1.38E-03			
542	542	3.8E-01			5	1.45E-03			
543	543	4.0E-01			5	1.53E-03			
544	544	4.3E-01			5	1.62E-03			
545	545	4.5E-01			5	1.71E-03			
546	546	4.8E-01			5	1.81E-03			
547	547	5.0E-01			5	1.92E-03			
548	548	5.3E-01			5	2.03E-03			
549	549	5.7E-01			5	2.15E-03			
550	550	6.0E-01			5	2.28E-03			
551	551	6.3E-01			5	2.41E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
552	552	6.7E-01	5	2.55E-03
553	553	7.1E-01	5	2.69E-03
554	554	7.5E-01	5	2.84E-03
555	555	7.9E-01	5	2.99E-03
556	556	8.3E-01	5	3.15E-03
557	557	8.7E-01	5	3.31E-03
558	558	9.2E-01	5	3.48E-03
559	559	9.6E-01	5	3.66E-03
560	560	1.0E+00	5	3.84E-03
561	561	1.1E+00	5	4.03E-03
562	562	1.1E+00	5	4.23E-03
563	563	1.2E+00	5	4.46E-03
564	564	1.2E+00	5	4.71E-03
565	565	1.3E+00	5	5.00E-03
566	566	1.4E+00	5	5.34E-03
567	567	1.5E+00	5	5.76E-03
568	568	1.7E+00	5	6.30E-03
569	569	1.8E+00	5	7.03E-03
570	570	1.8E+00	5	6.68E-03
571	571	2.0E+00	5	7.42E-03
572	572	2.4E-01	5	9.22E-04
573	573	2.5E-01	5	9.64E-04
574	574	2.7E-01	5	1.01E-03
575	575	2.8E-01	5	1.05E-03
576	576	2.9E-01	5	1.11E-03
577	577	3.1E-01	5	1.16E-03
578	578	3.2E-01	5	1.22E-03
579	579	3.4E-01	5	1.29E-03
580	580	3.6E-01	5	1.36E-03
581	581	3.8E-01	5	1.44E-03
582	582	4.0E-01	5	1.52E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
583	583	4.2E-01	5	1.61E-03
584	584	4.5E-01	5	1.70E-03
585	585	4.8E-01	5	1.81E-03
586	586	5.0E-01	5	1.92E-03
587	587	5.4E-01	5	2.04E-03
588	588	5.7E-01	5	2.17E-03
589	589	6.1E-01	5	2.30E-03
590	590	6.4E-01	5	2.45E-03
591	591	6.9E-01	5	2.61E-03
592	592	7.3E-01	5	2.76E-03
593	593	7.7E-01	5	2.93E-03
594	594	8.2E-01	5	3.10E-03
595	595	8.6E-01	5	3.28E-03
596	596	9.1E-01	5	3.46E-03
597	597	9.6E-01	5	3.65E-03
598	598	1.0E+00	5	3.84E-03
599	599	1.1E+00	5	4.03E-03
600	600	1.1E+00	5	4.24E-03
601	601	1.2E+00	5	4.45E-03
602	602	1.2E+00	5	4.67E-03
603	603	1.3E+00	5	4.91E-03
604	604	1.4E+00	5	5.18E-03
605	605	1.4E+00	5	5.50E-03
606	606	1.5E+00	5	5.87E-03
607	607	1.7E+00	5	6.33E-03
608	608	1.8E+00	5	6.94E-03
609	609	2.0E+00	5	7.77E-03
610	610	2.0E+00	5	7.52E-03
611	611	2.2E+00	5	8.45E-03
612	612	2.5E-01	5	9.40E-04
613	613	2.6E-01	5	9.85E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
614	614	2.7E-01	5	1.03E-03
615	615	2.8E-01	5	1.08E-03
616	616	3.0E-01	5	1.14E-03
617	617	3.2E-01	5	1.20E-03
618	618	3.3E-01	5	1.26E-03
619	619	3.5E-01	5	1.33E-03
620	620	3.7E-01	5	1.41E-03
621	621	3.9E-01	5	1.50E-03
622	622	4.2E-01	5	1.58E-03
623	623	4.4E-01	5	1.68E-03
624	624	4.7E-01	5	1.79E-03
625	625	5.0E-01	5	1.91E-03
626	626	5.3E-01	5	2.03E-03
627	627	5.7E-01	5	2.17E-03
628	628	6.1E-01	5	2.32E-03
629	629	6.5E-01	5	2.48E-03
630	630	7.0E-01	5	2.65E-03
631	631	7.4E-01	5	2.83E-03
632	632	7.9E-01	5	3.02E-03
633	633	8.4E-01	5	3.21E-03
634	634	9.0E-01	5	3.41E-03
635	635	9.5E-01	5	3.62E-03
636	636	1.0E+00	5	3.83E-03
637	637	1.1E+00	5	4.05E-03
638	638	1.1E+00	5	4.26E-03
639	639	1.2E+00	5	4.48E-03
640	640	1.2E+00	5	4.71E-03
641	641	1.3E+00	5	4.94E-03
642	642	1.4E+00	5	5.18E-03
643	643	1.4E+00	5	5.44E-03
644	644	1.5E+00	5	5.74E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
645	645	1.6E+00	5	6.07E-03
646	646	1.7E+00	5	6.47E-03
647	647	1.8E+00	5	6.97E-03
648	648	2.0E+00	5	7.63E-03
649	649	2.2E+00	5	8.55E-03
650	650	2.2E+00	5	8.46E-03
651	651	2.2E+00	5	8.32E-03
652	652	2.5E-01	5	9.56E-04
653	653	2.6E-01	5	1.00E-03
654	654	2.8E-01	5	1.06E-03
655	655	2.9E-01	5	1.11E-03
656	656	3.1E-01	5	1.17E-03
657	657	3.2E-01	5	1.23E-03
658	658	3.4E-01	5	1.30E-03
659	659	3.6E-01	5	1.38E-03
660	660	3.8E-01	5	1.46E-03
661	661	4.1E-01	5	1.55E-03
662	662	4.3E-01	5	1.65E-03
663	663	4.6E-01	5	1.76E-03
664	664	4.9E-01	5	1.88E-03
665	665	5.3E-01	5	2.01E-03
666	666	5.7E-01	5	2.16E-03
667	667	6.1E-01	5	2.31E-03
668	668	6.5E-01	5	2.49E-03
669	669	7.0E-01	5	2.67E-03
670	670	7.6E-01	5	2.87E-03
671	671	8.1E-01	5	3.09E-03
672	672	8.7E-01	5	3.32E-03
673	673	9.3E-01	5	3.55E-03
674	674	1.0E+00	5	3.79E-03
675	675	1.1E+00	5	4.04E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
676	676	1.1E+00	5	4.29E-03
677	677	1.2E+00	5	4.54E-03
678	678	1.3E+00	5	4.79E-03
679	679	1.3E+00	5	5.04E-03
680	680	1.4E+00	5	5.29E-03
681	681	1.5E+00	5	5.54E-03
682	682	1.5E+00	5	5.80E-03
683	683	1.6E+00	5	6.08E-03
684	684	1.7E+00	5	6.39E-03
685	685	1.8E+00	5	6.74E-03
686	686	1.9E+00	5	7.17E-03
687	687	2.0E+00	5	7.69E-03
688	688	2.2E+00	5	8.38E-03
689	689	2.5E+00	5	9.35E-03
690	690	2.8E+00	5	1.08E-02
691	691	2.4E+00	5	9.25E-03
692	692	2.6E-01	5	9.71E-04
693	693	2.7E-01	5	1.02E-03
694	694	2.8E-01	5	1.07E-03
695	695	3.0E-01	5	1.13E-03
696	696	3.1E-01	5	1.20E-03
697	697	3.3E-01	5	1.26E-03
698	698	3.5E-01	5	1.34E-03
699	699	3.7E-01	5	1.42E-03
700	700	4.0E-01	5	1.51E-03
701	701	4.2E-01	5	1.61E-03
702	702	4.5E-01	5	1.72E-03
703	703	4.8E-01	5	1.84E-03
704	704	5.2E-01	5	1.98E-03
705	705	5.6E-01	5	2.13E-03
706	706	6.0E-01	5	2.29E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
707	707	6.5E-01	5	2.47E-03
708	708	7.0E-01	5	2.67E-03
709	709	7.6E-01	5	2.89E-03
710	710	8.2E-01	5	3.13E-03
711	711	8.9E-01	5	3.39E-03
712	712	9.7E-01	5	3.67E-03
713	713	1.0E+00	5	3.96E-03
714	714	1.1E+00	5	4.26E-03
715	715	1.2E+00	5	4.56E-03
716	716	1.3E+00	5	4.86E-03
717	717	1.4E+00	5	5.15E-03
718	718	1.4E+00	5	5.45E-03
719	719	1.5E+00	5	5.73E-03
720	720	1.6E+00	5	6.01E-03
721	721	1.7E+00	5	6.29E-03
722	722	1.7E+00	5	6.57E-03
723	723	1.8E+00	5	6.86E-03
724	724	1.9E+00	5	7.19E-03
725	725	2.0E+00	5	7.56E-03
726	726	2.1E+00	5	7.99E-03
727	727	2.2E+00	5	8.53E-03
728	728	2.4E+00	5	9.24E-03
729	729	2.7E+00	5	1.02E-02
730	730	2.7E+00	5	1.03E-02
731	731	3.1E+00	5	1.18E-02
732	732	2.6E-01	5	9.87E-04
733	733	2.7E-01	5	1.04E-03
734	734	2.9E-01	5	1.09E-03
735	735	3.0E-01	5	1.15E-03
736	736	3.2E-01	5	1.22E-03
737	737	3.4E-01	5	1.29E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
738	738	3.6E-01	5	1.37E-03
739	739	3.8E-01	5	1.46E-03
740	740	4.1E-01	5	1.56E-03
741	741	4.4E-01	5	1.67E-03
742	742	4.7E-01	5	1.79E-03
743	743	5.1E-01	5	1.92E-03
744	744	5.5E-01	5	2.07E-03
745	745	5.9E-01	5	2.24E-03
746	746	6.4E-01	5	2.43E-03
747	747	6.9E-01	5	2.63E-03
748	748	7.6E-01	5	2.87E-03
749	749	8.2E-01	5	3.14E-03
750	750	9.0E-01	5	3.44E-03
751	751	9.9E-01	5	3.76E-03
752	752	1.1E+00	5	4.11E-03
753	753	1.2E+00	5	4.48E-03
754	754	1.3E+00	5	4.86E-03
755	755	1.4E+00	5	5.23E-03
756	756	1.5E+00	5	5.60E-03
757	757	1.6E+00	5	5.96E-03
758	758	1.7E+00	5	6.30E-03
759	759	1.7E+00	5	6.63E-03
760	760	1.8E+00	5	6.94E-03
761	761	1.9E+00	5	7.25E-03
762	762	2.0E+00	5	7.55E-03
763	763	2.1E+00	5	7.86E-03
764	764	2.2E+00	5	8.19E-03
765	765	2.3E+00	5	8.57E-03
766	766	2.4E+00	5	9.01E-03
767	767	2.5E+00	5	9.56E-03
768	768	2.7E+00	5	1.03E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
769	769	3.0E+00	5	1.13E-02
770	770	3.0E+00	5	1.13E-02
771	771	3.3E+00	5	1.27E-02
772	772	2.6E-01	5	9.98E-04
773	773	2.8E-01	5	1.05E-03
774	774	2.9E-01	5	1.11E-03
775	775	3.1E-01	5	1.17E-03
776	776	3.3E-01	5	1.24E-03
777	777	3.5E-01	5	1.31E-03
778	778	3.7E-01	5	1.40E-03
779	779	3.9E-01	5	1.49E-03
780	780	4.2E-01	5	1.60E-03
781	781	4.5E-01	5	1.72E-03
782	782	4.9E-01	5	1.85E-03
783	783	5.3E-01	5	2.00E-03
784	784	5.7E-01	5	2.17E-03
785	785	6.2E-01	5	2.36E-03
786	786	6.8E-01	5	2.57E-03
787	787	7.4E-01	5	2.82E-03
788	788	8.1E-01	5	3.10E-03
789	789	9.0E-01	5	3.42E-03
790	790	1.0E+00	5	3.79E-03
791	791	1.1E+00	5	4.20E-03
792	792	1.2E+00	5	4.66E-03
793	793	1.4E+00	5	5.14E-03
794	794	1.5E+00	5	5.64E-03
795	795	1.6E+00	5	6.15E-03
796	796	1.7E+00	5	6.63E-03
797	797	1.9E+00	5	7.06E-03
798	798	2.0E+00	5	7.46E-03
799	799	2.1E+00	5	7.85E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
800	800	2.2E+00	5	8.19E-03
801	801	2.2E+00	5	8.52E-03
802	802	2.3E+00	5	8.83E-03
803	803	2.4E+00	5	9.16E-03
804	804	2.5E+00	5	9.50E-03
805	805	2.6E+00	5	9.89E-03
806	806	2.7E+00	5	1.03E-02
807	807	2.9E+00	5	1.09E-02
808	808	3.0E+00	5	1.16E-02
809	809	3.3E+00	5	1.26E-02
810	810	3.7E+00	5	1.40E-02
811	811	3.3E+00	5	1.27E-02
812	812	2.6E-01	5	1.00E-03
813	813	2.8E-01	5	1.06E-03
814	814	2.9E-01	5	1.12E-03
815	815	3.1E-01	5	1.19E-03
816	816	3.3E-01	5	1.26E-03
817	817	3.5E-01	5	1.34E-03
818	818	3.8E-01	5	1.43E-03
819	819	4.0E-01	5	1.53E-03
820	820	4.3E-01	5	1.64E-03
821	821	4.6E-01	5	1.77E-03
822	822	5.0E-01	5	1.91E-03
823	823	5.5E-01	5	2.08E-03
824	824	6.0E-01	5	2.26E-03
825	825	6.5E-01	5	2.48E-03
826	826	7.2E-01	5	2.72E-03
827	827	7.9E-01	5	3.01E-03
828	828	8.8E-01	5	3.35E-03
829	829	9.8E-01	5	3.74E-03
830	830	1.1E+00	5	4.20E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
831	831	1.2E+00	5	4.74E-03
832	832	1.4E+00	5	5.35E-03
833	833	1.6E+00	5	6.02E-03
834	834	1.8E+00	5	6.74E-03
835	835	2.0E+00	5	7.43E-03
836	836	1.8E+00	5	6.79E-03
837	837	2.3E+00	5	8.60E-03
838	838	2.4E+00	5	9.08E-03
839	839	2.2E+00	5	8.22E-03
840	840	2.2E+00	5	8.54E-03
841	841	2.4E+00	5	8.94E-03
842	842	2.8E+00	5	1.06E-02
843	843	2.5E+00	5	9.58E-03
844	844	2.6E+00	5	9.87E-03
845	845	2.7E+00	5	1.03E-02
846	846	3.2E+00	5	1.21E-02
847	847	2.9E+00	5	1.12E-02
848	848	3.1E+00	5	1.18E-02
849	849	3.4E+00	5	1.28E-02
850	850	3.8E+00	5	1.43E-02
851	851	3.3E+00	5	1.26E-02
852	852	2.7E-01	5	1.01E-03
853	853	2.8E-01	5	1.06E-03
854	854	3.0E-01	5	1.13E-03
855	855	3.1E-01	5	1.20E-03
856	856	3.3E-01	5	1.27E-03
857	857	3.6E-01	5	1.36E-03
858	858	3.8E-01	5	1.45E-03
859	859	4.1E-01	5	1.56E-03
860	860	4.4E-01	5	1.67E-03
861	861	4.8E-01	5	1.81E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
862	862	5.2E-01	5	1.96E-03
863	863	5.6E-01	5	2.14E-03
864	864	6.2E-01	5	2.35E-03
865	865	6.8E-01	5	2.59E-03
866	866	7.6E-01	5	2.87E-03
867	867	8.4E-01	5	3.21E-03
868	868	9.5E-01	5	3.61E-03
869	869	1.1E+00	5	4.10E-03
870	870	1.2E+00	5	4.69E-03
871	871	1.4E+00	5	5.40E-03
872	872	1.6E+00	5	6.25E-03
873	873	1.9E+00	5	7.23E-03
874	874	1.8E+00	5	6.73E-03
875	875	2.0E+00	5	7.44E-03
876	876	2.1E+00	5	8.16E-03
877	877	2.0E+00	5	7.73E-03
878	878	2.2E+00	5	8.20E-03
879	879	2.6E+00	5	9.89E-03
880	880	2.7E+00	5	1.02E-02
881	881	2.5E+00	5	9.39E-03
882	882	2.5E+00	5	9.63E-03
883	883	3.0E+00	5	1.13E-02
884	884	3.0E+00	5	1.15E-02
885	885	2.8E+00	5	1.08E-02
886	886	2.9E+00	5	1.11E-02
887	887	3.4E+00	5	1.29E-02
888	888	3.5E+00	5	1.33E-02
889	889	3.4E+00	5	1.30E-02
890	890	3.4E+00	5	1.28E-02
891	891	4.0E+00	5	1.53E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	3.78705	1.17E-02	4.4E-02	6.05E-04	2.68E-05	5.48E-02	4.71E-02	6.93E-08	1.0E+06	6.9E-02
522	3.98002	1.17E-02	4.7E-02	6.05E-04	2.82E-05	5.48E-02	4.71E-02	7.28E-08	1.0E+06	7.3E-02
523	4.19123	1.17E-02	4.9E-02	6.05E-04	2.97E-05	5.48E-02	4.71E-02	7.67E-08	1.0E+06	7.7E-02
524	4.42658	1.17E-02	5.2E-02	6.05E-04	3.14E-05	5.48E-02	4.71E-02	8.10E-08	1.0E+06	8.1E-02
525	4.69569	1.17E-02	5.5E-02	6.05E-04	3.33E-05	5.48E-02	4.71E-02	8.59E-08	1.0E+06	8.6E-02
526	5.0118	1.17E-02	5.9E-02	6.05E-04	3.55E-05	5.48E-02	4.71E-02	9.17E-08	1.0E+06	9.2E-02
527	5.39601	1.17E-02	6.3E-02	6.05E-04	3.82E-05	5.48E-02	4.71E-02	9.87E-08	1.0E+06	9.9E-02
528	5.88037	1.17E-02	6.9E-02	6.05E-04	4.17E-05	5.48E-02	4.71E-02	1.08E-07	1.0E+06	1.1E-01
529	6.51459	1.17E-02	7.6E-02	6.05E-04	4.61E-05	5.48E-02	4.71E-02	1.19E-07	1.0E+06	1.2E-01
530	7.38205	1.17E-02	8.6E-02	6.05E-04	5.23E-05	5.48E-02	4.71E-02	1.35E-07	1.0E+06	1.4E-01
531	6.74782	1.17E-02	7.9E-02	6.05E-04	4.78E-05	5.48E-02	4.71E-02	1.23E-07	1.0E+06	1.2E-01
532	0.93027	1.17E-02	1.1E-02	6.05E-04	6.59E-06	5.48E-02	4.71E-02	1.70E-08	1.0E+06	1.7E-02
533	0.96978	1.17E-02	1.1E-02	6.05E-04	6.87E-06	5.48E-02	4.71E-02	1.77E-08	1.0E+06	1.8E-02
534	1.01278	1.17E-02	1.2E-02	6.05E-04	7.17E-06	5.48E-02	4.71E-02	1.85E-08	1.0E+06	1.9E-02
535	1.06038	1.17E-02	1.2E-02	6.05E-04	7.51E-06	5.48E-02	4.71E-02	1.94E-08	1.0E+06	1.9E-02
536	1.1101	1.17E-02	1.3E-02	6.05E-04	7.86E-06	5.48E-02	4.71E-02	2.03E-08	1.0E+06	2.0E-02
537	1.16468	1.17E-02	1.4E-02	6.05E-04	8.25E-06	5.48E-02	4.71E-02	2.13E-08	1.0E+06	2.1E-02
538	1.22313	1.17E-02	1.4E-02	6.05E-04	8.66E-06	5.48E-02	4.71E-02	2.24E-08	1.0E+06	2.2E-02
539	1.28577	1.17E-02	1.5E-02	6.05E-04	9.11E-06	5.48E-02	4.71E-02	2.35E-08	1.0E+06	2.4E-02
540	1.351	1.17E-02	1.6E-02	6.05E-04	9.57E-06	5.48E-02	4.71E-02	2.47E-08	1.0E+06	2.5E-02
541	1.42319	1.17E-02	1.7E-02	6.05E-04	1.01E-05	5.48E-02	4.71E-02	2.60E-08	1.0E+06	2.6E-02
542	1.49972	1.17E-02	1.8E-02	6.05E-04	1.06E-05	5.48E-02	4.71E-02	2.74E-08	1.0E+06	2.7E-02
543	1.58309	1.17E-02	1.9E-02	6.05E-04	1.12E-05	5.48E-02	4.71E-02	2.90E-08	1.0E+06	2.9E-02
544	1.67236	1.17E-02	2.0E-02	6.05E-04	1.18E-05	5.48E-02	4.71E-02	3.06E-08	1.0E+06	3.1E-02
545	1.76804	1.17E-02	2.1E-02	6.05E-04	1.25E-05	5.48E-02	4.71E-02	3.24E-08	1.0E+06	3.2E-02
546	1.86904	1.17E-02	2.2E-02	6.05E-04	1.32E-05	5.48E-02	4.71E-02	3.42E-08	1.0E+06	3.4E-02
547	1.97826	1.17E-02	2.3E-02	6.05E-04	1.40E-05	5.48E-02	4.71E-02	3.62E-08	1.0E+06	3.6E-02
548	2.0954	1.17E-02	2.5E-02	6.05E-04	1.48E-05	5.48E-02	4.71E-02	3.83E-08	1.0E+06	3.8E-02
549	2.21996	1.17E-02	2.6E-02	6.05E-04	1.57E-05	5.48E-02	4.71E-02	4.06E-08	1.0E+06	4.1E-02
550	2.35145	1.17E-02	2.8E-02	6.05E-04	1.67E-05	5.48E-02	4.71E-02	4.30E-08	1.0E+06	4.3E-02
551	2.48766	1.17E-02	2.9E-02	6.05E-04	1.76E-05	5.48E-02	4.71E-02	4.55E-08	1.0E+06	4.6E-02

	Max	Receptor #
Res	0.271	850

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	2.62766	1.17E-02	3.1E-02	6.05E-04	1.86E-05	5.48E-02	4.71E-02	4.81E-08	1.0E+06	4.8E-02
553	2.77415	1.17E-02	3.2E-02	6.05E-04	1.97E-05	5.48E-02	4.71E-02	5.08E-08	1.0E+06	5.1E-02
554	2.93064	1.17E-02	3.4E-02	6.05E-04	2.08E-05	5.48E-02	4.71E-02	5.36E-08	1.0E+06	5.4E-02
555	3.08826	1.17E-02	3.6E-02	6.05E-04	2.19E-05	5.48E-02	4.71E-02	5.65E-08	1.0E+06	5.7E-02
556	3.2538	1.17E-02	3.8E-02	6.05E-04	2.30E-05	5.48E-02	4.71E-02	5.95E-08	1.0E+06	6.0E-02
557	3.4177	1.17E-02	4.0E-02	6.05E-04	2.42E-05	5.48E-02	4.71E-02	6.25E-08	1.0E+06	6.3E-02
558	3.59312	1.17E-02	4.2E-02	6.05E-04	2.55E-05	5.48E-02	4.71E-02	6.58E-08	1.0E+06	6.6E-02
559	3.77408	1.17E-02	4.4E-02	6.05E-04	2.67E-05	5.48E-02	4.71E-02	6.91E-08	1.0E+06	6.9E-02
560	3.96225	1.17E-02	4.6E-02	6.05E-04	2.81E-05	5.48E-02	4.71E-02	7.25E-08	1.0E+06	7.3E-02
561	4.1554	1.17E-02	4.9E-02	6.05E-04	2.94E-05	5.48E-02	4.71E-02	7.60E-08	1.0E+06	7.6E-02
562	4.36579	1.17E-02	5.1E-02	6.05E-04	3.09E-05	5.48E-02	4.71E-02	7.99E-08	1.0E+06	8.0E-02
563	4.59784	1.17E-02	5.4E-02	6.05E-04	3.26E-05	5.48E-02	4.71E-02	8.41E-08	1.0E+06	8.4E-02
564	4.85729	1.17E-02	5.7E-02	6.05E-04	3.44E-05	5.48E-02	4.71E-02	8.89E-08	1.0E+06	8.9E-02
565	5.15518	1.17E-02	6.0E-02	6.05E-04	3.65E-05	5.48E-02	4.71E-02	9.43E-08	1.0E+06	9.4E-02
566	5.50777	1.17E-02	6.4E-02	6.05E-04	3.90E-05	5.48E-02	4.71E-02	1.01E-07	1.0E+06	1.0E-01
567	5.94143	1.17E-02	7.0E-02	6.05E-04	4.21E-05	5.48E-02	4.71E-02	1.09E-07	1.0E+06	1.1E-01
568	6.5005	1.17E-02	7.6E-02	6.05E-04	4.60E-05	5.48E-02	4.71E-02	1.19E-07	1.0E+06	1.2E-01
569	7.25568	1.17E-02	8.5E-02	6.05E-04	5.14E-05	5.48E-02	4.71E-02	1.33E-07	1.0E+06	1.3E-01
570	6.89422	1.17E-02	8.1E-02	6.05E-04	4.88E-05	5.48E-02	4.71E-02	1.26E-07	1.0E+06	1.3E-01
571	7.65909	1.17E-02	9.0E-02	6.05E-04	5.43E-05	5.48E-02	4.71E-02	1.40E-07	1.0E+06	1.4E-01
572	0.95124	1.17E-02	1.1E-02	6.05E-04	6.74E-06	5.48E-02	4.71E-02	1.74E-08	1.0E+06	1.7E-02
573	0.99426	1.17E-02	1.2E-02	6.05E-04	7.04E-06	5.48E-02	4.71E-02	1.82E-08	1.0E+06	1.8E-02
574	1.03932	1.17E-02	1.2E-02	6.05E-04	7.36E-06	5.48E-02	4.71E-02	1.90E-08	1.0E+06	1.9E-02
575	1.08844	1.17E-02	1.3E-02	6.05E-04	7.71E-06	5.48E-02	4.71E-02	1.99E-08	1.0E+06	2.0E-02
576	1.14295	1.17E-02	1.3E-02	6.05E-04	8.10E-06	5.48E-02	4.71E-02	2.09E-08	1.0E+06	2.1E-02
577	1.20012	1.17E-02	1.4E-02	6.05E-04	8.50E-06	5.48E-02	4.71E-02	2.20E-08	1.0E+06	2.2E-02
578	1.26301	1.17E-02	1.5E-02	6.05E-04	8.95E-06	5.48E-02	4.71E-02	2.31E-08	1.0E+06	2.3E-02
579	1.33076	1.17E-02	1.6E-02	6.05E-04	9.43E-06	5.48E-02	4.71E-02	2.44E-08	1.0E+06	2.4E-02
580	1.4043	1.17E-02	1.6E-02	6.05E-04	9.95E-06	5.48E-02	4.71E-02	2.57E-08	1.0E+06	2.6E-02
581	1.48184	1.17E-02	1.7E-02	6.05E-04	1.05E-05	5.48E-02	4.71E-02	2.71E-08	1.0E+06	2.7E-02
582	1.56657	1.17E-02	1.8E-02	6.05E-04	1.11E-05	5.48E-02	4.71E-02	2.87E-08	1.0E+06	2.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	1.65761	1.17E-02	1.9E-02	6.05E-04	1.17E-05	5.48E-02	4.71E-02	3.03E-08	1.0E+06	3.0E-02
584	1.75716	1.17E-02	2.1E-02	6.05E-04	1.24E-05	5.48E-02	4.71E-02	3.22E-08	1.0E+06	3.2E-02
585	1.86436	1.17E-02	2.2E-02	6.05E-04	1.32E-05	5.48E-02	4.71E-02	3.41E-08	1.0E+06	3.4E-02
586	1.97976	1.17E-02	2.3E-02	6.05E-04	1.40E-05	5.48E-02	4.71E-02	3.62E-08	1.0E+06	3.6E-02
587	2.10217	1.17E-02	2.5E-02	6.05E-04	1.49E-05	5.48E-02	4.71E-02	3.85E-08	1.0E+06	3.8E-02
588	2.23485	1.17E-02	2.6E-02	6.05E-04	1.58E-05	5.48E-02	4.71E-02	4.09E-08	1.0E+06	4.1E-02
589	2.37739	1.17E-02	2.8E-02	6.05E-04	1.68E-05	5.48E-02	4.71E-02	4.35E-08	1.0E+06	4.4E-02
590	2.52912	1.17E-02	3.0E-02	6.05E-04	1.79E-05	5.48E-02	4.71E-02	4.63E-08	1.0E+06	4.6E-02
591	2.68914	1.17E-02	3.1E-02	6.05E-04	1.90E-05	5.48E-02	4.71E-02	4.92E-08	1.0E+06	4.9E-02
592	2.8524	1.17E-02	3.3E-02	6.05E-04	2.02E-05	5.48E-02	4.71E-02	5.22E-08	1.0E+06	5.2E-02
593	3.02416	1.17E-02	3.5E-02	6.05E-04	2.14E-05	5.48E-02	4.71E-02	5.53E-08	1.0E+06	5.5E-02
594	3.20028	1.17E-02	3.7E-02	6.05E-04	2.27E-05	5.48E-02	4.71E-02	5.86E-08	1.0E+06	5.9E-02
595	3.38426	1.17E-02	4.0E-02	6.05E-04	2.40E-05	5.48E-02	4.71E-02	6.19E-08	1.0E+06	6.2E-02
596	3.57198	1.17E-02	4.2E-02	6.05E-04	2.53E-05	5.48E-02	4.71E-02	6.54E-08	1.0E+06	6.5E-02
597	3.76299	1.17E-02	4.4E-02	6.05E-04	2.67E-05	5.48E-02	4.71E-02	6.89E-08	1.0E+06	6.9E-02
598	3.95852	1.17E-02	4.6E-02	6.05E-04	2.80E-05	5.48E-02	4.71E-02	7.24E-08	1.0E+06	7.2E-02
599	4.16139	1.17E-02	4.9E-02	6.05E-04	2.95E-05	5.48E-02	4.71E-02	7.61E-08	1.0E+06	7.6E-02
600	4.37026	1.17E-02	5.1E-02	6.05E-04	3.10E-05	5.48E-02	4.71E-02	8.00E-08	1.0E+06	8.0E-02
601	4.58686	1.17E-02	5.4E-02	6.05E-04	3.25E-05	5.48E-02	4.71E-02	8.39E-08	1.0E+06	8.4E-02
602	4.81537	1.17E-02	5.6E-02	6.05E-04	3.41E-05	5.48E-02	4.71E-02	8.81E-08	1.0E+06	8.8E-02
603	5.06605	1.17E-02	5.9E-02	6.05E-04	3.59E-05	5.48E-02	4.71E-02	9.27E-08	1.0E+06	9.3E-02
604	5.3484	1.17E-02	6.3E-02	6.05E-04	3.79E-05	5.48E-02	4.71E-02	9.79E-08	1.0E+06	9.8E-02
605	5.67273	1.17E-02	6.6E-02	6.05E-04	4.02E-05	5.48E-02	4.71E-02	1.04E-07	1.0E+06	1.0E-01
606	6.05791	1.17E-02	7.1E-02	6.05E-04	4.29E-05	5.48E-02	4.71E-02	1.11E-07	1.0E+06	1.1E-01
607	6.53577	1.17E-02	7.7E-02	6.05E-04	4.63E-05	5.48E-02	4.71E-02	1.20E-07	1.0E+06	1.2E-01
608	7.16009	1.17E-02	8.4E-02	6.05E-04	5.07E-05	5.48E-02	4.71E-02	1.31E-07	1.0E+06	1.3E-01
609	8.02143	1.17E-02	9.4E-02	6.05E-04	5.68E-05	5.48E-02	4.71E-02	1.47E-07	1.0E+06	1.5E-01
610	7.75427	1.17E-02	9.1E-02	6.05E-04	5.49E-05	5.48E-02	4.71E-02	1.42E-07	1.0E+06	1.4E-01
611	8.71533	1.17E-02	1.0E-01	6.05E-04	6.17E-05	5.48E-02	4.71E-02	1.59E-07	1.0E+06	1.6E-01
612	0.97015	1.17E-02	1.1E-02	6.05E-04	6.87E-06	5.48E-02	4.71E-02	1.78E-08	1.0E+06	1.8E-02
613	1.01681	1.17E-02	1.2E-02	6.05E-04	7.20E-06	5.48E-02	4.71E-02	1.86E-08	1.0E+06	1.9E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.06505	1.17E-02	1.2E-02	6.05E-04	7.54E-06	5.48E-02	4.71E-02	1.95E-08	1.0E+06	1.9E-02
615	1.11742	1.17E-02	1.3E-02	6.05E-04	7.92E-06	5.48E-02	4.71E-02	2.04E-08	1.0E+06	2.0E-02
616	1.17391	1.17E-02	1.4E-02	6.05E-04	8.32E-06	5.48E-02	4.71E-02	2.15E-08	1.0E+06	2.1E-02
617	1.23655	1.17E-02	1.4E-02	6.05E-04	8.76E-06	5.48E-02	4.71E-02	2.26E-08	1.0E+06	2.3E-02
618	1.30392	1.17E-02	1.5E-02	6.05E-04	9.24E-06	5.48E-02	4.71E-02	2.39E-08	1.0E+06	2.4E-02
619	1.3768	1.17E-02	1.6E-02	6.05E-04	9.75E-06	5.48E-02	4.71E-02	2.52E-08	1.0E+06	2.5E-02
620	1.45561	1.17E-02	1.7E-02	6.05E-04	1.03E-05	5.48E-02	4.71E-02	2.66E-08	1.0E+06	2.7E-02
621	1.54273	1.17E-02	1.8E-02	6.05E-04	1.09E-05	5.48E-02	4.71E-02	2.82E-08	1.0E+06	2.8E-02
622	1.63528	1.17E-02	1.9E-02	6.05E-04	1.16E-05	5.48E-02	4.71E-02	2.99E-08	1.0E+06	3.0E-02
623	1.73684	1.17E-02	2.0E-02	6.05E-04	1.23E-05	5.48E-02	4.71E-02	3.18E-08	1.0E+06	3.2E-02
624	1.84661	1.17E-02	2.2E-02	6.05E-04	1.31E-05	5.48E-02	4.71E-02	3.38E-08	1.0E+06	3.4E-02
625	1.96726	1.17E-02	2.3E-02	6.05E-04	1.39E-05	5.48E-02	4.71E-02	3.60E-08	1.0E+06	3.6E-02
626	2.09799	1.17E-02	2.5E-02	6.05E-04	1.49E-05	5.48E-02	4.71E-02	3.84E-08	1.0E+06	3.8E-02
627	2.23948	1.17E-02	2.6E-02	6.05E-04	1.59E-05	5.48E-02	4.71E-02	4.10E-08	1.0E+06	4.1E-02
628	2.39048	1.17E-02	2.8E-02	6.05E-04	1.69E-05	5.48E-02	4.71E-02	4.37E-08	1.0E+06	4.4E-02
629	2.5543	1.17E-02	3.0E-02	6.05E-04	1.81E-05	5.48E-02	4.71E-02	4.67E-08	1.0E+06	4.7E-02
630	2.7307	1.17E-02	3.2E-02	6.05E-04	1.93E-05	5.48E-02	4.71E-02	5.00E-08	1.0E+06	5.0E-02
631	2.91838	1.17E-02	3.4E-02	6.05E-04	2.07E-05	5.48E-02	4.71E-02	5.34E-08	1.0E+06	5.3E-02
632	3.11585	1.17E-02	3.6E-02	6.05E-04	2.21E-05	5.48E-02	4.71E-02	5.70E-08	1.0E+06	5.7E-02
633	3.31534	1.17E-02	3.9E-02	6.05E-04	2.35E-05	5.48E-02	4.71E-02	6.07E-08	1.0E+06	6.1E-02
634	3.52238	1.17E-02	4.1E-02	6.05E-04	2.50E-05	5.48E-02	4.71E-02	6.45E-08	1.0E+06	6.4E-02
635	3.73748	1.17E-02	4.4E-02	6.05E-04	2.65E-05	5.48E-02	4.71E-02	6.84E-08	1.0E+06	6.8E-02
636	3.95438	1.17E-02	4.6E-02	6.05E-04	2.80E-05	5.48E-02	4.71E-02	7.24E-08	1.0E+06	7.2E-02
637	4.17707	1.17E-02	4.9E-02	6.05E-04	2.96E-05	5.48E-02	4.71E-02	7.64E-08	1.0E+06	7.6E-02
638	4.39911	1.17E-02	5.2E-02	6.05E-04	3.12E-05	5.48E-02	4.71E-02	8.05E-08	1.0E+06	8.0E-02
639	4.62579	1.17E-02	5.4E-02	6.05E-04	3.28E-05	5.48E-02	4.71E-02	8.46E-08	1.0E+06	8.5E-02
640	4.85837	1.17E-02	5.7E-02	6.05E-04	3.44E-05	5.48E-02	4.71E-02	8.89E-08	1.0E+06	8.9E-02
641	5.09787	1.17E-02	6.0E-02	6.05E-04	3.61E-05	5.48E-02	4.71E-02	9.33E-08	1.0E+06	9.3E-02
642	5.34787	1.17E-02	6.3E-02	6.05E-04	3.79E-05	5.48E-02	4.71E-02	9.79E-08	1.0E+06	9.8E-02
643	5.61534	1.17E-02	6.6E-02	6.05E-04	3.98E-05	5.48E-02	4.71E-02	1.03E-07	1.0E+06	1.0E-01
644	5.91812	1.17E-02	6.9E-02	6.05E-04	4.19E-05	5.48E-02	4.71E-02	1.08E-07	1.0E+06	1.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	6.26506	1.17E-02	7.3E-02	6.05E-04	4.44E-05	5.48E-02	4.71E-02	1.15E-07	1.0E+06	1.1E-01
646	6.67801	1.17E-02	7.8E-02	6.05E-04	4.73E-05	5.48E-02	4.71E-02	1.22E-07	1.0E+06	1.2E-01
647	7.19184	1.17E-02	8.4E-02	6.05E-04	5.09E-05	5.48E-02	4.71E-02	1.32E-07	1.0E+06	1.3E-01
648	7.86868	1.17E-02	9.2E-02	6.05E-04	5.57E-05	5.48E-02	4.71E-02	1.44E-07	1.0E+06	1.4E-01
649	8.81808	1.17E-02	1.0E-01	6.05E-04	6.25E-05	5.48E-02	4.71E-02	1.61E-07	1.0E+06	1.6E-01
650	8.7285	1.17E-02	1.0E-01	6.05E-04	6.18E-05	5.48E-02	4.71E-02	1.60E-07	1.0E+06	1.6E-01
651	8.5841	1.17E-02	1.0E-01	6.05E-04	6.08E-05	5.48E-02	4.71E-02	1.57E-07	1.0E+06	1.6E-01
652	0.98641	1.17E-02	1.2E-02	6.05E-04	6.99E-06	5.48E-02	4.71E-02	1.81E-08	1.0E+06	1.8E-02
653	1.03595	1.17E-02	1.2E-02	6.05E-04	7.34E-06	5.48E-02	4.71E-02	1.90E-08	1.0E+06	1.9E-02
654	1.08913	1.17E-02	1.3E-02	6.05E-04	7.72E-06	5.48E-02	4.71E-02	1.99E-08	1.0E+06	2.0E-02
655	1.14603	1.17E-02	1.3E-02	6.05E-04	8.12E-06	5.48E-02	4.71E-02	2.10E-08	1.0E+06	2.1E-02
656	1.20762	1.17E-02	1.4E-02	6.05E-04	8.55E-06	5.48E-02	4.71E-02	2.21E-08	1.0E+06	2.2E-02
657	1.27327	1.17E-02	1.5E-02	6.05E-04	9.02E-06	5.48E-02	4.71E-02	2.33E-08	1.0E+06	2.3E-02
658	1.3454	1.17E-02	1.6E-02	6.05E-04	9.53E-06	5.48E-02	4.71E-02	2.46E-08	1.0E+06	2.5E-02
659	1.42391	1.17E-02	1.7E-02	6.05E-04	1.01E-05	5.48E-02	4.71E-02	2.61E-08	1.0E+06	2.6E-02
660	1.50718	1.17E-02	1.8E-02	6.05E-04	1.07E-05	5.48E-02	4.71E-02	2.76E-08	1.0E+06	2.8E-02
661	1.60269	1.17E-02	1.9E-02	6.05E-04	1.14E-05	5.48E-02	4.71E-02	2.93E-08	1.0E+06	2.9E-02
662	1.70561	1.17E-02	2.0E-02	6.05E-04	1.21E-05	5.48E-02	4.71E-02	3.12E-08	1.0E+06	3.1E-02
663	1.81769	1.17E-02	2.1E-02	6.05E-04	1.29E-05	5.48E-02	4.71E-02	3.33E-08	1.0E+06	3.3E-02
664	1.94162	1.17E-02	2.3E-02	6.05E-04	1.38E-05	5.48E-02	4.71E-02	3.55E-08	1.0E+06	3.6E-02
665	2.07746	1.17E-02	2.4E-02	6.05E-04	1.47E-05	5.48E-02	4.71E-02	3.80E-08	1.0E+06	3.8E-02
666	2.22636	1.17E-02	2.6E-02	6.05E-04	1.58E-05	5.48E-02	4.71E-02	4.07E-08	1.0E+06	4.1E-02
667	2.38748	1.17E-02	2.8E-02	6.05E-04	1.69E-05	5.48E-02	4.71E-02	4.37E-08	1.0E+06	4.4E-02
668	2.56495	1.17E-02	3.0E-02	6.05E-04	1.82E-05	5.48E-02	4.71E-02	4.69E-08	1.0E+06	4.7E-02
669	2.75724	1.17E-02	3.2E-02	6.05E-04	1.95E-05	5.48E-02	4.71E-02	5.05E-08	1.0E+06	5.0E-02
670	2.96466	1.17E-02	3.5E-02	6.05E-04	2.10E-05	5.48E-02	4.71E-02	5.43E-08	1.0E+06	5.4E-02
671	3.18475	1.17E-02	3.7E-02	6.05E-04	2.26E-05	5.48E-02	4.71E-02	5.83E-08	1.0E+06	5.8E-02
672	3.42107	1.17E-02	4.0E-02	6.05E-04	2.42E-05	5.48E-02	4.71E-02	6.26E-08	1.0E+06	6.3E-02
673	3.66803	1.17E-02	4.3E-02	6.05E-04	2.60E-05	5.48E-02	4.71E-02	6.71E-08	1.0E+06	6.7E-02
674	3.91407	1.17E-02	4.6E-02	6.05E-04	2.77E-05	5.48E-02	4.71E-02	7.16E-08	1.0E+06	7.2E-02
675	4.16591	1.17E-02	4.9E-02	6.05E-04	2.95E-05	5.48E-02	4.71E-02	7.62E-08	1.0E+06	7.6E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	4.42659	1.17E-02	5.2E-02	6.05E-04	3.14E-05	5.48E-02	4.71E-02	8.10E-08	1.0E+06	8.1E-02
677	4.68113	1.17E-02	5.5E-02	6.05E-04	3.32E-05	5.48E-02	4.71E-02	8.57E-08	1.0E+06	8.6E-02
678	4.93847	1.17E-02	5.8E-02	6.05E-04	3.50E-05	5.48E-02	4.71E-02	9.04E-08	1.0E+06	9.0E-02
679	5.196	1.17E-02	6.1E-02	6.05E-04	3.68E-05	5.48E-02	4.71E-02	9.51E-08	1.0E+06	9.5E-02
680	5.45491	1.17E-02	6.4E-02	6.05E-04	3.86E-05	5.48E-02	4.71E-02	9.98E-08	1.0E+06	1.0E-01
681	5.71731	1.17E-02	6.7E-02	6.05E-04	4.05E-05	5.48E-02	4.71E-02	1.05E-07	1.0E+06	1.0E-01
682	5.98857	1.17E-02	7.0E-02	6.05E-04	4.24E-05	5.48E-02	4.71E-02	1.10E-07	1.0E+06	1.1E-01
683	6.27422	1.17E-02	7.3E-02	6.05E-04	4.44E-05	5.48E-02	4.71E-02	1.15E-07	1.0E+06	1.1E-01
684	6.59387	1.17E-02	7.7E-02	6.05E-04	4.67E-05	5.48E-02	4.71E-02	1.21E-07	1.0E+06	1.2E-01
685	6.95909	1.17E-02	8.1E-02	6.05E-04	4.93E-05	5.48E-02	4.71E-02	1.27E-07	1.0E+06	1.3E-01
686	7.39375	1.17E-02	8.7E-02	6.05E-04	5.24E-05	5.48E-02	4.71E-02	1.35E-07	1.0E+06	1.4E-01
687	7.93431	1.17E-02	9.3E-02	6.05E-04	5.62E-05	5.48E-02	4.71E-02	1.45E-07	1.0E+06	1.5E-01
688	8.64823	1.17E-02	1.0E-01	6.05E-04	6.13E-05	5.48E-02	4.71E-02	1.58E-07	1.0E+06	1.6E-01
689	9.65079	1.17E-02	1.1E-01	6.05E-04	6.84E-05	5.48E-02	4.71E-02	1.77E-07	1.0E+06	1.8E-01
690	11.12289	1.17E-02	1.3E-01	6.05E-04	7.88E-05	5.48E-02	4.71E-02	2.04E-07	1.0E+06	2.0E-01
691	9.54081	1.17E-02	1.1E-01	6.05E-04	6.76E-05	5.48E-02	4.71E-02	1.75E-07	1.0E+06	1.7E-01
692	1.00204	1.17E-02	1.2E-02	6.05E-04	7.10E-06	5.48E-02	4.71E-02	1.83E-08	1.0E+06	1.8E-02
693	1.0537	1.17E-02	1.2E-02	6.05E-04	7.46E-06	5.48E-02	4.71E-02	1.93E-08	1.0E+06	1.9E-02
694	1.10744	1.17E-02	1.3E-02	6.05E-04	7.85E-06	5.48E-02	4.71E-02	2.03E-08	1.0E+06	2.0E-02
695	1.16773	1.17E-02	1.4E-02	6.05E-04	8.27E-06	5.48E-02	4.71E-02	2.14E-08	1.0E+06	2.1E-02
696	1.23327	1.17E-02	1.4E-02	6.05E-04	8.74E-06	5.48E-02	4.71E-02	2.26E-08	1.0E+06	2.3E-02
697	1.30448	1.17E-02	1.5E-02	6.05E-04	9.24E-06	5.48E-02	4.71E-02	2.39E-08	1.0E+06	2.4E-02
698	1.382	1.17E-02	1.6E-02	6.05E-04	9.79E-06	5.48E-02	4.71E-02	2.53E-08	1.0E+06	2.5E-02
699	1.46684	1.17E-02	1.7E-02	6.05E-04	1.04E-05	5.48E-02	4.71E-02	2.68E-08	1.0E+06	2.7E-02
700	1.5604	1.17E-02	1.8E-02	6.05E-04	1.11E-05	5.48E-02	4.71E-02	2.86E-08	1.0E+06	2.9E-02
701	1.66234	1.17E-02	1.9E-02	6.05E-04	1.18E-05	5.48E-02	4.71E-02	3.04E-08	1.0E+06	3.0E-02
702	1.77527	1.17E-02	2.1E-02	6.05E-04	1.26E-05	5.48E-02	4.71E-02	3.25E-08	1.0E+06	3.2E-02
703	1.90012	1.17E-02	2.2E-02	6.05E-04	1.35E-05	5.48E-02	4.71E-02	3.48E-08	1.0E+06	3.5E-02
704	2.04022	1.17E-02	2.4E-02	6.05E-04	1.45E-05	5.48E-02	4.71E-02	3.73E-08	1.0E+06	3.7E-02
705	2.19334	1.17E-02	2.6E-02	6.05E-04	1.55E-05	5.48E-02	4.71E-02	4.01E-08	1.0E+06	4.0E-02
706	2.36021	1.17E-02	2.8E-02	6.05E-04	1.67E-05	5.48E-02	4.71E-02	4.32E-08	1.0E+06	4.3E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.54748	1.17E-02	3.0E-02	6.05E-04	1.80E-05	5.48E-02	4.71E-02	4.66E-08	1.0E+06	4.7E-02
708	2.75536	1.17E-02	3.2E-02	6.05E-04	1.95E-05	5.48E-02	4.71E-02	5.04E-08	1.0E+06	5.0E-02
709	2.98478	1.17E-02	3.5E-02	6.05E-04	2.11E-05	5.48E-02	4.71E-02	5.46E-08	1.0E+06	5.5E-02
710	3.23328	1.17E-02	3.8E-02	6.05E-04	2.29E-05	5.48E-02	4.71E-02	5.92E-08	1.0E+06	5.9E-02
711	3.50242	1.17E-02	4.1E-02	6.05E-04	2.48E-05	5.48E-02	4.71E-02	6.41E-08	1.0E+06	6.4E-02
712	3.78731	1.17E-02	4.4E-02	6.05E-04	2.68E-05	5.48E-02	4.71E-02	6.93E-08	1.0E+06	6.9E-02
713	4.09046	1.17E-02	4.8E-02	6.05E-04	2.90E-05	5.48E-02	4.71E-02	7.49E-08	1.0E+06	7.5E-02
714	4.40022	1.17E-02	5.2E-02	6.05E-04	3.12E-05	5.48E-02	4.71E-02	8.05E-08	1.0E+06	8.1E-02
715	4.70626	1.17E-02	5.5E-02	6.05E-04	3.33E-05	5.48E-02	4.71E-02	8.61E-08	1.0E+06	8.6E-02
716	5.01429	1.17E-02	5.9E-02	6.05E-04	3.55E-05	5.48E-02	4.71E-02	9.18E-08	1.0E+06	9.2E-02
717	5.31577	1.17E-02	6.2E-02	6.05E-04	3.77E-05	5.48E-02	4.71E-02	9.73E-08	1.0E+06	9.7E-02
718	5.62017	1.17E-02	6.6E-02	6.05E-04	3.98E-05	5.48E-02	4.71E-02	1.03E-07	1.0E+06	1.0E-01
719	5.91342	1.17E-02	6.9E-02	6.05E-04	4.19E-05	5.48E-02	4.71E-02	1.08E-07	1.0E+06	1.1E-01
720	6.20243	1.17E-02	7.3E-02	6.05E-04	4.39E-05	5.48E-02	4.71E-02	1.13E-07	1.0E+06	1.1E-01
721	6.48901	1.17E-02	7.6E-02	6.05E-04	4.60E-05	5.48E-02	4.71E-02	1.19E-07	1.0E+06	1.2E-01
722	6.78021	1.17E-02	7.9E-02	6.05E-04	4.80E-05	5.48E-02	4.71E-02	1.24E-07	1.0E+06	1.2E-01
723	7.08261	1.17E-02	8.3E-02	6.05E-04	5.02E-05	5.48E-02	4.71E-02	1.30E-07	1.0E+06	1.3E-01
724	7.41647	1.17E-02	8.7E-02	6.05E-04	5.25E-05	5.48E-02	4.71E-02	1.36E-07	1.0E+06	1.4E-01
725	7.79616	1.17E-02	9.1E-02	6.05E-04	5.52E-05	5.48E-02	4.71E-02	1.43E-07	1.0E+06	1.4E-01
726	8.24611	1.17E-02	9.7E-02	6.05E-04	5.84E-05	5.48E-02	4.71E-02	1.51E-07	1.0E+06	1.5E-01
727	8.80306	1.17E-02	1.0E-01	6.05E-04	6.24E-05	5.48E-02	4.71E-02	1.61E-07	1.0E+06	1.6E-01
728	9.53665	1.17E-02	1.1E-01	6.05E-04	6.76E-05	5.48E-02	4.71E-02	1.75E-07	1.0E+06	1.7E-01
729	10.56681	1.17E-02	1.2E-01	6.05E-04	7.49E-05	5.48E-02	4.71E-02	1.93E-07	1.0E+06	1.9E-01
730	10.67586	1.17E-02	1.2E-01	6.05E-04	7.56E-05	5.48E-02	4.71E-02	1.95E-07	1.0E+06	2.0E-01
731	12.1459	1.17E-02	1.4E-01	6.05E-04	8.60E-05	5.48E-02	4.71E-02	2.22E-07	1.0E+06	2.2E-01
732	1.01817	1.17E-02	1.2E-02	6.05E-04	7.21E-06	5.48E-02	4.71E-02	1.86E-08	1.0E+06	1.9E-02
733	1.07128	1.17E-02	1.3E-02	6.05E-04	7.59E-06	5.48E-02	4.71E-02	1.96E-08	1.0E+06	2.0E-02
734	1.12621	1.17E-02	1.3E-02	6.05E-04	7.98E-06	5.48E-02	4.71E-02	2.06E-08	1.0E+06	2.1E-02
735	1.18748	1.17E-02	1.4E-02	6.05E-04	8.41E-06	5.48E-02	4.71E-02	2.17E-08	1.0E+06	2.2E-02
736	1.25673	1.17E-02	1.5E-02	6.05E-04	8.90E-06	5.48E-02	4.71E-02	2.30E-08	1.0E+06	2.3E-02
737	1.33033	1.17E-02	1.6E-02	6.05E-04	9.42E-06	5.48E-02	4.71E-02	2.43E-08	1.0E+06	2.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.414	1.17E-02	1.7E-02	6.05E-04	1.00E-05	5.48E-02	4.71E-02	2.59E-08	1.0E+06	2.6E-02
739	1.50604	1.17E-02	1.8E-02	6.05E-04	1.07E-05	5.48E-02	4.71E-02	2.76E-08	1.0E+06	2.8E-02
740	1.60852	1.17E-02	1.9E-02	6.05E-04	1.14E-05	5.48E-02	4.71E-02	2.94E-08	1.0E+06	2.9E-02
741	1.72172	1.17E-02	2.0E-02	6.05E-04	1.22E-05	5.48E-02	4.71E-02	3.15E-08	1.0E+06	3.2E-02
742	1.84608	1.17E-02	2.2E-02	6.05E-04	1.31E-05	5.48E-02	4.71E-02	3.38E-08	1.0E+06	3.4E-02
743	1.98162	1.17E-02	2.3E-02	6.05E-04	1.40E-05	5.48E-02	4.71E-02	3.63E-08	1.0E+06	3.6E-02
744	2.13833	1.17E-02	2.5E-02	6.05E-04	1.51E-05	5.48E-02	4.71E-02	3.91E-08	1.0E+06	3.9E-02
745	2.31024	1.17E-02	2.7E-02	6.05E-04	1.64E-05	5.48E-02	4.71E-02	4.23E-08	1.0E+06	4.2E-02
746	2.50224	1.17E-02	2.9E-02	6.05E-04	1.77E-05	5.48E-02	4.71E-02	4.58E-08	1.0E+06	4.6E-02
747	2.71719	1.17E-02	3.2E-02	6.05E-04	1.92E-05	5.48E-02	4.71E-02	4.97E-08	1.0E+06	5.0E-02
748	2.96377	1.17E-02	3.5E-02	6.05E-04	2.10E-05	5.48E-02	4.71E-02	5.42E-08	1.0E+06	5.4E-02
749	3.23672	1.17E-02	3.8E-02	6.05E-04	2.29E-05	5.48E-02	4.71E-02	5.92E-08	1.0E+06	5.9E-02
750	3.54561	1.17E-02	4.2E-02	6.05E-04	2.51E-05	5.48E-02	4.71E-02	6.49E-08	1.0E+06	6.5E-02
751	3.88014	1.17E-02	4.5E-02	6.05E-04	2.75E-05	5.48E-02	4.71E-02	7.10E-08	1.0E+06	7.1E-02
752	4.24003	1.17E-02	5.0E-02	6.05E-04	3.00E-05	5.48E-02	4.71E-02	7.76E-08	1.0E+06	7.8E-02
753	4.61852	1.17E-02	5.4E-02	6.05E-04	3.27E-05	5.48E-02	4.71E-02	8.45E-08	1.0E+06	8.5E-02
754	5.01333	1.17E-02	5.9E-02	6.05E-04	3.55E-05	5.48E-02	4.71E-02	9.17E-08	1.0E+06	9.2E-02
755	5.39969	1.17E-02	6.3E-02	6.05E-04	3.83E-05	5.48E-02	4.71E-02	9.88E-08	1.0E+06	9.9E-02
756	5.77853	1.17E-02	6.8E-02	6.05E-04	4.09E-05	5.48E-02	4.71E-02	1.06E-07	1.0E+06	1.1E-01
757	6.14717	1.17E-02	7.2E-02	6.05E-04	4.35E-05	5.48E-02	4.71E-02	1.12E-07	1.0E+06	1.1E-01
758	6.50301	1.17E-02	7.6E-02	6.05E-04	4.61E-05	5.48E-02	4.71E-02	1.19E-07	1.0E+06	1.2E-01
759	6.84378	1.17E-02	8.0E-02	6.05E-04	4.85E-05	5.48E-02	4.71E-02	1.25E-07	1.0E+06	1.3E-01
760	7.16552	1.17E-02	8.4E-02	6.05E-04	5.08E-05	5.48E-02	4.71E-02	1.31E-07	1.0E+06	1.3E-01
761	7.47754	1.17E-02	8.8E-02	6.05E-04	5.30E-05	5.48E-02	4.71E-02	1.37E-07	1.0E+06	1.4E-01
762	7.78847	1.17E-02	9.1E-02	6.05E-04	5.52E-05	5.48E-02	4.71E-02	1.43E-07	1.0E+06	1.4E-01
763	8.10617	1.17E-02	9.5E-02	6.05E-04	5.74E-05	5.48E-02	4.71E-02	1.48E-07	1.0E+06	1.5E-01
764	8.45109	1.17E-02	9.9E-02	6.05E-04	5.99E-05	5.48E-02	4.71E-02	1.55E-07	1.0E+06	1.5E-01
765	8.84143	1.17E-02	1.0E-01	6.05E-04	6.26E-05	5.48E-02	4.71E-02	1.62E-07	1.0E+06	1.6E-01
766	9.30016	1.17E-02	1.1E-01	6.05E-04	6.59E-05	5.48E-02	4.71E-02	1.70E-07	1.0E+06	1.7E-01
767	9.86363	1.17E-02	1.2E-01	6.05E-04	6.99E-05	5.48E-02	4.71E-02	1.80E-07	1.0E+06	1.8E-01
768	10.60034	1.17E-02	1.2E-01	6.05E-04	7.51E-05	5.48E-02	4.71E-02	1.94E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	11.6327	1.17E-02	1.4E-01	6.05E-04	8.24E-05	5.48E-02	4.71E-02	2.13E-07	1.0E+06	2.1E-01
770	11.67069	1.17E-02	1.4E-01	6.05E-04	8.27E-05	5.48E-02	4.71E-02	2.14E-07	1.0E+06	2.1E-01
771	13.07923	1.17E-02	1.5E-01	6.05E-04	9.27E-05	5.48E-02	4.71E-02	2.39E-07	1.0E+06	2.4E-01
772	1.02925	1.17E-02	1.2E-02	6.05E-04	7.29E-06	5.48E-02	4.71E-02	1.88E-08	1.0E+06	1.9E-02
773	1.08436	1.17E-02	1.3E-02	6.05E-04	7.68E-06	5.48E-02	4.71E-02	1.98E-08	1.0E+06	2.0E-02
774	1.14225	1.17E-02	1.3E-02	6.05E-04	8.09E-06	5.48E-02	4.71E-02	2.09E-08	1.0E+06	2.1E-02
775	1.20852	1.17E-02	1.4E-02	6.05E-04	8.56E-06	5.48E-02	4.71E-02	2.21E-08	1.0E+06	2.2E-02
776	1.27996	1.17E-02	1.5E-02	6.05E-04	9.07E-06	5.48E-02	4.71E-02	2.34E-08	1.0E+06	2.3E-02
777	1.3563	1.17E-02	1.6E-02	6.05E-04	9.61E-06	5.48E-02	4.71E-02	2.48E-08	1.0E+06	2.5E-02
778	1.44523	1.17E-02	1.7E-02	6.05E-04	1.02E-05	5.48E-02	4.71E-02	2.64E-08	1.0E+06	2.6E-02
779	1.54136	1.17E-02	1.8E-02	6.05E-04	1.09E-05	5.48E-02	4.71E-02	2.82E-08	1.0E+06	2.8E-02
780	1.65155	1.17E-02	1.9E-02	6.05E-04	1.17E-05	5.48E-02	4.71E-02	3.02E-08	1.0E+06	3.0E-02
781	1.77467	1.17E-02	2.1E-02	6.05E-04	1.26E-05	5.48E-02	4.71E-02	3.25E-08	1.0E+06	3.2E-02
782	1.91185	1.17E-02	2.2E-02	6.05E-04	1.35E-05	5.48E-02	4.71E-02	3.50E-08	1.0E+06	3.5E-02
783	2.06504	1.17E-02	2.4E-02	6.05E-04	1.46E-05	5.48E-02	4.71E-02	3.78E-08	1.0E+06	3.8E-02
784	2.237	1.17E-02	2.6E-02	6.05E-04	1.58E-05	5.48E-02	4.71E-02	4.09E-08	1.0E+06	4.1E-02
785	2.43235	1.17E-02	2.8E-02	6.05E-04	1.72E-05	5.48E-02	4.71E-02	4.45E-08	1.0E+06	4.5E-02
786	2.65165	1.17E-02	3.1E-02	6.05E-04	1.88E-05	5.48E-02	4.71E-02	4.85E-08	1.0E+06	4.9E-02
787	2.90584	1.17E-02	3.4E-02	6.05E-04	2.06E-05	5.48E-02	4.71E-02	5.32E-08	1.0E+06	5.3E-02
788	3.19686	1.17E-02	3.7E-02	6.05E-04	2.26E-05	5.48E-02	4.71E-02	5.85E-08	1.0E+06	5.8E-02
789	3.5312	1.17E-02	4.1E-02	6.05E-04	2.50E-05	5.48E-02	4.71E-02	6.46E-08	1.0E+06	6.5E-02
790	3.9096	1.17E-02	4.6E-02	6.05E-04	2.77E-05	5.48E-02	4.71E-02	7.15E-08	1.0E+06	7.2E-02
791	4.33625	1.17E-02	5.1E-02	6.05E-04	3.07E-05	5.48E-02	4.71E-02	7.93E-08	1.0E+06	7.9E-02
792	4.8036	1.17E-02	5.6E-02	6.05E-04	3.40E-05	5.48E-02	4.71E-02	8.79E-08	1.0E+06	8.8E-02
793	5.30427	1.17E-02	6.2E-02	6.05E-04	3.76E-05	5.48E-02	4.71E-02	9.71E-08	1.0E+06	9.7E-02
794	5.82251	1.17E-02	6.8E-02	6.05E-04	4.12E-05	5.48E-02	4.71E-02	1.07E-07	1.0E+06	1.1E-01
795	6.34502	1.17E-02	7.4E-02	6.05E-04	4.49E-05	5.48E-02	4.71E-02	1.16E-07	1.0E+06	1.2E-01
796	6.83717	1.17E-02	8.0E-02	6.05E-04	4.84E-05	5.48E-02	4.71E-02	1.25E-07	1.0E+06	1.3E-01
797	7.28166	1.17E-02	8.5E-02	6.05E-04	5.16E-05	5.48E-02	4.71E-02	1.33E-07	1.0E+06	1.3E-01
798	7.70162	1.17E-02	9.0E-02	6.05E-04	5.46E-05	5.48E-02	4.71E-02	1.41E-07	1.0E+06	1.4E-01
799	8.09546	1.17E-02	9.5E-02	6.05E-04	5.73E-05	5.48E-02	4.71E-02	1.48E-07	1.0E+06	1.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	8.45206	1.17E-02	9.9E-02	6.05E-04	5.99E-05	5.48E-02	4.71E-02	1.55E-07	1.0E+06	1.5E-01
801	8.78635	1.17E-02	1.0E-01	6.05E-04	6.22E-05	5.48E-02	4.71E-02	1.61E-07	1.0E+06	1.6E-01
802	9.11543	1.17E-02	1.1E-01	6.05E-04	6.46E-05	5.48E-02	4.71E-02	1.67E-07	1.0E+06	1.7E-01
803	9.44965	1.17E-02	1.1E-01	6.05E-04	6.69E-05	5.48E-02	4.71E-02	1.73E-07	1.0E+06	1.7E-01
804	9.80465	1.17E-02	1.1E-01	6.05E-04	6.95E-05	5.48E-02	4.71E-02	1.79E-07	1.0E+06	1.8E-01
805	10.2011	1.17E-02	1.2E-01	6.05E-04	7.23E-05	5.48E-02	4.71E-02	1.87E-07	1.0E+06	1.9E-01
806	10.66213	1.17E-02	1.2E-01	6.05E-04	7.55E-05	5.48E-02	4.71E-02	1.95E-07	1.0E+06	2.0E-01
807	11.22586	1.17E-02	1.3E-01	6.05E-04	7.95E-05	5.48E-02	4.71E-02	2.05E-07	1.0E+06	2.1E-01
808	11.94731	1.17E-02	1.4E-01	6.05E-04	8.46E-05	5.48E-02	4.71E-02	2.19E-07	1.0E+06	2.2E-01
809	12.95425	1.17E-02	1.5E-01	6.05E-04	9.18E-05	5.48E-02	4.71E-02	2.37E-07	1.0E+06	2.4E-01
810	14.45888	1.17E-02	1.7E-01	6.05E-04	1.02E-04	5.48E-02	4.71E-02	2.65E-07	1.0E+06	2.6E-01
811	13.11681	1.17E-02	1.5E-01	6.05E-04	9.29E-05	5.48E-02	4.71E-02	2.40E-07	1.0E+06	2.4E-01
812	1.03669	1.17E-02	1.2E-02	6.05E-04	7.34E-06	5.48E-02	4.71E-02	1.90E-08	1.0E+06	1.9E-02
813	1.0936	1.17E-02	1.3E-02	6.05E-04	7.75E-06	5.48E-02	4.71E-02	2.00E-08	1.0E+06	2.0E-02
814	1.15589	1.17E-02	1.4E-02	6.05E-04	8.19E-06	5.48E-02	4.71E-02	2.12E-08	1.0E+06	2.1E-02
815	1.22336	1.17E-02	1.4E-02	6.05E-04	8.67E-06	5.48E-02	4.71E-02	2.24E-08	1.0E+06	2.2E-02
816	1.29722	1.17E-02	1.5E-02	6.05E-04	9.19E-06	5.48E-02	4.71E-02	2.37E-08	1.0E+06	2.4E-02
817	1.38163	1.17E-02	1.6E-02	6.05E-04	9.79E-06	5.48E-02	4.71E-02	2.53E-08	1.0E+06	2.5E-02
818	1.47206	1.17E-02	1.7E-02	6.05E-04	1.04E-05	5.48E-02	4.71E-02	2.69E-08	1.0E+06	2.7E-02
819	1.57452	1.17E-02	1.8E-02	6.05E-04	1.12E-05	5.48E-02	4.71E-02	2.88E-08	1.0E+06	2.9E-02
820	1.69202	1.17E-02	2.0E-02	6.05E-04	1.20E-05	5.48E-02	4.71E-02	3.10E-08	1.0E+06	3.1E-02
821	1.82177	1.17E-02	2.1E-02	6.05E-04	1.29E-05	5.48E-02	4.71E-02	3.33E-08	1.0E+06	3.3E-02
822	1.97136	1.17E-02	2.3E-02	6.05E-04	1.40E-05	5.48E-02	4.71E-02	3.61E-08	1.0E+06	3.6E-02
823	2.14135	1.17E-02	2.5E-02	6.05E-04	1.52E-05	5.48E-02	4.71E-02	3.92E-08	1.0E+06	3.9E-02
824	2.3352	1.17E-02	2.7E-02	6.05E-04	1.65E-05	5.48E-02	4.71E-02	4.27E-08	1.0E+06	4.3E-02
825	2.55501	1.17E-02	3.0E-02	6.05E-04	1.81E-05	5.48E-02	4.71E-02	4.68E-08	1.0E+06	4.7E-02
826	2.80984	1.17E-02	3.3E-02	6.05E-04	1.99E-05	5.48E-02	4.71E-02	5.14E-08	1.0E+06	5.1E-02
827	3.10338	1.17E-02	3.6E-02	6.05E-04	2.20E-05	5.48E-02	4.71E-02	5.68E-08	1.0E+06	5.7E-02
828	3.45416	1.17E-02	4.0E-02	6.05E-04	2.45E-05	5.48E-02	4.71E-02	6.32E-08	1.0E+06	6.3E-02
829	3.86115	1.17E-02	4.5E-02	6.05E-04	2.74E-05	5.48E-02	4.71E-02	7.07E-08	1.0E+06	7.1E-02
830	4.33826	1.17E-02	5.1E-02	6.05E-04	3.07E-05	5.48E-02	4.71E-02	7.94E-08	1.0E+06	7.9E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	4.89242	1.17E-02	5.7E-02	6.05E-04	3.47E-05	5.48E-02	4.71E-02	8.95E-08	1.0E+06	9.0E-02
832	5.52074	1.17E-02	6.5E-02	6.05E-04	3.91E-05	5.48E-02	4.71E-02	1.01E-07	1.0E+06	1.0E-01
833	6.21567	1.17E-02	7.3E-02	6.05E-04	4.40E-05	5.48E-02	4.71E-02	1.14E-07	1.0E+06	1.1E-01
834	6.94997	1.17E-02	8.1E-02	6.05E-04	4.92E-05	5.48E-02	4.71E-02	1.27E-07	1.0E+06	1.3E-01
835	7.67024	1.17E-02	9.0E-02	6.05E-04	5.43E-05	5.48E-02	4.71E-02	1.40E-07	1.0E+06	1.4E-01
836	7.00918	1.17E-02	8.2E-02	6.05E-04	4.97E-05	5.48E-02	4.71E-02	1.28E-07	1.0E+06	1.3E-01
837	8.87486	1.17E-02	1.0E-01	6.05E-04	6.29E-05	5.48E-02	4.71E-02	1.62E-07	1.0E+06	1.6E-01
838	9.37163	1.17E-02	1.1E-01	6.05E-04	6.64E-05	5.48E-02	4.71E-02	1.71E-07	1.0E+06	1.7E-01
839	8.4855	1.17E-02	9.9E-02	6.05E-04	6.01E-05	5.48E-02	4.71E-02	1.55E-07	1.0E+06	1.6E-01
840	8.8128	1.17E-02	1.0E-01	6.05E-04	6.24E-05	5.48E-02	4.71E-02	1.61E-07	1.0E+06	1.6E-01
841	9.22428	1.17E-02	1.1E-01	6.05E-04	6.53E-05	5.48E-02	4.71E-02	1.69E-07	1.0E+06	1.7E-01
842	10.91573	1.17E-02	1.3E-01	6.05E-04	7.73E-05	5.48E-02	4.71E-02	2.00E-07	1.0E+06	2.0E-01
843	9.88144	1.17E-02	1.2E-01	6.05E-04	7.00E-05	5.48E-02	4.71E-02	1.81E-07	1.0E+06	1.8E-01
844	10.18113	1.17E-02	1.2E-01	6.05E-04	7.21E-05	5.48E-02	4.71E-02	1.86E-07	1.0E+06	1.9E-01
845	10.64836	1.17E-02	1.2E-01	6.05E-04	7.54E-05	5.48E-02	4.71E-02	1.95E-07	1.0E+06	1.9E-01
846	12.501	1.17E-02	1.5E-01	6.05E-04	8.86E-05	5.48E-02	4.71E-02	2.29E-07	1.0E+06	2.3E-01
847	11.57793	1.17E-02	1.4E-01	6.05E-04	8.20E-05	5.48E-02	4.71E-02	2.12E-07	1.0E+06	2.1E-01
848	12.17764	1.17E-02	1.4E-01	6.05E-04	8.63E-05	5.48E-02	4.71E-02	2.23E-07	1.0E+06	2.2E-01
849	13.1966	1.17E-02	1.5E-01	6.05E-04	9.35E-05	5.48E-02	4.71E-02	2.41E-07	1.0E+06	2.4E-01
850	14.78826	1.17E-02	1.7E-01	6.05E-04	1.05E-04	5.48E-02	4.71E-02	2.71E-07	1.0E+06	2.7E-01
851	13.04213	1.17E-02	1.5E-01	6.05E-04	9.24E-05	5.48E-02	4.71E-02	2.39E-07	1.0E+06	2.4E-01
852	1.04006	1.17E-02	1.2E-02	6.05E-04	7.37E-06	5.48E-02	4.71E-02	1.90E-08	1.0E+06	1.9E-02
853	1.0967	1.17E-02	1.3E-02	6.05E-04	7.77E-06	5.48E-02	4.71E-02	2.01E-08	1.0E+06	2.0E-02
854	1.16099	1.17E-02	1.4E-02	6.05E-04	8.22E-06	5.48E-02	4.71E-02	2.12E-08	1.0E+06	2.1E-02
855	1.23321	1.17E-02	1.4E-02	6.05E-04	8.74E-06	5.48E-02	4.71E-02	2.26E-08	1.0E+06	2.3E-02
856	1.31079	1.17E-02	1.5E-02	6.05E-04	9.29E-06	5.48E-02	4.71E-02	2.40E-08	1.0E+06	2.4E-02
857	1.39916	1.17E-02	1.6E-02	6.05E-04	9.91E-06	5.48E-02	4.71E-02	2.56E-08	1.0E+06	2.6E-02
858	1.4951	1.17E-02	1.8E-02	6.05E-04	1.06E-05	5.48E-02	4.71E-02	2.74E-08	1.0E+06	2.7E-02
859	1.60529	1.17E-02	1.9E-02	6.05E-04	1.14E-05	5.48E-02	4.71E-02	2.94E-08	1.0E+06	2.9E-02
860	1.7237	1.17E-02	2.0E-02	6.05E-04	1.22E-05	5.48E-02	4.71E-02	3.15E-08	1.0E+06	3.2E-02
861	1.86479	1.17E-02	2.2E-02	6.05E-04	1.32E-05	5.48E-02	4.71E-02	3.41E-08	1.0E+06	3.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	2.02351	1.17E-02	2.4E-02	6.05E-04	1.43E-05	5.48E-02	4.71E-02	3.70E-08	1.0E+06	3.7E-02
863	2.2094	1.17E-02	2.6E-02	6.05E-04	1.57E-05	5.48E-02	4.71E-02	4.04E-08	1.0E+06	4.0E-02
864	2.42481	1.17E-02	2.8E-02	6.05E-04	1.72E-05	5.48E-02	4.71E-02	4.44E-08	1.0E+06	4.4E-02
865	2.67385	1.17E-02	3.1E-02	6.05E-04	1.89E-05	5.48E-02	4.71E-02	4.89E-08	1.0E+06	4.9E-02
866	2.96557	1.17E-02	3.5E-02	6.05E-04	2.10E-05	5.48E-02	4.71E-02	5.43E-08	1.0E+06	5.4E-02
867	3.3135	1.17E-02	3.9E-02	6.05E-04	2.35E-05	5.48E-02	4.71E-02	6.06E-08	1.0E+06	6.1E-02
868	3.72791	1.17E-02	4.4E-02	6.05E-04	2.64E-05	5.48E-02	4.71E-02	6.82E-08	1.0E+06	6.8E-02
869	4.2296	1.17E-02	5.0E-02	6.05E-04	3.00E-05	5.48E-02	4.71E-02	7.74E-08	1.0E+06	7.7E-02
870	4.83855	1.17E-02	5.7E-02	6.05E-04	3.43E-05	5.48E-02	4.71E-02	8.85E-08	1.0E+06	8.9E-02
871	5.5694	1.17E-02	6.5E-02	6.05E-04	3.95E-05	5.48E-02	4.71E-02	1.02E-07	1.0E+06	1.0E-01
872	6.44468	1.17E-02	7.5E-02	6.05E-04	4.57E-05	5.48E-02	4.71E-02	1.18E-07	1.0E+06	1.2E-01
873	7.45909	1.17E-02	8.7E-02	6.05E-04	5.28E-05	5.48E-02	4.71E-02	1.36E-07	1.0E+06	1.4E-01
874	6.94894	1.17E-02	8.1E-02	6.05E-04	4.92E-05	5.48E-02	4.71E-02	1.27E-07	1.0E+06	1.3E-01
875	7.68023	1.17E-02	9.0E-02	6.05E-04	5.44E-05	5.48E-02	4.71E-02	1.41E-07	1.0E+06	1.4E-01
876	8.4196	1.17E-02	9.9E-02	6.05E-04	5.96E-05	5.48E-02	4.71E-02	1.54E-07	1.0E+06	1.5E-01
877	7.97885	1.17E-02	9.3E-02	6.05E-04	5.65E-05	5.48E-02	4.71E-02	1.46E-07	1.0E+06	1.5E-01
878	8.45898	1.17E-02	9.9E-02	6.05E-04	5.99E-05	5.48E-02	4.71E-02	1.55E-07	1.0E+06	1.5E-01
879	10.1997	1.17E-02	1.2E-01	6.05E-04	7.23E-05	5.48E-02	4.71E-02	1.87E-07	1.0E+06	1.9E-01
880	10.50737	1.17E-02	1.2E-01	6.05E-04	7.44E-05	5.48E-02	4.71E-02	1.92E-07	1.0E+06	1.9E-01
881	9.68613	1.17E-02	1.1E-01	6.05E-04	6.86E-05	5.48E-02	4.71E-02	1.77E-07	1.0E+06	1.8E-01
882	9.93381	1.17E-02	1.2E-01	6.05E-04	7.04E-05	5.48E-02	4.71E-02	1.82E-07	1.0E+06	1.8E-01
883	11.63355	1.17E-02	1.4E-01	6.05E-04	8.24E-05	5.48E-02	4.71E-02	2.13E-07	1.0E+06	2.1E-01
884	11.90785	1.17E-02	1.4E-01	6.05E-04	8.44E-05	5.48E-02	4.71E-02	2.18E-07	1.0E+06	2.2E-01
885	11.12891	1.17E-02	1.3E-01	6.05E-04	7.88E-05	5.48E-02	4.71E-02	2.04E-07	1.0E+06	2.0E-01
886	11.46599	1.17E-02	1.3E-01	6.05E-04	8.12E-05	5.48E-02	4.71E-02	2.10E-07	1.0E+06	2.1E-01
887	13.29454	1.17E-02	1.6E-01	6.05E-04	9.42E-05	5.48E-02	4.71E-02	2.43E-07	1.0E+06	2.4E-01
888	13.76158	1.17E-02	1.6E-01	6.05E-04	9.75E-05	5.48E-02	4.71E-02	2.52E-07	1.0E+06	2.5E-01
889	13.36807	1.17E-02	1.6E-01	6.05E-04	9.47E-05	5.48E-02	4.71E-02	2.45E-07	1.0E+06	2.4E-01
890	13.2075	1.17E-02	1.5E-01	6.05E-04	9.36E-05	5.48E-02	4.71E-02	2.42E-07	1.0E+06	2.4E-01
891	15.83237	1.17E-02	1.9E-01	6.05E-04	1.12E-04	5.48E-02	4.71E-02	2.90E-07	1.0E+06	2.9E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
521	5	8.87E-03
522	5	9.32E-03
523	5	9.81E-03
524	5	1.04E-02
525	5	1.10E-02
526	5	1.17E-02
527	5	1.26E-02
528	5	1.38E-02
529	5	1.53E-02
530	5	1.73E-02
531	5	1.58E-02
532	5	2.18E-03
533	5	2.27E-03
534	5	2.37E-03
535	5	2.48E-03
536	5	2.60E-03
537	5	2.73E-03
538	5	2.86E-03
539	5	3.01E-03
540	5	3.16E-03
541	5	3.33E-03
542	5	3.51E-03
543	5	3.71E-03
544	5	3.92E-03
545	5	4.14E-03
546	5	4.38E-03
547	5	4.63E-03
548	5	4.91E-03
549	5	5.20E-03
550	5	5.51E-03
551	5	5.82E-03

Max	Receptor #	
0.037	891	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
552	5	6.15E-03
553	5	6.50E-03
554	5	6.86E-03
555	5	7.23E-03
556	5	7.62E-03
557	5	8.00E-03
558	5	8.41E-03
559	5	8.84E-03
560	5	9.28E-03
561	5	9.73E-03
562	5	1.02E-02
563	5	1.08E-02
564	5	1.14E-02
565	5	1.21E-02
566	5	1.29E-02
567	5	1.39E-02
568	5	1.52E-02
569	5	1.70E-02
570	5	1.61E-02
571	5	1.79E-02
572	5	2.23E-03
573	5	2.33E-03
574	5	2.43E-03
575	5	2.55E-03
576	5	2.68E-03
577	5	2.81E-03
578	5	2.96E-03
579	5	3.12E-03
580	5	3.29E-03
581	5	3.47E-03
582	5	3.67E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
583	5	3.88E-03
584	5	4.11E-03
585	5	4.37E-03
586	5	4.64E-03
587	5	4.92E-03
588	5	5.23E-03
589	5	5.57E-03
590	5	5.92E-03
591	5	6.30E-03
592	5	6.68E-03
593	5	7.08E-03
594	5	7.49E-03
595	5	7.92E-03
596	5	8.36E-03
597	5	8.81E-03
598	5	9.27E-03
599	5	9.74E-03
600	5	1.02E-02
601	5	1.07E-02
602	5	1.13E-02
603	5	1.19E-02
604	5	1.25E-02
605	5	1.33E-02
606	5	1.42E-02
607	5	1.53E-02
608	5	1.68E-02
609	5	1.88E-02
610	5	1.82E-02
611	5	2.04E-02
612	5	2.27E-03
613	5	2.38E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
614	5	2.49E-03
615	5	2.62E-03
616	5	2.75E-03
617	5	2.90E-03
618	5	3.05E-03
619	5	3.22E-03
620	5	3.41E-03
621	5	3.61E-03
622	5	3.83E-03
623	5	4.07E-03
624	5	4.32E-03
625	5	4.61E-03
626	5	4.91E-03
627	5	5.24E-03
628	5	5.60E-03
629	5	5.98E-03
630	5	6.39E-03
631	5	6.83E-03
632	5	7.30E-03
633	5	7.76E-03
634	5	8.25E-03
635	5	8.75E-03
636	5	9.26E-03
637	5	9.78E-03
638	5	1.03E-02
639	5	1.08E-02
640	5	1.14E-02
641	5	1.19E-02
642	5	1.25E-02
643	5	1.31E-02
644	5	1.39E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
645	5	1.47E-02
646	5	1.56E-02
647	5	1.68E-02
648	5	1.84E-02
649	5	2.06E-02
650	5	2.04E-02
651	5	2.01E-02
652	5	2.31E-03
653	5	2.43E-03
654	5	2.55E-03
655	5	2.68E-03
656	5	2.83E-03
657	5	2.98E-03
658	5	3.15E-03
659	5	3.33E-03
660	5	3.53E-03
661	5	3.75E-03
662	5	3.99E-03
663	5	4.26E-03
664	5	4.55E-03
665	5	4.86E-03
666	5	5.21E-03
667	5	5.59E-03
668	5	6.01E-03
669	5	6.46E-03
670	5	6.94E-03
671	5	7.46E-03
672	5	8.01E-03
673	5	8.59E-03
674	5	9.16E-03
675	5	9.75E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
676	5	1.04E-02
677	5	1.10E-02
678	5	1.16E-02
679	5	1.22E-02
680	5	1.28E-02
681	5	1.34E-02
682	5	1.40E-02
683	5	1.47E-02
684	5	1.54E-02
685	5	1.63E-02
686	5	1.73E-02
687	5	1.86E-02
688	5	2.03E-02
689	5	2.26E-02
690	5	2.60E-02
691	5	2.23E-02
692	5	2.35E-03
693	5	2.47E-03
694	5	2.59E-03
695	5	2.73E-03
696	5	2.89E-03
697	5	3.05E-03
698	5	3.24E-03
699	5	3.43E-03
700	5	3.65E-03
701	5	3.89E-03
702	5	4.16E-03
703	5	4.45E-03
704	5	4.78E-03
705	5	5.14E-03
706	5	5.53E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
707	5	5.97E-03
708	5	6.45E-03
709	5	6.99E-03
710	5	7.57E-03
711	5	8.20E-03
712	5	8.87E-03
713	5	9.58E-03
714	5	1.03E-02
715	5	1.10E-02
716	5	1.17E-02
717	5	1.24E-02
718	5	1.32E-02
719	5	1.38E-02
720	5	1.45E-02
721	5	1.52E-02
722	5	1.59E-02
723	5	1.66E-02
724	5	1.74E-02
725	5	1.83E-02
726	5	1.93E-02
727	5	2.06E-02
728	5	2.23E-02
729	5	2.47E-02
730	5	2.50E-02
731	5	2.84E-02
732	5	2.38E-03
733	5	2.51E-03
734	5	2.64E-03
735	5	2.78E-03
736	5	2.94E-03
737	5	3.12E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
738	5	3.31E-03
739	5	3.53E-03
740	5	3.77E-03
741	5	4.03E-03
742	5	4.32E-03
743	5	4.64E-03
744	5	5.01E-03
745	5	5.41E-03
746	5	5.86E-03
747	5	6.36E-03
748	5	6.94E-03
749	5	7.58E-03
750	5	8.30E-03
751	5	9.09E-03
752	5	9.93E-03
753	5	1.08E-02
754	5	1.17E-02
755	5	1.26E-02
756	5	1.35E-02
757	5	1.44E-02
758	5	1.52E-02
759	5	1.60E-02
760	5	1.68E-02
761	5	1.75E-02
762	5	1.82E-02
763	5	1.90E-02
764	5	1.98E-02
765	5	2.07E-02
766	5	2.18E-02
767	5	2.31E-02
768	5	2.48E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
769	5	2.72E-02
770	5	2.73E-02
771	5	3.06E-02
772	5	2.41E-03
773	5	2.54E-03
774	5	2.67E-03
775	5	2.83E-03
776	5	3.00E-03
777	5	3.18E-03
778	5	3.38E-03
779	5	3.61E-03
780	5	3.87E-03
781	5	4.16E-03
782	5	4.48E-03
783	5	4.84E-03
784	5	5.24E-03
785	5	5.70E-03
786	5	6.21E-03
787	5	6.80E-03
788	5	7.49E-03
789	5	8.27E-03
790	5	9.15E-03
791	5	1.02E-02
792	5	1.12E-02
793	5	1.24E-02
794	5	1.36E-02
795	5	1.49E-02
796	5	1.60E-02
797	5	1.71E-02
798	5	1.80E-02
799	5	1.90E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
800	5	1.98E-02
801	5	2.06E-02
802	5	2.13E-02
803	5	2.21E-02
804	5	2.30E-02
805	5	2.39E-02
806	5	2.50E-02
807	5	2.63E-02
808	5	2.80E-02
809	5	3.03E-02
810	5	3.39E-02
811	5	3.07E-02
812	5	2.43E-03
813	5	2.56E-03
814	5	2.71E-03
815	5	2.86E-03
816	5	3.04E-03
817	5	3.24E-03
818	5	3.45E-03
819	5	3.69E-03
820	5	3.96E-03
821	5	4.27E-03
822	5	4.62E-03
823	5	5.01E-03
824	5	5.47E-03
825	5	5.98E-03
826	5	6.58E-03
827	5	7.27E-03
828	5	8.09E-03
829	5	9.04E-03
830	5	1.02E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
831	5	1.15E-02
832	5	1.29E-02
833	5	1.46E-02
834	5	1.63E-02
835	5	1.80E-02
836	5	1.64E-02
837	5	2.08E-02
838	5	2.19E-02
839	5	1.99E-02
840	5	2.06E-02
841	5	2.16E-02
842	5	2.56E-02
843	5	2.31E-02
844	5	2.38E-02
845	5	2.49E-02
846	5	2.93E-02
847	5	2.71E-02
848	5	2.85E-02
849	5	3.09E-02
850	5	3.46E-02
851	5	3.05E-02
852	5	2.44E-03
853	5	2.57E-03
854	5	2.72E-03
855	5	2.89E-03
856	5	3.07E-03
857	5	3.28E-03
858	5	3.50E-03
859	5	3.76E-03
860	5	4.04E-03
861	5	4.37E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
862	5	4.74E-03
863	5	5.17E-03
864	5	5.68E-03
865	5	6.26E-03
866	5	6.94E-03
867	5	7.76E-03
868	5	8.73E-03
869	5	9.90E-03
870	5	1.13E-02
871	5	1.30E-02
872	5	1.51E-02
873	5	1.75E-02
874	5	1.63E-02
875	5	1.80E-02
876	5	1.97E-02
877	5	1.87E-02
878	5	1.98E-02
879	5	2.39E-02
880	5	2.46E-02
881	5	2.27E-02
882	5	2.33E-02
883	5	2.72E-02
884	5	2.79E-02
885	5	2.61E-02
886	5	2.68E-02
887	5	3.11E-02
888	5	3.22E-02
889	5	3.13E-02
890	5	3.09E-02
891	5	3.71E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
521	3.78705	3.38E-03	1.3E-02	6.05E-04	7.75E-06	9.21E-01	4.71E-02	3.37E-07	1.0E+06	3.4E-01
522	3.98002	3.38E-03	1.3E-02	6.05E-04	8.15E-06	9.21E-01	4.71E-02	3.54E-07	1.0E+06	3.5E-01
523	4.19123	3.38E-03	1.4E-02	6.05E-04	8.58E-06	9.21E-01	4.71E-02	3.73E-07	1.0E+06	3.7E-01
524	4.42658	3.38E-03	1.5E-02	6.05E-04	9.06E-06	9.21E-01	4.71E-02	3.93E-07	1.0E+06	3.9E-01
525	4.69569	3.38E-03	1.6E-02	6.05E-04	9.61E-06	9.21E-01	4.71E-02	4.17E-07	1.0E+06	4.2E-01
526	5.0118	3.38E-03	1.7E-02	6.05E-04	1.03E-05	9.21E-01	4.71E-02	4.45E-07	1.0E+06	4.5E-01
527	5.39601	3.38E-03	1.8E-02	6.05E-04	1.10E-05	9.21E-01	4.71E-02	4.80E-07	1.0E+06	4.8E-01
528	5.88037	3.38E-03	2.0E-02	6.05E-04	1.20E-05	9.21E-01	4.71E-02	5.23E-07	1.0E+06	5.2E-01
529	6.51459	3.38E-03	2.2E-02	6.05E-04	1.33E-05	9.21E-01	4.71E-02	5.79E-07	1.0E+06	5.8E-01
530	7.38205	3.38E-03	2.5E-02	6.05E-04	1.51E-05	9.21E-01	4.71E-02	6.56E-07	1.0E+06	6.6E-01
531	6.74782	3.38E-03	2.3E-02	6.05E-04	1.38E-05	9.21E-01	4.71E-02	6.00E-07	1.0E+06	6.0E-01
532	0.93027	3.38E-03	3.1E-03	6.05E-04	1.90E-06	9.21E-01	4.71E-02	8.27E-08	1.0E+06	8.3E-02
533	0.96978	3.38E-03	3.3E-03	6.05E-04	1.99E-06	9.21E-01	4.71E-02	8.62E-08	1.0E+06	8.6E-02
534	1.01278	3.38E-03	3.4E-03	6.05E-04	2.07E-06	9.21E-01	4.71E-02	9.00E-08	1.0E+06	9.0E-02
535	1.06038	3.38E-03	3.6E-03	6.05E-04	2.17E-06	9.21E-01	4.71E-02	9.43E-08	1.0E+06	9.4E-02
536	1.1101	3.38E-03	3.8E-03	6.05E-04	2.27E-06	9.21E-01	4.71E-02	9.87E-08	1.0E+06	9.9E-02
537	1.16468	3.38E-03	3.9E-03	6.05E-04	2.38E-06	9.21E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
538	1.22313	3.38E-03	4.1E-03	6.05E-04	2.50E-06	9.21E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
539	1.28577	3.38E-03	4.3E-03	6.05E-04	2.63E-06	9.21E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
540	1.351	3.38E-03	4.6E-03	6.05E-04	2.77E-06	9.21E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
541	1.42319	3.38E-03	4.8E-03	6.05E-04	2.91E-06	9.21E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
542	1.49972	3.38E-03	5.1E-03	6.05E-04	3.07E-06	9.21E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
543	1.58309	3.38E-03	5.4E-03	6.05E-04	3.24E-06	9.21E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
544	1.67236	3.38E-03	5.7E-03	6.05E-04	3.42E-06	9.21E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
545	1.76804	3.38E-03	6.0E-03	6.05E-04	3.62E-06	9.21E-01	4.71E-02	1.57E-07	1.0E+06	1.6E-01
546	1.86904	3.38E-03	6.3E-03	6.05E-04	3.83E-06	9.21E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
547	1.97826	3.38E-03	6.7E-03	6.05E-04	4.05E-06	9.21E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
548	2.0954	3.38E-03	7.1E-03	6.05E-04	4.29E-06	9.21E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
549	2.21996	3.38E-03	7.5E-03	6.05E-04	4.54E-06	9.21E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
550	2.35145	3.38E-03	8.0E-03	6.05E-04	4.81E-06	9.21E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01
551	2.48766	3.38E-03	8.4E-03	6.05E-04	5.09E-06	9.21E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01

	Max	Receptor #
Res	1.314	850

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
552	2.62766	3.38E-03	8.9E-03	6.05E-04	5.38E-06	9.21E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
553	2.77415	3.38E-03	9.4E-03	6.05E-04	5.68E-06	9.21E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
554	2.93064	3.38E-03	9.9E-03	6.05E-04	6.00E-06	9.21E-01	4.71E-02	2.60E-07	1.0E+06	2.6E-01
555	3.08826	3.38E-03	1.0E-02	6.05E-04	6.32E-06	9.21E-01	4.71E-02	2.75E-07	1.0E+06	2.7E-01
556	3.2538	3.38E-03	1.1E-02	6.05E-04	6.66E-06	9.21E-01	4.71E-02	2.89E-07	1.0E+06	2.9E-01
557	3.4177	3.38E-03	1.2E-02	6.05E-04	7.00E-06	9.21E-01	4.71E-02	3.04E-07	1.0E+06	3.0E-01
558	3.59312	3.38E-03	1.2E-02	6.05E-04	7.36E-06	9.21E-01	4.71E-02	3.19E-07	1.0E+06	3.2E-01
559	3.77408	3.38E-03	1.3E-02	6.05E-04	7.73E-06	9.21E-01	4.71E-02	3.35E-07	1.0E+06	3.4E-01
560	3.96225	3.38E-03	1.3E-02	6.05E-04	8.11E-06	9.21E-01	4.71E-02	3.52E-07	1.0E+06	3.5E-01
561	4.1554	3.38E-03	1.4E-02	6.05E-04	8.51E-06	9.21E-01	4.71E-02	3.69E-07	1.0E+06	3.7E-01
562	4.36579	3.38E-03	1.5E-02	6.05E-04	8.94E-06	9.21E-01	4.71E-02	3.88E-07	1.0E+06	3.9E-01
563	4.59784	3.38E-03	1.6E-02	6.05E-04	9.41E-06	9.21E-01	4.71E-02	4.09E-07	1.0E+06	4.1E-01
564	4.85729	3.38E-03	1.6E-02	6.05E-04	9.94E-06	9.21E-01	4.71E-02	4.32E-07	1.0E+06	4.3E-01
565	5.15518	3.38E-03	1.7E-02	6.05E-04	1.06E-05	9.21E-01	4.71E-02	4.58E-07	1.0E+06	4.6E-01
566	5.50777	3.38E-03	1.9E-02	6.05E-04	1.13E-05	9.21E-01	4.71E-02	4.90E-07	1.0E+06	4.9E-01
567	5.94143	3.38E-03	2.0E-02	6.05E-04	1.22E-05	9.21E-01	4.71E-02	5.28E-07	1.0E+06	5.3E-01
568	6.5005	3.38E-03	2.2E-02	6.05E-04	1.33E-05	9.21E-01	4.71E-02	5.78E-07	1.0E+06	5.8E-01
569	7.25568	3.38E-03	2.5E-02	6.05E-04	1.49E-05	9.21E-01	4.71E-02	6.45E-07	1.0E+06	6.4E-01
570	6.89422	3.38E-03	2.3E-02	6.05E-04	1.41E-05	9.21E-01	4.71E-02	6.13E-07	1.0E+06	6.1E-01
571	7.65909	3.38E-03	2.6E-02	6.05E-04	1.57E-05	9.21E-01	4.71E-02	6.81E-07	1.0E+06	6.8E-01
572	0.95124	3.38E-03	3.2E-03	6.05E-04	1.95E-06	9.21E-01	4.71E-02	8.46E-08	1.0E+06	8.5E-02
573	0.99426	3.38E-03	3.4E-03	6.05E-04	2.04E-06	9.21E-01	4.71E-02	8.84E-08	1.0E+06	8.8E-02
574	1.03932	3.38E-03	3.5E-03	6.05E-04	2.13E-06	9.21E-01	4.71E-02	9.24E-08	1.0E+06	9.2E-02
575	1.08844	3.38E-03	3.7E-03	6.05E-04	2.23E-06	9.21E-01	4.71E-02	9.67E-08	1.0E+06	9.7E-02
576	1.14295	3.38E-03	3.9E-03	6.05E-04	2.34E-06	9.21E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
577	1.20012	3.38E-03	4.1E-03	6.05E-04	2.46E-06	9.21E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
578	1.26301	3.38E-03	4.3E-03	6.05E-04	2.59E-06	9.21E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
579	1.33076	3.38E-03	4.5E-03	6.05E-04	2.72E-06	9.21E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01
580	1.4043	3.38E-03	4.8E-03	6.05E-04	2.87E-06	9.21E-01	4.71E-02	1.25E-07	1.0E+06	1.2E-01
581	1.48184	3.38E-03	5.0E-03	6.05E-04	3.03E-06	9.21E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
582	1.56657	3.38E-03	5.3E-03	6.05E-04	3.21E-06	9.21E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
583	1.65761	3.38E-03	5.6E-03	6.05E-04	3.39E-06	9.21E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
584	1.75716	3.38E-03	5.9E-03	6.05E-04	3.60E-06	9.21E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
585	1.86436	3.38E-03	6.3E-03	6.05E-04	3.82E-06	9.21E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
586	1.97976	3.38E-03	6.7E-03	6.05E-04	4.05E-06	9.21E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
587	2.10217	3.38E-03	7.1E-03	6.05E-04	4.30E-06	9.21E-01	4.71E-02	1.87E-07	1.0E+06	1.9E-01
588	2.23485	3.38E-03	7.6E-03	6.05E-04	4.57E-06	9.21E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01
589	2.37739	3.38E-03	8.0E-03	6.05E-04	4.87E-06	9.21E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
590	2.52912	3.38E-03	8.6E-03	6.05E-04	5.18E-06	9.21E-01	4.71E-02	2.25E-07	1.0E+06	2.2E-01
591	2.68914	3.38E-03	9.1E-03	6.05E-04	5.50E-06	9.21E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
592	2.8524	3.38E-03	9.6E-03	6.05E-04	5.84E-06	9.21E-01	4.71E-02	2.54E-07	1.0E+06	2.5E-01
593	3.02416	3.38E-03	1.0E-02	6.05E-04	6.19E-06	9.21E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
594	3.20028	3.38E-03	1.1E-02	6.05E-04	6.55E-06	9.21E-01	4.71E-02	2.84E-07	1.0E+06	2.8E-01
595	3.38426	3.38E-03	1.1E-02	6.05E-04	6.93E-06	9.21E-01	4.71E-02	3.01E-07	1.0E+06	3.0E-01
596	3.57198	3.38E-03	1.2E-02	6.05E-04	7.31E-06	9.21E-01	4.71E-02	3.18E-07	1.0E+06	3.2E-01
597	3.76299	3.38E-03	1.3E-02	6.05E-04	7.70E-06	9.21E-01	4.71E-02	3.34E-07	1.0E+06	3.3E-01
598	3.95852	3.38E-03	1.3E-02	6.05E-04	8.10E-06	9.21E-01	4.71E-02	3.52E-07	1.0E+06	3.5E-01
599	4.16139	3.38E-03	1.4E-02	6.05E-04	8.52E-06	9.21E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
600	4.37026	3.38E-03	1.5E-02	6.05E-04	8.95E-06	9.21E-01	4.71E-02	3.88E-07	1.0E+06	3.9E-01
601	4.58686	3.38E-03	1.6E-02	6.05E-04	9.39E-06	9.21E-01	4.71E-02	4.08E-07	1.0E+06	4.1E-01
602	4.81537	3.38E-03	1.6E-02	6.05E-04	9.86E-06	9.21E-01	4.71E-02	4.28E-07	1.0E+06	4.3E-01
603	5.06605	3.38E-03	1.7E-02	6.05E-04	1.04E-05	9.21E-01	4.71E-02	4.50E-07	1.0E+06	4.5E-01
604	5.3484	3.38E-03	1.8E-02	6.05E-04	1.09E-05	9.21E-01	4.71E-02	4.75E-07	1.0E+06	4.8E-01
605	5.67273	3.38E-03	1.9E-02	6.05E-04	1.16E-05	9.21E-01	4.71E-02	5.04E-07	1.0E+06	5.0E-01
606	6.05791	3.38E-03	2.0E-02	6.05E-04	1.24E-05	9.21E-01	4.71E-02	5.38E-07	1.0E+06	5.4E-01
607	6.53577	3.38E-03	2.2E-02	6.05E-04	1.34E-05	9.21E-01	4.71E-02	5.81E-07	1.0E+06	5.8E-01
608	7.16009	3.38E-03	2.4E-02	6.05E-04	1.47E-05	9.21E-01	4.71E-02	6.36E-07	1.0E+06	6.4E-01
609	8.02143	3.38E-03	2.7E-02	6.05E-04	1.64E-05	9.21E-01	4.71E-02	7.13E-07	1.0E+06	7.1E-01
610	7.75427	3.38E-03	2.6E-02	6.05E-04	1.59E-05	9.21E-01	4.71E-02	6.89E-07	1.0E+06	6.9E-01
611	8.71533	3.38E-03	2.9E-02	6.05E-04	1.78E-05	9.21E-01	4.71E-02	7.75E-07	1.0E+06	7.7E-01
612	0.97015	3.38E-03	3.3E-03	6.05E-04	1.99E-06	9.21E-01	4.71E-02	8.62E-08	1.0E+06	8.6E-02
613	1.01681	3.38E-03	3.4E-03	6.05E-04	2.08E-06	9.21E-01	4.71E-02	9.04E-08	1.0E+06	9.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
614	1.06505	3.38E-03	3.6E-03	6.05E-04	2.18E-06	9.21E-01	4.71E-02	9.47E-08	1.0E+06	9.5E-02
615	1.11742	3.38E-03	3.8E-03	6.05E-04	2.29E-06	9.21E-01	4.71E-02	9.93E-08	1.0E+06	9.9E-02
616	1.17391	3.38E-03	4.0E-03	6.05E-04	2.40E-06	9.21E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
617	1.23655	3.38E-03	4.2E-03	6.05E-04	2.53E-06	9.21E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
618	1.30392	3.38E-03	4.4E-03	6.05E-04	2.67E-06	9.21E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
619	1.3768	3.38E-03	4.7E-03	6.05E-04	2.82E-06	9.21E-01	4.71E-02	1.22E-07	1.0E+06	1.2E-01
620	1.45561	3.38E-03	4.9E-03	6.05E-04	2.98E-06	9.21E-01	4.71E-02	1.29E-07	1.0E+06	1.3E-01
621	1.54273	3.38E-03	5.2E-03	6.05E-04	3.16E-06	9.21E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
622	1.63528	3.38E-03	5.5E-03	6.05E-04	3.35E-06	9.21E-01	4.71E-02	1.45E-07	1.0E+06	1.5E-01
623	1.73684	3.38E-03	5.9E-03	6.05E-04	3.56E-06	9.21E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
624	1.84661	3.38E-03	6.2E-03	6.05E-04	3.78E-06	9.21E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01
625	1.96726	3.38E-03	6.7E-03	6.05E-04	4.03E-06	9.21E-01	4.71E-02	1.75E-07	1.0E+06	1.7E-01
626	2.09799	3.38E-03	7.1E-03	6.05E-04	4.29E-06	9.21E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
627	2.23948	3.38E-03	7.6E-03	6.05E-04	4.58E-06	9.21E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01
628	2.39048	3.38E-03	8.1E-03	6.05E-04	4.89E-06	9.21E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
629	2.5543	3.38E-03	8.6E-03	6.05E-04	5.23E-06	9.21E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
630	2.7307	3.38E-03	9.2E-03	6.05E-04	5.59E-06	9.21E-01	4.71E-02	2.43E-07	1.0E+06	2.4E-01
631	2.91838	3.38E-03	9.9E-03	6.05E-04	5.97E-06	9.21E-01	4.71E-02	2.59E-07	1.0E+06	2.6E-01
632	3.11585	3.38E-03	1.1E-02	6.05E-04	6.38E-06	9.21E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
633	3.31534	3.38E-03	1.1E-02	6.05E-04	6.79E-06	9.21E-01	4.71E-02	2.95E-07	1.0E+06	2.9E-01
634	3.52238	3.38E-03	1.2E-02	6.05E-04	7.21E-06	9.21E-01	4.71E-02	3.13E-07	1.0E+06	3.1E-01
635	3.73748	3.38E-03	1.3E-02	6.05E-04	7.65E-06	9.21E-01	4.71E-02	3.32E-07	1.0E+06	3.3E-01
636	3.95438	3.38E-03	1.3E-02	6.05E-04	8.09E-06	9.21E-01	4.71E-02	3.51E-07	1.0E+06	3.5E-01
637	4.17707	3.38E-03	1.4E-02	6.05E-04	8.55E-06	9.21E-01	4.71E-02	3.71E-07	1.0E+06	3.7E-01
638	4.39911	3.38E-03	1.5E-02	6.05E-04	9.00E-06	9.21E-01	4.71E-02	3.91E-07	1.0E+06	3.9E-01
639	4.62579	3.38E-03	1.6E-02	6.05E-04	9.47E-06	9.21E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
640	4.85837	3.38E-03	1.6E-02	6.05E-04	9.94E-06	9.21E-01	4.71E-02	4.32E-07	1.0E+06	4.3E-01
641	5.09787	3.38E-03	1.7E-02	6.05E-04	1.04E-05	9.21E-01	4.71E-02	4.53E-07	1.0E+06	4.5E-01
642	5.34787	3.38E-03	1.8E-02	6.05E-04	1.09E-05	9.21E-01	4.71E-02	4.75E-07	1.0E+06	4.8E-01
643	5.61534	3.38E-03	1.9E-02	6.05E-04	1.15E-05	9.21E-01	4.71E-02	4.99E-07	1.0E+06	5.0E-01
644	5.91812	3.38E-03	2.0E-02	6.05E-04	1.21E-05	9.21E-01	4.71E-02	5.26E-07	1.0E+06	5.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
645	6.26506	3.38E-03	2.1E-02	6.05E-04	1.28E-05	9.21E-01	4.71E-02	5.57E-07	1.0E+06	5.6E-01
646	6.67801	3.38E-03	2.3E-02	6.05E-04	1.37E-05	9.21E-01	4.71E-02	5.94E-07	1.0E+06	5.9E-01
647	7.19184	3.38E-03	2.4E-02	6.05E-04	1.47E-05	9.21E-01	4.71E-02	6.39E-07	1.0E+06	6.4E-01
648	7.86868	3.38E-03	2.7E-02	6.05E-04	1.61E-05	9.21E-01	4.71E-02	6.99E-07	1.0E+06	7.0E-01
649	8.81808	3.38E-03	3.0E-02	6.05E-04	1.81E-05	9.21E-01	4.71E-02	7.84E-07	1.0E+06	7.8E-01
650	8.7285	3.38E-03	3.0E-02	6.05E-04	1.79E-05	9.21E-01	4.71E-02	7.76E-07	1.0E+06	7.8E-01
651	8.5841	3.38E-03	2.9E-02	6.05E-04	1.76E-05	9.21E-01	4.71E-02	7.63E-07	1.0E+06	7.6E-01
652	0.98641	3.38E-03	3.3E-03	6.05E-04	2.02E-06	9.21E-01	4.71E-02	8.77E-08	1.0E+06	8.8E-02
653	1.03595	3.38E-03	3.5E-03	6.05E-04	2.12E-06	9.21E-01	4.71E-02	9.21E-08	1.0E+06	9.2E-02
654	1.08913	3.38E-03	3.7E-03	6.05E-04	2.23E-06	9.21E-01	4.71E-02	9.68E-08	1.0E+06	9.7E-02
655	1.14603	3.38E-03	3.9E-03	6.05E-04	2.35E-06	9.21E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
656	1.20762	3.38E-03	4.1E-03	6.05E-04	2.47E-06	9.21E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
657	1.27327	3.38E-03	4.3E-03	6.05E-04	2.61E-06	9.21E-01	4.71E-02	1.13E-07	1.0E+06	1.1E-01
658	1.3454	3.38E-03	4.6E-03	6.05E-04	2.75E-06	9.21E-01	4.71E-02	1.20E-07	1.0E+06	1.2E-01
659	1.42391	3.38E-03	4.8E-03	6.05E-04	2.91E-06	9.21E-01	4.71E-02	1.27E-07	1.0E+06	1.3E-01
660	1.50718	3.38E-03	5.1E-03	6.05E-04	3.09E-06	9.21E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
661	1.60269	3.38E-03	5.4E-03	6.05E-04	3.28E-06	9.21E-01	4.71E-02	1.42E-07	1.0E+06	1.4E-01
662	1.70561	3.38E-03	5.8E-03	6.05E-04	3.49E-06	9.21E-01	4.71E-02	1.52E-07	1.0E+06	1.5E-01
663	1.81769	3.38E-03	6.1E-03	6.05E-04	3.72E-06	9.21E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
664	1.94162	3.38E-03	6.6E-03	6.05E-04	3.97E-06	9.21E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
665	2.07746	3.38E-03	7.0E-03	6.05E-04	4.25E-06	9.21E-01	4.71E-02	1.85E-07	1.0E+06	1.8E-01
666	2.22636	3.38E-03	7.5E-03	6.05E-04	4.56E-06	9.21E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
667	2.38748	3.38E-03	8.1E-03	6.05E-04	4.89E-06	9.21E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
668	2.56495	3.38E-03	8.7E-03	6.05E-04	5.25E-06	9.21E-01	4.71E-02	2.28E-07	1.0E+06	2.3E-01
669	2.75724	3.38E-03	9.3E-03	6.05E-04	5.64E-06	9.21E-01	4.71E-02	2.45E-07	1.0E+06	2.5E-01
670	2.96466	3.38E-03	1.0E-02	6.05E-04	6.07E-06	9.21E-01	4.71E-02	2.64E-07	1.0E+06	2.6E-01
671	3.18475	3.38E-03	1.1E-02	6.05E-04	6.52E-06	9.21E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
672	3.42107	3.38E-03	1.2E-02	6.05E-04	7.00E-06	9.21E-01	4.71E-02	3.04E-07	1.0E+06	3.0E-01
673	3.66803	3.38E-03	1.2E-02	6.05E-04	7.51E-06	9.21E-01	4.71E-02	3.26E-07	1.0E+06	3.3E-01
674	3.91407	3.38E-03	1.3E-02	6.05E-04	8.01E-06	9.21E-01	4.71E-02	3.48E-07	1.0E+06	3.5E-01
675	4.16591	3.38E-03	1.4E-02	6.05E-04	8.53E-06	9.21E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
676	4.42659	3.38E-03	1.5E-02	6.05E-04	9.06E-06	9.21E-01	4.71E-02	3.93E-07	1.0E+06	3.9E-01
677	4.68113	3.38E-03	1.6E-02	6.05E-04	9.58E-06	9.21E-01	4.71E-02	4.16E-07	1.0E+06	4.2E-01
678	4.93847	3.38E-03	1.7E-02	6.05E-04	1.01E-05	9.21E-01	4.71E-02	4.39E-07	1.0E+06	4.4E-01
679	5.196	3.38E-03	1.8E-02	6.05E-04	1.06E-05	9.21E-01	4.71E-02	4.62E-07	1.0E+06	4.6E-01
680	5.45491	3.38E-03	1.8E-02	6.05E-04	1.12E-05	9.21E-01	4.71E-02	4.85E-07	1.0E+06	4.8E-01
681	5.71731	3.38E-03	1.9E-02	6.05E-04	1.17E-05	9.21E-01	4.71E-02	5.08E-07	1.0E+06	5.1E-01
682	5.98857	3.38E-03	2.0E-02	6.05E-04	1.23E-05	9.21E-01	4.71E-02	5.32E-07	1.0E+06	5.3E-01
683	6.27422	3.38E-03	2.1E-02	6.05E-04	1.28E-05	9.21E-01	4.71E-02	5.58E-07	1.0E+06	5.6E-01
684	6.59387	3.38E-03	2.2E-02	6.05E-04	1.35E-05	9.21E-01	4.71E-02	5.86E-07	1.0E+06	5.9E-01
685	6.95909	3.38E-03	2.4E-02	6.05E-04	1.42E-05	9.21E-01	4.71E-02	6.19E-07	1.0E+06	6.2E-01
686	7.39375	3.38E-03	2.5E-02	6.05E-04	1.51E-05	9.21E-01	4.71E-02	6.57E-07	1.0E+06	6.6E-01
687	7.93431	3.38E-03	2.7E-02	6.05E-04	1.62E-05	9.21E-01	4.71E-02	7.05E-07	1.0E+06	7.1E-01
688	8.64823	3.38E-03	2.9E-02	6.05E-04	1.77E-05	9.21E-01	4.71E-02	7.69E-07	1.0E+06	7.7E-01
689	9.65079	3.38E-03	3.3E-02	6.05E-04	1.98E-05	9.21E-01	4.71E-02	8.58E-07	1.0E+06	8.6E-01
690	11.12289	3.38E-03	3.8E-02	6.05E-04	2.28E-05	9.21E-01	4.71E-02	9.89E-07	1.0E+06	9.9E-01
691	9.54081	3.38E-03	3.2E-02	6.05E-04	1.95E-05	9.21E-01	4.71E-02	8.48E-07	1.0E+06	8.5E-01
692	1.00204	3.38E-03	3.4E-03	6.05E-04	2.05E-06	9.21E-01	4.71E-02	8.91E-08	1.0E+06	8.9E-02
693	1.0537	3.38E-03	3.6E-03	6.05E-04	2.16E-06	9.21E-01	4.71E-02	9.37E-08	1.0E+06	9.4E-02
694	1.10744	3.38E-03	3.7E-03	6.05E-04	2.27E-06	9.21E-01	4.71E-02	9.84E-08	1.0E+06	9.8E-02
695	1.16773	3.38E-03	4.0E-03	6.05E-04	2.39E-06	9.21E-01	4.71E-02	1.04E-07	1.0E+06	1.0E-01
696	1.23327	3.38E-03	4.2E-03	6.05E-04	2.52E-06	9.21E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
697	1.30448	3.38E-03	4.4E-03	6.05E-04	2.67E-06	9.21E-01	4.71E-02	1.16E-07	1.0E+06	1.2E-01
698	1.382	3.38E-03	4.7E-03	6.05E-04	2.83E-06	9.21E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
699	1.46684	3.38E-03	5.0E-03	6.05E-04	3.00E-06	9.21E-01	4.71E-02	1.30E-07	1.0E+06	1.3E-01
700	1.5604	3.38E-03	5.3E-03	6.05E-04	3.19E-06	9.21E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
701	1.66234	3.38E-03	5.6E-03	6.05E-04	3.40E-06	9.21E-01	4.71E-02	1.48E-07	1.0E+06	1.5E-01
702	1.77527	3.38E-03	6.0E-03	6.05E-04	3.63E-06	9.21E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
703	1.90012	3.38E-03	6.4E-03	6.05E-04	3.89E-06	9.21E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
704	2.04022	3.38E-03	6.9E-03	6.05E-04	4.18E-06	9.21E-01	4.71E-02	1.81E-07	1.0E+06	1.8E-01
705	2.19334	3.38E-03	7.4E-03	6.05E-04	4.49E-06	9.21E-01	4.71E-02	1.95E-07	1.0E+06	1.9E-01
706	2.36021	3.38E-03	8.0E-03	6.05E-04	4.83E-06	9.21E-01	4.71E-02	2.10E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
707	2.54748	3.38E-03	8.6E-03	6.05E-04	5.21E-06	9.21E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
708	2.75536	3.38E-03	9.3E-03	6.05E-04	5.64E-06	9.21E-01	4.71E-02	2.45E-07	1.0E+06	2.4E-01
709	2.98478	3.38E-03	1.0E-02	6.05E-04	6.11E-06	9.21E-01	4.71E-02	2.65E-07	1.0E+06	2.7E-01
710	3.23328	3.38E-03	1.1E-02	6.05E-04	6.62E-06	9.21E-01	4.71E-02	2.87E-07	1.0E+06	2.9E-01
711	3.50242	3.38E-03	1.2E-02	6.05E-04	7.17E-06	9.21E-01	4.71E-02	3.11E-07	1.0E+06	3.1E-01
712	3.78731	3.38E-03	1.3E-02	6.05E-04	7.75E-06	9.21E-01	4.71E-02	3.37E-07	1.0E+06	3.4E-01
713	4.09046	3.38E-03	1.4E-02	6.05E-04	8.37E-06	9.21E-01	4.71E-02	3.64E-07	1.0E+06	3.6E-01
714	4.40022	3.38E-03	1.5E-02	6.05E-04	9.01E-06	9.21E-01	4.71E-02	3.91E-07	1.0E+06	3.9E-01
715	4.70626	3.38E-03	1.6E-02	6.05E-04	9.63E-06	9.21E-01	4.71E-02	4.18E-07	1.0E+06	4.2E-01
716	5.01429	3.38E-03	1.7E-02	6.05E-04	1.03E-05	9.21E-01	4.71E-02	4.46E-07	1.0E+06	4.5E-01
717	5.31577	3.38E-03	1.8E-02	6.05E-04	1.09E-05	9.21E-01	4.71E-02	4.73E-07	1.0E+06	4.7E-01
718	5.62017	3.38E-03	1.9E-02	6.05E-04	1.15E-05	9.21E-01	4.71E-02	5.00E-07	1.0E+06	5.0E-01
719	5.91342	3.38E-03	2.0E-02	6.05E-04	1.21E-05	9.21E-01	4.71E-02	5.26E-07	1.0E+06	5.3E-01
720	6.20243	3.38E-03	2.1E-02	6.05E-04	1.27E-05	9.21E-01	4.71E-02	5.51E-07	1.0E+06	5.5E-01
721	6.48901	3.38E-03	2.2E-02	6.05E-04	1.33E-05	9.21E-01	4.71E-02	5.77E-07	1.0E+06	5.8E-01
722	6.78021	3.38E-03	2.3E-02	6.05E-04	1.39E-05	9.21E-01	4.71E-02	6.03E-07	1.0E+06	6.0E-01
723	7.08261	3.38E-03	2.4E-02	6.05E-04	1.45E-05	9.21E-01	4.71E-02	6.30E-07	1.0E+06	6.3E-01
724	7.41647	3.38E-03	2.5E-02	6.05E-04	1.52E-05	9.21E-01	4.71E-02	6.59E-07	1.0E+06	6.6E-01
725	7.79616	3.38E-03	2.6E-02	6.05E-04	1.60E-05	9.21E-01	4.71E-02	6.93E-07	1.0E+06	6.9E-01
726	8.24611	3.38E-03	2.8E-02	6.05E-04	1.69E-05	9.21E-01	4.71E-02	7.33E-07	1.0E+06	7.3E-01
727	8.80306	3.38E-03	3.0E-02	6.05E-04	1.80E-05	9.21E-01	4.71E-02	7.82E-07	1.0E+06	7.8E-01
728	9.53665	3.38E-03	3.2E-02	6.05E-04	1.95E-05	9.21E-01	4.71E-02	8.48E-07	1.0E+06	8.5E-01
729	10.56681	3.38E-03	3.6E-02	6.05E-04	2.16E-05	9.21E-01	4.71E-02	9.39E-07	1.0E+06	9.4E-01
730	10.67586	3.38E-03	3.6E-02	6.05E-04	2.19E-05	9.21E-01	4.71E-02	9.49E-07	1.0E+06	9.5E-01
731	12.1459	3.38E-03	4.1E-02	6.05E-04	2.49E-05	9.21E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
732	1.01817	3.38E-03	3.4E-03	6.05E-04	2.08E-06	9.21E-01	4.71E-02	9.05E-08	1.0E+06	9.1E-02
733	1.07128	3.38E-03	3.6E-03	6.05E-04	2.19E-06	9.21E-01	4.71E-02	9.52E-08	1.0E+06	9.5E-02
734	1.12621	3.38E-03	3.8E-03	6.05E-04	2.31E-06	9.21E-01	4.71E-02	1.00E-07	1.0E+06	1.0E-01
735	1.18748	3.38E-03	4.0E-03	6.05E-04	2.43E-06	9.21E-01	4.71E-02	1.06E-07	1.0E+06	1.1E-01
736	1.25673	3.38E-03	4.3E-03	6.05E-04	2.57E-06	9.21E-01	4.71E-02	1.12E-07	1.0E+06	1.1E-01
737	1.33033	3.38E-03	4.5E-03	6.05E-04	2.72E-06	9.21E-01	4.71E-02	1.18E-07	1.0E+06	1.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
738	1.414	3.38E-03	4.8E-03	6.05E-04	2.89E-06	9.21E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
739	1.50604	3.38E-03	5.1E-03	6.05E-04	3.08E-06	9.21E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
740	1.60852	3.38E-03	5.4E-03	6.05E-04	3.29E-06	9.21E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
741	1.72172	3.38E-03	5.8E-03	6.05E-04	3.52E-06	9.21E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
742	1.84608	3.38E-03	6.2E-03	6.05E-04	3.78E-06	9.21E-01	4.71E-02	1.64E-07	1.0E+06	1.6E-01
743	1.98162	3.38E-03	6.7E-03	6.05E-04	4.06E-06	9.21E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
744	2.13833	3.38E-03	7.2E-03	6.05E-04	4.38E-06	9.21E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
745	2.31024	3.38E-03	7.8E-03	6.05E-04	4.73E-06	9.21E-01	4.71E-02	2.05E-07	1.0E+06	2.1E-01
746	2.50224	3.38E-03	8.5E-03	6.05E-04	5.12E-06	9.21E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
747	2.71719	3.38E-03	9.2E-03	6.05E-04	5.56E-06	9.21E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
748	2.96377	3.38E-03	1.0E-02	6.05E-04	6.07E-06	9.21E-01	4.71E-02	2.63E-07	1.0E+06	2.6E-01
749	3.23672	3.38E-03	1.1E-02	6.05E-04	6.63E-06	9.21E-01	4.71E-02	2.88E-07	1.0E+06	2.9E-01
750	3.54561	3.38E-03	1.2E-02	6.05E-04	7.26E-06	9.21E-01	4.71E-02	3.15E-07	1.0E+06	3.2E-01
751	3.88014	3.38E-03	1.3E-02	6.05E-04	7.94E-06	9.21E-01	4.71E-02	3.45E-07	1.0E+06	3.4E-01
752	4.24003	3.38E-03	1.4E-02	6.05E-04	8.68E-06	9.21E-01	4.71E-02	3.77E-07	1.0E+06	3.8E-01
753	4.61852	3.38E-03	1.6E-02	6.05E-04	9.45E-06	9.21E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
754	5.01333	3.38E-03	1.7E-02	6.05E-04	1.03E-05	9.21E-01	4.71E-02	4.46E-07	1.0E+06	4.5E-01
755	5.39969	3.38E-03	1.8E-02	6.05E-04	1.11E-05	9.21E-01	4.71E-02	4.80E-07	1.0E+06	4.8E-01
756	5.77853	3.38E-03	2.0E-02	6.05E-04	1.18E-05	9.21E-01	4.71E-02	5.14E-07	1.0E+06	5.1E-01
757	6.14717	3.38E-03	2.1E-02	6.05E-04	1.26E-05	9.21E-01	4.71E-02	5.46E-07	1.0E+06	5.5E-01
758	6.50301	3.38E-03	2.2E-02	6.05E-04	1.33E-05	9.21E-01	4.71E-02	5.78E-07	1.0E+06	5.8E-01
759	6.84378	3.38E-03	2.3E-02	6.05E-04	1.40E-05	9.21E-01	4.71E-02	6.08E-07	1.0E+06	6.1E-01
760	7.16552	3.38E-03	2.4E-02	6.05E-04	1.47E-05	9.21E-01	4.71E-02	6.37E-07	1.0E+06	6.4E-01
761	7.47754	3.38E-03	2.5E-02	6.05E-04	1.53E-05	9.21E-01	4.71E-02	6.65E-07	1.0E+06	6.6E-01
762	7.78847	3.38E-03	2.6E-02	6.05E-04	1.59E-05	9.21E-01	4.71E-02	6.92E-07	1.0E+06	6.9E-01
763	8.10617	3.38E-03	2.7E-02	6.05E-04	1.66E-05	9.21E-01	4.71E-02	7.21E-07	1.0E+06	7.2E-01
764	8.45109	3.38E-03	2.9E-02	6.05E-04	1.73E-05	9.21E-01	4.71E-02	7.51E-07	1.0E+06	7.5E-01
765	8.84143	3.38E-03	3.0E-02	6.05E-04	1.81E-05	9.21E-01	4.71E-02	7.86E-07	1.0E+06	7.9E-01
766	9.30016	3.38E-03	3.1E-02	6.05E-04	1.90E-05	9.21E-01	4.71E-02	8.27E-07	1.0E+06	8.3E-01
767	9.86363	3.38E-03	3.3E-02	6.05E-04	2.02E-05	9.21E-01	4.71E-02	8.77E-07	1.0E+06	8.8E-01
768	10.60034	3.38E-03	3.6E-02	6.05E-04	2.17E-05	9.21E-01	4.71E-02	9.42E-07	1.0E+06	9.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
769	11.6327	3.38E-03	3.9E-02	6.05E-04	2.38E-05	9.21E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
770	11.67069	3.38E-03	3.9E-02	6.05E-04	2.39E-05	9.21E-01	4.71E-02	1.04E-06	1.0E+06	1.0E+00
771	13.07923	3.38E-03	4.4E-02	6.05E-04	2.68E-05	9.21E-01	4.71E-02	1.16E-06	1.0E+06	1.2E+00
772	1.02925	3.38E-03	3.5E-03	6.05E-04	2.11E-06	9.21E-01	4.71E-02	9.15E-08	1.0E+06	9.1E-02
773	1.08436	3.38E-03	3.7E-03	6.05E-04	2.22E-06	9.21E-01	4.71E-02	9.64E-08	1.0E+06	9.6E-02
774	1.14225	3.38E-03	3.9E-03	6.05E-04	2.34E-06	9.21E-01	4.71E-02	1.02E-07	1.0E+06	1.0E-01
775	1.20852	3.38E-03	4.1E-03	6.05E-04	2.47E-06	9.21E-01	4.71E-02	1.07E-07	1.0E+06	1.1E-01
776	1.27996	3.38E-03	4.3E-03	6.05E-04	2.62E-06	9.21E-01	4.71E-02	1.14E-07	1.0E+06	1.1E-01
777	1.3563	3.38E-03	4.6E-03	6.05E-04	2.78E-06	9.21E-01	4.71E-02	1.21E-07	1.0E+06	1.2E-01
778	1.44523	3.38E-03	4.9E-03	6.05E-04	2.96E-06	9.21E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
779	1.54136	3.38E-03	5.2E-03	6.05E-04	3.16E-06	9.21E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
780	1.65155	3.38E-03	5.6E-03	6.05E-04	3.38E-06	9.21E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
781	1.77467	3.38E-03	6.0E-03	6.05E-04	3.63E-06	9.21E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
782	1.91185	3.38E-03	6.5E-03	6.05E-04	3.91E-06	9.21E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
783	2.06504	3.38E-03	7.0E-03	6.05E-04	4.23E-06	9.21E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
784	2.237	3.38E-03	7.6E-03	6.05E-04	4.58E-06	9.21E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01
785	2.43235	3.38E-03	8.2E-03	6.05E-04	4.98E-06	9.21E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
786	2.65165	3.38E-03	9.0E-03	6.05E-04	5.43E-06	9.21E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
787	2.90584	3.38E-03	9.8E-03	6.05E-04	5.95E-06	9.21E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
788	3.19686	3.38E-03	1.1E-02	6.05E-04	6.54E-06	9.21E-01	4.71E-02	2.84E-07	1.0E+06	2.8E-01
789	3.5312	3.38E-03	1.2E-02	6.05E-04	7.23E-06	9.21E-01	4.71E-02	3.14E-07	1.0E+06	3.1E-01
790	3.9096	3.38E-03	1.3E-02	6.05E-04	8.00E-06	9.21E-01	4.71E-02	3.48E-07	1.0E+06	3.5E-01
791	4.33625	3.38E-03	1.5E-02	6.05E-04	8.88E-06	9.21E-01	4.71E-02	3.85E-07	1.0E+06	3.9E-01
792	4.8036	3.38E-03	1.6E-02	6.05E-04	9.83E-06	9.21E-01	4.71E-02	4.27E-07	1.0E+06	4.3E-01
793	5.30427	3.38E-03	1.8E-02	6.05E-04	1.09E-05	9.21E-01	4.71E-02	4.71E-07	1.0E+06	4.7E-01
794	5.82251	3.38E-03	2.0E-02	6.05E-04	1.19E-05	9.21E-01	4.71E-02	5.18E-07	1.0E+06	5.2E-01
795	6.34502	3.38E-03	2.1E-02	6.05E-04	1.30E-05	9.21E-01	4.71E-02	5.64E-07	1.0E+06	5.6E-01
796	6.83717	3.38E-03	2.3E-02	6.05E-04	1.40E-05	9.21E-01	4.71E-02	6.08E-07	1.0E+06	6.1E-01
797	7.28166	3.38E-03	2.5E-02	6.05E-04	1.49E-05	9.21E-01	4.71E-02	6.47E-07	1.0E+06	6.5E-01
798	7.70162	3.38E-03	2.6E-02	6.05E-04	1.58E-05	9.21E-01	4.71E-02	6.85E-07	1.0E+06	6.8E-01
799	8.09546	3.38E-03	2.7E-02	6.05E-04	1.66E-05	9.21E-01	4.71E-02	7.20E-07	1.0E+06	7.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
800	8.45206	3.38E-03	2.9E-02	6.05E-04	1.73E-05	9.21E-01	4.71E-02	7.51E-07	1.0E+06	7.5E-01
801	8.78635	3.38E-03	3.0E-02	6.05E-04	1.80E-05	9.21E-01	4.71E-02	7.81E-07	1.0E+06	7.8E-01
802	9.11543	3.38E-03	3.1E-02	6.05E-04	1.87E-05	9.21E-01	4.71E-02	8.10E-07	1.0E+06	8.1E-01
803	9.44965	3.38E-03	3.2E-02	6.05E-04	1.93E-05	9.21E-01	4.71E-02	8.40E-07	1.0E+06	8.4E-01
804	9.80465	3.38E-03	3.3E-02	6.05E-04	2.01E-05	9.21E-01	4.71E-02	8.72E-07	1.0E+06	8.7E-01
805	10.2011	3.38E-03	3.5E-02	6.05E-04	2.09E-05	9.21E-01	4.71E-02	9.07E-07	1.0E+06	9.1E-01
806	10.66213	3.38E-03	3.6E-02	6.05E-04	2.18E-05	9.21E-01	4.71E-02	9.48E-07	1.0E+06	9.5E-01
807	11.22586	3.38E-03	3.8E-02	6.05E-04	2.30E-05	9.21E-01	4.71E-02	9.98E-07	1.0E+06	1.0E+00
808	11.94731	3.38E-03	4.0E-02	6.05E-04	2.45E-05	9.21E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
809	12.95425	3.38E-03	4.4E-02	6.05E-04	2.65E-05	9.21E-01	4.71E-02	1.15E-06	1.0E+06	1.2E+00
810	14.45888	3.38E-03	4.9E-02	6.05E-04	2.96E-05	9.21E-01	4.71E-02	1.29E-06	1.0E+06	1.3E+00
811	13.11681	3.38E-03	4.4E-02	6.05E-04	2.68E-05	9.21E-01	4.71E-02	1.17E-06	1.0E+06	1.2E+00
812	1.03669	3.38E-03	3.5E-03	6.05E-04	2.12E-06	9.21E-01	4.71E-02	9.21E-08	1.0E+06	9.2E-02
813	1.0936	3.38E-03	3.7E-03	6.05E-04	2.24E-06	9.21E-01	4.71E-02	9.72E-08	1.0E+06	9.7E-02
814	1.15589	3.38E-03	3.9E-03	6.05E-04	2.37E-06	9.21E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
815	1.22336	3.38E-03	4.1E-03	6.05E-04	2.50E-06	9.21E-01	4.71E-02	1.09E-07	1.0E+06	1.1E-01
816	1.29722	3.38E-03	4.4E-03	6.05E-04	2.66E-06	9.21E-01	4.71E-02	1.15E-07	1.0E+06	1.2E-01
817	1.38163	3.38E-03	4.7E-03	6.05E-04	2.83E-06	9.21E-01	4.71E-02	1.23E-07	1.0E+06	1.2E-01
818	1.47206	3.38E-03	5.0E-03	6.05E-04	3.01E-06	9.21E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
819	1.57452	3.38E-03	5.3E-03	6.05E-04	3.22E-06	9.21E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
820	1.69202	3.38E-03	5.7E-03	6.05E-04	3.46E-06	9.21E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
821	1.82177	3.38E-03	6.2E-03	6.05E-04	3.73E-06	9.21E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
822	1.97136	3.38E-03	6.7E-03	6.05E-04	4.04E-06	9.21E-01	4.71E-02	1.75E-07	1.0E+06	1.8E-01
823	2.14135	3.38E-03	7.2E-03	6.05E-04	4.38E-06	9.21E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
824	2.3352	3.38E-03	7.9E-03	6.05E-04	4.78E-06	9.21E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
825	2.55501	3.38E-03	8.6E-03	6.05E-04	5.23E-06	9.21E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
826	2.80984	3.38E-03	9.5E-03	6.05E-04	5.75E-06	9.21E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
827	3.10338	3.38E-03	1.0E-02	6.05E-04	6.35E-06	9.21E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
828	3.45416	3.38E-03	1.2E-02	6.05E-04	7.07E-06	9.21E-01	4.71E-02	3.07E-07	1.0E+06	3.1E-01
829	3.86115	3.38E-03	1.3E-02	6.05E-04	7.90E-06	9.21E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01
830	4.33826	3.38E-03	1.5E-02	6.05E-04	8.88E-06	9.21E-01	4.71E-02	3.86E-07	1.0E+06	3.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
831	4.89242	3.38E-03	1.7E-02	6.05E-04	1.00E-05	9.21E-01	4.71E-02	4.35E-07	1.0E+06	4.3E-01
832	5.52074	3.38E-03	1.9E-02	6.05E-04	1.13E-05	9.21E-01	4.71E-02	4.91E-07	1.0E+06	4.9E-01
833	6.21567	3.38E-03	2.1E-02	6.05E-04	1.27E-05	9.21E-01	4.71E-02	5.52E-07	1.0E+06	5.5E-01
834	6.94997	3.38E-03	2.4E-02	6.05E-04	1.42E-05	9.21E-01	4.71E-02	6.18E-07	1.0E+06	6.2E-01
835	7.67024	3.38E-03	2.6E-02	6.05E-04	1.57E-05	9.21E-01	4.71E-02	6.82E-07	1.0E+06	6.8E-01
836	7.00918	3.38E-03	2.4E-02	6.05E-04	1.43E-05	9.21E-01	4.71E-02	6.23E-07	1.0E+06	6.2E-01
837	8.87486	3.38E-03	3.0E-02	6.05E-04	1.82E-05	9.21E-01	4.71E-02	7.89E-07	1.0E+06	7.9E-01
838	9.37163	3.38E-03	3.2E-02	6.05E-04	1.92E-05	9.21E-01	4.71E-02	8.33E-07	1.0E+06	8.3E-01
839	8.4855	3.38E-03	2.9E-02	6.05E-04	1.74E-05	9.21E-01	4.71E-02	7.54E-07	1.0E+06	7.5E-01
840	8.8128	3.38E-03	3.0E-02	6.05E-04	1.80E-05	9.21E-01	4.71E-02	7.83E-07	1.0E+06	7.8E-01
841	9.22428	3.38E-03	3.1E-02	6.05E-04	1.89E-05	9.21E-01	4.71E-02	8.20E-07	1.0E+06	8.2E-01
842	10.91573	3.38E-03	3.7E-02	6.05E-04	2.23E-05	9.21E-01	4.71E-02	9.70E-07	1.0E+06	9.7E-01
843	9.88144	3.38E-03	3.3E-02	6.05E-04	2.02E-05	9.21E-01	4.71E-02	8.78E-07	1.0E+06	8.8E-01
844	10.18113	3.38E-03	3.4E-02	6.05E-04	2.08E-05	9.21E-01	4.71E-02	9.05E-07	1.0E+06	9.0E-01
845	10.64836	3.38E-03	3.6E-02	6.05E-04	2.18E-05	9.21E-01	4.71E-02	9.47E-07	1.0E+06	9.5E-01
846	12.501	3.38E-03	4.2E-02	6.05E-04	2.56E-05	9.21E-01	4.71E-02	1.11E-06	1.0E+06	1.1E+00
847	11.57793	3.38E-03	3.9E-02	6.05E-04	2.37E-05	9.21E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
848	12.17764	3.38E-03	4.1E-02	6.05E-04	2.49E-05	9.21E-01	4.71E-02	1.08E-06	1.0E+06	1.1E+00
849	13.1966	3.38E-03	4.5E-02	6.05E-04	2.70E-05	9.21E-01	4.71E-02	1.17E-06	1.0E+06	1.2E+00
850	14.78826	3.38E-03	5.0E-02	6.05E-04	3.03E-05	9.21E-01	4.71E-02	1.31E-06	1.0E+06	1.3E+00
851	13.04213	3.38E-03	4.4E-02	6.05E-04	2.67E-05	9.21E-01	4.71E-02	1.16E-06	1.0E+06	1.2E+00
852	1.04006	3.38E-03	3.5E-03	6.05E-04	2.13E-06	9.21E-01	4.71E-02	9.24E-08	1.0E+06	9.2E-02
853	1.0967	3.38E-03	3.7E-03	6.05E-04	2.24E-06	9.21E-01	4.71E-02	9.75E-08	1.0E+06	9.7E-02
854	1.16099	3.38E-03	3.9E-03	6.05E-04	2.38E-06	9.21E-01	4.71E-02	1.03E-07	1.0E+06	1.0E-01
855	1.23321	3.38E-03	4.2E-03	6.05E-04	2.52E-06	9.21E-01	4.71E-02	1.10E-07	1.0E+06	1.1E-01
856	1.31079	3.38E-03	4.4E-03	6.05E-04	2.68E-06	9.21E-01	4.71E-02	1.17E-07	1.0E+06	1.2E-01
857	1.39916	3.38E-03	4.7E-03	6.05E-04	2.86E-06	9.21E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
858	1.4951	3.38E-03	5.1E-03	6.05E-04	3.06E-06	9.21E-01	4.71E-02	1.33E-07	1.0E+06	1.3E-01
859	1.60529	3.38E-03	5.4E-03	6.05E-04	3.29E-06	9.21E-01	4.71E-02	1.43E-07	1.0E+06	1.4E-01
860	1.7237	3.38E-03	5.8E-03	6.05E-04	3.53E-06	9.21E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
861	1.86479	3.38E-03	6.3E-03	6.05E-04	3.82E-06	9.21E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

						Cancer Risk from 2 to 16 years				
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
862	2.02351	3.38E-03	6.8E-03	6.05E-04	4.14E-06	9.21E-01	4.71E-02	1.80E-07	1.0E+06	1.8E-01
863	2.2094	3.38E-03	7.5E-03	6.05E-04	4.52E-06	9.21E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
864	2.42481	3.38E-03	8.2E-03	6.05E-04	4.96E-06	9.21E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
865	2.67385	3.38E-03	9.0E-03	6.05E-04	5.47E-06	9.21E-01	4.71E-02	2.38E-07	1.0E+06	2.4E-01
866	2.96557	3.38E-03	1.0E-02	6.05E-04	6.07E-06	9.21E-01	4.71E-02	2.64E-07	1.0E+06	2.6E-01
867	3.3135	3.38E-03	1.1E-02	6.05E-04	6.78E-06	9.21E-01	4.71E-02	2.95E-07	1.0E+06	2.9E-01
868	3.72791	3.38E-03	1.3E-02	6.05E-04	7.63E-06	9.21E-01	4.71E-02	3.31E-07	1.0E+06	3.3E-01
869	4.2296	3.38E-03	1.4E-02	6.05E-04	8.66E-06	9.21E-01	4.71E-02	3.76E-07	1.0E+06	3.8E-01
870	4.83855	3.38E-03	1.6E-02	6.05E-04	9.90E-06	9.21E-01	4.71E-02	4.30E-07	1.0E+06	4.3E-01
871	5.5694	3.38E-03	1.9E-02	6.05E-04	1.14E-05	9.21E-01	4.71E-02	4.95E-07	1.0E+06	5.0E-01
872	6.44468	3.38E-03	2.2E-02	6.05E-04	1.32E-05	9.21E-01	4.71E-02	5.73E-07	1.0E+06	5.7E-01
873	7.45909	3.38E-03	2.5E-02	6.05E-04	1.53E-05	9.21E-01	4.71E-02	6.63E-07	1.0E+06	6.6E-01
874	6.94894	3.38E-03	2.4E-02	6.05E-04	1.42E-05	9.21E-01	4.71E-02	6.18E-07	1.0E+06	6.2E-01
875	7.68023	3.38E-03	2.6E-02	6.05E-04	1.57E-05	9.21E-01	4.71E-02	6.83E-07	1.0E+06	6.8E-01
876	8.4196	3.38E-03	2.8E-02	6.05E-04	1.72E-05	9.21E-01	4.71E-02	7.48E-07	1.0E+06	7.5E-01
877	7.97885	3.38E-03	2.7E-02	6.05E-04	1.63E-05	9.21E-01	4.71E-02	7.09E-07	1.0E+06	7.1E-01
878	8.45898	3.38E-03	2.9E-02	6.05E-04	1.73E-05	9.21E-01	4.71E-02	7.52E-07	1.0E+06	7.5E-01
879	10.1997	3.38E-03	3.5E-02	6.05E-04	2.09E-05	9.21E-01	4.71E-02	9.07E-07	1.0E+06	9.1E-01
880	10.50737	3.38E-03	3.6E-02	6.05E-04	2.15E-05	9.21E-01	4.71E-02	9.34E-07	1.0E+06	9.3E-01
881	9.68613	3.38E-03	3.3E-02	6.05E-04	1.98E-05	9.21E-01	4.71E-02	8.61E-07	1.0E+06	8.6E-01
882	9.93381	3.38E-03	3.4E-02	6.05E-04	2.03E-05	9.21E-01	4.71E-02	8.83E-07	1.0E+06	8.8E-01
883	11.63355	3.38E-03	3.9E-02	6.05E-04	2.38E-05	9.21E-01	4.71E-02	1.03E-06	1.0E+06	1.0E+00
884	11.90785	3.38E-03	4.0E-02	6.05E-04	2.44E-05	9.21E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
885	11.12891	3.38E-03	3.8E-02	6.05E-04	2.28E-05	9.21E-01	4.71E-02	9.89E-07	1.0E+06	9.9E-01
886	11.46599	3.38E-03	3.9E-02	6.05E-04	2.35E-05	9.21E-01	4.71E-02	1.02E-06	1.0E+06	1.0E+00
887	13.29454	3.38E-03	4.5E-02	6.05E-04	2.72E-05	9.21E-01	4.71E-02	1.18E-06	1.0E+06	1.2E+00
888	13.76158	3.38E-03	4.7E-02	6.05E-04	2.82E-05	9.21E-01	4.71E-02	1.22E-06	1.0E+06	1.2E+00
889	13.36807	3.38E-03	4.5E-02	6.05E-04	2.74E-05	9.21E-01	4.71E-02	1.19E-06	1.0E+06	1.2E+00
890	13.2075	3.38E-03	4.5E-02	6.05E-04	2.70E-05	9.21E-01	4.71E-02	1.17E-06	1.0E+06	1.2E+00
891	15.83237	3.38E-03	5.4E-02	6.05E-04	3.24E-05	9.21E-01	4.71E-02	1.41E-06	1.0E+06	1.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
521	5	2.56E-03
522	5	2.69E-03
523	5	2.84E-03
524	5	3.00E-03
525	5	3.18E-03
526	5	3.39E-03
527	5	3.65E-03
528	5	3.98E-03
529	5	4.41E-03
530	5	4.99E-03
531	5	4.57E-03
532	5	6.29E-04
533	5	6.56E-04
534	5	6.85E-04
535	5	7.17E-04
536	5	7.51E-04
537	5	7.88E-04
538	5	8.28E-04
539	5	8.70E-04
540	5	9.14E-04
541	5	9.63E-04
542	5	1.01E-03
543	5	1.07E-03
544	5	1.13E-03
545	5	1.20E-03
546	5	1.26E-03
547	5	1.34E-03
548	5	1.42E-03
549	5	1.50E-03
550	5	1.59E-03
551	5	1.68E-03

Max	Receptor #	
0.011	891	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
552	5	1.78E-03
553	5	1.88E-03
554	5	1.98E-03
555	5	2.09E-03
556	5	2.20E-03
557	5	2.31E-03
558	5	2.43E-03
559	5	2.55E-03
560	5	2.68E-03
561	5	2.81E-03
562	5	2.95E-03
563	5	3.11E-03
564	5	3.29E-03
565	5	3.49E-03
566	5	3.73E-03
567	5	4.02E-03
568	5	4.40E-03
569	5	4.91E-03
570	5	4.66E-03
571	5	5.18E-03
572	5	6.44E-04
573	5	6.73E-04
574	5	7.03E-04
575	5	7.36E-04
576	5	7.73E-04
577	5	8.12E-04
578	5	8.55E-04
579	5	9.00E-04
580	5	9.50E-04
581	5	1.00E-03
582	5	1.06E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
583	5	1.12E-03
584	5	1.19E-03
585	5	1.26E-03
586	5	1.34E-03
587	5	1.42E-03
588	5	1.51E-03
589	5	1.61E-03
590	5	1.71E-03
591	5	1.82E-03
592	5	1.93E-03
593	5	2.05E-03
594	5	2.17E-03
595	5	2.29E-03
596	5	2.42E-03
597	5	2.55E-03
598	5	2.68E-03
599	5	2.82E-03
600	5	2.96E-03
601	5	3.10E-03
602	5	3.26E-03
603	5	3.43E-03
604	5	3.62E-03
605	5	3.84E-03
606	5	4.10E-03
607	5	4.42E-03
608	5	4.84E-03
609	5	5.43E-03
610	5	5.25E-03
611	5	5.90E-03
612	5	6.56E-04
613	5	6.88E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
614	5	7.21E-04
615	5	7.56E-04
616	5	7.94E-04
617	5	8.37E-04
618	5	8.82E-04
619	5	9.32E-04
620	5	9.85E-04
621	5	1.04E-03
622	5	1.11E-03
623	5	1.18E-03
624	5	1.25E-03
625	5	1.33E-03
626	5	1.42E-03
627	5	1.52E-03
628	5	1.62E-03
629	5	1.73E-03
630	5	1.85E-03
631	5	1.97E-03
632	5	2.11E-03
633	5	2.24E-03
634	5	2.38E-03
635	5	2.53E-03
636	5	2.68E-03
637	5	2.83E-03
638	5	2.98E-03
639	5	3.13E-03
640	5	3.29E-03
641	5	3.45E-03
642	5	3.62E-03
643	5	3.80E-03
644	5	4.00E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
645	5	4.24E-03
646	5	4.52E-03
647	5	4.87E-03
648	5	5.32E-03
649	5	5.97E-03
650	5	5.91E-03
651	5	5.81E-03
652	5	6.67E-04
653	5	7.01E-04
654	5	7.37E-04
655	5	7.75E-04
656	5	8.17E-04
657	5	8.62E-04
658	5	9.10E-04
659	5	9.63E-04
660	5	1.02E-03
661	5	1.08E-03
662	5	1.15E-03
663	5	1.23E-03
664	5	1.31E-03
665	5	1.41E-03
666	5	1.51E-03
667	5	1.62E-03
668	5	1.74E-03
669	5	1.87E-03
670	5	2.01E-03
671	5	2.15E-03
672	5	2.31E-03
673	5	2.48E-03
674	5	2.65E-03
675	5	2.82E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
676	5	3.00E-03
677	5	3.17E-03
678	5	3.34E-03
679	5	3.52E-03
680	5	3.69E-03
681	5	3.87E-03
682	5	4.05E-03
683	5	4.25E-03
684	5	4.46E-03
685	5	4.71E-03
686	5	5.00E-03
687	5	5.37E-03
688	5	5.85E-03
689	5	6.53E-03
690	5	7.53E-03
691	5	6.46E-03
692	5	6.78E-04
693	5	7.13E-04
694	5	7.49E-04
695	5	7.90E-04
696	5	8.34E-04
697	5	8.83E-04
698	5	9.35E-04
699	5	9.92E-04
700	5	1.06E-03
701	5	1.12E-03
702	5	1.20E-03
703	5	1.29E-03
704	5	1.38E-03
705	5	1.48E-03
706	5	1.60E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
707	5	1.72E-03
708	5	1.86E-03
709	5	2.02E-03
710	5	2.19E-03
711	5	2.37E-03
712	5	2.56E-03
713	5	2.77E-03
714	5	2.98E-03
715	5	3.18E-03
716	5	3.39E-03
717	5	3.60E-03
718	5	3.80E-03
719	5	4.00E-03
720	5	4.20E-03
721	5	4.39E-03
722	5	4.59E-03
723	5	4.79E-03
724	5	5.02E-03
725	5	5.27E-03
726	5	5.58E-03
727	5	5.96E-03
728	5	6.45E-03
729	5	7.15E-03
730	5	7.22E-03
731	5	8.22E-03
732	5	6.89E-04
733	5	7.25E-04
734	5	7.62E-04
735	5	8.03E-04
736	5	8.50E-04
737	5	9.00E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
738	5	9.57E-04
739	5	1.02E-03
740	5	1.09E-03
741	5	1.16E-03
742	5	1.25E-03
743	5	1.34E-03
744	5	1.45E-03
745	5	1.56E-03
746	5	1.69E-03
747	5	1.84E-03
748	5	2.01E-03
749	5	2.19E-03
750	5	2.40E-03
751	5	2.63E-03
752	5	2.87E-03
753	5	3.12E-03
754	5	3.39E-03
755	5	3.65E-03
756	5	3.91E-03
757	5	4.16E-03
758	5	4.40E-03
759	5	4.63E-03
760	5	4.85E-03
761	5	5.06E-03
762	5	5.27E-03
763	5	5.48E-03
764	5	5.72E-03
765	5	5.98E-03
766	5	6.29E-03
767	5	6.67E-03
768	5	7.17E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
769	5	7.87E-03
770	5	7.90E-03
771	5	8.85E-03
772	5	6.96E-04
773	5	7.34E-04
774	5	7.73E-04
775	5	8.18E-04
776	5	8.66E-04
777	5	9.18E-04
778	5	9.78E-04
779	5	1.04E-03
780	5	1.12E-03
781	5	1.20E-03
782	5	1.29E-03
783	5	1.40E-03
784	5	1.51E-03
785	5	1.65E-03
786	5	1.79E-03
787	5	1.97E-03
788	5	2.16E-03
789	5	2.39E-03
790	5	2.65E-03
791	5	2.93E-03
792	5	3.25E-03
793	5	3.59E-03
794	5	3.94E-03
795	5	4.29E-03
796	5	4.63E-03
797	5	4.93E-03
798	5	5.21E-03
799	5	5.48E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
800	5	5.72E-03
801	5	5.94E-03
802	5	6.17E-03
803	5	6.39E-03
804	5	6.63E-03
805	5	6.90E-03
806	5	7.21E-03
807	5	7.60E-03
808	5	8.08E-03
809	5	8.76E-03
810	5	9.78E-03
811	5	8.87E-03
812	5	7.01E-04
813	5	7.40E-04
814	5	7.82E-04
815	5	8.28E-04
816	5	8.78E-04
817	5	9.35E-04
818	5	9.96E-04
819	5	1.07E-03
820	5	1.14E-03
821	5	1.23E-03
822	5	1.33E-03
823	5	1.45E-03
824	5	1.58E-03
825	5	1.73E-03
826	5	1.90E-03
827	5	2.10E-03
828	5	2.34E-03
829	5	2.61E-03
830	5	2.94E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
831	5	3.31E-03
832	5	3.74E-03
833	5	4.21E-03
834	5	4.70E-03
835	5	5.19E-03
836	5	4.74E-03
837	5	6.00E-03
838	5	6.34E-03
839	5	5.74E-03
840	5	5.96E-03
841	5	6.24E-03
842	5	7.39E-03
843	5	6.69E-03
844	5	6.89E-03
845	5	7.20E-03
846	5	8.46E-03
847	5	7.83E-03
848	5	8.24E-03
849	5	8.93E-03
850	5	1.00E-02
851	5	8.82E-03
852	5	7.04E-04
853	5	7.42E-04
854	5	7.86E-04
855	5	8.34E-04
856	5	8.87E-04
857	5	9.47E-04
858	5	1.01E-03
859	5	1.09E-03
860	5	1.17E-03
861	5	1.26E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
862	5	1.37E-03
863	5	1.49E-03
864	5	1.64E-03
865	5	1.81E-03
866	5	2.01E-03
867	5	2.24E-03
868	5	2.52E-03
869	5	2.86E-03
870	5	3.27E-03
871	5	3.77E-03
872	5	4.36E-03
873	5	5.05E-03
874	5	4.70E-03
875	5	5.20E-03
876	5	5.70E-03
877	5	5.40E-03
878	5	5.72E-03
879	5	6.90E-03
880	5	7.11E-03
881	5	6.55E-03
882	5	6.72E-03
883	5	7.87E-03
884	5	8.06E-03
885	5	7.53E-03
886	5	7.76E-03
887	5	9.00E-03
888	5	9.31E-03
889	5	9.04E-03
890	5	8.94E-03
891	5	1.07E-02

Air Quality Appendix
AQ-7 Health Risk Analysis
A Unmitigated
8 Future Onsite PA2

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk					
Receptor #	**Total Per/Million**	**Harbor**	**PA1**	**PA2**	**PA3**		**Adjusted Risk per Million**
1205	**13.3**	**0.00**	**0.00**	**0.00**	**13.25**		**3.07**
		892	**892**	**892**	**1205**	**Receptor**	
892	3.151E+00	0.00	0.00	0.00	3.15		
893	3.239E+00	0.00	0.00	0.00	3.24		
894	3.323E+00	0.00	0.00	0.00	3.32		
895	3.403E+00	0.00	0.00	0.00	3.40		
896	3.474E+00	0.00	0.00	0.00	3.47		
897	3.536E+00	0.00	0.00	0.00	3.54		
898	3.588E+00	0.00	0.00	0.00	3.59		
899	3.627E+00	0.00	0.00	0.00	3.63		
900	3.653E+00	0.00	0.00	0.00	3.65		
901	3.664E+00	0.00	0.00	0.00	3.66		
902	3.655E+00	0.00	0.00	0.00	3.65		
903	3.626E+00	0.00	0.00	0.00	3.63		
904	3.581E+00	0.00	0.00	0.00	3.58		
905	3.521E+00	0.00	0.00	0.00	3.52		
906	3.446E+00	0.00	0.00	0.00	3.45		
907	3.365E+00	0.00	0.00	0.00	3.36		
908	1.824E+00	0.00	0.00	0.00	1.82		
909	1.890E+00	0.00	0.00	0.00	1.89		
910	1.952E+00	0.00	0.00	0.00	1.95		
911	2.019E+00	0.00	0.00	0.00	2.02		
912	2.090E+00	0.00	0.00	0.00	2.09		
913	2.162E+00	0.00	0.00	0.00	2.16		
914	2.235E+00	0.00	0.00	0.00	2.24		
915	2.309E+00	0.00	0.00	0.00	2.31		
916	2.387E+00	0.00	0.00	0.00	2.39		
917	2.469E+00	0.00	0.00	0.00	2.47		
918	2.554E+00	0.00	0.00	0.00	2.55		
919	2.642E+00	0.00	0.00	0.00	2.64		

One San Pedro Specific Plan
Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
920	2.734E+00	0.00	0.00	0.00	2.73	
921	2.828E+00	0.00	0.00	0.00	2.83	
922	2.927E+00	0.00	0.00	0.00	2.93	
923	3.028E+00	0.00	0.00	0.00	3.03	
924	3.133E+00	0.00	0.00	0.00	3.13	
925	3.241E+00	0.00	0.00	0.00	3.24	
926	3.350E+00	0.00	0.00	0.00	3.35	
927	3.458E+00	0.00	0.00	0.00	3.46	
928	3.566E+00	0.00	0.00	0.00	3.57	
929	3.671E+00	0.00	0.00	0.00	3.67	
930	3.771E+00	0.00	0.00	0.00	3.77	
931	3.863E+00	0.00	0.00	0.00	3.86	
932	3.942E+00	0.00	0.00	0.00	3.94	
933	4.009E+00	0.00	0.00	0.00	4.01	
934	4.060E+00	0.00	0.00	0.00	4.06	
935	4.093E+00	0.00	0.00	0.00	4.09	
936	4.106E+00	0.00	0.00	0.00	4.11	
937	4.094E+00	0.00	0.00	0.00	4.09	
938	4.058E+00	0.00	0.00	0.00	4.06	
939	4.001E+00	0.00	0.00	0.00	4.00	
940	3.924E+00	0.00	0.00	0.00	3.92	
941	3.829E+00	0.00	0.00	0.00	3.83	
942	1.928E+00	0.00	0.00	0.00	1.93	
943	1.999E+00	0.00	0.00	0.00	2.00	
944	2.070E+00	0.00	0.00	0.00	2.07	
945	2.142E+00	0.00	0.00	0.00	2.14	
946	2.220E+00	0.00	0.00	0.00	2.22	
947	2.301E+00	0.00	0.00	0.00	2.30	
948	2.382E+00	0.00	0.00	0.00	2.38	
949	2.464E+00	0.00	0.00	0.00	2.46	

One San Pedro Specific Plan
Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
950	2.552E+00	0.00	0.00	0.00	2.55	
951	2.645E+00	0.00	0.00	0.00	2.64	
952	2.741E+00	0.00	0.00	0.00	2.74	
953	2.841E+00	0.00	0.00	0.00	2.84	
954	2.945E+00	0.00	0.00	0.00	2.95	
955	3.054E+00	0.00	0.00	0.00	3.05	
956	3.170E+00	0.00	0.00	0.00	3.17	
957	3.290E+00	0.00	0.00	0.00	3.29	
958	3.416E+00	0.00	0.00	0.00	3.42	
959	3.545E+00	0.00	0.00	0.00	3.55	
960	3.678E+00	0.00	0.00	0.00	3.68	
961	3.813E+00	0.00	0.00	0.00	3.81	
962	3.948E+00	0.00	0.00	0.00	3.95	
963	4.081E+00	0.00	0.00	0.00	4.08	
964	4.209E+00	0.00	0.00	0.00	4.21	
965	4.328E+00	0.00	0.00	0.00	4.33	
966	4.432E+00	0.00	0.00	0.00	4.43	
967	4.519E+00	0.00	0.00	0.00	4.52	
968	4.586E+00	0.00	0.00	0.00	4.59	
969	4.630E+00	0.00	0.00	0.00	4.63	
970	4.645E+00	0.00	0.00	0.00	4.64	
971	4.631E+00	0.00	0.00	0.00	4.63	
972	4.587E+00	0.00	0.00	0.00	4.59	
973	4.515E+00	0.00	0.00	0.00	4.51	
974	4.416E+00	0.00	0.00	0.00	4.42	
975	4.295E+00	0.00	0.00	0.00	4.29	
976	2.039E+00	0.00	0.00	0.00	2.04	
977	2.117E+00	0.00	0.00	0.00	2.12	
978	2.196E+00	0.00	0.00	0.00	2.20	
979	2.276E+00	0.00	0.00	0.00	2.28	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
980	2.362E+00	0.00	0.00	0.00	2.36	
981	2.452E+00	0.00	0.00	0.00	2.45	
982	2.543E+00	0.00	0.00	0.00	2.54	
983	2.635E+00	0.00	0.00	0.00	2.63	
984	2.733E+00	0.00	0.00	0.00	2.73	
985	2.837E+00	0.00	0.00	0.00	2.84	
986	2.946E+00	0.00	0.00	0.00	2.95	
987	3.060E+00	0.00	0.00	0.00	3.06	
988	3.179E+00	0.00	0.00	0.00	3.18	
989	3.305E+00	0.00	0.00	0.00	3.31	
990	3.441E+00	0.00	0.00	0.00	3.44	
991	3.585E+00	0.00	0.00	0.00	3.59	
992	3.736E+00	0.00	0.00	0.00	3.74	
993	3.893E+00	0.00	0.00	0.00	3.89	
994	4.057E+00	0.00	0.00	0.00	4.06	
995	4.227E+00	0.00	0.00	0.00	4.23	
996	4.399E+00	0.00	0.00	0.00	4.40	
997	4.571E+00	0.00	0.00	0.00	4.57	
998	4.738E+00	0.00	0.00	0.00	4.74	
999	4.895E+00	0.00	0.00	0.00	4.90	
1000	5.034E+00	0.00	0.00	0.00	5.03	
1001	5.151E+00	0.00	0.00	0.00	5.15	
1002	5.241E+00	0.00	0.00	0.00	5.24	
1003	5.298E+00	0.00	0.00	0.00	5.30	
1004	5.317E+00	0.00	0.00	0.00	5.32	
1005	5.299E+00	0.00	0.00	0.00	5.30	
1006	5.243E+00	0.00	0.00	0.00	5.24	
1007	5.149E+00	0.00	0.00	0.00	5.15	
1008	5.019E+00	0.00	0.00	0.00	5.02	
1009	4.859E+00	0.00	0.00	0.00	4.86	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
1010	2.160E+00	0.00	0.00	0.00	2.16	
1011	2.246E+00	0.00	0.00	0.00	2.25	
1012	2.333E+00	0.00	0.00	0.00	2.33	
1013	2.421E+00	0.00	0.00	0.00	2.42	
1014	2.517E+00	0.00	0.00	0.00	2.52	
1015	2.617E+00	0.00	0.00	0.00	2.62	
1016	2.718E+00	0.00	0.00	0.00	2.72	
1017	2.819E+00	0.00	0.00	0.00	2.82	
1018	2.932E+00	0.00	0.00	0.00	2.93	
1019	3.050E+00	0.00	0.00	0.00	3.05	
1020	3.173E+00	0.00	0.00	0.00	3.17	
1021	3.302E+00	0.00	0.00	0.00	3.30	
1022	3.439E+00	0.00	0.00	0.00	3.44	
1023	3.585E+00	0.00	0.00	0.00	3.59	
1024	3.745E+00	0.00	0.00	0.00	3.74	
1025	3.917E+00	0.00	0.00	0.00	3.92	
1026	4.100E+00	0.00	0.00	0.00	4.10	
1027	4.293E+00	0.00	0.00	0.00	4.29	
1028	4.498E+00	0.00	0.00	0.00	4.50	
1029	4.715E+00	0.00	0.00	0.00	4.71	
1030	4.937E+00	0.00	0.00	0.00	4.94	
1031	5.164E+00	0.00	0.00	0.00	5.16	
1032	5.387E+00	0.00	0.00	0.00	5.39	
1033	5.599E+00	0.00	0.00	0.00	5.60	
1034	5.789E+00	0.00	0.00	0.00	5.79	
1035	5.948E+00	0.00	0.00	0.00	5.95	
1036	6.071E+00	0.00	0.00	0.00	6.07	
1037	6.149E+00	0.00	0.00	0.00	6.15	
1038	6.174E+00	0.00	0.00	0.00	6.17	
1039	6.148E+00	0.00	0.00	0.00	6.15	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
1040	6.072E+00	0.00	0.00	0.00	6.07	
1041	5.943E+00	0.00	0.00	0.00	5.94	
1042	5.765E+00	0.00	0.00	0.00	5.77	
1043	5.546E+00	0.00	0.00	0.00	5.55	
1044	2.291E+00	0.00	0.00	0.00	2.29	
1045	2.385E+00	0.00	0.00	0.00	2.38	
1046	2.485E+00	0.00	0.00	0.00	2.48	
1047	2.580E+00	0.00	0.00	0.00	2.58	
1048	2.687E+00	0.00	0.00	0.00	2.69	
1049	2.798E+00	0.00	0.00	0.00	2.80	
1050	2.911E+00	0.00	0.00	0.00	2.91	
1051	3.027E+00	0.00	0.00	0.00	3.03	
1052	3.151E+00	0.00	0.00	0.00	3.15	
1053	3.283E+00	0.00	0.00	0.00	3.28	
1054	3.423E+00	0.00	0.00	0.00	3.42	
1055	3.571E+00	0.00	0.00	0.00	3.57	
1056	3.728E+00	0.00	0.00	0.00	3.73	
1057	3.898E+00	0.00	0.00	0.00	3.90	
1058	4.086E+00	0.00	0.00	0.00	4.09	
1059	4.291E+00	0.00	0.00	0.00	4.29	
1060	4.513E+00	0.00	0.00	0.00	4.51	
1061	4.753E+00	0.00	0.00	0.00	4.75	
1062	5.014E+00	0.00	0.00	0.00	5.01	
1063	5.295E+00	0.00	0.00	0.00	5.29	
1064	5.589E+00	0.00	0.00	0.00	5.59	
1065	5.894E+00	0.00	0.00	0.00	5.89	
1066	6.198E+00	0.00	0.00	0.00	6.20	
1067	6.492E+00	0.00	0.00	0.00	6.49	
1068	6.758E+00	0.00	0.00	0.00	6.76	
1069	6.981E+00	0.00	0.00	0.00	6.98	

One San Pedro Specific Plan
Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
1070	7.152E+00	0.00	0.00	0.00	7.15	
1071	7.261E+00	0.00	0.00	0.00	7.26	
1072	7.294E+00	0.00	0.00	0.00	7.29	
1073	7.257E+00	0.00	0.00	0.00	7.26	
1074	7.147E+00	0.00	0.00	0.00	7.15	
1075	6.962E+00	0.00	0.00	0.00	6.96	
1076	6.707E+00	0.00	0.00	0.00	6.71	
1077	6.396E+00	0.00	0.00	0.00	6.40	
1078	2.433E+00	0.00	0.00	0.00	2.43	
1079	2.537E+00	0.00	0.00	0.00	2.54	
1080	2.649E+00	0.00	0.00	0.00	2.65	
1081	2.757E+00	0.00	0.00	0.00	2.76	
1082	2.874E+00	0.00	0.00	0.00	2.87	
1083	2.998E+00	0.00	0.00	0.00	3.00	
1084	3.127E+00	0.00	0.00	0.00	3.13	
1085	3.254E+00	0.00	0.00	0.00	3.25	
1086	3.393E+00	0.00	0.00	0.00	3.39	
1087	3.542E+00	0.00	0.00	0.00	3.54	
1088	3.700E+00	0.00	0.00	0.00	3.70	
1089	3.868E+00	0.00	0.00	0.00	3.87	
1090	4.049E+00	0.00	0.00	0.00	4.05	
1091	4.246E+00	0.00	0.00	0.00	4.25	
1092	4.466E+00	0.00	0.00	0.00	4.47	
1093	4.711E+00	0.00	0.00	0.00	4.71	
1094	4.983E+00	0.00	0.00	0.00	4.98	
1095	5.284E+00	0.00	0.00	0.00	5.28	
1096	5.620E+00	0.00	0.00	0.00	5.62	
1097	5.991E+00	0.00	0.00	0.00	5.99	
1098	6.390E+00	0.00	0.00	0.00	6.39	
1099	6.812E+00	0.00	0.00	0.00	6.81	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
1100	7.240E+00	0.00	0.00	0.00	7.24	
1101	7.656E+00	0.00	0.00	0.00	7.66	
1102	8.041E+00	0.00	0.00	0.00	8.04	
1103	8.362E+00	0.00	0.00	0.00	8.36	
1104	8.606E+00	0.00	0.00	0.00	8.61	
1105	8.756E+00	0.00	0.00	0.00	8.76	
1106	8.802E+00	0.00	0.00	0.00	8.80	
1107	8.751E+00	0.00	0.00	0.00	8.75	
1108	8.593E+00	0.00	0.00	0.00	8.59	
1109	8.319E+00	0.00	0.00	0.00	8.32	
1110	7.941E+00	0.00	0.00	0.00	7.94	
1111	7.488E+00	0.00	0.00	0.00	7.49	
1112	2.590E+00	0.00	0.00	0.00	2.59	
1113	2.707E+00	0.00	0.00	0.00	2.71	
1114	2.829E+00	0.00	0.00	0.00	2.83	
1115	2.954E+00	0.00	0.00	0.00	2.95	
1116	3.081E+00	0.00	0.00	0.00	3.08	
1117	3.220E+00	0.00	0.00	0.00	3.22	
1118	3.364E+00	0.00	0.00	0.00	3.36	
1119	3.506E+00	0.00	0.00	0.00	3.51	
1120	3.662E+00	0.00	0.00	0.00	3.66	
1121	3.829E+00	0.00	0.00	0.00	3.83	
1122	4.007E+00	0.00	0.00	0.00	4.01	
1123	4.198E+00	0.00	0.00	0.00	4.20	
1124	4.405E+00	0.00	0.00	0.00	4.40	
1125	4.633E+00	0.00	0.00	0.00	4.63	
1126	4.890E+00	0.00	0.00	0.00	4.89	
1127	5.182E+00	0.00	0.00	0.00	5.18	
1128	5.515E+00	0.00	0.00	0.00	5.51	
1129	5.894E+00	0.00	0.00	0.00	5.89	

One San Pedro Specific Plan
Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
1130	6.333E+00	0.00	0.00	0.00	6.33	
1131	6.833E+00	0.00	0.00	0.00	6.83	
1132	7.393E+00	0.00	0.00	0.00	7.39	
1133	8.000E+00	0.00	0.00	0.00	8.00	
1134	8.621E+00	0.00	0.00	0.00	8.62	
1135	9.228E+00	0.00	0.00	0.00	9.23	
1136	9.801E+00	0.00	0.00	0.00	9.80	
1137	1.028E+01	0.00	0.00	0.00	10.28	
1138	1.063E+01	0.00	0.00	0.00	10.63	
1139	1.083E+01	0.00	0.00	0.00	10.83	
1140	1.090E+01	0.00	0.00	0.00	10.90	
1141	1.085E+01	0.00	0.00	0.00	10.85	
1142	1.061E+01	0.00	0.00	0.00	10.61	
1143	1.019E+01	0.00	0.00	0.00	10.19	
1144	9.605E+00	0.00	0.00	0.00	9.60	
1145	8.918E+00	0.00	0.00	0.00	8.92	
1146	2.762E+00	0.00	0.00	0.00	2.76	
1147	2.895E+00	0.00	0.00	0.00	2.90	
1148	3.030E+00	0.00	0.00	0.00	3.03	
1149	3.172E+00	0.00	0.00	0.00	3.17	
1150	3.316E+00	0.00	0.00	0.00	3.32	
1151	3.467E+00	0.00	0.00	0.00	3.47	
1152	3.628E+00	0.00	0.00	0.00	3.63	
1153	3.790E+00	0.00	0.00	0.00	3.79	
1154	3.962E+00	0.00	0.00	0.00	3.96	
1155	4.148E+00	0.00	0.00	0.00	4.15	
1156	4.348E+00	0.00	0.00	0.00	4.35	
1157	4.564E+00	0.00	0.00	0.00	4.56	
1158	4.799E+00	0.00	0.00	0.00	4.80	
1159	5.062E+00	0.00	0.00	0.00	5.06	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
1160	5.361E+00	0.00	0.00	0.00	5.36	
1161	5.706E+00	0.00	0.00	0.00	5.71	
1162	6.111E+00	0.00	0.00	0.00	6.11	
1163	6.591E+00	0.00	0.00	0.00	6.59	
1164	7.169E+00	0.00	0.00	0.00	7.17	
1165	7.860E+00	0.00	0.00	0.00	7.86	
1166	8.674E+00	0.00	0.00	0.00	8.67	
1167	9.590E+00	0.00	0.00	0.00	9.59	
1168	8.661E+00	0.00	0.00	0.00	8.66	
1169	1.143E+01	0.00	0.00	0.00	11.43	
1170	1.025E+01	0.00	0.00	0.00	10.25	
1171	1.064E+01	0.00	0.00	0.00	10.64	
1172	1.105E+01	0.00	0.00	0.00	11.05	
1173	1.152E+01	0.00	0.00	0.00	11.52	
1174	1.173E+01	0.00	0.00	0.00	11.73	
1175	1.131E+01	0.00	0.00	0.00	11.31	
1176	1.088E+01	0.00	0.00	0.00	10.88	
1177	1.044E+01	0.00	0.00	0.00	10.44	
1178	8.106E+00	0.00	0.00	0.00	8.11	
1179	8.921E+00	0.00	0.00	0.00	8.92	
1180	2.953E+00	0.00	0.00	0.00	2.95	
1181	3.103E+00	0.00	0.00	0.00	3.10	
1182	3.254E+00	0.00	0.00	0.00	3.25	
1183	3.416E+00	0.00	0.00	0.00	3.42	
1184	3.576E+00	0.00	0.00	0.00	3.58	
1185	3.746E+00	0.00	0.00	0.00	3.75	
1186	3.926E+00	0.00	0.00	0.00	3.93	
1187	4.113E+00	0.00	0.00	0.00	4.11	
1188	4.302E+00	0.00	0.00	0.00	4.30	
1189	4.507E+00	0.00	0.00	0.00	4.51	

One San Pedro Specific Plan
Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Cancer Risk				
Receptor #	Total Per/Million	Harbor	PA1	PA2	PA3	Adjusted Risk per Million
1190	4.730E+00	0.00	0.00	0.00	4.73	
1191	4.972E+00	0.00	0.00	0.00	4.97	
1192	5.238E+00	0.00	0.00	0.00	5.24	
1193	5.537E+00	0.00	0.00	0.00	5.54	
1194	5.882E+00	0.00	0.00	0.00	5.88	
1195	6.287E+00	0.00	0.00	0.00	6.29	
1196	6.775E+00	0.00	0.00	0.00	6.78	
1197	7.377E+00	0.00	0.00	0.00	7.38	
1198	8.138E+00	0.00	0.00	0.00	8.14	
1199	9.108E+00	0.00	0.00	0.00	9.11	
1200	8.253E+00	0.00	0.00	0.00	8.25	
1201	9.129E+00	0.00	0.00	0.00	9.13	
1202	1.026E+01	0.00	0.00	0.00	10.26	
1203	9.493E+00	0.00	0.00	0.00	9.49	
1204	1.040E+01	0.00	0.00	0.00	10.40	
1205	1.325E+01	0.00	0.00	0.00	13.25	
1206	1.199E+01	0.00	0.00	0.00	11.99	
1207	1.225E+01	0.00	0.00	0.00	12.25	
1208	1.049E+01	0.00	0.00	0.00	10.49	
1209	1.213E+01	0.00	0.00	0.00	12.13	
1210	9.721E+00	0.00	0.00	0.00	9.72	
1211	8.750E+00	0.00	0.00	0.00	8.75	
1212	9.577E+00	0.00	0.00	0.00	9.58	
1213	8.465E+00	0.00	0.00	0.00	8.47	

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
1205	1205	0.133	0.000	0.000	0.000	0.133	0.032	0.016	0.016
		Receptor	892	892	892	1205	1205	1205	1205
892	**892**	3.15E-02	0.00E+00	0.00E+00	0.00E+00	3.15E-02	7.68E-03	3.82E-03	3.82E-03
893	**893**	3.24E-02	0.00E+00	0.00E+00	0.00E+00	3.24E-02	7.90E-03	3.93E-03	3.93E-03
894	**894**	3.32E-02	0.00E+00	0.00E+00	0.00E+00	3.32E-02	8.10E-03	4.03E-03	4.03E-03
895	**895**	3.40E-02	0.00E+00	0.00E+00	0.00E+00	3.40E-02	8.30E-03	4.12E-03	4.12E-03
896	**896**	3.48E-02	0.00E+00	0.00E+00	0.00E+00	3.48E-02	8.47E-03	4.21E-03	4.21E-03
897	**897**	3.54E-02	0.00E+00	0.00E+00	0.00E+00	3.54E-02	8.62E-03	4.29E-03	4.29E-03
898	**898**	3.59E-02	0.00E+00	0.00E+00	0.00E+00	3.59E-02	8.75E-03	4.35E-03	4.35E-03
899	**899**	3.63E-02	0.00E+00	0.00E+00	0.00E+00	3.63E-02	8.84E-03	4.40E-03	4.40E-03
900	**900**	3.66E-02	0.00E+00	0.00E+00	0.00E+00	3.66E-02	8.91E-03	4.43E-03	4.43E-03
901	**901**	3.67E-02	0.00E+00	0.00E+00	0.00E+00	3.67E-02	8.93E-03	4.44E-03	4.44E-03
902	**902**	3.66E-02	0.00E+00	0.00E+00	0.00E+00	3.66E-02	8.91E-03	4.43E-03	4.43E-03
903	**903**	3.63E-02	0.00E+00	0.00E+00	0.00E+00	3.63E-02	8.84E-03	4.40E-03	4.40E-03
904	**904**	3.58E-02	0.00E+00	0.00E+00	0.00E+00	3.58E-02	8.73E-03	4.34E-03	4.34E-03
905	**905**	3.52E-02	0.00E+00	0.00E+00	0.00E+00	3.52E-02	8.59E-03	4.27E-03	4.27E-03
906	**906**	3.45E-02	0.00E+00	0.00E+00	0.00E+00	3.45E-02	8.40E-03	4.18E-03	4.18E-03
907	**907**	3.37E-02	0.00E+00	0.00E+00	0.00E+00	3.37E-02	8.20E-03	4.08E-03	4.08E-03
908	**908**	1.83E-02	0.00E+00	0.00E+00	0.00E+00	1.83E-02	4.45E-03	2.21E-03	2.21E-03
909	**909**	1.89E-02	0.00E+00	0.00E+00	0.00E+00	1.89E-02	4.61E-03	2.29E-03	2.29E-03
910	**910**	1.95E-02	0.00E+00	0.00E+00	0.00E+00	1.95E-02	4.76E-03	2.37E-03	2.37E-03
911	**911**	2.02E-02	0.00E+00	0.00E+00	0.00E+00	2.02E-02	4.92E-03	2.45E-03	2.45E-03
912	**912**	2.09E-02	0.00E+00	0.00E+00	0.00E+00	2.09E-02	5.10E-03	2.53E-03	2.53E-03
913	**913**	2.16E-02	0.00E+00	0.00E+00	0.00E+00	2.16E-02	5.27E-03	2.62E-03	2.62E-03
914	**914**	2.24E-02	0.00E+00	0.00E+00	0.00E+00	2.24E-02	5.45E-03	2.71E-03	2.71E-03
915	**915**	2.31E-02	0.00E+00	0.00E+00	0.00E+00	2.31E-02	5.63E-03	2.80E-03	2.80E-03
916	**916**	2.39E-02	0.00E+00	0.00E+00	0.00E+00	2.39E-02	5.82E-03	2.89E-03	2.89E-03
917	**917**	2.47E-02	0.00E+00	0.00E+00	0.00E+00	2.47E-02	6.02E-03	2.99E-03	2.99E-03
918	**918**	2.56E-02	0.00E+00	0.00E+00	0.00E+00	2.56E-02	6.23E-03	3.10E-03	3.10E-03
919	**919**	2.64E-02	0.00E+00	0.00E+00	0.00E+00	2.64E-02	6.44E-03	3.20E-03	3.20E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
920	**920**	2.74E-02	0.00E+00	0.00E+00	0.00E+00	2.74E-02	6.67E-03	3.31E-03	3.31E-03
921	**921**	2.83E-02	0.00E+00	0.00E+00	0.00E+00	2.83E-02	6.90E-03	3.43E-03	3.43E-03
922	**922**	2.93E-02	0.00E+00	0.00E+00	0.00E+00	2.93E-02	7.14E-03	3.55E-03	3.55E-03
923	**923**	3.03E-02	0.00E+00	0.00E+00	0.00E+00	3.03E-02	7.38E-03	3.67E-03	3.67E-03
924	**924**	3.14E-02	0.00E+00	0.00E+00	0.00E+00	3.14E-02	7.64E-03	3.80E-03	3.80E-03
925	**925**	3.24E-02	0.00E+00	0.00E+00	0.00E+00	3.24E-02	7.90E-03	3.93E-03	3.93E-03
926	**926**	3.35E-02	0.00E+00	0.00E+00	0.00E+00	3.35E-02	8.17E-03	4.06E-03	4.06E-03
927	**927**	3.46E-02	0.00E+00	0.00E+00	0.00E+00	3.46E-02	8.43E-03	4.19E-03	4.19E-03
928	**928**	3.57E-02	0.00E+00	0.00E+00	0.00E+00	3.57E-02	8.70E-03	4.32E-03	4.32E-03
929	**929**	3.67E-02	0.00E+00	0.00E+00	0.00E+00	3.67E-02	8.95E-03	4.45E-03	4.45E-03
930	**930**	3.77E-02	0.00E+00	0.00E+00	0.00E+00	3.77E-02	9.20E-03	4.57E-03	4.57E-03
931	**931**	3.86E-02	0.00E+00	0.00E+00	0.00E+00	3.86E-02	9.42E-03	4.68E-03	4.68E-03
932	**932**	3.94E-02	0.00E+00	0.00E+00	0.00E+00	3.94E-02	9.61E-03	4.78E-03	4.78E-03
933	**933**	4.01E-02	0.00E+00	0.00E+00	0.00E+00	4.01E-02	9.77E-03	4.86E-03	4.86E-03
934	**934**	4.06E-02	0.00E+00	0.00E+00	0.00E+00	4.06E-02	9.90E-03	4.92E-03	4.92E-03
935	**935**	4.10E-02	0.00E+00	0.00E+00	0.00E+00	4.10E-02	9.98E-03	4.96E-03	4.96E-03
936	**936**	4.11E-02	0.00E+00	0.00E+00	0.00E+00	4.11E-02	1.00E-02	4.98E-03	4.98E-03
937	**937**	4.10E-02	0.00E+00	0.00E+00	0.00E+00	4.10E-02	9.98E-03	4.96E-03	4.96E-03
938	**938**	4.06E-02	0.00E+00	0.00E+00	0.00E+00	4.06E-02	9.90E-03	4.92E-03	4.92E-03
939	**939**	4.00E-02	0.00E+00	0.00E+00	0.00E+00	4.00E-02	9.76E-03	4.85E-03	4.85E-03
940	**940**	3.93E-02	0.00E+00	0.00E+00	0.00E+00	3.93E-02	9.57E-03	4.76E-03	4.76E-03
941	**941**	3.83E-02	0.00E+00	0.00E+00	0.00E+00	3.83E-02	9.34E-03	4.64E-03	4.64E-03
942	**942**	1.93E-02	0.00E+00	0.00E+00	0.00E+00	1.93E-02	4.70E-03	2.34E-03	2.34E-03
943	**943**	2.00E-02	0.00E+00	0.00E+00	0.00E+00	2.00E-02	4.87E-03	2.42E-03	2.42E-03
944	**944**	2.07E-02	0.00E+00	0.00E+00	0.00E+00	2.07E-02	5.05E-03	2.51E-03	2.51E-03
945	**945**	2.14E-02	0.00E+00	0.00E+00	0.00E+00	2.14E-02	5.22E-03	2.60E-03	2.60E-03
946	**946**	2.22E-02	0.00E+00	0.00E+00	0.00E+00	2.22E-02	5.41E-03	2.69E-03	2.69E-03
947	**947**	2.30E-02	0.00E+00	0.00E+00	0.00E+00	2.30E-02	5.61E-03	2.79E-03	2.79E-03
948	**948**	2.38E-02	0.00E+00	0.00E+00	0.00E+00	2.38E-02	5.81E-03	2.89E-03	2.89E-03
949	**949**	2.47E-02	0.00E+00	0.00E+00	0.00E+00	2.47E-02	6.01E-03	2.99E-03	2.99E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
950	**950**	2.55E-02	0.00E+00	0.00E+00	0.00E+00	2.55E-02	6.22E-03	3.09E-03	3.09E-03
951	**951**	2.65E-02	0.00E+00	0.00E+00	0.00E+00	2.65E-02	6.45E-03	3.21E-03	3.21E-03
952	**952**	2.74E-02	0.00E+00	0.00E+00	0.00E+00	2.74E-02	6.68E-03	3.32E-03	3.32E-03
953	**953**	2.84E-02	0.00E+00	0.00E+00	0.00E+00	2.84E-02	6.93E-03	3.44E-03	3.44E-03
954	**954**	2.95E-02	0.00E+00	0.00E+00	0.00E+00	2.95E-02	7.18E-03	3.57E-03	3.57E-03
955	**955**	3.06E-02	0.00E+00	0.00E+00	0.00E+00	3.06E-02	7.45E-03	3.70E-03	3.70E-03
956	**956**	3.17E-02	0.00E+00	0.00E+00	0.00E+00	3.17E-02	7.73E-03	3.84E-03	3.84E-03
957	**957**	3.29E-02	0.00E+00	0.00E+00	0.00E+00	3.29E-02	8.02E-03	3.99E-03	3.99E-03
958	**958**	3.42E-02	0.00E+00	0.00E+00	0.00E+00	3.42E-02	8.33E-03	4.14E-03	4.14E-03
959	**959**	3.55E-02	0.00E+00	0.00E+00	0.00E+00	3.55E-02	8.64E-03	4.30E-03	4.30E-03
960	**960**	3.68E-02	0.00E+00	0.00E+00	0.00E+00	3.68E-02	8.97E-03	4.46E-03	4.46E-03
961	**961**	3.82E-02	0.00E+00	0.00E+00	0.00E+00	3.82E-02	9.30E-03	4.62E-03	4.62E-03
962	**962**	3.95E-02	0.00E+00	0.00E+00	0.00E+00	3.95E-02	9.63E-03	4.79E-03	4.79E-03
963	**963**	4.08E-02	0.00E+00	0.00E+00	0.00E+00	4.08E-02	9.95E-03	4.95E-03	4.95E-03
964	**964**	4.21E-02	0.00E+00	0.00E+00	0.00E+00	4.21E-02	1.03E-02	5.10E-03	5.10E-03
965	**965**	4.33E-02	0.00E+00	0.00E+00	0.00E+00	4.33E-02	1.06E-02	5.25E-03	5.25E-03
966	**966**	4.43E-02	0.00E+00	0.00E+00	0.00E+00	4.43E-02	1.08E-02	5.37E-03	5.37E-03
967	**967**	4.52E-02	0.00E+00	0.00E+00	0.00E+00	4.52E-02	1.10E-02	5.48E-03	5.48E-03
968	**968**	4.59E-02	0.00E+00	0.00E+00	0.00E+00	4.59E-02	1.12E-02	5.56E-03	5.56E-03
969	**969**	4.63E-02	0.00E+00	0.00E+00	0.00E+00	4.63E-02	1.13E-02	5.61E-03	5.61E-03
970	**970**	4.65E-02	0.00E+00	0.00E+00	0.00E+00	4.65E-02	1.13E-02	5.63E-03	5.63E-03
971	**971**	4.63E-02	0.00E+00	0.00E+00	0.00E+00	4.63E-02	1.13E-02	5.61E-03	5.61E-03
972	**972**	4.59E-02	0.00E+00	0.00E+00	0.00E+00	4.59E-02	1.12E-02	5.56E-03	5.56E-03
973	**973**	4.52E-02	0.00E+00	0.00E+00	0.00E+00	4.52E-02	1.10E-02	5.47E-03	5.47E-03
974	**974**	4.42E-02	0.00E+00	0.00E+00	0.00E+00	4.42E-02	1.08E-02	5.35E-03	5.35E-03
975	**975**	4.30E-02	0.00E+00	0.00E+00	0.00E+00	4.30E-02	1.05E-02	5.21E-03	5.21E-03
976	**976**	2.04E-02	0.00E+00	0.00E+00	0.00E+00	2.04E-02	4.97E-03	2.47E-03	2.47E-03
977	**977**	2.12E-02	0.00E+00	0.00E+00	0.00E+00	2.12E-02	5.16E-03	2.57E-03	2.57E-03
978	**978**	2.20E-02	0.00E+00	0.00E+00	0.00E+00	2.20E-02	5.36E-03	2.66E-03	2.66E-03
979	**979**	2.28E-02	0.00E+00	0.00E+00	0.00E+00	2.28E-02	5.55E-03	2.76E-03	2.76E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
980	**980**	2.36E-02	0.00E+00	0.00E+00	0.00E+00	2.36E-02	5.76E-03	2.86E-03	2.86E-03
981	**981**	2.45E-02	0.00E+00	0.00E+00	0.00E+00	2.45E-02	5.98E-03	2.97E-03	2.97E-03
982	**982**	2.54E-02	0.00E+00	0.00E+00	0.00E+00	2.54E-02	6.20E-03	3.08E-03	3.08E-03
983	**983**	2.64E-02	0.00E+00	0.00E+00	0.00E+00	2.64E-02	6.43E-03	3.19E-03	3.19E-03
984	**984**	2.73E-02	0.00E+00	0.00E+00	0.00E+00	2.73E-02	6.66E-03	3.31E-03	3.31E-03
985	**985**	2.84E-02	0.00E+00	0.00E+00	0.00E+00	2.84E-02	6.92E-03	3.44E-03	3.44E-03
986	**986**	2.95E-02	0.00E+00	0.00E+00	0.00E+00	2.95E-02	7.18E-03	3.57E-03	3.57E-03
987	**987**	3.06E-02	0.00E+00	0.00E+00	0.00E+00	3.06E-02	7.46E-03	3.71E-03	3.71E-03
988	**988**	3.18E-02	0.00E+00	0.00E+00	0.00E+00	3.18E-02	7.75E-03	3.85E-03	3.85E-03
989	**989**	3.31E-02	0.00E+00	0.00E+00	0.00E+00	3.31E-02	8.06E-03	4.01E-03	4.01E-03
990	**990**	3.44E-02	0.00E+00	0.00E+00	0.00E+00	3.44E-02	8.39E-03	4.17E-03	4.17E-03
991	**991**	3.59E-02	0.00E+00	0.00E+00	0.00E+00	3.59E-02	8.74E-03	4.35E-03	4.35E-03
992	**992**	3.74E-02	0.00E+00	0.00E+00	0.00E+00	3.74E-02	9.11E-03	4.53E-03	4.53E-03
993	**993**	3.90E-02	0.00E+00	0.00E+00	0.00E+00	3.90E-02	9.49E-03	4.72E-03	4.72E-03
994	**994**	4.06E-02	0.00E+00	0.00E+00	0.00E+00	4.06E-02	9.89E-03	4.92E-03	4.92E-03
995	**995**	4.23E-02	0.00E+00	0.00E+00	0.00E+00	4.23E-02	1.03E-02	5.12E-03	5.12E-03
996	**996**	4.40E-02	0.00E+00	0.00E+00	0.00E+00	4.40E-02	1.07E-02	5.33E-03	5.33E-03
997	**997**	4.57E-02	0.00E+00	0.00E+00	0.00E+00	4.57E-02	1.11E-02	5.54E-03	5.54E-03
998	**998**	4.74E-02	0.00E+00	0.00E+00	0.00E+00	4.74E-02	1.16E-02	5.74E-03	5.74E-03
999	**999**	4.90E-02	0.00E+00	0.00E+00	0.00E+00	4.90E-02	1.19E-02	5.93E-03	5.93E-03
1000	**1000**	5.04E-02	0.00E+00	0.00E+00	0.00E+00	5.04E-02	1.23E-02	6.10E-03	6.10E-03
1001	**1001**	5.15E-02	0.00E+00	0.00E+00	0.00E+00	5.15E-02	1.26E-02	6.24E-03	6.24E-03
1002	**1002**	5.24E-02	0.00E+00	0.00E+00	0.00E+00	5.24E-02	1.28E-02	6.35E-03	6.35E-03
1003	**1003**	5.30E-02	0.00E+00	0.00E+00	0.00E+00	5.30E-02	1.29E-02	6.42E-03	6.42E-03
1004	**1004**	5.32E-02	0.00E+00	0.00E+00	0.00E+00	5.32E-02	1.30E-02	6.45E-03	6.45E-03
1005	**1005**	5.30E-02	0.00E+00	0.00E+00	0.00E+00	5.30E-02	1.29E-02	6.42E-03	6.42E-03
1006	**1006**	5.25E-02	0.00E+00	0.00E+00	0.00E+00	5.25E-02	1.28E-02	6.36E-03	6.36E-03
1007	**1007**	5.15E-02	0.00E+00	0.00E+00	0.00E+00	5.15E-02	1.26E-02	6.24E-03	6.24E-03
1008	**1008**	5.02E-02	0.00E+00	0.00E+00	0.00E+00	5.02E-02	1.22E-02	6.08E-03	6.08E-03
1009	**1009**	4.86E-02	0.00E+00	0.00E+00	0.00E+00	4.86E-02	1.18E-02	5.89E-03	5.89E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
1010	**1010**	2.16E-02	0.00E+00	0.00E+00	0.00E+00	2.16E-02	5.27E-03	2.62E-03	2.62E-03
1011	**1011**	2.25E-02	0.00E+00	0.00E+00	0.00E+00	2.25E-02	5.48E-03	2.72E-03	2.72E-03
1012	**1012**	2.33E-02	0.00E+00	0.00E+00	0.00E+00	2.33E-02	5.69E-03	2.83E-03	2.83E-03
1013	**1013**	2.42E-02	0.00E+00	0.00E+00	0.00E+00	2.42E-02	5.90E-03	2.93E-03	2.93E-03
1014	**1014**	2.52E-02	0.00E+00	0.00E+00	0.00E+00	2.52E-02	6.14E-03	3.05E-03	3.05E-03
1015	**1015**	2.62E-02	0.00E+00	0.00E+00	0.00E+00	2.62E-02	6.38E-03	3.17E-03	3.17E-03
1016	**1016**	2.72E-02	0.00E+00	0.00E+00	0.00E+00	2.72E-02	6.63E-03	3.30E-03	3.30E-03
1017	**1017**	2.82E-02	0.00E+00	0.00E+00	0.00E+00	2.82E-02	6.87E-03	3.42E-03	3.42E-03
1018	**1018**	2.93E-02	0.00E+00	0.00E+00	0.00E+00	2.93E-02	7.15E-03	3.55E-03	3.55E-03
1019	**1019**	3.05E-02	0.00E+00	0.00E+00	0.00E+00	3.05E-02	7.44E-03	3.70E-03	3.70E-03
1020	**1020**	3.17E-02	0.00E+00	0.00E+00	0.00E+00	3.17E-02	7.74E-03	3.85E-03	3.85E-03
1021	**1021**	3.30E-02	0.00E+00	0.00E+00	0.00E+00	3.30E-02	8.05E-03	4.00E-03	4.00E-03
1022	**1022**	3.44E-02	0.00E+00	0.00E+00	0.00E+00	3.44E-02	8.39E-03	4.17E-03	4.17E-03
1023	**1023**	3.59E-02	0.00E+00	0.00E+00	0.00E+00	3.59E-02	8.74E-03	4.35E-03	4.35E-03
1024	**1024**	3.75E-02	0.00E+00	0.00E+00	0.00E+00	3.75E-02	9.13E-03	4.54E-03	4.54E-03
1025	**1025**	3.92E-02	0.00E+00	0.00E+00	0.00E+00	3.92E-02	9.55E-03	4.75E-03	4.75E-03
1026	**1026**	4.10E-02	0.00E+00	0.00E+00	0.00E+00	4.10E-02	1.00E-02	4.97E-03	4.97E-03
1027	**1027**	4.30E-02	0.00E+00	0.00E+00	0.00E+00	4.30E-02	1.05E-02	5.20E-03	5.20E-03
1028	**1028**	4.50E-02	0.00E+00	0.00E+00	0.00E+00	4.50E-02	1.10E-02	5.45E-03	5.45E-03
1029	**1029**	4.72E-02	0.00E+00	0.00E+00	0.00E+00	4.72E-02	1.15E-02	5.72E-03	5.72E-03
1030	**1030**	4.94E-02	0.00E+00	0.00E+00	0.00E+00	4.94E-02	1.20E-02	5.99E-03	5.99E-03
1031	**1031**	5.17E-02	0.00E+00	0.00E+00	0.00E+00	5.17E-02	1.26E-02	6.26E-03	6.26E-03
1032	**1032**	5.39E-02	0.00E+00	0.00E+00	0.00E+00	5.39E-02	1.31E-02	6.53E-03	6.53E-03
1033	**1033**	5.60E-02	0.00E+00	0.00E+00	0.00E+00	5.60E-02	1.37E-02	6.79E-03	6.79E-03
1034	**1034**	5.79E-02	0.00E+00	0.00E+00	0.00E+00	5.79E-02	1.41E-02	7.02E-03	7.02E-03
1035	**1035**	5.95E-02	0.00E+00	0.00E+00	0.00E+00	5.95E-02	1.45E-02	7.21E-03	7.21E-03
1036	**1036**	6.07E-02	0.00E+00	0.00E+00	0.00E+00	6.07E-02	1.48E-02	7.36E-03	7.36E-03
1037	**1037**	6.15E-02	0.00E+00	0.00E+00	0.00E+00	6.15E-02	1.50E-02	7.45E-03	7.45E-03
1038	**1038**	6.18E-02	0.00E+00	0.00E+00	0.00E+00	6.18E-02	1.51E-02	7.48E-03	7.48E-03
1039	**1039**	6.15E-02	0.00E+00	0.00E+00	0.00E+00	6.15E-02	1.50E-02	7.45E-03	7.45E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
1040	**1040**	6.08E-02	0.00E+00	0.00E+00	0.00E+00	6.08E-02	1.48E-02	7.36E-03	7.36E-03
1041	**1041**	5.95E-02	0.00E+00	0.00E+00	0.00E+00	5.95E-02	1.45E-02	7.20E-03	7.20E-03
1042	**1042**	5.77E-02	0.00E+00	0.00E+00	0.00E+00	5.77E-02	1.41E-02	6.99E-03	6.99E-03
1043	**1043**	5.55E-02	0.00E+00	0.00E+00	0.00E+00	5.55E-02	1.35E-02	6.72E-03	6.72E-03
1044	**1044**	2.29E-02	0.00E+00	0.00E+00	0.00E+00	2.29E-02	5.59E-03	2.78E-03	2.78E-03
1045	**1045**	2.39E-02	0.00E+00	0.00E+00	0.00E+00	2.39E-02	5.82E-03	2.89E-03	2.89E-03
1046	**1046**	2.49E-02	0.00E+00	0.00E+00	0.00E+00	2.49E-02	6.06E-03	3.01E-03	3.01E-03
1047	**1047**	2.58E-02	0.00E+00	0.00E+00	0.00E+00	2.58E-02	6.29E-03	3.13E-03	3.13E-03
1048	**1048**	2.69E-02	0.00E+00	0.00E+00	0.00E+00	2.69E-02	6.55E-03	3.26E-03	3.26E-03
1049	**1049**	2.80E-02	0.00E+00	0.00E+00	0.00E+00	2.80E-02	6.82E-03	3.39E-03	3.39E-03
1050	**1050**	2.91E-02	0.00E+00	0.00E+00	0.00E+00	2.91E-02	7.10E-03	3.53E-03	3.53E-03
1051	**1051**	3.03E-02	0.00E+00	0.00E+00	0.00E+00	3.03E-02	7.38E-03	3.67E-03	3.67E-03
1052	**1052**	3.15E-02	0.00E+00	0.00E+00	0.00E+00	3.15E-02	7.68E-03	3.82E-03	3.82E-03
1053	**1053**	3.29E-02	0.00E+00	0.00E+00	0.00E+00	3.29E-02	8.01E-03	3.98E-03	3.98E-03
1054	**1054**	3.43E-02	0.00E+00	0.00E+00	0.00E+00	3.43E-02	8.35E-03	4.15E-03	4.15E-03
1055	**1055**	3.57E-02	0.00E+00	0.00E+00	0.00E+00	3.57E-02	8.71E-03	4.33E-03	4.33E-03
1056	**1056**	3.73E-02	0.00E+00	0.00E+00	0.00E+00	3.73E-02	9.09E-03	4.52E-03	4.52E-03
1057	**1057**	3.90E-02	0.00E+00	0.00E+00	0.00E+00	3.90E-02	9.51E-03	4.73E-03	4.73E-03
1058	**1058**	4.09E-02	0.00E+00	0.00E+00	0.00E+00	4.09E-02	9.96E-03	4.95E-03	4.95E-03
1059	**1059**	4.29E-02	0.00E+00	0.00E+00	0.00E+00	4.29E-02	1.05E-02	5.20E-03	5.20E-03
1060	**1060**	4.52E-02	0.00E+00	0.00E+00	0.00E+00	4.52E-02	1.10E-02	5.47E-03	5.47E-03
1061	**1061**	4.76E-02	0.00E+00	0.00E+00	0.00E+00	4.76E-02	1.16E-02	5.76E-03	5.76E-03
1062	**1062**	5.02E-02	0.00E+00	0.00E+00	0.00E+00	5.02E-02	1.22E-02	6.08E-03	6.08E-03
1063	**1063**	5.30E-02	0.00E+00	0.00E+00	0.00E+00	5.30E-02	1.29E-02	6.42E-03	6.42E-03
1064	**1064**	5.59E-02	0.00E+00	0.00E+00	0.00E+00	5.59E-02	1.36E-02	6.78E-03	6.78E-03
1065	**1065**	5.90E-02	0.00E+00	0.00E+00	0.00E+00	5.90E-02	1.44E-02	7.14E-03	7.14E-03
1066	**1066**	6.20E-02	0.00E+00	0.00E+00	0.00E+00	6.20E-02	1.51E-02	7.51E-03	7.51E-03
1067	**1067**	6.50E-02	0.00E+00	0.00E+00	0.00E+00	6.50E-02	1.58E-02	7.87E-03	7.87E-03
1068	**1068**	6.76E-02	0.00E+00	0.00E+00	0.00E+00	6.76E-02	1.65E-02	8.19E-03	8.19E-03
1069	**1069**	6.99E-02	0.00E+00	0.00E+00	0.00E+00	6.99E-02	1.70E-02	8.46E-03	8.46E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
1070	**1070**	7.16E-02	0.00E+00	0.00E+00	0.00E+00	7.16E-02	1.74E-02	8.67E-03	8.67E-03
1071	**1071**	7.27E-02	0.00E+00	0.00E+00	0.00E+00	7.27E-02	1.77E-02	8.80E-03	8.80E-03
1072	**1072**	7.30E-02	0.00E+00	0.00E+00	0.00E+00	7.30E-02	1.78E-02	8.84E-03	8.84E-03
1073	**1073**	7.26E-02	0.00E+00	0.00E+00	0.00E+00	7.26E-02	1.77E-02	8.80E-03	8.80E-03
1074	**1074**	7.15E-02	0.00E+00	0.00E+00	0.00E+00	7.15E-02	1.74E-02	8.66E-03	8.66E-03
1075	**1075**	6.97E-02	0.00E+00	0.00E+00	0.00E+00	6.97E-02	1.70E-02	8.44E-03	8.44E-03
1076	**1076**	6.71E-02	0.00E+00	0.00E+00	0.00E+00	6.71E-02	1.64E-02	8.13E-03	8.13E-03
1077	**1077**	6.40E-02	0.00E+00	0.00E+00	0.00E+00	6.40E-02	1.56E-02	7.75E-03	7.75E-03
1078	**1078**	2.43E-02	0.00E+00	0.00E+00	0.00E+00	2.43E-02	5.93E-03	2.95E-03	2.95E-03
1079	**1079**	2.54E-02	0.00E+00	0.00E+00	0.00E+00	2.54E-02	6.19E-03	3.08E-03	3.08E-03
1080	**1080**	2.65E-02	0.00E+00	0.00E+00	0.00E+00	2.65E-02	6.46E-03	3.21E-03	3.21E-03
1081	**1081**	2.76E-02	0.00E+00	0.00E+00	0.00E+00	2.76E-02	6.72E-03	3.34E-03	3.34E-03
1082	**1082**	2.88E-02	0.00E+00	0.00E+00	0.00E+00	2.88E-02	7.01E-03	3.48E-03	3.48E-03
1083	**1083**	3.00E-02	0.00E+00	0.00E+00	0.00E+00	3.00E-02	7.31E-03	3.63E-03	3.63E-03
1084	**1084**	3.13E-02	0.00E+00	0.00E+00	0.00E+00	3.13E-02	7.63E-03	3.79E-03	3.79E-03
1085	**1085**	3.26E-02	0.00E+00	0.00E+00	0.00E+00	3.26E-02	7.94E-03	3.94E-03	3.94E-03
1086	**1086**	3.40E-02	0.00E+00	0.00E+00	0.00E+00	3.40E-02	8.28E-03	4.11E-03	4.11E-03
1087	**1087**	3.54E-02	0.00E+00	0.00E+00	0.00E+00	3.54E-02	8.64E-03	4.29E-03	4.29E-03
1088	**1088**	3.70E-02	0.00E+00	0.00E+00	0.00E+00	3.70E-02	9.02E-03	4.49E-03	4.49E-03
1089	**1089**	3.87E-02	0.00E+00	0.00E+00	0.00E+00	3.87E-02	9.43E-03	4.69E-03	4.69E-03
1090	**1090**	4.05E-02	0.00E+00	0.00E+00	0.00E+00	4.05E-02	9.87E-03	4.91E-03	4.91E-03
1091	**1091**	4.25E-02	0.00E+00	0.00E+00	0.00E+00	4.25E-02	1.04E-02	5.15E-03	5.15E-03
1092	**1092**	4.47E-02	0.00E+00	0.00E+00	0.00E+00	4.47E-02	1.09E-02	5.41E-03	5.41E-03
1093	**1093**	4.71E-02	0.00E+00	0.00E+00	0.00E+00	4.71E-02	1.15E-02	5.71E-03	5.71E-03
1094	**1094**	4.99E-02	0.00E+00	0.00E+00	0.00E+00	4.99E-02	1.22E-02	6.04E-03	6.04E-03
1095	**1095**	5.29E-02	0.00E+00	0.00E+00	0.00E+00	5.29E-02	1.29E-02	6.41E-03	6.41E-03
1096	**1096**	5.62E-02	0.00E+00	0.00E+00	0.00E+00	5.62E-02	1.37E-02	6.81E-03	6.81E-03
1097	**1097**	5.99E-02	0.00E+00	0.00E+00	0.00E+00	5.99E-02	1.46E-02	7.26E-03	7.26E-03
1098	**1098**	6.39E-02	0.00E+00	0.00E+00	0.00E+00	6.39E-02	1.56E-02	7.75E-03	7.75E-03
1099	**1099**	6.82E-02	0.00E+00	0.00E+00	0.00E+00	6.82E-02	1.66E-02	8.26E-03	8.26E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
1100	**1100**	7.24E-02	0.00E+00	0.00E+00	0.00E+00	7.24E-02	1.77E-02	8.78E-03	8.78E-03
1101	**1101**	7.66E-02	0.00E+00	0.00E+00	0.00E+00	7.66E-02	1.87E-02	9.28E-03	9.28E-03
1102	**1102**	8.05E-02	0.00E+00	0.00E+00	0.00E+00	8.05E-02	1.96E-02	9.75E-03	9.75E-03
1103	**1103**	8.37E-02	0.00E+00	0.00E+00	0.00E+00	8.37E-02	2.04E-02	1.01E-02	1.01E-02
1104	**1104**	8.61E-02	0.00E+00	0.00E+00	0.00E+00	8.61E-02	2.10E-02	1.04E-02	1.04E-02
1105	**1105**	8.76E-02	0.00E+00	0.00E+00	0.00E+00	8.76E-02	2.14E-02	1.06E-02	1.06E-02
1106	**1106**	8.81E-02	0.00E+00	0.00E+00	0.00E+00	8.81E-02	2.15E-02	1.07E-02	1.07E-02
1107	**1107**	8.76E-02	0.00E+00	0.00E+00	0.00E+00	8.76E-02	2.13E-02	1.06E-02	1.06E-02
1108	**1108**	8.60E-02	0.00E+00	0.00E+00	0.00E+00	8.60E-02	2.10E-02	1.04E-02	1.04E-02
1109	**1109**	8.32E-02	0.00E+00	0.00E+00	0.00E+00	8.32E-02	2.03E-02	1.01E-02	1.01E-02
1110	**1110**	7.95E-02	0.00E+00	0.00E+00	0.00E+00	7.95E-02	1.94E-02	9.63E-03	9.63E-03
1111	**1111**	7.49E-02	0.00E+00	0.00E+00	0.00E+00	7.49E-02	1.83E-02	9.08E-03	9.08E-03
1112	**1112**	2.59E-02	0.00E+00	0.00E+00	0.00E+00	2.59E-02	6.32E-03	3.14E-03	3.14E-03
1113	**1113**	2.71E-02	0.00E+00	0.00E+00	0.00E+00	2.71E-02	6.60E-03	3.28E-03	3.28E-03
1114	**1114**	2.83E-02	0.00E+00	0.00E+00	0.00E+00	2.83E-02	6.90E-03	3.43E-03	3.43E-03
1115	**1115**	2.96E-02	0.00E+00	0.00E+00	0.00E+00	2.96E-02	7.20E-03	3.58E-03	3.58E-03
1116	**1116**	3.08E-02	0.00E+00	0.00E+00	0.00E+00	3.08E-02	7.51E-03	3.74E-03	3.74E-03
1117	**1117**	3.22E-02	0.00E+00	0.00E+00	0.00E+00	3.22E-02	7.85E-03	3.90E-03	3.90E-03
1118	**1118**	3.37E-02	0.00E+00	0.00E+00	0.00E+00	3.37E-02	8.20E-03	4.08E-03	4.08E-03
1119	**1119**	3.51E-02	0.00E+00	0.00E+00	0.00E+00	3.51E-02	8.55E-03	4.25E-03	4.25E-03
1120	**1120**	3.66E-02	0.00E+00	0.00E+00	0.00E+00	3.66E-02	8.93E-03	4.44E-03	4.44E-03
1121	**1121**	3.83E-02	0.00E+00	0.00E+00	0.00E+00	3.83E-02	9.34E-03	4.64E-03	4.64E-03
1122	**1122**	4.01E-02	0.00E+00	0.00E+00	0.00E+00	4.01E-02	9.77E-03	4.86E-03	4.86E-03
1123	**1123**	4.20E-02	0.00E+00	0.00E+00	0.00E+00	4.20E-02	1.02E-02	5.09E-03	5.09E-03
1124	**1124**	4.41E-02	0.00E+00	0.00E+00	0.00E+00	4.41E-02	1.07E-02	5.34E-03	5.34E-03
1125	**1125**	4.64E-02	0.00E+00	0.00E+00	0.00E+00	4.64E-02	1.13E-02	5.62E-03	5.62E-03
1126	**1126**	4.89E-02	0.00E+00	0.00E+00	0.00E+00	4.89E-02	1.19E-02	5.93E-03	5.93E-03
1127	**1127**	5.19E-02	0.00E+00	0.00E+00	0.00E+00	5.19E-02	1.26E-02	6.28E-03	6.28E-03
1128	**1128**	5.52E-02	0.00E+00	0.00E+00	0.00E+00	5.52E-02	1.34E-02	6.69E-03	6.69E-03
1129	**1129**	5.90E-02	0.00E+00	0.00E+00	0.00E+00	5.90E-02	1.44E-02	7.15E-03	7.15E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
1130	**1130**	6.34E-02	0.00E+00	0.00E+00	0.00E+00	6.34E-02	1.54E-02	7.68E-03	7.68E-03
1131	**1131**	6.84E-02	0.00E+00	0.00E+00	0.00E+00	6.84E-02	1.67E-02	8.28E-03	8.28E-03
1132	**1132**	7.40E-02	0.00E+00	0.00E+00	0.00E+00	7.40E-02	1.80E-02	8.96E-03	8.96E-03
1133	**1133**	8.01E-02	0.00E+00	0.00E+00	0.00E+00	8.01E-02	1.95E-02	9.70E-03	9.70E-03
1134	**1134**	8.63E-02	0.00E+00	0.00E+00	0.00E+00	8.63E-02	2.10E-02	1.05E-02	1.05E-02
1135	**1135**	9.23E-02	0.00E+00	0.00E+00	0.00E+00	9.23E-02	2.25E-02	1.12E-02	1.12E-02
1136	**1136**	9.81E-02	0.00E+00	0.00E+00	0.00E+00	9.81E-02	2.39E-02	1.19E-02	1.19E-02
1137	**1137**	1.03E-01	0.00E+00	0.00E+00	0.00E+00	1.03E-01	2.51E-02	1.25E-02	1.25E-02
1138	**1138**	1.06E-01	0.00E+00	0.00E+00	0.00E+00	1.06E-01	2.59E-02	1.29E-02	1.29E-02
1139	**1139**	1.08E-01	0.00E+00	0.00E+00	0.00E+00	1.08E-01	2.64E-02	1.31E-02	1.31E-02
1140	**1140**	1.09E-01	0.00E+00	0.00E+00	0.00E+00	1.09E-01	2.66E-02	1.32E-02	1.32E-02
1141	**1141**	1.09E-01	0.00E+00	0.00E+00	0.00E+00	1.09E-01	2.65E-02	1.31E-02	1.31E-02
1142	**1142**	1.06E-01	0.00E+00	0.00E+00	0.00E+00	1.06E-01	2.59E-02	1.29E-02	1.29E-02
1143	**1143**	1.02E-01	0.00E+00	0.00E+00	0.00E+00	1.02E-01	2.48E-02	1.24E-02	1.24E-02
1144	**1144**	9.61E-02	0.00E+00	0.00E+00	0.00E+00	9.61E-02	2.34E-02	1.16E-02	1.16E-02
1145	**1145**	8.92E-02	0.00E+00	0.00E+00	0.00E+00	8.92E-02	2.17E-02	1.08E-02	1.08E-02
1146	**1146**	2.76E-02	0.00E+00	0.00E+00	0.00E+00	2.76E-02	6.74E-03	3.35E-03	3.35E-03
1147	**1147**	2.90E-02	0.00E+00	0.00E+00	0.00E+00	2.90E-02	7.06E-03	3.51E-03	3.51E-03
1148	**1148**	3.03E-02	0.00E+00	0.00E+00	0.00E+00	3.03E-02	7.39E-03	3.67E-03	3.67E-03
1149	**1149**	3.17E-02	0.00E+00	0.00E+00	0.00E+00	3.17E-02	7.74E-03	3.85E-03	3.85E-03
1150	**1150**	3.32E-02	0.00E+00	0.00E+00	0.00E+00	3.32E-02	8.09E-03	4.02E-03	4.02E-03
1151	**1151**	3.47E-02	0.00E+00	0.00E+00	0.00E+00	3.47E-02	8.46E-03	4.20E-03	4.20E-03
1152	**1152**	3.63E-02	0.00E+00	0.00E+00	0.00E+00	3.63E-02	8.85E-03	4.40E-03	4.40E-03
1153	**1153**	3.79E-02	0.00E+00	0.00E+00	0.00E+00	3.79E-02	9.24E-03	4.59E-03	4.59E-03
1154	**1154**	3.96E-02	0.00E+00	0.00E+00	0.00E+00	3.96E-02	9.66E-03	4.80E-03	4.80E-03
1155	**1155**	4.15E-02	0.00E+00	0.00E+00	0.00E+00	4.15E-02	1.01E-02	5.03E-03	5.03E-03
1156	**1156**	4.35E-02	0.00E+00	0.00E+00	0.00E+00	4.35E-02	1.06E-02	5.27E-03	5.27E-03
1157	**1157**	4.57E-02	0.00E+00	0.00E+00	0.00E+00	4.57E-02	1.11E-02	5.53E-03	5.53E-03
1158	**1158**	4.80E-02	0.00E+00	0.00E+00	0.00E+00	4.80E-02	1.17E-02	5.82E-03	5.82E-03
1159	**1159**	5.07E-02	0.00E+00	0.00E+00	0.00E+00	5.07E-02	1.23E-02	6.14E-03	6.14E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	Receptor #	Max Chronic	2031	2032	2033	2034	2035	2036	2037
1160	**1160**	5.36E-02	0.00E+00	0.00E+00	0.00E+00	5.36E-02	1.31E-02	6.50E-03	6.50E-03
1161	**1161**	5.71E-02	0.00E+00	0.00E+00	0.00E+00	5.71E-02	1.39E-02	6.92E-03	6.92E-03
1162	**1162**	6.12E-02	0.00E+00	0.00E+00	0.00E+00	6.12E-02	1.49E-02	7.41E-03	7.41E-03
1163	**1163**	6.60E-02	0.00E+00	0.00E+00	0.00E+00	6.60E-02	1.61E-02	7.99E-03	7.99E-03
1164	**1164**	7.17E-02	0.00E+00	0.00E+00	0.00E+00	7.17E-02	1.75E-02	8.69E-03	8.69E-03
1165	**1165**	7.87E-02	0.00E+00	0.00E+00	0.00E+00	7.87E-02	1.92E-02	9.53E-03	9.53E-03
1166	**1166**	8.68E-02	0.00E+00	0.00E+00	0.00E+00	8.68E-02	2.12E-02	1.05E-02	1.05E-02
1167	**1167**	9.60E-02	0.00E+00	0.00E+00	0.00E+00	9.60E-02	2.34E-02	1.16E-02	1.16E-02
1168	**1168**	8.67E-02	0.00E+00	0.00E+00	0.00E+00	8.67E-02	2.11E-02	1.05E-02	1.05E-02
1169	**1169**	1.14E-01	0.00E+00	0.00E+00	0.00E+00	1.14E-01	2.79E-02	1.39E-02	1.39E-02
1170	**1170**	1.03E-01	0.00E+00	0.00E+00	0.00E+00	1.03E-01	2.50E-02	1.24E-02	1.24E-02
1171	**1171**	1.06E-01	0.00E+00	0.00E+00	0.00E+00	1.06E-01	2.59E-02	1.29E-02	1.29E-02
1172	**1172**	1.11E-01	0.00E+00	0.00E+00	0.00E+00	1.11E-01	2.69E-02	1.34E-02	1.34E-02
1173	**1173**	1.15E-01	0.00E+00	0.00E+00	0.00E+00	1.15E-01	2.81E-02	1.40E-02	1.40E-02
1174	**1174**	1.17E-01	0.00E+00	0.00E+00	0.00E+00	1.17E-01	2.86E-02	1.42E-02	1.42E-02
1175	**1175**	1.13E-01	0.00E+00	0.00E+00	0.00E+00	1.13E-01	2.76E-02	1.37E-02	1.37E-02
1176	**1176**	1.09E-01	0.00E+00	0.00E+00	0.00E+00	1.09E-01	2.65E-02	1.32E-02	1.32E-02
1177	**1177**	1.04E-01	0.00E+00	0.00E+00	0.00E+00	1.04E-01	2.55E-02	1.27E-02	1.27E-02
1178	**1178**	8.11E-02	0.00E+00	0.00E+00	0.00E+00	8.11E-02	1.98E-02	9.83E-03	9.83E-03
1179	**1179**	8.93E-02	0.00E+00	0.00E+00	0.00E+00	8.93E-02	2.18E-02	1.08E-02	1.08E-02
1180	**1180**	2.96E-02	0.00E+00	0.00E+00	0.00E+00	2.96E-02	7.20E-03	3.58E-03	3.58E-03
1181	**1181**	3.11E-02	0.00E+00	0.00E+00	0.00E+00	3.11E-02	7.57E-03	3.76E-03	3.76E-03
1182	**1182**	3.26E-02	0.00E+00	0.00E+00	0.00E+00	3.26E-02	7.94E-03	3.95E-03	3.95E-03
1183	**1183**	3.42E-02	0.00E+00	0.00E+00	0.00E+00	3.42E-02	8.33E-03	4.14E-03	4.14E-03
1184	**1184**	3.58E-02	0.00E+00	0.00E+00	0.00E+00	3.58E-02	8.72E-03	4.33E-03	4.33E-03
1185	**1185**	3.75E-02	0.00E+00	0.00E+00	0.00E+00	3.75E-02	9.14E-03	4.54E-03	4.54E-03
1186	**1186**	3.93E-02	0.00E+00	0.00E+00	0.00E+00	3.93E-02	9.57E-03	4.76E-03	4.76E-03
1187	**1187**	4.12E-02	0.00E+00	0.00E+00	0.00E+00	4.12E-02	1.00E-02	4.99E-03	4.99E-03
1188	**1188**	4.30E-02	0.00E+00	0.00E+00	0.00E+00	4.30E-02	1.05E-02	5.21E-03	5.21E-03
1189	**1189**	4.51E-02	0.00E+00	0.00E+00	0.00E+00	4.51E-02	1.10E-02	5.46E-03	5.46E-03

One San Pedro Specific Plan

Unmitigated - New Onsite - Planning Area 2 - Risk Summary

		Chronic Non Cancer Risk							
Receptor #	**Receptor #**	**Max Chronic**	**2031**	**2032**	**2033**	**2034**	**2035**	**2036**	**2037**
1190	**1190**	4.73E-02	0.00E+00	0.00E+00	0.00E+00	4.73E-02	1.15E-02	5.73E-03	5.73E-03
1191	**1191**	4.98E-02	0.00E+00	0.00E+00	0.00E+00	4.98E-02	1.21E-02	6.03E-03	6.03E-03
1192	**1192**	5.24E-02	0.00E+00	0.00E+00	0.00E+00	5.24E-02	1.28E-02	6.35E-03	6.35E-03
1193	**1193**	5.54E-02	0.00E+00	0.00E+00	0.00E+00	5.54E-02	1.35E-02	6.71E-03	6.71E-03
1194	**1194**	5.89E-02	0.00E+00	0.00E+00	0.00E+00	5.89E-02	1.43E-02	7.13E-03	7.13E-03
1195	**1195**	6.29E-02	0.00E+00	0.00E+00	0.00E+00	6.29E-02	1.53E-02	7.62E-03	7.62E-03
1196	**1196**	6.78E-02	0.00E+00	0.00E+00	0.00E+00	6.78E-02	1.65E-02	8.21E-03	8.21E-03
1197	**1197**	7.38E-02	0.00E+00	0.00E+00	0.00E+00	7.38E-02	1.80E-02	8.94E-03	8.94E-03
1198	**1198**	8.14E-02	0.00E+00	0.00E+00	0.00E+00	8.14E-02	1.98E-02	9.87E-03	9.87E-03
1199	**1199**	9.11E-02	0.00E+00	0.00E+00	0.00E+00	9.11E-02	2.22E-02	1.10E-02	1.10E-02
1200	**1200**	8.26E-02	0.00E+00	0.00E+00	0.00E+00	8.26E-02	2.01E-02	1.00E-02	1.00E-02
1201	**1201**	9.13E-02	0.00E+00	0.00E+00	0.00E+00	9.13E-02	2.23E-02	1.11E-02	1.11E-02
1202	**1202**	1.03E-01	0.00E+00	0.00E+00	0.00E+00	1.03E-01	2.50E-02	1.24E-02	1.24E-02
1203	**1203**	9.50E-02	0.00E+00	0.00E+00	0.00E+00	9.50E-02	2.32E-02	1.15E-02	1.15E-02
1204	**1204**	1.04E-01	0.00E+00	0.00E+00	0.00E+00	1.04E-01	2.54E-02	1.26E-02	1.26E-02
1205	**1205**	1.33E-01	0.00E+00	0.00E+00	0.00E+00	1.33E-01	3.23E-02	1.61E-02	1.61E-02
1206	**1206**	1.20E-01	0.00E+00	0.00E+00	0.00E+00	1.20E-01	2.92E-02	1.45E-02	1.45E-02
1207	**1207**	1.23E-01	0.00E+00	0.00E+00	0.00E+00	1.23E-01	2.99E-02	1.49E-02	1.49E-02
1208	**1208**	1.05E-01	0.00E+00	0.00E+00	0.00E+00	1.05E-01	2.56E-02	1.27E-02	1.27E-02
1209	**1209**	1.21E-01	0.00E+00	0.00E+00	0.00E+00	1.21E-01	2.96E-02	1.47E-02	1.47E-02
1210	**1210**	9.73E-02	0.00E+00	0.00E+00	0.00E+00	9.73E-02	2.37E-02	1.18E-02	1.18E-02
1211	**1211**	8.75E-02	0.00E+00	0.00E+00	0.00E+00	8.75E-02	2.13E-02	1.06E-02	1.06E-02
1212	**1212**	9.58E-02	0.00E+00	0.00E+00	0.00E+00	9.58E-02	2.34E-02	1.16E-02	1.16E-02
1213	**1213**	8.47E-02	0.00E+00	0.00E+00	0.00E+00	8.47E-02	2.06E-02	1.03E-02	1.03E-02

One San Pedro Specific Plan
MERV 13 Incorporation

		Factor
EF =	Exposure frequency in days per year	350
EFa =	Exp. Freq adjusted outside; only 2.3	33.5
EFai =	Exp. Freq adjusted inside; 16.9 hours/day	316.5
FE =	Filter Efficiency	85%
DPM =	Percent of risk associated with DPM	100%

Equation =

Adjusted Risk = ([Unadjusted Risk]/EF*Efa)+((1-(FE*DPM))*([Unadjusted Risk]/EF*Efai))

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	9.87E-03	2.3E-02	3.46E-04	7.93E-06	1.59E-01	1.57E-01	1.98E-07	1.0E+06	2.0E-01
893	2.38542	9.87E-03	2.4E-02	3.46E-04	8.15E-06	1.59E-01	1.57E-01	2.04E-07	1.0E+06	2.0E-01
894	2.44758	9.87E-03	2.4E-02	3.46E-04	8.36E-06	1.59E-01	1.57E-01	2.09E-07	1.0E+06	2.1E-01
895	2.50618	9.87E-03	2.5E-02	3.46E-04	8.56E-06	1.59E-01	1.57E-01	2.14E-07	1.0E+06	2.1E-01
896	2.55908	9.87E-03	2.5E-02	3.46E-04	8.74E-06	1.59E-01	1.57E-01	2.18E-07	1.0E+06	2.2E-01
897	2.60474	9.87E-03	2.6E-02	3.46E-04	8.90E-06	1.59E-01	1.57E-01	2.22E-07	1.0E+06	2.2E-01
898	2.64253	9.87E-03	2.6E-02	3.46E-04	9.03E-06	1.59E-01	1.57E-01	2.25E-07	1.0E+06	2.3E-01
899	2.67158	9.87E-03	2.6E-02	3.46E-04	9.13E-06	1.59E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
900	2.69069	9.87E-03	2.7E-02	3.46E-04	9.19E-06	1.59E-01	1.57E-01	2.30E-07	1.0E+06	2.3E-01
901	2.69844	9.87E-03	2.7E-02	3.46E-04	9.22E-06	1.59E-01	1.57E-01	2.30E-07	1.0E+06	2.3E-01
902	2.69171	9.87E-03	2.7E-02	3.46E-04	9.20E-06	1.59E-01	1.57E-01	2.30E-07	1.0E+06	2.3E-01
903	2.6708	9.87E-03	2.6E-02	3.46E-04	9.12E-06	1.59E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
904	2.63764	9.87E-03	2.6E-02	3.46E-04	9.01E-06	1.59E-01	1.57E-01	2.25E-07	1.0E+06	2.3E-01
905	2.59313	9.87E-03	2.6E-02	3.46E-04	8.86E-06	1.59E-01	1.57E-01	2.21E-07	1.0E+06	2.2E-01
906	2.53783	9.87E-03	2.5E-02	3.46E-04	8.67E-06	1.59E-01	1.57E-01	2.17E-07	1.0E+06	2.2E-01
907	2.47822	9.87E-03	2.4E-02	3.46E-04	8.47E-06	1.59E-01	1.57E-01	2.11E-07	1.0E+06	2.1E-01
908	1.34378	9.87E-03	1.3E-02	3.46E-04	4.59E-06	1.59E-01	1.57E-01	1.15E-07	1.0E+06	1.1E-01
909	1.39182	9.87E-03	1.4E-02	3.46E-04	4.76E-06	1.59E-01	1.57E-01	1.19E-07	1.0E+06	1.2E-01
910	1.43801	9.87E-03	1.4E-02	3.46E-04	4.91E-06	1.59E-01	1.57E-01	1.23E-07	1.0E+06	1.2E-01
911	1.4874	9.87E-03	1.5E-02	3.46E-04	5.08E-06	1.59E-01	1.57E-01	1.27E-07	1.0E+06	1.3E-01
912	1.53931	9.87E-03	1.5E-02	3.46E-04	5.26E-06	1.59E-01	1.57E-01	1.31E-07	1.0E+06	1.3E-01
913	1.59264	9.87E-03	1.6E-02	3.46E-04	5.44E-06	1.59E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
914	1.64626	9.87E-03	1.6E-02	3.46E-04	5.62E-06	1.59E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
915	1.70051	9.87E-03	1.7E-02	3.46E-04	5.81E-06	1.59E-01	1.57E-01	1.45E-07	1.0E+06	1.5E-01
916	1.75782	9.87E-03	1.7E-02	3.46E-04	6.01E-06	1.59E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
917	1.81857	9.87E-03	1.8E-02	3.46E-04	6.21E-06	1.59E-01	1.57E-01	1.55E-07	1.0E+06	1.6E-01
918	1.88138	9.87E-03	1.9E-02	3.46E-04	6.43E-06	1.59E-01	1.57E-01	1.61E-07	1.0E+06	1.6E-01
919	1.9463	9.87E-03	1.9E-02	3.46E-04	6.65E-06	1.59E-01	1.57E-01	1.66E-07	1.0E+06	1.7E-01
920	2.01351	9.87E-03	2.0E-02	3.46E-04	6.88E-06	1.59E-01	1.57E-01	1.72E-07	1.0E+06	1.7E-01
921	2.08316	9.87E-03	2.1E-02	3.46E-04	7.12E-06	1.59E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
922	2.15554	9.87E-03	2.1E-02	3.46E-04	7.36E-06	1.59E-01	1.57E-01	1.84E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	9.87E-03	2.2E-02	3.46E-04	7.62E-06	1.59E-01	1.57E-01	1.90E-07	1.0E+06	1.9E-01
924	2.30792	9.87E-03	2.3E-02	3.46E-04	7.88E-06	1.59E-01	1.57E-01	1.97E-07	1.0E+06	2.0E-01
925	2.38688	9.87E-03	2.4E-02	3.46E-04	8.15E-06	1.59E-01	1.57E-01	2.04E-07	1.0E+06	2.0E-01
926	2.46714	9.87E-03	2.4E-02	3.46E-04	8.43E-06	1.59E-01	1.57E-01	2.10E-07	1.0E+06	2.1E-01
927	2.54717	9.87E-03	2.5E-02	3.46E-04	8.70E-06	1.59E-01	1.57E-01	2.17E-07	1.0E+06	2.2E-01
928	2.62654	9.87E-03	2.6E-02	3.46E-04	8.97E-06	1.59E-01	1.57E-01	2.24E-07	1.0E+06	2.2E-01
929	2.70395	9.87E-03	2.7E-02	3.46E-04	9.24E-06	1.59E-01	1.57E-01	2.31E-07	1.0E+06	2.3E-01
930	2.77767	9.87E-03	2.7E-02	3.46E-04	9.49E-06	1.59E-01	1.57E-01	2.37E-07	1.0E+06	2.4E-01
931	2.84499	9.87E-03	2.8E-02	3.46E-04	9.72E-06	1.59E-01	1.57E-01	2.43E-07	1.0E+06	2.4E-01
932	2.90354	9.87E-03	2.9E-02	3.46E-04	9.92E-06	1.59E-01	1.57E-01	2.48E-07	1.0E+06	2.5E-01
933	2.9525	9.87E-03	2.9E-02	3.46E-04	1.01E-05	1.59E-01	1.57E-01	2.52E-07	1.0E+06	2.5E-01
934	2.99008	9.87E-03	3.0E-02	3.46E-04	1.02E-05	1.59E-01	1.57E-01	2.55E-07	1.0E+06	2.6E-01
935	3.01462	9.87E-03	3.0E-02	3.46E-04	1.03E-05	1.59E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01
936	3.02389	9.87E-03	3.0E-02	3.46E-04	1.03E-05	1.59E-01	1.57E-01	2.58E-07	1.0E+06	2.6E-01
937	3.01538	9.87E-03	3.0E-02	3.46E-04	1.03E-05	1.59E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01
938	2.98903	9.87E-03	2.9E-02	3.46E-04	1.02E-05	1.59E-01	1.57E-01	2.55E-07	1.0E+06	2.5E-01
939	2.94679	9.87E-03	2.9E-02	3.46E-04	1.01E-05	1.59E-01	1.57E-01	2.51E-07	1.0E+06	2.5E-01
940	2.89021	9.87E-03	2.9E-02	3.46E-04	9.87E-06	1.59E-01	1.57E-01	2.47E-07	1.0E+06	2.5E-01
941	2.82029	9.87E-03	2.8E-02	3.46E-04	9.64E-06	1.59E-01	1.57E-01	2.41E-07	1.0E+06	2.4E-01
942	1.41975	9.87E-03	1.4E-02	3.46E-04	4.85E-06	1.59E-01	1.57E-01	1.21E-07	1.0E+06	1.2E-01
943	1.4724	9.87E-03	1.5E-02	3.46E-04	5.03E-06	1.59E-01	1.57E-01	1.26E-07	1.0E+06	1.3E-01
944	1.52496	9.87E-03	1.5E-02	3.46E-04	5.21E-06	1.59E-01	1.57E-01	1.30E-07	1.0E+06	1.3E-01
945	1.57781	9.87E-03	1.6E-02	3.46E-04	5.39E-06	1.59E-01	1.57E-01	1.35E-07	1.0E+06	1.3E-01
946	1.63542	9.87E-03	1.6E-02	3.46E-04	5.59E-06	1.59E-01	1.57E-01	1.40E-07	1.0E+06	1.4E-01
947	1.69476	9.87E-03	1.7E-02	3.46E-04	5.79E-06	1.59E-01	1.57E-01	1.45E-07	1.0E+06	1.4E-01
948	1.75455	9.87E-03	1.7E-02	3.46E-04	5.99E-06	1.59E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
949	1.81519	9.87E-03	1.8E-02	3.46E-04	6.20E-06	1.59E-01	1.57E-01	1.55E-07	1.0E+06	1.5E-01
950	1.8796	9.87E-03	1.9E-02	3.46E-04	6.42E-06	1.59E-01	1.57E-01	1.60E-07	1.0E+06	1.6E-01
951	1.94787	9.87E-03	1.9E-02	3.46E-04	6.65E-06	1.59E-01	1.57E-01	1.66E-07	1.0E+06	1.7E-01
952	2.01881	9.87E-03	2.0E-02	3.46E-04	6.90E-06	1.59E-01	1.57E-01	1.72E-07	1.0E+06	1.7E-01
953	2.09254	9.87E-03	2.1E-02	3.46E-04	7.15E-06	1.59E-01	1.57E-01	1.79E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	9.87E-03	2.1E-02	3.46E-04	7.41E-06	1.59E-01	1.57E-01	1.85E-07	1.0E+06	1.9E-01
955	2.24971	9.87E-03	2.2E-02	3.46E-04	7.69E-06	1.59E-01	1.57E-01	1.92E-07	1.0E+06	1.9E-01
956	2.33459	9.87E-03	2.3E-02	3.46E-04	7.98E-06	1.59E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
957	2.42362	9.87E-03	2.4E-02	3.46E-04	8.28E-06	1.59E-01	1.57E-01	2.07E-07	1.0E+06	2.1E-01
958	2.51608	9.87E-03	2.5E-02	3.46E-04	8.60E-06	1.59E-01	1.57E-01	2.15E-07	1.0E+06	2.1E-01
959	2.61119	9.87E-03	2.6E-02	3.46E-04	8.92E-06	1.59E-01	1.57E-01	2.23E-07	1.0E+06	2.2E-01
960	2.70919	9.87E-03	2.7E-02	3.46E-04	9.26E-06	1.59E-01	1.57E-01	2.31E-07	1.0E+06	2.3E-01
961	2.80855	9.87E-03	2.8E-02	3.46E-04	9.60E-06	1.59E-01	1.57E-01	2.40E-07	1.0E+06	2.4E-01
962	2.90798	9.87E-03	2.9E-02	3.46E-04	9.93E-06	1.59E-01	1.57E-01	2.48E-07	1.0E+06	2.5E-01
963	3.00621	9.87E-03	3.0E-02	3.46E-04	1.03E-05	1.59E-01	1.57E-01	2.56E-07	1.0E+06	2.6E-01
964	3.10043	9.87E-03	3.1E-02	3.46E-04	1.06E-05	1.59E-01	1.57E-01	2.64E-07	1.0E+06	2.6E-01
965	3.18812	9.87E-03	3.1E-02	3.46E-04	1.09E-05	1.59E-01	1.57E-01	2.72E-07	1.0E+06	2.7E-01
966	3.26457	9.87E-03	3.2E-02	3.46E-04	1.12E-05	1.59E-01	1.57E-01	2.79E-07	1.0E+06	2.8E-01
967	3.32885	9.87E-03	3.3E-02	3.46E-04	1.14E-05	1.59E-01	1.57E-01	2.84E-07	1.0E+06	2.8E-01
968	3.37814	9.87E-03	3.3E-02	3.46E-04	1.15E-05	1.59E-01	1.57E-01	2.88E-07	1.0E+06	2.9E-01
969	3.41014	9.87E-03	3.4E-02	3.46E-04	1.17E-05	1.59E-01	1.57E-01	2.91E-07	1.0E+06	2.9E-01
970	3.42128	9.87E-03	3.4E-02	3.46E-04	1.17E-05	1.59E-01	1.57E-01	2.92E-07	1.0E+06	2.9E-01
971	3.41078	9.87E-03	3.4E-02	3.46E-04	1.17E-05	1.59E-01	1.57E-01	2.91E-07	1.0E+06	2.9E-01
972	3.37829	9.87E-03	3.3E-02	3.46E-04	1.15E-05	1.59E-01	1.57E-01	2.88E-07	1.0E+06	2.9E-01
973	3.32508	9.87E-03	3.3E-02	3.46E-04	1.14E-05	1.59E-01	1.57E-01	2.84E-07	1.0E+06	2.8E-01
974	3.25251	9.87E-03	3.2E-02	3.46E-04	1.11E-05	1.59E-01	1.57E-01	2.77E-07	1.0E+06	2.8E-01
975	3.16305	9.87E-03	3.1E-02	3.46E-04	1.08E-05	1.59E-01	1.57E-01	2.70E-07	1.0E+06	2.7E-01
976	1.5019	9.87E-03	1.5E-02	3.46E-04	5.13E-06	1.59E-01	1.57E-01	1.28E-07	1.0E+06	1.3E-01
977	1.55951	9.87E-03	1.5E-02	3.46E-04	5.33E-06	1.59E-01	1.57E-01	1.33E-07	1.0E+06	1.3E-01
978	1.6175	9.87E-03	1.6E-02	3.46E-04	5.53E-06	1.59E-01	1.57E-01	1.38E-07	1.0E+06	1.4E-01
979	1.67604	9.87E-03	1.7E-02	3.46E-04	5.73E-06	1.59E-01	1.57E-01	1.43E-07	1.0E+06	1.4E-01
980	1.74002	9.87E-03	1.7E-02	3.46E-04	5.94E-06	1.59E-01	1.57E-01	1.48E-07	1.0E+06	1.5E-01
981	1.80609	9.87E-03	1.8E-02	3.46E-04	6.17E-06	1.59E-01	1.57E-01	1.54E-07	1.0E+06	1.5E-01
982	1.87281	9.87E-03	1.8E-02	3.46E-04	6.40E-06	1.59E-01	1.57E-01	1.60E-07	1.0E+06	1.6E-01
983	1.94072	9.87E-03	1.9E-02	3.46E-04	6.63E-06	1.59E-01	1.57E-01	1.66E-07	1.0E+06	1.7E-01
984	2.01313	9.87E-03	2.0E-02	3.46E-04	6.88E-06	1.59E-01	1.57E-01	1.72E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	9.87E-03	2.1E-02	3.46E-04	7.14E-06	1.59E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
986	2.1701	9.87E-03	2.1E-02	3.46E-04	7.41E-06	1.59E-01	1.57E-01	1.85E-07	1.0E+06	1.9E-01
987	2.25396	9.87E-03	2.2E-02	3.46E-04	7.70E-06	1.59E-01	1.57E-01	1.92E-07	1.0E+06	1.9E-01
988	2.34192	9.87E-03	2.3E-02	3.46E-04	8.00E-06	1.59E-01	1.57E-01	2.00E-07	1.0E+06	2.0E-01
989	2.43471	9.87E-03	2.4E-02	3.46E-04	8.32E-06	1.59E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01
990	2.53459	9.87E-03	2.5E-02	3.46E-04	8.66E-06	1.59E-01	1.57E-01	2.16E-07	1.0E+06	2.2E-01
991	2.64074	9.87E-03	2.6E-02	3.46E-04	9.02E-06	1.59E-01	1.57E-01	2.25E-07	1.0E+06	2.3E-01
992	2.75198	9.87E-03	2.7E-02	3.46E-04	9.40E-06	1.59E-01	1.57E-01	2.35E-07	1.0E+06	2.3E-01
993	2.86771	9.87E-03	2.8E-02	3.46E-04	9.80E-06	1.59E-01	1.57E-01	2.45E-07	1.0E+06	2.4E-01
994	2.98847	9.87E-03	2.9E-02	3.46E-04	1.02E-05	1.59E-01	1.57E-01	2.55E-07	1.0E+06	2.5E-01
995	3.11365	9.87E-03	3.1E-02	3.46E-04	1.06E-05	1.59E-01	1.57E-01	2.66E-07	1.0E+06	2.7E-01
996	3.24022	9.87E-03	3.2E-02	3.46E-04	1.11E-05	1.59E-01	1.57E-01	2.76E-07	1.0E+06	2.8E-01
997	3.36692	9.87E-03	3.3E-02	3.46E-04	1.15E-05	1.59E-01	1.57E-01	2.87E-07	1.0E+06	2.9E-01
998	3.48991	9.87E-03	3.4E-02	3.46E-04	1.19E-05	1.59E-01	1.57E-01	2.98E-07	1.0E+06	3.0E-01
999	3.60594	9.87E-03	3.6E-02	3.46E-04	1.23E-05	1.59E-01	1.57E-01	3.08E-07	1.0E+06	3.1E-01
1000	3.70812	9.87E-03	3.7E-02	3.46E-04	1.27E-05	1.59E-01	1.57E-01	3.16E-07	1.0E+06	3.2E-01
1001	3.79396	9.87E-03	3.7E-02	3.46E-04	1.30E-05	1.59E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01
1002	3.86013	9.87E-03	3.8E-02	3.46E-04	1.32E-05	1.59E-01	1.57E-01	3.29E-07	1.0E+06	3.3E-01
1003	3.90266	9.87E-03	3.9E-02	3.46E-04	1.33E-05	1.59E-01	1.57E-01	3.33E-07	1.0E+06	3.3E-01
1004	3.91652	9.87E-03	3.9E-02	3.46E-04	1.34E-05	1.59E-01	1.57E-01	3.34E-07	1.0E+06	3.3E-01
1005	3.9028	9.87E-03	3.9E-02	3.46E-04	1.33E-05	1.59E-01	1.57E-01	3.33E-07	1.0E+06	3.3E-01
1006	3.86166	9.87E-03	3.8E-02	3.46E-04	1.32E-05	1.59E-01	1.57E-01	3.29E-07	1.0E+06	3.3E-01
1007	3.79253	9.87E-03	3.7E-02	3.46E-04	1.30E-05	1.59E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01
1008	3.69675	9.87E-03	3.6E-02	3.46E-04	1.26E-05	1.59E-01	1.57E-01	3.15E-07	1.0E+06	3.2E-01
1009	3.57868	9.87E-03	3.5E-02	3.46E-04	1.22E-05	1.59E-01	1.57E-01	3.05E-07	1.0E+06	3.1E-01
1010	1.59074	9.87E-03	1.6E-02	3.46E-04	5.43E-06	1.59E-01	1.57E-01	1.36E-07	1.0E+06	1.4E-01
1011	1.65396	9.87E-03	1.6E-02	3.46E-04	5.65E-06	1.59E-01	1.57E-01	1.41E-07	1.0E+06	1.4E-01
1012	1.71809	9.87E-03	1.7E-02	3.46E-04	5.87E-06	1.59E-01	1.57E-01	1.47E-07	1.0E+06	1.5E-01
1013	1.7831	9.87E-03	1.8E-02	3.46E-04	6.09E-06	1.59E-01	1.57E-01	1.52E-07	1.0E+06	1.5E-01
1014	1.8542	9.87E-03	1.8E-02	3.46E-04	6.33E-06	1.59E-01	1.57E-01	1.58E-07	1.0E+06	1.6E-01
1015	1.92778	9.87E-03	1.9E-02	3.46E-04	6.59E-06	1.59E-01	1.57E-01	1.64E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	9.87E-03	2.0E-02	3.46E-04	6.84E-06	1.59E-01	1.57E-01	1.71E-07	1.0E+06	1.7E-01
1017	2.07653	9.87E-03	2.0E-02	3.46E-04	7.09E-06	1.59E-01	1.57E-01	1.77E-07	1.0E+06	1.8E-01
1018	2.15978	9.87E-03	2.1E-02	3.46E-04	7.38E-06	1.59E-01	1.57E-01	1.84E-07	1.0E+06	1.8E-01
1019	2.24625	9.87E-03	2.2E-02	3.46E-04	7.67E-06	1.59E-01	1.57E-01	1.92E-07	1.0E+06	1.9E-01
1020	2.33698	9.87E-03	2.3E-02	3.46E-04	7.98E-06	1.59E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
1021	2.43241	9.87E-03	2.4E-02	3.46E-04	8.31E-06	1.59E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01
1022	2.53329	9.87E-03	2.5E-02	3.46E-04	8.65E-06	1.59E-01	1.57E-01	2.16E-07	1.0E+06	2.2E-01
1023	2.64079	9.87E-03	2.6E-02	3.46E-04	9.02E-06	1.59E-01	1.57E-01	2.25E-07	1.0E+06	2.3E-01
1024	2.75843	9.87E-03	2.7E-02	3.46E-04	9.42E-06	1.59E-01	1.57E-01	2.35E-07	1.0E+06	2.4E-01
1025	2.88515	9.87E-03	2.8E-02	3.46E-04	9.86E-06	1.59E-01	1.57E-01	2.46E-07	1.0E+06	2.5E-01
1026	3.01984	9.87E-03	3.0E-02	3.46E-04	1.03E-05	1.59E-01	1.57E-01	2.58E-07	1.0E+06	2.6E-01
1027	3.16213	9.87E-03	3.1E-02	3.46E-04	1.08E-05	1.59E-01	1.57E-01	2.70E-07	1.0E+06	2.7E-01
1028	3.31325	9.87E-03	3.3E-02	3.46E-04	1.13E-05	1.59E-01	1.57E-01	2.83E-07	1.0E+06	2.8E-01
1029	3.47289	9.87E-03	3.4E-02	3.46E-04	1.19E-05	1.59E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01
1030	3.63688	9.87E-03	3.6E-02	3.46E-04	1.24E-05	1.59E-01	1.57E-01	3.10E-07	1.0E+06	3.1E-01
1031	3.8037	9.87E-03	3.8E-02	3.46E-04	1.30E-05	1.59E-01	1.57E-01	3.24E-07	1.0E+06	3.2E-01
1032	3.96771	9.87E-03	3.9E-02	3.46E-04	1.36E-05	1.59E-01	1.57E-01	3.38E-07	1.0E+06	3.4E-01
1033	4.12419	9.87E-03	4.1E-02	3.46E-04	1.41E-05	1.59E-01	1.57E-01	3.52E-07	1.0E+06	3.5E-01
1034	4.26404	9.87E-03	4.2E-02	3.46E-04	1.46E-05	1.59E-01	1.57E-01	3.64E-07	1.0E+06	3.6E-01
1035	4.38116	9.87E-03	4.3E-02	3.46E-04	1.50E-05	1.59E-01	1.57E-01	3.74E-07	1.0E+06	3.7E-01
1036	4.4717	9.87E-03	4.4E-02	3.46E-04	1.53E-05	1.59E-01	1.57E-01	3.81E-07	1.0E+06	3.8E-01
1037	4.52967	9.87E-03	4.5E-02	3.46E-04	1.55E-05	1.59E-01	1.57E-01	3.86E-07	1.0E+06	3.9E-01
1038	4.54755	9.87E-03	4.5E-02	3.46E-04	1.55E-05	1.59E-01	1.57E-01	3.88E-07	1.0E+06	3.9E-01
1039	4.52857	9.87E-03	4.5E-02	3.46E-04	1.55E-05	1.59E-01	1.57E-01	3.86E-07	1.0E+06	3.9E-01
1040	4.4728	9.87E-03	4.4E-02	3.46E-04	1.53E-05	1.59E-01	1.57E-01	3.82E-07	1.0E+06	3.8E-01
1041	4.3777	9.87E-03	4.3E-02	3.46E-04	1.50E-05	1.59E-01	1.57E-01	3.73E-07	1.0E+06	3.7E-01
1042	4.2463	9.87E-03	4.2E-02	3.46E-04	1.45E-05	1.59E-01	1.57E-01	3.62E-07	1.0E+06	3.6E-01
1043	4.08477	9.87E-03	4.0E-02	3.46E-04	1.40E-05	1.59E-01	1.57E-01	3.48E-07	1.0E+06	3.5E-01
1044	1.68719	9.87E-03	1.7E-02	3.46E-04	5.76E-06	1.59E-01	1.57E-01	1.44E-07	1.0E+06	1.4E-01
1045	1.75653	9.87E-03	1.7E-02	3.46E-04	6.00E-06	1.59E-01	1.57E-01	1.50E-07	1.0E+06	1.5E-01
1046	1.83016	9.87E-03	1.8E-02	3.46E-04	6.25E-06	1.59E-01	1.57E-01	1.56E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	9.87E-03	1.9E-02	3.46E-04	6.49E-06	1.59E-01	1.57E-01	1.62E-07	1.0E+06	1.6E-01
1048	1.97931	9.87E-03	2.0E-02	3.46E-04	6.76E-06	1.59E-01	1.57E-01	1.69E-07	1.0E+06	1.7E-01
1049	2.0613	9.87E-03	2.0E-02	3.46E-04	7.04E-06	1.59E-01	1.57E-01	1.76E-07	1.0E+06	1.8E-01
1050	2.14448	9.87E-03	2.1E-02	3.46E-04	7.33E-06	1.59E-01	1.57E-01	1.83E-07	1.0E+06	1.8E-01
1051	2.22969	9.87E-03	2.2E-02	3.46E-04	7.62E-06	1.59E-01	1.57E-01	1.90E-07	1.0E+06	1.9E-01
1052	2.3211	9.87E-03	2.3E-02	3.46E-04	7.93E-06	1.59E-01	1.57E-01	1.98E-07	1.0E+06	2.0E-01
1053	2.41857	9.87E-03	2.4E-02	3.46E-04	8.26E-06	1.59E-01	1.57E-01	2.06E-07	1.0E+06	2.1E-01
1054	2.52135	9.87E-03	2.5E-02	3.46E-04	8.61E-06	1.59E-01	1.57E-01	2.15E-07	1.0E+06	2.2E-01
1055	2.63026	9.87E-03	2.6E-02	3.46E-04	8.99E-06	1.59E-01	1.57E-01	2.24E-07	1.0E+06	2.2E-01
1056	2.74637	9.87E-03	2.7E-02	3.46E-04	9.38E-06	1.59E-01	1.57E-01	2.34E-07	1.0E+06	2.3E-01
1057	2.87138	9.87E-03	2.8E-02	3.46E-04	9.81E-06	1.59E-01	1.57E-01	2.45E-07	1.0E+06	2.4E-01
1058	3.00939	9.87E-03	3.0E-02	3.46E-04	1.03E-05	1.59E-01	1.57E-01	2.57E-07	1.0E+06	2.6E-01
1059	3.16046	9.87E-03	3.1E-02	3.46E-04	1.08E-05	1.59E-01	1.57E-01	2.70E-07	1.0E+06	2.7E-01
1060	3.32447	9.87E-03	3.3E-02	3.46E-04	1.14E-05	1.59E-01	1.57E-01	2.84E-07	1.0E+06	2.8E-01
1061	3.50138	9.87E-03	3.5E-02	3.46E-04	1.20E-05	1.59E-01	1.57E-01	2.99E-07	1.0E+06	3.0E-01
1062	3.69345	9.87E-03	3.6E-02	3.46E-04	1.26E-05	1.59E-01	1.57E-01	3.15E-07	1.0E+06	3.2E-01
1063	3.90012	9.87E-03	3.8E-02	3.46E-04	1.33E-05	1.59E-01	1.57E-01	3.33E-07	1.0E+06	3.3E-01
1064	4.11704	9.87E-03	4.1E-02	3.46E-04	1.41E-05	1.59E-01	1.57E-01	3.51E-07	1.0E+06	3.5E-01
1065	4.34138	9.87E-03	4.3E-02	3.46E-04	1.48E-05	1.59E-01	1.57E-01	3.70E-07	1.0E+06	3.7E-01
1066	4.56573	9.87E-03	4.5E-02	3.46E-04	1.56E-05	1.59E-01	1.57E-01	3.90E-07	1.0E+06	3.9E-01
1067	4.78179	9.87E-03	4.7E-02	3.46E-04	1.63E-05	1.59E-01	1.57E-01	4.08E-07	1.0E+06	4.1E-01
1068	4.97805	9.87E-03	4.9E-02	3.46E-04	1.70E-05	1.59E-01	1.57E-01	4.25E-07	1.0E+06	4.2E-01
1069	5.142	9.87E-03	5.1E-02	3.46E-04	1.76E-05	1.59E-01	1.57E-01	4.39E-07	1.0E+06	4.4E-01
1070	5.26826	9.87E-03	5.2E-02	3.46E-04	1.80E-05	1.59E-01	1.57E-01	4.49E-07	1.0E+06	4.5E-01
1071	5.34837	9.87E-03	5.3E-02	3.46E-04	1.83E-05	1.59E-01	1.57E-01	4.56E-07	1.0E+06	4.6E-01
1072	5.37264	9.87E-03	5.3E-02	3.46E-04	1.84E-05	1.59E-01	1.57E-01	4.58E-07	1.0E+06	4.6E-01
1073	5.34517	9.87E-03	5.3E-02	3.46E-04	1.83E-05	1.59E-01	1.57E-01	4.56E-07	1.0E+06	4.6E-01
1074	5.26473	9.87E-03	5.2E-02	3.46E-04	1.80E-05	1.59E-01	1.57E-01	4.49E-07	1.0E+06	4.5E-01
1075	5.12805	9.87E-03	5.1E-02	3.46E-04	1.75E-05	1.59E-01	1.57E-01	4.37E-07	1.0E+06	4.4E-01
1076	4.9404	9.87E-03	4.9E-02	3.46E-04	1.69E-05	1.59E-01	1.57E-01	4.21E-07	1.0E+06	4.2E-01
1077	4.71126	9.87E-03	4.6E-02	3.46E-04	1.61E-05	1.59E-01	1.57E-01	4.02E-07	1.0E+06	4.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	9.87E-03	1.8E-02	3.46E-04	6.12E-06	1.59E-01	1.57E-01	1.53E-07	1.0E+06	1.5E-01
1079	1.86905	9.87E-03	1.8E-02	3.46E-04	6.39E-06	1.59E-01	1.57E-01	1.59E-07	1.0E+06	1.6E-01
1080	1.95087	9.87E-03	1.9E-02	3.46E-04	6.67E-06	1.59E-01	1.57E-01	1.66E-07	1.0E+06	1.7E-01
1081	2.03097	9.87E-03	2.0E-02	3.46E-04	6.94E-06	1.59E-01	1.57E-01	1.73E-07	1.0E+06	1.7E-01
1082	2.11709	9.87E-03	2.1E-02	3.46E-04	7.23E-06	1.59E-01	1.57E-01	1.81E-07	1.0E+06	1.8E-01
1083	2.2085	9.87E-03	2.2E-02	3.46E-04	7.55E-06	1.59E-01	1.57E-01	1.88E-07	1.0E+06	1.9E-01
1084	2.3035	9.87E-03	2.3E-02	3.46E-04	7.87E-06	1.59E-01	1.57E-01	1.97E-07	1.0E+06	2.0E-01
1085	2.39687	9.87E-03	2.4E-02	3.46E-04	8.19E-06	1.59E-01	1.57E-01	2.04E-07	1.0E+06	2.0E-01
1086	2.49947	9.87E-03	2.5E-02	3.46E-04	8.54E-06	1.59E-01	1.57E-01	2.13E-07	1.0E+06	2.1E-01
1087	2.6091	9.87E-03	2.6E-02	3.46E-04	8.91E-06	1.59E-01	1.57E-01	2.23E-07	1.0E+06	2.2E-01
1088	2.72531	9.87E-03	2.7E-02	3.46E-04	9.31E-06	1.59E-01	1.57E-01	2.32E-07	1.0E+06	2.3E-01
1089	2.8493	9.87E-03	2.8E-02	3.46E-04	9.73E-06	1.59E-01	1.57E-01	2.43E-07	1.0E+06	2.4E-01
1090	2.98273	9.87E-03	2.9E-02	3.46E-04	1.02E-05	1.59E-01	1.57E-01	2.54E-07	1.0E+06	2.5E-01
1091	3.12782	9.87E-03	3.1E-02	3.46E-04	1.07E-05	1.59E-01	1.57E-01	2.67E-07	1.0E+06	2.7E-01
1092	3.2898	9.87E-03	3.2E-02	3.46E-04	1.12E-05	1.59E-01	1.57E-01	2.81E-07	1.0E+06	2.8E-01
1093	3.4702	9.87E-03	3.4E-02	3.46E-04	1.19E-05	1.59E-01	1.57E-01	2.96E-07	1.0E+06	3.0E-01
1094	3.67038	9.87E-03	3.6E-02	3.46E-04	1.25E-05	1.59E-01	1.57E-01	3.13E-07	1.0E+06	3.1E-01
1095	3.89235	9.87E-03	3.8E-02	3.46E-04	1.33E-05	1.59E-01	1.57E-01	3.32E-07	1.0E+06	3.3E-01
1096	4.14004	9.87E-03	4.1E-02	3.46E-04	1.41E-05	1.59E-01	1.57E-01	3.53E-07	1.0E+06	3.5E-01
1097	4.41279	9.87E-03	4.4E-02	3.46E-04	1.51E-05	1.59E-01	1.57E-01	3.76E-07	1.0E+06	3.8E-01
1098	4.70698	9.87E-03	4.6E-02	3.46E-04	1.61E-05	1.59E-01	1.57E-01	4.02E-07	1.0E+06	4.0E-01
1099	5.01782	9.87E-03	5.0E-02	3.46E-04	1.71E-05	1.59E-01	1.57E-01	4.28E-07	1.0E+06	4.3E-01
1100	5.33334	9.87E-03	5.3E-02	3.46E-04	1.82E-05	1.59E-01	1.57E-01	4.55E-07	1.0E+06	4.5E-01
1101	5.63956	9.87E-03	5.6E-02	3.46E-04	1.93E-05	1.59E-01	1.57E-01	4.81E-07	1.0E+06	4.8E-01
1102	5.92318	9.87E-03	5.8E-02	3.46E-04	2.02E-05	1.59E-01	1.57E-01	5.05E-07	1.0E+06	5.1E-01
1103	6.15976	9.87E-03	6.1E-02	3.46E-04	2.10E-05	1.59E-01	1.57E-01	5.25E-07	1.0E+06	5.3E-01
1104	6.33917	9.87E-03	6.3E-02	3.46E-04	2.17E-05	1.59E-01	1.57E-01	5.41E-07	1.0E+06	5.4E-01
1105	6.45005	9.87E-03	6.4E-02	3.46E-04	2.20E-05	1.59E-01	1.57E-01	5.50E-07	1.0E+06	5.5E-01
1106	6.4842	9.87E-03	6.4E-02	3.46E-04	2.22E-05	1.59E-01	1.57E-01	5.53E-07	1.0E+06	5.5E-01
1107	6.44643	9.87E-03	6.4E-02	3.46E-04	2.20E-05	1.59E-01	1.57E-01	5.50E-07	1.0E+06	5.5E-01
1108	6.33	9.87E-03	6.2E-02	3.46E-04	2.16E-05	1.59E-01	1.57E-01	5.40E-07	1.0E+06	5.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	9.87E-03	6.0E-02	3.46E-04	2.09E-05	1.59E-01	1.57E-01	5.23E-07	1.0E+06	5.2E-01
1110	5.84948	9.87E-03	5.8E-02	3.46E-04	2.00E-05	1.59E-01	1.57E-01	4.99E-07	1.0E+06	5.0E-01
1111	5.51509	9.87E-03	5.4E-02	3.46E-04	1.88E-05	1.59E-01	1.57E-01	4.70E-07	1.0E+06	4.7E-01
1112	1.90754	9.87E-03	1.9E-02	3.46E-04	6.52E-06	1.59E-01	1.57E-01	1.63E-07	1.0E+06	1.6E-01
1113	1.99395	9.87E-03	2.0E-02	3.46E-04	6.81E-06	1.59E-01	1.57E-01	1.70E-07	1.0E+06	1.7E-01
1114	2.08392	9.87E-03	2.1E-02	3.46E-04	7.12E-06	1.59E-01	1.57E-01	1.78E-07	1.0E+06	1.8E-01
1115	2.17568	9.87E-03	2.1E-02	3.46E-04	7.43E-06	1.59E-01	1.57E-01	1.86E-07	1.0E+06	1.9E-01
1116	2.26975	9.87E-03	2.2E-02	3.46E-04	7.75E-06	1.59E-01	1.57E-01	1.94E-07	1.0E+06	1.9E-01
1117	2.37171	9.87E-03	2.3E-02	3.46E-04	8.10E-06	1.59E-01	1.57E-01	2.02E-07	1.0E+06	2.0E-01
1118	2.47776	9.87E-03	2.4E-02	3.46E-04	8.47E-06	1.59E-01	1.57E-01	2.11E-07	1.0E+06	2.1E-01
1119	2.58252	9.87E-03	2.5E-02	3.46E-04	8.82E-06	1.59E-01	1.57E-01	2.20E-07	1.0E+06	2.2E-01
1120	2.69744	9.87E-03	2.7E-02	3.46E-04	9.22E-06	1.59E-01	1.57E-01	2.30E-07	1.0E+06	2.3E-01
1121	2.82046	9.87E-03	2.8E-02	3.46E-04	9.64E-06	1.59E-01	1.57E-01	2.41E-07	1.0E+06	2.4E-01
1122	2.95147	9.87E-03	2.9E-02	3.46E-04	1.01E-05	1.59E-01	1.57E-01	2.52E-07	1.0E+06	2.5E-01
1123	3.09213	9.87E-03	3.1E-02	3.46E-04	1.06E-05	1.59E-01	1.57E-01	2.64E-07	1.0E+06	2.6E-01
1124	3.24473	9.87E-03	3.2E-02	3.46E-04	1.11E-05	1.59E-01	1.57E-01	2.77E-07	1.0E+06	2.8E-01
1125	3.41259	9.87E-03	3.4E-02	3.46E-04	1.17E-05	1.59E-01	1.57E-01	2.91E-07	1.0E+06	2.9E-01
1126	3.60217	9.87E-03	3.6E-02	3.46E-04	1.23E-05	1.59E-01	1.57E-01	3.07E-07	1.0E+06	3.1E-01
1127	3.81712	9.87E-03	3.8E-02	3.46E-04	1.30E-05	1.59E-01	1.57E-01	3.26E-07	1.0E+06	3.3E-01
1128	4.0622	9.87E-03	4.0E-02	3.46E-04	1.39E-05	1.59E-01	1.57E-01	3.47E-07	1.0E+06	3.5E-01
1129	4.34181	9.87E-03	4.3E-02	3.46E-04	1.48E-05	1.59E-01	1.57E-01	3.70E-07	1.0E+06	3.7E-01
1130	4.66524	9.87E-03	4.6E-02	3.46E-04	1.59E-05	1.59E-01	1.57E-01	3.98E-07	1.0E+06	4.0E-01
1131	5.03357	9.87E-03	5.0E-02	3.46E-04	1.72E-05	1.59E-01	1.57E-01	4.29E-07	1.0E+06	4.3E-01
1132	5.44589	9.87E-03	5.4E-02	3.46E-04	1.86E-05	1.59E-01	1.57E-01	4.65E-07	1.0E+06	4.6E-01
1133	5.89285	9.87E-03	5.8E-02	3.46E-04	2.01E-05	1.59E-01	1.57E-01	5.03E-07	1.0E+06	5.0E-01
1134	6.35095	9.87E-03	6.3E-02	3.46E-04	2.17E-05	1.59E-01	1.57E-01	5.42E-07	1.0E+06	5.4E-01
1135	6.79794	9.87E-03	6.7E-02	3.46E-04	2.32E-05	1.59E-01	1.57E-01	5.80E-07	1.0E+06	5.8E-01
1136	7.22023	9.87E-03	7.1E-02	3.46E-04	2.47E-05	1.59E-01	1.57E-01	6.16E-07	1.0E+06	6.2E-01
1137	7.57481	9.87E-03	7.5E-02	3.46E-04	2.59E-05	1.59E-01	1.57E-01	6.46E-07	1.0E+06	6.5E-01
1138	7.83292	9.87E-03	7.7E-02	3.46E-04	2.68E-05	1.59E-01	1.57E-01	6.68E-07	1.0E+06	6.7E-01
1139	7.97995	9.87E-03	7.9E-02	3.46E-04	2.73E-05	1.59E-01	1.57E-01	6.81E-07	1.0E+06	6.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	9.87E-03	7.9E-02	3.46E-04	2.74E-05	1.59E-01	1.57E-01	6.85E-07	1.0E+06	6.9E-01
1141	7.98973	9.87E-03	7.9E-02	3.46E-04	2.73E-05	1.59E-01	1.57E-01	6.82E-07	1.0E+06	6.8E-01
1142	7.81875	9.87E-03	7.7E-02	3.46E-04	2.67E-05	1.59E-01	1.57E-01	6.67E-07	1.0E+06	6.7E-01
1143	7.50412	9.87E-03	7.4E-02	3.46E-04	2.56E-05	1.59E-01	1.57E-01	6.40E-07	1.0E+06	6.4E-01
1144	7.07481	9.87E-03	7.0E-02	3.46E-04	2.42E-05	1.59E-01	1.57E-01	6.04E-07	1.0E+06	6.0E-01
1145	6.56874	9.87E-03	6.5E-02	3.46E-04	2.24E-05	1.59E-01	1.57E-01	5.60E-07	1.0E+06	5.6E-01
1146	2.03453	9.87E-03	2.0E-02	3.46E-04	6.95E-06	1.59E-01	1.57E-01	1.74E-07	1.0E+06	1.7E-01
1147	2.13247	9.87E-03	2.1E-02	3.46E-04	7.29E-06	1.59E-01	1.57E-01	1.82E-07	1.0E+06	1.8E-01
1148	2.23163	9.87E-03	2.2E-02	3.46E-04	7.62E-06	1.59E-01	1.57E-01	1.90E-07	1.0E+06	1.9E-01
1149	2.33656	9.87E-03	2.3E-02	3.46E-04	7.98E-06	1.59E-01	1.57E-01	1.99E-07	1.0E+06	2.0E-01
1150	2.44222	9.87E-03	2.4E-02	3.46E-04	8.34E-06	1.59E-01	1.57E-01	2.08E-07	1.0E+06	2.1E-01
1151	2.55404	9.87E-03	2.5E-02	3.46E-04	8.73E-06	1.59E-01	1.57E-01	2.18E-07	1.0E+06	2.2E-01
1152	2.67247	9.87E-03	2.6E-02	3.46E-04	9.13E-06	1.59E-01	1.57E-01	2.28E-07	1.0E+06	2.3E-01
1153	2.79193	9.87E-03	2.8E-02	3.46E-04	9.54E-06	1.59E-01	1.57E-01	2.38E-07	1.0E+06	2.4E-01
1154	2.91823	9.87E-03	2.9E-02	3.46E-04	9.97E-06	1.59E-01	1.57E-01	2.49E-07	1.0E+06	2.5E-01
1155	3.05585	9.87E-03	3.0E-02	3.46E-04	1.04E-05	1.59E-01	1.57E-01	2.61E-07	1.0E+06	2.6E-01
1156	3.20293	9.87E-03	3.2E-02	3.46E-04	1.09E-05	1.59E-01	1.57E-01	2.73E-07	1.0E+06	2.7E-01
1157	3.36173	9.87E-03	3.3E-02	3.46E-04	1.15E-05	1.59E-01	1.57E-01	2.87E-07	1.0E+06	2.9E-01
1158	3.53541	9.87E-03	3.5E-02	3.46E-04	1.21E-05	1.59E-01	1.57E-01	3.02E-07	1.0E+06	3.0E-01
1159	3.7286	9.87E-03	3.7E-02	3.46E-04	1.27E-05	1.59E-01	1.57E-01	3.18E-07	1.0E+06	3.2E-01
1160	3.94893	9.87E-03	3.9E-02	3.46E-04	1.35E-05	1.59E-01	1.57E-01	3.37E-07	1.0E+06	3.4E-01
1161	4.20347	9.87E-03	4.1E-02	3.46E-04	1.44E-05	1.59E-01	1.57E-01	3.59E-07	1.0E+06	3.6E-01
1162	4.50184	9.87E-03	4.4E-02	3.46E-04	1.54E-05	1.59E-01	1.57E-01	3.84E-07	1.0E+06	3.8E-01
1163	4.85509	9.87E-03	4.8E-02	3.46E-04	1.66E-05	1.59E-01	1.57E-01	4.14E-07	1.0E+06	4.1E-01
1164	5.28071	9.87E-03	5.2E-02	3.46E-04	1.80E-05	1.59E-01	1.57E-01	4.51E-07	1.0E+06	4.5E-01
1165	5.79017	9.87E-03	5.7E-02	3.46E-04	1.98E-05	1.59E-01	1.57E-01	4.94E-07	1.0E+06	4.9E-01
1166	6.38984	9.87E-03	6.3E-02	3.46E-04	2.18E-05	1.59E-01	1.57E-01	5.45E-07	1.0E+06	5.5E-01
1167	7.06432	9.87E-03	7.0E-02	3.46E-04	2.41E-05	1.59E-01	1.57E-01	6.03E-07	1.0E+06	6.0E-01
1168	6.38019	9.87E-03	6.3E-02	3.46E-04	2.18E-05	1.59E-01	1.57E-01	5.44E-07	1.0E+06	5.4E-01
1169	8.41857	9.87E-03	8.3E-02	3.46E-04	2.88E-05	1.59E-01	1.57E-01	7.18E-07	1.0E+06	7.2E-01
1170	7.5517	9.87E-03	7.5E-02	3.46E-04	2.58E-05	1.59E-01	1.57E-01	6.44E-07	1.0E+06	6.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	9.87E-03	7.7E-02	3.46E-04	2.68E-05	1.59E-01	1.57E-01	6.68E-07	1.0E+06	6.7E-01
1172	8.1392	9.87E-03	8.0E-02	3.46E-04	2.78E-05	1.59E-01	1.57E-01	6.94E-07	1.0E+06	6.9E-01
1173	8.48934	9.87E-03	8.4E-02	3.46E-04	2.90E-05	1.59E-01	1.57E-01	7.24E-07	1.0E+06	7.2E-01
1174	8.63871	9.87E-03	8.5E-02	3.46E-04	2.95E-05	1.59E-01	1.57E-01	7.37E-07	1.0E+06	7.4E-01
1175	8.32856	9.87E-03	8.2E-02	3.46E-04	2.85E-05	1.59E-01	1.57E-01	7.11E-07	1.0E+06	7.1E-01
1176	8.01684	9.87E-03	7.9E-02	3.46E-04	2.74E-05	1.59E-01	1.57E-01	6.84E-07	1.0E+06	6.8E-01
1177	7.68924	9.87E-03	7.6E-02	3.46E-04	2.63E-05	1.59E-01	1.57E-01	6.56E-07	1.0E+06	6.6E-01
1178	5.9706	9.87E-03	5.9E-02	3.46E-04	2.04E-05	1.59E-01	1.57E-01	5.09E-07	1.0E+06	5.1E-01
1179	6.57107	9.87E-03	6.5E-02	3.46E-04	2.24E-05	1.59E-01	1.57E-01	5.61E-07	1.0E+06	5.6E-01
1180	2.17552	9.87E-03	2.1E-02	3.46E-04	7.43E-06	1.59E-01	1.57E-01	1.86E-07	1.0E+06	1.9E-01
1181	2.28576	9.87E-03	2.3E-02	3.46E-04	7.81E-06	1.59E-01	1.57E-01	1.95E-07	1.0E+06	1.9E-01
1182	2.39727	9.87E-03	2.4E-02	3.46E-04	8.19E-06	1.59E-01	1.57E-01	2.05E-07	1.0E+06	2.0E-01
1183	2.51595	9.87E-03	2.5E-02	3.46E-04	8.60E-06	1.59E-01	1.57E-01	2.15E-07	1.0E+06	2.1E-01
1184	2.63399	9.87E-03	2.6E-02	3.46E-04	9.00E-06	1.59E-01	1.57E-01	2.25E-07	1.0E+06	2.2E-01
1185	2.7595	9.87E-03	2.7E-02	3.46E-04	9.43E-06	1.59E-01	1.57E-01	2.35E-07	1.0E+06	2.4E-01
1186	2.89193	9.87E-03	2.9E-02	3.46E-04	9.88E-06	1.59E-01	1.57E-01	2.47E-07	1.0E+06	2.5E-01
1187	3.02979	9.87E-03	3.0E-02	3.46E-04	1.04E-05	1.59E-01	1.57E-01	2.58E-07	1.0E+06	2.6E-01
1188	3.16867	9.87E-03	3.1E-02	3.46E-04	1.08E-05	1.59E-01	1.57E-01	2.70E-07	1.0E+06	2.7E-01
1189	3.32023	9.87E-03	3.3E-02	3.46E-04	1.13E-05	1.59E-01	1.57E-01	2.83E-07	1.0E+06	2.8E-01
1190	3.48447	9.87E-03	3.4E-02	3.46E-04	1.19E-05	1.59E-01	1.57E-01	2.97E-07	1.0E+06	3.0E-01
1191	3.66265	9.87E-03	3.6E-02	3.46E-04	1.25E-05	1.59E-01	1.57E-01	3.12E-07	1.0E+06	3.1E-01
1192	3.85875	9.87E-03	3.8E-02	3.46E-04	1.32E-05	1.59E-01	1.57E-01	3.29E-07	1.0E+06	3.3E-01
1193	4.07907	9.87E-03	4.0E-02	3.46E-04	1.39E-05	1.59E-01	1.57E-01	3.48E-07	1.0E+06	3.5E-01
1194	4.33265	9.87E-03	4.3E-02	3.46E-04	1.48E-05	1.59E-01	1.57E-01	3.70E-07	1.0E+06	3.7E-01
1195	4.6314	9.87E-03	4.6E-02	3.46E-04	1.58E-05	1.59E-01	1.57E-01	3.95E-07	1.0E+06	4.0E-01
1196	4.99103	9.87E-03	4.9E-02	3.46E-04	1.71E-05	1.59E-01	1.57E-01	4.26E-07	1.0E+06	4.3E-01
1197	5.43436	9.87E-03	5.4E-02	3.46E-04	1.86E-05	1.59E-01	1.57E-01	4.64E-07	1.0E+06	4.6E-01
1198	5.99494	9.87E-03	5.9E-02	3.46E-04	2.05E-05	1.59E-01	1.57E-01	5.11E-07	1.0E+06	5.1E-01
1199	6.70943	9.87E-03	6.6E-02	3.46E-04	2.29E-05	1.59E-01	1.57E-01	5.72E-07	1.0E+06	5.7E-01
1200	6.07919	9.87E-03	6.0E-02	3.46E-04	2.08E-05	1.59E-01	1.57E-01	5.19E-07	1.0E+06	5.2E-01
1201	6.72457	9.87E-03	6.6E-02	3.46E-04	2.30E-05	1.59E-01	1.57E-01	5.74E-07	1.0E+06	5.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer Risk from 3rd Trimester - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	9.87E-03	7.5E-02	3.46E-04	2.58E-05	1.59E-01	1.57E-01	6.45E-07	1.0E+06	6.4E-01
1203	6.99298	9.87E-03	6.9E-02	3.46E-04	2.39E-05	1.59E-01	1.57E-01	5.97E-07	1.0E+06	6.0E-01
1204	7.66017	9.87E-03	7.6E-02	3.46E-04	2.62E-05	1.59E-01	1.57E-01	6.53E-07	1.0E+06	6.5E-01
1205	9.76139	9.87E-03	9.6E-02	3.46E-04	3.33E-05	1.59E-01	1.57E-01	8.33E-07	1.0E+06	8.3E-01
1206	8.83169	9.87E-03	8.7E-02	3.46E-04	3.02E-05	1.59E-01	1.57E-01	7.53E-07	1.0E+06	7.5E-01
1207	9.02331	9.87E-03	8.9E-02	3.46E-04	3.08E-05	1.59E-01	1.57E-01	7.70E-07	1.0E+06	7.7E-01
1208	7.72726	9.87E-03	7.6E-02	3.46E-04	2.64E-05	1.59E-01	1.57E-01	6.59E-07	1.0E+06	6.6E-01
1209	8.9362	9.87E-03	8.8E-02	3.46E-04	3.05E-05	1.59E-01	1.57E-01	7.62E-07	1.0E+06	7.6E-01
1210	7.16039	9.87E-03	7.1E-02	3.46E-04	2.45E-05	1.59E-01	1.57E-01	6.11E-07	1.0E+06	6.1E-01
1211	6.44491	9.87E-03	6.4E-02	3.46E-04	2.20E-05	1.59E-01	1.57E-01	5.50E-07	1.0E+06	5.5E-01
1212	7.05356	9.87E-03	7.0E-02	3.46E-04	2.41E-05	1.59E-01	1.57E-01	6.02E-07	1.0E+06	6.0E-01
1213	6.23474	9.87E-03	6.2E-02	3.46E-04	2.13E-05	1.59E-01	1.57E-01	5.32E-07	1.0E+06	5.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	1.90398	3.01416E-07	5.7E-07	3.46E-04	1.99E-10	1.59E-01	1.57E-01	4.96E-12	1.0E+06	5.0E-06
893	893	1.97855	3.01416E-07	6.0E-07	3.46E-04	2.06E-10	1.59E-01	1.57E-01	5.15E-12	1.0E+06	5.2E-06
894	894	2.0548	3.01416E-07	6.2E-07	3.46E-04	2.14E-10	1.59E-01	1.57E-01	5.35E-12	1.0E+06	5.4E-06
895	895	2.13213	3.01416E-07	6.4E-07	3.46E-04	2.22E-10	1.59E-01	1.57E-01	5.56E-12	1.0E+06	5.6E-06
896	896	2.20927	3.01416E-07	6.7E-07	3.46E-04	2.31E-10	1.59E-01	1.57E-01	5.76E-12	1.0E+06	5.8E-06
897	897	2.28317	3.01416E-07	6.9E-07	3.46E-04	2.38E-10	1.59E-01	1.57E-01	5.95E-12	1.0E+06	5.9E-06
898	898	2.35394	3.01416E-07	7.1E-07	3.46E-04	2.46E-10	1.59E-01	1.57E-01	6.13E-12	1.0E+06	6.1E-06
899	899	2.41933	3.01416E-07	7.3E-07	3.46E-04	2.52E-10	1.59E-01	1.57E-01	6.30E-12	1.0E+06	6.3E-06
900	900	2.47916	3.01416E-07	7.5E-07	3.46E-04	2.59E-10	1.59E-01	1.57E-01	6.46E-12	1.0E+06	6.5E-06
901	901	2.53249	3.01416E-07	7.6E-07	3.46E-04	2.64E-10	1.59E-01	1.57E-01	6.60E-12	1.0E+06	6.6E-06
902	902	2.57941	3.01416E-07	7.8E-07	3.46E-04	2.69E-10	1.59E-01	1.57E-01	6.72E-12	1.0E+06	6.7E-06
903	903	2.61702	3.01416E-07	7.9E-07	3.46E-04	2.73E-10	1.59E-01	1.57E-01	6.82E-12	1.0E+06	6.8E-06
904	904	2.64487	3.01416E-07	8.0E-07	3.46E-04	2.76E-10	1.59E-01	1.57E-01	6.89E-12	1.0E+06	6.9E-06
905	905	2.66331	3.01416E-07	8.0E-07	3.46E-04	2.78E-10	1.59E-01	1.57E-01	6.94E-12	1.0E+06	6.9E-06
906	906	2.6724	3.01416E-07	8.1E-07	3.46E-04	2.79E-10	1.59E-01	1.57E-01	6.96E-12	1.0E+06	7.0E-06
907	907	2.67561	3.01416E-07	8.1E-07	3.46E-04	2.79E-10	1.59E-01	1.57E-01	6.97E-12	1.0E+06	7.0E-06
908	908	0.93883	3.01416E-07	2.8E-07	3.46E-04	9.80E-11	1.59E-01	1.57E-01	2.45E-12	1.0E+06	2.4E-06
909	909	0.97058	3.01416E-07	2.9E-07	3.46E-04	1.01E-10	1.59E-01	1.57E-01	2.53E-12	1.0E+06	2.5E-06
910	910	1.00414	3.01416E-07	3.0E-07	3.46E-04	1.05E-10	1.59E-01	1.57E-01	2.62E-12	1.0E+06	2.6E-06
911	911	1.04209	3.01416E-07	3.1E-07	3.46E-04	1.09E-10	1.59E-01	1.57E-01	2.72E-12	1.0E+06	2.7E-06
912	912	1.08135	3.01416E-07	3.3E-07	3.46E-04	1.13E-10	1.59E-01	1.57E-01	2.82E-12	1.0E+06	2.8E-06
913	913	1.12518	3.01416E-07	3.4E-07	3.46E-04	1.17E-10	1.59E-01	1.57E-01	2.93E-12	1.0E+06	2.9E-06
914	914	1.17053	3.01416E-07	3.5E-07	3.46E-04	1.22E-10	1.59E-01	1.57E-01	3.05E-12	1.0E+06	3.0E-06
915	915	1.22074	3.01416E-07	3.7E-07	3.46E-04	1.27E-10	1.59E-01	1.57E-01	3.18E-12	1.0E+06	3.2E-06
916	916	1.27276	3.01416E-07	3.8E-07	3.46E-04	1.33E-10	1.59E-01	1.57E-01	3.32E-12	1.0E+06	3.3E-06
917	917	1.32734	3.01416E-07	4.0E-07	3.46E-04	1.38E-10	1.59E-01	1.57E-01	3.46E-12	1.0E+06	3.5E-06
918	918	1.38877	3.01416E-07	4.2E-07	3.46E-04	1.45E-10	1.59E-01	1.57E-01	3.62E-12	1.0E+06	3.6E-06
919	919	1.45082	3.01416E-07	4.4E-07	3.46E-04	1.51E-10	1.59E-01	1.57E-01	3.78E-12	1.0E+06	3.8E-06
920	920	1.51576	3.01416E-07	4.6E-07	3.46E-04	1.58E-10	1.59E-01	1.57E-01	3.95E-12	1.0E+06	3.9E-06
921	921	1.58373	3.01416E-07	4.8E-07	3.46E-04	1.65E-10	1.59E-01	1.57E-01	4.13E-12	1.0E+06	4.1E-06
922	922	1.65497	3.01416E-07	5.0E-07	3.46E-04	1.73E-10	1.59E-01	1.57E-01	4.31E-12	1.0E+06	4.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	1.72917	3.01416E-07	5.2E-07	3.46E-04	1.80E-10	1.59E-01	1.57E-01	4.51E-12	1.0E+06	4.5E-06
924	924	1.80614	3.01416E-07	5.4E-07	3.46E-04	1.88E-10	1.59E-01	1.57E-01	4.71E-12	1.0E+06	4.7E-06
925	925	1.88557	3.01416E-07	5.7E-07	3.46E-04	1.97E-10	1.59E-01	1.57E-01	4.91E-12	1.0E+06	4.9E-06
926	926	1.96751	3.01416E-07	5.9E-07	3.46E-04	2.05E-10	1.59E-01	1.57E-01	5.13E-12	1.0E+06	5.1E-06
927	927	2.05149	3.01416E-07	6.2E-07	3.46E-04	2.14E-10	1.59E-01	1.57E-01	5.34E-12	1.0E+06	5.3E-06
928	928	2.13745	3.01416E-07	6.4E-07	3.46E-04	2.23E-10	1.59E-01	1.57E-01	5.57E-12	1.0E+06	5.6E-06
929	929	2.22526	3.01416E-07	6.7E-07	3.46E-04	2.32E-10	1.59E-01	1.57E-01	5.80E-12	1.0E+06	5.8E-06
930	930	2.3146	3.01416E-07	7.0E-07	3.46E-04	2.42E-10	1.59E-01	1.57E-01	6.03E-12	1.0E+06	6.0E-06
931	931	2.40372	3.01416E-07	7.2E-07	3.46E-04	2.51E-10	1.59E-01	1.57E-01	6.26E-12	1.0E+06	6.3E-06
932	932	2.48952	3.01416E-07	7.5E-07	3.46E-04	2.60E-10	1.59E-01	1.57E-01	6.49E-12	1.0E+06	6.5E-06
933	933	2.57217	3.01416E-07	7.8E-07	3.46E-04	2.68E-10	1.59E-01	1.57E-01	6.70E-12	1.0E+06	6.7E-06
934	934	2.64898	3.01416E-07	8.0E-07	3.46E-04	2.76E-10	1.59E-01	1.57E-01	6.90E-12	1.0E+06	6.9E-06
935	935	2.71994	3.01416E-07	8.2E-07	3.46E-04	2.84E-10	1.59E-01	1.57E-01	7.09E-12	1.0E+06	7.1E-06
936	936	2.7832	3.01416E-07	8.4E-07	3.46E-04	2.90E-10	1.59E-01	1.57E-01	7.25E-12	1.0E+06	7.3E-06
937	937	2.83806	3.01416E-07	8.6E-07	3.46E-04	2.96E-10	1.59E-01	1.57E-01	7.39E-12	1.0E+06	7.4E-06
938	938	2.88233	3.01416E-07	8.7E-07	3.46E-04	3.01E-10	1.59E-01	1.57E-01	7.51E-12	1.0E+06	7.5E-06
939	939	2.9148	3.01416E-07	8.8E-07	3.46E-04	3.04E-10	1.59E-01	1.57E-01	7.59E-12	1.0E+06	7.6E-06
940	940	2.93611	3.01416E-07	8.8E-07	3.46E-04	3.06E-10	1.59E-01	1.57E-01	7.65E-12	1.0E+06	7.6E-06
941	941	2.94631	3.01416E-07	8.9E-07	3.46E-04	3.07E-10	1.59E-01	1.57E-01	7.68E-12	1.0E+06	7.7E-06
942	942	0.97699	3.01416E-07	2.9E-07	3.46E-04	1.02E-10	1.59E-01	1.57E-01	2.55E-12	1.0E+06	2.5E-06
943	943	1.01156	3.01416E-07	3.0E-07	3.46E-04	1.06E-10	1.59E-01	1.57E-01	2.64E-12	1.0E+06	2.6E-06
944	944	1.04817	3.01416E-07	3.2E-07	3.46E-04	1.09E-10	1.59E-01	1.57E-01	2.73E-12	1.0E+06	2.7E-06
945	945	1.08752	3.01416E-07	3.3E-07	3.46E-04	1.13E-10	1.59E-01	1.57E-01	2.83E-12	1.0E+06	2.8E-06
946	946	1.13045	3.01416E-07	3.4E-07	3.46E-04	1.18E-10	1.59E-01	1.57E-01	2.95E-12	1.0E+06	2.9E-06
947	947	1.1764	3.01416E-07	3.5E-07	3.46E-04	1.23E-10	1.59E-01	1.57E-01	3.07E-12	1.0E+06	3.1E-06
948	948	1.22634	3.01416E-07	3.7E-07	3.46E-04	1.28E-10	1.59E-01	1.57E-01	3.20E-12	1.0E+06	3.2E-06
949	949	1.27976	3.01416E-07	3.9E-07	3.46E-04	1.34E-10	1.59E-01	1.57E-01	3.33E-12	1.0E+06	3.3E-06
950	950	1.33732	3.01416E-07	4.0E-07	3.46E-04	1.40E-10	1.59E-01	1.57E-01	3.48E-12	1.0E+06	3.5E-06
951	951	1.39744	3.01416E-07	4.2E-07	3.46E-04	1.46E-10	1.59E-01	1.57E-01	3.64E-12	1.0E+06	3.6E-06
952	952	1.46306	3.01416E-07	4.4E-07	3.46E-04	1.53E-10	1.59E-01	1.57E-01	3.81E-12	1.0E+06	3.8E-06
953	953	1.53168	3.01416E-07	4.6E-07	3.46E-04	1.60E-10	1.59E-01	1.57E-01	3.99E-12	1.0E+06	4.0E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	1.60385	3.01416E-07	4.8E-07	3.46E-04	1.67E-10	1.59E-01	1.57E-01	4.18E-12	1.0E+06	4.2E-06
955	955	1.67976	3.01416E-07	5.1E-07	3.46E-04	1.75E-10	1.59E-01	1.57E-01	4.38E-12	1.0E+06	4.4E-06
956	956	1.76089	3.01416E-07	5.3E-07	3.46E-04	1.84E-10	1.59E-01	1.57E-01	4.59E-12	1.0E+06	4.6E-06
957	957	1.84586	3.01416E-07	5.6E-07	3.46E-04	1.93E-10	1.59E-01	1.57E-01	4.81E-12	1.0E+06	4.8E-06
958	958	1.9336	3.01416E-07	5.8E-07	3.46E-04	2.02E-10	1.59E-01	1.57E-01	5.04E-12	1.0E+06	5.0E-06
959	959	2.02394	3.01416E-07	6.1E-07	3.46E-04	2.11E-10	1.59E-01	1.57E-01	5.27E-12	1.0E+06	5.3E-06
960	960	2.11764	3.01416E-07	6.4E-07	3.46E-04	2.21E-10	1.59E-01	1.57E-01	5.52E-12	1.0E+06	5.5E-06
961	961	2.21445	3.01416E-07	6.7E-07	3.46E-04	2.31E-10	1.59E-01	1.57E-01	5.77E-12	1.0E+06	5.8E-06
962	962	2.31395	3.01416E-07	7.0E-07	3.46E-04	2.41E-10	1.59E-01	1.57E-01	6.03E-12	1.0E+06	6.0E-06
963	963	2.41602	3.01416E-07	7.3E-07	3.46E-04	2.52E-10	1.59E-01	1.57E-01	6.29E-12	1.0E+06	6.3E-06
964	964	2.51977	3.01416E-07	7.6E-07	3.46E-04	2.63E-10	1.59E-01	1.57E-01	6.57E-12	1.0E+06	6.6E-06
965	965	2.62412	3.01416E-07	7.9E-07	3.46E-04	2.74E-10	1.59E-01	1.57E-01	6.84E-12	1.0E+06	6.8E-06
966	966	2.72515	3.01416E-07	8.2E-07	3.46E-04	2.84E-10	1.59E-01	1.57E-01	7.10E-12	1.0E+06	7.1E-06
967	967	2.82212	3.01416E-07	8.5E-07	3.46E-04	2.94E-10	1.59E-01	1.57E-01	7.35E-12	1.0E+06	7.4E-06
968	968	2.91415	3.01416E-07	8.8E-07	3.46E-04	3.04E-10	1.59E-01	1.57E-01	7.59E-12	1.0E+06	7.6E-06
969	969	2.99892	3.01416E-07	9.0E-07	3.46E-04	3.13E-10	1.59E-01	1.57E-01	7.81E-12	1.0E+06	7.8E-06
970	970	3.07436	3.01416E-07	9.3E-07	3.46E-04	3.21E-10	1.59E-01	1.57E-01	8.01E-12	1.0E+06	8.0E-06
971	971	3.13891	3.01416E-07	9.5E-07	3.46E-04	3.28E-10	1.59E-01	1.57E-01	8.18E-12	1.0E+06	8.2E-06
972	972	3.19185	3.01416E-07	9.6E-07	3.46E-04	3.33E-10	1.59E-01	1.57E-01	8.32E-12	1.0E+06	8.3E-06
973	973	3.23053	3.01416E-07	9.7E-07	3.46E-04	3.37E-10	1.59E-01	1.57E-01	8.42E-12	1.0E+06	8.4E-06
974	974	3.25618	3.01416E-07	9.8E-07	3.46E-04	3.40E-10	1.59E-01	1.57E-01	8.48E-12	1.0E+06	8.5E-06
975	975	3.2682	3.01416E-07	9.9E-07	3.46E-04	3.41E-10	1.59E-01	1.57E-01	8.52E-12	1.0E+06	8.5E-06
976	976	1.0157	3.01416E-07	3.1E-07	3.46E-04	1.06E-10	1.59E-01	1.57E-01	2.65E-12	1.0E+06	2.6E-06
977	977	1.05334	3.01416E-07	3.2E-07	3.46E-04	1.10E-10	1.59E-01	1.57E-01	2.74E-12	1.0E+06	2.7E-06
978	978	1.09327	3.01416E-07	3.3E-07	3.46E-04	1.14E-10	1.59E-01	1.57E-01	2.85E-12	1.0E+06	2.8E-06
979	979	1.13414	3.01416E-07	3.4E-07	3.46E-04	1.18E-10	1.59E-01	1.57E-01	2.95E-12	1.0E+06	3.0E-06
980	980	1.18109	3.01416E-07	3.6E-07	3.46E-04	1.23E-10	1.59E-01	1.57E-01	3.08E-12	1.0E+06	3.1E-06
981	981	1.22938	3.01416E-07	3.7E-07	3.46E-04	1.28E-10	1.59E-01	1.57E-01	3.20E-12	1.0E+06	3.2E-06
982	982	1.28429	3.01416E-07	3.9E-07	3.46E-04	1.34E-10	1.59E-01	1.57E-01	3.35E-12	1.0E+06	3.3E-06
983	983	1.34133	3.01416E-07	4.0E-07	3.46E-04	1.40E-10	1.59E-01	1.57E-01	3.49E-12	1.0E+06	3.5E-06
984	984	1.40495	3.01416E-07	4.2E-07	3.46E-04	1.47E-10	1.59E-01	1.57E-01	3.66E-12	1.0E+06	3.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	1.47136	3.01416E-07	4.4E-07	3.46E-04	1.54E-10	1.59E-01	1.57E-01	3.83E-12	1.0E+06	3.8E-06
986	986	1.54163	3.01416E-07	4.6E-07	3.46E-04	1.61E-10	1.59E-01	1.57E-01	4.02E-12	1.0E+06	4.0E-06
987	987	1.61774	3.01416E-07	4.9E-07	3.46E-04	1.69E-10	1.59E-01	1.57E-01	4.21E-12	1.0E+06	4.2E-06
988	988	1.69799	3.01416E-07	5.1E-07	3.46E-04	1.77E-10	1.59E-01	1.57E-01	4.42E-12	1.0E+06	4.4E-06
989	989	1.78299	3.01416E-07	5.4E-07	3.46E-04	1.86E-10	1.59E-01	1.57E-01	4.65E-12	1.0E+06	4.6E-06
990	990	1.87556	3.01416E-07	5.7E-07	3.46E-04	1.96E-10	1.59E-01	1.57E-01	4.89E-12	1.0E+06	4.9E-06
991	991	1.97308	3.01416E-07	5.9E-07	3.46E-04	2.06E-10	1.59E-01	1.57E-01	5.14E-12	1.0E+06	5.1E-06
992	992	2.07349	3.01416E-07	6.2E-07	3.46E-04	2.16E-10	1.59E-01	1.57E-01	5.40E-12	1.0E+06	5.4E-06
993	993	2.17688	3.01416E-07	6.6E-07	3.46E-04	2.27E-10	1.59E-01	1.57E-01	5.67E-12	1.0E+06	5.7E-06
994	994	2.28422	3.01416E-07	6.9E-07	3.46E-04	2.38E-10	1.59E-01	1.57E-01	5.95E-12	1.0E+06	6.0E-06
995	995	2.3966	3.01416E-07	7.2E-07	3.46E-04	2.50E-10	1.59E-01	1.57E-01	6.24E-12	1.0E+06	6.2E-06
996	996	2.51246	3.01416E-07	7.6E-07	3.46E-04	2.62E-10	1.59E-01	1.57E-01	6.55E-12	1.0E+06	6.5E-06
997	997	2.63161	3.01416E-07	7.9E-07	3.46E-04	2.75E-10	1.59E-01	1.57E-01	6.86E-12	1.0E+06	6.9E-06
998	998	2.7535	3.01416E-07	8.3E-07	3.46E-04	2.87E-10	1.59E-01	1.57E-01	7.17E-12	1.0E+06	7.2E-06
999	999	2.87632	3.01416E-07	8.7E-07	3.46E-04	3.00E-10	1.59E-01	1.57E-01	7.49E-12	1.0E+06	7.5E-06
1000	1000	2.99617	3.01416E-07	9.0E-07	3.46E-04	3.13E-10	1.59E-01	1.57E-01	7.81E-12	1.0E+06	7.8E-06
1001	1001	3.1113	3.01416E-07	9.4E-07	3.46E-04	3.25E-10	1.59E-01	1.57E-01	8.11E-12	1.0E+06	8.1E-06
1002	1002	3.22186	3.01416E-07	9.7E-07	3.46E-04	3.36E-10	1.59E-01	1.57E-01	8.39E-12	1.0E+06	8.4E-06
1003	1003	3.32446	3.01416E-07	1.0E-06	3.46E-04	3.47E-10	1.59E-01	1.57E-01	8.66E-12	1.0E+06	8.7E-06
1004	1004	3.41507	3.01416E-07	1.0E-06	3.46E-04	3.56E-10	1.59E-01	1.57E-01	8.90E-12	1.0E+06	8.9E-06
1005	1005	3.49176	3.01416E-07	1.1E-06	3.46E-04	3.64E-10	1.59E-01	1.57E-01	9.10E-12	1.0E+06	9.1E-06
1006	1006	3.55478	3.01416E-07	1.1E-06	3.46E-04	3.71E-10	1.59E-01	1.57E-01	9.26E-12	1.0E+06	9.3E-06
1007	1007	3.60174	3.01416E-07	1.1E-06	3.46E-04	3.76E-10	1.59E-01	1.57E-01	9.38E-12	1.0E+06	9.4E-06
1008	1008	3.63182	3.01416E-07	1.1E-06	3.46E-04	3.79E-10	1.59E-01	1.57E-01	9.46E-12	1.0E+06	9.5E-06
1009	1009	3.64571	3.01416E-07	1.1E-06	3.46E-04	3.80E-10	1.59E-01	1.57E-01	9.50E-12	1.0E+06	9.5E-06
1010	1010	1.05463	3.01416E-07	3.2E-07	3.46E-04	1.10E-10	1.59E-01	1.57E-01	2.75E-12	1.0E+06	2.7E-06
1011	1011	1.09564	3.01416E-07	3.3E-07	3.46E-04	1.14E-10	1.59E-01	1.57E-01	2.85E-12	1.0E+06	2.9E-06
1012	1012	1.13916	3.01416E-07	3.4E-07	3.46E-04	1.19E-10	1.59E-01	1.57E-01	2.97E-12	1.0E+06	3.0E-06
1013	1013	1.18545	3.01416E-07	3.6E-07	3.46E-04	1.24E-10	1.59E-01	1.57E-01	3.09E-12	1.0E+06	3.1E-06
1014	1014	1.23298	3.01416E-07	3.7E-07	3.46E-04	1.29E-10	1.59E-01	1.57E-01	3.21E-12	1.0E+06	3.2E-06
1015	1015	1.2838	3.01416E-07	3.9E-07	3.46E-04	1.34E-10	1.59E-01	1.57E-01	3.34E-12	1.0E+06	3.3E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	1.3441	3.01416E-07	4.1E-07	3.46E-04	1.40E-10	1.59E-01	1.57E-01	3.50E-12	1.0E+06	3.5E-06
1017	1017	1.40506	3.01416E-07	4.2E-07	3.46E-04	1.47E-10	1.59E-01	1.57E-01	3.66E-12	1.0E+06	3.7E-06
1018	1018	1.47534	3.01416E-07	4.4E-07	3.46E-04	1.54E-10	1.59E-01	1.57E-01	3.84E-12	1.0E+06	3.8E-06
1019	1019	1.54884	3.01416E-07	4.7E-07	3.46E-04	1.62E-10	1.59E-01	1.57E-01	4.04E-12	1.0E+06	4.0E-06
1020	1020	1.62466	3.01416E-07	4.9E-07	3.46E-04	1.70E-10	1.59E-01	1.57E-01	4.23E-12	1.0E+06	4.2E-06
1021	1021	1.70919	3.01416E-07	5.2E-07	3.46E-04	1.78E-10	1.59E-01	1.57E-01	4.45E-12	1.0E+06	4.5E-06
1022	1022	1.79886	3.01416E-07	5.4E-07	3.46E-04	1.88E-10	1.59E-01	1.57E-01	4.69E-12	1.0E+06	4.7E-06
1023	1023	1.89441	3.01416E-07	5.7E-07	3.46E-04	1.98E-10	1.59E-01	1.57E-01	4.94E-12	1.0E+06	4.9E-06
1024	1024	1.99997	3.01416E-07	6.0E-07	3.46E-04	2.09E-10	1.59E-01	1.57E-01	5.21E-12	1.0E+06	5.2E-06
1025	1025	2.1117	3.01416E-07	6.4E-07	3.46E-04	2.20E-10	1.59E-01	1.57E-01	5.50E-12	1.0E+06	5.5E-06
1026	1026	2.227	3.01416E-07	6.7E-07	3.46E-04	2.32E-10	1.59E-01	1.57E-01	5.80E-12	1.0E+06	5.8E-06
1027	1027	2.34609	3.01416E-07	7.1E-07	3.46E-04	2.45E-10	1.59E-01	1.57E-01	6.11E-12	1.0E+06	6.1E-06
1028	1028	2.47039	3.01416E-07	7.4E-07	3.46E-04	2.58E-10	1.59E-01	1.57E-01	6.44E-12	1.0E+06	6.4E-06
1029	1029	2.60117	3.01416E-07	7.8E-07	3.46E-04	2.71E-10	1.59E-01	1.57E-01	6.78E-12	1.0E+06	6.8E-06
1030	1030	2.73671	3.01416E-07	8.2E-07	3.46E-04	2.86E-10	1.59E-01	1.57E-01	7.13E-12	1.0E+06	7.1E-06
1031	1031	2.8771	3.01416E-07	8.7E-07	3.46E-04	3.00E-10	1.59E-01	1.57E-01	7.50E-12	1.0E+06	7.5E-06
1032	1032	3.02114	3.01416E-07	9.1E-07	3.46E-04	3.15E-10	1.59E-01	1.57E-01	7.87E-12	1.0E+06	7.9E-06
1033	1033	3.16654	3.01416E-07	9.5E-07	3.46E-04	3.30E-10	1.59E-01	1.57E-01	8.25E-12	1.0E+06	8.3E-06
1034	1034	3.30982	3.01416E-07	1.0E-06	3.46E-04	3.45E-10	1.59E-01	1.57E-01	8.62E-12	1.0E+06	8.6E-06
1035	1035	3.44858	3.01416E-07	1.0E-06	3.46E-04	3.60E-10	1.59E-01	1.57E-01	8.99E-12	1.0E+06	9.0E-06
1036	1036	3.58225	3.01416E-07	1.1E-06	3.46E-04	3.74E-10	1.59E-01	1.57E-01	9.33E-12	1.0E+06	9.3E-06
1037	1037	3.70738	3.01416E-07	1.1E-06	3.46E-04	3.87E-10	1.59E-01	1.57E-01	9.66E-12	1.0E+06	9.7E-06
1038	1038	3.81726	3.01416E-07	1.2E-06	3.46E-04	3.98E-10	1.59E-01	1.57E-01	9.95E-12	1.0E+06	9.9E-06
1039	1039	3.90939	3.01416E-07	1.2E-06	3.46E-04	4.08E-10	1.59E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
1040	1040	3.98446	3.01416E-07	1.2E-06	3.46E-04	4.16E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
1041	1041	4.04068	3.01416E-07	1.2E-06	3.46E-04	4.22E-10	1.59E-01	1.57E-01	1.05E-11	1.0E+06	1.1E-05
1042	1042	4.07537	3.01416E-07	1.2E-06	3.46E-04	4.25E-10	1.59E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
1043	1043	4.08958	3.01416E-07	1.2E-06	3.46E-04	4.27E-10	1.59E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
1044	1044	1.09359	3.01416E-07	3.3E-07	3.46E-04	1.14E-10	1.59E-01	1.57E-01	2.85E-12	1.0E+06	2.8E-06
1045	1045	1.13817	3.01416E-07	3.4E-07	3.46E-04	1.19E-10	1.59E-01	1.57E-01	2.97E-12	1.0E+06	3.0E-06
1046	1046	1.18555	3.01416E-07	3.6E-07	3.46E-04	1.24E-10	1.59E-01	1.57E-01	3.09E-12	1.0E+06	3.1E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	1.23611	3.01416E-07	3.7E-07	3.46E-04	1.29E-10	1.59E-01	1.57E-01	3.22E-12	1.0E+06	3.2E-06
1048	1048	1.2858	3.01416E-07	3.9E-07	3.46E-04	1.34E-10	1.59E-01	1.57E-01	3.35E-12	1.0E+06	3.4E-06
1049	1049	1.34555	3.01416E-07	4.1E-07	3.46E-04	1.40E-10	1.59E-01	1.57E-01	3.51E-12	1.0E+06	3.5E-06
1050	1050	1.40532	3.01416E-07	4.2E-07	3.46E-04	1.47E-10	1.59E-01	1.57E-01	3.66E-12	1.0E+06	3.7E-06
1051	1051	1.47035	3.01416E-07	4.4E-07	3.46E-04	1.53E-10	1.59E-01	1.57E-01	3.83E-12	1.0E+06	3.8E-06
1052	1052	1.54795	3.01416E-07	4.7E-07	3.46E-04	1.62E-10	1.59E-01	1.57E-01	4.03E-12	1.0E+06	4.0E-06
1053	1053	1.62963	3.01416E-07	4.9E-07	3.46E-04	1.70E-10	1.59E-01	1.57E-01	4.25E-12	1.0E+06	4.2E-06
1054	1054	1.71205	3.01416E-07	5.2E-07	3.46E-04	1.79E-10	1.59E-01	1.57E-01	4.46E-12	1.0E+06	4.5E-06
1055	1055	1.80679	3.01416E-07	5.4E-07	3.46E-04	1.89E-10	1.59E-01	1.57E-01	4.71E-12	1.0E+06	4.7E-06
1056	1056	1.90775	3.01416E-07	5.8E-07	3.46E-04	1.99E-10	1.59E-01	1.57E-01	4.97E-12	1.0E+06	5.0E-06
1057	1057	2.01596	3.01416E-07	6.1E-07	3.46E-04	2.10E-10	1.59E-01	1.57E-01	5.25E-12	1.0E+06	5.3E-06
1058	1058	2.13538	3.01416E-07	6.4E-07	3.46E-04	2.23E-10	1.59E-01	1.57E-01	5.56E-12	1.0E+06	5.6E-06
1059	1059	2.26268	3.01416E-07	6.8E-07	3.46E-04	2.36E-10	1.59E-01	1.57E-01	5.90E-12	1.0E+06	5.9E-06
1060	1060	2.39555	3.01416E-07	7.2E-07	3.46E-04	2.50E-10	1.59E-01	1.57E-01	6.24E-12	1.0E+06	6.2E-06
1061	1061	2.53378	3.01416E-07	7.6E-07	3.46E-04	2.64E-10	1.59E-01	1.57E-01	6.60E-12	1.0E+06	6.6E-06
1062	1062	2.67903	3.01416E-07	8.1E-07	3.46E-04	2.80E-10	1.59E-01	1.57E-01	6.98E-12	1.0E+06	7.0E-06
1063	1063	2.83199	3.01416E-07	8.5E-07	3.46E-04	2.95E-10	1.59E-01	1.57E-01	7.38E-12	1.0E+06	7.4E-06
1064	1064	2.99145	3.01416E-07	9.0E-07	3.46E-04	3.12E-10	1.59E-01	1.57E-01	7.79E-12	1.0E+06	7.8E-06
1065	1065	3.15718	3.01416E-07	9.5E-07	3.46E-04	3.29E-10	1.59E-01	1.57E-01	8.23E-12	1.0E+06	8.2E-06
1066	1066	3.32879	3.01416E-07	1.0E-06	3.46E-04	3.47E-10	1.59E-01	1.57E-01	8.67E-12	1.0E+06	8.7E-06
1067	1067	3.50297	3.01416E-07	1.1E-06	3.46E-04	3.65E-10	1.59E-01	1.57E-01	9.13E-12	1.0E+06	9.1E-06
1068	1068	3.67641	3.01416E-07	1.1E-06	3.46E-04	3.84E-10	1.59E-01	1.57E-01	9.58E-12	1.0E+06	9.6E-06
1069	1069	3.84617	3.01416E-07	1.2E-06	3.46E-04	4.01E-10	1.59E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
1070	1070	4.00927	3.01416E-07	1.2E-06	3.46E-04	4.18E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
1071	1071	4.16267	3.01416E-07	1.3E-06	3.46E-04	4.34E-10	1.59E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
1072	1072	4.29671	3.01416E-07	1.3E-06	3.46E-04	4.48E-10	1.59E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
1073	1073	4.40876	3.01416E-07	1.3E-06	3.46E-04	4.60E-10	1.59E-01	1.57E-01	1.15E-11	1.0E+06	1.1E-05
1074	1074	4.49927	3.01416E-07	1.4E-06	3.46E-04	4.69E-10	1.59E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
1075	1075	4.56532	3.01416E-07	1.4E-06	3.46E-04	4.76E-10	1.59E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
1076	1076	4.60434	3.01416E-07	1.4E-06	3.46E-04	4.80E-10	1.59E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
1077	1077	4.61712	3.01416E-07	1.4E-06	3.46E-04	4.82E-10	1.59E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	1.13212	3.01416E-07	3.4E-07	3.46E-04	1.18E-10	1.59E-01	1.57E-01	2.95E-12	1.0E+06	2.9E-06
1079	1079	1.18048	3.01416E-07	3.6E-07	3.46E-04	1.23E-10	1.59E-01	1.57E-01	3.08E-12	1.0E+06	3.1E-06
1080	1080	1.23198	3.01416E-07	3.7E-07	3.46E-04	1.29E-10	1.59E-01	1.57E-01	3.21E-12	1.0E+06	3.2E-06
1081	1081	1.28711	3.01416E-07	3.9E-07	3.46E-04	1.34E-10	1.59E-01	1.57E-01	3.35E-12	1.0E+06	3.4E-06
1082	1082	1.33914	3.01416E-07	4.0E-07	3.46E-04	1.40E-10	1.59E-01	1.57E-01	3.49E-12	1.0E+06	3.5E-06
1083	1083	1.40446	3.01416E-07	4.2E-07	3.46E-04	1.47E-10	1.59E-01	1.57E-01	3.66E-12	1.0E+06	3.7E-06
1084	1084	1.46769	3.01416E-07	4.4E-07	3.46E-04	1.53E-10	1.59E-01	1.57E-01	3.82E-12	1.0E+06	3.8E-06
1085	1085	1.53725	3.01416E-07	4.6E-07	3.46E-04	1.60E-10	1.59E-01	1.57E-01	4.01E-12	1.0E+06	4.0E-06
1086	1086	1.62288	3.01416E-07	4.9E-07	3.46E-04	1.69E-10	1.59E-01	1.57E-01	4.23E-12	1.0E+06	4.2E-06
1087	1087	1.71344	3.01416E-07	5.2E-07	3.46E-04	1.79E-10	1.59E-01	1.57E-01	4.46E-12	1.0E+06	4.5E-06
1088	1088	1.80333	3.01416E-07	5.4E-07	3.46E-04	1.88E-10	1.59E-01	1.57E-01	4.70E-12	1.0E+06	4.7E-06
1089	1089	1.90946	3.01416E-07	5.8E-07	3.46E-04	1.99E-10	1.59E-01	1.57E-01	4.97E-12	1.0E+06	5.0E-06
1090	1090	2.02331	3.01416E-07	6.1E-07	3.46E-04	2.11E-10	1.59E-01	1.57E-01	5.27E-12	1.0E+06	5.3E-06
1091	1091	2.14581	3.01416E-07	6.5E-07	3.46E-04	2.24E-10	1.59E-01	1.57E-01	5.59E-12	1.0E+06	5.6E-06
1092	1092	2.28134	3.01416E-07	6.9E-07	3.46E-04	2.38E-10	1.59E-01	1.57E-01	5.94E-12	1.0E+06	5.9E-06
1093	1093	2.42677	3.01416E-07	7.3E-07	3.46E-04	2.53E-10	1.59E-01	1.57E-01	6.32E-12	1.0E+06	6.3E-06
1094	1094	2.57991	3.01416E-07	7.8E-07	3.46E-04	2.69E-10	1.59E-01	1.57E-01	6.72E-12	1.0E+06	6.7E-06
1095	1095	2.74121	3.01416E-07	8.3E-07	3.46E-04	2.86E-10	1.59E-01	1.57E-01	7.14E-12	1.0E+06	7.1E-06
1096	1096	2.91204	3.01416E-07	8.8E-07	3.46E-04	3.04E-10	1.59E-01	1.57E-01	7.59E-12	1.0E+06	7.6E-06
1097	1097	3.0921	3.01416E-07	9.3E-07	3.46E-04	3.23E-10	1.59E-01	1.57E-01	8.06E-12	1.0E+06	8.1E-06
1098	1098	3.28072	3.01416E-07	9.9E-07	3.46E-04	3.42E-10	1.59E-01	1.57E-01	8.55E-12	1.0E+06	8.5E-06
1099	1099	3.47836	3.01416E-07	1.0E-06	3.46E-04	3.63E-10	1.59E-01	1.57E-01	9.06E-12	1.0E+06	9.1E-06
1100	1100	3.68429	3.01416E-07	1.1E-06	3.46E-04	3.84E-10	1.59E-01	1.57E-01	9.60E-12	1.0E+06	9.6E-06
1101	1101	3.89451	3.01416E-07	1.2E-06	3.46E-04	4.06E-10	1.59E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
1102	1102	4.10714	3.01416E-07	1.2E-06	3.46E-04	4.29E-10	1.59E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
1103	1103	4.31714	3.01416E-07	1.3E-06	3.46E-04	4.50E-10	1.59E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
1104	1104	4.51902	3.01416E-07	1.4E-06	3.46E-04	4.72E-10	1.59E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
1105	1105	4.70895	3.01416E-07	1.4E-06	3.46E-04	4.91E-10	1.59E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
1106	1106	4.87457	3.01416E-07	1.5E-06	3.46E-04	5.09E-10	1.59E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
1107	1107	5.01258	3.01416E-07	1.5E-06	3.46E-04	5.23E-10	1.59E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
1108	1108	5.12285	3.01416E-07	1.5E-06	3.46E-04	5.35E-10	1.59E-01	1.57E-01	1.33E-11	1.0E+06	1.3E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	5.2012	3.01416E-07	1.6E-06	3.46E-04	5.43E-10	1.59E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
1110	1110	5.2449	3.01416E-07	1.6E-06	3.46E-04	5.47E-10	1.59E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
1111	1111	5.25469	3.01416E-07	1.6E-06	3.46E-04	5.48E-10	1.59E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
1112	1112	1.16963	3.01416E-07	3.5E-07	3.46E-04	1.22E-10	1.59E-01	1.57E-01	3.05E-12	1.0E+06	3.0E-06
1113	1113	1.22201	3.01416E-07	3.7E-07	3.46E-04	1.28E-10	1.59E-01	1.57E-01	3.18E-12	1.0E+06	3.2E-06
1114	1114	1.27786	3.01416E-07	3.9E-07	3.46E-04	1.33E-10	1.59E-01	1.57E-01	3.33E-12	1.0E+06	3.3E-06
1115	1115	1.33785	3.01416E-07	4.0E-07	3.46E-04	1.40E-10	1.59E-01	1.57E-01	3.49E-12	1.0E+06	3.5E-06
1116	1116	1.40241	3.01416E-07	4.2E-07	3.46E-04	1.46E-10	1.59E-01	1.57E-01	3.65E-12	1.0E+06	3.7E-06
1117	1117	1.46372	3.01416E-07	4.4E-07	3.46E-04	1.53E-10	1.59E-01	1.57E-01	3.81E-12	1.0E+06	3.8E-06
1118	1118	1.53072	3.01416E-07	4.6E-07	3.46E-04	1.60E-10	1.59E-01	1.57E-01	3.99E-12	1.0E+06	4.0E-06
1119	1119	1.60519	3.01416E-07	4.8E-07	3.46E-04	1.67E-10	1.59E-01	1.57E-01	4.18E-12	1.0E+06	4.2E-06
1120	1120	1.69939	3.01416E-07	5.1E-07	3.46E-04	1.77E-10	1.59E-01	1.57E-01	4.43E-12	1.0E+06	4.4E-06
1121	1121	1.79961	3.01416E-07	5.4E-07	3.46E-04	1.88E-10	1.59E-01	1.57E-01	4.69E-12	1.0E+06	4.7E-06
1122	1122	1.89794	3.01416E-07	5.7E-07	3.46E-04	1.98E-10	1.59E-01	1.57E-01	4.94E-12	1.0E+06	4.9E-06
1123	1123	2.01669	3.01416E-07	6.1E-07	3.46E-04	2.10E-10	1.59E-01	1.57E-01	5.25E-12	1.0E+06	5.3E-06
1124	1124	2.14482	3.01416E-07	6.5E-07	3.46E-04	2.24E-10	1.59E-01	1.57E-01	5.59E-12	1.0E+06	5.6E-06
1125	1125	2.28365	3.01416E-07	6.9E-07	3.46E-04	2.38E-10	1.59E-01	1.57E-01	5.95E-12	1.0E+06	5.9E-06
1126	1126	2.43762	3.01416E-07	7.3E-07	3.46E-04	2.54E-10	1.59E-01	1.57E-01	6.35E-12	1.0E+06	6.4E-06
1127	1127	2.60384	3.01416E-07	7.8E-07	3.46E-04	2.72E-10	1.59E-01	1.57E-01	6.78E-12	1.0E+06	6.8E-06
1128	1128	2.78127	3.01416E-07	8.4E-07	3.46E-04	2.90E-10	1.59E-01	1.57E-01	7.25E-12	1.0E+06	7.2E-06
1129	1129	2.96957	3.01416E-07	9.0E-07	3.46E-04	3.10E-10	1.59E-01	1.57E-01	7.74E-12	1.0E+06	7.7E-06
1130	1130	3.1713	3.01416E-07	9.6E-07	3.46E-04	3.31E-10	1.59E-01	1.57E-01	8.26E-12	1.0E+06	8.3E-06
1131	1131	3.38483	3.01416E-07	1.0E-06	3.46E-04	3.53E-10	1.59E-01	1.57E-01	8.82E-12	1.0E+06	8.8E-06
1132	1132	3.61037	3.01416E-07	1.1E-06	3.46E-04	3.77E-10	1.59E-01	1.57E-01	9.41E-12	1.0E+06	9.4E-06
1133	1133	3.84859	3.01416E-07	1.2E-06	3.46E-04	4.02E-10	1.59E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
1134	1134	4.0982	3.01416E-07	1.2E-06	3.46E-04	4.28E-10	1.59E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
1135	1135	4.35598	3.01416E-07	1.3E-06	3.46E-04	4.55E-10	1.59E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
1136	1136	4.61988	3.01416E-07	1.4E-06	3.46E-04	4.82E-10	1.59E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
1137	1137	4.88229	3.01416E-07	1.5E-06	3.46E-04	5.09E-10	1.59E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
1138	1138	5.1352	3.01416E-07	1.5E-06	3.46E-04	5.36E-10	1.59E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
1139	1139	5.37264	3.01416E-07	1.6E-06	3.46E-04	5.61E-10	1.59E-01	1.57E-01	1.40E-11	1.0E+06	1.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	5.57965	3.01416E-07	1.7E-06	3.46E-04	5.82E-10	1.59E-01	1.57E-01	1.45E-11	1.0E+06	1.5E-05
1141	1141	5.75206	3.01416E-07	1.7E-06	3.46E-04	6.00E-10	1.59E-01	1.57E-01	1.50E-11	1.0E+06	1.5E-05
1142	1142	5.88815	3.01416E-07	1.8E-06	3.46E-04	6.14E-10	1.59E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
1143	1143	5.98088	3.01416E-07	1.8E-06	3.46E-04	6.24E-10	1.59E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
1144	1144	6.02926	3.01416E-07	1.8E-06	3.46E-04	6.29E-10	1.59E-01	1.57E-01	1.57E-11	1.0E+06	1.6E-05
1145	1145	6.03246	3.01416E-07	1.8E-06	3.46E-04	6.29E-10	1.59E-01	1.57E-01	1.57E-11	1.0E+06	1.6E-05
1146	1146	1.20569	3.01416E-07	3.6E-07	3.46E-04	1.26E-10	1.59E-01	1.57E-01	3.14E-12	1.0E+06	3.1E-06
1147	1147	1.26219	3.01416E-07	3.8E-07	3.46E-04	1.32E-10	1.59E-01	1.57E-01	3.29E-12	1.0E+06	3.3E-06
1148	1148	1.32268	3.01416E-07	4.0E-07	3.46E-04	1.38E-10	1.59E-01	1.57E-01	3.45E-12	1.0E+06	3.4E-06
1149	1149	1.38782	3.01416E-07	4.2E-07	3.46E-04	1.45E-10	1.59E-01	1.57E-01	3.62E-12	1.0E+06	3.6E-06
1150	1150	1.45794	3.01416E-07	4.4E-07	3.46E-04	1.52E-10	1.59E-01	1.57E-01	3.80E-12	1.0E+06	3.8E-06
1151	1151	1.52257	3.01416E-07	4.6E-07	3.46E-04	1.59E-10	1.59E-01	1.57E-01	3.97E-12	1.0E+06	4.0E-06
1152	1152	1.59371	3.01416E-07	4.8E-07	3.46E-04	1.66E-10	1.59E-01	1.57E-01	4.15E-12	1.0E+06	4.2E-06
1153	1153	1.68678	3.01416E-07	5.1E-07	3.46E-04	1.76E-10	1.59E-01	1.57E-01	4.39E-12	1.0E+06	4.4E-06
1154	1154	1.77605	3.01416E-07	5.4E-07	3.46E-04	1.85E-10	1.59E-01	1.57E-01	4.63E-12	1.0E+06	4.6E-06
1155	1155	1.88688	3.01416E-07	5.7E-07	3.46E-04	1.97E-10	1.59E-01	1.57E-01	4.92E-12	1.0E+06	4.9E-06
1156	1156	2.00734	3.01416E-07	6.1E-07	3.46E-04	2.09E-10	1.59E-01	1.57E-01	5.23E-12	1.0E+06	5.2E-06
1157	1157	2.1272	3.01416E-07	6.4E-07	3.46E-04	2.22E-10	1.59E-01	1.57E-01	5.54E-12	1.0E+06	5.5E-06
1158	1158	2.27164	3.01416E-07	6.8E-07	3.46E-04	2.37E-10	1.59E-01	1.57E-01	5.92E-12	1.0E+06	5.9E-06
1159	1159	2.42922	3.01416E-07	7.3E-07	3.46E-04	2.53E-10	1.59E-01	1.57E-01	6.33E-12	1.0E+06	6.3E-06
1160	1160	2.60375	3.01416E-07	7.8E-07	3.46E-04	2.72E-10	1.59E-01	1.57E-01	6.78E-12	1.0E+06	6.8E-06
1161	1161	2.79367	3.01416E-07	8.4E-07	3.46E-04	2.91E-10	1.59E-01	1.57E-01	7.28E-12	1.0E+06	7.3E-06
1162	1162	2.99897	3.01416E-07	9.0E-07	3.46E-04	3.13E-10	1.59E-01	1.57E-01	7.81E-12	1.0E+06	7.8E-06
1163	1163	3.21987	3.01416E-07	9.7E-07	3.46E-04	3.36E-10	1.59E-01	1.57E-01	8.39E-12	1.0E+06	8.4E-06
1164	1164	3.45855	3.01416E-07	1.0E-06	3.46E-04	3.61E-10	1.59E-01	1.57E-01	9.01E-12	1.0E+06	9.0E-06
1165	1165	3.71382	3.01416E-07	1.1E-06	3.46E-04	3.87E-10	1.59E-01	1.57E-01	9.68E-12	1.0E+06	9.7E-06
1166	1166	3.98627	3.01416E-07	1.2E-06	3.46E-04	4.16E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
1167	1167	4.27693	3.01416E-07	1.3E-06	3.46E-04	4.46E-10	1.59E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
1168	1168	4.58515	3.01416E-07	1.4E-06	3.46E-04	4.78E-10	1.59E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
1169	1169	4.90678	3.01416E-07	1.5E-06	3.46E-04	5.12E-10	1.59E-01	1.57E-01	1.28E-11	1.0E+06	1.3E-05
1170	1170	5.23854	3.01416E-07	1.6E-06	3.46E-04	5.47E-10	1.59E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	5.56911	3.01416E-07	1.7E-06	3.46E-04	5.81E-10	1.59E-01	1.57E-01	1.45E-11	1.0E+06	1.5E-05
1172	1172	5.89139	3.01416E-07	1.8E-06	3.46E-04	6.15E-10	1.59E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
1173	1173	6.18967	3.01416E-07	1.9E-06	3.46E-04	6.46E-10	1.59E-01	1.57E-01	1.61E-11	1.0E+06	1.6E-05
1174	1174	6.45196	3.01416E-07	1.9E-06	3.46E-04	6.73E-10	1.59E-01	1.57E-01	1.68E-11	1.0E+06	1.7E-05
1175	1175	6.67089	3.01416E-07	2.0E-06	3.46E-04	6.96E-10	1.59E-01	1.57E-01	1.74E-11	1.0E+06	1.7E-05
1176	1176	6.84032	3.01416E-07	2.1E-06	3.46E-04	7.14E-10	1.59E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
1177	1177	6.9507	3.01416E-07	2.1E-06	3.46E-04	7.25E-10	1.59E-01	1.57E-01	1.81E-11	1.0E+06	1.8E-05
1178	1178	7.00156	3.01416E-07	2.1E-06	3.46E-04	7.31E-10	1.59E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
1179	1179	6.99175	3.01416E-07	2.1E-06	3.46E-04	7.30E-10	1.59E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
1180	1180	1.23983	3.01416E-07	3.7E-07	3.46E-04	1.29E-10	1.59E-01	1.57E-01	3.23E-12	1.0E+06	3.2E-06
1181	1181	1.30045	3.01416E-07	3.9E-07	3.46E-04	1.36E-10	1.59E-01	1.57E-01	3.39E-12	1.0E+06	3.4E-06
1182	1182	1.3657	3.01416E-07	4.1E-07	3.46E-04	1.42E-10	1.59E-01	1.57E-01	3.56E-12	1.0E+06	3.6E-06
1183	1183	1.43607	3.01416E-07	4.3E-07	3.46E-04	1.50E-10	1.59E-01	1.57E-01	3.74E-12	1.0E+06	3.7E-06
1184	1184	1.51207	3.01416E-07	4.6E-07	3.46E-04	1.58E-10	1.59E-01	1.57E-01	3.94E-12	1.0E+06	3.9E-06
1185	1185	1.58023	3.01416E-07	4.8E-07	3.46E-04	1.65E-10	1.59E-01	1.57E-01	4.12E-12	1.0E+06	4.1E-06
1186	1186	1.67137	3.01416E-07	5.0E-07	3.46E-04	1.74E-10	1.59E-01	1.57E-01	4.35E-12	1.0E+06	4.4E-06
1187	1187	1.75722	3.01416E-07	5.3E-07	3.46E-04	1.83E-10	1.59E-01	1.57E-01	4.58E-12	1.0E+06	4.6E-06
1188	1188	1.85284	3.01416E-07	5.6E-07	3.46E-04	1.93E-10	1.59E-01	1.57E-01	4.83E-12	1.0E+06	4.8E-06
1189	1189	1.97492	3.01416E-07	6.0E-07	3.46E-04	2.06E-10	1.59E-01	1.57E-01	5.15E-12	1.0E+06	5.1E-06
1190	1190	2.10849	3.01416E-07	6.4E-07	3.46E-04	2.20E-10	1.59E-01	1.57E-01	5.49E-12	1.0E+06	5.5E-06
1191	1191	2.24079	3.01416E-07	6.8E-07	3.46E-04	2.34E-10	1.59E-01	1.57E-01	5.84E-12	1.0E+06	5.8E-06
1192	1192	2.40321	3.01416E-07	7.2E-07	3.46E-04	2.51E-10	1.59E-01	1.57E-01	6.26E-12	1.0E+06	6.3E-06
1193	1193	2.58173	3.01416E-07	7.8E-07	3.46E-04	2.69E-10	1.59E-01	1.57E-01	6.73E-12	1.0E+06	6.7E-06
1194	1194	2.77922	3.01416E-07	8.4E-07	3.46E-04	2.90E-10	1.59E-01	1.57E-01	7.24E-12	1.0E+06	7.2E-06
1195	1195	2.99652	3.01416E-07	9.0E-07	3.46E-04	3.13E-10	1.59E-01	1.57E-01	7.81E-12	1.0E+06	7.8E-06
1196	1196	3.23398	3.01416E-07	9.7E-07	3.46E-04	3.37E-10	1.59E-01	1.57E-01	8.43E-12	1.0E+06	8.4E-06
1197	1197	3.49355	3.01416E-07	1.1E-06	3.46E-04	3.65E-10	1.59E-01	1.57E-01	9.10E-12	1.0E+06	9.1E-06
1198	1198	3.77722	3.01416E-07	1.1E-06	3.46E-04	3.94E-10	1.59E-01	1.57E-01	9.84E-12	1.0E+06	9.8E-06
1199	1199	4.08388	3.01416E-07	1.2E-06	3.46E-04	4.26E-10	1.59E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
1200	1200	4.41569	3.01416E-07	1.3E-06	3.46E-04	4.61E-10	1.59E-01	1.57E-01	1.15E-11	1.0E+06	1.2E-05
1201	1201	4.77342	3.01416E-07	1.4E-06	3.46E-04	4.98E-10	1.59E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

		Cancer risk from 3rd Trimester - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	5.158	3.01416E-07	1.6E-06	3.46E-04	5.38E-10	1.59E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
1203	1203	5.5627	3.01416E-07	1.7E-06	3.46E-04	5.80E-10	1.59E-01	1.57E-01	1.45E-11	1.0E+06	1.4E-05
1204	1204	5.98667	3.01416E-07	1.8E-06	3.46E-04	6.25E-10	1.59E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
1205	1205	6.41064	3.01416E-07	1.9E-06	3.46E-04	6.69E-10	1.59E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
1206	1206	6.82486	3.01416E-07	2.1E-06	3.46E-04	7.12E-10	1.59E-01	1.57E-01	1.78E-11	1.0E+06	1.8E-05
1207	1207	7.21011	3.01416E-07	2.2E-06	3.46E-04	7.52E-10	1.59E-01	1.57E-01	1.88E-11	1.0E+06	1.9E-05
1208	1208	7.54843	3.01416E-07	2.3E-06	3.46E-04	7.88E-10	1.59E-01	1.57E-01	1.97E-11	1.0E+06	2.0E-05
1209	1209	7.83161	3.01416E-07	2.4E-06	3.46E-04	8.17E-10	1.59E-01	1.57E-01	2.04E-11	1.0E+06	2.0E-05
1210	1210	8.04483	3.01416E-07	2.4E-06	3.46E-04	8.39E-10	1.59E-01	1.57E-01	2.10E-11	1.0E+06	2.1E-05
1211	1211	8.17813	3.01416E-07	2.5E-06	3.46E-04	8.53E-10	1.59E-01	1.57E-01	2.13E-11	1.0E+06	2.1E-05
1212	1212	8.22896	3.01416E-07	2.5E-06	3.46E-04	8.59E-10	1.59E-01	1.57E-01	2.14E-11	1.0E+06	2.1E-05
1213	1213	8.1938	3.01416E-07	2.5E-06	3.46E-04	8.55E-10	1.59E-01	1.57E-01	2.13E-11	1.0E+06	2.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.4967	2.56808E-06	1.3E-06	3.46E-04	4.42E-10	1.59E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
893	893	0.50818	2.56808E-06	1.3E-06	3.46E-04	4.52E-10	1.59E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
894	894	0.51911	2.56808E-06	1.3E-06	3.46E-04	4.61E-10	1.59E-01	1.57E-01	1.15E-11	1.0E+06	1.2E-05
895	895	0.53026	2.56808E-06	1.4E-06	3.46E-04	4.71E-10	1.59E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
896	896	0.5415	2.56808E-06	1.4E-06	3.46E-04	4.81E-10	1.59E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
897	897	0.55273	2.56808E-06	1.4E-06	3.46E-04	4.91E-10	1.59E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
898	898	0.56396	2.56808E-06	1.4E-06	3.46E-04	5.01E-10	1.59E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05
899	899	0.57498	2.56808E-06	1.5E-06	3.46E-04	5.11E-10	1.59E-01	1.57E-01	1.28E-11	1.0E+06	1.3E-05
900	900	0.58561	2.56808E-06	1.5E-06	3.46E-04	5.21E-10	1.59E-01	1.57E-01	1.30E-11	1.0E+06	1.3E-05
901	901	0.59601	2.56808E-06	1.5E-06	3.46E-04	5.30E-10	1.59E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05
902	902	0.6067	2.56808E-06	1.6E-06	3.46E-04	5.39E-10	1.59E-01	1.57E-01	1.35E-11	1.0E+06	1.3E-05
903	903	0.61699	2.56808E-06	1.6E-06	3.46E-04	5.48E-10	1.59E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
904	904	0.62602	2.56808E-06	1.6E-06	3.46E-04	5.57E-10	1.59E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
905	905	0.63408	2.56808E-06	1.6E-06	3.46E-04	5.64E-10	1.59E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
906	906	0.64127	2.56808E-06	1.6E-06	3.46E-04	5.70E-10	1.59E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
907	907	0.64784	2.56808E-06	1.7E-06	3.46E-04	5.76E-10	1.59E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
908	908	0.32153	2.56808E-06	8.3E-07	3.46E-04	2.86E-10	1.59E-01	1.57E-01	7.14E-12	1.0E+06	7.1E-06
909	909	0.32764	2.56808E-06	8.4E-07	3.46E-04	2.91E-10	1.59E-01	1.57E-01	7.27E-12	1.0E+06	7.3E-06
910	910	0.33403	2.56808E-06	8.6E-07	3.46E-04	2.97E-10	1.59E-01	1.57E-01	7.41E-12	1.0E+06	7.4E-06
911	911	0.34059	2.56808E-06	8.7E-07	3.46E-04	3.03E-10	1.59E-01	1.57E-01	7.56E-12	1.0E+06	7.6E-06
912	912	0.3474	2.56808E-06	8.9E-07	3.46E-04	3.09E-10	1.59E-01	1.57E-01	7.71E-12	1.0E+06	7.7E-06
913	913	0.35451	2.56808E-06	9.1E-07	3.46E-04	3.15E-10	1.59E-01	1.57E-01	7.87E-12	1.0E+06	7.9E-06
914	914	0.36187	2.56808E-06	9.3E-07	3.46E-04	3.22E-10	1.59E-01	1.57E-01	8.03E-12	1.0E+06	8.0E-06
915	915	0.36956	2.56808E-06	9.5E-07	3.46E-04	3.29E-10	1.59E-01	1.57E-01	8.20E-12	1.0E+06	8.2E-06
916	916	0.37751	2.56808E-06	9.7E-07	3.46E-04	3.36E-10	1.59E-01	1.57E-01	8.38E-12	1.0E+06	8.4E-06
917	917	0.38572	2.56808E-06	9.9E-07	3.46E-04	3.43E-10	1.59E-01	1.57E-01	8.56E-12	1.0E+06	8.6E-06
918	918	0.40018	2.56808E-06	1.0E-06	3.46E-04	3.56E-10	1.59E-01	1.57E-01	8.88E-12	1.0E+06	8.9E-06
919	919	0.41281	2.56808E-06	1.1E-06	3.46E-04	3.67E-10	1.59E-01	1.57E-01	9.16E-12	1.0E+06	9.2E-06
920	920	0.42716	2.56808E-06	1.1E-06	3.46E-04	3.80E-10	1.59E-01	1.57E-01	9.48E-12	1.0E+06	9.5E-06
921	921	0.44119	2.56808E-06	1.1E-06	3.46E-04	3.92E-10	1.59E-01	1.57E-01	9.79E-12	1.0E+06	9.8E-06
922	922	0.45349	2.56808E-06	1.2E-06	3.46E-04	4.03E-10	1.59E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.46727	2.56808E-06	1.2E-06	3.46E-04	4.15E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
924	924	0.48081	2.56808E-06	1.2E-06	3.46E-04	4.27E-10	1.59E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
925	925	0.4931	2.56808E-06	1.3E-06	3.46E-04	4.38E-10	1.59E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
926	926	0.50637	2.56808E-06	1.3E-06	3.46E-04	4.50E-10	1.59E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
927	927	0.51792	2.56808E-06	1.3E-06	3.46E-04	4.60E-10	1.59E-01	1.57E-01	1.15E-11	1.0E+06	1.1E-05
928	928	0.53047	2.56808E-06	1.4E-06	3.46E-04	4.72E-10	1.59E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
929	929	0.54246	2.56808E-06	1.4E-06	3.46E-04	4.82E-10	1.59E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
930	930	0.55472	2.56808E-06	1.4E-06	3.46E-04	4.93E-10	1.59E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
931	931	0.56708	2.56808E-06	1.5E-06	3.46E-04	5.04E-10	1.59E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
932	932	0.57943	2.56808E-06	1.5E-06	3.46E-04	5.15E-10	1.59E-01	1.57E-01	1.29E-11	1.0E+06	1.3E-05
933	933	0.59177	2.56808E-06	1.5E-06	3.46E-04	5.26E-10	1.59E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
934	934	0.60403	2.56808E-06	1.6E-06	3.46E-04	5.37E-10	1.59E-01	1.57E-01	1.34E-11	1.0E+06	1.3E-05
935	935	0.61611	2.56808E-06	1.6E-06	3.46E-04	5.48E-10	1.59E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
936	936	0.62795	2.56808E-06	1.6E-06	3.46E-04	5.58E-10	1.59E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
937	937	0.63992	2.56808E-06	1.6E-06	3.46E-04	5.69E-10	1.59E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
938	938	0.65155	2.56808E-06	1.7E-06	3.46E-04	5.79E-10	1.59E-01	1.57E-01	1.45E-11	1.0E+06	1.4E-05
939	939	0.66176	2.56808E-06	1.7E-06	3.46E-04	5.88E-10	1.59E-01	1.57E-01	1.47E-11	1.0E+06	1.5E-05
940	940	0.67098	2.56808E-06	1.7E-06	3.46E-04	5.96E-10	1.59E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
941	941	0.67919	2.56808E-06	1.7E-06	3.46E-04	6.04E-10	1.59E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
942	942	0.33133	2.56808E-06	8.5E-07	3.46E-04	2.95E-10	1.59E-01	1.57E-01	7.35E-12	1.0E+06	7.4E-06
943	943	0.33778	2.56808E-06	8.7E-07	3.46E-04	3.00E-10	1.59E-01	1.57E-01	7.50E-12	1.0E+06	7.5E-06
944	944	0.34449	2.56808E-06	8.8E-07	3.46E-04	3.06E-10	1.59E-01	1.57E-01	7.65E-12	1.0E+06	7.6E-06
945	945	0.35147	2.56808E-06	9.0E-07	3.46E-04	3.12E-10	1.59E-01	1.57E-01	7.80E-12	1.0E+06	7.8E-06
946	946	0.35868	2.56808E-06	9.2E-07	3.46E-04	3.19E-10	1.59E-01	1.57E-01	7.96E-12	1.0E+06	8.0E-06
947	947	0.36622	2.56808E-06	9.4E-07	3.46E-04	3.26E-10	1.59E-01	1.57E-01	8.13E-12	1.0E+06	8.1E-06
948	948	0.3742	2.56808E-06	9.6E-07	3.46E-04	3.33E-10	1.59E-01	1.57E-01	8.31E-12	1.0E+06	8.3E-06
949	949	0.38253	2.56808E-06	9.8E-07	3.46E-04	3.40E-10	1.59E-01	1.57E-01	8.49E-12	1.0E+06	8.5E-06
950	950	0.39112	2.56808E-06	1.0E-06	3.46E-04	3.48E-10	1.59E-01	1.57E-01	8.68E-12	1.0E+06	8.7E-06
951	951	0.39966	2.56808E-06	1.0E-06	3.46E-04	3.55E-10	1.59E-01	1.57E-01	8.87E-12	1.0E+06	8.9E-06
952	952	0.41194	2.56808E-06	1.1E-06	3.46E-04	3.66E-10	1.59E-01	1.57E-01	9.14E-12	1.0E+06	9.1E-06
953	953	0.42456	2.56808E-06	1.1E-06	3.46E-04	3.77E-10	1.59E-01	1.57E-01	9.42E-12	1.0E+06	9.4E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.43991	2.56808E-06	1.1E-06	3.46E-04	3.91E-10	1.59E-01	1.57E-01	9.77E-12	1.0E+06	9.8E-06
955	955	0.45314	2.56808E-06	1.2E-06	3.46E-04	4.03E-10	1.59E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
956	956	0.47043	2.56808E-06	1.2E-06	3.46E-04	4.18E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
957	957	0.48546	2.56808E-06	1.2E-06	3.46E-04	4.32E-10	1.59E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
958	958	0.50007	2.56808E-06	1.3E-06	3.46E-04	4.45E-10	1.59E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
959	959	0.51334	2.56808E-06	1.3E-06	3.46E-04	4.56E-10	1.59E-01	1.57E-01	1.14E-11	1.0E+06	1.1E-05
960	960	0.52678	2.56808E-06	1.4E-06	3.46E-04	4.68E-10	1.59E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
961	961	0.54037	2.56808E-06	1.4E-06	3.46E-04	4.80E-10	1.59E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
962	962	0.55413	2.56808E-06	1.4E-06	3.46E-04	4.93E-10	1.59E-01	1.57E-01	1.23E-11	1.0E+06	1.2E-05
963	963	0.56737	2.56808E-06	1.5E-06	3.46E-04	5.04E-10	1.59E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
964	964	0.58089	2.56808E-06	1.5E-06	3.46E-04	5.16E-10	1.59E-01	1.57E-01	1.29E-11	1.0E+06	1.3E-05
965	965	0.59462	2.56808E-06	1.5E-06	3.46E-04	5.29E-10	1.59E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05
966	966	0.6083	2.56808E-06	1.6E-06	3.46E-04	5.41E-10	1.59E-01	1.57E-01	1.35E-11	1.0E+06	1.4E-05
967	967	0.62203	2.56808E-06	1.6E-06	3.46E-04	5.53E-10	1.59E-01	1.57E-01	1.38E-11	1.0E+06	1.4E-05
968	968	0.6358	2.56808E-06	1.6E-06	3.46E-04	5.65E-10	1.59E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
969	969	0.64958	2.56808E-06	1.7E-06	3.46E-04	5.77E-10	1.59E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
970	970	0.6632	2.56808E-06	1.7E-06	3.46E-04	5.90E-10	1.59E-01	1.57E-01	1.47E-11	1.0E+06	1.5E-05
971	971	0.67654	2.56808E-06	1.7E-06	3.46E-04	6.01E-10	1.59E-01	1.57E-01	1.50E-11	1.0E+06	1.5E-05
972	972	0.68951	2.56808E-06	1.8E-06	3.46E-04	6.13E-10	1.59E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
973	973	0.70124	2.56808E-06	1.8E-06	3.46E-04	6.23E-10	1.59E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
974	974	0.71193	2.56808E-06	1.8E-06	3.46E-04	6.33E-10	1.59E-01	1.57E-01	1.58E-11	1.0E+06	1.6E-05
975	975	0.72148	2.56808E-06	1.9E-06	3.46E-04	6.41E-10	1.59E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05
976	976	0.34143	2.56808E-06	8.8E-07	3.46E-04	3.04E-10	1.59E-01	1.57E-01	7.58E-12	1.0E+06	7.6E-06
977	977	0.34827	2.56808E-06	8.9E-07	3.46E-04	3.10E-10	1.59E-01	1.57E-01	7.73E-12	1.0E+06	7.7E-06
978	978	0.35537	2.56808E-06	9.1E-07	3.46E-04	3.16E-10	1.59E-01	1.57E-01	7.89E-12	1.0E+06	7.9E-06
979	979	0.36276	2.56808E-06	9.3E-07	3.46E-04	3.22E-10	1.59E-01	1.57E-01	8.05E-12	1.0E+06	8.1E-06
980	980	0.37044	2.56808E-06	9.5E-07	3.46E-04	3.29E-10	1.59E-01	1.57E-01	8.22E-12	1.0E+06	8.2E-06
981	981	0.37846	2.56808E-06	9.7E-07	3.46E-04	3.36E-10	1.59E-01	1.57E-01	8.40E-12	1.0E+06	8.4E-06
982	982	0.38707	2.56808E-06	9.9E-07	3.46E-04	3.44E-10	1.59E-01	1.57E-01	8.59E-12	1.0E+06	8.6E-06
983	983	0.39611	2.56808E-06	1.0E-06	3.46E-04	3.52E-10	1.59E-01	1.57E-01	8.79E-12	1.0E+06	8.8E-06
984	984	0.40534	2.56808E-06	1.0E-06	3.46E-04	3.60E-10	1.59E-01	1.57E-01	9.00E-12	1.0E+06	9.0E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.41432	2.56808E-06	1.1E-06	3.46E-04	3.68E-10	1.59E-01	1.57E-01	9.20E-12	1.0E+06	9.2E-06
986	986	0.42474	2.56808E-06	1.1E-06	3.46E-04	3.78E-10	1.59E-01	1.57E-01	9.43E-12	1.0E+06	9.4E-06
987	987	0.43924	2.56808E-06	1.1E-06	3.46E-04	3.90E-10	1.59E-01	1.57E-01	9.75E-12	1.0E+06	9.8E-06
988	988	0.45048	2.56808E-06	1.2E-06	3.46E-04	4.00E-10	1.59E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
989	989	0.46725	2.56808E-06	1.2E-06	3.46E-04	4.15E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
990	990	0.48828	2.56808E-06	1.3E-06	3.46E-04	4.34E-10	1.59E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
991	991	0.50468	2.56808E-06	1.3E-06	3.46E-04	4.49E-10	1.59E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
992	992	0.52048	2.56808E-06	1.3E-06	3.46E-04	4.63E-10	1.59E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
993	993	0.53486	2.56808E-06	1.4E-06	3.46E-04	4.75E-10	1.59E-01	1.57E-01	1.19E-11	1.0E+06	1.2E-05
994	994	0.54943	2.56808E-06	1.4E-06	3.46E-04	4.88E-10	1.59E-01	1.57E-01	1.22E-11	1.0E+06	1.2E-05
995	995	0.56436	2.56808E-06	1.4E-06	3.46E-04	5.02E-10	1.59E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05
996	996	0.57949	2.56808E-06	1.5E-06	3.46E-04	5.15E-10	1.59E-01	1.57E-01	1.29E-11	1.0E+06	1.3E-05
997	997	0.59413	2.56808E-06	1.5E-06	3.46E-04	5.28E-10	1.59E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05
998	998	0.60915	2.56808E-06	1.6E-06	3.46E-04	5.42E-10	1.59E-01	1.57E-01	1.35E-11	1.0E+06	1.4E-05
999	999	0.62442	2.56808E-06	1.6E-06	3.46E-04	5.55E-10	1.59E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
1000	1000	0.63967	2.56808E-06	1.6E-06	3.46E-04	5.69E-10	1.59E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
1001	1001	0.65504	2.56808E-06	1.7E-06	3.46E-04	5.82E-10	1.59E-01	1.57E-01	1.45E-11	1.0E+06	1.5E-05
1002	1002	0.67053	2.56808E-06	1.7E-06	3.46E-04	5.96E-10	1.59E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
1003	1003	0.68638	2.56808E-06	1.8E-06	3.46E-04	6.10E-10	1.59E-01	1.57E-01	1.52E-11	1.0E+06	1.5E-05
1004	1004	0.70207	2.56808E-06	1.8E-06	3.46E-04	6.24E-10	1.59E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
1005	1005	0.71707	2.56808E-06	1.8E-06	3.46E-04	6.37E-10	1.59E-01	1.57E-01	1.59E-11	1.0E+06	1.6E-05
1006	1006	0.7314	2.56808E-06	1.9E-06	3.46E-04	6.50E-10	1.59E-01	1.57E-01	1.62E-11	1.0E+06	1.6E-05
1007	1007	0.74498	2.56808E-06	1.9E-06	3.46E-04	6.62E-10	1.59E-01	1.57E-01	1.65E-11	1.0E+06	1.7E-05
1008	1008	0.75734	2.56808E-06	1.9E-06	3.46E-04	6.73E-10	1.59E-01	1.57E-01	1.68E-11	1.0E+06	1.7E-05
1009	1009	0.76847	2.56808E-06	2.0E-06	3.46E-04	6.83E-10	1.59E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
1010	1010	0.35185	2.56808E-06	9.0E-07	3.46E-04	3.13E-10	1.59E-01	1.57E-01	7.81E-12	1.0E+06	7.8E-06
1011	1011	0.35908	2.56808E-06	9.2E-07	3.46E-04	3.19E-10	1.59E-01	1.57E-01	7.97E-12	1.0E+06	8.0E-06
1012	1012	0.36661	2.56808E-06	9.4E-07	3.46E-04	3.26E-10	1.59E-01	1.57E-01	8.14E-12	1.0E+06	8.1E-06
1013	1013	0.37447	2.56808E-06	9.6E-07	3.46E-04	3.33E-10	1.59E-01	1.57E-01	8.31E-12	1.0E+06	8.3E-06
1014	1014	0.3826	2.56808E-06	9.8E-07	3.46E-04	3.40E-10	1.59E-01	1.57E-01	8.49E-12	1.0E+06	8.5E-06
1015	1015	0.39116	2.56808E-06	1.0E-06	3.46E-04	3.48E-10	1.59E-01	1.57E-01	8.68E-12	1.0E+06	8.7E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.40042	2.56808E-06	1.0E-06	3.46E-04	3.56E-10	1.59E-01	1.57E-01	8.89E-12	1.0E+06	8.9E-06
1017	1017	0.41018	2.56808E-06	1.1E-06	3.46E-04	3.65E-10	1.59E-01	1.57E-01	9.11E-12	1.0E+06	9.1E-06
1018	1018	0.4201	2.56808E-06	1.1E-06	3.46E-04	3.73E-10	1.59E-01	1.57E-01	9.33E-12	1.0E+06	9.3E-06
1019	1019	0.42962	2.56808E-06	1.1E-06	3.46E-04	3.82E-10	1.59E-01	1.57E-01	9.54E-12	1.0E+06	9.5E-06
1020	1020	0.43955	2.56808E-06	1.1E-06	3.46E-04	3.91E-10	1.59E-01	1.57E-01	9.76E-12	1.0E+06	9.8E-06
1021	1021	0.4553	2.56808E-06	1.2E-06	3.46E-04	4.05E-10	1.59E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
1022	1022	0.46678	2.56808E-06	1.2E-06	3.46E-04	4.15E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
1023	1023	0.48203	2.56808E-06	1.2E-06	3.46E-04	4.29E-10	1.59E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
1024	1024	0.50545	2.56808E-06	1.3E-06	3.46E-04	4.49E-10	1.59E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
1025	1025	0.52351	2.56808E-06	1.3E-06	3.46E-04	4.65E-10	1.59E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
1026	1026	0.5421	2.56808E-06	1.4E-06	3.46E-04	4.82E-10	1.59E-01	1.57E-01	1.20E-11	1.0E+06	1.2E-05
1027	1027	0.55776	2.56808E-06	1.4E-06	3.46E-04	4.96E-10	1.59E-01	1.57E-01	1.24E-11	1.0E+06	1.2E-05
1028	1028	0.57264	2.56808E-06	1.5E-06	3.46E-04	5.09E-10	1.59E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
1029	1029	0.59006	2.56808E-06	1.5E-06	3.46E-04	5.25E-10	1.59E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
1030	1030	0.60672	2.56808E-06	1.6E-06	3.46E-04	5.39E-10	1.59E-01	1.57E-01	1.35E-11	1.0E+06	1.3E-05
1031	1031	0.623	2.56808E-06	1.6E-06	3.46E-04	5.54E-10	1.59E-01	1.57E-01	1.38E-11	1.0E+06	1.4E-05
1032	1032	0.63972	2.56808E-06	1.6E-06	3.46E-04	5.69E-10	1.59E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
1033	1033	0.65675	2.56808E-06	1.7E-06	3.46E-04	5.84E-10	1.59E-01	1.57E-01	1.46E-11	1.0E+06	1.5E-05
1034	1034	0.67389	2.56808E-06	1.7E-06	3.46E-04	5.99E-10	1.59E-01	1.57E-01	1.50E-11	1.0E+06	1.5E-05
1035	1035	0.69119	2.56808E-06	1.8E-06	3.46E-04	6.14E-10	1.59E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
1036	1036	0.70881	2.56808E-06	1.8E-06	3.46E-04	6.30E-10	1.59E-01	1.57E-01	1.57E-11	1.0E+06	1.6E-05
1037	1037	0.72694	2.56808E-06	1.9E-06	3.46E-04	6.46E-10	1.59E-01	1.57E-01	1.61E-11	1.0E+06	1.6E-05
1038	1038	0.74508	2.56808E-06	1.9E-06	3.46E-04	6.62E-10	1.59E-01	1.57E-01	1.65E-11	1.0E+06	1.7E-05
1039	1039	0.76217	2.56808E-06	2.0E-06	3.46E-04	6.78E-10	1.59E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
1040	1040	0.77836	2.56808E-06	2.0E-06	3.46E-04	6.92E-10	1.59E-01	1.57E-01	1.73E-11	1.0E+06	1.7E-05
1041	1041	0.79386	2.56808E-06	2.0E-06	3.46E-04	7.06E-10	1.59E-01	1.57E-01	1.76E-11	1.0E+06	1.8E-05
1042	1042	0.80832	2.56808E-06	2.1E-06	3.46E-04	7.19E-10	1.59E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05
1043	1043	0.82118	2.56808E-06	2.1E-06	3.46E-04	7.30E-10	1.59E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
1044	1044	0.36253	2.56808E-06	9.3E-07	3.46E-04	3.22E-10	1.59E-01	1.57E-01	8.05E-12	1.0E+06	8.0E-06
1045	1045	0.37019	2.56808E-06	9.5E-07	3.46E-04	3.29E-10	1.59E-01	1.57E-01	8.22E-12	1.0E+06	8.2E-06
1046	1046	0.37817	2.56808E-06	9.7E-07	3.46E-04	3.36E-10	1.59E-01	1.57E-01	8.39E-12	1.0E+06	8.4E-06

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.38649	2.56808E-06	9.9E-07	3.46E-04	3.44E-10	1.59E-01	1.57E-01	8.58E-12	1.0E+06	8.6E-06
1048	1048	0.39512	2.56808E-06	1.0E-06	3.46E-04	3.51E-10	1.59E-01	1.57E-01	8.77E-12	1.0E+06	8.8E-06
1049	1049	0.40417	2.56808E-06	1.0E-06	3.46E-04	3.59E-10	1.59E-01	1.57E-01	8.97E-12	1.0E+06	9.0E-06
1050	1050	0.41408	2.56808E-06	1.1E-06	3.46E-04	3.68E-10	1.59E-01	1.57E-01	9.19E-12	1.0E+06	9.2E-06
1051	1051	0.42453	2.56808E-06	1.1E-06	3.46E-04	3.77E-10	1.59E-01	1.57E-01	9.42E-12	1.0E+06	9.4E-06
1052	1052	0.43521	2.56808E-06	1.1E-06	3.46E-04	3.87E-10	1.59E-01	1.57E-01	9.66E-12	1.0E+06	9.7E-06
1053	1053	0.44558	2.56808E-06	1.1E-06	3.46E-04	3.96E-10	1.59E-01	1.57E-01	9.89E-12	1.0E+06	9.9E-06
1054	1054	0.45687	2.56808E-06	1.2E-06	3.46E-04	4.06E-10	1.59E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
1055	1055	0.47254	2.56808E-06	1.2E-06	3.46E-04	4.20E-10	1.59E-01	1.57E-01	1.05E-11	1.0E+06	1.0E-05
1056	1056	0.48458	2.56808E-06	1.2E-06	3.46E-04	4.31E-10	1.59E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
1057	1057	0.50349	2.56808E-06	1.3E-06	3.46E-04	4.48E-10	1.59E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
1058	1058	0.52736	2.56808E-06	1.4E-06	3.46E-04	4.69E-10	1.59E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
1059	1059	0.54494	2.56808E-06	1.4E-06	3.46E-04	4.84E-10	1.59E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
1060	1060	0.56502	2.56808E-06	1.5E-06	3.46E-04	5.02E-10	1.59E-01	1.57E-01	1.25E-11	1.0E+06	1.3E-05
1061	1061	0.58218	2.56808E-06	1.5E-06	3.46E-04	5.18E-10	1.59E-01	1.57E-01	1.29E-11	1.0E+06	1.3E-05
1062	1062	0.59969	2.56808E-06	1.5E-06	3.46E-04	5.33E-10	1.59E-01	1.57E-01	1.33E-11	1.0E+06	1.3E-05
1063	1063	0.61767	2.56808E-06	1.6E-06	3.46E-04	5.49E-10	1.59E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
1064	1064	0.63605	2.56808E-06	1.6E-06	3.46E-04	5.65E-10	1.59E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
1065	1065	0.65411	2.56808E-06	1.7E-06	3.46E-04	5.81E-10	1.59E-01	1.57E-01	1.45E-11	1.0E+06	1.5E-05
1066	1066	0.6728	2.56808E-06	1.7E-06	3.46E-04	5.98E-10	1.59E-01	1.57E-01	1.49E-11	1.0E+06	1.5E-05
1067	1067	0.69191	2.56808E-06	1.8E-06	3.46E-04	6.15E-10	1.59E-01	1.57E-01	1.54E-11	1.0E+06	1.5E-05
1068	1068	0.71131	2.56808E-06	1.8E-06	3.46E-04	6.32E-10	1.59E-01	1.57E-01	1.58E-11	1.0E+06	1.6E-05
1069	1069	0.73102	2.56808E-06	1.9E-06	3.46E-04	6.50E-10	1.59E-01	1.57E-01	1.62E-11	1.0E+06	1.6E-05
1070	1070	0.75114	2.56808E-06	1.9E-06	3.46E-04	6.68E-10	1.59E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
1071	1071	0.77197	2.56808E-06	2.0E-06	3.46E-04	6.86E-10	1.59E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
1072	1072	0.79287	2.56808E-06	2.0E-06	3.46E-04	7.05E-10	1.59E-01	1.57E-01	1.76E-11	1.0E+06	1.8E-05
1073	1073	0.81267	2.56808E-06	2.1E-06	3.46E-04	7.22E-10	1.59E-01	1.57E-01	1.80E-11	1.0E+06	1.8E-05
1074	1074	0.83149	2.56808E-06	2.1E-06	3.46E-04	7.39E-10	1.59E-01	1.57E-01	1.85E-11	1.0E+06	1.8E-05
1075	1075	0.84952	2.56808E-06	2.2E-06	3.46E-04	7.55E-10	1.59E-01	1.57E-01	1.89E-11	1.0E+06	1.9E-05
1076	1076	0.8662	2.56808E-06	2.2E-06	3.46E-04	7.70E-10	1.59E-01	1.57E-01	1.92E-11	1.0E+06	1.9E-05
1077	1077	0.88112	2.56808E-06	2.3E-06	3.46E-04	7.83E-10	1.59E-01	1.57E-01	1.96E-11	1.0E+06	2.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.37349	2.56808E-06	9.6E-07	3.46E-04	3.32E-10	1.59E-01	1.57E-01	8.29E-12	1.0E+06	8.3E-06
1079	1079	0.38161	2.56808E-06	9.8E-07	3.46E-04	3.39E-10	1.59E-01	1.57E-01	8.47E-12	1.0E+06	8.5E-06
1080	1080	0.39009	2.56808E-06	1.0E-06	3.46E-04	3.47E-10	1.59E-01	1.57E-01	8.66E-12	1.0E+06	8.7E-06
1081	1081	0.39892	2.56808E-06	1.0E-06	3.46E-04	3.55E-10	1.59E-01	1.57E-01	8.86E-12	1.0E+06	8.9E-06
1082	1082	0.40807	2.56808E-06	1.0E-06	3.46E-04	3.63E-10	1.59E-01	1.57E-01	9.06E-12	1.0E+06	9.1E-06
1083	1083	0.41769	2.56808E-06	1.1E-06	3.46E-04	3.71E-10	1.59E-01	1.57E-01	9.27E-12	1.0E+06	9.3E-06
1084	1084	0.42823	2.56808E-06	1.1E-06	3.46E-04	3.81E-10	1.59E-01	1.57E-01	9.51E-12	1.0E+06	9.5E-06
1085	1085	0.43946	2.56808E-06	1.1E-06	3.46E-04	3.91E-10	1.59E-01	1.57E-01	9.76E-12	1.0E+06	9.8E-06
1086	1086	0.451	2.56808E-06	1.2E-06	3.46E-04	4.01E-10	1.59E-01	1.57E-01	1.00E-11	1.0E+06	1.0E-05
1087	1087	0.46223	2.56808E-06	1.2E-06	3.46E-04	4.11E-10	1.59E-01	1.57E-01	1.03E-11	1.0E+06	1.0E-05
1088	1088	0.4741	2.56808E-06	1.2E-06	3.46E-04	4.21E-10	1.59E-01	1.57E-01	1.05E-11	1.0E+06	1.1E-05
1089	1089	0.48925	2.56808E-06	1.3E-06	3.46E-04	4.35E-10	1.59E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
1090	1090	0.50327	2.56808E-06	1.3E-06	3.46E-04	4.47E-10	1.59E-01	1.57E-01	1.12E-11	1.0E+06	1.1E-05
1091	1091	0.52337	2.56808E-06	1.3E-06	3.46E-04	4.65E-10	1.59E-01	1.57E-01	1.16E-11	1.0E+06	1.2E-05
1092	1092	0.54862	2.56808E-06	1.4E-06	3.46E-04	4.88E-10	1.59E-01	1.57E-01	1.22E-11	1.0E+06	1.2E-05
1093	1093	0.56913	2.56808E-06	1.5E-06	3.46E-04	5.06E-10	1.59E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
1094	1094	0.58924	2.56808E-06	1.5E-06	3.46E-04	5.24E-10	1.59E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
1095	1095	0.60811	2.56808E-06	1.6E-06	3.46E-04	5.41E-10	1.59E-01	1.57E-01	1.35E-11	1.0E+06	1.3E-05
1096	1096	0.62745	2.56808E-06	1.6E-06	3.46E-04	5.58E-10	1.59E-01	1.57E-01	1.39E-11	1.0E+06	1.4E-05
1097	1097	0.64725	2.56808E-06	1.7E-06	3.46E-04	5.75E-10	1.59E-01	1.57E-01	1.44E-11	1.0E+06	1.4E-05
1098	1098	0.66756	2.56808E-06	1.7E-06	3.46E-04	5.93E-10	1.59E-01	1.57E-01	1.48E-11	1.0E+06	1.5E-05
1099	1099	0.6877	2.56808E-06	1.8E-06	3.46E-04	6.11E-10	1.59E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
1100	1100	0.70863	2.56808E-06	1.8E-06	3.46E-04	6.30E-10	1.59E-01	1.57E-01	1.57E-11	1.0E+06	1.6E-05
1101	1101	0.73013	2.56808E-06	1.9E-06	3.46E-04	6.49E-10	1.59E-01	1.57E-01	1.62E-11	1.0E+06	1.6E-05
1102	1102	0.75223	2.56808E-06	1.9E-06	3.46E-04	6.69E-10	1.59E-01	1.57E-01	1.67E-11	1.0E+06	1.7E-05
1103	1103	0.77481	2.56808E-06	2.0E-06	3.46E-04	6.89E-10	1.59E-01	1.57E-01	1.72E-11	1.0E+06	1.7E-05
1104	1104	0.79797	2.56808E-06	2.0E-06	3.46E-04	7.09E-10	1.59E-01	1.57E-01	1.77E-11	1.0E+06	1.8E-05
1105	1105	0.82202	2.56808E-06	2.1E-06	3.46E-04	7.31E-10	1.59E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
1106	1106	0.84627	2.56808E-06	2.2E-06	3.46E-04	7.52E-10	1.59E-01	1.57E-01	1.88E-11	1.0E+06	1.9E-05
1107	1107	0.8694	2.56808E-06	2.2E-06	3.46E-04	7.73E-10	1.59E-01	1.57E-01	1.93E-11	1.0E+06	1.9E-05
1108	1108	0.89144	2.56808E-06	2.3E-06	3.46E-04	7.92E-10	1.59E-01	1.57E-01	1.98E-11	1.0E+06	2.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.91256	2.56808E-06	2.3E-06	3.46E-04	8.11E-10	1.59E-01	1.57E-01	2.03E-11	1.0E+06	2.0E-05
1110	1110	0.93209	2.56808E-06	2.4E-06	3.46E-04	8.29E-10	1.59E-01	1.57E-01	2.07E-11	1.0E+06	2.1E-05
1111	1111	0.94959	2.56808E-06	2.4E-06	3.46E-04	8.44E-10	1.59E-01	1.57E-01	2.11E-11	1.0E+06	2.1E-05
1112	1112	0.38474	2.56808E-06	9.9E-07	3.46E-04	3.42E-10	1.59E-01	1.57E-01	8.54E-12	1.0E+06	8.5E-06
1113	1113	0.39334	2.56808E-06	1.0E-06	3.46E-04	3.50E-10	1.59E-01	1.57E-01	8.73E-12	1.0E+06	8.7E-06
1114	1114	0.40234	2.56808E-06	1.0E-06	3.46E-04	3.58E-10	1.59E-01	1.57E-01	8.93E-12	1.0E+06	8.9E-06
1115	1115	0.41172	2.56808E-06	1.1E-06	3.46E-04	3.66E-10	1.59E-01	1.57E-01	9.14E-12	1.0E+06	9.1E-06
1116	1116	0.42148	2.56808E-06	1.1E-06	3.46E-04	3.75E-10	1.59E-01	1.57E-01	9.36E-12	1.0E+06	9.4E-06
1117	1117	0.43169	2.56808E-06	1.1E-06	3.46E-04	3.84E-10	1.59E-01	1.57E-01	9.58E-12	1.0E+06	9.6E-06
1118	1118	0.44291	2.56808E-06	1.1E-06	3.46E-04	3.94E-10	1.59E-01	1.57E-01	9.83E-12	1.0E+06	9.8E-06
1119	1119	0.45493	2.56808E-06	1.2E-06	3.46E-04	4.04E-10	1.59E-01	1.57E-01	1.01E-11	1.0E+06	1.0E-05
1120	1120	0.46733	2.56808E-06	1.2E-06	3.46E-04	4.15E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
1121	1121	0.47949	2.56808E-06	1.2E-06	3.46E-04	4.26E-10	1.59E-01	1.57E-01	1.06E-11	1.0E+06	1.1E-05
1122	1122	0.49201	2.56808E-06	1.3E-06	3.46E-04	4.37E-10	1.59E-01	1.57E-01	1.09E-11	1.0E+06	1.1E-05
1123	1123	0.50747	2.56808E-06	1.3E-06	3.46E-04	4.51E-10	1.59E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
1124	1124	0.52527	2.56808E-06	1.3E-06	3.46E-04	4.67E-10	1.59E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
1125	1125	0.54658	2.56808E-06	1.4E-06	3.46E-04	4.86E-10	1.59E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
1126	1126	0.5709	2.56808E-06	1.5E-06	3.46E-04	5.08E-10	1.59E-01	1.57E-01	1.27E-11	1.0E+06	1.3E-05
1127	1127	0.59135	2.56808E-06	1.5E-06	3.46E-04	5.26E-10	1.59E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
1128	1128	0.61484	2.56808E-06	1.6E-06	3.46E-04	5.47E-10	1.59E-01	1.57E-01	1.36E-11	1.0E+06	1.4E-05
1129	1129	0.63554	2.56808E-06	1.6E-06	3.46E-04	5.65E-10	1.59E-01	1.57E-01	1.41E-11	1.0E+06	1.4E-05
1130	1130	0.65694	2.56808E-06	1.7E-06	3.46E-04	5.84E-10	1.59E-01	1.57E-01	1.46E-11	1.0E+06	1.5E-05
1131	1131	0.67885	2.56808E-06	1.7E-06	3.46E-04	6.03E-10	1.59E-01	1.57E-01	1.51E-11	1.0E+06	1.5E-05
1132	1132	0.70142	2.56808E-06	1.8E-06	3.46E-04	6.24E-10	1.59E-01	1.57E-01	1.56E-11	1.0E+06	1.6E-05
1133	1133	0.72401	2.56808E-06	1.9E-06	3.46E-04	6.44E-10	1.59E-01	1.57E-01	1.61E-11	1.0E+06	1.6E-05
1134	1134	0.74756	2.56808E-06	1.9E-06	3.46E-04	6.65E-10	1.59E-01	1.57E-01	1.66E-11	1.0E+06	1.7E-05
1135	1135	0.77195	2.56808E-06	2.0E-06	3.46E-04	6.86E-10	1.59E-01	1.57E-01	1.71E-11	1.0E+06	1.7E-05
1136	1136	0.79727	2.56808E-06	2.0E-06	3.46E-04	7.09E-10	1.59E-01	1.57E-01	1.77E-11	1.0E+06	1.8E-05
1137	1137	0.82329	2.56808E-06	2.1E-06	3.46E-04	7.32E-10	1.59E-01	1.57E-01	1.83E-11	1.0E+06	1.8E-05
1138	1138	0.85009	2.56808E-06	2.2E-06	3.46E-04	7.56E-10	1.59E-01	1.57E-01	1.89E-11	1.0E+06	1.9E-05
1139	1139	0.87801	2.56808E-06	2.3E-06	3.46E-04	7.81E-10	1.59E-01	1.57E-01	1.95E-11	1.0E+06	1.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.90625	2.56808E-06	2.3E-06	3.46E-04	8.06E-10	1.59E-01	1.57E-01	2.01E-11	1.0E+06	2.0E-05
1141	1141	0.93353	2.56808E-06	2.4E-06	3.46E-04	8.30E-10	1.59E-01	1.57E-01	2.07E-11	1.0E+06	2.1E-05
1142	1142	0.95976	2.56808E-06	2.5E-06	3.46E-04	8.53E-10	1.59E-01	1.57E-01	2.13E-11	1.0E+06	2.1E-05
1143	1143	0.98484	2.56808E-06	2.5E-06	3.46E-04	8.75E-10	1.59E-01	1.57E-01	2.19E-11	1.0E+06	2.2E-05
1144	1144	1.00782	2.56808E-06	2.6E-06	3.46E-04	8.96E-10	1.59E-01	1.57E-01	2.24E-11	1.0E+06	2.2E-05
1145	1145	1.02861	2.56808E-06	2.6E-06	3.46E-04	9.14E-10	1.59E-01	1.57E-01	2.28E-11	1.0E+06	2.3E-05
1146	1146	0.39624	2.56808E-06	1.0E-06	3.46E-04	3.52E-10	1.59E-01	1.57E-01	8.80E-12	1.0E+06	8.8E-06
1147	1147	0.40536	2.56808E-06	1.0E-06	3.46E-04	3.60E-10	1.59E-01	1.57E-01	9.00E-12	1.0E+06	9.0E-06
1148	1148	0.4149	2.56808E-06	1.1E-06	3.46E-04	3.69E-10	1.59E-01	1.57E-01	9.21E-12	1.0E+06	9.2E-06
1149	1149	0.42486	2.56808E-06	1.1E-06	3.46E-04	3.78E-10	1.59E-01	1.57E-01	9.43E-12	1.0E+06	9.4E-06
1150	1150	0.43529	2.56808E-06	1.1E-06	3.46E-04	3.87E-10	1.59E-01	1.57E-01	9.66E-12	1.0E+06	9.7E-06
1151	1151	0.44621	2.56808E-06	1.1E-06	3.46E-04	3.97E-10	1.59E-01	1.57E-01	9.91E-12	1.0E+06	9.9E-06
1152	1152	0.45803	2.56808E-06	1.2E-06	3.46E-04	4.07E-10	1.59E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
1153	1153	0.47065	2.56808E-06	1.2E-06	3.46E-04	4.18E-10	1.59E-01	1.57E-01	1.04E-11	1.0E+06	1.0E-05
1154	1154	0.48379	2.56808E-06	1.2E-06	3.46E-04	4.30E-10	1.59E-01	1.57E-01	1.07E-11	1.0E+06	1.1E-05
1155	1155	0.49707	2.56808E-06	1.3E-06	3.46E-04	4.42E-10	1.59E-01	1.57E-01	1.10E-11	1.0E+06	1.1E-05
1156	1156	0.51102	2.56808E-06	1.3E-06	3.46E-04	4.54E-10	1.59E-01	1.57E-01	1.13E-11	1.0E+06	1.1E-05
1157	1157	0.52848	2.56808E-06	1.4E-06	3.46E-04	4.70E-10	1.59E-01	1.57E-01	1.17E-11	1.0E+06	1.2E-05
1158	1158	0.5454	2.56808E-06	1.4E-06	3.46E-04	4.85E-10	1.59E-01	1.57E-01	1.21E-11	1.0E+06	1.2E-05
1159	1159	0.56834	2.56808E-06	1.5E-06	3.46E-04	5.05E-10	1.59E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
1160	1160	0.59417	2.56808E-06	1.5E-06	3.46E-04	5.28E-10	1.59E-01	1.57E-01	1.32E-11	1.0E+06	1.3E-05
1161	1161	0.61621	2.56808E-06	1.6E-06	3.46E-04	5.48E-10	1.59E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
1162	1162	0.64166	2.56808E-06	1.6E-06	3.46E-04	5.70E-10	1.59E-01	1.57E-01	1.42E-11	1.0E+06	1.4E-05
1163	1163	0.66448	2.56808E-06	1.7E-06	3.46E-04	5.91E-10	1.59E-01	1.57E-01	1.48E-11	1.0E+06	1.5E-05
1164	1164	0.68815	2.56808E-06	1.8E-06	3.46E-04	6.12E-10	1.59E-01	1.57E-01	1.53E-11	1.0E+06	1.5E-05
1165	1165	0.71252	2.56808E-06	1.8E-06	3.46E-04	6.33E-10	1.59E-01	1.57E-01	1.58E-11	1.0E+06	1.6E-05
1166	1166	0.73778	2.56808E-06	1.9E-06	3.46E-04	6.56E-10	1.59E-01	1.57E-01	1.64E-11	1.0E+06	1.6E-05
1167	1167	0.76328	2.56808E-06	2.0E-06	3.46E-04	6.79E-10	1.59E-01	1.57E-01	1.69E-11	1.0E+06	1.7E-05
1168	1168	0.79005	2.56808E-06	2.0E-06	3.46E-04	7.02E-10	1.59E-01	1.57E-01	1.75E-11	1.0E+06	1.8E-05
1169	1169	0.81798	2.56808E-06	2.1E-06	3.46E-04	7.27E-10	1.59E-01	1.57E-01	1.82E-11	1.0E+06	1.8E-05
1170	1170	0.84709	2.56808E-06	2.2E-06	3.46E-04	7.53E-10	1.59E-01	1.57E-01	1.88E-11	1.0E+06	1.9E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

			Cancer risk from 3rd Trimester - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.87722	2.56808E-06	2.3E-06	3.46E-04	7.80E-10	1.59E-01	1.57E-01	1.95E-11	1.0E+06	1.9E-05
1172	1172	0.90848	2.56808E-06	2.3E-06	3.46E-04	8.08E-10	1.59E-01	1.57E-01	2.02E-11	1.0E+06	2.0E-05
1173	1173	0.94091	2.56808E-06	2.4E-06	3.46E-04	8.36E-10	1.59E-01	1.57E-01	2.09E-11	1.0E+06	2.1E-05
1174	1174	0.97406	2.56808E-06	2.5E-06	3.46E-04	8.66E-10	1.59E-01	1.57E-01	2.16E-11	1.0E+06	2.2E-05
1175	1175	1.00657	2.56808E-06	2.6E-06	3.46E-04	8.95E-10	1.59E-01	1.57E-01	2.23E-11	1.0E+06	2.2E-05
1176	1176	1.03824	2.56808E-06	2.7E-06	3.46E-04	9.23E-10	1.59E-01	1.57E-01	2.30E-11	1.0E+06	2.3E-05
1177	1177	1.06812	2.56808E-06	2.7E-06	3.46E-04	9.50E-10	1.59E-01	1.57E-01	2.37E-11	1.0E+06	2.4E-05
1178	1178	1.09572	2.56808E-06	2.8E-06	3.46E-04	9.74E-10	1.59E-01	1.57E-01	2.43E-11	1.0E+06	2.4E-05
1179	1179	1.12076	2.56808E-06	2.9E-06	3.46E-04	9.96E-10	1.59E-01	1.57E-01	2.49E-11	1.0E+06	2.5E-05
1180	1180	0.40795	2.56808E-06	1.0E-06	3.46E-04	3.63E-10	1.59E-01	1.57E-01	9.06E-12	1.0E+06	9.1E-06
1181	1181	0.41763	2.56808E-06	1.1E-06	3.46E-04	3.71E-10	1.59E-01	1.57E-01	9.27E-12	1.0E+06	9.3E-06
1182	1182	0.42776	2.56808E-06	1.1E-06	3.46E-04	3.80E-10	1.59E-01	1.57E-01	9.50E-12	1.0E+06	9.5E-06
1183	1183	0.43835	2.56808E-06	1.1E-06	3.46E-04	3.90E-10	1.59E-01	1.57E-01	9.73E-12	1.0E+06	9.7E-06
1184	1184	0.44947	2.56808E-06	1.2E-06	3.46E-04	4.00E-10	1.59E-01	1.57E-01	9.98E-12	1.0E+06	1.0E-05
1185	1185	0.46117	2.56808E-06	1.2E-06	3.46E-04	4.10E-10	1.59E-01	1.57E-01	1.02E-11	1.0E+06	1.0E-05
1186	1186	0.47367	2.56808E-06	1.2E-06	3.46E-04	4.21E-10	1.59E-01	1.57E-01	1.05E-11	1.0E+06	1.1E-05
1187	1187	0.48693	2.56808E-06	1.3E-06	3.46E-04	4.33E-10	1.59E-01	1.57E-01	1.08E-11	1.0E+06	1.1E-05
1188	1188	0.50088	2.56808E-06	1.3E-06	3.46E-04	4.45E-10	1.59E-01	1.57E-01	1.11E-11	1.0E+06	1.1E-05
1189	1189	0.5153	2.56808E-06	1.3E-06	3.46E-04	4.58E-10	1.59E-01	1.57E-01	1.14E-11	1.0E+06	1.1E-05
1190	1190	0.5305	2.56808E-06	1.4E-06	3.46E-04	4.72E-10	1.59E-01	1.57E-01	1.18E-11	1.0E+06	1.2E-05
1191	1191	0.54842	2.56808E-06	1.4E-06	3.46E-04	4.88E-10	1.59E-01	1.57E-01	1.22E-11	1.0E+06	1.2E-05
1192	1192	0.56892	2.56808E-06	1.5E-06	3.46E-04	5.06E-10	1.59E-01	1.57E-01	1.26E-11	1.0E+06	1.3E-05
1193	1193	0.59104	2.56808E-06	1.5E-06	3.46E-04	5.25E-10	1.59E-01	1.57E-01	1.31E-11	1.0E+06	1.3E-05
1194	1194	0.61846	2.56808E-06	1.6E-06	3.46E-04	5.50E-10	1.59E-01	1.57E-01	1.37E-11	1.0E+06	1.4E-05
1195	1195	0.64228	2.56808E-06	1.6E-06	3.46E-04	5.71E-10	1.59E-01	1.57E-01	1.43E-11	1.0E+06	1.4E-05
1196	1196	0.66842	2.56808E-06	1.7E-06	3.46E-04	5.94E-10	1.59E-01	1.57E-01	1.48E-11	1.0E+06	1.5E-05
1197	1197	0.69504	2.56808E-06	1.8E-06	3.46E-04	6.18E-10	1.59E-01	1.57E-01	1.54E-11	1.0E+06	1.5E-05
1198	1198	0.72129	2.56808E-06	1.9E-06	3.46E-04	6.41E-10	1.59E-01	1.57E-01	1.60E-11	1.0E+06	1.6E-05
1199	1199	0.74844	2.56808E-06	1.9E-06	3.46E-04	6.65E-10	1.59E-01	1.57E-01	1.66E-11	1.0E+06	1.7E-05
1200	1200	0.7768	2.56808E-06	2.0E-06	3.46E-04	6.91E-10	1.59E-01	1.57E-01	1.72E-11	1.0E+06	1.7E-05
1201	1201	0.80566	2.56808E-06	2.1E-06	3.46E-04	7.16E-10	1.59E-01	1.57E-01	1.79E-11	1.0E+06	1.8E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Cancer risk from 3rd Trimester - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.83621	2.56808E-06	2.1E-06	3.46E-04	7.43E-10	1.59E-01	1.57E-01	1.86E-11	1.0E+06	1.9E-05
1203	1203	0.86819	2.56808E-06	2.2E-06	3.46E-04	7.72E-10	1.59E-01	1.57E-01	1.93E-11	1.0E+06	1.9E-05
1204	1204	0.90189	2.56808E-06	2.3E-06	3.46E-04	8.02E-10	1.59E-01	1.57E-01	2.00E-11	1.0E+06	2.0E-05
1205	1205	0.93707	2.56808E-06	2.4E-06	3.46E-04	8.33E-10	1.59E-01	1.57E-01	2.08E-11	1.0E+06	2.1E-05
1206	1206	0.97373	2.56808E-06	2.5E-06	3.46E-04	8.66E-10	1.59E-01	1.57E-01	2.16E-11	1.0E+06	2.2E-05
1207	1207	1.01182	2.56808E-06	2.6E-06	3.46E-04	8.99E-10	1.59E-01	1.57E-01	2.25E-11	1.0E+06	2.2E-05
1208	1208	1.05104	2.56808E-06	2.7E-06	3.46E-04	9.34E-10	1.59E-01	1.57E-01	2.33E-11	1.0E+06	2.3E-05
1209	1209	1.09022	2.56808E-06	2.8E-06	3.46E-04	9.69E-10	1.59E-01	1.57E-01	2.42E-11	1.0E+06	2.4E-05
1210	1210	1.12876	2.56808E-06	2.9E-06	3.46E-04	1.00E-09	1.59E-01	1.57E-01	2.51E-11	1.0E+06	2.5E-05
1211	1211	1.16491	2.56808E-06	3.0E-06	3.46E-04	1.04E-09	1.59E-01	1.57E-01	2.59E-11	1.0E+06	2.6E-05
1212	1212	1.19867	2.56808E-06	3.1E-06	3.46E-04	1.07E-09	1.59E-01	1.57E-01	2.66E-11	1.0E+06	2.7E-05
1213	1213	1.22919	2.56808E-06	3.2E-06	3.46E-04	1.09E-09	1.59E-01	1.57E-01	2.73E-11	1.0E+06	2.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
892	892	2.0E-01	Max	Receptor #	5	4.58E-03	Max	Receptor #	
893	893	2.0E-01	0.833	1205	5	4.71E-03	0.019	1205	Res
894	894	2.1E-01			5	4.83E-03			
895	895	2.1E-01			5	4.95E-03			
896	896	2.2E-01			5	5.05E-03			
897	897	2.2E-01			5	5.14E-03			
898	898	2.3E-01			5	5.22E-03			
899	899	2.3E-01			5	5.27E-03			
900	900	2.3E-01			5	5.31E-03			
901	901	2.3E-01			5	5.33E-03			
902	902	2.3E-01			5	5.31E-03			
903	903	2.3E-01			5	5.27E-03			
904	904	2.3E-01			5	5.21E-03			
905	905	2.2E-01			5	5.12E-03			
906	906	2.2E-01			5	5.01E-03			
907	907	2.1E-01			5	4.89E-03			
908	908	1.1E-01			5	2.65E-03			
909	909	1.2E-01			5	2.75E-03			
910	910	1.2E-01			5	2.84E-03			
911	911	1.3E-01			5	2.94E-03			
912	912	1.3E-01			5	3.04E-03			
913	913	1.4E-01			5	3.14E-03			
914	914	1.4E-01			5	3.25E-03			
915	915	1.5E-01			5	3.36E-03			
916	916	1.5E-01			5	3.47E-03			
917	917	1.6E-01			5	3.59E-03			
918	918	1.6E-01			5	3.71E-03			
919	919	1.7E-01			5	3.84E-03			
920	920	1.7E-01			5	3.97E-03			
921	921	1.8E-01			5	4.11E-03			
922	922	1.8E-01			5	4.25E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	1.9E-01	5	4.40E-03
924	924	2.0E-01	5	4.56E-03
925	925	2.0E-01	5	4.71E-03
926	926	2.1E-01	5	4.87E-03
927	927	2.2E-01	5	5.03E-03
928	928	2.2E-01	5	5.18E-03
929	929	2.3E-01	5	5.34E-03
930	930	2.4E-01	5	5.48E-03
931	931	2.4E-01	5	5.62E-03
932	932	2.5E-01	5	5.73E-03
933	933	2.5E-01	5	5.83E-03
934	934	2.6E-01	5	5.90E-03
935	935	2.6E-01	5	5.95E-03
936	936	2.6E-01	5	5.97E-03
937	937	2.6E-01	5	5.95E-03
938	938	2.6E-01	5	5.90E-03
939	939	2.5E-01	5	5.82E-03
940	940	2.5E-01	5	5.70E-03
941	941	2.4E-01	5	5.57E-03
942	942	1.2E-01	5	2.80E-03
943	943	1.3E-01	5	2.91E-03
944	944	1.3E-01	5	3.01E-03
945	945	1.3E-01	5	3.11E-03
946	946	1.4E-01	5	3.23E-03
947	947	1.4E-01	5	3.35E-03
948	948	1.5E-01	5	3.46E-03
949	949	1.5E-01	5	3.58E-03
950	950	1.6E-01	5	3.71E-03
951	951	1.7E-01	5	3.84E-03
952	952	1.7E-01	5	3.98E-03
953	953	1.8E-01	5	4.13E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	1.9E-01	5	4.28E-03
955	955	1.9E-01	5	4.44E-03
956	956	2.0E-01	5	4.61E-03
957	957	2.1E-01	5	4.78E-03
958	958	2.1E-01	5	4.97E-03
959	959	2.2E-01	5	5.15E-03
960	960	2.3E-01	5	5.35E-03
961	961	2.4E-01	5	5.54E-03
962	962	2.5E-01	5	5.74E-03
963	963	2.6E-01	5	5.93E-03
964	964	2.6E-01	5	6.12E-03
965	965	2.7E-01	5	6.29E-03
966	966	2.8E-01	5	6.44E-03
967	967	2.8E-01	5	6.57E-03
968	968	2.9E-01	5	6.67E-03
969	969	2.9E-01	5	6.73E-03
970	970	2.9E-01	5	6.75E-03
971	971	2.9E-01	5	6.73E-03
972	972	2.9E-01	5	6.67E-03
973	973	2.8E-01	5	6.56E-03
974	974	2.8E-01	5	6.42E-03
975	975	2.7E-01	5	6.24E-03
976	976	1.3E-01	5	2.96E-03
977	977	1.3E-01	5	3.08E-03
978	978	1.4E-01	5	3.19E-03
979	979	1.4E-01	5	3.31E-03
980	980	1.5E-01	5	3.43E-03
981	981	1.5E-01	5	3.57E-03
982	982	1.6E-01	5	3.70E-03
983	983	1.7E-01	5	3.83E-03
984	984	1.7E-01	5	3.97E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	1.8E-01	5	4.13E-03
986	986	1.9E-01	5	4.28E-03
987	987	1.9E-01	5	4.45E-03
988	988	2.0E-01	5	4.62E-03
989	989	2.1E-01	5	4.81E-03
990	990	2.2E-01	5	5.00E-03
991	991	2.3E-01	5	5.21E-03
992	992	2.3E-01	5	5.43E-03
993	993	2.4E-01	5	5.66E-03
994	994	2.5E-01	5	5.90E-03
995	995	2.7E-01	5	6.15E-03
996	996	2.8E-01	5	6.40E-03
997	997	2.9E-01	5	6.65E-03
998	998	3.0E-01	5	6.89E-03
999	999	3.1E-01	5	7.12E-03
1000	1000	3.2E-01	5	7.32E-03
1001	1001	3.2E-01	5	7.49E-03
1002	1002	3.3E-01	5	7.62E-03
1003	1003	3.3E-01	5	7.70E-03
1004	1004	3.3E-01	5	7.73E-03
1005	1005	3.3E-01	5	7.70E-03
1006	1006	3.3E-01	5	7.62E-03
1007	1007	3.2E-01	5	7.49E-03
1008	1008	3.2E-01	5	7.30E-03
1009	1009	3.1E-01	5	7.06E-03
1010	1010	1.4E-01	5	3.14E-03
1011	1011	1.4E-01	5	3.26E-03
1012	1012	1.5E-01	5	3.39E-03
1013	1013	1.5E-01	5	3.52E-03
1014	1014	1.6E-01	5	3.66E-03
1015	1015	1.6E-01	5	3.81E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	1.7E-01	5	3.95E-03
1017	1017	1.8E-01	5	4.10E-03
1018	1018	1.8E-01	5	4.26E-03
1019	1019	1.9E-01	5	4.43E-03
1020	1020	2.0E-01	5	4.61E-03
1021	1021	2.1E-01	5	4.80E-03
1022	1022	2.2E-01	5	5.00E-03
1023	1023	2.3E-01	5	5.21E-03
1024	1024	2.4E-01	5	5.44E-03
1025	1025	2.5E-01	5	5.69E-03
1026	1026	2.6E-01	5	5.96E-03
1027	1027	2.7E-01	5	6.24E-03
1028	1028	2.8E-01	5	6.54E-03
1029	1029	3.0E-01	5	6.86E-03
1030	1030	3.1E-01	5	7.18E-03
1031	1031	3.2E-01	5	7.51E-03
1032	1032	3.4E-01	5	7.83E-03
1033	1033	3.5E-01	5	8.14E-03
1034	1034	3.6E-01	5	8.42E-03
1035	1035	3.7E-01	5	8.65E-03
1036	1036	3.8E-01	5	8.83E-03
1037	1037	3.9E-01	5	8.94E-03
1038	1038	3.9E-01	5	8.98E-03
1039	1039	3.9E-01	5	8.94E-03
1040	1040	3.8E-01	5	8.83E-03
1041	1041	3.7E-01	5	8.64E-03
1042	1042	3.6E-01	5	8.38E-03
1043	1043	3.5E-01	5	8.06E-03
1044	1044	1.4E-01	5	3.33E-03
1045	1045	1.5E-01	5	3.47E-03
1046	1046	1.6E-01	5	3.61E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	1.6E-01	5	3.75E-03
1048	1048	1.7E-01	5	3.91E-03
1049	1049	1.8E-01	5	4.07E-03
1050	1050	1.8E-01	5	4.23E-03
1051	1051	1.9E-01	5	4.40E-03
1052	1052	2.0E-01	5	4.58E-03
1053	1053	2.1E-01	5	4.77E-03
1054	1054	2.2E-01	5	4.98E-03
1055	1055	2.2E-01	5	5.19E-03
1056	1056	2.3E-01	5	5.42E-03
1057	1057	2.4E-01	5	5.67E-03
1058	1058	2.6E-01	5	5.94E-03
1059	1059	2.7E-01	5	6.24E-03
1060	1060	2.8E-01	5	6.56E-03
1061	1061	3.0E-01	5	6.91E-03
1062	1062	3.2E-01	5	7.29E-03
1063	1063	3.3E-01	5	7.70E-03
1064	1064	3.5E-01	5	8.13E-03
1065	1065	3.7E-01	5	8.57E-03
1066	1066	3.9E-01	5	9.01E-03
1067	1067	4.1E-01	5	9.44E-03
1068	1068	4.2E-01	5	9.83E-03
1069	1069	4.4E-01	5	1.01E-02
1070	1070	4.5E-01	5	1.04E-02
1071	1071	4.6E-01	5	1.06E-02
1072	1072	4.6E-01	5	1.06E-02
1073	1073	4.6E-01	5	1.06E-02
1074	1074	4.5E-01	5	1.04E-02
1075	1075	4.4E-01	5	1.01E-02
1076	1076	4.2E-01	5	9.75E-03
1077	1077	4.0E-01	5	9.30E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	1.5E-01	5	3.54E-03
1079	1079	1.6E-01	5	3.69E-03
1080	1080	1.7E-01	5	3.85E-03
1081	1081	1.7E-01	5	4.01E-03
1082	1082	1.8E-01	5	4.18E-03
1083	1083	1.9E-01	5	4.36E-03
1084	1084	2.0E-01	5	4.55E-03
1085	1085	2.0E-01	5	4.73E-03
1086	1086	2.1E-01	5	4.93E-03
1087	1087	2.2E-01	5	5.15E-03
1088	1088	2.3E-01	5	5.38E-03
1089	1089	2.4E-01	5	5.62E-03
1090	1090	2.5E-01	5	5.89E-03
1091	1091	2.7E-01	5	6.17E-03
1092	1092	2.8E-01	5	6.49E-03
1093	1093	3.0E-01	5	6.85E-03
1094	1094	3.1E-01	5	7.24E-03
1095	1095	3.3E-01	5	7.68E-03
1096	1096	3.5E-01	5	8.17E-03
1097	1097	3.8E-01	5	8.71E-03
1098	1098	4.0E-01	5	9.29E-03
1099	1099	4.3E-01	5	9.90E-03
1100	1100	4.6E-01	5	1.05E-02
1101	1101	4.8E-01	5	1.11E-02
1102	1102	5.1E-01	5	1.17E-02
1103	1103	5.3E-01	5	1.22E-02
1104	1104	5.4E-01	5	1.25E-02
1105	1105	5.5E-01	5	1.27E-02
1106	1106	5.5E-01	5	1.28E-02
1107	1107	5.5E-01	5	1.27E-02
1108	1108	5.4E-01	5	1.25E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	5.2E-01	5	1.21E-02
1110	1110	5.0E-01	5	1.15E-02
1111	1111	4.7E-01	5	1.09E-02
1112	1112	1.6E-01	5	3.77E-03
1113	1113	1.7E-01	5	3.94E-03
1114	1114	1.8E-01	5	4.11E-03
1115	1115	1.9E-01	5	4.29E-03
1116	1116	1.9E-01	5	4.48E-03
1117	1117	2.0E-01	5	4.68E-03
1118	1118	2.1E-01	5	4.89E-03
1119	1119	2.2E-01	5	5.10E-03
1120	1120	2.3E-01	5	5.32E-03
1121	1121	2.4E-01	5	5.57E-03
1122	1122	2.5E-01	5	5.83E-03
1123	1123	2.6E-01	5	6.10E-03
1124	1124	2.8E-01	5	6.40E-03
1125	1125	2.9E-01	5	6.74E-03
1126	1126	3.1E-01	5	7.11E-03
1127	1127	3.3E-01	5	7.53E-03
1128	1128	3.5E-01	5	8.02E-03
1129	1129	3.7E-01	5	8.57E-03
1130	1130	4.0E-01	5	9.21E-03
1131	1131	4.3E-01	5	9.94E-03
1132	1132	4.6E-01	5	1.07E-02
1133	1133	5.0E-01	5	1.16E-02
1134	1134	5.4E-01	5	1.25E-02
1135	1135	5.8E-01	5	1.34E-02
1136	1136	6.2E-01	5	1.43E-02
1137	1137	6.5E-01	5	1.50E-02
1138	1138	6.7E-01	5	1.55E-02
1139	1139	6.8E-01	5	1.58E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	6.9E-01	5	1.59E-02
1141	1141	6.8E-01	5	1.58E-02
1142	1142	6.7E-01	5	1.54E-02
1143	1143	6.4E-01	5	1.48E-02
1144	1144	6.0E-01	5	1.40E-02
1145	1145	5.6E-01	5	1.30E-02
1146	1146	1.7E-01	5	4.02E-03
1147	1147	1.8E-01	5	4.21E-03
1148	1148	1.9E-01	5	4.40E-03
1149	1149	2.0E-01	5	4.61E-03
1150	1150	2.1E-01	5	4.82E-03
1151	1151	2.2E-01	5	5.04E-03
1152	1152	2.3E-01	5	5.28E-03
1153	1153	2.4E-01	5	5.51E-03
1154	1154	2.5E-01	5	5.76E-03
1155	1155	2.6E-01	5	6.03E-03
1156	1156	2.7E-01	5	6.32E-03
1157	1157	2.9E-01	5	6.64E-03
1158	1158	3.0E-01	5	6.98E-03
1159	1159	3.2E-01	5	7.36E-03
1160	1160	3.4E-01	5	7.79E-03
1161	1161	3.6E-01	5	8.30E-03
1162	1162	3.8E-01	5	8.89E-03
1163	1163	4.1E-01	5	9.58E-03
1164	1164	4.5E-01	5	1.04E-02
1165	1165	4.9E-01	5	1.14E-02
1166	1166	5.5E-01	5	1.26E-02
1167	1167	6.0E-01	5	1.39E-02
1168	1168	5.4E-01	5	1.26E-02
1169	1169	7.2E-01	5	1.66E-02
1170	1170	6.4E-01	5	1.49E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	6.7E-01	5	1.55E-02
1172	1172	6.9E-01	5	1.61E-02
1173	1173	7.2E-01	5	1.68E-02
1174	1174	7.4E-01	5	1.71E-02
1175	1175	7.1E-01	5	1.64E-02
1176	1176	6.8E-01	5	1.58E-02
1177	1177	6.6E-01	5	1.52E-02
1178	1178	5.1E-01	5	1.18E-02
1179	1179	5.6E-01	5	1.30E-02
1180	1180	1.9E-01	5	4.29E-03
1181	1181	2.0E-01	5	4.51E-03
1182	1182	2.0E-01	5	4.73E-03
1183	1183	2.1E-01	5	4.97E-03
1184	1184	2.2E-01	5	5.20E-03
1185	1185	2.4E-01	5	5.45E-03
1186	1186	2.5E-01	5	5.71E-03
1187	1187	2.6E-01	5	5.98E-03
1188	1188	2.7E-01	5	6.25E-03
1189	1189	2.8E-01	5	6.55E-03
1190	1190	3.0E-01	5	6.88E-03
1191	1191	3.1E-01	5	7.23E-03
1192	1192	3.3E-01	5	7.62E-03
1193	1193	3.5E-01	5	8.05E-03
1194	1194	3.7E-01	5	8.55E-03
1195	1195	4.0E-01	5	9.14E-03
1196	1196	4.3E-01	5	9.85E-03
1197	1197	4.6E-01	5	1.07E-02
1198	1198	5.1E-01	5	1.18E-02
1199	1199	5.7E-01	5	1.32E-02
1200	1200	5.2E-01	5	1.20E-02
1201	1201	5.7E-01	5	1.33E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Demolition Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1202	1202	6.4E-01	5	1.49E-02
1203	1203	6.0E-01	5	1.38E-02
1204	1204	6.5E-01	5	1.51E-02
1205	1205	8.3E-01	5	1.93E-02
1206	1206	7.5E-01	5	1.74E-02
1207	1207	7.7E-01	5	1.78E-02
1208	1208	6.6E-01	5	1.53E-02
1209	1209	7.6E-01	5	1.76E-02
1210	1210	6.1E-01	5	1.41E-02
1211	1211	5.5E-01	5	1.27E-02
1212	1212	6.0E-01	5	1.39E-02
1213	1213	5.3E-01	5	1.23E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

							Cancer Risk from 3rd Trimester			
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	4.58E-03	1.1E-02	3.46E-04	3.68E-06	2.19E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
893	2.38542	4.58E-03	1.1E-02	3.46E-04	3.78E-06	2.19E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
894	2.44758	4.58E-03	1.1E-02	3.46E-04	3.88E-06	2.19E-02	1.57E-01	1.34E-08	1.0E+06	1.3E-02
895	2.50618	4.58E-03	1.1E-02	3.46E-04	3.97E-06	2.19E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
896	2.55908	4.58E-03	1.2E-02	3.46E-04	4.05E-06	2.19E-02	1.57E-01	1.40E-08	1.0E+06	1.4E-02
897	2.60474	4.58E-03	1.2E-02	3.46E-04	4.13E-06	2.19E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
898	2.64253	4.58E-03	1.2E-02	3.46E-04	4.19E-06	2.19E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
899	2.67158	4.58E-03	1.2E-02	3.46E-04	4.23E-06	2.19E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
900	2.69069	4.58E-03	1.2E-02	3.46E-04	4.26E-06	2.19E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
901	2.69844	4.58E-03	1.2E-02	3.46E-04	4.27E-06	2.19E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
902	2.69171	4.58E-03	1.2E-02	3.46E-04	4.26E-06	2.19E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
903	2.6708	4.58E-03	1.2E-02	3.46E-04	4.23E-06	2.19E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
904	2.63764	4.58E-03	1.2E-02	3.46E-04	4.18E-06	2.19E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
905	2.59313	4.58E-03	1.2E-02	3.46E-04	4.11E-06	2.19E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
906	2.53783	4.58E-03	1.2E-02	3.46E-04	4.02E-06	2.19E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
907	2.47822	4.58E-03	1.1E-02	3.46E-04	3.93E-06	2.19E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
908	1.34378	4.58E-03	6.1E-03	3.46E-04	2.13E-06	2.19E-02	1.57E-01	7.33E-09	1.0E+06	7.3E-03
909	1.39182	4.58E-03	6.4E-03	3.46E-04	2.20E-06	2.19E-02	1.57E-01	7.59E-09	1.0E+06	7.6E-03
910	1.43801	4.58E-03	6.6E-03	3.46E-04	2.28E-06	2.19E-02	1.57E-01	7.85E-09	1.0E+06	7.8E-03
911	1.4874	4.58E-03	6.8E-03	3.46E-04	2.36E-06	2.19E-02	1.57E-01	8.12E-09	1.0E+06	8.1E-03
912	1.53931	4.58E-03	7.0E-03	3.46E-04	2.44E-06	2.19E-02	1.57E-01	8.40E-09	1.0E+06	8.4E-03
913	1.59264	4.58E-03	7.3E-03	3.46E-04	2.52E-06	2.19E-02	1.57E-01	8.69E-09	1.0E+06	8.7E-03
914	1.64626	4.58E-03	7.5E-03	3.46E-04	2.61E-06	2.19E-02	1.57E-01	8.98E-09	1.0E+06	9.0E-03
915	1.70051	4.58E-03	7.8E-03	3.46E-04	2.69E-06	2.19E-02	1.57E-01	9.28E-09	1.0E+06	9.3E-03
916	1.75782	4.58E-03	8.0E-03	3.46E-04	2.78E-06	2.19E-02	1.57E-01	9.59E-09	1.0E+06	9.6E-03
917	1.81857	4.58E-03	8.3E-03	3.46E-04	2.88E-06	2.19E-02	1.57E-01	9.92E-09	1.0E+06	9.9E-03
918	1.88138	4.58E-03	8.6E-03	3.46E-04	2.98E-06	2.19E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
919	1.9463	4.58E-03	8.9E-03	3.46E-04	3.08E-06	2.19E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
920	2.01351	4.58E-03	9.2E-03	3.46E-04	3.19E-06	2.19E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
921	2.08316	4.58E-03	9.5E-03	3.46E-04	3.30E-06	2.19E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
922	2.15554	4.58E-03	9.9E-03	3.46E-04	3.41E-06	2.19E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02

	Max	Receptor #
Res	0.053	1205

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	4.58E-03	1.0E-02	3.46E-04	3.53E-06	2.19E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
924	2.30792	4.58E-03	1.1E-02	3.46E-04	3.66E-06	2.19E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
925	2.38688	4.58E-03	1.1E-02	3.46E-04	3.78E-06	2.19E-02	1.57E-01	1.30E-08	1.0E+06	1.3E-02
926	2.46714	4.58E-03	1.1E-02	3.46E-04	3.91E-06	2.19E-02	1.57E-01	1.35E-08	1.0E+06	1.3E-02
927	2.54717	4.58E-03	1.2E-02	3.46E-04	4.04E-06	2.19E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
928	2.62654	4.58E-03	1.2E-02	3.46E-04	4.16E-06	2.19E-02	1.57E-01	1.43E-08	1.0E+06	1.4E-02
929	2.70395	4.58E-03	1.2E-02	3.46E-04	4.28E-06	2.19E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
930	2.77767	4.58E-03	1.3E-02	3.46E-04	4.40E-06	2.19E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
931	2.84499	4.58E-03	1.3E-02	3.46E-04	4.51E-06	2.19E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
932	2.90354	4.58E-03	1.3E-02	3.46E-04	4.60E-06	2.19E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
933	2.9525	4.58E-03	1.4E-02	3.46E-04	4.68E-06	2.19E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
934	2.99008	4.58E-03	1.4E-02	3.46E-04	4.74E-06	2.19E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
935	3.01462	4.58E-03	1.4E-02	3.46E-04	4.78E-06	2.19E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
936	3.02389	4.58E-03	1.4E-02	3.46E-04	4.79E-06	2.19E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
937	3.01538	4.58E-03	1.4E-02	3.46E-04	4.78E-06	2.19E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
938	2.98903	4.58E-03	1.4E-02	3.46E-04	4.74E-06	2.19E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
939	2.94679	4.58E-03	1.3E-02	3.46E-04	4.67E-06	2.19E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
940	2.89021	4.58E-03	1.3E-02	3.46E-04	4.58E-06	2.19E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
941	2.82029	4.58E-03	1.3E-02	3.46E-04	4.47E-06	2.19E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
942	1.41975	4.58E-03	6.5E-03	3.46E-04	2.25E-06	2.19E-02	1.57E-01	7.75E-09	1.0E+06	7.7E-03
943	1.4724	4.58E-03	6.7E-03	3.46E-04	2.33E-06	2.19E-02	1.57E-01	8.03E-09	1.0E+06	8.0E-03
944	1.52496	4.58E-03	7.0E-03	3.46E-04	2.42E-06	2.19E-02	1.57E-01	8.32E-09	1.0E+06	8.3E-03
945	1.57781	4.58E-03	7.2E-03	3.46E-04	2.50E-06	2.19E-02	1.57E-01	8.61E-09	1.0E+06	8.6E-03
946	1.63542	4.58E-03	7.5E-03	3.46E-04	2.59E-06	2.19E-02	1.57E-01	8.92E-09	1.0E+06	8.9E-03
947	1.69476	4.58E-03	7.8E-03	3.46E-04	2.68E-06	2.19E-02	1.57E-01	9.25E-09	1.0E+06	9.2E-03
948	1.75455	4.58E-03	8.0E-03	3.46E-04	2.78E-06	2.19E-02	1.57E-01	9.57E-09	1.0E+06	9.6E-03
949	1.81519	4.58E-03	8.3E-03	3.46E-04	2.88E-06	2.19E-02	1.57E-01	9.90E-09	1.0E+06	9.9E-03
950	1.8796	4.58E-03	8.6E-03	3.46E-04	2.98E-06	2.19E-02	1.57E-01	1.03E-08	1.0E+06	1.0E-02
951	1.94787	4.58E-03	8.9E-03	3.46E-04	3.09E-06	2.19E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
952	2.01881	4.58E-03	9.2E-03	3.46E-04	3.20E-06	2.19E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02
953	2.09254	4.58E-03	9.6E-03	3.46E-04	3.31E-06	2.19E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	4.58E-03	9.9E-03	3.46E-04	3.44E-06	2.19E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
955	2.24971	4.58E-03	1.0E-02	3.46E-04	3.56E-06	2.19E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
956	2.33459	4.58E-03	1.1E-02	3.46E-04	3.70E-06	2.19E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
957	2.42362	4.58E-03	1.1E-02	3.46E-04	3.84E-06	2.19E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
958	2.51608	4.58E-03	1.2E-02	3.46E-04	3.99E-06	2.19E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
959	2.61119	4.58E-03	1.2E-02	3.46E-04	4.14E-06	2.19E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
960	2.70919	4.58E-03	1.2E-02	3.46E-04	4.29E-06	2.19E-02	1.57E-01	1.48E-08	1.0E+06	1.5E-02
961	2.80855	4.58E-03	1.3E-02	3.46E-04	4.45E-06	2.19E-02	1.57E-01	1.53E-08	1.0E+06	1.5E-02
962	2.90798	4.58E-03	1.3E-02	3.46E-04	4.61E-06	2.19E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
963	3.00621	4.58E-03	1.4E-02	3.46E-04	4.76E-06	2.19E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
964	3.10043	4.58E-03	1.4E-02	3.46E-04	4.91E-06	2.19E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
965	3.18812	4.58E-03	1.5E-02	3.46E-04	5.05E-06	2.19E-02	1.57E-01	1.74E-08	1.0E+06	1.7E-02
966	3.26457	4.58E-03	1.5E-02	3.46E-04	5.17E-06	2.19E-02	1.57E-01	1.78E-08	1.0E+06	1.8E-02
967	3.32885	4.58E-03	1.5E-02	3.46E-04	5.27E-06	2.19E-02	1.57E-01	1.82E-08	1.0E+06	1.8E-02
968	3.37814	4.58E-03	1.5E-02	3.46E-04	5.35E-06	2.19E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
969	3.41014	4.58E-03	1.6E-02	3.46E-04	5.40E-06	2.19E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
970	3.42128	4.58E-03	1.6E-02	3.46E-04	5.42E-06	2.19E-02	1.57E-01	1.87E-08	1.0E+06	1.9E-02
971	3.41078	4.58E-03	1.6E-02	3.46E-04	5.40E-06	2.19E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
972	3.37829	4.58E-03	1.5E-02	3.46E-04	5.35E-06	2.19E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
973	3.32508	4.58E-03	1.5E-02	3.46E-04	5.27E-06	2.19E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
974	3.25251	4.58E-03	1.5E-02	3.46E-04	5.15E-06	2.19E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
975	3.16305	4.58E-03	1.4E-02	3.46E-04	5.01E-06	2.19E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
976	1.5019	4.58E-03	6.9E-03	3.46E-04	2.38E-06	2.19E-02	1.57E-01	8.19E-09	1.0E+06	8.2E-03
977	1.55951	4.58E-03	7.1E-03	3.46E-04	2.47E-06	2.19E-02	1.57E-01	8.51E-09	1.0E+06	8.5E-03
978	1.6175	4.58E-03	7.4E-03	3.46E-04	2.56E-06	2.19E-02	1.57E-01	8.83E-09	1.0E+06	8.8E-03
979	1.67604	4.58E-03	7.7E-03	3.46E-04	2.66E-06	2.19E-02	1.57E-01	9.14E-09	1.0E+06	9.1E-03
980	1.74002	4.58E-03	8.0E-03	3.46E-04	2.76E-06	2.19E-02	1.57E-01	9.49E-09	1.0E+06	9.5E-03
981	1.80609	4.58E-03	8.3E-03	3.46E-04	2.86E-06	2.19E-02	1.57E-01	9.85E-09	1.0E+06	9.9E-03
982	1.87281	4.58E-03	8.6E-03	3.46E-04	2.97E-06	2.19E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
983	1.94072	4.58E-03	8.9E-03	3.46E-04	3.07E-06	2.19E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
984	2.01313	4.58E-03	9.2E-03	3.46E-04	3.19E-06	2.19E-02	1.57E-01	1.10E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	4.58E-03	9.6E-03	3.46E-04	3.31E-06	2.19E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
986	2.1701	4.58E-03	9.9E-03	3.46E-04	3.44E-06	2.19E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
987	2.25396	4.58E-03	1.0E-02	3.46E-04	3.57E-06	2.19E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
988	2.34192	4.58E-03	1.1E-02	3.46E-04	3.71E-06	2.19E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
989	2.43471	4.58E-03	1.1E-02	3.46E-04	3.86E-06	2.19E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
990	2.53459	4.58E-03	1.2E-02	3.46E-04	4.02E-06	2.19E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
991	2.64074	4.58E-03	1.2E-02	3.46E-04	4.18E-06	2.19E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
992	2.75198	4.58E-03	1.3E-02	3.46E-04	4.36E-06	2.19E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
993	2.86771	4.58E-03	1.3E-02	3.46E-04	4.54E-06	2.19E-02	1.57E-01	1.56E-08	1.0E+06	1.6E-02
994	2.98847	4.58E-03	1.4E-02	3.46E-04	4.73E-06	2.19E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
995	3.11365	4.58E-03	1.4E-02	3.46E-04	4.93E-06	2.19E-02	1.57E-01	1.70E-08	1.0E+06	1.7E-02
996	3.24022	4.58E-03	1.5E-02	3.46E-04	5.13E-06	2.19E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
997	3.36692	4.58E-03	1.5E-02	3.46E-04	5.33E-06	2.19E-02	1.57E-01	1.84E-08	1.0E+06	1.8E-02
998	3.48991	4.58E-03	1.6E-02	3.46E-04	5.53E-06	2.19E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02
999	3.60594	4.58E-03	1.7E-02	3.46E-04	5.71E-06	2.19E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1000	3.70812	4.58E-03	1.7E-02	3.46E-04	5.87E-06	2.19E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1001	3.79396	4.58E-03	1.7E-02	3.46E-04	6.01E-06	2.19E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02
1002	3.86013	4.58E-03	1.8E-02	3.46E-04	6.11E-06	2.19E-02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1003	3.90266	4.58E-03	1.8E-02	3.46E-04	6.18E-06	2.19E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1004	3.91652	4.58E-03	1.8E-02	3.46E-04	6.20E-06	2.19E-02	1.57E-01	2.14E-08	1.0E+06	2.1E-02
1005	3.9028	4.58E-03	1.8E-02	3.46E-04	6.18E-06	2.19E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1006	3.86166	4.58E-03	1.8E-02	3.46E-04	6.12E-06	2.19E-02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1007	3.79253	4.58E-03	1.7E-02	3.46E-04	6.01E-06	2.19E-02	1.57E-01	2.07E-08	1.0E+06	2.1E-02
1008	3.69675	4.58E-03	1.7E-02	3.46E-04	5.86E-06	2.19E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1009	3.57868	4.58E-03	1.6E-02	3.46E-04	5.67E-06	2.19E-02	1.57E-01	1.95E-08	1.0E+06	2.0E-02
1010	1.59074	4.58E-03	7.3E-03	3.46E-04	2.52E-06	2.19E-02	1.57E-01	8.68E-09	1.0E+06	8.7E-03
1011	1.65396	4.58E-03	7.6E-03	3.46E-04	2.62E-06	2.19E-02	1.57E-01	9.02E-09	1.0E+06	9.0E-03
1012	1.71809	4.58E-03	7.9E-03	3.46E-04	2.72E-06	2.19E-02	1.57E-01	9.37E-09	1.0E+06	9.4E-03
1013	1.7831	4.58E-03	8.2E-03	3.46E-04	2.82E-06	2.19E-02	1.57E-01	9.73E-09	1.0E+06	9.7E-03
1014	1.8542	4.58E-03	8.5E-03	3.46E-04	2.94E-06	2.19E-02	1.57E-01	1.01E-08	1.0E+06	1.0E-02
1015	1.92778	4.58E-03	8.8E-03	3.46E-04	3.05E-06	2.19E-02	1.57E-01	1.05E-08	1.0E+06	1.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	4.58E-03	9.2E-03	3.46E-04	3.17E-06	2.19E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1017	2.07653	4.58E-03	9.5E-03	3.46E-04	3.29E-06	2.19E-02	1.57E-01	1.13E-08	1.0E+06	1.1E-02
1018	2.15978	4.58E-03	9.9E-03	3.46E-04	3.42E-06	2.19E-02	1.57E-01	1.18E-08	1.0E+06	1.2E-02
1019	2.24625	4.58E-03	1.0E-02	3.46E-04	3.56E-06	2.19E-02	1.57E-01	1.23E-08	1.0E+06	1.2E-02
1020	2.33698	4.58E-03	1.1E-02	3.46E-04	3.70E-06	2.19E-02	1.57E-01	1.28E-08	1.0E+06	1.3E-02
1021	2.43241	4.58E-03	1.1E-02	3.46E-04	3.85E-06	2.19E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1022	2.53329	4.58E-03	1.2E-02	3.46E-04	4.01E-06	2.19E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1023	2.64079	4.58E-03	1.2E-02	3.46E-04	4.18E-06	2.19E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1024	2.75843	4.58E-03	1.3E-02	3.46E-04	4.37E-06	2.19E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1025	2.88515	4.58E-03	1.3E-02	3.46E-04	4.57E-06	2.19E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1026	3.01984	4.58E-03	1.4E-02	3.46E-04	4.78E-06	2.19E-02	1.57E-01	1.65E-08	1.0E+06	1.6E-02
1027	3.16213	4.58E-03	1.4E-02	3.46E-04	5.01E-06	2.19E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1028	3.31325	4.58E-03	1.5E-02	3.46E-04	5.25E-06	2.19E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1029	3.47289	4.58E-03	1.6E-02	3.46E-04	5.50E-06	2.19E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
1030	3.63688	4.58E-03	1.7E-02	3.46E-04	5.76E-06	2.19E-02	1.57E-01	1.98E-08	1.0E+06	2.0E-02
1031	3.8037	4.58E-03	1.7E-02	3.46E-04	6.03E-06	2.19E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1032	3.96771	4.58E-03	1.8E-02	3.46E-04	6.29E-06	2.19E-02	1.57E-01	2.16E-08	1.0E+06	2.2E-02
1033	4.12419	4.58E-03	1.9E-02	3.46E-04	6.53E-06	2.19E-02	1.57E-01	2.25E-08	1.0E+06	2.3E-02
1034	4.26404	4.58E-03	2.0E-02	3.46E-04	6.75E-06	2.19E-02	1.57E-01	2.33E-08	1.0E+06	2.3E-02
1035	4.38116	4.58E-03	2.0E-02	3.46E-04	6.94E-06	2.19E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1036	4.4717	4.58E-03	2.0E-02	3.46E-04	7.08E-06	2.19E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1037	4.52967	4.58E-03	2.1E-02	3.46E-04	7.18E-06	2.19E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
1038	4.54755	4.58E-03	2.1E-02	3.46E-04	7.20E-06	2.19E-02	1.57E-01	2.48E-08	1.0E+06	2.5E-02
1039	4.52857	4.58E-03	2.1E-02	3.46E-04	7.17E-06	2.19E-02	1.57E-01	2.47E-08	1.0E+06	2.5E-02
1040	4.4728	4.58E-03	2.0E-02	3.46E-04	7.09E-06	2.19E-02	1.57E-01	2.44E-08	1.0E+06	2.4E-02
1041	4.3777	4.58E-03	2.0E-02	3.46E-04	6.93E-06	2.19E-02	1.57E-01	2.39E-08	1.0E+06	2.4E-02
1042	4.2463	4.58E-03	1.9E-02	3.46E-04	6.73E-06	2.19E-02	1.57E-01	2.32E-08	1.0E+06	2.3E-02
1043	4.08477	4.58E-03	1.9E-02	3.46E-04	6.47E-06	2.19E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
1044	1.68719	4.58E-03	7.7E-03	3.46E-04	2.67E-06	2.19E-02	1.57E-01	9.21E-09	1.0E+06	9.2E-03
1045	1.75653	4.58E-03	8.0E-03	3.46E-04	2.78E-06	2.19E-02	1.57E-01	9.58E-09	1.0E+06	9.6E-03
1046	1.83016	4.58E-03	8.4E-03	3.46E-04	2.90E-06	2.19E-02	1.57E-01	9.99E-09	1.0E+06	1.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	4.58E-03	8.7E-03	3.46E-04	3.01E-06	2.19E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1048	1.97931	4.58E-03	9.1E-03	3.46E-04	3.14E-06	2.19E-02	1.57E-01	1.08E-08	1.0E+06	1.1E-02
1049	2.0613	4.58E-03	9.4E-03	3.46E-04	3.27E-06	2.19E-02	1.57E-01	1.12E-08	1.0E+06	1.1E-02
1050	2.14448	4.58E-03	9.8E-03	3.46E-04	3.40E-06	2.19E-02	1.57E-01	1.17E-08	1.0E+06	1.2E-02
1051	2.22969	4.58E-03	1.0E-02	3.46E-04	3.53E-06	2.19E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
1052	2.3211	4.58E-03	1.1E-02	3.46E-04	3.68E-06	2.19E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
1053	2.41857	4.58E-03	1.1E-02	3.46E-04	3.83E-06	2.19E-02	1.57E-01	1.32E-08	1.0E+06	1.3E-02
1054	2.52135	4.58E-03	1.2E-02	3.46E-04	3.99E-06	2.19E-02	1.57E-01	1.38E-08	1.0E+06	1.4E-02
1055	2.63026	4.58E-03	1.2E-02	3.46E-04	4.17E-06	2.19E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1056	2.74637	4.58E-03	1.3E-02	3.46E-04	4.35E-06	2.19E-02	1.57E-01	1.50E-08	1.0E+06	1.5E-02
1057	2.87138	4.58E-03	1.3E-02	3.46E-04	4.55E-06	2.19E-02	1.57E-01	1.57E-08	1.0E+06	1.6E-02
1058	3.00939	4.58E-03	1.4E-02	3.46E-04	4.77E-06	2.19E-02	1.57E-01	1.64E-08	1.0E+06	1.6E-02
1059	3.16046	4.58E-03	1.4E-02	3.46E-04	5.01E-06	2.19E-02	1.57E-01	1.72E-08	1.0E+06	1.7E-02
1060	3.32447	4.58E-03	1.5E-02	3.46E-04	5.27E-06	2.19E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1061	3.50138	4.58E-03	1.6E-02	3.46E-04	5.55E-06	2.19E-02	1.57E-01	1.91E-08	1.0E+06	1.9E-02
1062	3.69345	4.58E-03	1.7E-02	3.46E-04	5.85E-06	2.19E-02	1.57E-01	2.02E-08	1.0E+06	2.0E-02
1063	3.90012	4.58E-03	1.8E-02	3.46E-04	6.18E-06	2.19E-02	1.57E-01	2.13E-08	1.0E+06	2.1E-02
1064	4.11704	4.58E-03	1.9E-02	3.46E-04	6.52E-06	2.19E-02	1.57E-01	2.25E-08	1.0E+06	2.2E-02
1065	4.34138	4.58E-03	2.0E-02	3.46E-04	6.88E-06	2.19E-02	1.57E-01	2.37E-08	1.0E+06	2.4E-02
1066	4.56573	4.58E-03	2.1E-02	3.46E-04	7.23E-06	2.19E-02	1.57E-01	2.49E-08	1.0E+06	2.5E-02
1067	4.78179	4.58E-03	2.2E-02	3.46E-04	7.57E-06	2.19E-02	1.57E-01	2.61E-08	1.0E+06	2.6E-02
1068	4.97805	4.58E-03	2.3E-02	3.46E-04	7.89E-06	2.19E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1069	5.142	4.58E-03	2.4E-02	3.46E-04	8.15E-06	2.19E-02	1.57E-01	2.81E-08	1.0E+06	2.8E-02
1070	5.26826	4.58E-03	2.4E-02	3.46E-04	8.35E-06	2.19E-02	1.57E-01	2.87E-08	1.0E+06	2.9E-02
1071	5.34837	4.58E-03	2.4E-02	3.46E-04	8.47E-06	2.19E-02	1.57E-01	2.92E-08	1.0E+06	2.9E-02
1072	5.37264	4.58E-03	2.5E-02	3.46E-04	8.51E-06	2.19E-02	1.57E-01	2.93E-08	1.0E+06	2.9E-02
1073	5.34517	4.58E-03	2.4E-02	3.46E-04	8.47E-06	2.19E-02	1.57E-01	2.92E-08	1.0E+06	2.9E-02
1074	5.26473	4.58E-03	2.4E-02	3.46E-04	8.34E-06	2.19E-02	1.57E-01	2.87E-08	1.0E+06	2.9E-02
1075	5.12805	4.58E-03	2.3E-02	3.46E-04	8.12E-06	2.19E-02	1.57E-01	2.80E-08	1.0E+06	2.8E-02
1076	4.9404	4.58E-03	2.3E-02	3.46E-04	7.83E-06	2.19E-02	1.57E-01	2.70E-08	1.0E+06	2.7E-02
1077	4.71126	4.58E-03	2.2E-02	3.46E-04	7.46E-06	2.19E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	4.58E-03	8.2E-03	3.46E-04	2.84E-06	2.19E-02	1.57E-01	9.78E-09	1.0E+06	9.8E-03
1079	1.86905	4.58E-03	8.6E-03	3.46E-04	2.96E-06	2.19E-02	1.57E-01	1.02E-08	1.0E+06	1.0E-02
1080	1.95087	4.58E-03	8.9E-03	3.46E-04	3.09E-06	2.19E-02	1.57E-01	1.06E-08	1.0E+06	1.1E-02
1081	2.03097	4.58E-03	9.3E-03	3.46E-04	3.22E-06	2.19E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1082	2.11709	4.58E-03	9.7E-03	3.46E-04	3.35E-06	2.19E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1083	2.2085	4.58E-03	1.0E-02	3.46E-04	3.50E-06	2.19E-02	1.57E-01	1.20E-08	1.0E+06	1.2E-02
1084	2.3035	4.58E-03	1.1E-02	3.46E-04	3.65E-06	2.19E-02	1.57E-01	1.26E-08	1.0E+06	1.3E-02
1085	2.39687	4.58E-03	1.1E-02	3.46E-04	3.80E-06	2.19E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1086	2.49947	4.58E-03	1.1E-02	3.46E-04	3.96E-06	2.19E-02	1.57E-01	1.36E-08	1.0E+06	1.4E-02
1087	2.6091	4.58E-03	1.2E-02	3.46E-04	4.13E-06	2.19E-02	1.57E-01	1.42E-08	1.0E+06	1.4E-02
1088	2.72531	4.58E-03	1.2E-02	3.46E-04	4.32E-06	2.19E-02	1.57E-01	1.49E-08	1.0E+06	1.5E-02
1089	2.8493	4.58E-03	1.3E-02	3.46E-04	4.51E-06	2.19E-02	1.57E-01	1.55E-08	1.0E+06	1.6E-02
1090	2.98273	4.58E-03	1.4E-02	3.46E-04	4.73E-06	2.19E-02	1.57E-01	1.63E-08	1.0E+06	1.6E-02
1091	3.12782	4.58E-03	1.4E-02	3.46E-04	4.95E-06	2.19E-02	1.57E-01	1.71E-08	1.0E+06	1.7E-02
1092	3.2898	4.58E-03	1.5E-02	3.46E-04	5.21E-06	2.19E-02	1.57E-01	1.79E-08	1.0E+06	1.8E-02
1093	3.4702	4.58E-03	1.6E-02	3.46E-04	5.50E-06	2.19E-02	1.57E-01	1.89E-08	1.0E+06	1.9E-02
1094	3.67038	4.58E-03	1.7E-02	3.46E-04	5.81E-06	2.19E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1095	3.89235	4.58E-03	1.8E-02	3.46E-04	6.17E-06	2.19E-02	1.57E-01	2.12E-08	1.0E+06	2.1E-02
1096	4.14004	4.58E-03	1.9E-02	3.46E-04	6.56E-06	2.19E-02	1.57E-01	2.26E-08	1.0E+06	2.3E-02
1097	4.41279	4.58E-03	2.0E-02	3.46E-04	6.99E-06	2.19E-02	1.57E-01	2.41E-08	1.0E+06	2.4E-02
1098	4.70698	4.58E-03	2.2E-02	3.46E-04	7.46E-06	2.19E-02	1.57E-01	2.57E-08	1.0E+06	2.6E-02
1099	5.01782	4.58E-03	2.3E-02	3.46E-04	7.95E-06	2.19E-02	1.57E-01	2.74E-08	1.0E+06	2.7E-02
1100	5.33334	4.58E-03	2.4E-02	3.46E-04	8.45E-06	2.19E-02	1.57E-01	2.91E-08	1.0E+06	2.9E-02
1101	5.63956	4.58E-03	2.6E-02	3.46E-04	8.93E-06	2.19E-02	1.57E-01	3.08E-08	1.0E+06	3.1E-02
1102	5.92318	4.58E-03	2.7E-02	3.46E-04	9.38E-06	2.19E-02	1.57E-01	3.23E-08	1.0E+06	3.2E-02
1103	6.15976	4.58E-03	2.8E-02	3.46E-04	9.76E-06	2.19E-02	1.57E-01	3.36E-08	1.0E+06	3.4E-02
1104	6.33917	4.58E-03	2.9E-02	3.46E-04	1.00E-05	2.19E-02	1.57E-01	3.46E-08	1.0E+06	3.5E-02
1105	6.45005	4.58E-03	3.0E-02	3.46E-04	1.02E-05	2.19E-02	1.57E-01	3.52E-08	1.0E+06	3.5E-02
1106	6.4842	4.58E-03	3.0E-02	3.46E-04	1.03E-05	2.19E-02	1.57E-01	3.54E-08	1.0E+06	3.5E-02
1107	6.44643	4.58E-03	3.0E-02	3.46E-04	1.02E-05	2.19E-02	1.57E-01	3.52E-08	1.0E+06	3.5E-02
1108	6.33	4.58E-03	2.9E-02	3.46E-04	1.00E-05	2.19E-02	1.57E-01	3.45E-08	1.0E+06	3.5E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	4.58E-03	2.8E-02	3.46E-04	9.71E-06	2.19E-02	1.57E-01	3.34E-08	1.0E+06	3.3E-02
1110	5.84948	4.58E-03	2.7E-02	3.46E-04	9.27E-06	2.19E-02	1.57E-01	3.19E-08	1.0E+06	3.2E-02
1111	5.51509	4.58E-03	2.5E-02	3.46E-04	8.74E-06	2.19E-02	1.57E-01	3.01E-08	1.0E+06	3.0E-02
1112	1.90754	4.58E-03	8.7E-03	3.46E-04	3.02E-06	2.19E-02	1.57E-01	1.04E-08	1.0E+06	1.0E-02
1113	1.99395	4.58E-03	9.1E-03	3.46E-04	3.16E-06	2.19E-02	1.57E-01	1.09E-08	1.0E+06	1.1E-02
1114	2.08392	4.58E-03	9.5E-03	3.46E-04	3.30E-06	2.19E-02	1.57E-01	1.14E-08	1.0E+06	1.1E-02
1115	2.17568	4.58E-03	1.0E-02	3.46E-04	3.45E-06	2.19E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1116	2.26975	4.58E-03	1.0E-02	3.46E-04	3.60E-06	2.19E-02	1.57E-01	1.24E-08	1.0E+06	1.2E-02
1117	2.37171	4.58E-03	1.1E-02	3.46E-04	3.76E-06	2.19E-02	1.57E-01	1.29E-08	1.0E+06	1.3E-02
1118	2.47776	4.58E-03	1.1E-02	3.46E-04	3.93E-06	2.19E-02	1.57E-01	1.35E-08	1.0E+06	1.4E-02
1119	2.58252	4.58E-03	1.2E-02	3.46E-04	4.09E-06	2.19E-02	1.57E-01	1.41E-08	1.0E+06	1.4E-02
1120	2.69744	4.58E-03	1.2E-02	3.46E-04	4.27E-06	2.19E-02	1.57E-01	1.47E-08	1.0E+06	1.5E-02
1121	2.82046	4.58E-03	1.3E-02	3.46E-04	4.47E-06	2.19E-02	1.57E-01	1.54E-08	1.0E+06	1.5E-02
1122	2.95147	4.58E-03	1.4E-02	3.46E-04	4.68E-06	2.19E-02	1.57E-01	1.61E-08	1.0E+06	1.6E-02
1123	3.09213	4.58E-03	1.4E-02	3.46E-04	4.90E-06	2.19E-02	1.57E-01	1.69E-08	1.0E+06	1.7E-02
1124	3.24473	4.58E-03	1.5E-02	3.46E-04	5.14E-06	2.19E-02	1.57E-01	1.77E-08	1.0E+06	1.8E-02
1125	3.41259	4.58E-03	1.6E-02	3.46E-04	5.41E-06	2.19E-02	1.57E-01	1.86E-08	1.0E+06	1.9E-02
1126	3.60217	4.58E-03	1.6E-02	3.46E-04	5.71E-06	2.19E-02	1.57E-01	1.97E-08	1.0E+06	2.0E-02
1127	3.81712	4.58E-03	1.7E-02	3.46E-04	6.05E-06	2.19E-02	1.57E-01	2.08E-08	1.0E+06	2.1E-02
1128	4.0622	4.58E-03	1.9E-02	3.46E-04	6.44E-06	2.19E-02	1.57E-01	2.22E-08	1.0E+06	2.2E-02
1129	4.34181	4.58E-03	2.0E-02	3.46E-04	6.88E-06	2.19E-02	1.57E-01	2.37E-08	1.0E+06	2.4E-02
1130	4.66524	4.58E-03	2.1E-02	3.46E-04	7.39E-06	2.19E-02	1.57E-01	2.55E-08	1.0E+06	2.5E-02
1131	5.03357	4.58E-03	2.3E-02	3.46E-04	7.97E-06	2.19E-02	1.57E-01	2.75E-08	1.0E+06	2.7E-02
1132	5.44589	4.58E-03	2.5E-02	3.46E-04	8.63E-06	2.19E-02	1.57E-01	2.97E-08	1.0E+06	3.0E-02
1133	5.89285	4.58E-03	2.7E-02	3.46E-04	9.34E-06	2.19E-02	1.57E-01	3.22E-08	1.0E+06	3.2E-02
1134	6.35095	4.58E-03	2.9E-02	3.46E-04	1.01E-05	2.19E-02	1.57E-01	3.47E-08	1.0E+06	3.5E-02
1135	6.79794	4.58E-03	3.1E-02	3.46E-04	1.08E-05	2.19E-02	1.57E-01	3.71E-08	1.0E+06	3.7E-02
1136	7.22023	4.58E-03	3.3E-02	3.46E-04	1.14E-05	2.19E-02	1.57E-01	3.94E-08	1.0E+06	3.9E-02
1137	7.57481	4.58E-03	3.5E-02	3.46E-04	1.20E-05	2.19E-02	1.57E-01	4.13E-08	1.0E+06	4.1E-02
1138	7.83292	4.58E-03	3.6E-02	3.46E-04	1.24E-05	2.19E-02	1.57E-01	4.27E-08	1.0E+06	4.3E-02
1139	7.97995	4.58E-03	3.7E-02	3.46E-04	1.26E-05	2.19E-02	1.57E-01	4.35E-08	1.0E+06	4.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	4.58E-03	3.7E-02	3.46E-04	1.27E-05	2.19E-02	1.57E-01	4.38E-08	1.0E+06	4.4E-02
1141	7.98973	4.58E-03	3.7E-02	3.46E-04	1.27E-05	2.19E-02	1.57E-01	4.36E-08	1.0E+06	4.4E-02
1142	7.81875	4.58E-03	3.6E-02	3.46E-04	1.24E-05	2.19E-02	1.57E-01	4.27E-08	1.0E+06	4.3E-02
1143	7.50412	4.58E-03	3.4E-02	3.46E-04	1.19E-05	2.19E-02	1.57E-01	4.09E-08	1.0E+06	4.1E-02
1144	7.07481	4.58E-03	3.2E-02	3.46E-04	1.12E-05	2.19E-02	1.57E-01	3.86E-08	1.0E+06	3.9E-02
1145	6.56874	4.58E-03	3.0E-02	3.46E-04	1.04E-05	2.19E-02	1.57E-01	3.58E-08	1.0E+06	3.6E-02
1146	2.03453	4.58E-03	9.3E-03	3.46E-04	3.22E-06	2.19E-02	1.57E-01	1.11E-08	1.0E+06	1.1E-02
1147	2.13247	4.58E-03	9.8E-03	3.46E-04	3.38E-06	2.19E-02	1.57E-01	1.16E-08	1.0E+06	1.2E-02
1148	2.23163	4.58E-03	1.0E-02	3.46E-04	3.54E-06	2.19E-02	1.57E-01	1.22E-08	1.0E+06	1.2E-02
1149	2.33656	4.58E-03	1.1E-02	3.46E-04	3.70E-06	2.19E-02	1.57E-01	1.27E-08	1.0E+06	1.3E-02
1150	2.44222	4.58E-03	1.1E-02	3.46E-04	3.87E-06	2.19E-02	1.57E-01	1.33E-08	1.0E+06	1.3E-02
1151	2.55404	4.58E-03	1.2E-02	3.46E-04	4.05E-06	2.19E-02	1.57E-01	1.39E-08	1.0E+06	1.4E-02
1152	2.67247	4.58E-03	1.2E-02	3.46E-04	4.23E-06	2.19E-02	1.57E-01	1.46E-08	1.0E+06	1.5E-02
1153	2.79193	4.58E-03	1.3E-02	3.46E-04	4.42E-06	2.19E-02	1.57E-01	1.52E-08	1.0E+06	1.5E-02
1154	2.91823	4.58E-03	1.3E-02	3.46E-04	4.62E-06	2.19E-02	1.57E-01	1.59E-08	1.0E+06	1.6E-02
1155	3.05585	4.58E-03	1.4E-02	3.46E-04	4.84E-06	2.19E-02	1.57E-01	1.67E-08	1.0E+06	1.7E-02
1156	3.20293	4.58E-03	1.5E-02	3.46E-04	5.07E-06	2.19E-02	1.57E-01	1.75E-08	1.0E+06	1.7E-02
1157	3.36173	4.58E-03	1.5E-02	3.46E-04	5.33E-06	2.19E-02	1.57E-01	1.83E-08	1.0E+06	1.8E-02
1158	3.53541	4.58E-03	1.6E-02	3.46E-04	5.60E-06	2.19E-02	1.57E-01	1.93E-08	1.0E+06	1.9E-02
1159	3.7286	4.58E-03	1.7E-02	3.46E-04	5.91E-06	2.19E-02	1.57E-01	2.03E-08	1.0E+06	2.0E-02
1160	3.94893	4.58E-03	1.8E-02	3.46E-04	6.26E-06	2.19E-02	1.57E-01	2.15E-08	1.0E+06	2.2E-02
1161	4.20347	4.58E-03	1.9E-02	3.46E-04	6.66E-06	2.19E-02	1.57E-01	2.29E-08	1.0E+06	2.3E-02
1162	4.50184	4.58E-03	2.1E-02	3.46E-04	7.13E-06	2.19E-02	1.57E-01	2.46E-08	1.0E+06	2.5E-02
1163	4.85509	4.58E-03	2.2E-02	3.46E-04	7.69E-06	2.19E-02	1.57E-01	2.65E-08	1.0E+06	2.6E-02
1164	5.28071	4.58E-03	2.4E-02	3.46E-04	8.37E-06	2.19E-02	1.57E-01	2.88E-08	1.0E+06	2.9E-02
1165	5.79017	4.58E-03	2.6E-02	3.46E-04	9.17E-06	2.19E-02	1.57E-01	3.16E-08	1.0E+06	3.2E-02
1166	6.38984	4.58E-03	2.9E-02	3.46E-04	1.01E-05	2.19E-02	1.57E-01	3.49E-08	1.0E+06	3.5E-02
1167	7.06432	4.58E-03	3.2E-02	3.46E-04	1.12E-05	2.19E-02	1.57E-01	3.85E-08	1.0E+06	3.9E-02
1168	6.38019	4.58E-03	2.9E-02	3.46E-04	1.01E-05	2.19E-02	1.57E-01	3.48E-08	1.0E+06	3.5E-02
1169	8.41857	4.58E-03	3.9E-02	3.46E-04	1.33E-05	2.19E-02	1.57E-01	4.59E-08	1.0E+06	4.6E-02
1170	7.5517	4.58E-03	3.5E-02	3.46E-04	1.20E-05	2.19E-02	1.57E-01	4.12E-08	1.0E+06	4.1E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	4.58E-03	3.6E-02	3.46E-04	1.24E-05	2.19E-02	1.57E-01	4.28E-08	1.0E+06	4.3E-02
1172	8.1392	4.58E-03	3.7E-02	3.46E-04	1.29E-05	2.19E-02	1.57E-01	4.44E-08	1.0E+06	4.4E-02
1173	8.48934	4.58E-03	3.9E-02	3.46E-04	1.34E-05	2.19E-02	1.57E-01	4.63E-08	1.0E+06	4.6E-02
1174	8.63871	4.58E-03	4.0E-02	3.46E-04	1.37E-05	2.19E-02	1.57E-01	4.71E-08	1.0E+06	4.7E-02
1175	8.32856	4.58E-03	3.8E-02	3.46E-04	1.32E-05	2.19E-02	1.57E-01	4.54E-08	1.0E+06	4.5E-02
1176	8.01684	4.58E-03	3.7E-02	3.46E-04	1.27E-05	2.19E-02	1.57E-01	4.37E-08	1.0E+06	4.4E-02
1177	7.68924	4.58E-03	3.5E-02	3.46E-04	1.22E-05	2.19E-02	1.57E-01	4.20E-08	1.0E+06	4.2E-02
1178	5.9706	4.58E-03	2.7E-02	3.46E-04	9.46E-06	2.19E-02	1.57E-01	3.26E-08	1.0E+06	3.3E-02
1179	6.57107	4.58E-03	3.0E-02	3.46E-04	1.04E-05	2.19E-02	1.57E-01	3.59E-08	1.0E+06	3.6E-02
1180	2.17552	4.58E-03	1.0E-02	3.46E-04	3.45E-06	2.19E-02	1.57E-01	1.19E-08	1.0E+06	1.2E-02
1181	2.28576	4.58E-03	1.0E-02	3.46E-04	3.62E-06	2.19E-02	1.57E-01	1.25E-08	1.0E+06	1.2E-02
1182	2.39727	4.58E-03	1.1E-02	3.46E-04	3.80E-06	2.19E-02	1.57E-01	1.31E-08	1.0E+06	1.3E-02
1183	2.51595	4.58E-03	1.2E-02	3.46E-04	3.99E-06	2.19E-02	1.57E-01	1.37E-08	1.0E+06	1.4E-02
1184	2.63399	4.58E-03	1.2E-02	3.46E-04	4.17E-06	2.19E-02	1.57E-01	1.44E-08	1.0E+06	1.4E-02
1185	2.7595	4.58E-03	1.3E-02	3.46E-04	4.37E-06	2.19E-02	1.57E-01	1.51E-08	1.0E+06	1.5E-02
1186	2.89193	4.58E-03	1.3E-02	3.46E-04	4.58E-06	2.19E-02	1.57E-01	1.58E-08	1.0E+06	1.6E-02
1187	3.02979	4.58E-03	1.4E-02	3.46E-04	4.80E-06	2.19E-02	1.57E-01	1.65E-08	1.0E+06	1.7E-02
1188	3.16867	4.58E-03	1.5E-02	3.46E-04	5.02E-06	2.19E-02	1.57E-01	1.73E-08	1.0E+06	1.7E-02
1189	3.32023	4.58E-03	1.5E-02	3.46E-04	5.26E-06	2.19E-02	1.57E-01	1.81E-08	1.0E+06	1.8E-02
1190	3.48447	4.58E-03	1.6E-02	3.46E-04	5.52E-06	2.19E-02	1.57E-01	1.90E-08	1.0E+06	1.9E-02
1191	3.66265	4.58E-03	1.7E-02	3.46E-04	5.80E-06	2.19E-02	1.57E-01	2.00E-08	1.0E+06	2.0E-02
1192	3.85875	4.58E-03	1.8E-02	3.46E-04	6.11E-06	2.19E-02	1.57E-01	2.11E-08	1.0E+06	2.1E-02
1193	4.07907	4.58E-03	1.9E-02	3.46E-04	6.46E-06	2.19E-02	1.57E-01	2.23E-08	1.0E+06	2.2E-02
1194	4.33265	4.58E-03	2.0E-02	3.46E-04	6.86E-06	2.19E-02	1.57E-01	2.36E-08	1.0E+06	2.4E-02
1195	4.6314	4.58E-03	2.1E-02	3.46E-04	7.34E-06	2.19E-02	1.57E-01	2.53E-08	1.0E+06	2.5E-02
1196	4.99103	4.58E-03	2.3E-02	3.46E-04	7.91E-06	2.19E-02	1.57E-01	2.72E-08	1.0E+06	2.7E-02
1197	5.43436	4.58E-03	2.5E-02	3.46E-04	8.61E-06	2.19E-02	1.57E-01	2.97E-08	1.0E+06	3.0E-02
1198	5.99494	4.58E-03	2.7E-02	3.46E-04	9.50E-06	2.19E-02	1.57E-01	3.27E-08	1.0E+06	3.3E-02
1199	6.70943	4.58E-03	3.1E-02	3.46E-04	1.06E-05	2.19E-02	1.57E-01	3.66E-08	1.0E+06	3.7E-02
1200	6.07919	4.58E-03	2.8E-02	3.46E-04	9.63E-06	2.19E-02	1.57E-01	3.32E-08	1.0E+06	3.3E-02
1201	6.72457	4.58E-03	3.1E-02	3.46E-04	1.07E-05	2.19E-02	1.57E-01	3.67E-08	1.0E+06	3.7E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from 3rd Trimester								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	4.58E-03	3.5E-02	3.46E-04	1.20E-05	2.19E-02	1.57E-01	4.12E-08	1.0E+06	4.1E-02
1203	6.99298	4.58E-03	3.2E-02	3.46E-04	1.11E-05	2.19E-02	1.57E-01	3.82E-08	1.0E+06	3.8E-02
1204	7.66017	4.58E-03	3.5E-02	3.46E-04	1.21E-05	2.19E-02	1.57E-01	4.18E-08	1.0E+06	4.2E-02
1205	9.76139	4.58E-03	4.5E-02	3.46E-04	1.55E-05	2.19E-02	1.57E-01	5.33E-08	1.0E+06	5.3E-02
1206	8.83169	4.58E-03	4.0E-02	3.46E-04	1.40E-05	2.19E-02	1.57E-01	4.82E-08	1.0E+06	4.8E-02
1207	9.02331	4.58E-03	4.1E-02	3.46E-04	1.43E-05	2.19E-02	1.57E-01	4.92E-08	1.0E+06	4.9E-02
1208	7.72726	4.58E-03	3.5E-02	3.46E-04	1.22E-05	2.19E-02	1.57E-01	4.22E-08	1.0E+06	4.2E-02
1209	8.9362	4.58E-03	4.1E-02	3.46E-04	1.42E-05	2.19E-02	1.57E-01	4.88E-08	1.0E+06	4.9E-02
1210	7.16039	4.58E-03	3.3E-02	3.46E-04	1.13E-05	2.19E-02	1.57E-01	3.91E-08	1.0E+06	3.9E-02
1211	6.44491	4.58E-03	2.9E-02	3.46E-04	1.02E-05	2.19E-02	1.57E-01	3.52E-08	1.0E+06	3.5E-02
1212	7.05356	4.58E-03	3.2E-02	3.46E-04	1.12E-05	2.19E-02	1.57E-01	3.85E-08	1.0E+06	3.8E-02
1213	6.23474	4.58E-03	2.9E-02	3.46E-04	9.88E-06	2.19E-02	1.57E-01	3.40E-08	1.0E+06	3.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	2.12E-03
893	5	2.18E-03
894	5	2.24E-03
895	5	2.29E-03
896	5	2.34E-03
897	5	2.38E-03
898	5	2.42E-03
899	5	2.45E-03
900	5	2.46E-03
901	5	2.47E-03
902	5	2.46E-03
903	5	2.44E-03
904	5	2.41E-03
905	5	2.37E-03
906	5	2.32E-03
907	5	2.27E-03
908	5	1.23E-03
909	5	1.27E-03
910	5	1.32E-03
911	5	1.36E-03
912	5	1.41E-03
913	5	1.46E-03
914	5	1.51E-03
915	5	1.56E-03
916	5	1.61E-03
917	5	1.66E-03
918	5	1.72E-03
919	5	1.78E-03
920	5	1.84E-03
921	5	1.91E-03
922	5	1.97E-03

Max	Receptor #	
0.009	1205	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	2.04E-03
924	5	2.11E-03
925	5	2.18E-03
926	5	2.26E-03
927	5	2.33E-03
928	5	2.40E-03
929	5	2.47E-03
930	5	2.54E-03
931	5	2.60E-03
932	5	2.66E-03
933	5	2.70E-03
934	5	2.74E-03
935	5	2.76E-03
936	5	2.77E-03
937	5	2.76E-03
938	5	2.74E-03
939	5	2.70E-03
940	5	2.65E-03
941	5	2.58E-03
942	5	1.30E-03
943	5	1.35E-03
944	5	1.40E-03
945	5	1.44E-03
946	5	1.50E-03
947	5	1.55E-03
948	5	1.61E-03
949	5	1.66E-03
950	5	1.72E-03
951	5	1.78E-03
952	5	1.85E-03
953	5	1.92E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	1.99E-03
955	5	2.06E-03
956	5	2.14E-03
957	5	2.22E-03
958	5	2.30E-03
959	5	2.39E-03
960	5	2.48E-03
961	5	2.57E-03
962	5	2.66E-03
963	5	2.75E-03
964	5	2.84E-03
965	5	2.92E-03
966	5	2.99E-03
967	5	3.05E-03
968	5	3.09E-03
969	5	3.12E-03
970	5	3.13E-03
971	5	3.12E-03
972	5	3.09E-03
973	5	3.04E-03
974	5	2.98E-03
975	5	2.89E-03
976	5	1.37E-03
977	5	1.43E-03
978	5	1.48E-03
979	5	1.53E-03
980	5	1.59E-03
981	5	1.65E-03
982	5	1.71E-03
983	5	1.78E-03
984	5	1.84E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	1.91E-03
986	5	1.99E-03
987	5	2.06E-03
988	5	2.14E-03
989	5	2.23E-03
990	5	2.32E-03
991	5	2.42E-03
992	5	2.52E-03
993	5	2.62E-03
994	5	2.74E-03
995	5	2.85E-03
996	5	2.97E-03
997	5	3.08E-03
998	5	3.19E-03
999	5	3.30E-03
1000	5	3.39E-03
1001	5	3.47E-03
1002	5	3.53E-03
1003	5	3.57E-03
1004	5	3.58E-03
1005	5	3.57E-03
1006	5	3.53E-03
1007	5	3.47E-03
1008	5	3.38E-03
1009	5	3.28E-03
1010	5	1.46E-03
1011	5	1.51E-03
1012	5	1.57E-03
1013	5	1.63E-03
1014	5	1.70E-03
1015	5	1.76E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	1.83E-03
1017	5	1.90E-03
1018	5	1.98E-03
1019	5	2.06E-03
1020	5	2.14E-03
1021	5	2.23E-03
1022	5	2.32E-03
1023	5	2.42E-03
1024	5	2.52E-03
1025	5	2.64E-03
1026	5	2.76E-03
1027	5	2.89E-03
1028	5	3.03E-03
1029	5	3.18E-03
1030	5	3.33E-03
1031	5	3.48E-03
1032	5	3.63E-03
1033	5	3.77E-03
1034	5	3.90E-03
1035	5	4.01E-03
1036	5	4.09E-03
1037	5	4.15E-03
1038	5	4.16E-03
1039	5	4.14E-03
1040	5	4.09E-03
1041	5	4.01E-03
1042	5	3.89E-03
1043	5	3.74E-03
1044	5	1.54E-03
1045	5	1.61E-03
1046	5	1.68E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	1.74E-03
1048	5	1.81E-03
1049	5	1.89E-03
1050	5	1.96E-03
1051	5	2.04E-03
1052	5	2.12E-03
1053	5	2.21E-03
1054	5	2.31E-03
1055	5	2.41E-03
1056	5	2.51E-03
1057	5	2.63E-03
1058	5	2.75E-03
1059	5	2.89E-03
1060	5	3.04E-03
1061	5	3.20E-03
1062	5	3.38E-03
1063	5	3.57E-03
1064	5	3.77E-03
1065	5	3.97E-03
1066	5	4.18E-03
1067	5	4.38E-03
1068	5	4.56E-03
1069	5	4.71E-03
1070	5	4.82E-03
1071	5	4.90E-03
1072	5	4.92E-03
1073	5	4.89E-03
1074	5	4.82E-03
1075	5	4.69E-03
1076	5	4.52E-03
1077	5	4.31E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	1.64E-03
1079	5	1.71E-03
1080	5	1.79E-03
1081	5	1.86E-03
1082	5	1.94E-03
1083	5	2.02E-03
1084	5	2.11E-03
1085	5	2.19E-03
1086	5	2.29E-03
1087	5	2.39E-03
1088	5	2.49E-03
1089	5	2.61E-03
1090	5	2.73E-03
1091	5	2.86E-03
1092	5	3.01E-03
1093	5	3.18E-03
1094	5	3.36E-03
1095	5	3.56E-03
1096	5	3.79E-03
1097	5	4.04E-03
1098	5	4.31E-03
1099	5	4.59E-03
1100	5	4.88E-03
1101	5	5.16E-03
1102	5	5.42E-03
1103	5	5.64E-03
1104	5	5.80E-03
1105	5	5.90E-03
1106	5	5.93E-03
1107	5	5.90E-03
1108	5	5.79E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	5.61E-03
1110	5	5.35E-03
1111	5	5.05E-03
1112	5	1.75E-03
1113	5	1.82E-03
1114	5	1.91E-03
1115	5	1.99E-03
1116	5	2.08E-03
1117	5	2.17E-03
1118	5	2.27E-03
1119	5	2.36E-03
1120	5	2.47E-03
1121	5	2.58E-03
1122	5	2.70E-03
1123	5	2.83E-03
1124	5	2.97E-03
1125	5	3.12E-03
1126	5	3.30E-03
1127	5	3.49E-03
1128	5	3.72E-03
1129	5	3.97E-03
1130	5	4.27E-03
1131	5	4.61E-03
1132	5	4.98E-03
1133	5	5.39E-03
1134	5	5.81E-03
1135	5	6.22E-03
1136	5	6.61E-03
1137	5	6.93E-03
1138	5	7.17E-03
1139	5	7.30E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	7.35E-03
1141	5	7.31E-03
1142	5	7.16E-03
1143	5	6.87E-03
1144	5	6.48E-03
1145	5	6.01E-03
1146	5	1.86E-03
1147	5	1.95E-03
1148	5	2.04E-03
1149	5	2.14E-03
1150	5	2.24E-03
1151	5	2.34E-03
1152	5	2.45E-03
1153	5	2.56E-03
1154	5	2.67E-03
1155	5	2.80E-03
1156	5	2.93E-03
1157	5	3.08E-03
1158	5	3.24E-03
1159	5	3.41E-03
1160	5	3.61E-03
1161	5	3.85E-03
1162	5	4.12E-03
1163	5	4.44E-03
1164	5	4.83E-03
1165	5	5.30E-03
1166	5	5.85E-03
1167	5	6.47E-03
1168	5	5.84E-03
1169	5	7.71E-03
1170	5	6.91E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	7.17E-03
1172	5	7.45E-03
1173	5	7.77E-03
1174	5	7.91E-03
1175	5	7.62E-03
1176	5	7.34E-03
1177	5	7.04E-03
1178	5	5.46E-03
1179	5	6.01E-03
1180	5	1.99E-03
1181	5	2.09E-03
1182	5	2.19E-03
1183	5	2.30E-03
1184	5	2.41E-03
1185	5	2.53E-03
1186	5	2.65E-03
1187	5	2.77E-03
1188	5	2.90E-03
1189	5	3.04E-03
1190	5	3.19E-03
1191	5	3.35E-03
1192	5	3.53E-03
1193	5	3.73E-03
1194	5	3.97E-03
1195	5	4.24E-03
1196	5	4.57E-03
1197	5	4.97E-03
1198	5	5.49E-03
1199	5	6.14E-03
1200	5	5.56E-03
1201	5	6.15E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	6.92E-03
1203	5	6.40E-03
1204	5	7.01E-03
1205	5	8.93E-03
1206	5	8.08E-03
1207	5	8.26E-03
1208	5	7.07E-03
1209	5	8.18E-03
1210	5	6.55E-03
1211	5	5.90E-03
1212	5	6.46E-03
1213	5	5.71E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	4.58E-03	1.1E-02	1.05E-03	1.11E-05	5.82E-02	1.57E-01	1.02E-07	1.0E+06	1.0E-01
893	2.38542	4.58E-03	1.1E-02	1.05E-03	1.14E-05	5.82E-02	1.57E-01	1.04E-07	1.0E+06	1.0E-01
894	2.44758	4.58E-03	1.1E-02	1.05E-03	1.17E-05	5.82E-02	1.57E-01	1.07E-07	1.0E+06	1.1E-01
895	2.50618	4.58E-03	1.1E-02	1.05E-03	1.20E-05	5.82E-02	1.57E-01	1.10E-07	1.0E+06	1.1E-01
896	2.55908	4.58E-03	1.2E-02	1.05E-03	1.22E-05	5.82E-02	1.57E-01	1.12E-07	1.0E+06	1.1E-01
897	2.60474	4.58E-03	1.2E-02	1.05E-03	1.25E-05	5.82E-02	1.57E-01	1.14E-07	1.0E+06	1.1E-01
898	2.64253	4.58E-03	1.2E-02	1.05E-03	1.26E-05	5.82E-02	1.57E-01	1.16E-07	1.0E+06	1.2E-01
899	2.67158	4.58E-03	1.2E-02	1.05E-03	1.28E-05	5.82E-02	1.57E-01	1.17E-07	1.0E+06	1.2E-01
900	2.69069	4.58E-03	1.2E-02	1.05E-03	1.29E-05	5.82E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
901	2.69844	4.58E-03	1.2E-02	1.05E-03	1.29E-05	5.82E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
902	2.69171	4.58E-03	1.2E-02	1.05E-03	1.29E-05	5.82E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
903	2.6708	4.58E-03	1.2E-02	1.05E-03	1.28E-05	5.82E-02	1.57E-01	1.17E-07	1.0E+06	1.2E-01
904	2.63764	4.58E-03	1.2E-02	1.05E-03	1.26E-05	5.82E-02	1.57E-01	1.15E-07	1.0E+06	1.2E-01
905	2.59313	4.58E-03	1.2E-02	1.05E-03	1.24E-05	5.82E-02	1.57E-01	1.13E-07	1.0E+06	1.1E-01
906	2.53783	4.58E-03	1.2E-02	1.05E-03	1.21E-05	5.82E-02	1.57E-01	1.11E-07	1.0E+06	1.1E-01
907	2.47822	4.58E-03	1.1E-02	1.05E-03	1.19E-05	5.82E-02	1.57E-01	1.08E-07	1.0E+06	1.1E-01
908	1.34378	4.58E-03	6.1E-03	1.05E-03	6.43E-06	5.82E-02	1.57E-01	5.88E-08	1.0E+06	5.9E-02
909	1.39182	4.58E-03	6.4E-03	1.05E-03	6.66E-06	5.82E-02	1.57E-01	6.09E-08	1.0E+06	6.1E-02
910	1.43801	4.58E-03	6.6E-03	1.05E-03	6.88E-06	5.82E-02	1.57E-01	6.29E-08	1.0E+06	6.3E-02
911	1.4874	4.58E-03	6.8E-03	1.05E-03	7.11E-06	5.82E-02	1.57E-01	6.50E-08	1.0E+06	6.5E-02
912	1.53931	4.58E-03	7.0E-03	1.05E-03	7.36E-06	5.82E-02	1.57E-01	6.73E-08	1.0E+06	6.7E-02
913	1.59264	4.58E-03	7.3E-03	1.05E-03	7.62E-06	5.82E-02	1.57E-01	6.96E-08	1.0E+06	7.0E-02
914	1.64626	4.58E-03	7.5E-03	1.05E-03	7.87E-06	5.82E-02	1.57E-01	7.20E-08	1.0E+06	7.2E-02
915	1.70051	4.58E-03	7.8E-03	1.05E-03	8.13E-06	5.82E-02	1.57E-01	7.44E-08	1.0E+06	7.4E-02
916	1.75782	4.58E-03	8.0E-03	1.05E-03	8.41E-06	5.82E-02	1.57E-01	7.69E-08	1.0E+06	7.7E-02
917	1.81857	4.58E-03	8.3E-03	1.05E-03	8.70E-06	5.82E-02	1.57E-01	7.95E-08	1.0E+06	8.0E-02
918	1.88138	4.58E-03	8.6E-03	1.05E-03	9.00E-06	5.82E-02	1.57E-01	8.23E-08	1.0E+06	8.2E-02
919	1.9463	4.58E-03	8.9E-03	1.05E-03	9.31E-06	5.82E-02	1.57E-01	8.51E-08	1.0E+06	8.5E-02
920	2.01351	4.58E-03	9.2E-03	1.05E-03	9.63E-06	5.82E-02	1.57E-01	8.80E-08	1.0E+06	8.8E-02
921	2.08316	4.58E-03	9.5E-03	1.05E-03	9.96E-06	5.82E-02	1.57E-01	9.11E-08	1.0E+06	9.1E-02
922	2.15554	4.58E-03	9.9E-03	1.05E-03	1.03E-05	5.82E-02	1.57E-01	9.43E-08	1.0E+06	9.4E-02

	Max	Receptor #
Res	0.427	1205

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	4.58E-03	1.0E-02	1.05E-03	1.07E-05	5.82E-02	1.57E-01	9.75E-08	1.0E+06	9.8E-02
924	2.30792	4.58E-03	1.1E-02	1.05E-03	1.10E-05	5.82E-02	1.57E-01	1.01E-07	1.0E+06	1.0E-01
925	2.38688	4.58E-03	1.1E-02	1.05E-03	1.14E-05	5.82E-02	1.57E-01	1.04E-07	1.0E+06	1.0E-01
926	2.46714	4.58E-03	1.1E-02	1.05E-03	1.18E-05	5.82E-02	1.57E-01	1.08E-07	1.0E+06	1.1E-01
927	2.54717	4.58E-03	1.2E-02	1.05E-03	1.22E-05	5.82E-02	1.57E-01	1.11E-07	1.0E+06	1.1E-01
928	2.62654	4.58E-03	1.2E-02	1.05E-03	1.26E-05	5.82E-02	1.57E-01	1.15E-07	1.0E+06	1.1E-01
929	2.70395	4.58E-03	1.2E-02	1.05E-03	1.29E-05	5.82E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
930	2.77767	4.58E-03	1.3E-02	1.05E-03	1.33E-05	5.82E-02	1.57E-01	1.21E-07	1.0E+06	1.2E-01
931	2.84499	4.58E-03	1.3E-02	1.05E-03	1.36E-05	5.82E-02	1.57E-01	1.24E-07	1.0E+06	1.2E-01
932	2.90354	4.58E-03	1.3E-02	1.05E-03	1.39E-05	5.82E-02	1.57E-01	1.27E-07	1.0E+06	1.3E-01
933	2.9525	4.58E-03	1.4E-02	1.05E-03	1.41E-05	5.82E-02	1.57E-01	1.29E-07	1.0E+06	1.3E-01
934	2.99008	4.58E-03	1.4E-02	1.05E-03	1.43E-05	5.82E-02	1.57E-01	1.31E-07	1.0E+06	1.3E-01
935	3.01462	4.58E-03	1.4E-02	1.05E-03	1.44E-05	5.82E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
936	3.02389	4.58E-03	1.4E-02	1.05E-03	1.45E-05	5.82E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
937	3.01538	4.58E-03	1.4E-02	1.05E-03	1.44E-05	5.82E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
938	2.98903	4.58E-03	1.4E-02	1.05E-03	1.43E-05	5.82E-02	1.57E-01	1.31E-07	1.0E+06	1.3E-01
939	2.94679	4.58E-03	1.3E-02	1.05E-03	1.41E-05	5.82E-02	1.57E-01	1.29E-07	1.0E+06	1.3E-01
940	2.89021	4.58E-03	1.3E-02	1.05E-03	1.38E-05	5.82E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
941	2.82029	4.58E-03	1.3E-02	1.05E-03	1.35E-05	5.82E-02	1.57E-01	1.23E-07	1.0E+06	1.2E-01
942	1.41975	4.58E-03	6.5E-03	1.05E-03	6.79E-06	5.82E-02	1.57E-01	6.21E-08	1.0E+06	6.2E-02
943	1.4724	4.58E-03	6.7E-03	1.05E-03	7.04E-06	5.82E-02	1.57E-01	6.44E-08	1.0E+06	6.4E-02
944	1.52496	4.58E-03	7.0E-03	1.05E-03	7.29E-06	5.82E-02	1.57E-01	6.67E-08	1.0E+06	6.7E-02
945	1.57781	4.58E-03	7.2E-03	1.05E-03	7.55E-06	5.82E-02	1.57E-01	6.90E-08	1.0E+06	6.9E-02
946	1.63542	4.58E-03	7.5E-03	1.05E-03	7.82E-06	5.82E-02	1.57E-01	7.15E-08	1.0E+06	7.2E-02
947	1.69476	4.58E-03	7.8E-03	1.05E-03	8.11E-06	5.82E-02	1.57E-01	7.41E-08	1.0E+06	7.4E-02
948	1.75455	4.58E-03	8.0E-03	1.05E-03	8.39E-06	5.82E-02	1.57E-01	7.67E-08	1.0E+06	7.7E-02
949	1.81519	4.58E-03	8.3E-03	1.05E-03	8.68E-06	5.82E-02	1.57E-01	7.94E-08	1.0E+06	7.9E-02
950	1.8796	4.58E-03	8.6E-03	1.05E-03	8.99E-06	5.82E-02	1.57E-01	8.22E-08	1.0E+06	8.2E-02
951	1.94787	4.58E-03	8.9E-03	1.05E-03	9.32E-06	5.82E-02	1.57E-01	8.52E-08	1.0E+06	8.5E-02
952	2.01881	4.58E-03	9.2E-03	1.05E-03	9.66E-06	5.82E-02	1.57E-01	8.83E-08	1.0E+06	8.8E-02
953	2.09254	4.58E-03	9.6E-03	1.05E-03	1.00E-05	5.82E-02	1.57E-01	9.15E-08	1.0E+06	9.2E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	4.58E-03	9.9E-03	1.05E-03	1.04E-05	5.82E-02	1.57E-01	9.49E-08	1.0E+06	9.5E-02
955	2.24971	4.58E-03	1.0E-02	1.05E-03	1.08E-05	5.82E-02	1.57E-01	9.84E-08	1.0E+06	9.8E-02
956	2.33459	4.58E-03	1.1E-02	1.05E-03	1.12E-05	5.82E-02	1.57E-01	1.02E-07	1.0E+06	1.0E-01
957	2.42362	4.58E-03	1.1E-02	1.05E-03	1.16E-05	5.82E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
958	2.51608	4.58E-03	1.2E-02	1.05E-03	1.20E-05	5.82E-02	1.57E-01	1.10E-07	1.0E+06	1.1E-01
959	2.61119	4.58E-03	1.2E-02	1.05E-03	1.25E-05	5.82E-02	1.57E-01	1.14E-07	1.0E+06	1.1E-01
960	2.70919	4.58E-03	1.2E-02	1.05E-03	1.30E-05	5.82E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
961	2.80855	4.58E-03	1.3E-02	1.05E-03	1.34E-05	5.82E-02	1.57E-01	1.23E-07	1.0E+06	1.2E-01
962	2.90798	4.58E-03	1.3E-02	1.05E-03	1.39E-05	5.82E-02	1.57E-01	1.27E-07	1.0E+06	1.3E-01
963	3.00621	4.58E-03	1.4E-02	1.05E-03	1.44E-05	5.82E-02	1.57E-01	1.31E-07	1.0E+06	1.3E-01
964	3.10043	4.58E-03	1.4E-02	1.05E-03	1.48E-05	5.82E-02	1.57E-01	1.36E-07	1.0E+06	1.4E-01
965	3.18812	4.58E-03	1.5E-02	1.05E-03	1.52E-05	5.82E-02	1.57E-01	1.39E-07	1.0E+06	1.4E-01
966	3.26457	4.58E-03	1.5E-02	1.05E-03	1.56E-05	5.82E-02	1.57E-01	1.43E-07	1.0E+06	1.4E-01
967	3.32885	4.58E-03	1.5E-02	1.05E-03	1.59E-05	5.82E-02	1.57E-01	1.46E-07	1.0E+06	1.5E-01
968	3.37814	4.58E-03	1.5E-02	1.05E-03	1.62E-05	5.82E-02	1.57E-01	1.48E-07	1.0E+06	1.5E-01
969	3.41014	4.58E-03	1.6E-02	1.05E-03	1.63E-05	5.82E-02	1.57E-01	1.49E-07	1.0E+06	1.5E-01
970	3.42128	4.58E-03	1.6E-02	1.05E-03	1.64E-05	5.82E-02	1.57E-01	1.50E-07	1.0E+06	1.5E-01
971	3.41078	4.58E-03	1.6E-02	1.05E-03	1.63E-05	5.82E-02	1.57E-01	1.49E-07	1.0E+06	1.5E-01
972	3.37829	4.58E-03	1.5E-02	1.05E-03	1.62E-05	5.82E-02	1.57E-01	1.48E-07	1.0E+06	1.5E-01
973	3.32508	4.58E-03	1.5E-02	1.05E-03	1.59E-05	5.82E-02	1.57E-01	1.45E-07	1.0E+06	1.5E-01
974	3.25251	4.58E-03	1.5E-02	1.05E-03	1.56E-05	5.82E-02	1.57E-01	1.42E-07	1.0E+06	1.4E-01
975	3.16305	4.58E-03	1.4E-02	1.05E-03	1.51E-05	5.82E-02	1.57E-01	1.38E-07	1.0E+06	1.4E-01
976	1.5019	4.58E-03	6.9E-03	1.05E-03	7.18E-06	5.82E-02	1.57E-01	6.57E-08	1.0E+06	6.6E-02
977	1.55951	4.58E-03	7.1E-03	1.05E-03	7.46E-06	5.82E-02	1.57E-01	6.82E-08	1.0E+06	6.8E-02
978	1.6175	4.58E-03	7.4E-03	1.05E-03	7.74E-06	5.82E-02	1.57E-01	7.07E-08	1.0E+06	7.1E-02
979	1.67604	4.58E-03	7.7E-03	1.05E-03	8.02E-06	5.82E-02	1.57E-01	7.33E-08	1.0E+06	7.3E-02
980	1.74002	4.58E-03	8.0E-03	1.05E-03	8.32E-06	5.82E-02	1.57E-01	7.61E-08	1.0E+06	7.6E-02
981	1.80609	4.58E-03	8.3E-03	1.05E-03	8.64E-06	5.82E-02	1.57E-01	7.90E-08	1.0E+06	7.9E-02
982	1.87281	4.58E-03	8.6E-03	1.05E-03	8.96E-06	5.82E-02	1.57E-01	8.19E-08	1.0E+06	8.2E-02
983	1.94072	4.58E-03	8.9E-03	1.05E-03	9.28E-06	5.82E-02	1.57E-01	8.49E-08	1.0E+06	8.5E-02
984	2.01313	4.58E-03	9.2E-03	1.05E-03	9.63E-06	5.82E-02	1.57E-01	8.80E-08	1.0E+06	8.8E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	4.58E-03	9.6E-03	1.05E-03	1.00E-05	5.82E-02	1.57E-01	9.14E-08	1.0E+06	9.1E-02
986	2.1701	4.58E-03	9.9E-03	1.05E-03	1.04E-05	5.82E-02	1.57E-01	9.49E-08	1.0E+06	9.5E-02
987	2.25396	4.58E-03	1.0E-02	1.05E-03	1.08E-05	5.82E-02	1.57E-01	9.86E-08	1.0E+06	9.9E-02
988	2.34192	4.58E-03	1.1E-02	1.05E-03	1.12E-05	5.82E-02	1.57E-01	1.02E-07	1.0E+06	1.0E-01
989	2.43471	4.58E-03	1.1E-02	1.05E-03	1.16E-05	5.82E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
990	2.53459	4.58E-03	1.2E-02	1.05E-03	1.21E-05	5.82E-02	1.57E-01	1.11E-07	1.0E+06	1.1E-01
991	2.64074	4.58E-03	1.2E-02	1.05E-03	1.26E-05	5.82E-02	1.57E-01	1.15E-07	1.0E+06	1.2E-01
992	2.75198	4.58E-03	1.3E-02	1.05E-03	1.32E-05	5.82E-02	1.57E-01	1.20E-07	1.0E+06	1.2E-01
993	2.86771	4.58E-03	1.3E-02	1.05E-03	1.37E-05	5.82E-02	1.57E-01	1.25E-07	1.0E+06	1.3E-01
994	2.98847	4.58E-03	1.4E-02	1.05E-03	1.43E-05	5.82E-02	1.57E-01	1.31E-07	1.0E+06	1.3E-01
995	3.11365	4.58E-03	1.4E-02	1.05E-03	1.49E-05	5.82E-02	1.57E-01	1.36E-07	1.0E+06	1.4E-01
996	3.24022	4.58E-03	1.5E-02	1.05E-03	1.55E-05	5.82E-02	1.57E-01	1.42E-07	1.0E+06	1.4E-01
997	3.36692	4.58E-03	1.5E-02	1.05E-03	1.61E-05	5.82E-02	1.57E-01	1.47E-07	1.0E+06	1.5E-01
998	3.48991	4.58E-03	1.6E-02	1.05E-03	1.67E-05	5.82E-02	1.57E-01	1.53E-07	1.0E+06	1.5E-01
999	3.60594	4.58E-03	1.7E-02	1.05E-03	1.72E-05	5.82E-02	1.57E-01	1.58E-07	1.0E+06	1.6E-01
1000	3.70812	4.58E-03	1.7E-02	1.05E-03	1.77E-05	5.82E-02	1.57E-01	1.62E-07	1.0E+06	1.6E-01
1001	3.79396	4.58E-03	1.7E-02	1.05E-03	1.81E-05	5.82E-02	1.57E-01	1.66E-07	1.0E+06	1.7E-01
1002	3.86013	4.58E-03	1.8E-02	1.05E-03	1.85E-05	5.82E-02	1.57E-01	1.69E-07	1.0E+06	1.7E-01
1003	3.90266	4.58E-03	1.8E-02	1.05E-03	1.87E-05	5.82E-02	1.57E-01	1.71E-07	1.0E+06	1.7E-01
1004	3.91652	4.58E-03	1.8E-02	1.05E-03	1.87E-05	5.82E-02	1.57E-01	1.71E-07	1.0E+06	1.7E-01
1005	3.9028	4.58E-03	1.8E-02	1.05E-03	1.87E-05	5.82E-02	1.57E-01	1.71E-07	1.0E+06	1.7E-01
1006	3.86166	4.58E-03	1.8E-02	1.05E-03	1.85E-05	5.82E-02	1.57E-01	1.69E-07	1.0E+06	1.7E-01
1007	3.79253	4.58E-03	1.7E-02	1.05E-03	1.81E-05	5.82E-02	1.57E-01	1.66E-07	1.0E+06	1.7E-01
1008	3.69675	4.58E-03	1.7E-02	1.05E-03	1.77E-05	5.82E-02	1.57E-01	1.62E-07	1.0E+06	1.6E-01
1009	3.57868	4.58E-03	1.6E-02	1.05E-03	1.71E-05	5.82E-02	1.57E-01	1.56E-07	1.0E+06	1.6E-01
1010	1.59074	4.58E-03	7.3E-03	1.05E-03	7.61E-06	5.82E-02	1.57E-01	6.96E-08	1.0E+06	7.0E-02
1011	1.65396	4.58E-03	7.6E-03	1.05E-03	7.91E-06	5.82E-02	1.57E-01	7.23E-08	1.0E+06	7.2E-02
1012	1.71809	4.58E-03	7.9E-03	1.05E-03	8.22E-06	5.82E-02	1.57E-01	7.51E-08	1.0E+06	7.5E-02
1013	1.7831	4.58E-03	8.2E-03	1.05E-03	8.53E-06	5.82E-02	1.57E-01	7.80E-08	1.0E+06	7.8E-02
1014	1.8542	4.58E-03	8.5E-03	1.05E-03	8.87E-06	5.82E-02	1.57E-01	8.11E-08	1.0E+06	8.1E-02
1015	1.92778	4.58E-03	8.8E-03	1.05E-03	9.22E-06	5.82E-02	1.57E-01	8.43E-08	1.0E+06	8.4E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	4.58E-03	9.2E-03	1.05E-03	9.58E-06	5.82E-02	1.57E-01	8.76E-08	1.0E+06	8.8E-02
1017	2.07653	4.58E-03	9.5E-03	1.05E-03	9.93E-06	5.82E-02	1.57E-01	9.08E-08	1.0E+06	9.1E-02
1018	2.15978	4.58E-03	9.9E-03	1.05E-03	1.03E-05	5.82E-02	1.57E-01	9.44E-08	1.0E+06	9.4E-02
1019	2.24625	4.58E-03	1.0E-02	1.05E-03	1.07E-05	5.82E-02	1.57E-01	9.82E-08	1.0E+06	9.8E-02
1020	2.33698	4.58E-03	1.1E-02	1.05E-03	1.12E-05	5.82E-02	1.57E-01	1.02E-07	1.0E+06	1.0E-01
1021	2.43241	4.58E-03	1.1E-02	1.05E-03	1.16E-05	5.82E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
1022	2.53329	4.58E-03	1.2E-02	1.05E-03	1.21E-05	5.82E-02	1.57E-01	1.11E-07	1.0E+06	1.1E-01
1023	2.64079	4.58E-03	1.2E-02	1.05E-03	1.26E-05	5.82E-02	1.57E-01	1.15E-07	1.0E+06	1.2E-01
1024	2.75843	4.58E-03	1.3E-02	1.05E-03	1.32E-05	5.82E-02	1.57E-01	1.21E-07	1.0E+06	1.2E-01
1025	2.88515	4.58E-03	1.3E-02	1.05E-03	1.38E-05	5.82E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
1026	3.01984	4.58E-03	1.4E-02	1.05E-03	1.44E-05	5.82E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
1027	3.16213	4.58E-03	1.4E-02	1.05E-03	1.51E-05	5.82E-02	1.57E-01	1.38E-07	1.0E+06	1.4E-01
1028	3.31325	4.58E-03	1.5E-02	1.05E-03	1.58E-05	5.82E-02	1.57E-01	1.45E-07	1.0E+06	1.4E-01
1029	3.47289	4.58E-03	1.6E-02	1.05E-03	1.66E-05	5.82E-02	1.57E-01	1.52E-07	1.0E+06	1.5E-01
1030	3.63688	4.58E-03	1.7E-02	1.05E-03	1.74E-05	5.82E-02	1.57E-01	1.59E-07	1.0E+06	1.6E-01
1031	3.8037	4.58E-03	1.7E-02	1.05E-03	1.82E-05	5.82E-02	1.57E-01	1.66E-07	1.0E+06	1.7E-01
1032	3.96771	4.58E-03	1.8E-02	1.05E-03	1.90E-05	5.82E-02	1.57E-01	1.74E-07	1.0E+06	1.7E-01
1033	4.12419	4.58E-03	1.9E-02	1.05E-03	1.97E-05	5.82E-02	1.57E-01	1.80E-07	1.0E+06	1.8E-01
1034	4.26404	4.58E-03	2.0E-02	1.05E-03	2.04E-05	5.82E-02	1.57E-01	1.86E-07	1.0E+06	1.9E-01
1035	4.38116	4.58E-03	2.0E-02	1.05E-03	2.10E-05	5.82E-02	1.57E-01	1.92E-07	1.0E+06	1.9E-01
1036	4.4717	4.58E-03	2.0E-02	1.05E-03	2.14E-05	5.82E-02	1.57E-01	1.96E-07	1.0E+06	2.0E-01
1037	4.52967	4.58E-03	2.1E-02	1.05E-03	2.17E-05	5.82E-02	1.57E-01	1.98E-07	1.0E+06	2.0E-01
1038	4.54755	4.58E-03	2.1E-02	1.05E-03	2.18E-05	5.82E-02	1.57E-01	1.99E-07	1.0E+06	2.0E-01
1039	4.52857	4.58E-03	2.1E-02	1.05E-03	2.17E-05	5.82E-02	1.57E-01	1.98E-07	1.0E+06	2.0E-01
1040	4.4728	4.58E-03	2.0E-02	1.05E-03	2.14E-05	5.82E-02	1.57E-01	1.96E-07	1.0E+06	2.0E-01
1041	4.3777	4.58E-03	2.0E-02	1.05E-03	2.09E-05	5.82E-02	1.57E-01	1.91E-07	1.0E+06	1.9E-01
1042	4.2463	4.58E-03	1.9E-02	1.05E-03	2.03E-05	5.82E-02	1.57E-01	1.86E-07	1.0E+06	1.9E-01
1043	4.08477	4.58E-03	1.9E-02	1.05E-03	1.95E-05	5.82E-02	1.57E-01	1.79E-07	1.0E+06	1.8E-01
1044	1.68719	4.58E-03	7.7E-03	1.05E-03	8.07E-06	5.82E-02	1.57E-01	7.38E-08	1.0E+06	7.4E-02
1045	1.75653	4.58E-03	8.0E-03	1.05E-03	8.40E-06	5.82E-02	1.57E-01	7.68E-08	1.0E+06	7.7E-02
1046	1.83016	4.58E-03	8.4E-03	1.05E-03	8.75E-06	5.82E-02	1.57E-01	8.00E-08	1.0E+06	8.0E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	4.58E-03	8.7E-03	1.05E-03	9.09E-06	5.82E-02	1.57E-01	8.31E-08	1.0E+06	8.3E-02
1048	1.97931	4.58E-03	9.1E-03	1.05E-03	9.47E-06	5.82E-02	1.57E-01	8.66E-08	1.0E+06	8.7E-02
1049	2.0613	4.58E-03	9.4E-03	1.05E-03	9.86E-06	5.82E-02	1.57E-01	9.01E-08	1.0E+06	9.0E-02
1050	2.14448	4.58E-03	9.8E-03	1.05E-03	1.03E-05	5.82E-02	1.57E-01	9.38E-08	1.0E+06	9.4E-02
1051	2.22969	4.58E-03	1.0E-02	1.05E-03	1.07E-05	5.82E-02	1.57E-01	9.75E-08	1.0E+06	9.8E-02
1052	2.3211	4.58E-03	1.1E-02	1.05E-03	1.11E-05	5.82E-02	1.57E-01	1.01E-07	1.0E+06	1.0E-01
1053	2.41857	4.58E-03	1.1E-02	1.05E-03	1.16E-05	5.82E-02	1.57E-01	1.06E-07	1.0E+06	1.1E-01
1054	2.52135	4.58E-03	1.2E-02	1.05E-03	1.21E-05	5.82E-02	1.57E-01	1.10E-07	1.0E+06	1.1E-01
1055	2.63026	4.58E-03	1.2E-02	1.05E-03	1.26E-05	5.82E-02	1.57E-01	1.15E-07	1.0E+06	1.2E-01
1056	2.74637	4.58E-03	1.3E-02	1.05E-03	1.31E-05	5.82E-02	1.57E-01	1.20E-07	1.0E+06	1.2E-01
1057	2.87138	4.58E-03	1.3E-02	1.05E-03	1.37E-05	5.82E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
1058	3.00939	4.58E-03	1.4E-02	1.05E-03	1.44E-05	5.82E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
1059	3.16046	4.58E-03	1.4E-02	1.05E-03	1.51E-05	5.82E-02	1.57E-01	1.38E-07	1.0E+06	1.4E-01
1060	3.32447	4.58E-03	1.5E-02	1.05E-03	1.59E-05	5.82E-02	1.57E-01	1.45E-07	1.0E+06	1.5E-01
1061	3.50138	4.58E-03	1.6E-02	1.05E-03	1.67E-05	5.82E-02	1.57E-01	1.53E-07	1.0E+06	1.5E-01
1062	3.69345	4.58E-03	1.7E-02	1.05E-03	1.77E-05	5.82E-02	1.57E-01	1.62E-07	1.0E+06	1.6E-01
1063	3.90012	4.58E-03	1.8E-02	1.05E-03	1.87E-05	5.82E-02	1.57E-01	1.71E-07	1.0E+06	1.7E-01
1064	4.11704	4.58E-03	1.9E-02	1.05E-03	1.97E-05	5.82E-02	1.57E-01	1.80E-07	1.0E+06	1.8E-01
1065	4.34138	4.58E-03	2.0E-02	1.05E-03	2.08E-05	5.82E-02	1.57E-01	1.90E-07	1.0E+06	1.9E-01
1066	4.56573	4.58E-03	2.1E-02	1.05E-03	2.18E-05	5.82E-02	1.57E-01	2.00E-07	1.0E+06	2.0E-01
1067	4.78179	4.58E-03	2.2E-02	1.05E-03	2.29E-05	5.82E-02	1.57E-01	2.09E-07	1.0E+06	2.1E-01
1068	4.97805	4.58E-03	2.3E-02	1.05E-03	2.38E-05	5.82E-02	1.57E-01	2.18E-07	1.0E+06	2.2E-01
1069	5.142	4.58E-03	2.4E-02	1.05E-03	2.46E-05	5.82E-02	1.57E-01	2.25E-07	1.0E+06	2.2E-01
1070	5.26826	4.58E-03	2.4E-02	1.05E-03	2.52E-05	5.82E-02	1.57E-01	2.30E-07	1.0E+06	2.3E-01
1071	5.34837	4.58E-03	2.4E-02	1.05E-03	2.56E-05	5.82E-02	1.57E-01	2.34E-07	1.0E+06	2.3E-01
1072	5.37264	4.58E-03	2.5E-02	1.05E-03	2.57E-05	5.82E-02	1.57E-01	2.35E-07	1.0E+06	2.3E-01
1073	5.34517	4.58E-03	2.4E-02	1.05E-03	2.56E-05	5.82E-02	1.57E-01	2.34E-07	1.0E+06	2.3E-01
1074	5.26473	4.58E-03	2.4E-02	1.05E-03	2.52E-05	5.82E-02	1.57E-01	2.30E-07	1.0E+06	2.3E-01
1075	5.12805	4.58E-03	2.3E-02	1.05E-03	2.45E-05	5.82E-02	1.57E-01	2.24E-07	1.0E+06	2.2E-01
1076	4.9404	4.58E-03	2.3E-02	1.05E-03	2.36E-05	5.82E-02	1.57E-01	2.16E-07	1.0E+06	2.2E-01
1077	4.71126	4.58E-03	2.2E-02	1.05E-03	2.25E-05	5.82E-02	1.57E-01	2.06E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	4.58E-03	8.2E-03	1.05E-03	8.57E-06	5.82E-02	1.57E-01	7.84E-08	1.0E+06	7.8E-02
1079	1.86905	4.58E-03	8.6E-03	1.05E-03	8.94E-06	5.82E-02	1.57E-01	8.17E-08	1.0E+06	8.2E-02
1080	1.95087	4.58E-03	8.9E-03	1.05E-03	9.33E-06	5.82E-02	1.57E-01	8.53E-08	1.0E+06	8.5E-02
1081	2.03097	4.58E-03	9.3E-03	1.05E-03	9.71E-06	5.82E-02	1.57E-01	8.88E-08	1.0E+06	8.9E-02
1082	2.11709	4.58E-03	9.7E-03	1.05E-03	1.01E-05	5.82E-02	1.57E-01	9.26E-08	1.0E+06	9.3E-02
1083	2.2085	4.58E-03	1.0E-02	1.05E-03	1.06E-05	5.82E-02	1.57E-01	9.66E-08	1.0E+06	9.7E-02
1084	2.3035	4.58E-03	1.1E-02	1.05E-03	1.10E-05	5.82E-02	1.57E-01	1.01E-07	1.0E+06	1.0E-01
1085	2.39687	4.58E-03	1.1E-02	1.05E-03	1.15E-05	5.82E-02	1.57E-01	1.05E-07	1.0E+06	1.0E-01
1086	2.49947	4.58E-03	1.1E-02	1.05E-03	1.20E-05	5.82E-02	1.57E-01	1.09E-07	1.0E+06	1.1E-01
1087	2.6091	4.58E-03	1.2E-02	1.05E-03	1.25E-05	5.82E-02	1.57E-01	1.14E-07	1.0E+06	1.1E-01
1088	2.72531	4.58E-03	1.2E-02	1.05E-03	1.30E-05	5.82E-02	1.57E-01	1.19E-07	1.0E+06	1.2E-01
1089	2.8493	4.58E-03	1.3E-02	1.05E-03	1.36E-05	5.82E-02	1.57E-01	1.25E-07	1.0E+06	1.2E-01
1090	2.98273	4.58E-03	1.4E-02	1.05E-03	1.43E-05	5.82E-02	1.57E-01	1.30E-07	1.0E+06	1.3E-01
1091	3.12782	4.58E-03	1.4E-02	1.05E-03	1.50E-05	5.82E-02	1.57E-01	1.37E-07	1.0E+06	1.4E-01
1092	3.2898	4.58E-03	1.5E-02	1.05E-03	1.57E-05	5.82E-02	1.57E-01	1.44E-07	1.0E+06	1.4E-01
1093	3.4702	4.58E-03	1.6E-02	1.05E-03	1.66E-05	5.82E-02	1.57E-01	1.52E-07	1.0E+06	1.5E-01
1094	3.67038	4.58E-03	1.7E-02	1.05E-03	1.76E-05	5.82E-02	1.57E-01	1.61E-07	1.0E+06	1.6E-01
1095	3.89235	4.58E-03	1.8E-02	1.05E-03	1.86E-05	5.82E-02	1.57E-01	1.70E-07	1.0E+06	1.7E-01
1096	4.14004	4.58E-03	1.9E-02	1.05E-03	1.98E-05	5.82E-02	1.57E-01	1.81E-07	1.0E+06	1.8E-01
1097	4.41279	4.58E-03	2.0E-02	1.05E-03	2.11E-05	5.82E-02	1.57E-01	1.93E-07	1.0E+06	1.9E-01
1098	4.70698	4.58E-03	2.2E-02	1.05E-03	2.25E-05	5.82E-02	1.57E-01	2.06E-07	1.0E+06	2.1E-01
1099	5.01782	4.58E-03	2.3E-02	1.05E-03	2.40E-05	5.82E-02	1.57E-01	2.19E-07	1.0E+06	2.2E-01
1100	5.33334	4.58E-03	2.4E-02	1.05E-03	2.55E-05	5.82E-02	1.57E-01	2.33E-07	1.0E+06	2.3E-01
1101	5.63956	4.58E-03	2.6E-02	1.05E-03	2.70E-05	5.82E-02	1.57E-01	2.47E-07	1.0E+06	2.5E-01
1102	5.92318	4.58E-03	2.7E-02	1.05E-03	2.83E-05	5.82E-02	1.57E-01	2.59E-07	1.0E+06	2.6E-01
1103	6.15976	4.58E-03	2.8E-02	1.05E-03	2.95E-05	5.82E-02	1.57E-01	2.69E-07	1.0E+06	2.7E-01
1104	6.33917	4.58E-03	2.9E-02	1.05E-03	3.03E-05	5.82E-02	1.57E-01	2.77E-07	1.0E+06	2.8E-01
1105	6.45005	4.58E-03	3.0E-02	1.05E-03	3.09E-05	5.82E-02	1.57E-01	2.82E-07	1.0E+06	2.8E-01
1106	6.4842	4.58E-03	3.0E-02	1.05E-03	3.10E-05	5.82E-02	1.57E-01	2.84E-07	1.0E+06	2.8E-01
1107	6.44643	4.58E-03	3.0E-02	1.05E-03	3.08E-05	5.82E-02	1.57E-01	2.82E-07	1.0E+06	2.8E-01
1108	6.33	4.58E-03	2.9E-02	1.05E-03	3.03E-05	5.82E-02	1.57E-01	2.77E-07	1.0E+06	2.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	4.58E-03	2.8E-02	1.05E-03	2.93E-05	5.82E-02	1.57E-01	2.68E-07	1.0E+06	2.7E-01
1110	5.84948	4.58E-03	2.7E-02	1.05E-03	2.80E-05	5.82E-02	1.57E-01	2.56E-07	1.0E+06	2.6E-01
1111	5.51509	4.58E-03	2.5E-02	1.05E-03	2.64E-05	5.82E-02	1.57E-01	2.41E-07	1.0E+06	2.4E-01
1112	1.90754	4.58E-03	8.7E-03	1.05E-03	9.12E-06	5.82E-02	1.57E-01	8.34E-08	1.0E+06	8.3E-02
1113	1.99395	4.58E-03	9.1E-03	1.05E-03	9.54E-06	5.82E-02	1.57E-01	8.72E-08	1.0E+06	8.7E-02
1114	2.08392	4.58E-03	9.5E-03	1.05E-03	9.97E-06	5.82E-02	1.57E-01	9.11E-08	1.0E+06	9.1E-02
1115	2.17568	4.58E-03	1.0E-02	1.05E-03	1.04E-05	5.82E-02	1.57E-01	9.51E-08	1.0E+06	9.5E-02
1116	2.26975	4.58E-03	1.0E-02	1.05E-03	1.09E-05	5.82E-02	1.57E-01	9.93E-08	1.0E+06	9.9E-02
1117	2.37171	4.58E-03	1.1E-02	1.05E-03	1.13E-05	5.82E-02	1.57E-01	1.04E-07	1.0E+06	1.0E-01
1118	2.47776	4.58E-03	1.1E-02	1.05E-03	1.19E-05	5.82E-02	1.57E-01	1.08E-07	1.0E+06	1.1E-01
1119	2.58252	4.58E-03	1.2E-02	1.05E-03	1.24E-05	5.82E-02	1.57E-01	1.13E-07	1.0E+06	1.1E-01
1120	2.69744	4.58E-03	1.2E-02	1.05E-03	1.29E-05	5.82E-02	1.57E-01	1.18E-07	1.0E+06	1.2E-01
1121	2.82046	4.58E-03	1.3E-02	1.05E-03	1.35E-05	5.82E-02	1.57E-01	1.23E-07	1.0E+06	1.2E-01
1122	2.95147	4.58E-03	1.4E-02	1.05E-03	1.41E-05	5.82E-02	1.57E-01	1.29E-07	1.0E+06	1.3E-01
1123	3.09213	4.58E-03	1.4E-02	1.05E-03	1.48E-05	5.82E-02	1.57E-01	1.35E-07	1.0E+06	1.4E-01
1124	3.24473	4.58E-03	1.5E-02	1.05E-03	1.55E-05	5.82E-02	1.57E-01	1.42E-07	1.0E+06	1.4E-01
1125	3.41259	4.58E-03	1.6E-02	1.05E-03	1.63E-05	5.82E-02	1.57E-01	1.49E-07	1.0E+06	1.5E-01
1126	3.60217	4.58E-03	1.6E-02	1.05E-03	1.72E-05	5.82E-02	1.57E-01	1.58E-07	1.0E+06	1.6E-01
1127	3.81712	4.58E-03	1.7E-02	1.05E-03	1.83E-05	5.82E-02	1.57E-01	1.67E-07	1.0E+06	1.7E-01
1128	4.0622	4.58E-03	1.9E-02	1.05E-03	1.94E-05	5.82E-02	1.57E-01	1.78E-07	1.0E+06	1.8E-01
1129	4.34181	4.58E-03	2.0E-02	1.05E-03	2.08E-05	5.82E-02	1.57E-01	1.90E-07	1.0E+06	1.9E-01
1130	4.66524	4.58E-03	2.1E-02	1.05E-03	2.23E-05	5.82E-02	1.57E-01	2.04E-07	1.0E+06	2.0E-01
1131	5.03357	4.58E-03	2.3E-02	1.05E-03	2.41E-05	5.82E-02	1.57E-01	2.20E-07	1.0E+06	2.2E-01
1132	5.44589	4.58E-03	2.5E-02	1.05E-03	2.60E-05	5.82E-02	1.57E-01	2.38E-07	1.0E+06	2.4E-01
1133	5.89285	4.58E-03	2.7E-02	1.05E-03	2.82E-05	5.82E-02	1.57E-01	2.58E-07	1.0E+06	2.6E-01
1134	6.35095	4.58E-03	2.9E-02	1.05E-03	3.04E-05	5.82E-02	1.57E-01	2.78E-07	1.0E+06	2.8E-01
1135	6.79794	4.58E-03	3.1E-02	1.05E-03	3.25E-05	5.82E-02	1.57E-01	2.97E-07	1.0E+06	3.0E-01
1136	7.22023	4.58E-03	3.3E-02	1.05E-03	3.45E-05	5.82E-02	1.57E-01	3.16E-07	1.0E+06	3.2E-01
1137	7.57481	4.58E-03	3.5E-02	1.05E-03	3.62E-05	5.82E-02	1.57E-01	3.31E-07	1.0E+06	3.3E-01
1138	7.83292	4.58E-03	3.6E-02	1.05E-03	3.75E-05	5.82E-02	1.57E-01	3.43E-07	1.0E+06	3.4E-01
1139	7.97995	4.58E-03	3.7E-02	1.05E-03	3.82E-05	5.82E-02	1.57E-01	3.49E-07	1.0E+06	3.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	4.58E-03	3.7E-02	1.05E-03	3.84E-05	5.82E-02	1.57E-01	3.51E-07	1.0E+06	3.5E-01
1141	7.98973	4.58E-03	3.7E-02	1.05E-03	3.82E-05	5.82E-02	1.57E-01	3.49E-07	1.0E+06	3.5E-01
1142	7.81875	4.58E-03	3.6E-02	1.05E-03	3.74E-05	5.82E-02	1.57E-01	3.42E-07	1.0E+06	3.4E-01
1143	7.50412	4.58E-03	3.4E-02	1.05E-03	3.59E-05	5.82E-02	1.57E-01	3.28E-07	1.0E+06	3.3E-01
1144	7.07481	4.58E-03	3.2E-02	1.05E-03	3.38E-05	5.82E-02	1.57E-01	3.09E-07	1.0E+06	3.1E-01
1145	6.56874	4.58E-03	3.0E-02	1.05E-03	3.14E-05	5.82E-02	1.57E-01	2.87E-07	1.0E+06	2.9E-01
1146	2.03453	4.58E-03	9.3E-03	1.05E-03	9.73E-06	5.82E-02	1.57E-01	8.90E-08	1.0E+06	8.9E-02
1147	2.13247	4.58E-03	9.8E-03	1.05E-03	1.02E-05	5.82E-02	1.57E-01	9.33E-08	1.0E+06	9.3E-02
1148	2.23163	4.58E-03	1.0E-02	1.05E-03	1.07E-05	5.82E-02	1.57E-01	9.76E-08	1.0E+06	9.8E-02
1149	2.33656	4.58E-03	1.1E-02	1.05E-03	1.12E-05	5.82E-02	1.57E-01	1.02E-07	1.0E+06	1.0E-01
1150	2.44222	4.58E-03	1.1E-02	1.05E-03	1.17E-05	5.82E-02	1.57E-01	1.07E-07	1.0E+06	1.1E-01
1151	2.55404	4.58E-03	1.2E-02	1.05E-03	1.22E-05	5.82E-02	1.57E-01	1.12E-07	1.0E+06	1.1E-01
1152	2.67247	4.58E-03	1.2E-02	1.05E-03	1.28E-05	5.82E-02	1.57E-01	1.17E-07	1.0E+06	1.2E-01
1153	2.79193	4.58E-03	1.3E-02	1.05E-03	1.34E-05	5.82E-02	1.57E-01	1.22E-07	1.0E+06	1.2E-01
1154	2.91823	4.58E-03	1.3E-02	1.05E-03	1.40E-05	5.82E-02	1.57E-01	1.28E-07	1.0E+06	1.3E-01
1155	3.05585	4.58E-03	1.4E-02	1.05E-03	1.46E-05	5.82E-02	1.57E-01	1.34E-07	1.0E+06	1.3E-01
1156	3.20293	4.58E-03	1.5E-02	1.05E-03	1.53E-05	5.82E-02	1.57E-01	1.40E-07	1.0E+06	1.4E-01
1157	3.36173	4.58E-03	1.5E-02	1.05E-03	1.61E-05	5.82E-02	1.57E-01	1.47E-07	1.0E+06	1.5E-01
1158	3.53541	4.58E-03	1.6E-02	1.05E-03	1.69E-05	5.82E-02	1.57E-01	1.55E-07	1.0E+06	1.5E-01
1159	3.7286	4.58E-03	1.7E-02	1.05E-03	1.78E-05	5.82E-02	1.57E-01	1.63E-07	1.0E+06	1.6E-01
1160	3.94893	4.58E-03	1.8E-02	1.05E-03	1.89E-05	5.82E-02	1.57E-01	1.73E-07	1.0E+06	1.7E-01
1161	4.20347	4.58E-03	1.9E-02	1.05E-03	2.01E-05	5.82E-02	1.57E-01	1.84E-07	1.0E+06	1.8E-01
1162	4.50184	4.58E-03	2.1E-02	1.05E-03	2.15E-05	5.82E-02	1.57E-01	1.97E-07	1.0E+06	2.0E-01
1163	4.85509	4.58E-03	2.2E-02	1.05E-03	2.32E-05	5.82E-02	1.57E-01	2.12E-07	1.0E+06	2.1E-01
1164	5.28071	4.58E-03	2.4E-02	1.05E-03	2.53E-05	5.82E-02	1.57E-01	2.31E-07	1.0E+06	2.3E-01
1165	5.79017	4.58E-03	2.6E-02	1.05E-03	2.77E-05	5.82E-02	1.57E-01	2.53E-07	1.0E+06	2.5E-01
1166	6.38984	4.58E-03	2.9E-02	1.05E-03	3.06E-05	5.82E-02	1.57E-01	2.79E-07	1.0E+06	2.8E-01
1167	7.06432	4.58E-03	3.2E-02	1.05E-03	3.38E-05	5.82E-02	1.57E-01	3.09E-07	1.0E+06	3.1E-01
1168	6.38019	4.58E-03	2.9E-02	1.05E-03	3.05E-05	5.82E-02	1.57E-01	2.79E-07	1.0E+06	2.8E-01
1169	8.41857	4.58E-03	3.9E-02	1.05E-03	4.03E-05	5.82E-02	1.57E-01	3.68E-07	1.0E+06	3.7E-01
1170	7.5517	4.58E-03	3.5E-02	1.05E-03	3.61E-05	5.82E-02	1.57E-01	3.30E-07	1.0E+06	3.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	4.58E-03	3.6E-02	1.05E-03	3.75E-05	5.82E-02	1.57E-01	3.43E-07	1.0E+06	3.4E-01
1172	8.1392	4.58E-03	3.7E-02	1.05E-03	3.89E-05	5.82E-02	1.57E-01	3.56E-07	1.0E+06	3.6E-01
1173	8.48934	4.58E-03	3.9E-02	1.05E-03	4.06E-05	5.82E-02	1.57E-01	3.71E-07	1.0E+06	3.7E-01
1174	8.63871	4.58E-03	4.0E-02	1.05E-03	4.13E-05	5.82E-02	1.57E-01	3.78E-07	1.0E+06	3.8E-01
1175	8.32856	4.58E-03	3.8E-02	1.05E-03	3.98E-05	5.82E-02	1.57E-01	3.64E-07	1.0E+06	3.6E-01
1176	8.01684	4.58E-03	3.7E-02	1.05E-03	3.83E-05	5.82E-02	1.57E-01	3.51E-07	1.0E+06	3.5E-01
1177	7.68924	4.58E-03	3.5E-02	1.05E-03	3.68E-05	5.82E-02	1.57E-01	3.36E-07	1.0E+06	3.4E-01
1178	5.9706	4.58E-03	2.7E-02	1.05E-03	2.86E-05	5.82E-02	1.57E-01	2.61E-07	1.0E+06	2.6E-01
1179	6.57107	4.58E-03	3.0E-02	1.05E-03	3.14E-05	5.82E-02	1.57E-01	2.87E-07	1.0E+06	2.9E-01
1180	2.17552	4.58E-03	1.0E-02	1.05E-03	1.04E-05	5.82E-02	1.57E-01	9.51E-08	1.0E+06	9.5E-02
1181	2.28576	4.58E-03	1.0E-02	1.05E-03	1.09E-05	5.82E-02	1.57E-01	1.00E-07	1.0E+06	1.0E-01
1182	2.39727	4.58E-03	1.1E-02	1.05E-03	1.15E-05	5.82E-02	1.57E-01	1.05E-07	1.0E+06	1.0E-01
1183	2.51595	4.58E-03	1.2E-02	1.05E-03	1.20E-05	5.82E-02	1.57E-01	1.10E-07	1.0E+06	1.1E-01
1184	2.63399	4.58E-03	1.2E-02	1.05E-03	1.26E-05	5.82E-02	1.57E-01	1.15E-07	1.0E+06	1.2E-01
1185	2.7595	4.58E-03	1.3E-02	1.05E-03	1.32E-05	5.82E-02	1.57E-01	1.21E-07	1.0E+06	1.2E-01
1186	2.89193	4.58E-03	1.3E-02	1.05E-03	1.38E-05	5.82E-02	1.57E-01	1.26E-07	1.0E+06	1.3E-01
1187	3.02979	4.58E-03	1.4E-02	1.05E-03	1.45E-05	5.82E-02	1.57E-01	1.32E-07	1.0E+06	1.3E-01
1188	3.16867	4.58E-03	1.5E-02	1.05E-03	1.52E-05	5.82E-02	1.57E-01	1.39E-07	1.0E+06	1.4E-01
1189	3.32023	4.58E-03	1.5E-02	1.05E-03	1.59E-05	5.82E-02	1.57E-01	1.45E-07	1.0E+06	1.5E-01
1190	3.48447	4.58E-03	1.6E-02	1.05E-03	1.67E-05	5.82E-02	1.57E-01	1.52E-07	1.0E+06	1.5E-01
1191	3.66265	4.58E-03	1.7E-02	1.05E-03	1.75E-05	5.82E-02	1.57E-01	1.60E-07	1.0E+06	1.6E-01
1192	3.85875	4.58E-03	1.8E-02	1.05E-03	1.85E-05	5.82E-02	1.57E-01	1.69E-07	1.0E+06	1.7E-01
1193	4.07907	4.58E-03	1.9E-02	1.05E-03	1.95E-05	5.82E-02	1.57E-01	1.78E-07	1.0E+06	1.8E-01
1194	4.33265	4.58E-03	2.0E-02	1.05E-03	2.07E-05	5.82E-02	1.57E-01	1.89E-07	1.0E+06	1.9E-01
1195	4.6314	4.58E-03	2.1E-02	1.05E-03	2.22E-05	5.82E-02	1.57E-01	2.03E-07	1.0E+06	2.0E-01
1196	4.99103	4.58E-03	2.3E-02	1.05E-03	2.39E-05	5.82E-02	1.57E-01	2.18E-07	1.0E+06	2.2E-01
1197	5.43436	4.58E-03	2.5E-02	1.05E-03	2.60E-05	5.82E-02	1.57E-01	2.38E-07	1.0E+06	2.4E-01
1198	5.99494	4.58E-03	2.7E-02	1.05E-03	2.87E-05	5.82E-02	1.57E-01	2.62E-07	1.0E+06	2.6E-01
1199	6.70943	4.58E-03	3.1E-02	1.05E-03	3.21E-05	5.82E-02	1.57E-01	2.93E-07	1.0E+06	2.9E-01
1200	6.07919	4.58E-03	2.8E-02	1.05E-03	2.91E-05	5.82E-02	1.57E-01	2.66E-07	1.0E+06	2.7E-01
1201	6.72457	4.58E-03	3.1E-02	1.05E-03	3.22E-05	5.82E-02	1.57E-01	2.94E-07	1.0E+06	2.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	4.58E-03	3.5E-02	1.05E-03	3.61E-05	5.82E-02	1.57E-01	3.30E-07	1.0E+06	3.3E-01
1203	6.99298	4.58E-03	3.2E-02	1.05E-03	3.34E-05	5.82E-02	1.57E-01	3.06E-07	1.0E+06	3.1E-01
1204	7.66017	4.58E-03	3.5E-02	1.05E-03	3.66E-05	5.82E-02	1.57E-01	3.35E-07	1.0E+06	3.3E-01
1205	9.76139	4.58E-03	4.5E-02	1.05E-03	4.67E-05	5.82E-02	1.57E-01	4.27E-07	1.0E+06	4.3E-01
1206	8.83169	4.58E-03	4.0E-02	1.05E-03	4.22E-05	5.82E-02	1.57E-01	3.86E-07	1.0E+06	3.9E-01
1207	9.02331	4.58E-03	4.1E-02	1.05E-03	4.32E-05	5.82E-02	1.57E-01	3.95E-07	1.0E+06	3.9E-01
1208	7.72726	4.58E-03	3.5E-02	1.05E-03	3.70E-05	5.82E-02	1.57E-01	3.38E-07	1.0E+06	3.4E-01
1209	8.9362	4.58E-03	4.1E-02	1.05E-03	4.27E-05	5.82E-02	1.57E-01	3.91E-07	1.0E+06	3.9E-01
1210	7.16039	4.58E-03	3.3E-02	1.05E-03	3.42E-05	5.82E-02	1.57E-01	3.13E-07	1.0E+06	3.1E-01
1211	6.44491	4.58E-03	2.9E-02	1.05E-03	3.08E-05	5.82E-02	1.57E-01	2.82E-07	1.0E+06	2.8E-01
1212	7.05356	4.58E-03	3.2E-02	1.05E-03	3.37E-05	5.82E-02	1.57E-01	3.08E-07	1.0E+06	3.1E-01
1213	6.23474	4.58E-03	2.9E-02	1.05E-03	2.98E-05	5.82E-02	1.57E-01	2.73E-07	1.0E+06	2.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	2.12E-03
893	5	2.18E-03
894	5	2.24E-03
895	5	2.29E-03
896	5	2.34E-03
897	5	2.38E-03
898	5	2.42E-03
899	5	2.45E-03
900	5	2.46E-03
901	5	2.47E-03
902	5	2.46E-03
903	5	2.44E-03
904	5	2.41E-03
905	5	2.37E-03
906	5	2.32E-03
907	5	2.27E-03
908	5	1.23E-03
909	5	1.27E-03
910	5	1.32E-03
911	5	1.36E-03
912	5	1.41E-03
913	5	1.46E-03
914	5	1.51E-03
915	5	1.56E-03
916	5	1.61E-03
917	5	1.66E-03
918	5	1.72E-03
919	5	1.78E-03
920	5	1.84E-03
921	5	1.91E-03
922	5	1.97E-03

Max	Receptor #	
0.009	1205	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	2.04E-03
924	5	2.11E-03
925	5	2.18E-03
926	5	2.26E-03
927	5	2.33E-03
928	5	2.40E-03
929	5	2.47E-03
930	5	2.54E-03
931	5	2.60E-03
932	5	2.66E-03
933	5	2.70E-03
934	5	2.74E-03
935	5	2.76E-03
936	5	2.77E-03
937	5	2.76E-03
938	5	2.74E-03
939	5	2.70E-03
940	5	2.65E-03
941	5	2.58E-03
942	5	1.30E-03
943	5	1.35E-03
944	5	1.40E-03
945	5	1.44E-03
946	5	1.50E-03
947	5	1.55E-03
948	5	1.61E-03
949	5	1.66E-03
950	5	1.72E-03
951	5	1.78E-03
952	5	1.85E-03
953	5	1.92E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	1.99E-03
955	5	2.06E-03
956	5	2.14E-03
957	5	2.22E-03
958	5	2.30E-03
959	5	2.39E-03
960	5	2.48E-03
961	5	2.57E-03
962	5	2.66E-03
963	5	2.75E-03
964	5	2.84E-03
965	5	2.92E-03
966	5	2.99E-03
967	5	3.05E-03
968	5	3.09E-03
969	5	3.12E-03
970	5	3.13E-03
971	5	3.12E-03
972	5	3.09E-03
973	5	3.04E-03
974	5	2.98E-03
975	5	2.89E-03
976	5	1.37E-03
977	5	1.43E-03
978	5	1.48E-03
979	5	1.53E-03
980	5	1.59E-03
981	5	1.65E-03
982	5	1.71E-03
983	5	1.78E-03
984	5	1.84E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	1.91E-03
986	5	1.99E-03
987	5	2.06E-03
988	5	2.14E-03
989	5	2.23E-03
990	5	2.32E-03
991	5	2.42E-03
992	5	2.52E-03
993	5	2.62E-03
994	5	2.74E-03
995	5	2.85E-03
996	5	2.97E-03
997	5	3.08E-03
998	5	3.19E-03
999	5	3.30E-03
1000	5	3.39E-03
1001	5	3.47E-03
1002	5	3.53E-03
1003	5	3.57E-03
1004	5	3.58E-03
1005	5	3.57E-03
1006	5	3.53E-03
1007	5	3.47E-03
1008	5	3.38E-03
1009	5	3.28E-03
1010	5	1.46E-03
1011	5	1.51E-03
1012	5	1.57E-03
1013	5	1.63E-03
1014	5	1.70E-03
1015	5	1.76E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	1.83E-03
1017	5	1.90E-03
1018	5	1.98E-03
1019	5	2.06E-03
1020	5	2.14E-03
1021	5	2.23E-03
1022	5	2.32E-03
1023	5	2.42E-03
1024	5	2.52E-03
1025	5	2.64E-03
1026	5	2.76E-03
1027	5	2.89E-03
1028	5	3.03E-03
1029	5	3.18E-03
1030	5	3.33E-03
1031	5	3.48E-03
1032	5	3.63E-03
1033	5	3.77E-03
1034	5	3.90E-03
1035	5	4.01E-03
1036	5	4.09E-03
1037	5	4.15E-03
1038	5	4.16E-03
1039	5	4.14E-03
1040	5	4.09E-03
1041	5	4.01E-03
1042	5	3.89E-03
1043	5	3.74E-03
1044	5	1.54E-03
1045	5	1.61E-03
1046	5	1.68E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	1.74E-03
1048	5	1.81E-03
1049	5	1.89E-03
1050	5	1.96E-03
1051	5	2.04E-03
1052	5	2.12E-03
1053	5	2.21E-03
1054	5	2.31E-03
1055	5	2.41E-03
1056	5	2.51E-03
1057	5	2.63E-03
1058	5	2.75E-03
1059	5	2.89E-03
1060	5	3.04E-03
1061	5	3.20E-03
1062	5	3.38E-03
1063	5	3.57E-03
1064	5	3.77E-03
1065	5	3.97E-03
1066	5	4.18E-03
1067	5	4.38E-03
1068	5	4.56E-03
1069	5	4.71E-03
1070	5	4.82E-03
1071	5	4.90E-03
1072	5	4.92E-03
1073	5	4.89E-03
1074	5	4.82E-03
1075	5	4.69E-03
1076	5	4.52E-03
1077	5	4.31E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	1.64E-03
1079	5	1.71E-03
1080	5	1.79E-03
1081	5	1.86E-03
1082	5	1.94E-03
1083	5	2.02E-03
1084	5	2.11E-03
1085	5	2.19E-03
1086	5	2.29E-03
1087	5	2.39E-03
1088	5	2.49E-03
1089	5	2.61E-03
1090	5	2.73E-03
1091	5	2.86E-03
1092	5	3.01E-03
1093	5	3.18E-03
1094	5	3.36E-03
1095	5	3.56E-03
1096	5	3.79E-03
1097	5	4.04E-03
1098	5	4.31E-03
1099	5	4.59E-03
1100	5	4.88E-03
1101	5	5.16E-03
1102	5	5.42E-03
1103	5	5.64E-03
1104	5	5.80E-03
1105	5	5.90E-03
1106	5	5.93E-03
1107	5	5.90E-03
1108	5	5.79E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	5.61E-03
1110	5	5.35E-03
1111	5	5.05E-03
1112	5	1.75E-03
1113	5	1.82E-03
1114	5	1.91E-03
1115	5	1.99E-03
1116	5	2.08E-03
1117	5	2.17E-03
1118	5	2.27E-03
1119	5	2.36E-03
1120	5	2.47E-03
1121	5	2.58E-03
1122	5	2.70E-03
1123	5	2.83E-03
1124	5	2.97E-03
1125	5	3.12E-03
1126	5	3.30E-03
1127	5	3.49E-03
1128	5	3.72E-03
1129	5	3.97E-03
1130	5	4.27E-03
1131	5	4.61E-03
1132	5	4.98E-03
1133	5	5.39E-03
1134	5	5.81E-03
1135	5	6.22E-03
1136	5	6.61E-03
1137	5	6.93E-03
1138	5	7.17E-03
1139	5	7.30E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	7.35E-03
1141	5	7.31E-03
1142	5	7.16E-03
1143	5	6.87E-03
1144	5	6.48E-03
1145	5	6.01E-03
1146	5	1.86E-03
1147	5	1.95E-03
1148	5	2.04E-03
1149	5	2.14E-03
1150	5	2.24E-03
1151	5	2.34E-03
1152	5	2.45E-03
1153	5	2.56E-03
1154	5	2.67E-03
1155	5	2.80E-03
1156	5	2.93E-03
1157	5	3.08E-03
1158	5	3.24E-03
1159	5	3.41E-03
1160	5	3.61E-03
1161	5	3.85E-03
1162	5	4.12E-03
1163	5	4.44E-03
1164	5	4.83E-03
1165	5	5.30E-03
1166	5	5.85E-03
1167	5	6.47E-03
1168	5	5.84E-03
1169	5	7.71E-03
1170	5	6.91E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	7.17E-03
1172	5	7.45E-03
1173	5	7.77E-03
1174	5	7.91E-03
1175	5	7.62E-03
1176	5	7.34E-03
1177	5	7.04E-03
1178	5	5.46E-03
1179	5	6.01E-03
1180	5	1.99E-03
1181	5	2.09E-03
1182	5	2.19E-03
1183	5	2.30E-03
1184	5	2.41E-03
1185	5	2.53E-03
1186	5	2.65E-03
1187	5	2.77E-03
1188	5	2.90E-03
1189	5	3.04E-03
1190	5	3.19E-03
1191	5	3.35E-03
1192	5	3.53E-03
1193	5	3.73E-03
1194	5	3.97E-03
1195	5	4.24E-03
1196	5	4.57E-03
1197	5	4.97E-03
1198	5	5.49E-03
1199	5	6.14E-03
1200	5	5.56E-03
1201	5	6.15E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Site Prep Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	6.92E-03
1203	5	6.40E-03
1204	5	7.01E-03
1205	5	8.93E-03
1206	5	8.08E-03
1207	5	8.26E-03
1208	5	7.07E-03
1209	5	8.18E-03
1210	5	6.55E-03
1211	5	5.90E-03
1212	5	6.46E-03
1213	5	5.71E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	1.87E-02	4.3E-02	1.05E-03	4.54E-05	1.59E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
893	2.38542	1.87E-02	4.5E-02	1.05E-03	4.67E-05	1.59E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
894	2.44758	1.87E-02	4.6E-02	1.05E-03	4.79E-05	1.59E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
895	2.50618	1.87E-02	4.7E-02	1.05E-03	4.90E-05	1.59E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
896	2.55908	1.87E-02	4.8E-02	1.05E-03	5.01E-05	1.59E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
897	2.60474	1.87E-02	4.9E-02	1.05E-03	5.09E-05	1.59E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
898	2.64253	1.87E-02	4.9E-02	1.05E-03	5.17E-05	1.59E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
899	2.67158	1.87E-02	5.0E-02	1.05E-03	5.23E-05	1.59E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
900	2.69069	1.87E-02	5.0E-02	1.05E-03	5.26E-05	1.59E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
901	2.69844	1.87E-02	5.0E-02	1.05E-03	5.28E-05	1.59E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
902	2.69171	1.87E-02	5.0E-02	1.05E-03	5.26E-05	1.59E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
903	2.6708	1.87E-02	5.0E-02	1.05E-03	5.22E-05	1.59E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
904	2.63764	1.87E-02	4.9E-02	1.05E-03	5.16E-05	1.59E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
905	2.59313	1.87E-02	4.9E-02	1.05E-03	5.07E-05	1.59E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
906	2.53783	1.87E-02	4.7E-02	1.05E-03	4.96E-05	1.59E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
907	2.47822	1.87E-02	4.6E-02	1.05E-03	4.85E-05	1.59E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
908	1.34378	1.87E-02	2.5E-02	1.05E-03	2.63E-05	1.59E-01	1.57E-01	6.56E-07	1.0E+06	6.6E-01
909	1.39182	1.87E-02	2.6E-02	1.05E-03	2.72E-05	1.59E-01	1.57E-01	6.80E-07	1.0E+06	6.8E-01
910	1.43801	1.87E-02	2.7E-02	1.05E-03	2.81E-05	1.59E-01	1.57E-01	7.02E-07	1.0E+06	7.0E-01
911	1.4874	1.87E-02	2.8E-02	1.05E-03	2.91E-05	1.59E-01	1.57E-01	7.26E-07	1.0E+06	7.3E-01
912	1.53931	1.87E-02	2.9E-02	1.05E-03	3.01E-05	1.59E-01	1.57E-01	7.52E-07	1.0E+06	7.5E-01
913	1.59264	1.87E-02	3.0E-02	1.05E-03	3.12E-05	1.59E-01	1.57E-01	7.78E-07	1.0E+06	7.8E-01
914	1.64626	1.87E-02	3.1E-02	1.05E-03	3.22E-05	1.59E-01	1.57E-01	8.04E-07	1.0E+06	8.0E-01
915	1.70051	1.87E-02	3.2E-02	1.05E-03	3.33E-05	1.59E-01	1.57E-01	8.31E-07	1.0E+06	8.3E-01
916	1.75782	1.87E-02	3.3E-02	1.05E-03	3.44E-05	1.59E-01	1.57E-01	8.59E-07	1.0E+06	8.6E-01
917	1.81857	1.87E-02	3.4E-02	1.05E-03	3.56E-05	1.59E-01	1.57E-01	8.88E-07	1.0E+06	8.9E-01
918	1.88138	1.87E-02	3.5E-02	1.05E-03	3.68E-05	1.59E-01	1.57E-01	9.19E-07	1.0E+06	9.2E-01
919	1.9463	1.87E-02	3.6E-02	1.05E-03	3.81E-05	1.59E-01	1.57E-01	9.51E-07	1.0E+06	9.5E-01
920	2.01351	1.87E-02	3.8E-02	1.05E-03	3.94E-05	1.59E-01	1.57E-01	9.83E-07	1.0E+06	9.8E-01
921	2.08316	1.87E-02	3.9E-02	1.05E-03	4.07E-05	1.59E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
922	2.15554	1.87E-02	4.0E-02	1.05E-03	4.22E-05	1.59E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	1.87E-02	4.2E-02	1.05E-03	4.36E-05	1.59E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
924	2.30792	1.87E-02	4.3E-02	1.05E-03	4.51E-05	1.59E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
925	2.38688	1.87E-02	4.5E-02	1.05E-03	4.67E-05	1.59E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
926	2.46714	1.87E-02	4.6E-02	1.05E-03	4.83E-05	1.59E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
927	2.54717	1.87E-02	4.8E-02	1.05E-03	4.98E-05	1.59E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
928	2.62654	1.87E-02	4.9E-02	1.05E-03	5.14E-05	1.59E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
929	2.70395	1.87E-02	5.1E-02	1.05E-03	5.29E-05	1.59E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
930	2.77767	1.87E-02	5.2E-02	1.05E-03	5.43E-05	1.59E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
931	2.84499	1.87E-02	5.3E-02	1.05E-03	5.56E-05	1.59E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
932	2.90354	1.87E-02	5.4E-02	1.05E-03	5.68E-05	1.59E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
933	2.9525	1.87E-02	5.5E-02	1.05E-03	5.77E-05	1.59E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
934	2.99008	1.87E-02	5.6E-02	1.05E-03	5.85E-05	1.59E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
935	3.01462	1.87E-02	5.6E-02	1.05E-03	5.90E-05	1.59E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
936	3.02389	1.87E-02	5.7E-02	1.05E-03	5.91E-05	1.59E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
937	3.01538	1.87E-02	5.6E-02	1.05E-03	5.90E-05	1.59E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
938	2.98903	1.87E-02	5.6E-02	1.05E-03	5.85E-05	1.59E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
939	2.94679	1.87E-02	5.5E-02	1.05E-03	5.76E-05	1.59E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
940	2.89021	1.87E-02	5.4E-02	1.05E-03	5.65E-05	1.59E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
941	2.82029	1.87E-02	5.3E-02	1.05E-03	5.52E-05	1.59E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
942	1.41975	1.87E-02	2.7E-02	1.05E-03	2.78E-05	1.59E-01	1.57E-01	6.93E-07	1.0E+06	6.9E-01
943	1.4724	1.87E-02	2.8E-02	1.05E-03	2.88E-05	1.59E-01	1.57E-01	7.19E-07	1.0E+06	7.2E-01
944	1.52496	1.87E-02	2.9E-02	1.05E-03	2.98E-05	1.59E-01	1.57E-01	7.45E-07	1.0E+06	7.4E-01
945	1.57781	1.87E-02	3.0E-02	1.05E-03	3.09E-05	1.59E-01	1.57E-01	7.71E-07	1.0E+06	7.7E-01
946	1.63542	1.87E-02	3.1E-02	1.05E-03	3.20E-05	1.59E-01	1.57E-01	7.99E-07	1.0E+06	8.0E-01
947	1.69476	1.87E-02	3.2E-02	1.05E-03	3.31E-05	1.59E-01	1.57E-01	8.28E-07	1.0E+06	8.3E-01
948	1.75455	1.87E-02	3.3E-02	1.05E-03	3.43E-05	1.59E-01	1.57E-01	8.57E-07	1.0E+06	8.6E-01
949	1.81519	1.87E-02	3.4E-02	1.05E-03	3.55E-05	1.59E-01	1.57E-01	8.87E-07	1.0E+06	8.9E-01
950	1.8796	1.87E-02	3.5E-02	1.05E-03	3.68E-05	1.59E-01	1.57E-01	9.18E-07	1.0E+06	9.2E-01
951	1.94787	1.87E-02	3.6E-02	1.05E-03	3.81E-05	1.59E-01	1.57E-01	9.51E-07	1.0E+06	9.5E-01
952	2.01881	1.87E-02	3.8E-02	1.05E-03	3.95E-05	1.59E-01	1.57E-01	9.86E-07	1.0E+06	9.9E-01
953	2.09254	1.87E-02	3.9E-02	1.05E-03	4.09E-05	1.59E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	1.87E-02	4.1E-02	1.05E-03	4.24E-05	1.59E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
955	2.24971	1.87E-02	4.2E-02	1.05E-03	4.40E-05	1.59E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
956	2.33459	1.87E-02	4.4E-02	1.05E-03	4.57E-05	1.59E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
957	2.42362	1.87E-02	4.5E-02	1.05E-03	4.74E-05	1.59E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
958	2.51608	1.87E-02	4.7E-02	1.05E-03	4.92E-05	1.59E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
959	2.61119	1.87E-02	4.9E-02	1.05E-03	5.11E-05	1.59E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
960	2.70919	1.87E-02	5.1E-02	1.05E-03	5.30E-05	1.59E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
961	2.80855	1.87E-02	5.3E-02	1.05E-03	5.49E-05	1.59E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
962	2.90798	1.87E-02	5.4E-02	1.05E-03	5.69E-05	1.59E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
963	3.00621	1.87E-02	5.6E-02	1.05E-03	5.88E-05	1.59E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
964	3.10043	1.87E-02	5.8E-02	1.05E-03	6.06E-05	1.59E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
965	3.18812	1.87E-02	6.0E-02	1.05E-03	6.24E-05	1.59E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
966	3.26457	1.87E-02	6.1E-02	1.05E-03	6.39E-05	1.59E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
967	3.32885	1.87E-02	6.2E-02	1.05E-03	6.51E-05	1.59E-01	1.57E-01	1.63E-06	1.0E+06	1.6E+00
968	3.37814	1.87E-02	6.3E-02	1.05E-03	6.61E-05	1.59E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
969	3.41014	1.87E-02	6.4E-02	1.05E-03	6.67E-05	1.59E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
970	3.42128	1.87E-02	6.4E-02	1.05E-03	6.69E-05	1.59E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
971	3.41078	1.87E-02	6.4E-02	1.05E-03	6.67E-05	1.59E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
972	3.37829	1.87E-02	6.3E-02	1.05E-03	6.61E-05	1.59E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
973	3.32508	1.87E-02	6.2E-02	1.05E-03	6.50E-05	1.59E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
974	3.25251	1.87E-02	6.1E-02	1.05E-03	6.36E-05	1.59E-01	1.57E-01	1.59E-06	1.0E+06	1.6E+00
975	3.16305	1.87E-02	5.9E-02	1.05E-03	6.19E-05	1.59E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
976	1.5019	1.87E-02	2.8E-02	1.05E-03	2.94E-05	1.59E-01	1.57E-01	7.34E-07	1.0E+06	7.3E-01
977	1.55951	1.87E-02	2.9E-02	1.05E-03	3.05E-05	1.59E-01	1.57E-01	7.62E-07	1.0E+06	7.6E-01
978	1.6175	1.87E-02	3.0E-02	1.05E-03	3.16E-05	1.59E-01	1.57E-01	7.90E-07	1.0E+06	7.9E-01
979	1.67604	1.87E-02	3.1E-02	1.05E-03	3.28E-05	1.59E-01	1.57E-01	8.19E-07	1.0E+06	8.2E-01
980	1.74002	1.87E-02	3.3E-02	1.05E-03	3.40E-05	1.59E-01	1.57E-01	8.50E-07	1.0E+06	8.5E-01
981	1.80609	1.87E-02	3.4E-02	1.05E-03	3.53E-05	1.59E-01	1.57E-01	8.82E-07	1.0E+06	8.8E-01
982	1.87281	1.87E-02	3.5E-02	1.05E-03	3.66E-05	1.59E-01	1.57E-01	9.15E-07	1.0E+06	9.1E-01
983	1.94072	1.87E-02	3.6E-02	1.05E-03	3.80E-05	1.59E-01	1.57E-01	9.48E-07	1.0E+06	9.5E-01
984	2.01313	1.87E-02	3.8E-02	1.05E-03	3.94E-05	1.59E-01	1.57E-01	9.83E-07	1.0E+06	9.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	1.87E-02	3.9E-02	1.05E-03	4.09E-05	1.59E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
986	2.1701	1.87E-02	4.1E-02	1.05E-03	4.24E-05	1.59E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
987	2.25396	1.87E-02	4.2E-02	1.05E-03	4.41E-05	1.59E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
988	2.34192	1.87E-02	4.4E-02	1.05E-03	4.58E-05	1.59E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
989	2.43471	1.87E-02	4.6E-02	1.05E-03	4.76E-05	1.59E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
990	2.53459	1.87E-02	4.7E-02	1.05E-03	4.96E-05	1.59E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
991	2.64074	1.87E-02	4.9E-02	1.05E-03	5.17E-05	1.59E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
992	2.75198	1.87E-02	5.1E-02	1.05E-03	5.38E-05	1.59E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
993	2.86771	1.87E-02	5.4E-02	1.05E-03	5.61E-05	1.59E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
994	2.98847	1.87E-02	5.6E-02	1.05E-03	5.85E-05	1.59E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
995	3.11365	1.87E-02	5.8E-02	1.05E-03	6.09E-05	1.59E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
996	3.24022	1.87E-02	6.1E-02	1.05E-03	6.34E-05	1.59E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
997	3.36692	1.87E-02	6.3E-02	1.05E-03	6.59E-05	1.59E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
998	3.48991	1.87E-02	6.5E-02	1.05E-03	6.83E-05	1.59E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
999	3.60594	1.87E-02	6.7E-02	1.05E-03	7.05E-05	1.59E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1000	3.70812	1.87E-02	6.9E-02	1.05E-03	7.25E-05	1.59E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1001	3.79396	1.87E-02	7.1E-02	1.05E-03	7.42E-05	1.59E-01	1.57E-01	1.85E-06	1.0E+06	1.9E+00
1002	3.86013	1.87E-02	7.2E-02	1.05E-03	7.55E-05	1.59E-01	1.57E-01	1.89E-06	1.0E+06	1.9E+00
1003	3.90266	1.87E-02	7.3E-02	1.05E-03	7.63E-05	1.59E-01	1.57E-01	1.91E-06	1.0E+06	1.9E+00
1004	3.91652	1.87E-02	7.3E-02	1.05E-03	7.66E-05	1.59E-01	1.57E-01	1.91E-06	1.0E+06	1.9E+00
1005	3.9028	1.87E-02	7.3E-02	1.05E-03	7.63E-05	1.59E-01	1.57E-01	1.91E-06	1.0E+06	1.9E+00
1006	3.86166	1.87E-02	7.2E-02	1.05E-03	7.55E-05	1.59E-01	1.57E-01	1.89E-06	1.0E+06	1.9E+00
1007	3.79253	1.87E-02	7.1E-02	1.05E-03	7.42E-05	1.59E-01	1.57E-01	1.85E-06	1.0E+06	1.9E+00
1008	3.69675	1.87E-02	6.9E-02	1.05E-03	7.23E-05	1.59E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1009	3.57868	1.87E-02	6.7E-02	1.05E-03	7.00E-05	1.59E-01	1.57E-01	1.75E-06	1.0E+06	1.7E+00
1010	1.59074	1.87E-02	3.0E-02	1.05E-03	3.11E-05	1.59E-01	1.57E-01	7.77E-07	1.0E+06	7.8E-01
1011	1.65396	1.87E-02	3.1E-02	1.05E-03	3.24E-05	1.59E-01	1.57E-01	8.08E-07	1.0E+06	8.1E-01
1012	1.71809	1.87E-02	3.2E-02	1.05E-03	3.36E-05	1.59E-01	1.57E-01	8.39E-07	1.0E+06	8.4E-01
1013	1.7831	1.87E-02	3.3E-02	1.05E-03	3.49E-05	1.59E-01	1.57E-01	8.71E-07	1.0E+06	8.7E-01
1014	1.8542	1.87E-02	3.5E-02	1.05E-03	3.63E-05	1.59E-01	1.57E-01	9.06E-07	1.0E+06	9.1E-01
1015	1.92778	1.87E-02	3.6E-02	1.05E-03	3.77E-05	1.59E-01	1.57E-01	9.42E-07	1.0E+06	9.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	1.87E-02	3.7E-02	1.05E-03	3.92E-05	1.59E-01	1.57E-01	9.78E-07	1.0E+06	9.8E-01
1017	2.07653	1.87E-02	3.9E-02	1.05E-03	4.06E-05	1.59E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1018	2.15978	1.87E-02	4.0E-02	1.05E-03	4.22E-05	1.59E-01	1.57E-01	1.05E-06	1.0E+06	1.1E+00
1019	2.24625	1.87E-02	4.2E-02	1.05E-03	4.39E-05	1.59E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
1020	2.33698	1.87E-02	4.4E-02	1.05E-03	4.57E-05	1.59E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1021	2.43241	1.87E-02	4.6E-02	1.05E-03	4.76E-05	1.59E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
1022	2.53329	1.87E-02	4.7E-02	1.05E-03	4.95E-05	1.59E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
1023	2.64079	1.87E-02	4.9E-02	1.05E-03	5.17E-05	1.59E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
1024	2.75843	1.87E-02	5.2E-02	1.05E-03	5.40E-05	1.59E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
1025	2.88515	1.87E-02	5.4E-02	1.05E-03	5.64E-05	1.59E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
1026	3.01984	1.87E-02	5.7E-02	1.05E-03	5.91E-05	1.59E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
1027	3.16213	1.87E-02	5.9E-02	1.05E-03	6.18E-05	1.59E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
1028	3.31325	1.87E-02	6.2E-02	1.05E-03	6.48E-05	1.59E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
1029	3.47289	1.87E-02	6.5E-02	1.05E-03	6.79E-05	1.59E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
1030	3.63688	1.87E-02	6.8E-02	1.05E-03	7.11E-05	1.59E-01	1.57E-01	1.78E-06	1.0E+06	1.8E+00
1031	3.8037	1.87E-02	7.1E-02	1.05E-03	7.44E-05	1.59E-01	1.57E-01	1.86E-06	1.0E+06	1.9E+00
1032	3.96771	1.87E-02	7.4E-02	1.05E-03	7.76E-05	1.59E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
1033	4.12419	1.87E-02	7.7E-02	1.05E-03	8.07E-05	1.59E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
1034	4.26404	1.87E-02	8.0E-02	1.05E-03	8.34E-05	1.59E-01	1.57E-01	2.08E-06	1.0E+06	2.1E+00
1035	4.38116	1.87E-02	8.2E-02	1.05E-03	8.57E-05	1.59E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
1036	4.4717	1.87E-02	8.4E-02	1.05E-03	8.75E-05	1.59E-01	1.57E-01	2.18E-06	1.0E+06	2.2E+00
1037	4.52967	1.87E-02	8.5E-02	1.05E-03	8.86E-05	1.59E-01	1.57E-01	2.21E-06	1.0E+06	2.2E+00
1038	4.54755	1.87E-02	8.5E-02	1.05E-03	8.89E-05	1.59E-01	1.57E-01	2.22E-06	1.0E+06	2.2E+00
1039	4.52857	1.87E-02	8.5E-02	1.05E-03	8.86E-05	1.59E-01	1.57E-01	2.21E-06	1.0E+06	2.2E+00
1040	4.4728	1.87E-02	8.4E-02	1.05E-03	8.75E-05	1.59E-01	1.57E-01	2.18E-06	1.0E+06	2.2E+00
1041	4.3777	1.87E-02	8.2E-02	1.05E-03	8.56E-05	1.59E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
1042	4.2463	1.87E-02	7.9E-02	1.05E-03	8.31E-05	1.59E-01	1.57E-01	2.07E-06	1.0E+06	2.1E+00
1043	4.08477	1.87E-02	7.6E-02	1.05E-03	7.99E-05	1.59E-01	1.57E-01	2.00E-06	1.0E+06	2.0E+00
1044	1.68719	1.87E-02	3.2E-02	1.05E-03	3.30E-05	1.59E-01	1.57E-01	8.24E-07	1.0E+06	8.2E-01
1045	1.75653	1.87E-02	3.3E-02	1.05E-03	3.44E-05	1.59E-01	1.57E-01	8.58E-07	1.0E+06	8.6E-01
1046	1.83016	1.87E-02	3.4E-02	1.05E-03	3.58E-05	1.59E-01	1.57E-01	8.94E-07	1.0E+06	8.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	1.87E-02	3.6E-02	1.05E-03	3.72E-05	1.59E-01	1.57E-01	9.28E-07	1.0E+06	9.3E-01
1048	1.97931	1.87E-02	3.7E-02	1.05E-03	3.87E-05	1.59E-01	1.57E-01	9.67E-07	1.0E+06	9.7E-01
1049	2.0613	1.87E-02	3.9E-02	1.05E-03	4.03E-05	1.59E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1050	2.14448	1.87E-02	4.0E-02	1.05E-03	4.19E-05	1.59E-01	1.57E-01	1.05E-06	1.0E+06	1.0E+00
1051	2.22969	1.87E-02	4.2E-02	1.05E-03	4.36E-05	1.59E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
1052	2.3211	1.87E-02	4.3E-02	1.05E-03	4.54E-05	1.59E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
1053	2.41857	1.87E-02	4.5E-02	1.05E-03	4.73E-05	1.59E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
1054	2.52135	1.87E-02	4.7E-02	1.05E-03	4.93E-05	1.59E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
1055	2.63026	1.87E-02	4.9E-02	1.05E-03	5.14E-05	1.59E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
1056	2.74637	1.87E-02	5.1E-02	1.05E-03	5.37E-05	1.59E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
1057	2.87138	1.87E-02	5.4E-02	1.05E-03	5.62E-05	1.59E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1058	3.00939	1.87E-02	5.6E-02	1.05E-03	5.89E-05	1.59E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
1059	3.16046	1.87E-02	5.9E-02	1.05E-03	6.18E-05	1.59E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
1060	3.32447	1.87E-02	6.2E-02	1.05E-03	6.50E-05	1.59E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
1061	3.50138	1.87E-02	6.6E-02	1.05E-03	6.85E-05	1.59E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00
1062	3.69345	1.87E-02	6.9E-02	1.05E-03	7.22E-05	1.59E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
1063	3.90012	1.87E-02	7.3E-02	1.05E-03	7.63E-05	1.59E-01	1.57E-01	1.90E-06	1.0E+06	1.9E+00
1064	4.11704	1.87E-02	7.7E-02	1.05E-03	8.05E-05	1.59E-01	1.57E-01	2.01E-06	1.0E+06	2.0E+00
1065	4.34138	1.87E-02	8.1E-02	1.05E-03	8.49E-05	1.59E-01	1.57E-01	2.12E-06	1.0E+06	2.1E+00
1066	4.56573	1.87E-02	8.5E-02	1.05E-03	8.93E-05	1.59E-01	1.57E-01	2.23E-06	1.0E+06	2.2E+00
1067	4.78179	1.87E-02	8.9E-02	1.05E-03	9.35E-05	1.59E-01	1.57E-01	2.34E-06	1.0E+06	2.3E+00
1068	4.97805	1.87E-02	9.3E-02	1.05E-03	9.74E-05	1.59E-01	1.57E-01	2.43E-06	1.0E+06	2.4E+00
1069	5.142	1.87E-02	9.6E-02	1.05E-03	1.01E-04	1.59E-01	1.57E-01	2.51E-06	1.0E+06	2.5E+00
1070	5.26826	1.87E-02	9.9E-02	1.05E-03	1.03E-04	1.59E-01	1.57E-01	2.57E-06	1.0E+06	2.6E+00
1071	5.34837	1.87E-02	1.0E-01	1.05E-03	1.05E-04	1.59E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
1072	5.37264	1.87E-02	1.0E-01	1.05E-03	1.05E-04	1.59E-01	1.57E-01	2.62E-06	1.0E+06	2.6E+00
1073	5.34517	1.87E-02	1.0E-01	1.05E-03	1.05E-04	1.59E-01	1.57E-01	2.61E-06	1.0E+06	2.6E+00
1074	5.26473	1.87E-02	9.9E-02	1.05E-03	1.03E-04	1.59E-01	1.57E-01	2.57E-06	1.0E+06	2.6E+00
1075	5.12805	1.87E-02	9.6E-02	1.05E-03	1.00E-04	1.59E-01	1.57E-01	2.50E-06	1.0E+06	2.5E+00
1076	4.9404	1.87E-02	9.2E-02	1.05E-03	9.66E-05	1.59E-01	1.57E-01	2.41E-06	1.0E+06	2.4E+00
1077	4.71126	1.87E-02	8.8E-02	1.05E-03	9.21E-05	1.59E-01	1.57E-01	2.30E-06	1.0E+06	2.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	1.87E-02	3.4E-02	1.05E-03	3.51E-05	1.59E-01	1.57E-01	8.75E-07	1.0E+06	8.8E-01
1079	1.86905	1.87E-02	3.5E-02	1.05E-03	3.66E-05	1.59E-01	1.57E-01	9.13E-07	1.0E+06	9.1E-01
1080	1.95087	1.87E-02	3.7E-02	1.05E-03	3.82E-05	1.59E-01	1.57E-01	9.53E-07	1.0E+06	9.5E-01
1081	2.03097	1.87E-02	3.8E-02	1.05E-03	3.97E-05	1.59E-01	1.57E-01	9.92E-07	1.0E+06	9.9E-01
1082	2.11709	1.87E-02	4.0E-02	1.05E-03	4.14E-05	1.59E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1083	2.2085	1.87E-02	4.1E-02	1.05E-03	4.32E-05	1.59E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
1084	2.3035	1.87E-02	4.3E-02	1.05E-03	4.51E-05	1.59E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
1085	2.39687	1.87E-02	4.5E-02	1.05E-03	4.69E-05	1.59E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
1086	2.49947	1.87E-02	4.7E-02	1.05E-03	4.89E-05	1.59E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
1087	2.6091	1.87E-02	4.9E-02	1.05E-03	5.10E-05	1.59E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
1088	2.72531	1.87E-02	5.1E-02	1.05E-03	5.33E-05	1.59E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
1089	2.8493	1.87E-02	5.3E-02	1.05E-03	5.57E-05	1.59E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
1090	2.98273	1.87E-02	5.6E-02	1.05E-03	5.83E-05	1.59E-01	1.57E-01	1.46E-06	1.0E+06	1.5E+00
1091	3.12782	1.87E-02	5.9E-02	1.05E-03	6.12E-05	1.59E-01	1.57E-01	1.53E-06	1.0E+06	1.5E+00
1092	3.2898	1.87E-02	6.2E-02	1.05E-03	6.43E-05	1.59E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
1093	3.4702	1.87E-02	6.5E-02	1.05E-03	6.79E-05	1.59E-01	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1094	3.67038	1.87E-02	6.9E-02	1.05E-03	7.18E-05	1.59E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
1095	3.89235	1.87E-02	7.3E-02	1.05E-03	7.61E-05	1.59E-01	1.57E-01	1.90E-06	1.0E+06	1.9E+00
1096	4.14004	1.87E-02	7.7E-02	1.05E-03	8.10E-05	1.59E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1097	4.41279	1.87E-02	8.3E-02	1.05E-03	8.63E-05	1.59E-01	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1098	4.70698	1.87E-02	8.8E-02	1.05E-03	9.21E-05	1.59E-01	1.57E-01	2.30E-06	1.0E+06	2.3E+00
1099	5.01782	1.87E-02	9.4E-02	1.05E-03	9.81E-05	1.59E-01	1.57E-01	2.45E-06	1.0E+06	2.5E+00
1100	5.33334	1.87E-02	1.0E-01	1.05E-03	1.04E-04	1.59E-01	1.57E-01	2.60E-06	1.0E+06	2.6E+00
1101	5.63956	1.87E-02	1.1E-01	1.05E-03	1.10E-04	1.59E-01	1.57E-01	2.75E-06	1.0E+06	2.8E+00
1102	5.92318	1.87E-02	1.1E-01	1.05E-03	1.16E-04	1.59E-01	1.57E-01	2.89E-06	1.0E+06	2.9E+00
1103	6.15976	1.87E-02	1.2E-01	1.05E-03	1.20E-04	1.59E-01	1.57E-01	3.01E-06	1.0E+06	3.0E+00
1104	6.33917	1.87E-02	1.2E-01	1.05E-03	1.24E-04	1.59E-01	1.57E-01	3.10E-06	1.0E+06	3.1E+00
1105	6.45005	1.87E-02	1.2E-01	1.05E-03	1.26E-04	1.59E-01	1.57E-01	3.15E-06	1.0E+06	3.2E+00
1106	6.4842	1.87E-02	1.2E-01	1.05E-03	1.27E-04	1.59E-01	1.57E-01	3.17E-06	1.0E+06	3.2E+00
1107	6.44643	1.87E-02	1.2E-01	1.05E-03	1.26E-04	1.59E-01	1.57E-01	3.15E-06	1.0E+06	3.1E+00
1108	6.33	1.87E-02	1.2E-01	1.05E-03	1.24E-04	1.59E-01	1.57E-01	3.09E-06	1.0E+06	3.1E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	1.87E-02	1.1E-01	1.05E-03	1.20E-04	1.59E-01	1.57E-01	2.99E-06	1.0E+06	3.0E+00
1110	5.84948	1.87E-02	1.1E-01	1.05E-03	1.14E-04	1.59E-01	1.57E-01	2.86E-06	1.0E+06	2.9E+00
1111	5.51509	1.87E-02	1.0E-01	1.05E-03	1.08E-04	1.59E-01	1.57E-01	2.69E-06	1.0E+06	2.7E+00
1112	1.90754	1.87E-02	3.6E-02	1.05E-03	3.73E-05	1.59E-01	1.57E-01	9.32E-07	1.0E+06	9.3E-01
1113	1.99395	1.87E-02	3.7E-02	1.05E-03	3.90E-05	1.59E-01	1.57E-01	9.74E-07	1.0E+06	9.7E-01
1114	2.08392	1.87E-02	3.9E-02	1.05E-03	4.08E-05	1.59E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1115	2.17568	1.87E-02	4.1E-02	1.05E-03	4.26E-05	1.59E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1116	2.26975	1.87E-02	4.2E-02	1.05E-03	4.44E-05	1.59E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
1117	2.37171	1.87E-02	4.4E-02	1.05E-03	4.64E-05	1.59E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1118	2.47776	1.87E-02	4.6E-02	1.05E-03	4.85E-05	1.59E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
1119	2.58252	1.87E-02	4.8E-02	1.05E-03	5.05E-05	1.59E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
1120	2.69744	1.87E-02	5.0E-02	1.05E-03	5.28E-05	1.59E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
1121	2.82046	1.87E-02	5.3E-02	1.05E-03	5.52E-05	1.59E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
1122	2.95147	1.87E-02	5.5E-02	1.05E-03	5.77E-05	1.59E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1123	3.09213	1.87E-02	5.8E-02	1.05E-03	6.05E-05	1.59E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
1124	3.24473	1.87E-02	6.1E-02	1.05E-03	6.35E-05	1.59E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
1125	3.41259	1.87E-02	6.4E-02	1.05E-03	6.67E-05	1.59E-01	1.57E-01	1.67E-06	1.0E+06	1.7E+00
1126	3.60217	1.87E-02	6.7E-02	1.05E-03	7.05E-05	1.59E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1127	3.81712	1.87E-02	7.1E-02	1.05E-03	7.47E-05	1.59E-01	1.57E-01	1.86E-06	1.0E+06	1.9E+00
1128	4.0622	1.87E-02	7.6E-02	1.05E-03	7.95E-05	1.59E-01	1.57E-01	1.98E-06	1.0E+06	2.0E+00
1129	4.34181	1.87E-02	8.1E-02	1.05E-03	8.49E-05	1.59E-01	1.57E-01	2.12E-06	1.0E+06	2.1E+00
1130	4.66524	1.87E-02	8.7E-02	1.05E-03	9.12E-05	1.59E-01	1.57E-01	2.28E-06	1.0E+06	2.3E+00
1131	5.03357	1.87E-02	9.4E-02	1.05E-03	9.85E-05	1.59E-01	1.57E-01	2.46E-06	1.0E+06	2.5E+00
1132	5.44589	1.87E-02	1.0E-01	1.05E-03	1.07E-04	1.59E-01	1.57E-01	2.66E-06	1.0E+06	2.7E+00
1133	5.89285	1.87E-02	1.1E-01	1.05E-03	1.15E-04	1.59E-01	1.57E-01	2.88E-06	1.0E+06	2.9E+00
1134	6.35095	1.87E-02	1.2E-01	1.05E-03	1.24E-04	1.59E-01	1.57E-01	3.10E-06	1.0E+06	3.1E+00
1135	6.79794	1.87E-02	1.3E-01	1.05E-03	1.33E-04	1.59E-01	1.57E-01	3.32E-06	1.0E+06	3.3E+00
1136	7.22023	1.87E-02	1.4E-01	1.05E-03	1.41E-04	1.59E-01	1.57E-01	3.53E-06	1.0E+06	3.5E+00
1137	7.57481	1.87E-02	1.4E-01	1.05E-03	1.48E-04	1.59E-01	1.57E-01	3.70E-06	1.0E+06	3.7E+00
1138	7.83292	1.87E-02	1.5E-01	1.05E-03	1.53E-04	1.59E-01	1.57E-01	3.83E-06	1.0E+06	3.8E+00
1139	7.97995	1.87E-02	1.5E-01	1.05E-03	1.56E-04	1.59E-01	1.57E-01	3.90E-06	1.0E+06	3.9E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	1.87E-02	1.5E-01	1.05E-03	1.57E-04	1.59E-01	1.57E-01	3.92E-06	1.0E+06	3.9E+00
1141	7.98973	1.87E-02	1.5E-01	1.05E-03	1.56E-04	1.59E-01	1.57E-01	3.90E-06	1.0E+06	3.9E+00
1142	7.81875	1.87E-02	1.5E-01	1.05E-03	1.53E-04	1.59E-01	1.57E-01	3.82E-06	1.0E+06	3.8E+00
1143	7.50412	1.87E-02	1.4E-01	1.05E-03	1.47E-04	1.59E-01	1.57E-01	3.67E-06	1.0E+06	3.7E+00
1144	7.07481	1.87E-02	1.3E-01	1.05E-03	1.38E-04	1.59E-01	1.57E-01	3.46E-06	1.0E+06	3.5E+00
1145	6.56874	1.87E-02	1.2E-01	1.05E-03	1.28E-04	1.59E-01	1.57E-01	3.21E-06	1.0E+06	3.2E+00
1146	2.03453	1.87E-02	3.8E-02	1.05E-03	3.98E-05	1.59E-01	1.57E-01	9.94E-07	1.0E+06	9.9E-01
1147	2.13247	1.87E-02	4.0E-02	1.05E-03	4.17E-05	1.59E-01	1.57E-01	1.04E-06	1.0E+06	1.0E+00
1148	2.23163	1.87E-02	4.2E-02	1.05E-03	4.36E-05	1.59E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
1149	2.33656	1.87E-02	4.4E-02	1.05E-03	4.57E-05	1.59E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1150	2.44222	1.87E-02	4.6E-02	1.05E-03	4.78E-05	1.59E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
1151	2.55404	1.87E-02	4.8E-02	1.05E-03	5.00E-05	1.59E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
1152	2.67247	1.87E-02	5.0E-02	1.05E-03	5.23E-05	1.59E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1153	2.79193	1.87E-02	5.2E-02	1.05E-03	5.46E-05	1.59E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
1154	2.91823	1.87E-02	5.5E-02	1.05E-03	5.71E-05	1.59E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
1155	3.05585	1.87E-02	5.7E-02	1.05E-03	5.98E-05	1.59E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
1156	3.20293	1.87E-02	6.0E-02	1.05E-03	6.26E-05	1.59E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
1157	3.36173	1.87E-02	6.3E-02	1.05E-03	6.58E-05	1.59E-01	1.57E-01	1.64E-06	1.0E+06	1.6E+00
1158	3.53541	1.87E-02	6.6E-02	1.05E-03	6.91E-05	1.59E-01	1.57E-01	1.73E-06	1.0E+06	1.7E+00
1159	3.7286	1.87E-02	7.0E-02	1.05E-03	7.29E-05	1.59E-01	1.57E-01	1.82E-06	1.0E+06	1.8E+00
1160	3.94893	1.87E-02	7.4E-02	1.05E-03	7.72E-05	1.59E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
1161	4.20347	1.87E-02	7.9E-02	1.05E-03	8.22E-05	1.59E-01	1.57E-01	2.05E-06	1.0E+06	2.1E+00
1162	4.50184	1.87E-02	8.4E-02	1.05E-03	8.81E-05	1.59E-01	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1163	4.85509	1.87E-02	9.1E-02	1.05E-03	9.50E-05	1.59E-01	1.57E-01	2.37E-06	1.0E+06	2.4E+00
1164	5.28071	1.87E-02	9.9E-02	1.05E-03	1.03E-04	1.59E-01	1.57E-01	2.58E-06	1.0E+06	2.6E+00
1165	5.79017	1.87E-02	1.1E-01	1.05E-03	1.13E-04	1.59E-01	1.57E-01	2.83E-06	1.0E+06	2.8E+00
1166	6.38984	1.87E-02	1.2E-01	1.05E-03	1.25E-04	1.59E-01	1.57E-01	3.12E-06	1.0E+06	3.1E+00
1167	7.06432	1.87E-02	1.3E-01	1.05E-03	1.38E-04	1.59E-01	1.57E-01	3.45E-06	1.0E+06	3.5E+00
1168	6.38019	1.87E-02	1.2E-01	1.05E-03	1.25E-04	1.59E-01	1.57E-01	3.12E-06	1.0E+06	3.1E+00
1169	8.41857	1.87E-02	1.6E-01	1.05E-03	1.65E-04	1.59E-01	1.57E-01	4.11E-06	1.0E+06	4.1E+00
1170	7.5517	1.87E-02	1.4E-01	1.05E-03	1.48E-04	1.59E-01	1.57E-01	3.69E-06	1.0E+06	3.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	1.87E-02	1.5E-01	1.05E-03	1.53E-04	1.59E-01	1.57E-01	3.83E-06	1.0E+06	3.8E+00
1172	8.1392	1.87E-02	1.5E-01	1.05E-03	1.59E-04	1.59E-01	1.57E-01	3.98E-06	1.0E+06	4.0E+00
1173	8.48934	1.87E-02	1.6E-01	1.05E-03	1.66E-04	1.59E-01	1.57E-01	4.15E-06	1.0E+06	4.1E+00
1174	8.63871	1.87E-02	1.6E-01	1.05E-03	1.69E-04	1.59E-01	1.57E-01	4.22E-06	1.0E+06	4.2E+00
1175	8.32856	1.87E-02	1.6E-01	1.05E-03	1.63E-04	1.59E-01	1.57E-01	4.07E-06	1.0E+06	4.1E+00
1176	8.01684	1.87E-02	1.5E-01	1.05E-03	1.57E-04	1.59E-01	1.57E-01	3.92E-06	1.0E+06	3.9E+00
1177	7.68924	1.87E-02	1.4E-01	1.05E-03	1.50E-04	1.59E-01	1.57E-01	3.76E-06	1.0E+06	3.8E+00
1178	5.9706	1.87E-02	1.1E-01	1.05E-03	1.17E-04	1.59E-01	1.57E-01	2.92E-06	1.0E+06	2.9E+00
1179	6.57107	1.87E-02	1.2E-01	1.05E-03	1.29E-04	1.59E-01	1.57E-01	3.21E-06	1.0E+06	3.2E+00
1180	2.17552	1.87E-02	4.1E-02	1.05E-03	4.26E-05	1.59E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1181	2.28576	1.87E-02	4.3E-02	1.05E-03	4.47E-05	1.59E-01	1.57E-01	1.12E-06	1.0E+06	1.1E+00
1182	2.39727	1.87E-02	4.5E-02	1.05E-03	4.69E-05	1.59E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
1183	2.51595	1.87E-02	4.7E-02	1.05E-03	4.92E-05	1.59E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
1184	2.63399	1.87E-02	4.9E-02	1.05E-03	5.15E-05	1.59E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
1185	2.7595	1.87E-02	5.2E-02	1.05E-03	5.40E-05	1.59E-01	1.57E-01	1.35E-06	1.0E+06	1.3E+00
1186	2.89193	1.87E-02	5.4E-02	1.05E-03	5.66E-05	1.59E-01	1.57E-01	1.41E-06	1.0E+06	1.4E+00
1187	3.02979	1.87E-02	5.7E-02	1.05E-03	5.93E-05	1.59E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
1188	3.16867	1.87E-02	5.9E-02	1.05E-03	6.20E-05	1.59E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
1189	3.32023	1.87E-02	6.2E-02	1.05E-03	6.49E-05	1.59E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
1190	3.48447	1.87E-02	6.5E-02	1.05E-03	6.82E-05	1.59E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
1191	3.66265	1.87E-02	6.9E-02	1.05E-03	7.16E-05	1.59E-01	1.57E-01	1.79E-06	1.0E+06	1.8E+00
1192	3.85875	1.87E-02	7.2E-02	1.05E-03	7.55E-05	1.59E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1193	4.07907	1.87E-02	7.6E-02	1.05E-03	7.98E-05	1.59E-01	1.57E-01	1.99E-06	1.0E+06	2.0E+00
1194	4.33265	1.87E-02	8.1E-02	1.05E-03	8.47E-05	1.59E-01	1.57E-01	2.12E-06	1.0E+06	2.1E+00
1195	4.6314	1.87E-02	8.7E-02	1.05E-03	9.06E-05	1.59E-01	1.57E-01	2.26E-06	1.0E+06	2.3E+00
1196	4.99103	1.87E-02	9.3E-02	1.05E-03	9.76E-05	1.59E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
1197	5.43436	1.87E-02	1.0E-01	1.05E-03	1.06E-04	1.59E-01	1.57E-01	2.65E-06	1.0E+06	2.7E+00
1198	5.99494	1.87E-02	1.1E-01	1.05E-03	1.17E-04	1.59E-01	1.57E-01	2.93E-06	1.0E+06	2.9E+00
1199	6.70943	1.87E-02	1.3E-01	1.05E-03	1.31E-04	1.59E-01	1.57E-01	3.28E-06	1.0E+06	3.3E+00
1200	6.07919	1.87E-02	1.1E-01	1.05E-03	1.19E-04	1.59E-01	1.57E-01	2.97E-06	1.0E+06	3.0E+00
1201	6.72457	1.87E-02	1.3E-01	1.05E-03	1.32E-04	1.59E-01	1.57E-01	3.28E-06	1.0E+06	3.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	1.87E-02	1.4E-01	1.05E-03	1.48E-04	1.59E-01	1.57E-01	3.69E-06	1.0E+06	3.7E+00
1203	6.99298	1.87E-02	1.3E-01	1.05E-03	1.37E-04	1.59E-01	1.57E-01	3.42E-06	1.0E+06	3.4E+00
1204	7.66017	1.87E-02	1.4E-01	1.05E-03	1.50E-04	1.59E-01	1.57E-01	3.74E-06	1.0E+06	3.7E+00
1205	9.76139	1.87E-02	1.8E-01	1.05E-03	1.91E-04	1.59E-01	1.57E-01	4.77E-06	1.0E+06	4.8E+00
1206	8.83169	1.87E-02	1.7E-01	1.05E-03	1.73E-04	1.59E-01	1.57E-01	4.31E-06	1.0E+06	4.3E+00
1207	9.02331	1.87E-02	1.7E-01	1.05E-03	1.76E-04	1.59E-01	1.57E-01	4.41E-06	1.0E+06	4.4E+00
1208	7.72726	1.87E-02	1.4E-01	1.05E-03	1.51E-04	1.59E-01	1.57E-01	3.77E-06	1.0E+06	3.8E+00
1209	8.9362	1.87E-02	1.7E-01	1.05E-03	1.75E-04	1.59E-01	1.57E-01	4.36E-06	1.0E+06	4.4E+00
1210	7.16039	1.87E-02	1.3E-01	1.05E-03	1.40E-04	1.59E-01	1.57E-01	3.50E-06	1.0E+06	3.5E+00
1211	6.44491	1.87E-02	1.2E-01	1.05E-03	1.26E-04	1.59E-01	1.57E-01	3.15E-06	1.0E+06	3.1E+00
1212	7.05356	1.87E-02	1.3E-01	1.05E-03	1.38E-04	1.59E-01	1.57E-01	3.44E-06	1.0E+06	3.4E+00
1213	6.23474	1.87E-02	1.2E-01	1.05E-03	1.22E-04	1.59E-01	1.57E-01	3.05E-06	1.0E+06	3.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	1.90398	5.76607E-06	1.1E-05	1.05E-03	1.15E-08	1.59E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
893	893	1.97855	5.76607E-06	1.1E-05	1.05E-03	1.19E-08	1.59E-01	1.57E-01	2.98E-10	1.0E+06	3.0E-04
894	894	2.0548	5.76607E-06	1.2E-05	1.05E-03	1.24E-08	1.59E-01	1.57E-01	3.09E-10	1.0E+06	3.1E-04
895	895	2.13213	5.76607E-06	1.2E-05	1.05E-03	1.28E-08	1.59E-01	1.57E-01	3.21E-10	1.0E+06	3.2E-04
896	896	2.20927	5.76607E-06	1.3E-05	1.05E-03	1.33E-08	1.59E-01	1.57E-01	3.32E-10	1.0E+06	3.3E-04
897	897	2.28317	5.76607E-06	1.3E-05	1.05E-03	1.38E-08	1.59E-01	1.57E-01	3.44E-10	1.0E+06	3.4E-04
898	898	2.35394	5.76607E-06	1.4E-05	1.05E-03	1.42E-08	1.59E-01	1.57E-01	3.54E-10	1.0E+06	3.5E-04
899	899	2.41933	5.76607E-06	1.4E-05	1.05E-03	1.46E-08	1.59E-01	1.57E-01	3.64E-10	1.0E+06	3.6E-04
900	900	2.47916	5.76607E-06	1.4E-05	1.05E-03	1.49E-08	1.59E-01	1.57E-01	3.73E-10	1.0E+06	3.7E-04
901	901	2.53249	5.76607E-06	1.5E-05	1.05E-03	1.53E-08	1.59E-01	1.57E-01	3.81E-10	1.0E+06	3.8E-04
902	902	2.57941	5.76607E-06	1.5E-05	1.05E-03	1.55E-08	1.59E-01	1.57E-01	3.88E-10	1.0E+06	3.9E-04
903	903	2.61702	5.76607E-06	1.5E-05	1.05E-03	1.58E-08	1.59E-01	1.57E-01	3.94E-10	1.0E+06	3.9E-04
904	904	2.64487	5.76607E-06	1.5E-05	1.05E-03	1.59E-08	1.59E-01	1.57E-01	3.98E-10	1.0E+06	4.0E-04
905	905	2.66331	5.76607E-06	1.5E-05	1.05E-03	1.61E-08	1.59E-01	1.57E-01	4.01E-10	1.0E+06	4.0E-04
906	906	2.6724	5.76607E-06	1.5E-05	1.05E-03	1.61E-08	1.59E-01	1.57E-01	4.02E-10	1.0E+06	4.0E-04
907	907	2.67561	5.76607E-06	1.5E-05	1.05E-03	1.61E-08	1.59E-01	1.57E-01	4.03E-10	1.0E+06	4.0E-04
908	908	0.93883	5.76607E-06	5.4E-06	1.05E-03	5.66E-09	1.59E-01	1.57E-01	1.41E-10	1.0E+06	1.4E-04
909	909	0.97058	5.76607E-06	5.6E-06	1.05E-03	5.85E-09	1.59E-01	1.57E-01	1.46E-10	1.0E+06	1.5E-04
910	910	1.00414	5.76607E-06	5.8E-06	1.05E-03	6.05E-09	1.59E-01	1.57E-01	1.51E-10	1.0E+06	1.5E-04
911	911	1.04209	5.76607E-06	6.0E-06	1.05E-03	6.28E-09	1.59E-01	1.57E-01	1.57E-10	1.0E+06	1.6E-04
912	912	1.08135	5.76607E-06	6.2E-06	1.05E-03	6.52E-09	1.59E-01	1.57E-01	1.63E-10	1.0E+06	1.6E-04
913	913	1.12518	5.76607E-06	6.5E-06	1.05E-03	6.78E-09	1.59E-01	1.57E-01	1.69E-10	1.0E+06	1.7E-04
914	914	1.17053	5.76607E-06	6.7E-06	1.05E-03	7.05E-09	1.59E-01	1.57E-01	1.76E-10	1.0E+06	1.8E-04
915	915	1.22074	5.76607E-06	7.0E-06	1.05E-03	7.36E-09	1.59E-01	1.57E-01	1.84E-10	1.0E+06	1.8E-04
916	916	1.27276	5.76607E-06	7.3E-06	1.05E-03	7.67E-09	1.59E-01	1.57E-01	1.92E-10	1.0E+06	1.9E-04
917	917	1.32734	5.76607E-06	7.7E-06	1.05E-03	8.00E-09	1.59E-01	1.57E-01	2.00E-10	1.0E+06	2.0E-04
918	918	1.38877	5.76607E-06	8.0E-06	1.05E-03	8.37E-09	1.59E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
919	919	1.45082	5.76607E-06	8.4E-06	1.05E-03	8.74E-09	1.59E-01	1.57E-01	2.18E-10	1.0E+06	2.2E-04
920	920	1.51576	5.76607E-06	8.7E-06	1.05E-03	9.14E-09	1.59E-01	1.57E-01	2.28E-10	1.0E+06	2.3E-04
921	921	1.58373	5.76607E-06	9.1E-06	1.05E-03	9.54E-09	1.59E-01	1.57E-01	2.38E-10	1.0E+06	2.4E-04
922	922	1.65497	5.76607E-06	9.5E-06	1.05E-03	9.97E-09	1.59E-01	1.57E-01	2.49E-10	1.0E+06	2.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	1.72917	5.76607E-06	1.0E-05	1.05E-03	1.04E-08	1.59E-01	1.57E-01	2.60E-10	1.0E+06	2.6E-04
924	924	1.80614	5.76607E-06	1.0E-05	1.05E-03	1.09E-08	1.59E-01	1.57E-01	2.72E-10	1.0E+06	2.7E-04
925	925	1.88557	5.76607E-06	1.1E-05	1.05E-03	1.14E-08	1.59E-01	1.57E-01	2.84E-10	1.0E+06	2.8E-04
926	926	1.96751	5.76607E-06	1.1E-05	1.05E-03	1.19E-08	1.59E-01	1.57E-01	2.96E-10	1.0E+06	3.0E-04
927	927	2.05149	5.76607E-06	1.2E-05	1.05E-03	1.24E-08	1.59E-01	1.57E-01	3.09E-10	1.0E+06	3.1E-04
928	928	2.13745	5.76607E-06	1.2E-05	1.05E-03	1.29E-08	1.59E-01	1.57E-01	3.22E-10	1.0E+06	3.2E-04
929	929	2.22526	5.76607E-06	1.3E-05	1.05E-03	1.34E-08	1.59E-01	1.57E-01	3.35E-10	1.0E+06	3.3E-04
930	930	2.3146	5.76607E-06	1.3E-05	1.05E-03	1.39E-08	1.59E-01	1.57E-01	3.48E-10	1.0E+06	3.5E-04
931	931	2.40372	5.76607E-06	1.4E-05	1.05E-03	1.45E-08	1.59E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
932	932	2.48952	5.76607E-06	1.4E-05	1.05E-03	1.50E-08	1.59E-01	1.57E-01	3.75E-10	1.0E+06	3.7E-04
933	933	2.57217	5.76607E-06	1.5E-05	1.05E-03	1.55E-08	1.59E-01	1.57E-01	3.87E-10	1.0E+06	3.9E-04
934	934	2.64898	5.76607E-06	1.5E-05	1.05E-03	1.60E-08	1.59E-01	1.57E-01	3.99E-10	1.0E+06	4.0E-04
935	935	2.71994	5.76607E-06	1.6E-05	1.05E-03	1.64E-08	1.59E-01	1.57E-01	4.09E-10	1.0E+06	4.1E-04
936	936	2.7832	5.76607E-06	1.6E-05	1.05E-03	1.68E-08	1.59E-01	1.57E-01	4.19E-10	1.0E+06	4.2E-04
937	937	2.83806	5.76607E-06	1.6E-05	1.05E-03	1.71E-08	1.59E-01	1.57E-01	4.27E-10	1.0E+06	4.3E-04
938	938	2.88233	5.76607E-06	1.7E-05	1.05E-03	1.74E-08	1.59E-01	1.57E-01	4.34E-10	1.0E+06	4.3E-04
939	939	2.9148	5.76607E-06	1.7E-05	1.05E-03	1.76E-08	1.59E-01	1.57E-01	4.39E-10	1.0E+06	4.4E-04
940	940	2.93611	5.76607E-06	1.7E-05	1.05E-03	1.77E-08	1.59E-01	1.57E-01	4.42E-10	1.0E+06	4.4E-04
941	941	2.94631	5.76607E-06	1.7E-05	1.05E-03	1.78E-08	1.59E-01	1.57E-01	4.43E-10	1.0E+06	4.4E-04
942	942	0.97699	5.76607E-06	5.6E-06	1.05E-03	5.89E-09	1.59E-01	1.57E-01	1.47E-10	1.0E+06	1.5E-04
943	943	1.01156	5.76607E-06	5.8E-06	1.05E-03	6.10E-09	1.59E-01	1.57E-01	1.52E-10	1.0E+06	1.5E-04
944	944	1.04817	5.76607E-06	6.0E-06	1.05E-03	6.32E-09	1.59E-01	1.57E-01	1.58E-10	1.0E+06	1.6E-04
945	945	1.08752	5.76607E-06	6.3E-06	1.05E-03	6.55E-09	1.59E-01	1.57E-01	1.64E-10	1.0E+06	1.6E-04
946	946	1.13045	5.76607E-06	6.5E-06	1.05E-03	6.81E-09	1.59E-01	1.57E-01	1.70E-10	1.0E+06	1.7E-04
947	947	1.1764	5.76607E-06	6.8E-06	1.05E-03	7.09E-09	1.59E-01	1.57E-01	1.77E-10	1.0E+06	1.8E-04
948	948	1.22634	5.76607E-06	7.1E-06	1.05E-03	7.39E-09	1.59E-01	1.57E-01	1.85E-10	1.0E+06	1.8E-04
949	949	1.27976	5.76607E-06	7.4E-06	1.05E-03	7.71E-09	1.59E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
950	950	1.33732	5.76607E-06	7.7E-06	1.05E-03	8.06E-09	1.59E-01	1.57E-01	2.01E-10	1.0E+06	2.0E-04
951	951	1.39744	5.76607E-06	8.1E-06	1.05E-03	8.42E-09	1.59E-01	1.57E-01	2.10E-10	1.0E+06	2.1E-04
952	952	1.46306	5.76607E-06	8.4E-06	1.05E-03	8.82E-09	1.59E-01	1.57E-01	2.20E-10	1.0E+06	2.2E-04
953	953	1.53168	5.76607E-06	8.8E-06	1.05E-03	9.23E-09	1.59E-01	1.57E-01	2.31E-10	1.0E+06	2.3E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	1.60385	5.76607E-06	9.2E-06	1.05E-03	9.67E-09	1.59E-01	1.57E-01	2.41E-10	1.0E+06	2.4E-04
955	955	1.67976	5.76607E-06	9.7E-06	1.05E-03	1.01E-08	1.59E-01	1.57E-01	2.53E-10	1.0E+06	2.5E-04
956	956	1.76089	5.76607E-06	1.0E-05	1.05E-03	1.06E-08	1.59E-01	1.57E-01	2.65E-10	1.0E+06	2.6E-04
957	957	1.84586	5.76607E-06	1.1E-05	1.05E-03	1.11E-08	1.59E-01	1.57E-01	2.78E-10	1.0E+06	2.8E-04
958	958	1.9336	5.76607E-06	1.1E-05	1.05E-03	1.17E-08	1.59E-01	1.57E-01	2.91E-10	1.0E+06	2.9E-04
959	959	2.02394	5.76607E-06	1.2E-05	1.05E-03	1.22E-08	1.59E-01	1.57E-01	3.05E-10	1.0E+06	3.0E-04
960	960	2.11764	5.76607E-06	1.2E-05	1.05E-03	1.28E-08	1.59E-01	1.57E-01	3.19E-10	1.0E+06	3.2E-04
961	961	2.21445	5.76607E-06	1.3E-05	1.05E-03	1.33E-08	1.59E-01	1.57E-01	3.33E-10	1.0E+06	3.3E-04
962	962	2.31395	5.76607E-06	1.3E-05	1.05E-03	1.39E-08	1.59E-01	1.57E-01	3.48E-10	1.0E+06	3.5E-04
963	963	2.41602	5.76607E-06	1.4E-05	1.05E-03	1.46E-08	1.59E-01	1.57E-01	3.64E-10	1.0E+06	3.6E-04
964	964	2.51977	5.76607E-06	1.5E-05	1.05E-03	1.52E-08	1.59E-01	1.57E-01	3.79E-10	1.0E+06	3.8E-04
965	965	2.62412	5.76607E-06	1.5E-05	1.05E-03	1.58E-08	1.59E-01	1.57E-01	3.95E-10	1.0E+06	3.9E-04
966	966	2.72515	5.76607E-06	1.6E-05	1.05E-03	1.64E-08	1.59E-01	1.57E-01	4.10E-10	1.0E+06	4.1E-04
967	967	2.82212	5.76607E-06	1.6E-05	1.05E-03	1.70E-08	1.59E-01	1.57E-01	4.25E-10	1.0E+06	4.2E-04
968	968	2.91415	5.76607E-06	1.7E-05	1.05E-03	1.76E-08	1.59E-01	1.57E-01	4.39E-10	1.0E+06	4.4E-04
969	969	2.99892	5.76607E-06	1.7E-05	1.05E-03	1.81E-08	1.59E-01	1.57E-01	4.51E-10	1.0E+06	4.5E-04
970	970	3.07436	5.76607E-06	1.8E-05	1.05E-03	1.85E-08	1.59E-01	1.57E-01	4.63E-10	1.0E+06	4.6E-04
971	971	3.13891	5.76607E-06	1.8E-05	1.05E-03	1.89E-08	1.59E-01	1.57E-01	4.72E-10	1.0E+06	4.7E-04
972	972	3.19185	5.76607E-06	1.8E-05	1.05E-03	1.92E-08	1.59E-01	1.57E-01	4.80E-10	1.0E+06	4.8E-04
973	973	3.23053	5.76607E-06	1.9E-05	1.05E-03	1.95E-08	1.59E-01	1.57E-01	4.86E-10	1.0E+06	4.9E-04
974	974	3.25618	5.76607E-06	1.9E-05	1.05E-03	1.96E-08	1.59E-01	1.57E-01	4.90E-10	1.0E+06	4.9E-04
975	975	3.2682	5.76607E-06	1.9E-05	1.05E-03	1.97E-08	1.59E-01	1.57E-01	4.92E-10	1.0E+06	4.9E-04
976	976	1.0157	5.76607E-06	5.9E-06	1.05E-03	6.12E-09	1.59E-01	1.57E-01	1.53E-10	1.0E+06	1.5E-04
977	977	1.05334	5.76607E-06	6.1E-06	1.05E-03	6.35E-09	1.59E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
978	978	1.09327	5.76607E-06	6.3E-06	1.05E-03	6.59E-09	1.59E-01	1.57E-01	1.65E-10	1.0E+06	1.6E-04
979	979	1.13414	5.76607E-06	6.5E-06	1.05E-03	6.84E-09	1.59E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
980	980	1.18109	5.76607E-06	6.8E-06	1.05E-03	7.12E-09	1.59E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
981	981	1.22938	5.76607E-06	7.1E-06	1.05E-03	7.41E-09	1.59E-01	1.57E-01	1.85E-10	1.0E+06	1.9E-04
982	982	1.28429	5.76607E-06	7.4E-06	1.05E-03	7.74E-09	1.59E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04
983	983	1.34133	5.76607E-06	7.7E-06	1.05E-03	8.08E-09	1.59E-01	1.57E-01	2.02E-10	1.0E+06	2.0E-04
984	984	1.40495	5.76607E-06	8.1E-06	1.05E-03	8.47E-09	1.59E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	1.47136	5.76607E-06	8.5E-06	1.05E-03	8.87E-09	1.59E-01	1.57E-01	2.21E-10	1.0E+06	2.2E-04
986	986	1.54163	5.76607E-06	8.9E-06	1.05E-03	9.29E-09	1.59E-01	1.57E-01	2.32E-10	1.0E+06	2.3E-04
987	987	1.61774	5.76607E-06	9.3E-06	1.05E-03	9.75E-09	1.59E-01	1.57E-01	2.43E-10	1.0E+06	2.4E-04
988	988	1.69799	5.76607E-06	9.8E-06	1.05E-03	1.02E-08	1.59E-01	1.57E-01	2.56E-10	1.0E+06	2.6E-04
989	989	1.78299	5.76607E-06	1.0E-05	1.05E-03	1.07E-08	1.59E-01	1.57E-01	2.68E-10	1.0E+06	2.7E-04
990	990	1.87556	5.76607E-06	1.1E-05	1.05E-03	1.13E-08	1.59E-01	1.57E-01	2.82E-10	1.0E+06	2.8E-04
991	991	1.97308	5.76607E-06	1.1E-05	1.05E-03	1.19E-08	1.59E-01	1.57E-01	2.97E-10	1.0E+06	3.0E-04
992	992	2.07349	5.76607E-06	1.2E-05	1.05E-03	1.25E-08	1.59E-01	1.57E-01	3.12E-10	1.0E+06	3.1E-04
993	993	2.17688	5.76607E-06	1.3E-05	1.05E-03	1.31E-08	1.59E-01	1.57E-01	3.28E-10	1.0E+06	3.3E-04
994	994	2.28422	5.76607E-06	1.3E-05	1.05E-03	1.38E-08	1.59E-01	1.57E-01	3.44E-10	1.0E+06	3.4E-04
995	995	2.3966	5.76607E-06	1.4E-05	1.05E-03	1.44E-08	1.59E-01	1.57E-01	3.61E-10	1.0E+06	3.6E-04
996	996	2.51246	5.76607E-06	1.4E-05	1.05E-03	1.51E-08	1.59E-01	1.57E-01	3.78E-10	1.0E+06	3.8E-04
997	997	2.63161	5.76607E-06	1.5E-05	1.05E-03	1.59E-08	1.59E-01	1.57E-01	3.96E-10	1.0E+06	4.0E-04
998	998	2.7535	5.76607E-06	1.6E-05	1.05E-03	1.66E-08	1.59E-01	1.57E-01	4.14E-10	1.0E+06	4.1E-04
999	999	2.87632	5.76607E-06	1.7E-05	1.05E-03	1.73E-08	1.59E-01	1.57E-01	4.33E-10	1.0E+06	4.3E-04
1000	1000	2.99617	5.76607E-06	1.7E-05	1.05E-03	1.81E-08	1.59E-01	1.57E-01	4.51E-10	1.0E+06	4.5E-04
1001	1001	3.1113	5.76607E-06	1.8E-05	1.05E-03	1.88E-08	1.59E-01	1.57E-01	4.68E-10	1.0E+06	4.7E-04
1002	1002	3.22186	5.76607E-06	1.9E-05	1.05E-03	1.94E-08	1.59E-01	1.57E-01	4.85E-10	1.0E+06	4.8E-04
1003	1003	3.32446	5.76607E-06	1.9E-05	1.05E-03	2.00E-08	1.59E-01	1.57E-01	5.00E-10	1.0E+06	5.0E-04
1004	1004	3.41507	5.76607E-06	2.0E-05	1.05E-03	2.06E-08	1.59E-01	1.57E-01	5.14E-10	1.0E+06	5.1E-04
1005	1005	3.49176	5.76607E-06	2.0E-05	1.05E-03	2.10E-08	1.59E-01	1.57E-01	5.25E-10	1.0E+06	5.3E-04
1006	1006	3.55478	5.76607E-06	2.0E-05	1.05E-03	2.14E-08	1.59E-01	1.57E-01	5.35E-10	1.0E+06	5.3E-04
1007	1007	3.60174	5.76607E-06	2.1E-05	1.05E-03	2.17E-08	1.59E-01	1.57E-01	5.42E-10	1.0E+06	5.4E-04
1008	1008	3.63182	5.76607E-06	2.1E-05	1.05E-03	2.19E-08	1.59E-01	1.57E-01	5.47E-10	1.0E+06	5.5E-04
1009	1009	3.64571	5.76607E-06	2.1E-05	1.05E-03	2.20E-08	1.59E-01	1.57E-01	5.49E-10	1.0E+06	5.5E-04
1010	1010	1.05463	5.76607E-06	6.1E-06	1.05E-03	6.36E-09	1.59E-01	1.57E-01	1.59E-10	1.0E+06	1.6E-04
1011	1011	1.09564	5.76607E-06	6.3E-06	1.05E-03	6.60E-09	1.59E-01	1.57E-01	1.65E-10	1.0E+06	1.6E-04
1012	1012	1.13916	5.76607E-06	6.6E-06	1.05E-03	6.87E-09	1.59E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
1013	1013	1.18545	5.76607E-06	6.8E-06	1.05E-03	7.14E-09	1.59E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
1014	1014	1.23298	5.76607E-06	7.1E-06	1.05E-03	7.43E-09	1.59E-01	1.57E-01	1.86E-10	1.0E+06	1.9E-04
1015	1015	1.2838	5.76607E-06	7.4E-06	1.05E-03	7.74E-09	1.59E-01	1.57E-01	1.93E-10	1.0E+06	1.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	1.3441	5.76607E-06	7.8E-06	1.05E-03	8.10E-09	1.59E-01	1.57E-01	2.02E-10	1.0E+06	2.0E-04
1017	1017	1.40506	5.76607E-06	8.1E-06	1.05E-03	8.47E-09	1.59E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
1018	1018	1.47534	5.76607E-06	8.5E-06	1.05E-03	8.89E-09	1.59E-01	1.57E-01	2.22E-10	1.0E+06	2.2E-04
1019	1019	1.54884	5.76607E-06	8.9E-06	1.05E-03	9.33E-09	1.59E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
1020	1020	1.62466	5.76607E-06	9.4E-06	1.05E-03	9.79E-09	1.59E-01	1.57E-01	2.44E-10	1.0E+06	2.4E-04
1021	1021	1.70919	5.76607E-06	9.9E-06	1.05E-03	1.03E-08	1.59E-01	1.57E-01	2.57E-10	1.0E+06	2.6E-04
1022	1022	1.79886	5.76607E-06	1.0E-05	1.05E-03	1.08E-08	1.59E-01	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1023	1023	1.89441	5.76607E-06	1.1E-05	1.05E-03	1.14E-08	1.59E-01	1.57E-01	2.85E-10	1.0E+06	2.9E-04
1024	1024	1.99997	5.76607E-06	1.2E-05	1.05E-03	1.21E-08	1.59E-01	1.57E-01	3.01E-10	1.0E+06	3.0E-04
1025	1025	2.1117	5.76607E-06	1.2E-05	1.05E-03	1.27E-08	1.59E-01	1.57E-01	3.18E-10	1.0E+06	3.2E-04
1026	1026	2.227	5.76607E-06	1.3E-05	1.05E-03	1.34E-08	1.59E-01	1.57E-01	3.35E-10	1.0E+06	3.4E-04
1027	1027	2.34609	5.76607E-06	1.4E-05	1.05E-03	1.41E-08	1.59E-01	1.57E-01	3.53E-10	1.0E+06	3.5E-04
1028	1028	2.47039	5.76607E-06	1.4E-05	1.05E-03	1.49E-08	1.59E-01	1.57E-01	3.72E-10	1.0E+06	3.7E-04
1029	1029	2.60117	5.76607E-06	1.5E-05	1.05E-03	1.57E-08	1.59E-01	1.57E-01	3.91E-10	1.0E+06	3.9E-04
1030	1030	2.73671	5.76607E-06	1.6E-05	1.05E-03	1.65E-08	1.59E-01	1.57E-01	4.12E-10	1.0E+06	4.1E-04
1031	1031	2.8771	5.76607E-06	1.7E-05	1.05E-03	1.73E-08	1.59E-01	1.57E-01	4.33E-10	1.0E+06	4.3E-04
1032	1032	3.02114	5.76607E-06	1.7E-05	1.05E-03	1.82E-08	1.59E-01	1.57E-01	4.55E-10	1.0E+06	4.5E-04
1033	1033	3.16654	5.76607E-06	1.8E-05	1.05E-03	1.91E-08	1.59E-01	1.57E-01	4.77E-10	1.0E+06	4.8E-04
1034	1034	3.30982	5.76607E-06	1.9E-05	1.05E-03	1.99E-08	1.59E-01	1.57E-01	4.98E-10	1.0E+06	5.0E-04
1035	1035	3.44858	5.76607E-06	2.0E-05	1.05E-03	2.08E-08	1.59E-01	1.57E-01	5.19E-10	1.0E+06	5.2E-04
1036	1036	3.58225	5.76607E-06	2.1E-05	1.05E-03	2.16E-08	1.59E-01	1.57E-01	5.39E-10	1.0E+06	5.4E-04
1037	1037	3.70738	5.76607E-06	2.1E-05	1.05E-03	2.23E-08	1.59E-01	1.57E-01	5.58E-10	1.0E+06	5.6E-04
1038	1038	3.81726	5.76607E-06	2.2E-05	1.05E-03	2.30E-08	1.59E-01	1.57E-01	5.74E-10	1.0E+06	5.7E-04
1039	1039	3.90939	5.76607E-06	2.3E-05	1.05E-03	2.36E-08	1.59E-01	1.57E-01	5.88E-10	1.0E+06	5.9E-04
1040	1040	3.98446	5.76607E-06	2.3E-05	1.05E-03	2.40E-08	1.59E-01	1.57E-01	6.00E-10	1.0E+06	6.0E-04
1041	1041	4.04068	5.76607E-06	2.3E-05	1.05E-03	2.44E-08	1.59E-01	1.57E-01	6.08E-10	1.0E+06	6.1E-04
1042	1042	4.07537	5.76607E-06	2.3E-05	1.05E-03	2.46E-08	1.59E-01	1.57E-01	6.13E-10	1.0E+06	6.1E-04
1043	1043	4.08958	5.76607E-06	2.4E-05	1.05E-03	2.46E-08	1.59E-01	1.57E-01	6.15E-10	1.0E+06	6.2E-04
1044	1044	1.09359	5.76607E-06	6.3E-06	1.05E-03	6.59E-09	1.59E-01	1.57E-01	1.65E-10	1.0E+06	1.6E-04
1045	1045	1.13817	5.76607E-06	6.6E-06	1.05E-03	6.86E-09	1.59E-01	1.57E-01	1.71E-10	1.0E+06	1.7E-04
1046	1046	1.18555	5.76607E-06	6.8E-06	1.05E-03	7.14E-09	1.59E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	1.23611	5.76607E-06	7.1E-06	1.05E-03	7.45E-09	1.59E-01	1.57E-01	1.86E-10	1.0E+06	1.9E-04
1048	1048	1.2858	5.76607E-06	7.4E-06	1.05E-03	7.75E-09	1.59E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
1049	1049	1.34555	5.76607E-06	7.8E-06	1.05E-03	8.11E-09	1.59E-01	1.57E-01	2.02E-10	1.0E+06	2.0E-04
1050	1050	1.40532	5.76607E-06	8.1E-06	1.05E-03	8.47E-09	1.59E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
1051	1051	1.47035	5.76607E-06	8.5E-06	1.05E-03	8.86E-09	1.59E-01	1.57E-01	2.21E-10	1.0E+06	2.2E-04
1052	1052	1.54795	5.76607E-06	8.9E-06	1.05E-03	9.33E-09	1.59E-01	1.57E-01	2.33E-10	1.0E+06	2.3E-04
1053	1053	1.62963	5.76607E-06	9.4E-06	1.05E-03	9.82E-09	1.59E-01	1.57E-01	2.45E-10	1.0E+06	2.5E-04
1054	1054	1.71205	5.76607E-06	9.9E-06	1.05E-03	1.03E-08	1.59E-01	1.57E-01	2.58E-10	1.0E+06	2.6E-04
1055	1055	1.80679	5.76607E-06	1.0E-05	1.05E-03	1.09E-08	1.59E-01	1.57E-01	2.72E-10	1.0E+06	2.7E-04
1056	1056	1.90775	5.76607E-06	1.1E-05	1.05E-03	1.15E-08	1.59E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
1057	1057	2.01596	5.76607E-06	1.2E-05	1.05E-03	1.21E-08	1.59E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
1058	1058	2.13538	5.76607E-06	1.2E-05	1.05E-03	1.29E-08	1.59E-01	1.57E-01	3.21E-10	1.0E+06	3.2E-04
1059	1059	2.26268	5.76607E-06	1.3E-05	1.05E-03	1.36E-08	1.59E-01	1.57E-01	3.41E-10	1.0E+06	3.4E-04
1060	1060	2.39555	5.76607E-06	1.4E-05	1.05E-03	1.44E-08	1.59E-01	1.57E-01	3.61E-10	1.0E+06	3.6E-04
1061	1061	2.53378	5.76607E-06	1.5E-05	1.05E-03	1.53E-08	1.59E-01	1.57E-01	3.81E-10	1.0E+06	3.8E-04
1062	1062	2.67903	5.76607E-06	1.5E-05	1.05E-03	1.61E-08	1.59E-01	1.57E-01	4.03E-10	1.0E+06	4.0E-04
1063	1063	2.83199	5.76607E-06	1.6E-05	1.05E-03	1.71E-08	1.59E-01	1.57E-01	4.26E-10	1.0E+06	4.3E-04
1064	1064	2.99145	5.76607E-06	1.7E-05	1.05E-03	1.80E-08	1.59E-01	1.57E-01	4.50E-10	1.0E+06	4.5E-04
1065	1065	3.15718	5.76607E-06	1.8E-05	1.05E-03	1.90E-08	1.59E-01	1.57E-01	4.75E-10	1.0E+06	4.8E-04
1066	1066	3.32879	5.76607E-06	1.9E-05	1.05E-03	2.01E-08	1.59E-01	1.57E-01	5.01E-10	1.0E+06	5.0E-04
1067	1067	3.50297	5.76607E-06	2.0E-05	1.05E-03	2.11E-08	1.59E-01	1.57E-01	5.27E-10	1.0E+06	5.3E-04
1068	1068	3.67641	5.76607E-06	2.1E-05	1.05E-03	2.22E-08	1.59E-01	1.57E-01	5.53E-10	1.0E+06	5.5E-04
1069	1069	3.84617	5.76607E-06	2.2E-05	1.05E-03	2.32E-08	1.59E-01	1.57E-01	5.79E-10	1.0E+06	5.8E-04
1070	1070	4.00927	5.76607E-06	2.3E-05	1.05E-03	2.42E-08	1.59E-01	1.57E-01	6.03E-10	1.0E+06	6.0E-04
1071	1071	4.16267	5.76607E-06	2.4E-05	1.05E-03	2.51E-08	1.59E-01	1.57E-01	6.26E-10	1.0E+06	6.3E-04
1072	1072	4.29671	5.76607E-06	2.5E-05	1.05E-03	2.59E-08	1.59E-01	1.57E-01	6.47E-10	1.0E+06	6.5E-04
1073	1073	4.40876	5.76607E-06	2.5E-05	1.05E-03	2.66E-08	1.59E-01	1.57E-01	6.63E-10	1.0E+06	6.6E-04
1074	1074	4.49927	5.76607E-06	2.6E-05	1.05E-03	2.71E-08	1.59E-01	1.57E-01	6.77E-10	1.0E+06	6.8E-04
1075	1075	4.56532	5.76607E-06	2.6E-05	1.05E-03	2.75E-08	1.59E-01	1.57E-01	6.87E-10	1.0E+06	6.9E-04
1076	1076	4.60434	5.76607E-06	2.7E-05	1.05E-03	2.77E-08	1.59E-01	1.57E-01	6.93E-10	1.0E+06	6.9E-04
1077	1077	4.61712	5.76607E-06	2.7E-05	1.05E-03	2.78E-08	1.59E-01	1.57E-01	6.95E-10	1.0E+06	6.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	1.13212	5.76607E-06	6.5E-06	1.05E-03	6.82E-09	1.59E-01	1.57E-01	1.70E-10	1.0E+06	1.7E-04
1079	1079	1.18048	5.76607E-06	6.8E-06	1.05E-03	7.11E-09	1.59E-01	1.57E-01	1.78E-10	1.0E+06	1.8E-04
1080	1080	1.23198	5.76607E-06	7.1E-06	1.05E-03	7.42E-09	1.59E-01	1.57E-01	1.85E-10	1.0E+06	1.9E-04
1081	1081	1.28711	5.76607E-06	7.4E-06	1.05E-03	7.76E-09	1.59E-01	1.57E-01	1.94E-10	1.0E+06	1.9E-04
1082	1082	1.33914	5.76607E-06	7.7E-06	1.05E-03	8.07E-09	1.59E-01	1.57E-01	2.02E-10	1.0E+06	2.0E-04
1083	1083	1.40446	5.76607E-06	8.1E-06	1.05E-03	8.46E-09	1.59E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
1084	1084	1.46769	5.76607E-06	8.5E-06	1.05E-03	8.85E-09	1.59E-01	1.57E-01	2.21E-10	1.0E+06	2.2E-04
1085	1085	1.53725	5.76607E-06	8.9E-06	1.05E-03	9.26E-09	1.59E-01	1.57E-01	2.31E-10	1.0E+06	2.3E-04
1086	1086	1.62288	5.76607E-06	9.4E-06	1.05E-03	9.78E-09	1.59E-01	1.57E-01	2.44E-10	1.0E+06	2.4E-04
1087	1087	1.71344	5.76607E-06	9.9E-06	1.05E-03	1.03E-08	1.59E-01	1.57E-01	2.58E-10	1.0E+06	2.6E-04
1088	1088	1.80333	5.76607E-06	1.0E-05	1.05E-03	1.09E-08	1.59E-01	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1089	1089	1.90946	5.76607E-06	1.1E-05	1.05E-03	1.15E-08	1.59E-01	1.57E-01	2.87E-10	1.0E+06	2.9E-04
1090	1090	2.02331	5.76607E-06	1.2E-05	1.05E-03	1.22E-08	1.59E-01	1.57E-01	3.04E-10	1.0E+06	3.0E-04
1091	1091	2.14581	5.76607E-06	1.2E-05	1.05E-03	1.29E-08	1.59E-01	1.57E-01	3.23E-10	1.0E+06	3.2E-04
1092	1092	2.28134	5.76607E-06	1.3E-05	1.05E-03	1.37E-08	1.59E-01	1.57E-01	3.43E-10	1.0E+06	3.4E-04
1093	1093	2.42677	5.76607E-06	1.4E-05	1.05E-03	1.46E-08	1.59E-01	1.57E-01	3.65E-10	1.0E+06	3.7E-04
1094	1094	2.57991	5.76607E-06	1.5E-05	1.05E-03	1.55E-08	1.59E-01	1.57E-01	3.88E-10	1.0E+06	3.9E-04
1095	1095	2.74121	5.76607E-06	1.6E-05	1.05E-03	1.65E-08	1.59E-01	1.57E-01	4.13E-10	1.0E+06	4.1E-04
1096	1096	2.91204	5.76607E-06	1.7E-05	1.05E-03	1.76E-08	1.59E-01	1.57E-01	4.38E-10	1.0E+06	4.4E-04
1097	1097	3.0921	5.76607E-06	1.8E-05	1.05E-03	1.86E-08	1.59E-01	1.57E-01	4.65E-10	1.0E+06	4.7E-04
1098	1098	3.28072	5.76607E-06	1.9E-05	1.05E-03	1.98E-08	1.59E-01	1.57E-01	4.94E-10	1.0E+06	4.9E-04
1099	1099	3.47836	5.76607E-06	2.0E-05	1.05E-03	2.10E-08	1.59E-01	1.57E-01	5.23E-10	1.0E+06	5.2E-04
1100	1100	3.68429	5.76607E-06	2.1E-05	1.05E-03	2.22E-08	1.59E-01	1.57E-01	5.54E-10	1.0E+06	5.5E-04
1101	1101	3.89451	5.76607E-06	2.2E-05	1.05E-03	2.35E-08	1.59E-01	1.57E-01	5.86E-10	1.0E+06	5.9E-04
1102	1102	4.10714	5.76607E-06	2.4E-05	1.05E-03	2.48E-08	1.59E-01	1.57E-01	6.18E-10	1.0E+06	6.2E-04
1103	1103	4.31714	5.76607E-06	2.5E-05	1.05E-03	2.60E-08	1.59E-01	1.57E-01	6.50E-10	1.0E+06	6.5E-04
1104	1104	4.51902	5.76607E-06	2.6E-05	1.05E-03	2.72E-08	1.59E-01	1.57E-01	6.80E-10	1.0E+06	6.8E-04
1105	1105	4.70895	5.76607E-06	2.7E-05	1.05E-03	2.84E-08	1.59E-01	1.57E-01	7.09E-10	1.0E+06	7.1E-04
1106	1106	4.87457	5.76607E-06	2.8E-05	1.05E-03	2.94E-08	1.59E-01	1.57E-01	7.34E-10	1.0E+06	7.3E-04
1107	1107	5.01258	5.76607E-06	2.9E-05	1.05E-03	3.02E-08	1.59E-01	1.57E-01	7.54E-10	1.0E+06	7.5E-04
1108	1108	5.12285	5.76607E-06	3.0E-05	1.05E-03	3.09E-08	1.59E-01	1.57E-01	7.71E-10	1.0E+06	7.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	5.2012	5.76607E-06	3.0E-05	1.05E-03	3.13E-08	1.59E-01	1.57E-01	7.83E-10	1.0E+06	7.8E-04
1110	1110	5.2449	5.76607E-06	3.0E-05	1.05E-03	3.16E-08	1.59E-01	1.57E-01	7.89E-10	1.0E+06	7.9E-04
1111	1111	5.25469	5.76607E-06	3.0E-05	1.05E-03	3.17E-08	1.59E-01	1.57E-01	7.91E-10	1.0E+06	7.9E-04
1112	1112	1.16963	5.76607E-06	6.7E-06	1.05E-03	7.05E-09	1.59E-01	1.57E-01	1.76E-10	1.0E+06	1.8E-04
1113	1113	1.22201	5.76607E-06	7.0E-06	1.05E-03	7.36E-09	1.59E-01	1.57E-01	1.84E-10	1.0E+06	1.8E-04
1114	1114	1.27786	5.76607E-06	7.4E-06	1.05E-03	7.70E-09	1.59E-01	1.57E-01	1.92E-10	1.0E+06	1.9E-04
1115	1115	1.33785	5.76607E-06	7.7E-06	1.05E-03	8.06E-09	1.59E-01	1.57E-01	2.01E-10	1.0E+06	2.0E-04
1116	1116	1.40241	5.76607E-06	8.1E-06	1.05E-03	8.45E-09	1.59E-01	1.57E-01	2.11E-10	1.0E+06	2.1E-04
1117	1117	1.46372	5.76607E-06	8.4E-06	1.05E-03	8.82E-09	1.59E-01	1.57E-01	2.20E-10	1.0E+06	2.2E-04
1118	1118	1.53072	5.76607E-06	8.8E-06	1.05E-03	9.23E-09	1.59E-01	1.57E-01	2.30E-10	1.0E+06	2.3E-04
1119	1119	1.60519	5.76607E-06	9.3E-06	1.05E-03	9.67E-09	1.59E-01	1.57E-01	2.42E-10	1.0E+06	2.4E-04
1120	1120	1.69939	5.76607E-06	9.8E-06	1.05E-03	1.02E-08	1.59E-01	1.57E-01	2.56E-10	1.0E+06	2.6E-04
1121	1121	1.79961	5.76607E-06	1.0E-05	1.05E-03	1.08E-08	1.59E-01	1.57E-01	2.71E-10	1.0E+06	2.7E-04
1122	1122	1.89794	5.76607E-06	1.1E-05	1.05E-03	1.14E-08	1.59E-01	1.57E-01	2.86E-10	1.0E+06	2.9E-04
1123	1123	2.01669	5.76607E-06	1.2E-05	1.05E-03	1.22E-08	1.59E-01	1.57E-01	3.03E-10	1.0E+06	3.0E-04
1124	1124	2.14482	5.76607E-06	1.2E-05	1.05E-03	1.29E-08	1.59E-01	1.57E-01	3.23E-10	1.0E+06	3.2E-04
1125	1125	2.28365	5.76607E-06	1.3E-05	1.05E-03	1.38E-08	1.59E-01	1.57E-01	3.44E-10	1.0E+06	3.4E-04
1126	1126	2.43762	5.76607E-06	1.4E-05	1.05E-03	1.47E-08	1.59E-01	1.57E-01	3.67E-10	1.0E+06	3.7E-04
1127	1127	2.60384	5.76607E-06	1.5E-05	1.05E-03	1.57E-08	1.59E-01	1.57E-01	3.92E-10	1.0E+06	3.9E-04
1128	1128	2.78127	5.76607E-06	1.6E-05	1.05E-03	1.68E-08	1.59E-01	1.57E-01	4.19E-10	1.0E+06	4.2E-04
1129	1129	2.96957	5.76607E-06	1.7E-05	1.05E-03	1.79E-08	1.59E-01	1.57E-01	4.47E-10	1.0E+06	4.5E-04
1130	1130	3.1713	5.76607E-06	1.8E-05	1.05E-03	1.91E-08	1.59E-01	1.57E-01	4.77E-10	1.0E+06	4.8E-04
1131	1131	3.38483	5.76607E-06	2.0E-05	1.05E-03	2.04E-08	1.59E-01	1.57E-01	5.09E-10	1.0E+06	5.1E-04
1132	1132	3.61037	5.76607E-06	2.1E-05	1.05E-03	2.18E-08	1.59E-01	1.57E-01	5.43E-10	1.0E+06	5.4E-04
1133	1133	3.84859	5.76607E-06	2.2E-05	1.05E-03	2.32E-08	1.59E-01	1.57E-01	5.79E-10	1.0E+06	5.8E-04
1134	1134	4.0982	5.76607E-06	2.4E-05	1.05E-03	2.47E-08	1.59E-01	1.57E-01	6.17E-10	1.0E+06	6.2E-04
1135	1135	4.35598	5.76607E-06	2.5E-05	1.05E-03	2.63E-08	1.59E-01	1.57E-01	6.56E-10	1.0E+06	6.6E-04
1136	1136	4.61988	5.76607E-06	2.7E-05	1.05E-03	2.78E-08	1.59E-01	1.57E-01	6.95E-10	1.0E+06	7.0E-04
1137	1137	4.88229	5.76607E-06	2.8E-05	1.05E-03	2.94E-08	1.59E-01	1.57E-01	7.35E-10	1.0E+06	7.3E-04
1138	1138	5.1352	5.76607E-06	3.0E-05	1.05E-03	3.09E-08	1.59E-01	1.57E-01	7.73E-10	1.0E+06	7.7E-04
1139	1139	5.37264	5.76607E-06	3.1E-05	1.05E-03	3.24E-08	1.59E-01	1.57E-01	8.09E-10	1.0E+06	8.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	5.57965	5.76607E-06	3.2E-05	1.05E-03	3.36E-08	1.59E-01	1.57E-01	8.40E-10	1.0E+06	8.4E-04
1141	1141	5.75206	5.76607E-06	3.3E-05	1.05E-03	3.47E-08	1.59E-01	1.57E-01	8.66E-10	1.0E+06	8.7E-04
1142	1142	5.88815	5.76607E-06	3.4E-05	1.05E-03	3.55E-08	1.59E-01	1.57E-01	8.86E-10	1.0E+06	8.9E-04
1143	1143	5.98088	5.76607E-06	3.4E-05	1.05E-03	3.60E-08	1.59E-01	1.57E-01	9.00E-10	1.0E+06	9.0E-04
1144	1144	6.02926	5.76607E-06	3.5E-05	1.05E-03	3.63E-08	1.59E-01	1.57E-01	9.07E-10	1.0E+06	9.1E-04
1145	1145	6.03246	5.76607E-06	3.5E-05	1.05E-03	3.64E-08	1.59E-01	1.57E-01	9.08E-10	1.0E+06	9.1E-04
1146	1146	1.20569	5.76607E-06	7.0E-06	1.05E-03	7.27E-09	1.59E-01	1.57E-01	1.81E-10	1.0E+06	1.8E-04
1147	1147	1.26219	5.76607E-06	7.3E-06	1.05E-03	7.61E-09	1.59E-01	1.57E-01	1.90E-10	1.0E+06	1.9E-04
1148	1148	1.32268	5.76607E-06	7.6E-06	1.05E-03	7.97E-09	1.59E-01	1.57E-01	1.99E-10	1.0E+06	2.0E-04
1149	1149	1.38782	5.76607E-06	8.0E-06	1.05E-03	8.36E-09	1.59E-01	1.57E-01	2.09E-10	1.0E+06	2.1E-04
1150	1150	1.45794	5.76607E-06	8.4E-06	1.05E-03	8.79E-09	1.59E-01	1.57E-01	2.19E-10	1.0E+06	2.2E-04
1151	1151	1.52257	5.76607E-06	8.8E-06	1.05E-03	9.18E-09	1.59E-01	1.57E-01	2.29E-10	1.0E+06	2.3E-04
1152	1152	1.59371	5.76607E-06	9.2E-06	1.05E-03	9.60E-09	1.59E-01	1.57E-01	2.40E-10	1.0E+06	2.4E-04
1153	1153	1.68678	5.76607E-06	9.7E-06	1.05E-03	1.02E-08	1.59E-01	1.57E-01	2.54E-10	1.0E+06	2.5E-04
1154	1154	1.77605	5.76607E-06	1.0E-05	1.05E-03	1.07E-08	1.59E-01	1.57E-01	2.67E-10	1.0E+06	2.7E-04
1155	1155	1.88688	5.76607E-06	1.1E-05	1.05E-03	1.14E-08	1.59E-01	1.57E-01	2.84E-10	1.0E+06	2.8E-04
1156	1156	2.00734	5.76607E-06	1.2E-05	1.05E-03	1.21E-08	1.59E-01	1.57E-01	3.02E-10	1.0E+06	3.0E-04
1157	1157	2.1272	5.76607E-06	1.2E-05	1.05E-03	1.28E-08	1.59E-01	1.57E-01	3.20E-10	1.0E+06	3.2E-04
1158	1158	2.27164	5.76607E-06	1.3E-05	1.05E-03	1.37E-08	1.59E-01	1.57E-01	3.42E-10	1.0E+06	3.4E-04
1159	1159	2.42922	5.76607E-06	1.4E-05	1.05E-03	1.46E-08	1.59E-01	1.57E-01	3.66E-10	1.0E+06	3.7E-04
1160	1160	2.60375	5.76607E-06	1.5E-05	1.05E-03	1.57E-08	1.59E-01	1.57E-01	3.92E-10	1.0E+06	3.9E-04
1161	1161	2.79367	5.76607E-06	1.6E-05	1.05E-03	1.68E-08	1.59E-01	1.57E-01	4.20E-10	1.0E+06	4.2E-04
1162	1162	2.99897	5.76607E-06	1.7E-05	1.05E-03	1.81E-08	1.59E-01	1.57E-01	4.51E-10	1.0E+06	4.5E-04
1163	1163	3.21987	5.76607E-06	1.9E-05	1.05E-03	1.94E-08	1.59E-01	1.57E-01	4.85E-10	1.0E+06	4.8E-04
1164	1164	3.45855	5.76607E-06	2.0E-05	1.05E-03	2.08E-08	1.59E-01	1.57E-01	5.20E-10	1.0E+06	5.2E-04
1165	1165	3.71382	5.76607E-06	2.1E-05	1.05E-03	2.24E-08	1.59E-01	1.57E-01	5.59E-10	1.0E+06	5.6E-04
1166	1166	3.98627	5.76607E-06	2.3E-05	1.05E-03	2.40E-08	1.59E-01	1.57E-01	6.00E-10	1.0E+06	6.0E-04
1167	1167	4.27693	5.76607E-06	2.5E-05	1.05E-03	2.58E-08	1.59E-01	1.57E-01	6.44E-10	1.0E+06	6.4E-04
1168	1168	4.58515	5.76607E-06	2.6E-05	1.05E-03	2.76E-08	1.59E-01	1.57E-01	6.90E-10	1.0E+06	6.9E-04
1169	1169	4.90678	5.76607E-06	2.8E-05	1.05E-03	2.96E-08	1.59E-01	1.57E-01	7.38E-10	1.0E+06	7.4E-04
1170	1170	5.23854	5.76607E-06	3.0E-05	1.05E-03	3.16E-08	1.59E-01	1.57E-01	7.88E-10	1.0E+06	7.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	5.56911	5.76607E-06	3.2E-05	1.05E-03	3.36E-08	1.59E-01	1.57E-01	8.38E-10	1.0E+06	8.4E-04
1172	1172	5.89139	5.76607E-06	3.4E-05	1.05E-03	3.55E-08	1.59E-01	1.57E-01	8.87E-10	1.0E+06	8.9E-04
1173	1173	6.18967	5.76607E-06	3.6E-05	1.05E-03	3.73E-08	1.59E-01	1.57E-01	9.31E-10	1.0E+06	9.3E-04
1174	1174	6.45196	5.76607E-06	3.7E-05	1.05E-03	3.89E-08	1.59E-01	1.57E-01	9.71E-10	1.0E+06	9.7E-04
1175	1175	6.67089	5.76607E-06	3.8E-05	1.05E-03	4.02E-08	1.59E-01	1.57E-01	1.00E-09	1.0E+06	1.0E-03
1176	1176	6.84032	5.76607E-06	3.9E-05	1.05E-03	4.12E-08	1.59E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1177	1177	6.9507	5.76607E-06	4.0E-05	1.05E-03	4.19E-08	1.59E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
1178	1178	7.00156	5.76607E-06	4.0E-05	1.05E-03	4.22E-08	1.59E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
1179	1179	6.99175	5.76607E-06	4.0E-05	1.05E-03	4.21E-08	1.59E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
1180	1180	1.23983	5.76607E-06	7.1E-06	1.05E-03	7.47E-09	1.59E-01	1.57E-01	1.87E-10	1.0E+06	1.9E-04
1181	1181	1.30045	5.76607E-06	7.5E-06	1.05E-03	7.84E-09	1.59E-01	1.57E-01	1.96E-10	1.0E+06	2.0E-04
1182	1182	1.3657	5.76607E-06	7.9E-06	1.05E-03	8.23E-09	1.59E-01	1.57E-01	2.06E-10	1.0E+06	2.1E-04
1183	1183	1.43607	5.76607E-06	8.3E-06	1.05E-03	8.65E-09	1.59E-01	1.57E-01	2.16E-10	1.0E+06	2.2E-04
1184	1184	1.51207	5.76607E-06	8.7E-06	1.05E-03	9.11E-09	1.59E-01	1.57E-01	2.28E-10	1.0E+06	2.3E-04
1185	1185	1.58023	5.76607E-06	9.1E-06	1.05E-03	9.52E-09	1.59E-01	1.57E-01	2.38E-10	1.0E+06	2.4E-04
1186	1186	1.67137	5.76607E-06	9.6E-06	1.05E-03	1.01E-08	1.59E-01	1.57E-01	2.52E-10	1.0E+06	2.5E-04
1187	1187	1.75722	5.76607E-06	1.0E-05	1.05E-03	1.06E-08	1.59E-01	1.57E-01	2.64E-10	1.0E+06	2.6E-04
1188	1188	1.85284	5.76607E-06	1.1E-05	1.05E-03	1.12E-08	1.59E-01	1.57E-01	2.79E-10	1.0E+06	2.8E-04
1189	1189	1.97492	5.76607E-06	1.1E-05	1.05E-03	1.19E-08	1.59E-01	1.57E-01	2.97E-10	1.0E+06	3.0E-04
1190	1190	2.10849	5.76607E-06	1.2E-05	1.05E-03	1.27E-08	1.59E-01	1.57E-01	3.17E-10	1.0E+06	3.2E-04
1191	1191	2.24079	5.76607E-06	1.3E-05	1.05E-03	1.35E-08	1.59E-01	1.57E-01	3.37E-10	1.0E+06	3.4E-04
1192	1192	2.40321	5.76607E-06	1.4E-05	1.05E-03	1.45E-08	1.59E-01	1.57E-01	3.62E-10	1.0E+06	3.6E-04
1193	1193	2.58173	5.76607E-06	1.5E-05	1.05E-03	1.56E-08	1.59E-01	1.57E-01	3.89E-10	1.0E+06	3.9E-04
1194	1194	2.77922	5.76607E-06	1.6E-05	1.05E-03	1.67E-08	1.59E-01	1.57E-01	4.18E-10	1.0E+06	4.2E-04
1195	1195	2.99652	5.76607E-06	1.7E-05	1.05E-03	1.81E-08	1.59E-01	1.57E-01	4.51E-10	1.0E+06	4.5E-04
1196	1196	3.23398	5.76607E-06	1.9E-05	1.05E-03	1.95E-08	1.59E-01	1.57E-01	4.87E-10	1.0E+06	4.9E-04
1197	1197	3.49355	5.76607E-06	2.0E-05	1.05E-03	2.11E-08	1.59E-01	1.57E-01	5.26E-10	1.0E+06	5.3E-04
1198	1198	3.77722	5.76607E-06	2.2E-05	1.05E-03	2.28E-08	1.59E-01	1.57E-01	5.68E-10	1.0E+06	5.7E-04
1199	1199	4.08388	5.76607E-06	2.4E-05	1.05E-03	2.46E-08	1.59E-01	1.57E-01	6.15E-10	1.0E+06	6.1E-04
1200	1200	4.41569	5.76607E-06	2.5E-05	1.05E-03	2.66E-08	1.59E-01	1.57E-01	6.65E-10	1.0E+06	6.6E-04
1201	1201	4.77342	5.76607E-06	2.8E-05	1.05E-03	2.88E-08	1.59E-01	1.57E-01	7.18E-10	1.0E+06	7.2E-04

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	5.158	5.76607E-06	3.0E-05	1.05E-03	3.11E-08	1.59E-01	1.57E-01	7.76E-10	1.0E+06	7.8E-04
1203	1203	5.5627	5.76607E-06	3.2E-05	1.05E-03	3.35E-08	1.59E-01	1.57E-01	8.37E-10	1.0E+06	8.4E-04
1204	1204	5.98667	5.76607E-06	3.5E-05	1.05E-03	3.61E-08	1.59E-01	1.57E-01	9.01E-10	1.0E+06	9.0E-04
1205	1205	6.41064	5.76607E-06	3.7E-05	1.05E-03	3.86E-08	1.59E-01	1.57E-01	9.65E-10	1.0E+06	9.6E-04
1206	1206	6.82486	5.76607E-06	3.9E-05	1.05E-03	4.11E-08	1.59E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1207	1207	7.21011	5.76607E-06	4.2E-05	1.05E-03	4.35E-08	1.59E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
1208	1208	7.54843	5.76607E-06	4.4E-05	1.05E-03	4.55E-08	1.59E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03
1209	1209	7.83161	5.76607E-06	4.5E-05	1.05E-03	4.72E-08	1.59E-01	1.57E-01	1.18E-09	1.0E+06	1.2E-03
1210	1210	8.04483	5.76607E-06	4.6E-05	1.05E-03	4.85E-08	1.59E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
1211	1211	8.17813	5.76607E-06	4.7E-05	1.05E-03	4.93E-08	1.59E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
1212	1212	8.22896	5.76607E-06	4.7E-05	1.05E-03	4.96E-08	1.59E-01	1.57E-01	1.24E-09	1.0E+06	1.2E-03
1213	1213	8.1938	5.76607E-06	4.7E-05	1.05E-03	4.94E-08	1.59E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.4967	4.91272E-05	2.4E-05	1.05E-03	2.55E-08	1.59E-01	1.57E-01	6.37E-10	1.0E+06	6.4E-04
893	893	0.50818	4.91272E-05	2.5E-05	1.05E-03	2.61E-08	1.59E-01	1.57E-01	6.52E-10	1.0E+06	6.5E-04
894	894	0.51911	4.91272E-05	2.6E-05	1.05E-03	2.67E-08	1.59E-01	1.57E-01	6.66E-10	1.0E+06	6.7E-04
895	895	0.53026	4.91272E-05	2.6E-05	1.05E-03	2.72E-08	1.59E-01	1.57E-01	6.80E-10	1.0E+06	6.8E-04
896	896	0.5415	4.91272E-05	2.7E-05	1.05E-03	2.78E-08	1.59E-01	1.57E-01	6.94E-10	1.0E+06	6.9E-04
897	897	0.55273	4.91272E-05	2.7E-05	1.05E-03	2.84E-08	1.59E-01	1.57E-01	7.09E-10	1.0E+06	7.1E-04
898	898	0.56396	4.91272E-05	2.8E-05	1.05E-03	2.90E-08	1.59E-01	1.57E-01	7.23E-10	1.0E+06	7.2E-04
899	899	0.57498	4.91272E-05	2.8E-05	1.05E-03	2.95E-08	1.59E-01	1.57E-01	7.37E-10	1.0E+06	7.4E-04
900	900	0.58561	4.91272E-05	2.9E-05	1.05E-03	3.01E-08	1.59E-01	1.57E-01	7.51E-10	1.0E+06	7.5E-04
901	901	0.59601	4.91272E-05	2.9E-05	1.05E-03	3.06E-08	1.59E-01	1.57E-01	7.64E-10	1.0E+06	7.6E-04
902	902	0.6067	4.91272E-05	3.0E-05	1.05E-03	3.12E-08	1.59E-01	1.57E-01	7.78E-10	1.0E+06	7.8E-04
903	903	0.61699	4.91272E-05	3.0E-05	1.05E-03	3.17E-08	1.59E-01	1.57E-01	7.91E-10	1.0E+06	7.9E-04
904	904	0.62602	4.91272E-05	3.1E-05	1.05E-03	3.21E-08	1.59E-01	1.57E-01	8.03E-10	1.0E+06	8.0E-04
905	905	0.63408	4.91272E-05	3.1E-05	1.05E-03	3.26E-08	1.59E-01	1.57E-01	8.13E-10	1.0E+06	8.1E-04
906	906	0.64127	4.91272E-05	3.2E-05	1.05E-03	3.29E-08	1.59E-01	1.57E-01	8.22E-10	1.0E+06	8.2E-04
907	907	0.64784	4.91272E-05	3.2E-05	1.05E-03	3.33E-08	1.59E-01	1.57E-01	8.31E-10	1.0E+06	8.3E-04
908	908	0.32153	4.91272E-05	1.6E-05	1.05E-03	1.65E-08	1.59E-01	1.57E-01	4.12E-10	1.0E+06	4.1E-04
909	909	0.32764	4.91272E-05	1.6E-05	1.05E-03	1.68E-08	1.59E-01	1.57E-01	4.20E-10	1.0E+06	4.2E-04
910	910	0.33403	4.91272E-05	1.6E-05	1.05E-03	1.72E-08	1.59E-01	1.57E-01	4.28E-10	1.0E+06	4.3E-04
911	911	0.34059	4.91272E-05	1.7E-05	1.05E-03	1.75E-08	1.59E-01	1.57E-01	4.37E-10	1.0E+06	4.4E-04
912	912	0.3474	4.91272E-05	1.7E-05	1.05E-03	1.78E-08	1.59E-01	1.57E-01	4.45E-10	1.0E+06	4.5E-04
913	913	0.35451	4.91272E-05	1.7E-05	1.05E-03	1.82E-08	1.59E-01	1.57E-01	4.55E-10	1.0E+06	4.5E-04
914	914	0.36187	4.91272E-05	1.8E-05	1.05E-03	1.86E-08	1.59E-01	1.57E-01	4.64E-10	1.0E+06	4.6E-04
915	915	0.36956	4.91272E-05	1.8E-05	1.05E-03	1.90E-08	1.59E-01	1.57E-01	4.74E-10	1.0E+06	4.7E-04
916	916	0.37751	4.91272E-05	1.9E-05	1.05E-03	1.94E-08	1.59E-01	1.57E-01	4.84E-10	1.0E+06	4.8E-04
917	917	0.38572	4.91272E-05	1.9E-05	1.05E-03	1.98E-08	1.59E-01	1.57E-01	4.95E-10	1.0E+06	4.9E-04
918	918	0.40018	4.91272E-05	2.0E-05	1.05E-03	2.05E-08	1.59E-01	1.57E-01	5.13E-10	1.0E+06	5.1E-04
919	919	0.41281	4.91272E-05	2.0E-05	1.05E-03	2.12E-08	1.59E-01	1.57E-01	5.29E-10	1.0E+06	5.3E-04
920	920	0.42716	4.91272E-05	2.1E-05	1.05E-03	2.19E-08	1.59E-01	1.57E-01	5.48E-10	1.0E+06	5.5E-04
921	921	0.44119	4.91272E-05	2.2E-05	1.05E-03	2.27E-08	1.59E-01	1.57E-01	5.66E-10	1.0E+06	5.7E-04
922	922	0.45349	4.91272E-05	2.2E-05	1.05E-03	2.33E-08	1.59E-01	1.57E-01	5.81E-10	1.0E+06	5.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.46727	4.91272E-05	2.3E-05	1.05E-03	2.40E-08	1.59E-01	1.57E-01	5.99E-10	1.0E+06	6.0E-04
924	924	0.48081	4.91272E-05	2.4E-05	1.05E-03	2.47E-08	1.59E-01	1.57E-01	6.16E-10	1.0E+06	6.2E-04
925	925	0.4931	4.91272E-05	2.4E-05	1.05E-03	2.53E-08	1.59E-01	1.57E-01	6.32E-10	1.0E+06	6.3E-04
926	926	0.50637	4.91272E-05	2.5E-05	1.05E-03	2.60E-08	1.59E-01	1.57E-01	6.49E-10	1.0E+06	6.5E-04
927	927	0.51792	4.91272E-05	2.5E-05	1.05E-03	2.66E-08	1.59E-01	1.57E-01	6.64E-10	1.0E+06	6.6E-04
928	928	0.53047	4.91272E-05	2.6E-05	1.05E-03	2.72E-08	1.59E-01	1.57E-01	6.80E-10	1.0E+06	6.8E-04
929	929	0.54246	4.91272E-05	2.7E-05	1.05E-03	2.79E-08	1.59E-01	1.57E-01	6.96E-10	1.0E+06	7.0E-04
930	930	0.55472	4.91272E-05	2.7E-05	1.05E-03	2.85E-08	1.59E-01	1.57E-01	7.11E-10	1.0E+06	7.1E-04
931	931	0.56708	4.91272E-05	2.8E-05	1.05E-03	2.91E-08	1.59E-01	1.57E-01	7.27E-10	1.0E+06	7.3E-04
932	932	0.57943	4.91272E-05	2.8E-05	1.05E-03	2.98E-08	1.59E-01	1.57E-01	7.43E-10	1.0E+06	7.4E-04
933	933	0.59177	4.91272E-05	2.9E-05	1.05E-03	3.04E-08	1.59E-01	1.57E-01	7.59E-10	1.0E+06	7.6E-04
934	934	0.60403	4.91272E-05	3.0E-05	1.05E-03	3.10E-08	1.59E-01	1.57E-01	7.74E-10	1.0E+06	7.7E-04
935	935	0.61611	4.91272E-05	3.0E-05	1.05E-03	3.16E-08	1.59E-01	1.57E-01	7.90E-10	1.0E+06	7.9E-04
936	936	0.62795	4.91272E-05	3.1E-05	1.05E-03	3.22E-08	1.59E-01	1.57E-01	8.05E-10	1.0E+06	8.1E-04
937	937	0.63992	4.91272E-05	3.1E-05	1.05E-03	3.29E-08	1.59E-01	1.57E-01	8.21E-10	1.0E+06	8.2E-04
938	938	0.65155	4.91272E-05	3.2E-05	1.05E-03	3.35E-08	1.59E-01	1.57E-01	8.35E-10	1.0E+06	8.4E-04
939	939	0.66176	4.91272E-05	3.3E-05	1.05E-03	3.40E-08	1.59E-01	1.57E-01	8.49E-10	1.0E+06	8.5E-04
940	940	0.67098	4.91272E-05	3.3E-05	1.05E-03	3.45E-08	1.59E-01	1.57E-01	8.60E-10	1.0E+06	8.6E-04
941	941	0.67919	4.91272E-05	3.3E-05	1.05E-03	3.49E-08	1.59E-01	1.57E-01	8.71E-10	1.0E+06	8.7E-04
942	942	0.33133	4.91272E-05	1.6E-05	1.05E-03	1.70E-08	1.59E-01	1.57E-01	4.25E-10	1.0E+06	4.2E-04
943	943	0.33778	4.91272E-05	1.7E-05	1.05E-03	1.73E-08	1.59E-01	1.57E-01	4.33E-10	1.0E+06	4.3E-04
944	944	0.34449	4.91272E-05	1.7E-05	1.05E-03	1.77E-08	1.59E-01	1.57E-01	4.42E-10	1.0E+06	4.4E-04
945	945	0.35147	4.91272E-05	1.7E-05	1.05E-03	1.80E-08	1.59E-01	1.57E-01	4.51E-10	1.0E+06	4.5E-04
946	946	0.35868	4.91272E-05	1.8E-05	1.05E-03	1.84E-08	1.59E-01	1.57E-01	4.60E-10	1.0E+06	4.6E-04
947	947	0.36622	4.91272E-05	1.8E-05	1.05E-03	1.88E-08	1.59E-01	1.57E-01	4.70E-10	1.0E+06	4.7E-04
948	948	0.3742	4.91272E-05	1.8E-05	1.05E-03	1.92E-08	1.59E-01	1.57E-01	4.80E-10	1.0E+06	4.8E-04
949	949	0.38253	4.91272E-05	1.9E-05	1.05E-03	1.96E-08	1.59E-01	1.57E-01	4.90E-10	1.0E+06	4.9E-04
950	950	0.39112	4.91272E-05	1.9E-05	1.05E-03	2.01E-08	1.59E-01	1.57E-01	5.01E-10	1.0E+06	5.0E-04
951	951	0.39966	4.91272E-05	2.0E-05	1.05E-03	2.05E-08	1.59E-01	1.57E-01	5.12E-10	1.0E+06	5.1E-04
952	952	0.41194	4.91272E-05	2.0E-05	1.05E-03	2.12E-08	1.59E-01	1.57E-01	5.28E-10	1.0E+06	5.3E-04
953	953	0.42456	4.91272E-05	2.1E-05	1.05E-03	2.18E-08	1.59E-01	1.57E-01	5.44E-10	1.0E+06	5.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.43991	4.91272E-05	2.2E-05	1.05E-03	2.26E-08	1.59E-01	1.57E-01	5.64E-10	1.0E+06	5.6E-04
955	955	0.45314	4.91272E-05	2.2E-05	1.05E-03	2.33E-08	1.59E-01	1.57E-01	5.81E-10	1.0E+06	5.8E-04
956	956	0.47043	4.91272E-05	2.3E-05	1.05E-03	2.42E-08	1.59E-01	1.57E-01	6.03E-10	1.0E+06	6.0E-04
957	957	0.48546	4.91272E-05	2.4E-05	1.05E-03	2.49E-08	1.59E-01	1.57E-01	6.22E-10	1.0E+06	6.2E-04
958	958	0.50007	4.91272E-05	2.5E-05	1.05E-03	2.57E-08	1.59E-01	1.57E-01	6.41E-10	1.0E+06	6.4E-04
959	959	0.51334	4.91272E-05	2.5E-05	1.05E-03	2.64E-08	1.59E-01	1.57E-01	6.58E-10	1.0E+06	6.6E-04
960	960	0.52678	4.91272E-05	2.6E-05	1.05E-03	2.70E-08	1.59E-01	1.57E-01	6.75E-10	1.0E+06	6.8E-04
961	961	0.54037	4.91272E-05	2.7E-05	1.05E-03	2.77E-08	1.59E-01	1.57E-01	6.93E-10	1.0E+06	6.9E-04
962	962	0.55413	4.91272E-05	2.7E-05	1.05E-03	2.85E-08	1.59E-01	1.57E-01	7.11E-10	1.0E+06	7.1E-04
963	963	0.56737	4.91272E-05	2.8E-05	1.05E-03	2.91E-08	1.59E-01	1.57E-01	7.27E-10	1.0E+06	7.3E-04
964	964	0.58089	4.91272E-05	2.9E-05	1.05E-03	2.98E-08	1.59E-01	1.57E-01	7.45E-10	1.0E+06	7.4E-04
965	965	0.59462	4.91272E-05	2.9E-05	1.05E-03	3.05E-08	1.59E-01	1.57E-01	7.62E-10	1.0E+06	7.6E-04
966	966	0.6083	4.91272E-05	3.0E-05	1.05E-03	3.12E-08	1.59E-01	1.57E-01	7.80E-10	1.0E+06	7.8E-04
967	967	0.62203	4.91272E-05	3.1E-05	1.05E-03	3.19E-08	1.59E-01	1.57E-01	7.98E-10	1.0E+06	8.0E-04
968	968	0.6358	4.91272E-05	3.1E-05	1.05E-03	3.26E-08	1.59E-01	1.57E-01	8.15E-10	1.0E+06	8.2E-04
969	969	0.64958	4.91272E-05	3.2E-05	1.05E-03	3.34E-08	1.59E-01	1.57E-01	8.33E-10	1.0E+06	8.3E-04
970	970	0.6632	4.91272E-05	3.3E-05	1.05E-03	3.41E-08	1.59E-01	1.57E-01	8.50E-10	1.0E+06	8.5E-04
971	971	0.67654	4.91272E-05	3.3E-05	1.05E-03	3.47E-08	1.59E-01	1.57E-01	8.67E-10	1.0E+06	8.7E-04
972	972	0.68951	4.91272E-05	3.4E-05	1.05E-03	3.54E-08	1.59E-01	1.57E-01	8.84E-10	1.0E+06	8.8E-04
973	973	0.70124	4.91272E-05	3.4E-05	1.05E-03	3.60E-08	1.59E-01	1.57E-01	8.99E-10	1.0E+06	9.0E-04
974	974	0.71193	4.91272E-05	3.5E-05	1.05E-03	3.66E-08	1.59E-01	1.57E-01	9.13E-10	1.0E+06	9.1E-04
975	975	0.72148	4.91272E-05	3.5E-05	1.05E-03	3.70E-08	1.59E-01	1.57E-01	9.25E-10	1.0E+06	9.3E-04
976	976	0.34143	4.91272E-05	1.7E-05	1.05E-03	1.75E-08	1.59E-01	1.57E-01	4.38E-10	1.0E+06	4.4E-04
977	977	0.34827	4.91272E-05	1.7E-05	1.05E-03	1.79E-08	1.59E-01	1.57E-01	4.47E-10	1.0E+06	4.5E-04
978	978	0.35537	4.91272E-05	1.7E-05	1.05E-03	1.82E-08	1.59E-01	1.57E-01	4.56E-10	1.0E+06	4.6E-04
979	979	0.36276	4.91272E-05	1.8E-05	1.05E-03	1.86E-08	1.59E-01	1.57E-01	4.65E-10	1.0E+06	4.7E-04
980	980	0.37044	4.91272E-05	1.8E-05	1.05E-03	1.90E-08	1.59E-01	1.57E-01	4.75E-10	1.0E+06	4.7E-04
981	981	0.37846	4.91272E-05	1.9E-05	1.05E-03	1.94E-08	1.59E-01	1.57E-01	4.85E-10	1.0E+06	4.9E-04
982	982	0.38707	4.91272E-05	1.9E-05	1.05E-03	1.99E-08	1.59E-01	1.57E-01	4.96E-10	1.0E+06	5.0E-04
983	983	0.39611	4.91272E-05	1.9E-05	1.05E-03	2.03E-08	1.59E-01	1.57E-01	5.08E-10	1.0E+06	5.1E-04
984	984	0.40534	4.91272E-05	2.0E-05	1.05E-03	2.08E-08	1.59E-01	1.57E-01	5.20E-10	1.0E+06	5.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.41432	4.91272E-05	2.0E-05	1.05E-03	2.13E-08	1.59E-01	1.57E-01	5.31E-10	1.0E+06	5.3E-04
986	986	0.42474	4.91272E-05	2.1E-05	1.05E-03	2.18E-08	1.59E-01	1.57E-01	5.45E-10	1.0E+06	5.4E-04
987	987	0.43924	4.91272E-05	2.2E-05	1.05E-03	2.26E-08	1.59E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
988	988	0.45048	4.91272E-05	2.2E-05	1.05E-03	2.31E-08	1.59E-01	1.57E-01	5.78E-10	1.0E+06	5.8E-04
989	989	0.46725	4.91272E-05	2.3E-05	1.05E-03	2.40E-08	1.59E-01	1.57E-01	5.99E-10	1.0E+06	6.0E-04
990	990	0.48828	4.91272E-05	2.4E-05	1.05E-03	2.51E-08	1.59E-01	1.57E-01	6.26E-10	1.0E+06	6.3E-04
991	991	0.50468	4.91272E-05	2.5E-05	1.05E-03	2.59E-08	1.59E-01	1.57E-01	6.47E-10	1.0E+06	6.5E-04
992	992	0.52048	4.91272E-05	2.6E-05	1.05E-03	2.67E-08	1.59E-01	1.57E-01	6.67E-10	1.0E+06	6.7E-04
993	993	0.53486	4.91272E-05	2.6E-05	1.05E-03	2.75E-08	1.59E-01	1.57E-01	6.86E-10	1.0E+06	6.9E-04
994	994	0.54943	4.91272E-05	2.7E-05	1.05E-03	2.82E-08	1.59E-01	1.57E-01	7.04E-10	1.0E+06	7.0E-04
995	995	0.56436	4.91272E-05	2.8E-05	1.05E-03	2.90E-08	1.59E-01	1.57E-01	7.24E-10	1.0E+06	7.2E-04
996	996	0.57949	4.91272E-05	2.8E-05	1.05E-03	2.98E-08	1.59E-01	1.57E-01	7.43E-10	1.0E+06	7.4E-04
997	997	0.59413	4.91272E-05	2.9E-05	1.05E-03	3.05E-08	1.59E-01	1.57E-01	7.62E-10	1.0E+06	7.6E-04
998	998	0.60915	4.91272E-05	3.0E-05	1.05E-03	3.13E-08	1.59E-01	1.57E-01	7.81E-10	1.0E+06	7.8E-04
999	999	0.62442	4.91272E-05	3.1E-05	1.05E-03	3.21E-08	1.59E-01	1.57E-01	8.01E-10	1.0E+06	8.0E-04
1000	1000	0.63967	4.91272E-05	3.1E-05	1.05E-03	3.28E-08	1.59E-01	1.57E-01	8.20E-10	1.0E+06	8.2E-04
1001	1001	0.65504	4.91272E-05	3.2E-05	1.05E-03	3.36E-08	1.59E-01	1.57E-01	8.40E-10	1.0E+06	8.4E-04
1002	1002	0.67053	4.91272E-05	3.3E-05	1.05E-03	3.44E-08	1.59E-01	1.57E-01	8.60E-10	1.0E+06	8.6E-04
1003	1003	0.68638	4.91272E-05	3.4E-05	1.05E-03	3.52E-08	1.59E-01	1.57E-01	8.80E-10	1.0E+06	8.8E-04
1004	1004	0.70207	4.91272E-05	3.4E-05	1.05E-03	3.60E-08	1.59E-01	1.57E-01	9.00E-10	1.0E+06	9.0E-04
1005	1005	0.71707	4.91272E-05	3.5E-05	1.05E-03	3.68E-08	1.59E-01	1.57E-01	9.19E-10	1.0E+06	9.2E-04
1006	1006	0.7314	4.91272E-05	3.6E-05	1.05E-03	3.76E-08	1.59E-01	1.57E-01	9.38E-10	1.0E+06	9.4E-04
1007	1007	0.74498	4.91272E-05	3.7E-05	1.05E-03	3.83E-08	1.59E-01	1.57E-01	9.55E-10	1.0E+06	9.6E-04
1008	1008	0.75734	4.91272E-05	3.7E-05	1.05E-03	3.89E-08	1.59E-01	1.57E-01	9.71E-10	1.0E+06	9.7E-04
1009	1009	0.76847	4.91272E-05	3.8E-05	1.05E-03	3.95E-08	1.59E-01	1.57E-01	9.85E-10	1.0E+06	9.9E-04
1010	1010	0.35185	4.91272E-05	1.7E-05	1.05E-03	1.81E-08	1.59E-01	1.57E-01	4.51E-10	1.0E+06	4.5E-04
1011	1011	0.35908	4.91272E-05	1.8E-05	1.05E-03	1.84E-08	1.59E-01	1.57E-01	4.60E-10	1.0E+06	4.6E-04
1012	1012	0.36661	4.91272E-05	1.8E-05	1.05E-03	1.88E-08	1.59E-01	1.57E-01	4.70E-10	1.0E+06	4.7E-04
1013	1013	0.37447	4.91272E-05	1.8E-05	1.05E-03	1.92E-08	1.59E-01	1.57E-01	4.80E-10	1.0E+06	4.8E-04
1014	1014	0.3826	4.91272E-05	1.9E-05	1.05E-03	1.96E-08	1.59E-01	1.57E-01	4.91E-10	1.0E+06	4.9E-04
1015	1015	0.39116	4.91272E-05	1.9E-05	1.05E-03	2.01E-08	1.59E-01	1.57E-01	5.02E-10	1.0E+06	5.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.40042	4.91272E-05	2.0E-05	1.05E-03	2.06E-08	1.59E-01	1.57E-01	5.13E-10	1.0E+06	5.1E-04
1017	1017	0.41018	4.91272E-05	2.0E-05	1.05E-03	2.11E-08	1.59E-01	1.57E-01	5.26E-10	1.0E+06	5.3E-04
1018	1018	0.4201	4.91272E-05	2.1E-05	1.05E-03	2.16E-08	1.59E-01	1.57E-01	5.39E-10	1.0E+06	5.4E-04
1019	1019	0.42962	4.91272E-05	2.1E-05	1.05E-03	2.21E-08	1.59E-01	1.57E-01	5.51E-10	1.0E+06	5.5E-04
1020	1020	0.43955	4.91272E-05	2.2E-05	1.05E-03	2.26E-08	1.59E-01	1.57E-01	5.64E-10	1.0E+06	5.6E-04
1021	1021	0.4553	4.91272E-05	2.2E-05	1.05E-03	2.34E-08	1.59E-01	1.57E-01	5.84E-10	1.0E+06	5.8E-04
1022	1022	0.46678	4.91272E-05	2.3E-05	1.05E-03	2.40E-08	1.59E-01	1.57E-01	5.99E-10	1.0E+06	6.0E-04
1023	1023	0.48203	4.91272E-05	2.4E-05	1.05E-03	2.48E-08	1.59E-01	1.57E-01	6.18E-10	1.0E+06	6.2E-04
1024	1024	0.50545	4.91272E-05	2.5E-05	1.05E-03	2.60E-08	1.59E-01	1.57E-01	6.48E-10	1.0E+06	6.5E-04
1025	1025	0.52351	4.91272E-05	2.6E-05	1.05E-03	2.69E-08	1.59E-01	1.57E-01	6.71E-10	1.0E+06	6.7E-04
1026	1026	0.5421	4.91272E-05	2.7E-05	1.05E-03	2.78E-08	1.59E-01	1.57E-01	6.95E-10	1.0E+06	7.0E-04
1027	1027	0.55776	4.91272E-05	2.7E-05	1.05E-03	2.86E-08	1.59E-01	1.57E-01	7.15E-10	1.0E+06	7.2E-04
1028	1028	0.57264	4.91272E-05	2.8E-05	1.05E-03	2.94E-08	1.59E-01	1.57E-01	7.34E-10	1.0E+06	7.3E-04
1029	1029	0.59006	4.91272E-05	2.9E-05	1.05E-03	3.03E-08	1.59E-01	1.57E-01	7.57E-10	1.0E+06	7.6E-04
1030	1030	0.60672	4.91272E-05	3.0E-05	1.05E-03	3.12E-08	1.59E-01	1.57E-01	7.78E-10	1.0E+06	7.8E-04
1031	1031	0.623	4.91272E-05	3.1E-05	1.05E-03	3.20E-08	1.59E-01	1.57E-01	7.99E-10	1.0E+06	8.0E-04
1032	1032	0.63972	4.91272E-05	3.1E-05	1.05E-03	3.28E-08	1.59E-01	1.57E-01	8.20E-10	1.0E+06	8.2E-04
1033	1033	0.65675	4.91272E-05	3.2E-05	1.05E-03	3.37E-08	1.59E-01	1.57E-01	8.42E-10	1.0E+06	8.4E-04
1034	1034	0.67389	4.91272E-05	3.3E-05	1.05E-03	3.46E-08	1.59E-01	1.57E-01	8.64E-10	1.0E+06	8.6E-04
1035	1035	0.69119	4.91272E-05	3.4E-05	1.05E-03	3.55E-08	1.59E-01	1.57E-01	8.86E-10	1.0E+06	8.9E-04
1036	1036	0.70881	4.91272E-05	3.5E-05	1.05E-03	3.64E-08	1.59E-01	1.57E-01	9.09E-10	1.0E+06	9.1E-04
1037	1037	0.72694	4.91272E-05	3.6E-05	1.05E-03	3.73E-08	1.59E-01	1.57E-01	9.32E-10	1.0E+06	9.3E-04
1038	1038	0.74508	4.91272E-05	3.7E-05	1.05E-03	3.83E-08	1.59E-01	1.57E-01	9.55E-10	1.0E+06	9.6E-04
1039	1039	0.76217	4.91272E-05	3.7E-05	1.05E-03	3.91E-08	1.59E-01	1.57E-01	9.77E-10	1.0E+06	9.8E-04
1040	1040	0.77836	4.91272E-05	3.8E-05	1.05E-03	4.00E-08	1.59E-01	1.57E-01	9.98E-10	1.0E+06	1.0E-03
1041	1041	0.79386	4.91272E-05	3.9E-05	1.05E-03	4.08E-08	1.59E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1042	1042	0.80832	4.91272E-05	4.0E-05	1.05E-03	4.15E-08	1.59E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
1043	1043	0.82118	4.91272E-05	4.0E-05	1.05E-03	4.22E-08	1.59E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
1044	1044	0.36253	4.91272E-05	1.8E-05	1.05E-03	1.86E-08	1.59E-01	1.57E-01	4.65E-10	1.0E+06	4.6E-04
1045	1045	0.37019	4.91272E-05	1.8E-05	1.05E-03	1.90E-08	1.59E-01	1.57E-01	4.75E-10	1.0E+06	4.7E-04
1046	1046	0.37817	4.91272E-05	1.9E-05	1.05E-03	1.94E-08	1.59E-01	1.57E-01	4.85E-10	1.0E+06	4.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.38649	4.91272E-05	1.9E-05	1.05E-03	1.98E-08	1.59E-01	1.57E-01	4.96E-10	1.0E+06	5.0E-04
1048	1048	0.39512	4.91272E-05	1.9E-05	1.05E-03	2.03E-08	1.59E-01	1.57E-01	5.07E-10	1.0E+06	5.1E-04
1049	1049	0.40417	4.91272E-05	2.0E-05	1.05E-03	2.08E-08	1.59E-01	1.57E-01	5.18E-10	1.0E+06	5.2E-04
1050	1050	0.41408	4.91272E-05	2.0E-05	1.05E-03	2.13E-08	1.59E-01	1.57E-01	5.31E-10	1.0E+06	5.3E-04
1051	1051	0.42453	4.91272E-05	2.1E-05	1.05E-03	2.18E-08	1.59E-01	1.57E-01	5.44E-10	1.0E+06	5.4E-04
1052	1052	0.43521	4.91272E-05	2.1E-05	1.05E-03	2.23E-08	1.59E-01	1.57E-01	5.58E-10	1.0E+06	5.6E-04
1053	1053	0.44558	4.91272E-05	2.2E-05	1.05E-03	2.29E-08	1.59E-01	1.57E-01	5.71E-10	1.0E+06	5.7E-04
1054	1054	0.45687	4.91272E-05	2.2E-05	1.05E-03	2.35E-08	1.59E-01	1.57E-01	5.86E-10	1.0E+06	5.9E-04
1055	1055	0.47254	4.91272E-05	2.3E-05	1.05E-03	2.43E-08	1.59E-01	1.57E-01	6.06E-10	1.0E+06	6.1E-04
1056	1056	0.48458	4.91272E-05	2.4E-05	1.05E-03	2.49E-08	1.59E-01	1.57E-01	6.21E-10	1.0E+06	6.2E-04
1057	1057	0.50349	4.91272E-05	2.5E-05	1.05E-03	2.59E-08	1.59E-01	1.57E-01	6.46E-10	1.0E+06	6.5E-04
1058	1058	0.52736	4.91272E-05	2.6E-05	1.05E-03	2.71E-08	1.59E-01	1.57E-01	6.76E-10	1.0E+06	6.8E-04
1059	1059	0.54494	4.91272E-05	2.7E-05	1.05E-03	2.80E-08	1.59E-01	1.57E-01	6.99E-10	1.0E+06	7.0E-04
1060	1060	0.56502	4.91272E-05	2.8E-05	1.05E-03	2.90E-08	1.59E-01	1.57E-01	7.24E-10	1.0E+06	7.2E-04
1061	1061	0.58218	4.91272E-05	2.9E-05	1.05E-03	2.99E-08	1.59E-01	1.57E-01	7.46E-10	1.0E+06	7.5E-04
1062	1062	0.59969	4.91272E-05	2.9E-05	1.05E-03	3.08E-08	1.59E-01	1.57E-01	7.69E-10	1.0E+06	7.7E-04
1063	1063	0.61767	4.91272E-05	3.0E-05	1.05E-03	3.17E-08	1.59E-01	1.57E-01	7.92E-10	1.0E+06	7.9E-04
1064	1064	0.63605	4.91272E-05	3.1E-05	1.05E-03	3.27E-08	1.59E-01	1.57E-01	8.16E-10	1.0E+06	8.2E-04
1065	1065	0.65411	4.91272E-05	3.2E-05	1.05E-03	3.36E-08	1.59E-01	1.57E-01	8.39E-10	1.0E+06	8.4E-04
1066	1066	0.6728	4.91272E-05	3.3E-05	1.05E-03	3.45E-08	1.59E-01	1.57E-01	8.63E-10	1.0E+06	8.6E-04
1067	1067	0.69191	4.91272E-05	3.4E-05	1.05E-03	3.55E-08	1.59E-01	1.57E-01	8.87E-10	1.0E+06	8.9E-04
1068	1068	0.71131	4.91272E-05	3.5E-05	1.05E-03	3.65E-08	1.59E-01	1.57E-01	9.12E-10	1.0E+06	9.1E-04
1069	1069	0.73102	4.91272E-05	3.6E-05	1.05E-03	3.75E-08	1.59E-01	1.57E-01	9.37E-10	1.0E+06	9.4E-04
1070	1070	0.75114	4.91272E-05	3.7E-05	1.05E-03	3.86E-08	1.59E-01	1.57E-01	9.63E-10	1.0E+06	9.6E-04
1071	1071	0.77197	4.91272E-05	3.8E-05	1.05E-03	3.96E-08	1.59E-01	1.57E-01	9.90E-10	1.0E+06	9.9E-04
1072	1072	0.79287	4.91272E-05	3.9E-05	1.05E-03	4.07E-08	1.59E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1073	1073	0.81267	4.91272E-05	4.0E-05	1.05E-03	4.17E-08	1.59E-01	1.57E-01	1.04E-09	1.0E+06	1.0E-03
1074	1074	0.83149	4.91272E-05	4.1E-05	1.05E-03	4.27E-08	1.59E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1075	1075	0.84952	4.91272E-05	4.2E-05	1.05E-03	4.36E-08	1.59E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
1076	1076	0.8662	4.91272E-05	4.3E-05	1.05E-03	4.45E-08	1.59E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
1077	1077	0.88112	4.91272E-05	4.3E-05	1.05E-03	4.52E-08	1.59E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.37349	4.91272E-05	1.8E-05	1.05E-03	1.92E-08	1.59E-01	1.57E-01	4.79E-10	1.0E+06	4.8E-04
1079	1079	0.38161	4.91272E-05	1.9E-05	1.05E-03	1.96E-08	1.59E-01	1.57E-01	4.89E-10	1.0E+06	4.9E-04
1080	1080	0.39009	4.91272E-05	1.9E-05	1.05E-03	2.00E-08	1.59E-01	1.57E-01	5.00E-10	1.0E+06	5.0E-04
1081	1081	0.39892	4.91272E-05	2.0E-05	1.05E-03	2.05E-08	1.59E-01	1.57E-01	5.11E-10	1.0E+06	5.1E-04
1082	1082	0.40807	4.91272E-05	2.0E-05	1.05E-03	2.10E-08	1.59E-01	1.57E-01	5.23E-10	1.0E+06	5.2E-04
1083	1083	0.41769	4.91272E-05	2.1E-05	1.05E-03	2.14E-08	1.59E-01	1.57E-01	5.36E-10	1.0E+06	5.4E-04
1084	1084	0.42823	4.91272E-05	2.1E-05	1.05E-03	2.20E-08	1.59E-01	1.57E-01	5.49E-10	1.0E+06	5.5E-04
1085	1085	0.43946	4.91272E-05	2.2E-05	1.05E-03	2.26E-08	1.59E-01	1.57E-01	5.63E-10	1.0E+06	5.6E-04
1086	1086	0.451	4.91272E-05	2.2E-05	1.05E-03	2.32E-08	1.59E-01	1.57E-01	5.78E-10	1.0E+06	5.8E-04
1087	1087	0.46223	4.91272E-05	2.3E-05	1.05E-03	2.37E-08	1.59E-01	1.57E-01	5.93E-10	1.0E+06	5.9E-04
1088	1088	0.4741	4.91272E-05	2.3E-05	1.05E-03	2.43E-08	1.59E-01	1.57E-01	6.08E-10	1.0E+06	6.1E-04
1089	1089	0.48925	4.91272E-05	2.4E-05	1.05E-03	2.51E-08	1.59E-01	1.57E-01	6.27E-10	1.0E+06	6.3E-04
1090	1090	0.50327	4.91272E-05	2.5E-05	1.05E-03	2.58E-08	1.59E-01	1.57E-01	6.45E-10	1.0E+06	6.5E-04
1091	1091	0.52337	4.91272E-05	2.6E-05	1.05E-03	2.69E-08	1.59E-01	1.57E-01	6.71E-10	1.0E+06	6.7E-04
1092	1092	0.54862	4.91272E-05	2.7E-05	1.05E-03	2.82E-08	1.59E-01	1.57E-01	7.03E-10	1.0E+06	7.0E-04
1093	1093	0.56913	4.91272E-05	2.8E-05	1.05E-03	2.92E-08	1.59E-01	1.57E-01	7.30E-10	1.0E+06	7.3E-04
1094	1094	0.58924	4.91272E-05	2.9E-05	1.05E-03	3.03E-08	1.59E-01	1.57E-01	7.56E-10	1.0E+06	7.6E-04
1095	1095	0.60811	4.91272E-05	3.0E-05	1.05E-03	3.12E-08	1.59E-01	1.57E-01	7.80E-10	1.0E+06	7.8E-04
1096	1096	0.62745	4.91272E-05	3.1E-05	1.05E-03	3.22E-08	1.59E-01	1.57E-01	8.05E-10	1.0E+06	8.0E-04
1097	1097	0.64725	4.91272E-05	3.2E-05	1.05E-03	3.32E-08	1.59E-01	1.57E-01	8.30E-10	1.0E+06	8.3E-04
1098	1098	0.66756	4.91272E-05	3.3E-05	1.05E-03	3.43E-08	1.59E-01	1.57E-01	8.56E-10	1.0E+06	8.6E-04
1099	1099	0.6877	4.91272E-05	3.4E-05	1.05E-03	3.53E-08	1.59E-01	1.57E-01	8.82E-10	1.0E+06	8.8E-04
1100	1100	0.70863	4.91272E-05	3.5E-05	1.05E-03	3.64E-08	1.59E-01	1.57E-01	9.09E-10	1.0E+06	9.1E-04
1101	1101	0.73013	4.91272E-05	3.6E-05	1.05E-03	3.75E-08	1.59E-01	1.57E-01	9.36E-10	1.0E+06	9.4E-04
1102	1102	0.75223	4.91272E-05	3.7E-05	1.05E-03	3.86E-08	1.59E-01	1.57E-01	9.65E-10	1.0E+06	9.6E-04
1103	1103	0.77481	4.91272E-05	3.8E-05	1.05E-03	3.98E-08	1.59E-01	1.57E-01	9.93E-10	1.0E+06	9.9E-04
1104	1104	0.79797	4.91272E-05	3.9E-05	1.05E-03	4.10E-08	1.59E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1105	1105	0.82202	4.91272E-05	4.0E-05	1.05E-03	4.22E-08	1.59E-01	1.57E-01	1.05E-09	1.0E+06	1.1E-03
1106	1106	0.84627	4.91272E-05	4.2E-05	1.05E-03	4.35E-08	1.59E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
1107	1107	0.8694	4.91272E-05	4.3E-05	1.05E-03	4.46E-08	1.59E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
1108	1108	0.89144	4.91272E-05	4.4E-05	1.05E-03	4.58E-08	1.59E-01	1.57E-01	1.14E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.91256	4.91272E-05	4.5E-05	1.05E-03	4.69E-08	1.59E-01	1.57E-01	1.17E-09	1.0E+06	1.2E-03
1110	1110	0.93209	4.91272E-05	4.6E-05	1.05E-03	4.79E-08	1.59E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
1111	1111	0.94959	4.91272E-05	4.7E-05	1.05E-03	4.88E-08	1.59E-01	1.57E-01	1.22E-09	1.0E+06	1.2E-03
1112	1112	0.38474	4.91272E-05	1.9E-05	1.05E-03	1.98E-08	1.59E-01	1.57E-01	4.93E-10	1.0E+06	4.9E-04
1113	1113	0.39334	4.91272E-05	1.9E-05	1.05E-03	2.02E-08	1.59E-01	1.57E-01	5.04E-10	1.0E+06	5.0E-04
1114	1114	0.40234	4.91272E-05	2.0E-05	1.05E-03	2.07E-08	1.59E-01	1.57E-01	5.16E-10	1.0E+06	5.2E-04
1115	1115	0.41172	4.91272E-05	2.0E-05	1.05E-03	2.11E-08	1.59E-01	1.57E-01	5.28E-10	1.0E+06	5.3E-04
1116	1116	0.42148	4.91272E-05	2.1E-05	1.05E-03	2.16E-08	1.59E-01	1.57E-01	5.40E-10	1.0E+06	5.4E-04
1117	1117	0.43169	4.91272E-05	2.1E-05	1.05E-03	2.22E-08	1.59E-01	1.57E-01	5.54E-10	1.0E+06	5.5E-04
1118	1118	0.44291	4.91272E-05	2.2E-05	1.05E-03	2.27E-08	1.59E-01	1.57E-01	5.68E-10	1.0E+06	5.7E-04
1119	1119	0.45493	4.91272E-05	2.2E-05	1.05E-03	2.34E-08	1.59E-01	1.57E-01	5.83E-10	1.0E+06	5.8E-04
1120	1120	0.46733	4.91272E-05	2.3E-05	1.05E-03	2.40E-08	1.59E-01	1.57E-01	5.99E-10	1.0E+06	6.0E-04
1121	1121	0.47949	4.91272E-05	2.4E-05	1.05E-03	2.46E-08	1.59E-01	1.57E-01	6.15E-10	1.0E+06	6.1E-04
1122	1122	0.49201	4.91272E-05	2.4E-05	1.05E-03	2.53E-08	1.59E-01	1.57E-01	6.31E-10	1.0E+06	6.3E-04
1123	1123	0.50747	4.91272E-05	2.5E-05	1.05E-03	2.61E-08	1.59E-01	1.57E-01	6.51E-10	1.0E+06	6.5E-04
1124	1124	0.52527	4.91272E-05	2.6E-05	1.05E-03	2.70E-08	1.59E-01	1.57E-01	6.73E-10	1.0E+06	6.7E-04
1125	1125	0.54658	4.91272E-05	2.7E-05	1.05E-03	2.81E-08	1.59E-01	1.57E-01	7.01E-10	1.0E+06	7.0E-04
1126	1126	0.5709	4.91272E-05	2.8E-05	1.05E-03	2.93E-08	1.59E-01	1.57E-01	7.32E-10	1.0E+06	7.3E-04
1127	1127	0.59135	4.91272E-05	2.9E-05	1.05E-03	3.04E-08	1.59E-01	1.57E-01	7.58E-10	1.0E+06	7.6E-04
1128	1128	0.61484	4.91272E-05	3.0E-05	1.05E-03	3.16E-08	1.59E-01	1.57E-01	7.88E-10	1.0E+06	7.9E-04
1129	1129	0.63554	4.91272E-05	3.1E-05	1.05E-03	3.26E-08	1.59E-01	1.57E-01	8.15E-10	1.0E+06	8.1E-04
1130	1130	0.65694	4.91272E-05	3.2E-05	1.05E-03	3.37E-08	1.59E-01	1.57E-01	8.42E-10	1.0E+06	8.4E-04
1131	1131	0.67885	4.91272E-05	3.3E-05	1.05E-03	3.49E-08	1.59E-01	1.57E-01	8.70E-10	1.0E+06	8.7E-04
1132	1132	0.70142	4.91272E-05	3.4E-05	1.05E-03	3.60E-08	1.59E-01	1.57E-01	8.99E-10	1.0E+06	9.0E-04
1133	1133	0.72401	4.91272E-05	3.6E-05	1.05E-03	3.72E-08	1.59E-01	1.57E-01	9.28E-10	1.0E+06	9.3E-04
1134	1134	0.74756	4.91272E-05	3.7E-05	1.05E-03	3.84E-08	1.59E-01	1.57E-01	9.59E-10	1.0E+06	9.6E-04
1135	1135	0.77195	4.91272E-05	3.8E-05	1.05E-03	3.96E-08	1.59E-01	1.57E-01	9.90E-10	1.0E+06	9.9E-04
1136	1136	0.79727	4.91272E-05	3.9E-05	1.05E-03	4.09E-08	1.59E-01	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1137	1137	0.82329	4.91272E-05	4.0E-05	1.05E-03	4.23E-08	1.59E-01	1.57E-01	1.06E-09	1.0E+06	1.1E-03
1138	1138	0.85009	4.91272E-05	4.2E-05	1.05E-03	4.37E-08	1.59E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03
1139	1139	0.87801	4.91272E-05	4.3E-05	1.05E-03	4.51E-08	1.59E-01	1.57E-01	1.13E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.90625	4.91272E-05	4.5E-05	1.05E-03	4.65E-08	1.59E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1141	1141	0.93353	4.91272E-05	4.6E-05	1.05E-03	4.79E-08	1.59E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
1142	1142	0.95976	4.91272E-05	4.7E-05	1.05E-03	4.93E-08	1.59E-01	1.57E-01	1.23E-09	1.0E+06	1.2E-03
1143	1143	0.98484	4.91272E-05	4.8E-05	1.05E-03	5.06E-08	1.59E-01	1.57E-01	1.26E-09	1.0E+06	1.3E-03
1144	1144	1.00782	4.91272E-05	5.0E-05	1.05E-03	5.17E-08	1.59E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
1145	1145	1.02861	4.91272E-05	5.1E-05	1.05E-03	5.28E-08	1.59E-01	1.57E-01	1.32E-09	1.0E+06	1.3E-03
1146	1146	0.39624	4.91272E-05	1.9E-05	1.05E-03	2.03E-08	1.59E-01	1.57E-01	5.08E-10	1.0E+06	5.1E-04
1147	1147	0.40536	4.91272E-05	2.0E-05	1.05E-03	2.08E-08	1.59E-01	1.57E-01	5.20E-10	1.0E+06	5.2E-04
1148	1148	0.4149	4.91272E-05	2.0E-05	1.05E-03	2.13E-08	1.59E-01	1.57E-01	5.32E-10	1.0E+06	5.3E-04
1149	1149	0.42486	4.91272E-05	2.1E-05	1.05E-03	2.18E-08	1.59E-01	1.57E-01	5.45E-10	1.0E+06	5.4E-04
1150	1150	0.43529	4.91272E-05	2.1E-05	1.05E-03	2.24E-08	1.59E-01	1.57E-01	5.58E-10	1.0E+06	5.6E-04
1151	1151	0.44621	4.91272E-05	2.2E-05	1.05E-03	2.29E-08	1.59E-01	1.57E-01	5.72E-10	1.0E+06	5.7E-04
1152	1152	0.45803	4.91272E-05	2.3E-05	1.05E-03	2.35E-08	1.59E-01	1.57E-01	5.87E-10	1.0E+06	5.9E-04
1153	1153	0.47065	4.91272E-05	2.3E-05	1.05E-03	2.42E-08	1.59E-01	1.57E-01	6.03E-10	1.0E+06	6.0E-04
1154	1154	0.48379	4.91272E-05	2.4E-05	1.05E-03	2.48E-08	1.59E-01	1.57E-01	6.20E-10	1.0E+06	6.2E-04
1155	1155	0.49707	4.91272E-05	2.4E-05	1.05E-03	2.55E-08	1.59E-01	1.57E-01	6.37E-10	1.0E+06	6.4E-04
1156	1156	0.51102	4.91272E-05	2.5E-05	1.05E-03	2.62E-08	1.59E-01	1.57E-01	6.55E-10	1.0E+06	6.6E-04
1157	1157	0.52848	4.91272E-05	2.6E-05	1.05E-03	2.71E-08	1.59E-01	1.57E-01	6.78E-10	1.0E+06	6.8E-04
1158	1158	0.5454	4.91272E-05	2.7E-05	1.05E-03	2.80E-08	1.59E-01	1.57E-01	6.99E-10	1.0E+06	7.0E-04
1159	1159	0.56834	4.91272E-05	2.8E-05	1.05E-03	2.92E-08	1.59E-01	1.57E-01	7.29E-10	1.0E+06	7.3E-04
1160	1160	0.59417	4.91272E-05	2.9E-05	1.05E-03	3.05E-08	1.59E-01	1.57E-01	7.62E-10	1.0E+06	7.6E-04
1161	1161	0.61621	4.91272E-05	3.0E-05	1.05E-03	3.16E-08	1.59E-01	1.57E-01	7.90E-10	1.0E+06	7.9E-04
1162	1162	0.64166	4.91272E-05	3.2E-05	1.05E-03	3.29E-08	1.59E-01	1.57E-01	8.23E-10	1.0E+06	8.2E-04
1163	1163	0.66448	4.91272E-05	3.3E-05	1.05E-03	3.41E-08	1.59E-01	1.57E-01	8.52E-10	1.0E+06	8.5E-04
1164	1164	0.68815	4.91272E-05	3.4E-05	1.05E-03	3.53E-08	1.59E-01	1.57E-01	8.82E-10	1.0E+06	8.8E-04
1165	1165	0.71252	4.91272E-05	3.5E-05	1.05E-03	3.66E-08	1.59E-01	1.57E-01	9.14E-10	1.0E+06	9.1E-04
1166	1166	0.73778	4.91272E-05	3.6E-05	1.05E-03	3.79E-08	1.59E-01	1.57E-01	9.46E-10	1.0E+06	9.5E-04
1167	1167	0.76328	4.91272E-05	3.7E-05	1.05E-03	3.92E-08	1.59E-01	1.57E-01	9.79E-10	1.0E+06	9.8E-04
1168	1168	0.79005	4.91272E-05	3.9E-05	1.05E-03	4.06E-08	1.59E-01	1.57E-01	1.01E-09	1.0E+06	1.0E-03
1169	1169	0.81798	4.91272E-05	4.0E-05	1.05E-03	4.20E-08	1.59E-01	1.57E-01	1.05E-09	1.0E+06	1.0E-03
1170	1170	0.84709	4.91272E-05	4.2E-05	1.05E-03	4.35E-08	1.59E-01	1.57E-01	1.09E-09	1.0E+06	1.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.87722	4.91272E-05	4.3E-05	1.05E-03	4.50E-08	1.59E-01	1.57E-01	1.12E-09	1.0E+06	1.1E-03
1172	1172	0.90848	4.91272E-05	4.5E-05	1.05E-03	4.66E-08	1.59E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1173	1173	0.94091	4.91272E-05	4.6E-05	1.05E-03	4.83E-08	1.59E-01	1.57E-01	1.21E-09	1.0E+06	1.2E-03
1174	1174	0.97406	4.91272E-05	4.8E-05	1.05E-03	5.00E-08	1.59E-01	1.57E-01	1.25E-09	1.0E+06	1.2E-03
1175	1175	1.00657	4.91272E-05	4.9E-05	1.05E-03	5.17E-08	1.59E-01	1.57E-01	1.29E-09	1.0E+06	1.3E-03
1176	1176	1.03824	4.91272E-05	5.1E-05	1.05E-03	5.33E-08	1.59E-01	1.57E-01	1.33E-09	1.0E+06	1.3E-03
1177	1177	1.06812	4.91272E-05	5.2E-05	1.05E-03	5.48E-08	1.59E-01	1.57E-01	1.37E-09	1.0E+06	1.4E-03
1178	1178	1.09572	4.91272E-05	5.4E-05	1.05E-03	5.63E-08	1.59E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
1179	1179	1.12076	4.91272E-05	5.5E-05	1.05E-03	5.75E-08	1.59E-01	1.57E-01	1.44E-09	1.0E+06	1.4E-03
1180	1180	0.40795	4.91272E-05	2.0E-05	1.05E-03	2.09E-08	1.59E-01	1.57E-01	5.23E-10	1.0E+06	5.2E-04
1181	1181	0.41763	4.91272E-05	2.1E-05	1.05E-03	2.14E-08	1.59E-01	1.57E-01	5.35E-10	1.0E+06	5.4E-04
1182	1182	0.42776	4.91272E-05	2.1E-05	1.05E-03	2.20E-08	1.59E-01	1.57E-01	5.48E-10	1.0E+06	5.5E-04
1183	1183	0.43835	4.91272E-05	2.2E-05	1.05E-03	2.25E-08	1.59E-01	1.57E-01	5.62E-10	1.0E+06	5.6E-04
1184	1184	0.44947	4.91272E-05	2.2E-05	1.05E-03	2.31E-08	1.59E-01	1.57E-01	5.76E-10	1.0E+06	5.8E-04
1185	1185	0.46117	4.91272E-05	2.3E-05	1.05E-03	2.37E-08	1.59E-01	1.57E-01	5.91E-10	1.0E+06	5.9E-04
1186	1186	0.47367	4.91272E-05	2.3E-05	1.05E-03	2.43E-08	1.59E-01	1.57E-01	6.07E-10	1.0E+06	6.1E-04
1187	1187	0.48693	4.91272E-05	2.4E-05	1.05E-03	2.50E-08	1.59E-01	1.57E-01	6.24E-10	1.0E+06	6.2E-04
1188	1188	0.50088	4.91272E-05	2.5E-05	1.05E-03	2.57E-08	1.59E-01	1.57E-01	6.42E-10	1.0E+06	6.4E-04
1189	1189	0.5153	4.91272E-05	2.5E-05	1.05E-03	2.65E-08	1.59E-01	1.57E-01	6.61E-10	1.0E+06	6.6E-04
1190	1190	0.5305	4.91272E-05	2.6E-05	1.05E-03	2.72E-08	1.59E-01	1.57E-01	6.80E-10	1.0E+06	6.8E-04
1191	1191	0.54842	4.91272E-05	2.7E-05	1.05E-03	2.82E-08	1.59E-01	1.57E-01	7.03E-10	1.0E+06	7.0E-04
1192	1192	0.56892	4.91272E-05	2.8E-05	1.05E-03	2.92E-08	1.59E-01	1.57E-01	7.29E-10	1.0E+06	7.3E-04
1193	1193	0.59104	4.91272E-05	2.9E-05	1.05E-03	3.03E-08	1.59E-01	1.57E-01	7.58E-10	1.0E+06	7.6E-04
1194	1194	0.61846	4.91272E-05	3.0E-05	1.05E-03	3.18E-08	1.59E-01	1.57E-01	7.93E-10	1.0E+06	7.9E-04
1195	1195	0.64228	4.91272E-05	3.2E-05	1.05E-03	3.30E-08	1.59E-01	1.57E-01	8.24E-10	1.0E+06	8.2E-04
1196	1196	0.66842	4.91272E-05	3.3E-05	1.05E-03	3.43E-08	1.59E-01	1.57E-01	8.57E-10	1.0E+06	8.6E-04
1197	1197	0.69504	4.91272E-05	3.4E-05	1.05E-03	3.57E-08	1.59E-01	1.57E-01	8.91E-10	1.0E+06	8.9E-04
1198	1198	0.72129	4.91272E-05	3.5E-05	1.05E-03	3.70E-08	1.59E-01	1.57E-01	9.25E-10	1.0E+06	9.2E-04
1199	1199	0.74844	4.91272E-05	3.7E-05	1.05E-03	3.84E-08	1.59E-01	1.57E-01	9.60E-10	1.0E+06	9.6E-04
1200	1200	0.7768	4.91272E-05	3.8E-05	1.05E-03	3.99E-08	1.59E-01	1.57E-01	9.96E-10	1.0E+06	1.0E-03
1201	1201	0.80566	4.91272E-05	4.0E-05	1.05E-03	4.14E-08	1.59E-01	1.57E-01	1.03E-09	1.0E+06	1.0E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Grading Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.83621	4.91272E-05	4.1E-05	1.05E-03	4.29E-08	1.59E-01	1.57E-01	1.07E-09	1.0E+06	1.1E-03
1203	1203	0.86819	4.91272E-05	4.3E-05	1.05E-03	4.46E-08	1.59E-01	1.57E-01	1.11E-09	1.0E+06	1.1E-03
1204	1204	0.90189	4.91272E-05	4.4E-05	1.05E-03	4.63E-08	1.59E-01	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1205	1205	0.93707	4.91272E-05	4.6E-05	1.05E-03	4.81E-08	1.59E-01	1.57E-01	1.20E-09	1.0E+06	1.2E-03
1206	1206	0.97373	4.91272E-05	4.8E-05	1.05E-03	5.00E-08	1.59E-01	1.57E-01	1.25E-09	1.0E+06	1.2E-03
1207	1207	1.01182	4.91272E-05	5.0E-05	1.05E-03	5.20E-08	1.59E-01	1.57E-01	1.30E-09	1.0E+06	1.3E-03
1208	1208	1.05104	4.91272E-05	5.2E-05	1.05E-03	5.40E-08	1.59E-01	1.57E-01	1.35E-09	1.0E+06	1.3E-03
1209	1209	1.09022	4.91272E-05	5.4E-05	1.05E-03	5.60E-08	1.59E-01	1.57E-01	1.40E-09	1.0E+06	1.4E-03
1210	1210	1.12876	4.91272E-05	5.5E-05	1.05E-03	5.80E-08	1.59E-01	1.57E-01	1.45E-09	1.0E+06	1.4E-03
1211	1211	1.16491	4.91272E-05	5.7E-05	1.05E-03	5.98E-08	1.59E-01	1.57E-01	1.49E-09	1.0E+06	1.5E-03
1212	1212	1.19867	4.91272E-05	5.9E-05	1.05E-03	6.15E-08	1.59E-01	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1213	1213	1.22919	4.91272E-05	6.0E-05	1.05E-03	6.31E-08	1.59E-01	1.57E-01	1.58E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
892	892	1.1E+00	Max	Receptor #	5	8.69E-03	Max	Receptor #	
893	893	1.2E+00	4.770	1205	5	8.93E-03	0.037	1205	Res
894	894	1.2E+00			5	9.16E-03			
895	895	1.2E+00			5	9.38E-03			
896	896	1.3E+00			5	9.58E-03			
897	897	1.3E+00			5	9.75E-03			
898	898	1.3E+00			5	9.89E-03			
899	899	1.3E+00			5	1.00E-02			
900	900	1.3E+00			5	1.01E-02			
901	901	1.3E+00			5	1.01E-02			
902	902	1.3E+00			5	1.01E-02			
903	903	1.3E+00			5	1.00E-02			
904	904	1.3E+00			5	9.87E-03			
905	905	1.3E+00			5	9.71E-03			
906	906	1.2E+00			5	9.50E-03			
907	907	1.2E+00			5	9.28E-03			
908	908	6.6E-01			5	5.03E-03			
909	909	6.8E-01			5	5.21E-03			
910	910	7.0E-01			5	5.38E-03			
911	911	7.3E-01			5	5.57E-03			
912	912	7.5E-01			5	5.76E-03			
913	913	7.8E-01			5	5.96E-03			
914	914	8.0E-01			5	6.16E-03			
915	915	8.3E-01			5	6.36E-03			
916	916	8.6E-01			5	6.58E-03			
917	917	8.9E-01			5	6.81E-03			
918	918	9.2E-01			5	7.04E-03			
919	919	9.5E-01			5	7.28E-03			
920	920	9.8E-01			5	7.54E-03			
921	921	1.0E+00			5	7.80E-03			
922	922	1.1E+00			5	8.07E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	1.1E+00	5	8.35E-03
924	924	1.1E+00	5	8.64E-03
925	925	1.2E+00	5	8.93E-03
926	926	1.2E+00	5	9.23E-03
927	927	1.2E+00	5	9.53E-03
928	928	1.3E+00	5	9.83E-03
929	929	1.3E+00	5	1.01E-02
930	930	1.4E+00	5	1.04E-02
931	931	1.4E+00	5	1.06E-02
932	932	1.4E+00	5	1.09E-02
933	933	1.4E+00	5	1.11E-02
934	934	1.5E+00	5	1.12E-02
935	935	1.5E+00	5	1.13E-02
936	936	1.5E+00	5	1.13E-02
937	937	1.5E+00	5	1.13E-02
938	938	1.5E+00	5	1.12E-02
939	939	1.4E+00	5	1.10E-02
940	940	1.4E+00	5	1.08E-02
941	941	1.4E+00	5	1.06E-02
942	942	6.9E-01	5	5.31E-03
943	943	7.2E-01	5	5.51E-03
944	944	7.5E-01	5	5.71E-03
945	945	7.7E-01	5	5.91E-03
946	946	8.0E-01	5	6.12E-03
947	947	8.3E-01	5	6.34E-03
948	948	8.6E-01	5	6.57E-03
949	949	8.9E-01	5	6.79E-03
950	950	9.2E-01	5	7.03E-03
951	951	9.5E-01	5	7.29E-03
952	952	9.9E-01	5	7.56E-03
953	953	1.0E+00	5	7.83E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	1.1E+00	5	8.12E-03
955	955	1.1E+00	5	8.42E-03
956	956	1.1E+00	5	8.74E-03
957	957	1.2E+00	5	9.07E-03
958	958	1.2E+00	5	9.42E-03
959	959	1.3E+00	5	9.77E-03
960	960	1.3E+00	5	1.01E-02
961	961	1.4E+00	5	1.05E-02
962	962	1.4E+00	5	1.09E-02
963	963	1.5E+00	5	1.13E-02
964	964	1.5E+00	5	1.16E-02
965	965	1.6E+00	5	1.19E-02
966	966	1.6E+00	5	1.22E-02
967	967	1.6E+00	5	1.25E-02
968	968	1.7E+00	5	1.26E-02
969	969	1.7E+00	5	1.28E-02
970	970	1.7E+00	5	1.28E-02
971	971	1.7E+00	5	1.28E-02
972	972	1.7E+00	5	1.26E-02
973	973	1.6E+00	5	1.24E-02
974	974	1.6E+00	5	1.22E-02
975	975	1.5E+00	5	1.18E-02
976	976	7.3E-01	5	5.62E-03
977	977	7.6E-01	5	5.84E-03
978	978	7.9E-01	5	6.05E-03
979	979	8.2E-01	5	6.27E-03
980	980	8.5E-01	5	6.51E-03
981	981	8.8E-01	5	6.76E-03
982	982	9.2E-01	5	7.01E-03
983	983	9.5E-01	5	7.26E-03
984	984	9.8E-01	5	7.53E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	1.0E+00	5	7.82E-03
986	986	1.1E+00	5	8.12E-03
987	987	1.1E+00	5	8.44E-03
988	988	1.1E+00	5	8.76E-03
989	989	1.2E+00	5	9.11E-03
990	990	1.2E+00	5	9.49E-03
991	991	1.3E+00	5	9.88E-03
992	992	1.3E+00	5	1.03E-02
993	993	1.4E+00	5	1.07E-02
994	994	1.5E+00	5	1.12E-02
995	995	1.5E+00	5	1.17E-02
996	996	1.6E+00	5	1.21E-02
997	997	1.6E+00	5	1.26E-02
998	998	1.7E+00	5	1.31E-02
999	999	1.8E+00	5	1.35E-02
1000	1000	1.8E+00	5	1.39E-02
1001	1001	1.9E+00	5	1.42E-02
1002	1002	1.9E+00	5	1.44E-02
1003	1003	1.9E+00	5	1.46E-02
1004	1004	1.9E+00	5	1.47E-02
1005	1005	1.9E+00	5	1.46E-02
1006	1006	1.9E+00	5	1.45E-02
1007	1007	1.9E+00	5	1.42E-02
1008	1008	1.8E+00	5	1.38E-02
1009	1009	1.7E+00	5	1.34E-02
1010	1010	7.8E-01	5	5.95E-03
1011	1011	8.1E-01	5	6.19E-03
1012	1012	8.4E-01	5	6.43E-03
1013	1013	8.7E-01	5	6.67E-03
1014	1014	9.1E-01	5	6.94E-03
1015	1015	9.4E-01	5	7.21E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	9.8E-01	5	7.49E-03
1017	1017	1.0E+00	5	7.77E-03
1018	1018	1.1E+00	5	8.08E-03
1019	1019	1.1E+00	5	8.41E-03
1020	1020	1.1E+00	5	8.75E-03
1021	1021	1.2E+00	5	9.10E-03
1022	1022	1.2E+00	5	9.48E-03
1023	1023	1.3E+00	5	9.88E-03
1024	1024	1.3E+00	5	1.03E-02
1025	1025	1.4E+00	5	1.08E-02
1026	1026	1.5E+00	5	1.13E-02
1027	1027	1.5E+00	5	1.18E-02
1028	1028	1.6E+00	5	1.24E-02
1029	1029	1.7E+00	5	1.30E-02
1030	1030	1.8E+00	5	1.36E-02
1031	1031	1.9E+00	5	1.42E-02
1032	1032	1.9E+00	5	1.48E-02
1033	1033	2.0E+00	5	1.54E-02
1034	1034	2.1E+00	5	1.60E-02
1035	1035	2.1E+00	5	1.64E-02
1036	1036	2.2E+00	5	1.67E-02
1037	1037	2.2E+00	5	1.70E-02
1038	1038	2.2E+00	5	1.70E-02
1039	1039	2.2E+00	5	1.69E-02
1040	1040	2.2E+00	5	1.67E-02
1041	1041	2.1E+00	5	1.64E-02
1042	1042	2.1E+00	5	1.59E-02
1043	1043	2.0E+00	5	1.53E-02
1044	1044	8.2E-01	5	6.31E-03
1045	1045	8.6E-01	5	6.57E-03
1046	1046	8.9E-01	5	6.85E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	9.3E-01	5	7.11E-03
1048	1048	9.7E-01	5	7.41E-03
1049	1049	1.0E+00	5	7.71E-03
1050	1050	1.0E+00	5	8.03E-03
1051	1051	1.1E+00	5	8.34E-03
1052	1052	1.1E+00	5	8.69E-03
1053	1053	1.2E+00	5	9.05E-03
1054	1054	1.2E+00	5	9.44E-03
1055	1055	1.3E+00	5	9.84E-03
1056	1056	1.3E+00	5	1.03E-02
1057	1057	1.4E+00	5	1.07E-02
1058	1058	1.5E+00	5	1.13E-02
1059	1059	1.5E+00	5	1.18E-02
1060	1060	1.6E+00	5	1.24E-02
1061	1061	1.7E+00	5	1.31E-02
1062	1062	1.8E+00	5	1.38E-02
1063	1063	1.9E+00	5	1.46E-02
1064	1064	2.0E+00	5	1.54E-02
1065	1065	2.1E+00	5	1.62E-02
1066	1066	2.2E+00	5	1.71E-02
1067	1067	2.3E+00	5	1.79E-02
1068	1068	2.4E+00	5	1.86E-02
1069	1069	2.5E+00	5	1.92E-02
1070	1070	2.6E+00	5	1.97E-02
1071	1071	2.6E+00	5	2.00E-02
1072	1072	2.6E+00	5	2.01E-02
1073	1073	2.6E+00	5	2.00E-02
1074	1074	2.6E+00	5	1.97E-02
1075	1075	2.5E+00	5	1.92E-02
1076	1076	2.4E+00	5	1.85E-02
1077	1077	2.3E+00	5	1.76E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	8.8E-01	5	6.71E-03
1079	1079	9.1E-01	5	7.00E-03
1080	1080	9.5E-01	5	7.30E-03
1081	1081	9.9E-01	5	7.60E-03
1082	1082	1.0E+00	5	7.92E-03
1083	1083	1.1E+00	5	8.27E-03
1084	1084	1.1E+00	5	8.62E-03
1085	1085	1.2E+00	5	8.97E-03
1086	1086	1.2E+00	5	9.35E-03
1087	1087	1.3E+00	5	9.76E-03
1088	1088	1.3E+00	5	1.02E-02
1089	1089	1.4E+00	5	1.07E-02
1090	1090	1.5E+00	5	1.12E-02
1091	1091	1.5E+00	5	1.17E-02
1092	1092	1.6E+00	5	1.23E-02
1093	1093	1.7E+00	5	1.30E-02
1094	1094	1.8E+00	5	1.37E-02
1095	1095	1.9E+00	5	1.46E-02
1096	1096	2.0E+00	5	1.55E-02
1097	1097	2.2E+00	5	1.65E-02
1098	1098	2.3E+00	5	1.76E-02
1099	1099	2.5E+00	5	1.88E-02
1100	1100	2.6E+00	5	2.00E-02
1101	1101	2.8E+00	5	2.11E-02
1102	1102	2.9E+00	5	2.22E-02
1103	1103	3.0E+00	5	2.31E-02
1104	1104	3.1E+00	5	2.37E-02
1105	1105	3.2E+00	5	2.41E-02
1106	1106	3.2E+00	5	2.43E-02
1107	1107	3.2E+00	5	2.41E-02
1108	1108	3.1E+00	5	2.37E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	3.0E+00	5	2.29E-02
1110	1110	2.9E+00	5	2.19E-02
1111	1111	2.7E+00	5	2.06E-02
1112	1112	9.3E-01	5	7.14E-03
1113	1113	9.7E-01	5	7.46E-03
1114	1114	1.0E+00	5	7.80E-03
1115	1115	1.1E+00	5	8.14E-03
1116	1116	1.1E+00	5	8.49E-03
1117	1117	1.2E+00	5	8.88E-03
1118	1118	1.2E+00	5	9.27E-03
1119	1119	1.3E+00	5	9.67E-03
1120	1120	1.3E+00	5	1.01E-02
1121	1121	1.4E+00	5	1.06E-02
1122	1122	1.4E+00	5	1.10E-02
1123	1123	1.5E+00	5	1.16E-02
1124	1124	1.6E+00	5	1.21E-02
1125	1125	1.7E+00	5	1.28E-02
1126	1126	1.8E+00	5	1.35E-02
1127	1127	1.9E+00	5	1.43E-02
1128	1128	2.0E+00	5	1.52E-02
1129	1129	2.1E+00	5	1.62E-02
1130	1130	2.3E+00	5	1.75E-02
1131	1131	2.5E+00	5	1.88E-02
1132	1132	2.7E+00	5	2.04E-02
1133	1133	2.9E+00	5	2.21E-02
1134	1134	3.1E+00	5	2.38E-02
1135	1135	3.3E+00	5	2.54E-02
1136	1136	3.5E+00	5	2.70E-02
1137	1137	3.7E+00	5	2.83E-02
1138	1138	3.8E+00	5	2.93E-02
1139	1139	3.9E+00	5	2.99E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	3.9E+00	5	3.01E-02
1141	1141	3.9E+00	5	2.99E-02
1142	1142	3.8E+00	5	2.93E-02
1143	1143	3.7E+00	5	2.81E-02
1144	1144	3.5E+00	5	2.65E-02
1145	1145	3.2E+00	5	2.46E-02
1146	1146	9.9E-01	5	7.61E-03
1147	1147	1.0E+00	5	7.98E-03
1148	1148	1.1E+00	5	8.35E-03
1149	1149	1.1E+00	5	8.74E-03
1150	1150	1.2E+00	5	9.14E-03
1151	1151	1.2E+00	5	9.56E-03
1152	1152	1.3E+00	5	1.00E-02
1153	1153	1.4E+00	5	1.04E-02
1154	1154	1.4E+00	5	1.09E-02
1155	1155	1.5E+00	5	1.14E-02
1156	1156	1.6E+00	5	1.20E-02
1157	1157	1.6E+00	5	1.26E-02
1158	1158	1.7E+00	5	1.32E-02
1159	1159	1.8E+00	5	1.40E-02
1160	1160	1.9E+00	5	1.48E-02
1161	1161	2.1E+00	5	1.57E-02
1162	1162	2.2E+00	5	1.68E-02
1163	1163	2.4E+00	5	1.82E-02
1164	1164	2.6E+00	5	1.98E-02
1165	1165	2.8E+00	5	2.17E-02
1166	1166	3.1E+00	5	2.39E-02
1167	1167	3.5E+00	5	2.64E-02
1168	1168	3.1E+00	5	2.39E-02
1169	1169	4.1E+00	5	3.15E-02
1170	1170	3.7E+00	5	2.83E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	3.8E+00	5	2.93E-02
1172	1172	4.0E+00	5	3.05E-02
1173	1173	4.1E+00	5	3.18E-02
1174	1174	4.2E+00	5	3.23E-02
1175	1175	4.1E+00	5	3.12E-02
1176	1176	3.9E+00	5	3.00E-02
1177	1177	3.8E+00	5	2.88E-02
1178	1178	2.9E+00	5	2.23E-02
1179	1179	3.2E+00	5	2.46E-02
1180	1180	1.1E+00	5	8.14E-03
1181	1181	1.1E+00	5	8.55E-03
1182	1182	1.2E+00	5	8.97E-03
1183	1183	1.2E+00	5	9.42E-03
1184	1184	1.3E+00	5	9.86E-03
1185	1185	1.3E+00	5	1.03E-02
1186	1186	1.4E+00	5	1.08E-02
1187	1187	1.5E+00	5	1.13E-02
1188	1188	1.5E+00	5	1.19E-02
1189	1189	1.6E+00	5	1.24E-02
1190	1190	1.7E+00	5	1.30E-02
1191	1191	1.8E+00	5	1.37E-02
1192	1192	1.9E+00	5	1.44E-02
1193	1193	2.0E+00	5	1.53E-02
1194	1194	2.1E+00	5	1.62E-02
1195	1195	2.3E+00	5	1.73E-02
1196	1196	2.4E+00	5	1.87E-02
1197	1197	2.7E+00	5	2.03E-02
1198	1198	2.9E+00	5	2.24E-02
1199	1199	3.3E+00	5	2.51E-02
1200	1200	3.0E+00	5	2.28E-02
1201	1201	3.3E+00	5	2.52E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Grading Risk

		Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**		**REL**	**HI**
1202	1202	3.7E+00		5	2.83E-02
1203	1203	3.4E+00		5	2.62E-02
1204	1204	3.7E+00		5	2.87E-02
1205	1205	4.8E+00		5	3.65E-02
1206	1206	4.3E+00		5	3.31E-02
1207	1207	4.4E+00		5	3.38E-02
1208	1208	3.8E+00		5	2.89E-02
1209	1209	4.4E+00		5	3.34E-02
1210	1210	3.5E+00		5	2.68E-02
1211	1211	3.2E+00		5	2.41E-02
1212	1212	3.4E+00		5	2.64E-02
1213	1213	3.0E+00		5	2.33E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	1.82E-02	4.2E-02	1.05E-03	4.42E-05	1.59E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
893	2.38542	1.82E-02	4.3E-02	1.05E-03	4.54E-05	1.59E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
894	2.44758	1.82E-02	4.5E-02	1.05E-03	4.66E-05	1.59E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
895	2.50618	1.82E-02	4.6E-02	1.05E-03	4.77E-05	1.59E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
896	2.55908	1.82E-02	4.7E-02	1.05E-03	4.87E-05	1.59E-01	1.57E-01	1.22E-06	1.0E+06	1.2E+00
897	2.60474	1.82E-02	4.7E-02	1.05E-03	4.96E-05	1.59E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
898	2.64253	1.82E-02	4.8E-02	1.05E-03	5.03E-05	1.59E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
899	2.67158	1.82E-02	4.9E-02	1.05E-03	5.08E-05	1.59E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
900	2.69069	1.82E-02	4.9E-02	1.05E-03	5.12E-05	1.59E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
901	2.69844	1.82E-02	4.9E-02	1.05E-03	5.14E-05	1.59E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
902	2.69171	1.82E-02	4.9E-02	1.05E-03	5.12E-05	1.59E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
903	2.6708	1.82E-02	4.9E-02	1.05E-03	5.08E-05	1.59E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
904	2.63764	1.82E-02	4.8E-02	1.05E-03	5.02E-05	1.59E-01	1.57E-01	1.25E-06	1.0E+06	1.3E+00
905	2.59313	1.82E-02	4.7E-02	1.05E-03	4.94E-05	1.59E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
906	2.53783	1.82E-02	4.6E-02	1.05E-03	4.83E-05	1.59E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
907	2.47822	1.82E-02	4.5E-02	1.05E-03	4.72E-05	1.59E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
908	1.34378	1.82E-02	2.4E-02	1.05E-03	2.56E-05	1.59E-01	1.57E-01	6.39E-07	1.0E+06	6.4E-01
909	1.39182	1.82E-02	2.5E-02	1.05E-03	2.65E-05	1.59E-01	1.57E-01	6.61E-07	1.0E+06	6.6E-01
910	1.43801	1.82E-02	2.6E-02	1.05E-03	2.74E-05	1.59E-01	1.57E-01	6.83E-07	1.0E+06	6.8E-01
911	1.4874	1.82E-02	2.7E-02	1.05E-03	2.83E-05	1.59E-01	1.57E-01	7.07E-07	1.0E+06	7.1E-01
912	1.53931	1.82E-02	2.8E-02	1.05E-03	2.93E-05	1.59E-01	1.57E-01	7.32E-07	1.0E+06	7.3E-01
913	1.59264	1.82E-02	2.9E-02	1.05E-03	3.03E-05	1.59E-01	1.57E-01	7.57E-07	1.0E+06	7.6E-01
914	1.64626	1.82E-02	3.0E-02	1.05E-03	3.13E-05	1.59E-01	1.57E-01	7.82E-07	1.0E+06	7.8E-01
915	1.70051	1.82E-02	3.1E-02	1.05E-03	3.24E-05	1.59E-01	1.57E-01	8.08E-07	1.0E+06	8.1E-01
916	1.75782	1.82E-02	3.2E-02	1.05E-03	3.35E-05	1.59E-01	1.57E-01	8.35E-07	1.0E+06	8.4E-01
917	1.81857	1.82E-02	3.3E-02	1.05E-03	3.46E-05	1.59E-01	1.57E-01	8.64E-07	1.0E+06	8.6E-01
918	1.88138	1.82E-02	3.4E-02	1.05E-03	3.58E-05	1.59E-01	1.57E-01	8.94E-07	1.0E+06	8.9E-01
919	1.9463	1.82E-02	3.5E-02	1.05E-03	3.70E-05	1.59E-01	1.57E-01	9.25E-07	1.0E+06	9.2E-01
920	2.01351	1.82E-02	3.7E-02	1.05E-03	3.83E-05	1.59E-01	1.57E-01	9.57E-07	1.0E+06	9.6E-01
921	2.08316	1.82E-02	3.8E-02	1.05E-03	3.96E-05	1.59E-01	1.57E-01	9.90E-07	1.0E+06	9.9E-01
922	2.15554	1.82E-02	3.9E-02	1.05E-03	4.10E-05	1.59E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00

	Max	Receptor #
Res	4.639	1205

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	1.82E-02	4.1E-02	1.05E-03	4.25E-05	1.59E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
924	2.30792	1.82E-02	4.2E-02	1.05E-03	4.39E-05	1.59E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
925	2.38688	1.82E-02	4.3E-02	1.05E-03	4.54E-05	1.59E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
926	2.46714	1.82E-02	4.5E-02	1.05E-03	4.70E-05	1.59E-01	1.57E-01	1.17E-06	1.0E+06	1.2E+00
927	2.54717	1.82E-02	4.6E-02	1.05E-03	4.85E-05	1.59E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
928	2.62654	1.82E-02	4.8E-02	1.05E-03	5.00E-05	1.59E-01	1.57E-01	1.25E-06	1.0E+06	1.2E+00
929	2.70395	1.82E-02	4.9E-02	1.05E-03	5.15E-05	1.59E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
930	2.77767	1.82E-02	5.1E-02	1.05E-03	5.29E-05	1.59E-01	1.57E-01	1.32E-06	1.0E+06	1.3E+00
931	2.84499	1.82E-02	5.2E-02	1.05E-03	5.41E-05	1.59E-01	1.57E-01	1.35E-06	1.0E+06	1.4E+00
932	2.90354	1.82E-02	5.3E-02	1.05E-03	5.53E-05	1.59E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
933	2.9525	1.82E-02	5.4E-02	1.05E-03	5.62E-05	1.59E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
934	2.99008	1.82E-02	5.4E-02	1.05E-03	5.69E-05	1.59E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
935	3.01462	1.82E-02	5.5E-02	1.05E-03	5.74E-05	1.59E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
936	3.02389	1.82E-02	5.5E-02	1.05E-03	5.76E-05	1.59E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
937	3.01538	1.82E-02	5.5E-02	1.05E-03	5.74E-05	1.59E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
938	2.98903	1.82E-02	5.4E-02	1.05E-03	5.69E-05	1.59E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
939	2.94679	1.82E-02	5.4E-02	1.05E-03	5.61E-05	1.59E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
940	2.89021	1.82E-02	5.3E-02	1.05E-03	5.50E-05	1.59E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
941	2.82029	1.82E-02	5.1E-02	1.05E-03	5.37E-05	1.59E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
942	1.41975	1.82E-02	2.6E-02	1.05E-03	2.70E-05	1.59E-01	1.57E-01	6.75E-07	1.0E+06	6.7E-01
943	1.4724	1.82E-02	2.7E-02	1.05E-03	2.80E-05	1.59E-01	1.57E-01	7.00E-07	1.0E+06	7.0E-01
944	1.52496	1.82E-02	2.8E-02	1.05E-03	2.90E-05	1.59E-01	1.57E-01	7.25E-07	1.0E+06	7.2E-01
945	1.57781	1.82E-02	2.9E-02	1.05E-03	3.00E-05	1.59E-01	1.57E-01	7.50E-07	1.0E+06	7.5E-01
946	1.63542	1.82E-02	3.0E-02	1.05E-03	3.11E-05	1.59E-01	1.57E-01	7.77E-07	1.0E+06	7.8E-01
947	1.69476	1.82E-02	3.1E-02	1.05E-03	3.23E-05	1.59E-01	1.57E-01	8.05E-07	1.0E+06	8.1E-01
948	1.75455	1.82E-02	3.2E-02	1.05E-03	3.34E-05	1.59E-01	1.57E-01	8.34E-07	1.0E+06	8.3E-01
949	1.81519	1.82E-02	3.3E-02	1.05E-03	3.45E-05	1.59E-01	1.57E-01	8.63E-07	1.0E+06	8.6E-01
950	1.8796	1.82E-02	3.4E-02	1.05E-03	3.58E-05	1.59E-01	1.57E-01	8.93E-07	1.0E+06	8.9E-01
951	1.94787	1.82E-02	3.5E-02	1.05E-03	3.71E-05	1.59E-01	1.57E-01	9.26E-07	1.0E+06	9.3E-01
952	2.01881	1.82E-02	3.7E-02	1.05E-03	3.84E-05	1.59E-01	1.57E-01	9.59E-07	1.0E+06	9.6E-01
953	2.09254	1.82E-02	3.8E-02	1.05E-03	3.98E-05	1.59E-01	1.57E-01	9.94E-07	1.0E+06	9.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	1.82E-02	4.0E-02	1.05E-03	4.13E-05	1.59E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
955	2.24971	1.82E-02	4.1E-02	1.05E-03	4.28E-05	1.59E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
956	2.33459	1.82E-02	4.3E-02	1.05E-03	4.44E-05	1.59E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
957	2.42362	1.82E-02	4.4E-02	1.05E-03	4.61E-05	1.59E-01	1.57E-01	1.15E-06	1.0E+06	1.2E+00
958	2.51608	1.82E-02	4.6E-02	1.05E-03	4.79E-05	1.59E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
959	2.61119	1.82E-02	4.8E-02	1.05E-03	4.97E-05	1.59E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
960	2.70919	1.82E-02	4.9E-02	1.05E-03	5.16E-05	1.59E-01	1.57E-01	1.29E-06	1.0E+06	1.3E+00
961	2.80855	1.82E-02	5.1E-02	1.05E-03	5.35E-05	1.59E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
962	2.90798	1.82E-02	5.3E-02	1.05E-03	5.53E-05	1.59E-01	1.57E-01	1.38E-06	1.0E+06	1.4E+00
963	3.00621	1.82E-02	5.5E-02	1.05E-03	5.72E-05	1.59E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
964	3.10043	1.82E-02	5.6E-02	1.05E-03	5.90E-05	1.59E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
965	3.18812	1.82E-02	5.8E-02	1.05E-03	6.07E-05	1.59E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
966	3.26457	1.82E-02	5.9E-02	1.05E-03	6.21E-05	1.59E-01	1.57E-01	1.55E-06	1.0E+06	1.6E+00
967	3.32885	1.82E-02	6.1E-02	1.05E-03	6.34E-05	1.59E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
968	3.37814	1.82E-02	6.2E-02	1.05E-03	6.43E-05	1.59E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
969	3.41014	1.82E-02	6.2E-02	1.05E-03	6.49E-05	1.59E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
970	3.42128	1.82E-02	6.2E-02	1.05E-03	6.51E-05	1.59E-01	1.57E-01	1.63E-06	1.0E+06	1.6E+00
971	3.41078	1.82E-02	6.2E-02	1.05E-03	6.49E-05	1.59E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
972	3.37829	1.82E-02	6.2E-02	1.05E-03	6.43E-05	1.59E-01	1.57E-01	1.61E-06	1.0E+06	1.6E+00
973	3.32508	1.82E-02	6.1E-02	1.05E-03	6.33E-05	1.59E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
974	3.25251	1.82E-02	5.9E-02	1.05E-03	6.19E-05	1.59E-01	1.57E-01	1.55E-06	1.0E+06	1.5E+00
975	3.16305	1.82E-02	5.8E-02	1.05E-03	6.02E-05	1.59E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
976	1.5019	1.82E-02	2.7E-02	1.05E-03	2.86E-05	1.59E-01	1.57E-01	7.14E-07	1.0E+06	7.1E-01
977	1.55951	1.82E-02	2.8E-02	1.05E-03	2.97E-05	1.59E-01	1.57E-01	7.41E-07	1.0E+06	7.4E-01
978	1.6175	1.82E-02	2.9E-02	1.05E-03	3.08E-05	1.59E-01	1.57E-01	7.69E-07	1.0E+06	7.7E-01
979	1.67604	1.82E-02	3.1E-02	1.05E-03	3.19E-05	1.59E-01	1.57E-01	7.97E-07	1.0E+06	8.0E-01
980	1.74002	1.82E-02	3.2E-02	1.05E-03	3.31E-05	1.59E-01	1.57E-01	8.27E-07	1.0E+06	8.3E-01
981	1.80609	1.82E-02	3.3E-02	1.05E-03	3.44E-05	1.59E-01	1.57E-01	8.58E-07	1.0E+06	8.6E-01
982	1.87281	1.82E-02	3.4E-02	1.05E-03	3.56E-05	1.59E-01	1.57E-01	8.90E-07	1.0E+06	8.9E-01
983	1.94072	1.82E-02	3.5E-02	1.05E-03	3.69E-05	1.59E-01	1.57E-01	9.22E-07	1.0E+06	9.2E-01
984	2.01313	1.82E-02	3.7E-02	1.05E-03	3.83E-05	1.59E-01	1.57E-01	9.57E-07	1.0E+06	9.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	1.82E-02	3.8E-02	1.05E-03	3.98E-05	1.59E-01	1.57E-01	9.93E-07	1.0E+06	9.9E-01
986	2.1701	1.82E-02	4.0E-02	1.05E-03	4.13E-05	1.59E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
987	2.25396	1.82E-02	4.1E-02	1.05E-03	4.29E-05	1.59E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
988	2.34192	1.82E-02	4.3E-02	1.05E-03	4.46E-05	1.59E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
989	2.43471	1.82E-02	4.4E-02	1.05E-03	4.63E-05	1.59E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
990	2.53459	1.82E-02	4.6E-02	1.05E-03	4.82E-05	1.59E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
991	2.64074	1.82E-02	4.8E-02	1.05E-03	5.03E-05	1.59E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
992	2.75198	1.82E-02	5.0E-02	1.05E-03	5.24E-05	1.59E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
993	2.86771	1.82E-02	5.2E-02	1.05E-03	5.46E-05	1.59E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
994	2.98847	1.82E-02	5.4E-02	1.05E-03	5.69E-05	1.59E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
995	3.11365	1.82E-02	5.7E-02	1.05E-03	5.93E-05	1.59E-01	1.57E-01	1.48E-06	1.0E+06	1.5E+00
996	3.24022	1.82E-02	5.9E-02	1.05E-03	6.17E-05	1.59E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
997	3.36692	1.82E-02	6.1E-02	1.05E-03	6.41E-05	1.59E-01	1.57E-01	1.60E-06	1.0E+06	1.6E+00
998	3.48991	1.82E-02	6.4E-02	1.05E-03	6.64E-05	1.59E-01	1.57E-01	1.66E-06	1.0E+06	1.7E+00
999	3.60594	1.82E-02	6.6E-02	1.05E-03	6.86E-05	1.59E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00
1000	3.70812	1.82E-02	6.8E-02	1.05E-03	7.06E-05	1.59E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1001	3.79396	1.82E-02	6.9E-02	1.05E-03	7.22E-05	1.59E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
1002	3.86013	1.82E-02	7.0E-02	1.05E-03	7.35E-05	1.59E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
1003	3.90266	1.82E-02	7.1E-02	1.05E-03	7.43E-05	1.59E-01	1.57E-01	1.85E-06	1.0E+06	1.9E+00
1004	3.91652	1.82E-02	7.1E-02	1.05E-03	7.45E-05	1.59E-01	1.57E-01	1.86E-06	1.0E+06	1.9E+00
1005	3.9028	1.82E-02	7.1E-02	1.05E-03	7.43E-05	1.59E-01	1.57E-01	1.85E-06	1.0E+06	1.9E+00
1006	3.86166	1.82E-02	7.0E-02	1.05E-03	7.35E-05	1.59E-01	1.57E-01	1.84E-06	1.0E+06	1.8E+00
1007	3.79253	1.82E-02	6.9E-02	1.05E-03	7.22E-05	1.59E-01	1.57E-01	1.80E-06	1.0E+06	1.8E+00
1008	3.69675	1.82E-02	6.7E-02	1.05E-03	7.04E-05	1.59E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1009	3.57868	1.82E-02	6.5E-02	1.05E-03	6.81E-05	1.59E-01	1.57E-01	1.70E-06	1.0E+06	1.7E+00
1010	1.59074	1.82E-02	2.9E-02	1.05E-03	3.03E-05	1.59E-01	1.57E-01	7.56E-07	1.0E+06	7.6E-01
1011	1.65396	1.82E-02	3.0E-02	1.05E-03	3.15E-05	1.59E-01	1.57E-01	7.86E-07	1.0E+06	7.9E-01
1012	1.71809	1.82E-02	3.1E-02	1.05E-03	3.27E-05	1.59E-01	1.57E-01	8.17E-07	1.0E+06	8.2E-01
1013	1.7831	1.82E-02	3.2E-02	1.05E-03	3.39E-05	1.59E-01	1.57E-01	8.47E-07	1.0E+06	8.5E-01
1014	1.8542	1.82E-02	3.4E-02	1.05E-03	3.53E-05	1.59E-01	1.57E-01	8.81E-07	1.0E+06	8.8E-01
1015	1.92778	1.82E-02	3.5E-02	1.05E-03	3.67E-05	1.59E-01	1.57E-01	9.16E-07	1.0E+06	9.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	1.82E-02	3.6E-02	1.05E-03	3.81E-05	1.59E-01	1.57E-01	9.52E-07	1.0E+06	9.5E-01
1017	2.07653	1.82E-02	3.8E-02	1.05E-03	3.95E-05	1.59E-01	1.57E-01	9.87E-07	1.0E+06	9.9E-01
1018	2.15978	1.82E-02	3.9E-02	1.05E-03	4.11E-05	1.59E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1019	2.24625	1.82E-02	4.1E-02	1.05E-03	4.28E-05	1.59E-01	1.57E-01	1.07E-06	1.0E+06	1.1E+00
1020	2.33698	1.82E-02	4.3E-02	1.05E-03	4.45E-05	1.59E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
1021	2.43241	1.82E-02	4.4E-02	1.05E-03	4.63E-05	1.59E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1022	2.53329	1.82E-02	4.6E-02	1.05E-03	4.82E-05	1.59E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
1023	2.64079	1.82E-02	4.8E-02	1.05E-03	5.03E-05	1.59E-01	1.57E-01	1.26E-06	1.0E+06	1.3E+00
1024	2.75843	1.82E-02	5.0E-02	1.05E-03	5.25E-05	1.59E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1025	2.88515	1.82E-02	5.3E-02	1.05E-03	5.49E-05	1.59E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
1026	3.01984	1.82E-02	5.5E-02	1.05E-03	5.75E-05	1.59E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1027	3.16213	1.82E-02	5.8E-02	1.05E-03	6.02E-05	1.59E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
1028	3.31325	1.82E-02	6.0E-02	1.05E-03	6.31E-05	1.59E-01	1.57E-01	1.57E-06	1.0E+06	1.6E+00
1029	3.47289	1.82E-02	6.3E-02	1.05E-03	6.61E-05	1.59E-01	1.57E-01	1.65E-06	1.0E+06	1.7E+00
1030	3.63688	1.82E-02	6.6E-02	1.05E-03	6.92E-05	1.59E-01	1.57E-01	1.73E-06	1.0E+06	1.7E+00
1031	3.8037	1.82E-02	6.9E-02	1.05E-03	7.24E-05	1.59E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1032	3.96771	1.82E-02	7.2E-02	1.05E-03	7.55E-05	1.59E-01	1.57E-01	1.89E-06	1.0E+06	1.9E+00
1033	4.12419	1.82E-02	7.5E-02	1.05E-03	7.85E-05	1.59E-01	1.57E-01	1.96E-06	1.0E+06	2.0E+00
1034	4.26404	1.82E-02	7.8E-02	1.05E-03	8.12E-05	1.59E-01	1.57E-01	2.03E-06	1.0E+06	2.0E+00
1035	4.38116	1.82E-02	8.0E-02	1.05E-03	8.34E-05	1.59E-01	1.57E-01	2.08E-06	1.0E+06	2.1E+00
1036	4.4717	1.82E-02	8.1E-02	1.05E-03	8.51E-05	1.59E-01	1.57E-01	2.13E-06	1.0E+06	2.1E+00
1037	4.52967	1.82E-02	8.2E-02	1.05E-03	8.62E-05	1.59E-01	1.57E-01	2.15E-06	1.0E+06	2.2E+00
1038	4.54755	1.82E-02	8.3E-02	1.05E-03	8.66E-05	1.59E-01	1.57E-01	2.16E-06	1.0E+06	2.2E+00
1039	4.52857	1.82E-02	8.2E-02	1.05E-03	8.62E-05	1.59E-01	1.57E-01	2.15E-06	1.0E+06	2.2E+00
1040	4.4728	1.82E-02	8.1E-02	1.05E-03	8.51E-05	1.59E-01	1.57E-01	2.13E-06	1.0E+06	2.1E+00
1041	4.3777	1.82E-02	8.0E-02	1.05E-03	8.33E-05	1.59E-01	1.57E-01	2.08E-06	1.0E+06	2.1E+00
1042	4.2463	1.82E-02	7.7E-02	1.05E-03	8.08E-05	1.59E-01	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1043	4.08477	1.82E-02	7.4E-02	1.05E-03	7.77E-05	1.59E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
1044	1.68719	1.82E-02	3.1E-02	1.05E-03	3.21E-05	1.59E-01	1.57E-01	8.02E-07	1.0E+06	8.0E-01
1045	1.75653	1.82E-02	3.2E-02	1.05E-03	3.34E-05	1.59E-01	1.57E-01	8.35E-07	1.0E+06	8.3E-01
1046	1.83016	1.82E-02	3.3E-02	1.05E-03	3.48E-05	1.59E-01	1.57E-01	8.70E-07	1.0E+06	8.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	1.82E-02	3.5E-02	1.05E-03	3.62E-05	1.59E-01	1.57E-01	9.03E-07	1.0E+06	9.0E-01
1048	1.97931	1.82E-02	3.6E-02	1.05E-03	3.77E-05	1.59E-01	1.57E-01	9.41E-07	1.0E+06	9.4E-01
1049	2.0613	1.82E-02	3.8E-02	1.05E-03	3.92E-05	1.59E-01	1.57E-01	9.80E-07	1.0E+06	9.8E-01
1050	2.14448	1.82E-02	3.9E-02	1.05E-03	4.08E-05	1.59E-01	1.57E-01	1.02E-06	1.0E+06	1.0E+00
1051	2.22969	1.82E-02	4.1E-02	1.05E-03	4.24E-05	1.59E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1052	2.3211	1.82E-02	4.2E-02	1.05E-03	4.42E-05	1.59E-01	1.57E-01	1.10E-06	1.0E+06	1.1E+00
1053	2.41857	1.82E-02	4.4E-02	1.05E-03	4.60E-05	1.59E-01	1.57E-01	1.15E-06	1.0E+06	1.1E+00
1054	2.52135	1.82E-02	4.6E-02	1.05E-03	4.80E-05	1.59E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
1055	2.63026	1.82E-02	4.8E-02	1.05E-03	5.01E-05	1.59E-01	1.57E-01	1.25E-06	1.0E+06	1.3E+00
1056	2.74637	1.82E-02	5.0E-02	1.05E-03	5.23E-05	1.59E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1057	2.87138	1.82E-02	5.2E-02	1.05E-03	5.46E-05	1.59E-01	1.57E-01	1.36E-06	1.0E+06	1.4E+00
1058	3.00939	1.82E-02	5.5E-02	1.05E-03	5.73E-05	1.59E-01	1.57E-01	1.43E-06	1.0E+06	1.4E+00
1059	3.16046	1.82E-02	5.8E-02	1.05E-03	6.02E-05	1.59E-01	1.57E-01	1.50E-06	1.0E+06	1.5E+00
1060	3.32447	1.82E-02	6.1E-02	1.05E-03	6.33E-05	1.59E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
1061	3.50138	1.82E-02	6.4E-02	1.05E-03	6.66E-05	1.59E-01	1.57E-01	1.66E-06	1.0E+06	1.7E+00
1062	3.69345	1.82E-02	6.7E-02	1.05E-03	7.03E-05	1.59E-01	1.57E-01	1.76E-06	1.0E+06	1.8E+00
1063	3.90012	1.82E-02	7.1E-02	1.05E-03	7.42E-05	1.59E-01	1.57E-01	1.85E-06	1.0E+06	1.9E+00
1064	4.11704	1.82E-02	7.5E-02	1.05E-03	7.84E-05	1.59E-01	1.57E-01	1.96E-06	1.0E+06	2.0E+00
1065	4.34138	1.82E-02	7.9E-02	1.05E-03	8.26E-05	1.59E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
1066	4.56573	1.82E-02	8.3E-02	1.05E-03	8.69E-05	1.59E-01	1.57E-01	2.17E-06	1.0E+06	2.2E+00
1067	4.78179	1.82E-02	8.7E-02	1.05E-03	9.10E-05	1.59E-01	1.57E-01	2.27E-06	1.0E+06	2.3E+00
1068	4.97805	1.82E-02	9.1E-02	1.05E-03	9.47E-05	1.59E-01	1.57E-01	2.37E-06	1.0E+06	2.4E+00
1069	5.142	1.82E-02	9.4E-02	1.05E-03	9.79E-05	1.59E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
1070	5.26826	1.82E-02	9.6E-02	1.05E-03	1.00E-04	1.59E-01	1.57E-01	2.50E-06	1.0E+06	2.5E+00
1071	5.34837	1.82E-02	9.7E-02	1.05E-03	1.02E-04	1.59E-01	1.57E-01	2.54E-06	1.0E+06	2.5E+00
1072	5.37264	1.82E-02	9.8E-02	1.05E-03	1.02E-04	1.59E-01	1.57E-01	2.55E-06	1.0E+06	2.6E+00
1073	5.34517	1.82E-02	9.7E-02	1.05E-03	1.02E-04	1.59E-01	1.57E-01	2.54E-06	1.0E+06	2.5E+00
1074	5.26473	1.82E-02	9.6E-02	1.05E-03	1.00E-04	1.59E-01	1.57E-01	2.50E-06	1.0E+06	2.5E+00
1075	5.12805	1.82E-02	9.3E-02	1.05E-03	9.76E-05	1.59E-01	1.57E-01	2.44E-06	1.0E+06	2.4E+00
1076	4.9404	1.82E-02	9.0E-02	1.05E-03	9.40E-05	1.59E-01	1.57E-01	2.35E-06	1.0E+06	2.3E+00
1077	4.71126	1.82E-02	8.6E-02	1.05E-03	8.97E-05	1.59E-01	1.57E-01	2.24E-06	1.0E+06	2.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	1.82E-02	3.3E-02	1.05E-03	3.41E-05	1.59E-01	1.57E-01	8.52E-07	1.0E+06	8.5E-01
1079	1.86905	1.82E-02	3.4E-02	1.05E-03	3.56E-05	1.59E-01	1.57E-01	8.88E-07	1.0E+06	8.9E-01
1080	1.95087	1.82E-02	3.6E-02	1.05E-03	3.71E-05	1.59E-01	1.57E-01	9.27E-07	1.0E+06	9.3E-01
1081	2.03097	1.82E-02	3.7E-02	1.05E-03	3.87E-05	1.59E-01	1.57E-01	9.65E-07	1.0E+06	9.7E-01
1082	2.11709	1.82E-02	3.9E-02	1.05E-03	4.03E-05	1.59E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1083	2.2085	1.82E-02	4.0E-02	1.05E-03	4.20E-05	1.59E-01	1.57E-01	1.05E-06	1.0E+06	1.0E+00
1084	2.3035	1.82E-02	4.2E-02	1.05E-03	4.38E-05	1.59E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
1085	2.39687	1.82E-02	4.4E-02	1.05E-03	4.56E-05	1.59E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1086	2.49947	1.82E-02	4.6E-02	1.05E-03	4.76E-05	1.59E-01	1.57E-01	1.19E-06	1.0E+06	1.2E+00
1087	2.6091	1.82E-02	4.8E-02	1.05E-03	4.97E-05	1.59E-01	1.57E-01	1.24E-06	1.0E+06	1.2E+00
1088	2.72531	1.82E-02	5.0E-02	1.05E-03	5.19E-05	1.59E-01	1.57E-01	1.30E-06	1.0E+06	1.3E+00
1089	2.8493	1.82E-02	5.2E-02	1.05E-03	5.42E-05	1.59E-01	1.57E-01	1.35E-06	1.0E+06	1.4E+00
1090	2.98273	1.82E-02	5.4E-02	1.05E-03	5.68E-05	1.59E-01	1.57E-01	1.42E-06	1.0E+06	1.4E+00
1091	3.12782	1.82E-02	5.7E-02	1.05E-03	5.95E-05	1.59E-01	1.57E-01	1.49E-06	1.0E+06	1.5E+00
1092	3.2898	1.82E-02	6.0E-02	1.05E-03	6.26E-05	1.59E-01	1.57E-01	1.56E-06	1.0E+06	1.6E+00
1093	3.4702	1.82E-02	6.3E-02	1.05E-03	6.60E-05	1.59E-01	1.57E-01	1.65E-06	1.0E+06	1.6E+00
1094	3.67038	1.82E-02	6.7E-02	1.05E-03	6.99E-05	1.59E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
1095	3.89235	1.82E-02	7.1E-02	1.05E-03	7.41E-05	1.59E-01	1.57E-01	1.85E-06	1.0E+06	1.8E+00
1096	4.14004	1.82E-02	7.5E-02	1.05E-03	7.88E-05	1.59E-01	1.57E-01	1.97E-06	1.0E+06	2.0E+00
1097	4.41279	1.82E-02	8.0E-02	1.05E-03	8.40E-05	1.59E-01	1.57E-01	2.10E-06	1.0E+06	2.1E+00
1098	4.70698	1.82E-02	8.6E-02	1.05E-03	8.96E-05	1.59E-01	1.57E-01	2.24E-06	1.0E+06	2.2E+00
1099	5.01782	1.82E-02	9.1E-02	1.05E-03	9.55E-05	1.59E-01	1.57E-01	2.38E-06	1.0E+06	2.4E+00
1100	5.33334	1.82E-02	9.7E-02	1.05E-03	1.02E-04	1.59E-01	1.57E-01	2.53E-06	1.0E+06	2.5E+00
1101	5.63956	1.82E-02	1.0E-01	1.05E-03	1.07E-04	1.59E-01	1.57E-01	2.68E-06	1.0E+06	2.7E+00
1102	5.92318	1.82E-02	1.1E-01	1.05E-03	1.13E-04	1.59E-01	1.57E-01	2.81E-06	1.0E+06	2.8E+00
1103	6.15976	1.82E-02	1.1E-01	1.05E-03	1.17E-04	1.59E-01	1.57E-01	2.93E-06	1.0E+06	2.9E+00
1104	6.33917	1.82E-02	1.2E-01	1.05E-03	1.21E-04	1.59E-01	1.57E-01	3.01E-06	1.0E+06	3.0E+00
1105	6.45005	1.82E-02	1.2E-01	1.05E-03	1.23E-04	1.59E-01	1.57E-01	3.07E-06	1.0E+06	3.1E+00
1106	6.4842	1.82E-02	1.2E-01	1.05E-03	1.23E-04	1.59E-01	1.57E-01	3.08E-06	1.0E+06	3.1E+00
1107	6.44643	1.82E-02	1.2E-01	1.05E-03	1.23E-04	1.59E-01	1.57E-01	3.06E-06	1.0E+06	3.1E+00
1108	6.33	1.82E-02	1.2E-01	1.05E-03	1.20E-04	1.59E-01	1.57E-01	3.01E-06	1.0E+06	3.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	1.82E-02	1.1E-01	1.05E-03	1.17E-04	1.59E-01	1.57E-01	2.91E-06	1.0E+06	2.9E+00
1110	5.84948	1.82E-02	1.1E-01	1.05E-03	1.11E-04	1.59E-01	1.57E-01	2.78E-06	1.0E+06	2.8E+00
1111	5.51509	1.82E-02	1.0E-01	1.05E-03	1.05E-04	1.59E-01	1.57E-01	2.62E-06	1.0E+06	2.6E+00
1112	1.90754	1.82E-02	3.5E-02	1.05E-03	3.63E-05	1.59E-01	1.57E-01	9.07E-07	1.0E+06	9.1E-01
1113	1.99395	1.82E-02	3.6E-02	1.05E-03	3.79E-05	1.59E-01	1.57E-01	9.48E-07	1.0E+06	9.5E-01
1114	2.08392	1.82E-02	3.8E-02	1.05E-03	3.97E-05	1.59E-01	1.57E-01	9.90E-07	1.0E+06	9.9E-01
1115	2.17568	1.82E-02	4.0E-02	1.05E-03	4.14E-05	1.59E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1116	2.26975	1.82E-02	4.1E-02	1.05E-03	4.32E-05	1.59E-01	1.57E-01	1.08E-06	1.0E+06	1.1E+00
1117	2.37171	1.82E-02	4.3E-02	1.05E-03	4.51E-05	1.59E-01	1.57E-01	1.13E-06	1.0E+06	1.1E+00
1118	2.47776	1.82E-02	4.5E-02	1.05E-03	4.72E-05	1.59E-01	1.57E-01	1.18E-06	1.0E+06	1.2E+00
1119	2.58252	1.82E-02	4.7E-02	1.05E-03	4.92E-05	1.59E-01	1.57E-01	1.23E-06	1.0E+06	1.2E+00
1120	2.69744	1.82E-02	4.9E-02	1.05E-03	5.13E-05	1.59E-01	1.57E-01	1.28E-06	1.0E+06	1.3E+00
1121	2.82046	1.82E-02	5.1E-02	1.05E-03	5.37E-05	1.59E-01	1.57E-01	1.34E-06	1.0E+06	1.3E+00
1122	2.95147	1.82E-02	5.4E-02	1.05E-03	5.62E-05	1.59E-01	1.57E-01	1.40E-06	1.0E+06	1.4E+00
1123	3.09213	1.82E-02	5.6E-02	1.05E-03	5.89E-05	1.59E-01	1.57E-01	1.47E-06	1.0E+06	1.5E+00
1124	3.24473	1.82E-02	5.9E-02	1.05E-03	6.18E-05	1.59E-01	1.57E-01	1.54E-06	1.0E+06	1.5E+00
1125	3.41259	1.82E-02	6.2E-02	1.05E-03	6.49E-05	1.59E-01	1.57E-01	1.62E-06	1.0E+06	1.6E+00
1126	3.60217	1.82E-02	6.6E-02	1.05E-03	6.86E-05	1.59E-01	1.57E-01	1.71E-06	1.0E+06	1.7E+00
1127	3.81712	1.82E-02	7.0E-02	1.05E-03	7.26E-05	1.59E-01	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1128	4.0622	1.82E-02	7.4E-02	1.05E-03	7.73E-05	1.59E-01	1.57E-01	1.93E-06	1.0E+06	1.9E+00
1129	4.34181	1.82E-02	7.9E-02	1.05E-03	8.26E-05	1.59E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
1130	4.66524	1.82E-02	8.5E-02	1.05E-03	8.88E-05	1.59E-01	1.57E-01	2.22E-06	1.0E+06	2.2E+00
1131	5.03357	1.82E-02	9.2E-02	1.05E-03	9.58E-05	1.59E-01	1.57E-01	2.39E-06	1.0E+06	2.4E+00
1132	5.44589	1.82E-02	9.9E-02	1.05E-03	1.04E-04	1.59E-01	1.57E-01	2.59E-06	1.0E+06	2.6E+00
1133	5.89285	1.82E-02	1.1E-01	1.05E-03	1.12E-04	1.59E-01	1.57E-01	2.80E-06	1.0E+06	2.8E+00
1134	6.35095	1.82E-02	1.2E-01	1.05E-03	1.21E-04	1.59E-01	1.57E-01	3.02E-06	1.0E+06	3.0E+00
1135	6.79794	1.82E-02	1.2E-01	1.05E-03	1.29E-04	1.59E-01	1.57E-01	3.23E-06	1.0E+06	3.2E+00
1136	7.22023	1.82E-02	1.3E-01	1.05E-03	1.37E-04	1.59E-01	1.57E-01	3.43E-06	1.0E+06	3.4E+00
1137	7.57481	1.82E-02	1.4E-01	1.05E-03	1.44E-04	1.59E-01	1.57E-01	3.60E-06	1.0E+06	3.6E+00
1138	7.83292	1.82E-02	1.4E-01	1.05E-03	1.49E-04	1.59E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1139	7.97995	1.82E-02	1.5E-01	1.05E-03	1.52E-04	1.59E-01	1.57E-01	3.79E-06	1.0E+06	3.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	1.82E-02	1.5E-01	1.05E-03	1.53E-04	1.59E-01	1.57E-01	3.82E-06	1.0E+06	3.8E+00
1141	7.98973	1.82E-02	1.5E-01	1.05E-03	1.52E-04	1.59E-01	1.57E-01	3.80E-06	1.0E+06	3.8E+00
1142	7.81875	1.82E-02	1.4E-01	1.05E-03	1.49E-04	1.59E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1143	7.50412	1.82E-02	1.4E-01	1.05E-03	1.43E-04	1.59E-01	1.57E-01	3.57E-06	1.0E+06	3.6E+00
1144	7.07481	1.82E-02	1.3E-01	1.05E-03	1.35E-04	1.59E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
1145	6.56874	1.82E-02	1.2E-01	1.05E-03	1.25E-04	1.59E-01	1.57E-01	3.12E-06	1.0E+06	3.1E+00
1146	2.03453	1.82E-02	3.7E-02	1.05E-03	3.87E-05	1.59E-01	1.57E-01	9.67E-07	1.0E+06	9.7E-01
1147	2.13247	1.82E-02	3.9E-02	1.05E-03	4.06E-05	1.59E-01	1.57E-01	1.01E-06	1.0E+06	1.0E+00
1148	2.23163	1.82E-02	4.1E-02	1.05E-03	4.25E-05	1.59E-01	1.57E-01	1.06E-06	1.0E+06	1.1E+00
1149	2.33656	1.82E-02	4.3E-02	1.05E-03	4.45E-05	1.59E-01	1.57E-01	1.11E-06	1.0E+06	1.1E+00
1150	2.44222	1.82E-02	4.4E-02	1.05E-03	4.65E-05	1.59E-01	1.57E-01	1.16E-06	1.0E+06	1.2E+00
1151	2.55404	1.82E-02	4.7E-02	1.05E-03	4.86E-05	1.59E-01	1.57E-01	1.21E-06	1.0E+06	1.2E+00
1152	2.67247	1.82E-02	4.9E-02	1.05E-03	5.09E-05	1.59E-01	1.57E-01	1.27E-06	1.0E+06	1.3E+00
1153	2.79193	1.82E-02	5.1E-02	1.05E-03	5.31E-05	1.59E-01	1.57E-01	1.33E-06	1.0E+06	1.3E+00
1154	2.91823	1.82E-02	5.3E-02	1.05E-03	5.55E-05	1.59E-01	1.57E-01	1.39E-06	1.0E+06	1.4E+00
1155	3.05585	1.82E-02	5.6E-02	1.05E-03	5.82E-05	1.59E-01	1.57E-01	1.45E-06	1.0E+06	1.5E+00
1156	3.20293	1.82E-02	5.8E-02	1.05E-03	6.10E-05	1.59E-01	1.57E-01	1.52E-06	1.0E+06	1.5E+00
1157	3.36173	1.82E-02	6.1E-02	1.05E-03	6.40E-05	1.59E-01	1.57E-01	1.60E-06	1.0E+06	1.6E+00
1158	3.53541	1.82E-02	6.4E-02	1.05E-03	6.73E-05	1.59E-01	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1159	3.7286	1.82E-02	6.8E-02	1.05E-03	7.10E-05	1.59E-01	1.57E-01	1.77E-06	1.0E+06	1.8E+00
1160	3.94893	1.82E-02	7.2E-02	1.05E-03	7.52E-05	1.59E-01	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1161	4.20347	1.82E-02	7.7E-02	1.05E-03	8.00E-05	1.59E-01	1.57E-01	2.00E-06	1.0E+06	2.0E+00
1162	4.50184	1.82E-02	8.2E-02	1.05E-03	8.57E-05	1.59E-01	1.57E-01	2.14E-06	1.0E+06	2.1E+00
1163	4.85509	1.82E-02	8.8E-02	1.05E-03	9.24E-05	1.59E-01	1.57E-01	2.31E-06	1.0E+06	2.3E+00
1164	5.28071	1.82E-02	9.6E-02	1.05E-03	1.01E-04	1.59E-01	1.57E-01	2.51E-06	1.0E+06	2.5E+00
1165	5.79017	1.82E-02	1.1E-01	1.05E-03	1.10E-04	1.59E-01	1.57E-01	2.75E-06	1.0E+06	2.8E+00
1166	6.38984	1.82E-02	1.2E-01	1.05E-03	1.22E-04	1.59E-01	1.57E-01	3.04E-06	1.0E+06	3.0E+00
1167	7.06432	1.82E-02	1.3E-01	1.05E-03	1.34E-04	1.59E-01	1.57E-01	3.36E-06	1.0E+06	3.4E+00
1168	6.38019	1.82E-02	1.2E-01	1.05E-03	1.21E-04	1.59E-01	1.57E-01	3.03E-06	1.0E+06	3.0E+00
1169	8.41857	1.82E-02	1.5E-01	1.05E-03	1.60E-04	1.59E-01	1.57E-01	4.00E-06	1.0E+06	4.0E+00
1170	7.5517	1.82E-02	1.4E-01	1.05E-03	1.44E-04	1.59E-01	1.57E-01	3.59E-06	1.0E+06	3.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	1.82E-02	1.4E-01	1.05E-03	1.49E-04	1.59E-01	1.57E-01	3.72E-06	1.0E+06	3.7E+00
1172	8.1392	1.82E-02	1.5E-01	1.05E-03	1.55E-04	1.59E-01	1.57E-01	3.87E-06	1.0E+06	3.9E+00
1173	8.48934	1.82E-02	1.5E-01	1.05E-03	1.62E-04	1.59E-01	1.57E-01	4.03E-06	1.0E+06	4.0E+00
1174	8.63871	1.82E-02	1.6E-01	1.05E-03	1.64E-04	1.59E-01	1.57E-01	4.11E-06	1.0E+06	4.1E+00
1175	8.32856	1.82E-02	1.5E-01	1.05E-03	1.59E-04	1.59E-01	1.57E-01	3.96E-06	1.0E+06	4.0E+00
1176	8.01684	1.82E-02	1.5E-01	1.05E-03	1.53E-04	1.59E-01	1.57E-01	3.81E-06	1.0E+06	3.8E+00
1177	7.68924	1.82E-02	1.4E-01	1.05E-03	1.46E-04	1.59E-01	1.57E-01	3.65E-06	1.0E+06	3.7E+00
1178	5.9706	1.82E-02	1.1E-01	1.05E-03	1.14E-04	1.59E-01	1.57E-01	2.84E-06	1.0E+06	2.8E+00
1179	6.57107	1.82E-02	1.2E-01	1.05E-03	1.25E-04	1.59E-01	1.57E-01	3.12E-06	1.0E+06	3.1E+00
1180	2.17552	1.82E-02	4.0E-02	1.05E-03	4.14E-05	1.59E-01	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1181	2.28576	1.82E-02	4.2E-02	1.05E-03	4.35E-05	1.59E-01	1.57E-01	1.09E-06	1.0E+06	1.1E+00
1182	2.39727	1.82E-02	4.4E-02	1.05E-03	4.56E-05	1.59E-01	1.57E-01	1.14E-06	1.0E+06	1.1E+00
1183	2.51595	1.82E-02	4.6E-02	1.05E-03	4.79E-05	1.59E-01	1.57E-01	1.20E-06	1.0E+06	1.2E+00
1184	2.63399	1.82E-02	4.8E-02	1.05E-03	5.01E-05	1.59E-01	1.57E-01	1.25E-06	1.0E+06	1.3E+00
1185	2.7595	1.82E-02	5.0E-02	1.05E-03	5.25E-05	1.59E-01	1.57E-01	1.31E-06	1.0E+06	1.3E+00
1186	2.89193	1.82E-02	5.3E-02	1.05E-03	5.50E-05	1.59E-01	1.57E-01	1.37E-06	1.0E+06	1.4E+00
1187	3.02979	1.82E-02	5.5E-02	1.05E-03	5.77E-05	1.59E-01	1.57E-01	1.44E-06	1.0E+06	1.4E+00
1188	3.16867	1.82E-02	5.8E-02	1.05E-03	6.03E-05	1.59E-01	1.57E-01	1.51E-06	1.0E+06	1.5E+00
1189	3.32023	1.82E-02	6.0E-02	1.05E-03	6.32E-05	1.59E-01	1.57E-01	1.58E-06	1.0E+06	1.6E+00
1190	3.48447	1.82E-02	6.3E-02	1.05E-03	6.63E-05	1.59E-01	1.57E-01	1.66E-06	1.0E+06	1.7E+00
1191	3.66265	1.82E-02	6.7E-02	1.05E-03	6.97E-05	1.59E-01	1.57E-01	1.74E-06	1.0E+06	1.7E+00
1192	3.85875	1.82E-02	7.0E-02	1.05E-03	7.34E-05	1.59E-01	1.57E-01	1.83E-06	1.0E+06	1.8E+00
1193	4.07907	1.82E-02	7.4E-02	1.05E-03	7.76E-05	1.59E-01	1.57E-01	1.94E-06	1.0E+06	1.9E+00
1194	4.33265	1.82E-02	7.9E-02	1.05E-03	8.25E-05	1.59E-01	1.57E-01	2.06E-06	1.0E+06	2.1E+00
1195	4.6314	1.82E-02	8.4E-02	1.05E-03	8.81E-05	1.59E-01	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1196	4.99103	1.82E-02	9.1E-02	1.05E-03	9.50E-05	1.59E-01	1.57E-01	2.37E-06	1.0E+06	2.4E+00
1197	5.43436	1.82E-02	9.9E-02	1.05E-03	1.03E-04	1.59E-01	1.57E-01	2.58E-06	1.0E+06	2.6E+00
1198	5.99494	1.82E-02	1.1E-01	1.05E-03	1.14E-04	1.59E-01	1.57E-01	2.85E-06	1.0E+06	2.8E+00
1199	6.70943	1.82E-02	1.2E-01	1.05E-03	1.28E-04	1.59E-01	1.57E-01	3.19E-06	1.0E+06	3.2E+00
1200	6.07919	1.82E-02	1.1E-01	1.05E-03	1.16E-04	1.59E-01	1.57E-01	2.89E-06	1.0E+06	2.9E+00
1201	6.72457	1.82E-02	1.2E-01	1.05E-03	1.28E-04	1.59E-01	1.57E-01	3.20E-06	1.0E+06	3.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	1.82E-02	1.4E-01	1.05E-03	1.44E-04	1.59E-01	1.57E-01	3.59E-06	1.0E+06	3.6E+00
1203	6.99298	1.82E-02	1.3E-01	1.05E-03	1.33E-04	1.59E-01	1.57E-01	3.32E-06	1.0E+06	3.3E+00
1204	7.66017	1.82E-02	1.4E-01	1.05E-03	1.46E-04	1.59E-01	1.57E-01	3.64E-06	1.0E+06	3.6E+00
1205	9.76139	1.82E-02	1.8E-01	1.05E-03	1.86E-04	1.59E-01	1.57E-01	4.64E-06	1.0E+06	4.6E+00
1206	8.83169	1.82E-02	1.6E-01	1.05E-03	1.68E-04	1.59E-01	1.57E-01	4.20E-06	1.0E+06	4.2E+00
1207	9.02331	1.82E-02	1.6E-01	1.05E-03	1.72E-04	1.59E-01	1.57E-01	4.29E-06	1.0E+06	4.3E+00
1208	7.72726	1.82E-02	1.4E-01	1.05E-03	1.47E-04	1.59E-01	1.57E-01	3.67E-06	1.0E+06	3.7E+00
1209	8.9362	1.82E-02	1.6E-01	1.05E-03	1.70E-04	1.59E-01	1.57E-01	4.25E-06	1.0E+06	4.2E+00
1210	7.16039	1.82E-02	1.3E-01	1.05E-03	1.36E-04	1.59E-01	1.57E-01	3.40E-06	1.0E+06	3.4E+00
1211	6.44491	1.82E-02	1.2E-01	1.05E-03	1.23E-04	1.59E-01	1.57E-01	3.06E-06	1.0E+06	3.1E+00
1212	7.05356	1.82E-02	1.3E-01	1.05E-03	1.34E-04	1.59E-01	1.57E-01	3.35E-06	1.0E+06	3.4E+00
1213	6.23474	1.82E-02	1.1E-01	1.05E-03	1.19E-04	1.59E-01	1.57E-01	2.96E-06	1.0E+06	3.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	8.45E-03
893	5	8.69E-03
894	5	8.91E-03
895	5	9.13E-03
896	5	9.32E-03
897	5	9.49E-03
898	5	9.62E-03
899	5	9.73E-03
900	5	9.80E-03
901	5	9.83E-03
902	5	9.80E-03
903	5	9.73E-03
904	5	9.61E-03
905	5	9.44E-03
906	5	9.24E-03
907	5	9.03E-03
908	5	4.89E-03
909	5	5.07E-03
910	5	5.24E-03
911	5	5.42E-03
912	5	5.61E-03
913	5	5.80E-03
914	5	6.00E-03
915	5	6.19E-03
916	5	6.40E-03
917	5	6.62E-03
918	5	6.85E-03
919	5	7.09E-03
920	5	7.33E-03
921	5	7.59E-03
922	5	7.85E-03

Max	Receptor #	
0.036	1205	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	8.12E-03
924	5	8.41E-03
925	5	8.69E-03
926	5	8.98E-03
927	5	9.28E-03
928	5	9.57E-03
929	5	9.85E-03
930	5	1.01E-02
931	5	1.04E-02
932	5	1.06E-02
933	5	1.08E-02
934	5	1.09E-02
935	5	1.10E-02
936	5	1.10E-02
937	5	1.10E-02
938	5	1.09E-02
939	5	1.07E-02
940	5	1.05E-02
941	5	1.03E-02
942	5	5.17E-03
943	5	5.36E-03
944	5	5.55E-03
945	5	5.75E-03
946	5	5.96E-03
947	5	6.17E-03
948	5	6.39E-03
949	5	6.61E-03
950	5	6.85E-03
951	5	7.09E-03
952	5	7.35E-03
953	5	7.62E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	7.90E-03
955	5	8.19E-03
956	5	8.50E-03
957	5	8.83E-03
958	5	9.16E-03
959	5	9.51E-03
960	5	9.87E-03
961	5	1.02E-02
962	5	1.06E-02
963	5	1.09E-02
964	5	1.13E-02
965	5	1.16E-02
966	5	1.19E-02
967	5	1.21E-02
968	5	1.23E-02
969	5	1.24E-02
970	5	1.25E-02
971	5	1.24E-02
972	5	1.23E-02
973	5	1.21E-02
974	5	1.18E-02
975	5	1.15E-02
976	5	5.47E-03
977	5	5.68E-03
978	5	5.89E-03
979	5	6.10E-03
980	5	6.34E-03
981	5	6.58E-03
982	5	6.82E-03
983	5	7.07E-03
984	5	7.33E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	7.61E-03
986	5	7.90E-03
987	5	8.21E-03
988	5	8.53E-03
989	5	8.87E-03
990	5	9.23E-03
991	5	9.62E-03
992	5	1.00E-02
993	5	1.04E-02
994	5	1.09E-02
995	5	1.13E-02
996	5	1.18E-02
997	5	1.23E-02
998	5	1.27E-02
999	5	1.31E-02
1000	5	1.35E-02
1001	5	1.38E-02
1002	5	1.41E-02
1003	5	1.42E-02
1004	5	1.43E-02
1005	5	1.42E-02
1006	5	1.41E-02
1007	5	1.38E-02
1008	5	1.35E-02
1009	5	1.30E-02
1010	5	5.79E-03
1011	5	6.02E-03
1012	5	6.26E-03
1013	5	6.49E-03
1014	5	6.75E-03
1015	5	7.02E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	7.29E-03
1017	5	7.56E-03
1018	5	7.87E-03
1019	5	8.18E-03
1020	5	8.51E-03
1021	5	8.86E-03
1022	5	9.23E-03
1023	5	9.62E-03
1024	5	1.00E-02
1025	5	1.05E-02
1026	5	1.10E-02
1027	5	1.15E-02
1028	5	1.21E-02
1029	5	1.26E-02
1030	5	1.32E-02
1031	5	1.39E-02
1032	5	1.44E-02
1033	5	1.50E-02
1034	5	1.55E-02
1035	5	1.60E-02
1036	5	1.63E-02
1037	5	1.65E-02
1038	5	1.66E-02
1039	5	1.65E-02
1040	5	1.63E-02
1041	5	1.59E-02
1042	5	1.55E-02
1043	5	1.49E-02
1044	5	6.14E-03
1045	5	6.40E-03
1046	5	6.67E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	6.92E-03
1048	5	7.21E-03
1049	5	7.51E-03
1050	5	7.81E-03
1051	5	8.12E-03
1052	5	8.45E-03
1053	5	8.81E-03
1054	5	9.18E-03
1055	5	9.58E-03
1056	5	1.00E-02
1057	5	1.05E-02
1058	5	1.10E-02
1059	5	1.15E-02
1060	5	1.21E-02
1061	5	1.28E-02
1062	5	1.35E-02
1063	5	1.42E-02
1064	5	1.50E-02
1065	5	1.58E-02
1066	5	1.66E-02
1067	5	1.74E-02
1068	5	1.81E-02
1069	5	1.87E-02
1070	5	1.92E-02
1071	5	1.95E-02
1072	5	1.96E-02
1073	5	1.95E-02
1074	5	1.92E-02
1075	5	1.87E-02
1076	5	1.80E-02
1077	5	1.72E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	6.53E-03
1079	5	6.81E-03
1080	5	7.10E-03
1081	5	7.40E-03
1082	5	7.71E-03
1083	5	8.04E-03
1084	5	8.39E-03
1085	5	8.73E-03
1086	5	9.10E-03
1087	5	9.50E-03
1088	5	9.93E-03
1089	5	1.04E-02
1090	5	1.09E-02
1091	5	1.14E-02
1092	5	1.20E-02
1093	5	1.26E-02
1094	5	1.34E-02
1095	5	1.42E-02
1096	5	1.51E-02
1097	5	1.61E-02
1098	5	1.71E-02
1099	5	1.83E-02
1100	5	1.94E-02
1101	5	2.05E-02
1102	5	2.16E-02
1103	5	2.24E-02
1104	5	2.31E-02
1105	5	2.35E-02
1106	5	2.36E-02
1107	5	2.35E-02
1108	5	2.31E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	2.23E-02
1110	5	2.13E-02
1111	5	2.01E-02
1112	5	6.95E-03
1113	5	7.26E-03
1114	5	7.59E-03
1115	5	7.92E-03
1116	5	8.27E-03
1117	5	8.64E-03
1118	5	9.02E-03
1119	5	9.41E-03
1120	5	9.82E-03
1121	5	1.03E-02
1122	5	1.07E-02
1123	5	1.13E-02
1124	5	1.18E-02
1125	5	1.24E-02
1126	5	1.31E-02
1127	5	1.39E-02
1128	5	1.48E-02
1129	5	1.58E-02
1130	5	1.70E-02
1131	5	1.83E-02
1132	5	1.98E-02
1133	5	2.15E-02
1134	5	2.31E-02
1135	5	2.48E-02
1136	5	2.63E-02
1137	5	2.76E-02
1138	5	2.85E-02
1139	5	2.91E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	2.92E-02
1141	5	2.91E-02
1142	5	2.85E-02
1143	5	2.73E-02
1144	5	2.58E-02
1145	5	2.39E-02
1146	5	7.41E-03
1147	5	7.77E-03
1148	5	8.13E-03
1149	5	8.51E-03
1150	5	8.89E-03
1151	5	9.30E-03
1152	5	9.73E-03
1153	5	1.02E-02
1154	5	1.06E-02
1155	5	1.11E-02
1156	5	1.17E-02
1157	5	1.22E-02
1158	5	1.29E-02
1159	5	1.36E-02
1160	5	1.44E-02
1161	5	1.53E-02
1162	5	1.64E-02
1163	5	1.77E-02
1164	5	1.92E-02
1165	5	2.11E-02
1166	5	2.33E-02
1167	5	2.57E-02
1168	5	2.32E-02
1169	5	3.07E-02
1170	5	2.75E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	2.85E-02
1172	5	2.96E-02
1173	5	3.09E-02
1174	5	3.15E-02
1175	5	3.03E-02
1176	5	2.92E-02
1177	5	2.80E-02
1178	5	2.17E-02
1179	5	2.39E-02
1180	5	7.92E-03
1181	5	8.32E-03
1182	5	8.73E-03
1183	5	9.16E-03
1184	5	9.59E-03
1185	5	1.00E-02
1186	5	1.05E-02
1187	5	1.10E-02
1188	5	1.15E-02
1189	5	1.21E-02
1190	5	1.27E-02
1191	5	1.33E-02
1192	5	1.41E-02
1193	5	1.49E-02
1194	5	1.58E-02
1195	5	1.69E-02
1196	5	1.82E-02
1197	5	1.98E-02
1198	5	2.18E-02
1199	5	2.44E-02
1200	5	2.21E-02
1201	5	2.45E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Utilities Trenching Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	2.75E-02
1203	5	2.55E-02
1204	5	2.79E-02
1205	5	3.55E-02
1206	5	3.22E-02
1207	5	3.29E-02
1208	5	2.81E-02
1209	5	3.25E-02
1210	5	2.61E-02
1211	5	2.35E-02
1212	5	2.57E-02
1213	5	2.27E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	4.85E-03	1.1E-02	1.05E-03	1.18E-05	1.06E+00	1.57E-01	1.95E-06	1.0E+06	2.0E+00
893	2.38542	4.85E-03	1.2E-02	1.05E-03	1.21E-05	1.06E+00	1.57E-01	2.01E-06	1.0E+06	2.0E+00
894	2.44758	4.85E-03	1.2E-02	1.05E-03	1.24E-05	1.06E+00	1.57E-01	2.06E-06	1.0E+06	2.1E+00
895	2.50618	4.85E-03	1.2E-02	1.05E-03	1.27E-05	1.06E+00	1.57E-01	2.11E-06	1.0E+06	2.1E+00
896	2.55908	4.85E-03	1.2E-02	1.05E-03	1.30E-05	1.06E+00	1.57E-01	2.15E-06	1.0E+06	2.2E+00
897	2.60474	4.85E-03	1.3E-02	1.05E-03	1.32E-05	1.06E+00	1.57E-01	2.19E-06	1.0E+06	2.2E+00
898	2.64253	4.85E-03	1.3E-02	1.05E-03	1.34E-05	1.06E+00	1.57E-01	2.22E-06	1.0E+06	2.2E+00
899	2.67158	4.85E-03	1.3E-02	1.05E-03	1.35E-05	1.06E+00	1.57E-01	2.25E-06	1.0E+06	2.2E+00
900	2.69069	4.85E-03	1.3E-02	1.05E-03	1.36E-05	1.06E+00	1.57E-01	2.26E-06	1.0E+06	2.3E+00
901	2.69844	4.85E-03	1.3E-02	1.05E-03	1.37E-05	1.06E+00	1.57E-01	2.27E-06	1.0E+06	2.3E+00
902	2.69171	4.85E-03	1.3E-02	1.05E-03	1.36E-05	1.06E+00	1.57E-01	2.27E-06	1.0E+06	2.3E+00
903	2.6708	4.85E-03	1.3E-02	1.05E-03	1.35E-05	1.06E+00	1.57E-01	2.25E-06	1.0E+06	2.2E+00
904	2.63764	4.85E-03	1.3E-02	1.05E-03	1.34E-05	1.06E+00	1.57E-01	2.22E-06	1.0E+06	2.2E+00
905	2.59313	4.85E-03	1.3E-02	1.05E-03	1.31E-05	1.06E+00	1.57E-01	2.18E-06	1.0E+06	2.2E+00
906	2.53783	4.85E-03	1.2E-02	1.05E-03	1.29E-05	1.06E+00	1.57E-01	2.14E-06	1.0E+06	2.1E+00
907	2.47822	4.85E-03	1.2E-02	1.05E-03	1.26E-05	1.06E+00	1.57E-01	2.09E-06	1.0E+06	2.1E+00
908	1.34378	4.85E-03	6.5E-03	1.05E-03	6.81E-06	1.06E+00	1.57E-01	1.13E-06	1.0E+06	1.1E+00
909	1.39182	4.85E-03	6.7E-03	1.05E-03	7.05E-06	1.06E+00	1.57E-01	1.17E-06	1.0E+06	1.2E+00
910	1.43801	4.85E-03	7.0E-03	1.05E-03	7.28E-06	1.06E+00	1.57E-01	1.21E-06	1.0E+06	1.2E+00
911	1.4874	4.85E-03	7.2E-03	1.05E-03	7.53E-06	1.06E+00	1.57E-01	1.25E-06	1.0E+06	1.3E+00
912	1.53931	4.85E-03	7.5E-03	1.05E-03	7.80E-06	1.06E+00	1.57E-01	1.30E-06	1.0E+06	1.3E+00
913	1.59264	4.85E-03	7.7E-03	1.05E-03	8.07E-06	1.06E+00	1.57E-01	1.34E-06	1.0E+06	1.3E+00
914	1.64626	4.85E-03	8.0E-03	1.05E-03	8.34E-06	1.06E+00	1.57E-01	1.39E-06	1.0E+06	1.4E+00
915	1.70051	4.85E-03	8.2E-03	1.05E-03	8.61E-06	1.06E+00	1.57E-01	1.43E-06	1.0E+06	1.4E+00
916	1.75782	4.85E-03	8.5E-03	1.05E-03	8.90E-06	1.06E+00	1.57E-01	1.48E-06	1.0E+06	1.5E+00
917	1.81857	4.85E-03	8.8E-03	1.05E-03	9.21E-06	1.06E+00	1.57E-01	1.53E-06	1.0E+06	1.5E+00
918	1.88138	4.85E-03	9.1E-03	1.05E-03	9.53E-06	1.06E+00	1.57E-01	1.58E-06	1.0E+06	1.6E+00
919	1.9463	4.85E-03	9.4E-03	1.05E-03	9.86E-06	1.06E+00	1.57E-01	1.64E-06	1.0E+06	1.6E+00
920	2.01351	4.85E-03	9.8E-03	1.05E-03	1.02E-05	1.06E+00	1.57E-01	1.69E-06	1.0E+06	1.7E+00
921	2.08316	4.85E-03	1.0E-02	1.05E-03	1.06E-05	1.06E+00	1.57E-01	1.75E-06	1.0E+06	1.8E+00
922	2.15554	4.85E-03	1.0E-02	1.05E-03	1.09E-05	1.06E+00	1.57E-01	1.81E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	4.85E-03	1.1E-02	1.05E-03	1.13E-05	1.06E+00	1.57E-01	1.88E-06	1.0E+06	1.9E+00
924	2.30792	4.85E-03	1.1E-02	1.05E-03	1.17E-05	1.06E+00	1.57E-01	1.94E-06	1.0E+06	1.9E+00
925	2.38688	4.85E-03	1.2E-02	1.05E-03	1.21E-05	1.06E+00	1.57E-01	2.01E-06	1.0E+06	2.0E+00
926	2.46714	4.85E-03	1.2E-02	1.05E-03	1.25E-05	1.06E+00	1.57E-01	2.08E-06	1.0E+06	2.1E+00
927	2.54717	4.85E-03	1.2E-02	1.05E-03	1.29E-05	1.06E+00	1.57E-01	2.14E-06	1.0E+06	2.1E+00
928	2.62654	4.85E-03	1.3E-02	1.05E-03	1.33E-05	1.06E+00	1.57E-01	2.21E-06	1.0E+06	2.2E+00
929	2.70395	4.85E-03	1.3E-02	1.05E-03	1.37E-05	1.06E+00	1.57E-01	2.28E-06	1.0E+06	2.3E+00
930	2.77767	4.85E-03	1.3E-02	1.05E-03	1.41E-05	1.06E+00	1.57E-01	2.34E-06	1.0E+06	2.3E+00
931	2.84499	4.85E-03	1.4E-02	1.05E-03	1.44E-05	1.06E+00	1.57E-01	2.39E-06	1.0E+06	2.4E+00
932	2.90354	4.85E-03	1.4E-02	1.05E-03	1.47E-05	1.06E+00	1.57E-01	2.44E-06	1.0E+06	2.4E+00
933	2.9525	4.85E-03	1.4E-02	1.05E-03	1.50E-05	1.06E+00	1.57E-01	2.49E-06	1.0E+06	2.5E+00
934	2.99008	4.85E-03	1.4E-02	1.05E-03	1.51E-05	1.06E+00	1.57E-01	2.52E-06	1.0E+06	2.5E+00
935	3.01462	4.85E-03	1.5E-02	1.05E-03	1.53E-05	1.06E+00	1.57E-01	2.54E-06	1.0E+06	2.5E+00
936	3.02389	4.85E-03	1.5E-02	1.05E-03	1.53E-05	1.06E+00	1.57E-01	2.55E-06	1.0E+06	2.5E+00
937	3.01538	4.85E-03	1.5E-02	1.05E-03	1.53E-05	1.06E+00	1.57E-01	2.54E-06	1.0E+06	2.5E+00
938	2.98903	4.85E-03	1.4E-02	1.05E-03	1.51E-05	1.06E+00	1.57E-01	2.52E-06	1.0E+06	2.5E+00
939	2.94679	4.85E-03	1.4E-02	1.05E-03	1.49E-05	1.06E+00	1.57E-01	2.48E-06	1.0E+06	2.5E+00
940	2.89021	4.85E-03	1.4E-02	1.05E-03	1.46E-05	1.06E+00	1.57E-01	2.43E-06	1.0E+06	2.4E+00
941	2.82029	4.85E-03	1.4E-02	1.05E-03	1.43E-05	1.06E+00	1.57E-01	2.37E-06	1.0E+06	2.4E+00
942	1.41975	4.85E-03	6.9E-03	1.05E-03	7.19E-06	1.06E+00	1.57E-01	1.20E-06	1.0E+06	1.2E+00
943	1.4724	4.85E-03	7.1E-03	1.05E-03	7.46E-06	1.06E+00	1.57E-01	1.24E-06	1.0E+06	1.2E+00
944	1.52496	4.85E-03	7.4E-03	1.05E-03	7.72E-06	1.06E+00	1.57E-01	1.28E-06	1.0E+06	1.3E+00
945	1.57781	4.85E-03	7.6E-03	1.05E-03	7.99E-06	1.06E+00	1.57E-01	1.33E-06	1.0E+06	1.3E+00
946	1.63542	4.85E-03	7.9E-03	1.05E-03	8.28E-06	1.06E+00	1.57E-01	1.38E-06	1.0E+06	1.4E+00
947	1.69476	4.85E-03	8.2E-03	1.05E-03	8.58E-06	1.06E+00	1.57E-01	1.43E-06	1.0E+06	1.4E+00
948	1.75455	4.85E-03	8.5E-03	1.05E-03	8.89E-06	1.06E+00	1.57E-01	1.48E-06	1.0E+06	1.5E+00
949	1.81519	4.85E-03	8.8E-03	1.05E-03	9.19E-06	1.06E+00	1.57E-01	1.53E-06	1.0E+06	1.5E+00
950	1.8796	4.85E-03	9.1E-03	1.05E-03	9.52E-06	1.06E+00	1.57E-01	1.58E-06	1.0E+06	1.6E+00
951	1.94787	4.85E-03	9.4E-03	1.05E-03	9.87E-06	1.06E+00	1.57E-01	1.64E-06	1.0E+06	1.6E+00
952	2.01881	4.85E-03	9.8E-03	1.05E-03	1.02E-05	1.06E+00	1.57E-01	1.70E-06	1.0E+06	1.7E+00
953	2.09254	4.85E-03	1.0E-02	1.05E-03	1.06E-05	1.06E+00	1.57E-01	1.76E-06	1.0E+06	1.8E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	4.85E-03	1.1E-02	1.05E-03	1.10E-05	1.06E+00	1.57E-01	1.83E-06	1.0E+06	1.8E+00
955	2.24971	4.85E-03	1.1E-02	1.05E-03	1.14E-05	1.06E+00	1.57E-01	1.89E-06	1.0E+06	1.9E+00
956	2.33459	4.85E-03	1.1E-02	1.05E-03	1.18E-05	1.06E+00	1.57E-01	1.97E-06	1.0E+06	2.0E+00
957	2.42362	4.85E-03	1.2E-02	1.05E-03	1.23E-05	1.06E+00	1.57E-01	2.04E-06	1.0E+06	2.0E+00
958	2.51608	4.85E-03	1.2E-02	1.05E-03	1.27E-05	1.06E+00	1.57E-01	2.12E-06	1.0E+06	2.1E+00
959	2.61119	4.85E-03	1.3E-02	1.05E-03	1.32E-05	1.06E+00	1.57E-01	2.20E-06	1.0E+06	2.2E+00
960	2.70919	4.85E-03	1.3E-02	1.05E-03	1.37E-05	1.06E+00	1.57E-01	2.28E-06	1.0E+06	2.3E+00
961	2.80855	4.85E-03	1.4E-02	1.05E-03	1.42E-05	1.06E+00	1.57E-01	2.36E-06	1.0E+06	2.4E+00
962	2.90798	4.85E-03	1.4E-02	1.05E-03	1.47E-05	1.06E+00	1.57E-01	2.45E-06	1.0E+06	2.4E+00
963	3.00621	4.85E-03	1.5E-02	1.05E-03	1.52E-05	1.06E+00	1.57E-01	2.53E-06	1.0E+06	2.5E+00
964	3.10043	4.85E-03	1.5E-02	1.05E-03	1.57E-05	1.06E+00	1.57E-01	2.61E-06	1.0E+06	2.6E+00
965	3.18812	4.85E-03	1.5E-02	1.05E-03	1.61E-05	1.06E+00	1.57E-01	2.68E-06	1.0E+06	2.7E+00
966	3.26457	4.85E-03	1.6E-02	1.05E-03	1.65E-05	1.06E+00	1.57E-01	2.75E-06	1.0E+06	2.7E+00
967	3.32885	4.85E-03	1.6E-02	1.05E-03	1.69E-05	1.06E+00	1.57E-01	2.80E-06	1.0E+06	2.8E+00
968	3.37814	4.85E-03	1.6E-02	1.05E-03	1.71E-05	1.06E+00	1.57E-01	2.84E-06	1.0E+06	2.8E+00
969	3.41014	4.85E-03	1.7E-02	1.05E-03	1.73E-05	1.06E+00	1.57E-01	2.87E-06	1.0E+06	2.9E+00
970	3.42128	4.85E-03	1.7E-02	1.05E-03	1.73E-05	1.06E+00	1.57E-01	2.88E-06	1.0E+06	2.9E+00
971	3.41078	4.85E-03	1.7E-02	1.05E-03	1.73E-05	1.06E+00	1.57E-01	2.87E-06	1.0E+06	2.9E+00
972	3.37829	4.85E-03	1.6E-02	1.05E-03	1.71E-05	1.06E+00	1.57E-01	2.84E-06	1.0E+06	2.8E+00
973	3.32508	4.85E-03	1.6E-02	1.05E-03	1.68E-05	1.06E+00	1.57E-01	2.80E-06	1.0E+06	2.8E+00
974	3.25251	4.85E-03	1.6E-02	1.05E-03	1.65E-05	1.06E+00	1.57E-01	2.74E-06	1.0E+06	2.7E+00
975	3.16305	4.85E-03	1.5E-02	1.05E-03	1.60E-05	1.06E+00	1.57E-01	2.66E-06	1.0E+06	2.7E+00
976	1.5019	4.85E-03	7.3E-03	1.05E-03	7.61E-06	1.06E+00	1.57E-01	1.26E-06	1.0E+06	1.3E+00
977	1.55951	4.85E-03	7.6E-03	1.05E-03	7.90E-06	1.06E+00	1.57E-01	1.31E-06	1.0E+06	1.3E+00
978	1.6175	4.85E-03	7.8E-03	1.05E-03	8.19E-06	1.06E+00	1.57E-01	1.36E-06	1.0E+06	1.4E+00
979	1.67604	4.85E-03	8.1E-03	1.05E-03	8.49E-06	1.06E+00	1.57E-01	1.41E-06	1.0E+06	1.4E+00
980	1.74002	4.85E-03	8.4E-03	1.05E-03	8.81E-06	1.06E+00	1.57E-01	1.46E-06	1.0E+06	1.5E+00
981	1.80609	4.85E-03	8.8E-03	1.05E-03	9.15E-06	1.06E+00	1.57E-01	1.52E-06	1.0E+06	1.5E+00
982	1.87281	4.85E-03	9.1E-03	1.05E-03	9.49E-06	1.06E+00	1.57E-01	1.58E-06	1.0E+06	1.6E+00
983	1.94072	4.85E-03	9.4E-03	1.05E-03	9.83E-06	1.06E+00	1.57E-01	1.63E-06	1.0E+06	1.6E+00
984	2.01313	4.85E-03	9.8E-03	1.05E-03	1.02E-05	1.06E+00	1.57E-01	1.69E-06	1.0E+06	1.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	4.85E-03	1.0E-02	1.05E-03	1.06E-05	1.06E+00	1.57E-01	1.76E-06	1.0E+06	1.8E+00
986	2.1701	4.85E-03	1.1E-02	1.05E-03	1.10E-05	1.06E+00	1.57E-01	1.83E-06	1.0E+06	1.8E+00
987	2.25396	4.85E-03	1.1E-02	1.05E-03	1.14E-05	1.06E+00	1.57E-01	1.90E-06	1.0E+06	1.9E+00
988	2.34192	4.85E-03	1.1E-02	1.05E-03	1.19E-05	1.06E+00	1.57E-01	1.97E-06	1.0E+06	2.0E+00
989	2.43471	4.85E-03	1.2E-02	1.05E-03	1.23E-05	1.06E+00	1.57E-01	2.05E-06	1.0E+06	2.0E+00
990	2.53459	4.85E-03	1.2E-02	1.05E-03	1.28E-05	1.06E+00	1.57E-01	2.13E-06	1.0E+06	2.1E+00
991	2.64074	4.85E-03	1.3E-02	1.05E-03	1.34E-05	1.06E+00	1.57E-01	2.22E-06	1.0E+06	2.2E+00
992	2.75198	4.85E-03	1.3E-02	1.05E-03	1.39E-05	1.06E+00	1.57E-01	2.32E-06	1.0E+06	2.3E+00
993	2.86771	4.85E-03	1.4E-02	1.05E-03	1.45E-05	1.06E+00	1.57E-01	2.41E-06	1.0E+06	2.4E+00
994	2.98847	4.85E-03	1.4E-02	1.05E-03	1.51E-05	1.06E+00	1.57E-01	2.52E-06	1.0E+06	2.5E+00
995	3.11365	4.85E-03	1.5E-02	1.05E-03	1.58E-05	1.06E+00	1.57E-01	2.62E-06	1.0E+06	2.6E+00
996	3.24022	4.85E-03	1.6E-02	1.05E-03	1.64E-05	1.06E+00	1.57E-01	2.73E-06	1.0E+06	2.7E+00
997	3.36692	4.85E-03	1.6E-02	1.05E-03	1.71E-05	1.06E+00	1.57E-01	2.83E-06	1.0E+06	2.8E+00
998	3.48991	4.85E-03	1.7E-02	1.05E-03	1.77E-05	1.06E+00	1.57E-01	2.94E-06	1.0E+06	2.9E+00
999	3.60594	4.85E-03	1.7E-02	1.05E-03	1.83E-05	1.06E+00	1.57E-01	3.04E-06	1.0E+06	3.0E+00
1000	3.70812	4.85E-03	1.8E-02	1.05E-03	1.88E-05	1.06E+00	1.57E-01	3.12E-06	1.0E+06	3.1E+00
1001	3.79396	4.85E-03	1.8E-02	1.05E-03	1.92E-05	1.06E+00	1.57E-01	3.19E-06	1.0E+06	3.2E+00
1002	3.86013	4.85E-03	1.9E-02	1.05E-03	1.96E-05	1.06E+00	1.57E-01	3.25E-06	1.0E+06	3.2E+00
1003	3.90266	4.85E-03	1.9E-02	1.05E-03	1.98E-05	1.06E+00	1.57E-01	3.28E-06	1.0E+06	3.3E+00
1004	3.91652	4.85E-03	1.9E-02	1.05E-03	1.98E-05	1.06E+00	1.57E-01	3.30E-06	1.0E+06	3.3E+00
1005	3.9028	4.85E-03	1.9E-02	1.05E-03	1.98E-05	1.06E+00	1.57E-01	3.29E-06	1.0E+06	3.3E+00
1006	3.86166	4.85E-03	1.9E-02	1.05E-03	1.96E-05	1.06E+00	1.57E-01	3.25E-06	1.0E+06	3.3E+00
1007	3.79253	4.85E-03	1.8E-02	1.05E-03	1.92E-05	1.06E+00	1.57E-01	3.19E-06	1.0E+06	3.2E+00
1008	3.69675	4.85E-03	1.8E-02	1.05E-03	1.87E-05	1.06E+00	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1009	3.57868	4.85E-03	1.7E-02	1.05E-03	1.81E-05	1.06E+00	1.57E-01	3.01E-06	1.0E+06	3.0E+00
1010	1.59074	4.85E-03	7.7E-03	1.05E-03	8.06E-06	1.06E+00	1.57E-01	1.34E-06	1.0E+06	1.3E+00
1011	1.65396	4.85E-03	8.0E-03	1.05E-03	8.38E-06	1.06E+00	1.57E-01	1.39E-06	1.0E+06	1.4E+00
1012	1.71809	4.85E-03	8.3E-03	1.05E-03	8.70E-06	1.06E+00	1.57E-01	1.45E-06	1.0E+06	1.4E+00
1013	1.7831	4.85E-03	8.6E-03	1.05E-03	9.03E-06	1.06E+00	1.57E-01	1.50E-06	1.0E+06	1.5E+00
1014	1.8542	4.85E-03	9.0E-03	1.05E-03	9.39E-06	1.06E+00	1.57E-01	1.56E-06	1.0E+06	1.6E+00
1015	1.92778	4.85E-03	9.3E-03	1.05E-03	9.76E-06	1.06E+00	1.57E-01	1.62E-06	1.0E+06	1.6E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	4.85E-03	9.7E-03	1.05E-03	1.01E-05	1.06E+00	1.57E-01	1.69E-06	1.0E+06	1.7E+00
1017	2.07653	4.85E-03	1.0E-02	1.05E-03	1.05E-05	1.06E+00	1.57E-01	1.75E-06	1.0E+06	1.7E+00
1018	2.15978	4.85E-03	1.0E-02	1.05E-03	1.09E-05	1.06E+00	1.57E-01	1.82E-06	1.0E+06	1.8E+00
1019	2.24625	4.85E-03	1.1E-02	1.05E-03	1.14E-05	1.06E+00	1.57E-01	1.89E-06	1.0E+06	1.9E+00
1020	2.33698	4.85E-03	1.1E-02	1.05E-03	1.18E-05	1.06E+00	1.57E-01	1.97E-06	1.0E+06	2.0E+00
1021	2.43241	4.85E-03	1.2E-02	1.05E-03	1.23E-05	1.06E+00	1.57E-01	2.05E-06	1.0E+06	2.0E+00
1022	2.53329	4.85E-03	1.2E-02	1.05E-03	1.28E-05	1.06E+00	1.57E-01	2.13E-06	1.0E+06	2.1E+00
1023	2.64079	4.85E-03	1.3E-02	1.05E-03	1.34E-05	1.06E+00	1.57E-01	2.22E-06	1.0E+06	2.2E+00
1024	2.75843	4.85E-03	1.3E-02	1.05E-03	1.40E-05	1.06E+00	1.57E-01	2.32E-06	1.0E+06	2.3E+00
1025	2.88515	4.85E-03	1.4E-02	1.05E-03	1.46E-05	1.06E+00	1.57E-01	2.43E-06	1.0E+06	2.4E+00
1026	3.01984	4.85E-03	1.5E-02	1.05E-03	1.53E-05	1.06E+00	1.57E-01	2.54E-06	1.0E+06	2.5E+00
1027	3.16213	4.85E-03	1.5E-02	1.05E-03	1.60E-05	1.06E+00	1.57E-01	2.66E-06	1.0E+06	2.7E+00
1028	3.31325	4.85E-03	1.6E-02	1.05E-03	1.68E-05	1.06E+00	1.57E-01	2.79E-06	1.0E+06	2.8E+00
1029	3.47289	4.85E-03	1.7E-02	1.05E-03	1.76E-05	1.06E+00	1.57E-01	2.92E-06	1.0E+06	2.9E+00
1030	3.63688	4.85E-03	1.8E-02	1.05E-03	1.84E-05	1.06E+00	1.57E-01	3.06E-06	1.0E+06	3.1E+00
1031	3.8037	4.85E-03	1.8E-02	1.05E-03	1.93E-05	1.06E+00	1.57E-01	3.20E-06	1.0E+06	3.2E+00
1032	3.96771	4.85E-03	1.9E-02	1.05E-03	2.01E-05	1.06E+00	1.57E-01	3.34E-06	1.0E+06	3.3E+00
1033	4.12419	4.85E-03	2.0E-02	1.05E-03	2.09E-05	1.06E+00	1.57E-01	3.47E-06	1.0E+06	3.5E+00
1034	4.26404	4.85E-03	2.1E-02	1.05E-03	2.16E-05	1.06E+00	1.57E-01	3.59E-06	1.0E+06	3.6E+00
1035	4.38116	4.85E-03	2.1E-02	1.05E-03	2.22E-05	1.06E+00	1.57E-01	3.69E-06	1.0E+06	3.7E+00
1036	4.4717	4.85E-03	2.2E-02	1.05E-03	2.26E-05	1.06E+00	1.57E-01	3.76E-06	1.0E+06	3.8E+00
1037	4.52967	4.85E-03	2.2E-02	1.05E-03	2.29E-05	1.06E+00	1.57E-01	3.81E-06	1.0E+06	3.8E+00
1038	4.54755	4.85E-03	2.2E-02	1.05E-03	2.30E-05	1.06E+00	1.57E-01	3.83E-06	1.0E+06	3.8E+00
1039	4.52857	4.85E-03	2.2E-02	1.05E-03	2.29E-05	1.06E+00	1.57E-01	3.81E-06	1.0E+06	3.8E+00
1040	4.4728	4.85E-03	2.2E-02	1.05E-03	2.27E-05	1.06E+00	1.57E-01	3.76E-06	1.0E+06	3.8E+00
1041	4.3777	4.85E-03	2.1E-02	1.05E-03	2.22E-05	1.06E+00	1.57E-01	3.68E-06	1.0E+06	3.7E+00
1042	4.2463	4.85E-03	2.1E-02	1.05E-03	2.15E-05	1.06E+00	1.57E-01	3.57E-06	1.0E+06	3.6E+00
1043	4.08477	4.85E-03	2.0E-02	1.05E-03	2.07E-05	1.06E+00	1.57E-01	3.44E-06	1.0E+06	3.4E+00
1044	1.68719	4.85E-03	8.2E-03	1.05E-03	8.55E-06	1.06E+00	1.57E-01	1.42E-06	1.0E+06	1.4E+00
1045	1.75653	4.85E-03	8.5E-03	1.05E-03	8.90E-06	1.06E+00	1.57E-01	1.48E-06	1.0E+06	1.5E+00
1046	1.83016	4.85E-03	8.9E-03	1.05E-03	9.27E-06	1.06E+00	1.57E-01	1.54E-06	1.0E+06	1.5E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	4.85E-03	9.2E-03	1.05E-03	9.62E-06	1.06E+00	1.57E-01	1.60E-06	1.0E+06	1.6E+00
1048	1.97931	4.85E-03	9.6E-03	1.05E-03	1.00E-05	1.06E+00	1.57E-01	1.67E-06	1.0E+06	1.7E+00
1049	2.0613	4.85E-03	1.0E-02	1.05E-03	1.04E-05	1.06E+00	1.57E-01	1.74E-06	1.0E+06	1.7E+00
1050	2.14448	4.85E-03	1.0E-02	1.05E-03	1.09E-05	1.06E+00	1.57E-01	1.81E-06	1.0E+06	1.8E+00
1051	2.22969	4.85E-03	1.1E-02	1.05E-03	1.13E-05	1.06E+00	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1052	2.3211	4.85E-03	1.1E-02	1.05E-03	1.18E-05	1.06E+00	1.57E-01	1.95E-06	1.0E+06	2.0E+00
1053	2.41857	4.85E-03	1.2E-02	1.05E-03	1.22E-05	1.06E+00	1.57E-01	2.04E-06	1.0E+06	2.0E+00
1054	2.52135	4.85E-03	1.2E-02	1.05E-03	1.28E-05	1.06E+00	1.57E-01	2.12E-06	1.0E+06	2.1E+00
1055	2.63026	4.85E-03	1.3E-02	1.05E-03	1.33E-05	1.06E+00	1.57E-01	2.21E-06	1.0E+06	2.2E+00
1056	2.74637	4.85E-03	1.3E-02	1.05E-03	1.39E-05	1.06E+00	1.57E-01	2.31E-06	1.0E+06	2.3E+00
1057	2.87138	4.85E-03	1.4E-02	1.05E-03	1.45E-05	1.06E+00	1.57E-01	2.42E-06	1.0E+06	2.4E+00
1058	3.00939	4.85E-03	1.5E-02	1.05E-03	1.52E-05	1.06E+00	1.57E-01	2.53E-06	1.0E+06	2.5E+00
1059	3.16046	4.85E-03	1.5E-02	1.05E-03	1.60E-05	1.06E+00	1.57E-01	2.66E-06	1.0E+06	2.7E+00
1060	3.32447	4.85E-03	1.6E-02	1.05E-03	1.68E-05	1.06E+00	1.57E-01	2.80E-06	1.0E+06	2.8E+00
1061	3.50138	4.85E-03	1.7E-02	1.05E-03	1.77E-05	1.06E+00	1.57E-01	2.95E-06	1.0E+06	2.9E+00
1062	3.69345	4.85E-03	1.8E-02	1.05E-03	1.87E-05	1.06E+00	1.57E-01	3.11E-06	1.0E+06	3.1E+00
1063	3.90012	4.85E-03	1.9E-02	1.05E-03	1.98E-05	1.06E+00	1.57E-01	3.28E-06	1.0E+06	3.3E+00
1064	4.11704	4.85E-03	2.0E-02	1.05E-03	2.09E-05	1.06E+00	1.57E-01	3.47E-06	1.0E+06	3.5E+00
1065	4.34138	4.85E-03	2.1E-02	1.05E-03	2.20E-05	1.06E+00	1.57E-01	3.65E-06	1.0E+06	3.7E+00
1066	4.56573	4.85E-03	2.2E-02	1.05E-03	2.31E-05	1.06E+00	1.57E-01	3.84E-06	1.0E+06	3.8E+00
1067	4.78179	4.85E-03	2.3E-02	1.05E-03	2.42E-05	1.06E+00	1.57E-01	4.02E-06	1.0E+06	4.0E+00
1068	4.97805	4.85E-03	2.4E-02	1.05E-03	2.52E-05	1.06E+00	1.57E-01	4.19E-06	1.0E+06	4.2E+00
1069	5.142	4.85E-03	2.5E-02	1.05E-03	2.60E-05	1.06E+00	1.57E-01	4.33E-06	1.0E+06	4.3E+00
1070	5.26826	4.85E-03	2.6E-02	1.05E-03	2.67E-05	1.06E+00	1.57E-01	4.43E-06	1.0E+06	4.4E+00
1071	5.34837	4.85E-03	2.6E-02	1.05E-03	2.71E-05	1.06E+00	1.57E-01	4.50E-06	1.0E+06	4.5E+00
1072	5.37264	4.85E-03	2.6E-02	1.05E-03	2.72E-05	1.06E+00	1.57E-01	4.52E-06	1.0E+06	4.5E+00
1073	5.34517	4.85E-03	2.6E-02	1.05E-03	2.71E-05	1.06E+00	1.57E-01	4.50E-06	1.0E+06	4.5E+00
1074	5.26473	4.85E-03	2.6E-02	1.05E-03	2.67E-05	1.06E+00	1.57E-01	4.43E-06	1.0E+06	4.4E+00
1075	5.12805	4.85E-03	2.5E-02	1.05E-03	2.60E-05	1.06E+00	1.57E-01	4.32E-06	1.0E+06	4.3E+00
1076	4.9404	4.85E-03	2.4E-02	1.05E-03	2.50E-05	1.06E+00	1.57E-01	4.16E-06	1.0E+06	4.2E+00
1077	4.71126	4.85E-03	2.3E-02	1.05E-03	2.39E-05	1.06E+00	1.57E-01	3.97E-06	1.0E+06	4.0E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	4.85E-03	8.7E-03	1.05E-03	9.08E-06	1.06E+00	1.57E-01	1.51E-06	1.0E+06	1.5E+00
1079	1.86905	4.85E-03	9.1E-03	1.05E-03	9.47E-06	1.06E+00	1.57E-01	1.57E-06	1.0E+06	1.6E+00
1080	1.95087	4.85E-03	9.5E-03	1.05E-03	9.88E-06	1.06E+00	1.57E-01	1.64E-06	1.0E+06	1.6E+00
1081	2.03097	4.85E-03	9.8E-03	1.05E-03	1.03E-05	1.06E+00	1.57E-01	1.71E-06	1.0E+06	1.7E+00
1082	2.11709	4.85E-03	1.0E-02	1.05E-03	1.07E-05	1.06E+00	1.57E-01	1.78E-06	1.0E+06	1.8E+00
1083	2.2085	4.85E-03	1.1E-02	1.05E-03	1.12E-05	1.06E+00	1.57E-01	1.86E-06	1.0E+06	1.9E+00
1084	2.3035	4.85E-03	1.1E-02	1.05E-03	1.17E-05	1.06E+00	1.57E-01	1.94E-06	1.0E+06	1.9E+00
1085	2.39687	4.85E-03	1.2E-02	1.05E-03	1.21E-05	1.06E+00	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1086	2.49947	4.85E-03	1.2E-02	1.05E-03	1.27E-05	1.06E+00	1.57E-01	2.10E-06	1.0E+06	2.1E+00
1087	2.6091	4.85E-03	1.3E-02	1.05E-03	1.32E-05	1.06E+00	1.57E-01	2.20E-06	1.0E+06	2.2E+00
1088	2.72531	4.85E-03	1.3E-02	1.05E-03	1.38E-05	1.06E+00	1.57E-01	2.29E-06	1.0E+06	2.3E+00
1089	2.8493	4.85E-03	1.4E-02	1.05E-03	1.44E-05	1.06E+00	1.57E-01	2.40E-06	1.0E+06	2.4E+00
1090	2.98273	4.85E-03	1.4E-02	1.05E-03	1.51E-05	1.06E+00	1.57E-01	2.51E-06	1.0E+06	2.5E+00
1091	3.12782	4.85E-03	1.5E-02	1.05E-03	1.58E-05	1.06E+00	1.57E-01	2.63E-06	1.0E+06	2.6E+00
1092	3.2898	4.85E-03	1.6E-02	1.05E-03	1.67E-05	1.06E+00	1.57E-01	2.77E-06	1.0E+06	2.8E+00
1093	3.4702	4.85E-03	1.7E-02	1.05E-03	1.76E-05	1.06E+00	1.57E-01	2.92E-06	1.0E+06	2.9E+00
1094	3.67038	4.85E-03	1.8E-02	1.05E-03	1.86E-05	1.06E+00	1.57E-01	3.09E-06	1.0E+06	3.1E+00
1095	3.89235	4.85E-03	1.9E-02	1.05E-03	1.97E-05	1.06E+00	1.57E-01	3.28E-06	1.0E+06	3.3E+00
1096	4.14004	4.85E-03	2.0E-02	1.05E-03	2.10E-05	1.06E+00	1.57E-01	3.48E-06	1.0E+06	3.5E+00
1097	4.41279	4.85E-03	2.1E-02	1.05E-03	2.24E-05	1.06E+00	1.57E-01	3.71E-06	1.0E+06	3.7E+00
1098	4.70698	4.85E-03	2.3E-02	1.05E-03	2.38E-05	1.06E+00	1.57E-01	3.96E-06	1.0E+06	4.0E+00
1099	5.01782	4.85E-03	2.4E-02	1.05E-03	2.54E-05	1.06E+00	1.57E-01	4.22E-06	1.0E+06	4.2E+00
1100	5.33334	4.85E-03	2.6E-02	1.05E-03	2.70E-05	1.06E+00	1.57E-01	4.49E-06	1.0E+06	4.5E+00
1101	5.63956	4.85E-03	2.7E-02	1.05E-03	2.86E-05	1.06E+00	1.57E-01	4.75E-06	1.0E+06	4.7E+00
1102	5.92318	4.85E-03	2.9E-02	1.05E-03	3.00E-05	1.06E+00	1.57E-01	4.99E-06	1.0E+06	5.0E+00
1103	6.15976	4.85E-03	3.0E-02	1.05E-03	3.12E-05	1.06E+00	1.57E-01	5.18E-06	1.0E+06	5.2E+00
1104	6.33917	4.85E-03	3.1E-02	1.05E-03	3.21E-05	1.06E+00	1.57E-01	5.34E-06	1.0E+06	5.3E+00
1105	6.45005	4.85E-03	3.1E-02	1.05E-03	3.27E-05	1.06E+00	1.57E-01	5.43E-06	1.0E+06	5.4E+00
1106	6.4842	4.85E-03	3.1E-02	1.05E-03	3.28E-05	1.06E+00	1.57E-01	5.46E-06	1.0E+06	5.5E+00
1107	6.44643	4.85E-03	3.1E-02	1.05E-03	3.27E-05	1.06E+00	1.57E-01	5.43E-06	1.0E+06	5.4E+00
1108	6.33	4.85E-03	3.1E-02	1.05E-03	3.21E-05	1.06E+00	1.57E-01	5.33E-06	1.0E+06	5.3E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	4.85E-03	3.0E-02	1.05E-03	3.10E-05	1.06E+00	1.57E-01	5.16E-06	1.0E+06	5.2E+00
1110	5.84948	4.85E-03	2.8E-02	1.05E-03	2.96E-05	1.06E+00	1.57E-01	4.92E-06	1.0E+06	4.9E+00
1111	5.51509	4.85E-03	2.7E-02	1.05E-03	2.79E-05	1.06E+00	1.57E-01	4.64E-06	1.0E+06	4.6E+00
1112	1.90754	4.85E-03	9.2E-03	1.05E-03	9.66E-06	1.06E+00	1.57E-01	1.61E-06	1.0E+06	1.6E+00
1113	1.99395	4.85E-03	9.7E-03	1.05E-03	1.01E-05	1.06E+00	1.57E-01	1.68E-06	1.0E+06	1.7E+00
1114	2.08392	4.85E-03	1.0E-02	1.05E-03	1.06E-05	1.06E+00	1.57E-01	1.75E-06	1.0E+06	1.8E+00
1115	2.17568	4.85E-03	1.1E-02	1.05E-03	1.10E-05	1.06E+00	1.57E-01	1.83E-06	1.0E+06	1.8E+00
1116	2.26975	4.85E-03	1.1E-02	1.05E-03	1.15E-05	1.06E+00	1.57E-01	1.91E-06	1.0E+06	1.9E+00
1117	2.37171	4.85E-03	1.1E-02	1.05E-03	1.20E-05	1.06E+00	1.57E-01	2.00E-06	1.0E+06	2.0E+00
1118	2.47776	4.85E-03	1.2E-02	1.05E-03	1.25E-05	1.06E+00	1.57E-01	2.09E-06	1.0E+06	2.1E+00
1119	2.58252	4.85E-03	1.3E-02	1.05E-03	1.31E-05	1.06E+00	1.57E-01	2.17E-06	1.0E+06	2.2E+00
1120	2.69744	4.85E-03	1.3E-02	1.05E-03	1.37E-05	1.06E+00	1.57E-01	2.27E-06	1.0E+06	2.3E+00
1121	2.82046	4.85E-03	1.4E-02	1.05E-03	1.43E-05	1.06E+00	1.57E-01	2.37E-06	1.0E+06	2.4E+00
1122	2.95147	4.85E-03	1.4E-02	1.05E-03	1.49E-05	1.06E+00	1.57E-01	2.48E-06	1.0E+06	2.5E+00
1123	3.09213	4.85E-03	1.5E-02	1.05E-03	1.57E-05	1.06E+00	1.57E-01	2.60E-06	1.0E+06	2.6E+00
1124	3.24473	4.85E-03	1.6E-02	1.05E-03	1.64E-05	1.06E+00	1.57E-01	2.73E-06	1.0E+06	2.7E+00
1125	3.41259	4.85E-03	1.7E-02	1.05E-03	1.73E-05	1.06E+00	1.57E-01	2.87E-06	1.0E+06	2.9E+00
1126	3.60217	4.85E-03	1.7E-02	1.05E-03	1.82E-05	1.06E+00	1.57E-01	3.03E-06	1.0E+06	3.0E+00
1127	3.81712	4.85E-03	1.8E-02	1.05E-03	1.93E-05	1.06E+00	1.57E-01	3.21E-06	1.0E+06	3.2E+00
1128	4.0622	4.85E-03	2.0E-02	1.05E-03	2.06E-05	1.06E+00	1.57E-01	3.42E-06	1.0E+06	3.4E+00
1129	4.34181	4.85E-03	2.1E-02	1.05E-03	2.20E-05	1.06E+00	1.57E-01	3.65E-06	1.0E+06	3.7E+00
1130	4.66524	4.85E-03	2.3E-02	1.05E-03	2.36E-05	1.06E+00	1.57E-01	3.93E-06	1.0E+06	3.9E+00
1131	5.03357	4.85E-03	2.4E-02	1.05E-03	2.55E-05	1.06E+00	1.57E-01	4.24E-06	1.0E+06	4.2E+00
1132	5.44589	4.85E-03	2.6E-02	1.05E-03	2.76E-05	1.06E+00	1.57E-01	4.58E-06	1.0E+06	4.6E+00
1133	5.89285	4.85E-03	2.9E-02	1.05E-03	2.98E-05	1.06E+00	1.57E-01	4.96E-06	1.0E+06	5.0E+00
1134	6.35095	4.85E-03	3.1E-02	1.05E-03	3.22E-05	1.06E+00	1.57E-01	5.35E-06	1.0E+06	5.3E+00
1135	6.79794	4.85E-03	3.3E-02	1.05E-03	3.44E-05	1.06E+00	1.57E-01	5.72E-06	1.0E+06	5.7E+00
1136	7.22023	4.85E-03	3.5E-02	1.05E-03	3.66E-05	1.06E+00	1.57E-01	6.08E-06	1.0E+06	6.1E+00
1137	7.57481	4.85E-03	3.7E-02	1.05E-03	3.84E-05	1.06E+00	1.57E-01	6.38E-06	1.0E+06	6.4E+00
1138	7.83292	4.85E-03	3.8E-02	1.05E-03	3.97E-05	1.06E+00	1.57E-01	6.59E-06	1.0E+06	6.6E+00
1139	7.97995	4.85E-03	3.9E-02	1.05E-03	4.04E-05	1.06E+00	1.57E-01	6.72E-06	1.0E+06	6.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	4.85E-03	3.9E-02	1.05E-03	4.07E-05	1.06E+00	1.57E-01	6.76E-06	1.0E+06	6.8E+00
1141	7.98973	4.85E-03	3.9E-02	1.05E-03	4.05E-05	1.06E+00	1.57E-01	6.73E-06	1.0E+06	6.7E+00
1142	7.81875	4.85E-03	3.8E-02	1.05E-03	3.96E-05	1.06E+00	1.57E-01	6.58E-06	1.0E+06	6.6E+00
1143	7.50412	4.85E-03	3.6E-02	1.05E-03	3.80E-05	1.06E+00	1.57E-01	6.32E-06	1.0E+06	6.3E+00
1144	7.07481	4.85E-03	3.4E-02	1.05E-03	3.58E-05	1.06E+00	1.57E-01	5.95E-06	1.0E+06	6.0E+00
1145	6.56874	4.85E-03	3.2E-02	1.05E-03	3.33E-05	1.06E+00	1.57E-01	5.53E-06	1.0E+06	5.5E+00
1146	2.03453	4.85E-03	9.9E-03	1.05E-03	1.03E-05	1.06E+00	1.57E-01	1.71E-06	1.0E+06	1.7E+00
1147	2.13247	4.85E-03	1.0E-02	1.05E-03	1.08E-05	1.06E+00	1.57E-01	1.79E-06	1.0E+06	1.8E+00
1148	2.23163	4.85E-03	1.1E-02	1.05E-03	1.13E-05	1.06E+00	1.57E-01	1.88E-06	1.0E+06	1.9E+00
1149	2.33656	4.85E-03	1.1E-02	1.05E-03	1.18E-05	1.06E+00	1.57E-01	1.97E-06	1.0E+06	2.0E+00
1150	2.44222	4.85E-03	1.2E-02	1.05E-03	1.24E-05	1.06E+00	1.57E-01	2.06E-06	1.0E+06	2.1E+00
1151	2.55404	4.85E-03	1.2E-02	1.05E-03	1.29E-05	1.06E+00	1.57E-01	2.15E-06	1.0E+06	2.1E+00
1152	2.67247	4.85E-03	1.3E-02	1.05E-03	1.35E-05	1.06E+00	1.57E-01	2.25E-06	1.0E+06	2.2E+00
1153	2.79193	4.85E-03	1.4E-02	1.05E-03	1.41E-05	1.06E+00	1.57E-01	2.35E-06	1.0E+06	2.3E+00
1154	2.91823	4.85E-03	1.4E-02	1.05E-03	1.48E-05	1.06E+00	1.57E-01	2.46E-06	1.0E+06	2.5E+00
1155	3.05585	4.85E-03	1.5E-02	1.05E-03	1.55E-05	1.06E+00	1.57E-01	2.57E-06	1.0E+06	2.6E+00
1156	3.20293	4.85E-03	1.6E-02	1.05E-03	1.62E-05	1.06E+00	1.57E-01	2.70E-06	1.0E+06	2.7E+00
1157	3.36173	4.85E-03	1.6E-02	1.05E-03	1.70E-05	1.06E+00	1.57E-01	2.83E-06	1.0E+06	2.8E+00
1158	3.53541	4.85E-03	1.7E-02	1.05E-03	1.79E-05	1.06E+00	1.57E-01	2.98E-06	1.0E+06	3.0E+00
1159	3.7286	4.85E-03	1.8E-02	1.05E-03	1.89E-05	1.06E+00	1.57E-01	3.14E-06	1.0E+06	3.1E+00
1160	3.94893	4.85E-03	1.9E-02	1.05E-03	2.00E-05	1.06E+00	1.57E-01	3.32E-06	1.0E+06	3.3E+00
1161	4.20347	4.85E-03	2.0E-02	1.05E-03	2.13E-05	1.06E+00	1.57E-01	3.54E-06	1.0E+06	3.5E+00
1162	4.50184	4.85E-03	2.2E-02	1.05E-03	2.28E-05	1.06E+00	1.57E-01	3.79E-06	1.0E+06	3.8E+00
1163	4.85509	4.85E-03	2.4E-02	1.05E-03	2.46E-05	1.06E+00	1.57E-01	4.09E-06	1.0E+06	4.1E+00
1164	5.28071	4.85E-03	2.6E-02	1.05E-03	2.67E-05	1.06E+00	1.57E-01	4.44E-06	1.0E+06	4.4E+00
1165	5.79017	4.85E-03	2.8E-02	1.05E-03	2.93E-05	1.06E+00	1.57E-01	4.87E-06	1.0E+06	4.9E+00
1166	6.38984	4.85E-03	3.1E-02	1.05E-03	3.24E-05	1.06E+00	1.57E-01	5.38E-06	1.0E+06	5.4E+00
1167	7.06432	4.85E-03	3.4E-02	1.05E-03	3.58E-05	1.06E+00	1.57E-01	5.95E-06	1.0E+06	5.9E+00
1168	6.38019	4.85E-03	3.1E-02	1.05E-03	3.23E-05	1.06E+00	1.57E-01	5.37E-06	1.0E+06	5.4E+00
1169	8.41857	4.85E-03	4.1E-02	1.05E-03	4.26E-05	1.06E+00	1.57E-01	7.09E-06	1.0E+06	7.1E+00
1170	7.5517	4.85E-03	3.7E-02	1.05E-03	3.82E-05	1.06E+00	1.57E-01	6.36E-06	1.0E+06	6.4E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	4.85E-03	3.8E-02	1.05E-03	3.97E-05	1.06E+00	1.57E-01	6.60E-06	1.0E+06	6.6E+00
1172	8.1392	4.85E-03	3.9E-02	1.05E-03	4.12E-05	1.06E+00	1.57E-01	6.85E-06	1.0E+06	6.9E+00
1173	8.48934	4.85E-03	4.1E-02	1.05E-03	4.30E-05	1.06E+00	1.57E-01	7.15E-06	1.0E+06	7.1E+00
1174	8.63871	4.85E-03	4.2E-02	1.05E-03	4.38E-05	1.06E+00	1.57E-01	7.27E-06	1.0E+06	7.3E+00
1175	8.32856	4.85E-03	4.0E-02	1.05E-03	4.22E-05	1.06E+00	1.57E-01	7.01E-06	1.0E+06	7.0E+00
1176	8.01684	4.85E-03	3.9E-02	1.05E-03	4.06E-05	1.06E+00	1.57E-01	6.75E-06	1.0E+06	6.7E+00
1177	7.68924	4.85E-03	3.7E-02	1.05E-03	3.89E-05	1.06E+00	1.57E-01	6.47E-06	1.0E+06	6.5E+00
1178	5.9706	4.85E-03	2.9E-02	1.05E-03	3.02E-05	1.06E+00	1.57E-01	5.03E-06	1.0E+06	5.0E+00
1179	6.57107	4.85E-03	3.2E-02	1.05E-03	3.33E-05	1.06E+00	1.57E-01	5.53E-06	1.0E+06	5.5E+00
1180	2.17552	4.85E-03	1.1E-02	1.05E-03	1.10E-05	1.06E+00	1.57E-01	1.83E-06	1.0E+06	1.8E+00
1181	2.28576	4.85E-03	1.1E-02	1.05E-03	1.16E-05	1.06E+00	1.57E-01	1.92E-06	1.0E+06	1.9E+00
1182	2.39727	4.85E-03	1.2E-02	1.05E-03	1.21E-05	1.06E+00	1.57E-01	2.02E-06	1.0E+06	2.0E+00
1183	2.51595	4.85E-03	1.2E-02	1.05E-03	1.27E-05	1.06E+00	1.57E-01	2.12E-06	1.0E+06	2.1E+00
1184	2.63399	4.85E-03	1.3E-02	1.05E-03	1.33E-05	1.06E+00	1.57E-01	2.22E-06	1.0E+06	2.2E+00
1185	2.7595	4.85E-03	1.3E-02	1.05E-03	1.40E-05	1.06E+00	1.57E-01	2.32E-06	1.0E+06	2.3E+00
1186	2.89193	4.85E-03	1.4E-02	1.05E-03	1.46E-05	1.06E+00	1.57E-01	2.43E-06	1.0E+06	2.4E+00
1187	3.02979	4.85E-03	1.5E-02	1.05E-03	1.53E-05	1.06E+00	1.57E-01	2.55E-06	1.0E+06	2.6E+00
1188	3.16867	4.85E-03	1.5E-02	1.05E-03	1.60E-05	1.06E+00	1.57E-01	2.67E-06	1.0E+06	2.7E+00
1189	3.32023	4.85E-03	1.6E-02	1.05E-03	1.68E-05	1.06E+00	1.57E-01	2.79E-06	1.0E+06	2.8E+00
1190	3.48447	4.85E-03	1.7E-02	1.05E-03	1.76E-05	1.06E+00	1.57E-01	2.93E-06	1.0E+06	2.9E+00
1191	3.66265	4.85E-03	1.8E-02	1.05E-03	1.86E-05	1.06E+00	1.57E-01	3.08E-06	1.0E+06	3.1E+00
1192	3.85875	4.85E-03	1.9E-02	1.05E-03	1.95E-05	1.06E+00	1.57E-01	3.25E-06	1.0E+06	3.2E+00
1193	4.07907	4.85E-03	2.0E-02	1.05E-03	2.07E-05	1.06E+00	1.57E-01	3.43E-06	1.0E+06	3.4E+00
1194	4.33265	4.85E-03	2.1E-02	1.05E-03	2.19E-05	1.06E+00	1.57E-01	3.65E-06	1.0E+06	3.6E+00
1195	4.6314	4.85E-03	2.2E-02	1.05E-03	2.35E-05	1.06E+00	1.57E-01	3.90E-06	1.0E+06	3.9E+00
1196	4.99103	4.85E-03	2.4E-02	1.05E-03	2.53E-05	1.06E+00	1.57E-01	4.20E-06	1.0E+06	4.2E+00
1197	5.43436	4.85E-03	2.6E-02	1.05E-03	2.75E-05	1.06E+00	1.57E-01	4.57E-06	1.0E+06	4.6E+00
1198	5.99494	4.85E-03	2.9E-02	1.05E-03	3.04E-05	1.06E+00	1.57E-01	5.05E-06	1.0E+06	5.0E+00
1199	6.70943	4.85E-03	3.3E-02	1.05E-03	3.40E-05	1.06E+00	1.57E-01	5.65E-06	1.0E+06	5.6E+00
1200	6.07919	4.85E-03	2.9E-02	1.05E-03	3.08E-05	1.06E+00	1.57E-01	5.12E-06	1.0E+06	5.1E+00
1201	6.72457	4.85E-03	3.3E-02	1.05E-03	3.41E-05	1.06E+00	1.57E-01	5.66E-06	1.0E+06	5.7E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from Birth to 2 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	4.85E-03	3.7E-02	1.05E-03	3.83E-05	1.06E+00	1.57E-01	6.36E-06	1.0E+06	6.4E+00
1203	6.99298	4.85E-03	3.4E-02	1.05E-03	3.54E-05	1.06E+00	1.57E-01	5.89E-06	1.0E+06	5.9E+00
1204	7.66017	4.85E-03	3.7E-02	1.05E-03	3.88E-05	1.06E+00	1.57E-01	6.45E-06	1.0E+06	6.4E+00
1205	9.76139	4.85E-03	4.7E-02	1.05E-03	4.94E-05	1.06E+00	1.57E-01	8.22E-06	1.0E+06	8.2E+00
1206	8.83169	4.85E-03	4.3E-02	1.05E-03	4.47E-05	1.06E+00	1.57E-01	7.43E-06	1.0E+06	7.4E+00
1207	9.02331	4.85E-03	4.4E-02	1.05E-03	4.57E-05	1.06E+00	1.57E-01	7.60E-06	1.0E+06	7.6E+00
1208	7.72726	4.85E-03	3.7E-02	1.05E-03	3.91E-05	1.06E+00	1.57E-01	6.50E-06	1.0E+06	6.5E+00
1209	8.9362	4.85E-03	4.3E-02	1.05E-03	4.53E-05	1.06E+00	1.57E-01	7.52E-06	1.0E+06	7.5E+00
1210	7.16039	4.85E-03	3.5E-02	1.05E-03	3.63E-05	1.06E+00	1.57E-01	6.03E-06	1.0E+06	6.0E+00
1211	6.44491	4.85E-03	3.1E-02	1.05E-03	3.26E-05	1.06E+00	1.57E-01	5.42E-06	1.0E+06	5.4E+00
1212	7.05356	4.85E-03	3.4E-02	1.05E-03	3.57E-05	1.06E+00	1.57E-01	5.94E-06	1.0E+06	5.9E+00
1213	6.23474	4.85E-03	3.0E-02	1.05E-03	3.16E-05	1.06E+00	1.57E-01	5.25E-06	1.0E+06	5.2E+00

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	1.90398	2.44396E-06	4.7E-06	1.05E-03	4.86E-09	1.06E+00	1.57E-01	8.08E-10	1.0E+06	8.1E-04
893	893	1.97855	2.44396E-06	4.8E-06	1.05E-03	5.05E-09	1.06E+00	1.57E-01	8.40E-10	1.0E+06	8.4E-04
894	894	2.0548	2.44396E-06	5.0E-06	1.05E-03	5.25E-09	1.06E+00	1.57E-01	8.72E-10	1.0E+06	8.7E-04
895	895	2.13213	2.44396E-06	5.2E-06	1.05E-03	5.45E-09	1.06E+00	1.57E-01	9.05E-10	1.0E+06	9.1E-04
896	896	2.20927	2.44396E-06	5.4E-06	1.05E-03	5.64E-09	1.06E+00	1.57E-01	9.38E-10	1.0E+06	9.4E-04
897	897	2.28317	2.44396E-06	5.6E-06	1.05E-03	5.83E-09	1.06E+00	1.57E-01	9.69E-10	1.0E+06	9.7E-04
898	898	2.35394	2.44396E-06	5.8E-06	1.05E-03	6.01E-09	1.06E+00	1.57E-01	9.99E-10	1.0E+06	1.0E-03
899	899	2.41933	2.44396E-06	5.9E-06	1.05E-03	6.18E-09	1.06E+00	1.57E-01	1.03E-09	1.0E+06	1.0E-03
900	900	2.47916	2.44396E-06	6.1E-06	1.05E-03	6.33E-09	1.06E+00	1.57E-01	1.05E-09	1.0E+06	1.1E-03
901	901	2.53249	2.44396E-06	6.2E-06	1.05E-03	6.47E-09	1.06E+00	1.57E-01	1.08E-09	1.0E+06	1.1E-03
902	902	2.57941	2.44396E-06	6.3E-06	1.05E-03	6.59E-09	1.06E+00	1.57E-01	1.09E-09	1.0E+06	1.1E-03
903	903	2.61702	2.44396E-06	6.4E-06	1.05E-03	6.69E-09	1.06E+00	1.57E-01	1.11E-09	1.0E+06	1.1E-03
904	904	2.64487	2.44396E-06	6.5E-06	1.05E-03	6.76E-09	1.06E+00	1.57E-01	1.12E-09	1.0E+06	1.1E-03
905	905	2.66331	2.44396E-06	6.5E-06	1.05E-03	6.80E-09	1.06E+00	1.57E-01	1.13E-09	1.0E+06	1.1E-03
906	906	2.6724	2.44396E-06	6.5E-06	1.05E-03	6.83E-09	1.06E+00	1.57E-01	1.13E-09	1.0E+06	1.1E-03
907	907	2.67561	2.44396E-06	6.5E-06	1.05E-03	6.83E-09	1.06E+00	1.57E-01	1.14E-09	1.0E+06	1.1E-03
908	908	0.93883	2.44396E-06	2.3E-06	1.05E-03	2.40E-09	1.06E+00	1.57E-01	3.99E-10	1.0E+06	4.0E-04
909	909	0.97058	2.44396E-06	2.4E-06	1.05E-03	2.48E-09	1.06E+00	1.57E-01	4.12E-10	1.0E+06	4.1E-04
910	910	1.00414	2.44396E-06	2.5E-06	1.05E-03	2.57E-09	1.06E+00	1.57E-01	4.26E-10	1.0E+06	4.3E-04
911	911	1.04209	2.44396E-06	2.5E-06	1.05E-03	2.66E-09	1.06E+00	1.57E-01	4.42E-10	1.0E+06	4.4E-04
912	912	1.08135	2.44396E-06	2.6E-06	1.05E-03	2.76E-09	1.06E+00	1.57E-01	4.59E-10	1.0E+06	4.6E-04
913	913	1.12518	2.44396E-06	2.7E-06	1.05E-03	2.87E-09	1.06E+00	1.57E-01	4.78E-10	1.0E+06	4.8E-04
914	914	1.17053	2.44396E-06	2.9E-06	1.05E-03	2.99E-09	1.06E+00	1.57E-01	4.97E-10	1.0E+06	5.0E-04
915	915	1.22074	2.44396E-06	3.0E-06	1.05E-03	3.12E-09	1.06E+00	1.57E-01	5.18E-10	1.0E+06	5.2E-04
916	916	1.27276	2.44396E-06	3.1E-06	1.05E-03	3.25E-09	1.06E+00	1.57E-01	5.40E-10	1.0E+06	5.4E-04
917	917	1.32734	2.44396E-06	3.2E-06	1.05E-03	3.39E-09	1.06E+00	1.57E-01	5.63E-10	1.0E+06	5.6E-04
918	918	1.38877	2.44396E-06	3.4E-06	1.05E-03	3.55E-09	1.06E+00	1.57E-01	5.90E-10	1.0E+06	5.9E-04
919	919	1.45082	2.44396E-06	3.5E-06	1.05E-03	3.71E-09	1.06E+00	1.57E-01	6.16E-10	1.0E+06	6.2E-04
920	920	1.51576	2.44396E-06	3.7E-06	1.05E-03	3.87E-09	1.06E+00	1.57E-01	6.43E-10	1.0E+06	6.4E-04
921	921	1.58373	2.44396E-06	3.9E-06	1.05E-03	4.05E-09	1.06E+00	1.57E-01	6.72E-10	1.0E+06	6.7E-04
922	922	1.65497	2.44396E-06	4.0E-06	1.05E-03	4.23E-09	1.06E+00	1.57E-01	7.03E-10	1.0E+06	7.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	1.72917	2.44396E-06	4.2E-06	1.05E-03	4.42E-09	1.06E+00	1.57E-01	7.34E-10	1.0E+06	7.3E-04
924	924	1.80614	2.44396E-06	4.4E-06	1.05E-03	4.61E-09	1.06E+00	1.57E-01	7.67E-10	1.0E+06	7.7E-04
925	925	1.88557	2.44396E-06	4.6E-06	1.05E-03	4.82E-09	1.06E+00	1.57E-01	8.00E-10	1.0E+06	8.0E-04
926	926	1.96751	2.44396E-06	4.8E-06	1.05E-03	5.03E-09	1.06E+00	1.57E-01	8.35E-10	1.0E+06	8.4E-04
927	927	2.05149	2.44396E-06	5.0E-06	1.05E-03	5.24E-09	1.06E+00	1.57E-01	8.71E-10	1.0E+06	8.7E-04
928	928	2.13745	2.44396E-06	5.2E-06	1.05E-03	5.46E-09	1.06E+00	1.57E-01	9.07E-10	1.0E+06	9.1E-04
929	929	2.22526	2.44396E-06	5.4E-06	1.05E-03	5.68E-09	1.06E+00	1.57E-01	9.45E-10	1.0E+06	9.4E-04
930	930	2.3146	2.44396E-06	5.7E-06	1.05E-03	5.91E-09	1.06E+00	1.57E-01	9.83E-10	1.0E+06	9.8E-04
931	931	2.40372	2.44396E-06	5.9E-06	1.05E-03	6.14E-09	1.06E+00	1.57E-01	1.02E-09	1.0E+06	1.0E-03
932	932	2.48952	2.44396E-06	6.1E-06	1.05E-03	6.36E-09	1.06E+00	1.57E-01	1.06E-09	1.0E+06	1.1E-03
933	933	2.57217	2.44396E-06	6.3E-06	1.05E-03	6.57E-09	1.06E+00	1.57E-01	1.09E-09	1.0E+06	1.1E-03
934	934	2.64898	2.44396E-06	6.5E-06	1.05E-03	6.77E-09	1.06E+00	1.57E-01	1.12E-09	1.0E+06	1.1E-03
935	935	2.71994	2.44396E-06	6.6E-06	1.05E-03	6.95E-09	1.06E+00	1.57E-01	1.15E-09	1.0E+06	1.2E-03
936	936	2.7832	2.44396E-06	6.8E-06	1.05E-03	7.11E-09	1.06E+00	1.57E-01	1.18E-09	1.0E+06	1.2E-03
937	937	2.83806	2.44396E-06	6.9E-06	1.05E-03	7.25E-09	1.06E+00	1.57E-01	1.20E-09	1.0E+06	1.2E-03
938	938	2.88233	2.44396E-06	7.0E-06	1.05E-03	7.36E-09	1.06E+00	1.57E-01	1.22E-09	1.0E+06	1.2E-03
939	939	2.9148	2.44396E-06	7.1E-06	1.05E-03	7.45E-09	1.06E+00	1.57E-01	1.24E-09	1.0E+06	1.2E-03
940	940	2.93611	2.44396E-06	7.2E-06	1.05E-03	7.50E-09	1.06E+00	1.57E-01	1.25E-09	1.0E+06	1.2E-03
941	941	2.94631	2.44396E-06	7.2E-06	1.05E-03	7.53E-09	1.06E+00	1.57E-01	1.25E-09	1.0E+06	1.3E-03
942	942	0.97699	2.44396E-06	2.4E-06	1.05E-03	2.50E-09	1.06E+00	1.57E-01	4.15E-10	1.0E+06	4.1E-04
943	943	1.01156	2.44396E-06	2.5E-06	1.05E-03	2.58E-09	1.06E+00	1.57E-01	4.29E-10	1.0E+06	4.3E-04
944	944	1.04817	2.44396E-06	2.6E-06	1.05E-03	2.68E-09	1.06E+00	1.57E-01	4.45E-10	1.0E+06	4.4E-04
945	945	1.08752	2.44396E-06	2.7E-06	1.05E-03	2.78E-09	1.06E+00	1.57E-01	4.62E-10	1.0E+06	4.6E-04
946	946	1.13045	2.44396E-06	2.8E-06	1.05E-03	2.89E-09	1.06E+00	1.57E-01	4.80E-10	1.0E+06	4.8E-04
947	947	1.1764	2.44396E-06	2.9E-06	1.05E-03	3.01E-09	1.06E+00	1.57E-01	4.99E-10	1.0E+06	5.0E-04
948	948	1.22634	2.44396E-06	3.0E-06	1.05E-03	3.13E-09	1.06E+00	1.57E-01	5.21E-10	1.0E+06	5.2E-04
949	949	1.27976	2.44396E-06	3.1E-06	1.05E-03	3.27E-09	1.06E+00	1.57E-01	5.43E-10	1.0E+06	5.4E-04
950	950	1.33732	2.44396E-06	3.3E-06	1.05E-03	3.42E-09	1.06E+00	1.57E-01	5.68E-10	1.0E+06	5.7E-04
951	951	1.39744	2.44396E-06	3.4E-06	1.05E-03	3.57E-09	1.06E+00	1.57E-01	5.93E-10	1.0E+06	5.9E-04
952	952	1.46306	2.44396E-06	3.6E-06	1.05E-03	3.74E-09	1.06E+00	1.57E-01	6.21E-10	1.0E+06	6.2E-04
953	953	1.53168	2.44396E-06	3.7E-06	1.05E-03	3.91E-09	1.06E+00	1.57E-01	6.50E-10	1.0E+06	6.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	1.60385	2.44396E-06	3.9E-06	1.05E-03	4.10E-09	1.06E+00	1.57E-01	6.81E-10	1.0E+06	6.8E-04
955	955	1.67976	2.44396E-06	4.1E-06	1.05E-03	4.29E-09	1.06E+00	1.57E-01	7.13E-10	1.0E+06	7.1E-04
956	956	1.76089	2.44396E-06	4.3E-06	1.05E-03	4.50E-09	1.06E+00	1.57E-01	7.48E-10	1.0E+06	7.5E-04
957	957	1.84586	2.44396E-06	4.5E-06	1.05E-03	4.72E-09	1.06E+00	1.57E-01	7.84E-10	1.0E+06	7.8E-04
958	958	1.9336	2.44396E-06	4.7E-06	1.05E-03	4.94E-09	1.06E+00	1.57E-01	8.21E-10	1.0E+06	8.2E-04
959	959	2.02394	2.44396E-06	4.9E-06	1.05E-03	5.17E-09	1.06E+00	1.57E-01	8.59E-10	1.0E+06	8.6E-04
960	960	2.11764	2.44396E-06	5.2E-06	1.05E-03	5.41E-09	1.06E+00	1.57E-01	8.99E-10	1.0E+06	9.0E-04
961	961	2.21445	2.44396E-06	5.4E-06	1.05E-03	5.66E-09	1.06E+00	1.57E-01	9.40E-10	1.0E+06	9.4E-04
962	962	2.31395	2.44396E-06	5.7E-06	1.05E-03	5.91E-09	1.06E+00	1.57E-01	9.82E-10	1.0E+06	9.8E-04
963	963	2.41602	2.44396E-06	5.9E-06	1.05E-03	6.17E-09	1.06E+00	1.57E-01	1.03E-09	1.0E+06	1.0E-03
964	964	2.51977	2.44396E-06	6.2E-06	1.05E-03	6.44E-09	1.06E+00	1.57E-01	1.07E-09	1.0E+06	1.1E-03
965	965	2.62412	2.44396E-06	6.4E-06	1.05E-03	6.70E-09	1.06E+00	1.57E-01	1.11E-09	1.0E+06	1.1E-03
966	966	2.72515	2.44396E-06	6.7E-06	1.05E-03	6.96E-09	1.06E+00	1.57E-01	1.16E-09	1.0E+06	1.2E-03
967	967	2.82212	2.44396E-06	6.9E-06	1.05E-03	7.21E-09	1.06E+00	1.57E-01	1.20E-09	1.0E+06	1.2E-03
968	968	2.91415	2.44396E-06	7.1E-06	1.05E-03	7.44E-09	1.06E+00	1.57E-01	1.24E-09	1.0E+06	1.2E-03
969	969	2.99892	2.44396E-06	7.3E-06	1.05E-03	7.66E-09	1.06E+00	1.57E-01	1.27E-09	1.0E+06	1.3E-03
970	970	3.07436	2.44396E-06	7.5E-06	1.05E-03	7.85E-09	1.06E+00	1.57E-01	1.31E-09	1.0E+06	1.3E-03
971	971	3.13891	2.44396E-06	7.7E-06	1.05E-03	8.02E-09	1.06E+00	1.57E-01	1.33E-09	1.0E+06	1.3E-03
972	972	3.19185	2.44396E-06	7.8E-06	1.05E-03	8.15E-09	1.06E+00	1.57E-01	1.35E-09	1.0E+06	1.4E-03
973	973	3.23053	2.44396E-06	7.9E-06	1.05E-03	8.25E-09	1.06E+00	1.57E-01	1.37E-09	1.0E+06	1.4E-03
974	974	3.25618	2.44396E-06	8.0E-06	1.05E-03	8.32E-09	1.06E+00	1.57E-01	1.38E-09	1.0E+06	1.4E-03
975	975	3.2682	2.44396E-06	8.0E-06	1.05E-03	8.35E-09	1.06E+00	1.57E-01	1.39E-09	1.0E+06	1.4E-03
976	976	1.0157	2.44396E-06	2.5E-06	1.05E-03	2.59E-09	1.06E+00	1.57E-01	4.31E-10	1.0E+06	4.3E-04
977	977	1.05334	2.44396E-06	2.6E-06	1.05E-03	2.69E-09	1.06E+00	1.57E-01	4.47E-10	1.0E+06	4.5E-04
978	978	1.09327	2.44396E-06	2.7E-06	1.05E-03	2.79E-09	1.06E+00	1.57E-01	4.64E-10	1.0E+06	4.6E-04
979	979	1.13414	2.44396E-06	2.8E-06	1.05E-03	2.90E-09	1.06E+00	1.57E-01	4.81E-10	1.0E+06	4.8E-04
980	980	1.18109	2.44396E-06	2.9E-06	1.05E-03	3.02E-09	1.06E+00	1.57E-01	5.01E-10	1.0E+06	5.0E-04
981	981	1.22938	2.44396E-06	3.0E-06	1.05E-03	3.14E-09	1.06E+00	1.57E-01	5.22E-10	1.0E+06	5.2E-04
982	982	1.28429	2.44396E-06	3.1E-06	1.05E-03	3.28E-09	1.06E+00	1.57E-01	5.45E-10	1.0E+06	5.5E-04
983	983	1.34133	2.44396E-06	3.3E-06	1.05E-03	3.43E-09	1.06E+00	1.57E-01	5.69E-10	1.0E+06	5.7E-04
984	984	1.40495	2.44396E-06	3.4E-06	1.05E-03	3.59E-09	1.06E+00	1.57E-01	5.96E-10	1.0E+06	6.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	1.47136	2.44396E-06	3.6E-06	1.05E-03	3.76E-09	1.06E+00	1.57E-01	6.25E-10	1.0E+06	6.2E-04
986	986	1.54163	2.44396E-06	3.8E-06	1.05E-03	3.94E-09	1.06E+00	1.57E-01	6.54E-10	1.0E+06	6.5E-04
987	987	1.61774	2.44396E-06	4.0E-06	1.05E-03	4.13E-09	1.06E+00	1.57E-01	6.87E-10	1.0E+06	6.9E-04
988	988	1.69799	2.44396E-06	4.1E-06	1.05E-03	4.34E-09	1.06E+00	1.57E-01	7.21E-10	1.0E+06	7.2E-04
989	989	1.78299	2.44396E-06	4.4E-06	1.05E-03	4.55E-09	1.06E+00	1.57E-01	7.57E-10	1.0E+06	7.6E-04
990	990	1.87556	2.44396E-06	4.6E-06	1.05E-03	4.79E-09	1.06E+00	1.57E-01	7.96E-10	1.0E+06	8.0E-04
991	991	1.97308	2.44396E-06	4.8E-06	1.05E-03	5.04E-09	1.06E+00	1.57E-01	8.38E-10	1.0E+06	8.4E-04
992	992	2.07349	2.44396E-06	5.1E-06	1.05E-03	5.30E-09	1.06E+00	1.57E-01	8.80E-10	1.0E+06	8.8E-04
993	993	2.17688	2.44396E-06	5.3E-06	1.05E-03	5.56E-09	1.06E+00	1.57E-01	9.24E-10	1.0E+06	9.2E-04
994	994	2.28422	2.44396E-06	5.6E-06	1.05E-03	5.83E-09	1.06E+00	1.57E-01	9.70E-10	1.0E+06	9.7E-04
995	995	2.3966	2.44396E-06	5.9E-06	1.05E-03	6.12E-09	1.06E+00	1.57E-01	1.02E-09	1.0E+06	1.0E-03
996	996	2.51246	2.44396E-06	6.1E-06	1.05E-03	6.42E-09	1.06E+00	1.57E-01	1.07E-09	1.0E+06	1.1E-03
997	997	2.63161	2.44396E-06	6.4E-06	1.05E-03	6.72E-09	1.06E+00	1.57E-01	1.12E-09	1.0E+06	1.1E-03
998	998	2.7535	2.44396E-06	6.7E-06	1.05E-03	7.03E-09	1.06E+00	1.57E-01	1.17E-09	1.0E+06	1.2E-03
999	999	2.87632	2.44396E-06	7.0E-06	1.05E-03	7.35E-09	1.06E+00	1.57E-01	1.22E-09	1.0E+06	1.2E-03
1000	1000	2.99617	2.44396E-06	7.3E-06	1.05E-03	7.65E-09	1.06E+00	1.57E-01	1.27E-09	1.0E+06	1.3E-03
1001	1001	3.1113	2.44396E-06	7.6E-06	1.05E-03	7.95E-09	1.06E+00	1.57E-01	1.32E-09	1.0E+06	1.3E-03
1002	1002	3.22186	2.44396E-06	7.9E-06	1.05E-03	8.23E-09	1.06E+00	1.57E-01	1.37E-09	1.0E+06	1.4E-03
1003	1003	3.32446	2.44396E-06	8.1E-06	1.05E-03	8.49E-09	1.06E+00	1.57E-01	1.41E-09	1.0E+06	1.4E-03
1004	1004	3.41507	2.44396E-06	8.3E-06	1.05E-03	8.72E-09	1.06E+00	1.57E-01	1.45E-09	1.0E+06	1.4E-03
1005	1005	3.49176	2.44396E-06	8.5E-06	1.05E-03	8.92E-09	1.06E+00	1.57E-01	1.48E-09	1.0E+06	1.5E-03
1006	1006	3.55478	2.44396E-06	8.7E-06	1.05E-03	9.08E-09	1.06E+00	1.57E-01	1.51E-09	1.0E+06	1.5E-03
1007	1007	3.60174	2.44396E-06	8.8E-06	1.05E-03	9.20E-09	1.06E+00	1.57E-01	1.53E-09	1.0E+06	1.5E-03
1008	1008	3.63182	2.44396E-06	8.9E-06	1.05E-03	9.28E-09	1.06E+00	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1009	1009	3.64571	2.44396E-06	8.9E-06	1.05E-03	9.31E-09	1.06E+00	1.57E-01	1.55E-09	1.0E+06	1.5E-03
1010	1010	1.05463	2.44396E-06	2.6E-06	1.05E-03	2.69E-09	1.06E+00	1.57E-01	4.48E-10	1.0E+06	4.5E-04
1011	1011	1.09564	2.44396E-06	2.7E-06	1.05E-03	2.80E-09	1.06E+00	1.57E-01	4.65E-10	1.0E+06	4.7E-04
1012	1012	1.13916	2.44396E-06	2.8E-06	1.05E-03	2.91E-09	1.06E+00	1.57E-01	4.84E-10	1.0E+06	4.8E-04
1013	1013	1.18545	2.44396E-06	2.9E-06	1.05E-03	3.03E-09	1.06E+00	1.57E-01	5.03E-10	1.0E+06	5.0E-04
1014	1014	1.23298	2.44396E-06	3.0E-06	1.05E-03	3.15E-09	1.06E+00	1.57E-01	5.23E-10	1.0E+06	5.2E-04
1015	1015	1.2838	2.44396E-06	3.1E-06	1.05E-03	3.28E-09	1.06E+00	1.57E-01	5.45E-10	1.0E+06	5.4E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	1.3441	2.44396E-06	3.3E-06	1.05E-03	3.43E-09	1.06E+00	1.57E-01	5.71E-10	1.0E+06	5.7E-04
1017	1017	1.40506	2.44396E-06	3.4E-06	1.05E-03	3.59E-09	1.06E+00	1.57E-01	5.96E-10	1.0E+06	6.0E-04
1018	1018	1.47534	2.44396E-06	3.6E-06	1.05E-03	3.77E-09	1.06E+00	1.57E-01	6.26E-10	1.0E+06	6.3E-04
1019	1019	1.54884	2.44396E-06	3.8E-06	1.05E-03	3.96E-09	1.06E+00	1.57E-01	6.57E-10	1.0E+06	6.6E-04
1020	1020	1.62466	2.44396E-06	4.0E-06	1.05E-03	4.15E-09	1.06E+00	1.57E-01	6.90E-10	1.0E+06	6.9E-04
1021	1021	1.70919	2.44396E-06	4.2E-06	1.05E-03	4.37E-09	1.06E+00	1.57E-01	7.26E-10	1.0E+06	7.3E-04
1022	1022	1.79886	2.44396E-06	4.4E-06	1.05E-03	4.60E-09	1.06E+00	1.57E-01	7.64E-10	1.0E+06	7.6E-04
1023	1023	1.89441	2.44396E-06	4.6E-06	1.05E-03	4.84E-09	1.06E+00	1.57E-01	8.04E-10	1.0E+06	8.0E-04
1024	1024	1.99997	2.44396E-06	4.9E-06	1.05E-03	5.11E-09	1.06E+00	1.57E-01	8.49E-10	1.0E+06	8.5E-04
1025	1025	2.1117	2.44396E-06	5.2E-06	1.05E-03	5.39E-09	1.06E+00	1.57E-01	8.96E-10	1.0E+06	9.0E-04
1026	1026	2.227	2.44396E-06	5.4E-06	1.05E-03	5.69E-09	1.06E+00	1.57E-01	9.45E-10	1.0E+06	9.5E-04
1027	1027	2.34609	2.44396E-06	5.7E-06	1.05E-03	5.99E-09	1.06E+00	1.57E-01	9.96E-10	1.0E+06	1.0E-03
1028	1028	2.47039	2.44396E-06	6.0E-06	1.05E-03	6.31E-09	1.06E+00	1.57E-01	1.05E-09	1.0E+06	1.0E-03
1029	1029	2.60117	2.44396E-06	6.4E-06	1.05E-03	6.64E-09	1.06E+00	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1030	1030	2.73671	2.44396E-06	6.7E-06	1.05E-03	6.99E-09	1.06E+00	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1031	1031	2.8771	2.44396E-06	7.0E-06	1.05E-03	7.35E-09	1.06E+00	1.57E-01	1.22E-09	1.0E+06	1.2E-03
1032	1032	3.02114	2.44396E-06	7.4E-06	1.05E-03	7.72E-09	1.06E+00	1.57E-01	1.28E-09	1.0E+06	1.3E-03
1033	1033	3.16654	2.44396E-06	7.7E-06	1.05E-03	8.09E-09	1.06E+00	1.57E-01	1.34E-09	1.0E+06	1.3E-03
1034	1034	3.30982	2.44396E-06	8.1E-06	1.05E-03	8.45E-09	1.06E+00	1.57E-01	1.41E-09	1.0E+06	1.4E-03
1035	1035	3.44858	2.44396E-06	8.4E-06	1.05E-03	8.81E-09	1.06E+00	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1036	1036	3.58225	2.44396E-06	8.8E-06	1.05E-03	9.15E-09	1.06E+00	1.57E-01	1.52E-09	1.0E+06	1.5E-03
1037	1037	3.70738	2.44396E-06	9.1E-06	1.05E-03	9.47E-09	1.06E+00	1.57E-01	1.57E-09	1.0E+06	1.6E-03
1038	1038	3.81726	2.44396E-06	9.3E-06	1.05E-03	9.75E-09	1.06E+00	1.57E-01	1.62E-09	1.0E+06	1.6E-03
1039	1039	3.90939	2.44396E-06	9.6E-06	1.05E-03	9.99E-09	1.06E+00	1.57E-01	1.66E-09	1.0E+06	1.7E-03
1040	1040	3.98446	2.44396E-06	9.7E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.69E-09	1.0E+06	1.7E-03
1041	1041	4.04068	2.44396E-06	9.9E-06	1.05E-03	1.03E-08	1.06E+00	1.57E-01	1.72E-09	1.0E+06	1.7E-03
1042	1042	4.07537	2.44396E-06	1.0E-05	1.05E-03	1.04E-08	1.06E+00	1.57E-01	1.73E-09	1.0E+06	1.7E-03
1043	1043	4.08958	2.44396E-06	1.0E-05	1.05E-03	1.04E-08	1.06E+00	1.57E-01	1.74E-09	1.0E+06	1.7E-03
1044	1044	1.09359	2.44396E-06	2.7E-06	1.05E-03	2.79E-09	1.06E+00	1.57E-01	4.64E-10	1.0E+06	4.6E-04
1045	1045	1.13817	2.44396E-06	2.8E-06	1.05E-03	2.91E-09	1.06E+00	1.57E-01	4.83E-10	1.0E+06	4.8E-04
1046	1046	1.18555	2.44396E-06	2.9E-06	1.05E-03	3.03E-09	1.06E+00	1.57E-01	5.03E-10	1.0E+06	5.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	1.23611	2.44396E-06	3.0E-06	1.05E-03	3.16E-09	1.06E+00	1.57E-01	5.25E-10	1.0E+06	5.2E-04
1048	1048	1.2858	2.44396E-06	3.1E-06	1.05E-03	3.28E-09	1.06E+00	1.57E-01	5.46E-10	1.0E+06	5.5E-04
1049	1049	1.34555	2.44396E-06	3.3E-06	1.05E-03	3.44E-09	1.06E+00	1.57E-01	5.71E-10	1.0E+06	5.7E-04
1050	1050	1.40532	2.44396E-06	3.4E-06	1.05E-03	3.59E-09	1.06E+00	1.57E-01	5.97E-10	1.0E+06	6.0E-04
1051	1051	1.47035	2.44396E-06	3.6E-06	1.05E-03	3.76E-09	1.06E+00	1.57E-01	6.24E-10	1.0E+06	6.2E-04
1052	1052	1.54795	2.44396E-06	3.8E-06	1.05E-03	3.95E-09	1.06E+00	1.57E-01	6.57E-10	1.0E+06	6.6E-04
1053	1053	1.62963	2.44396E-06	4.0E-06	1.05E-03	4.16E-09	1.06E+00	1.57E-01	6.92E-10	1.0E+06	6.9E-04
1054	1054	1.71205	2.44396E-06	4.2E-06	1.05E-03	4.37E-09	1.06E+00	1.57E-01	7.27E-10	1.0E+06	7.3E-04
1055	1055	1.80679	2.44396E-06	4.4E-06	1.05E-03	4.62E-09	1.06E+00	1.57E-01	7.67E-10	1.0E+06	7.7E-04
1056	1056	1.90775	2.44396E-06	4.7E-06	1.05E-03	4.87E-09	1.06E+00	1.57E-01	8.10E-10	1.0E+06	8.1E-04
1057	1057	2.01596	2.44396E-06	4.9E-06	1.05E-03	5.15E-09	1.06E+00	1.57E-01	8.56E-10	1.0E+06	8.6E-04
1058	1058	2.13538	2.44396E-06	5.2E-06	1.05E-03	5.45E-09	1.06E+00	1.57E-01	9.06E-10	1.0E+06	9.1E-04
1059	1059	2.26268	2.44396E-06	5.5E-06	1.05E-03	5.78E-09	1.06E+00	1.57E-01	9.61E-10	1.0E+06	9.6E-04
1060	1060	2.39555	2.44396E-06	5.9E-06	1.05E-03	6.12E-09	1.06E+00	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1061	1061	2.53378	2.44396E-06	6.2E-06	1.05E-03	6.47E-09	1.06E+00	1.57E-01	1.08E-09	1.0E+06	1.1E-03
1062	1062	2.67903	2.44396E-06	6.5E-06	1.05E-03	6.84E-09	1.06E+00	1.57E-01	1.14E-09	1.0E+06	1.1E-03
1063	1063	2.83199	2.44396E-06	6.9E-06	1.05E-03	7.23E-09	1.06E+00	1.57E-01	1.20E-09	1.0E+06	1.2E-03
1064	1064	2.99145	2.44396E-06	7.3E-06	1.05E-03	7.64E-09	1.06E+00	1.57E-01	1.27E-09	1.0E+06	1.3E-03
1065	1065	3.15718	2.44396E-06	7.7E-06	1.05E-03	8.06E-09	1.06E+00	1.57E-01	1.34E-09	1.0E+06	1.3E-03
1066	1066	3.32879	2.44396E-06	8.1E-06	1.05E-03	8.50E-09	1.06E+00	1.57E-01	1.41E-09	1.0E+06	1.4E-03
1067	1067	3.50297	2.44396E-06	8.6E-06	1.05E-03	8.95E-09	1.06E+00	1.57E-01	1.49E-09	1.0E+06	1.5E-03
1068	1068	3.67641	2.44396E-06	9.0E-06	1.05E-03	9.39E-09	1.06E+00	1.57E-01	1.56E-09	1.0E+06	1.6E-03
1069	1069	3.84617	2.44396E-06	9.4E-06	1.05E-03	9.82E-09	1.06E+00	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1070	1070	4.00927	2.44396E-06	9.8E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.70E-09	1.0E+06	1.7E-03
1071	1071	4.16267	2.44396E-06	1.0E-05	1.05E-03	1.06E-08	1.06E+00	1.57E-01	1.77E-09	1.0E+06	1.8E-03
1072	1072	4.29671	2.44396E-06	1.1E-05	1.05E-03	1.10E-08	1.06E+00	1.57E-01	1.82E-09	1.0E+06	1.8E-03
1073	1073	4.40876	2.44396E-06	1.1E-05	1.05E-03	1.13E-08	1.06E+00	1.57E-01	1.87E-09	1.0E+06	1.9E-03
1074	1074	4.49927	2.44396E-06	1.1E-05	1.05E-03	1.15E-08	1.06E+00	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1075	1075	4.56532	2.44396E-06	1.1E-05	1.05E-03	1.17E-08	1.06E+00	1.57E-01	1.94E-09	1.0E+06	1.9E-03
1076	1076	4.60434	2.44396E-06	1.1E-05	1.05E-03	1.18E-08	1.06E+00	1.57E-01	1.95E-09	1.0E+06	2.0E-03
1077	1077	4.61712	2.44396E-06	1.1E-05	1.05E-03	1.18E-08	1.06E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 1									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	1.13212	2.44396E-06	2.8E-06	1.05E-03	2.89E-09	1.06E+00	1.57E-01	4.81E-10	1.0E+06	4.8E-04
1079	1079	1.18048	2.44396E-06	2.9E-06	1.05E-03	3.02E-09	1.06E+00	1.57E-01	5.01E-10	1.0E+06	5.0E-04
1080	1080	1.23198	2.44396E-06	3.0E-06	1.05E-03	3.15E-09	1.06E+00	1.57E-01	5.23E-10	1.0E+06	5.2E-04
1081	1081	1.28711	2.44396E-06	3.1E-06	1.05E-03	3.29E-09	1.06E+00	1.57E-01	5.46E-10	1.0E+06	5.5E-04
1082	1082	1.33914	2.44396E-06	3.3E-06	1.05E-03	3.42E-09	1.06E+00	1.57E-01	5.68E-10	1.0E+06	5.7E-04
1083	1083	1.40446	2.44396E-06	3.4E-06	1.05E-03	3.59E-09	1.06E+00	1.57E-01	5.96E-10	1.0E+06	6.0E-04
1084	1084	1.46769	2.44396E-06	3.6E-06	1.05E-03	3.75E-09	1.06E+00	1.57E-01	6.23E-10	1.0E+06	6.2E-04
1085	1085	1.53725	2.44396E-06	3.8E-06	1.05E-03	3.93E-09	1.06E+00	1.57E-01	6.53E-10	1.0E+06	6.5E-04
1086	1086	1.62288	2.44396E-06	4.0E-06	1.05E-03	4.15E-09	1.06E+00	1.57E-01	6.89E-10	1.0E+06	6.9E-04
1087	1087	1.71344	2.44396E-06	4.2E-06	1.05E-03	4.38E-09	1.06E+00	1.57E-01	7.27E-10	1.0E+06	7.3E-04
1088	1088	1.80333	2.44396E-06	4.4E-06	1.05E-03	4.61E-09	1.06E+00	1.57E-01	7.66E-10	1.0E+06	7.7E-04
1089	1089	1.90946	2.44396E-06	4.7E-06	1.05E-03	4.88E-09	1.06E+00	1.57E-01	8.11E-10	1.0E+06	8.1E-04
1090	1090	2.02331	2.44396E-06	4.9E-06	1.05E-03	5.17E-09	1.06E+00	1.57E-01	8.59E-10	1.0E+06	8.6E-04
1091	1091	2.14581	2.44396E-06	5.2E-06	1.05E-03	5.48E-09	1.06E+00	1.57E-01	9.11E-10	1.0E+06	9.1E-04
1092	1092	2.28134	2.44396E-06	5.6E-06	1.05E-03	5.83E-09	1.06E+00	1.57E-01	9.68E-10	1.0E+06	9.7E-04
1093	1093	2.42677	2.44396E-06	5.9E-06	1.05E-03	6.20E-09	1.06E+00	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1094	1094	2.57991	2.44396E-06	6.3E-06	1.05E-03	6.59E-09	1.06E+00	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1095	1095	2.74121	2.44396E-06	6.7E-06	1.05E-03	7.00E-09	1.06E+00	1.57E-01	1.16E-09	1.0E+06	1.2E-03
1096	1096	2.91204	2.44396E-06	7.1E-06	1.05E-03	7.44E-09	1.06E+00	1.57E-01	1.24E-09	1.0E+06	1.2E-03
1097	1097	3.0921	2.44396E-06	7.6E-06	1.05E-03	7.90E-09	1.06E+00	1.57E-01	1.31E-09	1.0E+06	1.3E-03
1098	1098	3.28072	2.44396E-06	8.0E-06	1.05E-03	8.38E-09	1.06E+00	1.57E-01	1.39E-09	1.0E+06	1.4E-03
1099	1099	3.47836	2.44396E-06	8.5E-06	1.05E-03	8.89E-09	1.06E+00	1.57E-01	1.48E-09	1.0E+06	1.5E-03
1100	1100	3.68429	2.44396E-06	9.0E-06	1.05E-03	9.41E-09	1.06E+00	1.57E-01	1.56E-09	1.0E+06	1.6E-03
1101	1101	3.89451	2.44396E-06	9.5E-06	1.05E-03	9.95E-09	1.06E+00	1.57E-01	1.65E-09	1.0E+06	1.7E-03
1102	1102	4.10714	2.44396E-06	1.0E-05	1.05E-03	1.05E-08	1.06E+00	1.57E-01	1.74E-09	1.0E+06	1.7E-03
1103	1103	4.31714	2.44396E-06	1.1E-05	1.05E-03	1.10E-08	1.06E+00	1.57E-01	1.83E-09	1.0E+06	1.8E-03
1104	1104	4.51902	2.44396E-06	1.1E-05	1.05E-03	1.15E-08	1.06E+00	1.57E-01	1.92E-09	1.0E+06	1.9E-03
1105	1105	4.70895	2.44396E-06	1.2E-05	1.05E-03	1.20E-08	1.06E+00	1.57E-01	2.00E-09	1.0E+06	2.0E-03
1106	1106	4.87457	2.44396E-06	1.2E-05	1.05E-03	1.25E-08	1.06E+00	1.57E-01	2.07E-09	1.0E+06	2.1E-03
1107	1107	5.01258	2.44396E-06	1.2E-05	1.05E-03	1.28E-08	1.06E+00	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1108	1108	5.12285	2.44396E-06	1.3E-05	1.05E-03	1.31E-08	1.06E+00	1.57E-01	2.17E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	5.2012	2.44396E-06	1.3E-05	1.05E-03	1.33E-08	1.06E+00	1.57E-01	2.21E-09	1.0E+06	2.2E-03
1110	1110	5.2449	2.44396E-06	1.3E-05	1.05E-03	1.34E-08	1.06E+00	1.57E-01	2.23E-09	1.0E+06	2.2E-03
1111	1111	5.25469	2.44396E-06	1.3E-05	1.05E-03	1.34E-08	1.06E+00	1.57E-01	2.23E-09	1.0E+06	2.2E-03
1112	1112	1.16963	2.44396E-06	2.9E-06	1.05E-03	2.99E-09	1.06E+00	1.57E-01	4.97E-10	1.0E+06	5.0E-04
1113	1113	1.22201	2.44396E-06	3.0E-06	1.05E-03	3.12E-09	1.06E+00	1.57E-01	5.19E-10	1.0E+06	5.2E-04
1114	1114	1.27786	2.44396E-06	3.1E-06	1.05E-03	3.26E-09	1.06E+00	1.57E-01	5.42E-10	1.0E+06	5.4E-04
1115	1115	1.33785	2.44396E-06	3.3E-06	1.05E-03	3.42E-09	1.06E+00	1.57E-01	5.68E-10	1.0E+06	5.7E-04
1116	1116	1.40241	2.44396E-06	3.4E-06	1.05E-03	3.58E-09	1.06E+00	1.57E-01	5.95E-10	1.0E+06	6.0E-04
1117	1117	1.46372	2.44396E-06	3.6E-06	1.05E-03	3.74E-09	1.06E+00	1.57E-01	6.21E-10	1.0E+06	6.2E-04
1118	1118	1.53072	2.44396E-06	3.7E-06	1.05E-03	3.91E-09	1.06E+00	1.57E-01	6.50E-10	1.0E+06	6.5E-04
1119	1119	1.60519	2.44396E-06	3.9E-06	1.05E-03	4.10E-09	1.06E+00	1.57E-01	6.81E-10	1.0E+06	6.8E-04
1120	1120	1.69939	2.44396E-06	4.2E-06	1.05E-03	4.34E-09	1.06E+00	1.57E-01	7.21E-10	1.0E+06	7.2E-04
1121	1121	1.79961	2.44396E-06	4.4E-06	1.05E-03	4.60E-09	1.06E+00	1.57E-01	7.64E-10	1.0E+06	7.6E-04
1122	1122	1.89794	2.44396E-06	4.6E-06	1.05E-03	4.85E-09	1.06E+00	1.57E-01	8.06E-10	1.0E+06	8.1E-04
1123	1123	2.01669	2.44396E-06	4.9E-06	1.05E-03	5.15E-09	1.06E+00	1.57E-01	8.56E-10	1.0E+06	8.6E-04
1124	1124	2.14482	2.44396E-06	5.2E-06	1.05E-03	5.48E-09	1.06E+00	1.57E-01	9.10E-10	1.0E+06	9.1E-04
1125	1125	2.28365	2.44396E-06	5.6E-06	1.05E-03	5.83E-09	1.06E+00	1.57E-01	9.69E-10	1.0E+06	9.7E-04
1126	1126	2.43762	2.44396E-06	6.0E-06	1.05E-03	6.23E-09	1.06E+00	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1127	1127	2.60384	2.44396E-06	6.4E-06	1.05E-03	6.65E-09	1.06E+00	1.57E-01	1.11E-09	1.0E+06	1.1E-03
1128	1128	2.78127	2.44396E-06	6.8E-06	1.05E-03	7.10E-09	1.06E+00	1.57E-01	1.18E-09	1.0E+06	1.2E-03
1129	1129	2.96957	2.44396E-06	7.3E-06	1.05E-03	7.59E-09	1.06E+00	1.57E-01	1.26E-09	1.0E+06	1.3E-03
1130	1130	3.1713	2.44396E-06	7.8E-06	1.05E-03	8.10E-09	1.06E+00	1.57E-01	1.35E-09	1.0E+06	1.3E-03
1131	1131	3.38483	2.44396E-06	8.3E-06	1.05E-03	8.65E-09	1.06E+00	1.57E-01	1.44E-09	1.0E+06	1.4E-03
1132	1132	3.61037	2.44396E-06	8.8E-06	1.05E-03	9.22E-09	1.06E+00	1.57E-01	1.53E-09	1.0E+06	1.5E-03
1133	1133	3.84859	2.44396E-06	9.4E-06	1.05E-03	9.83E-09	1.06E+00	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1134	1134	4.0982	2.44396E-06	1.0E-05	1.05E-03	1.05E-08	1.06E+00	1.57E-01	1.74E-09	1.0E+06	1.7E-03
1135	1135	4.35598	2.44396E-06	1.1E-05	1.05E-03	1.11E-08	1.06E+00	1.57E-01	1.85E-09	1.0E+06	1.8E-03
1136	1136	4.61988	2.44396E-06	1.1E-05	1.05E-03	1.18E-08	1.06E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03
1137	1137	4.88229	2.44396E-06	1.2E-05	1.05E-03	1.25E-08	1.06E+00	1.57E-01	2.07E-09	1.0E+06	2.1E-03
1138	1138	5.1352	2.44396E-06	1.3E-05	1.05E-03	1.31E-08	1.06E+00	1.57E-01	2.18E-09	1.0E+06	2.2E-03
1139	1139	5.37264	2.44396E-06	1.3E-05	1.05E-03	1.37E-08	1.06E+00	1.57E-01	2.28E-09	1.0E+06	2.3E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	5.57965	2.44396E-06	1.4E-05	1.05E-03	1.43E-08	1.06E+00	1.57E-01	2.37E-09	1.0E+06	2.4E-03
1141	1141	5.75206	2.44396E-06	1.4E-05	1.05E-03	1.47E-08	1.06E+00	1.57E-01	2.44E-09	1.0E+06	2.4E-03
1142	1142	5.88815	2.44396E-06	1.4E-05	1.05E-03	1.50E-08	1.06E+00	1.57E-01	2.50E-09	1.0E+06	2.5E-03
1143	1143	5.98088	2.44396E-06	1.5E-05	1.05E-03	1.53E-08	1.06E+00	1.57E-01	2.54E-09	1.0E+06	2.5E-03
1144	1144	6.02926	2.44396E-06	1.5E-05	1.05E-03	1.54E-08	1.06E+00	1.57E-01	2.56E-09	1.0E+06	2.6E-03
1145	1145	6.03246	2.44396E-06	1.5E-05	1.05E-03	1.54E-08	1.06E+00	1.57E-01	2.56E-09	1.0E+06	2.6E-03
1146	1146	1.20569	2.44396E-06	2.9E-06	1.05E-03	3.08E-09	1.06E+00	1.57E-01	5.12E-10	1.0E+06	5.1E-04
1147	1147	1.26219	2.44396E-06	3.1E-06	1.05E-03	3.22E-09	1.06E+00	1.57E-01	5.36E-10	1.0E+06	5.4E-04
1148	1148	1.32268	2.44396E-06	3.2E-06	1.05E-03	3.38E-09	1.06E+00	1.57E-01	5.61E-10	1.0E+06	5.6E-04
1149	1149	1.38782	2.44396E-06	3.4E-06	1.05E-03	3.55E-09	1.06E+00	1.57E-01	5.89E-10	1.0E+06	5.9E-04
1150	1150	1.45794	2.44396E-06	3.6E-06	1.05E-03	3.72E-09	1.06E+00	1.57E-01	6.19E-10	1.0E+06	6.2E-04
1151	1151	1.52257	2.44396E-06	3.7E-06	1.05E-03	3.89E-09	1.06E+00	1.57E-01	6.46E-10	1.0E+06	6.5E-04
1152	1152	1.59371	2.44396E-06	3.9E-06	1.05E-03	4.07E-09	1.06E+00	1.57E-01	6.77E-10	1.0E+06	6.8E-04
1153	1153	1.68678	2.44396E-06	4.1E-06	1.05E-03	4.31E-09	1.06E+00	1.57E-01	7.16E-10	1.0E+06	7.2E-04
1154	1154	1.77605	2.44396E-06	4.3E-06	1.05E-03	4.54E-09	1.06E+00	1.57E-01	7.54E-10	1.0E+06	7.5E-04
1155	1155	1.88688	2.44396E-06	4.6E-06	1.05E-03	4.82E-09	1.06E+00	1.57E-01	8.01E-10	1.0E+06	8.0E-04
1156	1156	2.00734	2.44396E-06	4.9E-06	1.05E-03	5.13E-09	1.06E+00	1.57E-01	8.52E-10	1.0E+06	8.5E-04
1157	1157	2.1272	2.44396E-06	5.2E-06	1.05E-03	5.43E-09	1.06E+00	1.57E-01	9.03E-10	1.0E+06	9.0E-04
1158	1158	2.27164	2.44396E-06	5.6E-06	1.05E-03	5.80E-09	1.06E+00	1.57E-01	9.64E-10	1.0E+06	9.6E-04
1159	1159	2.42922	2.44396E-06	5.9E-06	1.05E-03	6.21E-09	1.06E+00	1.57E-01	1.03E-09	1.0E+06	1.0E-03
1160	1160	2.60375	2.44396E-06	6.4E-06	1.05E-03	6.65E-09	1.06E+00	1.57E-01	1.11E-09	1.0E+06	1.1E-03
1161	1161	2.79367	2.44396E-06	6.8E-06	1.05E-03	7.14E-09	1.06E+00	1.57E-01	1.19E-09	1.0E+06	1.2E-03
1162	1162	2.99897	2.44396E-06	7.3E-06	1.05E-03	7.66E-09	1.06E+00	1.57E-01	1.27E-09	1.0E+06	1.3E-03
1163	1163	3.21987	2.44396E-06	7.9E-06	1.05E-03	8.22E-09	1.06E+00	1.57E-01	1.37E-09	1.0E+06	1.4E-03
1164	1164	3.45855	2.44396E-06	8.5E-06	1.05E-03	8.83E-09	1.06E+00	1.57E-01	1.47E-09	1.0E+06	1.5E-03
1165	1165	3.71382	2.44396E-06	9.1E-06	1.05E-03	9.49E-09	1.06E+00	1.57E-01	1.58E-09	1.0E+06	1.6E-03
1166	1166	3.98627	2.44396E-06	9.7E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.69E-09	1.0E+06	1.7E-03
1167	1167	4.27693	2.44396E-06	1.0E-05	1.05E-03	1.09E-08	1.06E+00	1.57E-01	1.82E-09	1.0E+06	1.8E-03
1168	1168	4.58515	2.44396E-06	1.1E-05	1.05E-03	1.17E-08	1.06E+00	1.57E-01	1.95E-09	1.0E+06	1.9E-03
1169	1169	4.90678	2.44396E-06	1.2E-05	1.05E-03	1.25E-08	1.06E+00	1.57E-01	2.08E-09	1.0E+06	2.1E-03
1170	1170	5.23854	2.44396E-06	1.3E-05	1.05E-03	1.34E-08	1.06E+00	1.57E-01	2.22E-09	1.0E+06	2.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	5.56911	2.44396E-06	1.4E-05	1.05E-03	1.42E-08	1.06E+00	1.57E-01	2.36E-09	1.0E+06	2.4E-03
1172	1172	5.89139	2.44396E-06	1.4E-05	1.05E-03	1.50E-08	1.06E+00	1.57E-01	2.50E-09	1.0E+06	2.5E-03
1173	1173	6.18967	2.44396E-06	1.5E-05	1.05E-03	1.58E-08	1.06E+00	1.57E-01	2.63E-09	1.0E+06	2.6E-03
1174	1174	6.45196	2.44396E-06	1.6E-05	1.05E-03	1.65E-08	1.06E+00	1.57E-01	2.74E-09	1.0E+06	2.7E-03
1175	1175	6.67089	2.44396E-06	1.6E-05	1.05E-03	1.70E-08	1.06E+00	1.57E-01	2.83E-09	1.0E+06	2.8E-03
1176	1176	6.84032	2.44396E-06	1.7E-05	1.05E-03	1.75E-08	1.06E+00	1.57E-01	2.90E-09	1.0E+06	2.9E-03
1177	1177	6.9507	2.44396E-06	1.7E-05	1.05E-03	1.78E-08	1.06E+00	1.57E-01	2.95E-09	1.0E+06	3.0E-03
1178	1178	7.00156	2.44396E-06	1.7E-05	1.05E-03	1.79E-08	1.06E+00	1.57E-01	2.97E-09	1.0E+06	3.0E-03
1179	1179	6.99175	2.44396E-06	1.7E-05	1.05E-03	1.79E-08	1.06E+00	1.57E-01	2.97E-09	1.0E+06	3.0E-03
1180	1180	1.23983	2.44396E-06	3.0E-06	1.05E-03	3.17E-09	1.06E+00	1.57E-01	5.26E-10	1.0E+06	5.3E-04
1181	1181	1.30045	2.44396E-06	3.2E-06	1.05E-03	3.32E-09	1.06E+00	1.57E-01	5.52E-10	1.0E+06	5.5E-04
1182	1182	1.3657	2.44396E-06	3.3E-06	1.05E-03	3.49E-09	1.06E+00	1.57E-01	5.80E-10	1.0E+06	5.8E-04
1183	1183	1.43607	2.44396E-06	3.5E-06	1.05E-03	3.67E-09	1.06E+00	1.57E-01	6.10E-10	1.0E+06	6.1E-04
1184	1184	1.51207	2.44396E-06	3.7E-06	1.05E-03	3.86E-09	1.06E+00	1.57E-01	6.42E-10	1.0E+06	6.4E-04
1185	1185	1.58023	2.44396E-06	3.9E-06	1.05E-03	4.04E-09	1.06E+00	1.57E-01	6.71E-10	1.0E+06	6.7E-04
1186	1186	1.67137	2.44396E-06	4.1E-06	1.05E-03	4.27E-09	1.06E+00	1.57E-01	7.10E-10	1.0E+06	7.1E-04
1187	1187	1.75722	2.44396E-06	4.3E-06	1.05E-03	4.49E-09	1.06E+00	1.57E-01	7.46E-10	1.0E+06	7.5E-04
1188	1188	1.85284	2.44396E-06	4.5E-06	1.05E-03	4.73E-09	1.06E+00	1.57E-01	7.87E-10	1.0E+06	7.9E-04
1189	1189	1.97492	2.44396E-06	4.8E-06	1.05E-03	5.04E-09	1.06E+00	1.57E-01	8.38E-10	1.0E+06	8.4E-04
1190	1190	2.10849	2.44396E-06	5.2E-06	1.05E-03	5.39E-09	1.06E+00	1.57E-01	8.95E-10	1.0E+06	9.0E-04
1191	1191	2.24079	2.44396E-06	5.5E-06	1.05E-03	5.72E-09	1.06E+00	1.57E-01	9.51E-10	1.0E+06	9.5E-04
1192	1192	2.40321	2.44396E-06	5.9E-06	1.05E-03	6.14E-09	1.06E+00	1.57E-01	1.02E-09	1.0E+06	1.0E-03
1193	1193	2.58173	2.44396E-06	6.3E-06	1.05E-03	6.59E-09	1.06E+00	1.57E-01	1.10E-09	1.0E+06	1.1E-03
1194	1194	2.77922	2.44396E-06	6.8E-06	1.05E-03	7.10E-09	1.06E+00	1.57E-01	1.18E-09	1.0E+06	1.2E-03
1195	1195	2.99652	2.44396E-06	7.3E-06	1.05E-03	7.65E-09	1.06E+00	1.57E-01	1.27E-09	1.0E+06	1.3E-03
1196	1196	3.23398	2.44396E-06	7.9E-06	1.05E-03	8.26E-09	1.06E+00	1.57E-01	1.37E-09	1.0E+06	1.4E-03
1197	1197	3.49355	2.44396E-06	8.5E-06	1.05E-03	8.92E-09	1.06E+00	1.57E-01	1.48E-09	1.0E+06	1.5E-03
1198	1198	3.77722	2.44396E-06	9.2E-06	1.05E-03	9.65E-09	1.06E+00	1.57E-01	1.60E-09	1.0E+06	1.6E-03
1199	1199	4.08388	2.44396E-06	1.0E-05	1.05E-03	1.04E-08	1.06E+00	1.57E-01	1.73E-09	1.0E+06	1.7E-03
1200	1200	4.41569	2.44396E-06	1.1E-05	1.05E-03	1.13E-08	1.06E+00	1.57E-01	1.87E-09	1.0E+06	1.9E-03
1201	1201	4.77342	2.44396E-06	1.2E-05	1.05E-03	1.22E-08	1.06E+00	1.57E-01	2.03E-09	1.0E+06	2.0E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	5.158	2.44396E-06	1.3E-05	1.05E-03	1.32E-08	1.06E+00	1.57E-01	2.19E-09	1.0E+06	2.2E-03
1203	1203	5.5627	2.44396E-06	1.4E-05	1.05E-03	1.42E-08	1.06E+00	1.57E-01	2.36E-09	1.0E+06	2.4E-03
1204	1204	5.98667	2.44396E-06	1.5E-05	1.05E-03	1.53E-08	1.06E+00	1.57E-01	2.54E-09	1.0E+06	2.5E-03
1205	1205	6.41064	2.44396E-06	1.6E-05	1.05E-03	1.64E-08	1.06E+00	1.57E-01	2.72E-09	1.0E+06	2.7E-03
1206	1206	6.82486	2.44396E-06	1.7E-05	1.05E-03	1.74E-08	1.06E+00	1.57E-01	2.90E-09	1.0E+06	2.9E-03
1207	1207	7.21011	2.44396E-06	1.8E-05	1.05E-03	1.84E-08	1.06E+00	1.57E-01	3.06E-09	1.0E+06	3.1E-03
1208	1208	7.54843	2.44396E-06	1.8E-05	1.05E-03	1.93E-08	1.06E+00	1.57E-01	3.20E-09	1.0E+06	3.2E-03
1209	1209	7.83161	2.44396E-06	1.9E-05	1.05E-03	2.00E-08	1.06E+00	1.57E-01	3.32E-09	1.0E+06	3.3E-03
1210	1210	8.04483	2.44396E-06	2.0E-05	1.05E-03	2.06E-08	1.06E+00	1.57E-01	3.42E-09	1.0E+06	3.4E-03
1211	1211	8.17813	2.44396E-06	2.0E-05	1.05E-03	2.09E-08	1.06E+00	1.57E-01	3.47E-09	1.0E+06	3.5E-03
1212	1212	8.22896	2.44396E-06	2.0E-05	1.05E-03	2.10E-08	1.06E+00	1.57E-01	3.49E-09	1.0E+06	3.5E-03
1213	1213	8.1938	2.44396E-06	2.0E-05	1.05E-03	2.09E-08	1.06E+00	1.57E-01	3.48E-09	1.0E+06	3.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.4967	2.08227E-05	1.0E-05	1.05E-03	1.08E-08	1.06E+00	1.57E-01	1.80E-09	1.0E+06	1.8E-03
893	893	0.50818	2.08227E-05	1.1E-05	1.05E-03	1.11E-08	1.06E+00	1.57E-01	1.84E-09	1.0E+06	1.8E-03
894	894	0.51911	2.08227E-05	1.1E-05	1.05E-03	1.13E-08	1.06E+00	1.57E-01	1.88E-09	1.0E+06	1.9E-03
895	895	0.53026	2.08227E-05	1.1E-05	1.05E-03	1.15E-08	1.06E+00	1.57E-01	1.92E-09	1.0E+06	1.9E-03
896	896	0.5415	2.08227E-05	1.1E-05	1.05E-03	1.18E-08	1.06E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03
897	897	0.55273	2.08227E-05	1.2E-05	1.05E-03	1.20E-08	1.06E+00	1.57E-01	2.00E-09	1.0E+06	2.0E-03
898	898	0.56396	2.08227E-05	1.2E-05	1.05E-03	1.23E-08	1.06E+00	1.57E-01	2.04E-09	1.0E+06	2.0E-03
899	899	0.57498	2.08227E-05	1.2E-05	1.05E-03	1.25E-08	1.06E+00	1.57E-01	2.08E-09	1.0E+06	2.1E-03
900	900	0.58561	2.08227E-05	1.2E-05	1.05E-03	1.27E-08	1.06E+00	1.57E-01	2.12E-09	1.0E+06	2.1E-03
901	901	0.59601	2.08227E-05	1.2E-05	1.05E-03	1.30E-08	1.06E+00	1.57E-01	2.16E-09	1.0E+06	2.2E-03
902	902	0.6067	2.08227E-05	1.3E-05	1.05E-03	1.32E-08	1.06E+00	1.57E-01	2.19E-09	1.0E+06	2.2E-03
903	903	0.61699	2.08227E-05	1.3E-05	1.05E-03	1.34E-08	1.06E+00	1.57E-01	2.23E-09	1.0E+06	2.2E-03
904	904	0.62602	2.08227E-05	1.3E-05	1.05E-03	1.36E-08	1.06E+00	1.57E-01	2.26E-09	1.0E+06	2.3E-03
905	905	0.63408	2.08227E-05	1.3E-05	1.05E-03	1.38E-08	1.06E+00	1.57E-01	2.29E-09	1.0E+06	2.3E-03
906	906	0.64127	2.08227E-05	1.3E-05	1.05E-03	1.40E-08	1.06E+00	1.57E-01	2.32E-09	1.0E+06	2.3E-03
907	907	0.64784	2.08227E-05	1.3E-05	1.05E-03	1.41E-08	1.06E+00	1.57E-01	2.34E-09	1.0E+06	2.3E-03
908	908	0.32153	2.08227E-05	6.7E-06	1.05E-03	7.00E-09	1.06E+00	1.57E-01	1.16E-09	1.0E+06	1.2E-03
909	909	0.32764	2.08227E-05	6.8E-06	1.05E-03	7.13E-09	1.06E+00	1.57E-01	1.19E-09	1.0E+06	1.2E-03
910	910	0.33403	2.08227E-05	7.0E-06	1.05E-03	7.27E-09	1.06E+00	1.57E-01	1.21E-09	1.0E+06	1.2E-03
911	911	0.34059	2.08227E-05	7.1E-06	1.05E-03	7.41E-09	1.06E+00	1.57E-01	1.23E-09	1.0E+06	1.2E-03
912	912	0.3474	2.08227E-05	7.2E-06	1.05E-03	7.56E-09	1.06E+00	1.57E-01	1.26E-09	1.0E+06	1.3E-03
913	913	0.35451	2.08227E-05	7.4E-06	1.05E-03	7.72E-09	1.06E+00	1.57E-01	1.28E-09	1.0E+06	1.3E-03
914	914	0.36187	2.08227E-05	7.5E-06	1.05E-03	7.88E-09	1.06E+00	1.57E-01	1.31E-09	1.0E+06	1.3E-03
915	915	0.36956	2.08227E-05	7.7E-06	1.05E-03	8.04E-09	1.06E+00	1.57E-01	1.34E-09	1.0E+06	1.3E-03
916	916	0.37751	2.08227E-05	7.9E-06	1.05E-03	8.22E-09	1.06E+00	1.57E-01	1.37E-09	1.0E+06	1.4E-03
917	917	0.38572	2.08227E-05	8.0E-06	1.05E-03	8.39E-09	1.06E+00	1.57E-01	1.40E-09	1.0E+06	1.4E-03
918	918	0.40018	2.08227E-05	8.3E-06	1.05E-03	8.71E-09	1.06E+00	1.57E-01	1.45E-09	1.0E+06	1.4E-03
919	919	0.41281	2.08227E-05	8.6E-06	1.05E-03	8.98E-09	1.06E+00	1.57E-01	1.49E-09	1.0E+06	1.5E-03
920	920	0.42716	2.08227E-05	8.9E-06	1.05E-03	9.30E-09	1.06E+00	1.57E-01	1.54E-09	1.0E+06	1.5E-03
921	921	0.44119	2.08227E-05	9.2E-06	1.05E-03	9.60E-09	1.06E+00	1.57E-01	1.60E-09	1.0E+06	1.6E-03
922	922	0.45349	2.08227E-05	9.4E-06	1.05E-03	9.87E-09	1.06E+00	1.57E-01	1.64E-09	1.0E+06	1.6E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.46727	2.08227E-05	9.7E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.69E-09	1.0E+06	1.7E-03
924	924	0.48081	2.08227E-05	1.0E-05	1.05E-03	1.05E-08	1.06E+00	1.57E-01	1.74E-09	1.0E+06	1.7E-03
925	925	0.4931	2.08227E-05	1.0E-05	1.05E-03	1.07E-08	1.06E+00	1.57E-01	1.78E-09	1.0E+06	1.8E-03
926	926	0.50637	2.08227E-05	1.1E-05	1.05E-03	1.10E-08	1.06E+00	1.57E-01	1.83E-09	1.0E+06	1.8E-03
927	927	0.51792	2.08227E-05	1.1E-05	1.05E-03	1.13E-08	1.06E+00	1.57E-01	1.87E-09	1.0E+06	1.9E-03
928	928	0.53047	2.08227E-05	1.1E-05	1.05E-03	1.15E-08	1.06E+00	1.57E-01	1.92E-09	1.0E+06	1.9E-03
929	929	0.54246	2.08227E-05	1.1E-05	1.05E-03	1.18E-08	1.06E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03
930	930	0.55472	2.08227E-05	1.2E-05	1.05E-03	1.21E-08	1.06E+00	1.57E-01	2.01E-09	1.0E+06	2.0E-03
931	931	0.56708	2.08227E-05	1.2E-05	1.05E-03	1.23E-08	1.06E+00	1.57E-01	2.05E-09	1.0E+06	2.1E-03
932	932	0.57943	2.08227E-05	1.2E-05	1.05E-03	1.26E-08	1.06E+00	1.57E-01	2.10E-09	1.0E+06	2.1E-03
933	933	0.59177	2.08227E-05	1.2E-05	1.05E-03	1.29E-08	1.06E+00	1.57E-01	2.14E-09	1.0E+06	2.1E-03
934	934	0.60403	2.08227E-05	1.3E-05	1.05E-03	1.31E-08	1.06E+00	1.57E-01	2.18E-09	1.0E+06	2.2E-03
935	935	0.61611	2.08227E-05	1.3E-05	1.05E-03	1.34E-08	1.06E+00	1.57E-01	2.23E-09	1.0E+06	2.2E-03
936	936	0.62795	2.08227E-05	1.3E-05	1.05E-03	1.37E-08	1.06E+00	1.57E-01	2.27E-09	1.0E+06	2.3E-03
937	937	0.63992	2.08227E-05	1.3E-05	1.05E-03	1.39E-08	1.06E+00	1.57E-01	2.31E-09	1.0E+06	2.3E-03
938	938	0.65155	2.08227E-05	1.4E-05	1.05E-03	1.42E-08	1.06E+00	1.57E-01	2.36E-09	1.0E+06	2.4E-03
939	939	0.66176	2.08227E-05	1.4E-05	1.05E-03	1.44E-08	1.06E+00	1.57E-01	2.39E-09	1.0E+06	2.4E-03
940	940	0.67098	2.08227E-05	1.4E-05	1.05E-03	1.46E-08	1.06E+00	1.57E-01	2.43E-09	1.0E+06	2.4E-03
941	941	0.67919	2.08227E-05	1.4E-05	1.05E-03	1.48E-08	1.06E+00	1.57E-01	2.46E-09	1.0E+06	2.5E-03
942	942	0.33133	2.08227E-05	6.9E-06	1.05E-03	7.21E-09	1.06E+00	1.57E-01	1.20E-09	1.0E+06	1.2E-03
943	943	0.33778	2.08227E-05	7.0E-06	1.05E-03	7.35E-09	1.06E+00	1.57E-01	1.22E-09	1.0E+06	1.2E-03
944	944	0.34449	2.08227E-05	7.2E-06	1.05E-03	7.50E-09	1.06E+00	1.57E-01	1.25E-09	1.0E+06	1.2E-03
945	945	0.35147	2.08227E-05	7.3E-06	1.05E-03	7.65E-09	1.06E+00	1.57E-01	1.27E-09	1.0E+06	1.3E-03
946	946	0.35868	2.08227E-05	7.5E-06	1.05E-03	7.81E-09	1.06E+00	1.57E-01	1.30E-09	1.0E+06	1.3E-03
947	947	0.36622	2.08227E-05	7.6E-06	1.05E-03	7.97E-09	1.06E+00	1.57E-01	1.32E-09	1.0E+06	1.3E-03
948	948	0.3742	2.08227E-05	7.8E-06	1.05E-03	8.14E-09	1.06E+00	1.57E-01	1.35E-09	1.0E+06	1.4E-03
949	949	0.38253	2.08227E-05	8.0E-06	1.05E-03	8.33E-09	1.06E+00	1.57E-01	1.38E-09	1.0E+06	1.4E-03
950	950	0.39112	2.08227E-05	8.1E-06	1.05E-03	8.51E-09	1.06E+00	1.57E-01	1.41E-09	1.0E+06	1.4E-03
951	951	0.39966	2.08227E-05	8.3E-06	1.05E-03	8.70E-09	1.06E+00	1.57E-01	1.45E-09	1.0E+06	1.4E-03
952	952	0.41194	2.08227E-05	8.6E-06	1.05E-03	8.97E-09	1.06E+00	1.57E-01	1.49E-09	1.0E+06	1.5E-03
953	953	0.42456	2.08227E-05	8.8E-06	1.05E-03	9.24E-09	1.06E+00	1.57E-01	1.54E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.43991	2.08227E-05	9.2E-06	1.05E-03	9.57E-09	1.06E+00	1.57E-01	1.59E-09	1.0E+06	1.6E-03
955	955	0.45314	2.08227E-05	9.4E-06	1.05E-03	9.86E-09	1.06E+00	1.57E-01	1.64E-09	1.0E+06	1.6E-03
956	956	0.47043	2.08227E-05	9.8E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.70E-09	1.0E+06	1.7E-03
957	957	0.48546	2.08227E-05	1.0E-05	1.05E-03	1.06E-08	1.06E+00	1.57E-01	1.76E-09	1.0E+06	1.8E-03
958	958	0.50007	2.08227E-05	1.0E-05	1.05E-03	1.09E-08	1.06E+00	1.57E-01	1.81E-09	1.0E+06	1.8E-03
959	959	0.51334	2.08227E-05	1.1E-05	1.05E-03	1.12E-08	1.06E+00	1.57E-01	1.86E-09	1.0E+06	1.9E-03
960	960	0.52678	2.08227E-05	1.1E-05	1.05E-03	1.15E-08	1.06E+00	1.57E-01	1.91E-09	1.0E+06	1.9E-03
961	961	0.54037	2.08227E-05	1.1E-05	1.05E-03	1.18E-08	1.06E+00	1.57E-01	1.95E-09	1.0E+06	2.0E-03
962	962	0.55413	2.08227E-05	1.2E-05	1.05E-03	1.21E-08	1.06E+00	1.57E-01	2.00E-09	1.0E+06	2.0E-03
963	963	0.56737	2.08227E-05	1.2E-05	1.05E-03	1.23E-08	1.06E+00	1.57E-01	2.05E-09	1.0E+06	2.1E-03
964	964	0.58089	2.08227E-05	1.2E-05	1.05E-03	1.26E-08	1.06E+00	1.57E-01	2.10E-09	1.0E+06	2.1E-03
965	965	0.59462	2.08227E-05	1.2E-05	1.05E-03	1.29E-08	1.06E+00	1.57E-01	2.15E-09	1.0E+06	2.2E-03
966	966	0.6083	2.08227E-05	1.3E-05	1.05E-03	1.32E-08	1.06E+00	1.57E-01	2.20E-09	1.0E+06	2.2E-03
967	967	0.62203	2.08227E-05	1.3E-05	1.05E-03	1.35E-08	1.06E+00	1.57E-01	2.25E-09	1.0E+06	2.2E-03
968	968	0.6358	2.08227E-05	1.3E-05	1.05E-03	1.38E-08	1.06E+00	1.57E-01	2.30E-09	1.0E+06	2.3E-03
969	969	0.64958	2.08227E-05	1.4E-05	1.05E-03	1.41E-08	1.06E+00	1.57E-01	2.35E-09	1.0E+06	2.3E-03
970	970	0.6632	2.08227E-05	1.4E-05	1.05E-03	1.44E-08	1.06E+00	1.57E-01	2.40E-09	1.0E+06	2.4E-03
971	971	0.67654	2.08227E-05	1.4E-05	1.05E-03	1.47E-08	1.06E+00	1.57E-01	2.45E-09	1.0E+06	2.4E-03
972	972	0.68951	2.08227E-05	1.4E-05	1.05E-03	1.50E-08	1.06E+00	1.57E-01	2.49E-09	1.0E+06	2.5E-03
973	973	0.70124	2.08227E-05	1.5E-05	1.05E-03	1.53E-08	1.06E+00	1.57E-01	2.54E-09	1.0E+06	2.5E-03
974	974	0.71193	2.08227E-05	1.5E-05	1.05E-03	1.55E-08	1.06E+00	1.57E-01	2.57E-09	1.0E+06	2.6E-03
975	975	0.72148	2.08227E-05	1.5E-05	1.05E-03	1.57E-08	1.06E+00	1.57E-01	2.61E-09	1.0E+06	2.6E-03
976	976	0.34143	2.08227E-05	7.1E-06	1.05E-03	7.43E-09	1.06E+00	1.57E-01	1.23E-09	1.0E+06	1.2E-03
977	977	0.34827	2.08227E-05	7.3E-06	1.05E-03	7.58E-09	1.06E+00	1.57E-01	1.26E-09	1.0E+06	1.3E-03
978	978	0.35537	2.08227E-05	7.4E-06	1.05E-03	7.73E-09	1.06E+00	1.57E-01	1.29E-09	1.0E+06	1.3E-03
979	979	0.36276	2.08227E-05	7.6E-06	1.05E-03	7.90E-09	1.06E+00	1.57E-01	1.31E-09	1.0E+06	1.3E-03
980	980	0.37044	2.08227E-05	7.7E-06	1.05E-03	8.06E-09	1.06E+00	1.57E-01	1.34E-09	1.0E+06	1.3E-03
981	981	0.37846	2.08227E-05	7.9E-06	1.05E-03	8.24E-09	1.06E+00	1.57E-01	1.37E-09	1.0E+06	1.4E-03
982	982	0.38707	2.08227E-05	8.1E-06	1.05E-03	8.42E-09	1.06E+00	1.57E-01	1.40E-09	1.0E+06	1.4E-03
983	983	0.39611	2.08227E-05	8.2E-06	1.05E-03	8.62E-09	1.06E+00	1.57E-01	1.43E-09	1.0E+06	1.4E-03
984	984	0.40534	2.08227E-05	8.4E-06	1.05E-03	8.82E-09	1.06E+00	1.57E-01	1.47E-09	1.0E+06	1.5E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.41432	2.08227E-05	8.6E-06	1.05E-03	9.02E-09	1.06E+00	1.57E-01	1.50E-09	1.0E+06	1.5E-03
986	986	0.42474	2.08227E-05	8.8E-06	1.05E-03	9.24E-09	1.06E+00	1.57E-01	1.54E-09	1.0E+06	1.5E-03
987	987	0.43924	2.08227E-05	9.1E-06	1.05E-03	9.56E-09	1.06E+00	1.57E-01	1.59E-09	1.0E+06	1.6E-03
988	988	0.45048	2.08227E-05	9.4E-06	1.05E-03	9.80E-09	1.06E+00	1.57E-01	1.63E-09	1.0E+06	1.6E-03
989	989	0.46725	2.08227E-05	9.7E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.69E-09	1.0E+06	1.7E-03
990	990	0.48828	2.08227E-05	1.0E-05	1.05E-03	1.06E-08	1.06E+00	1.57E-01	1.77E-09	1.0E+06	1.8E-03
991	991	0.50468	2.08227E-05	1.1E-05	1.05E-03	1.10E-08	1.06E+00	1.57E-01	1.83E-09	1.0E+06	1.8E-03
992	992	0.52048	2.08227E-05	1.1E-05	1.05E-03	1.13E-08	1.06E+00	1.57E-01	1.88E-09	1.0E+06	1.9E-03
993	993	0.53486	2.08227E-05	1.1E-05	1.05E-03	1.16E-08	1.06E+00	1.57E-01	1.93E-09	1.0E+06	1.9E-03
994	994	0.54943	2.08227E-05	1.1E-05	1.05E-03	1.20E-08	1.06E+00	1.57E-01	1.99E-09	1.0E+06	2.0E-03
995	995	0.56436	2.08227E-05	1.2E-05	1.05E-03	1.23E-08	1.06E+00	1.57E-01	2.04E-09	1.0E+06	2.0E-03
996	996	0.57949	2.08227E-05	1.2E-05	1.05E-03	1.26E-08	1.06E+00	1.57E-01	2.10E-09	1.0E+06	2.1E-03
997	997	0.59413	2.08227E-05	1.2E-05	1.05E-03	1.29E-08	1.06E+00	1.57E-01	2.15E-09	1.0E+06	2.1E-03
998	998	0.60915	2.08227E-05	1.3E-05	1.05E-03	1.33E-08	1.06E+00	1.57E-01	2.20E-09	1.0E+06	2.2E-03
999	999	0.62442	2.08227E-05	1.3E-05	1.05E-03	1.36E-08	1.06E+00	1.57E-01	2.26E-09	1.0E+06	2.3E-03
1000	1000	0.63967	2.08227E-05	1.3E-05	1.05E-03	1.39E-08	1.06E+00	1.57E-01	2.31E-09	1.0E+06	2.3E-03
1001	1001	0.65504	2.08227E-05	1.4E-05	1.05E-03	1.43E-08	1.06E+00	1.57E-01	2.37E-09	1.0E+06	2.4E-03
1002	1002	0.67053	2.08227E-05	1.4E-05	1.05E-03	1.46E-08	1.06E+00	1.57E-01	2.43E-09	1.0E+06	2.4E-03
1003	1003	0.68638	2.08227E-05	1.4E-05	1.05E-03	1.49E-08	1.06E+00	1.57E-01	2.48E-09	1.0E+06	2.5E-03
1004	1004	0.70207	2.08227E-05	1.5E-05	1.05E-03	1.53E-08	1.06E+00	1.57E-01	2.54E-09	1.0E+06	2.5E-03
1005	1005	0.71707	2.08227E-05	1.5E-05	1.05E-03	1.56E-08	1.06E+00	1.57E-01	2.59E-09	1.0E+06	2.6E-03
1006	1006	0.7314	2.08227E-05	1.5E-05	1.05E-03	1.59E-08	1.06E+00	1.57E-01	2.65E-09	1.0E+06	2.6E-03
1007	1007	0.74498	2.08227E-05	1.6E-05	1.05E-03	1.62E-08	1.06E+00	1.57E-01	2.69E-09	1.0E+06	2.7E-03
1008	1008	0.75734	2.08227E-05	1.6E-05	1.05E-03	1.65E-08	1.06E+00	1.57E-01	2.74E-09	1.0E+06	2.7E-03
1009	1009	0.76847	2.08227E-05	1.6E-05	1.05E-03	1.67E-08	1.06E+00	1.57E-01	2.78E-09	1.0E+06	2.8E-03
1010	1010	0.35185	2.08227E-05	7.3E-06	1.05E-03	7.66E-09	1.06E+00	1.57E-01	1.27E-09	1.0E+06	1.3E-03
1011	1011	0.35908	2.08227E-05	7.5E-06	1.05E-03	7.82E-09	1.06E+00	1.57E-01	1.30E-09	1.0E+06	1.3E-03
1012	1012	0.36661	2.08227E-05	7.6E-06	1.05E-03	7.98E-09	1.06E+00	1.57E-01	1.33E-09	1.0E+06	1.3E-03
1013	1013	0.37447	2.08227E-05	7.8E-06	1.05E-03	8.15E-09	1.06E+00	1.57E-01	1.35E-09	1.0E+06	1.4E-03
1014	1014	0.3826	2.08227E-05	8.0E-06	1.05E-03	8.33E-09	1.06E+00	1.57E-01	1.38E-09	1.0E+06	1.4E-03
1015	1015	0.39116	2.08227E-05	8.1E-06	1.05E-03	8.51E-09	1.06E+00	1.57E-01	1.41E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 2									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.40042	2.08227E-05	8.3E-06	1.05E-03	8.71E-09	1.06E+00	1.57E-01	1.45E-09	1.0E+06	1.4E-03
1017	1017	0.41018	2.08227E-05	8.5E-06	1.05E-03	8.93E-09	1.06E+00	1.57E-01	1.48E-09	1.0E+06	1.5E-03
1018	1018	0.4201	2.08227E-05	8.7E-06	1.05E-03	9.14E-09	1.06E+00	1.57E-01	1.52E-09	1.0E+06	1.5E-03
1019	1019	0.42962	2.08227E-05	8.9E-06	1.05E-03	9.35E-09	1.06E+00	1.57E-01	1.55E-09	1.0E+06	1.6E-03
1020	1020	0.43955	2.08227E-05	9.2E-06	1.05E-03	9.57E-09	1.06E+00	1.57E-01	1.59E-09	1.0E+06	1.6E-03
1021	1021	0.4553	2.08227E-05	9.5E-06	1.05E-03	9.91E-09	1.06E+00	1.57E-01	1.65E-09	1.0E+06	1.6E-03
1022	1022	0.46678	2.08227E-05	9.7E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.69E-09	1.0E+06	1.7E-03
1023	1023	0.48203	2.08227E-05	1.0E-05	1.05E-03	1.05E-08	1.06E+00	1.57E-01	1.74E-09	1.0E+06	1.7E-03
1024	1024	0.50545	2.08227E-05	1.1E-05	1.05E-03	1.10E-08	1.06E+00	1.57E-01	1.83E-09	1.0E+06	1.8E-03
1025	1025	0.52351	2.08227E-05	1.1E-05	1.05E-03	1.14E-08	1.06E+00	1.57E-01	1.89E-09	1.0E+06	1.9E-03
1026	1026	0.5421	2.08227E-05	1.1E-05	1.05E-03	1.18E-08	1.06E+00	1.57E-01	1.96E-09	1.0E+06	2.0E-03
1027	1027	0.55776	2.08227E-05	1.2E-05	1.05E-03	1.21E-08	1.06E+00	1.57E-01	2.02E-09	1.0E+06	2.0E-03
1028	1028	0.57264	2.08227E-05	1.2E-05	1.05E-03	1.25E-08	1.06E+00	1.57E-01	2.07E-09	1.0E+06	2.1E-03
1029	1029	0.59006	2.08227E-05	1.2E-05	1.05E-03	1.28E-08	1.06E+00	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1030	1030	0.60672	2.08227E-05	1.3E-05	1.05E-03	1.32E-08	1.06E+00	1.57E-01	2.19E-09	1.0E+06	2.2E-03
1031	1031	0.623	2.08227E-05	1.3E-05	1.05E-03	1.36E-08	1.06E+00	1.57E-01	2.25E-09	1.0E+06	2.3E-03
1032	1032	0.63972	2.08227E-05	1.3E-05	1.05E-03	1.39E-08	1.06E+00	1.57E-01	2.31E-09	1.0E+06	2.3E-03
1033	1033	0.65675	2.08227E-05	1.4E-05	1.05E-03	1.43E-08	1.06E+00	1.57E-01	2.38E-09	1.0E+06	2.4E-03
1034	1034	0.67389	2.08227E-05	1.4E-05	1.05E-03	1.47E-08	1.06E+00	1.57E-01	2.44E-09	1.0E+06	2.4E-03
1035	1035	0.69119	2.08227E-05	1.4E-05	1.05E-03	1.50E-08	1.06E+00	1.57E-01	2.50E-09	1.0E+06	2.5E-03
1036	1036	0.70881	2.08227E-05	1.5E-05	1.05E-03	1.54E-08	1.06E+00	1.57E-01	2.56E-09	1.0E+06	2.6E-03
1037	1037	0.72694	2.08227E-05	1.5E-05	1.05E-03	1.58E-08	1.06E+00	1.57E-01	2.63E-09	1.0E+06	2.6E-03
1038	1038	0.74508	2.08227E-05	1.6E-05	1.05E-03	1.62E-08	1.06E+00	1.57E-01	2.69E-09	1.0E+06	2.7E-03
1039	1039	0.76217	2.08227E-05	1.6E-05	1.05E-03	1.66E-08	1.06E+00	1.57E-01	2.76E-09	1.0E+06	2.8E-03
1040	1040	0.77836	2.08227E-05	1.6E-05	1.05E-03	1.69E-08	1.06E+00	1.57E-01	2.82E-09	1.0E+06	2.8E-03
1041	1041	0.79386	2.08227E-05	1.7E-05	1.05E-03	1.73E-08	1.06E+00	1.57E-01	2.87E-09	1.0E+06	2.9E-03
1042	1042	0.80832	2.08227E-05	1.7E-05	1.05E-03	1.76E-08	1.06E+00	1.57E-01	2.92E-09	1.0E+06	2.9E-03
1043	1043	0.82118	2.08227E-05	1.7E-05	1.05E-03	1.79E-08	1.06E+00	1.57E-01	2.97E-09	1.0E+06	3.0E-03
1044	1044	0.36253	2.08227E-05	7.5E-06	1.05E-03	7.89E-09	1.06E+00	1.57E-01	1.31E-09	1.0E+06	1.3E-03
1045	1045	0.37019	2.08227E-05	7.7E-06	1.05E-03	8.06E-09	1.06E+00	1.57E-01	1.34E-09	1.0E+06	1.3E-03
1046	1046	0.37817	2.08227E-05	7.9E-06	1.05E-03	8.23E-09	1.06E+00	1.57E-01	1.37E-09	1.0E+06	1.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.38649	2.08227E-05	8.0E-06	1.05E-03	8.41E-09	1.06E+00	1.57E-01	1.40E-09	1.0E+06	1.4E-03
1048	1048	0.39512	2.08227E-05	8.2E-06	1.05E-03	8.60E-09	1.06E+00	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1049	1049	0.40417	2.08227E-05	8.4E-06	1.05E-03	8.80E-09	1.06E+00	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1050	1050	0.41408	2.08227E-05	8.6E-06	1.05E-03	9.01E-09	1.06E+00	1.57E-01	1.50E-09	1.0E+06	1.5E-03
1051	1051	0.42453	2.08227E-05	8.8E-06	1.05E-03	9.24E-09	1.06E+00	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1052	1052	0.43521	2.08227E-05	9.1E-06	1.05E-03	9.47E-09	1.06E+00	1.57E-01	1.57E-09	1.0E+06	1.6E-03
1053	1053	0.44558	2.08227E-05	9.3E-06	1.05E-03	9.70E-09	1.06E+00	1.57E-01	1.61E-09	1.0E+06	1.6E-03
1054	1054	0.45687	2.08227E-05	9.5E-06	1.05E-03	9.94E-09	1.06E+00	1.57E-01	1.65E-09	1.0E+06	1.7E-03
1055	1055	0.47254	2.08227E-05	9.8E-06	1.05E-03	1.03E-08	1.06E+00	1.57E-01	1.71E-09	1.0E+06	1.7E-03
1056	1056	0.48458	2.08227E-05	1.0E-05	1.05E-03	1.05E-08	1.06E+00	1.57E-01	1.75E-09	1.0E+06	1.8E-03
1057	1057	0.50349	2.08227E-05	1.0E-05	1.05E-03	1.10E-08	1.06E+00	1.57E-01	1.82E-09	1.0E+06	1.8E-03
1058	1058	0.52736	2.08227E-05	1.1E-05	1.05E-03	1.15E-08	1.06E+00	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1059	1059	0.54494	2.08227E-05	1.1E-05	1.05E-03	1.19E-08	1.06E+00	1.57E-01	1.97E-09	1.0E+06	2.0E-03
1060	1060	0.56502	2.08227E-05	1.2E-05	1.05E-03	1.23E-08	1.06E+00	1.57E-01	2.04E-09	1.0E+06	2.0E-03
1061	1061	0.58218	2.08227E-05	1.2E-05	1.05E-03	1.27E-08	1.06E+00	1.57E-01	2.11E-09	1.0E+06	2.1E-03
1062	1062	0.59969	2.08227E-05	1.2E-05	1.05E-03	1.31E-08	1.06E+00	1.57E-01	2.17E-09	1.0E+06	2.2E-03
1063	1063	0.61767	2.08227E-05	1.3E-05	1.05E-03	1.34E-08	1.06E+00	1.57E-01	2.23E-09	1.0E+06	2.2E-03
1064	1064	0.63605	2.08227E-05	1.3E-05	1.05E-03	1.38E-08	1.06E+00	1.57E-01	2.30E-09	1.0E+06	2.3E-03
1065	1065	0.65411	2.08227E-05	1.4E-05	1.05E-03	1.42E-08	1.06E+00	1.57E-01	2.37E-09	1.0E+06	2.4E-03
1066	1066	0.6728	2.08227E-05	1.4E-05	1.05E-03	1.46E-08	1.06E+00	1.57E-01	2.43E-09	1.0E+06	2.4E-03
1067	1067	0.69191	2.08227E-05	1.4E-05	1.05E-03	1.51E-08	1.06E+00	1.57E-01	2.50E-09	1.0E+06	2.5E-03
1068	1068	0.71131	2.08227E-05	1.5E-05	1.05E-03	1.55E-08	1.06E+00	1.57E-01	2.57E-09	1.0E+06	2.6E-03
1069	1069	0.73102	2.08227E-05	1.5E-05	1.05E-03	1.59E-08	1.06E+00	1.57E-01	2.64E-09	1.0E+06	2.6E-03
1070	1070	0.75114	2.08227E-05	1.6E-05	1.05E-03	1.63E-08	1.06E+00	1.57E-01	2.72E-09	1.0E+06	2.7E-03
1071	1071	0.77197	2.08227E-05	1.6E-05	1.05E-03	1.68E-08	1.06E+00	1.57E-01	2.79E-09	1.0E+06	2.8E-03
1072	1072	0.79287	2.08227E-05	1.7E-05	1.05E-03	1.73E-08	1.06E+00	1.57E-01	2.87E-09	1.0E+06	2.9E-03
1073	1073	0.81267	2.08227E-05	1.7E-05	1.05E-03	1.77E-08	1.06E+00	1.57E-01	2.94E-09	1.0E+06	2.9E-03
1074	1074	0.83149	2.08227E-05	1.7E-05	1.05E-03	1.81E-08	1.06E+00	1.57E-01	3.01E-09	1.0E+06	3.0E-03
1075	1075	0.84952	2.08227E-05	1.8E-05	1.05E-03	1.85E-08	1.06E+00	1.57E-01	3.07E-09	1.0E+06	3.1E-03
1076	1076	0.8662	2.08227E-05	1.8E-05	1.05E-03	1.89E-08	1.06E+00	1.57E-01	3.13E-09	1.0E+06	3.1E-03
1077	1077	0.88112	2.08227E-05	1.8E-05	1.05E-03	1.92E-08	1.06E+00	1.57E-01	3.19E-09	1.0E+06	3.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.37349	2.08227E-05	7.8E-06	1.05E-03	8.13E-09	1.06E+00	1.57E-01	1.35E-09	1.0E+06	1.4E-03
1079	1079	0.38161	2.08227E-05	7.9E-06	1.05E-03	8.31E-09	1.06E+00	1.57E-01	1.38E-09	1.0E+06	1.4E-03
1080	1080	0.39009	2.08227E-05	8.1E-06	1.05E-03	8.49E-09	1.06E+00	1.57E-01	1.41E-09	1.0E+06	1.4E-03
1081	1081	0.39892	2.08227E-05	8.3E-06	1.05E-03	8.68E-09	1.06E+00	1.57E-01	1.44E-09	1.0E+06	1.4E-03
1082	1082	0.40807	2.08227E-05	8.5E-06	1.05E-03	8.88E-09	1.06E+00	1.57E-01	1.48E-09	1.0E+06	1.5E-03
1083	1083	0.41769	2.08227E-05	8.7E-06	1.05E-03	9.09E-09	1.06E+00	1.57E-01	1.51E-09	1.0E+06	1.5E-03
1084	1084	0.42823	2.08227E-05	8.9E-06	1.05E-03	9.32E-09	1.06E+00	1.57E-01	1.55E-09	1.0E+06	1.5E-03
1085	1085	0.43946	2.08227E-05	9.2E-06	1.05E-03	9.56E-09	1.06E+00	1.57E-01	1.59E-09	1.0E+06	1.6E-03
1086	1086	0.451	2.08227E-05	9.4E-06	1.05E-03	9.82E-09	1.06E+00	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1087	1087	0.46223	2.08227E-05	9.6E-06	1.05E-03	1.01E-08	1.06E+00	1.57E-01	1.67E-09	1.0E+06	1.7E-03
1088	1088	0.4741	2.08227E-05	9.9E-06	1.05E-03	1.03E-08	1.06E+00	1.57E-01	1.71E-09	1.0E+06	1.7E-03
1089	1089	0.48925	2.08227E-05	1.0E-05	1.05E-03	1.06E-08	1.06E+00	1.57E-01	1.77E-09	1.0E+06	1.8E-03
1090	1090	0.50327	2.08227E-05	1.0E-05	1.05E-03	1.10E-08	1.06E+00	1.57E-01	1.82E-09	1.0E+06	1.8E-03
1091	1091	0.52337	2.08227E-05	1.1E-05	1.05E-03	1.14E-08	1.06E+00	1.57E-01	1.89E-09	1.0E+06	1.9E-03
1092	1092	0.54862	2.08227E-05	1.1E-05	1.05E-03	1.19E-08	1.06E+00	1.57E-01	1.98E-09	1.0E+06	2.0E-03
1093	1093	0.56913	2.08227E-05	1.2E-05	1.05E-03	1.24E-08	1.06E+00	1.57E-01	2.06E-09	1.0E+06	2.1E-03
1094	1094	0.58924	2.08227E-05	1.2E-05	1.05E-03	1.28E-08	1.06E+00	1.57E-01	2.13E-09	1.0E+06	2.1E-03
1095	1095	0.60811	2.08227E-05	1.3E-05	1.05E-03	1.32E-08	1.06E+00	1.57E-01	2.20E-09	1.0E+06	2.2E-03
1096	1096	0.62745	2.08227E-05	1.3E-05	1.05E-03	1.37E-08	1.06E+00	1.57E-01	2.27E-09	1.0E+06	2.3E-03
1097	1097	0.64725	2.08227E-05	1.3E-05	1.05E-03	1.41E-08	1.06E+00	1.57E-01	2.34E-09	1.0E+06	2.3E-03
1098	1098	0.66756	2.08227E-05	1.4E-05	1.05E-03	1.45E-08	1.06E+00	1.57E-01	2.41E-09	1.0E+06	2.4E-03
1099	1099	0.6877	2.08227E-05	1.4E-05	1.05E-03	1.50E-08	1.06E+00	1.57E-01	2.49E-09	1.0E+06	2.5E-03
1100	1100	0.70863	2.08227E-05	1.5E-05	1.05E-03	1.54E-08	1.06E+00	1.57E-01	2.56E-09	1.0E+06	2.6E-03
1101	1101	0.73013	2.08227E-05	1.5E-05	1.05E-03	1.59E-08	1.06E+00	1.57E-01	2.64E-09	1.0E+06	2.6E-03
1102	1102	0.75223	2.08227E-05	1.6E-05	1.05E-03	1.64E-08	1.06E+00	1.57E-01	2.72E-09	1.0E+06	2.7E-03
1103	1103	0.77481	2.08227E-05	1.6E-05	1.05E-03	1.69E-08	1.06E+00	1.57E-01	2.80E-09	1.0E+06	2.8E-03
1104	1104	0.79797	2.08227E-05	1.7E-05	1.05E-03	1.74E-08	1.06E+00	1.57E-01	2.89E-09	1.0E+06	2.9E-03
1105	1105	0.82202	2.08227E-05	1.7E-05	1.05E-03	1.79E-08	1.06E+00	1.57E-01	2.97E-09	1.0E+06	3.0E-03
1106	1106	0.84627	2.08227E-05	1.8E-05	1.05E-03	1.84E-08	1.06E+00	1.57E-01	3.06E-09	1.0E+06	3.1E-03
1107	1107	0.8694	2.08227E-05	1.8E-05	1.05E-03	1.89E-08	1.06E+00	1.57E-01	3.14E-09	1.0E+06	3.1E-03
1108	1108	0.89144	2.08227E-05	1.9E-05	1.05E-03	1.94E-08	1.06E+00	1.57E-01	3.22E-09	1.0E+06	3.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.91256	2.08227E-05	1.9E-05	1.05E-03	1.99E-08	1.06E+00	1.57E-01	3.30E-09	1.0E+06	3.3E-03
1110	1110	0.93209	2.08227E-05	1.9E-05	1.05E-03	2.03E-08	1.06E+00	1.57E-01	3.37E-09	1.0E+06	3.4E-03
1111	1111	0.94959	2.08227E-05	2.0E-05	1.05E-03	2.07E-08	1.06E+00	1.57E-01	3.43E-09	1.0E+06	3.4E-03
1112	1112	0.38474	2.08227E-05	8.0E-06	1.05E-03	8.37E-09	1.06E+00	1.57E-01	1.39E-09	1.0E+06	1.4E-03
1113	1113	0.39334	2.08227E-05	8.2E-06	1.05E-03	8.56E-09	1.06E+00	1.57E-01	1.42E-09	1.0E+06	1.4E-03
1114	1114	0.40234	2.08227E-05	8.4E-06	1.05E-03	8.76E-09	1.06E+00	1.57E-01	1.46E-09	1.0E+06	1.5E-03
1115	1115	0.41172	2.08227E-05	8.6E-06	1.05E-03	8.96E-09	1.06E+00	1.57E-01	1.49E-09	1.0E+06	1.5E-03
1116	1116	0.42148	2.08227E-05	8.8E-06	1.05E-03	9.17E-09	1.06E+00	1.57E-01	1.52E-09	1.0E+06	1.5E-03
1117	1117	0.43169	2.08227E-05	9.0E-06	1.05E-03	9.40E-09	1.06E+00	1.57E-01	1.56E-09	1.0E+06	1.6E-03
1118	1118	0.44291	2.08227E-05	9.2E-06	1.05E-03	9.64E-09	1.06E+00	1.57E-01	1.60E-09	1.0E+06	1.6E-03
1119	1119	0.45493	2.08227E-05	9.5E-06	1.05E-03	9.90E-09	1.06E+00	1.57E-01	1.65E-09	1.0E+06	1.6E-03
1120	1120	0.46733	2.08227E-05	9.7E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.69E-09	1.0E+06	1.7E-03
1121	1121	0.47949	2.08227E-05	1.0E-05	1.05E-03	1.04E-08	1.06E+00	1.57E-01	1.73E-09	1.0E+06	1.7E-03
1122	1122	0.49201	2.08227E-05	1.0E-05	1.05E-03	1.07E-08	1.06E+00	1.57E-01	1.78E-09	1.0E+06	1.8E-03
1123	1123	0.50747	2.08227E-05	1.1E-05	1.05E-03	1.10E-08	1.06E+00	1.57E-01	1.84E-09	1.0E+06	1.8E-03
1124	1124	0.52527	2.08227E-05	1.1E-05	1.05E-03	1.14E-08	1.06E+00	1.57E-01	1.90E-09	1.0E+06	1.9E-03
1125	1125	0.54658	2.08227E-05	1.1E-05	1.05E-03	1.19E-08	1.06E+00	1.57E-01	1.98E-09	1.0E+06	2.0E-03
1126	1126	0.5709	2.08227E-05	1.2E-05	1.05E-03	1.24E-08	1.06E+00	1.57E-01	2.06E-09	1.0E+06	2.1E-03
1127	1127	0.59135	2.08227E-05	1.2E-05	1.05E-03	1.29E-08	1.06E+00	1.57E-01	2.14E-09	1.0E+06	2.1E-03
1128	1128	0.61484	2.08227E-05	1.3E-05	1.05E-03	1.34E-08	1.06E+00	1.57E-01	2.22E-09	1.0E+06	2.2E-03
1129	1129	0.63554	2.08227E-05	1.3E-05	1.05E-03	1.38E-08	1.06E+00	1.57E-01	2.30E-09	1.0E+06	2.3E-03
1130	1130	0.65694	2.08227E-05	1.4E-05	1.05E-03	1.43E-08	1.06E+00	1.57E-01	2.38E-09	1.0E+06	2.4E-03
1131	1131	0.67885	2.08227E-05	1.4E-05	1.05E-03	1.48E-08	1.06E+00	1.57E-01	2.46E-09	1.0E+06	2.5E-03
1132	1132	0.70142	2.08227E-05	1.5E-05	1.05E-03	1.53E-08	1.06E+00	1.57E-01	2.54E-09	1.0E+06	2.5E-03
1133	1133	0.72401	2.08227E-05	1.5E-05	1.05E-03	1.58E-08	1.06E+00	1.57E-01	2.62E-09	1.0E+06	2.6E-03
1134	1134	0.74756	2.08227E-05	1.6E-05	1.05E-03	1.63E-08	1.06E+00	1.57E-01	2.70E-09	1.0E+06	2.7E-03
1135	1135	0.77195	2.08227E-05	1.6E-05	1.05E-03	1.68E-08	1.06E+00	1.57E-01	2.79E-09	1.0E+06	2.8E-03
1136	1136	0.79727	2.08227E-05	1.7E-05	1.05E-03	1.74E-08	1.06E+00	1.57E-01	2.88E-09	1.0E+06	2.9E-03
1137	1137	0.82329	2.08227E-05	1.7E-05	1.05E-03	1.79E-08	1.06E+00	1.57E-01	2.98E-09	1.0E+06	3.0E-03
1138	1138	0.85009	2.08227E-05	1.8E-05	1.05E-03	1.85E-08	1.06E+00	1.57E-01	3.07E-09	1.0E+06	3.1E-03
1139	1139	0.87801	2.08227E-05	1.8E-05	1.05E-03	1.91E-08	1.06E+00	1.57E-01	3.18E-09	1.0E+06	3.2E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from Birth to 2 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.90625	2.08227E-05	1.9E-05	1.05E-03	1.97E-08	1.06E+00	1.57E-01	3.28E-09	1.0E+06	3.3E-03
1141	1141	0.93353	2.08227E-05	1.9E-05	1.05E-03	2.03E-08	1.06E+00	1.57E-01	3.38E-09	1.0E+06	3.4E-03
1142	1142	0.95976	2.08227E-05	2.0E-05	1.05E-03	2.09E-08	1.06E+00	1.57E-01	3.47E-09	1.0E+06	3.5E-03
1143	1143	0.98484	2.08227E-05	2.1E-05	1.05E-03	2.14E-08	1.06E+00	1.57E-01	3.56E-09	1.0E+06	3.6E-03
1144	1144	1.00782	2.08227E-05	2.1E-05	1.05E-03	2.19E-08	1.06E+00	1.57E-01	3.65E-09	1.0E+06	3.6E-03
1145	1145	1.02861	2.08227E-05	2.1E-05	1.05E-03	2.24E-08	1.06E+00	1.57E-01	3.72E-09	1.0E+06	3.7E-03
1146	1146	0.39624	2.08227E-05	8.3E-06	1.05E-03	8.62E-09	1.06E+00	1.57E-01	1.43E-09	1.0E+06	1.4E-03
1147	1147	0.40536	2.08227E-05	8.4E-06	1.05E-03	8.82E-09	1.06E+00	1.57E-01	1.47E-09	1.0E+06	1.5E-03
1148	1148	0.4149	2.08227E-05	8.6E-06	1.05E-03	9.03E-09	1.06E+00	1.57E-01	1.50E-09	1.0E+06	1.5E-03
1149	1149	0.42486	2.08227E-05	8.8E-06	1.05E-03	9.25E-09	1.06E+00	1.57E-01	1.54E-09	1.0E+06	1.5E-03
1150	1150	0.43529	2.08227E-05	9.1E-06	1.05E-03	9.47E-09	1.06E+00	1.57E-01	1.57E-09	1.0E+06	1.6E-03
1151	1151	0.44621	2.08227E-05	9.3E-06	1.05E-03	9.71E-09	1.06E+00	1.57E-01	1.61E-09	1.0E+06	1.6E-03
1152	1152	0.45803	2.08227E-05	9.5E-06	1.05E-03	9.97E-09	1.06E+00	1.57E-01	1.66E-09	1.0E+06	1.7E-03
1153	1153	0.47065	2.08227E-05	9.8E-06	1.05E-03	1.02E-08	1.06E+00	1.57E-01	1.70E-09	1.0E+06	1.7E-03
1154	1154	0.48379	2.08227E-05	1.0E-05	1.05E-03	1.05E-08	1.06E+00	1.57E-01	1.75E-09	1.0E+06	1.7E-03
1155	1155	0.49707	2.08227E-05	1.0E-05	1.05E-03	1.08E-08	1.06E+00	1.57E-01	1.80E-09	1.0E+06	1.8E-03
1156	1156	0.51102	2.08227E-05	1.1E-05	1.05E-03	1.11E-08	1.06E+00	1.57E-01	1.85E-09	1.0E+06	1.8E-03
1157	1157	0.52848	2.08227E-05	1.1E-05	1.05E-03	1.15E-08	1.06E+00	1.57E-01	1.91E-09	1.0E+06	1.9E-03
1158	1158	0.5454	2.08227E-05	1.1E-05	1.05E-03	1.19E-08	1.06E+00	1.57E-01	1.97E-09	1.0E+06	2.0E-03
1159	1159	0.56834	2.08227E-05	1.2E-05	1.05E-03	1.24E-08	1.06E+00	1.57E-01	2.06E-09	1.0E+06	2.1E-03
1160	1160	0.59417	2.08227E-05	1.2E-05	1.05E-03	1.29E-08	1.06E+00	1.57E-01	2.15E-09	1.0E+06	2.1E-03
1161	1161	0.61621	2.08227E-05	1.3E-05	1.05E-03	1.34E-08	1.06E+00	1.57E-01	2.23E-09	1.0E+06	2.2E-03
1162	1162	0.64166	2.08227E-05	1.3E-05	1.05E-03	1.40E-08	1.06E+00	1.57E-01	2.32E-09	1.0E+06	2.3E-03
1163	1163	0.66448	2.08227E-05	1.4E-05	1.05E-03	1.45E-08	1.06E+00	1.57E-01	2.40E-09	1.0E+06	2.4E-03
1164	1164	0.68815	2.08227E-05	1.4E-05	1.05E-03	1.50E-08	1.06E+00	1.57E-01	2.49E-09	1.0E+06	2.5E-03
1165	1165	0.71252	2.08227E-05	1.5E-05	1.05E-03	1.55E-08	1.06E+00	1.57E-01	2.58E-09	1.0E+06	2.6E-03
1166	1166	0.73778	2.08227E-05	1.5E-05	1.05E-03	1.61E-08	1.06E+00	1.57E-01	2.67E-09	1.0E+06	2.7E-03
1167	1167	0.76328	2.08227E-05	1.6E-05	1.05E-03	1.66E-08	1.06E+00	1.57E-01	2.76E-09	1.0E+06	2.8E-03
1168	1168	0.79005	2.08227E-05	1.6E-05	1.05E-03	1.72E-08	1.06E+00	1.57E-01	2.86E-09	1.0E+06	2.9E-03
1169	1169	0.81798	2.08227E-05	1.7E-05	1.05E-03	1.78E-08	1.06E+00	1.57E-01	2.96E-09	1.0E+06	3.0E-03
1170	1170	0.84709	2.08227E-05	1.8E-05	1.05E-03	1.84E-08	1.06E+00	1.57E-01	3.06E-09	1.0E+06	3.1E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from Birth to 2 years - Haul 2											
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.87722	2.08227E-05	1.8E-05	1.05E-03	1.91E-08	1.06E+00	1.57E-01	3.17E-09	1.0E+06	3.2E-03
1172	1172	0.90848	2.08227E-05	1.9E-05	1.05E-03	1.98E-08	1.06E+00	1.57E-01	3.29E-09	1.0E+06	3.3E-03
1173	1173	0.94091	2.08227E-05	2.0E-05	1.05E-03	2.05E-08	1.06E+00	1.57E-01	3.40E-09	1.0E+06	3.4E-03
1174	1174	0.97406	2.08227E-05	2.0E-05	1.05E-03	2.12E-08	1.06E+00	1.57E-01	3.52E-09	1.0E+06	3.5E-03
1175	1175	1.00657	2.08227E-05	2.1E-05	1.05E-03	2.19E-08	1.06E+00	1.57E-01	3.64E-09	1.0E+06	3.6E-03
1176	1176	1.03824	2.08227E-05	2.2E-05	1.05E-03	2.26E-08	1.06E+00	1.57E-01	3.76E-09	1.0E+06	3.8E-03
1177	1177	1.06812	2.08227E-05	2.2E-05	1.05E-03	2.32E-08	1.06E+00	1.57E-01	3.86E-09	1.0E+06	3.9E-03
1178	1178	1.09572	2.08227E-05	2.3E-05	1.05E-03	2.38E-08	1.06E+00	1.57E-01	3.96E-09	1.0E+06	4.0E-03
1179	1179	1.12076	2.08227E-05	2.3E-05	1.05E-03	2.44E-08	1.06E+00	1.57E-01	4.05E-09	1.0E+06	4.1E-03
1180	1180	0.40795	2.08227E-05	8.5E-06	1.05E-03	8.88E-09	1.06E+00	1.57E-01	1.48E-09	1.0E+06	1.5E-03
1181	1181	0.41763	2.08227E-05	8.7E-06	1.05E-03	9.09E-09	1.06E+00	1.57E-01	1.51E-09	1.0E+06	1.5E-03
1182	1182	0.42776	2.08227E-05	8.9E-06	1.05E-03	9.31E-09	1.06E+00	1.57E-01	1.55E-09	1.0E+06	1.5E-03
1183	1183	0.43835	2.08227E-05	9.1E-06	1.05E-03	9.54E-09	1.06E+00	1.57E-01	1.59E-09	1.0E+06	1.6E-03
1184	1184	0.44947	2.08227E-05	9.4E-06	1.05E-03	9.78E-09	1.06E+00	1.57E-01	1.63E-09	1.0E+06	1.6E-03
1185	1185	0.46117	2.08227E-05	9.6E-06	1.05E-03	1.00E-08	1.06E+00	1.57E-01	1.67E-09	1.0E+06	1.7E-03
1186	1186	0.47367	2.08227E-05	9.9E-06	1.05E-03	1.03E-08	1.06E+00	1.57E-01	1.71E-09	1.0E+06	1.7E-03
1187	1187	0.48693	2.08227E-05	1.0E-05	1.05E-03	1.06E-08	1.06E+00	1.57E-01	1.76E-09	1.0E+06	1.8E-03
1188	1188	0.50088	2.08227E-05	1.0E-05	1.05E-03	1.09E-08	1.06E+00	1.57E-01	1.81E-09	1.0E+06	1.8E-03
1189	1189	0.5153	2.08227E-05	1.1E-05	1.05E-03	1.12E-08	1.06E+00	1.57E-01	1.86E-09	1.0E+06	1.9E-03
1190	1190	0.5305	2.08227E-05	1.1E-05	1.05E-03	1.15E-08	1.06E+00	1.57E-01	1.92E-09	1.0E+06	1.9E-03
1191	1191	0.54842	2.08227E-05	1.1E-05	1.05E-03	1.19E-08	1.06E+00	1.57E-01	1.98E-09	1.0E+06	2.0E-03
1192	1192	0.56892	2.08227E-05	1.2E-05	1.05E-03	1.24E-08	1.06E+00	1.57E-01	2.06E-09	1.0E+06	2.1E-03
1193	1193	0.59104	2.08227E-05	1.2E-05	1.05E-03	1.29E-08	1.06E+00	1.57E-01	2.14E-09	1.0E+06	2.1E-03
1194	1194	0.61846	2.08227E-05	1.3E-05	1.05E-03	1.35E-08	1.06E+00	1.57E-01	2.24E-09	1.0E+06	2.2E-03
1195	1195	0.64228	2.08227E-05	1.3E-05	1.05E-03	1.40E-08	1.06E+00	1.57E-01	2.32E-09	1.0E+06	2.3E-03
1196	1196	0.66842	2.08227E-05	1.4E-05	1.05E-03	1.45E-08	1.06E+00	1.57E-01	2.42E-09	1.0E+06	2.4E-03
1197	1197	0.69504	2.08227E-05	1.4E-05	1.05E-03	1.51E-08	1.06E+00	1.57E-01	2.51E-09	1.0E+06	2.5E-03
1198	1198	0.72129	2.08227E-05	1.5E-05	1.05E-03	1.57E-08	1.06E+00	1.57E-01	2.61E-09	1.0E+06	2.6E-03
1199	1199	0.74844	2.08227E-05	1.6E-05	1.05E-03	1.63E-08	1.06E+00	1.57E-01	2.71E-09	1.0E+06	2.7E-03
1200	1200	0.7768	2.08227E-05	1.6E-05	1.05E-03	1.69E-08	1.06E+00	1.57E-01	2.81E-09	1.0E+06	2.8E-03
1201	1201	0.80566	2.08227E-05	1.7E-05	1.05E-03	1.75E-08	1.06E+00	1.57E-01	2.91E-09	1.0E+06	2.9E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer risk from Birth to 2 years - Haul 2									
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.83621	2.08227E-05	1.7E-05	1.05E-03	1.82E-08	1.06E+00	1.57E-01	3.02E-09	1.0E+06	3.0E-03
1203	1203	0.86819	2.08227E-05	1.8E-05	1.05E-03	1.89E-08	1.06E+00	1.57E-01	3.14E-09	1.0E+06	3.1E-03
1204	1204	0.90189	2.08227E-05	1.9E-05	1.05E-03	1.96E-08	1.06E+00	1.57E-01	3.26E-09	1.0E+06	3.3E-03
1205	1205	0.93707	2.08227E-05	2.0E-05	1.05E-03	2.04E-08	1.06E+00	1.57E-01	3.39E-09	1.0E+06	3.4E-03
1206	1206	0.97373	2.08227E-05	2.0E-05	1.05E-03	2.12E-08	1.06E+00	1.57E-01	3.52E-09	1.0E+06	3.5E-03
1207	1207	1.01182	2.08227E-05	2.1E-05	1.05E-03	2.20E-08	1.06E+00	1.57E-01	3.66E-09	1.0E+06	3.7E-03
1208	1208	1.05104	2.08227E-05	2.2E-05	1.05E-03	2.29E-08	1.06E+00	1.57E-01	3.80E-09	1.0E+06	3.8E-03
1209	1209	1.09022	2.08227E-05	2.3E-05	1.05E-03	2.37E-08	1.06E+00	1.57E-01	3.94E-09	1.0E+06	3.9E-03
1210	1210	1.12876	2.08227E-05	2.4E-05	1.05E-03	2.46E-08	1.06E+00	1.57E-01	4.08E-09	1.0E+06	4.1E-03
1211	1211	1.16491	2.08227E-05	2.4E-05	1.05E-03	2.54E-08	1.06E+00	1.57E-01	4.21E-09	1.0E+06	4.2E-03
1212	1212	1.19867	2.08227E-05	2.5E-05	1.05E-03	2.61E-08	1.06E+00	1.57E-01	4.34E-09	1.0E+06	4.3E-03
1213	1213	1.22919	2.08227E-05	2.6E-05	1.05E-03	2.68E-08	1.06E+00	1.57E-01	4.45E-09	1.0E+06	4.4E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
892	892	2.0E+00	Max	Receptor #	5	2.25E-03	Max	Receptor #	
893	893	2.0E+00	8.222	1205	5	2.31E-03	0.009	1205	Res
894	894	2.1E+00			5	2.37E-03			
895	895	2.1E+00			5	2.43E-03			
896	896	2.2E+00			5	2.48E-03			
897	897	2.2E+00			5	2.52E-03			
898	898	2.2E+00			5	2.56E-03			
899	899	2.3E+00			5	2.59E-03			
900	900	2.3E+00			5	2.61E-03			
901	901	2.3E+00			5	2.62E-03			
902	902	2.3E+00			5	2.61E-03			
903	903	2.3E+00			5	2.59E-03			
904	904	2.2E+00			5	2.56E-03			
905	905	2.2E+00			5	2.51E-03			
906	906	2.1E+00			5	2.46E-03			
907	907	2.1E+00			5	2.40E-03			
908	908	1.1E+00			5	1.30E-03			
909	909	1.2E+00			5	1.35E-03			
910	910	1.2E+00			5	1.39E-03			
911	911	1.3E+00			5	1.44E-03			
912	912	1.3E+00			5	1.49E-03			
913	913	1.3E+00			5	1.54E-03			
914	914	1.4E+00			5	1.60E-03			
915	915	1.4E+00			5	1.65E-03			
916	916	1.5E+00			5	1.70E-03			
917	917	1.5E+00			5	1.76E-03			
918	918	1.6E+00			5	1.82E-03			
919	919	1.6E+00			5	1.89E-03			
920	920	1.7E+00			5	1.95E-03			
921	921	1.8E+00			5	2.02E-03			
922	922	1.8E+00			5	2.09E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	1.9E+00	5	2.16E-03
924	924	1.9E+00	5	2.24E-03
925	925	2.0E+00	5	2.31E-03
926	926	2.1E+00	5	2.39E-03
927	927	2.1E+00	5	2.47E-03
928	928	2.2E+00	5	2.55E-03
929	929	2.3E+00	5	2.62E-03
930	930	2.3E+00	5	2.69E-03
931	931	2.4E+00	5	2.76E-03
932	932	2.4E+00	5	2.81E-03
933	933	2.5E+00	5	2.86E-03
934	934	2.5E+00	5	2.90E-03
935	935	2.5E+00	5	2.92E-03
936	936	2.5E+00	5	2.93E-03
937	937	2.5E+00	5	2.92E-03
938	938	2.5E+00	5	2.90E-03
939	939	2.5E+00	5	2.86E-03
940	940	2.4E+00	5	2.80E-03
941	941	2.4E+00	5	2.73E-03
942	942	1.2E+00	5	1.38E-03
943	943	1.2E+00	5	1.43E-03
944	944	1.3E+00	5	1.48E-03
945	945	1.3E+00	5	1.53E-03
946	946	1.4E+00	5	1.59E-03
947	947	1.4E+00	5	1.64E-03
948	948	1.5E+00	5	1.70E-03
949	949	1.5E+00	5	1.76E-03
950	950	1.6E+00	5	1.82E-03
951	951	1.6E+00	5	1.89E-03
952	952	1.7E+00	5	1.96E-03
953	953	1.8E+00	5	2.03E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	1.8E+00	5	2.10E-03
955	955	1.9E+00	5	2.18E-03
956	956	2.0E+00	5	2.26E-03
957	957	2.0E+00	5	2.35E-03
958	958	2.1E+00	5	2.44E-03
959	959	2.2E+00	5	2.53E-03
960	960	2.3E+00	5	2.63E-03
961	961	2.4E+00	5	2.72E-03
962	962	2.5E+00	5	2.82E-03
963	963	2.5E+00	5	2.91E-03
964	964	2.6E+00	5	3.00E-03
965	965	2.7E+00	5	3.09E-03
966	966	2.8E+00	5	3.16E-03
967	967	2.8E+00	5	3.23E-03
968	968	2.8E+00	5	3.27E-03
969	969	2.9E+00	5	3.31E-03
970	970	2.9E+00	5	3.32E-03
971	971	2.9E+00	5	3.31E-03
972	972	2.8E+00	5	3.27E-03
973	973	2.8E+00	5	3.22E-03
974	974	2.7E+00	5	3.15E-03
975	975	2.7E+00	5	3.07E-03
976	976	1.3E+00	5	1.46E-03
977	977	1.3E+00	5	1.51E-03
978	978	1.4E+00	5	1.57E-03
979	979	1.4E+00	5	1.62E-03
980	980	1.5E+00	5	1.69E-03
981	981	1.5E+00	5	1.75E-03
982	982	1.6E+00	5	1.82E-03
983	983	1.6E+00	5	1.88E-03
984	984	1.7E+00	5	1.95E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	1.8E+00	5	2.03E-03
986	986	1.8E+00	5	2.10E-03
987	987	1.9E+00	5	2.18E-03
988	988	2.0E+00	5	2.27E-03
989	989	2.1E+00	5	2.36E-03
990	990	2.1E+00	5	2.46E-03
991	991	2.2E+00	5	2.56E-03
992	992	2.3E+00	5	2.67E-03
993	993	2.4E+00	5	2.78E-03
994	994	2.5E+00	5	2.90E-03
995	995	2.6E+00	5	3.02E-03
996	996	2.7E+00	5	3.14E-03
997	997	2.8E+00	5	3.26E-03
998	998	2.9E+00	5	3.38E-03
999	999	3.0E+00	5	3.49E-03
1000	1000	3.1E+00	5	3.59E-03
1001	1001	3.2E+00	5	3.68E-03
1002	1002	3.3E+00	5	3.74E-03
1003	1003	3.3E+00	5	3.78E-03
1004	1004	3.3E+00	5	3.80E-03
1005	1005	3.3E+00	5	3.78E-03
1006	1006	3.3E+00	5	3.74E-03
1007	1007	3.2E+00	5	3.68E-03
1008	1008	3.1E+00	5	3.58E-03
1009	1009	3.0E+00	5	3.47E-03
1010	1010	1.3E+00	5	1.54E-03
1011	1011	1.4E+00	5	1.60E-03
1012	1012	1.4E+00	5	1.67E-03
1013	1013	1.5E+00	5	1.73E-03
1014	1014	1.6E+00	5	1.80E-03
1015	1015	1.6E+00	5	1.87E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	1.7E+00	5	1.94E-03
1017	1017	1.7E+00	5	2.01E-03
1018	1018	1.8E+00	5	2.09E-03
1019	1019	1.9E+00	5	2.18E-03
1020	1020	2.0E+00	5	2.26E-03
1021	1021	2.0E+00	5	2.36E-03
1022	1022	2.1E+00	5	2.46E-03
1023	1023	2.2E+00	5	2.56E-03
1024	1024	2.3E+00	5	2.67E-03
1025	1025	2.4E+00	5	2.80E-03
1026	1026	2.5E+00	5	2.93E-03
1027	1027	2.7E+00	5	3.06E-03
1028	1028	2.8E+00	5	3.21E-03
1029	1029	2.9E+00	5	3.37E-03
1030	1030	3.1E+00	5	3.52E-03
1031	1031	3.2E+00	5	3.69E-03
1032	1032	3.3E+00	5	3.85E-03
1033	1033	3.5E+00	5	4.00E-03
1034	1034	3.6E+00	5	4.13E-03
1035	1035	3.7E+00	5	4.25E-03
1036	1036	3.8E+00	5	4.33E-03
1037	1037	3.8E+00	5	4.39E-03
1038	1038	3.8E+00	5	4.41E-03
1039	1039	3.8E+00	5	4.39E-03
1040	1040	3.8E+00	5	4.33E-03
1041	1041	3.7E+00	5	4.24E-03
1042	1042	3.6E+00	5	4.12E-03
1043	1043	3.4E+00	5	3.96E-03
1044	1044	1.4E+00	5	1.64E-03
1045	1045	1.5E+00	5	1.70E-03
1046	1046	1.5E+00	5	1.77E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	1.6E+00	5	1.84E-03
1048	1048	1.7E+00	5	1.92E-03
1049	1049	1.7E+00	5	2.00E-03
1050	1050	1.8E+00	5	2.08E-03
1051	1051	1.9E+00	5	2.16E-03
1052	1052	2.0E+00	5	2.25E-03
1053	1053	2.0E+00	5	2.34E-03
1054	1054	2.1E+00	5	2.44E-03
1055	1055	2.2E+00	5	2.55E-03
1056	1056	2.3E+00	5	2.66E-03
1057	1057	2.4E+00	5	2.78E-03
1058	1058	2.5E+00	5	2.92E-03
1059	1059	2.7E+00	5	3.06E-03
1060	1060	2.8E+00	5	3.22E-03
1061	1061	3.0E+00	5	3.39E-03
1062	1062	3.1E+00	5	3.58E-03
1063	1063	3.3E+00	5	3.78E-03
1064	1064	3.5E+00	5	3.99E-03
1065	1065	3.7E+00	5	4.21E-03
1066	1066	3.8E+00	5	4.42E-03
1067	1067	4.0E+00	5	4.63E-03
1068	1068	4.2E+00	5	4.82E-03
1069	1069	4.3E+00	5	4.98E-03
1070	1070	4.4E+00	5	5.11E-03
1071	1071	4.5E+00	5	5.18E-03
1072	1072	4.5E+00	5	5.21E-03
1073	1073	4.5E+00	5	5.18E-03
1074	1074	4.4E+00	5	5.10E-03
1075	1075	4.3E+00	5	4.97E-03
1076	1076	4.2E+00	5	4.79E-03
1077	1077	4.0E+00	5	4.57E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	1.5E+00	5	1.74E-03
1079	1079	1.6E+00	5	1.81E-03
1080	1080	1.6E+00	5	1.89E-03
1081	1081	1.7E+00	5	1.97E-03
1082	1082	1.8E+00	5	2.05E-03
1083	1083	1.9E+00	5	2.14E-03
1084	1084	1.9E+00	5	2.23E-03
1085	1085	2.0E+00	5	2.32E-03
1086	1086	2.1E+00	5	2.42E-03
1087	1087	2.2E+00	5	2.53E-03
1088	1088	2.3E+00	5	2.64E-03
1089	1089	2.4E+00	5	2.76E-03
1090	1090	2.5E+00	5	2.89E-03
1091	1091	2.6E+00	5	3.03E-03
1092	1092	2.8E+00	5	3.19E-03
1093	1093	2.9E+00	5	3.36E-03
1094	1094	3.1E+00	5	3.56E-03
1095	1095	3.3E+00	5	3.77E-03
1096	1096	3.5E+00	5	4.01E-03
1097	1097	3.7E+00	5	4.28E-03
1098	1098	4.0E+00	5	4.56E-03
1099	1099	4.2E+00	5	4.86E-03
1100	1100	4.5E+00	5	5.17E-03
1101	1101	4.8E+00	5	5.47E-03
1102	1102	5.0E+00	5	5.74E-03
1103	1103	5.2E+00	5	5.97E-03
1104	1104	5.3E+00	5	6.14E-03
1105	1105	5.4E+00	5	6.25E-03
1106	1106	5.5E+00	5	6.28E-03
1107	1107	5.4E+00	5	6.25E-03
1108	1108	5.3E+00	5	6.13E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	5.2E+00	5	5.94E-03
1110	1110	4.9E+00	5	5.67E-03
1111	1111	4.6E+00	5	5.35E-03
1112	1112	1.6E+00	5	1.85E-03
1113	1113	1.7E+00	5	1.93E-03
1114	1114	1.8E+00	5	2.02E-03
1115	1115	1.8E+00	5	2.11E-03
1116	1116	1.9E+00	5	2.20E-03
1117	1117	2.0E+00	5	2.30E-03
1118	1118	2.1E+00	5	2.40E-03
1119	1119	2.2E+00	5	2.50E-03
1120	1120	2.3E+00	5	2.61E-03
1121	1121	2.4E+00	5	2.73E-03
1122	1122	2.5E+00	5	2.86E-03
1123	1123	2.6E+00	5	3.00E-03
1124	1124	2.7E+00	5	3.14E-03
1125	1125	2.9E+00	5	3.31E-03
1126	1126	3.0E+00	5	3.49E-03
1127	1127	3.2E+00	5	3.70E-03
1128	1128	3.4E+00	5	3.94E-03
1129	1129	3.7E+00	5	4.21E-03
1130	1130	3.9E+00	5	4.52E-03
1131	1131	4.2E+00	5	4.88E-03
1132	1132	4.6E+00	5	5.28E-03
1133	1133	5.0E+00	5	5.71E-03
1134	1134	5.4E+00	5	6.16E-03
1135	1135	5.7E+00	5	6.59E-03
1136	1136	6.1E+00	5	7.00E-03
1137	1137	6.4E+00	5	7.34E-03
1138	1138	6.6E+00	5	7.59E-03
1139	1139	6.7E+00	5	7.73E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	6.8E+00	5	7.78E-03
1141	1141	6.7E+00	5	7.74E-03
1142	1142	6.6E+00	5	7.58E-03
1143	1143	6.3E+00	5	7.27E-03
1144	1144	6.0E+00	5	6.86E-03
1145	1145	5.5E+00	5	6.37E-03
1146	1146	1.7E+00	5	1.97E-03
1147	1147	1.8E+00	5	2.07E-03
1148	1148	1.9E+00	5	2.16E-03
1149	1149	2.0E+00	5	2.26E-03
1150	1150	2.1E+00	5	2.37E-03
1151	1151	2.2E+00	5	2.48E-03
1152	1152	2.3E+00	5	2.59E-03
1153	1153	2.4E+00	5	2.71E-03
1154	1154	2.5E+00	5	2.83E-03
1155	1155	2.6E+00	5	2.96E-03
1156	1156	2.7E+00	5	3.10E-03
1157	1157	2.8E+00	5	3.26E-03
1158	1158	3.0E+00	5	3.43E-03
1159	1159	3.1E+00	5	3.61E-03
1160	1160	3.3E+00	5	3.83E-03
1161	1161	3.5E+00	5	4.07E-03
1162	1162	3.8E+00	5	4.36E-03
1163	1163	4.1E+00	5	4.71E-03
1164	1164	4.4E+00	5	5.12E-03
1165	1165	4.9E+00	5	5.61E-03
1166	1166	5.4E+00	5	6.19E-03
1167	1167	6.0E+00	5	6.85E-03
1168	1168	5.4E+00	5	6.18E-03
1169	1169	7.1E+00	5	8.16E-03
1170	1170	6.4E+00	5	7.32E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	6.6E+00	5	7.59E-03
1172	1172	6.9E+00	5	7.89E-03
1173	1173	7.2E+00	5	8.23E-03
1174	1174	7.3E+00	5	8.37E-03
1175	1175	7.0E+00	5	8.07E-03
1176	1176	6.8E+00	5	7.77E-03
1177	1177	6.5E+00	5	7.45E-03
1178	1178	5.0E+00	5	5.79E-03
1179	1179	5.5E+00	5	6.37E-03
1180	1180	1.8E+00	5	2.11E-03
1181	1181	1.9E+00	5	2.22E-03
1182	1182	2.0E+00	5	2.32E-03
1183	1183	2.1E+00	5	2.44E-03
1184	1184	2.2E+00	5	2.55E-03
1185	1185	2.3E+00	5	2.67E-03
1186	1186	2.4E+00	5	2.80E-03
1187	1187	2.6E+00	5	2.94E-03
1188	1188	2.7E+00	5	3.07E-03
1189	1189	2.8E+00	5	3.22E-03
1190	1190	2.9E+00	5	3.38E-03
1191	1191	3.1E+00	5	3.55E-03
1192	1192	3.3E+00	5	3.74E-03
1193	1193	3.4E+00	5	3.95E-03
1194	1194	3.7E+00	5	4.20E-03
1195	1195	3.9E+00	5	4.49E-03
1196	1196	4.2E+00	5	4.84E-03
1197	1197	4.6E+00	5	5.27E-03
1198	1198	5.1E+00	5	5.81E-03
1199	1199	5.7E+00	5	6.50E-03
1200	1200	5.1E+00	5	5.89E-03
1201	1201	5.7E+00	5	6.52E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Max Cancer Risk Cancer Risk		
Receptor #	**Receptor #**	**Total Risk/ Million**		
1202	1202	6.4E+00		
1203	1203	5.9E+00		
1204	1204	6.5E+00		
1205	1205	8.2E+00		
1206	1206	7.4E+00		
1207	1207	7.6E+00		
1208	1208	6.5E+00		
1209	1209	7.5E+00		
1210	1210	6.0E+00		
1211	1211	5.4E+00		
1212	1212	5.9E+00		
1213	1213	5.3E+00		

Chronic Non Cancer Risk			
REL	**HI**		
5	7.32E-03		
5	6.78E-03		
5	7.42E-03		
5	9.46E-03		
5	8.56E-03		
5	8.75E-03		
5	7.49E-03		
5	8.66E-03		
5	6.94E-03		
5	6.25E-03		
5	6.84E-03		
5	6.04E-03		

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	4.85E-03	1.1E-02	6.05E-04	6.81E-06	7.85E-01	4.71E-02	2.52E-07	1.0E+06	2.5E-01
893	2.38542	4.85E-03	1.2E-02	6.05E-04	6.99E-06	7.85E-01	4.71E-02	2.59E-07	1.0E+06	2.6E-01
894	2.44758	4.85E-03	1.2E-02	6.05E-04	7.18E-06	7.85E-01	4.71E-02	2.65E-07	1.0E+06	2.7E-01
895	2.50618	4.85E-03	1.2E-02	6.05E-04	7.35E-06	7.85E-01	4.71E-02	2.72E-07	1.0E+06	2.7E-01
896	2.55908	4.85E-03	1.2E-02	6.05E-04	7.50E-06	7.85E-01	4.71E-02	2.78E-07	1.0E+06	2.8E-01
897	2.60474	4.85E-03	1.3E-02	6.05E-04	7.64E-06	7.85E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
898	2.64253	4.85E-03	1.3E-02	6.05E-04	7.75E-06	7.85E-01	4.71E-02	2.87E-07	1.0E+06	2.9E-01
899	2.67158	4.85E-03	1.3E-02	6.05E-04	7.83E-06	7.85E-01	4.71E-02	2.90E-07	1.0E+06	2.9E-01
900	2.69069	4.85E-03	1.3E-02	6.05E-04	7.89E-06	7.85E-01	4.71E-02	2.92E-07	1.0E+06	2.9E-01
901	2.69844	4.85E-03	1.3E-02	6.05E-04	7.91E-06	7.85E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
902	2.69171	4.85E-03	1.3E-02	6.05E-04	7.89E-06	7.85E-01	4.71E-02	2.92E-07	1.0E+06	2.9E-01
903	2.6708	4.85E-03	1.3E-02	6.05E-04	7.83E-06	7.85E-01	4.71E-02	2.90E-07	1.0E+06	2.9E-01
904	2.63764	4.85E-03	1.3E-02	6.05E-04	7.73E-06	7.85E-01	4.71E-02	2.86E-07	1.0E+06	2.9E-01
905	2.59313	4.85E-03	1.3E-02	6.05E-04	7.60E-06	7.85E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
906	2.53783	4.85E-03	1.2E-02	6.05E-04	7.44E-06	7.85E-01	4.71E-02	2.75E-07	1.0E+06	2.8E-01
907	2.47822	4.85E-03	1.2E-02	6.05E-04	7.27E-06	7.85E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
908	1.34378	4.85E-03	6.5E-03	6.05E-04	3.94E-06	7.85E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
909	1.39182	4.85E-03	6.7E-03	6.05E-04	4.08E-06	7.85E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
910	1.43801	4.85E-03	7.0E-03	6.05E-04	4.22E-06	7.85E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
911	1.4874	4.85E-03	7.2E-03	6.05E-04	4.36E-06	7.85E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
912	1.53931	4.85E-03	7.5E-03	6.05E-04	4.51E-06	7.85E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
913	1.59264	4.85E-03	7.7E-03	6.05E-04	4.67E-06	7.85E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
914	1.64626	4.85E-03	8.0E-03	6.05E-04	4.83E-06	7.85E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
915	1.70051	4.85E-03	8.2E-03	6.05E-04	4.99E-06	7.85E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
916	1.75782	4.85E-03	8.5E-03	6.05E-04	5.15E-06	7.85E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
917	1.81857	4.85E-03	8.8E-03	6.05E-04	5.33E-06	7.85E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
918	1.88138	4.85E-03	9.1E-03	6.05E-04	5.52E-06	7.85E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
919	1.9463	4.85E-03	9.4E-03	6.05E-04	5.71E-06	7.85E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
920	2.01351	4.85E-03	9.8E-03	6.05E-04	5.90E-06	7.85E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01
921	2.08316	4.85E-03	1.0E-02	6.05E-04	6.11E-06	7.85E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
922	2.15554	4.85E-03	1.0E-02	6.05E-04	6.32E-06	7.85E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	4.85E-03	1.1E-02	6.05E-04	6.54E-06	7.85E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
924	2.30792	4.85E-03	1.1E-02	6.05E-04	6.77E-06	7.85E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
925	2.38688	4.85E-03	1.2E-02	6.05E-04	7.00E-06	7.85E-01	4.71E-02	2.59E-07	1.0E+06	2.6E-01
926	2.46714	4.85E-03	1.2E-02	6.05E-04	7.23E-06	7.85E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
927	2.54717	4.85E-03	1.2E-02	6.05E-04	7.47E-06	7.85E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
928	2.62654	4.85E-03	1.3E-02	6.05E-04	7.70E-06	7.85E-01	4.71E-02	2.85E-07	1.0E+06	2.8E-01
929	2.70395	4.85E-03	1.3E-02	6.05E-04	7.93E-06	7.85E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
930	2.77767	4.85E-03	1.3E-02	6.05E-04	8.14E-06	7.85E-01	4.71E-02	3.01E-07	1.0E+06	3.0E-01
931	2.84499	4.85E-03	1.4E-02	6.05E-04	8.34E-06	7.85E-01	4.71E-02	3.09E-07	1.0E+06	3.1E-01
932	2.90354	4.85E-03	1.4E-02	6.05E-04	8.51E-06	7.85E-01	4.71E-02	3.15E-07	1.0E+06	3.1E-01
933	2.9525	4.85E-03	1.4E-02	6.05E-04	8.66E-06	7.85E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
934	2.99008	4.85E-03	1.4E-02	6.05E-04	8.77E-06	7.85E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
935	3.01462	4.85E-03	1.5E-02	6.05E-04	8.84E-06	7.85E-01	4.71E-02	3.27E-07	1.0E+06	3.3E-01
936	3.02389	4.85E-03	1.5E-02	6.05E-04	8.87E-06	7.85E-01	4.71E-02	3.28E-07	1.0E+06	3.3E-01
937	3.01538	4.85E-03	1.5E-02	6.05E-04	8.84E-06	7.85E-01	4.71E-02	3.27E-07	1.0E+06	3.3E-01
938	2.98903	4.85E-03	1.4E-02	6.05E-04	8.76E-06	7.85E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
939	2.94679	4.85E-03	1.4E-02	6.05E-04	8.64E-06	7.85E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
940	2.89021	4.85E-03	1.4E-02	6.05E-04	8.47E-06	7.85E-01	4.71E-02	3.13E-07	1.0E+06	3.1E-01
941	2.82029	4.85E-03	1.4E-02	6.05E-04	8.27E-06	7.85E-01	4.71E-02	3.06E-07	1.0E+06	3.1E-01
942	1.41975	4.85E-03	6.9E-03	6.05E-04	4.16E-06	7.85E-01	4.71E-02	1.54E-07	1.0E+06	1.5E-01
943	1.4724	4.85E-03	7.1E-03	6.05E-04	4.32E-06	7.85E-01	4.71E-02	1.60E-07	1.0E+06	1.6E-01
944	1.52496	4.85E-03	7.4E-03	6.05E-04	4.47E-06	7.85E-01	4.71E-02	1.65E-07	1.0E+06	1.7E-01
945	1.57781	4.85E-03	7.6E-03	6.05E-04	4.63E-06	7.85E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01
946	1.63542	4.85E-03	7.9E-03	6.05E-04	4.80E-06	7.85E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
947	1.69476	4.85E-03	8.2E-03	6.05E-04	4.97E-06	7.85E-01	4.71E-02	1.84E-07	1.0E+06	1.8E-01
948	1.75455	4.85E-03	8.5E-03	6.05E-04	5.14E-06	7.85E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
949	1.81519	4.85E-03	8.8E-03	6.05E-04	5.32E-06	7.85E-01	4.71E-02	1.97E-07	1.0E+06	2.0E-01
950	1.8796	4.85E-03	9.1E-03	6.05E-04	5.51E-06	7.85E-01	4.71E-02	2.04E-07	1.0E+06	2.0E-01
951	1.94787	4.85E-03	9.4E-03	6.05E-04	5.71E-06	7.85E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
952	2.01881	4.85E-03	9.8E-03	6.05E-04	5.92E-06	7.85E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
953	2.09254	4.85E-03	1.0E-02	6.05E-04	6.14E-06	7.85E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	4.85E-03	1.1E-02	6.05E-04	6.36E-06	7.85E-01	4.71E-02	2.35E-07	1.0E+06	2.4E-01
955	2.24971	4.85E-03	1.1E-02	6.05E-04	6.60E-06	7.85E-01	4.71E-02	2.44E-07	1.0E+06	2.4E-01
956	2.33459	4.85E-03	1.1E-02	6.05E-04	6.85E-06	7.85E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
957	2.42362	4.85E-03	1.2E-02	6.05E-04	7.11E-06	7.85E-01	4.71E-02	2.63E-07	1.0E+06	2.6E-01
958	2.51608	4.85E-03	1.2E-02	6.05E-04	7.38E-06	7.85E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01
959	2.61119	4.85E-03	1.3E-02	6.05E-04	7.66E-06	7.85E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
960	2.70919	4.85E-03	1.3E-02	6.05E-04	7.94E-06	7.85E-01	4.71E-02	2.94E-07	1.0E+06	2.9E-01
961	2.80855	4.85E-03	1.4E-02	6.05E-04	8.23E-06	7.85E-01	4.71E-02	3.05E-07	1.0E+06	3.0E-01
962	2.90798	4.85E-03	1.4E-02	6.05E-04	8.53E-06	7.85E-01	4.71E-02	3.15E-07	1.0E+06	3.2E-01
963	3.00621	4.85E-03	1.5E-02	6.05E-04	8.81E-06	7.85E-01	4.71E-02	3.26E-07	1.0E+06	3.3E-01
964	3.10043	4.85E-03	1.5E-02	6.05E-04	9.09E-06	7.85E-01	4.71E-02	3.36E-07	1.0E+06	3.4E-01
965	3.18812	4.85E-03	1.5E-02	6.05E-04	9.35E-06	7.85E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
966	3.26457	4.85E-03	1.6E-02	6.05E-04	9.57E-06	7.85E-01	4.71E-02	3.54E-07	1.0E+06	3.5E-01
967	3.32885	4.85E-03	1.6E-02	6.05E-04	9.76E-06	7.85E-01	4.71E-02	3.61E-07	1.0E+06	3.6E-01
968	3.37814	4.85E-03	1.6E-02	6.05E-04	9.91E-06	7.85E-01	4.71E-02	3.66E-07	1.0E+06	3.7E-01
969	3.41014	4.85E-03	1.7E-02	6.05E-04	1.00E-05	7.85E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
970	3.42128	4.85E-03	1.7E-02	6.05E-04	1.00E-05	7.85E-01	4.71E-02	3.71E-07	1.0E+06	3.7E-01
971	3.41078	4.85E-03	1.7E-02	6.05E-04	1.00E-05	7.85E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
972	3.37829	4.85E-03	1.6E-02	6.05E-04	9.91E-06	7.85E-01	4.71E-02	3.66E-07	1.0E+06	3.7E-01
973	3.32508	4.85E-03	1.6E-02	6.05E-04	9.75E-06	7.85E-01	4.71E-02	3.61E-07	1.0E+06	3.6E-01
974	3.25251	4.85E-03	1.6E-02	6.05E-04	9.54E-06	7.85E-01	4.71E-02	3.53E-07	1.0E+06	3.5E-01
975	3.16305	4.85E-03	1.5E-02	6.05E-04	9.27E-06	7.85E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01
976	1.5019	4.85E-03	7.3E-03	6.05E-04	4.40E-06	7.85E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01
977	1.55951	4.85E-03	7.6E-03	6.05E-04	4.57E-06	7.85E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
978	1.6175	4.85E-03	7.8E-03	6.05E-04	4.74E-06	7.85E-01	4.71E-02	1.75E-07	1.0E+06	1.8E-01
979	1.67604	4.85E-03	8.1E-03	6.05E-04	4.91E-06	7.85E-01	4.71E-02	1.82E-07	1.0E+06	1.8E-01
980	1.74002	4.85E-03	8.4E-03	6.05E-04	5.10E-06	7.85E-01	4.71E-02	1.89E-07	1.0E+06	1.9E-01
981	1.80609	4.85E-03	8.8E-03	6.05E-04	5.30E-06	7.85E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
982	1.87281	4.85E-03	9.1E-03	6.05E-04	5.49E-06	7.85E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
983	1.94072	4.85E-03	9.4E-03	6.05E-04	5.69E-06	7.85E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
984	2.01313	4.85E-03	9.8E-03	6.05E-04	5.90E-06	7.85E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	4.85E-03	1.0E-02	6.05E-04	6.13E-06	7.85E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
986	2.1701	4.85E-03	1.1E-02	6.05E-04	6.36E-06	7.85E-01	4.71E-02	2.35E-07	1.0E+06	2.4E-01
987	2.25396	4.85E-03	1.1E-02	6.05E-04	6.61E-06	7.85E-01	4.71E-02	2.44E-07	1.0E+06	2.4E-01
988	2.34192	4.85E-03	1.1E-02	6.05E-04	6.87E-06	7.85E-01	4.71E-02	2.54E-07	1.0E+06	2.5E-01
989	2.43471	4.85E-03	1.2E-02	6.05E-04	7.14E-06	7.85E-01	4.71E-02	2.64E-07	1.0E+06	2.6E-01
990	2.53459	4.85E-03	1.2E-02	6.05E-04	7.43E-06	7.85E-01	4.71E-02	2.75E-07	1.0E+06	2.7E-01
991	2.64074	4.85E-03	1.3E-02	6.05E-04	7.74E-06	7.85E-01	4.71E-02	2.86E-07	1.0E+06	2.9E-01
992	2.75198	4.85E-03	1.3E-02	6.05E-04	8.07E-06	7.85E-01	4.71E-02	2.98E-07	1.0E+06	3.0E-01
993	2.86771	4.85E-03	1.4E-02	6.05E-04	8.41E-06	7.85E-01	4.71E-02	3.11E-07	1.0E+06	3.1E-01
994	2.98847	4.85E-03	1.4E-02	6.05E-04	8.76E-06	7.85E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
995	3.11365	4.85E-03	1.5E-02	6.05E-04	9.13E-06	7.85E-01	4.71E-02	3.38E-07	1.0E+06	3.4E-01
996	3.24022	4.85E-03	1.6E-02	6.05E-04	9.50E-06	7.85E-01	4.71E-02	3.51E-07	1.0E+06	3.5E-01
997	3.36692	4.85E-03	1.6E-02	6.05E-04	9.87E-06	7.85E-01	4.71E-02	3.65E-07	1.0E+06	3.7E-01
998	3.48991	4.85E-03	1.7E-02	6.05E-04	1.02E-05	7.85E-01	4.71E-02	3.79E-07	1.0E+06	3.8E-01
999	3.60594	4.85E-03	1.7E-02	6.05E-04	1.06E-05	7.85E-01	4.71E-02	3.91E-07	1.0E+06	3.9E-01
1000	3.70812	4.85E-03	1.8E-02	6.05E-04	1.09E-05	7.85E-01	4.71E-02	4.02E-07	1.0E+06	4.0E-01
1001	3.79396	4.85E-03	1.8E-02	6.05E-04	1.11E-05	7.85E-01	4.71E-02	4.12E-07	1.0E+06	4.1E-01
1002	3.86013	4.85E-03	1.9E-02	6.05E-04	1.13E-05	7.85E-01	4.71E-02	4.19E-07	1.0E+06	4.2E-01
1003	3.90266	4.85E-03	1.9E-02	6.05E-04	1.14E-05	7.85E-01	4.71E-02	4.23E-07	1.0E+06	4.2E-01
1004	3.91652	4.85E-03	1.9E-02	6.05E-04	1.15E-05	7.85E-01	4.71E-02	4.25E-07	1.0E+06	4.2E-01
1005	3.9028	4.85E-03	1.9E-02	6.05E-04	1.14E-05	7.85E-01	4.71E-02	4.23E-07	1.0E+06	4.2E-01
1006	3.86166	4.85E-03	1.9E-02	6.05E-04	1.13E-05	7.85E-01	4.71E-02	4.19E-07	1.0E+06	4.2E-01
1007	3.79253	4.85E-03	1.8E-02	6.05E-04	1.11E-05	7.85E-01	4.71E-02	4.11E-07	1.0E+06	4.1E-01
1008	3.69675	4.85E-03	1.8E-02	6.05E-04	1.08E-05	7.85E-01	4.71E-02	4.01E-07	1.0E+06	4.0E-01
1009	3.57868	4.85E-03	1.7E-02	6.05E-04	1.05E-05	7.85E-01	4.71E-02	3.88E-07	1.0E+06	3.9E-01
1010	1.59074	4.85E-03	7.7E-03	6.05E-04	4.66E-06	7.85E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
1011	1.65396	4.85E-03	8.0E-03	6.05E-04	4.85E-06	7.85E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
1012	1.71809	4.85E-03	8.3E-03	6.05E-04	5.04E-06	7.85E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
1013	1.7831	4.85E-03	8.6E-03	6.05E-04	5.23E-06	7.85E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
1014	1.8542	4.85E-03	9.0E-03	6.05E-04	5.44E-06	7.85E-01	4.71E-02	2.01E-07	1.0E+06	2.0E-01
1015	1.92778	4.85E-03	9.3E-03	6.05E-04	5.65E-06	7.85E-01	4.71E-02	2.09E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	4.85E-03	9.7E-03	6.05E-04	5.87E-06	7.85E-01	4.71E-02	2.17E-07	1.0E+06	2.2E-01
1017	2.07653	4.85E-03	1.0E-02	6.05E-04	6.09E-06	7.85E-01	4.71E-02	2.25E-07	1.0E+06	2.3E-01
1018	2.15978	4.85E-03	1.0E-02	6.05E-04	6.33E-06	7.85E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
1019	2.24625	4.85E-03	1.1E-02	6.05E-04	6.59E-06	7.85E-01	4.71E-02	2.44E-07	1.0E+06	2.4E-01
1020	2.33698	4.85E-03	1.1E-02	6.05E-04	6.85E-06	7.85E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
1021	2.43241	4.85E-03	1.2E-02	6.05E-04	7.13E-06	7.85E-01	4.71E-02	2.64E-07	1.0E+06	2.6E-01
1022	2.53329	4.85E-03	1.2E-02	6.05E-04	7.43E-06	7.85E-01	4.71E-02	2.75E-07	1.0E+06	2.7E-01
1023	2.64079	4.85E-03	1.3E-02	6.05E-04	7.74E-06	7.85E-01	4.71E-02	2.86E-07	1.0E+06	2.9E-01
1024	2.75843	4.85E-03	1.3E-02	6.05E-04	8.09E-06	7.85E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
1025	2.88515	4.85E-03	1.4E-02	6.05E-04	8.46E-06	7.85E-01	4.71E-02	3.13E-07	1.0E+06	3.1E-01
1026	3.01984	4.85E-03	1.5E-02	6.05E-04	8.85E-06	7.85E-01	4.71E-02	3.28E-07	1.0E+06	3.3E-01
1027	3.16213	4.85E-03	1.5E-02	6.05E-04	9.27E-06	7.85E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01
1028	3.31325	4.85E-03	1.6E-02	6.05E-04	9.71E-06	7.85E-01	4.71E-02	3.59E-07	1.0E+06	3.6E-01
1029	3.47289	4.85E-03	1.7E-02	6.05E-04	1.02E-05	7.85E-01	4.71E-02	3.77E-07	1.0E+06	3.8E-01
1030	3.63688	4.85E-03	1.8E-02	6.05E-04	1.07E-05	7.85E-01	4.71E-02	3.94E-07	1.0E+06	3.9E-01
1031	3.8037	4.85E-03	1.8E-02	6.05E-04	1.12E-05	7.85E-01	4.71E-02	4.13E-07	1.0E+06	4.1E-01
1032	3.96771	4.85E-03	1.9E-02	6.05E-04	1.16E-05	7.85E-01	4.71E-02	4.30E-07	1.0E+06	4.3E-01
1033	4.12419	4.85E-03	2.0E-02	6.05E-04	1.21E-05	7.85E-01	4.71E-02	4.47E-07	1.0E+06	4.5E-01
1034	4.26404	4.85E-03	2.1E-02	6.05E-04	1.25E-05	7.85E-01	4.71E-02	4.63E-07	1.0E+06	4.6E-01
1035	4.38116	4.85E-03	2.1E-02	6.05E-04	1.28E-05	7.85E-01	4.71E-02	4.75E-07	1.0E+06	4.8E-01
1036	4.4717	4.85E-03	2.2E-02	6.05E-04	1.31E-05	7.85E-01	4.71E-02	4.85E-07	1.0E+06	4.9E-01
1037	4.52967	4.85E-03	2.2E-02	6.05E-04	1.33E-05	7.85E-01	4.71E-02	4.91E-07	1.0E+06	4.9E-01
1038	4.54755	4.85E-03	2.2E-02	6.05E-04	1.33E-05	7.85E-01	4.71E-02	4.93E-07	1.0E+06	4.9E-01
1039	4.52857	4.85E-03	2.2E-02	6.05E-04	1.33E-05	7.85E-01	4.71E-02	4.91E-07	1.0E+06	4.9E-01
1040	4.4728	4.85E-03	2.2E-02	6.05E-04	1.31E-05	7.85E-01	4.71E-02	4.85E-07	1.0E+06	4.9E-01
1041	4.3777	4.85E-03	2.1E-02	6.05E-04	1.28E-05	7.85E-01	4.71E-02	4.75E-07	1.0E+06	4.7E-01
1042	4.2463	4.85E-03	2.1E-02	6.05E-04	1.25E-05	7.85E-01	4.71E-02	4.61E-07	1.0E+06	4.6E-01
1043	4.08477	4.85E-03	2.0E-02	6.05E-04	1.20E-05	7.85E-01	4.71E-02	4.43E-07	1.0E+06	4.4E-01
1044	1.68719	4.85E-03	8.2E-03	6.05E-04	4.95E-06	7.85E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
1045	1.75653	4.85E-03	8.5E-03	6.05E-04	5.15E-06	7.85E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
1046	1.83016	4.85E-03	8.9E-03	6.05E-04	5.37E-06	7.85E-01	4.71E-02	1.99E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	4.85E-03	9.2E-03	6.05E-04	5.57E-06	7.85E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
1048	1.97931	4.85E-03	9.6E-03	6.05E-04	5.80E-06	7.85E-01	4.71E-02	2.15E-07	1.0E+06	2.1E-01
1049	2.0613	4.85E-03	1.0E-02	6.05E-04	6.04E-06	7.85E-01	4.71E-02	2.24E-07	1.0E+06	2.2E-01
1050	2.14448	4.85E-03	1.0E-02	6.05E-04	6.29E-06	7.85E-01	4.71E-02	2.33E-07	1.0E+06	2.3E-01
1051	2.22969	4.85E-03	1.1E-02	6.05E-04	6.54E-06	7.85E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
1052	2.3211	4.85E-03	1.1E-02	6.05E-04	6.81E-06	7.85E-01	4.71E-02	2.52E-07	1.0E+06	2.5E-01
1053	2.41857	4.85E-03	1.2E-02	6.05E-04	7.09E-06	7.85E-01	4.71E-02	2.62E-07	1.0E+06	2.6E-01
1054	2.52135	4.85E-03	1.2E-02	6.05E-04	7.39E-06	7.85E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01
1055	2.63026	4.85E-03	1.3E-02	6.05E-04	7.71E-06	7.85E-01	4.71E-02	2.85E-07	1.0E+06	2.9E-01
1056	2.74637	4.85E-03	1.3E-02	6.05E-04	8.05E-06	7.85E-01	4.71E-02	2.98E-07	1.0E+06	3.0E-01
1057	2.87138	4.85E-03	1.4E-02	6.05E-04	8.42E-06	7.85E-01	4.71E-02	3.11E-07	1.0E+06	3.1E-01
1058	3.00939	4.85E-03	1.5E-02	6.05E-04	8.82E-06	7.85E-01	4.71E-02	3.26E-07	1.0E+06	3.3E-01
1059	3.16046	4.85E-03	1.5E-02	6.05E-04	9.27E-06	7.85E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01
1060	3.32447	4.85E-03	1.6E-02	6.05E-04	9.75E-06	7.85E-01	4.71E-02	3.61E-07	1.0E+06	3.6E-01
1061	3.50138	4.85E-03	1.7E-02	6.05E-04	1.03E-05	7.85E-01	4.71E-02	3.80E-07	1.0E+06	3.8E-01
1062	3.69345	4.85E-03	1.8E-02	6.05E-04	1.08E-05	7.85E-01	4.71E-02	4.01E-07	1.0E+06	4.0E-01
1063	3.90012	4.85E-03	1.9E-02	6.05E-04	1.14E-05	7.85E-01	4.71E-02	4.23E-07	1.0E+06	4.2E-01
1064	4.11704	4.85E-03	2.0E-02	6.05E-04	1.21E-05	7.85E-01	4.71E-02	4.47E-07	1.0E+06	4.5E-01
1065	4.34138	4.85E-03	2.1E-02	6.05E-04	1.27E-05	7.85E-01	4.71E-02	4.71E-07	1.0E+06	4.7E-01
1066	4.56573	4.85E-03	2.2E-02	6.05E-04	1.34E-05	7.85E-01	4.71E-02	4.95E-07	1.0E+06	5.0E-01
1067	4.78179	4.85E-03	2.3E-02	6.05E-04	1.40E-05	7.85E-01	4.71E-02	5.19E-07	1.0E+06	5.2E-01
1068	4.97805	4.85E-03	2.4E-02	6.05E-04	1.46E-05	7.85E-01	4.71E-02	5.40E-07	1.0E+06	5.4E-01
1069	5.142	4.85E-03	2.5E-02	6.05E-04	1.51E-05	7.85E-01	4.71E-02	5.58E-07	1.0E+06	5.6E-01
1070	5.26826	4.85E-03	2.6E-02	6.05E-04	1.54E-05	7.85E-01	4.71E-02	5.71E-07	1.0E+06	5.7E-01
1071	5.34837	4.85E-03	2.6E-02	6.05E-04	1.57E-05	7.85E-01	4.71E-02	5.80E-07	1.0E+06	5.8E-01
1072	5.37264	4.85E-03	2.6E-02	6.05E-04	1.58E-05	7.85E-01	4.71E-02	5.83E-07	1.0E+06	5.8E-01
1073	5.34517	4.85E-03	2.6E-02	6.05E-04	1.57E-05	7.85E-01	4.71E-02	5.80E-07	1.0E+06	5.8E-01
1074	5.26473	4.85E-03	2.6E-02	6.05E-04	1.54E-05	7.85E-01	4.71E-02	5.71E-07	1.0E+06	5.7E-01
1075	5.12805	4.85E-03	2.5E-02	6.05E-04	1.50E-05	7.85E-01	4.71E-02	5.56E-07	1.0E+06	5.6E-01
1076	4.9404	4.85E-03	2.4E-02	6.05E-04	1.45E-05	7.85E-01	4.71E-02	5.36E-07	1.0E+06	5.4E-01
1077	4.71126	4.85E-03	2.3E-02	6.05E-04	1.38E-05	7.85E-01	4.71E-02	5.11E-07	1.0E+06	5.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	4.85E-03	8.7E-03	6.05E-04	5.26E-06	7.85E-01	4.71E-02	1.94E-07	1.0E+06	1.9E-01
1079	1.86905	4.85E-03	9.1E-03	6.05E-04	5.48E-06	7.85E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
1080	1.95087	4.85E-03	9.5E-03	6.05E-04	5.72E-06	7.85E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
1081	2.03097	4.85E-03	9.8E-03	6.05E-04	5.95E-06	7.85E-01	4.71E-02	2.20E-07	1.0E+06	2.2E-01
1082	2.11709	4.85E-03	1.0E-02	6.05E-04	6.21E-06	7.85E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
1083	2.2085	4.85E-03	1.1E-02	6.05E-04	6.48E-06	7.85E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
1084	2.3035	4.85E-03	1.1E-02	6.05E-04	6.75E-06	7.85E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
1085	2.39687	4.85E-03	1.2E-02	6.05E-04	7.03E-06	7.85E-01	4.71E-02	2.60E-07	1.0E+06	2.6E-01
1086	2.49947	4.85E-03	1.2E-02	6.05E-04	7.33E-06	7.85E-01	4.71E-02	2.71E-07	1.0E+06	2.7E-01
1087	2.6091	4.85E-03	1.3E-02	6.05E-04	7.65E-06	7.85E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
1088	2.72531	4.85E-03	1.3E-02	6.05E-04	7.99E-06	7.85E-01	4.71E-02	2.96E-07	1.0E+06	3.0E-01
1089	2.8493	4.85E-03	1.4E-02	6.05E-04	8.35E-06	7.85E-01	4.71E-02	3.09E-07	1.0E+06	3.1E-01
1090	2.98273	4.85E-03	1.4E-02	6.05E-04	8.75E-06	7.85E-01	4.71E-02	3.24E-07	1.0E+06	3.2E-01
1091	3.12782	4.85E-03	1.5E-02	6.05E-04	9.17E-06	7.85E-01	4.71E-02	3.39E-07	1.0E+06	3.4E-01
1092	3.2898	4.85E-03	1.6E-02	6.05E-04	9.65E-06	7.85E-01	4.71E-02	3.57E-07	1.0E+06	3.6E-01
1093	3.4702	4.85E-03	1.7E-02	6.05E-04	1.02E-05	7.85E-01	4.71E-02	3.76E-07	1.0E+06	3.8E-01
1094	3.67038	4.85E-03	1.8E-02	6.05E-04	1.08E-05	7.85E-01	4.71E-02	3.98E-07	1.0E+06	4.0E-01
1095	3.89235	4.85E-03	1.9E-02	6.05E-04	1.14E-05	7.85E-01	4.71E-02	4.22E-07	1.0E+06	4.2E-01
1096	4.14004	4.85E-03	2.0E-02	6.05E-04	1.21E-05	7.85E-01	4.71E-02	4.49E-07	1.0E+06	4.5E-01
1097	4.41279	4.85E-03	2.1E-02	6.05E-04	1.29E-05	7.85E-01	4.71E-02	4.79E-07	1.0E+06	4.8E-01
1098	4.70698	4.85E-03	2.3E-02	6.05E-04	1.38E-05	7.85E-01	4.71E-02	5.11E-07	1.0E+06	5.1E-01
1099	5.01782	4.85E-03	2.4E-02	6.05E-04	1.47E-05	7.85E-01	4.71E-02	5.44E-07	1.0E+06	5.4E-01
1100	5.33334	4.85E-03	2.6E-02	6.05E-04	1.56E-05	7.85E-01	4.71E-02	5.78E-07	1.0E+06	5.8E-01
1101	5.63956	4.85E-03	2.7E-02	6.05E-04	1.65E-05	7.85E-01	4.71E-02	6.12E-07	1.0E+06	6.1E-01
1102	5.92318	4.85E-03	2.9E-02	6.05E-04	1.74E-05	7.85E-01	4.71E-02	6.42E-07	1.0E+06	6.4E-01
1103	6.15976	4.85E-03	3.0E-02	6.05E-04	1.81E-05	7.85E-01	4.71E-02	6.68E-07	1.0E+06	6.7E-01
1104	6.33917	4.85E-03	3.1E-02	6.05E-04	1.86E-05	7.85E-01	4.71E-02	6.88E-07	1.0E+06	6.9E-01
1105	6.45005	4.85E-03	3.1E-02	6.05E-04	1.89E-05	7.85E-01	4.71E-02	7.00E-07	1.0E+06	7.0E-01
1106	6.4842	4.85E-03	3.1E-02	6.05E-04	1.90E-05	7.85E-01	4.71E-02	7.03E-07	1.0E+06	7.0E-01
1107	6.44643	4.85E-03	3.1E-02	6.05E-04	1.89E-05	7.85E-01	4.71E-02	6.99E-07	1.0E+06	7.0E-01
1108	6.33	4.85E-03	3.1E-02	6.05E-04	1.86E-05	7.85E-01	4.71E-02	6.87E-07	1.0E+06	6.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	4.85E-03	3.0E-02	6.05E-04	1.80E-05	7.85E-01	4.71E-02	6.65E-07	1.0E+06	6.6E-01
1110	5.84948	4.85E-03	2.8E-02	6.05E-04	1.72E-05	7.85E-01	4.71E-02	6.34E-07	1.0E+06	6.3E-01
1111	5.51509	4.85E-03	2.7E-02	6.05E-04	1.62E-05	7.85E-01	4.71E-02	5.98E-07	1.0E+06	6.0E-01
1112	1.90754	4.85E-03	9.2E-03	6.05E-04	5.59E-06	7.85E-01	4.71E-02	2.07E-07	1.0E+06	2.1E-01
1113	1.99395	4.85E-03	9.7E-03	6.05E-04	5.85E-06	7.85E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
1114	2.08392	4.85E-03	1.0E-02	6.05E-04	6.11E-06	7.85E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
1115	2.17568	4.85E-03	1.1E-02	6.05E-04	6.38E-06	7.85E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
1116	2.26975	4.85E-03	1.1E-02	6.05E-04	6.66E-06	7.85E-01	4.71E-02	2.46E-07	1.0E+06	2.5E-01
1117	2.37171	4.85E-03	1.1E-02	6.05E-04	6.95E-06	7.85E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
1118	2.47776	4.85E-03	1.2E-02	6.05E-04	7.27E-06	7.85E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
1119	2.58252	4.85E-03	1.3E-02	6.05E-04	7.57E-06	7.85E-01	4.71E-02	2.80E-07	1.0E+06	2.8E-01
1120	2.69744	4.85E-03	1.3E-02	6.05E-04	7.91E-06	7.85E-01	4.71E-02	2.93E-07	1.0E+06	2.9E-01
1121	2.82046	4.85E-03	1.4E-02	6.05E-04	8.27E-06	7.85E-01	4.71E-02	3.06E-07	1.0E+06	3.1E-01
1122	2.95147	4.85E-03	1.4E-02	6.05E-04	8.65E-06	7.85E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
1123	3.09213	4.85E-03	1.5E-02	6.05E-04	9.07E-06	7.85E-01	4.71E-02	3.35E-07	1.0E+06	3.4E-01
1124	3.24473	4.85E-03	1.6E-02	6.05E-04	9.51E-06	7.85E-01	4.71E-02	3.52E-07	1.0E+06	3.5E-01
1125	3.41259	4.85E-03	1.7E-02	6.05E-04	1.00E-05	7.85E-01	4.71E-02	3.70E-07	1.0E+06	3.7E-01
1126	3.60217	4.85E-03	1.7E-02	6.05E-04	1.06E-05	7.85E-01	4.71E-02	3.91E-07	1.0E+06	3.9E-01
1127	3.81712	4.85E-03	1.8E-02	6.05E-04	1.12E-05	7.85E-01	4.71E-02	4.14E-07	1.0E+06	4.1E-01
1128	4.0622	4.85E-03	2.0E-02	6.05E-04	1.19E-05	7.85E-01	4.71E-02	4.41E-07	1.0E+06	4.4E-01
1129	4.34181	4.85E-03	2.1E-02	6.05E-04	1.27E-05	7.85E-01	4.71E-02	4.71E-07	1.0E+06	4.7E-01
1130	4.66524	4.85E-03	2.3E-02	6.05E-04	1.37E-05	7.85E-01	4.71E-02	5.06E-07	1.0E+06	5.1E-01
1131	5.03357	4.85E-03	2.4E-02	6.05E-04	1.48E-05	7.85E-01	4.71E-02	5.46E-07	1.0E+06	5.5E-01
1132	5.44589	4.85E-03	2.6E-02	6.05E-04	1.60E-05	7.85E-01	4.71E-02	5.91E-07	1.0E+06	5.9E-01
1133	5.89285	4.85E-03	2.9E-02	6.05E-04	1.73E-05	7.85E-01	4.71E-02	6.39E-07	1.0E+06	6.4E-01
1134	6.35095	4.85E-03	3.1E-02	6.05E-04	1.86E-05	7.85E-01	4.71E-02	6.89E-07	1.0E+06	6.9E-01
1135	6.79794	4.85E-03	3.3E-02	6.05E-04	1.99E-05	7.85E-01	4.71E-02	7.37E-07	1.0E+06	7.4E-01
1136	7.22023	4.85E-03	3.5E-02	6.05E-04	2.12E-05	7.85E-01	4.71E-02	7.83E-07	1.0E+06	7.8E-01
1137	7.57481	4.85E-03	3.7E-02	6.05E-04	2.22E-05	7.85E-01	4.71E-02	8.22E-07	1.0E+06	8.2E-01
1138	7.83292	4.85E-03	3.8E-02	6.05E-04	2.30E-05	7.85E-01	4.71E-02	8.50E-07	1.0E+06	8.5E-01
1139	7.97995	4.85E-03	3.9E-02	6.05E-04	2.34E-05	7.85E-01	4.71E-02	8.66E-07	1.0E+06	8.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	4.85E-03	3.9E-02	6.05E-04	2.35E-05	7.85E-01	4.71E-02	8.71E-07	1.0E+06	8.7E-01
1141	7.98973	4.85E-03	3.9E-02	6.05E-04	2.34E-05	7.85E-01	4.71E-02	8.67E-07	1.0E+06	8.7E-01
1142	7.81875	4.85E-03	3.8E-02	6.05E-04	2.29E-05	7.85E-01	4.71E-02	8.48E-07	1.0E+06	8.5E-01
1143	7.50412	4.85E-03	3.6E-02	6.05E-04	2.20E-05	7.85E-01	4.71E-02	8.14E-07	1.0E+06	8.1E-01
1144	7.07481	4.85E-03	3.4E-02	6.05E-04	2.07E-05	7.85E-01	4.71E-02	7.67E-07	1.0E+06	7.7E-01
1145	6.56874	4.85E-03	3.2E-02	6.05E-04	1.93E-05	7.85E-01	4.71E-02	7.12E-07	1.0E+06	7.1E-01
1146	2.03453	4.85E-03	9.9E-03	6.05E-04	5.97E-06	7.85E-01	4.71E-02	2.21E-07	1.0E+06	2.2E-01
1147	2.13247	4.85E-03	1.0E-02	6.05E-04	6.25E-06	7.85E-01	4.71E-02	2.31E-07	1.0E+06	2.3E-01
1148	2.23163	4.85E-03	1.1E-02	6.05E-04	6.54E-06	7.85E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
1149	2.33656	4.85E-03	1.1E-02	6.05E-04	6.85E-06	7.85E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
1150	2.44222	4.85E-03	1.2E-02	6.05E-04	7.16E-06	7.85E-01	4.71E-02	2.65E-07	1.0E+06	2.6E-01
1151	2.55404	4.85E-03	1.2E-02	6.05E-04	7.49E-06	7.85E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
1152	2.67247	4.85E-03	1.3E-02	6.05E-04	7.84E-06	7.85E-01	4.71E-02	2.90E-07	1.0E+06	2.9E-01
1153	2.79193	4.85E-03	1.4E-02	6.05E-04	8.19E-06	7.85E-01	4.71E-02	3.03E-07	1.0E+06	3.0E-01
1154	2.91823	4.85E-03	1.4E-02	6.05E-04	8.56E-06	7.85E-01	4.71E-02	3.17E-07	1.0E+06	3.2E-01
1155	3.05585	4.85E-03	1.5E-02	6.05E-04	8.96E-06	7.85E-01	4.71E-02	3.31E-07	1.0E+06	3.3E-01
1156	3.20293	4.85E-03	1.6E-02	6.05E-04	9.39E-06	7.85E-01	4.71E-02	3.47E-07	1.0E+06	3.5E-01
1157	3.36173	4.85E-03	1.6E-02	6.05E-04	9.86E-06	7.85E-01	4.71E-02	3.65E-07	1.0E+06	3.6E-01
1158	3.53541	4.85E-03	1.7E-02	6.05E-04	1.04E-05	7.85E-01	4.71E-02	3.83E-07	1.0E+06	3.8E-01
1159	3.7286	4.85E-03	1.8E-02	6.05E-04	1.09E-05	7.85E-01	4.71E-02	4.04E-07	1.0E+06	4.0E-01
1160	3.94893	4.85E-03	1.9E-02	6.05E-04	1.16E-05	7.85E-01	4.71E-02	4.28E-07	1.0E+06	4.3E-01
1161	4.20347	4.85E-03	2.0E-02	6.05E-04	1.23E-05	7.85E-01	4.71E-02	4.56E-07	1.0E+06	4.6E-01
1162	4.50184	4.85E-03	2.2E-02	6.05E-04	1.32E-05	7.85E-01	4.71E-02	4.88E-07	1.0E+06	4.9E-01
1163	4.85509	4.85E-03	2.4E-02	6.05E-04	1.42E-05	7.85E-01	4.71E-02	5.27E-07	1.0E+06	5.3E-01
1164	5.28071	4.85E-03	2.6E-02	6.05E-04	1.55E-05	7.85E-01	4.71E-02	5.73E-07	1.0E+06	5.7E-01
1165	5.79017	4.85E-03	2.8E-02	6.05E-04	1.70E-05	7.85E-01	4.71E-02	6.28E-07	1.0E+06	6.3E-01
1166	6.38984	4.85E-03	3.1E-02	6.05E-04	1.87E-05	7.85E-01	4.71E-02	6.93E-07	1.0E+06	6.9E-01
1167	7.06432	4.85E-03	3.4E-02	6.05E-04	2.07E-05	7.85E-01	4.71E-02	7.66E-07	1.0E+06	7.7E-01
1168	6.38019	4.85E-03	3.1E-02	6.05E-04	1.87E-05	7.85E-01	4.71E-02	6.92E-07	1.0E+06	6.9E-01
1169	8.41857	4.85E-03	4.1E-02	6.05E-04	2.47E-05	7.85E-01	4.71E-02	9.13E-07	1.0E+06	9.1E-01
1170	7.5517	4.85E-03	3.7E-02	6.05E-04	2.21E-05	7.85E-01	4.71E-02	8.19E-07	1.0E+06	8.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	4.85E-03	3.8E-02	6.05E-04	2.30E-05	7.85E-01	4.71E-02	8.50E-07	1.0E+06	8.5E-01
1172	8.1392	4.85E-03	3.9E-02	6.05E-04	2.39E-05	7.85E-01	4.71E-02	8.83E-07	1.0E+06	8.8E-01
1173	8.48934	4.85E-03	4.1E-02	6.05E-04	2.49E-05	7.85E-01	4.71E-02	9.21E-07	1.0E+06	9.2E-01
1174	8.63871	4.85E-03	4.2E-02	6.05E-04	2.53E-05	7.85E-01	4.71E-02	9.37E-07	1.0E+06	9.4E-01
1175	8.32856	4.85E-03	4.0E-02	6.05E-04	2.44E-05	7.85E-01	4.71E-02	9.03E-07	1.0E+06	9.0E-01
1176	8.01684	4.85E-03	3.9E-02	6.05E-04	2.35E-05	7.85E-01	4.71E-02	8.70E-07	1.0E+06	8.7E-01
1177	7.68924	4.85E-03	3.7E-02	6.05E-04	2.25E-05	7.85E-01	4.71E-02	8.34E-07	1.0E+06	8.3E-01
1178	5.9706	4.85E-03	2.9E-02	6.05E-04	1.75E-05	7.85E-01	4.71E-02	6.48E-07	1.0E+06	6.5E-01
1179	6.57107	4.85E-03	3.2E-02	6.05E-04	1.93E-05	7.85E-01	4.71E-02	7.13E-07	1.0E+06	7.1E-01
1180	2.17552	4.85E-03	1.1E-02	6.05E-04	6.38E-06	7.85E-01	4.71E-02	2.36E-07	1.0E+06	2.4E-01
1181	2.28576	4.85E-03	1.1E-02	6.05E-04	6.70E-06	7.85E-01	4.71E-02	2.48E-07	1.0E+06	2.5E-01
1182	2.39727	4.85E-03	1.2E-02	6.05E-04	7.03E-06	7.85E-01	4.71E-02	2.60E-07	1.0E+06	2.6E-01
1183	2.51595	4.85E-03	1.2E-02	6.05E-04	7.38E-06	7.85E-01	4.71E-02	2.73E-07	1.0E+06	2.7E-01
1184	2.63399	4.85E-03	1.3E-02	6.05E-04	7.72E-06	7.85E-01	4.71E-02	2.86E-07	1.0E+06	2.9E-01
1185	2.7595	4.85E-03	1.3E-02	6.05E-04	8.09E-06	7.85E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
1186	2.89193	4.85E-03	1.4E-02	6.05E-04	8.48E-06	7.85E-01	4.71E-02	3.14E-07	1.0E+06	3.1E-01
1187	3.02979	4.85E-03	1.5E-02	6.05E-04	8.88E-06	7.85E-01	4.71E-02	3.29E-07	1.0E+06	3.3E-01
1188	3.16867	4.85E-03	1.5E-02	6.05E-04	9.29E-06	7.85E-01	4.71E-02	3.44E-07	1.0E+06	3.4E-01
1189	3.32023	4.85E-03	1.6E-02	6.05E-04	9.74E-06	7.85E-01	4.71E-02	3.60E-07	1.0E+06	3.6E-01
1190	3.48447	4.85E-03	1.7E-02	6.05E-04	1.02E-05	7.85E-01	4.71E-02	3.78E-07	1.0E+06	3.8E-01
1191	3.66265	4.85E-03	1.8E-02	6.05E-04	1.07E-05	7.85E-01	4.71E-02	3.97E-07	1.0E+06	4.0E-01
1192	3.85875	4.85E-03	1.9E-02	6.05E-04	1.13E-05	7.85E-01	4.71E-02	4.19E-07	1.0E+06	4.2E-01
1193	4.07907	4.85E-03	2.0E-02	6.05E-04	1.20E-05	7.85E-01	4.71E-02	4.42E-07	1.0E+06	4.4E-01
1194	4.33265	4.85E-03	2.1E-02	6.05E-04	1.27E-05	7.85E-01	4.71E-02	4.70E-07	1.0E+06	4.7E-01
1195	4.6314	4.85E-03	2.2E-02	6.05E-04	1.36E-05	7.85E-01	4.71E-02	5.02E-07	1.0E+06	5.0E-01
1196	4.99103	4.85E-03	2.4E-02	6.05E-04	1.46E-05	7.85E-01	4.71E-02	5.41E-07	1.0E+06	5.4E-01
1197	5.43436	4.85E-03	2.6E-02	6.05E-04	1.59E-05	7.85E-01	4.71E-02	5.89E-07	1.0E+06	5.9E-01
1198	5.99494	4.85E-03	2.9E-02	6.05E-04	1.76E-05	7.85E-01	4.71E-02	6.50E-07	1.0E+06	6.5E-01
1199	6.70943	4.85E-03	3.3E-02	6.05E-04	1.97E-05	7.85E-01	4.71E-02	7.28E-07	1.0E+06	7.3E-01
1200	6.07919	4.85E-03	2.9E-02	6.05E-04	1.78E-05	7.85E-01	4.71E-02	6.59E-07	1.0E+06	6.6E-01
1201	6.72457	4.85E-03	3.3E-02	6.05E-04	1.97E-05	7.85E-01	4.71E-02	7.29E-07	1.0E+06	7.3E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

		Cancer Risk from 2 to 16 years - Construction								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	4.85E-03	3.7E-02	6.05E-04	2.22E-05	7.85E-01	4.71E-02	8.20E-07	1.0E+06	8.2E-01
1203	6.99298	4.85E-03	3.4E-02	6.05E-04	2.05E-05	7.85E-01	4.71E-02	7.58E-07	1.0E+06	7.6E-01
1204	7.66017	4.85E-03	3.7E-02	6.05E-04	2.25E-05	7.85E-01	4.71E-02	8.31E-07	1.0E+06	8.3E-01
1205	9.76139	4.85E-03	4.7E-02	6.05E-04	2.86E-05	7.85E-01	4.71E-02	1.06E-06	1.0E+06	1.1E+00
1206	8.83169	4.85E-03	4.3E-02	6.05E-04	2.59E-05	7.85E-01	4.71E-02	9.58E-07	1.0E+06	9.6E-01
1207	9.02331	4.85E-03	4.4E-02	6.05E-04	2.65E-05	7.85E-01	4.71E-02	9.79E-07	1.0E+06	9.8E-01
1208	7.72726	4.85E-03	3.7E-02	6.05E-04	2.27E-05	7.85E-01	4.71E-02	8.38E-07	1.0E+06	8.4E-01
1209	8.9362	4.85E-03	4.3E-02	6.05E-04	2.62E-05	7.85E-01	4.71E-02	9.69E-07	1.0E+06	9.7E-01
1210	7.16039	4.85E-03	3.5E-02	6.05E-04	2.10E-05	7.85E-01	4.71E-02	7.77E-07	1.0E+06	7.8E-01
1211	6.44491	4.85E-03	3.1E-02	6.05E-04	1.89E-05	7.85E-01	4.71E-02	6.99E-07	1.0E+06	7.0E-01
1212	7.05356	4.85E-03	3.4E-02	6.05E-04	2.07E-05	7.85E-01	4.71E-02	7.65E-07	1.0E+06	7.7E-01
1213	6.23474	4.85E-03	3.0E-02	6.05E-04	1.83E-05	7.85E-01	4.71E-02	6.76E-07	1.0E+06	6.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	1.90398	2.44396E-06	4.7E-06	6.05E-04	2.82E-09	7.85E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
893	893	1.97855	2.44396E-06	4.8E-06	6.05E-04	2.93E-09	7.85E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
894	894	2.0548	2.44396E-06	5.0E-06	6.05E-04	3.04E-09	7.85E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
895	895	2.13213	2.44396E-06	5.2E-06	6.05E-04	3.15E-09	7.85E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
896	896	2.20927	2.44396E-06	5.4E-06	6.05E-04	3.27E-09	7.85E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
897	897	2.28317	2.44396E-06	5.6E-06	6.05E-04	3.38E-09	7.85E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
898	898	2.35394	2.44396E-06	5.8E-06	6.05E-04	3.48E-09	7.85E-01	4.71E-02	1.29E-10	1.0E+06	1.3E-04
899	899	2.41933	2.44396E-06	5.9E-06	6.05E-04	3.58E-09	7.85E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
900	900	2.47916	2.44396E-06	6.1E-06	6.05E-04	3.67E-09	7.85E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
901	901	2.53249	2.44396E-06	6.2E-06	6.05E-04	3.74E-09	7.85E-01	4.71E-02	1.39E-10	1.0E+06	1.4E-04
902	902	2.57941	2.44396E-06	6.3E-06	6.05E-04	3.81E-09	7.85E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
903	903	2.61702	2.44396E-06	6.4E-06	6.05E-04	3.87E-09	7.85E-01	4.71E-02	1.43E-10	1.0E+06	1.4E-04
904	904	2.64487	2.44396E-06	6.5E-06	6.05E-04	3.91E-09	7.85E-01	4.71E-02	1.45E-10	1.0E+06	1.4E-04
905	905	2.66331	2.44396E-06	6.5E-06	6.05E-04	3.94E-09	7.85E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
906	906	2.6724	2.44396E-06	6.5E-06	6.05E-04	3.95E-09	7.85E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
907	907	2.67561	2.44396E-06	6.5E-06	6.05E-04	3.96E-09	7.85E-01	4.71E-02	1.46E-10	1.0E+06	1.5E-04
908	908	0.93883	2.44396E-06	2.3E-06	6.05E-04	1.39E-09	7.85E-01	4.71E-02	5.14E-11	1.0E+06	5.1E-05
909	909	0.97058	2.44396E-06	2.4E-06	6.05E-04	1.44E-09	7.85E-01	4.71E-02	5.31E-11	1.0E+06	5.3E-05
910	910	1.00414	2.44396E-06	2.5E-06	6.05E-04	1.48E-09	7.85E-01	4.71E-02	5.49E-11	1.0E+06	5.5E-05
911	911	1.04209	2.44396E-06	2.5E-06	6.05E-04	1.54E-09	7.85E-01	4.71E-02	5.70E-11	1.0E+06	5.7E-05
912	912	1.08135	2.44396E-06	2.6E-06	6.05E-04	1.60E-09	7.85E-01	4.71E-02	5.92E-11	1.0E+06	5.9E-05
913	913	1.12518	2.44396E-06	2.7E-06	6.05E-04	1.66E-09	7.85E-01	4.71E-02	6.16E-11	1.0E+06	6.2E-05
914	914	1.17053	2.44396E-06	2.9E-06	6.05E-04	1.73E-09	7.85E-01	4.71E-02	6.40E-11	1.0E+06	6.4E-05
915	915	1.22074	2.44396E-06	3.0E-06	6.05E-04	1.81E-09	7.85E-01	4.71E-02	6.68E-11	1.0E+06	6.7E-05
916	916	1.27276	2.44396E-06	3.1E-06	6.05E-04	1.88E-09	7.85E-01	4.71E-02	6.96E-11	1.0E+06	7.0E-05
917	917	1.32734	2.44396E-06	3.2E-06	6.05E-04	1.96E-09	7.85E-01	4.71E-02	7.26E-11	1.0E+06	7.3E-05
918	918	1.38877	2.44396E-06	3.4E-06	6.05E-04	2.05E-09	7.85E-01	4.71E-02	7.60E-11	1.0E+06	7.6E-05
919	919	1.45082	2.44396E-06	3.5E-06	6.05E-04	2.15E-09	7.85E-01	4.71E-02	7.94E-11	1.0E+06	7.9E-05
920	920	1.51576	2.44396E-06	3.7E-06	6.05E-04	2.24E-09	7.85E-01	4.71E-02	8.29E-11	1.0E+06	8.3E-05
921	921	1.58373	2.44396E-06	3.9E-06	6.05E-04	2.34E-09	7.85E-01	4.71E-02	8.66E-11	1.0E+06	8.7E-05
922	922	1.65497	2.44396E-06	4.0E-06	6.05E-04	2.45E-09	7.85E-01	4.71E-02	9.05E-11	1.0E+06	9.1E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	1.72917	2.44396E-06	4.2E-06	6.05E-04	2.56E-09	7.85E-01	4.71E-02	9.46E-11	1.0E+06	9.5E-05
924	924	1.80614	2.44396E-06	4.4E-06	6.05E-04	2.67E-09	7.85E-01	4.71E-02	9.88E-11	1.0E+06	9.9E-05
925	925	1.88557	2.44396E-06	4.6E-06	6.05E-04	2.79E-09	7.85E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
926	926	1.96751	2.44396E-06	4.8E-06	6.05E-04	2.91E-09	7.85E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
927	927	2.05149	2.44396E-06	5.0E-06	6.05E-04	3.03E-09	7.85E-01	4.71E-02	1.12E-10	1.0E+06	1.1E-04
928	928	2.13745	2.44396E-06	5.2E-06	6.05E-04	3.16E-09	7.85E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
929	929	2.22526	2.44396E-06	5.4E-06	6.05E-04	3.29E-09	7.85E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
930	930	2.3146	2.44396E-06	5.7E-06	6.05E-04	3.42E-09	7.85E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
931	931	2.40372	2.44396E-06	5.9E-06	6.05E-04	3.55E-09	7.85E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
932	932	2.48952	2.44396E-06	6.1E-06	6.05E-04	3.68E-09	7.85E-01	4.71E-02	1.36E-10	1.0E+06	1.4E-04
933	933	2.57217	2.44396E-06	6.3E-06	6.05E-04	3.80E-09	7.85E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
934	934	2.64898	2.44396E-06	6.5E-06	6.05E-04	3.92E-09	7.85E-01	4.71E-02	1.45E-10	1.0E+06	1.4E-04
935	935	2.71994	2.44396E-06	6.6E-06	6.05E-04	4.02E-09	7.85E-01	4.71E-02	1.49E-10	1.0E+06	1.5E-04
936	936	2.7832	2.44396E-06	6.8E-06	6.05E-04	4.12E-09	7.85E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
937	937	2.83806	2.44396E-06	6.9E-06	6.05E-04	4.20E-09	7.85E-01	4.71E-02	1.55E-10	1.0E+06	1.6E-04
938	938	2.88233	2.44396E-06	7.0E-06	6.05E-04	4.26E-09	7.85E-01	4.71E-02	1.58E-10	1.0E+06	1.6E-04
939	939	2.9148	2.44396E-06	7.1E-06	6.05E-04	4.31E-09	7.85E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
940	940	2.93611	2.44396E-06	7.2E-06	6.05E-04	4.34E-09	7.85E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
941	941	2.94631	2.44396E-06	7.2E-06	6.05E-04	4.36E-09	7.85E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
942	942	0.97699	2.44396E-06	2.4E-06	6.05E-04	1.44E-09	7.85E-01	4.71E-02	5.34E-11	1.0E+06	5.3E-05
943	943	1.01156	2.44396E-06	2.5E-06	6.05E-04	1.50E-09	7.85E-01	4.71E-02	5.53E-11	1.0E+06	5.5E-05
944	944	1.04817	2.44396E-06	2.6E-06	6.05E-04	1.55E-09	7.85E-01	4.71E-02	5.73E-11	1.0E+06	5.7E-05
945	945	1.08752	2.44396E-06	2.7E-06	6.05E-04	1.61E-09	7.85E-01	4.71E-02	5.95E-11	1.0E+06	5.9E-05
946	946	1.13045	2.44396E-06	2.8E-06	6.05E-04	1.67E-09	7.85E-01	4.71E-02	6.18E-11	1.0E+06	6.2E-05
947	947	1.1764	2.44396E-06	2.9E-06	6.05E-04	1.74E-09	7.85E-01	4.71E-02	6.44E-11	1.0E+06	6.4E-05
948	948	1.22634	2.44396E-06	3.0E-06	6.05E-04	1.81E-09	7.85E-01	4.71E-02	6.71E-11	1.0E+06	6.7E-05
949	949	1.27976	2.44396E-06	3.1E-06	6.05E-04	1.89E-09	7.85E-01	4.71E-02	7.00E-11	1.0E+06	7.0E-05
950	950	1.33732	2.44396E-06	3.3E-06	6.05E-04	1.98E-09	7.85E-01	4.71E-02	7.32E-11	1.0E+06	7.3E-05
951	951	1.39744	2.44396E-06	3.4E-06	6.05E-04	2.07E-09	7.85E-01	4.71E-02	7.64E-11	1.0E+06	7.6E-05
952	952	1.46306	2.44396E-06	3.6E-06	6.05E-04	2.16E-09	7.85E-01	4.71E-02	8.00E-11	1.0E+06	8.0E-05
953	953	1.53168	2.44396E-06	3.7E-06	6.05E-04	2.26E-09	7.85E-01	4.71E-02	8.38E-11	1.0E+06	8.4E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	1.60385	2.44396E-06	3.9E-06	6.05E-04	2.37E-09	7.85E-01	4.71E-02	8.77E-11	1.0E+06	8.8E-05
955	955	1.67976	2.44396E-06	4.1E-06	6.05E-04	2.48E-09	7.85E-01	4.71E-02	9.19E-11	1.0E+06	9.2E-05
956	956	1.76089	2.44396E-06	4.3E-06	6.05E-04	2.60E-09	7.85E-01	4.71E-02	9.63E-11	1.0E+06	9.6E-05
957	957	1.84586	2.44396E-06	4.5E-06	6.05E-04	2.73E-09	7.85E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
958	958	1.9336	2.44396E-06	4.7E-06	6.05E-04	2.86E-09	7.85E-01	4.71E-02	1.06E-10	1.0E+06	1.1E-04
959	959	2.02394	2.44396E-06	4.9E-06	6.05E-04	2.99E-09	7.85E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
960	960	2.11764	2.44396E-06	5.2E-06	6.05E-04	3.13E-09	7.85E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
961	961	2.21445	2.44396E-06	5.4E-06	6.05E-04	3.27E-09	7.85E-01	4.71E-02	1.21E-10	1.0E+06	1.2E-04
962	962	2.31395	2.44396E-06	5.7E-06	6.05E-04	3.42E-09	7.85E-01	4.71E-02	1.27E-10	1.0E+06	1.3E-04
963	963	2.41602	2.44396E-06	5.9E-06	6.05E-04	3.57E-09	7.85E-01	4.71E-02	1.32E-10	1.0E+06	1.3E-04
964	964	2.51977	2.44396E-06	6.2E-06	6.05E-04	3.73E-09	7.85E-01	4.71E-02	1.38E-10	1.0E+06	1.4E-04
965	965	2.62412	2.44396E-06	6.4E-06	6.05E-04	3.88E-09	7.85E-01	4.71E-02	1.44E-10	1.0E+06	1.4E-04
966	966	2.72515	2.44396E-06	6.7E-06	6.05E-04	4.03E-09	7.85E-01	4.71E-02	1.49E-10	1.0E+06	1.5E-04
967	967	2.82212	2.44396E-06	6.9E-06	6.05E-04	4.17E-09	7.85E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
968	968	2.91415	2.44396E-06	7.1E-06	6.05E-04	4.31E-09	7.85E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
969	969	2.99892	2.44396E-06	7.3E-06	6.05E-04	4.43E-09	7.85E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
970	970	3.07436	2.44396E-06	7.5E-06	6.05E-04	4.55E-09	7.85E-01	4.71E-02	1.68E-10	1.0E+06	1.7E-04
971	971	3.13891	2.44396E-06	7.7E-06	6.05E-04	4.64E-09	7.85E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
972	972	3.19185	2.44396E-06	7.8E-06	6.05E-04	4.72E-09	7.85E-01	4.71E-02	1.75E-10	1.0E+06	1.7E-04
973	973	3.23053	2.44396E-06	7.9E-06	6.05E-04	4.78E-09	7.85E-01	4.71E-02	1.77E-10	1.0E+06	1.8E-04
974	974	3.25618	2.44396E-06	8.0E-06	6.05E-04	4.82E-09	7.85E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
975	975	3.2682	2.44396E-06	8.0E-06	6.05E-04	4.83E-09	7.85E-01	4.71E-02	1.79E-10	1.0E+06	1.8E-04
976	976	1.0157	2.44396E-06	2.5E-06	6.05E-04	1.50E-09	7.85E-01	4.71E-02	5.56E-11	1.0E+06	5.6E-05
977	977	1.05334	2.44396E-06	2.6E-06	6.05E-04	1.56E-09	7.85E-01	4.71E-02	5.76E-11	1.0E+06	5.8E-05
978	978	1.09327	2.44396E-06	2.7E-06	6.05E-04	1.62E-09	7.85E-01	4.71E-02	5.98E-11	1.0E+06	6.0E-05
979	979	1.13414	2.44396E-06	2.8E-06	6.05E-04	1.68E-09	7.85E-01	4.71E-02	6.20E-11	1.0E+06	6.2E-05
980	980	1.18109	2.44396E-06	2.9E-06	6.05E-04	1.75E-09	7.85E-01	4.71E-02	6.46E-11	1.0E+06	6.5E-05
981	981	1.22938	2.44396E-06	3.0E-06	6.05E-04	1.82E-09	7.85E-01	4.71E-02	6.73E-11	1.0E+06	6.7E-05
982	982	1.28429	2.44396E-06	3.1E-06	6.05E-04	1.90E-09	7.85E-01	4.71E-02	7.03E-11	1.0E+06	7.0E-05
983	983	1.34133	2.44396E-06	3.3E-06	6.05E-04	1.98E-09	7.85E-01	4.71E-02	7.34E-11	1.0E+06	7.3E-05
984	984	1.40495	2.44396E-06	3.4E-06	6.05E-04	2.08E-09	7.85E-01	4.71E-02	7.69E-11	1.0E+06	7.7E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	1.47136	2.44396E-06	3.6E-06	6.05E-04	2.18E-09	7.85E-01	4.71E-02	8.05E-11	1.0E+06	8.0E-05
986	986	1.54163	2.44396E-06	3.8E-06	6.05E-04	2.28E-09	7.85E-01	4.71E-02	8.43E-11	1.0E+06	8.4E-05
987	987	1.61774	2.44396E-06	4.0E-06	6.05E-04	2.39E-09	7.85E-01	4.71E-02	8.85E-11	1.0E+06	8.8E-05
988	988	1.69799	2.44396E-06	4.1E-06	6.05E-04	2.51E-09	7.85E-01	4.71E-02	9.29E-11	1.0E+06	9.3E-05
989	989	1.78299	2.44396E-06	4.4E-06	6.05E-04	2.64E-09	7.85E-01	4.71E-02	9.75E-11	1.0E+06	9.8E-05
990	990	1.87556	2.44396E-06	4.6E-06	6.05E-04	2.77E-09	7.85E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
991	991	1.97308	2.44396E-06	4.8E-06	6.05E-04	2.92E-09	7.85E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
992	992	2.07349	2.44396E-06	5.1E-06	6.05E-04	3.07E-09	7.85E-01	4.71E-02	1.13E-10	1.0E+06	1.1E-04
993	993	2.17688	2.44396E-06	5.3E-06	6.05E-04	3.22E-09	7.85E-01	4.71E-02	1.19E-10	1.0E+06	1.2E-04
994	994	2.28422	2.44396E-06	5.6E-06	6.05E-04	3.38E-09	7.85E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
995	995	2.3966	2.44396E-06	5.9E-06	6.05E-04	3.54E-09	7.85E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
996	996	2.51246	2.44396E-06	6.1E-06	6.05E-04	3.72E-09	7.85E-01	4.71E-02	1.37E-10	1.0E+06	1.4E-04
997	997	2.63161	2.44396E-06	6.4E-06	6.05E-04	3.89E-09	7.85E-01	4.71E-02	1.44E-10	1.0E+06	1.4E-04
998	998	2.7535	2.44396E-06	6.7E-06	6.05E-04	4.07E-09	7.85E-01	4.71E-02	1.51E-10	1.0E+06	1.5E-04
999	999	2.87632	2.44396E-06	7.0E-06	6.05E-04	4.25E-09	7.85E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
1000	1000	2.99617	2.44396E-06	7.3E-06	6.05E-04	4.43E-09	7.85E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
1001	1001	3.1113	2.44396E-06	7.6E-06	6.05E-04	4.60E-09	7.85E-01	4.71E-02	1.70E-10	1.0E+06	1.7E-04
1002	1002	3.22186	2.44396E-06	7.9E-06	6.05E-04	4.76E-09	7.85E-01	4.71E-02	1.76E-10	1.0E+06	1.8E-04
1003	1003	3.32446	2.44396E-06	8.1E-06	6.05E-04	4.92E-09	7.85E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
1004	1004	3.41507	2.44396E-06	8.3E-06	6.05E-04	5.05E-09	7.85E-01	4.71E-02	1.87E-10	1.0E+06	1.9E-04
1005	1005	3.49176	2.44396E-06	8.5E-06	6.05E-04	5.16E-09	7.85E-01	4.71E-02	1.91E-10	1.0E+06	1.9E-04
1006	1006	3.55478	2.44396E-06	8.7E-06	6.05E-04	5.26E-09	7.85E-01	4.71E-02	1.94E-10	1.0E+06	1.9E-04
1007	1007	3.60174	2.44396E-06	8.8E-06	6.05E-04	5.33E-09	7.85E-01	4.71E-02	1.97E-10	1.0E+06	2.0E-04
1008	1008	3.63182	2.44396E-06	8.9E-06	6.05E-04	5.37E-09	7.85E-01	4.71E-02	1.99E-10	1.0E+06	2.0E-04
1009	1009	3.64571	2.44396E-06	8.9E-06	6.05E-04	5.39E-09	7.85E-01	4.71E-02	1.99E-10	1.0E+06	2.0E-04
1010	1010	1.05463	2.44396E-06	2.6E-06	6.05E-04	1.56E-09	7.85E-01	4.71E-02	5.77E-11	1.0E+06	5.8E-05
1011	1011	1.09564	2.44396E-06	2.7E-06	6.05E-04	1.62E-09	7.85E-01	4.71E-02	5.99E-11	1.0E+06	6.0E-05
1012	1012	1.13916	2.44396E-06	2.8E-06	6.05E-04	1.68E-09	7.85E-01	4.71E-02	6.23E-11	1.0E+06	6.2E-05
1013	1013	1.18545	2.44396E-06	2.9E-06	6.05E-04	1.75E-09	7.85E-01	4.71E-02	6.48E-11	1.0E+06	6.5E-05
1014	1014	1.23298	2.44396E-06	3.0E-06	6.05E-04	1.82E-09	7.85E-01	4.71E-02	6.74E-11	1.0E+06	6.7E-05
1015	1015	1.2838	2.44396E-06	3.1E-06	6.05E-04	1.90E-09	7.85E-01	4.71E-02	7.02E-11	1.0E+06	7.0E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	1.3441	2.44396E-06	3.3E-06	6.05E-04	1.99E-09	7.85E-01	4.71E-02	7.35E-11	1.0E+06	7.4E-05
1017	1017	1.40506	2.44396E-06	3.4E-06	6.05E-04	2.08E-09	7.85E-01	4.71E-02	7.69E-11	1.0E+06	7.7E-05
1018	1018	1.47534	2.44396E-06	3.6E-06	6.05E-04	2.18E-09	7.85E-01	4.71E-02	8.07E-11	1.0E+06	8.1E-05
1019	1019	1.54884	2.44396E-06	3.8E-06	6.05E-04	2.29E-09	7.85E-01	4.71E-02	8.47E-11	1.0E+06	8.5E-05
1020	1020	1.62466	2.44396E-06	4.0E-06	6.05E-04	2.40E-09	7.85E-01	4.71E-02	8.89E-11	1.0E+06	8.9E-05
1021	1021	1.70919	2.44396E-06	4.2E-06	6.05E-04	2.53E-09	7.85E-01	4.71E-02	9.35E-11	1.0E+06	9.3E-05
1022	1022	1.79886	2.44396E-06	4.4E-06	6.05E-04	2.66E-09	7.85E-01	4.71E-02	9.84E-11	1.0E+06	9.8E-05
1023	1023	1.89441	2.44396E-06	4.6E-06	6.05E-04	2.80E-09	7.85E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
1024	1024	1.99997	2.44396E-06	4.9E-06	6.05E-04	2.96E-09	7.85E-01	4.71E-02	1.09E-10	1.0E+06	1.1E-04
1025	1025	2.1117	2.44396E-06	5.2E-06	6.05E-04	3.12E-09	7.85E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
1026	1026	2.227	2.44396E-06	5.4E-06	6.05E-04	3.29E-09	7.85E-01	4.71E-02	1.22E-10	1.0E+06	1.2E-04
1027	1027	2.34609	2.44396E-06	5.7E-06	6.05E-04	3.47E-09	7.85E-01	4.71E-02	1.28E-10	1.0E+06	1.3E-04
1028	1028	2.47039	2.44396E-06	6.0E-06	6.05E-04	3.65E-09	7.85E-01	4.71E-02	1.35E-10	1.0E+06	1.4E-04
1029	1029	2.60117	2.44396E-06	6.4E-06	6.05E-04	3.85E-09	7.85E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1030	1030	2.73671	2.44396E-06	6.7E-06	6.05E-04	4.05E-09	7.85E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
1031	1031	2.8771	2.44396E-06	7.0E-06	6.05E-04	4.25E-09	7.85E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
1032	1032	3.02114	2.44396E-06	7.4E-06	6.05E-04	4.47E-09	7.85E-01	4.71E-02	1.65E-10	1.0E+06	1.7E-04
1033	1033	3.16654	2.44396E-06	7.7E-06	6.05E-04	4.68E-09	7.85E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
1034	1034	3.30982	2.44396E-06	8.1E-06	6.05E-04	4.89E-09	7.85E-01	4.71E-02	1.81E-10	1.0E+06	1.8E-04
1035	1035	3.44858	2.44396E-06	8.4E-06	6.05E-04	5.10E-09	7.85E-01	4.71E-02	1.89E-10	1.0E+06	1.9E-04
1036	1036	3.58225	2.44396E-06	8.8E-06	6.05E-04	5.30E-09	7.85E-01	4.71E-02	1.96E-10	1.0E+06	2.0E-04
1037	1037	3.70738	2.44396E-06	9.1E-06	6.05E-04	5.48E-09	7.85E-01	4.71E-02	2.03E-10	1.0E+06	2.0E-04
1038	1038	3.81726	2.44396E-06	9.3E-06	6.05E-04	5.64E-09	7.85E-01	4.71E-02	2.09E-10	1.0E+06	2.1E-04
1039	1039	3.90939	2.44396E-06	9.6E-06	6.05E-04	5.78E-09	7.85E-01	4.71E-02	2.14E-10	1.0E+06	2.1E-04
1040	1040	3.98446	2.44396E-06	9.7E-06	6.05E-04	5.89E-09	7.85E-01	4.71E-02	2.18E-10	1.0E+06	2.2E-04
1041	1041	4.04068	2.44396E-06	9.9E-06	6.05E-04	5.98E-09	7.85E-01	4.71E-02	2.21E-10	1.0E+06	2.2E-04
1042	1042	4.07537	2.44396E-06	1.0E-05	6.05E-04	6.03E-09	7.85E-01	4.71E-02	2.23E-10	1.0E+06	2.2E-04
1043	1043	4.08958	2.44396E-06	1.0E-05	6.05E-04	6.05E-09	7.85E-01	4.71E-02	2.24E-10	1.0E+06	2.2E-04
1044	1044	1.09359	2.44396E-06	2.7E-06	6.05E-04	1.62E-09	7.85E-01	4.71E-02	5.98E-11	1.0E+06	6.0E-05
1045	1045	1.13817	2.44396E-06	2.8E-06	6.05E-04	1.68E-09	7.85E-01	4.71E-02	6.23E-11	1.0E+06	6.2E-05
1046	1046	1.18555	2.44396E-06	2.9E-06	6.05E-04	1.75E-09	7.85E-01	4.71E-02	6.49E-11	1.0E+06	6.5E-05

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	1.23611	2.44396E-06	3.0E-06	6.05E-04	1.83E-09	7.85E-01	4.71E-02	6.76E-11	1.0E+06	6.8E-05
1048	1048	1.2858	2.44396E-06	3.1E-06	6.05E-04	1.90E-09	7.85E-01	4.71E-02	7.03E-11	1.0E+06	7.0E-05
1049	1049	1.34555	2.44396E-06	3.3E-06	6.05E-04	1.99E-09	7.85E-01	4.71E-02	7.36E-11	1.0E+06	7.4E-05
1050	1050	1.40532	2.44396E-06	3.4E-06	6.05E-04	2.08E-09	7.85E-01	4.71E-02	7.69E-11	1.0E+06	7.7E-05
1051	1051	1.47035	2.44396E-06	3.6E-06	6.05E-04	2.17E-09	7.85E-01	4.71E-02	8.04E-11	1.0E+06	8.0E-05
1052	1052	1.54795	2.44396E-06	3.8E-06	6.05E-04	2.29E-09	7.85E-01	4.71E-02	8.47E-11	1.0E+06	8.5E-05
1053	1053	1.62963	2.44396E-06	4.0E-06	6.05E-04	2.41E-09	7.85E-01	4.71E-02	8.91E-11	1.0E+06	8.9E-05
1054	1054	1.71205	2.44396E-06	4.2E-06	6.05E-04	2.53E-09	7.85E-01	4.71E-02	9.37E-11	1.0E+06	9.4E-05
1055	1055	1.80679	2.44396E-06	4.4E-06	6.05E-04	2.67E-09	7.85E-01	4.71E-02	9.88E-11	1.0E+06	9.9E-05
1056	1056	1.90775	2.44396E-06	4.7E-06	6.05E-04	2.82E-09	7.85E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
1057	1057	2.01596	2.44396E-06	4.9E-06	6.05E-04	2.98E-09	7.85E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1058	1058	2.13538	2.44396E-06	5.2E-06	6.05E-04	3.16E-09	7.85E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
1059	1059	2.26268	2.44396E-06	5.5E-06	6.05E-04	3.35E-09	7.85E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
1060	1060	2.39555	2.44396E-06	5.9E-06	6.05E-04	3.54E-09	7.85E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
1061	1061	2.53378	2.44396E-06	6.2E-06	6.05E-04	3.75E-09	7.85E-01	4.71E-02	1.39E-10	1.0E+06	1.4E-04
1062	1062	2.67903	2.44396E-06	6.5E-06	6.05E-04	3.96E-09	7.85E-01	4.71E-02	1.47E-10	1.0E+06	1.5E-04
1063	1063	2.83199	2.44396E-06	6.9E-06	6.05E-04	4.19E-09	7.85E-01	4.71E-02	1.55E-10	1.0E+06	1.5E-04
1064	1064	2.99145	2.44396E-06	7.3E-06	6.05E-04	4.42E-09	7.85E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
1065	1065	3.15718	2.44396E-06	7.7E-06	6.05E-04	4.67E-09	7.85E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
1066	1066	3.32879	2.44396E-06	8.1E-06	6.05E-04	4.92E-09	7.85E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
1067	1067	3.50297	2.44396E-06	8.6E-06	6.05E-04	5.18E-09	7.85E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
1068	1068	3.67641	2.44396E-06	9.0E-06	6.05E-04	5.44E-09	7.85E-01	4.71E-02	2.01E-10	1.0E+06	2.0E-04
1069	1069	3.84617	2.44396E-06	9.4E-06	6.05E-04	5.69E-09	7.85E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04
1070	1070	4.00927	2.44396E-06	9.8E-06	6.05E-04	5.93E-09	7.85E-01	4.71E-02	2.19E-10	1.0E+06	2.2E-04
1071	1071	4.16267	2.44396E-06	1.0E-05	6.05E-04	6.16E-09	7.85E-01	4.71E-02	2.28E-10	1.0E+06	2.3E-04
1072	1072	4.29671	2.44396E-06	1.1E-05	6.05E-04	6.35E-09	7.85E-01	4.71E-02	2.35E-10	1.0E+06	2.4E-04
1073	1073	4.40876	2.44396E-06	1.1E-05	6.05E-04	6.52E-09	7.85E-01	4.71E-02	2.41E-10	1.0E+06	2.4E-04
1074	1074	4.49927	2.44396E-06	1.1E-05	6.05E-04	6.65E-09	7.85E-01	4.71E-02	2.46E-10	1.0E+06	2.5E-04
1075	1075	4.56532	2.44396E-06	1.1E-05	6.05E-04	6.75E-09	7.85E-01	4.71E-02	2.50E-10	1.0E+06	2.5E-04
1076	1076	4.60434	2.44396E-06	1.1E-05	6.05E-04	6.81E-09	7.85E-01	4.71E-02	2.52E-10	1.0E+06	2.5E-04
1077	1077	4.61712	2.44396E-06	1.1E-05	6.05E-04	6.83E-09	7.85E-01	4.71E-02	2.53E-10	1.0E+06	2.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	1.13212	2.44396E-06	2.8E-06	6.05E-04	1.67E-09	7.85E-01	4.71E-02	6.19E-11	1.0E+06	6.2E-05
1079	1079	1.18048	2.44396E-06	2.9E-06	6.05E-04	1.75E-09	7.85E-01	4.71E-02	6.46E-11	1.0E+06	6.5E-05
1080	1080	1.23198	2.44396E-06	3.0E-06	6.05E-04	1.82E-09	7.85E-01	4.71E-02	6.74E-11	1.0E+06	6.7E-05
1081	1081	1.28711	2.44396E-06	3.1E-06	6.05E-04	1.90E-09	7.85E-01	4.71E-02	7.04E-11	1.0E+06	7.0E-05
1082	1082	1.33914	2.44396E-06	3.3E-06	6.05E-04	1.98E-09	7.85E-01	4.71E-02	7.33E-11	1.0E+06	7.3E-05
1083	1083	1.40446	2.44396E-06	3.4E-06	6.05E-04	2.08E-09	7.85E-01	4.71E-02	7.68E-11	1.0E+06	7.7E-05
1084	1084	1.46769	2.44396E-06	3.6E-06	6.05E-04	2.17E-09	7.85E-01	4.71E-02	8.03E-11	1.0E+06	8.0E-05
1085	1085	1.53725	2.44396E-06	3.8E-06	6.05E-04	2.27E-09	7.85E-01	4.71E-02	8.41E-11	1.0E+06	8.4E-05
1086	1086	1.62288	2.44396E-06	4.0E-06	6.05E-04	2.40E-09	7.85E-01	4.71E-02	8.88E-11	1.0E+06	8.9E-05
1087	1087	1.71344	2.44396E-06	4.2E-06	6.05E-04	2.53E-09	7.85E-01	4.71E-02	9.37E-11	1.0E+06	9.4E-05
1088	1088	1.80333	2.44396E-06	4.4E-06	6.05E-04	2.67E-09	7.85E-01	4.71E-02	9.86E-11	1.0E+06	9.9E-05
1089	1089	1.90946	2.44396E-06	4.7E-06	6.05E-04	2.82E-09	7.85E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
1090	1090	2.02331	2.44396E-06	4.9E-06	6.05E-04	2.99E-09	7.85E-01	4.71E-02	1.11E-10	1.0E+06	1.1E-04
1091	1091	2.14581	2.44396E-06	5.2E-06	6.05E-04	3.17E-09	7.85E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
1092	1092	2.28134	2.44396E-06	5.6E-06	6.05E-04	3.37E-09	7.85E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
1093	1093	2.42677	2.44396E-06	5.9E-06	6.05E-04	3.59E-09	7.85E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1094	1094	2.57991	2.44396E-06	6.3E-06	6.05E-04	3.82E-09	7.85E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1095	1095	2.74121	2.44396E-06	6.7E-06	6.05E-04	4.05E-09	7.85E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
1096	1096	2.91204	2.44396E-06	7.1E-06	6.05E-04	4.31E-09	7.85E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
1097	1097	3.0921	2.44396E-06	7.6E-06	6.05E-04	4.57E-09	7.85E-01	4.71E-02	1.69E-10	1.0E+06	1.7E-04
1098	1098	3.28072	2.44396E-06	8.0E-06	6.05E-04	4.85E-09	7.85E-01	4.71E-02	1.79E-10	1.0E+06	1.8E-04
1099	1099	3.47836	2.44396E-06	8.5E-06	6.05E-04	5.14E-09	7.85E-01	4.71E-02	1.90E-10	1.0E+06	1.9E-04
1100	1100	3.68429	2.44396E-06	9.0E-06	6.05E-04	5.45E-09	7.85E-01	4.71E-02	2.02E-10	1.0E+06	2.0E-04
1101	1101	3.89451	2.44396E-06	9.5E-06	6.05E-04	5.76E-09	7.85E-01	4.71E-02	2.13E-10	1.0E+06	2.1E-04
1102	1102	4.10714	2.44396E-06	1.0E-05	6.05E-04	6.07E-09	7.85E-01	4.71E-02	2.25E-10	1.0E+06	2.2E-04
1103	1103	4.31714	2.44396E-06	1.1E-05	6.05E-04	6.38E-09	7.85E-01	4.71E-02	2.36E-10	1.0E+06	2.4E-04
1104	1104	4.51902	2.44396E-06	1.1E-05	6.05E-04	6.68E-09	7.85E-01	4.71E-02	2.47E-10	1.0E+06	2.5E-04
1105	1105	4.70895	2.44396E-06	1.2E-05	6.05E-04	6.96E-09	7.85E-01	4.71E-02	2.58E-10	1.0E+06	2.6E-04
1106	1106	4.87457	2.44396E-06	1.2E-05	6.05E-04	7.21E-09	7.85E-01	4.71E-02	2.67E-10	1.0E+06	2.7E-04
1107	1107	5.01258	2.44396E-06	1.2E-05	6.05E-04	7.41E-09	7.85E-01	4.71E-02	2.74E-10	1.0E+06	2.7E-04
1108	1108	5.12285	2.44396E-06	1.3E-05	6.05E-04	7.58E-09	7.85E-01	4.71E-02	2.80E-10	1.0E+06	2.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	5.2012	2.44396E-06	1.3E-05	6.05E-04	7.69E-09	7.85E-01	4.71E-02	2.85E-10	1.0E+06	2.8E-04
1110	1110	5.2449	2.44396E-06	1.3E-05	6.05E-04	7.76E-09	7.85E-01	4.71E-02	2.87E-10	1.0E+06	2.9E-04
1111	1111	5.25469	2.44396E-06	1.3E-05	6.05E-04	7.77E-09	7.85E-01	4.71E-02	2.87E-10	1.0E+06	2.9E-04
1112	1112	1.16963	2.44396E-06	2.9E-06	6.05E-04	1.73E-09	7.85E-01	4.71E-02	6.40E-11	1.0E+06	6.4E-05
1113	1113	1.22201	2.44396E-06	3.0E-06	6.05E-04	1.81E-09	7.85E-01	4.71E-02	6.68E-11	1.0E+06	6.7E-05
1114	1114	1.27786	2.44396E-06	3.1E-06	6.05E-04	1.89E-09	7.85E-01	4.71E-02	6.99E-11	1.0E+06	7.0E-05
1115	1115	1.33785	2.44396E-06	3.3E-06	6.05E-04	1.98E-09	7.85E-01	4.71E-02	7.32E-11	1.0E+06	7.3E-05
1116	1116	1.40241	2.44396E-06	3.4E-06	6.05E-04	2.07E-09	7.85E-01	4.71E-02	7.67E-11	1.0E+06	7.7E-05
1117	1117	1.46372	2.44396E-06	3.6E-06	6.05E-04	2.16E-09	7.85E-01	4.71E-02	8.01E-11	1.0E+06	8.0E-05
1118	1118	1.53072	2.44396E-06	3.7E-06	6.05E-04	2.26E-09	7.85E-01	4.71E-02	8.37E-11	1.0E+06	8.4E-05
1119	1119	1.60519	2.44396E-06	3.9E-06	6.05E-04	2.37E-09	7.85E-01	4.71E-02	8.78E-11	1.0E+06	8.8E-05
1120	1120	1.69939	2.44396E-06	4.2E-06	6.05E-04	2.51E-09	7.85E-01	4.71E-02	9.30E-11	1.0E+06	9.3E-05
1121	1121	1.79961	2.44396E-06	4.4E-06	6.05E-04	2.66E-09	7.85E-01	4.71E-02	9.84E-11	1.0E+06	9.8E-05
1122	1122	1.89794	2.44396E-06	4.6E-06	6.05E-04	2.81E-09	7.85E-01	4.71E-02	1.04E-10	1.0E+06	1.0E-04
1123	1123	2.01669	2.44396E-06	4.9E-06	6.05E-04	2.98E-09	7.85E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1124	1124	2.14482	2.44396E-06	5.2E-06	6.05E-04	3.17E-09	7.85E-01	4.71E-02	1.17E-10	1.0E+06	1.2E-04
1125	1125	2.28365	2.44396E-06	5.6E-06	6.05E-04	3.38E-09	7.85E-01	4.71E-02	1.25E-10	1.0E+06	1.2E-04
1126	1126	2.43762	2.44396E-06	6.0E-06	6.05E-04	3.60E-09	7.85E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1127	1127	2.60384	2.44396E-06	6.4E-06	6.05E-04	3.85E-09	7.85E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1128	1128	2.78127	2.44396E-06	6.8E-06	6.05E-04	4.11E-09	7.85E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
1129	1129	2.96957	2.44396E-06	7.3E-06	6.05E-04	4.39E-09	7.85E-01	4.71E-02	1.62E-10	1.0E+06	1.6E-04
1130	1130	3.1713	2.44396E-06	7.8E-06	6.05E-04	4.69E-09	7.85E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
1131	1131	3.38483	2.44396E-06	8.3E-06	6.05E-04	5.01E-09	7.85E-01	4.71E-02	1.85E-10	1.0E+06	1.9E-04
1132	1132	3.61037	2.44396E-06	8.8E-06	6.05E-04	5.34E-09	7.85E-01	4.71E-02	1.97E-10	1.0E+06	2.0E-04
1133	1133	3.84859	2.44396E-06	9.4E-06	6.05E-04	5.69E-09	7.85E-01	4.71E-02	2.11E-10	1.0E+06	2.1E-04
1134	1134	4.0982	2.44396E-06	1.0E-05	6.05E-04	6.06E-09	7.85E-01	4.71E-02	2.24E-10	1.0E+06	2.2E-04
1135	1135	4.35598	2.44396E-06	1.1E-05	6.05E-04	6.44E-09	7.85E-01	4.71E-02	2.38E-10	1.0E+06	2.4E-04
1136	1136	4.61988	2.44396E-06	1.1E-05	6.05E-04	6.83E-09	7.85E-01	4.71E-02	2.53E-10	1.0E+06	2.5E-04
1137	1137	4.88229	2.44396E-06	1.2E-05	6.05E-04	7.22E-09	7.85E-01	4.71E-02	2.67E-10	1.0E+06	2.7E-04
1138	1138	5.1352	2.44396E-06	1.3E-05	6.05E-04	7.59E-09	7.85E-01	4.71E-02	2.81E-10	1.0E+06	2.8E-04
1139	1139	5.37264	2.44396E-06	1.3E-05	6.05E-04	7.94E-09	7.85E-01	4.71E-02	2.94E-10	1.0E+06	2.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	5.57965	2.44396E-06	1.4E-05	6.05E-04	8.25E-09	7.85E-01	4.71E-02	3.05E-10	1.0E+06	3.1E-04
1141	1141	5.75206	2.44396E-06	1.4E-05	6.05E-04	8.51E-09	7.85E-01	4.71E-02	3.15E-10	1.0E+06	3.1E-04
1142	1142	5.88815	2.44396E-06	1.4E-05	6.05E-04	8.71E-09	7.85E-01	4.71E-02	3.22E-10	1.0E+06	3.2E-04
1143	1143	5.98088	2.44396E-06	1.5E-05	6.05E-04	8.84E-09	7.85E-01	4.71E-02	3.27E-10	1.0E+06	3.3E-04
1144	1144	6.02926	2.44396E-06	1.5E-05	6.05E-04	8.92E-09	7.85E-01	4.71E-02	3.30E-10	1.0E+06	3.3E-04
1145	1145	6.03246	2.44396E-06	1.5E-05	6.05E-04	8.92E-09	7.85E-01	4.71E-02	3.30E-10	1.0E+06	3.3E-04
1146	1146	1.20569	2.44396E-06	2.9E-06	6.05E-04	1.78E-09	7.85E-01	4.71E-02	6.60E-11	1.0E+06	6.6E-05
1147	1147	1.26219	2.44396E-06	3.1E-06	6.05E-04	1.87E-09	7.85E-01	4.71E-02	6.90E-11	1.0E+06	6.9E-05
1148	1148	1.32268	2.44396E-06	3.2E-06	6.05E-04	1.96E-09	7.85E-01	4.71E-02	7.24E-11	1.0E+06	7.2E-05
1149	1149	1.38782	2.44396E-06	3.4E-06	6.05E-04	2.05E-09	7.85E-01	4.71E-02	7.59E-11	1.0E+06	7.6E-05
1150	1150	1.45794	2.44396E-06	3.6E-06	6.05E-04	2.16E-09	7.85E-01	4.71E-02	7.98E-11	1.0E+06	8.0E-05
1151	1151	1.52257	2.44396E-06	3.7E-06	6.05E-04	2.25E-09	7.85E-01	4.71E-02	8.33E-11	1.0E+06	8.3E-05
1152	1152	1.59371	2.44396E-06	3.9E-06	6.05E-04	2.36E-09	7.85E-01	4.71E-02	8.72E-11	1.0E+06	8.7E-05
1153	1153	1.68678	2.44396E-06	4.1E-06	6.05E-04	2.49E-09	7.85E-01	4.71E-02	9.23E-11	1.0E+06	9.2E-05
1154	1154	1.77605	2.44396E-06	4.3E-06	6.05E-04	2.63E-09	7.85E-01	4.71E-02	9.72E-11	1.0E+06	9.7E-05
1155	1155	1.88688	2.44396E-06	4.6E-06	6.05E-04	2.79E-09	7.85E-01	4.71E-02	1.03E-10	1.0E+06	1.0E-04
1156	1156	2.00734	2.44396E-06	4.9E-06	6.05E-04	2.97E-09	7.85E-01	4.71E-02	1.10E-10	1.0E+06	1.1E-04
1157	1157	2.1272	2.44396E-06	5.2E-06	6.05E-04	3.15E-09	7.85E-01	4.71E-02	1.16E-10	1.0E+06	1.2E-04
1158	1158	2.27164	2.44396E-06	5.6E-06	6.05E-04	3.36E-09	7.85E-01	4.71E-02	1.24E-10	1.0E+06	1.2E-04
1159	1159	2.42922	2.44396E-06	5.9E-06	6.05E-04	3.59E-09	7.85E-01	4.71E-02	1.33E-10	1.0E+06	1.3E-04
1160	1160	2.60375	2.44396E-06	6.4E-06	6.05E-04	3.85E-09	7.85E-01	4.71E-02	1.42E-10	1.0E+06	1.4E-04
1161	1161	2.79367	2.44396E-06	6.8E-06	6.05E-04	4.13E-09	7.85E-01	4.71E-02	1.53E-10	1.0E+06	1.5E-04
1162	1162	2.99897	2.44396E-06	7.3E-06	6.05E-04	4.43E-09	7.85E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
1163	1163	3.21987	2.44396E-06	7.9E-06	6.05E-04	4.76E-09	7.85E-01	4.71E-02	1.76E-10	1.0E+06	1.8E-04
1164	1164	3.45855	2.44396E-06	8.5E-06	6.05E-04	5.11E-09	7.85E-01	4.71E-02	1.89E-10	1.0E+06	1.9E-04
1165	1165	3.71382	2.44396E-06	9.1E-06	6.05E-04	5.49E-09	7.85E-01	4.71E-02	2.03E-10	1.0E+06	2.0E-04
1166	1166	3.98627	2.44396E-06	9.7E-06	6.05E-04	5.89E-09	7.85E-01	4.71E-02	2.18E-10	1.0E+06	2.2E-04
1167	1167	4.27693	2.44396E-06	1.0E-05	6.05E-04	6.32E-09	7.85E-01	4.71E-02	2.34E-10	1.0E+06	2.3E-04
1168	1168	4.58515	2.44396E-06	1.1E-05	6.05E-04	6.78E-09	7.85E-01	4.71E-02	2.51E-10	1.0E+06	2.5E-04
1169	1169	4.90678	2.44396E-06	1.2E-05	6.05E-04	7.26E-09	7.85E-01	4.71E-02	2.68E-10	1.0E+06	2.7E-04
1170	1170	5.23854	2.44396E-06	1.3E-05	6.05E-04	7.75E-09	7.85E-01	4.71E-02	2.87E-10	1.0E+06	2.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 1

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	5.56911	2.44396E-06	1.4E-05	6.05E-04	8.24E-09	7.85E-01	4.71E-02	3.05E-10	1.0E+06	3.0E-04
1172	1172	5.89139	2.44396E-06	1.4E-05	6.05E-04	8.71E-09	7.85E-01	4.71E-02	3.22E-10	1.0E+06	3.2E-04
1173	1173	6.18967	2.44396E-06	1.5E-05	6.05E-04	9.15E-09	7.85E-01	4.71E-02	3.39E-10	1.0E+06	3.4E-04
1174	1174	6.45196	2.44396E-06	1.6E-05	6.05E-04	9.54E-09	7.85E-01	4.71E-02	3.53E-10	1.0E+06	3.5E-04
1175	1175	6.67089	2.44396E-06	1.6E-05	6.05E-04	9.86E-09	7.85E-01	4.71E-02	3.65E-10	1.0E+06	3.6E-04
1176	1176	6.84032	2.44396E-06	1.7E-05	6.05E-04	1.01E-08	7.85E-01	4.71E-02	3.74E-10	1.0E+06	3.7E-04
1177	1177	6.9507	2.44396E-06	1.7E-05	6.05E-04	1.03E-08	7.85E-01	4.71E-02	3.80E-10	1.0E+06	3.8E-04
1178	1178	7.00156	2.44396E-06	1.7E-05	6.05E-04	1.04E-08	7.85E-01	4.71E-02	3.83E-10	1.0E+06	3.8E-04
1179	1179	6.99175	2.44396E-06	1.7E-05	6.05E-04	1.03E-08	7.85E-01	4.71E-02	3.82E-10	1.0E+06	3.8E-04
1180	1180	1.23983	2.44396E-06	3.0E-06	6.05E-04	1.83E-09	7.85E-01	4.71E-02	6.78E-11	1.0E+06	6.8E-05
1181	1181	1.30045	2.44396E-06	3.2E-06	6.05E-04	1.92E-09	7.85E-01	4.71E-02	7.11E-11	1.0E+06	7.1E-05
1182	1182	1.3657	2.44396E-06	3.3E-06	6.05E-04	2.02E-09	7.85E-01	4.71E-02	7.47E-11	1.0E+06	7.5E-05
1183	1183	1.43607	2.44396E-06	3.5E-06	6.05E-04	2.12E-09	7.85E-01	4.71E-02	7.86E-11	1.0E+06	7.9E-05
1184	1184	1.51207	2.44396E-06	3.7E-06	6.05E-04	2.24E-09	7.85E-01	4.71E-02	8.27E-11	1.0E+06	8.3E-05
1185	1185	1.58023	2.44396E-06	3.9E-06	6.05E-04	2.34E-09	7.85E-01	4.71E-02	8.64E-11	1.0E+06	8.6E-05
1186	1186	1.67137	2.44396E-06	4.1E-06	6.05E-04	2.47E-09	7.85E-01	4.71E-02	9.14E-11	1.0E+06	9.1E-05
1187	1187	1.75722	2.44396E-06	4.3E-06	6.05E-04	2.60E-09	7.85E-01	4.71E-02	9.61E-11	1.0E+06	9.6E-05
1188	1188	1.85284	2.44396E-06	4.5E-06	6.05E-04	2.74E-09	7.85E-01	4.71E-02	1.01E-10	1.0E+06	1.0E-04
1189	1189	1.97492	2.44396E-06	4.8E-06	6.05E-04	2.92E-09	7.85E-01	4.71E-02	1.08E-10	1.0E+06	1.1E-04
1190	1190	2.10849	2.44396E-06	5.2E-06	6.05E-04	3.12E-09	7.85E-01	4.71E-02	1.15E-10	1.0E+06	1.2E-04
1191	1191	2.24079	2.44396E-06	5.5E-06	6.05E-04	3.31E-09	7.85E-01	4.71E-02	1.23E-10	1.0E+06	1.2E-04
1192	1192	2.40321	2.44396E-06	5.9E-06	6.05E-04	3.55E-09	7.85E-01	4.71E-02	1.31E-10	1.0E+06	1.3E-04
1193	1193	2.58173	2.44396E-06	6.3E-06	6.05E-04	3.82E-09	7.85E-01	4.71E-02	1.41E-10	1.0E+06	1.4E-04
1194	1194	2.77922	2.44396E-06	6.8E-06	6.05E-04	4.11E-09	7.85E-01	4.71E-02	1.52E-10	1.0E+06	1.5E-04
1195	1195	2.99652	2.44396E-06	7.3E-06	6.05E-04	4.43E-09	7.85E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
1196	1196	3.23398	2.44396E-06	7.9E-06	6.05E-04	4.78E-09	7.85E-01	4.71E-02	1.77E-10	1.0E+06	1.8E-04
1197	1197	3.49355	2.44396E-06	8.5E-06	6.05E-04	5.17E-09	7.85E-01	4.71E-02	1.91E-10	1.0E+06	1.9E-04
1198	1198	3.77722	2.44396E-06	9.2E-06	6.05E-04	5.59E-09	7.85E-01	4.71E-02	2.07E-10	1.0E+06	2.1E-04
1199	1199	4.08388	2.44396E-06	1.0E-05	6.05E-04	6.04E-09	7.85E-01	4.71E-02	2.23E-10	1.0E+06	2.2E-04
1200	1200	4.41569	2.44396E-06	1.1E-05	6.05E-04	6.53E-09	7.85E-01	4.71E-02	2.42E-10	1.0E+06	2.4E-04
1201	1201	4.77342	2.44396E-06	1.2E-05	6.05E-04	7.06E-09	7.85E-01	4.71E-02	2.61E-10	1.0E+06	2.6E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 1								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	5.158	2.44396E-06	1.3E-05	6.05E-04	7.63E-09	7.85E-01	4.71E-02	2.82E-10	1.0E+06	2.8E-04
1203	1203	5.5627	2.44396E-06	1.4E-05	6.05E-04	8.23E-09	7.85E-01	4.71E-02	3.04E-10	1.0E+06	3.0E-04
1204	1204	5.98667	2.44396E-06	1.5E-05	6.05E-04	8.85E-09	7.85E-01	4.71E-02	3.27E-10	1.0E+06	3.3E-04
1205	1205	6.41064	2.44396E-06	1.6E-05	6.05E-04	9.48E-09	7.85E-01	4.71E-02	3.51E-10	1.0E+06	3.5E-04
1206	1206	6.82486	2.44396E-06	1.7E-05	6.05E-04	1.01E-08	7.85E-01	4.71E-02	3.73E-10	1.0E+06	3.7E-04
1207	1207	7.21011	2.44396E-06	1.8E-05	6.05E-04	1.07E-08	7.85E-01	4.71E-02	3.94E-10	1.0E+06	3.9E-04
1208	1208	7.54843	2.44396E-06	1.8E-05	6.05E-04	1.12E-08	7.85E-01	4.71E-02	4.13E-10	1.0E+06	4.1E-04
1209	1209	7.83161	2.44396E-06	1.9E-05	6.05E-04	1.16E-08	7.85E-01	4.71E-02	4.28E-10	1.0E+06	4.3E-04
1210	1210	8.04483	2.44396E-06	2.0E-05	6.05E-04	1.19E-08	7.85E-01	4.71E-02	4.40E-10	1.0E+06	4.4E-04
1211	1211	8.17813	2.44396E-06	2.0E-05	6.05E-04	1.21E-08	7.85E-01	4.71E-02	4.47E-10	1.0E+06	4.5E-04
1212	1212	8.22896	2.44396E-06	2.0E-05	6.05E-04	1.22E-08	7.85E-01	4.71E-02	4.50E-10	1.0E+06	4.5E-04
1213	1213	8.1938	2.44396E-06	2.0E-05	6.05E-04	1.21E-08	7.85E-01	4.71E-02	4.48E-10	1.0E+06	4.5E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	892	0.4967	2.08227E-05	1.0E-05	6.05E-04	6.26E-09	7.85E-01	4.71E-02	2.31E-10	1.0E+06	2.3E-04
893	893	0.50818	2.08227E-05	1.1E-05	6.05E-04	6.40E-09	7.85E-01	4.71E-02	2.37E-10	1.0E+06	2.4E-04
894	894	0.51911	2.08227E-05	1.1E-05	6.05E-04	6.54E-09	7.85E-01	4.71E-02	2.42E-10	1.0E+06	2.4E-04
895	895	0.53026	2.08227E-05	1.1E-05	6.05E-04	6.68E-09	7.85E-01	4.71E-02	2.47E-10	1.0E+06	2.5E-04
896	896	0.5415	2.08227E-05	1.1E-05	6.05E-04	6.82E-09	7.85E-01	4.71E-02	2.52E-10	1.0E+06	2.5E-04
897	897	0.55273	2.08227E-05	1.2E-05	6.05E-04	6.96E-09	7.85E-01	4.71E-02	2.58E-10	1.0E+06	2.6E-04
898	898	0.56396	2.08227E-05	1.2E-05	6.05E-04	7.11E-09	7.85E-01	4.71E-02	2.63E-10	1.0E+06	2.6E-04
899	899	0.57498	2.08227E-05	1.2E-05	6.05E-04	7.24E-09	7.85E-01	4.71E-02	2.68E-10	1.0E+06	2.7E-04
900	900	0.58561	2.08227E-05	1.2E-05	6.05E-04	7.38E-09	7.85E-01	4.71E-02	2.73E-10	1.0E+06	2.7E-04
901	901	0.59601	2.08227E-05	1.2E-05	6.05E-04	7.51E-09	7.85E-01	4.71E-02	2.78E-10	1.0E+06	2.8E-04
902	902	0.6067	2.08227E-05	1.3E-05	6.05E-04	7.64E-09	7.85E-01	4.71E-02	2.83E-10	1.0E+06	2.8E-04
903	903	0.61699	2.08227E-05	1.3E-05	6.05E-04	7.77E-09	7.85E-01	4.71E-02	2.88E-10	1.0E+06	2.9E-04
904	904	0.62602	2.08227E-05	1.3E-05	6.05E-04	7.89E-09	7.85E-01	4.71E-02	2.92E-10	1.0E+06	2.9E-04
905	905	0.63408	2.08227E-05	1.3E-05	6.05E-04	7.99E-09	7.85E-01	4.71E-02	2.96E-10	1.0E+06	3.0E-04
906	906	0.64127	2.08227E-05	1.3E-05	6.05E-04	8.08E-09	7.85E-01	4.71E-02	2.99E-10	1.0E+06	3.0E-04
907	907	0.64784	2.08227E-05	1.3E-05	6.05E-04	8.16E-09	7.85E-01	4.71E-02	3.02E-10	1.0E+06	3.0E-04
908	908	0.32153	2.08227E-05	6.7E-06	6.05E-04	4.05E-09	7.85E-01	4.71E-02	1.50E-10	1.0E+06	1.5E-04
909	909	0.32764	2.08227E-05	6.8E-06	6.05E-04	4.13E-09	7.85E-01	4.71E-02	1.53E-10	1.0E+06	1.5E-04
910	910	0.33403	2.08227E-05	7.0E-06	6.05E-04	4.21E-09	7.85E-01	4.71E-02	1.56E-10	1.0E+06	1.6E-04
911	911	0.34059	2.08227E-05	7.1E-06	6.05E-04	4.29E-09	7.85E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
912	912	0.3474	2.08227E-05	7.2E-06	6.05E-04	4.38E-09	7.85E-01	4.71E-02	1.62E-10	1.0E+06	1.6E-04
913	913	0.35451	2.08227E-05	7.4E-06	6.05E-04	4.47E-09	7.85E-01	4.71E-02	1.65E-10	1.0E+06	1.7E-04
914	914	0.36187	2.08227E-05	7.5E-06	6.05E-04	4.56E-09	7.85E-01	4.71E-02	1.69E-10	1.0E+06	1.7E-04
915	915	0.36956	2.08227E-05	7.7E-06	6.05E-04	4.66E-09	7.85E-01	4.71E-02	1.72E-10	1.0E+06	1.7E-04
916	916	0.37751	2.08227E-05	7.9E-06	6.05E-04	4.76E-09	7.85E-01	4.71E-02	1.76E-10	1.0E+06	1.8E-04
917	917	0.38572	2.08227E-05	8.0E-06	6.05E-04	4.86E-09	7.85E-01	4.71E-02	1.80E-10	1.0E+06	1.8E-04
918	918	0.40018	2.08227E-05	8.3E-06	6.05E-04	5.04E-09	7.85E-01	4.71E-02	1.87E-10	1.0E+06	1.9E-04
919	919	0.41281	2.08227E-05	8.6E-06	6.05E-04	5.20E-09	7.85E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
920	920	0.42716	2.08227E-05	8.9E-06	6.05E-04	5.38E-09	7.85E-01	4.71E-02	1.99E-10	1.0E+06	2.0E-04
921	921	0.44119	2.08227E-05	9.2E-06	6.05E-04	5.56E-09	7.85E-01	4.71E-02	2.06E-10	1.0E+06	2.1E-04
922	922	0.45349	2.08227E-05	9.4E-06	6.05E-04	5.71E-09	7.85E-01	4.71E-02	2.11E-10	1.0E+06	2.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	923	0.46727	2.08227E-05	9.7E-06	6.05E-04	5.89E-09	7.85E-01	4.71E-02	2.18E-10	1.0E+06	2.2E-04
924	924	0.48081	2.08227E-05	1.0E-05	6.05E-04	6.06E-09	7.85E-01	4.71E-02	2.24E-10	1.0E+06	2.2E-04
925	925	0.4931	2.08227E-05	1.0E-05	6.05E-04	6.21E-09	7.85E-01	4.71E-02	2.30E-10	1.0E+06	2.3E-04
926	926	0.50637	2.08227E-05	1.1E-05	6.05E-04	6.38E-09	7.85E-01	4.71E-02	2.36E-10	1.0E+06	2.4E-04
927	927	0.51792	2.08227E-05	1.1E-05	6.05E-04	6.53E-09	7.85E-01	4.71E-02	2.41E-10	1.0E+06	2.4E-04
928	928	0.53047	2.08227E-05	1.1E-05	6.05E-04	6.68E-09	7.85E-01	4.71E-02	2.47E-10	1.0E+06	2.5E-04
929	929	0.54246	2.08227E-05	1.1E-05	6.05E-04	6.83E-09	7.85E-01	4.71E-02	2.53E-10	1.0E+06	2.5E-04
930	930	0.55472	2.08227E-05	1.2E-05	6.05E-04	6.99E-09	7.85E-01	4.71E-02	2.59E-10	1.0E+06	2.6E-04
931	931	0.56708	2.08227E-05	1.2E-05	6.05E-04	7.14E-09	7.85E-01	4.71E-02	2.64E-10	1.0E+06	2.6E-04
932	932	0.57943	2.08227E-05	1.2E-05	6.05E-04	7.30E-09	7.85E-01	4.71E-02	2.70E-10	1.0E+06	2.7E-04
933	933	0.59177	2.08227E-05	1.2E-05	6.05E-04	7.46E-09	7.85E-01	4.71E-02	2.76E-10	1.0E+06	2.8E-04
934	934	0.60403	2.08227E-05	1.3E-05	6.05E-04	7.61E-09	7.85E-01	4.71E-02	2.82E-10	1.0E+06	2.8E-04
935	935	0.61611	2.08227E-05	1.3E-05	6.05E-04	7.76E-09	7.85E-01	4.71E-02	2.87E-10	1.0E+06	2.9E-04
936	936	0.62795	2.08227E-05	1.3E-05	6.05E-04	7.91E-09	7.85E-01	4.71E-02	2.93E-10	1.0E+06	2.9E-04
937	937	0.63992	2.08227E-05	1.3E-05	6.05E-04	8.06E-09	7.85E-01	4.71E-02	2.98E-10	1.0E+06	3.0E-04
938	938	0.65155	2.08227E-05	1.4E-05	6.05E-04	8.21E-09	7.85E-01	4.71E-02	3.04E-10	1.0E+06	3.0E-04
939	939	0.66176	2.08227E-05	1.4E-05	6.05E-04	8.34E-09	7.85E-01	4.71E-02	3.08E-10	1.0E+06	3.1E-04
940	940	0.67098	2.08227E-05	1.4E-05	6.05E-04	8.45E-09	7.85E-01	4.71E-02	3.13E-10	1.0E+06	3.1E-04
941	941	0.67919	2.08227E-05	1.4E-05	6.05E-04	8.56E-09	7.85E-01	4.71E-02	3.17E-10	1.0E+06	3.2E-04
942	942	0.33133	2.08227E-05	6.9E-06	6.05E-04	4.17E-09	7.85E-01	4.71E-02	1.54E-10	1.0E+06	1.5E-04
943	943	0.33778	2.08227E-05	7.0E-06	6.05E-04	4.26E-09	7.85E-01	4.71E-02	1.57E-10	1.0E+06	1.6E-04
944	944	0.34449	2.08227E-05	7.2E-06	6.05E-04	4.34E-09	7.85E-01	4.71E-02	1.61E-10	1.0E+06	1.6E-04
945	945	0.35147	2.08227E-05	7.3E-06	6.05E-04	4.43E-09	7.85E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
946	946	0.35868	2.08227E-05	7.5E-06	6.05E-04	4.52E-09	7.85E-01	4.71E-02	1.67E-10	1.0E+06	1.7E-04
947	947	0.36622	2.08227E-05	7.6E-06	6.05E-04	4.61E-09	7.85E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
948	948	0.3742	2.08227E-05	7.8E-06	6.05E-04	4.71E-09	7.85E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
949	949	0.38253	2.08227E-05	8.0E-06	6.05E-04	4.82E-09	7.85E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
950	950	0.39112	2.08227E-05	8.1E-06	6.05E-04	4.93E-09	7.85E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
951	951	0.39966	2.08227E-05	8.3E-06	6.05E-04	5.04E-09	7.85E-01	4.71E-02	1.86E-10	1.0E+06	1.9E-04
952	952	0.41194	2.08227E-05	8.6E-06	6.05E-04	5.19E-09	7.85E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
953	953	0.42456	2.08227E-05	8.8E-06	6.05E-04	5.35E-09	7.85E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	954	0.43991	2.08227E-05	9.2E-06	6.05E-04	5.54E-09	7.85E-01	4.71E-02	2.05E-10	1.0E+06	2.1E-04
955	955	0.45314	2.08227E-05	9.4E-06	6.05E-04	5.71E-09	7.85E-01	4.71E-02	2.11E-10	1.0E+06	2.1E-04
956	956	0.47043	2.08227E-05	9.8E-06	6.05E-04	5.93E-09	7.85E-01	4.71E-02	2.19E-10	1.0E+06	2.2E-04
957	957	0.48546	2.08227E-05	1.0E-05	6.05E-04	6.12E-09	7.85E-01	4.71E-02	2.26E-10	1.0E+06	2.3E-04
958	958	0.50007	2.08227E-05	1.0E-05	6.05E-04	6.30E-09	7.85E-01	4.71E-02	2.33E-10	1.0E+06	2.3E-04
959	959	0.51334	2.08227E-05	1.1E-05	6.05E-04	6.47E-09	7.85E-01	4.71E-02	2.39E-10	1.0E+06	2.4E-04
960	960	0.52678	2.08227E-05	1.1E-05	6.05E-04	6.64E-09	7.85E-01	4.71E-02	2.46E-10	1.0E+06	2.5E-04
961	961	0.54037	2.08227E-05	1.1E-05	6.05E-04	6.81E-09	7.85E-01	4.71E-02	2.52E-10	1.0E+06	2.5E-04
962	962	0.55413	2.08227E-05	1.2E-05	6.05E-04	6.98E-09	7.85E-01	4.71E-02	2.58E-10	1.0E+06	2.6E-04
963	963	0.56737	2.08227E-05	1.2E-05	6.05E-04	7.15E-09	7.85E-01	4.71E-02	2.64E-10	1.0E+06	2.6E-04
964	964	0.58089	2.08227E-05	1.2E-05	6.05E-04	7.32E-09	7.85E-01	4.71E-02	2.71E-10	1.0E+06	2.7E-04
965	965	0.59462	2.08227E-05	1.2E-05	6.05E-04	7.49E-09	7.85E-01	4.71E-02	2.77E-10	1.0E+06	2.8E-04
966	966	0.6083	2.08227E-05	1.3E-05	6.05E-04	7.66E-09	7.85E-01	4.71E-02	2.84E-10	1.0E+06	2.8E-04
967	967	0.62203	2.08227E-05	1.3E-05	6.05E-04	7.84E-09	7.85E-01	4.71E-02	2.90E-10	1.0E+06	2.9E-04
968	968	0.6358	2.08227E-05	1.3E-05	6.05E-04	8.01E-09	7.85E-01	4.71E-02	2.96E-10	1.0E+06	3.0E-04
969	969	0.64958	2.08227E-05	1.4E-05	6.05E-04	8.18E-09	7.85E-01	4.71E-02	3.03E-10	1.0E+06	3.0E-04
970	970	0.6632	2.08227E-05	1.4E-05	6.05E-04	8.36E-09	7.85E-01	4.71E-02	3.09E-10	1.0E+06	3.1E-04
971	971	0.67654	2.08227E-05	1.4E-05	6.05E-04	8.52E-09	7.85E-01	4.71E-02	3.15E-10	1.0E+06	3.2E-04
972	972	0.68951	2.08227E-05	1.4E-05	6.05E-04	8.69E-09	7.85E-01	4.71E-02	3.21E-10	1.0E+06	3.2E-04
973	973	0.70124	2.08227E-05	1.5E-05	6.05E-04	8.84E-09	7.85E-01	4.71E-02	3.27E-10	1.0E+06	3.3E-04
974	974	0.71193	2.08227E-05	1.5E-05	6.05E-04	8.97E-09	7.85E-01	4.71E-02	3.32E-10	1.0E+06	3.3E-04
975	975	0.72148	2.08227E-05	1.5E-05	6.05E-04	9.09E-09	7.85E-01	4.71E-02	3.36E-10	1.0E+06	3.4E-04
976	976	0.34143	2.08227E-05	7.1E-06	6.05E-04	4.30E-09	7.85E-01	4.71E-02	1.59E-10	1.0E+06	1.6E-04
977	977	0.34827	2.08227E-05	7.3E-06	6.05E-04	4.39E-09	7.85E-01	4.71E-02	1.62E-10	1.0E+06	1.6E-04
978	978	0.35537	2.08227E-05	7.4E-06	6.05E-04	4.48E-09	7.85E-01	4.71E-02	1.66E-10	1.0E+06	1.7E-04
979	979	0.36276	2.08227E-05	7.6E-06	6.05E-04	4.57E-09	7.85E-01	4.71E-02	1.69E-10	1.0E+06	1.7E-04
980	980	0.37044	2.08227E-05	7.7E-06	6.05E-04	4.67E-09	7.85E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
981	981	0.37846	2.08227E-05	7.9E-06	6.05E-04	4.77E-09	7.85E-01	4.71E-02	1.76E-10	1.0E+06	1.8E-04
982	982	0.38707	2.08227E-05	8.1E-06	6.05E-04	4.88E-09	7.85E-01	4.71E-02	1.80E-10	1.0E+06	1.8E-04
983	983	0.39611	2.08227E-05	8.2E-06	6.05E-04	4.99E-09	7.85E-01	4.71E-02	1.85E-10	1.0E+06	1.8E-04
984	984	0.40534	2.08227E-05	8.4E-06	6.05E-04	5.11E-09	7.85E-01	4.71E-02	1.89E-10	1.0E+06	1.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	985	0.41432	2.08227E-05	8.6E-06	6.05E-04	5.22E-09	7.85E-01	4.71E-02	1.93E-10	1.0E+06	1.9E-04
986	986	0.42474	2.08227E-05	8.8E-06	6.05E-04	5.35E-09	7.85E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
987	987	0.43924	2.08227E-05	9.1E-06	6.05E-04	5.53E-09	7.85E-01	4.71E-02	2.05E-10	1.0E+06	2.0E-04
988	988	0.45048	2.08227E-05	9.4E-06	6.05E-04	5.68E-09	7.85E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04
989	989	0.46725	2.08227E-05	9.7E-06	6.05E-04	5.89E-09	7.85E-01	4.71E-02	2.18E-10	1.0E+06	2.2E-04
990	990	0.48828	2.08227E-05	1.0E-05	6.05E-04	6.15E-09	7.85E-01	4.71E-02	2.28E-10	1.0E+06	2.3E-04
991	991	0.50468	2.08227E-05	1.1E-05	6.05E-04	6.36E-09	7.85E-01	4.71E-02	2.35E-10	1.0E+06	2.4E-04
992	992	0.52048	2.08227E-05	1.1E-05	6.05E-04	6.56E-09	7.85E-01	4.71E-02	2.43E-10	1.0E+06	2.4E-04
993	993	0.53486	2.08227E-05	1.1E-05	6.05E-04	6.74E-09	7.85E-01	4.71E-02	2.49E-10	1.0E+06	2.5E-04
994	994	0.54943	2.08227E-05	1.1E-05	6.05E-04	6.92E-09	7.85E-01	4.71E-02	2.56E-10	1.0E+06	2.6E-04
995	995	0.56436	2.08227E-05	1.2E-05	6.05E-04	7.11E-09	7.85E-01	4.71E-02	2.63E-10	1.0E+06	2.6E-04
996	996	0.57949	2.08227E-05	1.2E-05	6.05E-04	7.30E-09	7.85E-01	4.71E-02	2.70E-10	1.0E+06	2.7E-04
997	997	0.59413	2.08227E-05	1.2E-05	6.05E-04	7.49E-09	7.85E-01	4.71E-02	2.77E-10	1.0E+06	2.8E-04
998	998	0.60915	2.08227E-05	1.3E-05	6.05E-04	7.67E-09	7.85E-01	4.71E-02	2.84E-10	1.0E+06	2.8E-04
999	999	0.62442	2.08227E-05	1.3E-05	6.05E-04	7.87E-09	7.85E-01	4.71E-02	2.91E-10	1.0E+06	2.9E-04
1000	1000	0.63967	2.08227E-05	1.3E-05	6.05E-04	8.06E-09	7.85E-01	4.71E-02	2.98E-10	1.0E+06	3.0E-04
1001	1001	0.65504	2.08227E-05	1.4E-05	6.05E-04	8.25E-09	7.85E-01	4.71E-02	3.05E-10	1.0E+06	3.1E-04
1002	1002	0.67053	2.08227E-05	1.4E-05	6.05E-04	8.45E-09	7.85E-01	4.71E-02	3.13E-10	1.0E+06	3.1E-04
1003	1003	0.68638	2.08227E-05	1.4E-05	6.05E-04	8.65E-09	7.85E-01	4.71E-02	3.20E-10	1.0E+06	3.2E-04
1004	1004	0.70207	2.08227E-05	1.5E-05	6.05E-04	8.85E-09	7.85E-01	4.71E-02	3.27E-10	1.0E+06	3.3E-04
1005	1005	0.71707	2.08227E-05	1.5E-05	6.05E-04	9.03E-09	7.85E-01	4.71E-02	3.34E-10	1.0E+06	3.3E-04
1006	1006	0.7314	2.08227E-05	1.5E-05	6.05E-04	9.22E-09	7.85E-01	4.71E-02	3.41E-10	1.0E+06	3.4E-04
1007	1007	0.74498	2.08227E-05	1.6E-05	6.05E-04	9.39E-09	7.85E-01	4.71E-02	3.47E-10	1.0E+06	3.5E-04
1008	1008	0.75734	2.08227E-05	1.6E-05	6.05E-04	9.54E-09	7.85E-01	4.71E-02	3.53E-10	1.0E+06	3.5E-04
1009	1009	0.76847	2.08227E-05	1.6E-05	6.05E-04	9.68E-09	7.85E-01	4.71E-02	3.58E-10	1.0E+06	3.6E-04
1010	1010	0.35185	2.08227E-05	7.3E-06	6.05E-04	4.43E-09	7.85E-01	4.71E-02	1.64E-10	1.0E+06	1.6E-04
1011	1011	0.35908	2.08227E-05	7.5E-06	6.05E-04	4.52E-09	7.85E-01	4.71E-02	1.67E-10	1.0E+06	1.7E-04
1012	1012	0.36661	2.08227E-05	7.6E-06	6.05E-04	4.62E-09	7.85E-01	4.71E-02	1.71E-10	1.0E+06	1.7E-04
1013	1013	0.37447	2.08227E-05	7.8E-06	6.05E-04	4.72E-09	7.85E-01	4.71E-02	1.75E-10	1.0E+06	1.7E-04
1014	1014	0.3826	2.08227E-05	8.0E-06	6.05E-04	4.82E-09	7.85E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
1015	1015	0.39116	2.08227E-05	8.1E-06	6.05E-04	4.93E-09	7.85E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	1016	0.40042	2.08227E-05	8.3E-06	6.05E-04	5.04E-09	7.85E-01	4.71E-02	1.87E-10	1.0E+06	1.9E-04
1017	1017	0.41018	2.08227E-05	8.5E-06	6.05E-04	5.17E-09	7.85E-01	4.71E-02	1.91E-10	1.0E+06	1.9E-04
1018	1018	0.4201	2.08227E-05	8.7E-06	6.05E-04	5.29E-09	7.85E-01	4.71E-02	1.96E-10	1.0E+06	2.0E-04
1019	1019	0.42962	2.08227E-05	8.9E-06	6.05E-04	5.41E-09	7.85E-01	4.71E-02	2.00E-10	1.0E+06	2.0E-04
1020	1020	0.43955	2.08227E-05	9.2E-06	6.05E-04	5.54E-09	7.85E-01	4.71E-02	2.05E-10	1.0E+06	2.0E-04
1021	1021	0.4553	2.08227E-05	9.5E-06	6.05E-04	5.74E-09	7.85E-01	4.71E-02	2.12E-10	1.0E+06	2.1E-04
1022	1022	0.46678	2.08227E-05	9.7E-06	6.05E-04	5.88E-09	7.85E-01	4.71E-02	2.18E-10	1.0E+06	2.2E-04
1023	1023	0.48203	2.08227E-05	1.0E-05	6.05E-04	6.07E-09	7.85E-01	4.71E-02	2.25E-10	1.0E+06	2.2E-04
1024	1024	0.50545	2.08227E-05	1.1E-05	6.05E-04	6.37E-09	7.85E-01	4.71E-02	2.36E-10	1.0E+06	2.4E-04
1025	1025	0.52351	2.08227E-05	1.1E-05	6.05E-04	6.60E-09	7.85E-01	4.71E-02	2.44E-10	1.0E+06	2.4E-04
1026	1026	0.5421	2.08227E-05	1.1E-05	6.05E-04	6.83E-09	7.85E-01	4.71E-02	2.53E-10	1.0E+06	2.5E-04
1027	1027	0.55776	2.08227E-05	1.2E-05	6.05E-04	7.03E-09	7.85E-01	4.71E-02	2.60E-10	1.0E+06	2.6E-04
1028	1028	0.57264	2.08227E-05	1.2E-05	6.05E-04	7.21E-09	7.85E-01	4.71E-02	2.67E-10	1.0E+06	2.7E-04
1029	1029	0.59006	2.08227E-05	1.2E-05	6.05E-04	7.43E-09	7.85E-01	4.71E-02	2.75E-10	1.0E+06	2.8E-04
1030	1030	0.60672	2.08227E-05	1.3E-05	6.05E-04	7.64E-09	7.85E-01	4.71E-02	2.83E-10	1.0E+06	2.8E-04
1031	1031	0.623	2.08227E-05	1.3E-05	6.05E-04	7.85E-09	7.85E-01	4.71E-02	2.90E-10	1.0E+06	2.9E-04
1032	1032	0.63972	2.08227E-05	1.3E-05	6.05E-04	8.06E-09	7.85E-01	4.71E-02	2.98E-10	1.0E+06	3.0E-04
1033	1033	0.65675	2.08227E-05	1.4E-05	6.05E-04	8.27E-09	7.85E-01	4.71E-02	3.06E-10	1.0E+06	3.1E-04
1034	1034	0.67389	2.08227E-05	1.4E-05	6.05E-04	8.49E-09	7.85E-01	4.71E-02	3.14E-10	1.0E+06	3.1E-04
1035	1035	0.69119	2.08227E-05	1.4E-05	6.05E-04	8.71E-09	7.85E-01	4.71E-02	3.22E-10	1.0E+06	3.2E-04
1036	1036	0.70881	2.08227E-05	1.5E-05	6.05E-04	8.93E-09	7.85E-01	4.71E-02	3.30E-10	1.0E+06	3.3E-04
1037	1037	0.72694	2.08227E-05	1.5E-05	6.05E-04	9.16E-09	7.85E-01	4.71E-02	3.39E-10	1.0E+06	3.4E-04
1038	1038	0.74508	2.08227E-05	1.6E-05	6.05E-04	9.39E-09	7.85E-01	4.71E-02	3.47E-10	1.0E+06	3.5E-04
1039	1039	0.76217	2.08227E-05	1.6E-05	6.05E-04	9.60E-09	7.85E-01	4.71E-02	3.55E-10	1.0E+06	3.6E-04
1040	1040	0.77836	2.08227E-05	1.6E-05	6.05E-04	9.81E-09	7.85E-01	4.71E-02	3.63E-10	1.0E+06	3.6E-04
1041	1041	0.79386	2.08227E-05	1.7E-05	6.05E-04	1.00E-08	7.85E-01	4.71E-02	3.70E-10	1.0E+06	3.7E-04
1042	1042	0.80832	2.08227E-05	1.7E-05	6.05E-04	1.02E-08	7.85E-01	4.71E-02	3.77E-10	1.0E+06	3.8E-04
1043	1043	0.82118	2.08227E-05	1.7E-05	6.05E-04	1.03E-08	7.85E-01	4.71E-02	3.83E-10	1.0E+06	3.8E-04
1044	1044	0.36253	2.08227E-05	7.5E-06	6.05E-04	4.57E-09	7.85E-01	4.71E-02	1.69E-10	1.0E+06	1.7E-04
1045	1045	0.37019	2.08227E-05	7.7E-06	6.05E-04	4.66E-09	7.85E-01	4.71E-02	1.73E-10	1.0E+06	1.7E-04
1046	1046	0.37817	2.08227E-05	7.9E-06	6.05E-04	4.76E-09	7.85E-01	4.71E-02	1.76E-10	1.0E+06	1.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1047	0.38649	2.08227E-05	8.0E-06	6.05E-04	4.87E-09	7.85E-01	4.71E-02	1.80E-10	1.0E+06	1.8E-04
1048	1048	0.39512	2.08227E-05	8.2E-06	6.05E-04	4.98E-09	7.85E-01	4.71E-02	1.84E-10	1.0E+06	1.8E-04
1049	1049	0.40417	2.08227E-05	8.4E-06	6.05E-04	5.09E-09	7.85E-01	4.71E-02	1.88E-10	1.0E+06	1.9E-04
1050	1050	0.41408	2.08227E-05	8.6E-06	6.05E-04	5.22E-09	7.85E-01	4.71E-02	1.93E-10	1.0E+06	1.9E-04
1051	1051	0.42453	2.08227E-05	8.8E-06	6.05E-04	5.35E-09	7.85E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
1052	1052	0.43521	2.08227E-05	9.1E-06	6.05E-04	5.48E-09	7.85E-01	4.71E-02	2.03E-10	1.0E+06	2.0E-04
1053	1053	0.44558	2.08227E-05	9.3E-06	6.05E-04	5.61E-09	7.85E-01	4.71E-02	2.08E-10	1.0E+06	2.1E-04
1054	1054	0.45687	2.08227E-05	9.5E-06	6.05E-04	5.76E-09	7.85E-01	4.71E-02	2.13E-10	1.0E+06	2.1E-04
1055	1055	0.47254	2.08227E-05	9.8E-06	6.05E-04	5.95E-09	7.85E-01	4.71E-02	2.20E-10	1.0E+06	2.2E-04
1056	1056	0.48458	2.08227E-05	1.0E-05	6.05E-04	6.11E-09	7.85E-01	4.71E-02	2.26E-10	1.0E+06	2.3E-04
1057	1057	0.50349	2.08227E-05	1.0E-05	6.05E-04	6.34E-09	7.85E-01	4.71E-02	2.35E-10	1.0E+06	2.3E-04
1058	1058	0.52736	2.08227E-05	1.1E-05	6.05E-04	6.64E-09	7.85E-01	4.71E-02	2.46E-10	1.0E+06	2.5E-04
1059	1059	0.54494	2.08227E-05	1.1E-05	6.05E-04	6.87E-09	7.85E-01	4.71E-02	2.54E-10	1.0E+06	2.5E-04
1060	1060	0.56502	2.08227E-05	1.2E-05	6.05E-04	7.12E-09	7.85E-01	4.71E-02	2.63E-10	1.0E+06	2.6E-04
1061	1061	0.58218	2.08227E-05	1.2E-05	6.05E-04	7.33E-09	7.85E-01	4.71E-02	2.71E-10	1.0E+06	2.7E-04
1062	1062	0.59969	2.08227E-05	1.2E-05	6.05E-04	7.56E-09	7.85E-01	4.71E-02	2.80E-10	1.0E+06	2.8E-04
1063	1063	0.61767	2.08227E-05	1.3E-05	6.05E-04	7.78E-09	7.85E-01	4.71E-02	2.88E-10	1.0E+06	2.9E-04
1064	1064	0.63605	2.08227E-05	1.3E-05	6.05E-04	8.01E-09	7.85E-01	4.71E-02	2.96E-10	1.0E+06	3.0E-04
1065	1065	0.65411	2.08227E-05	1.4E-05	6.05E-04	8.24E-09	7.85E-01	4.71E-02	3.05E-10	1.0E+06	3.0E-04
1066	1066	0.6728	2.08227E-05	1.4E-05	6.05E-04	8.48E-09	7.85E-01	4.71E-02	3.14E-10	1.0E+06	3.1E-04
1067	1067	0.69191	2.08227E-05	1.4E-05	6.05E-04	8.72E-09	7.85E-01	4.71E-02	3.22E-10	1.0E+06	3.2E-04
1068	1068	0.71131	2.08227E-05	1.5E-05	6.05E-04	8.96E-09	7.85E-01	4.71E-02	3.32E-10	1.0E+06	3.3E-04
1069	1069	0.73102	2.08227E-05	1.5E-05	6.05E-04	9.21E-09	7.85E-01	4.71E-02	3.41E-10	1.0E+06	3.4E-04
1070	1070	0.75114	2.08227E-05	1.6E-05	6.05E-04	9.46E-09	7.85E-01	4.71E-02	3.50E-10	1.0E+06	3.5E-04
1071	1071	0.77197	2.08227E-05	1.6E-05	6.05E-04	9.73E-09	7.85E-01	4.71E-02	3.60E-10	1.0E+06	3.6E-04
1072	1072	0.79287	2.08227E-05	1.7E-05	6.05E-04	9.99E-09	7.85E-01	4.71E-02	3.70E-10	1.0E+06	3.7E-04
1073	1073	0.81267	2.08227E-05	1.7E-05	6.05E-04	1.02E-08	7.85E-01	4.71E-02	3.79E-10	1.0E+06	3.8E-04
1074	1074	0.83149	2.08227E-05	1.7E-05	6.05E-04	1.05E-08	7.85E-01	4.71E-02	3.88E-10	1.0E+06	3.9E-04
1075	1075	0.84952	2.08227E-05	1.8E-05	6.05E-04	1.07E-08	7.85E-01	4.71E-02	3.96E-10	1.0E+06	4.0E-04
1076	1076	0.8662	2.08227E-05	1.8E-05	6.05E-04	1.09E-08	7.85E-01	4.71E-02	4.04E-10	1.0E+06	4.0E-04
1077	1077	0.88112	2.08227E-05	1.8E-05	6.05E-04	1.11E-08	7.85E-01	4.71E-02	4.11E-10	1.0E+06	4.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1078	0.37349	2.08227E-05	7.8E-06	6.05E-04	4.71E-09	7.85E-01	4.71E-02	1.74E-10	1.0E+06	1.7E-04
1079	1079	0.38161	2.08227E-05	7.9E-06	6.05E-04	4.81E-09	7.85E-01	4.71E-02	1.78E-10	1.0E+06	1.8E-04
1080	1080	0.39009	2.08227E-05	8.1E-06	6.05E-04	4.91E-09	7.85E-01	4.71E-02	1.82E-10	1.0E+06	1.8E-04
1081	1081	0.39892	2.08227E-05	8.3E-06	6.05E-04	5.03E-09	7.85E-01	4.71E-02	1.86E-10	1.0E+06	1.9E-04
1082	1082	0.40807	2.08227E-05	8.5E-06	6.05E-04	5.14E-09	7.85E-01	4.71E-02	1.90E-10	1.0E+06	1.9E-04
1083	1083	0.41769	2.08227E-05	8.7E-06	6.05E-04	5.26E-09	7.85E-01	4.71E-02	1.95E-10	1.0E+06	1.9E-04
1084	1084	0.42823	2.08227E-05	8.9E-06	6.05E-04	5.40E-09	7.85E-01	4.71E-02	2.00E-10	1.0E+06	2.0E-04
1085	1085	0.43946	2.08227E-05	9.2E-06	6.05E-04	5.54E-09	7.85E-01	4.71E-02	2.05E-10	1.0E+06	2.0E-04
1086	1086	0.451	2.08227E-05	9.4E-06	6.05E-04	5.68E-09	7.85E-01	4.71E-02	2.10E-10	1.0E+06	2.1E-04
1087	1087	0.46223	2.08227E-05	9.6E-06	6.05E-04	5.82E-09	7.85E-01	4.71E-02	2.15E-10	1.0E+06	2.2E-04
1088	1088	0.4741	2.08227E-05	9.9E-06	6.05E-04	5.97E-09	7.85E-01	4.71E-02	2.21E-10	1.0E+06	2.2E-04
1089	1089	0.48925	2.08227E-05	1.0E-05	6.05E-04	6.16E-09	7.85E-01	4.71E-02	2.28E-10	1.0E+06	2.3E-04
1090	1090	0.50327	2.08227E-05	1.0E-05	6.05E-04	6.34E-09	7.85E-01	4.71E-02	2.35E-10	1.0E+06	2.3E-04
1091	1091	0.52337	2.08227E-05	1.1E-05	6.05E-04	6.59E-09	7.85E-01	4.71E-02	2.44E-10	1.0E+06	2.4E-04
1092	1092	0.54862	2.08227E-05	1.1E-05	6.05E-04	6.91E-09	7.85E-01	4.71E-02	2.56E-10	1.0E+06	2.6E-04
1093	1093	0.56913	2.08227E-05	1.2E-05	6.05E-04	7.17E-09	7.85E-01	4.71E-02	2.65E-10	1.0E+06	2.7E-04
1094	1094	0.58924	2.08227E-05	1.2E-05	6.05E-04	7.42E-09	7.85E-01	4.71E-02	2.75E-10	1.0E+06	2.7E-04
1095	1095	0.60811	2.08227E-05	1.3E-05	6.05E-04	7.66E-09	7.85E-01	4.71E-02	2.83E-10	1.0E+06	2.8E-04
1096	1096	0.62745	2.08227E-05	1.3E-05	6.05E-04	7.91E-09	7.85E-01	4.71E-02	2.92E-10	1.0E+06	2.9E-04
1097	1097	0.64725	2.08227E-05	1.3E-05	6.05E-04	8.15E-09	7.85E-01	4.71E-02	3.02E-10	1.0E+06	3.0E-04
1098	1098	0.66756	2.08227E-05	1.4E-05	6.05E-04	8.41E-09	7.85E-01	4.71E-02	3.11E-10	1.0E+06	3.1E-04
1099	1099	0.6877	2.08227E-05	1.4E-05	6.05E-04	8.66E-09	7.85E-01	4.71E-02	3.21E-10	1.0E+06	3.2E-04
1100	1100	0.70863	2.08227E-05	1.5E-05	6.05E-04	8.93E-09	7.85E-01	4.71E-02	3.30E-10	1.0E+06	3.3E-04
1101	1101	0.73013	2.08227E-05	1.5E-05	6.05E-04	9.20E-09	7.85E-01	4.71E-02	3.40E-10	1.0E+06	3.4E-04
1102	1102	0.75223	2.08227E-05	1.6E-05	6.05E-04	9.48E-09	7.85E-01	4.71E-02	3.51E-10	1.0E+06	3.5E-04
1103	1103	0.77481	2.08227E-05	1.6E-05	6.05E-04	9.76E-09	7.85E-01	4.71E-02	3.61E-10	1.0E+06	3.6E-04
1104	1104	0.79797	2.08227E-05	1.7E-05	6.05E-04	1.01E-08	7.85E-01	4.71E-02	3.72E-10	1.0E+06	3.7E-04
1105	1105	0.82202	2.08227E-05	1.7E-05	6.05E-04	1.04E-08	7.85E-01	4.71E-02	3.83E-10	1.0E+06	3.8E-04
1106	1106	0.84627	2.08227E-05	1.8E-05	6.05E-04	1.07E-08	7.85E-01	4.71E-02	3.94E-10	1.0E+06	3.9E-04
1107	1107	0.8694	2.08227E-05	1.8E-05	6.05E-04	1.10E-08	7.85E-01	4.71E-02	4.05E-10	1.0E+06	4.1E-04
1108	1108	0.89144	2.08227E-05	1.9E-05	6.05E-04	1.12E-08	7.85E-01	4.71E-02	4.15E-10	1.0E+06	4.2E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	1109	0.91256	2.08227E-05	1.9E-05	6.05E-04	1.15E-08	7.85E-01	4.71E-02	4.25E-10	1.0E+06	4.3E-04
1110	1110	0.93209	2.08227E-05	1.9E-05	6.05E-04	1.17E-08	7.85E-01	4.71E-02	4.34E-10	1.0E+06	4.3E-04
1111	1111	0.94959	2.08227E-05	2.0E-05	6.05E-04	1.20E-08	7.85E-01	4.71E-02	4.43E-10	1.0E+06	4.4E-04
1112	1112	0.38474	2.08227E-05	8.0E-06	6.05E-04	4.85E-09	7.85E-01	4.71E-02	1.79E-10	1.0E+06	1.8E-04
1113	1113	0.39334	2.08227E-05	8.2E-06	6.05E-04	4.96E-09	7.85E-01	4.71E-02	1.83E-10	1.0E+06	1.8E-04
1114	1114	0.40234	2.08227E-05	8.4E-06	6.05E-04	5.07E-09	7.85E-01	4.71E-02	1.88E-10	1.0E+06	1.9E-04
1115	1115	0.41172	2.08227E-05	8.6E-06	6.05E-04	5.19E-09	7.85E-01	4.71E-02	1.92E-10	1.0E+06	1.9E-04
1116	1116	0.42148	2.08227E-05	8.8E-06	6.05E-04	5.31E-09	7.85E-01	4.71E-02	1.96E-10	1.0E+06	2.0E-04
1117	1117	0.43169	2.08227E-05	9.0E-06	6.05E-04	5.44E-09	7.85E-01	4.71E-02	2.01E-10	1.0E+06	2.0E-04
1118	1118	0.44291	2.08227E-05	9.2E-06	6.05E-04	5.58E-09	7.85E-01	4.71E-02	2.06E-10	1.0E+06	2.1E-04
1119	1119	0.45493	2.08227E-05	9.5E-06	6.05E-04	5.73E-09	7.85E-01	4.71E-02	2.12E-10	1.0E+06	2.1E-04
1120	1120	0.46733	2.08227E-05	9.7E-06	6.05E-04	5.89E-09	7.85E-01	4.71E-02	2.18E-10	1.0E+06	2.2E-04
1121	1121	0.47949	2.08227E-05	1.0E-05	6.05E-04	6.04E-09	7.85E-01	4.71E-02	2.23E-10	1.0E+06	2.2E-04
1122	1122	0.49201	2.08227E-05	1.0E-05	6.05E-04	6.20E-09	7.85E-01	4.71E-02	2.29E-10	1.0E+06	2.3E-04
1123	1123	0.50747	2.08227E-05	1.1E-05	6.05E-04	6.39E-09	7.85E-01	4.71E-02	2.37E-10	1.0E+06	2.4E-04
1124	1124	0.52527	2.08227E-05	1.1E-05	6.05E-04	6.62E-09	7.85E-01	4.71E-02	2.45E-10	1.0E+06	2.4E-04
1125	1125	0.54658	2.08227E-05	1.1E-05	6.05E-04	6.89E-09	7.85E-01	4.71E-02	2.55E-10	1.0E+06	2.5E-04
1126	1126	0.5709	2.08227E-05	1.2E-05	6.05E-04	7.19E-09	7.85E-01	4.71E-02	2.66E-10	1.0E+06	2.7E-04
1127	1127	0.59135	2.08227E-05	1.2E-05	6.05E-04	7.45E-09	7.85E-01	4.71E-02	2.76E-10	1.0E+06	2.8E-04
1128	1128	0.61484	2.08227E-05	1.3E-05	6.05E-04	7.75E-09	7.85E-01	4.71E-02	2.87E-10	1.0E+06	2.9E-04
1129	1129	0.63554	2.08227E-05	1.3E-05	6.05E-04	8.01E-09	7.85E-01	4.71E-02	2.96E-10	1.0E+06	3.0E-04
1130	1130	0.65694	2.08227E-05	1.4E-05	6.05E-04	8.28E-09	7.85E-01	4.71E-02	3.06E-10	1.0E+06	3.1E-04
1131	1131	0.67885	2.08227E-05	1.4E-05	6.05E-04	8.55E-09	7.85E-01	4.71E-02	3.16E-10	1.0E+06	3.2E-04
1132	1132	0.70142	2.08227E-05	1.5E-05	6.05E-04	8.84E-09	7.85E-01	4.71E-02	3.27E-10	1.0E+06	3.3E-04
1133	1133	0.72401	2.08227E-05	1.5E-05	6.05E-04	9.12E-09	7.85E-01	4.71E-02	3.37E-10	1.0E+06	3.4E-04
1134	1134	0.74756	2.08227E-05	1.6E-05	6.05E-04	9.42E-09	7.85E-01	4.71E-02	3.48E-10	1.0E+06	3.5E-04
1135	1135	0.77195	2.08227E-05	1.6E-05	6.05E-04	9.73E-09	7.85E-01	4.71E-02	3.60E-10	1.0E+06	3.6E-04
1136	1136	0.79727	2.08227E-05	1.7E-05	6.05E-04	1.00E-08	7.85E-01	4.71E-02	3.72E-10	1.0E+06	3.7E-04
1137	1137	0.82329	2.08227E-05	1.7E-05	6.05E-04	1.04E-08	7.85E-01	4.71E-02	3.84E-10	1.0E+06	3.8E-04
1138	1138	0.85009	2.08227E-05	1.8E-05	6.05E-04	1.07E-08	7.85E-01	4.71E-02	3.96E-10	1.0E+06	4.0E-04
1139	1139	0.87801	2.08227E-05	1.8E-05	6.05E-04	1.11E-08	7.85E-01	4.71E-02	4.09E-10	1.0E+06	4.1E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	1140	0.90625	2.08227E-05	1.9E-05	6.05E-04	1.14E-08	7.85E-01	4.71E-02	4.22E-10	1.0E+06	4.2E-04
1141	1141	0.93353	2.08227E-05	1.9E-05	6.05E-04	1.18E-08	7.85E-01	4.71E-02	4.35E-10	1.0E+06	4.4E-04
1142	1142	0.95976	2.08227E-05	2.0E-05	6.05E-04	1.21E-08	7.85E-01	4.71E-02	4.47E-10	1.0E+06	4.5E-04
1143	1143	0.98484	2.08227E-05	2.1E-05	6.05E-04	1.24E-08	7.85E-01	4.71E-02	4.59E-10	1.0E+06	4.6E-04
1144	1144	1.00782	2.08227E-05	2.1E-05	6.05E-04	1.27E-08	7.85E-01	4.71E-02	4.70E-10	1.0E+06	4.7E-04
1145	1145	1.02861	2.08227E-05	2.1E-05	6.05E-04	1.30E-08	7.85E-01	4.71E-02	4.79E-10	1.0E+06	4.8E-04
1146	1146	0.39624	2.08227E-05	8.3E-06	6.05E-04	4.99E-09	7.85E-01	4.71E-02	1.85E-10	1.0E+06	1.8E-04
1147	1147	0.40536	2.08227E-05	8.4E-06	6.05E-04	5.11E-09	7.85E-01	4.71E-02	1.89E-10	1.0E+06	1.9E-04
1148	1148	0.4149	2.08227E-05	8.6E-06	6.05E-04	5.23E-09	7.85E-01	4.71E-02	1.93E-10	1.0E+06	1.9E-04
1149	1149	0.42486	2.08227E-05	8.8E-06	6.05E-04	5.35E-09	7.85E-01	4.71E-02	1.98E-10	1.0E+06	2.0E-04
1150	1150	0.43529	2.08227E-05	9.1E-06	6.05E-04	5.48E-09	7.85E-01	4.71E-02	2.03E-10	1.0E+06	2.0E-04
1151	1151	0.44621	2.08227E-05	9.3E-06	6.05E-04	5.62E-09	7.85E-01	4.71E-02	2.08E-10	1.0E+06	2.1E-04
1152	1152	0.45803	2.08227E-05	9.5E-06	6.05E-04	5.77E-09	7.85E-01	4.71E-02	2.13E-10	1.0E+06	2.1E-04
1153	1153	0.47065	2.08227E-05	9.8E-06	6.05E-04	5.93E-09	7.85E-01	4.71E-02	2.19E-10	1.0E+06	2.2E-04
1154	1154	0.48379	2.08227E-05	1.0E-05	6.05E-04	6.10E-09	7.85E-01	4.71E-02	2.25E-10	1.0E+06	2.3E-04
1155	1155	0.49707	2.08227E-05	1.0E-05	6.05E-04	6.26E-09	7.85E-01	4.71E-02	2.32E-10	1.0E+06	2.3E-04
1156	1156	0.51102	2.08227E-05	1.1E-05	6.05E-04	6.44E-09	7.85E-01	4.71E-02	2.38E-10	1.0E+06	2.4E-04
1157	1157	0.52848	2.08227E-05	1.1E-05	6.05E-04	6.66E-09	7.85E-01	4.71E-02	2.46E-10	1.0E+06	2.5E-04
1158	1158	0.5454	2.08227E-05	1.1E-05	6.05E-04	6.87E-09	7.85E-01	4.71E-02	2.54E-10	1.0E+06	2.5E-04
1159	1159	0.56834	2.08227E-05	1.2E-05	6.05E-04	7.16E-09	7.85E-01	4.71E-02	2.65E-10	1.0E+06	2.6E-04
1160	1160	0.59417	2.08227E-05	1.2E-05	6.05E-04	7.49E-09	7.85E-01	4.71E-02	2.77E-10	1.0E+06	2.8E-04
1161	1161	0.61621	2.08227E-05	1.3E-05	6.05E-04	7.76E-09	7.85E-01	4.71E-02	2.87E-10	1.0E+06	2.9E-04
1162	1162	0.64166	2.08227E-05	1.3E-05	6.05E-04	8.08E-09	7.85E-01	4.71E-02	2.99E-10	1.0E+06	3.0E-04
1163	1163	0.66448	2.08227E-05	1.4E-05	6.05E-04	8.37E-09	7.85E-01	4.71E-02	3.10E-10	1.0E+06	3.1E-04
1164	1164	0.68815	2.08227E-05	1.4E-05	6.05E-04	8.67E-09	7.85E-01	4.71E-02	3.21E-10	1.0E+06	3.2E-04
1165	1165	0.71252	2.08227E-05	1.5E-05	6.05E-04	8.98E-09	7.85E-01	4.71E-02	3.32E-10	1.0E+06	3.3E-04
1166	1166	0.73778	2.08227E-05	1.5E-05	6.05E-04	9.30E-09	7.85E-01	4.71E-02	3.44E-10	1.0E+06	3.4E-04
1167	1167	0.76328	2.08227E-05	1.6E-05	6.05E-04	9.62E-09	7.85E-01	4.71E-02	3.56E-10	1.0E+06	3.6E-04
1168	1168	0.79005	2.08227E-05	1.6E-05	6.05E-04	9.95E-09	7.85E-01	4.71E-02	3.68E-10	1.0E+06	3.7E-04
1169	1169	0.81798	2.08227E-05	1.7E-05	6.05E-04	1.03E-08	7.85E-01	4.71E-02	3.81E-10	1.0E+06	3.8E-04
1170	1170	0.84709	2.08227E-05	1.8E-05	6.05E-04	1.07E-08	7.85E-01	4.71E-02	3.95E-10	1.0E+06	3.9E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Cancer risk from 2 to 16 years - Haul 2

Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	1171	0.87722	2.08227E-05	1.8E-05	6.05E-04	1.11E-08	7.85E-01	4.71E-02	4.09E-10	1.0E+06	4.1E-04
1172	1172	0.90848	2.08227E-05	1.9E-05	6.05E-04	1.14E-08	7.85E-01	4.71E-02	4.23E-10	1.0E+06	4.2E-04
1173	1173	0.94091	2.08227E-05	2.0E-05	6.05E-04	1.19E-08	7.85E-01	4.71E-02	4.39E-10	1.0E+06	4.4E-04
1174	1174	0.97406	2.08227E-05	2.0E-05	6.05E-04	1.23E-08	7.85E-01	4.71E-02	4.54E-10	1.0E+06	4.5E-04
1175	1175	1.00657	2.08227E-05	2.1E-05	6.05E-04	1.27E-08	7.85E-01	4.71E-02	4.69E-10	1.0E+06	4.7E-04
1176	1176	1.03824	2.08227E-05	2.2E-05	6.05E-04	1.31E-08	7.85E-01	4.71E-02	4.84E-10	1.0E+06	4.8E-04
1177	1177	1.06812	2.08227E-05	2.2E-05	6.05E-04	1.35E-08	7.85E-01	4.71E-02	4.98E-10	1.0E+06	5.0E-04
1178	1178	1.09572	2.08227E-05	2.3E-05	6.05E-04	1.38E-08	7.85E-01	4.71E-02	5.11E-10	1.0E+06	5.1E-04
1179	1179	1.12076	2.08227E-05	2.3E-05	6.05E-04	1.41E-08	7.85E-01	4.71E-02	5.22E-10	1.0E+06	5.2E-04
1180	1180	0.40795	2.08227E-05	8.5E-06	6.05E-04	5.14E-09	7.85E-01	4.71E-02	1.90E-10	1.0E+06	1.9E-04
1181	1181	0.41763	2.08227E-05	8.7E-06	6.05E-04	5.26E-09	7.85E-01	4.71E-02	1.95E-10	1.0E+06	1.9E-04
1182	1182	0.42776	2.08227E-05	8.9E-06	6.05E-04	5.39E-09	7.85E-01	4.71E-02	1.99E-10	1.0E+06	2.0E-04
1183	1183	0.43835	2.08227E-05	9.1E-06	6.05E-04	5.52E-09	7.85E-01	4.71E-02	2.04E-10	1.0E+06	2.0E-04
1184	1184	0.44947	2.08227E-05	9.4E-06	6.05E-04	5.66E-09	7.85E-01	4.71E-02	2.09E-10	1.0E+06	2.1E-04
1185	1185	0.46117	2.08227E-05	9.6E-06	6.05E-04	5.81E-09	7.85E-01	4.71E-02	2.15E-10	1.0E+06	2.1E-04
1186	1186	0.47367	2.08227E-05	9.9E-06	6.05E-04	5.97E-09	7.85E-01	4.71E-02	2.21E-10	1.0E+06	2.2E-04
1187	1187	0.48693	2.08227E-05	1.0E-05	6.05E-04	6.13E-09	7.85E-01	4.71E-02	2.27E-10	1.0E+06	2.3E-04
1188	1188	0.50088	2.08227E-05	1.0E-05	6.05E-04	6.31E-09	7.85E-01	4.71E-02	2.33E-10	1.0E+06	2.3E-04
1189	1189	0.5153	2.08227E-05	1.1E-05	6.05E-04	6.49E-09	7.85E-01	4.71E-02	2.40E-10	1.0E+06	2.4E-04
1190	1190	0.5305	2.08227E-05	1.1E-05	6.05E-04	6.68E-09	7.85E-01	4.71E-02	2.47E-10	1.0E+06	2.5E-04
1191	1191	0.54842	2.08227E-05	1.1E-05	6.05E-04	6.91E-09	7.85E-01	4.71E-02	2.56E-10	1.0E+06	2.6E-04
1192	1192	0.56892	2.08227E-05	1.2E-05	6.05E-04	7.17E-09	7.85E-01	4.71E-02	2.65E-10	1.0E+06	2.7E-04
1193	1193	0.59104	2.08227E-05	1.2E-05	6.05E-04	7.45E-09	7.85E-01	4.71E-02	2.75E-10	1.0E+06	2.8E-04
1194	1194	0.61846	2.08227E-05	1.3E-05	6.05E-04	7.79E-09	7.85E-01	4.71E-02	2.88E-10	1.0E+06	2.9E-04
1195	1195	0.64228	2.08227E-05	1.3E-05	6.05E-04	8.09E-09	7.85E-01	4.71E-02	2.99E-10	1.0E+06	3.0E-04
1196	1196	0.66842	2.08227E-05	1.4E-05	6.05E-04	8.42E-09	7.85E-01	4.71E-02	3.12E-10	1.0E+06	3.1E-04
1197	1197	0.69504	2.08227E-05	1.4E-05	6.05E-04	8.76E-09	7.85E-01	4.71E-02	3.24E-10	1.0E+06	3.2E-04
1198	1198	0.72129	2.08227E-05	1.5E-05	6.05E-04	9.09E-09	7.85E-01	4.71E-02	3.36E-10	1.0E+06	3.4E-04
1199	1199	0.74844	2.08227E-05	1.6E-05	6.05E-04	9.43E-09	7.85E-01	4.71E-02	3.49E-10	1.0E+06	3.5E-04
1200	1200	0.7768	2.08227E-05	1.6E-05	6.05E-04	9.79E-09	7.85E-01	4.71E-02	3.62E-10	1.0E+06	3.6E-04
1201	1201	0.80566	2.08227E-05	1.7E-05	6.05E-04	1.02E-08	7.85E-01	4.71E-02	3.75E-10	1.0E+06	3.8E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

			Cancer risk from 2 to 16 years - Haul 2								
Receptor #	Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	1202	0.83621	2.08227E-05	1.7E-05	6.05E-04	1.05E-08	7.85E-01	4.71E-02	3.90E-10	1.0E+06	3.9E-04
1203	1203	0.86819	2.08227E-05	1.8E-05	6.05E-04	1.09E-08	7.85E-01	4.71E-02	4.05E-10	1.0E+06	4.0E-04
1204	1204	0.90189	2.08227E-05	1.9E-05	6.05E-04	1.14E-08	7.85E-01	4.71E-02	4.20E-10	1.0E+06	4.2E-04
1205	1205	0.93707	2.08227E-05	2.0E-05	6.05E-04	1.18E-08	7.85E-01	4.71E-02	4.37E-10	1.0E+06	4.4E-04
1206	1206	0.97373	2.08227E-05	2.0E-05	6.05E-04	1.23E-08	7.85E-01	4.71E-02	4.54E-10	1.0E+06	4.5E-04
1207	1207	1.01182	2.08227E-05	2.1E-05	6.05E-04	1.27E-08	7.85E-01	4.71E-02	4.72E-10	1.0E+06	4.7E-04
1208	1208	1.05104	2.08227E-05	2.2E-05	6.05E-04	1.32E-08	7.85E-01	4.71E-02	4.90E-10	1.0E+06	4.9E-04
1209	1209	1.09022	2.08227E-05	2.3E-05	6.05E-04	1.37E-08	7.85E-01	4.71E-02	5.08E-10	1.0E+06	5.1E-04
1210	1210	1.12876	2.08227E-05	2.4E-05	6.05E-04	1.42E-08	7.85E-01	4.71E-02	5.26E-10	1.0E+06	5.3E-04
1211	1211	1.16491	2.08227E-05	2.4E-05	6.05E-04	1.47E-08	7.85E-01	4.71E-02	5.43E-10	1.0E+06	5.4E-04
1212	1212	1.19867	2.08227E-05	2.5E-05	6.05E-04	1.51E-08	7.85E-01	4.71E-02	5.59E-10	1.0E+06	5.6E-04
1213	1213	1.22919	2.08227E-05	2.6E-05	6.05E-04	1.55E-08	7.85E-01	4.71E-02	5.73E-10	1.0E+06	5.7E-04

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk					*Chronic Non Cancer Risk*				
Receptor #	Receptor #	Total Risk/ Million			REL	HI			
892	892	2.5E-01	Max	Receptor #	5	2.25E-03	Max	Receptor #	
893	893	2.6E-01	1.060	1205	5	2.31E-03	0.009	1205	Res
894	894	2.7E-01			5	2.37E-03			
895	895	2.7E-01			5	2.43E-03			
896	896	2.8E-01			5	2.48E-03			
897	897	2.8E-01			5	2.52E-03			
898	898	2.9E-01			5	2.56E-03			
899	899	2.9E-01			5	2.59E-03			
900	900	2.9E-01			5	2.61E-03			
901	901	2.9E-01			5	2.62E-03			
902	902	2.9E-01			5	2.61E-03			
903	903	2.9E-01			5	2.59E-03			
904	904	2.9E-01			5	2.56E-03			
905	905	2.8E-01			5	2.51E-03			
906	906	2.8E-01			5	2.46E-03			
907	907	2.7E-01			5	2.40E-03			
908	908	1.5E-01			5	1.30E-03			
909	909	1.5E-01			5	1.35E-03			
910	910	1.6E-01			5	1.39E-03			
911	911	1.6E-01			5	1.44E-03			
912	912	1.7E-01			5	1.49E-03			
913	913	1.7E-01			5	1.54E-03			
914	914	1.8E-01			5	1.60E-03			
915	915	1.8E-01			5	1.65E-03			
916	916	1.9E-01			5	1.70E-03			
917	917	2.0E-01			5	1.76E-03			
918	918	2.0E-01			5	1.82E-03			
919	919	2.1E-01			5	1.89E-03			
920	920	2.2E-01			5	1.95E-03			
921	921	2.3E-01			5	2.02E-03			
922	922	2.3E-01			5	2.09E-03			

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
923	923	2.4E-01	5	2.16E-03
924	924	2.5E-01	5	2.24E-03
925	925	2.6E-01	5	2.31E-03
926	926	2.7E-01	5	2.39E-03
927	927	2.8E-01	5	2.47E-03
928	928	2.9E-01	5	2.55E-03
929	929	2.9E-01	5	2.62E-03
930	930	3.0E-01	5	2.69E-03
931	931	3.1E-01	5	2.76E-03
932	932	3.2E-01	5	2.81E-03
933	933	3.2E-01	5	2.86E-03
934	934	3.2E-01	5	2.90E-03
935	935	3.3E-01	5	2.92E-03
936	936	3.3E-01	5	2.93E-03
937	937	3.3E-01	5	2.92E-03
938	938	3.2E-01	5	2.90E-03
939	939	3.2E-01	5	2.86E-03
940	940	3.1E-01	5	2.80E-03
941	941	3.1E-01	5	2.73E-03
942	942	1.5E-01	5	1.38E-03
943	943	1.6E-01	5	1.43E-03
944	944	1.7E-01	5	1.48E-03
945	945	1.7E-01	5	1.53E-03
946	946	1.8E-01	5	1.59E-03
947	947	1.8E-01	5	1.64E-03
948	948	1.9E-01	5	1.70E-03
949	949	2.0E-01	5	1.76E-03
950	950	2.0E-01	5	1.82E-03
951	951	2.1E-01	5	1.89E-03
952	952	2.2E-01	5	1.96E-03
953	953	2.3E-01	5	2.03E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
954	954	2.4E-01	5	2.10E-03
955	955	2.4E-01	5	2.18E-03
956	956	2.5E-01	5	2.26E-03
957	957	2.6E-01	5	2.35E-03
958	958	2.7E-01	5	2.44E-03
959	959	2.8E-01	5	2.53E-03
960	960	2.9E-01	5	2.63E-03
961	961	3.1E-01	5	2.72E-03
962	962	3.2E-01	5	2.82E-03
963	963	3.3E-01	5	2.91E-03
964	964	3.4E-01	5	3.00E-03
965	965	3.5E-01	5	3.09E-03
966	966	3.5E-01	5	3.16E-03
967	967	3.6E-01	5	3.23E-03
968	968	3.7E-01	5	3.27E-03
969	969	3.7E-01	5	3.31E-03
970	970	3.7E-01	5	3.32E-03
971	971	3.7E-01	5	3.31E-03
972	972	3.7E-01	5	3.27E-03
973	973	3.6E-01	5	3.22E-03
974	974	3.5E-01	5	3.15E-03
975	975	3.4E-01	5	3.07E-03
976	976	1.6E-01	5	1.46E-03
977	977	1.7E-01	5	1.51E-03
978	978	1.8E-01	5	1.57E-03
979	979	1.8E-01	5	1.62E-03
980	980	1.9E-01	5	1.69E-03
981	981	2.0E-01	5	1.75E-03
982	982	2.0E-01	5	1.82E-03
983	983	2.1E-01	5	1.88E-03
984	984	2.2E-01	5	1.95E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
985	985	2.3E-01	5	2.03E-03
986	986	2.4E-01	5	2.10E-03
987	987	2.4E-01	5	2.18E-03
988	988	2.5E-01	5	2.27E-03
989	989	2.6E-01	5	2.36E-03
990	990	2.8E-01	5	2.46E-03
991	991	2.9E-01	5	2.56E-03
992	992	3.0E-01	5	2.67E-03
993	993	3.1E-01	5	2.78E-03
994	994	3.2E-01	5	2.90E-03
995	995	3.4E-01	5	3.02E-03
996	996	3.5E-01	5	3.14E-03
997	997	3.7E-01	5	3.26E-03
998	998	3.8E-01	5	3.38E-03
999	999	3.9E-01	5	3.49E-03
1000	1000	4.0E-01	5	3.59E-03
1001	1001	4.1E-01	5	3.68E-03
1002	1002	4.2E-01	5	3.74E-03
1003	1003	4.2E-01	5	3.78E-03
1004	1004	4.3E-01	5	3.80E-03
1005	1005	4.2E-01	5	3.78E-03
1006	1006	4.2E-01	5	3.74E-03
1007	1007	4.1E-01	5	3.68E-03
1008	1008	4.0E-01	5	3.58E-03
1009	1009	3.9E-01	5	3.47E-03
1010	1010	1.7E-01	5	1.54E-03
1011	1011	1.8E-01	5	1.60E-03
1012	1012	1.9E-01	5	1.67E-03
1013	1013	1.9E-01	5	1.73E-03
1014	1014	2.0E-01	5	1.80E-03
1015	1015	2.1E-01	5	1.87E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1016	1016	2.2E-01	5	1.94E-03
1017	1017	2.3E-01	5	2.01E-03
1018	1018	2.3E-01	5	2.09E-03
1019	1019	2.4E-01	5	2.18E-03
1020	1020	2.5E-01	5	2.26E-03
1021	1021	2.6E-01	5	2.36E-03
1022	1022	2.8E-01	5	2.46E-03
1023	1023	2.9E-01	5	2.56E-03
1024	1024	3.0E-01	5	2.67E-03
1025	1025	3.1E-01	5	2.80E-03
1026	1026	3.3E-01	5	2.93E-03
1027	1027	3.4E-01	5	3.06E-03
1028	1028	3.6E-01	5	3.21E-03
1029	1029	3.8E-01	5	3.37E-03
1030	1030	3.9E-01	5	3.52E-03
1031	1031	4.1E-01	5	3.69E-03
1032	1032	4.3E-01	5	3.85E-03
1033	1033	4.5E-01	5	4.00E-03
1034	1034	4.6E-01	5	4.13E-03
1035	1035	4.8E-01	5	4.25E-03
1036	1036	4.9E-01	5	4.33E-03
1037	1037	4.9E-01	5	4.39E-03
1038	1038	4.9E-01	5	4.41E-03
1039	1039	4.9E-01	5	4.39E-03
1040	1040	4.9E-01	5	4.33E-03
1041	1041	4.8E-01	5	4.24E-03
1042	1042	4.6E-01	5	4.12E-03
1043	1043	4.4E-01	5	3.96E-03
1044	1044	1.8E-01	5	1.64E-03
1045	1045	1.9E-01	5	1.70E-03
1046	1046	2.0E-01	5	1.77E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1047	1047	2.1E-01	5	1.84E-03
1048	1048	2.1E-01	5	1.92E-03
1049	1049	2.2E-01	5	2.00E-03
1050	1050	2.3E-01	5	2.08E-03
1051	1051	2.4E-01	5	2.16E-03
1052	1052	2.5E-01	5	2.25E-03
1053	1053	2.6E-01	5	2.34E-03
1054	1054	2.7E-01	5	2.44E-03
1055	1055	2.9E-01	5	2.55E-03
1056	1056	3.0E-01	5	2.66E-03
1057	1057	3.1E-01	5	2.78E-03
1058	1058	3.3E-01	5	2.92E-03
1059	1059	3.4E-01	5	3.06E-03
1060	1060	3.6E-01	5	3.22E-03
1061	1061	3.8E-01	5	3.39E-03
1062	1062	4.0E-01	5	3.58E-03
1063	1063	4.2E-01	5	3.78E-03
1064	1064	4.5E-01	5	3.99E-03
1065	1065	4.7E-01	5	4.21E-03
1066	1066	5.0E-01	5	4.42E-03
1067	1067	5.2E-01	5	4.63E-03
1068	1068	5.4E-01	5	4.82E-03
1069	1069	5.6E-01	5	4.98E-03
1070	1070	5.7E-01	5	5.11E-03
1071	1071	5.8E-01	5	5.18E-03
1072	1072	5.8E-01	5	5.21E-03
1073	1073	5.8E-01	5	5.18E-03
1074	1074	5.7E-01	5	5.10E-03
1075	1075	5.6E-01	5	4.97E-03
1076	1076	5.4E-01	5	4.79E-03
1077	1077	5.1E-01	5	4.57E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1078	1078	1.9E-01	5	1.74E-03
1079	1079	2.0E-01	5	1.81E-03
1080	1080	2.1E-01	5	1.89E-03
1081	1081	2.2E-01	5	1.97E-03
1082	1082	2.3E-01	5	2.05E-03
1083	1083	2.4E-01	5	2.14E-03
1084	1084	2.5E-01	5	2.23E-03
1085	1085	2.6E-01	5	2.32E-03
1086	1086	2.7E-01	5	2.42E-03
1087	1087	2.8E-01	5	2.53E-03
1088	1088	3.0E-01	5	2.64E-03
1089	1089	3.1E-01	5	2.76E-03
1090	1090	3.2E-01	5	2.89E-03
1091	1091	3.4E-01	5	3.03E-03
1092	1092	3.6E-01	5	3.19E-03
1093	1093	3.8E-01	5	3.36E-03
1094	1094	4.0E-01	5	3.56E-03
1095	1095	4.2E-01	5	3.77E-03
1096	1096	4.5E-01	5	4.01E-03
1097	1097	4.8E-01	5	4.28E-03
1098	1098	5.1E-01	5	4.56E-03
1099	1099	5.4E-01	5	4.86E-03
1100	1100	5.8E-01	5	5.17E-03
1101	1101	6.1E-01	5	5.47E-03
1102	1102	6.4E-01	5	5.74E-03
1103	1103	6.7E-01	5	5.97E-03
1104	1104	6.9E-01	5	6.14E-03
1105	1105	7.0E-01	5	6.25E-03
1106	1106	7.0E-01	5	6.28E-03
1107	1107	7.0E-01	5	6.25E-03
1108	1108	6.9E-01	5	6.13E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1109	1109	6.7E-01	5	5.94E-03
1110	1110	6.4E-01	5	5.67E-03
1111	1111	6.0E-01	5	5.35E-03
1112	1112	2.1E-01	5	1.85E-03
1113	1113	2.2E-01	5	1.93E-03
1114	1114	2.3E-01	5	2.02E-03
1115	1115	2.4E-01	5	2.11E-03
1116	1116	2.5E-01	5	2.20E-03
1117	1117	2.6E-01	5	2.30E-03
1118	1118	2.7E-01	5	2.40E-03
1119	1119	2.8E-01	5	2.50E-03
1120	1120	2.9E-01	5	2.61E-03
1121	1121	3.1E-01	5	2.73E-03
1122	1122	3.2E-01	5	2.86E-03
1123	1123	3.4E-01	5	3.00E-03
1124	1124	3.5E-01	5	3.14E-03
1125	1125	3.7E-01	5	3.31E-03
1126	1126	3.9E-01	5	3.49E-03
1127	1127	4.1E-01	5	3.70E-03
1128	1128	4.4E-01	5	3.94E-03
1129	1129	4.7E-01	5	4.21E-03
1130	1130	5.1E-01	5	4.52E-03
1131	1131	5.5E-01	5	4.88E-03
1132	1132	5.9E-01	5	5.28E-03
1133	1133	6.4E-01	5	5.71E-03
1134	1134	6.9E-01	5	6.16E-03
1135	1135	7.4E-01	5	6.59E-03
1136	1136	7.8E-01	5	7.00E-03
1137	1137	8.2E-01	5	7.34E-03
1138	1138	8.5E-01	5	7.59E-03
1139	1139	8.7E-01	5	7.73E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1140	1140	8.7E-01	5	7.78E-03
1141	1141	8.7E-01	5	7.74E-03
1142	1142	8.5E-01	5	7.58E-03
1143	1143	8.1E-01	5	7.27E-03
1144	1144	7.7E-01	5	6.86E-03
1145	1145	7.1E-01	5	6.37E-03
1146	1146	2.2E-01	5	1.97E-03
1147	1147	2.3E-01	5	2.07E-03
1148	1148	2.4E-01	5	2.16E-03
1149	1149	2.5E-01	5	2.26E-03
1150	1150	2.7E-01	5	2.37E-03
1151	1151	2.8E-01	5	2.48E-03
1152	1152	2.9E-01	5	2.59E-03
1153	1153	3.0E-01	5	2.71E-03
1154	1154	3.2E-01	5	2.83E-03
1155	1155	3.3E-01	5	2.96E-03
1156	1156	3.5E-01	5	3.10E-03
1157	1157	3.6E-01	5	3.26E-03
1158	1158	3.8E-01	5	3.43E-03
1159	1159	4.0E-01	5	3.61E-03
1160	1160	4.3E-01	5	3.83E-03
1161	1161	4.6E-01	5	4.07E-03
1162	1162	4.9E-01	5	4.36E-03
1163	1163	5.3E-01	5	4.71E-03
1164	1164	5.7E-01	5	5.12E-03
1165	1165	6.3E-01	5	5.61E-03
1166	1166	6.9E-01	5	6.19E-03
1167	1167	7.7E-01	5	6.85E-03
1168	1168	6.9E-01	5	6.18E-03
1169	1169	9.1E-01	5	8.16E-03
1170	1170	8.2E-01	5	7.32E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

Max Cancer Risk Cancer Risk			*Chronic Non Cancer Risk*	
Receptor #	Receptor #	Total Risk/ Million	REL	HI
1171	1171	8.5E-01	5	7.59E-03
1172	1172	8.8E-01	5	7.89E-03
1173	1173	9.2E-01	5	8.23E-03
1174	1174	9.4E-01	5	8.37E-03
1175	1175	9.0E-01	5	8.07E-03
1176	1176	8.7E-01	5	7.77E-03
1177	1177	8.3E-01	5	7.45E-03
1178	1178	6.5E-01	5	5.79E-03
1179	1179	7.1E-01	5	6.37E-03
1180	1180	2.4E-01	5	2.11E-03
1181	1181	2.5E-01	5	2.22E-03
1182	1182	2.6E-01	5	2.32E-03
1183	1183	2.7E-01	5	2.44E-03
1184	1184	2.9E-01	5	2.55E-03
1185	1185	3.0E-01	5	2.67E-03
1186	1186	3.1E-01	5	2.80E-03
1187	1187	3.3E-01	5	2.94E-03
1188	1188	3.4E-01	5	3.07E-03
1189	1189	3.6E-01	5	3.22E-03
1190	1190	3.8E-01	5	3.38E-03
1191	1191	4.0E-01	5	3.55E-03
1192	1192	4.2E-01	5	3.74E-03
1193	1193	4.4E-01	5	3.95E-03
1194	1194	4.7E-01	5	4.20E-03
1195	1195	5.0E-01	5	4.49E-03
1196	1196	5.4E-01	5	4.84E-03
1197	1197	5.9E-01	5	5.27E-03
1198	1198	6.5E-01	5	5.81E-03
1199	1199	7.3E-01	5	6.50E-03
1200	1200	6.6E-01	5	5.89E-03
1201	1201	7.3E-01	5	6.52E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Building Construction Risk

	Max Cancer Risk Cancer Risk		*Chronic Non Cancer Risk*	
Receptor #	**Receptor #**	**Total Risk/ Million**	**REL**	**HI**
1202	1202	8.2E-01	5	7.32E-03
1203	1203	7.6E-01	5	6.78E-03
1204	1204	8.3E-01	5	7.42E-03
1205	1205	1.1E+00	5	9.46E-03
1206	1206	9.6E-01	5	8.56E-03
1207	1207	9.8E-01	5	8.75E-03
1208	1208	8.4E-01	5	7.49E-03
1209	1209	9.7E-01	5	8.66E-03
1210	1210	7.8E-01	5	6.94E-03
1211	1211	7.0E-01	5	6.25E-03
1212	1212	7.7E-01	5	6.84E-03
1213	1213	6.8E-01	5	6.04E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	1.17E-02	2.7E-02	1.05E-03	2.84E-05	5.48E-02	1.57E-01	2.45E-07	1.0E+06	2.4E-01
893	2.38542	1.17E-02	2.8E-02	1.05E-03	2.92E-05	5.48E-02	1.57E-01	2.51E-07	1.0E+06	2.5E-01
894	2.44758	1.17E-02	2.9E-02	1.05E-03	3.00E-05	5.48E-02	1.57E-01	2.58E-07	1.0E+06	2.6E-01
895	2.50618	1.17E-02	2.9E-02	1.05E-03	3.07E-05	5.48E-02	1.57E-01	2.64E-07	1.0E+06	2.6E-01
896	2.55908	1.17E-02	3.0E-02	1.05E-03	3.13E-05	5.48E-02	1.57E-01	2.70E-07	1.0E+06	2.7E-01
897	2.60474	1.17E-02	3.0E-02	1.05E-03	3.19E-05	5.48E-02	1.57E-01	2.74E-07	1.0E+06	2.7E-01
898	2.64253	1.17E-02	3.1E-02	1.05E-03	3.23E-05	5.48E-02	1.57E-01	2.78E-07	1.0E+06	2.8E-01
899	2.67158	1.17E-02	3.1E-02	1.05E-03	3.27E-05	5.48E-02	1.57E-01	2.81E-07	1.0E+06	2.8E-01
900	2.69069	1.17E-02	3.2E-02	1.05E-03	3.29E-05	5.48E-02	1.57E-01	2.84E-07	1.0E+06	2.8E-01
901	2.69844	1.17E-02	3.2E-02	1.05E-03	3.30E-05	5.48E-02	1.57E-01	2.84E-07	1.0E+06	2.8E-01
902	2.69171	1.17E-02	3.2E-02	1.05E-03	3.29E-05	5.48E-02	1.57E-01	2.84E-07	1.0E+06	2.8E-01
903	2.6708	1.17E-02	3.1E-02	1.05E-03	3.27E-05	5.48E-02	1.57E-01	2.81E-07	1.0E+06	2.8E-01
904	2.63764	1.17E-02	3.1E-02	1.05E-03	3.23E-05	5.48E-02	1.57E-01	2.78E-07	1.0E+06	2.8E-01
905	2.59313	1.17E-02	3.0E-02	1.05E-03	3.17E-05	5.48E-02	1.57E-01	2.73E-07	1.0E+06	2.7E-01
906	2.53783	1.17E-02	3.0E-02	1.05E-03	3.11E-05	5.48E-02	1.57E-01	2.67E-07	1.0E+06	2.7E-01
907	2.47822	1.17E-02	2.9E-02	1.05E-03	3.03E-05	5.48E-02	1.57E-01	2.61E-07	1.0E+06	2.6E-01
908	1.34378	1.17E-02	1.6E-02	1.05E-03	1.64E-05	5.48E-02	1.57E-01	1.42E-07	1.0E+06	1.4E-01
909	1.39182	1.17E-02	1.6E-02	1.05E-03	1.70E-05	5.48E-02	1.57E-01	1.47E-07	1.0E+06	1.5E-01
910	1.43801	1.17E-02	1.7E-02	1.05E-03	1.76E-05	5.48E-02	1.57E-01	1.52E-07	1.0E+06	1.5E-01
911	1.4874	1.17E-02	1.7E-02	1.05E-03	1.82E-05	5.48E-02	1.57E-01	1.57E-07	1.0E+06	1.6E-01
912	1.53931	1.17E-02	1.8E-02	1.05E-03	1.88E-05	5.48E-02	1.57E-01	1.62E-07	1.0E+06	1.6E-01
913	1.59264	1.17E-02	1.9E-02	1.05E-03	1.95E-05	5.48E-02	1.57E-01	1.68E-07	1.0E+06	1.7E-01
914	1.64626	1.17E-02	1.9E-02	1.05E-03	2.01E-05	5.48E-02	1.57E-01	1.73E-07	1.0E+06	1.7E-01
915	1.70051	1.17E-02	2.0E-02	1.05E-03	2.08E-05	5.48E-02	1.57E-01	1.79E-07	1.0E+06	1.8E-01
916	1.75782	1.17E-02	2.1E-02	1.05E-03	2.15E-05	5.48E-02	1.57E-01	1.85E-07	1.0E+06	1.9E-01
917	1.81857	1.17E-02	2.1E-02	1.05E-03	2.23E-05	5.48E-02	1.57E-01	1.92E-07	1.0E+06	1.9E-01
918	1.88138	1.17E-02	2.2E-02	1.05E-03	2.30E-05	5.48E-02	1.57E-01	1.98E-07	1.0E+06	2.0E-01
919	1.9463	1.17E-02	2.3E-02	1.05E-03	2.38E-05	5.48E-02	1.57E-01	2.05E-07	1.0E+06	2.1E-01
920	2.01351	1.17E-02	2.4E-02	1.05E-03	2.46E-05	5.48E-02	1.57E-01	2.12E-07	1.0E+06	2.1E-01
921	2.08316	1.17E-02	2.4E-02	1.05E-03	2.55E-05	5.48E-02	1.57E-01	2.19E-07	1.0E+06	2.2E-01
922	2.15554	1.17E-02	2.5E-02	1.05E-03	2.64E-05	5.48E-02	1.57E-01	2.27E-07	1.0E+06	2.3E-01

	Max	Receptor #
Res	1.029	1205

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	1.17E-02	2.6E-02	1.05E-03	2.73E-05	5.48E-02	1.57E-01	2.35E-07	1.0E+06	2.4E-01
924	2.30792	1.17E-02	2.7E-02	1.05E-03	2.82E-05	5.48E-02	1.57E-01	2.43E-07	1.0E+06	2.4E-01
925	2.38688	1.17E-02	2.8E-02	1.05E-03	2.92E-05	5.48E-02	1.57E-01	2.51E-07	1.0E+06	2.5E-01
926	2.46714	1.17E-02	2.9E-02	1.05E-03	3.02E-05	5.48E-02	1.57E-01	2.60E-07	1.0E+06	2.6E-01
927	2.54717	1.17E-02	3.0E-02	1.05E-03	3.12E-05	5.48E-02	1.57E-01	2.68E-07	1.0E+06	2.7E-01
928	2.62654	1.17E-02	3.1E-02	1.05E-03	3.21E-05	5.48E-02	1.57E-01	2.77E-07	1.0E+06	2.8E-01
929	2.70395	1.17E-02	3.2E-02	1.05E-03	3.31E-05	5.48E-02	1.57E-01	2.85E-07	1.0E+06	2.8E-01
930	2.77767	1.17E-02	3.3E-02	1.05E-03	3.40E-05	5.48E-02	1.57E-01	2.93E-07	1.0E+06	2.9E-01
931	2.84499	1.17E-02	3.3E-02	1.05E-03	3.48E-05	5.48E-02	1.57E-01	3.00E-07	1.0E+06	3.0E-01
932	2.90354	1.17E-02	3.4E-02	1.05E-03	3.55E-05	5.48E-02	1.57E-01	3.06E-07	1.0E+06	3.1E-01
933	2.9525	1.17E-02	3.5E-02	1.05E-03	3.61E-05	5.48E-02	1.57E-01	3.11E-07	1.0E+06	3.1E-01
934	2.99008	1.17E-02	3.5E-02	1.05E-03	3.66E-05	5.48E-02	1.57E-01	3.15E-07	1.0E+06	3.2E-01
935	3.01462	1.17E-02	3.5E-02	1.05E-03	3.69E-05	5.48E-02	1.57E-01	3.18E-07	1.0E+06	3.2E-01
936	3.02389	1.17E-02	3.5E-02	1.05E-03	3.70E-05	5.48E-02	1.57E-01	3.19E-07	1.0E+06	3.2E-01
937	3.01538	1.17E-02	3.5E-02	1.05E-03	3.69E-05	5.48E-02	1.57E-01	3.18E-07	1.0E+06	3.2E-01
938	2.98903	1.17E-02	3.5E-02	1.05E-03	3.66E-05	5.48E-02	1.57E-01	3.15E-07	1.0E+06	3.1E-01
939	2.94679	1.17E-02	3.5E-02	1.05E-03	3.61E-05	5.48E-02	1.57E-01	3.10E-07	1.0E+06	3.1E-01
940	2.89021	1.17E-02	3.4E-02	1.05E-03	3.54E-05	5.48E-02	1.57E-01	3.05E-07	1.0E+06	3.0E-01
941	2.82029	1.17E-02	3.3E-02	1.05E-03	3.45E-05	5.48E-02	1.57E-01	2.97E-07	1.0E+06	3.0E-01
942	1.41975	1.17E-02	1.7E-02	1.05E-03	1.74E-05	5.48E-02	1.57E-01	1.50E-07	1.0E+06	1.5E-01
943	1.4724	1.17E-02	1.7E-02	1.05E-03	1.80E-05	5.48E-02	1.57E-01	1.55E-07	1.0E+06	1.6E-01
944	1.52496	1.17E-02	1.8E-02	1.05E-03	1.87E-05	5.48E-02	1.57E-01	1.61E-07	1.0E+06	1.6E-01
945	1.57781	1.17E-02	1.8E-02	1.05E-03	1.93E-05	5.48E-02	1.57E-01	1.66E-07	1.0E+06	1.7E-01
946	1.63542	1.17E-02	1.9E-02	1.05E-03	2.00E-05	5.48E-02	1.57E-01	1.72E-07	1.0E+06	1.7E-01
947	1.69476	1.17E-02	2.0E-02	1.05E-03	2.07E-05	5.48E-02	1.57E-01	1.79E-07	1.0E+06	1.8E-01
948	1.75455	1.17E-02	2.1E-02	1.05E-03	2.15E-05	5.48E-02	1.57E-01	1.85E-07	1.0E+06	1.8E-01
949	1.81519	1.17E-02	2.1E-02	1.05E-03	2.22E-05	5.48E-02	1.57E-01	1.91E-07	1.0E+06	1.9E-01
950	1.8796	1.17E-02	2.2E-02	1.05E-03	2.30E-05	5.48E-02	1.57E-01	1.98E-07	1.0E+06	2.0E-01
951	1.94787	1.17E-02	2.3E-02	1.05E-03	2.38E-05	5.48E-02	1.57E-01	2.05E-07	1.0E+06	2.1E-01
952	2.01881	1.17E-02	2.4E-02	1.05E-03	2.47E-05	5.48E-02	1.57E-01	2.13E-07	1.0E+06	2.1E-01
953	2.09254	1.17E-02	2.4E-02	1.05E-03	2.56E-05	5.48E-02	1.57E-01	2.20E-07	1.0E+06	2.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	1.17E-02	2.5E-02	1.05E-03	2.65E-05	5.48E-02	1.57E-01	2.29E-07	1.0E+06	2.3E-01
955	2.24971	1.17E-02	2.6E-02	1.05E-03	2.75E-05	5.48E-02	1.57E-01	2.37E-07	1.0E+06	2.4E-01
956	2.33459	1.17E-02	2.7E-02	1.05E-03	2.86E-05	5.48E-02	1.57E-01	2.46E-07	1.0E+06	2.5E-01
957	2.42362	1.17E-02	2.8E-02	1.05E-03	2.97E-05	5.48E-02	1.57E-01	2.55E-07	1.0E+06	2.6E-01
958	2.51608	1.17E-02	2.9E-02	1.05E-03	3.08E-05	5.48E-02	1.57E-01	2.65E-07	1.0E+06	2.7E-01
959	2.61119	1.17E-02	3.1E-02	1.05E-03	3.20E-05	5.48E-02	1.57E-01	2.75E-07	1.0E+06	2.8E-01
960	2.70919	1.17E-02	3.2E-02	1.05E-03	3.32E-05	5.48E-02	1.57E-01	2.85E-07	1.0E+06	2.9E-01
961	2.80855	1.17E-02	3.3E-02	1.05E-03	3.44E-05	5.48E-02	1.57E-01	2.96E-07	1.0E+06	3.0E-01
962	2.90798	1.17E-02	3.4E-02	1.05E-03	3.56E-05	5.48E-02	1.57E-01	3.06E-07	1.0E+06	3.1E-01
963	3.00621	1.17E-02	3.5E-02	1.05E-03	3.68E-05	5.48E-02	1.57E-01	3.17E-07	1.0E+06	3.2E-01
964	3.10043	1.17E-02	3.6E-02	1.05E-03	3.79E-05	5.48E-02	1.57E-01	3.27E-07	1.0E+06	3.3E-01
965	3.18812	1.17E-02	3.7E-02	1.05E-03	3.90E-05	5.48E-02	1.57E-01	3.36E-07	1.0E+06	3.4E-01
966	3.26457	1.17E-02	3.8E-02	1.05E-03	3.99E-05	5.48E-02	1.57E-01	3.44E-07	1.0E+06	3.4E-01
967	3.32885	1.17E-02	3.9E-02	1.05E-03	4.07E-05	5.48E-02	1.57E-01	3.51E-07	1.0E+06	3.5E-01
968	3.37814	1.17E-02	4.0E-02	1.05E-03	4.13E-05	5.48E-02	1.57E-01	3.56E-07	1.0E+06	3.6E-01
969	3.41014	1.17E-02	4.0E-02	1.05E-03	4.17E-05	5.48E-02	1.57E-01	3.59E-07	1.0E+06	3.6E-01
970	3.42128	1.17E-02	4.0E-02	1.05E-03	4.19E-05	5.48E-02	1.57E-01	3.60E-07	1.0E+06	3.6E-01
971	3.41078	1.17E-02	4.0E-02	1.05E-03	4.17E-05	5.48E-02	1.57E-01	3.59E-07	1.0E+06	3.6E-01
972	3.37829	1.17E-02	4.0E-02	1.05E-03	4.13E-05	5.48E-02	1.57E-01	3.56E-07	1.0E+06	3.6E-01
973	3.32508	1.17E-02	3.9E-02	1.05E-03	4.07E-05	5.48E-02	1.57E-01	3.50E-07	1.0E+06	3.5E-01
974	3.25251	1.17E-02	3.8E-02	1.05E-03	3.98E-05	5.48E-02	1.57E-01	3.43E-07	1.0E+06	3.4E-01
975	3.16305	1.17E-02	3.7E-02	1.05E-03	3.87E-05	5.48E-02	1.57E-01	3.33E-07	1.0E+06	3.3E-01
976	1.5019	1.17E-02	1.8E-02	1.05E-03	1.84E-05	5.48E-02	1.57E-01	1.58E-07	1.0E+06	1.6E-01
977	1.55951	1.17E-02	1.8E-02	1.05E-03	1.91E-05	5.48E-02	1.57E-01	1.64E-07	1.0E+06	1.6E-01
978	1.6175	1.17E-02	1.9E-02	1.05E-03	1.98E-05	5.48E-02	1.57E-01	1.70E-07	1.0E+06	1.7E-01
979	1.67604	1.17E-02	2.0E-02	1.05E-03	2.05E-05	5.48E-02	1.57E-01	1.77E-07	1.0E+06	1.8E-01
980	1.74002	1.17E-02	2.0E-02	1.05E-03	2.13E-05	5.48E-02	1.57E-01	1.83E-07	1.0E+06	1.8E-01
981	1.80609	1.17E-02	2.1E-02	1.05E-03	2.21E-05	5.48E-02	1.57E-01	1.90E-07	1.0E+06	1.9E-01
982	1.87281	1.17E-02	2.2E-02	1.05E-03	2.29E-05	5.48E-02	1.57E-01	1.97E-07	1.0E+06	2.0E-01
983	1.94072	1.17E-02	2.3E-02	1.05E-03	2.37E-05	5.48E-02	1.57E-01	2.04E-07	1.0E+06	2.0E-01
984	2.01313	1.17E-02	2.4E-02	1.05E-03	2.46E-05	5.48E-02	1.57E-01	2.12E-07	1.0E+06	2.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	1.17E-02	2.4E-02	1.05E-03	2.56E-05	5.48E-02	1.57E-01	2.20E-07	1.0E+06	2.2E-01
986	2.1701	1.17E-02	2.5E-02	1.05E-03	2.66E-05	5.48E-02	1.57E-01	2.29E-07	1.0E+06	2.3E-01
987	2.25396	1.17E-02	2.6E-02	1.05E-03	2.76E-05	5.48E-02	1.57E-01	2.37E-07	1.0E+06	2.4E-01
988	2.34192	1.17E-02	2.7E-02	1.05E-03	2.87E-05	5.48E-02	1.57E-01	2.47E-07	1.0E+06	2.5E-01
989	2.43471	1.17E-02	2.9E-02	1.05E-03	2.98E-05	5.48E-02	1.57E-01	2.57E-07	1.0E+06	2.6E-01
990	2.53459	1.17E-02	3.0E-02	1.05E-03	3.10E-05	5.48E-02	1.57E-01	2.67E-07	1.0E+06	2.7E-01
991	2.64074	1.17E-02	3.1E-02	1.05E-03	3.23E-05	5.48E-02	1.57E-01	2.78E-07	1.0E+06	2.8E-01
992	2.75198	1.17E-02	3.2E-02	1.05E-03	3.37E-05	5.48E-02	1.57E-01	2.90E-07	1.0E+06	2.9E-01
993	2.86771	1.17E-02	3.4E-02	1.05E-03	3.51E-05	5.48E-02	1.57E-01	3.02E-07	1.0E+06	3.0E-01
994	2.98847	1.17E-02	3.5E-02	1.05E-03	3.66E-05	5.48E-02	1.57E-01	3.15E-07	1.0E+06	3.1E-01
995	3.11365	1.17E-02	3.6E-02	1.05E-03	3.81E-05	5.48E-02	1.57E-01	3.28E-07	1.0E+06	3.3E-01
996	3.24022	1.17E-02	3.8E-02	1.05E-03	3.97E-05	5.48E-02	1.57E-01	3.41E-07	1.0E+06	3.4E-01
997	3.36692	1.17E-02	3.9E-02	1.05E-03	4.12E-05	5.48E-02	1.57E-01	3.55E-07	1.0E+06	3.5E-01
998	3.48991	1.17E-02	4.1E-02	1.05E-03	4.27E-05	5.48E-02	1.57E-01	3.68E-07	1.0E+06	3.7E-01
999	3.60594	1.17E-02	4.2E-02	1.05E-03	4.41E-05	5.48E-02	1.57E-01	3.80E-07	1.0E+06	3.8E-01
1000	3.70812	1.17E-02	4.3E-02	1.05E-03	4.54E-05	5.48E-02	1.57E-01	3.91E-07	1.0E+06	3.9E-01
1001	3.79396	1.17E-02	4.4E-02	1.05E-03	4.64E-05	5.48E-02	1.57E-01	4.00E-07	1.0E+06	4.0E-01
1002	3.86013	1.17E-02	4.5E-02	1.05E-03	4.72E-05	5.48E-02	1.57E-01	4.07E-07	1.0E+06	4.1E-01
1003	3.90266	1.17E-02	4.6E-02	1.05E-03	4.78E-05	5.48E-02	1.57E-01	4.11E-07	1.0E+06	4.1E-01
1004	3.91652	1.17E-02	4.6E-02	1.05E-03	4.79E-05	5.48E-02	1.57E-01	4.13E-07	1.0E+06	4.1E-01
1005	3.9028	1.17E-02	4.6E-02	1.05E-03	4.78E-05	5.48E-02	1.57E-01	4.11E-07	1.0E+06	4.1E-01
1006	3.86166	1.17E-02	4.5E-02	1.05E-03	4.73E-05	5.48E-02	1.57E-01	4.07E-07	1.0E+06	4.1E-01
1007	3.79253	1.17E-02	4.4E-02	1.05E-03	4.64E-05	5.48E-02	1.57E-01	4.00E-07	1.0E+06	4.0E-01
1008	3.69675	1.17E-02	4.3E-02	1.05E-03	4.52E-05	5.48E-02	1.57E-01	3.90E-07	1.0E+06	3.9E-01
1009	3.57868	1.17E-02	4.2E-02	1.05E-03	4.38E-05	5.48E-02	1.57E-01	3.77E-07	1.0E+06	3.8E-01
1010	1.59074	1.17E-02	1.9E-02	1.05E-03	1.95E-05	5.48E-02	1.57E-01	1.68E-07	1.0E+06	1.7E-01
1011	1.65396	1.17E-02	1.9E-02	1.05E-03	2.02E-05	5.48E-02	1.57E-01	1.74E-07	1.0E+06	1.7E-01
1012	1.71809	1.17E-02	2.0E-02	1.05E-03	2.10E-05	5.48E-02	1.57E-01	1.81E-07	1.0E+06	1.8E-01
1013	1.7831	1.17E-02	2.1E-02	1.05E-03	2.18E-05	5.48E-02	1.57E-01	1.88E-07	1.0E+06	1.9E-01
1014	1.8542	1.17E-02	2.2E-02	1.05E-03	2.27E-05	5.48E-02	1.57E-01	1.95E-07	1.0E+06	2.0E-01
1015	1.92778	1.17E-02	2.3E-02	1.05E-03	2.36E-05	5.48E-02	1.57E-01	2.03E-07	1.0E+06	2.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	1.17E-02	2.3E-02	1.05E-03	2.45E-05	5.48E-02	1.57E-01	2.11E-07	1.0E+06	2.1E-01
1017	2.07653	1.17E-02	2.4E-02	1.05E-03	2.54E-05	5.48E-02	1.57E-01	2.19E-07	1.0E+06	2.2E-01
1018	2.15978	1.17E-02	2.5E-02	1.05E-03	2.64E-05	5.48E-02	1.57E-01	2.28E-07	1.0E+06	2.3E-01
1019	2.24625	1.17E-02	2.6E-02	1.05E-03	2.75E-05	5.48E-02	1.57E-01	2.37E-07	1.0E+06	2.4E-01
1020	2.33698	1.17E-02	2.7E-02	1.05E-03	2.86E-05	5.48E-02	1.57E-01	2.46E-07	1.0E+06	2.5E-01
1021	2.43241	1.17E-02	2.8E-02	1.05E-03	2.98E-05	5.48E-02	1.57E-01	2.56E-07	1.0E+06	2.6E-01
1022	2.53329	1.17E-02	3.0E-02	1.05E-03	3.10E-05	5.48E-02	1.57E-01	2.67E-07	1.0E+06	2.7E-01
1023	2.64079	1.17E-02	3.1E-02	1.05E-03	3.23E-05	5.48E-02	1.57E-01	2.78E-07	1.0E+06	2.8E-01
1024	2.75843	1.17E-02	3.2E-02	1.05E-03	3.38E-05	5.48E-02	1.57E-01	2.91E-07	1.0E+06	2.9E-01
1025	2.88515	1.17E-02	3.4E-02	1.05E-03	3.53E-05	5.48E-02	1.57E-01	3.04E-07	1.0E+06	3.0E-01
1026	3.01984	1.17E-02	3.5E-02	1.05E-03	3.70E-05	5.48E-02	1.57E-01	3.18E-07	1.0E+06	3.2E-01
1027	3.16213	1.17E-02	3.7E-02	1.05E-03	3.87E-05	5.48E-02	1.57E-01	3.33E-07	1.0E+06	3.3E-01
1028	3.31325	1.17E-02	3.9E-02	1.05E-03	4.05E-05	5.48E-02	1.57E-01	3.49E-07	1.0E+06	3.5E-01
1029	3.47289	1.17E-02	4.1E-02	1.05E-03	4.25E-05	5.48E-02	1.57E-01	3.66E-07	1.0E+06	3.7E-01
1030	3.63688	1.17E-02	4.3E-02	1.05E-03	4.45E-05	5.48E-02	1.57E-01	3.83E-07	1.0E+06	3.8E-01
1031	3.8037	1.17E-02	4.5E-02	1.05E-03	4.65E-05	5.48E-02	1.57E-01	4.01E-07	1.0E+06	4.0E-01
1032	3.96771	1.17E-02	4.6E-02	1.05E-03	4.86E-05	5.48E-02	1.57E-01	4.18E-07	1.0E+06	4.2E-01
1033	4.12419	1.17E-02	4.8E-02	1.05E-03	5.05E-05	5.48E-02	1.57E-01	4.35E-07	1.0E+06	4.3E-01
1034	4.26404	1.17E-02	5.0E-02	1.05E-03	5.22E-05	5.48E-02	1.57E-01	4.49E-07	1.0E+06	4.5E-01
1035	4.38116	1.17E-02	5.1E-02	1.05E-03	5.36E-05	5.48E-02	1.57E-01	4.62E-07	1.0E+06	4.6E-01
1036	4.4717	1.17E-02	5.2E-02	1.05E-03	5.47E-05	5.48E-02	1.57E-01	4.71E-07	1.0E+06	4.7E-01
1037	4.52967	1.17E-02	5.3E-02	1.05E-03	5.54E-05	5.48E-02	1.57E-01	4.77E-07	1.0E+06	4.8E-01
1038	4.54755	1.17E-02	5.3E-02	1.05E-03	5.56E-05	5.48E-02	1.57E-01	4.79E-07	1.0E+06	4.8E-01
1039	4.52857	1.17E-02	5.3E-02	1.05E-03	5.54E-05	5.48E-02	1.57E-01	4.77E-07	1.0E+06	4.8E-01
1040	4.4728	1.17E-02	5.2E-02	1.05E-03	5.47E-05	5.48E-02	1.57E-01	4.71E-07	1.0E+06	4.7E-01
1041	4.3777	1.17E-02	5.1E-02	1.05E-03	5.36E-05	5.48E-02	1.57E-01	4.61E-07	1.0E+06	4.6E-01
1042	4.2463	1.17E-02	5.0E-02	1.05E-03	5.20E-05	5.48E-02	1.57E-01	4.47E-07	1.0E+06	4.5E-01
1043	4.08477	1.17E-02	4.8E-02	1.05E-03	5.00E-05	5.48E-02	1.57E-01	4.30E-07	1.0E+06	4.3E-01
1044	1.68719	1.17E-02	2.0E-02	1.05E-03	2.06E-05	5.48E-02	1.57E-01	1.78E-07	1.0E+06	1.8E-01
1045	1.75653	1.17E-02	2.1E-02	1.05E-03	2.15E-05	5.48E-02	1.57E-01	1.85E-07	1.0E+06	1.9E-01
1046	1.83016	1.17E-02	2.1E-02	1.05E-03	2.24E-05	5.48E-02	1.57E-01	1.93E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	1.17E-02	2.2E-02	1.05E-03	2.33E-05	5.48E-02	1.57E-01	2.00E-07	1.0E+06	2.0E-01
1048	1.97931	1.17E-02	2.3E-02	1.05E-03	2.42E-05	5.48E-02	1.57E-01	2.09E-07	1.0E+06	2.1E-01
1049	2.0613	1.17E-02	2.4E-02	1.05E-03	2.52E-05	5.48E-02	1.57E-01	2.17E-07	1.0E+06	2.2E-01
1050	2.14448	1.17E-02	2.5E-02	1.05E-03	2.62E-05	5.48E-02	1.57E-01	2.26E-07	1.0E+06	2.3E-01
1051	2.22969	1.17E-02	2.6E-02	1.05E-03	2.73E-05	5.48E-02	1.57E-01	2.35E-07	1.0E+06	2.3E-01
1052	2.3211	1.17E-02	2.7E-02	1.05E-03	2.84E-05	5.48E-02	1.57E-01	2.45E-07	1.0E+06	2.4E-01
1053	2.41857	1.17E-02	2.8E-02	1.05E-03	2.96E-05	5.48E-02	1.57E-01	2.55E-07	1.0E+06	2.5E-01
1054	2.52135	1.17E-02	3.0E-02	1.05E-03	3.09E-05	5.48E-02	1.57E-01	2.66E-07	1.0E+06	2.7E-01
1055	2.63026	1.17E-02	3.1E-02	1.05E-03	3.22E-05	5.48E-02	1.57E-01	2.77E-07	1.0E+06	2.8E-01
1056	2.74637	1.17E-02	3.2E-02	1.05E-03	3.36E-05	5.48E-02	1.57E-01	2.89E-07	1.0E+06	2.9E-01
1057	2.87138	1.17E-02	3.4E-02	1.05E-03	3.51E-05	5.48E-02	1.57E-01	3.03E-07	1.0E+06	3.0E-01
1058	3.00939	1.17E-02	3.5E-02	1.05E-03	3.68E-05	5.48E-02	1.57E-01	3.17E-07	1.0E+06	3.2E-01
1059	3.16046	1.17E-02	3.7E-02	1.05E-03	3.87E-05	5.48E-02	1.57E-01	3.33E-07	1.0E+06	3.3E-01
1060	3.32447	1.17E-02	3.9E-02	1.05E-03	4.07E-05	5.48E-02	1.57E-01	3.50E-07	1.0E+06	3.5E-01
1061	3.50138	1.17E-02	4.1E-02	1.05E-03	4.28E-05	5.48E-02	1.57E-01	3.69E-07	1.0E+06	3.7E-01
1062	3.69345	1.17E-02	4.3E-02	1.05E-03	4.52E-05	5.48E-02	1.57E-01	3.89E-07	1.0E+06	3.9E-01
1063	3.90012	1.17E-02	4.6E-02	1.05E-03	4.77E-05	5.48E-02	1.57E-01	4.11E-07	1.0E+06	4.1E-01
1064	4.11704	1.17E-02	4.8E-02	1.05E-03	5.04E-05	5.48E-02	1.57E-01	4.34E-07	1.0E+06	4.3E-01
1065	4.34138	1.17E-02	5.1E-02	1.05E-03	5.31E-05	5.48E-02	1.57E-01	4.57E-07	1.0E+06	4.6E-01
1066	4.56573	1.17E-02	5.3E-02	1.05E-03	5.59E-05	5.48E-02	1.57E-01	4.81E-07	1.0E+06	4.8E-01
1067	4.78179	1.17E-02	5.6E-02	1.05E-03	5.85E-05	5.48E-02	1.57E-01	5.04E-07	1.0E+06	5.0E-01
1068	4.97805	1.17E-02	5.8E-02	1.05E-03	6.09E-05	5.48E-02	1.57E-01	5.25E-07	1.0E+06	5.2E-01
1069	5.142	1.17E-02	6.0E-02	1.05E-03	6.29E-05	5.48E-02	1.57E-01	5.42E-07	1.0E+06	5.4E-01
1070	5.26826	1.17E-02	6.2E-02	1.05E-03	6.45E-05	5.48E-02	1.57E-01	5.55E-07	1.0E+06	5.6E-01
1071	5.34837	1.17E-02	6.3E-02	1.05E-03	6.54E-05	5.48E-02	1.57E-01	5.64E-07	1.0E+06	5.6E-01
1072	5.37264	1.17E-02	6.3E-02	1.05E-03	6.57E-05	5.48E-02	1.57E-01	5.66E-07	1.0E+06	5.7E-01
1073	5.34517	1.17E-02	6.3E-02	1.05E-03	6.54E-05	5.48E-02	1.57E-01	5.63E-07	1.0E+06	5.6E-01
1074	5.26473	1.17E-02	6.2E-02	1.05E-03	6.44E-05	5.48E-02	1.57E-01	5.55E-07	1.0E+06	5.5E-01
1075	5.12805	1.17E-02	6.0E-02	1.05E-03	6.28E-05	5.48E-02	1.57E-01	5.40E-07	1.0E+06	5.4E-01
1076	4.9404	1.17E-02	5.8E-02	1.05E-03	6.05E-05	5.48E-02	1.57E-01	5.21E-07	1.0E+06	5.2E-01
1077	4.71126	1.17E-02	5.5E-02	1.05E-03	5.77E-05	5.48E-02	1.57E-01	4.96E-07	1.0E+06	5.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	1.17E-02	2.1E-02	1.05E-03	2.19E-05	5.48E-02	1.57E-01	1.89E-07	1.0E+06	1.9E-01
1079	1.86905	1.17E-02	2.2E-02	1.05E-03	2.29E-05	5.48E-02	1.57E-01	1.97E-07	1.0E+06	2.0E-01
1080	1.95087	1.17E-02	2.3E-02	1.05E-03	2.39E-05	5.48E-02	1.57E-01	2.06E-07	1.0E+06	2.1E-01
1081	2.03097	1.17E-02	2.4E-02	1.05E-03	2.49E-05	5.48E-02	1.57E-01	2.14E-07	1.0E+06	2.1E-01
1082	2.11709	1.17E-02	2.5E-02	1.05E-03	2.59E-05	5.48E-02	1.57E-01	2.23E-07	1.0E+06	2.2E-01
1083	2.2085	1.17E-02	2.6E-02	1.05E-03	2.70E-05	5.48E-02	1.57E-01	2.33E-07	1.0E+06	2.3E-01
1084	2.3035	1.17E-02	2.7E-02	1.05E-03	2.82E-05	5.48E-02	1.57E-01	2.43E-07	1.0E+06	2.4E-01
1085	2.39687	1.17E-02	2.8E-02	1.05E-03	2.93E-05	5.48E-02	1.57E-01	2.53E-07	1.0E+06	2.5E-01
1086	2.49947	1.17E-02	2.9E-02	1.05E-03	3.06E-05	5.48E-02	1.57E-01	2.63E-07	1.0E+06	2.6E-01
1087	2.6091	1.17E-02	3.1E-02	1.05E-03	3.19E-05	5.48E-02	1.57E-01	2.75E-07	1.0E+06	2.7E-01
1088	2.72531	1.17E-02	3.2E-02	1.05E-03	3.33E-05	5.48E-02	1.57E-01	2.87E-07	1.0E+06	2.9E-01
1089	2.8493	1.17E-02	3.3E-02	1.05E-03	3.49E-05	5.48E-02	1.57E-01	3.00E-07	1.0E+06	3.0E-01
1090	2.98273	1.17E-02	3.5E-02	1.05E-03	3.65E-05	5.48E-02	1.57E-01	3.14E-07	1.0E+06	3.1E-01
1091	3.12782	1.17E-02	3.7E-02	1.05E-03	3.83E-05	5.48E-02	1.57E-01	3.30E-07	1.0E+06	3.3E-01
1092	3.2898	1.17E-02	3.9E-02	1.05E-03	4.03E-05	5.48E-02	1.57E-01	3.47E-07	1.0E+06	3.5E-01
1093	3.4702	1.17E-02	4.1E-02	1.05E-03	4.25E-05	5.48E-02	1.57E-01	3.66E-07	1.0E+06	3.7E-01
1094	3.67038	1.17E-02	4.3E-02	1.05E-03	4.49E-05	5.48E-02	1.57E-01	3.87E-07	1.0E+06	3.9E-01
1095	3.89235	1.17E-02	4.6E-02	1.05E-03	4.76E-05	5.48E-02	1.57E-01	4.10E-07	1.0E+06	4.1E-01
1096	4.14004	1.17E-02	4.8E-02	1.05E-03	5.07E-05	5.48E-02	1.57E-01	4.36E-07	1.0E+06	4.4E-01
1097	4.41279	1.17E-02	5.2E-02	1.05E-03	5.40E-05	5.48E-02	1.57E-01	4.65E-07	1.0E+06	4.6E-01
1098	4.70698	1.17E-02	5.5E-02	1.05E-03	5.76E-05	5.48E-02	1.57E-01	4.96E-07	1.0E+06	5.0E-01
1099	5.01782	1.17E-02	5.9E-02	1.05E-03	6.14E-05	5.48E-02	1.57E-01	5.29E-07	1.0E+06	5.3E-01
1100	5.33334	1.17E-02	6.2E-02	1.05E-03	6.53E-05	5.48E-02	1.57E-01	5.62E-07	1.0E+06	5.6E-01
1101	5.63956	1.17E-02	6.6E-02	1.05E-03	6.90E-05	5.48E-02	1.57E-01	5.94E-07	1.0E+06	5.9E-01
1102	5.92318	1.17E-02	6.9E-02	1.05E-03	7.25E-05	5.48E-02	1.57E-01	6.24E-07	1.0E+06	6.2E-01
1103	6.15976	1.17E-02	7.2E-02	1.05E-03	7.54E-05	5.48E-02	1.57E-01	6.49E-07	1.0E+06	6.5E-01
1104	6.33917	1.17E-02	7.4E-02	1.05E-03	7.76E-05	5.48E-02	1.57E-01	6.68E-07	1.0E+06	6.7E-01
1105	6.45005	1.17E-02	7.6E-02	1.05E-03	7.89E-05	5.48E-02	1.57E-01	6.80E-07	1.0E+06	6.8E-01
1106	6.4842	1.17E-02	7.6E-02	1.05E-03	7.93E-05	5.48E-02	1.57E-01	6.83E-07	1.0E+06	6.8E-01
1107	6.44643	1.17E-02	7.5E-02	1.05E-03	7.89E-05	5.48E-02	1.57E-01	6.79E-07	1.0E+06	6.8E-01
1108	6.33	1.17E-02	7.4E-02	1.05E-03	7.75E-05	5.48E-02	1.57E-01	6.67E-07	1.0E+06	6.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	1.17E-02	7.2E-02	1.05E-03	7.50E-05	5.48E-02	1.57E-01	6.46E-07	1.0E+06	6.5E-01
1110	5.84948	1.17E-02	6.8E-02	1.05E-03	7.16E-05	5.48E-02	1.57E-01	6.16E-07	1.0E+06	6.2E-01
1111	5.51509	1.17E-02	6.5E-02	1.05E-03	6.75E-05	5.48E-02	1.57E-01	5.81E-07	1.0E+06	5.8E-01
1112	1.90754	1.17E-02	2.2E-02	1.05E-03	2.33E-05	5.48E-02	1.57E-01	2.01E-07	1.0E+06	2.0E-01
1113	1.99395	1.17E-02	2.3E-02	1.05E-03	2.44E-05	5.48E-02	1.57E-01	2.10E-07	1.0E+06	2.1E-01
1114	2.08392	1.17E-02	2.4E-02	1.05E-03	2.55E-05	5.48E-02	1.57E-01	2.20E-07	1.0E+06	2.2E-01
1115	2.17568	1.17E-02	2.5E-02	1.05E-03	2.66E-05	5.48E-02	1.57E-01	2.29E-07	1.0E+06	2.3E-01
1116	2.26975	1.17E-02	2.7E-02	1.05E-03	2.78E-05	5.48E-02	1.57E-01	2.39E-07	1.0E+06	2.4E-01
1117	2.37171	1.17E-02	2.8E-02	1.05E-03	2.90E-05	5.48E-02	1.57E-01	2.50E-07	1.0E+06	2.5E-01
1118	2.47776	1.17E-02	2.9E-02	1.05E-03	3.03E-05	5.48E-02	1.57E-01	2.61E-07	1.0E+06	2.6E-01
1119	2.58252	1.17E-02	3.0E-02	1.05E-03	3.16E-05	5.48E-02	1.57E-01	2.72E-07	1.0E+06	2.7E-01
1120	2.69744	1.17E-02	3.2E-02	1.05E-03	3.30E-05	5.48E-02	1.57E-01	2.84E-07	1.0E+06	2.8E-01
1121	2.82046	1.17E-02	3.3E-02	1.05E-03	3.45E-05	5.48E-02	1.57E-01	2.97E-07	1.0E+06	3.0E-01
1122	2.95147	1.17E-02	3.5E-02	1.05E-03	3.61E-05	5.48E-02	1.57E-01	3.11E-07	1.0E+06	3.1E-01
1123	3.09213	1.17E-02	3.6E-02	1.05E-03	3.78E-05	5.48E-02	1.57E-01	3.26E-07	1.0E+06	3.3E-01
1124	3.24473	1.17E-02	3.8E-02	1.05E-03	3.97E-05	5.48E-02	1.57E-01	3.42E-07	1.0E+06	3.4E-01
1125	3.41259	1.17E-02	4.0E-02	1.05E-03	4.18E-05	5.48E-02	1.57E-01	3.60E-07	1.0E+06	3.6E-01
1126	3.60217	1.17E-02	4.2E-02	1.05E-03	4.41E-05	5.48E-02	1.57E-01	3.80E-07	1.0E+06	3.8E-01
1127	3.81712	1.17E-02	4.5E-02	1.05E-03	4.67E-05	5.48E-02	1.57E-01	4.02E-07	1.0E+06	4.0E-01
1128	4.0622	1.17E-02	4.8E-02	1.05E-03	4.97E-05	5.48E-02	1.57E-01	4.28E-07	1.0E+06	4.3E-01
1129	4.34181	1.17E-02	5.1E-02	1.05E-03	5.31E-05	5.48E-02	1.57E-01	4.57E-07	1.0E+06	4.6E-01
1130	4.66524	1.17E-02	5.5E-02	1.05E-03	5.71E-05	5.48E-02	1.57E-01	4.92E-07	1.0E+06	4.9E-01
1131	5.03357	1.17E-02	5.9E-02	1.05E-03	6.16E-05	5.48E-02	1.57E-01	5.30E-07	1.0E+06	5.3E-01
1132	5.44589	1.17E-02	6.4E-02	1.05E-03	6.66E-05	5.48E-02	1.57E-01	5.74E-07	1.0E+06	5.7E-01
1133	5.89285	1.17E-02	6.9E-02	1.05E-03	7.21E-05	5.48E-02	1.57E-01	6.21E-07	1.0E+06	6.2E-01
1134	6.35095	1.17E-02	7.4E-02	1.05E-03	7.77E-05	5.48E-02	1.57E-01	6.69E-07	1.0E+06	6.7E-01
1135	6.79794	1.17E-02	8.0E-02	1.05E-03	8.32E-05	5.48E-02	1.57E-01	7.16E-07	1.0E+06	7.2E-01
1136	7.22023	1.17E-02	8.5E-02	1.05E-03	8.84E-05	5.48E-02	1.57E-01	7.61E-07	1.0E+06	7.6E-01
1137	7.57481	1.17E-02	8.9E-02	1.05E-03	9.27E-05	5.48E-02	1.57E-01	7.98E-07	1.0E+06	8.0E-01
1138	7.83292	1.17E-02	9.2E-02	1.05E-03	9.59E-05	5.48E-02	1.57E-01	8.25E-07	1.0E+06	8.3E-01
1139	7.97995	1.17E-02	9.3E-02	1.05E-03	9.77E-05	5.48E-02	1.57E-01	8.41E-07	1.0E+06	8.4E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	1.17E-02	9.4E-02	1.05E-03	9.83E-05	5.48E-02	1.57E-01	8.46E-07	1.0E+06	8.5E-01
1141	7.98973	1.17E-02	9.4E-02	1.05E-03	9.78E-05	5.48E-02	1.57E-01	8.42E-07	1.0E+06	8.4E-01
1142	7.81875	1.17E-02	9.2E-02	1.05E-03	9.57E-05	5.48E-02	1.57E-01	8.24E-07	1.0E+06	8.2E-01
1143	7.50412	1.17E-02	8.8E-02	1.05E-03	9.18E-05	5.48E-02	1.57E-01	7.91E-07	1.0E+06	7.9E-01
1144	7.07481	1.17E-02	8.3E-02	1.05E-03	8.66E-05	5.48E-02	1.57E-01	7.45E-07	1.0E+06	7.5E-01
1145	6.56874	1.17E-02	7.7E-02	1.05E-03	8.04E-05	5.48E-02	1.57E-01	6.92E-07	1.0E+06	6.9E-01
1146	2.03453	1.17E-02	2.4E-02	1.05E-03	2.49E-05	5.48E-02	1.57E-01	2.14E-07	1.0E+06	2.1E-01
1147	2.13247	1.17E-02	2.5E-02	1.05E-03	2.61E-05	5.48E-02	1.57E-01	2.25E-07	1.0E+06	2.2E-01
1148	2.23163	1.17E-02	2.6E-02	1.05E-03	2.73E-05	5.48E-02	1.57E-01	2.35E-07	1.0E+06	2.4E-01
1149	2.33656	1.17E-02	2.7E-02	1.05E-03	2.86E-05	5.48E-02	1.57E-01	2.46E-07	1.0E+06	2.5E-01
1150	2.44222	1.17E-02	2.9E-02	1.05E-03	2.99E-05	5.48E-02	1.57E-01	2.57E-07	1.0E+06	2.6E-01
1151	2.55404	1.17E-02	3.0E-02	1.05E-03	3.13E-05	5.48E-02	1.57E-01	2.69E-07	1.0E+06	2.7E-01
1152	2.67247	1.17E-02	3.1E-02	1.05E-03	3.27E-05	5.48E-02	1.57E-01	2.82E-07	1.0E+06	2.8E-01
1153	2.79193	1.17E-02	3.3E-02	1.05E-03	3.42E-05	5.48E-02	1.57E-01	2.94E-07	1.0E+06	2.9E-01
1154	2.91823	1.17E-02	3.4E-02	1.05E-03	3.57E-05	5.48E-02	1.57E-01	3.07E-07	1.0E+06	3.1E-01
1155	3.05585	1.17E-02	3.6E-02	1.05E-03	3.74E-05	5.48E-02	1.57E-01	3.22E-07	1.0E+06	3.2E-01
1156	3.20293	1.17E-02	3.7E-02	1.05E-03	3.92E-05	5.48E-02	1.57E-01	3.37E-07	1.0E+06	3.4E-01
1157	3.36173	1.17E-02	3.9E-02	1.05E-03	4.11E-05	5.48E-02	1.57E-01	3.54E-07	1.0E+06	3.5E-01
1158	3.53541	1.17E-02	4.1E-02	1.05E-03	4.33E-05	5.48E-02	1.57E-01	3.73E-07	1.0E+06	3.7E-01
1159	3.7286	1.17E-02	4.4E-02	1.05E-03	4.56E-05	5.48E-02	1.57E-01	3.93E-07	1.0E+06	3.9E-01
1160	3.94893	1.17E-02	4.6E-02	1.05E-03	4.83E-05	5.48E-02	1.57E-01	4.16E-07	1.0E+06	4.2E-01
1161	4.20347	1.17E-02	4.9E-02	1.05E-03	5.14E-05	5.48E-02	1.57E-01	4.43E-07	1.0E+06	4.4E-01
1162	4.50184	1.17E-02	5.3E-02	1.05E-03	5.51E-05	5.48E-02	1.57E-01	4.74E-07	1.0E+06	4.7E-01
1163	4.85509	1.17E-02	5.7E-02	1.05E-03	5.94E-05	5.48E-02	1.57E-01	5.12E-07	1.0E+06	5.1E-01
1164	5.28071	1.17E-02	6.2E-02	1.05E-03	6.46E-05	5.48E-02	1.57E-01	5.56E-07	1.0E+06	5.6E-01
1165	5.79017	1.17E-02	6.8E-02	1.05E-03	7.09E-05	5.48E-02	1.57E-01	6.10E-07	1.0E+06	6.1E-01
1166	6.38984	1.17E-02	7.5E-02	1.05E-03	7.82E-05	5.48E-02	1.57E-01	6.73E-07	1.0E+06	6.7E-01
1167	7.06432	1.17E-02	8.3E-02	1.05E-03	8.64E-05	5.48E-02	1.57E-01	7.44E-07	1.0E+06	7.4E-01
1168	6.38019	1.17E-02	7.5E-02	1.05E-03	7.81E-05	5.48E-02	1.57E-01	6.72E-07	1.0E+06	6.7E-01
1169	8.41857	1.17E-02	9.9E-02	1.05E-03	1.03E-04	5.48E-02	1.57E-01	8.87E-07	1.0E+06	8.9E-01
1170	7.5517	1.17E-02	8.8E-02	1.05E-03	9.24E-05	5.48E-02	1.57E-01	7.96E-07	1.0E+06	8.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	1.17E-02	9.2E-02	1.05E-03	9.59E-05	5.48E-02	1.57E-01	8.26E-07	1.0E+06	8.3E-01
1172	8.1392	1.17E-02	9.5E-02	1.05E-03	9.96E-05	5.48E-02	1.57E-01	8.58E-07	1.0E+06	8.6E-01
1173	8.48934	1.17E-02	9.9E-02	1.05E-03	1.04E-04	5.48E-02	1.57E-01	8.94E-07	1.0E+06	8.9E-01
1174	8.63871	1.17E-02	1.0E-01	1.05E-03	1.06E-04	5.48E-02	1.57E-01	9.10E-07	1.0E+06	9.1E-01
1175	8.32856	1.17E-02	9.8E-02	1.05E-03	1.02E-04	5.48E-02	1.57E-01	8.78E-07	1.0E+06	8.8E-01
1176	8.01684	1.17E-02	9.4E-02	1.05E-03	9.81E-05	5.48E-02	1.57E-01	8.45E-07	1.0E+06	8.4E-01
1177	7.68924	1.17E-02	9.0E-02	1.05E-03	9.41E-05	5.48E-02	1.57E-01	8.10E-07	1.0E+06	8.1E-01
1178	5.9706	1.17E-02	7.0E-02	1.05E-03	7.31E-05	5.48E-02	1.57E-01	6.29E-07	1.0E+06	6.3E-01
1179	6.57107	1.17E-02	7.7E-02	1.05E-03	8.04E-05	5.48E-02	1.57E-01	6.92E-07	1.0E+06	6.9E-01
1180	2.17552	1.17E-02	2.5E-02	1.05E-03	2.66E-05	5.48E-02	1.57E-01	2.29E-07	1.0E+06	2.3E-01
1181	2.28576	1.17E-02	2.7E-02	1.05E-03	2.80E-05	5.48E-02	1.57E-01	2.41E-07	1.0E+06	2.4E-01
1182	2.39727	1.17E-02	2.8E-02	1.05E-03	2.93E-05	5.48E-02	1.57E-01	2.53E-07	1.0E+06	2.5E-01
1183	2.51595	1.17E-02	2.9E-02	1.05E-03	3.08E-05	5.48E-02	1.57E-01	2.65E-07	1.0E+06	2.7E-01
1184	2.63399	1.17E-02	3.1E-02	1.05E-03	3.22E-05	5.48E-02	1.57E-01	2.78E-07	1.0E+06	2.8E-01
1185	2.7595	1.17E-02	3.2E-02	1.05E-03	3.38E-05	5.48E-02	1.57E-01	2.91E-07	1.0E+06	2.9E-01
1186	2.89193	1.17E-02	3.4E-02	1.05E-03	3.54E-05	5.48E-02	1.57E-01	3.05E-07	1.0E+06	3.0E-01
1187	3.02979	1.17E-02	3.5E-02	1.05E-03	3.71E-05	5.48E-02	1.57E-01	3.19E-07	1.0E+06	3.2E-01
1188	3.16867	1.17E-02	3.7E-02	1.05E-03	3.88E-05	5.48E-02	1.57E-01	3.34E-07	1.0E+06	3.3E-01
1189	3.32023	1.17E-02	3.9E-02	1.05E-03	4.06E-05	5.48E-02	1.57E-01	3.50E-07	1.0E+06	3.5E-01
1190	3.48447	1.17E-02	4.1E-02	1.05E-03	4.26E-05	5.48E-02	1.57E-01	3.67E-07	1.0E+06	3.7E-01
1191	3.66265	1.17E-02	4.3E-02	1.05E-03	4.48E-05	5.48E-02	1.57E-01	3.86E-07	1.0E+06	3.9E-01
1192	3.85875	1.17E-02	4.5E-02	1.05E-03	4.72E-05	5.48E-02	1.57E-01	4.07E-07	1.0E+06	4.1E-01
1193	4.07907	1.17E-02	4.8E-02	1.05E-03	4.99E-05	5.48E-02	1.57E-01	4.30E-07	1.0E+06	4.3E-01
1194	4.33265	1.17E-02	5.1E-02	1.05E-03	5.30E-05	5.48E-02	1.57E-01	4.57E-07	1.0E+06	4.6E-01
1195	4.6314	1.17E-02	5.4E-02	1.05E-03	5.67E-05	5.48E-02	1.57E-01	4.88E-07	1.0E+06	4.9E-01
1196	4.99103	1.17E-02	5.8E-02	1.05E-03	6.11E-05	5.48E-02	1.57E-01	5.26E-07	1.0E+06	5.3E-01
1197	5.43436	1.17E-02	6.4E-02	1.05E-03	6.65E-05	5.48E-02	1.57E-01	5.73E-07	1.0E+06	5.7E-01
1198	5.99494	1.17E-02	7.0E-02	1.05E-03	7.34E-05	5.48E-02	1.57E-01	6.32E-07	1.0E+06	6.3E-01
1199	6.70943	1.17E-02	7.9E-02	1.05E-03	8.21E-05	5.48E-02	1.57E-01	7.07E-07	1.0E+06	7.1E-01
1200	6.07919	1.17E-02	7.1E-02	1.05E-03	7.44E-05	5.48E-02	1.57E-01	6.41E-07	1.0E+06	6.4E-01
1201	6.72457	1.17E-02	7.9E-02	1.05E-03	8.23E-05	5.48E-02	1.57E-01	7.09E-07	1.0E+06	7.1E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

		Cancer Risk from Birth to 2 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	1.17E-02	8.8E-02	1.05E-03	9.25E-05	5.48E-02	1.57E-01	7.96E-07	1.0E+06	8.0E-01
1203	6.99298	1.17E-02	8.2E-02	1.05E-03	8.56E-05	5.48E-02	1.57E-01	7.37E-07	1.0E+06	7.4E-01
1204	7.66017	1.17E-02	9.0E-02	1.05E-03	9.37E-05	5.48E-02	1.57E-01	8.07E-07	1.0E+06	8.1E-01
1205	9.76139	1.17E-02	1.1E-01	1.05E-03	1.19E-04	5.48E-02	1.57E-01	1.03E-06	1.0E+06	1.0E+00
1206	8.83169	1.17E-02	1.0E-01	1.05E-03	1.08E-04	5.48E-02	1.57E-01	9.31E-07	1.0E+06	9.3E-01
1207	9.02331	1.17E-02	1.1E-01	1.05E-03	1.10E-04	5.48E-02	1.57E-01	9.51E-07	1.0E+06	9.5E-01
1208	7.72726	1.17E-02	9.0E-02	1.05E-03	9.46E-05	5.48E-02	1.57E-01	8.14E-07	1.0E+06	8.1E-01
1209	8.9362	1.17E-02	1.0E-01	1.05E-03	1.09E-04	5.48E-02	1.57E-01	9.42E-07	1.0E+06	9.4E-01
1210	7.16039	1.17E-02	8.4E-02	1.05E-03	8.76E-05	5.48E-02	1.57E-01	7.54E-07	1.0E+06	7.5E-01
1211	6.44491	1.17E-02	7.5E-02	1.05E-03	7.89E-05	5.48E-02	1.57E-01	6.79E-07	1.0E+06	6.8E-01
1212	7.05356	1.17E-02	8.3E-02	1.05E-03	8.63E-05	5.48E-02	1.57E-01	7.43E-07	1.0E+06	7.4E-01
1213	6.23474	1.17E-02	7.3E-02	1.05E-03	7.63E-05	5.48E-02	1.57E-01	6.57E-07	1.0E+06	6.6E-01

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	5.44E-03
893	5	5.59E-03
894	5	5.73E-03
895	5	5.87E-03
896	5	5.99E-03
897	5	6.10E-03
898	5	6.19E-03
899	5	6.26E-03
900	5	6.30E-03
901	5	6.32E-03
902	5	6.30E-03
903	5	6.25E-03
904	5	6.18E-03
905	5	6.07E-03
906	5	5.94E-03
907	5	5.80E-03
908	5	3.15E-03
909	5	3.26E-03
910	5	3.37E-03
911	5	3.48E-03
912	5	3.60E-03
913	5	3.73E-03
914	5	3.85E-03
915	5	3.98E-03
916	5	4.12E-03
917	5	4.26E-03
918	5	4.41E-03
919	5	4.56E-03
920	5	4.71E-03
921	5	4.88E-03
922	5	5.05E-03

Max	Receptor #	
0.023	1205	Res

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	5.22E-03
924	5	5.40E-03
925	5	5.59E-03
926	5	5.78E-03
927	5	5.96E-03
928	5	6.15E-03
929	5	6.33E-03
930	5	6.50E-03
931	5	6.66E-03
932	5	6.80E-03
933	5	6.91E-03
934	5	7.00E-03
935	5	7.06E-03
936	5	7.08E-03
937	5	7.06E-03
938	5	7.00E-03
939	5	6.90E-03
940	5	6.77E-03
941	5	6.60E-03
942	5	3.32E-03
943	5	3.45E-03
944	5	3.57E-03
945	5	3.69E-03
946	5	3.83E-03
947	5	3.97E-03
948	5	4.11E-03
949	5	4.25E-03
950	5	4.40E-03
951	5	4.56E-03
952	5	4.73E-03
953	5	4.90E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	5.08E-03
955	5	5.27E-03
956	5	5.47E-03
957	5	5.68E-03
958	5	5.89E-03
959	5	6.11E-03
960	5	6.34E-03
961	5	6.58E-03
962	5	6.81E-03
963	5	7.04E-03
964	5	7.26E-03
965	5	7.47E-03
966	5	7.64E-03
967	5	7.79E-03
968	5	7.91E-03
969	5	7.98E-03
970	5	8.01E-03
971	5	7.99E-03
972	5	7.91E-03
973	5	7.79E-03
974	5	7.62E-03
975	5	7.41E-03
976	5	3.52E-03
977	5	3.65E-03
978	5	3.79E-03
979	5	3.92E-03
980	5	4.07E-03
981	5	4.23E-03
982	5	4.39E-03
983	5	4.54E-03
984	5	4.71E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	4.89E-03
986	5	5.08E-03
987	5	5.28E-03
988	5	5.48E-03
989	5	5.70E-03
990	5	5.93E-03
991	5	6.18E-03
992	5	6.44E-03
993	5	6.71E-03
994	5	7.00E-03
995	5	7.29E-03
996	5	7.59E-03
997	5	7.88E-03
998	5	8.17E-03
999	5	8.44E-03
1000	5	8.68E-03
1001	5	8.88E-03
1002	5	9.04E-03
1003	5	9.14E-03
1004	5	9.17E-03
1005	5	9.14E-03
1006	5	9.04E-03
1007	5	8.88E-03
1008	5	8.66E-03
1009	5	8.38E-03
1010	5	3.72E-03
1011	5	3.87E-03
1012	5	4.02E-03
1013	5	4.18E-03
1014	5	4.34E-03
1015	5	4.51E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	4.69E-03
1017	5	4.86E-03
1018	5	5.06E-03
1019	5	5.26E-03
1020	5	5.47E-03
1021	5	5.70E-03
1022	5	5.93E-03
1023	5	6.18E-03
1024	5	6.46E-03
1025	5	6.76E-03
1026	5	7.07E-03
1027	5	7.40E-03
1028	5	7.76E-03
1029	5	8.13E-03
1030	5	8.52E-03
1031	5	8.91E-03
1032	5	9.29E-03
1033	5	9.66E-03
1034	5	9.98E-03
1035	5	1.03E-02
1036	5	1.05E-02
1037	5	1.06E-02
1038	5	1.06E-02
1039	5	1.06E-02
1040	5	1.05E-02
1041	5	1.03E-02
1042	5	9.94E-03
1043	5	9.56E-03
1044	5	3.95E-03
1045	5	4.11E-03
1046	5	4.29E-03

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	4.45E-03
1048	5	4.63E-03
1049	5	4.83E-03
1050	5	5.02E-03
1051	5	5.22E-03
1052	5	5.43E-03
1053	5	5.66E-03
1054	5	5.90E-03
1055	5	6.16E-03
1056	5	6.43E-03
1057	5	6.72E-03
1058	5	7.05E-03
1059	5	7.40E-03
1060	5	7.78E-03
1061	5	8.20E-03
1062	5	8.65E-03
1063	5	9.13E-03
1064	5	9.64E-03
1065	5	1.02E-02
1066	5	1.07E-02
1067	5	1.12E-02
1068	5	1.17E-02
1069	5	1.20E-02
1070	5	1.23E-02
1071	5	1.25E-02
1072	5	1.26E-02
1073	5	1.25E-02
1074	5	1.23E-02
1075	5	1.20E-02
1076	5	1.16E-02
1077	5	1.10E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	4.20E-03
1079	5	4.38E-03
1080	5	4.57E-03
1081	5	4.76E-03
1082	5	4.96E-03
1083	5	5.17E-03
1084	5	5.39E-03
1085	5	5.61E-03
1086	5	5.85E-03
1087	5	6.11E-03
1088	5	6.38E-03
1089	5	6.67E-03
1090	5	6.98E-03
1091	5	7.32E-03
1092	5	7.70E-03
1093	5	8.13E-03
1094	5	8.59E-03
1095	5	9.11E-03
1096	5	9.69E-03
1097	5	1.03E-02
1098	5	1.10E-02
1099	5	1.17E-02
1100	5	1.25E-02
1101	5	1.32E-02
1102	5	1.39E-02
1103	5	1.44E-02
1104	5	1.48E-02
1105	5	1.51E-02
1106	5	1.52E-02
1107	5	1.51E-02
1108	5	1.48E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	1.43E-02
1110	5	1.37E-02
1111	5	1.29E-02
1112	5	4.47E-03
1113	5	4.67E-03
1114	5	4.88E-03
1115	5	5.09E-03
1116	5	5.31E-03
1117	5	5.55E-03
1118	5	5.80E-03
1119	5	6.05E-03
1120	5	6.32E-03
1121	5	6.60E-03
1122	5	6.91E-03
1123	5	7.24E-03
1124	5	7.60E-03
1125	5	7.99E-03
1126	5	8.43E-03
1127	5	8.94E-03
1128	5	9.51E-03
1129	5	1.02E-02
1130	5	1.09E-02
1131	5	1.18E-02
1132	5	1.28E-02
1133	5	1.38E-02
1134	5	1.49E-02
1135	5	1.59E-02
1136	5	1.69E-02
1137	5	1.77E-02
1138	5	1.83E-02
1139	5	1.87E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	1.88E-02
1141	5	1.87E-02
1142	5	1.83E-02
1143	5	1.76E-02
1144	5	1.66E-02
1145	5	1.54E-02
1146	5	4.76E-03
1147	5	4.99E-03
1148	5	5.23E-03
1149	5	5.47E-03
1150	5	5.72E-03
1151	5	5.98E-03
1152	5	6.26E-03
1153	5	6.54E-03
1154	5	6.83E-03
1155	5	7.16E-03
1156	5	7.50E-03
1157	5	7.87E-03
1158	5	8.28E-03
1159	5	8.73E-03
1160	5	9.25E-03
1161	5	9.84E-03
1162	5	1.05E-02
1163	5	1.14E-02
1164	5	1.24E-02
1165	5	1.36E-02
1166	5	1.50E-02
1167	5	1.65E-02
1168	5	1.49E-02
1169	5	1.97E-02
1170	5	1.77E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	1.83E-02
1172	5	1.91E-02
1173	5	1.99E-02
1174	5	2.02E-02
1175	5	1.95E-02
1176	5	1.88E-02
1177	5	1.80E-02
1178	5	1.40E-02
1179	5	1.54E-02
1180	5	5.09E-03
1181	5	5.35E-03
1182	5	5.61E-03
1183	5	5.89E-03
1184	5	6.17E-03
1185	5	6.46E-03
1186	5	6.77E-03
1187	5	7.09E-03
1188	5	7.42E-03
1189	5	7.77E-03
1190	5	8.16E-03
1191	5	8.58E-03
1192	5	9.04E-03
1193	5	9.55E-03
1194	5	1.01E-02
1195	5	1.08E-02
1196	5	1.17E-02
1197	5	1.27E-02
1198	5	1.40E-02
1199	5	1.57E-02
1200	5	1.42E-02
1201	5	1.57E-02

One San Pedro Specific Plan
Unmitigated - Planning Area 3 - Paving Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	1.77E-02
1203	5	1.64E-02
1204	5	1.79E-02
1205	5	2.29E-02
1206	5	2.07E-02
1207	5	2.11E-02
1208	5	1.81E-02
1209	5	2.09E-02
1210	5	1.68E-02
1211	5	1.51E-02
1212	5	1.65E-02
1213	5	1.46E-02

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
892	2.3212	3.38E-03	7.9E-03	6.05E-04	4.75E-06	9.21E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
893	2.38542	3.38E-03	8.1E-03	6.05E-04	4.88E-06	9.21E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
894	2.44758	3.38E-03	8.3E-03	6.05E-04	5.01E-06	9.21E-01	4.71E-02	2.18E-07	1.0E+06	2.2E-01
895	2.50618	3.38E-03	8.5E-03	6.05E-04	5.13E-06	9.21E-01	4.71E-02	2.23E-07	1.0E+06	2.2E-01
896	2.55908	3.38E-03	8.7E-03	6.05E-04	5.24E-06	9.21E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
897	2.60474	3.38E-03	8.8E-03	6.05E-04	5.33E-06	9.21E-01	4.71E-02	2.32E-07	1.0E+06	2.3E-01
898	2.64253	3.38E-03	8.9E-03	6.05E-04	5.41E-06	9.21E-01	4.71E-02	2.35E-07	1.0E+06	2.3E-01
899	2.67158	3.38E-03	9.0E-03	6.05E-04	5.47E-06	9.21E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
900	2.69069	3.38E-03	9.1E-03	6.05E-04	5.51E-06	9.21E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
901	2.69844	3.38E-03	9.1E-03	6.05E-04	5.52E-06	9.21E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
902	2.69171	3.38E-03	9.1E-03	6.05E-04	5.51E-06	9.21E-01	4.71E-02	2.39E-07	1.0E+06	2.4E-01
903	2.6708	3.38E-03	9.0E-03	6.05E-04	5.47E-06	9.21E-01	4.71E-02	2.37E-07	1.0E+06	2.4E-01
904	2.63764	3.38E-03	8.9E-03	6.05E-04	5.40E-06	9.21E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
905	2.59313	3.38E-03	8.8E-03	6.05E-04	5.31E-06	9.21E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
906	2.53783	3.38E-03	8.6E-03	6.05E-04	5.19E-06	9.21E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
907	2.47822	3.38E-03	8.4E-03	6.05E-04	5.07E-06	9.21E-01	4.71E-02	2.20E-07	1.0E+06	2.2E-01
908	1.34378	3.38E-03	4.5E-03	6.05E-04	2.75E-06	9.21E-01	4.71E-02	1.19E-07	1.0E+06	1.2E-01
909	1.39182	3.38E-03	4.7E-03	6.05E-04	2.85E-06	9.21E-01	4.71E-02	1.24E-07	1.0E+06	1.2E-01
910	1.43801	3.38E-03	4.9E-03	6.05E-04	2.94E-06	9.21E-01	4.71E-02	1.28E-07	1.0E+06	1.3E-01
911	1.4874	3.38E-03	5.0E-03	6.05E-04	3.04E-06	9.21E-01	4.71E-02	1.32E-07	1.0E+06	1.3E-01
912	1.53931	3.38E-03	5.2E-03	6.05E-04	3.15E-06	9.21E-01	4.71E-02	1.37E-07	1.0E+06	1.4E-01
913	1.59264	3.38E-03	5.4E-03	6.05E-04	3.26E-06	9.21E-01	4.71E-02	1.42E-07	1.0E+06	1.4E-01
914	1.64626	3.38E-03	5.6E-03	6.05E-04	3.37E-06	9.21E-01	4.71E-02	1.46E-07	1.0E+06	1.5E-01
915	1.70051	3.38E-03	5.8E-03	6.05E-04	3.48E-06	9.21E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
916	1.75782	3.38E-03	5.9E-03	6.05E-04	3.60E-06	9.21E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
917	1.81857	3.38E-03	6.2E-03	6.05E-04	3.72E-06	9.21E-01	4.71E-02	1.62E-07	1.0E+06	1.6E-01
918	1.88138	3.38E-03	6.4E-03	6.05E-04	3.85E-06	9.21E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
919	1.9463	3.38E-03	6.6E-03	6.05E-04	3.98E-06	9.21E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
920	2.01351	3.38E-03	6.8E-03	6.05E-04	4.12E-06	9.21E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
921	2.08316	3.38E-03	7.0E-03	6.05E-04	4.26E-06	9.21E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
922	2.15554	3.38E-03	7.3E-03	6.05E-04	4.41E-06	9.21E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01

	Max	Receptor #
Res	0.868	1205

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
923	2.23054	3.38E-03	7.5E-03	6.05E-04	4.57E-06	9.21E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
924	2.30792	3.38E-03	7.8E-03	6.05E-04	4.72E-06	9.21E-01	4.71E-02	2.05E-07	1.0E+06	2.1E-01
925	2.38688	3.38E-03	8.1E-03	6.05E-04	4.89E-06	9.21E-01	4.71E-02	2.12E-07	1.0E+06	2.1E-01
926	2.46714	3.38E-03	8.3E-03	6.05E-04	5.05E-06	9.21E-01	4.71E-02	2.19E-07	1.0E+06	2.2E-01
927	2.54717	3.38E-03	8.6E-03	6.05E-04	5.21E-06	9.21E-01	4.71E-02	2.26E-07	1.0E+06	2.3E-01
928	2.62654	3.38E-03	8.9E-03	6.05E-04	5.38E-06	9.21E-01	4.71E-02	2.33E-07	1.0E+06	2.3E-01
929	2.70395	3.38E-03	9.1E-03	6.05E-04	5.53E-06	9.21E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
930	2.77767	3.38E-03	9.4E-03	6.05E-04	5.69E-06	9.21E-01	4.71E-02	2.47E-07	1.0E+06	2.5E-01
931	2.84499	3.38E-03	9.6E-03	6.05E-04	5.82E-06	9.21E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
932	2.90354	3.38E-03	9.8E-03	6.05E-04	5.94E-06	9.21E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
933	2.9525	3.38E-03	1.0E-02	6.05E-04	6.04E-06	9.21E-01	4.71E-02	2.62E-07	1.0E+06	2.6E-01
934	2.99008	3.38E-03	1.0E-02	6.05E-04	6.12E-06	9.21E-01	4.71E-02	2.66E-07	1.0E+06	2.7E-01
935	3.01462	3.38E-03	1.0E-02	6.05E-04	6.17E-06	9.21E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
936	3.02389	3.38E-03	1.0E-02	6.05E-04	6.19E-06	9.21E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
937	3.01538	3.38E-03	1.0E-02	6.05E-04	6.17E-06	9.21E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
938	2.98903	3.38E-03	1.0E-02	6.05E-04	6.12E-06	9.21E-01	4.71E-02	2.66E-07	1.0E+06	2.7E-01
939	2.94679	3.38E-03	1.0E-02	6.05E-04	6.03E-06	9.21E-01	4.71E-02	2.62E-07	1.0E+06	2.6E-01
940	2.89021	3.38E-03	9.8E-03	6.05E-04	5.92E-06	9.21E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
941	2.82029	3.38E-03	9.5E-03	6.05E-04	5.77E-06	9.21E-01	4.71E-02	2.51E-07	1.0E+06	2.5E-01
942	1.41975	3.38E-03	4.8E-03	6.05E-04	2.91E-06	9.21E-01	4.71E-02	1.26E-07	1.0E+06	1.3E-01
943	1.4724	3.38E-03	5.0E-03	6.05E-04	3.01E-06	9.21E-01	4.71E-02	1.31E-07	1.0E+06	1.3E-01
944	1.52496	3.38E-03	5.2E-03	6.05E-04	3.12E-06	9.21E-01	4.71E-02	1.36E-07	1.0E+06	1.4E-01
945	1.57781	3.38E-03	5.3E-03	6.05E-04	3.23E-06	9.21E-01	4.71E-02	1.40E-07	1.0E+06	1.4E-01
946	1.63542	3.38E-03	5.5E-03	6.05E-04	3.35E-06	9.21E-01	4.71E-02	1.45E-07	1.0E+06	1.5E-01
947	1.69476	3.38E-03	5.7E-03	6.05E-04	3.47E-06	9.21E-01	4.71E-02	1.51E-07	1.0E+06	1.5E-01
948	1.75455	3.38E-03	5.9E-03	6.05E-04	3.59E-06	9.21E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
949	1.81519	3.38E-03	6.1E-03	6.05E-04	3.72E-06	9.21E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
950	1.8796	3.38E-03	6.4E-03	6.05E-04	3.85E-06	9.21E-01	4.71E-02	1.67E-07	1.0E+06	1.7E-01
951	1.94787	3.38E-03	6.6E-03	6.05E-04	3.99E-06	9.21E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
952	2.01881	3.38E-03	6.8E-03	6.05E-04	4.13E-06	9.21E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01
953	2.09254	3.38E-03	7.1E-03	6.05E-04	4.28E-06	9.21E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
954	2.16938	3.38E-03	7.3E-03	6.05E-04	4.44E-06	9.21E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
955	2.24971	3.38E-03	7.6E-03	6.05E-04	4.61E-06	9.21E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
956	2.33459	3.38E-03	7.9E-03	6.05E-04	4.78E-06	9.21E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
957	2.42362	3.38E-03	8.2E-03	6.05E-04	4.96E-06	9.21E-01	4.71E-02	2.15E-07	1.0E+06	2.2E-01
958	2.51608	3.38E-03	8.5E-03	6.05E-04	5.15E-06	9.21E-01	4.71E-02	2.24E-07	1.0E+06	2.2E-01
959	2.61119	3.38E-03	8.8E-03	6.05E-04	5.35E-06	9.21E-01	4.71E-02	2.32E-07	1.0E+06	2.3E-01
960	2.70919	3.38E-03	9.2E-03	6.05E-04	5.55E-06	9.21E-01	4.71E-02	2.41E-07	1.0E+06	2.4E-01
961	2.80855	3.38E-03	9.5E-03	6.05E-04	5.75E-06	9.21E-01	4.71E-02	2.50E-07	1.0E+06	2.5E-01
962	2.90798	3.38E-03	9.8E-03	6.05E-04	5.95E-06	9.21E-01	4.71E-02	2.58E-07	1.0E+06	2.6E-01
963	3.00621	3.38E-03	1.0E-02	6.05E-04	6.15E-06	9.21E-01	4.71E-02	2.67E-07	1.0E+06	2.7E-01
964	3.10043	3.38E-03	1.0E-02	6.05E-04	6.35E-06	9.21E-01	4.71E-02	2.76E-07	1.0E+06	2.8E-01
965	3.18812	3.38E-03	1.1E-02	6.05E-04	6.53E-06	9.21E-01	4.71E-02	2.83E-07	1.0E+06	2.8E-01
966	3.26457	3.38E-03	1.1E-02	6.05E-04	6.68E-06	9.21E-01	4.71E-02	2.90E-07	1.0E+06	2.9E-01
967	3.32885	3.38E-03	1.1E-02	6.05E-04	6.81E-06	9.21E-01	4.71E-02	2.96E-07	1.0E+06	3.0E-01
968	3.37814	3.38E-03	1.1E-02	6.05E-04	6.91E-06	9.21E-01	4.71E-02	3.00E-07	1.0E+06	3.0E-01
969	3.41014	3.38E-03	1.2E-02	6.05E-04	6.98E-06	9.21E-01	4.71E-02	3.03E-07	1.0E+06	3.0E-01
970	3.42128	3.38E-03	1.2E-02	6.05E-04	7.00E-06	9.21E-01	4.71E-02	3.04E-07	1.0E+06	3.0E-01
971	3.41078	3.38E-03	1.2E-02	6.05E-04	6.98E-06	9.21E-01	4.71E-02	3.03E-07	1.0E+06	3.0E-01
972	3.37829	3.38E-03	1.1E-02	6.05E-04	6.92E-06	9.21E-01	4.71E-02	3.00E-07	1.0E+06	3.0E-01
973	3.32508	3.38E-03	1.1E-02	6.05E-04	6.81E-06	9.21E-01	4.71E-02	2.96E-07	1.0E+06	3.0E-01
974	3.25251	3.38E-03	1.1E-02	6.05E-04	6.66E-06	9.21E-01	4.71E-02	2.89E-07	1.0E+06	2.9E-01
975	3.16305	3.38E-03	1.1E-02	6.05E-04	6.47E-06	9.21E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
976	1.5019	3.38E-03	5.1E-03	6.05E-04	3.07E-06	9.21E-01	4.71E-02	1.34E-07	1.0E+06	1.3E-01
977	1.55951	3.38E-03	5.3E-03	6.05E-04	3.19E-06	9.21E-01	4.71E-02	1.39E-07	1.0E+06	1.4E-01
978	1.6175	3.38E-03	5.5E-03	6.05E-04	3.31E-06	9.21E-01	4.71E-02	1.44E-07	1.0E+06	1.4E-01
979	1.67604	3.38E-03	5.7E-03	6.05E-04	3.43E-06	9.21E-01	4.71E-02	1.49E-07	1.0E+06	1.5E-01
980	1.74002	3.38E-03	5.9E-03	6.05E-04	3.56E-06	9.21E-01	4.71E-02	1.55E-07	1.0E+06	1.5E-01
981	1.80609	3.38E-03	6.1E-03	6.05E-04	3.70E-06	9.21E-01	4.71E-02	1.61E-07	1.0E+06	1.6E-01
982	1.87281	3.38E-03	6.3E-03	6.05E-04	3.83E-06	9.21E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
983	1.94072	3.38E-03	6.6E-03	6.05E-04	3.97E-06	9.21E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
984	2.01313	3.38E-03	6.8E-03	6.05E-04	4.12E-06	9.21E-01	4.71E-02	1.79E-07	1.0E+06	1.8E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
985	2.08995	3.38E-03	7.1E-03	6.05E-04	4.28E-06	9.21E-01	4.71E-02	1.86E-07	1.0E+06	1.9E-01
986	2.1701	3.38E-03	7.3E-03	6.05E-04	4.44E-06	9.21E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
987	2.25396	3.38E-03	7.6E-03	6.05E-04	4.61E-06	9.21E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
988	2.34192	3.38E-03	7.9E-03	6.05E-04	4.79E-06	9.21E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
989	2.43471	3.38E-03	8.2E-03	6.05E-04	4.98E-06	9.21E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
990	2.53459	3.38E-03	8.6E-03	6.05E-04	5.19E-06	9.21E-01	4.71E-02	2.25E-07	1.0E+06	2.3E-01
991	2.64074	3.38E-03	8.9E-03	6.05E-04	5.41E-06	9.21E-01	4.71E-02	2.35E-07	1.0E+06	2.3E-01
992	2.75198	3.38E-03	9.3E-03	6.05E-04	5.63E-06	9.21E-01	4.71E-02	2.45E-07	1.0E+06	2.4E-01
993	2.86771	3.38E-03	9.7E-03	6.05E-04	5.87E-06	9.21E-01	4.71E-02	2.55E-07	1.0E+06	2.5E-01
994	2.98847	3.38E-03	1.0E-02	6.05E-04	6.12E-06	9.21E-01	4.71E-02	2.66E-07	1.0E+06	2.7E-01
995	3.11365	3.38E-03	1.1E-02	6.05E-04	6.37E-06	9.21E-01	4.71E-02	2.77E-07	1.0E+06	2.8E-01
996	3.24022	3.38E-03	1.1E-02	6.05E-04	6.63E-06	9.21E-01	4.71E-02	2.88E-07	1.0E+06	2.9E-01
997	3.36692	3.38E-03	1.1E-02	6.05E-04	6.89E-06	9.21E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
998	3.48991	3.38E-03	1.2E-02	6.05E-04	7.14E-06	9.21E-01	4.71E-02	3.10E-07	1.0E+06	3.1E-01
999	3.60594	3.38E-03	1.2E-02	6.05E-04	7.38E-06	9.21E-01	4.71E-02	3.21E-07	1.0E+06	3.2E-01
1000	3.70812	3.38E-03	1.3E-02	6.05E-04	7.59E-06	9.21E-01	4.71E-02	3.30E-07	1.0E+06	3.3E-01
1001	3.79396	3.38E-03	1.3E-02	6.05E-04	7.77E-06	9.21E-01	4.71E-02	3.37E-07	1.0E+06	3.4E-01
1002	3.86013	3.38E-03	1.3E-02	6.05E-04	7.90E-06	9.21E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01
1003	3.90266	3.38E-03	1.3E-02	6.05E-04	7.99E-06	9.21E-01	4.71E-02	3.47E-07	1.0E+06	3.5E-01
1004	3.91652	3.38E-03	1.3E-02	6.05E-04	8.02E-06	9.21E-01	4.71E-02	3.48E-07	1.0E+06	3.5E-01
1005	3.9028	3.38E-03	1.3E-02	6.05E-04	7.99E-06	9.21E-01	4.71E-02	3.47E-07	1.0E+06	3.5E-01
1006	3.86166	3.38E-03	1.3E-02	6.05E-04	7.90E-06	9.21E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01
1007	3.79253	3.38E-03	1.3E-02	6.05E-04	7.76E-06	9.21E-01	4.71E-02	3.37E-07	1.0E+06	3.4E-01
1008	3.69675	3.38E-03	1.3E-02	6.05E-04	7.57E-06	9.21E-01	4.71E-02	3.29E-07	1.0E+06	3.3E-01
1009	3.57868	3.38E-03	1.2E-02	6.05E-04	7.33E-06	9.21E-01	4.71E-02	3.18E-07	1.0E+06	3.2E-01
1010	1.59074	3.38E-03	5.4E-03	6.05E-04	3.26E-06	9.21E-01	4.71E-02	1.41E-07	1.0E+06	1.4E-01
1011	1.65396	3.38E-03	5.6E-03	6.05E-04	3.39E-06	9.21E-01	4.71E-02	1.47E-07	1.0E+06	1.5E-01
1012	1.71809	3.38E-03	5.8E-03	6.05E-04	3.52E-06	9.21E-01	4.71E-02	1.53E-07	1.0E+06	1.5E-01
1013	1.7831	3.38E-03	6.0E-03	6.05E-04	3.65E-06	9.21E-01	4.71E-02	1.58E-07	1.0E+06	1.6E-01
1014	1.8542	3.38E-03	6.3E-03	6.05E-04	3.80E-06	9.21E-01	4.71E-02	1.65E-07	1.0E+06	1.6E-01
1015	1.92778	3.38E-03	6.5E-03	6.05E-04	3.95E-06	9.21E-01	4.71E-02	1.71E-07	1.0E+06	1.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1016	2.00228	3.38E-03	6.8E-03	6.05E-04	4.10E-06	9.21E-01	4.71E-02	1.78E-07	1.0E+06	1.8E-01
1017	2.07653	3.38E-03	7.0E-03	6.05E-04	4.25E-06	9.21E-01	4.71E-02	1.85E-07	1.0E+06	1.8E-01
1018	2.15978	3.38E-03	7.3E-03	6.05E-04	4.42E-06	9.21E-01	4.71E-02	1.92E-07	1.0E+06	1.9E-01
1019	2.24625	3.38E-03	7.6E-03	6.05E-04	4.60E-06	9.21E-01	4.71E-02	2.00E-07	1.0E+06	2.0E-01
1020	2.33698	3.38E-03	7.9E-03	6.05E-04	4.78E-06	9.21E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
1021	2.43241	3.38E-03	8.2E-03	6.05E-04	4.98E-06	9.21E-01	4.71E-02	2.16E-07	1.0E+06	2.2E-01
1022	2.53329	3.38E-03	8.6E-03	6.05E-04	5.19E-06	9.21E-01	4.71E-02	2.25E-07	1.0E+06	2.3E-01
1023	2.64079	3.38E-03	8.9E-03	6.05E-04	5.41E-06	9.21E-01	4.71E-02	2.35E-07	1.0E+06	2.3E-01
1024	2.75843	3.38E-03	9.3E-03	6.05E-04	5.65E-06	9.21E-01	4.71E-02	2.45E-07	1.0E+06	2.5E-01
1025	2.88515	3.38E-03	9.8E-03	6.05E-04	5.91E-06	9.21E-01	4.71E-02	2.56E-07	1.0E+06	2.6E-01
1026	3.01984	3.38E-03	1.0E-02	6.05E-04	6.18E-06	9.21E-01	4.71E-02	2.68E-07	1.0E+06	2.7E-01
1027	3.16213	3.38E-03	1.1E-02	6.05E-04	6.47E-06	9.21E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1028	3.31325	3.38E-03	1.1E-02	6.05E-04	6.78E-06	9.21E-01	4.71E-02	2.95E-07	1.0E+06	2.9E-01
1029	3.47289	3.38E-03	1.2E-02	6.05E-04	7.11E-06	9.21E-01	4.71E-02	3.09E-07	1.0E+06	3.1E-01
1030	3.63688	3.38E-03	1.2E-02	6.05E-04	7.44E-06	9.21E-01	4.71E-02	3.23E-07	1.0E+06	3.2E-01
1031	3.8037	3.38E-03	1.3E-02	6.05E-04	7.79E-06	9.21E-01	4.71E-02	3.38E-07	1.0E+06	3.4E-01
1032	3.96771	3.38E-03	1.3E-02	6.05E-04	8.12E-06	9.21E-01	4.71E-02	3.53E-07	1.0E+06	3.5E-01
1033	4.12419	3.38E-03	1.4E-02	6.05E-04	8.44E-06	9.21E-01	4.71E-02	3.67E-07	1.0E+06	3.7E-01
1034	4.26404	3.38E-03	1.4E-02	6.05E-04	8.73E-06	9.21E-01	4.71E-02	3.79E-07	1.0E+06	3.8E-01
1035	4.38116	3.38E-03	1.5E-02	6.05E-04	8.97E-06	9.21E-01	4.71E-02	3.89E-07	1.0E+06	3.9E-01
1036	4.4717	3.38E-03	1.5E-02	6.05E-04	9.15E-06	9.21E-01	4.71E-02	3.97E-07	1.0E+06	4.0E-01
1037	4.52967	3.38E-03	1.5E-02	6.05E-04	9.27E-06	9.21E-01	4.71E-02	4.03E-07	1.0E+06	4.0E-01
1038	4.54755	3.38E-03	1.5E-02	6.05E-04	9.31E-06	9.21E-01	4.71E-02	4.04E-07	1.0E+06	4.0E-01
1039	4.52857	3.38E-03	1.5E-02	6.05E-04	9.27E-06	9.21E-01	4.71E-02	4.03E-07	1.0E+06	4.0E-01
1040	4.4728	3.38E-03	1.5E-02	6.05E-04	9.16E-06	9.21E-01	4.71E-02	3.98E-07	1.0E+06	4.0E-01
1041	4.3777	3.38E-03	1.5E-02	6.05E-04	8.96E-06	9.21E-01	4.71E-02	3.89E-07	1.0E+06	3.9E-01
1042	4.2463	3.38E-03	1.4E-02	6.05E-04	8.69E-06	9.21E-01	4.71E-02	3.77E-07	1.0E+06	3.8E-01
1043	4.08477	3.38E-03	1.4E-02	6.05E-04	8.36E-06	9.21E-01	4.71E-02	3.63E-07	1.0E+06	3.6E-01
1044	1.68719	3.38E-03	5.7E-03	6.05E-04	3.45E-06	9.21E-01	4.71E-02	1.50E-07	1.0E+06	1.5E-01
1045	1.75653	3.38E-03	5.9E-03	6.05E-04	3.60E-06	9.21E-01	4.71E-02	1.56E-07	1.0E+06	1.6E-01
1046	1.83016	3.38E-03	6.2E-03	6.05E-04	3.75E-06	9.21E-01	4.71E-02	1.63E-07	1.0E+06	1.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1047	1.90022	3.38E-03	6.4E-03	6.05E-04	3.89E-06	9.21E-01	4.71E-02	1.69E-07	1.0E+06	1.7E-01
1048	1.97931	3.38E-03	6.7E-03	6.05E-04	4.05E-06	9.21E-01	4.71E-02	1.76E-07	1.0E+06	1.8E-01
1049	2.0613	3.38E-03	7.0E-03	6.05E-04	4.22E-06	9.21E-01	4.71E-02	1.83E-07	1.0E+06	1.8E-01
1050	2.14448	3.38E-03	7.3E-03	6.05E-04	4.39E-06	9.21E-01	4.71E-02	1.91E-07	1.0E+06	1.9E-01
1051	2.22969	3.38E-03	7.5E-03	6.05E-04	4.56E-06	9.21E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
1052	2.3211	3.38E-03	7.9E-03	6.05E-04	4.75E-06	9.21E-01	4.71E-02	2.06E-07	1.0E+06	2.1E-01
1053	2.41857	3.38E-03	8.2E-03	6.05E-04	4.95E-06	9.21E-01	4.71E-02	2.15E-07	1.0E+06	2.1E-01
1054	2.52135	3.38E-03	8.5E-03	6.05E-04	5.16E-06	9.21E-01	4.71E-02	2.24E-07	1.0E+06	2.2E-01
1055	2.63026	3.38E-03	8.9E-03	6.05E-04	5.38E-06	9.21E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
1056	2.74637	3.38E-03	9.3E-03	6.05E-04	5.62E-06	9.21E-01	4.71E-02	2.44E-07	1.0E+06	2.4E-01
1057	2.87138	3.38E-03	9.7E-03	6.05E-04	5.88E-06	9.21E-01	4.71E-02	2.55E-07	1.0E+06	2.6E-01
1058	3.00939	3.38E-03	1.0E-02	6.05E-04	6.16E-06	9.21E-01	4.71E-02	2.67E-07	1.0E+06	2.7E-01
1059	3.16046	3.38E-03	1.1E-02	6.05E-04	6.47E-06	9.21E-01	4.71E-02	2.81E-07	1.0E+06	2.8E-01
1060	3.32447	3.38E-03	1.1E-02	6.05E-04	6.81E-06	9.21E-01	4.71E-02	2.96E-07	1.0E+06	3.0E-01
1061	3.50138	3.38E-03	1.2E-02	6.05E-04	7.17E-06	9.21E-01	4.71E-02	3.11E-07	1.0E+06	3.1E-01
1062	3.69345	3.38E-03	1.2E-02	6.05E-04	7.56E-06	9.21E-01	4.71E-02	3.28E-07	1.0E+06	3.3E-01
1063	3.90012	3.38E-03	1.3E-02	6.05E-04	7.98E-06	9.21E-01	4.71E-02	3.47E-07	1.0E+06	3.5E-01
1064	4.11704	3.38E-03	1.4E-02	6.05E-04	8.43E-06	9.21E-01	4.71E-02	3.66E-07	1.0E+06	3.7E-01
1065	4.34138	3.38E-03	1.5E-02	6.05E-04	8.89E-06	9.21E-01	4.71E-02	3.86E-07	1.0E+06	3.9E-01
1066	4.56573	3.38E-03	1.5E-02	6.05E-04	9.35E-06	9.21E-01	4.71E-02	4.06E-07	1.0E+06	4.1E-01
1067	4.78179	3.38E-03	1.6E-02	6.05E-04	9.79E-06	9.21E-01	4.71E-02	4.25E-07	1.0E+06	4.3E-01
1068	4.97805	3.38E-03	1.7E-02	6.05E-04	1.02E-05	9.21E-01	4.71E-02	4.42E-07	1.0E+06	4.4E-01
1069	5.142	3.38E-03	1.7E-02	6.05E-04	1.05E-05	9.21E-01	4.71E-02	4.57E-07	1.0E+06	4.6E-01
1070	5.26826	3.38E-03	1.8E-02	6.05E-04	1.08E-05	9.21E-01	4.71E-02	4.68E-07	1.0E+06	4.7E-01
1071	5.34837	3.38E-03	1.8E-02	6.05E-04	1.09E-05	9.21E-01	4.71E-02	4.75E-07	1.0E+06	4.8E-01
1072	5.37264	3.38E-03	1.8E-02	6.05E-04	1.10E-05	9.21E-01	4.71E-02	4.78E-07	1.0E+06	4.8E-01
1073	5.34517	3.38E-03	1.8E-02	6.05E-04	1.09E-05	9.21E-01	4.71E-02	4.75E-07	1.0E+06	4.8E-01
1074	5.26473	3.38E-03	1.8E-02	6.05E-04	1.08E-05	9.21E-01	4.71E-02	4.68E-07	1.0E+06	4.7E-01
1075	5.12805	3.38E-03	1.7E-02	6.05E-04	1.05E-05	9.21E-01	4.71E-02	4.56E-07	1.0E+06	4.6E-01
1076	4.9404	3.38E-03	1.7E-02	6.05E-04	1.01E-05	9.21E-01	4.71E-02	4.39E-07	1.0E+06	4.4E-01
1077	4.71126	3.38E-03	1.6E-02	6.05E-04	9.64E-06	9.21E-01	4.71E-02	4.19E-07	1.0E+06	4.2E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1078	1.79233	3.38E-03	6.1E-03	6.05E-04	3.67E-06	9.21E-01	4.71E-02	1.59E-07	1.0E+06	1.6E-01
1079	1.86905	3.38E-03	6.3E-03	6.05E-04	3.83E-06	9.21E-01	4.71E-02	1.66E-07	1.0E+06	1.7E-01
1080	1.95087	3.38E-03	6.6E-03	6.05E-04	3.99E-06	9.21E-01	4.71E-02	1.73E-07	1.0E+06	1.7E-01
1081	2.03097	3.38E-03	6.9E-03	6.05E-04	4.16E-06	9.21E-01	4.71E-02	1.81E-07	1.0E+06	1.8E-01
1082	2.11709	3.38E-03	7.2E-03	6.05E-04	4.33E-06	9.21E-01	4.71E-02	1.88E-07	1.0E+06	1.9E-01
1083	2.2085	3.38E-03	7.5E-03	6.05E-04	4.52E-06	9.21E-01	4.71E-02	1.96E-07	1.0E+06	2.0E-01
1084	2.3035	3.38E-03	7.8E-03	6.05E-04	4.72E-06	9.21E-01	4.71E-02	2.05E-07	1.0E+06	2.0E-01
1085	2.39687	3.38E-03	8.1E-03	6.05E-04	4.91E-06	9.21E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
1086	2.49947	3.38E-03	8.5E-03	6.05E-04	5.12E-06	9.21E-01	4.71E-02	2.22E-07	1.0E+06	2.2E-01
1087	2.6091	3.38E-03	8.8E-03	6.05E-04	5.34E-06	9.21E-01	4.71E-02	2.32E-07	1.0E+06	2.3E-01
1088	2.72531	3.38E-03	9.2E-03	6.05E-04	5.58E-06	9.21E-01	4.71E-02	2.42E-07	1.0E+06	2.4E-01
1089	2.8493	3.38E-03	9.6E-03	6.05E-04	5.83E-06	9.21E-01	4.71E-02	2.53E-07	1.0E+06	2.5E-01
1090	2.98273	3.38E-03	1.0E-02	6.05E-04	6.11E-06	9.21E-01	4.71E-02	2.65E-07	1.0E+06	2.7E-01
1091	3.12782	3.38E-03	1.1E-02	6.05E-04	6.40E-06	9.21E-01	4.71E-02	2.78E-07	1.0E+06	2.8E-01
1092	3.2898	3.38E-03	1.1E-02	6.05E-04	6.73E-06	9.21E-01	4.71E-02	2.92E-07	1.0E+06	2.9E-01
1093	3.4702	3.38E-03	1.2E-02	6.05E-04	7.10E-06	9.21E-01	4.71E-02	3.08E-07	1.0E+06	3.1E-01
1094	3.67038	3.38E-03	1.2E-02	6.05E-04	7.51E-06	9.21E-01	4.71E-02	3.26E-07	1.0E+06	3.3E-01
1095	3.89235	3.38E-03	1.3E-02	6.05E-04	7.97E-06	9.21E-01	4.71E-02	3.46E-07	1.0E+06	3.5E-01
1096	4.14004	3.38E-03	1.4E-02	6.05E-04	8.47E-06	9.21E-01	4.71E-02	3.68E-07	1.0E+06	3.7E-01
1097	4.41279	3.38E-03	1.5E-02	6.05E-04	9.03E-06	9.21E-01	4.71E-02	3.92E-07	1.0E+06	3.9E-01
1098	4.70698	3.38E-03	1.6E-02	6.05E-04	9.64E-06	9.21E-01	4.71E-02	4.18E-07	1.0E+06	4.2E-01
1099	5.01782	3.38E-03	1.7E-02	6.05E-04	1.03E-05	9.21E-01	4.71E-02	4.46E-07	1.0E+06	4.5E-01
1100	5.33334	3.38E-03	1.8E-02	6.05E-04	1.09E-05	9.21E-01	4.71E-02	4.74E-07	1.0E+06	4.7E-01
1101	5.63956	3.38E-03	1.9E-02	6.05E-04	1.15E-05	9.21E-01	4.71E-02	5.01E-07	1.0E+06	5.0E-01
1102	5.92318	3.38E-03	2.0E-02	6.05E-04	1.21E-05	9.21E-01	4.71E-02	5.26E-07	1.0E+06	5.3E-01
1103	6.15976	3.38E-03	2.1E-02	6.05E-04	1.26E-05	9.21E-01	4.71E-02	5.48E-07	1.0E+06	5.5E-01
1104	6.33917	3.38E-03	2.1E-02	6.05E-04	1.30E-05	9.21E-01	4.71E-02	5.63E-07	1.0E+06	5.6E-01
1105	6.45005	3.38E-03	2.2E-02	6.05E-04	1.32E-05	9.21E-01	4.71E-02	5.73E-07	1.0E+06	5.7E-01
1106	6.4842	3.38E-03	2.2E-02	6.05E-04	1.33E-05	9.21E-01	4.71E-02	5.76E-07	1.0E+06	5.8E-01
1107	6.44643	3.38E-03	2.2E-02	6.05E-04	1.32E-05	9.21E-01	4.71E-02	5.73E-07	1.0E+06	5.7E-01
1108	6.33	3.38E-03	2.1E-02	6.05E-04	1.30E-05	9.21E-01	4.71E-02	5.63E-07	1.0E+06	5.6E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1109	6.12748	3.38E-03	2.1E-02	6.05E-04	1.25E-05	9.21E-01	4.71E-02	5.45E-07	1.0E+06	5.4E-01
1110	5.84948	3.38E-03	2.0E-02	6.05E-04	1.20E-05	9.21E-01	4.71E-02	5.20E-07	1.0E+06	5.2E-01
1111	5.51509	3.38E-03	1.9E-02	6.05E-04	1.13E-05	9.21E-01	4.71E-02	4.90E-07	1.0E+06	4.9E-01
1112	1.90754	3.38E-03	6.5E-03	6.05E-04	3.90E-06	9.21E-01	4.71E-02	1.70E-07	1.0E+06	1.7E-01
1113	1.99395	3.38E-03	6.7E-03	6.05E-04	4.08E-06	9.21E-01	4.71E-02	1.77E-07	1.0E+06	1.8E-01
1114	2.08392	3.38E-03	7.0E-03	6.05E-04	4.27E-06	9.21E-01	4.71E-02	1.85E-07	1.0E+06	1.9E-01
1115	2.17568	3.38E-03	7.4E-03	6.05E-04	4.45E-06	9.21E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
1116	2.26975	3.38E-03	7.7E-03	6.05E-04	4.65E-06	9.21E-01	4.71E-02	2.02E-07	1.0E+06	2.0E-01
1117	2.37171	3.38E-03	8.0E-03	6.05E-04	4.85E-06	9.21E-01	4.71E-02	2.11E-07	1.0E+06	2.1E-01
1118	2.47776	3.38E-03	8.4E-03	6.05E-04	5.07E-06	9.21E-01	4.71E-02	2.20E-07	1.0E+06	2.2E-01
1119	2.58252	3.38E-03	8.7E-03	6.05E-04	5.29E-06	9.21E-01	4.71E-02	2.30E-07	1.0E+06	2.3E-01
1120	2.69744	3.38E-03	9.1E-03	6.05E-04	5.52E-06	9.21E-01	4.71E-02	2.40E-07	1.0E+06	2.4E-01
1121	2.82046	3.38E-03	9.5E-03	6.05E-04	5.77E-06	9.21E-01	4.71E-02	2.51E-07	1.0E+06	2.5E-01
1122	2.95147	3.38E-03	1.0E-02	6.05E-04	6.04E-06	9.21E-01	4.71E-02	2.62E-07	1.0E+06	2.6E-01
1123	3.09213	3.38E-03	1.0E-02	6.05E-04	6.33E-06	9.21E-01	4.71E-02	2.75E-07	1.0E+06	2.7E-01
1124	3.24473	3.38E-03	1.1E-02	6.05E-04	6.64E-06	9.21E-01	4.71E-02	2.88E-07	1.0E+06	2.9E-01
1125	3.41259	3.38E-03	1.2E-02	6.05E-04	6.99E-06	9.21E-01	4.71E-02	3.03E-07	1.0E+06	3.0E-01
1126	3.60217	3.38E-03	1.2E-02	6.05E-04	7.37E-06	9.21E-01	4.71E-02	3.20E-07	1.0E+06	3.2E-01
1127	3.81712	3.38E-03	1.3E-02	6.05E-04	7.81E-06	9.21E-01	4.71E-02	3.39E-07	1.0E+06	3.4E-01
1128	4.0622	3.38E-03	1.4E-02	6.05E-04	8.32E-06	9.21E-01	4.71E-02	3.61E-07	1.0E+06	3.6E-01
1129	4.34181	3.38E-03	1.5E-02	6.05E-04	8.89E-06	9.21E-01	4.71E-02	3.86E-07	1.0E+06	3.9E-01
1130	4.66524	3.38E-03	1.6E-02	6.05E-04	9.55E-06	9.21E-01	4.71E-02	4.15E-07	1.0E+06	4.1E-01
1131	5.03357	3.38E-03	1.7E-02	6.05E-04	1.03E-05	9.21E-01	4.71E-02	4.47E-07	1.0E+06	4.5E-01
1132	5.44589	3.38E-03	1.8E-02	6.05E-04	1.11E-05	9.21E-01	4.71E-02	4.84E-07	1.0E+06	4.8E-01
1133	5.89285	3.38E-03	2.0E-02	6.05E-04	1.21E-05	9.21E-01	4.71E-02	5.24E-07	1.0E+06	5.2E-01
1134	6.35095	3.38E-03	2.1E-02	6.05E-04	1.30E-05	9.21E-01	4.71E-02	5.65E-07	1.0E+06	5.6E-01
1135	6.79794	3.38E-03	2.3E-02	6.05E-04	1.39E-05	9.21E-01	4.71E-02	6.04E-07	1.0E+06	6.0E-01
1136	7.22023	3.38E-03	2.4E-02	6.05E-04	1.48E-05	9.21E-01	4.71E-02	6.42E-07	1.0E+06	6.4E-01
1137	7.57481	3.38E-03	2.6E-02	6.05E-04	1.55E-05	9.21E-01	4.71E-02	6.73E-07	1.0E+06	6.7E-01
1138	7.83292	3.38E-03	2.6E-02	6.05E-04	1.60E-05	9.21E-01	4.71E-02	6.96E-07	1.0E+06	7.0E-01
1139	7.97995	3.38E-03	2.7E-02	6.05E-04	1.63E-05	9.21E-01	4.71E-02	7.09E-07	1.0E+06	7.1E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1140	8.03139	3.38E-03	2.7E-02	6.05E-04	1.64E-05	9.21E-01	4.71E-02	7.14E-07	1.0E+06	7.1E-01
1141	7.98973	3.38E-03	2.7E-02	6.05E-04	1.64E-05	9.21E-01	4.71E-02	7.10E-07	1.0E+06	7.1E-01
1142	7.81875	3.38E-03	2.6E-02	6.05E-04	1.60E-05	9.21E-01	4.71E-02	6.95E-07	1.0E+06	6.9E-01
1143	7.50412	3.38E-03	2.5E-02	6.05E-04	1.54E-05	9.21E-01	4.71E-02	6.67E-07	1.0E+06	6.7E-01
1144	7.07481	3.38E-03	2.4E-02	6.05E-04	1.45E-05	9.21E-01	4.71E-02	6.29E-07	1.0E+06	6.3E-01
1145	6.56874	3.38E-03	2.2E-02	6.05E-04	1.34E-05	9.21E-01	4.71E-02	5.84E-07	1.0E+06	5.8E-01
1146	2.03453	3.38E-03	6.9E-03	6.05E-04	4.16E-06	9.21E-01	4.71E-02	1.81E-07	1.0E+06	1.8E-01
1147	2.13247	3.38E-03	7.2E-03	6.05E-04	4.37E-06	9.21E-01	4.71E-02	1.90E-07	1.0E+06	1.9E-01
1148	2.23163	3.38E-03	7.5E-03	6.05E-04	4.57E-06	9.21E-01	4.71E-02	1.98E-07	1.0E+06	2.0E-01
1149	2.33656	3.38E-03	7.9E-03	6.05E-04	4.78E-06	9.21E-01	4.71E-02	2.08E-07	1.0E+06	2.1E-01
1150	2.44222	3.38E-03	8.3E-03	6.05E-04	5.00E-06	9.21E-01	4.71E-02	2.17E-07	1.0E+06	2.2E-01
1151	2.55404	3.38E-03	8.6E-03	6.05E-04	5.23E-06	9.21E-01	4.71E-02	2.27E-07	1.0E+06	2.3E-01
1152	2.67247	3.38E-03	9.0E-03	6.05E-04	5.47E-06	9.21E-01	4.71E-02	2.38E-07	1.0E+06	2.4E-01
1153	2.79193	3.38E-03	9.4E-03	6.05E-04	5.72E-06	9.21E-01	4.71E-02	2.48E-07	1.0E+06	2.5E-01
1154	2.91823	3.38E-03	9.9E-03	6.05E-04	5.97E-06	9.21E-01	4.71E-02	2.59E-07	1.0E+06	2.6E-01
1155	3.05585	3.38E-03	1.0E-02	6.05E-04	6.26E-06	9.21E-01	4.71E-02	2.72E-07	1.0E+06	2.7E-01
1156	3.20293	3.38E-03	1.1E-02	6.05E-04	6.56E-06	9.21E-01	4.71E-02	2.85E-07	1.0E+06	2.8E-01
1157	3.36173	3.38E-03	1.1E-02	6.05E-04	6.88E-06	9.21E-01	4.71E-02	2.99E-07	1.0E+06	3.0E-01
1158	3.53541	3.38E-03	1.2E-02	6.05E-04	7.24E-06	9.21E-01	4.71E-02	3.14E-07	1.0E+06	3.1E-01
1159	3.7286	3.38E-03	1.3E-02	6.05E-04	7.63E-06	9.21E-01	4.71E-02	3.31E-07	1.0E+06	3.3E-01
1160	3.94893	3.38E-03	1.3E-02	6.05E-04	8.08E-06	9.21E-01	4.71E-02	3.51E-07	1.0E+06	3.5E-01
1161	4.20347	3.38E-03	1.4E-02	6.05E-04	8.60E-06	9.21E-01	4.71E-02	3.74E-07	1.0E+06	3.7E-01
1162	4.50184	3.38E-03	1.5E-02	6.05E-04	9.22E-06	9.21E-01	4.71E-02	4.00E-07	1.0E+06	4.0E-01
1163	4.85509	3.38E-03	1.6E-02	6.05E-04	9.94E-06	9.21E-01	4.71E-02	4.32E-07	1.0E+06	4.3E-01
1164	5.28071	3.38E-03	1.8E-02	6.05E-04	1.08E-05	9.21E-01	4.71E-02	4.69E-07	1.0E+06	4.7E-01
1165	5.79017	3.38E-03	2.0E-02	6.05E-04	1.19E-05	9.21E-01	4.71E-02	5.15E-07	1.0E+06	5.1E-01
1166	6.38984	3.38E-03	2.2E-02	6.05E-04	1.31E-05	9.21E-01	4.71E-02	5.68E-07	1.0E+06	5.7E-01
1167	7.06432	3.38E-03	2.4E-02	6.05E-04	1.45E-05	9.21E-01	4.71E-02	6.28E-07	1.0E+06	6.3E-01
1168	6.38019	3.38E-03	2.2E-02	6.05E-04	1.31E-05	9.21E-01	4.71E-02	5.67E-07	1.0E+06	5.7E-01
1169	8.41857	3.38E-03	2.8E-02	6.05E-04	1.72E-05	9.21E-01	4.71E-02	7.48E-07	1.0E+06	7.5E-01
1170	7.5517	3.38E-03	2.6E-02	6.05E-04	1.55E-05	9.21E-01	4.71E-02	6.71E-07	1.0E+06	6.7E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1171	7.83606	3.38E-03	2.7E-02	6.05E-04	1.60E-05	9.21E-01	4.71E-02	6.97E-07	1.0E+06	7.0E-01
1172	8.1392	3.38E-03	2.8E-02	6.05E-04	1.67E-05	9.21E-01	4.71E-02	7.23E-07	1.0E+06	7.2E-01
1173	8.48934	3.38E-03	2.9E-02	6.05E-04	1.74E-05	9.21E-01	4.71E-02	7.55E-07	1.0E+06	7.5E-01
1174	8.63871	3.38E-03	2.9E-02	6.05E-04	1.77E-05	9.21E-01	4.71E-02	7.68E-07	1.0E+06	7.7E-01
1175	8.32856	3.38E-03	2.8E-02	6.05E-04	1.70E-05	9.21E-01	4.71E-02	7.40E-07	1.0E+06	7.4E-01
1176	8.01684	3.38E-03	2.7E-02	6.05E-04	1.64E-05	9.21E-01	4.71E-02	7.13E-07	1.0E+06	7.1E-01
1177	7.68924	3.38E-03	2.6E-02	6.05E-04	1.57E-05	9.21E-01	4.71E-02	6.83E-07	1.0E+06	6.8E-01
1178	5.9706	3.38E-03	2.0E-02	6.05E-04	1.22E-05	9.21E-01	4.71E-02	5.31E-07	1.0E+06	5.3E-01
1179	6.57107	3.38E-03	2.2E-02	6.05E-04	1.35E-05	9.21E-01	4.71E-02	5.84E-07	1.0E+06	5.8E-01
1180	2.17552	3.38E-03	7.4E-03	6.05E-04	4.45E-06	9.21E-01	4.71E-02	1.93E-07	1.0E+06	1.9E-01
1181	2.28576	3.38E-03	7.7E-03	6.05E-04	4.68E-06	9.21E-01	4.71E-02	2.03E-07	1.0E+06	2.0E-01
1182	2.39727	3.38E-03	8.1E-03	6.05E-04	4.91E-06	9.21E-01	4.71E-02	2.13E-07	1.0E+06	2.1E-01
1183	2.51595	3.38E-03	8.5E-03	6.05E-04	5.15E-06	9.21E-01	4.71E-02	2.24E-07	1.0E+06	2.2E-01
1184	2.63399	3.38E-03	8.9E-03	6.05E-04	5.39E-06	9.21E-01	4.71E-02	2.34E-07	1.0E+06	2.3E-01
1185	2.7595	3.38E-03	9.3E-03	6.05E-04	5.65E-06	9.21E-01	4.71E-02	2.45E-07	1.0E+06	2.5E-01
1186	2.89193	3.38E-03	9.8E-03	6.05E-04	5.92E-06	9.21E-01	4.71E-02	2.57E-07	1.0E+06	2.6E-01
1187	3.02979	3.38E-03	1.0E-02	6.05E-04	6.20E-06	9.21E-01	4.71E-02	2.69E-07	1.0E+06	2.7E-01
1188	3.16867	3.38E-03	1.1E-02	6.05E-04	6.49E-06	9.21E-01	4.71E-02	2.82E-07	1.0E+06	2.8E-01
1189	3.32023	3.38E-03	1.1E-02	6.05E-04	6.80E-06	9.21E-01	4.71E-02	2.95E-07	1.0E+06	3.0E-01
1190	3.48447	3.38E-03	1.2E-02	6.05E-04	7.13E-06	9.21E-01	4.71E-02	3.10E-07	1.0E+06	3.1E-01
1191	3.66265	3.38E-03	1.2E-02	6.05E-04	7.50E-06	9.21E-01	4.71E-02	3.26E-07	1.0E+06	3.3E-01
1192	3.85875	3.38E-03	1.3E-02	6.05E-04	7.90E-06	9.21E-01	4.71E-02	3.43E-07	1.0E+06	3.4E-01
1193	4.07907	3.38E-03	1.4E-02	6.05E-04	8.35E-06	9.21E-01	4.71E-02	3.63E-07	1.0E+06	3.6E-01
1194	4.33265	3.38E-03	1.5E-02	6.05E-04	8.87E-06	9.21E-01	4.71E-02	3.85E-07	1.0E+06	3.9E-01
1195	4.6314	3.38E-03	1.6E-02	6.05E-04	9.48E-06	9.21E-01	4.71E-02	4.12E-07	1.0E+06	4.1E-01
1196	4.99103	3.38E-03	1.7E-02	6.05E-04	1.02E-05	9.21E-01	4.71E-02	4.44E-07	1.0E+06	4.4E-01
1197	5.43436	3.38E-03	1.8E-02	6.05E-04	1.11E-05	9.21E-01	4.71E-02	4.83E-07	1.0E+06	4.8E-01
1198	5.99494	3.38E-03	2.0E-02	6.05E-04	1.23E-05	9.21E-01	4.71E-02	5.33E-07	1.0E+06	5.3E-01
1199	6.70943	3.38E-03	2.3E-02	6.05E-04	1.37E-05	9.21E-01	4.71E-02	5.96E-07	1.0E+06	6.0E-01
1200	6.07919	3.38E-03	2.1E-02	6.05E-04	1.24E-05	9.21E-01	4.71E-02	5.40E-07	1.0E+06	5.4E-01
1201	6.72457	3.38E-03	2.3E-02	6.05E-04	1.38E-05	9.21E-01	4.71E-02	5.98E-07	1.0E+06	6.0E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

		Cancer Risk from 2 to 16 years								
Receptor #	Conc	g/sec	Cair	Dose Constant	Dose	ED	Risk Constant	Risk	Constant 2	Risk/ Million
1202	7.55543	3.38E-03	2.6E-02	6.05E-04	1.55E-05	9.21E-01	4.71E-02	6.72E-07	1.0E+06	6.7E-01
1203	6.99298	3.38E-03	2.4E-02	6.05E-04	1.43E-05	9.21E-01	4.71E-02	6.22E-07	1.0E+06	6.2E-01
1204	7.66017	3.38E-03	2.6E-02	6.05E-04	1.57E-05	9.21E-01	4.71E-02	6.81E-07	1.0E+06	6.8E-01
1205	9.76139	3.38E-03	3.3E-02	6.05E-04	2.00E-05	9.21E-01	4.71E-02	8.68E-07	1.0E+06	8.7E-01
1206	8.83169	3.38E-03	3.0E-02	6.05E-04	1.81E-05	9.21E-01	4.71E-02	7.85E-07	1.0E+06	7.9E-01
1207	9.02331	3.38E-03	3.1E-02	6.05E-04	1.85E-05	9.21E-01	4.71E-02	8.02E-07	1.0E+06	8.0E-01
1208	7.72726	3.38E-03	2.6E-02	6.05E-04	1.58E-05	9.21E-01	4.71E-02	6.87E-07	1.0E+06	6.9E-01
1209	8.9362	3.38E-03	3.0E-02	6.05E-04	1.83E-05	9.21E-01	4.71E-02	7.94E-07	1.0E+06	7.9E-01
1210	7.16039	3.38E-03	2.4E-02	6.05E-04	1.47E-05	9.21E-01	4.71E-02	6.36E-07	1.0E+06	6.4E-01
1211	6.44491	3.38E-03	2.2E-02	6.05E-04	1.32E-05	9.21E-01	4.71E-02	5.73E-07	1.0E+06	5.7E-01
1212	7.05356	3.38E-03	2.4E-02	6.05E-04	1.44E-05	9.21E-01	4.71E-02	6.27E-07	1.0E+06	6.3E-01
1213	6.23474	3.38E-03	2.1E-02	6.05E-04	1.28E-05	9.21E-01	4.71E-02	5.54E-07	1.0E+06	5.5E-01

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
892	5	1.57E-03
893	5	1.61E-03
894	5	1.66E-03
895	5	1.70E-03
896	5	1.73E-03
897	5	1.76E-03
898	5	1.79E-03
899	5	1.81E-03
900	5	1.82E-03
901	5	1.83E-03
902	5	1.82E-03
903	5	1.81E-03
904	5	1.78E-03
905	5	1.75E-03
906	5	1.72E-03
907	5	1.68E-03
908	5	9.09E-04
909	5	9.42E-04
910	5	9.73E-04
911	5	1.01E-03
912	5	1.04E-03
913	5	1.08E-03
914	5	1.11E-03
915	5	1.15E-03
916	5	1.19E-03
917	5	1.23E-03
918	5	1.27E-03
919	5	1.32E-03
920	5	1.36E-03
921	5	1.41E-03
922	5	1.46E-03

Max	Receptor #	
0.007	1205	Res

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
923	5	1.51E-03
924	5	1.56E-03
925	5	1.61E-03
926	5	1.67E-03
927	5	1.72E-03
928	5	1.78E-03
929	5	1.83E-03
930	5	1.88E-03
931	5	1.92E-03
932	5	1.96E-03
933	5	2.00E-03
934	5	2.02E-03
935	5	2.04E-03
936	5	2.05E-03
937	5	2.04E-03
938	5	2.02E-03
939	5	1.99E-03
940	5	1.96E-03
941	5	1.91E-03
942	5	9.61E-04
943	5	9.96E-04
944	5	1.03E-03
945	5	1.07E-03
946	5	1.11E-03
947	5	1.15E-03
948	5	1.19E-03
949	5	1.23E-03
950	5	1.27E-03
951	5	1.32E-03
952	5	1.37E-03
953	5	1.42E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
954	5	1.47E-03
955	5	1.52E-03
956	5	1.58E-03
957	5	1.64E-03
958	5	1.70E-03
959	5	1.77E-03
960	5	1.83E-03
961	5	1.90E-03
962	5	1.97E-03
963	5	2.03E-03
964	5	2.10E-03
965	5	2.16E-03
966	5	2.21E-03
967	5	2.25E-03
968	5	2.29E-03
969	5	2.31E-03
970	5	2.31E-03
971	5	2.31E-03
972	5	2.29E-03
973	5	2.25E-03
974	5	2.20E-03
975	5	2.14E-03
976	5	1.02E-03
977	5	1.06E-03
978	5	1.09E-03
979	5	1.13E-03
980	5	1.18E-03
981	5	1.22E-03
982	5	1.27E-03
983	5	1.31E-03
984	5	1.36E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
985	5	1.41E-03
986	5	1.47E-03
987	5	1.53E-03
988	5	1.58E-03
989	5	1.65E-03
990	5	1.71E-03
991	5	1.79E-03
992	5	1.86E-03
993	5	1.94E-03
994	5	2.02E-03
995	5	2.11E-03
996	5	2.19E-03
997	5	2.28E-03
998	5	2.36E-03
999	5	2.44E-03
1000	5	2.51E-03
1001	5	2.57E-03
1002	5	2.61E-03
1003	5	2.64E-03
1004	5	2.65E-03
1005	5	2.64E-03
1006	5	2.61E-03
1007	5	2.57E-03
1008	5	2.50E-03
1009	5	2.42E-03
1010	5	1.08E-03
1011	5	1.12E-03
1012	5	1.16E-03
1013	5	1.21E-03
1014	5	1.25E-03
1015	5	1.30E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1016	5	1.35E-03
1017	5	1.40E-03
1018	5	1.46E-03
1019	5	1.52E-03
1020	5	1.58E-03
1021	5	1.65E-03
1022	5	1.71E-03
1023	5	1.79E-03
1024	5	1.87E-03
1025	5	1.95E-03
1026	5	2.04E-03
1027	5	2.14E-03
1028	5	2.24E-03
1029	5	2.35E-03
1030	5	2.46E-03
1031	5	2.57E-03
1032	5	2.68E-03
1033	5	2.79E-03
1034	5	2.89E-03
1035	5	2.96E-03
1036	5	3.03E-03
1037	5	3.06E-03
1038	5	3.08E-03
1039	5	3.06E-03
1040	5	3.03E-03
1041	5	2.96E-03
1042	5	2.87E-03
1043	5	2.76E-03
1044	5	1.14E-03
1045	5	1.19E-03
1046	5	1.24E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1047	5	1.29E-03
1048	5	1.34E-03
1049	5	1.39E-03
1050	5	1.45E-03
1051	5	1.51E-03
1052	5	1.57E-03
1053	5	1.64E-03
1054	5	1.71E-03
1055	5	1.78E-03
1056	5	1.86E-03
1057	5	1.94E-03
1058	5	2.04E-03
1059	5	2.14E-03
1060	5	2.25E-03
1061	5	2.37E-03
1062	5	2.50E-03
1063	5	2.64E-03
1064	5	2.79E-03
1065	5	2.94E-03
1066	5	3.09E-03
1067	5	3.24E-03
1068	5	3.37E-03
1069	5	3.48E-03
1070	5	3.56E-03
1071	5	3.62E-03
1072	5	3.64E-03
1073	5	3.62E-03
1074	5	3.56E-03
1075	5	3.47E-03
1076	5	3.34E-03
1077	5	3.19E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1078	5	1.21E-03
1079	5	1.26E-03
1080	5	1.32E-03
1081	5	1.37E-03
1082	5	1.43E-03
1083	5	1.49E-03
1084	5	1.56E-03
1085	5	1.62E-03
1086	5	1.69E-03
1087	5	1.77E-03
1088	5	1.84E-03
1089	5	1.93E-03
1090	5	2.02E-03
1091	5	2.12E-03
1092	5	2.23E-03
1093	5	2.35E-03
1094	5	2.48E-03
1095	5	2.63E-03
1096	5	2.80E-03
1097	5	2.99E-03
1098	5	3.18E-03
1099	5	3.40E-03
1100	5	3.61E-03
1101	5	3.82E-03
1102	5	4.01E-03
1103	5	4.17E-03
1104	5	4.29E-03
1105	5	4.36E-03
1106	5	4.39E-03
1107	5	4.36E-03
1108	5	4.28E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1109	5	4.15E-03
1110	5	3.96E-03
1111	5	3.73E-03
1112	5	1.29E-03
1113	5	1.35E-03
1114	5	1.41E-03
1115	5	1.47E-03
1116	5	1.54E-03
1117	5	1.60E-03
1118	5	1.68E-03
1119	5	1.75E-03
1120	5	1.83E-03
1121	5	1.91E-03
1122	5	2.00E-03
1123	5	2.09E-03
1124	5	2.20E-03
1125	5	2.31E-03
1126	5	2.44E-03
1127	5	2.58E-03
1128	5	2.75E-03
1129	5	2.94E-03
1130	5	3.16E-03
1131	5	3.41E-03
1132	5	3.68E-03
1133	5	3.99E-03
1134	5	4.30E-03
1135	5	4.60E-03
1136	5	4.89E-03
1137	5	5.13E-03
1138	5	5.30E-03
1139	5	5.40E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1140	5	5.43E-03
1141	5	5.41E-03
1142	5	5.29E-03
1143	5	5.08E-03
1144	5	4.79E-03
1145	5	4.44E-03
1146	5	1.38E-03
1147	5	1.44E-03
1148	5	1.51E-03
1149	5	1.58E-03
1150	5	1.65E-03
1151	5	1.73E-03
1152	5	1.81E-03
1153	5	1.89E-03
1154	5	1.97E-03
1155	5	2.07E-03
1156	5	2.17E-03
1157	5	2.27E-03
1158	5	2.39E-03
1159	5	2.52E-03
1160	5	2.67E-03
1161	5	2.84E-03
1162	5	3.05E-03
1163	5	3.28E-03
1164	5	3.57E-03
1165	5	3.92E-03
1166	5	4.32E-03
1167	5	4.78E-03
1168	5	4.32E-03
1169	5	5.70E-03
1170	5	5.11E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1171	5	5.30E-03
1172	5	5.51E-03
1173	5	5.74E-03
1174	5	5.85E-03
1175	5	5.64E-03
1176	5	5.42E-03
1177	5	5.20E-03
1178	5	4.04E-03
1179	5	4.45E-03
1180	5	1.47E-03
1181	5	1.55E-03
1182	5	1.62E-03
1183	5	1.70E-03
1184	5	1.78E-03
1185	5	1.87E-03
1186	5	1.96E-03
1187	5	2.05E-03
1188	5	2.14E-03
1189	5	2.25E-03
1190	5	2.36E-03
1191	5	2.48E-03
1192	5	2.61E-03
1193	5	2.76E-03
1194	5	2.93E-03
1195	5	3.13E-03
1196	5	3.38E-03
1197	5	3.68E-03
1198	5	4.06E-03
1199	5	4.54E-03
1200	5	4.11E-03
1201	5	4.55E-03

One San Pedro Specific Plan

Unmitigated - Planning Area 3 - Architectural Coating Risk

	Chronic Non Cancer Risk	
Receptor #	**REL**	**HI**
1202	5	5.11E-03
1203	5	4.73E-03
1204	5	5.18E-03
1205	5	6.60E-03
1206	5	5.98E-03
1207	5	6.11E-03
1208	5	5.23E-03
1209	5	6.05E-03
1210	5	4.84E-03
1211	5	4.36E-03
1212	5	4.77E-03
1213	5	4.22E-03